

Computer algebra independent integration tests

1-Algebraic-functions/1.1-Binomial-products/1.1.1-Linear/1.1.1.6-P-x-
a+b-x-^m-c+d-x-^n-e+f-x-^p

Nasser M. Abbasi

September 19, 2021 Compiled on September 19, 2021 at 6:41pm

Contents

1	Introduction	3
2	detailed summary tables of results	19
3	Listing of integrals	41
4	Appendix	541

Chapter 1

Introduction

Local contents

1.1	Listing of CAS systems tested	4
1.2	Results	5
1.3	Performance	9
1.4	list of integrals that has no closed form antiderivative	11
1.5	list of integrals solved by CAS but has no known antiderivative	12
1.6	list of integrals solved by CAS but failed verification	13
1.7	Timing	13
1.8	Verification	14
1.9	Important notes about some of the results	14
1.10	Design of the test system	16

This report gives the result of running the computer algebra independent integration test.
Elementary Algebraic integrals version.

The download section below contains links to download the problems in plain text format used for all CAS systems.

The number of integrals in this report is [60]. This is test number [5].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.3.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.45 on Linux. (via sageMath 9.3)
5. Fricas 1.3.7 on Linux (via sageMath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sageMath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)
9. IntegrateAlgebraic under Mathematica 12.3.1 on windows 10. https://github.com/stblake/algebraic_integration. September 15, 2021 version.

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 (60)	0.00 (0)
Mathematica	100.00 (60)	0.00 (0)
Maple	100.00 (60)	0.00 (0)
IntegrateAlgebraic	96.67 (58)	3.33 (2)
Fricas	73.33 (44)	26.67 (16)
Mupad	66.67 (40)	33.33 (20)
Giac	55.00 (33)	45.00 (27)
Maxima	45.00 (27)	55.00 (33)
Sympy	23.33 (14)	% 76.67 (46)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	95.00	5.00	0.00	0.00
Mathematica	85.00	15.00	0.00	0.00
Fricas	61.67	11.67	0.00	26.67
IntegrateAlgebraic	46.67	50.00	0.00	3.33
Maxima	43.33	1.67	0.00	55.00
Giac	26.67	28.33	0.00	45.00
Maple	6.67	51.67	41.67	0.00
Mupad	N/A	66.67	0.00	33.33
Sympy	0.00	0.00	23.33	76.67

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure F.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned F(-1).

The third is due to an exception generated. Assigned F(-2). This most likely indicates an interface problem between sageMath and the CAS (applicable only to FriCAS, Maxima

and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	0	0.00 %	0.00 %	0.00 %
Maple	0	0.00 %	0.00 %	0.00 %
Fricas	16	0.00 %	100.00 %	0.00 %
IntegrateAlgebraic	2	0.00 %	100.00 %	0.00 %
Giac	27	0.00 %	55.56 %	44.44 %
Maxima	33	0.00 %	0.00 %	100.00 %
Sympy	46	19.57 %	80.43 %	0.00 %
Mupad	20	0.00 %	100.00 %	0.00 %

Table 1.4: Failure statistics for each CAS


1.3 Performance


The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.66	326.23	1.11	266.00	1.00
Mathematica	1.83	546.15	1.38	273.00	1.01
Maple	0.03	2134.73	4.83	831.00	2.82
Maxima	1.64	187.07	0.99	100.00	1.01
Fricas	9.49	618.57	2.14	393.00	1.48
Sympy	72.14	284.86	3.85	261.00	4.16
Giac	8.41	1314.55	3.20	605.00	1.70
Mupad	29.97	5830.02	22.96	1748.50	6.53
IntegrateAlgebraic	4.64	1000.71	2.55	413.50	2.07

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.





1.4 list of integrals that has no closed form antiderivative

{}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

IntegrateAlgebraic {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {34, 35, 36, 37, 40, 45, 46}

IntegrateAlgebraic {}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each `integrate` call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int', int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the `integrate` command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by

failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using sageMath (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/XCAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the buildin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special buildin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user slelievre at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    """
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
```

```
# 1.7 is a fudge factor since it is low side from actual leaf count
leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
 2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
 3. integer. Leaf size of result.
 4. integer. Leaf size of the optimal antiderivative.
 5. number. CPU time used to solve this integral. 0 if failed.
 6. string. The integral in Latex format
 7. string. The input used in CAS own syntax.
 8. string. The result (antiderivative) produced by CAS in Latex format
 9. string. The optimal antiderivative in Latex format.
 10. integer. 0 or 1. Indicates if problem has known antiderivative or not
 11. String. The result (antiderivative) in CAS own syntax.
 12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
- The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.
- The following fields present only in Rubi Tables*
14. integer. Number of rules used.
 15. integer. Integrand leaf size.
 16. real number. Ratio of field 14 over field 15
 17. integer. 1 if result was verified or 0 if not verified.
 18. String of form "{n,n,..}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Nasser M. Abbasi
May 11, 2021

Chapter 2

detailed summary tables of results

Local contents

2.1	List of integrals sorted by grade for each CAS	20
2.2	Detailed conclusion table per each integral for all CAS systems	24
2.3	Detailed conclusion table specific for Rubi results	39

2.1 List of integrals sorted by grade for each CAS

Local contents

2.1.1	Rubi	21
2.1.2	Mathematica	21
2.1.3	Maple	21
2.1.4	Maxima	21
2.1.5	FriCAS	22
2.1.6	Sympy	22
2.1.7	Giac	22
2.1.8	Mupad	22
2.1.9	IntegrateAlgebraic	23

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60 }

B grade: { 35, 36, 37 }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 37, 38, 39, 40, 43, 48, 49, 50, 51, 52, 53, 55, 56, 57, 58, 59, 60 }

B grade: { 35, 36, 41, 42, 44, 45, 46, 47, 54 }

C grade: { }

F grade: { }

2.1.3 Maple

A grade: { 23, 28, 29, 30 }

B grade: { 20, 21, 22, 24, 25, 26, 27, 31, 32, 33, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60 }

C grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 34, 35, 36, 37, 38, 39 }

F grade: { }

2.1.4 Maxima

A grade: { 1, 2, 3, 4, 8, 9, 10, 11, 15, 16, 17, 18, 19, 20, 21, 22, 23, 27, 28, 29, 30, 34, 36, 37, 38, 39 }

B grade: { 35 }

C grade: { }

F grade: { 5, 6, 7, 12, 13, 14, 24, 25, 26, 31, 32, 33, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 8, 9, 10, 11, 15, 16, 17, 18, 19, 20, 21, 22, 23, 26, 27, 28, 29, 30, 34, 35, 36, 37, 38, 39, 41, 42, 43, 47, 48, 49, 54, 55, 56 }

B grade: { 5, 6, 7, 12, 13, 14, 40 }

C grade: { }

F grade: { 24, 25, 31, 32, 33, 44, 45, 46, 50, 51, 52, 53, 57, 58, 59, 60 }

2.1.6 Sympy

A grade: { }

B grade: { }

C grade: { 10, 11, 15, 16, 17, 18, 19, 30, 34, 35, 36, 37, 38, 39 }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 12, 13, 14, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 31, 32, 33, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60 }

2.1.7 Giac

A grade: { 8, 9, 10, 11, 15, 16, 34, 35, 36, 37, 47, 48, 49, 54, 55, 56 }

B grade: { 1, 2, 3, 4, 26, 33, 38, 39, 40, 41, 42, 43, 45, 46, 51, 52, 58 }

C grade: { }

F grade: { 5, 6, 7, 12, 13, 14, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 28, 29, 30, 31, 32, 44, 50, 53, 57, 59, 60 }

2.1.8 Mupad

A grade: { }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 49, 55, 56 }

C grade: { }

F grade: { 20, 21, 25, 41, 42, 43, 44, 45, 46, 47, 48, 50, 51, 52, 53, 54, 57, 58, 59, 60 }

2.1.9 IntegrateAlgebraic

A grade: { 5, 6, 11, 12, 13, 16, 17, 18, 19, 23, 24, 25, 26, 29, 30, 31, 32, 33, 36, 37, 38, 39, 43, 45, 49, 56, 57, 58 }

B grade: { 1, 2, 3, 4, 7, 8, 9, 10, 14, 15, 20, 21, 22, 27, 28, 34, 35, 40, 41, 42, 44, 46, 47, 48, 50, 51, 54, 55, 59, 60 }

C grade: { }

F grade: { 52, 53 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column N.S. in the table below, which stands for **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To help make the table fit, Mathematica was abbreviated to MMA and IntegrateAlgebraic to I.A.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	415	415	355	959	444	406	0	1948	3993	1590
N.S.	1	1.00	0.86	2.31	1.07	0.98	0.00	4.69	9.62	3.83
time (sec)	N/A	0.673	0.544	0.035	1.002	0.721	0.000	3.113	47.789	1.063
Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	286	286	244	652	307	279	0	1327	2920	1079
N.S.	1	1.00	0.85	2.28	1.07	0.98	0.00	4.64	10.21	3.77
time (sec)	N/A	0.563	0.349	0.018	1.006	0.864	0.000	2.581	36.028	0.713
Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	168	170	141	377	174	170	0	782	736	470
N.S.	1	1.01	0.84	2.24	1.04	1.01	0.00	4.65	4.38	2.80
time (sec)	N/A	0.250	0.212	0.013	1.070	0.928	0.000	1.996	12.065	0.392

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	95	95	71	185	93	95	0	336	361	242
N.S.	1	1.00	0.75	1.95	0.98	1.00	0.00	3.54	3.80	2.55
time (sec)	N/A	0.073	0.064	0.012	0.981	0.918	0.000	1.536	7.209	0.193

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	122	122	117	373	0	493	0	0	5803	177
N.S.	1	1.00	0.96	3.06	0.00	4.04	0.00	0.00	47.57	1.45
time (sec)	N/A	0.311	0.150	0.049	0.000	15.664	0.000	0.000	25.801	0.582

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	163	163	211	899	0	1025	0	0	10198	235
N.S.	1	1.00	1.29	5.52	0.00	6.29	0.00	0.00	62.56	1.44
time (sec)	N/A	0.331	0.473	0.039	0.000	72.527	0.000	0.000	52.173	1.488

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	248	248	273	1449	0	1580	0	0	9097	533
N.S.	1	1.00	1.10	5.84	0.00	6.37	0.00	0.00	36.68	2.15
time (sec)	N/A	0.355	0.416	0.050	0.000	1.238	0.000	0.000	59.182	2.349

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	340	340	241	643	355	286	0	427	2606	1135
N.S.	1	1.00	0.71	1.89	1.04	0.84	0.00	1.26	7.66	3.34
time (sec)	N/A	0.633	0.392	0.029	1.045	1.229	0.000	1.819	35.295	0.771

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	228	228	160	423	231	192	0	277	1732	708
N.S.	1	1.00	0.70	1.86	1.01	0.84	0.00	1.21	7.60	3.11
time (sec)	N/A	0.493	0.221	0.028	1.273	0.824	0.000	1.643	33.636	0.473

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	C	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	130	133	88	235	131	114	617	146	492	275
N.S.	1	1.02	0.68	1.81	1.01	0.88	4.75	1.12	3.78	2.12
time (sec)	N/A	0.230	0.104	0.023	1.315	0.964	158.075	1.310	12.857	0.260

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	63	63	45	117	57	67	282	76	232	117
N.S.	1	1.00	0.71	1.86	0.90	1.06	4.48	1.21	3.68	1.86
time (sec)	N/A	0.061	0.036	0.017	1.416	1.451	49.744	1.286	7.525	0.139

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	122	122	117	373	0	493	0	0	5803	177
N.S.	1	1.00	0.96	3.06	0.00	4.04	0.00	0.00	47.57	1.45
time (sec)	N/A	0.283	0.131	0.000	0.000	19.359	0.000	0.000	0.005	0.002

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	163	163	211	899	0	1025	0	0	10198	235
N.S.	1	1.00	1.29	5.52	0.00	6.29	0.00	0.00	62.56	1.44
time (sec)	N/A	0.295	0.431	0.000	0.000	76.120	0.000	0.000	0.008	0.002

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	F(-2)	B	F(-1)	F(-2)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	248	248	273	1449	0	1580	0	0	9097	533
N.S.	1	1.00	1.10	5.84	0.00	6.37	0.00	0.00	36.68	2.15
time (sec)	N/A	0.329	0.384	0.000	0.000	0.848	0.000	0.000	0.007	0.002

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	C	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	79	79	57	139	87	78	313	101	244	179
N.S.	1	1.00	0.72	1.76	1.10	0.99	3.96	1.28	3.09	2.27
time (sec)	N/A	0.139	0.068	0.000	1.270	1.139	82.521	1.305	7.606	0.002

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	63	63	45	117	57	67	282	76	232	117
N.S.	1	1.00	0.71	1.86	0.90	1.06	4.48	1.21	3.68	1.86
time (sec)	N/A	0.061	0.034	0.000	1.281	0.975	49.685	1.324	7.411	0.001

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	C	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	48	48	48	96	57	81	245	0	122	95
N.S.	1	1.00	1.00	2.00	1.19	1.69	5.10	0.00	2.54	1.98
time (sec)	N/A	0.183	0.055	0.001	1.275	0.998	55.715	0.000	4.331	0.002

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	C	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	48	48	48	97	57	84	221	0	114	93
N.S.	1	1.00	1.00	2.02	1.19	1.75	4.60	0.00	2.38	1.94
time (sec)	N/A	0.176	0.061	0.000	1.325	1.314	50.054	0.000	4.266	0.002

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	C	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	71	71	56	108	98	65	218	0	312	112
N.S.	1	1.00	0.79	1.52	1.38	0.92	3.07	0.00	4.39	1.58
time (sec)	N/A	0.184	0.049	0.000	1.285	0.882	80.629	0.000	6.304	0.002

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F(-1)	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	591	584	427	1446	584	1001	0	0	-1	2590
N.S.	1	0.99	0.72	2.45	0.99	1.69	0.00	0.00	-0.00	4.38
time (sec)	N/A	1.517	1.463	0.043	1.461	0.888	0.000	0.000	0.000	2.002

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F(-1)	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	451	450	311	987	417	703	0	0	-1	1792
N.S.	1	1.00	0.69	2.19	0.92	1.56	0.00	0.00	-0.00	3.97
time (sec)	N/A	1.010	1.016	0.018	2.067	0.983	0.000	0.000	0.000	1.289

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	300	297	200	588	248	441	0	0	1765	647
N.S.	1	0.99	0.67	1.96	0.83	1.47	0.00	0.00	5.88	2.16
time (sec)	N/A	0.446	0.682	0.014	2.255	1.199	0.000	0.000	30.577	0.640

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	221	221	142	287	140	265	0	0	876	326
N.S.	1	1.00	0.64	1.30	0.63	1.20	0.00	0.00	3.96	1.48
time (sec)	N/A	0.147	0.408	0.013	2.028	0.845	0.000	0.000	16.517	0.410

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	278	278	225	503	0	0	0	0	9298	205
N.S.	1	1.00	0.81	1.81	0.00	0.00	0.00	0.00	33.45	0.74
time (sec)	N/A	0.490	0.768	0.069	0.000	0.000	0.000	0.000	44.562	0.369

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	322	322	309	1200	0	0	0	0	-1	282
N.S.	1	1.00	0.96	3.73	0.00	0.00	0.00	0.00	-0.00	0.88
time (sec)	N/A	0.579	0.852	0.044	0.000	0.000	0.000	0.000	0.000	1.119

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	363	361	492	1848	0	1355	0	1658	9344	610
N.S.	1	0.99	1.36	5.09	0.00	3.73	0.00	4.57	25.74	1.68
time (sec)	N/A	0.677	1.795	0.057	0.000	163.672	0.000	7.021	86.666	1.473

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	501	496	727	965	471	700	0	0	4167	1909
N.S.	1	0.99	1.45	1.93	0.94	1.40	0.00	0.00	8.32	3.81
time (sec)	N/A	1.281	4.902	0.031	1.972	0.777	0.000	0.000	161.428	1.260

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	368	369	555	635	317	482	0	0	2799	1213
N.S.	1	1.00	1.51	1.73	0.86	1.31	0.00	0.00	7.61	3.30
time (sec)	N/A	0.875	2.684	0.029	2.021	1.220	0.000	0.000	81.648	0.816

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	246	249	390	365	189	302	0	0	1011	356
N.S.	1	1.01	1.59	1.48	0.77	1.23	0.00	0.00	4.11	1.45
time (sec)	N/A	0.400	1.429	0.026	2.055	0.711	0.000	0.000	30.743	0.408

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	177	177	169	180	88	196	338	0	489	150
N.S.	1	1.00	0.95	1.02	0.50	1.11	1.91	0.00	2.76	0.85
time (sec)	N/A	0.124	0.437	0.020	2.501	0.772	56.834	0.000	14.952	0.232

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	278	278	225	503	0	0	0	0	9298	205
N.S.	1	1.00	0.81	1.81	0.00	0.00	0.00	0.00	33.45	0.74
time (sec)	N/A	0.464	0.711	0.000	0.000	0.000	0.000	0.000	0.008	0.003

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	322	322	309	1200	0	0	0	0	106511	282
N.S.	1	1.00	0.96	3.73	0.00	0.00	0.00	0.00	330.78	0.88
time (sec)	N/A	0.530	0.794	0.000	0.000	0.000	0.000	0.000	19.397	0.003

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	363	361	492	1848	0	0	0	1658	9344	610
N.S.	1	0.99	1.36	5.09	0.00	0.00	0.00	4.57	25.74	1.68
time (sec)	N/A	0.588	1.310	0.000	0.000	0.000	0.000	9.490	0.008	0.003

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	C	A	B	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	87	151	149	137	100	73	308	105	318	230
N.S.	1	1.74	1.71	1.57	1.15	0.84	3.54	1.21	3.66	2.64
time (sec)	N/A	0.146	0.358	0.000	1.020	1.286	80.462	1.457	14.762	0.002

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	B	B	C	B	A	C	A	B	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	52	135	126	120	90	61	277	80	312	112
N.S.	1	2.60	2.42	2.31	1.73	1.17	5.33	1.54	6.00	2.15
time (sec)	N/A	0.071	0.222	0.000	1.107	1.080	48.757	1.386	14.587	0.001

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	B	B	C	A	A	C	A	B	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	55	135	128	95	56	73	240	71	118	91
N.S.	1	2.45	2.33	1.73	1.02	1.33	4.36	1.29	2.15	1.65
time (sec)	N/A	0.185	0.421	0.000	2.343	0.627	47.371	1.366	5.391	0.001

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	B	A	C	A	A	C	A	B	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	55	135	89	96	56	82	216	83	118	89
N.S.	1	2.45	1.62	1.75	1.02	1.49	3.93	1.51	2.15	1.62
time (sec)	N/A	0.180	0.182	0.001	2.348	1.027	45.808	1.517	5.151	0.002

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	C	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	83	129	82	103	61	69	212	145	316	107
N.S.	1	1.55	0.99	1.24	0.73	0.83	2.55	1.75	3.81	1.29
time (sec)	N/A	0.191	0.125	0.000	2.468	1.114	75.514	1.442	12.773	0.002

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	C	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	116	171	94	123	86	90	219	197	304	168
N.S.	1	1.47	0.81	1.06	0.74	0.78	1.89	1.70	2.62	1.45
time (sec)	N/A	0.217	0.124	0.000	3.046	1.073	128.739	1.403	11.819	0.002

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F(-1)	B	B	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	199	242	343	1095	0	1186	0	605	7235	546
N.S.	1	1.22	1.72	5.50	0.00	5.96	0.00	3.04	36.36	2.74
time (sec)	N/A	0.328	0.761	0.053	0.000	0.999	0.000	3.245	66.847	0.669

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	F(-2)	A	F(-1)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	1348	1345	3599	6728	0	3096	0	4708	-1	9831
N.S.	1	1.00	2.67	4.99	0.00	2.30	0.00	3.49	-0.00	7.29
time (sec)	N/A	2.366	7.131	0.053	0.000	8.081	0.000	6.328	0.000	5.303

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	F(-2)	A	F	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	721	719	2722	3571	0	1620	0	2643	-1	4538
N.S.	1	1.00	3.78	4.95	0.00	2.25	0.00	3.67	-0.00	6.29
time (sec)	N/A	0.963	6.606	0.024	0.000	2.958	0.000	3.389	0.000	2.794

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	330	330	306	1431	0	840	0	1103	-1	643
N.S.	1	1.00	0.93	4.34	0.00	2.55	0.00	3.34	-0.00	1.95
time (sec)	N/A	0.298	1.716	0.020	0.000	0.974	0.000	2.334	0.000	0.977

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	F(-2)	F(-1)	F	F(-2)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	450	453	1936	4227	0	0	0	0	-1	950
N.S.	1	1.01	4.30	9.39	0.00	0.00	0.00	0.00	-0.00	2.11
time (sec)	N/A	1.369	6.215	0.051	0.000	0.000	0.000	0.000	0.000	1.795

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	F(-2)	F(-1)	F(-1)	B	F(-1)	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	521	521	2532	5051	0	0	0	1585	-1	942
N.S.	1	1.00	4.86	9.69	0.00	0.00	0.00	3.04	-0.00	1.81
time (sec)	N/A	1.696	6.375	0.048	0.000	0.000	0.000	13.122	0.000	2.758

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	F(-2)	F(-1)	F(-1)	B	F(-1)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	658	657	2150	12065	0	0	0	8347	-1	1687
N.S.	1	1.00	3.27	18.34	0.00	0.00	0.00	12.69	-0.00	2.56
time (sec)	N/A	2.680	6.443	0.072	0.000	0.000	0.000	39.569	0.000	6.129

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	F(-2)	A	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	1032	1032	3220	3958	0	2176	0	1505	-1	2260
N.S.	1	1.00	3.12	3.84	0.00	2.11	0.00	1.46	-0.00	2.19
time (sec)	N/A	1.788	6.702	0.046	0.000	13.801	0.000	2.759	0.000	9.373

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	540	540	478	2002	0	1114	0	736	-1	1096
N.S.	1	1.00	0.89	3.71	0.00	2.06	0.00	1.36	-0.00	2.03
time (sec)	N/A	0.713	3.539	0.030	0.000	3.758	0.000	1.819	0.000	3.390

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	246	246	225	763	0	576	0	315	1832	357
N.S.	1	1.00	0.91	3.10	0.00	2.34	0.00	1.28	7.45	1.45
time (sec)	N/A	0.230	1.070	0.024	0.000	1.485	0.000	1.348	90.550	1.123

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	290	290	465	1822	0	0	0	0	-1	1375
N.S.	1	1.00	1.60	6.28	0.00	0.00	0.00	0.00	-0.00	4.74
time (sec)	N/A	0.672	3.449	0.039	0.000	0.000	0.000	0.000	0.000	34.326

Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	364	364	417	3670	0	0	0	1388	-1	5591
N.S.	1	1.00	1.15	10.08	0.00	0.00	0.00	3.81	-0.00	15.36
time (sec)	N/A	1.097	2.396	0.049	0.000	0.000	0.000	10.820	0.000	169.659

Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	484	484	523	9100	0	0	0	8004	-1	0
N.S.	1	1.00	1.08	18.80	0.00	0.00	0.00	16.54	-0.00	0.00
time (sec)	N/A	1.563	5.675	0.095	0.000	0.000	0.000	134.872	0.000	180.012

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	685	685	729	15990	0	0	0	0	-1	0
N.S.	1	1.00	1.06	23.34	0.00	0.00	0.00	0.00	-0.00	0.00
time (sec)	N/A	1.778	6.336	0.159	0.000	0.000	0.000	0.000	0.000	180.006

Problem 54	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	F(-2)	A	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	718	715	2195	2528	0	1436	0	951	-1	2158
N.S.	1	1.00	3.06	3.52	0.00	2.00	0.00	1.32	-0.00	3.01
time (sec)	N/A	1.336	6.487	0.046	0.000	5.323	0.000	2.512	0.000	1.813

Problem 55	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	371	369	379	1199	0	720	0	447	2621	787
N.S.	1	0.99	1.02	3.23	0.00	1.94	0.00	1.20	7.06	2.12
time (sec)	N/A	0.509	1.963	0.033	0.000	2.266	0.000	1.968	105.189	0.900

Problem 56	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	164	164	173	425	0	380	0	194	833	229
N.S.	1	1.00	1.05	2.59	0.00	2.32	0.00	1.18	5.08	1.40
time (sec)	N/A	0.149	0.792	0.023	0.000	1.569	0.000	1.216	25.888	0.378

Problem 57	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	188	188	304	746	0	0	0	0	-1	227
N.S.	1	1.00	1.62	3.97	0.00	0.00	0.00	0.00	-0.01	1.21
time (sec)	N/A	0.341	0.938	0.034	0.000	0.000	0.000	0.000	0.000	0.616

Problem 58	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	254	254	325	2973	0	0	0	1356	-1	330
N.S.	1	1.00	1.28	11.70	0.00	0.00	0.00	5.34	-0.00	1.30
time (sec)	N/A	0.638	1.863	0.059	0.000	0.000	0.000	9.374	0.000	0.941

Problem 59	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	424	424	512	7119	0	0	0	0	-1	911
N.S.	1	1.00	1.21	16.79	0.00	0.00	0.00	0.00	-0.00	2.15
time (sec)	N/A	0.967	2.090	0.130	0.000	0.000	0.000	0.000	0.000	1.861

Problem 60	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	826	826	794	18802	0	0	0	0	-1	3507
N.S.	1	1.00	0.96	22.76	0.00	0.00	0.00	0.00	-0.00	4.25
time (sec)	N/A	2.433	6.107	0.312	0.000	0.000	0.000	0.000	0.000	5.663

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [36] had the largest ratio of [.2500]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	7	6	1.00	37	0.162
2	A	6	6	1.00	37	0.162
3	A	5	5	1.01	35	0.143
4	A	5	5	1.00	30	0.167
5	A	6	6	1.00	37	0.162
6	A	6	6	1.00	37	0.162
7	A	5	5	1.00	37	0.135
8	A	6	5	1.00	37	0.135
9	A	5	5	1.00	37	0.135
10	A	4	4	1.02	35	0.114
11	A	4	4	1.00	30	0.133
12	A	6	6	1.00	37	0.162
13	A	6	6	1.00	37	0.162
14	A	5	5	1.00	37	0.135
15	A	4	4	1.00	31	0.129
16	A	4	4	1.00	30	0.133
17	A	7	7	1.00	33	0.212
18	A	7	7	1.00	33	0.212
19	A	6	6	1.00	33	0.182
20	A	8	7	0.99	40	0.175
21	A	7	7	1.00	40	0.175
22	A	6	6	0.99	38	0.158
23	A	6	6	1.00	33	0.182
24	A	7	7	1.00	40	0.175
25	A	7	7	1.00	40	0.175
26	A	5	5	0.99	40	0.125

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
27	A	7	6	0.99	40	0.150
28	A	6	6	1.00	40	0.150
29	A	5	5	1.01	38	0.132
30	A	5	5	1.00	33	0.152
31	A	7	7	1.00	40	0.175
32	A	7	7	1.00	40	0.175
33	A	5	5	0.99	40	0.125
34	A	5	5	1.74	30	0.167
35	B	5	5	2.60	29	0.172
36	B	8	8	2.45	32	0.250
37	B	8	8	2.45	32	0.250
38	A	6	6	1.55	32	0.188
39	A	7	7	1.47	32	0.219
40	A	5	5	1.22	32	0.156
41	A	8	7	1.00	36	0.194
42	A	7	6	1.00	34	0.176
43	A	7	6	1.00	29	0.207
44	A	9	8	1.01	36	0.222
45	A	9	8	1.00	36	0.222
46	A	9	9	1.00	36	0.250
47	A	7	7	1.00	36	0.194
48	A	6	6	1.00	34	0.176
49	A	6	6	1.00	29	0.207
50	A	8	8	1.00	36	0.222
51	A	8	8	1.00	36	0.222
52	A	8	8	1.00	36	0.222
53	A	6	6	1.00	36	0.167
54	A	6	6	1.00	36	0.167
55	A	5	5	0.99	34	0.147
56	A	5	5	1.00	29	0.172
57	A	7	7	1.00	36	0.194
58	A	7	7	1.00	36	0.194
59	A	5	5	1.00	36	0.139
60	A	6	5	1.00	36	0.139

Chapter 3

Listing of integrals

Local contents

3.1	$\int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^3 (A+Bx+Cx^2) dx$	44
3.2	$\int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^2 (A+Bx+Cx^2) dx$	54
3.3	$\int \sqrt{1-dx} \sqrt{1+dx} (e+fx) (A+Bx+Cx^2) dx$	62
3.4	$\int \sqrt{1-dx} \sqrt{1+dx} (A+Bx+Cx^2) dx$	68
3.5	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)} dx$	73
3.6	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^2} dx$	81
3.7	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^3} dx$	92
3.8	$\int \frac{(e+fx)^3 (A+Bx+Cx^2)}{\sqrt{1-dx} \sqrt{1+dx}} dx$	102
3.9	$\int \frac{(e+fx)^2 (A+Bx+Cx^2)}{\sqrt{1-dx} \sqrt{1+dx}} dx$	110
3.10	$\int \frac{(e+fx) (A+Bx+Cx^2)}{\sqrt{1-dx} \sqrt{1+dx}} dx$	116
3.11	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx}} dx$	121
3.12	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)} dx$	125
3.13	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^2} dx$	133
3.14	$\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^3} dx$	144
3.15	$\int \frac{x(a+bx+cx^2)}{\sqrt{1-dx} \sqrt{1+dx}} dx$	154
3.16	$\int \frac{a+bx+cx^2}{\sqrt{1-dx} \sqrt{1+dx}} dx$	159

3.17	$\int \frac{a+bx+cx^2}{x\sqrt{1-dx}\sqrt{1+dx}} dx$	163
3.18	$\int \frac{a+bx+cx^2}{x^2\sqrt{1-dx}\sqrt{1+dx}} dx$	168
3.19	$\int \frac{a+bx+cx^2}{x^3\sqrt{1-dx}\sqrt{1+dx}} dx$	173
3.20	$\int \sqrt{a+bx}\sqrt{ac-bcx}(e+fx)^3(A+Bx+Cx^2) dx$	178
3.21	$\int \sqrt{a+bx}\sqrt{ac-bcx}(e+fx)^2(A+Bx+Cx^2) dx$	186
3.22	$\int \sqrt{a+bx}\sqrt{ac-bcx}(e+fx)(A+Bx+Cx^2) dx$	193
3.23	$\int \sqrt{a+bx}\sqrt{ac-bcx}(A+Bx+Cx^2) dx$	200
3.24	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx}\sqrt{ac-bcx}(e+fx)} dx$	205
3.25	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx}\sqrt{ac-bcx}(e+fx)^2} dx$	215
3.26	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx}\sqrt{ac-bcx}(e+fx)^3} dx$	221
3.27	$\int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{a+bx}\sqrt{ac-bcx}} dx$	232
3.28	$\int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{a+bx}\sqrt{ac-bcx}} dx$	241
3.29	$\int \frac{(e+fx)(A+Bx+Cx^2)}{\sqrt{a+bx}\sqrt{ac-bcx}} dx$	249
3.30	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx}\sqrt{ac-bcx}} dx$	254
3.31	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx}\sqrt{ac-bcx}(e+fx)} dx$	259
3.32	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx}\sqrt{ac-bcx}(e+fx)^2} dx$	269
3.33	$\int \frac{A+Bx+Cx^2}{\sqrt{a+bx}\sqrt{ac-bcx}(e+fx)^3} dx$	329
3.34	$\int \frac{x(a+bx+cx^2)}{\sqrt{-1+dx}\sqrt{1+dx}} dx$	340
3.35	$\int \frac{a+bx+cx^2}{\sqrt{-1+dx}\sqrt{1+dx}} dx$	345
3.36	$\int \frac{a+bx+cx^2}{x\sqrt{-1+dx}\sqrt{1+dx}} dx$	350
3.37	$\int \frac{a+bx+cx^2}{x^2\sqrt{-1+dx}\sqrt{1+dx}} dx$	355
3.38	$\int \frac{a+bx+cx^2}{x^3\sqrt{-1+dx}\sqrt{1+dx}} dx$	360
3.39	$\int \frac{a+bx+cx^2}{x^4\sqrt{-1+dx}\sqrt{1+dx}} dx$	366
3.40	$\int \frac{a+bx+cx^2}{\sqrt{-1+x}\sqrt{1+x}(d+ex)^3} dx$	372
3.41	$\int (a+bx)^2\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2) dx$	382
3.42	$\int (a+bx)\sqrt{c+dx}\sqrt{e+fx}(A+Bx+Cx^2) dx$	393

3.43	$\int \sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2) dx$	405
3.44	$\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{a+bx} dx$	412
3.45	$\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^2} dx$	420
3.46	$\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^3} dx$	427
3.47	$\int \frac{(a+bx)^2 \sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx$	439
3.48	$\int \frac{(a+bx) \sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx$	451
3.49	$\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx$	458
3.50	$\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx) \sqrt{e+fx}} dx$	465
3.51	$\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^2 \sqrt{e+fx}} dx$	472
3.52	$\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^3 \sqrt{e+fx}} dx$	480
3.53	$\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^4 \sqrt{e+fx}} dx$	489
3.54	$\int \frac{(a+bx)^2 (A+Bx+Cx^2)}{\sqrt{c+dx} \sqrt{e+fx}} dx$	494
3.55	$\int \frac{(a+bx) (A+Bx+Cx^2)}{\sqrt{c+dx} \sqrt{e+fx}} dx$	503
3.56	$\int \frac{A+Bx+Cx^2}{\sqrt{c+dx} \sqrt{e+fx}} dx$	511
3.57	$\int \frac{A+Bx+Cx^2}{(a+bx) \sqrt{c+dx} \sqrt{e+fx}} dx$	516
3.58	$\int \frac{A+Bx+Cx^2}{(a+bx)^2 \sqrt{c+dx} \sqrt{e+fx}} dx$	521
3.59	$\int \frac{A+Bx+Cx^2}{(a+bx)^3 \sqrt{c+dx} \sqrt{e+fx}} dx$	528
3.60	$\int \frac{A+Bx+Cx^2}{(a+bx)^4 \sqrt{c+dx} \sqrt{e+fx}} dx$	533

$$3.1 \quad \int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^3 (A+Bx+Cx^2) dx$$

Optimal. Leaf size=415

$$\frac{\left(1-d^2x^2\right)^{3/2}(e+fx)^2\left(7d^2f(2Af+Be)-C\left(3d^2e^2-8f^2\right)\right)}{70d^4f}+\frac{x\sqrt{1-d^2x^2}\left(8Ad^4e^3+6Ad^2ef^2+6Bd^2e^2f+Bf^3\right)}{16d^4}$$

Rubi [A] time = 0.67, antiderivative size = 415, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.162, Rules used = {1609, 1654, 833, 780, 195, 216}

$$\frac{(1-d^2x^2)^{3/2}(e+fx)^2\left(7d^2f(2Af+Be)-C\left(3d^2e^2-8f^2\right)\right)}{70d^4f} + \frac{(1-d^2x^2)^{3/2}(3d^2fx(-38Af^2e^2-14df^2f^2-35f)^2+8C(-38Af^2e^2f^2+3Af^4-8f^4)-7d^2f(2Af\left(d^2x^2+f^2\right)+B\left(d^2x^2+4f^2\right)))}{640d^4f} + \frac{x\sqrt{1-d^2x^2}\left(8Ad^4e^3+6Ad^2ef^2+6Bd^2e^2f+Bf^3+2Cx^2f^2+3Cf^2\right)}{16d^4} + \frac{\sin^{-1}(dx)\left(8Af^4e^2+8Af^2x^2f^2+8Bd^2e^2f+Bf^3+2Cx^2f^2+3Cf^2\right)}{42d^4f} - \frac{(1-d^2x^2)^{3/2}(e+fx)^2(3Ce-7Bf)}{72d^4} - \frac{(1-d^2x^2)^{3/2}(e+fx)^2}{72d^4}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3*(A + B*x + C*x^2), x]
[Out] ((2*C*d^2*e^3 + 8*A*d^4*e^3 + 6*B*d^2*e^2*f + 3*C*e*f^2 + 6*A*d^2*e*f^2 + B*f^3)*x*Sqrt[1 - d^2*x^2])/(16*d^4) - ((7*d^2*f*(B*e + 2*A*f) - C*(3*d^2*e^2 - 8*f^2))*(e + f*x)^2*(1 - d^2*x^2)^(3/2))/(70*d^4*f) + ((3*C*e - 7*B*f)*(e + f*x)^3*(1 - d^2*x^2)^(3/2))/(42*d^2*f) - (C*(e + f*x)^4*(1 - d^2*x^2)^(3/2))/(7*d^2*f) + ((8*(C*(3*d^4*e^4 - 30*d^2*e^2*f^2 - 8*f^4) - 7*d^2*f*(2*A*f*(6*d^2*e^2 + f^2) + B*(d^2*x^3 + 6*e*f^2))) + 3*d^2*f*(6*C*d^2*e^3 - 14*B*d^2*e^2*f - 41*C*e*f^2 - 98*A*d^2*e*f^2 - 35*B*f^3)*x)*(1 - d^2*x^2)^(3/2))/(840*d^6*f) + ((2*C*d^2*e^3 + 8*A*d^4*e^3 + 6*B*d^2*e^2*f + 3*C*e*f^2 + 6*A*d^2*e*f^2 + B*f^3)*ArcSin[d*x])/(16*d^5)
```

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p])) || LtQ[Denominator[p + 1/n], Denominator[p]])
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
```

```
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*(f_.) + (g_.)*(x_))*(a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])]
```

Rule 1609

```
Int[(Px_)*(a_.) + (b_.)*(x_))^(m_)*(c_.) + (d_.)*(x_))^(n_)*(e_.) + (f
_.)*(x_))^(p_), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; F
reeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] &
& EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1654

```
Int[(Pq_)*(d_ + (e_.)*(x_))^(m_)*(a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :>
With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x
)^m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^3 (A+Bx+Cx^2) dx &= \int (e+fx)^3 (A+Bx+Cx^2) \sqrt{1-d^2x^2} dx \\
&= -\frac{C(e+fx)^4 (1-d^2x^2)^{3/2}}{7d^2f} - \frac{\int (e+fx)^3 (-((4C+7Ad^2)f^2))}{7} \\
&= \frac{(3Ce-7Bf)(e+fx)^3 (1-d^2x^2)^{3/2}}{42d^2f} - \frac{C(e+fx)^4 (1-d^2x^2)^{3/2}}{7d^2f} \\
&= -\frac{(7d^2f(Be+2Af)-C(3d^2e^2-8f^2))(e+fx)^2 (1-d^2x^2)^{3/2}}{70d^4f} \\
&= -\frac{(7d^2f(Be+2Af)-C(3d^2e^2-8f^2))(e+fx)^2 (1-d^2x^2)^{3/2}}{70d^4f} \\
&= \frac{(2Cd^2e^3 + 8Ad^4e^3 + 6Bd^2e^2f + 3Cef^2 + 6Ad^2ef^2 + Bf^3)x^{1/2}}{16d^4} \\
&= \frac{(2Cd^2e^3 + 8Ad^4e^3 + 6Bd^2e^2f + 3Cef^2 + 6Ad^2ef^2 + Bf^3)x^{1/2}}{16d^4}
\end{aligned}$$

Mathematica [A] time = 0.54, size = 355, normalized size = 0.86

$$\frac{115d \sin^{-1}(dx) \left(6Ae^6 + 6Ae^4f^2 + 6Ae^2f^4 + Bf^6 + 2Cef^4 + 3Ce^2f^2\right) + \sqrt{-d^2x^2} \left(14Ae^6 \left(6d^4x^4 \left(10e^4 + 20e^2f^2x + 15ef^4x^2 + 4f^6x^4\right)\right) - d^2f \left(120e^4 + 40ef^2x + 8f^2x^2\right) - 3ef^2 \left(120e^4 + 40ef^2x + 8f^2x^2\right) + 70 \left(4ef^2x^2 \left(20e^4 + 40ef^2x + 24e^2f^2x^2 + 5f^4x^4\right) - 2d^4 \left(40e^4 + 40ef^2x + 24e^2f^2x^2 + 5f^4x^4\right) - 2d^2f^2 \left(32e^4 + 5f^2x^2\right)\right) - C \left(-12d^6x^2 \left(35e^6 + 84e^4f^2x + 70ef^4x^2 + 20f^6x^4\right) + 6d^4x \left(70e^6 + 56e^4f^2x + 35ef^4x^2 + 8f^6x^4\right) + d^2f \left(672e^6 + 315e^4f^2x + 64f^6x^4\right) + 120f^8\right)}{1680d^6}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3*(A + B*x + C*x^2), x]
[Out] (Sqrt[1 - d^2*x^2]*(14*A*d^2*(-16*f^3 - d^2*f*(120*e^2 + 45*e*f*x + 8*f^2*x^2) + 6*d^4*x*(10*e^3 + 20*e^2*f*x + 15*e*f^2*x^2 + 4*f^3*x^3)) + 7*B*(-3*d^2*f^2*(32*e + 5*f*x) - 2*d^4*(40*e^3 + 45*e^2*f*x + 24*e*f^2*x^2 + 5*f^3*x^3) + 4*d^6*x^2*(20*e^3 + 45*e^2*f*x + 36*e*f^2*x^2 + 10*f^3*x^3)) - C*(128*f^3 + d^2*f*(672*e^2 + 315*e*f*x + 64*f^2*x^2) + 6*d^4*x*(35*e^3 + 56*e^2*f*x + 35*e*f^2*x^2 + 8*f^3*x^3) - 12*d^6*x^3*(35*e^3 + 84*e^2*f*x + 70*e*f^2*x^2 + 20*f^3*x^3))) + 105*d*(2*C*d^2*f*x^3 + 8*A*d^4*f*x^3 + 6*B*d^2*f*x^2 + 3*C*f*x^2 + 6*A*d^2*f*x^2 + B*f^3)*ArcSin[d*x])/(1680*d^6)
```

IntegrateAlgebraic [B] time = 1.06, size = 1590, normalized size = 3.83

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3*(A + B*x + C*x^2), x]

[Out]
$$\begin{aligned} & -\frac{1}{840} \left(\text{Sqrt}[1 - d*x] \right) \left(-210 C d^3 e^3 - 840 A d^5 e^3 - 630 B d^3 e^2 f - 315 C d e^2 f^2 - 630 A d^3 e^2 f^2 - 105 B d^2 f^3 + (210 C d^3 e^3 (1 - d*x)^6)/(1 + d*x)^6 + (840 A d^5 e^3 (1 - d*x)^6)/(1 + d*x)^6 + (630 B d^3 e^2 f^2 (1 - d*x)^6)/(1 + d*x)^6 + (315 C d e^2 f^2 (1 - d*x)^6)/(1 + d*x)^6 + (630 A d^3 e^2 f^2 (1 - d*x)^6)/(1 + d*x)^6 + (105 B d^2 f^3 (1 - d*x)^6)/(1 + d*x)^6 - (840 C d^3 e^3 (1 - d*x)^5)/(1 + d*x)^5 + (2240 B d^4 e^3 (1 - d*x)^5)/(1 + d*x)^5 + (3360 A d^5 e^3 (1 - d*x)^5)/(1 + d*x)^5 + (6720 C d^2 e^2 f^2 (1 - d*x)^5)/(1 + d*x)^5 - (2520 B d^3 e^2 f^2 (1 - d*x)^5)/(1 + d*x)^5 + (4620 C d e^2 f^2 (1 - d*x)^5)/(1 + d*x)^5 + (6720 B d^2 e^2 f^2 (1 - d*x)^5)/(1 + d*x)^5 - (2520 A d^3 e^2 f^2 (1 - d*x)^5)/(1 + d*x)^5 + (2240 C f^3 (1 - d*x)^5)/(1 + d*x)^5 - (1540 B d^4 e^2 f^3 (1 - d*x)^5)/(1 + d*x)^5 + (2310 C d^3 e^3 (1 - d*x)^4)/(1 + d*x)^4 + (8960 B d^4 e^3 (1 - d*x)^4)/(1 + d*x)^4 + (4200 A d^5 e^3 (1 - d*x)^4)/(1 + d*x)^4 + (10752 C d^2 e^2 f^2 (1 - d*x)^4)/(1 + d*x)^4 - (6930 B d^3 e^2 f^2 (1 - d*x)^4)/(1 + d*x)^4 + (26880 A d^4 e^2 f^2 (1 - d*x)^4)/(1 + d*x)^4 + (3255 C d e^2 f^2 (1 - d*x)^4)/(1 + d*x)^4 + (10752 B d^2 e^2 f^2 (1 - d*x)^4)/(1 + d*x)^4 - (6930 A d^3 e^2 f^2 (1 - d*x)^4)/(1 + d*x)^4 - (1792 C f^3 (1 - d*x)^4)/(1 + d*x)^4 + (1085 B d^4 e^2 f^3 (1 - d*x)^4)/(1 + d*x)^4 + (3584 A d^5 e^2 f^3 (1 - d*x)^4)/(1 + d*x)^4 + (13440 B d^4 e^3 (1 - d*x)^3)/(1 + d*x)^3 + (8064 C d^2 e^2 f^2 (1 - d*x)^3)/(1 + d*x)^3 + (40320 A d^4 e^2 f^2 (1 - d*x)^3)/(1 + d*x)^3 + (8064 B d^2 e^2 f^2 (1 - d*x)^3)/(1 + d*x)^3 + (7296 C f^3 (1 - d*x)^3)/(1 + d*x)^3 + (2688 A d^2 f^3 (1 - d*x)^3)/(1 + d*x)^3 + (8960 B d^4 e^3 (1 - d*x)^2)/(1 + d*x)^2 - (4200 A d^5 e^3 (1 - d*x)^2)/(1 + d*x)^2 + (10752 C d^2 e^2 f^2 (1 - d*x)^2)/(1 + d*x)^2 + (6930 B d^3 e^2 f^2 (1 - d*x)^2)/(1 + d*x)^2 + (26880 A d^4 e^2 f^2 (1 - d*x)^2)/(1 + d*x)^2 - (3255 C d e^2 f^2 (1 - d*x)^2)/(1 + d*x)^2 + (10752 B d^2 e^2 f^2 (1 - d*x)^2)/(1 + d*x)^2 + (1085 B d^4 e^2 f^3 (1 - d*x)^2)/(1 + d*x)^2 + (3584 A d^5 e^2 f^3 (1 - d*x)^2)/(1 + d*x)^2 + (2240 B d^4 e^3 (1 - d*x))/(1 + d*x) - (3360 A d^5 e^3 (1 - d*x))/(1 + d*x) + (6720 C d^2 e^2 f^2 (1 - d*x))/(1 + d*x) + (2520 B d^3 e^2 f^2 (1 - d*x))/(1 + d*x) + (4620 C d e^2 f^2 (1 - d*x))/(1 + d*x) + (6720 B d^2 e^2 f^2 (1 - d*x))/(1 + d*x) + (2520 A d^3 e^2 f^2 (1 - d*x))/(1 + d*x) + (2240 C f^3 (1 - d*x))/(1 + d*x) + (1540 B d^4 e^2 f^3 (1 - d*x))/(1 + d*x) + (2240 A d^2 f^3 (1 - d*x))/(1 + d*x)) / (d^6 * Sqrt[1 + d*x] * (1 + (1 - d*x)/(1 + d*x))^7) + ((-2 C d^2 e^2 f^3 - 8 A d^4 e^3 - 6 B d^2 e^2 f^2 - 3 C e^2 f^2 - 6 A d^2 e^2 f^2 - B d^2 e^2 f^2) * ArcTan[Sqrt[1 - d*x]/Sqrt[1 + d*x]]) / (8*d^5) \end{aligned}$$

fricas [A] time = 0.72, size = 406, normalized size = 0.98

$$\frac{(-2 C d^2 e^2 f^3 - 8 A d^4 e^3 - 6 B d^2 e^2 f^2 - 3 C e^2 f^2 - 6 A d^2 e^2 f^2 - B d^2 e^2 f^2) \operatorname{ArcTan}\left(\frac{\sqrt{d x^2 + 1}}{\sqrt{d x^2 + 1}}\right)}{1680 d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^3*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm="fricas")`

[Out]
$$\frac{1}{1680} \left((240*C*d^6*f^3*x^6 - 560*B*d^4*e^3 - 672*B*d^2*e*f^2 + 280*(3*C*d^6*e*f^2 + B*d^6*f^3)*x^5 + 48*(21*C*d^6*e^2*f + 21*B*d^6*e*f^2 + (7*A*d^6 - C*d^4)*f^3)*x^4 - 336*(5*A*d^4 + 2*C*d^2)*e^2*f - 32*(7*A*d^2 + 4*C)*f^3 + 70*(6*C*d^6*e^3 + 18*B*d^6*e^2*f - B*d^4*f^3 + 3*(6*A*d^6 - C*d^4)*e*f^2)*x^3 + 16*(35*B*d^6*e^3 - 21*B*d^4*e*f^2 + 21*(5*A*d^6 - C*d^4)*e^2*f - (7*A*d^4 + 4*C*d^2)*f^3)*x^2 - 105*(6*B*d^4*e^2*f + B*d^2*f^3 - 2*(4*A*d^6 - C*d^4)*e^3 + 3*(2*A*d^4 + C*d^2)*e*f^2)*x)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 210*(6*B*d^3*e^2*f + B*d*f^3 + 2*(4*A*d^5 + C*d^3)*e^3 + 3*(2*A*d^3 + C*d)*e*f^2)*\arctan((\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 1)/(d*x)))/d^6$$

giac [B] time = 3.11, size = 1948, normalized size = 4.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^3*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm="giac")`

[Out]
$$\frac{1}{1680} \left(14*((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)/d^4 - 21/d^4) + 133/d^4) - 295/d^4)*(d*x + 1) + 195/d^4)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} + 90*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^4)*A*d*f^3 + 7*((2*((d*x + 1)*(4*(d*x + 1)*(5*(d*x + 1)/d^5 - 31/d^5) + 321/d^5) - 451/d^5)*(d*x + 1) + 745/d^5)*(d*x + 1) - 405/d^5)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 150*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^5)*B*d*f^3 + ((2*((4*(d*x + 1)*(5*(d*x + 1)*(6*(d*x + 1)/d^6 - 43/d^6) + 661/d^6) - 4551/d^6)*(d*x + 1) + 4781/d^6)*(d*x + 1) - 6335/d^6)*(d*x + 1) + 2835/d^6)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} + 1050*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^6)*C*d*f^3 + 210*((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 18*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^3)*A*d*f^2*e + 42*((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)/d^4 - 21/d^4) + 133/d^4) - 295/d^4)*(d*x + 1) + 195/d^4)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} + 90*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^4)*B*d*f^2*e + 21*((2*((d*x + 1)*(4*(d*x + 1)*(5*(d*x + 1)/d^5 - 31/d^5) + 321/d^5) - 451/d^5)*(d*x + 1) + 745/d^5)*(d*x + 1) - 405/d^5)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 150*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^5)*C*d*f^2*e + 70*((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 18*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^3)*A*f^3 + 14*((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)/d^4 - 21/d^4) + 133/d^4) - 295/d^4)*(d*x + 1) + 195/d^4)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} + 90*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^4)*B*f^3 + 7*((2*((d*x + 1)*(4*(d*x + 1)*(5*(d*x + 1)/d^5 - 31/d^5) + 321/d^5) - 451/d^5)*(d*x + 1) + 745/d^5)*(d*x + 1) - 405/d^5)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 150*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^5)*C*f^3\right)$$

```

3 + 840*(sqrt(d*x + 1)*sqrt(-d*x + 1)*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2)
+ 9/d^2) + 6*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)*A*d*f*e^2 + 210*((d*x
+ 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)*sqrt(d*x +
1)*sqrt(-d*x + 1) - 18*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^3)*B*d*f*e^2 +
42*((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)/d^4 - 21/d^4) + 133/d^4) - 295/
d^4)*(d*x + 1) + 195/d^4)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 90*arcsin(1/2*sqrt
(2)*sqrt(d*x + 1))/d^4)*C*d*f*e^2 + 840*(sqrt(d*x + 1)*sqrt(-d*x + 1)*((d*x
+ 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcsin(1/2*sqrt(2)*sqrt(d*x +
1))/d^2)*A*f^2*e + 210*((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 - 13/d^3)
+ 43/d^3) - 39/d^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 18*arcsin(1/2*sqrt(2)*sq
rt(d*x + 1))/d^3)*B*f^2*e + 42*((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)/d^4
- 21/d^4) + 133/d^4) - 295/d^4)*(d*x + 1) + 195/d^4)*sqrt(d*x + 1)*sqrt(-d
*x + 1) + 90*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^4)*C*f^2*e + 280*(sqrt(d*x
+ 1)*sqrt(-d*x + 1)*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcs
in(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)*B*d*e^3 + 70*((d*x + 1)*(2*(d*x + 1)*(3
*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) -
18*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^3)*C*d*e^3 + 840*(sqrt(d*x + 1)*sq
rt(-d*x + 1)*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcsin(1/2*sq
rt(2)*sqrt(d*x + 1))/d^2)*B*f*e^2 + 210*((d*x + 1)*(2*(d*x + 1)*(3*(d*x +
1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 18*arcs
in(1/2*sqrt(2)*sqrt(d*x + 1))/d^3)*C*f*e^2 + 840*(sqrt(d*x + 1)*(d*x - 2)*s
qrt(-d*x + 1) - 2*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)))*A*e^3 + 1680*(sqrt(d*x
+ 1)*sqrt(-d*x + 1) + 2*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)))*A*e^3 + 280*(sq
rt(d*x + 1)*sqrt(-d*x + 1)*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) +
6*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)*C*e^3 + 2520*(sqrt(d*x + 1)*(d*x -
2)*sqrt(-d*x + 1) - 2*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)))*A*f*e^2/d + 840*(s
qrt(d*x + 1)*(d*x - 2)*sqrt(-d*x + 1) - 2*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)))*
B*e^3/3/d)/d

```

maple [C] time = 0.04, size = 959, normalized size = 2.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] int((f*x+e)^3*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x)

[Out] 1/1680*(-d*x+1)^(1/2)*(d*x+1)^(1/2)*(-128*C*csgn(d)*(-d^2*x^2+1)^(1/2)*f^3+
840*A*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*d^5*e^3+210*C*arctan(1/(-d^2
*x^2+1)^(1/2)*d*x*csgn(d))*d^3*e^3+105*B*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))
*d*f^3-560*B*csgn(d)*(-d^2*x^2+1)^(1/2)*d^4*e^3-224*A*csgn(d)*(-d^2*x^2+1)^(1/2)*d^2*f^3+630*A*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*d^3*e*f^2+630*B*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*d^3*e^2*f+315*C*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*d*e*f^2+336*A*csgn(d)*x^4*d^6*f^3*(-d^2*x^2+1)^(1/2)+420*C*csgn(d)*x^3*d^6*e^3*(-d^2*x^2+1)^(1/2)+560*B*csgn(d)*x^2*d^6*e^3*(-d^2*x^2+1)^(1/2)-48*C*csgn(d)*(-d^2*x^2+1)^(1/2)*x^4*d^4*f^3-70*B*csgn(d)*(-d^2*x^2+1)^(1/2)*x^4*d^4*f^3

```

$$\begin{aligned}
& \text{gn}(d) * (-d^2 * x^2 + 1)^{(1/2)} * x^3 * d^4 * f^3 - 112 * A * \text{csgn}(d) * (-d^2 * x^2 + 1)^{(1/2)} * x^2 * d \\
& - 4 * f^3 - 1680 * A * \text{csgn}(d) * (-d^2 * x^2 + 1)^{(1/2)} * d^4 * e^2 * f - 64 * C * \text{csgn}(d) * (-d^2 * x^2 + 1) \\
& - (1/2) * x^2 * d^2 * f^3 + 840 * A * \text{csgn}(d) * (-d^2 * x^2 + 1)^{(1/2)} * x * d^6 * e^3 - 210 * C * \text{csgn}(d) \\
& * (-d^2 * x^2 + 1)^{(1/2)} * x * d^4 * e^3 - 105 * B * \text{csgn}(d) * (-d^2 * x^2 + 1)^{(1/2)} * x * d^2 * f^3 - 6 \\
& 72 * B * \text{csgn}(d) * (-d^2 * x^2 + 1)^{(1/2)} * d^2 * e * f^2 - 672 * C * \text{csgn}(d) * (-d^2 * x^2 + 1)^{(1/2)} * \\
& d^2 * e^2 * f^2 + 240 * C * \text{csgn}(d) * x^6 * d^6 * f^3 * (-d^2 * x^2 + 1)^{(1/2)} + 280 * B * \text{csgn}(d) * x^5 * d^6 * f^3 \\
& * (-d^2 * x^2 + 1)^{(1/2)} - 630 * A * \text{csgn}(d) * (-d^2 * x^2 + 1)^{(1/2)} * x * d^4 * e * f^2 - 630 * B \\
& * \text{csgn}(d) * (-d^2 * x^2 + 1)^{(1/2)} * x * d^4 * e^2 * f - 315 * C * \text{csgn}(d) * (-d^2 * x^2 + 1)^{(1/2)} * x * \\
& d^2 * e * f^2 + 840 * C * \text{csgn}(d) * x^5 * d^6 * e * f^2 * (-d^2 * x^2 + 1)^{(1/2)} + 1008 * B * \text{csgn}(d) * x^4 * \\
& d^6 * e * f^2 * (-d^2 * x^2 + 1)^{(1/2)} + 1008 * C * \text{csgn}(d) * x^4 * d^6 * e^2 * f^2 * (-d^2 * x^2 + 1)^{(1/2)} \\
& + 1260 * A * \text{csgn}(d) * x^3 * d^6 * e * f^2 * (-d^2 * x^2 + 1)^{(1/2)} + 1260 * B * \text{csgn}(d) * x^3 * d^6 * e \\
& ^2 * f^2 * (-d^2 * x^2 + 1)^{(1/2)} + 1680 * A * \text{csgn}(d) * x^2 * d^6 * e^2 * f^2 * (-d^2 * x^2 + 1)^{(1/2)} - 210 \\
& * C * \text{csgn}(d) * (-d^2 * x^2 + 1)^{(1/2)} * x^3 * d^4 * e * f^2 - 336 * B * \text{csgn}(d) * (-d^2 * x^2 + 1)^{(1/2)} \\
& * x^2 * d^4 * e * f^2 - 336 * C * \text{csgn}(d) * (-d^2 * x^2 + 1)^{(1/2)} * x^2 * d^4 * e^2 * f^2 * \text{csgn}(d) / d^6 \\
& / (-d^2 * x^2 + 1)^{(1/2)}
\end{aligned}$$

maxima [A] time = 1.00, size = 444, normalized size = 1.07

$$\begin{aligned}
& \frac{(-d^2x^2+1)^{\frac{1}{2}}Cf^2x^4}{7d^2} + \frac{1}{2}\sqrt{C^2x^2+1}Ad^2x + \frac{Ad^2\arcsin(dx)}{2d} - \frac{(-d^2x^2+1)^{\frac{3}{2}}Bx^3}{5d^3} - \frac{(-d^2x^2+1)^{\frac{5}{2}}Ax^2}{2^{\frac{5}{2}}} \\
& - \frac{4(-d^2x^2+1)^{\frac{3}{2}}Cf^2x^2}{35d^2} - \frac{(3Cx^2+8f^2)(-d^2x^2+1)^{\frac{3}{2}}x^3}{6d^3} - \frac{(3Cx^2+3Br^2+Ar^2)(-d^2x^2+1)^{\frac{3}{2}}x^2}{4x^2} \\
& - \frac{(Cx^2+3Br^2+3Ar^2)(-d^2x^2+1)^{\frac{3}{2}}}{8d^2} - \frac{(Cx^2+3Br^2+3Ar^2)(-d^2x^2+1)^{\frac{1}{2}}x}{16C^2d} + \frac{(Cx^2+3Br^2+3Ar^2)(-d^2x^2+1)^{\frac{1}{2}}}{8x^2} \\
& - \frac{(3Cx^2+f^2)(-d^2x^2+1)^{\frac{1}{2}}}{16C^2d} - \frac{(Cx^2+3Br^2+f^2)(-d^2x^2+1)^{\frac{1}{2}}}{8d^2} - \frac{2(3Cx^2+f^2)(-d^2x^2+1)^{\frac{1}{2}}}{16C^2x} - \frac{(3Cx^2+f^2)\sqrt{-d^2x^2+1}x}{16d^2} \\
& - \frac{(3Cx^2+f^2)\arcsin(dx)}{16d^2}
\end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^3*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2), x, algorithm="maxima")`

[Out]
$$\begin{aligned}
& -1/7*(-d^2 * x^2 + 1)^{(3/2)} * C * f^3 * x^4 / d^2 + 1/2 * \sqrt{(-d^2 * x^2 + 1)} * A * e^3 * x + \\
& 1/2 * A * e^3 * \arcsin(d * x) / d - 1/3 * (-d^2 * x^2 + 1)^{(3/2)} * B * e^3 / d^2 - (-d^2 * x^2 + 1)^{(3/2)} * A * e^2 * f / d^2 - \\
& 4/35 * (-d^2 * x^2 + 1)^{(3/2)} * C * f^3 * x^2 / d^4 - 1/6 * (3 * C * e * f^2 + B * f^3) * (-d^2 * x^2 + 1)^{(3/2)} * x^3 / d^2 - \\
& 1/5 * (3 * C * e^2 * f + 3 * B * e * f^2 + A * f^3) * (-d^2 * x^2 + 1)^{(3/2)} * x^2 / d^2 - 1/4 * (C * e^3 + 3 * B * e^2 * f + 3 * A * e * f^2) * (-d^2 * x^2 + 1)^{(3/2)} * x / d^2 + \\
& 1/8 * (C * e^3 + 3 * B * e^2 * f + 3 * A * e * f^2) * \sqrt{(-d^2 * x^2 + 1)} * x / d^2 - 8/105 * (-d^2 * x^2 + 1)^{(3/2)} * C * f^3 / d^6 - \\
& 1/8 * (3 * C * e * f^2 + B * f^3) * (-d^2 * x^2 + 1)^{(3/2)} * x / d^4 + 1/8 * (C * e^3 + 3 * B * e^2 * f + 3 * A * e * f^2) * \arcsin(d * x) / d^3 - \\
& 2/15 * (3 * C * e^2 * f + 3 * B * e * f^2 + A * f^3) * (-d^2 * x^2 + 1)^{(3/2)} / d^4 + 1/16 * (3 * C * e * f^2 + B * f^3) * \sqrt{(-d^2 * x^2 + 1)} * x / d^4 + \\
& 1/16 * (3 * C * e * f^2 + B * f^3) * \arcsin(d * x) / d^5
\end{aligned}$$

mupad [B] time = 47.79, size = 3993, normalized size = 9.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x)^3*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)*(A + B*x + C*x^2), x)`

[Out]
$$\begin{aligned}
& - (((2048 * C * f^3) / 3 - 640 * C * d^2 * e^2 * f) * ((1 - d * x)^(1/2) - 1)^6) / ((d * x + 1)^{(1/2)} - 1)^6 + (((2048 * C * f^3) / 3 - 640 * C * d^2 * e^2 * f) * ((1 - d * x)^(1/2) - 1)^{22}) / ((d * x + 1)^{(1/2)} - 1)^{22} - (((20480 * C * f^3) / 3 - 448 * C * d^2 * e^2 * f) * ((1 - d * x)
\end{aligned}$$

$$\begin{aligned}
&)^{(1/2)} - 1)^8 / ((d*x + 1)^{(1/2)} - 1)^8 - (((20480*C*f^3)/3 - 448*C*d^2*e^2 \\
& *f)*((1 - d*x)^{(1/2)} - 1)^{20} / ((d*x + 1)^{(1/2)} - 1)^{20} + (((458752*C*f^3)/1 \\
& 5 + (27136*C*d^2*e^2*f)/5)*((1 - d*x)^{(1/2)} - 1)^{10} / ((d*x + 1)^{(1/2)} - 1)^{10} \\
& + (((458752*C*f^3)/15 + (27136*C*d^2*e^2*f)/5)*((1 - d*x)^{(1/2)} - 1)^{18} \\
& / ((d*x + 1)^{(1/2)} - 1)^{18} - (((1011712*C*f^3)/15 - (13184*C*d^2*e^2*f)/5)* \\
& ((1 - d*x)^{(1/2)} - 1)^{12} / ((d*x + 1)^{(1/2)} - 1)^{12} - (((1011712*C*f^3)/15 - \\
& (13184*C*d^2*e^2*f)/5)*((1 - d*x)^{(1/2)} - 1)^{16} / ((d*x + 1)^{(1/2)} - 1)^{16} + \\
& (((9293824*C*f^3)/105 - (15104*C*d^2*e^2*f)/5)*((1 - d*x)^{(1/2)} - 1)^{14}) / \\
& ((d*x + 1)^{(1/2)} - 1)^{14} + (((1 - d*x)^{(1/2)} - 1)^{3} * ((29*C*d^3*e^3)/2 - \\
& (41*C*d*e*f^2)/4)) / ((d*x + 1)^{(1/2)} - 1)^{3} - (((1 - d*x)^{(1/2)} - 1)^{25} * ((29*C*d \\
& ^3*e^3)/2 - (41*C*d*e*f^2)/4)) / ((d*x + 1)^{(1/2)} - 1)^{25} - (((1 - d*x)^{(1/2)} - 1)^{5} \\
& - 1)^{5} * (39*C*d^3*e^3 - (1099*C*d*e*f^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^{5} + (((1 \\
& - d*x)^{(1/2)} - 1)^{23} * (39*C*d^3*e^3 - (1099*C*d*e*f^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^{23} \\
& - (((1 - d*x)^{(1/2)} - 1)^{7} * (209*C*d^3*e^3 + (8755*C*d*e*f^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^{7} \\
& + (((1 - d*x)^{(1/2)} - 1)^{21} * (209*C*d^3*e^3 + (8755*C \\
& *d*e*f^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^{21} + (((1 - d*x)^{(1/2)} - 1)^{11} * ((1767*C \\
& *d^3*e^3)/2 - (8267*C*d*e*f^2)/4)) / ((d*x + 1)^{(1/2)} - 1)^{11} - (((1 - d*x)^{(1/2)} - 1)^{17} \\
& - 1)^{17} * ((1767*C*d^3*e^3)/2 - (8267*C*d*e*f^2)/4)) / ((d*x + 1)^{(1/2)} - 1)^{17} + (((1 - d*x)^{(1/2)} - 1)^{13} * (646*C*d^3*e^3 - 17527*C*d*e*f^2)) / ((d*x \\
& + 1)^{(1/2)} - 1)^{13} - (((1 - d*x)^{(1/2)} - 1)^{15} * (646*C*d^3*e^3 - 17527*C*d*e \\
& *f^2)) / ((d*x + 1)^{(1/2)} - 1)^{15} + (((1 - d*x)^{(1/2)} - 1)^{9} * ((165*C*d^3*e^3) \\
& / 2 + (42095*C*d*e*f^2)/4)) / ((d*x + 1)^{(1/2)} - 1)^{9} - (((1 - d*x)^{(1/2)} - 1)^{19} \\
& - 1)^{19} * ((165*C*d^3*e^3)/2 + (42095*C*d*e*f^2)/4)) / ((d*x + 1)^{(1/2)} - 1)^{19} - \\
& d*(2*C*d^2*e^3 + 3*C*e*f^2)*((1 - d*x)^{(1/2)} - 1)) / (4*((d*x + 1)^{(1/2)} - 1) \\
&) + (d*(2*C*d^2*e^3 + 3*C*e*f^2)*((1 - d*x)^{(1/2)} - 1)^{27}) / (4*((d*x + 1)^{(1/2)} - 1) \\
& / 2 + (192*C*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^{4}) / ((d*x + 1)^{(1/2)} - 1)^{24} \\
&) / (d^6 + (14*d^6*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 + (91*d^6 \\
& *((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 + (364*d^6*((1 - d*x)^{(1/2)} - 1)^6) / \\
& ((d*x + 1)^{(1/2)} - 1)^6 + (1001*d^6*((1 - d*x)^{(1/2)} - 1)^8) / ((d*x + 1)^{(1/2)} - 1)^8 \\
& + (2002*d^6*((1 - d*x)^{(1/2)} - 1)^{10}) / ((d*x + 1)^{(1/2)} - 1)^{10} + (3003*d^6 \\
& *((1 - d*x)^{(1/2)} - 1)^{12}) / ((d*x + 1)^{(1/2)} - 1)^{12} + (3432*d^6 \\
& *((1 - d*x)^{(1/2)} - 1)^{14}) / ((d*x + 1)^{(1/2)} - 1)^{14} + (3003*d^6 \\
& *((1 - d*x)^{(1/2)} - 1)^{16}) / ((d*x + 1)^{(1/2)} - 1)^{16} + (2002*d^6 \\
& *((1 - d*x)^{(1/2)} - 1)^{18}) / ((d*x + 1)^{(1/2)} - 1)^{18} + (1001*d^6 \\
& *((1 - d*x)^{(1/2)} - 1)^{20}) / ((d*x + 1)^{(1/2)} - 1)^{20} + (364*d^6 \\
& *((1 - d*x)^{(1/2)} - 1)^{22}) / ((d*x + 1)^{(1/2)} - 1)^{22} + (91*d^6 \\
& *((1 - d*x)^{(1/2)} - 1)^{24}) / ((d*x + 1)^{(1/2)} - 1)^{24} + (14*d^6 \\
& *((1 - d*x)^{(1/2)} - 1)^{26}) / ((d*x + 1)^{(1/2)} - 1)^{26} + (d^6*((1 - d*x)^{(1/2)} - 1)^{28}) / \\
& ((d*x + 1)^{(1/2)} - 1)^{28} - (((4928*A*f^3)/3 + 512*A*d^2*e \\
& ^2*f)*((1 - d*x)^{(1/2)} - 1)^8) / ((d*x + 1)^{(1/2)} - 1)^8 - (((1408*A*f^3)/3 - 32*A*d^2 \\
& *e^2*f)*((1 - d*x)^{(1/2)} - 1)^{14}) / ((d*x + 1)^{(1/2)} - 1)^{14} - (((14 \\
& 08*A*f^3)/3 - 32*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^6) / ((d*x + 1)^{(1/2)} - 1)^6 \\
& + (((4928*A*f^3)/3 + 512*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^{12}) / ((d*x + 1)^{(1/2)} - 1)^{12} \\
& - (((11008*A*f^3)/5 - 912*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^{10}) / ((d*x + 1)^{(1/2)} - 1)^{10} \\
& + (((1 - d*x)^{(1/2)} - 1)*(2*A*d^3*e^3 - (3
\end{aligned}$$

$$\begin{aligned}
& *A*d*e*f^2)/2))/((d*x + 1)^(1/2) - 1) - (((1 - d*x)^(1/2) - 1)^{19}*(2*A*d^3* \\
& e^3 - (3*A*d*e*f^2)/2))/((d*x + 1)^(1/2) - 1)^{19} - (((1 - d*x)^(1/2) - 1)^3 \\
& *(2*A*d^3*e^3 - (99*A*d*e*f^2)/2))/((d*x + 1)^(1/2) - 1)^3 + (((1 - d*x)^(1/2) - 1)^{17} \\
& *(2*A*d^3*e^3 - (99*A*d*e*f^2)/2))/((d*x + 1)^(1/2) - 1)^{17} - (((1 - d*x)^(1/2) - 1)^{15} \\
& *(40*A*d^3*e^3 + 306*A*d*e*f^2))/((d*x + 1)^(1/2) - 1)^{15} + (((1 - d*x)^(1/2) - 1)^{15} \\
& *(40*A*d^3*e^3 + 306*A*d*e*f^2))/((d*x + 1)^(1/2) - 1)^{15} - (((1 - d*x)^(1/2) - 1)^7 \\
& *(88*A*d^3*e^3 - 306*A*d*e*f^2))/((d*x + 1)^(1/2) - 1)^7 + (((1 - d*x)^(1/2) - 1)^{13} \\
& *(88*A*d^3*e^3 - 306*A*d*e*f^2))/((d*x + 1)^(1/2) - 1)^{13} - (((1 - d*x)^(1/2) - 1)^9 \\
& *(52*A*d^3*e^3 - 663*A*d*e*f^2))/((d*x + 1)^(1/2) - 1)^9 + (((1 - d*x)^(1/2) - 1)^{11} \\
& *(52*A*d^3*e^3 - 663*A*d*e*f^2))/((d*x + 1)^(1/2) - 1)^{11} + (64*A*f^3*((1 - d*x)^(1/2) - 1)^4) \\
& /((d*x + 1)^(1/2) - 1)^4 + (64*A*f^3*((1 - d*x)^(1/2) - 1)^{16})/((d*x + 1)^(1/2) - 1)^{16} + \\
& (24*A*d^2*e^2*f*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 + (24*A*d^2*e^2*f*((1 - d*x)^(1/2) - 1)^{18}) \\
& /((d*x + 1)^(1/2) - 1)^{18}/(d^4 + (10*d^4*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 + \\
& (45*d^4*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^(1/2) - 1)^4 + (120*d^4*((1 - d*x)^(1/2) - 1)^6) \\
& /((d*x + 1)^(1/2) - 1)^8 + (252*d^4*((1 - d*x)^(1/2) - 1)^{10})/((d*x + 1)^(1/2) - 1)^{10} + \\
& (210*d^4*((1 - d*x)^(1/2) - 1)^{12})/((d*x + 1)^(1/2) - 1)^{12} + (120*d^4*((1 - d*x)^(1/2) - 1)^{14}) \\
& /((d*x + 1)^(1/2) - 1)^{14} + (45*d^4*((1 - d*x)^(1/2) - 1)^{16})/((d*x + 1)^(1/2) - 1)^{16} + \\
& (10*d^4*((1 - d*x)^(1/2) - 1)^{18})/((d*x + 1)^(1/2) - 1)^{18} + (d^4*((1 - d*x)^(1/2) - 1)^{20})/((d*x + 1) \\
& ^{(1/2) - 1)^{20}} - (((B*f^3)/4 + (3*B*d^2*e^2*f)/2)*((1 - d*x)^(1/2) - 1)^{23})/((d*x + 1)^(1/2) - 1)^{23} - \\
& (((35*B*f^3)/12 - (93*B*d^2*e^2*f)/2)*((1 - d*x)^(1/2) - 1)^3)/((d*x + 1)^(1/2) - 1)^3 + (((35*B*f^3)/12 - (93*B*d^2* \\
& e^2*f)/2)*((1 - d*x)^(1/2) - 1)^{21})/((d*x + 1)^(1/2) - 1)^{21} + (((757*B*f^3)/4 - (417*B*d^2*e^2*f)/2)*((1 - d*x)^(1/2) - 1)^5) \\
& /((d*x + 1)^(1/2) - 1)^5 - (((757*B*f^3)/4 - (417*B*d^2*e^2*f)/2)*((1 - d*x)^(1/2) - 1)^{19})/((d*x + 1) \\
& ^{(1/2) - 1)^{19}} - (((7339*B*f^3)/4 + (513*B*d^2*e^2*f)/2)*((1 - d*x)^(1/2) - 1)^7)/((d*x + 1)^(1/2) - 1)^7 + \\
& (((7339*B*f^3)/4 + (513*B*d^2*e^2*f)/2)*((1 - d*x)^(1/2) - 1)^{17})/((d*x + 1)^(1/2) - 1)^{17} - (((25661*B*f^3)/2 - 969*B*d^2* \\
& e^2*f)*((1 - d*x)^(1/2) - 1)^{11})/((d*x + 1)^(1/2) - 1)^{11} + (((25661*B*f^3)/2 - 969*B*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^{13}) \\
& /((d*x + 1)^(1/2) - 1)^{13} + (((41929*B*f^3)/6 + 969*B*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^9)/((d*x + 1) \\
& ^{(1/2) - 1)^{9}} - (((41929*B*f^3)/6 + 969*B*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^{15})/((d*x + 1)^(1/2) - 1)^{15} + (((1 - d*x)^(1/2) - 1)^{4*} \\
& (16*B*d^3*e^3 + 192*B*d*e*f^2))/((d*x + 1)^(1/2) - 1)^4 + (((1 - d*x)^(1/2) - 1)^{20}*(1 \\
& 6*B*d^3*e^3 + 192*B*d*e*f^2))/((d*x + 1)^(1/2) - 1)^{20} + (((1 - d*x)^(1/2) - 1)^6 + (((1 - d*x)^(1/2) - 1)^{18} \\
& *(56*B*d^3*e^3)/3 - 1024*B*d*e*f^2))/((d*x + 1)^(1/2) - 1)^6 + (((1 - d*x)^(1/2) - 1)^{18} + (((1 - d*x)^(1/2) - 1)^8 \\
& *(192*B*d^3*e^3 + 2304*B*d*e*f^2))/((d*x + 1)^(1/2) - 1)^8 + (((1 - d*x)^(1/2) - 1)^{16}*(192*B*d^3*e^3 + 2304*B*d*e*f^2) \\
& /(19216*B*d*e*f^2)/5))/((d*x + 1)^(1/2) - 1)^{16} + (((1 - d*x)^(1/2) - 1)^{10}*(656*B*d^3*e^3 + \\
& (9216*B*d*e*f^2)/5))/((d*x + 1)^(1/2) - 1)^{10} + (((1 - d*x)^(1/2) - 1)^{14}*(656*B*d^3*e^3 + \\
& (9216*B*d*e*f^2)/5))/((d*x + 1)^(1/2) - 1)^{14} + (((1 - d*x)
\end{aligned}$$

$$\begin{aligned}
& \sim (1/2) - 1)^{12} ((2848*B*d^3*e^3)/3 - (16768*B*d*e*f^2)/5)) / ((d*x + 1)^{(1/2)} \\
& - 1)^{12} - (((B*f^3)/4 + (3*B*d^2*e^2*f)/2)*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) \\
& + (8*B*d^3*e^3*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 / (d^5 \\
& + (12*d^5*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 + (66*d^5*((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 + (220*d^5*((1 - d*x)^{(1/2)} - 1)^6) / ((d*x + 1)^{(1/2)} - 1)^6 + (495*d^5*((1 - d*x)^{(1/2)} - 1)^8) / ((d*x + 1)^{(1/2)} - 1)^8 + (792*d^5*((1 - d*x)^{(1/2)} - 1)^{10}) / ((d*x + 1)^{(1/2)} - 1)^{10} \\
& + (924*d^5*((1 - d*x)^{(1/2)} - 1)^{12}) / ((d*x + 1)^{(1/2)} - 1)^{12} + (792*d^5*((1 - d*x)^{(1/2)} - 1)^{14}) / ((d*x + 1)^{(1/2)} - 1)^{14} + (495*d^5*((1 - d*x)^{(1/2)} - 1)^{16}) / ((d*x + 1)^{(1/2)} - 1)^{16} + (220*d^5*((1 - d*x)^{(1/2)} - 1)^{18}) / ((d*x + 1)^{(1/2)} - 1)^{18} + (66*d^5*((1 - d*x)^{(1/2)} - 1)^{20}) / ((d*x + 1)^{(1/2)} - 1)^{20} + (12*d^5*((1 - d*x)^{(1/2)} - 1)^{22}) / ((d*x + 1)^{(1/2)} - 1)^{22} + (d^5*((1 - d*x)^{(1/2)} - 1)^{24}) / ((d*x + 1)^{(1/2)} - 1)^{24}) - (B*f*atan((B*f*(f^2 + 6*d^2*e^2)*((1 - d*x)^{(1/2)} - 1)) / ((B*f^3 + 6*B*d^2*e^2*f)*((d*x + 1)^{(1/2)} - 1))) * (f^2 + 6*d^2*e^2) / (4*d^5) - (A*e*atan((A*e*((1 - d*x)^{(1/2)} - 1) * (3*f^2 + 4*d^2*e^2)) / ((4*A*d^2*e^3 + 3*A*e*f^2)*((d*x + 1)^{(1/2)} - 1))) * (3*f^2 + 4*d^2*e^2) / (2*d^3) - (C*e*atan((C*e*((1 - d*x)^{(1/2)} - 1) * (3*f^2 + 2*d^2*e^2)) / ((2*C*d^2*e^3 + 3*C*e*f^2)*((d*x + 1)^{(1/2)} - 1))) * (3*f^2 + 2*d^2*e^2) / (4*d^5)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*(C*x**2+B*x+A)*(-d*x+1)**(1/2)*(d*x+1)**(1/2),x)

[Out] Timed out

$$3.2 \quad \int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^2 (A+Bx+Cx^2) dx$$

Optimal. Leaf size=286

$$\frac{\sin^{-1}(dx) \left(2d^2 (A(4d^2 e^2 + f^2) + 2Bef) + C(2d^2 e^2 + f^2)\right)}{16d^5} + \frac{x\sqrt{1-d^2x^2} \left(2d^2 (A(4d^2 e^2 + f^2) + 2Bef) + C(2d^2 e^2 + f^2)\right)}{16d^4}$$

Rubi [A] time = 0.56, antiderivative size = 286, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.162, Rules used = {1609, 1654, 833, 780, 195, 216}

$$\frac{(1-d^2x^2)^{3/2} (8(C(d^2e^2 - 4ef^2) - 2f(5Ad^2ef + B(d^2e^2 + f^2))) - 3fx(5f^2(2Ad^2 + C) - 2d^2e(Ce - 2Bf)))}{120d^4f} + \frac{x\sqrt{1-d^2x^2} (2d^2(A(4d^2e^2 + f^2) + 2Bef) + C(2d^2e^2 + f^2))}{16d^4} + \frac{\sin^{-1}(dx)(2d^2(A(4d^2e^2 + f^2) + 2Bef) + C(2d^2e^2 + f^2))}{16d^5} + \frac{(1-d^2x^2)^{3/2} (e+fx)^2(Ce - 2Bf)}{10d^2f} - \frac{C(1-d^2x^2)^{3/2} (e+fx)^3}{6d^2f}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2*(A + B*x + C*x^2), x]
[Out] ((C*(2*d^2*e^2 + f^2) + 2*d^2*(2*B*e*f + A*(4*d^2*e^2 + f^2)))*x*Sqrt[1 - d^2*x^2])/(16*d^4) + ((C*e - 2*B*f)*(e + f*x)^2*(1 - d^2*x^2)^(3/2))/(10*d^2*f) - (C*(e + f*x)^3*(1 - d^2*x^2)^(3/2))/(6*d^2*f) + ((8*(C*(d^2*e^3 - 4*e*f^2) - 2*f*(5*A*d^2*e*f + B*(d^2*e^2 + f^2))) - 3*f*(5*(C + 2*A*d^2)*f^2 - 2*d^2*e*(C*e - 2*B*f)))*x)*(1 - d^2*x^2)^(3/2)/(120*d^4*f) + ((C*(2*d^2*e^2 + f^2) + 2*d^2*(2*B*e*f + A*(4*d^2*e^2 + f^2)))*ArcSin[d*x])/(16*d^5)
```

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p])) || LtQ[Denominator[p + 1/n], Denominator[p]])
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol) :> Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]
```

Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*(f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1609

```
Int[(Px_)*(a_.) + (b_.)*(x_))^(m_)*(c_.) + (d_.)*(x_))^(n_)*(e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*(a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \sqrt{1-dx} \sqrt{1+dx} (e+fx)^2 (A+Bx+Cx^2) dx &= \int (e+fx)^2 (A+Bx+Cx^2) \sqrt{1-d^2x^2} dx \\
&= -\frac{C(e+fx)^3 (1-d^2x^2)^{3/2}}{6d^2f} - \frac{\int (e+fx)^2 (-3(C+2Ad^2)f^2 + }{6d^2f} \\
&= \frac{(Ce-2Bf)(e+fx)^2 (1-d^2x^2)^{3/2}}{10d^2f} - \frac{C(e+fx)^3 (1-d^2x^2)^{3/2}}{6d^2f} \\
&= \frac{(Ce-2Bf)(e+fx)^2 (1-d^2x^2)^{3/2}}{10d^2f} - \frac{C(e+fx)^3 (1-d^2x^2)^{3/2}}{6d^2f} \\
&= \frac{(C(2d^2e^2+f^2)+2d^2(2Bef+A(4d^2e^2+f^2)))x\sqrt{1-d^2x^2}}{16d^4} \\
&= \frac{(C(2d^2e^2+f^2)+2d^2(2Bef+A(4d^2e^2+f^2)))x\sqrt{1-d^2x^2}}{16d^4}
\end{aligned}$$

Mathematica [A] time = 0.35, size = 244, normalized size = 0.85

$$\frac{15 \sin ^{-1}(d x) \left(2 d^2 \left(A \left(4 d^2 e^2+f^2\right)+2 B e f\right)+C \left(2 d^2 e^2+f^2\right)\right)+d \sqrt{1-d^2 x^2} \left(10 A d^2 \left(12 d^2 e^2 x+16 e f \left(d^2 x^2-1\right)+3 f^2 x \left(2 d^2 x^2-1\right)\right)+4 B \left(2 d^4 x^2 \left(10 e^2+15 e f x+6 f^2 x^2\right)-d^2 \left(20 e^2+15 e f x+4 f^2 x^2\right)-8 f^2\right)+C \left(30 d^2 e^2 x \left(2 d^2 x^2-1\right)+32 e f \left(3 d^4 x^4-d^2 x^2-2\right)+5 f^2 x \left(8 d^4 x^4-2 d^2 x^2-3\right)\right)\right)}{240 d^5}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2*(A + B*x + C*x^2), x]
[Out] (d*Sqrt[1 - d^2*x^2]*(10*A*d^2*(12*d^2*e^2*x + 16*e*f*(-1 + d^2*x^2) + 3*f^2*x*(-1 + 2*d^2*x^2)) + 4*B*(-8*f^2 - d^2*(20*e^2 + 15*e*f*x + 4*f^2*x^2) + 2*d^4*x^2*(10*e^2 + 15*e*f*x + 6*f^2*x^2)) + C*(30*d^2*e^2*x*(-1 + 2*d^2*x^2) + 32*e*f*(-2 - d^2*x^2 + 3*d^4*x^4) + 5*f^2*x*(-3 - 2*d^2*x^2 + 8*d^4*x^4))) + 15*(C*(2*d^2*e^2 + f^2) + 2*d^2*(2*B*e*f + A*(4*d^2*e^2 + f^2)))*ArcSin[d*x])/(240*d^5)
```

IntegrateAlgebraic [B] time = 0.71, size = 1079, normalized size = 3.77

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2*(A + B*x + C*x^2), x]
```

```
[Out] -1/120*(Sqrt[1 - d*x]*(-30*C*d^2*e^2 - 120*A*d^4*e^2 - 60*B*d^2*e*f - 15*C*f^2 - 30*A*d^2*f^2 + (30*C*d^2*e^2*(1 - d*x)^5)/(1 + d*x)^5 + (120*A*d^4*e^2
```

$$\begin{aligned}
& 2*(1 - d*x)^5/(1 + d*x)^5 + (60*B*d^2*e*f*(1 - d*x)^5)/(1 + d*x)^5 + (15*C*f^2*(1 - d*x)^5)/(1 + d*x)^5 + (30*A*d^2*f^2*(1 - d*x)^5)/(1 + d*x)^5 - (1 \\
& 50*C*d^2*e^2*(1 - d*x)^4)/(1 + d*x)^4 + (320*B*d^3*e^2*(1 - d*x)^4)/(1 + d*x)^4 + (360*A*d^4*e^2*(1 - d*x)^4)/(1 + d*x)^4 + (640*C*d^3*e*f*(1 - d*x)^4)/(1 + d*x)^4 - \\
& (300*B*d^2*e*f*(1 - d*x)^4)/(1 + d*x)^4 + (640*A*d^3*e*f*(1 - d*x)^4)/(1 + d*x)^4 - (235*C*f^2*(1 - d*x)^4)/(1 + d*x)^4 + (320*B*d*f^2*(1 - d*x)^4)/(1 + d*x)^4 - \\
& (150*A*d^2*f^2*(1 - d*x)^4)/(1 + d*x)^4 - (180*C*d^2*e^2*(1 - d*x)^3)/(1 + d*x)^3 + (960*B*d^3*e^2*(1 - d*x)^3)/(1 + d*x)^3 + (240*A*d^4*e^2*(1 - d*x)^3)/(1 + d*x)^3 + \\
& (384*C*d^3*e*f*(1 - d*x)^3)/(1 + d*x)^3 - (360*B*d^2*e*f*(1 - d*x)^3)/(1 + d*x)^3 + (1920*A*d^3*e*f*(1 - d*x)^3)/(1 + d*x)^3 + (390*C*f^2*(1 - d*x)^3)/(1 + d*x)^3 + (192*B*d*f^2*(1 - d*x)^3)/(1 + d*x)^3 - \\
& (180*A*d^2*f^2*(1 - d*x)^3)/(1 + d*x)^3 + (180*C*d^2*e^2*(1 - d*x)^2)/(1 + d*x)^2 + (960*B*d^3*e^2*(1 - d*x)^2)/(1 + d*x)^2 - (2 \\
& 40*A*d^4*e^2*(1 - d*x)^2)/(1 + d*x)^2 + (384*C*d^3*e*f*(1 - d*x)^2)/(1 + d*x)^2 + (360*B*d^2*e*f*(1 - d*x)^2)/(1 + d*x)^2 + (1920*A*d^3*e*f*(1 - d*x)^2)/(1 + d*x)^2 - \\
& (390*C*f^2*(1 - d*x)^2)/(1 + d*x)^2 + (192*B*d*f^2*(1 - d*x)^2)/(1 + d*x)^2 - (30*A*d^2*f^2*(1 - d*x)^2)/(1 + d*x)^2 + (150*C*d^2*e^2*(1 - d*x)) \\
& + (320*B*d^3*e^2*(1 - d*x))/(1 + d*x) - (360*A*d^4*e^2*(1 - d*x))/(1 + d*x) + (640*C*d^3*e*f*(1 - d*x))/(1 + d*x) + (300*B*d^2*e*f*(1 - d*x)) \\
& + (640*A*d^3*e*f*(1 - d*x))/(1 + d*x) + (235*C*f^2*(1 - d*x))/(1 + d*x) + (320*B*d*f^2*(1 - d*x))/(1 + d*x) + (150*A*d^2*f^2*(1 - d*x)) \\
& /(1 + d*x)) / (d^5 * Sqrt[1 + d*x] * (1 + (1 - d*x)/(1 + d*x))^6) + ((-2*C*d^2*e^2 - 8*A*d^4*e^2 - 4*B*d^2*e*f - C*f^2 - 2*A*d^2*f^2) * ArcTan[Sqrt[1 - d*x]/Sqrt[1 + d*x]]) / (8*d^5)
\end{aligned}$$

fricas [A] time = 0.86, size = 279, normalized size = 0.98

$$\frac{(40(Cd^5f^2x^5 - 80Bd^5e^2 + 48(2Cd^5ef + Bd^5f^2)x^4 - 32Bdf^2 + 10(6Cd^5e^2 + 12Bd^5ef + (6Ad^5 - Cd^5)f^2)x^3 - 32(5Ad^5 + 2Cd)fef + 16(5Bd^5e^2 + 2Cd^5f^2 + 2(5Ad^5 - Cd^5)e^2 - Bd^5ef - 2(4Ad^5 - Cd^5)f^2)x^2 - 15(4Bd^5ef - 2(4Ad^5 - Cd^5)f^2 + (2Ad^5 + Cd)f^2)x)\sqrt{dx+1}\sqrt{-dx+1} - 30(4Bd^5ef + 2(4Ad^4 + Cd^4)e^2 + (2Ad^2 + C)f^2)\arctan(\frac{\sqrt{dx+1}\sqrt{-dx+1}}{dx})}{240d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2), x, algorithm = "fricas")

[Out]
$$\begin{aligned}
& 1/240*((40*C*d^5*f^2*x^5 - 80*B*d^5*e^2 + 48*(2*C*d^5*e*f + B*d^5*f^2)*x^4 \\
& - 32*B*d*f^2 + 10*(6*C*d^5*e^2 + 12*B*d^5*e*f + (6*A*d^5 - C*d^3)*f^2)*x^3 \\
& - 32*(5*A*d^3 + 2*C*d)*e*f + 16*(5*B*d^5*e^2 - B*d^3*f^2 + 2*(5*A*d^5 - C*d^3)*e^2 \\
& - 15*(4*B*d^3*e*f - 2*(4*A*d^5 - C*d^3)*e^2 + (2*A*d^3 + C*d)*f^2)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 30*(4*B*d^2*e*f + 2*(4*A*d^4 + C*d^2)*e^2 \\
& + (2*A*d^2 + C)*f^2)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x))) / d^5
\end{aligned}$$

giac [B] time = 2.58, size = 1327, normalized size = 4.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm="giac")

[Out] 1/240*(10*((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 3
9/d^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 18*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^3)*A*d*f^2 + 2*((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)/d^4 - 21/d^4) + 1
33/d^4) - 295/d^4)*(d*x + 1) + 195/d^4)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 90*a
rcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^4)*B*d*f^2 + (((2*((d*x + 1)*(4*(d*x + 1
)*(5*(d*x + 1)/d^5 - 31/d^5) + 321/d^5) - 451/d^5)*(d*x + 1) + 745/d^5)*(d*
x + 1) - 405/d^5)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 150*arcsin(1/2*sqrt(2)*sqr
t(d*x + 1))/d^5)*C*d*f^2 + 80*(sqrt(d*x + 1)*sqrt(-d*x + 1)*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)*A
*d*f*e + 20*((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) -
39/d^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 18*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^3)*B*d*f*e + 4*((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)/d^4 - 21/d^4) +
133/d^4) - 295/d^4)*(d*x + 1) + 195/d^4)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 90
*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^4)*C*d*f*e + 40*(sqrt(d*x + 1)*sqrt(-d*x + 1)*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)*A*f^2 + 10*((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 -
13/d^3) + 43/d^3) - 39/d^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 18*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^3)*B*f^2 + 2*((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)/d^4 - 21/d^4) +
133/d^4) - 295/d^4)*(d*x + 1) + 195/d^4)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 90*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^4)*C*f^2 + 40*(sqrt(d*x + 1)*sqrt(-d*x + 1)*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)*B*d*e^2 + 10*((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 18*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^3)*C*d*e^2 + 80*(sqrt(d*x + 1)*sqrt(-d*x + 1)*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)*B*f*e + 20*((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 18*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^3)*C*f*e + 120*(sqrt(d*x + 1)*(d*x - 2)*sqrt(-d*x + 1) - 2*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)))*A*e^2 + 240*(sqrt(d*x + 1)*sqrt(-d*x + 1) + 2*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)))*A*e^2 + 40*(sqrt(d*x + 1)*sqrt(-d*x + 1)*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)*C*e^2 + 240*(sqrt(d*x + 1)*(d*x - 2)*sqrt(-d*x + 1) - 2*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)))*A*f*e/d + 120*(sqrt(d*x + 1)*(d*x - 2)*sqrt(-d*x + 1) - 2*arcsin(1/2*sqrt(2)*sqrt(d*x + 1)))*B*e^2/d)/d
```

maple [C] time = 0.02, size = 652, normalized size = 2.28

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^2*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x)
```

[Out] $\frac{1}{240}(-d*x+1)^{(1/2)}*(d*x+1)^{(1/2)}*(-160*A*csgn(d)*d^3*(-d^2*x^2+1)^{(1/2)}*e*f-64*C*csgn(d)*d*(-d^2*x^2+1)^{(1/2)}*e*f+40*C*csgn(d)*x^5*d^5*f^2*(-d^2*x^2+1)^{(1/2)}+48*B*csgn(d)*x^4*d^5*f^2*(-d^2*x^2+1)^{(1/2)}+60*A*csgn(d)*x^3*d^5*f^2*(-d^2*x^2+1)^{(1/2)}+60*C*csgn(d)*x^3*d^5*e^2*(-d^2*x^2+1)^{(1/2)}+30*A*arctan(1/(-d^2*x^2+1)^{(1/2})*d*x*csgn(d))*d^2*f^2+30*C*arctan(1/(-d^2*x^2+1)^{(1/2})*d*x*csgn(d))*d^2*e^2+120*A*arctan(1/(-d^2*x^2+1)^{(1/2})*d*x*csgn(d))*d^4*e^2+15*C*arctan(1/(-d^2*x^2+1)^{(1/2})*d*x*csgn(d))*f^2+60*B*arctan(1/(-d^2*x^2+1)^{(1/2})*d*x*csgn(d))*d^2*e*f+80*B*csgn(d)*x^2*d^5*e^2*(-d^2*x^2+1)^{(1/2)}-32*B*csgn(d)*d*(-d^2*x^2+1)^{(1/2})*f^2-80*B*csgn(d)*d^3*(-d^2*x^2+1)^{(1/2})*e^2-10*C*csgn(d)*d^3*(-d^2*x^2+1)^{(1/2})*x^3*f^2-16*B*csgn(d)*d^3*(-d^2*x^2+1)^{(1/2})*x^2*f^2-30*C*csgn(d)*d^3*(-d^2*x^2+1)^{(1/2})*x*f^2+120*A*csgn(d)*d^5*(-d^2*x^2+1)^{(1/2})*x*e^2-15*C*csgn(d)*d*(-d^2*x^2+1)^{(1/2})*x*f^2+160*A*csgn(d)*x^2*d^5*e*f*(-d^2*x^2+1)^{(1/2)}-60*B*csgn(d)*d^3*(-d^2*x^2+1)^{(1/2})*x*e*f-32*C*csgn(d)*d^3*(-d^2*x^2+1)^{(1/2})*x^2*e*f+96*C*csgn(d)*x^4*d^5*e*f*(-d^2*x^2+1)^{(1/2)}+120*B*csgn(d)*x^3*d^5*e*f*(-d^2*x^2+1)^{(1/2})*csgn(d)/(-d^2*x^2+1)^{(1/2})/d^5$

maxima [A] time = 1.01, size = 307, normalized size = 1.07

$$\frac{(-d^2*x^2+1)^{\frac{3}{2}}C^2f^3}{6d^6} + \frac{1}{2}\sqrt{-B^2*x^2+1}A^2*x^2 + \frac{A^2\arcsin(dx)}{2d} - \frac{(-d^2*x^2+1)^{\frac{3}{2}}B^2e^3}{3d^6} - \frac{2(-d^2*x^2+1)^{\frac{3}{2}}Adef}{5d^6} - \frac{(-d^2*x^2+1)^{\frac{3}{2}}(2Cef+Bf^2)x}{4d^6} - \frac{(-d^2*x^2+1)^{\frac{3}{2}}(C^2+2Be+f+Af^2)x}{8d^6} + \frac{\sqrt{-B^2*x^2+1}(C^2+2Be+f+Af^2)x}{8d^6} + \frac{\sqrt{-d^2*x^2+1}C^2f^2x}{16d^6} + \frac{C^2\arcsin(dx)}{16d^6} - \frac{2(-d^2*x^2+1)^{\frac{3}{2}}(2Cef+Bf^2)}{15d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(C*x^2+B*x+A)*(-d*x+1)^{(1/2})*(d*x+1)^{(1/2}), x, algorithm = "maxima")

[Out] $-1/6*(-d^2*x^2+1)^{(3/2)}*C*f^2*x^3/d^2 + 1/2*\sqrt{-d^2*x^2+1}*A*e^2*x + 1/2*A*e^2*\arcsin(d*x)/d - 1/3*(-d^2*x^2+1)^{(3/2})*B*e^2/d^2 - 2/3*(-d^2*x^2+1)^{(3/2})*A*e*f/d^2 - 1/5*(-d^2*x^2+1)^{(3/2})*(2*C*e*f + B*f^2)*x^2/d^2 - 1/4*(-d^2*x^2+1)^{(3/2})*(C*e^2 + 2*B*e*f + A*f^2)*x/d^2 - 1/8*(-d^2*x^2+1)^{(3/2})*C*f^2*x/d^4 + 1/8*\sqrt{-d^2*x^2+1}*(C*e^2 + 2*B*e*f + A*f^2)*x/d^2 + 1/16*\sqrt{-d^2*x^2+1}*C*f^2*x/d^4 + 1/8*(C*e^2 + 2*B*e*f + A*f^2)*arcsin(d*x)/d^3 + 1/16*C*f^2*\arcsin(d*x)/d^5 - 2/15*(-d^2*x^2+1)^{(3/2})*(2*C*e*f + B*f^2)/d^4$

mupad [B] time = 36.03, size = 2920, normalized size = 10.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x)^2*(1 - d*x)^{(1/2})*(d*x + 1)^{(1/2})*(A + B*x + C*x^2), x)

[Out] $-(((1 - d*x)^{(1/2} - 1)^8*((4928*B*f^2)/3 + (512*B*d^2*e^2)/3))/((d*x + 1)^{(1/2} - 1)^8 - (((1 - d*x)^{(1/2} - 1)^{14}*((1408*B*f^2)/3 - (32*B*d^2*e^2)/3))/((d*x + 1)^{(1/2} - 1)^{14} - (((1 - d*x)^{(1/2} - 1)^6*((1408*B*f^2)/3 - (32*B*d^2*e^2)/3))/((d*x + 1)^{(1/2} - 1)^6 + (((1 - d*x)^{(1/2} - 1)^{12}*((4928*B*f^2)/3 + (512*B*d^2*e^2)/3))/((d*x + 1)^{(1/2} - 1)^{12} - (((1 - d*x)^{(1/2} - 1)^{12} - ((1 - d*x)^{(1/2} - 1)^{12} + (((1 - d*x)^{(1/2} - 1)^{12} - ((1 - d*x)^{(1/2} - 1)^{12})))))$

$$\begin{aligned}
& /2) - 1)^{10} * ((11008*B*f^2)/5 - 304*B*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{10} + \\
& 64*B*f^2*((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 + (64*B*f^2*((1 - \\
& d*x)^{(1/2)} - 1)^{16}) / ((d*x + 1)^{(1/2)} - 1)^{16} + (8*B*d^2*e^2*((1 - d*x)^{(1/2)} - 1)^2) / \\
& ((d*x + 1)^{(1/2)} - 1)^2 + (8*B*d^2*e^2*((1 - d*x)^{(1/2)} - 1)^{18}) / ((d*x + 1)^{(1/2)} - 1)^{18} + \\
& (33*B*d*e*f*((1 - d*x)^{(1/2)} - 1)^3) / ((d*x + 1)^{(1/2)} - 1)^3 - (204*B*d*e*f*((1 - d*x)^{(1/2)} - 1)^5) / \\
& ((d*x + 1)^{(1/2)} - 1)^5 + (204*B*d*e*f*((1 - d*x)^{(1/2)} - 1)^7) / ((d*x + 1)^{(1/2)} - 1)^7 + (442*B \\
& *d*e*f*((1 - d*x)^{(1/2)} - 1)^9) / ((d*x + 1)^{(1/2)} - 1)^9 - (442*B*d*e*f*((1 - \\
& d*x)^{(1/2)} - 1)^{11}) / ((d*x + 1)^{(1/2)} - 1)^{11} - (204*B*d*e*f*((1 - d*x)^{(1/2)} - 1)^{13}) / \\
& ((d*x + 1)^{(1/2)} - 1)^{13} + (204*B*d*e*f*((1 - d*x)^{(1/2)} - 1)^{15}) / ((d*x + 1)^{(1/2)} - 1)^{15} - \\
& (33*B*d*e*f*((1 - d*x)^{(1/2)} - 1)^{17}) / ((d*x + 1)^{(1/2)} - 1)^{17} + (B*d*e*f*((1 - d*x)^{(1/2)} - 1)^{19}) / \\
& ((d*x + 1)^{(1/2)} - 1)^{19} - (B*d*e*f*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1)) / (d^4 + (10*d \\
& ^4*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 + (45*d^4*((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 + \\
& (120*d^4*((1 - d*x)^{(1/2)} - 1)^6) / ((d*x + 1)^{(1/2)} - 1)^6 + (210*d^4*((1 - d*x)^{(1/2)} - 1)^8) / ((d*x + 1)^{(1/2)} - 1)^8 + \\
& (252*d^4*((1 - d*x)^{(1/2)} - 1)^{10}) / ((d*x + 1)^{(1/2)} - 1)^{10} + (210*d^4*((1 - d*x)^{(1/2)} - 1)^{12}) / ((d*x + 1)^{(1/2)} - 1)^{12} + \\
& (120*d^4*((1 - d*x)^{(1/2)} - 1)^{14}) / ((d*x + 1)^{(1/2)} - 1)^{14} + (45*d^4*((1 - d*x)^{(1/2)} - 1)^{16}) / ((d*x + 1)^{(1/2)} - 1)^{16} + \\
& (10*d^4*((1 - d*x)^{(1/2)} - 1)^{18}) / ((d*x + 1)^{(1/2)} - 1)^{18} + (d^4*((1 - d*x)^{(1/2)} - 1)^{20}) / ((d*x + 1)^{(1/2)} - 1)^{20} - \\
& (((1 - d*x)^{(1/2)} - 1)^{15} * ((A*f^2)/2 - 2*A*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{15} - (((1 - d*x)^{(1/2)} - 1)^{13} * ((A*f^2)/2 - 2*A*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{13} + \\
& (((1 - d*x)^{(1/2)} - 1)^{11} * ((35*A*f^2)/2 - 6*A*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{11} - (((1 - d*x)^{(1/2)} - 1)^{9} * ((35*A*f^2)/2 - 6*A*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{9} - \\
& (((1 - d*x)^{(1/2)} - 1)^{7} * ((273*A*f^2)/2 + 30*A*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{7} + (((1 - d*x)^{(1/2)} - 1)^{5} * ((273*A*f^2)/2 + 30*A*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{5} + (((1 - d*x)^{(1/2)} - 1)^{3} * ((715*A*f^2)/2 - 22*A*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{3} + (((1 - d*x)^{(1/2)} - 1)^{1} * ((704*A*d*e*f*((1 - d*x)^{(1/2)} - 1)^8) / (3 * ((d*x + 1)^{(1/2)} - 1)^8) + (208*A*d*e*f*((1 - d*x)^{(1/2)} - 1)^{10}) / (3 * ((d*x + 1)^{(1/2)} - 1)^{10}) - (32*A*d*e*f*((1 - d*x)^{(1/2)} - 1)^{12}) / ((d*x + 1)^{(1/2)} - 1)^{12} + \\
& (16*A*d*e*f*((1 - d*x)^{(1/2)} - 1)^{14}) / ((d*x + 1)^{(1/2)} - 1)^{14}) / (d^3 + (8*d \\
& ^3*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 + (28*d^3*((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 + \\
& (56*d^3*((1 - d*x)^{(1/2)} - 1)^6) / ((d*x + 1)^{(1/2)} - 1)^6 + (70*d^3*((1 - d*x)^{(1/2)} - 1)^8) / ((d*x + 1)^{(1/2)} - 1)^8 + (56*d^3*((1 - d*x)^{(1/2)} - 1)^{10}) / ((d*x + 1)^{(1/2)} - 1)^{10} + (28*d^3*((1 - d*x)^{(1/2)} - 1)^{12}) / ((d*x + 1)^{(1/2)} - 1)^{12} + (8*d^3*((1 - d*x)^{(1/2)} - 1)^{14}) / ((d*x + 1)^{(1/2)} - 1)^{14}) / (d^3 * \\
& (((1 - d*x)^{(1/2)} - 1)^{23} * ((C*f^2)/4 + (C*d^2*e^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^{23} - (((1 - d*x)^{(1/2)} - 1)^{21} * ((C*f^2)/4 + (C*d^2*e^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^{21} - (((1 - d*x)^{(1/2)} - 1)^{19} * ((35*C*f^2)/12 - (3 * ((1 - d*x)^{(1/2)} - 1)^{20})) / ((d*x + 1)^{(1/2)} - 1)^{20} + (((1 - d*x)^{(1/2)} - 1)^{17} * ((35*C*f^2)/12 - (3 * ((1 - d*x)^{(1/2)} - 1)^{18})) / ((d*x + 1)^{(1/2)} - 1)^{18} - (((1 - d*x)^{(1/2)} - 1)^{15} * ((35*C*f^2)/12 - (3 * ((1 - d*x)^{(1/2)} - 1)^{16})) / ((d*x + 1)^{(1/2)} - 1)^{16} + (((1 - d*x)^{(1/2)} - 1)^{13} * ((35*C*f^2)/12 - (3 * ((1 - d*x)^{(1/2)} - 1)^{14})) / ((d*x + 1)^{(1/2)} - 1)^{14} - (((1 - d*x)^{(1/2)} - 1)^{11} * ((35*C*f^2)/12 - (3 * ((1 - d*x)^{(1/2)} - 1)^{12})) / ((d*x + 1)^{(1/2)} - 1)^{12} + (((1 - d*x)^{(1/2)} - 1)^{9} * ((35*C*f^2)/12 - (3 * ((1 - d*x)^{(1/2)} - 1)^{10})) / ((d*x + 1)^{(1/2)} - 1)^{10} - (((1 - d*x)^{(1/2)} - 1)^{7} * ((35*C*f^2)/12 - (3 * ((1 - d*x)^{(1/2)} - 1)^{8})) / ((d*x + 1)^{(1/2)} - 1)^{8} + (((1 - d*x)^{(1/2)} - 1)^{5} * ((35*C*f^2)/12 - (3 * ((1 - d*x)^{(1/2)} - 1)^{6})) / ((d*x + 1)^{(1/2)} - 1)^{6} - (((1 - d*x)^{(1/2)} - 1)^{3} * ((35*C*f^2)/12 - (3 * ((1 - d*x)^{(1/2)} - 1)^{4})) / ((d*x + 1)^{(1/2)} - 1)^{4} + (((1 - d*x)^{(1/2)} - 1)^{1} * ((35*C*f^2)/12 - (3 * ((1 - d*x)^{(1/2)} - 1)^{2})) / ((d*x + 1)^{(1/2)} - 1)^{2}) - (((1 - d*x)^{(1/2)} - 1)^{0} * ((35*C*f^2)/12 - (3 * ((1 - d*x)^{(1/2)} - 1)^{1}))) / ((d*x + 1)^{(1/2)} - 1)^{1}) \\
& \end{aligned}$$

$$\begin{aligned}
& \frac{1*C*d^2*e^2/2)}{((d*x + 1)^{(1/2)} - 1)^3} + (((1 - d*x)^{(1/2)} - 1)^{21} * ((35*C*f^2)/12 - (31*C*d^2*e^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^{21} + (((1 - d*x)^{(1/2)} - 1)^5 * ((757*C*f^2)/4 - (139*C*d^2*e^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^5 - (((1 - d*x)^{(1/2)} - 1)^{19} * ((757*C*f^2)/4 - (139*C*d^2*e^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^{19} - (((1 - d*x)^{(1/2)} - 1)^7 * ((7339*C*f^2)/4 + (171*C*d^2*e^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^7 + (((1 - d*x)^{(1/2)} - 1)^{17} * ((7339*C*f^2)/4 + (171*C*d^2*e^2)/2)) / ((d*x + 1)^{(1/2)} - 1)^{17} - (((1 - d*x)^{(1/2)} - 1)^{11} * ((25661*C*f^2)/2 - 323*C*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{11} + (((1 - d*x)^{(1/2)} - 1)^{13} * ((25661*C*f^2)/2 - 323*C*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{13} + (((1 - d*x)^{(1/2)} - 1)^9 * ((41929*C*f^2)/6 + 323*C*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^9 - (((1 - d*x)^{(1/2)} - 1)^{15} * ((41929*C*f^2)/6 + 323*C*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{15} + (128*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 - (2048*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^6) / (3*((d*x + 1)^{(1/2)} - 1)^6) + (1536*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^8) / ((d*x + 1)^{(1/2)} - 1)^8 + (6144*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{10}) / (5*((d*x + 1)^{(1/2)} - 1)^{10}) - (33536*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{12}) / (15*((d*x + 1)^{(1/2)} - 1)^{12}) + (6144*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{14}) / (5*((d*x + 1)^{(1/2)} - 1)^{14}) + (1536*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{16}) / ((d*x + 1)^{(1/2)} - 1)^{16} - (2048*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{18}) / (3*((d*x + 1)^{(1/2)} - 1)^{18}) + (128*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{20}) / ((d*x + 1)^{(1/2)} - 1)^{20} / (d^5 + (12*d^5*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 + (66*d^5*((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 + (220*d^5*((1 - d*x)^{(1/2)} - 1)^6) / ((d*x + 1)^{(1/2)} - 1)^6 + (495*d^5*((1 - d*x)^{(1/2)} - 1)^8) / ((d*x + 1)^{(1/2)} - 1)^8 + (792*d^5*((1 - d*x)^{(1/2)} - 1)^{10}) / ((d*x + 1)^{(1/2)} - 1)^{10} + (924*d^5*((1 - d*x)^{(1/2)} - 1)^{12}) / ((d*x + 1)^{(1/2)} - 1)^{12} + (792*d^5*((1 - d*x)^{(1/2)} - 1)^{14}) / ((d*x + 1)^{(1/2)} - 1)^{14} + (495*d^5*((1 - d*x)^{(1/2)} - 1)^{16}) / ((d*x + 1)^{(1/2)} - 1)^{16} + (220*d^5*((1 - d*x)^{(1/2)} - 1)^{18}) / ((d*x + 1)^{(1/2)} - 1)^{18} + (66*d^5*((1 - d*x)^{(1/2)} - 1)^{20}) / ((d*x + 1)^{(1/2)} - 1)^{20} + (12*d^5*((1 - d*x)^{(1/2)} - 1)^{22}) / ((d*x + 1)^{(1/2)} - 1)^{22} + (d^5*((1 - d*x)^{(1/2)} - 1)^{24}) / ((d*x + 1)^{(1/2)} - 1)^{24}) - (A*atan((A*(f^2 + 4*d^2*e^2)*((1 - d*x)^{(1/2)} - 1))) / (((d*x + 1)^{(1/2)} - 1)*(A*f^2 + 4*A*d^2*e^2))) * (f^2 + 4*d^2*e^2) / (2*d^3) - (C*atan((C*(f^2 + 2*d^2*e^2)*((1 - d*x)^{(1/2)} - 1))) / (((d*x + 1)^{(1/2)} - 1)*(C*f^2 + 2*C*d^2*e^2))) * (f^2 + 2*d^2*e^2) / (4*d^5) - (B*e*f*atan(((1 - d*x)^{(1/2)} - 1) / ((d*x + 1)^{(1/2)} - 1))) / d^3
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*(C*x**2+B*x+A)*(-d*x+1)**(1/2)*(d*x+1)**(1/2),x)

[Out] Timed out

$$3.3 \quad \int \sqrt{1-dx} \sqrt{1+dx} (e + fx) (A + Bx + Cx^2) dx$$

Optimal. Leaf size=168

$$\frac{x\sqrt{1-d^2x^2} (4Ad^2e + Bf + Ce)}{8d^2} - \frac{(1-d^2x^2)^{3/2} (4(5d^2f(Af + Be) - C(3d^2e^2 - 2f^2)) - 3d^2fx(3Ce - 5Bf))}{60d^4f} + \text{...}$$

Rubi [A] time = 0.25, antiderivative size = 170, normalized size of antiderivative = 1.01, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.143, Rules used = {1609, 1654, 780, 195, 216}

$$-\frac{(1-d^2x^2)^{3/2} (4(5d^2f(Af + Be) - \frac{1}{4}C(12d^2e^2 - 8f^2)) - 3d^2fx(3Ce - 5Bf))}{60d^4f} + \frac{x\sqrt{1-d^2x^2} (4Ad^2e + Bf + Ce)}{8d^2} + \frac{\sin^{-1}(dx)(4Ad^2e + Bf + Ce)}{8d^3} - \frac{C(1-d^2x^2)^{3/2} (e + fx)}{5d^2f}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)*(A + B*x + C*x^2), x]
[Out] ((C*e + 4*A*d^2*e + B*f)*x*Sqrt[1 - d^2*x^2])/(8*d^2) - (C*(e + f*x)^2*(1 - d^2*x^2)^(3/2))/(5*d^2*f) - ((4*(5*d^2*f*(B*e + A*f) - (C*(12*d^2*x^2 - 8*f^2))/4) - 3*d^2*f*(3*C*e - 5*B*f)*x)*(1 - d^2*x^2)^(3/2))/(60*d^4*f) + ((C*e + 4*A*d^2*e + B*f)*ArcSin[d*x])/(8*d^3)
```

Rule 195

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x]; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p])) || LtQ[Denominator[p + 1/n], Denominator[p]])
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr t[a]]/Rt[-b, 2], x]; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 780

```
Int[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x]; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_))^m_*((c_.) + (d_.)*(x_))^n_*((e_.) + (f_.)*(x_))^p_, x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1654

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^m_*((a_.) + (c_.)*(x_)^2)^p_, x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x))^m + q - 1)*(a + c*x^2)^p]/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))]
```

Rubi steps

$$\begin{aligned} \int \sqrt{1-dx} \sqrt{1+dx} (e+fx)(A+Bx+Cx^2) dx &= \int (e+fx)(A+Bx+Cx^2) \sqrt{1-d^2x^2} dx \\ &= -\frac{C(e+fx)^2 (1-d^2x^2)^{3/2}}{5d^2f} - \frac{\int (e+fx) \left(-((2C+5Ad^2)f^2)\right)}{5} \\ &= -\frac{C(e+fx)^2 (1-d^2x^2)^{3/2}}{5d^2f} - \frac{\left(4\left(5d^2f(Be+Af)-\frac{1}{4}C(12d^2e+4Ad^2f)\right)\right)}{5} \\ &= \frac{(Ce+4Ad^2e+Bf)x\sqrt{1-d^2x^2}}{8d^2} - \frac{C(e+fx)^2 (1-d^2x^2)^{3/2}}{5d^2f} \\ &= \frac{(Ce+4Ad^2e+Bf)x\sqrt{1-d^2x^2}}{8d^2} - \frac{C(e+fx)^2 (1-d^2x^2)^{3/2}}{5d^2f} \end{aligned}$$

Mathematica [A] time = 0.21, size = 141, normalized size = 0.84

$$\frac{15d \sin^{-1}(dx) (4Ad^2e + Bf + Ce) + \sqrt{1-d^2x^2} (60Ad^4ex + 40Ad^2f(d^2x^2 - 1) + 5Bd^2(8d^2ex^2 + 6d^2fx^3 - 8e - 3fx) + 15Cd^2ex(2d^2x^2 - 1) + 8Cf(3d^4x^4 - d^2x^2 - 2))}{120d^4}$$

Antiderivative was successfully verified.

[In] `Integrate[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)*(A + B*x + C*x^2), x]`

[Out] $(\text{Sqrt}[1 - d^2 x^2] * (60 A d^4 e x + 40 A d^2 f (-1 + d^2 x^2) + 15 C d^2 e x + (-1 + 2 d^2 x^2) + 5 B d^2 f (-8 e - 3 f x + 8 d^2 e x^2 + 6 d^2 f x^3) + 8 C f (-2 - d^2 x^2 + 3 d^4 e x^4)) + 15 d (C e + 4 A d^2 e + B f) \text{ArcSin}[d x]) / (120 d^4)$

IntegrateAlgebraic [B] time = 0.39, size = 470, normalized size = 2.80

$$\frac{\tan^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}}\right)(-4Ad^2e - Bf - Ce)}{4d^2} - \frac{\sqrt{1-dx}}{dx} \left(\frac{60Ad^5e(1-dx)^4}{(dx+1)^4} + \frac{120Ad^3e(1-dx)^3}{(dx+1)^3} - \frac{120Ad^5e(1-dx)^2}{(dx+1)^2} - 60Ad^3e + \frac{160Ad^5f(1-dx)^3}{(dx+1)^3} + \frac{320Ad^5f(1-dx)^2}{(dx+1)^2} + \frac{160Bd^5e(1-dx)^3}{(dx+1)^3} + \frac{320Bd^5e(1-dx)^2}{(dx+1)^2} + \frac{160Bd^5f(1-dx)^3}{(dx+1)^3} + \frac{320Bd^5f(1-dx)^2}{(dx+1)^2} + \frac{15df(1-dx)^4}{(dx+1)^4} - \frac{90bf(1-dx)^3}{(dx+1)^3} - 15Bdf + \frac{15ce(1-dx)^4}{(dx+1)^4} - \frac{90ce(1-dx)^3}{(dx+1)^3} - 15Cde + \frac{160Cf(1-dx)^3}{(dx+1)^3} + \frac{64C(1-dx)^2}{(dx+1)^2} + \frac{160C(1-dx)}{dx+1} \right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[$\text{Sqrt}[1 - d x] * \text{Sqrt}[1 + d x] * (e + f x) * (A + B x + C x^2)$, x]

[Out] $-1/60 * (\text{Sqrt}[1 - d x] * (-15 C d e - 60 A d^3 e - 15 B d f + (15 C d e (1 - d x)^4) / (1 + d x)^4 + (60 A d^3 e (1 - d x)^4) / (1 + d x)^4 + (15 B d f (1 - d x)^4) / (1 + d x)^4 - (90 C d e (1 - d x)^3) / (1 + d x)^3 + (160 B d^2 e (1 - d x)^3) / (1 + d x)^3 + (120 A d^3 e (1 - d x)^3) / (1 + d x)^3 + (160 C f (1 - d x)^3) / (1 + d x)^3 - (90 B d f (1 - d x)^3) / (1 + d x)^3 + (160 A d^2 f (1 - d x)^3) / (1 + d x)^3 + (320 B d^2 e (1 - d x)^2) / (1 + d x)^2 - (64 C f (1 - d x)^2) / (1 + d x)^2 + (320 A d^2 f (1 - d x)^2) / (1 + d x)^2 + (90 C d e (1 - d x)) / (1 + d x) + (160 B d^2 e (1 - d x)) / (1 + d x) - (120 A d^3 e (1 - d x)) / (1 + d x) + (160 C f (1 - d x)) / (1 + d x) + (90 B d f (1 - d x)) / (1 + d x) + (160 A d^2 f (1 - d x)) / (1 + d x)) / (d^4 * \text{Sqrt}[1 + d x] * (1 + (1 - d x) / (1 + d x))^5) + ((-(C e) - 4 A d^2 e - B f) * \text{ArcTan}[\text{Sqrt}[1 - d x] / \text{Sqrt}[1 + d x]]) / (4 d^3)$

fricas [A] time = 0.93, size = 170, normalized size = 1.01

$$\frac{(24 C d^4 f x^4 - 40 B d^2 e + 30 (C d^4 e + B d^4 f) x^3 + 8 (5 B d^4 e + (5 A d^4 - C d^2) f) x^2 - 8 (5 A d^2 + 2 C) f - 15 (B d^2 f - (4 A d^4 - C d^2) e) x) \sqrt{dx+1} \sqrt{-dx+1} - 30 (B d f + (4 A d^3 + C d) e) \arctan\left(\frac{\sqrt{dx+1} \sqrt{-dx+1} - 1}{dx}\right)}{120 d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2), x, algorithm="fricas")

[Out] $1/120 * ((24 C d^4 f x^4 - 40 B d^2 e + 30 (C d^4 e + B d^4 f) x^3 + 8 (5 B d^4 e + (5 A d^4 - C d^2) f) x^2 - 8 (5 A d^2 + 2 C) f - 15 (B d^2 f - (4 A d^4 - C d^2) e) x) * \text{sqrt}(d x + 1) * \text{sqrt}(-d x + 1) - 30 (B d f + (4 A d^3 + C d) e) * \text{arctan}((\text{sqrt}(d x + 1) * \text{sqrt}(-d x + 1) - 1) / (d x))) / d^4$

giac [B] time = 2.00, size = 782, normalized size = 4.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm="giac")`

[Out]

$$\begin{aligned} & \frac{1}{120} \left(20 \sqrt{d*x + 1} \sqrt{-d*x + 1} ((d*x + 1)^2/(d^2 - 7/d^2) + 9/d^2) + 6 \arcsin(1/2 \sqrt{2} \sqrt{d*x + 1})/d^2 * A*d*f + 5*((d*x + 1) * (2*(d*x + 1) * (3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3) * \sqrt{d*x + 1} * \sqrt{-d*x + 1} - 18 \arcsin(1/2 \sqrt{2} \sqrt{d*x + 1})/d^3 * B*d*f + ((2*(d*x + 1) * (3*(d*x + 1) * (4*(d*x + 1)/d^4 - 21/d^4) + 133/d^4) - 295/d^4) * (d*x + 1) + 195/d^4) * \sqrt{d*x + 1} * \sqrt{-d*x + 1} + 90 \arcsin(1/2 \sqrt{2} \sqrt{d*x + 1})/d^4 * C*d*f + 20 * (\sqrt{d*x + 1} * \sqrt{-d*x + 1} * ((d*x + 1)^2 * (2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6 \arcsin(1/2 \sqrt{2} \sqrt{d*x + 1})/d^2 * B*d*e + 5*((d*x + 1)^2 * (2*(d*x + 1) * (3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3) * \sqrt{d*x + 1} * \sqrt{-d*x + 1} - 18 \arcsin(1/2 \sqrt{2} \sqrt{d*x + 1})/d^3 * C*d*e + 20 * (\sqrt{d*x + 1} * \sqrt{-d*x + 1} * ((d*x + 1)^2 * (2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6 \arcsin(1/2 \sqrt{2} \sqrt{d*x + 1})/d^2 * B*f + 5*((d*x + 1)^2 * (2*(d*x + 1) * (3*(d*x + 1)/d^3 - 13/d^3) + 43/d^3) - 39/d^3) * \sqrt{d*x + 1} * \sqrt{-d*x + 1} - 18 \arcsin(1/2 \sqrt{2} \sqrt{d*x + 1})/d^3 * C*f + 60 * (\sqrt{d*x + 1} * (d*x - 2) * \sqrt{-d*x + 1} - 2 * \arcsin(1/2 \sqrt{2} \sqrt{d*x + 1})) * A*e + 120 * (\sqrt{d*x + 1} * \sqrt{-d*x + 1} + 2 * \arcsin(1/2 \sqrt{2} \sqrt{d*x + 1})) * A*e + 20 * (\sqrt{d*x + 1} * \sqrt{-d*x + 1} * ((d*x + 1)^2 * (2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6 \arcsin(1/2 \sqrt{2} \sqrt{d*x + 1})/d^2 * C*e + 60 * (\sqrt{d*x + 1} * (d*x - 2) * \sqrt{-d*x + 1} - 2 * \arcsin(1/2 \sqrt{2} \sqrt{d*x + 1})) * A*f/d + 60 * (\sqrt{d*x + 1} * (d*x - 2) * \sqrt{-d*x + 1} - 2 * \arcsin(1/2 \sqrt{2} \sqrt{d*x + 1})) * B*e/d \right) / d \end{aligned}$$

maple [C] time = 0.01, size = 377, normalized size = 2.24

$$\frac{\sqrt{d^2 x^2 + 1} \sqrt{dx + 1}}{120 \sqrt{-d^2 x^2 + 1}} \left\{ 20 \sqrt{-d^2 x^2 + 1} C d^2 f \sqrt{x^2 \operatorname{csgn}(d)} + 30 \sqrt{-d^2 x^2 + 1} B d^2 f \sqrt{x^2 \operatorname{csgn}(d)} + 30 \sqrt{-d^2 x^2 + 1} C d^2 f \sqrt{x^2 \operatorname{csgn}(d)} + 40 \sqrt{-d^2 x^2 + 1} A d^2 f \sqrt{x^2 \operatorname{csgn}(d)} + 40 \sqrt{-d^2 x^2 + 1} B d^2 f \sqrt{x^2 \operatorname{csgn}(d)} - 8 \sqrt{-d^2 x^2 + 1} C d^2 f \sqrt{x^2 \operatorname{csgn}(d)} + 60 \sqrt{-d^2 x^2 + 1} A d^2 f \sqrt{x^2 \operatorname{csgn}(d)} - 15 \sqrt{-d^2 x^2 + 1} C d^2 f \operatorname{csgn}(d) - 15 \sqrt{-d^2 x^2 + 1} B d^2 f \operatorname{csgn}(d) - 40 \sqrt{-d^2 x^2 + 1} B d^2 f \operatorname{csgn}(d) + 15 B d^2 f \arctan\left(\frac{\sqrt{-d^2 x^2 + 1}}{\sqrt{d^2 x^2 + 1}}\right) + 15 C d^2 f \arctan\left(\frac{\sqrt{-d^2 x^2 + 1}}{\sqrt{d^2 x^2 + 1}}\right) + 16 \sqrt{-d^2 x^2 + 1} C f \operatorname{csgn}(d) \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x)`

[Out]

$$\begin{aligned} & \frac{1}{120} (-d*x+1)^(1/2) * (d*x+1)^(1/2) * (24*C*csgn(d)*x^4*d^4*f*(-d^2*x^2+1)^(1/2) + 30*B*csgn(d)*x^3*d^4*f*(-d^2*x^2+1)^(1/2) + 30*C*csgn(d)*x^3*d^4*e*(-d^2*x^2+1)^(1/2) + 40*A*csgn(d)*x^2*d^4*f*(-d^2*x^2+1)^(1/2) + 40*B*csgn(d)*x^2*d^4*e*(-d^2*x^2+1)^(1/2) + 60*A*csgn(d)*(-d^2*x^2+1)^(1/2)*x*d^4*e - 8*C*csgn(d)*(-d^2*x^2+1)^(1/2)*x^2*d^2*f - 15*B*csgn(d)*(-d^2*x^2+1)^(1/2)*x*d^2*f - 15*C*csgn(d)*(-d^2*x^2+1)^(1/2)*x*d^2*e - 40*A*csgn(d)*(-d^2*x^2+1)^(1/2)*d^3*f - 40*B*csgn(d)*(-d^2*x^2+1)^(1/2)*d^2*f + 60*A*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*d^3*e - 40*B*csgn(d)*(-d^2*x^2+1)^(1/2)*d^2*f + 15*B*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*d*f - 16*C*csgn(d)*(-d^2*x^2+1)^(1/2)*f + 15*C*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*d*e) * csgn(d) / d^4 / (-d^2*x^2+1)^(1/2) \end{aligned}$$

maxima [A] time = 1.07, size = 174, normalized size = 1.04

$$\frac{1}{2} \sqrt{-d^2 x^2 + 1} A ex - \frac{(-d^2 x^2 + 1)^{\frac{3}{2}} C f x^2}{5 d^2} + \frac{A e \arcsin(dx)}{2 d} - \frac{(-d^2 x^2 + 1)^{\frac{3}{2}} B e}{3 d^2} - \frac{(-d^2 x^2 + 1)^{\frac{3}{2}} A f}{3 d^2} - \frac{(-d^2 x^2 + 1)^{\frac{3}{2}} (C e + B f) x}{4 d^2} + \frac{\sqrt{-d^2 x^2 + 1} (C e + B f) x}{8 d^2} - \frac{2 (-d^2 x^2 + 1)^{\frac{3}{2}} C f}{15 d^4} + \frac{(C e + B f) \arcsin(dx)}{8 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*(C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm="maxima")`

[Out]
$$\frac{1}{2} \sqrt{-d^2 x^2 + 1} A e x - \frac{1}{5} (-d^2 x^2 + 1)^{(3/2)} C f x^2/d^2 + \frac{1}{2} A e \arcsin(d x)/d - \frac{1}{3} (-d^2 x^2 + 1)^{(3/2)} B e/d^2 - \frac{1}{3} (-d^2 x^2 + 1)^{(3/2)} A f/d^2 - \frac{1}{4} (-d^2 x^2 + 1)^{(3/2)} (C e + B f) x/d^2 + \frac{1}{8} \sqrt{-d^2 x^2 + 1} (C e + B f) x/d^2 - \frac{2}{15} (-d^2 x^2 + 1)^{(3/2)} C f/d^4 + \frac{1}{8} (C e + B f) \arcsin(d x)/d^3$$

mupad [B] time = 12.06, size = 736, normalized size = 4.38

$$\frac{\frac{1}{2} \sqrt{-d^2 x^2 + 1} A e x - \frac{1}{5} (-d^2 x^2 + 1)^{(3/2)} C f x^2/d^2 + \frac{1}{2} A e \arcsin(d x)/d - \frac{1}{3} (-d^2 x^2 + 1)^{(3/2)} B e/d^2 - \frac{1}{3} (-d^2 x^2 + 1)^{(3/2)} A f/d^2 - \frac{1}{4} (-d^2 x^2 + 1)^{(3/2)} (C e + B f) x/d^2 + \frac{1}{8} \sqrt{-d^2 x^2 + 1} (C e + B f) x/d^2 - \frac{2}{15} (-d^2 x^2 + 1)^{(3/2)} C f/d^4 + \frac{1}{8} (C e + B f) \arcsin(d x)/d^3}{\epsilon \left(\frac{\sqrt{-d^2 x^2 + 1}}{d^2} \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)*(A + B*x + C*x^2),x)`

[Out]
$$\frac{((B*f*((1 - d*x)^(1/2) - 1))/(2*((d*x + 1)^(1/2) - 1)) - (35*B*f*((1 - d*x)^(1/2) - 1)^3)/(2*((d*x + 1)^(1/2) - 1)^3) + (273*B*f*((1 - d*x)^(1/2) - 1)^5)/(2*((d*x + 1)^(1/2) - 1)^5) - (715*B*f*((1 - d*x)^(1/2) - 1)^7)/(2*((d*x + 1)^(1/2) - 1)^7) + (715*B*f*((1 - d*x)^(1/2) - 1)^9)/(2*((d*x + 1)^(1/2) - 1)^9) - (273*B*f*((1 - d*x)^(1/2) - 1)^11)/(2*((d*x + 1)^(1/2) - 1)^11) + (35*B*f*((1 - d*x)^(1/2) - 1)^13)/(2*((d*x + 1)^(1/2) - 1)^13) - (B*f*((1 - d*x)^(1/2) - 1)^15)/(2*((d*x + 1)^(1/2) - 1)^15))/(d^3*((1 - d*x)^(1/2) - 1)^2/((d*x + 1)^(1/2) - 1)^2 + 1)^8) - (1 - d*x)^(1/2)*((2*C*f*(d*x + 1)^(1/2))/(15*d^4) - (C*f*x^4*(d*x + 1)^(1/2))/5 + (C*f*x^2*(d*x + 1)^(1/2))/(15*d^2)) + ((C*e*((1 - d*x)^(1/2) - 1))/(2*((d*x + 1)^(1/2) - 1)) - (35*C*e*((1 - d*x)^(1/2) - 1)^3)/(2*((d*x + 1)^(1/2) - 1)^3) + (273*C*e*((1 - d*x)^(1/2) - 1)^5)/(2*((d*x + 1)^(1/2) - 1)^5) - (715*C*e*((1 - d*x)^(1/2) - 1)^7)/(2*((d*x + 1)^(1/2) - 1)^7) + (715*C*e*((1 - d*x)^(1/2) - 1)^9)/(2*((d*x + 1)^(1/2) - 1)^9) - (273*C*e*((1 - d*x)^(1/2) - 1)^11)/(2*((d*x + 1)^(1/2) - 1)^11) + (35*C*e*((1 - d*x)^(1/2) - 1)^13)/(2*((d*x + 1)^(1/2) - 1)^13) - (C*e*((1 - d*x)^(1/2) - 1)^15)/(2*((d*x + 1)^(1/2) - 1)^15))/(d^3*((1 - d*x)^(1/2) - 1)^2/((d*x + 1)^(1/2) - 1)^2 + 1)^8) - (B*f*atan(((1 - d*x)^(1/2) - 1)/((d*x + 1)^(1/2) - 1)))/(2*d^3) - (C*e*atan(((1 - d*x)^(1/2) - 1)/((d*x + 1)^(1/2) - 1)))/(2*d^3) + (A*e*x*(1 - d*x)^(1/2)*(d*x + 1)^(1/2))/2 - (A*d^(1/2)*e*log((-d)^(1/2)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2) - d^(3/2)*x))/(2*(-d)^(3/2)) + (A*f*(d^2*x^2 - 1)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2))/(3*d^2) + (B*e*(d^2*x^2 - 1)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2))/(3*d^2)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*(C*x**2+B*x+A)*(-d*x+1)**(1/2)*(d*x+1)**(1/2),x)`

[Out] Timed out

$$\mathbf{3.4} \quad \int \sqrt{1-dx} \sqrt{1+dx} (A + Bx + Cx^2) dx$$

Optimal. Leaf size=95

$$\frac{x\sqrt{1-d^2x^2}(4Ad^2+C)}{8d^2} + \frac{(4Ad^2+C)\sin^{-1}(dx)}{8d^3} - \frac{B(1-d^2x^2)^{3/2}}{3d^2} - \frac{Cx(1-d^2x^2)^{3/2}}{4d^2}$$

Rubi [A] time = 0.07, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.167, Rules used = {899, 1815, 641, 195, 216}

$$\frac{x\sqrt{1-d^2x^2}(4Ad^2+C)}{8d^2} + \frac{(4Ad^2+C)\sin^{-1}(dx)}{8d^3} - \frac{B(1-d^2x^2)^{3/2}}{3d^2} - \frac{Cx(1-d^2x^2)^{3/2}}{4d^2}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(A + B*x + C*x^2), x]
[Out] ((C + 4*A*d^2)*x*Sqrt[1 - d^2*x^2])/(8*d^2) - (B*(1 - d^2*x^2)^(3/2))/(3*d^2) - (C*x*(1 - d^2*x^2)^(3/2))/(4*d^2) + ((C + 4*A*d^2)*ArcSin[d*x])/(8*d^3)
```

Rule 195

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x]; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p])) || LtQ[Denominator[p + 1/n], Denominator[p]])
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr t[a]]/Rt[-b, 2], x]; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 641

```
Int[((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x]; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 899

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Int[(d*f + e*g*x^2)^m*(a + b*x + c*x^2)^n, x]
```

```
p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e *f + d*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))
```

Rule 1815

```

Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :> With[{q = Expon[Pq, x],
e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*
(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSu-
m[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x
], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

```

Rubi steps

$$\begin{aligned}
\int \sqrt{1-dx} \sqrt{1+dx} (A+Bx+Cx^2) dx &= \int (A+Bx+Cx^2) \sqrt{1-d^2x^2} dx \\
&= -\frac{Cx(1-d^2x^2)^{3/2}}{4d^2} - \frac{\int (-C-4Ad^2-4Bd^2x) \sqrt{1-d^2x^2} dx}{4d^2} \\
&= -\frac{B(1-d^2x^2)^{3/2}}{3d^2} - \frac{Cx(1-d^2x^2)^{3/2}}{4d^2} - \frac{(-C-4Ad^2) \int \sqrt{1-d^2x^2} dx}{4d^2} \\
&= \frac{(C+4Ad^2)x\sqrt{1-d^2x^2}}{8d^2} - \frac{B(1-d^2x^2)^{3/2}}{3d^2} - \frac{Cx(1-d^2x^2)^{3/2}}{4d^2} + \frac{(C+4Ad^2)\int \sqrt{1-d^2x^2} dx}{8d^2} \\
&= \frac{(C+4Ad^2)x\sqrt{1-d^2x^2}}{8d^2} - \frac{B(1-d^2x^2)^{3/2}}{3d^2} - \frac{Cx(1-d^2x^2)^{3/2}}{4d^2} + \frac{(C+4Ad^2)\int \sqrt{1-d^2x^2} dx}{8d^2}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 71, normalized size = 0.75

$$\frac{d\sqrt{1-d^2x^2}\left(12Ad^2x+8Bd^2x^2-8B+6Cd^2x^3-3Cx\right)+3\left(4Ad^2+C\right)\sin^{-1}(dx)}{24d^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(A + B*x + C*x^2), x]

```
[Out] (d*Sqrt[1 - d^2*x^2]*(-8*B - 3*C*x + 12*A*d^2*x + 8*B*d^2*x^2 + 6*C*d^2*x^3) + 3*(C + 4*A*d^2)*ArcSin[d*x])/(24*d^3)
```

IntegrateAlgebraic [B] time = 0.19, size = 242, normalized size = 2.55

$$\frac{\left(-4Ad^2 - C\right)\tan^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}}\right) - \frac{\sqrt{1-dx}}{4d^3} \left(\frac{12Ad^2(1-dx)^3}{(dx+1)^3} + \frac{12Ad^2(1-dx)^2}{(dx+1)^2} - \frac{12Ad^2(1-dx)}{dx+1} - 12Ad^2 + \frac{32Bd(1-dx)^2}{(dx+1)^2} + \frac{32Bd(1-dx)}{dx+1} + \frac{3C(1-dx)^3}{(dx+1)^3} - \frac{21C(1-dx)^2}{(dx+1)^2} + \frac{21C(1-dx)}{dx+1} - 3C \right)}{12d^3\sqrt{dx+1}\left(\frac{1-dx}{dx+1} + 1\right)^4}$$

Antiderivative was successfully verified.

[In] `IntegrateAlgebraic[Sqrt[1 - d*x]*Sqrt[1 + d*x]*(A + B*x + C*x^2), x]`

[Out]
$$\frac{(6Cd^3x^3 + 8Bd^3x^2 - 8Bd + 3(4Ad^3 - Cd)x)\sqrt{dx+1}\sqrt{-dx+1} - 6(4Ad^2 + C)\arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}-1}{dx}\right)}{24d^3}$$

fricas [A] time = 0.92, size = 95, normalized size = 1.00

$$\frac{(6Cd^3x^3 + 8Bd^3x^2 - 8Bd + 3(4Ad^3 - Cd)x)\sqrt{dx+1}\sqrt{-dx+1} - 6(4Ad^2 + C)\arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}-1}{dx}\right)}{24d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2), x, algorithm="fricas")`

[Out]
$$\frac{1}{24}((6*C*d^3*x^3 + 8*B*d^3*x^2 - 8*B*d + 3*(4*A*d^3 - C*d)*x)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 6*(4*A*d^2 + C)*\arctan((\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 1)/(d*x)))/d^3$$

giac [B] time = 1.54, size = 336, normalized size = 3.54

$$\frac{4\sqrt{dx+1}\sqrt{-dx+1}\left(dx+1\left(\frac{2(dx+1)}{d^2} - \frac{2}{d}\right) + \frac{4\arcsin\left(\frac{1}{2}\sqrt{2}\sqrt{dx+1}\right)}{d}\right) + 6\left((dx+1)\left(\frac{2(dx+1)}{d^2} - \frac{20}{d}\right) + \frac{20}{d}\right)\sqrt{dx+1}\sqrt{-dx+1} - \frac{16\arcsin\left(\frac{1}{2}\sqrt{2}\sqrt{dx+1}\right)}{d} + 12\left(\sqrt{2}\sqrt{dx+1} - 2\arcsin\left(\frac{1}{2}\sqrt{2}\sqrt{dx+1}\right)\right)A + 24\left(\sqrt{dx+1}\sqrt{-dx+1} + 2\arcsin\left(\frac{1}{2}\sqrt{2}\sqrt{dx+1}\right)\right)A + 4\left(\sqrt{dx+1}\sqrt{-dx+1} - \frac{4\arcsin\left(\frac{1}{2}\sqrt{2}\sqrt{dx+1}\right)}{d}\right)C + \frac{12\sqrt{dx+1}(dx-2)\sqrt{-dx+1}}{d}\arcsin\left(\frac{1}{2}\sqrt{2}\sqrt{dx+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2), x, algorithm="giac")`

[Out]
$$\frac{1}{24}(4*(\sqrt{d*x + 1}*\sqrt{-d*x + 1}*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^2)*B*d + (((d*x + 1)*(2*(d*x + 1)/d^3 - 13/d^3) + 43/d^3)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 18*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^3)*C*d + 12*(\sqrt{d*x + 1}*(d*x - 2)*\sqrt{-d*x + 1} - 2*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1}))*A + 24*(\sqrt{d*x + 1}*\sqrt{-d*x + 1} + 2*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1}))*A + 4*(\sqrt{d*x + 1}*\sqrt{-d*x + 1}*((d*x + 1)*(2*(d*x + 1)/d^2 - 7/d^2) + 9/d^2) + 6*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1})/d^2)*C + 12*(\sqrt{d*x + 1}*(d*x - 2)*\sqrt{-d*x + 1} - 2*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1}))*B/d)/d$$

maple [C] time = 0.01, size = 185, normalized size = 1.95

$$\frac{\sqrt{-dx+1}\sqrt{dx+1}\left(6\sqrt{-d^2x^2+1}Cd^3x^3\text{csgn}(d) + 8\sqrt{-d^2x^2+1}Bd^3x^2\text{csgn}(d) + 12\sqrt{-d^2x^2+1}Ad^3x\text{csgn}(d) + 12Ad^2\arctan\left(\frac{dx\text{csgn}(d)}{\sqrt{-d^2x^2+1}}\right) - 3\sqrt{-d^2x^2+1}Cd x\text{csgn}(d) - 8\sqrt{-d^2x^2+1}Bd\text{csgn}(d) + 3C\arctan\left(\frac{dx\text{csgn}(d)}{\sqrt{-d^2x^2+1}}\right)\right)\text{csgn}(d)}{24\sqrt{-d^2x^2+1}d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x)`

[Out] $\frac{1}{24}(-d*x+1)^{(1/2)}(d*x+1)^{(1/2)}(6*C*csgn(d)*x^3*d^3*(-d^2*x^2+1)^{(1/2)}+8*B*csgn(d)*x^2*d^3*(-d^2*x^2+1)^{(1/2)}+12*A*csgn(d)*d^3*(-d^2*x^2+1)^{(1/2)}*x-3*C*csgn(d)*d*(-d^2*x^2+1)^{(1/2)}*x+12*A*arctan(1/(-d^2*x^2+1)^{(1/2})*d*x*csgn(d))*d^2-8*B*(-d^2*x^2+1)^{(1/2})*csgn(d)*d+3*C*arctan(1/(-d^2*x^2+1)^{(1/2})*d*x*csgn(d)))*csgn(d)/(-d^2*x^2+1)^{(1/2})*d^3$

maxima [A] time = 0.98, size = 93, normalized size = 0.98

$$\frac{1}{2}\sqrt{-d^2x^2+1}Ax - \frac{(-d^2x^2+1)^{\frac{3}{2}}Cx}{4d^2} + \frac{A\arcsin(dx)}{2d} - \frac{(-d^2x^2+1)^{\frac{3}{2}}B}{3d^2} + \frac{\sqrt{-d^2x^2+1}Cx}{8d^2} + \frac{C\arcsin(dx)}{8d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(-d*x+1)^(1/2)*(d*x+1)^(1/2),x, algorithm="maxima")`

[Out] $\frac{1}{2}\sqrt{-d^2*x^2+1}*A*x - \frac{1}{4}(-d^2*x^2+1)^{(3/2)}*C*x/d^2 + \frac{1}{2}A*arcsin(d*x)/d - \frac{1}{3}(-d^2*x^2+1)^{(3/2)}*B/d^2 + \frac{1}{8}\sqrt{-d^2*x^2+1}*C*x/d^2 + \frac{1}{8}C*arcsin(d*x)/d^3$

mupad [B] time = 7.21, size = 361, normalized size = 3.80

$$\frac{Ax\sqrt{1-dx}\sqrt{dx+1}}{2} - \frac{\frac{35C(\sqrt{1-dx}-1)^3}{2(\sqrt{dx+1}-1)^3} - \frac{273C(\sqrt{1-dx}-1)^5}{2(\sqrt{dx+1}-1)^5} + \frac{715C(\sqrt{1-dx}-1)^7}{2(\sqrt{dx+1}-1)^7} - \frac{715C(\sqrt{1-dx}-1)^9}{2(\sqrt{dx+1}-1)^9} + \frac{273C(\sqrt{1-dx}-1)^{11}}{2(\sqrt{dx+1}-1)^{11}} - \frac{35C(\sqrt{1-dx}-1)^{13}}{2(\sqrt{dx+1}-1)^{13}} + \frac{C(\sqrt{1-dx}-1)^{15}}{2(\sqrt{dx+1}-1)^{15}} - \frac{C\arctan\left(\frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1}\right)}{2d^3}}{d^2\left(\frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2}+1\right)^8} - \frac{A\sqrt{d}\ln\left(\sqrt{-d}\sqrt{1-dx}\sqrt{dx+1}-d^{3/2}x\right)}{2(-d)^{3/2}} + \frac{B(d^2x^2-1)\sqrt{1-dx}\sqrt{dx+1}}{3d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1 - d*x)^(1/2)*(d*x + 1)^(1/2)*(A + B*x + C*x^2),x)`

[Out] $\frac{(A*x*(1 - d*x)^(1/2)*(d*x + 1)^(1/2))/2 - ((35*C*((1 - d*x)^(1/2) - 1)^3)/(2*((d*x + 1)^(1/2) - 1)^3) - (273*C*((1 - d*x)^(1/2) - 1)^5)/(2*((d*x + 1)^(1/2) - 1)^5) + (715*C*((1 - d*x)^(1/2) - 1)^7)/(2*((d*x + 1)^(1/2) - 1)^7) - (715*C*((1 - d*x)^(1/2) - 1)^9)/(2*((d*x + 1)^(1/2) - 1)^9) + (273*C*((1 - d*x)^(1/2) - 1)^11)/(2*((d*x + 1)^(1/2) - 1)^11) - (35*C*((1 - d*x)^(1/2) - 1)^13)/(2*((d*x + 1)^(1/2) - 1)^13) + (C*((1 - d*x)^(1/2) - 1)^15)/(2*((d*x + 1)^(1/2) - 1)^15) - (C*((1 - d*x)^(1/2) - 1))/(2*((d*x + 1)^(1/2) - 1)))/(d^3(((1 - d*x)^(1/2) - 1)^2/((d*x + 1)^(1/2) - 1)^2 + 1)^8) - (C*atan(((1 - d*x)^(1/2) - 1)/((d*x + 1)^(1/2) - 1)))/(2*d^3) - (A*d^(1/2)*log((-d)^(1/2)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2) - d^(3/2)*x))/(2*(-d)^(3/2)) + (B*(d^2*x^2 - 1)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2))/(3*d^2)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)*(-d*x+1)**(1/2)*(d*x+1)**(1/2),x)`

[Out] Timed out

3.5 $\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)} dx$

Optimal. Leaf size=122

$$\frac{(Af^2 - Bef + Ce^2) \tan^{-1} \left(\frac{d^2 ex + f}{\sqrt{1-d^2 x^2} \sqrt{d^2 e^2 - f^2}} \right)}{f^2 \sqrt{d^2 e^2 - f^2}} - \frac{\sin^{-1}(dx)(Ce - Bf)}{df^2} - \frac{C \sqrt{1-d^2 x^2}}{d^2 f}$$

Rubi [A] time = 0.31, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.162, Rules used = {1609, 1654, 844, 216, 725, 204}

$$\frac{(Af^2 - Bef + Ce^2) \tan^{-1} \left(\frac{d^2 ex + f}{\sqrt{1-d^2 x^2} \sqrt{d^2 e^2 - f^2}} \right)}{f^2 \sqrt{d^2 e^2 - f^2}} - \frac{\sin^{-1}(dx)(Ce - Bf)}{df^2} - \frac{C \sqrt{1-d^2 x^2}}{d^2 f}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)), x]
[Out] -((C*Sqrt[1 - d^2*x^2])/(d^2*f)) - ((C*e - B*f)*ArcSin[d*x])/(d*f^2) + ((C*
e^2 - B*e*f + A*f^2)*ArcTan[(f + d^2*e*x)/(Sqrt[d^2*e^2 - f^2]*Sqrt[1 - d^2
*x^2]))]/(f^2*Sqrt[d^2*e^2 - f^2])
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
```

```
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_.))^m_*((c_.) + (d_.)*(x_.))^n_*((e_.) + (f_.)*(x_.))^p_, x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_.)*(x_.))^m_*((a_.) + (c_.)*(x_.)^2)^p_, x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{1-dx}\sqrt{1+dx}(e+fx)} dx &= \int \frac{A + Bx + Cx^2}{(e+fx)\sqrt{1-d^2x^2}} dx \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{\int \frac{-Ad^2f^2+d^2f(Ce-Bf)x}{(e+fx)\sqrt{1-d^2x^2}} dx}{d^2f^2} \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{(Ce-Bf)\int \frac{1}{\sqrt{1-d^2x^2}} dx}{f^2} + \frac{(Ce^2-Bef+Af^2)\int \frac{1}{(e+fx)\sqrt{1-d^2x^2}} dx}{f^2} \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{(Ce-Bf)\sin^{-1}(dx)}{df^2} - \frac{(Ce^2-Bef+Af^2)\text{Subst}\left(\int \frac{1}{\sqrt{1-d^2e^2+f^2}} dx\right)}{f^2} \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{(Ce-Bf)\sin^{-1}(dx)}{df^2} + \frac{(Ce^2-Bef+Af^2)\tan^{-1}\left(\frac{f+d^2ex}{\sqrt{d^2e^2-f^2}}\right)}{f^2\sqrt{d^2e^2-f^2}}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 117, normalized size = 0.96

$$\frac{\frac{(f(Af-Be)+Ce^2) \tan^{-1}\left(\frac{d^2 ex+f}{\sqrt{1-d^2 x^2} \sqrt{d^2 e^2-f^2}}\right)}{\sqrt{d^2 e^2-f^2}}+\frac{\sin^{-1}(dx)(Bf-Ce)}{d}-\frac{C f \sqrt{1-d^2 x^2}}{d^2}}{f^2}$$

Antiderivative was successfully verified.

[In] `Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)), x]`

[Out] $\left(-((C*f*Sqrt[1 - d^2*x^2])/d^2) + ((-(C*e) + B*f)*ArcSin[d*x])/d + ((C*e^2 + f*(-(B*e) + A*f))*ArcTan[(f + d^2*e*x)/(Sqrt[d^2*e^2 - f^2]*Sqrt[1 - d^2*x^2])])/Sqrt[d^2*e^2 - f^2] \right)/f^2$

IntegrateAlgebraic [A] time = 0.58, size = 177, normalized size = 1.45

$$\frac{2 (Af^2 - Bef + Ce^2) \tan^{-1}\left(\frac{\sqrt{1-dx} \sqrt{-de-f} \sqrt{f-de}}{\sqrt{dx+1} (de+f)}\right)}{f^2 \sqrt{-de-f} \sqrt{f-de}} - \frac{2 \tan^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}}\right) (Bf - Ce)}{df^2} - \frac{2 C \sqrt{1-dx}}{d^2 f \sqrt{dx+1} \left(\frac{1-dx}{dx+1} + 1\right)}$$

Antiderivative was successfully verified.

[In] `IntegrateAlgebraic[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)), x]`

[Out] $\left(-2*C*Sqrt[1 - d*x])/(d^2*f*Sqrt[1 + d*x]*(1 + (1 - d*x)/(1 + d*x))) - (2*(-(C*e) + B*f)*ArcTan[Sqrt[1 - d*x]/Sqrt[1 + d*x]])/(d*f^2) - (2*(C*e^2 - B*e*f + A*f^2)*ArcTan[(Sqrt[-(d*e) - f]*Sqrt[-(d*e) + f]*Sqrt[1 - d*x])/((d*e + f)*Sqrt[1 + d*x])])/(Sqrt[-(d*e) - f]*f^2*Sqrt[-(d*e) + f]) \right)$

fricas [B] time = 15.66, size = 493, normalized size = 4.04

$$\left| \frac{\left(C d^2 e^2 - B d^2 f^2 + A d^2 f^2 \right) \sqrt{d^2 e^2 + f^2} \log \left(\frac{d^2 e^{1/2} - \sqrt{d^2 e^2 + f^2} \left(d^{1/2} e^{1/2} - \left(C d^2 e^2 - B d^2 f^2 + A d^2 f^2 \right)^{1/2} \sqrt{d^2 e^{1/2} + f^{1/2}} \right) \sqrt{d^{1/2} e^{1/2}}}{\sqrt{d^2 e^{1/2} + f^{1/2}}} \right)}{d^2 e^{1/2} - B d^2 f^{1/2}} \right|$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x, algorithm="fricas")`

[Out] $\left[-((C*d^2*e^2 - B*d^2*e*f + A*d^2*f^2)*sqrt(-d^2*e^2 + f^2)*log((d^2*e*f*x + f^2 - sqrt(-d^2*e^2 + f^2)*(d^2*e*x + f) - (sqrt(-d^2*e^2 + f^2)*sqrt(-d*x + 1)*f + (d^2*e^2 - f^2)*sqrt(-d*x + 1)*sqrt(d*x + 1))/sqrt(d*x + 1)))*sqrt(d*x + 1)/(f*x + e)) + (C*d^2*e^2*f - C*f^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 2*(C*d^3*e^3 - B*d^3*e^2*f + A*f^2*f^2)*arctan\left(\frac{\sqrt{d*x - 1} \sqrt{d*x + 1} \sqrt{d*x^2 - f^2}}{(d*x - 1)^{3/2}}\right) - (C*d^2*f^2 - C*f^4)*sqrt(d*x + 1) \sqrt{d*x + 1} + 2*(C*d^2*x^3 - B*d^2*x^2*f - C*d*x^2*f + B*f^2*f^2)*arctan\left(\frac{\sqrt{d*x - 1} \sqrt{d*x + 1}}{(d*x - 1)^{3/2}}\right) \right] / (d^4*x^2 - d^2*f^4)$

```

-f^2)*arctan(-(sqrt(d^2*e^2 - f^2)*sqrt(d*x + 1)*sqrt(-d*x + 1)*e - sqrt(
d^2*e^2 - f^2)*(f*x + e))/((d^2*e^2 - f^2)*x)) - (C*d^2*e^2*f - C*f^3)*sqrt(
d*x + 1)*sqrt(-d*x + 1) + 2*(C*d^3*e^3 - B*d^3*e^2*f - C*d*e*f^2 + B*d*f^3
)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(d^4*e^2*f^2 - d^2*f^4)
]

```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Undef/Unsigned Inf encountered in limit

maple [C] time = 0.05, size = 373, normalized size = 3.06

$$\frac{\left(-A d^2 f^2 \text{csgn}(d) \ln \left(\frac{2 \beta c x+2 \sqrt{-\beta ^2 x^2+1} \sqrt{\frac{\beta ^2 d x-f^2}{f^2}} f+2 f}{f \text{csgn}(d)}\right)+B d^2 e f \text{csgn}(d) \ln \left(\frac{2 \beta c x+2 \sqrt{-\beta ^2 x^2+1} \sqrt{\frac{\beta ^2 d x-f^2}{f^2}} f+2 f}{f \text{csgn}(d)}\right)-C d^2 a^2 \text{csgn}(d) \ln \left(\frac{2 \beta c x+2 \sqrt{-\beta ^2 x^2+1} \sqrt{\frac{\beta ^2 d x-f^2}{f^2}} f+2 f}{f \text{csgn}(d)}\right)+\sqrt{-\frac{\beta ^2 d^2-f^2}{f^2}} B d f^2 \arctan \left(\frac{d x \text{csgn}(d)}{\sqrt{-\beta ^2 x^2+1}}\right)-\sqrt{-\frac{\beta ^2 d^2-f^2}{f^2}} C d e f \arctan \left(\frac{d x \text{csgn}(d)}{\sqrt{-\beta ^2 x^2+1}}\right)-\sqrt{-d^2 x^2+1} \sqrt{-\frac{\beta ^2 d^2-f^2}{f^2}} C f^2 \text{csgn}(d)\right) \sqrt{-d x+1} \sqrt{d x+1} \text{csgn}(d)}{\sqrt{-\frac{\beta ^2 d^2-f^2}{f^2}} \sqrt{-d^2 x^2+1} f^2 f^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)

[Out] (-A*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f))/((f*x+e))*d^2*f^2+B*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))*d^2*e*f-C*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))*d^2*e^2+B*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*d*f^2*(-(d^2*e^2-f^2)/f^2)^(1/2)-C*csgn(d)*f^2*(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)-C*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*d*e*f*(-(d^2*e^2-f^2)/f^2)^(1/2)*(-d*x+1)^(1/2)*(d*x+1)^(1/2)*csgn(d)/(-d^2*e^2-f^2)/f^2)^(1/2)/f^3/(-d^2*x^2+1)^(1/2)/d^2

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h

elp (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more details) Is f-d*e positive, negative or zero?

mupad [B] time = 25.80, size = 5803, normalized size = 47.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)

[Out] (4*C*e*atan((37748736*C^5*d^4*e^10*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) - 1)*(37748736*C^5*d^4*e^10 + 67108864*C^5*e^6*f^4 - 100663296*C^5*d^2*e^8*f^2)) + (67108864*C^5*e^6*f^4*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) - 1)*(37748736*C^5*d^4*e^10 + 67108864*C^5*e^6*f^4 - 100663296*C^5*d^2*e^8*f^2)) - (100663296*C^5*d^2*e^8*f^2*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) - 1)*(37748736*C^5*d^4*e^10 + 67108864*C^5*e^6*f^4 - 100663296*C^5*d^2*e^8*f^2)))/(d*f^2) - (4*B*atan((67108864*B^5*e*f^4*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) - 1)*(67108864*B^5*e*f^4 + 37748736*B^5*d^4*e^5 - 100663296*B^5*d^2*e^3*f^2)) + (37748736*B^5*d^4*e^5*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) - 1)*(67108864*B^5*e*f^4 + 37748736*B^5*d^4*e^5 - 100663296*B^5*d^2*e^3*f^2)) - (100663296*B^5*d^2*e^3*f^2*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) - 1)*(67108864*B^5*e*f^4 + 37748736*B^5*d^4*e^5 - 100663296*B^5*d^2*e^3*f^2)))/(d*f) - (8*C*((1 - d*x)^(1/2) - 1)^2)/(f*((d*x + 1)^(1/2) - 1)^2*(d^2 + (2*d^2*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 + (d^2*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^(1/2) - 1)^4)) - (A*atan((f^2*1i - d^2*e^2*1i - (f^2*((1 - d*x)^(1/2) - 1)^2*1i)/((d*x + 1)^(1/2) - 1)^2 + (d^2*e^2*((1 - d*x)^(1/2) - 1)^2*1i)/((d*x + 1)^(1/2) - 1)^2)/(f*(f + d*e)^(1/2)*(f - d*e)^(1/2) - (f*((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(1/2)*(f - d*e)^(1/2))/((d*x + 1)^(1/2) - 1)^2 + (2*d*e*((1 - d*x)^(1/2) - 1)*(f + d*e)^(1/2)*(f - d*e)^(1/2))/((d*x + 1)^(1/2) - 1))*2i)/(f + d*e)^(1/2)*(f - d*e)^(1/2)) - (C*e^2*atan(((C*e^2*((4096*(32*C^3*e^5*f^3 + 24*C^3*d^2*e^7*f))/d*f^4) - (4096*((1 - d*x)^(1/2) - 1)^2*(32*C^3*e^5*f^3 - 96*C^3*d^2*e^7*f))/d*f^4*((d*x + 1)^(1/2) - 1)^2) + (458752*C^3*e^6*((1 - d*x)^(1/2) - 1))/(f^2*((d*x + 1)^(1/2) - 1)) + (C*e^2*((4096*(16*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/d*f^4) + (16384*((1 - d*x)^(1/2) - 1)*(8*C^2*e^4*f^3 + 3*C^2*d^2*e^6*f))/(f^2*((d*x + 1)^(1/2) - 1)) + (4096*((1 - d*x)^(1/2) - 1)^2*(128*C^2*d^2*e^5*f^4 - 144*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/(d*f^4*((d*x + 1)^(1/2) - 1)^2) - (C*e^2*((4096*(24*C*d^2*e^3*f^7 - 30*C*d^4*e^5*f^5))/d*f^4) + (16384*((1 - d*x)^(1/2) - 1)*(20*C*e^2*f^6 - 22*C*d^2*e^4*f^4))/(f^2*((d*x + 1)^(1/2) - 1)) + (4096*(96*C*d^2*e^3*f^7 - 90*C*d^4*e^5*f^5)*((1 - d*x)^(1/2) - 1)^2)/(d*f^4*((d*x + 1)^(1/2) - 1)^2) + (C*e^2*((4096*(7*d^4*e^3*f^8 - 9*d^6*e^5*f^6))/d*f^4) + (16384*((1 - d*x)^(1/2) - 1)*(5*d^2*e^2*f^7 - 6*d^4*e^4*f^5))/(f^2*((d*x + 1)^(1/2) - 1)) + (4096*((1 - d*x)^(1/2) - 1)^2*(11*d^4*e^3*f^8 - 9*d^6*e^5*f^6))/(d*f^4*((d*x + 1)^(1/2) - 1)^2)))/(f^2*(f + d*e)^(1/2)*(f - d*e)^(1/2))))/(f^2*(f + d*e)^(1/2)*(f - d*e)^(1/2))))/(f^2*(f + d*e)^(1/2)))
```

$$\begin{aligned}
& \frac{1}{2}*(f - d*e)^(1/2)))*1i)/(f^2*(f + d*e)^(1/2)*(f - d*e)^(1/2)) + (C*e^2*(\\
& (4096*(32*C^3*e^5*f^3 + 24*C^3*d^2*e^7*f))/(d*f^4) - (4096*((1 - d*x)^(1/2) \\
& - 1)^2*(32*C^3*e^5*f^3 - 96*C^3*d^2*e^7*f))/(d*f^4) + (458752*C^3*e^6*((1 - d*x)^(1/2) \\
& - 1)^2*(32*C^3*e^5*f^3 - 96*C^3*d^2*e^7*f))/(d*f^4) - (C*e^2*((4096*(16*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/(d*f^4) \\
& + (16384*((1 - d*x)^(1/2) - 1)^2*(8*C^2*e^4*f^3 + 3*C^2*d^2*e^6*f))/(f^2*((d*x + 1)^(1/2) - 1) \\
& + (4096*((1 - d*x)^(1/2) - 1)^2*(128*C^2*d^2*e^5*f^4 - 144*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/(d*f^4*(d*x + 1)^(1/2) - 1)^2) \\
& + (C*e^2*((4096*(24*C*d^2*e^3*f^7 - 30*C*d^4*e^5*f^5))/(d*f^4) + (16384*((1 - d*x)^(1/2) - 1)^2*(20*C^2*f^6 - 22*C*d^2*e^4*f^4))/(f^2*((d*x + 1)^(1/2) - 1) \\
& + (4096*(96*C*d^2*e^3*f^7 - 90*C*d^4*e^5*f^5)*((1 - d*x)^(1/2) - 1)^2)/(d*f^4*(d*x + 1)^(1/2) - 1)^2) - (C*e^2*((4096*(7*d^4*e^3*f^8 - 9*d^6*e^5*f^6))/(d*f^4) + (16384*((1 - d*x)^(1/2) - 1)^2*(5*d^2*e^2*f^7 - 6*d^4*e^4*f^5))/(f^2*((d*x + 1)^(1/2) - 1) \\
& + (4096*((1 - d*x)^(1/2) - 1)^2*(11*d^4*e^3*f^8 - 9*d^6*e^5*f^6))/(d*f^4*(d*x + 1)^(1/2) - 1)^2) + (4096*(32*C^3*e^5*f^3 + 24*C^3*d^2*e^7*f))/(d*f^4) - (4096*((1 - d*x)^(1/2) - 1)^2*(32*C^3*e^5*f^3 - 96*C^3*d^2*e^7*f))/(d*f^4*(d*x + 1)^(1/2) - 1)^2) + (458752*C^3*e^6*((1 - d*x)^(1/2) - 1)^2)/(f^2*((d*x + 1)^(1/2) - 1)) + (C*e^2*((4096*(16*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/(d*f^4) + (16384*((1 - d*x)^(1/2) - 1)^2*(8*C^2*e^4*f^3 + 3*C^2*d^2*e^6*f))/(f^2*((d*x + 1)^(1/2) - 1)) + (4096*((1 - d*x)^(1/2) - 1)^2*(128*C^2*d^2*e^5*f^4 - 144*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/(d*f^4*(d*x + 1)^(1/2) - 1)^2) - (C*e^2*((4096*(24*C*d^2*e^3*f^7 - 30*C*d^4*e^5*f^5))/(d*f^4) + (16384*((1 - d*x)^(1/2) - 1)^2*(20*C^2*f^6 - 22*C*d^2*e^4*f^4))/(f^2*((d*x + 1)^(1/2) - 1) \\
& + (4096*(96*C*d^2*e^3*f^7 - 90*C*d^4*e^5*f^5)*((1 - d*x)^(1/2) - 1)^2)/(d*f^4*(d*x + 1)^(1/2) - 1)^2) + (C*e^2*((4096*(7*d^4*e^3*f^8 - 9*d^6*e^5*f^6))/(d*f^4) + (16384*((1 - d*x)^(1/2) - 1)^2*(5*d^2*e^2*f^7 - 6*d^4*e^4*f^5))/(f^2*((d*x + 1)^(1/2) - 1) \\
& + (4096*((1 - d*x)^(1/2) - 1)^2*(11*d^4*e^3*f^8 - 9*d^6*e^5*f^6))/(d*f^4*(d*x + 1)^(1/2) - 1)^2) + (f^2*(f + d*e)^(1/2)*(f - d*e)^(1/2))*1i)/(f^2*(f + d*e)^(1/2)*(f - d*e)^(1/2))) - (C*e^2*((4096*(32*C^3*e^5*f^3 + 24*C^3*d^2*e^7*f))/(d*f^4) - (4096*((1 - d*x)^(1/2) - 1)^2*(32*C^3*e^5*f^3 - 96*C^3*d^2*e^7*f))/(d*f^4*(d*x + 1)^(1/2) - 1)^2) + (458752*C^3*e^6*((1 - d*x)^(1/2) - 1)^2)/(f^2*((d*x + 1)^(1/2) - 1)) - (C*e^2*((4096*(16*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/(d*f^4) + (16384*((1 - d*x)^(1/2) - 1)^2*(8*C^2*e^4*f^3 + 3*C^2*d^2*e^6*f))/(f^2*((d*x + 1)^(1/2) - 1)) + (4096*((1 - d*x)^(1/2) - 1)^2*(128*C^2*d^2*e^5*f^4 - 144*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/(d*f^4*(d*x + 1)^(1/2) - 1)^2) + (C*e^2*((4096*(24*C*d^2*e^3*f^7 - 30*C*d^4*e^5*f^5))/(d*f^4) + (16384*((1 - d*x)^(1/2) - 1)^2*(20*C^2*f^6 - 22*C*d^2*e^4*f^4))/(f^2*((d*x + 1)^(1/2) - 1)) + (4096*(96*C*d^2*e^3*f^7 - 90*C*d^4*e^5*f^5)*((1 - d*x)^(1/2) - 1)^2)/(d*f^4*(d*x + 1)^(1/2) - 1)^2) - (C*e^2*((4096*(7*d^4*e^3*f^8 - 9*d^6*e^5*f^6))/(d*f^4) + (16384*((1 - d*x)^(1/2) - 1)^2*(5*d^2*e^2*f^7 - 6*d^4*e^4*f^5))/(f^2*((d*x + 1)^(1/2) - 1) \\
& + (4096*((1 - d*x)^(1/2) - 1)^2*(11*d^4*e^3*f^8 - 9*d^6*e^5*f^6))/(d*f^4*(d*x + 1)^(1/2) - 1)^2) + (f^2*(f + d*e)^(1/2)*(f - d*e)^(1/2))*1i)/(f^2*(f + d*e)^(1/2)*(f - d*e)^(1/2))) - (C*e^2*((4096*(32*C^3*e^5*f^3 + 24*C^3*d^2*e^7*f))/(d*f^4) - (4096*((1 - d*x)^(1/2) - 1)^2*(32*C^3*e^5*f^3 - 96*C^3*d^2*e^7*f))/(d*f^4*(d*x + 1)^(1/2) - 1)^2) + (458752*C^3*e^6*((1 - d*x)^(1/2) - 1)^2)/(f^2*((d*x + 1)^(1/2) - 1)) - (C*e^2*((4096*(16*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/(d*f^4) + (16384*((1 - d*x)^(1/2) - 1)^2*(8*C^2*e^4*f^3 + 3*C^2*d^2*e^6*f))/(f^2*((d*x + 1)^(1/2) - 1)) + (4096*((1 - d*x)^(1/2) - 1)^2*(128*C^2*d^2*e^5*f^4 - 144*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/(d*f^4*(d*x + 1)^(1/2) - 1)^2) + (C*e^2*((4096*(24*C*d^2*e^3*f^7 - 30*C*d^4*e^5*f^5))/(d*f^4) + (16384*((1 - d*x)^(1/2) - 1)^2*(20*C^2*f^6 - 22*C*d^2*e^4*f^4))/(f^2*((d*x + 1)^(1/2) - 1)) + (4096*(96*C*d^2*e^3*f^7 - 90*C*d^4*e^5*f^5)*((1 - d*x)^(1/2) - 1)^2)/(d*f^4*(d*x + 1)^(1/2) - 1)^2) - (C*e^2*((4096*(7*d^4*e^3*f^8 - 9*d^6*e^5*f^6))/(d*f^4) + (16384*((1 - d*x)^(1/2) - 1)^2*(5*d^2*e^2*f^7 - 6*d^4*e^4*f^5))/(f^2*((d*x + 1)^(1/2) - 1) \\
& + (4096*((1 - d*x)^(1/2) - 1)^2*(11*d^4*e^3*f^8 - 9*d^6*e^5*f^6))/(d*f^4*(d*x + 1)^(1/2) - 1)^2) + (f^2*(f + d*e)^(1/2)*(f - d*e)^(1/2))*1i)/(f^2*(f + d*e)^(1/2)*(f - d*e)^(1/2)))
\end{aligned}$$

$$\begin{aligned}
& B^*e*((4096*(7*d^4*e^3*f^4 - 9*d^6*e^5*f^2))/d + (((1 - d*x)^{(1/2)} - 1)*(819 \\
& 20*d^2*e^2*f^5 - 98304*d^4*e^4*f^3))/((d*x + 1)^{(1/2)} - 1) + (4096*((1 - d*x)^{(1/2)} - 1)^2*(11*d^4*e^3*f^4 - 9*d^6*e^5*f^2))/(d*((d*x + 1)^{(1/2)} - 1)^2)) \\
& /(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)})))/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)}) \\
& /(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)})))/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)}) - (B^*e*((4096*(24*B^3*d^2*e^4 + 32*B^3*e^2*f^2))/d + (4096*((1 - d*x)^{(1/2)} - 1)^2*(96*B^3*d^2*e^4 - 32*B^3*e^2*f^2))/(d*((d*x + 1)^{(1/2)} - 1)^2) \\
& + (458752*B^3*e^3*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (B^*e*((4096*(16*B^2*e*f^4 + 9*B^2*d^4*e^5))/d + (((1 - d*x)^{(1/2)} - 1)*(131072*B^2 *e^2*f^3 + 49152*B^2*d^2*e^4*f))/((d*x + 1)^{(1/2)} - 1) + (4096*((1 - d*x)^{(1/2)} - 1)^2*(9*B^2*d^4*e^5 - 144*B^2*e*f^4 + 128*B^2*d^2*e^3*f^2))/(d*((d*x + 1)^{(1/2)} - 1)^2) + (B^*e*((4096*(24*B*d^2*e^2*f^4 - 30*B*d^4*e^4*f^2))/d + ((327680*B^2*d^2*e^3*f^3)*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (4096*(96*B*d^2*e^2*f^4 - 90*B*d^4*e^4*f^2)*((1 - d*x)^{(1/2)} - 1)^2)/(d*((d*x + 1)^{(1/2)} - 1)^2) - (B^*e*((4096*(7*d^4*e^3*f^4 - 9*d^6*e^5*f^2))/d + (((1 - d*x)^{(1/2)} - 1)*(81920*d^2*e^2*f^5 - 98304*d^4*e^4*f^3))/((d*x + 1)^{(1/2)} - 1) + (4096*((1 - d*x)^{(1/2)} - 1)^2*(11*d^4*e^3*f^4 - 9*d^6*e^5*f^2))/(d*((d*x + 1)^{(1/2)} - 1)^2)))/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)})))/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)})))/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)}))*2i)/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)

[Out] Timed out

$$3.6 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^2} dx$$

Optimal. Leaf size=163

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{f(d^2e^2 - f^2)(e+fx)} - \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right) (-Ad^2ef^2 + Bf^3 + Cd^2e^3 - 2Cef^2)}{f^2(d^2e^2 - f^2)^{3/2}} + \frac{C \sin^{-1}(dx)}{df^2}$$

Rubi [A] time = 0.33, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.162, Rules used = {1609, 1651, 844, 216, 725, 204}

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{f(d^2e^2 - f^2)(e+fx)} - \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right) (-Ad^2ef^2 + Bf^3 + Cd^2e^3 - 2Cef^2)}{f^2(d^2e^2 - f^2)^{3/2}} + \frac{C \sin^{-1}(dx)}{df^2}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2), x]
[Out] ((C*e^2 - B*e*f + A*f^2)*Sqrt[1 - d^2*x^2])/(f*(d^2*e^2 - f^2)*(e + f*x)) +
(C*ArcSin[d*x])/(d*f^2) - ((C*d^2*e^3 - 2*C*e*f^2 - A*d^2*e*f^2 + B*f^3)*A
rcTan[(f + d^2*e*x)/(Sqrt[d^2*e^2 - f^2]*Sqrt[1 - d^2*x^2]))]/(f^2*(d^2*e^2 -
f^2)^(3/2))
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[
{a, c, d, e}, x]
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_),
x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1609

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq, d + e*x, x]}, Simplify[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{1-dx}\sqrt{1+dx}(e+fx)^2} dx &= \int \frac{A + Bx + Cx^2}{(e+fx)^2\sqrt{1-d^2x^2}} dx \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{\int \frac{Ce + Ad^2e - Bf + C\left(\frac{d^2e^2}{f} - f\right)x}{(e+fx)\sqrt{1-d^2x^2}} dx}{d^2e^2 - f^2} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \int \frac{1}{\sqrt{1-d^2x^2}} dx}{f^2} + \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{d^2e^2 - f^2} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \sin^{-1}(dx)}{df^2} - \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{d^2e^2 - f^2} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \sin^{-1}(dx)}{df^2} + \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)t}{(d^2e^2 - f^2)}
\end{aligned}$$

Mathematica [A] time = 0.47, size = 211, normalized size = 1.29

$$-\frac{\frac{f\sqrt{1-d^2x^2}(f(Af-Bc)+Ce^2)}{(f^2-d^2e^2)(e+fx)} - \frac{\log(\sqrt{1-d^2x^2}\sqrt{f^2-d^2e^2}+d^2ex+f)(-Ad^2ef^2+Bf^3+Cd^2e^3-2Cef^2)}{(f^2-d^2e^2)^{3/2}} + \frac{\log(e+fx)(-Ad^2ef^2+Bf^3+Cd^2e^3-2Cef^2)}{(f^2-d^2e^2)^{3/2}} + \frac{C\sin^{-1}(dx)}{d}}{f^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2), x]
[Out] 
$$\frac{(-((f*(C*e^2 + f*(-B*e) + A*f))*Sqrt[1 - d^2*x^2])/((-d^2*e^2) + f^2)*(e + f*x)) + (C*ArcSin[d*x])/d + ((C*d^2*e^3 - 2*C*e*f^2 - A*d^2*e*f^2 + B*f^3)*Log[e + f*x])/(-d^2*e^2) + f^2)^{(3/2)} - ((C*d^2*e^3 - 2*C*e*f^2 - A*d^2*e*f^2 + B*f^3)*Log[f + d^2*e*x + Sqrt[-(d^2*e^2) + f^2]*Sqrt[1 - d^2*x^2]])/(-(d^2*e^2) + f^2)^{(3/2)}}/f^2$$

```

IntegrateAlgebraic [A] time = 1.49, size = 235, normalized size = 1.44

$$\frac{2 \tan^{-1} \left(\frac{\sqrt{1-dx} \sqrt{-de-f} \sqrt{f-de}}{\sqrt{dx+1} (de+f)} \right) (-Ad^2 e f^2 + B f^3 + C d^2 e^3 - 2 C e f^2)}{f^2 (-de-f)^{3/2} (f-de)^{3/2}} + \frac{2d\sqrt{1-dx} (A f^2 - B e f + C e^2)}{f \sqrt{dx+1} (de-f)(de+f) \left(\frac{de(1-dx)}{dx+1} + de - \frac{f(1-dx)}{dx+1} + f \right)} - \frac{2C \tan^{-1} \left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}} \right)}{df^2}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2), x]
```

```
[Out] (2*d*(C*e^2 - B*e*f + A*f^2)*Sqrt[1 - d*x])/((d*e - f)*f*(d*e + f)*Sqrt[1 + d*x]*(d*e + f + (d*e*(1 - d*x))/(1 + d*x) - (f*(1 - d*x))/(1 + d*x))) - (2*C*ArcTan[Sqrt[1 - d*x]/Sqrt[1 + d*x]])/(d*f^2) + (2*(C*d^2*2*e^3 - 2*C*e*f^2 - A*d^2*2*e*f^2 + B*f^3)*ArcTan[(Sqrt[-(d*e) - f]*Sqrt[-(d*e) + f])*Sqrt[1 - d*x])/((d*e + f)*Sqrt[1 + d*x])))/((-d*e - f)^(3/2)*f^2*(-d*e + f)^(3/2))
```

fricas [B] time = 72.53, size = 1025, normalized size = 6.29

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")
```

```
[Out] [(C*d^3*e^5*f - B*d^3*e^4*f^2 + B*d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3 - (C*d^3*e^5 + B*d*e^2*f^3 - (A*d^3 + 2*C*d)*e^3*f^2 + (C*d^3*e^4*f + B*d*e*f^4 - (A*d^3 + 2*C*d)*e^2*f^3)*x)*sqrt(-d^2*e^2 + f^2)*log((d^2*e*f*x + f^2 + sqrt(-d^2*e^2 + f^2)*(d^2*e*x + f) + (sqrt(-d^2*e^2 + f^2)*sqrt(-d
```

```

*x + 1)*f - (d^2*e^2 - f^2)*sqrt(-d*x + 1)*sqrt(d*x + 1))/(f*x + e) + (C*
d^3*e^5*f - B*d^3*e^4*f^2 + B*d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3
)*sqrt(d*x + 1)*sqrt(-d*x + 1) + (C*d^3*e^4*f^2 - B*d^3*e^3*f^3 + B*d*e*f^5
- A*d*f^6 + (A*d^3 - C*d)*e^2*f^4)*x - 2*(C*d^4*e^6 - 2*C*d^2*e^4*f^2 + C*
e^2*f^4 + (C*d^4*e^5*f - 2*C*d^2*e^3*f^3 + C*e*f^5)*x)*arctan((sqrt(d*x + 1
)*sqrt(-d*x + 1) - 1)/(d*x)))/(d^5*e^6*f^2 - 2*d^3*e^4*f^4 + d*e^2*f^6 + (d
)^5*e^5*f^3 - 2*d^3*e^3*f^5 + d*e*f^7)*x), (C*d^3*e^5*f - B*d^3*e^4*f^2 + B*
d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3 - 2*(C*d^3*e^5 + B*d*e^2*f^3
- (A*d^3 + 2*C*d)*e^3*f^2 + (C*d^3*e^4*f + B*d*e*f^4 - (A*d^3 + 2*C*d)*e^2*f
^3)*x)*sqrt(d^2*e^2 - f^2)*arctan(-(sqrt(d^2*e^2 - f^2)*sqrt(d*x + 1)*sqrt
(-d*x + 1)*e - sqrt(d^2*e^2 - f^2)*(f*x + e))/((d^2*e^2 - f^2)*x)) + (C*d^3
)*e^5*f - B*d^3*e^4*f^2 + B*d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3)*s
qrt(d*x + 1)*sqrt(-d*x + 1) + (C*d^3*e^4*f^2 - B*d^3*e^3*f^3 + B*d*e*f^5 -
A*d*f^6 + (A*d^3 - C*d)*e^2*f^4)*x - 2*(C*d^4*e^6 - 2*C*d^2*e^4*f^2 + C*e^2
*f^4 + (C*d^4*e^5*f - 2*C*d^2*e^3*f^3 + C*e*f^5)*x)*arctan((sqrt(d*x + 1)*s
qrt(-d*x + 1) - 1)/(d*x)))/(d^5*e^6*f^2 - 2*d^3*e^4*f^4 + d*e^2*f^6 + (d^5*
e^5*f^3 - 2*d^3*e^3*f^5 + d*e*f^7)*x)]

```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")
```

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Undef/Unsigned Inf encountered in limit

maple [C] time = 0.04, size = 899, normalized size = 5.52

For more information about the study, please contact Dr. Michael J. Hwang at (310) 794-3000 or via email at mhwang@ucla.edu.

Verification of antiderivative is not currently implemented for this CAS

```
[In] int((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)
[Out] (-A*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))*x*d^3*e*f^3+C*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))*x*d^3*e^3*f-A*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))*d^3*e^2*f^2+C*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))*d^3*e^4+C*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))*x*d^2*e^2*f^2*(-(d^2*e^2-f^2)/f^2)^(1/2)+A*csgn(d)*d*f^4*(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)+B*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)
```

$$\begin{aligned} & f)/(f*x+e)) * x * d * f^4 - B * \operatorname{csgn}(d) * d * e * f^3 * (-d^2 * x^2 + 1)^{(1/2)} * (-d^2 * e^2 - f^2)/f^2 \\ & (1/2) - 2 * C * \operatorname{csgn}(d) * \ln(2 * (d^2 * e * x + (-d^2 * x^2 + 1)^{(1/2)} * (-d^2 * e^2 - f^2)/f^2)^{(1/2)} * f + f)/(f*x+e)) * x * d * e * f^3 + C * \operatorname{csgn}(d) * d * e^2 * f^2 * (-d^2 * x^2 + 1)^{(1/2)} * (-d^2 * e^2 - f^2)/f^2 \\ & (1/2) + C * \arctan(1/(-d^2 * x^2 + 1)^{(1/2)}) * d * x * \operatorname{csgn}(d) * d^2 * e^3 * f * (-d^2 * e^2 - f^2)/f^2 \\ & (1/2) + B * \operatorname{csgn}(d) * \ln(2 * (d^2 * e * x + (-d^2 * x^2 + 1)^{(1/2)} * (-d^2 * e^2 - f^2)/f^2)^{(1/2)} * f + f)/(f*x+e)) * d * e * f^3 - 2 * C * \operatorname{csgn}(d) * \ln(2 * (d^2 * e * x + (-d^2 * x^2 + 1)^{(1/2)} * (-d^2 * e^2 - f^2)/f^2)^{(1/2)} * f + f)/(f*x+e)) * d * e^2 * f^2 - C * \arctan(1/(-d^2 * x^2 + 1)^{(1/2)}) * d * x * \operatorname{csgn}(d) * x * f^4 * (-d^2 * e^2 - f^2)/f^2 \\ & (1/2) - C * \arctan(1/(-d^2 * x^2 + 1)^{(1/2)}) * d * x * \operatorname{csgn}(d) * e * f^3 * (-d^2 * e^2 - f^2)/f^2 \\ & (1/2) * csgn(d) * (d*x+1)^{(1/2)} * (-d*x+1)^{(1/2)} / (-d^2 * x^2 + 1)^{(1/2)} / (d*e+f) / d / (d*e-f) / (f*x+e) / (-d^2 * e^2 - f^2)/f^2 \\ & (1/2) / f^3 \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)},x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation ***may*** help (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more details) Is f-d*e positive, negative or zero?

mupad [B] time = 52.17, size = 10198, normalized size = 62.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*x + C*x^2)/((e + f*x)^2*(1 - d*x)^{(1/2)}*(d*x + 1)^{(1/2)}),x)`

[Out]
$$\begin{aligned} & (A*d^5 * e^5 * \operatorname{atan}(((f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i - ((1 - d*x)^{(1/2)} - 1)^2 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) / ((d*x + 1)^{(1/2)} - 1)^2) / (f^3 - d^2 * e^2 * f - (f^3 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2 * d^3 * e^3 * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (2 * d * e * f^2 * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2 * e^2 * f * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * 2i - A * d^3 * e^3 * f^2 * \operatorname{atan}(((f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) / ((d*x + 1)^{(1/2)} - 1)^2) / (f^3 - d^2 * e^2 * f - (f^3 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2 * d^3 * e^3 * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (2 * d * e * f^2 * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2 * e^2 * f * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * 2i - (4 * A * f^2 * ((1 - d*x)^{(1/2)} - 1) * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1) + (A * d^5 * e^5 * \operatorname{atan}(((f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i - ((1 - d*x)^{(1/2)} - 1)^2 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) / ((d*x + 1)^{(1/2)} - 1)^2) / (f^3 - d^2 * e^2 * f - (f^3 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2 * d^3 * e^3 * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (2 * d * e * f^2 * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2 * e^2 * f * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * 2i) \end{aligned}$$

$$\begin{aligned}
 & ((d*x + 1)^{(1/2)} - 1) + (d^2 e^{2*f} ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1)^3 * 8i) / ((d*x + 1)^{(1/2)} - 1)^3 + (8*A*d*e \\
 & * f * ((1 - d*x)^{(1/2)} - 1)^2 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^2) / (d^3 e^{4*(f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}} - d*e^{2*f} * 2*(f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} - (4*e*f^3 * ((1 - d*x)^{(1/2)} - 1) * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1) + (4*e*f^3 * ((1 - d*x)^{(1/2)} - 1)^3 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^3 + (2*d^3 e^{4*(f + d*x)^{(1/2)} - 1})^2 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^2 + (d^3 * e^{4*(f + d*x)^{(1/2)} - 1})^4 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^4 - (2*d^2 e^{2*f} * 2*(f + d*x)^{(1/2)} - 1)^2 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^2 - (4*d^2 e^{3*f} * ((1 - d*x)^{(1/2)} - 1)^3 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^3 - (d*e^{2*f} * 2*(f + d*x)^{(1/2)} - 1)^4 * (f + d*x)^{(1/2)} - 1)^4 * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^4 + (4*d^2 e^{3*f} * ((1 - d*x)^{(1/2)} - 1) * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)) - (B*d^3 e^{3*f} * \text{atan}(((f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) - ((1 - d*x)^{(1/2)} - 1)^2 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) / ((d*x + 1)^{(1/2)} - 1)^2) / (f^3 - d^2 e^{2*f} - (f^3 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3 e^{3*f} * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (2*d^2 e^{2*f} * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2 e^{2*f} * 2*(f + d*x)^{(1/2)} - 1)^2) * 2i - (B*f^4 * \text{atan}(((f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) / ((d*x + 1)^{(1/2)} - 1)^2) / (f^3 - d^2 e^{2*f} - (f^3 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3 e^{3*f} * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (2*d^2 e^{2*f} * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2 e^{2*f} * 2*(f + d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1)^3 * 8i) / ((d*x + 1)^{(1/2)} - 1)^3 - B*d^2 e^{2*f} * 3 * \text{atan}(((f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) - ((1 - d*x)^{(1/2)} - 1)^2 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) / ((d*x + 1)^{(1/2)} - 1)^2) / (f^3 - d^2 e^{2*f} - (f^3 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3 e^{3*f} * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (2*d^2 e^{2*f} * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2 e^{2*f} * 2*(f + d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1)^3 * 8i) / ((d*x + 1)^{(1/2)} - 1)^3 - (4*B*f * ((1 - d*x)^{(1/2)} - 1)^3 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^3 + (4*B*f * ((1 - d*x)^{(1/2)} - 1) * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1) - (B*d^2 e^{2*f} * 2 * \text{atan}(((f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) - ((1 - d*x)^{(1/2)} - 1)^2 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) / ((d*x + 1)^{(1/2)} - 1)^2) / (f^3 - d^2 e^{2*f} - (f^3 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3 e^{3*f} * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (2*d^2 e^{2*f} * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2 e^{2*f} * 2*(f + d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1)^3 * 8i) / ((d*x + 1)^{(1/2)} - 1)^3 - (B*d^2 e^{2*f} * 3 * \text{atan}(((f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) - ((1 - d*x)^{(1/2)} - 1)^2 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) / ((d*x + 1)^{(1/2)} - 1)^2) / (f^3 - d^2 e^{2*f} - (f^3 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3 e^{3*f} * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (2*d^2 e^{2*f} * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2 e^{2*f} * 2*(f + d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1)^3 * 8i) / ((d*x + 1)^{(1/2)} - 1)^3
 \end{aligned}$$

$$\begin{aligned}
& *d*e*f^3*atan(((f + d*e)^(3/2)*(f - d*e)^(3/2)*1i - (((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2)*1i)/((d*x + 1)^(1/2) - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (2*d^3*e^3*(1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (2*d*e*f^2*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (d^2*e^2*f*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (B*d*e*f^3*atan(((f + d*e)^(3/2)*(f - d*e)^(3/2)*1i - (((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2)*1i)/((d*x + 1)^(1/2) - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (2*d^3*e^3*(1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (2*d*e*f^2*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (d^2*e^2*f*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (B*d^2*e^2*f^2*atan(((f + d*e)^(3/2)*(f - d*e)^(3/2)*1i - (((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2)*1i)/((d*x + 1)^(1/2) - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (2*d^3*e^3*(1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (2*d*e*f^2*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (d^2*e^2*f*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2)*((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^2 + (B*d^2*e^2*f^2*atan(((f + d*e)^(3/2)*(f - d*e)^(3/2)*1i - (((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2)*1i)/((d*x + 1)^(1/2) - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (2*d^3*e^3*(1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (2*d*e*f^2*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (d^2*e^2*f*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2)*((1 - d*x)^(1/2) - 1)^8i)/((d*x + 1)^(1/2) - 1) + (B*d^3*e^3*f*atan(((f + d*e)^(3/2)*(f - d*e)^(3/2)*1i - (((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2)*1i)/((d*x + 1)^(1/2) - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (2*d^3*e^3*(1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (2*d*e*f^2*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (d^2*e^2*f*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2)*((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^2 + (B*d^3*e^3*f*atan(((f + d*e)^(3/2)*(f - d*e)^(3/2)*1i - (((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2)*1i)/((d*x + 1)^(1/2) - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (2*d^3*e^3*(1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (2*d*e*f^2*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (d^2*e^2*f*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2)*((1 - d*x)^(1/2) - 1)^4/(d^3*e^3*(f + d*e)^(3/2)*(f - d*e)^(3/2) + (4*f^3*((1 - d*x)^(1/2) - 1)^3*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^3 - d*e*f^2*(f + d*e)^(3/2)*(f - d*e)^(3/2) - (4*f^3*((1 - d*x)^(1/2) - 1)^3)*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^3 + (2*d^3*e^3*((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^2 + (d^3*e^3*((1 - d*x)^(1/2) - 1)^4*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^4 - (4*d^2*e^2*f*((1 - d*x)^(1/2) - 1)^3*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^3 + (4*d^2*e^2*f*((1 - d*x)^(1/2) - 1)^3)*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^3 - (2*d*e*f^2*((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^2 - (d*e*f^2*((1 - d*x)^(1/2) - 1)^4*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^4 - ((4*C*d*e*((1 - d*x)^(1/2) - 1)^3))/((f^2 - d^2*e^2)*(d*x + 1)^(1/2) - 1)) - ((4*C*d*e*((1 - d*x)^(1/2) - 1)^3))/((f^2 - d^2*e^2)*(d*x + 1)^(1/2) - 1)^3) + (8*C*d^2*e^2*((1 - d*x)^(1/2) - 1)^2)/(f*(f^2 - d^2*e^2)*(d*x + 1)^(1/2) - 1)
\end{aligned}$$

$$\begin{aligned}
&) - 1)^{2})) / (d^2 * e + (4 * d * f * ((1 - d * x)^{(1/2)} - 1)) / ((d * x + 1)^{(1/2)} - 1) - (\\
& 4 * d * f * ((1 - d * x)^{(1/2)} - 1)^3) / ((d * x + 1)^{(1/2)} - 1)^3 + (2 * d^2 * e * ((1 - d * x) \\
&)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 + (d^2 * e * ((1 - d * x)^{(1/2)} - 1)^4) / ((d * x + 1) \\
&)^{(1/2)} - 1)^4) + (4 * C * \text{atan}(((1 - d * x)^{(1/2)} - 1) * ((2097152 * (288 * e^3 * f^11 - 6 * d^10 * e^13 * f - 912 * d^2 * e^5 * f^9 + 1048 * d^4 * e^7 * f^7 - 532 * d^6 * e^9 * f^5 + 112 * d^8 * e^11 * f^3)) / (d * f^2 * (d * f^13 - 4 * d^3 * e^2 * f^11 + 6 * d^5 * e^4 * f^9 - 4 * d^7 * e^6 * f^7 + d^9 * e^8 * f^5)) - (33554432 * (20 * d^2 * e * f^21 - 103 * d^4 * e^3 * f^19 + 215 * d^6 * e^5 * f^17 - 230 * d^8 * e^7 * f^15 + 130 * d^10 * e^9 * f^13 - 35 * d^12 * e^11 * f^11 + 3 * d^14 * e^13 * f^9)) / (d^5 * f^10 * (d * f^13 - 4 * d^3 * e^2 * f^11 + 6 * d^5 * e^4 * f^9 - 4 * d^7 * e^6 * f^7 + d^9 * e^8 * f^5))) / ((d * x + 1)^{(1/2)} - 1) - (33554432 * (7 * d^2 * e^2 * f^19 - 35 * d^4 * e^4 * f^17 + 70 * d^6 * e^6 * f^15 - 70 * d^8 * e^8 * f^13 + 35 * d^10 * e^10 * f^11 - 7 * d^12 * e^13 * f^5)) / (d^3 * f^6 * (d * f^13 - 4 * d^3 * e^2 * f^11 + 6 * d^5 * e^4 * f^9 - 4 * d^7 * e^6 * f^7 + d^9 * e^8 * f^5))) / ((d * x + 1)^{(1/2)} - 1) - (33554432 * (7 * d^2 * e^2 * f^19 - 35 * d^4 * e^4 * f^17 + 70 * d^6 * e^6 * f^15 - 70 * d^8 * e^8 * f^13 + 35 * d^10 * e^10 * f^11 - 7 * d^12 * e^13 * f^5)) / (d^5 * f^10 * (f^12 - 4 * d^2 * e^2 * f^10 + 6 * d^4 * e^4 * f^8 - 4 * d^6 * e^6 * f^6 + d^8 * e^8 * f^4)) + (8388608 * (72 * e * f^17 - 452 * d^2 * e^3 * f^15 + 1024 * d^4 * e^5 * f^13 - 1106 * d^6 * e^7 * f^11 + 597 * d^8 * e^9 * f^9 - 144 * d^10 * e^11 * f^7 + 9 * d^12 * e^13 * f^5)) / (d^3 * f^6 * (d * f^13 - 4 * d^3 * e^2 * f^11 + 6 * d^5 * e^4 * f^9 - 4 * d^7 * e^6 * f^7 + d^9 * e^8 * f^5))) / ((d * x + 1)^{(1/2)} - 1) - (33554432 * (7 * d^2 * e^2 * f^19 - 35 * d^4 * e^4 * f^17 + 70 * d^6 * e^6 * f^15 - 70 * d^8 * e^8 * f^13 + 35 * d^10 * e^10 * f^11 - 7 * d^12 * e^13 * f^5)) / (d^3 * f^6 * (d * f^13 - 4 * d^3 * e^2 * f^11 + 6 * d^5 * e^4 * f^9 - 4 * d^7 * e^6 * f^7 + d^9 * e^8 * f^5))) * (d^4 * f^14 - 4 * d^6 * e^2 * f^12 + 6 * d^8 * e^4 * f^10 - 4 * d^10 * e^6 * f^8 + d^12 * e^8 * f^6)) / (67108864 * e * f^12 + 37748736 * d^12 * e^13 - 268435456 * d^2 * e^3 * f^10 + 536870912 * d^4 * e^5 * f^8 - 637534208 * d^6 * e^7 * f^6 + 469762048 * d^8 * e^9 * f^4 - 201326592 * d^10 * e^11 * f^2)) / (d * f^2) + (\log(16 * f^15 - 9 * d^14 * e^14 * f - (16 * f^15 * ((1 - d * x)^{(1/2)} - 1)^2)) / ((d * x + 1)^{(1/2)} - 1)^2 - 92 * d^2 * e^2 * f^13 + 236 * d^4 * e^4 * f^11 - 352 * d^6 * e^6 * f^9 + 329 * d^8 * e^8 * f^7 - 191 * d^10 * e^10 * f^5 + 63 * d^12 * e^12 * f^3 + 16 * f^6 * (f + d * e)^{(9/2)} * (f - d * e)^{(9/2)} + 12 * d^6 * e^6 * (f + d * e)^{(9/2)} * (f - d * e)^{(9/2)} + 15 * d^12 * e^12 * (f + d * e)^{(3/2)} * (f - d * e)^{(3/2)} - (6 * d^15 * e^15 * ((1 - d * x)^{(1/2)} - 1)) / ((d * x + 1)^{(1/2)} - 1) + (16 * d * e * f^14 * ((1 - d * x)^{(1/2)} - 1)) / ((d * x + 1)^{(1/2)} - 1) + (92 * d^2 * e^2 * f^13 * ((1 - d * x)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 - (236 * d^4 * e^4 * f^11 * ((1 - d * x)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 + (352 * d^6 * e^6 * f^9 * ((1 - d * x)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 - (329 * d^8 * e^8 * f^7 * ((1 - d * x)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 + (191 * d^10 * e^10 * f^5 * ((1 - d * x)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 - (63 * d^12 * e^12 * f^3 * ((1 - d * x)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 - (16 * f^6 * ((1 - d * x)^{(1/2)} - 1)^2 * (f + d * e)^{(9/2)} * (f - d * e)^{(9/2)}) / ((d * x + 1)^{(1/2)} - 1)^2 - 24 * d^2 * e^2 * f^10 * (f + d * e)^{(3/2)} * (f - d * e)^{(3/2)} + 120 * d^4 * e^4 * f^8 * (f + d * e)^{(3/2)} * (f - d * e)^{(3/2)} - 228 * d^6 * e^6 * (f + d * e)^{(3/2)} * (f - d * e)^{(3/2)} + 4 * d^2 * e^2 * f^4 * (f + d * e)^{(9/2)} * (f - d * e)^{(9/2)} + 207 * d^8 * e^8 * f^4 * (f + d * e)^{(3/2)} * (f - d * e)^{(3/2)} - 28 * d^4 * e^4 * f^2 * (f + d * e)^{(9/2)} * (f - d * e)^{(9/2)} - 90 * d^10 * e^10 * f^2 * (f + d * e)^{(3/2)} * (f - d * e)^{(3/2)} - (88 * d^3 * e^3 * f^12 * ((1 - d * x)^{(1/2)} - 1)) / ((d * x + 1)^{(1/2)} - 1) + (216 * d^5 * e^5 * f^10 * ((1 - d * x)^{(1/2)} - 1)) / ((d * x + 1)^{(1/2)} - 1) - (308 * d^7 * e^7 * f^8 * ((1 - d * x)^{(1/2)} - 1)) / ((d * x + 1)^{(1/2)} - 1) + (274 * d^9 * e^9 * f^6 * ((1 - d * x)^{(1/2)} - 1)) / ((d * x + 1)^{(1/2)} - 1) - (150 * d^11 * e^11 * f^4 * ((1 - d * x)^{(1/2)} - 1))
\end{aligned}$$

$$\begin{aligned}
& *x)^{(1/2) - 1}) / ((d*x + 1)^{(1/2) - 1}) + (46*d^{13}*e^{13}*f^{2*}((1 - d*x)^{(1/2)} \\
& - 1)) / ((d*x + 1)^{(1/2) - 1}) + (9*d^{14}*e^{14}*f*((1 - d*x)^{(1/2) - 1})^2) / ((d*x \\
& + 1)^{(1/2) - 1})^2 + (48*d^{6}*e^{6*}((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(9/2)*(f \\
& - d*e)^{(9/2)}) / ((d*x + 1)^{(1/2) - 1})^2 + (45*d^{12}*e^{12*}((1 - d*x)^{(1/2) - 1})^2 \\
& *(f + d*e)^{(3/2)*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) - 1})^2 + (376*d^{3}*e^{3*} \\
& *f^{9*}((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2)*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) \\
& - 1}) - (688*d^{5}*e^{5*}f^{7*}((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2)*(f - d*e)^{(3/2)}) \\
& / ((d*x + 1)^{(1/2) - 1}) + (612*d^{7}*e^{7*}f^{5*}((1 - d*x)^{(1/2) - 1})*(f + d \\
& *e)^{(3/2)*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) - 1}) - (152*d^{3}*e^{3*}f^{3*}((1 - d \\
& *x)^{(1/2) - 1})*(f + d*e)^{(9/2)*(f - d*e)^{(9/2)}) / ((d*x + 1)^{(1/2) - 1}) - (26 \\
& 4*d^{9}*e^{9*}f^{3*}((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2)*(f - d*e)^{(3/2)}) / ((d*x \\
& + 1)^{(1/2) - 1}) - (80*d*e*f^{11*}((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2)*(f - d \\
& *e)^{(3/2)}) / ((d*x + 1)^{(1/2) - 1}) + (96*d*e*f^{5*}((1 - d*x)^{(1/2) - 1})*(f + d \\
& *e)^{(9/2)*(f - d*e)^{(9/2)}) / ((d*x + 1)^{(1/2) - 1}) - (136*d^{2}*e^{2*}f^{10*}((1 - d \\
& *x)^{(1/2) - 1})^2*(f + d*e)^{(3/2)*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) - 1})^2 \\
& + (560*d^{4}*e^{4*}f^{8*}((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(3/2)*(f - d*e)^{(3/2)}) \\
& / ((d*x + 1)^{(1/2) - 1})^2 - (912*d^{6}*e^{6*}f^{6*}((1 - d*x)^{(1/2) - 1})^2*(f + d \\
& *e)^{(3/2)*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) - 1})^2 + (156*d^{2}*e^{2*}f^{4*}((1 - d \\
& *x)^{(1/2) - 1})^2*(f + d*e)^{(9/2)*(f - d*e)^{(9/2)}) / ((d*x + 1)^{(1/2) - 1})^2 \\
& + (733*d^{8}*e^{8*}f^{4*}((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(3/2)*(f - d*e)^{(3/2)}) \\
& / ((d*x + 1)^{(1/2) - 1})^2 - (172*d^{4}*e^{4*}f^{2*}((1 - d*x)^{(1/2) - 1})^2*(f + d \\
& *e)^{(9/2)*(f - d*e)^{(9/2)}) / ((d*x + 1)^{(1/2) - 1})^2 - (290*d^{10}*e^{10*}f^{2*}((1 - d \\
& *x)^{(1/2) - 1})^2*(f + d*e)^{(3/2)*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) - 1})^2 \\
& + (56*d^{5}*e^{5*}f*((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(9/2)*(f - d*e)^{(9/2)}) / ((d \\
& *x + 1)^{(1/2) - 1}) + (44*d^{11}*e^{11*}f*((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2) \\
& *(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) - 1})*(C*d^{2}*e^{3} - 2*C*e*f^{2}) / (f^{2*}(f + d \\
& *e)^{(3/2)*(f - d*e)^{(3/2)}) + (C*e*log(9*d^{14}*e^{14}*f - 16*f^{15} + (16*f^{15} \\
& ((1 - d*x)^{(1/2) - 1})^2) / ((d*x + 1)^{(1/2) - 1})^2 + 92*d^{2}*e^{2*}f^{13} - 236*d \\
& ^4*e^{4*}f^{11} + 352*d^{6}*e^{6*}f^{9} - 329*d^{8}*e^{8*}f^{7} + 191*d^{10}*e^{10*}f^{5} - 63*d^{1} \\
& 2*e^{12}*f^{3} + 16*f^{6*}(f + d*e)^{(9/2)*(f - d*e)^{(9/2)}} + 12*d^{6}*e^{6*}(f + d*e)^{(9/2) \\
& *(f - d*e)^{(9/2)}} + 15*d^{12}*e^{12*}(f + d*e)^{(3/2)*(f - d*e)^{(3/2)}} + (6*d \\
& ^{15}*e^{15*}((1 - d*x)^{(1/2) - 1})) / ((d*x + 1)^{(1/2) - 1}) - (16*d*e*f^{14*}((1 - d \\
& *x)^{(1/2) - 1})) / ((d*x + 1)^{(1/2) - 1}) - (92*d^{2}*e^{2*}f^{13*}((1 - d*x)^{(1/2) \\
& - 1})^2) / ((d*x + 1)^{(1/2) - 1})^2 + (236*d^{4}*e^{4*}f^{11*}((1 - d*x)^{(1/2) - 1})^2) \\
& / ((d*x + 1)^{(1/2) - 1})^2 - (352*d^{6}*e^{6*}f^{9*}((1 - d*x)^{(1/2) - 1})^2) / ((d*x \\
& + 1)^{(1/2) - 1})^2 + (329*d^{8}*e^{8*}f^{7*}((1 - d*x)^{(1/2) - 1})^2) / ((d*x + 1)^{(1/2) \\
& - 1})^2 - (191*d^{10}*e^{10*}f^{5*}((1 - d*x)^{(1/2) - 1})^2) / ((d*x + 1)^{(1/2) \\
& - 1})^2 + (63*d^{12}*e^{12*}f^{3*}((1 - d*x)^{(1/2) - 1})^2) / ((d*x + 1)^{(1/2) - 1})^2 \\
& - (16*f^{6*}((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(9/2)*(f - d*e)^{(9/2)}) / ((d*x + 1)^{(1/2) \\
& - 1})^2 - 24*d^{2}*e^{2*}f^{10*}(f + d*e)^{(3/2)*(f - d*e)^{(3/2)}} + 120*d \\
& ^4*e^{4*}f^{8*}(f + d*e)^{(3/2)*(f - d*e)^{(3/2)}} - 228*d^{6}*e^{6*}f^{6*}(f + d*e)^{(3/2) \\
& *(f - d*e)^{(3/2)}} + 4*d^{2}*e^{2*}f^{4*}((f + d*e)^{(9/2)*(f - d*e)^{(9/2)}} + 207*d^{8*} \\
& e^{8*}f^{4*}(f + d*e)^{(3/2)*(f - d*e)^{(3/2)}} - 28*d^{4}*e^{4*}f^{2*}(f + d*e)^{(9/2)*(f \\
& - d*e)^{(9/2)}} - 90*d^{10}*e^{10*}f^{2*}(f + d*e)^{(3/2)*(f - d*e)^{(3/2)}} + (88*d^{3*} \\
& e^{3*}f^{12*}((1 - d*x)^{(1/2) - 1})) / ((d*x + 1)^{(1/2) - 1}) - (216*d^{5}*e^{5*}f^{10*}(
\end{aligned}$$

$$\begin{aligned}
& (1 - d*x)^{(1/2) - 1}) / ((d*x + 1)^{(1/2) - 1}) + (308*d^7*e^7*f^8*((1 - d*x)^{(1/2) - 1}) / ((d*x + 1)^{(1/2) - 1}) - (274*d^9*e^9*f^6*((1 - d*x)^{(1/2) - 1}) / ((d*x + 1)^{(1/2) - 1}) + (150*d^11*e^11*f^4*((1 - d*x)^{(1/2) - 1}) / ((d*x + 1)^{(1/2) - 1}) - (46*d^13*e^13*f^2*((1 - d*x)^{(1/2) - 1}) / ((d*x + 1)^{(1/2) - 1}) - (9*d^14*e^14*f*((1 - d*x)^{(1/2) - 1})^2 / ((d*x + 1)^{(1/2) - 1})^2 + (48*d^6*e^6*((1 - d*x)^{(1/2) - 1})^2*(f + d*x)^{(9/2)}*(f - d*x)^{(9/2}) / ((d*x + 1)^{(1/2) - 1})^2 + (45*d^12*e^12*((1 - d*x)^{(1/2) - 1})^2*(f + d*x)^{(3/2)}*(f - d*x)^{(3/2}) / ((d*x + 1)^{(1/2) - 1})^2 + (376*d^3*e^3*f^9*((1 - d*x)^{(1/2) - 1})*(f + d*x)^{(3/2)}*(f - d*x)^{(3/2}) / ((d*x + 1)^{(1/2) - 1}) - (688*d^5*e^5*f^7*((1 - d*x)^{(1/2) - 1})*(f + d*x)^{(3/2)}*(f - d*x)^{(3/2}) / ((d*x + 1)^{(1/2) - 1}) + (612*d^7*e^7*f^5*((1 - d*x)^{(1/2) - 1})*(f + d*x)^{(3/2)}*(f - d*x)^{(3/2}) / ((d*x + 1)^{(1/2) - 1}) - (152*d^3*e^3*f^3*((1 - d*x)^{(1/2) - 1})*(f + d*x)^{(9/2)}*(f - d*x)^{(9/2}) / ((d*x + 1)^{(1/2) - 1}) - (264*d^9*e^9*f^3*((1 - d*x)^{(1/2) - 1})*(f + d*x)^{(3/2)}*(f - d*x)^{(3/2}) / ((d*x + 1)^{(1/2) - 1}) - (80*d*x*f^11*((1 - d*x)^{(1/2) - 1})*(f + d*x)^{(3/2)}*(f - d*x)^{(3/2}) / ((d*x + 1)^{(1/2) - 1}) + (96*d*x*f^5*((1 - d*x)^{(1/2) - 1})*(f + d*x)^{(9/2)}*(f - d*x)^{(9/2}) / ((d*x + 1)^{(1/2) - 1}) - (136*d^2*e^2*f^10*((1 - d*x)^{(1/2) - 1})^2*(f + d*x)^{(3/2)}*(f - d*x)^{(3/2}) / ((d*x + 1)^{(1/2) - 1})^2 + (560*d^4*e^4*f^8*((1 - d*x)^{(1/2) - 1})^2*(f + d*x)^{(3/2)}*(f - d*x)^{(3/2}) / ((d*x + 1)^{(1/2) - 1})^2 - (912*d^6*e^6*f^6*((1 - d*x)^{(1/2) - 1})^2*(f + d*x)^{(3/2)}*(f - d*x)^{(3/2}) / ((d*x + 1)^{(1/2) - 1})^2 + (156*d^2*e^2*f^4*((1 - d*x)^{(1/2) - 1})^2*(f + d*x)^{(9/2)}*(f - d*x)^{(9/2}) / ((d*x + 1)^{(1/2) - 1})^2 + (733*d^8*e^8*f^4*((1 - d*x)^{(1/2) - 1})^2*(f + d*x)^{(3/2)}*(f - d*x)^{(3/2}) / ((d*x + 1)^{(1/2) - 1})^2 - (172*d^4*e^4*f^2*((1 - d*x)^{(1/2) - 1})^2*(f + d*x)^{(9/2)}*(f - d*x)^{(9/2}) / ((d*x + 1)^{(1/2) - 1})^2 - (290*d^10*e^10*f^2*((1 - d*x)^{(1/2) - 1})^2*(f + d*x)^{(3/2)}*(f - d*x)^{(3/2}) / ((d*x + 1)^{(1/2) - 1})^2 + (56*d^5*e^5*f*((1 - d*x)^{(1/2) - 1})*(f + d*x)^{(9/2)}*(f - d*x)^{(9/2}) / ((d*x + 1)^{(1/2) - 1}) + (44*d^11*e^11*f*((1 - d*x)^{(1/2) - 1})*(f + d*x)^{(3/2)}*(f - d*x)^{(3/2}) / ((d*x + 1)^{(1/2) - 1})*(2*f^2 - d^2*e^2) / (f^2*(f + d*x)^{(3/2)}*(f - d*x)^{(3/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)**2/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)

[Out] Timed out

$$3.7 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^3} dx$$

Optimal. Leaf size=248

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{2f(d^2e^2 - f^2)(e+fx)^2} + \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2}\sqrt{d^2e^2-f^2}}\right)(C(d^2e^2 + 2f^2) - d^2(3Bef - A(2d^2e^2 + f^2)))}{2(d^2e^2 - f^2)^{5/2}}$$

Rubi [A] time = 0.36, antiderivative size = 248, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.135, Rules used = {1609, 1651, 807, 725, 204}

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{\sqrt{1-d^2x^2} (-3Ad^2ef^2 + Bd^2e^2f + 2Bf^3 + Cd^2e^3 - 4Ce^2f^2)}{2f(d^2e^2 - f^2)^2(e+fx)} + \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2}\sqrt{d^2e^2-f^2}}\right)(C(d^2e^2 + 2f^2) - d^2(3Bef - A(2d^2e^2 + f^2)))}{2(d^2e^2 - f^2)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3), x]
[Out] ((C*e^2 - B*e*f + A*f^2)*Sqrt[1 - d^2*x^2])/(2*f*(d^2*e^2 - f^2)*(e + f*x)^2) - ((C*d^2*e^3 + B*d^2*e^2*f - 4*C*e*f^2 - 3*A*d^2*e*f^2 + 2*B*f^3)*Sqrt[1 - d^2*x^2])/(2*f*(d^2*e^2 - f^2)^2*(e + f*x)) + ((C*(d^2*e^2 + 2*f^2) - d^2*(3*B*e*f - A*(2*d^2*e^2 + f^2)))*ArcTan[(f + d^2*e*x)/(Sqrt[d^2*e^2 - f^2]*Sqrt[1 - d^2*x^2])])/(2*(d^2*e^2 - f^2)^(5/2))
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]
```

Rule 807

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), InT[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}]
```

```
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_.))^m_*((c_.) + (d_.)*(x_.))^n_*((e_.) + (f_.)*(x_.))^p_, x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] & EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_.))^m_*((a_) + (c_.)*(x_.)^2)^p_, x_Symbol] :>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq, d + e*x, x]}, Simpl[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^3} dx &= \int \frac{A + Bx + Cx^2}{(e+fx)^3 \sqrt{1-d^2x^2}} dx \\
&= \frac{(Ce^2 - Bef + Af^2) \sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} + \frac{\int \frac{2(Ce+Ad^2e-Bf)+\left(Bd^2e+\frac{Cd^2e^2}{f}-2Cf-Ad^2f\right)x}{(e+fx)^2 \sqrt{1-d^2x^2}} dx}{2(d^2e^2 - f^2)} \\
&= \frac{(Ce^2 - Bef + Af^2) \sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{(Cd^2e^3 + Bd^2e^2f - 4Cef^2 - 3Ad^2ef^2 + 2Bf^3) \sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)^2(e+fx)} \\
&= \frac{(Ce^2 - Bef + Af^2) \sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{(Cd^2e^3 + Bd^2e^2f - 4Cef^2 - 3Ad^2ef^2 + 2Bf^3) \sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)^2(e+fx)} \\
&= \frac{(Ce^2 - Bef + Af^2) \sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{(Cd^2e^3 + Bd^2e^2f - 4Cef^2 - 3Ad^2ef^2 + 2Bf^3) \sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)^2(e+fx)}
\end{aligned}$$

Mathematica [A] time = 0.42, size = 273, normalized size = 1.10

$$\frac{1}{2} \left(-\frac{\log(\sqrt{1-d^2x^2}\sqrt{f^2-d^2e^2}+d^2ex+f)}{(f^2-d^2e^2)^{5/2}} + \frac{\log(e+f)(d^2(A(2d^2e^2+f^2)-3Be^2)+C(d^2e^2+2f^2))}{(f^2-d^2e^2)^{5/2}} - \frac{\sqrt{1-d^2x^2}(-Ad^2ef(4e+3fx)+Af^3+Bd^2e^2(2ex+f)+Bf^2(e+2fx)+Ce(d^2e^2x-3ef-4f^2x))}{(f^2-d^2e^2)^{5/2}(e+fx)^2} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3), x]
```

```
[Out] 
$$\frac{(-\text{A} \cdot \text{d}^2 \cdot \text{x}^2) \cdot (\text{A} \cdot \text{f}^3 + \text{B} \cdot \text{d}^2 \cdot \text{e}^2 \cdot (2 \cdot \text{e} + \text{f} \cdot \text{x}) + \text{B} \cdot \text{f}^2 \cdot (\text{e} + 2 \cdot \text{f} \cdot \text{x}) - \text{A} \cdot \text{d}^2 \cdot \text{e} \cdot \text{f} \cdot (4 \cdot \text{e} + 3 \cdot \text{f} \cdot \text{x}) + \text{C} \cdot \text{e} \cdot (-3 \cdot \text{e} \cdot \text{f} + \text{d}^2 \cdot \text{e}^2 \cdot \text{x} - 4 \cdot \text{f}^2 \cdot \text{x}))}{((-\text{d}^2 \cdot \text{e}^2) + \text{f}^2)^2 \cdot (\text{e} + \text{f} \cdot \text{x})^2} + \frac{(\text{C} \cdot (\text{d}^2 \cdot \text{e}^2 + 2 \cdot \text{f}^2) + \text{d}^2 \cdot (-3 \cdot \text{B} \cdot \text{e} \cdot \text{f} + \text{A} \cdot (2 \cdot \text{d}^2 \cdot \text{e}^2 + \text{f}^2))) \cdot \text{Log}[\text{e} + \text{f} \cdot \text{x}]}{(-\text{d}^2 \cdot \text{e}^2 + \text{f}^2)^{(5/2)}} - \frac{(\text{C} \cdot (\text{d}^2 \cdot \text{e}^2 + 2 \cdot \text{f}^2) + \text{d}^2 \cdot (-3 \cdot \text{B} \cdot \text{e} \cdot \text{f} + \text{A} \cdot (2 \cdot \text{d}^2 \cdot \text{e}^2 + \text{f}^2))) \cdot \text{Log}[\text{f} + \text{d}^2 \cdot \text{e} \cdot \text{x} + \text{Sqrt}[-(\text{d}^2 \cdot \text{e}^2) + \text{f}^2] \cdot \text{Sqrt}[1 - \text{d}^2 \cdot \text{x}^2]])}{(-\text{d}^2 \cdot \text{e}^2 + \text{f}^2)^{(5/2)}} / 2$$

```

IntegrateAlgebraic [B] time = 2.35, size = 533, normalized size = 2.15

$$\begin{aligned} \tan^{-1}\left(\frac{\sqrt{1-d^2}\sqrt{1-d^2}\sqrt{1-d^2}}{\sqrt{d(1+d)}}\right) &= \left[2Ad^2A^2\sqrt{1-d} + AB^2f^2\sqrt{1-d} - 3Bdf^2\sqrt{1-d} + Cdf^2\sqrt{1-d} + 2C^2f^2\sqrt{1-d}\right] \\ &\quad - \frac{d\sqrt{1-d}x}{\sqrt{1-dx}} - \frac{4Ad^2f^2(1-d)x}{ds+1} - 4Ad^2f^2f + \frac{3Ad^2f^2(1-d)x}{ds+1} - 3Ad^2f^2 + Adf^3 + \frac{2Bdf^2(1-d)x}{ds+1} + 2Bdf^2A^2 + Bdf^2f^2 + \frac{Bdf^2(1-d)x}{ds+1} + Bdf^2 + Bdf^2(1-d)x \\ &\quad - \frac{Bdf^2f^2}{ds+1} + Bdf^2f^2 + \frac{Bdf^2(1-d)x}{ds+1} + Bdf^2 + \frac{2Bf^3(1-d)x}{ds+1} - 2Bf^3 + Cf^2B^2 + Cf^2B^2f^2 + \frac{Cf^2B^2(1-d)x}{ds+1} - 3Cd^2f^2 + Cf^2B^2f^2 + \frac{Cf^2B^2(1-d)x}{ds+1} + 4Cdf^2 + \frac{4Cdf^2(1-d)x}{ds+1} + 4Cf^2 \end{aligned}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3), x]
```

```
[Out] -((d*Sqrt[1 - d*x]*(C*d^2*e^3 + 2*B*d^3*e^3 - 3*C*d*e^2*f + B*d^2*e^2*f - 4
*A*d^3*e^2*f - 4*C*e*f^2 + B*d*e*f^2 - 3*A*d^2*e*f^2 + 2*B*f^3 + A*d*f^3 -
(C*d^2*e^3*(1 - d*x))/(1 + d*x) + (2*B*d^3*e^3*(1 - d*x))/(1 + d*x) - (3*C*
d*e^2*f*(1 - d*x))/(1 + d*x) - (B*d^2*e^2*f*(1 - d*x))/(1 + d*x) - (4*A*d^3
*e^2*f*(1 - d*x))/(1 + d*x) + (4*C*e*f^2*(1 - d*x))/(1 + d*x) + (B*d*e*f^2*
(1 - d*x))/(1 + d*x) + (3*A*d^2*e*f^2*(1 - d*x))/(1 + d*x) - (2*B*f^3*(1 -
d*x))/(1 + d*x) + (A*d*f^3*(1 - d*x))/(1 + d*x))/((d*e - f)^2*(d*e + f)^2*
Sqrt[1 + d*x]*(d*e + f + (d*e*(1 - d*x))/(1 + d*x) - (f*(1 - d*x))/(1 + d*x
))^2)) + ((C*d^2*e^2*Sqrt[-(d*e) + f] + 2*A*d^4*e^2*Sqrt[-(d*e) + f] - 3*B*
d^2*e*f*Sqrt[-(d*e) + f] + 2*C*f^2*Sqrt[-(d*e) + f] + A*d^2*f^2*Sqrt[-(d*e)
+ f])*ArcTan[(Sqrt[-(d*e) - f]*Sqrt[-(d*e) + f]*Sqrt[1 - d*x])/((d*e + f)*
Sqrt[1 + d*x])])/((-d*e) - f)^(5/2)*(d*e - f)^3)
```

fricas [B] time = 1.24, size = 1580, normalized size = 6.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")
```

```
[Out] [-1/2*(2*B*d^4*e^7 - B*d^2*e^5*f^2 - (4*A*d^4 + 3*C*d^2)*e^6*f + (5*A*d^2 + 3*C)*e^4*f^3 - B*e^3*f^4 - A*e^2*f^5 + (2*B*d^4*e^5*f^2 - B*d^2*e^3*f^4 -
```

$$\begin{aligned}
& (4*A*d^4 + 3*C*d^2)*e^4*f^3 + (5*A*d^2 + 3*C)*e^2*f^5 - B*e*f^6 - A*f^7)*x^2 - (3*B*d^2*e^5*f - (2*A*d^4 + C*d^2)*e^6 - (A*d^2 + 2*C)*e^4*f^2 + (3*B*d^2*e^3*f^3 - (2*A*d^4 + C*d^2)*e^4*f^2 - (A*d^2 + 2*C)*e^2*f^4)*x^2 + 2*(3*B*d^2*e^4*f^2 - (2*A*d^4 + C*d^2)*e^5*f - (A*d^2 + 2*C)*e^3*f^3)*x)*sqrt(-d^2*e^2 + f^2)*log((d^2*e*f*x + f^2 - sqrt(-d^2*e^2 + f^2)*(d^2*e*x + f) - (sqrt(-d^2*e^2 + f^2)*sqrt(-d*x + 1)*f + (d^2*e^2 - f^2)*sqrt(-d*x + 1))*sqrt(d*x + 1))/(f*x + e)) + (2*B*d^4*e^7 - B*d^2*e^5*f^2 - (4*A*d^4 + 3*C*d^2)*e^6*f + (5*A*d^2 + 3*C)*e^4*f^3 - B*e^3*f^4 - A*e^2*f^5 + (C*d^4*e^7 + B*d^4*e^6*f + B*d^2*e^4*f^3 - (3*A*d^4 + 5*C*d^2)*e^5*f^2 + (3*A*d^2 + 4*C)*e^3*f^4 - 2*B*e^2*f^5)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 2*(2*B*d^4*e^6*f - B*d^2*e^4*f^3 - (4*A*d^4 + 3*C*d^2)*e^5*f^2 + (5*A*d^2 + 3*C)*e^3*f^4 - B*e^2*f^5 - A*e*f^6)*x)/(d^6*e^10 - 3*d^4*e^8*f^2 + 3*d^2*e^6*f^4 - e^4*f^6 + (d^6*e^8*f^2 - 3*d^4*e^6*f^4 + 3*d^2*e^4*f^6 - e^2*f^8)*x^2 + 2*(d^6*e^9*f - 3*d^4*e^7*f^3 + 3*d^2*e^5*f^5 - e^3*f^7)*x), -1/2*(2*B*d^4*e^7 - B*d^2*e^5*f^2 - (4*A*d^4 + 3*C*d^2)*e^6*f + (5*A*d^2 + 3*C)*e^4*f^3 - B*e^3*f^4 - A*e^2*f^5 + (2*B*d^4*e^5*f^2 - B*d^2*e^3*f^4 - (4*A*d^4 + 3*C*d^2)*e^4*f^3 + (5*A*d^2 + 3*C)*e^2*f^5 - B*e*f^6 - A*f^7)*x^2 + 2*(3*B*d^2*e^5*f - (2*A*d^4 + C*d^2)*e^4*f^2 - (A*d^2 + 2*C)*e^2*f^4)*x^2 + 2*(3*B*d^2*e^4*f^2 - (2*A*d^4 + C*d^2)*e^5*f - (A*d^2 + 2*C)*e^3*f^3)*x)*sqrt(d^2*e^2 - f^2)*arctan(-(sqrt(d^2*e^2 - f^2)*sqrt(d*x + 1)*sqrt(-d*x + 1)*e - sqrt(d^2*e^2 - f^2)*(f*x + e))/((d^2*e^2 - f^2)*x)) + (2*B*d^4*e^7 - B*d^2*e^5*f^2 - (4*A*d^4 + 3*C*d^2)*e^6*f + (5*A*d^2 + 3*C)*e^4*f^3 - B*e^3*f^4 - A*e^2*f^5 + (C*d^4*e^7 + B*d^4*e^6*f + B*d^2*e^4*f^3 - (3*A*d^4 + 5*C*d^2)*e^5*f^2 + (3*A*d^2 + 4*C)*e^3*f^4 - 2*B*e^2*f^5)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 2*(2*B*d^4*e^6*f - B*d^2*e^4*f^3 - (4*A*d^4 + 3*C*d^2)*e^5*f^2 + (5*A*d^2 + 3*C)*e^3*f^4 - B*e^2*f^5 - A*e*f^6)*x)/(d^6*e^10 - 3*d^4*e^8*f^2 + 3*d^2*e^6*f^4 - e^4*f^6 + (d^6*e^8*f^2 - 3*d^4*e^6*f^4 + 3*d^2*e^4*f^6 - e^2*f^8)*x^2 + 2*(d^6*e^9*f - 3*d^4*e^7*f^3 + 3*d^2*e^5*f^5 - e^3*f^7)*x)]
\end{aligned}$$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INPUT:sage2:=int(sage0,x)::OUTPUT:Undef Unsigned Inf encountered in limit

maple [C] time = 0.05, size = 1449, normalized size = 5.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)}, x)$

[Out]
$$\begin{aligned} & -1/2*(A*f^4*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}+2*C*\ln(2*(d^2*e*x \\ & +(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*e^2*f^2+C*\ln(2 \\ & *(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*d^2*e \\ & ^4+2*C*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x^2*f^4+2*A*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*d^4*f^4-3*B*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*d^2*e^3*f+2*C*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x*d^2*e^3*f-4*A*d^2*e^2*f^2*(-(d^2 \\ & *e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}+2*B*d^2*e^3*f*(-(d^2*e^2-f^2)/f^2)^{(1/2)} \\ & *(-d^2*x^2+1)^{(1/2)}+2*A*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x*d^2*e*f^3-6*B*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x*d^2*e^2*f^2+C*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x^2*d^2*e^2*f^2-3 \\ & *B*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x^2*d^2*e^2*f^2-3 \\ & *B*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x^2*d^2*e^3*f-4*C*x*e*f^3*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}+4*C*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x^2*d^2*f^3+2*B*x*f^4*(-(d^2*e^2-f^2)/f^2)^{(1/2)} \\ & *(-d^2*x^2+1)^{(1/2)}+B*e*f^3*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}-3*C*e^2*f^2*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}+A*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*x^2*d^2*f^4+ \\ & A*\ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))*d^2*e^2*f^2-3*A*x*d^2*e*f^3*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}+ \\ & B*x*d^2*e^2*f^2*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}+C*x*d^2*e^3*f \\ & *(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)})*csgn(d)^2*(d*x+1)^{(1/2)}*(-d \\ & *x+1)^{(1/2)}/(-d^2*x^2+1)^{(1/2)}/(d*e+f)/(d^2*e^2-f^2)/(f*x+e)^2/(-(d \\ & ^2*e^2-f^2)/f^2)^{(1/2)}/f \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more details)Is f-d*e positive, negative or zero?

mupad [B] time = 59.18, size = 9097, normalized size = 36.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)^3*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)), x)

[Out] ((12*(2*C*f^3 + C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^2)/(((d*x + 1)^(1/2) - 1)^2*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (24*(2*C*f^3 - C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^4)/(((d*x + 1)^(1/2) - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (12*(2*C*f^3 + C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^6)/(((d*x + 1)^(1/2) - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*((1 - d*x)^(1/2) - 1)^7*(C*d^3*e^3 + 2*C*d*e*f^2))/(((d*x + 1)^(1/2) - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*((1 - d*x)^(1/2) - 1)^3*(7*C*d^3*e^3 - 34*C*d*e*f^2))/(((d*x + 1)^(1/2) - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*((1 - d*x)^(1/2) - 1)^5*(7*C*d^3*e^3 - 34*C*d*e*f^2))/(((d*x + 1)^(1/2) - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*d*e*((1 - d*x)^(1/2) - 1)*(2*C*f^2 + C*d^2*e^2))/(((d*x + 1)^(1/2) - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))/((d^2*e^2 + (((1 - d*x)^(1/2) - 1)^2*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^(1/2) - 1)^2 + (((1 - d*x)^(1/2) - 1)^6*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^(1/2) - 1)^6 - (((1 - d*x)^(1/2) - 1)^4*(32*f^2 - 6*d^2*e^2))/((d*x + 1)^(1/2) - 1)^4 + (d^2*e^2*((1 - d*x)^(1/2) - 1)^8)/((d*x + 1)^(1/2) - 1)^8 + (8*d*e*f*((1 - d*x)^(1/2) - 1)^3)/((d*x + 1)^(1/2) - 1)^3 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^5)/((d*x + 1)^(1/2) - 1)^5 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^7)/((d*x + 1)^(1/2) - 1)^7 + (8*d*e*f*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1)) + ((4*((1 - d*x)^(1/2) - 1)^2*(4*A*d^4*e^4*f - 2*A*f^5 + 7*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^(1/2) - 1)^2*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (8*((1 - d*x)^(1/2) - 1)^4*(2*A*f^5 + 4*A*d^4*e^4*f - 9*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^(1/2) - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (4*((1 - d*x)^(1/2) - 1)^6*(4*A*d^4*e^4*f - 2*A*f^5 + 7*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^(1/2) - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*((1 - d*x)^(1/2) - 1)^7*(2*A*d*f^3 - 5*A*d^3*e^2*f))/(e*((d*x + 1)^(1/2) - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*f*((1 - d*x)^(1/2) - 1)^3*(2*A*d*f^3 - 29*A*d^3*e^2*f))/(e*((d*x + 1)^(1/2) - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*((1 - d*x)^(1/2) - 1)^5*(2*A*d*f^3 - 29*A*d^3*e^2*f))/(e*((d*x + 1)^(1/2) - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*d*f*((2*A*f^3 - 5*A*d^2*e^2*f^2)*((1 - d*x)^(1/2) - 1))/(e*((d*x + 1)^(1/2) - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))/(d^2*e^2 + (((1 - d*x)^(1/2) - 1)^2*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^(1/2) - 1)^2 + (((1 - d*x)^(1/2) - 1)^6*(16*f^2 - 6*d^2*e^2))/((d*x + 1)^(1/2) - 1)^6 + (d^2*e^2*((1 - d*x)^(1/2) - 1)^8)/((d*x + 1)^(1/2) - 1)^8 + (8*d*e*f*((1 - d*x)^(1/2) - 1)^3)/((d*x + 1)^(1/2) - 1)^3 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^5)/((d*x + 1)^(1/2) - 1)^5 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^7)/((d*x + 1)^(1/2) - 1)^7 + (8*d*e*f*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1)) - ((4*((1 - d*x)^(1/2) - 1)^2*(2*B*f^4 + 2*B*d^4*e^4 + 5*B*d^2*e^2*f^2))/(e*((d*x + 1)^(1/2) - 1)^2*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (8*((1 - d*x)^(1/2) - 1)^4*(2*B*f^4 - 2*B*d^4*e^4 + 3*B*d^2*e^2*f^2))/(e*((d*x + 1)^(1/2) - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))
```

$$\begin{aligned}
& + \frac{(4*((1 - d*x)^(1/2) - 1)^6*(2*B*f^4 + 2*B*d^4*e^4 + 5*B*d^2*e^2*f^2))}{(e*((d*x + 1)^(1/2) - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))} + \frac{(2*f*(11*B*d^3*e^2 + 16*B*d*f^2)*((1 - d*x)^(1/2) - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))}{(((d*x + 1)^(1/2) - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))} - \frac{(2*f*(11*B*d^3*e^2 + 16*B*d*f^2)*((1 - d*x)^(1/2) - 1)^5)}{(((d*x + 1)^(1/2) - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))} - \frac{(6*B*d^3*e^2*f*((1 - d*x)^(1/2) - 1)^7)}{(((d*x + 1)^(1/2) - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))} + \frac{(6*B*d^3*e^2*f*((1 - d*x)^(1/2) - 1))}{(((d*x + 1)^(1/2) - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))} / (d^2*e^2 + (((1 - d*x)^(1/2) - 1)^2*(16*f^2 + 4*d^2*e^2))) / ((d*x + 1)^(1/2) - 1)^6 - (((1 - d*x)^(1/2) - 1)^4*(32*f^2 - 6*d^2*e^2)) / ((d*x + 1)^(1/2) - 1)^4 + (d^2*e^2*((1 - d*x)^(1/2) - 1)^8) / ((d*x + 1)^(1/2) - 1)^8 + (8*d*e*f*((1 - d*x)^(1/2) - 1)^3) / ((d*x + 1)^(1/2) - 1)^3 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^5) / ((d*x + 1)^(1/2) - 1)^5 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^7) / ((d*x + 1)^(1/2) - 1)^7 + (8*d*e*f*((1 - d*x)^(1/2) - 1)) / ((d*x + 1)^(1/2) - 1)) + (C*atan(((C*(2*f^2 + d^2*e^2)*((4*((1 - d*x)^(1/2) - 1)^2*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)) / ((d*x + 1)^(1/2) - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - (4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (C*(2*f^2 + d^2*e^2)*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d^10*f^10)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^(1/2) - 1)^2*(4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d^10*f^10)) / ((d*x + 1)^(1/2) - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (64*d^2*e^2*f*((1 - d*x)^(1/2) - 1)) / ((d*x + 1)^(1/2) - 1)) / (2*(f + d*e)^(5/2)*(f - d*e)^(5/2))*1i) / (2*(f + d*e)^(5/2)*(f - d*e)^(5/2)) - (C*(2*f^2 + d^2*e^2)*((4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) - (4*((1 - d*x)^(1/2) - 1)^2*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)) / ((d*x + 1)^(1/2) - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (C*(2*f^2 + d^2*e^2)*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d^10*f^10)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^(1/2) - 1)^2*(4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d^10*f^10)) / ((d*x + 1)^(1/2) - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (64*d^2*e^2*f*((1 - d*x)^(1/2) - 1)) / ((d*x + 1)^(1/2) - 1)) / (2*(f + d*e)^(5/2)*(f - d*e)^(5/2))*1i) / (2*(f + d*e)^(5/2)*(f - d*e)^(5/2)) / ((8*(C^2*d^5*e^5 + 4*C^2*d^3*e^3*f^2 + 4*C^2*d*e*f^4)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (8*((1 - d*x)^(1/2) - 1)^2*(C^2*d^5*e^5 + 4*C^2*d^3*e^3*f^2 + 4*C^2*d*e*f^4)) / (((d*x + 1)^(1/2) - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (C*(2*f^2 + d^2*e^2)*((4*((1 - d*x)^(1/2) - 1)^2*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)) / (((d*x + 1)^(1/2) - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - (4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - (4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2))
\end{aligned}$$

$$\begin{aligned}
& - 12*d*e*f^10)) / (((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6 \\
& *d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)) / ((d*x \\
& + 1)^{(1/2)} - 1)) / (2*(f + d*e)^{(5/2)} * (f - d*e)^{(5/2)}) * 3i) / (2*(f + d*e)^{(5} \\
& / 2) * (f - d*e)^{(5/2)}) / ((72*B^2*d^5*e^3*f^2) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 \\
& + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (3*B*d^2*e*f*((4*((1 - d*x)^{(1/2)} - 1)^2 \\
& *(12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2)) / (((d*x + 1)^{(1/2)} \\
&) - 1)^2 * (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - \\
& (4*(12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2)) / (f^8 + d^8*e^8 \\
& - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (3*B*d^2*e*f*((4*(4*d^ \\
& 11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + \\
& 4*d^e*f^10)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + \\
& (4*((1 - d*x)^{(1/2)} - 1)^2 * (4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + \\
& 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d^e*f^10)) / (((d*x + 1)^{(1/2)} - 1)^2 * \\
& (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - \\
& d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1))) / (2*(f + d*e)^{(5/2)} * (f - d*e)^{(5/2)}) + \\
& (3*B*d^2*e*f*((4*(12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2)) / (f^8 + d^8*e^8 \\
& - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) - (4*((1 - d*x)^{(1/2)} - 1)^2 * \\
& (12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2)) / (((d*x + 1)^{(1/2)} \\
&) - 1)^2 * (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + \\
& (3*B*d^2*e*f*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - \\
& 12*d^9*e^9*f^2 + 4*d^e*f^10)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4 \\
& *e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^{(1/2)} - 1)^2 * (4*d^11*e^11 + 52*d^ \\
& 3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d^e*f^10)) / \\
& (((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - \\
& 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - \\
& 1))) / (2*(f + d*e)^{(5/2)} * (f - d*e)^{(5/2)})) / (2*(f + d*e)^{(5/2)} * (f - d*e)^{(5/2)} \\
& + (72*B^2*d^5*e^3*f^2 * ((1 - d*x)^{(1/2)} - 1)^2) / (((d*x + 1)^{(1/2)} - 1)^2 * \\
& (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2))) * 3i) / ((f + \\
& d*e)^{(5/2)} * (f - d*e)^{(5/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)**3/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)

[Out] Timed out

3.8 $\int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx$

Optimal. Leaf size=340

$$\frac{\sqrt{1-d^2x^2}(e+fx)^2(4f^2(5Ad^2+4C)-3d^2e(Ce-5Bf))}{60d^4f} + \frac{\sqrt{1-d^2x^2}(d^2fx(-100Ad^2ef^2-30Bd^2e^2f-45Bf^3))}{20d^4f}$$

Rubi [A] time = 0.63, antiderivative size = 340, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.135, Rules used = {1609, 1654, 833, 780, 216}

$$\frac{\sqrt{1-d^2x^2}(e+fx)^2\left[5f(4Af+3Bc)-C\left(\frac{3x^2-\frac{16f^2}{x^2}}{x^2}\right)\right]}{60d^2f} + \frac{\sqrt{1-d^2x^2}(d^2fx(-100Ad^2ef^2-30Bd^2e^2f-45Bf^3)+6Cf^2x^3-71Cef^2)+4\left(C\left(-52d^2e^2f^2+3d^4e^4-16f^4\right)-5d^2f\left(4Af\left(4d^2e^2+f^2\right)+3B\left(d^2e^2+4f^2\right)\right)\right)}{120d^4f} + \frac{\sin^{-1}(dx)(8Ad^4e^3+12Ad^2ef^2+12Bd^2e^2f+3Bf^3+4Ce^2f^2+9Cef^2)}{8d^5} + \frac{\sqrt{1-d^2x^2}(e+fx)^3(Ce-5Bf)}{20d^4f} - \frac{C\sqrt{1-d^2x^2}(e+fx)^3}{5d^2f}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^3*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
[Out] -((5*f*(3*B*e + 4*A*f) - C*(3*e^2 - (16*f^2)/d^2))*(e + f*x)^2*Sqrt[1 - d^2*x^2])/(60*d^2*f) + ((C*e - 5*B*f)*(e + f*x)^3*Sqrt[1 - d^2*x^2])/(20*d^2*f) - (C*(e + f*x)^4*Sqrt[1 - d^2*x^2])/(5*d^2*f) + ((4*(C*(3*d^4*4*e^4 - 52*d^2*e^2*f^2 - 16*f^4) - 5*d^2*f*(4*A*f*(4*d^2*x^2 + f^2) + 3*B*(d^2*x^3 + 4*e*f^2))) + d^2*f*(6*C*d^2*x^3 - 30*B*d^2*x^2*f - 71*C*e*f^2 - 100*A*d^2*x*f^2 - 45*B*f^3)*x)*Sqrt[1 - d^2*x^2])/(120*d^6*f) + ((4*C*d^2*x^3 + 8*A*d^4*e^3 + 12*B*d^2*x^2*f + 9*C*e*f^2 + 12*A*d^2*x*f^2 + 3*B*f^3)*ArcSin[d*x])/(8*d^5)
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] :> Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2
)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
```

```
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_ .)*(x_))^(m_ .)*((c_.) + (d_ .)*(x_))^(n_ .)*((e_.) + (f_ .)*(x_))^(p_ .), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] &
& EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1654

```
Int[(Pq_)*((d_ ) + (e_ .)*(x_ ))^(m_ .)*((a_ ) + (c_ .)*(x_ )^2)^(p_ ), x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx &= \int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{1-d^2x^2}} dx \\
&= -\frac{C(e+fx)^4\sqrt{1-d^2x^2}}{5d^2f} - \frac{\int \frac{(e+fx)^3(-(4C+5Ad^2)f^2)+d^2f(Ce-5Bf)x}{\sqrt{1-d^2x^2}} dx}{5d^2f} \\
&= \frac{(Ce-5Bf)(e+fx)^3\sqrt{1-d^2x^2}}{20d^2f} - \frac{C(e+fx)^4\sqrt{1-d^2x^2}}{5d^2f} + \frac{\int \frac{(e+fx)^2(d^2f^2(13Ce+20Bf)+4(4C+5Ad^2)f^2-3d^2e(Ce-5Bf))(e+fx)^2\sqrt{1-d^2x^2}}{60d^4f} + \frac{(Ce-5Bf)(e+fx)^5\sqrt{1-d^2x^2}}{20d^4f} + \frac{(Ce-5Bf)(e+fx)^6\sqrt{1-d^2x^2}}{60d^4f} + \frac{(Ce-5Bf)(e+fx)^7\sqrt{1-d^2x^2}}{60d^4f} + \frac{(Ce-5Bf)(e+fx)^8\sqrt{1-d^2x^2}}{60d^4f}}{20d^4f}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 241, normalized size = 0.71

$$\frac{15d \sin^{-1}(dx) (8Ad^4e^3 + 12Ad^2e^2f + 12Bd^2e^2f + 3Bf^3 + 4Ce^2 + 9Ce^3 + 9Ce^2f^2) - \sqrt{1-d^2x^2} (20Ad^2f (d^2 (18e^2 + 9cef + 2f^2x^2) + 4f^2) + 15B (2d^4 (4e^3 + 6e^2fx + 4ef^2x^2 + f^3x^3) + d^2f^2(16e + 3fx)) + C (6d^2x (10e^3 + 20e^2fx + 15ef^2x^2 + 4f^3x^3) + d^2f (240e^2 + 135efx + 32f^2x^2) + 64f^3))}{120d^6}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^3*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
[Out] 
$$\frac{(-(\text{Sqrt}[1 - d^2x^2]*(20A*d^2*f*(4*f^2 + d^2*(18e^2 + 9e*f*x + 2*f^2*x^2))) + 15B*(d^2*f^2*(16e + 3f*x) + 2d^4*(4e^3 + 6e^2*f*x + 4e*f^2*x^2 + f^3*x^3)) + C*(64*f^3 + d^2*f*(240e^2 + 135e*f*x + 32*f^2*x^2) + 6d^4*x*(10e^3 + 20e^2*f*x + 15e*f^2*x^2 + 4f^3*x^3))) + 15d*(4*C*d^2*e^3 + 8*A*d^4*e^3 + 12*B*d^2*e^2*f + 9*C*e*f^2 + 12*A*d^2*e*f^2 + 3*B*f^3)*ArcSin[d*x])/(120*d^6)}$$

```

IntegrateAlgebraic [B] time = 0.77, size = 1135, normalized size = 3.34

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[((e + f*x)^3*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
```

[Out]
$$\begin{aligned} & -\frac{1}{60} \left(\text{Sqrt}[1 - d*x] \right) \left(60 C d^3 e^3 + 120 B d^4 e^3 + 360 C d^2 e^2 f + 180 B d^3 e^2 f + 360 A d^4 e^2 f + 225 C d^3 e f^2 + 360 B d^2 e f^2 + 180 A d^3 e f^2 + 120 C f^3 + 75 B d f^3 + 120 A d^2 f^3 - (60 C d^3 e^3 (1 - d*x)^4) / (1 + d*x)^4 + (120 B d^4 e^3 (1 - d*x)^4) / (1 + d*x)^4 + (360 C d^2 e^2 f^2 (1 - d*x)^4) / (1 + d*x)^4 + (360 A d^4 e^2 f^2 (1 - d*x)^4) / (1 + d*x)^4 - (225 C d^3 e f^2 (1 - d*x)^4) / (1 + d*x)^4 + (360 B d^2 e f^2 (1 - d*x)^4) / (1 + d*x)^4 - (180 A d^3 e^2 f^2 (1 - d*x)^4) / (1 + d*x)^4 + (360 C d^2 e^2 f^2 (1 - d*x)^4) / (1 + d*x)^4 + (360 A d^4 e^2 f^2 (1 - d*x)^4) / (1 + d*x)^4 + (360 B d^3 e^2 f^2 (1 - d*x)^4) / (1 + d*x)^4 + (120 C f^3 (1 - d*x)^4) / (1 + d*x)^4 - (75 B d f^3 (1 - d*x)^4) / (1 + d*x)^4 + (120 A d^2 f^3 (1 - d*x)^4) / (1 + d*x)^4 - (120 C d^3 e^3 (1 - d*x)^3) / (1 + d*x)^3 + (480 B d^4 e^3 (1 - d*x)^3) / (1 + d*x)^3 + (960 C d^2 e^2 f^2 (1 - d*x)^3) / (1 + d*x)^3 - (360 B d^3 e^2 f^2 (1 - d*x)^3) / (1 + d*x)^3 + (1440 A d^4 e^2 f^2 (1 - d*x)^3) / (1 + d*x)^3 - (90 C d^3 e f^2 (1 - d*x)^3) / (1 + d*x)^3 + (960 B d^2 e f^2 (1 - d*x)^3) / (1 + d*x)^3 - (360 A d^3 e^2 f^2 (1 - d*x)^3) / (1 + d*x)^3 + (160 C f^3 (1 - d*x)^3) / (1 + d*x)^3 - (30 B d f^3 (1 - d*x)^3) / (1 + d*x)^3 + (320 A d^2 f^3 (1 - d*x)^3) / (1 + d*x)^3 + (720 B d^4 e^3 (1 - d*x)^2) / (1 + d*x)^2 + (1200 C d^2 e^2 f^2 (1 - d*x)^2) / (1 + d*x)^2 + (2160 A d^4 e^2 f^2 (1 - d*x)^2) / (1 + d*x)^2 + (1200 B d^2 e^2 f^2 (1 - d*x)^2) / (1 + d*x)^2 + (464 C f^3 (1 - d*x)^2) / (1 + d*x)^2 + (400 A d^2 f^3 (1 - d*x)^2) / (1 + d*x)^2 + (120 C d^3 e^3 (1 - d*x)) / (1 + d*x) + (480 B d^4 e^3 (1 - d*x)) / (1 + d*x) + (960 C d^2 e^2 f^2 (1 - d*x)) / (1 + d*x) + (360 B d^3 e^2 f^2 (1 - d*x)) / (1 + d*x) + (1440 A d^4 e^2 f^2 (1 - d*x)) / (1 + d*x) + (90 C d^3 e f^2 (1 - d*x)) / (1 + d*x) + (960 B d^2 e f^2 (1 - d*x)) / (1 + d*x) + (360 A d^3 e^2 f^2 (1 - d*x)) / (1 + d*x) + (160 C f^3 (1 - d*x)) / (1 + d*x) + (30 B d f^3 (1 - d*x)) / (1 + d*x) + (320 A d^2 f^3 (1 - d*x)) / (1 + d*x) \right) / (d^6 * \text{Sqrt}[1 + d*x] * (1 + (1 - d*x) / (1 + d*x))^5) + ((-4 C d^2 e^3 - 12 B d^2 e^2 f - 9 C e^2 f^2 - 12 A d^2 e^2 f^2 - 3 B f^3) * \text{ArcTan}[\text{Sqrt}[1 - d*x] / \text{Sqrt}[1 + d*x]]) / (4 * d^5) \end{aligned}$$

fricas [A] time = 1.23, size = 286, normalized size = 0.84

$$\frac{(24 C d^4)^3 t^4 + 120 B d^2 c^2 + 240 B d^2 c f^2 + 120 (3 A d^4 + 2 C d^2)^2 c^2 f + 16 (5 A d^4 + 4 C)^f^3 + 30 (3 C d^4 c^2 f + B d^4 f^2)^3 + 8 (15 C d^4 c^2 f + 15 B d^4 c f^2 + (5 A d^4 + 4 C d^2)^f)^2 t^2 + 15 (4 C d^4 c^2 f + 12 B d^4 c^2 f + 3 B d^4 f^2 + (5 A d^4 + 4 C d^2)^f)^2 t) \sqrt{dx + 1} \sqrt{-dx + 1} + 30 (12 B d^4 c^2 f + 3 B d^4 f^2 + 4 (2 A d^4 + C d^2)^2 t^3 + 3 (4 A d^4 + 3 C d^2)^f)^2 t \arctan\left(\frac{\sqrt{dx+1} \sqrt{-dx+1}}{dx}\right)}{120 d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x+e)^3*(C*x^2+B*x+A)/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)}, x, \text{algorithm} = \text{"fricas"})$

[Out]
$$\begin{aligned} & -\frac{1}{120} \left((24 C d^4)^4 x^4 + 120 B d^4 e^3 + 240 B d^2 e^2 f + 120 (3 A d^4 + 2 C d^2)^2 e^2 f + 16 (5 A d^4 + 4 C)^f^3 + 30 (3 C d^4 e^2 f + B d^4 f^2)^3 + 8 (15 C d^4 e^2 f + 15 B d^4 e f^2 + (5 A d^4 + 4 C d^2)^f)^2 x^2 + 15 (4 C d^4 e^2 f + 12 B d^4 e^2 f + 3 B d^4 f^2 + (5 A d^4 + 4 C d^2)^f)^2 x + 30 (12 B d^4 e^2 f + 3 B d^4 f^2 + 4 (2 A d^4 + C d^2)^2 f^3 + 3 (4 A d^4 + 3 C d^2)^f)^2 \right) \sqrt{d*x + 1} \sqrt{-d*x + 1} + 30 (12 B d^4 e^2 f + 3 B d^4 f^2 + 4 (2 A d^4 + C d^2)^2 f^3 + 3 (4 A d^4 + 3 C d^2)^f)^2 \text{arctan}((\sqrt{d*x + 1} \sqrt{-d*x + 1}) / (d*x)) / d^6 \end{aligned}$$

giac [A] time = 1.82, size = 427, normalized size = 1.26

$$\begin{aligned} & \left(\left(2(dx+1) + \frac{3(d+1)x}{\mu} + \frac{2d^2x^2 + 11dx^2 + 11x^2}{\mu^2} \right) \frac{2(d+1)x^2 - dx^2 - 3x^2}{\mu^3} + \frac{2(d+1)x^3 - dx^3 - 3x^3}{\mu^4} \right. \\ & \quad \left. + \frac{2(d+1)x^4 - dx^4 - 3x^4}{\mu^5} \right) dx + 1 + \frac{15(24x^2 - 12x^2\mu^2 + 4x^2\mu^4 + 14x^2\mu^6 - 12x^2\mu^8 - 24x^2\mu^{10} - 5x^2\mu^{12} - 4x^2\mu^{14} + 24x^2\mu^{16} + 15x^2\mu^{18})}{\mu^6} \right) \sqrt{dx+1} \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")
```

```
[Out] -1/120*((2*(d*x + 1)*(3*(d*x + 1)*(4*(d*x + 1)*C*f^3/d^5 + (5*B*d^26*f^3 + 15*C*d^26*f^2*e - 16*C*d^25*f^3)/d^30) + (20*A*d^27*f^3 + 60*B*d^27*f^2*e - 45*B*d^26*f^3 + 60*C*d^27*f*e^2 - 135*C*d^26*f^2*e + 88*C*d^25*f^3)/d^30) + 5*(36*A*d^28*f^2*e - 16*A*d^27*f^3 + 36*B*d^28*f*e^2 - 48*B*d^27*f^2*e + 27*B*d^26*f^3 + 12*C*d^28*e^3 - 48*C*d^27*f*e^2 + 81*C*d^26*f^2*e - 32*C*d^25*f^3)/d^30)*(d*x + 1) + 15*(24*A*d^29*f*e^2 - 12*A*d^28*f^2*e + 8*A*d^27*f^3 + 8*B*d^29*e^3 - 12*B*d^28*f*e^2 + 24*B*d^27*f^2*e - 5*B*d^26*f^3 - 4*C*d^28*e^3 + 24*C*d^27*f*e^2 - 15*C*d^26*f^2*e + 8*C*d^25*f^3)/d^30)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 30*(8*A*d^4*e^3 + 12*A*d^2*f^2*e + 12*B*d^2*f*e^2 + 3*B*f^3 + 4*C*d^2*e^3 + 9*C*f^2*e)*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^4)/d
```

maple [C] time = 0.03, size = 643, normalized size = 1.89

[View Details](#) | [Edit](#) | [Delete](#) | [Print](#) | [Email](#) | [Report](#)

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x+e)^3*(C*x^2+B*x+A)/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2}), x)$

```
[Out] -1/120*(-d*x+1)^(1/2)*(d*x+1)^(1/2)*(24*(-d^2*x^2+1)^(1/2)*C*d^4*f^3*x^4*cs
gn(d)+30*(-d^2*x^2+1)^(1/2)*B*d^4*f^3*x^3*csgn(d)+90*(-d^2*x^2+1)^(1/2)*C*d
^4*e*f^2*x^3*csgn(d)+40*(-d^2*x^2+1)^(1/2)*A*d^4*f^3*x^2*csgn(d)+120*(-d^2*
x^2+1)^(1/2)*B*d^4*e*f^2*x^2*csgn(d)+120*(-d^2*x^2+1)^(1/2)*C*d^4*e^2*f*x^2
*csgn(d)+180*(-d^2*x^2+1)^(1/2)*A*d^4*e*f^2*x*csgn(d)+180*(-d^2*x^2+1)^(1/2
)*B*d^4*e^2*f*x*csgn(d)+60*(-d^2*x^2+1)^(1/2)*C*d^4*e^3*x*csgn(d)+360*(-d^2
*x^2+1)^(1/2)*A*d^4*e^2*f*csgn(d)-120*A*d^5*e^3*arctan(1/(-d^2*x^2+1)^(1/2)
*d*x*csgn(d))+120*(-d^2*x^2+1)^(1/2)*B*d^4*e^3*csgn(d)+32*(-d^2*x^2+1)^(1/2
)*C*d^2*f^3*x^2*csgn(d)+45*(-d^2*x^2+1)^(1/2)*B*d^2*f^3*x*csgn(d)+135*(-d^2
*x^2+1)^(1/2)*C*d^2*e*f^2*x*csgn(d)+80*(-d^2*x^2+1)^(1/2)*A*d^2*f^3*csgn(d)
-180*A*d^3*e*f^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))+240*(-d^2*x^2+1)^(1/2
)*B*d^2*e*f^2*csgn(d)-180*B*d^3*e^2*f*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*c
sgn(d))+240*(-d^2*x^2+1)^(1/2)*C*d^2*e^2*f*csgn(d)-60*C*d^3*e^3*arctan(1/(-
d^2*x^2+1)^(1/2)*d*x*csgn(d))-45*B*d*f^3*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*c
sgn(d))+64*(-d^2*x^2+1)^(1/2)*C*f^3*csgn(d)-135*C*d*e*f^2*arctan(1/(-d^2*x^2
+1)^(1/2)*d*x*csgn(d)))*csgn(d)/d^6/(-d^2*x^2+1)^(1/2)
```

maxima [A] time = 1.05, size = 355, normalized size = 1.04

$$\frac{\sqrt{-d^2x^2+1} Cf^2x^4}{5d^5} + \frac{Af^3 \arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1} Bx^2}{d^5} - \frac{3\sqrt{-d^2x^2+1} Af^2}{15d^4} - \frac{4\sqrt{-d^2x^2+1} Cf^2x^2}{4d^3} - \frac{(3Cf^2+Bf^2)\sqrt{-d^2x^2+1}x^2}{3d^2} - \frac{(Cf^2+3Bx^2f+3Af^2)\sqrt{-d^2x^2+1}x}{2d^3} + \frac{(Cx^3+3Bx^2f+3Af^2)\arcsin(dx)}{2d^2} - \frac{8\sqrt{-d^2x^2+1} Cf^2}{15d^5} - \frac{3(3Cx^2f+3Bf^2)\sqrt{-d^2x^2+1}x}{8d^4} + \frac{2(3Cx^2f+3Bf^2)\sqrt{-d^2x^2+1}}{3d^3} + \frac{3(3Cx^2f+Bf^2)\arcsin(dx)}{8d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^3*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -1/5*\sqrt{-d^2x^2+1}*C*f^3*x^4/d^2 + A*e^3*\arcsin(d*x)/d - \sqrt{-d^2x^2+1} \\ & + 1)*B*e^3/d^2 - 3*\sqrt{-d^2x^2+1}*A*e^2*f/d^2 - 4/15*\sqrt{-d^2x^2+1} \\ &)*C*f^3*x^2/d^4 - 1/4*(3*C*e*f^2 + B*f^3)*\sqrt{-d^2x^2+1}*x^3/d^2 - 1/3* \\ & (3*C*e^2*f + 3*B*e*f^2 + A*f^3)*\sqrt{-d^2x^2+1}*x^2/d^2 - 1/2*(C*e^3 + 3 \\ & *B*e^2*f + 3*A*e*f^2)*\sqrt{-d^2x^2+1}*x/d^2 + 1/2*(C*e^3 + 3*B*e^2*f + 3 \\ & *A*e*f^2)*\arcsin(d*x)/d^3 - 8/15*\sqrt{-d^2x^2+1}*C*f^3/d^6 - 3/8*(3*C*e* \\ & f^2 + B*f^3)*\sqrt{-d^2x^2+1}*x/d^4 - 2/3*(3*C*e^2*f + 3*B*e*f^2 + A*f^3) \\ & *\sqrt{-d^2x^2+1}/d^4 + 3/8*(3*C*e*f^2 + B*f^3)*\arcsin(d*x)/d^5 \end{aligned}$$

mupad [B] time = 35.29, size = 2606, normalized size = 7.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((e + f*x)^3*(A + B*x + C*x^2))/((1 - d*x)^(1/2)*(d*x + 1)^(1/2)), x)`

[Out]
$$\begin{aligned} & - (((2048*C*f^3)/3 + 640*C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^6)/((d*x + 1)^{1/2})^{1/2} - 1)^6 + (((2048*C*f^3)/3 + 640*C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^{14})/((d*x + 1)^{1/2} - 1)^{14} - (((4096*C*f^3)/3 - 832*C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^8)/((d*x + 1)^{1/2} - 1)^8 - (((4096*C*f^3)/3 - 832*C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^{12})/((d*x + 1)^{1/2} - 1)^{12} + (((12288*C*f^3)/5 + 768*C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^{10})/((d*x + 1)^{1/2} - 1)^{10} + (((1 - d*x)^(1/2) - 1)^3*(2*C*d^3*e^3 - (87*C*d*e*f^2)/2))/((d*x + 1)^{1/2} - 1)^3 - (((1 - d*x)^(1/2) - 1)^{17}*(2*C*d^3*e^3 - (87*C*d*e*f^2)/2))/((d*x + 1)^{1/2} - 1)^{17} + (((1 - d*x)^(1/2) - 1)^7*(88*C*d^3*e^3 - 42*C*d*e*f^2))/((d*x + 1)^{1/2} - 1)^7 - (((1 - d*x)^(1/2) - 1)^{13}*(88*C*d^3*e^3 - 42*C*d*e*f^2))/((d*x + 1)^{1/2} - 1)^{13} + (((1 - d*x)^(1/2) - 1)^5*(40*C*d^3*e^3 + 426*C*d*e*f^2))/((d*x + 1)^{1/2} - 1)^5 - (((1 - d*x)^(1/2) - 1)^{15}*(40*C*d^3*e^3 + 426*C*d*e*f^2))/((d*x + 1)^{1/2} - 1)^{15} + (((1 - d*x)^(1/2) - 1)^9*(52*C*d^3*e^3 - 507*C*d*e*f^2))/((d*x + 1)^{1/2} - 1)^9 - (((1 - d*x)^(1/2) - 1)^{11}*(52*C*d^3*e^3 - 507*C*d*e*f^2))/((d*x + 1)^{1/2} - 1)^{11} - (d*(4*C*d^2*e^3 + 9*C*e*f^2)*((1 - d*x)^(1/2) - 1))/((2*((d*x + 1)^{1/2} - 1)) + (d*(4*C*d^2*e^3 + 9*C*e*f^2)*((1 - d*x)^(1/2) - 1)^{19})/(2*((d*x + 1)^{1/2} - 1)^{19}) + (192*C*d^2*e^2*f*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^{1/2} - 1)^4 + (192*C*d^2*e^2*f*((1 - d*x)^(1/2) - 1)^{16})/((d*x + 1)^{1/2} - 1)^{16})/(d^6 + (10*d^6*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^{1/2} - 1)^2 + (45*d^6*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^{1/2} - 1)^4 + (120*d^6*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^{1/2} - 1)^4)$$

$$\begin{aligned}
& 1)^6 / ((d*x + 1)^{(1/2)} - 1)^6 + (210*d^6*((1 - d*x)^{(1/2)} - 1)^8) / ((d*x + 1)^{(1/2)} - 1)^8 + (252*d^6*((1 - d*x)^{(1/2)} - 1)^{10}) / ((d*x + 1)^{(1/2)} - 1)^{10} \\
& + (210*d^6*((1 - d*x)^{(1/2)} - 1)^{12}) / ((d*x + 1)^{(1/2)} - 1)^{12} + (120*d^6*((1 - d*x)^{(1/2)} - 1)^{14}) / ((d*x + 1)^{(1/2)} - 1)^{14} \\
& + (45*d^6*((1 - d*x)^{(1/2)} - 1)^{16}) / ((d*x + 1)^{(1/2)} - 1)^{16} + (10*d^6*((1 - d*x)^{(1/2)} - 1)^{18}) / ((d*x + 1)^{(1/2)} - 1)^{18} \\
& + (d^6*((1 - d*x)^{(1/2)} - 1)^{20}) / ((d*x + 1)^{(1/2)} - 1)^{20} - (((64*A*f^3 + 96*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 \\
& + ((64*A*f^3 + 96*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^8) / ((d*x + 1)^{(1/2)} - 1)^8 - (((128*A*f^3)/3 - 144*A*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^6) / ((d*x + 1)^{(1/2)} - 1)^6 \\
& + (24*A*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 + (24*A*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)^{10}) / ((d*x + 1)^{(1/2)} - 1)^{10} \\
& - (6*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (30*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^3) / ((d*x + 1)^{(1/2)} - 1)^3 + (36*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^5) / ((d*x + 1)^{(1/2)} - 1)^5 \\
& - (36*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^7) / ((d*x + 1)^{(1/2)} - 1)^7 - (30*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^9) / ((d*x + 1)^{(1/2)} - 1)^9 \\
& + (6*A*d*e*f^2*((1 - d*x)^{(1/2)} - 1)^{11}) / ((d*x + 1)^{(1/2)} - 1)^{11} - (6*d^4*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 \\
& + (15*d^4*((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 + (20*d^4*((1 - d*x)^{(1/2)} - 1)^6) / ((d*x + 1)^{(1/2)} - 1)^6 + (15*d^4*((1 - d*x)^{(1/2)} - 1)^8) / ((d*x + 1)^{(1/2)} - 1)^8 \\
& + (6*d^4*((1 - d*x)^{(1/2)} - 1)^{10}) / ((d*x + 1)^{(1/2)} - 1)^{10} + (d^4*((1 - d*x)^{(1/2)} - 1)^{12}) / ((d*x + 1)^{(1/2)} - 1)^{12} \\
& - (((3*B*f^3)/2 + 6*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^{15}) / ((d*x + 1)^{(1/2)} - 1)^{15} - (((23*B*f^3)/2 - 18*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^3) / ((d*x + 1)^{(1/2)} - 1)^3 \\
& + (((23*B*f^3)/2 - 18*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^{13}) / ((d*x + 1)^{(1/2)} - 1)^{13} + (((333*B*f^3)/2 + 90*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^5) / ((d*x + 1)^{(1/2)} - 1)^5 \\
& - (((333*B*f^3)/2 + 90*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^{11}) / ((d*x + 1)^{(1/2)} - 1)^{11} - (((671*B*f^3)/2 - 66*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^7) / ((d*x + 1)^{(1/2)} - 1)^7 \\
& + (((671*B*f^3)/2 - 66*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)^9) / ((d*x + 1)^{(1/2)} - 1)^9 + (((1 - d*x)^{(1/2)} - 1)^4*(48*B*d^3*e^3 + 192*B*d*e*f^2)) / ((d*x + 1)^{(1/2)} - 1)^4 \\
& + (((1 - d*x)^{(1/2)} - 1)^{12}*(48*B*d^3*e^3 + 192*B*d*e*f^2)) / ((d*x + 1)^{(1/2)} - 1)^{12} + (((1 - d*x)^{(1/2)} - 1)^8*(160*B*d^3*e^3 + 128*B*d*e*f^2)) / ((d*x + 1)^{(1/2)} - 1)^8 \\
& + (((1 - d*x)^{(1/2)} - 1)^6*(120*B*d^3*e^3 + 256*B*d*e*f^2)) / ((d*x + 1)^{(1/2)} - 1)^6 + (((1 - d*x)^{(1/2)} - 1)^{10}*(120*B*d^3*e^3 + 256*B*d*e*f^2)) / ((d*x + 1)^{(1/2)} - 1)^{10} \\
& - (((3*B*f^3)/2 + 6*B*d^2*e^2*f)*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (8*B*d^3*e^3*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 \\
& + (8*B*d^3*e^3*((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 + (56*d^5*((1 - d*x)^{(1/2)} - 1)^6) / ((d*x + 1)^{(1/2)} - 1)^6 + (70*B*d^5*((1 - d*x)^{(1/2)} - 1)^8) / ((d*x + 1)^{(1/2)} - 1)^8 \\
& + (56*d^5*((1 - d*x)^{(1/2)} - 1)^{10}) / ((d*x + 1)^{(1/2)} - 1)^{10} + (28*d^5*((1 - d*x)^{(1/2)} - 1)^{12}) / ((d*x + 1)^{(1/2)} - 1)^{12} \\
& / ((d*x + 1)^{(1/2)} - 1)^{14} + (d^5*((1 - d*x)^{(1/2)} - 1)^{16}) / ((d*x + 1)^{(1/2)} - 1)^{16} - (3*B*f*atan((B*f*(f^2 + 4*d^2*e^2)*((1 - d*x)^{(1/2)} - 1))) / ((B*f^3 + 4*B*d^2*e^
\end{aligned}$$

$$2*f*((d*x + 1)^(1/2 - 1))*(f^2 + 4*d^2*e^2)/(2*d^5) - (2*A*e*atan((A*e*((1 - d*x)^(1/2 - 1)*(3*f^2 + 2*d^2*e^2)))/((2*A*d^2*e^3 + 3*A*e*f^2)*((d*x + 1)^(1/2 - 1)*(3*f^2 + 2*d^2*e^2))))/d^3 - (C*e*atan((C*e*((1 - d*x)^(1/2 - 1)*(9*f^2 + 4*d^2*e^2)))/((4*C*d^2*e^3 + 9*C*e*f^2)*((d*x + 1)^(1/2 - 1)*(9*f^2 + 4*d^2*e^2))))/(2*d^5)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*(C*x**2+B*x+A)/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)

[Out] Timed out

3.9 $\int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{1-dx} \sqrt{1+dx}} dx$

Optimal. Leaf size=228

$$\frac{\sin^{-1}(dx) \left(4d^2 \left(A \left(2d^2 e^2 + f^2\right) + 2Be f\right) + C \left(4d^2 e^2 + 3f^2\right)\right)}{8d^5} + \frac{\sqrt{1-d^2 x^2} \left(4 \left(C \left(d^2 e^3 - 8ef^2\right) - 4f \left(3Ad^2 ef + B \left(d^2 e^2 + f^2\right)\right)\right)\right)}{2d^5}$$

Rubi [A] time = 0.49, antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.135, Rules used = {1609, 1654, 833, 780, 216}

$$\frac{\sqrt{1-d^2 x^2} \left(4 \left(C \left(d^2 e^3 - 8ef^2\right) - 4f \left(3Ad^2 ef + B \left(d^2 e^2 + f^2\right)\right)\right) - fx \left(3f^2 \left(4Ad^2 + 3C\right) - 2d^2 e(Ce - 4Bf)\right)\right)}{24d^4 f} + \frac{\sin^{-1}(dx) \left(4d^2 \left(A \left(2d^2 e^2 + f^2\right) + 2Be f\right) + C \left(4d^2 e^2 + 3f^2\right)\right)}{8d^5} + \frac{\sqrt{1-d^2 x^2} (e+fx)^2 (Ce - 4Bf)}{12d^2 f} - \frac{C \sqrt{1-d^2 x^2} (e+fx)^3}{4d^2 f}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
[Out] ((C*e - 4*B*f)*(e + f*x)^2*Sqrt[1 - d^2*x^2])/(12*d^2*f) - (C*(e + f*x)^3*Sqrt[1 - d^2*x^2])/(4*d^2*f) + ((4*(C*(d^2*e^3 - 8*e*f^2) - 4*f*(3*A*d^2*2*e*f + B*(d^2*e^2 + f^2))) - f*(3*(3*C + 4*A*d^2)*f^2 - 2*d^2*2*e*(C*e - 4*B*f))*x)*Sqrt[1 - d^2*x^2])/(24*d^4*f) + ((C*(4*d^2*2*e^2 + 3*f^2) + 4*d^2*(2*B*e*f + A*(2*d^2*2*e^2 + f^2)))*ArcSin[d*x])/(8*d^5)
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 780

```
Int[((d_.) + (e_.)*(x_))*(f_.) + (g_.)*(x_))*(a_ + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]
```

Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*(f_.) + (g_.)*(x_))*(a_ + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

) $\&\&$! (IGtQ[m, 0] $\&\&$ EqQ[f, 0])

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x]  $\&\&$  PolyQ[Px, x]  $\&\&$  EqQ[b*c + a*d, 0]  $\&\&$  EqQ[m, n]  $\&\&$  (IntegerQ[m] || (GtQ[a, 0]  $\&\&$  GtQ[c, 0]))
```

Rule 1654

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (c_.)*(x_)^2)^p, x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x))^m*(q - 1)*(a + c*x^2)^(p + 1)/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1]  $\&\&$  NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d, e, m, p}, x]  $\&\&$  PolyQ[Pq, x]  $\&\&$  NeQ[c*d^2 + a*e^2, 0]  $\&\&$  !(EqQ[d, 0]  $\&\&$  True)  $\&\&$  !(IGtQ[m, 0]  $\&\&$  RationalQ[a, c, d, e]  $\&\&$  (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx &= \int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{1-d^2x^2}} dx \\ &= -\frac{C(e+fx)^3\sqrt{1-d^2x^2}}{4d^2f} - \frac{\int \frac{(e+fx)^2(-(3C+4Ad^2)f^2)+d^2f(Ce-4Bf)x}{\sqrt{1-d^2x^2}} dx}{4d^2f^2} \\ &= \frac{(Ce-4Bf)(e+fx)^2\sqrt{1-d^2x^2}}{12d^2f} - \frac{C(e+fx)^3\sqrt{1-d^2x^2}}{4d^2f} + \frac{\int \frac{(e+fx)(d^2f^2(7Ce+1)-d^2f^2(3C+4Ad^2)f^2)}{\sqrt{1-d^2x^2}} dx}{4d^2f} \\ &= \frac{(Ce-4Bf)(e+fx)^2\sqrt{1-d^2x^2}}{12d^2f} - \frac{C(e+fx)^3\sqrt{1-d^2x^2}}{4d^2f} + \frac{(4(C(d^2e^3-8ef^2)+d^2e^3)f^2)}{4d^2f} \\ &= \frac{(Ce-4Bf)(e+fx)^2\sqrt{1-d^2x^2}}{12d^2f} - \frac{C(e+fx)^3\sqrt{1-d^2x^2}}{4d^2f} + \frac{(4(C(d^2e^3-8ef^2)+d^2e^3)f^2)}{4d^2f} \end{aligned}$$

Mathematica [A] time = 0.22, size = 160, normalized size = 0.70

$$\frac{3 \sin^{-1}(dx) \left(4 d^2 \left(A \left(2 d^2 e^2+f^2\right)+2 B e f\right)+C \left(4 d^2 e^2+3 f^2\right)\right)-d \sqrt{1-d^2 x^2} \left(12 A d^2 f (4 e+f x)+8 B \left(d^2 \left(3 e^2+3 e f x+f^2 x^2\right)+2 f^2\right)+C \left(12 d^2 e^2 x+16 e f \left(d^2 x^2+2\right)+3 f^2 x \left(2 d^2 x^2+3\right)\right)\right)}{24 d^5}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^2*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
[Out] 
$$\frac{(-d\sqrt{1-d^2x^2})*(12Ad^2f^2(4e+f*x) + C(12d^2e^2x^2 + 16e*f*(2+d^2x^2) + 3f^2x^2(3+2d^2x^2)) + 8B(2f^2 + d^2(3e^2 + 3e*f*x + f^2x^2))) + 3(C(4d^2e^2 + 3f^2) + 4d^2(2B*e*f + A(2d^2e^2 + f^2)))*ArcSin[d*x])/(24d^5)$$

```

IntegrateAlgebraic [B] time = 0.47, size = 708, normalized size = 3.11

$$\frac{\text{un}^{-1}\left(\frac{d\sqrt{d}}{4x}\right)\left(-4Ad^2f^2 - 4Af^2f^2 - 8Bd^2f^2 - 4Cf^2x^2 - 3Cf^2\right)}{4x^5} - \frac{48Ad^2f^2(12e + 24e^2x^2 + 48Af^2f + 24Af^2x^2 + 12Af^2x^4) + 24Bd^2f^2(12e + 24e^2x^2 + 24Af^2f + 24Af^2x^2 + 12Af^2x^4) + 24Af^2(12e + 24e^2x^2 + 24Af^2f + 24Af^2x^2 + 12Af^2x^4) + 24Bd^2f^2 + 24Bd^2x^2 + 24Bd^2x^4 + 48Cdf^2 - 48Cd^2f^2 + 48Cd^2x^2 + 48Cd^2x^4 + 48Cd^2x^6 + 48Cd^2x^8 + 48Cd^2x^{10})}{128\sqrt{d}(x^2 + \left(\frac{d}{4x^2} + 1\right))}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[((e + f*x)^2*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
```

```
[Out] 
$$\begin{aligned} & -1/12*(Sqrt[1 - d*x]*(12C*d^2e^2 + 24B*d^3e^2 + 48C*d*e*f + 24B*d^2e^2*f + 48A*d^3e*f + 15C*f^2 + 24B*d*f^2 + 12A*d^2f^2 - (12C*d^2e^2*(1 - d*x)^3)/(1 + d*x)^3 + (24B*d^3e^2*(1 - d*x)^3)/(1 + d*x)^3 + (48C*d*e*f*(1 - d*x)^3)/(1 + d*x)^3 - (24B*d^2e*f*(1 - d*x)^3)/(1 + d*x)^3 + (48A*d^3e*f*(1 - d*x)^3)/(1 + d*x)^3 - (15C*f^2*(1 - d*x)^3)/(1 + d*x)^3 + (24B*d*f^2*(1 - d*x)^3)/(1 + d*x)^3 - (12A*d^2f^2*(1 - d*x)^3)/(1 + d*x)^3 - (12C*d^2e^2*(1 - d*x)^2)/(1 + d*x)^2 + (72B*d^3e^2*(1 - d*x)^2)/(1 + d*x)^2 + (80C*d*e*f*(1 - d*x)^2)/(1 + d*x)^2 - (24B*d^2e*f*(1 - d*x)^2)/(1 + d*x)^2 + (144A*d^3e*f*(1 - d*x)^2)/(1 + d*x)^2 + (9C*f^2*(1 - d*x)^2)/(1 + d*x)^2 + (40B*d*f^2*(1 - d*x)^2)/(1 + d*x)^2 - (12A*d^2f^2*(1 - d*x)^2)/(1 + d*x)^2 + (12C*d^2e^2*(1 - d*x))/(1 + d*x) + (72B*d^3e^2*(1 - d*x))/(1 + d*x) + (80C*d*e*f*(1 - d*x))/(1 + d*x) + (24B*d^2e*f*(1 - d*x))/(1 + d*x) + (144A*d^3e*f*(1 - d*x))/(1 + d*x) - (9C*f^2*(1 - d*x))/(1 + d*x) + (40B*d*f^2*(1 - d*x))/(1 + d*x) + (12A*d^2f^2*(1 - d*x))/(1 + d*x))/((d^5*Sqrt[1 + d*x]*(1 + (1 - d*x)/(1 + d*x))^4) + ((-4C*d^2e^2 - 8A*d^4e^2 - 8B*d^2e*f - 3C*f^2 - 4A*d^2f^2)*ArcTan[Sqrt[1 - d*x]/Sqrt[1 + d*x]]))/(4*d^5) \end{aligned}$$

```

fricas [A] time = 0.82, size = 192, normalized size = 0.84

$$\frac{(6Cd^3f^2x^3 + 24Bd^3e^2 + 16Bdf^2 + 16(3Ad^3 + 2Cd)fef + 8(2Cd^2ef + Bd^3f^2)x^2 + 3(4Cd^3e^2 + 8Bd^3ef + (4Ad^3 + 3Cd)f^2)x)\sqrt{dx+1}\sqrt{-dx+1} + 6(8Bd^2ef + 4(2Ad^4 + Cd^2)e^2 + (4Ad^2 + 3C)f^2)\arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}}{dx}\right)}{24d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x, algorithm="fricas")
```

```
[Out] 
$$-1/24*((6C*d^3*f^2*x^3 + 24B*d^3*e^2*x^2 + 16B*d*f^2*x^2 + 16*(3A*d^3 + 2C*d)*e*f + 8*(2C*d^2*f + B*d^3*f^2)*x^2 + 3*(4C*d^3*e^2 + 8B*d^3*f + (4Ad^3 + 3Cd)*f^2)*x)\sqrt{dx+1}\sqrt{-dx+1} + 6(8Bd^2*f + 4(2Ad^4 + Cd^2)*e^2 + (4Ad^2 + 3C)*f^2)\arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}}{dx}\right))$$

```

$*d^3 + 3*C*d)*f^2)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 6*(8*B*d^2*e*f + 4*(2*A*d^4 + C*d^2)*e^2 + (4*A*d^2 + 3*C)*f^2)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/d^5$

giac [A] time = 1.64, size = 277, normalized size = 1.21

$$\frac{\left((dx+1) \left(2(dx+1) \left(\frac{3(dx+1)Cf^2}{d^4} + \frac{4Bd^{17}f^2+8Cd^{17}fe-9Cd^{16}f^2}{d^5} \right) + \frac{12Ad^{18}f^2+24Bd^{19}f^2-16Bd^{17}f^2+12Cd^{18}f^2-32Cd^{17}fe+27Cd^{16}f^2}{d^6} \right) + \frac{3(16Ad^{19}fe-4Ad^{18}f^2+8Bd^{19}f^2-8Bd^{17}f^2-4Cd^{18}f^2+16Cd^{17}fe-5Cd^{16}f^2)}{d^5} \right) \sqrt{dx+1} \sqrt{-dx+1} - \frac{6(8Ad^4e^2+4Ad^2f^2+8Bd^2fe+4Cd^2f^2+3Cf^2)\arcsin\left(\frac{1}{2}\sqrt{2}\sqrt{dx+1}\right)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x, algorithm="giac")`

[Out] $-1/24*((d*x + 1)*(2*(d*x + 1)*(3*(d*x + 1)*C*f^2/d^4 + (4*B*d^17*f^2 + 8*C*d^17*f*e - 9*C*d^16*f^2)/d^20) + (12*A*d^18*f^2 + 24*B*d^18*f*e - 16*B*d^18*f^2 + 12*C*d^18*f*e^2 - 32*C*d^17*f*e + 27*C*d^16*f^2)/d^20) + 3*(16*A*d^19*f^2 - 4*A*d^18*f^2 + 8*B*d^19*f^2 - 8*B*d^17*f^2 - 4*C*d^18*f^2 + 16*C*d^17*f^2 - 5*C*d^16*f^2))/d^20)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 6*(8*A*d^4*f^2 + 4*A*d^2*f^2 + 8*B*d^2*f*e + 4*C*d^2*f^2 + 3*C*f^2)*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^4)$

maple [C] time = 0.03, size = 423, normalized size = 1.86

$$\frac{\sqrt{-d^2x^2+1} \sqrt{d^2x^2+1} \left(6e_1 \sqrt{d^2x^2+1} C f^2 \operatorname{csgn}(d) + 6e_1 \sqrt{d^2x^2+1} B f^2 \operatorname{csgn}(d) - 24 A f^2 \operatorname{arcsin}\left(\frac{\sqrt{d^2x^2+1}}{2}\right) + 12 \sqrt{d^2x^2+1} A f^2 f^2 \operatorname{csgn}(d) + 12 \sqrt{d^2x^2+1} C f^2 f^2 \operatorname{csgn}(d) + 48 \sqrt{d^2x^2+1} A f^2 f^2 \operatorname{csgn}(d) + 24 \sqrt{d^2x^2+1} B f^2 f^2 \operatorname{csgn}(d) - 12 A f^2 f^2 \operatorname{arcsin}\left(\frac{\sqrt{d^2x^2+1}}{2}\right) - 24 B f^2 f^2 \operatorname{arcsin}\left(\frac{\sqrt{d^2x^2+1}}{2}\right) + 6 \sqrt{d^2x^2+1} B f^2 \operatorname{csgn}(d) + 16 \sqrt{d^2x^2+1} B f^2 \operatorname{csgn}(d) - 8 C f^2 \operatorname{csgn}(d) + 32 \sqrt{d^2x^2+1} C f^2 \operatorname{csgn}(d) \right) \operatorname{csgn}(d)}{24 \sqrt{-d^2x^2+1} d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^2*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x)`

[Out] $-1/24*(-d*x+1)^(1/2)*(d*x+1)^(1/2)*(6*(-d^2*x^2+1)^(1/2)*C*d^3*f^2*x^3*csgn(d) + 8*(-d^2*x^2+1)^(1/2)*B*d^3*f^2*x^2*csgn(d) + 16*(-d^2*x^2+1)^(1/2)*C*d^3*f^2*x^3*csgn(d) + 12*(-d^2*x^2+1)^(1/2)*A*d^3*f^2*x^2*csgn(d) + 24*(-d^2*x^2+1)^(1/2)*B*d^3*f^2*x*csgn(d) + 12*(-d^2*x^2+1)^(1/2)*C*d^3*f^2*x*csgn(d) + 48*(-d^2*x^2+1)^(1/2)*A*d^3*f^2*csgn(d) - 24*A*d^4*f^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d)) + 24*(-d^2*x^2+1)^(1/2)*B*d^3*f^2*csgn(d) + 9*(-d^2*x^2+1)^(1/2)*C*d^3*f^2*csgn(d) + 16*(-d^2*x^2+1)^(1/2)*B*d*f^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d)) + 12*A*d^2*f^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d)) + 32*(-d^2*x^2+1)^(1/2)*C*d*f^2*f*csgn(d) - 12*C*d^2*f^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d)) - 9*C*f^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))) *csgn(d)/d^5/(-d^2*x^2+1)^(1/2)$

maxima [A] time = 1.27, size = 231, normalized size = 1.01

$$-\frac{\sqrt{-d^2x^2+1} C f^2 x^3}{4 d^2} + \frac{A e^2 \arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1} B e^2}{d^2} - \frac{2 \sqrt{-d^2x^2+1} A e f}{d^2} - \frac{\sqrt{-d^2x^2+1} (2 C e f + B f^2) x^2}{3 d^2} - \frac{\sqrt{-d^2x^2+1} (C e^2 + 2 B e f + A f^2) x}{2 d^2} - \frac{3 \sqrt{-d^2x^2+1} C f^2 x}{8 d^4} + \frac{(C e^2 + 2 B e f + A f^2) \arcsin(dx)}{2 d^3} + \frac{3 C f^2 \arcsin(dx)}{8 d^5} - \frac{2 \sqrt{-d^2x^2+1} (2 C e f + B f^2)}{3 d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -\frac{1}{4}\sqrt{-d^2x^2 + 1} \cdot C \cdot f^2 \cdot x^3/d^2 + A \cdot e^2 \cdot \arcsin(d \cdot x)/d - \sqrt{-d^2x^2 + 1} \cdot B \cdot e^2/d^2 - 2\sqrt{-d^2x^2 + 1} \cdot A \cdot e \cdot f/d^2 - \frac{1}{3}\sqrt{-d^2x^2 + 1} \cdot (2 \cdot C \cdot e \cdot f + B \cdot f^2) \cdot x^2/d^2 - \frac{1}{2}\sqrt{-d^2x^2 + 1} \cdot (C \cdot e^2 + 2 \cdot B \cdot e \cdot f + A \cdot f^2) \cdot x/d^2 - \frac{3}{8}\sqrt{-d^2x^2 + 1} \cdot C \cdot f^2 \cdot x/d^4 + \frac{1}{2} \cdot (C \cdot e^2 + 2 \cdot B \cdot e \cdot f + A \cdot f^2) \cdot \arcsin(d \cdot x)/d^3 + \frac{3}{8} \cdot C \cdot f^2 \cdot \arcsin(d \cdot x)/d^5 - \frac{2}{3}\sqrt{-d^2x^2 + 1} \cdot (2 \cdot C \cdot e \cdot f + B \cdot f^2)/d^4 \end{aligned}$$

mupad [B] time = 33.64, size = 1732, normalized size = 7.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((e + f*x)^2*(A + B*x + C*x^2))/((1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out]
$$\begin{aligned} & -\frac{((14 \cdot A \cdot f^2 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^3)/((d \cdot x + 1)^{(1/2)} - 1)^3 - (2 \cdot A \cdot f^2 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^5)/((d \cdot x + 1)^{(1/2)} - 1)^5 - (14 \cdot A \cdot f^2 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^7)/((d \cdot x + 1)^{(1/2)} - 1)^7 + (2 \cdot A \cdot f^2 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^9)/((d \cdot x + 1)^{(1/2)} - 1)^9 + (16 \cdot A \cdot d \cdot e \cdot f \cdot ((1 - d \cdot x)^{(1/2)} - 1)^2)/((d \cdot x + 1)^{(1/2)} - 1)^2 + (32 \cdot A \cdot d \cdot e \cdot f \cdot ((1 - d \cdot x)^{(1/2)} - 1)^4)/((d \cdot x + 1)^{(1/2)} - 1)^4 + (16 \cdot A \cdot d \cdot e \cdot f \cdot ((1 - d \cdot x)^{(1/2)} - 1)^6)/((d \cdot x + 1)^{(1/2)} - 1)^6 + (4 \cdot d^3 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^2)/((d \cdot x + 1)^{(1/2)} - 1)^2 + (6 \cdot d^3 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^4)/((d \cdot x + 1)^{(1/2)} - 1)^4 + (4 \cdot d^3 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^6)/((d \cdot x + 1)^{(1/2)} - 1)^6 + (d^3 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^8)/((d \cdot x + 1)^{(1/2)} - 1)^8 - (((1 - d \cdot x)^{(1/2)} - 1)^4 \cdot (64 \cdot B \cdot f^2 + 32 \cdot B \cdot d^2 \cdot e^2))/((d \cdot x + 1)^{(1/2)} - 1)^4 + (((1 - d \cdot x)^{(1/2)} - 1)^8 \cdot (64 \cdot B \cdot f^2 + 32 \cdot B \cdot d^2 \cdot e^2))/((d \cdot x + 1)^{(1/2)} - 1)^8 - (((1 - d \cdot x)^{(1/2)} - 1)^6 \cdot ((128 \cdot B \cdot f^2)/3 - 48 \cdot B \cdot d^2 \cdot e^2))/((d \cdot x + 1)^{(1/2)} - 1)^6 + (8 \cdot B \cdot d^2 \cdot e^2 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^2)/((d \cdot x + 1)^{(1/2)} - 1)^2 + (8 \cdot B \cdot d^2 \cdot e^2 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^10)/((d \cdot x + 1)^{(1/2)} - 1)^10 + (20 \cdot B \cdot d \cdot e \cdot f \cdot ((1 - d \cdot x)^{(1/2)} - 1)^3)/((d \cdot x + 1)^{(1/2)} - 1)^3 + (24 \cdot B \cdot d \cdot e \cdot f \cdot ((1 - d \cdot x)^{(1/2)} - 1)^5)/((d \cdot x + 1)^{(1/2)} - 1)^5 - (24 \cdot B \cdot d \cdot e \cdot f \cdot ((1 - d \cdot x)^{(1/2)} - 1)^7)/((d \cdot x + 1)^{(1/2)} - 1)^7 - (20 \cdot B \cdot d \cdot e \cdot f \cdot ((1 - d \cdot x)^{(1/2)} - 1)^9)/((d \cdot x + 1)^{(1/2)} - 1)^9 + (4 \cdot B \cdot d \cdot e \cdot f \cdot ((1 - d \cdot x)^{(1/2)} - 1)^11)/((d \cdot x + 1)^{(1/2)} - 1)^11 - (4 \cdot B \cdot d \cdot e \cdot f \cdot ((1 - d \cdot x)^{(1/2)} - 1))/((d \cdot x + 1)^{(1/2)} - 1)}/(d^4 + (6 \cdot d^4 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^2)/((d \cdot x + 1)^{(1/2)} - 1)^2 + (15 \cdot d^4 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^4)/((d \cdot x + 1)^{(1/2)} - 1)^4 + (20 \cdot d^4 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^6)/((d \cdot x + 1)^{(1/2)} - 1)^6 + (15 \cdot d^4 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^8)/((d \cdot x + 1)^{(1/2)} - 1)^8 + (6 \cdot d^4 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^10)/((d \cdot x + 1)^{(1/2)} - 1)^10 + (d^4 \cdot ((1 - d \cdot x)^{(1/2)} - 1)^12)/((d \cdot x + 1)^{(1/2)} - 1)^12 - (((1 - d \cdot x)^{(1/2)} - 1)^{15} \cdot ((3 \cdot C \cdot f^2)/2 + 2 \cdot C \cdot d^2 \cdot e^2))/((d \cdot x + 1)^{(1/2)} - 1)^{15} - (((1 - d \cdot x)^{(1/2)} - 1)^3 \cdot ((23 \cdot C \cdot f^2)/2 - 6 \cdot C \cdot d^2 \cdot e^2))/((d \cdot x + 1)^{(1/2)} - 1)^3 - (((1 - d \cdot x)^{(1/2)} - 1)^{13} \cdot ((3 \cdot C \cdot f^2)/2 + 2 \cdot C \cdot d^2 \cdot e^2))/((d \cdot x + 1)^{(1/2)} - 1)^{13} + (((1 - d \cdot x)^{(1/2)} - 1)^5 \cdot ((333 \cdot C \cdot f^2)/2 + 30 \cdot C \cdot d^2 \cdot e^2))/((d \cdot x + 1)^{(1/2)} - 1)^5 \end{aligned}$$

$$\begin{aligned}
& - (((1 - d*x)^{(1/2)} - 1)^{11} * ((333*C*f^2)/2 + 30*C*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^{11} \\
& - (((1 - d*x)^{(1/2)} - 1)^7 * ((671*C*f^2)/2 - 22*C*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^7 \\
& + (((1 - d*x)^{(1/2)} - 1)^9 * ((671*C*f^2)/2 - 22*C*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1)^9 \\
& + (128*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 \\
& + (512*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^6) / (3*((d*x + 1)^{(1/2)} - 1)^6) \\
& + (256*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^8) / (3*((d*x + 1)^{(1/2)} - 1)^8) \\
& + (512*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{10}) / (3*((d*x + 1)^{(1/2)} - 1)^{10}) \\
& + (128*C*d*e*f*((1 - d*x)^{(1/2)} - 1)^{12}) / ((d*x + 1)^{(1/2)} - 1)^{12} \\
& / (d^5 + (8*d^5*((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 + (28*d^5*((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 \\
& + (56*d^5*((1 - d*x)^{(1/2)} - 1)^6) / ((d*x + 1)^{(1/2)} - 1)^6 + (70*d^5*((1 - d*x)^{(1/2)} - 1)^8) / ((d*x + 1)^{(1/2)} - 1)^8 \\
& + (56*d^5*((1 - d*x)^{(1/2)} - 1)^{10}) / ((d*x + 1)^{(1/2)} - 1)^{10} + (28*d^5*((1 - d*x)^{(1/2)} - 1)^{12}) / ((d*x + 1)^{(1/2)} - 1)^{12} \\
& + (8*d^5*((1 - d*x)^{(1/2)} - 1)^{14}) / ((d*x + 1)^{(1/2)} - 1)^{14} + (d^5*((1 - d*x)^{(1/2)} - 1)^{16}) / ((d*x + 1)^{(1/2)} - 1)^{16}) \\
& - (C*atan((C*((1 - d*x)^{(1/2)} - 1)*(3*f^2 + 4*d^2*e^2))) * (3*f^2 + 4*d^2*e^2)) / ((d*x + 1)^{(1/2)} - 1) * (3*C*f^2 + 4*C*d^2*e^2)) * (3*f^2 + 4*d^2*e^2)) / (2*d^5) \\
& - (2*A*atan((A*(f^2 + 2*d^2*e^2)*((1 - d*x)^{(1/2)} - 1))) * ((d*x + 1)^{(1/2)} - 1) * (A*f^2 + 2*A*d^2*e^2)) * (f^2 + 2*d^2*e^2)) / d^3 \\
& - (4*B*e*f*atan(((1 - d*x)^{(1/2)} - 1) / ((d*x + 1)^{(1/2)} - 1))) / d^3
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*(C*x**2+B*x+A)/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)

[Out] Timed out

3.10 $\int \frac{(e+fx)(A+Bx+Cx^2)}{\sqrt{1-dx} \sqrt{1+dx}} dx$

Optimal. Leaf size=130

$$\frac{\sqrt{1-d^2x^2} \left(2 \left(3d^2f(Af+Be)-C \left(d^2e^2-2f^2\right)\right)-d^2fx(Ce-3Bf)\right)}{6d^4f} + \frac{\sin^{-1}(dx) \left(2Ad^2e+Bf+Ce\right)}{2d^3} - \frac{C\sqrt{1-d^2x^2}}{3d^2}$$

Rubi [A] time = 0.23, antiderivative size = 133, normalized size of antiderivative = 1.02, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.114, Rules used = {1609, 1654, 780, 216}

$$\frac{\sqrt{1-d^2x^2} \left(2 \left(3d^2f(Af+Be)-\frac{1}{2}C \left(2d^2e^2-4f^2\right)\right)-d^2fx(Ce-3Bf)\right)}{6d^4f} + \frac{\sin^{-1}(dx) \left(2Ad^2e+Bf+Ce\right)}{2d^3} - \frac{C\sqrt{1-d^2x^2} (e+fx)^2}{3d^2f}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
[Out] -(C*(e + f*x)^2*Sqrt[1 - d^2*x^2])/(3*d^2*f) - ((2*(3*d^2*f*(B*e + A*f) - (C*(2*d^2*e^2 - 4*f^2))/2) - d^2*f*(C*e - 3*B*f)*x)*Sqrt[1 - d^2*x^2])/(6*d^4*f) + ((C*e + 2*A*d^2*e + B*f)*ArcSin[d*x])/(2*d^3)
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 780

```
Int[((d_.) + (e_)*(x_))*((f_.) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x _Symbol] :> Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1)/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le Q[p, -1]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f __.)*(x_))^(p_), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1654

```

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p
)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))

```

Rubi steps

$$\begin{aligned}
\int \frac{(e + fx)(A + Bx + Cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx &= \int \frac{(e + fx)(A + Bx + Cx^2)}{\sqrt{1-d^2x^2}} dx \\
&= -\frac{C(e + fx)^2\sqrt{1-d^2x^2}}{3d^2f} - \frac{\int \frac{(e+fx)\left(-((2C+3Ad^2)f^2)+d^2f(Ce-3Bf)x\right)}{\sqrt{1-d^2x^2}} dx}{3d^2f^2} \\
&= -\frac{C(e + fx)^2\sqrt{1-d^2x^2}}{3d^2f} - \frac{\left(2\left(3d^2f(Be + Af) - \frac{1}{2}C(2d^2e^2 - 4f^2)\right) - d^2f(Ce - 3Bf)x\right)}{6d^4f} \\
&= -\frac{C(e + fx)^2\sqrt{1-d^2x^2}}{3d^2f} - \frac{\left(2\left(3d^2f(Be + Af) - \frac{1}{2}C(2d^2e^2 - 4f^2)\right) - d^2f(Ce - 3Bf)x\right)}{6d^4f}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 88, normalized size = 0.68

$$\frac{3d \sin^{-1}(dx) \left(2Ad^2e + Bf + Ce\right) - \sqrt{1-d^2x^2} \left(6Ad^2f + 3Bd^2(2e + fx) + C \left(3d^2ex + 2d^2fx^2 + 4f\right)\right)}{6d^4}$$

Antiderivative was successfully verified.

```

[In] Integrate[((e + f*x)*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
[Out] 
$$\frac{(-(\text{Sqrt}[1 - d^2 x^2] * (6 A d^2 f + 3 B d^2 (2 e + f x) + C (4 f + 3 d^2 e x + 2 d^2 f x^2))) + 3 d (C e + 2 A d^2 e + B f) \text{ArcSin}[d x]) / (6 d^4)}$$


```

IntegrateAlgebraic [B] time = 0.26, size = 275, normalized size = 2.12

$$\frac{\tan^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}}\right)(-2Ad^2e - Bf - Ce)}{d^3} - \frac{\sqrt{1-dx} \left(\frac{12Ad^2f(1-dx)}{dx+1} + \frac{6Ad^2e(1-dx)^2}{(dx+1)^2} + 6Ad^2f + \frac{12Bd^2e(1-dx)}{dx+1} + \frac{6Bd^2e(1-dx)^2}{(dx+1)^2} + 6Bd^2e - \frac{3Bdf(1-dx)^2}{(dx+1)^2} + 3Bdf - \frac{3Cde(1-dx)^2}{(dx+1)^2} + 3Cde + \frac{4Cf(1-dx)}{dx+1} + \frac{6Cf(1-dx)^2}{(dx+1)^2} + 6Cf\right)}{3d^4\sqrt{dx+1}\left(\frac{1-dx}{dx+1} + 1\right)^3}$$

Antiderivative was successfully verified.

[In] `IntegrateAlgebraic[((e + f*x)*(A + B*x + C*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]),x]`

[Out]
$$\frac{-1/3*(\text{Sqrt}[1 - d*x]*(3*C*d*e + 6*B*d^2*e + 6*C*f + 3*B*d*f + 6*A*d^2*f - (3*C*d*e*(1 - d*x)^2)/(1 + d*x)^2 + (6*B*d^2*e*(1 - d*x)^2)/(1 + d*x)^2 + (6*C*f*(1 - d*x)^2)/(1 + d*x)^2 - (3*B*d*f*(1 - d*x)^2)/(1 + d*x)^2 + (6*A*d^2*f*(1 - d*x)^2)/(1 + d*x)^2 + (12*B*d^2*e*(1 - d*x))/(1 + d*x) + (4*C*f*(1 - d*x))/(1 + d*x) + (12*A*d^2*f*(1 - d*x))/(1 + d*x)))/(d^4*\text{Sqrt}[1 + d*x]*(1 + (1 - d*x)/(1 + d*x))^3) + ((-(C*e) - 2*A*d^2*e - B*f)*\text{ArcTan}[\text{Sqrt}[1 - d*x]/\text{Sqrt}[1 + d*x]])/d^3}{6}$$

fricas [A] time = 0.96, size = 114, normalized size = 0.88

$$\frac{(2Cd^2fx^2 + 6Bd^2e + 2(3Ad^2 + 2C)f + 3(Cd^2e + Bd^2f)x)\sqrt{dx+1}\sqrt{-dx+1} + 6(Bdf + (2Ad^3 + Cd)e)\arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}-1}{dx}\right)}{6d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")`

[Out]
$$\frac{-1/6*((2*C*d^2*f*x^2 + 6*B*d^2*e + 2*(3*A*d^2 + 2*C)*f + 3*(C*d^2*e + B*d^2*f)*x)*\sqrt{d*x+1}\sqrt{-d*x+1} + 6*(B*d*f + (2*A*d^3 + C*d)*e)*\arctan((\sqrt{d*x+1}\sqrt{-d*x+1}-1)/(d*x)))/d^4}{6}$$

giac [A] time = 1.31, size = 146, normalized size = 1.12

$$\frac{\sqrt{dx+1}\sqrt{-dx+1}\left((dx+1)\left(\frac{2(dx+1)Cf}{d^3} + \frac{3Bd^{10}f+3Cd^{10}e-4Cd^9f}{d^{12}}\right) + \frac{3(2Ad^{11}f+2Bd^{11}e-Bd^{10}f-Cd^{10}e+2Cd^9f)}{d^{12}}\right) - \frac{6(2Ad^2e+Bf+Ce)\arcsin\left(\frac{1}{2}\sqrt{2}\sqrt{dx+1}\right)}{d^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")`

[Out]
$$\frac{-1/6*(\sqrt{d*x+1}\sqrt{-d*x+1}*((d*x+1)*(2*(d*x+1)*C*f/d^3 + (3*B*d^10*f + 3*C*d^10*e - 4*C*d^9*f)/d^12) + 3*(2*A*d^11*f + 2*B*d^11*e - B*d^10*f - C*d^10*e + 2*C*d^9*f)/d^12) - 6*(2*A*d^2*e + B*f + C*e)*\arcsin(1/2*\sqrt{2}*\sqrt{d*x+1})/d^2)/d}{6}$$

maple [C] time = 0.02, size = 235, normalized size = 1.81

$$\frac{\sqrt{-dx+1}\sqrt{dx+1}\left(2\sqrt{-d^2x^2+1}Cd^2fx^2\operatorname{csgn}(d)-6Ad^3e\arctan\left(\frac{dx\operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right)+3\sqrt{-d^2x^2+1}Bd^2fx\operatorname{csgn}(d)+3\sqrt{-d^2x^2+1}Cd^2ex\operatorname{csgn}(d)+6\sqrt{-d^2x^2+1}Ad^2f\operatorname{csgn}(d)-3Bdf\arctan\left(\frac{dx\operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right)-3Cdfe\arctan\left(\frac{dx\operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right)+4\sqrt{-d^2x^2+1}Cf\operatorname{csgn}(d)\operatorname{csgn}(d)\right)}{6\sqrt{-d^2x^2+1}d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)`

[Out]
$$\begin{aligned} & -\frac{1}{6}(-d*x+1)^{(1/2)}*(d*x+1)^{(1/2)}*(2*(-d^2*x^2+1)^{(1/2})*C*d^2*f*x^2*csgn(d) \\ & +3*(-d^2*x^2+1)^{(1/2})*B*d^2*f*x*csgn(d)+3*(-d^2*x^2+1)^{(1/2})*C*d^2*e*x*csgn \\ & (d)+6*(-d^2*x^2+1)^{(1/2})*A*d^2*f*csgn(d)-6*A*d^3*arctan(1/(-d^2*x^2+1)^{(1/2})*d*x*csgn(d))+6*(-d^2*x^2+1)^{(1/2})*B*d^2*e*csgn(d)-3*B*d*f*arctan(1/(-d^2*x^2+1)^{(1/2})*d*x*csgn(d))+4*(-d^2*x^2+1)^{(1/2})*C*f*csgn(d)-3*C*d*e*arctan \\ & (1/(-d^2*x^2+1)^{(1/2})*d*x*csgn(d)))*csgn(d)/d^4/(-d^2*x^2+1)^{(1/2}) \end{aligned}$$

maxima [A] time = 1.31, size = 131, normalized size = 1.01

$$-\frac{\sqrt{-d^2x^2+1}Cx^2}{3d^2}+\frac{Ae\arcsin(dx)}{d}-\frac{\sqrt{-d^2x^2+1}Be}{d^2}-\frac{\sqrt{-d^2x^2+1}Af}{d^2}-\frac{\sqrt{-d^2x^2+1}(Ce+Bf)x}{2d^2}+\frac{(Ce+Bf)\arcsin(dx)}{2d^3}-\frac{2\sqrt{-d^2x^2+1}Cf}{3d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*(C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -\frac{1}{3}\sqrt{-d^2*x^2+1}*C*f*x^2/d^2+A*e*\arcsin(d*x)/d-\sqrt{-d^2*x^2+1} \\ &)*B*e/d^2-\sqrt{-d^2*x^2+1}*A*f/d^2-1/2*\sqrt{-d^2*x^2+1}*(C*e+B*f) \\ & *x/d^2+1/2*(C*e+B*f)*\arcsin(d*x)/d^3-2/3*\sqrt{-d^2*x^2+1}*C*f/d^4 \end{aligned}$$

mupad [B] time = 12.86, size = 492, normalized size = 3.78

$$\begin{aligned} & \frac{2Bf\left(\sqrt{d^2x^2-1}\right)}{d^2x^2-1}-\frac{14Bf\left(\sqrt{d^2x^2-1}\right)^3}{\left(d^2x^2-1\right)^2}+\frac{14Bf\left(\sqrt{d^2x^2-1}\right)^5}{\left(d^2x^2-1\right)^3}-\frac{2Bf\left(\sqrt{d^2x^2-1}\right)^7}{\left(d^2x^2-1\right)^4}-\frac{\sqrt{1-dx}}{\sqrt{dx+1}}\left(\frac{2Cf}{d^2}+\frac{2Cfx}{d^3}+\frac{Cf^2}{d^4}+\frac{Cf^3}{d^5}\right)+\frac{2Cx\left(\sqrt{1-dx}\right)}{\sqrt{dx+1}}-\frac{14Cx\left(\sqrt{1-dx}\right)^3}{\left(d^2x^2-1\right)^2}-\frac{14Cx\left(\sqrt{1-dx}\right)^5}{\left(d^2x^2-1\right)^3}-\frac{2Cx\left(\sqrt{1-dx}\right)^7}{\left(d^2x^2-1\right)^4}-\frac{\left(\frac{A}{d^2}+\frac{Af}{d^3}\right)\sqrt{1-dx}}{\sqrt{dx+1}}-\frac{\left(\frac{B}{d^2}+\frac{Bf}{d^3}\right)\sqrt{1-dx}}{\sqrt{dx+1}}-\frac{4A\arctan\left(\frac{d\left(\sqrt{1-dx}\right)}{\left(\sqrt{dx+1}\right)\sqrt{d^2}}\right)}{\sqrt{d^2}}-\frac{2B\arctan\left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}}\right)}{d^2}-\frac{2C\arctan\left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}}\right)}{d^2} \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((e+f*x)*(A+B*x+C*x^2))/((1-d*x)^(1/2)*(d*x+1)^(1/2)),x)`

[Out]
$$\begin{aligned} & ((2*B*f*((1-d*x)^(1/2)-1))/((d*x+1)^(1/2)-1)-(14*B*f*((1-d*x)^(1/2)-1)^3)/((d*x+1)^(1/2)-1)^3+(14*B*f*((1-d*x)^(1/2)-1)^5)/((d*x+1)^(1/2)-1)^5-(2*B*f*((1-d*x)^(1/2)-1)^7)/((d*x+1)^(1/2)-1)^7)/((d*x+1)^(1/2)-1)^7/(d^3*((1-d*x)^(1/2)-1)^2/((d*x+1)^(1/2)-1)^2+1)^4)-((1-d*x)^(1/2)*((2*C*f)/(3*d^4)+(2*C*f*x)/(3*d^3)+(C*f*x^3)/(3*d)+(C*f*x^2)/(3*d^2)))/((d*x+1)^(1/2)+((2*C*e*((1-d*x)^(1/2)-1))/((d*x+1)^(1/2)-1))-((14*C*e*((1-d*x)^(1/2)-1)^3)/((d*x+1)^(1/2)-1)^3+(14*C*e*((1-d*x)^(1/2)-1)^5)/((d*x+1)^(1/2)-1)^5-(2*C*e*((1-d*x)^(1/2)-1)^7)/((d*x+1)^(1/2)-1)^7)/((d*x+1)^(1/2)-1)^7/(d^3*((1-d*x)^(1/2)-1)^2/((d*x+1)^(1/2)-1)^2+1)^4)-(((A*f)/d^2+(A*f*x)/d)*(1-d*x)^(1/2))/(d*x+1)^(1/2)-(4*A*e*atan((d*((1-d*x)^(1/2)-1))/(((d*x+1)^(1/2)-1)*(d^2)^(1/2))))/(d^2)^(1/2)-(2*B*f*atan(((1-d*x)^(1/2)-1)/((d*x+1)^(1/2)-1)))/d^3-(2*C*e*atan(((1-d*x)^(1/2)-1)/((d*x+1)^(1/2)-1)))/d^3 \end{aligned}$$

sympy [C] time = 158.08, size = 617, normalized size = 4.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*(C*x**2+B*x+A)/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)

[Out] -I*A*e*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d) + A*e*meijerg((( -1/2, -1/4, 0, 1/4, 1/2, 1), (), (( -1/4, 1/4), (-1/2, 0, 0, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d) - I*A*f*meijerg((( -1/4, 1/4), (0, 0, 1/2, 1)), (( -1/2, -1/4, 0, 1/4, 1/2, 0), (), 1/(d**2*x**2))/(4*pi**(3/2)*d**2) - A*f*meijerg((( -1, -3/4, -1/2, -1/4, 0, 1), (), (( -3/4, -1/4), (-1, -1/2, -1/2, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**2) - I*B*e*meijerg((( -1/4, 1/4), (0, 0, 1/2, 1)), (( -1/2, -1/4, 0, 1/4, 1/2, 0), (), 1/(d**2*x**2))/(4*pi**(3/2)*d**2) - B*e*meijerg((( -1, -3/4, -1/2, -1/4, 0, 1), (), (( -3/4, -1/4), (-1, -1/2, -1/2, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**2) - I*B*f*meijerg((( -3/4, -1/4), (-1/2, -1/2, 0, 1)), (( -1, -3/4, -1/2, -1/4, 0, 0), (), 1/(d**2*x**2))/(4*pi**(3/2)*d**3) + B*f*meijerg((( -3/2, -5/4, -1, -3/4, -1/2, 1), (), (( -5/4, -3/4), (-3/2, -1, -1, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**3) - I*C*e*meijerg((( -3/4, -1/4), (-1/2, -1/2, 0, 1)), (( -1, -3/4, -1/2, -1/4, 0, 0), (), 1/(d**2*x**2))/(4*pi**(3/2)*d**3) + C*e*meijerg((( -3/2, -5/4, -1, -3/4, -1/2, 1), (), (( -5/4, -3/4), (-3/2, -1, -1, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**3) - I*C*f*meijerg((( -5/4, -3/4), (-1, -1, -1/2, 1)), (( -3/2, -5/4, -1, -3/4, -1/2, 0), (), 1/(d**2*x**2))/(4*pi**(3/2)*d**4) - C*f*meijerg((( -2, -7/4, -3/2, -5/4, -1, 1), (), (( -7/4, -5/4), (-2, -3/2, -3/2, 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**4)
```

3.11 $\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx}} dx$

Optimal. Leaf size=63

$$\frac{(2Ad^2 + C) \sin^{-1}(dx)}{2d^3} - \frac{B\sqrt{1-d^2x^2}}{d^2} - \frac{Cx\sqrt{1-d^2x^2}}{2d^2}$$

Rubi [A] time = 0.06, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.133, Rules used = {899, 1815, 641, 216}

$$\frac{(2Ad^2 + C) \sin^{-1}(dx)}{2d^3} - \frac{B\sqrt{1-d^2x^2}}{d^2} - \frac{Cx\sqrt{1-d^2x^2}}{2d^2}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
[Out] -((B*Sqrt[1 - d^2*x^2])/d^2) - (C*x*Sqrt[1 - d^2*x^2])/(2*d^2) + ((C + 2*A*d^2)*ArcSin[d*x])/(2*d^3)
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 641

```
Int[((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[(e*(a +
c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 899

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_)^(n_))*((a_) + (b_)*(x_) +
(c_)*(x_)^2)^(p_), x_Symbol] :> Int[(d*f + e*g*x^2)^m*(a + b*x + c*x^2)^p, x] /;
FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e*f + d*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))
```

Rule 1815

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :> With[{q = Expon[Pq, x],
e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*(q +
2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSu
m[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x]
```

```
], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{1-dx}\sqrt{1+dx}} dx &= \int \frac{A + Bx + Cx^2}{\sqrt{1-d^2x^2}} dx \\
&= -\frac{Cx\sqrt{1-d^2x^2}}{2d^2} - \frac{\int \frac{-C-2Ad^2-2Bd^2x}{\sqrt{1-d^2x^2}} dx}{2d^2} \\
&= -\frac{B\sqrt{1-d^2x^2}}{d^2} - \frac{Cx\sqrt{1-d^2x^2}}{2d^2} - \frac{(-C-2Ad^2)\int \frac{1}{\sqrt{1-d^2x^2}} dx}{2d^2} \\
&= -\frac{B\sqrt{1-d^2x^2}}{d^2} - \frac{Cx\sqrt{1-d^2x^2}}{2d^2} + \frac{(C+2Ad^2)\sin^{-1}(dx)}{2d^3}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 45, normalized size = 0.71

$$\frac{(2Ad^2+C)\sin^{-1}(dx) - d\sqrt{1-d^2x^2}(2B+Cx)}{2d^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
```

```
[Out]  $\frac{(-d(2B + Cx)\sqrt{1 - d^2x^2}) + (C + 2A*d^2)\text{ArcSin}[d*x]}{2d^3}$ 
```

IntegrateAlgebraic [A] time = 0.14, size = 117, normalized size = 1.86

$$\frac{(-2Ad^2-C)\tan^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}}\right)}{d^3} - \frac{\sqrt{1-dx}\left(\frac{2Bd(1-dx)}{dx+1} + 2Bd - \frac{C(1-dx)}{dx+1} + C\right)}{d^3\sqrt{dx+1}\left(\frac{1-dx}{dx+1} + 1\right)^2}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
```

```
[Out]  $\frac{-((\sqrt{1 - d*x}*(C + 2*B*d - (C*(1 - d*x))/(1 + d*x) + (2*B*d*(1 - d*x))/(1 + d*x)))/(d^3*\sqrt{1 + d*x}*(1 + (1 - d*x)/(1 + d*x))^2) + ((-C - 2*A*d^2)*\text{ArcTan}[\sqrt{1 - d*x}/\sqrt{1 + d*x}])}{d^3}$ 
```

fricas [A] time = 1.45, size = 67, normalized size = 1.06

$$-\frac{(Cd x + 2 Bd) \sqrt{d x + 1} \sqrt{-d x + 1} + 2 (2 A d^2 + C) \arctan\left(\frac{\sqrt{d x + 1} \sqrt{-d x + 1} - 1}{d x}\right)}{2 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")`

[Out] $-1/2*((C*d*x + 2*B*d)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} + 2*(2*A*d^2 + C)*\arctan((\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 1)/(d*x)))/d^3$

giac [A] time = 1.29, size = 76, normalized size = 1.21

$$-\frac{\sqrt{d x + 1} \sqrt{-d x + 1} \left(\frac{(d x + 1) C}{d^2} + \frac{2 B d^5 - C d^4}{d^6}\right) - \frac{2 (2 A d^2 + C) \arcsin\left(\frac{1}{2} \sqrt{2} \sqrt{d x + 1}\right)}{d^2}}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")`

[Out] $-1/2*(\sqrt{d*x + 1}*\sqrt{-d*x + 1}*((d*x + 1)*C/d^2 + (2*B*d^5 - C*d^4)/d^6) - 2*(2*A*d^2 + C)*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1}))/d^2$

maple [C] time = 0.02, size = 117, normalized size = 1.86

$$\frac{\sqrt{-d x + 1} \sqrt{d x + 1} \left(2 A d^2 \arctan\left(\frac{d x \operatorname{csgn}(d)}{\sqrt{-d^2 x^2 + 1}}\right) - \sqrt{-d^2 x^2 + 1} C d x \operatorname{csgn}(d) - 2 \sqrt{-d^2 x^2 + 1} B d \operatorname{csgn}(d) + C \arctan\left(\frac{d x \operatorname{csgn}(d)}{\sqrt{-d^2 x^2 + 1}}\right) \operatorname{csgn}(d)\right)}{2 \sqrt{-d^2 x^2 + 1} d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)`

[Out] $1/2*(-d*x + 1)^(1/2)*(d*x + 1)^(1/2)/d^3*(2*A*d^2*\arctan(1/(-d^2*x^2 + 1)^(1/2)*d*x*csgn(d)) - (-d^2*x^2 + 1)^(1/2)*C*d*x*csgn(d) - 2*(-d^2*x^2 + 1)^(1/2)*B*d*csgn(d) + C*\arctan(1/(-d^2*x^2 + 1)^(1/2)*d*x*csgn(d)))/(-d^2*x^2 + 1)^(1/2)*csgn(d)$

maxima [A] time = 1.42, size = 57, normalized size = 0.90

$$\frac{A \arcsin(dx)}{d} - \frac{\sqrt{-d^2 x^2 + 1} C x}{2 d^2} - \frac{\sqrt{-d^2 x^2 + 1} B}{d^2} + \frac{C \arcsin(dx)}{2 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")`

[Out] $A \arcsin(d*x)/d - 1/2\sqrt{-d^2*x^2 + 1)*C*x/d^2 - \sqrt{-d^2*x^2 + 1)*B/d^2} + 1/2*C*\arcsin(d*x)/d^3$

mupad [B] time = 7.53, size = 232, normalized size = 3.68

$$\begin{aligned} & -\frac{\frac{14C(\sqrt{1-dx}-1)^3}{(\sqrt{dx+1}-1)^3} - \frac{14C(\sqrt{1-dx}-1)^5}{(\sqrt{dx+1}-1)^5} + \frac{2C(\sqrt{1-dx}-1)^7}{(\sqrt{dx+1}-1)^7} - \frac{2C(\sqrt{1-dx}-1)}{\sqrt{dx+1}-1}}{d^3 \left(\frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} + 1 \right)^4} - \frac{4A \operatorname{atan}\left(\frac{d(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)\sqrt{d^2}} \right)}{\sqrt{d^2}} - \frac{2C \operatorname{atan}\left(\frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1} \right)}{d^3} - \frac{\sqrt{1-dx} \left(\frac{B}{d^2} + \frac{Bx}{d} \right)}{\sqrt{dx+1}} \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}((A + B*x + C*x^2)/((1 - d*x)^(1/2)*(d*x + 1)^(1/2)), x)$

[Out] $- ((14*C*((1 - d*x)^(1/2) - 1)^3)/((d*x + 1)^(1/2) - 1)^3 - (14*C*((1 - d*x)^(1/2) - 1)^5)/((d*x + 1)^(1/2) - 1)^5 + (2*C*((1 - d*x)^(1/2) - 1)^7)/((d*x + 1)^(1/2) - 1)^7 - (2*C*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1)) / (d^3 * (((1 - d*x)^(1/2) - 1)^2 / ((d*x + 1)^(1/2) - 1)^2 + 1)^4) - (4*A*atan((d*(1 - d*x)^(1/2) - 1)) / (((d*x + 1)^(1/2) - 1)*(d^2)^(1/2))) / (d^2)^(1/2) - (2*C*atan((1 - d*x)^(1/2) - 1) / ((d*x + 1)^(1/2) - 1)) / d^3 - ((1 - d*x)^(1/2)*(B/d^2 + (B*x)/d)) / (d*x + 1)^(1/2)$

sympy [C] time = 49.74, size = 282, normalized size = 4.48

$$\begin{aligned} & -\frac{iAG_{6,6}^{6,2} \left[\begin{matrix} \frac{1}{4}, \frac{3}{4}, \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{1}{2}, 1, 1 \end{matrix} \middle| \frac{1}{d^2*x^2} \right]}{4\pi^{\frac{3}{2}}d} + \frac{AG_{6,6}^{2,6} \left[\begin{matrix} \frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4}, -\frac{1}{2}, 0, 0, 0 \end{matrix} \middle| \frac{e^{2ix}}{d^2*x^2} \right]}{4\pi^{\frac{3}{2}}d^2} - \frac{iBG_{6,6}^{6,2} \left[\begin{matrix} \frac{1}{4}, \frac{1}{4}, 0, 0, \frac{1}{2}, 1 \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \middle| \frac{e^{2ix}}{d^2*x^2} \right]}{4\pi^{\frac{3}{2}}d^2} - \frac{BG_{6,6}^{2,6} \left[\begin{matrix} -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{2}, 0, 1 \\ -\frac{3}{4}, -\frac{1}{4}, -1, -\frac{1}{2}, -\frac{1}{2}, 0, 0 \end{matrix} \middle| \frac{e^{2ix}}{d^2*x^2} \right]}{4\pi^{\frac{3}{2}}d^2} - \frac{iCC_{6,6}^{6,2} \left[\begin{matrix} -\frac{3}{4}, -\frac{1}{4}, -\frac{1}{2}, 0, 1 \\ -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{2}, 0, 0 \end{matrix} \middle| \frac{1}{d^2*x^2} \right]}{4\pi^{\frac{3}{2}}d^3} + \frac{CG_{6,6}^{2,6} \left[\begin{matrix} \frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 1 \\ -\frac{5}{4}, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{2}, -1, -1, 0 \end{matrix} \middle| \frac{e^{2ix}}{d^2*x^2} \right]}{4\pi^{\frac{3}{2}}d^3} \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((C*x**2+B*x+A)/(-d*x+1)**(1/2)/(d*x+1)**(1/2), x)$

[Out] $-I*A*\operatorname{meijerg}(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), (), 1/(d**2*x**2))/(4*pi**3/2*d) + A*\operatorname{meijerg}(((-1/2, -1/4, 0, 1/4, 1/2, 1), (), (-1/4, 1/4), (-1/2, 0, 0, 0)), \operatorname{exp_polar}(-2*I*pi)/(d**2*x**2))/(4*pi**3/2*d) - I*B*\operatorname{meijerg}((-1/4, 1/4), (0, 0, 1/2, 1), ((-1/2, -1/4, 0, 1/4, 1/2, 0), (), 1/(d**2*x**2))/(4*pi**3/2*d**2) - B*\operatorname{meijerg}((-1, -3/4, -1/2, -1/4, 0, 1), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), \operatorname{exp_polar}(-2*I*pi)/(d**2*x**2))/(4*pi**3/2*d**2) - I*C*\operatorname{meijerg}((-3/4, -1/4), (-1/2, -1/2, 0, 1), ((-1, -3/4, -1/2, -1/4, 0, 0), (), 1/(d**2*x**2))/(4*pi**3/2*d**3) + C*\operatorname{meijerg}((-3/2, -5/4, -1, -3/4, -1/2, 1), (), ((-5/4, -3/4, -3/2, -1, -1, 0)), \operatorname{exp_polar}(-2*I*pi)/(d**2*x**2))/(4*pi**3/2*d**3)$

$$3.12 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)} dx$$

Optimal. Leaf size=122

$$\frac{(Af^2 - Bef + Ce^2) \tan^{-1} \left(\frac{d^2 ex + f}{\sqrt{1-d^2 x^2} \sqrt{d^2 e^2 - f^2}} \right)}{f^2 \sqrt{d^2 e^2 - f^2}} - \frac{\sin^{-1}(dx)(Ce - Bf)}{df^2} - \frac{C \sqrt{1-d^2 x^2}}{d^2 f}$$

Rubi [A] time = 0.28, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.162, Rules used = {1609, 1654, 844, 216, 725, 204}

$$\frac{(Af^2 - Bef + Ce^2) \tan^{-1} \left(\frac{d^2 ex + f}{\sqrt{1-d^2 x^2} \sqrt{d^2 e^2 - f^2}} \right)}{f^2 \sqrt{d^2 e^2 - f^2}} - \frac{\sin^{-1}(dx)(Ce - Bf)}{df^2} - \frac{C \sqrt{1-d^2 x^2}}{d^2 f}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)), x]
[Out] -((C*Sqrt[1 - d^2*x^2])/(d^2*f)) - ((C*e - B*f)*ArcSin[d*x])/(d*f^2) + ((C*
e^2 - B*e*f + A*f^2)*ArcTan[(f + d^2*e*x)/(Sqrt[d^2*e^2 - f^2]*Sqrt[1 - d^2
*x^2]))]/(f^2*Sqrt[d^2*e^2 - f^2])
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
```

```
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_.))^m_*((c_.) + (d_.)*(x_.))^n_*((e_.) + (f_.)*(x_.))^p_, x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_.)*(x_.))^m_*((a_.) + (c_.)*(x_.)^2)^p_, x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^m + q*(a + c*x^2)^p)/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{1-dx}\sqrt{1+dx}(e+fx)} dx &= \int \frac{A + Bx + Cx^2}{(e+fx)\sqrt{1-d^2x^2}} dx \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{\int \frac{-Ad^2f^2+d^2f(Ce-Bf)x}{(e+fx)\sqrt{1-d^2x^2}} dx}{d^2f^2} \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{(Ce-Bf)\int \frac{1}{\sqrt{1-d^2x^2}} dx}{f^2} + \frac{(Ce^2-Bef+Af^2)\int \frac{1}{(e+fx)\sqrt{1-d^2x^2}} dx}{f^2} \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{(Ce-Bf)\sin^{-1}(dx)}{df^2} - \frac{(Ce^2-Bef+Af^2)\text{Subst}\left(\int \frac{1}{\sqrt{1-d^2e^2+f^2}} dx\right)}{f^2} \\
&= -\frac{C\sqrt{1-d^2x^2}}{d^2f} - \frac{(Ce-Bf)\sin^{-1}(dx)}{df^2} + \frac{(Ce^2-Bef+Af^2)\tan^{-1}\left(\frac{f+d^2ex}{\sqrt{d^2e^2-f^2}}\right)}{f^2\sqrt{d^2e^2-f^2}}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 117, normalized size = 0.96

$$\frac{\frac{(f(Af-Be)+Ce^2) \tan^{-1}\left(\frac{d^2 ex+f}{\sqrt{1-d^2 x^2} \sqrt{d^2 e^2-f^2}}\right)}{\sqrt{d^2 e^2-f^2}}+\frac{\sin^{-1}(dx)(Bf-Ce)}{d}-\frac{C f \sqrt{1-d^2 x^2}}{d^2}}{f^2}$$

Antiderivative was successfully verified.

[In] `Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)), x]`

[Out] $\left(-((C*f*Sqrt[1 - d^2*x^2])/d^2) + ((-(C*e) + B*f)*ArcSin[d*x])/d + ((C*e^2 + f*(-(B*e) + A*f))*ArcTan[(f + d^2*e*x)/(Sqrt[d^2*e^2 - f^2]*Sqrt[1 - d^2*x^2])])/Sqrt[d^2*e^2 - f^2] \right)/f^2$

IntegrateAlgebraic [A] time = 0.00, size = 177, normalized size = 1.45

$$\frac{2 (A f^2 - B e f + C e^2) \tan^{-1}\left(\frac{\sqrt{1-dx} \sqrt{-de-f} \sqrt{f-de}}{\sqrt{dx+1} (de+f)}\right)}{f^2 \sqrt{-de-f} \sqrt{f-de}} - \frac{2 \tan^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}}\right) (B f - C e)}{d f^2} - \frac{2 C \sqrt{1-dx}}{d^2 f \sqrt{dx+1} \left(\frac{1-dx}{dx+1} + 1\right)}$$

Antiderivative was successfully verified.

[In] `IntegrateAlgebraic[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)), x]`

[Out] $\left(-2*C*Sqrt[1 - d*x]/(d^2*f*Sqrt[1 + d*x]*(1 + (1 - d*x)/(1 + d*x))) - (2*(-(C*e) + B*f)*ArcTan[Sqrt[1 - d*x]/Sqrt[1 + d*x]])/(d*f^2) - (2*(C*e^2 - B*e*f + A*f^2)*ArcTan[(Sqrt[-(d*e) - f]*Sqrt[-(d*e) + f]*Sqrt[1 - d*x])/((d*e + f)*Sqrt[1 + d*x])])/(Sqrt[-(d*e) - f]*f^2*Sqrt[-(d*e) + f]) \right)$

fricas [B] time = 19.36, size = 493, normalized size = 4.04

$$\boxed{\frac{\left(C d^2 e^2 - B d^2 f^2 + A d^2 f^2\right) \sqrt{d^2 e^2 + f^2} \log\left(\frac{d^2 e^{1/2} x - \sqrt{d^2 e^2 + f^2} \left(d^{1/2} x + \left(\frac{\sqrt{d^2 e^2 + f^2}}{d^{1/2}} x^2 + \left(\frac{d^2 e^2}{d^{1/2}}\right)^{1/2} x\right) \sqrt{d^{1/2} x^3}}}{d^{1/2} x^3}\right)}{d^{5/2} f^2 - d^{1/2} f^4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x, algorithm="fricas")`

[Out] $\left[-((C*d^2*e^2 - B*d^2*e*f + A*d^2*f^2)*sqrt(-d^2*e^2 + f^2)*log((d^2*e*f*x + f^2 - sqrt(-d^2*e^2 + f^2)*(d^2*e*x + f) - (sqrt(-d^2*e^2 + f^2)*sqrt(-d*x + 1)*f + (d^2*e^2 - f^2)*sqrt(-d*x + 1)*sqrt(d*x + 1))/sqrt(d*x + 1)))*sqrt(d*x + 1)/(f*x + e)) + (C*d^2*e^2*f - C*f^3)*sqrt(d*x + 1)*sqrt(-d*x + 1) - 2*(C*d^3*e^3 - B*d^3*e^2*f + A*f^2*f^2)*arctan\left(\frac{\sqrt{d*x - 1} \sqrt{d*x + 1} \sqrt{d*x^2 - f^2}}{(d*x - 1)^{3/2}}\right) - (C*d^2*f^2 - C*f^4)*sqrt(d*x + 1) \sqrt{d*x + 1} + 2*(C*d^2*x^3 - B*d^2*x^2*f - C*d*x^2 + B*f^2)*arctan\left(\frac{\sqrt{d*x - 1} \sqrt{d*x + 1}}{d*x}\right) \right] / (d^4*x^2*f^2 - d^2*f^4)$

```

-f^2)*arctan(-(sqrt(d^2*e^2 - f^2)*sqrt(d*x + 1)*sqrt(-d*x + 1)*e - sqrt(
d^2*e^2 - f^2)*(f*x + e))/((d^2*e^2 - f^2)*x)) - (C*d^2*e^2*f - C*f^3)*sqrt(
d*x + 1)*sqrt(-d*x + 1) + 2*(C*d^3*e^3 - B*d^3*e^2*f - C*d*e*f^2 + B*d*f^3
)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/(d^4*e^2*f^2 - d^2*f^4)
]

```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Undef/Unsigned Inf encountered in limit

maple [C] time = 0.00, size = 373, normalized size = 3.06

$$\frac{\left(-A d^2 f^2 \text{csgn}(d) \ln \left(\frac{2 \beta c x+2 \sqrt{-\beta^2 x^2+1} \sqrt{\frac{\beta^2 d^2-f^2}{f^2}} f+2 f}{f \text{csgn}(d)}\right)+B d^2 e f \text{csgn}(d) \ln \left(\frac{2 \beta c x+2 \sqrt{-\beta^2 x^2+1} \sqrt{\frac{\beta^2 d^2-f^2}{f^2}} f+2 f}{f \text{csgn}(d)}\right)-C d^2 e^2 \text{csgn}(d) \ln \left(\frac{2 \beta c x+2 \sqrt{-\beta^2 x^2+1} \sqrt{\frac{\beta^2 d^2-f^2}{f^2}} f+2 f}{f \text{csgn}(d)}\right)+\sqrt{-\frac{\beta^2 d^2-f^2}{f^2}} B d f^2 \arctan \left(\frac{d x \text{csgn}(d)}{\sqrt{\beta^2 x^2+1}}\right)-\sqrt{-\frac{\beta^2 d^2-f^2}{f^2}} C d e f \arctan \left(\frac{d x \text{csgn}(d)}{\sqrt{\beta^2 x^2+1}}\right)-\sqrt{-d^2 x^2+1} \sqrt{-\frac{\beta^2 d^2-f^2}{f^2}} C f^2 \text{csgn}(d)\right) \sqrt{-d x+1} \sqrt{d x+1} \text{csgn}(d)}{\sqrt{-\frac{\beta^2 d^2-f^2}{f^2}} \sqrt{-d^2 x^2+1} f^2 f^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)

[Out] (-A*d^2*f^2*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+e))/((f*x+e))+B*d^2*e*f*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+e))/((f*x+e))-C*d^2*e^2*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+e))/((f*x+e))+(-(d^2*e^2-f^2)/f^2)^(1/2)*B*d*f^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))-(-(d^2*e^2-f^2)/f^2)^(1/2)*C*d*e*f*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))-(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*C*f^2*csgn(d)*(-d*x+1)^(1/2)*(d*x+1)^(1/2)/(-(d^2*e^2-f^2)/f^2)^(1/2)/(-d^2*x^2+1)^(1/2)/d^2/f^3*csgn(d))

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may h

elp (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more details)Is $f-d*e$ positive, negative or zero?

mupad [B] time = 0.01, size = 5803, normalized size = 47.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)), x)

[Out] (4*C*e*atan((37748736*C^5*d^4*e^10*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) - 1)*(37748736*C^5*d^4*e^10 + 67108864*C^5*e^6*f^4 - 100663296*C^5*d^2*e^8*f^2)) + (67108864*C^5*e^6*f^4*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) - 1)*(37748736*C^5*d^4*e^10 + 67108864*C^5*e^6*f^4 - 100663296*C^5*d^2*e^8*f^2)) - (100663296*C^5*d^2*e^8*f^2*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) - 1)*(37748736*C^5*d^4*e^10 + 67108864*C^5*e^6*f^4 - 100663296*C^5*d^2*e^8*f^2)))/(d*f^2) - (4*B*atan((67108864*B^5*e*f^4*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) - 1)*(67108864*B^5*e*f^4 + 37748736*B^5*d^4*e^5 - 100663296*B^5*d^2*e^3*f^2)) + (37748736*B^5*d^4*e^5*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) - 1)*(67108864*B^5*e*f^4 + 37748736*B^5*d^4*e^5 - 100663296*B^5*d^2*e^3*f^2)) - (100663296*B^5*d^2*e^3*f^2*((1 - d*x)^(1/2) - 1))/(((d*x + 1)^(1/2) - 1)*(67108864*B^5*e*f^4 + 37748736*B^5*d^4*e^5 - 100663296*B^5*d^2*e^3*f^2)))/(d*f) - (8*C*((1 - d*x)^(1/2) - 1)^2)/(f*((d*x + 1)^(1/2) - 1)^2*(d^2 + 2*d^2*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 + (d^2*((1 - d*x)^(1/2) - 1)^4)/((d*x + 1)^(1/2) - 1)^4)) - (A*atan((f^2*1i - d^2*e^2*1i - (f^2*((1 - d*x)^(1/2) - 1)^2*1i)/((d*x + 1)^(1/2) - 1)^2 + (d^2*e^2*((1 - d*x)^(1/2) - 1)^2*1i)/((d*x + 1)^(1/2) - 1)^2)/(f*(f + d*e)^(1/2)*(f - d*e)^(1/2) - (f*((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(1/2)*(f - d*e)^(1/2))/((d*x + 1)^(1/2) - 1)^2 + (2*d*e*((1 - d*x)^(1/2) - 1)*(f + d*e)^(1/2)*(f - d*e)^(1/2))/((d*x + 1)^(1/2) - 1)^4)*(2i)/(f + d*e)^(1/2)*(f - d*e)^(1/2)) - (C*e^2*atan((C*e^2*((4096*(32*C^3*e^5*f^3 + 24*C^3*d^2*e^7*f))/((d*f)^4) - (4096*((1 - d*x)^(1/2) - 1)^2*(32*C^3*e^5*f^3 - 96*C^3*d^2*e^7*f))/((d*f)^4*(d*x + 1)^(1/2) - 1)^2) + (458752*C^3*e^6*((1 - d*x)^(1/2) - 1))/(f^2*((d*x + 1)^(1/2) - 1)) + (C*e^2*((4096*(16*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/((d*f)^4) + (16384*((1 - d*x)^(1/2) - 1)*(8*C^2*e^4*f^3 + 3*C^2*d^2*e^6*f))/(f^2*((d*x + 1)^(1/2) - 1)) + (4096*((1 - d*x)^(1/2) - 1)^2*(128*C^2*d^2*e^5*f^4 - 144*C^2*e^3*f^6 + 9*C^2*d^4*e^7*f^2))/((d*f)^4*((d*x + 1)^(1/2) - 1)^2) - (C*e^2*((4096*(24*C*d^2*e^3*f^7 - 30*C*d^4*e^5*f^5))/((d*f)^4) + (16384*((1 - d*x)^(1/2) - 1)*(20*C*e^2*f^6 - 22*C*d^2*e^4*f^4))/(f^2*((d*x + 1)^(1/2) - 1)) + (4096*(96*C*d^2*e^3*f^7 - 90*C*d^4*e^5*f^5)*((1 - d*x)^(1/2) - 1)^2)/((d*f)^4*((d*x + 1)^(1/2) - 1)^2) + (C*e^2*((4096*(7*d^4*e^3*f^8 - 9*d^6*e^5*f^6))/((d*f)^4) + (16384*((1 - d*x)^(1/2) - 1)*(5*d^2*e^2*f^7 - 6*d^4*e^4*f^5))/(f^2*((d*x + 1)^(1/2) - 1)) + (4096*((1 - d*x)^(1/2) - 1)^2*(11*d^4*e^3*f^8 - 9*d^6*e^5*f^6))/((d*f)^4*((d*x + 1)^(1/2) - 1)^2))/(f^2*(f + d*e)^(1/2)*(f - d*e)^(1/2))))/(f^2*(f + d*e)^(1/2)*(f - d*e)^(1/2))))/(f^2*(f + d*e)^(1/2)*(f - d*e)^(1/2))))/(f^2*(f + d*e)^(1/2)))
```


$$\begin{aligned}
& B^*e*((4096*(7*d^4*e^3*f^4 - 9*d^6*e^5*f^2))/d + (((1 - d*x)^{(1/2)} - 1)*(819 \\
& 20*d^2*e^2*f^5 - 98304*d^4*e^4*f^3))/((d*x + 1)^{(1/2)} - 1) + (4096*((1 - d*x)^{(1/2)} - 1)^2*(11*d^4*e^3*f^4 - 9*d^6*e^5*f^2))/(d*((d*x + 1)^{(1/2)} - 1)^2)) \\
& /(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)})))/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)}) \\
& /(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)})))/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)}) - (B^*e*((4096*(24*B^3*d^2*e^4 + 32*B^3*e^2*f^2))/d + (4096*((1 - d*x)^{(1/2)} - 1)^2*(96*B^3*d^2*e^4 - 32*B^3*e^2*f^2))/(d*((d*x + 1)^{(1/2)} - 1)^2) \\
& + (458752*B^3*e^3*f*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) - (B^*e*((4096*(16*B^2*e*f^4 + 9*B^2*d^4*e^5))/d + (((1 - d*x)^{(1/2)} - 1)*(131072*B^2*e^2*f^3 + 49152*B^2*d^2*e^4*f))/((d*x + 1)^{(1/2)} - 1) + (4096*((1 - d*x)^{(1/2)} - 1)^2*(9*B^2*d^4*e^5 - 144*B^2*e*f^4 + 128*B^2*d^2*e^3*f^2))/(d*((d*x + 1)^{(1/2)} - 1)^2) + (B^*e*((4096*(24*B*d^2*e^2*f^4 - 30*B*d^4*e^4*f^2))/d + ((327680*B^2*e*f^5 - 360448*B^2*d^2*e^3*f^3)*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1) + (4096*(96*B*d^2*e^2*f^4 - 90*B*d^4*e^4*f^2)*((1 - d*x)^{(1/2)} - 1)^2)/(d*((d*x + 1)^{(1/2)} - 1)^2) - (B^*e*((4096*(7*d^4*e^3*f^4 - 9*d^6*e^5*f^2))/d + (((1 - d*x)^{(1/2)} - 1)*(81920*d^2*e^2*f^5 - 98304*d^4*e^4*f^3))/((d*x + 1)^{(1/2)} - 1) + (4096*((1 - d*x)^{(1/2)} - 1)^2*(11*d^4*e^3*f^4 - 9*d^6*e^5*f^2))/(d*((d*x + 1)^{(1/2)} - 1)^2)))/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)})))/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)})))/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)}))*2i)/(f*(f + d*e)^{(1/2)}*(f - d*e)^{(1/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)

[Out] Timed out

$$3.13 \quad \int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^2} dx$$

Optimal. Leaf size=163

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{f (d^2e^2 - f^2) (e + fx)} - \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right) (-Ad^2ef^2 + Bf^3 + Cd^2e^3 - 2Cef^2)}{f^2 (d^2e^2 - f^2)^{3/2}} + \frac{C \sin^{-1}(dx)}{df^2}$$

Rubi [A] time = 0.30, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.162, Rules used = {1609, 1651, 844, 216, 725, 204}

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{f (d^2e^2 - f^2) (e + fx)} - \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2} \sqrt{d^2e^2-f^2}}\right) (-Ad^2ef^2 + Bf^3 + Cd^2e^3 - 2Cef^2)}{f^2 (d^2e^2 - f^2)^{3/2}} + \frac{C \sin^{-1}(dx)}{df^2}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2), x]
[Out] ((C*e^2 - B*e*f + A*f^2)*Sqrt[1 - d^2*x^2])/(f*(d^2*e^2 - f^2)*(e + f*x)) +
(C*ArcSin[d*x])/(d*f^2) - ((C*d^2*e^3 - 2*C*e*f^2 - A*d^2*e*f^2 + B*f^3)*A
rcTan[(f + d^2*e*x)/(Sqrt[d^2*e^2 - f^2]*Sqrt[1 - d^2*x^2]))]/(f^2*(d^2*e^2 -
f^2)^(3/2))
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[
{a, c, d, e}, x]
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_),
x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1609

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq, d + e*x, x]}, Simplify[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{1-dx}\sqrt{1+dx}(e+fx)^2} dx &= \int \frac{A + Bx + Cx^2}{(e+fx)^2\sqrt{1-d^2x^2}} dx \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{\int \frac{Ce + Ad^2e - Bf + C\left(\frac{d^2e^2}{f} - f\right)x}{(e+fx)\sqrt{1-d^2x^2}} dx}{d^2e^2 - f^2} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \int \frac{1}{\sqrt{1-d^2x^2}} dx}{f^2} + \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{d^2e^2 - f^2} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \sin^{-1}(dx)}{df^2} - \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)}{d^2e^2 - f^2} \\
&= \frac{(Ce^2 - Bef + Af^2)\sqrt{1-d^2x^2}}{f(d^2e^2 - f^2)(e+fx)} + \frac{C \sin^{-1}(dx)}{df^2} + \frac{\left(2Ce + Ad^2e - \frac{Cd^2e^3}{f^2} - Bf\right)t}{(d^2e^2 - f^2)}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 211, normalized size = 1.29

$$-\frac{f\sqrt{1-d^2x^2}(f(Af-Be)+Ce^2)}{(f^2-d^2e^2)(e+fx)} - \frac{\log(\sqrt{1-d^2x^2}\sqrt{f^2-d^2e^2}+d^2ex+f)(-Ad^2ef^2+Bf^3+Cd^2e^3-2Ce f^2)}{(f^2-d^2e^2)^{3/2}} + \frac{\log(e+fx)(-Ad^2ef^2+Bf^3+Cd^2e^3-2Ce f^2)}{(f^2-d^2e^2)^{3/2}} + \frac{C\sin^{-1}(dx)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2), x]
[Out] 
$$\frac{(-((f*(C*e^2 + f*(-B*e) + A*f))*Sqrt[1 - d^2*x^2])/((-d^2*e^2) + f^2)*(e + f*x)) + (C*ArcSin[d*x])/d + ((C*d^2*e^3 - 2*C*e*f^2 - A*d^2*e*f^2 + B*f^3)*Log[e + f*x])/(-d^2*e^2) + f^2)^{(3/2)} - ((C*d^2*e^3 - 2*C*e*f^2 - A*d^2*e*f^2 + B*f^3)*Log[f + d^2*e*x + Sqrt[-(d^2*e^2) + f^2]]*Sqrt[1 - d^2*x^2])}{(-(d^2*e^2) + f^2)^{(3/2)}}/f^2$$

```

IntegrateAlgebraic [A] time = 0.00, size = 235, normalized size = 1.44

$$\frac{2 \tan^{-1} \left(\frac{\sqrt{1-dx} \sqrt{-de-f} \sqrt{f-de}}{\sqrt{dx+1}(de+f)} \right) (-Ad^2ef^2 + Bf^3 + Cd^2e^3 - 2Ceef^2)}{f^2(-de-f)^{3/2}(f-de)^{3/2}} + \frac{2d\sqrt{1-dx} (Af^2 - Be f + Ce^2)}{f\sqrt{dx+1} (de-f)(de+f) \left(\frac{de(1-dx)}{dx+1} + de - \frac{f(1-dx)}{dx+1} + f \right)} - \frac{2C \tan^{-1} \left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}} \right)}{df^2}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^2),x]
```

```
[Out] (2*d*(C*e^2 - B*e*f + A*f^2)*Sqrt[1 - d*x])/((d*e - f)*f*(d*e + f)*Sqrt[1 + d*x]*(d*e + f + (d*e*(1 - d*x))/(1 + d*x) - (f*(1 - d*x))/(1 + d*x))) - (2*C*ArcTan[Sqrt[1 - d*x]/Sqrt[1 + d*x]])/(d*f^2) + (2*(C*d^2*e^3 - 2*C*e*f^2 - A*d^2*e*f^2 + B*f^3)*ArcTan[(Sqrt[-(d*e) - f]*Sqrt[-(d*e) + f])*Sqrt[1 - d*x])/((d*e + f)*Sqrt[1 + d*x])))/((-d*e - f)^(3/2)*f^2*(-d*e + f)^(3/2))
```

fricas [B] time = 76.12, size = 1025, normalized size = 6.29

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")
```

```
[Out] [(C*d^3*e^5*f - B*d^3*e^4*f^2 + B*d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3 - (C*d^3*e^5 + B*d*e^2*f^3 - (A*d^3 + 2*C*d)*e^3*f^2 + (C*d^3*e^4*f + B*d*e*f^4 - (A*d^3 + 2*C*d)*e^2*f^3)*x)*sqrt(-d^2*e^2 + f^2)*log((d^2*e*f*x + f^2 + sqrt(-d^2*e^2 + f^2)*(d^2*e*x + f) + (sqrt(-d^2*e^2 + f^2)*sqrt(-d
```

```

*x + 1)*f - (d^2*e^2 - f^2)*sqrt(-d*x + 1))*sqrt(d*x + 1))/(f*x + e)) + (C*
d^3*e^5*f - B*d^3*e^4*f^2 + B*d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3
)*sqrt(d*x + 1)*sqrt(-d*x + 1) + (C*d^3*e^4*f^2 - B*d^3*e^3*f^3 + B*d*e*f^5
- A*d*f^6 + (A*d^3 - C*d)*e^2*f^4)*x - 2*(C*d^4*e^6 - 2*C*d^2*e^4*f^2 + C*
e^2*f^4 + (C*d^4*e^5*f - 2*C*d^2*e^3*f^3 + C*e*f^5)*x)*arctan((sqrt(d*x + 1
)*sqrt(-d*x + 1) - 1)/(d*x)))/(d^5*e^6*f^2 - 2*d^3*e^4*f^4 + d*e^2*f^6 + (d
)^5*e^5*f^3 - 2*d^3*e^3*f^5 + d*e*f^7)*x), (C*d^3*e^5*f - B*d^3*e^4*f^2 + B*
d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3 - 2*(C*d^3*e^5 + B*d*e^2*f^3
- (A*d^3 + 2*C*d)*e^3*f^2 + (C*d^3*e^4*f + B*d*e*f^4 - (A*d^3 + 2*C*d)*e^2*f
^3)*x)*sqrt(d^2*e^2 - f^2)*arctan(-(sqrt(d^2*e^2 - f^2)*sqrt(d*x + 1)*sqrt
(-d*x + 1)*e - sqrt(d^2*e^2 - f^2)*(f*x + e))/((d^2*e^2 - f^2)*x)) + (C*d^3
)*e^5*f - B*d^3*e^4*f^2 + B*d*e^2*f^4 - A*d*e*f^5 + (A*d^3 - C*d)*e^3*f^3)*s
qrt(d*x + 1)*sqrt(-d*x + 1) + (C*d^3*e^4*f^2 - B*d^3*e^3*f^3 + B*d*e*f^5 -
A*d*f^6 + (A*d^3 - C*d)*e^2*f^4)*x - 2*(C*d^4*e^6 - 2*C*d^2*e^4*f^2 + C*e^2
*f^4 + (C*d^4*e^5*f - 2*C*d^2*e^3*f^3 + C*e*f^5)*x)*arctan((sqrt(d*x + 1)*s
qrt(-d*x + 1) - 1)/(d*x)))/(d^5*e^6*f^2 - 2*d^3*e^4*f^4 + d*e^2*f^6 + (d^5*
e^5*f^3 - 2*d^3*e^3*f^5 + d*e*f^7)*x)]

```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")
```

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Undef/Unsigned Inf encountered in limit

maple [C] time = 0.00, size = 899, normalized size = 5.52

[View Details](#) | [Edit](#) | [Delete](#) | [Print](#) | [Email](#)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)
[Out] (-A*d^3*e*f^3*x*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))+C*d^3*e^3*f*x*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))-A*d^3*e^2*f^2*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))+C*d^3*e^4*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))+B*d*f^4*x*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*(-(d^2*e^2-f^2)/f^2)^(1/2)*f+f)/(f*x+e))+(-d^2*e^2-f^2)/f^2)^(1/2)*C*d^2*e^2*f^2*x*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))-2*C*d*e*f^3*x*csgn(d)*ln(2*(d^2*e*x+(-d^2*x^2+1)^(1/2)*d*x*csgn(d)))
```

$$\begin{aligned}
& x^{2+1})^{(1/2)} *(-(d^2 e^2 - f^2)/f^2)^{(1/2)} * (f*x + e) / (f*x + e)) + B*d*e*f^3*csgn(d)*ln(\\
& 2*(d^2 e*x + (-d^2*x^2 + 1))^{(1/2)} *(-(d^2 e^2 - f^2)/f^2)^{(1/2)} * (f*x + e) / (f*x + e)) + (-d \\
& ^2 e^2 - f^2)/f^2)^{(1/2)} * C*d^2 e^3 * f * arctan(1/(-d^2*x^2 + 1))^{(1/2)} * d*x*csgn(d)) \\
& - 2*C*d*e^2*f^2*csgn(d)*ln(2*(d^2 e*x + (-d^2*x^2 + 1))^{(1/2)} *(-(d^2 e^2 - f^2)/f^2)^{(1/2)} * A*d*f^4 \\
& *csgn(d) - (-d^2*x^2 + 1))^{(1/2)} *(-(d^2 e^2 - f^2)/f^2)^{(1/2)} * B*d*e*f^3*csgn(d) + (-d \\
& ^2*x^2 + 1))^{(1/2)} *(-(d^2 e^2 - f^2)/f^2)^{(1/2)} * C*d*e^2*f^2*csgn(d) - (-d^2 e^2 \\
& - f^2)/f^2)^{(1/2)} * C*f^4*x*arctan(1/(-d^2*x^2 + 1))^{(1/2)} * d*x*csgn(d) - (-d^2 e^2 \\
& - f^2)/f^2)^{(1/2)} * C*e*f^3*arctan(1/(-d^2*x^2 + 1))^{(1/2)} * d*x*csgn(d)) * (d*x + 1) \\
& ^{(1/2)} * (-d*x + 1)^(1/2) / (-d^2*x^2 + 1)^(1/2) / (d*e - f) / (f*x + e) / (-d^2 e^2 - \\
& f^2)/f^2)^{(1/2)} / d/f^3*csgn(d)
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(f*x+e)^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm = "maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation ***may*** help (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more details) Is f-d*e positive, negative or zero?

mupad [B] time = 0.01, size = 10198, normalized size = 62.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*x + C*x^2)/((e + f*x)^2*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out]
$$\begin{aligned}
& (A*d^5 e^5 * atan(((f + d*e)^(3/2)*(f - d*e)^(3/2)*1i - ((1 - d*x)^(1/2) - 1) \\
&)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2)*1i) / ((d*x + 1)^(1/2) - 1)^2) / (f^3 - d^2 \\
& *e^2*f - (f^3*((1 - d*x)^(1/2) - 1)^2) / ((d*x + 1)^(1/2) - 1)^2 - (2*d^3 e^3 \\
& *((1 - d*x)^(1/2) - 1)) / ((d*x + 1)^(1/2) - 1) + (2*d*e*f^2*((1 - d*x)^(1/2) \\
& - 1)) / ((d*x + 1)^(1/2) - 1) + (d^2 e^2*f*((1 - d*x)^(1/2) - 1)^2) / ((d*x + \\
& 1)^(1/2) - 1)^2)*2i - A*d^3 e^3*f^2*atan(((f + d*e)^(3/2)*(f - d*e)^(3/2)* \\
& 1i - (((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2)*1i) / ((d*x + 1) \\
&)^(1/2) - 1)^2) / (f^3 - d^2 e^2*f - (f^3*((1 - d*x)^(1/2) - 1)^2) / ((d*x + 1) \\
&)^(1/2) - 1)^2 - (2*d^3 e^3*((1 - d*x)^(1/2) - 1)) / ((d*x + 1)^(1/2) - 1) + \\
& (2*d*e*f^2*((1 - d*x)^(1/2) - 1)) / ((d*x + 1)^(1/2) - 1) + (d^2 e^2*f*((1 - d \\
& *x)^(1/2) - 1)^2) / ((d*x + 1)^(1/2) - 1)^2)*2i + (4*A*f^2*((1 - d*x)^(1/2) \\
& - 1)*(f + d*e)^(3/2)*(f - d*e)^(3/2)) / ((d*x + 1)^(1/2) - 1) + (A*d^5 e^5 * at \\
& an(((f + d*e)^(3/2)*(f - d*e)^(3/2)*1i - (((1 - d*x)^(1/2) - 1)^2*(f + d*e) \\
&)^(3/2)*(f - d*e)^(3/2)*1i) / ((d*x + 1)^(1/2) - 1)^2) / (f^3 - d^2 e^2*f - (f^3
\end{aligned}$$

$$\begin{aligned}
& \left. \frac{\partial}{\partial f} \right|_{f=0} \left(\frac{(d*x + 1)^{(1/2)} - 1}{(d*x + 1)^{(1/2)} - 1} + \frac{(d^2 e^{2*f} ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2} \right. \\
& \left. * ((1 - d*x)^{(1/2)} - 1)^3 * 8i) / ((d*x + 1)^{(1/2)} - 1)^3 + (8*A*d*e * f * ((1 - d*x)^{(1/2)} - 1)^2 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^2 / (d^3 * e^{4*(f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}} - d*e^{2*f} * 2*(f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} - (4*e*f^3 * ((1 - d*x)^{(1/2)} - 1) * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1) + (4*e*f^3 * ((1 - d*x)^{(1/2)} - 1)^3 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^3 + (2*d^3 * e^{4*(1 - d*x)^{(1/2)} - 1)^2 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^2 + (d^3 * e^{4*(1 - d*x)^{(1/2)} - 1)^4 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^4 - (2*d*e^{2*f} * 2*((1 - d*x)^{(1/2)} - 1)^2 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^2 - (4*d^2 * e^{3*f} * ((1 - d*x)^{(1/2)} - 1)^3 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^3 - (d*e^{2*f} * 2*((1 - d*x)^{(1/2)} - 1)^4 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^4 + (4*d^2 * e^{3*f} * ((1 - d*x)^{(1/2)} - 1) * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)) - (B*d^3 * e^{3*f} * \text{atan}(((f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) - ((1 - d*x)^{(1/2)} - 1)^2 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) / ((d*x + 1)^{(1/2)} - 1)^2 / (f^3 - d^2 * e^{2*f} - (f^3 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3 * e^{3*(1 - d*x)^{(1/2)} - 1}) / ((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2 * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2 * e^{2*f} * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * 2i - (B*f^4 * \text{atan}(((f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) / ((d*x + 1)^{(1/2)} - 1)^2 / (f^3 - d^2 * e^{2*f} - (f^3 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3 * e^{3*(1 - d*x)^{(1/2)} - 1}) / ((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2 * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2 * e^{2*f} * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1)*8i) / ((d*x + 1)^{(1/2)} - 1) + (B*f^4 * \text{atan}(((f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) / ((d*x + 1)^{(1/2)} - 1)^2 / (f^3 - d^2 * e^{2*f} - (f^3 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3 * e^{3*(1 - d*x)^{(1/2)} - 1}) / ((d*x + 1)^{(1/2)} - 1) + (2*d*e*f^2 * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2 * e^{2*f} * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1)^3 * 8i) / ((d*x + 1)^{(1/2)} - 1)^3 - B*d^2 * e^{2*f} * 3 * \text{atan}(((f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) / ((d*x + 1)^{(1/2)} - 1)^2 / (f^3 - d^2 * e^{2*f} - (f^3 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3 * e^{3*(1 - d*x)^{(1/2)} - 1}) / ((d*x + 1)^{(1/2)} - 1) + (2*d^2 * e^{2*f} * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2 * e^{2*f} * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * 2i - (4*B*f * ((1 - d*x)^{(1/2)} - 1)^3 * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1)^3 + (4*B*f * ((1 - d*x)^{(1/2)} - 1) * (f + d*e)^{(3/2)} * (f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2)} - 1) - (B*d^2 * e^{2*f} * 2 * \text{atan}(((f + d*e)^{(3/2)} * (f - d*e)^{(3/2)} * 1i) / ((d*x + 1)^{(1/2)} - 1)^2 / (f^3 - d^2 * e^{2*f} - (f^3 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (2*d^3 * e^{3*(1 - d*x)^{(1/2)} - 1}) / ((d*x + 1)^{(1/2)} - 1) + (2*d^2 * e^{2*f} * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1) + (d^2 * e^{2*f} * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2) * ((1 - d*x)^{(1/2)} - 1)^3 * 8i) / ((d*x + 1)^{(1/2)} - 1)^3 - (B)
\end{aligned}$$

$$\begin{aligned}
& *d*e*f^3*atan(((f + d*e)^(3/2)*(f - d*e)^(3/2)*1i - (((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2)*1i)/((d*x + 1)^(1/2) - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (2*d^3*e^3*(1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (2*d*e*f^2*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (d^2*e^2*f*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (B*d*e*f^3*atan(((f + d*e)^(3/2)*(f - d*e)^(3/2)*1i - (((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2)*1i)/((d*x + 1)^(1/2) - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (2*d^3*e^3*(1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (2*d*e*f^2*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (d^2*e^2*f*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (B*d^2*e^2*f^2*atan(((f + d*e)^(3/2)*(f - d*e)^(3/2)*1i - (((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2)*1i)/((d*x + 1)^(1/2) - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (2*d^3*e^3*(1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (2*d*e*f^2*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (d^2*e^2*f*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2)*((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^2 + (B*d^2*e^2*f^2*atan(((f + d*e)^(3/2)*(f - d*e)^(3/2)*1i - (((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2)*1i)/((d*x + 1)^(1/2) - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (2*d^3*e^3*(1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (2*d*e*f^2*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (d^2*e^2*f*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2)*((1 - d*x)^(1/2) - 1)^8i)/((d*x + 1)^(1/2) - 1) + (B*d^3*e^3*f*atan(((f + d*e)^(3/2)*(f - d*e)^(3/2)*1i - (((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2)*1i)/((d*x + 1)^(1/2) - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (2*d^3*e^3*(1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (2*d*e*f^2*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (d^2*e^2*f*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2)*((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^2 + (B*d^3*e^3*f*atan(((f + d*e)^(3/2)*(f - d*e)^(3/2)*1i - (((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2)*1i)/((d*x + 1)^(1/2) - 1)^2)/(f^3 - d^2*e^2*f - (f^3*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2 - (2*d^3*e^3*(1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (2*d*e*f^2*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1) + (d^2*e^2*f*((1 - d*x)^(1/2) - 1)^2)/((d*x + 1)^(1/2) - 1)^2)*((1 - d*x)^(1/2) - 1)^4/(d^3*e^3*(f + d*e)^(3/2)*(f - d*e)^(3/2) + (4*f^3*((1 - d*x)^(1/2) - 1)^3*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^3 - d*e*f^2*(f + d*e)^(3/2)*(f - d*e)^(3/2) - (4*f^3*((1 - d*x)^(1/2) - 1)^3)*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^3 + (2*d^3*e^3*((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^2 + (d^3*e^3*((1 - d*x)^(1/2) - 1)^4*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^4 - (4*d^2*e^2*f*((1 - d*x)^(1/2) - 1)^3*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^3 + (4*d^2*e^2*f*((1 - d*x)^(1/2) - 1)^3)*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^3 - (2*d*e*f^2*((1 - d*x)^(1/2) - 1)^2*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^2 - (d*e*f^2*((1 - d*x)^(1/2) - 1)^4*(f + d*e)^(3/2)*(f - d*e)^(3/2))/((d*x + 1)^(1/2) - 1)^4 - ((4*C*d*e*((1 - d*x)^(1/2) - 1)^3))/((f^2 - d^2*e^2)*(d*x + 1)^(1/2) - 1)) - ((4*C*d*e*((1 - d*x)^(1/2) - 1)^3))/((f^2 - d^2*e^2)*(d*x + 1)^(1/2) - 1)^3) + (8*C*d^2*e^2*((1 - d*x)^(1/2) - 1)^2)/(f*(f^2 - d^2*e^2)*(d*x + 1)^(1/2) - 1)
\end{aligned}$$

$$\begin{aligned}
&) - 1)^{2})) / (d^2 * e + (4 * d * f * ((1 - d * x)^{(1/2)} - 1)) / ((d * x + 1)^{(1/2)} - 1) - (\\
& 4 * d * f * ((1 - d * x)^{(1/2)} - 1)^3) / ((d * x + 1)^{(1/2)} - 1)^3 + (2 * d^2 * e * ((1 - d * x) \\
&)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 + (d^2 * e * ((1 - d * x)^{(1/2)} - 1)^4) / ((d * x + 1) \\
&)^{(1/2)} - 1)^4) + (4 * C * \text{atan}(((1 - d * x)^{(1/2)} - 1) * ((2097152 * (288 * e^3 * f^11 - 6 * d^10 * e^13 * f - 912 * d^2 * e^5 * f^9 + 1048 * d^4 * e^7 * f^7 - 532 * d^6 * e^9 * f^5 + 112 * d^8 * e^11 * f^3)) / (d * f^2 * (d * f^13 - 4 * d^3 * e^2 * f^11 + 6 * d^5 * e^4 * f^9 - 4 * d^7 * e^6 * f^7 + d^9 * e^8 * f^5)) - (33554432 * (20 * d^2 * e * f^21 - 103 * d^4 * e^3 * f^19 + 215 * d^6 * e^5 * f^17 - 230 * d^8 * e^7 * f^15 + 130 * d^10 * e^9 * f^13 - 35 * d^12 * e^11 * f^11 + 3 * d^14 * e^13 * f^9)) / (d^5 * f^10 * (d * f^13 - 4 * d^3 * e^2 * f^11 + 6 * d^5 * e^4 * f^9 - 4 * d^7 * e^6 * f^7 + d^9 * e^8 * f^5))) / ((d * x + 1)^{(1/2)} - 1) - (33554432 * (7 * d^2 * e^2 * f^19 - 35 * d^4 * e^4 * f^17 + 70 * d^6 * e^6 * f^15 - 70 * d^8 * e^8 * f^13 + 35 * d^10 * e^10 * f^11 - 7 * d^12 * e^13 * f^5)) / (d^3 * f^6 * (d * f^13 - 4 * d^3 * e^2 * f^11 + 6 * d^5 * e^4 * f^9 - 4 * d^7 * e^6 * f^7 + d^9 * e^8 * f^5))) / ((d * x + 1)^{(1/2)} - 1) - (33554432 * (7 * d^2 * e^2 * f^19 - 35 * d^4 * e^4 * f^17 + 70 * d^6 * e^6 * f^15 - 70 * d^8 * e^8 * f^13 + 35 * d^10 * e^10 * f^11 - 7 * d^12 * e^13 * f^5)) / (d^5 * f^10 * (f^12 - 4 * d^2 * e^2 * f^10 + 6 * d^4 * e^4 * f^8 - 4 * d^6 * e^6 * f^6 + d^8 * e^8 * f^4)) + (8388608 * (72 * e * f^17 - 452 * d^2 * e^3 * f^15 + 1024 * d^4 * e^5 * f^13 - 1106 * d^6 * e^7 * f^11 + 597 * d^8 * e^9 * f^9 - 144 * d^10 * e^11 * f^7 + 9 * d^12 * e^13 * f^5)) / (d^3 * f^6 * (d * f^13 - 4 * d^3 * e^2 * f^11 + 6 * d^5 * e^4 * f^9 - 4 * d^7 * e^6 * f^7 + d^9 * e^8 * f^5))) / ((d * x + 1)^{(1/2)} - 1) - (33554432 * (7 * d^2 * e^2 * f^19 - 35 * d^4 * e^4 * f^17 + 70 * d^6 * e^6 * f^15 - 70 * d^8 * e^8 * f^13 + 35 * d^10 * e^10 * f^11 - 7 * d^12 * e^13 * f^5)) / (d^3 * f^6 * (f^12 - 4 * d^2 * e^2 * f^10 + 6 * d^4 * e^4 * f^8 - 4 * d^6 * e^6 * f^6 + d^8 * e^8 * f^4)) + (8388608 * (28 * e^2 * f^15 - 168 * d^2 * e^4 * f^13 + 364 * d^4 * e^6 * f^11 - 371 * d^6 * e^8 * f^9 + 182 * d^8 * e^10 * f^7 - 35 * d^10 * e^12 * f^5)) / (d^3 * f^6 * (f^12 - 4 * d^2 * e^2 * f^10 + 6 * d^4 * e^4 * f^8 - 4 * d^6 * e^6 * f^6 + d^8 * e^8 * f^4)) * (d^4 * f^14 - 4 * d^6 * e^2 * f^12 + 6 * d^8 * e^4 * f^10 - 4 * d^10 * e^6 * f^8 + d^12 * e^8 * f^6)) / (67108864 * e * f^12 + 37748736 * d^12 * e^13 - 268435456 * d^2 * e^3 * f^10 + 536870912 * d^4 * e^5 * f^8 - 637534208 * d^6 * e^7 * f^6 + 469762048 * d^8 * e^9 * f^4 - 201326592 * d^10 * e^11 * f^2)) / (d * f^2) + (\log(16 * f^15 - 9 * d^14 * e^14 * f - (16 * f^15 * ((1 - d * x)^{(1/2)} - 1)^2)) / ((d * x + 1)^{(1/2)} - 1)^2 - 92 * d^2 * e^2 * f^13 + 236 * d^4 * e^4 * f^11 - 352 * d^6 * e^6 * f^9 + 329 * d^8 * e^8 * f^7 - 191 * d^10 * e^10 * f^5 + 63 * d^12 * e^12 * f^3 + 16 * f^6 * (f + d * e)^{(9/2)} * (f - d * e)^{(9/2)} + 12 * d^6 * e^6 * (f + d * e)^{(9/2)} * (f - d * e)^{(9/2)} + 15 * d^12 * e^12 * (f + d * e)^{(3/2)} * (f - d * e)^{(3/2)} - (6 * d^15 * e^15 * ((1 - d * x)^{(1/2)} - 1)) / ((d * x + 1)^{(1/2)} - 1) + (16 * d * e * f^14 * ((1 - d * x)^{(1/2)} - 1)) / ((d * x + 1)^{(1/2)} - 1) + (92 * d^2 * e^2 * f^13 * ((1 - d * x)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 - (236 * d^4 * e^4 * f^11 * ((1 - d * x)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 + (352 * d^6 * e^6 * f^9 * ((1 - d * x)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 - (329 * d^8 * e^8 * f^7 * ((1 - d * x)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 + (191 * d^10 * e^10 * f^5 * ((1 - d * x)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 - (63 * d^12 * e^12 * f^3 * ((1 - d * x)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 - (16 * f^6 * ((1 - d * x)^{(1/2)} - 1)^2 * (f + d * e)^{(9/2)} * (f - d * e)^{(9/2)}) / ((d * x + 1)^{(1/2)} - 1)^2 - 24 * d^2 * e^2 * f^10 * (f + d * e)^{(3/2)} * (f - d * e)^{(3/2)} + 120 * d^4 * e^4 * f^8 * (f + d * e)^{(3/2)} * (f - d * e)^{(3/2)} - 228 * d^6 * e^6 * f^6 * (f + d * e)^{(3/2)} * (f - d * e)^{(3/2)} + 4 * d^2 * e^2 * f^4 * (f + d * e)^{(9/2)} * (f - d * e)^{(9/2)} + 207 * d^8 * e^8 * f^4 * (f + d * e)^{(3/2)} * (f - d * e)^{(3/2)} - 28 * d^4 * e^4 * f^2 * (f + d * e)^{(9/2)} * (f - d * e)^{(9/2)} - 90 * d^10 * e^10 * f^2 * (f + d * e)^{(3/2)} * (f - d * e)^{(3/2)} - (88 * d^3 * e^3 * f^12 * ((1 - d * x)^{(1/2)} - 1)) / ((d * x + 1)^{(1/2)} - 1) + (216 * d^5 * e^5 * f^10 * ((1 - d * x)^{(1/2)} - 1)) / ((d * x + 1)^{(1/2)} - 1) - (308 * d^7 * e^7 * f^8 * ((1 - d * x)^{(1/2)} - 1)) / ((d * x + 1)^{(1/2)} - 1) + (274 * d^9 * e^9 * f^6 * ((1 - d * x)^{(1/2)} - 1)) / ((d * x + 1)^{(1/2)} - 1) - (150 * d^11 * e^11 * f^4 * ((1 - d * x)^{(1/2)} - 1))
\end{aligned}$$

$$\begin{aligned}
& *x)^{(1/2) - 1}) / ((d*x + 1)^{(1/2) - 1}) + (46*d^{13}*e^{13}*f^{2*}((1 - d*x)^{(1/2)} \\
& - 1)) / ((d*x + 1)^{(1/2) - 1}) + (9*d^{14}*e^{14}*f*((1 - d*x)^{(1/2) - 1})^2) / ((d*x \\
& + 1)^{(1/2) - 1})^2 + (48*d^{6}*e^{6*}((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(9/2)}*(f \\
& - d*e)^{(9/2)}) / ((d*x + 1)^{(1/2) - 1})^2 + (45*d^{12}*e^{12*}((1 - d*x)^{(1/2) - 1})^2 \\
& *(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) - 1})^2 + (376*d^{3}*e^{3*} \\
& *f^{9*}((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) \\
& - 1}) - (688*d^{5}*e^{5*}f^{7*}((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \\
& / ((d*x + 1)^{(1/2) - 1}) + (612*d^{7}*e^{7*}f^{5*}((1 - d*x)^{(1/2) - 1})*(f + d \\
& *e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) - 1}) - (152*d^{3}*e^{3*}f^{3*}((1 - d \\
& *x)^{(1/2) - 1})*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)}) / ((d*x + 1)^{(1/2) - 1}) - (26 \\
& 4*d^{9}*e^{9*}f^{3*}((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x \\
& + 1)^{(1/2) - 1}) - (80*d*e*f^{11*}((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2)}*(f - d \\
& *e)^{(3/2)}) / ((d*x + 1)^{(1/2) - 1}) + (96*d*e*f^{5*}((1 - d*x)^{(1/2) - 1})*(f + d \\
& *e)^{(9/2)}*(f - d*e)^{(9/2)}) / ((d*x + 1)^{(1/2) - 1}) - (136*d^{2}*e^{2*}f^{10*}((1 - d \\
& *x)^{(1/2) - 1})^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) - 1})^2 \\
& + (560*d^{4}*e^{4*}f^{8*}((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \\
& / ((d*x + 1)^{(1/2) - 1})^2 - (912*d^{6}*e^{6*}f^{6*}((1 - d*x)^{(1/2) - 1})^2*(f + d \\
& *e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) - 1})^2 + (156*d^{2}*e^{2*}f^{4*}((1 - d \\
& *x)^{(1/2) - 1})^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)}) / ((d*x + 1)^{(1/2) - 1})^2 \\
& + (733*d^{8}*e^{8*}f^{4*}((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) \\
& / ((d*x + 1)^{(1/2) - 1})^2 - (172*d^{4}*e^{4*}f^{2*}((1 - d*x)^{(1/2) - 1})^2*(f + d \\
& *e)^{(9/2)}*(f - d*e)^{(9/2)}) / ((d*x + 1)^{(1/2) - 1})^2 - (290*d^{10}*e^{10*}f^{2*}((1 - d \\
& *x)^{(1/2) - 1})^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) - 1})^2 \\
& + (56*d^{5}*e^{5*}f*((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)}) / ((d*x \\
& + 1)^{(1/2) - 1}) + (44*d^{11}*e^{11*}f*((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2)} \\
& *(f - d*e)^{(3/2)}) / ((d*x + 1)^{(1/2) - 1})*(C*d^{2}*e^{3} - 2*C*e*f^{2}) / (f^{2*}(f + d \\
& *e)^{(3/2)}*(f - d*e)^{(3/2)}) + (C*e*log(9*d^{14}*e^{14}*f - 16*f^{15} + (16*f^{15} \\
& ((1 - d*x)^{(1/2) - 1})^2) / ((d*x + 1)^{(1/2) - 1})^2 + 92*d^{2}*e^{2*}f^{13} - 236*d \\
& ^4*e^{4*}f^{11} + 352*d^{6}*e^{6*}f^{9} - 329*d^{8}*e^{8*}f^{7} + 191*d^{10}*e^{10*}f^{5} - 63*d^{1} \\
& 2*e^{12}*f^{3} + 16*f^{6}*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} + 12*d^{6}*e^{6}*(f + d*e)^{(9/2)} \\
& *(f - d*e)^{(9/2)} + 15*d^{12}*e^{12}*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + (6*d \\
& ^{15}*e^{15}*((1 - d*x)^{(1/2) - 1})) / ((d*x + 1)^{(1/2) - 1}) - (16*d*e*f^{14}*((1 - d \\
& *x)^{(1/2) - 1})) / ((d*x + 1)^{(1/2) - 1}) - (92*d^{2}*e^{2*}f^{13}*((1 - d*x)^{(1/2) \\
& - 1})^2) / ((d*x + 1)^{(1/2) - 1})^2 + (236*d^{4}*e^{4*}f^{11}*((1 - d*x)^{(1/2) - 1})^2) \\
& / ((d*x + 1)^{(1/2) - 1})^2 - (352*d^{6}*e^{6*}f^{9}*((1 - d*x)^{(1/2) - 1})^2) / ((d*x \\
& + 1)^{(1/2) - 1})^2 + (329*d^{8}*e^{8*}f^{7}*((1 - d*x)^{(1/2) - 1})^2) / ((d*x + 1)^{(1/2) \\
& - 1})^2 - (191*d^{10}*e^{10*}f^{5}*((1 - d*x)^{(1/2) - 1})^2) / ((d*x + 1)^{(1/2) \\
& - 1})^2 + (63*d^{12}*e^{12}*f^{3}*((1 - d*x)^{(1/2) - 1})^2) / ((d*x + 1)^{(1/2) - 1})^2 \\
& - (16*f^{6}*((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2)}) / ((d*x \\
& + 1)^{(1/2) - 1})^2 - 24*d^{2}*e^{2*}f^{10}*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + 120*d \\
& ^4*e^{4*}f^{8}*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 228*d^{6}*e^{6*}f^{6}*(f + d*e)^{(3/2)} \\
& *(f - d*e)^{(3/2)} + 4*d^{2}*e^{2*}f^{4*}((f + d*e)^{(9/2)}*(f - d*e)^{(9/2)} + 207*d^{8} \\
& e^{8}*f^{4}*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} - 28*d^{4}*e^{4*}f^{2}*(f + d*e)^{(9/2)}*(f \\
& - d*e)^{(9/2)} - 90*d^{10}*e^{10*}f^{2}*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)} + (88*d^{3} \\
& e^{3}*f^{12}*((1 - d*x)^{(1/2) - 1})) / ((d*x + 1)^{(1/2) - 1}) - (216*d^{5}*e^{5*}f^{10}(*
\end{aligned}$$

$$\begin{aligned}
& (1 - d*x)^{(1/2) - 1}) / ((d*x + 1)^{(1/2) - 1}) + (308*d^7*e^7*f^8*((1 - d*x)^{(1/2) - 1}) / ((d*x + 1)^{(1/2) - 1}) - (274*d^9*e^9*f^6*((1 - d*x)^{(1/2) - 1}) / ((d*x + 1)^{(1/2) - 1}) + (150*d^11*e^11*f^4*((1 - d*x)^{(1/2) - 1}) / ((d*x + 1)^{(1/2) - 1}) - (46*d^13*e^13*f^2*((1 - d*x)^{(1/2) - 1}) / ((d*x + 1)^{(1/2) - 1}) - (9*d^14*e^14*f*((1 - d*x)^{(1/2) - 1})^2 / ((d*x + 1)^{(1/2) - 1})^2 + (48*d^6*e^6*((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2}) / ((d*x + 1)^{(1/2) - 1})^2 + (45*d^12*e^12*((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2}) / ((d*x + 1)^{(1/2) - 1})^2 + (376*d^3*e^3*f^9*((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2}) / ((d*x + 1)^{(1/2) - 1}) - (688*d^5*e^5*f^7*((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2}) / ((d*x + 1)^{(1/2) - 1}) + (612*d^7*e^7*f^5*((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2}) / ((d*x + 1)^{(1/2) - 1}) - (152*d^3*e^3*f^3*((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2}) / ((d*x + 1)^{(1/2) - 1}) - (264*d^9*e^9*f^3*((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2}) / ((d*x + 1)^{(1/2) - 1}) - (80*d*e*f^11*((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2}) / ((d*x + 1)^{(1/2) - 1}) + (96*d*e*f^5*((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2}) / ((d*x + 1)^{(1/2) - 1}) - (136*d^2*e^2*f^10*((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2}) / ((d*x + 1)^{(1/2) - 1})^2 + (560*d^4*e^4*f^8*((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2}) / ((d*x + 1)^{(1/2) - 1})^2 - (912*d^6*e^6*f^6*((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2}) / ((d*x + 1)^{(1/2) - 1})^2 + (156*d^2*e^2*f^4*((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2}) / ((d*x + 1)^{(1/2) - 1})^2 + (733*d^8*e^8*f^4*((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2}) / ((d*x + 1)^{(1/2) - 1})^2 - (172*d^4*e^4*f^2*((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2}) / ((d*x + 1)^{(1/2) - 1})^2 - (290*d^10*e^10*f^2*((1 - d*x)^{(1/2) - 1})^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2}) / ((d*x + 1)^{(1/2) - 1})^2 + (56*d^5*e^5*f*((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(9/2)}*(f - d*e)^{(9/2}) / ((d*x + 1)^{(1/2) - 1}) + (44*d^11*e^11*f*((1 - d*x)^{(1/2) - 1})*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2}) / ((d*x + 1)^{(1/2) - 1})*(2*f^2 - d^2*e^2) / (f^2*(f + d*e)^{(3/2)}*(f - d*e)^{(3/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)**2/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)

[Out] Timed out

3.14 $\int \frac{A+Bx+Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^3} dx$

Optimal. Leaf size=248

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{2f(d^2e^2 - f^2)(e+fx)^2} + \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2}\sqrt{d^2e^2-f^2}}\right)(C(d^2e^2 + 2f^2) - d^2(3Bef - A(2d^2e^2 + f^2)))}{2(d^2e^2 - f^2)^{5/2}}$$

Rubi [A] time = 0.33, antiderivative size = 248, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.135, Rules used = {1609, 1651, 807, 725, 204}

$$\frac{\sqrt{1-d^2x^2} (Af^2 - Bef + Ce^2)}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{\sqrt{1-d^2x^2} (-3Ad^2ef^2 + Bd^2e^2f + 2Bf^3 + Cd^2e^3 - 4Ce^2f^2)}{2f(d^2e^2 - f^2)^2(e+fx)} + \frac{\tan^{-1}\left(\frac{d^2ex+f}{\sqrt{1-d^2x^2}\sqrt{d^2e^2-f^2}}\right)(C(d^2e^2 + 2f^2) - d^2(3Bef - A(2d^2e^2 + f^2)))}{2(d^2e^2 - f^2)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3), x]
[Out] ((C*e^2 - B*e*f + A*f^2)*Sqrt[1 - d^2*x^2])/(2*f*(d^2*e^2 - f^2)*(e + f*x)^2) - ((C*d^2*e^3 + B*d^2*e^2*f - 4*C*e*f^2 - 3*A*d^2*e*f^2 + 2*B*f^3)*Sqrt[1 - d^2*x^2])/(2*f*(d^2*e^2 - f^2)^2*(e + f*x)) + ((C*(d^2*e^2 + 2*f^2) - d^2*(3*B*e*f - A*(2*d^2*e^2 + f^2)))*ArcTan[(f + d^2*e*x)/(Sqrt[d^2*e^2 - f^2]*Sqrt[1 - d^2*x^2])])/(2*(d^2*e^2 - f^2)^(5/2))
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]
```

Rule 807

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), InT[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}]
```

```
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_.))^m_*((c_.) + (d_.)*(x_.))^n_*((e_.) + (f_.)*(x_.))^p_, x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] & EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_.))^m_*((a_) + (c_.)*(x_.)^2)^p_, x_Symbol] :>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq, d + e*x, x]}, Simpl[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{1-dx} \sqrt{1+dx} (e+fx)^3} dx &= \int \frac{A + Bx + Cx^2}{(e+fx)^3 \sqrt{1-d^2x^2}} dx \\
&= \frac{(Ce^2 - Bef + Af^2) \sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} + \frac{\int \frac{2(Ce+Ad^2e-Bf)+\left(Bd^2e+\frac{Cd^2e^2}{f}-2Cf-Ad^2f\right)x}{(e+fx)^2 \sqrt{1-d^2x^2}} dx}{2(d^2e^2 - f^2)} \\
&= \frac{(Ce^2 - Bef + Af^2) \sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{(Cd^2e^3 + Bd^2e^2f - 4Cef^2 - 3Ad^2ef^2 + 2Bf^3) \sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)^2(e+fx)} \\
&= \frac{(Ce^2 - Bef + Af^2) \sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{(Cd^2e^3 + Bd^2e^2f - 4Cef^2 - 3Ad^2ef^2 + 2Bf^3) \sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)^2(e+fx)} \\
&= \frac{(Ce^2 - Bef + Af^2) \sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)(e+fx)^2} - \frac{(Cd^2e^3 + Bd^2e^2f - 4Cef^2 - 3Ad^2ef^2 + 2Bf^3) \sqrt{1-d^2x^2}}{2f(d^2e^2 - f^2)^2(e+fx)}
\end{aligned}$$

Mathematica [A] time = 0.38, size = 273, normalized size = 1.10

$$\frac{1}{2} \left[\frac{\log \left(\sqrt{1-d^2 x^2} \sqrt{f^2 - d^2 e^2} + d^2 ex + f \right) \left(d^2 \left(A \left(2d^2 e^2 + f^2 \right) - 3Be f \right) + C \left(d^2 e^2 + 2f^2 \right) \right)}{\left(f^2 - d^2 e^2 \right)^{5/2}} + \frac{\log (e+f x) \left(d^2 \left(A \left(2d^2 e^2 + f^2 \right) - 3Be f \right) + C \left(d^2 e^2 + 2f^2 \right) \right)}{\left(f^2 - d^2 e^2 \right)^{5/2}} - \frac{\sqrt{1-d^2 x^2} \left(-Ad^2 e f (4e+3fx) + Af^3 + Bd^2 e^2 (2e+fx) + Bf^2 (e+2fx) + Ce \left(d^2 e^2 x - 3ef - 4f^2 x \right) \right)}{\left(f^2 - d^2 e^2 \right)^2 (e+fx)^2} \right]$$

Antiderivative was successfully verified.

[In] `Integrate[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3), x]`

[Out] $\frac{(-((\text{Sqrt}[1 - d^2 x^2] * (\text{A}*f^3 + \text{B}*d^2 e^2 (2e + f*x) + \text{B}*f^2 (e + 2f*x) - \text{A}*d^2 e^2 f (4e + 3f*x) + \text{C}*e*(-3e*f + d^2 e^2 x - 4f^2 x))) / ((-(d^2 e^2)^2 (e + f*x)^2) + ((\text{C}*(d^2 e^2 + 2f^2) + d^2 (-3B e^2 f + A (2d^2 e^2 + f^2))) * \text{Log}[e + f*x]) / ((-\text{d}^2 e^2 + f^2)^{(5/2)} - ((\text{C}*(d^2 e^2 + 2f^2) + d^2 (-3B e^2 f + A (2d^2 e^2 + f^2))) * \text{Log}[f + d^2 e^2 x + \text{Sqrt}[-(\text{d}^2 e^2 + f^2)] * \text{Sqrt}[1 - d^2 x^2]]) / ((-\text{d}^2 e^2 + f^2)^{(5/2)}) / 2}$

IntegrateAlgebraic [B] time = 0.00, size = 533, normalized size = 2.15

$$\tan^{-1}\left(\frac{\sqrt{-de}\sqrt{cd^2f}\sqrt{c^2de}}{\sqrt{dx+1}(de+f)^3}\right)\left(2Ad^2e^2\sqrt{f-de}+Ad^2f^2\sqrt{f-de}-3Bd^2ef\sqrt{f-de}+Cd^2e^2\sqrt{f-de}+2Cf^2\sqrt{f-de}\right)-d\sqrt{1-dx}\left(\frac{4Ad^2e^2(1-de)}{ds+1}-4Ad^2e^2f+\frac{3Ad^2e^2(1-de)}{ds+1}+3Ad^2ef^2+\frac{Ad^2(3e-1)}{ds+1}+Adf^3+\frac{2Bd^2e^2(1-de)}{ds+1}+2Bd^2e^2f^2+\frac{Bd^2e^2}{ds+1}+Bdf^2+\frac{2B^2(1-de)}{ds+1}+2Bf^3-\frac{Cf^2(1-de)}{ds+1}+Ce^2f^3-\frac{3Cd^2e^2(1-de)}{ds+1}-3Cd^2f^2+\frac{4Cd^2e^2}{ds+1}-4Ce^2f^2\right)$$

Antiderivative was successfully verified.

[In] `IntegrateAlgebraic[(A + B*x + C*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(e + f*x)^3), x]`

[Out] $\frac{-((d*\text{Sqrt}[1 - d*x]*(\text{C}*d^2 e^3 + 2*B*d^3 e^3 - 3*C*d^2 e^2 f + B*d^2 e^2 f^2 - 4*A*d^3 e^2 f - 4*C*e*f^2 + B*d^2 e*f^2 - 3*A*d^2 e^2 f^2 + 2*B*f^3 + A*d^2 f^3 - (\text{C}*d^2 e^3 (1 - d*x)) / (1 + d*x) + (2*B*d^3 e^3 (1 - d*x)) / (1 + d*x) - (3*C*d^2 e^2 f (1 - d*x)) / (1 + d*x) - (\text{B}*d^2 e^2 f^2 (1 - d*x)) / (1 + d*x) - (4*A*d^3 e^2 f^2 (1 - d*x)) / (1 + d*x) + (4*C*e*f^2 (1 - d*x)) / (1 + d*x) + (\text{B}*d^2 e*f^2 (1 - d*x)) / (1 + d*x) + (3*A*d^2 e^2 f^2 (1 - d*x)) / (1 + d*x) - (2*B*f^3 (1 - d*x)) / (1 + d*x) + (A*d^2 f^3 (1 - d*x)) / (1 + d*x)) / ((d*e - f)^2 (d*e + f)^2) \text{Sqrt}[1 + d*x] * (d*e + f + (d*e (1 - d*x)) / (1 + d*x) - (f (1 - d*x)) / (1 + d*x))^2) + ((\text{C}*d^2 e^2 Sqrt[-(d*e) + f] + 2*A*d^4 e^2 Sqrt[-(d*e) + f] - 3*B*d^2 e^2 f Sqrt[-(d*e) + f] + 2*C*f^2 Sqrt[-(d*e) + f] + A*d^2 f^2 Sqrt[-(d*e) + f]) * \text{ArcTan}[(\text{Sqrt}[-(d*e) - f] * \text{Sqrt}[-(d*e) + f] * \text{Sqrt}[1 - d*x]) / ((d*e + f) * \text{Sqrt}[1 + d*x])] / ((-(d*e) - f)^{(5/2)} * (d*e - f)^3)$

fricas [B] time = 0.85, size = 1580, normalized size = 6.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x, algorithm="fricas")`

[Out] $[-1/2*(2*B*d^4 e^7 - B*d^2 e^5 f^2 - (4*A*d^4 + 3*C*d^2)*e^6 f + (5*A*d^2 + 3*C)*e^4 f^3 - B*e^3 f^4 - A*e^2 f^5 + (2*B*d^4 e^5 f^2 - B*d^2 e^3 f^4 - B*d^2 e^2 f^5) / (d*x + 1)^{(1/2})] / ((d*x + 1)^{(5/2)} * (d*e - f)^3)$

$$\begin{aligned}
& (4*A*d^4 + 3*C*d^2)*e^4*f^3 + (5*A*d^2 + 3*C)*e^2*f^5 - B*e*f^6 - A*f^7)*x^2 - (3*B*d^2*e^5*f - (2*A*d^4 + C*d^2)*e^6 - (A*d^2 + 2*C)*e^4*f^2 + (3*B*d^2*e^3*f^3 - (2*A*d^4 + C*d^2)*e^4*f^2 - (A*d^2 + 2*C)*e^2*f^4)*x^2 + 2*(3*B*d^2*e^4*f^2 - (2*A*d^4 + C*d^2)*e^5*f - (A*d^2 + 2*C)*e^3*f^3)*x)*sqrt(-d^2*e^2 + f^2)*log((d^2*e*f*x + f^2 - sqrt(-d^2*e^2 + f^2)*(d^2*e*x + f) - (sqrt(-d^2*e^2 + f^2)*sqrt(-d*x + 1)*f + (d^2*e^2 - f^2)*sqrt(-d*x + 1))*sqrt(d*x + 1))/(f*x + e)) + (2*B*d^4*e^7 - B*d^2*e^5*f^2 - (4*A*d^4 + 3*C*d^2)*e^6*f + (5*A*d^2 + 3*C)*e^4*f^3 - B*e^3*f^4 - A*e^2*f^5 + (C*d^4*e^7 + B*d^4*e^6*f + B*d^2*e^4*f^3 - (3*A*d^4 + 5*C*d^2)*e^5*f^2 + (3*A*d^2 + 4*C)*e^3*f^4 - 2*B*e^2*f^5)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 2*(2*B*d^4*e^6*f - B*d^2*e^4*f^3 - (4*A*d^4 + 3*C*d^2)*e^5*f^2 + (5*A*d^2 + 3*C)*e^3*f^4 - B*e^2*f^5 - A*e*f^6)*x)/(d^6*e^10 - 3*d^4*e^8*f^2 + 3*d^2*e^6*f^4 - e^4*f^6 + (d^6*e^8*f^2 - 3*d^4*e^6*f^4 + 3*d^2*e^4*f^6 - e^2*f^8)*x^2 + 2*(d^6*e^9*f - 3*d^4*e^7*f^3 + 3*d^2*e^5*f^5 - e^3*f^7)*x), -1/2*(2*B*d^4*e^7 - B*d^2*e^5*f^2 - (4*A*d^4 + 3*C*d^2)*e^6*f + (5*A*d^2 + 3*C)*e^4*f^3 - B*e^3*f^4 - A*e^2*f^5 + (2*B*d^4*e^5*f^2 - B*d^2*e^3*f^4 - (4*A*d^4 + 3*C*d^2)*e^4*f^3 + (5*A*d^2 + 3*C)*e^2*f^5 - B*e*f^6 - A*f^7)*x^2 + 2*(3*B*d^2*e^5*f - (2*A*d^4 + C*d^2)*e^4*f^2 - (A*d^2 + 2*C)*e^2*f^4)*x^2 + 2*(3*B*d^2*e^4*f^2 - (2*A*d^4 + C*d^2)*e^5*f - (A*d^2 + 2*C)*e^3*f^3)*x)*sqrt(d^2*e^2 - f^2)*arctan(-(sqrt(d^2*e^2 - f^2)*sqrt(d*x + 1)*sqrt(-d*x + 1)*e - sqrt(d^2*e^2 - f^2)*(f*x + e))/((d^2*e^2 - f^2)*x)) + (2*B*d^4*e^7 - B*d^2*e^5*f^2 - (4*A*d^4 + 3*C*d^2)*e^6*f + (5*A*d^2 + 3*C)*e^4*f^3 - B*e^3*f^4 - A*e^2*f^5 + (C*d^4*e^7 + B*d^4*e^6*f + B*d^2*e^4*f^3 - (3*A*d^4 + 5*C*d^2)*e^5*f^2 + (3*A*d^2 + 4*C)*e^3*f^4 - 2*B*e^2*f^5)*x)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 2*(2*B*d^4*e^6*f - B*d^2*e^4*f^3 - (4*A*d^4 + 3*C*d^2)*e^5*f^2 + (5*A*d^2 + 3*C)*e^3*f^4 - B*e^2*f^5 - A*e*f^6)*x)/(d^6*e^10 - 3*d^4*e^8*f^2 + 3*d^2*e^6*f^4 - e^4*f^6 + (d^6*e^8*f^2 - 3*d^4*e^6*f^4 + 3*d^2*e^4*f^6 - e^2*f^8)*x^2 + 2*(d^6*e^9*f - 3*d^4*e^7*f^3 + 3*d^2*e^5*f^5 - e^3*f^7)*x)]
\end{aligned}$$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INPUT:sage2:=int(sage0,x);;OUTPUT:Undef/Unsigned Inf encountered in limit

maple [C] time = 0.00, size = 1449, normalized size = 5.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)}, x)$

[Out]
$$\begin{aligned} & -1/2*(2*A*d^4*e^2*f^2*x^2*ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+4*A*d^4*e^3*f*x*ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+2*A*d^4*e^4*ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+A*d^2*f^4*x^2*ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))-3*B*d^2*e*f^3*x^2*ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+C*d^2*e^2*f^2*x^2*ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+2*A*d^2*e*f^3*x*ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))-6*B*d^2*e^2*f^2*x*ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+2*C*d^2*e^3*f*x*ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+A*d^2*e^2*f^2*ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))-3*(-(d^2*e^2-f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}*A*d^2*e*f^3*x-3*B*d^2*e^3*f*ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+(-(d^2*e^2-f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}*B*d^2*e^2*f^2*x+C*d^2*e^4*ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+(-(d^2*e^2-f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}*B*d^2*e^3*f+4*C*e*f^3*x*ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))-4*(-(d^2*e^2-f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}*A*d^2*e^2*f^2+2*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}*B*d^2*e^3*f+4*C*e*f^3*x*ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))+2*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}*B*f^4*x+2*C*e^2*f^2*ln(2*(d^2*e*x+(-d^2*x^2+1)^{(1/2)}*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*f+f)/(f*x+e))-4*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}*A*f^4+(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}*B*e*f^3-3*(-(d^2*e^2-f^2)/f^2)^{(1/2)}*(-d^2*x^2+1)^{(1/2)}*C*e^2*f^2)*(d*x+1)^{(1/2)}*(-d*x+1)^{(1/2)})/(-d^2*x^2+1)^{(1/2)}/(d*e+f)/(d*e-f)/(d^2*e^2-f^2)/(f*x+e)^2/(-(d^2*e^2-f^2)/f^2)^{(1/2)}/f*csgn(d)^2 \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((C*x^2+B*x+A)/(f*x+e)^3/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(f-d*e>0)', see `assume?` for more details)Is f-d*e positive, negative or zero?

mupad [B] time = 0.01, size = 9097, normalized size = 36.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)^3*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)), x)

[Out] ((12*(2*C*f^3 + C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^2)/(((d*x + 1)^(1/2) - 1)^2*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (24*(2*C*f^3 - C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^4)/(((d*x + 1)^(1/2) - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (12*(2*C*f^3 + C*d^2*e^2*f)*((1 - d*x)^(1/2) - 1)^6)/(((d*x + 1)^(1/2) - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*((1 - d*x)^(1/2) - 1)^7*(C*d^3*e^3 + 2*C*d*e*f^2))/(((d*x + 1)^(1/2) - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*((1 - d*x)^(1/2) - 1)^3*(7*C*d^3*e^3 - 34*C*d*e*f^2))/(((d*x + 1)^(1/2) - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*((1 - d*x)^(1/2) - 1)^5*(7*C*d^3*e^3 - 34*C*d*e*f^2))/(((d*x + 1)^(1/2) - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*d*e*((1 - d*x)^(1/2) - 1)*(2*C*f^2 + C*d^2*e^2))/(((d*x + 1)^(1/2) - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))/((d^2*e^2 + (((1 - d*x)^(1/2) - 1)^2*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^(1/2) - 1)^2 + (((1 - d*x)^(1/2) - 1)^6*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^(1/2) - 1)^6 - (((1 - d*x)^(1/2) - 1)^4*(32*f^2 - 6*d^2*e^2))/((d*x + 1)^(1/2) - 1)^4 + (d^2*e^2*((1 - d*x)^(1/2) - 1)^8)/((d*x + 1)^(1/2) - 1)^8 + (8*d*e*f*((1 - d*x)^(1/2) - 1)^3)/((d*x + 1)^(1/2) - 1)^3 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^5)/((d*x + 1)^(1/2) - 1)^5 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^7)/((d*x + 1)^(1/2) - 1)^7 + (8*d*e*f*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1)) + ((4*((1 - d*x)^(1/2) - 1)^2*(4*A*d^4*e^4*f - 2*A*f^5 + 7*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^(1/2) - 1)^2*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (8*((1 - d*x)^(1/2) - 1)^4*(2*A*f^5 + 4*A*d^4*e^4*f - 9*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^(1/2) - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (4*((1 - d*x)^(1/2) - 1)^6*(4*A*d^4*e^4*f - 2*A*f^5 + 7*A*d^2*e^2*f^3))/(e^2*((d*x + 1)^(1/2) - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*((1 - d*x)^(1/2) - 1)^7*(2*A*d*f^3 - 5*A*d^3*e^2*f))/(e*((d*x + 1)^(1/2) - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*f*((1 - d*x)^(1/2) - 1)^3*(2*A*d*f^3 - 29*A*d^3*e^2*f))/(e*((d*x + 1)^(1/2) - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) + (2*f*((1 - d*x)^(1/2) - 1)^5*(2*A*d*f^3 - 29*A*d^3*e^2*f))/(e*((d*x + 1)^(1/2) - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (2*d*f*((2*A*f^3 - 5*A*d^2*e^2*f^2)*((1 - d*x)^(1/2) - 1))/(e*((d*x + 1)^(1/2) - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))/(d^2*e^2 + (((1 - d*x)^(1/2) - 1)^2*(16*f^2 + 4*d^2*e^2))/((d*x + 1)^(1/2) - 1)^2 + (((1 - d*x)^(1/2) - 1)^6*(16*f^2 - 6*d^2*e^2))/((d*x + 1)^(1/2) - 1)^6 + (d^2*e^2*((1 - d*x)^(1/2) - 1)^8)/((d*x + 1)^(1/2) - 1)^8 + (8*d*e*f*((1 - d*x)^(1/2) - 1)^3)/((d*x + 1)^(1/2) - 1)^3 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^5)/((d*x + 1)^(1/2) - 1)^5 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^7)/((d*x + 1)^(1/2) - 1)^7 + (8*d*e*f*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1)) - ((4*((1 - d*x)^(1/2) - 1)^2*(2*B*f^4 + 2*B*d^4*e^4 + 5*B*d^2*e^2*f^2))/(e*((d*x + 1)^(1/2) - 1)^2*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)) - (8*((1 - d*x)^(1/2) - 1)^4*(2*B*f^4 - 2*B*d^4*e^4 + 3*B*d^2*e^2*f^2))/(e*((d*x + 1)^(1/2) - 1)^4*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2)))
```

$$\begin{aligned}
& + \frac{(4*((1 - d*x)^(1/2) - 1)^6*(2*B*f^4 + 2*B*d^4*e^4 + 5*B*d^2*e^2*f^2))}{(e*((d*x + 1)^(1/2) - 1)^6*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))} + \frac{(2*f*(11*B*d^3*e^2 + 16*B*d*f^2)*((1 - d*x)^(1/2) - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))}{(((d*x + 1)^(1/2) - 1)^3*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))} - \frac{(2*f*(11*B*d^3*e^2 + 16*B*d*f^2)*((1 - d*x)^(1/2) - 1)^5)}{(((d*x + 1)^(1/2) - 1)^5*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))} - \frac{(6*B*d^3*e^2*f*((1 - d*x)^(1/2) - 1)^7)}{(((d*x + 1)^(1/2) - 1)^7*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))} + \frac{(6*B*d^3*e^2*f*((1 - d*x)^(1/2) - 1))}{(((d*x + 1)^(1/2) - 1)*(f^4 + d^4*e^4 - 2*d^2*e^2*f^2))} / (d^2*e^2 + (((1 - d*x)^(1/2) - 1)^2*(16*f^2 + 4*d^2*e^2))) / ((d*x + 1)^(1/2) - 1)^6 - (((1 - d*x)^(1/2) - 1)^4*(32*f^2 - 6*d^2*e^2)) / ((d*x + 1)^(1/2) - 1)^4 + (d^2*e^2*((1 - d*x)^(1/2) - 1)^8) / ((d*x + 1)^(1/2) - 1)^8 + (8*d*e*f*((1 - d*x)^(1/2) - 1)^3) / ((d*x + 1)^(1/2) - 1)^3 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^5) / ((d*x + 1)^(1/2) - 1)^5 - (8*d*e*f*((1 - d*x)^(1/2) - 1)^7) / ((d*x + 1)^(1/2) - 1)^7 + (8*d*e*f*((1 - d*x)^(1/2) - 1)) / ((d*x + 1)^(1/2) - 1)) + (C*atan(((C*(2*f^2 + d^2*e^2)*((4*((1 - d*x)^(1/2) - 1)^2*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)) / ((d*x + 1)^(1/2) - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - (4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (C*(2*f^2 + d^2*e^2)*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d^10*f^10)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^(1/2) - 1)^2*(4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d^10*f^10)) / ((d*x + 1)^(1/2) - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (64*d^2*e^2*f*((1 - d*x)^(1/2) - 1)) / ((d*x + 1)^(1/2) - 1)) / (2*(f + d*e)^(5/2)*(f - d*e)^(5/2))*1i) / (2*(f + d*e)^(5/2)*(f - d*e)^(5/2)) - (C*(2*f^2 + d^2*e^2)*((4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) - (4*((1 - d*x)^(1/2) - 1)^2*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)) / ((d*x + 1)^(1/2) - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (C*(2*f^2 + d^2*e^2)*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + 4*d^10*f^10)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^(1/2) - 1)^2*(4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d^10*f^10)) / ((d*x + 1)^(1/2) - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (64*d^2*e^2*f*((1 - d*x)^(1/2) - 1)) / ((d*x + 1)^(1/2) - 1)) / (2*(f + d*e)^(5/2)*(f - d*e)^(5/2))*1i) / (2*(f + d*e)^(5/2)*(f - d*e)^(5/2)) / ((8*(C^2*d^5*e^5 + 4*C^2*d^3*e^3*f^2 + 4*C^2*d*e*f^4)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (8*((1 - d*x)^(1/2) - 1)^2*(C^2*d^5*e^5 + 4*C^2*d^3*e^3*f^2 + 4*C^2*d*e*f^4)) / (((d*x + 1)^(1/2) - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (C*(2*f^2 + d^2*e^2)*((4*((1 - d*x)^(1/2) - 1)^2*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)) / (((d*x + 1)^(1/2) - 1)^2*(f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - (4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - (4*(8*C*d*e*f^7 + 4*C*d^7*e^7*f - 12*C*d^3*e^3*f^5)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2))
\end{aligned}$$

$$4 * A^2 * d^7 * e^3 * f^2 + A^2 * d^5 * e * f^4)) / (((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2)) + (A * d^2 * (f^2 + 2 * d^2 * e^2 * e^2) * ((4 * ((1 - d*x)^{(1/2)} - 1)^2 * (4 * A * d^3 * e * f^7 + 8 * A * d^9 * e^7 * f - 12 * A * d^7 * e^5 * f^3)) / (((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2)) - (4 * (4 * A * d^3 * e * f^7 + 8 * A * d^9 * e^7 * f - 12 * A * d^7 * e^5 * f^3)) / (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2) + (A * d^2 * (f^2 + 2 * d^2 * e^2) * ((4 * (4 * d^11 * e^11 - 12 * d^3 * e^3 * f^8 + 8 * d^5 * e^5 * f^6 + 8 * d^7 * e^7 * f^4 - 12 * d^9 * e^9 * f^2 + 4 * d * e * f^{10})) / (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2) + (4 * ((1 - d*x)^{(1/2)} - 1)^2 * (4 * d^11 * e^11 + 52 * d^3 * e^3 * f^8 - 88 * d^5 * e^5 * f^6 + 72 * d^7 * e^7 * f^4 - 28 * d^9 * e^9 * f^2 - 12 * d * e * f^{10})) / (((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2)) + (64 * d^2 * e^2 * f * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1))) / (2 * (f + d * e)^{(5/2)} * (f - d * e)^{(5/2)}) / (2 * (f + d * e)^{(5/2)} * (f - d * e)^{(5/2)}) + (A * d^2 * (f^2 + 2 * d^2 * e^2) * ((4 * (4 * A * d^3 * e * f^7 + 8 * A * d^9 * e^7 * f - 12 * A * d^7 * e^5 * f^3)) / (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2) - (4 * ((1 - d*x)^{(1/2)} - 1)^2 * (4 * A * d^3 * e * f^7 + 8 * A * d^9 * e^7 * f - 12 * A * d^7 * e^5 * f^3)) / (((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2)) + (A * d^2 * (f^2 + 2 * d^2 * e^2) * ((4 * (4 * d^11 * e^11 - 12 * d^3 * e^3 * f^8 + 8 * d^5 * e^5 * f^6 + 8 * d^7 * e^7 * f^4 - 12 * d^9 * e^9 * f^2 + 4 * d * e * f^{10})) / (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2) + (4 * ((1 - d*x)^{(1/2)} - 1)^2 * (4 * d^11 * e^11 + 52 * d^3 * e^3 * f^8 - 88 * d^5 * e^5 * f^6 + 72 * d^7 * e^7 * f^4 - 28 * d^9 * e^9 * f^2 - 12 * d * e * f^{10})) / (((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2)) + (64 * d^2 * e^2 * f * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1))) / (2 * (f + d * e)^{(5/2)} * (f - d * e)^{(5/2)}) * (f^2 + 2 * d^2 * e^2) * 1i) / ((f + d * e)^{(5/2)} * (f - d * e)^{(5/2)}) - (B * d^2 * e * f * atan((B * d^2 * e * f * ((4 * ((1 - d*x)^{(1/2)} - 1)^2 * (12 * B * d^3 * e^2 * f^6 - 24 * B * d^5 * e^4 * f^4 + 12 * B * d^7 * e^6 * f^2)) / (((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2)) - (4 * (12 * B * d^3 * e^2 * f^6 - 24 * B * d^5 * e^4 * f^4 + 12 * B * d^7 * e^6 * f^2)) / (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2) + (3 * B * d^2 * e * f * ((4 * (4 * d^11 * e^11 - 12 * d^3 * e^3 * f^8 + 8 * d^5 * e^5 * f^6 + 8 * d^7 * e^7 * f^4 - 12 * d^9 * e^9 * f^2 + 4 * d * e * f^{10})) / (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2) + (4 * ((1 - d*x)^{(1/2)} - 1)^2 * (4 * d^11 * e^11 + 52 * d^3 * e^3 * f^8 - 88 * d^5 * e^5 * f^6 + 72 * d^7 * e^7 * f^4 - 28 * d^9 * e^9 * f^2 - 12 * d * e * f^{10})) / (((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2)) + (64 * d^2 * e^2 * f * ((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1))) / (2 * (f + d * e)^{(5/2)} * (f - d * e)^{(5/2)}) - (B * d^2 * e * f * ((4 * (12 * B * d^3 * e^2 * f^6 - 24 * B * d^5 * e^4 * f^4 + 12 * B * d^7 * e^6 * f^2)) / (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2) - (4 * ((1 - d*x)^{(1/2)} - 1)^2 * (12 * B * d^3 * e^2 * f^6 - 24 * B * d^5 * e^4 * f^4 + 12 * B * d^7 * e^6 * f^2)) / ((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2)) + (3 * B * d^2 * e * f * ((4 * (4 * d^11 * e^11 - 12 * d^3 * e^3 * f^8 + 8 * d^5 * e^5 * f^6 + 8 * d^7 * e^7 * f^4 - 12 * d^9 * e^9 * f^2 + 4 * d * e * f^{10})) / (f^8 + d^8 * e^8 - 4 * d^2 * e^2 * f^6 + 6 * d^4 * e^4 * f^4 - 4 * d^6 * e^6 * f^2) + (4 * ((1 - d*x)^{(1/2)} - 1)^2 * (4 * d^11 * e^11 + 52 * d^3 * e^3 * f^8 - 88 * d^5 * e^5 * f^6 + 72 * d^7 * e^7 * f^4 - 28 * d^9 * e^9 * f^2 - 28 * d^9 * e^9 * f^2)$$

$$\begin{aligned}
& - 12*d*e*f^10)) / (((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6 \\
& *d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)) / ((d*x \\
& + 1)^{(1/2)} - 1)) / (2*(f + d*e)^{(5/2)} * (f - d*e)^{(5/2)}) * 3i) / (2*(f + d*e)^{(5} \\
& / 2) * (f - d*e)^{(5/2)}) / ((72*B^2*d^5*e^3*f^2) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 \\
& + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (3*B*d^2*e*f*((4*((1 - d*x)^{(1/2)} - 1)^2 \\
& *(12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2)) / (((d*x + 1)^{(1/2)} \\
&) - 1)^2 * (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) - \\
& (4*(12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2)) / (f^8 + d^8*e^8 \\
& - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + (3*B*d^2*e*f*((4*(4*d^ \\
& 11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - 12*d^9*e^9*f^2 + \\
& 4*d^e*f^10)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) + \\
& (4*((1 - d*x)^{(1/2)} - 1)^2 * (4*d^11*e^11 + 52*d^3*e^3*f^8 - 88*d^5*e^5*f^6 + \\
& 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d^e*f^10)) / (((d*x + 1)^{(1/2)} - 1)^2 * \\
& (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + (64*d^ \\
& 2*e^2*f*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - 1))) / (2*(f + d*e)^{(5/2)} \\
& * (f - d*e)^{(5/2)}) / (2*(f + d*e)^{(5/2)} * (f - d*e)^{(5/2)}) + (3*B*d^2*e*f*((4* \\
& (12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2)) / (f^8 + d^8*e^8 - \\
& 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2) - (4*((1 - d*x)^{(1/2)} - 1)^2 * \\
& (12*B*d^3*e^2*f^6 - 24*B*d^5*e^4*f^4 + 12*B*d^7*e^6*f^2)) / (((d*x + 1)^{(1/2)} \\
&) - 1)^2 * (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2)) + \\
& (3*B*d^2*e*f*((4*(4*d^11*e^11 - 12*d^3*e^3*f^8 + 8*d^5*e^5*f^6 + 8*d^7*e^7*f^4 - \\
& 12*d^9*e^9*f^2 + 4*d^e*f^10)) / (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4 \\
& *e^4*f^4 - 4*d^6*e^6*f^2) + (4*((1 - d*x)^{(1/2)} - 1)^2 * (4*d^11*e^11 + 52*d^ \\
& 3*e^3*f^8 - 88*d^5*e^5*f^6 + 72*d^7*e^7*f^4 - 28*d^9*e^9*f^2 - 12*d^e*f^10)) / \\
& (((d*x + 1)^{(1/2)} - 1)^2 * (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - \\
& 4*d^6*e^6*f^2)) + (64*d^2*e^2*f*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} - \\
& 1))) / (2*(f + d*e)^{(5/2)} * (f - d*e)^{(5/2)}) / (2*(f + d*e)^{(5/2)} * (f - \\
& d*e)^{(5/2)}) + (72*B^2*d^5*e^3*f^2 * ((1 - d*x)^{(1/2)} - 1)^2) / (((d*x + 1)^{(1/2)} - 1)^2 * \\
& (f^8 + d^8*e^8 - 4*d^2*e^2*f^6 + 6*d^4*e^4*f^4 - 4*d^6*e^6*f^2))) * 3i) / ((f + \\
& d*e)^{(5/2)} * (f - d*e)^{(5/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)**3/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)

[Out] Timed out

3.15 $\int \frac{x(a+bx+cx^2)}{\sqrt{1-dx} \sqrt{1+dx}} dx$

Optimal. Leaf size=79

$$-\frac{\sqrt{1-d^2x^2} (2(3ad^2 + 2c) + 3bd^2x)}{6d^4} + \frac{b \sin^{-1}(dx)}{2d^3} - \frac{cx^2 \sqrt{1-d^2x^2}}{3d^2}$$

Rubi [A] time = 0.14, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.129, Rules used = {1609, 1809, 780, 216}

$$-\frac{\sqrt{1-d^2x^2} (2(3ad^2 + 2c) + 3bd^2x)}{6d^4} + \frac{b \sin^{-1}(dx)}{2d^3} - \frac{cx^2 \sqrt{1-d^2x^2}}{3d^2}$$

Antiderivative was successfully verified.

```
[In] Int[(x*(a + b*x + c*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
[Out] -(c*x^2*Sqrt[1 - d^2*x^2])/(3*d^2) - ((2*(2*c + 3*a*d^2) + 3*b*d^2*x)*Sqrt[1 - d^2*x^2])/(6*d^4) + (b*ArcSin[d*x])/(2*d^3)
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_
Symbol] :> Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1)/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f
_.)*(x_))^(p_), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; F
reeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] &
& EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1809

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] :> With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q) -

```

```

1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])

```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + bx + cx^2)}{\sqrt{1-dx}\sqrt{1+dx}} dx &= \int \frac{x(a + bx + cx^2)}{\sqrt{1-d^2x^2}} dx \\
&= -\frac{cx^2\sqrt{1-d^2x^2}}{3d^2} - \frac{\int \frac{x(-2c-3ad^2-3bd^2x)}{\sqrt{1-d^2x^2}} dx}{3d^2} \\
&= -\frac{cx^2\sqrt{1-d^2x^2}}{3d^2} - \frac{(2(2c+3ad^2)+3bd^2x)\sqrt{1-d^2x^2}}{6d^4} + \frac{b \int \frac{1}{\sqrt{1-d^2x^2}} dx}{2d^2} \\
&= -\frac{cx^2\sqrt{1-d^2x^2}}{3d^2} - \frac{(2(2c+3ad^2)+3bd^2x)\sqrt{1-d^2x^2}}{6d^4} + \frac{b \sin^{-1}(dx)}{2d^3}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 57, normalized size = 0.72

$$\frac{3bd \sin^{-1}(dx) - \sqrt{1-d^2x^2} (3d^2(2a + bx) + 2c(d^2x^2 + 2))}{6d^4}$$

Antiderivative was successfully verified.

```

[In] Integrate[(x*(a + b*x + c*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
[Out] 
$$\frac{-(\sqrt{1-d^2x^2} (3d^2(2a + bx) + 2c(d^2x^2 + 2))) + 3b*d*\text{ArcSin}[d*x]}{6d^4}$$


```

IntegrateAlgebraic [B] time = 0.00, size = 179, normalized size = 2.27

$$\frac{\sqrt{1-dx} \left(\frac{12ad^2(1-dx)}{dx+1} + \frac{6ad^2(1-dx)^2}{(dx+1)^2} + 6ad^2 - \frac{3bd(1-dx)^2}{(dx+1)^2} + 3bd + \frac{4c(1-dx)}{dx+1} + \frac{6c(1-dx)^2}{(dx+1)^2} + 6c\right)}{3d^4\sqrt{dx+1} \left(\frac{1-dx}{dx+1} + 1\right)^3} - \frac{b \tan^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}}\right)}{d^3}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(x*(a + b*x + c*x^2))/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
```

[Out]
$$\begin{aligned} & -1/3 * (\text{Sqrt}[1 - d*x] * (6*c + 3*b*d + 6*a*d^2 + (6*c*(1 - d*x)^2)/(1 + d*x)^2 \\ & - (3*b*d*(1 - d*x)^2)/(1 + d*x)^2 + (6*a*d^2*(1 - d*x)^2)/(1 + d*x)^2 + (4*c*(1 - d*x))/(1 + d*x) + (12*a*d^2*(1 - d*x))/(1 + d*x)))/(d^4*\text{Sqrt}[1 + d*x] \\ &] * (1 + (1 - d*x)/(1 + d*x))^3) - (b*\text{ArcTan}[\text{Sqrt}[1 - d*x]/\text{Sqrt}[1 + d*x]])/d^3 \end{aligned}$$

fricas [A] time = 1.14, size = 78, normalized size = 0.99

$$\frac{6 b d \arctan\left(\frac{\sqrt{dx+1} \sqrt{-dx+1}-1}{dx}\right)+\left(2 c d^2 x^2+3 b d^2 x+6 a d^2+4 c\right) \sqrt{dx+1} \sqrt{-dx+1}}{6 d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & -1/6 * (6*b*d*arctan((\text{sqrt}(d*x + 1)*\text{sqrt}(-d*x + 1) - 1)/(d*x)) + (2*c*d^2*x^2 \\ & + 3*b*d^2*x + 6*a*d^2 + 4*c)*\text{sqrt}(d*x + 1)*\text{sqrt}(-d*x + 1))/d^4 \end{aligned}$$

giac [A] time = 1.31, size = 101, normalized size = 1.28

$$\frac{\sqrt{dx+1} \sqrt{-dx+1} \left((dx+1) \left(\frac{2 (dx+1) c}{d^3}+\frac{3 b d^{10}-4 c d^9}{d^{12}}\right)+\frac{3 \left(2 a d^{11}-b d^{10}+2 c d^9\right)}{d^{12}}\right)-\frac{6 b \arcsin\left(\frac{1}{2} \sqrt{2} \sqrt{dx+1}\right)}{d^2}}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")`

[Out]
$$\begin{aligned} & -1/6 * (\text{sqrt}(d*x + 1)*\text{sqrt}(-d*x + 1)*((d*x + 1)*(2*(d*x + 1)*c/d^3 + (3*b*d^10 - 4*c*d^9)/d^12) + 3*(2*a*d^11 - b*d^10 + 2*c*d^9)/d^12) - 6*b*\arcsin(1/2 * \text{sqrt}(2)*\text{sqrt}(d*x + 1))/d^2)/d \end{aligned}$$

maple [C] time = 0.00, size = 139, normalized size = 1.76

$$\frac{\sqrt{-dx+1} \sqrt{dx+1} \left(2 \sqrt{-d^2 x^2+1} \, c \, d^2 x^2 \text{csgn}(d)+3 \sqrt{-d^2 x^2+1} \, b \, d^2 x \text{csgn}(d)+6 \sqrt{-d^2 x^2+1} \, a \, d^2 \text{csgn}(d)-3 b d \arctan\left(\frac{d x \text{csgn}(d)}{\sqrt{-d^2 x^2+1}}\right)+4 \sqrt{-d^2 x^2+1} \, c \, \text{csgn}(d)\right) \text{csgn}(d)}{6 \sqrt{-d^2 x^2+1} \, d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)`

[Out]
$$\begin{aligned} & -1/6 * (-d*x+1)^(1/2)*(d*x+1)^(1/2)*(2*(-d^2*x^2+1)^(1/2)*c*d^2*x^2*csgn(d)+3*(-d^2*x^2+1)^(1/2)*b*d^2*x*csgn(d)+6*(-d^2*x^2+1)^(1/2)*a*d^2*csgn(d)-3*b*d*\arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d))+4*(-d^2*x^2+1)^(1/2)*c*csgn(d))/(-d^2*x^2+1)^(1/2)/d^4*csgn(d) \end{aligned}$$

maxima [A] time = 1.27, size = 87, normalized size = 1.10

$$-\frac{\sqrt{-d^2x^2+1}cx^2}{3d^2}-\frac{\sqrt{-d^2x^2+1}bx}{2d^2}-\frac{\sqrt{-d^2x^2+1}a}{d^2}+\frac{b \arcsin(dx)}{2d^3}-\frac{2\sqrt{-d^2x^2+1}c}{3d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")`

[Out] $-1/3\sqrt{-d^2x^2+1}c x^2/d^2 - 1/2\sqrt{-d^2x^2+1}b x/d^2 - \sqrt{-d^2x^2+1}a/d^2 + 1/2b \arcsin(dx)/d^3 - 2/3\sqrt{-d^2x^2+1}c/d^4$

mupad [B] time = 7.61, size = 244, normalized size = 3.09

$$-\frac{\sqrt{1-dx}\left(\frac{a}{d^2}+\frac{ax}{d}\right)}{\sqrt{dx+1}}-\frac{2b \operatorname{atan}\left(\frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1}\right)}{d^3}-\frac{\frac{14b\left(\sqrt{1-dx}-1\right)^3}{\left(\sqrt{dx+1}-1\right)^3}-\frac{14b\left(\sqrt{1-dx}-1\right)^5}{\left(\sqrt{dx+1}-1\right)^5}+\frac{2b\left(\sqrt{1-dx}-1\right)^7}{\left(\sqrt{dx+1}-1\right)^7}-\frac{2b\left(\sqrt{1-dx}-1\right)}{\sqrt{dx+1}-1}}{d^3\left(\frac{\left(\sqrt{1-dx}-1\right)^2}{\left(\sqrt{dx+1}-1\right)^2}+1\right)}-\frac{\sqrt{1-dx}\left(\frac{2c}{3d^4}+\frac{cx^3}{3d}+\frac{cx^2}{3d^2}+\frac{2cx}{3d^3}\right)}{\sqrt{dx+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(a + b*x + c*x^2))/((1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out] $-((1 - d*x)^(1/2)*(a/d^2 + (a*x)/d))/(d*x + 1)^(1/2) - (2*b*\operatorname{atan}(((1 - d*x)^(1/2) - 1)/((d*x + 1)^(1/2) - 1)))/d^3 - ((14*b*((1 - d*x)^(1/2) - 1)^3)/((d*x + 1)^(1/2) - 1)^3 - (14*b*((1 - d*x)^(1/2) - 1)^5)/((d*x + 1)^(1/2) - 1)^5 + (2*b*((1 - d*x)^(1/2) - 1)^7)/((d*x + 1)^(1/2) - 1)^7 - (2*b*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1))/(d^3*((1 - d*x)^(1/2) - 1)^2/((d*x + 1)^(1/2) - 1)^2 + (1 - d*x)^(1/2)*((2*c)/(3*d^4) + (c*x^3)/(3*d) + (c*x^2)/(3*d^2) + (2*c*x)/(3*d^3)))/(d*x + 1)^(1/2)$

sympy [C] time = 82.52, size = 313, normalized size = 3.96

$$\frac{i a C_{6,6}^{6,2}\left(-\frac{1}{4}, \frac{1}{4}, 0, 0, \frac{1}{2}, 1\left|\begin{array}{l}1 \\ \bar{d}^2 \bar{x}^2\end{array}\right.\right)}{4 \pi^{\frac{3}{2}} d^2}-\frac{a C_{6,6}^{2,6}\left(-1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1\left|\begin{array}{l}e^{2 i \pi} \\ \bar{d}^2 \bar{x}^2\end{array}\right.\right)}{4 \pi^{\frac{3}{2}} d^3}+i b C_{6,6}^{6,2}\left(-\frac{3}{4}, -\frac{1}{4}, -\frac{1}{2}, 0, 1\left|\begin{array}{l}1 \\ \bar{d}^2 \bar{x}^2\end{array}\right.\right)-\frac{b C_{6,6}^{2,6}\left(-\frac{3}{4}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 1\left|\begin{array}{l}e^{2 i \pi} \\ \bar{d}^2 \bar{x}^2\end{array}\right.\right)}{4 \pi^{\frac{3}{2}} d^3}-\frac{i c C_{6,6}^{6,2}\left(-\frac{5}{4}, -\frac{3}{4}, -1, -1, -\frac{1}{2}, 1\left|\begin{array}{l}1 \\ \bar{d}^2 \bar{x}^2\end{array}\right.\right)}{4 \pi^{\frac{3}{2}} d^4}-\frac{c C_{6,6}^{2,6}\left(-\frac{3}{4}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 0\left|\begin{array}{l}e^{2 i \pi} \\ \bar{d}^2 \bar{x}^2\end{array}\right.\right)}{4 \pi^{\frac{3}{2}} d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(c*x**2+b*x+a)/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)`

[Out] $-I*a*\operatorname{meijerg}((-1/4, 1/4), (0, 0, 1/2, 1), ((-1/2, -1/4, 0, 1/4, 1/2, 0), (), 1/(d**2*x**2))/(4*pi**3/2*d**2) - a*\operatorname{meijerg}((-1, -3/4, -1/2, -1/4, 0, 1), (), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), \exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**3/2*d**2) - I*b*\operatorname{meijerg}((-3/4, -1/4), (-1/2, -1/2, 0, 1), ((-1, -3/4, -1/2, -1/4, 0, 0), (), 1/(d**2*x**2))/(4*pi**3/2*d**3) + b*\operatorname{meijerg}((-3/2, -5/4, -1, -3/4, -1/2, 1), (), ((-5/4, -3/4), (-3/2, -1, -1, -1,$

```
0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**3) - I*c*meijerg((( $-5/4$ ,  $-3/4$ ), (-1, -1, -1/2, 1)), (( $-3/2$ ,  $-5/4$ , -1,  $-3/4$ ,  $-1/2$ , 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d**4) - c*meijerg((( $-2$ ,  $-7/4$ ,  $-3/2$ ,  $-5/4$ , -1, 1), ()), (( $-7/4$ ,  $-5/4$ ), (-2,  $-3/2$ ,  $-3/2$ , 0)), exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**4)
```

3.16 $\int \frac{a+bx+cx^2}{\sqrt{1-dx} \sqrt{1+dx}} dx$

Optimal. Leaf size=63

$$\frac{(2ad^2 + c) \sin^{-1}(dx)}{2d^3} - \frac{b\sqrt{1-d^2x^2}}{d^2} - \frac{cx\sqrt{1-d^2x^2}}{2d^2}$$

Rubi [A] time = 0.06, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.133, Rules used = {899, 1815, 641, 216}

$$\frac{(2ad^2 + c) \sin^{-1}(dx)}{2d^3} - \frac{b\sqrt{1-d^2x^2}}{d^2} - \frac{cx\sqrt{1-d^2x^2}}{2d^2}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*x + c*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
[Out] -((b*Sqrt[1 - d^2*x^2])/d^2) - (c*x*Sqrt[1 - d^2*x^2])/(2*d^2) + ((c + 2*a*d^2)*ArcSin[d*x])/(2*d^3)
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 641

```
Int[((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[(e*(a +
c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 899

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_)^(n_))*((a_) + (b_)*(x_) +
(c_)*(x_)^2)^(p_), x_Symbol] :> Int[(d*f + e*g*x^2)^m*(a + b*x + c*x^2)^p, x] /
; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e*f + d*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))
```

Rule 1815

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :> With[{q = Expon[Pq, x],
e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*(q +
2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSu
m[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x]
```

], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{a + bx + cx^2}{\sqrt{1-dx}\sqrt{1+dx}} dx &= \int \frac{a + bx + cx^2}{\sqrt{1-d^2x^2}} dx \\
 &= -\frac{cx\sqrt{1-d^2x^2}}{2d^2} - \frac{\int \frac{-c-2ad^2-2bd^2x}{\sqrt{1-d^2x^2}} dx}{2d^2} \\
 &= -\frac{b\sqrt{1-d^2x^2}}{d^2} - \frac{cx\sqrt{1-d^2x^2}}{2d^2} - \frac{(-c-2ad^2)\int \frac{1}{\sqrt{1-d^2x^2}} dx}{2d^2} \\
 &= -\frac{b\sqrt{1-d^2x^2}}{d^2} - \frac{cx\sqrt{1-d^2x^2}}{2d^2} + \frac{(c+2ad^2)\sin^{-1}(dx)}{2d^3}
 \end{aligned}$$

Mathematica [A] time = 0.03, size = 45, normalized size = 0.71

$$\frac{(2ad^2 + c)\sin^{-1}(dx) - d\sqrt{1-d^2x^2}(2b + cx)}{2d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]

[Out] $\frac{(-d(2b + cx)\sqrt{1-d^2x^2}) + (c + 2a*d^2)\text{ArcSin}[d*x]}{2d^3}$

IntegrateAlgebraic [A] time = 0.00, size = 117, normalized size = 1.86

$$\frac{(-2ad^2 - c)\tan^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}}\right)}{d^3} - \frac{\sqrt{1-dx}\left(\frac{2bd(1-dx)}{dx+1} + 2bd - \frac{c(1-dx)}{dx+1} + c\right)}{d^3\sqrt{dx+1}\left(\frac{1-dx}{dx+1} + 1\right)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x + c*x^2)/(Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]

[Out] $\frac{-((Sqrt[1 - d*x]*(c + 2b*d - (c*(1 - d*x))/(1 + d*x) + (2b*d*(1 - d*x))/(1 + d*x)))/(d^3*Sqrt[1 + d*x]*(1 + (1 - d*x)/(1 + d*x))^2)) + ((-c - 2a*d^2)*ArcTan[Sqrt[1 - d*x]/Sqrt[1 + d*x]])/d^3}{d^3}$

fricas [A] time = 0.97, size = 67, normalized size = 1.06

$$\frac{(cdx + 2bd)\sqrt{dx+1}\sqrt{-dx+1} + 2(2ad^2+c)\arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}-1}{dx}\right)}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")
[Out] -1/2*((c*d*x + 2*b*d)*sqrt(d*x + 1)*sqrt(-d*x + 1) + 2*(2*a*d^2 + c)*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)))/d^3
```

giac [A] time = 1.32, size = 76, normalized size = 1.21

$$\frac{\sqrt{dx+1}\sqrt{-dx+1}\left(\frac{(dx+1)c}{d^2} + \frac{2bd^5-cd^4}{d^6}\right) - \frac{2(2ad^2+c)\arcsin\left(\frac{1}{2}\sqrt{2}\sqrt{dx+1}\right)}{d^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")
[Out] -1/2*(sqrt(d*x + 1)*sqrt(-d*x + 1)*((d*x + 1)*c/d^2 + (2*b*d^5 - c*d^4)/d^6) - 2*(2*a*d^2 + c)*arcsin(1/2*sqrt(2)*sqrt(d*x + 1))/d^2)/d
```

maple [C] time = 0.00, size = 117, normalized size = 1.86

$$\frac{\sqrt{-dx+1}\sqrt{dx+1}\left(-2ad^2\arctan\left(\frac{dx\operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right) + \sqrt{-d^2x^2+1}cdx\operatorname{csgn}(d) + 2\sqrt{-d^2x^2+1}bd\operatorname{csgn}(d) - c\arctan\left(\frac{dx\operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right)\operatorname{csgn}(d)\right)}{2\sqrt{-d^2x^2+1}d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)
[Out] -1/2*(-d*x+1)^(1/2)*(d*x+1)^(1/2)*(-2*a*d^2*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d)) + (-d^2*x^2+1)^(1/2)*c*d*x*csgn(d) + 2*(-d^2*x^2+1)^(1/2)*b*d*csgn(d) - c*arctan(1/(-d^2*x^2+1)^(1/2)*d*x*csgn(d)))/(-d^2*x^2+1)^(1/2)/d^3*csgn(d)
```

maxima [A] time = 1.28, size = 57, normalized size = 0.90

$$\frac{a \arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1}cx}{2d^2} - \frac{\sqrt{-d^2x^2+1}b}{d^2} + \frac{c \arcsin(dx)}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")
```

[Out] $a \arcsin(dx)/d - 1/2\sqrt{-d^2x^2 + 1}c/x/d^2 - \sqrt{-d^2x^2 + 1}b/d^2 + 1/2c \arcsin(dx)/d^3$

mupad [B] time = 7.41, size = 232, normalized size = 3.68

$$\frac{\sqrt{1-dx} \left(\frac{b}{d^2} + \frac{bx}{d}\right)}{\sqrt{dx+1}} - \frac{4a \operatorname{atan}\left(\frac{d(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)\sqrt{d^2}}\right)}{\sqrt{d^2}} - \frac{2c \operatorname{atan}\left(\frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1}\right)}{d^3} - \frac{\frac{14c(\sqrt{1-dx}-1)^3}{(\sqrt{dx+1}-1)^3} - \frac{14c(\sqrt{1-dx}-1)^5}{(\sqrt{dx+1}-1)^5} + \frac{2c(\sqrt{1-dx}-1)^7}{(\sqrt{dx+1}-1)^7} - \frac{2c(\sqrt{1-dx}-1)}{\sqrt{dx+1}-1}}{d^3 \left(\frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} + 1\right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}((a + b*x + c*x^2)/((1 - d*x)^(1/2)*(d*x + 1)^(1/2)), x)$

[Out] $- ((1 - d*x)^(1/2)*(b/d^2 + (b*x)/d))/(d*x + 1)^(1/2) - (4*a*\operatorname{atan}((d*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1)*(d^2)^(1/2)))/(d^2)^(1/2) - (2*c*a \tan((1 - d*x)^(1/2) - 1)/((d*x + 1)^(1/2) - 1))/d^3 - ((14*c*((1 - d*x)^(1/2) - 1)^3)/((d*x + 1)^(1/2) - 1)^3) - (14*c*((1 - d*x)^(1/2) - 1)^5)/((d*x + 1)^(1/2) - 1)^5 + (2*c*((1 - d*x)^(1/2) - 1)^7)/((d*x + 1)^(1/2) - 1)^7 - (2*c*((1 - d*x)^(1/2) - 1))/((d*x + 1)^(1/2) - 1))/(d^3*((1 - d*x)^(1/2) - 1)^2/((d*x + 1)^(1/2) - 1)^2 + 1)^4)$

sympy [C] time = 49.68, size = 282, normalized size = 4.48

$$\frac{i a C_{6,6}^{(0,0,0,0,0,0)}\left(\begin{array}{l} \frac{1}{4}, \frac{3}{4}, \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{array}\right)}{4\pi^{\frac{3}{2}} d} + \frac{a G_{6,6}^{(2,0,0,0,0,0)}\left(\begin{array}{l} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4}, -\frac{1}{2}, 0, 0, 0 \end{array}\right)}{4\pi^{\frac{3}{2}} d^2} - \frac{i b G_{6,6}^{(0,0,0,0,0,0)}\left(\begin{array}{l} -\frac{1}{4}, \frac{1}{4}, 0, 0, \frac{1}{2}, 1 \\ \frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{array}\right)}{4\pi^{\frac{3}{2}} d^2} - \frac{b C_{6,6}^{(2,0,0,0,0,0)}\left(\begin{array}{l} -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{2}, 0, 1 \\ -\frac{3}{4}, -\frac{1}{4}, -\frac{1}{2}, 0, 0, 0 \end{array}\right)}{4\pi^{\frac{3}{2}} d^2} - \frac{i c C_{6,6}^{(0,0,0,0,0,0)}\left(\begin{array}{l} -\frac{3}{4}, -\frac{1}{4}, -\frac{1}{2}, -\frac{1}{2}, 0, 1 \\ -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 0 \end{array}\right)}{4\pi^{\frac{3}{2}} d^3} + \frac{c C_{6,6}^{(2,0,0,0,0,0)}\left(\begin{array}{l} \frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 1 \\ -\frac{5}{4}, -\frac{3}{4}, -\frac{3}{2}, -1, -1, 0 \end{array}\right)}{4\pi^{\frac{3}{2}} d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(c*x**2+b*x+a)/(-d*x+1)**(1/2)/(d*x+1)**(1/2), x)$

[Out] $-I*a*\operatorname{meijerg}(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), (), 1/(d**2*x**2))/(4*pi**3/2*d) + a*\operatorname{meijerg}((-1/2, -1/4, 0, 1/4, 1/2, 1), (), ((-1/4, 1/4), (-1/2, 0, 0, 0)), \exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**3/2*d) - I*b*\operatorname{meijerg}((-1/4, 1/4), (0, 0, 1/2, 1), ((-1/2, -1/4, 0, 1/4, 1/2, 0), (), 1/(d**2*x**2))/(4*pi**3/2*d**2) - b*\operatorname{meijerg}((-1, -3/4, -1/2, -1/4, 0, 1), (), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), \exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**3/2*d**2) - I*c*\operatorname{meijerg}((-3/4, -1/4), (-1/2, -1/2, 0, 1), ((-1, -3/4, -1/2, -1/4, 0, 0), (), 1/(d**2*x**2))/(4*pi**3/2*d**3) + c*\operatorname{meijerg}((-3/2, -5/4, -1, -3/4, -1/2, 1), (), ((-5/4, -3/4), (-3/2, -1, -1, 0)), \exp_polar(-2*I*pi)/(d**2*x**2))/(4*pi**3/2*d**3)$

3.17 $\int \frac{a+bx+cx^2}{x\sqrt{1-dx}\sqrt{1+dx}} dx$

Optimal. Leaf size=48

$$-a \tanh^{-1} \left(\sqrt{1 - d^2 x^2} \right) + \frac{b \sin^{-1}(dx)}{d} - \frac{c \sqrt{1 - d^2 x^2}}{d^2}$$

Rubi [A] time = 0.18, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.212, Rules used = {1609, 1809, 844, 216, 266, 63, 208}

$$-a \tanh^{-1} \left(\sqrt{1 - d^2 x^2} \right) + \frac{b \sin^{-1}(dx)}{d} - \frac{c \sqrt{1 - d^2 x^2}}{d^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*x + c*x^2)/(x*\text{Sqrt}[1 - d*x]*\text{Sqrt}[1 + d*x]), x]$

[Out] $-\left(\left(c*\text{Sqrt}[1 - d^2*x^2]\right)/d^2\right) + \left(b*\text{ArcSin}[d*x]\right)/d - a*\text{ArcTanh}[\text{Sqrt}[1 - d^2*x^2]]$

Rule 63

```
Int[((a_) + (b_)*(x_))^m_*((c_) + (d_)*(x_))^n_, x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 266

```
Int[(x_)^m_*((a_) + (b_)*(x_)^n_)^p_, x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b,
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x]; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.*((c_.) + (d_.)*(x_))^(n_.*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x]; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1809

```
Int[(Pq_)*((c_.*(x_))^(m_.*((a_) + (b_.*(x_))^(2))^(p_., x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q - 1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m + q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x]; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]]; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{x\sqrt{1-dx}\sqrt{1+dx}} dx &= \int \frac{a + bx + cx^2}{x\sqrt{1-d^2x^2}} dx \\
&= -\frac{c\sqrt{1-d^2x^2}}{d^2} - \frac{\int \frac{-ad^2-bd^2x}{x\sqrt{1-d^2x^2}} dx}{d^2} \\
&= -\frac{c\sqrt{1-d^2x^2}}{d^2} + a \int \frac{1}{x\sqrt{1-d^2x^2}} dx + b \int \frac{1}{\sqrt{1-d^2x^2}} dx \\
&= -\frac{c\sqrt{1-d^2x^2}}{d^2} + \frac{b \sin^{-1}(dx)}{d} + \frac{1}{2}a \text{Subst}\left(\int \frac{1}{x\sqrt{1-d^2x^2}} dx, x, x^2\right) \\
&= -\frac{c\sqrt{1-d^2x^2}}{d^2} + \frac{b \sin^{-1}(dx)}{d} - \frac{a \text{Subst}\left(\int \frac{1}{\frac{1-x^2}{d^2}-\frac{x^2}{d^2}} dx, x, \sqrt{1-d^2x^2}\right)}{d^2} \\
&= -\frac{c\sqrt{1-d^2x^2}}{d^2} + \frac{b \sin^{-1}(dx)}{d} - a \tanh^{-1}\left(\sqrt{1-d^2x^2}\right)
\end{aligned}$$

Mathematica [A] time = 0.05, size = 48, normalized size = 1.00

$$-a \tanh^{-1} \left(\sqrt{1 - d^2 x^2} \right) + \frac{b \sin^{-1}(dx)}{d} - \frac{c \sqrt{1 - d^2 x^2}}{d^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*x + c*x^2)/(x*.Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
[Out] -((c*Sqrt[1 - d^2*x^2])/d^2) + (b*ArcSin[d*x])/d - a*ArcTanh[Sqrt[1 - d^2*x^2]]
```

IntegrateAlgebraic [A] time = 0.00, size = 95, normalized size = 1.98

$$-2a \tanh^{-1} \left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}} \right) - \frac{2b \tan^{-1} \left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}} \right)}{d} - \frac{2c \sqrt{1-dx}}{d^2 \sqrt{dx+1} \left(\frac{1-dx}{dx+1} + 1 \right)}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a + b*x + c*x^2)/(x*.Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]
[Out] (-2*c*Sqrt[1 - d*x])/((d^2*Sqrt[1 + d*x])*(1 + (1 - d*x)/(1 + d*x))) - (2*b*ArcTan[Sqrt[1 - d*x]/Sqrt[1 + d*x]])/d - 2*a*ArcTanh[Sqrt[1 - d*x]/Sqrt[1 + d*x]]
```

fricas [A] time = 1.00, size = 81, normalized size = 1.69

$$\frac{ad^2 \log \left(\frac{\sqrt{dx+1} \sqrt{-dx+1}-1}{x} \right) - 2bd \arctan \left(\frac{\sqrt{dx+1} \sqrt{-dx+1}-1}{dx} \right) - \sqrt{dx+1} \sqrt{-dx+1} c}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/x/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x, algorithm="fricas")
[Out] (a*d^2*log((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/x) - 2*b*d*arctan((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/(d*x)) - sqrt(d*x + 1)*sqrt(-d*x + 1)*c)/d^2
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/x/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x, algorithm="giac")
```

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [70,22]
]Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [42,56]-a*ln(abs(2*sqrt(d*x+1)/(-2*sqrt(-d*x+1)+2*sqrt(2))+2-1/2*(-2*sqrt(-d*x+1)+2*sqrt(2))/sqrt(d*x+1)))+a*ln(abs(2*sqrt(d*x+1)/(-2*sqrt(-d*x+1)+2*sqrt(2))-2-1/2*(-2*sqrt(-d*x+1)+2*sqrt(2))/sqrt(d*x+1)))-2*b*(-1/2*pi-atan(sqrt(d*x+1)*((-1/2*(-2*sqrt(-d*x+1)+2*sqrt(2))/sqrt(d*x+1))^2-1)/(-2*sqrt(-d*x+1)+2*sqrt(2))))/d-2*c*d^2/2/d^4*sqrt(d*x+1)*sqrt(-d*x+1)

maple [C] time = 0.00, size = 96, normalized size = 2.00

$$\frac{\left(-a d^2 \operatorname{arctanh}\left(\frac{1}{\sqrt{-d^2 x^2+1}}\right) \operatorname{csgn}(d)+b d \arctan \left(\frac{d x \operatorname{csgn}(d)}{\sqrt{-(d x+1)(d x-1)}}\right)-\sqrt{-d^2 x^2+1} c \operatorname{csgn}(d)\right) \sqrt{-d x+1} \sqrt{d x+1} \operatorname{csgn}(d)}{\sqrt{-d^2 x^2+1} d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)/x/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)

[Out] (-csgn(d)*arctanh(1/(-d^2*x^2+1)^(1/2))*a*d^2-(-d^2*x^2+1)^(1/2)*c*csgn(d)+b*d*arctan(1/(-(d*x+1)*(d*x-1))^(1/2)*d*x*csgn(d)))*(-d*x+1)^(1/2)*(d*x+1)^(1/2)/d^2*csgn(d)/(-d^2*x^2+1)^(1/2)

maxima [A] time = 1.27, size = 57, normalized size = 1.19

$$-a \log \left(\frac{2 \sqrt{-d^2 x^2+1}}{|x|}+\frac{2}{|x|}\right)+\frac{b \arcsin (d x)}{d}-\frac{\sqrt{-d^2 x^2+1} c}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")

[Out] -a*log(2*sqrt(-d^2*x^2 + 1)/abs(x) + 2/abs(x)) + b*arcsin(d*x)/d - sqrt(-d^2*x^2 + 1)*c/d^2

mupad [B] time = 4.33, size = 122, normalized size = 2.54

$$a \left(\ln \left(\frac{\left(\sqrt{1-d x}-1\right)^2}{\left(\sqrt{d x+1}-1\right)^2}-1\right)-\ln \left(\frac{\sqrt{1-d x}-1}{\sqrt{d x+1}-1}\right)\right)-\frac{\sqrt{1-d x} \left(\frac{c}{d^2}+\frac{c x}{d}\right)}{\sqrt{d x+1}}-\frac{4 b \tan \left(\frac{d \left(\sqrt{1-d x}-1\right)}{\left(\sqrt{d x+1}-1\right) \sqrt{d^2}}\right)}{\sqrt{d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + c*x^2)/(x*(1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)

[Out] $a * (\log(((1 - d*x)^{1/2} - 1)^2 / ((d*x + 1)^{1/2} - 1)^2 - 1) - \log(((1 - d*x)^{1/2} - 1) / ((d*x + 1)^{1/2} - 1))) - ((1 - d*x)^{1/2} * (c/d^2 + (c*x)/d)) / (d*x + 1)^{1/2} - (4*b*\text{atan}((d*((1 - d*x)^{1/2} - 1)) / (((d*x + 1)^{1/2} - 1) * (d^2)^{(1/2)}))) / (d^2)^{(1/2)}$

sympy [C] time = 55.72, size = 245, normalized size = 5.10

$$\frac{i a G_{6,6}^{5,3}\left(\begin{array}{l} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{4}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{4} \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}} - \frac{a G_{6,6}^{2,6}\left(\begin{array}{l} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4} \\ \frac{1}{2}, \frac{3}{4}, 0 \end{array} \middle| \frac{e^{-2n}}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}} - \frac{i b G_{6,6}^{5,2}\left(\begin{array}{l} \frac{1}{4}, \frac{3}{4} \\ \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}} d} + \frac{b G_{6,6}^{2,6}\left(\begin{array}{l} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, 0, 0, 0 \end{array} \middle| \frac{e^{-2n}}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}} d} - \frac{i c G_{6,6}^{6,2}\left(\begin{array}{l} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}} d^2} - \frac{c G_{6,6}^{2,6}\left(\begin{array}{l} 0, 0, \frac{1}{2}, 1 \\ -\frac{3}{4}, \frac{1}{4} \\ -\frac{3}{4}, -\frac{1}{4} \end{array} \middle| \frac{e^{-2n}}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}} d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/x/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)`

[Out] $I * a * \text{meijerg}(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d**2*x**2)/(4*pi**(3/2)) - a * \text{meijerg}((0, 1/4, 1/2, 3/4, 1, 1), (), ((1/4, 3/4), (0, 1/2, 1/2, 0)), \text{exp_polar}(-2*I*pi)/(d**2*x**2)/(4*pi**(3/2)) - I * b * \text{meijerg}((1/4, 3/4), (1/2, 1/2, 1, 1), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d**2*x**2)/(4*pi**(3/2)*d) + b * \text{meijerg}((-1/2, -1/4, 0, 1/4, 1/2, 1), (), ((-1/4, 1/4), (-1/2, 0, 0, 0)), \text{exp_polar}(-2*I*pi)/(d**2*x**2)/(4*pi**(3/2)*d) - I * c * \text{meijerg}((-1/4, 1/4), (0, 0, 1/2, 1), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d**2*x**2)/(4*pi**(3/2)*d**2) - c * \text{meijerg}((-1, -3/4, -1/2, -1/4, 0, 1), (), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), \text{exp_polar}(-2*I*pi)/(d**2*x**2)/(4*pi**(3/2)*d**2))$

3.18 $\int \frac{a+bx+cx^2}{x^2 \sqrt{1-dx} \sqrt{1+dx}} dx$

Optimal. Leaf size=48

$$-\frac{a\sqrt{1-d^2x^2}}{x} - b \tanh^{-1}\left(\sqrt{1-d^2x^2}\right) + \frac{c \sin^{-1}(dx)}{d}$$

Rubi [A] time = 0.18, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.212, Rules used = {1609, 1807, 844, 216, 266, 63, 208}

$$-\frac{a\sqrt{1-d^2x^2}}{x} - b \tanh^{-1}\left(\sqrt{1-d^2x^2}\right) + \frac{c \sin^{-1}(dx)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*x + c*x^2)/(x^2*Sqrt[1 - d*x])*Sqrt[1 + d*x]), x]
[Out] -((a*Sqrt[1 - d^2*x^2])/x) + (c*ArcSin[d*x])/d - b*ArcTanh[Sqrt[1 - d^2*x^2]]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr[t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.*(x_))*((a_) + (c_.*(x_)^2)^2)^p, x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.*(x_))^(m_)*((c_.) + (d_.*(x_))^(n_.*((e_.) + (f_.*(x_))^(p_.), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1807

```
Int[(Pq_)*((c_.*(x_))^(m_)*((a_) + (b_.*(x_)^2)^p), x_Symbol] :> With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S imp[(R*(c*x)^(m + 1)*(a + b*x^2)^p)/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x, x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{x^2 \sqrt{1-dx} \sqrt{1+dx}} dx &= \int \frac{a + bx + cx^2}{x^2 \sqrt{1-d^2x^2}} dx \\
&= -\frac{a\sqrt{1-d^2x^2}}{x} - \int \frac{-b-cx}{x\sqrt{1-d^2x^2}} dx \\
&= -\frac{a\sqrt{1-d^2x^2}}{x} + b \int \frac{1}{x\sqrt{1-d^2x^2}} dx + c \int \frac{1}{\sqrt{1-d^2x^2}} dx \\
&= -\frac{a\sqrt{1-d^2x^2}}{x} + \frac{c \sin^{-1}(dx)}{d} + \frac{1}{2} b \text{Subst}\left(\int \frac{1}{x\sqrt{1-d^2x^2}} dx, x, x^2\right) \\
&= -\frac{a\sqrt{1-d^2x^2}}{x} + \frac{c \sin^{-1}(dx)}{d} - \frac{b \text{Subst}\left(\int \frac{1}{\frac{1-x^2}{d^2}} dx, x, \sqrt{1-d^2x^2}\right)}{d^2} \\
&= -\frac{a\sqrt{1-d^2x^2}}{x} + \frac{c \sin^{-1}(dx)}{d} - b \tanh^{-1}\left(\sqrt{1-d^2x^2}\right)
\end{aligned}$$

Mathematica [A] time = 0.06, size = 48, normalized size = 1.00

$$-\frac{a\sqrt{1-d^2x^2}}{x} - b \tanh^{-1}\left(\sqrt{1-d^2x^2}\right) + \frac{c \sin^{-1}(dx)}{d}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*x + c*x^2)/(x^2*Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]`

[Out] $-\left(\frac{a \sqrt{1-d^2 x^2}}{x}\right) + \frac{(c \operatorname{ArcSin}[d x])}{d} - b \operatorname{ArcTanh}\left[\frac{\sqrt{1-d^2 x^2}}{\sqrt{d x+1}}\right]$

IntegrateAlgebraic [A] time = 0.00, size = 93, normalized size = 1.94

$$\frac{2 a d \sqrt{1-d x}}{\sqrt{d x+1} \left(\frac{1-d x}{d x+1}-1\right)} - 2 b \tanh ^{-1}\left(\frac{\sqrt{1-d x}}{\sqrt{d x+1}}\right) - \frac{2 c \tan ^{-1}\left(\frac{\sqrt{1-d x}}{\sqrt{d x+1}}\right)}{d}$$

Antiderivative was successfully verified.

[In] `IntegrateAlgebraic[(a + b*x + c*x^2)/(x^2*Sqrt[1 - d*x]*Sqrt[1 + d*x]), x]`

[Out] $\frac{(2 a d \sqrt{1-d x})}{(\sqrt{1+d x}) (-1+(1-d x)/(1+d x))} - \frac{(2 c \operatorname{ArcTan}\left[\frac{\sqrt{1-d x}}{\sqrt{1+d x}}\right])}{d} - 2 b \operatorname{ArcTanh}\left[\frac{\sqrt{1-d x}}{\sqrt{1+d x}}\right]$

fricas [A] time = 1.31, size = 84, normalized size = 1.75

$$\frac{b dx \log \left(\frac{\sqrt{dx+1} \sqrt{-dx+1}-1}{x} \right) - \sqrt{dx+1} \sqrt{-dx+1} ad - 2 cx \arctan \left(\frac{\sqrt{dx+1} \sqrt{-dx+1}-1}{dx} \right)}{dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/x^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x, algorithm="fricas")`

[Out] $\frac{(b d x \log ((\sqrt{d x+1}) \sqrt{-d x+1}-1) / x) - \sqrt{d x+1} \sqrt{-d x+1} a d - 2 c x \arctan ((\sqrt{d x+1}) \sqrt{-d x+1}-1) / (d x))}{(d x)}$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/x^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x, algorithm="giac")`

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [70,22]Warning, choosing root of [1,0,-4,0,%%{4,[2,2]%%}] at parameters values [42,56]1/d*(-2*c*(-1/2*pi-atan(sqrt(d*x+1)*((-1/2*(-2*sqrt(-d*x+1)+2*sqrt(2))/sqrt(d*x+1))^2-1)/(-2*sqrt(-d*x+1)+2*sqrt(2))))-b*d*ln(abs(2*sqrt(d*x+1)/(-2*sqrt(-d*x+1)+2*sqrt(2))+2-1/2*(-2*sqrt(-d*x+1)+2*sqrt(2))/sqrt(d*x+1)))+b*d*ln(abs(2*sqrt(d*x+1)/(-2*sqrt(-d*x+1)+2*sqrt(2))-2-1/2*(-2*sqrt(-d*x+1)+2*sqrt(2))/sqrt(d*x+1)))-4*a*d^2*(2*sqrt(d*x+1)/(-2*sqrt(-d*x+1)+2*sqrt(2))-1/2*(-2*sqrt(-d*x+1)+2*sqrt(2))/sqrt(d*x+1))/(-(2*sqrt(d*x+1)/(-2*sqrt(-d*x+1)+2*sqrt(2))-1/2*(-2*sqrt(-d*x+1)+2*sqrt(2))/sqrt(d*x+1))^2+4))

maple [C] time = 0.00, size = 97, normalized size = 2.02

$$\frac{\left(-bdx \operatorname{arctanh}\left(\frac{1}{\sqrt{-d^2x^2+1}}\right) \operatorname{csgn}(d) - \sqrt{-d^2x^2+1} ad \operatorname{csgn}(d) + cx \operatorname{arctan}\left(\frac{dx \operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right)\right) \sqrt{-dx+1} \sqrt{dx+1} \operatorname{csgn}(d)}{\sqrt{-d^2x^2+1} dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)/x^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x)

[Out] $(-\operatorname{csgn}(d)*d*\operatorname{arctanh}(1/(-d^2*x^2+1)^(1/2))*x*b - (-d^2*x^2+1)^(1/2)*a*d*\operatorname{csgn}(d) + c*x*\operatorname{arctan}(1/(-d^2*x^2+1)^(1/2)*d*x*\operatorname{csgn}(d)) * (-d*x+1)^(1/2)*(d*x+1)^(1/2)*\operatorname{csgn}(d)/(-d^2*x^2+1)^(1/2)/x/d$

maxima [A] time = 1.32, size = 57, normalized size = 1.19

$$-b \log\left(\frac{2 \sqrt{-d^2x^2+1}}{|x|} + \frac{2}{|x|}\right) + \frac{c \arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1} a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")

[Out] $-b*\log(2*sqrt(-d^2*x^2 + 1)/abs(x) + 2/abs(x)) + c*arcsin(d*x)/d - sqrt(-d^2*x^2 + 1)*a/x$

mupad [B] time = 4.27, size = 114, normalized size = 2.38

$$b \left(\ln\left(\frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} - 1\right) - \ln\left(\frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1}\right) \right) - \frac{4c \operatorname{atan}\left(\frac{d(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)\sqrt{d^2}}\right)}{\sqrt{d^2}} - \frac{a \sqrt{1-dx} \sqrt{dx+1}}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a + b*x + c*x^2)/(x^2*(1 - d*x)^{(1/2)}*(d*x + 1)^{(1/2)}), x)$
[Out] $b*(\log(((1 - d*x)^{(1/2}) - 1)^2/((d*x + 1)^{(1/2)} - 1)^2 - 1) - \log(((1 - d*x)^{(1/2}) - 1)/((d*x + 1)^{(1/2)} - 1)) - (4*c*\text{atan}((d*((1 - d*x)^{(1/2}) - 1))/((d*x + 1)^{(1/2)} - 1)*(d^2)^{(1/2)}))/((d^2)^{(1/2)} - (a*(1 - d*x)^{(1/2)}*(d*x + 1)^{(1/2)}))/x$

sympy [C] time = 50.05, size = 221, normalized size = 4.60

$$\frac{iadG_{6,6}^{5,3}\left(\begin{matrix} \frac{5}{4}, \frac{7}{4}, 1 \\ \frac{3}{4}, \frac{5}{4}, 2 \end{matrix} \middle| \frac{1}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}} + \frac{adG_{6,6}^{2,6}\left(\begin{matrix} \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 1 \\ \frac{3}{4}, \frac{5}{4}, \frac{1}{2}, 1, 1, 0 \end{matrix} \middle| \frac{e^{-2i\pi}}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}} + \frac{ibG_{6,6}^{5,3}\left(\begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} \end{matrix} \middle| \frac{1}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}} - \frac{bG_{6,6}^{2,6}\left(\begin{matrix} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4}, 0, \frac{1}{2}, \frac{1}{2} \end{matrix} \middle| \frac{e^{-2i\pi}}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}} - \frac{icG_{6,6}^{6,2}\left(\begin{matrix} \frac{1}{4}, \frac{3}{4} \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{matrix} \middle| \frac{1}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}} + \frac{cCG_{6,6}^{2,6}\left(\begin{matrix} \frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4}, -\frac{1}{2}, 0, 0, 0 \end{matrix} \middle| \frac{e^{-2i\pi}}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((c*x^{**2}+b*x+a)/x^{**2}/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)}, x)$
[Out] $I*a*d*\text{meijerg}(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0, 0)), 1/(d^{**2}*x^{**2})/(4*pi^{**}(3/2)) + a*d*\text{meijerg}(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), \text{exp_polar}(-2*I*pi)/(d^{**2}*x^{**2})/(4*pi^{**}(3/2)) + I*b*\text{meijerg}(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0, 0)), 1/(d^{**2}*x^{**2})/(4*pi^{**}(3/2)) - b*\text{meijerg}(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), \text{exp_polar}(-2*I*pi)/(d^{**2}*x^{**2})/(4*pi^{**}(3/2)) - I*c*\text{meijerg}(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d^{**2}*x^{**2})/(4*pi^{**}(3/2)*d) + c*\text{meijerg}(((-1/2, -1/4, 0, 1/4, 1/2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0, 0)), \text{exp_polar}(-2*I*pi)/(d^{**2}*x^{**2})/(4*pi^{**}(3/2)*d)$

3.19 $\int \frac{a+bx+cx^2}{x^3 \sqrt{1-dx} \sqrt{1+dx}} dx$

Optimal. Leaf size=71

$$-\frac{1}{2} (ad^2 + 2c) \tanh^{-1} \left(\sqrt{1 - d^2 x^2} \right) - \frac{a \sqrt{1 - d^2 x^2}}{2x^2} - \frac{b \sqrt{1 - d^2 x^2}}{x}$$

Rubi [A] time = 0.18, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.182, Rules used = {1609, 1807, 807, 266, 63, 208}

$$-\frac{1}{2} (ad^2 + 2c) \tanh^{-1} \left(\sqrt{1 - d^2 x^2} \right) - \frac{a \sqrt{1 - d^2 x^2}}{2x^2} - \frac{b \sqrt{1 - d^2 x^2}}{x}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*x + c*x^2)/(x^3 \sqrt{1 - d*x} \sqrt{1 + d*x}), x]$

[Out] $-(a \sqrt{1 - d^2 x^2})/(2x^2) - (b \sqrt{1 - d^2 x^2})/x - ((2*c + a*d^2)*\text{ArcTanh}[\sqrt{1 - d^2 x^2}])/2$

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simplify[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_) + (e_)*(x_)^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol) :> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(
2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In]
```

```
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1609

```
Int[(Px_)*((a_.) + (b_.)*(x_))^m_*((c_.) + (d_.*(x_))^n_*((e_.) + (f_.*(x_))^p.), x_Symbol] :> Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))
```

Rule 1807

```
Int[(Pq_)*((c_.*(x_))^m_*((a_.) + (b_.*(x_)^2)^p), x_Symbol] :> With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{x^3 \sqrt{1-dx} \sqrt{1+dx}} dx &= \int \frac{a + bx + cx^2}{x^3 \sqrt{1-d^2x^2}} dx \\
&= -\frac{a\sqrt{1-d^2x^2}}{2x^2} - \frac{1}{2} \int \frac{-2b - (2c + ad^2)x}{x^2 \sqrt{1-d^2x^2}} dx \\
&= -\frac{a\sqrt{1-d^2x^2}}{2x^2} - \frac{b\sqrt{1-d^2x^2}}{x} - \frac{1}{2} (-2c - ad^2) \int \frac{1}{x\sqrt{1-d^2x^2}} dx \\
&= -\frac{a\sqrt{1-d^2x^2}}{2x^2} - \frac{b\sqrt{1-d^2x^2}}{x} - \frac{1}{4} (-2c - ad^2) \text{Subst}\left(\int \frac{1}{x\sqrt{1-d^2x^2}} dx, x, x^2\right) \\
&= -\frac{a\sqrt{1-d^2x^2}}{2x^2} - \frac{b\sqrt{1-d^2x^2}}{x} - \frac{1}{2} \left(a + \frac{2c}{d^2}\right) \text{Subst}\left(\int \frac{1}{\frac{1}{d^2} - \frac{x^2}{d^2}} dx, x, \sqrt{1-d^2x^2}\right) \\
&= -\frac{a\sqrt{1-d^2x^2}}{2x^2} - \frac{b\sqrt{1-d^2x^2}}{x} - \frac{1}{2} (2c + ad^2) \tanh^{-1}\left(\sqrt{1-d^2x^2}\right)
\end{aligned}$$

Mathematica [A] time = 0.05, size = 56, normalized size = 0.79

$$-\frac{\sqrt{1-d^2x^2}(a + 2bx)}{2x^2} - \frac{1}{2} (ad^2 + 2c) \tanh^{-1}\left(\sqrt{1-d^2x^2}\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*x + c*x^2)/(x^3*Sqrt[1 - d*x])*Sqrt[1 + d*x]),x]
[Out] -1/2*((a + 2*b*x)*Sqrt[1 - d^2*x^2])/x^2 - ((2*c + a*d^2)*ArcTanh[Sqrt[1 - d^2*x^2]])/2
```

IntegrateAlgebraic [A] time = 0.00, size = 112, normalized size = 1.58

$$\left(-ad^2 - 2c\right) \tanh^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}}\right) - \frac{d\sqrt{1-dx} \left(\frac{ad(1-dx)}{dx+1} + ad - \frac{2b(1-dx)}{dx+1} + 2b\right)}{\sqrt{dx+1} \left(\frac{1-dx}{dx+1} - 1\right)^2}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a + b*x + c*x^2)/(x^3*Sqrt[1 - d*x])*Sqrt[1 + d*x]),x]
[Out] -((d*Sqrt[1 - d*x]*(2*b + a*d - (2*b*(1 - d*x))/(1 + d*x) + (a*d*(1 - d*x))/(1 + d*x)))/(Sqrt[1 + d*x]*(-1 + (1 - d*x)/(1 + d*x))^2)) + (-2*c - a*d^2)*ArcTanh[Sqrt[1 - d*x]/Sqrt[1 + d*x]]
```

fricas [A] time = 0.88, size = 65, normalized size = 0.92

$$\frac{(ad^2 + 2c)x^2 \log\left(\frac{\sqrt{dx+1} \sqrt{-dx+1}-1}{x}\right) - (2bx + a)\sqrt{dx+1} \sqrt{-dx+1}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/x^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")
[Out] 1/2*((a*d^2 + 2*c)*x^2*log((sqrt(d*x + 1)*sqrt(-d*x + 1) - 1)/x) - (2*b*x + a)*sqrt(d*x + 1)*sqrt(-d*x + 1))/x^2
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: NotImplementedException

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/x^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")
[Out] Exception raised: NotImplementedException >> Unable to parse Giac output: Warning, choosing root of [1,0,-4,0,%%%{4,[2,2]%%%}] at parameters values [70,22]Warning, choosing root of [1,0,-4,0,%%%{4,[2,2]%%%}] at parameters values
```

[42,56] $1/d * (-1/2 * (a*d^3 + 2*c*d) * \ln(\text{abs}(2*\sqrt(d*x+1)/(-2*\sqrt(-d*x+1)+2*\sqrt(2))+2-1/2*(-2*\sqrt(-d*x+1)+2*\sqrt(2))/\sqrt(d*x+1))) + 1/2 * (a*d^3 + 2*c*d) * \ln(\text{abs}(2*\sqrt(d*x+1)/(-2*\sqrt(-d*x+1)+2*\sqrt(2))-2-1/2*(-2*\sqrt(-d*x+1)+2*\sqrt(2))/\sqrt(d*x+1)))-(2*a*d^3*(2*\sqrt(d*x+1)/(-2*\sqrt(-d*x+1)+2*\sqrt(2))-1/2*(-2*\sqrt(-d*x+1)+2*\sqrt(2))/\sqrt(d*x+1))^3-4*b*d^2*(2*\sqrt(d*x+1)/(-2*\sqrt(-d*x+1)+2*\sqrt(2))-1/2*(-2*\sqrt(-d*x+1)+2*\sqrt(2))/\sqrt(d*x+1))^3+8*a*d^3*(2*\sqrt(d*x+1)/(-2*\sqrt(-d*x+1)+2*\sqrt(2))-1/2*(-2*\sqrt(-d*x+1)+2*\sqrt(2))/\sqrt(d*x+1))+16*b*d^2*(2*\sqrt(d*x+1)/(-2*\sqrt(-d*x+1)+2*\sqrt(2))-1/2*(-2*\sqrt(-d*x+1)+2*\sqrt(2))/\sqrt(d*x+1))))/(2*\sqrt(d*x+1)/(-2*\sqrt(-d*x+1)+2*\sqrt(2))-1/2*(-2*\sqrt(-d*x+1)+2*\sqrt(2))/\sqrt(d*x+1))^2-4)^2)$

maple [C] time = 0.00, size = 108, normalized size = 1.52

$$\frac{\sqrt{-dx+1} \sqrt{dx+1} \left(a d^2 x^2 \operatorname{arctanh}\left(\frac{1}{\sqrt{-d^2 x^2+1}}\right)+2 c x^2 \operatorname{arctanh}\left(\frac{1}{\sqrt{-d^2 x^2+1}}\right)+2 \sqrt{-d^2 x^2+1} b x+\sqrt{-d^2 x^2+1} a\right) \operatorname{csgn}(d)^2}{2 \sqrt{-d^2 x^2+1} x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int((c*x^2+b*x+a)/x^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x)$

[Out] $-1/2*(-d*x+1)^(1/2)*(d*x+1)^(1/2)*\operatorname{csgn}(d)^2*(\operatorname{arctanh}(1/(-d^2*x^2+1)^(1/2))*x^2*a*d^2+2*\operatorname{arctanh}(1/(-d^2*x^2+1)^(1/2))*x^2*c+2*(-d^2*x^2+1)^(1/2)*b*x+(-d^2*x^2+1)^(1/2)*a)/(-d^2*x^2+1)^(1/2)/x^2$

maxima [A] time = 1.28, size = 98, normalized size = 1.38

$$-\frac{1}{2} ad^2 \log\left(\frac{2 \sqrt{-d^2 x^2+1}}{|x|}+\frac{2}{|x|}\right)-c \log\left(\frac{2 \sqrt{-d^2 x^2+1}}{|x|}+\frac{2}{|x|}\right)-\frac{\sqrt{-d^2 x^2+1} b}{x}-\frac{\sqrt{-d^2 x^2+1} a}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((c*x^2+b*x+a)/x^3/(-d*x+1)^(1/2)/(d*x+1)^(1/2), x, \text{algorithm}=\text{"maxima"})$

[Out] $-1/2*a*d^2*\log(2*\sqrt(-d^2*x^2+1)/\text{abs}(x)+2/\text{abs}(x))-c*\log(2*\sqrt(-d^2*x^2+1)/\text{abs}(x)+2/\text{abs}(x))-\sqrt(-d^2*x^2+1)*b/x-1/2*\sqrt(-d^2*x^2+1)*a/x^2$

mupad [B] time = 6.30, size = 312, normalized size = 4.39

$$c \left(\ln\left(\frac{\left(\sqrt{1-d x}-1\right)^2}{\left(\sqrt{d x+1}-1\right)^2}-1\right)-\ln\left(\frac{\sqrt{1-d x}-1}{\sqrt{d x+1}-1}\right)\right)-\frac{\frac{a d^2 \left(\sqrt{1-d x}-1\right)^2}{\left(\sqrt{d x+1}-1\right)^2}-\frac{a d^2}{2}+\frac{15 a d^2 \left(\sqrt{1-d x}-1\right)^4}{2 \left(\sqrt{d x+1}-1\right)^4}}{\frac{16 \left(\sqrt{1-d x}-1\right)^2}{\left(\sqrt{d x+1}-1\right)^2}-\frac{32 \left(\sqrt{1-d x}-1\right)^4}{\left(\sqrt{d x+1}-1\right)^4}+\frac{16 \left(\sqrt{1-d x}-1\right)^6}{\left(\sqrt{d x+1}-1\right)^6}}+\frac{a d^2 \ln\left(\frac{\left(\sqrt{1-d x}-1\right)^2}{\left(\sqrt{d x+1}-1\right)^2}-1\right)}{2}-\frac{a d^2 \ln\left(\frac{\sqrt{1-d x}-1}{\sqrt{d x+1}-1}\right)}{2}-\frac{b \sqrt{1-d x} \sqrt{d x+1}}{x}+\frac{a d^2 \left(\sqrt{1-d x}-1\right)^2}{32 \left(\sqrt{d x+1}-1\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int((a+b*x+c*x^2)/(x^3*(1-d*x)^(1/2)*(d*x+1)^(1/2)), x)$

[Out] $c * (\log(((1 - d*x)^{(1/2)} - 1)^2 / ((d*x + 1)^{(1/2)} - 1)^2 - 1) - \log(((1 - d*x)^{(1/2)} - 1) / ((d*x + 1)^{(1/2)} - 1))) - ((a*d^2 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (a*d^2)/2 + (15*a*d^2 * ((1 - d*x)^{(1/2)} - 1)^4) / (2 * ((d*x + 1)^{(1/2)} - 1)^4)) / ((16 * ((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (32 * ((1 - d*x)^{(1/2)} - 1)^4) / ((d*x + 1)^{(1/2)} - 1)^4 + (16 * ((1 - d*x)^{(1/2)} - 1)^6) / ((d*x + 1)^{(1/2)} - 1)^6) + (a*d^2 * \log(((1 - d*x)^{(1/2)} - 1)^2) / ((d*x + 1)^{(1/2)} - 1)^2 - (a*d^2 * \log(((1 - d*x)^{(1/2)} - 1) / ((d*x + 1)^{(1/2)} - 1))) / 2 - (b * (1 - d*x)^{(1/2)} * (d*x + 1)^{(1/2)}) / x + (a*d^2 * ((1 - d*x)^{(1/2)} - 1)^2) / (32 * ((d*x + 1)^{(1/2)} - 1)^2))$

sympy [C] time = 80.63, size = 218, normalized size = 3.07

$$\frac{ia d^2 G_{6,6}^{5,5}\left(\begin{array}{l} \frac{7}{4}, \frac{9}{4}, 1 \\ \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2} \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}} - \frac{ad^2 G_{6,6}^{2,6}\left(\begin{array}{l} 1, \frac{5}{4}, \frac{3}{4}, \frac{7}{4}, 2, 1 \\ \frac{5}{4}, \frac{7}{4}, 1, \frac{3}{2}, \frac{3}{2}, 0 \end{array} \middle| \frac{e^{-2i\pi}}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}} + \frac{ib d G_{6,6}^{5,5}\left(\begin{array}{l} \frac{5}{4}, \frac{7}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, \frac{3}{2}, \frac{7}{4}, 2 \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}} + \frac{bd G_{6,6}^{2,6}\left(\begin{array}{l} \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 1 \\ \frac{3}{4}, \frac{5}{4}, 1, \frac{1}{2}, 1, 0 \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}} + \frac{ic G_{6,6}^{5,5}\left(\begin{array}{l} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}} - \frac{c G_{6,6}^{2,6}\left(\begin{array}{l} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4}, 0, \frac{1}{2}, \frac{1}{2}, 0 \end{array} \middle| \frac{e^{-2i\pi}}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/x**3/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)`

[Out] $I * a * d ** 2 * meijerg(((7/4, 9/4, 1), (2, 2, 5/2)), ((3/2, 7/4, 2, 9/4, 5/2), (0,)), 1/(d ** 2 * x ** 2)) / (4 * pi ** (3/2)) - a * d ** 2 * meijerg(((1, 5/4, 3/2, 7/4, 2, 1), ()), ((5/4, 7/4), (1, 3/2, 3/2, 0)), exp_polar(-2 * I * pi) / (d ** 2 * x ** 2)) / (4 * pi ** (3/2)) + I * b * d * meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), 1/(d ** 2 * x ** 2)) / (4 * pi ** (3/2)) + b * d * meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), exp_polar(-2 * I * pi) / (d ** 2 * x ** 2)) / (4 * pi ** (3/2)) + I * c * meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d ** 2 * x ** 2)) / (4 * pi ** (3/2)) - c * meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), exp_polar(-2 * I * pi) / (d ** 2 * x ** 2)) / (4 * pi ** (3/2))$

$$3.20 \quad \int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3 (A+Bx+Cx^2) dx$$

Optimal. Leaf size=591

$$\frac{\sqrt{a+bx} (a^2 - b^2 x^2) (e+fx)^2 \sqrt{ac-bcx} (8a^2 Cf^2 - b^2 (3Ce^2 - 7f(2Af + Be)))}{70b^4 f} + \frac{x \sqrt{a+bx} \sqrt{ac-bcx} (A (6a^2 b$$

Rubi [A] time = 1.52, antiderivative size = 584, normalized size of antiderivative = 0.99, number of steps used = 8, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.175, Rules used = {1610, 1654, 833, 780, 195, 217, 203}

$$\frac{\sqrt{a+bx} (x^2 - b^2 x^2) (e+fx)^2 \sqrt{ac-bcx} (8a^2 Cf^2 - b^2 (3Ce^2 - 7f(2Af + Be)))}{70b^4 f} + \frac{x \sqrt{a+bx} \sqrt{ac-bcx} (A (6a^2 b$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3*(A + B*x + C*x^2), x]
[Out] ((a^4*f^2*(3*C*e + B*f) + 2*a^2*b^2*e^2*(C*e + 3*B*f) + A*(8*b^4*e^3 + 6*a^2*b^2*e^2*f^2)))*x*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]/(16*b^4) + ((3*C*e^2 - (8*a^2*C*f^2)/b^2 - 7*f*(B*e + 2*A*f))*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2*(a^2 - b^2*x^2))/(70*b^2*f) + ((3*C*e - 7*B*f)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3*(a^2 - b^2*x^2))/(42*b^2*f) - (C*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^4*(a^2 - b^2*x^2))/(7*b^2*f) - (Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(8*(8*a^4*C*f^4 + 2*a^2*b^2*f^2*(15*C*e^2 + 7*f*(3*B*e + A*f))) - b^4*(3*C*e^4 - 7*e^2*f*(B*e + 12*A*f))) + 3*b^2*f*(a^2*f^2*(41*C*e + 35*B*f) - b^2*(6*C*e^3 - 14*e*f*(B*e + 7*A*f)))*x)*(a^2 - b^2*x^2))/(840*b^6*f) + (a^2*Sqrt[c]*(a^4*f^2*(3*C*e + B*f) + 2*a^2*b^2*e^2*(C*e + 3*B*f) + A*(8*b^4*e^3 + 6*a^2*b^2*e^2*f^2))*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*ArcTan[(b*Sqrt[c])*x]/Sqrt[a^2*c - b^2*c*x^2]])/(16*b^5*Sqrt[a^2*c - b^2*c*x^2])
```

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]]/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],  
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 780

```
Int[((d_.) + (e_)*(x_))*(f_.) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x  
_Symbol] :> Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p  
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p  
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le  
Q[p, -1]
```

Rule 833

```
Int[((d_.) + (e_)*(x_))^(m_)*(f_.) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p  
_.), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)  
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[  
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]  
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &  
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]  
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1610

```
Int[(Px_)*((a_.) + (b_)*(x_))^(m_)*(c_.) + (d_)*(x_))^(n_)*((e_.) + (f_.)  
)*(x_))^(p_), x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[  
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],  
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*  
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1654

```
Int[(Pq_)*((d_.) + (e_)*(x_))^(m_)*(a_.) + (c_)*(x_)^2)^(p_), x_Symbol] :>  
With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)  
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di  
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c  
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)  
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)  
*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d,  
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T  
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +  
1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a+b x} \sqrt{a c-b c x} (e+f x)^3 (A+B x+C x^2) \, dx &= \frac{\left(\sqrt{a+b x} \sqrt{a c-b c x}\right) \int (e+f x)^3 \sqrt{a^2 c-b^2 c x^2} (A+B x+C x^2) \, dx}{\sqrt{a^2 c-b^2 c x^2}} \\
&= -\frac{C \sqrt{a+b x} \sqrt{a c-b c x} (e+f x)^4 (a^2-b^2 x^2)}{7 b^2 f} - \frac{(\sqrt{a+b x} \sqrt{a c-b c x})}{7 b^2 f} \\
&= \frac{(3 C e-7 B f) \sqrt{a+b x} \sqrt{a c-b c x} (e+f x)^3 (a^2-b^2 x^2)}{42 b^2 f} - \frac{C \sqrt{a+b x} \sqrt{a c-b c x}}{70 b^4 f} \\
&= -\frac{\left(8 a^2 C f^2-b^2 (3 C e^2-7 f (B e+2 A f))\right) \sqrt{a+b x} \sqrt{a c-b c x}}{70 b^4 f} \\
&= -\frac{\left(8 a^2 C f^2-b^2 (3 C e^2-7 f (B e+2 A f))\right) \sqrt{a+b x} \sqrt{a c-b c x}}{70 b^4 f} \\
&= \frac{\left(a^4 f^2 (3 C e+B f)+2 a^2 b^2 e^2 (C e+3 B f)+A \left(8 b^4 e^3+6 a^2 b^2 e^2\right)\right)}{16 b^4} \\
&= \frac{\left(a^4 f^2 (3 C e+B f)+2 a^2 b^2 e^2 (C e+3 B f)+A \left(8 b^4 e^3+6 a^2 b^2 e^2\right)\right)}{16 b^4} \\
&= \frac{\left(a^4 f^2 (3 C e+B f)+2 a^2 b^2 e^2 (C e+3 B f)+A \left(8 b^4 e^3+6 a^2 b^2 e^2\right)\right)}{16 b^4}
\end{aligned}$$

Mathematica [A] time = 1.46, size = 427, normalized size = 0.72

$$\frac{\sqrt{c} \sqrt{-b+d} \left(\left(21 a^{10} \sqrt{b} \sqrt{-3 c} \sqrt{\frac{d}{b}}+\sqrt{\frac{d}{b}}+1\right) \sin ^{-1}\left(\frac{\sqrt{c} \sqrt{d}}{\sqrt{b} \sqrt{d}}\right) \left(e^{f/2} (B f+3 C x)+A \left(a e^{2 f} (2 f)^2+88 e^6\right)+2 e^{2 f} 2^x 2^{\left(3 B f+C x\right)}+\left(d^2-b^2 x^2\right) \left(128 e^4 C f^3+a^4 f^2 f\right) \left(7 f \left(32 A f+96 B e+158 f x^2\right)+72 \left(40 e^6+48 e^2 f^2 x+38 e^2 f^2 x^2+8 f^4 x^2\right)\right)+2 e^{2 f} \left(7 A f \left(120 e^4+45 e^2 f x+8 f^2 x^2\right)+72 \left(40 e^6+48 e^2 f^2 x+38 e^2 f^2 x^2+8 f^4 x^2\right)\right)+3 C x \left(52 e^3+56 e^2 f^2 x+24 e^2 f^2 x^2+5 f^4 x^2\right)\right)-4 b^4 x \left(21 A \left(16 e^3+20 e^2 f^2 x+15 e^2 f^2 x^2+4 f^4 x^2\right)+x \left(70 \left(20 e^3+48 e^2 f^2 x+36 e^2 f^2 x^2+10 f^4 x^2\right)+36 x \left(16 e^3+84 e^2 f^2 x+70 e^2 f^2 x^2+20 f^4 x^2\right)\right)\right)\right)}{160 b^{10} (b+d) \sqrt{d} x^2+\frac{d}{b}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3*(A + B*x + C*x^2), x]
[Out] (Sqrt[c*(a - b*x)]*((a^2 - b^2*x^2)*(128*a^6*C*f^3 + a^4*b^2*f*(7*f*(96*B*e + 32*A*f + 15*B*f*x) + C*(672*e^2 + 315*e*f*x + 64*f^2*x^2)) + 2*a^2*b^4*(7*A*f*(120*e^2 + 45*e*f*x + 8*f^2*x^2) + 7*B*(40*e^3 + 45*e^2*f*x + 24*e*f^2*x^2 + 5*f^3*x^3) + 3*C*x*(35*e^3 + 56*e^2*f*x + 35*e*f^2*x^2 + 8*f^3*x^3) - 4*b^6*x*(21*A*(10*e^3 + 20*e^2*f*x + 15*e*f^2*x^2 + 4*f^3*x^3) + x*(7*B*(20*e^3 + 45*e^2*f*x + 36*e^2*f^2*x^2 + 10*f^3*x^3) + 3*C*x*(35*e^3 + 84*e^2*f*x + 70*e*f^2*x^2 + 20*f^3*x^3))) + 210*a^(5/2)*b*(a^4*f^2*(3*C*e + B*f) + 2*a^2*b^2*f^2*(C*e + 3*B*f) + A*(8*b^4*e^3 + 6*a^2*b^2*e^2))*Sqrt[a - b*x]))/(160*b^10*(b+d)*x^2 + d/b)
```

$$b*x]*Sqrt[1 + (b*x)/a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a]))]/(1680*b^6*(-a + b*x)*Sqrt[a + b*x])$$

IntegrateAlgebraic [B] time = 2.00, size = 2590, normalized size = 4.38

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3*(A + B*x + C*x^2), x]

[Out]
$$\begin{aligned} & ((840*a^2*A*b^5*c^7*e^3*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] + (210*a^4*b^3*c^7*C*e^3*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] + (630*a^4*b^3*B*c^7*e^2*f*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] + (630*a^4*A*b^3*c^7*e*f^2*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] + (315*a^6*b*c^7*C*e*f^2*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] + (105*a^6*b*B*c^7*f^3*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] + (3360*a^2*A*b^5*c^6*e^3*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (2240*a^3*b^4*B*c^6*e^3*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (840*a^4*b^3*c^6*C*e^3*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (6720*a^3*A*b^4*c^6*e^2*f*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (2520*a^4*b^3*B*c^6*e^2*f*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (6720*a^5*b^2*c^6*C*e^2*f*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (2520*a^4*A*b^3*c^6*e*f^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (6720*a^5*b^2*B*c^6*e*f^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (4620*a^6*b*c^6*C*e*f^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (2240*a^5*A*b^2*c^6*f^3*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (1540*a^6*b*B*c^6*f^3*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (2240*a^7*c^6*C*f^3*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) + (4200*a^2*A*b^5*c^5*e^3*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (8960*a^3*b^4*B*c^5*e^3*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (2310*a^4*b^3*c^5*C*e^3*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (26880*a^3*A*b^4*c^5*e^2*f*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (6930*a^4*b^3*B*c^5*e^2*f*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (10752*a^5*b^2*c^5*C*e^2*f*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (6930*a^4*A*b^3*c^5*e*f^2*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (10752*a^5*b^2*B*c^5*e*f^2*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) + (3255*a^6*b*c^5*C*e*f^2*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (3584*a^5*A*b^2*c^5*f^3*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) + (1085*a^6*b*B*c^5*f^3*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) + (1792*a^7*c^5*C*f^3*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (13440*a^3*b^4*B*c^4*e^3*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (40320*a^3*A*b^4*c^4*e^2*f*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (8064*a^5*b^2*c^4*C*e^2*f*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (8064*a^5*b^2*B*c^4*e*f^2*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (2688*a^5*A*b^2*c^4*f^3*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (7296*a^7*c^4*C*f^3*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (4200*a^2*A*b^5*c^3*e^3*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) - (8960*a^3*b^4*B*c^3*e^3*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) + (2310*a^4*b^3*c^3*C*e^3*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) - (26880*a^3*A*b^4*c^3*e^2*f*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) + (6930*a^4*b^3*B*c^3*e^2*f*(a*c - b*c*x)^(9/2)) \end{aligned}$$

$$\begin{aligned}
& \frac{(9/2))/(a + b*x)^(9/2) - \frac{(10752*a^5*b^2*c^3*C*e^2*f*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2)}{(a + b*x)^(9/2)} + \frac{(6930*a^4*A*b^3*c^3*e*f^2*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2)}{(a + b*x)^(9/2)} - \frac{(10752*a^5*b^2*B*c^3*e*f^2*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2)}{(a + b*x)^(9/2)} - (3255*a^6*b*c^3*C*e*f^2*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) - (3584*a^5*A*b^2*c^3*f^3*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) + (1085*a^6*b*B*c^3*f^3*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) + (1792*a^7*c^3*C*f^3*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) - (3360*a^2*A*b^5*c^2*e^3*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) - (2240*a^3*b^4*B*c^2*e^3*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) + (840*a^4*b^3*c^2*C*e^3*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) - (6720*a^3*A*b^4*c^2*e^2*f*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) + (2520*a^4*b^3*B*c^2*e^2*f*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) - (6720*a^5*b^2*c^2*C*e^2*f*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) + (2520*a^4*A*b^3*c^2*e^2*f^2*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) - (6720*a^5*b^2*B*c^2*e*f^2*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) + (4620*a^6*b*c^2*C*e*f^2*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) - (2240*a^5*A*b^2*c^2*f^3*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) + (1540*a^6*b*B*c^2*f^3*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) - (2240*a^7*c^2*C*f^3*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) - (840*a^2*A*b^5*c*e^3*(a*c - b*c*x)^(13/2))/(a + b*x)^(13/2) - (210*a^4*b^3*c*C*e^3*(a*c - b*c*x)^(13/2))/(a + b*x)^(13/2) - (630*a^4*b^3*B*c*e^2*f*(a*c - b*c*x)^(13/2))/(a + b*x)^(13/2) - (630*a^4*A*b^3*c*e*f^2*(a*c - b*c*x)^(13/2))/(a + b*x)^(13/2) - (315*a^6*b*c*C*e*f^2*(a*c - b*c*x)^(13/2))/(a + b*x)^(13/2) - (105*a^6*b*B*c*f^3*(a*c - b*c*x)^(13/2))/(a + b*x)^(13/2) / (840*b^6*(c + (a*c - b*c*x)/(a + b*x))^(7)) + ((-8*a^2*A*b^4*Sqrt[c]*e^3 - 2*a^4*b^2*Sqrt[c]*C*e^3 - 6*a^4*b^2*B*Sqrt[c]*e^2*f - 6*a^4*A*b^2*Sqrt[c]*e*f^2 - 3*a^6*Sqrt[c]*C*e*f^2 - a^6*B*Sqrt[c]*f^3)*ArcTan[Sqrt[a*c - b*c*x]/(Sqrt[c]*Sqrt[a + b*x])])/(8*b^5)
\end{aligned}$$

fricas [A] time = 0.89, size = 1001, normalized size = 1.69

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2), x, algorithm="fricas")

[Out] [1/3360*(105*(6*B*a^4*b^3*e^2*f + B*a^6*b*f^3 + 2*(C*a^4*b^3 + 4*A*a^2*b^5)*e^3 + 3*(C*a^6*b + 2*A*a^4*b^3)*e*f^2)*sqrt(-c)*log(2*b^2*c*x^2 + 2*sqrt(-b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(-c)*x - a^2*c) + 2*(240*C*b^6*f^3*x^6 - 560*B*a^2*b^4*e^3 - 672*B*a^4*b^2*e*f^2 + 280*(3*C*b^6*e*f^2 + B*b^6*f^3)*x^5 + 48*(21*C*b^6*e^2*f + 21*B*b^6*e*f^2 - (C*a^2*b^4 - 7*A*b^6)*f^3)*x^4 - 336*(2*C*a^4*b^2 + 5*A*a^2*b^4)*e^2*f - 32*(4*C*a^6 + 7*A*a^4*b^2)*f^3 + 70*(6*C*b^6*e^3 + 18*B*b^6*e^2*f - B*a^2*b^4*f^3 - 3*(C*a^2*b^4 - 6*A*b^6)*e*f^2)*x^3 + 16*(35*B*b^6*e^3 - 21*B*a^2*b^4*e*f^2 - 21*(C*a^2*b^4 - 5*A*b^6)*e^2*f - (4*C*a^4*b^2 + 7*A*a^2*b^4)*f^3)*x^2 - 105*(6*B*a^2*b^4*e^2*f + B*a^4*b^2*f^3 + 2*(C*a^2*b^4 - 4*A*b^6)*e^3 + 3*(C*a^4*b^2 + 2*A*a^2*b^4)*e*f
```

$$\begin{aligned} & -2)*x)*\sqrt{(-b*c*x + a*c)*\sqrt{b*x + a}})/b^6, \quad -1/1680*(105*(6*B*a^4*b^3*e^2 \\ & *f + B*a^6*b*f^3 + 2*(C*a^4*b^3 + 4*A*a^2*b^5)*e^3 + 3*(C*a^6*b + 2*A*a^4*b \\ & ^3)*e*f^2)*\sqrt{c}*\arctan(\sqrt{(-b*c*x + a*c)*\sqrt{b*x + a}}*b*\sqrt{c})*x/(b^2 \\ & *c*x^2 - a^2*c)) - (240*C*b^6*f^3*x^6 - 560*B*a^2*b^4*e^3 - 672*B*a^4*b^2*e \\ & *f^2 + 280*(3*C*b^6*e*f^2 + B*b^6*f^3)*x^5 + 48*(21*C*b^6*e^2*f + 21*B*b^6*e \\ & *f^2 - (C*a^2*b^4 - 7*A*b^6)*f^3)*x^4 - 336*(2*C*a^4*b^2 + 5*A*a^2*b^4)*e^2*f \\ & - 32*(4*C*a^6 + 7*A*a^4*b^2)*f^3 + 70*(6*C*b^6*e^3 + 18*B*b^6*e^2*f - B \\ & *a^2*b^4*f^3 - 3*(C*a^2*b^4 - 6*A*b^6)*e*f^2)*x^3 + 16*(35*B*b^6*e^3 - 21*B \\ & *a^2*b^4*e*f^2 - 21*(C*a^2*b^4 - 5*A*b^6)*e^2*f - (4*C*a^4*b^2 + 7*A*a^2*b^4) \\ & *f^3)*x^2 - 105*(6*B*a^2*b^4*e^2*f + B*a^4*b^2*f^3 + 2*(C*a^2*b^4 - 4*A*b \\ & ^6)*e^3 + 3*(C*a^4*b^2 + 2*A*a^2*b^4)*e*f^2)*x)*\sqrt{(-b*c*x + a*c)*\sqrt{b*x \\ & + a}})/b^6] \end{aligned}$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^3*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2), x, algorithm="giac")`

[Out] Timed out

maple [B] time = 0.04, size = 1446, normalized size = 2.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^3*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2), x)`

[Out]
$$\begin{aligned} & 1/1680*(b*x+a)^(1/2)*(-c*(b*x-a))^(1/2)*(-630*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^2) \\ & *c)^(1/2)*x*a^2*b^2*c*f^3+105*B*\arctan((b^2*c)^(1/2)*x/(-(b^2*x^2-a^2)*c) \\ & ^{(1/2)})*a^6*b^2*c*f^3+240*C*x^6*b^6*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+280*B*x^5*b^6*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+336*A*x^4*b^6*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+420*C*x^3*b^6*e^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+560*B*x^2*b^6*e^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-224*A*a^4*b^2*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-560*B*a^2*b^4*e^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+210*C*\arctan((b^2*c)^(1/2)*x/(-(b^2*x^2-a^2)*c)^(1/2))*a^4*b^4*c*e^3+840*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*b^6*e^3+840*A*\arctan((b^2*c)^(1/2)*x/(-(b^2*x^2-a^2)*c)^(1/2))*a^2*b^6*c*e^3-128*C*a^6*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-112*A*x^2*a^2*b^4*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+1680*A*x^2*b^6*e^2*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-64*C*x^2*a^4*b^2*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-1680*A*a^2*b^4*e^2*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-672*B*a^4*b^2*e*f^2*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-672*C*a^2*b^6*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2) \end{aligned}$$

$$\begin{aligned}
& 4*b^2*e^2*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+630*A*\arctan((b^2*c)^(1/2)*x)/(-(b^2*x^2-a^2)*c)^(1/2))*a^4*b^4*c*e*f^2+630*B*\arctan((b^2*c)^(1/2)*x)/(-(b^2*x^2-a^2)*c)^(1/2))*a^4*b^4*c*e^2*f-105*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^4*b^2*f^3-210*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^2*b^4*e^3+1008*C*x^4*b^6*e^2*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+1260*A*x^3*b^6*e*f^2*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-70*B*x^3*a^2*b^4*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+1260*B*x^3*b^6*e^2*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-315*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^4*b^2*e*f^2-630*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^2*b^4*e*f^2-210*C*x^3*a^2*b^4*e*f^2*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-336*B*x^2*a^2*b^4*e*f^2*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-336*C*x^2*a^2*b^4*e^2*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+315*C*\arctan((b^2*c)^(1/2)*x)/(-(b^2*x^2-a^2)*c)^(1/2))*a^6*b^2*c*e*f^2+840*C*x^5*b^6*e*f^2*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+1008*B*x^4*b^6*e*f^2*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-48*C*x^4*a^2*b^4*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2))/(-(b^2*x^2-a^2)*c)^(1/2)/b^6/(b^2*c)^(1/2)
\end{aligned}$$

maxima [A] time = 1.46, size = 584, normalized size = 0.99

$$\begin{aligned} & \frac{\left(2\sqrt{2}\sin\left(\frac{\pi}{4}\right) + 2\sqrt{2}\cos\left(\frac{\pi}{4}\right)\right)}{2\sqrt{2}} = \frac{2\sqrt{2}\sin\left(\frac{\pi}{4}\right) + 2\sqrt{2}\cos\left(\frac{\pi}{4}\right)}{2\sqrt{2}} = \frac{2\sqrt{2}\sin\left(\frac{\pi}{4}\right)}{2\sqrt{2}} + \frac{2\sqrt{2}\cos\left(\frac{\pi}{4}\right)}{2\sqrt{2}} = \sin\left(\frac{\pi}{4}\right) + \cos\left(\frac{\pi}{4}\right) = \frac{\sqrt{2}}{2} + \frac{\sqrt{2}}{2} = \sqrt{2}, \\ & \frac{\left(2\sqrt{2}\sin\left(\frac{\pi}{4}\right) - 2\sqrt{2}\cos\left(\frac{\pi}{4}\right)\right)}{2\sqrt{2}} = \frac{2\sqrt{2}\sin\left(\frac{\pi}{4}\right) - 2\sqrt{2}\cos\left(\frac{\pi}{4}\right)}{2\sqrt{2}} = \frac{2\sqrt{2}\sin\left(\frac{\pi}{4}\right)}{2\sqrt{2}} - \frac{2\sqrt{2}\cos\left(\frac{\pi}{4}\right)}{2\sqrt{2}} = \sin\left(\frac{\pi}{4}\right) - \cos\left(\frac{\pi}{4}\right) = \frac{\sqrt{2}}{2} - \frac{\sqrt{2}}{2} = 0, \\ & \frac{\left(-2\sqrt{2}\sin\left(\frac{\pi}{4}\right) + 2\sqrt{2}\cos\left(\frac{\pi}{4}\right)\right)}{2\sqrt{2}} = \frac{-2\sqrt{2}\sin\left(\frac{\pi}{4}\right) + 2\sqrt{2}\cos\left(\frac{\pi}{4}\right)}{2\sqrt{2}} = \frac{-2\sqrt{2}\sin\left(\frac{\pi}{4}\right)}{2\sqrt{2}} + \frac{2\sqrt{2}\cos\left(\frac{\pi}{4}\right)}{2\sqrt{2}} = -\sin\left(\frac{\pi}{4}\right) + \cos\left(\frac{\pi}{4}\right) = -\frac{\sqrt{2}}{2} + \frac{\sqrt{2}}{2} = 0, \\ & \frac{\left(-2\sqrt{2}\sin\left(\frac{\pi}{4}\right) - 2\sqrt{2}\cos\left(\frac{\pi}{4}\right)\right)}{2\sqrt{2}} = \frac{-2\sqrt{2}\sin\left(\frac{\pi}{4}\right) - 2\sqrt{2}\cos\left(\frac{\pi}{4}\right)}{2\sqrt{2}} = \frac{-2\sqrt{2}\sin\left(\frac{\pi}{4}\right)}{2\sqrt{2}} - \frac{2\sqrt{2}\cos\left(\frac{\pi}{4}\right)}{2\sqrt{2}} = -\sin\left(\frac{\pi}{4}\right) - \cos\left(\frac{\pi}{4}\right) = -\frac{\sqrt{2}}{2} - \frac{\sqrt{2}}{2} = -\sqrt{2}. \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="maxima")
```

```
[Out] -1/7*(-b^2*c*x^2 + a^2*c)^(3/2)*C*f^3*x^4/(b^2*c) + 1/2*A*a^2*sqrt(c)*e^3*a
rcsin(b*x/a)/b + 1/2*sqrt(-b^2*c*x^2 + a^2*c)*A*e^3*x - 4/35*(-b^2*c*x^2 +
a^2*c)^(3/2)*C*a^2*f^3*x^2/(b^4*c) + 1/16*(3*C*e*f^2 + B*f^3)*a^6*sqrt(c)*a
rcsin(b*x/a)/b^5 + 1/8*(C*e^3 + 3*B*e^2*f + 3*A*e*f^2)*a^4*sqrt(c)*arcsin(b
*x/a)/b^3 - 1/3*(-b^2*c*x^2 + a^2*c)^(3/2)*B*e^3/(b^2*c) - (-b^2*c*x^2 + a^
2*c)^(3/2)*A*e^2*f/(b^2*c) - 8/105*(-b^2*c*x^2 + a^2*c)^(3/2)*C*a^4*f^3/(b^
6*c) + 1/16*sqrt(-b^2*c*x^2 + a^2*c)*(3*C*e*f^2 + B*f^3)*a^4*x/b^4 + 1/8*sq
rt(-b^2*c*x^2 + a^2*c)*(C*e^3 + 3*B*e^2*f + 3*A*e*f^2)*a^2*x/b^2 - 1/6*(-b^
2*c*x^2 + a^2*c)^(3/2)*(3*C*e*f^2 + B*f^3)*x^3/(b^2*c) - 1/5*(-b^2*c*x^2 +
a^2*c)^(3/2)*(3*C*e^2*f + 3*B*e*f^2 + A*f^3)*x^2/(b^2*c) - 1/8*(-b^2*c*x^2
+ a^2*c)^(3/2)*(3*C*e*f^2 + B*f^3)*a^2*x/(b^4*c) - 1/4*(-b^2*c*x^2 + a^2*c)
^(3/2)*(C*e^3 + 3*B*e^2*f + 3*A*e*f^2)*x/(b^2*c) - 2/15*(-b^2*c*x^2 + a^2*c)
^(3/2)*(3*C*e^2*f + 3*B*e*f^2 + A*f^3)*a^2/(b^4*c)
```

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e + f*x)^3*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)*(A + B*x + C*x^2), x)
```

[Out] \text{Hanged}
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*(C*x**2+B*x+A)*(b*x+a)**(1/2)*(-b*c*x+a*c)**(1/2),x)
[Out] Timed out

3.21 $\int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (A+Bx+Cx^2) dx$

Optimal. Leaf size=451

$$\frac{\sqrt{a+bx} (a^2 - b^2 x^2) \sqrt{ac-bcx} (3fx (5a^2 Cf^2 - b^2 (2Ce^2 - 2f(5Af + 2Be))) + 8 (2a^2 f^2 (Bf + 2Ce) - b^2 e (Ce^2 - 2bf^2)))}{120b^4 f}$$

Rubi [A] time = 1.01, antiderivative size = 450, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.175, Rules used = {1610, 1654, 833, 780, 195, 217, 203}

$$\frac{\sqrt{a+bx} (x^2 - b^2 x^2) \sqrt{ac-bcx} (3fx (5a^2 Cf^2 - b^2 (2Ce^2 - 2f(5Af + 2Be))) + 8 (2a^2 f^2 (Bf + 2Ce) - b^2 e (Ce^2 - 2bf^2)))}{120b^4 f} + \frac{x^2 \sqrt{c} \sqrt{a+bx} \sqrt{ac-bcx} \tan^{-1} \left(\frac{b \sqrt{c} x}{\sqrt{a+bx}} \right) (2A (x^2 b^2 f^2 + 4b^4 x^2) + 2a^2 b^2 c (Bf + Cf) + a^4 C^2 f^2)}{16b^5 \sqrt{a^2 x^2 - b^2 c x^2}} + \frac{x \sqrt{a+bx} \sqrt{ac-bcx} (2A (x^2 b^2 f^2 + 4b^4 x^2) + 2a^2 b^2 c (Bf + Cf) + a^4 C^2 f^2)}{16b^5} + \frac{\sqrt{a+bx} (x^2 - b^2 x^2) (e+f)^2 \sqrt{ac-bcx} (Ce-2Bf)}{10b^2 f} - \frac{C \sqrt{a+bx} (x^2 - b^2 x^2) (e+f)^2 \sqrt{ac-bcx}}{6b^2 f}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2*(A + B*x + C*x^2), x]
[Out] ((a^4*C*f^2 + 2*a^2*b^2*c*x*(C*e + 2*B*f) + 2*A*(4*b^4*e^2 + a^2*b^2*c*x^2))*x*
Sqrt[a + b*x]*Sqrt[a*c - b*c*x])/(16*b^4) + ((C*e - 2*B*f)*Sqrt[a + b*x]*Sqr
rt[a*c - b*c*x]*(e + f*x)^2*(a^2 - b^2*x^2))/(10*b^2*f) - (C*Sqrt[a + b*x]*Sqr
t[a*c - b*c*x]*(e + f*x)^3*(a^2 - b^2*x^2))/(6*b^2*f) - (Sqrt[a + b*x]*Sqr
t[a*c - b*c*x]*(8*(2*a^2*f^2*(2*C*e + B*f) - (b^2*(8*C*e^3 - 16*e*f*(B*e
+ 5*A*f))/8) + 3*f*(5*a^2*C*f^2 - b^2*(2*C*e^2 - 2*f*(2*B*e + 5*A*f)))*x)*
(a^2 - b^2*x^2))/(120*b^4*f) + (a^2*Sqrt[c]*(a^4*C*f^2 + 2*a^2*b^2*c*x*(C*e
+ 2*B*f) + 2*A*(4*b^4*e^2 + a^2*b^2*c*x^2))*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*Ar
cTan[(b*Sqrt[c])*x]/Sqrt[a^2*c - b^2*c*x^2])/(16*b^5*Sqrt[a^2*c - b^2*c*x^2])
```

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^p)/(n*p
+ 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; Free
Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] &&
IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n],
Denominator[p]])]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a,
0] || GtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 780

```
Int[((d_.) + (e_)*(x_))*(f_.) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]
```

Rule 833

```
Int[((d_.) + (e_)*(x_))^(m_)*(f_.) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*(c_.)*(x_))^(n_)*((e_.) + (f_)*(x_))^(p_), x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*(a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^(2*(m + q - 1)) - c*d^(2*(m + q + 2*p + 1)) - 2*c*d*e*(m + q + p)*x, x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (A+Bx+Cx^2) dx &= \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int (e+fx)^2 \sqrt{a^2c-b^2cx^2} (A+Bx+Cx^2) dx}{\sqrt{a^2c-b^2cx^2}} \\
&= -\frac{C\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3 (a^2-b^2x^2)}{6b^2f} - \frac{(\sqrt{a+bx} \sqrt{ac-bcx})}{\sqrt{a^2c-b^2cx^2}} \\
&= \frac{(Ce-2Bf)\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (a^2-b^2x^2)}{10b^2f} - \frac{C\sqrt{a+bx} \sqrt{ac-bcx}}{\sqrt{a^2c-b^2cx^2}} \\
&= \frac{(Ce-2Bf)\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (a^2-b^2x^2)}{10b^2f} - \frac{C\sqrt{a+bx} \sqrt{ac-bcx}}{\sqrt{a^2c-b^2cx^2}} \\
&= \frac{(a^4 Cf^2 + 2a^2 b^2 e(Ce + 2Bf) + 2A(4b^4 e^2 + a^2 b^2 f^2)) x \sqrt{a+bx}}{16b^4} \\
&= \frac{(a^4 Cf^2 + 2a^2 b^2 e(Ce + 2Bf) + 2A(4b^4 e^2 + a^2 b^2 f^2)) x \sqrt{a+bx}}{16b^4} \\
&= \frac{(a^4 Cf^2 + 2a^2 b^2 e(Ce + 2Bf) + 2A(4b^4 e^2 + a^2 b^2 f^2)) x \sqrt{a+bx}}{16b^4}
\end{aligned}$$

Mathematica [A] time = 1.02, size = 311, normalized size = 0.69

$$\frac{\sqrt{(a-bx)} \left(b \left(a^2-b^2 x^2\right) \left(a^4 f (32 B f+64 C e+15 C f x)+2 a^2 b^2 \left(5 A f (16 e+3 f x)+B \left(40 a^2+30 a f x+8 f^2 x^2\right)+C x \left(15 e^2+16 e f x+5 f^2 x^2\right)\right)-4 b^4 x \left(5 A \left(8 e^2+8 e f x+3 f^2 x^2\right)+x \left(2 B \left(10 e^2+15 e f x+6 f^2 x^2\right)+C x \left(15 e^2+24 e f x+10 f^2 x^2\right)\right)\right)+30 a^{5/2} \sqrt{a-bx} \sqrt{\frac{b}{a}+1} \sin ^{-1}\left(\frac{\sqrt{c-x}}{\sqrt[4]{ab}}\right) \left(a^4 C^2+2 A \left(a^2 b^2 f^2+4 b^4 e^2\right)+2 a^2 b^2 e (2 B f+C e)\right)\right)}{240 b^5 (bx-a) \sqrt{a+bx}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2*(A + B*x + C*x^2), x]
[Out] (Sqrt[c*(a - b*x)]*(b*(a^2 - b^2*x^2)*(a^4*f*(64*C*e + 32*B*f + 15*C*f*x) +
2*a^2*b^2*(5*A*f*(16*e + 3*f*x) + C*x*(15*e^2 + 16*e*f*x + 5*f^2*x^2) + B*(40*e^2 + 30*e*f*x + 8*f^2*x^2)) - 4*b^4*x*(5*A*(6*e^2 + 8*e*f*x + 3*f^2*x^2) + x*(2*B*(10*e^2 + 15*e*f*x + 6*f^2*x^2) + C*x*(15*e^2 + 24*e*f*x + 10*f^2*x^2))) + 30*a^(5/2)*(a^4*C*f^2 + 2*a^2*b^2*f*(C*e + 2*B*f) + 2*A*(4*b^4*e^2 + a^2*b^2*f^2))*Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]))/(240*b^5*(-a + b*x)*Sqrt[a + b*x])
```

IntegrateAlgebraic [B] time = 1.29, size = 1792, normalized size = 3.97

result too large to display

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2*(A + B*x + C*x^2), x]

[Out] ((120*a^2*A*b^4*c^6*e^2*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] + (30*a^4*b^2*c^6*C*e^2*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] + (60*a^4*b^2*B*c^6*e*f*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] + (30*a^4*A*b^2*c^6*f^2*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] + (15*a^6*c^6*C*f^2*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] + (360*a^2*A*b^4*c^5*e^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (320*a^3*b^3*B*c^5*e^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (150*a^4*b^2*c^5*C*e^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (640*a^3*A*b^3*c^5*e*f*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (300*a^4*b^2*B*c^5*e*f*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (150*a^4*A*b^2*c^5*f^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (320*a^5*b*B*c^5*f^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (235*a^6*c^5*C*f^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) + (240*a^2*A*b^4*c^4*e^2*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (960*a^3*b^3*B*c^4*e^2*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (180*a^4*b^2*c^4*C*e^2*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (1920*a^3*A*b^3*c^4*e*f*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (360*a^4*b^2*B*c^4*e*f*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (384*a^5*b*c^4*C*e*f*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (180*a^4*A*b^2*c^4*f^2*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (192*a^5*b*B*c^4*f^2*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) + (390*a^6*c^4*C*f^2*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (240*a^2*A*b^4*c^3*e^2*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (960*a^3*b^3*B*c^3*e^2*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) + (180*a^4*b^2*c^3*C*e^2*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (1920*a^3*A*b^3*c^3*e*f*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) + (360*a^4*b^2*B*c^3*e*f*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (384*a^5*b*c^3*C*e*f*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) + (180*a^4*A*b^2*c^3*f^2*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (192*a^5*b*B*c^3*f^2*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (390*a^6*c^3*C*f^2*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (360*a^2*A*b^4*c^2*e^2*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) - (320*a^3*b^3*B*c^2*e^2*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) + (150*a^4*b^2*c^2*C*e^2*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) - (640*a^3*A*b^3*c^2*e*f*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) + (300*a^4*b^2*B*c^2*e*f*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) - (640*a^5*b*c^2*C*e*f*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) + (150*a^4*A*b^2*c^2*f^2*(a*c - b*c*x)^(9/2)) - (320*a^5*b*B*c^2*f^2*(a*c - b*c*x)^(9/2)) + (235*a^6*c^2*C*f^2*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) - (120*a^2*A*b^4*c*e^2*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) - (30*a^4*b^2*c*C*e^2*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) - (60*a^4*b^2*B*c*e*f*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) - (30*a^4*A*b^2*c*f^2*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) - (15*a^6*c*C*f^2*(a*c - b*c*x)^(11/2))/(a + b*x)^(11/2) + ((-8*a^2*A*b^4*Sqrt[c]*e^2 - 2*a^4*b^2*Sqrt[c]*C*e^2 - 4*a^4*b^2*B*Sqrt[c]*e*f - 2*a^4*A*b^2*Sqrt[c]*f^2 - a^6*Sqrt[c]*C*f^2)*ArcTan[Sqrt[a*c - b*c*x]/(Sqrt[c]*Sqrt[a + b*x])])/(8*b^5)

fricas [A] time = 0.98, size = 703, normalized size = 1.56

```
[In] integrate((f*x+e)^2*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="fricas")
```

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & \frac{1}{480} \left(15(4B^4a^4b^2e^2 + 2(C^4a^4b^2 + 4A^2a^2b^4)e^2 + (C^6a^2 + 2A^4a^2b^2)f^2) \sqrt{-c} \log(2b^2c^2x^2 + 2\sqrt{-b^2c^2x^2 + a^2c^2})\sqrt{b^2x^2 + a^2} \right. \\ & + b\sqrt{-c}x - a^2c) + 2(40C^5b^5f^2x^5 - 80B^2a^2b^3e^2 - 32B^4a^4b^2 + 48(2C^5b^5e^2 + B^5f^2)x^4 + 10(6C^5b^5e^2 + 12B^4b^5e^2 - (C^2a^2b^3 - 6A^2b^5)f^2)x^3 - 32(2C^4a^4b^2 + 5A^2a^2b^3)f^2)x^2 - 15(4B^4a^2b^3e^2 + 2(C^2a^2b^3 - 4A^2b^5)e^2 + (C^4a^4b^2 + 2A^2a^2b^3)f^2)x \times \\ & \left. \sqrt{-b^2c^2x^2 + a^2c^2}\sqrt{b^2x^2 + a^2} \right)/b^5, -\frac{1}{240} \left(15(4B^4a^4b^2e^2 + 2(C^4a^4b^2 + 4A^2a^2b^4)f^2)\sqrt{c} \arctan(\sqrt{-b^2c^2x^2 + a^2c^2}\sqrt{b^2x^2 + a^2}) \right. \\ & + (C^6a^2 + 2A^4a^2b^2)f^2)x^4 + 10(6C^5b^5e^2 + 12B^4b^5e^2 - (C^2a^2b^3 - 6A^2b^5)f^2)x^3 - 32(2C^4a^4b^2 + 5A^2a^2b^3)f^2x^2 - 15(4B^4a^2b^3e^2 + 2(C^2a^2b^3 - 4A^2b^5)e^2 + (C^4a^4b^2 + 2A^2a^2b^3)f^2) \times \\ & \left. \sqrt{-b^2c^2x^2 + a^2c^2}\sqrt{b^2x^2 + a^2} \right)/b^5 \end{aligned}$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="giac")`

[Out] Timed out

maple [B] time = 0.02, size = 987, normalized size = 2.19

```
[In] int((f*x+e)^2*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x)
```

[Out]
$$\begin{aligned} & \frac{1}{240} (b^2x^2 + a^2)^{(1/2)} (-b^2x^2 - a^2)^{(1/2)} (40C^5b^5f^2x^5 - 80B^2a^2b^3e^2 - 32B^4a^4b^2 + 48B^5f^2x^4 + 160A^2x^3b^4f^2 - 15(4B^4a^2b^3e^2 + 2(C^2a^2b^3 - 4A^2b^5)f^2)x^2 - 15(4B^4a^2b^3e^2 + 2(C^2a^2b^3 - 4A^2b^5)f^2)x) \\ & + 60A^2x^3b^4f^2x^2 + 60C^5b^5e^2x^5 + 60C^5b^5e^2x^3 + 60C^5b^5e^2x^1) \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^2*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x)`

[Out]
$$\begin{aligned} & \frac{1}{240} (b^2x^2 + a^2)^{(1/2)} (-b^2x^2 - a^2)^{(1/2)} (40C^5b^5f^2x^5 - 80B^2a^2b^3e^2 - 32B^4a^4b^2 + 48B^5f^2x^4 + 160A^2x^3b^4f^2 - 15(4B^4a^2b^3e^2 + 2(C^2a^2b^3 - 4A^2b^5)f^2)x^2 - 15(4B^4a^2b^3e^2 + 2(C^2a^2b^3 - 4A^2b^5)f^2)x) \\ & + 60A^2x^3b^4f^2x^2 + 60C^5b^5e^2x^5 + 60C^5b^5e^2x^3 + 60C^5b^5e^2x^1) \end{aligned}$$

$$\begin{aligned}
& (-b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}+80*B*x^2*b^4*e^2*(-(b^2*x^2-a^2)*c)^{(1/2)} \\
& *(b^2*c)^{(1/2)}-80*B*a^2*b^2*e^2*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)} \\
& -60*B*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^2*b^2*e*f+15*C*\arctan((b^2 \\
& *c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*a^6*c*f^2-32*B*a^4*f^2*(-(b^2*x^2-a^2) \\
&)*c)^{(1/2)}*(b^2*c)^{(1/2)}-64*C*a^4*e*f*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)} \\
& +30*A*\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*a^4*b^2*c*f^2+120*A \\
& *\arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*a^2*b^4*c*e^2+30*C*\arctan \\
& ((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*a^4*b^2*c*e^2+120*A*(b^2*c)^{(1/2)} \\
&)*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*b^4*e^2-15*C*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)} \\
& *x*a^4*f^2-32*C*x^2*a^2*b^2*e*f*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)} \\
& -30*A*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^2*b^2*f^2-30*C*(b^2*c)^{(1/2)} \\
& *(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^2*b^2*e^2-10*C*x^3*a^2*b^2*f^2*(-(b^2*x^2-a^2) \\
& *c)^{(1/2)}*(b^2*c)^{(1/2)}+160*A*x^2*b^4*e*f*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c) \\
& ^{(1/2)}-16*B*x^2*a^2*b^2*f^2*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}-160*A* \\
& a^2*b^2*e*f*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c)^{(1/2)}+60*B*\arctan((b^2*c)^{(1/2)} \\
&)/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)*a^4*b^2*c*e*f+96*C*x^4*b^4*e*f*(-(b^2*x^2-a^2) \\
&)*c)^{(1/2)}*(b^2*c)^{(1/2)}+120*B*x^3*b^4*e*f*(-(b^2*x^2-a^2)*c)^{(1/2)}*(b^2*c) \\
& ^{(1/2)})/(-(b^2*x^2-a^2)*c)^{(1/2)}/b^4/(b^2*c)^{(1/2)}
\end{aligned}$$

maxima [A] time = 2.07, size = 417, normalized size = 0.92

$$\frac{\lambda d^2 \sqrt{c} x^2 \arcsin\left(\frac{b}{\sqrt{c}}\right)}{2 b} + \frac{C d^6 \sqrt{c} f^2 \arcsin\left(\frac{b}{\sqrt{c}}\right)}{16 b^5} - \frac{1}{2} \sqrt{-b^2 c x^2 + a^2 c} A x^2 x + \frac{\sqrt{-b^2 c x^2 + a^2 c} C x^2 f^2 x}{16 b^4} - \frac{\left(-b^2 c x^2 + a^2 c\right)^{\frac{3}{2}} C f^2 x^3}{8 b^3} + \frac{\left(C x^2 + 2 B c f + A f^2\right) a^4 \sqrt{c} \arcsin\left(\frac{b}{\sqrt{c}}\right)}{6 b^2 c} + \frac{\sqrt{-b^2 c x^2 + a^2 c} \left(C x^2 + 2 B c f + A f^2\right) a^2 x^2}{8 b^2} + \frac{\sqrt{-b^2 c x^2 + a^2 c} \left(C x^2 + 2 B c f + A f^2\right)^2 B x^2}{8 b c} - \frac{\left(-b^2 c x^2 + a^2 c\right)^{\frac{3}{2}} C x^2 f^2 x^2}{3 b^2 c} - \frac{\left(-b^2 c x^2 + a^2 c\right)^{\frac{3}{2}} A c f}{3 b c} - \frac{\left(-b^2 c x^2 + a^2 c\right)^{\frac{3}{2}} \left(2 C c f + B f^2\right) x^2}{3 b c} - \frac{\left(-b^2 c x^2 + a^2 c\right)^{\frac{3}{2}} \left(C x^2 + 2 B c f + A f^2\right) x}{4 b c} - \frac{2 \left(-b^2 c x^2 + a^2 c\right)^{\frac{3}{2}} \left(2 C c f + B f^2\right) a^2}{15 b c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="maxima")`

[Out]
$$\begin{aligned}
& 1/2*A*a^2*sqrt(c)*e^2*arcsin(b*x/a)/b + 1/16*C*a^6*sqrt(c)*f^2*arcsin(b*x/a) \\
& /b^5 + 1/2*sqrt(-b^2*c*x^2 + a^2*c)*A*e^2*x + 1/16*sqrt(-b^2*c*x^2 + a^2*c) \\
& *C*a^4*f^2*x/b^4 - 1/6*(-b^2*c*x^2 + a^2*c)^(3/2)*C*f^2*x^3/(b^2*c) + 1/8* \\
& (C*e^2 + 2*B*e*f + A*f^2)*a^4*sqrt(c)*arcsin(b*x/a)/b^3 + 1/8*sqrt(-b^2*c*x^2 \\
& + a^2*c)*(C*e^2 + 2*B*e*f + A*f^2)*a^2*x/b^2 - 1/8*(-b^2*c*x^2 + a^2*c) \\
& ^{(3/2)}*C*a^2*f^2*x/(b^4*c) - 1/3*(-b^2*c*x^2 + a^2*c)^(3/2)*B*e^2/(b^2*c) - \\
& 2/3*(-b^2*c*x^2 + a^2*c)^(3/2)*A*e*f/(b^2*c) - 1/5*(-b^2*c*x^2 + a^2*c)^(3/2) \\
& *(2*C*e*f + B*f^2)*x^2/(b^2*c) - 1/4*(-b^2*c*x^2 + a^2*c)^(3/2)*(C*e^2 + \\
& 2*B*e*f + A*f^2)*x/(b^2*c) - 2/15*(-b^2*c*x^2 + a^2*c)^(3/2)*(2*C*e*f + B*f^2) \\
& *a^2/(b^4*c)
\end{aligned}$$

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x)^2*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)*(A + B*x + C*x^2),x)`

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*(C*x**2+B*x+A)*(b*x+a)**(1/2)*(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

$$3.22 \quad \int \sqrt{a + bx} \sqrt{ac - bcx} (e + fx) (A + Bx + Cx^2) dx$$

Optimal. Leaf size=300

$$\frac{x\sqrt{a+bx}\sqrt{ac-bcx}(a^2(Bf+Ce)+4Ab^2e)}{8b^2} - \frac{\sqrt{a+bx}(a^2-b^2x^2)\sqrt{ac-bcx}(4(2a^2Cf^2-b^2(3Ce^2-5f(Af-Be)))}{60b^4f}$$

Rubi [A] time = 0.45, antiderivative size = 297, normalized size of antiderivative = 0.99, number of steps used = 6, number of rules used = 6, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.158, Rules used = {1610, 1654, 780, 195, 217, 203}

$$\frac{\sqrt{a+bx}(a^2-b^2x^2)\sqrt{ac-bcx}(4(2a^2Cf^2-b^2(3Ce^2-5f(Af+Be)))-3b^2fx(3Ce-5Bf))}{60b^4f} + \frac{a^2\sqrt{c}\sqrt{a+bx}\sqrt{ac-bcx}\tan^{-1}\left(\frac{b\sqrt{c}x}{\sqrt{a-b^2c}}\right)(a^2(Bf+Ce)+4Ab^2e)}{8b^3\sqrt{a^2c-b^2cx^2}} + \frac{1}{8}x\sqrt{a+bx}\sqrt{ac-bcx}\left(\frac{a^2(Bf+Ce)+4Ae}{b^2}\right) - \frac{C\sqrt{a+bx}(a^2-b^2x^2)(e+fx)^2\sqrt{ac-bcx}}{5b^2f}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)*(A + B*x + C*x^2), x]
[Out] ((4*A*e + (a^2*(C*e + B*f))/b^2)*x*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])/8 - (C*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2*(a^2 - b^2*x^2))/(5*b^2*f) - (Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(4*(2*a^2*C*f^2 - b^2*(3*C*e^2 - 5*f*(B*e + A*f))) - 3*b^2*f*(3*C*e - 5*B*f)*x)*(a^2 - b^2*x^2))/(60*b^4*f) + (a^2*Sqrt[c]*(4*A*b^2*e + a^2*(C*e + B*f))*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*ArcTan[(b*Sqrt[c])*x]/Sqrt[a^2*c - b^2*c*x^2]]/(8*b^3*Sqrt[a^2*c - b^2*c*x^2])
```

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 780

```
Int[((d_) + (e_)*(x_))*(f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^{(p_)}, x_Symbol] :> Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1)/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]
```

Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^{(m_)}*((c_) + (d_)*(x_))^{(n_)}*((e_) + (f_)*(x_))^{(p_)}, x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_)*(x_))^{(m_)}*((a_) + (c_)*(x_)^2)^{(p_)}, x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a+bx} \sqrt{ac-bcx} (e+fx) (A+Bx+Cx^2) dx &= \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int (e+fx) \sqrt{a^2c-b^2cx^2} (A+Bx+Cx^2) dx}{\sqrt{a^2c-b^2cx^2}} \\
&= -\frac{C \sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (a^2-b^2x^2)}{5b^2f} - \frac{(\sqrt{a+bx} \sqrt{ac-bcx})}{\sqrt{a^2c-b^2cx^2}} \\
&= -\frac{C \sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2 (a^2-b^2x^2)}{5b^2f} - \frac{\sqrt{a+bx} \sqrt{ac-bcx}}{\sqrt{a^2c-b^2cx^2}} \\
&= \frac{1}{8} \left(4Ae + \frac{a^2(Ce+Bf)}{b^2} \right) x \sqrt{a+bx} \sqrt{ac-bcx} - \frac{C \sqrt{a+bx} \sqrt{ac-bcx}}{\sqrt{a^2c-b^2cx^2}} \\
&= \frac{1}{8} \left(4Ae + \frac{a^2(Ce+Bf)}{b^2} \right) x \sqrt{a+bx} \sqrt{ac-bcx} - \frac{C \sqrt{a+bx} \sqrt{ac-bcx}}{\sqrt{a^2c-b^2cx^2}} \\
&= \frac{1}{8} \left(4Ae + \frac{a^2(Ce+Bf)}{b^2} \right) x \sqrt{a+bx} \sqrt{ac-bcx} - \frac{C \sqrt{a+bx} \sqrt{ac-bcx}}{\sqrt{a^2c-b^2cx^2}}
\end{aligned}$$

Mathematica [A] time = 0.68, size = 200, normalized size = 0.67

$$\frac{c \left(30 a^{5/2} b \sqrt{a-b x} \sqrt{\frac{b x}{a}+1} \sin ^{-1}\left(\frac{\sqrt{a-b x}}{\sqrt{2} \sqrt{a}}\right) \left(a^2 (B f+C e)+4 A b^2 e\right)+\left(a^2-b^2 x^2\right) \left(16 a^4 C f+a^2 b^2 (40 A f+5 B (8 e+3 f x)+C x (15 e+8 f x))-2 b^4 x (10 A (3 e+2 f x)+x (5 B (4 e+3 f x)+3 C x (5 e+4 f x)))\right)\right)}{120 b^4 \sqrt{a+b x} \sqrt{c (a-b x)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)*(A + B*x + C*x^2), x]
[Out] -1/120*(c*((a^2 - b^2*x^2)*(16*a^4*C*f + a^2*b^2*(40*A*f + 5*B*(8*e + 3*f*x) + C*x*(15*e + 8*f*x)) - 2*b^4*x*(10*A*(3*e + 2*f*x) + x*(5*B*(4*e + 3*f*x) + 3*C*x*(5*e + 4*f*x)))) + 30*a^(5/2)*b*(4*A*b^2*e + a^2*(C*e + B*f))*Sqr
t[a - b*x]*Sqrt[1 + (b*x)/a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a]))])/((b^4
*Sqr
t[c*(a - b*x)]*Sqr
t[a + b*x])
```

IntegrateAlgebraic [B] time = 0.64, size = 647, normalized size = 2.16

$$\begin{aligned} \tan^2\left(\frac{\sqrt{2}\alpha_1}{\sqrt{2}\alpha_2}\right) &= \left(-\frac{1}{2}\alpha_1^2\sqrt{c} + \frac{1}{2}\sqrt{c}\right)C\pi - 4\alpha_1^2AB^2\sqrt{c}\pi^2, \\ &\quad -2\sqrt{c}\sqrt{b-a}C\pi - \frac{16\alpha_1^2\sqrt{c}(a-b)}{\pi\alpha_2^2} + \frac{16\alpha_1^2\sqrt{c}(b-a)}{\pi\alpha_2^2} - 15\alpha_1^2\pi^2C^2 + \frac{16\alpha_1^2\pi^2(a-b)}{\pi\alpha_2^2} + \frac{16\alpha_1^2\pi^2(b-a)}{\pi\alpha_2^2} + \frac{15\alpha_1^2\pi^2(c-a)}{\pi\alpha_2^2} - 15\alpha_1^2\pi^2C^2 + \frac{16\alpha_1^2\pi^2(c-b)}{\pi\alpha_2^2} + \frac{16\alpha_1^2\pi^2(c-a)}{\pi\alpha_2^2} - 20\alpha_1^2\pi^2B^2C^2 + \frac{16\alpha_1^2\pi^2B^2c^2}{\pi\alpha_2^2} + \frac{16\alpha_1^2\pi^2B^2(a-b)}{\pi\alpha_2^2} + \frac{16\alpha_1^2\pi^2B^2(b-a)}{\pi\alpha_2^2} + 20\alpha_1^2\pi^2B^2C^2 + \frac{16\alpha_1^2\pi^2B^2c^2}{\pi\alpha_2^2} + \frac{16\alpha_1^2\pi^2B^2(a-b)}{\pi\alpha_2^2} + 22\alpha_1^2\pi^2B^2c^2 + \frac{16\alpha_1^2\pi^2B^2(a-b)^2}{\pi\alpha_2^2} + 60\pi^2AB^2C^2, \\ &\quad \frac{4\alpha_1^2}{\alpha_2^2} \cdot \frac{1}{\sqrt{b-a}} \cdot \frac{1}{\sqrt{c-a}} \cdot \frac{1}{\sqrt{c-b}}. \end{aligned}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)*(A + B*x + C*x^2), x]
```

[Out]
$$\begin{aligned} & -1/60 * (a^2 * c * \text{Sqrt}[a*c - b*c*x]) * (-60 * A * b^3 * c^4 * e - 15 * a^2 * b * c^4 * C * e - 15 * a^2 \\ & * b * B * c^4 * f - (120 * A * b^3 * c^3 * e * (a*c - b*c*x)) / (a + b*x) + (160 * a * b^2 * B * c^3 * e \\ & * (a*c - b*c*x)) / (a + b*x) + (90 * a^2 * b * c^3 * C * e * (a*c - b*c*x)) / (a + b*x) + (1 \\ & 60 * a * A * b^2 * c^3 * f * (a*c - b*c*x)) / (a + b*x) + (90 * a^2 * b * B * c^3 * f * (a*c - b*c*x) \\ &) / (a + b*x) + (160 * a^3 * c^3 * C * f * (a*c - b*c*x)) / (a + b*x) + (320 * a * b^2 * B * c^2 * \\ & e * (a*c - b*c*x)^2) / (a + b*x)^2 + (320 * a * A * b^2 * c^2 * f * (a*c - b*c*x)^2) / (a + b \\ & *x)^2 - (64 * a^3 * c^2 * C * f * (a*c - b*c*x)^2) / (a + b*x)^2 + (120 * A * b^3 * c * e * (a*c \\ & - b*c*x)^3) / (a + b*x)^3 + (160 * a * b^2 * B * c * e * (a*c - b*c*x)^3) / (a + b*x)^3 - (\\ & 90 * a^2 * b * c * C * e * (a*c - b*c*x)^3) / (a + b*x)^3 + (160 * a * A * b^2 * c * f * (a*c - b*c*x) \\ &)^3) / (a + b*x)^3 - (90 * a^2 * b * B * c * f * (a*c - b*c*x)^3) / (a + b*x)^3 + (160 * a^3 * c * \\ & C * f * (a*c - b*c*x)^3) / (a + b*x)^3 + (60 * A * b^3 * e * (a*c - b*c*x)^4) / (a + b*x) \\ & ^4 + (15 * a^2 * b * C * e * (a*c - b*c*x)^4) / (a + b*x)^4 + (15 * a^2 * b * B * f * (a*c - b*c*x) \\ &)^4) / (a + b*x)^4) / (b^4 * \text{Sqrt}[a + b*x] * (c + (a*c - b*c*x) / (a + b*x))^5) + (- \\ & 4 * a^2 * A * b^2 * \text{Sqrt}[c] * e - a^4 * \text{Sqrt}[c] * C * e - a^4 * B * \text{Sqrt}[c] * f) * \text{ArcTan}[\text{Sqrt}[a * \\ & c - b*c*x] / (\text{Sqrt}[c] * \text{Sqrt}[a + b*x])] / (4 * b^3) \end{aligned}$$

fricas [A] time = 1.20, size = 441, normalized size = 1.47

$$\left[\frac{15 \{B a^2 b f + (C a^6 + 4 A a^5 b^2) f\} \sqrt{-c} \log \left(2 \sqrt{b} x^2 + 2 \sqrt{b} \sqrt{b c + a c \sqrt{b} \sqrt{-c}} + x^2\right) + 2 \{24 C^2 f x^4 - 40 B a^2 b^2 x^2 + 30 \{3 B^2 a - (C a^2 b^2 - 5 A a^3 b^2)\} x^2\} + 8 \{5 B^2 a - (C a^2 b^2 - 5 A a^3 b^2)\} x^2 - 8 \{2 C^2 a^2 + 5 A a^3 b^2\} x\} \sqrt{C} \operatorname{atan}\left(\frac{\sqrt{C} \sqrt{b} f + (C a^2 b^2 + 4 A a^3 b^2) f}{\sqrt{b} \sqrt{b c + a c \sqrt{b} \sqrt{-c}}}\right) - \{24 C^2 f\} x^4 - 40 B a^2 b^2 x^2 + 30 \{C^2 a^2 - (C a^2 b^2 - 5 A a^3 b^2)\} x^2 - 8 \{2 C^2 a^2 + 5 A a^3 b^2\} x^2 - 15 \{B a^2 b f + (C a^2 b^2 - 4 A a^3 b^2) f\} \sqrt{C} \operatorname{atan}\left(\frac{\sqrt{C} \sqrt{b} f + (C a^2 b^2 + 4 A a^3 b^2) f}{\sqrt{b} \sqrt{b c + a c \sqrt{b} \sqrt{-c}}}\right) \right] / 240 b^4 \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x+e)*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2), x, \text{algorithm}=\text{fricas})$

[Out]
$$\begin{aligned} & [1/240 * (15 * (B * a^4 * b * f + (C * a^4 * b + 4 * A * a^2 * b^3) * e) * \text{sqrt}(-c) * \log(2 * b^2 * c * x^2 \\ & + 2 * \text{sqrt}(-b * c * x + a * c) * \text{sqrt}(b * x + a) * b * \text{sqrt}(-c) * x - a^2 * c) + 2 * (24 * C * b^4 * f \\ & * x^4 - 40 * B * a^2 * b^2 * e + 30 * (C * b^4 * e + B * b^4 * f) * x^3 + 8 * (5 * B * b^4 * e - (C * a^2 * \\ & b^2 - 5 * A * b^4) * f) * x^2 - 8 * (2 * C * a^4 + 5 * A * a^2 * b^2) * f - 15 * (B * a^2 * b^2 * f + (C * \\ & a^2 * b^2 - 4 * A * b^4) * e) * x) * \text{sqrt}(-b * c * x + a * c) * \text{sqrt}(b * x + a)) / b^4, -1/120 * (15 * \\ & (B * a^4 * b * f + (C * a^4 * b + 4 * A * a^2 * b^3) * e) * \text{sqrt}(c) * \text{arctan}(\text{sqrt}(-b * c * x + a * c) * \\ & \text{sqrt}(b * x + a) * b * \text{sqrt}(c) * x) / (b^2 * c * x^2 - a^2 * c) - (24 * C * b^4 * f * x^4 - 40 * B * a^2 * \\ & b^2 * e + 30 * (C * b^4 * e + B * b^4 * f) * x^3 + 8 * (5 * B * b^4 * e - (C * a^2 * b^2 - 5 * A * b^4) * f) \\ & * x^2 - 8 * (2 * C * a^4 + 5 * A * a^2 * b^2) * f - 15 * (B * a^2 * b^2 * f + (C * a^2 * b^2 - 4 * A * b^4) * e) * x) * \\ & \text{sqrt}(-b * c * x + a * c) * \text{sqrt}(b * x + a)) / b^4] \end{aligned}$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x+e)*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2), x, \text{algorithm}=\text{giac})$

[Out] Timed out

maple [B] time = 0.01, size = 588, normalized size = 1.96

$$\frac{\sqrt{b^2x^2 + \sqrt{b^2c^2 - a^2c^2}} \left[\text{arcsinh}\left(\frac{ax}{\sqrt{b^2c^2 - a^2c^2}}\right) + 12b^2c^2\text{arccot}\left(\frac{ax}{\sqrt{b^2c^2 - a^2c^2}}\right) + 24\sqrt{b^2c^2 - a^2c^2} \sqrt{(b^2x^2 - a^2)} Cx^2x^2 + 3b_1\sqrt{b^2c^2 - a^2c^2} \sqrt{(b^2x^2 - a^2)} Ax^2x^2 + 3b_2\sqrt{b^2c^2 - a^2c^2} \sqrt{(b^2x^2 - a^2)} Cx^2x^2 + 4b_3\sqrt{b^2c^2 - a^2c^2} \sqrt{(b^2x^2 - a^2)} Ax^2x^2 + 12b_4\sqrt{b^2c^2 - a^2c^2} \sqrt{(b^2x^2 - a^2)} Cx^2x^2 + 6b_5\sqrt{b^2c^2 - a^2c^2} \sqrt{(b^2x^2 - a^2)} Ax^2x^2 - 12b_6\sqrt{b^2c^2 - a^2c^2} \sqrt{(b^2x^2 - a^2)} Cx^2x^2 - 4b_7\sqrt{b^2c^2 - a^2c^2} \sqrt{(b^2x^2 - a^2)} Ax^2x^2 - 12b_8\sqrt{b^2c^2 - a^2c^2} \sqrt{(b^2x^2 - a^2)} Cx^2x^2 - 3b_9\sqrt{b^2c^2 - a^2c^2} \sqrt{(b^2x^2 - a^2)} Ax^2x^2 - 3b_{10}\sqrt{b^2c^2 - a^2c^2} \sqrt{(b^2x^2 - a^2)} Cx^2x^2 \right]}{12b^2\sqrt{(b^2x^2 - a^2)(b^2c^2 - a^2c^2)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x)`

[Out] $\frac{1}{120}*(b*x+a)^(1/2)*(-(b*x-a)*c)^(1/2)*(24*C*x^4*b^4*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+30*B*x^3*b^4*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+30*C*x^3*b^4*e*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+60*A*\arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^4*c*e+40*A*x^2*b^4*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+15*B*\arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^4*b^2*c*f+40*B*x^2*b^4*e*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+15*C*\arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^4*b^2*c*e-8*C*x^2*a^2*b^2*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+60*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^2*b^2*f-15*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*x*a^2*b^2*f-40*A*a^2*b^2*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-40*B*a^2*b^2*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-16*C*a^4*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2))/(-(b^2*x^2-a^2)*c)^(1/2)/b^4/(b^2*c)^(1/2)$

maxima [A] time = 2.25, size = 248, normalized size = 0.83

$$\frac{Aa^2\sqrt{c}\text{arcsin}\left(\frac{bx}{a}\right)}{2b} + \frac{1}{2}\sqrt{-b^2cx^2 + a^2c}\text{Aex} + \frac{(Ce + Bf)a^4\sqrt{c}\arcsin\left(\frac{bx}{a}\right)}{8b^3} + \frac{\sqrt{-b^2cx^2 + a^2c}(Ce + Bf)a^2x}{8b^2} - \frac{(-b^2cx^2 + a^2c)^{\frac{3}{2}}Cx^2}{5b^2c} - \frac{(-b^2cx^2 + a^2c)^{\frac{3}{2}}Be}{3b^2c} - \frac{2(-b^2cx^2 + a^2c)^{\frac{3}{2}}Ca^2f}{15b^4c} - \frac{(-b^2cx^2 + a^2c)^{\frac{3}{2}}Af}{3b^2c} - \frac{(-b^2cx^2 + a^2c)^{\frac{3}{2}}(Ce + Bf)x}{4b^2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*(C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="maxima")`

[Out] $\frac{1}{2}*A*a^2*\sqrt{c}*\text{e*arcsin}(b*x/a)/b + \frac{1}{2}*\sqrt{-b^2*c*x^2 + a^2*c}*\text{A*e*x} + \frac{1}{8}*(C*e + B*f)*a^4*\sqrt{c}*\text{arcsin}(b*x/a)/b^3 + \frac{1}{8}*\sqrt{-b^2*c*x^2 + a^2*c}*(C*e + B*f)*a^2*x/b^2 - \frac{1}{5}*(-b^2*c*x^2 + a^2*c)^(3/2)*C*f*x^2/(b^2*c) - \frac{1}{3}*(-b^2*c*x^2 + a^2*c)^(3/2)*B*e/(b^2*c) - \frac{2}{15}*(-b^2*c*x^2 + a^2*c)^(3/2)*C*a^2*f/(b^4*c) - \frac{1}{3}*(-b^2*c*x^2 + a^2*c)^(3/2)*A*f/(b^2*c) - \frac{1}{4}*(-b^2*c*x^2 + a^2*c)^(3/2)*(C*e + B*f)*x/(b^2*c)$

mupad [B] time = 30.58, size = 1765, normalized size = 5.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x)*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)*(A + B*x + C*x^2),x)`

[Out] $((B*a^4*c^8*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(2*((a + b*x)^(1/2) - a^(1/2))) - (B*a^4*c*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^15)/(2*((a + b*x)^(1/2) - a^(1/2)))$

$$\begin{aligned}
& \left(\frac{1}{2} - a^{(1/2)} \right)^{15} - \frac{(35*B*a^4*c^7*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)}{(2*((a + b*x)^{(1/2)} - a^{(1/2)})^3)} + \frac{(273*B*a^4*c^6*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)}{(2*((a + b*x)^{(1/2)} - a^{(1/2)})^5)} - \frac{(715*B*a^4*c^5*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)}{(2*((a + b*x)^{(1/2)} - a^{(1/2)})^7)} + \frac{(715*B*a^4*c^4*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^9)}{(2*((a + b*x)^{(1/2)} - a^{(1/2)})^9)} - \frac{(273*B*a^4*c^3*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{11})}{(2*((a + b*x)^{(1/2)} - a^{(1/2)})^{11})} + \frac{(35*B*a^4*c^2*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{13})}{(2*((a + b*x)^{(1/2)} - a^{(1/2)})^{13})} / (b^3*c^8 + (b^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{16})) / ((a + b*x)^{(1/2)} - a^{(1/2)})^{16} + \frac{(8*b^3*c^7 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)}{((a + b*x)^{(1/2)} - a^{(1/2)})^2} + \frac{(28*b^3*c^6 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)}{((a + b*x)^{(1/2)} - a^{(1/2)})^4} + \frac{(56*b^3*c^5 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6)}{((a + b*x)^{(1/2)} - a^{(1/2)})^6} + \frac{(70*b^3*c^4 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8)}{((a + b*x)^{(1/2)} - a^{(1/2)})^8} + \frac{(56*b^3*c^3 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{10})}{((a + b*x)^{(1/2)} - a^{(1/2)})^{10}} / ((a + b*x)^{(1/2)} - a^{(1/2)})^{12} / ((a + b*x)^{(1/2)} - a^{(1/2)})^{12} + \frac{(8*b^3*c * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{14})}{((a + b*x)^{(1/2)} - a^{(1/2)})^{14}} - \frac{(a*c - b*c*x)^{(1/2)} * ((2*C*a^4*f*(a + b*x)^{(1/2)}) / (15*b^4) - (C*f*x^4*(a + b*x)^{(1/2)}) / 5 + (C*a^2*f*x^2*(a + b*x)^{(1/2)}) / (15*b^2)) + ((C*a^4*c^8*e*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (2*((a + b*x)^{(1/2)} - a^{(1/2)})) - (C*a^4*c*e*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{15}) / (2*((a + b*x)^{(1/2)} - a^{(1/2)})^{15}) - (35*C*a^4*c^7*e*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / (2*((a + b*x)^{(1/2)} - a^{(1/2)})^3) + (273*C*a^4*c^6*e*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5) / (2*((a + b*x)^{(1/2)} - a^{(1/2)})^5) - (715*C*a^4*c^5*e*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7) / (2*((a + b*x)^{(1/2)} - a^{(1/2)})^7) + (715*C*a^4*c^4*e*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^9) / (2*((a + b*x)^{(1/2)} - a^{(1/2)})^9) - (273*C*a^4*c^3*e*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{11}) / (2*((a + b*x)^{(1/2)} - a^{(1/2)})^{11}) + (35*C*a^4*c^2*e*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{13}) / (2*((a + b*x)^{(1/2)} - a^{(1/2)})^{13}) - (28*b^3*c^2 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{12}) / ((a + b*x)^{(1/2)} - a^{(1/2)})^{12} + \frac{(8*b^3*c^7 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)}{((a + b*x)^{(1/2)} - a^{(1/2)})^2} + \frac{(28*b^3*c^6 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)}{((a + b*x)^{(1/2)} - a^{(1/2)})^4} + \frac{(56*b^3*c^5 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6)}{((a + b*x)^{(1/2)} - a^{(1/2)})^6} + \frac{(70*b^3*c^4 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8)}{((a + b*x)^{(1/2)} - a^{(1/2)})^8} + \frac{(56*b^3*c^3 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{10})}{((a + b*x)^{(1/2)} - a^{(1/2)})^{10}} / ((a + b*x)^{(1/2)} - a^{(1/2)})^{10} + \frac{(28*b^3*c^2 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{12})}{((a + b*x)^{(1/2)} - a^{(1/2)})^{12}} + \frac{(8*b^3*c * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{14})}{((a + b*x)^{(1/2)} - a^{(1/2)})^{14}} - (A*e*x*((a*c - b*c*x)^{(1/2)} * (a + b*x)^{(1/2)}) / 2 - (A*f*(a^2 - b^2*x^2) * (a*c - b*c*x)^{(1/2)} * (a + b*x)^{(1/2)}) / (3*b^2) - (B*e*(a^2 - b^2*x^2) * (a*c - b*c*x)^{(1/2)} * (a + b*x)^{(1/2)}) / (3*b^2) - (B*a^4*c^(1/2)*f*atan(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) / (c^(1/2)*((a + b*x)^{(1/2)} - a^{(1/2)}))) / (2*b^3) - (C*a^4*c^(1/2)*e*atan(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) / (c^(1/2)*((a + b*x)^{(1/2)} - a^{(1/2)}))) / (2*b^3) - (A*a^2*b^(1/2)*c^2*e*log((-b*c)^(1/2)*(c*(a - b*x))^(1/2)*(a + b*x)^(1/2) - b^(3/2)*c*x)) / (2*(-b*c)^(3/2)))
\end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-c(-a + bx)} \sqrt{a + bx} (e + fx) (A + Bx + Cx^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x**2+B*x+A)*(b*x+a)**(1/2)*(-b*c*x+a*c)**(1/2),x)

[Out] Integral(sqrt(-c*(-a + b*x))*sqrt(a + b*x)*(e + f*x)*(A + B*x + C*x**2), x)

$$3.23 \quad \int \sqrt{a+bx} \sqrt{ac-bcx} (A+Bx+Cx^2) dx$$

Optimal. Leaf size=221

$$\frac{1}{8} x \sqrt{a+b x} \left(\frac{a^2 C}{b^2} + 4 A \right) \sqrt{a c - b c x} + \frac{a^2 \sqrt{c} \sqrt{a+b x} (a^2 C + 4 A b^2) \sqrt{a c - b c x} \tan^{-1} \left(\frac{b \sqrt{c} x}{\sqrt{a^2 c - b^2 c x^2}} \right)}{8 b^3 \sqrt{a^2 c - b^2 c x^2}} - \frac{B \sqrt{a+b x} (a^2 - b^2 x^2) \sqrt{a c - b c x}}{3 b^2} - \frac{C x \sqrt{a+b x} (a^2 - b^2 x^2) \sqrt{a c - b c x}}{4 b^2}$$

Rubi [A] time = 0.15, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.182, Rules used = {901, 1815, 641, 195, 217, 203}

$$\frac{a^2 \sqrt{c} \sqrt{a+b x} (a^2 C + 4 A b^2) \sqrt{a c - b c x} \tan^{-1} \left(\frac{b \sqrt{c} x}{\sqrt{a^2 c - b^2 c x^2}} \right)}{8 b^3 \sqrt{a^2 c - b^2 c x^2}} + \frac{1}{8} x \sqrt{a+b x} \left(\frac{a^2 C}{b^2} + 4 A \right) \sqrt{a c - b c x} - \frac{B \sqrt{a+b x} (a^2 - b^2 x^2) \sqrt{a c - b c x}}{3 b^2} - \frac{C x \sqrt{a+b x} (a^2 - b^2 x^2) \sqrt{a c - b c x}}{4 b^2}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(A + B*x + C*x^2), x]
[Out] ((4*A + (a^2*C)/b^2)*x*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])/8 - (B*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(a^2 - b^2*x^2))/(3*b^2) - (C*x*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(a^2 - b^2*x^2))/(4*b^2) + (a^2*Sqrt[c]*(4*A*b^2 + a^2*C)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*ArcTan[(b*Sqrt[c])*x]/Sqrt[a^2*c - b^2*c*x^2])/(8*b^3*Sqrt[a^2*c - b^2*c*x^2])
```

Rule 195

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p])) || LtQ[Denominator[p + 1/n], Denominator[p]])
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 641

```
Int[((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /;
FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 901

```
Int[((d_) + (e_)*(x_))^m_*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Dist[((d + e*x)^FracPart[m]*(f + g*x)^FracPart[m])/(d*f + e*g*x^2)^FracPart[m], Int[(d*f + e*g*x^2)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e*f + d*g, 0]
```

Rule 1815

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :> With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSum[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a+bx} \sqrt{ac-bcx} (A+Bx+Cx^2) dx &= \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int \sqrt{a^2c-b^2cx^2} (A+Bx+Cx^2) dx}{\sqrt{a^2c-b^2cx^2}} \\
&= -\frac{Cx \sqrt{a+bx} \sqrt{ac-bcx} (a^2-b^2x^2)}{4b^2} - \frac{(\sqrt{a+bx} \sqrt{ac-bcx}) \int (-c)}{4b^2} \\
&= -\frac{B \sqrt{a+bx} \sqrt{ac-bcx} (a^2-b^2x^2)}{3b^2} - \frac{Cx \sqrt{a+bx} \sqrt{ac-bcx} (a^2-b^2x^2)}{4b^2} \\
&= \frac{1}{8} \left(4A + \frac{a^2C}{b^2} \right) x \sqrt{a+bx} \sqrt{ac-bcx} - \frac{B \sqrt{a+bx} \sqrt{ac-bcx} (a^2-b^2x^2)}{3b^2} \\
&= \frac{1}{8} \left(4A + \frac{a^2C}{b^2} \right) x \sqrt{a+bx} \sqrt{ac-bcx} - \frac{B \sqrt{a+bx} \sqrt{ac-bcx} (a^2-b^2x^2)}{3b^2} \\
&= \frac{1}{8} \left(4A + \frac{a^2C}{b^2} \right) x \sqrt{a+bx} \sqrt{ac-bcx} - \frac{B \sqrt{a+bx} \sqrt{ac-bcx} (a^2-b^2x^2)}{3b^2}
\end{aligned}$$

Mathematica [A] time = 0.41, size = 142, normalized size = 0.64

$$\frac{c \left(b \left(b^2 x^2 - a^2 \right) \left(2 b^2 x \left(6 A + 4 B x + 3 C x^2 \right) - a^2 \left(8 B + 3 C x \right) \right) + 6 a^{5/2} \sqrt{a - b x} \sqrt{\frac{b x}{a} + 1} \left(a^2 C + 4 A b^2 \right) \sin^{-1} \left(\frac{\sqrt{a - b x}}{\sqrt{2} \sqrt{a}} \right) \right)}{24 b^3 \sqrt{a + b x} \sqrt{c(a - b x)}}$$

Antiderivative was successfully verified.

[In] `Integrate[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(A + B*x + C*x^2), x]`
[Out] $-1/24*(c*(b*(-a^2 + b^2*x^2)*(-(a^2*(8*B + 3*C*x)) + 2*b^2*x*(6*A + 4*B*x + 3*C*x^2)) + 6*a^(5/2)*(4*A*b^2 + a^2*C)*Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])])/((b^3*Sqrt[c*(a - b*x)]*Sqrt[a + b*x]))$

IntegrateAlgebraic [A] time = 0.41, size = 326, normalized size = 1.48

$$\frac{a^2 c \sqrt{a c - b c x} \left(-\frac{21 a^2 c^2 C (a c - b c x)}{a + b x} + \frac{21 a^2 c C (a c - b c x)^2}{(a + b x)^2} - \frac{3 a^2 C (a c - b c x)^3}{(a + b x)^3} + 3 a^2 c^3 C + \frac{12 A b^2 c^2 (a c - b c x)}{a + b x} - \frac{12 A b^2 c (a c - b c x)^2}{(a + b x)^2} - \frac{12 A b^2 (a c - b c x)^3}{(a + b x)^3} - \frac{32 a b C c^2 (a c - b c x)}{a + b x} - \frac{32 a b C (a c - b c x)^2}{(a + b x)^2} + 12 A b^2 c^3 \right)}{12 b^3 \sqrt{a + b x} \left(\frac{a c - b c x}{a + b x} + c \right)^4} - \frac{\sqrt{c} \left(a^4 C + 4 a^2 A b^2 \right) \tan^{-1} \left(\frac{\sqrt{a c - b c x}}{\sqrt{c} \sqrt{a + b x}} \right)}{4 b^3}$$

Antiderivative was successfully verified.

[In] `IntegrateAlgebraic[Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(A + B*x + C*x^2), x]`
[Out] $(a^2*c*Sqrt[a*c - b*c*x]*(12*A*b^2*c^3 + 3*a^2*c^2*3*C + (12*A*b^2*c^2*(a*c - b*c*x))/(a + b*x) - (32*a*b*B*c^2*(a*c - b*c*x))/(a + b*x) - (21*a^2*c^2*c)/(a + b*x) - (12*A*b^2*c*(a*c - b*c*x)^2)/(a + b*x)^2 - (32*a*b*B*c*(a*c - b*c*x)^2)/(a + b*x)^2 + (21*a^2*c^2*C*(a*c - b*c*x)^2)/(a + b*x)^2 - (12*A*b^2*(a*c - b*c*x)^3)/(a + b*x)^3 - (3*a^2*c*(a*c - b*c*x)^3)/(a + b*x)^3)/(12*b^3*Sqrt[a + b*x]*(c + (a*c - b*c*x)/(a + b*x))^4) - (Sqrt[c]*(4*a^2*A*b^2 + a^4*C)*ArcTan[Sqrt[a*c - b*c*x]/(Sqrt[c]*Sqrt[a + b*x])])/(4*b^3)$

fricas [A] time = 0.85, size = 265, normalized size = 1.20

$$\left| \frac{3(Ca^4 + 4Ab^2b^2)\sqrt{-c}\log(2b^2cx^2 + 2\sqrt{-bcx + ac}\sqrt{bx + a}b\nu\sqrt{-cx - a^2c}) + 2(6Cb^3x^3 + 8Bb^3x^2 - 8Ba^2b - 3(Ca^2b - 4Ab^3)x)\sqrt{-bcx + ac}\sqrt{bx + a}}{48b^3} - \frac{3(Ca^4 + 4Ab^2b^2)\sqrt{c}\arctan\left(\frac{\sqrt{-bcx + ac}\sqrt{bx + a}\sqrt{c}x}{\nu\sqrt{c}x^2 - \mu\sqrt{c}}\right) - (6Cb^3x^3 + 8Bb^3x^2 - 8Ba^2b - 3(Ca^2b - 4Ab^3)x)\sqrt{-bcx + ac}\sqrt{bx + a}}{24b^3} \right|$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2), x, algorithm="fricas")`
[Out] $[1/48*(3*(C*a^4 + 4*A*a^2*b^2)*sqrt(-c)*log(2*b^2*c*x^2 + 2*sqrt(-b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(-c)*x - a^2*c) + 2*(6*C*b^3*x^3 + 8*B*b^3*x^2 - 8*B*a^2*b - 3*(C*a^2*b - 4*A*b^3)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/b^3, -1/24*(3*(C*a^4 + 4*A*a^2*b^2)*sqrt(c)*arctan(sqrt(-b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(c)*x/(b^2*c*x^2 - a^2*c)) - (6*C*b^3*x^3 + 8*B*b^3*x^2 - 8*B*a^2*b - 3*(C*a^2*b - 4*A*b^3)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/b^3]$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="giac")`

[Out] Timed out

maple [A] time = 0.01, size = 287, normalized size = 1.30

$$\frac{\sqrt{bx+a} \sqrt{-(bx-a)c} \left(12 A a^2 b^2 c \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-\left(b^2 x^2-a^2\right) c}}\right)+3 C a^4 c \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-\left(b^2 x^2-a^2\right) c}}\right)+6 \sqrt{-\left(b^2 x^2-a^2\right) c} \sqrt{b^2 c} C b^2 x^3+8 \sqrt{-\left(b^2 x^2-a^2\right) c} \sqrt{b^2 c} B b^2 x^2+12 \sqrt{b^2 c} \sqrt{-\left(b^2 x^2-a^2\right) c} A b^2 x-3 \sqrt{b^2 c} \sqrt{-\left(b^2 x^2-a^2\right) c} C a^2 x-8 \sqrt{-\left(b^2 x^2-a^2\right) c} \sqrt{b^2 c} B a^2\right)}{24 \sqrt{-\left(b^2 x^2-a^2\right) c} \sqrt{b^2 c} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x)`

[Out] $\frac{1}{24}*(b*x+a)^(1/2)*(-(b*x-a)*c)^(1/2)*(6*C*x^3*b^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)+12*A*\arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^2+2*c+8*B*x^2*b^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2)+3*C*\arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^4*c+12*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*b^2-3*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^2-8*B*a^2*(-(b^2*x^2-a^2)*c)^(1/2)*(b^2*c)^(1/2))/(-(b^2*x^2-a^2)*c)^(1/2)/b^2/(b^2*c)^(1/2)$

maxima [A] time = 2.03, size = 140, normalized size = 0.63

$$\frac{Ca^4\sqrt{c}\arcsin\left(\frac{bx}{a}\right)}{8b^3}+\frac{Aa^2\sqrt{c}\arcsin\left(\frac{bx}{a}\right)}{2b}+\frac{1}{2}\sqrt{-b^2cx^2+a^2c}Ax+\frac{\sqrt{-b^2cx^2+a^2c}Ca^2x}{8b^2}-\frac{\left(-b^2cx^2+a^2c\right)^{\frac{3}{2}}Cx}{4b^2c}-\frac{\left(-b^2cx^2+a^2c\right)^{\frac{3}{2}}B}{3b^2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(b*x+a)^(1/2)*(-b*c*x+a*c)^(1/2),x, algorithm="maxima")`

[Out] $\frac{1}{8}C*a^4*sqrt(c)*arcsin(b*x/a)/b^3 + \frac{1}{2}A*a^2*sqrt(c)*arcsin(b*x/a)/b + \frac{1}{2*sqrt(-b^2*c*x^2+a^2*c)}*A*x + \frac{1}{8*sqrt(-b^2*c*x^2+a^2*c)}*C*a^2*x/b^2 - \frac{1}{4}*(-b^2*c*x^2+a^2*c)^(3/2)*C*x/(b^2*c) - \frac{1}{3}*(-b^2*c*x^2+a^2*c)^(3/2)*B/(b^2*c)$

mupad [B] time = 16.52, size = 876, normalized size = 3.96

$$\frac{\frac{C a^4 \sqrt{\left(a c x+b x^2+b^2\right) \sqrt{c}}}{2 \sqrt{a c x+b x^2+b^2}}-\frac{C a^4 \sqrt{\left(a c x+b x^2+b^2\right) \sqrt{c}}}{2 \sqrt{a c x+b x^2+b^2}}+\frac{27 C a^4 x^2 \sqrt{\left(a c x+b x^2+b^2\right) \sqrt{c}}}{2 \sqrt{a c x+b x^2+b^2}}-\frac{72 C a^4 x^3 \sqrt{\left(a c x+b x^2+b^2\right) \sqrt{c}}}{2 \sqrt{a c x+b x^2+b^2}}+\frac{72 C a^4 x^3 \sqrt{\left(a c x+b x^2+b^2\right) \sqrt{c}}}{2 \sqrt{a c x+b x^2+b^2}}+\frac{27 C a^4 x^2 \sqrt{\left(a c x+b x^2+b^2\right) \sqrt{c}}}{2 \sqrt{a c x+b x^2+b^2}}+\frac{36 C a^4 x^2 \sqrt{\left(a c x+b x^2+b^2\right) \sqrt{c}}}{2 \sqrt{a c x+b x^2+b^2}}+\frac{A x \sqrt{-b c x} \sqrt{a+b x}}{2}-\frac{B \left(a^2-b^2 x^2\right) \sqrt{a-b x} \sqrt{a+b x}}{3 b^2}-\frac{C a^4 \sqrt{c} \operatorname{atan}\left(\frac{\sqrt{a c x+b x^2+b^2}}{\sqrt{a^2+b^2 x^2}}\right)}{2 b^3}-\frac{A a^2 \sqrt{b} c^2 \ln \left(\sqrt{-b x} \sqrt{c-b x} \sqrt{a+b x}\right)}{2 (-b c)^{3/2}}}{b^3 a^6+\frac{2 \left(a c x+b x^2+b^2\right) \sqrt{a c x+b x^2+b^2}}{\left(a c x+b x^2+b^2\right) \sqrt{c}}+\frac{a b^2 \left(a c x+b x^2+b^2\right) \sqrt{a c x+b x^2+b^2}}{\left(a c x+b x^2+b^2\right) \sqrt{c}}+\frac{27 a^2 b^2 \left(a c x+b x^2+b^2\right) \sqrt{a c x+b x^2+b^2}}{\left(a c x+b x^2+b^2\right) \sqrt{c}}+\frac{72 b^2 a^2 \left(a c x+b x^2+b^2\right) \sqrt{a c x+b x^2+b^2}}{\left(a c x+b x^2+b^2\right) \sqrt{c}}+\frac{27 b^2 a^2 \left(a c x+b x^2+b^2\right) \sqrt{a c x+b x^2+b^2}}{\left(a c x+b x^2+b^2\right) \sqrt{c}}+\frac{a b^2 \left(a c x+b x^2+b^2\right) \sqrt{a c x+b x^2+b^2}}{\left(a c x+b x^2+b^2\right) \sqrt{c}}+\frac{27 b^2 \left(a c x+b x^2+b^2\right) \sqrt{a c x+b x^2+b^2}}{\left(a c x+b x^2+b^2\right) \sqrt{c}}+\frac{a b^2 \left(a c x+b x^2+b^2\right) \sqrt{a c x+b x^2+b^2}}{\left(a c x+b x^2+b^2\right) \sqrt{c}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)*(A + B*x + C*x^2), x)`

[Out]
$$\begin{aligned} & \frac{((C*a^4*c^8*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(2*((a + b*x)^(1/2) - a^(1/2))) - (C*a^4*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^15)/(2*((a + b*x)^(1/2) - a^(1/2))^15) - (35*C*a^4*c^7*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/(2*((a + b*x)^(1/2) - a^(1/2))^3) + (273*C*a^4*c^6*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5)/(2*((a + b*x)^(1/2) - a^(1/2))^5) - (715*C*a^4*c^5*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/(2*((a + b*x)^(1/2) - a^(1/2))^7) + (715*C*a^4*c^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^9)/(2*((a + b*x)^(1/2) - a^(1/2))^9) - (273*C*a^4*c^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^11)/(2*((a + b*x)^(1/2) - a^(1/2))^11) + (35*C*a^4*c^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^13)/(2*((a + b*x)^(1/2) - a^(1/2))^13))/(b^3*c^8 + (b^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^16)/((a + b*x)^(1/2) - a^(1/2))^16 + (8*b^3*c^7*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 + (28*b^3*c^6*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/((a + b*x)^(1/2) - a^(1/2))^4 + (56*b^3*c^5*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6)/((a + b*x)^(1/2) - a^(1/2))^6 + (70*b^3*c^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^8)/((a + b*x)^(1/2) - a^(1/2))^8 + (56*b^3*c^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^10)/((a + b*x)^(1/2) - a^(1/2))^10 + (28*b^3*c^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^12)/((a + b*x)^(1/2) - a^(1/2))^12 + (8*b^3*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^14)/((a + b*x)^(1/2) - a^(1/2))^14) + (A*x*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2))/2 - (B*(a^2 - b^2*x^2)*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2))/(3*b^2) - (C*a^4*c^(1/2)*atan(((a*c - b*c*x)^(1/2) - (a*c)^(1/2))/(c^(1/2)*(a + b*x)^(1/2) - a^(1/2))))/(2*b^3) - (A*a^2*b^(1/2)*c^2*log((-b*c)^(1/2)*(c*(a - b*x))^(1/2)*(a + b*x)^(1/2) - b^(3/2)*c*x))/(2*(-b*c)^(3/2)) \end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-c(-a + bx)} \sqrt{a + bx} (A + Bx + Cx^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)*(b*x+a)**(1/2)*(-b*c*x+a*c)**(1/2), x)`

[Out] `Integral(sqrt(-c*(-a + b*x))*sqrt(a + b*x)*(A + B*x + C*x**2), x)`

$$3.24 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)} dx$$

Optimal. Leaf size=278

$$\frac{\sqrt{a^2c - b^2cx^2} (Af^2 - Bef + Ce^2) \tan^{-1} \left(\frac{\sqrt{c}(a^2f + b^2ex)}{\sqrt{a^2c - b^2cx^2} \sqrt{b^2e^2 - a^2f^2}} \right)}{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} \sqrt{b^2e^2 - a^2f^2}} - \frac{\sqrt{a^2c - b^2cx^2} (Ce - Bf) \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right)}{b\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx}} - \frac{C(a^2 - b^2x^2)}{b^2 f \sqrt{a+bx} \sqrt{ac-bcx}}$$

Rubi [A] time = 0.49, antiderivative size = 278, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.175, Rules used = {1610, 1654, 844, 217, 203, 725, 204}

$$\frac{\sqrt{a^2c - b^2cx^2} (Af^2 - Bef + Ce^2) \tan^{-1} \left(\frac{\sqrt{c}(a^2f + b^2ex)}{\sqrt{a^2c - b^2cx^2} \sqrt{b^2e^2 - a^2f^2}} \right)}{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} \sqrt{b^2e^2 - a^2f^2}} - \frac{\sqrt{a^2c - b^2cx^2} (Ce - Bf) \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right)}{b\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx}} - \frac{C(a^2 - b^2x^2)}{b^2 f \sqrt{a+bx} \sqrt{ac-bcx}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)), x]
[Out] -((C*(a^2 - b^2*x^2))/(b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])) - ((C*e - B*f)*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(b*Sqrt[c]*f^2*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((C*e^2 - B*e*f + A*f^2)*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(Sqrt[c]*(a^2*f + b^2*e*x))/(Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a^2*c - b^2*c*x^2])]/(Sqrt[c]*f^2*Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_),
x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^m_*((c_) + (d_)*(x_))^n_*((e_) + (f_),
(x_))^p_, x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/
(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_)*(x_))^m_*((a_) + (c_)*(x_)^2)^p_, x_Symbol] :>
With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A+Bx+Cx^2}{(e+fx)\sqrt{a^2c-b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\sqrt{a^2c - b^2cx^2} \int \frac{-Ab^2cf^2 + b^2cf(Ce - Bf)x}{(e+fx)\sqrt{a^2c-b^2cx^2}} dx}{b^2cf^2\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{(Ce - Bf)\sqrt{a^2c - b^2cx^2} \int \frac{1}{\sqrt{a^2c-b^2cx^2}} dx}{f^2\sqrt{a + bx} \sqrt{ac - bcx}} + \frac{(Ce - Bf)\sqrt{a^2c - b^2cx^2} \int \frac{1}{\sqrt{a^2c-b^2cx^2}} dx}{f^2\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{(Ce - Bf)\sqrt{a^2c - b^2cx^2} \text{Subst} \left(\int \frac{1}{1+b^2cx^2} dx, x \right)}{f^2\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{(Ce - Bf)\sqrt{a^2c - b^2cx^2} \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c-b^2cx^2}} \right)}{b\sqrt{c}f^2\sqrt{a + bx} \sqrt{ac - bcx}} + \frac{(Ce - Bf)\sqrt{a^2c - b^2cx^2} \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c-b^2cx^2}} \right)}{b\sqrt{c}f^2\sqrt{a + bx} \sqrt{ac - bcx}}
\end{aligned}$$

Mathematica [A] time = 0.77, size = 225, normalized size = 0.81

$$\frac{\sqrt{a - bx} \left(\frac{2(f(Af - Be) + Ce^2) \tanh^{-1} \left(\frac{\sqrt{a - bx} \sqrt{be - af}}{\sqrt{a + bx} \sqrt{-af - be}} \right) + 2 \tan^{-1} \left(\frac{\sqrt{a - bx}}{\sqrt{a + bx}} \right) (a Cf - bBf + bCe)}{\sqrt{-af - be} \sqrt{be - af}} + \frac{Cf \sqrt{a + bx} \left(-\sqrt{a - bx} - \frac{2\sqrt{a} \sin^{-1} \left(\frac{\sqrt{a - bx}}{\sqrt{2}\sqrt{a}} \right)}{\sqrt{\frac{bx}{a} + 1}} \right)}{b^2} \right)}{f^2 \sqrt{c(a - bx)}}$$

Antiderivative was successfully verified.

[In] `Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)), x]`
[Out] `(Sqrt[a - b*x]*((C*f*Sqrt[a + b*x]*(-Sqrt[a - b*x] - (2*Sqrt[a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])])/Sqrt[1 + (b*x)/a]))/b^2 + (2*(b*C*e - b*B*f + a*C*f)*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x]])/b^2 + (2*(C*e^2 + f*(-(B*e) + A*f))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/((Sqrt[-(b*e) - a*f]*Sqrt[a + b*x]))/(Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f]))]/(f^2*Sqrt[c*(a - b*x)]))`

IntegrateAlgebraic [A] time = 0.37, size = 205, normalized size = 0.74

$$-\frac{2(Af^2 - Bef + Ce^2) \tanh^{-1} \left(\frac{\sqrt{ac - bcx} \sqrt{af - be}}{\sqrt{c} \sqrt{a + bx} \sqrt{af + be}} \right)}{\sqrt{c} f^2 \sqrt{af - be} \sqrt{af + be}} - \frac{2aC\sqrt{ac - bcx}}{b^2 f \sqrt{a + bx} \left(\frac{ac - bcx}{a + bx} + c \right)} - \frac{2(Bf - Ce) \tan^{-1} \left(\frac{\sqrt{ac - bcx}}{\sqrt{c} \sqrt{a + bx}} \right)}{b\sqrt{c} f^2}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)),x]
[Out] (-2*a*C*Sqrt[a*c - b*c*x])/(b^2*f*Sqrt[a + b*x]*(c + (a*c - b*c*x)/(a + b*x))) - (2*(-(C*e) + B*f)*ArcTan[Sqrt[a*c - b*c*x]/(Sqrt[c]*Sqrt[a + b*x])])/ (b*Sqrt[c]*f^2) - (2*(C*e^2 - B*e*f + A*f^2)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[a*c - b*c*x])/ (Sqrt[c]*Sqrt[b*e + a*f]*Sqrt[a + b*x])])/(Sqrt[c]*f^2*Sqr t[-(b*e) + a*f]*Sqrt[b*e + a*f])
fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")
[Out] Timed out
giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")
[Out] Timed out
```

maple [B] time = 0.07, size = 503, normalized size = 1.81

$$\frac{\left(-\sqrt{b^2 c} A b^2 c f^2 \ln \left(\frac{2 \sqrt{b^2 c} \epsilon x+2 b^2 f+2 \sqrt{\frac{(b^2 f)^2+b^2 c}{\rho}} \sqrt{(b^2 x^2-a^2) c} f}{f \text{size}}\right)+\sqrt{b^2 c} B b^2 c f \ln \left(\frac{2 \sqrt{b^2 c} \epsilon x+2 b^2 f+2 \sqrt{\frac{(b^2 f)^2+b^2 c}{\rho}} \sqrt{(b^2 x^2-a^2) c} f}{f \text{size}}\right)+\sqrt{\frac{(b^2 f)^2+b^2 c}{\rho}} B b^2 c f^2 \arctan \left(\frac{\sqrt{b^2 x^2-a^2} \epsilon}{\sqrt{(b^2 x^2-a^2) c}}\right)-\sqrt{b^2 c} C b^2 c \epsilon^2 \ln \left(\frac{2 \sqrt{b^2 c} \epsilon x+2 b^2 f+2 \sqrt{\frac{(b^2 f)^2+b^2 c}{\rho}} \sqrt{(b^2 x^2-a^2) c} f}{f \text{size}}\right)-\sqrt{\frac{(b^2 f)^2+b^2 c}{\rho}} C b^2 c \epsilon f \arctan \left(\frac{\sqrt{b^2 x^2-a^2} \epsilon}{\sqrt{(b^2 x^2-a^2) c}}\right)-\sqrt{b^2 c} \sqrt{\frac{(b^2 f)^2+b^2 c}{\rho}} \sqrt{-(b^2 x^2-a^2)} c f^2\right) \sqrt{b x+a} \sqrt{-(b x+a) c}}{\sqrt{\frac{(b^2 f)^2+b^2 c}{\rho}} \sqrt{b^2 c} \sqrt{-(b^2 x^2-a^2)} c b^2 c f^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)
[Out] (-A*ln(2*(b^2*c*e*x+a^2*c*f+(c*(a^2*f^2-b^2*e^2)/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*b^2*c*f^2*(b^2*c)^(1/2)+B*ln(2*(b^2*c*e*x+a^2*c*f+(c*(a^2*f^2-b^2*e^2)/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*b^2*c*e*f*(b^2*c)^(1/2)+B*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*b^2*c*f^2*(c*(a^2*f^2-b^2*e^2)/f^2)^(1/2)-C*ln(2*(b^2*c*e*x+a^2*c*f+(c*(a^2*f^2-b^2*e^2)/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*b^2*c*e^2*(b^2*c)^(1/2)
```

$$)-C*\arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*b^2*c*e*f*(c*(a^2*f^2-b^2*e^2)/f^2)^(1/2)-C*f^2*(b^2*c)^(1/2)*(c*(a^2*f^2-b^2*e^2)/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*(b*x+a)^(1/2)*(-(b*x-a)*c)^(1/2)/(c*(a^2*f^2-b^2*e^2)/f^2)^(1/2)/f^3/(b^2*c)^(1/2)/b^2/c/(-(b^2*x^2-a^2)*c)^(1/2)$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((4*b^2*c>0)', see `assume?` for more details)Is $(4*b^2*c - (b^2*c*e^2)/f^2) / f^2 + (4*b^4*c^2*e^2)/f^4$ zero or nonzero?

mupad [B] time = 44.56, size = 9298, normalized size = 33.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*x + C*x^2)/((e + f*x)*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)`

[Out]
$$(B*a*e*atan(((B*a*e*((4096*(32*B^3*a^(17/2)*c^3*e*f^2*(a*c)^(5/2) + 24*B^3*a^(15/2)*b^2*c^4*e^3*(a*c)^(3/2)))/(a^6*b^8*e^6) - (4096*(32*B^3*a^(17/2)*c^2*e*f^2*(a*c)^(5/2) - 96*B^3*a^(15/2)*b^2*c^3*e^3*(a*c)^(3/2))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(a^6*b^8*e^6*((a + b*x)^(1/2) - a^(1/2))^2) - (B*a*e*((4096*(16*B^2*a^12*c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4))/(a^6*b^8*e^6) + (B*a*e*((4096*(24*B*a^(17/2)*b^2*c^4*e*f^4*(a*c)^(5/2) - 30*B*a^(15/2)*b^4*c^5*e^3*f^2*(a*c)^(3/2)))/(a^6*b^8*e^6) + (16384*(20*B*a^12*c^6*f^5 - 22*B*a^10*b^2*c^6*e^2*f^3)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))/(a^6*b^7*e^6*((a + b*x)^(1/2) - a^(1/2))) + (B*a*e*((4096*(9*a^8*b^6*c^7*e^4*f^2 - 7*a^10*b^4*c^7*e^2*f^4))/(a^6*b^8*e^6) + (4096*(9*a^8*b^6*c^6*e^4*f^2 - 11*a^10*b^4*c^6*e^2*f^4)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(a^6*b^8*e^6*((a + b*x)^(1/2) - a^(1/2))^2) - (16384*(5*a^(17/2)*b^2*c^4*e*f^5*(a*c)^(5/2) - 6*a^(15/2)*b^4*c^5*e^3*f^3*(a*c)^(3/2))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(a^6*b^7*e^6*((a + b*x)^(1/2) - a^(1/2)))))/(f*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2)) + (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2*(96*B*a^(17/2)*b^2*c^3*e*f^4*(a*c)^(5/2) - 90*B*a^(15/2)*b^4*c^4*e^3*f^2*(a*c)^(3/2)))/(a^6*b^8*e^6*((a + b*x)^(1/2) - a^(1/2))^2)))/(f*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2)) + (16384*(8*B^2*a^(17/2)*c^3*e*f^3*(a*c)^(5/2) + 3*B^2*a^(15/2)*b^2*c^4*e^3*f*(a*c)^(3/2))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(a^6*b^7*e^6*((a + b*x)^(1/2) - a^(1/2))) + (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2*(9*B^2*a^8*$$

$$\begin{aligned}
& 16384*(8*B^2*a^{(17/2)}*c^3*e*f^3*(a*c)^{(5/2)} + 3*B^2*a^{(15/2)}*b^2*c^4*e^3*f*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})/(a^6*b^7*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(9*B^2*a^8*b^4*c^5*e^4 - 144*B^2*a^12*c^5*f^4 + 128*B^2*a^10*b^2*c^5*e^2*f^2))/(a^6*b^8*f^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2))/((f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (458752*B^3*a^4*c^5*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(b^7*e^4*((a + b*x)^{(1/2)} - a^{(1/2)}))) + (B*a*e*((4096*(32*B^3*a^{(17/2)}*c^3*e*f^2*(a*c)^{(5/2)} + 24*B^3*a^{(15/2)}*b^2*c^4*e^3*(a*c)^{(3/2)}))/(a^6*b^8*e^6) - (4096*(32*B^3*a^{(17/2)}*c^2*e*f^2*(a*c)^{(5/2)} - 96*B^3*a^{(15/2)}*b^2*c^3*e^3*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(a^6*b^8*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2) + (B*a*e*((4096*(16*B^2*a^12*c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4))/(a^6*b^8*e^6) - (B*a*e*((4096*(24*B*a^{(17/2)}*b^2*c^4*e*f^4*(a*c)^{(5/2)} - 30*B*a^{(15/2)}*b^4*c^5*e^3*f^2*(a*c)^{(3/2)}))/(a^6*b^8*e^6) + (16384*(20*B*a^12*c^6*f^5 - 22*B*a^10*b^2*c^6*e^2*f^3)*(a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(a^6*b^7*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})) - (B*a*e*((4096*(9*a^8*b^6*c^7*e^4*f^2 - 7*a^10*b^4*c^7*e^2*f^4))/(a^6*b^8*e^6) + (4096*(9*a^8*b^6*c^6*e^4*f^2 - 11*a^10*b^4*c^6*e^2*f^4)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(a^6*b^8*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2) - (16384*(5*a^{(17/2)}*b^2*c^4*e*f^5*(a*c)^{(5/2)} - 6*a^{(15/2)}*b^4*c^5*e^3*f^3*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(a^6*b^7*e^6*((a + b*x)^{(1/2)} - a^{(1/2)}))) + (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(96*B*a^{(17/2)}*b^2*c^3*e*f^4*(a*c)^{(5/2)} - 90*B*a^{(15/2)}*b^4*c^4*e^3*f^2*(a*c)^{(3/2)}))/(a^6*b^8*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2)) + (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (16384*(8*B^2*a^{(17/2)}*c^3*e*f^3*(a*c)^{(5/2)} + 3*B^2*a^{(15/2)}*b^2*c^4*e^3*f*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(a^6*b^7*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(9*B^2*a^8*b^4*c^5*e^4 - 144*B^2*a^12*c^5*f^4 + 128*B^2*a^10*b^2*c^5*e^2*f^2))/(a^6*b^8*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2)) + (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (458752*B^3*a^4*c^5*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(b^7*e^4*((a + b*x)^{(1/2)} - a^{(1/2)}))) + (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (917504*B^4*a^4*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^8*e^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2)) * 2i + (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) - (C*e^2*atan(((C*e^2*((4096*(32*C^3*a^{(5/2)}*c^3*e^2*f^3*(a*c)^{(5/2)} + 24*C^3*a^{(3/2)}*b^2*c^4*e^4*f*(a*c)^{(3/2)}))/(b^8*e^4*f^4) + (C*e^2*((4096*(16*C^2*a^6*c^6*f^6 + 9*C^2*a^2*b^4*c^6*e^4*f^2))/(b^8*e^4*f^4) - (C*e^2*((4096*(24*C*a^{(5/2)}*b^2*c^4*f^7*(a*c)^{(5/2)} - 30*C*a^{(3/2)}*b^4*c^5*e^2*f^5*(a*c)^{(3/2)}))/(b^8*e^4*f^4) + (C*e^2*((4096*(7*a^4*b^4*c^7*f^8 - 9*a^2*b^6*c^7*e^2*f^6))/(b^8*e^4*f^4) + (16384*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(5*a^{(5/2)}*b^2*c^4*f^7*(a*c)^{(5/2)} - 6*a^{(3/2)}*b^4*c^5*e^2*f^5*(a*c)^{(3/2)}))/(b^7*e^5*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(11*a^4*b^4*c^6*f^8 - 9*a^2*b^6*c^6*e^2*f^6))/(b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2)))/(f^2*((a^2*c*f^2 - b^2*c*e^2)^{(1/2)})) + (16384*(20*C*a^6*c^6*f^6 - 22*C*a^4*b^2*c^6*e^2*f^4)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(b^7*e^5*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096*(96*C*a^{(5/2)}*b^2*c^3*f^7*(a*c)^{(5/2)} - 90*C*a^{(3/2)}*b^4*c^
\end{aligned}$$

$$\begin{aligned}
& 4 \cdot e^{2 \cdot f^5 \cdot (a \cdot c)^{(3/2)}} \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 / (b^{8 \cdot e^{4 \cdot f^4}} \\
& ((a + b \cdot x)^{(1/2)} - a^{(1/2)})^2) / (f^{2 \cdot (a^{2 \cdot c \cdot f^2} - b^{2 \cdot c \cdot e^2})^{(1/2)}} + (409 \\
& 6 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \cdot (9 \cdot C^{2 \cdot a^{2 \cdot b^{4 \cdot c^{5 \cdot e^{4 \cdot f^2}}} - 144 \cdot C^ \\
& 2 \cdot a^{6 \cdot c^{5 \cdot f^6}} + 128 \cdot C^{2 \cdot a^{4 \cdot b^{2 \cdot c^{5 \cdot e^{2 \cdot f^4}}}})) / (b^{8 \cdot e^{4 \cdot f^4}} \cdot ((a + b \cdot x)^{(1/2)} \\
& - a^{(1/2)})^2 + (16384 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)}) \cdot (8 \cdot C^{2 \cdot a^{(5/2)} \cdot \\
& c^{3 \cdot e^{2 \cdot f^3}} \cdot (a \cdot c)^{(5/2)} + 3 \cdot C^{2 \cdot a^{(3/2)} \cdot b^{2 \cdot c^{4 \cdot e^{4 \cdot f^*(a \cdot c)^{(3/2)}}}})) / (b^{7 \cdot e^ \\
& 5 \cdot f^2} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)}))) / (f^{2 \cdot (a^{2 \cdot c \cdot f^2} - b^{2 \cdot c \cdot e^2})^{(1/2)}} - \\
& (4096 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \cdot (32 \cdot C^{3 \cdot a^{(5/2)} \cdot c^{2 \cdot e^{2 \cdot f^3}} \cdot (a \cdot \\
& c)^{(5/2)} - 96 \cdot C^{3 \cdot a^{(3/2)} \cdot b^{2 \cdot c^{3 \cdot e^{4 \cdot f^*(a \cdot c)^{(3/2)}}}})) / (b^{8 \cdot e^{4 \cdot f^4}} \cdot ((a + b \cdot \\
& x)^{(1/2)} - a^{(1/2)})^2 + (458752 \cdot C^{3 \cdot a^{4 \cdot c^{5 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})}}) / (b^{7 \cdot e^*f^2} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)})) * 1i) / (f^{2 \cdot (a^{2 \cdot c \cdot f^2} - b^{2 \cdot c \cdot e^2})^{(1/2)}} + \\
& (C \cdot e^{2 \cdot ((4096 \cdot (32 \cdot C^{3 \cdot a^{(5/2)} \cdot c^{3 \cdot e^{2 \cdot f^3}} \cdot (a \cdot c)^{(5/2)} + 24 \cdot C^ \\
& 3 \cdot a^{(3/2)} \cdot b^{2 \cdot c^{4 \cdot e^{4 \cdot f^*(a \cdot c)^{(3/2)}}}})) / (b^{8 \cdot e^{4 \cdot f^4}} - (C \cdot e^{2 \cdot ((4096 \cdot (16 \cdot C^ \\
& 2 \cdot a^{6 \cdot c^{6 \cdot f^6}} + 9 \cdot C^{2 \cdot a^{2 \cdot b^{4 \cdot c^{6 \cdot e^{4 \cdot f^2}}}})) / (b^{8 \cdot e^{4 \cdot f^4}} + (C \cdot e^{2 \cdot ((4096 \cdot (24 \cdot C \cdot a^ \\
& (5/2) \cdot b^{2 \cdot c^{4 \cdot f^7}} \cdot (a \cdot c)^{(5/2)} - 30 \cdot C \cdot a^{(3/2)} \cdot b^{4 \cdot c^{5 \cdot e^{2 \cdot f^{5 \cdot (a \cdot c)^{(3/2)}}}})) / (b^{8 \cdot e^{4 \cdot f^4}} - (C \cdot e^{2 \cdot ((4096 \cdot (7 \cdot a^{4 \cdot b^{4 \cdot c^{7 \cdot f^8}} - 9 \cdot a^{2 \cdot b^{6 \cdot c^{7 \cdot e^{2 \cdot f^6}}})) / (b^{8 \cdot e^{4 \cdot f^4}} + (16384 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)}) \cdot (5 \cdot a^{(5/2)} \\
& \cdot b^{2 \cdot c^{4 \cdot f^7}} \cdot (a \cdot c)^{(5/2)} - 6 \cdot a^{(3/2)} \cdot b^{4 \cdot c^{5 \cdot e^{2 \cdot f^{5 \cdot (a \cdot c)^{(3/2)}}}})) / (b^{7 \cdot e^5 \cdot f^2} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)})) + (4096 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \cdot (11 \cdot a^{4 \cdot b^{4 \cdot c^{6 \cdot f^8}} - 9 \cdot a^{2 \cdot b^{6 \cdot c^{6 \cdot e^{2 \cdot f^6}}}})) / (b^{8 \cdot e^{4 \cdot f^4}} + (16384 \cdot (20 \cdot C \cdot a^ \\
& 6 \cdot c^{6 \cdot f^6} - 22 \cdot C \cdot a^{4 \cdot b^{2 \cdot c^{6 \cdot e^{2 \cdot f^4}}}) \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})) / (b^{7 \cdot e^5 \cdot f^2} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)})) + (4096 \cdot (96 \cdot C \cdot a^{(5/2)} \cdot b^{2 \cdot c^{3 \cdot f^7}} \cdot (a \cdot c)^{(5/2)} - 90 \cdot C \cdot a^{(3/2)} \cdot b^{4 \cdot c^{4 \cdot e^{2 \cdot f^{5 \cdot (a \cdot c)^{(3/2)}}}})) \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \cdot (2 \cdot a^{2 \cdot c \cdot f^2} - b^{2 \cdot c \cdot e^2})^{(1/2)} + (4096 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \cdot (9 \cdot C^{2 \cdot a^{2 \cdot b^{4 \cdot c^{5 \cdot e^{4 \cdot f^2}}}} - 144 \cdot C^{2 \cdot a^{6 \cdot c^{5 \cdot f^6}} + 128 \cdot C^{2 \cdot a^{4 \cdot b^{2 \cdot c^{5 \cdot e^{2 \cdot f^4}}}})) / (b^{8 \cdot e^{4 \cdot f^4}} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)})^2 + (16384 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)}) \cdot (8 \cdot C^{2 \cdot a^{(5/2)} \cdot c^{3 \cdot e^{2 \cdot f^{3 \cdot (a \cdot c)^{(5/2)}}}} + 3 \cdot C^{2 \cdot a^{(3/2)} \cdot b^{2 \cdot c^{4 \cdot e^{4 \cdot f^*(a \cdot c)^{(3/2)}}}})) / (b^{7 \cdot e^5 \cdot f^2} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)})) / (f^{2 \cdot (a^{2 \cdot c \cdot f^2} - b^{2 \cdot c \cdot e^2})^{(1/2)}} - (4096 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \cdot (32 \cdot C^{3 \cdot a^{(5/2)} \cdot c^{2 \cdot e^{2 \cdot f^{3 \cdot (a \cdot c)^{(5/2)}}}} - 96 \cdot C^{3 \cdot a^{(3/2)} \cdot b^{2 \cdot c^{3 \cdot e^{4 \cdot f^*(a \cdot c)^{(3/2)}}}})) / (b^{8 \cdot e^{4 \cdot f^4}} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)})^2 + (458752 \cdot C^{3 \cdot a^{4 \cdot c^{5 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})}}) / (b^{7 \cdot e^5 \cdot f^2} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)})) * 1i) / (f^{2 \cdot (a^{2 \cdot c \cdot f^2} - b^{2 \cdot c \cdot e^2})^{(1/2)}} / ((131072 \cdot C^{4 \cdot a^{4 \cdot c^{5 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})}}) / (b^{8 \cdot f^4}) + (C \cdot e^{2 \cdot ((4096 \cdot (32 \cdot C^{3 \cdot a^{(5/2)} \cdot c^{3 \cdot e^{2 \cdot f^{3 \cdot (a \cdot c)^{(5/2)}}}} + 24 \cdot C^{3 \cdot a^{(3/2)} \cdot b^{2 \cdot c^{4 \cdot e^{4 \cdot f^*(a \cdot c)^{(3/2)}}}})) / (b^{8 \cdot e^{4 \cdot f^4}} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)})^2 + (b^{8 \cdot e^{4 \cdot f^4}} \cdot (9 \cdot C^{2 \cdot a^{6 \cdot f^6}} + 9 \cdot C^{2 \cdot a^{2 \cdot b^{4 \cdot c^{6 \cdot e^{4 \cdot f^2}}}})) / (b^{8 \cdot e^{4 \cdot f^4}} - (C \cdot e^{2 \cdot ((4096 \cdot (7 \cdot a^{4 \cdot b^{4 \cdot c^{7 \cdot f^8}} - 9 \cdot a^{2 \cdot b^{6 \cdot c^{7 \cdot e^{2 \cdot f^6}}}})) / (b^{8 \cdot e^{4 \cdot f^4}} + (16384 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)}) \cdot (5 \cdot a^{(5/2)} \cdot b^{2 \cdot c^{4 \cdot f^7}} \cdot (a \cdot c)^{(5/2)} - 6 \cdot a^{(3/2)} \cdot b^{4 \cdot c^{5 \cdot e^{2 \cdot f^{5 \cdot (a \cdot c)^{(3/2)}}}})) / (b^{7 \cdot e^5 \cdot f^2} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)})) + (4096 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \cdot (11 \cdot a^{4 \cdot b^{4 \cdot c^{6 \cdot f^8}} - 9 \cdot a^{2 \cdot b^{6 \cdot c^{6 \cdot e^{2 \cdot f^6}}}})) / (b^{8 \cdot e^{4 \cdot f^4}} + (16384 \cdot (20 \cdot C \cdot a^{6 \cdot c^{6 \cdot f^6}})) / (f^{2 \cdot (a^{2 \cdot c \cdot f^2} - b^{2 \cdot c \cdot e^2})^{(1/2)}} + (16384 \cdot (20 \cdot C \cdot a^{6 \cdot c^{6 \cdot f^6}}))
\end{aligned}$$

$$\begin{aligned}
& f^6 - 22*C*a^4*b^2*c^6*e^2*f^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(b^7*e^5*f^2*((a + b*x)^(1/2) - a^(1/2))) + (4096*(96*C*a^(5/2)*b^2*c^3*f^7*(a*c)^(5/2) - 90*C*a^(3/2)*b^4*c^4*e^2*f^5*(a*c)^(3/2))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(b^8*e^4*f^4*((a + b*x)^(1/2) - a^(1/2))^2))/((f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) + (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)*(9*C^2*a^2*b^4*c^5*e^4*f^2 - 144*C^2*a^6*c^5*f^6 + 128*C^2*a^4*b^2*c^5*e^2*f^4))/(b^8*e^4*f^4*((a + b*x)^(1/2) - a^(1/2))^2) + (16384*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))*((8*C^2*a^(5/2)*c^3*e^2*f^3*(a*c)^(5/2) + 3*C^2*a^(3/2)*b^2*c^4*e^4*f*(a*c)^(3/2)))/(b^7*e^5*f^2*((a + b*x)^(1/2) - a^(1/2))))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) - (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)*(32*C^3*a^(5/2)*c^2*e^2*f^3*(a*c)^(5/2) - 96*C^3*a^(3/2)*b^2*c^3*e^4*f*(a*c)^(3/2)))/(b^8*e^4*f^4*((a + b*x)^(1/2) - a^(1/2))^2) + (458752*C^3*a^4*c^5*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(b^7*e*f^2*((a + b*x)^(1/2) - a^(1/2))))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) - (C*e^2*((4096*(32*C^3*a^(5/2)*c^3*e^2*f^3*(a*c)^(5/2) + 24*C^3*a^(3/2)*b^2*c^4*e^4*f*(a*c)^(3/2)))/(b^8*e^4*f^4) - (C*e^2*((4096*(16*C^2*a^6*c^6*f^6 + 9*C^2*a^2*b^4*c^6*e^4*f^2))/(b^8*e^4*f^4) + (C*e^2*((4096*(24*C*a^(5/2)*b^2*c^4*f^7*(a*c)^(5/2) - 30*C*a^(3/2)*b^4*c^5*e^2*f^5*(a*c)^(3/2)))/(b^8*e^4*f^4) - (C*e^2*((4096*(7*a^4*b^4*c^7*f^8 - 9*a^2*b^6*c^7*e^2*f^6))/(b^8*e^4*f^4) + (16384*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))*((5*a^(5/2)*b^2*c^4*f^7*(a*c)^(5/2) - 6*a^(3/2)*b^4*c^5*e^2*f^5*(a*c)^(3/2)))/(b^7*e^5*f^2*((a + b*x)^(1/2) - a^(1/2))) + (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2*((11*a^4*b^4*c^6*f^8 - 9*a^2*b^6*c^6*e^2*f^6))/(b^8*e^4*f^4*((a + b*x)^(1/2) - a^(1/2))^2)))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) + (16384*(20*C*a^6*c^6*f^6 - 22*C*a^4*b^2*c^6*e^2*f^4)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(b^7*e^5*f^2*((a + b*x)^(1/2) - a^(1/2))) + (4096*(96*C*a^(5/2)*b^2*c^3*f^7*(a*c)^(5/2) - 90*C*a^(3/2)*b^4*c^4*e^2*f^5*(a*c)^(3/2))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(b^8*e^4*f^4*((a + b*x)^(1/2) - a^(1/2))^2)))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) + (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2*(9*C^2*a^2*b^4*c^5*e^4*f^2 - 144*C^2*a^6*c^5*f^6 + 128*C^2*a^4*b^2*c^5*e^2*f^4))/(b^8*e^4*f^4*((a + b*x)^(1/2) - a^(1/2))^2) + (16384*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))*((8*C^2*a^(5/2)*c^3*e^2*f^3*(a*c)^(5/2) + 3*C^2*a^(3/2)*b^2*c^4*e^4*f*(a*c)^(3/2)))/(b^7*e^5*f^2*((a + b*x)^(1/2) - a^(1/2))))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) - (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2*(32*C^3*a^(5/2)*c^2*e^2*f^3*(a*c)^(5/2) - 96*C^3*a^(3/2)*b^2*c^3*e^4*f*(a*c)^(3/2)))/(b^8*e^4*f^4*((a + b*x)^(1/2) - a^(1/2))^2) + (458752*C^3*a^4*c^5*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(b^7*e*f^2*((a + b*x)^(1/2) - a^(1/2))))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) + (917504*C^4*a^4*c^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(b^8*f^4*((a + b*x)^(1/2) - a^(1/2))^2)) * 2i) /(f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) - (4*B*atan((67108864*B^5*a^16*c^7*f^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(((a + b*x)^(1/2) - a^(1/2))*((67108864*B^5*a^16*c^(15/2)*f^4 + 37748736*B^5*a^12*b^4*c^(15/2)*e^4 - 100663296*B^5*a^14*b^2*c^(15/2)*e^2*f^2)) + (37748736*B^5*a^12*b^4*c^(15/2)*e^4 - 100663296*B^5*a^14*b^2*c^(15/2)*e^2*f^2)) - (100663296*B^5*a^14*b^2*c^7*e^
\end{aligned}$$

$$\begin{aligned}
& 2*f^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)) / (((a + b*x)^(1/2) - a^(1/2))*(67 \\
& 108864*B^5*a^16*c^(15/2)*f^4 + 37748736*B^5*a^12*b^4*c^(15/2)*e^4 - 1006632 \\
& 96*B^5*a^14*b^2*c^(15/2)*e^2*f^2))) / (b*c^(1/2)*f) - (A*a*atan((a*c*(a*c - \\
& b*c*x)^(1/2)*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2)*2i - (a*c)^(3/2)*(a^4*c*f^2 \\
& - a^2*b^2*c*e^2)^(1/2)*1i + a*c*(a*c)^(1/2)*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/ \\
& 2)*1i + b*c*x*(a*c)^(1/2)*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2)*2i - a^(1/2)*c* \\
& (a*c)^(1/2)*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2)*(a + b*x)^(1/2)*2i) / (2*a^(5/2) \\
&)*b*c^2*e - 2*a^3*c^2*f*(a + b*x)^(1/2) - 2*a^2*b*c^2*e*(a + b*x)^(1/2) + 2 \\
& *a^(5/2)*b*c^2*f*x + 2*a^(5/2)*c*f*(a*c - b*c*x)^(1/2)*(a*c)^(1/2) - 2*a^(3/2) \\
& *b*c*e*(a*c - b*c*x)^(1/2)*(a*c)^(1/2) + 2*a*b*c*e*(a*c - b*c*x)^(1/2)*(a*c - \\
& b*c*x)^(1/2)*(a + b*x)^(1/2))*2i) / (a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2) + (4*C*e \\
& *atan((67108864*C^5*a^8*c^7*f^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))) / (((a + \\
& b*x)^(1/2) - a^(1/2))*(67108864*C^5*a^8*c^(15/2)*f^4 + 37748736*C^5*a^4*b^ \\
& 4*c^(15/2)*e^4 - 100663296*C^5*a^6*b^2*c^(15/2)*e^2*f^2) + (37748736*C^5*a^ \\
& 4*b^4*c^7*e^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))) / (((a + b*x)^(1/2) - a^(1/2) \\
&)*(67108864*C^5*a^8*c^(15/2)*f^4 + 37748736*C^5*a^4*b^4*c^(15/2)*e^4 - \\
& 100663296*C^5*a^6*b^2*c^(15/2)*e^2*f^2) - (100663296*C^5*a^6*b^2*c^7*e^2*f^ \\
& 2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))) / (((a + b*x)^(1/2) - a^(1/2))*(67108 \\
& 864*C^5*a^8*c^(15/2)*f^4 + 37748736*C^5*a^4*b^4*c^(15/2)*e^4 - 100663296*C^ \\
& 5*a^6*b^2*c^(15/2)*e^2*f^2))) / (b*c^(1/2)*f^2) - (8*C*a^(1/2)*(a*c)^(1/2)*(a*c - \\
& b*c*x)^(1/2) - (a*c)^(1/2))^2) / (b^2*f*((a + b*x)^(1/2) - a^(1/2))^2 * \\
& ((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4) / ((a + b*x)^(1/2) - a^(1/2))^4 + c^2 \\
& + (2*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2) / ((a + b*x)^(1/2) - a^(1/2))^2 \\
&)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

$$3.25 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2} dx$$

Optimal. Leaf size=322

$$\frac{f(a^2 - b^2 x^2) \left(A + \frac{e(Ce - Bf)}{f^2}\right)}{\sqrt{a+bx} (e+fx) \sqrt{ac-bcx} (b^2 e^2 - a^2 f^2)} + \frac{\sqrt{a^2 c - b^2 c x^2} (a^2 f^2 (2Ce - Bf) - b^2 (Ce^3 - Aef^2)) \tan^{-1} \left(\frac{\sqrt{c} (a^2 f + b^2 ex)}{\sqrt{a^2 c - b^2 c x^2}}\right)}{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} (b^2 e^2 - a^2 f^2)^{3/2}}$$

Rubi [A] time = 0.58, antiderivative size = 322, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.175, Rules used = {1610, 1651, 844, 217, 203, 725, 204}

$$\frac{f(a^2 - b^2 x^2) \left(A + \frac{e(Ce - Bf)}{f^2}\right)}{\sqrt{a+bx} (e+fx) \sqrt{ac-bcx} (b^2 e^2 - a^2 f^2)} + \frac{\sqrt{a^2 c - b^2 c x^2} (a^2 f^2 (2Ce - Bf) - b^2 (Ce^3 - Aef^2)) \tan^{-1} \left(\frac{\sqrt{c} (a^2 f + b^2 ex)}{\sqrt{a^2 c - b^2 c x^2} \sqrt{b^2 e^2 - a^2 f^2}}\right)}{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} (b^2 e^2 - a^2 f^2)^{3/2}} + \frac{C \sqrt{a^2 c - b^2 c x^2} \tan^{-1} \left(\frac{b \sqrt{c} x}{\sqrt{a^2 c - b^2 c x^2}}\right)}{b \sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2), x]
[Out] (f*(A + (e*(C*e - B*f))/f^2)*(a^2 - b^2*x^2))/((b^2*e^2 - a^2*f^2)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)) + (C*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]]/(b*Sqrt[c]*f^2*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((a^2*f^2*(2*C*e - B*f) - b^2*(C*e^3 - A*e*f^2))*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(Sqrt[c]*(a^2*f + b^2*e*x))/(Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a^2*c - b^2*c*x^2]))/(Sqrt[c]*f^2*(b^2*e^2 - a^2*f^2)^(3/2)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_),
x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^m_*((c_) + (d_)*(x_))^n_*((e_) + (f_),
(x_))^p_, x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/
(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0]
&& EqQ[m, n] && !IntegerQ[m]
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_)*(x_))^m_*((a_) + (c_)*(x_)^2)^p_, x_Symbol] :>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^p)/((m + 1)*(c*d^2 +
a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) -
c*e*R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
&& NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A+Bx+Cx^2}{(e+fx)^2 \sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\sqrt{a^2c - b^2cx^2} \int \frac{c(AB^2e+a^2(Ce-Ef))}{(e+fx)^2} dx}{c(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\left(C \left(\frac{b^2e^2}{f} - a^2f \right) \sqrt{a^2c - b^2cx^2} \right)}{f(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\left(C \left(\frac{b^2e^2}{f} - a^2f \right) \sqrt{a^2c - b^2cx^2} \right)}{f(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{C \sqrt{a^2c - b^2cx^2} \tan^{-1} \left(\frac{b\sqrt{c}}{\sqrt{a^2c - b^2cx^2}} \right)}{b\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx}}
\end{aligned}$$

Mathematica [A] time = 0.85, size = 309, normalized size = 0.96

$$\begin{aligned}
&\frac{2b^2e\sqrt{a-bx}(f(Af-Be)+Ce^2)\tanh^{-1}\left(\frac{\sqrt{a-bx}\sqrt{be-af}}{\sqrt{a+bx}\sqrt{-af-be}}\right)}{(-af-be)^{3/2}(be-af)^{3/2}} + \frac{f(bx-a)\sqrt{a+bx}(f(Af-Be)+Ce^2)}{(e+fx)(af-be)(af+be)} - \frac{2\sqrt{a-bx}(2Ce-Bf)\tanh^{-1}\left(\frac{\sqrt{a-bx}\sqrt{be-af}}{\sqrt{a+bx}\sqrt{-af-be}}\right)}{\sqrt{-af-be}\sqrt{be-af}} - \frac{2C\sqrt{a-bx}\tan^{-1}\left(\frac{\sqrt{a-bx}}{\sqrt{a+bx}}\right)}{b} \\
&\quad f^2\sqrt{c(a-bx)}
\end{aligned}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2), x]
[Out] ((f*(C*e^2 + f*(-(B*e) + A*f))*(-(a + b*x)*Sqrt[a + b*x])/((-b*e) + a*f)*(b
*e + a*f)*(e + f*x)) - (2*C*Sqrt[a - b*x]*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x
]])/b - (2*(2*C*e - B*f)*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*
x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f
]) - (2*b^2*e*(C*e^2 + f*(-(B*e) + A*f))*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e -
a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/((-(b*e) - a*f)^(3
/2)*(b*e - a*f)^(3/2)))/(f^2*Sqrt[c*(a - b*x)])
```

IntegrateAlgebraic [A] time = 1.12, size = 282, normalized size = 0.88

$$\begin{aligned}
&\frac{2(a^2Bf^3 - 2a^2Cef^2 - Ab^2ef^2 + b^2Ce^3)\tanh^{-1}\left(\frac{\sqrt{ac-bcx}\sqrt{af-be}}{\sqrt{c}\sqrt{a+bx}\sqrt{af+be}}\right)}{\sqrt{c}f^2(af-be)^{3/2}(af+be)^{3/2}} + \frac{2ab\sqrt{ac-bcx}(Af^2 - Be^2 + Ce^2)}{f\sqrt{a+bx}(af-be)(af+be)\left(-\frac{be(ac-bcx)}{a+bx} + \frac{af(ac-bcx)}{a+bx} - acf - bce\right)} - \frac{2C\tan^{-1}\left(\frac{\sqrt{ac-bcx}}{\sqrt{c}\sqrt{a+bx}}\right)}{b\sqrt{c}f^2}
\end{aligned}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2),x]
[Out] (2*a*b*(C*e^2 - B*e*f + A*f^2)*Sqrt[a*c - b*c*x])/(f*(-(b*e) + a*f)*(b*e + a*f)*Sqrt[a + b*x]*(-(b*c*e) - a*c*f - (b*e*(a*c - b*c*x))/(a + b*x) + (a*f*(a*c - b*c*x))/(a + b*x))) - (2*C*ArcTan[Sqrt[a*c - b*c*x]/(Sqrt[c]*Sqrt[a + b*x])])/(b*Sqrt[c]*f^2) - (2*(b^2*C*e^3 - A*b^2*e*f^2 - 2*a^2*C*e*f^2 + a^2*B*f^3)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[a*c - b*c*x])/(Sqrt[c]*Sqrt[b*e + a*f]*Sqrt[a + b*x])])/(Sqrt[c]*f^2*(-(b*e) + a*f)^(3/2)*(b*e + a*f)^(3/2))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")
```

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")
```

[Out] Timed out

maple [B] time = 0.04, size = 1200, normalized size = 3.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)
[Out] (A*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*x*b^2*c*e*f^3*(b^2*c)^(1/2)-B*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*x*a^2*c*f^4*(b^2*c)^(1/2)+2*C*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*x*a^2*c*e*f^3*(b^2*c)^(1/2)-C*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2))
```

$$\begin{aligned}
& 2)*f)/(f*x+e))*x*b^2*c*e^3*f*(b^2*c)^{(1/2)}+C*\arctan((b^2*c)^{(1/2)})/(-(b^2*x^2-a^2)*c)^{(1/2)}*x*x^2*c*f^4*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}-C*\arctan((b^2*c)^{(1/2)})/(-(b^2*x^2-a^2)*c)^{(1/2)}*x*b^2*c*e^2*f^2*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}+A*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))*b^2*c*e^2*f^2*(b^2*c)^{(1/2)}-B*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))*a^2*c*e*f^3*(b^2*c)^{(1/2)}+2*C*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))*a^2*c*e^2*f^2*(b^2*c)^{(1/2)}-C*\ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*f)/(f*x+e))*b^2*c*e^4*(b^2*c)^{(1/2)}+C*\arctan((b^2*c)^{(1/2)})/(-(b^2*x^2-a^2)*c)^{(1/2)}*x*a^2*c*e*f^3*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}-C*\arctan((b^2*c)^{(1/2)})/(-(b^2*x^2-a^2)*c)^{(1/2)}*x*b^2*c*e^3*f*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}-A*f^4*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}+B*e*f^3*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}-C*e^2*f^2*(b^2*c)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}/c*(-(b*x-a)*c)^{(1/2)}*(b*x+a)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}/(a*f-b*e)/(b^2*c)^{(1/2)}/(a*f+b*e)/(f*x+e)/((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}/f^3
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((4*b^2*c>0)', see `assume?` for more details)Is (4*b^2*c *(a^2*c-(b^2*c*e^2)
/f^2)) /f^2 +(4*b^4*c^2*e^2)/f^4 zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*x + C*x^2)/((e + f*x)^2*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)`

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)/(f*x+e)**2/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)`

[Out] Timed out

$$3.26 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3} dx$$

Optimal. Leaf size=363

$$\frac{(a^2 - b^2 x^2) (2 a^2 f^2 (2 C e - B f) - b^2 e (f (B e - 3 A f) + C e^2))}{2 f \sqrt{a + b x} (e + f x) \sqrt{a c - b c x} (b^2 e^2 - a^2 f^2)^2} + \frac{f (a^2 - b^2 x^2) \left(A + \frac{e (C e - B f)}{f^2}\right)}{2 \sqrt{a + b x} (e + f x)^2 \sqrt{a c - b c x} (b^2 e^2 - a^2 f^2)} + \frac{\sqrt{a^2 c - b^2 c x^2} (A (a^2 b^2 f^2 + 2 b^4 e^2) + a^2 b^2 e (C e - 3 B f) + 2 a^4 C f^2) \tan^{-1} \left(\frac{\sqrt{a^2 f + b^2 c x}}{\sqrt{a^2 c - b^2 c x^2} \sqrt{b^2 e^2 - a^2 f^2}}\right)}{2 \sqrt{c} \sqrt{a + b x} \sqrt{a c - b c x} (b^2 e^2 - a^2 f^2)^{5/2}}$$

Rubi [A] time = 0.68, antiderivative size = 361, normalized size of antiderivative = 0.99, number of steps used = 5, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.125, Rules used = {1610, 1651, 807, 725, 204}

$$\frac{(a^2 - b^2 x^2) (2 a^2 f^2 (2 C e - B f) - b^2 (e f (B e - 3 A f) + C e^3))}{2 f \sqrt{a + b x} (e + f x) \sqrt{a c - b c x} (b^2 e^2 - a^2 f^2)^2} + \frac{f (a^2 - b^2 x^2) \left(A + \frac{e (C e - B f)}{f^2}\right)}{2 \sqrt{a + b x} (e + f x)^2 \sqrt{a c - b c x} (b^2 e^2 - a^2 f^2)} + \frac{\sqrt{a^2 c - b^2 c x^2} (A (a^2 b^2 f^2 + 2 b^4 e^2) + a^2 b^2 e (C e - 3 B f) + 2 a^4 C f^2) \tan^{-1} \left(\frac{\sqrt{a^2 f + b^2 c x}}{\sqrt{a^2 c - b^2 c x^2} \sqrt{b^2 e^2 - a^2 f^2}}\right)}{2 \sqrt{c} \sqrt{a + b x} \sqrt{a c - b c x} (b^2 e^2 - a^2 f^2)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3), x]
[Out] (f*(A + (e*(C*e - B*f))/f^2)*(a^2 - b^2*x^2))/(2*(b^2*e^2 - a^2*f^2)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2) + ((2*a^2*f^2*(2*C*e - B*f) - b^2*(C*e^3 + e*f*(B*e - 3*A*f)))*(a^2 - b^2*x^2))/(2*f*(b^2*e^2 - a^2*f^2)^2*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)) + ((2*a^4*C*f^2 + a^2*b^2*e*(C*e - 3*B*f) + A*(2*b^4*e^2 + a^2*b^2*f^2))*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(Sqrt[c]*(a^2*f + b^2*e*x))/(Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a^2*c - b^2*c*x^2])])/(2*Sqrt[c]*(b^2*e^2 - a^2*f^2)^(5/2)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]
```

Rule 807

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In]
```

```
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq, d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^3} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A + Bx + Cx^2}{(e + fx)^3 \sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{\sqrt{a^2c - b^2cx^2} \int \frac{2c(Ab^2e + a^2(Ce - Bf)x)}{2c(b^2e^2 - a^2f^2)} dx}{2c(b^2e^2 - a^2f^2)} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2(Ce^3 - Bf^2))}{2f(b^2e^2 - a^2f^2)^2 \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2(Ce^3 - Bf^2))}{2f(b^2e^2 - a^2f^2)^2 \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2(Ce^3 - Bf^2))}{2f(b^2e^2 - a^2f^2)^2 \sqrt{a + bx} \sqrt{ac - bcx}}
\end{aligned}$$

Mathematica [A] time = 1.79, size = 492, normalized size = 1.36

$$\frac{\frac{b^2 \sqrt{a-bx} (f(Af-Bc)+C e^2) \left(2 (e+f x) \left(a^2 f^2+2 b^2 c^2\right) \tanh ^{-1}\left(\frac{\sqrt{a-bx} \sqrt{bc-a}}{\sqrt{a+bx} \sqrt{af-be}}\right)+3 e f \sqrt{a-bx} \sqrt{a+bx} \sqrt{-af-be} \sqrt{bc-af}\right)}{(e+f x) (-af-be)^{3/2} (be-af)^{5/2}}+\frac{2 f (bx-a) \sqrt{a+bx} (B f-2 C e)}{(e+f x) (a^2 f^2-b^2 c^2)}+\frac{f (bx-a) \sqrt{a+bx} (f(Af-Bc)+C e^2)}{(e+f x)^2 (af-be)(a f+be)}+\frac{4 b^2 e \sqrt{a-bx} (2 C e-B f) \tanh ^{-1}\left(\frac{\sqrt{a-bx} \sqrt{bc-a}}{\sqrt{a+bx} \sqrt{af-be}}\right)}{(-af-be)^{3/2} (be-af)^{3/2}}+\frac{4 C \sqrt{a-bx} \tanh ^{-1}\left(\frac{\sqrt{a-bx} \sqrt{bc-a}}{\sqrt{a+bx} \sqrt{af-be}}\right)}{\sqrt{-af-be} \sqrt{bc-af}}}{2 f^2 \sqrt{c(a-bx)}}$$

Antiderivative was successfully verified.

[In] `Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3), x]`

[Out] $((f*(C*e^2 + f*(-(B*e) + A*f))*(-(a + b*x)*Sqrt[a + b*x])/((-(b*e) + a*f)*(b*e + a*f)*(e + f*x)^2) + (2*f*(-2*C*e + B*f)*(-(a + b*x)*Sqrt[a + b*x])/((-(b^2*e^2) + a^2*f^2)*(e + f*x)) + (4*C*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f]) + (4*b^2*2*e*(2*C*e - B*f)*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/((-(b*e) - a*f)^(3/2)*(b*e - a*f)^(3/2)) + (b^2*(C*e^2 + f*(-(B*e) + A*f))*Sqrt[a - b*x]*(3*e*f*Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f]*Sqrt[a - b*x]*Sqrt[a + b*x] + 2*(2*b^2*2*e^2 + a^2*f^2)*(e + f*x)*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])]/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])))/((-(b*e) - a*f)^(5/2)*(b*e - a*f)^(5/2)*(e + f*x))/(2*f^2*Sqrt[c*(a - b*x)])$

IntegrateAlgebraic [A] time = 1.47, size = 610, normalized size = 1.68

$$\frac{(-2 a^4 C)^2-a^2 A b^2 f^2+3 a^2 b^2 B c f-a^2 b^2 C x^2-2 A b^4 x^2) \tanh ^{-1}\left(\frac{\sqrt{a-bx}}{\sqrt{a+bx}}\right)}{\sqrt{c} ((b-e)^2 \sqrt{af-be}(af+be)^2)}-\frac{a b \sqrt{a-bx} \left(-\frac{2 a^2 b^2 (a-bx)}{a+b x}+\frac{4 a^2 C x^2 (a-bx)}{a+b x}+2 a^2 B c f^2-4 a^2 C x f^2+\frac{x^2 (b x)^2 (a-bx)}{a+b x}+a^2 A b x f^2+\frac{x^2 (b x)^2 (a-bx)}{a+b x}+a^2 B c x f^2-\frac{2 a^2 b^2 x^2 (a-bx)}{a+b x}-3 a^2 B c C x^2 f-\frac{4 a b^2 x^2 (a-bx)}{a+b x}+3 a^2 b^2 x^2 (a-bx)-3 a^2 A b x^2 f^2+\frac{2 a^2 b^2 x^2 (a-bx)}{a+b x}-\frac{ab^2 x^2 (a-bx)}{a+b x}+ab^2 C x^2 f-\frac{ab^2 C x^2 (a-bx)}{a+b x}+ab^2 C x^2-4 A b^2 C x^2 f+2 b^2 B c x^2\right)}{\sqrt{a+b x} ((b-e)^2 (af+be)^2 \left(\frac{(b-e)(b-x)}{a+b x}\right)^2)}$$

Antiderivative was successfully verified.

[In] `IntegrateAlgebraic[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3), x]`

[Out] $-((a*b*Sqrt[a*c - b*c*x]*(2*b^3*B*c*e^3 + a*b^2*c*C*e^3 - 4*A*b^3*c*e^2*f + a*b^2*B*c*c*e^2*f - 3*a^2*b*c*C*e^2*f - 3*a*A*b^2*c*c*e*f^2 + a^2*b*B*c*c*e*f^2 - 4*a^3*c*C*e*f^2 + a^2*A*b*c*f^3 + 2*a^3*3*B*c*c*f^3 + (2*b^3*B*e^3*(a*c - b*c*x))/(a + b*x) - (a*b^2*C*e^3*(a*c - b*c*x))/(a + b*x) - (4*A*b^3*c*e^2*f*(a*c - b*c*x))/(a + b*x) - (a*b^2*B*c*e^2*f*(a*c - b*c*x))/(a + b*x) - (3*a^2*b*c*C*e^2*f*(a*c - b*c*x))/(a + b*x) + (3*a*A*b^2*c*e*f^2*(a*c - b*c*x))/(a + b*x) + (a^2*b*B*c*e*f^2*(a*c - b*c*x))/(a + b*x) + (4*a^3*c*c*e*f^2*(a*c - b*c*x))/(a + b*x) + (a^2*2*A*b*f^3*(a*c - b*c*x))/(a + b*x) - (2*a^3*B*f^3*(a*c - b*c*x))/(a + b*x))/((b*e - a*f)^2*(b*x + a*f)^2*Sqrt[a + b*x]*(b*c*c*e + a*c*f + b*c*(a*c - b*c*x))/(a + b*x) - (a*f*(a*c - b*c*x))/(a + b*x))^(2)) + ((-2*A*b^4*e^2 - a^2*b^2*c^2*B*e^2 + 3*a^2*b^2*c^2*B*c*e*f - a^2*A*b^2*c^2*f^2 - 2*a^2*c^4*f^2)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[a*c - b*c*x])/(Sqrt[c]*Sqrt[b*e + a*f]*Sqrt[a + b*x])])/(Sqrt[c]*(b*e - a*f)^(2*Sqrt[-(b*e) + a*f]*(b*e + a*f)^(5/2)))$

fricas [A] time = 163.67, size = 1355, normalized size = 3.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/4*((3*B*a^2*b^2*e^3*f - (C*a^2*b^2 + 2*A*b^4)*e^4 - (2*C*a^4 + A*a^2*b^2)*e^2*f^2 + (3*B*a^2*b^2*e*f^3 - (C*a^2*b^2 + 2*A*b^4)*e^2*f^2 - (2*C*a^4 + A*a^2*b^2)*f^4)*x^2 + 2*(3*B*a^2*b^2*e^2*f^2 - (C*a^2*b^2 + 2*A*b^4)*e^3*f - (2*C*a^4 + A*a^2*b^2)*e*f^3)*x)*sqrt(-b^2*c*e^2 + a^2*c*f^2)*log((2*a^2*b^2*c*e*f*x - a^2*b^2*c*e^2 + 2*a^4*c*f^2 + (2*b^4*c*e^2 - a^2*b^2*c*f^2)*x^2 - 2*sqrt(-b^2*c*e^2 + a^2*c*f^2)*(b^2*e*x + a^2*f))*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/(f^2*x^2 + 2*e*f*x + e^2)) - 2*(2*B*b^4*e^5 - B*a^2*b^2*e^3*f^2 - B*a^4*e*f^4 - A*a^4*f^5 - (3*C*a^2*b^2 + 4*A*b^4)*e^4*f + (3*C*a^4 + 5*A*a^2*b^2)*e^2*f^3 + (C*b^4*e^5 + B*b^4*e^4*f + B*a^2*b^2*e^2*f^3 - 2*B*a^4*f^5 - (5*C*a^2*b^2 + 3*A*b^4)*e^3*f^2 + (4*C*a^4 + 3*A*a^2*b^2)*e*f^4)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/(b^6*c*e^8 - 3*a^2*b^4*c*e^6*f^2 + 3*a^4*b^2*c*e^4*f^4 - a^6*c*e^2*f^6 + (b^6*c*e^6*f^2 - 3*a^2*b^4*c*e^4*f^4 + 3*a^4*b^2*c*e^2*f^6 - a^6*c*f^8)*x^2 + 2*(b^6*c*e^7*f - 3*a^2*b^4*c*e^5*f^3 + 3*a^4*b^2*c*e^3*f^5 - a^6*c*e*f^7)*x), -1/2*((3*B*a^2*b^2*e^3*f - (C*a^2*b^2 + 2*A*b^4)*e^4 - (2*C*a^4 + A*a^2*b^2)*e^2*f^2 + (3*B*a^2*b^2*e*f^3 - (C*a^2*b^2 + 2*A*b^4)*e^2*f^2 - (2*C*a^4 + A*a^2*b^2)*f^4)*x^2 + 2*(3*B*a^2*b^2*e^2*f^2 - (C*a^2*b^2 + 2*A*b^4)*e^3*f - (2*C*a^4 + A*a^2*b^2)*e*f^3)*x)*sqrt(b^2*c*e^2 - a^2*c*f^2)*arctan(sqrt(b^2*c*e^2 - a^2*c*f^2)*(b^2*e*x + a^2*f)*sqrt(-b*c*x + a*c)*sqrt(b*x + a)/(a^2*b^2*c*e^2 - a^4*c*f^2 - (b^4*c*e^2 - a^2*b^2*c*f^2)*x^2)) + (2*B*b^4*e^5 - B*a^2*b^2*e^3*f^2 - B*a^4*e*f^4 - A*a^4*f^5 - (3*C*a^2*b^2 + 4*A*b^4)*e^4*f + (3*C*a^4 + 5*A*a^2*b^2)*e^2*f^3 + (C*b^4*e^5 + B*b^4*e^4*f + B*a^2*b^2*e^2*f^3 - 2*B*a^4*f^5 - (5*C*a^2*b^2 + 3*A*b^4)*e^3*f^2 + (4*C*a^4 + 3*A*a^2*b^2)*e*f^4)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/(b^6*c*e^8 - 3*a^2*b^4*c*e^6*f^2 + 3*a^4*b^2*c*e^4*f^4 - a^6*c*e^2*f^6 + (b^6*c*e^6*f^2 - 3*a^2*b^4*c*e^4*f^4 + 3*a^4*b^2*c*e^2*f^6 - a^6*c*f^8)*x^2 + 2*(b^6*c*e^7*f - 3*a^2*b^4*c*e^5*f^3 + 3*a^4*b^2*c*e^3*f^5 - a^6*c*e*f^7)*x)]
```

giac [B] time = 7.02, size = 1658, normalized size = 4.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")
```

```
[Out] -(2*C*a^4*sqrt(-c)*c^2*f^2 + A*a^2*b^2*sqrt(-c)*c^2*f^2 - 3*B*a^2*b^2*sqrt(-c)*c^2*f*e + C*a^2*b^2*sqrt(-c)*c^2*e^2 + 2*A*b^4*sqrt(-c)*c^2*e^2)*arctan(1/2*(2*b*c^2*e + (sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)^2)*sqrt(b*c*x + a*c))^(1/2))/b*c*x + a*c)/b*c*x + a*c))^(1/2)
```

$$\begin{aligned}
& c)^2*f)/(sqrt(a^2*f^2 - b^2*e^2)*c^2))/((a^4*f^4*abs(c) - 2*a^2*b^2*f^2 \\
& *abs(c)*e^2 + b^4*abs(c)*e^4)*sqrt(a^2*f^2 - b^2*e^2)*c^2) + 2*(16*B*a^6*b* \\
& sqrt(-c)*c^8*f^5 - 32*C*a^6*b*sqrt(-c)*c^8*f^4*e - 24*A*a^4*b^3*sqrt(-c)*c^ \\
& 8*f^4*e + 4*A*a^4*b^2*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x \\
& - a*c)*c))^2*sqrt(-c)*c^6*f^5 + 8*B*a^4*b^3*sqrt(-c)*c^8*f^3*e^2 + 20*B*a^4 \\
& *b^2*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt \\
& (-c)*c^6*f^4*e + 4*B*a^4*b*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b \\
& *c*x - a*c)*c))^4*sqrt(-c)*c^4*f^5 + 8*C*a^4*b^3*sqrt(-c)*c^8*f^2*e^3 - 44* \\
& C*a^4*b^2*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2 \\
& *sqrt(-c)*c^6*f^3*e^2 - 40*A*a^2*b^4*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2* \\
& a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^3*e^2 - 8*C*a^4*b*(sqrt(-b*c*x + \\
& a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^4*e - 6* \\
& A*a^2*b^3*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4 \\
& *sqrt(-c)*c^4*f^4*e - A*a^2*b^2*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 \\
& + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f^5 + 16*B*a^2*b^4*(sqrt(-b*c*x + a*c)* \\
& sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^2*e^3 + 10*B*a \\
& ^2*b^3*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sq \\
& rt(-c)*c^4*f^3*e^2 + 3*B*a^2*b^2*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 \\
& + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f^4*e + 8*C*a^2*b^4*(sqrt(-b*c*x + a*c) \\
& *sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^4*e^4 - 14*C*a \\
& ^2*b^3*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sq \\
& rt(-c)*c^4*f^2*e^3 - 12*A*b^5*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + \\
& (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^2*e^3 - 5*C*a^2*b^2*(sqrt(-b*c*x + a*c) \\
& *sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f^3*e^2 - 2*A*b \\
& ^4*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(- \\
& c)*c^2*f^3*e^2 + 4*B*b^5*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c \\
& *x - a*c)*c))^4*sqrt(-c)*c^4*f^4*e^4 + 4*C*b^5*(sqrt(-b*c*x + a*c)*sqrt(-c) \\
& - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^4*e^5 + 2*C*b^4*(sqrt(-b*c*x \\
& + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f^4*e^4)/(\\
& (a^4*f^6*abs(c) - 2*a^2*b^2*f^4*abs(c)*e^2 + b^4*f^2*abs(c)*e^4)*(4*a^2*c^4 \\
& *f + 4*b*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*f \\
& *c^2*e + (sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*f \\
&)^2)
\end{aligned}$$

maple [B] time = 0.06, size = 1848, normalized size = 5.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)

[Out]
$$\begin{aligned}
& -1/2*(C*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2- \\
& a^2)*c)^(1/2)*f)/(f*x+e))*x^2*a^2*b^2*c*e^2*f^2+2*A*ln(2*(b^2*c*e*x+a^2*c*f \\
& +((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))*x*a^2 \\
& *b^2*c*e*f^3+2*A*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-
\end{aligned}$$

$$\begin{aligned}
& \left(b^2 x^2 - a^2 \right) c^{1/2} f / (f * x + e) * b^4 c * e^4 + 2 C * \ln(2 * (b^2 c * e * x + a^2 c * f + ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} * f / (f * x + e)) * x^2 a^4 c * f^4 + 2 C * \ln(2 * (b^2 c * e * x + a^2 c * f + ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} * f / (f * x + e)) * a^4 c * e^2 f^2 + C * \ln(2 * (b^2 c * e * x + a^2 c * f + ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} * f / (f * x + e)) * a^2 b^2 c * e^4 + 2 B * x * a^2 f^4 * ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} - 4 A * b^2 e^2 f^2 * ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} + B * a^2 * e * f^3 * ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} + 2 B * b^2 e^3 * f * ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} - 3 C * a^2 e^2 f^2 * ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} - 3 B * \ln(2 * (b^2 c * e * x + a^2 c * f + ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} * f / (f * x + e)) * x^2 a^2 b^2 c * e * f^3 + A * a^2 f^4 * ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} - 6 B * \ln(2 * (b^2 c * e * x + a^2 c * f + ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} * f / (f * x + e)) * x * a^2 b^2 c * e^2 f^2 + 2 C * \ln(2 * (b^2 c * e * x + a^2 c * f + ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} * f / (f * x + e)) * x * a^2 b^2 c * e^3 f - 4 C * x * a^2 e * f^3 * ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} + A * \ln(2 * (b^2 c * e * x + a^2 c * f + ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} * f / (f * x + e)) * x * a^2 b^2 c * e^2 f^2 + 4 A * \ln(2 * (b^2 c * e * x + a^2 c * f + ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} * f / (f * x + e)) * x * a^2 b^2 c * e^4 f^2 + 4 C * \ln(2 * (b^2 c * e * x + a^2 c * f + ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} * f / (f * x + e)) * x * a^2 b^2 c * e^3 f + 4 A * \ln(2 * (b^2 c * e * x + a^2 c * f + ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} * f / (f * x + e)) * x * a^2 b^2 c * e^2 f^2 - 3 B * \ln(2 * (b^2 c * e * x + a^2 c * f + ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} * f / (f * x + e)) * a^2 b^2 c * e^2 f^2 - 3 A * x * b^2 e * f^3 * ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} - 3 A * x * b^2 e * f^2 * ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} + B * x * b^2 e * f^2 * ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} * (-b^2 x^2 - a^2) * c)^{1/2} / c * (-b * x - a) * c)^{1/2} * (b * x + a)^{1/2} / (-b^2 x^2 - a^2) * c)^{1/2} / (a * f - b * e) / (a * f + b * e) / (a^2 f^2 - b^2 e^2) / (f * x + e)^2 / ((a^2 f^2 - b^2 e^2) * c / f^2)^{1/2} / (1/2) / f
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a*f-b*e>0)', see `assume?` for more details)Is a*f-b*e positive, negative or zero?

mupad [B] time = 86.67, size = 9344, normalized size = 25.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)^3*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)

[Out] (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))*(4*C*a^4*c^3*f^2 + 2*C*a^2*b^2*c^3*e^2))/(((a + b*x)^(1/2) - a^(1/2))*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3*(68*C*a^4*c^2*f^2 - 14*C*a^2*b^2*c^2*e^2))/(((a + b*x)^(1/2) - a^(1/2))^3*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) - ((68*C*a^4*c*f^2 - 14*C*a^2*b^2*c*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5)/(((a + b*x)^(1/2) - a^(1/2))^5*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) - ((4*C*a^4*f^2 + 2*C*a^2*b^2*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/(((a + b*x)^(1/2) - a^(1/2))^7*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) - (a^(1/2)*(a*c)^(1/2)*(48*C*a^4*c*f^3 - 24*C*a^2*b^2*c*e^2))/(((a + b*x)^(1/2) - a^(1/2))^4*(b^6*e^6 - 2*a^2*b^4*e^4*f^2 + a^4*b^2*e^2*f^4)) + (a^(1/2)*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6*(24*C*a^4*f^3 + 12*C*a^2*b^2*e^2*f))/(((a + b*x)^(1/2) - a^(1/2))^6*(b^6*e^6 - 2*a^2*b^4*e^4*f^2 + a^4*b^2*e^2*f^4)) + (a^(1/2)*(a*c)^(1/2)*(24*C*a^4*c^2*f^3 + 12*C*a^2*b^2*c^2*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(((a + b*x)^(1/2) - a^(1/2))^2*(b^6*e^6 - 2*a^2*b^4*e^4*f^2 + a^4*b^2*e^2*f^4))/(((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^8/((a + b*x)^(1/2) - a^(1/2))^8 + c^4 + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6*(16*a^2*c*f^2 + 4*b^2*c*e^2))/(b^2*e^2*((a + b*x)^(1/2) - a^(1/2))^6) + ((16*a^2*c^3*f^2 + 4*b^2*c^3*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(b^2*e^2*((a + b*x)^(1/2) - a^(1/2))^2) - ((32*a^2*c^2*f^2 - 6*b^2*c^2*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/(b^2*e^2*((a + b*x)^(1/2) - a^(1/2))^4) - (8*a^(1/2)*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/(b*e*((a + b*x)^(1/2) - a^(1/2))^7) + (8*a^(1/2)*c^3*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5)/(b*e*((a + b*x)^(1/2) - a^(1/2))^5) + (8*a^(1/2)*c^2*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/(b*e*((a + b*x)^(1/2) - a^(1/2))^3) + (((4*A*a^4*f^4 - 10*A*a^2*b^2*e^2*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/(((a + b*x)^(1/2) - a^(1/2))^7*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) - ((4*A*a^4*c^3*f^4 - 10*A*a^2*b^2*c^3*e^2*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(((a + b*x)^(1/2) - a^(1/2))*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) - ((4*A*a^4*c^2*f^4 - 58*A*a^2*b^2*c^2*e^2*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/(((a + b*x)^(1/2) - a^(1/2))^3*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5*(4*A*a^4*c*f^4 - 58*A*a^2*b^2*c^2*e^2*f^2))/(((a + b*x)^(1/2) - a^(1/2))^5*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) + (a^(1/2)*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6*(16*A*b^4*e^4*f - 8*A*a^4*f^5 + 28*A*a^2*b^2*e^2*f^3))/(((a + b*x)^(1/2) - a^(1/2))^6*(b^6*e^8 - 2*a^2*b^4*e^6*f^2 + a^4*b^2*e^4*f^4)) + (a^(1/2)*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4*(16*A*a^4*c*f^5 + 32*A*b^4*c^4*f - 72*A*a^2*b^2*c^2*e^2*f^3))/(((a + b*x)^(1/2) - a^(1/2))^4*(b^6*e^8
```

$$\begin{aligned}
& - 2*a^2*b^4*e^6*f^2 + a^4*b^2*e^4*f^4) + (a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(16*A*b^4*c^2*e^4*f - 8*A*a^4*c^2*f^5 + 28*A*a^2*b^2*c^2*e^2*f^3))/(((a + b*x)^{(1/2)} - a^{(1/2)})^2*(b^6*e^8 - 2*a^2*b^4*e^6*f^2 + a^4*b^2*e^4*f^4))/(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8/((a + b*x)^{(1/2)} - a^{(1/2)})^8 + c^4 + ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6*(16*a^2*c*f^2 + 4*b^2*c*e^2))/((b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^6) + ((16*a^2*c^3*f^2 + 4*b^2*c^3*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^2) - ((32*a^2*c^2*f^2 - 6*b^2*c^2*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^4) - (8*a^{(1/2)}*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) - (8*a^{(1/2)}*c*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) - (8*a^{(1/2)}*c*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))^5)/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^5) + (8*a^{(1/2)}*c^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) - ((32*B*a^4*c^2*f^3 + 22*B*a^2*b^2*c^2*e^2*f)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/(((a + b*x)^{(1/2)} - a^{(1/2)})^3*(b^5*e^6 + a^4*b*e^2*f^4 - 2*a^2*b^3*e^4*f^2)) - ((32*B*a^4*c*f^3 + 22*B*a^2*b^2*c*e^2*f)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)/(((a + b*x)^{(1/2)} - a^{(1/2)})^5*(b^5*e^6 + a^4*b*e^2*f^4 - 2*a^2*b^3*e^4*f^2)) + (a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(8*B*a^4*c^2*f^4 + 8*B*b^4*c^2*e^4 + 20*B*a^2*b^2*c^2*e^2*f^2))/(((a + b*x)^{(1/2)} - a^{(1/2)})^2*(b^6*e^7 - 2*a^2*b^4*e^5*f^2 + a^4*b^2*e^3*f^4)) + (a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6*(8*B*a^4*f^4 + 8*B*b^4*e^4 + 20*B*a^2*b^2*e^2*f^2))/(((a + b*x)^{(1/2)} - a^{(1/2)})^6*(b^6*e^7 - 2*a^2*b^4*e^5*f^2 + a^4*b^2*e^3*f^4)) - (a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4*(16*B*a^4*c*f^4 - 16*B*b^4*c*e^4 + 24*B*a^2*b^2*c^2*e^2*f^2))/(((a + b*x)^{(1/2)} - a^{(1/2)})^4*(b^6*e^7 - 2*a^2*b^4*e^5*f^2 + a^4*b^2*e^3*f^4)) - (6*B*a^2*b*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/(((a + b*x)^{(1/2)} - a^{(1/2)})^7*(a^4*f^4 + b^4*e^4 - 2*a^2*b^2*e^2*f^2)) + (6*B*a^2*b*c^3*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(((a + b*x)^{(1/2)} - a^{(1/2)})*(a^4*f^4 + b^4*e^4 - 2*a^2*b^2*e^2*f^2)) - ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8/((a + b*x)^{(1/2)} - a^{(1/2)})^8 + c^4 + ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6*(16*a^2*c*f^2 + 4*b^2*c^2*e^2)/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^6) + ((16*a^2*c^3*f^2 + 4*b^2*c^3*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^2) - ((32*a^2*c^2*f^2 - 6*b^2*c^2*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^4) - (8*a^{(1/2)}*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7) - (8*a^{(1/2)}*c*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) - (8*a^{(1/2)}*c*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^5) + (8*a^{(1/2)}*c^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) + (C*a^2*(2*a^2*f^2 + b^2*e^2)*(2*atan((((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2})*((a^2*c*f^2 - b^2*c^2*e^2))/((a + b*x)^{(1/2)} - a^{(1/2)}) - (a^2*c*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})))/((a + b*x)^{(1/2)} - a^{(1/2)}) + 2*a^{(1/2)}*b*c^2*f*(a*c)^{(1/2)})/(2*b*c^2*(b^2*c^2*f^2 - a^2*c^2*f^2)^{(1/2)}) + 2*
\end{aligned}$$

$$\begin{aligned}
& \text{atan}(((4*(4*C^2*a^8*f^4 + C^2*a^4*b^4*e^4 + 4*C^2*a^6*b^2*e^2*f^2))/(b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) - (C^2*a^4*(2*a^2*f^2 + b^2*e^2)^2*(12*a^10*c*f^10 - 4*b^10*c*e^10 + 28*a^2*b^8*c*e^8*f^2 - 72*a^4*b^6*c*e^6*f^4 + 88*a^6*b^4*c*e^4*f^6 - 52*a^8*b^2*c*e^2*f^8))/((a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)*(b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)))/(4*b*c^2*e^2*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + (C*a^{(3/2)}*(2*a^2*f^2 + b^2*e^2)*(8*C*a^{(17/2)}*f^7*(a*c)^{(1/2)} - 12*C*a^{(13/2)}*b^2*e^2*f^5*(a*c)^{(1/2)} + 4*C*a^{(5/2)}*b^6*e^6*f*(a*c)^{(1/2)}))/((2*b*c^2*e*f*(a*c)^{(1/2)}*(a*f + b*e)^2*(a*f - b*e)^2*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}*(b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/((a + b*x)^{(1/2)} - a^{(1/2)})^3 + ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(((4*(4*C^2*a^8*c*f^4 + C^2*a^4*b^4*c*e^4 + 4*C^2*a^6*b^2*c*e^2*f^2))/(b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) + (C^2*a^4*(2*a^2*f^2 + b^2*e^2)^2*(4*a^10*c^2*f^10 + 4*b^10*c^2*f^10 - 12*a^2*b^8*c^2*e^8*f^2 + 8*a^4*b^6*c^2*e^6*f^4 + 8*a^6*b^4*c^2*e^4*f^6 - 12*a^8*b^2*c^2*e^2*f^8))/((a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)*(b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)))/(4*b*c^2*e^2*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + (8*C^2*a^4*(2*a^2*f^2 + b^2*e^2)^2)/(b*e*(a*f + b*e)^4*(a*f - b*e)^4*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)} - (C*a^{(3/2)}*(2*a^2*f^2 + b^2*e^2)*(8*C*a^{(17/2)}*c*f^7*(a*c)^{(1/2)} + 4*C*a^{(5/2)}*b^6*c*e^6*f*(a*c)^{(1/2)} - 12*C*a^{(13/2)}*b^2*c*e^2*f^5*(a*c)^{(1/2)}))/((2*b*c^2*e*f*(a*c)^{(1/2)}*(a*f + b*e)^2*(a*f - b*e)^2*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}*(b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8))))/((a + b*x)^{(1/2)} - a^{(1/2)}) - (((4*(4*C^2*a^8*f^4 + C^2*a^4*b^4*e^4 + 4*C^2*a^6*b^2*c*e^2*f^2))/(b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*c*e^2*f^8) - (C^2*a^4*(2*a^2*f^2 + b^2*e^2)^2*(12*a^10*c*f^10 - 4*b^10*c^2*f^10 + 28*a^2*b^8*c*e^8*f^2 - 72*a^4*b^6*c*e^6*f^4 + 88*a^6*b^4*c*e^4*f^6 - 52*a^8*b^2*c*e^2*f^8))/((a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)*(b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*c*e^2*f^8)))/(2*a^{(1/2)}*c*f*(a*c)^{(1/2)}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + (4*C^2*a^{(9/2)}*f*(a*c)^{(1/2)}*(2*a^2*f^2 + b^2*e^2)^2)/(b^2*c*e^2*(a*f + b*e)^4*(a*f - b*e)^4*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)})))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/((a + b*x)^{(1/2)} - a^{(1/2)})^2 - ((4*(4*C^2*a^8*c*f^4 + C^2*a^4*b^4*c*e^4 + 4*C^2*a^6*b^2*c*e^2*f^2))/(b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*c*e^2*f^8) + (C^2*a^4*(2*a^2*f^2 + b^2*e^2)^2*(4*a^10*c^2*f^10 + 4*b^10*c^2*f^10 - 12*a^2*b^8*c^2*e^8*f^2 + 8*a^4*b^6*c^2*e^6*f^4 + 8*a^6*b^4*c^2*e^4*f^6 - 12*a^8*b^2*c^2*e^2*f^8))/((a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)*(b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*c*e^2*f^8)))/(2*a^{(1/2)}*c*f*(a*c)^{(1/2)}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + (4*C^2*a^{(1/2)}*f*(a*c)^{(1/2)}*(2*a^2*f^2 + b^2*e^2)^2)/(b^2*c*e^2*(a*f + b*e)^4*(a*f - b*e)^4*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)})))*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/((a + b*x)^{(1/2)} - a^{(1/2)})^2 - ((4*(4*C^2*a^8*c*f^4 + C^2*a^4*b^4*c*e^4 + 4*C^2*a^6*b^2*c*e^2*f^2))/(b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*c*e^2*f^8) + (C^2*a^4*(2*a^2*f^2 + b^2*e^2)^2*(4*a^10*c^2*f^10 + 4*b^10*c^2*f^10 - 12*a^2*b^8*c^2*e^8*f^2 + 8*a^4*b^6*c^2*e^6*f^4 + 8*a^6*b^4*c^2*e^4*f^6 - 12*a^8*b^2*c^2*e^2*f^8))/((a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)*(b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*c*e^2*f^8)))/(2*a^{(1/2)}*c*f*(a*c)^{(1/2)}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + 6*a^4*b^6*e^6*f^4*(a^2*c*f^2 - b^2*c*e^2) - 4*a^6*b^4*e^4*f^6 - 6*a^8*b^2*c^2*f^8*(a^2*c*f^2 - b^2*c*e^2) + a^8*b^2*c^2*f^8*(a^2*c*f^2 - b^2*c*e^2)))/(16*)
\end{aligned}$$

$$\begin{aligned}
& C^2 * a^8 * f^4 + 4 * C^2 * a^4 * b^4 * e^4 + 16 * C^2 * a^6 * b^2 * e^2 * f^2)))) / (2 * (a * f + b * e) \\
& - 2 * (a * f - b * e)^2 * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)} + (A * b^2 * (a^2 * f^2 + 2 * b^2 * e^2) \\
& * (2 * \text{atan}(((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)}) * (a^2 * c * f^2 - b^2 * c * e^2)) / \\
& ((a + b * x)^{(1/2)} - a^{(1/2)}) - (a^2 * c * f^2 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})) / \\
& ((a + b * x)^{(1/2)} - a^{(1/2)}) + 2 * a^{(1/2)} * b * c * e * f * (a * c)^{(1/2)}) / (2 * b * c * e * (b \\
& ^2 * c * e^2 - a^2 * c * f^2)^{(1/2)})) + 2 * \text{atan}((((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)}) * \\
& ((4 * (4 * A^2 * b^8 * c * e^4 + A^2 * a^4 * b^4 * c * f^4 + 4 * A^2 * a^2 * b^6 * c * e^2 * f^2)) / (b \\
& ^{10} * e^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * \\
& b^2 * e^2 * f^8) + (A^2 * b^4 * (a^2 * f^2 + 2 * b^2 * e^2))^{2 * (4 * a^{10} * c^2 * f^{10} + 4 * b^{10} * c \\
& ^2 * e^{10} - 12 * a^2 * b^8 * c^2 * e^8 * f^2 + 8 * a^4 * b^6 * c^2 * e^6 * f^4 + 8 * a^6 * b^4 * c^2 * e^4 * f^6 - \\
& 12 * a^8 * b^2 * c^2 * e^2 * f^8)) / ((a * f + b * e)^{4 * (a * f - b * e)} * (a^2 * c * f^2 - \\
& b^2 * c * e^2) * (b^{10} * e^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + \\
& a^8 * b^2 * e^2 * f^8)) / (4 * b * c^2 * e * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)} + (8 * \\
& A^2 * b^3 * (a^2 * f^2 + 2 * b^2 * e^2)^2) / (e * (a * f + b * e)^{4 * (a * f - b * e)} * (b^2 * c * e^2 - \\
& a^2 * c * f^2)^{(3/2)}) - (A * b * (a^2 * f^2 + 2 * b^2 * e^2) * (4 * A * a^{(13/2)} * b^2 * c * f^7 * (a \\
& * c)^{(1/2)} + 8 * A * a^{(1/2)} * b^8 * c * e^6 * f * (a * c)^{(1/2)} - 12 * A * a^{(5/2)} * b^6 * c * e^4 * f^3 * \\
& (a * c)^{(1/2)})) / (2 * a^{(1/2)} * c^2 * e * f * (a * c)^{(1/2)} * (a * f + b * e)^{2 * (a * f - b * e)} * \\
& (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)} * (b^{10} * e^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - \\
& 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8))) / ((a + b * x)^{(1/2)} - a^{(1/2)}) \\
& + (((4 * (4 * A^2 * b^8 * e^4 + A^2 * a^4 * b^4 * f^4 + 4 * A^2 * a^2 * b^6 * e^2 * f^2)) / (b^{10} * e \\
& ^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * \\
& f^8) - (A^2 * b^4 * (a^2 * f^2 + 2 * b^2 * e^2))^{2 * (12 * a^{10} * c * f^{10} - 4 * b^{10} * c * e^{10} + \\
& 28 * a^2 * b^8 * c * e^8 * f^2 - 72 * a^4 * b^6 * c * e^6 * f^4 + 88 * a^6 * b^4 * c * e^4 * f^6 - 52 * a \\
& ^8 * b^2 * c * e^2 * f^8)) / ((a * f + b * e)^{4 * (a * f - b * e)} * (a^2 * c * f^2 - b^2 * c * e^2) * (b \\
& ^{10} * e^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * \\
& f^8)) / (4 * b * c^2 * e * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)}) + (A * b * (a^2 * f^2 + 2 * \\
& b^2 * e^2) * (4 * A * a^{(13/2)} * b^2 * f^7 * (a * c)^{(1/2)} - 12 * A * a^{(5/2)} * b^6 * e^4 * f^3 * \\
& (a * c)^{(1/2)} + 8 * A * a^{(1/2)} * b^8 * e^6 * f * (a * c)^{(1/2)})) / (2 * a^{(1/2)} * c^2 * e * f * (a * c)^{(1/2)} \\
& * (a * f + b * e)^{2 * (a * f - b * e)} * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)} * (b^{10} * e^{10} - 4 * \\
& a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8)) \\
& * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^3) / ((a + b * x)^{(1/2)} - a^{(1/2)})^3 - (\\
& ((4 * (4 * A^2 * b^8 * e^4 + A^2 * a^4 * b^4 * f^4 + 4 * A^2 * a^2 * b^6 * e^2 * f^2)) / (b^{10} * e^{10} - \\
& 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8) \\
& - (A^2 * b^4 * (a^2 * f^2 + 2 * b^2 * e^2))^{2 * (12 * a^{10} * c * f^{10} - 4 * b^{10} * c * e^{10} + \\
& 28 * a^2 * b^8 * c * e^8 * f^2 - 72 * a^4 * b^6 * c * e^6 * f^4 + 88 * a^6 * b^4 * c * e^4 * f^6 - 52 * a \\
& ^8 * b^2 * c * e^2 * f^8)) / ((a * f + b * e)^{4 * (a * f - b * e)} * (a^2 * c * f^2 - b^2 * c * e^2) * (b \\
& ^{10} * e^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * \\
& f^8)) / (2 * a^{(1/2)} * c * f * (a * c)^{(1/2)} * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)}) + (4 * A^2 \\
& * a^{(1/2)} * b^2 * f * (a * c)^{(1/2)} * (a^2 * f^2 + 2 * b^2 * e^2)^2) / (c * e^2 * (a * f + b * e)^{4 * (a \\
& * f - b * e)} * (b^2 * c * e^2 - a^2 * c * f^2)^{(3/2)}) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2 \\
& / ((a + b * x)^{(1/2)} - a^{(1/2)})^2 - ((4 * (4 * A^2 * b^8 * c * e^4 + A^2 * a^4 * b^4 * \\
& c * f^4 + 4 * A^2 * a^2 * b^6 * c * e^2 * f^2)) / (b^{10} * e^{10} - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * \\
& e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8) + (A^2 * b^4 * (a^2 * f^2 + 2 * b^2 * \\
& e^2)^2 * (4 * a^{10} * c^2 * f^{10} + 4 * b^{10} * c^2 * e^{10} - 12 * a^2 * b^8 * c^2 * e^8 * f^2 + 8 * a \\
& ^4 * b^6 * c^2 * e^6 * f^4 + 8 * a^6 * b^4 * c^2 * e^4 * f^6 - 12 * a^8 * b^2 * c^2 * e^2 * f^8)) / ((a * f
\end{aligned}$$

$$\begin{aligned}
& + b^2 e^4 (a f - b e)^4 (a^2 c f^2 - b^2 c e^2) (b^{10} e^{10} - 4 a^2 b^8 e^8 f^2 \\
& \quad + 6 a^4 b^6 e^6 f^4 - 4 a^6 b^4 e^4 f^6 + a^8 b^2 e^2 f^8)) / (2 a^{(1/2)} c f (a c)^{(1/2)} (b^2 c e^2 - a^2 c f^2)^{(1/2)}) \\
& \quad * (b^8 e^{10} (a^2 c f^2 - b^2 c e^2) - 4 a^2 b^6 e^8 f^2 (a^2 c f^2 \\
& \quad - b^2 c e^2) + 6 a^4 b^4 e^6 f^4 (a^2 c f^2 - b^2 c e^2) - 4 a^6 b^2 e^4 f^6 \\
& \quad * (a^2 c f^2 - b^2 c e^2)) / (16 A^2 b^6 e^4 + 4 A^2 a^4 b^2 f^4 + 16 A^2 a^2 b^4 e^2 f^2) \\
& \quad) / (2 (a f + b e)^2 (a f - b e)^2 (b^2 c e^2 - a^2 c f^2)^{(1/2)}) \\
& \quad + (3 B a^2 b^2 e f (2 \operatorname{atan}((2 b^3 c^3 e^3 + 2 b c^2 e (a^2 c f^2 - b^2 c e^2) \\
& \quad + 2 a^2 b c^3 e f^2 + (3 a^{(3/2)} f^3 (a c)^{(3/2)} ((a c - b c x)^{(1/2)} \\
& \quad - (a c)^{(1/2)})^3) / ((a + b x)^{(1/2)} - a^{(1/2)})^3 + (2 b^3 c^2 e^3 ((a c \\
& \quad - b c x)^{(1/2)} - (a c)^{(1/2)})^2) / ((a + b x)^{(1/2)} - a^{(1/2)})^2 - (3 a^{(1/2)} \\
& \quad * f (a c)^{(1/2)} ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^3 (a^2 c f^2 - b^2 c e^2) \\
& \quad) / ((a + b x)^{(1/2)} - a^{(1/2)})^3 - (a^{(3/2)} c f^3 (a c)^{(3/2)} ((a c - b c x \\
& \quad)^{(1/2)} - (a c)^{(1/2)}) / ((a + b x)^{(1/2)} - a^{(1/2)} + (2 b c e ((a c - b c x \\
& \quad)^{(1/2)} - (a c)^{(1/2)})^2 * (a^2 c f^2 - b^2 c e^2)) / ((a + b x)^{(1/2)} - a^{(1/2)})^2 + (a^{(1/2)} c f (a c)^{(1/2)} ((a c - b c x)^{(1/2)} - (a c)^{(1/2)}) * (a^2 c \\
& \quad * f^2 - b^2 c e^2)) / ((a + b x)^{(1/2)} - a^{(1/2)} - (10 a^2 b c^2 e f^2 ((a c \\
& \quad - b c x)^{(1/2)} - (a c)^{(1/2)})^2) / ((a + b x)^{(1/2)} - a^{(1/2)})^2 + (7 a^{(1/2)} \\
& \quad * b^2 c^2 e^2 f (a c)^{(1/2)} ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})) / ((a + b x)^{(1/2)} - a^{(1/2)} - (a^{(1/2)} b^2 c e^2 f (a c)^{(1/2)} ((a c - b c x)^{(1/2)} - (a c)^{(1/2)})^3) / ((a + b x)^{(1/2)} - a^{(1/2)})^3 / (4 a^{(1/2)} b c^2 e f (a c)^{(1/2)} * (b^2 c e^2 - a^2 c f^2)^{(1/2)}) - 2 \operatorname{atan}(((a c - b c x)^{(1/2)} - (a c)^{(1/2)}) * (a^2 c f^2 - b^2 c e^2)) / ((a + b x)^{(1/2)} - a^{(1/2)} - (a^2 c f^2 * (a c - b c x)^{(1/2)} - (a c)^{(1/2)})) / ((a + b x)^{(1/2)} - a^{(1/2)} + 2 a^{(1/2)} * b c e f (a c)^{(1/2)}) / (2 b c e ((b^2 c e^2 - a^2 c f^2)^{(1/2)}))) / (2 (a f + b e)^2 (a f - b e)^2 (b^2 c e^2 - a^2 c f^2)^{(1/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)**3/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

$$3.27 \quad \int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$$

Optimal. Leaf size=501

$$\frac{\left(a^2 - b^2 x^2\right) (e + f x)^2 \left(16 a^2 C f^2 - b^2 \left(3 C e^2 - 5 f (4 A f + 3 B e)\right)\right)}{60 b^4 f \sqrt{a + b x} \sqrt{a c - b c x}} + \frac{\sqrt{a^2 c - b^2 c x^2} \tan^{-1}\left(\frac{b \sqrt{c} x}{\sqrt{a^2 c - b^2 c x^2}}\right) \left(4 A \left(3 a^2 b^2 e f^2 - 16 a^2 C f^2 e^2 + 16 a^2 C f^2 b^2 + 16 a^2 C f^2 e b + 16 a^2 C f^2 b e + 16 a^2 C f^2 e^3 + 4 a^2 C f^2 b^3 + 4 a^2 C f^2 b^2 e + 4 a^2 C f^2 b e^2 + 4 a^2 C f^2 e^4 + 4 a^2 C f^2 b^2 e^2 + 4 a^2 C f^2 b e^3 + 4 a^2 C f^2 e^5 + 4 a^2 C f^2 b^3 e + 4 a^2 C f^2 b^2 e^2 + 4 a^2 C f^2 b e^3 + 4 a^2 C f^2 e^6 + 4 a^2 C f^2 b^4 + 4 a^2 C f^2 b^3 e + 4 a^2 C f^2 b^2 e^3 + 4 a^2 C f^2 b e^4 + 4 a^2 C f^2 e^7 + 4 a^2 C f^2 b^5 + 4 a^2 C f^2 b^4 e + 4 a^2 C f^2 b^3 e^2 + 4 a^2 C f^2 b^2 e^4 + 4 a^2 C f^2 b e^5 + 4 a^2 C f^2 e^8 + 4 a^2 C f^2 b^6 + 4 a^2 C f^2 b^5 e + 4 a^2 C f^2 b^4 e^2 + 4 a^2 C f^2 b^3 e^4 + 4 a^2 C f^2 b^2 e^6 + 4 a^2 C f^2 b e^7 + 4 a^2 C f^2 e^9 + 4 a^2 C f^2 b^7 + 4 a^2 C f^2 b^6 e + 4 a^2 C f^2 b^5 e^2 + 4 a^2 C f^2 b^4 e^4 + 4 a^2 C f^2 b^3 e^6 + 4 a^2 C f^2 b^2 e^8 + 4 a^2 C f^2 b e^9 + 4 a^2 C f^2 e^{10}\right)}{8 b^5 \sqrt{c} \sqrt{a^2 c - b^2 c x^2}}$$

Rubi [A] time = 1.28, antiderivative size = 496, normalized size of antiderivative = 0.99, number of steps used = 7, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.150, Rules used = {1610, 1654, 833, 780, 217, 203}

$$\frac{\left(x^2 - b^2 x^2\right) (e + f x)^2 \left(5 \left(4 A f + 3 B e\right) + 3 C e^2\right)}{60 b^2 f \sqrt{a + b x} \sqrt{a c - b c x}}, \frac{\left(x^2 - b^2 x^2\right) \left(b^2 f x \left(x^2 f^2 (4 S B f + 71 C e) - b^2 \left(6 C e^2 - 10 f^2 (10 A f + 3 B e)\right)\right) + 4 \left(4 b^2 f^2 f^2 \left(5 f (A f + 3 B e) + 13 C e^2\right) + 16 a^2 C f^4 + b^4 \left(-x^2\right) \left(3 C e^2 - 5 f (16 A f + 3 B e)\right)\right)\right)}{120 b^6 f^4 \sqrt{a + b x} \sqrt{a c - b c x}} + \frac{\sqrt{c} \sqrt{c - b^2 x^2} \tan^{-1}\left(\frac{x \sqrt{c}}{\sqrt{a c - b c x}}\right) \left(4 A \left(3 a^2 b^2 f^2 + 2 B^2 e^2\right) + 4 a^2 f^2 (3 B f + C e) + 3 a^2 f^2 (B f + 3 C e)\right)}{80 b^5 \sqrt{c} \sqrt{a + b x} \sqrt{a c - b c x}} + \frac{\left(x^2 - b^2 x^2\right) (e + f x)^2 (C e - 5 B f)}{20 b^2 f \sqrt{a + b x} \sqrt{a c - b c x}} - \frac{C \left(x^2 - b^2 x^2\right) (e + f x)^4}{50 b^2 f \sqrt{a + b x} \sqrt{a c - b c x}}$$

Antiderivative was successfully verified.

$$\begin{aligned} & [\text{In}] \quad \text{Int}[((e + f*x)^3*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x] \\ & [\text{Out}] \quad ((3*C*e^2 - (16*a^2*C*f^2)/b^2 - 5*f*(3*B*e + 4*A*f))*(e + f*x)^2*(a^2 - b^2*x^2))/(60*b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((C*e - 5*B*f)*(e + f*x)^3*(a^2 - b^2*x^2))/(20*b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) - (C*(e + f*x)^4*(a^2 - b^2*x^2))/(5*b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) - ((4*(16*a^4*C*f^4 + 4*a^2*b^2*f^2*(13*C*e^2 + 5*f*(3*B*e + A*f))) - b^4*e^2*(3*C*e^2 - 5*f*(3*B*e + 16*A*f))) + b^2*f*(a^2*f^2*(71*C*e + 45*B*f) - b^2*(6*C*e^3 - 10*e*f*(3*B*e + 10*A*f)))*x)*(a^2 - b^2*x^2)/(120*b^6*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((3*a^4*f^2*(3*C*e + B*f) + 4*a^2*b^2*f^2*(C*e + 3*B*f) + 4*A*(2*b^4*e^3 + 3*a^2*b^2*f^2))*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(8*b^5*Sqrt[c]*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) \end{aligned}$$

Rule 203

$$\text{Int}[(a_+ + b_-)*(x_-)^2)^{-1}, x_Symbol] \Rightarrow \text{Simp}[(1*\text{ArcTan}[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \& \text{PosQ}[a/b] \& \text{GtQ}[a, 0] \text{ || } \text{GtQ}[b, 0])$$

Rule 217

$$\text{Int}[1/Sqrt[(a_+ + b_-)*(x_-)^2], x_Symbol] \Rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; \text{FreeQ}[\{a, b\}, x] \& \text{!GtQ}[a, 0]$$

Rule 780

$$\text{Int}[(d_- + (e_-)*(x_-))*(f_- + (g_-)*(x_-))*((a_+ + (c_-)*(x_-)^2)^(p_-), x_Symbol) \Rightarrow \text{Simp}[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p - 1)]$$

```
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]
```

Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1654

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{a+bz}\sqrt{ac-bcz}}dx &= \frac{\sqrt{a^2c-b^2cx^2} \int \frac{(e+fx)^3(A+Bx+Cx^2)}{\sqrt{a^2c-b^2cx^2}}dx}{\sqrt{a+bz}\sqrt{ac-bcz}} \\
&= -\frac{C(e+fx)^4(a^2-b^2x^2)}{5b^2f\sqrt{a+bz}\sqrt{ac-bcz}} - \frac{\sqrt{a^2c-b^2cx^2} \int \frac{(e+fx)^3(-c(5Ab^2+4a^2C)f^2+b^2cf(Ce-5Bf))}{\sqrt{a^2c-b^2cx^2}}}{5b^2cf^2\sqrt{a+bz}\sqrt{ac-bcz}} \\
&= \frac{(Ce-5Bf)(e+fx)^3(a^2-b^2x^2)}{20b^2f\sqrt{a+bz}\sqrt{ac-bcz}} - \frac{C(e+fx)^4(a^2-b^2x^2)}{5b^2f\sqrt{a+bz}\sqrt{ac-bcz}} + \frac{\sqrt{a^2c-b^2cx^2} \int}{20b^2f\sqrt{a+bz}\sqrt{ac-bcz}} \\
&= -\frac{(16a^2Cf^2-b^2(3Ce^2-5f(3Be+4Af)))(e+fx)^2(a^2-b^2x^2)}{60b^4f\sqrt{a+bz}\sqrt{ac-bcz}} + \frac{(Ce-5Bf)}{20b^2f\sqrt{a+bz}\sqrt{ac-bcz}} \\
&= -\frac{(16a^2Cf^2-b^2(3Ce^2-5f(3Be+4Af)))(e+fx)^2(a^2-b^2x^2)}{60b^4f\sqrt{a+bz}\sqrt{ac-bcz}} + \frac{(Ce-5Bf)}{20b^2f\sqrt{a+bz}\sqrt{ac-bcz}} \\
&= -\frac{(16a^2Cf^2-b^2(3Ce^2-5f(3Be+4Af)))(e+fx)^2(a^2-b^2x^2)}{60b^4f\sqrt{a+bz}\sqrt{ac-bcz}} + \frac{(Ce-5Bf)}{20b^2f\sqrt{a+bz}\sqrt{ac-bcz}}
\end{aligned}$$

Mathematica [A] time = 4.90, size = 727, normalized size = 1.45

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^3*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x]

[Out] (-120*(b*e - a*f)^2*(5*a^2*C*f + b^2*(B*e + 3*A*f) - 2*a*b*(C*e + 2*B*f))*Sqrt[a - b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*Sqrt[1 + (b*x)/a] + 2*Sqrt[a])*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) - 60*(b*e - a*f)*(10*a^2*C*f^2 - 2*a*b*f*(4*C*e + 3*B*f) + b^2*(C*e^2 + 3*f*(B*e + A*f)))*Sqrt[a - b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*(4*a + b*x)*Sqrt[1 + (b*x)/a] + 6*a^(3/2)*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) - 20*f*(10*a^2*C*f^2 - 4*a*b*f*(3*C*e + B*f) + b^2*(3*C*e^2 + f*(3*B*e + A*f)))*Sqrt[a - b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*(22*a^2 + 9*a*b*x + 2*b^2*x^2) + 30*a^(5/2)*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) - 5*f^2*(3*b*C*e + b*B*f - 5*a*C*f)*Sqrt[a - b*x]
```

$b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*(160*a^3 + 81*a^2*b*x + 32*a*b^2*x^2 + 6*b^3*x^3) + 210*a^(7/2)*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) - 3*C*f^3*Sqrt[a + b*x]*((a - b*x)*Sqrt[1 + (b*x)/a]*(488*a^4 + 275*a^3*b*x + 144*a^2*b^2*x^2 + 50*a*b^3*x^3 + 8*b^4*x^4) + 630*a^(9/2)*Sqrt[a - b*x]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) - 240*(A*b^2 + a*(-(b*B) + a*C))*(b*e - a*f)^3*Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x]])/(120*b^6*Sqrt[c*(a - b*x)]*Sqrt[1 + (b*x)/a])$

IntegrateAlgebraic [B] time = 1.26, size = 1909, normalized size = 3.81

result too large to display

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((e + f*x)^3*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]),x]

[Out] $((-120*a*b^4*B*c^4*e^3*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (60*a^2*b^3*c^4*C*e^3*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (360*a*A*b^4*c^4*e^2*f*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (180*a^2*b^3*B*c^4*e^2*f*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (360*a^3*b^2*c^4*C*e^2*f*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (180*a^2*A*b^3*c^4*e*f^2*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (360*a^3*b^2*B*c^4*e*f^2*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (225*a^4*b*c^4*C*e*f^2*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (120*a^3*A*b^2*c^4*f^3*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (75*a^4*b*B*c^4*f^3*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (120*a^5*c^4*C*f^3*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (480*a*b^4*B*c^3*e^3*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (120*a^2*b^3*c^3*C*e^3*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (1440*a*A*b^4*c^3*e^2*f*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (360*a^2*b^3*B*c^3*e^2*f*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (960*a^3*b^2*c^3*C*e^2*f*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (360*a^2*A*b^3*c^3*e*f^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (960*a^3*b^2*B*c^3*e*f^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (30*a^4*b*B*c^3*f^3*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (160*a^5*c^3*C*f^3*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (720*a*b^4*B*c^2*e^3*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (2160*a*A*b^4*c^2*e^2*f*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (1200*a^3*b^2*c^2*C*e^2*f*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (1200*a^3*b^2*B*c^2*e*f^2*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (400*a^3*A*b^2*c^2*f^3*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (464*a^5*c^2*C*f^3*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (480*a*b^4*B*c*e^3*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) + (120*a^2*b^3*c^3*C*e^3*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (1440*a*A*b^4*c^2*f*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) + (360*a^2*b^3*B*c^2*f*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (960*a^3*b^2*B*c^2*f^2*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) + (90*a^4*b*c^2*C*e*f^2*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2)$

$$\begin{aligned}
& - (320*a^3*A*b^2*c*f^3*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) + (30*a^4*b*B*c*f^3*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (160*a^5*c*C*f^3*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) \\
& - (120*a*b^4*B*e^3*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) + (60*a^2*b^3*C*e^3*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) - (360*a*A*b^4*e^2*f*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) \\
& + (180*a^2*b^3*B*e^2*f*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) - (360*a^3*b^2*C*e^2*f*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) + (180*a^2*A*b^3*e*f^2*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) \\
& - (360*a^3*b^2*B*e*f^2*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) + (225*a^4*b*C*e*f^2*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) - (120*a^3*A*b^2*f^3*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) \\
& + (75*a^4*b*B*f^3*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2) - (120*a^5*C*f^3*(a*c - b*c*x)^(9/2))/(a + b*x)^(9/2)/(60*b^6*(c + (a*c - b*c*x)/(a + b*x))^5) + ((-8*A*b^4*e^3 - 4*a^2*b^2*C*e^3 - 12*a^2*b^2*B*e^2*f - 12*a^2*A*b^2*e*f^2 - 9*a^4*C*e*f^2 - 3*a^4*B*f^3)*ArcTan[Sqrt[a*c - b*c*x]/(Sqrt[c]*Sqrt[a + b*x])])/(4*b^5*Sqrt[c])
\end{aligned}$$

fricas [A] time = 0.78, size = 700, normalized size = 1.40

[REDACTED]

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")

[Out] [-1/240*(15*(12*B*a^2*b^3*e^2*f + 3*B*a^4*b*f^3 + 4*(C*a^2*b^3 + 2*A*b^5)*e^3 + 3*(3*C*a^4*b + 4*A*a^2*b^3)*e*f^2)*sqrt(-c)*log(2*b^2*c*x^2 - 2*sqrt(-b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(-c)*x - a^2*c) + 2*(24*C*b^4*f^3*x^4 + 120*B*b^4*e^3 + 240*B*a^2*b^2*e*f^2 + 120*(2*C*a^2*b^2 + 3*A*b^4)*e^2*f + 16*(4*C*a^4 + 5*A*a^2*b^2)*f^3 + 30*(3*C*b^4*e*f^2 + B*b^4*f^3)*x^3 + 8*(15*C*b^4*e^2*f + 15*B*b^4*e*f^2 + (4*C*a^2*b^2 + 5*A*b^4)*f^3)*x^2 + 15*(4*C*b^4*f^3 + 12*B*b^4*e^2*f + 3*B*a^2*b^2*f^3 + 3*(3*C*a^2*b^2 + 4*A*b^4)*e*f^2)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/(b^6*c), -1/120*(15*(12*B*a^2*b^3*e^2*f + 3*B*a^4*b*f^3 + 4*(C*a^2*b^3 + 2*A*b^5)*e^3 + 3*(3*C*a^4*b + 4*A*a^2*b^3)*e*f^2)*sqrt(c)*arctan(sqrt(-b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(c)*x/(b^2*c*x^2 - a^2*c)) + (24*C*b^4*f^3*x^4 + 120*B*b^4*e^3 + 240*B*a^2*b^2*e*f^2 + 120*(2*C*a^2*b^2 + 3*A*b^4)*e^2*f + 16*(4*C*a^4 + 5*A*a^2*b^2)*f^3 + 30*(3*C*b^4*e*f^2 + B*b^4*f^3)*x^3 + 8*(15*C*b^4*e^2*f + 15*B*b^4*e*f^2 + (4*C*a^2*b^2 + 5*A*b^4)*f^3)*x^2 + 15*(4*C*b^4*e^3 + 12*B*b^4*e^2*f + 3*B*a^2*b^2*f^3 + 3*(3*C*a^2*b^2 + 4*A*b^4)*e*f^2)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/(b^6*c)]

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")
```

[Out] Timed out

maple [B] time = 0.03, size = 965, normalized size = 1.93

...and the Lord said unto Moses, See, I have given you the stones of the law, and the tablets of stone, and the law, and the commandments, and the statutes, and the judgments.

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^3*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)

[Out] 1/120*(b*x+a)^(1/2)*(-(b*x-a)*c)^(1/2)/c*(-24*C*x^4*b^4*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-30*B*x^3*b^4*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-90*C*x^3*b^4*e*f^2*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+180*A*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^4*c*e*f^2+120*A*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*b^6*c*e^3-40*A*x^2*b^4*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+45*B*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^4*b^2*c*f^3+180*B*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^4*c*e^2*f-120*B*x^2*b^4*e*f^2*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+135*C*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^4*b^2*c*e*f^2+60*C*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^4*c*e^3-32*C*x^2*a^2*b^2*f^3*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-120*C*x^2*b^4*e^2*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-180*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*b^4*e*f^2-45*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^2*b^2*f^3-180*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*b^4*e^2*f-135*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^2*b^2*f^2-60*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*b^4*e^3-80*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*a^2*b^2*f^3-360*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*b^4*e^2*f-240*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*a^2*b^2*e*f^2-120*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*b^4*e^3-64*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*a^4*f^3-240*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*a^2*b^2*e^2*f)/b^6/(-(b^2*x^2-a^2)*c)^(1/2)/(b^2*c)^(1/2)
```

maxima [A] time = 1.97, size = 471, normalized size = 0.94

$$\begin{aligned} & \sqrt{-B^2C^2 + C^2F^2} + C^2F^2, \quad 4\sqrt{-B^2C^2 + B^2C^2F^2}, \quad A^2C^2 \arcsin\left(\frac{B}{A}\right), \\ & \sqrt{-B^2C^2 + B^2C^2F^2}, \quad 2\sqrt{-B^2C^2 + B^2C^2F^2}, \quad 8\sqrt{-B^2C^2 + C^2F^2}, \\ & \sqrt{-B^2C^2 + C^2F^2}, \quad 3\sqrt{-B^2C^2 + 3BF^2 + B^2F^2}, \\ & \sqrt{-B^2C^2 + 3BF^2 + 3BF^2}, \quad 3(C^2F^2 + 3BF^2 + AF^2), \\ & 3(C^2F^2 + 3BF^2 + AF^2) \arcsin\left(\frac{B}{A}\right), \quad (C^2 + 3BF^2 + 3BF^2) \arcsin\left(\frac{B}{A}\right), \\ & 3\sqrt{-C^2F^2 + 3(C^2F^2 + BF^2)^2}, \quad \sqrt{-C^2F^2 + 3(C^2F^2 + BF^2)^2}, \\ & 2\sqrt{-C^2F^2 + 3(C^2F^2 + BF^2)^2}, \quad 2\sqrt{-C^2F^2 + 3(C^2F^2 + 3BF^2 + AF^2)^2}. \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")
```

```
[Out] -1/5*sqrt(-b^2*c*x^2 + a^2*c)*C*f^3*x^4/(b^2*c) - 4/15*sqrt(-b^2*c*x^2 + a^2*c)*C*a^2*f^3*x^2/(b^4*c) + A*e^3*arcsin(b*x/a)/(b*sqrt(c)) - sqrt(-b^2*c*x^2 + a^2*c)*B*e^3/(b^2*c) - 3*sqrt(-b^2*c*x^2 + a^2*c)*A*e^2*f/(b^2*c) - 8
```

$$\begin{aligned} & /15*\sqrt{-b^2*c*x^2 + a^2*c)*C*a^4*f^3/(b^6*c) - 1/4*\sqrt{-b^2*c*x^2 + a^2*c)*(3*C*e*f^2 + B*f^3)*x^3/(b^2*c) - 1/3*\sqrt{-b^2*c*x^2 + a^2*c)*(3*C*e^2*f + 3*B*e*f^2 + A*f^3)*x^2/(b^2*c) + 3/8*(3*C*e*f^2 + B*f^3)*a^4*arcsin(b*x/a)/(b^5*sqrt(c)) + 1/2*(C*e^3 + 3*B*e^2*f + 3*A*e*f^2)*a^2*arcsin(b*x/a)/(b^3*sqrt(c)) - 3/8*\sqrt{-b^2*c*x^2 + a^2*c)*(3*C*e*f^2 + B*f^3)*a^2*x/(b^4*c) - 1/2*\sqrt{-b^2*c*x^2 + a^2*c)*(C*e^3 + 3*B*e^2*f + 3*A*e*f^2)*x/(b^2*c) - 2/3*\sqrt{-b^2*c*x^2 + a^2*c)*(3*C*e^2*f + 3*B*e*f^2 + A*f^3)*a^2/(b^4*c) \end{aligned}$$

mupad [B] time = 161.43, size = 4167, normalized size = 8.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((e + f*x)^3*(A + B*x + C*x^2))/((a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)
```

```
[Out] - (((23*B*a^4*c*f^3)/2 - 18*B*a^2*b^2*c*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^13)/(b^5*((a + b*x)^(1/2) - a^(1/2))^13) + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^15*((3*B*a^4*f^3)/2 + 6*B*a^2*b^2*e^2*f))/(b^5*((a + b*x)^(1/2) - a^(1/2))^15) - (((3*B*a^4*c^7*f^3)/2 + 6*B*a^2*b^2*c^7*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(b^5*((a + b*x)^(1/2) - a^(1/2))) - (((23*B*a^4*c^6*f^3)/2 - 18*B*a^2*b^2*c^6*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^(3)/(b^5*((a + b*x)^(1/2) - a^(1/2))^3) + (((333*B*a^4*c^5*f^3)/2 + 90*B*a^2*b^2*c^5*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5)/(b^5*((a + b*x)^(1/2) - a^(1/2))^5) - (((333*B*a^4*c^2*f^3)/2 + 90*B*a^2*b^2*c^2*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^11)/(b^5*((a + b*x)^(1/2) - a^(1/2))^11) - (((671*B*a^4*c^4*f^3)/2 - 66*B*a^2*b^2*c^4*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/(b^5*((a + b*x)^(1/2) - a^(1/2))^7) + (((671*B*a^4*c^3*f^3)/2 - 66*B*a^2*b^2*c^3*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^9)/(b^5*((a + b*x)^(1/2) - a^(1/2))^9) + (a^(1/2)*(a*c)^(1/2)*(48*B*b^2*c^5*e^3 + 192*B*a^2*c^5*e*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/(b^4*((a + b*x)^(1/2) - a^(1/2))^4) + (a^(1/2)*(a*c)^(1/2)*(160*B*b^2*c^3*e^3 + 128*B*a^2*c^3*e*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^8)/(b^4*((a + b*x)^(1/2) - a^(1/2))^8) + (a^(1/2)*(a*c)^(1/2)*(120*B*b^2*c^4*e^3 + 256*B*a^2*c^4*e*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6)/(b^4*((a + b*x)^(1/2) - a^(1/2))^6) + (a^(1/2)*(a*c)^(1/2)*(120*B*b^2*c^2*e^3 + 256*B*a^2*c^2*e*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^10)/(b^4*((a + b*x)^(1/2) - a^(1/2))^10) + (a^(1/2)*(a*c)^(1/2)*(a*c - b*c*x)^(1/2) - (a*c)^(1/2))^12*(48*B*b^2*c*e^3 + 192*B*a^2*c*e*f^2)/(b^4*((a + b*x)^(1/2) - a^(1/2))^12) + (8*B*a^(1/2)*e^3*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^14)/(b^2*((a + b*x)^(1/2) - a^(1/2))^14) + (8*B*a^(1/2)*c^6*e^3*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(b^2*((a + b*x)^(1/2) - a^(1/2))^2)/(((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^16/((a + b*x)^(1/2) - a^(1/2))^16 + c^8 + (8*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^14)/((a + b*x)^(1/2) - a^(1/2))^14 + (8*c^7*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 + (28*c^6*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2)
```

$$\begin{aligned}
& \frac{1}{2}) - (a*c)^{(1/2)})^4)/((a + b*x)^{(1/2)} - a^{(1/2)})^4 + (56*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6)/((a + b*x)^{(1/2)} - a^{(1/2)})^6 + (70*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8)/((a + b*x)^{(1/2)} - a^{(1/2)})^8 + (56*c^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{10})/((a + b*x)^{(1/2)} - a^{(1/2)})^{10} + (28*c^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^{12})/((a + b*x)^{(1/2)} - a^{(1/2)})^{12}) - ((a^{(1/2)}*(a*c)^{(1/2)}*(64*A*a^2*c^3*f^3 + 96*A*b^2*c^3*e^2*f)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/(b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^4) - (a^{(1/2)}*(a*c)^{(1/2)}*((128*A*a^2*c^2*f^3)/3 - 144*A*b^2*c^2*e^2*f)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6)/(b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^6) + (a^{(1/2)}*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8*(64*A*a^2*c*f^3 + 96*A*b^2*c*e^2*f))/(b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^8) + (6*A*a^2*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^11)/(b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^11) - (6*A*a^2*c^5*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/((b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^9)/(b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^9) + (24*A*a^2*(a*c)^{(1/2)}*e^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^10)/(b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^10) + (30*A*a^2*c^4*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/(b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^3) + (36*A*a^2*c^3*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)/(b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^5) - (36*A*a^2*c^2*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/(b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^7) + (24*A*a^2*(a*c)^{(1/2)}*c^4*e^2*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^2)) / (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^12)/((a + b*x)^{(1/2)} - a^{(1/2)})^12 + c^6 + (6*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^10)/((a + b*x)^{(1/2)} - a^{(1/2)})^10 + (6*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (15*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/((a + b*x)^{(1/2)} - a^{(1/2)})^4 + (20*c^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6)/((a + b*x)^{(1/2)} - a^{(1/2)})^6 + (15*c^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8)/((a + b*x)^{(1/2)} - a^{(1/2)})^8) - (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^11*9*((9*C*a^4*e*f^2)/2 + 2*C*a^2*b^2*e^3))/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^11) - ((2*C*a^2*b^2*c^2*e^3 - (87*C*a^4*c^2*f^2)/2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^17)/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^17) - (((9*C*a^4*c^9*e*f^2)/2 + 2*C*a^2*b^2*c^9*e^3)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/((b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^17) - ((87*C*a^4*c^8*e*f^2)/2 - 2*C*a^2*b^2*c^8*e^3)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^3) - ((42*C*a^4*c^6*e*f^2 - 88*C*a^2*b^2*c^6*e^3)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^7) + (((42*C*a^4*c^3*e*f^2 - 88*C*a^2*b^2*c^3*e^3)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^13)/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^13) - ((426*C*a^4*c^7*e*f^2 + 40*C*a^2*b^2*c^7*e^3)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^5) - (((426*C*a^4*c^2*e*f^2 + 40*C*a^2*b^2*c^2*e^3)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^15)/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^15) - (((507*C*a^4*c^5*e*f^2 - 52*C*a^2*b^2*c^5*e^3)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^9)/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^9) + (((507*C*a^4*c^4*e*f^2 - 52*C*a^2*b^2*c^4*e^3)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^11)/(b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^11) + (a^{(1/2)}*(a*c)^{(1/2)}*((2048*C*a^4*c^6*f^3)/3 + 640*C*a^2*b^2*c^6*e^2*f)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))
\end{aligned}$$

$$\begin{aligned}
&)^{(1/2)} - (a*c)^{(1/2)})^6)/(b^6*((a + b*x)^{(1/2)} - a^{(1/2)})^6) + (a^{(1/2)}*(a *c)^{(1/2)}*((2048*C*a^4*c^2*f^3)/3 + 640*C*a^2*b^2*c^2*e^2*f)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^14)/(b^6*((a + b*x)^{(1/2)} - a^{(1/2)})^14) - (a^{(1/2)}*(a*c)^{(1/2)}*((4096*C*a^4*c^5*f^3)/3 - 832*C*a^2*b^2*c^5*e^2*f)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8)/(b^6*((a + b*x)^{(1/2)} - a^{(1/2)})^8) - (a^{(1/2)}*(a*c)^{(1/2)}*((4096*C*a^4*c^3*f^3)/3 - 832*C*a^2*b^2*c^3*e^2*f)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^12)/(b^6*((a + b*x)^{(1/2)} - a^{(1/2)})^12) + (a^{(1/2)}*(a*c)^{(1/2)}*((12288*C*a^4*c^4*f^3)/5 + 768*C*a^2*b^2*c^4*e^2*f)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^10)/(b^6*((a + b*x)^{(1/2)} - a^{(1/2)})^10) + (192*C*a^{(5/2)}*c*e^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^16)/(b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^16) + (192*C*a^{(5/2)}*c^7*e^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/(b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^4)) / (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^20 / ((a + b*x)^{(1/2)} - a^{(1/2)})^20 + c^{10} + (10*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^18) / ((a + b*x)^{(1/2)} - a^{(1/2)})^18 + (10*c^9*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (45*c^8*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4) / ((a + b*x)^{(1/2)} - a^{(1/2)})^4 + (120*c^7*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6) / ((a + b*x)^{(1/2)} - a^{(1/2)})^6 + (210*c^6*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8) / ((a + b*x)^{(1/2)} - a^{(1/2)})^8 + (252*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^10) / ((a + b*x)^{(1/2)} - a^{(1/2)})^10 + (210*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^12) / ((a + b*x)^{(1/2)} - a^{(1/2)})^12 + (120*c^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^14) / ((a + b*x)^{(1/2)} - a^{(1/2)})^14 + (45*c^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^16) / ((a + b*x)^{(1/2)} - a^{(1/2)})^16) - (2*A*e*atan((A*e*(3*a^2*f^2 + 2*b^2*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (c^(1/2)*(2*A*b^2*e^3 + 3*A*a^2*e*f^2)*((a + b*x)^{(1/2)} - a^{(1/2)}))) * (3*a^2*f^2 + 2*b^2*e^2)) / (b^3*c^(1/2)) - (3*B*a^2*f*atan((B*a^2*f*(a^2*f^2 + 4*b^2*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (c^(1/2)*(B*a^4*f^3 + 4*B*a^2*b^2*e^2*f)*((a + b*x)^{(1/2)} - a^{(1/2)}))) * (a^2*f^2 + 4*b^2*e^2)) / (2*b^5*c^(1/2)) - (C*a^2*e*atan((C*a^2*e*(9*a^2*f^2 + 4*b^2*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (c^(1/2)*(9*C*a^4*e*f^2 + 4*C*a^2*b^2*e^3)*((a + b*x)^{(1/2)} - a^{(1/2)}))) * (9*a^2*f^2 + 4*b^2*e^2)) / (2*b^5*c^(1/2))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*(C*x**2+B*x+A)/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)
[Out] Timed out

3.28 $\int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$

Optimal. Leaf size=368

$$\frac{(a^2 - b^2 x^2) (f x (9 a^2 C f^2 - b^2 (2 C e^2 - 4 f (3 A f + 2 B e))) + 4 (4 a^2 f^2 (B f + 2 C e) - b^2 e (C e^2 - 4 f (3 A f + B e))))}{24 b^4 f \sqrt{a + b x} \sqrt{a c - b c x}}$$

Rubi [A] time = 0.88, antiderivative size = 369, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.150, Rules used = {1610, 1654, 833, 780, 217, 203}

$$\frac{(a^2 - b^2 x^2) \left(f x \left(9 a^2 C f^2 - b^2 \left(2 C e^2 - 4 f (3 A f + 2 B e)\right)\right) + 4 \left(4 a^2 f^2 (B f + 2 C e) - \frac{1}{4} b^2 \left(4 C e^3 - 16 e f (3 A f + B e)\right)\right)\right) + \frac{\sqrt{a^2 c - b^2 c x^2} \tan^{-1}\left(\frac{b \sqrt{c} x}{\sqrt{c} \sqrt{a^2 - b^2 c x^2}}\right) \left(4 A \left(a^2 b^2 f^2 + 2 b^4 c^2\right) + 4 a^2 b^2 e (2 B f + C e) + 3 a^4 C f^2\right)}{8 b^5 \sqrt{c} \sqrt{a + b x} \sqrt{a c - b c x}} + \frac{(a^2 - b^2 x^2) (e + f x)^2 (C e - 4 B f)}{12 b^2 f \sqrt{a + b x} \sqrt{a c - b c x}} - \frac{C (a^2 - b^2 x^2) (e + f x)^3}{4 b^2 f \sqrt{a + b x} \sqrt{a c - b c x}}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x]
[Out] ((C*e - 4*B*f)*(e + f*x)^2*(a^2 - b^2*x^2))/(12*b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) - (C*(e + f*x)^3*(a^2 - b^2*x^2))/(4*b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) - ((4*(4*a^2*f^2*(2*C*e + B*f) - (b^2*(4*C*e^3 - 16*e*f*(B*e + 3*A*f))/4) + f*(9*a^2*C*f^2 - b^2*(2*C*e^2 - 4*f*(2*B*e + 3*A*f)))*x)*(a^2 - b^2*x^2))/(24*b^4*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((3*a^4*C*f^2 + 4*a^2*b^2*e*(C*e + 2*B*f) + 4*A*(2*b^4*e^2 + a^2*b^2*f^2))*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(8*b^5*Sqrt[c]*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]]/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 780

```
Int[((d_.) + (e_.)*(x_))*(f_.) + (g_.)*(x_))*(a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
```

$Q[p, -1]$

Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*(f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x], x]
 /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*(c_.) + (d_.)*(x_))^(n_)*(e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x]
 /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1654

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*(a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x]
 /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{a+bx}\sqrt{ac-bcx}} dx &= \frac{\sqrt{a^2c-b^2cx^2} \int \frac{(e+fx)^2(A+Bx+Cx^2)}{\sqrt{a^2c-b^2cx^2}} dx}{\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= -\frac{C(e+fx)^3(a^2-b^2x^2)}{4b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{\sqrt{a^2c-b^2cx^2} \int \frac{(e+fx)^2(-c(4Ab^2+3a^2C)f^2+b^2cf(Ce-4Bf))}{\sqrt{a^2c-b^2cx^2}}}{4b^2cf^2\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= \frac{(Ce-4Bf)(e+fx)^2(a^2-b^2x^2)}{12b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{C(e+fx)^3(a^2-b^2x^2)}{4b^2f\sqrt{a+bx}\sqrt{ac-bcx}} + \frac{\sqrt{a^2c-b^2cx^2}}{12b^2f\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= \frac{(Ce-4Bf)(e+fx)^2(a^2-b^2x^2)}{12b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{C(e+fx)^3(a^2-b^2x^2)}{4b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{(4(4a^2f^2(2Ce-12Bf)))}{12b^2f\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= \frac{(Ce-4Bf)(e+fx)^2(a^2-b^2x^2)}{12b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{C(e+fx)^3(a^2-b^2x^2)}{4b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{(4(4a^2f^2(2Ce-12Bf)))}{12b^2f\sqrt{a+bx}\sqrt{ac-bcx}} \\
&= \frac{(Ce-4Bf)(e+fx)^2(a^2-b^2x^2)}{12b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{C(e+fx)^3(a^2-b^2x^2)}{4b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{(4(4a^2f^2(2Ce-12Bf)))}{12b^2f\sqrt{a+bx}\sqrt{ac-bcx}}
\end{aligned}$$

Mathematica [A] time = 2.68, size = 555, normalized size = 1.51

$$\begin{aligned}
&-24\sqrt{x-2b}\sqrt{2b}(2e-f)\left(\sqrt{2}\sqrt{-2b}\sqrt{b-2x}+2\sqrt{2}\sin^{-1}\left(\frac{\sqrt{2b-x}}{\sqrt{2b}}\right)\right)\left(4e^2C'-4b(Mf'+2Cf)+2^2(DAf'+Bf)\right)-12\sqrt{b-2b}\sqrt{2b}\left(4e^2\sin^2\left(\frac{\sqrt{2b-x}}{\sqrt{2b}}\right)+\sqrt{b-2b}(4e+f\ln(\sqrt{b-x}+1))\right)\left(4e^2C'^2-3ab(fg'+2Cg)+2^2((gAf'+2bf)+Cg^2)\right)-4\sqrt{b-2b}\sqrt{b-2b}\left(3b^2\sin^2\sin^{-1}\left(\frac{\sqrt{2b-x}}{\sqrt{2b}}\right)+\sqrt{b-2b}\sqrt{b-2b}\left(212^2+9ab+2b^2g^2\right)\right)(-4e(C'-Af')+2bc)-C'^2\sqrt{b-2b}\left(21b^2\sin^2\sin^{-1}\left(\frac{\sqrt{2b-x}}{\sqrt{2b}}\right)+(g-3b)\sqrt{b-2b}\right)(5bM^2+3b^2f^2g+12b^2fg+4b^2g^2))-4b\sqrt{b-2b}\sqrt{b-2b}(2e-f)^2\tan^{-1}\left(\frac{\sqrt{2b-x}}{\sqrt{2b}}\right)(4b(C'-Af')+Ab^2)
\end{aligned}$$

Antiderivative was successfully verified.

```

[In] Integrate[((e + f*x)^2*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x]

[Out] (-24*(b*e - a*f)*(4*a^2*C*f + b^2*(B*e + 2*A*f) - a*b*(2*C*e + 3*B*f))*Sqrt[a - b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*Sqrt[1 + (b*x)/a] + 2*Sqrt[a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) - 12*(6*a^2*C*f^2 - 3*a*b*f*(2*C*e + B*f) + b^2*(C*e^2 + f*(2*B*e + A*f)))*Sqrt[a - b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*(4*a + b*x)*Sqrt[1 + (b*x)/a] + 6*a^(3/2)*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) - 4*f*(2*b*C*e + b*B*f - 4*a*C*f)*Sqrt[a - b*x]*Sqrt[a + b*x]*(Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*(22*a^2 + 9*a*b*x + 2*b^2*x^2) + 30*a^(5/2)*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) - C*f^2*Sqrt[a + b*x]*((a - b*x)*Sqrt[1 + (b*x)/a]*(160*a^3 + 81*a^2*b*x + 32*a*b^2*x^2 + 6*b^3*x^3) + 210*a^(7/2)*Sqrt[a - b*x]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])]) - 48*(A*b^2 + a*(-(b*B) + a*C))*(b*e - a*f)^2*Sqrt[a - b*x]*Sqrt[1 + (b*x)/a]*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x]])/(24*b^5*Sqrt[c*(a - b*x)]*Sqrt[1 + (b*x)/a])

```

IntegrateAlgebraic [B] time = 0.82, size = 1213, normalized size = 3.30

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((e + f*x)^2*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]),x]

[Out]
$$\frac{((-24*a*b^3*B*c^3*e^2*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (12*a^2*b^2*c^3*C*e^2*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (48*a*A*b^3*c^3*e*f*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (24*a^2*b^2*B*c^3*e*f*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (48*a^3*b*c^3*C*e*f*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (12*a^2*A*b^2*c^3*f^2*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (24*a^3*b*B*c^3*f^2*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (15*a^4*c^3*C*f^2*Sqrt[a*c - b*c*x])/Sqrt[a + b*x] - (72*a*b^3*B*c^2*e^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (12*a^2*b^2*c^2*C*e^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (144*a*A*b^3*c^2*e*f*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (24*a^2*b^2*B*c^2*e*f*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (80*a^3*b*c^2*C*e*f*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (12*a^2*A*b^2*c^2*f^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (40*a^3*b*B*c^2*f^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) + (9*a^4*c^2*C*f^2*(a*c - b*c*x)^(3/2))/(a + b*x)^(3/2) - (72*a*b^3*B*c*e^2*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) + (12*a^2*b^2*c*C*e^2*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (144*a*A*b^3*c*e*f*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) + (24*a^2*b^2*B*c*e*f*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (80*a^3*b*c*C*e*f*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) + (12*a^2*A*b^2*c*f^2*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (40*a^3*b*B*c*f^2*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (9*a^4*c*C*f^2*(a*c - b*c*x)^(5/2))/(a + b*x)^(5/2) - (24*a*b^3*B*c*e^2*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) + (12*a^2*b^2*C*e^2*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (48*a*A*b^3*c*f*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) + (24*a^2*b^2*B*c*f*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (48*a^3*b*c*f*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) + (12*a^2*A*b^2*f^2*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) + (15*a^4*C*f^2*(a*c - b*c*x)^(7/2))/(a + b*x)^(7/2) - (12*b^5*(c + (a*c - b*c*x)/(a + b*x))^4) + ((-8*A*b^4*e^2 - 4*a^2*b^2*C*e^2 - 8*a^2*b^2*B*c*f - 4*a^2*A*b^2*f^2 - 3*a^4*C*f^2)*ArcTan[Sqrt[a*c - b*c*x]/(Sqrt[c]*Sqrt[a + b*x])])/(4*b^5*Sqrt[c])$$

fricas [A] time = 1.22, size = 482, normalized size = 1.31

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")

```
[Out] [-1/48*(3*(8*B*a^2*b^2*e*f + 4*(C*a^2*b^2 + 2*A*b^4)*e^2 + (3*C*a^4 + 4*A*a^2*b^2)*f^2)*sqrt(-c)*log(2*b^2*c*x^2 - 2*sqrt(-b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(-c)*x - a^2*c) + 2*(6*C*b^3*f^2*x^3 + 24*B*b^3*e^2 + 16*B*a^2*b*f^2 + 16*(2*C*a^2*b + 3*A*b^3)*e*f + 8*(2*C*b^3*e*f + B*b^3*f^2)*x^2 + 3*(4*C*b^3*e^2 + 8*B*b^3*e*f + (3*C*a^2*b + 4*A*b^3)*f^2)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/(b^5*c), -1/24*(3*(8*B*a^2*b^2*e*f + 4*(C*a^2*b^2 + 2*A*b^4)*e^2 + (3*C*a^4 + 4*A*a^2*b^2)*f^2)*sqrt(c)*arctan(sqrt(-b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(c)*x/(b^2*c*x^2 - a^2*c)) + (6*C*b^3*f^2*x^3 + 24*B*b^3*e^2 + 16*B*a^2*b*f^2 + 16*(2*C*a^2*b + 3*A*b^3)*e*f + 8*(2*C*b^3*e*f + B*b^3*f^2)*x^2 + 3*(4*C*b^3*e^2 + 8*B*b^3*e*f + (3*C*a^2*b + 4*A*b^3)*f^2)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/(b^5*c)]
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2), x, algorithm="giac")
```

[Out] Timed out

maple [A] time = 0.03, size = 635, normalized size = 1.73

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^2*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)
[Out] 1/24*(b*x+a)^(1/2)*(-(b*x-a)*c)^(1/2)/c*(-6*C*x^3*b^2*f^2*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+12*A*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^2*c*f^2+24*A*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*b^4*c*e^2+24*B*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^2*c*e*f-8*B*x^2*b^2*f^2*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)+9*C*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^4*c*f^2+12*C*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*b^2*c*e^2-16*C*x^2*b^2*e*f*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)-12*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*b^2*f^2-24*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*b^2*e*f-9*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*a^2*f^2-12*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x*b^2*e^2-48*A*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*b^2*e*f-16*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*a^2*f^2-24*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*b^2*e^2-32*C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*a^2*e*f)/b^4/(-(b^2*x^2-a^2)*c)^(1/2)/(b^2*c)^(1/2)
```

maxima [A] time = 2.02, size = 317, normalized size = 0.86

$$\frac{\sqrt{-b^2cx^2 + a^2c} C f^2 x^3}{4 b^2 c} + \frac{A e^2 \arcsin\left(\frac{bx}{a}\right)}{b \sqrt{c}} + \frac{3 C a^4 f^2 \arcsin\left(\frac{bx}{a}\right)}{8 b^5 \sqrt{c}} - \frac{3 \sqrt{-b^2 cx^2 + a^2 c} C a^2 f^2 x}{8 b^4 c} - \frac{\sqrt{-b^2 cx^2 + a^2 c} B e f}{b^2 c} - \frac{2 \sqrt{-b^2 cx^2 + a^2 c} A e f}{b^2 c} - \frac{\sqrt{-b^2 cx^2 + a^2 c} (2 C e f + B f^2) x^2}{3 b^3 c} + \frac{(C e^2 + 2 B e f + A f^2) a^2 \arcsin\left(\frac{bx}{a}\right)}{2 b^3 \sqrt{c}} - \frac{\sqrt{-b^2 cx^2 + a^2 c} (C e^2 + 2 B e f + A f^2) x}{2 b^2 c} - \frac{2 \sqrt{-b^2 cx^2 + a^2 c} (2 C e f + B f^2) a^2}{3 b^4 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -1/4 * \sqrt{(-b^2 c x^2 + a^2 c) * C * f^2 * x^3 / (b^2 c)} + A * e^2 * \arcsin(b * x / a) / (b * \sqrt{c}) \\ & + 3/8 * C * a^4 * f^2 * \arcsin(b * x / a) / (b^5 * \sqrt{c}) - 3/8 * \sqrt{(-b^2 c x^2 + a^2 c) * C * a^2 * f^2 * x} / (b^4 * c) \\ & - \sqrt{(-b^2 c x^2 + a^2 c) * B * e^2} / (b^2 * c) - 2 * \sqrt{(-b^2 c x^2 + a^2 c) * A * e * f} / (b^2 * c) \\ & - 1/3 * \sqrt{(-b^2 c x^2 + a^2 c) * (2 * C * e * f + B * f^2) * x^2} / (b^2 * c) + 1/2 * (C * e^2 + 2 * B * e * f + A * f^2) * a^2 * \arcsin(b * x / a) / (b^3 * \sqrt{c}) \\ & - 1/2 * \sqrt{(-b^2 c x^2 + a^2 c) * (C * e^2 + 2 * B * e * f + A * f^2) * x} / (b^2 * c) - 2/3 * \sqrt{(-b^2 c x^2 + a^2 c) * (2 * C * e * f + B * f^2) * a^2} / (b^4 * c) \end{aligned}$$

mupad [B] time = 81.65, size = 2799, normalized size = 7.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((e + f*x)^2*(A + B*x + C*x^2))/((a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)`

[Out]
$$\begin{aligned} & - ((a^{(1/2)} * (a * c)^{(1/2)} * (64 * B * a^2 * c * f^2 + 32 * B * b^2 * c * e^2) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^8) / (b^4 * ((a + b * x)^{(1/2)} - a^{(1/2)})^8) + (a^{(1/2)} * (a * c)^{(1/2)} * (64 * B * a^2 * c^3 * f^2 + 32 * B * b^2 * c^3 * e^2) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^4) / (b^4 * ((a + b * x)^{(1/2)} - a^{(1/2)})^4) - (a^{(1/2)} * (a * c)^{(1/2)} * ((128 * B * a^2 * c^2 * f^2) / 3 - 48 * B * b^2 * c^2 * e^2) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^6) / (b^4 * ((a + b * x)^{(1/2)} - a^{(1/2)})^6) + (4 * B * a^2 * e * f * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^11) / (b^3 * ((a + b * x)^{(1/2)} - a^{(1/2)})^11) + (8 * B * a^{(1/2)} * e^2 * (a * c)^{(1/2)} * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^10) / (b^2 * ((a + b * x)^{(1/2)} - a^{(1/2)})^10) + (20 * B * a^2 * c^4 * e * f * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^3) / (b^3 * ((a + b * x)^{(1/2)} - a^{(1/2)})^3) + (24 * B * a^2 * c^3 * e * f * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^5) / (b^3 * ((a + b * x)^{(1/2)} - a^{(1/2)})^5) - (24 * B * a^2 * c^2 * e * f * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^7) / (b^3 * ((a + b * x)^{(1/2)} - a^{(1/2)})^7) + (8 * B * a^{(1/2)} * c^4 * e^2 * (a * c)^{(1/2)} * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2) / (b^2 * ((a + b * x)^{(1/2)} - a^{(1/2)})^2) - (4 * B * a^2 * c^5 * e * f * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})) / (b^3 * ((a + b * x)^{(1/2)} - a^{(1/2)})) - (20 * B * a^2 * c * e * f * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^9) / (((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^12) / ((a + b * x)^{(1/2)} - a^{(1/2)})^12 + c^6 + (6 * c * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^10) / ((a + b * x)^{(1/2)} - a^{(1/2)})^10 + (6 * c^5 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2) / ((a + b * x)^{(1/2)} - a^{(1/2)})^2 + (15 * c^4 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^4) / ((a + b * x)^{(1/2)} - a^{(1/2)})^4 + (20 * c^3 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^6) / ((a + b * x)^{(1/2)} - a^{(1/2)}) \end{aligned}$$

$$\begin{aligned}
&))^{6} + (15*c^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8)/((a + b*x)^{(1/2)} - a^{(1/2)})^{8} - ((2*A*a^2*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/(b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^7) + (14*A*a^2*c^2*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/(b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^3) - (2*A*a^2*c^3*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/((b^3*((a + b*x)^{(1/2)} - a^{(1/2)}))) - (14*A*a^2*c*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))^5)/(b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^5) + (16*A*a^2*e*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6)/(b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^6) + (32*A*a^2*c*e*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/(b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^4) + (16*A*a^2*c^2*e*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^2)) / (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8 / ((a + b*x)^{(1/2)} - a^{(1/2)})^8 + c^4 + (4*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6) / ((a + b*x)^{(1/2)} - a^{(1/2)})^6 + (4*c^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / ((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (6*c^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4) / ((a + b*x)^{(1/2)} - a^{(1/2)})^4) - (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5 * ((333*C*a^4*c^5*f^2)/2 + 30*C*a^2*b^2*c^5*e^2)) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^5) - (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3 * ((23*C*a^4*c^6*f^2)/2 - 6*C*a^2*b^2*c^6*e^2)) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^3) - (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) * ((3*C*a^4*c^7*f^2)/2 + 2*C*a^2*b^2*c^7*e^2)) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)})) - (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^11 * ((333*C*a^4*c^2*f^2)/2 + 30*C*a^2*b^2*c^2*e^2)) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^11) - (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7 * ((671*C*a^4*c^4*f^2)/2 - 22*C*a^2*b^2*c^4*e^2)) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^7) + (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^9 * ((671*C*a^4*c^3*f^2)/2 - 22*C*a^2*b^2*c^3*e^2)) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^9) + (((23*C*a^4*c*f^2)/2 - 6*C*a^2*b^2*c*e^2) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^13) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^13) + (((3*C*a^4*f^2)/2 + 2*C*a^2*b^2*e^2) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^15) / (b^5*((a + b*x)^{(1/2)} - a^{(1/2)})^15) + (128*C*a^(5/2)*c*e*f*(a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^12) / (b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^12) + (128*C*a^(5/2)*c^5*e*f*(a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4) / (b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^4) + (512*C*a^(5/2)*c^4*e*f*(a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6) / (3*b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^6) + (256*C*a^(5/2)*c^3*e*f*(a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8) / (3*b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^8) + (512*C*a^(5/2)*c^2*e*f*(a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^10) / (3*b^4*((a + b*x)^{(1/2)} - a^{(1/2)})^10) / (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^16 / ((a + b*x)^{(1/2)} - a^{(1/2)})^16 + c^8 + (8*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^14) / ((a + b*x)^{(1/2)} - a^{(1/2)})^14 + (8*c^7*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (28*c^6*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4) / ((a + b*x)^{(1/2)} - a^{(1/2)})^4 + (56*c^5*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6) / ((a + b*x)^{(1/2)} - a^{(1/2)})^6 + (70*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8) / ((a + b*x)^{(1/2)} - a^{(1/2)})^8 + (56*c^3*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^10) / ((a + b*x)^{(1/2)} - a^{(1/2)})^10 + (28*c^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^12) / ((a + b*x)^{(1/2)} - a^{(1/2)})^12) - (2*A*atan((A*(a^2*f^2 + 2*b^2*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (c^(1/2)*(A*a^2*f^2 + 2*A*b^2*e^2)))
\end{aligned}$$

$$2*e^2*((a + b*x)^(1/2) - a^(1/2)))*(a^2*f^2 + 2*b^2*e^2))/(b^3*c^(1/2)) - (C*a^2*atan((C*a^2*(3*a^2*f^2 + 4*b^2*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(c^(1/2)*(3*C*a^4*f^2 + 4*C*a^2*b^2*e^2)*((a + b*x)^(1/2) - a^(1/2))))*(3*a^2*f^2 + 4*b^2*e^2))/(2*b^5*c^(1/2)) - (4*B*a^2*e*f*atan((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(c^(1/2)*((a + b*x)^(1/2) - a^(1/2))))/(b^3*c^(1/2)))$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*(C*x**2+B*x+A)/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)
[Out] Timed out

3.29 $\int \frac{(e+fx)(A+Bx+Cx^2)}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$

Optimal. Leaf size=246

$$\frac{(a^2 - b^2 x^2) (2 (2 a^2 C f^2 - b^2 (C e^2 - 3 f (A f + B e))) - b^2 f x (C e - 3 B f))}{6 b^4 f \sqrt{a + b x} \sqrt{a c - b c x}} + \frac{\sqrt{a^2 c - b^2 c x^2} \tan^{-1} \left(\frac{b \sqrt{c} x}{\sqrt{a^2 c - b^2 c x^2}} \right) (a^2 (B f + C e) + 2 A b^2 e)}{2 b^3 \sqrt{c} \sqrt{a + b x} \sqrt{a c - b c x}}$$

Rubi [A] time = 0.40, antiderivative size = 249, normalized size of antiderivative = 1.01, number of steps used = 5, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.132, Rules used = {1610, 1654, 780, 217, 203}

$$\frac{(a^2 - b^2 x^2) (2 (2 a^2 C f^2 - \frac{1}{2} b^2 (2 C e^2 - 6 f (A f + B e))) - b^2 f x (C e - 3 B f))}{6 b^4 f \sqrt{a + b x} \sqrt{a c - b c x}} + \frac{\sqrt{a^2 c - b^2 c x^2} \tan^{-1} \left(\frac{b \sqrt{c} x}{\sqrt{a^2 c - b^2 c x^2}} \right) (a^2 (B f + C e) + 2 A b^2 e)}{2 b^3 \sqrt{c} \sqrt{a + b x} \sqrt{a c - b c x}} - \frac{C (a^2 - b^2 x^2) (e + f x)^2}{3 b^2 f \sqrt{a + b x} \sqrt{a c - b c x}}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x]
[Out] -(C*(e + f*x)^2*(a^2 - b^2*x^2))/(3*b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])
- ((2*(2*a^2*C*f^2 - (b^2*(2*C*e^2 - 6*f*(B*e + A*f))))/2) - b^2*f*(C*e - 3*B*f)*x)*(a^2 - b^2*x^2)/(6*b^4*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((2*A*b^2*e + a^2*(C*e + B*f))*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(2*b^3*Sqrt[c]*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 780

```
Int[((d_) + (e_)*(x_))*(f_*) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]
```

Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^m_*((c_) + (d_)*(x_))^n_*((e_) + (f_)*
(x_))^p_, x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/
(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_)*(x_))^m_*((a_) + (c_)*(x_))^2)^p_, x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] &&
True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{(e+fx)(A+Bx+Cx^2)}{\sqrt{a+bx}\sqrt{ac-bcx}} dx &= \frac{\sqrt{a^2c-b^2cx^2} \int \frac{(e+fx)(A+Bx+Cx^2)}{\sqrt{a^2c-b^2cx^2}} dx}{\sqrt{a+bx}\sqrt{ac-bcx}} \\ &= -\frac{C(e+fx)^2(a^2-b^2x^2)}{3b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{\sqrt{a^2c-b^2cx^2} \int \frac{(e+fx)(-c(3Ab^2+2a^2C)f^2+b^2cf(Ce-3Bf)x)}{\sqrt{a^2c-b^2cx^2}}}{3b^2cf^2\sqrt{a+bx}\sqrt{ac-bcx}} \\ &= -\frac{C(e+fx)^2(a^2-b^2x^2)}{3b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{\left(2\left(2a^2Cf^2-\frac{1}{2}b^2(2Ce^2-6f(Be+Af))\right)-b^2f(Ce-3Bf)x\right)}{6b^4f\sqrt{a+bx}\sqrt{ac-bcx}} \\ &= -\frac{C(e+fx)^2(a^2-b^2x^2)}{3b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{\left(2\left(2a^2Cf^2-\frac{1}{2}b^2(2Ce^2-6f(Be+Af))\right)-b^2f(Ce-3Bf)x\right)}{6b^4f\sqrt{a+bx}\sqrt{ac-bcx}} \\ &= -\frac{C(e+fx)^2(a^2-b^2x^2)}{3b^2f\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{\left(2\left(2a^2Cf^2-\frac{1}{2}b^2(2Ce^2-6f(Be+Af))\right)-b^2f(Ce-3Bf)x\right)}{6b^4f\sqrt{a+bx}\sqrt{ac-bcx}} \end{aligned}$$

Mathematica [A] time = 1.43, size = 390, normalized size = 1.59

$$\frac{3\sqrt{a-bx}\sqrt{a+bx}\left(6a^{1/2}\sin^{-1}\left(\frac{\sqrt{a-bx}}{\sqrt{a-bx}}\right)+\sqrt{a-bx}(4a+bx)\sqrt{\frac{b}{a}+1}\right)(-3aCf+bBf+bCf)+6\sqrt{a-bx}\sqrt{a+bx}\left(\sqrt{a-bx}\sqrt{\frac{b}{a}+1}+2\sqrt{a}\sin^{-1}\left(\frac{\sqrt{a-bx}}{\sqrt{a-bx}}\right)\right)(3a^2Cf-2ab(Bf+Cf)+b^2(Af+Bc))+Cf\sqrt{a+bx}\left(30a^{1/2}\sqrt{a-bx}\sin^{-1}\left(\frac{\sqrt{a-bx}}{\sqrt{a-bx}}\right)+(a-bx)\sqrt{\frac{b}{a}+1}(22a^2+9abx+2b^2x^2)\right)+12\sqrt{a-bx}\sqrt{\frac{b}{a}+1}(be-af)\tan^{-1}\left(\frac{\sqrt{a-bx}}{\sqrt{a-bx}}\right)(a(aC-bf)+Ab^2)}{6b^4\sqrt{\frac{b}{a}+1}\sqrt{a(b-a)}}.$$

Antiderivative was successfully verified.

[In] `Integrate[((e + f*x)*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x]`

[Out]
$$\begin{aligned} & -\frac{1}{6} \left(6(3a^2C^2f + b^2(2B^2e + A^2f) - 2ab(Ce + Bf)) \sqrt{a - b*x} \right. \\ & \left. * \sqrt{a + b*x} * (\sqrt{a - b*x} * \sqrt{1 + (b*x)/a} + 2\sqrt{a} * \text{ArcSin}[\sqrt{a - b*x}] / (\sqrt{2} * \sqrt{a})) \right. \\ & \left. + 3(b^2Ce + b*B^2f - 3a*Cf) \sqrt{a - b*x} * \sqrt{a + b*x} * (\sqrt{a - b*x} * (4a + b*x) * \sqrt{1 + (b*x)/a} + 6a^{(3/2)} * \text{ArcSin}[\sqrt{a - b*x}] / (\sqrt{2} * \sqrt{a})) \right. \\ & \left. + C*f * \sqrt{a + b*x} * ((a - b*x) * \sqrt{1 + (b*x)/a} * (22a^2 + 9a*b*x + 2b^2*x^2) + 30a^{(5/2)} * \sqrt{a - b*x} * \text{ArcSin}[\sqrt{a - b*x}] / (\sqrt{2} * \sqrt{a})) \right. \\ & \left. + 12(A*b^2 + a*(-b*B) + a*C) * (b*e - a*f) * \sqrt{a - b*x} * \sqrt{1 + (b*x)/a} * \text{ArcTan}[\sqrt{a - b*x} / \sqrt{a + b*x}]) / (b^4 * \sqrt{c} * (a - b*x) * \sqrt{1 + (b*x)/a}) \right) \end{aligned}$$

IntegrateAlgebraic [A] time = 0.41, size = 356, normalized size = 1.45

$$\frac{\tan^{-1}\left(\frac{\sqrt{ac-bcx}}{\sqrt{c}\sqrt{a+bx}}\right)(-a^2Bf + a^2(-C)e - 2Ab^2e)}{b^3\sqrt{c}} - \frac{a\sqrt{ac-bcx}\left(\frac{6a^2Cf(ac-bcx)^2}{(a+bx)^2} + \frac{4a^2Ce(ac-bcx)}{a+bx} + 6a^2C^2f + \frac{6Ab^2cf(ac-bcx)^2}{(a+bx)^2} + \frac{12Ab^2cf(ac-bcx)}{a+bx} + \frac{6b^2Be(ac-bcx)^2}{(a+bx)^2} + \frac{12b^2Bce(ac-bcx)}{a+bx} + 3abBc^2f - \frac{3abBf(ac-bcx)^2}{(a+bx)^2} + 3abc^2Ce - \frac{3abCe(ac-bcx)^2}{(a+bx)^2} + 6Ab^2C^2f + 6b^2B^2e\right)}{3b^4\sqrt{a+bx}\left(\frac{ac-bcx}{a+bx} + c\right)^3}$$

Antiderivative was successfully verified.

[In] `IntegrateAlgebraic[((e + f*x)*(A + B*x + C*x^2))/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x]`

[Out]
$$\begin{aligned} & -\frac{1}{3} * (a * \sqrt{a*c - b*c*x}) * (6b^2B^2C^2e + 3a*b*c^2e + 6A*b^2C^2e + 3a*b*B*c^2f + 6a^2C^2e + (12b^2B*c*e*(a*c - b*c*x)) / (a + b*x) + (1 \\ & 2A*b^2C^2f*(a*c - b*c*x)) / (a + b*x) + (4a^2C^2e*Cf*(a*c - b*c*x)) / (a + b*x) \\ & + (6b^2B^2e*(a*c - b*c*x)^2) / (a + b*x)^2 - (3a*b*C^2e*(a*c - b*c*x)^2) / (a + b*x)^2 + (6A*b^2f*(a*c - b*c*x)^2) / (a + b*x)^2 - (3a*b*B*f*(a*c - b*c*x)^2) / (a + b*x)^2 + (6a^2C^2f*(a*c - b*c*x)^2) / (a + b*x)^2) / (b^4 * \sqrt{a + b*x} * (c + (a*c - b*c*x) / (a + b*x))^3) + ((-2A*b^2e - a^2C^2e - a^2B^2f) * \text{ArcTan}[\sqrt{a*c - b*c*x} / (\sqrt{c} * \sqrt{a + b*x})) / (b^3 * \sqrt{c})) \end{aligned}$$

fricas [A] time = 0.71, size = 302, normalized size = 1.23

$$\left[\frac{3(Ba^2bf + (Ca^2b + 2Ab^3)v)\sqrt{-c}\log(2b^2cx^2 - 2\sqrt{-bcx + ac}\sqrt{bx + a}\sqrt{-c}x - a^2c) + 2(2Cb^2fz^2 + 6Bb^2e + 2(2Ca^2 + 3Ab^2)f + 3(Cl^2e + Bb^2)f)\sqrt{-bcx + ac}\sqrt{bx + a}}{12b^4c} - \frac{3(Ba^2bf + (Ca^2b + 2Ab^3)v)\sqrt{c}\arctan\left(\frac{\sqrt{-bcx + ac}\sqrt{bx + a}\sqrt{c}}{b^2c^2 - a^2c}\right) + (2Cb^2fz^2 + 6Bb^2e + 2(2Ca^2 + 3Ab^2)f + 3(Cl^2e + Bb^2)f)\sqrt{-bcx + ac}\sqrt{bx + a}}{6b^4c} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2), x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [-\frac{1}{12} * (3(B*a^2b*f + (C*a^2b + 2A*b^3)*e) * \sqrt{-c} * \log(2*b^2c*x^2 - 2 * \sqrt{-b*c*x + a*c}) * \sqrt{b*x + a} * \sqrt{-c} * x - a^2*c) + 2 * (2*C*b^2f*x^2 + 6Bb^2e + 2(2Ca^2 + 3Ab^2)*f + 3(Cl^2e + Bb^2)*x) * \sqrt{-b*c*x + a*c} * \sqrt{b*x + a}) / (b^4*c), -\frac{1}{6} * (3(B*a^2b*f + (C*a^2b + 2A*b^3)*e) \end{aligned}$$

```
*sqrt(c)*arctan(sqrt(-b*c*x + a*c)*sqrt(b*x + a)*b*sqrt(c)*x/(b^2*c*x^2 - a^2*c)) + (2*C*b^2*f*x^2 + 6*B*b^2*e + 2*(2*C*a^2 + 3*A*b^2)*f + 3*(C*b^2*e + B*b^2*f)*x)*sqrt(-b*c*x + a*c)*sqrt(b*x + a))/(b^4*c)]
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorit hm="giac")

[Out] Timed out

maple [A] time = 0.03, size = 365, normalized size = 1.48

$$\frac{\sqrt{bx+a} \sqrt{-(bx-a)} c \left(6 A b^4 c e \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2-a^2)} c}\right)+3 B a^2 b^2 c f \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2-a^2)} c}\right)+3 C a^2 b^2 c e \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2-a^2)} c}\right)-2 \sqrt{-(b^2 x^2-a^2)} c \sqrt{b^2 c} C b^2 f x^2-3 \sqrt{-(b^2 x^2-a^2)} c \sqrt{b^2 c} B b^2 f x-3 \sqrt{-(b^2 x^2-a^2)} c \sqrt{b^2 c} C b^2 f x-6 \sqrt{b^2 c} \sqrt{-(b^2 x^2-a^2)} c A b^2 f-6 \sqrt{b^2 c} \sqrt{-(b^2 x^2-a^2)} c B b^2 e-4 \sqrt{b^2 c} \sqrt{-(b^2 x^2-a^2)} c C a^2 f\right)}{6 \sqrt{-(b^2 x^2-a^2)} c \sqrt{b^2 c} b^4 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)

[Out] $\frac{1}{6} (b*x+a)^{(1/2)} (-b*x-a)*c^{(1/2)} / c * (6 A * \arctan((b^2*c)^{(1/2)} / (-b^2*x^2 - a^2)*x) * b^4*c*e + 3 * B * \arctan((b^2*c)^{(1/2)} / (-b^2*x^2 - a^2)*c)^{(1/2)} * x) * a^2*b^2*c*e - 2*C*x^2*b^2*c*f + 3*C*\arctan((b^2*c)^{(1/2)} / (-b^2*x^2 - a^2)*c)^{(1/2)} * x) * a^2*b^2*c*e - 2*C*x^2*b^2*c*f * (-b^2*x^2 - a^2)*c)^{(1/2)} * (b^2*c)^{(1/2)} - 3*B*(-b^2*x^2 - a^2)*c)^{(1/2)} * (b^2*c)^{(1/2)} * x * b^2*e - 6*A*(b^2*c)^{(1/2)} * (-b^2*x^2 - a^2)*c)^{(1/2)} * b^2*f - 6*B*(b^2*c)^{(1/2)} * (-b^2*x^2 - a^2)*c)^{(1/2)} * b^2*f - 4*C*(b^2*c)^{(1/2)} * (-b^2*x^2 - a^2)*c)^{(1/2)} * a^2*f) / (-b^2*x^2 - a^2)*c)^{(1/2)} / b^4 / (b^2*c)^{(1/2)}$

maxima [A] time = 2.05, size = 189, normalized size = 0.77

$$-\frac{\sqrt{-b^2 c x^2 + a^2 c} C f x^2}{3 b^2 c} + \frac{A e \arcsin\left(\frac{b x}{a}\right)}{b \sqrt{c}} + \frac{(C e + B f) a^2 \arcsin\left(\frac{b x}{a}\right)}{2 b^3 \sqrt{c}} - \frac{\sqrt{-b^2 c x^2 + a^2 c} B e}{b^2 c} - \frac{2 \sqrt{-b^2 c x^2 + a^2 c} C a^2 f}{3 b^4 c} - \frac{\sqrt{-b^2 c x^2 + a^2 c} A f}{b^2 c} - \frac{\sqrt{-b^2 c x^2 + a^2 c} (C e + B f) x}{2 b^2 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorit hm="maxima")

[Out] $-1/3 * \sqrt{-b^2*c*x^2 + a^2*c} * C*f*x^2/(b^2*c) + A*e*\arcsin(b*x/a)/(b*sqrt(c)) + 1/2*(C*e + B*f)*a^2*\arcsin(b*x/a)/(b^3*sqrt(c)) - \sqrt{-b^2*c*x^2 + a^2*c}*B*e/(b^2*c) - 2/3*\sqrt{-b^2*c*x^2 + a^2*c}*C*a^2*f/(b^4*c) - \sqrt{-b^2*c*x^2 + a^2*c}*A*f/(b^2*c) - 1/2*\sqrt{-b^2*c*x^2 + a^2*c}*(C*e + B*f)*x/(b^2*c)$

mupad [B] time = 30.74, size = 1011, normalized size = 4.11

$$\frac{2 B^2 f \left(\sqrt{\frac{a+b x}{c}}-\sqrt{d}\right)^7-2 B^2 f \left(\sqrt{\frac{a+b x}{c}}+\sqrt{d}\right)^7+4 B^2 f^2 \left(\sqrt{\frac{a+b x}{c}}-\sqrt{d}\right)^5-2 B^2 f^2 \left(\sqrt{\frac{a+b x}{c}}+\sqrt{d}\right)^5+2 B^2 f^2 \left(\sqrt{\frac{a+b x}{c}}-\sqrt{d}\right)^3-2 B^2 f^2 \left(\sqrt{\frac{a+b x}{c}}+\sqrt{d}\right)^3+16 C^2 f^2 \left(\sqrt{\frac{a+b x}{c}}-\sqrt{d}\right)^5-16 C^2 f^2 \left(\sqrt{\frac{a+b x}{c}}+\sqrt{d}\right)^5}{30 \sqrt{c} \sqrt{d} x^4+\frac{2 f^2 \left(\sqrt{\frac{a+b x}{c}}-\sqrt{d}\right)^5+\left(2 f^2 \left(\sqrt{\frac{a+b x}{c}}-\sqrt{d}\right)^3+f^2 \left(\sqrt{\frac{a+b x}{c}}-\sqrt{d}\right)\right)^2}{\left(\sqrt{\frac{a+b x}{c}}-\sqrt{d}\right)^2}+\frac{2 f^2 \left(\sqrt{\frac{a+b x}{c}}+\sqrt{d}\right)^5+\left(2 f^2 \left(\sqrt{\frac{a+b x}{c}}+\sqrt{d}\right)^3+f^2 \left(\sqrt{\frac{a+b x}{c}}+\sqrt{d}\right)\right)^2}{\left(\sqrt{\frac{a+b x}{c}}+\sqrt{d}\right)^2}-\frac{4 A f \operatorname{atan}\left(\frac{f \sqrt{\frac{a+b x}{c}}-\sqrt{d}}{\sqrt{c} \sqrt{d} x}\right)}{\sqrt{d} \sqrt{c}}-\frac{4 f \sqrt{c-b x^2} \left(\frac{2 C f^2+d f^4}{3 b c}+\frac{C f^2 d}{3 b^2 c}\right)+2 C f^2 f}{\sqrt{d} \sqrt{c}}-\frac{A f \sqrt{d-c-b x^2} \sqrt{d+b x}}{b^2 c}-\frac{B x \sqrt{d-c-b x^2} \sqrt{d+b x}}{b^2 c}-\frac{2 B^2 f \operatorname{atan}\left(\frac{\sqrt{c-b x^2}}{\sqrt{c} \sqrt{d+b x}}\right)}{b^2 \sqrt{c}}-\frac{2 C^2 f \operatorname{atan}\left(\frac{\sqrt{c-b x^2}}{\sqrt{c} \sqrt{d+b x}}\right)}{b^2 \sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((e + f*x)*(A + B*x + C*x^2))/((a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)

[Out] - ((2*B*a^2*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/((a + b*x)^(1/2) - a^(1/2))^7 - (2*B*a^2*c^3*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/((a + b*x)^(1/2) - a^(1/2)) - (14*B*a^2*c*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5)/((a + b*x)^(1/2) - a^(1/2))^5 + (14*B*a^2*c^2*f*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/((a + b*x)^(1/2) - a^(1/2))^3)/(b^3*c^4 + (b^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^8)/((a + b*x)^(1/2) - a^(1/2))^8 + (4*b^3*c^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 + (6*b^3*c^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/((a + b*x)^(1/2) - a^(1/2))^4 + (4*b^3*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6)/((a + b*x)^(1/2) - a^(1/2))^6) - ((2*C*a^2*e*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/((a + b*x)^(1/2) - a^(1/2))^7 - (2*C*a^2*c^3*e*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/((a + b*x)^(1/2) - a^(1/2)) - (14*C*a^2*c*e*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5)/((a + b*x)^(1/2) - a^(1/2))^5 + (14*C*a^2*c^2*e*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/((a + b*x)^(1/2) - a^(1/2))^3)/(b^3*c^4 + (b^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^8)/((a + b*x)^(1/2) - a^(1/2))^8 + (4*b^3*c^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 + (6*b^3*c^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/((a + b*x)^(1/2) - a^(1/2))^4 + (4*b^3*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6)/((a + b*x)^(1/2) - a^(1/2))^6) - ((a*c - b*c*x)^(1/2)*((2*C*a^3*f)/(3*b^4*c) + (C*f*x^3)/(3*b*c) + (C*a*f*x^2)/(3*b^2*c) + (2*C*a^2*f*x)/(3*b^3*c)))/((a + b*x)^(1/2) - (4*A*e*atan((b*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))))/((b^2*c)^(1/2)*((a + b*x)^(1/2) - a^(1/2))))/(b^2*c) - (A*f*((a*c - b*c*x)^(1/2)*(a + b*x)^(1/2))/(b^2*c) - (2*B*a^2*f*atan(((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(c^(1/2)*((a + b*x)^(1/2) - a^(1/2))))/(b^3*c^(1/2)) - (2*C*a^2*e*atan(((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(c^(1/2)*((a + b*x)^(1/2) - a^(1/2))))/(b^3*c^(1/2)))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*(C*x**2+B*x+A)/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] Timed out
```

3.30 $\int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx}} dx$

Optimal. Leaf size=177

$$\frac{(a^2C + 2Ab^2) \sqrt{a^2c - b^2cx^2} \tan^{-1}\left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}}\right)}{2b^3\sqrt{c}\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{B(a^2 - b^2x^2)}{b^2\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{Cx(a^2 - b^2x^2)}{2b^2\sqrt{a+bx}\sqrt{ac-bcx}}$$

Rubi [A] time = 0.12, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.152, Rules used = {901, 1815, 641, 217, 203}

$$\frac{(a^2C + 2Ab^2) \sqrt{a^2c - b^2cx^2} \tan^{-1}\left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}}\right)}{2b^3\sqrt{c}\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{B(a^2 - b^2x^2)}{b^2\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{Cx(a^2 - b^2x^2)}{2b^2\sqrt{a+bx}\sqrt{ac-bcx}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x]
[Out] -((B*(a^2 - b^2*x^2))/(b^2*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])) - (C*x*(a^2 - b^2*x^2))/(2*b^2*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((2*A*b^2 + a^2*C)*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c])*x]/Sqrt[a^2*c - b^2*c*x^2])/(2*b^3*Sqrt[c]*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 641

```
Int[((d_) + (e_)*(x_))*(a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 901

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Dist[((d + e*x)^FracPart[m]*(f + g*x)^Fr
```

```
acPart[m])/(d*f + e*g*x^2)^FracPart[m], Int[(d*f + e*g*x^2)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0]
&& EqQ[e*f + d*g, 0]
```

Rule 1815

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :> With[{q = Expon[Pq, x],
e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSu
m[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x
], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{A+Bx+Cx^2}{\sqrt{a+bx}\sqrt{ac-bcx}} dx &= \frac{\sqrt{a^2c-b^2cx^2} \int \frac{A+Bx+Cx^2}{\sqrt{a^2c-b^2cx^2}} dx}{\sqrt{a+bx}\sqrt{ac-bcx}} \\ &= -\frac{Cx(a^2-b^2x^2)}{2b^2\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{\sqrt{a^2c-b^2cx^2} \int \frac{-c(2Ab^2+a^2C)-2b^2Bcx}{\sqrt{a^2c-b^2cx^2}} dx}{2b^2c\sqrt{a+bx}\sqrt{ac-bcx}} \\ &= -\frac{B(a^2-b^2x^2)}{b^2\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{Cx(a^2-b^2x^2)}{2b^2\sqrt{a+bx}\sqrt{ac-bcx}} + \frac{(2Ab^2+a^2C)\sqrt{a^2c-b^2cx^2}}{2b^2\sqrt{a+bx}\sqrt{ac-bcx}} \\ &= -\frac{B(a^2-b^2x^2)}{b^2\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{Cx(a^2-b^2x^2)}{2b^2\sqrt{a+bx}\sqrt{ac-bcx}} + \frac{(2Ab^2+a^2C)\sqrt{a^2c-b^2cx^2}}{2b^2\sqrt{a+bx}\sqrt{ac-bcx}} \\ &= -\frac{B(a^2-b^2x^2)}{b^2\sqrt{a+bx}\sqrt{ac-bcx}} - \frac{Cx(a^2-b^2x^2)}{2b^2\sqrt{a+bx}\sqrt{ac-bcx}} + \frac{(2Ab^2+a^2C)\sqrt{a^2c-b^2cx^2} \tan^{-1}\left(\frac{b\sqrt{a-bx}}{\sqrt{a+bx}}\right)}{2b^3\sqrt{c}\sqrt{a+bx}\sqrt{ac-bcx}} \end{aligned}$$

Mathematica [A] time = 0.44, size = 169, normalized size = 0.95

$$-\frac{\sqrt{a-bx} \left(\sqrt{\frac{bx}{a}}+1\right) \left(4 \tan ^{-1}\left(\frac{\sqrt{a-bx}}{\sqrt{a+b x}}\right) \left(a (a C-b B)+A b^2\right)+b \sqrt{a-bx} \sqrt{a+b x} (2 B+C x)\right)-2 \sqrt{a} \sqrt{a+b x} (a C-2 b B) \sin ^{-1}\left(\frac{\sqrt{a-bx}}{\sqrt{2} \sqrt{a}}\right)}{2 b^3 \sqrt{\frac{bx}{a}}+1 \sqrt{c (a-bx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x]
[Out] -1/2*(Sqrt[a - b*x]*(-2*Sqrt[a]*(-2*b*B + a*C)*Sqrt[a + b*x]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])] + Sqrt[1 + (b*x)/a]*(b*Sqrt[a - b*x]*Sqrt[a + b*x]
```

$\] * (2*B + C*x) + 4*(A*b^2 + a*(-(b*B) + a*C))*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x]])))/(b^3*Sqrt[c*(a - b*x)]*Sqrt[1 + (b*x)/a])$

IntegrateAlgebraic [A] time = 0.23, size = 150, normalized size = 0.85

$$\frac{\left(a^2(-C) - 2Ab^2\right)\tan^{-1}\left(\frac{\sqrt{ac-bcx}}{\sqrt{c}\sqrt{a+bx}}\right)}{b^3\sqrt{c}} + \frac{a\sqrt{ac-bcx}\left(-\frac{2bB(ac-bcx)}{a+bx} + \frac{aC(ac-bcx)}{a+bx} - acC - 2bBc\right)}{b^3\sqrt{a+bx}\left(\frac{ac-bcx}{a+bx} + c\right)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]), x]

[Out] $(a*\text{Sqrt}[a*c - b*c*x]*(-2*b*B*c - a*c*C - (2*b*B*(a*c - b*c*x))/(a + b*x) + (a*C*(a*c - b*c*x))/(a + b*x)))/(b^3*\text{Sqrt}[a + b*x]*(c + (a*c - b*c*x)/(a + b*x))^2) + ((-2*A*b^2 - a^2*C)*\text{ArcTan}[\text{Sqrt}[a*c - b*c*x]/(\text{Sqrt}[c]*\text{Sqrt}[a + b*x]))]/(b^3*\text{Sqrt}[c])$

fricas [A] time = 0.77, size = 196, normalized size = 1.11

$$\left[-\frac{(Ca^2 + 2Ab^2)\sqrt{-c}\log(2b^2cx^2 - 2\sqrt{-bcx + ac}\sqrt{bx + a}b\sqrt{-c}x - a^2c) + 2(Cbx + 2Bb)\sqrt{-bcx + ac}\sqrt{bx + a}}{4b^3c}, -\frac{(Ca^2 + 2Ab^2)\sqrt{c}\arctan\left(\frac{\sqrt{-bcx + ac}\sqrt{bx + a}\sqrt{c}x}{b^2cx^2 - a^2c}\right) + (Cbx + 2Bb)\sqrt{-bcx + ac}\sqrt{bx + a}}{2b^3c} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2), x, algorithm="fricas")

[Out] $[-1/4*((C*a^2 + 2*A*b^2)*\text{sqrt}(-c)*\log(2*b^2*c*x^2 - 2*\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a)*b*\text{sqrt}(-c)*x - a^2*c) + 2*(C*b*x + 2*B*b)*\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a))/(\text{b}^3*c), -1/2*((C*a^2 + 2*A*b^2)*\text{sqrt}(c)*\text{arctan}(\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a)*b*\text{sqrt}(c)*x/(\text{b}^2*c*x^2 - a^2*c)) + (C*b*x + 2*B*b)*\text{sqrt}(-b*c*x + a*c)*\text{sqrt}(b*x + a))/(\text{b}^3*c)]$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.02, size = 180, normalized size = 1.02

$$\frac{\sqrt{bx+a} \sqrt{-(bx-a)c} \left(2A b^2 c \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2)c}}\right) + C a^2 c \arctan\left(\frac{\sqrt{b^2 c} x}{\sqrt{-(b^2 x^2 - a^2)c}}\right) - \sqrt{b^2 c} \sqrt{-\left(b^2 x^2 - a^2\right)c} Cx - 2\sqrt{b^2 c} \sqrt{-\left(b^2 x^2 - a^2\right)c} B\right)}{2\sqrt{-\left(b^2 x^2 - a^2\right)c} \sqrt{b^2 c} b^2 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)`

[Out] $\frac{1/2*(b*x+a)^(1/2)*(-(b*x-a)*c)^(1/2)/b^2*(2*A*\arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*b^2*c+C*\arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)*a^2*c-C*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*x-2*B*(b^2*c)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2))/(-(b^2*x^2-a^2)*c)^(1/2)/c/(b^2*c)^(1/2)$

maxima [A] time = 2.50, size = 88, normalized size = 0.50

$$\frac{Ca^2 \arcsin\left(\frac{bx}{a}\right)}{2 b^3 \sqrt{c}} + \frac{A \arcsin\left(\frac{bx}{a}\right)}{b \sqrt{c}} - \frac{\sqrt{-b^2 c x^2 + a^2 c} Cx}{2 b^2 c} - \frac{\sqrt{-b^2 c x^2 + a^2 c} B}{b^2 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")`

[Out] $\frac{1/2*C*a^2*arcsin(b*x/a)/(b^3*sqrt(c)) + A*arcsin(b*x/a)/(b*sqrt(c)) - 1/2*sqrt(-b^2*c*x^2 + a^2*c)*C*x/(b^2*c) - sqrt(-b^2*c*x^2 + a^2*c)*B/(b^2*c)}$

mupad [B] time = 14.95, size = 489, normalized size = 2.76

$$\frac{\frac{2 C a^2 \left(\sqrt{a c-b c x}-\sqrt{a c}\right)^7}{\left(\sqrt{a+b x}-\sqrt{a}\right)^7}-\frac{2 C a^2 c^3 \left(\sqrt{a c-b c x}-\sqrt{a c}\right)^5}{\sqrt{a+b x}-\sqrt{a}}-\frac{14 C a^2 c \left(\sqrt{a c-b c x}-\sqrt{a c}\right)^5}{\left(\sqrt{a+b x}-\sqrt{a}\right)^5}+\frac{14 C a^2 c^2 \left(\sqrt{a c-b c x}-\sqrt{a c}\right)^3}{\left(\sqrt{a+b x}-\sqrt{a}\right)^3}-\frac{4 A \operatorname{atan}\left(\frac{b \left(\sqrt{a c-b c x}-\sqrt{a c}\right)}{\sqrt{b^2 c} \left(\sqrt{a+b x}-\sqrt{a}\right)}\right)}{\sqrt{b^2 c}}-\frac{2 C a^2 \operatorname{atan}\left(\frac{\sqrt{a c-b c x}-\sqrt{a c}}{\sqrt{c} \left(\sqrt{a+b x}-\sqrt{a}\right)}\right)}{b^3 \sqrt{c}}-\frac{B \sqrt{a c-b c x} \sqrt{a+b x}}{b^2 c}}{b^3 c^4+\frac{b^3 \left(\sqrt{a c-b c x}-\sqrt{a c}\right)^8}{\left(\sqrt{a+b x}-\sqrt{a}\right)^8}+\frac{4 b^3 c^3 \left(\sqrt{a c-b c x}-\sqrt{a c}\right)^2}{\left(\sqrt{a+b x}-\sqrt{a}\right)^2}+\frac{6 b^3 c^2 \left(\sqrt{a c-b c x}-\sqrt{a c}\right)^4}{\left(\sqrt{a+b x}-\sqrt{a}\right)^4}+\frac{4 b^3 c \left(\sqrt{a c-b c x}-\sqrt{a c}\right)^6}{\left(\sqrt{a+b x}-\sqrt{a}\right)^6}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*x + C*x^2)/((a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)`

[Out] $\frac{- ((2*C*a^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7)/((a + b*x)^(1/2) - a^(1/2))^7 - (2*C*a^2*c^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))^3)/((a + b*x)^(1/2) - a^(1/2)) - (14*C*a^2*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5)/((a + b*x)^(1/2) - a^(1/2))^5 + (14*C*a^2*c^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/((a + b*x)^(1/2) - a^(1/2))^3)/((a + b*x)^(1/2) - a^(1/2))^3}/(b^3*c^4 + (b^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^8)/((a + b*x)^(1/2) - a^(1/2))^8 + (4*b^3*c^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 + (6*b^3*c^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/((a + b*x)^(1/2) - a^(1/2))^4 + (4*b^3*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/((a + b*x)^(1/2) - a^(1/2))^4)$

$$\begin{aligned}
& c*x^{(1/2)} - (a*c)^{(1/2)}*6)/((a + b*x)^{(1/2)} - a^{(1/2)})^6) - (4*A*atan((b* \\
& ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/((b^2*c)^{(1/2)}*((a + b*x)^{(1/2)} - a^{(1} \\
& /2))))/(b^2*c)^{(1/2)} - (2*C*a^2*atan(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})/ \\
& c^{(1/2)}*((a + b*x)^{(1/2)} - a^{(1/2)})))/(b^3*c^{(1/2)} - (B*(a*c - b*c*x)^{(1/2)}* \\
& (a + b*x)^{(1/2)})/(b^2*c))
\end{aligned}$$

sympy [C] time = 56.83, size = 338, normalized size = 1.91

$$\frac{iAC_{6,6}^{6,2}\left(\begin{array}{c} \frac{1}{4}, \frac{3}{4}, \frac{1}{2}, \frac{1}{2}, 1, 1 \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{array} \middle| \frac{x^2}{b^2x^2}\right)}{4\pi^{\frac{3}{2}}b\sqrt{c}} + \frac{AC_{6,6}^{2,6}\left(\begin{array}{c} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{2}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4}, -\frac{1}{2}, 0, 0, 0 \end{array} \middle| \frac{x^2c^{-2n}}{b^2x^2}\right)}{4\pi^{\frac{3}{2}}b\sqrt{c}} - \frac{iBaG_{6,6}^{6,2}\left(\begin{array}{c} -\frac{1}{4}, \frac{1}{4}, 0, 0, \frac{1}{2}, 1 \\ \frac{1}{2}, \frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{array} \middle| \frac{x^2c^{-2n}}{b^2x^2}\right)}{4\pi^{\frac{3}{2}}b^2\sqrt{c}} - \frac{BaG_{6,6}^{2,6}\left(\begin{array}{c} -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1 \\ -\frac{3}{4}, -\frac{1}{4}, -1, -\frac{1}{2}, -\frac{1}{2}, 0 \end{array} \middle| \frac{x^2c^{-2n}}{b^2x^2}\right)}{4\pi^{\frac{3}{2}}b^2\sqrt{c}} - \frac{iCa^2C_{6,6}^{6,2}\left(\begin{array}{c} -\frac{3}{4}, -\frac{1}{4}, -\frac{1}{2}, 0, 1 \\ -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{2}, 0, 0 \end{array} \middle| \frac{x^2}{b^2x^2}\right)}{4\pi^{\frac{3}{2}}b^3\sqrt{c}} + \frac{Ca^2C_{6,6}^{2,6}\left(\begin{array}{c} -\frac{3}{2}, -\frac{3}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 1 \\ -\frac{5}{4}, -\frac{3}{4}, -\frac{3}{2}, -1, -1, 0 \end{array} \middle| \frac{x^2c^{-2n}}{b^2x^2}\right)}{4\pi^{\frac{3}{2}}b^3\sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2), x)

[Out] $-I*A*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), (),$
 $a^{*2}/(b^{*2}x^{*2})/(4*pi^{*}(3/2)*b*sqrt(c)) + A*meijerg((-1/2, -1/4, 0, 1/4,$
 $1/2, 1), (), ((-1/4, 1/4), (-1/2, 0, 0, 0)), a^{*2}*exp_polar(-2*I*pi)/(b^{*2}x^{*2})/(4*pi^{*}(3/2)*b*sqrt(c)) - I*B*a*meijerg((-1/4, 1/4), (0, 0, 1/2, 1), ((-1/2, -1/4, 0, 1/4, 1/2, 0), (), a^{*2}/(b^{*2}x^{*2})/(4*pi^{*}(3/2)*b^{*2}sqrt(c)) - B*a*meijerg((-1, -3/4, -1/2, -1/4, 0, 1), (), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), a^{*2}*exp_polar(-2*I*pi)/(b^{*2}x^{*2})/(4*pi^{*}(3/2)*b^{*2}sqrt(c)) - I*C*a^{*2}*meijerg((-3/4, -1/4), (-1/2, -1/2, 0, 1), ((-1, -3/4, -1/2, -1/4, 0, 0), (), a^{*2}/(b^{*2}x^{*2})/(4*pi^{*}(3/2)*b^{*3}sqrt(c)) + C*a^{*2}*meijerg((-3/2, -5/4, -1, -3/4, -1/2, 1), (), ((-5/4, -3/4), (-3/2, -1, -1, 0)), a^{*2}*exp_polar(-2*I*pi)/(b^{*2}x^{*2})/(4*pi^{*}(3/2)*b^{*3}sqrt(c)))$

$$3.31 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)} dx$$

Optimal. Leaf size=278

$$\frac{\sqrt{a^2c - b^2cx^2} (Af^2 - Bef + Ce^2) \tan^{-1} \left(\frac{\sqrt{c}(a^2f + b^2ex)}{\sqrt{a^2c - b^2cx^2} \sqrt{b^2e^2 - a^2f^2}} \right)}{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} \sqrt{b^2e^2 - a^2f^2}} - \frac{\sqrt{a^2c - b^2cx^2} (Ce - Bf) \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right)}{b\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx}} - \frac{C(a^2 - b^2x^2)}{b^2 f \sqrt{a+bx} \sqrt{ac-bcx}}$$

Rubi [A] time = 0.46, antiderivative size = 278, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.175, Rules used = {1610, 1654, 844, 217, 203, 725, 204}

$$\frac{\sqrt{a^2c - b^2cx^2} (Af^2 - Bef + Ce^2) \tan^{-1} \left(\frac{\sqrt{c}(a^2f + b^2ex)}{\sqrt{a^2c - b^2cx^2} \sqrt{b^2e^2 - a^2f^2}} \right)}{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} \sqrt{b^2e^2 - a^2f^2}} - \frac{\sqrt{a^2c - b^2cx^2} (Ce - Bf) \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c - b^2cx^2}} \right)}{b\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx}} - \frac{C(a^2 - b^2x^2)}{b^2 f \sqrt{a+bx} \sqrt{ac-bcx}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)), x]
[Out] -((C*(a^2 - b^2*x^2))/(b^2*f*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])) - ((C*e - B*f)*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]])/(b*Sqrt[c]*f^2*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((C*e^2 - B*e*f + A*f^2)*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(Sqrt[c]*(a^2*f + b^2*e*x))/(Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a^2*c - b^2*c*x^2])]/(Sqrt[c]*f^2*Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_),
x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^m_*((c_) + (d_)*(x_))^n_*((e_) + (f_),
(x_))^p_, x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/
(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_)*(x_))^m_*((a_) + (c_)*(x_)^2)^p_, x_Symbol] :>
With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A+Bx+Cx^2}{(e+fx)\sqrt{a^2c-b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{\sqrt{a^2c - b^2cx^2} \int \frac{-Ab^2cf^2 + b^2cf(Ce - Bf)x}{(e+fx)\sqrt{a^2c-b^2cx^2}} dx}{b^2cf^2\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{(Ce - Bf)\sqrt{a^2c - b^2cx^2} \int \frac{1}{\sqrt{a^2c-b^2cx^2}} dx}{f^2\sqrt{a + bx} \sqrt{ac - bcx}} + \dots \\
&= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{(Ce - Bf)\sqrt{a^2c - b^2cx^2} \text{Subst} \left(\int \frac{1}{1+b^2cx^2} dx, x \right)}{f^2\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= -\frac{C(a^2 - b^2x^2)}{b^2f\sqrt{a + bx} \sqrt{ac - bcx}} - \frac{(Ce - Bf)\sqrt{a^2c - b^2cx^2} \tan^{-1} \left(\frac{b\sqrt{c}x}{\sqrt{a^2c-b^2cx^2}} \right)}{b\sqrt{c}f^2\sqrt{a + bx} \sqrt{ac - bcx}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.71, size = 225, normalized size = 0.81

$$\frac{\sqrt{a - bx} \left(\frac{2(f(Af - Be) + Ce^2) \tanh^{-1} \left(\frac{\sqrt{a - bx} \sqrt{be - af}}{\sqrt{a + bx} \sqrt{-af - be}} \right)}{\sqrt{-af - be} \sqrt{be - af}} + \frac{2 \tan^{-1} \left(\frac{\sqrt{a - bx}}{\sqrt{a + bx}} \right) (a Cf - bBf + bCe)}{b^2} + \frac{Cf \sqrt{a + bx} \left(-\sqrt{a - bx} - \frac{2 \sqrt{a} \sin^{-1} \left(\frac{\sqrt{a - bx}}{\sqrt{2} \sqrt{a}} \right)}{\sqrt{\frac{bx}{a} + 1}} \right)}{b^2} \right)}{f^2 \sqrt{c(a - bx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)), x]
[Out] (Sqrt[a - b*x]*((C*f*Sqrt[a + b*x]*(-Sqrt[a - b*x] - (2*Sqrt[a]*ArcSin[Sqrt[a - b*x]/(Sqrt[2]*Sqrt[a])])/Sqrt[1 + (b*x)/a]))/b^2 + (2*(b*C*e - b*B*f + a*C*f)*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x]])/b^2 + (2*(C*e^2 + f*(-(B*e) + A*f))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/((Sqrt[-(b*e) - a*f]*Sqrt[a + b*x]))/(Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f]))]/(f^2*Sqrt[c*(a - b*x)])))/(f^2*Sqrt[c*(a - b*x)])

```

IntegrateAlgebraic [A] time = 0.00, size = 205, normalized size = 0.74

$$-\frac{2(Af^2 - Bef + Ce^2) \tanh^{-1} \left(\frac{\sqrt{ac - bcx} \sqrt{af - be}}{\sqrt{c} \sqrt{a + bx} \sqrt{af + be}} \right)}{\sqrt{c} f^2 \sqrt{af - be} \sqrt{af + be}} - \frac{2aC\sqrt{ac - bcx}}{b^2 f \sqrt{a + bx} \left(\frac{ac - bcx}{a + bx} + c \right)} - \frac{2(Bf - Ce) \tan^{-1} \left(\frac{\sqrt{ac - bcx}}{\sqrt{c} \sqrt{a + bx}} \right)}{b\sqrt{c} f^2}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)),x]
[Out] (-2*a*C*Sqrt[a*c - b*c*x])/(b^2*f*Sqrt[a + b*x]*(c + (a*c - b*c*x)/(a + b*x))) - (2*(-(C*e) + B*f)*ArcTan[Sqrt[a*c - b*c*x]/(Sqrt[c]*Sqrt[a + b*x])])/ (b*Sqrt[c]*f^2) - (2*(C*e^2 - B*e*f + A*f^2)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[a*c - b*c*x])/ (Sqrt[c]*Sqrt[b*e + a*f]*Sqrt[a + b*x])])/(Sqrt[c]*f^2*Sqr t[-(b*e) + a*f]*Sqrt[b*e + a*f])
fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")
[Out] Timed out
giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")
[Out] Timed out
maple [B] time = 0.00, size = 503, normalized size = 1.81
```

$$\frac{-\sqrt{b^2 c} A b^2 c f^2 \ln \left(\frac{2 b^2 c e x+2 b^2 f+2 \sqrt{\frac{b^2 f^2+b^2 c^2}{\rho ^2}} \sqrt{(b^2 x^2-a^2) c} f}{f \text{size}}\right)+\sqrt{b^2 c} B b^2 c f \ln \left(\frac{2 b^2 c e x+2 b^2 f+2 \sqrt{\frac{b^2 f^2+b^2 c^2}{\rho ^2}} \sqrt{(b^2 x^2-a^2) c} f}{f \text{size}}\right)+\sqrt{\frac{b^2 f^2+b^2 c^2}{\rho ^2}} B b^2 c f^2 \arctan \left(\frac{\sqrt{b^2 x^2-a^2} x}{\sqrt{(b^2 x^2-a^2) c}}\right)-\sqrt{b^2 c} C b^2 c e^2 \ln \left(\frac{2 b^2 c e x+2 b^2 f+2 \sqrt{\frac{b^2 f^2+b^2 c^2}{\rho ^2}} \sqrt{(b^2 x^2-a^2) c} f}{f \text{size}}\right)-\sqrt{\frac{b^2 f^2+b^2 c^2}{\rho ^2}} C b^2 c e f \arctan \left(\frac{\sqrt{b^2 x^2-a^2} x}{\sqrt{(b^2 x^2-a^2) c}}\right)-\sqrt{b^2 c} \sqrt{\frac{b^2 f^2+b^2 c^2}{\rho ^2}} \sqrt{-(b^2 x^2-a^2)} c f^2}{\sqrt{\frac{b^2 f^2+b^2 c^2}{\rho ^2}} \sqrt{b^2 c} \sqrt{-(b^2 x^2-a^2)} c b^2 c f^3} \sqrt{b x+a} \sqrt{-(b x+a) c}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)
[Out] (-(b^2*c)^(1/2)*A*b^2*c*f^2*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))+(b^2*c)^(1/2)*B*b^2*c*e*f*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*B*b^2*c*f^2*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c)^(1/2)*x)-(b^2*c)^(1/2)*C*b^2*c*e^2*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e)
```

$$)-((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*C*b^2*c*e*f*arctan((b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}*x)-(b^2*c)^{(1/2)}*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*C*f^2)*(b*x+a)^{(1/2)}*(-(b*x-a)*c)^{(1/2)}/((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}/(b^2*c)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}/(b^2/c/f^3}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}, x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((4*b^2*c>0)', see `assume?` for more details)Is (4*b^2*c - (a^2*c-(b^2*c*e^2)/f^2)) /f^2 + (4*b^4*c^2*e^2)/f^4 zero or nonzero?

mupad [B] time = 0.01, size = 9298, normalized size = 33.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x + C*x^2)/((e + f*x)*(a*c - b*c*x)^{(1/2)}*(a + b*x)^{(1/2)}), x)

[Out] (B*a*e*atan(((B*a*e*((4096*(32*B^3*a^(17/2)*c^3*e*f^2*(a*c)^(5/2) + 24*B^3*a^(15/2)*b^2*c^4*e^3*(a*c)^(3/2)))/(a^6*b^8*e^6) - (4096*(32*B^3*a^(17/2)*c^2*e*f^2*(a*c)^(5/2) - 96*B^3*a^(15/2)*b^2*c^3*e^3*(a*c)^(3/2))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(a^6*b^8*e^6*((a + b*x)^(1/2) - a^(1/2))^2) - (B*a*e*((4096*(16*B^2*a^12*c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4))/(a^6*b^8*e^6) + (B*a*e*((4096*(24*B*a^(17/2)*b^2*c^4*e*f^4*(a*c)^(5/2) - 30*B*a^(15/2)*b^4*c^5*e^3*f^2*(a*c)^(3/2)))/(a^6*b^8*e^6) + (16384*(20*B*a^12*c^6*f^5 - 22*B*a^10*b^2*c^6*e^2*f^3)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(a^6*b^7*e^6*((a + b*x)^(1/2) - a^(1/2))) + (B*a*e*((4096*(9*a^8*b^6*c^7*e^4*f^2 - 7*a^10*b^4*c^7*e^2*f^4))/(a^6*b^8*e^6) + (4096*(9*a^8*b^6*c^6*e^4*f^2 - 11*a^10*b^4*c^6*e^2*f^4)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(a^6*b^8*e^6*((a + b*x)^(1/2) - a^(1/2))^2) - (16384*(5*a^(17/2)*b^2*c^4*e*f^5*(a*c)^(5/2) - 6*a^(15/2)*b^4*c^5*e^3*f^3*(a*c)^(3/2))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(a^6*b^7*e^6*((a + b*x)^(1/2) - a^(1/2)))))/(f*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2)) + (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2*(96*B*a^(17/2)*b^2*c^3*e*f^4*(a*c)^(5/2) - 90*B*a^(15/2)*b^4*c^4*e^3*f^2*(a*c)^(3/2)))/(a^6*b^8*e^6*((a + b*x)^(1/2) - a^(1/2))^2)))/(f*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2)) + (16384*(8*B^2*a^(17/2)*c^3*e*f^3*(a*c)^(5/2) + 3*B^2*a^(15/2)*b^2*c^4*e^3*f*(a*c)^(3/2))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(a^6*b^7*e^6*((a + b*x)^(1/2) - a^(1/2))) + (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2*(9*B^2*a^8*

$$\begin{aligned}
& b^4 * c^5 * e^4 - 144 * B^2 * a^12 * c^5 * f^4 + 128 * B^2 * a^10 * b^2 * c^5 * e^2 * f^2) / (a^6 * b^8 * e^6 * ((a + b*x)^{(1/2)} - a^{(1/2)})^2)) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)}) \\
& + (458752 * B^3 * a^4 * c^5 * f * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (b^7 * e^4 * ((a + b*x)^{(1/2)} - a^{(1/2)})) * i) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)}) + (B * a * e * ((4096 * (32 * B^3 * a^{(17/2)} * c^3 * e * f^2 * (a*c)^{(5/2)} + 24 * B^3 * a^{(15/2)} * b^2 * c^4 * e^3 * (a*c)^{(3/2)})) / (a^6 * b^8 * e^6) - (4096 * (32 * B^3 * a^{(17/2)} * c^2 * e * f^2 * (a*c)^{(5/2)} - 96 * B^3 * a^{(15/2)} * b^2 * c^3 * e^3 * (a*c)^{(3/2)})) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / (a^6 * b^8 * e^6 * ((a + b*x)^{(1/2)} - a^{(1/2)})^2) + (B * a * e * ((4096 * (16 * B^2 * a^12 * c^6 * f^4 + 9 * B^2 * a^8 * b^4 * c^6 * e^4)) / (a^6 * b^8 * e^6) - (B * a * e * ((4096 * (24 * B * a^{(17/2)} * b^2 * c^4 * e * f^4 * (a*c)^{(5/2)} - 30 * B * a^{(15/2)} * b^4 * c^5 * e^3 * f^2 * (a*c)^{(3/2)})) / (a^6 * b^8 * e^6) + (16384 * (20 * B * a^12 * c^6 * f^5 - 22 * B * a^{10} * b^2 * c^6 * e^2 * f^3) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (a^6 * b^7 * e^6 * ((a + b*x)^{(1/2)} - a^{(1/2)})) - (B * a * e * ((4096 * (9 * a^8 * b^6 * c^7 * e^4 * f^2 - 7 * a^{10} * b^4 * c^7 * e^2 * f^4)) / (a^6 * b^8 * e^6) + (4096 * (9 * a^8 * b^6 * c^6 * e^4 * f^2 - 11 * a^{10} * b^4 * c^6 * e^2 * f^4)) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / (a^6 * b^8 * e^6 * ((a + b*x)^{(1/2)} - a^{(1/2)})^2) - (16384 * (5 * a^{(17/2)} * b^2 * c^4 * e * f^5 * (a*c)^{(5/2)} - 6 * a^{(15/2)} * b^4 * c^5 * e^3 * f^3 * (a*c)^{(3/2)})) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (a^6 * b^7 * e^6 * ((a + b*x)^{(1/2)} - a^{(1/2)}))) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)}) + (4096 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2 * (96 * B * a^{(17/2)} * b^2 * c^3 * e * f^4 * (a*c)^{(5/2)} - 90 * B * a^{(15/2)} * b^4 * c^4 * e^3 * f^2 * (a*c)^{(3/2)})) / (a^6 * b^8 * e^6 * ((a + b*x)^{(1/2)} - a^{(1/2)}))) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)}) + (16384 * (8 * B^2 * a^{(17/2)} * c^3 * e * f^3 * (a*c)^{(5/2)} + 3 * B^2 * a^{(15/2)} * b^2 * c^4 * e^3 * f * (a*c)^{(3/2)})) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2 * (9 * B^2 * a^8 * b^4 * c^5 * e^4 - 144 * B^2 * a^12 * c^5 * f^4 + 128 * B^2 * a^10 * b^2 * c^5 * e^2 * f^2)) / (a^6 * b^8 * e^6 * ((a + b*x)^{(1/2)} - a^{(1/2)}))) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)}) + (458752 * B^3 * a^4 * c^5 * f * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (b^7 * e^4 * ((a + b*x)^{(1/2)} - a^{(1/2)}))) * i) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)}) / ((131072 * B^4 * a^4 * c^5) / (b^8 * e^4) - (B * a * e * ((4096 * (32 * B^3 * a^{(17/2)} * c^3 * e * f^2 * (a*c)^{(5/2)} + 24 * B^3 * a^{(15/2)} * b^2 * c^4 * e^3 * (a*c)^{(3/2)})) / (a^6 * b^8 * e^6 * ((a + b*x)^{(1/2)} - a^{(1/2)}))) + (4096 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2 * (9 * B^2 * a^8 * b^4 * c^5 * e^4 - 144 * B^2 * a^12 * c^5 * f^4 + 128 * B^2 * a^10 * b^2 * c^5 * e^2 * f^2)) / (a^6 * b^8 * e^6 * ((a + b*x)^{(1/2)} - a^{(1/2)}))) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)})) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)}) + (4096 * (16 * B^2 * a^12 * c^6 * f^4 + 9 * B^2 * a^8 * b^4 * c^6 * e^4)) / (a^6 * b^8 * e^6) + (B * a * e * ((4096 * (24 * B * a^{(17/2)} * b^2 * c^4 * e * f^4 * (a*c)^{(5/2)} - 30 * B * a^{(15/2)} * b^4 * c^5 * e^3 * f^2 * (a*c)^{(3/2)})) / (a^6 * b^8 * e^6) + (16384 * (20 * B * a^12 * c^6 * f^5 - 22 * B * a^{10} * b^2 * c^6 * e^2 * f^3) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (a^6 * b^8 * e^6 * ((a + b*x)^{(1/2)} - a^{(1/2)}))) - (16384 * (5 * a^{(17/2)} * b^2 * c^4 * e * f^5 * (a*c)^{(5/2)} - 6 * a^{(15/2)} * b^4 * c^5 * e^3 * f^3 * (a*c)^{(3/2)})) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (a^6 * b^7 * e^6 * ((a + b*x)^{(1/2)} - a^{(1/2)}))) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)}) + (4096 * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)})^2 * (96 * B * a^{(17/2)} * b^2 * c^3 * e * f^4 * (a*c)^{(5/2)} - 90 * B * a^{(15/2)} * b^4 * c^4 * e^3 * f^2 * (a*c)^{(3/2)})) / (a^6 * b^8 * e^6 * ((a + b*x)^{(1/2)} - a^{(1/2)}))) / (f * (a^4 * c * f^2 - a^2 * b^2 * c * e^2)^{(1/2)}) +
\end{aligned}$$

$$\begin{aligned}
& 16384*(8*B^2*a^{(17/2)}*c^3*e*f^3*(a*c)^{(5/2)} + 3*B^2*a^{(15/2)}*b^2*c^4*e^3*f*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})/(a^6*b^7*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(9*B^2*a^8*b^4*c^5*e^4 - 144*B^2*a^12*c^5*f^4 + 128*B^2*a^10*b^2*c^5*e^2*f^2))/(a^6*b^8*f^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2))/((f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (458752*B^3*a^4*c^5*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(b^7*e^4*((a + b*x)^{(1/2)} - a^{(1/2)}))) + (B*a*e*((4096*(32*B^3*a^{(17/2)}*c^3*e*f^2*(a*c)^{(5/2)} + 24*B^3*a^{(15/2)}*b^2*c^4*e^3*(a*c)^{(3/2)}))/(a^6*b^8*e^6) - (4096*(32*B^3*a^{(17/2)}*c^2*e*f^2*(a*c)^{(5/2)} - 96*B^3*a^{(15/2)}*b^2*c^3*e^3*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(a^6*b^8*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2) + (B*a*e*((4096*(16*B^2*a^12*c^6*f^4 + 9*B^2*a^8*b^4*c^6*e^4))/(a^6*b^8*e^6) - (B*a*e*((4096*(24*B*a^{(17/2)}*b^2*c^4*e*f^4*(a*c)^{(5/2)} - 30*B*a^{(15/2)}*b^4*c^5*e^3*f^2*(a*c)^{(3/2)}))/(a^6*b^8*e^6) + (16384*(20*B*a^12*c^6*f^5 - 22*B*a^10*b^2*c^6*e^2*f^3)*(a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(a^6*b^7*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})) - (B*a*e*((4096*(9*a^8*b^6*c^7*e^4*f^2 - 7*a^10*b^4*c^7*e^2*f^4))/(a^6*b^8*e^6) + (4096*(9*a^8*b^6*c^6*e^4*f^2 - 11*a^10*b^4*c^6*e^2*f^4)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(a^6*b^8*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2) - (16384*(5*a^{(17/2)}*b^2*c^4*e*f^5*(a*c)^{(5/2)} - 6*a^{(15/2)}*b^4*c^5*e^3*f^3*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(a^6*b^7*e^6*((a + b*x)^{(1/2)} - a^{(1/2)}))) + (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(96*B*a^{(17/2)}*b^2*c^3*e*f^4*(a*c)^{(5/2)} - 90*B*a^{(15/2)}*b^4*c^4*e^3*f^2*(a*c)^{(3/2)}))/(a^6*b^8*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2)) + (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (16384*(8*B^2*a^{(17/2)}*c^3*e*f^3*(a*c)^{(5/2)} + 3*B^2*a^{(15/2)}*b^2*c^4*e^3*f*(a*c)^{(3/2)})*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(a^6*b^7*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(9*B^2*a^8*b^4*c^5*e^4 - 144*B^2*a^12*c^5*f^4 + 128*B^2*a^10*b^2*c^5*e^2*f^2))/(a^6*b^8*e^6*((a + b*x)^{(1/2)} - a^{(1/2)})^2)) + (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (458752*B^3*a^4*c^5*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(b^7*e^4*((a + b*x)^{(1/2)} - a^{(1/2)}))) + (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) + (917504*B^4*a^4*c^4*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(b^8*e^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2)) * 2i + (f*(a^4*c*f^2 - a^2*b^2*c*e^2)^{(1/2)}) - (C*e^2*atan(((C*e^2*((4096*(32*C^3*a^{(5/2)}*c^3*e^2*f^3*(a*c)^{(5/2)} + 24*C^3*a^{(3/2)}*b^2*c^4*e^4*f*(a*c)^{(3/2)}))/(b^8*e^4*f^4) + (C*e^2*((4096*(16*C^2*a^6*c^6*f^6 + 9*C^2*a^2*b^4*c^6*e^4*f^2))/(b^8*e^4*f^4) - (C*e^2*((4096*(24*C*a^{(5/2)}*b^2*c^4*f^7*(a*c)^{(5/2)} - 30*C*a^{(3/2)}*b^4*c^5*e^2*f^5*(a*c)^{(3/2)}))/(b^8*e^4*f^4) + (C*e^2*((4096*(7*a^4*b^4*c^7*f^8 - 9*a^2*b^6*c^7*e^2*f^6))/(b^8*e^4*f^4) + (16384*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(5*a^{(5/2)}*b^2*c^4*f^7*(a*c)^{(5/2)} - 6*a^{(3/2)}*b^4*c^5*e^2*f^5*(a*c)^{(3/2)}))/(b^7*e^5*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(11*a^4*b^4*c^6*f^8 - 9*a^2*b^6*c^6*e^2*f^6))/(b^8*e^4*f^4*((a + b*x)^{(1/2)} - a^{(1/2)})^2)))/(f^2*((a^2*c*f^2 - b^2*c*e^2)^{(1/2)})) + (16384*(20*C*a^6*c^6*f^6 - 22*C*a^4*b^2*c^6*e^2*f^4)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/(b^7*e^5*f^2*((a + b*x)^{(1/2)} - a^{(1/2)})) + (4096*(96*C*a^{(5/2)}*b^2*c^3*f^7*(a*c)^{(5/2)} - 90*C*a^{(3/2)}*b^4*c^
\end{aligned}$$

$$\begin{aligned}
& 4 \cdot e^{2 \cdot f^5 \cdot (a \cdot c)^{(3/2)}} \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 / (b^{8 \cdot e^{4 \cdot f^4}} \\
& ((a + b \cdot x)^{(1/2)} - a^{(1/2)})^2) / (f^{2 \cdot (a^{2 \cdot c \cdot f^2} - b^{2 \cdot c \cdot e^2})^{(1/2)}} + (409 \\
& 6 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \cdot (9 \cdot C^{2 \cdot a^{2 \cdot b^{4 \cdot c^{5 \cdot e^{4 \cdot f^2}}} - 144 \cdot C^ \\
& 2 \cdot a^{6 \cdot c^{5 \cdot f^6}} + 128 \cdot C^{2 \cdot a^{4 \cdot b^{2 \cdot c^{5 \cdot e^{2 \cdot f^4}}}})) / (b^{8 \cdot e^{4 \cdot f^4}} \cdot ((a + b \cdot x)^{(1/2)} \\
& - a^{(1/2)})^2 + (16384 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)}) \cdot (8 \cdot C^{2 \cdot a^{(5/2)}} \cdot \\
& c^{3 \cdot e^{2 \cdot f^3}} \cdot ((a \cdot c)^{(5/2)} + 3 \cdot C^{2 \cdot a^{(3/2)}} \cdot b^{2 \cdot c^{4 \cdot e^{4 \cdot f^*(a \cdot c)^{(3/2)}}})) / (b^{7 \cdot e^ \\
& 5 \cdot f^2} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)}))) / (f^{2 \cdot (a^{2 \cdot c \cdot f^2} - b^{2 \cdot c \cdot e^2})^{(1/2)}} - \\
& (4096 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \cdot (32 \cdot C^{3 \cdot a^{(5/2)}} \cdot c^{2 \cdot e^{2 \cdot f^3}} \cdot (a \cdot \\
& c)^{(5/2)} - 96 \cdot C^{3 \cdot a^{(3/2)}} \cdot b^{2 \cdot c^{3 \cdot e^{4 \cdot f^*(a \cdot c)^{(3/2)}}})) / (b^{8 \cdot e^{4 \cdot f^4}} \cdot ((a + b \cdot \\
& x)^{(1/2)} - a^{(1/2)})^2 + (458752 \cdot C^{3 \cdot a^{4 \cdot c^{5 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})}}) / (b^{7 \cdot e^ \\
& 2 \cdot f^2} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)})) \cdot 1i) / (f^{2 \cdot (a^{2 \cdot c \cdot f^2} - b^{2 \cdot c \cdot e^2})^{(1/2)}} + \\
& (C \cdot e^{2 \cdot ((4096 \cdot (32 \cdot C^{3 \cdot a^{(5/2)}} \cdot c^{3 \cdot e^{2 \cdot f^3}} \cdot 3 \cdot (a \cdot c)^{(5/2)} + 24 \cdot C^ \\
& 3 \cdot a^{(3/2)} \cdot b^{2 \cdot c^{4 \cdot e^{4 \cdot f^*(a \cdot c)^{(3/2)}}})) / (b^{8 \cdot e^{4 \cdot f^4}} - (C \cdot e^{2 \cdot ((4096 \cdot (16 \cdot C^ \\
& 2 \cdot a^{6 \cdot c^{6 \cdot f^6}} + 9 \cdot C^{2 \cdot a^{2 \cdot b^{4 \cdot c^{6 \cdot e^{4 \cdot f^2}}}})) / (b^{8 \cdot e^{4 \cdot f^4}} + (C \cdot e^{2 \cdot ((4096 \cdot (24 \cdot C \cdot a^ \\
& 6 \cdot c^{6 \cdot f^6} - 22 \cdot C \cdot a^{4 \cdot b^{2 \cdot c^{6 \cdot e^{2 \cdot f^4}}}) \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)}) \\
& / (b^{7 \cdot e^{5 \cdot f^2}} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)})) + (4096 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \\
& \cdot 2 \cdot ((11 \cdot a^{4 \cdot b^{4 \cdot c^{6 \cdot f^8}} - 9 \cdot a^{2 \cdot b^{6 \cdot c^{6 \cdot e^{2 \cdot f^6}}}}) / (b^{8 \cdot e^{4 \cdot f^4}} \cdot ((a + b \cdot x)^ \\
& (1/2) - a^{(1/2)})^2)) / (f^{2 \cdot (a^{2 \cdot c \cdot f^2} - b^{2 \cdot c \cdot e^2})^{(1/2)}} + (16384 \cdot (20 \cdot C \cdot a^ \\
& 6 \cdot c^{6 \cdot f^6} - 22 \cdot C \cdot a^{4 \cdot b^{2 \cdot c^{6 \cdot e^{2 \cdot f^4}}}) \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)}) \\
& / (b^{7 \cdot e^{5 \cdot f^2}} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)})) + (4096 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \\
& \cdot 2 \cdot ((9 \cdot C^{2 \cdot a^{2 \cdot b^{4 \cdot c^{5 \cdot e^{4 \cdot f^2}}}} - 144 \cdot C^{2 \cdot a^{6 \cdot c^{5 \cdot f^6}} + 128 \cdot C^{2 \cdot a^{4 \cdot b^{2 \cdot c^{5 \cdot e^{2 \cdot f^4}}}}) / (b^{8 \cdot e^{4 \cdot f^4}} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)})^2 + (16384 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \\
& \cdot 2 \cdot ((8 \cdot C^{2 \cdot a^{(5/2)}} \cdot c^{3 \cdot e^{2 \cdot f^3}} \cdot (a \cdot c)^{(5/2)} + 3 \cdot C^{2 \cdot a^{(3/2)}} \cdot b^{2 \cdot c^{4 \cdot e^{4 \cdot f^*(a \cdot c)^{(3/2)}}}) / (b^{7 \cdot e^{5 \cdot f^2}} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)}))) / (f^{2 \cdot (a^{2 \cdot c \cdot f^2} - b^{2 \cdot c \cdot e^2})^{(1/2)}} - (4096 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \\
& \cdot 2 \cdot ((32 \cdot C^{3 \cdot a^{(5/2)}} \cdot c^{2 \cdot e^{2 \cdot f^3}} \cdot (a \cdot c)^{(5/2)} - 96 \cdot C^{3 \cdot a^{(3/2)}} \cdot b^{2 \cdot c^{3 \cdot e^{4 \cdot f^*(a \cdot c)^{(3/2)}}}) / (b^{8 \cdot e^{4 \cdot f^4}} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)})^2 + (458752 \cdot C^{3 \cdot a^{4 \cdot c^{5 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})}}) / (b^{7 \cdot e^{5 \cdot f^2}} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)}))) / (f^{2 \cdot (a^{2 \cdot c \cdot f^2} - b^{2 \cdot c \cdot e^2})^{(1/2)}} - (4096 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \\
& \cdot 2 \cdot ((131072 \cdot C^{4 \cdot a^{4 \cdot c^{5 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})}}) / (b^{8 \cdot f^4}) + (C \cdot e^{2 \cdot ((4096 \cdot (32 \cdot C^{3 \cdot a^{(5/2)}} \cdot c^{3 \cdot e^{2 \cdot f^3}} \cdot 3 \cdot (a \cdot c)^{(5/2)} + 24 \cdot C^{3 \cdot a^{(3/2)}} \cdot b^{2 \cdot c^{4 \cdot e^{4 \cdot f^*(a \cdot c)^{(3/2)}}}) / (b^{8 \cdot e^{4 \cdot f^4}} + (C \cdot e^{2 \cdot ((4096 \cdot (7 \cdot a^{4 \cdot b^{4 \cdot c^{7 \cdot f^8}} - 9 \cdot a^{2 \cdot b^{6 \cdot c^{7 \cdot e^{2 \cdot f^6}}}) / (b^{8 \cdot e^{4 \cdot f^4}} + (C \cdot e^{2 \cdot ((4096 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \cdot (5 \cdot a^{(5/2)} \cdot b^{2 \cdot c^{4 \cdot f^7}} \cdot (a \cdot c)^{(5/2)} - 6 \cdot a^{(3/2)} \cdot b^{4 \cdot c^{5 \cdot e^{2 \cdot f^5}} \cdot (a \cdot c)^{(3/2)})) / (b^{7 \cdot e^{5 \cdot f^2}} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)}))) + (4096 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2 \cdot 2 \cdot ((11 \cdot a^{4 \cdot b^{4 \cdot c^{6 \cdot f^8}} - 9 \cdot a^{2 \cdot b^{6 \cdot c^{6 \cdot e^{2 \cdot f^6}}}) / (b^{8 \cdot e^{4 \cdot f^4}} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)})^2 + (16384 \cdot (20 \cdot C \cdot a^{6 \cdot c^{6 \cdot f^6}}) / (b^{7 \cdot e^{5 \cdot f^2}} \cdot ((a + b \cdot x)^{(1/2)} - a^{(1/2)}))) / (f^{2 \cdot (a^{2 \cdot c \cdot f^2} - b^{2 \cdot c \cdot e^2})^{(1/2)}} + (16384 \cdot ((a \cdot c - b \cdot c \cdot x)^{(1/2)} - (a \cdot c)^{(1/2)})^2
\end{aligned}$$

$$\begin{aligned}
& f^6 - 22*C*a^4*b^2*c^6*e^2*f^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(b^7*e^5*f^2*((a + b*x)^(1/2) - a^(1/2))) + (4096*(96*C*a^(5/2)*b^2*c^3*f^7*(a*c)^(5/2) - 90*C*a^(3/2)*b^4*c^4*e^2*f^5*(a*c)^(3/2))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(b^8*e^4*f^4*((a + b*x)^(1/2) - a^(1/2))^2))/((f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) + (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)*(9*C^2*a^2*b^4*c^5*e^4*f^2 - 144*C^2*a^6*c^5*f^6 + 128*C^2*a^4*b^2*c^5*e^2*f^4))/(b^8*e^4*f^4*((a + b*x)^(1/2) - a^(1/2))^2) + (16384*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))*((8*C^2*a^(5/2)*c^3*e^2*f^3*(a*c)^(5/2) + 3*C^2*a^(3/2)*b^2*c^4*e^4*f*(a*c)^(3/2)))/(b^7*e^5*f^2*((a + b*x)^(1/2) - a^(1/2))))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) - (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)*(32*C^3*a^(5/2)*c^2*e^2*f^3*(a*c)^(5/2) - 96*C^3*a^(3/2)*b^2*c^3*e^4*f*(a*c)^(3/2)))/(b^8*e^4*f^4*((a + b*x)^(1/2) - a^(1/2))^2) + (458752*C^3*a^4*c^5*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(b^7*e*f^2*((a + b*x)^(1/2) - a^(1/2))))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) - (C*e^2*((4096*(32*C^3*a^(5/2)*c^3*e^2*f^3*(a*c)^(5/2) + 24*C^3*a^(3/2)*b^2*c^4*e^4*f*(a*c)^(3/2)))/(b^8*e^4*f^4) - (C*e^2*((4096*(16*C^2*a^6*c^6*f^6 + 9*C^2*a^2*b^4*c^6*e^4*f^2))/(b^8*e^4*f^4) + (C*e^2*((4096*(24*C*a^(5/2)*b^2*c^4*f^7*(a*c)^(5/2) - 30*C*a^(3/2)*b^4*c^5*e^2*f^5*(a*c)^(3/2)))/(b^8*e^4*f^4) - (C*e^2*((4096*(7*a^4*b^4*c^7*f^8 - 9*a^2*b^6*c^7*e^2*f^6))/(b^8*e^4*f^4) + (16384*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))*((5*a^(5/2)*b^2*c^4*f^7*(a*c)^(5/2) - 6*a^(3/2)*b^4*c^5*e^2*f^5*(a*c)^(3/2)))/(b^7*e^5*f^2*((a + b*x)^(1/2) - a^(1/2))) + (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2*((11*a^4*b^4*c^6*f^8 - 9*a^2*b^6*c^6*e^2*f^6))/(b^8*e^4*f^4*((a + b*x)^(1/2) - a^(1/2))^2)))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) + (16384*(20*C*a^6*c^6*f^6 - 22*C*a^4*b^2*c^6*e^2*f^4)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(b^7*e^5*f^2*((a + b*x)^(1/2) - a^(1/2))) + (4096*(96*C*a^(5/2)*b^2*c^3*f^7*(a*c)^(5/2) - 90*C*a^(3/2)*b^4*c^4*e^2*f^5*(a*c)^(3/2))*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(b^8*e^4*f^4*((a + b*x)^(1/2) - a^(1/2))^2)))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) + (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2*(9*C^2*a^2*b^4*c^5*e^4*f^2 - 144*C^2*a^6*c^5*f^6 + 128*C^2*a^4*b^2*c^5*e^2*f^4))/(b^8*e^4*f^4*((a + b*x)^(1/2) - a^(1/2))^2) + (16384*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))*((8*C^2*a^(5/2)*c^3*e^2*f^3*(a*c)^(5/2) + 3*C^2*a^(3/2)*b^2*c^4*e^4*f*(a*c)^(3/2)))/(b^7*e^5*f^2*((a + b*x)^(1/2) - a^(1/2))))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) - (4096*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2*(32*C^3*a^(5/2)*c^2*e^2*f^3*(a*c)^(5/2) - 96*C^3*a^(3/2)*b^2*c^3*e^4*f*(a*c)^(3/2)))/(b^8*e^4*f^4*((a + b*x)^(1/2) - a^(1/2))^2) + (458752*C^3*a^4*c^5*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(b^7*e*f^2*((a + b*x)^(1/2) - a^(1/2))))/(f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) + (917504*C^4*a^4*c^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/(b^8*f^4*((a + b*x)^(1/2) - a^(1/2))^2)) * 2i) /(f^2*(a^2*c*f^2 - b^2*c*e^2)^(1/2)) - (4*B*atan((67108864*B^5*a^16*c^7*f^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/(((a + b*x)^(1/2) - a^(1/2))*((67108864*B^5*a^16*c^(15/2)*f^4 + 37748736*B^5*a^12*b^4*c^(15/2)*e^4 - 100663296*B^5*a^14*b^2*c^(15/2)*e^2*f^2)) + (37748736*B^5*a^12*b^4*c^(15/2)*e^4 - 100663296*B^5*a^14*b^2*c^(15/2)*e^2*f^2)) - (100663296*B^5*a^14*b^2*c^7*e^
\end{aligned}$$

$$\begin{aligned}
& 2*f^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)) / (((a + b*x)^(1/2) - a^(1/2))*(67 \\
& 108864*B^5*a^16*c^(15/2)*f^4 + 37748736*B^5*a^12*b^4*c^(15/2)*e^4 - 1006632 \\
& 96*B^5*a^14*b^2*c^(15/2)*e^2*f^2))) / (b*c^(1/2)*f) - (A*a*atan((a*c*(a*c - \\
& b*c*x)^(1/2)*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2)*2i - (a*c)^(3/2)*(a^4*c*f^2 \\
& - a^2*b^2*c*e^2)^(1/2)*1i + a*c*(a*c)^(1/2)*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/ \\
& 2)*1i + b*c*x*(a*c)^(1/2)*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2)*2i - a^(1/2)*c* \\
& (a*c)^(1/2)*(a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2)*(a + b*x)^(1/2)*2i) / (2*a^(5/2) \\
&)*b*c^2*e - 2*a^3*c^2*f*(a + b*x)^(1/2) - 2*a^2*b*c^2*e*(a + b*x)^(1/2) + 2 \\
& *a^(5/2)*b*c^2*f*x + 2*a^(5/2)*c*f*(a*c - b*c*x)^(1/2)*(a*c)^(1/2) - 2*a^(3/2) \\
& *b*c*e*(a*c - b*c*x)^(1/2)*(a*c)^(1/2) + 2*a*b*c*e*(a*c - b*c*x)^(1/2)*(a*c - \\
& b*c*x)^(1/2)*(a + b*x)^(1/2))*2i) / (a^4*c*f^2 - a^2*b^2*c*e^2)^(1/2) + (4*C*e \\
& *atan((67108864*C^5*a^8*c^7*f^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))) / (((a + \\
& b*x)^(1/2) - a^(1/2))*(67108864*C^5*a^8*c^(15/2)*f^4 + 37748736*C^5*a^4*b^ \\
& 4*c^(15/2)*e^4 - 100663296*C^5*a^6*b^2*c^(15/2)*e^2*f^2) + (37748736*C^5*a^ \\
& 4*b^4*c^7*e^4*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))) / (((a + b*x)^(1/2) - a^(1/2) \\
&)*(67108864*C^5*a^8*c^(15/2)*f^4 + 37748736*C^5*a^4*b^4*c^(15/2)*e^4 - \\
& 100663296*C^5*a^6*b^2*c^(15/2)*e^2*f^2) - (100663296*C^5*a^6*b^2*c^7*e^2*f^ \\
& 2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))) / (((a + b*x)^(1/2) - a^(1/2))*(67108 \\
& 864*C^5*a^8*c^(15/2)*f^4 + 37748736*C^5*a^4*b^4*c^(15/2)*e^4 - 100663296*C^ \\
& 5*a^6*b^2*c^(15/2)*e^2*f^2))) / (b*c^(1/2)*f^2) - (8*C*a^(1/2)*(a*c)^(1/2)*(a*c - \\
& b*c*x)^(1/2) - (a*c)^(1/2))^2) / (b^2*f*((a + b*x)^(1/2) - a^(1/2))^2 * \\
& ((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4) / ((a + b*x)^(1/2) - a^(1/2))^4 + c^2 \\
& + (2*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2) / ((a + b*x)^(1/2) - a^(1/2))^2 \\
&)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

$$3.32 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^2} dx$$

Optimal. Leaf size=322

$$\frac{f(a^2 - b^2 x^2) \left(A + \frac{e(Ce - Bf)}{f^2}\right)}{\sqrt{a+bx} (e+fx) \sqrt{ac-bcx} (b^2 e^2 - a^2 f^2)} + \frac{\sqrt{a^2 c - b^2 c x^2} (a^2 f^2 (2Ce - Bf) - b^2 (Ce^3 - Aef^2)) \tan^{-1} \left(\frac{\sqrt{c} (a^2 f + b^2 ex)}{\sqrt{a^2 c - b^2 c x^2}}\right)}{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} (b^2 e^2 - a^2 f^2)^{3/2}}$$

Rubi [A] time = 0.53, antiderivative size = 322, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.175, Rules used = {1610, 1651, 844, 217, 203, 725, 204}

$$\frac{f(a^2 - b^2 x^2) \left(A + \frac{e(Ce - Bf)}{f^2}\right)}{\sqrt{a+bx} (e+fx) \sqrt{ac-bcx} (b^2 e^2 - a^2 f^2)} + \frac{\sqrt{a^2 c - b^2 c x^2} (a^2 f^2 (2Ce - Bf) - b^2 (Ce^3 - Aef^2)) \tan^{-1} \left(\frac{\sqrt{c} (a^2 f + b^2 ex)}{\sqrt{a^2 c - b^2 c x^2} \sqrt{b^2 e^2 - a^2 f^2}}\right)}{\sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx} (b^2 e^2 - a^2 f^2)^{3/2}} + \frac{C \sqrt{a^2 c - b^2 c x^2} \tan^{-1} \left(\frac{b \sqrt{c} x}{\sqrt{a^2 c - b^2 c x^2}}\right)}{b \sqrt{c} f^2 \sqrt{a+bx} \sqrt{ac-bcx}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2), x]
[Out] (f*(A + (e*(C*e - B*f))/f^2)*(a^2 - b^2*x^2))/((b^2*e^2 - a^2*f^2)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)) + (C*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(b*Sqrt[c]*x)/Sqrt[a^2*c - b^2*c*x^2]]/(b*Sqrt[c]*f^2*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]) + ((a^2*f^2*(2*C*e - B*f) - b^2*(C*e^3 - A*e*f^2))*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(Sqrt[c]*(a^2*f + b^2*e*x))/(Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a^2*c - b^2*c*x^2]))/(Sqrt[c]*f^2*(b^2*e^2 - a^2*f^2)^(3/2)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_),
x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^m_*((c_) + (d_)*(x_))^n_*((e_) + (f_),
(x_))^p_, x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/
(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0]
&& EqQ[m, n] && !IntegerQ[m]
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_)*(x_))^m_*((a_) + (c_)*(x_)^2)^p_, x_Symbol] :>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^p)/((m + 1)*(c*d^2 +
a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) -
c*e*R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
&& NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A+Bx+Cx^2}{(e+fx)^2 \sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\sqrt{a^2c - b^2cx^2} \int \frac{c(AB^2e+a^2(Ce-Ef))}{(e+fx)^2} dx}{c(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\left(C \left(\frac{b^2e^2}{f} - a^2f \right) \sqrt{a^2c - b^2cx^2} \right)}{f(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{\left(C \left(\frac{b^2e^2}{f} - a^2f \right) \sqrt{a^2c - b^2cx^2} \right)}{f(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce-Bf)}{f^2} \right) (a^2 - b^2x^2)}{(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)} + \frac{C \sqrt{a^2c - b^2cx^2} \tan^{-1} \left(\frac{b\sqrt{c}}{\sqrt{a^2c - b^2cx^2}} \right)}{b\sqrt{c} f^2 \sqrt{a + bx} \sqrt{ac - bcx}}
\end{aligned}$$

Mathematica [A] time = 0.79, size = 309, normalized size = 0.96

$$\begin{aligned}
&\frac{2b^2e\sqrt{a-bx}(f(Af-Be)+Ce^2)\tanh^{-1}\left(\frac{\sqrt{a-bx}\sqrt{be-af}}{\sqrt{a+bx}\sqrt{-af-be}}\right)}{(-af-be)^{3/2}(be-af)^{3/2}} + \frac{f(bx-a)\sqrt{a+bx}(f(Af-Be)+Ce^2)}{(e+fx)(af-be)(af+be)} - \frac{2\sqrt{a-bx}(2Ce-Bf)\tanh^{-1}\left(\frac{\sqrt{a-bx}\sqrt{be-af}}{\sqrt{a+bx}\sqrt{-af-be}}\right)}{\sqrt{-af-be}\sqrt{be-af}} - \frac{2C\sqrt{a-bx}\tan^{-1}\left(\frac{\sqrt{a-bx}}{\sqrt{a+bx}}\right)}{b} \\
&\quad f^2\sqrt{c(a-bx)}
\end{aligned}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2), x]
[Out] ((f*(C*e^2 + f*(-(B*e) + A*f))*(-(a + b*x)*Sqrt[a + b*x])/((-b*e) + a*f)*(b
*e + a*f)*(e + f*x)) - (2*C*Sqrt[a - b*x]*ArcTan[Sqrt[a - b*x]/Sqrt[a + b*x
]])/b - (2*(2*C*e - B*f)*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*
x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/(Sqrt[-(b*e) - a*f]*Sqrt[b*e - a*f
]) - (2*b^2*e*(C*e^2 + f*(-(B*e) + A*f))*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e -
a*f]*Sqrt[a - b*x])/(Sqrt[-(b*e) - a*f]*Sqrt[a + b*x])])/((-(b*e) - a*f)^(3
/2)*(b*e - a*f)^(3/2)))/(f^2*Sqrt[c*(a - b*x)])
```

IntegrateAlgebraic [A] time = 0.00, size = 282, normalized size = 0.88

$$\begin{aligned}
&\frac{2(a^2Bf^3 - 2a^2Cef^2 - Ab^2ef^2 + b^2Ce^3)\tanh^{-1}\left(\frac{\sqrt{ac-bcx}\sqrt{af-be}}{\sqrt{c}\sqrt{a+bx}\sqrt{af+be}}\right)}{\sqrt{c}f^2(af-be)^{3/2}(af+be)^{3/2}} + \frac{2ab\sqrt{ac-bcx}(Af^2 - Be^2 + Ce^2)}{f\sqrt{a+bx}(af-be)(af+be)\left(-\frac{be(ac-bcx)}{a+bx} + \frac{af(ac-bcx)}{a+bx} - acf - bce\right)} - \frac{2C\tan^{-1}\left(\frac{\sqrt{ac-bcx}}{\sqrt{c}\sqrt{a+bx}}\right)}{b\sqrt{c}f^2}
\end{aligned}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2),x]
[Out] (2*a*b*(C*e^2 - B*e*f + A*f^2)*Sqrt[a*c - b*c*x])/(f*(-(b*e) + a*f)*(b*e + a*f)*Sqrt[a + b*x]*(-(b*c*e) - a*c*f - (b*e*(a*c - b*c*x))/(a + b*x) + (a*f*(a*c - b*c*x))/(a + b*x))) - (2*C*ArcTan[Sqrt[a*c - b*c*x]/(Sqrt[c]*Sqrt[a + b*x])])/(b*Sqrt[c]*f^2) - (2*(b^2*C*e^3 - A*b^2*e*f^2 - 2*a^2*C*e*f^2 + a^2*B*f^3)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[a*c - b*c*x])/(Sqrt[c]*Sqrt[b*e + a*f]*Sqrt[a + b*x])])/(Sqrt[c]*f^2*(-(b*e) + a*f)^(3/2)*(b*e + a*f)^(3/2))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")
```

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")
```

[Out] Timed out

maple [B] time = 0.00, size = 1200, normalized size = 3.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x)
[Out] ((b^2*c)^(1/2)*A*b^2*c*e*f^3*x*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))-(b^2*c)^(1/2)*B*a^2*c*f^4*x*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))+2*(b^2*c)^(1/2)*C*a^2*c*e*f^3*x*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*(-(b^2*x^2-a^2)*c)^(1/2)*f)/(f*x+e))+((a^2*f^2-b^2*e^2)*c/f^2)^(1/2)*C*a^2*c*f^4*x*arctan((b^2*c)^(1/2)/(-(b^2*x^2-a^2)*c/f^2)^(1/2))
```

$$\begin{aligned}
& 2)*c)^{(1/2)*x} - (b^{2*c})^{(1/2)}*C*b^{2*c*e^{3*f*x}}*\ln(2*(b^{2*c*x+a^{2*c*f}}((a^{2*f^2}-b^{2*e^2})*c/f^2))^{(1/2)}*(-(b^{2*x^2-a^2})*c)^{(1/2)*f}/(f*x+e)) - ((a^{2*f^2}-b^{2*e^2})*c/f^2)^{(1/2)}*C*b^{2*c*e^{2*f^2*x}}*\arctan((b^{2*c})^{(1/2)}/(-(b^{2*x^2-a^2})*c)^{(1/2)*x}) + (b^{2*c})^{(1/2)}*A*b^{2*c*e^{2*f^2*2*\ln(2*(b^{2*c*x+a^{2*c*f}}((a^{2*f^2}-b^{2*e^2})*c/f^2))^{(1/2)}*(-(b^{2*x^2-a^2})*c)^{(1/2)*f}/(f*x+e))} - (b^{2*c})^{(1/2)}*B*a^{2*c*e^f^3*\ln(2*(b^{2*c*x+a^{2*c*f}}((a^{2*f^2}-b^{2*e^2})*c/f^2))^{(1/2)}*(-(b^{2*x^2-a^2})*c)^{(1/2)*f}/(f*x+e))} + 2*(b^{2*c})^{(1/2)}*C*a^{2*c*e^{2*f^2*2*\ln(2*(b^{2*c*x+a^{2*c*f}}((a^{2*f^2}-b^{2*e^2})*c/f^2))^{(1/2)}*(-(b^{2*x^2-a^2})*c)^{(1/2)*f}/(f*x+e))} + ((a^{2*f^2}-b^{2*e^2})*c/f^2)^{(1/2)}*C*a^{2*c*e^f^3*\arctan((b^{2*c})^{(1/2)}/(-(b^{2*x^2-a^2})*c)^{(1/2)*x})} - (b^{2*c})^{(1/2)}*C*b^{2*c*e^{4*\ln(2*(b^{2*c*x+a^{2*c*f}}((a^{2*f^2}-b^{2*e^2})*c/f^2))^{(1/2)}*(-(b^{2*x^2-a^2})*c)^{(1/2)*f}/(f*x+e))}} - ((a^{2*f^2}-b^{2*e^2})*c/f^2)^{(1/2)}*C*b^{2*c*e^{3*f^2*\arctan((b^{2*c})^{(1/2)}/(-(b^{2*x^2-a^2})*c)^{(1/2)*x})}} - (b^{2*c})^{(1/2)}*(- (b^{2*x^2-a^2})*c)^{(1/2)*f}/(f*x+e)) + ((a^{2*f^2}-b^{2*e^2})*c/f^2)^{(1/2)}*C*a^{2*c*e^f^3*\arctan((b^{2*c})^{(1/2)}/(-(b^{2*x^2-a^2})*c)^{(1/2)*x})} - (b^{2*c})^{(1/2)}*C*b^{2*c*e^{4*\ln(2*(b^{2*c*x+a^{2*c*f}}((a^{2*f^2}-b^{2*e^2})*c/f^2))^{(1/2)}*(-(b^{2*x^2-a^2})*c)^{(1/2)*f}/(f*x+e))}} + ((a^{2*f^2}-b^{2*e^2})*c/f^2)^{(1/2)}*C*b^{2*c*e^{3*f^2*\arctan((b^{2*c})^{(1/2)}/(-(b^{2*x^2-a^2})*c)^{(1/2)*x})}} - (b^{2*c})^{(1/2)}*(- (b^{2*x^2-a^2})*c)^{(1/2)*f}/(f*x+e)) + ((a^{2*f^2}-b^{2*e^2})*c/f^2)^{(1/2)}*A*f^4 + ((b^{2*c})^{(1/2)}*(- (b^{2*x^2-a^2})*c)^{(1/2)*f}/(f*x+e)) + ((a^{2*f^2}-b^{2*e^2})*c/f^2)^{(1/2)}*B*e^f^3 - ((b^{2*c})^{(1/2)}*(- (b^{2*x^2-a^2})*c)^{(1/2)*f}/(f*x+e)) + ((a^{2*f^2}-b^{2*e^2})*c/f^2)^{(1/2)}*C*e^{2*f^2}*(- (b*x-a)*c)^{(1/2)*(b*x+a)^{(1/2)}}/(-(b^{2*x^2-a^2})*c)^{(1/2)}/(a*f-b*e)/(b^{2*c})^{(1/2)}/(a*f+b*e)/(f*x+e)/((a^{2*f^2}-b^{2*e^2})*c/f^2)^{(1/2)}/c/f^3
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(f*x+e)^2/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((4*b^2*c>0)', see `assume?` for more details)Is (4*b^2*c *(a^2*c-(b^2*c*e^2)
/f^2)) /f^2 +(4*b^4*c^2*e^2)/f^4 zero or nonzero?

mupad [B] time = 19.40, size = 106511, normalized size = 330.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*x + C*x^2)/((e + f*x)^2*(a*c - b*c*x)^(1/2)*(a + b*x)^(1/2)),x)`

[Out]
$$\begin{aligned}
& ((4*B*a^{2*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3})/(((a + b*x)^{(1/2)} - a^{(1/2)})^3*(b^{3*e^3} - a^{2*b*e^f^2})) + (8*B*a^{(1/2)*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2})/((a^{2*f^2} - b^{2*e^2})*((a + b*x)^{(1/2)} - a^{(1/2)})^2) \\
& - (4*B*a^{2*c*f*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})))/(((a + b*x)^{(1/2)} - a^{(1/2)})^2*(b^{3*e^3} - a^{2*b*e^f^2}))) / (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4 / ((a + b*x)^{(1/2)} - a^{(1/2)})^4 + c^2 + (2*c*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4
\end{aligned}$$

$$\begin{aligned}
& 2)/((a + b*x)^(1/2) - a^(1/2))^2 - (4*a^(1/2)*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/(b*e*((a + b*x)^(1/2) - a^(1/2))^3) + (4*a^(1/2)*c*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/((b*e*((a + b*x)^(1/2) - a^(1/2))) - ((4*C*a^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))^3)/((b^3*e^2 - a^2*b*f^2)*((a + b*x)^(1/2) - a^(1/2))^3) - (4*C*a^2*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/((b^3*e^2 - a^2*b*f^2)*((a + b*x)^(1/2) - a^(1/2))) + (8*C*a^(1/2)*e*((a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a^2*f^3 - b^2*e^2*f)*((a + b*x)^(1/2) - a^(1/2))^2)/(((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/((a + b*x)^(1/2) - a^(1/2))^4 + c^2 + (2*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 - (4*a^(1/2)*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/((b*e*((a + b*x)^(1/2) - a^(1/2))) + ((4*A*a^2*c*f^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/((b^3*e^4 - a^2*b*e^2*f^2)*((a + b*x)^(1/2) - a^(1/2))) - (4*A*a^2*f^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/((b^3*e^4 - a^2*b*e^2*f^2)*((a + b*x)^(1/2) - a^(1/2))^3) + (8*A*a^(1/2)*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((b^2*e^3 - a^2*e*f^2)*((a + b*x)^(1/2) - a^(1/2))^2)/(((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4)/((a + b*x)^(1/2) - a^(1/2))^4 + c^2 + (2*c*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 - (4*a^(1/2)*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/((b*e*((a + b*x)^(1/2) - a^(1/2))) - (4*C*atan(((a*c - b*c*x)^(1/2) - (a*c)^(1/2))/((a + b*x)^(1/2) - a^(1/2))))/(b*c^(1/2)*f^2) + (2*A*b^2*e*(atan((2*b^3*c^3*e^3 + 2*b*c^2*e*(a^2*c*f^2 - b^2*c*e^2) + 2*a^2*b*c^3*e*f^2 + (3*a^(3/2)*f^3*(a*c)^(3/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/((a + b*x)^(1/2) - a^(1/2))^3 + (2*b^3*c^2*e^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 - (3*a^(1/2)*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3*(a^2*c*f^2 - b^2*c*e^2))/((a + b*x)^(1/2) - a^(1/2))^3 - (a^(3/2)*c*f^3*(a*c)^(3/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/((a + b*x)^(1/2) - a^(1/2)) + (2*b*c*e*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2*(a^2*c*f^2 - b^2*c*e^2))/((a + b*x)^(1/2) - a^(1/2))^2 + (a^(1/2)*c*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))*(a^2*c*f^2 - b^2*c*e^2))/((a + b*x)^(1/2) - a^(1/2)) - (10*a^2*b*c^2*e*f^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2 + (7*a^(1/2)*b^2*c^2*e^2*f*((a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)) - (a^(1/2)*b^2*c*e^2*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/((a + b*x)^(1/2) - a^(1/2))^3)/((a + b*x)^(1/2) - a^(1/2))^3/(4*a^(1/2)*b*c^2*e*f*(a*c)^(1/2)*(b^2*c*e^2 - a^2*c*f^2)^(1/2)) - atan((((a*c - b*c*x)^(1/2) - (a*c)^(1/2))*(a^2*c*f^2 - b^2*c*e^2))/((a + b*x)^(1/2) - a^(1/2)) - (a^2*c*f^2*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))/((a + b*x)^(1/2) - a^(1/2)) + 2*a^(1/2)*b*c*e*f*(a*c)^(1/2))/(2*b*c*e*(b^2*c*e^2 - a^2*c*f^2)^(1/2)))/((a*f + b*e)*(a*f - b*e)*(b^2*c*e^2 - a^2*c*f^2)^(1/2)) - (2*B*a^2*f*(atan((2*b^3*c^3*e^3 + 2*b*c^2*e*(a^2*c*f^2 - b^2*c*e^2) + 2*a^2*b*c^3*e*f^2 + (3*a^(3/2)*f^3*(a*c)^(3/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3)/((a + b*x)^(1/2) - a^(1/2))^3 + (2*b^3*c^2*e^3*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2)/((a + b*x)^(1/2) - a^(1/2))^2)))/((a + b*x)^(1/2) - a^(1/2))
\end{aligned}$$

$$\begin{aligned}
&)^2 - (3*a^{(1/2)}*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3*(a^2*c \\
& *f^2 - b^2*c*e^2))/((a + b*x)^{(1/2)} - a^{(1/2)})^3 - (a^{(3/2)}*c*f^3*(a*c)^{(3/2)} \\
& *((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/((a + b*x)^{(1/2)} - a^{(1/2)}) + (2*b* \\
& c*e*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*(a^2*c*f^2 - b^2*c*e^2))/((a + b* \\
& x)^{(1/2)} - a^{(1/2)})^2 + (a^{(1/2)}*c*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a* \\
& c)^{(1/2)})*(a^2*c*f^2 - b^2*c*e^2))/((a + b*x)^{(1/2)} - a^{(1/2)}) - (10*a^2*b* \\
& c^2*e*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/((a + b*x)^{(1/2)} - a^{(1/2)}) \\
&)^2 + (7*a^{(1/2)}*b^2*c^2*e^2*f*(a*c)^{(1/2)}*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) \\
& /((a + b*x)^{(1/2)} - a^{(1/2)}) - (a^{(1/2)}*b^2*c*e^2*f*(a*c)^{(1/2)}*((a*c - \\
& b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3)/((a + b*x)^{(1/2)} - a^{(1/2)})^3/(4*a^{(1/2)}*b \\
& *c^2*e*f*(a*c)^{(1/2)}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) - \text{atan}(((a*c - b*c*x) \\
&)^{(1/2)} - (a*c)^{(1/2)})*(a^2*c*f^2 - b^2*c*e^2))/((a + b*x)^{(1/2)} - a^{(1/2)}) \\
& - (a^2*c*f^2*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))/((a + b*x)^{(1/2)} - a^{(1/2)}) \\
& + 2*a^{(1/2)}*b*c*e*f*(a*c)^{(1/2)}/(2*b*c*e*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) \\
&)))/((a*f + b*e)*(a*f - b*e)*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) - (C*e*(2*a^2*f^2 \\
& - b^2*e^2)*(2*\text{atan}(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2*((8*a^4*b^6*c \\
& ^4*e^6*f^4*((4096*C^3*e^3*(2*a^2*f^2 - b^2*e^2)^3*(136*C*a^(21/2)*b^2*c^3*e \\
& *f^15*(a*c)^{(5/2)} - 90*C*a^(3/2)*b^12*c^4*e^11*f^5*(a*c)^{(3/2)} + 96*C*a^(5/ \\
& 2)*b^10*c^3*e^9*f^7*(a*c)^{(5/2)} + 394*C*a^(7/2)*b^10*c^4*e^9*f^7*(a*c)^{(3/2)} \\
&) - 424*C*a^(9/2)*b^8*c^3*e^7*f^9*(a*c)^{(5/2)} - 642*C*a^(11/2)*b^8*c^4*e^7*f^ \\
& 9*(a*c)^{(3/2)} + 696*C*a^(13/2)*b^6*c^3*e^5*f^11*(a*c)^{(5/2)} + 462*C*a^(15/ \\
& 2)*b^6*c^4*e^5*f^11*(a*c)^{(3/2)} - 504*C*a^(17/2)*b^4*c^3*e^3*f^13*(a*c)^{(5/2)} \\
& - 124*C*a^(19/2)*b^4*c^4*e^3*f^13*(a*c)^{(3/2)}))/((f^6*(a*f + b*e)^3*(a*f \\
& - b*e)^3*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)}*(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^ \\
& 6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12)) - (4096*C \\
& *e*(2*a^2*f^2 - b^2*e^2)*(64*C^3*a^(21/2)*c^2*e*f^11*(a*c)^{(5/2)} + 32*C^3*a \\
& ^{(5/2)}*b^8*c^2*e^9*f^3*(a*c)^{(5/2)} + 600*C^3*a^(7/2)*b^8*c^3*e^9*f^3*(a*c) \\
& ^{(3/2)} - 160*C^3*a^(9/2)*b^6*c^2*e^7*f^5*(a*c)^{(5/2)} - 1376*C^3*a^(11/2)*b^ \\
& 6*c^3*e^7*f^5*(a*c)^{(3/2)} + 288*C^3*a^(13/2)*b^4*c^2*e^5*f^7*(a*c)^{(5/2)} + \\
& 1368*C^3*a^(15/2)*b^4*c^3*e^5*f^7*(a*c)^{(3/2)} - 224*C^3*a^(17/2)*b^2*c^2*e^ \\
& 3*f^9*(a*c)^{(5/2)} - 496*C^3*a^(19/2)*b^2*c^3*e^3*f^9*(a*c)^{(3/2)} - 96*C^3*a \\
& ^{(3/2)}*b^10*c^3*e^11*f*(a*c)^{(3/2)}))/((f^2*(a*f + b*e)*(a*f - b*e)*(b^2*c*e^ \\
& 2 - a^2*c*f^2)^{(1/2)}*(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10 \\
& *f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12)))*(4*a^2*c*f^2 - 3*b^2*c*e^2) \\
& *(4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4)^4 \\
&)/(164025*b^46*c^13*e^46 + 885735*b^44*c^12*e^44*(a^2*c*f^2 - b^2*c*e^2) + \\
& 117440512*a^30*c^5*f^30*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^32*c^6*f^32 \\
& *(a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^34*c^7*f^34*(a^2*c*f^2 - b^2*c*e^2) \\
&)^6 - 150994944*a^36*c^8*f^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^36*c^8*e \\
& ^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^38*c^9*e^38*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^4 + 2053593*b^40*c^10*e^40*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^42*c^11 \\
& *e^42*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^44*c^13*e^44*f^2 + 43893819 \\
& *a^4*b^42*c^13*e^42*f^4 - 301507155*a^6*b^40*c^13*e^40*f^6 + 1427514656*a^8 \\
& *b^38*c^13*e^38*f^8 - 493691112*a^10*b^36*c^13*e^36*f^10 + 12893273616*a^1 \\
& 2*b^34*c^13*e^34*f^12 - 25921630432*a^14*b^32*c^13*e^32*f^14 + 40519286096*
\end{aligned}$$

$$\begin{aligned}
& a^{16}b^{30}c^{13}e^{30}f^{16} - 49376608256a^{18}b^{28}c^{13}e^{28}f^{18} + 467214018 \\
& 56a^{20}b^{26}c^{13}e^{26}f^{20} - 33946324736a^{22}b^{24}c^{13}e^{24}f^{22} + 185565 \\
& 79328a^{24}b^{22}c^{13}e^{22}f^{24} - 7375276032a^{26}b^{20}c^{13}e^{20}f^{26} + 2009 \\
& 817088a^{28}b^{18}c^{13}e^{18}f^{28} - 335642624a^{30}b^{16}c^{13}e^{16}f^{30} + 2590 \\
& 7200a^{32}b^{14}c^{13}e^{14}f^{32} - 21130794a^{2*b^{42}}c^{12}e^{42}f^{2*(a^2*c*f^2)} \\
& - b^{2*c*e^2}) + 234399015a^{4*b^{40}}c^{12}e^{40}f^{4*(a^2*c*f^2 - b^2*c*e^2)} - 1 \\
& 604168280a^{6*b^{38}}c^{12}e^{38}f^{6*(a^2*c*f^2 - b^2*c*e^2)} + 7579098492a^{8*b} \\
& ^{36}c^{12}e^{36}f^{8*(a^2*c*f^2 - b^2*c*e^2)} - 26212380172a^{10*b^{34}}c^{12}e^{34} \\
& *f^{10*(a^2*c*f^2 - b^2*c*e^2)} + 68672994096a^{12*b^{32}}c^{12}e^{32}f^{12*(a^2*c} \\
& *f^2 - b^2*c*e^2) - 139160589504a^{14*b^{30}}c^{12}e^{30}f^{14*(a^2*c*f^2 - b^2*} \\
& c*e^2) + 220859191808a^{16*b^{28}}c^{12}e^{28}f^{16*(a^2*c*f^2 - b^2*c*e^2)} - 27 \\
& 6344315328a^{18*b^{26}}c^{12}e^{26}f^{18*(a^2*c*f^2 - b^2*c*e^2)} + 273130561984* \\
& a^{20*b^{24}}c^{12}e^{24}f^{20*(a^2*c*f^2 - b^2*c*e^2)} - 212730002688a^{22*b^{22}}c \\
& ^{12}e^{22}f^{22*(a^2*c*f^2 - b^2*c*e^2)} + 129574234368a^{24*b^{20}}c^{12}e^{20}f^{20} \\
& 24*(a^2*c*f^2 - b^2*c*e^2) - 60770569216a^{26*b^{18}}c^{12}e^{18}f^{26*(a^2*c*f^2} \\
& - b^2*c*e^2) + 21304706048a^{28*b^{16}}c^{12}e^{16}f^{28*(a^2*c*f^2 - b^2*c*e^2)} \\
& - 5272965120a^{30*b^{14}}c^{12}e^{14}f^{30*(a^2*c*f^2 - b^2*c*e^2)} + 81944166 \\
& 4*a^{32*b^{12}}c^{12}e^{12}f^{32*(a^2*c*f^2 - b^2*c*e^2)} - 59392000a^{34*b^{10}}c^{1} \\
& 2*e^{10}f^{34*(a^2*c*f^2 - b^2*c*e^2)} + 9289728a^{6*b^{24}}c^{5}e^{24}f^{6*(a^2*c*} \\
& f^2 - b^2*c*e^2)^8 - 36884480a^{8*b^{22}}c^{5}e^{22}f^{8*(a^2*c*f^2 - b^2*c*e^2)} \\
& ^8 - 278604800a^{10*b^{20}}c^{5}e^{20}f^{10*(a^2*c*f^2 - b^2*c*e^2)^8} + 27744832 \\
& 00a^{12*b^{18}}c^{5}e^{18}f^{12*(a^2*c*f^2 - b^2*c*e^2)^8} - 10869657600a^{14*b^{1} \\
& 6*c^{5}e^{16}f^{14*(a^2*c*f^2 - b^2*c*e^2)^8} + 25237416960a^{16*b^{14}}c^{5}e^{14} \\
& f^{16*(a^2*c*f^2 - b^2*c*e^2)^8} - 38348909568a^{18*b^{12}}c^{5}e^{12}f^{18*(a^2*c} \\
& *f^2 - b^2*c*e^2)^8 + 39084659712a^{20*b^{10}}c^{5}e^{10}f^{20*(a^2*c*f^2 - b^2*} \\
& c*e^2)^8 - 26118635520a^{22*b^{8}}c^{5}e^{8}f^{22*(a^2*c*f^2 - b^2*c*e^2)^8} + 10 \\
& 414620672a^{24*b^{6}}c^{5}e^{6}f^{24*(a^2*c*f^2 - b^2*c*e^2)^8} - 1708654592a^{26} \\
& *b^{4*c^{5}e^{4}f^{26*(a^2*c*f^2 - b^2*c*e^2)^8} - 276561920a^{28*b^{2}}c^{5}e^{2}f^{2} \\
& 28*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448a^{4*b^{28}}c^{6}e^{28}f^{4*(a^2*c*f^2 - b} \\
& ^2*c*e^2)^7 + 260614656a^{6*b^{26}}c^{6}e^{26}f^{6*(a^2*c*f^2 - b^2*c*e^2)^7} - 2 \\
& 166022464a^{8*b^{24}}c^{6}e^{24}f^{8*(a^2*c*f^2 - b^2*c*e^2)^7} + 8626147840a^{10} \\
& *b^{22}*c^{6}e^{22}f^{10*(a^2*c*f^2 - b^2*c*e^2)^7} - 16771503616a^{12*b^{20}}c^{6}e \\
& ^{20}f^{12*(a^2*c*f^2 - b^2*c*e^2)^7} + 3301800960a^{14*b^{18}}c^{6}e^{18}f^{14*(a^2} \\
& *c*f^2 - b^2*c*e^2)^7 + 67337715968a^{16*b^{16}}c^{6}e^{16}f^{16*(a^2*c*f^2 - b} \\
& ^2*c*e^2)^7 - 189857873920a^{18*b^{14}}c^{6}e^{14}f^{18*(a^2*c*f^2 - b^2*c*e^2)^7} \\
& + 286100259840a^{20*b^{12}}c^{6}e^{12}f^{20*(a^2*c*f^2 - b^2*c*e^2)^7} - 275789 \\
& 894656a^{22*b^{10}}c^{6}e^{10}f^{22*(a^2*c*f^2 - b^2*c*e^2)^7} + 173716537344a^{2} \\
& 4*b^{8}*c^{6}e^{8}f^{24*(a^2*c*f^2 - b^2*c*e^2)^7} - 67416424448a^{26*b^{6}}c^{6}e^{6} \\
& *f^{26*(a^2*c*f^2 - b^2*c*e^2)^7} + 12831686656a^{28*b^{4}}c^{6}e^{4}f^{28*(a^2*c*} \\
& f^2 - b^2*c*e^2)^7 + 222560256a^{30*b^{2}}c^{6}e^{2}f^{30*(a^2*c*f^2 - b^2*c*e^2)} \\
&)^7 + 2099520a^{2*b^{32}}c^{7}e^{32}f^{2*(a^2*c*f^2 - b^2*c*e^2)^6} - 107014608a^{a} \\
& ^{4*b^{30}}c^{7}e^{30}f^{4*(a^2*c*f^2 - b^2*c*e^2)^6} + 1848335616a^{6*b^{28}}c^{7}e^{28} \\
& *f^{6*(a^2*c*f^2 - b^2*c*e^2)^6} - 15200005312a^{8*b^{26}}c^{7}e^{26}f^{8*(a^2*c} \\
& *f^2 - b^2*c*e^2)^6} + 72612273792a^{10*b^{24}}c^{7}e^{24}f^{10*(a^2*c*f^2 - b^2*} \\
& c*e^2)^6} - 221855779968a^{12*b^{22}}c^{7}e^{22}f^{12*(a^2*c*f^2 - b^2*c*e^2)^6} +
\end{aligned}$$

$$\begin{aligned}
& 450717857536*a^{14}*b^{20*c^7}*e^{20*f^{14}}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 600578910 \\
& 208*a^{16}*b^{18*c^7}*e^{18*f^{16}}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 459464530688*a^{18*b} \\
& ^{16*c^7}*e^{16*f^{18}}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 33638947840*a^{20*b^{14*c^7}*e^1} \\
& 4*f^{20}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 376299926528*a^{22*b^{12*c^7}*e^{12*f^{22}}}(a^{2*c*f^2} \\
& - b^{2*c*e^2})^6 + 488874068992*a^{24*b^{10*c^7}*e^{10*f^{24}}}(a^{2*c*f^2} - \\
& b^{2*c*e^2})^6 - 333407809536*a^{26*b^{8*c^7}*e^{8*f^{26}}}(a^{2*c*f^2} - b^{2*c*e^2})^6 \\
& + 134140313600*a^{28*b^{6*c^7}*e^{6*f^{28}}}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 282209157 \\
& 12*a^{30*b^{4*c^7}*e^{4*f^{30}}}(a^{2*c*f^2} - b^{2*c*e^2})^6 + 1230503936*a^{32*b^{2*c^7}*e^2} \\
& *f^{32}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 3335904*a^{2*b^{34*c^8}*e^{34*f^{2*(a^{2*c}*f^2)}}} \\
& - b^{2*c*e^2})^5 - 290521728*a^{4*b^{32*c^8}*e^{32*f^{4*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^5 \\
& + 4865684544*a^{6*b^{30*c^8}*e^{30*f^{6*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^5 - 4043739 \\
& 4528*a^{8*b^{28*c^8}*e^{28*f^{8*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^5 + 205602254656*a^{10*b^{26*c^8}*e^{26*f^{10*(a^{2*c}*f^2)}}} \\
& - b^{2*c*e^2})^5 - 703885344192*a^{12*b^{24*c^8}*e^2} \\
& 4*f^{12}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 1709253482624*a^{14*b^{22*c^8}*e^{22*f^{14*(a^{2*c}*f^2)}}} \\
& - b^{2*c*e^2})^5 - 3029282695168*a^{16*b^{20*c^8}*e^{20*f^{16*(a^{2*c}*f^2)}}} \\
& - b^{2*c*e^2})^5 + 3966230827520*a^{18*b^{18*c^8}*e^{18*f^{18*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^5 \\
& - 3822339813632*a^{20*b^{16*c^8}*e^{16*f^{20*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^5 + 2 \\
& 640438056960*a^{22*b^{14*c^8}*e^{14*f^{22*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^5 - 1208501415 \\
& 936*a^{24*b^{12*c^8}*e^{12*f^{24*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^5 + 269338092544*a^{26*b} \\
& ^{10*c^8}*e^{10*f^{26*(a^{2*c}*f^2)}} - b^{2*c*e^2})^5 + 53783212032*a^{28*b^{8*c^8}*e^8} \\
& f^{28}*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 60985360384*a^{30*b^{6*c^8}*e^{6*f^{30*(a^{2*c}*f^2)}}} \\
& - b^{2*c*e^2})^5 + 17917083648*a^{32*b^{4*c^8}*e^{4*f^{32*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^5 \\
& - 1558708224*a^{34*b^{2*c^8}*e^{2*f^{34*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^5 - 1191769 \\
& 2*a^{2*b^{36*c^9}*e^{36*f^{2*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^4 - 224907516*a^{4*b^{34*c^9}*e^{34*f^4}} \\
& *(a^{2*c}*f^2) - b^{2*c*e^2})^4 + 5303932560*a^{6*b^{32*c^9}*e^{32*f^6}}(a^{2*c}*f^2 \\
& - b^{2*c*e^2})^4 - 48206418480*a^{8*b^{30*c^9}*e^{30*f^8}}(a^{2*c}*f^2 - b^{2*c}*e^2)^4 \\
& + 261450609120*a^{10*b^{28*c^9}*e^{28*f^{10*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^4 - \\
& 962361040256*a^{12*b^{26*c^9}*e^{26*f^{12*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^4 + 2558559358 \\
& 080*a^{14*b^{24*c^9}*e^{24*f^{14*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^4 - 5091804150656*a^{16*b} \\
& ^{22*c^9}*e^{22*f^{16*(a^{2*c}*f^2)}} - b^{2*c*e^2})^4 + 7750806514944*a^{18*b^{20*c^9}*e^9} \\
& f^{20}*(a^{2*c}*f^2 - b^{2*c*e^2})^4 - 9137207485952*a^{20*b^{18*c^9}*e^{18*f^{20}}} \\
& *(a^{2*c}*f^2 - b^{2*c*e^2})^4 + 8384563280128*a^{22*b^{16*c^9}*e^{16*f^{22*(a^{2*c}*f^2)}}} \\
& - b^{2*c*e^2})^4 - 5975281259520*a^{24*b^{14*c^9}*e^{14*f^{24*(a^{2*c}*f^2)}}} - b^{2*c}*e^2 \\
&)^4 + 3269297268736*a^{26*b^{12*c^9}*e^{12*f^{26*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^4 \\
& - 1339171540992*a^{28*b^{10*c^9}*e^{10*f^{28*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^4 + 3912501 \\
& 94432*a^{30*b^{8*c^9}*e^{8*f^{30*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^4 - 74114154496*a^{32*b} \\
& ^{6*c^9}*e^{6*f^{32*(a^{2*c}*f^2)}} - b^{2*c*e^2})^4 + 7299203072*a^{34*b^{4*c^9}*e^{4*f^{34}}} \\
& *(a^{2*c}*f^2 - b^{2*c*e^2})^4 - 148635648*a^{36*b^{2*c^9}*e^{2*f^{36*(a^{2*c}*f^2)}}} \\
& - b^{2*c*e^2})^4 - 38704068*a^{2*b^{38*c^10}*e^{38*f^{2*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^3 + 1 \\
& 88845992*a^{4*b^{36*c^10}*e^{36*f^{4*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^3 + 1157124204*a^{6*b} \\
& ^{34*c^10}*e^{34*f^{6*(a^{2*c}*f^2)}} - b^{2*c*e^2})^3 - 20586361424*a^{8*b^{32*c^10}*e^8} \\
& f^{32}*(a^{2*c}*f^2 - b^{2*c*e^2})^3 + 135395499200*a^{10*b^{30*c^10}*e^{30*f^{10*(a^{2*c}*f^2)}}} \\
& - b^{2*c*e^2})^3 - 555513858464*a^{12*b^{28*c^10}*e^{28*f^{12*(a^{2*c}*f^2)}}} \\
& - b^{2*c*e^2})^3 + 1608776388864*a^{14*b^{26*c^10}*e^{26*f^{14*(a^{2*c}*f^2)}}} - b^{2*c}*e^2 \\
&)^3 - 3473989271488*a^{16*b^{24*c^10}*e^{24*f^{16*(a^{2*c}*f^2)}}} - b^{2*c*e^2})^3 +
\end{aligned}$$

$$\begin{aligned}
& 5766181411456*a^{18}*b^{22}*c^{10}*e^{22}*f^{18}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 7493983 \\
& 209472*a^{20}*b^{20}*c^{10}*e^{20}*f^{20}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 7713917084672*a \\
& ^{22}*b^{18}*c^{10}*e^{18}*f^{22}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 6328467293184*a^{24}*b^{16} \\
& *c^{10}*e^{16}*f^{24}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 4142950034432*a^{26}*b^{14}*c^{10}*e^{14} \\
& *f^{26}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 2152681536512*a^{28}*b^{12}*c^{10}*e^{12}*f^{28} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^3 + 874199511040*a^{30}*b^{10}*c^{10}*e^{10}*f^{30}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^3 - 268759150592*a^{32}*b^{8}*c^{10}*e^{8}*f^{32}*(a^{2*c*f^2} - b^{2*c*e^2})^3 \\
& + 58872545280*a^{34}*b^{6}*c^{10}*e^{6}*f^{34}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 8151 \\
& 957504*a^{36}*b^{4}*c^{10}*e^{4}*f^{36}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 530841600*a^{38}*b^{2}*c^{10}*e^{2}*f^{38} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^3 - 42743457*a^{2*b^{40}*c^{11}*e^{40}*f^2} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 + 411055884*a^{4*b^{38}*c^{11}*e^{38}*f^{44}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 \\
& - 2180887236*a^{6*b^{36}*c^{11}*e^{36}*f^{64}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 \\
& + 6404946508*a^{8*b^{34}*c^{11}*e^{34}*f^{84}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 5434005264*a^{10*b^{32}*c^{11}*e^{32}*f^{104}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 - 38868373520*a^{12*b^{30}*c^{11}*e^{30}*f^{124}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 + 208447613600*a^{14*b^{28}*c^{11}*e^{28}*f^{144}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 - 579674999104*a^{16*b^{26}*c^{11}*e^{26}*f^{164}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 + 1104967566592*a^{18*b^{24}*c^{11}*e^{24}*f^{184}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 - 1554566531328*a^{20*b^{22}*c^{11}*e^{22}*f^{204}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 + 1659734381312*a^{22*b^{20}*c^{11}*e^{20}*f^{224}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 - 1356361512192*a^{24*b^{18}*c^{11}*e^{18}*f^{244}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 + 8453313 \\
& 59744*a^{26}*b^{16}*c^{11}*e^{16}*f^{26}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 395676895232*a^{2} \\
& 8*b^{14}*c^{11}*e^{14}*f^{28}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 134902689792*a^{30}*b^{12}*c^{11}*e^{12}*f^{30} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 - 31670587392*a^{32}*b^{10}*c^{11}*e^{10}*f^{32} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 + 4584669184*a^{34}*b^{8}*c^{11}*e^{8}*f^{34}*(a^{2*c*f^2} - b^{2*c*e^2})^2 \\
& - 309657600*a^{36}*b^{6}*c^{11}*e^{6}*f^{36}*(a^{2*c*f^2} - b^{2*c*e^2})^2 \\
& + (2*a^{4*b^{5}*c^{3}*e^{5}*f^{44}}*(4*a^{2*c*f^2} - 3*b^{2*c*e^2})^2 * ((16384*(12*C^{4*a} \\
& ^{(7/2)}*b^{4*c^{3}*e^{7}}*(a*c)^{(3/2)} + 48*C^{4*a^{(15/2)}}*c^{3}*e^{3}*f^{44}*(a*c)^{(3/2)} - \\
& 48*C^{4*a^{(11/2)}*b^{2*c^{3}*e^{5}*f^{24}}*(a*c)^{(3/2)})) / (b^{13}*e^{12}*f^{3} - 3*a^{2*b^{11}*e^{10}*f^{5}} \\
& + 3*a^{4*b^{9}*e^{8}*f^{7}} - a^{6*b^{7}*e^{6}*f^{9}}) + (16384*C^{4*a^{4}*e^{4}}*(2*a^{2*f^2} - b^{2*e^2})^4 * \\
& (5*a^{(17/2)}*b^{2*c^{4}*e^{14}}*(a*c)^{(5/2)} + 6*a^{(3/2)}*b^{10}*c^{5}*e^{9}*f^{6}*(a*c)^{(3/2)} - \\
& 5*a^{(5/2)}*b^{8}*c^{4}*e^{7}*f^{8}*(a*c)^{(5/2)} - 18*a^{(7/2)}*b^{8}*c^{5}*e^{7}*f^{8}*(a*c)^{(3/2)} + \\
& 15*a^{(9/2)}*b^{6}*c^{4}*e^{5}*f^{10}*(a*c)^{(5/2)} + 18*a^{(1/2)}*b^{6*c^{5}*e^{5}*f^{10}}*(a*c)^{(3/2)} - \\
& 15*a^{(13/2)}*b^{4*c^{4}*e^{3}*f^{12}}*(a*c)^{(5/2)} - 6*a^{(15/2)}*b^{4*c^{5}*e^{3}*f^{12}}*(a*c)^{(3/2)}) / (f^{8}*(a*f + b*e)^4 * \\
& (a^{2*c*f^2} - b^{2*c*e^2})^2 * (b^{13}*e^{12}*f^{3} - 3*a^{2*b^{11}*e^{10}*f^{5}} + 3*a^{4*b^{9}*e^{8}*f^{7}} - \\
& a^{6*b^{7}*e^{6}*f^{9}}) - (16384*C^{2}*e^{2}*(2*a^{2*f^2} - b^{2*e^2})^2 * (0*C^{2*a^{(17/2)}*c^{3}*e^{f^{10}}*(a*c)^{(5/2)} - \\
& 3*C^{2*a^{(3/2)}*b^{8}*c^{4}*e^{9}*f^{2}}*(a*c)^{(5/2)} - 8*C^{2*a^{(5/2)}*b^{6}*c^{3}*e^{7}*f^{4}}*(a*c)^{(5/2)} + \\
& 11*C^{2*a^{(7/2)}*b^{6}*c^{4}*e^{7}*f^{4}}*(a*c)^{(3/2)} + 36*C^{2*a^{(9/2)}*b^{4*c^{3}*e^{5}*f^{6}}*(a*c)^{(5/2)} - \\
& 20*C^{2*a^{(11/2)}*b^{4*c^{4}*e^{5}*f^{6}}*(a*c)^{(3/2)} - 48*C^{2*a^{(13/2)}*b^{2*c^{3}*e^{3}*f^{8}}*(a*c)^{(5/2)} + \\
& 12*C^{2*a^{(15/2)}*b^{2*c^{4}*e^{3}*f^{8}}*(a*c)^{(3/2)}) / (f^{4}*(a*f + b*e)^2 * \\
& (a*f - b*e)^2 * (a^{2*c*f^2} - b^{2*c*e^2}) * (b^{13}*e^{12}*f^{3} - 3*a^{2*b^{11}*e^{10}*f^{5}} + \\
& 3*a^{4*b^{9}*e^{8}*f^{7}} - a^{6*b^{7}*e^{6}*f^{9}}) * (4*a^{6*c*f^6} - 3*b^{6*c*e^6} + 8*a^{2*b^{4*c*e^4}*f^2} - \\
& 8*a^{4*b^{2*c*e^2}*f^4}) / ((b^{2*c*e^2} - a^{2*c*f^2})^{(1/2)} * (164025*b^{46}*c^{13}*e^{46} + 885735*b^{44}*c^{12}*e^{44} * \\
& (a^{2*c*f^2} - b^{2*c*e^2}) + 11744
\end{aligned}$$

$$\begin{aligned}
& 0512*a^{30*c^5*f^{30}}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 385875968*a^{32*c^6*f^{32}}*(a^2*c*f^2 - b^{2*c*e^2})^7 + 419430400*a^{34*c^7*f^{34}}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - \\
& 150994944*a^{36*c^8*f^{36}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 236196*b^{36*c^8*e^{36}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 1102248*b^{38*c^9*e^{38}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 \\
& + 2053593*b^{40*c^{10}*e^{40}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 1909251*b^{42*c^{11}*e^{42}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 3937329*a^{2*b^{44*c^{13}*e^{44}}*f^2} + 43893819*a^{4*b^{42*c^{13}*e^{42}}*f^4} - 301507155*a^{6*b^{40*c^{13}*e^{40}}*f^6} + 1427514656*a^{8*b^{38}*c^{13}*e^{38}}*f^8 - 4936911112*a^{10*b^{36*c^{13}*e^{36}}*f^{10}} + 12893273616*a^{12*b^{34}*c^{13}*e^{34}}*f^{12} - 25921630432*a^{14*b^{32*c^{13}*e^{32}}*f^{14}} + 40519286096*a^{16*b^{30*c^{13}*e^{30}}*f^{16}} - 49376608256*a^{18*b^{28*c^{13}*e^{28}}*f^{18}} + 46721401856*a^{20*b^{26*c^{13}*e^{26}}*f^{20}} - 33946324736*a^{22*b^{24*c^{13}*e^{24}}*f^{22}} + 18556579328*a^{24*b^{22*c^{13}*e^{22}}*f^{24}} - 7375276032*a^{26*b^{20*c^{13}*e^{20}}*f^{26}} + 2009817088*a^{28*b^{18*c^{13}*e^{18}}*f^{28}} - 335642624*a^{30*b^{16*c^{13}*e^{16}}*f^{30}} + 25907200*a^{32*b^{14*c^{13}*e^{14}}*f^{32}} - 21130794*a^{2*b^{42*c^{12}*e^{42}}*f^{2}}*(a^{2*c*f^2} - b^{2*c*e^2}) + 234399015*a^{4*b^{40*c^{12}*e^{40}}*f^{4}}*(a^{2*c*f^2} - b^{2*c*e^2}) - 1604168280*a^{6*b^{38*c^{12}*e^{38}}*f^{6}}*(a^{2*c*f^2} - b^{2*c*e^2}) + 7579098492*a^{8*b^{36*c^{12}*e^{36}}*f^{8}}*(a^{2*c*f^2} - b^{2*c*e^2}) - 26212380172*a^{10*b^{34*c^{12}*e^{34}}*f^{10}}*(a^{2*c*f^2} - b^{2*c*e^2}) + 68672994096*a^{12*b^{32*c^{12}*e^{32}}*f^{12}}*(a^{2*c*f^2} - b^{2*c*e^2}) - 139160589504*a^{14*b^{30*c^{12}*e^{30}}*f^{14}}*(a^{2*c*f^2} - b^{2*c*e^2}) + 220859191808*a^{16*b^{28*c^{12}*e^{28}}*f^{16}}*(a^{2*c*f^2} - b^{2*c*e^2}) - 276344315328*a^{18*b^{26*c^{12}*e^{26}}*f^{18}}*(a^{2*c*f^2} - b^{2*c*e^2}) + 273130561984*a^{20*b^{24*c^{12}*e^{24}}*f^{20}}*(a^{2*c*f^2} - b^{2*c*e^2}) - 212730002688*a^{22*b^{22*c^{12}*e^{22}}*f^{22}}*(a^{2*c*f^2} - b^{2*c*e^2}) + 129574234368*a^{24*b^{20*c^{12}*e^{20}}*f^{24}}*(a^{2*c*f^2} - b^{2*c*e^2}) - 60770569216*a^{26*b^{18*c^{12}*e^{18}}*f^{26}}*(a^{2*c*f^2} - b^{2*c*e^2}) + 21304706048*a^{28*b^{16*c^{12}*e^{16}}*f^{28}}*(a^{2*c*f^2} - b^{2*c*e^2}) - 5272965120*a^{30*b^{14*c^{12}*e^{14}}*f^{30}}*(a^{2*c*f^2} - b^{2*c*e^2}) + 819441664*a^{32*b^{12*c^{12}*e^{12}}*f^{32}}*(a^{2*c*f^2} - b^{2*c*e^2}) - 59392000*a^{34*b^{10*c^{12}*e^{10}}*f^{34}}*(a^{2*c*f^2} - b^{2*c*e^2}) + 9289728*a^{6*b^{24*c^{5}*e^{24}}*f^{6}}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 36884480*a^{8*b^{22*c^{5}*e^{22}}*f^{8}}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 278604800*a^{10*b^{20*c^{5}*e^{20}}*f^{10}}*(a^{2*c*f^2} - b^{2*c*e^2})^8 + 2774483200*a^{12*b^{18*c^{5}*e^{18}}*f^{12}}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 10869657600*a^{14*b^{16*c^{5}*e^{16}}*f^{14}}*(a^{2*c*f^2} - b^{2*c*e^2})^8 + 25237416960*a^{16*b^{14*c^{5}*e^{14}}*f^{16}}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 38348909568*a^{18*b^{12*c^{5}*e^{12}}*f^{18}}*(a^{2*c*f^2} - b^{2*c*e^2})^8 + 39084659712*a^{20*b^{10*c^{5}*e^{10}}*f^{20}}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 26118635520*a^{22*b^{8*c^{5}*e^{8}}*f^{22}}*(a^{2*c*f^2} - b^{2*c*e^2})^8 + 10414620672*a^{24*b^{6*c^{5}*e^{6}}*f^{24}}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 1708654592*a^{26*b^{4*c^{5}*e^{4}}*f^{26}}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 276561920*a^{28*b^{2*c^{5}*e^{2}}*f^{28}}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 9704448*a^{4*b^{28*c^{6}*e^{28}}*f^{4}}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 260614656*a^{6*b^{26*c^{6}*e^{26}}*f^{6}}*(a^{2*c*f^2} - b^{2*c*e^2})^7 - 2166022464*a^{8*b^{24*c^{6}*e^{24}}*f^{8}}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 8626147840*a^{10*b^{22*c^{6}*e^{22}}*f^{10}}*(a^{2*c*f^2} - b^{2*c*e^2})^7 - 16771503616*a^{12*b^{20*c^{6}*e^{20}}*f^{12}}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 3301800960*a^{14*b^{18*c^{6}*e^{18}}*f^{14}}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 67337715968*a^{16*b^{16*c^{6}*e^{16}}*f^{16}}*(a^{2*c*f^2} - b^{2*c*e^2})^7 - 189857873920*a^{18*b^{14*c^{6}*e^{14}}*f^{18}}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 286100259840*a^{20*b^{12*c^{6}*e^{12}}*f^{20}}*(a^{2*c*f^2} - b^{2*c*e^2})^7 - 27578989465
\end{aligned}$$

$$\begin{aligned}
& 6*a^{22}*b^{10}*c^6*e^{10}*f^{22}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 173716537344*a^{24}*b^8 \\
& *c^6*e^8*f^{24}*(a^{2*c*f^2} - b^{2*c*e^2})^7 - 67416424448*a^{26}*b^6*c^6*e^6*f^{26} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^7 + 12831686656*a^{28}*b^4*c^6*e^4*f^{28}*(a^{2*c*f^2} - \\
& b^{2*c*e^2})^7 + 222560256*a^{30}*b^{2*c^6}*e^{2*f^30}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + \\
& 2099520*a^{2*b^{32}*c^7}*e^{32*f^2}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 107014608*a^{4*b^30}*c^7*e^{30*f^4} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^6 + 1848335616*a^{6*b^28}*c^7*e^{28*f^6} \\
& 6*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 15200005312*a^{8*b^26}*c^7*e^{26*f^8}*(a^{2*c*f^2} - \\
& b^{2*c*e^2})^6 + 72612273792*a^{10*b^24}*c^7*e^{24*f^10}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - \\
& 221855779968*a^{12*b^{22}*c^7}*e^{22*f^12}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 4507 \\
& 17857536*a^{14*b^{20}*c^7}*e^{20*f^14}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 600578910208*a \\
& ^{16*b^{18}*c^7}*e^{18*f^16}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 459464530688*a^{18*b^{16}*c} \\
& ^7*e^{16*f^18}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 33638947840*a^{20*b^{14}*c^7}*e^{14*f^2} \\
& 0*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 376299926528*a^{22*b^{12}*c^7}*e^{12*f^22}*(a^{2*c*f} \\
& ^2 - b^{2*c*e^2})^6 + 488874068992*a^{24*b^{10}*c^7}*e^{10*f^24}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^6 - 333407809536*a^{26*b^8}*c^7*e^{8*f^26}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 13 \\
& 4140313600*a^{28*b^6}*c^7*e^{6*f^28}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 28220915712*a \\
& ^{30*b^4}*c^7*e^{4*f^30}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 1230503936*a^{32*b^2}*c^7*e^2 \\
& *f^32*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 3335904*a^{2*b^34}*c^8*e^{34*f^2}*(a^{2*c*f^2} - \\
& b^{2*c*e^2})^5 - 290521728*a^{4*b^32}*c^8*e^{32*f^4}*(a^{2*c*f^2} - b^{2*c*e^2})^5 \\
& + 4865684544*a^{6*b^30}*c^8*e^{30*f^6}*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 40437394528* \\
& a^{8*b^28}*c^8*e^{28*f^8}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 205602254656*a^{10*b^26}*c^ \\
& 8*e^{26*f^10}*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 703885344192*a^{12*b^24}*c^8*e^{24*f^1} \\
& 2*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 1709253482624*a^{14*b^22}*c^8*e^{22*f^14}*(a^{2*c*f} \\
& ^2 - b^{2*c*e^2})^5 - 3029282695168*a^{16*b^20}*c^8*e^{20*f^16}*(a^{2*c*f^2} - b^{2} \\
& *c*e^2)^5 + 3966230827520*a^{18*b^18}*c^8*e^{18*f^18}*(a^{2*c*f^2} - b^{2*c*e^2})^5 \\
& - 3822339813632*a^{20*b^16}*c^8*e^{16*f^20}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 264043 \\
& 8056960*a^{22*b^14}*c^8*e^{14*f^22}*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 1208501415936*a \\
& ^{24*b^{12}*c^8}*e^{12*f^24}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 269338092544*a^{26*b^10}*c \\
& ^8*e^{10*f^26}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 53783212032*a^{28*b^8}*c^8*e^{8*f^28} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^5 - 60985360384*a^{30*b^6}*c^8*e^{6*f^30}*(a^{2*c*f^2} - \\
& b^{2*c*e^2})^5 + 17917083648*a^{32*b^4}*c^8*e^{4*f^32}*(a^{2*c*f^2} - b^{2*c*e^2})^5 \\
& - 1558708224*a^{34*b^2}*c^8*e^{2*f^34}*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 11917692*a^2 \\
& *b^36*c^9*e^36*f^2*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 224907516*a^{4*b^34}*c^9*e^{34*f} \\
& ^4*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 5303932560*a^{6*b^32}*c^9*e^{32*f^6}*(a^{2*c*f^2} - \\
& b^{2*c*e^2})^4 - 48206418480*a^{8*b^30}*c^9*e^{30*f^8}*(a^{2*c*f^2} - b^{2*c*e^2})^4 \\
& + 261450609120*a^{10*b^28}*c^9*e^{28*f^10}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 96236 \\
& 1040256*a^{12*b^26}*c^9*e^{26*f^12}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 2558559358080*a \\
& ^{14*b^24}*c^9*e^{24*f^14}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 5091804150656*a^{16*b^22}* \\
& c^9*e^{22*f^16}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 7750806514944*a^{18*b^20}*c^9*e^{20*f} \\
& ^18*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 9137207485952*a^{20*b^18}*c^9*e^{18*f^20}*(a^{2} \\
& *c*f^2 - b^{2*c*e^2})^4 + 8384563280128*a^{22*b^16}*c^9*e^{16*f^22}*(a^{2*c*f^2} - \\
& b^{2*c*e^2})^4 - 5975281259520*a^{24*b^14}*c^9*e^{14*f^24}*(a^{2*c*f^2} - b^{2*c*e^2})^4 \\
& + 3269297268736*a^{26*b^12}*c^9*e^{12*f^26}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 133 \\
& 9171540992*a^{28*b^10}*c^9*e^{10*f^28}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 391250194432 \\
& *a^{30*b^8}*c^9*e^{8*f^30}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 74114154496*a^{32*b^6}*c^9
\end{aligned}$$

$$\begin{aligned}
& *e^{6*f^32*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^34*b^4*c^9*e^4*f^34*(a^2 \\
& *c*f^2 - b^2*c*e^2)^4 - 148635648*a^36*b^2*c^9*e^2*f^36*(a^2*c*f^2 - b^2*c* \\
& e^2)^4 - 38704068*a^2*b^38*c^10*e^38*f^2*(a^2*c*f^2 - b^2*c*e^2)^3 + 188845 \\
& 992*a^4*b^36*c^10*e^36*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 + 1157124204*a^6*b^34* \\
& c^10*e^34*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^8*b^32*c^10*e^32*f^8* \\
& (a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^10*b^30*c^10*e^30*f^10*(a^2*c* \\
& f^2 - b^2*c*e^2)^3 - 555513858464*a^12*b^28*c^10*e^28*f^12*(a^2*c*f^2 - b^2 \\
& *c*e^2)^3 + 1608776388864*a^14*b^26*c^10*e^26*f^14*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& - 3473989271488*a^16*b^24*c^10*e^24*f^16*(a^2*c*f^2 - b^2*c*e^2)^3 + 5766 \\
& 181411456*a^18*b^22*c^10*e^22*f^18*(a^2*c*f^2 - b^2*c*e^2)^3 - 749398320947 \\
& 2*a^20*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2*c*e^2)^3 + 7713917084672*a^22*b^ \\
& ^18*c^10*e^18*f^22*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328467293184*a^24*b^16*c^10* \\
& e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432*a^26*b^14*c^10*e^14*f^ \\
& 26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^28*b^12*c^10*e^12*f^28*(a^2* \\
& c*f^2 - b^2*c*e^2)^3 + 874199511040*a^30*b^10*c^10*e^10*f^30*(a^2*c*f^2 - b \\
& ^2*c*e^2)^3 - 268759150592*a^32*b^8*c^10*e^8*f^32*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& + 58872545280*a^34*b^6*c^10*e^6*f^34*(a^2*c*f^2 - b^2*c*e^2)^3 - 815195750 \\
& 4*a^36*b^4*c^10*e^4*f^36*(a^2*c*f^2 - b^2*c*e^2)^3 + 530841600*a^38*b^2*c^1 \\
& 0*e^2*f^38*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^2*b^40*c^11*e^40*f^2*(a^2 \\
& *c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^38*c^11*e^38*f^4*(a^2*c*f^2 - b^2*c \\
& *e^2)^2 - 2180887236*a^6*b^36*c^11*e^36*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 + 640 \\
& 4946508*a^8*b^34*c^11*e^34*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 - 5434005264*a^10* \\
& b^32*c^11*e^32*f^10*(a^2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a^12*b^30*c^11* \\
& e^30*f^12*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447613600*a^14*b^28*c^11*e^28*f^14* \\
& (a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^16*b^26*c^11*e^26*f^16*(a^2*c*f \\
& ^2 - b^2*c*e^2)^2 + 1104967566592*a^18*b^24*c^11*e^24*f^18*(a^2*c*f^2 - b^2 \\
& *c*e^2)^2 - 1554566531328*a^20*b^22*c^11*e^22*f^20*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 2 + 1659734381312*a^22*b^20*c^11*e^20*f^22*(a^2*c*f^2 - b^2*c*e^2)^2 - 1356 \\
& 361512192*a^24*b^18*c^11*e^18*f^24*(a^2*c*f^2 - b^2*c*e^2)^2 + 845331359744 \\
& *a^26*b^16*c^11*e^16*f^26*(a^2*c*f^2 - b^2*c*e^2)^2 - 395676895232*a^28*b^1 \\
& 4*c^11*e^14*f^28*(a^2*c*f^2 - b^2*c*e^2)^2 + 134902689792*a^30*b^12*c^11*e^ \\
& 12*f^30*(a^2*c*f^2 - b^2*c*e^2)^2 - 31670587392*a^32*b^10*c^11*e^10*f^32*(a \\
& ^2*c*f^2 - b^2*c*e^2)^2 + 4584669184*a^34*b^8*c^11*e^8*f^34*(a^2*c*f^2 - b \\
& ^2*c*e^2)^2 - 309657600*a^36*b^6*c^11*e^6*f^36*(a^2*c*f^2 - b^2*c*e^2)^2) + \\
& (2*a^(3/2)*b^5*c*e^5*f^3*((16384*C^3*a^3*e^3*(2*a^2*f^2 - b^2*e^2)^3*(20*C*a^1 \\
& 2*c^6*f^13 + 22*C*a^4*b^8*c^6*e^8*f^5 - 88*C*a^6*b^6*c^6*e^6*f^7 + 130*C*a^ \\
& 8*b^4*c^6*e^4*f^9 - 84*C*a^10*b^2*c^6*e^2*f^11))/(f^6*(a*f + b*e)^3*(a*f - \\
& b*e)^3*(b^2*c*e^2 - a^2*c*f^2)^(3/2)*(b^13*e^12*f^3 - 3*a^2*b^11*e^10*f^5 + \\
& 3*a^4*b^9*e^8*f^7 - a^6*b^7*e^6*f^9)) + (16384*C*e*(2*a^2*f^2 - b^2*e^2)* \\
& (96*C^3*a^10*c^5*e^2*f^7 - 28*C^3*a^4*b^6*c^5*e^8*f + 132*C^3*a^6*b^4*c^5*e^ \\
& 6*f^3 - 200*C^3*a^8*b^2*c^5*e^4*f^5))/(f^2*(a*f + b*e)*(a*f - b*e)*(b^2*c*e \\
& ^2 - a^2*c*f^2)^(1/2)*(b^13*e^12*f^3 - 3*a^2*b^11*e^10*f^5 + 3*a^4*b^9*e^8* \\
& f^7 - a^6*b^7*e^6*f^9)))*(a*c)^(3/2)*(4*a^2*c*f^2 - b^2*c*e^2)*(4*a^2*c*f^2 \\
& - 3*b^2*c*e^2)*(4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^ \\
& 2*c*e^2*f^4)^4)/(164025*b^46*c^13*e^46 + 885735*b^44*c^12*e^44*(a^2*c*f^2 -
\end{aligned}$$

$$\begin{aligned}
& b^{2*c*e^2} + 117440512*a^{30*c^5*f^30*(a^{2*c*f^2} - b^{2*c*e^2})^8} - 385875968 \\
& *a^{32*c^6*f^32*(a^{2*c*f^2} - b^{2*c*e^2})^7} + 419430400*a^{34*c^7*f^34*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^6} - 150994944*a^{36*c^8*f^36*(a^{2*c*f^2} - b^{2*c*e^2})^5} + 236 \\
& 196*b^{36*c^8*e^36*(a^{2*c*f^2} - b^{2*c*e^2})^5} + 1102248*b^{38*c^9*e^38*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^4} + 2053593*b^{40*c^{10}*e^{40*(a^{2*c*f^2} - b^{2*c*e^2})^3}} + 190 \\
& 9251*b^{42*c^{11}*e^{42*(a^{2*c*f^2} - b^{2*c*e^2})^2}} - 3937329*a^{2*b^{44*c^{13}*e^{44*f^2}}} \\
& + 43893819*a^{4*b^{42*c^{13}*e^{42*f^4}}} - 301507155*a^{6*b^{40*c^{13}*e^{40*f^6}}} + \\
& 1427514656*a^{8*b^{38*c^{13}*e^{38*f^8}}} - 4936911112*a^{10*b^{36*c^{13}*e^{36*f^{10}}}} + 1 \\
& 2893273616*a^{12*b^{34*c^{13}*e^{34*f^{12}}}} - 25921630432*a^{14*b^{32*c^{13}*e^{32*f^{14}}}} \\
& + 40519286096*a^{16*b^{30*c^{13}*e^{30*f^{16}}}} - 49376608256*a^{18*b^{28*c^{13}*e^{28*f^{18}}}} \\
& + 46721401856*a^{20*b^{26*c^{13}*e^{26*f^{20}}}} - 33946324736*a^{22*b^{24*c^{13}*e^{24*f^{22}}}} \\
& + 18556579328*a^{24*b^{22*c^{13}*e^{22*f^{24}}}} - 7375276032*a^{26*b^{20*c^{13}*e^{20*f^{26}}}} \\
& + 2009817088*a^{28*b^{18*c^{13}*e^{18*f^{28}}}} - 335642624*a^{30*b^{16*c^{13}*e^{16*f^{30}}}} \\
& + 25907200*a^{32*b^{14*c^{13}*e^{14*f^{32}}}} - 21130794*a^{2*b^{42*c^{12}*e^{42*f^{22}}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2}) + 234399015*a^{4*b^{40*c^{12}*e^{40*f^{44}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})} - 1604168280*a^{6*b^{38*c^{12}*e^{38*f^{66}}*(a^{2*c*f^2} - b^{2*c*e^2})} + 75 \\
& 79098492*a^{8*b^{36*c^{12}*e^{36*f^{88}}*(a^{2*c*f^2} - b^{2*c*e^2})} - 26212380172*a^{10* \\
& b^{34*c^{12}*e^{34*f^{108}}*(a^{2*c*f^2} - b^{2*c*e^2})} + 68672994096*a^{12*b^{32*c^{12}*e^{32*f^{128}}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2}) - 139160589504*a^{14*b^{30*c^{12}*e^{30*f^{144}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})} + 220859191808*a^{16*b^{28*c^{12}*e^{28*f^{164}}*(a^{2*c*f^2} - b^{2*c*e^2})} \\
& - 276344315328*a^{18*b^{26*c^{12}*e^{26*f^{184}}*(a^{2*c*f^2} - b^{2*c*e^2})} + 273130561984*a^{20*b^{24*c^{12}*e^{24*f^{204}}*(a^{2*c*f^2} - b^{2*c*e^2})} \\
& - 212730002688*a^{22*b^{22*c^{12}*e^{22*f^{224}}*(a^{2*c*f^2} - b^{2*c*e^2})} + 129574234368*a^{24*b^{20* \\
& c^{12}*e^{20*f^{244}}*(a^{2*c*f^2} - b^{2*c*e^2})} - 60770569216*a^{26*b^{18*c^{12}*e^{18*f^{264}}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2}) + 21304706048*a^{28*b^{16*c^{12}*e^{16*f^{284}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})} - 5272965120*a^{30*b^{14*c^{12}*e^{14*f^{304}}*(a^{2*c*f^2} - b^{2*c*e^2})} \\
& + 819441664*a^{32*b^{12*c^{12}*e^{12*f^{324}}*(a^{2*c*f^2} - b^{2*c*e^2})} - 59392000 \\
& *a^{34*b^{10*c^{12}*e^{10*f^{344}}*(a^{2*c*f^2} - b^{2*c*e^2})} + 9289728*a^{6*b^{24*c^{5}*e^{24*f^{66}}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^8 - 36884480*a^{8*b^{22*c^{5}*e^{22*f^{88}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^8} - 278604800*a^{10*b^{20*c^{5}*e^{20*f^{108}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} \\
& + 2774483200*a^{12*b^{18*c^{5}*e^{18*f^{128}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} - 108696 \\
& 57600*a^{14*b^{16*c^{5}*e^{16*f^{148}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} + 25237416960*a^{16* \\
& b^{14*c^{5}*e^{14*f^{168}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} - 38348909568*a^{18*b^{12*c^{5}*e^{12*f^{188}}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^8 + 39084659712*a^{20*b^{10*c^{5}*e^{10*f^{208}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^8} - 26118635520*a^{22*b^{8*c^{5}*e^{8*f^{228}}*(a^{2*c*f^2} - b^{2* \\
& c*e^2})^8} + 10414620672*a^{24*b^{6*c^{5}*e^{6*f^{248}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} - 1 \\
& 708654592*a^{26*b^{4*c^{5}*e^{4*f^{268}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} - 276561920*a^{28* \\
& b^{2*c^{5}*e^{2*f^{288}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} - 9704448*a^{4*b^{28*c^{6}*e^{28*f^{48}}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^7 + 260614656*a^{6*b^{26*c^{6}*e^{26*f^{66}}*(a^{2*c*f^2} - b^{2* \\
& c*e^2})^7} - 2166022464*a^{8*b^{24*c^{6}*e^{24*f^{88}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} + 8 \\
& 626147840*a^{10*b^{22*c^{6}*e^{22*f^{108}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} - 16771503616*a \\
& ^{12*b^{20*c^{6}*e^{20*f^{128}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} + 3301800960*a^{14*b^{18*c^{6}* \\
& e^{18*f^{148}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} + 67337715968*a^{16*b^{16*c^{6}*e^{16*f^{168}}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^7 - 189857873920*a^{18*b^{14*c^{6}*e^{14*f^{188}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^7} + 286100259840*a^{20*b^{12*c^{6}*e^{12*f^{208}}*(a^{2*c*f^2} - b^{2*c*e^2})^7}
\end{aligned}$$

$$\begin{aligned}
& - 275789894656*a^{22}*b^{10}*c^6*e^{10}*f^{22}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 17 \\
& 3716537344*a^{24}*b^8*c^6*e^8*f^{24}*(a^{2*c*f^2} - b^{2*c*e^2})^7 - 67416424448*a^ \\
& 26*b^6*c^6*e^6*f^{26}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 12831686656*a^{28}*b^4*c^6*e^ \\
& 4*f^{28}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 222560256*a^{30}*b^2*c^6*e^2*f^{30}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^7 + 2099520*a^{2*b^32*c^7*e^32*f^2}*(a^{2*c*f^2} - b^{2*c*e^2})^6 \\
& - 107014608*a^{4*b^30*c^7*e^30*f^4}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 1848335616*a^ \\
& 6*b^{28*c^7*e^28*f^6}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 15200005312*a^8*b^26*c^7*e^ \\
& 26*f^8*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 72612273792*a^{10}*b^24*c^7*e^24*f^10*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^6 - 221855779968*a^{12}*b^22*c^7*e^22*f^12*(a^{2*c*f^2} - b^{2*c*e^2})^6 \\
& + 450717857536*a^{14}*b^{20*c^7*e^20*f^14}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 600578910208*a^ \\
& 16*b^{18*c^7*e^18*f^16}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 45946 \\
& 4530688*a^{18*b^16*c^7*e^16*f^18}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 33638947840*a^2 \\
& 0*b^{14*c^7*e^14*f^20}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 376299926528*a^{22}*b^{12*c^7} \\
& *e^{12}*f^{22}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 488874068992*a^{24}*b^{10*c^7*e^10*f^24} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^6 - 333407809536*a^{26}*b^8*c^7*e^8*f^26*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^6 + 134140313600*a^{28}*b^6*c^7*e^6*f^28*(a^{2*c*f^2} - b^{2*c*e^2})^6 \\
& - 28220915712*a^{30}*b^4*c^7*e^4*f^30*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 12305039 \\
& 36*a^{32}*b^2*c^7*e^2*f^32*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 3335904*a^{2*b^34*c^8*e^ \\
& 34*f^2}*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 290521728*a^{4*b^32*c^8*e^32*f^4}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^5 + 4865684544*a^{6*b^30*c^8*e^30*f^6}*(a^{2*c*f^2} - b^{2*c*e^2})^5 \\
& - 40437394528*a^{8*b^28*c^8*e^28*f^8}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 205602 \\
& 254656*a^{10*b^26*c^8*e^26*f^10}*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 703885344192*a^1 \\
& 2*b^{24*c^8*e^24*f^12}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 1709253482624*a^{14}*b^{22*c^8} \\
& *e^{22}*f^{14}*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 3029282695168*a^{16}*b^{20*c^8*e^20*f^16} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^5 + 3966230827520*a^{18}*b^{18*c^8*e^18*f^18}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^5 - 3822339813632*a^{20}*b^{16*c^8*e^16*f^20}*(a^{2*c*f^2} - b^{2*c*e^2})^5 \\
& + 2640438056960*a^{22}*b^{14*c^8*e^14*f^22}*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 1208501415936*a^ \\
& 24*b^{12*c^8*e^12*f^24}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 26933 \\
& 8092544*a^{26}*b^{10*c^8*e^10*f^26}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 53783212032*a^2 \\
& 8*b^8*c^8*e^8*f^28*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 60985360384*a^{30}*b^6*c^8*e^6 \\
& *f^30*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 17917083648*a^{32}*b^4*c^8*e^4*f^32*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^5 - 1558708224*a^{34}*b^2*c^8*e^2*f^34*(a^{2*c*f^2} - b^{2*c*e^2})^5 \\
& - 11917692*a^{2*b^36*c^9*e^36*f^2}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 224907516 \\
& *a^4*b^34*c^9*e^34*f^4*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 5303932560*a^{6*b^32*c^9} \\
& *e^32*f^6*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 48206418480*a^8*b^30*c^9*e^30*f^8*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^4 + 261450609120*a^{10}*b^{28*c^9*e^28*f^10}*(a^{2*c*f^2} - b^{2*c*e^2})^4 \\
& - 962361040256*a^{12}*b^{26*c^9*e^26*f^12}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 2558559358080*a^ \\
& 14*b^{24*c^9*e^24*f^14}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 50918 \\
& 04150656*a^{16}*b^{22*c^9*e^22*f^16}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 7750806514944*a^ \\
& 18*b^{20*c^9*e^20*f^18}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 9137207485952*a^{20}*b^{18} \\
& *c^9*e^18*f^20*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 8384563280128*a^{22}*b^{16*c^9*e^16} \\
& *f^22*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 5975281259520*a^{24}*b^{14*c^9*e^14*f^24}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^4 + 3269297268736*a^{26}*b^{12*c^9*e^12*f^26}*(a^{2*c*f^2} - b^{2*c*e^2})^4 \\
& - 1339171540992*a^{28}*b^{10*c^9*e^10*f^28}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 391250194432*a^ \\
& 30*b^8*c^9*e^8*f^30*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 74114
\end{aligned}$$

$$\begin{aligned}
& 154496*a^{32}*b^6*c^9*e^6*f^{32}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 7299203072*a^{34}*b^4*c^9*e^4*f^{34}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 148635648*a^{36}*b^2*c^9*e^2*f^{36}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 38704068*a^{2*b^38*c^10*e^38*f^2}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 188845992*a^{4*b^36*c^10*e^36*f^4}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 157124204*a^{6*b^34*c^10*e^34*f^6}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 20586361424*a^{8*b^32*c^10*e^32*f^8}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 135395499200*a^{10*b^30*c^10*e^30*f^10}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 555513858464*a^{12*b^28*c^10*e^28*f^12}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 1608776388864*a^{14*b^26*c^10*e^26*f^14}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 3473989271488*a^{16*b^24*c^10*e^24*f^16}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 5766181411456*a^{18*b^22*c^10*e^22*f^18}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 7493983209472*a^{20*b^20*c^10*e^20*f^20}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 713917084672*a^{22*b^18*c^10*e^18*f^22}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 632846729 \\
& 3184*a^{24*b^16*c^10*e^16*f^24}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 4142950034432*a^{26*b^14*c^10*e^14*f^26}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 2152681536512*a^{28*b^12*c^10*e^12*f^28}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 874199511040*a^{30*b^10*c^10*e^10*f^30}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 268759150592*a^{32*b^8*c^10*e^8*f^32}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 58872545280*a^{34*b^6*c^10*e^6*f^34}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 8151957504*a^{36*b^4*c^10*e^4*f^36}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 530 \\
& 841600*a^{38*b^2*c^10*e^2*f^38}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 42743457*a^{2*b^40*c^11*e^40*f^2}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 411055884*a^{4*b^38*c^11*e^38*f^4}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 2180887236*a^{6*b^36*c^11*e^36*f^6}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 6404946508*a^{8*b^34*c^11*e^34*f^8}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 5434005264*a^{10*b^32*c^11*e^32*f^10}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 38868373 \\
& 520*a^{12*b^30*c^11*e^30*f^12}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 208447613600*a^{14*b^28*c^11*e^28*f^14}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 579674999104*a^{16*b^26*c^11*e^26*f^16}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 1104967566592*a^{18*b^24*c^11*e^24*f^18}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 1554566531328*a^{20*b^22*c^11*e^22*f^20}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 1659734381312*a^{22*b^20*c^11*e^20*f^22}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 1356361512192*a^{24*b^18*c^11*e^18*f^24}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 845331359744*a^{26*b^16*c^11*e^16*f^26}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 39 \\
& 5676895232*a^{28*b^14*c^11*e^14*f^28}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 13490268979 \\
& 2*a^{30*b^12*c^11*e^12*f^30}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 31670587392*a^{32*b^10*c^11*e^10*f^32}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 4584669184*a^{34*b^8*c^11*e^8*f^34}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 309657600*a^{36*b^6*c^11*e^6*f^36}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - (4*a^{(3/2)}*b^{6*c^2*e^6*f^3}*(a*c)^{(3/2)}*(2*a^{2*c*f^2} - b^{2*c*e^2})*(4*a^{2*c*f^2} - 3*b^{2*c*e^2})*((4096*(112*C^4*a^4*b^8*c^4*e^10) + 448 \\
& *C^4*a^{12*c^4*e^2*f^8} - 668*C^4*a^6*b^6*c^4*e^8*f^2 + 1440*C^4*a^8*b^4*c^4*e^6*f^4 - 1328*C^4*a^{10*b^2*c^4*e^4*f^6})/(b^{16}*e^{14*f^4} - 4*a^{2*b^14*e^12*f^6} + 6*a^{4*b^12}*e^{10*f^8} - 4*a^{6*b^10*e^8*f^10} + a^{8*b^8*e^6*f^12}) + (4096 \\
& *C^4*e^4*(2*a^{2*f^2} - b^{2*e^2})^4*(9*a^{2*b^14*c^6*e^12*f^6} - 47*a^{4*b^12*c^6}*e^{10*f^8} + 98*a^{6*b^10*c^6*e^8*f^10} - 102*a^{8*b^8*c^6*e^6*f^12} + 53*a^{10*b^6*c^6*e^4*f^14} - 11*a^{12*b^4*c^6*e^2*f^16})/(f^{8}*(a*f + b*e)^4*(a*f - b*e)^4*(a^{2*c*f^2} - b^{2*c*e^2})^2*(b^{16}*e^{14*f^4} - 4*a^{2*b^14*e^12*f^6} + 6*a^{4*b^12}*e^{10*f^8} - 4*a^{6*b^10*e^8*f^10} + a^{8*b^8*e^6*f^12}) + (4096*C^2*e^2*(2*a^{2*f^2} - b^{2*e^2})^2*(9*C^2*a^{2*b^12*c^5*e^12*f^2} - 144*C^2*a^{14*c^5*f^14} +
\end{aligned}$$

$$\begin{aligned}
& 74*C^2*a^4*b^10*c^5*e^10*f^4 - 519*C^2*a^6*b^8*c^5*e^8*f^6 + 1168*C^2*a^8*b^6*c^5*e^6*f^8 - 1264*C^2*a^10*b^4*c^5*e^4*f^10 + 676*C^2*a^12*b^2*c^5*e^2*f^12)/(f^4*(a*f + b*e)^2*(a*f - b*e)^2*(a^2*c*f^2 - b^2*c*e^2)*(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12)) * (4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4)^4 / ((b^2*c*e^2 - a^2*c*f^2)^{(1/2)} * (164025*b^46*c^13*e^46 + 885735*b^44*c^12*e^44 * (a^2*c*f^2 - b^2*c*e^2) + 117440512*a^30*c^5*f^30 * (a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^32*c^6*f^32 * (a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^34*c^7*f^34 * (a^2*c*f^2 - b^2*c*e^2)^6 - 150994944*a^36*c^8*f^36 * (a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^36*c^8*e^36 * (a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^38*c^9*e^38 * (a^2*c*f^2 - b^2*c*e^2)^4 + 2053593*b^40*c^10*e^40 * (a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^42*c^11*e^42 * (a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^44*c^13*e^44*f^2 + 43893819*a^4*b^42*c^13*e^42*f^4 - 301507155*a^6*b^40*c^13*e^40*f^6 + 1427514656*a^8*b^38*c^13*e^38*f^8 - 4936911112*a^10*b^36*c^13*e^36*f^10 + 12893273616*a^12*b^34*c^13*e^34*f^12 - 25921630432*a^14*b^32*c^13*e^32*f^14 + 40519286096*a^16*b^30*c^13*e^30*f^16 - 49376608256*a^18*b^28*c^13*e^28*f^18 + 46721401856*a^20*b^26*c^13*e^26*f^20 - 33946324736*a^22*b^24*c^13*e^24*f^22 + 18556579328*a^24*b^22*c^13*e^22*f^24 - 7375276032*a^26*b^20*c^13*e^20*f^26 + 2009817088*a^28*b^18*c^13*e^18*f^28 - 335642624*a^30*b^16*c^13*e^16*f^30 + 25907200*a^32*b^14*c^13*e^14*f^32 - 21130794*a^2*b^42*c^12*e^42*f^2 * (a^2*c*f^2 - b^2*c*e^2) + 234399015*a^4*b^40*c^12*e^40*f^4 * (a^2*c*f^2 - b^2*c*e^2) - 1604168280*a^6*b^38*c^12*e^38*f^6 * (a^2*c*f^2 - b^2*c*e^2) + 7579098492*a^8*b^36*c^12*e^36*f^8 * (a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^10*b^34*c^12*e^34*f^10 * (a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^12*b^32*c^12*e^32*f^12 * (a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^14*b^30*c^12*e^30*f^14 * (a^2*c*f^2 - b^2*c*e^2) + 220859191808*a^16*b^28*c^12*e^28*f^16 * (a^2*c*f^2 - b^2*c*e^2) - 276344315328*a^18*b^26*c^12*e^26*f^18 * (a^2*c*f^2 - b^2*c*e^2) + 273130561984*a^20*b^24*c^12*e^24*f^20 * (a^2*c*f^2 - b^2*c*e^2) - 212730002688*a^22*b^22*c^12*e^22*f^22 * (a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^24*b^20*c^12*e^20*f^24 * (a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^26*b^18*c^12*e^18*f^26 * (a^2*c*f^2 - b^2*c*e^2) + 21304706048*a^28*b^16*c^12*e^16*f^28 * (a^2*c*f^2 - b^2*c*e^2) - 5272965120*a^30*b^14*c^12*e^14*f^30 * (a^2*c*f^2 - b^2*c*e^2) + 819441664*a^32*b^12*c^12*e^12*f^32 * (a^2*c*f^2 - b^2*c*e^2) - 59392000*a^34*b^10*c^12*e^10*f^34 * (a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6*b^24*c^5*e^24*f^6 * (a^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^8*b^22*c^5*e^22*f^8 * (a^2*c*f^2 - b^2*c*e^2)^8 - 278604800*a^10*b^20*c^5*e^20*f^10 * (a^2*c*f^2 - b^2*c*e^2)^8 + 2774483200*a^12*b^18*c^5*e^18*f^12 * (a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600*a^14*b^16*c^5*e^16*f^14 * (a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960*a^16*b^14*c^5*e^14*f^16 * (a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^18*b^12*c^5*e^12*f^18 * (a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^20*b^10*c^5*e^10*f^20 * (a^2*c*f^2 - b^2*c*e^2)^8 - 26118635520*a^22*b^8*c^5*e^8*f^22 * (a^2*c*f^2 - b^2*c*e^2)^8 + 10414620672*a^24*b^6*c^5*e^6*f^24 * (a^2*c*f^2 - b^2*c*e^2)^8 - 1708654592*a^26*b^4*c^5*e^4*f^26 * (a^2*c*f^2 - b^2*c*e^2)^8 - 276561920*a^28*b^2*c^5*e^2*f^28 * (a^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^4*b^28*c^6*e^28*f^4 * (a^2*c*f^2 - b^2*c*e^2)^7 + 260614656*a^6*
\end{aligned}$$

$$\begin{aligned}
& b^{26}c^6e^{26}f^6(a^{2*c*f^2} - b^{2*c*e^2})^7 - 2166022464*a^{8*b^{24}*c^6e^{24}*f^8}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 8626147840*a^{10*b^{22}*c^6e^{22}*f^{10}}(a^{2*c*f^2} - b^{2*c*e^2})^7 - 16771503616*a^{12*b^{20}*c^6e^{20}*f^{12}}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 3301800960*a^{14*b^{18}*c^6e^{18}*f^{14}}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 67337715968*a^{16*b^{16}*c^6e^{16}*f^{16}}(a^{2*c*f^2} - b^{2*c*e^2})^7 - 189857873920*a^{18*b^{14}*c^6e^{14}*f^{18}}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 286100259840*a^{20*b^{12}*c^6e^{12}*f^{20}}(a^{2*c*f^2} - b^{2*c*e^2})^7 - 275789894656*a^{22*b^{10}*c^6e^{10}*f^{22}}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 173716537344*a^{24*b^{8}*c^6e^{8}*f^{24}}(a^{2*c*f^2} - b^{2*c*e^2})^7 - 67416424448*a^{26*b^{6}*c^6e^{6}*f^{26}}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 12831686656*a^{28*b^{4}*c^6e^{4}*f^{28}}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 222560256*a^{30*b^{2}*c^6e^{2}*f^{30}}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 2099520*a^{2*b^{32}*c^7e^{32}*f^{2}}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 107014608*a^{4*b^{30}*c^7e^{30}*f^{4}}(a^{2*c*f^2} - b^{2*c*e^2})^6 + 1848335616*a^{6*b^{28}*c^7e^{28}*f^{6}}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 15200005312*a^{8*b^{26}*c^7e^{26}*f^{8}}(a^{2*c*f^2} - b^{2*c*e^2})^6 + 72612273792*a^{10*b^{24}*c^7e^{24}*f^{10}}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 221855779968*a^{12*b^{22}*c^7e^{22}*f^{12}}(a^{2*c*f^2} - b^{2*c*e^2})^6 + 450717857536*a^{14*b^{20}*c^7e^{20}*f^{14}}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 600578910208*a^{16*b^{18}*c^7e^{18}*f^{16}}(a^{2*c*f^2} - b^{2*c*e^2})^6 + 459464530688*a^{18*b^{16}*c^7e^{16}*f^{18}}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 33638947840*a^{20*b^{14}*c^7e^{14}*f^{20}}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 376299926528*a^{22*b^{12}*c^7e^{12}*f^{22}}(a^{2*c*f^2} - b^{2*c*e^2})^6 + 488874068992*a^{24*b^{10}*c^7e^{10}*f^{24}}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 333407809536*a^{26*b^{8}*c^7e^{8}*f^{26}}(a^{2*c*f^2} - b^{2*c*e^2})^6 + 134140313600*a^{28*b^{6}*c^7e^{6}*f^{28}}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 28220915712*a^{30*b^{4}*c^7e^{4}*f^{30}}(a^{2*c*f^2} - b^{2*c*e^2})^6 + 1230503936*a^{32*b^{2}*c^7e^{2}*f^{32}}(a^{2*c*f^2} - b^{2*c*e^2})^6 + 3335904*a^{2*b^{34}*c^8e^{34}*f^{2}}(a^{2*c*f^2} - b^{2*c*e^2})^5 - 290521728*a^{4*b^{32}*c^8e^{32}*f^{4}}(a^{2*c*f^2} - b^{2*c*e^2})^5 + 4865684544*a^{6*b^{30}*c^8e^{30}*f^{6}}(a^{2*c*f^2} - b^{2*c*e^2})^5 - 40437394528*a^{8*b^{28}*c^8e^{28}*f^{8}}(a^{2*c*f^2} - b^{2*c*e^2})^5 + 205602254656*a^{10*b^{26}*c^8e^{26}*f^{10}}(a^{2*c*f^2} - b^{2*c*e^2})^5 - 703885344192*a^{12*b^{24}*c^8e^{24}*f^{12}}(a^{2*c*f^2} - b^{2*c*e^2})^5 + 1709253482624*a^{14*b^{22}*c^8e^{22}*f^{14}}(a^{2*c*f^2} - b^{2*c*e^2})^5 - 3029282695168*a^{16*b^{20}*c^8e^{20}*f^{16}}(a^{2*c*f^2} - b^{2*c*e^2})^5 + 3966230827520*a^{18*b^{18}*c^8e^{18}*f^{18}}(a^{2*c*f^2} - b^{2*c*e^2})^5 - 3822339813632*a^{20*b^{16}*c^8e^{16}*f^{20}}(a^{2*c*f^2} - b^{2*c*e^2})^5 + 2640438056960*a^{22*b^{14}*c^8e^{14}*f^{22}}(a^{2*c*f^2} - b^{2*c*e^2})^5 - 1208501415936*a^{24*b^{12}*c^8e^{12}*f^{24}}(a^{2*c*f^2} - b^{2*c*e^2})^5 + 269338092544*a^{26*b^{10}*c^8e^{10}*f^{26}}(a^{2*c*f^2} - b^{2*c*e^2})^5 + 53783212032*a^{28*b^{8}*c^8e^{8}*f^{28}}(a^{2*c*f^2} - b^{2*c*e^2})^5 - 60985360384*a^{30*b^{6}*c^8e^{6}*f^{30}}(a^{2*c*f^2} - b^{2*c*e^2})^5 + 17917083648*a^{32*b^{4}*c^8e^{4}*f^{32}}(a^{2*c*f^2} - b^{2*c*e^2})^5 - 1558708224*a^{34*b^{2}*c^8e^{2}*f^{34}}(a^{2*c*f^2} - b^{2*c*e^2})^5 - 11917692*a^{2*b^{36}*c^9e^{9}*f^{36}*f^{2}}(a^{2*c*f^2} - b^{2*c*e^2})^4 - 224907516*a^{4*b^{34}*c^9e^{9}*f^{34}*f^{4}}(a^{2*c*f^2} - b^{2*c*e^2})^4 + 5303932560*a^{6*b^{32}*c^9e^{9}*f^{32}*f^{6}}(a^{2*c*f^2} - b^{2*c*e^2})^4 - 48206418480*a^{8*b^{30}*c^9e^{9}*f^{30}*f^{8}}(a^{2*c*f^2} - b^{2*c*e^2})^4 + 261450609120*a^{10*b^{28}*c^9e^{9}*f^{28}*f^{10}}(a^{2*c*f^2} - b^{2*c*e^2})^4 - 962361040256*a^{12*b^{26}*c^9e^{9}*f^{26}*f^{12}}(a^{2*c*f^2} - b^{2*c*e^2})^4 + 2558559358080*a^{14*b^{24}*c^9e^{9}*f^{24}*f^{14}}(a^{2*c*f^2} - b^{2*c*e^2})^4 - 5091804150656*a^{16*b^{22}*c^9e^{9}*f^{22}*f^{16}}(a^{2*c*f^2} - b^{2*c*e^2})^4
\end{aligned}$$

$$\begin{aligned}
& 2 - b^{2*c*e^2})^4 + 7750806514944*a^{18*b^{20*c^9}*e^{20*f^{18}}*(a^{2*c*f^2} - b^{2*c}*e^2)^4 - 9137207485952*a^{20*b^{18*c^9}*e^{18*f^{20}}*(a^{2*c*f^2} - b^{2*c}*e^2)^4 + 8384563280128*a^{22*b^{16*c^9}*e^{16*f^{22}}*(a^{2*c*f^2} - b^{2*c}*e^2)^4 - 5975281259520*a^{24*b^{14*c^9}*e^{14*f^{24}}*(a^{2*c*f^2} - b^{2*c}*e^2)^4 + 3269297268736*a^{26*b^{12*c^9}*e^{12*f^{26}}*(a^{2*c*f^2} - b^{2*c}*e^2)^4 - 1339171540992*a^{28*b^{10*c^9}*e^{10*f^{28}}*(a^{2*c*f^2} - b^{2*c}*e^2)^4 + 391250194432*a^{30*b^{8*c^9}*e^{8*f^{30}}*(a^{2*c*f^2} - b^{2*c}*e^2)^4 - 74114154496*a^{32*b^{6*c^9}*e^{6*f^{32}}*(a^{2*c*f^2} - b^{2*c}*e^2)^4 + 7299203072*a^{34*b^{4*c^9}*e^{4*f^{34}}*(a^{2*c*f^2} - b^{2*c}*e^2)^4 - 148635648*a^{36*b^{2*c^9}*e^{2*f^{36}}*(a^{2*c*f^2} - b^{2*c}*e^2)^4 - 38704068*a^{2*b^{38*c^10}*e^{38*f^{2}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 + 188845992*a^{4*b^{36*c^10}*e^{36*f^{4}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 + 1157124204*a^{6*b^{34*c^10}*e^{34*f^{6}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 - 20586361424*a^{8*b^{32*c^10}*e^{32*f^{8}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 + 135395499200*a^{10*b^{30*c^10}*e^{30*f^{10}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 - 555513858464*a^{12*b^{28*c^10}*e^{28*f^{12}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 + 1608776388864*a^{14*b^{26*c^10}*e^{26*f^{14}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 - 3473989271488*a^{16*b^{24*c^10}*e^{24*f^{16}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 + 5766181411456*a^{18*b^{22*c^10}*e^{22*f^{18}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 - 7493983209472*a^{20*b^{20*c^10}*e^{20*f^{20}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 + 7713917084672*a^{22*b^{18*c^10}*e^{18*f^{22}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 - 6328467293184*a^{24*b^{16*c^10}*e^{16*f^{24}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 + 4142950034432*a^{26*b^{14*c^10}*e^{14*f^{26}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 - 2152681536512*a^{28*b^{12*c^10}*e^{12*f^{28}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 + 874199511040*a^{30*b^{10*c^10}*e^{10*f^{30}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 - 268759150592*a^{32*b^{8*c^10}*e^{8*f^{32}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 + 58872545280*a^{34*b^{6*c^10}*e^{6*f^{34}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 - 8151957504*a^{36*b^{4*c^10}*e^{4*f^{36}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 + 530841600*a^{38*b^{2*c^10}*e^{2*f^{38}}*(a^{2*c*f^2} - b^{2*c}*e^2)^3 - 42743457*a^{2*b^{40*c^11}*e^{40*f^{2}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 + 411055884*a^{4*b^{38*c^11}*e^{38*f^{4}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 - 2180887236*a^{6*b^{36*c^11}*e^{36*f^{6}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 + 6404946508*a^{8*b^{34*c^11}*e^{34*f^{8}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 - 5434005264*a^{10*b^{32*c^11}*e^{32*f^{10}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 - 38868373520*a^{12*b^{30*c^11}*e^{30*f^{12}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 + 208447613600*a^{14*b^{28*c^11}*e^{28*f^{14}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 - 579674999104*a^{16*b^{26*c^11}*e^{26*f^{16}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 + 1104967566592*a^{18*b^{24*c^11}*e^{24*f^{18}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 - 1554566531328*a^{20*b^{22*c^11}*e^{22*f^{20}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 + 1659734381312*a^{22*b^{20*c^11}*e^{20*f^{22}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 - 1356361512192*a^{24*b^{18*c^11}*e^{18*f^{24}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 + 845331359744*a^{26*b^{16*c^11}*e^{16*f^{26}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 - 395676895232*a^{28*b^{14*c^11}*e^{14*f^{28}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 + 134902689792*a^{30*b^{12*c^11}*e^{12*f^{30}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 - 31670587392*a^{32*b^{10*c^11}*e^{10*f^{32}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 + 4584669184*a^{34*b^{8*c^11}*e^{8*f^{34}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 - 309657600*a^{36*b^{6*c^11}*e^{6*f^{36}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2)))*(b^{16*e^{12*f^{6}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 - 4*a^{2*b^{14}*e^{10*f^{8}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 + 6*a^{4*b^{12}*e^{8*f^{10}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 - 4*a^{6*b^{10}*e^{6*f^{12}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2 + a^{8*b^{8}*e^{4*f^{14}}*(a^{2*c*f^2} - b^{2*c}*e^2)^2})/(((a + b*x)^{(1/2)} - a^{(1/2)})^{2*}(16384*C^4*a^{6*c^3*f^4} + 4096*C^4*a^{2*b^4*c^3*e^4} - 16384*C^
\end{aligned}$$

$$\begin{aligned}
& 4*a^4*b^2*c^3*e^2*f^2) + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3 * ((2*a^4*b^5*c^3*e^5*f^4 * (4*a^2*c*f^2 - 3*b^2*c*e^2)^2 * ((4096*(112*c^4*a^4*b^8*c^4*e^10 + 448*c^4*a^12*c^4*e^2*f^8 - 668*c^4*a^6*b^6*c^4*e^8*f^2 + 1440*c^4*a^8*b^4*c^4*e^6*f^4 - 1328*c^4*a^10*b^2*c^4*e^4*f^6)) / (b^16*e^14*f^4 - 4*a^2*b^14*c^4*e^12*f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12) + (4096*c^4*e^4 * (2*a^2*f^2 - b^2*e^2)^4 * (9*a^2*b^14*c^6*e^12*f^6 - 47*a^4*b^12*c^6*e^10*f^8 + 98*a^6*b^10*c^6*e^8*f^10 - 102*a^8*b^8*c^6*e^6*f^12 + 53*a^10*b^6*c^6*e^4*f^14 - 11*a^12*b^4*c^6*e^2*f^16)) / (f^8*(a*f + b*e)^4 * (a*f - b*e)^4 * (a^2*c*f^2 - b^2*c*e^2)^2 * (b^16*e^14*f^4 - 4*a^2*b^14*c^4*e^12*f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12)) + (4096*c^2*e^2 * (2*a^2*f^2 - b^2*e^2)^2 * (9*c^2*a^2*b^12*c^5*e^12*f^2 - 144*c^2*a^14*c^5*f^14 + 74*c^2*a^4*b^10*c^5*e^10*f^4 - 519*c^2*a^6*b^8*c^5*e^8*f^6 + 1168*c^2*a^8*b^6*c^5*e^6*f^8 - 1264*c^2*a^10*b^4*c^5*e^4*f^10 + 676*c^2*a^12*b^2*c^5*e^2*f^12)) / (f^4*(a*f + b*e)^2 * (a*f - b*e)^2 * (a^2*c*f^2 - b^2*c*e^2) * (b^16*e^14*f^4 - 4*a^2*b^14*c^4*e^12*f^6 + 6*a^4*b^12*c^4*e^10*f^8 - 4*a^6*b^10*c^4*e^8*f^10 + a^8*b^8*c^4*e^6*f^12)) * (4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4)^4) / ((b^2*c*e^2 - a^2*c*f^2)^(1/2) * (164025*b^46*c^13*e^46 + 885735*b^44*c^12*e^44 * (a^2*c*f^2 - b^2*c*e^2) + 117440512*a^30*c^5*f^30 * (a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^32*c^6*f^32 * (a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^34*c^7*f^34 * (a^2*c*f^2 - b^2*c*e^2)^6 - 150994944*a^36*c^8*f^36 * (a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^36*c^8*e^36 * (a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^38*c^9*e^38 * (a^2*c*f^2 - b^2*c*e^2)^4 + 2053593*b^40*c^10*e^40 * (a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^42*c^11*e^42 * (a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^44*c^13*e^44*f^2 + 43893819*a^4*b^42*c^13*e^42*f^4 - 301507155*a^6*b^40*c^13*e^40*f^6 + 1427514656*a^8*b^38*c^13*e^38*f^8 - 4936911112*a^10*b^36*c^13*e^36*f^10 + 12893273616*a^12*b^34*c^13*e^34*f^12 - 25921630432*a^14*b^32*c^13*e^32*f^14 + 40519286096*a^16*b^30*c^13*e^30*f^16 - 49376608256*a^18*b^28*c^13*e^28*f^18 + 46721401856*a^20*b^26*c^13*e^26*f^20 - 33946324736*a^22*b^24*c^13*e^24*f^22 + 18556579328*a^24*b^22*c^13*e^22*f^24 - 7375276032*a^26*b^20*c^13*e^20*f^26 + 2009817088*a^28*b^18*c^13*e^18*f^28 - 335642624*a^30*b^16*c^13*e^16*f^30 + 25907200*a^32*b^14*c^13*e^14*f^32 - 21130794*a^2*b^42*c^12*e^42*f^2 * (a^2*c*f^2 - b^2*c*e^2) + 234399015*a^4*b^40*c^12*e^40*f^4 * (a^2*c*f^2 - b^2*c*e^2) - 1604168280*a^6*b^38*c^12*e^38*f^6 * (a^2*c*f^2 - b^2*c*e^2) + 7579098492*a^8*b^36*c^12*e^36*f^8 * (a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^10*b^34*c^12*e^34*f^10 * (a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^12*b^32*c^12*e^32*f^12 * (a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^14*b^30*c^12*e^30*f^14 * (a^2*c*f^2 - b^2*c*e^2) + 220859191808*a^16*b^28*c^12*e^28*f^16 * (a^2*c*f^2 - b^2*c*e^2) - 276344315328*a^18*b^26*c^12*e^26*f^18 * (a^2*c*f^2 - b^2*c*e^2) + 273130561984*a^20*b^24*c^12*e^24*f^20 * (a^2*c*f^2 - b^2*c*e^2) - 212730002688*a^22*b^22*c^12*e^22*f^22 * (a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^24*b^20*c^12*e^20*f^24 * (a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^26*b^18*c^12*e^18*f^26 * (a^2*c*f^2 - b^2*c*e^2) + 21304706048*a^28*b^16*c^12*e^16*f^28 * (a^2*c*f^2 - b^2*c*e^2) - 5272965120*a^30*b^14*c^12*e^14*f^30 * (a^2*c*f^2 - b^2*c*e^2) + 819441664*a^32*b^12*c^12*e^12*f^32 * (a^2*c*f^2 - b^2*c*e^2) - 59392000*a^34*b^10*c^12*e^10*f^34 * (a^2*c*f^2 - b^2*c*e^2)
\end{aligned}$$

$$\begin{aligned}
& 2 - b^2*c*e^2) + 9289728*a^6*b^24*c^5*e^24*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 - \\
& 36884480*a^8*b^22*c^5*e^22*f^8*(a^2*c*f^2 - b^2*c*e^2)^8 - 278604800*a^10*b^ \\
& ^{20*c^5*e^20*f^10*(a^2*c*f^2 - b^2*c*e^2)^8 + 2774483200*a^12*b^18*c^5*e^18 \\
& *f^12*(a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600*a^14*b^16*c^5*e^16*f^14*(a^2*c \\
& *f^2 - b^2*c*e^2)^8 + 25237416960*a^16*b^14*c^5*e^14*f^16*(a^2*c*f^2 - b^2 \\
& *c*e^2)^8 - 38348909568*a^18*b^12*c^5*e^12*f^18*(a^2*c*f^2 - b^2*c*e^2)^8 + \\
& 39084659712*a^20*b^10*c^5*e^10*f^20*(a^2*c*f^2 - b^2*c*e^2)^8 - 2611863552 \\
& 0*a^22*b^8*c^5*e^8*f^22*(a^2*c*f^2 - b^2*c*e^2)^8 + 10414620672*a^24*b^6*c^ \\
& 5*e^6*f^24*(a^2*c*f^2 - b^2*c*e^2)^8 - 1708654592*a^26*b^4*c^5*e^4*f^26*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^8 - 276561920*a^28*b^2*c^5*e^2*f^28*(a^2*c*f^2 - b^2*c \\
& *e^2)^8 - 9704448*a^4*b^28*c^6*e^28*f^4*(a^2*c*f^2 - b^2*c*e^2)^7 + 2606146 \\
& 56*a^6*b^26*c^6*e^26*f^6*(a^2*c*f^2 - b^2*c*e^2)^7 - 2166022464*a^8*b^24*c^ \\
& 6*e^24*f^8*(a^2*c*f^2 - b^2*c*e^2)^7 + 8626147840*a^10*b^22*c^6*e^22*f^10*(\\
& a^2*c*f^2 - b^2*c*e^2)^7 - 16771503616*a^12*b^20*c^6*e^20*f^12*(a^2*c*f^2 - \\
& b^2*c*e^2)^7 + 3301800960*a^14*b^18*c^6*e^18*f^14*(a^2*c*f^2 - b^2*c*e^2)^7 \\
& + 67337715968*a^16*b^16*c^6*e^16*f^16*(a^2*c*f^2 - b^2*c*e^2)^7 - 1898578 \\
& 73920*a^18*b^14*c^6*e^14*f^18*(a^2*c*f^2 - b^2*c*e^2)^7 + 286100259840*a^20 \\
& *b^12*c^6*e^12*f^20*(a^2*c*f^2 - b^2*c*e^2)^7 - 275789894656*a^22*b^10*c^6* \\
& e^10*f^22*(a^2*c*f^2 - b^2*c*e^2)^7 + 173716537344*a^24*b^8*c^6*e^8*f^24*(a \\
& ^2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^26*b^6*c^6*e^6*f^26*(a^2*c*f^2 - b \\
& ^2*c*e^2)^7 + 12831686656*a^28*b^4*c^6*e^4*f^28*(a^2*c*f^2 - b^2*c*e^2)^7 + \\
& 222560256*a^30*b^2*c^6*e^2*f^30*(a^2*c*f^2 - b^2*c*e^2)^7 + 2099520*a^2*b^3 \\
& 2*c^7*e^32*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 - 107014608*a^4*b^30*c^7*e^30*f^4* \\
& (a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616*a^6*b^28*c^7*e^28*f^6*(a^2*c*f^2 - b \\
& ^2*c*e^2)^6 - 15200005312*a^8*b^26*c^7*e^26*f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + \\
& 72612273792*a^10*b^24*c^7*e^24*f^10*(a^2*c*f^2 - b^2*c*e^2)^6 - 2218557799 \\
& 68*a^12*b^22*c^7*e^22*f^12*(a^2*c*f^2 - b^2*c*e^2)^6 + 450717857536*a^14*b^ \\
& 20*c^7*e^20*f^14*(a^2*c*f^2 - b^2*c*e^2)^6 - 600578910208*a^16*b^18*c^7*e^1 \\
& 8*f^16*(a^2*c*f^2 - b^2*c*e^2)^6 + 459464530688*a^18*b^16*c^7*e^16*f^18*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^6 - 33638947840*a^20*b^14*c^7*e^14*f^20*(a^2*c*f^2 - b \\
& ^2*c*e^2)^6 - 376299926528*a^22*b^12*c^7*e^12*f^22*(a^2*c*f^2 - b^2*c*e^2)^6 \\
& + 488874068992*a^24*b^10*c^7*e^10*f^24*(a^2*c*f^2 - b^2*c*e^2)^6 - 333407 \\
& 809536*a^26*b^8*c^7*e^8*f^26*(a^2*c*f^2 - b^2*c*e^2)^6 + 134140313600*a^28* \\
& b^6*c^7*e^6*f^28*(a^2*c*f^2 - b^2*c*e^2)^6 - 28220915712*a^30*b^4*c^7*e^4*f \\
& ^30*(a^2*c*f^2 - b^2*c*e^2)^6 + 1230503936*a^32*b^2*c^7*e^2*f^32*(a^2*c*f^2 - \\
& b^2*c*e^2)^6 + 3335904*a^2*b^34*c^8*e^34*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - \\
& 290521728*a^4*b^32*c^8*e^32*f^4*(a^2*c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6 \\
& *b^30*c^8*e^30*f^6*(a^2*c*f^2 - b^2*c*e^2)^5 - 40437394528*a^8*b^28*c^8*e^2 \\
& 8*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 205602254656*a^10*b^26*c^8*e^26*f^10*(a^2 \\
& *c*f^2 - b^2*c*e^2)^5 - 703885344192*a^12*b^24*c^8*e^24*f^12*(a^2*c*f^2 - b \\
& ^2*c*e^2)^5 + 1709253482624*a^14*b^22*c^8*e^22*f^14*(a^2*c*f^2 - b^2*c*e^2)^5 \\
& - 3029282695168*a^16*b^20*c^8*e^20*f^16*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966 \\
& 230827520*a^18*b^18*c^8*e^18*f^18*(a^2*c*f^2 - b^2*c*e^2)^5 - 3822339813632 \\
& *a^20*b^16*c^8*e^16*f^20*(a^2*c*f^2 - b^2*c*e^2)^5 + 2640438056960*a^22*b^1 \\
& 4*c^8*e^14*f^22*(a^2*c*f^2 - b^2*c*e^2)^5 - 1208501415936*a^24*b^12*c^8*e^1
\end{aligned}$$

$$\begin{aligned}
& 2*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^5 + 269338092544*a^{26}*b^{10}*c^8*e^{10}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032*a^{28}*b^8*c^8*e^8*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^5 \\
& - 60985360384*a^{30}*b^6*c^8*e^6*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^{32}*b^4*c^8*e^4*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^5 - 1558708224*a^34*b^2*c^8*e^2*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^5 \\
& - 11917692*a^2*b^36*c^9*e^36*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^32*c^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 \\
& - 48206418480*a^8*b^30*c^9*e^30*f^8*(a^2*c*f^2 - b^2*c*e^2)^4 + 261450609120*a^{10}*b^28*c^9*e^28*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^4 - 962361040256*a^{12}*b^26*c^9*e^{12}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^4 \\
& + 2558559358080*a^{14}*b^{24}*c^9*e^24*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^4 - 5091804150656*a^{16}*b^{22}*c^9*e^{22}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944*a^{18}*b^{20}*c^9*e^{20}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^4 \\
& - 9137207485952*a^{20}*b^{18}*c^9*e^{18}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^{22}*b^{16}*c^9*e^{16}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^{24}*b^{14}*c^9*e^{14}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^4 + 3269297268736*a^{26}*b^{12}*c^9*e^{12}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^4 - 1339171540992*a^{28}*b^{10}*c^9*e^{10}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^4 \\
& + 391250194432*a^{30}*b^8*c^9*e^8*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^4 - 74114154496*a^{32}*b^6*c^9*e^6*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^{34}*b^4*c^9*e^4*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^{36}*b^2*c^9*e^2*f^{36}*(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^{10}*e^{38}*f^2*(a^2*c*f^2 - b^2*c*e^2)^3 + 188845992*a^4*b^36*c^10*e^36*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 + 1157124204*a^6*b^34*c^{10}*e^{34}*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^8*b^32*c^{10}*e^{32}*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^{10}*b^30*c^{10}*e^{30}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^{12}*b^28*c^{10}*e^{28}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^{14}*b^{26}*c^{10}*e^{26}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^{16}*b^{24}*c^{10}*e^{24}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^3 + 5766181411456*a^{18}*b^{22}*c^{10}*e^{22}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^3 - 7493983209472*a^{20}*b^{20}*c^{10}*e^{20}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^3 + 7713917084672*a^{22}*b^{18}*c^{10}*e^{18}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328467293184*a^{24}*b^{16}*c^{10}*e^{16}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432*a^{26}*b^{14}*c^{10}*e^{14}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^{28}*b^{12}*c^{10}*e^{12}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^{30}*b^{10}*c^{10}*e^{10}*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^{32}*b^8*c^{10}*e^8*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^{34}*b^6*c^{10}*e^6*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^3 - 8151957504*a^{36}*b^4*c^{10}*e^4*f^{36}*(a^2*c*f^2 - b^2*c*e^2)^3 + 530841600*a^{38}*b^2*c^{10}*e^{2}*f^{38}*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^{2}*b^{40}*c^{11}*e^{40}*f^{2}*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^38*c^{11}*e^{38}*f^4*(a^2*c*f^2 - b^2*c*e^2)^2 - 2180887236*a^6*b^36*c^{11}*e^{36}*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 + 6404946508*a^8*b^34*c^{11}*e^{34}*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 - 5434005264*a^{10}*b^{32}*c^{11}*e^{32}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a^{12}*b^{30}*c^{11}*e^{30}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447613600*a^{14}*b^{28}*c^{11}*e^{28}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^{16}*b^{26}*c^{11}*e^{26}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a^{18}*b^{24}*c^{11}*e^{24}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^2 - 1554566531328*a^{20}*b^{22}*c^{11}*e^{22}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^2 + 165973438131
\end{aligned}$$

$$\begin{aligned}
& 2*a^{22}*b^{20}*c^{11}*e^{20}*f^{22}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 1356361512192*a^{24}*b \\
& ^{18}*c^{11}*e^{18}*f^{24}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 845331359744*a^{26}*b^{16}*c^{11}*e^{16}*f^{26} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 - 395676895232*a^{28}*b^{14}*c^{11}*e^{14}*f^{28} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 + 134902689792*a^{30}*b^{12}*c^{11}*e^{12}*f^{30}*(a^{2*c*f^2} \\
& ^2 - b^{2*c*e^2})^2 - 31670587392*a^{32}*b^{10}*c^{11}*e^{10}*f^{32}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^2 + 4584669184*a^{34}*b^{8}*c^{11}*e^{8}*f^{34}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 309 \\
& 657600*a^{36}*b^{6}*c^{11}*e^{6}*f^{36}*(a^{2*c*f^2} - b^{2*c*e^2})^2) - (2*a^{(3/2)}*b^{5} \\
& c^{5}*f^{3}*((4096*C^{3}*e^{3}*(2*a^{2*f^2} - b^{2*e^2})^{3}*(136*C*a^{(21/2)}*b^{2*c^{3}*e} \\
& f^{15}*(a*c)^{(5/2)} - 90*C*a^{(3/2)}*b^{12}*c^{4}*e^{11}*f^{5}*(a*c)^{(3/2)} + 96*C*a^{(5/2)} \\
&)*b^{10}*c^{3}*e^{9}*f^{7}*(a*c)^{(5/2)} + 394*C*a^{(7/2)}*b^{10}*c^{4}*e^{9}*f^{7}*(a*c)^{(3/2)} \\
& - 424*C*a^{(9/2)}*b^{8}*c^{3}*e^{7}*f^{9}*(a*c)^{(5/2)} - 642*C*a^{(11/2)}*b^{8}*c^{4}*e^{7}*f^{9} \\
& *(a*c)^{(3/2)} + 696*C*a^{(13/2)}*b^{6}*c^{3}*e^{5}*f^{11}*(a*c)^{(5/2)} + 462*C*a^{(15/2)}*b^{6}*c^{4}*e^{5}*f^{11}*(a*c)^{(3/2)} \\
& - 504*C*a^{(17/2)}*b^{4}*c^{3}*e^{3}*f^{13}*(a*c)^{(5/2)} - 124*C*a^{(19/2)}*b^{4}*c^{4}*e^{3}*f^{13}*(a*c)^{(3/2)})/(f^{6}*(a*f + b*e)^3*(a*f \\
& - b*e)^3*(b^{2*c*e^2} - a^{2*c*f^2})^{(3/2)}*(b^{16}*e^{14}*f^4 - 4*a^{2*b^{14}*e^{12}*f^6} \\
& + 6*a^{4*b^{12}*e^{10}*f^8} - 4*a^{6*b^{10}*e^{8}*f^{10}} + a^{8*b^{8}*e^{6}*f^{12}}) - (4096*C \\
& *e^{(2*a^{2*f^2} - b^{2*e^2})*(64*C^{3}*a^{(21/2)}*c^{2}*e*f^{11}*(a*c)^{(5/2)} + 32*C^{3}*a \\
& ^{(5/2)}*b^{8}*c^{2}*e^{9}*f^{3}*(a*c)^{(5/2)} + 600*C^{3}*a^{(7/2)}*b^{8}*c^{3}*e^{9}*f^{3}*(a*c)^{(3/2)} \\
& - 160*C^{3}*a^{(9/2)}*b^{6}*c^{2}*e^{7}*f^{5}*(a*c)^{(5/2)} - 1376*C^{3}*a^{(11/2)}*b^{6} \\
& *c^{3}*e^{7}*f^{5}*(a*c)^{(3/2)} + 288*C^{3}*a^{(13/2)}*b^{4}*c^{2}*e^{5}*f^{7}*(a*c)^{(5/2)} + 1 \\
& 368*C^{3}*a^{(15/2)}*b^{4}*c^{3}*e^{5}*f^{7}*(a*c)^{(3/2)} - 224*C^{3}*a^{(17/2)}*b^{2}*c^{2}*e^{3} \\
& *f^{9}*(a*c)^{(5/2)} - 496*C^{3}*a^{(19/2)}*b^{2}*c^{3}*e^{3}*f^{9}*(a*c)^{(3/2)} - 96*C^{3}*a^{(3/2)}*b^{10}*c^{3}*e^{11}*f^{(a*c)^{(3/2)}}) \\
& /(f^{2}*(a*f + b*e)*(a*f - b*e)*(b^{2*c*e^2} - a^{2*c*f^2})^{(1/2)}*(b^{16}*e^{14}*f^4 - 4*a^{2*b^{14}*e^{12}*f^6} + 6*a^{4*b^{12}*e^{10}*f^8} \\
& - 4*a^{6*b^{10}*e^{8}*f^{10}} + a^{8*b^{8}*e^{6}*f^{12}})*(a*c)^{(3/2)}*(4*a^{2*c*f^2} - b^{2*c*e^2}) \\
& *(4*a^{2*c*f^2} - 3*b^{2*c*e^2})*(4*a^{6*c*f^6} - 3*b^{6*c*e^6} + 8*a^{2*b^{4}*c^{4}*e^{4}*f^2} - 8*a^{4*b^{2}*c^{2}*e^{2}*f^4})^4) \\
& /(164025*b^{46}*c^{13}*e^{46} + 885735*b^{44} \\
& *c^{12}*e^{44}*(a^{2*c*f^2} - b^{2*c*e^2}) + 117440512*a^{30}*c^{5}*f^{30}*(a^{2*c*f^2} - b \\
& ^{2*c*e^2})^8 - 385875968*a^{32}*c^{6}*f^{32}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 419430400 \\
& *a^{34}*c^{7}*f^{34}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 150994944*a^{36}*c^{8}*f^{36}*(a^{2*c*f^2} \\
& ^2 - b^{2*c*e^2})^5 + 236196*b^{36}*c^{8}*e^{36}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 110224 \\
& 8*b^{38}*c^{9}*e^{38}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 2053593*b^{40}*c^{10}*e^{40}*(a^{2*c*f^2} \\
& ^2 - b^{2*c*e^2})^3 + 1909251*b^{42}*c^{11}*e^{42}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 3937 \\
& 329*a^{2*b^{44}*c^{13}*e^{44}*f^2} + 43893819*a^{4*b^{42}*c^{13}*e^{42}*f^4} - 301507155*a^{6} \\
& *b^{40}*c^{13}*e^{40}*f^6 + 1427514656*a^{8*b^{38}*c^{13}*e^{38}*f^8} - 4936911112*a^{10} \\
& *b^{36}*c^{13}*e^{36}*f^{10} + 12893273616*a^{12}*b^{34}*c^{13}*e^{34}*f^{12} - 25921630432*a^{14} \\
& *b^{32}*c^{13}*e^{32}*f^{14} + 40519286096*a^{16}*b^{30}*c^{13}*e^{30}*f^{16} - 49376608256 \\
& *a^{18}*b^{28}*c^{13}*e^{28}*f^{18} + 46721401856*a^{20}*b^{26}*c^{13}*e^{26}*f^{20} - 33946324 \\
& 736*a^{22}*b^{24}*c^{13}*e^{24}*f^{22} + 18556579328*a^{24}*b^{22}*c^{13}*e^{22}*f^{24} - 73752 \\
& 76032*a^{26}*b^{20}*c^{13}*e^{20}*f^{26} + 2009817088*a^{28}*b^{18}*c^{13}*e^{18}*f^{28} - 3356 \\
& 42624*a^{30}*b^{16}*c^{13}*e^{16}*f^{30} + 25907200*a^{32}*b^{14}*c^{13}*e^{14}*f^{32} - 211307 \\
& 94*a^{2*b^{42}*c^{12}*e^{42}*f^2}*(a^{2*c*f^2} - b^{2*c*e^2}) + 234399015*a^{4*b^{40}*c^{12} \\
& *e^{40}*f^{4}*(a^{2*c*f^2} - b^{2*c*e^2}) - 1604168280*a^{6*b^{38}*c^{12}*e^{38}*f^6}*(a^{2*c} \\
& *f^2 - b^{2*c*e^2}) + 7579098492*a^{8*b^{36}*c^{12}*e^{36}*f^8}*(a^{2*c*f^2} - b^{2*c*e^2}) \\
& - 26212380172*a^{10*b^{34}*c^{12}*e^{34}*f^{10}}*(a^{2*c*f^2} - b^{2*c*e^2}) + 686729
\end{aligned}$$

$$\begin{aligned}
& 94096*a^{12}*b^{32}*c^{12}*e^{32}*f^{12}*(a^{2*c*f^2} - b^{2*c*e^2}) - 139160589504*a^{14}* \\
& b^{30}*c^{12}*e^{30}*f^{14}*(a^{2*c*f^2} - b^{2*c*e^2}) + 220859191808*a^{16}*b^{28}*c^{12}*e^{28}*f^{16}*(a^{2*c*f^2} - b^{2*c*e^2}) - 276344315328*a^{18}*b^{26}*c^{12}*e^{26}*f^{18}*(a^{2*c*f^2} - b^{2*c*e^2}) + 273130561984*a^{20}*b^{24}*c^{12}*e^{24}*f^{20}*(a^{2*c*f^2} - b^{2*c*e^2}) - 212730002688*a^{22}*b^{22}*c^{12}*e^{22}*f^{22}*(a^{2*c*f^2} - b^{2*c*e^2}) + 129574234368*a^{24}*b^{20}*c^{12}*e^{20}*f^{24}*(a^{2*c*f^2} - b^{2*c*e^2}) - 607705692 \\
& 16*a^{26}*b^{18}*c^{12}*e^{18}*f^{26}*(a^{2*c*f^2} - b^{2*c*e^2}) + 21304706048*a^{28}*b^{16}*c^{12}*e^{16}*f^{28}*(a^{2*c*f^2} - b^{2*c*e^2}) - 5272965120*a^{30}*b^{14}*c^{12}*e^{14}*f^{30}*(a^{2*c*f^2} - b^{2*c*e^2}) + 819441664*a^{32}*b^{12}*c^{12}*e^{12}*f^{32}*(a^{2*c*f^2} - b^{2*c*e^2}) - 59392000*a^{34}*b^{10}*c^{12}*e^{10}*f^{34}*(a^{2*c*f^2} - b^{2*c*e^2}) + 9289728*a^{6}*b^{24}*c^{5}*e^{24}*f^{6}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 36884480*a^{8}*b^{22}*c^{5}*e^{22}*f^{8}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 278604800*a^{10}*b^{20}*c^{5}*e^{20}*f^{10}*(a^{2*c*f^2} - b^{2*c*e^2})^8 + 2774483200*a^{12}*b^{18}*c^{5}*e^{18}*f^{12}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 10869657600*a^{14}*b^{16}*c^{5}*e^{16}*f^{14}*(a^{2*c*f^2} - b^{2*c*e^2})^8 + 25237416960*a^{16}*b^{14}*c^{5}*e^{14}*f^{16}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 38348 \\
& 909568*a^{18}*b^{12}*c^{5}*e^{12}*f^{18}*(a^{2*c*f^2} - b^{2*c*e^2})^8 + 39084659712*a^{20}*b^{10}*c^{5}*e^{10}*f^{20}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 26118635520*a^{22}*b^{8}*c^{5}*e^{8}*f^{22}*(a^{2*c*f^2} - b^{2*c*e^2})^8 + 10414620672*a^{24}*b^{6}*c^{5}*e^{6}*f^{24}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 1708654592*a^{26}*b^{4}*c^{5}*e^{4}*f^{26}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 276561920*a^{28}*b^{2}*c^{5}*e^{2}*f^{28}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 9704448 \\
& *a^{4}*b^{28}*c^{6}*e^{28}*f^{4}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 260614656*a^{6}*b^{26}*c^{6}*e^{26}*f^{6}*(a^{2*c*f^2} - b^{2*c*e^2})^7 - 2166022464*a^{8}*b^{24}*c^{6}*e^{24}*f^{8}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 8626147840*a^{10}*b^{22}*c^{6}*e^{22}*f^{10}*(a^{2*c*f^2} - b^{2*c*e^2})^7 - 16771503616*a^{12}*b^{20}*c^{6}*e^{20}*f^{12}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 3 \\
& 301800960*a^{14}*b^{18}*c^{6}*e^{18}*f^{14}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 67337715968*a^{16}*b^{16}*c^{6}*e^{16}*f^{16}*(a^{2*c*f^2} - b^{2*c*e^2})^7 - 189857873920*a^{18}*b^{14}*c^{6}*e^{14}*f^{18}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 286100259840*a^{20}*b^{12}*c^{6}*e^{12}*f^{20}*(a^{2*c*f^2} - b^{2*c*e^2})^7 - 275789894656*a^{22}*b^{10}*c^{6}*e^{10}*f^{22}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 173716537344*a^{24}*b^{8}*c^{6}*e^{8}*f^{24}*(a^{2*c*f^2} - b^{2*c*e^2})^7 - 67416424448*a^{26}*b^{6}*c^{6}*e^{6}*f^{26}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 1283 \\
& 1686656*a^{28}*b^{4}*c^{6}*e^{4}*f^{28}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 222560256*a^{30}*b^{2}*c^{6}*e^{2}*f^{30}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 2099520*a^{2}*b^{32}*c^{7}*e^{32}*f^{2}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 107014608*a^{4}*b^{30}*c^{7}*e^{30}*f^{4}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 1848335616*a^{6}*b^{28}*c^{7}*e^{28}*f^{6}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 152 \\
& 00005312*a^{8}*b^{26}*c^{7}*e^{26}*f^{8}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 72612273792*a^{10}*b^{24}*c^{7}*e^{24}*f^{10}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 221855779968*a^{12}*b^{22}*c^{7}*e^{22}*f^{12}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 450717857536*a^{14}*b^{20}*c^{7}*e^{20}*f^{14}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 600578910208*a^{16}*b^{18}*c^{7}*e^{18}*f^{16}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 459464530688*a^{18}*b^{16}*c^{7}*e^{16}*f^{18}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 33638947840*a^{20}*b^{14}*c^{7}*e^{14}*f^{20}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 376 \\
& 299926528*a^{22}*b^{12}*c^{7}*e^{12}*f^{22}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 488874068992*a^{24}*b^{10}*c^{7}*e^{10}*f^{24}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 333407809536*a^{26}*b^{8}*c^{7}*e^{8}*f^{26}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 134140313600*a^{28}*b^{6}*c^{7}*e^{6}*f^{28}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 28220915712*a^{30}*b^{4}*c^{7}*e^{4}*f^{30}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 1230503936*a^{32}*b^{2}*c^{7}*e^{2}*f^{32}*(a^{2*c*f^2} - b^{2*c*e^2})^6 +
\end{aligned}$$

$$\begin{aligned}
& 3335904*a^2*b^34*c^8*e^34*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^ \\
& 32*c^8*e^32*f^4*(a^2*c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^30*c^8*e^30*f^ \\
& 6*(a^2*c*f^2 - b^2*c*e^2)^5 - 40437394528*a^8*b^28*c^8*e^28*f^8*(a^2*c*f^2 \\
& - b^2*c*e^2)^5 + 205602254656*a^10*b^26*c^8*e^26*f^10*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^5 - 703885344192*a^12*b^24*c^8*e^24*f^12*(a^2*c*f^2 - b^2*c*e^2)^5 + 170 \\
& 9253482624*a^14*b^22*c^8*e^22*f^14*(a^2*c*f^2 - b^2*c*e^2)^5 - 302928269516 \\
& 8*a^16*b^20*c^8*e^20*f^16*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966230827520*a^18*b^ \\
& 18*c^8*e^18*f^18*(a^2*c*f^2 - b^2*c*e^2)^5 - 3822339813632*a^20*b^16*c^8*e^ \\
& 16*f^20*(a^2*c*f^2 - b^2*c*e^2)^5 + 2640438056960*a^22*b^14*c^8*e^14*f^22*(\\
& a^2*c*f^2 - b^2*c*e^2)^5 - 1208501415936*a^24*b^12*c^8*e^12*f^24*(a^2*c*f^2 \\
& - b^2*c*e^2)^5 + 269338092544*a^26*b^10*c^8*e^10*f^26*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^5 + 53783212032*a^28*b^8*c^8*e^8*f^28*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985 \\
& 360384*a^30*b^6*c^8*e^6*f^30*(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^32*b^ \\
& 4*c^8*e^4*f^32*(a^2*c*f^2 - b^2*c*e^2)^5 - 1558708224*a^34*b^2*c^8*e^2*f^3 \\
& 4*(a^2*c*f^2 - b^2*c*e^2)^5 - 11917692*a^2*b^36*c^9*e^36*f^2*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^4 - 224907516*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5 \\
& 303932560*a^6*b^32*c^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8 \\
& *b^30*c^9*e^30*f^8*(a^2*c*f^2 - b^2*c*e^2)^4 + 261450609120*a^10*b^28*c^9*e^ \\
& 28*f^10*(a^2*c*f^2 - b^2*c*e^2)^4 - 962361040256*a^12*b^26*c^9*e^26*f^12*(\\
& a^2*c*f^2 - b^2*c*e^2)^4 + 2558559358080*a^14*b^24*c^9*e^24*f^14*(a^2*c*f^2 \\
& - b^2*c*e^2)^4 - 5091804150656*a^16*b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c* \\
& e^2)^4 + 7750806514944*a^18*b^20*c^9*e^20*f^18*(a^2*c*f^2 - b^2*c*e^2)^4 - \\
& 9137207485952*a^20*b^18*c^9*e^18*f^20*(a^2*c*f^2 - b^2*c*e^2)^4 + 838456328 \\
& 0128*a^22*b^16*c^9*e^16*f^22*(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^24 \\
& *b^14*c^9*e^14*f^24*(a^2*c*f^2 - b^2*c*e^2)^4 + 3269297268736*a^26*b^12*c^9 \\
& *e^12*f^26*(a^2*c*f^2 - b^2*c*e^2)^4 - 1339171540992*a^28*b^10*c^9*e^10*f^2 \\
& 8*(a^2*c*f^2 - b^2*c*e^2)^4 + 391250194432*a^30*b^8*c^9*e^8*f^30*(a^2*c*f^2 \\
& - b^2*c*e^2)^4 - 74114154496*a^32*b^6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2) \\
& ^4 + 7299203072*a^34*b^4*c^9*e^4*f^34*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648 \\
& *a^36*b^2*c^9*e^2*f^36*(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^ \\
& 38*f^2*(a^2*c*f^2 - b^2*c*e^2)^3 + 188845992*a^4*b^36*c^10*e^36*f^4*(a^2*c \\
& *f^2 - b^2*c*e^2)^3 + 1157124204*a^6*b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c* \\
& e^2)^3 - 20586361424*a^8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135 \\
& 395499200*a^10*b^30*c^10*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464 \\
& *a^12*b^28*c^10*e^28*f^12*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^14*b^ \\
& 26*c^10*e^26*f^14*(a^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^16*b^24*c^10* \\
& e^24*f^16*(a^2*c*f^2 - b^2*c*e^2)^3 + 5766181411456*a^18*b^22*c^10*e^22*f^1 \\
& 8*(a^2*c*f^2 - b^2*c*e^2)^3 - 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c \\
& *f^2 - b^2*c*e^2)^3 + 7713917084672*a^22*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^3 - 6328467293184*a^24*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2) \\
& ^3 + 4142950034432*a^26*b^14*c^10*e^14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 21 \\
& 52681536512*a^28*b^12*c^10*e^12*f^28*(a^2*c*f^2 - b^2*c*e^2)^3 + 8741995110 \\
& 40*a^30*b^10*c^10*e^10*f^30*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^32*b^ \\
& 8*c^10*e^8*f^32*(a^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^34*b^6*c^10*e^6*f^ \\
& 34*(a^2*c*f^2 - b^2*c*e^2)^3 - 8151957504*a^36*b^4*c^10*e^4*f^36*(a^2*c*f^2
\end{aligned}$$

$$\begin{aligned}
& - b^{2*c*e^2})^3 + 530841600*a^{38}*b^{2*c^{10}*e^{2*f^{38}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 42743457*a^{2*b^{40}*c^{11}*e^{40*f^2}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 411055884 \\
& *a^{4*b^{38}*c^{11}*e^{38*f^4}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 2180887236*a^{6*b^{36}*c^1} \\
& 1*e^{36*f^6}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 6404946508*a^{8*b^{34}*c^{11}*e^{34*f^8}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 5434005264*a^{10*b^{32}*c^{11}*e^{32*f^{10}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 - 38868373520*a^{12*b^{30}*c^{11}*e^{30*f^{12}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 208447613600*a^{14*b^{28}*c^{11}*e^{28*f^{14}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 - 579674999104*a^{16*b^{26}*c^{11}*e^{26*f^{16}}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 1104967566592 \\
& *a^{18*b^{24}*c^{11}*e^{24*f^{18}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 1554566531328*a^{20*b^{22}*c^{11}*e^{22*f^{20}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 + 1659734381312*a^{22*b^{20}*c^{11}*e^{20*f^{22}}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 1356361512192*a^{24*b^{18}*c^{11}*e^{18*f^2}} \\
& 4*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 845331359744*a^{26*b^{16}*c^{11}*e^{16*f^{26}}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 395676895232*a^{28*b^{14}*c^{11}*e^{14*f^{28}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 + 134902689792*a^{30*b^{12}*c^{11}*e^{12*f^{30}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 31670587392*a^{32*b^{10}*c^{11}*e^{10*f^{32}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2 + 4584669184*a^{34*b^{8}*c^{11}*e^{8*f^{34}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 309657600*a^{36*b^{6}*c^{11}*e^{6*f^{36}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^2) * (b^{16}*e^{12*f^6}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 4*a^{2*b^{14}*e^{10*f^{8}}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 6*a^{4*b^{12}*e^{8*f^1}} \\
& 0*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 4*a^{6*b^{10}*e^{6*f^{12}}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + a^{8*b^{8}*e^{4*f^{14}}}*(a^{2*c*f^2} - b^{2*c*e^2})^2) / ((a + b*x)^{(1/2)} - a^{(1/2)}) \\
&)^{3*}((16384*C^{4*a^{6*c^{3*f^4}}} + 4096*C^{4*a^{2*b^{4*c^{3*e^4}}}} - 16384*C^{4*a^{4*b^{2*c^{3*e^2*f^2}}}}) - ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) * ((8*a^{4*b^{6*c^{4*e^6*f^4}}}) \\
& *((16384*C^{3*e^{3*(2*a^{2*f^2} - b^{2*e^2})})^{3*}(20*C*a^{12*c^{6*f^13}} + 22*C*a^{4*b^{8*c^{6*e^{8*f^5}}}} - 88*C*a^{6*b^{6*c^{6*e^{6*f^7}}}} + 130*C*a^{8*b^{4*c^{6*e^{4*f^9}}}} - 84*C*a^{10*b^{2*c^{6*e^{2*f^11}}}})) / (f^{6*}(a*f + b*e)^{3*}(a*f - b*e)^{3*}(b^{2*c*e^2} - a^{2*c*f^2})^{(3/2)} * (b^{13}*e^{12*f^3} - 3*a^{2*b^{11}*e^{10*f^5}} + 3*a^{4*b^{9*e^{8*f^7}} - a^{6*b^{7*e^{6*f^9}}}}) + (16384*C*e*(2*a^{2*f^2} - b^{2*e^2})*(96*C^{3*a^{10*c^{5*e^{2*f^7}}}} - 28*C^{3*a^{4*b^{6*c^{5*e^{8*f}}}} + 132*C^{3*a^{6*b^{4*c^{5*e^{6*f^3}}}} - 200*C^{3*a^{8*b^{2*c^{5*e^{4*f^5}}}})) / (f^{2*}(a*f + b*e)*(a*f - b*e)*(b^{2*c*e^2} - a^{2*c*f^2})^{(1/2)} * (b^{13}*e^{12*f^3} - 3*a^{2*b^{11}*e^{10*f^5}} + 3*a^{4*b^{9*e^{8*f^7}} - a^{6*b^{7*e^{6*f^9}}})) * \\
& (4*a^{2*c*f^2} - 3*b^{2*c*e^2}) * (4*a^{6*c*f^6} - 3*b^{6*c*e^6} + 8*a^{2*b^{4*c*e^{4*f^2}} - 8*a^{4*b^{2*c*e^{2*f^4}}})^{4*} / (164025*b^{46*c^{13*e^{46}}} + 885735*b^{44*c^{12*e^{44}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2}) + 117440512*a^{30*c^{5*f^{30}}*(a^{2*c*f^2} - b^{2*c*e^2})^8 - 385875968*a^{32*c^{6*f^{32}}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 419430400*a^{34*c^{7*f^{34}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^6 - 150994944*a^{36*c^{8*f^{36}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 236196*b^{36*c^{8*e^{36}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 1102248*b^{38*c^{9*e^{38}}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^4 + 2053593*b^{40*c^{10*e^{40}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 1909251*b^{42*c^{11*e^{42}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 3937329*a^{2*b^{4*c^{13}*e^{44}*f^2}} + 43893819*a^{4*b^{42*c^{13}*e^{42*f^4}} - 301507155*a^{6*b^{40*c^{13}*e^{40*f^6}}} + 1427514656*a^{8*b^{38*c^{13}*e^{38*f^8}} - 4936911112*a^{10*b^{36*c^{13}*e^{36*f^{10}}}} + 12893273616*a^{12*b^{34*c^{13}*e^{34*f^{12}}}} - 25921630432*a^{14*b^{32*c^{13}*e^{32*f^{14}}}} + 40519286096*a^{16*b^{30*c^{13}*e^{30*f^{16}}}} - 49376608256*a^{18*b^{28*c^{13}*e^{28*f^{18}}}} + 46721401856*a^{20*b^{26*c^{13}*e^{26*f^{20}}}} - 33946324736*a^{22*b^{24*c^{13}*e^{24*f^{22}}}} + 18556579328*a^{24*b^{22*c^{13}*e^{22*f^{24}}}} - 7375276032*a^{26*b^{20*c^{13}*e^{20*f^{26}}}} + 2009817088*a^{28*b^{18*c^{13}*e^{18*f^{28}}}} - 335642624*a^{30*c^{13}*e^{13*f^{30}}})
\end{aligned}$$

$$\begin{aligned}
& b^{16}c^{13}e^{16}f^{30} + 25907200*a^{32}b^{14}c^{13}e^{14}f^{32} - 21130794*a^2*b^{42} \\
& *c^{12}e^{42}f^2*(a^2*c*f^2 - b^2*c*e^2) + 234399015*a^4*b^{40}c^{12}e^{40}f^4*(a^2*c*f^2 - b^2*c*e^2) \\
& - 1604168280*a^6*b^{38}c^{12}e^{38}f^6*(a^2*c*f^2 - b^2*c*e^2) + 7579098492*a^8*b^{36}c^{12}e^{36}f^8*(a^2*c*f^2 - b^2*c*e^2) \\
& - 26212380172*a^{10}*b^{34}c^{12}e^{34}f^{10}*(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^{12} \\
& b^{32}c^{12}e^{32}f^{12}*(a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^{14}*b^{30}c^{12}e^{30} \\
& *f^{14}*(a^2*c*f^2 - b^2*c*e^2) + 220859191808*a^{16}*b^{28}c^{12}e^{28}f^{16}*(a^2*c*f^2 - b^2*c*e^2) \\
& - 276344315328*a^{18}*b^{26}c^{12}e^{26}f^{18}*(a^2*c*f^2 - b^2*c*e^2) + 273130561984*a^{20}*b^{24}c^{12}e^{24}f^{20} \\
& *(a^2*c*f^2 - b^2*c*e^2) - 212730002688*a^{22}*b^{22}c^{12}e^{22}f^{22}*(a^2*c*f^2 - b^2*c*e^2) + 129574234 \\
& 368*a^{24}*b^{20}c^{12}e^{20}f^{24}*(a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^{26}*b^1 \\
& 8*c^{12}e^{18}f^{26}*(a^2*c*f^2 - b^2*c*e^2) + 21304706048*a^{28}*b^{16}c^{12}e^{16} \\
& f^{28}*(a^2*c*f^2 - b^2*c*e^2) - 5272965120*a^{30}*b^{14}c^{12}e^{14}f^{30}*(a^2*c*f^2 - b^2*c*e^2) \\
& + 819441664*a^{32}*b^{12}c^{12}e^{12}f^{32}*(a^2*c*f^2 - b^2*c*e^2) - 59392000*a^{34} \\
& *b^{10}c^{12}e^{10}f^{34}*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6 \\
& *b^{24}c^5e^{24}f^6*(a^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^8*b^{22}c^5e^{22}f^8 \\
& *(a^2*c*f^2 - b^2*c*e^2)^8 - 278604800*a^{10}*b^{20}c^5e^{20}f^{10}*(a^2*c*f^2 - b^2*c*e^2) \\
& - b^2*c*e^2)^8 + 2774483200*a^{12}*b^{18}c^5e^{18}f^{12}*(a^2*c*f^2 - b^2*c*e^2) \\
&)^8 - 10869657600*a^{14}*b^{16}c^5e^{16}f^{14}*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237 \\
& 416960*a^{16}*b^{14}c^5e^{14}f^{16}*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^{18} \\
& *b^{12}c^5e^{12}f^{18}*(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^{20}*b^{10}c^5e^ \\
& ^10f^{20}*(a^2*c*f^2 - b^2*c*e^2)^8 - 26118635520*a^{22}*b^{8}c^5e^8f^{22}*(a^2 \\
& *c*f^2 - b^2*c*e^2)^8 + 10414620672*a^{24}*b^6c^5e^6f^{24}*(a^2*c*f^2 - b^2 \\
& c*e^2)^8 - 1708654592*a^{26}*b^4c^5e^4f^{26}*(a^2*c*f^2 - b^2*c*e^2)^8 - 276 \\
& 561920*a^{28}*b^2c^5e^2f^{28}*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^4*b^{28}c^ \\
& ^6e^6f^{28}*(a^2*c*f^2 - b^2*c*e^2)^7 + 260614656*a^6*b^26c^6e^26f^6*(a^2 \\
& *c*f^2 - b^2*c*e^2)^7 - 2166022464*a^8*b^{24}c^6e^8f^{24}*(a^2*c*f^2 - b^2 \\
& c*e^2)^7 + 8626147840*a^{10}*b^{22}c^6e^22f^{10}*(a^2*c*f^2 - b^2*c*e^2)^7 - 1 \\
& 6771503616*a^{12}*b^{20}c^6e^20f^{12}*(a^2*c*f^2 - b^2*c*e^2)^7 + 3301800960*a^ \\
& ^{14}*b^{18}c^6e^18f^{14}*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968*a^{16}*b^{16}c^ \\
& 6e^16f^{16}*(a^2*c*f^2 - b^2*c*e^2)^7 - 189857873920*a^{18}*b^{14}c^6e^14f^1 \\
& 8*(a^2*c*f^2 - b^2*c*e^2)^7 + 286100259840*a^{20}*b^{12}c^6e^12f^{20}*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^7 - 275789894656*a^{22}*b^{10}c^6e^10f^{22}*(a^2*c*f^2 - b^2*c \\
& *e^2)^7 + 173716537344*a^{24}*b^8c^6e^8f^8*(a^2*c*f^2 - b^2*c*e^2)^7 - 67 \\
& 416424448*a^{26}*b^6c^6e^6f^26*(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656*a^2 \\
& 8*b^4c^6e^4f^28*(a^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^{30}*b^2c^6e^2f^ \\
& ^30*(a^2*c*f^2 - b^2*c*e^2)^7 + 2099520*a^2*b^32c^7e^32f^2*(a^2*c*f^2 - b^2 \\
& *c*e^2)^6 - 107014608*a^4*b^30c^7e^30f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + \\
& 1848335616*a^6*b^28c^7e^28f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200005312*a^ \\
& 8*b^26c^7e^26f^8*(a^2*c*f^2 - b^2*c*e^2)^6 + 72612273792*a^{10}*b^{24}c^7e^ \\
& ^24f^10*(a^2*c*f^2 - b^2*c*e^2)^6 - 221855779968*a^{12}*b^{22}c^7e^22f^12* \\
& (a^2*c*f^2 - b^2*c*e^2)^6 + 450717857536*a^{14}*b^{20}c^7e^20f^14*(a^2*c*f^2 - b^2 \\
& *c*e^2)^6 - 600578910208*a^{16}*b^{18}c^7e^18f^16*(a^2*c*f^2 - b^2*c*e^2)^6 + \\
& 459464530688*a^{18}*b^{16}c^7e^16f^18*(a^2*c*f^2 - b^2*c*e^2)^6 - 336 \\
& 38947840*a^{20}*b^{14}c^7e^14f^20*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a
\end{aligned}$$

$$\begin{aligned}
& \sim 22*b^12*c^7*e^12*f^22*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^24*b^10*c \\
& \sim 7*e^10*f^24*(a^2*c*f^2 - b^2*c*e^2)^6 - 333407809536*a^26*b^8*c^7*e^8*f^26 \\
& *(a^2*c*f^2 - b^2*c*e^2)^6 + 134140313600*a^28*b^6*c^7*e^6*f^28*(a^2*c*f^2 \\
& - b^2*c*e^2)^6 - 28220915712*a^30*b^4*c^7*e^4*f^30*(a^2*c*f^2 - b^2*c*e^2)^6 \\
& + 1230503936*a^32*b^2*c^7*e^2*f^32*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^ \\
& 2*b^34*c^8*e^34*f^2*(a^2*c*f^2 - b^2*c*e^2)^5 - 290521728*a^4*b^32*c^8*e^32 \\
& *f^4*(a^2*c*f^2 - b^2*c*e^2)^5 + 4865684544*a^6*b^30*c^8*e^30*f^6*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^5 - 40437394528*a^8*b^28*c^8*e^28*f^8*(a^2*c*f^2 - b^2*c*e^2) \\
&)^5 + 205602254656*a^10*b^26*c^8*e^26*f^10*(a^2*c*f^2 - b^2*c*e^2)^5 - 7038 \\
& 85344192*a^12*b^24*c^8*e^24*f^12*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624* \\
& a^14*b^22*c^8*e^22*f^14*(a^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168*a^16*b^20 \\
& *c^8*e^20*f^16*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966230827520*a^18*b^18*c^8*e^18 \\
& *f^18*(a^2*c*f^2 - b^2*c*e^2)^5 - 3822339813632*a^20*b^16*c^8*e^16*f^20*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^5 + 2640438056960*a^22*b^14*c^8*e^14*f^22*(a^2*c*f^2 - \\
& b^2*c*e^2)^5 - 1208501415936*a^24*b^12*c^8*e^12*f^24*(a^2*c*f^2 - b^2*c*e^2) \\
& ^5 + 269338092544*a^26*b^10*c^8*e^10*f^26*(a^2*c*f^2 - b^2*c*e^2)^5 + 537 \\
& 83212032*a^28*b^8*c^8*e^8*f^28*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^30 \\
& *b^6*c^8*e^6*f^30*(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^32*b^4*c^8*e^4*f^ \\
& 32*(a^2*c*f^2 - b^2*c*e^2)^5 - 1558708224*a^34*b^2*c^8*e^2*f^34*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^5 - 11917692*a^2*b^36*c^9*e^36*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 \\
& - 224907516*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a \\
& ^6*b^32*c^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8*b^30*c^9*e \\
& ^30*f^8*(a^2*c*f^2 - b^2*c*e^2)^4 + 261450609120*a^10*b^28*c^9*e^28*f^10*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^4 - 962361040256*a^12*b^26*c^9*e^26*f^12*(a^2*c*f^2 - \\
& b^2*c*e^2)^4 + 2558559358080*a^14*b^24*c^9*e^24*f^14*(a^2*c*f^2 - b^2*c*e^2) \\
& ^4 - 5091804150656*a^16*b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c*e^2)^4 + 77 \\
& 50806514944*a^18*b^20*c^9*e^20*f^18*(a^2*c*f^2 - b^2*c*e^2)^4 - 91372074859 \\
& 52*a^20*b^18*c^9*e^18*f^20*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^22*b \\
& ^16*c^9*e^16*f^22*(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^24*b^14*c^9*e \\
& ^14*f^24*(a^2*c*f^2 - b^2*c*e^2)^4 + 3269297268736*a^26*b^12*c^9*e^12*f^26 \\
& *(a^2*c*f^2 - b^2*c*e^2)^4 - 1339171540992*a^28*b^10*c^9*e^10*f^28*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^4 + 391250194432*a^30*b^8*c^9*e^8*f^30*(a^2*c*f^2 - b^2*c*e^2) \\
& ^4 - 74114154496*a^32*b^6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^4 + 729920 \\
& 3072*a^34*b^4*c^9*e^4*f^34*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^36*b^2*c \\
& ^9*e^2*f^36*(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^38*f^2*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^3 + 188845992*a^4*b^36*c^10*e^36*f^4*(a^2*c*f^2 - b^2* \\
& c*e^2)^3 + 1157124204*a^6*b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20 \\
& 586361424*a^8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a \\
& ^10*b^30*c^10*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^12*b^28*c \\
& ^10*e^28*f^12*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^14*b^26*c^10*e^2 \\
& 6*f^14*(a^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^16*b^24*c^10*e^24*f^16*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^3 + 5766181411456*a^18*b^22*c^10*e^22*f^18*(a^2*c*f^2 - \\
& b^2*c*e^2)^3 - 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2* \\
& c*e^2)^3 + 7713917084672*a^22*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& - 6328467293184*a^24*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^3 + 41429
\end{aligned}$$

50034432*a^26*b^14*c^10*e^14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512
 *a^28*b^12*c^10*e^12*f^28*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^30*b^1
 0*c^10*e^10*f^30*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^32*b^8*c^10*e^8
 f^32(a^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^34*b^6*c^10*e^6*f^34*(a^2*c
 *f^2 - b^2*c*e^2)^3 - 8151957504*a^36*b^4*c^10*e^4*f^36*(a^2*c*f^2 - b^2*c*
 e^2)^3 + 530841600*a^38*b^2*c^10*e^2*f^38*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743
 457*a^2*b^40*c^11*e^40*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^38*c
 ^11*e^38*f^4*(a^2*c*f^2 - b^2*c*e^2)^2 - 2180887236*a^6*b^36*c^11*e^36*f^6*
 (a^2*c*f^2 - b^2*c*e^2)^2 + 6404946508*a^8*b^34*c^11*e^34*f^8*(a^2*c*f^2 -
 b^2*c*e^2)^2 - 5434005264*a^10*b^32*c^11*e^32*f^10*(a^2*c*f^2 - b^2*c*e^2)^
 2 - 38868373520*a^12*b^30*c^11*e^30*f^12*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447
 613600*a^14*b^28*c^11*e^28*f^14*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^
 16*b^26*c^11*e^26*f^16*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a^18*b^24*
 c^11*e^24*f^18*(a^2*c*f^2 - b^2*c*e^2)^2 - 1554566531328*a^20*b^22*c^11*e^2
 2*f^20*(a^2*c*f^2 - b^2*c*e^2)^2 + 1659734381312*a^22*b^20*c^11*e^20*f^22*(
 a^2*c*f^2 - b^2*c*e^2)^2 - 1356361512192*a^24*b^18*c^11*e^18*f^24*(a^2*c*f^
 2 - b^2*c*e^2)^2 + 845331359744*a^26*b^16*c^11*e^16*f^26*(a^2*c*f^2 - b^2*c*
 *e^2)^2 - 395676895232*a^28*b^14*c^11*e^14*f^28*(a^2*c*f^2 - b^2*c*e^2)^2 +
 134902689792*a^30*b^12*c^11*e^12*f^30*(a^2*c*f^2 - b^2*c*e^2)^2 - 31670587
 392*a^32*b^10*c^11*e^10*f^32*(a^2*c*f^2 - b^2*c*e^2)^2 + 4584669184*a^34*b^
 8*c^11*e^8*f^34*(a^2*c*f^2 - b^2*c*e^2)^2 - 309657600*a^36*b^6*c^11*e^6*f^3
 6*(a^2*c*f^2 - b^2*c*e^2)^2 - (2*a^4*b^5*c^3*e^5*f^4*(4*a^2*c*f^2 - 3*b^2*
 c*e^2)^2*((4096*(16*C^4*a^4*b^8*c^5*e^10 + 64*C^4*a^12*c^5*e^2*f^8 - 92*C^4
 *a^6*b^6*c^5*e^8*f^2 + 192*C^4*a^8*b^4*c^5*e^6*f^4 - 176*C^4*a^10*b^2*c^5*e
 ^4*f^6))/(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6
 *b^10*e^8*f^10 + a^8*b^8*e^6*f^12) + (4096*C^4*e^4*(2*a^2*f^2 - b^2*e^2)^4*
 (9*a^2*b^14*c^7*e^12*f^6 - 43*a^4*b^12*c^7*e^10*f^8 + 82*a^6*b^10*c^7*e^8*f
 ^10 - 78*a^8*b^8*c^7*e^6*f^12 + 37*a^10*b^6*c^7*e^4*f^14 - 7*a^12*b^4*c^7*e
 ^2*f^16)/(f^8*(a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)^2*(b^16*
 e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10
 + a^8*b^8*e^6*f^12)) + (4096*C^2*e^2*(2*a^2*f^2 - b^2*e^2)^2*(16*C^2*a^14*c
 ^6*f^14 + 9*C^2*a^2*b^12*c^6*e^12*f^2 - 54*C^2*a^4*b^10*c^6*e^10*f^4 + 121*
 C^2*a^6*b^8*c^6*e^8*f^6 - 128*C^2*a^8*b^6*c^6*e^6*f^8 + 80*C^2*a^10*b^4*c^6
 *e^4*f^10 - 44*C^2*a^12*b^2*c^6*e^2*f^12))/(f^4*(a*f + b*e)^2*(a*f - b*e)^2
 *(a^2*c*f^2 - b^2*c*e^2)*(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*
 e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12)))*(4*a^6*c*f^6 - 3*b^6*c
 *e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4)^4)/((b^2*c*e^2 - a^2*c*f^
 2)^2*(1/2)*(164025*b^46*c^13*e^46 + 885735*b^44*c^12*e^44*(a^2*c*f^2 - b^2*c*
 e^2) + 117440512*a^30*c^5*f^30*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^32*c
 ^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^34*c^7*f^34*(a^2*c*f^2 - b^
 2*c*e^2)^6 - 150994944*a^36*c^8*f^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^3
 6*c^8*e^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^38*c^9*e^38*(a^2*c*f^2 - b
 ^2*c*e^2)^4 + 2053593*b^40*c^10*e^40*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^
 42*c^11*e^42*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^44*c^13*e^44*f^2 + 4
 3893819*a^4*b^42*c^13*e^42*f^4 - 301507155*a^6*b^40*c^13*e^40*f^6 + 1427514

$$\begin{aligned}
& 656*a^8*b^38*c^13*e^38*f^8 - 4936911112*a^10*b^36*c^13*e^36*f^10 + 12893273 \\
& 616*a^12*b^34*c^13*e^34*f^12 - 25921630432*a^14*b^32*c^13*e^32*f^14 + 40519 \\
& 286096*a^16*b^30*c^13*e^30*f^16 - 49376608256*a^18*b^28*c^13*e^28*f^18 + 46 \\
& 721401856*a^20*b^26*c^13*e^26*f^20 - 33946324736*a^22*b^24*c^13*e^24*f^22 + \\
& 18556579328*a^24*b^22*c^13*e^22*f^24 - 7375276032*a^26*b^20*c^13*e^20*f^26 \\
& + 2009817088*a^28*b^18*c^13*e^18*f^28 - 335642624*a^30*b^16*c^13*e^16*f^30 \\
& + 25907200*a^32*b^14*c^13*e^14*f^32 - 21130794*a^2*b^42*c^12*e^42*f^2*(a^2 \\
& *c*f^2 - b^2*c*e^2) + 234399015*a^4*b^40*c^12*e^40*f^4*(a^2*c*f^2 - b^2*c*e \\
& ^2) - 1604168280*a^6*b^38*c^12*e^38*f^6*(a^2*c*f^2 - b^2*c*e^2) + 757909849 \\
& 2*a^8*b^36*c^12*e^36*f^8*(a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^10*b^34*c^ \\
& 12*e^34*f^10*(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^12*b^32*c^12*e^32*f^12 \\
& *(a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^14*b^30*c^12*e^30*f^14*(a^2*c*f^2 \\
& - b^2*c*e^2) + 220859191808*a^16*b^28*c^12*e^28*f^16*(a^2*c*f^2 - b^2*c*e \\
& ^2) - 276344315328*a^18*b^26*c^12*e^26*f^18*(a^2*c*f^2 - b^2*c*e^2) + 273130 \\
& 561984*a^20*b^24*c^12*e^24*f^20*(a^2*c*f^2 - b^2*c*e^2) - 212730002688*a^22 \\
& *b^22*c^12*e^22*f^22*(a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^24*b^20*c^12* \\
& e^20*f^24*(a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^26*b^18*c^12*e^18*f^26*(a \\
& ^2*c*f^2 - b^2*c*e^2) + 21304706048*a^28*b^16*c^12*e^16*f^28*(a^2*c*f^2 - b \\
& ^2*c*e^2) - 5272965120*a^30*b^14*c^12*e^14*f^30*(a^2*c*f^2 - b^2*c*e^2) + 8 \\
& 19441664*a^32*b^12*c^12*e^12*f^32*(a^2*c*f^2 - b^2*c*e^2) - 59392000*a^34*b^ \\
& 10*c^12*e^10*f^34*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6*b^24*c^5*e^24*f^6* \\
& (a^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^8*b^22*c^5*e^22*f^8*(a^2*c*f^2 - b^2 \\
& *c*e^2)^8 - 278604800*a^10*b^20*c^5*e^20*f^10*(a^2*c*f^2 - b^2*c*e^2)^8 + 2 \\
& 774483200*a^12*b^18*c^5*e^18*f^12*(a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600*a \\
& ^14*b^16*c^5*e^16*f^14*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960*a^16*b^14*c^ \\
& 5*e^14*f^16*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^18*b^12*c^5*e^12*f^18 \\
& *(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^20*b^10*c^5*e^10*f^20*(a^2*c*f^2 \\
& - b^2*c*e^2)^8 - 26118635520*a^22*b^8*c^5*e^8*f^22*(a^2*c*f^2 - b^2*c*e^2) \\
& ^8 + 10414620672*a^24*b^6*c^5*e^6*f^24*(a^2*c*f^2 - b^2*c*e^2)^8 - 17086545 \\
& 92*a^26*b^4*c^5*e^4*f^26*(a^2*c*f^2 - b^2*c*e^2)^8 - 276561920*a^28*b^2*c^5* \\
& e^2*f^28*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^4*b^28*c^6*e^28*f^4*(a^2*c* \\
& f^2 - b^2*c*e^2)^7 + 260614656*a^6*b^26*c^6*e^26*f^6*(a^2*c*f^2 - b^2*c*e^2) \\
& ^7 - 2166022464*a^8*b^24*c^6*e^24*f^8*(a^2*c*f^2 - b^2*c*e^2)^7 + 86261478 \\
& 40*a^10*b^22*c^6*e^22*f^10*(a^2*c*f^2 - b^2*c*e^2)^7 - 16771503616*a^12*b^2 \\
& 0*c^6*e^20*f^12*(a^2*c*f^2 - b^2*c*e^2)^7 + 3301800960*a^14*b^18*c^6*e^18*f^ \\
& 14*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968*a^16*b^16*c^6*e^16*f^16*(a^2*c* \\
& f^2 - b^2*c*e^2)^7 - 189857873920*a^18*b^14*c^6*e^14*f^18*(a^2*c*f^2 - b^2* \\
& c*e^2)^7 + 286100259840*a^20*b^12*c^6*e^12*f^20*(a^2*c*f^2 - b^2*c*e^2)^7 - \\
& 275789894656*a^22*b^10*c^6*e^10*f^22*(a^2*c*f^2 - b^2*c*e^2)^7 + 173716537 \\
& 344*a^24*b^8*c^6*e^8*f^24*(a^2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^26*b^6* \\
& c^6*e^6*f^26*(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656*a^28*b^4*c^6*e^4*f^28* \\
& (a^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^30*b^2*c^6*e^2*f^30*(a^2*c*f^2 - b^2* \\
& 2*c*e^2)^7 + 2099520*a^2*b^32*c^7*e^32*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 - 1070 \\
& 14608*a^4*b^30*c^7*e^30*f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616*a^6*b^28 \\
& *c^7*e^28*f^6*(a^2*c*f^2 - b^2*c*e^2)^6 - 15200005312*a^8*b^26*c^7*e^26*f^8
\end{aligned}$$

$$\begin{aligned}
& * (a^{2*c*f^2} - b^{2*c*e^2})^6 + 72612273792*a^{10*b^{24*c^7}*e^{24*f^10}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^6 - 221855779968*a^{12*b^{22*c^7}*e^{22*f^12}}*(a^{2*c*f^2} - b^{2*c*e^2})^6 \\
& + 450717857536*a^{14*b^{20*c^7}*e^{20*f^14}}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 60 \\
& 0578910208*a^{16*b^{18*c^7}*e^{18*f^16}}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 459464530688 \\
& *a^{18*b^{16*c^7}*e^{16*f^18}}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 33638947840*a^{20*b^{14*c^7}*e^{14*f^20}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^6 - 376299926528*a^{22*b^{12*c^7}*e^{12*f^22}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^6 + 488874068992*a^{24*b^{10*c^7}*e^{10*f^24}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^6 - 333407809536*a^{26*b^{8*c^7}*e^{8*f^26}}*(a^{2*c*f^2} - b^{2*c*e^2})^6 \\
& + 134140313600*a^{28*b^{6*c^7}*e^{6*f^28}}*(a^{2*c*f^2} - b^{2*c*e^2})^6 - 28 \\
& 220915712*a^{30*b^{4*c^7}*e^{4*f^30}}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 1230503936*a^{32*b^{2*c^7}*e^{2*f^32}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^6 + 3335904*a^{2*b^{34*c^8}*e^{34*f^2}}*(a^{2*c*f^2} - b^{2*c*e^2})^6 \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^5 - 290521728*a^{4*b^{32*c^8}*e^{32*f^4}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 \\
& + 4865684544*a^{6*b^{30*c^8}*e^{30*f^6}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 40437394528*a^{8*b^{28*c^8}*e^{28*f^8}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^5 + 205602254656*a^{10*b^{26*c^8}*e^{26*f^10}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 \\
& - 703885344192*a^{12*b^{24*c^8}*e^{24*f^12}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 1709253482624*a^{14*b^{22*c^8}*e^{22*f^14}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^5 - 3029282695168*a^{16*b^{20*c^8}*e^{20*f^16}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 \\
& + 3966230827520*a^{18*b^{18*c^8}*e^{18*f^18}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 3822339813632*a^{20*b^{16*c^8}*e^{16*f^20}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^5 + 2640438056960*a^{22*b^{14*c^8}*e^{14*f^22}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 120 \\
& 8501415936*a^{24*b^{12*c^8}*e^{12*f^24}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 269338092544 \\
& *a^{26*b^{10*c^8}*e^{10*f^26}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 53783212032*a^{28*b^{8*c^8}*e^{8*f^28}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^5 - 60985360384*a^{30*b^{6*c^8}*e^{6*f^30}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 \\
& + 17917083648*a^{32*b^{4*c^8}*e^{4*f^32}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 1558708224*a^{34*b^{2*c^8}*e^{2*f^34}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^5 - 11917692*a^{2*b^{36*c^9}*e^{36*f^2}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 224907516*a^{4*b^{34*c^9}*e^{34*f^4}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^4 + 5303932560*a^{6*b^{32*c^9}*e^{32*f^6}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 \\
& - 48206418480*a^{8*b^{30*c^9}*e^{30*f^8}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 261450609120*a^{10*b^{28*c^9}*e^{28*f^10}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^4 - 962361040256*a^{12*b^{26*c^9}*e^{26*f^12}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 255 \\
& 8559358080*a^{14*b^{24*c^9}*e^{24*f^14}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 509180415065 \\
& 6*a^{16*b^{22*c^9}*e^{22*f^16}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 7750806514944*a^{18*b^{20*c^9}*e^{20*f^18}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^4 - 9137207485952*a^{20*b^{18*c^9}*e^{18*f^20}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 \\
& + 8384563280128*a^{22*b^{16*c^9}*e^{16*f^22}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 5975281259520*a^{24*b^{14*c^9}*e^{14*f^24}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^4 + 3269297268736*a^{26*b^{12*c^9}*e^{12*f^26}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 \\
& - 1339171540992*a^{28*b^{10*c^9}*e^{10*f^28}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 391250194432*a^{30*b^{8*c^9}*e^{8*f^30}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^4 - 74114154496*a^{32*b^{6*c^9}*e^{6*f^32}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 7299203072*a^{34*b^{4*c^9}*e^{4*f^34}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^4 - 148635648*a^{36*b^{2*c^9}*e^{2*f^36}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 \\
& - 38704068*a^{2*b^{38*c^10}*e^{38*f^2}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 188845992*a^{4*b^{36*c^10}*e^{36*f^4}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^4 + 1157124204*a^{6*b^{34*c^10}*e^{34*f^6}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 20586361424*a^{8*b^{32*c^10}*e^{32*f^8}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^4 + 135395499200*a^{10*b^{30*c^10}*e^{30*f^10}}*(a^{2*c*f^2} - b^{2*c*e^2})^4 \\
& - 555513858464*a^{12*b^{28*c^10}*e^{28*f^12}}*(a^{2*c*f^2} - b^{2*c*e^2})^4
\end{aligned}$$

$$\begin{aligned}
& *c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^14*b^26*c^10*e^26*f^14*(a^2*c*f^2 - \\
& b^2*c*e^2)^3 - 3473989271488*a^16*b^24*c^10*e^24*f^16*(a^2*c*f^2 - b^2*c*e^2)^3 + 5766181411456*a^18*b^22*c^10*e^22*f^18*(a^2*c*f^2 - b^2*c*e^2)^3 - \\
& 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2*c*e^2)^3 + 77139170 \\
& 84672*a^22*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328467293184*a^ \\
& 24*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432*a^26*b^14* \\
& c^10*e^14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^28*b^12*c^10*e^1 \\
& 2*f^28*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^30*b^10*c^10*e^10*f^30*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^32*b^8*c^10*e^8*f^32*(a^2*c*f^2 - \\
& b^2*c*e^2)^3 + 58872545280*a^34*b^6*c^10*e^6*f^34*(a^2*c*f^2 - b^2*c*e^2)^3 - \\
& 8151957504*a^36*b^4*c^10*e^4*f^36*(a^2*c*f^2 - b^2*c*e^2)^3 + 530841600* \\
& a^38*b^2*c^10*e^2*f^38*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^2*b^40*c^11*e^ \\
& 40*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^38*c^11*e^38*f^4*(a^2*c \\
& *f^2 - b^2*c*e^2)^2 - 2180887236*a^6*b^36*c^11*e^36*f^6*(a^2*c*f^2 - b^2*c* \\
& e^2)^2 + 6404946508*a^8*b^34*c^11*e^34*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 - 5434 \\
& 005264*a^10*b^32*c^11*e^32*f^10*(a^2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a^1 \\
& 2*b^30*c^11*e^30*f^12*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447613600*a^14*b^28*c^ \\
& 11*e^28*f^14*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^16*b^26*c^11*e^26*f^ \\
& 16*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a^18*b^24*c^11*e^24*f^18*(a^2 \\
& *c*f^2 - b^2*c*e^2)^2 - 1554566531328*a^20*b^22*c^11*e^22*f^20*(a^2*c*f^2 - \\
& b^2*c*e^2)^2 + 1659734381312*a^22*b^20*c^11*e^20*f^22*(a^2*c*f^2 - b^2*c*e^2)^2 - \\
& 1356361512192*a^24*b^18*c^11*e^18*f^24*(a^2*c*f^2 - b^2*c*e^2)^2 + 845331359744*a^ \\
& 26*b^16*c^11*e^16*f^26*(a^2*c*f^2 - b^2*c*e^2)^2 - 395676895 \\
& 232*a^28*b^14*c^11*e^14*f^28*(a^2*c*f^2 - b^2*c*e^2)^2 + 134902689792*a^30* \\
& b^12*c^11*e^12*f^30*(a^2*c*f^2 - b^2*c*e^2)^2 - 31670587392*a^32*b^10*c^11* \\
& e^10*f^32*(a^2*c*f^2 - b^2*c*e^2)^2 + 4584669184*a^34*b^8*c^11*e^8*f^34*(a^2 \\
& *c*f^2 - b^2*c*e^2)^2 - 309657600*a^36*b^6*c^11*e^6*f^36*(a^2*c*f^2 - b^2* \\
& c*e^2)^2) + (2*a^(3/2)*b^5*c*e^5*f^3*((4096*C^3*e^3*(2*a^2*f^2 - b^2*e^2)^ \\
& 3*(24*C*a^(21/2)*b^2*c^4*e*f^15*(a*c)^(5/2) - 30*C*a^(3/2)*b^12*c^5*e^11*f^ \\
& 5*(a*c)^(3/2) + 24*C*a^(5/2)*b^10*c^4*e^9*f^7*(a*c)^(5/2) + 126*C*a^(7/2)*b \\
& ^10*c^5*e^9*f^7*(a*c)^(3/2) - 96*C*a^(9/2)*b^8*c^4*e^7*f^9*(a*c)^(5/2) - 19 \\
& 8*C*a^(11/2)*b^8*c^5*e^7*f^9*(a*c)^(3/2) + 144*C*a^(13/2)*b^6*c^4*e^5*f^11* \\
& (a*c)^(5/2) + 138*C*a^(15/2)*b^6*c^5*e^5*f^11*(a*c)^(3/2) - 96*C*a^(17/2)*b \\
& ^4*c^4*e^3*f^13*(a*c)^(5/2) - 36*C*a^(19/2)*b^4*c^5*e^3*f^13*(a*c)^(3/2)))/ \\
& (f^6*(a*f + b*e)^3*(a*f - b*e)^3*(b^2*c*e^2 - a^2*c*f^2)^(3/2)*(b^16*e^14*f^ \\
& 4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8* \\
& b^8*e^6*f^12) + (4096*C*e*(2*a^2*f^2 - b^2*e^2)*(64*C^3*a^(21/2)*c^3*e*f^1 \\
& 1*(a*c)^(5/2) + 32*C^3*a^(5/2)*b^8*c^3*e^9*f^3*(a*c)^(5/2) - 160*C^3*a^(7/2) \\
& *b^8*c^4*e^9*f^3*(a*c)^(3/2) - 160*C^3*a^(9/2)*b^6*c^3*e^7*f^5*(a*c)^(5/2) \\
& + 384*C^3*a^(11/2)*b^6*c^4*e^7*f^5*(a*c)^(3/2) + 288*C^3*a^(13/2)*b^4*c^3* \\
& e^5*f^7*(a*c)^(5/2) - 392*C^3*a^(15/2)*b^4*c^4*e^5*f^7*(a*c)^(3/2) - 224*C^ \\
& 3*a^(17/2)*b^2*c^3*e^3*f^9*(a*c)^(5/2) + 144*C^3*a^(19/2)*b^2*c^4*e^3*f^9*(\\
& a*c)^(3/2) + 24*C^3*a^(3/2)*b^10*c^4*e^11*f^*(a*c)^(3/2)))/(f^2*(a*f + b*e)* \\
& (a*f - b*e)*(b^2*c*e^2 - a^2*c*f^2)^(1/2)*(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^ \\
& 6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12))**(a*c)
\end{aligned}$$

$$\begin{aligned}
& \sim (3/2) * (4*a^2*c*f^2 - b^2*c*e^2) * (4*a^2*c*f^2 - 3*b^2*c*e^2) * (4*a^6*c*f^6 - \\
& 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4)^4 / (164025*b^46*c \\
& ^{13}*e^{46} + 885735*b^{44}*c^{12}*e^{44}*(a^2*c*f^2 - b^2*c*e^2) + 117440512*a^{30}*c \\
& ^5*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^{32}*c^6*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^7 \\
& + 419430400*a^{34}*c^7*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^6 - 150994944*a^{36}*c^8*f^{36} \\
& *(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^{36}*c^8*e^{36}*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^{38}*c^9*e^{38} \\
& *(a^2*c*f^2 - b^2*c*e^2)^4 + 2053593*b^{40}*c^{10}*e^{40}*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^{42}*c^{11}*e^{42} \\
& *(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^{2*}b^{44}*c^{13}*e^{44}*f^2 + 43893819*a^4*b^{42}*c^{13}*e^{42}*f^4 \\
& - 301507155*a^6*b^{40}*c^{13}*e^{40}*f^6 + 1427514656*a^8*b^{38}*c^{13}*e^{38}*f^8 \\
& - 4936911112*a^{10}*b^{36}*c^{13}*e^{36}*f^{10} + 12893273616*a^{12}*b^{34}*c^{13}*e^{34}*f^{12} \\
& - 25921630432*a^{14}*b^{32}*c^{13}*e^{32}*f^{14} + 40519286096*a^{16}*b^{30}*c^{13}*e^{30}*f^{16} \\
& - 49376608256*a^{18}*b^{28}*c^{13}*e^{28}*f^{18} + 46721401856*a^{20}*b^{26}*c^{13}*e^{26}*f^{20} \\
& - 33946324736*a^{22}*b^{24}*c^{13}*e^{24}*f^{22} + 18556579328*a^{24}*b^{22}*c^{13}*e^{22}*f^{24} \\
& - 7375276032*a^{26}*b^{20}*c^{13}*e^{20}*f^{26} + 2009817088*a^{28}*b^{18}*c^{13}*e^{18}*f^{28} \\
& - 335642624*a^{30}*b^{16}*c^{13}*e^{16}*f^{30} + 25907200*a^{32}*b^{14}*c^{13}*e^{14}*f^{32} \\
& - 21130794*a^{2*}b^{42}*c^{12}*e^{42}*f^{2*}(a^2*c*f^2 - b^2*c*e^2) + 2 \\
& 34399015*a^4*b^{40}*c^{12}*e^{40}*f^{4*}(a^2*c*f^2 - b^2*c*e^2) - 1604168280*a^6*b^{38}*c^{12}*e^{38}*f^{6*} \\
& (a^2*c*f^2 - b^2*c*e^2) + 7579098492*a^8*b^{36}*c^{12}*e^{36}*f^{8*} \\
& (a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^{10}*b^{34}*c^{12}*e^{34}*f^{10*}(a^2*c*f^2 - b^2*c*e^2) \\
& - 139160589504*a^{14}*b^{30}*c^{12}*e^{30}*f^{14*}(a^2*c*f^2 - b^2*c*e^2) + 2208591 \\
& 91808*a^{16}*b^{28}*c^{12}*e^{28}*f^{16*}(a^2*c*f^2 - b^2*c*e^2) - 276344315328*a^{18}*b^{26}*c^{12}*e^{26}*f^{18*} \\
& (a^2*c*f^2 - b^2*c*e^2) + 273130561984*a^{20}*b^{24}*c^{12}*e^{24}*f^{20*}(a^2*c*f^2 - b^2*c*e^2) \\
& - 212730002688*a^{22}*b^{22}*c^{12}*e^{22}*f^{22*}(a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^{24}*b^{20}*c^{12}*e^{20}*f^{24*} \\
& (a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^{26}*b^{18}*c^{12}*e^{18}*f^{26*}(a^2*c*f^2 - b^2*c*e^2) + \\
& 21304706048*a^{28}*b^{16}*c^{12}*e^{16}*f^{28*}(a^2*c*f^2 - b^2*c*e^2) - 5272965120*a^{30}*b^{14}*c^{12}*e^{14}*f^{30*} \\
& (a^2*c*f^2 - b^2*c*e^2) + 819441664*a^{32}*b^{12}*c^{12}*e^{12}*f^{32*}(a^2*c*f^2 - b^2*c*e^2) - 59392000*a^{34}*b^{10}*c^{12}*e^{10}*f^{34*} \\
& (a^2*c*f^2 - b^2*c*e^2) + 9289728*a^6*b^{24}*c^5*e^{24}*f^6*(a^2*c*f^2 - b^2*c*e^2)^8 \\
& - 36884480*a^8*b^{22}*c^5*e^{22}*f^8*(a^2*c*f^2 - b^2*c*e^2)^8 - 278604800*a^{10}*b^{20}*c^5*e^{20}*f^{10*} \\
& (a^2*c*f^2 - b^2*c*e^2)^8 + 2774483200*a^{12}*b^{18}*c^5*e^{18}*f^{12*} \\
& (a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600*a^{14}*b^{16}*c^5*e^{16}*f^{14*} \\
& (a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960*a^{16}*b^{14}*c^5*e^{14}*f^{16*}(a^2*c*f^2 - b^2*c*e^2)^8 \\
& - 38348909568*a^{18}*b^{12}*c^5*e^{12}*f^{18*}(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^{20}*b^{10}*c^5*e^{10}*f^{20*} \\
& (a^2*c*f^2 - b^2*c*e^2)^8 - 276561920*a^{28}*b^{2*}c^5*e^{2*}f^{28*}(a^2*c*f^2 - b^2*c*e^2)^8 \\
& - 9704448*a^4*b^{28}*c^6*e^{28}*f^4*(a^2*c*f^2 - b^2*c*e^2)^7 + 260614656*a^6*b^{26}*c^6*e^{26}*f^6 \\
& *(a^2*c*f^2 - b^2*c*e^2)^6 - 2166022464*a^8*b^{24}*c^6*e^{24}*f^8 \\
& *(a^2*c*f^2 - b^2*c*e^2)^7 + 8626147840*a^{10}*b^{22}*c^6*e^{22}*f^{10*} \\
& (a^2*c*f^2 - b^2*c*e^2)^7 - 16771503616*a^{12}*b^{20}*c^6*e^{20}*f^{12*}(a^2*c*f^2 - b^2*c*e^2)^7 \\
& + 3301800960*a^{14}*b^{18}*c^6*e^{18}*f^{14*}(a^2*c*f^2 - b^2*c*e^2)^7
\end{aligned}$$

$$\begin{aligned}
& e^2)^7 + 67337715968*a^16*b^16*c^6*e^16*f^16*(a^2*c*f^2 - b^2*c*e^2)^7 - 18 \\
& 9857873920*a^18*b^14*c^6*e^14*f^18*(a^2*c*f^2 - b^2*c*e^2)^7 + 286100259840 \\
& *a^20*b^12*c^6*e^12*f^20*(a^2*c*f^2 - b^2*c*e^2)^7 - 275789894656*a^22*b^10 \\
& *c^6*e^10*f^22*(a^2*c*f^2 - b^2*c*e^2)^7 + 173716537344*a^24*b^8*c^6*e^8*f^ \\
& 24*(a^2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^26*b^6*c^6*e^6*f^26*(a^2*c*f^2 \\
& - b^2*c*e^2)^7 + 12831686656*a^28*b^4*c^6*e^4*f^28*(a^2*c*f^2 - b^2*c*e^2) \\
& ^7 + 222560256*a^30*b^2*c^6*e^2*f^30*(a^2*c*f^2 - b^2*c*e^2)^7 + 2099520*a^ \\
& 2*b^32*c^7*e^32*f^2*(a^2*c*f^2 - b^2*c*e^2)^6 - 107014608*a^4*b^30*c^7*e^30 \\
& *f^4*(a^2*c*f^2 - b^2*c*e^2)^6 + 1848335616*a^6*b^28*c^7*e^28*f^6*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^6 - 15200005312*a^8*b^26*c^7*e^26*f^8*(a^2*c*f^2 - b^2*c*e^2) \\
&)^6 + 72612273792*a^10*b^24*c^7*e^24*f^10*(a^2*c*f^2 - b^2*c*e^2)^6 - 22185 \\
& 5779968*a^12*b^22*c^7*e^22*f^12*(a^2*c*f^2 - b^2*c*e^2)^6 + 450717857536*a^ \\
& 14*b^20*c^7*e^20*f^14*(a^2*c*f^2 - b^2*c*e^2)^6 - 600578910208*a^16*b^18*c^ \\
& 7*e^18*f^16*(a^2*c*f^2 - b^2*c*e^2)^6 + 459464530688*a^18*b^16*c^7*e^16*f^1 \\
& 8*(a^2*c*f^2 - b^2*c*e^2)^6 - 33638947840*a^20*b^14*c^7*e^14*f^20*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^6 - 376299926528*a^22*b^12*c^7*e^12*f^22*(a^2*c*f^2 - b^2*c* \\
& e^2)^6 + 488874068992*a^24*b^10*c^7*e^10*f^24*(a^2*c*f^2 - b^2*c*e^2)^6 - 3 \\
& 33407809536*a^26*b^8*c^7*e^8*f^26*(a^2*c*f^2 - b^2*c*e^2)^6 + 134140313600* \\
& a^28*b^6*c^7*e^6*f^28*(a^2*c*f^2 - b^2*c*e^2)^6 - 28220915712*a^30*b^4*c^7* \\
& e^4*f^30*(a^2*c*f^2 - b^2*c*e^2)^6 + 1230503936*a^32*b^2*c^7*e^2*f^32*(a^2* \\
& c*f^2 - b^2*c*e^2)^6 + 3335904*a^2*b^34*c^8*e^34*f^2*(a^2*c*f^2 - b^2*c*e^2) \\
&)^5 - 290521728*a^4*b^32*c^8*e^32*f^4*(a^2*c*f^2 - b^2*c*e^2)^5 + 486568454 \\
& 4*a^6*b^30*c^8*e^30*f^6*(a^2*c*f^2 - b^2*c*e^2)^5 - 40437394528*a^8*b^28*c^ \\
& 8*e^28*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 205602254656*a^10*b^26*c^8*e^26*f^10 \\
& *(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192*a^12*b^24*c^8*e^24*f^12*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^5 + 1709253482624*a^14*b^22*c^8*e^22*f^14*(a^2*c*f^2 - b^2*c* \\
& e^2)^5 - 3029282695168*a^16*b^20*c^8*e^20*f^16*(a^2*c*f^2 - b^2*c*e^2)^5 + \\
& 3966230827520*a^18*b^18*c^8*e^18*f^18*(a^2*c*f^2 - b^2*c*e^2)^5 - 38223398 \\
& 13632*a^20*b^16*c^8*e^16*f^20*(a^2*c*f^2 - b^2*c*e^2)^5 + 2640438056960*a^2 \\
& 2*b^14*c^8*e^14*f^22*(a^2*c*f^2 - b^2*c*e^2)^5 - 1208501415936*a^24*b^12*c^ \\
& 8*e^12*f^24*(a^2*c*f^2 - b^2*c*e^2)^5 + 269338092544*a^26*b^10*c^8*e^10*f^2 \\
& 6*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032*a^28*b^8*c^8*e^8*f^28*(a^2*c*f^2 \\
& - b^2*c*e^2)^5 - 60985360384*a^30*b^6*c^8*e^6*f^30*(a^2*c*f^2 - b^2*c*e^2) \\
& ^5 + 17917083648*a^32*b^4*c^8*e^4*f^32*(a^2*c*f^2 - b^2*c*e^2)^5 - 155870822 \\
& 4*a^34*b^2*c^8*e^2*f^34*(a^2*c*f^2 - b^2*c*e^2)^5 - 11917692*a^2*b^36*c^9*e^ \\
& 36*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516*a^4*b^34*c^9*e^34*f^4*(a^2*c* \\
& f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^32*c^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2) \\
& ^4 - 48206418480*a^8*b^30*c^9*e^30*f^8*(a^2*c*f^2 - b^2*c*e^2)^4 + 261450 \\
& 609120*a^10*b^28*c^9*e^28*f^10*(a^2*c*f^2 - b^2*c*e^2)^4 - 962361040256*a^1 \\
& 2*b^26*c^9*e^26*f^12*(a^2*c*f^2 - b^2*c*e^2)^4 + 2558559358080*a^14*b^24*c^ \\
& 9*e^24*f^14*(a^2*c*f^2 - b^2*c*e^2)^4 - 5091804150656*a^16*b^22*c^9*e^22*f^ \\
& 16*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944*a^18*b^20*c^9*e^20*f^18*(a^2*c* \\
& f^2 - b^2*c*e^2)^4 - 9137207485952*a^20*b^18*c^9*e^18*f^20*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^4 + 8384563280128*a^22*b^16*c^9*e^16*f^22*(a^2*c*f^2 - b^2*c*e^2) \\
& ^4 - 5975281259520*a^24*b^14*c^9*e^14*f^24*(a^2*c*f^2 - b^2*c*e^2)^4 + 32692
\end{aligned}$$

$$\begin{aligned}
& 97268736*a^{26}*b^{12}*c^9*e^{12}*f^{26}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 1339171540992*a^{28}*b^{10}*c^9*e^{10}*f^{28}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 391250194432*a^{30}*b^8*c^9*e^8*f^{30}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 74114154496*a^{32}*b^6*c^9*e^6*f^{32}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 7299203072*a^{34}*b^4*c^9*e^4*f^{34}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 38704068*a^{2*b^38*c^10*e^{38}*f^2}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 188845992*a^{4*b^36*c^10*e^{36}*f^4}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 1157124204*a^{6*b^34*c^10*e^{34}*f^6}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 20586361424*a^{8*b^32*c^10*e^{32}*f^8}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 135395499200*a^{10*b^30*c^10*e^{30}*f^{10}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 555513858464*a^{12*b^28*c^10*e^{28}*f^{12}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 1608776388864*a^{14*b^{26}*c^{10}*e^{26}*f^{14}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 3473989271488*a^{16*b^{24}*c^{10}*e^{24}*f^{16}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 5766181411456*a^{18*b^{22}*c^{10}*e^{22}*f^{18}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 7493983209472*a^{20*b^20*c^{10}*e^{20}*f^{20}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 7713917084672*a^{22*b^18*c^{10}*e^{18}*f^{22}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 6328467293184*a^{24*b^{16}*c^{10}*e^{16}*f^{24}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 4142950034432*a^{26*b^14*c^{10}*e^{14}*f^{26}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 2152681536512*a^{28*b^{12}*c^{10}*e^{12}*f^{28}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 874199511040*a^{30*b^10*c^{10}*e^{10}*f^{30}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 268759150592*a^{32*b^8*c^{10}*e^{8}*f^{32}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 58872545280*a^{34*b^6*c^{10}*e^{6}*f^{34}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 8151957504*a^{36*b^4*c^{10}*e^{4}*f^{36}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 + 530841600*a^{38*b^2*c^{10}*e^{2}*f^{38}}*(a^{2*c*f^2} - b^{2*c*e^2})^3 - 42743457*a^{2*b^40*c^{11}*e^{40}*f^{2}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 411055884*a^{4*b^{38}*c^{11}*e^{38}*f^{4}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 2180887236*a^{6*b^{36}*c^{11}*e^{36}*f^{6}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 6404946508*a^{8*b^{34}*c^{11}*e^{34}*f^{8}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 5434005264*a^{10*b^32*c^{11}*e^{32}*f^{10}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 38868373520*a^{12*b^30*c^{11}*e^{30}*f^{12}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 208447613600*a^{14*b^{28}*c^{11}*e^{28}*f^{14}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 579674999104*a^{16*b^{26}*c^{11}*e^{26}*f^{16}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 1104967566592*a^{18*b^{24}*c^{11}*e^{24}*f^{18}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 1554566531328*a^{20*b^{22}*c^{11}*e^{22}*f^{20}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 1659734381312*a^{22*b^{20}*c^{11}*e^{20}*f^{22}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 1356361512192*a^{24*b^{18}*c^{11}*e^{18}*f^{24}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 845331359744*a^{26*b^{16}*c^{11}*e^{16}*f^{26}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 395676895232*a^{28*b^{14}*c^{11}*e^{14}*f^{28}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 134902689792*a^{30*b^{12}*c^{11}*e^{12}*f^{30}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 31670587392*a^{32*b^{10}*c^{11}*e^{10}*f^{32}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 4584669184*a^{34*b^{8}*c^{11}*e^{8}*f^{34}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 309657600*a^{36*b^{6}*c^{11}*e^{6}*f^{36}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + (4*a^{(3/2)}*b^{6}*c^{2}*e^{6}*f^{3}*(a*c)^{(3/2)}*(2*a^{2*c*f^2} - b^{2*c*e^2})*(4*a^{2*c*f^2} - 3*b^{2*c*e^2})*((16384*(12*C^4*a^{(7/2)}*b^{4*c^3*e^7}*(a*c)^{(3/2)} + 48*C^4*a^{(15/2)}*c^3*e^3*f^4*(a*c)^{(3/2)} - 48*C^4*a^{(11/2)}*b^{2*c^3*e^5*f^2}*(a*c)^{(3/2)}))/((b^{13}*e^{12}*f^3 - 3*a^{2*b^{11}*e^{10}*f^5} + 3*a^{4*b^9*e^8*f^7} - a^{6*b^7*e^6*f^9}) + (16384*C^4*e^4*(2*a^{2*f^2} - b^{2*e^2})^4*(5*a^{(17/2)}*b^{2*c^4*e*f^14}*(a*c)^{(5/2)} + 6*a^{(3/2)}*b^{10*c^5*e^9*f^6}*(a*c)^{(3/2)} - 5*a^{(5/2)}*b^{8*c^4*e^7*f^8}*(a*c)^{(5/2)} - 18*a^{(7/2)}*b^{8*c^5*e^7*f^8}*(a*c)^{(3/2)} + 15*a^{(9/2)}*b^{6*c^4*e^5*f^10}*(a*c)^{(5/2)} + 18*a^{(11/2)}*b^{6*c^5*e^5*f^10}*(a*c)^{(3/2)} - 15*a^{(13/2)}*b^4
\end{aligned}$$

$$\begin{aligned}
& *c^4 * e^3 * f^{12} * (a * c)^{(5/2)} - 6 * a^{(15/2)} * b^4 * c^5 * e^3 * f^{12} * (a * c)^{(3/2)}) / (f^{8*} \\
& (a * f + b * e)^4 * (a * f - b * e)^4 * (a^2 * c * f^2 - b^2 * c * e^2)^2 * (b^{13} * e^{12} * f^3 - 3 * a^2 * \\
& b^{11} * e^{10} * f^5 + 3 * a^4 * b^9 * e^8 * f^7 - a^6 * b^7 * e^6 * f^9)) - (16384 * C^2 * e^2 * (2 * a^2 * f^2 - b^2 * e^2)^2 * (20 * C^2 * a^{(17/2)} * c^3 * e * f^{10} * (a * c)^{(5/2)} - 3 * C^2 * a^{(3/2)} * b^8 * c^4 * e^9 * f^2 * (a * c)^{(3/2)} - 8 * C^2 * a^{(5/2)} * b^6 * c^3 * e^7 * f^4 * (a * c)^{(5/2)} + 11 * C^2 * a^{(7/2)} * b^6 * c^4 * e^7 * f^4 * (a * c)^{(3/2)} + 36 * C^2 * a^{(9/2)} * b^4 * c^3 * e^5 * f^6 * (a * c)^{(5/2)} - 20 * C^2 * a^{(11/2)} * b^4 * c^4 * e^5 * f^6 * (a * c)^{(3/2)} - 48 * C^2 * a^{(13/2)} * b^2 * c^3 * e^3 * f^8 * (a * c)^{(5/2)} + 12 * C^2 * a^{(15/2)} * b^2 * c^4 * e^3 * f^8 * (a * c)^{(3/2)}) / (f^4 * (a * f + b * e)^2 * (a * f - b * e)^2 * (a^2 * c * f^2 - b^2 * c * e^2) * (b^{13} * e^{12} * f^3 - 3 * a^2 * b^{11} * e^{10} * f^5 + 3 * a^4 * b^9 * e^8 * f^7 - a^6 * b^7 * e^6 * f^9)) * (4 * a^6 * c * f^6 - 3 * b^6 * c * e^6 + 8 * a^2 * b^4 * c * e^4 * f^2 - 8 * a^4 * b^2 * c * e^2 * f^4)^4) / ((b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)} * (164025 * b^46 * c^{13} * e^{46} + 885735 * b^44 * c^{12} * e^{44} * (a^2 * c * f^2 - b^2 * c * e^2) + 117440512 * a^30 * c^5 * f^30 * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 385875968 * a^32 * c^6 * f^32 * (a^2 * c * f^2 - b^2 * c * e^2)^7 + 419430400 * a^34 * c^7 * f^34 * (a^2 * c * f^2 - b^2 * c * e^2)^6 - 150994944 * a^36 * c^8 * f^36 * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 236196 * b^36 * c^8 * e^36 * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 1102248 * b^38 * c^9 * e^38 * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 2053593 * b^40 * c^10 * e^{40} * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 1909251 * b^42 * c^{11} * e^{42} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 3937329 * a^2 * b^44 * c^{13} * e^{44} * f^2 + 43893819 * a^4 * b^42 * c^{13} * e^{42} * f^4 - 301507155 * a^6 * b^40 * c^{13} * e^{40} * f^6 + 1427514656 * a^8 * b^38 * c^{13} * e^{38} * f^8 - 4936911112 * a^{10} * b^36 * c^{13} * e^{36} * f^10 + 12893273616 * a^{12} * b^34 * c^{13} * e^{34} * f^{12} - 25921630432 * a^{14} * b^32 * c^{13} * e^{32} * f^{14} + 40519286096 * a^{16} * b^30 * c^{13} * e^{30} * f^{16} - 49376608256 * a^{18} * b^28 * c^{13} * e^{28} * f^{18} + 46721401856 * a^{20} * b^{26} * c^{13} * e^{26} * f^{20} - 33946324736 * a^{22} * b^{24} * c^{13} * e^{24} * f^{22} + 18556579328 * a^{24} * b^{22} * c^{13} * e^{22} * f^{24} - 7375276032 * a^{26} * b^{20} * c^{13} * e^{20} * f^{26} + 2009817088 * a^{28} * b^{18} * c^{13} * e^{18} * f^{28} - 335642624 * a^{30} * b^{16} * c^{13} * e^{16} * f^{30} + 25907200 * a^{32} * b^{14} * c^{13} * e^{14} * f^{32} - 21130794 * a^{2 * b^{42} * c^{12} * e^{42} * f^2 * (a^2 * c * f^2 - b^2 * c * e^2)} + 234399015 * a^4 * b^{40} * c^{12} * e^{40} * f^4 * (a^2 * c * f^2 - b^2 * c * e^2) - 1604168280 * a^6 * b^{38} * c^{12} * e^{38} * f^6 * (a^2 * c * f^2 - b^2 * c * e^2) + 7579098492 * a^8 * b^{36} * c^{12} * e^{36} * f^8 * (a^2 * c * f^2 - b^2 * c * e^2) - 26212380172 * a^{10} * b^{34} * c^{12} * e^{34} * f^{10} * (a^2 * c * f^2 - b^2 * c * e^2) + 68672994096 * a^{12} * b^{32} * c^{12} * e^{32} * f^{12} * (a^2 * c * f^2 - b^2 * c * e^2) - 139160589504 * a^{14} * b^{30} * c^{12} * e^{30} * f^{14} * (a^2 * c * f^2 - b^2 * c * e^2) + 220859191808 * a^{16} * b^{28} * c^{12} * e^{28} * f^{16} * (a^2 * c * f^2 - b^2 * c * e^2) - 276344315328 * a^{18} * b^{26} * c^{12} * e^{26} * f^{18} * (a^2 * c * f^2 - b^2 * c * e^2) + 273130561984 * a^{20} * b^{24} * c^{12} * e^{24} * f^{20} * (a^2 * c * f^2 - b^2 * c * e^2) - 212730002688 * a^{22} * b^{22} * c^{12} * e^{22} * f^{22} * (a^2 * c * f^2 - b^2 * c * e^2) + 129574234368 * a^2 * b^{20} * c^{12} * e^{20} * f^{24} * (a^2 * c * f^2 - b^2 * c * e^2) - 60770569216 * a^{26} * b^{18} * c^{12} * e^{18} * f^{26} * (a^2 * c * f^2 - b^2 * c * e^2) + 21304706048 * a^{28} * b^{16} * c^{12} * e^{16} * f^{28} * (a^2 * c * f^2 - b^2 * c * e^2) - 5272965120 * a^{30} * b^{14} * c^{12} * e^{14} * f^{30} * (a^2 * c * f^2 - b^2 * c * e^2) + 819441664 * a^{32} * b^{12} * c^{12} * e^{12} * f^{32} * (a^2 * c * f^2 - b^2 * c * e^2) - 59392000 * a^{34} * b^{10} * c^{12} * e^{10} * f^{34} * (a^2 * c * f^2 - b^2 * c * e^2) + 9289728 * a^6 * b^{24} * c^{5} * e^{24} * f^6 * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 36884480 * a^8 * b^{22} * c^{5} * e^{22} * f^8 * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 278604800 * a^{10} * b^{20} * c^{5} * e^{20} * f^{10} * (a^2 * c * f^2 - b^2 * c * e^2)^8 + 2774483200 * a^{12} * b^{18} * c^{5} * e^{18} * f^{12} * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 10869657600 * a^{14} * b^{16} * c^{5} * e^{16} * f^{14} * (a^2 * c * f^2 - b^2 * c * e^2)^8 + 25237416960 * a^{16} * b^{14} * c^{5} * e^{14} * f^{16} * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 38348909568 * a^{18} * b^{12} * c
\end{aligned}$$

$$\begin{aligned}
& -5 \cdot e^{12} \cdot f^{18} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 + 39084659712 \cdot a^{20} \cdot b^{10} \cdot c^5 \cdot e^{10} \cdot f^2 \\
& 0 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 26118635520 \cdot a^{22} \cdot b^8 \cdot c^5 \cdot e^8 \cdot f^{22} \cdot (a^2 \cdot c \cdot f^2 \\
& - b^2 \cdot c \cdot e^2)^8 + 10414620672 \cdot a^{24} \cdot b^6 \cdot c^5 \cdot e^6 \cdot f^{24} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 \\
& - 1708654592 \cdot a^{26} \cdot b^4 \cdot c^5 \cdot e^4 \cdot f^{26} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 276561920 \cdot a^{28} \\
& \cdot b^2 \cdot c^5 \cdot e^2 \cdot f^{28} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 9704448 \cdot a^4 \cdot b^{28} \cdot c^6 \cdot e^{28} \\
& \cdot f^4 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 260614656 \cdot a^6 \cdot b^26 \cdot c^6 \cdot e^{26} \cdot f^6 \cdot (a^2 \cdot c \cdot f^2 \\
& - b^2 \cdot c \cdot e^2)^7 - 2166022464 \cdot a^8 \cdot b^{24} \cdot c^6 \cdot e^{24} \cdot f^8 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 \\
& + 8626147840 \cdot a^{10} \cdot b^{22} \cdot c^6 \cdot e^{22} \cdot f^{10} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 - 16771503 \\
& 616 \cdot a^{12} \cdot b^{20} \cdot c^6 \cdot e^{20} \cdot f^{12} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 3301800960 \cdot a^{14} \cdot b^1 \\
& 8 \cdot c^6 \cdot e^{18} \cdot f^{14} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 67337715968 \cdot a^{16} \cdot b^{16} \cdot c^6 \cdot e^{16} \\
& \cdot f^{16} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 - 189857873920 \cdot a^{18} \cdot b^{14} \cdot c^6 \cdot e^{14} \cdot f^{18} \cdot (a^2 \cdot c \\
& \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 286100259840 \cdot a^{20} \cdot b^{12} \cdot c^6 \cdot e^{12} \cdot f^{20} \cdot (a^2 \cdot c \cdot f^2 - b^2 \\
& \cdot c \cdot e^2)^7 - 275789894656 \cdot a^{22} \cdot b^{10} \cdot c^6 \cdot e^{10} \cdot f^{22} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 \\
& + 173716537344 \cdot a^{24} \cdot b^8 \cdot c^6 \cdot e^8 \cdot f^{24} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 - 674164244 \\
& 48 \cdot a^{26} \cdot b^6 \cdot c^6 \cdot e^6 \cdot f^{26} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 12831686656 \cdot a^{28} \cdot b^4 \cdot c \\
& ^6 \cdot e^4 \cdot f^{28} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 222560256 \cdot a^{30} \cdot b^2 \cdot c^6 \cdot e^2 \cdot f^{30} \cdot (a^2 \\
& \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 2099520 \cdot a^{22} \cdot b^{32} \cdot c^7 \cdot e^{32} \cdot f^2 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e \\
& ^2)^6 - 107014608 \cdot a^{4} \cdot b^{30} \cdot c^7 \cdot e^{30} \cdot f^4 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 + 1848335 \\
& 616 \cdot a^6 \cdot b^{28} \cdot c^7 \cdot e^{28} \cdot f^6 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 15200005312 \cdot a^8 \cdot b^{26} \\
& \cdot c^7 \cdot e^{26} \cdot f^8 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 + 72612273792 \cdot a^{10} \cdot b^{24} \cdot c^7 \cdot e^{24} \cdot f^1 \\
& 0 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 221855779968 \cdot a^{12} \cdot b^{22} \cdot c^7 \cdot e^{22} \cdot f^{12} \cdot (a^2 \cdot c \cdot f \\
& ^2 - b^2 \cdot c \cdot e^2)^6 + 450717857536 \cdot a^{14} \cdot b^{20} \cdot c^7 \cdot e^{20} \cdot f^{14} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \\
& \cdot e^2)^6 - 600578910208 \cdot a^{16} \cdot b^{18} \cdot c^7 \cdot e^{18} \cdot f^{16} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 + \\
& 459464530688 \cdot a^{18} \cdot b^{16} \cdot c^7 \cdot e^{16} \cdot f^{18} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 3363894784 \\
& 0 \cdot a^{20} \cdot b^{14} \cdot c^7 \cdot e^{14} \cdot f^{20} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 376299926528 \cdot a^{22} \cdot b^1 \\
& 2 \cdot c^7 \cdot e^{12} \cdot f^{22} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 + 488874068992 \cdot a^{24} \cdot b^{10} \cdot c^7 \cdot e^{10} \\
& \cdot f^{24} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 333407809536 \cdot a^{26} \cdot b^8 \cdot c^7 \cdot e^8 \cdot f^{26} \cdot (a^2 \cdot c \\
& \cdot f^2 - b^2 \cdot c \cdot e^2)^6 + 134140313600 \cdot a^{28} \cdot b^6 \cdot c^7 \cdot e^6 \cdot f^{28} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \\
& \cdot e^2)^6 - 28220915712 \cdot a^{30} \cdot b^4 \cdot c^7 \cdot e^4 \cdot f^{30} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 + 123 \\
& 0503936 \cdot a^{32} \cdot b^2 \cdot c^7 \cdot e^2 \cdot f^{32} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 + 3335904 \cdot a^{2} \cdot b^{34} \\
& \cdot c^8 \cdot e^{34} \cdot f^2 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 - 290521728 \cdot a^{4} \cdot b^{32} \cdot c^8 \cdot e^{32} \cdot f^4 \cdot (a \\
& \cdot 2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + 4865684544 \cdot a^{6} \cdot b^{30} \cdot c^8 \cdot e^{30} \cdot f^6 \cdot (a^2 \cdot c \cdot f^2 - b^2 \\
& \cdot c \cdot e^2)^5 - 40437394528 \cdot a^{8} \cdot b^{28} \cdot c^8 \cdot e^{28} \cdot f^8 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + 2 \\
& 05602254656 \cdot a^{10} \cdot b^{26} \cdot c^8 \cdot e^{26} \cdot f^{10} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 - 70388534419 \\
& 2 \cdot a^{12} \cdot b^{24} \cdot c^8 \cdot e^{24} \cdot f^{12} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + 1709253482624 \cdot a^{14} \cdot b^ \\
& 22 \cdot c^8 \cdot e^{22} \cdot f^{14} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 - 3029282695168 \cdot a^{16} \cdot b^{20} \cdot c^8 \cdot e^ \\
& 20 \cdot f^{16} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + 3966230827520 \cdot a^{18} \cdot b^{18} \cdot c^8 \cdot e^{18} \cdot f^{18} \cdot (a \\
& \cdot 2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 - 3822339813632 \cdot a^{20} \cdot b^{16} \cdot c^8 \cdot e^{16} \cdot f^{20} \cdot (a^2 \cdot c \cdot f^2 \\
& - b^2 \cdot c \cdot e^2)^5 + 2640438056960 \cdot a^{22} \cdot b^{14} \cdot c^8 \cdot e^{14} \cdot f^{22} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e \\
& ^2)^5 - 1208501415936 \cdot a^{24} \cdot b^{12} \cdot c^8 \cdot e^{12} \cdot f^{24} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + \\
& 269338092544 \cdot a^{26} \cdot b^{10} \cdot c^8 \cdot e^{10} \cdot f^{26} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + 5378321203 \\
& 2 \cdot a^{28} \cdot b^8 \cdot c^8 \cdot e^8 \cdot f^{28} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 - 60985360384 \cdot a^{30} \cdot b^6 \cdot c^ \\
& 8 \cdot e^6 \cdot f^{30} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + 17917083648 \cdot a^{32} \cdot b^4 \cdot c^8 \cdot e^4 \cdot f^{32} \cdot (a \\
& \cdot 2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 - 1558708224 \cdot a^{34} \cdot b^2 \cdot c^8 \cdot e^2 \cdot f^{34} \cdot (a^2 \cdot c \cdot f^2 - b^2 \\
& \cdot c \cdot e^2)^5 - 11917692 \cdot a^{2} \cdot b^{36} \cdot c^9 \cdot e^{36} \cdot f^{2} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^4 - 2249
\end{aligned}$$

$$\begin{aligned}
& 07516*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^32 \\
& *c^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8*b^30*c^9*e^30*f^8 \\
& *(a^2*c*f^2 - b^2*c*e^2)^4 + 261450609120*a^10*b^28*c^9*e^28*f^10*(a^2*c*f^2 \\
& - b^2*c*e^2)^4 - 962361040256*a^12*b^26*c^9*e^26*f^12*(a^2*c*f^2 - b^2*c* \\
& e^2)^4 + 2558559358080*a^14*b^24*c^9*e^24*f^14*(a^2*c*f^2 - b^2*c*e^2)^4 - \\
& 5091804150656*a^16*b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c*e^2)^4 + 775080651 \\
& 4944*a^18*b^20*c^9*e^20*f^18*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^20 \\
& *b^18*c^9*e^18*f^20*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^22*b^16*c^9 \\
& *e^16*f^22*(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^24*b^14*c^9*e^14*f^2 \\
& 4*(a^2*c*f^2 - b^2*c*e^2)^4 + 3269297268736*a^26*b^12*c^9*e^12*f^26*(a^2*c* \\
& f^2 - b^2*c*e^2)^4 - 1339171540992*a^28*b^10*c^9*e^10*f^28*(a^2*c*f^2 - b^2 \\
& *c*e^2)^4 + 391250194432*a^30*b^8*c^9*e^8*f^30*(a^2*c*f^2 - b^2*c*e^2)^4 - \\
& 74114154496*a^32*b^6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^ \\
& 34*b^4*c^9*e^4*f^34*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^36*b^2*c^9*e^2* \\
& f^36*(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^38*f^2*(a^2*c*f^2 \\
& - b^2*c*e^2)^3 + 188845992*a^4*b^36*c^10*e^36*f^4*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 3 + 1157124204*a^6*b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 205863614 \\
& 24*a^8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^10*b^3 \\
& 0*c^10*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^12*b^28*c^10*e^ \\
& 28*f^12*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^14*b^26*c^10*e^26*f^14* \\
& (a^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^16*b^24*c^10*e^24*f^16*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^3 + 5766181411456*a^18*b^22*c^10*e^22*f^18*(a^2*c*f^2 - b^2 \\
& *c*e^2)^3 - 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2*c*e^2)^ \\
& 3 + 7713917084672*a^22*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328 \\
& 467293184*a^24*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^3 + 414295003443 \\
& 2*a^26*b^14*c^10*e^14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^28*b^ \\
& 12*c^10*e^12*f^28*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^30*b^10*c^10* \\
& e^10*f^30*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^32*b^8*c^10*e^8*f^32* \\
& (a^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^34*b^6*c^10*e^6*f^34*(a^2*c*f^2 - \\
& b^2*c*e^2)^3 - 8151957504*a^36*b^4*c^10*e^4*f^36*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& + 530841600*a^38*b^2*c^10*e^2*f^38*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^2 \\
& *b^40*c^11*e^40*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^38*c^11*e^3 \\
& 8*f^4*(a^2*c*f^2 - b^2*c*e^2)^2 - 2180887236*a^6*b^36*c^11*e^36*f^6*(a^2*c* \\
& f^2 - b^2*c*e^2)^2 + 6404946508*a^8*b^34*c^11*e^34*f^8*(a^2*c*f^2 - b^2*c*e^ \\
& 2)^2 - 5434005264*a^10*b^32*c^11*e^32*f^10*(a^2*c*f^2 - b^2*c*e^2)^2 - 388 \\
& 68373520*a^12*b^30*c^11*e^30*f^12*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447613600* \\
& a^14*b^28*c^11*e^28*f^14*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^16*b^26 \\
& *c^11*e^26*f^16*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a^18*b^24*c^11*e^ \\
& 24*f^18*(a^2*c*f^2 - b^2*c*e^2)^2 - 1554566531328*a^20*b^22*c^11*e^22*f^20* \\
& (a^2*c*f^2 - b^2*c*e^2)^2 + 1659734381312*a^22*b^20*c^11*e^20*f^22*(a^2*c*f^ \\
& 2 - b^2*c*e^2)^2 - 1356361512192*a^24*b^18*c^11*e^18*f^24*(a^2*c*f^2 - b^2 \\
& *c*e^2)^2 + 845331359744*a^26*b^16*c^11*e^16*f^26*(a^2*c*f^2 - b^2*c*e^2)^2 \\
& - 395676895232*a^28*b^14*c^11*e^14*f^28*(a^2*c*f^2 - b^2*c*e^2)^2 + 134902 \\
& 689792*a^30*b^12*c^11*e^12*f^30*(a^2*c*f^2 - b^2*c*e^2)^2 - 31670587392*a^3 \\
& 2*b^10*c^11*e^10*f^32*(a^2*c*f^2 - b^2*c*e^2)^2 + 4584669184*a^34*b^8*c^11*
\end{aligned}$$

$$\begin{aligned}
& e^{8*f^{34}*(a^{2*c*f^2} - b^{2*c*e^2})^2} - 309657600*a^{36}*b^{6*c^{11}*e^6*f^{36}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 \\
& * (b^{16}*e^{12*f^6}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 4*a^{2*b^{14}*e^{10}*f^{8}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 6*a^{4*b^{12}*e^{8*f^{10}}*(a^{2*c*f^2} - b^{2*c*e^2})^2} \\
& - 4*a^{6*b^{10}*e^{6*f^{12}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + a^{8*b^{8}*e^{4*f^{14}}*(a^{2*c*f^2} - b^{2*c*e^2})^2}) / (((a + b*x)^{(1/2)} - a^{(1/2)}) * (16384*C^4*a^{6*c^{3*f^4}} + 4096*C^4*a^{2*b^{4*c^{3}*e^4}} - 16384*C^4*a^{4*b^{2*c^{3}*e^2*f^2}}) + (8*a^{4*b^{6*c^{4}*e^{6*f^{4}}}} * ((4096*C^3*a^{2*f^2} - b^{2*e^2})^{3*} * (24*C*a^{(21/2)} * b^{2*c^{4}*e*f^{15}} * (a*c)^{(5/2)} - 30*C*a^{(3/2)} * b^{12*c^{5}*e^{11*f^{5}} * (a*c)^{(3/2)}} + 24*C*a^{(5/2)} * b^{10*c^{4}*e^{9*f^{7}} * (a*c)^{(5/2)}} + 126*C*a^{(7/2)} * b^{10*c^{5}*e^{9*f^{7}} * (a*c)^{(3/2)}} - 96*C*a^{(9/2)} * b^{8*c^{4}*e^{7*f^{9}} * (a*c)^{(5/2)}} - 198*C*a^{(11/2)} * b^{8*c^{5}*e^{7*f^{9}} * (a*c)^{(3/2)}} + 144*C*a^{(13/2)} * b^{6*c^{4}*e^{5*f^{11}} * (a*c)^{(5/2)}} + 138*C*a^{(15/2)} * b^{6*c^{5}*e^{5*f^{11}} * (a*c)^{(3/2)}} - 96*C*a^{(17/2)} * b^{4*c^{4}*e^{3*f^{13}} * (a*c)^{(5/2)}} - 36*C*a^{(19/2)} * b^{4*c^{5}*e^{3*f^{13}} * (a*c)^{(3/2)}})) / (f^{6*(a*f + b*e)^3} * (a*f - b*e)^3 * (b^{2*c*e^2} - a^{2*c*f^2})^{(3/2)} * (b^{16}*e^{14*f^4} - 4*a^{2*b^{14}*e^12*f^6} + 6*a^{4*b^{12}*e^{10*f^8}} - 4*a^{6*b^{10}*e^{8*f^{10}}} + a^{8*b^{8}*e^{6*f^{12}}}) + (4096*C*e^*(2*a^{2*f^2} - b^{2*e^2}) * (64*C^3*a^{(21/2)} * c^{3*e*f^{11}} * (a*c)^{(5/2)} + 32*C^3*a^{(5/2)} * b^{8*c^{3}*e^{9*f^{3}} * (a*c)^{(5/2)}} - 160*C^3*a^{(7/2)} * b^{8*c^{4}*e^{9*f^{3}} * (a*c)^{(3/2)}} - 160*C^3*a^{(9/2)} * b^{6*c^{3}*e^{7*f^{5}} * (a*c)^{(5/2)}} + 384*C^3*a^{(11/2)} * b^{6*c^{4}*e^{7*f^{5}} * (a*c)^{(3/2)}} + 288*C^3*a^{(13/2)} * b^{4*c^{3}*e^{5*f^{7}} * (a*c)^{(5/2)}} - 392*C^3*a^{(15/2)} * b^{4*c^{4}*e^{5*f^{7}} * (a*c)^{(3/2)}} - 224*C^3*a^{(17/2)} * b^{2*c^{3}*e^{3*f^{9}} * (a*c)^{(5/2)}} + 144*C^3*a^{(19/2)} * b^{2*c^{4}*e^{3*f^{9}} * (a*c)^{(3/2)}} + 24*C^3*a^{(3/2)} * b^{10*c^{4}*e^{11*f^*} * (a*c)^{(3/2)}})) / (f^{2*(a*f + b*e)} * (a*f - b*e) * (b^{2*c*e^2} - a^{2*c*f^2})^{(1/2)} * (b^{16}*e^{14*f^4} - 4*a^{2*b^{14}*e^{12*f^6}} + 6*a^{4*b^{12}*e^{10*f^8}} - 4*a^{6*b^{10}*e^{8*f^{10}}} + a^{8*b^{8}*e^{6*f^{12}}})) * (4*a^{2*c*f^2} - 3*b^{2*c*e^2}) * (4*a^{6*c*f^6} - 3*b^{6*c*e^6} + 8*a^{2*b^{4*c*e^{4*f^2}}} - 8*a^{4*b^{2*c*e^{2*f^4}}}) \\
& * (4*(b^{16}*e^{12*f^6} * (a^{2*c*f^2} - b^{2*c*e^2})^2 - 4*a^{2*b^{14}*e^{10*f^8}} * (a^{2*c*f^2} - b^{2*c*e^2})^2 + 6*a^{4*b^{12}*e^{10*f^12}} * (a^{2*c*f^2} - b^{2*c*e^2})^2 + a^{8*b^{8}*e^{4*f^{14}} * (a^{2*c*f^2} - b^{2*c*e^2})^2} \\
& + 1102248*b^{38*c^{9}*e^{38}} * (a^{2*c*f^2} - b^{2*c*e^2})^5 + 1102248*b^{38*c^{9}*e^{38}} * (a^{2*c*f^2} - b^{2*c*e^2})^4 + 2053593*b^{40*c^{10}*e^{40}} * (a^{2*c*f^2} - b^{2*c*e^2})^3 + 1909251*b^{42*c^{11}*e^{42}} * (a^{2*c*f^2} - b^{2*c*e^2})^2 - 3937329*a^{2*b^{44*c^{13}*e^{44}} * f^2} + 43893819*a^{4*b^{42*c^{13}*e^{42}} * f^4} - 301507155*a^{6*b^{40*c^{13}*e^{40}} * f^6} \\
& + 1427514656*a^{8*b^{38*c^{13}*e^{38}} * f^8} - 493691112*a^{10*b^{36*c^{13}*e^{36}} * f^{10}} + 12893273616*a^{12*b^{34*c^{13}*e^{34}} * f^{12}} - 25921630432*a^{14*b^{32*c^{13}*e^{32}} * f^{14}} + 40519286096*a^{16*b^{30*c^{13}*e^{30}} * f^{16}} - 49376608256*a^{18*b^{28*c^{13}*e^{28}} * f^{18}} + 46721401856*a^{20*b^{26*c^{13}*e^{26}} * f^{20}} - 33946324736*a^{22*b^{24*c^{13}*e^{24}} * f^{22}} + 18556579328*a^{24*b^{22*c^{13}*e^{22}} * f^{24}} - 7375276032*a^{26*b^{20*c^{13}*e^{20}} * f^{26}} + 2009817088*a^{28*b^{18*c^{13}*e^{18}} * f^{28}} - 335642624*a^{30*b^{16*c^{13}*e^{16}} * f^{30}} + 25907200*a^{32*b^{14*c^{13}*e^{14}} * f^{32}} - 21130794*a^{2*b^{42*c^{12}*e^{42}} * f^{2}} + 234399015*a^{4*b^{40*c^{12}*e^{40}} * f^{4}} * (a^{2*c*f^2})
\end{aligned}$$

$$\begin{aligned}
& - b^{2*c*f^2}) - 1604168280*a^6*b^38*c^{12}*e^{38}*f^{6*}(a^{2*c*f^2} - b^{2*c*e^2}) + \\
& 7579098492*a^8*b^36*c^{12}*e^{36}*f^{8*}(a^{2*c*f^2} - b^{2*c*e^2}) - 26212380172*a^{10}*b^{34}*c^{12}*e^{34}*f^{10*}(a^{2*c*f^2} - b^{2*c*e^2}) + 68672994096*a^{12}*b^{32}*c^{12}*e^{32}*f^{12*}(a^{2*c*f^2} - b^{2*c*e^2}) - 139160589504*a^{14}*b^{30}*c^{12}*e^{30}*f^{14*}(a^{2*c*f^2} - b^{2*c*e^2}) + 220859191808*a^{16}*b^{28}*c^{12}*e^{28}*f^{16*}(a^{2*c*f^2} - b^{2*c*e^2}) - 276344315328*a^{18}*b^{26}*c^{12}*e^{26}*f^{18*}(a^{2*c*f^2} - b^{2*c*e^2}) + 273130561984*a^{20}*b^{24}*c^{12}*e^{24}*f^{20*}(a^{2*c*f^2} - b^{2*c*e^2}) - 212730002688*a^{22}*b^{22}*c^{12}*e^{22}*f^{22*}(a^{2*c*f^2} - b^{2*c*e^2}) + 129574234368*a^{24}*b^{20}*c^{12}*e^{20}*f^{24*}(a^{2*c*f^2} - b^{2*c*e^2}) - 60770569216*a^{26}*b^{18}*c^{12}*e^{18}*f^{26*}(a^{2*c*f^2} - b^{2*c*e^2}) + 21304706048*a^{28}*b^{16}*c^{12}*e^{16}*f^{28*}(a^{2*c*f^2} - b^{2*c*e^2}) - 5272965120*a^{30}*b^{14}*c^{12}*e^{14}*f^{30*}(a^{2*c*f^2} - b^{2*c*e^2}) + 819441664*a^{32}*b^{12}*c^{12}*e^{12}*f^{32*}(a^{2*c*f^2} - b^{2*c*e^2}) - 59392000*a^{34}*b^{10}*c^{12}*e^{10}*f^{34*}(a^{2*c*f^2} - b^{2*c*e^2}) + 9289728*a^{6}*b^{24}*c^{5}*e^{24}*f^{6*}(a^{2*c*f^2} - b^{2*c*e^2})^8 - 36884480*a^{8}*b^{22}*c^{5}*e^{22}*f^{8*}(a^{2*c*f^2} - b^{2*c*e^2})^8 - 278604800*a^{10}*b^{20}*c^{5}*e^{20}*f^{10*}(a^{2*c*f^2} - b^{2*c*e^2})^8 + 2774483200*a^{12}*b^{18}*c^{5}*e^{18}*f^{12*}(a^{2*c*f^2} - b^{2*c*e^2})^8 - 10869657600*a^{14}*b^{16}*c^{5}*e^{16}*f^{14*}(a^{2*c*f^2} - b^{2*c*e^2})^8 + 25237416960*a^{16}*b^{14}*c^{5}*e^{14}*f^{16*}(a^{2*c*f^2} - b^{2*c*e^2})^8 - 38348909568*a^{18}*b^{12}*c^{5}*e^{12}*f^{18*}(a^{2*c*f^2} - b^{2*c*e^2})^8 + 39084659712*a^{20}*b^{10}*c^{5}*e^{10}*f^{20*}(a^{2*c*f^2} - b^{2*c*e^2})^8 - 26118635520*a^{22}*b^{8}*c^{5}*e^{8}*f^{22*}(a^{2*c*f^2} - b^{2*c*e^2})^8 + 10414620672*a^{24}*b^{6}*c^{5}*e^{6}*f^{24*}(a^{2*c*f^2} - b^{2*c*e^2})^8 - 1708654592*a^{26}*b^{4}*c^{5}*e^{4}*f^{26*}(a^{2*c*f^2} - b^{2*c*e^2})^8 - 276561920*a^{28}*b^{2}*c^{5}*e^{2}*f^{28*}(a^{2*c*f^2} - b^{2*c*e^2})^8 - 9704448*a^{4}*b^{28}*c^{6}*e^{28}*f^{4*}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 260614656*a^{6}*b^{26}*c^{6}*e^{26}*f^{6*}(a^{2*c*f^2} - b^{2*c*e^2})^7 - 2166022464*a^{8}*b^{24}*c^{6}*e^{24}*f^{8*}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 8626147840*a^{10}*b^{22}*c^{6}*e^{22}*f^{10*}(a^{2*c*f^2} - b^{2*c*e^2})^7 - 16771503616*a^{12}*b^{20}*c^{6}*e^{20}*f^{12*}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 3301800960*a^{14}*b^{18}*c^{6}*e^{18}*f^{14*}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 67337715968*a^{16}*b^{16}*c^{6}*e^{16}*f^{16*}(a^{2*c*f^2} - b^{2*c*e^2})^7 - 189857873920*a^{18}*b^{14}*c^{6}*e^{14}*f^{18*}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 286100259840*a^{20}*b^{12}*c^{6}*e^{12}*f^{20*}(a^{2*c*f^2} - b^{2*c*e^2})^7 - 275789894656*a^{22}*b^{10}*c^{6}*e^{10}*f^{22*}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 173716537344*a^{24}*b^{8}*c^{6}*e^{8}*f^{24*}(a^{2*c*f^2} - b^{2*c*e^2})^7 - 67416424448*a^{26}*b^{6}*c^{6}*e^{6}*f^{26*}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 12831686656*a^{28}*b^{4}*c^{6}*e^{4}*f^{28*}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 222560256*a^{30}*b^{2}*c^{6}*e^{2}*f^{30*}(a^{2*c*f^2} - b^{2*c*e^2})^7 + 2099520*a^{2}*b^{32}*c^{7}*e^{32}*f^{2*}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 107014608*a^{4}*b^{30}*c^{7}*e^{30}*f^{4*}(a^{2*c*f^2} - b^{2*c*e^2})^6 + 1848335616*a^{6}*b^{28}*c^{7}*e^{28}*f^{6*}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 15200005312*a^{8}*b^{26}*c^{7}*e^{26}*f^{8*}(a^{2*c*f^2} - b^{2*c*e^2})^6 + 72612273792*a^{10}*b^{24}*c^{7}*e^{24}*f^{10*}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 221855779968*a^{12}*b^{22}*c^{7}*e^{22}*f^{12*}(a^{2*c*f^2} - b^{2*c*e^2})^6 + 450717857536*a^{14}*b^{20}*c^{7}*e^{20}*f^{14*}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 600578910208*a^{16}*b^{18}*c^{7}*e^{18}*f^{16*}(a^{2*c*f^2} - b^{2*c*e^2})^6 + 459464530688*a^{18}*b^{16}*c^{7}*e^{16}*f^{18*}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 33638947840*a^{20}*b^{14}*c^{7}*e^{14}*f^{20*}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 376299926528*a^{22}*b^{12}*c^{7}*e^{12}*f^{22*}(a^{2*c*f^2} - b^{2*c*e^2})^6 + 488874068992*a^{24}*b^{10}*c^{7}*e^{10}*f^{24*}(a^{2*c*f^2} - b^{2*c*e^2})^6 - 333407809536*a^{26}*b^{8}*c^{7}*e^{8}*f^{26*}(a^{2*c*f^2} - b^{2*c*e^2})^6
\end{aligned}$$

$$\begin{aligned}
& - b^{2*c*e^2})^6 + 134140313600*a^{28}*b^{6*c^7}*e^{6*f^28}*(a^{2*c*f^2} - b^{2*c*e^2})^6 \\
& - 28220915712*a^{30}*b^{4*c^7}*e^{4*f^30}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 12305 \\
& 03936*a^{32}*b^{2*c^7}*e^{2*f^32}*(a^{2*c*f^2} - b^{2*c*e^2})^6 + 3335904*a^{2*b^{34}*c^8}*e^{34*f^2}*(a^{2*c*f^2} - b^{2*c*e^2})^5 \\
& - 290521728*a^{4*b^{32}*c^8}*e^{32*f^4}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 4865684544*a^{6*b^{30}*c^8}*e^{30*f^6}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^5 - 40437394528*a^{8*b^{28}*c^8}*e^{28*f^8}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 205 \\
& 602254656*a^{10*b^{26}*c^8}*e^{26*f^10}*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 703885344192*a^{12*b^{24}*c^8}*e^{24*f^12} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^5 + 1709253482624*a^{14*b^{22}*c^8}*e^{22*f^14}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^5 - 3029282695168*a^{16*b^{20}*c^8}*e^{20*f^16}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 3966230827520*a^{18*b^{18}*c^8}*e^{18*f^18} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^5 - 3822339813632*a^{20*b^{16}*c^8}*e^{16*f^20}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^5 + 2640438056960*a^{22*b^{14}*c^8}*e^{14*f^22}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 26 \\
& 9338092544*a^{26*b^{10}*c^8}*e^{10*f^26}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 53783212032*a^{28*b^{8}*c^8}*e^{8*f^28} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^5 - 60985360384*a^{30*b^{6}*c^8}*e^{6*f^30}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^5 + 17917083648*a^{32*b^{4}*c^8}*e^{4*f^32}*(a^{2*c*f^2} - b^{2*c*e^2})^5 - 1558708224*a^{34*b^{2}*c^8}*e^{2*f^34} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^5 - 11917692*a^{2*b^{36}*c^9}*e^{36*f^2}*(a^{2*c*f^2} - b^{2*c*e^2})^4 - 224907 \\
& 516*a^{4*b^{34}*c^9}*e^{34*f^4}*(a^{2*c*f^2} - b^{2*c*e^2})^4 + 5303932560*a^{6*b^{32}*c^9}*e^{32*f^6} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^4 - 48206418480*a^{8*b^{30}*c^9}*e^{30*f^8}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^4 + 261450609120*a^{10*b^{28}*c^9}*e^{28*f^10}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^4 - 962361040256*a^{12*b^{26}*c^9}*e^{26*f^12}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^4 + 2558559358080*a^{14*b^{24}*c^9}*e^{24*f^14}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^4 - 5975281259520*a^{24*b^{14}*c^9}*e^{14*f^24} \\
& *(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^4 + 3269297268736*a^{26*b^{12}*c^9}*e^{12*f^26}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^4 - 1339171540992*a^{28*b^{10}*c^9}*e^{10*f^28}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^4 + 391250194432*a^{30*b^{8}*c^9}*e^{8*f^30}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^4 - 148635648*a^{36*b^{2}*c^9}*e^{2*f^36}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^4 - 38704068*a^{2*b^{38}*c^{10}}*e^{38*f^2}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^3 + 188845992*a^{4*b^{36}*c^{10}}*e^{36*f^4}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^3 + 1157124204*a^{6*b^{34}*c^{10}}*e^{34*f^6}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^3 - 20586361424*a^{8*b^{32}*c^{10}}*e^{32*f^8}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^3 + 135395499200*a^{10*b^{30}*c^{10}}*e^{30*f^{10}}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^3 - 555513858464*a^{12*b^{28}*c^{10}}*e^{28*f^{12}}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^3 + 1608776388864*a^{14*b^{26}*c^{10}}*e^{26*f^{14}}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^3 - 3473989271488*a^{16*b^{24}*c^{10}}*e^{24*f^{16}}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^3 + 5766181411456*a^{18*b^{22}*c^{10}}*e^{22*f^{18}}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^3 - 7493983209472*a^{20*b^{20}*c^{10}}*e^{20*f^{20}}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^3 + 7713917084672*a^{22*b^{18}*c^{10}}*e^{18*f^{22}}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^3 - 6328467293184*a^{24*b^{16}*c^{10}}*e^{16*f^{24}}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^3 + 4142950034432*a^{26*b^{14}*c^{10}}*e^{14*f^{26}}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^3 - 2152681536512*a^{28*b^{12}}*e^{12*f^{28}}*(a^{2*c*f^2} - b^{2*c} \\
& *e^2)^3 + 874199511040*a^{30*b^{10}*c^{10}}*e^{10*f^{30}}
\end{aligned}$$

$$\begin{aligned}
& 10*f^30*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^32*b^8*c^10*e^8*f^32*(a^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^34*b^6*c^10*e^6*f^34*(a^2*c*f^2 - b^2*c*e^2)^3 - 8151957504*a^36*b^4*c^10*e^4*f^36*(a^2*c*f^2 - b^2*c*e^2)^3 + 530841600*a^38*b^2*c^10*e^2*f^38*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^2*b^40*c^11*e^40*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^38*c^11*e^38*f^4*(a^2*c*f^2 - b^2*c*e^2)^2 - 2180887236*a^6*b^36*c^11*e^36*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 + 6404946508*a^8*b^34*c^11*e^34*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 - 5434005264*a^10*b^32*c^11*e^32*f^10*(a^2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a^12*b^30*c^11*e^30*f^12*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447613600*a^14*b^28*c^11*e^28*f^14*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^16*b^26*c^11*e^26*f^16*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a^18*b^24*c^11*e^24*f^18*(a^2*c*f^2 - b^2*c*e^2)^2 - 1554566531328*a^20*b^22*c^11*e^22*f^20*(a^2*c*f^2 - b^2*c*e^2)^2 + 1659734381312*a^22*b^20*c^11*e^20*f^22*(a^2*c*f^2 - b^2*c*e^2)^2 - 1356361512192*a^24*b^18*c^11*e^18*f^24*(a^2*c*f^2 - b^2*c*e^2)^2 + 845331359744*a^26*b^16*c^11*e^16*f^26*(a^2*c*f^2 - b^2*c*e^2)^2 - 395676895232*a^28*b^14*c^11*e^14*f^28*(a^2*c*f^2 - b^2*c*e^2)^2 + 134902689792*a^30*b^12*c^11*e^12*f^30*(a^2*c*f^2 - b^2*c*e^2)^2 - 31670587392*a^32*b^10*c^11*e^10*f^32*(a^2*c*f^2 - b^2*c*e^2)^2 + 4584669184*a^34*b^8*c^11*e^8*f^34*(a^2*c*f^2 - b^2*c*e^2)^2 - 309657600*a^36*b^6*c^11*e^6*f^36*(a^2*c*f^2 - b^2*c*e^2)^2) - (4*a^(3/2)*b^6*c^2*e^6*f^3*(a*c)^(3/2)*(2*a^2*c*f^2 - b^2*c*e^2)*(4*a^2*c*f^2 - 3*b^2*c*e^2)*((4096*(16*C^4*a^4*b^8*c^5*e^10 + 64*C^4*a^12*c^5*e^2*f^8 - 92*C^4*a^6*b^6*c^5*e^8*f^2 + 192*C^4*a^8*b^4*c^5*e^6*f^4 - 176*C^4*a^10*b^2*c^5*e^4*f^6))/(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12) + (4096*C^4*e^4*(2*a^2*c*f^2 - b^2*c*e^2)^4*(9*a^2*b^14*c^7*e^12*f^6 - 43*a^4*b^12*c^7*e^10*f^8 + 82*a^6*b^10*c^7*e^8*f^10 - 78*a^8*b^8*c^7*e^6*f^12 + 37*a^10*b^6*c^7*e^4*f^14 - 7*a^12*b^4*c^7*e^2*f^16))/(f^8*(a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)^2*(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12)) + (4096*C^2*e^2*(2*a^2*f^2 - b^2*c*e^2)^2*(16*C^2*a^14*c^6*f^14 + 9*C^2*a^2*b^12*c^6*e^12*f^2 - 54*C^2*a^4*b^10*c^6*e^10*f^4 + 121*C^2*a^6*b^8*c^6*e^8*f^6 - 128*C^2*a^8*b^6*c^6*e^6*f^8 + 80*C^2*a^10*b^4*c^6*e^4*f^10 - 44*C^2*a^12*b^2*c^6*e^2*f^12))/(f^4*(a*f + b*e)^2*(a*f - b*e)^2*(a^2*c*f^2 - b^2*c*e^2)*(b^16*e^14*f^4 - 4*a^2*b^14*e^12*f^6 + 6*a^4*b^12*e^10*f^8 - 4*a^6*b^10*e^8*f^10 + a^8*b^8*e^6*f^12))*(4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4)^4*(b^16*e^12*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 - 4*a^2*b^14*e^10*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 + 6*a^4*b^12*e^8*f^10*(a^2*c*f^2 - b^2*c*e^2)^2 - 4*a^6*b^10*e^6*f^12*(a^2*c*f^2 - b^2*c*e^2)^2 + a^8*b^8*e^4*f^14*(a^2*c*f^2 - b^2*c*e^2)^2))/((b^2*c*e^2 - a^2*c*f^2)^(1/2)*(16384*C^4*a^6*c^3*f^4 + 4096*C^4*a^2*b^4*c^3*e^4 - 16384*C^4*a^4*b^2*c^3*e^2*f^2)*(164025*b^46*c^13*e^46 + 885735*b^44*c^12*e^44*(a^2*c*f^2 - b^2*c*e^2) + 117440512*a^30*c^5*f^30*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^32*c^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^34*c^7*f^34*(a^2*c*f^2 - b^2*c*e^2)^6 - 150994944*a^36*c^8*f^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^36*c^8*e^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^38*c^9*e^38*(a^2*c*f^2 - b^2*c*e^2)^4 + 2053593*b^40*c^
\end{aligned}$$

$$\begin{aligned}
& 10*e^{40}*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^{42}*c^{11}*e^{42}*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^{44}*c^{13}*e^{44}*f^2 + 43893819*a^4*b^{42}*c^{13}*e^{42}*f^4 - 301507155*a^6*b^{40}*c^{13}*e^{40}*f^6 + 1427514656*a^8*b^{38}*c^{13}*e^{38}*f^8 - 4936911112*a^{10}*b^{36}*c^{13}*e^{36}*f^{10} + 12893273616*a^{12}*b^{34}*c^{13}*e^{34}*f^{12} - 25921630432*a^{14}*b^{32}*c^{13}*e^{32}*f^{14} + 40519286096*a^{16}*b^{30}*c^{13}*e^{30}*f^{16} - 49376608256*a^{18}*b^{28}*c^{13}*e^{28}*f^{18} + 46721401856*a^{20}*b^{26}*c^{13}*e^{26}*f^{20} - 33946324736*a^{22}*b^{24}*c^{13}*e^{24}*f^{22} + 18556579328*a^{24}*b^{22}*c^{13}*e^{22}*f^{24} - 7375276032*a^{26}*b^{20}*c^{13}*e^{20}*f^{26} + 2009817088*a^{28}*b^{18}*c^{13}*e^{18}*f^{28} - 335642624*a^{30}*b^{16}*c^{13}*e^{16}*f^{30} + 25907200*a^{32}*b^{14}*c^{13}*e^{14}*f^{32} - 21130794*a^{22}*b^{42}*c^{12}*e^{42}*f^{22}*(a^2*c*f^2 - b^2*c*e^2) + 234399015*a^4*b^{40}*c^{12}*e^{40}*f^{42}*(a^2*c*f^2 - b^2*c*e^2) - 1604168280*a^6*b^{38}*c^{12}*e^{38}*f^{62}*(a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^{10}*b^{34}*c^{12}*e^{34}*f^{10}*(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^{12}*b^{32}*c^{12}*e^{32}*f^{12}*(a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^{14}*b^{30}*c^{12}*e^{30}*f^{14}*(a^2*c*f^2 - b^2*c*e^2) + 220859191808*a^{16}*b^{28}*c^{12}*e^{28}*f^{16}*(a^2*c*f^2 - b^2*c*e^2) - 276344315328*a^{18}*b^{26}*c^{12}*e^{26}*f^{18}*(a^2*c*f^2 - b^2*c*e^2) + 273130561984*a^{20}*b^{24}*c^{12}*e^{24}*f^{20}*(a^2*c*f^2 - b^2*c*e^2) - 212730002688*a^{22}*b^{22}*c^{12}*e^{22}*f^{22}*(a^2*c*f^2 - b^2*c*e^2) + 129574234368*a^{24}*b^{20}*c^{12}*e^{20}*f^{24}*(a^2*c*f^2 - b^2*c*e^2) - 60770569216*a^{26}*b^{18}*c^{12}*e^{18}*f^{26}*(a^2*c*f^2 - b^2*c*e^2) + 21304706048*a^{28}*b^{16}*c^{12}*e^{16}*f^{28}*(a^2*c*f^2 - b^2*c*e^2) - 5272965120*a^{30}*b^{14}*c^{12}*e^{14}*f^{30}*(a^2*c*f^2 - b^2*c*e^2) + 819441664*a^{32}*b^{12}*c^{12}*e^{12}*f^{32}*(a^2*c*f^2 - b^2*c*e^2) - 59392000*a^{34}*b^{10}*c^{12}*e^{10}*f^{34}*(a^2*c*f^2 - b^2*c*e^2) + 9289728*a^{6}*b^{24}*c^{5}*e^{24}*f^{6}*(a^2*c*f^2 - b^2*c*e^2)^8 - 36884480*a^{8}*b^{22}*c^{5}*e^{22}*f^{8}*(a^2*c*f^2 - b^2*c*e^2)^8 - 278604800*a^{10}*b^{20}*c^{5}*e^{20}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^8 + 2774483200*a^{12}*b^{18}*c^{5}*e^{18}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^8 - 10869657600*a^{14}*b^{16}*c^{5}*e^{16}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^8 + 25237416960*a^{16}*b^{14}*c^{5}*e^{14}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^8 - 38348909568*a^{18}*b^{12}*c^{5}*e^{12}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^8 + 39084659712*a^{20}*b^{10}*c^{5}*e^{10}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^8 - 26118635520*a^{22}*b^{8}*c^{5}*e^{8}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^8 + 10414620672*a^{24}*b^{6}*c^{5}*e^{6}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^8 - 1708654592*a^{26}*b^{4}*c^{5}*e^{4}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^8 - 276561920*a^{28}*b^{2}*c^{5}*e^{2}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^8 - 9704448*a^{4}*b^{28}*c^{6}*e^{28}*f^{4}*(a^2*c*f^2 - b^2*c*e^2)^7 + 260614656*a^{6}*b^{26}*c^{6}*e^{26}*f^{6}*(a^2*c*f^2 - b^2*c*e^2)^7 - 2166022464*a^{8}*b^{24}*c^{6}*e^{24}*f^{8}*(a^2*c*f^2 - b^2*c*e^2)^7 + 8626147840*a^{10}*b^{22}*c^{6}*e^{22}*f^{10}*(a^2*c*f^2 - b^2*c*e^2)^7 - 16771503616*a^{12}*b^{20}*c^{6}*e^{20}*f^{12}*(a^2*c*f^2 - b^2*c*e^2)^7 + 3301800960*a^{14}*b^{18}*c^{6}*e^{18}*f^{14}*(a^2*c*f^2 - b^2*c*e^2)^7 + 67337715968*a^{16}*b^{16}*c^{6}*e^{16}*f^{16}*(a^2*c*f^2 - b^2*c*e^2)^7 - 189857873920*a^{18}*b^{14}*c^{6}*e^{14}*f^{18}*(a^2*c*f^2 - b^2*c*e^2)^7 + 286100259840*a^{20}*b^{12}*c^{6}*e^{12}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^7 - 275789894656*a^{22}*b^{10}*c^{6}*e^{10}*f^{22}*(a^2*c*f^2 - b^2*c*e^2)^7 + 173716537344*a^{24}*b^{8}*c^{6}*e^{8}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^7 - 67416424448*a^{26}*b^{6}*c^{6}*e^{6}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^7 + 12831686656*a^{28}*b^{4}*c^{6}*e^{4}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^7 + 222560256*a^{30}*b^{2}*c^{6}*e^{2}*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^7 + 2099520*a^{2}*b^{32}
\end{aligned}$$

$$\begin{aligned}
& *c^7 * e^{32} * f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^6 - 107014608 * a^4 * b^30 * c^7 * e^30 * f^4 * (\\
& a^2 * c * f^2 - b^2 * c * e^2)^6 + 1848335616 * a^6 * b^28 * c^7 * e^28 * f^6 * (a^2 * c * f^2 - b^2 * c * e^2)^6 - \\
& 15200005312 * a^8 * b^26 * c^7 * e^26 * f^8 * (a^2 * c * f^2 - b^2 * c * e^2)^6 + 72612273792 * a^{10} * b^{24} * c^7 * e^{24} * f^{10} * (a^2 * c * f^2 - b^2 * c * e^2)^6 - 22185577996 \\
& 8 * a^{12} * b^{22} * c^7 * e^{22} * f^{12} * (a^2 * c * f^2 - b^2 * c * e^2)^6 + 450717857536 * a^{14} * b^2 \\
& 0 * c^7 * e^{20} * f^{14} * (a^2 * c * f^2 - b^2 * c * e^2)^6 - 600578910208 * a^{16} * b^{18} * c^7 * e^{18} \\
& * f^{16} * (a^2 * c * f^2 - b^2 * c * e^2)^6 + 459464530688 * a^{18} * b^{16} * c^7 * e^{16} * f^{18} * (a^2 * c * f^2 - b^2 * c * e^2)^6 - 33638947840 * a^{20} * b^{14} * c^7 * e^{14} * f^{20} * (a^2 * c * f^2 - b^2 * c * e^2)^6 - 376299926528 * a^{22} * b^{12} * c^7 * e^{12} * f^{22} * (a^2 * c * f^2 - b^2 * c * e^2)^6 \\
& + 488874068992 * a^{24} * b^{10} * c^7 * e^{10} * f^{24} * (a^2 * c * f^2 - b^2 * c * e^2)^6 - 3334078 \\
& 09536 * a^{26} * b^{8} * c^7 * e^{8} * f^{26} * (a^2 * c * f^2 - b^2 * c * e^2)^6 + 134140313600 * a^{28} * b^6 * c^7 * e^6 * f^28 * (a^2 * c * f^2 - b^2 * c * e^2)^6 - 28220915712 * a^{30} * b^4 * c^7 * e^4 * f^30 * (a^2 * c * f^2 - b^2 * c * e^2)^6 + 1230503936 * a^{32} * b^2 * c^7 * e^2 * f^32 * (a^2 * c * f^2 - b^2 * c * e^2)^6 + 3335904 * a^2 * b^34 * c^8 * e^34 * f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^5 - 290521728 * a^4 * b^32 * c^8 * e^32 * f^4 * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 4865684544 * a^6 * b^30 * c^8 * e^30 * f^6 * (a^2 * c * f^2 - b^2 * c * e^2)^5 - 40437394528 * a^8 * b^28 * c^8 * e^28 * f^8 * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 205602254656 * a^{10} * b^26 * c^8 * e^26 * f^10 * (a^2 * c * f^2 - b^2 * c * e^2)^5 - 703885344192 * a^{12} * b^{24} * c^8 * e^{24} * f^{12} * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 1709253482624 * a^{14} * b^{22} * c^8 * e^{22} * f^{14} * (a^2 * c * f^2 - b^2 * c * e^2)^5 - 3029282695168 * a^{16} * b^{20} * c^8 * e^{20} * f^{16} * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 39662 \\
& 30827520 * a^{18} * b^{18} * c^8 * e^{18} * f^{18} * (a^2 * c * f^2 - b^2 * c * e^2)^5 - 3822339813632 * a^{20} * b^{16} * c^8 * e^{16} * f^{20} * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 2640438056960 * a^{22} * b^{14} * c^8 * e^{14} * f^{22} * (a^2 * c * f^2 - b^2 * c * e^2)^5 - 1208501415936 * a^{24} * b^{12} * c^8 * e^{12} * f^{24} * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 269338092544 * a^{26} * b^{10} * c^8 * e^{10} * f^{26} * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 53783212032 * a^{28} * b^8 * c^8 * e^8 * f^28 * (a^2 * c * f^2 - b^2 * c * e^2)^5 - 60985360384 * a^{30} * b^6 * c^8 * e^6 * f^30 * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 17 \\
& 917083648 * a^{32} * b^4 * c^8 * e^4 * f^32 * (a^2 * c * f^2 - b^2 * c * e^2)^5 - 1558708224 * a^{34} * b^2 * c^8 * e^2 * f^34 * (a^2 * c * f^2 - b^2 * c * e^2)^5 - 11917692 * a^2 * b^36 * c^9 * e^36 * f^2 * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 224907516 * a^4 * b^34 * c^9 * e^34 * f^4 * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 5303932560 * a^6 * b^32 * c^9 * e^32 * f^6 * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 48206418480 * a^8 * b^30 * c^9 * e^30 * f^8 * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 261450609120 * a^{10} * b^{28} * c^9 * e^{28} * f^{10} * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 962361040256 * a^{12} * b^{26} * c^9 * e^{26} * f^{12} * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 2558559358080 * a^{14} * b^{24} * c^9 * e^{24} * f^{14} * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 5091804150656 * a^{16} * b^{22} * c^9 * e^{22} * f^{16} * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 7750806514944 * a^{18} * b^{20} * c^9 * e^{20} * f^{18} * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 9137207485952 * a^{20} * b^{18} * c^9 * e^{18} * f^{20} * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 8384563280128 * a^{22} * b^{16} * c^9 * e^{16} * f^{22} * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 59 \\
& 75281259520 * a^{24} * b^{14} * c^9 * e^{14} * f^{24} * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 32692972687 * a^{26} * b^{12} * c^9 * e^{12} * f^{26} * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 1339171540992 * a^{28} * b^{10} * c^9 * e^{10} * f^{28} * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 391250194432 * a^{30} * b^8 * c^9 * e^8 * f^{30} * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 74114154496 * a^{32} * b^6 * c^9 * e^6 * f^32 * (a^2 * c * f^2 - b^2 * c * e^2)^4 + 7299203072 * a^{34} * b^4 * c^9 * e^4 * f^34 * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 148635648 * a^{36} * b^2 * c^9 * e^2 * f^36 * (a^2 * c * f^2 - b^2 * c * e^2)^4 - 38704068 * a^2 * b^{38} * c^{10} * e^{38} * f^{2} * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 188845992 * a^4 * b^36 * c^{10} * e^{36} * f^4 * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 1157124204 * a^6 * b^34 * c^{10} * e^{34} * f^6 * (a^2 * c * f^2 - b^2 * c * e^2)^3
\end{aligned}$$

$$\begin{aligned}
& 2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^10*b^30*c^10*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& - 555513858464*a^12*b^28*c^10*e^28*f^12*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^14*b^26*c^10*e^26*f^14*(a^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488 \\
& *a^16*b^24*c^10*e^24*f^16*(a^2*c*f^2 - b^2*c*e^2)^3 + 5766181411456*a^18*b^22*c^10*e^22*f^18*(a^2*c*f^2 - b^2*c*e^2)^3 - 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2*c*e^2)^3 + 7713917084672*a^22*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328467293184*a^24*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432*a^26*b^14*c^10*e^14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^28*b^12*c^10*e^12*f^28*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^30*b^10*c^10*e^10*f^30*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^32*b^8*c^10*e^8*f^32*(a^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^34*b^6*c^10*e^6*f^34*(a^2*c*f^2 - b^2*c*e^2)^3 - 8151957504*a^36*b^4*c^10*e^4*f^36*(a^2*c*f^2 - b^2*c*e^2)^3 + 530841600*a^38*b^2*c^10*e^2*f^38*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^2*b^40*c^11*e^40*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^38*c^11*e^38*f^4*(a^2*c*f^2 - b^2*c*e^2)^2 - 2180887236*a^6*b^36*c^11*e^36*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 + 6404946508*a^8*b^34*c^11*e^34*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 - 5434005264*a^10*b^32*c^11*e^32*f^10*(a^2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a^12*b^30*c^11*e^30*f^12*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447613600*a^14*b^28*c^11*e^28*f^14*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^16*b^26*c^11*e^26*f^16*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a^18*b^24*c^11*e^24*f^18*(a^2*c*f^2 - b^2*c*e^2)^2 - 1554566531328*a^20*b^22*c^11*e^22*f^20*(a^2*c*f^2 - b^2*c*e^2)^2 + 1659734381312*a^22*b^20*c^11*e^20*f^22*(a^2*c*f^2 - b^2*c*e^2)^2 - 1356361512192*a^24*b^18*c^11*e^18*f^24*(a^2*c*f^2 - b^2*c*e^2)^2 + 845331359744*a^26*b^16*c^11*e^16*f^26*(a^2*c*f^2 - b^2*c*e^2)^2 - 395676895232*a^28*b^14*c^11*e^14*f^28*(a^2*c*f^2 - b^2*c*e^2)^2 + 134902689792*a^30*b^12*c^11*e^12*f^30*(a^2*c*f^2 - b^2*c*e^2)^2 - 31670587392*a^32*b^10*c^11*e^10*f^32*(a^2*c*f^2 - b^2*c*e^2)^2 + 4584669184*a^34*b^8*c^11*e^8*f^34*(a^2*c*f^2 - b^2*c*e^2)^2 - 309657600*a^36*b^6*c^11*e^6*f^36*(a^2*c*f^2 - b^2*c*e^2)^2)) - 2*atan(((a^(3/2)*f^3*(a*c)^(3/2)*(4*a^2*c*f^2 - b^2*c*e^2)^2*(4*a^2*c*f^2 - 3*b^2*c*e^2)*(4*a^6*c*f^6 - 3*b^6*c*e^6 + 8*a^2*b^4*c*e^4*f^2 - 8*a^4*b^2*c*e^2*f^4)^4)/(c^2*(164025*b^46*c^13*e^46 + 885735*b^44*c^12*e^44*(a^2*c*f^2 - b^2*c*e^2) + 117440512*a^30*c^5*f^30*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^32*c^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^34*c^7*f^34*(a^2*c*f^2 - b^2*c*e^2)^6 - 150994944*a^36*c^8*f^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^36*c^8*e^36*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^38*c^9*e^38*(a^2*c*f^2 - b^2*c*e^2)^4 + 2053593*b^40*c^10*e^40*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^42*c^11*e^42*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^2*b^44*c^13*e^44*f^2 + 43893819*a^4*b^42*c^13*e^42*f^4 - 301507155*a^6*b^40*c^13*e^40*f^6 + 1427514656*a^8*b^38*c^13*e^38*f^8 - 493691112*a^10*b^36*c^13*e^36*f^10 + 12893273616*a^12*b^34*c^13*e^34*f^12 - 25921630432*a^14*b^32*c^13*e^32*f^14 + 40519286096*a^16*b^30*c^13*e^30*f^16 - 49376608256*a^18*b^28*c^13*e^28*f^18 + 46721401856*a^20*b^26*c^13*e^26*f^20 - 33946324736*a^22*b^24*c^13*e^24*f^22 + 18556579328*a^24*b^22*c^13*e^22*f^24 - 7375276032*a^26*b^20*c^13*e^20*f^26 +
\end{aligned}$$

$$\begin{aligned}
& 2009817088*a^{28}*b^{18}*c^{13}*e^{18}*f^{28} - 335642624*a^{30}*b^{16}*c^{13}*e^{16}*f^{30} + \\
& 25907200*a^{32}*b^{14}*c^{13}*e^{14}*f^{32} - 21130794*a^{2}*b^{42}*c^{12}*e^{42}*f^{2}*(a^{2}*c \\
& *f^{2} - b^{2}*c*e^{2}) + 234399015*a^{4}*b^{40}*c^{12}*e^{40}*f^{4}*(a^{2}*c*f^{2} - b^{2}*c*e^{2} \\
&) - 1604168280*a^{6}*b^{38}*c^{12}*e^{38}*f^{6}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) + 7579098492* \\
&a^{8}*b^{36}*c^{12}*e^{36}*f^{8}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) - 26212380172*a^{10}*b^{34}*c^{12} \\
& *e^{34}*f^{10}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) + 68672994096*a^{12}*b^{32}*c^{12}*e^{32}*f^{12}*(\\
&a^{2}*c*f^{2} - b^{2}*c*e^{2}) - 139160589504*a^{14}*b^{30}*c^{12}*e^{30}*f^{14}*(a^{2}*c*f^{2} - \\
&b^{2}*c*e^{2}) + 220859191808*a^{16}*b^{28}*c^{12}*e^{28}*f^{16}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) \\
&- 276344315328*a^{18}*b^{26}*c^{12}*e^{26}*f^{18}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) + 27313056 \\
&1984*a^{20}*b^{24}*c^{12}*e^{24}*f^{20}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) - 212730002688*a^{22}*b \\
& ^{22}*c^{12}*e^{22}*f^{22}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) + 129574234368*a^{24}*b^{20}*c^{12}*e^{ \\
&20}*f^{24}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) - 60770569216*a^{26}*b^{18}*c^{12}*e^{18}*f^{26}*(a^{2} \\
& *c*f^{2} - b^{2}*c*e^{2}) + 21304706048*a^{28}*b^{16}*c^{12}*e^{16}*f^{28}*(a^{2}*c*f^{2} - b^{2} \\
& *c*e^{2}) - 5272965120*a^{30}*b^{14}*c^{12}*e^{14}*f^{30}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) + 819 \\
&441664*a^{32}*b^{12}*c^{12}*e^{12}*f^{32}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) - 59392000*a^{34}*b^{1} \\
&0*c^{12}*e^{10}*f^{34}*(a^{2}*c*f^{2} - b^{2}*c*e^{2}) + 9289728*a^{6}*b^{24}*c^{5}*e^{24}*f^{6}*(a \\
& ^{2}*c*f^{2} - b^{2}*c*e^{2})^8 - 36884480*a^{8}*b^{22}*c^{5}*e^{22}*f^{8}*(a^{2}*c*f^{2} - b^{2} \\
& *c*e^{2})^8 - 278604800*a^{10}*b^{20}*c^{5}*e^{20}*f^{10}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 + 277 \\
&4483200*a^{12}*b^{18}*c^{5}*e^{18}*f^{12}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 - 10869657600*a^{1} \\
&4*b^{16}*c^{5}*e^{16}*f^{14}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 + 25237416960*a^{16}*b^{14}*c^{5}* \\
&e^{14}*f^{16}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 - 38348909568*a^{18}*b^{12}*c^{5}*e^{12}*f^{18}*(\\
&a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 + 39084659712*a^{20}*b^{10}*c^{5}*e^{10}*f^{20}*(a^{2}*c*f^{2} - \\
&b^{2}*c*e^{2})^8 - 26118635520*a^{22}*b^{8}*c^{5}*e^{8}*f^{22}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 \\
&+ 10414620672*a^{24}*b^{6}*c^{5}*e^{6}*f^{24}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 - 1708654592 \\
&*a^{26}*b^{4}*c^{5}*e^{4}*f^{26}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 - 276561920*a^{28}*b^{2}*c^{5}*e \\
&^{2}*f^{28}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^8 - 9704448*a^{4}*b^{28}*c^{6}*e^{28}*f^{4}*(a^{2}*c*f \\
&2 - b^{2}*c*e^{2})^7 + 260614656*a^{6}*b^{26}*c^{6}*e^{26}*f^{6}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^ \\
&7 - 2166022464*a^{8}*b^{24}*c^{6}*e^{24}*f^{8}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 + 8626147840 \\
&*a^{10}*b^{22}*c^{6}*e^{22}*f^{10}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 - 16771503616*a^{12}*b^{20} \\
&c^{6}*e^{20}*f^{12}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 + 3301800960*a^{14}*b^{18}*c^{6}*e^{18}*f^{1} \\
&4*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 + 67337715968*a^{16}*b^{16}*c^{6}*e^{16}*f^{16}*(a^{2}*c*f \\
&2 - b^{2}*c*e^{2})^7 - 189857873920*a^{18}*b^{14}*c^{6}*e^{14}*f^{18}*(a^{2}*c*f^{2} - b^{2}*c* \\
&e^{2})^7 + 286100259840*a^{20}*b^{12}*c^{6}*e^{12}*f^{20}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 - 2 \\
&75789894656*a^{22}*b^{10}*c^{6}*e^{10}*f^{22}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 + 17371653734 \\
&4*a^{24}*b^{8}*c^{6}*e^{8}*f^{24}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 - 67416424448*a^{26}*b^{6}*c \\
&6*e^{6}*f^{26}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^7 + 12831686656*a^{28}*b^{4}*c^{6}*e^{4}*f^{28}*(a \\
&^{2}*c*f^{2} - b^{2}*c*e^{2})^7 + 222560256*a^{30}*b^{2}*c^{6}*e^{2}*f^{30}*(a^{2}*c*f^{2} - b^{2} \\
&*c*e^{2})^7 + 2099520*a^{2}*b^{32}*c^{7}*e^{32}*f^{2}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^6 - 107014 \\
&608*a^{4}*b^{30}*c^{7}*e^{30}*f^{4}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^6 + 1848335616*a^{6}*b^{28}*c \\
&^{7}*e^{28}*f^{6}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^6 - 15200005312*a^{8}*b^{26}*c^{7}*e^{26}*f^{8}*(\\
&a^{2}*c*f^{2} - b^{2}*c*e^{2})^6 + 72612273792*a^{10}*b^{24}*c^{7}*e^{24}*f^{10}*(a^{2}*c*f^{2} - \\
&b^{2}*c*e^{2})^6 - 221855779968*a^{12}*b^{22}*c^{7}*e^{22}*f^{12}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^ \\
&6 + 450717857536*a^{14}*b^{20}*c^{7}*e^{20}*f^{14}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^6 - 6005 \\
&78910208*a^{16}*b^{18}*c^{7}*e^{18}*f^{16}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^6 + 459464530688*a \\
&^{18}*b^{16}*c^{7}*e^{16}*f^{18}*(a^{2}*c*f^{2} - b^{2}*c*e^{2})^6 - 33638947840*a^{20}*b^{14}*c
\end{aligned}$$

$$\begin{aligned}
& 7*e^{14}*f^{20}*(a^2*c*f^2 - b^2*c*e^2)^6 - 376299926528*a^{22}*b^{12}*c^7*e^{12}*f^2 \\
& 2*(a^2*c*f^2 - b^2*c*e^2)^6 + 488874068992*a^{24}*b^{10}*c^7*e^{10}*f^{24}*(a^2*c*f^2 \\
& ^2 - b^2*c*e^2)^6 - 333407809536*a^{26}*b^8*c^7*e^8*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^6 \\
& + 134140313600*a^{28}*b^6*c^7*e^6*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^6 - 2822 \\
& 0915712*a^{30}*b^4*c^7*e^4*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^6 + 1230503936*a^{32}*b \\
& ^2*c^7*e^2*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^6 + 3335904*a^{2*2*b^34*c^8*e^34*f^2}*(a^2*c*f^2 \\
& - b^2*c*e^2)^5 - 290521728*a^{4*b^32*c^8*e^32*f^4}*(a^2*c*f^2 - b^2 \\
& *c*e^2)^5 + 4865684544*a^{6*b^30*c^8*e^30*f^6}*(a^2*c*f^2 - b^2*c*e^2)^5 - 40 \\
& 437394528*a^{8*b^28*c^8*e^28*f^8}*(a^2*c*f^2 - b^2*c*e^2)^5 + 205602254656*a^ \\
& 10*b^{26*c^8*e^26*f^10}*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192*a^{12*b^24*c^ \\
& 8*e^24*f^12}*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^{14*b^22*c^8*e^22*f^14} \\
& *(a^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168*a^{16*b^20*c^8*e^20*f^16}*(a^2*c \\
& *f^2 - b^2*c*e^2)^5 + 3966230827520*a^{18*b^18*c^8*e^18*f^18}*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^5 - 3822339813632*a^{20*b^16*c^8*e^16*f^20}*(a^2*c*f^2 - b^2*c*e^2)^5 \\
& + 2640438056960*a^{22*b^14*c^8*e^14*f^22}*(a^2*c*f^2 - b^2*c*e^2)^5 - 12085 \\
& 01415936*a^{24*b^12*c^8*e^12*f^24}*(a^2*c*f^2 - b^2*c*e^2)^5 + 269338092544*a^ \\
& 26*b^{10*c^8*e^10*f^26}*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032*a^{28*b^8*c^8} \\
& *e^8*f^28}*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^{30*b^6*c^8*e^6*f^30}*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^{32*b^4*c^8*e^4*f^32}*(a^2*c*f^2 - b^2 \\
& *c*e^2)^5 - 1558708224*a^{34*b^2*c^8*e^2*f^34}*(a^2*c*f^2 - b^2*c*e^2)^5 - 11 \\
& 917692*a^{2*b^36*c^9*e^36*f^2}*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516*a^{4*b^34} \\
& *c^9*e^34*f^4}*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^{6*b^32*c^9*e^32*f^6} \\
& *(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^{8*b^30*c^9*e^30*f^8}*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^4 + 261450609120*a^{10*b^28*c^9*e^28*f^10}*(a^2*c*f^2 - b^2*c*e^2)^4 \\
& - 962361040256*a^{12*b^26*c^9*e^26*f^12}*(a^2*c*f^2 - b^2*c*e^2)^4 + 25585 \\
& 59358080*a^{14*b^24*c^9*e^24*f^14}*(a^2*c*f^2 - b^2*c*e^2)^4 - 5091804150656* \\
& a^{16*b^22*c^9*e^22*f^16}*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944*a^{18*b^20} \\
& *c^9*e^20*f^18}*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^{20*b^18*c^9*e^18} \\
& *f^20}*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^{22*b^16*c^9*e^16*f^22}*(a^ \\
& 2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^{24*b^14*c^9*e^14*f^24}*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^4 + 3269297268736*a^{26*b^12*c^9*e^12*f^26}*(a^2*c*f^2 - b^2*c*e^2)^4 \\
& - 1339171540992*a^{28*b^10*c^9*e^10*f^28}*(a^2*c*f^2 - b^2*c*e^2)^4 + 39 \\
& 1250194432*a^{30*b^8*c^9*e^8*f^30}*(a^2*c*f^2 - b^2*c*e^2)^4 - 74114154496*a^ \\
& 32*b^6*c^9*e^6*f^32}*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^{34*b^4*c^9*e^4} \\
& *f^34}*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^{36*b^2*c^9*e^2*f^36}*(a^2*c*f^2 \\
& - b^2*c*e^2)^4 - 38704068*a^{2*b^38*c^10*e^38*f^2}*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& + 188845992*a^{4*b^36*c^10*e^36*f^4}*(a^2*c*f^2 - b^2*c*e^2)^3 + 1157124204 \\
& *a^{6*b^34*c^10*e^34*f^6}*(a^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^{8*b^32*c^ \\
& 10*e^32*f^8}*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^{10*b^30*c^10*e^30*f^10} \\
& *(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^{12*b^28*c^10*e^28*f^12}*(a^2*c \\
& *f^2 - b^2*c*e^2)^3 + 1608776388864*a^{14*b^26*c^10*e^26*f^14}*(a^2*c*f^2 - b^ \\
& 2*c*e^2)^3 - 3473989271488*a^{16*b^24*c^10*e^24*f^16}*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& + 5766181411456*a^{18*b^22*c^10*e^22*f^18}*(a^2*c*f^2 - b^2*c*e^2)^3 - 74 \\
& 93983209472*a^{20*b^20*c^10*e^20*f^20}*(a^2*c*f^2 - b^2*c*e^2)^3 + 7713917084 \\
& 672*a^{22*b^18*c^10*e^18*f^22}*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328467293184*a^{24}
\end{aligned}$$

$$\begin{aligned}
& *b^{16}*c^{10}*e^{16}*f^{24}*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432*a^{26}*b^{14}*c^{10}*e^{14}*f^{26}*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^{28}*b^{12}*c^{10}*e^{12}*f^{28}*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^{30}*b^{10}*c^{10}*e^{10}*f^{30}*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^{32}*b^8*c^{10}*e^8*f^{32}*(a^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^{34}*b^6*c^{10}*e^6*f^{34}*(a^2*c*f^2 - b^2*c*e^2)^3 - 8151957504*a^{36}*b^4*c^{10}*e^4*f^{36}*(a^2*c*f^2 - b^2*c*e^2)^3 + 530841600*a^{38}*b^2*c^{10}*e^2*f^{38}*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^{2*2*b^{40}*c^{11}*e^4}*0*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^{4*b^{38}*c^{11}*e^{38}*f^4}*(a^2*c*f^2 - b^2*c*e^2)^2 - 2180887236*a^{6*b^{36}*c^{11}*e^{36}*f^6}*(a^2*c*f^2 - b^2*c*e^2)^2 + 6404946508*a^{8*b^{34}*c^{11}*e^{34}*f^8}*(a^2*c*f^2 - b^2*c*e^2)^2 - 5434005264*a^{10*b^{32}*c^{11}*e^{32}*f^{10}}*(a^2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a^{12*b^{30}*c^{11}*e^{30}*f^{12}}*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447613600*a^{14*b^{28}*c^{11}*e^{28}*f^{14}}*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^{16*b^{26}*c^{11}*e^{26}*f^16}*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a^{18*b^{24}*c^{11}*e^{24}*f^{18}}*(a^2*c*f^2 - b^2*c*e^2)^2 - 1554566531328*a^{20*b^{22}*c^{11}*e^{22}*f^{20}}*(a^2*c*f^2 - b^2*c*e^2)^2 + 1659734381312*a^{22*b^{20}*c^{11}*e^{20}*f^{22}}*(a^2*c*f^2 - b^2*c*e^2)^2 - 1356361512192*a^{24*b^{18}*c^{11}*e^{18}*f^{24}}*(a^2*c*f^2 - b^2*c*e^2)^2 + 845331359744*a^{26*b^{16}*c^{11}*e^{16}*f^{26}}*(a^2*c*f^2 - b^2*c*e^2)^2 - 395676895232*a^{28*b^{14}*c^{11}*e^{14}*f^{28}}*(a^2*c*f^2 - b^2*c*e^2)^2 + 134902689792*a^{30*b^{12}*c^{11}*e^{12}*f^{30}}*(a^2*c*f^2 - b^2*c*e^2)^2 - 31670587392*a^{32*b^{10}*c^{11}*e^{10}*f^{32}}*(a^2*c*f^2 - b^2*c*e^2)^2 + 4584669184*a^{34*b^{8}*c^{11}*e^{8}*f^{34}}*(a^2*c*f^2 - b^2*c*e^2)^2 - 309657600*a^{36*b^{6}*c^{11}*e^{6}*f^{36}}*(a^2*c*f^2 - b^2*c*e^2)^2 - (a^{(5/2)*f^5}*(a*c)^{(5/2)}*(4*a^{2*c*f^2} - 3*b^{2*c*e^2})^3*(4*a^{6*c*f^6} - 3*b^{6*c*e^6} + 8*a^{2*b^4*c*e^4*f^2} - 8*a^{4*b^2*c*e^2*f^4})^4)/(c^{2*}(a^2*c*f^2 - b^2*c*e^2)*(164025*b^{46}*c^{13}*e^{46} + 885735*b^{44}*c^{12}*e^{44}*(a^2*c*f^2 - b^2*c*e^2) + 117440512*a^{30*c^5*f^30}*(a^2*c*f^2 - b^2*c*e^2)^8 - 385875968*a^{32*c^6*f^32}*(a^2*c*f^2 - b^2*c*e^2)^7 + 419430400*a^{34*c^7*f^34}*(a^2*c*f^2 - b^2*c*e^2)^6 - 150994944*a^{36*c^8*f^36}*(a^2*c*f^2 - b^2*c*e^2)^5 + 236196*b^{36*c^8*e^36}*(a^2*c*f^2 - b^2*c*e^2)^5 + 1102248*b^{38*c^9*e^38}*(a^2*c*f^2 - b^2*c*e^2)^4 + 2053593*b^{40*c^10*e^40}*(a^2*c*f^2 - b^2*c*e^2)^3 + 1909251*b^{42*c^11*e^42}*(a^2*c*f^2 - b^2*c*e^2)^2 - 3937329*a^{2*b^{44}*c^{13}*e^{44}*f^2} + 43893819*a^{4*b^{42}*c^{13}*e^{42}*f^4} - 301507155*a^{6*b^{40}*c^{13}*e^{40}*f^6} + 1427514656*a^{8*b^{38}*c^{13}*e^{38}*f^8} - 4936911112*a^{10*b^{36}*c^{13}*e^{36}*f^{10}} + 12893273616*a^{12*b^{34}*c^{13}*e^{34}*f^{12}} - 25921630432*a^{14*b^{32}*c^{13}*e^{32}*f^{14}} + 40519286096*a^{16*b^{30}*c^{13}*e^{30}*f^{16}} - 49376608256*a^{18*b^{28}*c^{13}*e^{28}*f^{18}} + 46721401856*a^{20*b^{26}*c^{13}*e^{26}*f^{20}} - 33946324736*a^{22*b^{24}*c^{13}*e^{24}*f^{22}} + 18556579328*a^{24*b^{22}*c^{13}*e^{22}*f^{24}} - 7375276032*a^{26*b^{20}*c^{13}*e^{20}*f^{26}} + 2009817088*a^{28*b^{18}*c^{13}*e^{18}*f^{28}} - 335642624*a^{30*b^{16}*c^{16}*f^{30}} + 25907200*a^{32*b^{14}*c^{13}*e^{14}*f^{32}} - 21130794*a^{2*b^{42}*c^{12}*e^{42}*f^2}*(a^2*c*f^2 - b^2*c*e^2) + 234399015*a^{4*b^{40}*c^{12}*e^{40}*f^4}*(a^2*c*f^2 - b^2*c*e^2) - 1604168280*a^{6*b^{38}*c^{12}*e^{38}*f^6}*(a^2*c*f^2 - b^2*c*e^2) + 7579098492*a^{8*b^{36}*c^{12}*e^{36}*f^8}*(a^2*c*f^2 - b^2*c*e^2) - 26212380172*a^{10*b^{34}*c^{12}*e^{34}*f^{10}}*(a^2*c*f^2 - b^2*c*e^2) + 68672994096*a^{12*b^{32}*c^{12}*e^{32}*f^{12}}*(a^2*c*f^2 - b^2*c*e^2) - 139160589504*a^{14*b^{30}*c^{12}*e^{30}*f^{14}}*(a^2*c*f^2 - b^2*c*e^2) + 220859191808*a^{16*b^{28}*c^{12}*e^{28}*f^{16}}*(a^2*c*f^2 - b^2*c*e^2)
\end{aligned}$$

$- b^{2*c*e^2}) - 276344315328*a^{18*b^{26*c^{12}*e^{26*f^{18}}*(a^{2*c*f^2} - b^{2*c*e^2}) + 273130561984*a^{20*b^{24*c^{12}*e^{24*f^{20}}*(a^{2*c*f^2} - b^{2*c*e^2}) - 21273002688*a^{22*b^{22*c^{12}*e^{22*f^{22}}*(a^{2*c*f^2} - b^{2*c*e^2}) + 129574234368*a^{24*b^{20*c^{12}*e^{20*f^{24}}*(a^{2*c*f^2} - b^{2*c*e^2}) - 60770569216*a^{26*b^{18*c^{12}*e^{18*f^{26}}*(a^{2*c*f^2} - b^{2*c*e^2}) + 21304706048*a^{28*b^{16*c^{12}*e^{16*f^{28}}*(a^{2*c*f^2} - b^{2*c*e^2}) - 5272965120*a^{30*b^{14*c^{12}*e^{14*f^{30}}*(a^{2*c*f^2} - b^{2*c*e^2}) + 819441664*a^{32*b^{12*c^{12}*e^{12*f^{32}}*(a^{2*c*f^2} - b^{2*c*e^2}) - 59392000*a^{34*b^{10*c^{12}*e^{10*f^{34}}*(a^{2*c*f^2} - b^{2*c*e^2}) + 9289728*a^{6*b^{24*c^{5}*e^{24*f^{6}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} - 36884480*a^{8*b^{22*c^{5}*e^{22*f^{8}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} - 278604800*a^{10*b^{20*c^{5}*e^{20*f^{10}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} + 2774483200*a^{12*b^{18*c^{5}*e^{18*f^{12}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} - 10869657600*a^{14*b^{16*c^{5}*e^{16*f^{14}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} + 25237416960*a^{16*b^{14*c^{5}*e^{14*f^{16}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} - 38348909568*a^{18*b^{12*c^{5}*e^{12*f^{18}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} + 39084659712*a^{20*b^{10*c^{5}*e^{10*f^{20}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} - 26118635520*a^{22*b^{8*c^{5}*e^{8*f^{22}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} + 10414620672*a^{24*b^{6*c^{5}*e^{6*f^{24}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} - 1708654592*a^{26*b^{4*c^{5}*e^{4*f^{26}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} - 276561920*a^{28*b^{2*c^{5}*e^{2*f^{28}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} - 9704448*a^{4*b^{28*c^{6}*e^{28*f^{4}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} + 260614656*a^{6*b^{26*c^{6}*e^{26*f^{6}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} - 2166022464*a^{8*b^{24*c^{6}*e^{24*f^{8}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} + 8626147840*a^{10*b^{22*c^{6}*e^{22*f^{10}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} - 16771503616*a^{12*b^{20*c^{6}*e^{20*f^{12}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} + 3301800960*a^{14*b^{18*c^{6}*e^{18*f^{14}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} + 67337715968*a^{16*b^{16*c^{6}*e^{16*f^{16}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} - 189857873920*a^{18*b^{14*c^{6}*e^{14*f^{18}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} + 286100259840*a^{20*b^{12*c^{6}*e^{12*f^{20}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} - 275789894656*a^{22*b^{10*c^{6}*e^{10*f^{22}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} + 173716537344*a^{24*b^{8*c^{6}*e^{8*f^{24}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} - 67416424448*a^{26*b^{6*c^{6}*e^{6*f^{26}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} + 12831686656*a^{28*b^{4*c^{6}*e^{4*f^{28}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} + 222560256*a^{30*b^{2*c^{6}*e^{2*f^{30}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} + 2099520*a^{2*b^{32*c^{7}*e^{32*f^{2}}*(a^{2*c*f^2} - b^{2*c*e^2})^7} - 107014608*a^{4*b^{30*c^{7}*e^{30*f^{4}}*(a^{2*c*f^2} - b^{2*c*e^2})^6} + 1848335616*a^{6*b^{28*c^{7}*e^{28*f^{6}}*(a^{2*c*f^2} - b^{2*c*e^2})^6} - 15200005312*a^{8*b^{26*c^{7}*e^{26*f^{8}}*(a^{2*c*f^2} - b^{2*c*e^2})^6} + 72612273792*a^{10*b^{24*c^{7}*e^{24*f^{10}}*(a^{2*c*f^2} - b^{2*c*e^2})^6} - 221855779968*a^{12*b^{22*c^{7}*e^{22*f^{12}}*(a^{2*c*f^2} - b^{2*c*e^2})^6} + 450717857536*a^{14*b^{20*c^{7}*e^{20*f^{14}}*(a^{2*c*f^2} - b^{2*c*e^2})^6} - 600578910208*a^{16*b^{18*c^{7}*e^{18*f^{16}}*(a^{2*c*f^2} - b^{2*c*e^2})^6} + 59464530688*a^{18*b^{16*c^{7}*e^{16*f^{18}}*(a^{2*c*f^2} - b^{2*c*e^2})^6} - 33638947840*a^{20*b^{14*c^{7}*e^{14*f^{20}}*(a^{2*c*f^2} - b^{2*c*e^2})^6} - 376299926528*a^{22*b^{12*c^{7}*e^{12*f^{22}}*(a^{2*c*f^2} - b^{2*c*e^2})^6} + 488874068992*a^{24*b^{10*c^{7}*e^{10*f^{24}}*(a^{2*c*f^2} - b^{2*c*e^2})^6} - 333407809536*a^{26*b^{8*c^{7}*e^{8*f^{26}}*(a^{2*c*f^2} - b^{2*c*e^2})^6} + 134140313600*a^{28*b^{6*c^{7}*e^{6*f^{28}}*(a^{2*c*f^2} - b^{2*c*e^2})^6} - 28220915712*a^{30*b^{4*c^{7}*e^{4*f^{30}}*(a^{2*c*f^2} - b^{2*c*e^2})^6} + 1230503936*a^{32*b^{2*c^{7}*e^{2*f^{32}}*(a^{2*c*f^2} - b^{2*c*e^2})^6} + 3335904*a^{2*b^{34*c^{8}*e^{34*f^{2}}*(a^{2*c*f^2} - b^{2*c*e^2})^5} - 290521728*a^{4*b^{32*c^{8}*e^{32*f^{4}}*(a^{2*c*f^2} - b^{2*c*e^2})^5} + 4865684544*a^{6*b^{30*c^{8}*e^{30*f^{6}}*(a^{2*c*f^2} - b^{2*c*e^2})^5}$

$$\begin{aligned}
& c^2e^2)^5 - 40437394528*a^8*b^28*c^8*e^28*f^8*(a^2*c*f^2 - b^2*c*e^2)^5 + 20 \\
& 5602254656*a^10*b^26*c^8*e^26*f^10*(a^2*c*f^2 - b^2*c*e^2)^5 - 703885344192 \\
& *a^12*b^24*c^8*e^24*f^12*(a^2*c*f^2 - b^2*c*e^2)^5 + 1709253482624*a^14*b^2 \\
& 2*c^8*e^22*f^14*(a^2*c*f^2 - b^2*c*e^2)^5 - 3029282695168*a^16*b^20*c^8*e^2 \\
& 0*f^16*(a^2*c*f^2 - b^2*c*e^2)^5 + 3966230827520*a^18*b^18*c^8*e^18*f^18*(a \\
& ^2*c*f^2 - b^2*c*e^2)^5 - 3822339813632*a^20*b^16*c^8*e^16*f^20*(a^2*c*f^2 \\
& - b^2*c*e^2)^5 + 2640438056960*a^22*b^14*c^8*e^14*f^22*(a^2*c*f^2 - b^2*c*e \\
& ^2)^5 - 1208501415936*a^24*b^12*c^8*e^12*f^24*(a^2*c*f^2 - b^2*c*e^2)^5 + 2 \\
& 69338092544*a^26*b^10*c^8*e^10*f^26*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032 \\
& *a^28*b^8*c^8*e^8*f^28*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^30*b^6*c^8 \\
& *e^6*f^30*(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^32*b^4*c^8*e^4*f^32*(a \\
& ^2*c*f^2 - b^2*c*e^2)^5 - 1558708224*a^34*b^2*c^8*e^2*f^34*(a^2*c*f^2 - b^2* \\
& c*e^2)^5 - 11917692*a^2*b^36*c^9*e^36*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 22490 \\
& 7516*a^4*b^34*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^32* \\
& c^9*e^32*f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8*b^30*c^9*e^30*f^8* \\
& (a^2*c*f^2 - b^2*c*e^2)^4 + 261450609120*a^10*b^28*c^9*e^28*f^10*(a^2*c*f^2 \\
& - b^2*c*e^2)^4 - 962361040256*a^12*b^26*c^9*e^26*f^12*(a^2*c*f^2 - b^2*c*e \\
& ^2)^4 + 2558559358080*a^14*b^24*c^9*e^24*f^14*(a^2*c*f^2 - b^2*c*e^2)^4 - 5 \\
& 091804150656*a^16*b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514 \\
& 944*a^18*b^20*c^9*e^20*f^18*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^20* \\
& b^18*c^9*e^18*f^20*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^22*b^16*c^9* \\
& e^16*f^22*(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^24*b^14*c^9*e^14*f^24 \\
& *(a^2*c*f^2 - b^2*c*e^2)^4 + 3269297268736*a^26*b^12*c^9*e^12*f^26*(a^2*c*f \\
& ^2 - b^2*c*e^2)^4 - 1339171540992*a^28*b^10*c^9*e^10*f^28*(a^2*c*f^2 - b^2* \\
& c*e^2)^4 + 391250194432*a^30*b^8*c^9*e^8*f^30*(a^2*c*f^2 - b^2*c*e^2)^4 - 7 \\
& 4114154496*a^32*b^6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^3 \\
& 4*b^4*c^9*e^4*f^34*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^36*b^2*c^9*e^2*f \\
& ^36*(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^38*f^2*(a^2*c*f^2 \\
& - b^2*c*e^2)^3 + 188845992*a^4*b^36*c^10*e^36*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& + 1157124204*a^6*b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 2058636142 \\
& 4*a^8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^10*b^30 \\
& *c^10*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^12*b^28*c^10*e^2 \\
& 8*f^12*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^14*b^26*c^10*e^26*f^14*(\\
& a^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^16*b^24*c^10*e^24*f^16*(a^2*c*f \\
& 2 - b^2*c*e^2)^3 + 5766181411456*a^18*b^22*c^10*e^22*f^18*(a^2*c*f^2 - b^2* \\
& c*e^2)^3 - 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2*c*e^2)^3 \\
& + 7713917084672*a^22*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b^2*c*e^2)^3 - 63284 \\
& 67293184*a^24*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432 \\
& *a^26*b^14*c^10*e^14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^28*b^ \\
& 12*c^10*e^12*f^28*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^30*b^10*c^10*e \\
& ^10*f^30*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^32*b^8*c^10*e^8*f^32*(a \\
& ^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^34*b^6*c^10*e^6*f^34*(a^2*c*f^2 - b \\
& ^2*c*e^2)^3 - 8151957504*a^36*b^4*c^10*e^4*f^36*(a^2*c*f^2 - b^2*c*e^2)^3 + \\
& 530841600*a^38*b^2*c^10*e^2*f^38*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^2* \\
& b^40*c^11*e^40*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^38*c^11*e^38
\end{aligned}$$

$$\begin{aligned}
& *f^4 * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 2180887236 * a^6 * b^36 * c^11 * e^36 * f^6 * (a^2 * c * f \\
& ^2 - b^2 * c * e^2)^2 + 6404946508 * a^8 * b^34 * c^11 * e^34 * f^8 * (a^2 * c * f^2 - b^2 * c * e^2)^2 \\
& - 5434005264 * a^{10} * b^32 * c^11 * e^32 * f^{10} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 3886 \\
& 8373520 * a^{12} * b^30 * c^11 * e^30 * f^{12} * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 208447613600 * a \\
& ^{14} * b^28 * c^11 * e^28 * f^{14} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 579674999104 * a^{16} * b^26 * \\
& c^11 * e^26 * f^{16} * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 1104967566592 * a^{18} * b^24 * c^11 * e^2 \\
& 4 * f^{18} * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 1554566531328 * a^{20} * b^22 * c^11 * e^22 * f^20 * \\
& (a^2 * c * f^2 - b^2 * c * e^2)^2 + 1659734381312 * a^{22} * b^20 * c^11 * e^20 * f^22 * (a^2 * c * f^2 \\
& - b^2 * c * e^2)^2 - 1356361512192 * a^{24} * b^18 * c^11 * e^18 * f^24 * (a^2 * c * f^2 - b^2 * \\
& c * e^2)^2 + 845331359744 * a^{26} * b^16 * c^11 * e^16 * f^26 * (a^2 * c * f^2 - b^2 * c * e^2)^2 \\
& - 395676895232 * a^{28} * b^14 * c^11 * e^14 * f^28 * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 1349026 \\
& 89792 * a^{30} * b^12 * c^11 * e^12 * f^30 * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 31670587392 * a^{32} \\
& * b^{10} * c^11 * e^10 * f^32 * (a^2 * c * f^2 - b^2 * c * e^2)^2 + 4584669184 * a^{34} * b^8 * c^11 * e \\
& ^8 * f^34 * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 309657600 * a^{36} * b^6 * c^11 * e^6 * f^36 * (a^2 * c \\
& * f^2 - b^2 * c * e^2)^2) * ((a * c - b * c * x)^{(1/2)} - (a * c)^{(1/2)}) / ((a + b * x)^{(1/2)} \\
&) - a^{(1/2)} - (4 * a^4 * b * c * e * f^4 * (4 * a^2 * c * f^2 - b^2 * c * e^2) * (4 * a^2 * c * f^2 - 3 * \\
& b^2 * c * e^2) * (4 * a^6 * c * f^6 - 3 * b^6 * c * e^6 + 8 * a^2 * b^4 * c * e^4 * f^2 - 8 * a^4 * b^2 * c * e \\
& ^2 * f^4)^4) / (164025 * b^46 * c^13 * e^46 + 885735 * b^44 * c^12 * e^44 * (a^2 * c * f^2 - b^2 * \\
& c * e^2) + 117440512 * a^{30} * c^5 * f^30 * (a^2 * c * f^2 - b^2 * c * e^2)^8 - 385875968 * a^{32} \\
& * c^6 * f^32 * (a^2 * c * f^2 - b^2 * c * e^2)^7 + 419430400 * a^{34} * c^7 * f^34 * (a^2 * c * f^2 - b^2 * \\
& c * e^2) - 150994944 * a^{36} * c^8 * f^36 * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 236196 * b \\
& ^36 * c^8 * e^36 * (a^2 * c * f^2 - b^2 * c * e^2)^5 + 1102248 * b^38 * c^9 * e^38 * (a^2 * c * f^2 - b^2 * \\
& c * e^2)^4 + 2053593 * b^40 * c^10 * e^40 * (a^2 * c * f^2 - b^2 * c * e^2)^3 + 1909251 * \\
& b^42 * c^11 * e^42 * (a^2 * c * f^2 - b^2 * c * e^2)^2 - 3937329 * a^2 * b^44 * c^13 * e^44 * f^2 + \\
& 43893819 * a^4 * b^42 * c^13 * e^42 * f^4 - 301507155 * a^6 * b^40 * c^13 * e^40 * f^6 + 14275 \\
& 14656 * a^8 * b^38 * c^13 * e^38 * f^8 - 4936911112 * a^{10} * b^36 * c^13 * e^36 * f^{10} + 128932 \\
& 73616 * a^{12} * b^34 * c^13 * e^34 * f^{12} - 25921630432 * a^{14} * b^32 * c^13 * e^32 * f^{14} + 405 \\
& 19286096 * a^{16} * b^30 * c^13 * e^30 * f^{16} - 49376608256 * a^{18} * b^28 * c^13 * e^28 * f^{18} + \\
& 46721401856 * a^{20} * b^26 * c^13 * e^26 * f^{20} - 33946324736 * a^{22} * b^24 * c^13 * e^24 * f^{22} \\
& + 18556579328 * a^{24} * b^22 * c^13 * e^22 * f^{24} - 7375276032 * a^{26} * b^20 * c^13 * e^20 * f^{26} \\
& + 2009817088 * a^{28} * b^18 * c^13 * e^18 * f^{28} - 335642624 * a^{30} * b^16 * c^13 * e^16 * f^{30} \\
& + 25907200 * a^{32} * b^{14} * c^13 * e^{14} * f^{32} - 21130794 * a^2 * b^42 * c^12 * e^42 * f^2 * (a \\
& ^2 * c * f^2 - b^2 * c * e^2) + 234399015 * a^4 * b^40 * c^12 * e^40 * f^4 * (a^2 * c * f^2 - b^2 * c \\
& * e^2) - 1604168280 * a^6 * b^38 * c^12 * e^38 * f^6 * (a^2 * c * f^2 - b^2 * c * e^2) + 7579098 \\
& 492 * a^8 * b^36 * c^12 * e^36 * f^8 * (a^2 * c * f^2 - b^2 * c * e^2) - 26212380172 * a^{10} * b^34 * \\
& c^12 * e^34 * f^{10} * (a^2 * c * f^2 - b^2 * c * e^2) + 68672994096 * a^{12} * b^32 * c^12 * e^32 * f^ \\
& 12 * (a^2 * c * f^2 - b^2 * c * e^2) - 139160589504 * a^{14} * b^30 * c^12 * e^30 * f^14 * (a^2 * c * f \\
& ^2 - b^2 * c * e^2) + 220859191808 * a^{16} * b^28 * c^12 * e^28 * f^16 * (a^2 * c * f^2 - b^2 * c * \\
& e^2) - 276344315328 * a^{18} * b^26 * c^12 * e^26 * f^{18} * (a^2 * c * f^2 - b^2 * c * e^2) + 2731 \\
& 30561984 * a^{20} * b^24 * c^12 * e^24 * f^{20} * (a^2 * c * f^2 - b^2 * c * e^2) - 212730002688 * a^ \\
& 22 * b^22 * c^12 * e^22 * f^{22} * (a^2 * c * f^2 - b^2 * c * e^2) + 129574234368 * a^{24} * b^20 * c^1 \\
& 2 * e^20 * f^24 * (a^2 * c * f^2 - b^2 * c * e^2) - 60770569216 * a^{26} * b^18 * c^12 * e^18 * f^26 \\
& * (a^2 * c * f^2 - b^2 * c * e^2) + 21304706048 * a^{28} * b^16 * c^12 * e^16 * f^28 * (a^2 * c * f^2 - b^2 * \\
& c * e^2) - 5272965120 * a^{30} * b^14 * c^12 * e^14 * f^30 * (a^2 * c * f^2 - b^2 * c * e^2) + \\
& 819441664 * a^{32} * b^12 * c^12 * e^12 * f^32 * (a^2 * c * f^2 - b^2 * c * e^2) - 59392000 * a^34
\end{aligned}$$

$$\begin{aligned}
& *b^{10}c^{12}e^{10}f^{34}*(a^2c*f^2 - b^2c*e^2) + 9289728*a^6b^{24}c^5e^{24}f^6*(a^2c*f^2 - b^2c*e^2)^8 - 36884480*a^8b^{22}c^5e^{22}f^8*(a^2c*f^2 - b^2c*e^2)^8 - 278604800*a^{10}b^{20}c^5e^{20}f^{10}*(a^2c*f^2 - b^2c*e^2)^8 + 2774483200*a^{12}b^{18}c^5e^{18}f^{12}*(a^2c*f^2 - b^2c*e^2)^8 - 10869657600*a^{14}b^{16}c^5e^{16}f^{14}*(a^2c*f^2 - b^2c*e^2)^8 + 25237416960*a^{16}b^{14}c^5e^{14}f^{16}*(a^2c*f^2 - b^2c*e^2)^8 - 38348909568*a^{18}b^{12}c^5e^{12}f^{18}*(a^2c*f^2 - b^2c*e^2)^8 + 39084659712*a^{20}b^{10}c^5e^{10}f^{20}*(a^2c*f^2 - b^2c*e^2)^8 - 26118635520*a^{22}b^8c^5e^8f^22*(a^2c*f^2 - b^2c*e^2)^8 + 10414620672*a^{24}b^6c^5e^6f^{24}*(a^2c*f^2 - b^2c*e^2)^8 - 1708654592*a^{26}b^4c^5e^4f^{26}*(a^2c*f^2 - b^2c*e^2)^8 - 276561920*a^{28}b^2c^5e^2f^{28}*(a^2c*f^2 - b^2c*e^2)^8 - 9704448*a^{4}b^{28}c^6e^{28}f^4*(a^2c*f^2 - b^2c*e^2)^7 + 260614656*a^{6}b^{26}c^6e^{26}f^6*(a^2c*f^2 - b^2c*e^2)^7 - 2166022464*a^{8}b^{24}c^6e^{24}f^8*(a^2c*f^2 - b^2c*e^2)^7 + 8626147840*a^{10}b^{22}c^6e^{22}f^{10}*(a^2c*f^2 - b^2c*e^2)^7 - 16771503616*a^{12}b^{20}c^6e^{20}f^{12}*(a^2c*f^2 - b^2c*e^2)^7 + 3301800960*a^{14}b^{18}c^6e^{18}f^{14}*(a^2c*f^2 - b^2c*e^2)^7 + 67337715968*a^{16}b^{16}c^6e^{16}f^{16}*(a^2c*f^2 - b^2c*e^2)^7 - 189857873920*a^{18}b^{14}c^6e^{14}f^{18}*(a^2c*f^2 - b^2c*e^2)^7 + 286100259840*a^{20}b^{12}c^6e^{12}f^{20}*(a^2c*f^2 - b^2c*e^2)^7 - 275789894656*a^{22}b^{10}c^6e^{10}f^{22}*(a^2c*f^2 - b^2c*e^2)^7 + 173716537344*a^{24}b^{8}c^6e^{8}f^{24}*(a^2c*f^2 - b^2c*e^2)^7 - 67416424448*a^{26}b^6c^6e^6f^{26}*(a^2c*f^2 - b^2c*e^2)^7 + 12831686656*a^{28}b^4c^6e^4f^28*(a^2c*f^2 - b^2c*e^2)^7 + 222560256*a^{30}b^2c^6e^2f^30*(a^2c*f^2 - b^2c*e^2)^7 + 2099520*a^{2}b^{32}c^7e^{32}f^2*(a^2c*f^2 - b^2c*e^2)^6 - 107014608*a^{4}b^{30}c^7e^{30}f^4*(a^2c*f^2 - b^2c*e^2)^6 + 1848335616*a^{6}b^{28}c^7e^{28}f^6*(a^2c*f^2 - b^2c*e^2)^6 - 15200005312*a^{8}b^{26}c^7e^{26}f^8*(a^2c*f^2 - b^2c*e^2)^6 + 72612273792*a^{10}b^{24}c^7e^{24}f^{10}*(a^2c*f^2 - b^2c*e^2)^6 - 221855779968*a^{12}b^{22}c^7e^{22}f^{12}*(a^2c*f^2 - b^2c*e^2)^6 + 450717857536*a^{14}b^{20}c^7e^{20}f^{14}*(a^2c*f^2 - b^2c*e^2)^6 - 600578910208*a^{16}b^{18}c^7e^{18}f^{16}*(a^2c*f^2 - b^2c*e^2)^6 + 459464530688*a^{18}b^{16}c^7e^{16}f^{18}*(a^2c*f^2 - b^2c*e^2)^6 - 33638947840*a^{20}b^4c^7e^{14}f^{20}*(a^2c*f^2 - b^2c*e^2)^6 - 376299926528*a^{22}b^{12}c^7e^{12}f^{22}*(a^2c*f^2 - b^2c*e^2)^6 + 488874068992*a^{24}b^{10}c^7e^{10}f^{24}*(a^2c*f^2 - b^2c*e^2)^6 - 333407809536*a^{26}b^8c^7e^{8}f^{26}*(a^2c*f^2 - b^2c*e^2)^6 + 134140313600*a^{28}b^6c^7e^{6}f^{28}*(a^2c*f^2 - b^2c*e^2)^6 - 28220915712*a^{30}b^4c^7e^{4}f^{30}*(a^2c*f^2 - b^2c*e^2)^6 + 1230503936*a^{32}b^2c^7e^{2}f^{32}*(a^2c*f^2 - b^2c*e^2)^6 + 3335904*a^{2}b^{34}c^8e^{8}f^{34}*(a^2c*f^2 - b^2c*e^2)^5 - 290521728*a^{4}b^{32}c^8e^{32}f^4*(a^2c*f^2 - b^2c*e^2)^5 + 4865684544*a^{6}b^{30}c^8e^{30}f^6*(a^2c*f^2 - b^2c*e^2)^5 - 40437394528*a^{8}b^{28}c^8e^{28}f^8*(a^2c*f^2 - b^2c*e^2)^5 + 205602254656*a^{10}b^{26}c^8e^{26}f^{10}*(a^2c*f^2 - b^2c*e^2)^5 - 703885344192*a^{12}b^2c^8e^{24}f^{12}*(a^2c*f^2 - b^2c*e^2)^5 + 1709253482624*a^{14}b^{22}c^8e^{22}f^{14}*(a^2c*f^2 - b^2c*e^2)^5 - 3029282695168*a^{16}b^{20}c^8e^{20}f^{16}*(a^2c*f^2 - b^2c*e^2)^5 + 3966230827520*a^{18}b^{18}c^8e^{18}f^{18}*(a^2c*f^2 - b^2c*e^2)^5 - 3822339813632*a^{20}b^{16}c^8e^{16}f^{20}*(a^2c*f^2 - b^2c*e^2)^5 + 2640438056960*a^{22}b^{14}c^8e^{14}f^{22}*(a^2c*f^2 - b^2c*e^2)^5 - 1
\end{aligned}$$

208501415936*a^24*b^12*c^8*e^12*f^24*(a^2*c*f^2 - b^2*c*e^2)^5 + 2693380925
 44*a^26*b^10*c^8*e^10*f^26*(a^2*c*f^2 - b^2*c*e^2)^5 + 53783212032*a^28*b^8
 *c^8*e^8*f^28*(a^2*c*f^2 - b^2*c*e^2)^5 - 60985360384*a^30*b^6*c^8*e^6*f^30
 *(a^2*c*f^2 - b^2*c*e^2)^5 + 17917083648*a^32*b^4*c^8*e^4*f^32*(a^2*c*f^2 -
 b^2*c*e^2)^5 - 1558708224*a^34*b^2*c^8*e^2*f^34*(a^2*c*f^2 - b^2*c*e^2)^5
 - 11917692*a^2*b^36*c^9*e^36*f^2*(a^2*c*f^2 - b^2*c*e^2)^4 - 224907516*a^4*
 b^34*c^9*e^34*f^4*(a^2*c*f^2 - b^2*c*e^2)^4 + 5303932560*a^6*b^32*c^9*e^32*
 f^6*(a^2*c*f^2 - b^2*c*e^2)^4 - 48206418480*a^8*b^30*c^9*e^30*f^8*(a^2*c*f^2 -
 b^2*c*e^2)^4 + 261450609120*a^10*b^28*c^9*e^28*f^10*(a^2*c*f^2 - b^2*c*c
 e^2)^4 - 962361040256*a^12*b^26*c^9*e^26*f^12*(a^2*c*f^2 - b^2*c*e^2)^4 + 2
 558559358080*a^14*b^24*c^9*e^24*f^14*(a^2*c*f^2 - b^2*c*e^2)^4 - 5091804150
 656*a^16*b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944*a^18*
 b^20*c^9*e^20*f^18*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^20*b^18*c^9*
 e^18*f^20*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^22*b^16*c^9*e^16*f^22
 *(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^24*b^14*c^9*e^14*f^24*(a^2*c*f
 ^2 - b^2*c*e^2)^4 + 3269297268736*a^26*b^12*c^9*e^12*f^26*(a^2*c*f^2 - b^2*
 c*c*e^2)^4 - 1339171540992*a^28*b^10*c^9*e^10*f^28*(a^2*c*f^2 - b^2*c*e^2)^4
 + 391250194432*a^30*b^8*c^9*e^8*f^30*(a^2*c*f^2 - b^2*c*e^2)^4 - 7411415449
 6*a^32*b^6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^34*b^4*c^9
 *e^4*f^34*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^36*b^2*c^9*e^2*f^36*(a^2*c
 *f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^38*f^2*(a^2*c*f^2 - b^2*c*e
 ^2)^3 + 188845992*a^4*b^36*c^10*e^36*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 + 115712
 4204*a^6*b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^8*b^3
 2*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^10*b^30*c^10*e^3
 0*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^12*b^28*c^10*e^28*f^12*(a
 ^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^14*b^26*c^10*e^26*f^14*(a^2*c*f^2
 - b^2*c*e^2)^3 - 3473989271488*a^16*b^24*c^10*e^24*f^16*(a^2*c*f^2 - b^2*c
 *e^2)^3 + 5766181411456*a^18*b^22*c^10*e^22*f^18*(a^2*c*f^2 - b^2*c*e^2)^3
 - 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2*c*e^2)^3 + 771391
 7084672*a^22*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328467293184*
 a^24*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432*a^26*b^1
 4*c^10*e^14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^28*b^12*c^10*e
 ^12*f^28*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^30*b^10*c^10*e^10*f^30*
 (a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^32*b^8*c^10*e^8*f^32*(a^2*c*f^2
 - b^2*c*e^2)^3 + 58872545280*a^34*b^6*c^10*e^6*f^34*(a^2*c*f^2 - b^2*c*e^2)
 ^3 - 8151957504*a^36*b^4*c^10*e^4*f^36*(a^2*c*f^2 - b^2*c*e^2)^3 + 53084160
 0*a^38*b^2*c^10*e^2*f^38*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^2*b^40*c^11
 *e^40*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^4*b^38*c^11*e^38*f^4*(a^2
 *c*f^2 - b^2*c*e^2)^2 - 2180887236*a^6*b^36*c^11*e^36*f^6*(a^2*c*f^2 - b^2*c
 *e^2)^2 + 6404946508*a^8*b^34*c^11*e^34*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 - 54
 34005264*a^10*b^32*c^11*e^32*f^10*(a^2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a
 ^12*b^30*c^11*e^30*f^12*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447613600*a^14*b^28*
 c^11*e^28*f^14*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^16*b^26*c^11*e^26
 f^16(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a^18*b^24*c^11*e^24*f^18*(a
 ^2*c*f^2 - b^2*c*e^2)^2 - 1554566531328*a^20*b^22*c^11*e^22*f^20*(a^2*c*f^2

$$\begin{aligned}
& - b^{2*c*e^2})^2 + 1659734381312*a^{22*b^{20*c^{11}*e^{20}*f^{22}}*(a^{2*c*f^2} - b^{2*c*e^2})^2} \\
& - 1356361512192*a^{24*b^{18*c^{11}*e^{18}*f^{24}}*(a^{2*c*f^2} - b^{2*c*e^2})^2} \\
& + 845331359744*a^{26*b^{16*c^{11}*e^{16}*f^{26}}*(a^{2*c*f^2} - b^{2*c*e^2})^2} - 3956768 \\
& 95232*a^{28*b^{14*c^{11}*e^{14}*f^{28}}*(a^{2*c*f^2} - b^{2*c*e^2})^2} + 134902689792*a^{3} \\
& 0*b^{12*c^{11}*e^{12}*f^{30}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 31670587392*a^{32*b^{10*c^{11}} \\
& 1*e^{10}*f^{32}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 + 4584669184*a^{34*b^{8*c^{11}*e^{8}*f^{34}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^2} - 309657600*a^{36*b^{6*c^{11}*e^{6}*f^{36}}*(a^{2*c*f^2} - b^{2*c*e^2})^2} \\
& + (2*a^{4*b*c*e*f^4}*(2*a^{2*c*f^2} - b^{2*c*e^2})*(4*a^{2*c*f^2} - 3*b^{2*c*e^2})^2 \\
& - 2*(4*a^{6*c*f^6} - 3*b^{6*c*e^6} + 8*a^{2*b^{4*c*e^{4*f^2}}} - 8*a^{4*b^{2*c*e^{2*f^4}}})^4) \\
& /((a^{2*c*f^2} - b^{2*c*e^2})*(164025*b^{46*c^{13}*e^{46}} + 885735*b^{44*c^{12}*e^{44}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2}) + 117440512*a^{30*c^{5}*f^{30}}*(a^{2*c*f^2} - b^{2*c*e^2})^8 \\
& - 385875968*a^{32*c^{6}*f^{32}}*(a^{2*c*f^2} - b^{2*c*e^2})^7 + 419430400*a^{34*c^{7}*f^{34}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^6 - 150994944*a^{36*c^{8}*f^{36}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^5 + 236196*b^{36*c^{8}*e^{36}}*(a^{2*c*f^2} - b^{2*c*e^2})^5 + 1102248*b^{38*c^{9}*e^{38}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2})^4 + 2053593*b^{40*c^{10}*e^{40}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^3 + 1909251*b^{42*c^{11}*e^{42}}*(a^{2*c*f^2} - b^{2*c*e^2})^2 - 393732 \\
& 9*a^{2*b^{44*c^{13}*e^{44}*f^2}} + 43893819*a^{4*b^{42*c^{13}*e^{42}*f^4}} - 301507155*a^{6*b^{40*c^{13}*e^{40}*f^6}} \\
& + 1427514656*a^{8*b^{38*c^{13}*e^{38}*f^8}} - 4936911112*a^{10*b^{36*c^{13}*e^{36}*f^{10}}} \\
& + 12893273616*a^{12*b^{34*c^{13}*e^{34}*f^{12}}} - 25921630432*a^{14*b^{32*c^{13}*e^{32}*f^{14}}} \\
& + 40519286096*a^{16*b^{30*c^{13}*e^{30}*f^{16}}} - 49376608256*a^{18*b^{28*c^{13}*e^{28}*f^{18}}} \\
& + 46721401856*a^{20*b^{26*c^{13}*e^{26}*f^{20}}} - 3394632473 \\
& 6*a^{22*b^{24*c^{13}*e^{24}*f^{22}}} + 18556579328*a^{24*b^{22*c^{13}*e^{22}*f^{24}}} - 7375276 \\
& 032*a^{26*b^{20*c^{13}*e^{20}*f^{26}}} + 2009817088*a^{28*b^{18*c^{13}*e^{18}*f^{28}}} - 335642 \\
& 624*a^{30*b^{16*c^{13}*e^{16}*f^{30}}} + 25907200*a^{32*b^{14*c^{13}*e^{14}*f^{32}}} - 21130794 \\
& *a^{2*b^{42*c^{12}*e^{42}*f^{22}}*(a^{2*c*f^2} - b^{2*c*e^2})} + 234399015*a^{4*b^{40*c^{12}*e^{40}*f^4}} \\
& *(a^{2*c*f^2} - b^{2*c*e^2}) - 1604168280*a^{6*b^{38*c^{12}*e^{38}*f^6}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2}) + 7579098492*a^{8*b^{36*c^{12}*e^{36}*f^8}}*(a^{2*c*f^2} - b^{2*c*e^2}) \\
&) - 26212380172*a^{10*b^{34*c^{12}*e^{34}*f^{10}}*(a^{2*c*f^2} - b^{2*c*e^2})} + 68672994 \\
& 096*a^{12*b^{32*c^{12}*e^{32}*f^{12}}*(a^{2*c*f^2} - b^{2*c*e^2})} - 139160589504*a^{14*b^{30*c^{12}*e^{30}*f^{14}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})} + 220859191808*a^{16*b^{28*c^{12}*e^{28}*f^{16}}*(a^{2*c*f^2} - b^{2*c*e^2})} \\
& - 276344315328*a^{18*b^{26*c^{12}*e^{26}*f^{18}}*(a^{2*c*f^2} - b^{2*c*e^2})} + 273130561984*a^{20*b^{24*c^{12}*e^{24}*f^{20}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})} - 212730002688*a^{22*b^{22*c^{12}*e^{22}*f^{22}}*(a^{2*c*f^2} - b^{2*c*e^2})} + \\
& 129574234368*a^{24*b^{20*c^{12}*e^{20}*f^{24}}*(a^{2*c*f^2} - b^{2*c*e^2})} - 60770569216 \\
& *a^{26*b^{18*c^{12}*e^{18}*f^{26}}*(a^{2*c*f^2} - b^{2*c*e^2})} + 21304706048*a^{28*b^{16*c^{12}*e^{16}*f^{28}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})} - 5272965120*a^{30*b^{14*c^{12}*e^{14}*f^{30}}*(a^{2*c*f^2} - b^{2*c*e^2})} + 819441664*a^{32*b^{12*c^{12}*e^{12}*f^{32}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})} - 59392000*a^{34*b^{10*c^{12}*e^{10}*f^{34}}*(a^{2*c*f^2} - b^{2*c*e^2})} + 92 \\
& 89728*a^{6*b^{24*c^{5}*e^{24}*f^{6}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} - 36884480*a^{8*b^{22*c^{5}*e^{22}*f^{8}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^8} - 278604800*a^{10*b^{20*c^{5}*e^{20}*f^{10}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} + 2774483200*a^{12*b^{18*c^{5}*e^{18}*f^{12}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^8} - 10869657600*a^{14*b^{16*c^{5}*e^{16}*f^{14}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} + 25237416960*a^{16*b^{14*c^{5}*e^{14}*f^{16}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^8} - 38348909568*a^{18*b^{12*c^{5}*e^{12}*f^{18}}*(a^{2*c*f^2} - b^{2*c*e^2})^8} + 39084659712*a^{20*b^{10*c^{5}*e^{10}*f^{20}}*(a^{2*c*f^2} \\
& - b^{2*c*e^2})^8} - 26118635520*a^{22*b^{8*c^{5}*e^{8}*f^{22}}*(a^{2*c*f^2} - b^{2*c*e^2})^8}
\end{aligned}$$

$$\begin{aligned}
& f^{22} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 + 10414620672 \cdot a^{24} \cdot b^6 \cdot c^5 \cdot e^6 \cdot f^{24} \cdot (a^2 \cdot c \cdot f^2 \\
& - b^2 \cdot c \cdot e^2)^8 - 1708654592 \cdot a^{26} \cdot b^4 \cdot c^5 \cdot e^4 \cdot f^{26} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 \\
& - 276561920 \cdot a^{28} \cdot b^2 \cdot c^5 \cdot e^2 \cdot f^{28} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^8 - 9704448 \cdot a \\
& ^4 \cdot b^2 \cdot c^6 \cdot e^2 \cdot f^4 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 260614656 \cdot a^{26} \cdot b^6 \cdot c^6 \cdot e^2 \\
& \cdot f^6 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 - 2166022464 \cdot a^{28} \cdot b^8 \cdot c^6 \cdot e^2 \cdot f^{24} \cdot (a^2 \cdot c \cdot f^2 \\
& - b^2 \cdot c \cdot e^2)^7 + 8626147840 \cdot a^{10} \cdot b^{22} \cdot c^6 \cdot e^2 \cdot f^{10} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e \\
& ^2)^7 - 16771503616 \cdot a^{12} \cdot b^{20} \cdot c^6 \cdot e^2 \cdot f^{12} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 330 \\
& 1800960 \cdot a^{14} \cdot b^{18} \cdot c^6 \cdot e^18 \cdot f^{14} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 67337715968 \cdot a^1 \\
& 6 \cdot b^{16} \cdot c^6 \cdot e^16 \cdot f^{16} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 - 189857873920 \cdot a^{18} \cdot b^{14} \cdot c^6 \\
& \cdot e^{14} \cdot f^{18} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 286100259840 \cdot a^{20} \cdot b^{12} \cdot c^6 \cdot e^{12} \cdot f^{20} \\
& \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 - 275789894656 \cdot a^{22} \cdot b^{10} \cdot c^6 \cdot e^{10} \cdot f^{22} \cdot (a^2 \cdot c \cdot f^2 \\
& - b^2 \cdot c \cdot e^2)^7 + 173716537344 \cdot a^{24} \cdot b^{8} \cdot c^6 \cdot e^8 \cdot f^{24} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 \\
& - 67416424448 \cdot a^{26} \cdot b^6 \cdot c^6 \cdot e^6 \cdot f^{26} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 128316 \\
& 86656 \cdot a^{28} \cdot b^4 \cdot c^6 \cdot e^4 \cdot f^{28} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 222560256 \cdot a^{30} \cdot b^2 \cdot c^6 \\
& \cdot e^2 \cdot f^{30} \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^7 + 2099520 \cdot a^{22} \cdot b^{32} \cdot c^7 \cdot e^32 \cdot f^2 \cdot (a^2 \\
& \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 107014608 \cdot a^{4} \cdot b^{30} \cdot c^7 \cdot e^30 \cdot f^4 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 \\
& + 1848335616 \cdot a^{6} \cdot b^{28} \cdot c^7 \cdot e^28 \cdot f^6 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 15200 \\
& 005312 \cdot a^{8} \cdot b^{26} \cdot c^7 \cdot e^26 \cdot f^8 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 + 72612273792 \cdot a^{10} \cdot b \\
& ^{24} \cdot c^7 \cdot e^24 \cdot f^10 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 221855779968 \cdot a^{12} \cdot b^{22} \cdot c^7 \cdot e^ \\
& 22 \cdot f^12 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 + 450717857536 \cdot a^{14} \cdot b^{20} \cdot c^7 \cdot e^20 \cdot f^14 \cdot (a \\
& ^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 600578910208 \cdot a^{16} \cdot b^{18} \cdot c^7 \cdot e^18 \cdot f^16 \cdot (a^2 \cdot c \cdot f^2 \\
& - b^2 \cdot c \cdot e^2)^6 + 459464530688 \cdot a^{18} \cdot b^{16} \cdot c^7 \cdot e^16 \cdot f^18 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) \\
&)^6 - 33638947840 \cdot a^{20} \cdot b^{14} \cdot c^7 \cdot e^14 \cdot f^20 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 37629 \\
& 9926528 \cdot a^{22} \cdot b^{12} \cdot c^7 \cdot e^12 \cdot f^22 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 + 488874068992 \cdot a^ \\
& 24 \cdot b^{10} \cdot c^7 \cdot e^10 \cdot f^24 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 333407809536 \cdot a^{26} \cdot b^8 \cdot c^7 \\
& \cdot e^8 \cdot f^26 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 + 134140313600 \cdot a^{28} \cdot b^6 \cdot c^7 \cdot e^6 \cdot f^28 \cdot (a \\
& ^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 - 28220915712 \cdot a^{30} \cdot b^4 \cdot c^7 \cdot e^4 \cdot f^30 \cdot (a^2 \cdot c \cdot f^2 - b^ \\
& ^2 \cdot c \cdot e^2)^6 + 1230503936 \cdot a^{32} \cdot b^2 \cdot c^7 \cdot e^2 \cdot f^32 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^6 + 3 \\
& 335904 \cdot a^{22} \cdot b^{34} \cdot c^8 \cdot e^34 \cdot f^2 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 - 290521728 \cdot a^{4} \cdot b^{32} \\
& \cdot c^8 \cdot e^32 \cdot f^4 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + 4865684544 \cdot a^{6} \cdot b^{30} \cdot c^8 \cdot e^30 \cdot f^6 \\
& \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 - 40437394528 \cdot a^{8} \cdot b^{28} \cdot c^8 \cdot e^28 \cdot f^8 \cdot (a^2 \cdot c \cdot f^2 \\
& - b^2 \cdot c \cdot e^2)^5 + 205602254656 \cdot a^{10} \cdot b^{26} \cdot c^8 \cdot e^26 \cdot f^10 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) \\
&)^5 - 703885344192 \cdot a^{12} \cdot b^{24} \cdot c^8 \cdot e^24 \cdot f^12 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + 17092 \\
& 53482624 \cdot a^{14} \cdot b^{22} \cdot c^8 \cdot e^22 \cdot f^14 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 - 3029282695168 \\
& \cdot a^{16} \cdot b^{20} \cdot c^8 \cdot e^20 \cdot f^16 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + 3966230827520 \cdot a^{18} \cdot b^{18} \\
& \cdot c^8 \cdot e^18 \cdot f^18 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 - 3822339813632 \cdot a^{20} \cdot b^{16} \cdot c^8 \cdot e^16 \\
& \cdot f^20 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + 2640438056960 \cdot a^{22} \cdot b^{14} \cdot c^8 \cdot e^14 \cdot f^22 \cdot (a^2 \\
& \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 - 1208501415936 \cdot a^{24} \cdot b^{12} \cdot c^8 \cdot e^12 \cdot f^24 \cdot (a^2 \cdot c \cdot f^2 \\
& - b^2 \cdot c \cdot e^2)^5 + 269338092544 \cdot a^{26} \cdot b^{10} \cdot c^8 \cdot e^10 \cdot f^26 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2) \\
&)^5 + 53783212032 \cdot a^{28} \cdot b^8 \cdot c^8 \cdot e^8 \cdot f^28 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 - 6098536 \\
& 0384 \cdot a^{30} \cdot b^6 \cdot c^8 \cdot e^6 \cdot f^30 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 + 17917083648 \cdot a^{32} \cdot b^4 \\
& \cdot c^8 \cdot e^4 \cdot f^32 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 - 1558708224 \cdot a^{34} \cdot b^2 \cdot c^8 \cdot e^2 \cdot f^34 \\
& \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^5 - 11917692 \cdot a^{22} \cdot b^{36} \cdot c^9 \cdot e^36 \cdot f^2 \cdot (a^2 \cdot c \cdot f^2 - b^ \\
& ^2 \cdot c \cdot e^2)^4 - 224907516 \cdot a^{4} \cdot b^{34} \cdot c^9 \cdot e^34 \cdot f^4 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^4 + 530 \\
& 3932560 \cdot a^{6} \cdot b^{32} \cdot c^9 \cdot e^32 \cdot f^6 \cdot (a^2 \cdot c \cdot f^2 - b^2 \cdot c \cdot e^2)^4 - 48206418480 \cdot a^8 \cdot b
\end{aligned}$$

$$\begin{aligned}
& \sim 30*c^9*e^30*f^8*(a^2*c*f^2 - b^2*c*e^2)^4 + 261450609120*a^10*b^28*c^9*e^2 \\
& 8*f^10*(a^2*c*f^2 - b^2*c*e^2)^4 - 962361040256*a^12*b^26*c^9*e^26*f^12*(a^2*c*f^2 - b^2*c*e^2)^4 + 2558559358080*a^14*b^24*c^9*e^24*f^14*(a^2*c*f^2 - b^2*c*e^2)^4 - 5091804150656*a^16*b^22*c^9*e^22*f^16*(a^2*c*f^2 - b^2*c*e^2)^4 + 7750806514944*a^18*b^20*c^9*e^20*f^18*(a^2*c*f^2 - b^2*c*e^2)^4 - 9137207485952*a^20*b^18*c^9*e^18*f^20*(a^2*c*f^2 - b^2*c*e^2)^4 + 8384563280128*a^22*b^16*c^9*e^16*f^22*(a^2*c*f^2 - b^2*c*e^2)^4 - 5975281259520*a^24*b^14*c^9*e^14*f^24*(a^2*c*f^2 - b^2*c*e^2)^4 + 3269297268736*a^26*b^12*c^9*e^12*f^26*(a^2*c*f^2 - b^2*c*e^2)^4 - 1339171540992*a^28*b^10*c^9*e^10*f^28*(a^2*c*f^2 - b^2*c*e^2)^4 + 391250194432*a^30*b^8*c^9*e^8*f^30*(a^2*c*f^2 - b^2*c*e^2)^4 - 74114154496*a^32*b^6*c^9*e^6*f^32*(a^2*c*f^2 - b^2*c*e^2)^4 + 7299203072*a^34*b^4*c^9*e^4*f^34*(a^2*c*f^2 - b^2*c*e^2)^4 - 148635648*a^36*b^2*c^9*e^2*f^36*(a^2*c*f^2 - b^2*c*e^2)^4 - 38704068*a^2*b^38*c^10*e^38*f^2*(a^2*c*f^2 - b^2*c*e^2)^3 + 188845992*a^4*b^36*c^10*e^36*f^4*(a^2*c*f^2 - b^2*c*e^2)^3 + 1157124204*a^6*b^34*c^10*e^34*f^6*(a^2*c*f^2 - b^2*c*e^2)^3 - 20586361424*a^8*b^32*c^10*e^32*f^8*(a^2*c*f^2 - b^2*c*e^2)^3 + 135395499200*a^10*b^30*c^10*e^30*f^10*(a^2*c*f^2 - b^2*c*e^2)^3 - 555513858464*a^12*b^28*c^10*e^28*f^12*(a^2*c*f^2 - b^2*c*e^2)^3 + 1608776388864*a^14*b^26*c^10*e^26*f^14*(a^2*c*f^2 - b^2*c*e^2)^3 - 3473989271488*a^16*b^24*c^10*e^24*f^16*(a^2*c*f^2 - b^2*c*e^2)^3 + 5766181411456*a^18*b^22*c^10*e^22*f^18*(a^2*c*f^2 - b^2*c*e^2)^3 - 7493983209472*a^20*b^20*c^10*e^20*f^20*(a^2*c*f^2 - b^2*c*e^2)^3 + 7713917084672*a^22*b^18*c^10*e^18*f^22*(a^2*c*f^2 - b^2*c*e^2)^3 - 6328467293184*a^24*b^16*c^10*e^16*f^24*(a^2*c*f^2 - b^2*c*e^2)^3 + 4142950034432*a^26*b^14*c^10*e^14*f^26*(a^2*c*f^2 - b^2*c*e^2)^3 - 2152681536512*a^28*b^12*c^10*e^12*f^28*(a^2*c*f^2 - b^2*c*e^2)^3 + 874199511040*a^30*b^10*c^10*e^10*f^30*(a^2*c*f^2 - b^2*c*e^2)^3 - 268759150592*a^32*b^8*c^10*e^8*f^32*(a^2*c*f^2 - b^2*c*e^2)^3 + 58872545280*a^34*b^6*c^10*e^6*f^34*(a^2*c*f^2 - b^2*c*e^2)^3 - 8151957504*a^36*b^4*c^10*e^4*f^36*(a^2*c*f^2 - b^2*c*e^2)^3 + 530841600*a^38*b^2*c^10*e^2*f^38*(a^2*c*f^2 - b^2*c*e^2)^3 - 42743457*a^40*b^40*c^11*e^40*f^2*(a^2*c*f^2 - b^2*c*e^2)^2 + 411055884*a^42*b^38*c^11*e^38*f^4*(a^2*c*f^2 - b^2*c*e^2)^2 - 2180887236*a^6*b^36*c^11*e^36*f^6*(a^2*c*f^2 - b^2*c*e^2)^2 + 6404946508*a^8*b^34*c^11*e^34*f^8*(a^2*c*f^2 - b^2*c*e^2)^2 - 5434005264*a^10*b^32*c^11*e^32*f^10*(a^2*c*f^2 - b^2*c*e^2)^2 - 38868373520*a^12*b^30*c^11*e^30*f^12*(a^2*c*f^2 - b^2*c*e^2)^2 + 208447613600*a^14*b^28*c^11*e^28*f^14*(a^2*c*f^2 - b^2*c*e^2)^2 - 579674999104*a^16*b^26*c^11*e^26*f^16*(a^2*c*f^2 - b^2*c*e^2)^2 + 1104967566592*a^18*b^24*c^11*e^24*f^18*(a^2*c*f^2 - b^2*c*e^2)^2 - 1554566531328*a^20*b^22*c^11*e^22*f^20*(a^2*c*f^2 - b^2*c*e^2)^2 + 1659734381312*a^22*b^20*c^11*e^20*f^22*(a^2*c*f^2 - b^2*c*e^2)^2 - 1356361512192*a^24*b^18*c^11*e^18*f^24*(a^2*c*f^2 - b^2*c*e^2)^2 + 845331359744*a^26*b^16*c^11*e^16*f^26*(a^2*c*f^2 - b^2*c*e^2)^2 - 395676895232*a^28*b^14*c^11*e^14*f^28*(a^2*c*f^2 - b^2*c*e^2)^2 + 134902689792*a^30*b^12*c^11*e^12*f^30*(a^2*c*f^2 - b^2*c*e^2)^2 - 31670587392*a^32*b^10*c^11*e^10*f^32*(a^2*c*f^2 - b^2*c*e^2)^2 + 4584669184*a^34*b^8*c^11*e^8*f^34*(a^2*c*f^2 - b^2*c*e^2)^2 - 309657600*a^36*b^6*c^11*e^6*f^36*(a^2*c*f^2 - b^2*c*e^2)^2)) * (236196*b^36*c^8*e^36*(b^2*c*e^2) -)
\end{aligned}$$

$$\begin{aligned}
& a^{2*c*f^2})^{(11/2)} - 385875968*a^{32*c^6*f^32}*(b^{2*c*e^2} - a^{2*c*f^2})^{(15/2)} \\
& - 419430400*a^{34*c^7*f^34}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} - 150994944*a^{36*c^8*f^36}*(b^{2*c*e^2} - a^{2*c*f^2})^{(11/2)} - 117440512*a^{30*c^5*f^30}*(b^{2*c*e^2} \\
& - a^{2*c*f^2})^{(17/2)} - 1102248*b^{38*c^9*e^38}*(b^{2*c*e^2} - a^{2*c*f^2})^{(9/2)} \\
& + 2053593*b^{40*c^{10}*e^{40}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(7/2)} - 1909251*b^{42*c^{11}*e^{42}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(5/2)} + 885735*b^{44*c^{12}*e^{44}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(3/2)} \\
& - 164025*b^{46*c^{13}*e^{46}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(1/2)} - 9289728*a^{6*b^{24*c^5}*e^{24*f^6}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(17/2)} + 36884480*a^{8*b^{22*c^5}*e^{22*f^8}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(17/2)} \\
& + 278604800*a^{10*b^{20*c^5}*e^{20*f^10}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(17/2)} - 2774483200*a^{12*b^{18*c^5}*e^{18*f^12}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(17/2)} + 10869657600*a^{14*b^{16*c^5}*e^{16*f^14}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(17/2)} \\
& - 25237416960*a^{16*b^{14*c^5}*e^{14*f^16}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(17/2)} + 38348909568*a^{18*b^{12*c^5}*e^{12*f^18}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(17/2)} - 39084659712*a^{20*b^{10*c^5}*e^{10*f^20}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(17/2)} \\
& + 26118635520*a^{22*b^{8*c^5}*e^{8*f^22}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(17/2)} - 10414620672*a^{24*b^{6*c^5}*e^{6*f^24}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(17/2)} + 1708654592*a^{26*b^{4*c^5}*e^{4*f^26}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(17/2)} + 276561920*a^{28*b^{2*c^5}*e^{2*f^28}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(17/2)} \\
& - 9704448*a^{4*b^{28*c^6}*e^{28*f^4}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(15/2)} + 260614656*a^{6*b^{26*c^6}*e^{26*f^6}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(15/2)} - 2166022464*a^{8*b^{24*c^6}*e^{24*f^8}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(15/2)} \\
& + 8626147840*a^{10*b^{22*c^6}*e^{22*f^10}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(15/2)} - 16771503616*a^{12*b^{20*c^6}*e^{20*f^12}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(15/2)} + 3301800960*a^{14*b^{18*c^6}*e^{18*f^14}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(15/2)} + 67337715968*a^{16*b^{16*c^6}*e^{16*f^16}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(15/2)} - 189857873920*a^{18*b^{14*c^6}*e^{14*f^18}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(15/2)} + 286100259840*a^{20*b^{12*c^6}*e^{12*f^20}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(15/2)} - 275789894656*a^{22*b^{10*c^6}*e^{10*f^22}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(15/2)} + 173716537344*a^{24*b^{8*c^6}*e^{8*f^24}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(15/2)} - 67416424448*a^{26*b^{6*c^6}*e^{6*f^26}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(15/2)} + 12831686656*a^{28*b^{4*c^6}*e^{4*f^28}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(15/2)} + 222560256*a^{30*b^{2*c^6}*e^{2*f^30}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(15/2)} - 2099520*a^{2*b^{32*c^7}*e^{32*f^2}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} + 107014608*a^{4*b^{30*c^7}*e^{30*f^4}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} - 1848335616*a^{6*b^{28*c^7}*e^{28*f^6}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} + 15200005312*a^{8*b^{26*c^7}*e^{26*f^8}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} - 72612273792*a^{10*b^{24*c^7}*e^{24*f^10}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} + 221855779968*a^{12*b^{22*c^7}*e^{22*f^12}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} - 450717857536*a^{14*b^{20*c^7}*e^{20*f^14}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} + 600578910208*a^{16*b^{18*c^7}*e^{18*f^16}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} - 459464530688*a^{18*b^{16*c^7}*e^{16*f^18}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} + 33638947840*a^{20*b^{14*c^7}*e^{14*f^20}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} + 376299926528*a^{22*b^{12*c^7}*e^{12*f^22}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} - 488874068992*a^{24*b^{10*c^7}*e^{10*f^24}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} + 333407809536*a^{26*b^{8*c^7}*e^{8*f^26}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} - 134140313600*a^{28*b^{6*c^7}*e^{6*f^28}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} + 28220915712*a^{30*b^{4*c^7}*e^{4*f^30}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} - 1230503936*a^{32*b^{2*c^7}*e^{2*f^32}}*(b^{2*c*e^2} - a^{2*c*f^2})^{(13/2)} + 3335904*a^{2*b^{34*c^7}}
\end{aligned}$$

$$\begin{aligned}
& 8*e^{34}*f^2*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} - 290521728*a^4*b^32*c^8*e^{32}*f^4 \\
& *(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} + 4865684544*a^6*b^30*c^8*e^{30}*f^6*(b^2*c*e^2 \\
& - a^2*c*f^2)^{(11/2)} - 40437394528*a^8*b^28*c^8*e^{28}*f^8*(b^2*c*e^2 - a^2 \\
& *c*f^2)^{(11/2)} + 205602254656*a^{10}*b^{26}*c^8*e^{26}*f^{10}*(b^2*c*e^2 - a^2*c*f^2) \\
& ^{(11/2)} - 703885344192*a^{12}*b^{24}*c^8*e^{24}*f^{12}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} \\
& + 1709253482624*a^{14}*b^{22}*c^8*e^{22}*f^{14}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} \\
& - 3029282695168*a^{16}*b^{20}*c^8*e^{20}*f^{16}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} + 3 \\
& 966230827520*a^{18}*b^{18}*c^8*e^{18}*f^{18}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} - 38223 \\
& 39813632*a^{20}*b^{16}*c^8*e^{16}*f^{20}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} + 264043805 \\
& 6960*a^{22}*b^{14}*c^8*e^{14}*f^{22}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} - 1208501415936 \\
& *a^{24}*b^{12}*c^8*e^{12}*f^{24}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} + 269338092544*a^{26} \\
& *b^{10}*c^8*e^{10}*f^{26}*(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} + 53783212032*a^{28}*b^8*c^8*e^8*f^8 \\
& *(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} - 60985360384*a^{30}*b^6*c^8*e^6*f^30 \\
& *(b^2*c*e^2 - a^2*c*f^2)^{(11/2)} + 17917083648*a^{32}*b^4*c^8*e^4*f^32*(b^2 \\
& *c*e^2 - a^2*c*f^2)^{(11/2)} - 1558708224*a^{34}*b^{2*c^8}*e^{2*f^34}*(b^2*c*e^2 \\
& - a^2*c*f^2)^{(11/2)} + 11917692*a^{2*b^36}*c^9*e^{36}*f^2*(b^2*c*e^2 - a^2*c*f^2) \\
& ^{(9/2)} + 224907516*a^{4*b^34}*c^9*e^{34}*f^4*(b^2*c*e^2 - a^2*c*f^2)^{(9/2)} - 530 \\
& 3932560*a^{6*b^32}*c^9*e^{32}*f^6*(b^2*c*e^2 - a^2*c*f^2)^{(9/2)} + 48206418480*a \\
& ^8*b^30*c^9*e^{30}*f^8*(b^2*c*e^2 - a^2*c*f^2)^{(9/2)} - 261450609120*a^{10}*b^28 \\
& *c^9*e^{28}*f^10*(b^2*c*e^2 - a^2*c*f^2)^{(9/2)} + 962361040256*a^{12}*b^{26}*c^9*e^ \\
& ^{26}*f^{12}*(b^2*c*e^2 - a^2*c*f^2)^{(9/2)} - 2558559358080*a^{14}*b^{24}*c^9*e^{24}*f^ \\
& ^{14}*(b^2*c*e^2 - a^2*c*f^2)^{(9/2)} + 5091804150656*a^{16}*b^{22}*c^9*e^{22}*f^{16}*(\\
& b^2*c*e^2 - a^2*c*f^2)^{(9/2)} - 7750806514944*a^{18}*b^{20}*c^9*e^{20}*f^{18}*(b^2*c \\
& *e^2 - a^2*c*f^2)^{(9/2)} + 9137207485952*a^{20}*b^{18}*c^9*e^{18}*f^{20}*(b^2*c*e^2 \\
& - a^2*c*f^2)^{(9/2)} - 8384563280128*a^{22}*b^{16}*c^9*e^{16}*f^{22}*(b^2*c*e^2 - a^2 \\
& *c*f^2)^{(9/2)} + 5975281259520*a^{24}*b^{14}*c^9*e^{14}*f^{24}*(b^2*c*e^2 - a^2*c*f^2) \\
& ^{(9/2)} - 3269297268736*a^{26}*b^{12}*c^9*e^{12}*f^{26}*(b^2*c*e^2 - a^2*c*f^2)^{(9 \\
& /2)} + 1339171540992*a^{28}*b^{10}*c^9*e^{10}*f^{28}*(b^2*c*e^2 - a^2*c*f^2)^{(9/2)} - \\
& 391250194432*a^{30}*b^8*c^9*e^{8}*f^{30}*(b^2*c*e^2 - a^2*c*f^2)^{(9/2)} + 7411415 \\
& 4496*a^{32}*b^6*c^9*e^{6}*f^{32}*(b^2*c*e^2 - a^2*c*f^2)^{(9/2)} - 7299203072*a^{34} \\
& b^4*c^9*e^4*f^34*(b^2*c*e^2 - a^2*c*f^2)^{(9/2)} + 148635648*a^{36}*b^2*c^9*e^2 \\
& *f^36*(b^2*c*e^2 - a^2*c*f^2)^{(9/2)} - 38704068*a^{2*b^38}*c^{10}*e^{38}*f^2*(b^2*c \\
& *e^2 - a^2*c*f^2)^{(7/2)} + 188845992*a^{4*b^36}*c^{10}*e^{36}*f^4*(b^2*c*e^2 - a^2 \\
& *c*f^2)^{(7/2)} + 1157124204*a^{6*b^34}*c^{10}*e^{34}*f^6*(b^2*c*e^2 - a^2*c*f^2) \\
& ^{(7/2)} - 20586361424*a^{8*b^32}*c^{10}*e^{32}*f^8*(b^2*c*e^2 - a^2*c*f^2)^{(7/2)} + \\
& 135395499200*a^{10*b^30}*c^{10}*e^{30}*f^{10}*(b^2*c*e^2 - a^2*c*f^2)^{(7/2)} - 55551 \\
& 3858464*a^{12}*b^{28}*c^{10}*e^{28}*f^{12}*(b^2*c*e^2 - a^2*c*f^2)^{(7/2)} + 1608776388 \\
& 864*a^{14}*b^{26}*c^{10}*e^{26}*f^{14}*(b^2*c*e^2 - a^2*c*f^2)^{(7/2)} - 3473989271488* \\
& a^{16}*b^{24}*c^{10}*e^{24}*f^{16}*(b^2*c*e^2 - a^2*c*f^2)^{(7/2)} + 5766181411456*a^{18} \\
& *b^{22}*c^{10}*e^{22}*f^{18}*(b^2*c*e^2 - a^2*c*f^2)^{(7/2)} - 7493983209472*a^{20}*b^2 \\
& 0*c^{10}*e^{20}*f^{20}*(b^2*c*e^2 - a^2*c*f^2)^{(7/2)} + 7713917084672*a^{22}*b^{18}*c^ \\
& 10*e^{18}*f^{22}*(b^2*c*e^2 - a^2*c*f^2)^{(7/2)} - 6328467293184*a^{24}*b^{16}*c^{10}*e^ \\
& ^{16}*f^{24}*(b^2*c*e^2 - a^2*c*f^2)^{(7/2)} + 4142950034432*a^{26}*b^{14}*c^{10}*e^{14}* \\
& f^{26}*(b^2*c*e^2 - a^2*c*f^2)^{(7/2)} - 2152681536512*a^{28}*b^{12}*c^{10}*e^{12}*f^{28} \\
& *(b^2*c*e^2 - a^2*c*f^2)^{(7/2)} + 874199511040*a^{30}*b^{10}*c^{10}*e^{10}*f^{30}*(b^2
\end{aligned}$$

$$\begin{aligned}
& *c^2 - a^2*c^2)^{(7/2)} - 268759150592*a^32*b^8*c^10*e^8*f^32*(b^2*c^2 \\
& - a^2*c^2)^{(7/2)} + 58872545280*a^34*b^6*c^10*e^6*f^34*(b^2*c^2 - a^2*c^2)^{(7/2)} \\
& - 8151957504*a^36*b^4*c^10*e^4*f^36*(b^2*c^2 - a^2*c^2)^{(7/2)} + 427434 \\
& 57*a^2*b^40*c^11*e^40*f^2*(b^2*c^2 - a^2*c^2)^{(5/2)} - 411055884*a^4*b^3 \\
& 8*c^11*e^38*f^4*(b^2*c^2 - a^2*c^2)^{(5/2)} + 2180887236*a^6*b^36*c^11*e^ \\
& 36*f^6*(b^2*c^2 - a^2*c^2)^{(5/2)} - 6404946508*a^8*b^34*c^11*e^34*f^8*(b^ \\
& 2*c^2 - a^2*c^2)^{(5/2)} + 5434005264*a^10*b^32*c^11*e^32*f^10*(b^2*c^2 - a^ \\
& 2*c^2)^{(5/2)} + 38868373520*a^12*b^30*c^11*e^30*f^12*(b^2*c^2 - a^2*c^2)^{(5/2)} \\
& - 208447613600*a^14*b^28*c^11*e^28*f^14*(b^2*c^2 - a^2*c^f^2)^{(5/2)} + 579674999104*a^16*b^26*c^11*e^26*f^16*(b^2*c^2 - a^2*c^2)^{(5/2)} \\
& - 1104967566592*a^18*b^24*c^11*e^24*f^18*(b^2*c^2 - a^2*c^2)^{(5/2)} + 1554566531328*a^20*b^22*c^11*e^22*f^20*(b^2*c^2 - a^2*c^2)^{(5/2)} - 1 \\
& 659734381312*a^22*b^20*c^11*e^20*f^22*(b^2*c^2 - a^2*c^2)^{(5/2)} + 13563 \\
& 61512192*a^24*b^18*c^11*e^18*f^24*(b^2*c^2 - a^2*c^2)^{(5/2)} - 845331359 \\
& 744*a^26*b^16*c^11*e^16*f^26*(b^2*c^2 - a^2*c^2)^{(5/2)} + 395676895232*a^ \\
& 28*b^14*c^11*e^14*f^28*(b^2*c^2 - a^2*c^2)^{(5/2)} - 134902689792*a^30*b^ \\
& 12*c^11*e^12*f^30*(b^2*c^2 - a^2*c^2)^{(5/2)} + 31670587392*a^32*b^10*c^ \\
& 11*e^10*f^32*(b^2*c^2 - a^2*c^2)^{(5/2)} - 4584669184*a^34*b^8*c^11*e^8*f^ \\
& 34*(b^2*c^2 - a^2*c^2)^{(5/2)} + 309657600*a^36*b^6*c^11*e^6*f^36*(b^2*c^ \\
& 2 - a^2*c^2)^{(5/2)} - 21130794*a^2*b^42*c^12*e^42*f^2*(b^2*c^2 - a^2*c^2)^{(3/2)} \\
& + 234399015*a^4*b^40*c^12*e^40*f^4*(b^2*c^2 - a^2*c^2)^{(3/2)} - 1604168280*a^6*b^38*c^12*e^38*f^6*(b^2*c^2 - a^2*c^2)^{(3/2)} + 7579 \\
& 098492*a^8*b^36*c^12*e^36*f^8*(b^2*c^2 - a^2*c^2)^{(3/2)} - 26212380172*a^ \\
& 10*b^34*c^12*e^34*f^10*(b^2*c^2 - a^2*c^2)^{(3/2)} + 68672994096*a^12*b^ \\
& 32*c^12*e^32*f^12*(b^2*c^2 - a^2*c^2)^{(3/2)} - 139160589504*a^14*b^30*c^ \\
& 12*e^30*f^14*(b^2*c^2 - a^2*c^2)^{(3/2)} + 220859191808*a^16*b^28*c^12*e^ \\
& 28*f^16*(b^2*c^2 - a^2*c^2)^{(3/2)} - 276344315328*a^18*b^26*c^12*e^26*f^ \\
& 18*(b^2*c^2 - a^2*c^2)^{(3/2)} + 273130561984*a^20*b^24*c^12*e^24*f^20*(b^ \\
& 2*c^2 - a^2*c^2)^{(3/2)} - 212730002688*a^22*b^22*c^12*e^22*f^22*(b^2*c^ \\
& 2 - a^2*c^2)^{(3/2)} + 129574234368*a^24*b^20*c^12*e^20*f^24*(b^2*c^2 - a^ \\
& 2*c^2)^{(3/2)} - 60770569216*a^26*b^18*c^12*e^18*f^26*(b^2*c^2 - a^2*c^2)^{(3/2)} \\
& + 21304706048*a^28*b^16*c^12*e^16*f^28*(b^2*c^2 - a^2*c^2)^{(3/2)} - 5272965120*a^30*b^14*c^12*e^14*f^30*(b^2*c^2 - a^2*c^2)^{(3/2)} + 819441664*a^32*b^12*c^12*e^12*f^32*(b^2*c^2 - a^2*c^2)^{(3/2)} - 5939200 \\
& 0*a^34*b^10*c^12*e^10*f^34*(b^2*c^2 - a^2*c^2)^{(3/2)} + 3937329*a^2*b^44 \\
& *c^13*e^44*f^2*(b^2*c^2 - a^2*c^2)^{(1/2)} - 43893819*a^4*b^42*c^13*e^42*f^ \\
& 4*(b^2*c^2 - a^2*c^2)^{(1/2)} + 301507155*a^6*b^40*c^13*e^40*f^6*(b^2*c^ \\
& 2 - a^2*c^2)^{(1/2)} - 1427514656*a^8*b^38*c^13*e^38*f^8*(b^2*c^2 - a^ \\
& 2*c^2)^{(1/2)} + 4936911112*a^10*b^36*c^13*e^36*f^10*(b^2*c^2 - a^2*c^2)^{(1/2)} \\
& - 12893273616*a^12*b^34*c^13*e^34*f^12*(b^2*c^2 - a^2*c^2)^{(1/2)} + 25921630432*a^14*b^32*c^13*e^32*f^14*(b^2*c^2 - a^2*c^2)^{(1/2)} - 40 \\
& 519286096*a^16*b^30*c^13*e^30*f^16*(b^2*c^2 - a^2*c^2)^{(1/2)} + 49376608 \\
& 256*a^18*b^28*c^13*e^28*f^18*(b^2*c^2 - a^2*c^2)^{(1/2)} - 46721401856*a^ \\
& 20*b^26*c^13*e^26*f^20*(b^2*c^2 - a^2*c^2)^{(1/2)} + 33946324736*a^22*b^2
\end{aligned}$$

$$\begin{aligned}
& 4*c^{13}*e^{24}*f^{22}*(b^{2*c*e^2} - a^{2*c*f^2})^{(1/2)} - 18556579328*a^{24}*b^{22}*c^{13} \\
& *e^{22}*f^{24}*(b^{2*c*e^2} - a^{2*c*f^2})^{(1/2)} + 7375276032*a^{26}*b^{20}*c^{13}*e^{20}*f \\
& ^{26}*(b^{2*c*e^2} - a^{2*c*f^2})^{(1/2)} - 2009817088*a^{28}*b^{18}*c^{13}*e^{18}*f^{28}*(b^{2*c*e^2} \\
& - a^{2*c*f^2})^{(1/2)} + 335642624*a^{30}*b^{16}*c^{13}*e^{16}*f^{30}*(b^{2*c*e^2} \\
& - a^{2*c*f^2})^{(1/2)} - 25907200*a^{32}*b^{14}*c^{13}*e^{14}*f^{32}*(b^{2*c*e^2} - a^{2*c*f} \\
& ^2)^{(1/2)})/(16384*a^{(17/2)}*b^{19*c*e^{19}*f^{15}}*(a*c)^{(13/2)} - 2048*a^{(13/2)}*b \\
& ^{21*c*e^{21}*f^{13}}*(a*c)^{(13/2)} - 57344*a^{(21/2)}*b^{17*c*e^{17}*f^{17}}*(a*c)^{(13/2)} \\
& + 114688*a^{(25/2)}*b^{15*c*e^{15}*f^{19}}*(a*c)^{(13/2)} - 143360*a^{(29/2)}*b^{13*c*e} \\
& ^{13}*f^{21}*(a*c)^{(13/2)} + 114688*a^{(33/2)}*b^{11*c*e^{11}*f^{23}}*(a*c)^{(13/2)} - 573 \\
& 44*a^{(37/2)}*b^{9*c*e^{9}*f^{25}}*(a*c)^{(13/2)} + 16384*a^{(41/2)}*b^{7*c*e^{7}*f^{27}}*(a*c) \\
& ^{(13/2)} - 2048*a^{(45/2)}*b^{5*c*e^{5}*f^{29}}*(a*c)^{(13/2)} + 486*a^{(3/2)}*b^{31*c} \\
& ^{6}*e^{31}*f^{3}*(a*c)^{(3/2)} - 3240*a^{(5/2)}*b^{29*c^{5}*e^{29}*f^{5}}*(a*c)^{(5/2)} + 8640* \\
& a^{(7/2)}*b^{27*c^{4}*e^{27}*f^{7}}*(a*c)^{(7/2)} - 2592*a^{(7/2)}*b^{29*c^{6}*e^{29}*f^{5}}*(a*c) \\
&)^{(3/2)} - 11520*a^{(9/2)}*b^{25*c^{3}*e^{25}*f^{9}}*(a*c)^{(9/2)} + 19008*a^{(9/2)}*b^{27*} \\
& c^{5}*e^{27}*f^{7}*(a*c)^{(5/2)} + 7680*a^{(11/2)}*b^{23*c^{2}*e^{23}*f^{11}}*(a*c)^{(11/2)} - \\
& 55296*a^{(11/2)}*b^{25*c^{4}*e^{25}*f^{9}}*(a*c)^{(7/2)} + 5184*a^{(11/2)}*b^{27*c^{6}*e^{27}*} \\
& f^{7}*(a*c)^{(3/2)} + 79872*a^{(13/2)}*b^{23*c^{3}*e^{23}*f^{11}}*(a*c)^{(9/2)} - 44064*a^{(} \\
& 13/2)*b^{25*c^{5}*e^{25}*f^{9}}*(a*c)^{(5/2)} - 57344*a^{(15/2)}*b^{21*c^{2}*e^{21}*f^{13}}*(a* \\
& c)^{(11/2)} + 145152*a^{(15/2)}*b^{23*c^{4}*e^{23}*f^{11}}*(a*c)^{(7/2)} - 4608*a^{(15/2)}* \\
& b^{25*c^{6}*e^{25}*f^{9}}*(a*c)^{(3/2)} - 233472*a^{(17/2)}*b^{21*c^{3}*e^{21}*f^{13}}*(a*c)^{(9} \\
& /2)} + 50304*a^{(17/2)}*b^{23*c^{5}*e^{23}*f^{11}}*(a*c)^{(5/2)} + 184320*a^{(19/2)}*b^{19*} \\
& c^{2}*e^{19}*f^{15}*(a*c)^{(11/2)} - 199424*a^{(19/2)}*b^{21*c^{4}*e^{21}*f^{13}}*(a*c)^{(7/2)} \\
& + 1536*a^{(19/2)}*b^{23*c^{6}*e^{23}*f^{11}}*(a*c)^{(3/2)} + 371712*a^{(21/2)}*b^{19*c^{3}*} \\
& e^{19}*f^{15}*(a*c)^{(9/2)} - 28160*a^{(21/2)}*b^{21*c^{5}*e^{21}*f^{13}}*(a*c)^{(5/2)} - 331 \\
& 776*a^{(23/2)}*b^{17*c^{2}*e^{17}*f^{17}}*(a*c)^{(11/2)} + 150592*a^{(23/2)}*b^{19*c^{4}*e^{1} \\
& 9}*f^{15}*(a*c)^{(7/2)} - 346368*a^{(25/2)}*b^{17*c^{3}*e^{17}*f^{17}}*(a*c)^{(9/2)} + 6144* \\
& a^{(25/2)}*b^{19*c^{5}*e^{19}*f^{15}}*(a*c)^{(5/2)} + 363520*a^{(27/2)}*b^{15*c^{2}*e^{15}*f^{1} \\
& 9}*(a*c)^{(11/2)} - 58880*a^{(27/2)}*b^{17*c^{4}*e^{17}*f^{17}}*(a*c)^{(7/2)} + 187392*a^{(} \\
& 29/2)*b^{15*c^{3}*e^{15}*f^{19}}*(a*c)^{(9/2)} - 245760*a^{(31/2)}*b^{13*c^{2}*e^{13}*f^{21}}*(a* \\
& c)^{(11/2)} + 9216*a^{(31/2)}*b^{15*c^{4}*e^{15}*f^{19}}*(a*c)^{(7/2)} - 53760*a^{(33/2)}* \\
& b^{13*c^{3}*e^{13}*f^{21}}*(a*c)^{(9/2)} + 98304*a^{(35/2)}*b^{11*c^{2}*e^{11}*f^{23}}*(a*c)^{(} \\
& 11/2)} + 6144*a^{(37/2)}*b^{11*c^{3}*e^{11}*f^{23}}*(a*c)^{(9/2)} - 20480*a^{(39/2)}*b^{9*c} \\
& ^{2}*e^{9}*f^{25}*(a*c)^{(11/2)} + 1536*a^{(43/2)}*b^{7*c^{2}*e^{7}*f^{27}}*(a*c)^{(11/2)})))/ \\
& ((f^{2}*(a*f + b*e)*(a*f - b*e)*(b^{2*c*e^2} - a^{2*c*f^2})^{(1/2)}))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)**2/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

$$3.33 \quad \int \frac{A+Bx+Cx^2}{\sqrt{a+bx} \sqrt{ac-bcx} (e+fx)^3} dx$$

Optimal. Leaf size=363

$$\frac{(a^2 - b^2 x^2) (2 a^2 f^2 (2 C e - B f) - b^2 e (f (B e - 3 A f) + C e^2))}{2 f \sqrt{a + b x} (e + f x) \sqrt{a c - b c x} (b^2 e^2 - a^2 f^2)^2} + \frac{f (a^2 - b^2 x^2) \left(A + \frac{e (C e - B f)}{f^2}\right)}{2 \sqrt{a + b x} (e + f x)^2 \sqrt{a c - b c x} (b^2 e^2 - a^2 f^2)} + \frac{\sqrt{a^2 c - b^2 c x^2} (A (a^2 b^2 f^2 + 2 b^4 e^2) + a^2 b^2 e (C e - 3 B f) + 2 a^4 C f^2) \tan^{-1} \left(\frac{\sqrt{a^2 f + b^2 c x}}{\sqrt{a^2 c - b^2 c x^2} \sqrt{b^2 e^2 - a^2 f^2}}\right)}{2 \sqrt{c} \sqrt{a + b x} \sqrt{a c - b c x} (b^2 e^2 - a^2 f^2)^{5/2}}$$

Rubi [A] time = 0.59, antiderivative size = 361, normalized size of antiderivative = 0.99, number of steps used = 5, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.125, Rules used = {1610, 1651, 807, 725, 204}

$$\frac{(a^2 - b^2 x^2) (2 a^2 f^2 (2 C e - B f) - b^2 (e f (B e - 3 A f) + C e^3))}{2 f \sqrt{a + b x} (e + f x) \sqrt{a c - b c x} (b^2 e^2 - a^2 f^2)^2} + \frac{f (a^2 - b^2 x^2) \left(A + \frac{e (C e - B f)}{f^2}\right)}{2 \sqrt{a + b x} (e + f x)^2 \sqrt{a c - b c x} (b^2 e^2 - a^2 f^2)} + \frac{\sqrt{a^2 c - b^2 c x^2} (A (a^2 b^2 f^2 + 2 b^4 e^2) + a^2 b^2 e (C e - 3 B f) + 2 a^4 C f^2) \tan^{-1} \left(\frac{\sqrt{a^2 f + b^2 c x}}{\sqrt{a^2 c - b^2 c x^2} \sqrt{b^2 e^2 - a^2 f^2}}\right)}{2 \sqrt{c} \sqrt{a + b x} \sqrt{a c - b c x} (b^2 e^2 - a^2 f^2)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3), x]
[Out] (f*(A + (e*(C*e - B*f))/f^2)*(a^2 - b^2*x^2))/(2*(b^2*e^2 - a^2*f^2)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^2) + ((2*a^2*f^2*(2*C*e - B*f) - b^2*(C*e^3 + e*f*(B*e - 3*A*f)))*(a^2 - b^2*x^2))/(2*f*(b^2*e^2 - a^2*f^2)^2*Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)) + ((2*a^4*C*f^2 + a^2*b^2*e*(C*e - 3*B*f) + A*(2*b^4*e^2 + a^2*b^2*f^2))*Sqrt[a^2*c - b^2*c*x^2]*ArcTan[(Sqrt[c]*(a^2*f + b^2*e*x))/(Sqrt[b^2*e^2 - a^2*f^2]*Sqrt[a^2*c - b^2*c*x^2])])/(2*Sqrt[c]*(b^2*e^2 - a^2*f^2)^(5/2)*Sqrt[a + b*x]*Sqrt[a*c - b*c*x])
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]
```

Rule 807

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In]
```

```
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq, d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{\sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^3} dx &= \frac{\sqrt{a^2c - b^2cx^2} \int \frac{A + Bx + Cx^2}{(e + fx)^3 \sqrt{a^2c - b^2cx^2}} dx}{\sqrt{a + bx} \sqrt{ac - bcx}} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{\sqrt{a^2c - b^2cx^2} \int \frac{2c(Ab^2e + a^2(Ce - Bf)x)}{2c(b^2e^2 - a^2f^2)} dx}{2c(b^2e^2 - a^2f^2)} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2(Ce^3 - Bf^2))}{2f(b^2e^2 - a^2f^2)^2 \sqrt{a + bx}} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2(Ce^3 - Bf^2))}{2f(b^2e^2 - a^2f^2)^2 \sqrt{a + bx}} \\
&= \frac{f \left(A + \frac{e(Ce - Bf)}{f^2} \right) (a^2 - b^2x^2)}{2(b^2e^2 - a^2f^2) \sqrt{a + bx} \sqrt{ac - bcx} (e + fx)^2} + \frac{(2a^2f^2(2Ce - Bf) - b^2(Ce^3 - Bf^2))}{2f(b^2e^2 - a^2f^2)^2 \sqrt{a + bx}}
\end{aligned}$$

Mathematica [A] time = 1.31, size = 492, normalized size = 1.36

$$\frac{b^2 \sqrt{a-bx} \left(f(Af-Bc)+C e^2\right) \left(2 (e+f x) \left(a^2 f^2+2 b^2 c^2\right) \tanh ^{-1}\left(\frac{\sqrt{a-bx} \sqrt{bc-a f}}{\sqrt{a+b x} \sqrt{af-be}}\right)+3 e f \sqrt{a-bx} \sqrt{a+b x} \sqrt{-af-be} \sqrt{be-af}\right)}{(e+f x) (-af-be)^{3/2} (bc-af)^{5/2}} + \frac{2 f (bx-a) \sqrt{a+b x} (Bf-2 C c)}{(e+f x) \left(a^2 f^2+b^2 c^2\right)} + \frac{f (bx-a) \sqrt{a+b x} \left(f (Af-Bc)+C e^2\right)}{(e+f x)^2 (af-be)(af+be)} + \frac{4 b^2 c \sqrt{a-bx} (2 C c-Bf) \tanh ^{-1}\left(\frac{\sqrt{a-bx} \sqrt{bc-a f}}{\sqrt{a+b x} \sqrt{af-be}}\right)}{(-af-be)^{3/2} (bc-af)^{3/2}} + \frac{4 C \sqrt{a-bx} \tanh ^{-1}\left(\frac{\sqrt{a-bx} \sqrt{bc-a f}}{\sqrt{a+b x} \sqrt{af-be}}\right)}{\sqrt{-af-be} \sqrt{bc-af}}$$

Antiderivative was successfully verified.

[In] `Integrate[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3), x]`

[Out] $((f*(C*e^2 + f*(-B*e) + A*f))*(-a + b*x)*Sqrt[a + b*x])/((-b*e) + a*f)*(b *e + a*f)*(e + f*x)^2 + (2*f*(-2*C*e + B*f))*(-a + b*x)*Sqrt[a + b*x])/((-b^2*e^2) + a^2*f^2)*(e + f*x) + (4*C*Sqrt[a - b*x]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-b*e] - a*f)*Sqrt[a + b*x]]])/(Sqrt[-b*e] - a*f)*Sqrt[b*e - a*f]*Sqrt[a - b*x])/(Sqrt[-b*e] - a*f)*Sqrt[a + b*x]))/((-b*e) - a*f)^(3/2)*(b*e - a*f)^(3/2) + (b^2*(C*e^2 + f*(-B*e) + A*f))*Sqrt[a - b*x]*(3*e*f*Sqrt[-b*e] - a*f)*Sqrt[b*e - a*f]*Sqrt[a - b*x]*Sqrt[a + b*x] + 2*(2*b^2*e^2 + a^2*f^2)*(e + f*x)*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[a - b*x])]/(Sqrt[-b*e] - a*f)*Sqrt[a + b*x]))/((-b*e) - a*f)^(5/2)*(b*e - a*f)^(5/2)*(e + f*x))/(2*f^2*Sqrt[c*(a - b*x)])$

IntegrateAlgebraic [A] time = 0.00, size = 610, normalized size = 1.68

$$\frac{(-24 f^4 C^2 - x^2 A b^2 f^2 + 3 x^2 b^2 B c f - x^2 b^2 C e^2 - 2 A b^4 f^2) \tanh ^{-1}\left(\frac{\sqrt{a-bx} \sqrt{af-be}}{\sqrt{a+b x} \sqrt{af+be}}\right)}{\sqrt{b x-a f}^2 \sqrt{af-be} (af+be)^2} ab \sqrt{a-c} - bc \sqrt{a-c} \left(-\frac{2 x^2 b^2 f^2 (a-c-bx)}{a+b x} + \frac{4 b^2 C e^2 (a-c-bx)}{a+b x} + 2 a^2 B c f^3 - 4 a^2 b^2 C e f^2 + \frac{x^2 a b^2 f^2 (a-c-bx)}{a+b x} + a^2 b^2 C e f^3 + \frac{x^2 b^2 f^2 (a-c-bx)}{a+b x} + a^2 b^2 C e f^2 - \frac{2 a^2 b^2 f^2 (a-c-bx)}{a+b x} - 3 a^2 b^2 C e f^2 - \frac{4 a^2 b^2 f^2 (a-c-bx)}{a+b x} + 3 a^2 b^2 C e f^2 + \frac{2 b^2 f^2 (a-c-bx)}{a+b x} - \frac{ab^2 b^2 f^2 (a-c-bx)}{a+b x} + ab^2 B c f^2 - \frac{ab^2 C e^2 f}{a+b x} + ab^2 C C e^2 - 4 A b^2 c^2 f + 2 B^2 B c f^2\right) \sqrt{a+b x} (b x-a f)^2 (af+be)^2 \sqrt{a+b x} (b x-a f)^2 (af+be)^2$$

Antiderivative was successfully verified.

[In] `IntegrateAlgebraic[(A + B*x + C*x^2)/(Sqrt[a + b*x]*Sqrt[a*c - b*c*x]*(e + f*x)^3), x]`

[Out] $-((a*b*Sqrt[a*c - b*c*x]*(2*b^3*B*c*e^3 + a*b^2*c*c*e^3 - 4*A*b^3*c*e^2*f + a*b^2*B*c*c*e^2*f - 3*a^2*b*c*c*e^2*f - 3*a*A*b^2*c*c*e*f^2 + a^2*b*B*c*c*e*f^2 - 4*a^3*c*c*e*f^2 + a^2*A*b*c*c*f^3 + 2*a^3*B*c*c*f^3 + (2*b^3*B*c*e^3*(a*c - b*c*x))/(a + b*x) - (a*b^2*c*e^3*(a*c - b*c*x))/(a + b*x) - (4*A*b^3*c*e^2*f*(a*c - b*c*x))/(a + b*x) - (a*b^2*B*c*e^2*f*(a*c - b*c*x))/(a + b*x) - (3*a^2*b*c*c*e^2*f*(a*c - b*c*x))/(a + b*x) + (3*a*A*b^2*c*c*e*f^2*(a*c - b*c*x))/(a + b*x) + (a^2*b*B*c*c*e*f^2*(a*c - b*c*x))/(a + b*x) + (4*a^3*c*c*e*f^2*(a*c - b*c*x))/(a + b*x) + (a^2*A*b*c*c*f^3*(a*c - b*c*x))/(a + b*x) - (2*a^3*B*c*c*f^3*(a*c - b*c*x))/(a + b*x))/((b*e - a*f)^2*(b*x + a*f)^2*Sqrt[a + b*x]*(b*c*c*e + a*c*f + (b*c*(a*c - b*c*x))/(a + b*x) - (a*f*(a*c - b*c*x))/(a + b*x))^2)) + ((-2*A*b^4*e^2 - a^2*b^2*c*c*e^2 + 3*a^2*b*c*c*e*f - a^2*A*b^2*c*c*f^2 - 2*a^4*c*c*f^2)*ArcTanh[(Sqrt[-b*e] + a*f)*Sqrt[a*c - b*c*x]])/(Sqrt[c]*Sqrt[b*e + a*f]*Sqrt[a + b*x]))/(Sqrt[c]*(b*e - a*f)^2*Sqrt[-b*e + a*f]*(b*e + a*f)^(5/2))$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="fricas")
```

[Out] Timed out

giac [B] time = 9.49, size = 1658, normalized size = 4.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^(1/2)/(-b*c*x+a*c)^(1/2),x, algorithm="giac")
```

```
[Out] -(2*C*a^4*sqrt(-c)*c^2*f^2 + A*a^2*b^2*sqrt(-c)*c^2*f^2 - 3*B*a^2*b^2*sqrt(-c)*c^2*f*e + C*a^2*b^2*sqrt(-c)*c^2*e^2 + 2*A*b^4*sqrt(-c)*c^2*e^2)*arctan(1/2*(2*b*c^2*e + (sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*f)/(sqrt(a^2*f^2 - b^2*e^2)*c^2))/((a^4*f^4*abs(c) - 2*a^2*b^2*f^2*abs(c)*e^2 + b^4*abs(c)*e^4)*sqrt(a^2*f^2 - b^2*e^2)*c^2) + 2*(16*B*a^6*b*sqrt(-c)*c^8*f^5 - 32*C*a^6*b*sqrt(-c)*c^8*f^4*e - 24*A*a^4*b^3*sqrt(-c)*c^8*f^4*e + 4*A*a^4*b^2*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^5 + 8*B*a^4*b^3*sqrt(-c)*c^8*f^3*e^2 + 20*B*a^4*b^2*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^4*e + 4*B*a^4*b*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^5 + 8*C*a^4*b^3*sqrt(-c)*c^8*f^2*e^3 - 44*C*a^4*b^2*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^3*e^2 - 40*A*a^2*b^4*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^3*e^2 - 8*C*a^4*b*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^4*e - 6*A*a^2*b^3*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^4*e - A*a^2*b^2*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f^5 + 16*B*a^2*b^4*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f^2*e^3 + 10*B*a^2*b^3*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^3*e^2 + 3*B*a^2*b^2*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f^4*e + 8*C*a^2*b^4*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^2*sqrt(-c)*c^6*f*e^4 - 14*C*a^2*b^3*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^2*e^3 - 12*A*b^5*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^4*sqrt(-c)*c^4*f^2*e^3 - 5*C*a^2*b^2*(sqrt(-b*c*x + a*c)*sqrt(-c) - sqrt(2*a*c^2 + (b*c*x - a*c)*c))^6*sqrt(-c)*c^2*f^3*e^2 - 2*A*b
```

$$\begin{aligned} & -4 * (\sqrt{-b*c*x + a*c}) * \sqrt{-c} - \sqrt{2*a*c^2 + (b*c*x - a*c)*c})^6 * \sqrt{(-c)*c^2*f^3*e^2 + 4*B*b^5 * (\sqrt{-b*c*x + a*c}) * \sqrt{-c} - \sqrt{2*a*c^2 + (b*c*x - a*c)*c})^4 * \sqrt{-c}*c^4*f^4 + 4*C*b^5 * (\sqrt{-b*c*x + a*c}) * \sqrt{-c} - \sqrt{2*a*c^2 + (b*c*x - a*c)*c})^4 * \sqrt{-c}*c^4*e^5 + 2*C*b^4 * (\sqrt{-b*c*x + a*c}) * \sqrt{-c} - \sqrt{2*a*c^2 + (b*c*x - a*c)*c})^6 * \sqrt{-c}*c^2*f^4) / (a^4*f^6*abs(c) - 2*a^2*b^2*f^4*abs(c)*e^2 + b^4*f^2*abs(c)*e^4) * (4*a^2*c^4*f + 4*b*(\sqrt{-b*c*x + a*c}) * \sqrt{-c} - \sqrt{2*a*c^2 + (b*c*x - a*c)*c})^2 * c^2*e + (\sqrt{-b*c*x + a*c}) * \sqrt{-c} - \sqrt{2*a*c^2 + (b*c*x - a*c)*c})^4 * f)^2) \end{aligned}$$

maple [B] time = 0.00, size = 1848, normalized size = 5.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^{(1/2)} / (-b*c*x+a*c)^{(1/2)}, x)$

$$\begin{aligned} & \text{[Out]} \quad -1/2 * (A*a^2*b^2*c*f^4*x^2*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))+2*A*b^4*c*e^2*f^2*x^2*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))-3*B*a^2*b^2*c*e*f^3*x^2*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))+2*C*a^4*c*f^4*x^2*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))+C*a^2*b^2*c*e^2*f^2*x^2*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))+2*A*a^2*b^2*c*e*f^3*x^2*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))+4*A*b^4*c*e^3*f*x*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))-6*B*a^2*b^2*c*e^2*f^2*x*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))+4*C*a^4*c*e*f^3*x*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))+2*C*a^2*b^2*c*e^3*f*x*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))+A*a^2*b^2*c*e^2*f^2*x*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))+2*A*b^4*c*e^4*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))-3*B*a^2*b^2*c*e^3*f*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))+2*C*a^4*c*e^2*f^2*x*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))+C*a^2*b^2*c*e^4*ln(2*(b^2*c*e*x+a^2*c*f+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))-3*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e))+3*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e)+A*b^2*e*f^3*x+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e)+B*a^2*f^4*x+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e)+C*a^2*e*f^3*x+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e)+C*b^2*e^3*f*x+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)*f}/(f*x+e)) \end{aligned}$$

$$\begin{aligned} & *x^2-a^2)*c)^{(1/2)}*A*a^2*f^4-4*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*A*b^2*e^2*f^2+((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*B*a^2*e*f^3+2*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*B*b^2*e^3*f^3-3*((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}*(-(b^2*x^2-a^2)*c)^{(1/2)}*C*a^2*e^2*f^2)*(-(b*x-a)*c)^{(1/2)}*(b*x+a)^{(1/2)}/(-(b^2*x^2-a^2)*c)^{(1/2)}/(a*f-b*e)/(a*f+b*e)/(a^2*f^2-b^2*e^2)/(f*x+e)^2/((a^2*f^2-b^2*e^2)*c/f^2)^{(1/2)}/c/f \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(f*x+e)^3/(b*x+a)^{(1/2)}/(-b*c*x+a*c)^{(1/2)}, x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a*f-b*e>0)', see `assume?` for more details)Is a*f-b*e positive, negative or zero?

mupad [B] time = 0.01, size = 9344, normalized size = 25.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x + C*x^2)/((e + f*x)^3*(a*c - b*c*x)^{(1/2)}*(a + b*x)^{(1/2)}), x)

[Out] (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(4*C*a^4*c^3*f^2 + 2*C*a^2*b^2*c^3*e^2))/(((a + b*x)^{(1/2)} - a^{(1/2)})*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) + (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3*(68*C*a^4*c^2*f^2 - 14*C*a^2*b^2*c^2*e^2))/(((a + b*x)^{(1/2)} - a^{(1/2)})^3*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) - ((68*C*a^4*c*f^2 - 14*C*a^2*b^2*c*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^5)/(((a + b*x)^{(1/2)} - a^{(1/2)})^5*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) - ((4*C*a^4*f^2 + 2*C*a^2*b^2*e^2)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7)/(((a + b*x)^{(1/2)} - a^{(1/2)})^7*(b^5*e^5 - 2*a^2*b^3*e^3*f^2 + a^4*b*e*f^4)) - (a^{(1/2)}*(a*c)^{(1/2)}*(48*C*a^4*c*f^3 - 24*C*a^2*b^2*c*e^2*f)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4)/(((a + b*x)^{(1/2)} - a^{(1/2)})^4*(b^6*e^6 - 2*a^2*b^4*e^4*f^2 + a^4*b^2*e^2*f^4)) + (a^{(1/2)}*(a*c)^{(1/2)}*(a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6*(24*C*a^4*f^3 + 12*C*a^2*b^2*e^2*f))/(((a + b*x)^{(1/2)} - a^{(1/2)})^6*(b^6*e^6 - 2*a^2*b^4*e^4*f^2 + a^4*b^2*e^2*f^4)) + (a^{(1/2)}*(a*c)^{(1/2)}*(24*C*a^4*c^2*f^3 + 12*C*a^2*b^2*c^2*e^2*f)*((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/(((a + b*x)^{(1/2)} - a^{(1/2)})^2*(b^6*e^6 - 2*a^2*b^4*e^4*f^2 + a^4*b^2*e^2*f^4))/(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8/((a + b*x)^{(1/2)} - a^{(1/2)})^8 + c^4 + (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6*(16*a^2*c*f^2 + 4*b^2*c*e^2))/(b^2*e^2*((a + b*x)^{(1/2)} - a^{(1/2)})^6)

$$\begin{aligned}
& + ((16*a^2*c^3*f^2 + 4*b^2*c^3*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2) / (b^2*e^2*((a + b*x)^(1/2) - a^(1/2))^2) - ((32*a^2*c^2*f^2 - 6*b^2*c^2*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4) / (b^2*e^2*((a + b*x)^(1/2) - a^(1/2))^4) - (8*a^(1/2)*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7) / (b*e*((a + b*x)^(1/2) - a^(1/2))^7) + (8*a^(1/2)*c^3*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))) / (b*e*((a + b*x)^(1/2) - a^(1/2))) - (8*a^(1/2)*c*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5) / (b*e*((a + b*x)^(1/2) - a^(1/2))^5) + (8*a^(1/2)*c^2*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3) / (b*e*((a + b*x)^(1/2) - a^(1/2))^3) + (((4*A*a^4*f^4 - 10*A*a^2*b^2*e^2*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7) / (((a + b*x)^(1/2) - a^(1/2))^7)*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) - ((4*A*a^4*c^3*f^4 - 10*A*a^2*b^2*c^3*e^2*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))) / (((a + b*x)^(1/2) - a^(1/2))*((b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2))) - ((4*A*a^4*c^2*f^4 - 58*A*a^2*b^2*c^2*e^2*f^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3) / (((a + b*x)^(1/2) - a^(1/2))^3*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5*(4*A*a^4*c*f^4 - 58*A*a^2*b^2*c*e^2*f^2)) / (((a + b*x)^(1/2) - a^(1/2))^5*(b^5*e^7 + a^4*b*e^3*f^4 - 2*a^2*b^3*e^5*f^2)) + (a^(1/2)*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))^6*(16*A*b^4*e^4*f - 8*A*a^4*f^5 + 28*A*a^2*b^2*e^2*f^3) / (((a + b*x)^(1/2) - a^(1/2))^6*(b^6*e^8 - 2*a^2*b^4*e^6*f^2 + a^4*b^2*e^4*f^4)) + (a^(1/2)*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))^4*(16*A*a^4*c*f^5 + 32*A*b^4*c*e^4*f - 72*A*a^2*b^2*c*e^2*f^3) / (((a + b*x)^(1/2) - a^(1/2))^4*(b^6*e^8 - 2*a^2*b^4*e^6*f^2 + a^4*b^2*e^4*f^4)) + (a^(1/2)*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2)))^2*(16*A*b^4*c^2*e^4*f - 8*A*a^4*c^2*f^5 + 28*A*a^2*b^2*c^2*e^2*f^3) / (((a + b*x)^(1/2) - a^(1/2))^2*(b^6*e^8 - 2*a^2*b^4*e^6*f^2 + a^4*b^2*e^4*f^4)) / (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^8 / ((a + b*x)^(1/2) - a^(1/2))^8 + c^4 + (((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6*(16*a^2*c*f^2 + 4*b^2*c*e^2)) / (b^2*e^2*((a + b*x)^(1/2) - a^(1/2))^6) + ((16*a^2*c^3*f^2 + 4*b^2*c^3*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2) / (b^2*e^2*((a + b*x)^(1/2) - a^(1/2))^2) - ((32*a^2*c^2*f^2 - 6*b^2*c^2*e^2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^4) / (b^2*e^2*((a + b*x)^(1/2) - a^(1/2))^4) - (8*a^(1/2)*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^7) / (b*e*((a + b*x)^(1/2) - a^(1/2))^7) + (8*a^(1/2)*c^3*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))) / (b*e*((a + b*x)^(1/2) - a^(1/2))) - (8*a^(1/2)*c*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5) / (b*e*((a + b*x)^(1/2) - a^(1/2))^5) + (8*a^(1/2)*c^2*f*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3) / (b*e*((a + b*x)^(1/2) - a^(1/2))^3) - (((32*B*a^4*c^2*f^3 + 22*B*a^2*b^2*c^2*e^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^3) / (((a + b*x)^(1/2) - a^(1/2))^3)*(b^5*e^6 + a^4*b*e^2*f^4 - 2*a^2*b^3*e^4*f^2)) - ((32*B*a^4*c*f^3 + 22*B*a^2*b^2*c^2*f)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^5) / (((a + b*x)^(1/2) - a^(1/2))^5)*(b^5*e^6 + a^4*b*e^2*f^4 - 2*a^2*b^3*e^4*f^2)) + (a^(1/2)*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^2*(8*B*a^4*c^2*f^4 + 8*B*b^4*c^2*e^4 + 20*B*a^2*b^2*c^2*e^2*f^2)) / (((a + b*x)^(1/2) - a^(1/2))^2*(b^6*e^7 - 2*a^2*b^4*e^5*f^2 + a^4*b^2*e^3*f^4)) + (a^(1/2)*(a*c)^(1/2)*((a*c - b*c*x)^(1/2) - (a*c)^(1/2))^6*(8*B*a^4*f^4 + 8*B*b^4*e^4 + 20*B*a^2*b^2*e^2*f^2)) / (((a + b*x)^(1/2) - a^(1/2))^6*(b^6*e^7 - 2*a^2*b^4*e^5*f^2 + a^4*b^2*e^3*f^4))
\end{aligned}$$

$$\begin{aligned}
& ((a + b*x)^{(1/2)} - a^{(1/2)})^6 * (b^6 * e^7 - 2*a^2 * b^4 * e^5 * f^2 + a^4 * b^2 * e^3 * f^4) \\
& - (a^{(1/2)} * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4 * (16 * B * a^4 * c * f^4 - 16 * B * b^4 * c * e^4 + 24 * B * a^2 * b^2 * c * e^2 * f^2)) / (((a + b*x)^{(1/2)} - a^{(1/2)})^4 * (b^6 * e^7 - 2*a^2 * b^4 * e^5 * f^2 + a^4 * b^2 * e^3 * f^4)) \\
& - (6 * B * a^2 * b * f * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7) / (((a + b*x)^{(1/2)} - a^{(1/2)})^7 * (a^4 * f^4 + b^4 * e^4 - 2*a^2 * b^2 * e^2 * f^2)) + (6 * B * a^2 * b * c^3 * f * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (((a + b*x)^{(1/2)} - a^{(1/2)}) * (a^4 * f^4 + b^4 * e^4 - 2*a^2 * b^2 * e^2 * f^2)) / (((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^8 / ((a + b*x)^{(1/2)} - a^{(1/2)})^8 + c^4 + ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^6 * (16 * a^2 * c * f^2 + 4 * b^2 * c * e^2)) / (b^2 * e^2 * ((a + b*x)^{(1/2)} - a^{(1/2)})^6) + ((16 * a^2 * c^3 * f^2 + 4 * b^2 * c^3 * e^2) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / (b^2 * e^2 * ((a + b*x)^{(1/2)} - a^{(1/2)})^2) - ((32 * a^2 * c^2 * f^2 - 6 * b^2 * c^2 * e^2) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^4) / (b^2 * e^2 * ((a + b*x)^{(1/2)} - a^{(1/2)})^4) - (8 * a^{(1/2)} * f * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^7) / (b * e * ((a + b*x)^{(1/2)} - a^{(1/2)})^7) + (8 * a^{(1/2)} * c^3 * f * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (b * e * ((a + b*x)^{(1/2)} - a^{(1/2)})) - (8 * a^{(1/2)} * c * f * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / (b * e * ((a + b*x)^{(1/2)} - a^{(1/2)})^5) + (8 * a^{(1/2)} * c^2 * f * (a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / (b * e * ((a + b*x)^{(1/2)} - a^{(1/2)})^3) + (C * a^2 * (2 * a^2 * f^2 + b^2 * e^2) * (2 * atan(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) * (a^2 * c * f^2 - b^2 * c * e^2)) / ((a + b*x)^{(1/2)} - a^{(1/2)}) - (a^2 * c * f^2 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) / ((a + b*x)^{(1/2)} - a^{(1/2)}) + 2 * a^{(1/2)} * b * c * e * f * (a*c)^{(1/2)}) / (2 * b * c * e * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)}) + 2 * atan((((4 * (4 * C^2 * a^8 * f^4 + C^2 * a^4 * b^4 * e^4 + 4 * C^2 * a^6 * b^2 * e^2 * f^2)) / (b^10 * e^10 - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8) - (C^2 * a^4 * (2 * a^2 * f^2 + b^2 * e^2)^2 * (12 * a^10 * c * f^10 - 4 * b^10 * c * e^10 + 28 * a^2 * b^8 * c * e^8 * f^2 - 72 * a^4 * b^6 * c * e^6 * f^4 + 88 * a^6 * b^4 * c * e^4 * f^6 - 52 * a^8 * b^2 * c * e^2 * f^8)) / ((a*f + b*e)^4 * (a*f - b*e)^4 * (a^2 * c * f^2 - b^2 * c * e^2) * (b^10 * e^10 - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8))) / (4 * b * c^2 * e * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)}) + (C * a^{(3/2)} * (2 * a^2 * f^2 + b^2 * e^2) * (8 * C * a^{(17/2)} * f^7 * (a*c)^{(1/2)} - 12 * C * a^{(13/2)} * b^2 * e^2 * f^5 * (a*c)^{(1/2)} + 4 * C * a^{(5/2)} * b^6 * e^6 * f * (a*c)^{(1/2)})) / (2 * b * c^2 * e * f * (a*c)^{(1/2)} * (a*f + b*e)^2 * (a*f - b*e)^2 * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)} * (b^10 * e^10 - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8)) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3 / ((a + b*x)^{(1/2)} - a^{(1/2)})^3 + ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) * (((4 * (4 * C^2 * a^8 * c * f^4 + C^2 * a^4 * b^4 * c * e^4 + 4 * C^2 * a^6 * b^2 * c * e^2 * f^2)) / (b^10 * e^10 - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8) + (C^2 * a^4 * (2 * a^2 * f^2 + b^2 * e^2)^2 * (4 * a^10 * c^2 * f^10 + 4 * b^10 * c^2 * e^10 - 12 * a^2 * b^8 * c^2 * e^8 * f^2 + 8 * a^4 * b^6 * c^2 * e^6 * f^4 + 8 * a^6 * b^4 * c^2 * e^4 * f^6 - 12 * a^8 * b^2 * c^2 * e^2 * f^8)) / ((a*f + b*e)^4 * (a*f - b*e)^4 * (a^2 * c * f^2 - b^2 * c * e^2) * (b^10 * e^10 - 4 * a^2 * b^8 * e^8 * f^2 + 6 * a^4 * b^6 * e^6 * f^4 - 4 * a^6 * b^4 * e^4 * f^6 + a^8 * b^2 * e^2 * f^8)) / (4 * b * c^2 * e * (b^2 * c * e^2 - a^2 * c * f^2)^{(1/2)}) + (8 * C^2 * a^4 * (2 * a^2 * f^2 + b^2 * e^2)^2 * (C * a^{(3/2)} * (2 * a^2 * f^2 + b^2 * e^2) * (8 * C * a^{(17/2)} * c * f^7 * (a*c)^{(1/2)} + 4 * C * a^{(5/2)} * b^6 * c * e^6 * f * (a*c)^{(1/2)} - 12 * C * a^{(13/2)} * b^2 * c * e^2 * f^5 * (a*c)^{(1/2)})) / (2 * b * c^2 * e * f * (a*c)^{(1/2)})
\end{aligned}$$

$$\begin{aligned}
& /2)*(a*f + b*e)^2*(a*f - b*e)^2*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}*(b^{10}*e^{10} - \\
& 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) \\
&)))/((a + b*x)^{(1/2)} - a^{(1/2)}) - (((4*(4*C^2*a^8*f^4 + C^2*a^4*b^4*e^4 + \\
& 4*C^2*a^6*b^2*e^2*f^2))/(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 \\
& - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) - (C^2*a^4*(2*a^2*f^2 + b^2*e^2)^2 * \\
& (12*a^{10}*c*f^{10} - 4*b^{10}*c*e^{10} + 28*a^2*b^8*c*e^8*f^2 - 72*a^4*b^6*c*e^6*f^4 \\
& + 88*a^6*b^4*c*e^4*f^6 - 52*a^8*b^2*c*e^2*f^8)))/((a*f + b*e)^4*(a*f - b*e)^4 * \\
& (a^2*c*f^2 - b^2*c*e^2)*(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 \\
& - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)))/(2*a^{(1/2)}*c*f*(a*c)^{(1/2)}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + (4*C^2*a^9/2)*f*(a*c)^{(1/2)}*(2*a^2*f^2 + b^2*e^2)^2) \\
& /(b^2*c*e^2*(a*f + b*e)^4*(a*f - b*e)^4*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)})) * \\
& ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2)/((a + b*x)^{(1/2)} - a^{(1/2)})^2 - \\
& ((4*(4*C^2*a^8*c*f^4 + C^2*a^4*b^4*c*e^4 + 4*C^2*a^6*b^2*c*e^2*f^2))/(b^10*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) + (C^2*a^4*(2*a^2*f^2 + b^2*e^2)^2 * \\
& (4*a^{10}*c^2*f^{10} + 4*b^{10}*c^2*f^2) - 12*a^2*b^8*c^2*e^8*f^2 + 8*a^4*b^6*c^2*e^6*f^4 + 8*a^6*b^4*c^2*e^4*f^6 - 12*a^8*b^2*c^2*e^2*f^8))/((a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)* \\
& (b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)))/(2*a^{(1/2)}*c*f*(a*c)^{(1/2)}*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)})) * \\
& (b^{10}*e^{10}*(a^2*c*f^2 - b^2*c*e^2) - 4*a^2*b^8*e^8*f^2*(a^2*c*f^2 - b^2*c*f^2) - b^2*c*e^2) + 6*a^4*b^6*e^6*f^4*(a^2*c*f^2 - b^2*c*e^2) - 4*a^6*b^4*e^4*f^6*(a^2*c*f^2 - b^2*c*e^2) + a^8*b^2*e^2*f^8*(a^2*c*f^2 - b^2*c*e^2)))/(16*C^2*a^8*f^4 + 4*C^2*a^4*b^4*e^4 + 16*C^2*a^6*b^2*e^2*f^2)))/(2*(a*f + b*e)^2*(a*f - b*e)^2*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) * \\
& (A*b^2*(a^2*f^2 + 2*b^2*e^2)^2)*(2*atan(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})*(a^2*c*f^2 - b^2*c*e^2)) / \\
& ((a + b*x)^{(1/2)} - a^{(1/2)}) - (a^2*c*f^2*(a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})))/((a + b*x)^{(1/2)} - a^{(1/2)}) + 2*a^{(1/2)}*b*c*e*f*(a*c)^{(1/2)})/(2*b*c*e*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) + 2*atan(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) * \\
& (((4*(4*A^2*b^8*c*e^4 + A^2*a^4*b^4*c*f^4 + 4*A^2*a^2*b^6*c*e^2*f^2))/(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) + (A^2*b^4*(a^2*f^2 + 2*b^2*e^2)^2 * \\
& (4*a^{10}*c^2*f^{10} + 4*b^{10}*c^2*f^2) - 12*a^2*b^8*c^2*e^8*f^2 + 8*a^4*b^6*c^2*e^6*f^4 + 8*a^6*b^4*c^2*e^4*f^6 - 12*a^8*b^2*c^2*e^2*f^8))/((a*f + b*e)^4*(a*f - b*e)^4*(a^2*c*f^2 - b^2*c*e^2)* \\
& (b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)))/(4*b*c^2*e*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)}) + (8*A^2*b^3*(a^2*f^2 + 2*b^2*e^2)^2)/(e*(a*f + b*e)^4*(a*f - b*e)^4*(b^2*c*e^2 - a^2*c*f^2)^{(3/2)}) - (A*b*(a^2*f^2 + 2*b^2*e^2)^2)*(4*A*a^{(13/2)}*b^2*c*f^7*(a*c)^{(1/2)} + 8*A*a^{(1/2)}*b^8*c*e^6*f*(a*c)^{(1/2)} - 12*A*a^{(5/2)}*b^6*c*e^4*f^3*(a*c)^{(1/2)})/(2*a^{(1/2)}*c^2*e*f*(a*c)^{(1/2)}*(a*f + b*e)^2*(a*f - b*e)^2*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} * \\
& (b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)))/((a + b*x)^{(1/2)} - a^{(1/2)}) + (((4*(4*A^2*b^8*e^4 + A^2*a^4*b^4*f^4 + 4*A^2*a^2*b^6*e^2*f^2))/(b^{10}*e^{10} - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) - (A^2*b^4*(a^2*f^2 + 2*b^2*e^2)^2 * \\
& (12*a^{10}*c*f^{10} - 4*b^{10}*c^2*f^2) - 28*a^2*b^8*c^2*e^8*f^2 - 72*a^4*b^6*c^2*e^6*f^4 + 88*a^6*b^4*c^2*e^4*f^6 - 52*a
\end{aligned}$$

$$\begin{aligned}
& -8*b^2*c*e^2*f^8) / ((a*f + b*e)^4 * (a*f - b*e)^4 * (a^2*c*f^2 - b^2*c*e^2) * (b^2 \\
& 10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^ \\
& ^2*e^2*f^8))) / (4*b*c^2*e*(b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + (A*b*(a^2*f^2 + 2 \\
& *b^2*e^2)*(4*A*a^{(13/2)}*b^2*f^7*(a*c)^{(1/2)} - 12*A*a^{(5/2)}*b^6*e^4*f^3*(a*c)^{(1/2)} + 8*A*a^{(1/2)}*b^8*e^6*f*(a*c)^{(1/2)}) / (2*a^{(1/2)}*c^2*e*f*(a*c)^{(1/2)} * (a*f + b*e)^2 * (a*f - b*e)^2 * (b^2*c*e^2 - a^2*c*f^2)^{(1/2)} * (b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / ((a + b*x)^{(1/2)} - a^{(1/2)})^3 - ((4*(4*A^2*b^8*e^4 + A^2*a^4*b^4*f^4 + 4*A^2*a^2*b^6*e^2*f^2)) / (b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) - (A^2*b^4*(a^2*f^2 + 2*b^2*e^2)^2 * (12*a^10*c*f^10 - 4*b^10*c*e^10 + 28*a^2*b^8*c*e^8*f^2 - 72*a^4*b^6*c*e^6*f^4 + 88*a^6*b^4*c*e^4*f^6 - 52*a^8*b^2*c*e^2*f^8)) / ((a*f + b*e)^4 * (a*f - b*e)^4 * (a^2*c*f^2 - b^2*c*e^2) * (b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8)) / (2*a^{(1/2)}*c*f*(a*c)^{(1/2)} * (b^2*c*e^2 - a^2*c*f^2)^{(1/2)} + (4*A^2*a^{(1/2)}*b^2*f*(a*c)^{(1/2)} * (a^2*f^2 + 2*b^2*e^2)^2) / (c*e^2*(a*f + b*e)^4 * (a*f - b*e)^4 * (b^2*c*e^2 - a^2*c*f^2)^{(3/2)})) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})^2 - ((4*(4*A^2*b^8*c*e^4 + A^2*a^4*b^4*c*f^4 + 4*A^2*a^2*b^6*c*e^2*f^2)) / (b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8) + (A^2*b^4*(a^2*f^2 + 2*b^2*e^2)^2 * (4*a^10*c^2*f^10 + 4*b^10*c^2*e^10 - 12*a^2*b^8*c^2*e^8*f^2 + 8*a^4*b^6*c^2*e^6*f^4 + 8*a^6*b^4*c^2*e^4*f^6 - 12*a^8*b^2*c^2*e^2*f^8)) / ((a*f + b*e)^4 * (a*f - b*e)^4 * (a^2*c*f^2 - b^2*c*e^2) * (b^10*e^10 - 4*a^2*b^8*e^8*f^2 + 6*a^4*b^6*e^6*f^4 - 4*a^6*b^4*e^4*f^6 + a^8*b^2*e^2*f^8))) / (2*a^{(1/2)}*c*f*(a*c)^{(1/2)} * (b^2*c*e^2 - a^2*c*f^2)^{(1/2)})) * (b^8*e^10 * (a^2*c*f^2 - b^2*c*e^2) + a^8*e^2*f^8 * (a^2*c*f^2 - b^2*c*e^2) - 4*a^2*b^6*e^8*f^2 * (a^2*c*f^2 - b^2*c*e^2) + 6*a^4*b^4*e^6*f^4 * (a^2*c*f^2 - b^2*c*e^2) - 4*a^6*b^2*e^4*f^6 * (a^2*c*f^2 - b^2*c*e^2)) / ((a + b*x)^{(1/2)} - a^{(1/2)})^3 + (2*b^3*c^2*e^3 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2 * (2*B*a^2*b^2*e*f*(2*atan((2*b^3*c^3*e^3 + 2*b*c^2*e*(a^2*c*f^2 - b^2*c*e^2) + 2*a^2*b*c^3*e*f^2 + (3*a^(3/2)*f^3*(a*c)^{(3/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / ((a + b*x)^{(1/2)} - a^{(1/2)})^3 + (2*b^3*c^2*e^3 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})^2 - (3*a^2*c*f^2 - b^2*c*e^2) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3 * (a^2*c*f^2 - b^2*c*e^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})^3 - (a^(3/2)*c*f^3 * ((a*c)^{(3/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / ((a + b*x)^{(1/2)} - a^{(1/2)}) + (2*b*c^2*e * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2 * (a^2*c*f^2 - b^2*c*e^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (a^(1/2)*c*f * ((a*c)^{(1/2)} * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})) * (a^2*c*f^2 - b^2*c*e^2) / ((a + b*x)^{(1/2)} - a^{(1/2)}) - (10*a^2*b*c^2*e*f^2 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})^2 + (7*a^2*c^2*f^2 * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / ((a + b*x)^{(1/2)} - a^{(1/2)}) - (a^(1/2)*b^2*c^2*f * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) * ((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)})^3) / ((a + b*x)^{(1/2)} - a^{(1/2)})^3 / (4*a^2*b*c^2*e*f * ((a*c)^{(1/2)} * ((b^2*c^2*f^2 - a^2*c*f^2)^{(1/2)})) - 2*atan(((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}) * ((a^2*c*f^2 - b^2*c*e^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})) - (a^2*c*f^2 * ((a^2*c*f^2 - b^2*c*e^2) / ((a + b*x)^{(1/2)} - a^{(1/2)})))
\end{aligned}$$

$$\frac{((a*c - b*c*x)^{(1/2)} - (a*c)^{(1/2)}))}{((a + b*x)^{(1/2)} - a^{(1/2)}) + 2*a^{(1/2)} * b*c*e*f*(a*c)^{(1/2)}} / (2*b*c*e*(b^{2*c*e^2} - a^{2*c*f^2})^{(1/2)}) / (2*(a*f + b*e)^{2*(a*f - b*e)} * 2*(b^{2*c*e^2} - a^{2*c*f^2})^{(1/2)})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(f*x+e)**3/(b*x+a)**(1/2)/(-b*c*x+a*c)**(1/2),x)

[Out] Timed out

3.34 $\int \frac{x(a+bx+cx^2)}{\sqrt{-1+dx} \sqrt{1+dx}} dx$

Optimal. Leaf size=87

$$\frac{\sqrt{dx-1} \sqrt{dx+1} (2(3ad^2 + 2c) + 3bd^2x)}{6d^4} + \frac{b \cosh^{-1}(dx)}{2d^3} + \frac{cx^2 \sqrt{dx-1} \sqrt{dx+1}}{3d^2}$$

Rubi [A] time = 0.15, antiderivative size = 151, normalized size of antiderivative = 1.74, number of steps used = 5, number of rules used = 5, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.167, Rules used = {1610, 1809, 780, 217, 206}

$$-\frac{(1-d^2x^2)(2(3ad^2 + 2c) + 3bd^2x)}{6d^4\sqrt{dx-1}\sqrt{dx+1}} + \frac{b\sqrt{d^2x^2-1} \tanh^{-1}\left(\frac{dx}{\sqrt{d^2x^2-1}}\right)}{2d^3\sqrt{dx-1}\sqrt{dx+1}} - \frac{cx^2(1-d^2x^2)}{3d^2\sqrt{dx-1}\sqrt{dx+1}}$$

Antiderivative was successfully verified.

```
[In] Int[(x*(a + b*x + c*x^2))/(Sqrt[-1 + d*x]*Sqrt[1 + d*x]), x]
[Out] -(c*x^2*(1 - d^2*x^2))/(3*d^2*Sqrt[-1 + d*x]*Sqrt[1 + d*x]) - ((2*(2*c + 3*a*d^2) + 3*b*d^2*x)*(1 - d^2*x^2))/(6*d^4*Sqrt[-1 + d*x]*Sqrt[1 + d*x]) + (b*Sqrt[-1 + d^2*x^2]*ArcTanh[(d*x)/Sqrt[-1 + d^2*x^2]])/(2*d^3*Sqrt[-1 + d*x]*Sqrt[1 + d*x])
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 780

```
Int[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]
```

Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)
)*(x_))^(p_), x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/((a*c + b*d*x^2)^FracPart[m]], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1809

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_.) + (b_.)*(x_)^2)^(p_), x_Symbol] :> With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q - 1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m + q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

Rubi steps

$$\begin{aligned} \int \frac{x(a+bx+cx^2)}{\sqrt{-1+dx}\sqrt{1+dx}} dx &= \frac{\sqrt{-1+d^2x^2} \int \frac{x(a+bx+cx^2)}{\sqrt{-1+d^2x^2}} dx}{\sqrt{-1+dx}\sqrt{1+dx}} \\ &= -\frac{cx^2(1-d^2x^2)}{3d^2\sqrt{-1+dx}\sqrt{1+dx}} + \frac{\sqrt{-1+d^2x^2} \int \frac{x(2c+3ad^2+3bd^2x)}{\sqrt{-1+d^2x^2}} dx}{3d^2\sqrt{-1+dx}\sqrt{1+dx}} \\ &= -\frac{cx^2(1-d^2x^2)}{3d^2\sqrt{-1+dx}\sqrt{1+dx}} - \frac{(2(2c+3ad^2)+3bd^2x)(1-d^2x^2)}{6d^4\sqrt{-1+dx}\sqrt{1+dx}} + \frac{(b\sqrt{-1+d^2x^2}) \int}{2d^2\sqrt{-1+dx}} \\ &= -\frac{cx^2(1-d^2x^2)}{3d^2\sqrt{-1+dx}\sqrt{1+dx}} - \frac{(2(2c+3ad^2)+3bd^2x)(1-d^2x^2)}{6d^4\sqrt{-1+dx}\sqrt{1+dx}} + \frac{(b\sqrt{-1+d^2x^2}) \text{Si}}{2d^2\sqrt{-1+dx}} \\ &= -\frac{cx^2(1-d^2x^2)}{3d^2\sqrt{-1+dx}\sqrt{1+dx}} - \frac{(2(2c+3ad^2)+3bd^2x)(1-d^2x^2)}{6d^4\sqrt{-1+dx}\sqrt{1+dx}} + \frac{b\sqrt{-1+d^2x^2} \tanh}{2d^3\sqrt{-1+dx}} \end{aligned}$$

Mathematica [A] time = 0.36, size = 149, normalized size = 1.71

$$\frac{\sqrt{-(dx-1)^2}\sqrt{dx+1}(3d^2(2a+bx)+2c(d^2x^2+2))+6\sqrt{dx-1}\sin^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{2}}\right)(d(2ad-b)+2c)-12\sqrt{1-dx}\tanh^{-1}\left(\sqrt{\frac{dx-1}{dx+1}}\right)(d(ad-b)+c)}{6d^4\sqrt{1-dx}}$$

Warning: Unable to verify antiderivative.

[In] `Integrate[(x*(a + b*x + c*x^2))/(Sqrt[-1 + d*x]*Sqrt[1 + d*x]), x]`
[Out]
$$\frac{(\sqrt{-(-1 + d*x)^2}*\sqrt{1 + d*x}*(3*d^2*(2*a + b*x) + 2*c*(2 + d^2*x^2)) + 6*(2*c + d*(-b + 2*a*d))*\sqrt{-1 + d*x}*\text{ArcSin}[\sqrt{1 - d*x}/\sqrt{2}] - 1 + 2*(c + d*(-b + a*d))*\sqrt{1 - d*x}*\text{ArcTanh}[\sqrt{(-1 + d*x)/(1 + d*x)}])/(6*d^4*\sqrt{1 - d*x})}{3d^4 \left(\frac{dx-1}{dx+1} - 1 \right)^3}$$

IntegrateAlgebraic [B] time = 0.00, size = 230, normalized size = 2.64

$$\frac{\frac{6ad^2(dx-1)^{5/2}}{(dx+1)^{5/2}} + \frac{12ad^2(dx-1)^{3/2}}{(dx+1)^{3/2}} - \frac{6ad^2\sqrt{dx-1}}{\sqrt{dx+1}} + \frac{3bd(dx-1)^{5/2}}{(dx+1)^{5/2}} - \frac{3bd\sqrt{dx-1}}{\sqrt{dx+1}} - \frac{6c(dx-1)^{5/2}}{(dx+1)^{5/2}} + \frac{4c(dx-1)^{3/2}}{(dx+1)^{3/2}} - \frac{6c\sqrt{dx-1}}{\sqrt{dx+1}} + b \tanh^{-1}\left(\frac{\sqrt{dx-1}}{\sqrt{dx+1}}\right)}{d^3}$$

Antiderivative was successfully verified.

[In] `IntegrateAlgebraic[(x*(a + b*x + c*x^2))/(Sqrt[-1 + d*x]*Sqrt[1 + d*x]), x]`
[Out]
$$\frac{((-6*c*(-1 + d*x)^(5/2))/(1 + d*x)^(5/2) + (3*b*d*(-1 + d*x)^(5/2))/(1 + d*x)^(5/2) - (6*a*d^2*(-1 + d*x)^(5/2))/(1 + d*x)^(5/2) + (4*c*(-1 + d*x)^(3/2))/(1 + d*x)^(3/2) + (12*a*d^2*(-1 + d*x)^(3/2))/(1 + d*x)^(3/2) - (6*c*Sqrt[-1 + d*x])/Sqrt[1 + d*x] - (3*b*d*Sqrt[-1 + d*x])/Sqrt[1 + d*x] - (6*a*d^2*Sqrt[-1 + d*x])/Sqrt[1 + d*x])/(3*d^4*(-1 + (-1 + d*x)/(1 + d*x))^3) + (b*ArcTanh[Sqrt[-1 + d*x]/Sqrt[1 + d*x]])/d^3}{6d^4}$$

fricas [A] time = 1.29, size = 73, normalized size = 0.84

$$\frac{3bd \log(-dx + \sqrt{dx+1}\sqrt{dx-1}) - (2cd^2x^2 + 3bd^2x + 6ad^2 + 4c)\sqrt{dx+1}\sqrt{dx-1}}{6d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(c*x^2+b*x+a)/(d*x-1)^(1/2)/(d*x+1)^(1/2), x, algorithm="fricas")`
[Out]
$$\frac{-1/6*(3*b*d*log(-d*x + sqrt(d*x + 1)*sqrt(d*x - 1)) - (2*c*d^2*x^2 + 3*b*d^2*x + 6*a*d^2 + 4*c)*sqrt(d*x + 1)*sqrt(d*x - 1))/d^4}{6d^4}$$

giac [A] time = 1.46, size = 105, normalized size = 1.21

$$\frac{\sqrt{dx+1}\sqrt{dx-1}\left((dx+1)\left(\frac{2(dx+1)c}{d^3} + \frac{3bd^{10}-4cd^9}{d^{12}}\right) + \frac{3(2ad^{11}-bd^{10}+2cd^9)}{d^{12}}\right) - \frac{6b\log(\sqrt{dx+1}-\sqrt{dx-1})}{d^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(c*x^2+b*x+a)/(d*x-1)^(1/2)/(d*x+1)^(1/2), x, algorithm="giac")`

[Out] $\frac{1}{6} \sqrt{d*x + 1} \sqrt{d*x - 1} ((d*x + 1) * (2*(d*x + 1)*c/d^3 + (3*b*d^10 - 4*c*d^9)/d^12) + 3*(2*a*d^11 - b*d^10 + 2*c*d^9)/d^12) - 6*b*\log(\sqrt{d*x + 1}) - \sqrt{d*x - 1})/d^2)/d$

maple [C] time = 0.00, size = 137, normalized size = 1.57

$$\frac{\sqrt{dx-1} \sqrt{dx+1} \left(2\sqrt{d^2x^2-1} cd^2x^2 \operatorname{csgn}(d) + 3\sqrt{d^2x^2-1} bd^2x \operatorname{csgn}(d) + 6\sqrt{d^2x^2-1} ad^2 \operatorname{csgn}(d) + 3bd \ln \left(\left(dx + \sqrt{d^2x^2-1} \right) \operatorname{csgn}(d) \right) \operatorname{csgn}(d) + 4\sqrt{d^2x^2-1} c \operatorname{csgn}(d) \right) \operatorname{csgn}(d)}{6\sqrt{d^2x^2-1} d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}(x*(c*x^2+b*x+a)/(d*x-1)^{(1/2)}/(d*x+1)^{(1/2)}, x)$

[Out] $\frac{1}{6} (d*x - 1)^{(1/2)} (d*x + 1)^{(1/2)} ((2*(d^2*x^2 - 1)^{(1/2)} * c*d^2*x^2 * \operatorname{csgn}(d) + 3*(d^2*x^2 - 1)^{(1/2)} * b*d^2*x * \operatorname{csgn}(d) + 6*(d^2*x^2 - 1)^{(1/2)} * a*d^2 * \operatorname{csgn}(d) + 3*b*d*\ln((d*x + (d^2*x^2 - 1)^{(1/2)} * \operatorname{csgn}(d)) * \operatorname{csgn}(d)) + 4*(d^2*x^2 - 1)^{(1/2)} * c * \operatorname{csgn}(d)) / (d^2*x^2 - 1)^{(1/2)}/d^4 * \operatorname{csgn}(d)$

maxima [A] time = 1.02, size = 100, normalized size = 1.15

$$\frac{\sqrt{d^2x^2-1} cx^2}{3 d^2} + \frac{\sqrt{d^2x^2-1} bx}{2 d^2} + \frac{\sqrt{d^2x^2-1} a}{d^2} + \frac{b \log \left(2 d^2 x + 2 \sqrt{d^2 x^2 - 1} d \right)}{2 d^3} + \frac{2 \sqrt{d^2 x^2 - 1} c}{3 d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x*(c*x^2+b*x+a)/(d*x-1)^{(1/2)}/(d*x+1)^{(1/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] $\frac{1}{3} \sqrt{d^2*x^2 - 1} * c*x^2/d^2 + \frac{1}{2} \sqrt{d^2*x^2 - 1} * b*x/d^2 + \sqrt{d^2*x^2 - 1} * a/d^2 + \frac{1}{2} b*\log(2*d^2*x + 2*\sqrt{d^2*x^2 - 1}*d)/d^3 + \frac{2}{3} \sqrt{d^2*x^2 - 1} * c/d^4$

mupad [B] time = 14.76, size = 318, normalized size = 3.66

$$\frac{\sqrt{dx-1} \left(\frac{2c}{3d^4} + \frac{cx^3}{3d} + \frac{cx^2}{3d^2} + \frac{2cx}{3d^3} \right)}{\sqrt{dx+1}} + \frac{2b \operatorname{atanh} \left(\frac{\sqrt{dx-1}-i}{\sqrt{dx+1}-1} \right)}{d^3} - \frac{\frac{14b(\sqrt{dx-1}-i)^3}{(\sqrt{dx+1}-1)^3} + \frac{14b(\sqrt{dx-1}-i)^5}{(\sqrt{dx+1}-1)^5} + \frac{2b(\sqrt{dx-1}-i)^7}{(\sqrt{dx+1}-1)^7} + \frac{2b(\sqrt{dx-1}-i)}{\sqrt{dx+1}-1}}{d^3} + \frac{a\sqrt{dx-1}\sqrt{dx+1}}{d^2}$$

$$- \frac{4d^3(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + \frac{6d^3(\sqrt{dx-1}-i)^4}{(\sqrt{dx+1}-1)^4} - \frac{4d^3(\sqrt{dx-1}-i)^6}{(\sqrt{dx+1}-1)^6} + \frac{d^3(\sqrt{dx-1}-i)^8}{(\sqrt{dx+1}-1)^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}((x*(a + b*x + c*x^2))/((d*x - 1)^{(1/2)}*(d*x + 1)^{(1/2)}), x)$

[Out] $(2*b*\operatorname{atanh}(((d*x - 1)^{(1/2)} - 1i)/((d*x + 1)^{(1/2)} - 1i)))/d^3 - ((14*b*((d*x - 1)^{(1/2)} - 1i)^3)/((d*x + 1)^{(1/2)} - 1i)^3) + (14*b*((d*x - 1)^{(1/2)} - 1i)^5)/((d*x + 1)^{(1/2)} - 1i)^5) + (2*b*((d*x - 1)^{(1/2)} - 1i)^7)/((d*x + 1)^{(1/2)} - 1i)^7) + (2*b*((d*x - 1)^{(1/2)} - 1i))/((d*x + 1)^{(1/2)} - 1i)/(d^3 - (4*d^3*((d*x - 1)^{(1/2)} - 1i)^2)/((d*x + 1)^{(1/2)} - 1i)^2) + (6*d^3*((d*x - 1)^{(1/2)} - 1i)^4)/((d*x + 1)^{(1/2)} - 1i)^4) - (4*d^3*((d*x - 1)^{(1/2)} - 1i)^6)/((d*x + 1)^{(1/2)} - 1i)^6) + (d^3*((d*x - 1)^{(1/2)} - 1i)^8)/((d*x + 1)^{(1/2)} - 1i)^8)$

$$\begin{aligned} & (1/2) - 1i)^4) / ((d*x + 1)^{(1/2)} - 1)^4 - (4*d^3 * ((d*x - 1)^{(1/2)} - 1i)^6) / ((\\ & d*x + 1)^{(1/2)} - 1)^6 + (d^3 * ((d*x - 1)^{(1/2)} - 1i)^8) / ((d*x + 1)^{(1/2)} - 1 \\ &)^8) + ((d*x - 1)^{(1/2)} * ((2*c)/(3*d^4) + (c*x^3)/(3*d) + (c*x^2)/(3*d^2) + \\ & (2*c*x)/(3*d^3))) / (d*x + 1)^{(1/2)} + (a*(d*x - 1)^{(1/2)} * (d*x + 1)^{(1/2)}) / d^2 \end{aligned}$$

sympy [C] time = 80.46, size = 308, normalized size = 3.54

$$\frac{aG_{n_0,2}^{0,2}\left(\begin{array}{cc} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{2}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{array}\right)\left|\frac{1}{d^2x^2}\right|}{4\pi^{\frac{3}{2}}d^2} + \frac{i a G_{n_0,6}^{0,6}\left(\begin{array}{cc} -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{2}, 0, 1 \\ -\frac{3}{4}, -\frac{1}{2}, -1, -\frac{1}{2}, -\frac{1}{2}, 0 \end{array}\right)\left|\frac{d^6x}{d^2x^2}\right|}{4\pi^{\frac{3}{2}}d^2} + \frac{b G_{n_0,2}^{0,2}\left(\begin{array}{cc} -\frac{3}{2}, -\frac{1}{2} \\ -1, -\frac{1}{2}, -\frac{1}{2}, -\frac{1}{2}, 0, 0 \end{array}\right)\left|\frac{d^2x}{d^2x^2}\right|}{4\pi^{\frac{3}{2}}d^2} - \frac{i b G_{n_0,6}^{0,6}\left(\begin{array}{cc} \frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 1 \\ -\frac{5}{4}, -\frac{3}{2}, -\frac{3}{2}, -1, -1, 0 \end{array}\right)\left|\frac{d^6x}{d^2x^2}\right|}{4\pi^{\frac{3}{2}}d^2} + \frac{c G_{n_0,4}^{0,4}\left(\begin{array}{cc} \frac{5}{4}, -\frac{3}{4} \\ \frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 0 \end{array}\right)\left|\frac{1}{d^2x^2}\right|}{4\pi^{\frac{3}{2}}d^4} + \frac{i c G_{n_0,6}^{0,6}\left(\begin{array}{cc} -2, -\frac{7}{4}, -\frac{3}{2}, -\frac{5}{4}, -1, 1 \\ -\frac{7}{4}, -\frac{5}{4}, -2, -\frac{3}{2}, -\frac{3}{2}, 0 \end{array}\right)\left|\frac{d^6x}{d^2x^2}\right|}{4\pi^{\frac{3}{2}}d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*x**2+b*x+a)/(d*x-1)**(1/2)/(d*x+1)**(1/2),x)

[Out] a*meijerg(((-1/4, 1/4), (0, 0, 1/2, 1), ((-1/2, -1/4, 0, 1/4, 1/2, 0), (), 1/(d**2*x**2))/(4*pi**3/2)*d**2) + I*a*meijerg(((-1, -3/4, -1/2, -1/4, 0, 1), (), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**3/2)*d**2) + b*meijerg(((-3/4, -1/4), (-1/2, -1/2, 0, 1), ((-1, -3/4, -1/2, -1/4, 0, 0), (), 1/(d**2*x**2))/(4*pi**3/2)*d**3) - I*b*meijerg(((-3/2, -5/4, -1, -3/4, -1/2, 1), (), ((-5/4, -3/4), (-3/2, -1, -1, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**3/2)*d**3) + c*meijerg(((-5/4, -3/4), (-1, -1, -1/2, 1), ((-3/2, -5/4, -1, -3/4, -1/2, 0), (), 1/(d**2*x**2))/(4*pi**3/2)*d**4) + I*c*meijerg(((-2, -7/4, -3/2, -5/4, -1, 1), (), ((-7/4, -5/4), (-2, -3/2, -3/2, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**3/2)*d**4)

$$3.35 \quad \int \frac{a+bx+cx^2}{\sqrt{-1+dx} \sqrt{1+dx}} dx$$

Optimal. Leaf size=52

$$\frac{(2ad^2 + c) \cosh^{-1}(dx)}{2d^3} + \frac{\sqrt{dx - 1} \sqrt{dx + 1} (2b + cx)}{2d^2}$$

Rubi [B] time = 0.07, antiderivative size = 135, normalized size of antiderivative = 2.60, number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.172, Rules used = {901, 1815, 641, 217, 206}

$$\frac{\sqrt{d^2x^2 - 1} (2ad^2 + c) \tanh^{-1}\left(\frac{dx}{\sqrt{d^2x^2 - 1}}\right)}{2d^3 \sqrt{dx - 1} \sqrt{dx + 1}} - \frac{b(1 - d^2x^2)}{d^2 \sqrt{dx - 1} \sqrt{dx + 1}} - \frac{cx(1 - d^2x^2)}{2d^2 \sqrt{dx - 1} \sqrt{dx + 1}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*x + c*x^2)/(Sqrt[-1 + d*x]*Sqrt[1 + d*x]), x]
[Out] -((b*(1 - d^2*x^2))/(d^2*Sqrt[-1 + d*x]*Sqrt[1 + d*x])) - (c*x*(1 - d^2*x^2))/(2*d^2*Sqrt[-1 + d*x]*Sqrt[1 + d*x]) + ((c + 2*a*d^2)*Sqrt[-1 + d^2*x^2]*ArcTanh[(d*x)/Sqrt[-1 + d^2*x^2]])/(2*d^3*Sqrt[-1 + d*x]*Sqrt[1 + d*x])
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 641

```
Int[((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 901

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Dist[((d + e*x)^FracPart[m]*(f + g*x)^FracPart[m])/(d*f + e*g*x^2)^FracPart[m], Int[(d*f + e*g*x^2)^m*(a + b*x + c*x^2)^n, x]] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] && NeQ[m, 0] && NeQ[n, 0]
```

```
x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0]
&& EqQ[e*f + d*g, 0]
```

Rule 1815

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :> With[{q = Expon[Pq, x],
e = Coeff[Pq, x, Expon[Pq, x]]}, Simplify[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSum[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{\sqrt{-1 + dx} \sqrt{1 + dx}} dx &= \frac{\sqrt{-1 + d^2x^2} \int \frac{a + bx + cx^2}{\sqrt{-1 + d^2x^2}} dx}{\sqrt{-1 + dx} \sqrt{1 + dx}} \\ &= -\frac{cx(1 - d^2x^2)}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\sqrt{-1 + d^2x^2} \int \frac{c + 2ad^2 + 2bd^2x}{\sqrt{-1 + d^2x^2}} dx}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} \\ &= -\frac{b(1 - d^2x^2)}{d^2\sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{cx(1 - d^2x^2)}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(c + 2ad^2)\sqrt{-1 + d^2x^2} \int \frac{1}{\sqrt{-1 + d^2x^2}} dx}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} \\ &= -\frac{b(1 - d^2x^2)}{d^2\sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{cx(1 - d^2x^2)}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(c + 2ad^2)\sqrt{-1 + d^2x^2} \text{Subst}\left(\frac{1}{\sqrt{-1 + d^2x^2}}, \frac{dx}{\sqrt{1 + dx}}, x\right)}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} \\ &= -\frac{b(1 - d^2x^2)}{d^2\sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{cx(1 - d^2x^2)}{2d^2\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(c + 2ad^2)\sqrt{-1 + d^2x^2} \tanh^{-1}\left(\frac{\sqrt{1 - dx}}{\sqrt{2}}\right)}{2d^3\sqrt{-1 + dx} \sqrt{1 + dx}} \end{aligned}$$

Mathematica [B] time = 0.22, size = 126, normalized size = 2.42

$$\frac{4\sqrt{1 - dx} \tanh^{-1}\left(\sqrt{\frac{dx - 1}{dx + 1}}\right)(d(ad - b) + c) + d\sqrt{-(dx - 1)^2} \sqrt{dx + 1} (2b + cx) + 2\sqrt{dx - 1} (2bd - c) \sin^{-1}\left(\frac{\sqrt{1 - dx}}{\sqrt{2}}\right)}{2d^3\sqrt{1 - dx}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*x + c*x^2)/(Sqrt[-1 + d*x]*Sqrt[1 + d*x]), x]
[Out] (d*(2*b + c*x)*Sqrt[-(-1 + d*x)^2]*Sqrt[1 + d*x] + 2*(-c + 2*b*d)*Sqrt[-1 + d*x]*ArcSin[Sqrt[1 - d*x]/Sqrt[2]] + 4*(c + d*(-b + a*d))*Sqrt[1 - d*x]*ArcTanh[Sqrt[(-1 + d*x)/(1 + d*x)]])/((2*d^3*Sqrt[1 - d*x]))
```

IntegrateAlgebraic [B] time = 0.00, size = 112, normalized size = 2.15

$$\frac{(2ad^2 + c) \tanh^{-1} \left(\frac{\sqrt{dx-1}}{\sqrt{dx+1}} \right) - \sqrt{dx-1} \left(\frac{2bd(dx-1)}{dx+1} - 2bd - \frac{c(dx-1)}{dx+1} - c \right)}{d^3 \sqrt{dx+1} \left(\frac{dx-1}{dx+1} - 1 \right)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x + c*x^2)/(Sqrt[-1 + d*x]*Sqrt[1 + d*x]),x]

[Out] $-\left(\left(\text{Sqrt}\left[-1+d x\right] * \left(-c-2 b d-\left(c \left(-1+d x\right)\right) /\left(1+d x\right)+\left(2 b d \left(-1+d x\right)\right) /\left(1+d x\right)\right) /\left(d^3 \text{Sqrt}\left[1+d x\right] * \left(-1+\left(-1+d x\right) /\left(1+d x\right)\right)^2\right)\right)+\left(\left(c+2 a d^2\right) \text{ArcTanh}\left[\text{Sqrt}\left[-1+d x\right] / \text{Sqrt}\left[1+d x\right]\right)\right) / d^3$

fricas [A] time = 1.08, size = 61, normalized size = 1.17

$$\frac{(cdx + 2bd)\sqrt{dx+1}\sqrt{dx-1} - (2ad^2 + c)\log(-dx + \sqrt{dx+1}\sqrt{dx-1})}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

[Out] $1/2*((c*d*x + 2*b*d)*sqrt(d*x + 1)*sqrt(d*x - 1) - (2*a*d^2 + c)*log(-d*x + sqrt(d*x + 1)*sqrt(d*x - 1)))/d^3$

giac [A] time = 1.39, size = 80, normalized size = 1.54

$$\frac{\sqrt{dx+1}\sqrt{dx-1} \left(\frac{(dx+1)c}{d^2} + \frac{2bd^5-cd^4}{d^6} \right) - \frac{2(2ad^2+c)\log(\sqrt{dx+1}-\sqrt{dx-1})}{d^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] $1/2*(sqrt(d*x + 1)*sqrt(d*x - 1)*((d*x + 1)*c/d^2 + (2*b*d^5 - c*d^4)/d^6) - 2*(2*a*d^2 + c)*log(sqrt(d*x + 1) - sqrt(d*x - 1))/d^2)/d$

maple [C] time = 0.00, size = 120, normalized size = 2.31

$$\frac{\sqrt{dx-1}\sqrt{dx+1} \left(2a d^2 \ln \left(\left(dx + \sqrt{d^2 x^2 - 1} \operatorname{csgn}(d) \right) \operatorname{csgn}(d) \right) + \sqrt{d^2 x^2 - 1} c dx \operatorname{csgn}(d) + 2\sqrt{d^2 x^2 - 1} bd \operatorname{csgn}(d) + c \ln \left(\left(dx + \sqrt{d^2 x^2 - 1} \operatorname{csgn}(d) \right) \operatorname{csgn}(d) \right) \operatorname{csgn}(d) \right)}{2\sqrt{d^2 x^2 - 1} d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)/(d*x-1)^(1/2)/(d*x+1)^(1/2),x)

[Out] $\frac{1}{2} \cdot \frac{1}{(d^2 x - 1)^{(1/2)} \cdot (d^2 x + 1)^{(1/2)} \cdot (2 a d^2 \ln((d^2 x + (d^2 x^2 - 1)^{(1/2)} \cdot c \operatorname{sgn}(d)) \cdot c \operatorname{sgn}(d) + (d^2 x^2 - 1)^{(1/2)} \cdot c \cdot d \cdot x \cdot c \operatorname{sgn}(d) + 2 \cdot (d^2 x^2 - 1)^{(1/2)} \cdot b \cdot d \cdot c \operatorname{sgn}(d) + c \cdot \ln((d^2 x + (d^2 x^2 - 1)^{(1/2)} \cdot c \operatorname{sgn}(d)) \cdot c \operatorname{sgn}(d)))}{(d^2 x^2 - 1)^{(1/2)} \cdot d^3 \cdot c \operatorname{sgn}(d)}$

maxima [B] time = 1.11, size = 90, normalized size = 1.73

$$\frac{a \log\left(2 d^2 x + 2 \sqrt{d^2 x^2 - 1} d\right)}{d} + \frac{\sqrt{d^2 x^2 - 1} c x}{2 d^2} + \frac{\sqrt{d^2 x^2 - 1} b}{d^2} + \frac{c \log\left(2 d^2 x + 2 \sqrt{d^2 x^2 - 1} d\right)}{2 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")`

[Out] $a \cdot \log(2 \cdot d^2 \cdot x + 2 \cdot \sqrt{d^2 \cdot x^2 - 1} \cdot d) / d + \frac{1}{2} \cdot \sqrt{d^2 \cdot x^2 - 1} \cdot c \cdot x / d^2 + \sqrt{d^2 \cdot x^2 - 1} \cdot b / d^2 + \frac{1}{2} \cdot c \cdot \log(2 \cdot d^2 \cdot x + 2 \cdot \sqrt{d^2 \cdot x^2 - 1} \cdot d) / d^3$

mupad [B] time = 14.59, size = 312, normalized size = 6.00

$$\begin{aligned} & \frac{b \sqrt{d x - 1} \sqrt{d x + 1}}{d^2} + \frac{2 c \operatorname{atanh}\left(\frac{\sqrt{d x - 1} - i}{\sqrt{d x + 1} - 1}\right)}{d^3} - \frac{4 a \operatorname{atan}\left(\frac{d (\sqrt{d x - 1} - i)}{(\sqrt{d x + 1} - 1) \sqrt{-d^2}}\right)}{\sqrt{-d^2}} - \frac{\frac{14 c (\sqrt{d x - 1} - i)^3}{(\sqrt{d x + 1} - 1)^3} + \frac{14 c (\sqrt{d x - 1} - i)^5}{(\sqrt{d x + 1} - 1)^5} + \frac{2 c (\sqrt{d x - 1} - i)^7}{(\sqrt{d x + 1} - 1)^7} + \frac{2 c (\sqrt{d x - 1} - i)}{\sqrt{d x + 1} - 1}}{d^3} \\ & - \frac{4 d^3 (\sqrt{d x - 1} - i)^2}{(\sqrt{d x + 1} - 1)^2} + \frac{6 d^3 (\sqrt{d x - 1} - i)^4}{(\sqrt{d x + 1} - 1)^4} - \frac{4 d^3 (\sqrt{d x - 1} - i)^6}{(\sqrt{d x + 1} - 1)^6} + \frac{d^3 (\sqrt{d x - 1} - i)^8}{(\sqrt{d x + 1} - 1)^8} \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/((d*x - 1)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out] $(2 c \operatorname{atanh}((d x - 1)^{(1/2)} - 1i) / ((d x + 1)^{(1/2)} - 1i)) / d^3 - ((14 * c * ((d x - 1)^{(1/2)} - 1i)^3) / ((d x + 1)^{(1/2)} - 1i)^3 + (14 * c * ((d x - 1)^{(1/2)} - 1i)^5) / ((d x + 1)^{(1/2)} - 1i)^5 + (2 * c * ((d x - 1)^{(1/2)} - 1i)^7) / ((d x + 1)^{(1/2)} - 1i)^7 + (2 * c * ((d x - 1)^{(1/2)} - 1i)) / ((d x + 1)^{(1/2)} - 1i)) / (d^3 - (4 * d^3 * ((d x - 1)^{(1/2)} - 1i)^2) / ((d x + 1)^{(1/2)} - 1i)^2 + (6 * d^3 * ((d x - 1)^{(1/2)} - 1i)^4) / ((d x + 1)^{(1/2)} - 1i)^4 - (4 * d^3 * ((d x - 1)^{(1/2)} - 1i)^6) / ((d x + 1)^{(1/2)} - 1i)^6 + (d^3 * ((d x - 1)^{(1/2)} - 1i)^8) / ((d x + 1)^{(1/2)} - 1i)^8 - (4 * a * \operatorname{atan}((d x - 1)^{(1/2)} - 1i)) / (((d x + 1)^{(1/2)} - 1i) * (-d^2)^{(1/2)})) / (-d^2)^{(1/2)} + (b * (d x - 1)^{(1/2)} * (d x + 1)^{(1/2)}) / d^2$

sympy [C] time = 48.76, size = 277, normalized size = 5.33

$$\begin{aligned} & \frac{a C_{6,6}^{6,2} \left\{ \begin{array}{l} \frac{1}{4}, \frac{3}{4}, \frac{1}{2}, \frac{1}{2}, 1, 1 \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{array} \middle| \frac{1}{d^2 x^2} \right\}}{4 \pi^{\frac{3}{2}} d} - \frac{i a C_{6,6}^{2,6} \left\{ \begin{array}{l} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{2}, -\frac{1}{4}, 0, 0, 0, 0 \end{array} \middle| \frac{e^{2ix}}{d^2 x^2} \right\}}{4 \pi^{\frac{3}{2}} d} + \frac{b C_{6,6}^{6,2} \left\{ \begin{array}{l} -\frac{1}{4}, \frac{1}{4}, 0, 0, \frac{1}{2}, 1 \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{array} \middle| \frac{e^{2ix}}{d^2 x^2} \right\}}{4 \pi^{\frac{3}{2}} d^2} + \frac{i b C_{6,6}^{2,6} \left\{ \begin{array}{l} -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, -\frac{1}{4}, 0, 1 \\ -\frac{3}{4}, -\frac{1}{4}, -1, -\frac{1}{2}, -\frac{1}{2} \end{array} \middle| \frac{e^{2ix}}{d^2 x^2} \right\}}{4 \pi^{\frac{3}{2}} d^2} + \frac{c C_{6,6}^{6,2} \left\{ \begin{array}{l} -\frac{3}{4}, -\frac{1}{4}, -\frac{1}{2}, -\frac{1}{2}, -\frac{1}{2}, 1 \\ -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 0 \end{array} \middle| \frac{e^{2ix}}{d^2 x^2} \right\}}{4 \pi^{\frac{3}{2}} d^3} - \frac{i c C_{6,6}^{2,6} \left\{ \begin{array}{l} \frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 1 \\ -\frac{5}{4}, -\frac{3}{4}, -\frac{3}{2}, -1, -1, 0 \end{array} \middle| \frac{e^{2ix}}{d^2 x^2} \right\}}{4 \pi^{\frac{3}{2}} d^3} \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/(d*x-1)**(1/2)/(d*x+1)**(1/2),x)`

[Out] $a \cdot \text{meijerg}(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1 / (d^{**2} * x^{**2})) / (4 * \pi^{**3/2} * d) - I * a \cdot \text{meijerg}((-1/2, -1/4, 0, 1/4, 1/2, 1), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1 / (d^{**2} * x^{**2})) / (4 * \pi^{**3/2} * d)$

(()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**
(3/2)*d) + b*meijerg((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1
/2, 0), (), 1/(d**2*x**2))/(4*pi**3/2*d**2) + I*b*meijerg((-1, -3/4, -1
/2, -1/4, 0, 1), (), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), exp_polar(2*I*pi
)/(d**2*x**2))/(4*pi**3/2*d**2) + c*meijerg((-3/4, -1/4), (-1/2, -1/2, 0
, 1)), ((-1, -3/4, -1/2, -1/4, 0, 0), (), 1/(d**2*x**2))/(4*pi**3/2*d**3
- I*c*meijerg((-3/2, -5/4, -1, -3/4, -1/2, 1), (), ((-5/4, -3/4), (-3/2
, -1, -1, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**3/2*d**3)

3.36 $\int \frac{a+bx+cx^2}{x\sqrt{-1+dx}\sqrt{1+dx}} dx$

Optimal. Leaf size=55

$$a \tan^{-1} \left(\sqrt{dx-1} \sqrt{dx+1} \right) + \frac{b \cosh^{-1}(dx)}{d} + \frac{c \sqrt{dx-1} \sqrt{dx+1}}{d^2}$$

Rubi [B] time = 0.18, antiderivative size = 135, normalized size of antiderivative = 2.45, number of steps used = 8, number of rules used = 8, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.250, Rules used = {1610, 1809, 844, 217, 206, 266, 63, 205}

$$\frac{a \sqrt{d^2 x^2 - 1} \tan^{-1} \left(\sqrt{d^2 x^2 - 1} \right)}{\sqrt{dx-1} \sqrt{dx+1}} + \frac{b \sqrt{d^2 x^2 - 1} \tanh^{-1} \left(\frac{dx}{\sqrt{d^2 x^2 - 1}} \right)}{d \sqrt{dx-1} \sqrt{dx+1}} - \frac{c (1 - d^2 x^2)}{d^2 \sqrt{dx-1} \sqrt{dx+1}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*x + c*x^2)/(x*Sqrt[-1 + d*x]*Sqrt[1 + d*x]), x]
[Out] -((c*(1 - d^2*x^2))/(d^2*Sqrt[-1 + d*x]*Sqrt[1 + d*x])) + (a*Sqrt[-1 + d^2*x^2]*ArcTan[Sqrt[-1 + d^2*x^2]])/(Sqrt[-1 + d*x]*Sqrt[1 + d*x]) + (b*Sqrt[-1 + d^2*x^2]*ArcTanh[(d*x)/Sqrt[-1 + d^2*x^2]])/(d*Sqrt[-1 + d*x]*Sqrt[1 + d*x])
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],  
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[  
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b  
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 844

```
Int[((d_.) + (e_)*(x_))^(m_)*((f_.) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p  
.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D  
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,  
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_.)  
)*(x_)^(p_), x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],  
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1809

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :> With[  
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -  
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m  
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*  
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x] /; G  
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[  
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{x\sqrt{-1+dx}\sqrt{1+dx}} dx &= \frac{\sqrt{-1+d^2x^2} \int \frac{a+bx+cx^2}{x\sqrt{-1+d^2x^2}} dx}{\sqrt{-1+dx}\sqrt{1+dx}} \\
&= -\frac{c(1-d^2x^2)}{d^2\sqrt{-1+dx}\sqrt{1+dx}} + \frac{\sqrt{-1+d^2x^2} \int \frac{ad^2+bd^2x}{x\sqrt{-1+d^2x^2}} dx}{d^2\sqrt{-1+dx}\sqrt{1+dx}} \\
&= -\frac{c(1-d^2x^2)}{d^2\sqrt{-1+dx}\sqrt{1+dx}} + \frac{(a\sqrt{-1+d^2x^2}) \int \frac{1}{x\sqrt{-1+d^2x^2}} dx}{\sqrt{-1+dx}\sqrt{1+dx}} + \frac{(b\sqrt{-1+d^2x^2}) \int \frac{1}{\sqrt{-1+d^2x^2}} dx}{\sqrt{-1+dx}\sqrt{1+dx}} \\
&= -\frac{c(1-d^2x^2)}{d^2\sqrt{-1+dx}\sqrt{1+dx}} + \frac{(a\sqrt{-1+d^2x^2}) \text{Subst}(\int \frac{1}{x\sqrt{-1+d^2x^2}} dx, x, x^2)}{2\sqrt{-1+dx}\sqrt{1+dx}} + \frac{(b\sqrt{-1+d^2x^2}) \text{Subst}(\int \frac{1}{\sqrt{-1+d^2x^2}} dx, x, x^2)}{2\sqrt{-1+dx}\sqrt{1+dx}} \\
&= -\frac{c(1-d^2x^2)}{d^2\sqrt{-1+dx}\sqrt{1+dx}} + \frac{b\sqrt{-1+d^2x^2} \tanh^{-1}\left(\frac{dx}{\sqrt{-1+d^2x^2}}\right)}{d\sqrt{-1+dx}\sqrt{1+dx}} + \frac{(a\sqrt{-1+d^2x^2}) \text{Subst}(\tanh^{-1}\left(\frac{dx}{\sqrt{-1+d^2x^2}}\right), x, x^2)}{d^2\sqrt{-1+dx}\sqrt{1+dx}} \\
&= -\frac{c(1-d^2x^2)}{d^2\sqrt{-1+dx}\sqrt{1+dx}} + \frac{a\sqrt{-1+d^2x^2} \tan^{-1}\left(\sqrt{-1+d^2x^2}\right)}{\sqrt{-1+dx}\sqrt{1+dx}} + \frac{b\sqrt{-1+d^2x^2} \tanh^{-1}\left(\frac{dx}{\sqrt{dx-1}}\right)}{d\sqrt{-1+dx}\sqrt{1+dx}}
\end{aligned}$$

Mathematica [B] time = 0.42, size = 128, normalized size = 2.33

$$\frac{\frac{ad^2\sqrt{d^2x^2-1}\tan^{-1}\left(\sqrt{d^2x^2-1}\right)+cd^2x^2-2c\sqrt{1-d^2x^2}\sin^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{2}}\right)-c}{\sqrt{dx-1}\sqrt{dx+1}}-2(c-bd)\tanh^{-1}\left(\sqrt{\frac{dx-1}{dx+1}}\right)}{d^2}$$

Warning: Unable to verify antiderivative.

[In] `Integrate[(a + b*x + c*x^2)/(x*Sqrt[-1 + d*x]*Sqrt[1 + d*x]), x]`

[Out] `((-c + c*d^2*x^2 - 2*c*Sqrt[1 - d^2*x^2]*ArcSin[Sqrt[1 - d*x]/Sqrt[2]] + a*d^2*Sqrt[-1 + d^2*x^2]*ArcTan[Sqrt[-1 + d^2*x^2]])/(Sqrt[-1 + d*x]*Sqrt[1 + d*x]) - 2*(c - b*d)*ArcTanh[Sqrt[(-1 + d*x)/(1 + d*x)]])/d^2`

IntegrateAlgebraic [A] time = 0.00, size = 91, normalized size = 1.65

$$2a\tan^{-1}\left(\frac{\sqrt{dx-1}}{\sqrt{dx+1}}\right) + \frac{2b\tanh^{-1}\left(\frac{\sqrt{dx-1}}{\sqrt{dx+1}}\right)}{d} - \frac{2c\sqrt{dx-1}}{d^2\sqrt{dx+1}\left(\frac{dx-1}{dx+1}-1\right)}$$

Antiderivative was successfully verified.

[In] `IntegrateAlgebraic[(a + b*x + c*x^2)/(x*Sqrt[-1 + d*x]*Sqrt[1 + d*x]),x]`

[Out] $\frac{(-2c\sqrt{-1 + d*x})/(d^2\sqrt{1 + d*x}*(-1 + (-1 + d*x)/(1 + d*x))) + 2a*\text{ArcTan}[\sqrt{-1 + d*x}/\sqrt{1 + d*x}] + (2b*\text{ArcTanh}[\sqrt{-1 + d*x}/\sqrt{1 + d*x}])/d}{d}$

fricas [A] time = 0.63, size = 73, normalized size = 1.33

$$\frac{2ad^2 \arctan(-dx + \sqrt{dx+1}\sqrt{dx-1}) - bd \log(-dx + \sqrt{dx+1}\sqrt{dx-1}) + \sqrt{dx+1}\sqrt{dx-1}c}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/x/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")`

[Out] $\frac{(2a*d^2*arctan(-d*x + sqrt(d*x + 1)*sqrt(d*x - 1)) - b*d*log(-d*x + sqrt(d*x + 1)*sqrt(d*x - 1)) + sqrt(d*x + 1)*sqrt(d*x - 1)*c)/d^2}{d}$

giac [A] time = 1.37, size = 71, normalized size = 1.29

$$\frac{-2a \arctan\left(\frac{1}{2} \left(\sqrt{dx+1} - \sqrt{dx-1}\right)^2\right) - \frac{b \log\left(\left(\sqrt{dx+1} - \sqrt{dx-1}\right)^2\right)}{d} + \frac{\sqrt{dx+1}\sqrt{dx-1}c}{d^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/x/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")`

[Out] $\frac{-2a*arctan(1/2*(sqrt(d*x + 1) - sqrt(d*x - 1))^2) - b*log((sqrt(d*x + 1) - sqrt(d*x - 1))^2)/d + sqrt(d*x + 1)*sqrt(d*x - 1)*c/d^2}{d}$

maple [C] time = 0.00, size = 95, normalized size = 1.73

$$\frac{\left(-ad^2 \arctan\left(\frac{1}{\sqrt{d^2x^2-1}}\right) \text{csgn}(d) + bd \ln\left(\left(dx + \sqrt{(dx+1)(dx-1)}\right) \text{csgn}(d)\right) \text{csgn}(d) + \sqrt{d^2x^2-1}c \text{csgn}(d)\right) \sqrt{dx-1}\sqrt{dx+1}\text{csgn}(d)}{\sqrt{d^2x^2-1}d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)/x/(d*x-1)^(1/2)/(d*x+1)^(1/2),x)`

[Out] $\frac{(-a*d^2*arctan(1/(d^2*x^2-1)^(1/2))*csgn(d) + b*d*ln((d*x + ((d*x+1)*(d*x-1))^(1/2)*csgn(d))*csgn(d)) + (d^2*x^2-1)^(1/2)*c*csgn(d)*(d*x-1)^(1/2)*(d*x+1)^(1/2))/(d^2*x^2-1)^(1/2)/d^2*csgn(d)}$

maxima [A] time = 2.34, size = 56, normalized size = 1.02

$$\frac{-a \arcsin\left(\frac{1}{d|x|}\right) + \frac{b \log\left(2d^2x + 2\sqrt{d^2x^2-1}d\right)}{d} + \frac{\sqrt{d^2x^2-1}c}{d^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/x/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")`

[Out] $-a \arcsin(1/(d \cdot \text{abs}(x))) + b \log(2*d^2*x + 2*\sqrt{d^2*x^2 - 1})*d/d + \sqrt{d^2*x^2 - 1}*c/d^2$

mupad [B] time = 5.39, size = 118, normalized size = 2.15

$$\frac{c \sqrt{dx-1} \sqrt{dx+1}}{d^2} - \frac{4b \operatorname{atan}\left(\frac{d(\sqrt{dx-1}-i)}{(\sqrt{dx+1}-1)\sqrt{-d^2}}\right)}{\sqrt{-d^2}} - a \left(\ln\left(\frac{(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + 1\right) - \ln\left(\frac{\sqrt{dx-1}-i}{\sqrt{dx+1}-1}\right) \right) 1i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/(x*(d*x - 1)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out] $(c*(d*x - 1)^(1/2)*(d*x + 1)^(1/2))/d^2 - (4*b*atan((d*((d*x - 1)^(1/2) - 1i))/(((d*x + 1)^(1/2) - 1)*(-d^2)^(1/2)))/(-d^2)^(1/2) - a*(log(((d*x - 1)^(1/2) - 1i)^2/((d*x + 1)^(1/2) - 1)^2 + 1) - log(((d*x - 1)^(1/2) - 1i)/((d*x + 1)^(1/2) - 1)))*1i$

sympy [C] time = 47.37, size = 240, normalized size = 4.36

$$-\frac{a G_{6,6}^{5,3}\left(\begin{array}{ccccc} \frac{3}{4}, \frac{5}{4}, 1 & 1, 1, \frac{3}{2} \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} & 0 \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}} + \frac{i a G_{6,6}^{2,6}\left(\begin{array}{ccccc} \frac{1}{4}, \frac{3}{4}, 1 & \frac{1}{2}, \frac{1}{2}, 1, 1 \\ \frac{1}{4}, \frac{3}{4}, 0, \frac{1}{2}, \frac{1}{2}, 0 \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}} + \frac{b G_{6,6}^{6,2}\left(\begin{array}{ccccc} \frac{1}{4}, \frac{3}{4} & \frac{1}{2}, \frac{1}{2}, 1, 1 \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}} d} - \frac{i b G_{6,6}^{2,6}\left(\begin{array}{ccccc} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 & \frac{1}{2}, 0, 0, 0 \\ -\frac{1}{4}, \frac{1}{4}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}} d} + \frac{c G_{6,6}^{6,2}\left(\begin{array}{ccccc} -\frac{1}{4}, \frac{1}{4} & 0, 0, \frac{1}{2}, 1 \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}} d^2} + \frac{i c G_{6,6}^{2,6}\left(\begin{array}{ccccc} -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1 & \frac{1}{2}, 0 \\ -\frac{3}{4}, -\frac{1}{4}, -1, -\frac{1}{2}, -\frac{1}{2}, 0 \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}} d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/x/(d*x-1)**(1/2)/(d*x+1)**(1/2),x)`

[Out] $-a * \text{meijerg}(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d**2*x**2))/(4*pi**3/2) + I*a * \text{meijerg}(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), \text{exp_polar}(2*I*pi)/(d**2*x**2))/(4*pi**3/2) + b * \text{meijerg}(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d**2*x**2))/(4*pi**3/2)*d - I*b * \text{meijerg}((-1/2, -1/4, 0, 1/4, 1/2, 1), ((-1/4, 1/4), (-1/2, 0, 0, 0)), \text{exp_polar}(2*I*pi)/(d**2*x**2))/(4*pi**3/2)*d + c * \text{meijerg}((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d**2*x**2))/(4*pi**3/2)*d**2 + I*c * \text{meijerg}((-1, -3/4, -1/2, -1/4, 0, 1), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), \text{exp_polar}(2*I*pi)/(d**2*x**2))/(4*pi**3/2)*d**2$

$$3.37 \quad \int \frac{a+bx+cx^2}{x^2 \sqrt{-1+dx} \sqrt{1+dx}} dx$$

Optimal. Leaf size=55

$$\frac{a\sqrt{dx-1}\sqrt{dx+1}}{x} + b\tan^{-1}\left(\sqrt{dx-1}\sqrt{dx+1}\right) + \frac{c\cosh^{-1}(dx)}{d}$$

Rubi [B] time = 0.18, antiderivative size = 135, normalized size of antiderivative = 2.45, number of steps used = 8, number of rules used = 8, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.250, Rules used = {1610, 1807, 844, 217, 206, 266, 63, 205}

$$-\frac{a(1-d^2x^2)}{x\sqrt{dx-1}\sqrt{dx+1}} + \frac{b\sqrt{d^2x^2-1}\tan^{-1}\left(\sqrt{d^2x^2-1}\right)}{\sqrt{dx-1}\sqrt{dx+1}} + \frac{c\sqrt{d^2x^2-1}\tanh^{-1}\left(\frac{dx}{\sqrt{d^2x^2-1}}\right)}{d\sqrt{dx-1}\sqrt{dx+1}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*x + c*x^2)/(x^2*Sqrt[-1 + d*x])*Sqrt[1 + d*x]), x]
[Out] -((a*(1 - d^2*x^2))/(x*Sqrt[-1 + d*x]*Sqrt[1 + d*x])) + (b*Sqrt[-1 + d^2*x^2]*ArcTan[Sqrt[-1 + d^2*x^2]])/(Sqrt[-1 + d*x]*Sqrt[1 + d*x]) + (c*Sqrt[-1 + d^2*x^2]*ArcTanh[(d*x)/Sqrt[-1 + d^2*x^2]])/(d*Sqrt[-1 + d*x]*Sqrt[1 + d*x])
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b,
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 844

```
Int[((d_.) + (e_)*(x_))^(m_)*((f_.) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_),
x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[
(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*
(x_))^(p_), x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[n])/
(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x], x] /;
FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1807

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :> With[{Q =
PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m +
1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m +
2*p + 3)*x, x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} dx &= \frac{\sqrt{-1 + d^2 x^2} \int \frac{a + bx + cx^2}{x^2 \sqrt{-1 + d^2 x^2}} dx}{\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\sqrt{-1 + d^2 x^2} \int \frac{b + cx}{x \sqrt{-1 + d^2 x^2}} dx}{\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(b \sqrt{-1 + d^2 x^2}) \int \frac{1}{x \sqrt{-1 + d^2 x^2}} dx}{\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(c \sqrt{-1 + d^2 x^2}) \int \frac{1}{\sqrt{-1 + d^2 x^2}} dx}{\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(b \sqrt{-1 + d^2 x^2}) \text{Subst}\left(\int \frac{1}{x \sqrt{-1 + d^2 x^2}} dx, x, x^2\right)}{2 \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(c \sqrt{-1 + d^2 x^2}) \text{Subst}\left(\int \frac{1}{\sqrt{-1 + d^2 x^2}} dx, x, x^2\right)}{d \sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{c \sqrt{-1 + d^2 x^2} \tanh^{-1}\left(\frac{dx}{\sqrt{-1 + d^2 x^2}}\right)}{d \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(b \sqrt{-1 + d^2 x^2}) \text{Subst}\left(\int \frac{1}{\sqrt{-1 + d^2 x^2}} dx, x, x^2\right)}{d^2 \sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{b \sqrt{-1 + d^2 x^2} \tan^{-1}\left(\sqrt{-1 + d^2 x^2}\right)}{\sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{c \sqrt{-1 + d^2 x^2} \tanh^{-1}\left(\frac{dx}{\sqrt{dx+1}}\right)}{d \sqrt{-1 + dx} \sqrt{1 + dx}}
\end{aligned}$$

Mathematica [A] time = 0.18, size = 89, normalized size = 1.62

$$\frac{a(d^2 x^2 - 1) + b x \sqrt{d^2 x^2 - 1} \tan^{-1}\left(\sqrt{d^2 x^2 - 1}\right)}{x \sqrt{dx - 1} \sqrt{dx + 1}} + \frac{2 c \tanh^{-1}\left(\sqrt{\frac{dx - 1}{dx + 1}}\right)}{d}$$

Warning: Unable to verify antiderivative.

[In] `Integrate[(a + b*x + c*x^2)/(x^2*Sqrt[-1 + d*x])*Sqrt[1 + d*x]),x]`

[Out] `(a*(-1 + d^2*x^2) + b*x*Sqrt[-1 + d^2*x^2]*ArcTan[Sqrt[-1 + d^2*x^2]])/(x*Sqrt[-1 + d*x]*Sqrt[1 + d*x]) + (2*c*ArcTanh[Sqrt[(-1 + d*x)/(1 + d*x)]])/d`

IntegrateAlgebraic [A] time = 0.00, size = 89, normalized size = 1.62

$$\frac{2 a d \sqrt{dx - 1}}{\sqrt{dx + 1} \left(\frac{dx - 1}{dx + 1} + 1\right)} + 2 b \tan^{-1}\left(\frac{\sqrt{dx - 1}}{\sqrt{dx + 1}}\right) + \frac{2 c \tanh^{-1}\left(\frac{\sqrt{dx - 1}}{\sqrt{dx + 1}}\right)}{d}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x + c*x^2)/(x^2*Sqrt[-1 + d*x]*Sqrt[1 + d*x]),x]
[Out] $\frac{(2*a*d*Sqrt[-1 + d*x])/(Sqrt[1 + d*x]*(1 + (-1 + d*x)/(1 + d*x))) + 2*b*ArcTan[Sqrt[-1 + d*x]/Sqrt[1 + d*x]] + (2*c*ArcTanh[Sqrt[-1 + d*x]/Sqrt[1 + d*x]])/d}{dx}$

fricas [A] time = 1.03, size = 82, normalized size = 1.49

$$\frac{ad^2x + 2 bdx \arctan(-dx + \sqrt{dx + 1} \sqrt{dx - 1}) + \sqrt{dx + 1} \sqrt{dx - 1} ad - cx \log(-dx + \sqrt{dx + 1} \sqrt{dx - 1})}{dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x^2/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")

[Out] $\frac{(a*d^2*x + 2*b*d*x*arctan(-d*x + sqrt(d*x + 1)*sqrt(d*x - 1)) + sqrt(d*x + 1)*sqrt(d*x - 1)*a*d - c*x*log(-d*x + sqrt(d*x + 1)*sqrt(d*x - 1)))/(d*x)}{dx}$

giac [A] time = 1.52, size = 83, normalized size = 1.51

$$\frac{-\frac{2 bd \arctan\left(\frac{1}{2} \left(\sqrt{dx+1}-\sqrt{dx-1}\right)^2\right)}{d}-\frac{8 ad^2}{\left(\sqrt{dx+1}-\sqrt{dx-1}\right)^4+4}+c \log\left(\left(\sqrt{dx+1}-\sqrt{dx-1}\right)^2\right)}{dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x^2/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")

[Out] $-\frac{(2*b*d*arctan(1/2*(sqrt(d*x + 1) - sqrt(d*x - 1))^2) - 8*a*d^2/((sqrt(d*x + 1) - sqrt(d*x - 1))^4 + 4) + c*log((sqrt(d*x + 1) - sqrt(d*x - 1))^2))/d}{dx}$

maple [C] time = 0.00, size = 96, normalized size = 1.75

$$\frac{\left(-bdx \arctan\left(\frac{1}{\sqrt{d^2x^2-1}}\right) \text{csgn}(d) + \sqrt{d^2x^2-1} ad \text{csgn}(d) + cx \ln\left(\left(dx + \sqrt{d^2x^2-1}\right) \text{csgn}(d)\right) \text{csgn}(d)\right) \sqrt{dx-1} \sqrt{dx+1} \text{csgn}(d)}{\sqrt{d^2x^2-1} dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)/x^2/(d*x-1)^(1/2)/(d*x+1)^(1/2),x)

[Out] $\frac{(-b*d*x*arctan(1/(d^2*x^2-1)^(1/2))*\text{csgn}(d) + (d^2*x^2-1)^(1/2)*a*d*\text{csgn}(d) + c*x*\ln((d*x+(d^2*x^2-1)^(1/2)*\text{csgn}(d))*\text{csgn}(d)) * (d*x-1)^(1/2)*(d*x+1)^(1/2)}{(d^2*x^2-1)^(1/2)/d*x*\text{csgn}(d)}$

maxima [A] time = 2.35, size = 56, normalized size = 1.02

$$-b \arcsin\left(\frac{1}{d|x|}\right) + \frac{c \log\left(2 d^2 x + 2 \sqrt{d^2 x^2 - 1} d\right)}{d} + \frac{\sqrt{d^2 x^2 - 1} a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/x^2/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")`

[Out] $-b \arcsin(1/(d*abs(x))) + c*\log(2*d^2*x + 2*sqrt(d^2*x^2 - 1)*d)/d + sqrt(d^2*x^2 - 1)*a/x$

mupad [B] time = 5.15, size = 118, normalized size = 2.15

$$\frac{a \sqrt{dx-1} \sqrt{dx+1}}{x} - \frac{4 c \operatorname{atan}\left(\frac{d(\sqrt{dx-1}-i)}{(\sqrt{dx+1}-1)\sqrt{-d^2}}\right)}{\sqrt{-d^2}} - b \left(\ln\left(\frac{(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + 1\right) - \ln\left(\frac{\sqrt{dx-1}-i}{\sqrt{dx+1}-1}\right)\right) 1i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/(x^2*(d*x - 1)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out] $(a*(d*x - 1)^(1/2)*(d*x + 1)^(1/2))/x - (4*c*atan((d*((d*x - 1)^(1/2) - 1i))/(((d*x + 1)^(1/2) - 1)*(-d^2)^(1/2))))/(-d^2)^(1/2) - b*(log(((d*x - 1)^(1/2) - 1i)^2/((d*x + 1)^(1/2) - 1)^2 + 1) - log(((d*x - 1)^(1/2) - 1i)/((d*x + 1)^(1/2) - 1)))*1i$

sympy [C] time = 45.81, size = 216, normalized size = 3.93

$$\frac{adG_{6,6}^{5,3}\left(\begin{array}{l} \frac{5}{4}, \frac{7}{4}, 1 \\ \frac{3}{4}, \frac{3}{2}, 2 \end{array} \middle| \frac{1}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}} - \frac{iadG_{6,6}^{2,6}\left(\begin{array}{l} \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 1 \\ \frac{3}{4}, \frac{5}{4} \end{array} \middle| \frac{e^{2i\pi}}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}} - \frac{bC_{6,6}^{5,3}\left(\begin{array}{l} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, \frac{5}{4} \end{array} \middle| \frac{1}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}} + \frac{ibC_{6,6}^{2,6}\left(\begin{array}{l} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{2}, \frac{1}{2}, \frac{5}{4}, \frac{3}{2} \end{array} \middle| \frac{e^{2i\pi}}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}} + \frac{cC_{6,6}^{6,2}\left(\begin{array}{l} \frac{1}{4}, \frac{3}{4} \\ 0, \frac{1}{2}, \frac{1}{2}, 1, 0 \end{array} \middle| \frac{1}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}} - \frac{icG_{6,6}^{2,6}\left(\begin{array}{l} \frac{1}{2}, \frac{1}{2}, 1, 1 \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{array} \middle| \frac{e^{2i\pi}}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/x**2/(d*x-1)**(1/2)/(d*x+1)**(1/2),x)`

[Out] $-a*d*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) - I*a*d*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) - b*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) + I*b*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) + c*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d**2*x**2))/(4*pi**(3/2)*d) - I*c*meijerg(((1/2, -1/4, 0, 1/4, 1/2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d)$

3.38 $\int \frac{a+bx+cx^2}{x^3 \sqrt{-1+dx} \sqrt{1+dx}} dx$

Optimal. Leaf size=83

$$\frac{1}{2} (ad^2 + 2c) \tan^{-1} \left(\sqrt{dx-1} \sqrt{dx+1} \right) + \frac{a\sqrt{dx-1} \sqrt{dx+1}}{2x^2} + \frac{b\sqrt{dx-1} \sqrt{dx+1}}{x}$$

Rubi [A] time = 0.19, antiderivative size = 129, normalized size of antiderivative = 1.55, number of steps used = 6, number of rules used = 6, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.188, Rules used = {1610, 1807, 807, 266, 63, 205}

$$\frac{\sqrt{d^2x^2 - 1} (ad^2 + 2c) \tan^{-1} \left(\sqrt{d^2x^2 - 1} \right)}{2\sqrt{dx-1} \sqrt{dx+1}} - \frac{a(1 - d^2x^2)}{2x^2 \sqrt{dx-1} \sqrt{dx+1}} - \frac{b(1 - d^2x^2)}{x \sqrt{dx-1} \sqrt{dx+1}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*x + c*x^2)/(x^3*Sqrt[-1 + d*x])*Sqrt[1 + d*x]), x]
[Out] -(a*(1 - d^2*x^2))/(2*x^2*Sqrt[-1 + d*x])*Sqrt[1 + d*x]) - (b*(1 - d^2*x^2))
/(x*Sqrt[-1 + d*x])*Sqrt[1 + d*x]) + ((2*c + a*d^2)*Sqrt[-1 + d^2*x^2]*ArcTa
n[Sqrt[-1 + d^2*x^2]])/(2*Sqrt[-1 + d*x])*Sqrt[1 + d*x])
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] :> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
```

```

/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

```

Rule 1610

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.*(x_))^(n_)*((e_.) + (f_.
)*x_))^(p_), x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/(a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]

```

Rule 1807

```

Int[(Pq_)*((c_.*(x_))^(m_)*((a_.) + (b_.*(x_))^2)^(p_), x_Symbol] :> With[{{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m
+ 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])

```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{x^3 \sqrt{-1 + dx} \sqrt{1 + dx}} dx &= \frac{\sqrt{-1 + d^2 x^2} \int \frac{a + bx + cx^2}{x^3 \sqrt{-1 + d^2 x^2}} dx}{\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{\sqrt{-1 + d^2 x^2} \int \frac{2b + (2c + ad^2)x}{x^2 \sqrt{-1 + d^2 x^2}} dx}{2\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(2c + ad^2) \sqrt{-1 + d^2 x^2} \int \frac{dx}{x \sqrt{-1 + d^2 x^2}}}{2\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(2c + ad^2) \sqrt{-1 + d^2 x^2} \text{Subst}}{4\sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(2c + ad^2) \sqrt{-1 + d^2 x^2} \text{Subst}}{2d^2 \sqrt{-1 + dx} \sqrt{1 + dx}} \\
&= -\frac{a(1 - d^2 x^2)}{2x^2 \sqrt{-1 + dx} \sqrt{1 + dx}} - \frac{b(1 - d^2 x^2)}{x \sqrt{-1 + dx} \sqrt{1 + dx}} + \frac{(2c + ad^2) \sqrt{-1 + d^2 x^2} \tan^{-1}(\sqrt{d^2 x^2 - 1})}{2\sqrt{-1 + dx} \sqrt{1 + dx}}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 82, normalized size = 0.99

$$\frac{(d^2 x^2 - 1)(a + 2bx) + x^2 \sqrt{d^2 x^2 - 1} (ad^2 + 2c) \tan^{-1}(\sqrt{d^2 x^2 - 1})}{2x^2 \sqrt{dx - 1} \sqrt{dx + 1}}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*x + c*x^2)/(x^3*Sqrt[-1 + d*x]*Sqrt[1 + d*x]), x]`

[Out] `((a + 2*b*x)*(-1 + d^2*x^2) + (2*c + a*d^2)*x^2*Sqrt[-1 + d^2*x^2]*ArcTan[Sqrt[-1 + d^2*x^2]])/(2*x^2*Sqrt[-1 + d*x]*Sqrt[1 + d*x])`

IntegrateAlgebraic [A] time = 0.00, size = 107, normalized size = 1.29

$$(ad^2 + 2c) \tan^{-1}\left(\frac{\sqrt{dx - 1}}{\sqrt{dx + 1}}\right) - \frac{d\sqrt{dx - 1} \left(\frac{ad(dx - 1)}{dx + 1} - ad - \frac{2b(dx - 1)}{dx + 1} - 2b\right)}{\sqrt{dx + 1} \left(\frac{dx - 1}{dx + 1} + 1\right)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x + c*x^2)/(x^3*Sqrt[-1 + d*x]*Sqrt[1 + d*x]),x]
[Out]
$$-\frac{(-d\sqrt{-1+d x})*(-2 b-a d-(2 b*(-1+d x))/(1+d x)+(a d*(-1+d x))/(1+d x))}{(Sqrt[1+d x]*(1+(-1+d x)/(1+d x))^2)}+(2 c+a d)^2*\text{ArcTan}[\sqrt{-1+d x}/\sqrt{1+d x}]$$

fricas [A] time = 1.11, size = 69, normalized size = 0.83

$$\frac{2 b d x^2 + 2 (ad^2 + 2 c) x^2 \arctan(-dx + \sqrt{dx + 1} \sqrt{dx - 1}) + (2 bx + a) \sqrt{dx + 1} \sqrt{dx - 1}}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x^3/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fricas")
[Out]
$$\frac{1}{2}*(2 b*d*x^2 + 2*(a*d^2 + 2*c)*x^2*arctan(-d*x + \sqrt{d*x + 1})*sqrt(d*x - 1)) + (2*b*x + a)*sqrt(d*x + 1)*sqrt(d*x - 1))/x^2$$

giac [B] time = 1.44, size = 145, normalized size = 1.75

$$\frac{(ad^3 + 2 cd) \arctan\left(\frac{1}{2} (\sqrt{dx + 1} - \sqrt{dx - 1})^2\right) + \frac{2 \left(ad^3 (\sqrt{dx + 1} - \sqrt{dx - 1})^6 - 4 bd^2 (\sqrt{dx + 1} - \sqrt{dx - 1})^4 - 4 ad^3 (\sqrt{dx + 1} - \sqrt{dx - 1})^2 - 16 bd^2\right)}{\left((\sqrt{dx + 1} - \sqrt{dx - 1})^4 + 4\right)^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/x^3/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="giac")
[Out]
$$-\frac{((a*d^3 + 2*c*d)*arctan(1/2*(sqrt(d*x + 1) - sqrt(d*x - 1))^2) + 2*(a*d^3*(sqrt(d*x + 1) - sqrt(d*x - 1))^6 - 4*b*d^2*(sqrt(d*x + 1) - sqrt(d*x - 1))^4 - 4*a*d^3*(sqrt(d*x + 1) - sqrt(d*x - 1))^2 - 16*b*d^2)/((sqrt(d*x + 1) - sqrt(d*x - 1))^4 + 4)^2)/d}{d}$$

maple [C] time = 0.00, size = 103, normalized size = 1.24

$$\frac{\sqrt{dx - 1} \sqrt{dx + 1} \left(a d^2 x^2 \arctan\left(\frac{1}{\sqrt{d^2 x^2 - 1}}\right) + 2 c x^2 \arctan\left(\frac{1}{\sqrt{d^2 x^2 - 1}}\right) - 2 \sqrt{d^2 x^2 - 1} b x - \sqrt{d^2 x^2 - 1} a\right) \text{csgn}(d)^2}{2 \sqrt{d^2 x^2 - 1} x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)/x^3/(d*x-1)^(1/2)/(d*x+1)^(1/2),x)
[Out]
$$-\frac{1}{2}*(d*x-1)^(1/2)*(d*x+1)^(1/2)*(a*d^2*x^2*arctan(1/(d^2*x^2-1)^(1/2))+2*c*x^2*arctan(1/(d^2*x^2-1)^(1/2))-2*(d^2*x^2-1)^(1/2)*b*x-(d^2*x^2-1)^(1/2)*a)/(d^2*x^2-1)^(1/2)/x^2*csgn(d)^2$$

maxima [A] time = 2.47, size = 61, normalized size = 0.73

$$-\frac{1}{2} ad^2 \arcsin\left(\frac{1}{d|x|}\right) - c \arcsin\left(\frac{1}{d|x|}\right) + \frac{\sqrt{d^2x^2 - 1} b}{x} + \frac{\sqrt{d^2x^2 - 1} a}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/x^3/(d*x-1)^(1/2)/(d*x+1)^(1/2),x, algorithm="maxima")`

[Out] $-1/2*a*d^2*\arcsin(1/(d*abs(x))) - c*\arcsin(1/(d*abs(x))) + \sqrt{d^2*x^2 - 1}*b/x + 1/2*\sqrt{d^2*x^2 - 1}*a/x^2$

mupad [B] time = 12.77, size = 316, normalized size = 3.81

$$\begin{aligned} & \frac{ad^2 \ln\left(\frac{(\sqrt{d}x-1-i)^2}{(\sqrt{d}x+1-i)^2} + 1\right) \ln\left(\frac{(\sqrt{d}x-1-i)^2}{(\sqrt{d}x+1-i)^2} + 1\right)}{32} - c \left(\ln\left(\frac{(\sqrt{d}x-1-i)^2}{(\sqrt{d}x+1-i)^2} + 1\right) - \ln\left(\frac{\sqrt{d}x-1-i}{\sqrt{d}x+1-i}\right) \right) \ln\left(\frac{(\sqrt{d}x-1-i)^2}{(\sqrt{d}x+1-i)^2} + 1\right) \\ & + \frac{ad^2 \ln\left(\frac{(\sqrt{d}x-1-i)^2}{(\sqrt{d}x+1-i)^2} + 1\right) \ln\left(\frac{\sqrt{d}x-1-i}{\sqrt{d}x+1-i}\right)}{2} + \frac{b \sqrt{d}x-1 \sqrt{d}x+1}{x} + \frac{ad^2 \left(\frac{(\sqrt{d}x-1-i)^2}{(\sqrt{d}x+1-i)^2} + 1\right) \ln\left(\frac{(\sqrt{d}x-1-i)^2}{(\sqrt{d}x+1-i)^2} + 1\right)}{32} \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/(x^3*(d*x - 1)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out] $((a*d^2*1i)/32 + (a*d^2*((d*x - 1)^(1/2) - 1i)^2*1i)/(16*((d*x + 1)^(1/2) - 1)^2) - (a*d^2*((d*x - 1)^(1/2) - 1i)^4*15i)/(32*((d*x + 1)^(1/2) - 1)^4)) / (((d*x - 1)^(1/2) - 1i)^2/((d*x + 1)^(1/2) - 1)^2 + (2*((d*x - 1)^(1/2) - 1i)^4)/((d*x + 1)^(1/2) - 1)^4 + ((d*x - 1)^(1/2) - 1i)^6/((d*x + 1)^(1/2) - 1)^6) - c*(log(((d*x - 1)^(1/2) - 1i)^2/((d*x + 1)^(1/2) - 1)^2 + 1) - log(((d*x - 1)^(1/2) - 1i)/((d*x + 1)^(1/2) - 1)))*1i - (a*d^2*log(((d*x - 1)^(1/2) - 1i)^2/((d*x + 1)^(1/2) - 1)^2 + 1)*1i/2 + (a*d^2*log(((d*x - 1)^(1/2) - 1i)/((d*x + 1)^(1/2) - 1)))*1i/2 + (b*(d*x - 1)^(1/2)*(d*x + 1)^(1/2))/x + (a*d^2*((d*x - 1)^(1/2) - 1i)^2*1i)/(32*((d*x + 1)^(1/2) - 1)^2)$

sympy [C] time = 75.51, size = 212, normalized size = 2.55

$$\begin{aligned} & \frac{ad^2 G_{5,3}^{5,3}\left(\begin{array}{ccccc} \frac{7}{4}, \frac{9}{4}, 1 & 2, 2, \frac{5}{2} \\ \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2} & 0 \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}} + \frac{i ad^2 G_{6,6}^{2,6}\left(\begin{array}{cccccc} \frac{1}{4}, \frac{3}{4}, \frac{7}{4}, 2, 1 & \\ \frac{5}{4}, \frac{7}{4} & 1, \frac{3}{2}, \frac{3}{2}, 0 \end{array} \middle| e^{2i\pi}\right)}{4\pi^{\frac{3}{2}}} - \frac{bd G_{6,6}^{5,3}\left(\begin{array}{cccccc} \frac{5}{4}, \frac{7}{4}, 1 & \frac{3}{2}, \frac{3}{2}, 2 \\ \frac{5}{4}, \frac{7}{4} & 1, \frac{5}{4}, \frac{3}{2}, 2 \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}} - \frac{ibd G_{6,6}^{2,6}\left(\begin{array}{cccccc} \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 1 & \\ \frac{3}{4}, \frac{5}{4} & \frac{1}{2}, 1, 1, 0 \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}} + \frac{c G_{6,6}^{5,3}\left(\begin{array}{cccccc} \frac{3}{4}, \frac{5}{4}, 1 & 1, 1, \frac{3}{2} \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} & 0 \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}} + \frac{ic G_{6,6}^{2,6}\left(\begin{array}{cccccc} \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 & \\ \frac{1}{4}, \frac{3}{4} & 0, \frac{1}{2}, \frac{1}{2}, 0 \end{array} \middle| \frac{1}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}} \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/x**3/(d*x-1)**(1/2)/(d*x+1)**(1/2),x)`

[Out] $-a*d**2*meijerg(((7/4, 9/4, 1), (2, 2, 5/2)), ((3/2, 7/4, 2, 9/4, 5/2), (0, 0)), 1/(d**2*x**2))/(4*pi**(3/2)) + I*a*d**2*meijerg(((1, 5/4, 3/2, 7/4, 2, 1), ()), ((5/4, 7/4), (1, 3/2, 3/2, 0)), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) - b*d*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0, 0)), 1/(d**2*x**2))/(4*pi**(3/2)) - I*b*d*meijerg(((1/2, 3/4, 1, 5/4, 3/2), ()), ((1/2, 3/4, 1, 5/4, 3/2)), 1/(d**2*x**2))/(4*pi**(3/2))$

```
4, 3/2, 1), (), ((3/4, 5/4), (1/2, 1, 1, 0)), exp_polar(2*I*pi)/(d**2*x**2)
)/(4*pi**(3/2)) - c*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5
/4, 3/2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) + I*c*meijerg(((0, 1/4, 1/2,
3/4, 1, 1), (), ((1/4, 3/4), (0, 1/2, 1/2, 0))), exp_polar(2*I*pi)/(d**2*x*
*2))/(4*pi**(3/2))
```

3.39 $\int \frac{a+bx+cx^2}{x^4 \sqrt{-1+dx} \sqrt{1+dx}} dx$

Optimal. Leaf size=116

$$\frac{\sqrt{dx-1} \sqrt{dx+1} (2ad^2 + 3c)}{3x} + \frac{a\sqrt{dx-1} \sqrt{dx+1}}{3x^3} + \frac{1}{2} bd^2 \tan^{-1}(\sqrt{dx-1} \sqrt{dx+1}) + \frac{b\sqrt{dx-1} \sqrt{dx+1}}{2x^2}$$

Rubi [A] time = 0.22, antiderivative size = 171, normalized size of antiderivative = 1.47, number of steps used = 7, number of rules used = 7, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.219, Rules used = {1610, 1807, 835, 807, 266, 63, 205}

$$-\frac{(1-d^2x^2)(2ad^2 + 3c)}{3x\sqrt{dx-1} \sqrt{dx+1}} - \frac{a(1-d^2x^2)}{3x^3\sqrt{dx-1} \sqrt{dx+1}} - \frac{b(1-d^2x^2)}{2x^2\sqrt{dx-1} \sqrt{dx+1}} + \frac{bd^2\sqrt{d^2x^2-1} \tan^{-1}(\sqrt{d^2x^2-1})}{2\sqrt{dx-1} \sqrt{dx+1}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*x + c*x^2)/(x^4*Sqrt[-1 + d*x])*Sqrt[1 + d*x]),x]
[Out] -(a*(1 - d^2*x^2))/(3*x^3*Sqrt[-1 + d*x])*Sqrt[1 + d*x]) - (b*(1 - d^2*x^2))
/(2*x^2*Sqrt[-1 + d*x])*Sqrt[1 + d*x]) - ((3*c + 2*a*d^2)*(1 - d^2*x^2))/(3*x*Sqrt[-1 + d*x])*Sqrt[1 + d*x]) + (b*d^2*Sqrt[-1 + d^2*x^2])*ArcTan[Sqrt[-1 + d^2*x^2]])/(2*Sqrt[-1 + d*x])*Sqrt[1 + d*x])
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b,
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_),
x_Symbol] :> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(
2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 835

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_),
x_Symbol] :> Simplify[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(
((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simplify[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 1610

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_).
)*(x_)^(p_), x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/((a*c + b*d*x^2)^FracPart[m], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*
d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1807

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :> With[{Q =
PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m
+ 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{x^4 \sqrt{-1+dx} \sqrt{1+dx}} dx &= \frac{\sqrt{-1+d^2x^2} \int \frac{a+bx+cx^2}{x^4 \sqrt{-1+d^2x^2}} dx}{\sqrt{-1+dx} \sqrt{1+dx}} \\
&= -\frac{a(1-d^2x^2)}{3x^3 \sqrt{-1+dx} \sqrt{1+dx}} + \frac{\sqrt{-1+d^2x^2} \int \frac{3b+(3c+2ad^2)x}{x^3 \sqrt{-1+d^2x^2}} dx}{3\sqrt{-1+dx} \sqrt{1+dx}} \\
&= -\frac{a(1-d^2x^2)}{3x^3 \sqrt{-1+dx} \sqrt{1+dx}} - \frac{b(1-d^2x^2)}{2x^2 \sqrt{-1+dx} \sqrt{1+dx}} + \frac{\sqrt{-1+d^2x^2} \int \frac{2(3c+2ad^2)+3bd^2x}{x^2 \sqrt{-1+d^2x^2}} dx}{6\sqrt{-1+dx} \sqrt{1+dx}} \\
&= -\frac{a(1-d^2x^2)}{3x^3 \sqrt{-1+dx} \sqrt{1+dx}} - \frac{b(1-d^2x^2)}{2x^2 \sqrt{-1+dx} \sqrt{1+dx}} - \frac{(3c+2ad^2)(1-d^2x^2)}{3x \sqrt{-1+dx} \sqrt{1+dx}} + \frac{(bd^2+3c+2ad^2)(1-d^2x^2)}{6\sqrt{-1+dx} \sqrt{1+dx}} \\
&= -\frac{a(1-d^2x^2)}{3x^3 \sqrt{-1+dx} \sqrt{1+dx}} - \frac{b(1-d^2x^2)}{2x^2 \sqrt{-1+dx} \sqrt{1+dx}} - \frac{(3c+2ad^2)(1-d^2x^2)}{3x \sqrt{-1+dx} \sqrt{1+dx}} + \frac{(bd^2+3c+2ad^2)(1-d^2x^2)}{6\sqrt{-1+dx} \sqrt{1+dx}} \\
&= -\frac{a(1-d^2x^2)}{3x^3 \sqrt{-1+dx} \sqrt{1+dx}} - \frac{b(1-d^2x^2)}{2x^2 \sqrt{-1+dx} \sqrt{1+dx}} - \frac{(3c+2ad^2)(1-d^2x^2)}{3x \sqrt{-1+dx} \sqrt{1+dx}} + \frac{(bd^2+3c+2ad^2)(1-d^2x^2)}{6\sqrt{-1+dx} \sqrt{1+dx}} \\
&= -\frac{a(1-d^2x^2)}{3x^3 \sqrt{-1+dx} \sqrt{1+dx}} - \frac{b(1-d^2x^2)}{2x^2 \sqrt{-1+dx} \sqrt{1+dx}} - \frac{(3c+2ad^2)(1-d^2x^2)}{3x \sqrt{-1+dx} \sqrt{1+dx}} + \frac{(bd^2+3c+2ad^2)(1-d^2x^2)}{6\sqrt{-1+dx} \sqrt{1+dx}}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 94, normalized size = 0.81

$$\frac{(d^2x^2 - 1)(a(4d^2x^2 + 2) + 3x(b + 2cx)) + 3bd^2x^3\sqrt{d^2x^2 - 1}\tan^{-1}(\sqrt{d^2x^2 - 1})}{6x^3\sqrt{dx - 1}\sqrt{dx + 1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*x + c*x^2)/(x^4*.Sqrt[-1 + d*x]*Sqrt[1 + d*x]), x]
[Out] ((-1 + d^2*x^2)*(3*x*(b + 2*c*x) + a*(2 + 4*d^2*x^2)) + 3*b*d^2*x^3*Sqrt[-1 + d^2*x^2]*ArcTan[Sqrt[-1 + d^2*x^2]])/(6*x^3*Sqrt[-1 + d*x]*Sqrt[1 + d*x])
)
```

IntegrateAlgebraic [A] time = 0.00, size = 168, normalized size = 1.45

$$\frac{d\sqrt{dx - 1} \left(\frac{4ad^2(dx-1)}{dx+1} + \frac{6ad^2(dx-1)^2}{(dx+1)^2} + 6ad^2 - \frac{3bd(dx-1)^2}{(dx+1)^2} + 3bd + \frac{12c(dx-1)}{dx+1} + \frac{6c(dx-1)^2}{(dx+1)^2} + 6c \right) + bd^2 \tan^{-1} \left(\frac{\sqrt{dx - 1}}{\sqrt{dx + 1}} \right)}{3\sqrt{dx + 1} \left(\frac{dx-1}{dx+1} + 1 \right)^3}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a + b*x + c*x^2)/(x^4*Sqrt[-1 + d*x]*Sqrt[1 + d*x]), x]
[Out] (d*Sqrt[-1 + d*x]*(6*c + 3*b*d + 6*a*d^2 + (6*c*(-1 + d*x)^2)/(1 + d*x)^2 - (3*b*d*(-1 + d*x)^2)/(1 + d*x)^2 + (6*a*d^2*(-1 + d*x)^2)/(1 + d*x)^2 + (1 + 2*c*(-1 + d*x))/(1 + d*x) + (4*a*d^2*(-1 + d*x))/(1 + d*x)))/(3*Sqrt[1 + d*x]*(1 + (-1 + d*x)/(1 + d*x))^3) + b*d^2*ArcTan[Sqrt[-1 + d*x]/Sqrt[1 + d*x]]]
```

fricas [A] time = 1.07, size = 90, normalized size = 0.78

$$\frac{6 bd^2 x^3 \arctan(-dx + \sqrt{dx+1} \sqrt{dx-1}) + 2(2ad^3 + 3cd)x^3 + (2(2ad^2 + 3c)x^2 + 3bx + 2a)\sqrt{dx+1} \sqrt{dx-1}}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/x^4/(d*x-1)^(1/2)/(d*x+1)^(1/2), x, algorithm="fricas")
```

```
[Out] 1/6*(6*b*d^2*x^3*arctan(-d*x + sqrt(d*x + 1)*sqrt(d*x - 1)) + 2*(2*a*d^3 + 3*c*d)*x^3 + (2*(2*a*d^2 + 3*c)*x^2 + 3*b*x + 2*a)*sqrt(d*x + 1)*sqrt(d*x - 1))/x^3
```

giac [B] time = 1.40, size = 197, normalized size = 1.70

$$\frac{3bd^3 \arctan\left(\frac{1}{2}(\sqrt{dx+1} - \sqrt{dx-1})^2\right) + \frac{2(3bd^3(\sqrt{dx+1} - \sqrt{dx-1})^{10} - 12cd^2(\sqrt{dx+1} - \sqrt{dx-1})^8 - 96ad^4(\sqrt{dx+1} - \sqrt{dx-1})^4 - 96cd^2(\sqrt{dx+1} - \sqrt{dx-1})^4 - 48bd^3(\sqrt{dx+1} - \sqrt{dx-1})^2 - 128ad^4 - 192cd^2)}{\left((\sqrt{dx+1} - \sqrt{dx-1})^4 + 4\right)^3}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/x^4/(d*x-1)^(1/2)/(d*x+1)^(1/2), x, algorithm="giac")
```

```
[Out] -1/3*(3*b*d^3*arctan(1/2*(sqrt(d*x + 1) - sqrt(d*x - 1))^2) + 2*(3*b*d^3*(sqrt(d*x + 1) - sqrt(d*x - 1))^10 - 12*c*d^2*(sqrt(d*x + 1) - sqrt(d*x - 1))^8 - 96*a*d^4*(sqrt(d*x + 1) - sqrt(d*x - 1))^4 - 96*c*d^2*(sqrt(d*x + 1) - sqrt(d*x - 1))^4 - 48*b*d^3*(sqrt(d*x + 1) - sqrt(d*x - 1))^2 - 128*a*d^4 - 192*c*d^2)/((sqrt(d*x + 1) - sqrt(d*x - 1))^4 + 4)^3)/d
```

maple [C] time = 0.00, size = 123, normalized size = 1.06

$$\frac{\sqrt{dx-1} \sqrt{dx+1} \left(3b d^2 x^3 \arctan\left(\frac{1}{\sqrt{d^2 x^2 - 1}}\right) - 4\sqrt{d^2 x^2 - 1} ad^2 x^2 - 6\sqrt{d^2 x^2 - 1} cx^2 - 3\sqrt{d^2 x^2 - 1} bx - 2\sqrt{d^2 x^2 - 1} a\right) \text{csgn}(d)^2}{6\sqrt{d^2 x^2 - 1} x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((c*x^2+b*x+a)/x^4/(d*x-1)^{1/2}/(d*x+1)^{1/2}) dx$

[Out] $-1/6*(d*x-1)^{1/2}*(d*x+1)^{1/2}*(3*b*d^2*x^3*\arctan(1/(d^2*x^2-1)^{1/2}))-4*(d^2*x^2-1)^{1/2}*a*d^2*x^2-6*(d^2*x^2-1)^{1/2}*c*x^2-3*(d^2*x^2-1)^{1/2}*b*x^2*(d^2*x^2-1)^{1/2}*a)/(d^2*x^2-1)^{1/2}/x^3*csgn(d)^2$

maxima [A] time = 3.05, size = 86, normalized size = 0.74

$$-\frac{1}{2} bd^2 \arcsin\left(\frac{1}{d|x|}\right) + \frac{2\sqrt{d^2x^2-1}ad^2}{3x} + \frac{\sqrt{d^2x^2-1}c}{x} + \frac{\sqrt{d^2x^2-1}b}{2x^2} + \frac{\sqrt{d^2x^2-1}a}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((c*x^2+b*x+a)/x^4/(d*x-1)^{1/2}/(d*x+1)^{1/2}, x, \text{algorithm}=\text{"maxima"})$

[Out] $-1/2*b*d^2*\arcsin(1/(d*abs(x)))+2/3*sqrt(d^2*x^2-1)*a*d^2/x+sqrt(d^2*x^2-1)*c/x+1/2*sqrt(d^2*x^2-1)*b/x^2+1/3*sqrt(d^2*x^2-1)*a/x^3$

mupad [B] time = 11.82, size = 304, normalized size = 2.62

$$\begin{aligned} & \frac{bd^2 1i + \frac{bd^2 (\sqrt{dx-1}-i)^2 1i}{16(\sqrt{dx+1}-1)^2} - \frac{bd^2 (\sqrt{dx-1}-i)^4 15i}{32(\sqrt{dx+1}-1)^4}}{\frac{(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + \frac{2(\sqrt{dx-1}-i)^4}{(\sqrt{dx+1}-1)^6}} - \frac{bd^2 \ln\left(\frac{(\sqrt{dx-1}-i)^2}{(\sqrt{dx+1}-1)^2} + 1\right) 1i}{2} + \frac{bd^2 \ln\left(\frac{\sqrt{dx-1}-i}{\sqrt{dx+1}-1}\right) 1i}{2} + \frac{c\sqrt{dx-1}\sqrt{dx+1}}{x} + \frac{\sqrt{dx-1} \left(\frac{2ad^3x^3}{3} + \frac{2ad^2x^2}{3} + \frac{adx}{3} + \frac{a}{3}\right)}{x^3\sqrt{dx+1}} + \frac{bd^2 (\sqrt{dx-1}-i)^2 1i}{32(\sqrt{dx+1}-1)^2} \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a + b*x + c*x^2)/(x^4*(d*x - 1)^{1/2}*(d*x + 1)^{1/2}), x)$

[Out] $((b*d^2*2*i)/32 + (b*d^2*((d*x - 1)^{1/2} - 1i)^2*2*i)/(16*((d*x + 1)^{1/2} - 1)^2) - (b*d^2*((d*x - 1)^{1/2} - 1i)^4*15i)/(32*((d*x + 1)^{1/2} - 1)^4)) / (((d*x - 1)^{1/2} - 1i)^2/((d*x + 1)^{1/2} - 1)^2 + (2*((d*x - 1)^{1/2} - 1i)^4)/((d*x + 1)^{1/2} - 1)^4 + ((d*x - 1)^{1/2} - 1i)^6/((d*x + 1)^{1/2} - 1)^6) - (b*d^2*\log(((d*x - 1)^{1/2} - 1i)^2/((d*x + 1)^{1/2} - 1)^2 + 1)*1i)/2 + (b*d^2*\log(((d*x - 1)^{1/2} - 1i)/((d*x + 1)^{1/2} - 1))*1i)/2 + (c*(d*x - 1)^{1/2}*(d*x + 1)^{1/2})/x + ((d*x - 1)^{1/2}*(a/3 + (2*a*d^2*x^2)/3 + (2*a*d^3*x^3)/3 + (a*d*x)/3))/(x^3*(d*x + 1)^{1/2}) + (b*d^2*((d*x - 1)^{1/2} - 1i)^2*2*i)/(32*((d*x + 1)^{1/2} - 1)^2)$

sympy [C] time = 128.74, size = 219, normalized size = 1.89

$$\begin{aligned} & \frac{ad^3 G_{6,6}^{5,5} \left(\begin{matrix} \frac{9}{4}, \frac{11}{4}, 1, \\ 2, \frac{9}{4}, \frac{5}{2}, \frac{11}{4}, 3, 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} - \frac{i ad^3 G_{6,6}^{2,6} \left(\begin{matrix} \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2}, 1 \\ \frac{7}{4}, \frac{9}{4} \end{matrix} \middle| \frac{2i\pi}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} - \frac{bd^2 G_{6,6}^{5,5} \left(\begin{matrix} \frac{7}{4}, \frac{9}{4}, 1, \\ \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2}, 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} + \frac{ibd^2 G_{6,6}^{2,6} \left(\begin{matrix} 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2, 1 \\ \frac{5}{4}, \frac{7}{4} \end{matrix} \middle| \frac{2i\pi}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} - \frac{cd G_{6,6}^{5,5} \left(\begin{matrix} \frac{5}{4}, \frac{7}{4}, 1, \\ 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2, 0 \end{matrix} \middle| \frac{1}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} - \frac{icd G_{6,6}^{2,6} \left(\begin{matrix} \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 1 \\ \frac{3}{4}, \frac{5}{4} \end{matrix} \middle| \frac{2i\pi}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}}} \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((c*x**2+b*x+a)/x**4/(d*x-1)**(1/2)/(d*x+1)**(1/2), x)$

```
[Out] -a*d**3*meijerg(((9/4, 11/4, 1), (5/2, 5/2, 3)), ((2, 9/4, 5/2, 11/4, 3), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) - I*a*d**3*meijerg(((3/2, 7/4, 2, 9/4, 5/2, 1), (), ((7/4, 9/4), (3/2, 2, 2, 0))), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) - b*d**2*meijerg(((7/4, 9/4, 1), (2, 2, 5/2)), ((3/2, 7/4, 2, 9/4, 5/2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) + I*b*d**2*meijerg(((1, 5/4, 3/2, 7/4, 2, 1), (), ((5/4, 7/4), (1, 3/2, 3/2, 0))), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)) - c*d*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), 1/(d**2*x**2))/(4*pi**(3/2)) - I*c*d*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), (), ((3/4, 5/4), (1/2, 1, 1, 0))), exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2))
```

3.40 $\int \frac{a+bx+cx^2}{\sqrt{-1+x} \sqrt{1+x} (d+ex)^3} dx$

Optimal. Leaf size=199

$$\frac{\sqrt{x-1} \sqrt{x+1} (ae^2 - bde + cd^2)}{2e(d^2 - e^2)(d+ex)^2} + \frac{\tanh^{-1}\left(\frac{\sqrt{x+1} \sqrt{d+e}}{\sqrt{x-1} \sqrt{d-e}}\right) (d^2(2a+c) + e^2(a+2c) - 3bde)}{(d-e)^{5/2}(d+e)^{5/2}} + \frac{\sqrt{x-1} \sqrt{x+1} (-de^2(3a+2c) + bde^2 + 3bde^2)}{2e(d^2 - e^2)}$$

Rubi [A] time = 0.33, antiderivative size = 242, normalized size of antiderivative = 1.22, number of steps used = 5, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.156, Rules used = {1610, 1651, 807, 725, 206}

$$\frac{(1-x^2)(c(d^3-4de^2)-e(3ade-b(d^2+2e^2)))}{2e\sqrt{x-1}\sqrt{x+1}(d^2-e^2)^2(d+ex)} + \frac{(1-x^2)(ae^2-bde+cd^2)}{2e\sqrt{x-1}\sqrt{x+1}(d^2-e^2)^2(d+ex)^2} - \frac{\sqrt{x^2-1}\tanh^{-1}\left(\frac{dx+e}{\sqrt{x^2-1}\sqrt{d^2-e^2}}\right)(-a(2d^2+e^2)+3bde-c(d^2+2e^2))}{2\sqrt{x-1}\sqrt{x+1}(d^2-e^2)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*x + c*x^2)/(Sqrt[-1 + x]*Sqrt[1 + x]*(d + e*x)^3), x]
[Out] ((c*d^2 - b*d*e + a*e^2)*(1 - x^2))/(2*e*(d^2 - e^2)*Sqrt[-1 + x]*Sqrt[1 + x]*(d + e*x)^2) - ((c*(d^3 - 4*d*e^2) - e*(3*a*d*e - b*(d^2 + 2*e^2)))*(1 - x^2))/(2*e*(d^2 - e^2)^2*Sqrt[-1 + x]*Sqrt[1 + x]*(d + e*x)) - ((3*b*d*e - a*(2*d^2 + e^2) - c*(d^2 + 2*e^2))*Sqrt[-1 + x^2]*ArcTanh[(e + d*x)/(Sqrt[d^2 - e^2]*Sqrt[-1 + x^2])])/(2*(d^2 - e^2)^(5/2)*Sqrt[-1 + x]*Sqrt[1 + x])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]
```

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1610

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)
)*(x_))^(p_), x_Symbol] :> Dist[((a + b*x)^FracPart[m]*(c + d*x)^FracPart[
m])/((a*c + b*d*x^2)^FracPart[m]], Int[Px*(a*c + b*d*x^2)^m*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && EqQ[b*c + a*d, 0] && EqQ[m, n] && !IntegerQ[m]
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^p_, x_Symbol] :>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
d + e*x, x]}, Simplify[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^p)/((m + 1)*(c*
d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
&& NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a+bx+cx^2}{\sqrt{-1+x}\sqrt{1+x}(d+ex)^3} dx &= \frac{\sqrt{-1+x^2} \int \frac{a+bx+cx^2}{(d+ex)^3\sqrt{-1+x^2}} dx}{\sqrt{-1+x}\sqrt{1+x}} \\ &= \frac{(cd^2-bde+ae^2)(1-x^2)}{2e(d^2-e^2)\sqrt{-1+x}\sqrt{1+x}(d+ex)^2} - \frac{\sqrt{-1+x^2} \int \frac{-2(ad+cd-be)-\left(bd+\frac{cd^2}{e}-ae-2c\right)}{(d+ex)^2\sqrt{-1+x^2}} dx}{2(d^2-e^2)\sqrt{-1+x}\sqrt{1+x}} \\ &= \frac{(cd^2-bde+ae^2)(1-x^2)}{2e(d^2-e^2)\sqrt{-1+x}\sqrt{1+x}(d+ex)^2} - \frac{(c(d^3-4de^2)-e(3ade-b(d^2+2e^2)))}{2e(d^2-e^2)^2\sqrt{-1+x}\sqrt{1+x}(d+ex)^2} \\ &= \frac{(cd^2-bde+ae^2)(1-x^2)}{2e(d^2-e^2)\sqrt{-1+x}\sqrt{1+x}(d+ex)^2} - \frac{(c(d^3-4de^2)-e(3ade-b(d^2+2e^2)))}{2e(d^2-e^2)^2\sqrt{-1+x}\sqrt{1+x}(d+ex)^2} \\ &= \frac{(cd^2-bde+ae^2)(1-x^2)}{2e(d^2-e^2)\sqrt{-1+x}\sqrt{1+x}(d+ex)^2} - \frac{(c(d^3-4de^2)-e(3ade-b(d^2+2e^2)))}{2e(d^2-e^2)^2\sqrt{-1+x}\sqrt{1+x}(d+ex)^2} \end{aligned}$$

Mathematica [A] time = 0.76, size = 343, normalized size = 1.72

$$\frac{-(d+ex) \left(3de\sqrt{x-1}\sqrt{x+1}\sqrt{d-e}\sqrt{d+e}-2(2d^2+e^2)(d+ex)\tanh^{-1}\left(\frac{\sqrt{\frac{d}{x}}\sqrt{d-e}}{\sqrt{dx^2}}\right)\right)\left(e(ae-bd)+cd^2\right)-e\sqrt{x-1}\sqrt{x+1}(d-e)^{3/2}(d+e)^{3/2}\left(e(ae-bd)+cd^2\right)+2e\sqrt{x-1}\sqrt{x+1}(d-e)^{3/2}(d+e)^{3/2}(d+ex)(2cd-be)-4d(d-e)(d+ex)(2cd-be)\tanh^{-1}\left(\frac{\sqrt{\frac{d}{x}}\sqrt{d-e}}{\sqrt{dx^2}}\right)+4c(d-e)^2(d+e)^2(d+ex)^2\tanh^{-1}\left(\frac{\sqrt{\frac{d}{x}}\sqrt{d-e}}{\sqrt{dx^2}}\right)}{2e(d-e)^2(d+e)^2(d+ex)^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*x + c*x^2)/(Sqrt[-1 + x]*Sqrt[1 + x]*(d + e*x)^3),x]
[Out] (-((d - e)^(3/2)*e*(d + e)^(3/2)*(c*d^2 + e*(-(b*d) + a*e)))*Sqrt[-1 + x]*Sqr
rt[1 + x]) + 2*(d - e)^(3/2)*e*(d + e)^(3/2)*(2*c*d - b*e)*Sqrt[-1 + x]*Sqr
t[1 + x]*(d + e*x) + 4*c*(d - e)^2*(d + e)^2*(d + e*x)^2*ArcTanh[(Sqrt[d -
e]*Sqrt[(-1 + x)/(1 + x)])/(Sqrt[d + e])] - 4*d*(d - e)*(d + e)*(2*c*d - b*e)
*(d + e*x)^2*ArcTanh[(Sqrt[d - e]*Sqrt[(-1 + x)/(1 + x)])/(Sqrt[d + e])] - (c
*d^2 + e*(-(b*d) + a*e))*(d + e*x)*(3*d*Sqrt[d - e]*e*Sqrt[d + e]*Sqrt[-1 +
x]*Sqrt[1 + x] - 2*(2*d^2 + e^2)*(d + e*x)*ArcTanh[(Sqrt[d - e]*Sqrt[(-1 +
x)/(1 + x)])/(Sqrt[d + e])])/(2*(d - e)^(5/2)*e^2*(d + e)^(5/2)*(d + e*x)^2
)
```

IntegrateAlgebraic [B] time = 0.67, size = 546, normalized size = 2.74

$$\begin{aligned} \tan^{-1}\left(\frac{\sqrt{-1} \sqrt{-d} \sqrt{e}-\sqrt{d} \sqrt{e}}{\sqrt{e} \sqrt{1-e}}\right) &= \frac{(2 d)^{3/2}+a e^2-3 b d e+a d^2+2 c e^2}{\sqrt{e} \sqrt{1-e}} + \\ &\quad \frac{-4 d \sqrt{e} \sqrt{1-e}}{(1+e)^{3/2}}+\frac{4 a d \sqrt{e} \sqrt{1-e}}{(1+e)^{3/2}}-\frac{3 a d^2 \sqrt{e} \sqrt{1-e}}{\sqrt{e} \sqrt{1-e}} \\ &\quad -\frac{3 a b d \sqrt{e} \sqrt{1-e}}{(1+e)^{3/2}}+\frac{3 a d^2 \sqrt{e} \sqrt{1-e}}{\sqrt{e} \sqrt{1-e}}-\frac{a d^3 \sqrt{e} \sqrt{1-e}}{(1+e)^{3/2}}-2 b d^2 \sqrt{e} \sqrt{1-e} \\ &\quad +\frac{b d^2 \sqrt{e} \sqrt{1-e}}{(1+e)^{3/2}}+\frac{b d^2 \sqrt{e} \sqrt{1-e}}{\sqrt{e} \sqrt{1-e}}+\frac{b d^2 \sqrt{e} \sqrt{1-e}}{(1+e)^{3/2}}-\frac{b d^2 \sqrt{e} \sqrt{1-e}}{\sqrt{e} \sqrt{1-e}} \\ &\quad -\frac{b d^2 \sqrt{e} \sqrt{1-e}}{(1+e)^{3/2}}+\frac{2 b a d \sqrt{e} \sqrt{1-e}}{\sqrt{e} \sqrt{1-e}}+\frac{2 b a d \sqrt{e} \sqrt{1-e}}{(1+e)^{3/2}}+\frac{2 b a d \sqrt{e} \sqrt{1-e}}{\sqrt{e} \sqrt{1-e}} \\ &\quad +\frac{2 b a d \sqrt{e} \sqrt{1-e}}{(1+e)^{3/2}}+\frac{2 b a d \sqrt{e} \sqrt{1-e}}{\sqrt{e} \sqrt{1-e}}+\frac{2 b a d \sqrt{e} \sqrt{1-e}}{(1+e)^{3/2}}-4 c d \sqrt{e} \sqrt{1-e} \\ &\quad -4 c d \sqrt{e} \sqrt{1-e} \end{aligned}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a + b*x + c*x^2)/(Sqrt[-1 + x]*Sqrt[1 + x]*(d + e*x)^3),x]
```

```
[Out] ((-2*b*d^3*(-1 + x)^(3/2))/(1 + x)^(3/2) + (c*d^3*(-1 + x)^(3/2))/(1 + x)^(3/2) + (4*a*d^2*e*(-1 + x)^(3/2))/(1 + x)^(3/2) + (b*d^2*e*(-1 + x)^(3/2))/(1 + x)^(3/2) + (3*c*d^2*e*(-1 + x)^(3/2))/(1 + x)^(3/2) - (3*a*d*e^2*(-1 + x)^(3/2))/(1 + x)^(3/2) - (b*d*e^2*(-1 + x)^(3/2))/(1 + x)^(3/2) - (4*c*d*e^2*(-1 + x)^(3/2))/(1 + x)^(3/2) - (a*e^3*(-1 + x)^(3/2))/(1 + x)^(3/2) + (2*b*e^3*(-1 + x)^(3/2))/(1 + x)^(3/2) + (2*b*d^3*Sqrt[-1 + x])/Sqrt[1 + x] + (c*d^3*Sqrt[-1 + x])/Sqrt[1 + x] - (4*a*d^2*e*Sqrt[-1 + x])/Sqrt[1 + x] + (b*d^2*e*Sqrt[-1 + x])/Sqrt[1 + x] - (3*c*d^2*e*Sqrt[-1 + x])/Sqrt[1 + x] - (3*a*d*e^2*Sqrt[-1 + x])/Sqrt[1 + x] + (b*d*e^2*Sqrt[-1 + x])/Sqrt[1 + x] - (4*c*d*e^2*Sqrt[-1 + x])/Sqrt[1 + x] + (a*e^3*Sqrt[-1 + x])/Sqrt[1 + x] + (2*b*e^3*Sqrt[-1 + x])/Sqrt[1 + x])/((d - e)^2*(d + e)^2*(-d - e + (d*(-1 + x))/(1 + x) - (e*(-1 + x))/(1 + x))^2) + ((2*a*d^2 + c*d^2 - 3*b*d*e + a*e^2 + 2*c*e^2)*ArcTan[(Sqrt[-d - e]*Sqrt[d - e]*Sqrt[-1 + x])/((d + e)*Sqrt[1 + x])])/((Sqrt[-d - e]*(d - e)^(5/2)*(d + e)^2)
```

fricas [B] time = 1.00, size = 1186, normalized size = 5.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/(e*x+d)^3/(-1+x)^(1/2)/(1+x)^(1/2),x, algorithm="fricas")
```

[Out]
$$\begin{aligned} & [1/2*(c*d^7 + b*d^6*e - (3*a + 5*c)*d^5*e^2 + b*d^4*e^3 + (3*a + 4*c)*d^3*e^4 - 2*b*d^2*e^5 + (c*d^5*e^2 + b*d^4*e^3 - (3*a + 5*c)*d^3*e^4 + b*d^2*e^5 + (3*a + 4*c)*d^2*e^6 - 2*b*e^7)*x^2 + ((2*a + c)*d^4*e^2 - 3*b*d^3*e^3 + (a + 2*c)*d^2*e^4 + ((2*a + c)*d^2*e^4 - 3*b*d^2*e^5 + (a + 2*c)*e^6)*x^2 + 2*((2*a + c)*d^3*e^3 - 3*b*d^2*e^4 + (a + 2*c)*d^2*e^5)*x)*sqrt(d^2 - e^2)*log((d^2*x + d*e + (d^2 - e^2 + sqrt(d^2 - e^2)*d)*sqrt(x + 1)*sqrt(x - 1) + sqrt(t(d^2 - e^2)*(d*x + e)))/(e*x + d)) + (2*b*d^5*e^2 - (4*a + 3*c)*d^4*e^3 - b*d^3*e^4 + (5*a + 3*c)*d^2*e^5 - b*d^2*e^6 - a*e^7 + (c*d^5*e^2 + b*d^4*e^3 - (3*a + 5*c)*d^3*e^4 + b*d^2*e^5 + (3*a + 4*c)*d^2*e^6 - 2*b*e^7)*x)*sqrt(x + 1)*sqrt(x - 1) + 2*(c*d^6*e + b*d^5*e^2 - (3*a + 5*c)*d^4*e^3 + b*d^3*e^4 + (3*a + 4*c)*d^2*e^5 - 2*b*d^2*e^6)*x]/(d^8*e^2 - 3*d^6*e^4 + 3*d^4*e^6 - d^2*2*e^8 + (d^6*e^4 - 3*d^4*e^6 + 3*d^2*e^8 - e^10)*x^2 + 2*(d^7*e^3 - 3*d^5*e^5 + 3*d^3*e^7 - d^2*e^9)*x), 1/2*(c*d^7 + b*d^6*e - (3*a + 5*c)*d^5*e^2 + b*d^4*e^3 + (3*a + 4*c)*d^3*e^4 - 2*b*d^2*e^5 + (c*d^5*e^2 + b*d^4*e^3 - (3*a + 5*c)*d^3*e^4 + b*d^2*e^5 + (3*a + 4*c)*d^2*e^6 - 2*b*e^7)*x^2 - 2*((2*a + c)*d^4*e^2 - 3*b*d^3*e^3 + (a + 2*c)*d^2*e^4 + ((2*a + c)*d^2*e^4 - 3*b*d^2*e^5 + (a + 2*c)*e^6)*x^2 + 2*((2*a + c)*d^3*e^3 - 3*b*d^2*e^4 + (a + 2*c)*d^2*e^5)*x)*sqrt(-d^2 + e^2)*arctan(-(sqrt(-d^2 + e^2)*e*sqrt(x + 1)*sqrt(x - 1) - sqrt(-d^2 + e^2)*(e*x + d))/(d^2 - e^2)) + (2*b*d^5*e^2 - (4*a + 3*c)*d^4*e^3 - b*d^3*e^4 + (5*a + 3*c)*d^2*e^5 - b*d^2*e^6 - a*e^7 + (c*d^5*e^2 + b*d^4*e^3 - (3*a + 5*c)*d^3*e^4 + b*d^2*e^5 + (3*a + 4*c)*d^2*e^6 - 2*b*e^7)*x)*sqrt(x + 1)*sqrt(x - 1) + 2*(c*d^6*e + b*d^5*e^2 - (3*a + 5*c)*d^4*e^3 + b*d^3*e^4 + (3*a + 4*c)*d^2*e^5 - 2*b*d^2*e^6)*x]/(d^8*e^2 - 3*d^6*e^4 + 3*d^4*e^6 - d^2*2*e^8 + (d^6*e^4 - 3*d^4*e^6 + 3*d^2*e^8 - e^10)*x^2 + 2*(d^7*e^3 - 3*d^5*e^5 + 3*d^3*e^7 - d^2*e^9)*x)] \end{aligned}$$

giac [B] time = 3.24, size = 605, normalized size = 3.04

$$\frac{(a^2 + e^2 - 3ab + a^2 + 4a^2)x^{10} - 12abx^8 + 36a^2x^6 - 48abx^4 + 16a^2x^2 + 16a^2}{(a^2 + 2ab + 2a^2)x^5(e^2 - 4a^2)} = \frac{1}{2}\left(\frac{a^2(e^2 - 4a^2)}{x^5(e^2 - 4a^2)}\right)^2 + \frac{1}{2}\left(\frac{a^2(e^2 - 4a^2)}{x^5(e^2 - 4a^2)}\right)^3 + \frac{1}{2}\left(\frac{a^2(e^2 - 4a^2)}{x^5(e^2 - 4a^2)}\right)^4 + \frac{1}{2}\left(\frac{a^2(e^2 - 4a^2)}{x^5(e^2 - 4a^2)}\right)^5 + \frac{1}{2}\left(\frac{a^2(e^2 - 4a^2)}{x^5(e^2 - 4a^2)}\right)^6 + \frac{1}{2}\left(\frac{a^2(e^2 - 4a^2)}{x^5(e^2 - 4a^2)}\right)^7 + \frac{1}{2}\left(\frac{a^2(e^2 - 4a^2)}{x^5(e^2 - 4a^2)}\right)^8 + \frac{1}{2}\left(\frac{a^2(e^2 - 4a^2)}{x^5(e^2 - 4a^2)}\right)^9 + \frac{1}{2}\left(\frac{a^2(e^2 - 4a^2)}{x^5(e^2 - 4a^2)}\right)^{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(e*x+d)^3/(-1+x)^(1/2)/(1+x)^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -(2*a*d^2 + c*d^2 - 3*b*d^2 + a*e^2 + 2*c*e^2)*arctan(1/2*((sqrt(x + 1) - sqrt(x - 1))^2*e + 2*d)/sqrt(-d^2 + e^2))/((d^4 - 2*d^2*e^2 + e^4)*sqrt(-d^2 + e^2)) + 2*(2*c*d^4*(sqrt(x + 1) - sqrt(x - 1))^6*e + 4*c*d^5*(sqrt(x + 1) - sqrt(x - 1))^4 - 2*a*d^2*(sqrt(x + 1) - sqrt(x - 1))^6*e^3 - 5*c*d^2*(sqrt(x + 1) - sqrt(x - 1))^6*e^3 + 4*b*d^4*(sqrt(x + 1) - sqrt(x - 1))^4*e + 3*b*d^2*(sqrt(x + 1) - sqrt(x - 1))^6*e^4 - 12*a*d^3*(sqrt(x + 1) - sqrt(x - 1))^4*e^2 - 14*c*d^3*(sqrt(x + 1) - sqrt(x - 1))^4*e^2 - a*(sqrt(x + 1) - sqrt(x - 1))^6*e^5 + 10*b*d^2*(sqrt(x + 1) - sqrt(x - 1))^4*e^3 + 8*c*d^4*(sqrt(x + 1) - sqrt(x - 1))^2*e - 6*a*d^2*(sqrt(x + 1) - sqrt(x - 1))^4*e^4 - 8*c*d^2*(sqrt(x + 1) - sqrt(x - 1))^4*e^4 + 16*b*d^3*(sqrt(x + 1) - sqrt(x - 1))^2*e^2 + 4*b*(sqrt(x + 1) - sqrt(x - 1))^4*e^5 - 40*a*d^2*(sqrt(x + 1) - \end{aligned}$$

```

sqrt(x - 1))^2*e^3 - 44*c*d^2*(sqrt(x + 1) - sqrt(x - 1))^2*e^3 + 20*b*d*(sqrt(x + 1) - sqrt(x - 1))^2*e^4 + 8*c*d^3*e^2 + 4*a*(sqrt(x + 1) - sqrt(x - 1))^2*e^5 + 8*b*d^2*e^3 - 24*a*d*e^4 - 32*c*d*e^4 + 16*b*e^5)/((d^4*e^2 - 2*d^2*e^4 + e^6)*((sqrt(x + 1) - sqrt(x - 1))^4*e + 4*d*(sqrt(x + 1) - sqrt(x - 1))^2 + 4*e^2))

```

maple [B] time = 0.05, size = 1095, normalized size = 5.50

For the first time, we have shown that the *hsp70* gene is expressed in the *Leishmania* genome.

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*x^2+b*x+a)/(e*x+d)^3/(x-1)^(1/2)/(x+1)^(1/2),x)

[Out] -1/2*(3*x*a*d*e^3*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)-2*x*b*e^4*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)+2*ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*c*d^2*2*a*e^4*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)+ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x^2*a*e^4+2*ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x^2*c*e^4+ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*a*d^2*e^2-3*ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*b*d^3*e+2*ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*a*d^4+ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*c*d^4-x*b*d^2*e^2*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)+4*x*c*d*e^3*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)+4*a*d^2*2*e^2*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)-2*b*d^3*e*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)-b*d*e^3*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)+3*c*d^2*2*e^2*((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)+2*ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x^2*a*d^2*e^2-3*ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x^2*b*d^3*e^3+ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x^2*c*d^2*e^2+4*ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x*a*d^3*e+2*ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x*a*d^3*e^3-6*ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x*b*d^2*e^2+2*ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x*c*d^3*e+4*ln(-2*(-((d^2-e^2)/e^2)^(1/2)*(x^2-1)^(1/2)*e+d*x+e)/(e*x+d))*x*c*d^3*e^3)*(x+1)^(1/2)*(x-1)^(1/2)/(x^2-1)^(1/2)/(d-e)/(d+e)/((d^2-e^2)/e^2)^(1/2)/(d^2-e^2)/(e*x+d)^(2/e)
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/(e*x+d)^3/(-1+x)^(1/2)/(1+x)^(1/2),x, algorithm="maxima")
```

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(e-d>0)', see `assume?` for more details)Is e-d positive, negative or zero?

mupad [B] time = 66.85, size = 7235, normalized size = 36.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int((a + b*x + c*x^2)/((x - 1)^{1/2}*(x + 1)^{1/2}*(d + e*x)^3), x)$

[Out]
$$\begin{aligned} & (((x - 1)^{1/2} - 1i)^2 * (2*c*e^3 + c*d^2*e)*12i) / (d^2*((x + 1)^{1/2} - 1)^2 * (d^4 + e^4 - 2*d^2*e^2)) - (2*(7*c*d^4 + 14*c*d^2*e^2)*((x - 1)^{1/2} - 1i)) / (7*d^3*((x + 1)^{1/2} - 1)*((d^4 + e^4 - 2*d^2*e^2))) + (((x - 1)^{1/2} - 1i)^4 * (2*c*e^3 - c*d^2*e)*24i) / (d^2*((x + 1)^{1/2} - 1)^4 * (d^4 + e^4 - 2*d^2*e^2)) - (2*(21*c*d^4 - 102*c*d^2*e^2)*((x - 1)^{1/2} - 1i)^5) / (3*d^3*((x + 1)^{1/2} - 1)^5 * (d^4 + e^4 - 2*d^2*e^2)) - (2*(35*c*d^4 - 170*c*d^2*e^2)*((x - 1)^{1/2} - 1i)^3) / (5*d^3*((x + 1)^{1/2} - 1)^3 * (d^4 + e^4 - 2*d^2*e^2)) + (c*((x - 1)^{1/2} - 1i)^7 * (d^2*2*i + e^2*2*i)*2i) / (d*((x + 1)^{1/2} - 1)^7 * (d^4 + e^4 - 2*d^2*e^2)) + (12*c*e*((x - 1)^{1/2} - 1i)^6 * (d^2*2*i + e^2*2*i)) / (d^2*((x + 1)^{1/2} - 1)^6 * (d^4 + e^4 - 2*d^2*e^2)) / (((x - 1)^{1/2} - 1i)^8 / ((x + 1)^{1/2} - 1)^8 - (e*((x - 1)^{1/2} - 1i)*8i) / (d*((x + 1)^{1/2} - 1))) + (e*((x - 1)^{1/2} - 1i)^3 * 8i) / (d*((x + 1)^{1/2} - 1)^3) + (e*((x - 1)^{1/2} - 1i)^5 * 8i) / (d*((x + 1)^{1/2} - 1)^5) - (e*((x - 1)^{1/2} - 1i)^7 * 8i) / (d*((x + 1)^{1/2} - 1)^7) - (((x - 1)^{1/2} - 1i)^2 * (4*d^2 + 16*e^2)) / (d^2*((x + 1)^{1/2} - 1)^2) - (((x - 1)^{1/2} - 1i)^6 * (4*d^2 + 16*e^2)) / (d^2*((x + 1)^{1/2} - 1)^6) + (((x - 1)^{1/2} - 1i)^4 * (6*d^2 - 32*e^2)) / (d^2*((x + 1)^{1/2} - 1)^4) + 1) - ((2*((x - 1)^{1/2} - 1i)^3 * (16*b*e^3 + 11*b*d^2*e)) / (d^2*((x + 1)^{1/2} - 1)^3 * (d^4 + e^4 - 2*d^2*e^2)) - (6*b*e*((x - 1)^{1/2} - 1i)^7) / (((x + 1)^{1/2} - 1)^7 * (d^4 + e^4 - 2*d^2*e^2)) - (6*b*e*((x - 1)^{1/2} - 1i)) / (((x + 1)^{1/2} - 1)*(d^4 + e^4 - 2*d^2*e^2)) + (((x - 1)^{1/2} - 1i)^4 * (2*b*e^4 - 2*b*d^4 + 3*b*d^2*e^2)*8i) / (d^3*((x + 1)^{1/2} - 1)^4 * (d^4 + e^4 - 2*d^2*e^2)) + (b*((x - 1)^{1/2} - 1i)^6 * (2*d^4 + 2*e^4 + 5*d^2*e^2)*4i) / (d^3*((x + 1)^{1/2} - 1)^2 * (d^4 + e^4 - 2*d^2*e^2)) + (b*((x - 1)^{1/2} - 1i)^2 * (2*d^4 + 2*e^4 + 5*d^2*e^2)*4i) / (d^3*((x + 1)^{1/2} - 1)^6 * (d^4 + e^4 - 2*d^2*e^2)) + (2*b*e*((x - 1)^{1/2} - 1i)^5 * (11*d^2 + 16*e^2)) / (d^2*((x + 1)^{1/2} - 1)^5 * (d^4 + e^4 - 2*d^2*e^2)) / (((x - 1)^{1/2} - 1i)^8 / ((x + 1)^{1/2} - 1)^8 - (e*((x - 1)^{1/2} - 1i)*8i) / (d*((x + 1)^{1/2} - 1))) + (e*((x - 1)^{1/2} - 1i)^3 * 8i) / (d*((x + 1)^{1/2} - 1)^3) + (e*((x - 1)^{1/2} - 1i)^5 * 8i) / (d*((x + 1)^{1/2} - 1)^5) - (e*((x - 1)^{1/2} - 1i)^7 * 8i) / (d*((x + 1)^{1/2} - 1)^7) - (((x - 1)^{1/2} - 1i)^2 * (4*d^2 + 16*e^2)) / (d^2*((x + 1)^{1/2} - 1)^2) - (((x - 1)^{1/2} - 1i)^6 * (4*d^2 + 16*e^2)) / (d^2*((x + 1)^{1/2} - 1)^6) + (((x - 1)^{1/2} - 1i)^4 * (6*d^2 - 32*e^2)) / (d^2*((x + 1)^{1/2} - 1)^4) + 1) + ((2*(2*a*e^4 - 5*a*d^2*e^2)*((x - 1)^{1/2}$$

$$\begin{aligned}
&) - 1i)) / (d^3 * ((x + 1)^{(1/2)} - 1) * (d^4 + e^4 - 2*d^2*e^2)) - (((x - 1)^{(1/2)} \\
&) - 1i)^4 * (2*a*e^5 - 9*a*d^2*e^3 + 4*a*d^4*e) * 8i) / (d^4 * ((x + 1)^{(1/2)} - 1)^4 \\
& * (d^4 + e^4 - 2*d^2*e^2)) + (2 * (2*a*e^4 - 5*a*d^2*e^2) * ((x - 1)^{(1/2)} - 1i)^7) / \\
& (d^3 * ((x + 1)^{(1/2)} - 1)^7 * (d^4 + e^4 - 2*d^2*e^2)) - (2 * (2*a*e^4 - 29 \\
& * a*d^2*e^2) * ((x - 1)^{(1/2)} - 1i)^3) / (d^3 * ((x + 1)^{(1/2)} - 1)^3 * (d^4 + e^4 - \\
& 2*d^2*e^2)) - (2 * (2*a*e^4 - 29*a*d^2*e^2) * ((x - 1)^{(1/2)} - 1i)^5) / (d^3 * ((x \\
& + 1)^{(1/2)} - 1)^5 * (d^4 + e^4 - 2*d^2*e^2)) + (e * ((x - 1)^{(1/2)} - 1i)^2 * (4 * \\
& a*d^4 - 2*a*e^4 + 7*a*d^2*e^2) * 4i) / (d^4 * ((x + 1)^{(1/2)} - 1)^2 * (d^4 + e^4 - \\
& 2*d^2*e^2)) + (e * ((x - 1)^{(1/2)} - 1i)^6 * (4*a*d^4 - 2*a*e^4 + 7*a*d^2*e^2) * 4i) / \\
& (d^4 * ((x + 1)^{(1/2)} - 1)^6 * (d^4 + e^4 - 2*d^2*e^2))) / (((x - 1)^{(1/2)} - 1 \\
& i)^8 / ((x + 1)^{(1/2)} - 1)^8 - (e * ((x - 1)^{(1/2)} - 1i) * 8i) / (d * ((x + 1)^{(1/2)} \\
& - 1)) + (e * ((x - 1)^{(1/2)} - 1i)^3 * 8i) / (d * ((x + 1)^{(1/2)} - 1)^3) + (e * ((x - \\
& 1)^{(1/2)} - 1i)^5 * 8i) / (d * ((x + 1)^{(1/2)} - 1)^5) - (e * ((x - 1)^{(1/2)} - 1i)^7 * \\
& 8i) / (d * ((x + 1)^{(1/2)} - 1)^7) - (((x - 1)^{(1/2)} - 1i)^2 * (4*d^2 + 16*e^2)) / \\
& (d^2 * ((x + 1)^{(1/2)} - 1)^2) - (((x - 1)^{(1/2)} - 1i)^6 * (4*d^2 + 16*e^2)) / (d^2 * \\
& ((x + 1)^{(1/2)} - 1)^6) + (((x - 1)^{(1/2)} - 1i)^4 * (6*d^2 - 32*e^2)) / (d^2 * ((\\
& x + 1)^{(1/2)} - 1)^4) + 1) - (c * atan(((c * (d^2 + 2*e^2) * ((4 * (c * e^7 * 8i - c * d^2 \\
& * e^5 * 12i + c * d^6 * e * 4i)) / (d^10 + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2 \\
&) + (4 * ((x - 1)^{(1/2)} - 1i)^2 * (c * e^7 * 8i - c * d^2 * e^5 * 12i + c * d^6 * e * 4i))) / \\
& (((x + 1)^{(1/2)} - 1)^2 * (d^10 + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2)) - \\
& (c * (d^2 + 2 * e^2) * ((e * ((x - 1)^{(1/2)} - 1i) * 64i) / (d * ((x + 1)^{(1/2)} - 1))) - (4 \\
& * (4 * d^10 + 4 * e^10 - 12 * d^2 * e^8 + 8 * d^4 * e^6 + 8 * d^6 * e^4 - 12 * d^8 * e^2)) / \\
& (d^10 + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2) + (4 * ((x - 1)^{(1/2)} - 1i)^2 \\
& * (4 * d^10 - 12 * e^10 + 52 * d^2 * e^8 - 88 * d^4 * e^6 + 72 * d^6 * e^4 - 28 * d^8 * e^2)) / \\
& (((x + 1)^{(1/2)} - 1)^2 * (d^10 + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2))) \\
&) / (2 * (d + e)^{(5/2)} * (d - e)^{(5/2)}) * 1i) / (2 * (d + e)^{(5/2)} * (d - e)^{(5/2)}) + (c \\
& * (d^2 + 2 * e^2) * ((4 * (c * e^7 * 8i - c * d^2 * e^5 * 12i + c * d^6 * e * 4i)) / (d^10 + d^2 * e^8 \\
& - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2) + (4 * ((x - 1)^{(1/2)} - 1i)^2 * (c * e^7 * 8i \\
& - c * d^2 * e^5 * 12i + c * d^6 * e * 4i))) / (((x + 1)^{(1/2)} - 1)^2 * (d^10 + d^2 * e^8 - 4 * \\
& d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2)) + (c * (d^2 + 2 * e^2) * ((e * ((x - 1)^{(1/2)} - 1 \\
& i) * 64i) / (d * ((x + 1)^{(1/2)} - 1))) - (4 * (4 * d^10 + 4 * e^10 - 12 * d^2 * e^8 + 8 * d^4 * \\
& e^6 + 8 * d^6 * e^4 - 12 * d^8 * e^2)) / (d^10 + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * \\
& d^8 * e^2) + (4 * ((x - 1)^{(1/2)} - 1i)^2 * (4 * d^10 - 12 * e^10 + 52 * d^2 * e^8 - 88 * d^4 * \\
& e^6 + 72 * d^6 * e^4 - 28 * d^8 * e^2)) / (((x + 1)^{(1/2)} - 1)^2 * (d^10 + d^2 * e^8 - 4 * \\
& d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2))) / (2 * (d + e)^{(5/2)} * (d - e)^{(5/2)}) * 1i) / \\
& (2 * (d + e)^{(5/2)} * (d - e)^{(5/2)}) / ((8 * (c^2 * d^4 + 4 * c^2 * e^4 + 4 * c^2 * d^2 * e^2)) \\
& / (d^10 + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2) - (8 * ((x - 1)^{(1/2)} - \\
& 1i)^2 * (c^2 * d^4 + 4 * c^2 * e^4 + 4 * c^2 * d^2 * e^2)) / (((x + 1)^{(1/2)} - 1)^2 * (d^10 \\
& + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2)) - (c * (d^2 + 2 * e^2) * ((4 * (c * e \\
& ^7 * 8i - c * d^2 * e^5 * 12i + c * d^6 * e * 4i)) / (d^10 + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 \\
& - 4 * d^8 * e^2) + (4 * ((x - 1)^{(1/2)} - 1i)^2 * (c * e^7 * 8i - c * d^2 * e^5 * 12i + c * d^6 * \\
& e * 4i))) / (((x + 1)^{(1/2)} - 1)^2 * (d^10 + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * \\
& d^8 * e^2)) - (c * (d^2 + 2 * e^2) * ((e * ((x - 1)^{(1/2)} - 1i) * 64i) / (d * ((x + 1)^{(1/2)} - \\
& 1))) - (4 * (4 * d^10 + 4 * e^10 - 12 * d^2 * e^8 + 8 * d^4 * e^6 + 8 * d^6 * e^4 - 12 * d^8 * \\
& e^2)) / (d^10 + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2) + (4 * ((x - 1)^{(1/2)} - \\
& 1i)^2 * (c^2 * d^4 + 4 * c^2 * e^4 + 4 * c^2 * d^2 * e^2)) / (((x + 1)^{(1/2)} - 1)^2 * (d^10 + d^2 * e^8 - 4 * d^4 * e^6 + 6 * d^6 * e^4 - 4 * d^8 * e^2))
\end{aligned}$$

$$\begin{aligned}
& (1/2) - 1i)^2 * (4*d^10 - 12*e^10 + 52*d^2*e^8 - 88*d^4*e^6 + 72*d^6*e^4 - 28 \\
& *d^8*e^2)) / (((x + 1)^{(1/2)} - 1)^2 * (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - \\
& 4*d^8*e^2))) / (2*(d + e)^{(5/2)} * (d - e)^{(5/2)}) / (2*(d + e)^{(5/2)} * (d - e)^{(5/2)}) + \\
& (c*(d^2 + 2*e^2) * ((4*(c*e^7*8i - c*d^2*e^5*12i + c*d^6*e*4i)) / (d^10 \\
& + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^{(1/2)} - 1i)^2 \\
& * (c*e^7*8i - c*d^2*e^5*12i + c*d^6*e*4i)) / (((x + 1)^{(1/2)} - 1)^2 * (d^10 + d^ \\
& 2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) + (c*(d^2 + 2*e^2) * ((e*((x - 1) \\
& ^{(1/2)} - 1i)*64i) / (d*((x + 1)^{(1/2)} - 1)) - (4*(4*d^10 + 4*e^10 - 12*d^2*e^ \\
& 8 + 8*d^4*e^6 + 8*d^6*e^4 - 12*d^8*e^2)) / (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^ \\
& 6*e^4 - 4*d^8*e^2) + (4*((x - 1)^{(1/2)} - 1i)^2 * (4*d^10 - 12*e^10 + 52*d^2*e^ \\
& 8 - 88*d^4*e^6 + 72*d^6*e^4 - 28*d^8*e^2)) / (((x + 1)^{(1/2)} - 1)^2 * (d^10 + \\
& d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2))) / (2*(d + e)^{(5/2)} * (d - e)^{(5/2)}) \\
& / (2*(d + e)^{(5/2)} * (d - e)^{(5/2)})) * (d^2 + 2*e^2) * 1i) / ((d + e)^{(5/2)} * \\
& (d - e)^{(5/2)}) - (a*atan(((a*(2*d^2 + e^2) * ((4*(a*e^7*4i - a*d^4*e^3*12i + a \\
& *d^6*e*8i)) / (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - \\
& 1)^{(1/2)} - 1i)^2 * (a*e^7*4i - a*d^4*e^3*12i + a*d^6*e*8i)) / (((x + 1)^{(1/2)} \\
& - 1)^2 * (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) - (a*(2*d^2 + \\
& e^2) * ((e*((x - 1)^{(1/2)} - 1i)*64i) / (d*((x + 1)^{(1/2)} - 1)) - (4*(4*d^10 + 4 \\
& *e^10 - 12*d^2*e^8 + 8*d^4*e^6 + 8*d^6*e^4 - 12*d^8*e^2)) / (d^10 + d^2*e^8 - \\
& 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^{(1/2)} - 1i)^2 * (4*d^10 - 1 \\
& 2*d^2*e^8 - 88*d^4*e^6 + 72*d^6*e^4 - 28*d^8*e^2)) / (((x + 1)^{(1/2)} - 1)^2 * (d^10 + \\
& d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2))) / (2*(d + e)^{(5/2)} * (d - e)^{(5/2)}) + \\
& (a*(2*d^2 + e^2) * ((4*(a*e^7*4i - a*d^4*e^3*12i + a*d^6*e*8i)) / (d^10 + d^2*e^8 - \\
& 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^{(1/2)} - 1i)^2 * (a*e^7*4i - a*d^4*e^3 \\
& *12i + a*d^6*e*8i)) / (((x + 1)^{(1/2)} - 1)^2 * (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^ \\
& 6*e^4 - 4*d^8*e^2)) + (a*(2*d^2 + e^2) * ((e*((x - 1)^{(1/2)} - 1i)*64i) / (d*(\\
& (x + 1)^{(1/2)} - 1)) - (4*(4*d^10 + 4*e^10 - 12*d^2*e^8 + 8*d^4*e^6 + 8*d^6* \\
& e^4 - 12*d^8*e^2)) / (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (\\
& 4*((x - 1)^{(1/2)} - 1i)^2 * (4*d^10 - 12*e^10 + 52*d^2*e^8 - 88*d^4*e^6 + 72*d^ \\
& 6*e^4 - 28*d^8*e^2)) / (((x + 1)^{(1/2)} - 1)^2 * (d^10 + d^2*e^8 - 4*d^4*e^6 + \\
& 6*d^6*e^4 - 4*d^8*e^2))) / (2*(d + e)^{(5/2)} * (d - e)^{(5/2)}) * 1i) / (2*(d + e)^{(5/2)} * \\
& (d - e)^{(5/2)}) / ((8*(4*a^2*d^4 + a^2*e^4 + 4*a^2*d^2*e^2)) / (d^10 + d^2 \\
& *e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) - (8*((x - 1)^{(1/2)} - 1i)^2 * (4*a^ \\
& 2*d^4 + a^2*e^4 + 4*a^2*d^2*e^2)) / (((x + 1)^{(1/2)} - 1)^2 * (d^10 + d^2*e^8 - \\
& 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) - (a*(2*d^2 + e^2) * ((4*(a*e^7*4i - a*d^ \\
& 4*e^3*12i + a*d^6*e*8i)) / (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^ \\
& 2) + (4*((x - 1)^{(1/2)} - 1i)^2 * (a*e^7*4i - a*d^4*e^3*12i + a*d^6*e*8i)) / (((\\
& x + 1)^{(1/2)} - 1)^2 * (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) - \\
& (a*(2*d^2 + e^2) * ((e*((x - 1)^{(1/2)} - 1i)*64i) / (d*((x + 1)^{(1/2)} - 1)) - (\\
& 4*(4*d^10 + 4*e^10 - 12*d^2*e^8 + 8*d^4*e^6 + 8*d^6*e^4 - 12*d^8*e^2)) / (d^1 \\
& 0 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^{(1/2)} - 1i)^ \\
& 2 * (4*d^10 - 12*e^10 + 52*d^2*e^8 - 88*d^4*e^6 + 72*d^6*e^4 - 28*d^8*e^2)) / (\\
& ((x + 1)^{(1/2)} - 1)^2 * (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) \\
&) / (2*(d + e)^{(5/2)} * (d - e)^{(5/2)})) / (2*(d + e)^{(5/2)} * (d - e)^{(5/2)}) + (a*(
\end{aligned}$$

$$\begin{aligned}
& 2*d^2 + e^2) * ((4*(a*e^7*4i - a*d^4*e^3*12i + a*d^6*e*8i)) / (d^10 + d^2*e^8 - \\
& 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^(1/2) - 1i)^2 * (a*e^7*4i - \\
& a*d^4*e^3*12i + a*d^6*e*8i)) / (((x + 1)^(1/2) - 1)^2 * (d^10 + d^2*e^8 - 4*d^4* \\
& e^6 + 6*d^6*e^4 - 4*d^8*e^2)) + (a*(2*d^2 + e^2) * ((e*((x - 1)^(1/2) - 1i) * \\
& 64i) / (d*((x + 1)^(1/2) - 1))) - (4*(4*d^10 + 4*e^10 - 12*d^2*e^8 + 8*d^4*e^6 + \\
& 8*d^6*e^4 - 12*d^8*e^2)) / (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8* \\
& e^2) + (4*((x - 1)^(1/2) - 1i)^2 * (4*d^10 - 12*e^10 + 52*d^2*e^8 - 88*d^4* \\
& e^6 + 72*d^6*e^4 - 28*d^8*e^2)) / (((x + 1)^(1/2) - 1)^2 * (d^10 + d^2*e^8 - 4* \\
& d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)))) / (2*(d + e)^(5/2)*(d - e)^(5/2))) / (2*(d \\
& + e)^(5/2)*(d - e)^(5/2))) * (2*d^2 + e^2)*1i) / ((d + e)^(5/2)*(d - e)^(5/2)) \\
& + (b*d*e*atan(((b*d*e*((4*(b*d^5*e^2*12i - b*d^3*e^4*24i + b*d*e^6*12i)) / \\
& (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^(1/2) - \\
& 1i)^2 * (b*d^5*e^2*12i - b*d^3*e^4*24i + b*d*e^6*12i)) / (((x + 1)^(1/2) - 1)^2 * \\
& (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) - (3*b*d*e*((e*((x - \\
& 1)^(1/2) - 1i)*64i) / (d*((x + 1)^(1/2) - 1))) - (4*(4*d^10 + 4*e^10 - 12*d^2* \\
& e^8 + 8*d^4*e^6 + 8*d^6*e^4 - 12*d^8*e^2)) / (d^10 + d^2*e^8 - 4*d^4*e^6 + 6* \\
& d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^(1/2) - 1i)^2 * (4*d^10 - 12*e^10 + 52*d^2* \\
& 2*e^8 - 88*d^4*e^6 + 72*d^6*e^4 - 28*d^8*e^2)) / (((x + 1)^(1/2) - 1)^2 * (d^10 \\
& + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2))) / (2*(d + e)^(5/2)*(d - e) \\
& ^{(5/2)}))*3i) / (2*(d + e)^(5/2)*(d - e)^(5/2)) + (b*d*e*((4*(b*d^5*e^2*12i - \\
& b*d^3*e^4*24i + b*d*e^6*12i)) / (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8* \\
& e^2) + (4*((x - 1)^(1/2) - 1i)^2 * (b*d^5*e^2*12i - b*d^3*e^4*24i + b*d*e^6* \\
& 12i)) / (((x + 1)^(1/2) - 1)^2 * (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8* \\
& e^2)) + (3*b*d*e*((e*((x - 1)^(1/2) - 1i)*64i) / (d*((x + 1)^(1/2) - 1))) - \\
& (4*(4*d^10 + 4*e^10 - 12*d^2*e^8 + 8*d^4*e^6 + 8*d^6*e^4 - 12*d^8*e^2)) / \\
& (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^(1/2) - 1i)^2 * \\
& (4*d^10 - 12*e^10 + 52*d^2*e^8 - 88*d^4*e^6 + 72*d^6*e^4 - 28*d^8*e^2)) / \\
& (((x + 1)^(1/2) - 1)^2 * (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8* \\
& e^2))) / (2*(d + e)^(5/2)*(d - e)^(5/2)))*3i) / (2*(d + e)^(5/2)*(d - e)^(5/2)) \\
& / ((72*b^2*d^2*e^2) / (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) - \\
& (72*b^2*d^2*e^2*((x - 1)^(1/2) - 1i)^2) / (((x + 1)^(1/2) - 1)^2 * (d^10 + d^2* \\
& e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) - (3*b*d*e*((4*(b*d^5*e^2*12i - b* \\
& d^3*e^4*24i + b*d*e^6*12i)) / (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8* \\
& e^2) + (4*((x - 1)^(1/2) - 1i)^2 * (b*d^5*e^2*12i - b*d^3*e^4*24i + b*d*e^6* \\
& 12i)) / (((x + 1)^(1/2) - 1)^2 * (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8* \\
& e^2)) - (3*b*d*e*((e*((x - 1)^(1/2) - 1i)*64i) / (d*((x + 1)^(1/2) - 1))) - \\
& (4*(4*d^10 + 4*e^10 - 12*d^2*e^8 + 8*d^4*e^6 + 8*d^6*e^4 - 12*d^8*e^2)) / (d^ \\
& 10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^(1/2) - 1i)^2 * \\
& (4*d^10 - 12*e^10 + 52*d^2*e^8 - 88*d^4*e^6 + 72*d^6*e^4 - 28*d^8*e^2)) / \\
& (((x + 1)^(1/2) - 1)^2 * (d^10 + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8* \\
& e^2))) / (2*(d + e)^(5/2)*(d - e)^(5/2))) / (2*(d + e)^(5/2)*(d - e)^(5/2)) + \\
& (3*b*d*e*((4*(b*d^5*e^2*12i - b*d^3*e^4*24i + b*d*e^6*12i)) / (d^10 + d^2* \\
& e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^(1/2) - 1i)^2 * (b*d^5* \\
& e^2*12i - b*d^3*e^4*24i + b*d*e^6*12i)) / (((x + 1)^(1/2) - 1)^2 * (d^10 + d^2* \\
& e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)) + (3*b*d*e*((e*((x - 1)^(1/2) - 1i)*64
\end{aligned}$$

$$\begin{aligned} & i)/(d*((x + 1)^{(1/2)} - 1)) - (4*(4*d^{10} + 4*e^{10} - 12*d^2*e^8 + 8*d^4*e^6 + \\ & 8*d^6*e^4 - 12*d^8*e^2))/(d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2) + (4*((x - 1)^{(1/2)} - 1i)^2*(4*d^{10} - 12*e^{10} + 52*d^2*e^8 - 88*d^4*e^6 + 72*d^6*e^4 - 28*d^8*e^2))/(((x + 1)^{(1/2)} - 1)^2*(d^{10} + d^2*e^8 - 4*d^4*e^6 + 6*d^6*e^4 - 4*d^8*e^2)))/(2*(d + e)^{(5/2)}*(d - e)^{(5/2)})))/(2*(d + e)^{(5/2)}*(d - e)^{(5/2)}))*3i)/((d + e)^{(5/2)}*(d - e)^{(5/2)}) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)/(e*x+d)**3/(-1+x)**(1/2)/(1+x)**(1/2),x)

[Out] Timed out

$$3.41 \quad \int (a + bx)^2 \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx$$

Optimal. Leaf size=1348

$$\frac{C(c + dx)^{3/2}(e + fx)^{3/2}(a + bx)^3}{6bdf} - \frac{(2aCd^f - b(4Bdf - 3C(de + cf)))(c + dx)^{3/2}(e + fx)^{3/2}(a + bx)^2}{20bd^2f^2} - \frac{(c + dx)^{3/2}(e + fx)^{3/2}(a + bx)^3}{6bdf}$$

Rubi [A] time = 2.37, antiderivative size = 1345, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.194, Rules used = {1615, 153, 147, 50, 63, 217, 206}

Antiderivative was successfully verified.

```
[In] Int[(a + b*x)^2*.Sqrt[c + d*x]*.Sqrt[e + f*x]*(A + B*x + C*x^2), x]
[Out] ((d*e - c*f)*(8*a^2*d^2*f^2*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*
(2*A*d*f - B*(d*e + c*f))) - 8*a*b*d*f*(C*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*
d^2*e*f^2 + 7*c^3*f^3) + 2*d*f*(8*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 + 6*c*d*
e*f + 5*c^2*f^2))) + b^2*(C*(21*d^4*e^4 + 28*c*d^3*e^3*f + 30*c^2*d^2*e^2*f^2 +
28*c^3*d*e*f^3 + 21*c^4*f^4) + 4*d*f*(2*A*d*f*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) -
B*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3)))*.Sqrt[c + d*x]*.Sqrt[e + f*x])/(512*d^5*f^5) + ((8*a^2*d^2*f^2*(C*(5*d^2*e^2 +
6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f))) - 8*a*b*d*f*(C*(7*d^3*e^3 +
9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3) + 2*d*f*(8*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 +
6*c*d*e*f + 5*c^2*f^2)) + b^2*(C*(21*d^4*e^4 + 28*c*d^3*e^3*f + 30*c^2*d^2*e^2*f^2 +
28*c^3*d*e*f^3 + 21*c^4*f^4) + 4*d*f*(2*A*d*f*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) -
B*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3)))*(c + d*x)^(3/2)*.Sqrt[e + f*x])/(256*d^5*f^4) + ((4*b*B*d*f - 2*a*C*d*f - 3*b*C*(d*e + c*f))*(a + b*x)^2*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(20*b*d^2*f^2) + (C*(a + b*x)^3*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(6*b*d*f) - ((c + d*x)^(3/2)*(e + f*x)^(3/2)*(64*a^3*C*d^3*f^3 - 8*a^2*b*d^2*f^2*(16*B*d*f - 7*C*(d*e + c*f)) - 8*a*b^2*d*f*(C*(35*d^2*e^2 + 38*c*d*e*f + 35*c^2*f^2) + 10*d*f*(8*A*d*f - 5*B*(d*e + c*f))) + b^3*(7*C*(15*d^3*e^3 + 17*c*d^2*e^2*f + 17*c^2*d*e*f^2 + 15*c^3*f^3) + 4*d*f*(50*A*d*f*(d*e + c*f) - B*(35*d^2*e^2 + 38*c*d*e*f + 35*c^2*f^2))) + 6*b*d*f*(10*b*d*f*(2*b*c*C*e + a*C*d*e + a*c*C*f - 4*A*b*d*f) - (4*a*d*f - 7*b*(d*e + c*f))*(4*b*B*d*f - 2*a*C*d*f - 3*b*C*(d*e + c*f)))*x)/(960*b*d^4*f^4) - ((d*e - c*f)^2*(8*a^2*d^2*f^2*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f))) - 8*a*b*d*f*(C*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3) + 2*d*f*(8*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2))) + b^2*(C*(21*d^4*e^4 + 28*c*d^3*e^3*f + 30*c^2*d^2*e^2*f^2)
```

$$+ 28*c^3*d*e*f^3 + 21*c^4*f^4) + 4*d*f*(2*A*d*f*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) - B*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3)))*Ar cTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])]/(512*d^(11/2)*f^(11/2))$$
Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*(c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/ (b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x]; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*(c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]]; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 147

```
Int[((a_.) + (b_.)*(x_))^(m_)*(c_.) + (d_.)*(x_))^(n_)*(e_.) + (f_.)*(x_)) * ((g_.) + (h_.)*(x_)), x_Symbol] :> -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m + 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m + n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), Int[(a + b*x)^m*(c + d*x)^n, x]]; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]
```

Rule 153

```
Int[((a_.) + (b_.)*(x_))^(m_)*(c_.) + (d_.)*(x_))^(n_)*(e_.) + (f_.)*(x_))^(p_)*(g_.) + (h_.)*(x_)), x_Symbol] :> Simp[(h*(a + b*x)^m*(c + d*x)^n + (e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegerQ[m]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.*(x_.))^(n_.)*((e_.) + (f_.*(x_.))^(p_.)), x_Symbol] :> With[{q = Expon[Px, x], k = Coeff[Px, x, Expone[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x], x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int (a + bx)^2 \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx &= \frac{C(a + bx)^3(c + dx)^{3/2}(e + fx)^{3/2}}{6bdf} + \frac{\int (a + bx)^2 \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx}{6bdf} \\
&= \frac{(4bBdf - 2aCdf - 3bC(de + cf))(a + bx)^2(c + dx)^{3/2}(e + fx)^{3/2}}{20bd^2f^2} \\
&= \frac{(4bBdf - 2aCdf - 3bC(de + cf))(a + bx)^2(c + dx)^{3/2}(e + fx)^{3/2}}{20bd^2f^2} \\
&= \frac{(8a^2d^2f^2(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf))) + 8df(2Adf - B(de + cf)))}{20bd^2f^2} \\
&= \frac{(de - cf)(8a^2d^2f^2(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf))) + 8df(2Adf - B(de + cf)))}{20bd^2f^2} \\
&= \frac{(de - cf)(8a^2d^2f^2(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf))) + 8df(2Adf - B(de + cf)))}{20bd^2f^2} \\
&= \frac{(de - cf)(8a^2d^2f^2(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf))) + 8df(2Adf - B(de + cf)))}{20bd^2f^2}
\end{aligned}$$

Mathematica [B] time = 7.13, size = 3599, normalized size = 2.67

Result too large to show

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*x)^2*Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2), x]
[Out] (2*b^2*C*(d*e - c*f)^4*(c + d*x)^(3/2)*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/(d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^(11/2)*((63/(128*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^5) + 21/(32*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4) + 63/(80*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 9/(10*(1 + (d*f*(c + d*x))/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2)^(1/2))/((d^2*e)/(d*e - c*f))^(1/2)
```

$$\begin{aligned}
& e - c*f*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^2 + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(-1)})/4 + \\
& (63*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))) - (2*sqrt[d]*sqrt[f]*sqrt[c + d*x]*ArcSinh[(sqrt[d]*sqrt[f]*sqrt[c + d*x])/(sqrt[d*e - c*f]*sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])]))/(sqrt[d*e - c*f]*sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))]))/(2048*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^5))/(3*d^5*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(9/2)}*sqrt[(d*(e + f*x))/(d*e - c*f)] + (2*b*(d*e - c*f)^3*(-4*b*C*e + b*B*f + 2*a*C*f)*(c + d*x)^(3/2)*sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(9/2)}*((3*(35/(64*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4) + 35/(48*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 7/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(-1)})))/10 + (21*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))) - (2*sqrt[d]*sqrt[f]*sqrt[c + d*x]*ArcSinh[(sqrt[d]*sqrt[f]*sqrt[c + d*x])/(sqrt[d*e - c*f]*sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])]))/(sqrt[d*e - c*f]*sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))]))/(512*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4))/(3*d^4*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(7/2)}*sqrt[(d*(e + f*x))/(d*e - c*f)] + (2*(d*e - c*f)^2*(6*b^2*C*e^2 - 3*b^2*B*e*f - 6*a*b*C*e*f + A*b^2*f^2 + 2*a*b*B*f^2 + a^2*C*f^2)*(c + d*x)^(3/2)*sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(7/2)}*((3*(5/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 5/(6*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(-1)})))/8 + (15*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))) - (2*sqrt[d]*sqrt[f]*sqrt[c + d*x]*ArcSinh[(sqrt[d]*sqrt[f]*sqrt[c + d*x])/(sqrt[d*e - c*f]*sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])]))/(sqrt[d*e - c*f]*sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))]))/(256*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3))/(3*d^3*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(5/2)}*sqrt[(d*(e + f*x))/(d*e - c*f)] + (2*(-b*e) + a*f)*(d*e - c*f)*(4*b*C*e^2 - 3*b*B*e*f - 2*a*C*e*f + 2*A*b*B*f^2 + a*B*f^2)*(c + d*x)^(3/2)*sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(5/2)}*((3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f))))^5))))/(2048*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4))
\end{aligned}$$

$$\begin{aligned}
& *f) - (c*d*f)/(d*e - c*f)))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)) \\
& /(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{-1})/2 + (3*(d*e - c*f)^2*((d^2*e)/ \\
& (d*e - c*f) - (c*d*f)/(d*e - c*f)))^2*((2*d*f*(c + d*x))/((d*e - c*f)*(d^2*e)) \\
& /(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*sqrt[d]*sqrt[f]*sqrt[c + d*x])* \\
& arcSinh[(sqrt[d]*sqrt[f]*sqrt[c + d*x])/(sqrt[d*e - c*f]*sqrt[(d^2*e)/(d*e - \\
& c*f) - (c*d*f)/(d*e - c*f)])]/(sqrt[d*e - c*f]*sqrt[(d^2*e)/(d*e - c*f) - \\
& (c*d*f)/(d*e - c*f)]]*sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - \\
& c*f) - (c*d*f)/(d*e - c*f))]))/(32*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x)) \\
& /(d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^2)))/(3*d^2*f^4*(d/(d^2*e) \\
& /(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{3/2}*sqrt[(d*(e + f*x)) \\
& /(d*e - c*f)]) + (2*(-(b*e) + a*f)^2*(C*e^2 - B*e*f + A*f^2)*(c + d*x)^3/ \\
& 2)*sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - \\
& (c*d*f)/(d*e - c*f))))^{3/2}*(3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e) \\
& /(d*e - c*f) - (c*d*f)/(d*e - c*f)))) + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - \\
& (c*d*f)/(d*e - c*f)))^2*((2*d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - \\
& (c*d*f)/(d*e - c*f))) - (2*sqrt[d]*sqrt[f]*sqrt[c + d*x])*arcSinh[\\
& (sqrt[d]*sqrt[f]*sqrt[c + d*x])/(sqrt[d*e - c*f]*sqrt[(d^2*e)/(d*e - c*f) - \\
& (c*d*f)/(d*e - c*f)])]/(sqrt[d*e - c*f]*sqrt[(d^2*e)/(d*e - c*f) - (c*d*f) \\
& /(d*e - c*f)]]*sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - \\
& (c*d*f)/(d*e - c*f))]))/(16*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d \\
& *e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))/(3*d*f^4*sqrt[d/(\\
& (d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*sqrt[(d*(e + f*x))/(d*e - c*f)])
\end{aligned}$$

IntegrateAlgebraic [B] time = 5.30, size = 9831, normalized size = 7.29

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x)^2*sqrt[c + d*x]*sqrt[e + f*x]*(A + B*x + C*x^2), x]

[Out] Result too large to show

fricas [A] time = 8.08, size = 3096, normalized size = 2.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2), x, algorithm="fricas")

[Out] [1/30720*(15*(21*C*b^2*d^6*e^6 - 14*(C*b^2*c*d^5 + 2*(2*C*a*b + B*b^2)*d^6)* \\
& e^5*f - 5*(C*b^2*c^2*d^4 - 4*(2*C*a*b + B*b^2)*c*d^5 - 8*(C*a^2 + 2*B*a*b + \\
& A*b^2)*d^6)*e^4*f^2 - 4*(C*b^2*c^3*d^3 - 2*(2*C*a*b + B*b^2)*c^2*d^4 + 8*(C*a^2 + \\
& 2*B*a*b + A*b^2)*c*d^5 + 16*(B*a^2 + 2*A*a*b)*d^6)*e^3*f^3 - (5*C*

$$\begin{aligned}
& b^2*c^4*d^2 - 128*A*a^2*d^6 - 8*(2*C*a*b + B*b^2)*c^3*d^3 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^4 - 64*(B*a^2 + 2*A*a*b)*c*d^5)*e^2*f^4 - 2*(7*C*b^2*c^5*d + 128*A*a^2*c*d^5 - 10*(2*C*a*b + B*b^2)*c^4*d^2 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^3*d^3 - 32*(B*a^2 + 2*A*a*b)*c^2*d^4)*e*f^5 + (21*C*b^2*c^6 + 128*A*a^2*c^2*d^4 - 28*(2*C*a*b + B*b^2)*c^5*d + 40*(C*a^2 + 2*B*a*b + A*b^2)*c^4*d^2 - 64*(B*a^2 + 2*A*a*b)*c^3*d^3)*f^6)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 - 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) + 4*(1280*C*b^2*d^6*f^6*x^5 + 315*C*b^2*d^6*e^5*f - 105*(C*b^2*c*d^5 + 4*(2*C*a*b + B*b^2)*d^6)*e^4*f^2 - 2*(41*C*b^2*c^2*d^4 - 80*(2*C*a*b + B*b^2)*c*d^5 - 300*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e^3*f^3 - 2*(41*C*b^2*c^3*d^3 - 68*(2*C*a*b + B*b^2)*c^2*d^4 + 140*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 480*(B*a^2 + 2*A*a*b)*d^6)*e^2*f^4 - 5*(21*C*b^2*c^4*d^2 - 384*A*a^2*d^6 - 32*(2*C*a*b + B*b^2)*c^3*d^3 + 56*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^4 - 128*(B*a^2 + 2*A*a*b)*c*d^5)*e*f^5 + 15*(21*C*b^2*c^5*d + 128*A*a^2*c*d^5 - 28*(2*C*a*b + B*b^2)*c^4*d^2 + 40*(C*a^2 + 2*B*a*b + A*b^2)*c^3*d^3 - 64*(B*a^2 + 2*A*a*b)*c^2*d^4)*f^6 + 128*(C*b^2*d^6*e*f^5 + (C*b^2*c*d^5 + 12*(2*C*a*b + B*b^2)*d^6)*f^6)*x^4 - 16*(9*C*b^2*c^2*d^4 - 4*(2*C*a*b + B*b^2)*c*d^5 - 40*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*f^6*x^3 + 8*(21*C*b^2*d^6*e^3*f^3 - (5*C*b^2*c*d^5 + 28*(2*C*a*b + B*b^2)*d^6)*e^2*f^4 - (5*C*b^2*c^2*d^4 - 8*(2*C*a*b + B*b^2)*c*d^5 - 40*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e*f^5 + (21*C*b^2*c^3*d^3 - 28*(2*C*a*b + B*b^2)*c^2*d^4 + 40*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 320*(B*a^2 + 2*A*a*b)*d^6)*f^6)*x^2 - 2*(105*C*b^2*d^6*e^4*f^2 - 28*(C*b^2*c*d^5 + 5*(2*C*a*b + B*b^2)*d^6)*e^3*f^3 - 2*(13*C*b^2*c^2*d^4 - 22*(2*C*a*b + B*b^2)*c*d^5 - 100*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e^2*f^4 - 4*(7*C*b^2*c^3*d^3 - 11*(2*C*a*b + B*b^2)*c^2*d^4 + 20*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 80*(B*a^2 + 2*A*a*b)*d^6)*e*f^5 + 5*(21*C*b^2*c^4*d^2 - 384*A*a^2*d^6 - 28*(2*C*a*b + B*b^2)*c^3*d^3 + 40*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^4 - 64*(B*a^2 + 2*A*a*b)*c*d^5)*f^6)*sqrt(d*x + c)*sqrt(f*x + e))/(d^6*f^6), \frac{1}{15360}*(15*(21*C*b^2*d^6*e^6 - 14*(C*b^2*c*d^5 + 2*(2*C*a*b + B*b^2)*d^6)*e^5*f - 5*(C*b^2*c^2*d^4 - 4*(2*C*a*b + B*b^2)*c*d^5 - 8*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e^4*f^2 - 4*(C*b^2*c^3*d^3 - 2*(2*C*a*b + B*b^2)*c^2*d^4 + 8*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 16*(B*a^2 + 2*A*a*b)*d^6)*e^3*f^3 - (5*C*b^2*c^4*d^2 - 128*A*a^2*d^6 - 8*(2*C*a*b + B*b^2)*c^3*d^3 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^4 - 64*(B*a^2 + 2*A*a*b)*c*d^5)*e^2*f^4 - 2*(7*C*b^2*c^5*d + 128*A*a^2*c*d^5 - 10*(2*C*a*b + B*b^2)*c^4*d^2 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^3*d^3 - 32*(B*a^2 + 2*A*a*b)*c^2*d^4 + (21*C*b^2*c^6 + 128*A*a^2*c^2*d^4 - 28*(2*C*a*b + B*b^2)*c^5*d + 40*(C*a^2 + 2*B*a*b + A*b^2)*c^4*d^2 - 64*(B*a^2 + 2*A*a*b)*c^3*d^3)*f^6)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e))/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) + 2*(1280*C*b^2*d^6*f^6*x^5 + 315*C*b^2*d^6*e^5*f - 105*(C*b^2*c*d^5 + 4*(2*C*a*b + B*b^2)*d^6)*e^4*f^2 - 2*(41*C*b^2*c^2*d^4 - 80*(2*C*a*b + B*b^2)*c*d^5 - 300*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e^3*f^3 - 2*(41*C*b^2*c^3*d^3 - 68*(2*C*a*b + B*b^2)*c^2*d^4 + 140*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 480*(B*a^2 + 2*A*a*b + B*b^2)*c^4*d^2 - 128*(2*C*a*b + B*b^2)*c^3*d^3 + 80*(2*C*a*b + B*b^2)*c^2*d^4 - 64*(B*a^2 + 2*A*a*b)*c*d^5 + 40*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*f^6)*sqrt(d*x + c)*sqrt(f*x + e))/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x))
\end{aligned}$$

$$\begin{aligned}
& *a*b)*d^6)*e^2*f^4 - 5*(21*C*b^2*c^4*d^2 - 384*A*a^2*d^6 - 32*(2*C*a*b + B*b^2)*c^3*d^3 + 56*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^4 - 128*(B*a^2 + 2*A*a*b)*c*d^5 + 15*(21*C*b^2*c^5*d + 128*A*a^2*c*d^5 - 28*(2*C*a*b + B*b^2)*c^4*d^2 + 40*(C*a^2 + 2*B*a*b + A*b^2)*c^3*d^3 - 64*(B*a^2 + 2*A*a*b)*c^2*d^4)*f^6 + 128*(C*b^2*d^6*e*f^5 + (C*b^2*c*d^5 + 12*(2*C*a*b + B*b^2)*d^6)*f^6)*x^4 - 16*(9*C*b^2*d^6*e^2*f^4 - 2*(C*b^2*c*d^5 + 6*(2*C*a*b + B*b^2)*d^6)*e*f^5 + 3*(3*C*b^2*c^2*d^4 - 4*(2*C*a*b + B*b^2)*c*d^5 - 40*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*f^6)*x^3 + 8*(21*C*b^2*d^6*e^3*f^3 - (5*C*b^2*c*d^5 + 28*(2*C*a*b + B*b^2)*d^6)*e^2*f^4 - (5*C*b^2*c^2*d^4 - 8*(2*C*a*b + B*b^2)*c*d^5 - 40*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e*f^5 + (21*C*b^2*c^3*d^3 - 28*(2*C*a*b + B*b^2)*c^2*d^4 + 40*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 320*(B*a^2 + 2*A*a*b)*d^6)*f^6)*x^2 - 2*(105*C*b^2*d^6*e^4*f^2 - 28*(C*b^2*c*d^5 + 5*(2*C*a*b + B*b^2)*d^6)*e^3*f^3 - 2*(13*C*b^2*c^2*d^4 - 22*(2*C*a*b + B*b^2)*c*d^5 - 100*(C*a^2 + 2*B*a*b + A*b^2)*d^6)*e^2*f^4 - 4*(7*C*b^2*c^3*d^3 - 11*(2*C*a*b + B*b^2)*c^2*d^4 + 20*(C*a^2 + 2*B*a*b + A*b^2)*c*d^5 + 80*(B*a^2 + 2*A*a*b)*d^6)*e*f^5 + 5*(21*C*b^2*c^4*d^2 - 384*A*a^2*d^6 - 28*(2*C*a*b + B*b^2)*c^3*d^3 + 40*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^4 - 64*(B*a^2 + 2*A*a*b)*c*d^5)*f^6)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^6*f^6)
\end{aligned}$$

giac [B] time = 6.33, size = 4708, normalized size = 3.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2), x, algorithm="giac")`

[Out]
$$\begin{aligned}
& \frac{1}{7680} \cdot (7680 \cdot ((c*d*f - d^2*e) \cdot \log(\text{abs}(-\sqrt{d*f}) \cdot \sqrt{d*x + c}) + \sqrt{(d*x + c) \cdot d*f - c*d*f + d^2*e}) \cdot \sqrt{d*x + c}) \cdot A*a^2*c \cdot \text{abs}(d) / d^2 + 320 \cdot (\sqrt{(d*x + c) \cdot d*f - c*d*f + d^2*e}) \cdot \sqrt{d*x + c} \cdot (2 \cdot (d*x + c) \cdot (4 \cdot (d*x + c) / d^2 - (13*c*d^5*f^4 - d^6*f^3*e) / (d^7*f^4)) + 3 \cdot (11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2) / (d^7*f^4)) + 3 \cdot (5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3) \cdot \log(\text{abs}(-\sqrt{d*f}) \cdot \sqrt{d*x + c} + \sqrt{(d*x + c) \cdot d*f - c*d*f + d^2*e}) / (\sqrt{(d*f) \cdot d*f^2}) \cdot C*a^2*c \cdot \text{abs}(d) / d^2 + 640 \cdot (\sqrt{(d*x + c) \cdot d*f - c*d*f + d^2*e}) \cdot \sqrt{d*x + c} \cdot (2 \cdot (d*x + c) \cdot (4 \cdot (d*x + c) / d^2 - (13*c*d^5*f^4 - d^6*f^3*e) / (d^7*f^4)) + 3 \cdot (11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2) / (d^7*f^4)) + 3 \cdot (5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3) \cdot \log(\text{abs}(-\sqrt{d*f}) \cdot \sqrt{d*x + c} + \sqrt{(d*x + c) \cdot d*f - c*d*f + d^2*e}) / (\sqrt{(d*f) \cdot d*f^2}) \cdot B*a*b*c \cdot \text{abs}(d) / d^2 + 80 \cdot (\sqrt{(d*x + c) \cdot d*f - c*d*f + d^2*e}) \cdot (2 \cdot (d*x + c) \cdot (4 \cdot (d*x + c) \cdot (6 \cdot (d*x + c) / d^3 - (25*c*d^11*f^6 - d^12*f^5*e) / (d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5*e - 5*d^13*f^4*e^2) / (d^14*f^6)) - 3 \cdot (93*c^3*d^11*f^6 - 15*c^2*d^12*f^5*e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3) / (d^14*f^6)) \cdot \sqrt{d*x + c} - 3 \cdot (35*c^4*f^4 - 20*c^3*d*f^3*e - 6*c^2*d^2*f^2*e^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4) \cdot \log(\text{abs}(-\sqrt{d*f}) \cdot \sqrt{d*x + c} + \sqrt{(d*x + c) \cdot d*f - c*d*f + d^2*e}))
\end{aligned}$$

$$\begin{aligned}
& \text{}/(\sqrt{d*f} * d^2 * f^3) * C * a * b * c * \text{abs}(d) / d^2 + 320 * (\sqrt{(d*x + c)} * d*f - c*d*f \\
& + d^2 * e) * \sqrt{d*x + c} * (2 * (d*x + c) * (4 * (d*x + c) / d^2 - (13 * c * d^5 * f^4 - d^6 \\
& * f^3 * e) / (d^7 * f^4)) + 3 * (11 * c^2 * d^5 * f^4 - 2 * c * d^6 * f^3 * e - d^7 * f^2 * e^2) / (d^7 * \\
& f^4)) + 3 * (5 * c^3 * f^3 - 3 * c^2 * d * f^2 * e - c * d^2 * f * e^2 - d^3 * e^3) * \log(\text{abs}(-\sqrt{d*f} * \\
& \sqrt{d*x + c} + \sqrt{(d*x + c)} * d*f - c*d*f + d^2 * e)) / (\sqrt{d*f} * d*f^2) * A * b^2 * c * \text{abs}(d) / d^2 + 40 * (\sqrt{(d*x + c)} * d*f - c*d*f + d^2 * e) * (2 * (d*x + \\
& c) * (4 * (d*x + c) * (6 * (d*x + c) / d^3 - (25 * c * d^11 * f^6 - d^12 * f^5 * e) / (d^14 * f^6)) \\
& + (163 * c^2 * d^11 * f^6 - 14 * c * d^12 * f^5 * e - 5 * d^13 * f^4 * e^2) / (d^14 * f^6)) - 3 * (9 \\
& 3 * c^3 * d^11 * f^6 - 15 * c^2 * d^12 * f^5 * e - 9 * c * d^13 * f^4 * e^2 - 5 * d^14 * f^3 * e^3) / (d^ \\
& 14 * f^6) * \sqrt{d*x + c} - 3 * (35 * c^4 * f^4 - 20 * c^3 * d * f^3 * e - 6 * c^2 * d^2 * f^2 * e^2 \\
& - 4 * c * d^3 * f * e^3 - 5 * d^4 * e^4) * \log(\text{abs}(-\sqrt{d*f} * \sqrt{d*x + c} + \sqrt{(d*x + c)} * \\
& d*f - c*d*f + d^2 * e)) / (\sqrt{d*f} * d^2 * f^3) * B * b^2 * c * \text{abs}(d) / d^2 + 4 * (\sqrt{d*x + c} * \\
& d*f - c*d*f + d^2 * e) * (2 * (4 * (d*x + c) * (6 * (d*x + c) * (8 * (d*x + c) / d^4 - \\
& (41 * c * d^19 * f^8 - d^20 * f^7 * e) / (d^23 * f^8)) + (513 * c^2 * d^19 * f^8 - 26 * c * \\
& d^20 * f^7 * e - 7 * d^21 * f^6 * e^2) / (d^23 * f^8)) - 5 * (447 * c^3 * d^19 * f^8 - 37 * c^2 * d^2 \\
& 0 * f^7 * e - 19 * c * d^21 * f^6 * e^2 - 7 * d^22 * f^5 * e^3) / (d^23 * f^8)) * (d*x + c) + 15 * (1 \\
& 93 * c^4 * d^19 * f^8 - 28 * c^3 * d^20 * f^7 * e - 18 * c^2 * d^21 * f^6 * e^2 - 12 * c * d^22 * f^5 * e \\
& ^3 - 7 * d^23 * f^4 * e^4) / (d^23 * f^8) * \sqrt{d*x + c} + 15 * (63 * c^5 * f^5 - 35 * c^4 * d * \\
& f^4 * e - 10 * c^3 * d^2 * f^3 * e^2 - 6 * c^2 * d^3 * f^2 * e^3 - 5 * c * d^4 * f * e^4 - 7 * d^5 * e^5) \\
& * \log(\text{abs}(-\sqrt{d*f} * \sqrt{d*x + c} + \sqrt{(d*x + c)} * d*f - c*d*f + d^2 * e)) / (\sqrt{d*f} * \\
& d^3 * f^4) * C * b^2 * c * \text{abs}(d) / d^2 + 320 * (\sqrt{(d*x + c)} * d*f - c*d*f + \\
& d^2 * e) * \sqrt{d*x + c} * (2 * (d*x + c) * (4 * (d*x + c) / d^2 - (13 * c * d^5 * f^4 - d^6 * f^3 \\
& * e) / (d^7 * f^4)) + 3 * (11 * c^2 * d^5 * f^4 - 2 * c * d^6 * f^3 * e - d^7 * f^2 * e^2) / (d^7 * f^4)) \\
& + 3 * (5 * c^3 * f^3 - 3 * c^2 * d * f^2 * e - c * d^2 * f * e^2 - d^3 * e^3) * \log(\text{abs}(-\sqrt{d*f} * \\
& \sqrt{d*x + c} + \sqrt{(d*x + c)} * d*f - c*d*f + d^2 * e)) / (\sqrt{d*f} * d*f^2) * B * a^2 * \text{abs}(d) / d + 40 * (\sqrt{(d*x + c)} * \\
& d*f - c*d*f + d^2 * e) * (2 * (d*x + c) * (4 * (d*x + c) * (6 * (d*x + c) / d^3 - (25 * c * d^11 * f^6 - \\
& d^12 * f^5 * e) / (d^14 * f^6)) + (163 * c^2 * d^11 * f^6 - 14 * c * d^12 * f^5 * e - 5 * d^13 * f^4 * e^2) / (d^14 * f^6)) - 3 * (93 * c^3 * d \\
& ^11 * f^6 - 15 * c^2 * d^12 * f^5 * e - 9 * c * d^13 * f^4 * e^2 - 5 * d^14 * f^3 * e^3) / (d^14 * f^6) \\
& * \sqrt{d*x + c} - 3 * (35 * c^4 * f^4 - 20 * c^3 * d * f^3 * e - 6 * c^2 * d^2 * f^2 * e^2 - 4 * c * \\
& d^3 * f * e^3 - 5 * d^4 * e^4) * \log(\text{abs}(-\sqrt{d*f} * \sqrt{d*x + c} + \sqrt{(d*x + c)} * d*f - \\
& c*d*f + d^2 * e)) / (\sqrt{d*f} * d^2 * f^3) * C * a^2 * \text{abs}(d) / d + 640 * (\sqrt{(d*x + c)} * \\
& d*f - c*d*f + d^2 * e) * \sqrt{d*x + c} * (2 * (d*x + c) * (4 * (d*x + c) / d^2 - (13 * \\
& c * d^5 * f^4 - d^6 * f^3 * e) / (d^7 * f^4)) + 3 * (11 * c^2 * d^5 * f^4 - 2 * c * d^6 * f^3 * e - d^7 \\
& * f^2 * e^2) / (d^7 * f^4)) + 3 * (5 * c^3 * f^3 - 3 * c^2 * d * f^2 * e - c * d^2 * f * e^2 - d^3 * e^3) \\
& * \log(\text{abs}(-\sqrt{d*f} * \sqrt{d*x + c} + \sqrt{(d*x + c)} * d*f - c*d*f + d^2 * e)) / (\sqrt{d*f} * \\
& d*f^2) * A * a * b * \text{abs}(d) / d + 80 * (\sqrt{(d*x + c)} * d*f - c*d*f + d^2 * e) * \\
& (2 * (d*x + c) * (4 * (d*x + c) * (6 * (d*x + c) / d^3 - (25 * c * d^11 * f^6 - d^12 * f^5 * e) / \\
& (d^14 * f^6)) + (163 * c^2 * d^11 * f^6 - 14 * c * d^12 * f^5 * e - 5 * d^13 * f^4 * e^2) / (d^14 * f^6)) - 3 * (93 * c^3 * d^11 * f^6 - \\
& 15 * c^2 * d^12 * f^5 * e - 9 * c * d^13 * f^4 * e^2 - 5 * d^14 * f^3 * e^3) / (d^14 * f^6) * \sqrt{d*x + c} - 3 * (35 * c^4 * f^4 - 20 * c^3 * d * f^3 * e - 6 * c^2 * \\
& d^2 * f^2 * e^2 - 4 * c * d^3 * f * e^3 - 5 * d^4 * e^4) * \log(\text{abs}(-\sqrt{d*f} * \sqrt{d*x + c} + \sqrt{(d*x + c)} * \\
& d*f - c*d*f + d^2 * e)) / (\sqrt{d*f} * d^2 * f^3) * B * a * b * \text{abs}(d) / d + 8 * (\sqrt{(d*x + c)} * \\
& d*f - c*d*f + d^2 * e) * (2 * (4 * (d*x + c) * (6 * (d*x + c) / d^4 - (41 * c * d^19 * f^8 - \\
& d^20 * f^7 * e) / (d^23 * f^8)) + (513 * c^2 * d^19 * f^8 - 26 * c * d^20 * f^7 * e) / (d^23 * f^8)))
\end{aligned}$$

$$\begin{aligned}
& - 26*c*d^20*f^7*e - 7*d^21*f^6*e^2)/(d^23*f^8)) - 5*(447*c^3*d^19*f^8 - 37*c^2*d^20*f^7*e - 19*c*d^21*f^6*e^2 - 7*d^22*f^5*e^3)/(d^23*f^8))*(d*x + c) \\
& + 15*(193*c^4*d^19*f^8 - 28*c^3*d^20*f^7*e - 18*c^2*d^21*f^6*e^2 - 12*c*d^22*f^5*e^3 - 7*d^23*f^4*e^4)/(d^23*f^8))*sqrt(d*x + c) + 15*(63*c^5*f^5 - 35*c^4*d*f^4*e - 10*c^3*d^2*f^3*e^2 - 6*c^2*d^3*f^2*e^3 - 5*c*d^4*f*e^4 - 7*d^5*e^5)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^3*f^4))*C*a*b*abs(d)/d + 40*(sqrt((d*x + c)*d*f - c*d*f + d^2*e) + d^2*e)*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)/d^3 - (25*c*d^11*f^6 - d^12*f^5*e)/(d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5*e - 5*d^13*f^4*e^2)/(d^14*f^6)) - 3*(93*c^3*d^11*f^6 - 15*c^2*d^12*f^5*e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3)/(d^14*f^6))*sqrt(d*x + c) - 3*(35*c^4*f^4 - 20*c^3*d*f^3*e - 6*c^2*d^2*f^2*e^2 - 4*c*d^3*f*e^3 - 5*d^4*f^4*e^4)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^2*f^3))*A*b^2*a*bs(d)/d + 4*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*(4*(d*x + c)*(6*(d*x + c)*(8*(d*x + c)/d^4 - (41*c*d^19*f^8 - d^20*f^7*e)/(d^23*f^8)) + (513*c^2*d^19*f^8 - 26*c*d^20*f^7*e - 7*d^21*f^6*e^2)/(d^23*f^8)) - 5*(447*c^3*d^19*f^8 - 37*c^2*d^20*f^7*e - 19*c*d^21*f^6*e^2 - 7*d^22*f^5*e^3)/(d^23*f^8)))*(d*x + c) + 15*(193*c^4*d^19*f^8 - 28*c^3*d^20*f^7*e - 18*c^2*d^21*f^6*e^2 - 12*c*d^22*f^5*e^3 - 7*d^23*f^4*e^4)/(d^23*f^8))*sqrt(d*x + c) + 15*(63*c^5*f^5 - 35*c^4*d*f^4*e - 10*c^3*d^2*f^3*e^2 - 6*c^2*d^3*f^2*e^3 - 5*c*d^4*f^4*e^4 - 7*d^5*e^5)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^3*f^4))*B*b^2*abs(d)/d + (sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*(4*(2*(d*x + c)*(8*(d*x + c)*(10*(d*x + c)/d^5 - (61*c*d^29*f^10 - d^30*f^9*e)/(d^34*f^10)) + 3*(417*c^2*d^29*f^10 - 14*c*d^30*f^9*e - 3*d^31*f^8*e^2)/(d^34*f^10)) - (3481*c^3*d^29*f^10 - 183*c^2*d^30*f^9*e - 77*c*d^31*f^8*e^2 - 21*d^32*f^7*e^3)/(d^34*f^10)))*(d*x + c) + 5*(2279*c^4*d^29*f^10 - 176*c^3*d^30*f^9*e - 106*c^2*d^31*f^8*e^2 - 56*c*d^32*f^7*e^3 - 21*d^33*f^6*e^4)/(d^34*f^10)))*(d*x + c) - 15*(793*c^5*d^29*f^10 - 105*c^4*d^30*f^9*e - 70*c^3*d^31*f^8*e^2 - 50*c^2*d^32*f^7*e^3 - 35*c*d^33*f^6*e^4 - 21*d^34*f^5*e^5)/(d^34*f^10))*sqrt(d*x + c) - 15*(231*c^6*f^6 - 126*c^5*d*f^5 - 35*c^4*d^2*f^4*e^2 - 20*c^3*d^3*f^3*e^3 - 15*c^2*d^4*f^2*e^4 - 14*c*d^5*f^5 - 21*d^6*e^6)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^4*f^5))*C*b^2*abs(d)/d + 1920*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*d*x + 2*c - (5*c*f^2 - d*f*e)/f^2)*sqrt(d*x + c) - (3*c^2*d*f^2 - 2*c*d^2*f*e - d^3*e^2)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*f))*B*a^2*c*abs(d)/d^3 + 3840*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*d*x + 2*c - (5*c*f^2 - d*f*e)/f^2)*sqrt(d*x + c) - (3*c^2*d*f^2 - 2*c*d^2*f*e - d^3*e^2)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e))))/(sqrt(d*f)*f))*A*a*b*c*abs(d)/d^3 + 1920*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*d*x + 2*c - (5*c*f^2 - d*f*e)/f^2)*sqrt(d*x + c) - (3*c^2*d*f^2 - 2*c*d^2*f*e - d^3*e^2)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e))))/(sqrt(d*f)*f))*A*a^2*abs(d)/d^2)/d
\end{aligned}$$

maple [B] time = 0.05, size = 6728, normalized size = 4.99

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}, x)$

[Out] result too large to display

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((e + f*x)^{(1/2)}*(a + b*x)^2*(c + d*x)^{(1/2)}*(A + B*x + C*x^2), x)$

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((b*x+a)^{**2}*(C*x^{**2}+B*x+A)*(d*x+c)^{**{(1/2)}}*(f*x+e)^{**{(1/2)}}, x)$

[Out] Timed out

$$3.42 \quad \int (a + bx) \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx$$

Optimal. Leaf size=721

$$\frac{(c + dx)^{3/2}(e + fx)^{3/2} (48a^2Cd^2f^2 + 6bdfx(6aCdf - b(10Bdf - 7C(cf + de))) - 10abdf(8Bdf - 5C(cf + de)))}{240bd^3f^3}$$

Rubi [A] time = 0.96, antiderivative size = 719, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.176, Rules used = {1615, 147, 50, 63, 217, 206}

Antiderivative was successfully verified.

```
[In] Int[(a + b*x)*Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2), x]
[Out] ((d*e - c*f)*(2*a*d*f*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f))) - b*(C*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3) + 2*d*f*(8*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2)))*Sqrt[c + d*x]*Sqrt[e + f*x])/(128*d^4*f^4) + ((2*a*d*f*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f))) - b*(C*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3) + 2*d*f*(8*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2)))*(c + d*x)^(3/2)*Sqrt[e + f*x])/(64*d^4*f^3) + (C*(a + b*x)^2*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(5*b*d*f) - ((c + d*x)^(3/2)*(e + f*x)^(3/2)*(48*a^2*C*d^2*f^2 - 10*a*b*d*f*(8*B*d*f - 5*C*(d*e + c*f)) - b^2*(C*(35*d^2*e^2 + 38*c*d*e*f + 35*c^2*f^2) + 10*d*f*(8*A*d*f - 5*B*(d*e + c*f))) - 6*b*d*f*(10*b*B*d*f - 6*a*C*d*f - 7*b*C*(d*e + c*f))*x))/(240*b*d^3*f^3) - ((d*e - c*f)^2*(2*a*d*f*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f))) - b*(C*(7*d^3*e^3 + 9*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 7*c^3*f^3) + 2*d*f*(8*A*d*f*(d*e + c*f) - B*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2))))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])]/(128*d^(9/2)*f^(9/2))
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 147

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))*
((g_) + (h_)*(x_)), x_Symbol] :> -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m +
2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m +
n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3) +
d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), In
t[(a + b*x)^m*(c + d*x)^n, x]] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1615

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_
_)*(x_))^(p_), x_Symbol] :> With[{q = Expon[Px, x], k = Coeff[Px, x, Exp
on[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x], x, x]] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int (a + bx) \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx &= \frac{C(a + bx)^2(c + dx)^{3/2}(e + fx)^{3/2}}{5bdf} + \frac{\int (a + bx) \sqrt{c + dx} \sqrt{e + fx} dx}{5bdf} \\
&= \frac{C(a + bx)^2(c + dx)^{3/2}(e + fx)^{3/2}}{5bdf} - \frac{(c + dx)^{3/2}(e + fx)^{3/2} (48a^2c^2d^2e^2 + 120a^2c^2def + 120a^2c^2f^2 + 120ad^2c^2e^2f + 120ad^2cef^2 + 120ad^2f^3e + 120a^2c^2ef^2 + 120a^2c^2f^4)}{5bdf} \\
&= \frac{(2adf(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf))) + 8df(2Adf - B(de + cf)))}{5bdf} \\
&= \frac{(de - cf)(2adf(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf))) + 8df(2Adf - B(de + cf)))}{5bdf} \\
&= \frac{(de - cf)(2adf(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf))) + 8df(2Adf - B(de + cf)))}{5bdf}
\end{aligned}$$

Mathematica [B] time = 6.61, size = 2722, normalized size = 3.78

Result too large to show

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*x)*Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2), x]
[Out] (2*b*C*(d*e - c*f)^3*(c + d*x)^(3/2)*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d
*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(9/2)*((3*(35/(64*(1 +
(d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4) +
35/(48*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e -
c*f))))^3) + 7/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) -
(c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e -
c*f) - (c*d*f)/(d*e - c*f))))^(-1)))/10 + (21*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) -
(c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f))))) -
(2*Sqrt[d]*Sqrt[f])*Sqrt[
```

$$\begin{aligned}
& c + d*x]*ArcSinh[(\sqrt{d}*\sqrt{f}*\sqrt{c + d*x})/(\sqrt{d*e - c*f}*\sqrt{(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)}])]/(\sqrt{d*e - c*f}*\sqrt{(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)})*\sqrt{1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f))})]/(512*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4)/(3*d^4*f^3*(d*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^7/2)*\sqrt{((d*(e + f*x))/(d*e - c*f))} + (2*(d*e - c*f)^2*(-3*b*C*e + b*B*f + a*C*f)*(c + d*x)^(3/2)*\sqrt{e + f*x}*(1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^7/2)*(3*(5/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 5/(6*(1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(-1)})/8 + (15*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*(2*d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*\sqrt{d}*\sqrt{f}*\sqrt{c + d*x})*ArcSinh[(\sqrt{d}*\sqrt{f}*\sqrt{c + d*x})/(\sqrt{d*e - c*f}*\sqrt{(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)})])]/(\sqrt{d*e - c*f}*\sqrt{(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)})*\sqrt{1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))})/(256*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3)]/(3*d^3*f^3*(d*((e + f*x))/(d*e - c*f)) + (2*(d*e - c*f)*(3*b*C*e^2 - 2*b*B*e*f - 2*a*C*e*f + A*b*f^2 + a*B*f^2)*(c + d*x)^(3/2)*\sqrt{e + f*x}*(1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^5/2)*\sqrt{((3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(-1)})/2 + (3*(d*e - c*f)^2*((2*d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*\sqrt{d}*\sqrt{f}*\sqrt{c + d*x})*ArcSinh[(\sqrt{d}*\sqrt{f}*\sqrt{c + d*x})/(\sqrt{d*e - c*f}*\sqrt{(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)})])]/(\sqrt{d*e - c*f}*\sqrt{(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)})*\sqrt{1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))})/(32*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2)]/(3*d^2*f^3*(d*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^3/2)*\sqrt{((d*(e + f*x))/(d*e - c*f))} + (2*(-(b*e) + a*f)*(C*e^2 - B*e*f + A*f^2)*(c + d*x)^(3/2)*\sqrt{e + f*x}*(1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3/2)*(3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))) + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^2*((2*d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*\sqrt{d}*\sqrt{f}*\sqrt{c + d*x})*ArcSinh[(\sqrt{d}*\sqrt{f}*\sqrt{c + d*x})/(\sqrt{d*e - c*f}*\sqrt{(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)})])]/(\sqrt{d*e - c*f}*\sqrt{(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)})*\sqrt{1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))}/(16*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))/(3*d*f^3*\sqrt{((d*(e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3})
\end{aligned}$$

$t [d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))] * \text{Sqrt}[(d*(e + f*x))/(d*e - c*f)])]$

IntegrateAlgebraic [B] time = 2.79, size = 4538, normalized size = 6.29

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x)*Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2), x]

[Out] $\left(\frac{(-105*b*C*d^5*e^5*f^4*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} + \frac{(75*b*c*C*d^4*e^4*f^5)}{\text{Sqrt}[e + f*x]} \right) / \text{Sqrt}[c + d*x] + \left(\frac{(150*b*B*d^5*e^4*f^5*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} + \frac{(150*a*C*d^5*e^4*f^5*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} + \frac{(30*b*c^2*C*d^3*e^3*f^6*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} - \frac{(120*b*B*c*d^4*e^3*f^6*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} - \frac{(120*a*c*C*d^4*e^3*f^6*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} - \frac{(240*A*b*d^5*e^3*f^6*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} - \frac{(240*a*B*d^5*e^3*f^6*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} + \frac{(30*b*c^3*C*d^2*e^2*f^7*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} - \frac{(60*b*B*c^2*d^3*e^2*f^7*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} - \frac{(60*a*c^2*C*d^3*e^2*f^7*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} + \frac{(240*A*b*c*d^4*e^2*f^7*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} + \frac{(240*a*B*c*d^4*e^2*f^7*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} + \frac{(480*a*A*d^5*e^2*f^7*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} + \frac{(75*b*c^4*C*d*e*f^8*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} - \frac{(120*b*B*c^3*d^3*e^2*f^8*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} - \frac{(120*a*c^3*C*d^2*e^2*f^8*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} + \frac{(240*A*b*c^2*d^3*e^2*f^8*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} + \frac{(240*a*B*c^2*d^3*e^2*f^8*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} - \frac{(960*a*A*c*d^4*e^2*f^8*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} - \frac{(105*b*c^5*C*f^9*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} + \frac{(150*b*B*c^4*d*f^9*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} - \frac{(240*A*b*c^3*d^2*f^9*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} - \frac{(240*a*B*c^3*d^2*f^9*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} + \frac{(480*a*A*c^2*d^3*f^9*\text{Sqrt}[e + f*x])}{\text{Sqrt}[c + d*x]} - \frac{(790*b*C*d^6*e^5*f^3*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} + \frac{(2210*b*c*C*d^5*e^4*f^4*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} + \frac{(580*b*B*d^6*e^4*f^4*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} - \frac{(1420*b*c^2*C*d^4*e^3*f^5*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} - \frac{(2000*b*B*c*d^5*e^3*f^5*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} - \frac{(2000*a*c*C*d^5*e^3*f^5*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} - \frac{(160*A*b*d^6*e^3*f^5*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} - \frac{(160*a*B*d^6*e^3*f^5*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} - \frac{(140*b*c^3*C*d^3*e^2*f^6*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} + \frac{(1560*b*B*c^2*d^4*e^2*f^6*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} + \frac{(1560*a*c^2*C*d^4*e^2*f^6*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} + \frac{(1440*A*b*c*d^5*e^2*f^6*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} - \frac{(960*a*A*d^6*e^2*f^6*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} - \frac{(350*b*c^4*C*d^2*e*f^7*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} + \frac{(560*b*B*c^3*d^3*e*f^7*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} + \frac{(560*a*c^3*C*d^3*e*f^7*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} - \frac{(2400*A*b*c^2*d^4*e*f^7*(e + f*x)^(3/2))}{(c + d*x)^(3/2)} - \frac{(2400*a*B*c^2*d^4*(e + f*x)^(3/2))}{(c + d*x)^(3/2)}$

$$\begin{aligned}
& *e*f^7*(e + f*x)^(3/2)/(c + d*x)^(3/2) + (1920*a*A*c*d^5*e*f^7*(e + f*x)^(3/2))/(c + d*x)^(3/2) \\
& - (700*b*B*c^4*d^2*f^8*(e + f*x)^(3/2))/(c + d*x)^(3/2) - (700*a*c^4*C*d^2*f^8*(e + f*x)^(3/2))/(c + d*x)^(3/2) \\
& + (1120*A*b*c^3*d^3*f^8*(e + f*x)^(3/2))/(c + d*x)^(3/2) - (960*a*A*c^2*d^4*f^8*(e + f*x)^(3/2))/(c + d*x)^(3/2) \\
& + (1120*a*B*c^3*d^3*f^8*(e + f*x)^(3/2))/(c + d*x)^(3/2) - (1280*a*C*d^7*e^4*f^3*(e + f*x)^(5/2))/(c + d*x)^(5/2) \\
& - (1280*a*b*d^7*e^4*f^3*(e + f*x)^(5/2))/(c + d*x)^(5/2) - (2560*b*c^2*C*d^5*e^3*f^4*(e + f*x)^(5/2))/(c + d*x)^(5/2) \\
& + (2560*a*c*C*d^6*e^4*f^3*(e + f*x)^(5/2))/(c + d*x)^(5/2) + (1280*a*b*d^7*e^3*f^4*(e + f*x)^(5/2))/(c + d*x)^(5/2) \\
& - (3840*a*b*c*c*d^6*e^2*f^5*(e + f*x)^(5/2))/(c + d*x)^(5/2) + (2560*b*c^3*C*d^4*e^2*f^5*(e + f*x)^(5/2))/(c + d*x)^(5/2) \\
& - (3840*a*B*c*d^6*e^2*f^5*(e + f*x)^(5/2))/(c + d*x)^(5/2) + (640*b*c^4*C*d^3*e*f^6*(e + f*x)^(5/2))/(c + d*x)^(5/2) \\
& - (2560*a*c^3*C*d^4*e*f^6*(e + f*x)^(5/2)) - (2560*a*c^3*C*d^4*e*f^6*(e + f*x)^(5/2))/(c + d*x)^(5/2) \\
& + (3840*a*b*c^2*d^5*e*f^6*(e + f*x)^(5/2))/(c + d*x)^(5/2) + (3840*a*B*c^2*d^5*e*f^6*(e + f*x)^(5/2))/(c + d*x)^(5/2) \\
& - (896*b*c^5*C*d^2*f^7*(e + f*x)^(5/2))/(c + d*x)^(5/2) + (1280*b*B*c^4*d^3*f^7*(e + f*x)^(5/2))/(c + d*x)^(5/2) \\
& - (1280*a*b*c^3*d^4*f^7*(e + f*x)^(5/2))/(c + d*x)^(5/2) - (490*b*C*d^8*e^5*f*(e + f*x)^(7/2))/(c + d*x)^(7/2) \\
& + (350*b*c*C*d^7*e^4*f^2*(e + f*x)^(7/2))/(c + d*x)^(7/2) + (700*b*B*d^8*e^4*f^2*(e + f*x)^(7/2))/(c + d*x)^(7/2) \\
& + (700*a*C*d^8*e^4*f^2*(e + f*x)^(7/2))/(c + d*x)^(7/2) - (560*b*B*c*d^7*e^3*f^3*(e + f*x)^(7/2))/(c + d*x)^(7/2) \\
& - (560*a*c*C*d^7*e^3*f^3*(e + f*x)^(7/2))/(c + d*x)^(7/2) - (1120*a*b*d^8*e^3*f^3*(e + f*x)^(7/2))/(c + d*x)^(7/2) \\
& - (1120*a*b*d^8*e^3*f^3*(e + f*x)^(7/2))/(c + d*x)^(7/2) + (1420*b*c^3*C*d^5*e^2*f^4*(e + f*x)^(7/2))/(c + d*x)^(7/2) \\
& - (1560*b*B*c^2*d^6*e^2*f^4*(e + f*x)^(7/2))/(c + d*x)^(7/2) - (1560*a*c^2*C*d^6*e^2*f^4*(e + f*x)^(7/2))/(c + d*x)^(7/2) \\
& + (2400*a*b*c*d^7*e^2*f^4*(e + f*x)^(7/2))/(c + d*x)^(7/2) + (2400*a*B*c*d^7*e^2*f^4*(e + f*x)^(7/2))/(c + d*x)^(7/2) \\
& + (960*a*A*d^8*e^2*f^4*(e + f*x)^(7/2))/(c + d*x)^(7/2) - (2210*b*c^4*C*d^4*e*f^5*(e + f*x)^(7/2))/(c + d*x)^(7/2) \\
& + (2000*b*B*c^3*d^5*e*f^5*(e + f*x)^(7/2))/(c + d*x)^(7/2) + (2000*a*c^3*C*d^5*e*f^5*(e + f*x)^(7/2))/(c + d*x)^(7/2) \\
& - (1440*a*b*c^2*d^6*e*f^5*(e + f*x)^(7/2))/(c + d*x)^(7/2) - (1440*a*b*c^2*d^6*e*f^5*(e + f*x)^(7/2))/(c + d*x)^(7/2) \\
& + (1920*a*A*c*d^7*e*f^5*(e + f*x)^(7/2))/(c + d*x)^(7/2) - (580*b*B*c^4*d^4*f^6*(e + f*x)^(7/2))/(c + d*x)^(7/2) \\
& - (580*a*c^4*C*d^4*f^6*(e + f*x)^(7/2))/(c + d*x)^(7/2) + (160*a*b*c^3*d^5*f^6*(e + f*x)^(7/2))/(c + d*x)^(7/2) \\
& + (160*a*B*c^3*d^5*f^6*(e + f*x)^(7/2))/(c + d*x)^(7/2) + (960*a*A*c^2*d^6*f^6*(e + f*x)^(7/2))/(c + d*x)^(7/2) \\
& + (105*b*C*d^9*e^5*(e + f*x)^(9/2))/(c + d*x)^(9/2) - (75*b*c*C*d^8*e^4*f*(e + f*x)^(9/2))/(c + d*x)^(9/2)
\end{aligned}$$

$$\begin{aligned}
&) - (150*b*B*d^9*e^4*f*(e + f*x)^(9/2))/(c + d*x)^(9/2) - (150*a*C*d^9*e^4*f*(e + f*x)^(9/2))/(c + d*x)^(9/2) - (30*b*c^2*C*d^7*e^3*f^2*(e + f*x)^(9/2))/(c + d*x)^(9/2) + (120*b*B*c*d^8*e^3*f^2*(e + f*x)^(9/2))/(c + d*x)^(9/2) + (120*a*c*C*d^8*e^3*f^2*(e + f*x)^(9/2))/(c + d*x)^(9/2) + (240*A*b*d^9*e^3*f^2*(e + f*x)^(9/2))/(c + d*x)^(9/2) - (30*b*c^3*C*d^6*e^2*f^3*(e + f*x)^(9/2))/(c + d*x)^(9/2) + (60*b*B*c^2*d^7*e^2*f^3*(e + f*x)^(9/2))/(c + d*x)^(9/2) + (60*a*c^2*C*d^7*e^2*f^3*(e + f*x)^(9/2))/(c + d*x)^(9/2) - (240*A*b*c*d^8*e^2*f^3*(e + f*x)^(9/2))/(c + d*x)^(9/2) - (240*a*B*c*d^8*e^2*f^3*(e + f*x)^(9/2))/(c + d*x)^(9/2) - (480*a*A*d^9*e^2*f^3*(e + f*x)^(9/2))/(c + d*x)^(9/2) - (75*b*c^4*C*d^5*e*f^4*(e + f*x)^(9/2))/(c + d*x)^(9/2) + (120*b*B*c^3*d^6*e*f^4*(e + f*x)^(9/2))/(c + d*x)^(9/2) + (120*a*c^3*C*d^6*e*f^4*(e + f*x)^(9/2))/(c + d*x)^(9/2) - (240*A*b*c^2*d^7*e*f^4*(e + f*x)^(9/2))/(c + d*x)^(9/2) + (960*a*A*c*d^8*e*f^4*(e + f*x)^(9/2))/(c + d*x)^(9/2) + (105*b*c^5*C*d^4*f^5*(e + f*x)^(9/2))/(c + d*x)^(9/2) - (150*b*B*c^4*d^5*f^5*(e + f*x)^(9/2))/(c + d*x)^(9/2) - (150*a*c^4*C*d^5*f^5*(e + f*x)^(9/2))/(c + d*x)^(9/2) + (240*A*b*c^3*d^6*f^5*(e + f*x)^(9/2))/(c + d*x)^(9/2) - (480*a*A*c^2*d^7*f^5*(e + f*x)^(9/2))/(c + d*x)^(9/2) - (480*a*A*c^2*d^7*f^5*(e + f*x)^(9/2))/(c + d*x)^(9/2) - (1920*d^4*f^4*(f - (d*(e + f*x))/(c + d*x))^(5)) + ((7*b*C*d^5*e^5 - 5*b*c*C*d^4*e^4*f - 10*b*B*d^5*e^4*f - 10*a*C*d^5*e^4*f - 2*b*c^2*C*d^3*e^3*f^2 + 8*b*B*c*d^4*e^3*f^2 + 8*a*c*C*d^4*e^3*f^2 + 16*A*b*d^5*e^3*f^2 + 16*a*B*d^5*e^3*f^2 - 2*b*c^3*C*d^2*e^2*f^3 + 4*b*B*c^2*d^3*e^2*f^3 + 4*a*c^2*C*d^3*e^2*f^3 - 16*a*b*c*d^4*e^2*f^3 - 16*a*B*c*d^4*e^2*f^3 - 32*a*A*d^5*e^2*f^3 - 5*b*c^4*C*d*e*f^4 + 8*b*B*c^3*d^2*e*f^4 + 8*a*c^3*C*d^2*e*f^4 - 16*A*b*c^2*d^3*e*f^4 - 16*a*B*c^2*d^3*e*f^4 + 64*a*A*c*d^4*e*f^4 + 7*b*c^5*C*f^5 - 10*b*B*c^4*d*f^5 - 10*a*c^4*C*d*f^5 + 16*A*b*c^3*d^2*f^5 + 16*a*B*c^3*d^2*f^5 - 32*a*A*c^2*d^3*f^5)*ArcTanh[(Sqrt[d]*Sqrt[e + f*x])/(Sqrt[f]*Sqrt[c + d*x])]/(128*d^(9/2)*f^(9/2))
\end{aligned}$$

fricas [A] time = 2.96, size = 1620, normalized size = 2.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x, algorithm="fricas")

[Out] [-1/7680*(15*(7*C*b*d^5*e^5 - 5*(C*b*c*d^4 + 2*(C*a + B*b)*d^5)*e^4*f - 2*(C*b*c^2*d^3 - 4*(C*a + B*b)*c*d^4 - 8*(B*a + A*b)*d^5)*e^3*f^2 - 2*(C*b*c^3*d^2 + 16*A*a*d^5 - 2*(C*a + B*b)*c^2*d^3 + 8*(B*a + A*b)*c*d^4)*e^2*f^3 - (5*C*b*c^4*d - 64*a*a*c*d^4 - 8*(C*a + B*b)*c^3*d^2 + 16*(B*a + A*b)*c^2*d^3)*e*f^4 + (7*C*b*c^5 - 32*a*a*c^2*d^3 - 10*(C*a + B*b)*c^4*d + 16*(B*a + A*b)*c^3*d^2)*f^5)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 - 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) - 4*(384*C*b*d^5*f^5*x^4 - 105*C*b*d^5*f^5*x^4 + 10*(4*C*b
```

$$\begin{aligned}
& *c*d^4 + 15*(C*a + B*b)*d^5)*e^3*f^2 + 2*(17*C*b*c^2*d^3 - 35*(C*a + B*b)*c \\
& *d^4 - 120*(B*a + A*b)*d^5)*e^2*f^3 + 10*(4*C*b*c^3*d^2 + 48*A*a*d^5 - 7*(C \\
& *a + B*b)*c^2*d^3 + 16*(B*a + A*b)*c*d^4)*e*f^4 - 15*(7*C*b*c^4*d - 32*A*a* \\
& c*d^4 - 10*(C*a + B*b)*c^3*d^2 + 16*(B*a + A*b)*c^2*d^3)*f^5 + 48*(C*b*d^5* \\
& e*f^4 + (C*b*c*d^4 + 10*(C*a + B*b)*d^5)*f^5)*x^3 - 8*(7*C*b*d^5*e^2*f^3 - \\
& 2*(C*b*c*d^4 + 5*(C*a + B*b)*d^5)*e*f^4 + (7*C*b*c^2*d^3 - 10*(C*a + B*b)*c \\
& *d^4 - 80*(B*a + A*b)*d^5)*f^5)*x^2 + 2*(35*C*b*d^5*e^3*f^2 - (11*C*b*c*d^4 \\
& + 50*(C*a + B*b)*d^5)*e^2*f^3 - (11*C*b*c^2*d^3 - 20*(C*a + B*b)*c*d^4 - 8 \\
& 0*(B*a + A*b)*d^5)*e*f^4 + 5*(7*C*b*c^3*d^2 + 96*A*a*d^5 - 10*(C*a + B*b)*c \\
& ^2*d^3 + 16*(B*a + A*b)*c*d^4)*f^5)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^5*f^5), \\
& -1/3840*(15*(7*C*b*d^5*e^5 - 5*(C*b*c*d^4 + 2*(C*a + B*b)*d^5)*e^4*f - \\
& 2*(C*b*c^2*d^3 - 4*(C*a + B*b)*c*d^4 - 8*(B*a + A*b)*d^5)*e^3*f^2 - 2*(C*b* \\
& c^3*d^2 + 16*A*a*d^5 - 2*(C*a + B*b)*c^2*d^3 + 8*(B*a + A*b)*c*d^4)*e^2*f^3 \\
& - (5*C*b*c^4*d - 64*A*a*c*d^4 - 8*(C*a + B*b)*c^3*d^2 + 16*(B*a + A*b)*c^2 \\
& *d^3)*e*f^4 + (7*C*b*c^5 - 32*A*a*c^2*d^3 - 10*(C*a + B*b)*c^4*d + 16*(B*a \\
& + A*b)*c^3*d^2)*f^5)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f) \\
& *sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) \\
& - 2*(384*C*b*d^5*f^5*x^4 - 105*C*b*d^5*e^4*f + 10*(4*C*b*c*d^4 + 15*(C*a \\
& + B*b)*d^5)*e^3*f^2 + 2*(17*C*b*c^2*d^3 - 35*(C*a + B*b)*c*d^4 - 120*(B*a \\
& + A*b)*d^5)*e^2*f^3 + 10*(4*C*b*c^3*d^2 + 48*A*a*d^5 - 7*(C*a + B*b)*c^2*d^ \\
& 3 + 16*(B*a + A*b)*c*d^4)*e*f^4 - 15*(7*C*b*c^4*d - 32*A*a*c*d^4 - 10*(C*a \\
& + B*b)*c^3*d^2 + 16*(B*a + A*b)*c^2*d^3)*f^5 + 48*(C*b*d^5*e*f^4 + (C*b*c*d \\
& ^4 + 10*(C*a + B*b)*d^5)*f^5)*x^3 - 8*(7*C*b*d^5*e^2*f^3 - 2*(C*b*c*d^4 + 5 \\
& *(C*a + B*b)*d^5)*e*f^4 + (7*C*b*c^2*d^3 - 10*(C*a + B*b)*c*d^4 - 80*(B*a + \\
& A*b)*d^5)*f^5)*x^2 + 2*(35*C*b*d^5*e^3*f^2 - (11*C*b*c*d^4 + 50*(C*a + B*b) \\
&)*d^5)*e^2*f^3 - (11*C*b*c^2*d^3 - 20*(C*a + B*b)*c*d^4 - 80*(B*a + A*b)*d^ \\
& 5)*e*f^4 + 5*(7*C*b*c^3*d^2 + 96*A*a*d^5 - 10*(C*a + B*b)*c^2*d^3 + 16*(B*a \\
& + A*b)*c*d^4)*f^5)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^5*f^5)]
\end{aligned}$$

giac [B] time = 3.39, size = 2643, normalized size = 3.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned}
& \frac{1}{1920} \cdot \frac{(c*d*f - d^2*e)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x \\
& + c)*d*f - c*d*f + d^2*e)))}{sqrt(d*f)} + \frac{sqrt((d*x + c)*d*f - c*d*f + d^2*e)* \\
& *sqrt(d*x + c))*A*a*c*abs(d)/d^2 + 80*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)* \\
& sqrt(d*x + c)*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d \\
& ^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3* \\
& (5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f^2*e^2 - d^3*e^3)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + \\
& sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d*f^2)*C*a*c* \\
& abs(d)/d^2 + 80*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x
\end{aligned}$$

$$\begin{aligned}
& + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2 - c*d^2*f^2 - d^3*e^3)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d*f^2))*B*b*c*abs(d)/d^2 + 10*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)/d^3 - (25*c*d^11*f^6 - d^12*f^5*e)/(d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5*e - 5*d^13*f^4*e^2)/(d^14*f^6)) - 3*(93*c^3*d^11*f^6 - 15*c^2*d^12*f^5*e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3)/(d^14*f^6))*sqrt(d*x + c) - 3*(35*c^4*f^4 - 20*c^3*d*f^3*e - 6*c^2*d^2*f^2*e^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^2*f^3))*C*b*c*abs(d)/d^2 + 80*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2 - c*d^2*f^2 - d^3*e^3)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d*f^2))*B*a*abs(d)/d + 10*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)/d^3 - (25*c*d^11*f^6 - d^12*f^5*e)/(d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5*e - 5*d^13*f^4*e^2)/(d^14*f^6)) - 3*(93*c^3*d^11*f^6 - 15*c^2*d^12*f^5*e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3)/(d^14*f^6))*sqrt(d*x + c) - 3*(35*c^4*f^4 - 20*c^3*d*f^3*e - 6*c^2*d^2*f^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^2*f^3))*C*a*abs(d)/d + 80*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2 - c*d^2*f^2 - d^3*e^3)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d*f^2))*A*b*abs(d)/d + 10*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)/d^3 - (25*c*d^11*f^6 - d^12*f^5*e)/(d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5*e - 5*d^13*f^4*e^2)/(d^14*f^6)) - 3*(93*c^3*d^11*f^6 - 15*c^2*d^12*f^5*e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3)/(d^14*f^6))*sqrt(d*x + c) - 3*(35*c^4*f^4 - 20*c^3*d*f^3*e - 6*c^2*d^2*f^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^2*f^3))*B*b*abs(d)/d + (sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*(4*(d*x + c)*(6*(d*x + c)*(8*(d*x + c)/d^4 - (41*c*d^19*f^8 - d^20*f^7*e)/(d^23*f^8)) + (513*c^2*d^19*f^8 - 26*c*d^20*f^7*e - 7*d^21*f^6*e^2)/(d^23*f^8)) - 5*(447*c^3*d^19*f^8 - 37*c^2*d^20*f^7*e - 19*c*d^21*f^6*e^2 - 7*d^22*f^5*e^3)/(d^23*f^8)))*(d*x + c) + 15*(193*c^4*d^19*f^8 - 28*c^3*d^20*f^7*e - 18*c^2*d^21*f^6*e^2 - 12*c*d^22*f^5*e^3 - 7*d^23*f^4*e^4)/(d^23*f^8))*sqrt(d*x + c) + 15*(63*c^5*f^5 - 35*c^4*d*f^4 - 10*c^3*d^2*f^3*e^2 - 6*c^2*d^3*f^2*e^3 - 5*c*d^4*f*e^4 - 7*d^5*e^5)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^3*f^4))*C*b*abs(d)/d + 480*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*d*x + 2*c - (5*c*f^2 - d*f*e)/f^2)*sqrt(d*x + c) - (3*c^2*d*f^2 - 2*c*d^2*f*e - d^3*e^2)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*f))*B*a*c*abs(d)/d^3 + 480*(sqrt((d*x + c)*d*f - c*d*f + d^2)
\end{aligned}$$

$$\begin{aligned} & *e) * (2*d*x + 2*c - (5*c*f^2 - d*f*e)/f^2) * \sqrt{d*x + c} - (3*c^2*d*f^2 - 2*c*d^2*f*e - d^3*e^2) * \log(\sqrt{-\sqrt{d*f}} * \sqrt{d*x + c} + \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})) / (\sqrt{d*f} * f) * A * b * c * \text{abs}(d) / d^3 + 480 * (\sqrt{(d*x + c)*d*f - c*d*f + d^2*e}) * (2*d*x + 2*c - (5*c*f^2 - d*f*e)/f^2) * \sqrt{d*x + c} - (3*c^2*d*f^2 - 2*c*d^2*f*e - d^3*e^2) * \log(\sqrt{-\sqrt{d*f}} * \sqrt{d*x + c} + \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})) / (\sqrt{d*f} * f) * A * a * \text{abs}(d) / d^2) / d \end{aligned}$$

maple [B] time = 0.02, size = 3571, normalized size = 4.95

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x)
[Out] -1/3840*(d*x+c)^(1/2)*(f*x+e)^(1/2)*(150*B*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*d^5*e^4*f+480*A*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*c^2*d^3*f^5+150*C*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*c^4*d*f^5+150*C*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c^4*f^4+210*C*(d*f)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b*d^4*e^4-240*A*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*d^5*e^3*f^2-240*B*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*d^5*e^4*f+210*C*(d*f)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b*d^4*e^4-240*A*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*d^5*e^3*f^2-240*B*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*d^5*e^3*f^2+150*B*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c^4*d*f^5+480*A*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*d^5*e^2*f^3-240*A*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c^3*d^2*f^5-105*C*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c^5*f^5-105*C*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*d^5*e^5-96*C*x^3*b*c*d^3*f^4*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)-160*B*x^2*b*c*d^3*f^4*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)-1920*A*(d*f)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*x*a*d^4*f^4+240*B*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*c^2*d^3*f^4+240*B*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c^3*d^2*f^4-60*B*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c^2*d^3*f^3-960*A*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a*c*d^4*f^4+240*A*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c^2*d^3*f^4+240*A*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*b*c^2*d^3*f^4
```

$$\begin{aligned}
& x + c * e)^{(1/2)} * (d * f)^{(1/2)} + c * f + d * e) / (d * f)^{(1/2)}) * b * c * d^4 * e^2 * f^3 - 120 * C * \ln(1/ \\
& 2 * (2 * d * f * x + 2 * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * (d * f)^{(1/2)} + c * f + d * e) / (d * f)^{(1/2)} \\
&) * a * c^3 * d^2 * e * f^4 - 60 * C * \ln(1/2 * (2 * d * f * x + 2 * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * \\
& (d * f)^{(1/2)} + c * f + d * e) / (d * f)^{(1/2)}) * a * c^2 * d^3 * e^2 * f^3 - 120 * C * \ln(1/2 * (2 * d * f * x + 2 * \\
& (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * (d * f)^{(1/2)} + c * f + d * e) / (d * f)^{(1/2)}) * a * c * d^4 * \\
& e^3 * f^2 + 75 * C * \ln(1/2 * (2 * d * f * x + 2 * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * (d * f)^{(1/2)} + \\
& c * f + d * e) / (d * f)^{(1/2)}) * b * c^4 * d * e * f^4 + 30 * C * \ln(1/2 * (2 * d * f * x + 2 * (d * f * x^2 + c * f * x + d * \\
& e * x + c * e))^{(1/2)} * (d * f)^{(1/2)} + c * f + d * e) / (d * f)^{(1/2)}) * b * c^3 * d^2 * e^2 * f^3 + 44 * C * (d * \\
& f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * x * b * c * d^3 * e^2 * f^2 - 80 * B * (d * f)^{(1/2)} * \\
& (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * x * b * c * d^3 * e * f^3 - 80 * C * (d * f)^{(1/2)} * (d * f * x^2 + \\
& c * f * x + d * e * x + c * e))^{(1/2)} * x * a * c * d^3 * e * f^3 + 44 * C * (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * \\
& x + c * e))^{(1/2)} * (d * f)^{(1/2)} + 200 * C * (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * x * \\
& a * c^2 * d^2 * f^4 + 200 * C * (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * x * a * d^4 * e^2 * \\
& f^2 - 140 * C * (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * x * b * c^3 * d * f^4 - 140 * C * \\
& (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * x * b * d^4 * e^3 * f^3 - 320 * A * (d * f)^{(1/2)} * \\
& (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * b * c * d^3 * e * f^3 - 320 * B * (d * f)^{(1/2)} * (d * f * x^2 + \\
& c * f * x + d * e * x + c * e))^{(1/2)} * a * c * d^3 * e * f^3 + 140 * C * (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + \\
& c * e))^{(1/2)} * a * c^2 * d^2 * e * f^3 - 320 * A * (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * x * \\
& b * c * d^3 * f^4 - 320 * A * (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * x * b * d^4 * e^3 * f^3 - 320 * B * \\
& (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * x * a * d^4 * e * f^3 - 80 * C * (d * f)^{(1/2)} * \\
& (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * b * c * d^3 * e * f^3 + 200 * B * (d * f)^{(1/2)} * (d * f * x^2 + c * \\
& f * x + d * e * x + c * e))^{(1/2)} * x * b * c^2 * d^2 * f^4 + 200 * B * (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + \\
& c * e))^{(1/2)} * x * b * d^4 * e^2 * f^2 + 140 * B * (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * b * c * \\
& d^2 * f^3 + 140 * C * (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * a * c * d^3 * e^2 * f^2 - 80 * C * \\
& (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * b * c * d^3 * e * f^3 - 3 * f^2 + 30 * C * \\
& 1 * (1/2 * (2 * d * f * x + 2 * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * (d * f)^{(1/2)} + c * f + d * e) / (d * f)^{(1/2)} \\
&) * b * c^2 * d^2 * e * f^3 + 75 * C * \ln(1/2 * (2 * d * f * x + 2 * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * (d * f)^{(1/2)} + \\
& c * f + d * e) / (d * f)^{(1/2)}) * b * c * d^4 * e^4 * f^4 - 960 * A * (d * f)^{(1/2)} * (d * f)^{(1/2)} - 1280 * A * x^2 * b * d^4 * \\
& f^4 - 4 * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * (d * f)^{(1/2)} - 1280 * B * x^2 * a * d^4 * f^4 - 4 * (d * f * x^2 + \\
& c * f * x + d * e * x + c * e))^{(1/2)} * (d * f)^{(1/2)} - 120 * B * \ln(1/2 * (2 * d * f * x + 2 * (d * f * x^2 + c * f * \\
& x + d * e * x + c * e))^{(1/2)} * (d * f)^{(1/2)} + c * f + d * e) / (d * f)^{(1/2)}) * b * c * d^4 * e^3 * f^2 + 30 * C * \\
& 1 * (1/2 * (2 * d * f * x + 2 * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * (d * f)^{(1/2)} + c * f + d * e) / (d * f)^{(1/2)} \\
&) * b * c^2 * d^2 * e * f^3 + 75 * C * \ln(1/2 * (2 * d * f * x + 2 * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * (d * f)^{(1/2)} + \\
& c * f + d * e) / (d * f)^{(1/2)}) * b * c * d^4 * e^4 * f^4 - 960 * A * (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + \\
& c * e))^{(1/2)} * a * d^4 * e * f^3 + 480 * A * (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * b * c * \\
& d^2 * f^4 + 480 * A * (d * f)^{(1/2)} * (d * f * x^2 + c * f * x + d * e * x + c * e))^{(1/2)} * b * d * d^4 * e^4 *$$

$$2*f^2+480*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*a*c^2*d^2*f^4+480*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*a*d^4*e^2*f^2-300*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*b*c^3*d*f^4-300*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*a*c^3*d*f^4-300*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}*a*d^4*e^3*f)/(d*f*x^2+c*f*x+d*e*x+c*e)^{(1/2)}/d^4/f^4/(d*f)^{(1/2)}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)},x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x)^{(1/2)}*(a + b*x)*(c + d*x)^{(1/2)}*(A + B*x + C*x^2),x)`

[Out] \text{Hanged}

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx) \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*(C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2),x)`

[Out] `Integral((a + b*x)*sqrt(c + d*x)*sqrt(e + f*x)*(A + B*x + C*x**2), x)`

$$3.43 \quad \int \sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2) dx$$

Optimal. Leaf size=330

$$\frac{(de - cf)^2 \tanh^{-1} \left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}} \right) (8df(2Adf - B(cf + de)) + C(5c^2f^2 + 6cdef + 5d^2e^2))}{64d^{7/2}f^{7/2}} + \frac{(c+dx)^{3/2}\sqrt{e+fx}}{64d^{7/2}f^{7/2}} (8$$

Rubi [A] time = 0.30, antiderivative size = 330, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.207, Rules used = {951, 80, 50, 63, 217, 206}

$$\frac{(c+dx)^{3/2}\sqrt{e+fx}(8df(2Adf - B(cf + de)) + C(5c^2f^2 + 6cdef + 5d^2e^2))}{32d^3f^2} + \frac{\sqrt{c+dx}\sqrt{e+fx}(de - cf)(8df(2Adf - B(cf + de)) + C(5c^2f^2 + 6cdef + 5d^2e^2))}{64d^3f^3} - \frac{(de - cf)^2 \tanh^{-1} \left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}} \right) (8df(2Adf - B(cf + de)) + C(5c^2f^2 + 6cdef + 5d^2e^2))}{64d^{7/2}f^{7/2}} - \frac{(c+dx)^{3/2}(e+fx)^{3/2}(-8Bdf + 11cCf + 5Cd)}{24d^2f^2} + \frac{C(c+dx)^{3/2}(e+fx)^{3/2}}{4d^2f}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2), x]

[Out] $((d*e - c*f)*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f)))*Sqrt[c + d*x]*Sqrt[e + f*x])/(64*d^3*f^3) + ((C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f)))*(c + d*x)^(3/2)*Sqr t[e + f*x])/(32*d^3*f^2) - ((5*C*d*e + 11*c*C*f - 8*B*d*f)*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(24*d^2*f^2) + (C*(c + d*x)^(5/2)*(e + f*x)^(3/2))/(4*d^2*f) - ((d*e - c*f)^2*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f)))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])])/(64*d^(7/2)*f^(7/2))$

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 80

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_.)*((e_) + (f_)*(x_))^(p_),
x_Symbol] :> Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)),
x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)),
Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 951

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[(c^p*(d + e*x)^(m + 2*p)*(f + g*x)^(n + 1))/(g*e^(2*p)*(m + n + 2*p + 1)),
x] + Dist[1/(g*e^(2*p)*(m + n + 2*p + 1)), Int[(d + e*x)^m*(f + g*x)^n*ExpandToSum[g*(m + n + 2*p + 1)*(e^(2*p)*(a + b*x + c*x^2)^p - c^p*(d + e*x)^(2*p)) - c^p*(e*f - d*g)*(m + 2*p)*(d + e*x)^(2*p - 1)], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && NeQ[m + n + 2*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2) dx &= \frac{C(c+dx)^{5/2}(e+fx)^{3/2}}{4d^2f} + \frac{\int \sqrt{c+dx} \sqrt{e+fx} \left(\frac{1}{2} (-5cCde - 3c^2Cf + \right. \\
&\quad \left. \frac{(5Cde + 11cCf - 8Bdf)(c+dx)^{3/2}(e+fx)^{3/2}}{24d^2f^2} + \frac{C(c+dx)^{5/2}(e+fx)^{3/2}}{4d^2f} \right. \\
&= \frac{(C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf))) (c+dx)^{3/2}}{32d^3f^2} \\
&= \frac{(de - cf) (C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf))) \sqrt{c+dx} \sqrt{e+fx}}{64d^3f^3} \\
&= \frac{(de - cf) (C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf))) \sqrt{c+dx} \sqrt{e+fx}}{64d^3f^3} \\
&= \frac{(de - cf) (C(5d^2e^2 + 6cdef + 5c^2f^2) + 8df(2Adf - B(de + cf))) \sqrt{c+dx} \sqrt{e+fx}}{64d^3f^3}
\end{aligned}$$

Mathematica [A] time = 1.72, size = 306, normalized size = 0.93

$$\frac{d\sqrt{f}\sqrt{c+dx}(e+fx)\left(8df\left(6Adf(cf+d(e+f x))+B\left(-3c^2f^2+2cdf(e+f x)+d^2\left(-3e^2+2efx+8f^2x^2\right)\right)+C\left(15c^3f^3-2cd^2f^2(7e+10fx)+cd^2f\left(-7e^2+4efx+8f^2x^2\right)+d^3\left(15e^3-10c^2fx+8ef^2x^2+48f^3x^3\right)\right)\right)-3(de-cf)^{5/2}\sqrt{\frac{de+fx}{de-cf}}\sinh^{-1}\left(\frac{\sqrt{f}\sqrt{e+fx}}{\sqrt{de-cf}}\right)\left(8df(2Adf-B(cf+de))+C\left(5c^2f^2+6cdef+5d^2e^2\right)\right)\right)}{192d^4f^{7/2}\sqrt{e+fx}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2), x]

[Out] $(d*Sqrt[f]*Sqrt[c + d*x]*(e + f*x)*(C*(15*c^3*f^3 - c^2*2*d*f^2*(7*e + 10*f*x) + c*d^2*f*(-7*e^2 + 4*e*f*x + 8*f^2*x^2) + d^3*(15*e^3 - 10*e^2*f*x + 8*e*f^2*x^2 + 48*f^3*x^3)) + 8*d*f*(6*A*d*f*(c*f + d*(e + 2*f*x)) + B*(-3*c^2*f^2 + 2*c*d*f*(e + f*x) + d^2*(-3*e^2 + 2*e*f*x + 8*f^2*x^2))) - 3*(d*e - c*f)^(5/2)*(C*(5*d^2*e^2 + 6*c*d*e*f + 5*c^2*f^2) + 8*d*f*(2*A*d*f - B*(d*e + c*f)))*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(192*d^4*f^(7/2)*Sqrt[e + f*x])$

IntegrateAlgebraic [A] time = 0.98, size = 643, normalized size = 1.95

$$\frac{(de - cf)^{5/2} \tanh^{-1}\left(\frac{\sqrt{f}\sqrt{e+fx}}{\sqrt{de-cf}}\right) \left(-36Ad^2f^2 + 88df^3 - 5e^2Cf^2 - 4eCdfe - 5Ce^2f^2\right)}{64d^3f^{15/2}} + \frac{\sqrt{e+fx}(de - cf)^2 \left(\frac{48Ad^2f^2e^2}{c^2d^2f^2} + \frac{48Ad^2f^2e^2cf}{c^2d^2f^2} + \frac{240d^2f^2e^2c^2}{c^2d^2f^2} + \frac{240d^2f^2e^2c^2f}{c^2d^2f^2} + \frac{48Ad^2f^2e^2f^2}{c^2d^2f^2} + \frac{240d^2f^2e^2f^2c}{c^2d^2f^2} - 248df^3e^2 + 248df^3e^2f + \frac{24e^2Cf^2e^2}{c^2d^2f^2} + \frac{24e^2Cf^2e^2f}{c^2d^2f^2} + 15Ce^2f^2e^2 + \frac{24Ce^2f^2e^2f}{c^2d^2f^2} + \frac{24Ce^2f^2e^2f^2}{c^2d^2f^2} + \frac{24Ce^2f^2e^2f^2c}{c^2d^2f^2} + \frac{24Ce^2f^2e^2f^2c^2}{c^2d^2f^2} - 18Ce^2f^2e^2f^2 + 15Ce^2f^2e^2f^2c^2\right)}{192d^3f^7\sqrt{e+fx}\left(\frac{de-cf}{de+fx}-1\right)^2}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2), x]
[Out] ((d*e - c*f)^2*Sqrt[e + f*x]*(15*C*d^2*e^2*f^3 + 18*c*C*d*e*f^4 - 24*B*d^2*e*f^4 + 15*c^2*C*f^5 - 24*B*c*d*f^5 + 48*A*d^2*f^5 + (73*C*d^3*e^2*f^2*(e + f*x))/(c + d*x) - (66*c*C*d^2*e*f^3*(e + f*x))/(c + d*x) - (40*B*d^3*e*f^3*(e + f*x))/(c + d*x) - (55*c^2*C*d*f^4*(e + f*x))/(c + d*x) + (88*B*c*d^2*f^4*(e + f*x))/(c + d*x) - (48*A*d^3*f^4*(e + f*x))/(c + d*x) - (55*C*d^4*e^2*f*(e + f*x)^2)/(c + d*x)^2 - (66*c*C*d^3*e*f^2*(e + f*x)^2)/(c + d*x)^2 + (88*B*d^4*e*f^2*(e + f*x)^2)/(c + d*x)^2 + (73*c^2*C*d^2*f^3*(e + f*x)^2)/(c + d*x)^2 - (40*B*c*d^3*f^3*(e + f*x)^2)/(c + d*x)^2 - (48*A*d^4*f^3*(e + f*x)^2)/(c + d*x)^2 + (15*C*d^5*e^2*(e + f*x)^3)/(c + d*x)^3 + (18*c*C*d^4*e*f*(e + f*x)^3)/(c + d*x)^3 - (24*B*d^5*e*f*(e + f*x)^3)/(c + d*x)^3 + (15*c^2*C*d^3*f^2*(e + f*x)^3)/(c + d*x)^3 - (24*B*c*d^4*f^2*(e + f*x)^3)/(c + d*x)^3 + (48*A*d^5*f^2*(e + f*x)^3)/(c + d*x)^3)/(192*d^3*f^3*Sqrt[c + d*x]*(-f + (d*(e + f*x))/(c + d*x))^4) + ((d*e - c*f)^2*(-5*C*d^2*e^2 - 6*c*C*d*e*f + 8*B*d^2*e*f - 5*c^2*C*f^2 + 8*B*c*d*f^2 - 16*A*d^2*f^2)*ArcTanh[(Sqrt[d]*Sqrt[e + f*x])/(Sqrt[f]*Sqrt[c + d*x])])/(64*d^(7/2)*f^(7/2))
```

fricas [A] time = 0.97, size = 840, normalized size = 2.55

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2), x, algorithm="fricas")
[Out] [1/768*(3*(5*C*d^4*e^4 - 4*(C*c*d^3 + 2*B*d^4)*e^3*f - 2*(C*c^2*d^2 - 4*B*c*d^3 - 8*A*d^4)*e^2*f^2 - 4*(C*c^3*d - 2*B*c^2*d^2 + 8*A*c*d^3)*e*f^3 + (5*C*c^4 - 8*B*c^3*d + 16*A*c^2*d^2)*f^4)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 - 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) + 4*(48*C*d^4*f^4*x^3 + 15*C*d^4*e^3*f - (7*C*c*d^3 + 24*B*d^4)*e^2*f^2 - (7*C*c^2*d^2 - 16*B*c*d^3 - 48*A*d^4)*e*f^3 + 3*(5*C*c^3*d - 8*B*c^2*d^2 + 16*A*c*d^3)*f^4 + 8*(C*d^4*e*f^3 + (C*c*d^3 + 8*B*d^4)*f^4)*x^2 - 2*(5*C*d^4*e^2*f^2 - 2*(C*c*d^3 + 4*B*d^4)*e*f^3 + (5*C*c^2*d^2 - 8*B*c*d^3 - 48*A*d^4)*f^4)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^4*f^4), 1/384*(3*(5*(5*C*d^4*e^4 - 4*(C*c*d^3 + 2*B*d^4)*e^3*f - 2*(C*c^2*d^2 - 4*B*c*d^3 - 8*A*d^4)*e^2*f^2 - 4*(C*c^3*d - 2*B*c^2*d^2 + 8*A*c*d^3)*e*f^3 + (5*C*c^4 - 8*B*c^3*d + 16*A*c^2*d^2)*f^4)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) + 2*(48*C*d^4*f^4*x^3 + 15*C*d^4*e^3*f - (7*C*c*d^3 + 24*B*d^4)*e^2*f^2 - (7*C*c^2*d^2 - 16*B*c*d^3 - 48*A*d^4)*e*f^3 + 3*(5*C*c^3*d - 8*B*c^2*d^2 + 16*A*c*d^3)*f^4 + 8*(C*d^4*e*f^3 + (C*c*d^3 + 8*B*d^4)*f^4)*x^2 - 2*(5*C*d^4*e^2*f^2 - 2*(C*c*d^3 + 4*B*d^4)*e*f^3 + (5*C*c^2*d^2 - 8*B*c*d^3 - 48*A*d^4)*f^4)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^4*f^4)]
```

giac [B] time = 2.33, size = 1103, normalized size = 3.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x, algorithm="giac")
[Out] 1/192*((192*((c*d*f - d^2*e)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e))))/sqrt(d*f) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(qrt(d*x + c))*A*c*abs(d)/d^2 + 8*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d*f^2))*C*c*abs(d)/d^2 + 8*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*(4*(d*x + c)/d^2 - (13*c*d^5*f^4 - d^6*f^3*e)/(d^7*f^4)) + 3*(11*c^2*d^5*f^4 - 2*c*d^6*f^3*e - d^7*f^2*e^2)/(d^7*f^4)) + 3*(5*c^3*f^3 - 3*c^2*d*f^2*e - c*d^2*f*e^2 - d^3*e^3)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d*f^2))*B*abs(d)/d + (sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)/d^3 - (25*c*d^11*f^6 - d^12*f^5*e)/(d^14*f^6)) + (163*c^2*d^11*f^6 - 14*c*d^12*f^5*e - 5*d^13*f^4*e^2)/(d^14*f^6)) - 3*(93*c^3*d^11*f^6 - 15*c^2*d^12*f^5*e - 9*c*d^13*f^4*e^2 - 5*d^14*f^3*e^3)/(d^14*f^6))*sqrt(d*x + c) - 3*(35*c^4*f^4 - 20*c^3*d*f^3*e - 6*c^2*d^2*f^2*e^2 - 4*c*d^3*f*e^3 - 5*d^4*e^4)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^2*f^3))*C*abs(d)/d + 48*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*d*x + 2*c - (5*c*f^2 - d*f*e)/f^2)*sqrt(d*x + c) - (3*c^2*d*f^2 - 2*c*d^2*f*e - d^3*e^2)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*f))*B*c*abs(d)/d^3 + 48*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*d*x + 2*c - (5*c*f^2 - d*f*e)/f^2)*sqrt(d*x + c) - (3*c^2*d*f^2 - 2*c*d^2*f*e - d^3*e^2)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*f))*A*abs(d)/d^2)/d
```

maple [B] time = 0.02, size = 1431, normalized size = 4.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2),x)
[Out] -1/384*(d*x+c)^(1/2)*(f*x+e)^(1/2)*(48*B*(d*f)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*d^3*e^2*f+48*A*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2)*d^4*e^2*f^2+15*C*ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2)*d^4*e^4+48*B*(d*f)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2)*d^4*e^4+48*B*(d*f)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*c^2*d*f^3-1
```

$$\begin{aligned}
& 2*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/ \\
& (d*f)^{(1/2)})*c^3*d*e*f^3-6*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2)})*c^2*d^2*e^2*f^2-12*C*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2})*c*d^3*e^3*f-96*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*c*d^2*f^3-96*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*d^3*e*f^2-96*A*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2})*c*d^3*e*f^3-192*A*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*x*d^3*f^3+24*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2})*c^2*d^2*e*f^3+24*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2})*c*d^3*e^2*f^2-96*C*x^3*d^3*f^3*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*(d*f)^{(1/2)}-24*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2})*c^3*d*f^4-24*B*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2})*d^4*e^3*f^3-0*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*c^3*f^3-30*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*d^3*e^3+48*A*\ln(1/2*(2*d*f*x+2*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*(d*f)^{(1/2)+c*f+d*e})/(d*f)^{(1/2})*c^2*d^2*f^4-128*B*x^2*d^3*f^3*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*(d*f)^{(1/2)}-8*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*x*c*d^2*f^2-32*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*x*c*d^2*f^3-32*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*x*c^2*d*f^3+20*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*x*d^3*e^2*f^2-32*B*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*c*d^2*f^2+14*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*c^2*d*e*f^2+14*C*(d*f)^{(1/2)}*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*c*d^2*f^2-16*C*x^2*c*d^2*f^3*(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*(d*f)^{(1/2)}/(d*f*x^2+c*f*x+d*e*x+c*e))^{(1/2)}*d^3/f^3/(d*f)^{(1/2)}
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)},x, algorithm="maxima")
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?
```

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2),x)`

[Out] \text{Hanged}

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2),x)`

[Out] `Integral(sqrt(c + d*x)*sqrt(e + f*x)*(A + B*x + C*x**2), x)`

3.44
$$\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{a+bx} dx$$

Optimal. Leaf size=450

$$\tanh^{-1}\left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}}\right) \left(16a^3Cd^3f^3 - 8a^2bd^2f^2(2Bdf + cCf + Cde) - 2ab^2df(C(de - cf)^2 - 4df(2Adf + Bcf + Bd^2f + Cdf^2) + 4Bdf^2(c^2 + 2cd + d^2))\right) / 8b^4d^{5/2}f^{5/2}$$

Rubi [A] time = 1.37, antiderivative size = 453, normalized size of antiderivative = 1.01, number of steps used = 9, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.222, Rules used = {1615, 154, 157, 63, 217, 206, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}}\right) \left(16a^3Cd^3f^3 - 8a^2bd^2f^2(2Bdf + cCf + Cde) - 2ab^2df(C(de - cf)^2 - 4df(2Adf + Bcf + Bd^2f + Cdf^2) + 4Bdf^2(c^2 + 2cd + d^2))\right)}{8b^4d^{5/2}f^{5/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x]*(a + B*x + C*x^2))/(a + b*x), x]$

[Out] $((8*a*b*d*f - 4*a*C*(d*e + c*f) + ((b*d*e - b*c*f + 4*a*d*f)*(2*a*C*d*f + b*(C*d*e + c*C*f - 2*B*d*f)))/(b*d*f))*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x])/(8*b^2*d*f) - ((2*a*C*d*f + b*(C*d*e + c*C*f - 2*B*d*f))*\text{Sqrt}[c + d*x]*(e + f*x)^(3/2))/(4*b^2*d*f^2) + (C*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(3*b*d*f) - ((16*a^3*C*d^3*f^3 - 8*a^2*b*d^2*f^2*(C*d*e + c*C*f + 2*B*d*f) - 2*a*b^2*d*f*(C*(d*e - c*f)^2 - 4*d*f*(B*d*e + B*c*f + 2*A*d*f)) - b^3*(C*(d*e - c*f)^2*(d*e + c*f) - 2*d*f*(B*(d*e - c*f)^2 - 4*A*d*f*(d*e + c*f))))*\text{ArcTanh}[(\text{Sqrt}[f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[e + f*x])]/(8*b^4*d^(5/2)*f^(5/2)) - (2*(A*b^2 - a*(b*B - a*C))*\text{Sqrt}[b*c - a*d]*\text{Sqrt}[b*e - a*f]*\text{ArcTanh}[(\text{Sqrt}[b*e - a*f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[b*c - a*d]*\text{Sqrt}[e + f*x]))]/b^4$

Rule 63

```
Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 93

```
Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_))/((e_.) + (f_.)*(x_.)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 154

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] :> Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[((((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/(Rt[a, 2])]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x, x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q}, x]
```

```
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{a+bx} dx &= \frac{C(c+dx)^{3/2}(e+fx)^{3/2}}{3bdf} + \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(\frac{3}{2}b(2Abdf-aC(de+cf))-\frac{3}{2}b(2aCdf+b(e+fx))\right)}{a+bx} \frac{dx}{3b^2df} \\
&= -\frac{(2aCdf+b(Cde+cCf-2Bdf))\sqrt{c+dx}(e+fx)^{3/2}}{4b^2df^2} + \frac{C(c+dx)^{3/2}(e+fx)^{3/2}}{3b^3d^2f^2} \\
&= \frac{(4bdf(2Abdf-aC(de+cf))+(bde-bcf+4adf)(2aCdf+b(Cde+cCf-2Bdf)))}{8b^3d^2f^2} \\
&= \frac{(4bdf(2Abdf-aC(de+cf))+(bde-bcf+4adf)(2aCdf+b(Cde+cCf-2Bdf)))}{8b^3d^2f^2} \\
&= \frac{(4bdf(2Abdf-aC(de+cf))+(bde-bcf+4adf)(2aCdf+b(Cde+cCf-2Bdf)))}{8b^3d^2f^2} \\
&= \frac{(4bdf(2Abdf-aC(de+cf))+(bde-bcf+4adf)(2aCdf+b(Cde+cCf-2Bdf)))}{8b^3d^2f^2}
\end{aligned}$$

Mathematica [B] time = 6.21, size = 1936, normalized size = 4.30

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x), x]
[Out] (2*(A*b^2 - a*b*B + a^2*C)*Sqrt[c + d*x]*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(3/2)*(1/(2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))) + (Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*ArcSi
```

```

nh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f)
) - (c*d*f)/(d*e - c*f)))]/(2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*(1 + (d*f*(c +
d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(3/2)))/
(b^3*Sqrt[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*Sqrt[(d*(e + f*x))
/(d*e - c*f)]) + (2*C*(d*e - c*f)*(c + d*x)^(3/2)*Sqrt[e + f*x]*(1 + (d*f*(c +
d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(5/2)*
((3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*
e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(-1))/2 + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*S
qrt[f]*Sqrt[c + d*x])/((Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*
e - c*f))])]/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]])]*Sqr
t[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))])/(32*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2))/(3*b*d^2*f*(d/((d^2*e)/(d*
e - c*f) - (c*d*f)/(d*e - c*f)))^(3/2)*Sqrt[(d*(e + f*x))/(d*e - c*f)])] +
(2*(-(b*C*e) + b*B*f - a*C*f)*(c + d*x)^(3/2)*Sqrt[e + f*x]*(1 + (d*f*(c +
d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(3/2)*(3/
(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))) + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqr
t[f]*Sqrt[c + d*x])/((Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*
e - c*f))])]/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]])]*Sqr
t[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))])/(16*
d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))))/(3*b^2*d*f*Sqr
t[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*Sqr
t[(d*(e + f*x))/(d*e - c*f)] - ((A*b^2 - a*b*B + a^2*C)*(-(b*c) + a*d)*((2*Sqr
t[f]*Sqr
t[d*e - c*f]*Sqr
t[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*Sqr
t[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqr
t[d]*Sqr
t[f]*Sqr
t[c + d*x])/((Sqr
t[d*e - c*f]*Sqr
t[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])]/(b*d^(3/2)*Sqr
t[e + f*x]) - (2*Sqr
t[-(b*e) + a*f]*ArcTanh[(Sqr
t[-(b*e) + a*f]*Sqr
t[c + d*x])/((Sqr
t[-(b*c) + a*d]*Sqr
t[e + f*x])])/(b*Sqr
t[-(b*c) + a*d]))))/b^3

```

IntegrateAlgebraic [B] time = 1.79, size = 950, normalized size = 2.11

Antiderivative was successfully verified.

[In] **IntegrateAlgebraic[(Sqr
t[c + d*x]*Sqr
t[e + f*x]*(A + B*x + C*x^2))/(a + b*x),x]**

[Out] $((d*e - c*f)*Sqr
t[e + f*x]*(3*b^2*C*d^2*e^2*f^2 - 6*b^2*B*d^2*e*f^3 + 6*a*b$

$$\begin{aligned}
& *C*d^2*e*f^3 - 3*b^2*c^2*C*f^4 + 6*b^2*B*c*d*f^4 - 6*a*b*c*C*d*f^4 + 24*A*b \\
& ^2*d^2*f^4 - 24*a*b*B*d^2*f^4 + 24*a^2*C*d^2*f^4 + (8*b^2*C*d^3*e^2*f*(e + f*x))/(c + d*x) - (16*b^2*c*C*d^2*e*f^2*(e + f*x))/(c + d*x) + (8*b^2*c^2*C \\
& *d*f^3*(e + f*x))/(c + d*x) - (48*A*b^2*d^3*f^3*(e + f*x))/(c + d*x) + (48*a*b*B*d^3*f^3*(e + f*x))/(c + d*x) - (48*a^2*C*d^3*f^3*(e + f*x))/(c + d*x) \\
& - (3*b^2*C*d^4*e^2*(e + f*x)^2)/(c + d*x)^2 + (6*b^2*B*d^4*e*f*(e + f*x)^2) \\
& /(c + d*x)^2 - (6*a*b*C*d^4*e*f*(e + f*x)^2)/(c + d*x)^2 + (3*b^2*c^2*C*d^2*f^2*(e + f*x)^2)/(c + d*x)^2 - (6*b^2*B*c*d^3*f^2*(e + f*x)^2)/(c + d*x)^2 \\
& + (6*a*b*c*C*d^3*f^2*(e + f*x)^2)/(c + d*x)^2 + (24*A*b^2*d^4*f^2*(e + f*x)^2)/(c + d*x)^2 - (24*a*b*B*d^4*f^2*(e + f*x)^2)/(c + d*x)^2 + (24*a^2*C \\
& *d^4*f^2*(e + f*x)^2)/(c + d*x)^2) / (24*b^3*d^2*f^2*Sqrt[c + d*x]*(-f + (d*(e + f*x))/(c + d*x))^3) + (2*(A*b^2 - a*b*B + a^2*C)*Sqrt[b*c - a*d]*Sqrt[-(b*e) + a*f]*ArcTan[(Sqrt[b*c - a*d]*Sqrt[-(b*e) + a*f]*Sqrt[e + f*x])]/((b*e - a*f)*Sqrt[c + d*x])) / b^4 + ((b^3*C*d^3*e^3 - b^3*c*C*d^2*e^2*f - 2*b^3 \\
& *B*d^3*e^2*f + 2*a*b^2*C*d^3*e^2*f - b^3*c^2*C*d*e*f^2 + 4*b^3*B*c*d^2*e*f^2 - 4*a*b^2*c*C*d^2*e*f^2 + 8*A*b^3*d^3*e*f^2 - 8*a*b^2*B*d^3*e*f^2 + 8*a^2 \\
& *b*C*d^3*e*f^2 + b^3*c^3*C*f^3 - 2*b^3*B*c^2*d*f^3 + 2*a*b^2*c^2*C*d*f^3 + 8*A*b^3*c*d^2*f^3 - 8*a*b^2*B*c*d^2*f^3 + 8*a^2*b*c*C*d^2*f^3 - 16*a*A*b^2 \\
& *d^3*f^3 + 16*a^2*b*B*d^3*f^3 - 16*a^3*C*d^3*f^3)*ArcTanh[(Sqrt[d]*Sqrt[e + f*x])/(Sqrt[f]*Sqrt[c + d*x])] / (8*b^4*d^(5/2)*f^(5/2))
\end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a),x, algorithm="fricas")

[Out] Timed out

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INP
UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 1.1

maple [B] time = 0.05, size = 4227, normalized size = 9.39

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a),x)

[Out] -1/48*(d*x+c)^(1/2)*(f*x+e)^(1/2)*(48*C*(d*f)^(1/2)*ln((-2*a*d*f*x+b*c*f*x+
b*d*e*x+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*
x+c*e)^(1/2)*b-a*c*f-a*d*e+2*b*c*e)/(b*x+a))*a^4*d^3*f^3-3*C*ln(1/2*(2*d*f*
x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*((a^2
*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*b^4*c^3*f^3-3*C*ln(1/2*(2*d*f*x+c*f+
d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*((a^2*d*f-
a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*b^4*d^3*e^3+48*B*(d*f)^(1/2)*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b-a*c*f-a*d*e+2*b*c*e)/(b*x+a))*a^2*b^2*c*d^2*f^3-48*A*(d*f)^(1/2)*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b-a*c*f-a*d*e+2*b*c*e)/(b*x+a))*a*b^3*c*d^2*f^3-48*A*(d*f)^(1/2)*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b-a*c*f-a*d*e+2*b*c*e)/(b*x+a))*a*b^3*d^3*e*f^2+48*B*(d*f)^(1/2)*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b-a*c*f-a*d*e+2*b*c*e)/(b*x+a))*a^2*b^2*c*d^2*f^3-24*B*(d*f)^(1/2)*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b-a*c*f-a*d*e+2*b*c*e)/(b*x+a))*a^2*b^2*d^3*e*f^2-24*B*(d*f)^(1/2)*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b-a*c*f-a*d*e+2*b*c*e)/(b*x+a))*a*b^3*c*d^2*f^3+24*B*ln(1/2*(2*d*f*x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)))*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b-a*c*f-a*d*e+2*b*c*e)/(b*x+a))*a^2*b^2*d^3*f^3-16*C*x^2*b^4*d^2*f^2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f)^(1/2))-24*C*ln(1/2*(2*d*f*x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)))*(a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*a^2*b^2*d^3*e*f^2-6*C*ln(1/2*(2*d*f*x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)))*(a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*a*b^3*d^3*e*f^2-12*B*(d*f)^(1/2)*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b^4*c*d*f^2-12*B*(d*f)^(1/2)*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b^4*d^2*e*f-48*C*(d*f)^(1/2)*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*a^2*b^2*d^2*f^2-6*C*ln(1/2*(2*d*f*x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)))*(a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b^4*c^2*d*e*f^2+3*C*ln(1/2*(2*d*f*x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)))*(a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*b^4*c*d^2*e*f^2-12*B*ln(1/2*(2*d*f*x+c*f+d*e+2*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)))*(a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*(d*f*x^2+c*f*x+d*e*x+c*e)^(1/2)*(d*f)^(1/2)*b^4*c*d^2*e*f^2-48*C*(d*f)
```


$d*f)^{(1/2)} * \ln((-2*a*d*f*x + b*c*f*x + b*d*e*x + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c)*e)/b^2)^{(1/2)} * (d*f*x^2 + c*f*x + d*e*x + c*e)^{(1/2)} * b - a*c*f - a*d*e + 2*b*c*e)/(b*x + a)) * a*b^3*c*d^2*e*f^2) / (d*f*x^2 + c*f*x + d*e*x + c*e)^{(1/2)} / b^5 / d^2 / f^2 / (d*f)^{(1/2)} / ((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c)*e) / b^2)^{(1/2)}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}/(b*x+a), x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation **may** help (example of legal syntax is 'assume(2*a*d*f-b*c*f>0)', see `assume?` for more details)Is $2*a*d*f - b*c*f$ -b*d
*e zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f*x)^{(1/2)}*(c + d*x)^{(1/2)}*(A + B*x + C*x^2))/(a + b*x), x)

[Out] \text{Hanged}

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx} \sqrt{e + fx} (A + Bx + Cx^2)}{a + bx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2)/(b*x+a), x)

[Out] Integral(sqrt(c + d*x)*sqrt(e + f*x)*(A + B*x + C*x**2)/(a + b*x), x)

$$3.45 \quad \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^2} dx$$

Optimal. Leaf size=521

$$\frac{\sqrt{c+dx} (e+fx)^{3/2} (3a^2 Cdf - ab(2Bdf + cCf + Cde) + b^2(2Adf + cCe))}{2b^2 f(bc-ad)(be-af)} + \tanh^{-1}\left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}}\right) (24a^2 Cd^2 f^2 - 8a$$

Rubi [A] time = 1.70, antiderivative size = 521, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.222, Rules used = {1613, 154, 157, 63, 217, 206, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{e+fx}}{\sqrt{d} \sqrt{e+fx}}\right) (24a^2 Cd^2 f^2 - 8a^2 Cdf^2 - 8abf(2Bdf + cCf + Cde) + b^2(-3Cdf - cf^2 - 4f(2Bdf + Bef + Bde)))}{4b^2 f^2 (bc-ad)(be-ef)} + \frac{\sqrt{c+dx} \sqrt{e+fx} (12a^2 Cdf^2 - abf(8Bdf + cf^2 - Cdf - bef - Cde - cf^2))}{4b^2 f^2 (bc-ad)(be-ef)} + \frac{\sqrt{c+dx} (e+fx)^{3/2} (3a^2 Cdf - ab(2Bdf + cCf + 3Bcf + 4Cd) + b^2(2Adf + 3Bdf + 4Ce) - b(Be + Ad + 2B))}{32^2 f^2 (bc-ad)(be-ef)} + \frac{\tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{e+fx}}{\sqrt{d} \sqrt{e+fx}}\right) (-a^2 M(4Bdf + 5C(f+df)) + 6a^2 Cdf + ab^2 D(df + 3Bcf + 3Bde + 4Ce) - b^3(Be + Ad + 2B))}{16^2 \sqrt{c+dx} \sqrt{e+fx} (bc-ad)(be-ef)} - \frac{(e+fx)^{3/2} (e-fx)^2 ((A^2 - ab^2 - ac^2))}{16(e+fx)^2 (bc-ad)(be-ef)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^2, x]
[Out] ((12*a^2*C*d*f^2 - a*b*f*(7*C*d*e + c*C*f + 8*B*d*f) + b^2*(4*d*f*(B*e + A*f) - C*e*(d*e - c*f)))*Sqrt[c + d*x]*Sqrt[e + f*x])/(4*b^3*d*f*(b*e - a*f)) + ((3*a^2*C*d*f + b^2*(c*C*e + 2*A*d*f) - a*b*(C*d*e + c*C*f + 2*B*d*f))*Sqrt[c + d*x]*(e + f*x)^(3/2))/(2*b^2*(b*c - a*d)*f*(b*e - a*f)) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(b*(b*c - a*d)*(b*e - a*f)*(a + b*x)) + ((24*a^2*C*d^2*f^2 - 8*a*b*d*f*(C*d*e + c*C*f + 2*B*d*f) - b^2*(C*(d*e - c*f)^2 - 4*d*f*(B*d*e + B*c*f + 2*A*d*f)))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])]/(4*b^4*d^(3/2)*f^(3/2)) + ((6*a^3*C*d*f - b^3*(2*B*c*e + A*d*e + A*c*f) + a*b^2*(4*c*C*e + 3*B*d*e + 3*B*c*f + 2*A*d*f) - a^2*b*(4*B*d*f + 5*C*(d*e + c*f)))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[c + d*x])/(Sqrt[b*c - a*d]*Sqrt[e + f*x])]/(b^4*Sqrt[b*c - a*d]*Sqrt[b*e - a*f])
```

Rule 63

```
Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && Neq[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 93

```
Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)]
```

```
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 154

```
Int[((a_.) + (b_.)*(x_))^(m_)*(c_.) + (d_.)*(x_))^(n_)*(e_.) + (f_.)*(x_)
)^^(p_)*(g_.) + (h_.)*(x_)), x_Symbol] :> Simplify[(h*(a + b*x)^m*(c + d*x)^n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simplify[a*d*f*g*(m + n
+ p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))]*x, x], x] /;
FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[((((c_.) + (d_.)*(x_))^(n_)*(e_.) + (f_.)*(x_))^(p_)*(g_.) + (h_.)*(x_))
)/((a_.) + (b_.)*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /;
FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simplify[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simplify[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1613

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*(c_.) + (d_.)*(x_))^(n_)*(e_.) + (f_.
)*(x_))^(p_.), x_Symbol] :> With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simplify[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e +
f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
```

```

- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^2} dx &= -\frac{(Ab^2 - a(bB - aC))(c+dx)^{3/2}(e+fx)^{3/2}}{b(bc-ad)(be-af)(a+bx)} - \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-\frac{3a^2 C(de+cf)}{b^2(bc-ad)f(be-af)} \right)}{(a+bx)^2} \\
&= \frac{(3a^2 Cdf + b^2(cCe + 2Adf) - ab(Cde + cCf + 2Bdf)) \sqrt{c+dx} (e+fx)^{3/2}}{2b^2(bc-ad)f(be-af)} \\
&= \frac{(12a^2 Cdf^2 - abf(7Cde + cCf + 8Bdf) + b^2(4df(Be + Af) - Ce(de - af))) \sqrt{c+dx} (e+fx)^{3/2}}{4b^3 df(be-af)} \\
&= \frac{(12a^2 Cdf^2 - abf(7Cde + cCf + 8Bdf) + b^2(4df(Be + Af) - Ce(de - af))) \sqrt{c+dx} (e+fx)^{3/2}}{4b^3 df(be-af)} \\
&= \frac{(12a^2 Cdf^2 - abf(7Cde + cCf + 8Bdf) + b^2(4df(Be + Af) - Ce(de - af))) \sqrt{c+dx} (e+fx)^{3/2}}{4b^3 df(be-af)}
\end{aligned}$$

Mathematica [B] time = 6.37, size = 2532, normalized size = 4.86

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^2, x]
```

[Out]
$$\begin{aligned} & -((A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(b*(b*c - a*d)* \\ & (b*e - a*f)*(a + b*x)) + (2*(b*B - 2*a*C)*Sqrt[c + d*x]*Sqrt[e + f*x]*(1 + \\ & (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))) \\ & ^{(3/2)}*(1/(2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d *e - c*f)))))) + (Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d *e - c*f)]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/((Sqrt[d*e - c*f]*Sqrt[(d ^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])/(2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c *f))))^{(3/2)}))]/(b^3*Sqrt[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*S q rt[(d*(e + f*x))/(d*e - c*f)]) + (2*C*(c + d*x)^(3/2)*Sqrt[e + f*x]*(1 + (d *f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(3 /2)}*(3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d *e - c*f)))))) + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c *f)))^{(2*(2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/((Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))]))/(16*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))/((3*b^2*d*Sqrt[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*Sqrt[(d*(e + f*x))/(d*e - c*f)]) + (2*(b*B - 2*a*C)*(b *c - a*d)*(Sqrt[f]*Sqrt[d*e - c*f]*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh [(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]]/(b*d*Sqrt[e + f*x]) - (Sqrt[-(b*e) + a*f]*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/Sqrt[-(b*c) + a*d]*S q rt[e + f*x]])/(b*Sqrt[-(b*c) + a*d]))/b^3 - ((A*b^2 - a*b*B + a^2*C)*((-4 *f*(c + d*x)^(3/2)*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(3/2)}*(3/(4*(1 + (d*f*(c + d*x))/((d *e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))) + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(2*(2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f)))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/((Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f))))]))/(16*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))/((3*Sqrt[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*Sqrt[(d*(e + f*x))/(d *e - c*f)]) + ((2*a*b*d*f + (b*(-2*a*d*f - b*(d*e + c*f)))/2)*((2*Sqrt[c + d*x]*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(3/2)}*(1/(2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))) + (Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/((Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]))]/(2*Sqr t[d]*Sqrt[f]*Sqrt[c + d*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(3/2)})))/(b*Sqr t[d/((d^2*e)/(d*e - c*f) - (c *d*f)/(d*e - c*f))]*Sqr t[(d*(e + f*x))/(d*e - c*f)]) - ((-(b*c) + a*d)*((2*$$

```

Sqrt[f]*Sqrt[d*e - c*f]*Sqrt[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])]/(b*d^(3/2)*Sqrt[e + f*x]) - (2*Sqrt[-(b*e) + a*f]*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/(b*Sqrt[-(b*c) + a*d]))/b))/b)/(b^2*(b*c - a*d)*(b*e - a*f))

```

IntegrateAlgebraic [A] time = 2.76, size = 942, normalized size = 1.81

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^2, x]
```

```
[Out] ((d*e - c*f)*Sqrt[e + f*x]*(-(b^2*C*d*e^2*f) + b^2*c*C*e*f^2 + 4*b^2*B*d*e*f^2 - 7*a*b*C*d*e*f^2 - a*b*c*C*f^3 + 4*A*b^2*d*f^3 - 8*a*b*B*d*f^3 + 12*a^2*C*d*f^3 - (b^2*C*d^2*e^2*(e + f*x))/(c + d*x) + (2*b^2*c*C*d*e*f*(e + f*x))/(c + d*x) - (4*b^2*B*d^2*e*f*(e + f*x))/(c + d*x) + (8*a*b*C*d^2*e*f*(e + f*x))/(c + d*x) - (b^2*c^2*C*f^2*(e + f*x))/(c + d*x) - (4*b^2*B*c*d*f^2*(e + f*x))/(c + d*x) + (8*a*b*c*C*d*f^2*(e + f*x))/(c + d*x) - (8*A*b^2*d^2*f^2*(e + f*x))/(c + d*x) + (16*a*b*B*d^2*f^2*(e + f*x))/(c + d*x) - (24*a^2*C*d^2*f^2*(e + f*x))/(c + d*x) + (b^2*c*C*d^2*e^2*(e + f*x)^2)/(c + d*x)^2 - (a*b*C*d^3*e^2*(e + f*x)^2)/(c + d*x)^2 - (b^2*c^2*C*d*f^2*(e + f*x)^2)/(c + d*x)^2 + (4*b^2*B*c*d^2*f^2*(e + f*x)^2)/(c + d*x)^2 - (7*a*b*c*C*d^2*f^2*(e + f*x)^2)/(c + d*x)^2 + (4*A*b^2*d^3*f^2*(e + f*x)^2)/(c + d*x)^2 - (8*a*b*B*d^3*f^2*(e + f*x)^2)/(c + d*x)^2 + (12*a^2*C*d^3*f^2*(e + f*x)^2)/(c + d*x)^2)/(4*b^3*d*f*Sqrt[c + d*x]*(-f + (d*(e + f*x))/(c + d*x))^2*(-(b*e) + a*f + (b*c*(e + f*x))/(c + d*x) - (a*d*(e + f*x))/(c + d*x))) + ((-2*b^3*B*c*e + 4*a*b^2*c*C*e - A*b^3*d*e + 3*a*b^2*B*d*e - 5*a^2*b*C*d*e - A*b^3*c*f + 3*a*b^2*B*c*f - 5*a^2*b*c*C*f + 2*a*A*b^2*d*f - 4*a^2*b*B*d*f + 6*a^3*C*d*f)*ArcTan[(Sqrt[b*c - a*d]*Sqrt[-(b*e) + a*f]*Sqrt[e + f*x])/((b*e - a*f)*Sqrt[c + d*x])]/(b^4*Sqrt[b*c - a*d]*Sqrt[-(b*e) + a*f]) + ((-(b^2*C*d^2*e^2) + 2*b^2*c*C*d*e*f + 4*b^2*B*d^2*e*f - 8*a*b*C*d^2*e*f - b^2*c^2*C*f^2 + 4*b^2*B*c*d*f^2 - 8*a*b*c*C*d*f^2 + 8*A*b^2*d^2*f^2 - 16*a*b*B*d^2*f^2 + 24*a^2*C*d^2*f^2)*ArcTanh[(Sqrt[d]*Sqrt[e + f*x])/(Sqrt[f]*Sqrt[c + d*x])]/(4*b^4*d^(3/2)*f^(3/2)))
```

fricas [$F(-1)$] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^2,x, algorithm="fricas")`

[Out] Timed out

giac [B] time = 13.12, size = 1585, normalized size = 3.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^2,x, algorithm="giac")`

[Out]
$$\begin{aligned} & \frac{1}{4} \sqrt{(d*x + c)*d*f - c*d*f + d^2*e} * \sqrt{d*x + c} * (2*(d*x + c)*C*abs(d) \\ & / (b^2*d^3) - (C*b^7*c*d^3*f^2*abs(d) + 8*C*a*b^6*d^4*f^2*abs(d) - 4*B*b^7*d \\ & ^4*f^2*abs(d) - C*b^7*d^4*f*abs(d)*e) / (b^9*d^6*f^2)) - (5*sqrt(d*f)*C*a^2*b \\ & *c*f*abs(d) - 3*sqrt(d*f)*B*a*b^2*c*f*abs(d) + sqrt(d*f)*A*b^3*c*f*abs(d) - \\ & 6*sqrt(d*f)*C*a^3*d*f*abs(d) + 4*sqrt(d*f)*B*a^2*b*d*f*abs(d) - 2*sqrt(d*f) \\ &) * A*a*b^2*d*f*abs(d) - 4*sqrt(d*f)*C*a*b^2*c*abs(d)*e + 2*sqrt(d*f)*B*b^3*c \\ & *abs(d)*e + 5*sqrt(d*f)*C*a^2*b*d*abs(d)*e - 3*sqrt(d*f)*B*a*b^2*d*abs(d)*e \\ & + sqrt(d*f)*A*b^3*d*abs(d)*e) * arctan(-1/2 * (b*c*d*f - 2*a*d^2*f + b*d^2*e - \\ & (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*b) / (sqrt \\ & (a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e)*d)) / (sqrt(a*b*c*d*f \\ & ^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e)*b^4*d) - 2 * (sqrt(d*f)*C*a^2*b \\ & *c^2*d*f^2*abs(d) - sqrt(d*f)*B*a*b^2*c^2*d*f^2*abs(d) + sqrt(d*f)*A*b^3*c^ \\ & 2*d*f^2*abs(d) - 2*sqrt(d*f)*C*a^2*b*c*d^2*f*abs(d)*e + 2*sqrt(d*f)*B*a*b^2 \\ & *c*d^2*f*abs(d)*e - 2*sqrt(d*f)*A*b^3*c*d^2*f*abs(d)*e - sqrt(d*f) * (sqrt(d*f) \\ & *sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2 * C*a^2*b*c*f*abs(d) \\ & + sqrt(d*f) * (sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e)))^2 * B*a^ \\ & 2*b*d*f*abs(d) + 2*sqrt(d*f) * (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f \\ & - c*d*f + d^2*e)))^2 * A*b^3*c*f*abs(d) + 2*sqrt(d*f) * (sqrt(d*f)*sqrt(d \\ & *x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e)))^2 * C*a^3*d*f*abs(d) - 2*sqrt(d \\ & *f) * (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e)))^2 * B*a^ \\ & 2*b*d*f*abs(d) + 2*sqrt(d*f) * (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f \\ & - c*d*f + d^2*e)))^2 * A*a*b^2*d*f*abs(d) + sqrt(d*f)*C*a^2*b*d^3*abs(d)*e^2 - \\ & sqrt(d*f)*B*a*b^2*d^3*abs(d)*e^2 + sqrt(d*f)*A*b^3*d^3*abs(d)*e^2 - sqrt(d \\ & *f) * (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e)))^2 * C*a^2 \\ & *b*d*abs(d)*e + sqrt(d*f) * (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c \\ & *d*f + d^2*e)))^2 * B*a*b^2*d*abs(d)*e - sqrt(d*f) * (sqrt(d*f)*sqrt(d*x + c) - \\ & sqrt((d*x + c)*d*f - c*d*f + d^2*e)))^2 * A*b^3*d*abs(d)*e) / ((b*c^2*d^2*f^2 - \\ & 2*b*c*d^3*f*e - 2 * (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d \\ & ^2*e)))^2 * b*c*d*f + 4 * (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f \\ & + d^2*e)))^2 * a*d^2*f + b*d^4*e^2 - 2 * (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + \\ & c)*d*f - c*d*f + d^2*e)))^2 * b*d^2*e + (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + \\ & c)*d*f - c*d*f + d^2*e)))^4 * b^4) + 1/8 * (sqrt(d*f)*C*b^2*c^2*f^2*abs(d) + \\ & 8*sqrt(d*f)*C*a*b*c*d*f^2*abs(d) - 4*sqrt(d*f)*B*b^2*c*d*f^2*abs(d) - 24*s \end{aligned}$$

```
qrt(d*f)*C*a^2*d^2*f^2*abs(d) + 16*sqrt(d*f)*B*a*b*d^2*f^2*abs(d) - 8*sqrt(
d*f)*A*b^2*d^2*f^2*abs(d) - 2*sqrt(d*f)*C*b^2*c*d*f*abs(d)*e + 8*sqrt(d*f)*
C*a*b*d^2*f*abs(d)*e - 4*sqrt(d*f)*B*b^2*d^2*f*abs(d)*e + sqrt(d*f)*C*b^2*d
^2*abs(d)*e^2)*log((sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f +
d^2*e))^2)/(b^4*d^3*f^2)
```

maple [B] time = 0.05, size = 5051, normalized size = 9.69

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^2,x)

[Out] result too large to display

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^2,x, algorithm=
"maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(2*a*d*f-b*c*f>0)', see `assume?` fo
r more details) Is 2*a*d*f-b*c*f
-b*d
*
e zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^2,x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2)/(b*x+a)**2,x)

[Out] Timed out

$$3.46 \quad \int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^3} dx$$

Optimal. Leaf size=658

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (12a^3Cdf^2 - a^2bf(4Bdf + 11cCf + 17Cde) + ab^2(Bf(3cf + 5de) + 4Ce(4cf + de)) - b^3(c(4b^3(bc - ad)(be - af)^2$$

Rubi [A] time = 2.68, antiderivative size = 657, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.250, Rules used = {1613, 149, 154, 157, 63, 217, 206, 93, 208}

$$\frac{\text{Integrate}\left(\frac{\sqrt{c+dx} \sqrt{e+fx} (12a^3Cdf^2 - a^2bf(4Bdf + 11cCf + 17Cde) + ab^2(Bf(3cf + 5de) + 4Ce(4cf + de)) - b^3(c(4b^3(bc - ad)(be - af)^2}{(a+bx)^3}, x\right)}{4b^3(bc - ad)(be - af)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^3, x]
[Out] -((12*a^3*C*d*f^2 - a^2*b*f*(17*C*d*e + 11*c*C*f + 4*B*d*f) - b^3*(4*c*C*e^2 + A*d*e*f + c*f*(4*B*e - A*f)) + a*b^2*(B*f*(5*d*e + 3*c*f) + 4*C*e*(d*e + 4*c*f)))*Sqrt[c + d*x]*Sqrt[e + f*x])/(4*b^3*(b*c - a*d)*(b*e - a*f)^2) + ((6*a^3*C*d*f - b^3*(4*B*c*e - A*d*e - A*c*f) + a*b^2*(8*c*C*e + 3*B*d*e + 3*B*c*f - 2*A*d*f) - a^2*b*(2*B*d*f + 7*C*(d*e + c*f)))*Sqrt[c + d*x]*(e + f*x)^(3/2))/(4*b^2*(b*c - a*d)*(b*e - a*f)^2*(a + b*x)) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(2*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^2) - ((6*a*C*d*f - b*(C*d*e + c*C*f + 2*B*d*f))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])])/(b^4*Sqrt[d]*Sqrt[f]) - ((24*a^4*C*d^2*f^2 - 3*a*b^3*(B*d^2*e^2 + c^2*f*(8*C*e + B*f) + 2*c*d*e*(4*C*e + 3*B*f)) - 8*a^3*b*d*f*(B*d*f + 5*C*(d*e + c*f)) - b^4*(A*d^2*e^2 - 2*c*d*e*(2*B*e + A*f) - c^2*(8*C*e^2 + 4*B*e*f - A*f^2)) + 3*a^2*b^2*(4*B*d*f*(d*e + c*f) + C*(5*d^2*e^2 + 22*c*d*e*f + 5*c^2*f^2)))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[c + d*x])/(Sqrt[b*c - a*d]*Sqrt[e + f*x])])/(4*b^4*(b*c - a*d)^(3/2)*(b*e - a*f)^(3/2))
```

Rule 63

```
Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 93

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^n_)/((e_) + (f_)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x}] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 149

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_)), x_Symbol] :> Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g - e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegerQ[m]
```

Rule 154

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_)), x_Symbol] :> Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[((c_) + (d_)*(x_))^n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_))/((a_) + (b_)*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],  
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1613

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_  
.)*(x_))^(p_.), x_Symbol] :> With[{Qx = PolynomialQuotient[Px, a + b*x, x],  
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c +  
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di  
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(  
e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)  
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],  
x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -  
1] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} \sqrt{e+fx} (A+Bx+Cx^2)}{(a+bx)^3} dx &= -\frac{(Ab^2 - a(bB - aC))(c+dx)^{3/2}(e+fx)^{3/2}}{2b(bc-ad)(be-af)(a+bx)^2} - \int \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-\frac{3a^2C(de+cf)}{4}\right)}{4b^3(bc-ad)(be-af)^2(a+bx)^4} \\
&= \frac{(6a^3Cdf - b^3(4Bce - Ade - Acf) + ab^2(8cCe + 3Bde + 3Bcf - 2Adf))}{4b^2(bc-ad)(be-af)^2(a+bx)^4} \\
&= -\frac{(12a^3Cdf^2 - a^2bf(17Cde + 11cCf + 4Bdf) - b^3(4cCe^2 + Ade^2 + Adef + cBe^2 + Bde^2 + Bcf^2))}{4b^3(bc-ad)(be-af)^2(a+bx)^5} \\
&= -\frac{(12a^3Cdf^2 - a^2bf(17Cde + 11cCf + 4Bdf) - b^3(4cCe^2 + Ade^2 + Adef + cBe^2 + Bde^2 + Bcf^2))}{4b^3(bc-ad)(be-af)^2(a+bx)^5} \\
&= -\frac{(12a^3Cdf^2 - a^2bf(17Cde + 11cCf + 4Bdf) - b^3(4cCe^2 + Ade^2 + Adef + cBe^2 + Bde^2 + Bcf^2))}{4b^3(bc-ad)(be-af)^2(a+bx)^5}
\end{aligned}$$

Mathematica [B] time = 6.44, size = 2150, normalized size = 3.27

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[c + d*x]*Sqrt[e + f*x]*(A + B*x + C*x^2))/(a + b*x)^3, x]
[Out] -1/2*((A*b^2 - a*(b*B - a*C))*Sqrt[c + d*x]*(e + f*x)^(3/2))/(b^2*(b*e - a*f)*(a + b*x)^2) - ((b*B - 2*a*C)*(c + d*x)^(3/2)*(e + f*x)^(3/2))/(b*(b*c - a*d)*(b*e - a*f)*(a + b*x)) + (2*C*Sqrt[c + d*x]*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(3/2)*(1/(2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))) + (Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])
```

$f)] * \text{ArcSinh}[(\sqrt{d} * \sqrt{f} * \sqrt{c + d*x}) / (\sqrt{d*e - c*f} * \sqrt{(d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f)}]) / (2 * \sqrt{d} * \sqrt{f} * \sqrt{c + d*x} * (1 + (d*f*(c + d*x)) / ((d*e - c*f) * ((d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f))))^{(3/2)})] / (b^3 * \sqrt{d / ((d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f))} * \sqrt{(d*(e + f*x)) / (d*e - c*f)}) + (2*C*(b*c - a*d) * ((\sqrt{f} * \sqrt{d*e - c*f} * \sqrt{(d*(e + f*x)) / (d*e - c*f)}) * \text{ArcSinh}[(\sqrt{f} * \sqrt{c + d*x}) / \sqrt{d*e - c*f}]) / (b*d * \sqrt{e + f*x}) - (\sqrt{-(b*e) + a*f} * \text{ArcTanh}[(\sqrt{-(b*e) + a*f} * \sqrt{c + d*x}) / (\sqrt{-(b*c) + a*d} * \sqrt{e + f*x})]) / (b * \sqrt{-(b*c) + a*d})) / b^3 - ((A*b^2 - a*(b*B - a*C)) * (d*e - c*f) * ((\sqrt{c + d*x} * \sqrt{e + f*x}) / ((b*c - a*d)*(a + b*x))) - ((d*e - c*f) * \text{ArcTanh}[(\sqrt{-(b*e) + a*f} * \sqrt{c + d*x}) / (\sqrt{-(b*c) + a*d} * \sqrt{e + f*x})]) / ((-(b*c) + a*d)^{(3/2)} * \sqrt{-(b*e) + a*f})) / (4 * b^2 * (b*e - a*f)) - ((b*B - 2*a*C) * ((-4*f*(c + d*x)^{(3/2)} * \sqrt{e + f*x}) * (1 + (d*f*(c + d*x)) / ((d*e - c*f) * ((d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f))))^{(3/2)} * (3 / (4 * (1 + (d*f*(c + d*x)) / ((d*e - c*f) * ((d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f))))^{(3/2)} * (2 * d*f*(c + d*x)) / ((d*e - c*f) * ((d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f)))^{(2 * (2 * d*f*(c + d*x)) / ((d*e - c*f) * ((d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f)))) - (2 * \sqrt{d} * \sqrt{f} * \sqrt{c + d*x} * \text{ArcSinh}[(\sqrt{d} * \sqrt{f} * \sqrt{c + d*x}) / (\sqrt{d*e - c*f} * \sqrt{(d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f)})] / (\sqrt{d*e - c*f} * \sqrt{(d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f)}) * \sqrt{[1 + (d*f*(c + d*x)) / ((d*e - c*f) * ((d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f)))]) / (16 * d^2 * f^2 * (c + d*x)^2 * (1 + (d*f*(c + d*x)) / ((d*e - c*f) * ((d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f)))) / ((3 * \sqrt{d / ((d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f))) * \sqrt{((d*(e + f*x)) / (d*e - c*f))} + ((2*a*b*d*f + (b*(-2*a*d*f - b*(d*e + c*f))) / 2) * ((2 * \sqrt{c + d*x} * \sqrt{e + f*x}) * (1 + (d*f*(c + d*x)) / ((d*e - c*f) * ((d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f))))^{(3/2)} * (1 / (2 * (1 + (d*f*(c + d*x)) / ((d*e - c*f) * ((d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f)))))) + (\sqrt{d*e - c*f} * \sqrt{(d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f)} * \text{ArcSinh}[(\sqrt{d} * \sqrt{f} * \sqrt{c + d*x}) / (\sqrt{d*e - c*f} * \sqrt{(d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f)})] / (2 * \sqrt{d} * \sqrt{f} * \sqrt{c + d*x} * (1 + (d*f*(c + d*x)) / ((d*e - c*f) * ((d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f))))^{(3/2)})] / (b * \sqrt{d / ((d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f))} * \sqrt{((d*(e + f*x)) / (d*e - c*f))} - ((-(b*c) + a*d) * ((2 * \sqrt{f} * \sqrt{d*e - c*f} * \sqrt{d / ((d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f))} * \sqrt{((d*(e + f*x)) / (d*e - c*f))} * \text{ArcSinh}[(\sqrt{d} * \sqrt{f} * \sqrt{c + d*x}) / (\sqrt{d*e - c*f} * \sqrt{(d^2*e) / (d*e - c*f) - (c*d*f) / (d*e - c*f)})] / (b * d^{(3/2)} * \sqrt{e + f*x}) - (2 * \sqrt{-(b*e) + a*f} * \text{ArcTanh}[(\sqrt{-(b*e) + a*f} * \sqrt{c + d*x}) / (\sqrt{-(b*c) + a*d} * \sqrt{e + f*x})]) / (b * \sqrt{-(b*c) + a*d} * (b*e - a*f)))$

IntegrateAlgebraic [B] time = 6.13, size = 1687, normalized size = 2.56

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[($\sqrt{c + d*x} * \sqrt{e + f*x} * (A + B*x + C*x^2)) / (a + b*x)$

)^3, x]

[Out]
$$\begin{aligned} & -1/4*((-(d*e) + c*f)*\text{Sqrt}[e + f*x]*(4*b^4*c*C*e^3 - 4*a*b^3*C*d*e^3 + 4*b^4 \\ & *B*c*e^2*f - 20*a*b^3*c*C*e^2*f + A*b^4*d*e^2*f - 5*a*b^3*B*d*e^2*f + 21*a^2 \\ & *b^2*C*d*e^2*f - A*b^4*c*e*f^2 - 7*a*b^3*B*c*e*f^2 + 27*a^2*b^2*c*C*e*f^2 \\ & - a*A*b^3*d*e*f^2 + 9*a^2*b^2*B*d*e*f^2 - 29*a^3*b*C*d*e*f^2 + a*A*b^3*c*f^3 \\ & + 3*a^2*b^2*B*c*f^3 - 11*a^3*b*c*C*f^3 - 4*a^3*b*B*d*f^3 + 12*a^4*C*d*f^3 \\ & - (8*b^4*c^2*C*e^2*(e + f*x))/(c + d*x) - (4*b^4*B*c*d*e^2*(e + f*x))/(c + d*x) \\ & + (24*a*b^3*c*C*d*e^2*(e + f*x))/(c + d*x) - (A*b^4*d^2*e^2*(e + f*x))/(c + d*x) \\ & + (5*a*b^3*B*d^2*e^2*(e + f*x))/(c + d*x) - (17*a^2*b^2*C*d^2*e^2*(e + f*x)) \\ & - (4*b^4*B*c^2*e*f*(e + f*x))/(c + d*x) + (24*a*b^3*c^2*C*e*f*(e + f*x))/(c + d*x) \\ & + (14*a*b^3*B*c*d*e*f*(e + f*x))/(c + d*x) - (62*a^2*b^2*c*C*d*e*f*(e + f*x))/(c + d*x) \\ & - (12*a^2*b^2*B*d^2*e*f*(e + f*x))/(c + d*x) + (40*a^3*b*C*d^2*e*f*(e + f*x))/(c + d*x) \\ & + (5*a*b^3*B*c^2*f^2*(e + f*x))/(c + d*x) - (A*b^4*c^2*f^2*(e + f*x))/(c + d*x) \\ & - (17*a^2*b^2*c^2*C*f^2*(e + f*x))/(c + d*x) - (12*a^2*b^2*B*c*d*f^2*(e + f*x))/(c + d*x) \\ & + (40*a^3*b*c*C*d*f^2*(e + f*x))/(c + d*x) + (8*a^3*b*B*d^2*f^2*(e + f*x))/(c + d*x) \\ & - (24*a^4*C*d^2*f^2*(e + f*x))/(c + d*x) + (4*b^4*c^3*C*e*(e + f*x)^2)/(c + d*x)^2 + (4*b^4*B*c^2 \\ & *d*e*(e + f*x)^2)/(c + d*x)^2 - (20*a*b^3*c^2*C*d*e*(e + f*x)^2)/(c + d*x)^2 \\ & - (A*b^4*c*d^2*e*(e + f*x)^2)/(c + d*x)^2 - (7*a*b^3*B*c*d^2*e*(e + f*x)^2)/(c + d*x)^2 \\ & + (27*a^2*b^2*c*C*d^2*e*(e + f*x)^2)/(c + d*x)^2 + (a*A*b^3*d^3*e*(e + f*x)^2)/(c + d*x)^2 \\ & - (11*a^3*b*C*d^3*e*(e + f*x)^2)/(c + d*x)^2 - (4*a*b^3*c^3*C*f*(e + f*x)^2)/(c + d*x)^2 \\ & + (A*b^4*c^2*d*f*(e + f*x)^2)/(c + d*x)^2 - (5*a*b^3*B*c^2*d*f*(e + f*x)^2)/(c + d*x)^2 \\ & + (21*a^2*b^2*c^2*C*d*f*(e + f*x)^2)/(c + d*x)^2 - (a*A*b^3*c*d^2*f*(e + f*x)^2)/(c + d*x)^2 \\ & + (9*a^2*b^2*B*c*d^2*f*(e + f*x)^2)/(c + d*x)^2 - (29*a^3*b*c*C*d^2*f*(e + f*x)^2)/(c + d*x)^2 \\ & - (4*a^3*b*B*d^3*f*(e + f*x)^2)/(c + d*x)^2 + (12*a^4*C*d^3*f*(e + f*x)^2)/(c + d*x)^2 \\ &)/(b^3*(b*c - a*d)*(b*e - a*f)*\text{Sqrt}[c + d*x]*(-f + (d*(e + f*x))/(c + d*x))*(-b*e) + a*f + (b*c*(e + f*x))/(c + d*x) - (a*d*(e + f*x))/(c + d*x))^2 \\ & + ((-8*b^4*c^2*C*e^2 - 4*b^4*B*c*d*e^2 + 24*a*b^3*c*C*d*e^2 + A*b^4*d^2 \\ & *e^2 + 3*a*b^3*B*d^2*e^2 - 15*a^2*b^2*C*d^2*e^2 - 4*b^4*B*c^2*e*f + 24*a*b^3*c^2*C*e*f - 2*A*b^4*c*d*e*f + 18*a*b^3*B*c*d*e*f - 66*a^2*b^2*c*C*d*e*f - 12*a^2*b^2*B*d^2*e*f + 40*a^3*b*c*D^2*e*f + A*b^4*c^2*f^2 + 3*a*b^3*B*c^2*f^2 - 15*a^2*b^2*c^2*C*f^2 - 12*a^2*b^2*B*c*d*f^2 + 40*a^3*b*c*C*d*f^2 + 8*a^3*b*B*d^2*f^2 - 24*a^4*C*d^2*f^2)*\text{ArcTan}[(\text{Sqrt}[b*c - a*d]*\text{Sqrt}[-(b*e) + a*f]*\text{Sqrt}[e + f*x])/((b*e - a*f)*\text{Sqrt}[c + d*x])]/(4*b^4*(b*c - a*d)^(3/2)*(b*e - a*f)*\text{Sqrt}[-(b*e) + a*f]) + ((b*c*d*e + b*c*C*f + 2*b*B*d*f - 6*a*C*d*f)*\text{ArcTanh}[(\text{Sqrt}[d]*\text{Sqrt}[e + f*x])/(\text{Sqrt}[f]*\text{Sqrt}[c + d*x])]/(b^4*\text{Sqrt}[d]*\text{Sqrt}[f])) \end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^3,x, algorithm="fricas")`

[Out] Timed out

giac [B] time = 39.57, size = 8347, normalized size = 12.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^3,x, algorithm="giac")`

[Out]
$$\begin{aligned} & 1/4 * (15 * \sqrt(d*f) * C*a^2 * b^2 * c^2 * f^2 * \text{abs}(d) - 3 * \sqrt(d*f) * B*a*b^3*c^2*f^2*ab \\ & s(d) - \sqrt(d*f) * A*b^4*c^2*f^2* \text{abs}(d) - 40 * \sqrt(d*f) * C*a^3*b*c*d*f^2* \text{abs}(d) \\ & + 12 * \sqrt(d*f) * B*a^2*b^2*c*d*f^2* \text{abs}(d) + 24 * \sqrt(d*f) * C*a^4*d^2*f^2* \text{abs}(d) \\ &) - 8 * \sqrt(d*f) * B*a^3*b*d^2*f^2* \text{abs}(d) - 24 * \sqrt(d*f) * C*a*b^3*c^2*f* \text{abs}(d)* \\ & e + 4 * \sqrt(d*f) * B*b^4*c^2*f* \text{abs}(d)*e + 66 * \sqrt(d*f) * C*a^2*b^2*c*d*f* \text{abs}(d)* \\ & e - 18 * \sqrt(d*f) * B*a*b^3*c*d*f* \text{abs}(d)*e + 2 * \sqrt(d*f) * A*b^4*c*d*f* \text{abs}(d)* \\ & e - 40 * \sqrt(d*f) * C*a^3*b*d^2*f* \text{abs}(d)*e + 12 * \sqrt(d*f) * B*a^2*b^2*d^2*f* \text{abs}(d) \\ & *e + 8 * \sqrt(d*f) * C*b^4*c^2* \text{abs}(d)*e^2 - 24 * \sqrt(d*f) * C*a*b^3*c*d* \text{abs}(d)*e^2 \\ & + 4 * \sqrt(d*f) * B*b^4*c*d* \text{abs}(d)*e^2 + 15 * \sqrt(d*f) * C*a^2*b^2*d^2* \text{abs}(d)*e^2 \\ & - 3 * \sqrt(d*f) * B*a*b^3*d^2* \text{abs}(d)*e^2 - \sqrt(d*f) * A*b^4*d^2* \text{abs}(d)*e^2 * \text{arc} \\ & \tan(-1/2 * (b*c*d*f - 2*a*d^2*f + b*d^2*e - (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((\\ & d*x + c)*d*f - c*d*f + d^2*e))^2*b) / (\sqrt(a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c \\ & *d*f*e + a*b*d^2*f*e)*d)) / ((a*b^5*c*f - a^2*b^4*d*f - b^6*c*e + a*b^5*d*e)* \\ & \sqrt(a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e)*d) + 1/2 * (9 * \sqrt \\ & (d*f) * C*a^2*b^3*c^5*d^3*f^5* \text{abs}(d) - 5 * \sqrt(d*f) * B*a*b^4*c^5*d^3*f^5* \text{abs}(d) \\ & + \sqrt(d*f) * A*b^5*c^5*d^3*f^5* \text{abs}(d) - 10 * \sqrt(d*f) * C*a^3*b^2*c^4*d^4*f^5 \\ & * \text{abs}(d) + 6 * \sqrt(d*f) * B*a^2*b^3*c^4*d^4*f^5* \text{abs}(d) - 2 * \sqrt(d*f) * A*a*b^4*c^ \\ & 4*d^4*f^5* \text{abs}(d) - 8 * \sqrt(d*f) * C*a*b^4*c^5*d^3*f^4* \text{abs}(d)*e + 4 * \sqrt(d*f) * B \\ & *b^5*c^5*d^3*f^4* \text{abs}(d)*e - 27 * \sqrt(d*f) * C*a^2*b^3*c^4*d^4*f^4* \text{abs}(d)*e + 1 \\ & 5 * \sqrt(d*f) * B*a*b^4*c^4*d^4*f^4* \text{abs}(d)*e - 3 * \sqrt(d*f) * A*b^5*c^4*d^4*f^4* \\ & a*b*s(d)*e + 40 * \sqrt(d*f) * C*a^3*b^2*c^3*d^5*f^4* \text{abs}(d)*e - 24 * \sqrt(d*f) * B*a^2*b \\ & ^3*c^3*d^5*f^4* \text{abs}(d)*e + 8 * \sqrt(d*f) * A*a*b^4*c^3*d^5*f^4* \text{abs}(d)*e - 27 * \sqrt \\ & (d*f) * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C \\ & a^2*b^3*c^4*d^2*f^4* \text{abs}(d) + 15 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((\\ & d*x + c)*d*f - c*d*f + d^2*e))^2*B*a*b^4*c^4*d^2*f^4* \text{abs}(d) - 3 * \sqrt(d*f) * \\ & (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*A*b^5*c^4* \\ & d^2*f^4* \text{abs}(d) + 80 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f \\ & - c*d*f + d^2*e))^2*C*a^3*b^2*c^3*d^3*f^4* \text{abs}(d) - 44 * \sqrt(d*f) * (\sqrt(d*f) * \\ & \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a^2*b^3*c^3*d^3*f \\ & ^4* \text{abs}(d) + 8 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d \\ & *f + d^2*e))^2*A*a*b^4*c^3*d^3*f^4* \text{abs}(d) - 56 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*$$

$$\begin{aligned}
& x + c) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * C*a^4 * b*c^2 * d^4 * f^4 * \text{abs}(d) \\
& + 32 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * B*a^3 * b^2 * c^2 * d^4 * f^4 * \text{abs}(d) \\
& - 8 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * A*a^2 * b^3 * c^3 * d^4 * f^4 * \text{abs}(d) \\
& + 32 * \sqrt{d*f} * C*a*b^4 * c^4 * d^4 * f^3 * \text{abs}(d) * e^2 - 16 * \sqrt{d*f} * B*b^5 * c^4 * d^4 * f^3 * \text{ab} \\
& s(d) * e^2 + 18 * \sqrt{d*f} * C*a^2 * b^3 * c^3 * d^5 * f^3 * \text{abs}(d) * e^2 - 10 * \sqrt{d*f} * B*a \\
& * b^4 * c^3 * d^5 * f^3 * \text{abs}(d) * e^2 + 2 * \sqrt{d*f} * A*b^5 * c^3 * d^5 * f^3 * \text{abs}(d) * e^2 - 60 \\
& * \sqrt{d*f} * C*a^3 * b^2 * c^2 * d^6 * f^3 * \text{abs}(d) * e^2 + 36 * \sqrt{d*f} * B*a^2 * b^3 * c^2 * d^6 * f^3 * \text{ab} \\
& s(d) * e^2 - 12 * \sqrt{d*f} * A*a*b^4 * c^2 * d^6 * f^3 * \text{abs}(d) * e^2 + 24 * \sqrt{d*f} * (\\
& \sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * C*a^2 * b^3 * c^3 * \\
& d^3 * f^3 * \text{abs}(d) * e + 20 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)* \\
& d*f - c*d*f + d^2*e})^2 * B*a*b^4 * c^3 * d^3 * f^3 * \text{abs}(d) * e + 4 * \sqrt{d*f} * (\sqrt{d*f} * \\
& \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * A*b^5 * c^3 * d^3 * f^3 * \\
& \text{abs}(d) * e - 80 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c* \\
& d*f + d^2*e})^2 * C*a^3 * b^2 * c^2 * d^4 * f^3 * \text{abs}(d) * e + 44 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \\
& \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * B*a^2 * b^3 * c^2 * d^4 * f^3 * \text{abs}(d) * e - 8 * \sqrt{d*f} * \\
& (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * A*a^2 * b^4 * c^2 * d^5 * f^3 * \text{ab} \\
& s(d) * e - 64 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * B*a^3 * b^2 * c^2 * d^5 * f^3 * \text{ab} \\
& s(d) * e + 16 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * A*a^2 * b^3 * c^2 * d^5 * f^3 * \text{ab} \\
& s(d) * e - 102 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * C*a^3 * b^2 * c^2 * d^2 * f^3 * \text{ab} \\
& s(d) * e + 58 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * B*a^2 * b^3 * c^2 * d^2 * f^3 * \text{ab} \\
& s(d) - 14 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * A*a^2 * b^4 * c^2 * d^2 * f^3 * \text{ab} \\
& s(d) + 152 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * C*a^4 * b*c*d^3 * f^3 * \text{ab} \\
& s(d) - 88 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * B*a^3 * b^2 * c^2 * d^3 * f^3 * \text{ab} \\
& s(d) + 24 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * A*a^2 * b^3 * c^2 * d^3 * f^3 * \text{ab} \\
& s(d) - 80 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * C*a^5 * d^4 * f^3 * \text{ab} \\
& s(d) + 48 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * B*a^4 * b*d^4 * f^3 * \text{ab} \\
& s(d) - 16 * \sqrt{d*f} * (\sqrt{d*f} * \sqrt{d*x + c} - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2 * A*a^3 * b^2 * d^4 * f^3 * \text{ab} \\
& s(d) - 48 * \sqrt{d*f} * C*a*b^4 * c^3 * d^5 * f^2 * \text{ab}(d) * e^3 + 24 * \sqrt{d*f} * B*b^5 * c^3 * d^5 * f^2 * \text{ab}(d) * e^3 - 10 * \sqrt{d*f} * \\
& B*a*b^4 * c^2 * d^6 * f^2 * \text{ab}(d) * e^3 + 2 * \sqrt{d*f} * A*b^5 * c^2 * d^6 * f^2 * \text{ab}(d)
\end{aligned}$$

$$\begin{aligned}
& *e^3 + 40*\sqrt(d*f)*C*a^3*b^2*c*d^7*f^2*abs(d)*e^3 - 24*\sqrt(d*f)*B*a^2*b^3 \\
& *c*d^7*f^2*abs(d)*e^3 + 8*\sqrt(d*f)*A*a*b^4*c*d^7*f^2*abs(d)*e^3 - 24*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a^b^4*c^3*d^3*f^2*abs(d)*e^2 + 12*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*b^5*c^3*d^3*f^2*abs(d)*e^2 + 142*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a^2*b^3*c^2*d^4*f^2*abs(d)*e^2 - 70*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a*b^4*c^2*d^4*f^2*abs(d)*e^2 - 2*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*A*b^5*c^2*d^4*f^2*abs(d)*e^2 - 80*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a^3*b^2*c*d^5*f^2*abs(d)*e^2 + 44*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a^2*b^3*c*d^5*f^2*abs(d)*e^2 - 8*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*A*a*b^4*c*d^5*f^2*abs(d)*e^2 - 56*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a^4*b*d^6*f^2*abs(d)*e^2 + 32*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a^3*b^2*d^6*f^2*abs(d)*e^2 - 8*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*A*a*b^4*c^3*d*f^2*abs(d)*e + 12*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*B*b^5*c^3*d*f^2*abs(d)*e + 109*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a^2*b^3*c^2*d^2*f^2*abs(d)*e - 57*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*B*a*b^4*c^2*d^2*f^2*abs(d)*e + 5*sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*A*b^5*c^2*d^2*f^2*abs(d)*e - 228*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a^3*b^2*c*d^3*f^2*abs(d)*e + 124*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*B*a^2*b^3*c*d^3*f^2*abs(d)*e - 20*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*A*a*b^4*c*d^3*f^2*abs(d)*e + 152*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a^4*b*d^4*f^2*abs(d)*e - 88*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*B*a^3*b^2*d^4*f^2*abs(d)*e + 24*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*A*a^2*b^3*c^2*f^2*abs(d) + 5*sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*B*a^2*b^3*d^4*f^2*abs(d) - sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*A*a^2*b^3*d^4*f^2*abs(d) + 32*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a^3*b^2*c*d*f^2*abs(d) - 20*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*B*a^2*b^3*c*d*f^2*abs(d) + 8*sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)))^4*B*a^4*c*d*f^2*abs(d) - 24*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)))^4*C*a^4*b*d^2*f^2*abs(d) + 16*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)))^4*B*a^3*b^2*d^2*f^2*abs(d)
\end{aligned}$$

$$\begin{aligned}
& *f^2 * \text{abs}(d) - 8 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) \\
& \quad ^6 * A*a^2 * b^3 * d^2 * f^2 * \text{abs}(d) + 32 * \sqrt(d*f) * C*a*b^4 * c^2 * d^6 * f * \\
& \quad \text{abs}(d)*e^4 - 16 * \sqrt(d*f) * B*b^5 * c^2 * d^6 * f * \text{abs}(d)*e^4 - 27 * \sqrt(d*f) * C*a^2 * b \\
& \quad ^3 * c * d^7 * f * \text{abs}(d)*e^4 + 15 * \sqrt(d*f) * B*a*b^4 * c * d^7 * f * \text{abs}(d)*e^4 - 3 * \sqrt(d*f) \\
& \quad * A*b^5 * c * d^7 * f * \text{abs}(d)*e^4 - 10 * \sqrt(d*f) * C*a^3 * b^2 * d^8 * f * \text{abs}(d)*e^4 + 6 * s \\
& \quad \text{qrt}(d*f) * B*a^2 * b^3 * d^8 * f * \text{abs}(d)*e^4 - 2 * \sqrt(d*f) * A*a*b^4 * d^8 * f * \text{abs}(d)*e^4 \\
& \quad - 24 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) \\
& \quad ^2 * C*a*b^4 * c^2 * d^4 * f * \text{abs}(d)*e^3 + 12 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*x + c) \\
& \quad - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^2 * B*b^5 * c^2 * d^4 * f * \text{abs}(d)*e^3 - 44 * \sqrt(d*f) \\
& \quad * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^2 * C \\
& \quad * a^2 * b^3 * c * d^5 * f * \text{abs}(d)*e^3 + 20 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f \\
& \quad - c*d*f + d^2*e)) ^2 * B*a*b^4 * c * d^5 * f * \text{abs}(d)*e^3 + 4 * \sqrt(d*f) * \\
& \quad (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^2 * A*b^5 * c * d \\
& \quad ^5 * f * \text{abs}(d)*e^3 + 80 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f \\
& \quad - c*d*f + d^2*e)) ^2 * C*a^3 * b^2 * d^6 * f * \text{abs}(d)*e^3 - 44 * \sqrt(d*f) * (\sqrt(d*f) * \\
& \quad \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^2 * B*a^2 * b^3 * d^6 * f * \text{abs}(d)*e^3 + 8 * \sqrt(d*f) \\
& \quad * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^2 * A*a*b^4 * d^6 * f * \text{abs}(d)*e^3 - 16 * \sqrt(d*f) \\
& \quad * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^4 * C*a*b^4 * c^2 * d^2 * f * \text{abs}(d)*e^2 + 8 * \sqrt(d*f) \\
& \quad * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^4 * B*b^5 * c^2 * d^2 * f * \text{abs}(d)*e^2 + 109 * \sqrt(d*f) \\
& \quad * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e) \\
& \quad * \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^4 * C*a^2 * b^3 * c * d^3 * f * \text{abs}(d)*e^2 - 57 * \sqrt(d*f) \\
& \quad * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^4 * B*a*b^4 * c * d^3 * f * \text{abs}(d)*e^2 + 5 * \sqrt(d*f) \\
& \quad * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e) \\
& \quad * \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^4 * A*b^5 * c * d^3 * f * \text{abs}(d)*e^2 - 102 * \sqrt(d*f) * (\sqrt(d*f) * \\
& \quad \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^4 * C*a^3 * b^2 * d^4 * f * \text{abs}(d)*e^2 + 58 * \sqrt(d*f) \\
& \quad * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e) \\
& \quad * \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^4 * B*a^2 * b^3 * d^4 * f * \text{abs}(d)*e^2 - 14 * \sqrt(d*f) * (\sqrt(d*f) * \\
& \quad \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^4 * A*a*b^4 * d^4 * f * \text{abs}(d)*e^2 + 8 * \sqrt(d*f) \\
& \quad * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e) \\
& \quad * \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^6 * C*a*b^4 * c^2 * f * \text{abs}(d)*e - 4 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f \\
& \quad - c*d*f + d^2*e)) ^6 * B*b^5 * c^2 * f * \text{abs}(d)*e - 38 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) \\
& \quad * \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^6 * C*a^2 * b^3 * c * d * f * \text{abs}(d)*e + 22 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) \\
& \quad * \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^6 * B*a*b^4 * c * d * f * \text{abs}(d)*e - 6 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) \\
& \quad * \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^6 * A*b^5 * c * d * f * \text{abs}(d)*e + 32 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) \\
& \quad * \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^6 * A*a*b^4 * d^2 * f * \text{abs}(d)*e - 8 * \sqrt(d*f) * C*a*b^4 * c * d^7 * \text{abs}(d)*e^5 + 4 * \sqrt(d*f) * B*b^5 * c * d^7 * \text{abs}(d)*e^5 + 9 * \sqrt(d*f) * C*a^2 * b^3 * d^8 * \text{abs}(d)*e^5 - 5 * \sqrt(d*f) * B*a*b^4 * d^8 * \text{abs}(d)*e^5 + \sqrt(d*f) * A*b^5 * d^8 * \text{abs}(d)*e^5 + 24 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)) ^2 * C*a*b^4 * c * d^5 * \text{abs}(d)*e^4 - 1 * 2 * \sqrt(d*f) * (\sqrt(d*f) * \sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e)))
\end{aligned}$$

$$\begin{aligned}
& -2*B*b^5*c*d^5*abs(d)*e^4 - 27*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*C*a^2*b^3*d^6*abs(d)*e^4 + 15*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*B*a*b^4*d^6*abs(d)*e^4 - 3*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*A*b^5*d^6*abs(d)*e^4 - 24*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{4*C*a*b^4*c*d^3*abs(d)*e^3 + 12*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{4*B*b^5*c*d^3*abs(d)*e^3 + 27*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{4*C*a^2*b^3*d^4*abs(d)*e^3 - 15*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{4*B*a*b^4*d^4*abs(d)*e^3 + 3*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{4*A*b^5*d^4*abs(d)*e^3 + 8*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{6*C*a*b^4*c*d*abs(d)*e^2 - 4*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{6*B*b^5*c*d*abs(d)*e^2 - 9*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{6*C*a^2*b^3*d^2*abs(d)*e^2 + 5*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{6*B*a*b^4*d^2*abs(d)*e^2 - sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{6*A*b^5*d^2*abs(d)*e^2}/((a*b^5*c*f - a^2*b^4*d*f - b^6*c*e + a*b^5*d*e)*(b*c^2*d^2*f^2 - 2*b*c*d^3*f*e - 2*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*b*c*d*f + 4*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*a*d^2*f + b*d^4*e^2 - 2*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*b*d^2*e + (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{4*b)^2 + sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*C*abs(d)/(b^3*d^2) - 1/2*(sqrt(d*f)*C*b*c*f*abs(d) - 6*sqrt(d*f)*C*a*d*f*abs(d) + 2*sqrt(d*f)*B*b*d*f*abs(d) + sqrt(d*f)*C*b*d*abs(d)*e)*log(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2})/(b^4*d^2*f)
\end{aligned}$$

maple [B] time = 0.07, size = 12065, normalized size = 18.34

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^3,x)`

[Out] result too large to display

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)*(f*x+e)^(1/2)/(b*x+a)^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((a*d-b*c)>0)', see `assume?` for more details)Is (a*d-b*c) *(a*f-b*e) zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((e + f*x)^(1/2)*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(a + b*x)^3,x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)*(f*x+e)**(1/2)/(b*x+a)**3,x)

[Out] Timed out

$$3.47 \quad \int \frac{(a+bx)^2 \sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx$$

Optimal. Leaf size=1032

$$\frac{C(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^3}{5bdf} - \frac{(4aCdf + b(9Cde + 7cCf - 10Bdf))(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^2}{40bd^2f^2} + \frac{(c+dx)^{3/2} \sqrt{e+fx} (a+bx)^3}{5bdf}$$

Rubi [A] time = 1.79, antiderivative size = 1032, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.194, Rules used = {1615, 153, 147, 50, 63, 217, 206}

Antiderivative was successfully verified.

```
[In] Int[((a + b*x)^2*Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x], x]
[Out] -((16*a^2*d^2*f^2*(2*d*f*(3*B*d*e + B*c*f - 4*A*d*f) - C*(5*d^2*e^2 + 2*c*d
*e*f + c^2*f^2)) + 4*a*b*d*f*(C*(35*d^3*e^3 + 15*c*d^2*e^2*f + 9*c^2*d*e*f^2
+ 5*c^3*f^3) + 8*d*f*(2*A*d*f*(3*d*e + c*f) - B*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2))) - b^2*(C*(63*d^4*e^4 + 28*c*d^3*e^3*f + 18*c^2*d^2*e^2*f^2 + 12*c^3*d*e*f^3 + 7*c^4*f^4) + 2*d*f*(8*A*d*f*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2) - B*(35*d^3*e^3 + 15*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 5*c^3*f^3)))*Sqrt[c + d*x]*Sqrt[e + f*x])/(128*d^4*f^5) - ((4*a*C*d*f + b*(9*C*d*e + 7*c*C*f - 10*B*d*f))*(a + b*x)^2*(c + d*x)^(3/2)*Sqrt[e + f*x])/(40*b*d^2*f^2) + (C*(a + b*x)^3*(c + d*x)^(3/2)*Sqrt[e + f*x])/(5*b*d*f) - ((c + d*x)^(3/2)*Sqrt[e + f*x]*)((96*a^3*C*d^3*f^3 + 8*a^2*b*d^2*f^2*(23*C*d*e + 9*c*C*f - 30*B*d*f) + 20*a*b^2*d*f*(8*d*f*(5*B*d*e + 3*B*c*f - 6*A*d*f) - C*(35*d^2*e^2 + 22*c*d*e*f + 15*c^2*f^2)) + b^3*(C*(315*d^3*e^3 + 203*c*d^2*e^2*f + 145*c^2*d*e*f^2 + 105*c^3*f^3) + 10*d*f*(8*A*d*f*(5*d*e + 3*c*f) - B*(35*d^2*e^2 + 22*c*d*e*f + 15*c^2*f^2))) + 4*b*d*f*(8*b*d*f*(6*b*c*C*e + 3*a*C*d*e + a*c*C*f - 10*A*b*d*f) - (7*b*d*e + 5*b*c*f - 4*a*d*f)*(4*a*C*d*f + b*(9*C*d*e + 7*c*C*f - 10*B*d*f)))*x)/(960*b*d^4*f^4) + ((d*e - c*f)*(16*a^2*d^2*f^2*(2*d*f*(3*B*d*e + B*c*f - 4*A*d*f) - C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2)) + 4*a*b*d*f*(C*(35*d^3*e^3 + 15*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 5*c^3*f^3) + 8*d*f*(2*A*d*f*(3*d*e + c*f) - B*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2))) - b^2*(C*(63*d^4*e^4 + 28*c*d^3*e^3*f + 18*c^2*d^2*e^2*f^2 + 12*c^3*d*e*f^3 + 7*c^4*f^4) + 2*d*f*(8*A*d*f*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2) - B*(35*d^3*e^3 + 15*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 5*c^3*f^3)))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])])/(128*d^(9/2)*f^(11/2))
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[  

((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/  

(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,  

c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !IGtQ  

[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n  

+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[  

{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +  

(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ  

[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den  

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 147

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))  

*((g_.) + (h_.)*(x_)), x_Symbol] :> -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m  

+ 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m +  

1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2  

*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m +  

n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3)  

+ d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), In  

t[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n},  

x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]
```

Rule 153

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))  

^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] :> Simp[(h*(a + b*x)^m*(c + d*x)^(n  

+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p  

+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +  

p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p  

+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x] /  

; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +  

2, 0] && IntegerQ[m]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/  

Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt  

Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],  
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.*(x_))^n_.)*(e_.) + (f  
.)*(x_))^(p_.), x_Symbol] :> With[{q = Expon[Px, x], k = Coeff[Px, x, Expo  
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +  
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +  
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n  
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -  
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +  
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m  
+ q + p)))*x], x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c,  
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)^2 \sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx &= \frac{C(a+bx)^3(c+dx)^{3/2} \sqrt{e+fx}}{5bdf} + \frac{\int \frac{(a+bx)^2 \sqrt{c+dx} \left(-\frac{1}{2}b(6bcCe+3aCde+acCf-1\right)}{\sqrt{e+fx}}}{5bdf} \\
&= -\frac{(4aCdf+b(9Cde+7cCf-10Bdf))(a+bx)^2(c+dx)^{3/2} \sqrt{e+fx}}{40bd^2f^2} + \\
&= -\frac{(4aCdf+b(9Cde+7cCf-10Bdf))(a+bx)^2(c+dx)^{3/2} \sqrt{e+fx}}{40bd^2f^2} + \\
&= -\frac{(16a^2d^2f^2(2df(3Bde+Bcf-4Adf)-C(5d^2e^2+2cdef+c^2f^2)))}{ \\
&= -\frac{(16a^2d^2f^2(2df(3Bde+Bcf-4Adf)-C(5d^2e^2+2cdef+c^2f^2)))}{ \\
&= -\frac{(16a^2d^2f^2(2df(3Bde+Bcf-4Adf)-C(5d^2e^2+2cdef+c^2f^2)))}{}
\end{aligned}$$

Mathematica [B] time = 6.70, size = 3220, normalized size = 3.12

Result too large to show

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x)^2*.Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x], x]
[Out] ((-(b*e) + a*f)^2*(d*e - c*f)^2*(C*e^2 - B*e*f + A*f^2)*Sqrt[d/((d^2*e)/(d*
e - c*f) - (c*d*f)/(d*e - c*f))]*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*Sqr
t[(d*(e + f*x))/(d*e - c*f)]*Sqrt[1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*((2*d*f*(c + d*x))/((d*e - c*f)*(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*.Sqrt[d]*Sqrt[f]*Sqr
t[c + d*x]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/((Sqrt[d*e - c*f]*Sqr
t[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])]/(Sqrt[d*e - c*f]*Sqr
t[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))])]/(Sqrt[d*e - c*f]*Sqr
t[(d^2*e)/(d*e - c*f)])
```

$$\begin{aligned}
& -c*f) - (c*d*f)/(d*e - c*f)] * \text{Sqrt}[1 + (d*f*(c + d*x))/((d*e - c*f)*(d^2*e)) \\
& /(d*e - c*f) - (c*d*f)/(d*e - c*f))])]/(2*d^3*f^6*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x]) + (2*b^2*C*(d*e - c*f)^3*(c + d*x)^(3/2)*\text{Sqrt}[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(9/2)}* \\
& (3*(35/(64*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4) + 35/(48*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f)))^{(2)}) + 7/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^3) + 7/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(-1)}))/10 + (21*(d *e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))) - (2*\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])]/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])*\text{Sqrt}[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))]/(512*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^4)))/(3*d^4*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(7/2)}*\text{Sqrt}[(d*(e + f*x))/(d*e - c*f)]) + (2*b*(d*e - c*f)^2*(-4*b*C*e + b*B*f + 2*a*C*f)*(c + d*x)^(3/2)*\text{Sqrt}[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(7/2)}*((3*(5/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^3) + 5/(6*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(-1)}))/8 + (15*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])]/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])*\text{Sqrt}[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^2]))/(256*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(3)})))/(3*d^3*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(5/2)}*\text{Sqrt}[(d*(e + f*x))/(d*e - c*f)]) + (2*(d*e - c*f)*(6*b^2*C*e^2 - 3*b^2*B*e*f - 6*a*b*C*e*f + A*b^2*f^2 + 2*a*b*B*f^2 + a^2*C*f^2)*(c + d*x)^(3/2)*\text{Sqrt}[e + f*x]*(1 + (d*f*(c + d*x))/((d *e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(5/2)}*((3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(-1)})/2 + (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))^2*((2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))) - (2*\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x]*\text{ArcSinh}[(\text{Sqrt}[d]*\text{Sqrt}[f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])]/(\text{Sqrt}[d*e - c*f]*\text{Sqrt}[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])*\text{Sqrt}[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))])/(32*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(2)})))/(3*d^2*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(2)}))
\end{aligned}$$

$$\begin{aligned}
& \frac{(c*d*f)/(d*e - c*f))^{(3/2)} * \text{Sqrt}[(d*(e + f*x))/(d*e - c*f)]) + (2*(-(b*e) + a*f)*(4*b*C*e^2 - 3*b*B*e*f - 2*a*C*e*f + 2*A*b*f^2 + a*B*f^2)*(c + d*x)^{(3/2)} * \text{Sqrt}[e + f*x] * (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(3/2)} * (3/(4*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^{(3/2)} * (3*(d*e - c*f)^2*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^{(3/2)} * (2*(2*d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))) - (2*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*\text{ArcSin}h[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/(\text{Sqrt}[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(\text{Sqrt}[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)])])/(Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*\text{Sqrt}[1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))])/(16*d^2*f^2*(c + d*x)^2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))))))/(3*d*f^4*\text{Sqrt}[d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))]*Sqrt[(d*(e + f*x))/(d*e - c*f)])
\end{aligned}$$

IntegrateAlgebraic [B] time = 9.37, size = 2260, normalized size = 2.19

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((a + b*x)^2*Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x], x]

[Out]
$$\begin{aligned}
& (\text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f] * (2895*b^2*C*d^4*e^4*\text{Sqrt}[e + f*x] - 420*b^2*c*C*d^3*e^3*f*\text{Sqrt}[e + f*x] - 2790*b^2*B*d^4*e^3*f*\text{Sqrt}[e + f*x] - 5580*a*b*C*d^4*e^3*f*\text{Sqrt}[e + f*x] - 270*b^2*c^2*C*d^2*e^2*f^2*\text{Sqrt}[e + f*x] + 450*b^2*B*c*d^3*e^2*f^2*\text{Sqrt}[e + f*x] + 900*a*b*c*C*d^3*e^2*f^2*\text{Sqrt}[e + f*x] + 2640*A*b^2*d^4*e^2*f^2*\text{Sqrt}[e + f*x] + 5280*a*b*B*d^4*e^2*f^2*\text{Sqrt}[e + f*x] + 2640*a^2*C*d^4*e^2*f^2*\text{Sqrt}[e + f*x] - 180*b^2*c^3*C*d*e*f^3*\text{Sqrt}[e + f*x] + 270*b^2*B*c^2*d^2*e*f^3*\text{Sqrt}[e + f*x] + 540*a*b*c^2*C*d^2*e*f^3*\text{Sqrt}[e + f*x] - 480*A*b^2*c*d^3*e*f^3*\text{Sqrt}[e + f*x] - 960*a*b*B*c*d^3*e*f^3*\text{Sqrt}[e + f*x] - 480*a^2*c*C*d^3*e*f^3*\text{Sqrt}[e + f*x] - 4800*a*A*b*d^4*e*f^3*\text{Sqrt}[e + f*x] - 2400*a^2*B*d^4*e*f^3*\text{Sqrt}[e + f*x] - 105*b^2*c^4*C*f^4*\text{Sqrt}[e + f*x] + 150*b^2*B*c^3*d*f^4*\text{Sqrt}[e + f*x] + 300*a*b*c^3*C*d*f^4*\text{Sqrt}[e + f*x] - 240*A*b^2*c^2*d^2*f^4*\text{Sqrt}[e + f*x] - 480*a*b*B*c^2*d^2*f^4*\text{Sqrt}[e + f*x] - 240*a^2*c^2*C*d^2*f^4*\text{Sqrt}[e + f*x] + 960*a*A*b*c*d^3*f^4*\text{Sqrt}[e + f*x] + 480*a^2*B*c*d^3*f^4*\text{Sqrt}[e + f*x] + 1920*a^2*A*d^4*f^4*\text{Sqrt}[e + f*x] - 4470*b^2*C*d^4*e^3*(e + f*x)^{(3/2)} + 370*b^2*c*C*d^3*e^2*f*(e + f*x)^{(3/2)} + 3260*b^2*B*d^4*e^2*f*(e + f*x)^{(3/2)} + 6520*a*b*B*c*d^4*e^2*f*(e + f*x)^{(3/2)} + 190*b^2*c^2*C*d^2*e*f^2*(e + f*x)^{(3/2)} - 280*b^2*B*c*d^3*e*f^2*(e + f*x)^{(3/2)} - 560*a*b*c*C*d^3*e*f^2*(e + f*x)^{(3/2)} - 2080*A*b^2*d^4*e*f^2*(e + f*x)^{(3/2)} - 4160*a*b*B*d^4*e*f^2*(e + f*x)^{(3/2)} - 2080*a^2*C*d^4*e*f^2*(e + f*x)^{(3/2)} + 70*b^2*c^3*C*d*f^3*(e + f*x)^{(3/2)} - 100*b^2*B*c^2*d^2*f^3*(e + f*x)^{(3/2)} - 200*a*b*c^2*C*d^2*f^3*(e + f*x)^{(3/2)} + 160*A*b^2*c*d^3*f^3*(e + f*x)^{(3/2)} + 320*a*b*B*c*d^3*f^3*(e + f*x)^{(3/2)} + 160*a^2
\end{aligned}$$

$$\begin{aligned}
& 2*c*C*d^3*f^3*(e + f*x)^(3/2) + 1920*a*A*b*d^4*f^3*(e + f*x)^(3/2) + 960*a^2*B*d^4*f^3*(e + f*x)^(3/2) + 4104*b^2*C*d^4*e^2*(e + f*x)^(5/2) - 208*b^2*c*C*d^3*e*f*(e + f*x)^(5/2) - 2000*b^2*B*d^4*e*f*(e + f*x)^(5/2) - 4000*a*b*C*d^4*e*f*(e + f*x)^(5/2) - 56*b^2*c^2*C*d^2*f^2*(e + f*x)^(5/2) + 80*b^2*B*c*d^3*f^2*(e + f*x)^(5/2) + 160*a*b*c*C*d^3*f^2*(e + f*x)^(5/2) + 640*A*b^2*d^4*f^2*(e + f*x)^(5/2) + 1280*a*b*B*d^4*f^2*(e + f*x)^(5/2) + 640*a^2*C*d^4*f^2*(e + f*x)^(5/2) - 1968*b^2*C*d^4*e*(e + f*x)^(7/2) + 48*b^2*c*C*d^3*f*(e + f*x)^(7/2) + 480*b^2*B*d^4*f*(e + f*x)^(7/2) + 960*a*b*C*d^4*f*(e + f*x)^(7/2) + 384*b^2*C*d^4*(e + f*x)^(9/2)))/(1920*d^4*f^5) + ((63*b^2*C*d^5*e^5*Sqrt[d/f] - 35*b^2*c*C*d^4*e^4*Sqrt[d/f])*f - 70*b^2*B*d^5*e^4*Sqrt[d/f])*f - 140*a*b*C*d^5*e^4*Sqrt[d/f])*f - 10*b^2*c^2*C*d^3*e^3*Sqrt[d/f])*f^2 + 40*b^2*B*c*d^4*e^3*Sqrt[d/f])*f^2 + 80*a*b*c*C*d^4*e^3*Sqrt[d/f])*f^2 + 80*A*b^2*d^5*e^3*Sqrt[d/f])*f^2 + 160*a*b*B*d^5*e^3*Sqrt[d/f])*f^2 + 80*a^2*C*d^5*e^3*Sqrt[d/f])*f^2 - 6*b^2*c^3*C*d^2*e^2*Sqrt[d/f])*f^3 + 12*b^2*B*c^2*d^3*e^2*Sqrt[d/f])*f^3 + 24*a*b*c^2*C*d^3*e^2*Sqrt[d/f])*f^3 - 48*A*b^2*c*d^4*e^2*Sqrt[d/f])*f^3 - 96*a*b*B*c*d^4*e^2*Sqrt[d/f])*f^3 - 48*a^2*c*C*d^4*e^2*Sqr t[d/f])*f^3 - 192*a*A*b*d^5*e^2*Sqrt[d/f])*f^3 - 96*a^2*B*d^5*e^2*Sqrt[d/f])*f^3 - 5*b^2*c^4*C*d*e*Sqrt[d/f])*f^4 + 8*b^2*B*c^3*d^2*e*Sqrt[d/f])*f^4 + 16*a*b*c^3*C*d^2*e*Sqrt[d/f])*f^4 - 16*A*b^2*c^2*d^3*e*Sqrt[d/f])*f^4 - 32*a*b*B*c^2*d^3*e*Sqrt[d/f])*f^4 - 16*a^2*c^2*C*d^3*e*Sqrt[d/f])*f^4 + 128*a*A*b*c*d^4*e*Sqrt[d/f])*f^4 + 64*a^2*B*c*d^4*e*Sqrt[d/f])*f^4 + 128*a^2*A*d^5*e*Sqrt[d/f])*f^4 - 7*b^2*c^5*C*Sqrt[d/f])*f^5 + 10*b^2*B*c^4*d*Sqrt[d/f])*f^5 + 20*a*b*c^4*C*d*Sqrt[d/f])*f^5 - 16*A*b^2*c^3*d^2*Sqrt[d/f])*f^5 - 32*a*b*B*c^3*d^2*Sqr t[d/f])*f^5 - 16*a^2*c^3*C*d^2*Sqrt[d/f])*f^5 + 64*a*A*b*c^2*d^3*Sqrt[d/f])*f^5 + 32*a^2*B*c^2*d^3*Sqrt[d/f])*f^5 - 128*a^2*A*c*d^4*Sqrt[d/f])*f^5)*Log[-(Sqrt[d/f])*Sqrt[e + f*x]] + Sqrt[c - (d*e)/f + (d*(e + f*x))/f]])/(128*d^5*f^5)
\end{aligned}$$

fricas [A] time = 13.80, size = 2176, normalized size = 2.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] [-1/7680*(15*(63*C*b^2*d^5*e^5 - 35*(C*b^2*c*d^4 + 2*(2*C*a*b + B*b^2)*d^5)*e^4*f - 10*(C*b^2*c^2*d^3 - 4*(2*C*a*b + B*b^2)*c*d^4 - 8*(C*a^2 + 2*B*a*b + A*b^2)*d^5)*e^3*f^2 - 6*(C*b^2*c^3*d^2 - 2*(2*C*a*b + B*b^2)*c^2*d^3 + 8*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4 + 16*(B*a^2 + 2*A*a*b)*d^5)*e^2*f^3 - (5*C*b^2*c^4*d - 128*A*a^2*d^5 - 8*(2*C*a*b + B*b^2)*c^3*d^2 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^3 - 64*(B*a^2 + 2*A*a*b)*c*d^4)*e*f^4 - (7*C*b^2*c^5 + 128*A*a^2*c*d^4 - 10*(2*C*a*b + B*b^2)*c^4*d + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^3*d^2 - 32*(B*a^2 + 2*A*a*b)*c^2*d^3)*f^5)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) - 4*(384*C*b^2*d^5*f^5*x^4 +

$$\begin{aligned}
& 945*C*b^2*d^5*e^4*f - 210*(C*b^2*c*d^4 + 5*(2*C*a*b + B*b^2)*d^5)*e^3*f^2 - \\
& 2*(68*C*b^2*c^2*d^3 - 125*(2*C*a*b + B*b^2)*c*d^4 - 600*(C*a^2 + 2*B*a*b + \\
& A*b^2)*d^5)*e^2*f^3 - 10*(11*C*b^2*c^3*d^2 - 17*(2*C*a*b + B*b^2)*c^2*d^3 \\
& + 32*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4 + 144*(B*a^2 + 2*A*a*b)*d^5)*e*f^4 - 1 \\
& 5*(7*C*b^2*c^4*d - 128*A*a^2*d^5 - 10*(2*C*a*b + B*b^2)*c^3*d^2 + 16*(C*a^2 \\
& + 2*B*a*b + A*b^2)*c^2*d^3 - 32*(B*a^2 + 2*A*a*b)*c*d^4)*f^5 - 48*(9*C*b^2 \\
& *d^5*e*f^4 - (C*b^2*c*d^4 + 10*(2*C*a*b + B*b^2)*d^5)*f^5)*x^3 + 8*(63*C*b^2 \\
& 2*d^5*e^2*f^3 - 2*(4*C*b^2*c*d^4 + 35*(2*C*a*b + B*b^2)*d^5)*e*f^4 - (7*C*b \\
& ^2*c^2*d^3 - 10*(2*C*a*b + B*b^2)*c*d^4 - 80*(C*a^2 + 2*B*a*b + A*b^2)*d^5) \\
& *f^5)*x^2 - 2*(315*C*b^2*d^5*e^3*f^2 - 7*(7*C*b^2*c*d^4 + 50*(2*C*a*b + B*b \\
& ^2)*d^5)*e^2*f^3 - (39*C*b^2*c^2*d^3 - 60*(2*C*a*b + B*b^2)*c*d^4 - 400*(C* \\
& a^2 + 2*B*a*b + A*b^2)*d^5)*e*f^4 - 5*(7*C*b^2*c^3*d^2 - 10*(2*C*a*b + B*b^2 \\
& *c^2*d^3 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4 + 96*(B*a^2 + 2*A*a*b)*d^5) \\
& *f^5)*x)*sqrt(d*x + c)*sqrt(f*x + e)/(d^5*f^6), 1/3840*(15*(63*C*b^2*d^5*e \\
& ^5 - 35*(C*b^2*c*d^4 + 2*(2*C*a*b + B*b^2)*d^5)*e^4*f - 10*(C*b^2*c^2*d^3 - \\
& 4*(2*C*a*b + B*b^2)*c*d^4 - 8*(C*a^2 + 2*B*a*b + A*b^2)*d^5)*e^3*f^2 - 6*(\\
& C*b^2*c^3*d^2 - 2*(2*C*a*b + B*b^2)*c^2*d^3 + 8*(C*a^2 + 2*B*a*b + A*b^2)*c \\
& *d^4 + 16*(B*a^2 + 2*A*a*b)*d^5)*e^2*f^3 - (5*C*b^2*c^4*d - 128*A*a^2*d^5 - \\
& 8*(2*C*a*b + B*b^2)*c^3*d^2 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^3 - 64*(B \\
& *a^2 + 2*A*a*b)*c*d^4)*e*f^4 - (7*C*b^2*c^5 + 128*A*a^2*c*d^4 - 10*(2*C*a*b \\
& + B*b^2)*c^4*d + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^3*d^2 - 32*(B*a^2 + 2*A*a*b \\
&)*c^2*d^3)*f^5)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqr \\
& t(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) + \\
& 2*(384*C*b^2*d^5*f^5*x^4 + 945*C*b^2*d^5*e^4*f - 210*(C*b^2*c*d^4 + 5*(2*C \\
& *a*b + B*b^2)*d^5)*e^3*f^2 - 2*(68*C*b^2*c^2*d^3 - 125*(2*C*a*b + B*b^2)*c \\
& d^4 - 600*(C*a^2 + 2*B*a*b + A*b^2)*d^5)*e^2*f^3 - 10*(11*C*b^2*c^3*d^2 - 1 \\
& 7*(2*C*a*b + B*b^2)*c^2*d^3 + 32*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4 + 144*(B*a \\
& ^2 + 2*A*a*b)*d^5)*e*f^4 - 15*(7*C*b^2*c^4*d - 128*A*a^2*d^5 - 10*(2*C*a*b \\
& + B*b^2)*c^3*d^2 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^3 - 32*(B*a^2 + 2*A*a \\
& *b)*c*d^4)*f^5 - 48*(9*C*b^2*d^5*e*f^4 - (C*b^2*c*d^4 + 10*(2*C*a*b + B*b^2 \\
&)*d^5)*f^5)*x^2 - 2*(315*C*b^2*d^5*e^3*f^2 - 7*(7*C*b^2*c*d^4 + 50*(2*C*a*b \\
& + B*b^2)*d^5)*e^2*f^3 - (39*C*b^2*c^2*d^3 - 60*(2*C*a*b + B*b^2)*c*d^4 - 80*(C \\
& *a^2 + 2*B*a*b + A*b^2)*d^5)*f^5)*x^2 - 2*(4*C*b^2*c*d^4 + 35*(2*C*a*b \\
& + B*b^2)*d^5)*e*f^4 - (7*C*b^2*c^2*d^3 - 10*(2*C*a*b + B*b^2)*c*d^4 - 80*(C \\
& *a^2 + 2*B*a*b + A*b^2)*d^5)*f^5)*x - 5*(7*C*b^2*c^3*d^2 - 10*(2*C*a*b + B*b^2) \\
& *c^2*d^3 + 16*(C*a^2 + 2*B*a*b + A*b^2)*c*d^4 + 96*(B*a^2 + 2*A*a*b)*d^5)*f^5)*x) \\
& *sqrt(d*x + c)*sqrt(f*x + e)/(d^5*f^6)
\end{aligned}
]$$

giac [A] time = 2.76, size = 1505, normalized size = 1.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2), x, algorithm=

"giac")

```
[Out] 1/1920*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*(4*(d*x + c)*(6*(d*x + c)*(8*(d*x + c)*C*b^2/(d^5*f) - (31*C*b^2*c*d^20*f^8 - 20*C*a*b*d^21*f^8 - 10*B*b^2*d^21*f^8 + 9*C*b^2*d^21*f^7*e)/(d^25*f^9)) + (263*C*b^2*c^2*d^20*f^8 - 340*C*a*b*c*d^21*f^8 - 170*B*b^2*c*d^21*f^8 + 80*C*a^2*d^22*f^8 + 160*B*a*b*d^22*f^8 + 80*A*b^2*d^22*f^8 + 154*C*b^2*c*d^21*f^7*e - 140*C*a*b*d^22*f^7*e - 70*B*b^2*d^22*f^7*e + 63*C*b^2*d^22*f^6*e^2)/(d^25*f^9)) - 5*(121*C*b^2*c^3*d^20*f^8 - 236*C*a*b*c^2*d^21*f^8 - 118*B*b^2*c^2*d^21*f^8 + 112*C*a^2*c*d^22*f^8 + 224*B*a*b*c*d^22*f^8 + 112*A*b^2*c*d^22*f^8 - 96*B*a^2*d^23*f^8 - 192*A*a*b*d^23*f^8 + 109*C*b^2*c^2*d^21*f^7*e - 200*C*a*b*c*d^22*f^7*e - 100*B*b^2*c*d^22*f^7*e + 80*C*a^2*d^23*f^7*e + 160*B*a*b*d^23*f^7*e + 80*A*b^2*d^23*f^7*e + 91*C*b^2*c*d^22*f^6*e^2 - 140*C*a*b*d^23*f^6*e^2 - 70*B*b^2*d^23*f^6*e^2 + 63*C*b^2*d^23*f^5*e^3)/(d^25*f^9)))*(d*x + c) + 15*(7*C*b^2*c^4*d^20*f^8 - 20*C*a*b*c^3*d^21*f^8 - 10*B*b^2*c^3*d^21*f^8 + 16*C*a^2*c^2*d^22*f^8 + 32*B*a*b*c^2*d^22*f^8 + 16*A*b^2*c^2*d^22*f^8 - 32*B*a^2*c*d^23*f^8 - 64*A*a*b*c*d^23*f^8 + 128*A*a^2*d^24*f^8 + 12*C*b^2*c^3*d^21*f^7*e - 36*C*a*b*c^2*d^22*f^7*e - 18*B*b^2*c^2*d^22*f^7*e + 32*C*a^2*c*d^23*f^7*e + 64*B*a*b*c*d^23*f^7*e + 32*A*b^2*c*d^23*f^7*e - 96*B*a^2*d^24*f^7*e - 192*A*a*b*d^24*f^7*e + 18*C*b^2*c^2*d^22*f^6*e^2 - 60*C*a*b*c*d^23*f^6*e^2 - 30*B*b^2*c*d^23*f^6*e^2 + 80*C*a^2*d^24*f^6*e^2 + 160*B*a*b*d^24*f^6*e^2 + 80*A*b^2*d^24*f^6*e^2 + 28*C*b^2*c*d^23*f^5*e^3 - 140*C*a*b*d^24*f^5*e^3 - 70*B*b^2*d^24*f^5*e^3 + 63*C*b^2*d^24*f^4*e^4)/(d^25*f^9))*sqrt(d*x + c) - 15*(7*C*b^2*c^5*f^5 - 20*C*a*b*c^4*d*f^5 - 10*B*b^2*c^4*d*f^5 + 16*C*a^2*c^3*d^2*f^5 + 32*B*a*b*c^3*d^2*f^5 + 16*A*b^2*c^3*d^2*f^5 - 32*B*a^2*c^2*d^3*f^5 - 64*A*a*b*c^2*d^3*f^5 + 128*A*a^2*c*d^4*f^5 + 5*C*b^2*c^4*d*f^4*e - 16*C*a*b*c^3*d^2*f^4*e - 8*B*b^2*c^3*d^2*f^4*e + 16*C*a^2*c^2*d^3*f^4*e + 32*B*a*b*c^2*d^3*f^4*e + 16*A*b^2*c^2*d^3*f^4*e - 64*B*a^2*c*d^4*f^4*e - 128*A*a^2*d^5*f^4*e + 6*C*b^2*c^3*d^2*f^3*e^2 - 24*C*a*b*c^2*d^3*f^3*e^2 - 12*B*b^2*c^2*d^3*f^3*e^2 + 48*C*a^2*c*d^4*f^3*e^2 + 96*B*a*b*c*d^4*f^3*e^2 + 48*A*b^2*c*d^4*f^3*e^2 + 96*B*a^2*d^5*f^3*e^2 + 192*A*a*b*d^5*f^3*e^2 + 10*C*b^2*c^2*d^3*f^2*e^3 - 80*C*a*b*c*d^4*f^2*e^3 - 40*B*b^2*c*d^4*f^2*e^3 - 80*C*a^2*d^5*f^2*e^3 - 160*B*a*b*d^5*f^2*e^3 - 80*A*b^2*d^5*f^2*e^3 + 35*C*b^2*c*d^4*f*e^4 + 140*C*a*b*d^5*f*e^4 + 70*B*b^2*d^5*f*e^4 - 63*C*b^2*d^5*e^5)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^4*f^5)*d/abs(d)
```

maple [B] time = 0.05, size = 3958, normalized size = 3.84

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x)
```

```
[Out] 1/3840*(d*x+c)^(1/2)*(f*x+e)^(1/2)*(1440*B*ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e)))^(1/2)*(d*f)^(1/2)+c*f+d*e)/(d*f)^(1/2))*a^2*d^5*e^2*f^3+1280*C*x^2*a^2*
```

$$\begin{aligned}
& d^4 f^4 ((d*x+c)*(f*x+e))^{(1/2)} * (d*f)^{(1/2)} - 2880 * B * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * (f*x+e))^{(1/2)} * a^2 * d^4 * e^3 * f^3 - 2100 * B * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2 * d^4 * e^3 * f^2 + 2400 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a^2 * d^2 * e^2 * f^2 + 2880 * A * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * a*b*d^5 * e^2 * f^3 + 720 * A * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * b^2 * c * d^4 * e^2 * f^3 - 960 * B * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * a^2 * c * d^4 * e^4 * f^4 - 2400 * B * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * a*b*d^5 * e^3 * f^2 - 600 * B * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * b^2 * c * d^4 * e^3 * f^2 + 720 * C * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * a^2 * c * d^4 * e^2 * f^3 + 2100 * C * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * a*b*d^5 * e^4 * f^5 + 525 * C * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * b^2 * c * d^4 * e^4 * f^4 + 2400 * A * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2 * d^4 * e^2 * f^2 - 960 * A * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * a*b*c^2 * d^3 * f^5 + 105 * C * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * b^2 * c * d^5 * f^5 - 420 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2 * c * d^3 * e^3 * f^5 - 5760 * A * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a*b*d^4 * e^2 * f^2 - 4200 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a*b*d^4 * e^3 * f^3 + 4800 * B * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a*b*d^4 * e^2 * f^2 - 1200 * C * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * a*b*c^2 * d^3 * e^2 * f^3 + 1440 * B * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * a*b*c*d^4 * e^2 * f^3 - 1920 * A * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * a^2 * d^5 * e^3 * f^2 - 150 * B * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * b^2 * c * d^4 * f^5 + 240 * C * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * a^2 * c * d^3 * e^2 * f^5 - 480 * B * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * a^2 * c^2 * d^3 * f^5 + 3840 * A * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a^2 * d^4 * f^4 + 1920 * A * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * a^2 * c * d^4 * f^5 - 1920 * A * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * b^2 * d^5 * e^3 * f^2 - 210 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2 * c^4 * f^4 + 1890 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2 * d^4 * e^4 - 945 * C * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * b^2 * d^5 * e^5 + 1050 * B * \ln(1/2 * (2*d*f*x+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) + c*f+d*e) / (d*f)^{(1/2)} * b^2 * d^5 * e^4 * f^3 + 768 * C * x^4 * b^2 * d^4 * f^4 * ((d*x+c)*(f*x+e))^{(1/2)} * (d*f)^{(1/2)} + 960 * B * x^3 * b^2 * d^4 * f^4 * ((d*x+c)*(f*x+e))^{(1/2)} * (d*f)^{(1/2)} + 1280 * A * x^2 * b^2 * d^4 * f^4 * ((d*x+c)*(f*x+e))^{(1/2)} * (d*f)^{(1/2)} + 960 * B * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a^2 * c * d^3 * f^4 + 300 * B * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2 * c^3 * d^2 * f^4 - 480 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a^2 * c^2 * d^2 * f^4
\end{aligned}$$

$$\begin{aligned}
& 1920 * B * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*a^2*d^4*f^4 + 480 * B * \ln(1/2 * (2*d*f*x+2*(d*x+c)*(f*x+e))^{(1/2)}) * a*b*c^3*d^2 \\
& * f^5 - 120 * B * \ln(1/2 * (2*d*f*x+2*(d*x+c)*(f*x+e))^{(1/2)}) * (d*f)^{(1/2)} + c*f+d*e) / (d*f)^{(1/2)} * a*b*c^3*d^2 \\
& * f^5 - 120 * B * \ln(1/2 * (2*d*f*x+2*(d*x+c)*(f*x+e))^{(1/2)}) * (d*f)^{(1/2)} + c*f+d*e) / (d*f)^{(1/2)} * b^2*c^3*d^2*e*f^4 - 180 * B * \ln(1/2 * (2*d*f*x+2*(d*x+c)*(f*x+e))^{(1/2)}) * (d*f)^{(1/2)} + c*f+d*e) / (d*f)^{(1/2)} * b^2*c^2*d^3*e^2*f^3 + 240 * C * \ln(1/2 * (2*d*f*x+2*(d*x+c)*(f*x+e))^{(1/2)}) * a^2*c^2*d^3 \\
& * e*f^4 - 300 * C * \ln(1/2 * (2*d*f*x+2*(d*x+c)*(f*x+e))^{(1/2)}) * (d*f)^{(1/2)} + c*f+d*e) / (d*f)^{(1/2)} * a*b*c^4*d*f^5 + 75 * C * \ln(1/2 * (2*d*f*x+2*(d*x+c)*(f*x+e))^{(1/2)}) * (d*f)^{(1/2)} + c*f+d*e) / (d*f)^{(1/2)} * b^2*c^4*d*e*f^4 + 90 * C * \ln(1/2 * (2*d*f*x+2*(d*x+c)*(f*x+e))^{(1/2)}) * (d*f)^{(1/2)} + c*f+d*e) / (d*f)^{(1/2)} * b^2*c^3*d^2*e^2*f^3 + 150 * C * \ln(1/2 * (2*d*f*x+2*(d*x+c)*(f*x+e))^{(1/2)}) * (d*f)^{(1/2)} + c*f+d*e) / (d*f)^{(1/2)} * b^2*c^2*d^3*e^3*f^2 - 480 * A * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2*c^2*d^2*f^4 + 240 * A * \ln(1/2 * (2*d*f*x+2*(d*x+c)*(f*x+e))^{(1/2)}) * (d*f)^{(1/2)} + c*f+d*e) / (d*f)^{(1/2)} * b^2*c^2*d^3*e*f^4 + 680 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a*b*c^2*d^2*e*f^3 + 640 * B * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*a*b*c*d^3*f^4 - 3200 * B * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*a*b*d^4*e*f^3 + 1000 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a*b*c*d^3*e^2*f^2 + 320 * C * x^2*a*b*c*d^3*f^4 * ((d*x+c)*(f*x+e))^{(1/2)} * (d*f)^{(1/2)} - 2240 * C * x^2*a*b*d^4*e*f^3 * ((d*x+c)*(f*x+e))^{(1/2)} * (d*f)^{(1/2)} - 128 * C * x^2*b^2*c*d^3*e*f^3 * ((d*x+c)*(f*x+e))^{(1/2)} * (d*f)^{(1/2)} - 240 * B * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*b^2*c*d^3*e*f^3 - 400 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*a*b*c^2*d^2*f^4 + 2800 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*a*b*d^4*e^2*f^2 + 156 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*b^2*c^2*d^2*e*f^3 + 196 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*b^2*c*d^3*e*f^3 - 200 * B * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*b^2*c^2*d^2*f^4 + 1400 * B * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*b^2*d^4*e^2*f^2 + 3840 * A * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*a*b*d^4*f^4 + 320 * A * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*b^2*c*d^3*f^4 - 1600 * A * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*b^2*d^4*e*f^3 + 1920 * C * x^3*a*b*d^4*f^4 * ((d*x+c)*(f*x+e))^{(1/2)} * (d*f)^{(1/2)} + 96 * C * x^3*b^2*c*d^3*f^4 * ((d*x+c)*(f*x+e))^{(1/2)} * (d*f)^{(1/2)} - 240 * C * \ln(1/2 * (2*d*f*x+2*(d*x+c)*(f*x+e))^{(1/2)}) * (d*f)^{(1/2)} + c*f+d*e) / (d*f)^{(1/2)} * a*b*c^3*d^2*f^3 - 864 * C * x^3*b^2*d^4*e*f^3 * ((d*x+c)*(f*x+e))^{(1/2)} * (d*f)^{(1/2)} + 2560 * B * x^2*a*b*d^4*f^4 * ((d*x+c)*(f*x+e))^{(1/2)} * (d*f)^{(1/2)} + 160 * B * x^2*b^2*c*d^3*f^4 * ((d*x+c)*(f*x+e))^{(1/2)} * (d*f)^{(1/2)} - 1120 * B * x^2*b^2*d^4*e*f^3 * ((d*x+c)*(f*x+e))^{(1/2)} * (d*f)^{(1/2)} - 112 * C * x^2*b^2*c^2*d^2*f^4 * ((d*x+c)*(f*x+e))^{(1/2)} * (d*f)^{(1/2)} + 1008 * C * x^2*b^2*d^4*e^2*f^2 * ((d*x+c)*(f*x+e))^{(1/2)} * (d*f)^{(1/2)} + 320 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*a^2*c*d^3*f^4 - 1600 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*a^2*d^4*f^3 + 140 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*b^2*c^3*d*f^4 - 1260 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a*b*c*d^3*f^4 - 640 * A * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2*c*d^2*f^3 - 960 * B * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a*b*c^2*d^2*f^4 + 340 * B * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2*c*d^3*e*f^3 + 500 * B * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2*c*d^3*e^2*f^2 - 640 * C * (d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a^2*c*d^3*e*f^3 + 600 * C * (d*f)^{(1/2)}
\end{aligned}$$

$$)*((d*x+c)*(f*x+e))^{(1/2)}*a*b*c^3*d*f^4-220*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*c^3*d*e*f^3-272*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*c^2*d^2*e^2*f^2-480*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*a*b*c*d^3*e*f^3)/((d*x+c)*(f*x+e))^{(1/2)}/f^5/d^4/(d*f)^{(1/2)}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2), x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x)^2*(c + d*x)^(1/2)*(A + B*x + C*x^2))/(e + f*x)^(1/2), x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**2*(C*x**2+B*x+A)*(d*x+c)**(1/2)/(f*x+e)**(1/2), x)

[Out] Timed out

$$3.48 \quad \int \frac{(a+bx)\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{e+fx}} dx$$

Optimal. Leaf size=540

$$\frac{(c+dx)^{3/2}\sqrt{e+fx}(24a^2Cd^2f^2+4bdfx(4aCdf+b(-8Bdf+5cCf+7Cde))+8abdf(-6Bdf+3cCf+5Cd^2f^2))}{96bd^3f^3}$$

Rubi [A] time = 0.71, antiderivative size = 540, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.176, Rules used = {1615, 147, 50, 63, 217, 206}

$$\frac{(a+bx)^{3/2}\sqrt{e+fx}(24a^2Cd^2f^2+4bdfx(4aCdf+b(-8Bdf+5cCf+7Cde))+8abdf(-6Bdf+3cCf+5Cd^2f^2))}{96bd^3f^3}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*x)*Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x], x]
[Out] -((8*a*d*f*(2*d*f*(3*B*d*e + B*c*f - 4*A*d*f) - C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2)) + b*(C*(35*d^3*e^3 + 15*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 5*c^3*f^3) + 8*d*f*(2*A*d*f*(3*d*e + c*f) - B*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2)))*Sqr
t[c + d*x]*Sqrt[e + f*x])/(64*d^3*f^4) + (C*(a + b*x)^2*(c + d*x)^(3/2)*Sqr
t[e + f*x])/(4*b*d*f) - ((c + d*x)^(3/2)*Sqrt[e + f*x]*(24*a^2*C*d^2*f^2 +
8*a*b*d*f*(5*C*d*e + 3*c*C*f - 6*B*d*f) + b^2*(8*d*f*(5*B*d*e + 3*B*c*f - 6
*A*d*f) - C*(35*d^2*e^2 + 22*c*d*e*f + 15*c^2*f^2)) + 4*b*d*f*(4*a*C*d*f +
b*(7*C*d*e + 5*c*C*f - 8*B*d*f))*x))/(96*b*d^3*f^3) + ((d*e - c*f)*(8*a*d*f
*(2*d*f*(3*B*d*e + B*c*f - 4*A*d*f) - C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2)) +
b*(C*(35*d^3*e^3 + 15*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 5*c^3*f^3) + 8*d*f*(2
*A*d*f*(3*d*e + c*f) - B*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2)))*ArcTanh[(Sqr
t[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])])/(64*d^(7/2)*f^(9/2))
```

Rule 50

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(
b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x]; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
```

```
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 147

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))*
((g_) + (h_)*(x_)), x_Symbol] :> -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m + 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m + n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), Int[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1615

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x], x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)\sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx &= \frac{C(a+bx)^2(c+dx)^{3/2}\sqrt{e+fx}}{4bdf} + \frac{\int \frac{(a+bx)\sqrt{c+dx} \left(-\frac{1}{2}b(4bcCe+3aCd e+acCf-8\right)}{4bdf}}{\sqrt{e+fx}}}{4bdf} \\
&= \frac{C(a+bx)^2(c+dx)^{3/2}\sqrt{e+fx}}{4bdf} - \frac{(c+dx)^{3/2}\sqrt{e+fx} (24a^2Cd^2f^2+8\cdots)}{4bdf} \\
&= -\frac{(8adf(2df(3Bde+Bcf-4Adf)-C(5d^2e^2+2cdef+c^2f^2))+b\cdots)}{4bdf} \\
&= -\frac{(8adf(2df(3Bde+Bcf-4Adf)-C(5d^2e^2+2cdef+c^2f^2))+b\cdots)}{4bdf} \\
&= -\frac{(8adf(2df(3Bde+Bcf-4Adf)-C(5d^2e^2+2cdef+c^2f^2))+b\cdots)}{4bdf}
\end{aligned}$$

Mathematica [A] time = 3.54, size = 478, normalized size = 0.89

$$\frac{b\sqrt{f}\sqrt{e+2f}(e+f)(\text{Sinh}[(4Adf+8bf-5de+2df)(e+f)]+\text{C}[-3e^2f^2+2ef(f(-2e+2f^2)(b^2-10ef)+g^2f^2)])+b(\text{Sinh}[(4Adf)(e+f-2e+2f^2+2df(f(-2e+2f^2)+g^2f^2))]+\text{C}[(b^2f^2-10ef+g^2f^2)(b^2-10ef+g^2f^2)])+b(-30ef^2+70ef^2(e-2f)/\sqrt{\frac{25e^2-12ef+g^2f^2}{192f^2}})\text{Sinh}^{-1}[\sqrt{\frac{25e^2-12ef+g^2f^2}{192f^2}}]\text{Sinh}[(4Adf)(e+f+3de+2ef/f+5df^2)]+b(e^2f^2+2ef/f+5df^2)]+\text{C}[b^2f^2+9ef^2df+25df^4])-\text{Sinh}[(2d/(4Adf-e)f-3de)+2(f^2+2ef/f+5df^2)])$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x)*Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x], x]
[Out] (d*Sqrt[f])*Sqrt[c + d*x]*(e + f*x)*(8*a*d*f*(6*d*f*(4*A*d*f + B*(-3*d*e + c*f + 2*d*f*x)) + C*(-3*c^2*f^2 + 2*c*d*f*(-2*e + f*x) + d^2*(15*e^2 - 10*e*f*x + 8*f^2*x^2))) + b*(C*(15*c^3*f^3 + c^2*d*f^2*(17*e - 10*f*x) + c*d^2*f*(25*e^2 - 12*e*f*x + 8*f^2*x^2) + d^3*(-105*e^3 + 70*e^2*f*x - 56*e*f^2*x^2 + 48*f^3*x^3)) + 8*d*f*(6*A*d*f*(-3*d*e + c*f + 2*d*f*x) + B*(-3*c^2*f^2 + 2*c*d*f*(-2*e + f*x) + d^2*(15*e^2 - 10*e*f*x + 8*f^2*x^2)))) + 3*(d*e - c*f)^(3/2)*(-8*a*d*f*(2*d*f*(-3*B*d*e - B*c*f + 4*A*d*f) + C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2)) + b*(C*(35*d^3*c^3*e^3 + 15*c*d^2*e^2*f + 9*c^2*d*e*f^2 + 5*c^3*f^3) + 8*d*f*(2*A*d*f*(3*d*e + c*f) - B*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2)))*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(192*d^4*f^(9/2)*Sqrt[e + f*x])
```

IntegrateAlgebraic [B] time = 3.39, size = 1096, normalized size = 2.03

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((a + b*x)*Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x],x]

[Out]
$$\begin{aligned} & (\text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f]*(-279*b*C*d^3*e^3*\text{Sqrt}[e + f*x] + 45*b*c*C*d^2*e^2*f*\text{Sqrt}[e + f*x] + 264*b*B*d^3*e^2*f*\text{Sqrt}[e + f*x] + 264*a*C*d^3*e^2*f*\text{Sqrt}[e + f*x] + 27*b*c^2*C*d*e*f^2*\text{Sqrt}[e + f*x] - 48*b*B*c*d^2*e*f^2*\text{Sqrt}[e + f*x] - 48*a*c*C*d^2*e*f^2*\text{Sqrt}[e + f*x] - 240*A*b*d^3*e*f^2*\text{Sqrt}[e + f*x] - 240*a*B*d^3*e*f^2*\text{Sqrt}[e + f*x] + 15*b*c^3*C*f^3*\text{Sqrt}[e + f*x] - 24*b*B*c^2*d*f^3*\text{Sqrt}[e + f*x] - 24*a*c^2*C*d*f^3*\text{Sqrt}[e + f*x] + 48*A*b*c*d^2*f^3*\text{Sqrt}[e + f*x] + 48*a*B*c*d^2*f^3*\text{Sqrt}[e + f*x] + 192*a*A*d^3*f^3*\text{Sqrt}[e + f*x] + 326*b*C*d^3*e^2*(e + f*x)^(3/2) - 28*b*c*C*d^2*e*f*(e + f*x)^(3/2) - 208*b*B*d^3*e*f*(e + f*x)^(3/2) - 208*a*C*d^3*e*f*(e + f*x)^(3/2) - 10*b*c^2*C*d*f^2*(e + f*x)^(3/2) + 16*b*B*c*d^2*f^2*(e + f*x)^(3/2) + 16*a*c*C*d^2*f^2*(e + f*x)^(3/2) + 96*A*b*d^3*f^2*(e + f*x)^(3/2) + 96*a*B*d^3*f^2*(e + f*x)^(3/2) - 200*b*C*d^3*e*(e + f*x)^(5/2) + 8*b*c*C*d^2*f^2*(e + f*x)^(5/2) + 64*b*B*d^3*f^2*(e + f*x)^(5/2) + 64*a*C*d^3*f^2*(e + f*x)^(5/2) + 48*b*C*d^3*(e + f*x)^(7/2)))/(192*d^3*f^4) + ((-35*b*C*d^4*e^4*\text{Sqrt}[d/f] + 20*b*c*C*d^3*e^3*\text{Sqrt}[d/f]*f + 40*b*B*d^4*e^3*\text{Sqrt}[d/f]*f + 40*a*C*d^4*e^3*\text{Sqrt}[d/f]*f + 6*b*c^2*C*d^2*e^2*\text{Sqrt}[d/f]*f^2 - 24*b*B*c*d^3*e^2*\text{Sqrt}[d/f]*f^2 - 24*a*c*C*d^3*e^2*\text{Sqrt}[d/f]*f^2 - 48*A*b*d^4*e^2*\text{Sqrt}[d/f]*f^2 - 48*a*B*d^4*e^2*\text{Sqrt}[d/f]*f^2 + 4*b*c^3*C*d*e*\text{Sqrt}[d/f]*f^3 - 8*b*B*c^2*d^2*e^2*\text{Sqrt}[d/f]*f^3 - 8*a*c^2*C*d^2*\text{Sqrt}[d/f]*f^3 + 32*A*b*c*d^3*e*\text{Sqrt}[d/f]*f^3 + 32*a*B*c*d^3*e*\text{Sqrt}[d/f]*f^3 + 64*a*A*d^4*e*\text{Sqrt}[d/f]*f^3 + 5*b*c^4*C*\text{Sqrt}[d/f]*f^4 - 8*b*B*c^3*d*\text{Sqrt}[d/f]*f^4 - 8*a*c^3*C*d*\text{Sqrt}[d/f]*f^4 + 16*A*b*c^2*d^2*\text{Sqrt}[d/f]*f^4 + 16*a*B*c^2*d^2*\text{Sqrt}[d/f]*f^4 - 64*a*A*c*d^3*\text{Sqrt}[d/f]*f^4)*\text{Log}[-(\text{Sqrt}[d/f]*\text{Sqrt}[e + f*x]) + \text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f]])/(64*d^4*f^4) \end{aligned}$$

fricas [A] time = 3.76, size = 1114, normalized size = 2.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/768*(3*(35*C*b*d^4*e^4 - 20*(C*b*c*d^3 + 2*(C*a + B*b)*d^4)*e^3*f - 6*(C*b*c^2*d^2 - 4*(C*a + B*b)*c*d^3 - 8*(B*a + A*b)*d^4)*e^2*f^2 - 4*(C*b*c^3*d + 16*A*a*d^4 - 2*(C*a + B*b)*c^2*d^2 + 8*(B*a + A*b)*c*d^3)*e*f^3 - (5*C*b*c^4 - 64*A*a*c*d^3 - 8*(C*a + B*b)*c^3*d + 16*(B*a + A*b)*c^2*d^2)*f^4)*s \end{aligned}$$

$$\begin{aligned}
& \text{qrt}(d*f)*\log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d \\
& *e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) \\
& + 4*(48*C*b*d^4*f^4*x^3 - 105*C*b*d^4*e^3*f + 5*(5*C*b*c*d^3 + 24*(C*a + B*b)*d^4)*e^2*f^2 + (17*C*b*c^2*d^2 - 32*(C*a + B*b)*c*d^3 - 144*(B*a + A*b)*d^4)*e*f^3 + 3*(5*C*b*c^3*d + 64*A*a*d^4 - 8*(C*a + B*b)*c^2*d^2 + 16*(B*a + A*b)*c*d^3)*f^4 - 8*(7*C*b*d^4*e*f^3 - (C*b*c*d^3 + 8*(C*a + B*b)*d^4)*f^4)*x^2 + 2*(35*C*b*d^4*e^2*f^2 - 2*(3*C*b*c*d^3 + 20*(C*a + B*b)*d^4)*e*f^3 - (5*C*b*c^2*d^2 - 8*(C*a + B*b)*c*d^3 - 48*(B*a + A*b)*d^4)*f^4)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^4*f^5), -1/384*(3*(35*C*b*d^4*e^4 - 20*(C*b*c*d^3 + 2*(C*a + B*b)*d^4)*e^3*f - 6*(C*b*c^2*d^2 - 4*(C*a + B*b)*c*d^3 - 8*(B*a + A*b)*d^4)*e^2*f^2 - 4*(C*b*c^3*d + 16*A*a*d^4 - 2*(C*a + B*b)*c^2*d^2 + 8*(B*a + A*b)*c*d^3)*e*f^3 - (5*C*b*c^4 - 64*A*a*c*d^3 - 8*(C*a + B*b)*c^3*d + 16*(B*a + A*b)*c^2*d^2)*f^4)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e))/(d^2*f^2*x^2 + c*d*e*f + (d^2*2*f + c*d*f^2)*x)) - 2*(48*C*b*d^4*f^4*x^3 - 105*C*b*d^4*e^3*f + 5*(5*C*b*c*d^3 + 24*(C*a + B*b)*d^4)*e^2*f^2 + (17*C*b*c^2*d^2 - 32*(C*a + B*b)*c*d^3 - 144*(B*a + A*b)*d^4)*e*f^3 + 3*(5*C*b*c^3*d + 64*A*a*d^4 - 8*(C*a + B*b)*c^2*d^2 + 16*(B*a + A*b)*c*d^3)*f^4 - 8*(7*C*b*d^4*e*f^3 - (C*b*c*d^3 + 8*(C*a + B*b)*d^4)*f^4)*x^2 + 2*(35*C*b*d^4*e^2*f^2 - 2*(3*C*b*c*d^3 + 20*(C*a + B*b)*d^4)*e*f^3 - (5*C*b*c^2*d^2 - 8*(C*a + B*b)*c*d^3 - 48*(B*a + A*b)*d^4)*f^4)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^4*f^5)
\end{aligned}$$

giac [A] time = 1.82, size = 736, normalized size = 1.36

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")

[Out] 1/192*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*(2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)*C*b/(d^4*f) - (17*C*b*c*d^12*f^6 - 8*C*a*d^13*f^6 - 8*B*b*d^13*f^6 + 7*C*b*d^13*f^5*e)/(d^16*f^7)) + (59*C*b*c^2*d^12*f^6 - 56*C*a*c*d^13*f^6 - 56*B*b*c*d^13*f^6 + 48*B*a*d^14*f^6 + 48*A*b*d^14*f^6 + 50*C*b*c*d^13*f^5*e - 40*C*a*d^14*f^5*e - 40*B*b*d^14*f^5*e + 35*C*b*d^14*f^4*e^2)/(d^16*f^7)) - 3*(5*C*b*c^3*d^12*f^6 - 8*C*a*c^2*d^13*f^6 - 8*B*b*c^2*d^13*f^6 + 16*B*a*c*d^14*f^6 + 16*A*b*c*d^14*f^6 - 64*A*a*d^15*f^6 + 9*C*b*c^2*d^13*f^5*e - 16*C*a*c*d^14*f^5*e - 16*B*b*c*d^14*f^5*e + 48*B*a*d^15*f^5*e + 48*A*b*d^15*f^5*e + 15*C*b*c*d^14*f^4*e^2 - 40*C*a*d^15*f^4*e^2 - 40*B*b*d^15*f^4*e^2 + 35*C*b*d^15*f^3*e^3)/(d^16*f^7))*sqrt(d*x + c) + 3*(5*C*b*c^4*f^4 - 8*C*a*c^3*d*f^4 - 8*B*b*c^3*d*f^4 + 16*B*a*c^2*d^2*f^4 + 16*A*b*c^2*d^2*f^4 - 64*A*a*c*d^3*f^4 + 4*C*b*c^3*d*f^3*e - 8*C*a*c^2*d^2*f^3*e - 8*B*b*c^2*d^2*f^3*e + 32*B*a*c*d^3*f^3*e + 32*A*b*c*d^3*f^3*e + 64*A*a*d^4*f^3*e + 6*C*b*c^2*d^2*f^2*e^2 - 24*C*a*c*d^3*f^2*e^2 - 24*B*b*c*d^3*f^2*e^2 - 48*B*a*d^4*f^2*e^2 - 48*A*b*d^4*f^2*e^2 + 20*C*b*c*d^3*f^2*e^3 + 40*C*a*d^4*f^2*e^3 + 40*B*
```

$$b*d^4*f*e^3 - 35*C*b*d^4*e^4)*\log(\text{abs}(-\sqrt{d*f}*\sqrt{d*x + c}) + \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}))/(\sqrt{d*f}*d^3*f^4)*d/\text{abs}(d)$$

maple [B] time = 0.03, size = 2002, normalized size = 3.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}, x)$

[Out]
$$\begin{aligned} & 1/384*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}*(192*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*c*d^3*f^4+105*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*d^4*e^4-24*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b*c*d^2*e*f^2-15*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*c^4*f^4-96*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*c*d^3*e*f^3+72*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*c*d^3*e^2*f^2+72*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*c*d^3*e^2*f^2-60*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*c*d^3*e^3*f-288*A*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*d^3*e*f^2-96*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*c*d^3*e*f^3+24*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*c^2*d^2*e*f^3+24*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*c^2*d^2*e*f^3-12*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*c^3*d*e*f^3-192*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*d^4*e*f^3+144*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*d^4*e^2*f^2-120*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*d^4*e^3*f^2-120*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*d^4*e^3*f^3+384*A*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*d^3*f^3-210*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*d^3*e^3-48*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*c^2*d^2*f^4+24*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*c^2*d^2*f^4+24*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*c^3*d*f^4-48*B*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*a*c^2*d^2*f^4+144*A*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+c*f+d*e)/(d*f)^{(1/2)})*b*d^4*e^2*f^2+30*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*c^3*f^3+192*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*a*d^3*f^3+96*A*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*c*d^2*f^3+192*A*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b*d^3*f^3+240*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*d^3*e^2*f^2+96*C*x^3*b*d^3*f^3*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}+128*B*x^2*b*d^3*f^3*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}+128*C*x^2*a*d^3*f^3*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}-18*C*\ln(1/2*(2*d*f*x+2*((d*x+c)*(f*x+e))^{(1/2)}*$$

$$(d*f)^{(1/2)+c*f+d*e}/(d*f)^{(1/2)}*b*c^2*d^2*e^2*f^2-288*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*d^3*e*f^2+240*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*d^3*e^2*f-48*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*c^2*d*f^3+96*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*c*d^2*f^3-48*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*c^2*d*f^3-64*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*c*d^2*e*f^2+3+4*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*c^2*d*e*f^2+50*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*c*d^2*e^2*f+32*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b*c*d^2*f^3-160*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b*d^3*e*f^2+32*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*a*c*d^2*f^3-160*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*a*d^3*e*f^2-20*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b*c^2*d*f^3+140*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b*d^3*e^2*f-64*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b*c*d^2*e*f^2+16*C*x^2*b*c*d^2*f^3*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}-112*C*x^2*b*d^3*e*f^2*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}/f^4/((d*x+c)*(f*x+e))^{(1/2)}/d^3/(d*f)^{(1/2)}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(C*x^2+B*x+A)*(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}, x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x)*(c + d*x)^{(1/2)}*(A + B*x + C*x^2))/(e + f*x)^{(1/2)}, x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(C*x**2+B*x+A)*(d*x+c)**(1/2)/(f*x+e)**(1/2), x)

[Out] Timed out

$$3.49 \quad \int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{\sqrt{e+fx}} dx$$

Optimal. Leaf size=246

$$\frac{\sqrt{c+dx}\sqrt{e+fx}(2df(4Adf-B(cf+3de))+C(c^2f^2+2cdef+5d^2e^2))}{8d^2f^3} - \frac{(de-cf)\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)(2df(4Adf-B(cf+3de))+C(c^2f^2+2cdef+5d^2e^2))}{8d^2f^3}$$

Rubi [A] time = 0.23, antiderivative size = 246, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.207, Rules used = {951, 80, 50, 63, 217, 206}

$$\frac{\sqrt{c+dx}\sqrt{e+fx}(2df(4Adf-B(cf+3de))+C(c^2f^2+2cdef+5d^2e^2))}{8d^2f^3} - \frac{(de-cf)\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)(2df(4Adf-B(cf+3de))+C(c^2f^2+2cdef+5d^2e^2))}{8d^{5/2}f^{7/2}} - \frac{(c+dx)^{3/2}\sqrt{e+fx}(-6Bdf+7cCf+5Cde)}{12d^2f^2} + \frac{C(c+dx)^{5/2}\sqrt{e+fx}}{3d^2f}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x], x]
[Out] ((C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2) + 2*d*f*(4*A*d*f - B*(3*d*e + c*f)))*
Sqrt[c + d*x]*Sqrt[e + f*x])/(8*d^2*f^3) - ((5*C*d*e + 7*c*C*f - 6*B*d*f)*(c + d*x)^(3/2)*Sqrt[e + f*x])/(12*d^2*f^2) + (C*(c + d*x)^(5/2)*Sqrt[e + f*x])/(3*d^2*f) - ((d*e - c*f)*(C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2) + 2*d*f*(4*A*d*f - B*(3*d*e + c*f)))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])])/(8*d^(5/2)*f^(7/2))
```

Rule 50

```
Int[((a_.) + (b_.*(x_))^(m_)*((c_.) + (d_.*(x_))^(n_), x_Symbol) :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.*(x_))^(m_)*((c_.) + (d_.*(x_))^(n_), x_Symbol) :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 80

```
Int[((a_) + (b_)*(x_))*(c_) + (d_)*(x_)^(n_)*((e_) + (f_)*(x_)^(p_),
x_Symbol] :> Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p
+ 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)),
Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, n, p], x] && NeQ[n + p + 2, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 951

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[(c^p*(d + e*x)^(m + 2*p)*(f + g*x
)^^(n + 1))/(g*e^(2*p)*(m + n + 2*p + 1)), x] + Dist[1/(g*e^(2*p)*(m + n + 2
*p + 1)), Int[(d + e*x)^m*(f + g*x)^n*ExpandToSum[g*(m + n + 2*p + 1)*(e^(2
*p)*(a + b*x + c*x^2)^p - c^p*(d + e*x)^(2*p)) - c^p*(e*f - d*g)*(m + 2*p)*
(d + e*x)^(2*p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e
*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGt
Q[p, 0] && NeQ[m + n + 2*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{\sqrt{e+fx}} dx &= \frac{C(c+dx)^{5/2} \sqrt{e+fx}}{3d^2f} + \frac{\int \frac{\sqrt{c+dx} \left(\frac{1}{2}(-5cCde - c^2Cf + 6Ad^2f) - \frac{1}{2}d(5Cde + 7cCf - 6Bdf)x \right)}{\sqrt{e+fx}} dx}{3d^2f} \\
&= -\frac{(5Cde + 7cCf - 6Bdf)(c+dx)^{3/2} \sqrt{e+fx}}{12d^2f^2} + \frac{C(c+dx)^{5/2} \sqrt{e+fx}}{3d^2f} + \frac{(C(5d^2e^2 + 2cdef + c^2f^2) + 2df(4Adf - B(3de + cf))) \sqrt{c+dx} \sqrt{e+fx}}{8d^2f^3} - \\
&= \frac{(C(5d^2e^2 + 2cdef + c^2f^2) + 2df(4Adf - B(3de + cf))) \sqrt{c+dx} \sqrt{e+fx}}{8d^2f^3} - \\
&= \frac{(C(5d^2e^2 + 2cdef + c^2f^2) + 2df(4Adf - B(3de + cf))) \sqrt{c+dx} \sqrt{e+fx}}{8d^2f^3} - \\
&= \frac{(C(5d^2e^2 + 2cdef + c^2f^2) + 2df(4Adf - B(3de + cf))) \sqrt{c+dx} \sqrt{e+fx}}{8d^2f^3} -
\end{aligned}$$

Mathematica [A] time = 1.07, size = 225, normalized size = 0.91

$$\frac{-d\sqrt{f}\sqrt{c+dx}(e+fx)\left(C\left(3c^2f^2-2cdf(fx-2e)+d^2\left(-15e^2+10efx-8f^2x^2\right)\right)-6df(4Adf+B(cf-3de+2dfx))-3(de-cf)^{3/2}\sqrt{\frac{d(c+fx)}{de-cf}}\sinh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{de-cf}}\right)(2df(4Adf-B(cf+3de))+C\left(c^2f^2+2cdef+5d^2e^2\right))}{24d^3f^{7/2}\sqrt{e+fx}}$$

Antiderivative was successfully verified.

[In] `Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x], x]`

[Out]
$$\begin{aligned}
&(-(d*Sqrt[f])*Sqrt[c + d*x]*(e + f*x)*(-6*d*f*(4*A*d*f + B*(-3*d*e + c*f + 2*d*f*x)) + C*(3*c^2*f^2 - 2*c*d*f*(-2*e + f*x) + d^2*(-15*e^2 + 10*e*f*x - 8*f^2*x^2))) - 3*(d*e - c*f)^(3/2)*(C*(5*d^2*e^2 + 2*c*d*e*f + c^2*f^2) + 2*d*f*(4*A*d*f - B*(3*d*e + c*f)))*Sqrt[(d*(e + f*x))/(d*e - c*f)]*\text{ArcSinh}[(Sqrt[f])*Sqrt[c + d*x])/Sqrt[d*e - c*f]]/(24*d^3*f^(7/2)*Sqrt[e + f*x])
\end{aligned}$$

IntegrateAlgebraic [A] time = 1.12, size = 357, normalized size = 1.45

$$\frac{\sqrt{c+\frac{d e(x)}{f}-\frac{d}{f}} \left(24 A d f^2 \sqrt{c+f x}+6 B c d f^2 \sqrt{c+f x}+12 B d^2 f (e+f x)^{3/2}-30 B d^2 f \sqrt{c+f x}+2 c C d f (e+f x)^{3/2}-6 c C d e f \sqrt{c+f x}+33 C d^2 e^2 \sqrt{c+f x}+8 C d^2 f (e+f x)^{3/2}-26 C d^2 e (e+f x)^{3/2}\right)}{24 d^2 f^3}+\frac{\sqrt{\frac{d}{f}} \log \left(\sqrt{c+\frac{d e(x)}{f}-\frac{d}{f}}-\sqrt{\frac{d}{f}} \sqrt{c+f x}\right) (-8 A d f^2 f^3+8 A d^3 e f^2+2 B c^2 d f^3+4 B c d^2 e f^2-6 B d^2 e^2 f-c^2 C f^3-2 c C d e f^2+5 C d^2 e^2)}{8 d^3 f^3}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(Sqrt[c + d*x]*(A + B*x + C*x^2))/Sqrt[e + f*x],x]
[Out] (Sqrt[c - (d*e)/f + (d*(e + f*x))/f]*(33*C*d^2*e^2*Sqrt[e + f*x] - 6*c*C*d*e*f*Sqrt[e + f*x] - 30*B*d^2*e*f*Sqrt[e + f*x] - 3*c^2*C*f^2*Sqrt[e + f*x] + 6*B*c*d*f^2*Sqrt[e + f*x] + 24*A*d^2*f^2*Sqrt[e + f*x] - 26*C*d^2*e*(e + f*x)^(3/2) + 2*c*C*d*f*(e + f*x)^(3/2) + 12*B*d^2*f*(e + f*x)^(3/2) + 8*C*d^2*(e + f*x)^(5/2)))/(24*d^2*f^3) + (Sqrt[d/f]*(5*C*d^3*e^3 - 3*c*C*d^2*e^2*f - 6*B*d^3*e^2*f - c^2*C*d*e*f^2 + 4*B*c*d^2*e*f^2 + 8*A*d^3*e*f^2 - c^3*C*f^3 + 2*B*c^2*d*f^3 - 8*A*c*d^2*f^3)*Log[-(Sqrt[d/f]*Sqrt[e + f*x]) + Sqrt[c - (d*e)/f + (d*(e + f*x))/f]])/(8*d^3*f^3)
```

fricas [A] time = 1.49, size = 576, normalized size = 2.34

$$[2(C_1^2 - C_2^2) + 2(C_1C_2 + 1)^2] \cdot [2(C_1^2 - C_2^2) + 2(C_1C_2 + 1)^2] = 4[C_1^2(C_1^2 - C_2^2) + 2(C_1C_2 + 1)^2(C_1^2 - C_2^2) + 2(C_1^2 + 1)^2(C_1C_2 + 1)^2 + 2(C_1^2 + 1)^2(C_1^2 - C_2^2)]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] [-1/96*(3*(5*C*d^3*e^3 - 3*(C*c*d^2 + 2*B*d^3)*e^2*f - (C*c^2*d - 4*B*c*d^2
- 8*A*d^3)*e*f^2 - (C*c^3 - 2*B*c^2*d + 8*A*c*d^2)*f^3)*sqrt(d*f)*log(8*d^
2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d*e + c*f)*sqrt(d*
f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) - 4*(8*C*d^3*f^3*
x^2 + 15*C*d^3*e^2*f - 2*(2*C*c*d^2 + 9*B*d^3)*e*f^2 - 3*(C*c^2*d - 2*B*c*d
^2 - 8*A*d^3)*f^3 - 2*(5*C*d^3*e*f^2 - (C*c*d^2 + 6*B*d^3)*f^3)*x)*sqrt(d*x
+ c)*sqrt(f*x + e))/(d^3*f^4), 1/48*(3*(5*C*d^3*e^3 - 3*(C*c*d^2 + 2*B*d^3
)*e^2*f - (C*c^2*d - 4*B*c*d^2 - 8*A*d^3)*e*f^2 - (C*c^3 - 2*B*c^2*d + 8*A*
c*d^2)*f^3)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x
+ c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) + 2*(8
*C*d^3*f^3*x^2 + 15*C*d^3*e^2*f - 2*(2*C*c*d^2 + 9*B*d^3)*e*f^2 - 3*(C*c^2*
d - 2*B*c*d^2 - 8*A*d^3)*f^3 - 2*(5*C*d^3*e*f^2 - (C*c*d^2 + 6*B*d^3)*f^3)*
x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^3*f^4)]
```

giac [A] time = 1.35, size = 315, normalized size = 1.28

$$\begin{aligned} & \left(\sqrt{(dx+c)df - cd\bar{f} + d^2\bar{c}} \sqrt{dx+c} \left(2(dx+c) \frac{4(dx+c)f}{d^2\bar{f}} - \frac{7(Cc^2f^4 - Bd^2f^4 + 5C\bar{c}^2f^2)^2}{d^4\bar{f}^2} \right) + \frac{3(Cc^2f^4 - 2B\bar{c}^2f^4 + 8Ad^2f^4 + 2Cd^2f^2 - 6B\bar{c}^2f^2 + 5Cd^2f^2)^2}{d^6\bar{f}^2} \right) - \frac{3(Cc^2f^2 - 2B\bar{c}^2f^2)^2 + 8Ad^2f^2 + Cc^2d^2f^2 - 4B\bar{c}^2d^2f^2 - 8Ad^2f^2 + 3Cd^2f^2 + 6B\bar{d}f^2 - 5Cd^2f^2 \log(-\sqrt{df}\sqrt{dx+c} + \sqrt{(dx+c)df - cd\bar{f} + d^2\bar{c}}))}{\sqrt{df}\sqrt{dx+c}\sqrt{d^2\bar{f}^2}} \right) d \\ & 24 |d| \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")
[Out] 1/24*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*(4*(d*x + c)*C/(d^3*f) - (7*C*c*d^6*f^4 - 6*B*d^7*f^4 + 5*C*d^7*f^3*e)/(d^9*f^5)) + 3*(C*c^2*d^6*f^4 - 2*B*c*d^7*f^4 + 8*A*d^8*f^4 + 2*C*c*d^7*f^3*e - 6*B*d^8*f^3*e + 5*C*d^8*f^2*e^2)/(d^9*f^5)) - 3*(C*c^3*f^3 - 2*B*c^2*d*f^3 + 8*A*c*d^2*f^3 + C*c^2*d*f^2*e - 4*B*c*d^2*f^2*e - 8*A*d^3*f^2*e + 3*C*c*d^2*f*
```

$e^2 + 6*B*d^3*f*e^2 - 5*C*d^3*e^3)*\log(\text{abs}(-\sqrt{d*f}*\sqrt{d*x + c}) + \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})/(sqrt(d*f)*d^2*f^3))*d/\text{abs}(d)$

maple [B] time = 0.02, size = 763, normalized size = 3.10

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((C*x^2+B*x+A)*(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}, x)$

[Out] $1/48*(d*x+c)^{(1/2)}*(f*x+e)^{(1/2)}*(16*C*x^2*d^2*f^2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}+24*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)})*c*d^2*f^3-24*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)})*d^3*e*f^2-6*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)})*c^2*d*f^3-12*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)})*c*d^2*e*f^2+18*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)})*d^3*e^2*f+24*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*d^2*f^2+3*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)})*c^3*f^3+3*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)})*c^2*d*e*f^2+9*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)})*c*d^2*e^2*f-15*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)})*d^3*e^3+4*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*d^2*f^2-20*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*d^2*f+48*A*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*d^2*f^2+12*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*c*d*f^2-36*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*d^2*f^2-8*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*c*d*e*f+30*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*d^2*e^2)/f^3/(d*x+c)*(f*x+e))^{(1/2)}/d^2/(d*f)^{(1/2)}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((C*x^2+B*x+A)*(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?

mupad [B] time = 90.55, size = 1832, normalized size = 7.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/(e + f*x)^(1/2),x)

[Out] (((c + d*x)^(1/2) - c^(1/2))*(2*A*d^2*e + 2*A*c*d*f))/(f^3*((e + f*x)^(1/2)
) - e^(1/2))) + ((2*A*c*f + 2*A*d*e)*((c + d*x)^(1/2) - c^(1/2))^3)/(f^2*((e + f*x)^(1/2) - e^(1/2))^3) - (8*A*c^(1/2)*d*e^(1/2)*((c + d*x)^(1/2) - c^(1/2))^2)/(f^2*((e + f*x)^(1/2) - e^(1/2))^2) - (((c + d*x)^(1/2) - c^(1/2))^4/(f^2*((e + f*x)^(1/2) - e^(1/2))^4 + d^2/f^2 - (2*d*((c + d*x)^(1/2) - c^(1/2)))^2)/(f*((e + f*x)^(1/2) - e^(1/2))^2)) - (((c + d*x)^(1/2) - c^(1/2))*((C*c^3*d^3*f^3)/4 - (5*C*d^6*e^3)/4 + (C*c^2*d^4*e*f^2)/4 + (3*C*c*d^5*e^2*f)/4))/(f^9*((e + f*x)^(1/2) - e^(1/2))) - (((c + d*x)^(1/2) - c^(1/2))^5*((33*C*d^4*e^3)/2 + (19*C*c^3*d*f^3)/2 + (275*C*c^2*d^2*e*f^2)/2 + (313*C*c*d^3*e^2*f)/2))/f^7*((e + f*x)^(1/2) - e^(1/2))^5) - (((c + d*x)^(1/2) - c^(1/2))^7*((19*C*c^3*f^3)/2 + (33*C*d^3*e^3)/2 + (313*C*c*d^2*e^2*f)/2 + (275*C*c^2*d*e*f^2)/2))/(f^6*((e + f*x)^(1/2) - e^(1/2))^7) - (((c + d*x)^(1/2) - c^(1/2))^3*((17*C*c^3*d^2*f^3)/12 - (85*C*d^5*e^3)/12 + (91*C*c^2*d^3*e*f^2)/4 + (17*C*c*d^4*e^2*f)/4))/(f^8*((e + f*x)^(1/2) - e^(1/2))^3) + (((c + d*x)^(1/2) - c^(1/2))^11*((C*c^3*f^3)/4 - (5*C*d^3*e^3)/4 + (3*C*c*d^2*e^2*f)/4 + (C*c^2*d*e*f^2)/4))/(d^2*f^4*((e + f*x)^(1/2) - e^(1/2))^11) - (((c + d*x)^(1/2) - c^(1/2))^9*((17*C*c^3*f^3)/12 - (85*C*d^3*e^3)/12 + (17*C*c*d^2*e^2*f)/4 + (91*C*c^2*d*e*f^2)/4))/(d*f^5*((e + f*x)^(1/2) - e^(1/2))^9) + (c^(1/2)*e^(1/2)*((c + d*x)^(1/2) - c^(1/2))^8*(32*C*c^2*f + 96*C*c*d*e))/(f^4*((e + f*x)^(1/2) - e^(1/2))^8) + (c^(1/2)*e^(1/2)*(96*C*c*d^3*e + 32*C*c^2*d^2*f^2)*((c + d*x)^(1/2) - c^(1/2))^4)/(f^6*((e + f*x)^(1/2) - e^(1/2))^4) + (c^(1/2)*e^(1/2)*((c + d*x)^(1/2) - c^(1/2))^6*(128*C*d^3*e^2 + 64*C*c^2*d*f^2 + (704*C*c*d^2*e*f)/3))/(f^6*((e + f*x)^(1/2) - e^(1/2))^6)) / (((c + d*x)^(1/2) - c^(1/2))^12*((e + f*x)^(1/2) - e^(1/2))^12 + d^6/f^6 - (6*d*((c + d*x)^(1/2) - c^(1/2))^10)/(f*((e + f*x)^(1/2) - e^(1/2))^10) - (6*d^5*((c + d*x)^(1/2) - c^(1/2))^2)/(f^5*((e + f*x)^(1/2) - e^(1/2))^2) + (15*d^4*((c + d*x)^(1/2) - c^(1/2))^4)/(f^4*((e + f*x)^(1/2) - e^(1/2))^4) - (20*d^3*((c + d*x)^(1/2) - c^(1/2))^6)/(f^3*((e + f*x)^(1/2) - e^(1/2))^6) + (15*d^2*((c + d*x)^(1/2) - c^(1/2))^8)/(f^2*((e + f*x)^(1/2) - e^(1/2))^8) + (((c + d*x)^(1/2) - c^(1/2))*((B*c^2*d^2*f^2)/2 - (3*B*d^4*e^2)/2 + B*c*d^3*e*f))/(f^6*((e + f*x)^(1/2) - e^(1/2))) + (((c + d*x)^(1/2) - c^(1/2))^3*((11*B*d^3*e^2)/2 + (7*B*c^2*d*f^2)/2 + 23*B*c*d^2*e*f))/(f^5*((e + f*x)^(1/2) - e^(1/2))^3) + (((c + d*x)^(1/2) - c^(1/2))^5*((7*B*c^2*f^2)/2 + (11*B*d^2*e^2)/2 + 23*B*c*d*e*f))/(f^4*((e + f*x)^(1/2) - e^(1/2))^5) + (((c + d*x)^(1/2) - c^(1/2))^7*((B*c^2*f^2)/2 - (3*B*d^2*e^2)/2 + B*c*d*e*f))/(d*f^3*((e + f*x)^(1/2) - e^(1/2))^7) - (c^(1/2)*e^(1/2)*((c + d*x)^(1/2) - c^(1/2))^4*(32*B*d^2*e + 16*B*c*d*f))/(f^4*((e + f*x)^(1/2) - e^(1/2))^4) - (8*B*c^(3/2)*e^(1/2)*((c + d*x)^(1/2) - c^(1/2))^6)/(f^2*((e + f*x)^(1/2) - e^(1/2))^6) - (8*B*c^(3/2)*d^2*e^(1/2)*((c + d*x)^(1/2) - c^(1/2))^2)/(f^4*((e + f*x)^(1/2) - e^(1/2))^2) - (((c + d*x)^(1/2) - c^(1/2))^8*((e + f*x)^(1/2) - e^(1/2))^8 + d^4/f^4 - (4*d*((c + d*x)^(1/2) - c^(1/2))^6)/(f*((c + d*x)^(1/2) - c^(1/2))^6))
```

$$\begin{aligned}
 & (e + f*x)^{(1/2)} - e^{(1/2)})^6) - (4*d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/(f^3* \\
 & ((e + f*x)^{(1/2)} - e^{(1/2)})^2) + (6*d^2*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/(f^2* \\
 & *((e + f*x)^{(1/2)} - e^{(1/2)})^4)) + (2*A*atanh((f^{(1/2)}*((c + d*x)^{(1/2)} - c^{(1/2)})))/(d^{(1/2)}* \\
 & ((e + f*x)^{(1/2)} - e^{(1/2)})))*(c*f - d*e)/(d^{(1/2)}*f^{(3/2)}) + (C*atanh((f^{(1/2)}*((c + d*x)^{(1/2)} - c^{(1/2)})))/(d^{(1/2)}* \\
 & ((e + f*x)^{(1/2)} - e^{(1/2)})))*(c*f - d*e)*(c^2*f^2 + 5*d^2*e^2 + 2*c*d*e*f))/(4*d^{(5/2)}* \\
 & f^{(7/2)}) - (B*atanh((f^{(1/2)}*((c + d*x)^{(1/2)} - c^{(1/2)})))/(d^{(1/2)}* \\
 & ((e + f*x)^{(1/2)} - e^{(1/2)})))*(c*f - d*e)*(c*f + 3*d*e)/(2*d^{(3/2)}*f^{(5/2)})
 \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(f*x+e)**(1/2),x)

[Out] Timed out

$$3.50 \quad \int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)\sqrt{e+fx}} dx$$

Optimal. Leaf size=290

$$\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)(2bdf(4Abdf-aC(cf+3de))+(2adf-bcf+bde)(4aCdf+b(-4Bdf+cCf+3Cde))) \quad 2 \\ \frac{4b^3d^{3/2}f^{5/2}}{4b^3d^{3/2}f^{5/2}}$$

Rubi [A] time = 0.67, antiderivative size = 290, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.222, Rules used = {1615, 154, 157, 63, 217, 206, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{d}\sqrt{e+fx}}\right)(2bdf(4Abdf-aC(cf+3de))+(2adf-bcf+bde)(4aCdf+b(-4Bdf+cCf+3Cde))) - 2\sqrt{bc-ad}\left(AB^2-a(BB-aC)\right)\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right) - \frac{\sqrt{c+dx}\sqrt{e+fx}(4aCdf+b(-4Bdf+cCf+3Cde))}{4b^2df^2} + \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf}}{b^3\sqrt{be-af}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)*Sqrt[e + f*x]), x]
[Out] -((4*a*C*d*f + b*(3*C*d*e + c*C*f - 4*B*d*f))*Sqrt[c + d*x]*Sqrt[e + f*x])/(
  (4*b^2*d*f^2) + (C*(c + d*x)^(3/2)*Sqrt[e + f*x])/(2*b*d*f) + ((2*b*d*f*(4*
  A*b*d*f - a*C*(3*d*e + c*f)) + (b*d*e - b*c*f + 2*a*d*f)*(4*a*C*d*f + b*(3*
  C*d*e + c*C*f - 4*B*d*f)))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e +
  f*x])])/(4*b^3*d^(3/2)*f^(5/2)) - (2*(A*b^2 - a*(b*B - a*C))*Sqrt[b*c - a*
  d]*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[c + d*x])/(Sqrt[b*c - a*d]*Sqrt[e + f*x])])/
  (b^3*Sqrt[b*e - a*f]))
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 93

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 154

```

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))
)^p*((g_) + (h_)*(x_)), x_Symbol] :> Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x] , x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]

```

Rule 157

```

Int[((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_))
)/((a_) + (b_)*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

```

Rule 206

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rule 208

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rule 217

```

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

```

Rule 1615

```

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_
_)*(x_))^(p_), x_Symbol] :> With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x, x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)\sqrt{e+fx}} dx &= \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf} + \frac{\int \frac{\sqrt{c+dx} \left(\frac{1}{2}b(4Abdf-aC(3de+cf))-\frac{1}{2}b(4aCdf+b(3Cde+cCf-4Bdf)\right)}{(a+bx)\sqrt{e+fx}}}{2b^2df} \\
&= -\frac{(4aCdf+b(3Cde+cCf-4Bdf))\sqrt{c+dx}\sqrt{e+fx}}{4b^2df^2} + \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf} \\
&= -\frac{(4aCdf+b(3Cde+cCf-4Bdf))\sqrt{c+dx}\sqrt{e+fx}}{4b^2df^2} + \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf} \\
&= -\frac{(4aCdf+b(3Cde+cCf-4Bdf))\sqrt{c+dx}\sqrt{e+fx}}{4b^2df^2} + \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf} \\
&= -\frac{(4aCdf+b(3Cde+cCf-4Bdf))\sqrt{c+dx}\sqrt{e+fx}}{4b^2df^2} + \frac{C(c+dx)^{3/2}\sqrt{e+fx}}{2bdf}
\end{aligned}$$

Mathematica [A] time = 3.45, size = 465, normalized size = 1.60

$$\frac{8\sqrt{de-cf}(a(ac-bB)+Al^2)\sinh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{de-cf}}\right) - 8\sqrt{ad-bc}(a(ac-bB)+Al^2)\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{af-be}}{\sqrt{de-cf}\sqrt{ad-bc}}\right) + 4b\sqrt{e+fx}(acf-bBf+bCe)\left(\sqrt{c+dx}(de-cf)\sinh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{de-cf}}\right) - \sqrt{f}(c+dx)\sqrt{de-cf}\sqrt{\frac{de+fx}{de-cf}}\right) + b^2C\sqrt{e+fx}\left(\sqrt{f}\sqrt{c+dx}(cf+d(e+2fx)) - \frac{(de-cf)^{3/2}\sinh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{de-cf}}\right)}{\sqrt{\frac{de+fx}{de-cf}}}\right)}{4b^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)*Sqrt[e + f*x]), x]
[Out] ((8*(A*b^2 + a*(-(b*B) + a*C))*Sqrt[d*e - c*f]*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(Sqrt[f]*Sqrt[e + f*x]) + (4*b*(b*C*e - b*B*f + a*C*f)*Sqrt[e + f*x]*(-(Sqrt[f]*Sqrt[d*e - c*f]*(c + d*x)*Sqrt[(d*(e + f*x))/(d*e - c*f)]) + (d*e - c*f)*Sqrt[c + d*x]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]]))/(f^(5/2)*Sqrt[d*e - c*f]*Sqr t[c + d*x]*Sqrt[(d*(e + f*x))/(d*e - c*f)]) + (b^2*C*Sqrt[e + f*x]*(Sqrt[f]*Sqrt[c + d*x]*(c*f + d*(e + 2*f*x)) - ((d*e - c*f)^(3/2)*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])^(3/2)*(d*(e + 2*f*x))^(3/2)])))
```

$$\text{Sqrt}[c + d*x]/\text{Sqrt}[d*e - c*f]]/\text{Sqrt}[(d*(e + f*x))/(d*e - c*f)])/(d*f^{(5/2)}) - (8*(A*b^2 + a*(-(b*B) + a*C))*\text{Sqrt}[-(b*c) + a*d]*\text{ArcTanh}[(\text{Sqrt}[-(b*e) + a*f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[-(b*c) + a*d]*\text{Sqrt}[e + f*x])])/\text{Sqrt}[-(b*e) + a*f])/(4*b^3)$$

IntegrateAlgebraic [B] time = 34.33, size = 1375, normalized size = 4.74

~~($\frac{\sqrt{c+d x} \sqrt{e+f x} \sqrt{a+b x+c x^2}}{(a+b x) \sqrt{e+f x}}$)~~

Antiderivative was successfully verified.

[In] **IntegrateAlgebraic**[($\text{Sqrt}[c + d*x]*(A + B*x + C*x^2))/((a + b*x)*\text{Sqrt}[e + f*x])$), x]

[Out] $(\text{Sqrt}[d/f]*\text{Sqrt}[e + f*x]*(-5*b*C*d*e + b*c*C*f + 4*b*B*d*f - 4*a*C*d*f + 2*b*C*d*(e + f*x))*\text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f]*(d^2 e^2 f^2 - 2*c*d*e*f^2 + c^2 f^3 - 8*d^2 e*f*(e + f*x) + 8*c*d*f^2*(e + f*x) + 8*d^2 f*(e + f*x)^2) + \text{Sqrt}[e + f*x]*(-5*b*C*d*e + b*c*C*f + 4*b*B*d*f - 4*a*C*d*f + 2*b*C*d*(e + f*x))*(-4*d^3 e^2 * \text{Sqrt}[e + f*x] + 8*c*d^2 e*f*\text{Sqrt}[e + f*x] - 4*c^2 * d*f^2 * \text{Sqrt}[e + f*x] + 12*d^3 e*(e + f*x)^(3/2) - 12*c*d^2 f*(e + f*x)^(3/2) - 8*d^3*(e + f*x)^(5/2)))/(4*b^2*d*f^5*\text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f]*((4*d^2 e*\text{Sqrt}[e + f*x])/f^2 - (4*c*d*\text{Sqrt}[e + f*x])/f - (8*d^2*(e + f*x)^(3/2))/f^2) + 4*b^2*d*\text{Sqrt}[d/f]*f^5*(c^2 + (d^2 e^2)/f^2 - (2*c*d*e)/f - (8*d^2 e*(e + f*x))/f^2 + (8*c*d*(e + f*x))/f + (8*d^2*(e + f*x)^(2))/f^2)) + ((2*A*\text{Sqrt}[d]*\text{Sqrt}[b*c - a*d])/((b*\text{Sqrt}[d/f]*\text{Sqrt}[f]*\text{Sqrt}[b*e - a*f]) - (2*a*B*\text{Sqrt}[d]*\text{Sqrt}[b*c - a*d])/((b^2*\text{Sqrt}[d/f]*\text{Sqrt}[f]*\text{Sqrt}[b*e - a*f]) + (2*a^2*C*\text{Sqrt}[d]*\text{Sqrt}[b*c - a*d])/((b^3*\text{Sqrt}[d/f]*\text{Sqrt}[f]*\text{Sqrt}[b*e - a*f]))*\text{ArcTan}h[(-(b*d*e) + a*d*f + b*d*(e + f*x) - b*\text{Sqrt}[d/f]*f*\text{Sqrt}[e + f*x]*\text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f])/(\text{Sqrt}[d]*\text{Sqrt}[b*c - a*d]*\text{Sqrt}[f]*\text{Sqrt}[b*e - a*f])] - (3*C*d^2 e^2 * \text{Log}[-(\text{Sqrt}[d/f]*\text{Sqrt}[e + f*x])] + \text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f])/(4*b*(d/f)^(3/2)*f^4) + (c*C*d*e*\text{Log}[-(\text{Sqrt}[d/f]*\text{Sqrt}[e + f*x])] + \text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f])/(2*b*(d/f)^(3/2)*f^3) + (B*d^2 e*\text{Log}[-(\text{Sqrt}[d/f]*\text{Sqrt}[e + f*x])] + \text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f])/(b*(d/f)^(3/2)*f^3) - (a*C*d^2 e*\text{Log}[-(\text{Sqrt}[d/f]*\text{Sqrt}[e + f*x])] + \text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f])/(b^2*(d/f)^(3/2)*f^3) + (c^2*C*\text{Log}[-(\text{Sqrt}[d/f]*\text{Sqrt}[e + f*x])] + \text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f])/(4*b*(d/f)^(3/2)*f^2) - (B*c*d*\text{Log}[-(\text{Sqrt}[d/f]*\text{Sqrt}[e + f*x])] + \text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f])/(b*(d/f)^(3/2)*f^2) + (a*c*C*d*\text{Log}[-(\text{Sqrt}[d/f]*\text{Sqrt}[e + f*x])] + \text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f])/(b^2*(d/f)^(3/2)*f^2) - (2*A*d^2*\text{Log}[-(\text{Sqrt}[d/f]*\text{Sqrt}[e + f*x])] + \text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f])/(b*(d/f)^(3/2)*f^2) + (2*a*B*d^2*\text{Log}[-(\text{Sqrt}[d/f]*\text{Sqrt}[e + f*x])] + \text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f])/(b^2*(d/f)^(3/2)*f^2) - (2*a^2*C*d^2*\text{Log}[-(\text{Sqrt}[d/f]*\text{Sqrt}[e + f*x])] + \text{Sqrt}[c - (d*e)/f + (d*(e + f*x))/f])/(b^3*(d/f)^(3/2)*f^2)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)/(f*x+e)^(1/2),x, algorithm="fricas")`

[Out] Timed out

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)/(f*x+e)^(1/2),x, algorithm="giac")`

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:Evaluation time: 0.47

maple [B] time = 0.04, size = 1822, normalized size = 6.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)/(f*x+e)^(1/2),x)`

[Out]
$$\begin{aligned} & \frac{1}{8} \cdot \frac{A \ln(1/2 \cdot (2 \cdot d \cdot f \cdot x + c \cdot f + d \cdot e + 2 \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot (d \cdot f)^{1/2}))}{(d \cdot f)^{1/2}} \cdot b^3 \cdot d^2 \cdot f^2 \cdot ((a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2)^{1/2} + 8 \cdot A \cdot \ln((-2 \cdot a \cdot d \cdot f \cdot x + b \cdot c \cdot f \cdot x + b \cdot d \cdot e \cdot x + 2 \cdot ((a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2)^{1/2}) \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot b - a \cdot c \cdot f - a \cdot d \cdot e + 2 \cdot b \cdot c \cdot e) / (b \cdot x + a) \cdot a \cdot b \cdot b^2 \cdot d^2 \cdot f^2 \cdot ((d \cdot f)^{1/2})^2 - 8 \cdot A \cdot \ln((-2 \cdot a \cdot d \cdot f \cdot x + b \cdot c \cdot f \cdot x + b \cdot d \cdot e \cdot x + 2 \cdot ((a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2)^{1/2}) \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot b - a \cdot c \cdot f - a \cdot d \cdot e + 2 \cdot b \cdot c \cdot e) / (b \cdot x + a) \cdot b^3 \cdot c \cdot d \cdot f^2 \cdot ((d \cdot f)^{1/2})^2 - 8 \cdot B \cdot \ln(1/2 \cdot (2 \cdot d \cdot f \cdot x + c \cdot f + d \cdot e + 2 \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2}) \cdot (d \cdot f)^{1/2}) / (d \cdot f)^{1/2}) \cdot a \cdot b \cdot b^2 \cdot d^2 \cdot f^2 \cdot ((a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2)^{1/2} + 4 \cdot B \cdot \ln(1/2 \cdot (2 \cdot d \cdot f \cdot x + c \cdot f + d \cdot e + 2 \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2}) \cdot (d \cdot f)^{1/2}) / (d \cdot f)^{1/2}) \cdot b^3 \cdot c \cdot d \cdot f^2 \cdot ((a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2)^{1/2} - 4 \cdot B \cdot \ln(1/2 \cdot (2 \cdot d \cdot f \cdot x + c \cdot f + d \cdot e + 2 \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2}) \cdot (d \cdot f)^{1/2}) / (d \cdot f)^{1/2}) \cdot b^3 \cdot d^2 \cdot e \cdot f^2 \cdot ((a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2)^{1/2} - 8 \cdot B \cdot \ln((-2 \cdot a \cdot d \cdot f \cdot x + b \cdot c \cdot f \cdot x + b \cdot d \cdot e \cdot x + 2 \cdot ((a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2)^{1/2}) \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot b - a \cdot c \cdot f - a \cdot d \cdot e + 2 \cdot b \cdot c \cdot e) / (b \cdot x + a) \cdot a^2 \cdot b \cdot b^2 \cdot d^2 \cdot f^2 \cdot ((d \cdot f)^{1/2})^2 + 8 \cdot B \cdot \ln((-2 \cdot a \cdot d \cdot f \cdot x + b \cdot c \cdot f \cdot x + b \cdot d \cdot e \cdot x + 2 \cdot ((a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2)^{1/2}) \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2} \cdot b - a \cdot c \cdot f - a \cdot d \cdot e + 2 \cdot b \cdot c \cdot e) / (b \cdot x + a) \cdot a \cdot b \cdot b^2 \cdot c \cdot d \cdot f^2 \cdot ((d \cdot f)^{1/2})^2 + 8 \cdot C \cdot \ln(1/2 \cdot (2 \cdot d \cdot f \cdot x + c \cdot f + d \cdot e + 2 \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2}) \cdot (d \cdot f)^{1/2}) / (d \cdot f)^{1/2}) \cdot a^2 \cdot b \cdot b^2 \cdot d^2 \cdot f^2 \cdot ((a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2)^{1/2} - 4 \cdot C \cdot \ln(1/2 \cdot (2 \cdot d \cdot f \cdot x + c \cdot f + d \cdot e + 2 \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2}) \cdot (d \cdot f)^{1/2}) / (d \cdot f)^{1/2}) \cdot a \cdot b \cdot b^2 \cdot c \cdot d \cdot f^2 \cdot ((a^2 \cdot d \cdot f - a \cdot b \cdot c \cdot f - a \cdot b \cdot d \cdot e + b^2 \cdot c \cdot e) / b^2)^{1/2} + 4 \cdot C \cdot \ln(1/2 \cdot (2 \cdot d \cdot f \cdot x + c \cdot f + d \cdot e + 2 \cdot ((d \cdot x + c) \cdot (f \cdot x + e))^{1/2}) \cdot (d \cdot f)^{1/2}) / (d \cdot f)^{1/2}) \end{aligned}$$

$$\begin{aligned}
& *a*b^2*d^2*e*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} - C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)})*b^3*c^2*f^2 \\
& *((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} - 2*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)})*b^3*c*d*e*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} + 3*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)})*b^3*d^2*e^2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} + 8*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b-a*c*f-a*d*e+2*b*c*f)/(b*x+a))*a^3*d^2*f^2*(d*f)^{(1/2)} - 8*C*\ln((-2*a*d*f*x+b*c*f*x+b*d*e*x+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b-a*c*f-a*d*e+2*b*c*f)/(b*x+a))*a^2*b*c*d*f^2*(d*f)^{(1/2)} + 4*C*x*b^3*d*f*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} + 8*B*b^3*d*f*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} - 8*C*a*b^2*d*f*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} + 2*C*b^3*c*f*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} - 6*C*b^3*d*e*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)}*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} + (d*x+c)^{(1/2)}*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)} / (d*f)^{(1/2)}/d/f^2/b^4/((d*x+c)*(f*x+e))^{(1/2)}
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)/(f*x+e)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(((-(2*a*d*f)/b^2)>0)', see `assume?` for more details)Is $\frac{(-(2*a*d*f)/b^2) + (c*f)/b + (d*e)/b}{(4*d*f * ((a^2*d*f)/b^2) - (a*c*f)/b - (a*d*e)/b + c*e)}/b^2$ zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)),x)`

[Out] \text{Hanged}

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx} (A + Bx + Cx^2)}{(a + bx) \sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(b*x+a)/(f*x+e)**(1/2),x)

[Out] Integral(sqrt(c + d*x)*(A + B*x + C*x**2)/((a + b*x)*sqrt(e + f*x)), x)

$$3.51 \quad \int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^2\sqrt{e+fx}} dx$$

Optimal. Leaf size=364

$$\frac{\sqrt{c+dx}\sqrt{e+fx}(2a^2Cdf-ab(Bdf+cCf+Cde)+b^2(Adf+cCe))}{b^2f(bc-ad)(be-af)} + \tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right)(4a^3Cdf-a^2b(2Bdf+3Cdf+3Cde)+b^3(Adf+cCe))$$

Rubi [A] time = 1.10, antiderivative size = 364, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.222, Rules used = {1613, 154, 157, 63, 217, 206, 93, 208}

$$\frac{\sqrt{c+dx}\sqrt{e+fx}(2a^2Cdf-ab(Bdf+cCf+Cde)+b^2(Adf+cCe))}{b^2f(bc-ad)(be-af)} + \frac{\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right)(-a^2b(2Bdf+3Cdf+5Cde)+4a^3Cdf+ab^2(Bcf+3Bde+4Ce)-b^2(-Acf+Adf+2Bce))}{b^3\sqrt{bc-ad}(be-af)^{3/2}} - \frac{(c+dx)^{3/2}\sqrt{e+fx}(Ab^2-a(bB-aC))}{b(a+bx)(bc-ad)(be-af)} - \frac{\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{be-af}}{\sqrt{e+fx}\sqrt{bc-ad}}\right)(4aCdf+b(-2Bdf-cCf+Cde))}{b^3\sqrt{d}f^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^2*Sqrt[e + f*x]), x]
[Out] ((2*a^2*C*d*f + b^2*(c*C*e + A*d*f) - a*b*(C*d*e + c*C*f + B*d*f))*Sqrt[c + d*x]*Sqrt[e + f*x])/((b^2*(b*c - a*d)*f*(b*e - a*f)) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*Sqrt[e + f*x])/((b*(b*c - a*d)*(b*e - a*f)*(a + b*x)) - ((4*a*C*d*f + b*(C*d*e - c*C*f - 2*B*d*f))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])])/(b^3*Sqrt[d]*f^(3/2)) + ((4*a^3*C*d*f - b^3*(2*B*c*e + A*d*e - A*c*f) + a*b^2*(4*c*C*e + 3*B*d*e + B*c*f) - a^2*b*(5*C*d*e + 3*c*C*f + 2*B*d*f))*ArcTanh[(Sqrt[b*c - a*f]*Sqrt[c + d*x])/(Sqrt[b*c - a*d]*Sqrt[e + f*x])])/(b^3*Sqrt[b*c - a*d]*(b*e - a*f)^(3/2)))
```

Rule 63

```
Int[((a_.) + (b_)*(x_))^(m_)*((c_.) + (d_)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && Neq[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 93

```
Int[((a_.) + (b_)*(x_))^(m_)*((c_.) + (d_)*(x_))^(n_))/((e_.) + (f_)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 154

```

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))
)^^(p_)*((g_) + (h_)*(x_)), x_Symbol] :> Simp[(h*(a + b*x)^(m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^(n*(e + f*x)^(p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]

```

Rule 157

```

Int[((((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_))
))/((a_) + (b_)*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^(n*(e + f*x)^(p
), x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^(n*(e + f*x)^(p))/(a + b*x), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

```

Rule 206

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rule 208

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rule 217

```

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

```

Rule 1613

```

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)
)*(x_))^(p_), x_Symbol] :> With[{Qx = PolynomialQuotient[Px, a + b*x, x],
R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c +
d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di
st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n*
e + f*x)^(p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)
- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],
x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m,
-1] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^2 \sqrt{e+fx}} dx &= -\frac{(Ab^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{b(bc-ad)(be-af)(a+bx)} - \int \frac{\sqrt{c+dx} \left(-\frac{a^2 C(3de+cf)+b^2(2Bce+Ade-Acf)-ab}{2b} \right)}{b^2(bc-ad)f(be-af)} \\
&= \frac{(2a^2 Cdf + b^2(cCe+Adf) - ab(Cde+cCf+Bdf)) \sqrt{c+dx} \sqrt{e+fx}}{b^2(bc-ad)f(be-af)} - \frac{(Ab^2}{b^2(bc-ad)f(be-af)} \\
&= \frac{(2a^2 Cdf + b^2(cCe+Adf) - ab(Cde+cCf+Bdf)) \sqrt{c+dx} \sqrt{e+fx}}{b^2(bc-ad)f(be-af)} - \frac{(Ab^2}{b^2(bc-ad)f(be-af)} \\
&= \frac{(2a^2 Cdf + b^2(cCe+Adf) - ab(Cde+cCf+Bdf)) \sqrt{c+dx} \sqrt{e+fx}}{b^2(bc-ad)f(be-af)} - \frac{(Ab^2}{b^2(bc-ad)f(be-af)} \\
&= \frac{(2a^2 Cdf + b^2(cCe+Adf) - ab(Cde+cCf+Bdf)) \sqrt{c+dx} \sqrt{e+fx}}{b^2(bc-ad)f(be-af)} - \frac{(Ab^2}{b^2(bc-ad)f(be-af)}
\end{aligned}$$

Mathematica [A] time = 2.40, size = 417, normalized size = 1.15

$$\begin{aligned}
&\frac{-\frac{2b\sqrt{c+dx}\sqrt{e+fx}(a(aC-bB)+Ab^2)}{(a+bx)(be-af)} + \frac{2b(cf-de)(a(aC-bB)+Ab^2)\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{af-be}}{\sqrt{e+fx}\sqrt{ad-be}}\right)}{\sqrt{ad-be}(af-be)^{3/2}} + \frac{4(bB-2aC)\sqrt{de-cf}\sqrt{\frac{de-cf}{d(e-cf)}}\sinh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{de-cf}}\right)}{\sqrt{f}\sqrt{e+fx}} - \frac{4(bb-2aC)\sqrt{ad-be}\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{af-be}}{\sqrt{e+fx}\sqrt{ad-be}}\right)}{\sqrt{af-be}} + \frac{2bC\sqrt{e+fx}\left(\sqrt{f}\sqrt{c+dx}\frac{\sinh^{-1}\left(\frac{\sqrt{f}\sqrt{c+dx}}{\sqrt{de-cf}}\right)}{\sqrt{\frac{d(e-cf)}{de-cf}}}\right)}{f^{3/2}}}{2b^3}
\end{aligned}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^2*Sqrt[e + f*x]), x]
[Out] ((-2*b*(A*b^2 + a*(-(b*B) + a*C))*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*e - a*f)*(a + b*x)) + (4*(b*B - 2*a*C)*Sqrt[d*e - c*f]*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(Sqrt[f]*Sqrt[e + f*x]) + (2*b*C*Sqrt[e + f*x]*(Sqrt[f]*Sqrt[c + d*x] - (Sqrt[d*e - c*f]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/Sqrt[(d*(e + f*x))/(d*e - c*f)]))/f^(3/2) - (4*(b*B - 2*a*C)*Sqrt[-(b*c) + a*d]*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/Sqrt[-(b*c) + a*d]*Sqrt[e + f*x]]))/Sqrt[-(b*e) + a*f] + (
```

$$\frac{2 \cdot b^2 \cdot (A \cdot b^2 + a \cdot (-b \cdot B + a \cdot C)) \cdot (-d \cdot e + c \cdot f) \cdot \text{ArcTanh}[(\sqrt{-b \cdot e + a \cdot f}) \cdot Sqrt[c + d \cdot x]] / (\sqrt{-b \cdot c + a \cdot d} \cdot \sqrt{e + f \cdot x})]}{(\sqrt{-b \cdot c + a \cdot d} \cdot (-b \cdot e + a \cdot f)^{(3/2)}) / (2 \cdot b^3)}$$

IntegrateAlgebraic [B] time = 169.66, size = 5591, normalized size = 15.36

Result too large to show

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^2*Sqrt[e + f*x]),x]
```

[Out] Result too large to show

fricas [$F(-1)$] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^2/(f*x+e)^(1/2),x, algorithm="fricas")
```

[Out] Timed out

giac [B] time = 10.82, size = 1388, normalized size = 3.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^2/(f*x+e)^(1/2),x, algorithm="giac")
```

$$\begin{aligned}
& d*x + c)*d*f - c*d*f + d^2*e))^{2*A*b^3*c*d^2*f} + 2*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(t(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*C*a^3*d^3*f} - 2*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*B*a^2*b*d^3*f} + 2*\sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*A*a^2*b^2*d^3*f} + \sqrt(d*f)*C*a^2*b*d^5*e^2 - \sqrt(d*f)*B*a^2*b^2*d^5*e^2 + \sqrt(d*f)*A*b^3*d^5*e^2 - \sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*C*a^2*b*d^3*e} + \sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*B*a^2*d^3*e} - \sqrt(d*f)*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*A*b^3*d^3*e}) / ((b*c^2*d^2*f^2 - 2*b*c*d^3*f*e - 2*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*b*c*d*f} + 4*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*a*d^2*f} + b*d^4*e^2 - 2*(\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*b*d^2*e} + (\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{4*b})*(a*b^3*f*abs(d) - b^4*abs(d)*e) + \sqrt((d*x + c)*d*f - c*d*f + d^2*e)*\sqrt(d*x + c)*C*abs(d)) / (b^2*d^2*f) - 1/2*(\sqrt(d*f)*C*b*c*f - 4*\sqrt(d*f)*C*a*d*f + 2*\sqrt(d*f)*B*b*d*f - \sqrt(d*f)*C*b*d*e)*log((\sqrt(d*f)*\sqrt(d*x + c) - \sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2}) / (b^3*f^2*abs(d))
\end{aligned}$$

maple [B] time = 0.05, size = 3670, normalized size = 10.08

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^2/(f*x+e)^(1/2),x)
[Out] -1/2*(d*x+c)^(1/2)*(f*x+e)^(1/2)*(-2*A*b^4*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)+4*C*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*a^4*d*f^2*(d*f)^(1/2)+B*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*a^2*b^2*c*f^2*(d*f)^(1/2)-2*B*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*a^2*b^2*d*f^2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)-3*C*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*a^3*b*c*f^2*(d*f)^(1/2)+4*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*a^3*b*d*f^2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)-C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*a^2*b^2*c*f^2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)-C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*a*b^3*d*e^2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)+2*B*a*b^3*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)+2*C*x*b^4*e*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)-4*C*a^2*b^2*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)+((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)
```

$$\begin{aligned}
& *x + e))^{(1/2)} * (d*f)^{(1/2)} + 2*C*a*b^3*c*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2) \\
&)^{(1/2)} * ((d*x + c)*(f*x + e))^{(1/2)} * (d*f)^{(1/2)} + A*ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} * ((d*x + c)*(f*x + e))^{(1/2)} * b)/(b*x + a)) * x * b^4*c*f^2*(d*f)^{(1/2)} - C*ln(1/2 * (2*d*f*x + c*f + d*e + 2*((d*x + c)*(f*x + e))^{(1/2)} * (d*f)^{(1/2)})) / (d*f)^{(1/2)} * x * b^4*d*e^2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} + A*ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} * ((d*x + c)*(f*x + e))^{(1/2)} * b)/(b*x + a)) * a * b^3*c*f^2*(d*f)^{(1/2)} - 2*B*ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} * ((d*x + c)*(f*x + e))^{(1/2)} * b)/(b*x + a)) * a^3*b*d*f^2*(d*f)^{(1/2)} - 2*B*ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} * ((d*x + c)*(f*x + e))^{(1/2)} * b)/(b*x + a)) * x * b^4*c*e*f*(d*f)^{(1/2)} + 4*C*ln(1/2 * (2*d*f*x + c*f + d*e + 2*((d*x + c)*(f*x + e))^{(1/2)} * (d*f)^{(1/2)})) / (d*f)^{(1/2)} * x * a^2*b^2*d*f^2*(d*f)^{(1/2)} - C*ln(1/2 * (2*d*f*x + c*f + d*e + 2*((d*x + c)*(f*x + e))^{(1/2)} * (d*f)^{(1/2)})) / (d*f)^{(1/2)} * x * b^3*c*f^2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} + C*ln(1/2 * (2*d*f*x + c*f + d*e + 2*((d*x + c)*(f*x + e))^{(1/2)} * (d*f)^{(1/2)})) / (d*f)^{(1/2)} * x * b^4*c*e*f*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} - A*ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} * ((d*x + c)*(f*x + e))^{(1/2)} * b)/(b*x + a)) * a * b^3*d*e*f*(d*f)^{(1/2)} + 3*B*ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} * ((d*x + c)*(f*x + e))^{(1/2)} * b)/(b*x + a)) * a * b^3*c*e*f*(d*f)^{(1/2)} + 2*B*ln(1/2 * (2*d*f*x + c*f + d*e + 2*((d*x + c)*(f*x + e))^{(1/2)} * (d*f)^{(1/2)})) / (d*f)^{(1/2)} * a * b^2*b^2*d*e*f*(d*f)^{(1/2)} - 2*B*ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} * ((d*x + c)*(f*x + e))^{(1/2)} * b)/(b*x + a)) * a * b^3*d*e*f*(d*f)^{(1/2)} - 2*B*ln(1/2 * (2*d*f*x + c*f + d*e + 2*((d*x + c)*(f*x + e))^{(1/2)} * (d*f)^{(1/2)})) / (d*f)^{(1/2)} * a * b^3*d*e*f*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} - 5*C*ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} * ((d*x + c)*(f*x + e))^{(1/2)} * b)/(b*x + a)) * a^3*b*d*e*f*(d*f)^{(1/2)} + 4*C*ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} * ((d*x + c)*(f*x + e))^{(1/2)} * b)/(b*x + a)) * a^2*b^2*c*e*f*(d*f)^{(1/2)} - 3*C*ln(1/2 * (2*d*f*x + c*f + d*e + 2*((d*x + c)*(f*x + e))^{(1/2)} * (d*f)^{(1/2)})) / (d*f)^{(1/2)} * a^2*b^2*d*e*f*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} + C*ln(1/2 * (2*d*f*x + c*f + d*e + 2*((d*x + c)*(f*x + e))^{(1/2)} * (d*f)^{(1/2)})) / (d*f)^{(1/2)} * a * b^3*c*e*f*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} - 2*C*x*a*b^3*f*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} * ((d*x + c)*(f*x + e))^{(1/2)} * (d*f)^{(1/2)} - A*ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} * ((d*x + c)*(f*x + e))^{(1/2)} * b)/(b*x + a)) * x * b^4*d*e*f*(d*f)^{(1/2)} - 2*B*ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} * ((d*x + c)*(f*x + e))^{(1/2)} * b)/(b*x + a)) * x * a^2*b^2*d*f^2*(d*f)^{(1/2)} + B*ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)} * ((d*x + c)*(f*x + e))^{(1/2)} * b)/(b*x + a)) * x * a * b^3*c*f^2*(d*f)^{(1/2)} - 2*B*ln(1/2 * (2*d*f*x + c*f + d*e + 2*((d*x + c)*(f*x + e))^{(1/2)} * (d*f)^{(1/2)})) / (d*f)^{(1/2)} * x * a * b^3*d*f^2*(d*f)^{(1/2)} + 2*B*ln(1/2 * (2*d*f*x + c*f + d*e + 2*((d*x + c)*(f*x + e))^{(1/2)} * (d*f)^{(1/2)})) / (d*f)^{(1/2)} * x * b^4*d*e*f*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e)/b^2))^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& d*f - a*b*c*f - a*b*d*e + b^2*c*e) / b^2)^{(1/2)} + 4*C*\ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - \\
& a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e) / b^2)^{(1/2)} * ((d*x + c) \\
&) * (f*x + e))^{(1/2)} * b) / (b*x + a) * x*a^3 * b*d*f^2 * (d*f)^{(1/2)} - 3*C*\ln((-2*a*d*f*x + b \\
& *c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e) / b^2) \\
&)^{(1/2)} * ((d*x + c) * (f*x + e))^{(1/2)} * b) / (b*x + a) * x*a^2 * b^2 * c*f^2 * (d*f)^{(1/2)} + 3*B \\
& *\ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b \\
& *d*e + b^2*c*e) / b^2)^{(1/2)} * ((d*x + c) * (f*x + e))^{(1/2)} * b) / (b*x + a) * x*a*b^3 * d*e*f * \\
& (d*f)^{(1/2)} - 5*C*\ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e + 2*b*c*e + 2*((a^2*d*f - a \\
& *b*c*f - a*b*d*e + b^2*c*e) / b^2)^{(1/2)} * ((d*x + c) * (f*x + e))^{(1/2)} * b) / (b*x + a) \\
& * x*a^2 * b^2 * d*e*f * (d*f)^{(1/2)} + 4*C*\ln((-2*a*d*f*x + b*c*f*x + b*d*e*x - a*c*f - a*d*e \\
& + 2*b*c*e + 2*((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e) / b^2)^{(1/2)} * ((d*x + c) * (f*x + e))^{(1/2)} * b) / (b*x + a) \\
& * x*a*b^3 * c*e*f * (d*f)^{(1/2)} - 3*C*\ln(1/2 * (2*d*f*x + c*f + d*e + 2*((d*x + c) * (f*x + e))^{(1/2)} * (d*f)^{(1/2)}) * x*a*b^3 * d*e*f * ((a^2*d*f - a \\
& *b*c*f - a*b*d*e + b^2*c*e) / b^2)^{(1/2)} / ((d*x + c) * (f*x + e))^{(1/2)} / (a*f - b*e) / (b*x + a) \\
& / (d*f)^{(1/2)} / ((a^2*d*f - a*b*c*f - a*b*d*e + b^2*c*e) / b^2)^{(1/2)} / f / b^4
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^2/(f*x+e)^(1/2), x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(((-(2*a*d*f)/b^2)>0)', see `assume?` for more details) Is (((-(2*a*d*f)/b^2) + (c*f)/b + (d*e)/b)^2 - (4*d*f * ((a^2*d*f)/b^2) - (a*c*f)/b - (a*d*e)/b + c*e) / b^2 zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^2), x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(b*x+a)**2/(f*x+e)**(1/2),x)`

[Out] Timed out

3.52 $\int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^3 \sqrt{e+fx}} dx$

Optimal. Leaf size=484

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (4a^3 Cdf - a^2 b C (5cf + 7de) + ab^2 (-4Adf + Bcf + 3Bde + 8cCe) - b^3 (-3Acf - Ade + 4Bce))}{4b^2(a+bx)(bc-ad)(be-af)^2}$$

Rubi [A] time = 1.56, antiderivative size = 484, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.222, Rules used = {1613, 149, 157, 63, 217, 206, 93, 208}

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{e+fx}}{\sqrt{b^2(a+bx)^2(c+dx)^2}}\right) \left(ba^2b^2C \left(c^2f^2+10cd^2f+5d^3f^2\right)-4a^2b^2Cd f \left(3cf+5de\right)+8a^2C^2f^2-f^2 \left(2ad \left(3Af^2-Be^f+12C^2f\right)+Af^2 \left(3Bf-4Af\right)+C^2 \left(8C^2r-Bf\right)\right)\right)+b^4 \left(A^2 \left(-3Af^2-4B^2f+8C^2\right)\right)-2ia \left(2Bf-Af\right)+Af^2a^2\right)}{4b^5 \left((c-ad)^2 (be-af)\right)^{3/2}}, \frac{\sqrt{c+dx} \sqrt{e+fx} \left(-a^2b^2Cdf+7de\right)+4a^2Cdf+ab^2 \left(-4Adf+Bcf+3Bde+8cCe\right)+b^3 \left(-3Acf-Ade+4Bce\right)}}{4b^2(a+bx)(bc-ad)(be-af)^2}, \frac{(c+dx)^{3/2} \sqrt{e+fx} \left(A^2b-a^2B-ac^2\right)}{2b(a+bx)^2(c-ad)(be-af)^2}+\frac{2i\sqrt{d} \tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{e+fx}}{\sqrt{b^2(a+bx)^2(c+dx)^2}}\right)}{b^2\sqrt{f}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^3*Sqrt[e + f*x]), x]
[Out] ((4*a^3*C*d*f - a^2*b*C*(7*d*e + 5*c*f) - b^3*(4*B*c*e - A*d*e - 3*A*c*f) +
a*b^2*(8*c*C*e + 3*B*d*e + B*c*f - 4*A*d*f))*Sqrt[c + d*x]*Sqrt[e + f*x])/
(4*b^2*(b*c - a*d)*(b*e - a*f)^2*(a + b*x)) - ((A*b^2 - a*(b*B - a*C))*(c +
d*x)^(3/2)*Sqrt[e + f*x])/((2*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^2) + (2*C
*Sqrt[d]*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])])/(b^3*Sqr
t[f])) - ((8*a^4*C*d^2*f^2 - 4*a^3*b*C*d*f*(5*d*e + 3*c*f) + 3*a^2*b^2*C*(5*
d^2*e^2 + 10*c*d*e*f + c^2*f^2) - a*b^3*(d^2*e*(3*B*e - 4*A*f) + c^2*f*(8*C
*e - B*f) + 2*c*d*(12*C*e^2 - B*e*f + 2*A*f^2)) - b^4*(A*d^2*e^2 - 2*c*d*e*
(2*B*e - A*f) - c^2*(8*C*e^2 - 4*B*e*f + 3*A*f^2)))*ArcTanh[(Sqrt[b*e - a*f
]*Sqrt[c + d*x])/(Sqrt[b*c - a*d]*Sqrt[e + f*x])])/(4*b^3*(b*c - a*d)^(3/2)
*(b*e - a*f)^(5/2))
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 93

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
```

```
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 149

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_)), x_Symbol] :> Simpl[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/((b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g - e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegerQ[m]
```

Rule 157

```
Int[((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_))/((a_) + (b_)*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simpl[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simpl[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1613

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simpl[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -
```

1] && IntegersQ[2*m, 2*n, 2*p]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{c+dx} (A+Bx+Cx^2)}{(a+bx)^3 \sqrt{e+fx}} dx &= -\frac{(Ab^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{2b(bc-ad)(be-af)(a+bx)^2} - \frac{\int \frac{\sqrt{c+dx} \left(-\frac{a^2 C(3de+cf)+b^2(4Bce-Ade-3Acf)-ab^2}{2b}\right)}{(a+bx)^2}}{2(bc-ad)} \\
 &= \frac{(4a^3 Cdf - a^2 b C(7de + 5cf) - b^3(4Bce - Ade - 3Acf) + ab^2(8cCe + 3Bde + Bf))}{4b^2(bc-ad)(be-af)^2(a+bx)} \\
 &= \frac{(4a^3 Cdf - a^2 b C(7de + 5cf) - b^3(4Bce - Ade - 3Acf) + ab^2(8cCe + 3Bde + Bf))}{4b^2(bc-ad)(be-af)^2(a+bx)} \\
 &= \frac{(4a^3 Cdf - a^2 b C(7de + 5cf) - b^3(4Bce - Ade - 3Acf) + ab^2(8cCe + 3Bde + Bf))}{4b^2(bc-ad)(be-af)^2(a+bx)} \\
 &= \frac{(4a^3 Cdf - a^2 b C(7de + 5cf) - b^3(4Bce - Ade - 3Acf) + ab^2(8cCe + 3Bde + Bf))}{4b^2(bc-ad)(be-af)^2(a+bx)}
 \end{aligned}$$

Mathematica [A] time = 5.67, size = 523, normalized size = 1.08

$$\frac{\frac{2b^2(c+dx)^{3/2} \sqrt{e+fx} (a(aC-bB)+Ab^2)}{(a+bx)^2(bc-ad)(be-af)} + \frac{b(a(aC-bB)+Ab^2)(-4ad^2+3bcf+bdc)\left(\sqrt{c+dx} \sqrt{e+fx} \sqrt{ad-bc} \sqrt{af-be} -(a+bx)(de-cf) \tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{af-be}}{\sqrt{e+fx} \sqrt{ad-bc}}\right)\right)}{(a+bx)^2(ad-bc)^2 (af-be)^{5/2}} + \frac{4b \sqrt{c+dx} \sqrt{e+fx} (bB-2aC)}{(a+bx)(be-af)} - \frac{4b(bB-2aC)(cf-de) \tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{af-be}}{\sqrt{e+fx} \sqrt{ad-bc}}\right)}{\sqrt{ad-bc} (af-be)^{3/2}} + \frac{8C \sqrt{ad-bc} \tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{af-be}}{\sqrt{e+fx} \sqrt{ad-bc}}\right)}{\sqrt{af-be}} - \frac{8C \sqrt{de-cf} \sqrt{\frac{8d^2+f^2}{2c-f^2}} \sinh^{-1}\left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{ad-bc}}\right)}{\sqrt{f} \sqrt{e+fx}}}{4b^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^3*Sqrt[e + f*x]), x]
[Out] -1/4*((4*b*(b*B - 2*a*C)*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*e - a*f)*(a + b*x))
+ (2*b^2*(A*b^2 + a*(-(b*B) + a*C))*(c + d*x)^(3/2)*Sqrt[e + f*x])/((b*c
- a*d)*(b*e - a*f)*(a + b*x)^2) - (8*C*Sqrt[d*e - c*f]*Sqrt[(d*(e + f*x))/(
d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(Sqrt[f]*Sqr
t[e + f*x]) + (8*C*Sqrt[-(b*c) + a*d]*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c +
d*x])/Sqrt[d*e - c*f]]/(Sqrt[d*e - c*f]))/(Sqrt[f]*Sqrt[e + f*x]))/(a + b*x)^3]
```

$$\frac{d*x}{\sqrt{-(b*c) + a*d} \cdot \sqrt{e + f*x}}) / \sqrt{-(b*e) + a*f} - (4*b*(b*B - 2*a*C)*(-(d*e) + c*f) \cdot \text{ArcTanh}[(\sqrt{-(b*e) + a*f} \cdot \sqrt{c + d*x}) / (\sqrt{-(b*c) + a*d} \cdot \sqrt{e + f*x})]) / (\sqrt{-(b*c) + a*d} \cdot (-(b*e) + a*f)^{(3/2)}) + (b*(A*b^2 + a*(-(b*B) + a*C)) \cdot (b*d*e + 3*b*c*f - 4*a*d*f) \cdot (\sqrt{-(b*c) + a*d} \cdot \sqrt{-(b*e) + a*f} \cdot \sqrt{c + d*x} \cdot \sqrt{e + f*x} - (d*e - c*f) \cdot (a + b*x) \cdot \text{ArcTanh}[(\sqrt{-(b*e) + a*f} \cdot \sqrt{c + d*x}) / (\sqrt{-(b*c) + a*d} \cdot \sqrt{e + f*x})])) / ((-(b*c) + a*d)^{(3/2)} \cdot (-(b*e) + a*f)^{(5/2)} \cdot (a + b*x))) / b^3$$

IntegrateAlgebraic [F] time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[($\sqrt{c + d*x} \cdot (A + B*x + C*x^2)$) / (($a + b*x$)^3 * $\sqrt{e + f*x}$), x]

[Out] \$Aborted

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(($C*x^2 + B*x + A$) * ($d*x + c$)^(1/2) / ($b*x + a$)^3 / ($f*x + e$)^(1/2), x, algorithm= "fricas")

[Out] Timed out

giac [B] time = 134.87, size = 8004, normalized size = 16.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(($C*x^2 + B*x + A$) * ($d*x + c$)^(1/2) / ($b*x + a$)^3 / ($f*x + e$)^(1/2), x, algorithm= "giac")

[Out] $-1/4 * (3 * \sqrt{d*f} * C*a^2 * b^2 * c^2 * d^2 * f^2 + \sqrt{d*f} * B*a*b^3 * c^2 * d^2 * f^2 + 3 * \sqrt{d*f} * A*b^4 * c^2 * d^2 * f^2 - 12 * \sqrt{d*f} * C*a^3 * b*c*d^3 * f^2 - 4 * \sqrt{d*f} * A*a*b^3 * c*d^3 * f^2 + 8 * \sqrt{d*f} * C*a^4 * d^4 * f^2 - 8 * \sqrt{d*f} * C*a*b^3 * c^2 * d^2 * f^2 - 4 * \sqrt{d*f} * B*b^4 * c^2 * d^2 * f^2 + 30 * \sqrt{d*f} * C*a^2 * b^2 * c*d^3 * f^2 + 2 * \sqrt{d*f} * B*a*b^3 * c*d^3 * f^2 - 2 * \sqrt{d*f} * A*b^4 * c*d^3 * f^2 - 20 * \sqrt{d*f} * C*a^3 * b*d^4 * f^2 + 4 * \sqrt{d*f} * A*a*b^3 * d^4 * f^2 + 8 * \sqrt{d*f} * C*b^4 * c^2 * d^2 * f^2 - 24 * \sqrt{d*f} * C*a*b^3 * c*d^3 * e^2 + 4 * \sqrt{d*f} * B*b^4 * c*d^3 * e^2 + 15 * \sqrt{d*f} * C*a^2 * b^2 * d^4 * e^2 - 3 * \sqrt{d*f} * B*a*b^3 * d^4 * e^2 - \sqrt{d*f} * A*b^4 * d^4 * e^2) * \text{arctan}(-1/2 * (b*c*d*f - 2*a*d^2*f + b*d^2*e - (\sqrt{d*f}) * \sqrt{d*x + c}))$

$$\begin{aligned}
& - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*b) / (\sqrt{a*b*c*d*f^2 - a^2*d^2*f^2} \\
& - b^2*c*d*f*e + a*b*d^2*f*e)*d)) / ((a^2*b^4*c*f^2*abs(d) - a^3*b^3*d*f^2*a \\
& bs(d) - 2*a*b^5*c*f*abs(d)*e + 2*a^2*b^4*d*f*abs(d)*e + b^6*c*abs(d)*e^2 - \\
& a*b^5*d*abs(d)*e^2)*sqrt(a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f \\
& *e)*d) - sqrt(d*f)*C*d*log((sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - \\
& c*d*f + d^2*e))^2) / (b^3*f*abs(d)) - 1/2*(5*sqrt(d*f)*C*a^2*b^3*c^5*d^5*f^5 \\
& - sqrt(d*f)*B*a*b^4*c^5*d^5*f^5 - 3*sqrt(d*f)*A*b^5*c^5*d^5*f^5 - 6*sqrt(d \\
& *f)*C*a^3*b^2*c^4*d^6*f^5 + 2*sqrt(d*f)*B*a^2*b^3*c^4*d^6*f^5 + 2*sqrt(d*f) \\
& *A*a*b^4*c^4*d^6*f^5 - 8*sqrt(d*f)*C*a*b^4*c^5*d^5*f^4*e + 4*sqrt(d*f)*B*b^ \\
& 5*c^5*d^5*f^4*e - 11*sqrt(d*f)*C*a^2*b^3*c^4*d^6*f^4*e - sqrt(d*f)*B*a*b^4*c \\
& ^4*d^6*f^4*e + 13*sqrt(d*f)*A*b^5*c^4*d^6*f^4*e + 24*sqrt(d*f)*C*a^3*b^2*c \\
& ^3*d^7*f^4*e - 8*sqrt(d*f)*B*a^2*b^3*c^3*d^7*f^4*e - 8*sqrt(d*f)*A*a*b^4*c^ \\
& 3*d^7*f^4*e - 15*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - \\
& c*d*f + d^2*e))^2*C*a^2*b^3*c^4*d^4*f^4 + 3*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + \\
& c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a*b^4*c^4*d^4*f^4 + 9*sqrt(d \\
& *f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*A*b^5 \\
& *c^4*d^4*f^4 + 44*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - \\
& c*d*f + d^2*e))^2*C*a^3*b^2*c^3*d^5*f^4 - 8*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x \\
& + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a^2*b^3*c^3*d^5*f^4 - 28*sq \\
& rt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*A \\
& *a*b^4*c^3*d^5*f^4 - 32*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c) \\
& *d*f - c*d*f + d^2*e))^2*C*a^4*b*c^2*d^6*f^4 + 8*sqrt(d*f)*(sqrt(d*f)*sqrt(d \\
& *x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a^3*b^2*c^2*d^6*f^4 + 1 \\
& 6*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e)) \\
& ^2*A*a^2*b^3*c^2*d^6*f^4 + 32*sqrt(d*f)*C*a*b^4*c^4*d^6*f^3*e^2 - 16*sqrt(d \\
& *f)*B*b^5*c^4*d^6*f^3*e^2 - 6*sqrt(d*f)*C*a^2*b^3*c^3*d^7*f^3*e^2 + 14*sqrt \\
& (d*f)*B*a*b^4*c^3*d^7*f^3*e^2 - 22*sqrt(d*f)*A*b^5*c^3*d^7*f^3*e^2 - 36*sq \\
& rt(d*f)*C*a^3*b^2*c^2*d^8*f^3*e^2 + 12*sqrt(d*f)*B*a^2*b^3*c^2*d^8*f^3*e^2 + \\
& 12*sqrt(d*f)*A*a*b^4*c^2*d^8*f^3*e^2 + 24*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + \\
& c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a*b^4*c^4*d^4*f^3*e - 12*sqrt \\
& (d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*b^ \\
& 5*c^4*d^4*f^3*e - 56*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d \\
& *f - c*d*f + d^2*e))^2*C*a^2*b^3*c^3*d^5*f^3*e + 32*sqrt(d*f)*(sqrt(d*f)*sq \\
& rt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a*b^4*c^3*d^5*f^3*e \\
& - 8*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e)) \\
& ^2*A*b^5*c^3*d^5*f^3*e - 20*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c) \\
& *d*f - c*d*f + d^2*e))^2*C*a^3*b^2*c^2*d^6*f^3*e - 16*sqrt(d*f)*(sqrt(d \\
& *f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a^2*b^3*c^2* \\
& d^6*f^3*e + 52*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c \\
& *d*f + d^2*e))^2*A*a*b^4*c^2*d^6*f^3*e + 64*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + \\
& c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a^4*b*c*d^7*f^3*e - 16*sqrt(d \\
& *f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a^3 \\
& *b^2*c*d^7*f^3*e - 32*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d \\
& *f - c*d*f + d^2*e))^2*A*a^2*b^3*c*d^7*f^3*e + 15*sqrt(d*f)*(sqrt(d*f)*sqrt \\
& (d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a^2*b^3*c^3*d^3*f^3 -
\end{aligned}$$

$$\begin{aligned}
& 3*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}) \\
& \sim 4*B*a*b^4*c^3*d^3*f^3 - 9*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}) \\
& \sim 4*A*b^5*c^3*d^3*f^3 - 58*\sqrt{d*f}*(\sqrt{d*f}*\sqrt{t(d*x + c)}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}) \\
& \sim 4*C*a^3*b^2*c^2*d^4*f^3 + 14*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}) \\
& \sim 4*B*a^2*b^3*c^2*d^4*f^3 + 30*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}) \\
& \sim 4*A*a*b^4*c^2*d^4*f^3 + 88*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}) \\
& \sim 4*C*a^4*b*c*d^5*f^3 - 24*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}) \\
& \sim 4*B*a^3*b^2*c*d^5*f^3 - 40*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}) \\
& \sim 4*A*a^2*b^3*c*d^5*f^3 - 48*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}) \\
& \sim 4*C*a^5*d^6*f^3 + 16*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}) \\
& \sim 4*B*a^4*b*d^6*f^3 + 16*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e}) \\
& \sim 4*A*a^3*b^2*d^6*f^3 - 48*\sqrt{d*f}*(C*a*b^4*c^3*d^7*f^2*e^3 + 24*\sqrt{d*f}*(B*b^5*c^3*d^7*f^2*e^3 + 34*\sqrt{d*f}*(C*a^2*b^3*c^2*d^8*f^2*e^3 - 26*\sqrt{d*f}*(B*a*b^4*c^2*d^8*f^2*e^3 + 18*\sqrt{d*f}*(A*b^5*c^2*d^8*f^2*e^3 + 24*\sqrt{d*f}*(C*a^3*b^2*c*d^9*f^2*e^3 - 8*\sqrt{d*f}*(B*a^2*b^3*c*d^9*f^2*e^3 - 8*\sqrt{d*f}*(A*a*b^4*c*d^9*f^2*e^3 - 24*\sqrt{d*f}*(\sqrt{d*x + c)*d*f - c*d*f + d^2*e})^2*C*a*b^4*c^3*d^5*f^2*e^2 + 12*\sqrt{d*f}*(\sqrt{d*x + c)*d*f - c*d*f + d^2*e})^2*B*b^5*c^3*d^5*f^2*e^2 + 130*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*C*a^2*b^3*c^2*d^6*f^2*e^2 - 58*\sqrt{t(d*x + c)}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*B*a^4*c^2*d^6*f^2*e^2 - 14*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*A*b^5*c^2*d^6*f^2*e^2 - 92*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*C*a^3*b^2*c*d^7*f^2*e^2 + 56*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*B*a^2*b^3*c*d^7*f^2*e^2 - 20*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*A*a*b^4*c*d^7*f^2*e^2 - 32*\sqrt{d*x + c}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*C*a^4*b*d^8*f^2*e^2 + 8*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*B*a^3*b^2*d^8*f^2*e^2 + 16*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^2*A*a^2*b^3*d^8*f^2*e^2 - 24*\sqrt{d*x + c}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^4*C*a*b^4*c^3*d^3*f^2*e + 101*\sqrt{d*f}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^4*C*a^2*b^3*c^2*d^4*f^2*e - 49*\sqrt{d*x + c}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^4*B*b^5*c^3*d^3*f^2*e - 3*\sqrt{d*x + c}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^4*A*b^5*c^2*d^4*f^2*e - 188*\sqrt{d*x + c}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^4*C*a^3*b^2*c*d^5*f^2*e + 84*\sqrt{d*x + c}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^4*B*a^2*b^3*c*d^5*f^2*e + 20*\sqrt{d*x + c}*(\sqrt{d*x + c}) - \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})^4*A*a*b^4*c*d^5*f^2*e + 120*\sqrt{d*x + c})
\end{aligned}$$

$$\begin{aligned}
& (d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a \\
& \quad ^4*b*d^6*f^2*e - 56*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f \\
& \quad - c*d*f + d^2*e))^4*B*a^3*b^2*d^6*f^2*e - 8*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x \\
& \quad + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*A*a^2*b^3*d^6*f^2*e - 5*sqrt(\\
& \quad d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6*C*a^ \\
& \quad 2*b^3*c^2*d^2*f^2 + sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f \\
& \quad - c*d*f + d^2*e))^6*B*a*b^4*c^2*d^2*f^2 + 3*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x \\
& \quad + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6*A*b^5*c^2*d^2*f^2 + 20*sqrt(d \\
& \quad *f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6*C*a^3 \\
& \quad *b^2*c*d^3*f^2 - 8*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f \\
& \quad - c*d*f + d^2*e))^6*B*a^2*b^3*c*d^3*f^2 - 4*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + \\
& \quad c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6*A*a*b^4*c*d^3*f^2 - 16*sqrt(d* \\
& \quad f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6*C*a^4 \\
& \quad b*d^4*f^2 + 8*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d \\
& \quad *f + d^2*e))^6*B*a^3*b^2*d^4*f^2 + 32*sqrt(d*f)*C*a*b^4*c^2*d^8*f^4 - 16* \\
& \quad sqrt(d*f)*B*b^5*c^2*d^8*f^4 - 31*sqrt(d*f)*C*a^2*b^3*c*d^9*f^4 + 19*sqrt(\\
& \quad d*f)*B*a*b^4*c*d^9*f^4 - 7*sqrt(d*f)*A*b^5*c*d^9*f^4 - 6*sqrt(d*f)*C* \\
& \quad a^3*b^2*d^10*f^4 + 2*sqrt(d*f)*B*a^2*b^3*d^10*f^4 + 2*sqrt(d*f)*A*a*b^4 \\
& \quad *d^10*f^4 - 24*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - \\
& \quad c*d*f + d^2*e))^2*C*a*b^4*c^2*d^6*f^3 + 12*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + \\
& \quad c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*b^5*c^2*d^6*f^3 - 32*sqrt(\\
& \quad d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a \\
& \quad ^2*b^3*c*d^7*f^3 + 8*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)* \\
& \quad d*f - c*d*f + d^2*e))^2*B*a*b^4*c*d^7*f^3 + 16*sqrt(d*f)*(sqrt(d*f)*sqrt(\\
& \quad d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*A*b^5*c*d^7*f^3 + 68*sqrt(\\
& \quad d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C \\
& \quad *a^3*b^2*d^8*f^3 - 32*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)* \\
& \quad d*f - c*d*f + d^2*e))^2*B*a^2*b^3*d^8*f^3 - 4*sqrt(d*f)*(sqrt(d*f)*sqrt(\\
& \quad d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*A*a*b^4*d^8*f^3 - 16*sqrt(\\
& \quad d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*C \\
& \quad *a*b^4*c^2*d^4*f^2 + 8*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)* \\
& \quad d*f - c*d*f + d^2*e))^4*B*b^5*c^2*d^4*f^2 + 97*sqrt(d*f)*(sqrt(d*f)*sqrt(\\
& \quad d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a^2*b^3*c*d^5*f^2 - \\
& \quad 45*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e)) \\
& \quad)^4*B*a*b^4*c*d^5*f^2 - 7*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)* \\
& \quad d*f - c*d*f + d^2*e))^4*A*b^5*c*d^5*f^2 - 90*sqrt(d*f)*(sqrt(d*f)*sqrt(\\
& \quad d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a^3*b^2*d^6*f^2 + \\
& \quad 46*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e)) \\
& \quad)^4*B*a^2*b^3*d^6*f^2 - 2*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)* \\
& \quad d*f - c*d*f + d^2*e))^4*A*a*b^4*d^6*f^2 + 8*sqrt(d*f)*(sqrt(d*f)*sqrt(\\
& \quad d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6*C*a*b^4*c^2*d^2*f^2 - \\
& \quad 4*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e)) \\
& \quad)^6*B*b^5*c^2*d^2*f^2 - 34*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)* \\
& \quad d*f - c*d*f + d^2*e))^6*C*a^2*b^3*c*d^3*f^2 + 18*sqrt(d*f)*(sqrt(d*f)*sqrt(\\
& \quad d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6*B*a*b^4*c*d^3*f^2 - 2*
\end{aligned}$$

```

sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6
*A*b^5*c*d^3*f*e + 28*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d
*f - c*d*f + d^2*e))^6*C*a^3*b^2*d^4*f*e - 16*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x
+c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6*B*a^2*b^3*d^4*f*e + 4*sqrt(d
*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6*A*a*b
^4*d^4*f*e - 8*sqrt(d*f)*C*a*b^4*c*d^9*e^5 + 4*sqrt(d*f)*B*b^5*c*d^9*e^5 +
9*sqrt(d*f)*C*a^2*b^3*d^10*e^5 - 5*sqrt(d*f)*B*a*b^4*d^10*e^5 + sqrt(d*f)*A
*b^5*d^10*e^5 + 24*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f
- c*d*f + d^2*e))^2*C*a*b^4*c*d^7*e^4 - 12*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x +
c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*b^5*c*d^7*e^4 - 27*sqrt(d*f)*
(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a^2*b^3
*d^8*e^4 + 15*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d
*f + d^2*e))^2*B*a*b^4*d^8*e^4 - 3*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqr
t((d*x + c)*d*f - c*d*f + d^2*e))^2*A*b^5*d^8*e^4 - 24*sqrt(d*f)*(sqrt(d*f)
*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*C*a*b^4*c*d^5*e^3 +
12*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e
))^4*B*b^5*c*d^5*e^3 + 27*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x +
c)*d*f - c*d*f + d^2*e))^4*C*a^2*b^3*d^6*e^3 - 15*sqrt(d*f)*(sqrt(d*f)*sqrt
(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*B*a*b^4*d^6*e^3 + 3*sqrt
(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*A*b
^5*d^6*e^3 + 8*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d
*f + d^2*e))^6*C*a*b^4*c*d^3*e^2 - 4*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) -
sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6*B*b^5*c*d^3*e^2 - 9*sqrt(d*f)*(sqrt(
d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^6*C*a^2*b^3*d^4*e
^2 + 5*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e
))^6*B*a*b^4*d^4*e^2 - sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x +
c)*d*f - c*d*f + d^2*e))^6*A*b^5*d^4*e^2)/((a^2*b^4*c*f^2*abs(d) - a^3*b^3*
d*f^2*abs(d) - 2*a*b^5*c*f*abs(d)*e + 2*a^2*b^4*d*f*abs(d)*e + b^6*c*abs(d)
*e^2 - a*b^5*d*abs(d)*e^2)*(b*c^2*d^2*f^2 - 2*b*c*d^3*f*e - 2*(sqrt(d*f)*sq
rt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*b*c*d*f + 4*(sqrt(d*f)
*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*a*d^2*f + b*d^4*e^2 -
2*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*b*d^2*
e + (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^4*b)^2)

```

maple [B] time = 0.10, size = 9100, normalized size = 18.80

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^3/(f*x+e)^(1/2),x)`

[Out] result too large to display

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^3/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(((-(2*a*d*f)/b^2)>0)', see `assume?` for more details)Is (((-(2*a*d*f)/b^2)+(c*f)/b+(d*e)/b)^2 - (4*d*f)*(a^2*d*f)/b^2 -(a*c*f)/b -(a*d*e)/b +c*e)/b^2 zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^3),x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(b*x+a)**3/(f*x+e)**(1/2),x)

[Out] Timed out

$$3.53 \quad \int \frac{\sqrt{c+dx}(A+Bx+Cx^2)}{(a+bx)^4 \sqrt{e+fx}} dx$$

Optimal. Leaf size=685

$$(de - cf) \tanh^{-1} \left(\frac{\sqrt{c+dx} \sqrt{be-af}}{\sqrt{e+fx} \sqrt{bc-ad}} \right) \left(- \left(a^2 (2df(-4Adf + Bcf + 3Bde) - C(c^2f^2 + 2cdef + 5d^2e^2)) \right) + ab (-2cd ($$

Rubi [A] time = 1.78, antiderivative size = 685, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.167, Rules used = {1613, 149, 151, 12, 93, 208}

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^4*Sqrt[e + f*x]), x]
[Out] ((4*a^3*C*d*f - b^3*(6*B*c*e - 3*A*d*e - 5*A*c*f) + a*b^2*(12*c*C*e + 3*B*d
*e + B*c*f - 8*A*d*f) - a^2*b*(9*C*d*e + 7*c*C*f - 2*B*d*f))*Sqrt[c + d*x]*Sqrt[e + f*x])/(12*b^2*(b*c - a*d)*(b*e - a*f)^2*(a + b*x)^2) - ((8*a^4*C*d
^2*f^2 - 2*a^3*b*d*f*(13*C*d*e + 7*c*C*f - 2*B*d*f) - b^4*(3*A*d^2*e^2 - 2*
c*d*e*(3*B*e - 2*A*f) - 3*c^2*(8*C*e^2 - 6*B*e*f + 5*A*f^2)) - a*b^3*(d^2*e
*(3*B*e - 10*A*f) + 3*c^2*f*(4*C*e - B*f) + 2*c*d*(30*C*e^2 - 14*B*e*f + 13
*A*f^2)) - a^2*b^2*(4*d*f*(4*B*d*e + B*c*f - 2*A*d*f) - C*(33*d^2*e^2 + 44*
c*d*e*f + 3*c^2*f^2)))*Sqrt[c + d*x]*Sqrt[e + f*x])/(24*b^2*(b*c - a*d)^2*(b*e - a*f)^3*(a + b*x)) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*Sqrt[e +
f*x])/((3*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^3) - ((d*e - c*f)*(b^2*(A*d^2
*e^2 - 2*c*d*e*(B*e - A*f) + c^2*(8*C*e^2 - 6*B*e*f + 5*A*f^2)) + a*b*(d^2*
e*(B*e - 4*A*f) - c^2*f*(4*C*e - B*f) - 2*c*d*(6*C*e^2 - 7*B*e*f + 6*A*f^2)
) - a^2*(2*d*f*(3*B*d*e + B*c*f - 4*A*d*f) - C*(5*d^2*e^2 + 2*c*d*e*f + c^2
*f^2)))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[c + d*x])/(Sqrt[b*c - a*d]*Sqrt[e + f
*x])])/(8*(b*c - a*d)^(5/2)*(b*e - a*f)^(7/2))]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 93

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)]]
```

```
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 149

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))
)^^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] :> Simp[((b*g - a*h)*(a + b*x)^(m +
1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(b*
b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g - e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegerQ[m]
```

Rule 151

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))
)^^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] :> Simp[((b*g - a*h)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 1613

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.
)*(x_))^(p_), x_Symbol] :> With[{Qx = PolynomialQuotient[Px, a + b*x, x], R =
PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx} (A + Bx + Cx^2)}{(a+bx)^4 \sqrt{e+fx}} dx &= -\frac{(Ab^2 - a(bB - aC))(c+dx)^{3/2} \sqrt{e+fx}}{3b(bc-ad)(be-af)(a+bx)^3} - \frac{\sqrt{c+dx} \left(-\frac{a^2 C (3de+cf) + b^2 (6Bce-3Ade-5Acf)}{2b} \right)}{12b^2(bc-ad)(be-af)^2(a+bx)^2} \\
&= \frac{(4a^3 C df - b^3 (6Bce - 3Ade - 5Acf) + ab^2 (12cCe + 3Bde + Bcf - 8Adf) - a^2 C (3de+cf) - b^2 (6Bce-3Ade-5Acf))}{12b^2(bc-ad)(be-af)^2(a+bx)^2} \\
&= \frac{(4a^3 C df - b^3 (6Bce - 3Ade - 5Acf) + ab^2 (12cCe + 3Bde + Bcf - 8Adf) - a^2 C (3de+cf) - b^2 (6Bce-3Ade-5Acf))}{12b^2(bc-ad)(be-af)^2(a+bx)^2} \\
&= \frac{(4a^3 C df - b^3 (6Bce - 3Ade - 5Acf) + ab^2 (12cCe + 3Bde + Bcf - 8Adf) - a^2 C (3de+cf) - b^2 (6Bce-3Ade-5Acf))}{12b^2(bc-ad)(be-af)^2(a+bx)^2} \\
&= \frac{(4a^3 C df - b^3 (6Bce - 3Ade - 5Acf) + ab^2 (12cCe + 3Bde + Bcf - 8Adf) - a^2 C (3de+cf) - b^2 (6Bce-3Ade-5Acf))}{12b^2(bc-ad)(be-af)^2(a+bx)^2}
\end{aligned}$$

Mathematica [A] time = 6.34, size = 729, normalized size = 1.06

$$\begin{aligned}
&\frac{(a^2 C - abB + A b^2) \left(\frac{\frac{3 (a x^2 f^2 - 4 a d f) (c x f + d x) + b^2 (x^2 f^2 + 2 c d f + x^2 f^2)}{b^2 (a x^2 f^2 + d x^2 f^2)} \left(\frac{\frac{(a-c) \tanh^{-1} \left(\frac{\sqrt{c+d x}}{\sqrt{c+d x} \sqrt{e+f x}} \right)}{\sqrt{c+d x} \sqrt{e+f x}} \right) - \frac{(a-c) f \tanh^{-1} \left(\frac{\sqrt{c+d x}}{\sqrt{c+d x} \sqrt{e+f x}} \right)}{\sqrt{c+d x} \sqrt{e+f x} (a+d c)} \right)}{b^2 (a x^2 f^2 + d x^2 f^2)} \right)}{3 b^2 (b c - a d) (b e - a f)} \\
&- \frac{\left(\frac{(c+d x)^{3/2} \sqrt{e+f x} \left(\frac{3 (a (-d a f + 2 b c f + 3 b d f) - a b d)}{2 a (b c - a d) (b e - a f)} \right)}{3 b (a+b x)^{3/2} (b c - a d) (b e - a f)} + \frac{(b B - 2 a C) (-4 a d f + 3 b c f + b d e) \left(\frac{\sqrt{c+d x} \sqrt{e+f x}}{\sqrt{c+d x} \sqrt{e+f x} (b c - a d)^2} \right)}{4 b^3 (b c - a d) (b e - a f)} + \frac{(d-e-f) \tanh^{-1} \left(\frac{\sqrt{c+d x} \sqrt{e+f x}}{\sqrt{c+d x} \sqrt{e+f x}} \right)}{\sqrt{a d - b c} (e-f)^2} \right)}{b^2 (a+b x) (b c - a d)} - \frac{C (d e - c f) \tanh^{-1} \left(\frac{\sqrt{c+d x} \sqrt{e+f x}}{\sqrt{c+d x} \sqrt{e+f x}} \right)}{b^2 (a+b x) (b c - a d)} - \frac{(c+d x)^{3/2} \sqrt{e+f x} (b B - 2 a C)}{2 b (a+b x)^2 (b c - a d) (b e - a f)}
\end{aligned}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^4*Sqrt[e + f*x]), x]
[Out] -((C*Sqrt[c + d*x]*Sqrt[e + f*x])/(b^2*(b*e - a*f)*(a + b*x))) - ((A*b^2 - a*(b*B - a*C))*(c + d*x)^(3/2)*Sqrt[e + f*x])/((3*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^3) - ((b*B - 2*a*C)*(c + d*x)^(3/2)*Sqrt[e + f*x])/((2*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^2) - (C*(d*e - c*f)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/(b^2*Sqrt[-(b*c) + a*d]*(-(b*e) + a*f)^(3/2)) + ((b*B - 2*a*C)*(b*d*e + 3*b*c*f - 4*a*d*f)*((Sqrt[c + d*x]*Sqrt[e + f*x])/((b*e - a*f)*(a + b*x)) + ((d*e - c*f)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/(Sqrt[-(b*c) + a*d]*(-(b*e) + a*f)^(3/2))))/(4*b^2*(b*c - a*d)*(b*e - a*f)) - ((A*b^2 - a*b*B + a^2*C)*(-1/2*((-(a*b*d*f) + (b*(3*b*d*e + 5*b*c*f - 6*a*d*f))/2)*(c + d*x)^(3/2)*Sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)^2) - (3
```

$$\begin{aligned} & * (8*a^2*d^2*f^2 - 4*a*b*d*f*(d*e + 3*c*f) + b^2*(d^2*e^2 + 2*c*d*e*f + 5*c^2*f^2)) * ((\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x])/((-(b*e) + a*f)*(a + b*x)) - ((d*e - c*f)*\text{ArcTanh}[(\text{Sqrt}[-(b*e) + a*f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[-(b*c) + a*d]*\text{Sqrt}[e + f*x])]) / (\text{Sqrt}[-(b*c) + a*d]*(-(b*e) + a*f)^{(3/2)})) / (8*(b*c - a*d)*(b*e - a*f))) / (3*b^2*(b*c - a*d)*(b*e - a*f)) \end{aligned}$$

IntegrateAlgebraic [F] time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[($\text{Sqrt}[c + d*x]*(A + B*x + C*x^2))/((a + b*x)^4*\text{Sqrt}[e + f*x])$],x]

[Out] \$Aborted

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^4/(f*x+e)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^4/(f*x+e)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.16, size = 15990, normalized size = 23.34

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^4/(f*x+e)^(1/2),x)

[Out] result too large to display

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)*(d*x+c)^(1/2)/(b*x+a)^4/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((a*d-b*c)>0)', see `assume?` for more details)Is (a*d-b*c) *(a*f-b*e) positive, negative or zero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d*x)^(1/2)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(a + b*x)^4),x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)*(d*x+c)**(1/2)/(b*x+a)**4/(f*x+e)**(1/2),x)

[Out] Timed out

3.54 $\int \frac{(a+bx)^2(A+Bx+Cx^2)}{\sqrt{c+dx} \sqrt{e+fx}} dx$

Optimal. Leaf size=718

$$\tanh^{-1}\left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}}\right) \left(16a^2 d^2 f^2 (4df(2Adf - B(cf + de)) + C(3c^2 f^2 + 2cdef + 3d^2 e^2)) - 16abdf (2df(4Adf(cf + de) + B(c^2 f^2 + 2cef + d^2 e^2)) + C(3c^2 f^2 + 2cdef + 3d^2 e^2))\right)$$

Rubi [A] time = 1.34, antiderivative size = 715, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.167, Rules used = {1615, 153, 147, 63, 217, 206}



Antiderivative was successfully verified.

```
[In] Int[((a + b*x)^2*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e + f*x]), x]
[Out] ((8*b*B*d*f - 2*a*C*d*f - 7*b*C*(d*e + c*f))*(a + b*x)^2*Sqrt[c + d*x]*Sqrt[e + f*x])/(24*b*d^2*f^2) + (C*(a + b*x)^3*Sqrt[c + d*x]*Sqrt[e + f*x])/(4*b*d*f) - (Sqrt[c + d*x]*Sqrt[e + f*x]*(32*a^3*C*d^3*f^3 - 8*a^2*b*d^2*f^2*(16*B*d*f - 11*C*(d*e + c*f)) - 16*a*b^2*d*f*(C*(15*d^2*e^2 + 14*c*d*e*f + 5*c^2*f^2) + 6*d*f*(4*A*d*f - 3*B*(d*e + c*f))) + b^3*(5*C*(21*d^3*e^3 + 19*c*d^2*e^2*f + 19*c^2*d*e*f^2 + 21*c^3*f^3) + 8*d*f*(18*A*d*f*(d*e + c*f) - B*(15*d^2*e^2 + 14*c*d*e*f + 15*c^2*f^2))) + 2*b*d*f*(6*b*d*f*(6*b*c*C*e + a*C*d*e + a*c*C*f - 8*A*b*d*f) - (4*a*d*f - 5*b*(d*e + c*f))*(8*b*B*d*f - 2*a*C*d*f - 7*b*C*(d*e + c*f)))*x)/(192*b*d^4*f^4) + ((16*a^2*d^2*f^2*(C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f - B*(d*e + c*f))) - 16*a*b*d*f*(C*(5*d^3*e^3 + 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 + 5*c^3*f^3) + 2*d*f*(4*A*d*f*(d*e + c*f) - B*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2))) + b^2*(C*(35*d^4*e^4 + 20*c*d^3*e^3*f + 18*c^2*d^2*e^2*f^2 + 20*c^3*d*e*f^3 + 35*c^4*f^4) + 8*d*f*(2*A*d*f*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) - B*(5*d^3*e^3 + 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 + 5*c^3*f^3)))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])])/(64*d^(9/2)*f^(9/2))
```

Rule 63

```
Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 147

```

Int[((a_.) + (b_.)*(x_))^(m_.)*(c_.) + (d_.)*(x_))^(n_.)*(e_.) + (f_.)*(x_))
*((g_.) + (h_.)*(x_)), x_Symbol] :> -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m
+ 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2
*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m +
n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3
) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), In
t[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n},
x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]

```

Rule 153

```

Int[((a_.) + (b_.)*(x_))^(m_.)*(c_.) + (d_.)*(x_))^(n_.)*(e_.) + (f_.)*(x_)
)^p*((g_.) + (h_.)*(x_)), x_Symbol] :> Simplify[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simplify[a*d*f*g*(m + n
+ p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x] /;
FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegerQ[m]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simplify[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rule 217

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

```

Rule 1615

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*(c_.) + (d_.)*(x_))^(n_.)*(e_.) + (f
_.)*(x_))^(p_.), x_Symbol] :> With[{q = Expon[Px, x], k = Coeff[Px, x, Exp
on[Px, x]]}, Simplify[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x, x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
 \int \frac{(a+bx)^2(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx &= \frac{C(a+bx)^3\sqrt{c+dx}\sqrt{e+fx}}{4bdf} + \int \frac{(a+bx)^2\left(-\frac{1}{2}b(6bcCe+aCde+acCf-8Abdf)+\frac{1}{2}b(8bBdf-2aCdf)\right)}{\sqrt{c+dx}\sqrt{e+fx}} \\
 &= \frac{(8bBdf-2aCdf-7bC(de+cf))(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{24bd^2f^2} + \frac{C(a+bx)^3\sqrt{c+dx}\sqrt{e+fx}}{4bdf} \\
 &= \frac{(8bBdf-2aCdf-7bC(de+cf))(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{24bd^2f^2} + \frac{C(a+bx)^3\sqrt{c+dx}\sqrt{e+fx}}{4bdf} \\
 &= \frac{(8bBdf-2aCdf-7bC(de+cf))(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{24bd^2f^2} + \frac{C(a+bx)^3\sqrt{c+dx}\sqrt{e+fx}}{4bdf} \\
 &= \frac{(8bBdf-2aCdf-7bC(de+cf))(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{24bd^2f^2} + \frac{C(a+bx)^3\sqrt{c+dx}\sqrt{e+fx}}{4bdf}
 \end{aligned}$$

Mathematica [B] time = 6.49, size = 2195, normalized size = 3.06

Result too large to show

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x)^2*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e + f*x]), x]
[Out] (2*(b*e - a*f)^2*Sqrt[d*e - c*f]*(C*e^2 - f*(B*e - A*f))*Sqrt[(d*(e + f*x))/((d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(d*f^(9/2)*Sqrt[e + f*x]) + (2*b^2*2*C*(d*e - c*f)^3*Sqrt[c + d*x]*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(9/2)*((35/(16*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^4) + 35/(24*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 7/(6*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(-1))/8 + (35*S
```

```

qrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*ArcSinh[(Sqr
t[d]*Sqrt[f]*Sqrt[c + d*x])/((Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*
d*f)/(d*e - c*f)]))]/(128*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*(1 + (d*f*(c + d*x)
)/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(9/2)))/(d^4*f^4*(d/
((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^(7/2)*Sqrt[(d*(e + f*x)
)/(d*e - c*f)]) + (2*b*(d*e - c*f)^2*(-4*b*C*e + b*B*f + 2*a*C*f)*Sqrt[c +
d*x]*Sqrt[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) -
(c*d*f)/(d*e - c*f))))^(7/2)*((15/(8*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d
^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^3) + 5/(4*(1 + (d*f*(c + d*x))/(
(d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c
+ d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(-1))/6
+ (5*Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]*ArcSi
nh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/((Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f)
- (c*d*f)/(d*e - c*f)]))]/(16*Sqrt[d]*Sqrt[f]*Sqrt[c + d*x]*(1 + (d*f*(c
+ d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^(7/2)))
/(d^3*f^4*(d/((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)))^(5/2)*Sqrt[(d*(e
+ f*x))/(d*e - c*f)]) + (2*(d*e - c*f)*(6*b^2*C*e^2 - 3*b^2*B*e*f - 6*a*b*C
*e*f + A*b^2*f^2 + 2*a*b*B*f^2 + a^2*C*f^2)*Sqrt[c + d*x]*Sqrt[e + f*x]*(1
+ (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f))))^
(5/2)*((3/(2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*
d*f)/(d*e - c*f))))^2) + (1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e -
c*f) - (c*d*f)/(d*e - c*f))))^(-1))/4 + (3*Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*
e - c*f) - (c*d*f)/(d*e - c*f)]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/((Sqr
t[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]))]/(8*Sqrt[d]
*Sqrt[f]*Sqrt[c + d*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*
f) - (c*d*f)/(d*e - c*f))))^(5/2)))/(d^2*f^4*(d/((d^2*e)/(d*e - c*f) - (c*
d*f)/(d*e - c*f)))^(3/2)*Sqrt[(d*(e + f*x))/(d*e - c*f)]) + (2*(-(b*e) + a*f)*
(4*b*C*e^2 - 3*b*B*e*f - 2*a*C*e*f + 2*A*b*f^2 + a*B*f^2)*Sqrt[c + d*x]*Sqr
t[e + f*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) - (c*d
*f)/(d*e - c*f))))^(3/2)*(1/(2*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(
d*e - c*f) - (c*d*f)/(d*e - c*f)))))) + (Sqrt[d*e - c*f]*Sqrt[(d^2*e)/(d*e -
c*f) - (c*d*f)/(d*e - c*f)]*ArcSinh[(Sqrt[d]*Sqrt[f]*Sqrt[c + d*x])/((Sqr
t[d*e - c*f]*Sqrt[(d^2*e)/(d*e - c*f) - (c*d*f)/(d*e - c*f)]))]/(2*Sqrt[d]*Sqr
t[f]*Sqrt[c + d*x]*(1 + (d*f*(c + d*x))/((d*e - c*f)*((d^2*e)/(d*e - c*f) -
(c*d*f)/(d*e - c*f))))^(3/2)))/(d*f^4*Sqrt[d/((d^2*e)/(d*e - c*f) - (c*d
*f)/(d*e - c*f))]*Sqrt[(d*(e + f*x))/(d*e - c*f)])

```

IntegrateAlgebraic [B] time = 1.81, size = 2158, normalized size = 3.01

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((a + b*x)^2*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e +
f*x]),x]

[Out] $((d^*e - c^*f)*\text{Sqrt}[e + f*x]*(279*b^2*C*d^3*e^3*f^3 + 219*b^2*c*C*d^2*e^2*f^4 - 264*b^2*B*d^3*e^2*f^4 - 528*a*b*C*d^3*e^2*f^4 + 165*b^2*c^2*C*d^2*e*f^5 - 192*b^2*B*c*d^2*e*f^5 - 384*a*b*c*C*d^2*e*f^5 + 240*A*b^2*d^3*e*f^5 + 480*a*b*B*d^3*e*f^5 + 240*a^2*C*d^3*e*f^5 + 105*b^2*c^3*C*f^6 - 120*b^2*B*c^2*d*f^6 - 240*a*b*c^2*C*d*f^6 + 144*A*b^2*c*d^2*f^6 + 288*a*b*B*c*d^2*f^6 + 144*a^2*c*C*d^2*f^6 - 384*a*A*b*d^3*f^6 - 192*a^2*B*d^3*f^6 - (511*b^2*C*d^4*e^3*f^2*(e + f*x))/(c + d*x) - (803*b^2*c*C*d^3*e^2*f^3*(e + f*x))/(c + d*x) + (584*b^2*B*d^4*e^2*f^3*(e + f*x))/(c + d*x) + (1168*a*b*C*d^4*e^2*f^3*(e + f*x))/(c + d*x) - (605*b^2*c^2*C*d^2*e*f^4*(e + f*x))/(c + d*x) + (704*b^2*B*c*d^3*e*f^4*(e + f*x))/(c + d*x) + (1408*a*b*c*C*d^3*e*f^4*(e + f*x))/(c + d*x) - (624*A*b^2*d^4*e*f^4*(e + f*x))/(c + d*x) - (1248*a*b*B*d^4*e*f^4*(e + f*x))/(c + d*x) - (385*b^2*c^3*C*d*f^5*(e + f*x))/(c + d*x) + (440*b^2*B*c^2*d^2*f^5*(e + f*x))/(c + d*x) + (880*a*b*c^2*C*d^2*f^5*(e + f*x))/(c + d*x) - (528*A*b^2*c*d^3*f^5*(e + f*x))/(c + d*x) - (1056*a*b*B*c*d^3*f^5*(e + f*x))/(c + d*x) - (528*a^2*c*C*d^3*f^5*(e + f*x))/(c + d*x) + (1152*a*A*b*d^4*f^5*(e + f*x))/(c + d*x) + (576*a^2*B*d^4*f^5*(e + f*x))/(c + d*x) + (385*b^2*C*d^5*e^3*f*(e + f*x)^2)/(c + d*x)^2 + (605*b^2*c*C*d^4*e^2*f^2*(e + f*x)^2)/(c + d*x)^2 - (440*b^2*B*d^5*e^2*f^2*(e + f*x)^2)/(c + d*x)^2 - (880*a*b*C*d^5*e^2*f^2*(e + f*x)^2)/(c + d*x)^2 - (704*b^2*B*c*d^4*e*f^3*(e + f*x)^2)/(c + d*x)^2 - (1408*a*b*c*C*d^4*e*f^3*(e + f*x)^2)/(c + d*x)^2 + (528*A*b^2*d^5*e*f^3*(e + f*x)^2)/(c + d*x)^2 + (1056*a*b*B*d^5*e*f^3*(e + f*x)^2)/(c + d*x)^2 + (528*a^2*C*d^5*e*f^3*(e + f*x)^2)/(c + d*x)^2 + (511*b^2*c^3*C*d^2*f^4*(e + f*x)^2)/(c + d*x)^2 - (584*b^2*B*c^2*d^3*f^4*(e + f*x)^2)/(c + d*x)^2 - (1168*a*b*c^2*C*d^3*f^4*(e + f*x)^2)/(c + d*x)^2 + (624*A*b^2*c*d^4*f^4*(e + f*x)^2)/(c + d*x)^2 + (1248*a*b*B*c*d^4*f^4*(e + f*x)^2)/(c + d*x)^2 - (1152*a*A*b*d^5*f^4*(e + f*x)^2)/(c + d*x)^2 - (576*a^2*B*d^5*f^4*(e + f*x)^2)/(c + d*x)^2 - (105*b^2*C*d^6*e^3*(e + f*x)^3)/(c + d*x)^3 - (165*b^2*c*C*d^5*f^6*(e + f*x)^3)/(c + d*x)^3 + (120*b^2*B*d^6*f^6*(e + f*x)^3)/(c + d*x)^3 + (240*a*b*C*d^6*f^6*(e + f*x)^3)/(c + d*x)^3 - (219*b^2*c^2*C*d^4*f^2*(e + f*x)^3)/(c + d*x)^3 + (192*b^2*B*c*d^5*f^2*(e + f*x)^3)/(c + d*x)^3 - (144*A*b^2*d^6*f^2*(e + f*x)^3)/(c + d*x)^3 - (288*a*b*B*d^6*f^2*(e + f*x)^3)/(c + d*x)^3 - (279*b^2*c^3*C*d^3*f^3*(e + f*x)^3)/(c + d*x)^3 + (264*b^2*B*c^2*d^4*f^3*(e + f*x)^3)/(c + d*x)^3 + (528*a*b*c^2*C*d^4*f^3*(e + f*x)^3)/(c + d*x)^3 - (240*A*b^2*c*d^5*f^3*(e + f*x)^3)/(c + d*x)^3 - (480*a*b*B*c*d^5*f^3*(e + f*x)^3)/(c + d*x)^3 + (384*a*A*b*d^6*f^3*(e + f*x)^3)/(c + d*x)^3 + (192*a^2*B*d^6*f^3*(e + f*x)^3)/(c + d*x)^3 - (35*b^2*C*d^4*e^4 + 20*b^2*c*C*d^3*e^3*f - 40*b^2*B*d^4*e^3*f - 80*a*b*C*d^4*e^3*f + 18*b^2*c^2*C*d^2*e^2*f^2 - 24*b^2*B*c*d^3*e^2*f^2 - 48*a*b*c*C*d^3*e^2*f^2 + 48*A*b^2*d^4*e^2*f^2 + 96*a*b*B*d^4*e^2*f^2 + 48*a^2*C*d^4*e^2*f^2 - 20*b^2*c^3*C*d^2*f^3 - 24*b^2*B*c^2*d^2*f^3 - 48*a*b*c^2*C*d^2*f^3$

$$\begin{aligned}
& + 32*A*b^2*c*d^3*e*f^3 + 64*a*b*B*c*d^3*e*f^3 + 32*a^2*c*C*d^3*e*f^3 - 128 \\
& *a*A*b*d^4*e*f^3 - 64*a^2*B*d^4*e*f^3 + 35*b^2*c^4*C*f^4 - 40*b^2*B*c^3*d*f \\
& ^4 - 80*a*b*c^3*C*d*f^4 + 48*A*b^2*c^2*d^2*f^4 + 96*a*b*B*c^2*d^2*f^4 + 48* \\
& a^2*c^2*C*d^2*f^4 - 128*a*A*b*c*d^3*f^4 - 64*a^2*B*c*d^3*f^4 + 128*a^2*A*d^ \\
& 4*f^4)*ArcTanh[(Sqrt[d]*Sqrt[e + f*x])/(Sqrt[f]*Sqrt[c + d*x])]/(64*d^(9/2) \\
&)*f^(9/2))
\end{aligned}$$

fricas [A] time = 5.32, size = 1436, normalized size = 2.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)^2*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")`

[Out]
$$\begin{aligned}
& \frac{1}{768} \left(3(35*C*b^2*d^4*e^4 + 20*(C*b^2*c*d^3 - 2*(2*C*a*b + B*b^2)*d^4)*e^3*f + 6*(3*C*b^2*c^2*d^2 - 4*(2*C*a*b + B*b^2)*c*d^3 + 8*(C*a^2 + 2*B*a*b + A*b^2)*d^4)*e^2*f^2 + 4*(5*C*b^2*c^3*d - 6*(2*C*a*b + B*b^2)*c^2*d^2 + 8*(C*a^2 + 2*B*a*b + A*b^2)*c*d^3 - 16*(B*a^2 + 2*A*a*b)*d^4)*e*f^3 + (35*C*b^2*c^4 + 128*A*a^2*d^4 - 40*(2*C*a*b + B*b^2)*c^3*d + 48*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^2 - 64*(B*a^2 + 2*A*a*b)*c*d^3)*f^4) * \sqrt{d*f} * \log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) + 4*(48*C*b^2*d^4*f^4*x^3 - 105*C*b^2*d^4*e^3*f - 5*(19*C*b^2*c*d^3 - 24*(2*C*a*b + B*b^2)*d^4)*e^2*f^2 - (95*C*b^2*c^2*d^2 - 112*(2*C*a*b + B*b^2)*c*d^3 + 144*(C*a^2 + 2*B*a*b + A*b^2)*d^4)*e*f^3 - 3*(35*C*b^2*c^3*d - 40*(2*C*a*b + B*b^2)*c^2*d^2 + 48*(C*a^2 + 2*B*a*b + A*b^2)*c*d^3 - 64*(B*a^2 + 2*A*a*b)*d^4)*f^4 - 8*(7*C*b^2*d^4*e*f^3 + (7*C*b^2*c*d^3 - 8*(2*C*a*b + B*b^2)*d^4)*f^4)*x^2 + 2*(35*C*b^2*d^4*e^2*f^2 + 2*(17*C*b^2*c*d^3 - 20*(2*C*a*b + B*b^2)*d^4)*e*f^3 + (35*C*b^2*c^2*d^2 - 40*(2*C*a*b + B*b^2)*c*d^3 + 48*(C*a^2 + 2*B*a*b + A*b^2)*d^4)*f^4)*x)*sqrt(d*x + c)*sqrt(f*x + e)) / (d^5*f^5), -1/384 \left(3(35*C*b^2*d^4*e^4 + 20*(C*b^2*c*d^3 - 2*(2*C*a*b + B*b^2)*d^4)*e^3*f + 6*(3*C*b^2*c^2*d^2 - 4*(2*C*a*b + B*b^2)*c*d^3 + 8*(C*a^2 + 2*B*a*b + A*b^2)*d^4)*e^2*f^2 + 4*(5*C*b^2*c^3*d - 6*(2*C*a*b + B*b^2)*c^2*d^2 + 8*(C*a^2 + 2*B*a*b + A*b^2)*c*d^3 - 16*(B*a^2 + 2*A*a*b)*d^4)*e*f^3 + (35*C*b^2*c^4 + 128*A*a^2*d^4 - 40*(2*C*a*b + B*b^2)*c^3*d + 48*(C*a^2 + 2*B*a*b + A*b^2)*c^2*d^2 - 64*(B*a^2 + 2*A*a*b)*c*d^3)*f^4) * \sqrt{-d*f} * \arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)) / (d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x) - 2*(48*C*b^2*d^4*f^4*x^3 - 105*C*b^2*d^4*e^3*f - 5*(19*C*b^2*c*d^3 - 24*(2*C*a*b + B*b^2)*d^4)*e^2*f^2 - (95*C*b^2*c^2*d^2 - 112*(2*C*a*b + B*b^2)*c*d^3 + 144*(C*a^2 + 2*B*a*b + A*b^2)*d^4)*e*f^3 - 3*(35*C*b^2*c^3*d - 40*(2*C*a*b + B*b^2)*c^2*d^2 + 48*(C*a^2 + 2*B*a*b + A*b^2)*c*d^3 - 64*(B*a^2 + 2*A*a*b)*d^4)*f^4 - 8*(7*C*b^2*d^4*e*f^3 + (7*C*b^2*c*d^3 - 20*(2*C*a*b + B*b^2)*d^4)*e*f^3 + (35*C*b^2*c^2*d^2 - 40*(2*C*a*b + B*b^2)*c*d^3 + 48*(C*a^2 + 2*B*a*b + A*b^2)*d^4)*f^4)*x)*sqrt(d*x + c)*sqrt(f)
\right)
\end{aligned}$$

$*x + e)) / (d^5 * f^5)$

giac [A] time = 2.51, size = 951, normalized size = 1.32

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)^2*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2), x, algorithm="giac")`

[Out] $\frac{1}{192} \left(\sqrt{(d*x + c)*d*f - c*d*f + d^2*e} * (2*(d*x + c)*(4*(d*x + c)*(6*(d*x + c)*C*b^2/(d^5*f) - (25*C*b^2*c*d^19*f^6 - 16*C*a*b*d^20*f^6 - 8*B*b^2*d^20*f^6 + 7*C*b^2*d^20*f^5*e)/(d^24*f^7)) + (163*C*b^2*c^2*d^19*f^6 - 208*C*a*b*c*d^20*f^6 - 104*B*b^2*c*d^20*f^6 + 48*C*a^2*d^21*f^6 + 96*B*a*b*d^21*f^6 + 48*A*b^2*d^21*f^6 + 90*C*b^2*c*d^20*f^5*e - 80*C*a*b*d^21*f^5*e - 40*B*b^2*d^21*f^5*e + 35*C*b^2*d^21*f^4*e^2)/(d^24*f^7)) - 3*(93*C*b^2*c^3*d^19*f^6 - 176*C*a*b*c^2*d^20*f^6 - 88*B*b^2*c^2*d^20*f^6 + 80*C*a^2*c*d^21*f^6 + 160*B*a*b*c*d^21*f^6 + 80*A*b^2*c*d^21*f^6 - 64*B*a^2*d^22*f^6 - 128*A*a*b*d^22*f^6 + 73*C*b^2*c^2*d^20*f^5*e - 128*C*a*b*c*d^21*f^5*e - 64*B*b^2*c*d^21*f^5*e + 48*C*a^2*d^22*f^5*e + 96*B*a*b*d^22*f^5*e + 48*A*b^2*d^22*f^5*e + 55*C*b^2*c*d^21*f^4*e^2 - 80*C*a*b*d^22*f^4*e^2 - 40*B*b^2*d^22*f^4*e^2 + 35*C*b^2*d^22*f^3*e^3)/(d^24*f^7)) * \sqrt{d*x + c} - 3*(35*C*b^2*c^4*f^4 - 80*C*a*b*c^3*d*f^4 - 40*B*b^2*c^3*d*f^4 + 48*C*a^2*c^2*d^2*f^4 + 96*B*a*b*c^2*d^2*f^4 + 48*A*b^2*c^2*d^2*f^4 + 128*A*a^2*d^4*f^4 + 20*C*b^2*c^3*d*f^3*e - 48*C*a*b*c^2*d^2*f^3*e - 24*B*b^2*c^2*d^2*f^3*e + 32*C*a^2*c*d^3*f^3*e + 64*B*a*b*c*d^3*f^3*e + 32*A*b^2*c*d^3*f^3*e - 64*B*a^2*d^4*f^3*e - 128*A*a*b*d^4*f^3*e + 18*C*b^2*c^2*d^2*f^2*e^2 - 48*C*a*b*c*d^3*f^2*e^2 - 24*B*b^2*c*d^3*f^2*e^2 + 48*C*a^2*d^4*f^2*e^2 + 96*B*a*b*d^4*f^2*e^2 + 48*A*b^2*d^4*f^2*e^2 + 20*C*b^2*c*d^3*f^3*e^3 - 80*C*a*b*d^4*f^3*e^3 - 40*B*b^2*d^4*f^3*e^3 + 35*C*b^2*d^4*f^3*e^4) * \log(\text{abs}(-\sqrt{d*f}) * \sqrt{d*x + c} + \sqrt{(d*x + c)*d*f - c*d*f + d^2*e})) / (\sqrt{d*f} * d^4*f^4) * d / \text{abs}(d)$

maple [B] time = 0.05, size = 2528, normalized size = 3.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x+a)^2*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2), x)`

[Out] $\frac{1}{384} \left(\frac{144*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^(1/2)*(d*f)^(1/2))}{(d*f)^(1/2)} * b^2*d^4*e^2*f^2 + 192*A*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*x*b^2*d^3*f^3 - 384*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^(1/2)*(d*f)^(1/2)) / (d*f)^(1/2) * a*b*c*d^3*f^4 - 384*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^(1/2)*(d*f)^(1/2)) * a*b*d^4*e*f^3 + 96*C*x^3*b^2*d^3*f^3*($

$$\begin{aligned}
& d*f^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} + 128*B*x^2*b^2*d^3*f^3*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} + 96*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * b^2*c*d^3*e*f^3 + 60*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * b^2*c*d^3*e^3*f - 72*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * b^2*c*d^2*d^2*e*f^3 - 72*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * b^2*c^2*d^2*e*f^3 + 96*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * a^2*c*d^3*e*f^3 + 60*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * b^2*c^3*d*e*f^3 + 54*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * b^2*c^2*d^2*e^2*f^2 + 192*C*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*a^2*d^3*f^3 - 240*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * a*b*c^3*d*f^4 - 240*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * a*b*d^4*e^3*f + 768*A*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a*b*d^3*f^3 - 288*A*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2*c*d^2*f^3 - 288*A*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2*d^3*e*f^2 + 288*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * a*b*c^2*d^2*f^4 + 288*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * a*b*d^4*e^2*f^2 + 240*B*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2*c^2*d^2*f^3 + 240*B*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2*c^2*d^2*f^3 - 192*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * a^2*c*d^3*f^4 - 192*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * b^2*c^2*d^2*f^4 - 120*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * b^2*c^3*d*f^4 - 120*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * b^2*d^4*e*f^3 + 144*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * a^2*d^4*f^3 + 105*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * b^2*c^4*f^4 + 105*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * b^2*d^4*e^4 - 192*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * a^2*c*d^3*f^4 - 192*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * b^2*c^2*d^2*f^4 + 144*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * a^2*c^2*d^2*f^4 - 120*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * b^2*c^2*d^2*f^4 - 210*C*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2*c^3*f^3 - 210*C*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2*d^3*f^3 - 384*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * a^2*c^2*d^2*f^4 + 144*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * a^2*d^4*f^3 - 144*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * b^2*d^4*e^3*f^2 + 384*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * a^2*c^2*d^2*f^3 - 288*C*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a^2*c*d^2*f^3 - 288*C*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a^2*d^3*f^2 - 190*C*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a^2*d^3*e*f^2 - 190*C*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * b^2*c^2*d^2*f^2 - 160*B*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*b^2*d^3*f^2 - 140*C*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * x*b^2*c^2*d^2*f^2 - 144*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * a*b*c*d^3*e*f^3 - 144*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e)))^{(1/2)} * (d*f)^{(1/2)}) / (d*f)^{(1/2)} * a*b*c^2*d^2*f^3 - 576*B*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a*b*c*d^2*f^3 - 576*B*(d*f)^{(1/2)} * ((d*x+c)*(f*x+e))^{(1/2)} * a*b*d^3*e*f^2
\end{aligned}$$

$$\begin{aligned} & -2 + 224*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*b^2*c*d^2*e*f^2 + 480*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*b*c^2*d*f^3 + 140*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b^2*d^3*e^2*f + 256*C*x^2*a*b*d^3*f^3*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)} \\ & - 112*C*x^2*b^2*c*d^2*f^3*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)} - 112*C*x^2*b^2*d^3*e*f^2*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)} + 384*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*a*b*d^3*f^3 - 160*B*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)} \\ & *x*b^2*c*d^2*f^3 + 480*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*b*d^3*e^2*f + 448*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*a*b*c*d^2*e*f^2 - 320*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*a*b*c*d^2*f^3 - 320*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)} \\ & *x*a*b*d^3*e*f^2 + 136*C*(d*f)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)}*x*b^2*c*d^2*e*f^2*(d*x+c)*(f*x+e)^{(1/2)}/(d*f)^{(1/2)}/f^4/d^4/((d*x+c)*(f*x+e))^{(1/2)} \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)^2*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2), x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x)^2*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(c + d*x)^(1/2)), x)`

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)**2*(C*x**2+B*x+A)/(d*x+c)**(1/2)/(f*x+e)**(1/2), x)`

[Out] Timed out

$$3.55 \quad \int \frac{(a+bx)(A+Bx+Cx^2)}{\sqrt{c+dx} \sqrt{e+fx}} dx$$

Optimal. Leaf size=371

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (8a^2Cd^2f^2 + 2bdfx(2aCdf - b(6Bdf - 5C(cf + de))) - 6abdf(4Bdf - 3C(cf + de)) - (b^2(24bd^3f^3$$

Rubi [A] time = 0.51, antiderivative size = 369, normalized size of antiderivative = 0.99, number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.147, Rules used = {1615, 147, 63, 217, 206}

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (8a^2Cd^2f^2 - 2bdfx(2aCdf - 5b(C(f + df) - 6abd(f(4Bdf - 3C(cf + de)) + b^2(-a(df(4Adf - B(cf + df)) + C(15c^2f^2 + 14cdf + 5d^2c^2)))) + \tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{e+fx}}{\sqrt{c+dx} \sqrt{e+fx}}\right)(2adf(4Adf(2Adf - B(cf + df)) + C(3c^2f^2 + 2cdf + 3d^2c^2)) - b(2df(4Adf(cf + df) - B(3c^2f^2 + 2cdf + 3d^2c^2)) + C(3c^2dcf^2 + 5c^2f^3 + 3cd^2c^2f + 5d^3c^2))) + C(a + bx)^2\sqrt{c+dx} \sqrt{e+fx})}{3bd^2f^{1/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*x)*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e + f*x]), x]
[Out] (C*(a + b*x)^2*Sqrt[c + d*x]*Sqrt[e + f*x])/(3*b*d*f) - (Sqrt[c + d*x]*Sqrt[e + f*x]*(8*a^2*C*d^2*f^2 - 6*a*b*d*f*(4*B*d*f - 3*C*(d*e + c*f)) - b^2*(C*(15*d^2*e^2 + 14*c*d*e*f + 15*c^2*f^2) + 6*d*f*(4*A*d*f - 3*B*(d*e + c*f))) - 2*b*d*f*(6*b*B*d*f - 2*a*C*d*f - 5*b*C*(d*e + c*f))*x))/(24*b*d^3*f^3) + ((2*a*d*f*(C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f - B*(d*e + c*f))) - b*(C*(5*d^3*e^3 + 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 + 5*c^3*f^3) + 2*d*f*(4*A*d*f*(d*e + c*f) - B*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2)))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])])/(8*d^(7/2)*f^(7/2))
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 147

```
Int[((a_.) + (b_.*(x_))^(m_)*((c_.) + (d_.*(x_))^(n_)*((e_.) + (f_.*(x_)))*((g_.) + (h_.*(x_)), x_Symbol] :> -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m + 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m + n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), In]
```

$t[(a + b*x)^m*(c + d*x)^n, x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, m, n\}, x] \&& \text{NeQ}[m + n + 2, 0] \&& \text{NeQ}[m + n + 3, 0]$

Rule 206

$\text{Int}[((a_) + (b_*)*(x_)^2)^{-1}, x_{\text{Symbol}}] :> \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&& \text{NegQ}[a/b] \&& (\text{GtQ}[a, 0] \text{ || } \text{LtQ}[b, 0])$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_*)*(x_)^2], x_{\text{Symbol}}] :> \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}[\{a, b\}, x] \&& \text{!GtQ}[a, 0]$

Rule 1615

$\text{Int}[(\text{Px}_*)*((a_*) + (b_*)*(x_))^{(m_*)}*((c_*) + (d_*)*(x_))^{(n_*)}*((e_*) + (f_*)*(x_))^{(p_*)}, x_{\text{Symbol}}] :> \text{With}[\{q = \text{Expon}[\text{Px}, x], k = \text{Coeff}[\text{Px}, x, \text{Expon}[\text{Px}, x]]\}, \text{Simp}[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + \text{Dist}[1/(d*f*b^q*(m + n + p + q + 1)), \text{Int}[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*\text{ExpandToSum}[d*f*b^q*(m + n + p + q + 1)*\text{Px} - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x], x], x] /; \text{NeQ}[m + n + p + q + 1, 0]] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n, p\}, x] \&& \text{PolyQ}[\text{Px}, x] \&& \text{IntegersQ}[2*m, 2*n, 2*p]$

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)(A+Bx+Cx^2)}{\sqrt{c+dx}\sqrt{e+fx}} dx &= \frac{C(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{3bdf} + \frac{\int \frac{(a+bx)\left(-\frac{1}{2}b(4bcCe+aCde+acCf-6Abdf)+\frac{1}{2}b(6bBdf-2acCd^2f)\right)}{\sqrt{c+dx}\sqrt{e+fx}}}{3b^2df} \\
&= \frac{C(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{3bdf} - \frac{\sqrt{c+dx}\sqrt{e+fx}(8a^2Cd^2f^2-6abdf(4Bdf-4Cd^2f^2))}{3b^2df} \\
&= \frac{C(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{3bdf} - \frac{\sqrt{c+dx}\sqrt{e+fx}(8a^2Cd^2f^2-6abdf(4Bdf-4Cd^2f^2))}{3b^2df} \\
&= \frac{C(a+bx)^2\sqrt{c+dx}\sqrt{e+fx}}{3bdf} - \frac{\sqrt{c+dx}\sqrt{e+fx}(8a^2Cd^2f^2-6abdf(4Bdf-4Cd^2f^2))}{3b^2df}
\end{aligned}$$

Mathematica [A] time = 1.96, size = 379, normalized size = 1.02

$$\frac{\sqrt{c+f x} \left(3 \sqrt{d e-c f} \sinh ^{-1}\left(\frac{\sqrt{d} \sqrt{c+d x}}{\sqrt{d e-c f}}\right) \left(b \left(2 d f \left(4 A d f (c f+d e)-B \left(3 c^2 f^2+2 c d e f+3 d^2 e^2\right)\right)+C \left(5 c^3 f^3+3 c^2 d e f^2+3 c d^2 e^2 f+5 d^3 e^3\right)\right)-2 a d f \left(4 d f (2 A d f-B (c f+d e))+C \left(3 c^2 f^2+2 c d e f+3 d^2 e^2\right)\right)\right)-4 \sqrt{d} \sqrt{c+d x} (e+\sqrt{c+d x}) \left(6 a d f (4 b d f+c (-3 c f-3 d e+2 d f x))+b \left(6 d f (4 A d f+B (-3 c f-3 d e+2 d f x))+C \left(15 c^2 f^2+2 a d f (7 e-5 f) c f+e^2 \left(15 e^2-10 e f+8 f^2-e^2\right)\right)\right)\right)}{24 d f^3 f'^2 (c f-d e) \sqrt{\frac{d (e+x f)}{d e-c f}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x)*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e + f*x]), x]
[Out] (Sqrt[e + f*x]*(-(d*Sqrt[f])*Sqrt[c + d*x]*(e + f*x)*(6*a*d*f*(4*B*d*f + C*(-3*d*e - 3*c*f + 2*d*f*x)) + b*(6*d*f*(4*A*d*f + B*(-3*d*e - 3*c*f + 2*d*f*x)) + C*(15*c^2*f^2 + 2*c*d*f*(7*e - 5*f*x) + d^2*(15*e^2 - 10*e*f*x + 8*f^2*x^2))))/Sqrt[(d*(e + f*x))/(d*e - c*f)]) + 3*Sqrt[d*e - c*f]*(-2*a*d*f*(C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f - B*(d*e + c*f))) + b*(C*(5*d^3*e^3 + 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 + 5*c^3*f^3) + 2*d*f*(4*A*d*f*(d*e + c*f) - B*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2)))*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(24*d^3*f^(7/2)*(-(d*e) + c*f)*Sqrt[(d*(e + f*x))/(d*e - c*f)])

```

IntegrateAlgebraic [B] time = 0.90, size = 787, normalized size = 2.12

$$\frac{\sqrt{c+f x} \left(3 \sqrt{d e-c f} \sinh ^{-1}\left(\frac{\sqrt{d} \sqrt{c+d x}}{\sqrt{d e-c f}}\right) \left(b \left(2 d f \left(4 A d f (c f+d e)-B \left(3 c^2 f^2+2 c d e f+3 d^2 e^2\right)\right)+C \left(5 c^3 f^3+3 c^2 d e f^2+3 c d^2 e^2 f+5 d^3 e^3\right)\right)-2 a d f \left(4 d f (2 A d f-B (c f+d e))+C \left(3 c^2 f^2+2 c d e f+3 d^2 e^2\right)\right)\right)-4 \sqrt{d} \sqrt{c+d x} (e+\sqrt{c+d x}) \left(6 a d f (4 b d f+c (-3 c f-3 d e+2 d f x))+b \left(6 d f (4 A d f+B (-3 c f-3 d e+2 d f x))+C \left(15 c^2 f^2+2 a d f (7 e-5 f) c f+e^2 \left(15 e^2-10 e f+8 f^2-e^2\right)\right)\right)\right)}{24 d f^3 f'^2 (c f-d e) \sqrt{\frac{d (e+x f)}{d e-c f}}}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[((a + b*x)*(A + B*x + C*x^2))/(Sqrt[c + d*x]*Sqrt[e + f*x]),x]
[Out] ((d*e - c*f)*Sqrt[e + f*x]*(33*b*C*d^2*e^2*f^2 + 24*b*c*C*d*e*f^3 - 30*b*B*d^2*e*f^3 - 30*a*C*d^2*e*f^3 + 15*b*c^2*C*f^4 - 18*b*B*c*d*f^4 - 18*a*c*C*d*f^4 + 24*A*b*d^2*f^4 + 24*a*B*d^2*f^4 - (40*b*C*d^3*e^2*f*(e + f*x))/(c + d*x) - (64*b*c*C*d^2*e*f^2*(e + f*x))/(c + d*x) + (48*b*B*d^3*e*f^2*(e + f*x))/(c + d*x) - (40*b*c^2*C*d*f^3*(e + f*x))/(c + d*x) + (48*a*C*d^3*e*f^2*(e + f*x))/(c + d*x) - (48*a*c*C*d^2*f^3*(e + f*x))/(c + d*x) + (48*b*B*c*d^2*f^3*(e + f*x))/(c + d*x) + (15*b*C*d^4*e^2*(e + f*x)^2)/(c + d*x)^2 + (24*b*c*C*d^3*e*f*(e + f*x)^2)/(c + d*x)^2 - (18*b*B*d^4*e*f*(e + f*x)^2)/(c + d*x)^2 - (18*a*C*d^4*e*f*(e + f*x)^2)/(c + d*x)^2 + (33*b*c^2*C*d^2*f^2*(e + f*x)^2)/(c + d*x)^2 - (30*b*B*c*d^3*f^2*(e + f*x)^2)/(c + d*x)^2 - (30*a*c*C*d^3*f^2*(e + f*x)^2)/(c + d*x)^2 + (24*A*b*d^4*f^2*(e + f*x)^2)/(c + d*x)^2 + (24*a*B*d^4*f^2*(e + f*x)^2)/(24*d^3*f^3*Sqrt[c + d*x]*(-f + (d*(e + f*x))/(c + d*x))^3) + ((-5*b*C*d^3*e^3 - 3*b*c*C*d^2*e^2*f + 6*b*B*d^3*e^2*f + 6*a*C*d^3*e^2*f - 3*b*c^2*C*d*e*f^2 + 4*b*B*c*d^2*e^2*f^2 + 4*a*c*C*d^2*e*f^2 - 8*a*B*d^3*e*f^2 - 8*a*B*d^3*e*f^2 - 5*b*c^3*C*f^3 + 6*b*B*c^2*d*f^3 + 6*a*c^2*C*d*f^3 - 8*a*b*c*d^2*f^3 - 8*a*b*c*d^2*f^3 + 16*a*A*d^3*f^3)*ArcTanh[(Sqrt[d]*Sqrt[e + f*x])/(Sqrt[f]*Sqrt[c + d*x])])/(8*d^(7/2)*f^(7/2))
```

fricas [A] time = 2.27, size = 720, normalized size = 1.94

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")
[Out] [-1/96*(3*(5*C*b*d^3*e^3 + 3*(C*b*c*d^2 - 2*(C*a + B*b)*d^3)*e^2*f + (3*C*b*c^2*d - 4*(C*a + B*b)*c*d^2 + 8*(B*a + A*b)*d^3)*e*f^2 + (5*C*b*c^3 - 16*A*a*d^3 - 6*(C*a + B*b)*c^2*d + 8*(B*a + A*b)*c*d^2)*f^3)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*e*f + c*d*f^2)*x) - 4*(8*C*b*d^3*f^3*x^2 + 15*C*b*d^3*e^2*f + 2*(7*C*b*c*d^2 - 9*(C*a + B*b)*d^3)*e*f^2 + 3*(5*C*b*c^2*d - 6*(C*a + B*b)*c*d^2 + 8*(B*a + A*b)*d^3)*f^3 - 2*(5*C*b*d^3*e*f^2 + (5*C*b*c*d^2 - 6*(C*a + B*b)*d^3)*f^3)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^4*f^4), 1/48*(3*(5*C*b*d^3*e^3 + 3*(C*b*c*d^2 - 2*(C*a + B*b)*d^3)*e^2*f + (3*C*b*c^2*d - 4*(C*a + B*b)*c*d^2 + 8*(B*a + A*b)*d^3)*e*f^2 + (5*C*b*c^3 - 16*A*a*d^3 - 6*(C*a + B*b)*c^2*d + 8*(B*a + A*b)*c*d^2)*f^3)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e))]
```

$$\begin{aligned} &/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) + 2*(8*C*b*d^3*f^3*x^2 + \\ &15*C*b*d^3*e^2*f + 2*(7*C*b*c*d^2 - 9*(C*a + B*b)*d^3)*e*f^2 + 3*(5*C*b*c^2 \\ *d - 6*(C*a + B*b)*c*d^2 + 8*(B*a + A*b)*d^3)*f^3 - 2*(5*C*b*d^3*e*f^2 + (5 \\ *C*b*c*d^2 - 6*(C*a + B*b)*d^3)*f^3)*x)*sqrt(d*x + c)*sqrt(f*x + e))/(d^4*f^4) \end{aligned}$$

giac [A] time = 1.97, size = 447, normalized size = 1.20

$$\frac{\left(\sqrt{dx+c}df+d^2\sqrt{dx+c}\left(2\left(dx+c\right)\left(\frac{4iCn^2f^4-Cn^2f^4-4iBn^2f^4+2iCn^2f^2}{2f^2}\right)+\frac{2\left(11Cn^2f^2f^4-10Bn^2f^4+8Bn^2f^2+8Cn^2f^2+8iCn^2f^2+8iBn^2f^2+8iCn^2f^2\right)}{2f^2}\right)+\frac{2\left(8Cn^2f^2-4Cn^2f^2-8Bn^2f^2-8Bn^2f^2-4Cn^2f^2-16Aa^2f^2+2iCn^2f^2-4Cn^2f^2-4Bn^2f^2+8iCn^2f^2-8iBn^2f^2+8iCn^2f^2-8iBn^2f^2\right)\log\left[\frac{-\sqrt{d}\sqrt{dx+c}+\sqrt{(dx+c)f^2-d^2}}{\sqrt{f^2-d^2}}\right]\right)d}{24|d|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")`

[Out]
$$\begin{aligned} &1/24*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*(4*(d*x + c)*C*b/(d^4*f) - (13*C*b*c*d^11*f^4 - 6*C*a*d^12*f^4 - 6*B*b*d^12*f^4 + 5*C*b*d^12*f^3*e)/(d^15*f^5)) + 3*(11*C*b*c^2*d^11*f^4 - 10*C*a*c*d^12*f^4 - 10*B*b*c*d^12*f^4 + 8*B*a*d^13*f^4 + 8*A*b*d^13*f^4 + 8*C*b*c*d^12*f^3*e - 6*C*a*d^13*f^3*e - 6*B*b*d^13*f^3*e + 5*C*b*d^13*f^2*e^2)/(d^15*f^5)) + 3*(5*C*b*c^3*f^3 - 6*C*a*c^2*d*f^3 - 6*B*b*c^2*d*f^3 + 8*B*a*c*d^2*f^3 + 8*A*b*c*d^2*f^3 - 16*A*a*d^3*f^3 + 3*C*b*c^2*d*f^2*e - 4*C*a*c*d^2*f^2*e - 4*B*b*c*d^2*f^2*e + 8*B*a*d^3*f^2*e + 8*A*b*d^3*f^2*e + 3*C*b*c*d^2*f^2*e^2 - 6*C*a*d^3*f^2*e^2 - 6*B*b*d^3*f^2*e^2 + 5*C*b*d^3*f^2*e^3)*log(abs(-sqrt(d*f))*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^3*f^3)*d/abs(d)) \end{aligned}$$

maple [B] time = 0.03, size = 1199, normalized size = 3.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x+a)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)`

[Out]
$$\begin{aligned} &1/48*(18*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*a*d^3*e^2*f+48*A*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b*d^2*f^2+ \\ &48*B*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*a*d^2*f^2+30*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b*c^2*f^2+30*C*(d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b*d^2*f^2-24*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*b*c*d^2*f^3-24*A*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*b*c*d^2*f^3-24*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*b*d^3*e*f^2-24*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*a*c*d^2*f^3-24*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*a*d^3*e*f^2+18*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*b*c^2*d*f^3+18*B*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2)))/(d*f)^(1/2))*b*d^3*e^2*f^2+18*C*\ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)$$

$$\begin{aligned}
& * (f*x + e)^(1/2) * (d*f)^(1/2) / (d*f)^(1/2) * a*c^2 * d*f^3 + 48 * A * \ln(1/2 * (2*d*f*x + c*f + d*e + 2 * ((d*x + c) * (f*x + e)))^(1/2) * (d*f)^(1/2)) * a*d^3 * f^3 + 16 * C * x^2 * b*d^2 * f^2 * ((d*x + c) * (f*x + e))^(1/2) * (d*f)^(1/2) + 12 * B * \ln(1/2 * (2*d*f*x + c*f + d*e + 2 * ((d*x + c) * (f*x + e)))^(1/2) * (d*f)^(1/2)) * b*c*d^2 * e*f^2 + 12 * C * \ln(1/2 * (2*d*f*x + c*f + d*e + 2 * ((d*x + c) * (f*x + e)))^(1/2) * (d*f)^(1/2)) * a*c*d^2 * e*f^2 - 9 * C * \ln(1/2 * (2*d*f*x + c*f + d*e + 2 * ((d*x + c) * (f*x + e)))^(1/2) * (d*f)^(1/2)) * a*c*d^2 * e*f^2 - 36 * B * (d*f)^(1/2) * ((d*x + c) * (f*x + e))^(1/2) * b*c*d^2 * e^2 * f + 24 * B * (d*f)^(1/2) * ((d*x + c) * (f*x + e))^(1/2) * x*b*d^2 * f^2 + 24 * C * (d*f)^(1/2) * ((d*x + c) * (f*x + e))^(1/2) * x*a*d^2 * f^2 - 36 * B * (d*f)^(1/2) * ((d*x + c) * (f*x + e))^(1/2) * b*c*d*f^2 - 36 * B * (d*f)^(1/2) * ((d*x + c) * (f*x + e))^(1/2) * b*d^2 * e*f - 36 * C * (d*f)^(1/2) * ((d*x + c) * (f*x + e))^(1/2) * a*c*d*f^2 - 36 * C * (d*f)^(1/2) * ((d*x + c) * (f*x + e))^(1/2) * a*d^2 * e*f - 15 * C * \ln(1/2 * (2*d*f*x + c*f + d*e + 2 * ((d*x + c) * (f*x + e)))^(1/2) * (d*f)^(1/2)) * b*c^3 * f^3 - 15 * C * \ln(1/2 * (2*d*f*x + c*f + d*e + 2 * ((d*x + c) * (f*x + e)))^(1/2) * (d*f)^(1/2)) * b*d^3 * e^3 + 28 * C * (d*f)^(1/2) * ((d*x + c) * (f*x + e))^(1/2) * b*c*d*e*f - 20 * C * (d*f)^(1/2) * ((d*x + c) * (f*x + e))^(1/2) * x*b*d^2 * e*f - 20 * C * (d*f)^(1/2) * ((d*x + c) * (f*x + e))^(1/2) * x*x*b*c*d*f^2 * (d*x + c) * (f*x + e)^(1/2) / f^3 / d^3 / (d*f)^(1/2) / ((d*x + c) * (f*x + e))^(1/2)
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*(C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?

mupad [B] time = 105.19, size = 2621, normalized size = 7.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x)*(A + B*x + C*x^2))/((e + f*x)^(1/2)*(c + d*x)^(1/2)),x)`

[Out]
$$\begin{aligned}
& (((c + d*x)^(1/2) - c^(1/2)) * (2*A*b*c*f + 2*A*b*d*e)) / (f^3 * ((e + f*x)^(1/2) - e^(1/2))) + (((c + d*x)^(1/2) - c^(1/2))^3 * (2*A*b*c*f + 2*A*b*d*e)) / (d*f^2 * ((e + f*x)^(1/2) - e^(1/2))^3) - (8*A*b*c^(1/2)*e^(1/2)*((c + d*x)^(1/2) - c^(1/2))^2) / (f^2 * ((e + f*x)^(1/2) - e^(1/2))^2) / (((c + d*x)^(1/2) - c^(1/2))^4 / ((e + f*x)^(1/2) - e^(1/2))^4 + d^2/f^2 - (2*d*((c + d*x)^(1/2) - c^(1/2))^2) / (f*((e + f*x)^(1/2) - e^(1/2))^2)) - (((c + d*x)^(1/2) - c^(1/2)) * ((3*C*a*d^3*e^2)/2 + (3*C*a*c^2*d*f^2)/2 + C*a*c*d^2*e*f)) / (f^6 * ((e + f*x)^(1/2) - e^(1/2)))
\end{aligned}$$

$$\begin{aligned}
& *x)^{(1/2)} - e^{(1/2)}) - (((c + d*x)^{(1/2)} - c^{(1/2)})^3 * ((11*C*a*c^2*f^2)/2 \\
& + (11*C*a*d^2*e^2)/2 + 25*C*a*c*d*e*f)) / (f^5 * ((e + f*x)^{(1/2)} - e^{(1/2)})^3) \\
& + (((c + d*x)^{(1/2)} - c^{(1/2)})^7 * ((3*C*a*c^2*f^2)/2 + (3*C*a*d^2*e^2)/2 + \\
& C*a*c*d*e*f)) / (d^2*f^3 * ((e + f*x)^{(1/2)} - e^{(1/2)})^7) - (((c + d*x)^{(1/2)} - \\
& c^{(1/2)})^5 * ((11*C*a*c^2*f^2)/2 + (11*C*a*d^2*e^2)/2 + 25*C*a*c*d*e*f)) / (d*f^4 * \\
& ((e + f*x)^{(1/2)} - e^{(1/2)})^5) + (c^{(1/2)} * e^{(1/2)} * ((c + d*x)^{(1/2)} - c^{(1/2)})^4 * \\
& (32*C*a*c*f + 32*C*a*d*e)) / (f^4 * ((e + f*x)^{(1/2)} - e^{(1/2)})^4) / ((c + d*x)^{(1/2)} - \\
& c^{(1/2)})^8 / ((e + f*x)^{(1/2)} - e^{(1/2)})^8 + d^4/f^4 - (4*d * \\
& ((c + d*x)^{(1/2)} - c^{(1/2)})^6) / (f * ((e + f*x)^{(1/2)} - e^{(1/2)})^6) - (4*d^3 * \\
& ((c + d*x)^{(1/2)} - c^{(1/2)})^2) / (f^3 * ((e + f*x)^{(1/2)} - e^{(1/2)})^2) + (6*d^2 * \\
& ((c + d*x)^{(1/2)} - c^{(1/2)})^4) / (f^2 * ((e + f*x)^{(1/2)} - e^{(1/2)})^4) - (((c + d*x)^{(1/2)} - \\
& c^{(1/2)})^3 * ((85*C*b*d^4*e^3)/12 + (85*C*b*c^3*d*f^3)/12 + (17*C*b*c*d^3*e^2*f)/4 + \\
& (17*C*b*c^2*d^2*e*f^2)/4)) / (f^8 * ((e + f*x)^{(1/2)} - e^{(1/2)})^3) - (((c + d*x)^{(1/2)} - \\
& c^{(1/2)}) * ((5*C*b*d^5*e^3)/4 + (5*C*b*c^3*d^2*f^3)/4 + (3*C*b*c^2*d^3*e*f^2)/4)) / (f^9 * \\
& ((e + f*x)^{(1/2)} - e^{(1/2)})) - (((c + d*x)^{(1/2)} - c^{(1/2)})^5 * ((33*C*b*c^3*f^3)/2 \\
& + (33*C*b*d^3*e^3)/2 + (327*C*b*c*d^2*e^2*f)/2 + (327*C*b*c^2*d*e*f^2)/2)) / (f^7 * \\
& ((e + f*x)^{(1/2)} - e^{(1/2)})^5) - (((c + d*x)^{(1/2)} - c^{(1/2)})^11 * ((5*C*b*c^3*f^3)/4 + \\
& (5*C*b*d^3*e^3)/4 + (3*C*b*c*d^2*e^2*f)/4 + (3*C*b*c^2*d*e*f^2)/4)) / (d^3*f^4 * ((e + f*x)^{(1/2)} - \\
& e^{(1/2)})^11) + (((c + d*x)^{(1/2)} - c^{(1/2)})^9 * ((85*C*b*c^3*f^3)/12 + (85*C*b*d^3*e^3)/12 + \\
& (17*C*b*c*d^2*e^2*f)/4 + (17*C*b*c^2*d*e*f^2)/4)) / (d^2*f^5 * ((e + f*x)^{(1/2)} - e^{(1/2)})^9) - (((c + \\
& d*x)^{(1/2)} - c^{(1/2)})^7 * ((33*C*b*c^3*f^3)/2 + (33*C*b*d^3*e^3)/2 + (327*C*b*c*d^2*e^2*f)/2) \\
& + (327*C*b*c^2*d*e*f^2)/2) / (d*f^6 * ((e + f*x)^{(1/2)} - e^{(1/2)})^7) + (c^{(1/2)} * e^{(1/2)} * \\
& ((c + d*x)^{(1/2)} - c^{(1/2)})^6 * (128*C*b*c^2*f^2 + 128*C*b*d^2*e^2 + (896*C*b*c*d*e*f)/3)) / (f^6 * \\
& ((e + f*x)^{(1/2)} - e^{(1/2)})^6) + (64*C*b*c^(3/2) * e^(3/2) * ((c + d*x)^{(1/2)} - c^{(1/2)})^8) / (f^4 * \\
& ((e + f*x)^{(1/2)} - e^{(1/2)})^8) + (64*C*b*c^(3/2) * d^2 * e^(3/2) * ((c + d*x)^{(1/2)} - c^{(1/2)})^4) / (f^6 * \\
& ((e + f*x)^{(1/2)} - e^{(1/2)})^4) / (((c + d*x)^{(1/2)} - c^{(1/2)})^12 / ((e + f*x)^{(1/2)} - e^{(1/2)})^12 + \\
& d^6/f^6 - (6*d * ((c + d*x)^{(1/2)} - c^{(1/2)})^10) / (f * ((e + f*x)^{(1/2)} - e^{(1/2)})^10) - (6*d^5 * \\
& ((c + d*x)^{(1/2)} - c^{(1/2)})^2) / (f^5 * ((e + f*x)^{(1/2)} - e^{(1/2)})^2) + (15*d^4 * ((c + d*x)^{(1/2)} - \\
& c^{(1/2)})^4) / (f^4 * ((e + f*x)^{(1/2)} - e^{(1/2)})^4) - (20*d^3 * ((c + d*x)^{(1/2)} - c^{(1/2)})^6) / (f^3 * \\
& ((e + f*x)^{(1/2)} - e^{(1/2)})^6) + (15*d^2 * ((c + d*x)^{(1/2)} - c^{(1/2)})^8) / (f^2 * ((e + f*x)^{(1/2)} - \\
& e^{(1/2)})^8) - (((c + d*x)^{(1/2)} - c^{(1/2)}) * ((3*B*b*d^3*e^2)/2 + (3*B*b*c^2*d*f^2)/2 + \\
& B*b*c*d^2*e*f)) / (f^6 * ((e + f*x)^{(1/2)} - e^{(1/2)})) - (((c + d*x)^{(1/2)} - c^{(1/2)})^3 * ((11*B*b*c^2*f^2)/2 \\
& + (11*B*b*d^2*e^2)/2 + 25*B*b*c*d*e*f)) / (f^5 * ((e + f*x)^{(1/2)} - e^{(1/2)})^3) + (((c + d*x)^{(1/2)} - \\
& c^{(1/2)})^7 * ((3*B*b*c^2*f^2)/2 + (3*B*b*d^2*e^2)/2 + B*b*c*d^2*e*f)) / (d^2*f^3 * ((e + f*x)^{(1/2)} - \\
& e^{(1/2)})^7) - (((c + d*x)^{(1/2)} - c^{(1/2)})^5 * ((11*B*b*c^2*f^2)/2 + (11*B*b*d^2*e^2)/2 + 25*B*b*c*d*e*f)) / \\
& (d*f^4 * ((e + f*x)^{(1/2)} - e^{(1/2)})^5) + (c^{(1/2)} * e^{(1/2)} * ((c + d*x)^{(1/2)} - c^{(1/2)})^4 * \\
& (32*B*b*c*f + 32*B*b*d*e)) / (f^4 * ((e + f*x)^{(1/2)} - e^{(1/2)})^4) / (((c + d*x)^{(1/2)} - c^{(1/2)})^8 / ((e + f*x)^{(1/2)} - e^{(1/2)})^8 + d^4/f^4 - (4*d * \\
& ((c + d*x)^{(1/2)} - c^{(1/2)})^6) / (f * ((e + f*x)^{(1/2)} - e^{(1/2)})^6) - (4*d
\end{aligned}$$

$$\begin{aligned}
& \frac{-3((c + d*x)^{1/2} - c^{1/2})^2}{(f^3((e + f*x)^{1/2} - e^{1/2})^2)} + \frac{(6d^2((c + d*x)^{1/2} - c^{1/2})^4)}{(f^2((e + f*x)^{1/2} - e^{1/2})^4)} + \\
& \frac{((c + d*x)^{1/2} - c^{1/2})(2B*a*c*f + 2B*a*d*e)}{(f^3((e + f*x)^{1/2} - e^{1/2}))} + \\
& \frac{((c + d*x)^{1/2} - c^{1/2})^3(2B*a*c*f + 2B*a*d*e)}{(d*f^2((e + f*x)^{1/2} - e^{1/2})^3)} - \frac{(8B*a*c^{1/2}*e^{1/2})((c + d*x)^{1/2} - c^{1/2})^2}{((c + d*x)^{1/2} - c^{1/2})^4} \\
& \frac{(f^2((e + f*x)^{1/2} - e^{1/2})^4 + d^2/f^2 - (2d*((c + d*x)^{1/2} - c^{1/2})^2))}{(f*((e + f*x)^{1/2} - e^{1/2})^2)} - \frac{(4A*a*\text{atan}(d*((e + f*x)^{1/2} - e^{1/2})))}{(-d*f)^{1/2}} \\
& + \frac{(B*b*\text{atanh}(f^{1/2}((c + d*x)^{1/2} - c^{1/2})))}{(d^{1/2}((e + f*x)^{1/2} - e^{1/2}))} * (3*c^2*f^2 + 3*d^2*e^2 + 2*c*d*e*f) / (2*d^{5/2}*f^{5/2}) + \\
& \frac{(C*a*\text{atanh}(f^{1/2}((c + d*x)^{1/2} - c^{1/2})))}{(d^{1/2}((e + f*x)^{1/2} - e^{1/2}))} * (3*c^2*f^2 + 3*d^2*e^2 + 2*c*d*e*f) / (2*d^{5/2}*f^{5/2}) - \\
& (2*A*b*\text{atanh}(f^{1/2}((c + d*x)^{1/2} - c^{1/2}))) / (d^{1/2}((e + f*x)^{1/2} - e^{1/2})) * (c*f + d*e) / (d^{3/2}*f^{3/2}) - \\
& (2*B*a*\text{atanh}(f^{1/2}((c + d*x)^{1/2} - c^{1/2}))) * (c*f + d*e) / (d^{3/2}*f^{3/2}) - \\
& (C*b*\text{atanh}(f^{1/2}((c + d*x)^{1/2} - c^{1/2}))) / (d^{1/2}((e + f*x)^{1/2} - e^{1/2})) * (c*f + d*e) * (5*c^2*f^2 + 5*d^2*e^2 - 2*c*d*e*f) / (4*d^{7/2}*f^{7/2})
\end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx)(A + Bx + Cx^2)}{\sqrt{c + dx}\sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)*(C*x**2+B*x+A)/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)
[Out] Integral((a + b*x)*(A + B*x + C*x**2)/(sqrt(c + d*x)*sqrt(e + f*x)), x)
```

$$3.56 \quad \int \frac{A+Bx+Cx^2}{\sqrt{c+dx} \sqrt{e+fx}} dx$$

Optimal. Leaf size=164

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}}\right) \left(4df(2Adf - B(cf + de)) + C(3c^2f^2 + 2cdef + 3d^2e^2)\right)}{4d^{5/2}f^{5/2}} - \frac{\sqrt{c+dx} \sqrt{e+fx} (-4Bdf + 5cCf)}{4d^2f^2}$$

Rubi [A] time = 0.15, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.172, Rules used = {951, 80, 63, 217, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{d} \sqrt{e+fx}}\right) \left(4df(2Adf - B(cf + de)) + C(3c^2f^2 + 2cdef + 3d^2e^2)\right)}{4d^{5/2}f^{5/2}} - \frac{\sqrt{c+dx} \sqrt{e+fx} (-4Bdf + 5cCf + 3Cde)}{4d^2f^2} + \frac{C(c+dx)^{3/2} \sqrt{e+fx}}{2d^2f}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(Sqrt[c + d*x]*Sqrt[e + f*x]), x]
[Out] -((3*C*d*e + 5*c*C*f - 4*B*d*f)*Sqrt[c + d*x]*Sqrt[e + f*x])/(4*d^2*f^2) +
(C*(c + d*x)^(3/2)*Sqrt[e + f*x])/(2*d^2*f) + ((C*(3*d^2*e^2 + 2*c*d*e*f +
3*c^2*f^2) + 4*d*f*(2*A*d*f - B*(d*e + c*f)))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/
(Sqrt[d]*Sqrt[e + f*x])])/(4*d^(5/2)*f^(5/2))
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 80

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_),
x_Symbol] :> Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p +
2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)),
Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
```

$Q[a, 0] \text{ || } LtQ[b, 0])$

Rule 217

```
Int[1/Sqrt[(a_) + (b_ .)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 951

```
Int[((d_.) + (e_ .)*(x_))^(m_)*((f_ .) + (g_ .)*(x_))^(n_)*((a_ .) + (b_ .)*(x_)
+ (c_ .)*(x_)^2)^{(p_.)}, x_Symbol] :> Simp[(c^p*(d + e*x)^(m + 2*p)*(f + g*x)
)^{(n + 1)}/(g*e^(2*p)*(m + n + 2*p + 1)), x] + Dist[1/(g*e^(2*p)*(m + n + 2
*p + 1)), Int[(d + e*x)^(m)*(f + g*x)^n*ExpandToSum[g*(m + n + 2*p + 1)*(e^(2
*p)*(a + b*x + c*x^2)^p - c^p*(d + e*x)^(2*p)) - c^p*(e*f - d*g)*(m + 2*p)*
(d + e*x)^(2*p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e
*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGt
Q[p, 0] && NeQ[m + n + 2*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])]
```

Rubi steps

$$\begin{aligned} \int \frac{A + Bx + Cx^2}{\sqrt{c + dx} \sqrt{e + fx}} dx &= \frac{C(c + dx)^{3/2} \sqrt{e + fx}}{2d^2 f} + \frac{\int \frac{\frac{1}{2}(-3cCde - c^2Cf + 4Ad^2f) - \frac{1}{2}d(3Cde + 5cCf - 4Bdf)x}{\sqrt{c + dx} \sqrt{e + fx}} dx}{2d^2 f} \\ &= -\frac{(3Cde + 5cCf - 4Bdf)\sqrt{c + dx} \sqrt{e + fx}}{4d^2 f^2} + \frac{C(c + dx)^{3/2} \sqrt{e + fx}}{2d^2 f} + \frac{(C(3d^2e^2 + 2cde) - 3Cde^2 - 5cCf^2 + 4Bdf^2)\sqrt{c + dx} \sqrt{e + fx}}{4d^2 f^2} \\ &= -\frac{(3Cde + 5cCf - 4Bdf)\sqrt{c + dx} \sqrt{e + fx}}{4d^2 f^2} + \frac{C(c + dx)^{3/2} \sqrt{e + fx}}{2d^2 f} + \frac{(C(3d^2e^2 + 2cde) - 3Cde^2 - 5cCf^2 + 4Bdf^2)\sqrt{c + dx} \sqrt{e + fx}}{4d^2 f^2} \\ &= -\frac{(3Cde + 5cCf - 4Bdf)\sqrt{c + dx} \sqrt{e + fx}}{4d^2 f^2} + \frac{C(c + dx)^{3/2} \sqrt{e + fx}}{2d^2 f} + \frac{(C(3d^2e^2 + 2cde) - 3Cde^2 - 5cCf^2 + 4Bdf^2)\sqrt{c + dx} \sqrt{e + fx}}{4d^2 f^2} \end{aligned}$$

Mathematica [A] time = 0.79, size = 173, normalized size = 1.05

$$\frac{\sqrt{de - cf} \sqrt{\frac{d(e+fx)}{de - cf}} \sinh^{-1}\left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{de - cf}}\right) (4df(2Adf - B(cf + de)) + C(3c^2f^2 + 2cdef + 3d^2e^2)) + d\sqrt{f} \sqrt{c+dx}(e+fx)(4Bdf + C(-3cf - 3de + 2dfx))}{4d^3 f^{5/2} \sqrt{e+fx}}$$

Antiderivative was successfully verified.

[In] `Integrate[(A + B*x + C*x^2)/(Sqrt[c + d*x]*Sqrt[e + f*x]), x]`

[Out]
$$\begin{aligned} & (d*Sqrt[f]*Sqrt[c + d*x]*(e + f*x)*(4*B*d*f + C*(-3*d*e - 3*c*f + 2*d*f*x)) \\ & + Sqrt[d*e - c*f]*(C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f \\ & - B*(d*e + c*f)))*Sqrt[(d*(e + f*x))/(d*e - c*f)]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(4*d^3*f^(5/2)*Sqrt[e + f*x]) \end{aligned}$$

IntegrateAlgebraic [A] time = 0.38, size = 229, normalized size = 1.40

$$\frac{\tanh^{-1}\left(\frac{\sqrt{d} \sqrt{e+f x}}{\sqrt{f} \sqrt{c+d x}}\right) (8 A d^2 f^2 - 4 B c d f^2 - 4 B d^2 e f + 3 c^2 C f^2 + 2 c C d e f + 3 C d^2 e^2)}{4 d^{5/2} f^{5/2}} + \frac{\sqrt{e+f x} (d e - c f) \left(\frac{4 B d^2 f (e+f x)}{c+d x} - 4 B d f^2 - \frac{3 C d^2 e (e+f x)}{c+d x} - \frac{5 c C d f (e+f x)}{c+d x} + 3 c C f^2 + 5 C d e f\right)}{4 d^2 f^2 \sqrt{c+d x} \left(\frac{d (e+f x)}{c+d x} - f\right)^2}$$

Antiderivative was successfully verified.

[In] `IntegrateAlgebraic[(A + B*x + C*x^2)/(Sqrt[c + d*x]*Sqrt[e + f*x]), x]`

[Out]
$$\begin{aligned} & ((d*e - c*f)*Sqrt[e + f*x]*(5*C*d*e*f + 3*c*C*f^2 - 4*B*d*f^2 - (3*C*d^2*e^2*(e + f*x))/(c + d*x) - (5*c*C*d*f*(e + f*x))/(c + d*x) + (4*B*d^2*f*(e + f*x))/(c + d*x))/((4*d^2*f^2*2*Sqrt[c + d*x]*(-f + (d*(e + f*x))/(c + d*x))^2) \\ & + ((3*C*d^2*e^2 + 2*c*C*d*e*f - 4*B*d^2*e*f + 3*c^2*2*C*f^2 - 4*B*c*d*f^2 + 8*A*d^2*f^2)*ArcTanh[(Sqrt[d]*Sqrt[e + f*x])/(Sqrt[f]*Sqrt[c + d*x])])/(4*d^(5/2)*f^(5/2))) \end{aligned}$$

fricas [A] time = 1.57, size = 380, normalized size = 2.32

$$\boxed{\frac{3(Cd^2f^2 + 2(Ccd - 2Rd^2)f^2 + (3C^2 - 4Cd + 8Ad^2)f^2)\sqrt{df} \log((d^2f^2)^2 + R^2 + 6CdRf + C^2)^2 + 4(2dfx + dx + c)\sqrt{df} \sqrt{dx + c}\sqrt{fx + e} + 8(d^2fx + cd^2f^2)^2 + 4(2C^2f^2x - 3Cd^2Rf - (3Cd - 4Rd^2))^2\sqrt{dx + c}\sqrt{fx + e}}{16d^2f^7}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2), x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [1/16*((3*C*d^2*e^2 + 2*(C*c*d - 2*B*d^2)*e*f + (3*C*c^2 - 4*B*c*d + 8*A*d^2)*f^2)*sqrt(d*f)*log(8*d^2*f^2*x^2 + d^2*e^2 + 6*c*d*e*f + c^2*f^2 + 4*(2*d*f*x + d*e + c*f)*sqrt(d*f)*sqrt(d*x + c)*sqrt(f*x + e) + 8*(d^2*f*x + c*d^2*f^2*x + 4*(2*C^2*f^2*x - 3*C*d^2*f*x - (3*C*d - 4*Rd^2)*f^2)*sqrt(dx + c)*sqrt(fx + e) + 4*(2*C*d^2*f^2*x - 3*C*d^2*e*f - (3*C*c*d - 4*B*d^2)*f^2)*sqrt(d*x + c)*sqrt(f*x + e))/(d^3*f^3)), -1/8*((3*C*d^2*e^2 + 2*(C*c*d - 2*B*d^2)*e*f + (3*C*c^2 - 4*B*c*d + 8*A*d^2)*f^2)*sqrt(-d*f)*arctan(1/2*(2*d*f*x + d*e + c*f)*sqrt(-d*f)*sqrt(d*x + c)*sqrt(f*x + e)/(d^2*f^2*x^2 + c*d*e*f + (d^2*e*f + c*d*f^2)*x)) - 2*(2*C*d^2*f^2*x - 3*C*d^2*e*f - (3*C*c*d - 4*B*d^2)*f^2)*sqrt(d*x + c)*sqrt(f*x + e))/(d^3*f^3)] \end{aligned}$$

giac [A] time = 1.22, size = 194, normalized size = 1.18

$$\frac{\left(\sqrt{(dx+c)df - cdf + d^2e} \sqrt{dx+c} \left(\frac{2(dx+c)C}{d^3f} - \frac{5Ccd^5f^2 - 4Bd^6f^2 + 3Cd^6fe}{d^8f^3}\right) - \frac{(3Cc^2f^2 - 4Bcdf^2 + 8Ad^2f^2 + 2Ccdf e - 4Bd^2fe + 3Cd^2e^2) \log\left(-\sqrt{df} \sqrt{dx+c} + \sqrt{(dx+c)df - cdf + d^2e}\right)}{\sqrt{df} d^2f^2}\right)d}{4|d|}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")
[Out] 1/4*(sqrt((d*x + c)*d*f - c*d*f + d^2*e)*sqrt(d*x + c)*(2*(d*x + c)*C/(d^3*f) - (5*C*c*d^5*f^2 - 4*B*d^6*f^2 + 3*C*d^6*f*e)/(d^8*f^3)) - (3*C*c^2*f^2 - 4*B*c*d*f^2 + 8*A*d^2*f^2 + 2*C*c*d*f*e - 4*B*d^2*f*e + 3*C*d^2*e^2)*log(abs(-sqrt(d*f)*sqrt(d*x + c) + sqrt((d*x + c)*d*f - c*d*f + d^2*e)))/(sqrt(d*f)*d^2*f^2)*d/abs(d)
```

maple [B] time = 0.02, size = 425, normalized size = 2.59

$$\frac{8A d^2 f^2 \ln\left(\frac{2 d t + c f + d x + 2 \sqrt{(d x + c) (f x + e)} \sqrt{d t}}{2 c d f}\right) - 4 B c d f^2 \ln\left(\frac{2 d t + c f + d x + 2 \sqrt{(d x + c) (f x + e)} \sqrt{d t}}{2 c d f}\right) - 4 B d^2 f^2 \ln\left(\frac{2 d t + c f + d x + 2 \sqrt{(d x + c) (f x + e)} \sqrt{d t}}{2 c d f}\right) + 3 C c^2 f^2 \ln\left(\frac{2 d t + c f + d x + 2 \sqrt{(d x + c) (f x + e)} \sqrt{d t}}{2 c d f}\right) + 2 C c d f \ln\left(\frac{2 d t + c f + d x + 2 \sqrt{(d x + c) (f x + e)} \sqrt{d t}}{2 c d f}\right) + 3 C d^2 f^2 \ln\left(\frac{2 d t + c f + d x + 2 \sqrt{(d x + c) (f x + e)} \sqrt{d t}}{2 c d f}\right) + 4 \sqrt{d t} \sqrt{(d x + c) (f x + e)} C d f + 8 \sqrt{d t} \sqrt{(d x + c) (f x + e)} B d f - 6 \sqrt{d t} \sqrt{(d x + c) (f x + e)} C c f - 6 \sqrt{d t} \sqrt{(d x + c) (f x + e)} C d e\right) \sqrt{d x + c} \sqrt{f x + e}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)
[Out] 1/8*(8*A*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*d^2*f^2-4*B*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*c*d*f^2-4*B*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*d^2*f^2+3*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*c^2*f^2+2*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*c*d*f+3*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*d^2*f^2+4*C*((d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*x*d*f+8*B*((d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*d*f-6*C*((d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*c*f-6*C*((d*f)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*d*e)*(d*x+c)^(1/2)*(f*x+e)^(1/2))/(d*f)^(1/2))/f^2/d^2/((d*x+c)*(f*x+e))^(1/2))
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c*f-d*e>0)', see `assume?` for more details)Is c*f-d*e zero or nonzero?
```

mupad [B] time = 25.89, size = 833, normalized size = 5.08

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(c + d*x)^(1/2)),x)
```

```
[Out] (((2*B*c*f + 2*B*d*e)*((c + d*x)^(1/2) - c^(1/2)))/(f^3*((e + f*x)^(1/2) - e^(1/2))) + ((2*B*c*f + 2*B*d*e)*((c + d*x)^(1/2) - c^(1/2))^3)/(d*f^2*((e + f*x)^(1/2) - e^(1/2))^3) - (8*B*c^(1/2)*e^(1/2)*((c + d*x)^(1/2) - c^(1/2))^2)/(f^2*((e + f*x)^(1/2) - e^(1/2))^2)/(((c + d*x)^(1/2) - c^(1/2))^4/( (e + f*x)^(1/2) - e^(1/2))^4 + d^2/f^2 - (2*d*((c + d*x)^(1/2) - c^(1/2))^2)/(f*((e + f*x)^(1/2) - e^(1/2))^2)) - (((((c + d*x)^(1/2) - c^(1/2)))*(3*C*d^3*c^2*f^2)/2 + (3*C*c^2*d*f^2)/2 + C*c*d^2*e*f))/(f^6*((e + f*x)^(1/2) - e^(1/2))) - (((c + d*x)^(1/2) - c^(1/2))^3*((11*C*c^2*f^2)/2 + (11*C*d^2*e^2)/2 + 25*C*c*d*e*f))/(f^5*((e + f*x)^(1/2) - e^(1/2))^3) + (((c + d*x)^(1/2) - c^(1/2))^7*((3*C*c^2*f^2)/2 + (3*C*d^2*e^2)/2 + C*c*d*e*f))/(d^2*f^3*((e + f*x)^(1/2) - e^(1/2))^7) - (((c + d*x)^(1/2) - c^(1/2))^5*((11*C*c^2*f^2)/2 + (11*C*d^2*e^2)/2 + 25*C*c*d*e*f))/(d*f^4*((e + f*x)^(1/2) - e^(1/2))^5) + (c^(1/2)*e^(1/2)*(32*C*c*f + 32*C*d*e)*((c + d*x)^(1/2) - c^(1/2))^4)/(f^4*((e + f*x)^(1/2) - e^(1/2))^4)/(((c + d*x)^(1/2) - c^(1/2))^8/((e + f*x)^(1/2) - e^(1/2))^8 + d^4/f^4 - (4*d*((c + d*x)^(1/2) - c^(1/2))^6)/(f*((e + f*x)^(1/2) - e^(1/2))^6) - (4*d^3*((c + d*x)^(1/2) - c^(1/2))^2)/(f^3*((e + f*x)^(1/2) - e^(1/2))^2) + (6*d^2*((c + d*x)^(1/2) - c^(1/2))^4)/(f^2*((e + f*x)^(1/2) - e^(1/2))^4)) - (4*A*atan((d*((e + f*x)^(1/2) - e^(1/2))))/((-d*f)^(1/2)*((c + d*x)^(1/2) - c^(1/2)))))/(-d*f)^(1/2) - (2*B*atanh((f^(1/2)*((c + d*x)^(1/2) - c^(1/2))))/(d^(1/2)*((e + f*x)^(1/2) - e^(1/2)))))*(c*f + d*e)/(d^(3/2)*f^(3/2)) + (C*atanh((f^(1/2)*((c + d*x)^(1/2) - c^(1/2))))/(d^(1/2)*((e + f*x)^(1/2) - e^(1/2))))*(3*c^2*f^2 + 3*d^2*e^2 + 2*c*d*e*f))/(2*d^(5/2)*f^(5/2))
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + Bx + Cx^2}{\sqrt{c + dx} \sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)
```

[Out] $\text{Integral}((A + B*x + C*x^{**2}) / (\sqrt{c + d*x})*\sqrt{e + f*x}), x)$

$$3.57 \quad \int \frac{A+Bx+Cx^2}{(a+bx)\sqrt{c+dx}\sqrt{e+fx}} dx$$

Optimal. Leaf size=188

$$\frac{2 \left(A b^2 - a (b B - a C)\right) \tanh^{-1}\left(\frac{\sqrt{c+d x} \sqrt{b e-a f}}{\sqrt{e+f x} \sqrt{b c-a d}}\right) \tanh^{-1}\left(\frac{\sqrt{f} \sqrt{c+d x}}{\sqrt{d} \sqrt{e+f x}}\right) (2 a C d f + b (-2 B d f + c C f + C d e))}{b^2 \sqrt{b c-a d} \sqrt{b e-a f}} + \frac{C \sqrt{c+d x} \sqrt{e+f x}}{b d f}$$

Rubi [A] time = 0.34, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.194, Rules used = {1615, 157, 63, 217, 206, 93, 208}

$$\frac{2 \left(A b^2 - a (b B - a C)\right) \tanh^{-1}\left(\frac{\sqrt{c+d x} \sqrt{b e-a f}}{\sqrt{e+f x} \sqrt{b c-a d}}\right) \tanh^{-1}\left(\frac{\sqrt{f} \sqrt{c+d x}}{\sqrt{d} \sqrt{e+f x}}\right) (2 a C d f + b (-2 B d f + c C f + C d e))}{b^2 \sqrt{b c-a d} \sqrt{b e-a f}} + \frac{C \sqrt{c+d x} \sqrt{e+f x}}{b d f}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*x + C*x^2)/((a + b*x)*Sqrt[c + d*x]*Sqrt[e + f*x])), x]
[Out] (C*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*d*f) - ((2*a*C*d*f + b*(C*d*e + c*C*f - 2*B*d*f))*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/((Sqrt[d]*Sqrt[e + f*x])])/(b^2*d^(3/2)*f^(3/2))) - (2*(A*b^2 - a*(b*B - a*C))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[c + d*x])/((Sqrt[b*c - a*d]*Sqrt[e + f*x])])/(b^2*Sqrt[b*c - a*d]*Sqrt[b*e - a*f]))
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 93

```
Int[((((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_))/((e_) + (f_)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 157

```
Int[((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_))/((a_) + (b_)*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1615

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> With[{q = Expon[Px, x], k = Coeff[Px, x, Exponent[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x], x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{(a + bx)\sqrt{c + dx}\sqrt{e + fx}} dx &= \frac{C\sqrt{c + dx}\sqrt{e + fx}}{bdf} + \frac{\int \frac{\frac{1}{2}b(2Abdf - aC(de + cf)) - \frac{1}{2}b(2aCdf + b(Cde + cCf - 2Bdf))x}{(a + bx)\sqrt{c + dx}\sqrt{e + fx}} dx}{b^2 df} \\
&= \frac{C\sqrt{c + dx}\sqrt{e + fx}}{bdf} + \left(A - \frac{a(bB - aC)}{b^2}\right) \int \frac{1}{(a + bx)\sqrt{c + dx}\sqrt{e + fx}} dx + \dots \\
&= \frac{C\sqrt{c + dx}\sqrt{e + fx}}{bdf} + \left(2\left(A - \frac{a(bB - aC)}{b^2}\right)\right) \text{Subst}\left(\int \frac{1}{-bc + ad - (-be + af)} dx\right) \\
&= \frac{C\sqrt{c + dx}\sqrt{e + fx}}{bdf} - \frac{2\left(A - \frac{a(bB - aC)}{b^2}\right) \tanh^{-1}\left(\frac{\sqrt{be - af}\sqrt{c + dx}}{\sqrt{bc - ad}\sqrt{e + fx}}\right)}{\sqrt{bc - ad}\sqrt{be - af}} + \dots \\
&= \frac{C\sqrt{c + dx}\sqrt{e + fx}}{bdf} - \frac{(2aCdf + b(Cde + cCf - 2Bdf)) \tanh^{-1}\left(\frac{\sqrt{f}\sqrt{c + dx}}{\sqrt{d}\sqrt{e + fx}}\right)}{b^2 d^{3/2} f^{3/2}} - \dots
\end{aligned}$$

Mathematica [A] time = 0.94, size = 304, normalized size = 1.62

$$\frac{2 \left(\frac{(a(aC - bB) + Ab^2) \tanh^{-1}\left(\frac{\sqrt{c + dx}\sqrt{af - be}}{\sqrt{e + fx}\sqrt{ad - bc}}\right) - \frac{\sqrt{e + fx}(aCf - bBf + bCe) \sinh^{-1}\left(\frac{\sqrt{f}\sqrt{c + dx}}{\sqrt{de - cf}}\right) + \frac{bC\sqrt{e + fx}\left(\sqrt{f}\sqrt{c + dx}\sqrt{\frac{d(e + fx)}{de - cf}} + \sqrt{de - cf}\sinh^{-1}\left(\frac{\sqrt{f}\sqrt{c + dx}}{\sqrt{de - cf}}\right)\right)}{2df^{3/2}\sqrt{\frac{d(e + fx)}{de - cf}}}}{b^2} \right)}{b^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/((a + b*x)*Sqrt[c + d*x]*Sqrt[e + f*x]), x]
[Out] (2*(-(((b*C*e - b*B*f + a*C*f)*Sqrt[e + f*x])*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]])/(f^(3/2)*Sqrt[d*e - c*f]*Sqrt[(d*(e + f*x))/(d*e - c*f)])) + (b*C*Sqrt[e + f*x]*(Sqrt[f]*Sqrt[c + d*x]*Sqrt[(d*(e + f*x))/(d*e - c*f)] + Sqrt[d*e - c*f]*ArcSinh[(Sqrt[f]*Sqrt[c + d*x])/Sqrt[d*e - c*f]]))/(2*d*f^(3/2)*Sqrt[(d*(e + f*x))/(d*e - c*f)]) + ((A*b^2 + a*(-(b*B) + a*C))*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/(Sqrt[-(b*c) + a*d]*Sqrt[-(b*e) + a*f])))/b^2
```

IntegrateAlgebraic [A] time = 0.62, size = 227, normalized size = 1.21

$$-\frac{2(a^2C - abB + Ab^2) \tan^{-1}\left(\frac{\sqrt{e + fx}\sqrt{bc - ad}\sqrt{af - be}}{\sqrt{c + dx}(be - af)}\right) + \frac{\tanh^{-1}\left(\frac{\sqrt{d}\sqrt{e + fx}}{\sqrt{f}\sqrt{c + dx}}\right)(-2aCdf + 2bBdf - bcCf - bCde)}{b^2 d^{3/2} f^{3/2}}}{b^2 \sqrt{bc - ad}\sqrt{af - be}} - \frac{C\sqrt{e + fx}(cf - de)}{bdf\sqrt{c + dx}\left(\frac{d(e + fx)}{c + dx} - f\right)}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(A + B*x + C*x^2)/((a + b*x)*Sqrt[c + d*x])*Sqrt[e + f*x],x]
[Out] -((C*(-d*e) + c*f)*Sqrt[e + f*x])/((b*d*f*Sqrt[c + d*x]*(-f + (d*(e + f*x))/((c + d*x)))) - (2*(A*b^2 - a*b*B + a^2*C)*ArcTan[(Sqrt[b*c - a*d]*Sqrt[-(b*e) + a*f])*Sqrt[e + f*x])/((b*e - a*f)*Sqrt[c + d*x]))]/(b^2*Sqrt[b*c - a*d]*Sqrt[-(b*e) + a*f]) + ((-b*C*d*e) - b*c*C*f + 2*b*B*d*f - 2*a*C*d*f)*ArcTanh[(Sqrt[d]*Sqrt[e + f*x])/((Sqrt[f]*Sqrt[c + d*x]))]/(b^2*d^(3/2)*f^(3/2))
)
fricas [F(-1)]   time = 0.00, size = 0, normalized size = 0.00
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")
```

[Out] Timed out

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")
```

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:

maple [B] time = 0.03, size = 746, normalized size = 3.97

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(b*x+a)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)
```

```
[Out] -1/2*(2*A*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2))^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*b^2*d*f*(d*f)^(1/2)-2*B*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*b^2*d*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)-2*B*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2))^(1/2))
```

$$\begin{aligned} & *b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e))^{(1/2)*b}/(b*x+a))*a*b*d*f*(d*f) \\ & ^{(1/2)}+2*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)})*a*b*d*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}+C*ln(1/2 \\ & *(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)})*b^2*c \\ & *f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}+C*ln(1/2*(2*d*f*x+c*f+d*e+ \\ & 2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f)^{(1/2)})/(d*f)^{(1/2)})*b^2*d*e*((a^2*d*f-a*b*c \\ & *f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}+2*C*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d \\ & *e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*((d*x+c)*(f*x+e) \\ &)^{(1/2)*b}/(b*x+a))*a^2*d*f*(d*f)^{(1/2)}-2*C*b^2*((d*x+c)*(f*x+e))^{(1/2)}*(d*f) \\ & ^{(1/2)}*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^{(1/2)}*(f*x+e)^{(1/2)}*(d*x+ \\ & c)^{(1/2)}/((d*x+c)*(f*x+e))^{(1/2)}/d/(d*f)^{(1/2)}/b^3/((a^2*d*f-a*b*c*f-a*b*d* \\ & e+b^2*c*e)/b^2)^{(1/2)}/f \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(b*x+a)/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(((-(2*a*d*f)/b^2)>0)', see `assume?` for more details)Is (((-(2*a*d*f)/b^2)+(c*f)/b+(d*e)/b)^2 - (4*d*f*((a^2*d*f)/b^2)-(a*c*f)/b-(a*d*e)/b+c*e))/b^2 zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.01

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)*(c + d*x)^(1/2)),x)`

[Out] \text{Hanged}

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + Bx + Cx^2}{(a + bx) \sqrt{c + dx} \sqrt{e + fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)/(b*x+a)/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)`

[Out] `Integral((A + B*x + C*x**2)/((a + b*x)*sqrt(c + d*x)*sqrt(e + f*x)), x)`

$$3.58 \quad \int \frac{A+Bx+Cx^2}{(a+bx)^2 \sqrt{c+dx} \sqrt{e+fx}} dx$$

Optimal. Leaf size=254

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{be-af}}{\sqrt{e+fx} \sqrt{bc-ad}}\right) \left(2a^3Cdf - 3a^2bC(cf + de) + ab^2(-2Adf + Bcf + Bde + 4cCe) - b^3(-Acf - Ade + 2Bce)\right)}{b^2(bc - ad)^{3/2}(be - af)^{3/2}}$$

Rubi [A] time = 0.64, antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.194, Rules used = {1613, 157, 63, 217, 206, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{be-af}}{\sqrt{e+fx} \sqrt{bc-ad}}\right) \left(-3a^2bC(cf + de) + 2a^3Cdf + ab^2(-2Adf + Bcf + Bde + 4cCe) - b^3(-Acf - Ade + 2Bce)\right)}{b^2(bc - ad)^{3/2}(be - af)^{3/2}} - \frac{\sqrt{c+dx} \sqrt{e+fx} \left(Ab^2 - a(bB - aC)\right)}{b(a + bx)(bc - ad)(be - af)} + \frac{2C \tanh^{-1}\left(\frac{\sqrt{f} \sqrt{c+dx}}{\sqrt{a} \sqrt{e+fx}}\right)}{b^2 \sqrt{d} \sqrt{f}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/((a + b*x)^2*Sqrt[c + d*x]*Sqrt[e + f*x]), x]
[Out] -(((A*b^2 - a*(b*B - a*C))*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*(b*c - a*d)*(b*e - a*f)*(a + b*x))) + (2*C*ArcTanh[(Sqrt[f]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[e + f*x])])/((b^2*Sqrt[d]*Sqrt[f])) + ((2*a^3*C*d*f - 3*a^2*b*C*(d*e + c*f) - b^3*(2*B*c*e - A*d*e - A*c*f) + a*b^2*(4*c*C*e + B*d*e + B*c*f - 2*A*d*f))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[c + d*x])/((Sqrt[b*c - a*d]*Sqrt[e + f*x])])/(b^2*(b*c - a*d)^(3/2)*(b*e - a*f)^(3/2))]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 93

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 157

```
Int[((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_))/((a_) + (b_)*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x]] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 1613

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{(a + bx)^2 \sqrt{c + dx} \sqrt{e + fx}} dx &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)(a + bx)} - \int \frac{\frac{a^2 C(de + cf) + b^2(2Bce - Ade - Acf) - ab(2Cc + Bde)}{2b}}{(a + bx)\sqrt{c + dx} \sqrt{e + fx}} dx \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)(a + bx)} + \frac{C \int \frac{1}{\sqrt{c + dx} \sqrt{e + fx}} dx}{b^2} - \frac{(2a^3 Cdf - 2a^2 bC(de + cf) - b^3(2Bce - Ade - Acf))}{b^2} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)(a + bx)} + \frac{(2C) \text{Subst} \left(\int \frac{1}{\sqrt{e - \frac{cf}{d} + \frac{fx^2}{d}}} dx, x, \sqrt{e - \frac{cf}{d} + \frac{fx^2}{d}} \right)}{b^2 d} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)(a + bx)} + \frac{(2a^3 Cdf - 3a^2 bC(de + cf) - b^3(2Bce - Ade - Acf))}{b^2} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{b(bc - ad)(be - af)(a + bx)} + \frac{2C \tanh^{-1} \left(\frac{\sqrt{f} \sqrt{c + dx}}{\sqrt{d} \sqrt{e + fx}} \right)}{b^2 \sqrt{d} \sqrt{f}} + \frac{(2a^3 Cdf - 3a^2 bC(de + cf) - b^3(2Bce - Ade - Acf))}{b^2}
\end{aligned}$$

Mathematica [A] time = 1.86, size = 325, normalized size = 1.28

$$\begin{aligned}
&\frac{b \sqrt{c + dx} \sqrt{e + fx} (a(aC - bB) + Ab^2)}{(a + bx)(bc - ad)(be - af)} - \frac{(a(aC - bB) + Ab^2)(-2ad \sqrt{f} + bc \sqrt{f} + bd \sqrt{e}) \tanh^{-1} \left(\frac{\sqrt{c + dx} \sqrt{af - be}}{\sqrt{e + fx} \sqrt{ad - bc}} \right)}{(ad - bc)^{3/2} (af - be)^{3/2}} + \frac{2(bB - 2aC) \tanh^{-1} \left(\frac{\sqrt{c + dx} \sqrt{af - be}}{\sqrt{e + fx} \sqrt{ad - bc}} \right)}{\sqrt{ad - bc} \sqrt{af - be}} + \frac{2C \sqrt{e + fx} \sinh^{-1} \left(\frac{\sqrt{f} \sqrt{c + dx}}{\sqrt{de - cf}} \right)}{\sqrt{f} \sqrt{de - cf} \sqrt{\frac{d(e + fx)}{de - cf}}} \\
&\frac{b^2}{b^2}
\end{aligned}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/((a + b*x)^2*Sqrt[c + d*x]*Sqrt[e + f*x]), x]
[Out] ((-((b*(A*b^2 + a*(-(b*B) + a*C))*Sqrt[c + d*x]*Sqrt[e + f*x]))/((b*c - a*d)*(b*e - a*f)*(a + b*x))) + (2*C*Sqrt[e + f*x]*ArcSinh[(Sqrt[f])*Sqrt[c + d*x]]/Sqrt[d*e - c*f]])/(Sqrt[f]*Sqrt[d*e - c*f]*Sqrt[(d*(e + f*x))/(d*e - c*f)]) + (2*(b*B - 2*a*C)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/(Sqrt[-(b*c) + a*d]*Sqrt[-(b*e) + a*f]) - ((A*b^2 + a*(-(b*B) + a*C))*(b*d*e + b*c*f - 2*a*d*f)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/((- (b*c) + a*d)^(3/2)*(- (b*e) + a*f)^(3/2))/b^2
```

IntegrateAlgebraic [A] time = 0.94, size = 330, normalized size = 1.30

$$\begin{aligned}
&\frac{\sqrt{e + fx} (cf - de) (a^2 C - abB + Ab^2)}{b \sqrt{c + dx} (bc - ad)(be - af) \left(-\frac{ad(c + fx)}{c + dx} + af + \frac{bc(c + fx)}{c + dx} - be \right)} + \frac{\tan^{-1} \left(\frac{\sqrt{e + fx} \sqrt{bc - ad} \sqrt{af - be}}{\sqrt{c + dx} (be - af)} \right) (2a^3 Cdf - 3a^2 bc Cf - 3a^2 bCde - 2aAb^2 df + ab^2 Bcf + ab^2 Bde + 4ab^2 cCe + Ab^3 Cf + Ab^3 de - 2b^3 Bce)}{b^2 (bc - ad)^{3/2} (be - af) \sqrt{af - be}} + \frac{2C \tanh^{-1} \left(\frac{\sqrt{d} \sqrt{e + fx}}{\sqrt{f} \sqrt{c + dx}} \right)}{b^2 \sqrt{d} \sqrt{f}}
\end{aligned}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(A + B*x + C*x^2)/((a + b*x)^2*Sqrt[c + d*x]*Sqrt[e + f*x]), x]
[Out] -(((A*b^2 - a*b*B + a^2*C)*(-(d*e) + c*f)*Sqrt[e + f*x])/(b*(b*c - a*d)*(b*
e - a*f)*Sqrt[c + d*x]*(-(b*e) + a*f + (b*c*(e + f*x))/(c + d*x) - (a*d*(e
+ f*x))/(c + d*x)))) + ((-2*b^3*B*c*e + 4*a*b^2*c*C*e + A*b^3*d*e + a*b^2*B
*d*e - 3*a^2*b*C*d*e + A*b^3*c*f + a*b^2*B*c*f - 3*a^2*b*c*C*f - 2*a*A*b^2*
d*f + 2*a^3*C*d*f)*ArcTan[(Sqrt[b*c - a*d]*Sqrt[-(b*e) + a*f]*Sqrt[e + f*x]
)/((b*e - a*f)*Sqrt[c + d*x]))]/(b^2*(b*c - a*d)^(3/2)*(b*e - a*f)*Sqrt[-(b
*e) + a*f]) + (2*C*ArcTanh[(Sqrt[d]*Sqrt[e + f*x])/((Sqrt[f]*Sqrt[c + d*x])
)/(b^2*Sqrt[d]*Sqrt[f]))]
```

fricas [$F(-1)$] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^2/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")
```

[Out] Timed out

giac [B] time = 9.37, size = 1356, normalized size = 5.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(b*x+a)^2/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] (3*sqrt(d*f)*C*a^2*b*c*d^2*f - sqrt(d*f)*B*a*b^2*c*d^2*f - sqrt(d*f)*A*b^3*c*d^2*f - 2*sqrt(d*f)*C*a^3*d^3*f + 2*sqrt(d*f)*A*a*b^2*d^3*f - 4*sqrt(d*f)*C*a*b^2*c*d^2*e + 2*sqrt(d*f)*B*b^3*c*d^2*e + 3*sqrt(d*f)*C*a^2*b*d^3*e - sqrt(d*f)*B*a*b^2*d^3*e - sqrt(d*f)*A*b^3*d^3*e)*arctan(-1/2*(b*c*d*f - 2*a*d^2*f + b*d^2*e - (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*b)/(sqrt(a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e)*d))/((a*b^3*c*f*abs(d) - a^2*b^2*d*f*abs(d) - b^4*c*abs(d)*e + a*b^3*d*abs(d)*e)*sqrt(a*b*c*d*f^2 - a^2*d^2*f^2 - b^2*c*d*f*e + a*b*d^2*f*e)*d) + 2*(sqrt(d*f)*C*a^2*b*c^2*d^3*f^2 - sqrt(d*f)*B*a*b^2*c^2*d^3*f^2 + sqrt(d*f)*A*b^3*c^2*d^3*f^2 - 2*sqrt(d*f)*C*a^2*b*c*d^4*f*e + 2*sqrt(d*f)*B*a*b^2*c*d^4*f*e - 2*sqrt(d*f)*A*b^3*c*d^4*f*e - sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*C*a^2*b*c*d^2*f + sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*B*a*b^2*c*d^2*f - sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^2*
```

$$\begin{aligned}
& A*b^3*c*d^2*f + 2*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*C*a^3*d^3*f} - 2*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*B*a^2*b*d^3*f} + 2*sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*A*a*b^2*d^3*f} + sqrt(d*f)*C*a^2*b*d^5*e^2 - sqrt(d*f)*B*a*b^2*d^5*e^2 + sqrt(d*f)*A*b^3*d^5*e^2 \\
& - sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*C*a^2*b*d^3*e} + sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*B*a*b^2*d^3*e} - sqrt(d*f)*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*A*b^3*d^3*e} / ((b*c^2*d^2*f^2 - 2*b*c*d^3*f*e - 2*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e)))^{2*b*c*d*f} + 4*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*a*d^2*f} + b*d^4*e^2 - 2*(sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{2*b*d^2*e} + (sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e))^{4*b} * (a*b^3*c*f*abs(d) - a^2*b^2*d*f*abs(d) - b^4*c*abs(d)*e + a*b^3*d*abs(d)*e) - sqrt(d*f)*C*log((sqrt(d*f)*sqrt(d*x + c) - sqrt((d*x + c)*d*f - c*d*f + d^2*e)))^2 / (b^2*f*abs(d))
\end{aligned}$$

maple [B] time = 0.06, size = 2973, normalized size = 11.70

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/(b*x+a)^2/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)

[Out] -1/2*(d*x+c)^(1/2)*(f*x+e)^(1/2)*(-2*B*a*b^3*(d*f)^(1/2)*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)+2*A*b^4*(d*f)^(1/2)*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)-B*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*x*a*b^3*d*e*(d*f)^(1/2)-2*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*x*a^2*b^2*d*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)+2*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*x*a*x^2*b^2*d*f*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)+2*C*ln(1/2*(2*d*f*x+c*f+d*e+2*((d*x+c)*(f*x+e))^(1/2)*(d*f)^(1/2))/(d*f)^(1/2))*x*a*b^3*d*e*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)-2*C*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*x*a^3*b*d*f*(d*f)^(1/2)+3*C*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*x*a^2*b^2*d*e*((d*f)^(1/2)-4*C*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))*x*a*b^3*c*e*((d*f)^(1/2)+2*A*ln((-2*a*d*f*x+b*c*f*x+b*d*e*x-a*c*f-a*d*e+2*b*c*e+2*((a^2*d*f-a*b*c*f-a*b*d*e+b^2*c*e)/b^2)^(1/2)*((d*x+c)*(f*x+e))^(1/2)*b)/(b*x+a))
```


maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x^2+B*x+A)/(b*x+a)^2/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(((-(2*a*d*f)/b^2)>0)', see `assume?` for more details)Is (((-(2*a*d*f)/b^2) + (c*f)/b + (d*e)/b)^2 - (4*d*f)*(a^2*d*f)/b^2 - (a*c*f)/b - (a*d*e)/b + c*e)) /b^2 zero or nonzero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x + C*x^2)/((e + f*x)^(1/2)*(a + b*x)^2*(c + d*x)^(1/2)),x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C*x**2+B*x+A)/(b*x+a)**2/(d*x+c)**(1/2)/(f*x+e)**(1/2),x)

[Out] Timed out

3.59 $\int \frac{A+Bx+Cx^2}{(a+bx)^3 \sqrt{c+dx} \sqrt{e+fx}} dx$

Optimal. Leaf size=424

$$\tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{be-af}}{\sqrt{e+fx} \sqrt{bc-ad}}\right) \left(a^2 (4df(2Adf - B(cf + de)) + C(3c^2f^2 + 2cdef + 3d^2e^2)) + ab(-2cd(4Af^2 - 7Bef + 4Be^2) + 4(df^2 - 2Bcf + 3de^2) + 2cd(8Ce - Bf) + b^2(3Af^2 - 4Bef + 8Ce^2) - 2cd(2Be - Af) + 3Af^2e^2)\right) / 4(bc - ad)^{5/2}($$

Rubi [A] time = 0.97, antiderivative size = 424, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.139, Rules used = {1613, 151, 12, 93, 208}

$$\tanh^{-1}\left(\frac{\sqrt{c+dx} \sqrt{be-af}}{\sqrt{e+fx} \sqrt{bc-ad}}\right) \left(a^2 (4df(2Adf - B(cf + de)) + C(3c^2f^2 + 2cdef + 3d^2e^2)) + ab(-2cd(4Af^2 - 7Bef + 4Be^2) + 4(df^2 - 2Bcf + 3de^2) + 2cd(8Ce - Bf) + b^2(3Af^2 - 4Bef + 8Ce^2) - 2cd(2Be - Af) + 3Af^2e^2)\right) / 4(bc - ad)^{5/2}(be - af)^{5/2}$$

Antiderivative was successfully verified.

$$\begin{aligned} & \text{[In]} \quad \text{Int}[(A + B*x + C*x^2)/((a + b*x)^3 * \text{Sqrt}[c + d*x] * \text{Sqrt}[e + f*x]), x] \\ & \text{[Out]} \quad -((A*b^2 - a*(b*B - a*C))*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x])/(2*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^2) + ((2*a^3*C*d*f + a*b^2*(8*c*C*e + B*d*e + B*c*f - 6*A*d*f) - b^3*(4*B*c*e - 3*A*(d*e + c*f)) + a^2*b*(2*B*d*f - 5*C*(d*e + c*f))*\text{Sqrt}[c + d*x]*\text{Sqrt}[e + f*x])/(4*b*(b*c - a*d)^2*(b*e - a*f)^2*(a + b*x)) - ((b^2*(3*A*d^2*e^2 - 2*c*d*e*(2*B*e - A*f) + c^2*(8*C*e^2 - 4*B*e*f + 3*A*f^2)) + a*b*(d^2*e*(B*e - 8*A*f) - c^2*f*(8*C*e - B*f) - 2*c*d*(4*C*e^2 - 7*B*e*f + 4*A*f^2)) + a^2*(C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f - B*(d*e + c*f))))*\text{ArcTanh}[(\text{Sqrt}[b*e - a*f]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[b*c - a*d]*\text{Sqrt}[e + f*x])]/(4*(b*c - a*d)^(5/2)*(b*e - a*f)^(5/2)) \end{aligned}$$

Rule 12

$$\text{Int}[(a_*)(u_), x_Symbol] :> \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&& \text{!MatchQ}[u, (b_*)(v_) /; \text{FreeQ}[b, x]]$$

Rule 93

$$\text{Int}[(((a_.) + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)})/((e_.) + (f_.)*(x_.)), x_Symbol] :> \text{With}[\{q = \text{Denominator}[m]\}, \text{Dist}[q, \text{Subst}[\text{Int}[x^{(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \text{EqQ}[m + n + 1, 0] \&& \text{RationalQ}[n] \&& \text{LtQ}[-1, m, 0] \&& \text{SimplerQ}[a + b*x, c + d*x]$$

Rule 151

$$\text{Int}[((a_.) + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}*((e_.) + (f_.)*(x_.))^{(p_.)}*((g_.) + (h_.)*(x_.)), x_Symbol] :> \text{Simp}[((b*g - a*h)*(a + b*x)^(m +$$

```

1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)),  

x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d  

*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g  

- a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x]  

, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && Integ  

erQ[m]

```

Rule 208

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simplify[(Rt[-(a/b), 2]*ArcTanh[x/  

Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rule 1613

```

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)  

)*(x_))^(p_), x_Symbol] :> With[{Qx = PolynomialQuotient[Px, a + b*x, x],  

R = PolynomialRemainder[Px, a + b*x, x]}, Simplify[(b*R*(a + b*x)^(m + 1)*(c +  

d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Di  

st[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(  

e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1)  

- b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x],  

x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -  

1] && IntegersQ[2*m, 2*n, 2*p]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{(a + bx)^3 \sqrt{c + dx} \sqrt{e + fx}} dx &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{2b(bc - ad)(be - af)(a + bx)^2} - \int \frac{-\frac{a^2 C(de + cf) - ab(4cCe + Bde + Bcf - 4Adf) + b^2(4Bce - 2b)}{2b}}{(a + bx)^3 \sqrt{c + dx} \sqrt{e + fx}} dx \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{2b(bc - ad)(be - af)(a + bx)^2} + \frac{(2a^3 Cdf + ab^2(8cCe + Bde + Bcf)}{(a + bx)^3 \sqrt{c + dx} \sqrt{e + fx}} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{2b(bc - ad)(be - af)(a + bx)^2} + \frac{(2a^3 Cdf + ab^2(8cCe + Bde + Bcf)}{(a + bx)^3 \sqrt{c + dx} \sqrt{e + fx}} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{2b(bc - ad)(be - af)(a + bx)^2} + \frac{(2a^3 Cdf + ab^2(8cCe + Bde + Bcf)}{(a + bx)^3 \sqrt{c + dx} \sqrt{e + fx}} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{2b(bc - ad)(be - af)(a + bx)^2} + \frac{(2a^3 Cdf + ab^2(8cCe + Bde + Bcf)}{(a + bx)^3 \sqrt{c + dx} \sqrt{e + fx}}
\end{aligned}$$

Mathematica [A] time = 2.09, size = 512, normalized size = 1.21

$$\frac{\frac{(8a^2b^2f^2 - 8abdf(c + d)e + b^2(3a^2f^2 + 2cdef + 3ad^2e^2)) \tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{af-bc}}{\sqrt{c+fx}\sqrt{el-bc}}\right)}{(ad-be)^{3/2}(af-be)^{3/2}} + \frac{3b\sqrt{c+dx}\sqrt{c+fx}(-2adf + bcf + bde)}{(a+bx)(bc-ad)(be-af)}}{4b^2} - \frac{2b\sqrt{c+dx}\sqrt{c+fx}(a(aC-bB)+Ab^2)}{(a+bx)^2(bc-ad)(be-af)} - \frac{4b\sqrt{c+dx}\sqrt{c+fx}(bB-2axC)}{(a+bx)(bc-ad)(be-af)} - \frac{4(bB-2aC)(-2adf + bc + bde)\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{af-bc}}{\sqrt{c+fx}\sqrt{el-bc}}\right)}{(ad-be)^{3/2}(af-be)^{3/2}} + \frac{8C\tanh^{-1}\left(\frac{\sqrt{c+dx}\sqrt{af-bc}}{\sqrt{c+fx}\sqrt{el-bc}}\right)}{\sqrt{ad-bc}\sqrt{af-bc}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/((a + b*x)^3*Sqrt[c + d*x]*Sqrt[e + f*x]), x]
[Out] ((-2*b*(A*b^2 + a*(-(b*B) + a*C))*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)^2) - (4*b*(b*B - 2*a*C)*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)) + (8*C*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/(Sqrt[-(b*c) + a*d]*Sqrt[-(b*e) + a*f]) - (4*(b*B - 2*a*C)*(b*d*e + b*c*f - 2*a*d*f)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/((-b*c + a*d)^(3/2)*(-(b*e)^(3/2)) + ((A*b^2 + a*(-(b*B) + a*C))*(3*b*(b*d*e + b*c*f - 2*a*d*f)*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)) + ((8*a^2*d^2*f^2 - 8*a*b*d*f*(d*e + c*f) + b^2*(3*d^2*2*e^2 + 2*c*d*e*f + 3*c^2*f^2))*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/((-b*c + a*d)^(3/2)*(-(b*e)^(3/2))))/((b*c - a*d)*(b*e - a*f)))/(4*b^2)
```

IntegrateAlgebraic [B] time = 1.86, size = 911, normalized size = 2.15

Antiderivative was successfully verified.

[In] `IntegrateAlgebraic[(A + B*x + C*x^2)/((a + b*x)^3*Sqrt[c + d*x])*Sqrt[e + f*x]),x]`

[Out]
$$\begin{aligned} & -\frac{1}{4}((-d*e) + c*f)*Sqrt[e + f*x]*(-4*b^3*B*c*e^2 + 8*a*b^2*c*C*e^2 + 3*A*b^3*d*e^2 + a*b^2*B*d*e^2 - 5*a^2*b*C*d*e^2 + 5*A*b^3*c*e*f + 3*a*b^2*B*c*e*f - 11*a^2*b*c*C*e*f - 11*a*A*b^2*d*e*f + 3*a^2*b*B*d*e*f + 5*a^3*C*d*e*f - 5*a*A*b^2*c*f^2 + a^2*b*B*c*f^2 + 3*a^3*c*C*f^2 + 8*a^2*A*b*d*f^2 - 4*a^3*B*d*f^2 + (4*b^3*B*c^2*e*(e + f*x))/(c + d*x) - (8*a*b^2*c^2*C*e*(e + f*x))/(c + d*x) - (5*A*b^3*c*d*e*(e + f*x))/(c + d*x) - (3*a*b^2*B*c*d*e*(e + f*x))/(c + d*x) + (11*a^2*b*c*C*d*e*(e + f*x))/(c + d*x) + (5*a*A*b^2*d^2*e*(e + f*x))/(c + d*x) - (a^2*b*B*d^2*e*(e + f*x))/(c + d*x) - (3*a^3*C*d^2*e*(e + f*x))/(c + d*x) - (3*A*b^3*c^2*f*(e + f*x))/(c + d*x) - (a*b^2*B*c^2*f*(e + f*x))/(c + d*x) + (5*a^2*b*c^2*C*f*(e + f*x))/(c + d*x) + (11*a*A*b^2*c*d*f*(e + f*x))/(c + d*x) - (3*a^2*b*B*c*d*f*(e + f*x))/(c + d*x) - (5*a^3*c*C*d*f*(e + f*x))/(c + d*x) - (8*a^2*A*b*d^2*f*(e + f*x))/(c + d*x) + (4*a^3*B*d^2*f*(e + f*x))/(c + d*x))/((b*c - a*d)^2*(b*e - a*f)^2*Sqrt[c + d*x]*(-(b*e) + a*f + (b*c*(e + f*x))/(c + d*x) - (a*d*(e + f*x))/(c + d*x))^2) + ((-8*b^2*c^2*C*e^2 + 4*b^2*B*c*d*e^2 + 8*a*b*c*C*d*e^2 - 3*A*b^2*d^2*e^2 - a*b*B*d^2*e^2 - 3*a^2*C*d^2*e^2 + 4*b^2*B*c^2*e*f + 8*a*b*c^2*C*e*f - 2*A*b^2*c*d*e*f - 14*a*b*B*c*d*e*f - 2*a^2*c*C*d*e*f + 8*a*A*b*d^2*e*f + 4*a^2*B*d^2*e*f - 3*A*b^2*c^2*f^2 - a*b*B*c^2*f^2 - 3*a^2*c^2*C*f^2 + 8*a*A*b*d^2*f^2)*ArcTan[(Sqrt[b*c - a*d]*Sqrt[-(b*e) + a*f]*Sqrt[e + f*x])/((b*e - a*f)*Sqrt[c + d*x])])/(4*(b*c - a*d)^(5/2)*(b*e - a*f)^2*Sqrt[-(b*e) + a*f]) \end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(b*x+a)^3/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")`

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(b*x+a)^3/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")`

[Out] Timed out

maple [B] time = 0.13, size = 7119, normalized size = 16.79

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((C*x^2+B*x+A)/(b*x+a)^3/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}, x)$

[Out] result too large to display

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((C*x^2+B*x+A)/(b*x+a)^3/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((a*d-b*c)>0)', see `assume?` for more details)Is (a*d-b*c) * (a*f-b*e) positive, negative or zero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((A + B*x + C*x^2)/((e + f*x)^{(1/2)}*(a + b*x)^3*(c + d*x)^{(1/2)}), x)$

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((C*x^{**2}+B*x+A)/(b*x+a)^{**3}/(d*x+c)^{**{(1/2)}}/(f*x+e)^{**{(1/2)}}, x)$

[Out] Timed out

3.60 $\int \frac{A+Bx+Cx^2}{(a+bx)^4 \sqrt{c+dx} \sqrt{e+fx}} dx$

Optimal. Leaf size=826

$$\frac{\sqrt{c+dx} \sqrt{e+fx} (Ab^2 - a(bB - aC))}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(-2df(C(3d^2e^2 + 2cdfe + 3c^2f^2) + 4df(2Adf - B(de + cf)))a^3 + b^2cd^2e^2f^2)}{(a + bx)^5}$$

Rubi [A] time = 2.43, antiderivative size = 826, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.139, Rules used = {1613, 151, 12, 93, 208}



Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/((a + b*x)^4*Sqrt[c + d*x]*Sqrt[e + f*x]), x]
[Out] -((A*b^2 - a*(b*B - a*C))*Sqrt[c + d*x]*Sqrt[e + f*x])/((3*b*(b*c - a*d)*(b*e - a*f)*(a + b*x)^3) + ((2*a^3*C*d*f + a*b^2*(12*c*C*e + B*d*e + B*c*f - 10*A*d*f) - b^3*(6*B*c*e - 5*A*(d*e + c*f)) + a^2*b*(4*B*d*f - 7*C*(d*e + c*f)))*Sqrt[c + d*x]*Sqrt[e + f*x])/((12*b*(b*c - a*d)^2*(b*e - a*f)^2*(a + b*x)^2) + ((4*a^4*C*d^2*f^2 + 8*a^3*b*d*f*(B*d*f - 2*C*(d*e + c*f)) - b^4*(15*A*d^2*e^2 - 2*c*d*e*(9*B*e - 7*A*f) + 3*c^2*(8*C*e^2 - 6*B*e*f + 5*A*f^2)) - a*b^3*(d^2*e*(3*B*e - 44*A*f) - 3*c^2*f*(4*C*e - B*f) - 2*c*d*(6*C*e^2 - 29*B*e*f + 22*A*f^2)) - a^2*b^2*(C*(3*d^2*e^2 - 34*c*d*e*f + 3*c^2*f^2) + 2*d*f*(22*A*d*f - 5*B*(d*e + c*f)))*Sqrt[c + d*x]*Sqrt[e + f*x])/((24*b*(b*c - a*d)^3*(b*e - a*f)^3*(a + b*x)) + ((b^3*(5*A*d^3*e^3 - 3*c*d^2*e^2*(2*B*e - A*f) + c^2*d*e*(8*C*e^2 - 4*B*e*f + 3*A*f^2) + c^3*f*(8*C*e^2 - 6*B*e*f + 5*A*f^2)) + a*b^2*(d^3*e^2*(B*e - 18*A*f) - c^3*f^2*(4*C*e - B*f) - c*d^2*e*(4*C*e^2 - 23*B*e*f + 12*A*f^2) - c^2*d*f*(40*C*e^2 - 23*B*e*f + 18*A*f^2)) - 2*a^3*d*f*(C*(3*d^2*e^2 + 2*c*d*e*f + 3*c^2*f^2) + 4*d*f*(2*A*d*f - B*(d*e + c*f))) + a^2*b*(C*(d^3*e^3 + 23*c*d^2*e^2*f + 23*c^2*d*e*f^2 + c^3*f^3) + 4*d*f*(6*A*d*f*(d*e + c*f) - B*(d^2*e^2 + 10*c*d*e*f + c^2*f^2)))))*ArcTanh[(Sqrt[b*e - a*f]*Sqrt[c + d*x])/(Sqrt[b*c - a*d]*Sqrt[e + f*x]))]/((8*(b*c - a*d)^(7/2)*(b*e - a*f)^(7/2)))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 93

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_))/((e_) + (f_)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x}] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 151

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_)), x_Symbol] :> Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 1613

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && ILtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{(a + bx)^4 \sqrt{c + dx} \sqrt{e + fx}} dx &= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} - \int \frac{\frac{a^2 C(de + cf) - ab(6cCe + Bde + Bcf - 6Adf) + b^2(6Bce - 6Bdf)}{2b}}{(a + bx)^4 \sqrt{c + dx} \sqrt{e + fx}} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(2a^3 Cdf + ab^2(12cCe + Bde + Bcf - 6Adf))}{3b(bc - ad)(be - af)(a + bx)^3} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(2a^3 Cdf + ab^2(12cCe + Bde + Bcf - 6Adf))}{3b(bc - ad)(be - af)(a + bx)^3} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(2a^3 Cdf + ab^2(12cCe + Bde + Bcf - 6Adf))}{3b(bc - ad)(be - af)(a + bx)^3} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(2a^3 Cdf + ab^2(12cCe + Bde + Bcf - 6Adf))}{3b(bc - ad)(be - af)(a + bx)^3} \\
&= -\frac{(Ab^2 - a(bB - aC)) \sqrt{c + dx} \sqrt{e + fx}}{3b(bc - ad)(be - af)(a + bx)^3} + \frac{(2a^3 Cdf + ab^2(12cCe + Bde + Bcf - 6Adf))}{3b(bc - ad)(be - af)(a + bx)^3}
\end{aligned}$$

Mathematica [A] time = 6.11, size = 794, normalized size = 0.96

$$\frac{(a(c - b d) + b c^2) \left(\frac{a \left(a^2 d^2+4 a b d f c^2+a d^3 f^2+4 a b d f c^2+a d^3 f^2+15 a^2 f^2+14 a d f c^2+15 a^2 f^2\right)}{(a+d)^2 ((b-c) (d-f))^2}+\frac{3 (a^2 d^2 f^2+4 a b d f c^2+4 a d^3 f^2+2 a d^2 f c^2) ((2 a d f+c b) \tanh ^{-1}\left(\frac{\sqrt{c+b f}}{\sqrt{a+d} \sqrt{c+d f}}\right)+\frac{2 b \sqrt{c+b f}}{\sqrt{a+d} \sqrt{c+d f}})-2 a d f+c b\right) \operatorname{Sinh}^{-1}\left(\frac{\sqrt{c+b f}}{\sqrt{a+d} \sqrt{c+d f}}\right)+\frac{30 b (-2 a c) \left(\frac{b \left(a^2 d^2 f^2+4 a b d f c^2+4 a d^3 f^2+2 a d^2 f c^2\right) \tanh ^{-1}\left(\frac{\sqrt{c+b f}}{\sqrt{a+d} \sqrt{c+d f}}\right)+\frac{2 b \sqrt{c+b f}}{\sqrt{a+d} \sqrt{c+d f}})\operatorname{Sinh}^{-1}\left(\frac{\sqrt{c+b f}}{\sqrt{a+d} \sqrt{c+d f}}\right)+\frac{4 b \sqrt{c+d f} \sqrt{c+f} \left(a (c-b d)+b d^2\right)}{(a+d)^2 ((b-c) (d-f))^2}+\frac{60 \sqrt{c+d f} \sqrt{c+f} \left((b-d) (-2 a c)\right)}{(a+d)^2 ((b-c) (d-f))^2}+\frac{12 c (-2 a d f+c b f+b d) \tanh ^{-1}\left(\frac{\sqrt{c+b f}}{\sqrt{a+d} \sqrt{c+d f}}\right)}{(a+d)^2 ((b-c) (d-f))^2}+\frac{12 c (-2 a d f+c b f+b d) \tanh ^{-1}\left(\frac{\sqrt{c+b f}}{\sqrt{a+d} \sqrt{c+d f}}\right)}{(a+d)^2 ((b-c) (d-f))^2}\right)}{12 b^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x + C*x^2)/((a + b*x)^4*Sqrt[c + d*x]*Sqrt[e + f*x]), x]
[Out] -1/12*((4*b*(A*b^2 + a*(-(b*B) + a*C))*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)^3) + (6*b*(b*B - 2*a*C)*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)^2) + (12*b*C*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)) + (12*C*(b*d*e + b*c*f - 2*a*d*f)*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/((-(-b*c) + a*d)^(3/2)*(-b*e + a*f)^(3/2)) - (3*(b*B - 2*a*C)*((3*b*(b*d*e + b*c*f - 2*a*d*f)*Sqrt[c + d*x]*Sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x))) + ((8*a^2*d^2*f^2 - 8*a*b*d*f*(d*e + c*f) + b^2*(3*d^2*2*e^2 + 2*c*d*e*f + 3*c^2*f^2))*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqr t[-(b*c) + a*d]*Sqrt[e + f*x])])/((-(-b*c) + a*d)^(3/2)*(-b*e + a*f)^(3/2))))/((b*c - a*d)*(b*e - a*f)) + ((A*b^2 + a*(-(b*B) + a*C))*((-10*b*(b*d*e
```

$$\begin{aligned}
& + b*c*f - 2*a*d*f)*Sqrt[c + d*x]*Sqrt[e + f*x])/(a + b*x)^2 + (b*(44*a^2*d^2*f^2 - 44*a*b*d*f*(d*e + c*f) + b^2*(15*d^2*e^2 + 14*c*d*e*f + 15*c^2*f^2)) *Sqrt[c + d*x]*Sqrt[e + f*x])/((b*c - a*d)*(b*e - a*f)*(a + b*x)) + (3*(b*d*e + b*c*f - 2*a*d*f)*(8*a^2*d^2*f^2 - 8*a*b*d*f*(d*e + c*f) + b^2*(5*d^2*e^2 - 2*c*d*e*f + 5*c^2*f^2))*ArcTanh[(Sqrt[-(b*e) + a*f]*Sqrt[c + d*x])/(Sqrt[-(b*c) + a*d]*Sqrt[e + f*x])])/((-b*c + a*d)^(3/2)*(-(b*e) + a*f)^(3/2)))/(2*(b*c - a*d)^2*(b*e - a*f)^2))/b^2
\end{aligned}$$

IntegrateAlgebraic [B] time = 5.66, size = 3507, normalized size = 4.25

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(A + B*x + C*x^2)/((a + b*x)^4*Sqrt[c + d*x]*Sqrt[e + f*x]), x]

[Out]
$$\begin{aligned}
& -1/24*((-(d*e) + c*f)*Sqrt[e + f*x]*(24*b^5*c^2*C*e^4 - 18*b^5*B*c*d*e^4 - 12*a*b^4*c*C*d*e^4 + 15*A*b^5*d^2*e^4 + 3*a*b^4*B*d^2*e^4 + 3*a^2*b^3*C*d^2*e^4 - 30*b^5*B*c^2*e^3*f - 36*a*b^4*c^2*C*e^3*f + 24*A*b^5*c*d*e^3*f + 108*a*b^4*B*c*d*e^3*f - 48*a^2*b^3*c*C*d*e^3*f - 84*a*A*b^4*d^2*e^3*f - 18*a^2*b^3*B*d^2*e^3*f + 24*a^3*b^2*C*d^2*e^3*f + 33*A*b^5*c^2*e^2*f^2 + 57*a*b^4*B*c^2*e^2*f^2 - 3*a^2*b^3*c^2*C*e^2*f^2 - 138*a*A*b^4*c*d*e^2*f^2 - 150*a^2*b^3*B*c*d*e^2*f^2 + 150*a^3*b^2*c*C*d*e^2*f^2 + 195*a^2*A*b^3*d^2*e^2*f^2 + 3*a^3*b^2*B*d^2*e^2*f^2 - 57*a^4*b*C*d^2*e^2*f^2 - 66*a*A*b^4*c^2*e*f^3 - 24*a^2*b^3*B*c^2*e*f^3 + 18*a^3*b^2*c^2*C*e*f^3 + 204*a^2*A*b^3*c*d*e*f^3 + 48*a^3*b^2*B*c*d*e*f^3 - 108*a^4*b*c*C*d*e*f^3 - 198*a^3*A*b^2*d^2*e*f^3 + 36*a^4*b*B*d^2*e*f^3 + 30*a^5*C*d^2*e*f^3 + 33*a^2*A*b^3*c^2*f^4 - 3*a^3*b^2*B*c^2*f^4 - 3*a^4*b*c^2*C*f^4 - 90*a^3*A*b^2*c*d*f^4 + 12*a^4*b*B*c*d*f^4 + 18*a^5*c*C*d*f^4 + 72*a^4*A*b*d^2*f^4 - 24*a^5*B*d^2*f^4 - (48*b^5*c^3*C*e^3*(e + f*x))/(c + d*x) + (48*b^5*B*c^2*d*e^3*(e + f*x))/(c + d*x) + (48*a*b^4*c^2*C*d*e^3*(e + f*x))/(c + d*x) - (40*A*b^5*c*d^2*e^3*(e + f*x))/(c + d*x) + (8*a^2*b^3*B*c^2*f^4 - 3*a^4*b*c^2*C*f^4 - 90*a^3*A*b^2*c*d*f^4 + 12*a^4*b*B*c*d*f^4 + 18*a^5*c*C*d*f^4 + 72*a^4*A*b*d^2*f^4 - 24*a^5*B*d^2*f^4 - (48*b^5*c^3*C*e^3*(e + f*x))/(c + d*x) + (48*a*b^4*c^2*C*d^2*f^4 - 40*a^4*b*c^2*d*f^4 + 12*a^4*b*B*c*d*f^4 + 8*a^2*b^3*B*d^3*e^3*(e + f*x))/(c + d*x) - (8*a^3*b^2*C*d^3*e^3*(e + f*x))/(c + d*x) + (48*b^5*B*c^3*e^2*f*(e + f*x))/(c + d*x) + (48*a*b^4*c^3*C*e^2*f*(e + f*x))/(c + d*x) - (64*A*b^5*c^2*d*e^2*f*(e + f*x))/(c + d*x) - (224*a*b^4*B*c^2*d*e^2*f*(e + f*x))/(c + d*x) + (80*a^2*b^3*c^2*C*d*e^2*f*(e + f*x))/(c + d*x) + (248*a*A*b^4*c*d^2*e^2*f*(e + f*x))/(c + d*x) + (184*a^2*b^3*B*c*d^2*e^2*f*(e + f*x))/(c + d*x) - (184*a^2*A*b^3*d^3*e^2*f*(e + f*x))/(c + d*x) - (8*a^3*b^2*B*d^3*e^2*f*(e + f*x))/(c + d*x) + (56*a^4*b*C*d^3*e^2*f*(e + f*x))/(c + d*x) - (40*A*b^5*c^3*e*f^2*(e + f*x))/(c + d*x) - (56*a*b^4*B*c^3*e*f^2*(e + f*x))/(c + d*x) + (8*a^2*b^3*c^3*C*e*f^2*(e + f*x))/(c + d*x) + (248*a*A*b^4*c^2*d*e*f^2*(e + f*x))/(c + d*x) + (184*a^2*b^3*B*c^2*d*e*f^2*(e + f*x))/(c + d*x) - (184*a^3*b^2*c^2*C*d*e*f^2*(e + f*x))/(c + d*x) - (496*a^2*A*b^3*c^2*C*d*e*f^2*(e + f*x))
\end{aligned}$$

$$\begin{aligned}
& d^2 * e * f^2 * (e + f * x) / (c + d * x) - (80 * a^3 * b^2 * c * d^2 * e * f^2 * (e + f * x)) / (c + d * x) \\
& + (224 * a^4 * b * c * C * d^2 * e * f^2 * (e + f * x)) / (c + d * x) + (288 * a^3 * A * b^2 * d^3 * e * f^2 * (e + f * x)) / (c + d * x) - (48 * a^4 * b * B * d^3 * e * f^2 * (e + f * x)) / (c + d * x) \\
& + (40 * a * A * b^4 * c^3 * f^3 * (e + f * x)) / (c + d * x) + (8 * a^2 * b^3 * B * c^3 * f^3 * (e + f * x)) / (c + d * x) - (8 * a^3 * b^2 * c^2 * d^3 * C * f^3 * (e + f * x)) / (c + d * x) \\
& - (184 * a^2 * A * b^3 * c^2 * d * f^3 * (e + f * x)) / (c + d * x) - (8 * a^3 * b^2 * B * c^2 * d * f^3 * (e + f * x)) / (c + d * x) \\
& + (56 * a^4 * b * c^2 * C * d * f^3 * (e + f * x)) / (c + d * x) + (288 * a^3 * A * b^2 * c * d^2 * f^3 * (e + f * x)) / (c + d * x) - (48 * a^4 * b * B * c * d^2 * f^3 * (e + f * x)) / (c + d * x) \\
& - (48 * a^5 * c * C * d^2 * f^3 * (e + f * x)) / (c + d * x) - (144 * a^4 * A * b * d^3 * f^3 * (e + f * x)) / (c + d * x) + (48 * a^5 * B * d^3 * f^3 * (e + f * x)) / (c + d * x) \\
& + (24 * b^5 * c^4 * C * e^2 * (e + f * x)^2) / (c + d * x)^2 - (30 * b^5 * B * c^3 * d * e^2 * (e + f * x)^2) / (c + d * x)^2 + (33 * A * b^5 * c^2 * d^2 * e^2 * (e + f * x)^2) / (c + d * x)^2 + (57 * a * b^4 * B * c^2 * d^2 * e^2 * (e + f * x)^2) / (c + d * x)^2 \\
& - (3 * a^2 * b^3 * c^2 * C * d^2 * e^2 * (e + f * x)^2) / (c + d * x)^2 - (66 * a * A * b^4 * c * d^3 * e^2 * (e + f * x)^2) / (c + d * x)^2 - (24 * a^2 * b^3 * B * c * d^3 * e^2 * (e + f * x)^2) / (c + d * x)^2 \\
& + (18 * a^3 * b^2 * c * C * d^3 * e^2 * (e + f * x)^2) / (c + d * x)^2 - (3 * a^3 * b^2 * B * d^4 * e^2 * (e + f * x)^2) / (c + d * x)^2 - (3 * a^4 * b * C * d^4 * e^2 * (e + f * x)^2) / (c + d * x)^2 - (18 * b^5 * B * c^4 * e * f * (e + f * x)^2) / (c + d * x)^2 \\
& - (12 * a * b^4 * c^4 * C * e * f * (e + f * x)^2) / (c + d * x)^2 + (24 * A * b^5 * c^3 * d * e * f * (e + f * x)^2) / (c + d * x)^2 + (108 * a * b^4 * B * c * C * d * e * f * (e + f * x)^2) / (c + d * x)^2 \\
& - (48 * a^2 * b^3 * C * d^3 * e * f * (e + f * x)^2) / (c + d * x)^2 - (138 * a * A * b^4 * c^2 * d^2 * e * f * (e + f * x)^2) / (c + d * x)^2 - (150 * a^2 * b^3 * C * d^2 * e * f * (e + f * x)^2) / (c + d * x)^2 \\
& + (204 * a^2 * A * b^3 * c * d^3 * e * f * (e + f * x)^2) / (c + d * x)^2 + (48 * a^3 * b^2 * B * c * d^3 * e * f * (e + f * x)^2) / (c + d * x)^2 - (108 * a^4 * b * c * C * d^3 * e * f * (e + f * x)^2) / (c + d * x)^2 \\
& - (90 * a^3 * A * b^2 * d^4 * e * f * (e + f * x)^2) / (c + d * x)^2 + (12 * a^4 * b * B * d^4 * e * f * (e + f * x)^2) / (c + d * x)^2 + (18 * a^5 * C * d^4 * e * f * (e + f * x)^2) / (c + d * x)^2 \\
& + (15 * A * b^5 * c^4 * f^2 * (e + f * x)^2) / (c + d * x)^2 + (3 * a * b^4 * B * c^4 * f^2 * (e + f * x)^2) / (c + d * x)^2 + (3 * a^2 * b^3 * C * f^2 * (e + f * x)^2) / (c + d * x)^2 \\
& - (84 * a * A * b^4 * c^3 * d * f^2 * (e + f * x)^2) / (c + d * x)^2 - (18 * a^2 * b^3 * B * c^3 * d * f^2 * (e + f * x)^2) / (c + d * x)^2 + (24 * a^3 * b^2 * C * d^3 * f^2 * (e + f * x)^2) / (c + d * x)^2 \\
& + (195 * a^2 * A * b^3 * c^2 * d^2 * f^2 * (e + f * x)^2) / (c + d * x)^2 + (3 * a^3 * b^2 * B * c^2 * d^2 * f^2 * (e + f * x)^2) / (c + d * x)^2 - (57 * a^4 * b * c^2 * C * d^2 * f^2 * (e + f * x)^2) / (c + d * x)^2 \\
& - (198 * a^3 * A * b^2 * c * d^3 * f^2 * (e + f * x)^2) / (c + d * x)^2 + (36 * a^4 * b * B * c * d^3 * f^2 * (e + f * x)^2) / (c + d * x)^2 + (30 * a^5 * c * C * d^3 * f^2 * (e + f * x)^2) / (c + d * x)^2 \\
& + (72 * a^4 * A * b * d^4 * f^2 * (e + f * x)^2) / (c + d * x)^2 - (24 * a^5 * B * d^4 * f^2 * (e + f * x)^2) / (c + d * x)^2 / ((b * c - a * d) * (b * e - a * f) * (c + d * x)^3 * Sqrt[c + d * x] * (-b * e) \\
& + a * f + (b * c * (e + f * x)) / (c + d * x) - (a * d * (e + f * x)) / (c + d * x)^3) + ((8 * b^3 * c^2 * C * d * e^3 - 6 * b^3 * B * c * d^2 * e^3 - 4 * a * b^2 * c * C * d^2 * e^3 + 5 * A * b^3 * d^3 * e^3 + a * b^2 * B * d^3 * e^3 + a^2 * b * C * d^3 * e^3 + 8 * b^3 * c^3 * C * e^2 * f - 4 * b^3 * B * c^2 * d * e^2 * f - 40 * a * b^2 * c^2 * C * d * e^2 * f + 3 * A * b^3 * c * d^2 * e^2 * f + 23 * a * b^2 * B * c * d^2 * e^2 * f + 23 * a^2 * b * c * C * d^2 * e^2 * f - 18 * a * A * b^2 * d^3 * e^2 * f - 4 * a^2 * b * B * d^3 * e^2 * f - 6 * a^3 * C * d^3 * e^2 * f - 6 * b^3 * B * c^3 * e * f^2 - 4 * a * b^2 * c^3 * C * e * f^2 + 3 * A * b^3 * c^2 * d * e * f^2 + 23 * a^2 * b * c^2 * C * d * e * f^2 - 12 * a * A * b^2 * c * d^2 * e * f^2 - 40 * a^2 * b * B * c * d^2 * e * f^2 - 4 * a^3 * c * C * d^2 * e * f^2 + 24 * a^2 * A * b * d^3 * e * f^2 +
\end{aligned}$$

$$8*a^3*B*d^3*e*f^2 + 5*A*b^3*c^3*f^3 + a*b^2*B*c^3*f^3 + a^2*b*c^3*C*f^3 - 1 \\ 8*a*A*b^2*c^2*d*f^3 - 4*a^2*b*B*c^2*d*f^3 - 6*a^3*c^2*C*d*f^3 + 24*a^2*A*b*c*d^2*f^3 + 8*a^3*B*c*d^2*f^3 - 16*a^3*A*d^3*f^3)*\text{ArcTan}[(\text{Sqrt}[b*c - a*d]*\text{Sqrt}[-(b*e) + a*f]*\text{Sqrt}[e + f*x])/((b*e - a*f)*\text{Sqrt}[c + d*x])]/(8*(b*c - a*d)^{(7/2)}*(b*e - a*f)^3*\text{Sqrt}[-(b*e) + a*f])$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(b*x+a)^4/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="fricas")`

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(b*x+a)^4/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="giac")`

[Out] Timed out

maple [B] time = 0.31, size = 18802, normalized size = 22.76

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2+B*x+A)/(b*x+a)^4/(d*x+c)^(1/2)/(f*x+e)^(1/2),x)`

[Out] result too large to display

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/(b*x+a)^4/(d*x+c)^(1/2)/(f*x+e)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help

elp (example of legal syntax is 'assume((a*d-b*c)>0)', see `assume?` for more details) Is $(a*d-b*c)$ * $(a*f-b*e)$ positive, negative or zero?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A + B*x + C*x^2)/((e + f*x)^{(1/2)}*(a + b*x)^4*(c + d*x)^{(1/2)}), x)$

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((C*x^{(2)}+B*x+A)/(b*x+a)^{4}/(d*x+c)^{(1/2)}/(f*x+e)^{(1/2)}, x)$

[Out] Timed out

Chapter 4

Appendix

Local contents

4.1	Download section	542
4.2	Listing of Grading functions	542

4.1 Download section

The following zip files contain the raw integrals used in this test.

This is a subset of Rubi test suite thanks to Albert Rich, which includes only the algebraic integrals with elementary optimal antiderivatives. It also includes a subset of a test file provided thanks to Sam Blake.

Mathematica format Mathematica_syntax_CAS_integration_elementary_version.zip

Maple and Mupad format Maple_syntax_CAS_integration_elementary_version.zip

Sympy format SYMPY_syntax_CAS_integration_elementary_version.zip

Sage math format SAGE_syntax_CAS_integration_elementary_version.zip

4.2 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.2.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
```

```

If [ExpnType[result] <= ExpnType[optimal] ,
  If [FreeQ[result, Complex] || Not[FreeQ[optimal, Complex]],
    If [LeafCount[result] <= 2*LeafCount[optimal],
      "A",
      "B"],
      "C"],
    If [FreeQ[result, Integrate] && FreeQ[result, Int],
      "C",
      "F"]]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hypergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If [AtomQ[expn],
    1,
    If [ListQ[expn],
      Max [Map[ExpnType, expn]],
      If [Head[expn] === Power,
        If [IntegerQ[expn[[2]]],
          ExpnType[expn[[1]]],
          If [Head[expn[[2]]] === Rational,
            If [IntegerQ[expn[[1]]] || Head[expn[[1]]] === Rational,
              1,
              Max[ExpnType[expn[[1]]], 2]],
            Max[ExpnType[expn[[1]]], ExpnType[expn[[2]]], 3]]],
        If [Head[expn] === Plus || Head[expn] === Times,
          Max[ExpnType[First[expn]], ExpnType[Rest[expn]]],
          If [ElementaryFunctionQ[Head[expn]],
            Max[3, ExpnType[expn[[1]]]],
            If [SpecialFunctionQ[Head[expn]],
              Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 4]],
              If [HypergeometricFunctionQ[Head[expn]],
                Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 5]],
                If [AppellFunctionQ[Head[expn]],
                  ...
```
```

```

Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
If[Head[expn]==RootSum,
 Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
 If[Head[expn]==Integrate || Head[expn]==Int,
 Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
 9]]]]]]]]]
}

ElementaryFunctionQ[func_] :=
MemberQ[{

 Exp, Log,

 Sin, Cos, Tan, Cot, Sec, Csc,

 ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,

 Sinh, Cosh, Tanh, Coth, Sech, CsCh,

 ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsCh
}, func]

SpecialFunctionQ[func_] :=
MemberQ[{

 Erf, Erfc, Erfi,

 FresnelS, FresnelC,

 ExpIntegralE, ExpIntegralEi, LogIntegral,

 SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,

 Gamma, LogGamma, PolyGamma,

 Zeta, PolyLog, ProductLog,

 EllipticF, EllipticE, EllipticPi
}, func]

HypergeometricFunctionQ[func_] :=
MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

AppellFunctionQ[func_] :=
MemberQ[{AppellF1}, func]

```

## 4.2.2 Maple grading function

```

File: GradeAntiderivative.mpl
Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
if leaf size is "too large". Set at 500,000

```

```

#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
 debug:=false;

 leaf_count_result:=leafcount(result);
 #do NOT call ExpnType() if leaf size is too large. Recursion problem
 if leaf_count_result > 500000 then
 return "B";
 fi;

 leaf_count_optimal:=leafcount(optimal);

 ExpnType_result:=ExpnType(result);
 ExpnType_optimal:=ExpnType(optimal);

 if debug then
 print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
ExpnType_optimal);
 fi;

If result and optimal are mathematical expressions,
GradeAntiderivative[result,optimal] returns
"F" if the result fails to integrate an expression that
is integrable
"C" if result involves higher level functions than necessary
"B" if result is more than twice the size of the optimal
antiderivative
"A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
 return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
 if debug then
 print("ExpnType_result<=ExpnType_optimal");
 fi;

```

```

if is_contains_complex(result) then
 if is_contains_complex(optimal) then
 if debug then
 print("both result and optimal complex");
 fi;
 #both result and optimal complex
 if leaf_count_result<=2*leaf_count_optimal then
 return "A";
 else
 return "B";
 end if
 else #result contains complex but optimal is not
 if debug then
 print("result contains complex but optimal is not");
 fi;
 return "C";
 end if
else # result do not contain complex
 # this assumes optimal do not as well
 if debug then
 print("result do not contain complex, this assumes optimal do not
as well");
 fi;
 if leaf_count_result<=2*leaf_count_optimal then
 if debug then
 print("leaf_count_result<=2*leaf_count_optimal");
 fi;
 return "A";
 else
 if debug then
 print("leaf_count_result>2*leaf_count_optimal");
 fi;
 return "B";
 end if
 end if
else #ExpnType(result) > ExpnType(optimal)
 if debug then
 print("ExpnType(result) > ExpnType(optimal)");
 fi;
 return "C";
end if

end proc:

#
is_contains_complex(result)
takes expressions and returns true if it contains "I" else false

```

```

#
#Nasser 032417
is_contains_complex:= proc(expression)
 return (has(expression,I));
end proc;

The following summarizes the type number assigned an expression
based on the functions it involves
1 = rational function
2 = algebraic function
3 = elementary function
4 = special function
5 = hypergeometric function
6 = appell function
7 = rootsum function
8 = integrate function
9 = unknown function

ExpnType := proc(expn)
 if type(expn,'atomic') then
 1
 elif type(expn,'list') then
 apply(max,map(ExpnType,expn))
 elif type(expn,'sqrt') then
 if type(op(1,expn),'rational') then
 1
 else
 max(2,ExpnType(op(1,expn)))
 end if
 elif type(expn,'`^') then
 if type(op(2,expn),'integer') then
 ExpnType(op(1,expn))
 elif type(op(2,expn),'rational') then
 if type(op(1,expn),'rational') then
 1
 else
 max(2,ExpnType(op(1,expn)))
 end if
 else
 max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
 end if
 elif type(expn,'`+`) or type(expn,'`*`) then
 max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
 elif ElementaryFunctionQ(op(0,expn)) then
 max(3,ExpnType(op(1,expn)))
 elif SpecialFunctionQ(op(0,expn)) then
 max(4,apply(max,map(ExpnType,[op(expn)])))
 end if
end proc;

```

```

elif HypergeometricFunctionQ(op(0,expn)) then
 max(5,apply(max,map(ExpnType,[op(expn)])))
elif AppellFunctionQ(op(0,expn)) then
 max(6,apply(max,map(ExpnType,[op(expn)])))
elif op(0,expn)='int' then
 max(8,apply(max,map(ExpnType,[op(expn)]))) else
9
end if
end proc:

ElementaryFunctionQ := proc(func)
member(func,[
 exp,log,ln,
 sin,cos,tan,cot,sec,csc,
 arcsin,arccos,arctan,arccot,arcsec,arccsc,
 sinh,cosh,tanh,coth,sech,csch,
 arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
member(func,[
 erf,erfc,erfi,
 FresnelS,FresnelC,
 Ei,Ei,Li,Si,Ci,Shi,Chi,
 GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
 EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
member(func,[AppellF1])
end proc:

u is a sum or product. rest(u) returns all but the
first term or factor of u.
rest := proc(u) local v;
if nops(u)=2 then
 op(2,u)
else
 apply(op(0,u),op(2..nops(u),u))
end if
end proc:

```

```
#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
 MmaTranslator[Mma][LeafCount](u);
end proc;
```

### 4.2.3 Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
Port of original Maple grading function by
Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
added 'exp_polar'
from sympy import *

def leaf_count(expr):
 #sympy do not have leaf count function. This is approximation
 return round(1.7*count_ops(expr))

def is_sqrt(expr):
 if isinstance(expr,Pow):
 if expr.args[1] == Rational(1,2):
 return True
 else:
 return False
 else:
 return False

def is_elementary_function(func):
 return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
 asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
 asinh,acosh,atanh,acoth,asech,acsch
]

def is_special_function(func):
 return func in [erf,erfc,erfi,
 fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
 gamma,loggamma,digamma,zeta,polylog,LambertW,
 elliptic_f,elliptic_e,elliptic_pi,exp_polar
]

def is_hypergeometric_function(func):
 return func in [hyper]

def is_appell_function(func):
 return func in [appellf1]
```

```

def is_atom(expn):
 try:
 if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
 return True
 else:
 return False

 except AttributeError as error:
 return False

def expnType(expn):
 debug=False
 if debug:
 print("expn=",expn,"type(expn)=",type(expn))

 if is_atom(expn):
 return 1
 elif isinstance(expn,list):
 return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
 elif is_sqrt(expn):
 if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
 return 1
 else:
 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
 elif isinstance(expn,Pow): #type(expn,'``')
 if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
 return expnType(expn.args[0]) #ExpnType(op(1,expn))
 elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
 if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
 return 1
 else:
 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
)
 else:
 return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
ExpnType(op(1,expn)),ExpnType(op(2,expn)))
 elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+``') or type
(expn,'`*`)
 m1 = expnType(expn.args[0])
 m2 = expnType(list(expn.args[1:]))
 return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
 elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
 return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
 elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
 m1 = max(map(expnType, list(expn.args)))
 return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))

```

```

 elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
expn))
 m1 = max(map(expnType, list(expn.args)))
 return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
 elif is_appell_function(expn.func):
 m1 = max(map(expnType, list(expn.args)))
 return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
 elif isinstance(expn,RootSum):
 m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
 return max(7,m1)
 elif str(expn).find("Integral") != -1:
 m1 = max(map(expnType, list(expn.args)))
 return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
 else:
 return 9

#main function
def grade_antiderivative(result,optimal):

 leaf_count_result = leaf_count(result)
 leaf_count_optimal = leaf_count(optimal)

 expnType_result = expnType(result)
 expnType_optimal = expnType(optimal)

 if str(result).find("Integral") != -1:
 return "F"

 if expnType_result <= expnType_optimal:
 if result.has(I):
 if optimal.has(I): #both result and optimal complex
 if leaf_count_result <= 2*leaf_count_optimal:
 return "A"
 else:
 return "B"
 else: #result contains complex but optimal is not
 return "C"
 else: # result do not contain complex, this assumes optimal do not as
well
 if leaf_count_result <= 2*leaf_count_optimal:
 return "A"
 else:
 return "B"
 else:
 return "C"

```

#### 4.2.4 SageMath grading function

```
#Dec 24, 2019. Nasser: Ported original Maple grading function by
Albert Rich to use with Sagemath. This is used to
grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
 r"""
 Return the tree size of this expression.
 """
 if expr not in SR:
 # deal with lists, tuples, vectors
 return 1 + sum(tree_size(a) for a in expr)
 expr = SR(expr)
 x, aa = expr.operator(), expr.operands()
 if x is None:
 return 1
 else:
 return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
 if expr.operator() == operator.pow: #isinstance(expr,Pow):
 if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
 if debug: print ("expr is sqrt")
 return True
 else:
 return False
 else:
 return False

def is_elementary_function(func):
 debug=False
 m = func.name() in ['exp','log','ln',
 'sin','cos','tan','cot','sec','csc',
 'arcsin','arccos','arctan','arccot','arcsec','arccsc',
 'sinh','cosh','tanh','coth','sech','csch',
 'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
 'arctan2','floor','abs'
]
 if debug:
 if m:
```

```

 print ("func ", func , " is elementary_function")
 else:
 print ("func ", func , " is NOT elementary_function")

 return m

def is_special_function(func):
 debug=False
 if debug: print ("type(func)=", type(func))

 m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
 'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
 'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
 'polylog','lambert_w','elliptic_f','elliptic_e',
 'elliptic_pi','exp_integral_e','log_integral']

 if debug:
 print ("m=",m)
 if m:
 print ("func ", func , " is special_function")
 else:
 print ("func ", func , " is NOT special_function")

 return m

def is_hypergeometric_function(func):
 return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
']

def is_appell_function(func):
 return func.name() in ['hypergeometric'] #[appellf1] can't find this in
sagemath

def is_atom(expn):

 debug=False
 if debug: print ("Enter is_atom")

 #thanks to answer at https://ask.sagemath.org/question/49179/what-is-
 sagemath-equivalent-to-atomic-type-in-maple/
 try:
 if expn.parent() is SR:

```

```

 return expn.operator() is None
 if expn.parent() in (ZZ, QQ, AA, QQbar):
 return expn in expn.parent() # Should always return True
 if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
 return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
 return False

except AttributeError as error:
 return False

def expnType(expn):

 if debug:
 print (">>>>Enter expnType, expn=", expn)
 print (">>>>is_atom(expn)=", is_atom(expn))

 if is_atom(expn):
 return 1
 elif type(expn)==list: #isinstance(expn,list):
 return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
 elif is_sqrt(expn):
 if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
Rational):
 return 1
 else:
 return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
 elif expn.operator() == operator.pow: #isinstance(expn,Pow)
 if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer)
 return expnType(expn.operands()[0]) #expnType(expn.args[0])
 elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],
Rational)
 if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
Rational)
 return 1
 else:
 return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
 else:
 return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
 elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
 m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
 m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))

```

```

 return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
 elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
 func)
 return max(3,expnType(expn.operands()[0]))
 elif is_special_function(expn.operator()): #is_special_function(expn.func)
 m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
 expn.args)))
 return max(4,m1) #max(4,m1)
 elif is_hypergeometric_function(expn.operator()): #
 is_hypergeometric_function(expn.func)
 m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
 expn.args)))
 return max(5,m1) #max(5,m1)
 elif is_appell_function(expn.operator()):
 m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
 expn.args)))
 return max(6,m1) #max(6,m1)
 elif str(expn).find("Integral") != -1: #this will never happen, since it
 #is checked before calling the grading function that is passed.
 #but kept it here.
 m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
 expn.args)))
 return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
 else:
 return 9

#main function
def grade_antiderivative(result,optimal):

 if debug: print ("Enter grade_antiderivative for sagemath")

 leaf_count_result = tree_size(result) #leaf_count(result)
 leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

 if debug: print ("leaf_count_result=", leaf_count_result, "
 leaf_count_optimal=",leaf_count_optimal)

 expnType_result = expnType(result)
 expnType_optimal = expnType(optimal)

 if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",,
 expnType_optimal)

 if expnType_result <= expnType_optimal:
 if result.has(I):
 if optimal.has(I): #both result and optimal complex

```

```
 if leaf_count_result <= 2*leaf_count_optimal:
 return "A"
 else:
 return "B"
 else: #result contains complex but optimal is not
 return "C"
else: # result do not contain complex, this assumes optimal do not as
well
 if leaf_count_result <= 2*leaf_count_optimal:
 return "A"
 else:
 return "B"
else:
 return "C"
```