

Computer algebra independent integration tests

1-Algebraic-functions/1.1-Binomial-products/1.1.3-General/1.1.3.3-a+b-
 $x^n - c + d - x^n - q$

Nasser M. Abbasi

September 20, 2021

Compiled on September 20, 2021 at 4:24am

Contents

1	Introduction	3
2	detailed summary tables of results	19
3	Listing of integrals	93
4	Appendix	1371

Chapter 1

Introduction

Local contents

1.1	Listing of CAS systems tested	4
1.2	Results	5
1.3	Performance	9
1.4	list of integrals that has no closed form antiderivative	11
1.5	list of integrals solved by CAS but has no known antiderivative	12
1.6	list of integrals solved by CAS but failed verification	13
1.7	Timing	13
1.8	Verification	14
1.9	Important notes about some of the results	14
1.10	Design of the test system	16

This report gives the result of running the computer algebra independent integration test. Elementary Algebraic integrals version.

The download section below contains links to download the problems in plain text format used for all CAS systems.

The number of integrals in this report is [239]. This is test number [13].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.3.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.45 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)
9. IntegrateAlgebraic under Mathematica 12.3.1 on windows 10. https://github.com/stblake/algebraic_integration. September 15, 2021 version.

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 (239)	0.00 (0)
Mathematica	100.00 (239)	0.00 (0)
Fricas	89.12 (213)	10.88 (26)
Maple	73.64 (176)	26.36 (63)
Mupad	70.29 (168)	29.71 (71)
Maxima	69.87 (167)	30.13 (72)
IntegrateAlgebraic	69.04 (165)	30.96 (74)
Giac	56.07 (134)	43.93 (105)
Sympy	47.28 (113)	% 52.72 (126)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	93.31	0.00	6.69	0.00
Mathematica	75.73	0.84	23.43	0.00
Fricas	61.51	27.20	0.42	10.88
Maxima	61.09	8.79	0.00	30.13
IntegrateAlgebraic	48.95	5.02	15.06	30.96
Giac	38.91	17.15	0.00	43.93
Maple	36.82	29.71	7.11	26.36
Sympy	30.96	2.93	13.39	52.72
Mupad	N/A	70.29	0.00	29.71

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure F .

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned F(-1).

The third is due to an exception generated. Assigned F(-2). This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima

and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	0	0.00 %	0.00 %	0.00 %
Maple	63	98.41 %	1.59 %	0.00 %
Fricas	26	0.00 %	96.15 %	3.85 %
IntegrateAlgebraic	74	98.65 %	1.35 %	0.00 %
Giac	105	78.10 %	0.00 %	21.90 %
Maxima	72	100.00 %	0.00 %	0.00 %
Sympy	126	43.65 %	56.35 %	0.00 %
Mupad	71	100.00 %	0.00 %	0.00 %

Table 1.4: Failure statistics for each CAS


1.3 Performance


The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.24	170.02	1.03	122.00	1.00
Mathematica	0.55	168.35	1.02	117.00	0.94
Maple	0.08	420.53	2.40	189.50	1.47
Maxima	1.02	185.69	1.28	144.00	1.14
Fricas	3.30	553.31	2.85	231.00	2.10
Sympy	29.33	321.99	2.86	162.00	1.20
Giac	0.26	261.01	1.68	200.00	1.36
Mupad	4.26	1179.55	4.57	150.50	1.24
IntegrateAlgebraic	2.68	217.68	1.41	166.00	1.37

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.





1.4 list of integrals that has no closed form antiderivative

{

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

IntegrateAlgebraic {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {34, 61, 62, 63, 66, 67, 68, 69, 72, 73, 74, 75, 76, 80, 81}

Mathematica {34, 56, 61, 62, 63, 65, 66, 67, 68, 69, 70, 72, 73, 74, 75, 76, 77, 80, 81, 110, 111, 112, 113, 115, 116, 117, 118, 119, 120, 122, 123, 209}

IntegrateAlgebraic {}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by

failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using sagemath (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```

from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')

```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/XCAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: NotImplementedError

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function LeafSize is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user slelievre at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
```

```
# 1.7 is a fudge factor since it is low side from actual leaf count
leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine,'cos(x)*sin(x)')
the_variable = evalin(symengine,'x')
anti = int(integrand,the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer. the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. integer. 1 if result was verified or 0 if not verified.
The following field present only in Rubi and Mathematica Tables
14. integer. Number of rules used.
15. integer. Integrand leaf size.
16. real number. Ratio of field 14 over field 15
17. integer. 1 if result was verified or 0 if not verified.
18. String of form "{n,n,...}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Nasser M. Abbasi
May 11, 2021

Chapter 2

detailed summary tables of results

Local contents

2.1	List of integrals sorted by grade for each CAS	20
2.2	Detailed conclusion table per each integral for all CAS systems	25
2.3	Detailed conclusion table specific for Rubi results	85

2.1 List of integrals sorted by grade for each CAS

Local contents

2.1.1	Rubi	21
2.1.2	Mathematica	21
2.1.3	Maple	21
2.1.4	Maxima	22
2.1.5	FriCAS	22
2.1.6	Sympy	23
2.1.7	Giac	23
2.1.8	Mupad	23
2.1.9	IntegrateAlgebraic	24

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 64, 65, 70, 71, 77, 78, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239 }

B grade: { }

C grade: { 34, 61, 62, 63, 66, 67, 68, 69, 72, 73, 74, 75, 76, 79, 80, 81 }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 28, 30, 31, 32, 33, 35, 36, 37, 38, 39, 40, 41, 42, 45, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 64, 67, 73, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 114, 117, 124, 125, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 156, 162, 169, 170, 171, 172, 173, 174, 175, 176, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 189, 190, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 210, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 233, 235, 237, 238, 239 }

B grade: { 209, 211 }

C grade: { 27, 29, 34, 43, 44, 46, 61, 62, 63, 65, 66, 68, 69, 70, 71, 72, 74, 75, 76, 77, 78, 79, 80, 110, 111, 112, 113, 115, 116, 118, 119, 120, 121, 122, 123, 126, 155, 157, 158, 159, 160, 161, 163, 164, 165, 166, 167, 168, 177, 188, 191, 192, 193, 232, 234, 236 }

F grade: { }

2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 17, 18, 19, 24, 25, 26, 30, 31, 32, 33, 39, 40, 41, 42, 47, 48, 49, 50, 56, 57, 58, 59, 60, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 96, 100, 101, 102, 107, 108, 109, 110, 111, 127, 151, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 194, 195, 196, 206, 208, 210, 212, 213, 214, 216, 218, 223, 226, 228, 231, 233, 235, 236 }

B grade: { 11, 12, 14, 15, 16, 20, 21, 22, 23, 94, 95, 97, 98, 99, 103, 104, 105, 106, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 189, 197, 198, 199, 220, 222, 224, 230, 232, 234 }

C grade: { 124, 200, 201, 202, 203, 204, 205, 207, 209, 211, 215, 217, 219, 221, 225, 227, 229 }

F grade: { 13, 27, 28, 29, 34, 35, 36, 37, 38, 43, 44, 45, 46, 51, 52, 53, 54, 55, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 125, 126, 186, 187, 188, 190, 191, 192, 193, 237, 238, 239 }

2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 29, 30, 31, 39, 40, 46, 47, 48, 49, 50, 55, 56, 57, 58, 59, 60, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 127, 128, 129, 130, 134, 135, 136, 137, 141, 142, 143, 144, 148, 151, 155, 156, 158, 162, 163, 164, 165, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236 }

B grade: { 26, 27, 28, 32, 33, 35, 36, 37, 38, 41, 42, 43, 44, 45, 51, 52, 53, 54, 149, 150, 157 }

C grade: { }

F grade: { 34, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 131, 132, 133, 138, 139, 140, 145, 146, 147, 152, 153, 154, 159, 160, 161, 166, 167, 168, 169, 170, 171, 186, 187, 188, 189, 190, 191, 192, 193, 237, 238, 239 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 14, 15, 16, 17, 18, 19, 24, 25, 30, 31, 32, 33, 35, 36, 39, 40, 41, 42, 43, 44, 45, 47, 48, 49, 50, 51, 52, 53, 56, 57, 58, 59, 60, 82, 83, 84, 85, 86, 90, 91, 92, 93, 127, 128, 129, 130, 131, 132, 134, 135, 136, 137, 138, 139, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 155, 156, 157, 158, 162, 163, 164, 165, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 182, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 230, 231, 232, 233, 234, 235, 236, 238, 239 }

B grade: { 7, 12, 13, 20, 21, 22, 23, 27, 28, 29, 34, 37, 38, 46, 54, 55, 61, 62, 63, 68, 69, 75, 76, 87, 88, 89, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 110, 111, 112, 113, 118, 119, 124, 133, 140, 154, 159, 160, 161, 166, 167, 168, 179, 180, 181, 183, 184, 185, 186, 229 }

C grade: { 237 }

F grade: { 26, 64, 65, 66, 67, 70, 71, 72, 73, 74, 77, 78, 79, 80, 81, 109, 114, 115, 116, 117, 120, 121, 122, 123, 125, 126 }

2.1.6 Sympy

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20, 21, 22, 23, 24, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 104, 105, 106, 107, 127, 128, 129, 130, 134, 135, 136, 141, 142, 143, 144, 148, 149, 150, 151, 158, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 184, 185, 189 }

B grade: { 30, 47, 137, 157, 164, 165, 172 }

C grade: { 27, 28, 29, 35, 36, 43, 44, 45, 46, 51, 52, 53, 206, 208, 209, 210, 211, 212, 213, 216, 218, 219, 220, 221, 222, 223, 226, 228, 229, 230, 231, 235 }

F grade: { 19, 25, 26, 31, 32, 33, 34, 37, 38, 39, 40, 41, 42, 48, 49, 50, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 101, 102, 103, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 131, 132, 133, 138, 139, 140, 145, 146, 147, 152, 153, 154, 155, 156, 159, 160, 161, 162, 163, 166, 167, 168, 169, 170, 171, 183, 186, 187, 188, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 207, 214, 215, 217, 224, 225, 227, 232, 233, 234, 236, 237, 238, 239 }

2.1.7 Giac

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 99, 100, 101, 102, 105, 106, 107, 108, 148, 149, 150, 152, 153, 154, 155, 156, 157, 158, 159, 161, 162, 163, 164, 165, 166, 168, 172, 173, 174, 175, 176, 177, 178, 197, 198, 203, 205, 206, 207, 208, 209, 210, 211, 215, 216, 217, 218, 219, 220, 221, 225, 227, 235 }

B grade: { 97, 98, 103, 104, 109, 130, 133, 140, 147, 151, 160, 167, 179, 180, 181, 182, 183, 184, 185, 194, 195, 196, 199, 200, 201, 202, 204, 212, 213, 214, 222, 223, 224, 226, 228, 229, 230, 231, 232, 233, 234 }

C grade: { }

F grade: { 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 131, 132, 134, 135, 136, 137, 138, 139, 141, 142, 143, 144, 145, 146, 169, 170, 171, 186, 187, 188, 189, 190, 191, 192, 193, 236, 237, 238, 239 }

2.1.8 Mupad

A grade: { }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 30, 31, 32, 33, 39, 40, 41, 42, 47, 48, 49, 50, 56, 57, 58, 59, 60, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 189, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203,

204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 226, 228, 231, 233, 235, 236 }

C grade: { }

F grade: { 27, 28, 29, 34, 35, 36, 37, 38, 43, 44, 45, 46, 51, 52, 53, 54, 55, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 171, 186, 187, 188, 190, 191, 192, 225, 227, 229, 230, 232, 234, 237, 238, 239 }

2.1.9 Integrate Algebraic

A grade: { 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 110, 124, 125, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 174, 175, 176, 177, 178, 199, 200, 201, 202, 203, 204, 206, 208, 209, 210, 211, 212, 213, 214, 215, 217, 219, 220, 221, 222, 223, 224, 225, 227, 229, 230, 232, 233, 234, 235 }

B grade: { 194, 195, 196, 197, 198, 205, 207, 216, 218, 226, 228, 231 }

C grade: { 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 237, 238 }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 126, 172, 173, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 236, 239 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column N. S. in the table below, which stands for **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To help make the table fit, Mathematica was abbreviated to MMA and IntegrateAlgebraic to I. A.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	94	94	94	97	96	97	104	97	87	0
N.S.	1	1.00	1.00	1.03	1.02	1.03	1.11	1.03	0.93	0.00
time (sec)	N/A	0.072	0.049	0.038	0.475	0.933	0.125	0.173	0.051	0.000
Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	70	70	70	73	70	74	80	74	66	0
N.S.	1	1.00	1.00	1.04	1.00	1.06	1.14	1.06	0.94	0.00
time (sec)	N/A	0.043	0.015	0.044	0.562	0.849	0.079	0.148	0.034	0.000
Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	50	49	48	50	51	50	48	0
N.S.	1	1.00	1.00	0.98	0.96	1.00	1.02	1.00	0.96	0.00
time (sec)	N/A	0.028	0.008	0.044	0.481	0.635	0.074	0.189	0.048	0.000

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	28	28	28	25	24	26	26	26	25	0
N.S.	1	1.00	1.00	0.89	0.86	0.93	0.93	0.93	0.89	0.00
time (sec)	N/A	0.013	0.005	0.040	0.536	0.846	0.066	0.149	0.037	0.000

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	144	144	128	195	128	369	71	133	123	0
N.S.	1	1.00	0.89	1.35	0.89	2.56	0.49	0.92	0.85	0.00
time (sec)	N/A	0.094	0.123	0.048	1.277	1.137	0.417	0.202	1.383	0.001

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	169	169	145	221	158	537	97	160	143	0
N.S.	1	1.00	0.86	1.31	0.93	3.18	0.57	0.95	0.85	0.00
time (sec)	N/A	0.082	0.096	0.052	1.157	1.021	0.578	0.191	1.398	0.000

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	197	197	175	249	192	743	133	180	173	0
N.S.	1	1.00	0.89	1.26	0.97	3.77	0.68	0.91	0.88	0.00
time (sec)	N/A	0.106	0.131	0.059	1.434	1.175	0.777	0.191	1.396	0.000

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	122	122	122	125	124	132	139	132	116	0
N.S.	1	1.00	1.00	1.02	1.02	1.08	1.14	1.08	0.95	0.00
time (sec)	N/A	0.071	0.019	0.050	0.547	0.734	0.091	0.159	1.199	0.000

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	82	82	82	87	82	91	90	91	75	0
N.S.	1	1.00	1.00	1.06	1.00	1.11	1.10	1.11	0.91	0.00
time (sec)	N/A	0.046	0.012	0.037	0.707	0.818	0.084	0.208	0.042	0.000

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	50	49	48	50	51	50	48	0
N.S.	1	1.00	1.00	0.98	0.96	1.00	1.02	1.00	0.96	0.00
time (sec)	N/A	0.029	0.007	0.039	0.574	0.510	0.072	0.159	0.045	0.000

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	173	173	167	334	189	505	156	211	152	0
N.S.	1	1.00	0.97	1.93	1.09	2.92	0.90	1.22	0.88	0.00
time (sec)	N/A	0.128	0.142	0.046	1.230	0.680	0.679	0.194	1.386	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	203	203	210	367	226	771	189	233	191	0
N.S.	1	1.00	1.03	1.81	1.11	3.80	0.93	1.15	0.94	0.00
time (sec)	N/A	0.244	0.221	0.062	1.282	1.006	1.135	0.190	1.412	0.000

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F(-1)	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	258	258	234	0	267	1067	233	264	249	0
N.S.	1	1.00	0.91	0.00	1.03	4.14	0.90	1.02	0.97	0.00
time (sec)	N/A	0.233	0.276	180.000	1.321	0.854	1.623	0.197	1.428	0.001

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	252	252	253	661	364	873	371	391	250	0
N.S.	1	1.00	1.00	2.62	1.44	3.46	1.47	1.55	0.99	0.00
time (sec)	N/A	0.191	0.127	0.047	1.189	1.226	1.310	0.201	1.430	0.000

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	208	208	203	486	273	700	257	296	192	0
N.S.	1	1.00	0.98	2.34	1.31	3.37	1.24	1.42	0.92	0.00
time (sec)	N/A	0.148	0.106	0.046	1.319	1.024	1.003	0.185	1.402	0.001

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	173	173	167	334	190	507	156	211	152	0
N.S.	1	1.00	0.97	1.93	1.10	2.93	0.90	1.22	0.88	0.00
time (sec)	N/A	0.124	0.149	0.043	1.321	0.795	0.690	0.324	1.375	0.000

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	145	145	129	195	128	390	71	133	123	0
N.S.	1	1.00	0.89	1.34	0.88	2.69	0.49	0.92	0.85	0.00
time (sec)	N/A	0.078	0.075	0.046	1.075	0.955	0.436	0.191	1.379	0.000
Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	288	288	224	222	293	254	447	278	1364	0
N.S.	1	1.00	0.78	0.77	1.02	0.88	1.55	0.97	4.74	0.00
time (sec)	N/A	0.147	0.107	0.050	1.235	1.170	79.722	0.266	7.705	0.001
Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	346	346	336	406	489	432	0	443	2589	0
N.S.	1	1.00	0.97	1.17	1.41	1.25	0.00	1.28	7.48	0.00
time (sec)	N/A	0.270	0.235	0.054	1.298	18.476	0.000	0.203	16.807	0.001
Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	320	320	313	905	509	1619	546	529	416	0
N.S.	1	1.00	0.98	2.83	1.59	5.06	1.71	1.65	1.30	0.00
time (sec)	N/A	0.298	0.303	0.060	1.346	1.113	12.429	0.190	0.390	0.001

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	267	267	260	708	397	1316	405	412	302	0
N.S.	1	1.00	0.97	2.65	1.49	4.93	1.52	1.54	1.13	0.00
time (sec)	N/A	0.226	0.238	0.057	1.156	1.063	8.537	0.190	1.493	0.001

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	234	234	227	529	306	1027	291	319	240	0
N.S.	1	1.00	0.97	2.26	1.31	4.39	1.24	1.36	1.03	0.00
time (sec)	N/A	0.220	0.156	0.053	1.219	0.925	4.330	0.200	0.296	0.001

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	203	203	205	367	220	768	189	227	191	0
N.S.	1	1.00	1.01	1.81	1.08	3.78	0.93	1.12	0.94	0.00
time (sec)	N/A	0.231	0.198	0.053	1.395	0.983	2.556	0.213	1.467	0.001

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	169	169	145	221	158	537	97	160	143	0
N.S.	1	1.00	0.86	1.31	0.93	3.18	0.57	0.95	0.85	0.00
time (sec)	N/A	0.084	0.091	0.054	1.439	0.949	1.418	0.171	1.428	0.001

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	346	346	337	406	489	440	0	443	2492	0
N.S.	1	1.00	0.97	1.17	1.41	1.27	0.00	1.28	7.20	0.00
time (sec)	N/A	0.255	0.195	0.056	1.290	18.528	0.000	0.201	15.930	0.001

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	419	419	381	606	784	0	0	664	3637	0
N.S.	1	1.00	0.91	1.45	1.87	0.00	0.00	1.58	8.68	0.00
time (sec)	N/A	0.493	0.630	0.062	1.257	0.000	0.000	0.222	24.310	0.001

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F	B	B	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	112	112	62	0	322	399	80	0	-1	165
N.S.	1	1.00	0.55	0.00	2.88	3.56	0.71	0.00	-0.01	1.47
time (sec)	N/A	0.032	0.106	0.429	1.219	1.064	4.984	0.000	0.000	0.389

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	B	B	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	91	91	134	0	244	363	76	0	-1	149
N.S.	1	1.00	1.47	0.00	2.68	3.99	0.84	0.00	-0.01	1.64
time (sec)	N/A	0.020	0.084	0.366	1.216	1.017	5.525	0.000	0.000	0.366

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F	A	B	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	85	85	62	0	130	372	70	0	-1	142
N.S.	1	1.00	0.73	0.00	1.53	4.38	0.82	0.00	-0.01	1.67
time (sec)	N/A	0.013	0.037	0.387	1.254	0.792	16.137	0.000	0.000	0.291
Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	B	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	47	47	28	25	50	44	190	0	27	28
N.S.	1	1.00	0.60	0.53	1.06	0.94	4.04	0.00	0.57	0.60
time (sec)	N/A	0.009	0.015	0.046	0.523	1.056	91.681	0.000	1.348	0.223
Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	55	55	40	37	85	69	0	0	44	40
N.S.	1	1.00	0.73	0.67	1.55	1.25	0.00	0.00	0.80	0.73
time (sec)	N/A	0.013	0.021	0.043	0.624	0.669	0.000	0.000	1.425	0.293
Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	F(-1)	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	74	74	51	48	119	91	0	0	58	51
N.S.	1	1.00	0.69	0.65	1.61	1.23	0.00	0.00	0.78	0.69
time (sec)	N/A	0.019	0.022	0.048	0.584	1.015	0.000	0.000	1.391	0.428

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	F(-1)	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	93	93	62	59	153	113	0	0	73	62
N.S.	1	1.00	0.67	0.63	1.65	1.22	0.00	0.00	0.78	0.67
time (sec)	N/A	0.026	0.026	0.046	0.538	0.970	0.000	0.000	1.371	0.630
Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	C	C	F	F	B	F	F	F	A
verified	N/A	NO	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	398	58	151	0	0	644	0	0	-1	515
N.S.	1	0.15	0.38	0.00	0.00	1.62	0.00	0.00	-0.00	1.29
time (sec)	N/A	0.026	0.134	0.698	0.000	54.975	0.000	0.000	0.000	3.122
Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	B	A	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	139	139	151	0	552	421	126	0	-1	176
N.S.	1	1.00	1.09	0.00	3.97	3.03	0.91	0.00	-0.01	1.27
time (sec)	N/A	0.057	0.137	0.375	1.527	1.253	9.174	0.000	0.000	0.565
Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	B	A	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	120	120	141	0	436	399	121	0	-1	165
N.S.	1	1.00	1.18	0.00	3.63	3.32	1.01	0.00	-0.01	1.38
time (sec)	N/A	0.042	0.078	0.384	1.396	1.655	7.599	0.000	0.000	0.481

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	B	B	F	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	113	113	137	0	296	412	0	0	-1	158
N.S.	1	1.00	1.21	0.00	2.62	3.65	0.00	0.00	-0.01	1.40
time (sec)	N/A	0.042	0.082	0.532	1.373	1.729	0.000	0.000	0.000	0.499

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	B	B	F	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	110	110	131	0	180	521	0	0	-1	144
N.S.	1	1.00	1.19	0.00	1.64	4.74	0.00	0.00	-0.01	1.31
time (sec)	N/A	0.040	0.063	0.533	1.354	1.165	0.000	0.000	0.000	0.393

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	76	76	40	37	105	67	0	0	44	40
N.S.	1	1.00	0.53	0.49	1.38	0.88	0.00	0.00	0.58	0.53
time (sec)	N/A	0.021	0.015	0.042	0.498	0.890	0.000	0.000	1.432	0.348

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	105	105	51	48	155	91	0	0	56	51
N.S.	1	1.00	0.49	0.46	1.48	0.87	0.00	0.00	0.53	0.49
time (sec)	N/A	0.035	0.032	0.050	0.585	1.078	0.000	0.000	1.389	0.529

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	F(-1)	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	98	98	62	59	206	113	0	0	71	62
N.S.	1	1.00	0.63	0.60	2.10	1.15	0.00	0.00	0.72	0.63
time (sec)	N/A	0.035	0.035	0.046	0.574	1.249	0.000	0.000	1.436	0.760
Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	F(-1)	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	117	117	73	70	257	135	0	0	86	73
N.S.	1	1.00	0.62	0.60	2.20	1.15	0.00	0.00	0.74	0.62
time (sec)	N/A	0.044	0.040	0.049	0.510	0.804	0.000	0.000	1.427	1.189
Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F	B	A	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	174	174	75	0	406	482	170	0	-1	227
N.S.	1	1.00	0.43	0.00	2.33	2.77	0.98	0.00	-0.01	1.30
time (sec)	N/A	0.059	0.068	0.374	1.678	1.210	10.424	0.000	0.000	0.707
Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F	B	A	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	141	141	72	0	322	424	82	0	-1	200
N.S.	1	1.00	0.51	0.00	2.28	3.01	0.58	0.00	-0.01	1.42
time (sec)	N/A	0.045	0.095	0.375	1.437	1.095	5.347	0.000	0.000	0.668

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	B	A	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	111	111	141	0	244	362	78	0	-1	176
N.S.	1	1.00	1.27	0.00	2.20	3.26	0.70	0.00	-0.01	1.59
time (sec)	N/A	0.030	0.154	0.395	1.198	1.308	4.439	0.000	0.000	0.514

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F	A	B	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	99	99	61	0	134	488	71	0	-1	158
N.S.	1	1.00	0.62	0.00	1.35	4.93	0.72	0.00	-0.01	1.60
time (sec)	N/A	0.024	0.052	0.380	1.224	1.059	12.828	0.000	0.000	0.370

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	B	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	47	47	37	34	51	54	190	0	33	37
N.S.	1	1.00	0.79	0.72	1.09	1.15	4.04	0.00	0.70	0.79
time (sec)	N/A	0.010	0.036	0.049	0.470	1.231	82.052	0.000	1.370	0.296

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	91	91	59	57	86	87	0	0	87	60
N.S.	1	1.00	0.65	0.63	0.95	0.96	0.00	0.00	0.96	0.66
time (sec)	N/A	0.028	0.039	0.045	0.608	0.719	0.000	0.000	1.424	0.394

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	121	121	80	81	120	121	0	0	105	84
N.S.	1	1.00	0.66	0.67	0.99	1.00	0.00	0.00	0.87	0.69
time (sec)	N/A	0.035	0.034	0.042	0.499	0.915	0.000	0.000	1.460	0.572

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	151	151	100	105	154	155	0	0	132	108
N.S.	1	1.00	0.66	0.70	1.02	1.03	0.00	0.00	0.87	0.72
time (sec)	N/A	0.047	0.062	0.046	0.657	1.298	0.000	0.000	1.453	0.874

Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	B	A	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	262	262	238	0	672	717	270	0	-1	325
N.S.	1	1.00	0.91	0.00	2.56	2.74	1.03	0.00	-0.00	1.24
time (sec)	N/A	0.165	5.190	0.385	1.294	1.224	13.131	0.000	0.000	1.159

Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	B	A	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	219	219	203	0	552	634	131	0	-1	283
N.S.	1	1.00	0.93	0.00	2.52	2.89	0.60	0.00	-0.00	1.29
time (sec)	N/A	0.166	5.171	0.385	1.479	1.245	7.275	0.000	0.000	0.895

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	B	A	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	175	175	172	0	436	554	126	0	-1	240
N.S.	1	1.00	0.98	0.00	2.49	3.17	0.72	0.00	-0.01	1.37
time (sec)	N/A	0.096	5.150	0.381	1.275	1.258	6.437	0.000	0.000	0.772

Problem 54	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	B	B	F	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	159	159	168	0	301	652	0	0	-1	222
N.S.	1	1.00	1.06	0.00	1.89	4.10	0.00	0.00	-0.01	1.40
time (sec)	N/A	0.102	5.163	0.559	1.137	1.170	0.000	0.000	0.000	0.782

Problem 55	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	A	B	F	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	152	152	180	0	190	719	0	0	-1	211
N.S.	1	1.00	1.18	0.00	1.25	4.73	0.00	0.00	-0.01	1.39
time (sec)	N/A	0.068	5.247	0.550	1.193	1.299	0.000	0.000	0.000	0.688

Problem 56	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	78	78	126	76	109	103	0	0	148	79
N.S.	1	1.00	1.62	0.97	1.40	1.32	0.00	0.00	1.90	1.01
time (sec)	N/A	0.021	0.097	0.049	0.508	1.191	0.000	0.000	1.427	0.570

Problem 57	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	174	174	106	115	159	152	0	0	176	118
N.S.	1	1.00	0.61	0.66	0.91	0.87	0.00	0.00	1.01	0.68
time (sec)	N/A	0.073	5.106	0.046	0.712	0.995	0.000	0.000	1.450	0.834
Problem 58	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	211	211	138	156	210	200	0	0	217	159
N.S.	1	1.00	0.65	0.74	1.00	0.95	0.00	0.00	1.03	0.75
time (sec)	N/A	0.127	5.176	0.047	0.503	1.065	0.000	0.000	1.430	1.258
Problem 59	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	253	253	169	197	261	246	0	0	257	200
N.S.	1	1.00	0.67	0.78	1.03	0.97	0.00	0.00	1.02	0.79
time (sec)	N/A	0.207	5.153	0.049	0.643	1.407	0.000	0.000	1.481	1.865
Problem 60	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	109	109	120	134	182	166	0	0	271	137
N.S.	1	1.00	1.10	1.23	1.67	1.52	0.00	0.00	2.49	1.26
time (sec)	N/A	0.036	0.043	0.053	0.626	0.895	0.000	0.000	1.556	1.141

Problem 65	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F	F	F(-1)	F	F	F	C
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	179	238	256	0	0	0	0	0	-1	352
N.S.	1	1.33	1.43	0.00	0.00	0.00	0.00	0.00	-0.01	1.97
time (sec)	N/A	0.193	0.801	0.574	0.000	0.000	0.000	0.000	0.000	2.701
Problem 66	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	C	C	F	F	F(-1)	F	F	F	C
verified	N/A	NO	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	226	621	621	0	0	0	0	0	-1	399
N.S.	1	2.75	2.75	0.00	0.00	0.00	0.00	0.00	-0.00	1.77
time (sec)	N/A	2.580	2.673	0.558	0.000	0.000	0.000	0.000	0.000	3.789
Problem 67	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	C	A	F	F	F(-1)	F	F	F	C
verified	N/A	NO	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	280	1172	277	0	0	0	0	0	-1	471
N.S.	1	4.19	0.99	0.00	0.00	0.00	0.00	0.00	-0.00	1.68
time (sec)	N/A	6.642	5.746	0.605	0.000	0.000	0.000	0.000	0.000	8.096
Problem 68	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	C	C	F	F	B	F(-1)	F	F	C
verified	N/A	NO	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	351	62	698	0	0	819	0	0	-1	680
N.S.	1	0.18	1.99	0.00	0.00	2.33	0.00	0.00	-0.00	1.94
time (sec)	N/A	0.029	1.083	0.398	0.000	19.124	0.000	0.000	0.000	14.087

Problem 73	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	C	A	F	F	F(-1)	F	F	F	C
verified	N/A	NO	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	324	1214	288	0	0	0	0	0	-1	551
N.S.	1	3.75	0.89	0.00	0.00	0.00	0.00	0.00	-0.00	1.70
time (sec)	N/A	5.692	5.944	0.594	0.000	0.000	0.000	0.000	0.000	9.704
Problem 74	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	C	C	F	F	F(-1)	F(-1)	F	F	C
verified	N/A	NO	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	541	62	1171	0	0	0	0	0	-1	1081
N.S.	1	0.11	2.16	0.00	0.00	0.00	0.00	0.00	-0.00	2.00
time (sec)	N/A	0.027	2.341	0.395	0.000	0.000	0.000	0.000	0.000	102.412
Problem 75	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	C	C	F	F	B	F(-1)	F	F	C
verified	N/A	NO	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	458	62	908	0	0	1246	0	0	-1	970
N.S.	1	0.14	1.98	0.00	0.00	2.72	0.00	0.00	-0.00	2.12
time (sec)	N/A	0.028	1.838	0.412	0.000	114.550	0.000	0.000	0.000	76.857
Problem 76	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	C	C	F	F	B	F(-1)	F	F	C
verified	N/A	NO	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	391	62	651	0	0	954	0	0	-1	804
N.S.	1	0.16	1.66	0.00	0.00	2.44	0.00	0.00	-0.00	2.06
time (sec)	N/A	0.028	1.164	0.607	0.000	12.614	0.000	0.000	0.000	28.127

Problem 81	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	C	A	F	F	F(-1)	F(-1)	F	F	C
verified	N/A	NO	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	463	1990	337	0	0	0	0	0	-1	791
N.S.	1	4.30	0.73	0.00	0.00	0.00	0.00	0.00	-0.00	1.71
time (sec)	N/A	8.662	5.878	0.559	0.000	0.000	0.000	0.000	0.000	27.991

Problem 82	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F(-1)	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	53	53	52	71	0	91	0	0	131	0
N.S.	1	1.00	0.98	1.34	0.00	1.72	0.00	0.00	2.47	0.00
time (sec)	N/A	0.019	0.038	0.041	0.000	1.348	0.000	0.000	1.905	0.527

Problem 83	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	94	94	94	97	96	98	107	98	88	0
N.S.	1	1.00	1.00	1.03	1.02	1.04	1.14	1.04	0.94	0.00
time (sec)	N/A	0.068	0.024	0.040	0.651	0.977	0.090	0.156	1.303	0.000

Problem 84	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	70	70	70	73	70	74	76	74	66	0
N.S.	1	1.00	1.00	1.04	1.00	1.06	1.09	1.06	0.94	0.00
time (sec)	N/A	0.049	0.017	0.039	0.647	0.897	0.084	0.150	1.242	0.000

Problem 85	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	50	49	48	50	53	50	48	0
N.S.	1	1.00	1.00	0.98	0.96	1.00	1.06	1.00	0.96	0.00
time (sec)	N/A	0.029	0.012	0.036	0.605	0.865	0.078	0.161	0.048	0.000

Problem 86	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	28	28	28	25	24	26	26	26	25	0
N.S.	1	1.00	1.00	0.89	0.86	0.93	0.93	0.93	0.89	0.00
time (sec)	N/A	0.014	0.009	0.045	0.493	0.759	0.065	0.150	0.036	0.000

Problem 87	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	223	223	196	266	212	639	87	245	720	0
N.S.	1	1.00	0.88	1.19	0.95	2.87	0.39	1.10	3.23	0.00
time (sec)	N/A	0.151	0.179	0.048	1.278	1.288	0.659	0.165	1.480	0.000

Problem 88	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	245	245	212	295	236	711	112	266	740	0
N.S.	1	1.00	0.87	1.20	0.96	2.90	0.46	1.09	3.02	0.00
time (sec)	N/A	0.147	0.202	0.053	1.158	1.417	0.849	0.169	1.520	0.001

Problem 89	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	273	273	243	314	271	787	151	286	762	0
N.S.	1	1.00	0.89	1.15	0.99	2.88	0.55	1.05	2.79	0.00
time (sec)	N/A	0.174	0.223	0.054	1.211	1.321	1.031	0.194	1.581	0.001
Problem 90	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	154	154	154	163	158	173	185	173	146	0
N.S.	1	1.00	1.00	1.06	1.03	1.12	1.20	1.12	0.95	0.00
time (sec)	N/A	0.114	0.033	0.041	0.546	1.050	0.117	0.150	0.067	0.000
Problem 91	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	122	122	122	125	124	132	139	132	116	0
N.S.	1	1.00	1.00	1.02	1.02	1.08	1.14	1.08	0.95	0.00
time (sec)	N/A	0.077	0.023	0.035	0.544	1.077	0.098	0.151	1.297	0.000
Problem 92	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	82	82	82	87	82	91	97	91	75	0
N.S.	1	1.00	1.00	1.06	1.00	1.11	1.18	1.11	0.91	0.00
time (sec)	N/A	0.049	0.017	0.041	0.695	0.559	0.090	0.166	0.046	0.000

Problem 93	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	50	49	48	50	53	50	48	0
N.S.	1	1.00	1.00	0.98	0.96	1.00	1.06	1.00	0.96	0.00
time (sec)	N/A	0.030	0.008	0.038	0.478	0.534	0.080	0.149	0.045	0.000

Problem 94	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	253	253	231	436	286	1239	187	353	1081	0
N.S.	1	1.00	0.91	1.72	1.13	4.90	0.74	1.40	4.27	0.00
time (sec)	N/A	0.194	0.131	0.048	1.285	1.182	1.119	0.198	1.485	0.001

Problem 95	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	291	291	298	475	319	1335	219	376	1254	0
N.S.	1	1.00	1.02	1.63	1.10	4.59	0.75	1.29	4.31	0.00
time (sec)	N/A	0.366	0.216	0.056	1.104	0.932	1.979	0.174	1.536	0.001

Problem 96	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	349	349	319	499	361	1411	264	407	1401	0
N.S.	1	1.00	0.91	1.43	1.03	4.04	0.76	1.17	4.01	0.00
time (sec)	N/A	0.266	0.227	0.058	1.220	1.202	5.850	0.212	1.660	0.001

Problem 97	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	332	332	322	837	489	2477	435	617	1822	0
N.S.	1	1.00	0.97	2.52	1.47	7.46	1.31	1.86	5.49	0.00
time (sec)	N/A	0.267	0.224	0.047	1.437	1.220	3.585	0.484	1.515	0.001
Problem 98	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	288	288	271	627	385	1855	303	481	1433	0
N.S.	1	1.00	0.94	2.18	1.34	6.44	1.05	1.67	4.98	0.00
time (sec)	N/A	0.223	0.166	0.046	1.210	1.479	1.696	0.173	1.488	0.001
Problem 99	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	253	253	231	436	287	1240	187	353	1081	0
N.S.	1	1.00	0.91	1.72	1.13	4.90	0.74	1.40	4.27	0.00
time (sec)	N/A	0.190	0.132	0.046	1.093	1.431	1.084	0.177	1.466	0.001
Problem 100	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	223	223	196	266	212	639	87	245	720	0
N.S.	1	1.00	0.88	1.19	0.95	2.87	0.39	1.10	3.23	0.00
time (sec)	N/A	0.138	0.151	0.048	1.126	0.744	0.610	0.165	0.221	0.001

Problem 101	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	449	449	340	320	365	1356	0	437	6153	0
N.S.	1	1.00	0.76	0.71	0.81	3.02	0.00	0.97	13.70	0.00
time (sec)	N/A	0.268	0.143	0.056	1.434	1.742	0.000	0.209	2.755	0.001

Problem 102	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	513	513	498	550	481	3299	0	667	21975	0
N.S.	1	1.00	0.97	1.07	0.94	6.43	0.00	1.30	42.84	0.00
time (sec)	N/A	0.420	0.335	0.056	1.566	58.700	0.000	0.195	4.004	0.001

Problem 103	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	407	407	391	1118	644	3222	0	798	2490	0
N.S.	1	1.00	0.96	2.75	1.58	7.92	0.00	1.96	6.12	0.00
time (sec)	N/A	0.396	0.453	0.060	1.446	1.489	0.000	0.179	1.707	0.001

Problem 104	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	357	357	341	885	521	2580	471	642	2043	0
N.S.	1	1.00	0.96	2.48	1.46	7.23	1.32	1.80	5.72	0.00
time (sec)	N/A	0.367	0.349	0.062	1.454	1.370	47.538	0.174	0.302	0.001

Problem 105	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	317	317	301	669	405	1938	337	496	1616	0
N.S.	1	1.00	0.95	2.11	1.28	6.11	1.06	1.56	5.10	0.00
time (sec)	N/A	0.317	0.254	0.055	1.309	1.108	6.989	0.179	1.530	0.001
Problem 106	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	291	291	297	475	319	1335	219	376	1254	0
N.S.	1	1.00	1.02	1.63	1.10	4.59	0.75	1.29	4.31	0.00
time (sec)	N/A	0.377	0.227	0.058	1.261	1.380	2.174	0.168	0.298	0.001
Problem 107	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	245	245	212	295	236	711	112	266	740	0
N.S.	1	1.00	0.87	1.20	0.96	2.90	0.46	1.09	3.02	0.00
time (sec)	N/A	0.153	0.172	0.053	1.348	0.830	0.965	0.166	1.533	0.001
Problem 108	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	513	513	499	550	470	3299	0	667	21975	0
N.S.	1	1.00	0.97	1.07	0.92	6.43	0.00	1.30	42.84	0.00
time (sec)	N/A	0.428	0.347	0.058	1.457	59.892	0.000	0.217	3.817	0.001

Problem 109	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	596	596	629	784	670	0	0	967	37266	0
N.S.	1	1.00	1.06	1.32	1.12	0.00	0.00	1.62	62.53	0.00
time (sec)	N/A	0.739	6.192	0.066	1.292	0.000	0.000	0.218	5.617	0.001

Problem 110	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	B	F	F	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	103	103	155	103	0	315	0	0	-1	103
N.S.	1	1.00	1.50	1.00	0.00	3.06	0.00	0.00	-0.01	1.00
time (sec)	N/A	0.056	0.171	0.208	0.000	3.924	0.000	0.000	0.000	0.431

Problem 111	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	B	F	F	F	C
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	116	116	155	158	0	339	0	0	-1	105
N.S.	1	1.00	1.34	1.36	0.00	2.92	0.00	0.00	-0.01	0.91
time (sec)	N/A	0.023	0.167	0.221	0.000	3.544	0.000	0.000	0.000	0.419

Problem 112	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F	F	B	F	F	F	C
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	211	211	364	0	0	2381	0	0	-1	327
N.S.	1	1.00	1.73	0.00	0.00	11.28	0.00	0.00	-0.00	1.55
time (sec)	N/A	0.225	0.629	0.587	0.000	10.959	0.000	0.000	0.000	1.193

Problem 121	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F	F	F(-1)	F	F	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	162	162	99	0	0	0	0	0	-1	260
N.S.	1	1.00	0.61	0.00	0.00	0.00	0.00	0.00	-0.01	1.60
time (sec)	N/A	0.109	0.140	0.595	0.000	0.000	0.000	0.000	0.000	2.118
Problem 122	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F	F	F(-1)	F	F	F	C
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	205	205	625	0	0	0	0	0	-1	304
N.S.	1	1.00	3.05	0.00	0.00	0.00	0.00	0.00	-0.00	1.48
time (sec)	N/A	0.184	2.265	0.596	0.000	0.000	0.000	0.000	0.000	3.916
Problem 123	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F	F	F(-1)	F	F	F	C
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	266	266	1216	0	0	0	0	0	-1	394
N.S.	1	1.00	4.57	0.00	0.00	0.00	0.00	0.00	-0.00	1.48
time (sec)	N/A	0.293	5.005	0.609	0.000	0.000	0.000	0.000	0.000	6.846
Problem 124	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	F	B	F	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	53	53	44	211	0	208	0	0	-1	53
N.S.	1	1.00	0.83	3.98	0.00	3.92	0.00	0.00	-0.02	1.00
time (sec)	N/A	0.018	0.019	3.245	0.000	16.480	0.000	0.000	0.000	0.233

Problem 125	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	F	F(-1)	F	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	57	57	48	0	0	0	0	0	-1	57
N.S.	1	1.00	0.84	0.00	0.00	0.00	0.00	0.00	-0.02	1.00
time (sec)	N/A	0.022	0.025	0.619	0.000	0.000	0.000	0.000	0.000	0.439

Problem 126	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F	F	F(-2)	F	F	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	545	545	48	0	0	0	0	0	-1	0
N.S.	1	1.00	0.09	0.00	0.00	0.00	0.00	0.00	-0.00	0.00
time (sec)	N/A	1.085	0.020	0.566	0.000	0.000	0.000	0.000	0.000	180.013

Problem 127	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	143	143	118	248	164	306	454	0	173	135
N.S.	1	1.00	0.83	1.73	1.15	2.14	3.17	0.00	1.21	0.94
time (sec)	N/A	0.123	0.190	0.063	1.453	0.863	57.222	0.000	2.593	0.187

Problem 128	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	99	99	84	191	126	208	121	0	99	90
N.S.	1	1.00	0.85	1.93	1.27	2.10	1.22	0.00	1.00	0.91
time (sec)	N/A	0.067	0.158	0.059	1.191	0.755	36.578	0.000	1.901	0.172

Problem 129	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	74	74	52	163	106	128	87	0	92	56
N.S.	1	1.00	0.70	2.20	1.43	1.73	1.18	0.00	1.24	0.76
time (sec)	N/A	0.048	0.042	0.057	1.371	0.854	41.308	0.000	1.962	0.114

Problem 130	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	39	39	39	74	50	99	42	64	58	43
N.S.	1	1.00	1.00	1.90	1.28	2.54	1.08	1.64	1.49	1.10
time (sec)	N/A	0.019	0.073	0.049	1.201	0.748	2.189	0.200	0.076	0.001

Problem 131	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	104	104	100	287	0	482	0	0	149	110
N.S.	1	1.00	0.96	2.76	0.00	4.63	0.00	0.00	1.43	1.06
time (sec)	N/A	0.111	0.244	0.108	0.000	0.937	0.000	0.000	1.631	0.229

Problem 132	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	147	147	122	943	0	801	0	0	1195	138
N.S.	1	1.00	0.83	6.41	0.00	5.45	0.00	0.00	8.13	0.94
time (sec)	N/A	0.209	0.386	0.066	0.000	0.907	0.000	0.000	2.263	0.386

Problem 133	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	213	213	330	1972	0	1749	0	820	1895	215
N.S.	1	1.00	1.55	9.26	0.00	8.21	0.00	3.85	8.90	1.01
time (sec)	N/A	0.340	0.823	0.068	0.000	1.076	0.000	0.412	3.729	1.350

Problem 134	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	164	164	159	353	190	380	1817	0	327	194
N.S.	1	1.00	0.97	2.15	1.16	2.32	11.08	0.00	1.99	1.18
time (sec)	N/A	0.142	0.213	0.060	1.488	0.763	123.483	0.000	3.878	0.243

Problem 135	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	126	126	106	260	152	268	534	0	197	132
N.S.	1	1.00	0.84	2.06	1.21	2.13	4.24	0.00	1.56	1.05
time (sec)	N/A	0.080	0.260	0.060	1.160	0.606	94.065	0.000	2.579	0.205

Problem 136	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	100	100	73	205	132	164	163	0	81	82
N.S.	1	1.00	0.73	2.05	1.32	1.64	1.63	0.00	0.81	0.82
time (sec)	N/A	0.063	0.091	0.057	1.326	0.868	56.146	0.000	2.512	0.161

Problem 137	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	B	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	54	54	46	100	63	100	92	0	34	50
N.S.	1	1.00	0.85	1.85	1.17	1.85	1.70	0.00	0.63	0.93
time (sec)	N/A	0.025	0.025	0.052	1.202	0.802	2.692	0.000	1.501	0.001
Problem 138	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	106	106	102	528	0	519	0	0	556	116
N.S.	1	1.00	0.96	4.98	0.00	4.90	0.00	0.00	5.25	1.09
time (sec)	N/A	0.128	0.236	0.061	0.000	0.904	0.000	0.000	1.684	0.275
Problem 139	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	156	156	143	834	0	769	0	0	448	160
N.S.	1	1.00	0.92	5.35	0.00	4.93	0.00	0.00	2.87	1.03
time (sec)	N/A	0.222	0.387	0.062	0.000	0.929	0.000	0.000	2.165	0.432
Problem 140	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	209	209	168	1817	0	1765	0	727	1664	189
N.S.	1	1.00	0.80	8.69	0.00	8.44	0.00	3.48	7.96	0.90
time (sec)	N/A	0.345	0.604	0.067	0.000	1.060	0.000	0.611	3.472	0.565

Problem 141	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	198	198	201	457	219	494	5513	0	487	252
N.S.	1	1.00	1.02	2.31	1.11	2.49	27.84	0.00	2.46	1.27
time (sec)	N/A	0.158	0.255	0.067	1.207	0.858	158.704	0.000	6.049	0.283

Problem 142	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	152	152	121	336	181	350	1841	0	271	173
N.S.	1	1.00	0.80	2.21	1.19	2.30	12.11	0.00	1.78	1.14
time (sec)	N/A	0.102	0.158	0.060	1.251	0.816	112.031	0.000	3.791	0.263

Problem 143	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	125	125	94	253	161	222	520	0	99	106
N.S.	1	1.00	0.75	2.02	1.29	1.78	4.16	0.00	0.79	0.85
time (sec)	N/A	0.077	0.112	0.060	1.505	0.663	82.773	0.000	3.480	0.185

Problem 144	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	71	71	64	120	78	139	99	0	34	68
N.S.	1	1.00	0.90	1.69	1.10	1.96	1.39	0.00	0.48	0.96
time (sec)	N/A	0.034	0.062	0.058	1.249	0.885	4.364	0.000	1.630	0.001

Problem 145	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	134	134	116	859	0	659	0	0	1427	130
N.S.	1	1.00	0.87	6.41	0.00	4.92	0.00	0.00	10.65	0.97
time (sec)	N/A	0.221	0.270	0.056	0.000	1.149	0.000	0.000	2.156	0.298
Problem 146	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	166	166	145	1323	0	1001	0	0	1153	166
N.S.	1	1.00	0.87	7.97	0.00	6.03	0.00	0.00	6.95	1.00
time (sec)	N/A	0.234	0.430	0.063	0.000	1.153	0.000	0.000	2.311	0.390
Problem 147	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	237	237	191	1638	0	1445	0	945	1476	240
N.S.	1	1.00	0.81	6.91	0.00	6.10	0.00	3.99	6.23	1.01
time (sec)	N/A	0.373	0.849	0.071	0.000	0.964	0.000	0.489	3.439	0.516
Problem 148	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	126	126	95	535	166	233	386	158	107	104
N.S.	1	1.00	0.75	4.25	1.32	1.85	3.06	1.25	0.85	0.83
time (sec)	N/A	0.090	0.147	0.063	1.327	0.556	89.999	0.204	1.727	0.206

Problem 149	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	73	73	66	348	129	158	114	99	63	72
N.S.	1	1.00	0.90	4.77	1.77	2.16	1.56	1.36	0.86	0.99
time (sec)	N/A	0.054	0.087	0.063	1.244	0.613	83.772	0.183	1.621	0.163
Problem 150	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	51	51	53	173	109	115	82	78	88	55
N.S.	1	1.00	1.04	3.39	2.14	2.25	1.61	1.53	1.73	1.08
time (sec)	N/A	0.033	0.039	0.059	1.298	0.847	60.252	0.197	1.977	0.107
Problem 151	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	43	43	43	71	67	98	44	71	66	47
N.S.	1	1.00	1.00	1.65	1.56	2.28	1.02	1.65	1.53	1.09
time (sec)	N/A	0.020	0.018	0.046	1.208	0.782	3.088	0.239	1.441	0.001
Problem 152	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	108	108	104	228	0	542	0	134	1183	114
N.S.	1	1.00	0.96	2.11	0.00	5.02	0.00	1.24	10.95	1.06
time (sec)	N/A	0.096	0.246	0.064	0.000	0.771	0.000	0.181	1.982	0.218

Problem 153	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	172	172	150	1135	0	1163	0	300	3813	172
N.S.	1	1.00	0.87	6.60	0.00	6.76	0.00	1.74	22.17	1.00
time (sec)	N/A	0.218	0.775	0.069	0.000	1.057	0.000	0.220	3.536	0.634
Problem 154	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	250	250	216	2269	0	2307	0	352	2890	268
N.S.	1	1.00	0.86	9.08	0.00	9.23	0.00	1.41	11.56	1.07
time (sec)	N/A	0.400	1.746	0.069	0.000	2.223	0.000	0.288	5.479	1.654
Problem 155	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	132	132	92	969	200	336	0	222	172	130
N.S.	1	1.00	0.70	7.34	1.52	2.55	0.00	1.68	1.30	0.98
time (sec)	N/A	0.101	0.075	0.067	1.259	1.542	0.000	0.209	1.908	0.277
Problem 156	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	94	90	81	789	164	272	0	160	120	101
N.S.	1	0.96	0.86	8.39	1.74	2.89	0.00	1.70	1.28	1.07
time (sec)	N/A	0.079	0.103	0.064	1.157	0.616	0.000	0.226	1.834	0.277

Problem 157	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	B	A	B	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	76	76	48	387	144	210	224	127	71	77
N.S.	1	1.00	0.63	5.09	1.89	2.76	2.95	1.67	0.93	1.01
time (sec)	N/A	0.050	0.024	0.056	1.374	0.892	81.344	0.196	2.438	0.176
Problem 158	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	60	61	36	198	85	156	71	86	34	63
N.S.	1	1.02	0.60	3.30	1.42	2.60	1.18	1.43	0.57	1.05
time (sec)	N/A	0.031	0.013	0.058	1.183	0.834	4.794	0.165	1.868	0.001
Problem 159	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	147	147	106	962	0	1075	0	200	3000	159
N.S.	1	1.00	0.72	6.54	0.00	7.31	0.00	1.36	20.41	1.08
time (sec)	N/A	0.194	0.072	0.074	0.000	1.322	0.000	0.206	2.684	0.344
Problem 160	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	224	224	164	3119	0	2321	0	424	4274	264
N.S.	1	1.00	0.73	13.92	0.00	10.36	0.00	1.89	19.08	1.18
time (sec)	N/A	0.323	0.145	0.073	0.000	2.360	0.000	0.256	6.202	0.855

Problem 161	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	320	320	239	5158	0	4093	0	516	8936	412
N.S.	1	1.00	0.75	16.12	0.00	12.79	0.00	1.61	27.92	1.29
time (sec)	N/A	0.525	0.321	0.079	0.000	4.782	0.000	0.309	9.488	1.344
Problem 162	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	143	143	145	1150	228	483	0	203	194	167
N.S.	1	1.00	1.01	8.04	1.59	3.38	0.00	1.42	1.36	1.17
time (sec)	N/A	0.151	0.430	0.061	1.341	0.819	0.000	0.256	2.050	0.283
Problem 163	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	122	118	97	588	190	407	0	163	144	134
N.S.	1	0.97	0.80	4.82	1.56	3.34	0.00	1.34	1.18	1.10
time (sec)	N/A	0.095	0.082	0.065	1.308	0.985	0.000	0.205	2.219	0.246
Problem 164	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	A	A	B	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	103	103	60	541	170	331	1479	145	87	103
N.S.	1	1.00	0.58	5.25	1.65	3.21	14.36	1.41	0.84	1.00
time (sec)	N/A	0.065	0.035	0.064	1.251	0.628	155.819	0.220	2.910	0.203

Problem 165	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	A	A	B	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	79	82	38	271	101	225	774	98	34	78
N.S.	1	1.04	0.48	3.43	1.28	2.85	9.80	1.24	0.43	0.99
time (sec)	N/A	0.038	0.025	0.068	1.291	0.829	7.925	0.239	1.722	0.001
Problem 166	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	201	201	118	1767	0	1990	0	247	5387	237
N.S.	1	1.00	0.59	8.79	0.00	9.90	0.00	1.23	26.80	1.18
time (sec)	N/A	0.315	0.084	0.071	0.000	4.965	0.000	0.219	4.622	0.458
Problem 167	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	287	287	178	4644	0	3887	0	576	5789	393
N.S.	1	1.00	0.62	16.18	0.00	13.54	0.00	2.01	20.17	1.37
time (sec)	N/A	0.448	0.189	0.080	0.000	5.151	0.000	0.326	8.729	1.040
Problem 168	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	409	409	239	7300	0	6171	0	523	4284	587
N.S.	1	1.00	0.58	17.85	0.00	15.09	0.00	1.28	10.47	1.44
time (sec)	N/A	0.702	0.387	0.079	0.000	16.664	0.000	0.285	8.227	1.599

Problem 169	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	123	123	167	253	0	890	0	0	4674	179
N.S.	1	1.00	1.36	2.06	0.00	7.24	0.00	0.00	38.00	1.46
time (sec)	N/A	0.094	1.401	0.096	0.000	1.776	0.000	0.000	22.224	0.399
Problem 170	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	81	81	81	155	0	247	0	0	478	147
N.S.	1	1.00	1.00	1.91	0.00	3.05	0.00	0.00	5.90	1.81
time (sec)	N/A	0.052	0.068	0.096	0.000	1.186	0.000	0.000	6.583	0.428
Problem 171	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	122	122	87	280	0	319	0	0	-1	158
N.S.	1	1.00	0.71	2.30	0.00	2.61	0.00	0.00	-0.01	1.30
time (sec)	N/A	0.080	0.106	0.080	0.000	1.199	0.000	0.000	0.000	0.426
Problem 172	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	39	39	40	45	33	98	82	33	32	0
N.S.	1	1.00	1.03	1.15	0.85	2.51	2.10	0.85	0.82	0.00
time (sec)	N/A	0.020	0.032	0.046	1.305	0.739	0.330	0.153	0.069	0.001

Problem 173	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	145	145	129	195	128	390	71	133	123	0
N.S.	1	1.00	0.89	1.34	0.88	2.69	0.49	0.92	0.85	0.00
time (sec)	N/A	0.106	0.102	0.050	1.294	0.925	0.454	0.222	0.274	0.001

Problem 174	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	49	49	41	59	47	48	82	49	49	53
N.S.	1	1.00	0.84	1.20	0.96	0.98	1.67	1.00	1.00	1.08
time (sec)	N/A	0.049	0.072	0.052	0.638	0.816	0.299	0.195	0.074	0.032

Problem 175	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	26	26	26	21	20	20	24	20	20	31
N.S.	1	1.00	1.00	0.81	0.77	0.77	0.92	0.77	0.77	1.19
time (sec)	N/A	0.016	0.013	0.040	0.550	0.805	0.196	0.205	0.034	0.013

Problem 176	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	17	17	17	24	23	23	27	24	13	17
N.S.	1	1.00	1.00	1.41	1.35	1.35	1.59	1.41	0.76	1.00
time (sec)	N/A	0.015	0.006	0.048	0.564	0.620	0.266	0.182	1.458	0.015

Problem 177	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	104	104	22	66	71	71	102	71	90	104
N.S.	1	1.00	0.21	0.63	0.68	0.68	0.98	0.68	0.87	1.00
time (sec)	N/A	0.086	0.007	0.044	1.135	0.824	5.721	0.166	1.497	0.134
Problem 178	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	30	30	30	23	22	22	26	23	22	32
N.S.	1	1.00	1.00	0.77	0.73	0.73	0.87	0.77	0.73	1.07
time (sec)	N/A	0.019	0.031	0.042	0.558	0.559	0.184	0.152	0.041	0.023
Problem 179	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	132	132	110	138	186	527	2744	740	131	0
N.S.	1	1.00	0.83	1.05	1.41	3.99	20.79	5.61	0.99	0.00
time (sec)	N/A	0.111	0.284	0.053	0.614	0.860	3.673	0.216	1.638	0.504
Problem 180	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	99	99	90	104	140	319	1540	450	99	0
N.S.	1	1.00	0.91	1.05	1.41	3.22	15.56	4.55	1.00	0.00
time (sec)	N/A	0.073	0.128	0.055	0.503	0.740	3.346	0.193	1.557	0.111

Problem 181	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	70	70	70	74	94	175	726	232	71	0
N.S.	1	1.00	1.00	1.06	1.34	2.50	10.37	3.31	1.01	0.00
time (sec)	N/A	0.045	0.102	0.054	0.440	0.913	1.956	0.188	1.535	0.065

Problem 182	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	40	40	37	43	48	69	236	83	38	0
N.S.	1	1.00	0.92	1.08	1.20	1.72	5.90	2.08	0.95	0.00
time (sec)	N/A	0.021	0.075	0.045	0.510	0.942	0.650	0.169	1.483	0.042

Problem 183	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	158	158	149	164	242	667	0	947	157	0
N.S.	1	1.00	0.94	1.04	1.53	4.22	0.00	5.99	0.99	0.00
time (sec)	N/A	0.130	0.211	0.057	0.622	0.876	0.000	0.243	1.705	0.601

Problem 184	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	112	112	105	117	168	370	1765	539	108	0
N.S.	1	1.00	0.94	1.04	1.50	3.30	15.76	4.81	0.96	0.00
time (sec)	N/A	0.082	0.197	0.055	0.604	0.837	77.474	0.225	1.566	0.619

Problem 185	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	70	70	70	74	94	175	726	232	71	0
N.S.	1	1.00	1.00	1.06	1.34	2.50	10.37	3.31	1.01	0.00
time (sec)	N/A	0.047	0.108	0.049	0.633	0.797	2.737	0.272	1.531	0.077
Problem 186	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	F	B	F(-1)	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	178	178	218	0	0	478	0	0	-1	0
N.S.	1	1.00	1.22	0.00	0.00	2.69	0.00	0.00	-0.01	0.00
time (sec)	N/A	0.086	0.142	0.828	0.000	0.910	0.000	0.000	0.000	0.070
Problem 187	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	F	A	F(-1)	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	116	116	113	0	0	231	0	0	-1	0
N.S.	1	1.00	0.97	0.00	0.00	1.99	0.00	0.00	-0.01	0.00
time (sec)	N/A	0.036	0.083	0.797	0.000	0.635	0.000	0.000	0.000	0.064
Problem 188	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F	F	A	F(-1)	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	58	58	82	0	0	85	0	0	-1	0
N.S.	1	1.00	1.41	0.00	0.00	1.47	0.00	0.00	-0.02	0.00
time (sec)	N/A	0.014	0.137	0.598	0.000	0.913	0.000	0.000	0.000	0.049

Problem 189	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	18	18	18	53	0	31	211	0	75	0
N.S.	1	1.00	1.00	2.94	0.00	1.72	11.72	0.00	4.17	0.00
time (sec)	N/A	0.003	0.036	0.073	0.000	0.725	33.049	0.000	1.756	0.019

Problem 190	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	F	A	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	57	57	55	0	0	108	0	0	-1	0
N.S.	1	1.00	0.96	0.00	0.00	1.89	0.00	0.00	-0.02	0.00
time (sec)	N/A	0.027	0.069	0.904	0.000	0.852	0.000	0.000	0.000	0.600

Problem 191	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F	F	A	F(-1)	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	327	327	136	0	0	400	0	0	-1	0
N.S.	1	1.00	0.42	0.00	0.00	1.22	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.184	0.463	0.766	0.000	0.874	0.000	0.000	0.000	0.067

Problem 192	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F	F	A	F(-1)	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	127	127	94	0	0	173	0	0	-1	0
N.S.	1	1.00	0.74	0.00	0.00	1.36	0.00	0.00	-0.01	0.00
time (sec)	N/A	0.064	0.170	0.632	0.000	0.851	0.000	0.000	0.000	0.049

Problem 193	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F	F	A	F(-1)	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	55	0	0	68	0	0	64	0
N.S.	1	1.00	1.10	0.00	0.00	1.36	0.00	0.00	1.28	0.00
time (sec)	N/A	0.012	0.029	0.605	0.000	0.903	0.000	0.000	1.763	0.017
Problem 194	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	152	164	110	92	178	114	0	621	152	340
N.S.	1	1.08	0.72	0.61	1.17	0.75	0.00	4.09	1.00	2.24
time (sec)	N/A	0.118	0.104	0.043	0.500	0.957	0.000	0.760	1.761	0.221
Problem 195	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	109	118	88	68	124	90	0	495	118	246
N.S.	1	1.08	0.81	0.62	1.14	0.83	0.00	4.54	1.08	2.26
time (sec)	N/A	0.087	0.060	0.046	0.498	0.823	0.000	0.748	1.736	0.183
Problem 196	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	67	72	62	44	70	66	0	361	83	152
N.S.	1	1.07	0.93	0.66	1.04	0.99	0.00	5.39	1.24	2.27
time (sec)	N/A	0.044	0.046	0.046	0.619	0.634	0.000	0.371	1.641	0.142

Problem 197	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	80	80	85	174	52	80	0	78	248	161
N.S.	1	1.00	1.06	2.18	0.65	1.00	0.00	0.98	3.10	2.01
time (sec)	N/A	0.078	0.243	0.101	1.300	0.704	0.000	0.320	3.598	0.129

Problem 198	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	96	114	114	182	98	85	0	157	584	267
N.S.	1	1.19	1.19	1.90	1.02	0.89	0.00	1.64	6.08	2.78
time (sec)	N/A	0.084	0.056	0.067	1.462	0.910	0.000	0.421	6.890	0.193

Problem 199	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	121	164	137	226	162	100	0	324	1004	206
N.S.	1	1.36	1.13	1.87	1.34	0.83	0.00	2.68	8.30	1.70
time (sec)	N/A	0.104	0.092	0.066	1.353	0.803	0.000	0.455	15.557	0.181

Problem 200	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	208	208	161	298	246	138	0	558	2314	385
N.S.	1	1.00	0.77	1.43	1.18	0.66	0.00	2.68	11.12	1.85
time (sec)	N/A	0.149	0.309	0.095	0.548	1.416	0.000	0.627	39.151	0.300

Problem 201	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	159	159	135	240	192	112	0	432	1681	297
N.S.	1	1.00	0.85	1.51	1.21	0.70	0.00	2.72	10.57	1.87
time (sec)	N/A	0.123	0.191	0.067	0.666	0.818	0.000	0.458	42.568	0.239
Problem 202	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	114	114	129	182	137	88	0	288	734	207
N.S.	1	1.00	1.13	1.60	1.20	0.77	0.00	2.53	6.44	1.82
time (sec)	N/A	0.047	0.279	0.059	0.543	0.871	0.000	0.350	17.425	0.185
Problem 203	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	104	104	101	153	105	83	0	110	243	200
N.S.	1	1.00	0.97	1.47	1.01	0.80	0.00	1.06	2.34	1.92
time (sec)	N/A	0.087	0.089	0.064	1.500	0.740	0.000	0.395	3.486	0.204
Problem 204	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	84	84	105	153	75	100	0	171	236	145
N.S.	1	1.00	1.25	1.82	0.89	1.19	0.00	2.04	2.81	1.73
time (sec)	N/A	0.080	0.086	0.066	1.472	0.795	0.000	0.383	3.438	0.171

Problem 205	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	125	125	117	191	153	96	0	172	1154	255
N.S.	1	1.00	0.94	1.53	1.22	0.77	0.00	1.38	9.23	2.04
time (sec)	N/A	0.085	0.143	0.106	0.554	0.884	0.000	0.231	32.625	0.206

Problem 206	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	103	103	70	57	95	55	216	108	108	196
N.S.	1	1.00	0.68	0.55	0.92	0.53	2.10	1.05	1.05	1.90
time (sec)	N/A	0.075	0.043	0.046	0.633	1.046	62.839	0.223	2.440	0.132

Problem 207	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	87	87	98	147	113	77	0	121	720	175
N.S.	1	1.00	1.13	1.69	1.30	0.89	0.00	1.39	8.28	2.01
time (sec)	N/A	0.069	0.105	0.078	0.537	0.826	0.000	0.373	22.496	0.158

Problem 208	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	65	65	52	38	54	37	202	59	66	122
N.S.	1	1.00	0.80	0.58	0.83	0.57	3.11	0.91	1.02	1.88
time (sec)	N/A	0.040	0.054	0.044	0.469	0.776	41.910	0.222	2.359	0.098

Problem 209	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	C	A	A	C	A	B	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	47	47	101	103	74	55	182	69	293	88
N.S.	1	1.00	2.15	2.19	1.57	1.17	3.87	1.47	6.23	1.87
time (sec)	N/A	0.020	0.212	0.066	0.497	0.875	45.512	0.176	12.685	0.134
Problem 210	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	46	46	66	62	29	48	162	45	77	65
N.S.	1	1.00	1.43	1.35	0.63	1.04	3.52	0.98	1.67	1.41
time (sec)	N/A	0.061	0.033	0.072	1.152	0.830	40.135	0.224	3.865	0.081
Problem 211	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	C	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	33	33	73	77	44	56	148	58	61	66
N.S.	1	1.00	2.21	2.33	1.33	1.70	4.48	1.76	1.85	2.00
time (sec)	N/A	0.057	0.030	0.072	1.177	0.869	35.169	0.216	2.593	0.093
Problem 212	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	60	60	77	84	45	57	141	114	297	87
N.S.	1	1.00	1.28	1.40	0.75	0.95	2.35	1.90	4.95	1.45
time (sec)	N/A	0.063	0.071	0.082	1.226	0.839	63.618	0.213	8.668	0.100

Problem 213	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	62	62	51	37	54	52	146	116	53	122
N.S.	1	1.00	0.82	0.60	0.87	0.84	2.35	1.87	0.85	1.97
time (sec)	N/A	0.062	0.018	0.050	1.233	0.849	61.444	0.206	2.440	0.113

Problem 214	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	99	99	102	125	85	78	0	268	650	175
N.S.	1	1.00	1.03	1.26	0.86	0.79	0.00	2.71	6.57	1.77
time (sec)	N/A	0.078	0.102	0.074	1.107	0.591	0.000	0.221	21.455	0.165

Problem 215	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	164	164	148	240	196	115	0	203	1682	297
N.S.	1	1.00	0.90	1.46	1.20	0.70	0.00	1.24	10.26	1.81
time (sec)	N/A	0.120	0.124	0.099	0.568	0.778	0.000	0.280	42.656	0.243

Problem 216	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	118	118	87	68	124	66	240	124	130	246
N.S.	1	1.00	0.74	0.58	1.05	0.56	2.03	1.05	1.10	2.08
time (sec)	N/A	0.086	0.062	0.046	0.551	0.782	70.843	0.251	2.700	0.151

Problem 217	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	118	118	121	182	142	90	0	140	1048	209
N.S.	1	1.00	1.03	1.54	1.20	0.76	0.00	1.19	8.88	1.77
time (sec)	N/A	0.097	0.098	0.075	0.639	1.205	0.000	0.233	25.513	0.189
Problem 218	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	72	72	61	43	69	42	223	65	76	146
N.S.	1	1.00	0.85	0.60	0.96	0.58	3.10	0.90	1.06	2.03
time (sec)	N/A	0.046	0.038	0.040	0.645	0.764	44.702	0.198	2.663	0.126
Problem 219	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	68	68	119	124	89	63	199	79	417	103
N.S.	1	1.00	1.75	1.82	1.31	0.93	2.93	1.16	6.13	1.51
time (sec)	N/A	0.032	0.349	0.071	0.459	0.863	41.776	0.265	10.800	0.139
Problem 220	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	56	56	87	108	37	61	178	55	108	75
N.S.	1	1.00	1.55	1.93	0.66	1.09	3.18	0.98	1.93	1.34
time (sec)	N/A	0.069	0.037	0.077	1.342	0.847	39.158	0.209	3.967	0.112

Problem 221	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	57	57	90	97	55	68	165	66	77	75
N.S.	1	1.00	1.58	1.70	0.96	1.19	2.89	1.16	1.35	1.32
time (sec)	N/A	0.075	0.041	0.069	1.257	1.085	36.825	0.217	2.945	0.119
Problem 222	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	76	76	102	158	60	73	162	141	457	104
N.S.	1	1.00	1.34	2.08	0.79	0.96	2.13	1.86	6.01	1.37
time (sec)	N/A	0.073	0.102	0.072	1.292	0.813	69.669	0.494	7.500	0.125
Problem 223	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	75	75	66	49	75	67	170	137	79	146
N.S.	1	1.00	0.88	0.65	1.00	0.89	2.27	1.83	1.05	1.95
time (sec)	N/A	0.069	0.031	0.041	1.319	0.744	70.802	0.244	2.765	0.136
Problem 224	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	123	123	144	227	114	100	0	325	1005	209
N.S.	1	1.00	1.17	1.85	0.93	0.81	0.00	2.64	8.17	1.70
time (sec)	N/A	0.095	0.108	0.070	1.208	0.857	0.000	0.271	19.135	0.191

Problem 225	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	161	161	119	316	196	190	0	214	-1	297
N.S.	1	1.00	0.74	1.96	1.22	1.18	0.00	1.33	-0.01	1.84
time (sec)	N/A	0.123	0.162	0.087	0.492	0.863	0.000	0.398	0.000	0.264
Problem 226	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	115	115	72	68	123	80	226	200	90	236
N.S.	1	1.00	0.63	0.59	1.07	0.70	1.97	1.74	0.78	2.05
time (sec)	N/A	0.094	0.054	0.049	0.464	0.663	177.265	0.435	2.801	0.162
Problem 227	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	152	152	90	254	138	159	0	147	-1	196
N.S.	1	1.00	0.59	1.67	0.91	1.05	0.00	0.97	-0.01	1.29
time (sec)	N/A	0.115	0.121	0.077	0.500	0.666	0.000	0.321	0.000	0.190
Problem 228	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	76	76	45	43	69	56	201	152	67	173
N.S.	1	1.00	0.59	0.57	0.91	0.74	2.64	2.00	0.88	2.28
time (sec)	N/A	0.054	0.067	0.043	0.576	0.770	136.305	0.280	2.747	0.141

Problem 229	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	B	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	63	63	86	160	76	129	182	113	-1	87
N.S.	1	1.00	1.37	2.54	1.21	2.05	2.89	1.79	-0.02	1.38
time (sec)	N/A	0.032	0.244	0.073	0.548	0.837	112.361	0.280	0.000	0.146
Problem 230	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	65	65	84	188	58	101	172	115	-1	87
N.S.	1	1.00	1.29	2.89	0.89	1.55	2.65	1.77	-0.02	1.34
time (sec)	N/A	0.081	0.044	0.076	1.463	0.813	136.445	0.362	0.000	0.111
Problem 231	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	67	67	51	48	71	103	165	219	73	146
N.S.	1	1.00	0.76	0.72	1.06	1.54	2.46	3.27	1.09	2.18
time (sec)	N/A	0.077	0.027	0.050	1.365	0.781	136.133	0.459	2.866	0.154
Problem 232	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	A	A	F(-1)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	117	117	75	315	104	138	0	211	-1	196
N.S.	1	1.00	0.64	2.69	0.89	1.18	0.00	1.80	-0.01	1.68
time (sec)	N/A	0.098	0.032	0.091	1.265	0.716	0.000	0.542	0.000	0.183

Problem 233	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	119	119	77	73	125	132	0	242	104	236
N.S.	1	1.00	0.65	0.61	1.05	1.11	0.00	2.03	0.87	1.98
time (sec)	N/A	0.096	0.031	0.046	1.342	0.804	0.000	0.728	2.897	0.181
Problem 234	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	A	A	F(-1)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	166	166	78	387	162	165	0	402	-1	297
N.S.	1	1.00	0.47	2.33	0.98	0.99	0.00	2.42	-0.01	1.79
time (sec)	N/A	0.120	0.033	0.084	1.480	0.884	0.000	0.794	0.000	0.248
Problem 235	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	40	40	56	53	23	39	148	40	72	60
N.S.	1	1.00	1.40	1.32	0.58	0.98	3.70	1.00	1.80	1.50
time (sec)	N/A	0.054	0.026	0.069	1.351	0.885	30.114	0.171	3.652	0.069
Problem 236	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	F(-1)	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	53	53	244	66	79	65	0	0	96	0
N.S.	1	1.00	4.60	1.25	1.49	1.23	0.00	0.00	1.81	0.00
time (sec)	N/A	0.091	0.314	0.053	1.244	0.858	0.000	0.000	3.274	24.091

Problem 237	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	F	C	F	F	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	36	36	36	0	0	69	0	0	-1	44
N.S.	1	1.00	1.00	0.00	0.00	1.92	0.00	0.00	-0.03	1.22
time (sec)	N/A	0.020	0.020	0.857	0.000	0.871	0.000	0.000	0.000	7.622
Problem 238	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	F	A	F	F	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	75	75	75	0	0	50	0	0	-1	58
N.S.	1	1.00	1.00	0.00	0.00	0.67	0.00	0.00	-0.01	0.77
time (sec)	N/A	0.050	0.058	0.877	0.000	0.725	0.000	0.000	0.000	10.946
Problem 239	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	F	A	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	96	104	103	0	0	180	0	0	-1	0
N.S.	1	1.08	1.07	0.00	0.00	1.88	0.00	0.00	-0.01	0.00
time (sec)	N/A	0.122	0.394	2.167	0.000	0.846	0.000	0.000	0.000	1.414

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [177] had the largest ratio of [.5294]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	2	1	1.00	17	0.059
2	A	2	1	1.00	17	0.059
3	A	2	1	1.00	17	0.059
4	A	2	1	1.00	15	0.067
5	A	7	7	1.00	17	0.412
6	A	7	7	1.00	17	0.412
7	A	8	8	1.00	17	0.471
8	A	2	1	1.00	19	0.053
9	A	2	1	1.00	19	0.053
10	A	2	1	1.00	17	0.059
11	A	8	7	1.00	19	0.368
12	A	9	8	1.00	19	0.421
13	A	8	8	1.00	19	0.421
14	A	8	7	1.00	19	0.368
15	A	8	7	1.00	19	0.368
16	A	8	7	1.00	19	0.368
17	A	7	7	1.00	17	0.412
18	A	13	7	1.00	19	0.368
19	A	14	8	1.00	19	0.421
20	A	9	8	1.00	19	0.421
21	A	9	8	1.00	19	0.421
22	A	9	8	1.00	19	0.421
23	A	9	8	1.00	19	0.421
24	A	7	7	1.00	17	0.412
25	A	14	8	1.00	19	0.421
26	A	15	9	1.00	19	0.474

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
27	A	3	3	1.00	20	0.150
28	A	2	2	1.00	20	0.100
29	A	2	2	1.00	20	0.100
30	A	2	2	1.00	20	0.100
31	A	3	3	1.00	20	0.150
32	A	4	3	1.00	20	0.150
33	A	5	3	1.00	20	0.150
34	C	2	2	0.15	22	0.091
35	A	4	4	1.00	22	0.182
36	A	3	3	1.00	22	0.136
37	A	3	3	1.00	22	0.136
38	A	3	3	1.00	22	0.136
39	A	3	2	1.00	22	0.091
40	A	4	3	1.00	22	0.136
41	A	5	4	1.00	22	0.182
42	A	6	4	1.00	22	0.182
43	A	4	3	1.00	19	0.158
44	A	3	3	1.00	19	0.158
45	A	2	2	1.00	19	0.105
46	A	2	2	1.00	19	0.105
47	A	2	2	1.00	19	0.105
48	A	3	3	1.00	19	0.158
49	A	4	3	1.00	19	0.158
50	A	5	3	1.00	19	0.158
51	A	5	4	1.00	21	0.190
52	A	4	4	1.00	21	0.190
53	A	3	3	1.00	21	0.143
54	A	3	3	1.00	21	0.143
55	A	3	3	1.00	21	0.143
56	A	3	2	1.00	21	0.095
57	A	4	3	1.00	21	0.143
58	A	5	4	1.00	21	0.190
59	A	6	4	1.00	21	0.190
60	A	4	2	1.00	21	0.095

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
61	C	2	2	0.19	21	0.095
62	C	2	2	0.22	21	0.095
63	C	2	2	0.25	21	0.095
64	A	7	7	1.40	21	0.333
65	A	8	8	1.33	21	0.381
66	C	2	2	2.75	21	0.095
67	C	2	2	4.19	21	0.095
68	C	2	2	0.18	21	0.095
69	C	2	2	0.20	21	0.095
70	A	8	8	1.32	21	0.381
71	A	8	8	1.27	21	0.381
72	C	2	2	2.39	21	0.095
73	C	2	2	3.75	21	0.095
74	C	2	2	0.11	21	0.095
75	C	2	2	0.14	21	0.095
76	C	2	2	0.16	21	0.095
77	A	9	8	1.27	21	0.381
78	A	9	9	1.22	21	0.429
79	C	2	2	0.54	21	0.095
80	C	2	2	1.14	21	0.095
81	C	2	2	4.30	21	0.095
82	A	1	1	1.00	50	0.020
83	A	2	1	1.00	17	0.059
84	A	2	1	1.00	17	0.059
85	A	2	1	1.00	17	0.059
86	A	2	1	1.00	15	0.067
87	A	10	7	1.00	17	0.412
88	A	10	7	1.00	17	0.412
89	A	11	8	1.00	17	0.471
90	A	2	1	1.00	19	0.053
91	A	2	1	1.00	19	0.053
92	A	2	1	1.00	19	0.053
93	A	2	1	1.00	17	0.059
94	A	11	7	1.00	19	0.368

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
95	A	12	8	1.00	19	0.421
96	A	11	8	1.00	19	0.421
97	A	11	7	1.00	19	0.368
98	A	11	7	1.00	19	0.368
99	A	11	7	1.00	19	0.368
100	A	10	7	1.00	17	0.412
101	A	19	7	1.00	19	0.368
102	A	20	8	1.00	19	0.421
103	A	12	8	1.00	19	0.421
104	A	12	8	1.00	19	0.421
105	A	12	8	1.00	19	0.421
106	A	12	8	1.00	19	0.421
107	A	10	7	1.00	17	0.412
108	A	20	8	1.00	19	0.421
109	A	21	9	1.00	19	0.474
110	A	4	4	1.00	25	0.160
111	A	1	1	1.00	25	0.040
112	A	10	9	1.00	21	0.429
113	A	9	8	1.00	21	0.381
114	A	4	4	1.00	21	0.190
115	A	5	5	1.00	21	0.238
116	A	7	7	1.00	21	0.333
117	A	8	7	1.00	21	0.333
118	A	11	10	1.00	21	0.476
119	A	10	9	1.00	21	0.429
120	A	5	5	1.00	21	0.238
121	A	5	5	1.00	21	0.238
122	A	7	7	1.00	21	0.333
123	A	8	7	1.00	21	0.333
124	A	4	4	1.00	17	0.235
125	A	4	4	1.00	26	0.154
126	A	7	7	1.00	21	0.333
127	A	6	6	1.00	21	0.286
128	A	6	6	1.00	21	0.286

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
129	A	5	5	1.00	19	0.263
130	A	4	4	1.00	11	0.364
131	A	7	6	1.00	21	0.286
132	A	8	7	1.00	21	0.333
133	A	9	7	1.00	21	0.333
134	A	7	7	1.00	21	0.333
135	A	7	6	1.00	21	0.286
136	A	6	5	1.00	19	0.263
137	A	5	5	1.00	11	0.454
138	A	7	6	1.00	21	0.286
139	A	8	7	1.00	21	0.333
140	A	9	7	1.00	21	0.333
141	A	8	7	1.00	21	0.333
142	A	8	6	1.00	21	0.286
143	A	7	5	1.00	19	0.263
144	A	6	5	1.00	11	0.454
145	A	8	7	1.00	21	0.333
146	A	8	7	1.00	21	0.333
147	A	9	8	1.00	21	0.381
148	A	5	5	1.00	21	0.238
149	A	5	5	1.00	21	0.238
150	A	4	4	1.00	19	0.210
151	A	4	4	1.00	11	0.364
152	A	7	6	1.00	21	0.286
153	A	8	7	1.00	21	0.333
154	A	9	7	1.00	21	0.333
155	A	5	5	1.00	21	0.238
156	A	5	5	0.96	21	0.238
157	A	5	5	1.00	19	0.263
158	A	5	4	1.02	11	0.364
159	A	8	7	1.00	21	0.333
160	A	9	8	1.00	21	0.381
161	A	10	8	1.00	21	0.381
162	A	5	5	1.00	21	0.238

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
163	A	6	6	0.97	21	0.286
164	A	6	5	1.00	19	0.263
165	A	6	4	1.04	11	0.364
166	A	9	7	1.00	21	0.333
167	A	10	8	1.00	21	0.381
168	A	11	8	1.00	21	0.381
169	A	8	8	1.00	23	0.348
170	A	4	4	1.00	23	0.174
171	A	5	5	1.00	23	0.217
172	A	3	3	1.00	17	0.176
173	A	8	8	1.00	17	0.471
174	A	3	2	1.00	21	0.095
175	A	3	2	1.00	17	0.118
176	A	4	4	1.00	17	0.235
177	A	9	9	1.00	17	0.529
178	A	4	3	1.00	17	0.176
179	A	2	1	1.00	17	0.059
180	A	2	1	1.00	17	0.059
181	A	2	1	1.00	17	0.059
182	A	2	1	1.00	15	0.067
183	A	2	1	1.00	19	0.053
184	A	2	1	1.00	19	0.053
185	A	2	1	1.00	17	0.059
186	A	4	2	1.00	25	0.080
187	A	3	2	1.00	25	0.080
188	A	2	2	1.00	23	0.087
189	A	1	1	1.00	15	0.067
190	A	1	1	1.00	69	0.014
191	A	5	3	1.00	25	0.120
192	A	3	3	1.00	23	0.130
193	A	2	2	1.00	15	0.133
194	A	6	4	1.08	31	0.129
195	A	4	4	1.08	31	0.129
196	A	2	2	1.07	29	0.069

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
197	A	5	5	1.00	31	0.161
198	A	5	5	1.19	31	0.161
199	A	5	4	1.36	31	0.129
200	A	9	8	1.00	31	0.258
201	A	7	7	1.00	31	0.226
202	A	5	5	1.00	28	0.179
203	A	5	5	1.00	31	0.161
204	A	6	6	1.00	31	0.194
205	A	5	5	1.00	29	0.172
206	A	4	4	1.00	29	0.138
207	A	3	3	1.00	29	0.103
208	A	2	2	1.00	27	0.074
209	A	2	2	1.00	26	0.077
210	A	3	3	1.00	29	0.103
211	A	2	2	1.00	29	0.069
212	A	3	3	1.00	29	0.103
213	A	2	2	1.00	29	0.069
214	A	5	5	1.00	29	0.172
215	A	8	7	1.00	31	0.226
216	A	4	4	1.00	31	0.129
217	A	6	6	1.00	31	0.194
218	A	2	2	1.00	29	0.069
219	A	4	4	1.00	28	0.143
220	A	3	3	1.00	31	0.097
221	A	4	4	1.00	31	0.129
222	A	3	3	1.00	31	0.097
223	A	2	2	1.00	31	0.065
224	A	5	5	1.00	31	0.161
225	A	8	8	1.00	31	0.258
226	A	4	4	1.00	31	0.129
227	A	7	7	1.00	31	0.226
228	A	2	2	1.00	29	0.069
229	A	4	4	1.00	28	0.143
230	A	3	3	1.00	31	0.097

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
231	A	2	2	1.00	31	0.065
232	A	5	5	1.00	31	0.161
233	A	4	4	1.00	31	0.129
234	A	7	7	1.00	31	0.226
235	A	3	3	1.00	31	0.097
236	A	1	1	1.00	57	0.018
237	A	3	3	1.00	32	0.094
238	A	4	4	1.00	41	0.098
239	A	2	2	1.08	76	0.026

Chapter 3

Listing of integrals

Local contents

3.1	$\int (a + bx^3)(c + dx^3)^4 dx$	105
3.2	$\int (a + bx^3)(c + dx^3)^3 dx$	108
3.3	$\int (a + bx^3)(c + dx^3)^2 dx$	111
3.4	$\int (a + bx^3)(c + dx^3) dx$	114
3.5	$\int \frac{a+bx^3}{c+dx^3} dx$	117
3.6	$\int \frac{a+bx^3}{(c+dx^3)^2} dx$	122
3.7	$\int \frac{a+bx^3}{(c+dx^3)^3} dx$	128
3.8	$\int (a + bx^3)^2 (c + dx^3)^3 dx$	134
3.9	$\int (a + bx^3)^2 (c + dx^3)^2 dx$	137
3.10	$\int (a + bx^3)^2 (c + dx^3) dx$	140
3.11	$\int \frac{(a+bx^3)^2}{c+dx^3} dx$	143
3.12	$\int \frac{(a+bx^3)^2}{(c+dx^3)^2} dx$	149
3.13	$\int \frac{(a+bx^3)^2}{(c+dx^3)^3} dx$	155
3.14	$\int \frac{(c+dx^3)^4}{a+bx^3} dx$	161
3.15	$\int \frac{(c+dx^3)^3}{a+bx^3} dx$	167

3.16	$\int \frac{(c+dx^3)^2}{a+bx^3} dx$	173
3.17	$\int \frac{c+dx^3}{a+bx^3} dx$	179
3.18	$\int \frac{1}{(a+bx^3)(c+dx^3)} dx$	184
3.19	$\int \frac{1}{(a+bx^3)(c+dx^3)^2} dx$	190
3.20	$\int \frac{(c+dx^3)^5}{(a+bx^3)^2} dx$	197
3.21	$\int \frac{(c+dx^3)^4}{(a+bx^3)^2} dx$	204
3.22	$\int \frac{(c+dx^3)^3}{(a+bx^3)^2} dx$	211
3.23	$\int \frac{(c+dx^3)^2}{(a+bx^3)^2} dx$	217
3.24	$\int \frac{c+dx^3}{(a+bx^3)^2} dx$	223
3.25	$\int \frac{1}{(a+bx^3)^2(c+dx^3)} dx$	229
3.26	$\int \frac{1}{(a+bx^3)^2(c+dx^3)^2} dx$	236
3.27	$\int (a-bx^3)(a+bx^3)^{2/3} dx$	244
3.28	$\int \frac{a-bx^3}{\sqrt[3]{a+bx^3}} dx$	248
3.29	$\int \frac{a-bx^3}{(a+bx^3)^{4/3}} dx$	252
3.30	$\int \frac{a-bx^3}{(a+bx^3)^{7/3}} dx$	256
3.31	$\int \frac{a-bx^3}{(a+bx^3)^{10/3}} dx$	260
3.32	$\int \frac{a-bx^3}{(a+bx^3)^{13/3}} dx$	264
3.33	$\int \frac{a-bx^3}{(a+bx^3)^{16/3}} dx$	268
3.34	$\int \frac{\sqrt[3]{a+bx^3}}{a-bx^3} dx$	272
3.35	$\int (a-bx^3)^2 (a+bx^3)^{2/3} dx$	276
3.36	$\int \frac{(a-bx^3)^2}{\sqrt[3]{a+bx^3}} dx$	281
3.37	$\int \frac{(a-bx^3)^2}{(a+bx^3)^{4/3}} dx$	286

3.38	$\int \frac{(a-bx^3)^2}{(a+bx^3)^{7/3}} dx$	290
3.39	$\int \frac{(a-bx^3)^2}{(a+bx^3)^{10/3}} dx$	295
3.40	$\int \frac{(a-bx^3)^2}{(a+bx^3)^{13/3}} dx$	299
3.41	$\int \frac{(a-bx^3)^2}{(a+bx^3)^{16/3}} dx$	303
3.42	$\int \frac{(a-bx^3)^2}{(a+bx^3)^{19/3}} dx$	307
3.43	$\int (a+bx^3)^{5/3} (c+dx^3) dx$	311
3.44	$\int (a+bx^3)^{2/3} (c+dx^3) dx$	316
3.45	$\int \frac{c+dx^3}{\sqrt[3]{a+bx^3}} dx$	320
3.46	$\int \frac{c+dx^3}{(a+bx^3)^{4/3}} dx$	324
3.47	$\int \frac{c+dx^3}{(a+bx^3)^{7/3}} dx$	328
3.48	$\int \frac{c+dx^3}{(a+bx^3)^{10/3}} dx$	332
3.49	$\int \frac{c+dx^3}{(a+bx^3)^{13/3}} dx$	336
3.50	$\int \frac{c+dx^3}{(a+bx^3)^{16/3}} dx$	340
3.51	$\int (a+bx^3)^{5/3} (c+dx^3)^2 dx$	344
3.52	$\int (a+bx^3)^{2/3} (c+dx^3)^2 dx$	349
3.53	$\int \frac{(c+dx^3)^2}{\sqrt[3]{a+bx^3}} dx$	354
3.54	$\int \frac{(c+dx^3)^2}{(a+bx^3)^{4/3}} dx$	359
3.55	$\int \frac{(c+dx^3)^2}{(a+bx^3)^{7/3}} dx$	364
3.56	$\int \frac{(c+dx^3)^2}{(a+bx^3)^{10/3}} dx$	369
3.57	$\int \frac{(c+dx^3)^2}{(a+bx^3)^{13/3}} dx$	373

3.58	$\int \frac{(c+dx^3)^2}{(a+bx^3)^{16/3}} dx$	377
3.59	$\int \frac{(c+dx^3)^2}{(a+bx^3)^{19/3}} dx$	382
3.60	$\int \frac{(a+bx^3)^3}{(c+dx^3)^{13/3}} dx$	387
3.61	$\int \frac{(a+bx^3)^{8/3}}{c+dx^3} dx$	391
3.62	$\int \frac{(a+bx^3)^{5/3}}{c+dx^3} dx$	395
3.63	$\int \frac{(a+bx^3)^{2/3}}{c+dx^3} dx$	399
3.64	$\int \frac{1}{\sqrt[3]{a+bx^3}(c+dx^3)} dx$	403
3.65	$\int \frac{1}{(a+bx^3)^{4/3}(c+dx^3)} dx$	408
3.66	$\int \frac{1}{(a+bx^3)^{7/3}(c+dx^3)} dx$	413
3.67	$\int \frac{1}{(a+bx^3)^{10/3}(c+dx^3)} dx$	417
3.68	$\int \frac{(a+bx^3)^{8/3}}{(c+dx^3)^2} dx$	421
3.69	$\int \frac{(a+bx^3)^{5/3}}{(c+dx^3)^2} dx$	426
3.70	$\int \frac{(a+bx^3)^{2/3}}{(c+dx^3)^2} dx$	430
3.71	$\int \frac{1}{\sqrt[3]{a+bx^3}(c+dx^3)^2} dx$	435
3.72	$\int \frac{1}{(a+bx^3)^{4/3}(c+dx^3)^2} dx$	440
3.73	$\int \frac{1}{(a+bx^3)^{7/3}(c+dx^3)^2} dx$	444
3.74	$\int \frac{(a+bx^3)^{14/3}}{(c+dx^3)^3} dx$	448
3.75	$\int \frac{(a+bx^3)^{11/3}}{(c+dx^3)^3} dx$	453
3.76	$\int \frac{(a+bx^3)^{8/3}}{(c+dx^3)^3} dx$	458
3.77	$\int \frac{(a+bx^3)^{5/3}}{(c+dx^3)^3} dx$	463

3.78	$\int \frac{(a+bx^3)^{2/3}}{(c+dx^3)^3} dx$	468
3.79	$\int \frac{1}{\sqrt[3]{a+bx^3}(c+dx^3)^3} dx$	473
3.80	$\int \frac{1}{(a+bx^3)^{4/3}(c+dx^3)^3} dx$	477
3.81	$\int \frac{1}{(a+bx^3)^{7/3}(c+dx^3)^3} dx$	481
3.82	$\int (a+bx^3)^{-1-\frac{bc}{3bc-3ad}} (c+dx^3)^{-1+\frac{ad}{3bc-3ad}} dx$	486
3.83	$\int (a+bx^4)(c+dx^4)^4 dx$	489
3.84	$\int (a+bx^4)(c+dx^4)^3 dx$	492
3.85	$\int (a+bx^4)(c+dx^4)^2 dx$	495
3.86	$\int (a+bx^4)(c+dx^4) dx$	498
3.87	$\int \frac{a+bx^4}{c+dx^4} dx$	501
3.88	$\int \frac{a+bx^4}{(c+dx^4)^2} dx$	507
3.89	$\int \frac{a+bx^4}{(c+dx^4)^3} dx$	513
3.90	$\int (a+bx^4)^2 (c+dx^4)^4 dx$	519
3.91	$\int (a+bx^4)^2 (c+dx^4)^3 dx$	522
3.92	$\int (a+bx^4)^2 (c+dx^4)^2 dx$	525
3.93	$\int (a+bx^4)^2 (c+dx^4) dx$	528
3.94	$\int \frac{(a+bx^4)^2}{c+dx^4} dx$	531
3.95	$\int \frac{(a+bx^4)^2}{(c+dx^4)^2} dx$	538
3.96	$\int \frac{(a+bx^4)^2}{(c+dx^4)^3} dx$	545
3.97	$\int \frac{(c+dx^4)^4}{a+bx^4} dx$	552
3.98	$\int \frac{(c+dx^4)^3}{a+bx^4} dx$	560
3.99	$\int \frac{(c+dx^4)^2}{a+bx^4} dx$	567
3.100	$\int \frac{c+dx^4}{a+bx^4} dx$	574
3.101	$\int \frac{1}{(a+bx^4)(c+dx^4)} dx$	580

3.102	$\int \frac{1}{(a+bx^4)(c+dx^4)^2} dx$	589
3.103	$\int \frac{(c+dx^4)^5}{(a+bx^4)^2} dx$	608
3.104	$\int \frac{(c+dx^4)^4}{(a+bx^4)^2} dx$	617
3.105	$\int \frac{(c+dx^4)^3}{(a+bx^4)^2} dx$	626
3.106	$\int \frac{(c+dx^4)^2}{(a+bx^4)^2} dx$	634
3.107	$\int \frac{c+dx^4}{(a+bx^4)^2} dx$	641
3.108	$\int \frac{1}{(a+bx^4)^2(c+dx^4)} dx$	647
3.109	$\int \frac{1}{(a+bx^4)^2(c+dx^4)^2} dx$	666
3.110	$\int \frac{\sqrt{a+bx^4}}{ac-bcx^4} dx$	694
3.111	$\int \frac{\sqrt{a-bx^4}}{ac+bcx^4} dx$	698
3.112	$\int \frac{(a+bx^4)^{7/4}}{c+dx^4} dx$	702
3.113	$\int \frac{(a+bx^4)^{3/4}}{c+dx^4} dx$	708
3.114	$\int \frac{1}{\sqrt[4]{a+bx^4}(c+dx^4)} dx$	713
3.115	$\int \frac{1}{(a+bx^4)^{5/4}(c+dx^4)} dx$	717
3.116	$\int \frac{1}{(a+bx^4)^{9/4}(c+dx^4)} dx$	721
3.117	$\int \frac{1}{(a+bx^4)^{13/4}(c+dx^4)} dx$	726
3.118	$\int \frac{(a+bx^4)^{11/4}}{(c+dx^4)^2} dx$	731
3.119	$\int \frac{(a+bx^4)^{7/4}}{(c+dx^4)^2} dx$	738
3.120	$\int \frac{(a+bx^4)^{3/4}}{(c+dx^4)^2} dx$	744
3.121	$\int \frac{1}{\sqrt[4]{a+bx^4}(c+dx^4)^2} dx$	748
3.122	$\int \frac{1}{(a+bx^4)^{5/4}(c+dx^4)^2} dx$	752

3.123	$\int \frac{1}{(a+bx^4)^{9/4}(c+dx^4)^2} dx$	757
3.124	$\int \frac{1}{\sqrt[4]{1+x^4}(2+x^4)} dx$	763
3.125	$\int \frac{1}{(a-(a-b)x^4)\sqrt[4]{a+bx^4}} dx$	767
3.126	$\int \frac{1}{\sqrt[5]{a+bx^5}(c+dx^5)} dx$	771
3.127	$\int \sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^3 dx$	776
3.128	$\int \sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2 dx$	782
3.129	$\int \sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right) dx$	788
3.130	$\int \sqrt{a + \frac{b}{x}} dx$	793
3.131	$\int \frac{\sqrt{a + \frac{b}{x}}}{c + \frac{d}{x}} dx$	797
3.132	$\int \frac{\sqrt{a + \frac{b}{x}}}{\left(c + \frac{d}{x}\right)^2} dx$	802
3.133	$\int \frac{\sqrt{a + \frac{b}{x}}}{\left(c + \frac{d}{x}\right)^3} dx$	809
3.134	$\int \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^3 dx$	817
3.135	$\int \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2 dx$	824
3.136	$\int \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right) dx$	830
3.137	$\int \left(a + \frac{b}{x}\right)^{3/2} dx$	835
3.138	$\int \frac{\left(a + \frac{b}{x}\right)^{3/2}}{c + \frac{d}{x}} dx$	840
3.139	$\int \frac{\left(a + \frac{b}{x}\right)^{3/2}}{\left(c + \frac{d}{x}\right)^2} dx$	846
3.140	$\int \frac{\left(a + \frac{b}{x}\right)^{3/2}}{\left(c + \frac{d}{x}\right)^3} dx$	852
3.141	$\int \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^3 dx$	860
3.142	$\int \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^2 dx$	869

3.143	$\int \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right) dx$	876
3.144	$\int \left(a + \frac{b}{x}\right)^{5/2} dx$	881
3.145	$\int \frac{\left(a + \frac{b}{x}\right)^{5/2}}{c + \frac{d}{x}} dx$	886
3.146	$\int \frac{\left(a + \frac{b}{x}\right)^{5/2}}{\left(c + \frac{d}{x}\right)^2} dx$	892
3.147	$\int \frac{\left(a + \frac{b}{x}\right)^{5/2}}{\left(c + \frac{d}{x}\right)^3} dx$	899
3.148	$\int \frac{\left(c + \frac{d}{x}\right)^3}{\sqrt{a + \frac{b}{x}}} dx$	907
3.149	$\int \frac{\left(c + \frac{d}{x}\right)^2}{\sqrt{a + \frac{b}{x}}} dx$	913
3.150	$\int \frac{c + \frac{d}{x}}{\sqrt{a + \frac{b}{x}}} dx$	918
3.151	$\int \frac{1}{\sqrt{a + \frac{b}{x}}} dx$	923
3.152	$\int \frac{1}{\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} dx$	927
3.153	$\int \frac{1}{\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2} dx$	933
3.154	$\int \frac{1}{\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^3} dx$	941
3.155	$\int \frac{\left(c + \frac{d}{x}\right)^3}{\left(a + \frac{b}{x}\right)^{3/2}} dx$	950
3.156	$\int \frac{\left(c + \frac{d}{x}\right)^2}{\left(a + \frac{b}{x}\right)^{3/2}} dx$	956
3.157	$\int \frac{c + \frac{d}{x}}{\left(a + \frac{b}{x}\right)^{3/2}} dx$	962
3.158	$\int \frac{1}{\left(a + \frac{b}{x}\right)^{3/2}} dx$	967
3.159	$\int \frac{1}{\left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)} dx$	972

3.160	$\int \frac{1}{\left(a+\frac{b}{x}\right)^{3/2}\left(c+\frac{d}{x}\right)^2} dx$	980
3.161	$\int \frac{1}{\left(a+\frac{b}{x}\right)^{3/2}\left(c+\frac{d}{x}\right)^3} dx$	990
3.162	$\int \frac{\left(c+\frac{d}{x}\right)^3}{\left(a+\frac{b}{x}\right)^{5/2}} dx$	1003
3.163	$\int \frac{\left(c+\frac{d}{x}\right)^2}{\left(a+\frac{b}{x}\right)^{5/2}} dx$	1009
3.164	$\int \frac{c+\frac{d}{x}}{\left(a+\frac{b}{x}\right)^{5/2}} dx$	1015
3.165	$\int \frac{1}{\left(a+\frac{b}{x}\right)^{5/2}} dx$	1022
3.166	$\int \frac{1}{\left(a+\frac{b}{x}\right)^{5/2}\left(c+\frac{d}{x}\right)} dx$	1027
3.167	$\int \frac{1}{\left(a+\frac{b}{x}\right)^{5/2}\left(c+\frac{d}{x}\right)^2} dx$	1037
3.168	$\int \frac{1}{\left(a+\frac{b}{x}\right)^{5/2}\left(c+\frac{d}{x}\right)^3} dx$	1050
3.169	$\int \sqrt{a+\frac{b}{x}} \sqrt{c+\frac{d}{x}} dx$	1062
3.170	$\int \frac{\sqrt{a+\frac{b}{x}}}{\sqrt{c+\frac{d}{x}}} dx$	1070
3.171	$\int \frac{\sqrt{a+\frac{b}{x}}}{\left(c+\frac{d}{x}\right)^{3/2}} dx$	1075
3.172	$\int \frac{a+\frac{b}{x^2}}{c+\frac{d}{x^2}} dx$	1080
3.173	$\int \frac{a+\frac{b}{x^3}}{c+\frac{d}{x^3}} dx$	1084
3.174	$\int \frac{a+b\sqrt{x}}{c+d\sqrt{x}} dx$	1090
3.175	$\int \frac{-1+\sqrt[3]{x}}{1+\sqrt[3]{x}} dx$	1094
3.176	$\int \frac{1+x^{2/3}}{-1+x^{2/3}} dx$	1097
3.177	$\int \frac{-16+x^{3/4}}{16+x^{3/4}} dx$	1100

3.178	$\int \frac{1+\frac{1}{\sqrt[3]{x}}}{-1+\frac{1}{\sqrt[3]{x}}} dx$.1105
3.179	$\int (a+bx^n)(c+dx^n)^4 dx$.1108
3.180	$\int (a+bx^n)(c+dx^n)^3 dx$.1113
3.181	$\int (a+bx^n)(c+dx^n)^2 dx$.1117
3.182	$\int (a+bx^n)(c+dx^n) dx$.1121
3.183	$\int (a+bx^n)^2 (d+ex^n)^3 dx$.1124
3.184	$\int (a+bx^n)^2 (d+ex^n)^2 dx$.1128
3.185	$\int (a+bx^n)^2 (c+dx^n) dx$.1133
3.186	$\int (a+bx^n)^3 (c+dx^n)^{-4-\frac{1}{n}} dx$.1137
3.187	$\int (a+bx^n)^2 (c+dx^n)^{-3-\frac{1}{n}} dx$.1141
3.188	$\int (a+bx^n)(c+dx^n)^{-2-\frac{1}{n}} dx$.1145
3.189	$\int (c+dx^n)^{-1-\frac{1}{n}} dx$.1148
3.190	$\int (a+bx^n)^{\frac{adn-bc(1+n)}{(bc-ad)n}} (c+dx^n)^{\frac{ad-bcn+adn}{bcn-adn}} dx$.1151
3.191	$\int (a+bx^n)^2 (c+dx^n)^{-4-\frac{1}{n}} dx$.1154
3.192	$\int (a+bx^n)(c+dx^n)^{-3-\frac{1}{n}} dx$.1158
3.193	$\int (c+dx^n)^{-2-\frac{1}{n}} dx$.1162
3.194	$\int x^5 \sqrt{-c+dx} \sqrt{c+dx} (a+bx^2) dx$.1165
3.195	$\int x^3 \sqrt{-c+dx} \sqrt{c+dx} (a+bx^2) dx$.1170
3.196	$\int x \sqrt{-c+dx} \sqrt{c+dx} (a+bx^2) dx$.1174
3.197	$\int \frac{\sqrt{-c+dx} \sqrt{c+dx} (a+bx^2)}{x} dx$.1178
3.198	$\int \frac{\sqrt{-c+dx} \sqrt{c+dx} (a+bx^2)}{x^3} dx$.1182
3.199	$\int \frac{\sqrt{-c+dx} \sqrt{c+dx} (a+bx^2)}{x^5} dx$.1187
3.200	$\int x^4 \sqrt{-c+dx} \sqrt{c+dx} (a+bx^2) dx$.1192
3.201	$\int x^2 \sqrt{-c+dx} \sqrt{c+dx} (a+bx^2) dx$.1199
3.202	$\int \sqrt{-c+dx} \sqrt{c+dx} (a+bx^2) dx$.1205
3.203	$\int \frac{\sqrt{-c+dx} \sqrt{c+dx} (a+bx^2)}{x^2} dx$.1210
3.204	$\int \frac{\sqrt{-c+dx} \sqrt{c+dx} (a+bx^2)}{x^4} dx$.1215
3.205	$\int \frac{x^4 (a+bx^2)}{\sqrt{-1+cx} \sqrt{1+cx}} dx$.1220
3.206	$\int \frac{x^3 (a+bx^2)}{\sqrt{-1+cx} \sqrt{1+cx}} dx$.1225

3.207	$\int \frac{x^2(a+bx^2)}{\sqrt{-1+cx} \sqrt{1+cx}} dx$	1229
3.208	$\int \frac{x(a+bx^2)}{\sqrt{-1+cx} \sqrt{1+cx}} dx$	1233
3.209	$\int \frac{a+bx^2}{\sqrt{-1+cx} \sqrt{1+cx}} dx$	1237
3.210	$\int \frac{a+bx^2}{x\sqrt{-1+cx} \sqrt{1+cx}} dx$	1241
3.211	$\int \frac{a+bx^2}{x^2\sqrt{-1+cx} \sqrt{1+cx}} dx$	1245
3.212	$\int \frac{a+bx^2}{x^3\sqrt{-1+cx} \sqrt{1+cx}} dx$	1249
3.213	$\int \frac{a+bx^2}{x^4\sqrt{-1+cx} \sqrt{1+cx}} dx$	1253
3.214	$\int \frac{a+bx^2}{x^5\sqrt{-1+cx} \sqrt{1+cx}} dx$	1257
3.215	$\int \frac{x^4(a+bx^2)}{\sqrt{-c+dx} \sqrt{c+dx}} dx$	1262
3.216	$\int \frac{x^3(a+bx^2)}{\sqrt{-c+dx} \sqrt{c+dx}} dx$	1268
3.217	$\int \frac{x^2(a+bx^2)}{\sqrt{-c+dx} \sqrt{c+dx}} dx$	1272
3.218	$\int \frac{x(a+bx^2)}{\sqrt{-c+dx} \sqrt{c+dx}} dx$	1277
3.219	$\int \frac{a+bx^2}{\sqrt{-c+dx} \sqrt{c+dx}} dx$	1281
3.220	$\int \frac{a+bx^2}{x\sqrt{-c+dx} \sqrt{c+dx}} dx$	1285
3.221	$\int \frac{a+bx^2}{x^2\sqrt{-c+dx} \sqrt{c+dx}} dx$	1289
3.222	$\int \frac{a+bx^2}{x^3\sqrt{-c+dx} \sqrt{c+dx}} dx$	1293
3.223	$\int \frac{a+bx^2}{x^4\sqrt{-c+dx} \sqrt{c+dx}} dx$	1297
3.224	$\int \frac{a+bx^2}{x^5\sqrt{-c+dx} \sqrt{c+dx}} dx$	1301
3.225	$\int \frac{x^4(a+bx^2)}{(-c+dx)^{3/2}(c+dx)^{3/2}} dx$	1306
3.226	$\int \frac{x^3(a+bx^2)}{(-c+dx)^{3/2}(c+dx)^{3/2}} dx$	1311
3.227	$\int \frac{x^2(a+bx^2)}{(-c+dx)^{3/2}(c+dx)^{3/2}} dx$	1316
3.228	$\int \frac{x(a+bx^2)}{(-c+dx)^{3/2}(c+dx)^{3/2}} dx$	1321
3.229	$\int \frac{a+bx^2}{(-c+dx)^{3/2}(c+dx)^{3/2}} dx$	1325
3.230	$\int \frac{a+bx^2}{x(-c+dx)^{3/2}(c+dx)^{3/2}} dx$	1329
3.231	$\int \frac{a+bx^2}{x^2(-c+dx)^{3/2}(c+dx)^{3/2}} dx$	1333

- 3.232 $\int \frac{a+bx^2}{x^3(-c+dx)^{3/2}(c+dx)^{3/2}} dx \dots\dots\dots .1337$
- 3.233 $\int \frac{a+bx^2}{x^4(-c+dx)^{3/2}(c+dx)^{3/2}} dx \dots\dots\dots .1342$
- 3.234 $\int \frac{a+bx^2}{x^5(-c+dx)^{3/2}(c+dx)^{3/2}} dx \dots\dots\dots .1346$
- 3.235 $\int \frac{1+c^2x^2}{x\sqrt{-1+cx}\sqrt{1+cx}} dx \dots\dots\dots .1351$
- 3.236 $\int \frac{x \frac{-2b^2c+a^2d}{b^2c+a^2d} (c+dx^2)}{\sqrt{-a+bx}\sqrt{a+bx}} dx \dots\dots\dots .1355$
- 3.237 $\int \frac{1}{\sqrt{-1-\sqrt{x}}\sqrt{-1+\sqrt{x}}\sqrt{1+x}} dx \dots\dots\dots .1359$
- 3.238 $\int \frac{1}{\sqrt{a-b\sqrt{x}}\sqrt{a+b\sqrt{x}}\sqrt{a^2+b^2x}} dx \dots\dots\dots .1363$
- 3.239 $\int (a - bx^{n/2})^p (a + bx^{n/2})^p \left(\frac{a^2d(1+p)}{b^2\left(1+\frac{-1-2n-np}{n}\right)} + dx^n \right)^{\frac{-1-2n-np}{n}} dx \dots\dots\dots .1367$

$$3.1 \quad \int (a + bx^3)(c + dx^3)^4 dx$$

Optimal. Leaf size=94

$$\frac{1}{4}c^3x^4(4ad + bc) + \frac{2}{7}c^2dx^7(3ad + 2bc) + \frac{1}{13}d^3x^{13}(ad + 4bc) + \frac{1}{5}cd^2x^{10}(2ad + 3bc) + ac^4x + \frac{1}{16}bd^4x^{16}$$

Rubi [A] time = 0.07, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {373}

$$\frac{2}{7}c^2dx^7(3ad + 2bc) + \frac{1}{4}c^3x^4(4ad + bc) + \frac{1}{13}d^3x^{13}(ad + 4bc) + \frac{1}{5}cd^2x^{10}(2ad + 3bc) + ac^4x + \frac{1}{16}bd^4x^{16}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)*(c + d*x^3)^4, x]

[Out] a*c^4*x + (c^3*(b*c + 4*a*d)*x^4)/4 + (2*c^2*d*(2*b*c + 3*a*d)*x^7)/7 + (c*d^2*(3*b*c + 2*a*d)*x^10)/5 + (d^3*(4*b*c + a*d)*x^13)/13 + (b*d^4*x^16)/16

Rule 373

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^3)(c + dx^3)^4 dx &= \int (ac^4 + c^3(bc + 4ad)x^3 + 2c^2d(2bc + 3ad)x^6 + 2cd^2(3bc + 2ad)x^9 + d^3(4bc + ad)x^{12} + bd^4x^{15}) dx \\ &= ac^4x + \frac{1}{4}c^3(bc + 4ad)x^4 + \frac{2}{7}c^2d(2bc + 3ad)x^7 + \frac{1}{5}cd^2(3bc + 2ad)x^{10} + \frac{1}{13}d^3(4bc + ad)x^{13} + \frac{1}{16}bd^4x^{16} \end{aligned}$$

Mathematica [A] time = 0.05, size = 94, normalized size = 1.00

$$\frac{1}{4}c^3x^4(4ad + bc) + \frac{2}{7}c^2dx^7(3ad + 2bc) + \frac{1}{13}d^3x^{13}(ad + 4bc) + \frac{1}{5}cd^2x^{10}(2ad + 3bc) + ac^4x + \frac{1}{16}bd^4x^{16}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)*(c + d*x^3)^4, x]

[Out] $a*c^4*x + (c^3*(b*c + 4*a*d)*x^4)/4 + (2*c^2*d*(2*b*c + 3*a*d)*x^7)/7 + (c*d^2*(3*b*c + 2*a*d)*x^{10})/5 + (d^3*(4*b*c + a*d)*x^{13})/13 + (b*d^4*x^{16})/16$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^3)(c + dx^3)^4 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)*(c + d*x^3)^4,x]

[Out] IntegrateAlgebraic[(a + b*x^3)*(c + d*x^3)^4, x]

fricas [A] time = 0.93, size = 97, normalized size = 1.03

$$\frac{1}{16}x^{16}d^4b + \frac{4}{13}x^{13}d^3cb + \frac{1}{13}x^{13}d^4a + \frac{3}{5}x^{10}d^2c^2b + \frac{2}{5}x^{10}d^3ca + \frac{4}{7}x^7dc^3b + \frac{6}{7}x^7d^2c^2a + \frac{1}{4}x^4c^4b + x^4dc^3a + xc^4a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(d*x^3+c)^4,x, algorithm="fricas")

[Out] $1/16*x^{16}*d^4*b + 4/13*x^{13}*d^3*c*b + 1/13*x^{13}*d^4*a + 3/5*x^{10}*d^2*c^2*b + 2/5*x^{10}*d^3*c*a + 4/7*x^7*d*c^3*b + 6/7*x^7*d^2*c^2*a + 1/4*x^4*c^4*b + x^4*d*c^3*a + x*c^4*a$

giac [A] time = 0.17, size = 97, normalized size = 1.03

$$\frac{1}{16}bd^4x^{16} + \frac{4}{13}bcd^3x^{13} + \frac{1}{13}ad^4x^{13} + \frac{3}{5}bc^2d^2x^{10} + \frac{2}{5}acd^3x^{10} + \frac{4}{7}bc^3dx^7 + \frac{6}{7}ac^2d^2x^7 + \frac{1}{4}bc^4x^4 + ac^3dx^4 + ac^4x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(d*x^3+c)^4,x, algorithm="giac")

[Out] $1/16*b*d^4*x^{16} + 4/13*b*c*d^3*x^{13} + 1/13*a*d^4*x^{13} + 3/5*b*c^2*d^2*x^{10} + 2/5*a*c*d^3*x^{10} + 4/7*b*c^3*d*x^7 + 6/7*a*c^2*d^2*x^7 + 1/4*b*c^4*x^4 + a*c^3*d*x^4 + a*c^4*x$

maple [A] time = 0.04, size = 97, normalized size = 1.03

$$\frac{bd^4x^{16}}{16} + \frac{(ad^4 + 4bcd^3)x^{13}}{13} + \frac{(4acd^3 + 6c^2d^2b)x^{10}}{10} + \frac{(6ac^2d^2 + 4c^3db)x^7}{7} + ac^4x + \frac{(4ac^3d + bc^4)x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(d*x^3+c)^4,x)

[Out] $1/16*b*d^4*x^{16}+1/13*(a*d^4+4*b*c*d^3)*x^{13}+1/10*(4*a*c*d^3+6*b*c^2*d^2)*x^{10}+1/7*(6*a*c^2*d^2+4*b*c^3*d)*x^7+1/4*(4*a*c^3*d+b*c^4)*x^4+a*c^4*x$

maxima [A] time = 0.47, size = 96, normalized size = 1.02

$$\frac{1}{16}bd^4x^{16} + \frac{1}{13}(4bcd^3 + ad^4)x^{13} + \frac{1}{5}(3bc^2d^2 + 2acd^3)x^{10} + \frac{2}{7}(2bc^3d + 3ac^2d^2)x^7 + ac^4x + \frac{1}{4}(bc^4 + 4ac^3d)x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)*(d*x^3+c)^4,x, algorithm="maxima")`

[Out] $1/16*b*d^4*x^{16} + 1/13*(4*b*c*d^3 + a*d^4)*x^{13} + 1/5*(3*b*c^2*d^2 + 2*a*c*d^3)*x^{10} + 2/7*(2*b*c^3*d + 3*a*c^2*d^2)*x^7 + a*c^4*x + 1/4*(b*c^4 + 4*a*c^3*d)*x^4$

mupad [B] time = 0.05, size = 87, normalized size = 0.93

$$x^4 \left(\frac{bc^4}{4} + adc^3 \right) + x^{13} \left(\frac{ad^4}{13} + \frac{4bcd^3}{13} \right) + \frac{bd^4x^{16}}{16} + ac^4x + \frac{2c^2dx^7(3ad+2bc)}{7} + \frac{cd^2x^{10}(2ad+3bc)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)*(c + d*x^3)^4,x)`

[Out] $x^4*((b*c^4)/4 + a*c^3*d) + x^{13}*((a*d^4)/13 + (4*b*c*d^3)/13) + (b*d^4*x^{16})/16 + a*c^4*x + (2*c^2*d*x^7*(3*a*d + 2*b*c))/7 + (c*d^2*x^{10}*(2*a*d + 3*b*c))/5$

sympy [A] time = 0.13, size = 104, normalized size = 1.11

$$ac^4x + \frac{bd^4x^{16}}{16} + x^{13} \left(\frac{ad^4}{13} + \frac{4bcd^3}{13} \right) + x^{10} \left(\frac{2acd^3}{5} + \frac{3bc^2d^2}{5} \right) + x^7 \left(\frac{6ac^2d^2}{7} + \frac{4bc^3d}{7} \right) + x^4 \left(ac^3d + \frac{bc^4}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)*(d*x**3+c)**4,x)`

[Out] $a*c**4*x + b*d**4*x**16/16 + x**13*(a*d**4/13 + 4*b*c*d**3/13) + x**10*(2*a*c*d**3/5 + 3*b*c**2*d**2/5) + x**7*(6*a*c**2*d**2/7 + 4*b*c**3*d/7) + x**4*(a*c**3*d + b*c**4/4)$

$$3.2 \quad \int (a + bx^3)(c + dx^3)^3 dx$$

Optimal. Leaf size=70

$$\frac{1}{4}c^2x^4(3ad + bc) + \frac{1}{10}d^2x^{10}(ad + 3bc) + \frac{3}{7}cdx^7(ad + bc) + ac^3x + \frac{1}{13}bd^3x^{13}$$

Rubi [A] time = 0.04, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {373}

$$\frac{1}{4}c^2x^4(3ad + bc) + \frac{1}{10}d^2x^{10}(ad + 3bc) + \frac{3}{7}cdx^7(ad + bc) + ac^3x + \frac{1}{13}bd^3x^{13}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)*(c + d*x^3)^3,x]

[Out] a*c^3*x + (c^2*(b*c + 3*a*d)*x^4)/4 + (3*c*d*(b*c + a*d)*x^7)/7 + (d^2*(3*b*c + a*d)*x^10)/10 + (b*d^3*x^13)/13

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^3)(c + dx^3)^3 dx &= \int (ac^3 + c^2(bc + 3ad)x^3 + 3cd(bc + ad)x^6 + d^2(3bc + ad)x^9 + bd^3x^{12}) dx \\ &= ac^3x + \frac{1}{4}c^2(bc + 3ad)x^4 + \frac{3}{7}cd(bc + ad)x^7 + \frac{1}{10}d^2(3bc + ad)x^{10} + \frac{1}{13}bd^3x^{13} \end{aligned}$$

Mathematica [A] time = 0.01, size = 70, normalized size = 1.00

$$\frac{1}{4}c^2x^4(3ad + bc) + \frac{1}{10}d^2x^{10}(ad + 3bc) + \frac{3}{7}cdx^7(ad + bc) + ac^3x + \frac{1}{13}bd^3x^{13}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)*(c + d*x^3)^3,x]

[Out] $a*c^3*x + (c^2*(b*c + 3*a*d)*x^4)/4 + (3*c*d*(b*c + a*d)*x^7)/7 + (d^2*(3*b*c + a*d)*x^{10})/10 + (b*d^3*x^{13})/13$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^3)(c + dx^3)^3 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)*(c + d*x^3)^3,x]

[Out] IntegrateAlgebraic[(a + b*x^3)*(c + d*x^3)^3, x]

fricas [A] time = 0.85, size = 74, normalized size = 1.06

$$\frac{1}{13}x^{13}d^3b + \frac{3}{10}x^{10}d^2cb + \frac{1}{10}x^{10}d^3a + \frac{3}{7}x^7dc^2b + \frac{3}{7}x^7d^2ca + \frac{1}{4}x^4c^3b + \frac{3}{4}x^4dc^2a + xc^3a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(d*x^3+c)^3,x, algorithm="fricas")

[Out] $1/13*x^{13}*d^3*b + 3/10*x^{10}*d^2*c*b + 1/10*x^{10}*d^3*a + 3/7*x^7*d*c^2*b + 3/7*x^7*d^2*c*a + 1/4*x^4*c^3*b + 3/4*x^4*d*c^2*a + x*c^3*a$

giac [A] time = 0.15, size = 74, normalized size = 1.06

$$\frac{1}{13}bd^3x^{13} + \frac{3}{10}bcd^2x^{10} + \frac{1}{10}ad^3x^{10} + \frac{3}{7}bc^2dx^7 + \frac{3}{7}acd^2x^7 + \frac{1}{4}bc^3x^4 + \frac{3}{4}ac^2dx^4 + ac^3x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(d*x^3+c)^3,x, algorithm="giac")

[Out] $1/13*b*d^3*x^{13} + 3/10*b*c*d^2*x^{10} + 1/10*a*d^3*x^{10} + 3/7*b*c^2*d*x^7 + 3/7*a*c*d^2*x^7 + 1/4*b*c^3*x^4 + 3/4*a*c^2*d*x^4 + a*c^3*x$

maple [A] time = 0.04, size = 73, normalized size = 1.04

$$\frac{bd^3x^{13}}{13} + \frac{(ad^3 + 3bcd^2)x^{10}}{10} + \frac{(3acd^2 + 3bc^2d)x^7}{7} + ac^3x + \frac{(3ac^2d + bc^3)x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(d*x^3+c)^3,x)

[Out] $1/13*b*d^3*x^{13} + 1/10*(a*d^3 + 3*b*c*d^2)*x^{10} + 1/7*(3*a*c*d^2 + 3*b*c^2*d)*x^7 + 1/4*(3*a*c^2*d + b*c^3)*x^4 + a*c^3*x$

maxima [A] time = 0.56, size = 70, normalized size = 1.00

$$\frac{1}{13}bd^3x^{13} + \frac{1}{10}(3bcd^2 + ad^3)x^{10} + \frac{3}{7}(bc^2d + acd^2)x^7 + ac^3x + \frac{1}{4}(bc^3 + 3ac^2d)x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(d*x^3+c)^3,x, algorithm="maxima")

[Out] 1/13*b*d^3*x^13 + 1/10*(3*b*c*d^2 + a*d^3)*x^10 + 3/7*(b*c^2*d + a*c*d^2)*x^7 + a*c^3*x + 1/4*(b*c^3 + 3*a*c^2*d)*x^4

mupad [B] time = 0.03, size = 66, normalized size = 0.94

$$x^4 \left(\frac{bc^3}{4} + \frac{3ad^2c}{4} \right) + x^{10} \left(\frac{ad^3}{10} + \frac{3bcd^2}{10} \right) + \frac{bd^3x^{13}}{13} + ac^3x + \frac{3cdx^7(ad+bc)}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)*(c + d*x^3)^3,x)

[Out] x^4*((b*c^3)/4 + (3*a*c^2*d)/4) + x^10*((a*d^3)/10 + (3*b*c*d^2)/10) + (b*d^3*x^13)/13 + a*c^3*x + (3*c*d*x^7*(a*d + b*c))/7

sympy [A] time = 0.08, size = 80, normalized size = 1.14

$$ac^3x + \frac{bd^3x^{13}}{13} + x^{10} \left(\frac{ad^3}{10} + \frac{3bcd^2}{10} \right) + x^7 \left(\frac{3acd^2}{7} + \frac{3bc^2d}{7} \right) + x^4 \left(\frac{3ac^2d}{4} + \frac{bc^3}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*(d*x**3+c)**3,x)

[Out] a*c**3*x + b*d**3*x**13/13 + x**10*(a*d**3/10 + 3*b*c*d**2/10) + x**7*(3*a*c*d**2/7 + 3*b*c**2*d/7) + x**4*(3*a*c**2*d/4 + b*c**3/4)

3.3 $\int (a + bx^3)(c + dx^3)^2 dx$

Optimal. Leaf size=50

$$\frac{1}{7}dx^7(ad + 2bc) + \frac{1}{4}cx^4(2ad + bc) + ac^2x + \frac{1}{10}bd^2x^{10}$$

Rubi [A] time = 0.03, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {373}

$$\frac{1}{7}dx^7(ad + 2bc) + \frac{1}{4}cx^4(2ad + bc) + ac^2x + \frac{1}{10}bd^2x^{10}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)*(c + d*x^3)^2,x]

[Out] a*c^2*x + (c*(b*c + 2*a*d)*x^4)/4 + (d*(2*b*c + a*d)*x^7)/7 + (b*d^2*x^10)/10

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^3)(c + dx^3)^2 dx &= \int (ac^2 + c(bc + 2ad)x^3 + d(2bc + ad)x^6 + bd^2x^9) dx \\ &= ac^2x + \frac{1}{4}c(bc + 2ad)x^4 + \frac{1}{7}d(2bc + ad)x^7 + \frac{1}{10}bd^2x^{10} \end{aligned}$$

Mathematica [A] time = 0.01, size = 50, normalized size = 1.00

$$\frac{1}{7}dx^7(ad + 2bc) + \frac{1}{4}cx^4(2ad + bc) + ac^2x + \frac{1}{10}bd^2x^{10}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)*(c + d*x^3)^2,x]

[Out] $a*c^2*x + (c*(b*c + 2*a*d)*x^4)/4 + (d*(2*b*c + a*d)*x^7)/7 + (b*d^2*x^{10})/10$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^3)(c + dx^3)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)*(c + d*x^3)^2,x]

[Out] IntegrateAlgebraic[(a + b*x^3)*(c + d*x^3)^2, x]

fricas [A] time = 0.63, size = 50, normalized size = 1.00

$$\frac{1}{10}x^{10}d^2b + \frac{2}{7}x^7dcb + \frac{1}{7}x^7d^2a + \frac{1}{4}x^4c^2b + \frac{1}{2}x^4dca + xc^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(d*x^3+c)^2,x, algorithm="fricas")

[Out] $1/10*x^{10}*d^2*b + 2/7*x^7*d*c*b + 1/7*x^7*d^2*a + 1/4*x^4*c^2*b + 1/2*x^4*d*c*a + x*c^2*a$

giac [A] time = 0.19, size = 50, normalized size = 1.00

$$\frac{1}{10}bd^2x^{10} + \frac{2}{7}bcdx^7 + \frac{1}{7}ad^2x^7 + \frac{1}{4}bc^2x^4 + \frac{1}{2}acdx^4 + ac^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(d*x^3+c)^2,x, algorithm="giac")

[Out] $1/10*b*d^2*x^{10} + 2/7*b*c*d*x^7 + 1/7*a*d^2*x^7 + 1/4*b*c^2*x^4 + 1/2*a*c*d*x^4 + a*c^2*x$

maple [A] time = 0.04, size = 49, normalized size = 0.98

$$\frac{bd^2x^{10}}{10} + \frac{(ad^2 + 2bcd)x^7}{7} + ac^2x + \frac{(2acd + bc^2)x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(d*x^3+c)^2,x)

[Out] $1/10*b*d^2*x^{10} + 1/7*(a*d^2 + 2*b*c*d)*x^7 + 1/4*(2*a*c*d + b*c^2)*x^4 + a*c^2*x$

maxima [A] time = 0.48, size = 48, normalized size = 0.96

$$\frac{1}{10}bd^2x^{10} + \frac{1}{7}(2bcd + ad^2)x^7 + \frac{1}{4}(bc^2 + 2acd)x^4 + ac^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(d*x^3+c)^2,x, algorithm="maxima")

[Out] 1/10*b*d^2*x^10 + 1/7*(2*b*c*d + a*d^2)*x^7 + 1/4*(b*c^2 + 2*a*c*d)*x^4 + a*c^2*x

mupad [B] time = 0.05, size = 48, normalized size = 0.96

$$x^4 \left(\frac{bc^2}{4} + \frac{adc}{2} \right) + x^7 \left(\frac{ad^2}{7} + \frac{2bcd}{7} \right) + \frac{bd^2x^{10}}{10} + ac^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)*(c + d*x^3)^2,x)

[Out] x^4*((b*c^2)/4 + (a*c*d)/2) + x^7*((a*d^2)/7 + (2*b*c*d)/7) + (b*d^2*x^10)/10 + a*c^2*x

sympy [A] time = 0.07, size = 51, normalized size = 1.02

$$ac^2x + \frac{bd^2x^{10}}{10} + x^7 \left(\frac{ad^2}{7} + \frac{2bcd}{7} \right) + x^4 \left(\frac{acd}{2} + \frac{bc^2}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*(d*x**3+c)**2,x)

[Out] a*c**2*x + b*d**2*x**10/10 + x**7*(a*d**2/7 + 2*b*c*d/7) + x**4*(a*c*d/2 + b*c**2/4)

3.4 $\int (a + bx^3)(c + dx^3) dx$

Optimal. Leaf size=28

$$\frac{1}{4}x^4(ad + bc) + acx + \frac{1}{7}bdx^7$$

Rubi [A] time = 0.01, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {373}

$$\frac{1}{4}x^4(ad + bc) + acx + \frac{1}{7}bdx^7$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)*(c + d*x^3), x]

[Out] a*c*x + ((b*c + a*d)*x^4)/4 + (b*d*x^7)/7

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^3)(c + dx^3) dx &= \int (ac + (bc + ad)x^3 + bdx^6) dx \\ &= acx + \frac{1}{4}(bc + ad)x^4 + \frac{1}{7}bdx^7 \end{aligned}$$

Mathematica [A] time = 0.01, size = 28, normalized size = 1.00

$$\frac{1}{4}x^4(ad + bc) + acx + \frac{1}{7}bdx^7$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)*(c + d*x^3), x]

[Out] a*c*x + ((b*c + a*d)*x^4)/4 + (b*d*x^7)/7

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^3)(c + dx^3) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)*(c + d*x^3), x]

[Out] IntegrateAlgebraic[(a + b*x^3)*(c + d*x^3), x]

fricas [A] time = 0.85, size = 26, normalized size = 0.93

$$\frac{1}{7}x^7db + \frac{1}{4}x^4cb + \frac{1}{4}x^4da + xca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(d*x^3+c), x, algorithm="fricas")

[Out] 1/7*x^7*d*b + 1/4*x^4*c*b + 1/4*x^4*d*a + x*c*a

giac [A] time = 0.15, size = 26, normalized size = 0.93

$$\frac{1}{7}bdx^7 + \frac{1}{4}bcx^4 + \frac{1}{4}adx^4 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(d*x^3+c), x, algorithm="giac")

[Out] 1/7*b*d*x^7 + 1/4*b*c*x^4 + 1/4*a*d*x^4 + a*c*x

maple [A] time = 0.04, size = 25, normalized size = 0.89

$$\frac{bdx^7}{7} + \frac{(ad + bc)x^4}{4} + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(d*x^3+c), x)

[Out] a*c*x+1/4*(a*d+b*c)*x^4+1/7*b*d*x^7

maxima [A] time = 0.54, size = 24, normalized size = 0.86

$$\frac{1}{7}bdx^7 + \frac{1}{4}(bc + ad)x^4 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(d*x^3+c),x, algorithm="maxima")

[Out] 1/7*b*d*x^7 + 1/4*(b*c + a*d)*x^4 + a*c*x

mupad [B] time = 0.04, size = 25, normalized size = 0.89

$$\frac{bdx^7}{7} + \left(\frac{ad}{4} + \frac{bc}{4}\right)x^4 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)*(c + d*x^3),x)

[Out] x^4*((a*d)/4 + (b*c)/4) + a*c*x + (b*d*x^7)/7

sympy [A] time = 0.07, size = 26, normalized size = 0.93

$$acx + \frac{bdx^7}{7} + x^4\left(\frac{ad}{4} + \frac{bc}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*(d*x**3+c),x)

[Out] a*c*x + b*d*x**7/7 + x**4*(a*d/4 + b*c/4)

$$3.5 \quad \int \frac{a+bx^3}{c+dx^3} dx$$

Optimal. Leaf size=144

$$\frac{(bc-ad)\log\left(c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2\right)}{6c^{2/3}d^{4/3}} - \frac{(bc-ad)\log\left(\sqrt[3]{c}+\sqrt[3]{d}x\right)}{3c^{2/3}d^{4/3}} + \frac{(bc-ad)\tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{4/3}} + \frac{bx}{d}$$

Rubi [A] time = 0.09, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {388, 200, 31, 634, 617, 204, 628}

$$\frac{(bc-ad)\log\left(c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2\right)}{6c^{2/3}d^{4/3}} - \frac{(bc-ad)\log\left(\sqrt[3]{c}+\sqrt[3]{d}x\right)}{3c^{2/3}d^{4/3}} + \frac{(bc-ad)\tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{4/3}} + \frac{bx}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)/(c + d*x^3), x]

[Out] (b*x)/d + ((b*c - a*d)*ArcTan[(c^(1/3) - 2*d^(1/3)*x)/(Sqrt[3]*c^(1/3))]/(Sqrt[3]*c^(2/3)*d^(4/3)) - ((b*c - a*d)*Log[c^(1/3) + d^(1/3)*x]/(3*c^(2/3)*d^(4/3)) + ((b*c - a*d)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2]/(6*c^(2/3)*d^(4/3)))

Rule 31

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 388

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Si
mp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^3}{c + dx^3} dx &= \frac{bx}{d} - \frac{(bc - ad) \int \frac{1}{c + dx^3} dx}{d} \\
&= \frac{bx}{d} - \frac{(bc - ad) \int \frac{1}{\sqrt[3]{c} + \sqrt[3]{d}x} dx}{3c^{2/3}d} - \frac{(bc - ad) \int \frac{2\sqrt[3]{c} - \sqrt[3]{d}x}{c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2} dx}{3c^{2/3}d} \\
&= \frac{bx}{d} - \frac{(bc - ad) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{(bc - ad) \int \frac{-\sqrt[3]{c}\sqrt[3]{d} + 2d^{2/3}x}{c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2} dx}{6c^{2/3}d^{4/3}} - \frac{(bc - ad) \int \frac{1}{c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2}}{2\sqrt[3]{c}d}}{c^{2/3}d} \\
&= \frac{bx}{d} - \frac{(bc - ad) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{(bc - ad) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{4/3}} - \frac{(bc - ad) \text{Subst}\left(\int \frac{1}{c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2}\right)}{c^{2/3}d} \\
&= \frac{bx}{d} + \frac{(bc - ad) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{4/3}} - \frac{(bc - ad) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{(bc - ad) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 128, normalized size = 0.89

$$\frac{(bc - ad) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2) - 2(bc - ad) \log(\sqrt[3]{c} + \sqrt[3]{d}x) + 2\sqrt{3}(bc - ad) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right) + 6bc^{2/3}\sqrt[3]{d}x}{6c^{2/3}d^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)/(c + d*x^3), x]

[Out] (6*b*c^(2/3)*d^(1/3)*x + 2*Sqrt[3]*(b*c - a*d)*ArcTan[(1 - (2*d^(1/3)*x)/c^(1/3))/Sqrt[3]] - 2*(b*c - a*d)*Log[c^(1/3) + d^(1/3)*x] + (b*c - a*d)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2])/(6*c^(2/3)*d^(4/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + bx^3}{c + dx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)/(c + d*x^3), x]

[Out] IntegrateAlgebraic[(a + b*x^3)/(c + d*x^3), x]

fricas [A] time = 1.14, size = 369, normalized size = 2.56

$$\frac{6bc^2dx - 3\sqrt{\frac{c}{d}}(bc^2d - acd^2)\sqrt{\frac{(c^2d)^2}{d^2}} \log\left(\frac{2ac^2d^3(c^2d)^2x^2 + 3\sqrt{\frac{c}{d}}(bc^2d - acd^2)\sqrt{\frac{(c^2d)^2}{d^2}}\sqrt{\frac{(c^2d)^2}{d^2}}}{6c^2d^2}\right) + (c^2d)^{\frac{2}{3}}(bc - ad)\log\left(\frac{c^2d^2 - (c^2d)^{\frac{2}{3}}x + (c^2d)^{\frac{1}{3}}c}{c^2d^2}\right) - 2(c^2d)^{\frac{2}{3}}(bc - ad)\log\left(\frac{c^2d^2 - (c^2d)^{\frac{2}{3}}x + (c^2d)^{\frac{1}{3}}c}{c^2d^2}\right)}{6c^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)/(d*x^3+c),x, algorithm="fricas")

[Out] $\frac{1}{6}*(6*b*c^2*d*x - 3*\sqrt{1/3}*(b*c^2*d - a*c*d^2)*\sqrt{-(c^2*d)^{(1/3)}/d})*\log((2*c*d*x^3 - 3*(c^2*d)^{(1/3)}*c*x - c^2 + 3*\sqrt{1/3}*(2*c*d*x^2 + (c^2*d)^{(2/3)}*x - (c^2*d)^{(1/3)}*c)*\sqrt{-(c^2*d)^{(1/3)}/d}))/d + (c^2*d)^{(2/3)}*(b*c - a*d)*\log(c*d*x^2 - (c^2*d)^{(2/3)}*x + (c^2*d)^{(1/3)}*c) - 2*(c^2*d)^{(2/3)}*(b*c - a*d)*\log(c*d*x + (c^2*d)^{(2/3)})/(c^2*d^2), \frac{1}{6}*(6*b*c^2*d*x - 6*\sqrt{1/3}*(b*c^2*d - a*c*d^2)*\sqrt{(c^2*d)^{(1/3)}/d})*\arctan(\sqrt{1/3}*(2*(c^2*d)^{(2/3)}*x - (c^2*d)^{(1/3)}*c)*\sqrt{(c^2*d)^{(1/3)}/d}/c^2) + (c^2*d)^{(2/3)}*(b*c - a*d)*\log(c*d*x^2 - (c^2*d)^{(2/3)}*x + (c^2*d)^{(1/3)}*c) - 2*(c^2*d)^{(2/3)}*(b*c - a*d)*\log(c*d*x + (c^2*d)^{(2/3)})/(c^2*d^2]$

giac [A] time = 0.20, size = 133, normalized size = 0.92

$$\frac{\sqrt{3}(bc - ad) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{3(-cd^2)^{\frac{2}{3}}} + \frac{(bc - ad) \log\left(x^2 + x\left(-\frac{c}{d}\right)^{\frac{1}{3}} + \left(-\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6(-cd^2)^{\frac{2}{3}}} + \frac{bx}{d} + \frac{(bc - ad)\left(-\frac{c}{d}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right|\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)/(d*x^3+c),x, algorithm="giac")

[Out] $\frac{1}{3}*\sqrt{3}*(b*c - a*d)*\arctan(1/3*\sqrt{3}*(2*x + (-c/d)^{(1/3)})/(-c/d)^{(1/3)})/(-c*d^2)^{(2/3)} + 1/6*(b*c - a*d)*\log(x^2 + x*(-c/d)^{(1/3)} + (-c/d)^{(2/3)})/(-c*d^2)^{(2/3)} + b*x/d + 1/3*(b*c - a*d)*(-c/d)^{(1/3)}*\log(\text{abs}(x - (-c/d)^{(1/3)}))/c*d$

maple [A] time = 0.05, size = 195, normalized size = 1.35

$$\frac{\sqrt{3} a \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{c}{d}\right)^{\frac{2}{3}}d} + \frac{a \ln\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{2}{3}}d} - \frac{a \ln\left(x^2 - \left(\frac{c}{d}\right)^{\frac{1}{3}}x + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6\left(\frac{c}{d}\right)^{\frac{2}{3}}d} - \frac{\sqrt{3} bc \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{c}{d}\right)^{\frac{2}{3}}d^2} - \frac{bc \ln\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{2}{3}}d^2} + \frac{bc \ln\left(x^2 - \left(\frac{c}{d}\right)^{\frac{1}{3}}x + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6\left(\frac{c}{d}\right)^{\frac{2}{3}}d^2} + \frac{bx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)/(d*x^3+c),x)`

[Out] $b*x/d + 1/3*d/(c/d)^{(2/3)}*\ln(x+(c/d)^{(1/3)})*a - 1/3/d^2/(c/d)^{(2/3)}*\ln(x+(c/d)^{(1/3)})*b*c - 1/6/d/(c/d)^{(2/3)}*\ln(x^2-(c/d)^{(1/3)}*x+(c/d)^{(2/3)})*a + 1/6/d^2/(c/d)^{(2/3)}*\ln(x^2-(c/d)^{(1/3)}*x+(c/d)^{(2/3)})*b*c + 1/3/d/(c/d)^{(2/3)}*3^{(1/2)}*a*\operatorname{rctan}(1/3*3^{(1/2)}*(2/(c/d)^{(1/3)}*x-1))*a - 1/3/d^2/(c/d)^{(2/3)}*3^{(1/2)}*\operatorname{arctan}(1/3*3^{(1/2)}*(2/(c/d)^{(1/3)}*x-1))*b*c$

maxima [A] time = 1.28, size = 128, normalized size = 0.89

$$\frac{bx}{d} - \frac{\sqrt{3}(bc - ad) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{3d^2\left(\frac{c}{d}\right)^{\frac{2}{3}}} + \frac{(bc - ad) \log\left(x^2 - x\left(\frac{c}{d}\right)^{\frac{1}{3}} + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6d^2\left(\frac{c}{d}\right)^{\frac{2}{3}}} - \frac{(bc - ad) \log\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3d^2\left(\frac{c}{d}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)/(d*x^3+c),x, algorithm="maxima")`

[Out] $b*x/d - 1/3*\sqrt{3}*(b*c - a*d)*\operatorname{arctan}(1/3*\sqrt{3}*(2*x - (c/d)^{(1/3)})/(c/d)^{(1/3)})/(d^2*(c/d)^{(2/3)}) + 1/6*(b*c - a*d)*\log(x^2 - x*(c/d)^{(1/3)} + (c/d)^{(2/3)})/(d^2*(c/d)^{(2/3)}) - 1/3*(b*c - a*d)*\log(x + (c/d)^{(1/3)})/(d^2*(c/d)^{(2/3)})$

mupad [B] time = 1.38, size = 123, normalized size = 0.85

$$\frac{bx}{d} + \frac{\ln(d^{1/3}x + c^{1/3})(ad - bc)}{3c^{2/3}d^{4/3}} - \frac{\ln(c^{1/3} - 2d^{1/3}x + \sqrt{3}c^{1/3}1i)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)(ad - bc)}{3c^{2/3}d^{4/3}} + \frac{\ln(2d^{1/3}x - c^{1/3} + \sqrt{3}c^{1/3}1i)\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)(ad - bc)}{3c^{2/3}d^{4/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)/(c + d*x^3),x)`

[Out] $(b*x)/d + (\log(d^{(1/3)}*x + c^{(1/3)})*(a*d - b*c))/(3*c^{(2/3)}*d^{(4/3)}) - (\log(3^{(1/2)}*c^{(1/3)}*1i - 2*d^{(1/3)}*x + c^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(a*d - b*c))/(3*c^{(2/3)}*d^{(4/3)}) + (\log(3^{(1/2)}*c^{(1/3)}*1i + 2*d^{(1/3)}*x - c^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(a*d - b*c))/(3*c^{(2/3)}*d^{(4/3)})$

sympy [A] time = 0.42, size = 71, normalized size = 0.49

$$\frac{bx}{d} + \operatorname{RootSum}\left(27t^3c^2d^4 - a^3d^3 + 3a^2bcd^2 - 3ab^2c^2d + b^3c^3, \left(t \mapsto t \log\left(\frac{3tcd}{ad - bc} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)/(d*x**3+c),x)`

[Out] $b*x/d + \operatorname{RootSum}(27*_t**3*c**2*d**4 - a**3*d**3 + 3*a**2*b*c*d**2 - 3*a*b**2*c**2*d + b**3*c**3, \operatorname{Lambda}(_t, _t*\log(3*_t*c*d/(a*d - b*c) + x)))$

$$3.6 \quad \int \frac{a+bx^3}{(c+dx^3)^2} dx$$

Optimal. Leaf size=169

$$\frac{(2ad+bc)\log\left(c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2\right)}{18c^{5/3}d^{4/3}} + \frac{(2ad+bc)\log\left(\sqrt[3]{c}+\sqrt[3]{d}x\right)}{9c^{5/3}d^{4/3}} - \frac{(2ad+bc)\tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{3\sqrt{3}c^{5/3}d^{4/3}} - \frac{x(bc-ad)}{3cd(c+dx^3)}$$

Rubi [A] time = 0.08, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {385, 200, 31, 634, 617, 204, 628}

$$\frac{(2ad+bc)\log\left(c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2\right)}{18c^{5/3}d^{4/3}} + \frac{(2ad+bc)\log\left(\sqrt[3]{c}+\sqrt[3]{d}x\right)}{9c^{5/3}d^{4/3}} - \frac{(2ad+bc)\tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{3\sqrt{3}c^{5/3}d^{4/3}} - \frac{x(bc-ad)}{3cd(c+dx^3)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)/(c + d*x^3)^2, x]

[Out] -((b*c - a*d)*x)/(3*c*d*(c + d*x^3)) - ((b*c + 2*a*d)*ArcTan[(c^(1/3) - 2*d^(1/3)*x)/(Sqrt[3]*c^(1/3))])/(3*Sqrt[3]*c^(5/3)*d^(4/3)) + ((b*c + 2*a*d)*Log[c^(1/3) + d^(1/3)*x])/(9*c^(5/3)*d^(4/3)) - ((b*c + 2*a*d)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2])/(18*c^(5/3)*d^(4/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Free
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^3}{(c + dx^3)^2} dx &= -\frac{(bc - ad)x}{3cd(c + dx^3)} + \frac{(bc + 2ad) \int \frac{1}{c+dx^3} dx}{3cd} \\
&= -\frac{(bc - ad)x}{3cd(c + dx^3)} + \frac{(bc + 2ad) \int \frac{1}{\sqrt[3]{c} + \sqrt[3]{d}x} dx}{9c^{5/3}d} + \frac{(bc + 2ad) \int \frac{2\sqrt[3]{c} - \sqrt[3]{d}x}{c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2} dx}{9c^{5/3}d} \\
&= -\frac{(bc - ad)x}{3cd(c + dx^3)} + \frac{(bc + 2ad) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{9c^{5/3}d^{4/3}} - \frac{(bc + 2ad) \int \frac{-\sqrt[3]{c}\sqrt[3]{d} + 2d^{2/3}x}{c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2} dx}{18c^{5/3}d^{4/3}} + \frac{(bc + 2ad) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{18c^{5/3}d^{4/3}} \\
&= -\frac{(bc - ad)x}{3cd(c + dx^3)} + \frac{(bc + 2ad) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{9c^{5/3}d^{4/3}} - \frac{(bc + 2ad) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{18c^{5/3}d^{4/3}} + \frac{(bc + 2ad) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{18c^{5/3}d^{4/3}} \\
&= -\frac{(bc - ad)x}{3cd(c + dx^3)} - \frac{(bc + 2ad) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{3\sqrt{3}c^{5/3}d^{4/3}} + \frac{(bc + 2ad) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{9c^{5/3}d^{4/3}} - \frac{(bc + 2ad) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{18c^{5/3}d^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 145, normalized size = 0.86

$$\frac{-2(ad + bc) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2) - \frac{6c^{2/3}\sqrt[3]{d}x(bc - ad)}{c + dx^3} + 2(2ad + bc) \log(\sqrt[3]{c} + \sqrt[3]{d}x) - 2\sqrt{3}(2ad + bc) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{d}x}{\sqrt[3]{c}}}{\sqrt{3}}\right)}{18c^{5/3}d^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)/(c + d*x^3)^2,x]

[Out] ((-6*c^(2/3)*d^(1/3)*(b*c - a*d)*x)/(c + d*x^3) - 2*sqrt[3]*(b*c + 2*a*d)*ArcTan[(1 - (2*d^(1/3)*x)/c^(1/3))/sqrt[3]] + 2*(b*c + 2*a*d)*Log[c^(1/3) + d^(1/3)*x] - (b*c + 2*a*d)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2])/(18*c^(5/3)*d^(4/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + bx^3}{(c + dx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)/(c + d*x^3)^2,x]

[Out] IntegrateAlgebraic[(a + b*x^3)/(c + d*x^3)^2, x]

fricas [A] time = 1.02, size = 537, normalized size = 3.18

$$\frac{\sqrt{3} \left((bc + 2ad) \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{c}{d}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{c}{d}\right)^{\frac{1}{3}}}\right) + (bc + 2ad) \log\left(x^2 + x \left(-\frac{c}{d}\right)^{\frac{1}{3}} + \left(-\frac{c}{d}\right)^{\frac{2}{3}}\right) + (bc + 2ad) \left(-\frac{c}{d}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right) \right)}{9(-cd^2)^{\frac{2}{3}}c} - \frac{(bc + 2ad) \log\left(x^2 + x \left(-\frac{c}{d}\right)^{\frac{1}{3}} + \left(-\frac{c}{d}\right)^{\frac{2}{3}}\right) + (bc + 2ad) \left(-\frac{c}{d}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{18(-cd^2)^{\frac{2}{3}}c} - \frac{(bc + 2ad) \left(-\frac{c}{d}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{9c^2d} - \frac{bcx - adx}{3(dx^3 + c)cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)/(d*x^3+c)^2,x, algorithm="fricas")

[Out] [1/18*(3*sqrt(1/3)*(b*c^3*d + 2*a*c^2*d^2 + (b*c^2*d^2 + 2*a*c*d^3)*x^3)*sqrt(-(c^2*d)^(1/3)/d)*log((2*c*d*x^3 - 3*(c^2*d)^(1/3)*c*x - c^2 + 3*sqrt(1/3)*(2*c*d*x^2 + (c^2*d)^(2/3)*x - (c^2*d)^(1/3)*c)*sqrt(-(c^2*d)^(1/3)/d))/(d*x^3 + c) - ((b*c*d + 2*a*d^2)*x^3 + b*c^2 + 2*a*c*d)*(c^2*d)^(2/3)*log(c*d*x^2 - (c^2*d)^(2/3)*x + (c^2*d)^(1/3)*c) + 2*((b*c*d + 2*a*d^2)*x^3 + b*c^2 + 2*a*c*d)*(c^2*d)^(2/3)*log(c*d*x + (c^2*d)^(2/3)) - 6*(b*c^3*d - a*c^2*d^2)*x)/(c^3*d^3*x^3 + c^4*d^2), 1/18*(6*sqrt(1/3)*(b*c^3*d + 2*a*c^2*d^2 + (b*c^2*d^2 + 2*a*c*d^3)*x^3)*sqrt((c^2*d)^(1/3)/d)*arctan(sqrt(1/3)*(2*(c^2*d)^(2/3)*x - (c^2*d)^(1/3)*c)*sqrt((c^2*d)^(1/3)/d)/c^2) - ((b*c*d + 2*a*d^2)*x^3 + b*c^2 + 2*a*c*d)*(c^2*d)^(2/3)*log(c*d*x^2 - (c^2*d)^(2/3)*x + (c^2*d)^(1/3)*c) + 2*((b*c*d + 2*a*d^2)*x^3 + b*c^2 + 2*a*c*d)*(c^2*d)^(2/3)*log(c*d*x + (c^2*d)^(2/3)) - 6*(b*c^3*d - a*c^2*d^2)*x)/(c^3*d^3*x^3 + c^4*d^2)]

giac [A] time = 0.19, size = 160, normalized size = 0.95

$$\frac{\sqrt{3}(bc + 2ad) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{c}{d}\right)^{\frac{1}{3}}}\right) + (bc + 2ad) \log\left(x^2 + x\left(-\frac{c}{d}\right)^{\frac{1}{3}} + \left(-\frac{c}{d}\right)^{\frac{2}{3}}\right) + (bc + 2ad)\left(-\frac{c}{d}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{9(-cd^2)^{\frac{2}{3}}c} - \frac{(bc + 2ad) \log\left(x^2 + x\left(-\frac{c}{d}\right)^{\frac{1}{3}} + \left(-\frac{c}{d}\right)^{\frac{2}{3}}\right) + (bc + 2ad)\left(-\frac{c}{d}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{18(-cd^2)^{\frac{2}{3}}c} - \frac{(bc + 2ad)\left(-\frac{c}{d}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{9c^2d} - \frac{bcx - adx}{3(dx^3 + c)cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)/(d*x^3+c)^2,x, algorithm="giac")

[Out] -1/9*sqrt(3)*(b*c + 2*a*d)*arctan(1/3*sqrt(3)*(2*x + (-c/d)^(1/3))/(-c/d)^(1/3))/((-c*d^2)^(2/3)*c) - 1/18*(b*c + 2*a*d)*log(x^2 + x*(-c/d)^(1/3) + (-c/d)^(2/3))/((-c*d^2)^(2/3)*c) - 1/9*(b*c + 2*a*d)*(-c/d)^(1/3)*log(abs(x - (-c/d)^(1/3)))/(c^2*d) - 1/3*(b*c*x - a*d*x)/((d*x^3 + c)*c*d)

maple [A] time = 0.05, size = 221, normalized size = 1.31

$$\frac{2\sqrt{3}a \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{c}{d}\right)^{\frac{2}{3}}cd} + \frac{2a \ln\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right) - a \ln\left(x^2 - \left(\frac{c}{d}\right)^{\frac{1}{3}}x + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{9\left(\frac{c}{d}\right)^{\frac{2}{3}}cd} + \frac{\sqrt{3}b \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{c}{d}\right)^{\frac{2}{3}}d^2} + \frac{b \ln\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right) - b \ln\left(x^2 - \left(\frac{c}{d}\right)^{\frac{1}{3}}x + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{9\left(\frac{c}{d}\right)^{\frac{2}{3}}d^2} - \frac{b \ln\left(x^2 - \left(\frac{c}{d}\right)^{\frac{1}{3}}x + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{18\left(\frac{c}{d}\right)^{\frac{2}{3}}d^2} + \frac{(ad - bc)x}{3(dx^3 + c)cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)/(d*x^3+c)^2,x)`

[Out] $\frac{1}{3} \frac{(a*d-b*c)}{d} \frac{x}{c*x/(d*x^3+c)} + \frac{2}{9} \frac{c/d}{(c/d)^{2/3}} \ln(x+(c/d)^{1/3}) * a + \frac{1}{9} \frac{d}{(c/d)^{2/3}} \ln(x+(c/d)^{1/3}) * b - \frac{1}{9} \frac{c/d}{(c/d)^{2/3}} \ln(x^2-(c/d)^{1/3} * x + (c/d)^{2/3}) * a - \frac{1}{18} \frac{d^2}{(c/d)^{2/3}} \ln(x^2-(c/d)^{1/3} * x + (c/d)^{2/3}) * b + \frac{2}{9} \frac{c/d}{(c/d)^{2/3}} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(c/d)^{1/3} * x - 1)) * a + \frac{1}{9} \frac{d^2}{(c/d)^{2/3}} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(c/d)^{1/3} * x - 1)) * b$

maxima [A] time = 1.16, size = 158, normalized size = 0.93

$$-\frac{(bc-ad)x}{3(cd^2x^3+c^2d)} + \frac{\sqrt{3}(bc+2ad) \arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{9cd^2\left(\frac{c}{d}\right)^{\frac{2}{3}}} - \frac{(bc+2ad) \log\left(x^2-x\left(\frac{c}{d}\right)^{\frac{1}{3}}+\left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{18cd^2\left(\frac{c}{d}\right)^{\frac{2}{3}}} + \frac{(bc+2ad) \log\left(x+\left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{9cd^2\left(\frac{c}{d}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)/(d*x^3+c)^2,x, algorithm="maxima")`

[Out] $-\frac{1}{3} \frac{(b*c - a*d)*x}{(c*d^2*x^3 + c^2*d)} + \frac{1}{9} \frac{\sqrt{3}*(b*c + 2*a*d)*\arctan(1/3*\sqrt{3}*(2*x - (c/d)^{1/3})/(c/d)^{1/3})}{(c*d^2*(c/d)^{2/3})} - \frac{1}{18} \frac{(b*c + 2*a*d)*\log(x^2 - x*(c/d)^{1/3} + (c/d)^{2/3})}{(c*d^2*(c/d)^{2/3})} + \frac{1}{9} \frac{(b*c + 2*a*d)*\log(x + (c/d)^{1/3})}{(c*d^2*(c/d)^{2/3})}$

mupad [B] time = 1.40, size = 143, normalized size = 0.85

$$\frac{\ln(d^{1/3}x+c^{1/3})(2ad+bc)}{9c^{5/3}d^{4/3}} - \frac{\ln(c^{1/3}-2d^{1/3}x+\sqrt{3}c^{1/3}i)\left(\frac{1}{2}+\frac{\sqrt{3}i}{2}\right)(2ad+bc)}{9c^{5/3}d^{4/3}} + \frac{\ln(2d^{1/3}x-c^{1/3}+\sqrt{3}c^{1/3}i)\left(-\frac{1}{2}+\frac{\sqrt{3}i}{2}\right)(2ad+bc)}{9c^{5/3}d^{4/3}} + \frac{x(ad-bc)}{3cd(d^3+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)/(c + d*x^3)^2,x)`

[Out] $(\log(d^{1/3}*x + c^{1/3})*(2*a*d + b*c))/(9*c^{5/3}*d^{4/3}) - (\log(3^{1/2}*c^{1/3}*i - 2*d^{1/3}*x + c^{1/3})*((3^{1/2}*i)/2 + 1/2)*(2*a*d + b*c))/(9*c^{5/3}*d^{4/3}) + (\log(3^{1/2}*c^{1/3}*i + 2*d^{1/3}*x - c^{1/3})*((3^{1/2}*i)/2 - 1/2)*(2*a*d + b*c))/(9*c^{5/3}*d^{4/3}) + (x*(a*d - b*c))/(3*c*d*(c + d*x^3))$

sympy [A] time = 0.58, size = 97, normalized size = 0.57

$$\frac{x(ad-bc)}{3c^2d+3cd^2x^3} + \text{RootSum}\left(729t^3c^5d^4 - 8a^3d^3 - 12a^2bcd^2 - 6ab^2c^2d - b^3c^3, \left(t \mapsto t \log\left(\frac{9tc^2d}{2ad+bc} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**3+a)/(d*x**3+c)**2,x)
```

```
[Out] x*(a*d - b*c)/(3*c**2*d + 3*c*d**2*x**3) + RootSum(729*_t**3*c**5*d**4 - 8*  
a**3*d**3 - 12*a**2*b*c*d**2 - 6*a*b**2*c**2*d - b**3*c**3, Lambda(_t, _t*  
log(9*_t*c**2*d/(2*a*d + b*c) + x)))
```

$$3.7 \quad \int \frac{a+bx^3}{(c+dx^3)^3} dx$$

Optimal. Leaf size=197

$$\frac{(5ad + bc) \log(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3} x^2)}{54c^{8/3} d^{4/3}} + \frac{(5ad + bc) \log(\sqrt[3]{c} + \sqrt[3]{d} x)}{27c^{8/3} d^{4/3}} - \frac{(5ad + bc) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d} x}{\sqrt{3} \sqrt[3]{c}}\right)}{9\sqrt{3} c^{8/3} d^{4/3}} + \frac{x(5ad + bc)}{18c^2 d (c + dx^3)}$$

Rubi [A] time = 0.11, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {385, 199, 200, 31, 634, 617, 204, 628}

$$\frac{(5ad + bc) \log(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3} x^2)}{54c^{8/3} d^{4/3}} + \frac{(5ad + bc) \log(\sqrt[3]{c} + \sqrt[3]{d} x)}{27c^{8/3} d^{4/3}} - \frac{(5ad + bc) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d} x}{\sqrt{3} \sqrt[3]{c}}\right)}{9\sqrt{3} c^{8/3} d^{4/3}} + \frac{x(5ad + bc)}{18c^2 d (c + dx^3)} - \frac{x(bc - ad)}{6cd (c + dx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)/(c + d*x^3)^3, x]

[Out] -((b*c - a*d)*x)/(6*c*d*(c + d*x^3)^2) + ((b*c + 5*a*d)*x)/(18*c^2*d*(c + d*x^3)) - ((b*c + 5*a*d)*ArcTan[(c^(1/3) - 2*d^(1/3)*x)/(Sqrt[3]*c^(1/3))])/(9*Sqrt[3]*c^(8/3)*d^(4/3)) + ((b*c + 5*a*d)*Log[c^(1/3) + d^(1/3)*x])/(27*c^(8/3)*d^(4/3)) - ((b*c + 5*a*d)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2])/(54*c^(8/3)*d^(4/3))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 199

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F

reeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^3}{(c + dx^3)^3} dx &= -\frac{(bc - ad)x}{6cd(c + dx^3)^2} + \frac{(bc + 5ad) \int \frac{1}{(c+dx^3)^2} dx}{6cd} \\
&= -\frac{(bc - ad)x}{6cd(c + dx^3)^2} + \frac{(bc + 5ad)x}{18c^2d(c + dx^3)} + \frac{(bc + 5ad) \int \frac{1}{c+dx^3} dx}{9c^2d} \\
&= -\frac{(bc - ad)x}{6cd(c + dx^3)^2} + \frac{(bc + 5ad)x}{18c^2d(c + dx^3)} + \frac{(bc + 5ad) \int \frac{1}{\sqrt[3]{c} + \sqrt[3]{d}x} dx}{27c^{8/3}d} + \frac{(bc + 5ad) \int \frac{2\sqrt[3]{c} - \sqrt[3]{d}x}{c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}} dx}{27c^{8/3}d} \\
&= -\frac{(bc - ad)x}{6cd(c + dx^3)^2} + \frac{(bc + 5ad)x}{18c^2d(c + dx^3)} + \frac{(bc + 5ad) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{27c^{8/3}d^{4/3}} - \frac{(bc + 5ad) \int \frac{-\sqrt[3]{c}\sqrt[3]{d} + 2d}{c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}} dx}{54c^{8/3}d^{4/3}} \\
&= -\frac{(bc - ad)x}{6cd(c + dx^3)^2} + \frac{(bc + 5ad)x}{18c^2d(c + dx^3)} + \frac{(bc + 5ad) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{27c^{8/3}d^{4/3}} - \frac{(bc + 5ad) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x)}{54c^{8/3}d^{4/3}} \\
&= -\frac{(bc - ad)x}{6cd(c + dx^3)^2} + \frac{(bc + 5ad)x}{18c^2d(c + dx^3)} - \frac{(bc + 5ad) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{9\sqrt{3}c^{8/3}d^{4/3}} + \frac{(bc + 5ad) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{27c^{8/3}d^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 175, normalized size = 0.89

$$\frac{-5ad + bc \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2) - \frac{9c^{5/3}\sqrt[3]{d}x(bc-ad)}{(c+dx^3)^2} + \frac{3c^{2/3}\sqrt[3]{d}x(5ad+bc)}{c+dx^3} + 2(5ad + bc) \log(\sqrt[3]{c} + \sqrt[3]{d}x) - 2\sqrt{3}(5ad + bc) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{54c^{8/3}d^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)/(c + d*x^3)^3, x]

[Out] ((-9*c^(5/3)*d^(1/3)*(b*c - a*d)*x)/(c + d*x^3)^2 + (3*c^(2/3)*d^(1/3)*(b*c + 5*a*d)*x)/(c + d*x^3) - 2*Sqrt[3]*(b*c + 5*a*d)*ArcTan[(1 - (2*d^(1/3)*x)/c^(1/3))/Sqrt[3]] + 2*(b*c + 5*a*d)*Log[c^(1/3) + d^(1/3)*x] - (b*c + 5*a*d)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2])/(54*c^(8/3)*d^(4/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + bx^3}{(c + dx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)/(c + d*x^3)^3,x]

[Out] IntegrateAlgebraic[(a + b*x^3)/(c + d*x^3)^3, x]

fricas [B] time = 1.18, size = 743, normalized size = 3.77

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)/(d*x^3+c)^3,x, algorithm="fricas")

[Out] [1/54*(3*(b*c^3*d^2 + 5*a*c^2*d^3)*x^4 + 3*sqrt(1/3)*((b*c^2*d^3 + 5*a*c*d^4)*x^6 + b*c^4*d + 5*a*c^3*d^2 + 2*(b*c^3*d^2 + 5*a*c^2*d^3)*x^3)*sqrt(-(c^2*d)^(1/3)/d)*log((2*c*d*x^3 - 3*(c^2*d)^(1/3)*c*x - c^2 + 3*sqrt(1/3)*(2*c*d*x^2 + (c^2*d)^(2/3)*x - (c^2*d)^(1/3)*c)*sqrt(-(c^2*d)^(1/3)/d))/(d*x^3 + c) - ((b*c*d^2 + 5*a*d^3)*x^6 + b*c^3 + 5*a*c^2*d + 2*(b*c^2*d + 5*a*c*d^2)*x^3)*(c^2*d)^(2/3)*log(c*d*x^2 - (c^2*d)^(2/3)*x + (c^2*d)^(1/3)*c) + 2*((b*c*d^2 + 5*a*d^3)*x^6 + b*c^3 + 5*a*c^2*d + 2*(b*c^2*d + 5*a*c*d^2)*x^3)*(c^2*d)^(2/3)*log(c*d*x + (c^2*d)^(2/3)) - 6*(b*c^4*d - 4*a*c^3*d^2)*x/(c^4*d^4*x^6 + 2*c^5*d^3*x^3 + c^6*d^2), 1/54*(3*(b*c^3*d^2 + 5*a*c^2*d^3)*x^4 + 6*sqrt(1/3)*((b*c^2*d^3 + 5*a*c*d^4)*x^6 + b*c^4*d + 5*a*c^3*d^2 + 2*(b*c^3*d^2 + 5*a*c^2*d^3)*x^3)*sqrt((c^2*d)^(1/3)/d)*arctan(sqrt(1/3)*(2*(c^2*d)^(2/3)*x - (c^2*d)^(1/3)*c)*sqrt((c^2*d)^(1/3)/d)/c^2) - ((b*c*d^2 + 5*a*d^3)*x^6 + b*c^3 + 5*a*c^2*d + 2*(b*c^2*d + 5*a*c*d^2)*x^3)*(c^2*d)^(2/3)*log(c*d*x^2 - (c^2*d)^(2/3)*x + (c^2*d)^(1/3)*c) + 2*((b*c*d^2 + 5*a*d^3)*x^6 + b*c^3 + 5*a*c^2*d + 2*(b*c^2*d + 5*a*c*d^2)*x^3)*(c^2*d)^(2/3)*log(c*d*x + (c^2*d)^(2/3)) - 6*(b*c^4*d - 4*a*c^3*d^2)*x/(c^4*d^4*x^6 + 2*c^5*d^3*x^3 + c^6*d^2)]

giac [A] time = 0.19, size = 180, normalized size = 0.91

$$\frac{\sqrt{3}(bc + 5ad) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{27(-cd^2)^{\frac{2}{3}}c^2} - \frac{(bc + 5ad) \log\left(x^2 + x\left(-\frac{c}{d}\right)^{\frac{1}{3}} + \left(-\frac{c}{d}\right)^{\frac{2}{3}}\right)}{54(-cd^2)^{\frac{2}{3}}c^2} - \frac{(bc + 5ad)\left(-\frac{c}{d}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{27c^3d} + \frac{bcdx^4 + 5ad^2x^4 - 2bc^2x + 8acdx}{18(dx^3 + c)^2c^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)/(d*x^3+c)^3,x, algorithm="giac")

[Out] -1/27*sqrt(3)*(b*c + 5*a*d)*arctan(1/3*sqrt(3)*(2*x + (-c/d)^(1/3))/(-c/d)^(1/3))/((-c*d^2)^(2/3)*c^2) - 1/54*(b*c + 5*a*d)*log(x^2 + x*(-c/d)^(1/3) + (-c/d)^(2/3))/((-c*d^2)^(2/3)*c^2) - 1/27*(b*c + 5*a*d)*(-c/d)^(1/3)*log(abs(x - (-c/d)^(1/3)))/(c^3*d) + 1/18*(b*c*d*x^4 + 5*a*d^2*x^4 - 2*b*c^2*x + 8*a*c*d*x)/((d*x^3 + c)^2*c^2*d)

maple [A] time = 0.06, size = 249, normalized size = 1.26

$$\frac{5\sqrt{3} a \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\frac{c}{d}}-1\right)}{\left(\frac{c}{d}\right)^{\frac{2}{3}}}\right)}{27\left(\frac{c}{d}\right)^{\frac{2}{3}}c^2d} + \frac{5a \ln\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{27\left(\frac{c}{d}\right)^{\frac{2}{3}}c^2d} - \frac{5a \ln\left(x^2 - \left(\frac{c}{d}\right)^{\frac{1}{3}}x + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{54\left(\frac{c}{d}\right)^{\frac{2}{3}}c^2d} + \frac{\sqrt{3} b \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\frac{c}{d}}-1\right)}{\left(\frac{c}{d}\right)^{\frac{2}{3}}}\right)}{27\left(\frac{c}{d}\right)^{\frac{2}{3}}cd^2} + \frac{b \ln\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{27\left(\frac{c}{d}\right)^{\frac{2}{3}}cd^2} - \frac{b \ln\left(x^2 - \left(\frac{c}{d}\right)^{\frac{1}{3}}x + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{54\left(\frac{c}{d}\right)^{\frac{2}{3}}cd^2} + \frac{\frac{5ad+bc}{18c^2}x^4 + \frac{4ad-bc}{9cd}x}{(dx^3+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)/(d*x^3+c)^3,x)

[Out] (1/18*(5*a*d+b*c)/c^2*x^4+1/9*(4*a*d-b*c)/c/d*x)/(d*x^3+c)^2+5/27/c^2/d/(c/d)^(2/3)*ln(x+(c/d)^(1/3))*a+1/27/c/d^2/(c/d)^(2/3)*ln(x+(c/d)^(1/3))*b-5/54/c^2/d/(c/d)^(2/3)*ln(x^2-(c/d)^(1/3)*x+(c/d)^(2/3))*a-1/54/c/d^2/(c/d)^(2/3)*ln(x^2-(c/d)^(1/3)*x+(c/d)^(2/3))*b+5/27/c^2/d/(c/d)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(c/d)^(1/3)*x-1))*a+1/27/c/d^2/(c/d)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(c/d)^(1/3)*x-1))*b

maxima [A] time = 1.43, size = 192, normalized size = 0.97

$$\frac{(bcd + 5ad^2)x^4 - 2(bc^2 - 4acd)x}{18(c^2d^3x^6 + 2c^3d^2x^3 + c^4d)} + \frac{\sqrt{3}(bc + 5ad) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{27c^2d^2\left(\frac{c}{d}\right)^{\frac{2}{3}}} - \frac{(bc + 5ad) \log\left(x^2 - x\left(\frac{c}{d}\right)^{\frac{1}{3}} + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{54c^2d^2\left(\frac{c}{d}\right)^{\frac{2}{3}}} + \frac{(bc + 5ad) \log\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{27c^2d^2\left(\frac{c}{d}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)/(d*x^3+c)^3,x, algorithm="maxima")

[Out] 1/18*((b*c*d + 5*a*d^2)*x^4 - 2*(b*c^2 - 4*a*c*d)*x)/(c^2*d^3*x^6 + 2*c^3*d^2*x^3 + c^4*d) + 1/27*sqrt(3)*(b*c + 5*a*d)*arctan(1/3*sqrt(3)*(2*x - (c/d)^(1/3))/(c/d)^(1/3))/(c^2*d^2*(c/d)^(2/3)) - 1/54*(b*c + 5*a*d)*log(x^2 - x*(c/d)^(1/3) + (c/d)^(2/3))/(c^2*d^2*(c/d)^(2/3)) + 1/27*(b*c + 5*a*d)*log(x + (c/d)^(1/3))/(c^2*d^2*(c/d)^(2/3))

mupad [B] time = 1.40, size = 173, normalized size = 0.88

$$\frac{x^4 \frac{5ad+bc}{18c^2} + \frac{x(4ad-bc)}{9cd}}{c^2 + 2cdx^3 + d^2x^6} + \frac{\ln(d^{1/3}x + c^{1/3})(5ad + bc)}{27c^{8/3}d^{4/3}} - \frac{\ln(c^{1/3} - 2d^{1/3}x + \sqrt{3}c^{1/3}i)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(5ad + bc)}{27c^{8/3}d^{4/3}} + \frac{\ln(2d^{1/3}x - c^{1/3} + \sqrt{3}c^{1/3}i)\left(-\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(5ad + bc)}{27c^{8/3}d^{4/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)/(c + d*x^3)^3,x)

[Out] ((x^4*(5*a*d + b*c))/(18*c^2) + (x*(4*a*d - b*c))/(9*c*d))/(c^2 + d^2*x^6 + 2*c*d*x^3) + (log(d^(1/3)*x + c^(1/3))*(5*a*d + b*c))/(27*c^(8/3)*d^(4/3)) - (log(3^(1/2)*c^(1/3)*i - 2*d^(1/3)*x + c^(1/3))*((3^(1/2)*i)/2 + 1/2)*

$$\frac{(5ad + bc)}{(27c^{8/3}d^{4/3})} + \frac{(\log(3^{1/2})c^{1/3}1i + 2d^{1/3}x - c^{1/3}) * ((3^{1/2}1i)/2 - 1/2) * (5ad + bc)}{(27c^{8/3}d^{4/3})}$$

sympy [A] time = 0.78, size = 133, normalized size = 0.68

$$\frac{x^4(5ad^2 + bcd) + x(8acd - 2bc^2)}{18c^4d + 36c^3d^2x^3 + 18c^2d^3x^6} + \text{RootSum}\left(19683t^3c^8d^4 - 125a^3d^3 - 75a^2bcd^2 - 15ab^2c^2d - b^3c^3, \left(t \mapsto t \log\left(\frac{27tc^3d}{5ad + bc} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)/(d*x**3+c)**3,x)

[Out] (x**4*(5*a*d**2 + b*c*d) + x*(8*a*c*d - 2*b*c**2))/(18*c**4*d + 36*c**3*d**2*x**3 + 18*c**2*d**3*x**6) + RootSum(19683*_t**3*c**8*d**4 - 125*a**3*d**3 - 75*a**2*b*c*d**2 - 15*a*b**2*c**2*d - b**3*c**3, Lambda(_t, _t*log(27*_t*c**3*d/(5*a*d + b*c) + x)))

$$3.8 \quad \int (a + bx^3)^2 (c + dx^3)^3 dx$$

Optimal. Leaf size=122

$$\frac{1}{10}dx^{10}(a^2d^2 + 6abcd + 3b^2c^2) + \frac{1}{7}cx^7(3a^2d^2 + 6abcd + b^2c^2) + a^2c^3x + \frac{1}{4}ac^2x^4(3ad + 2bc) + \frac{1}{13}bd^2x^{13}(2ad + 3bc) + \frac{1}{16}b^2d^3x^{16}$$

Rubi [A] time = 0.07, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {373}

$$\frac{1}{10}dx^{10}(a^2d^2 + 6abcd + 3b^2c^2) + \frac{1}{7}cx^7(3a^2d^2 + 6abcd + b^2c^2) + a^2c^3x + \frac{1}{4}ac^2x^4(3ad + 2bc) + \frac{1}{13}bd^2x^{13}(2ad + 3bc) + \frac{1}{16}b^2d^3x^{16}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^2*(c + d*x^3)^3,x]

[Out] a^2*c^3*x + (a*c^2*(2*b*c + 3*a*d)*x^4)/4 + (c*(b^2*c^2 + 6*a*b*c*d + 3*a^2*d^2)*x^7)/7 + (d*(3*b^2*c^2 + 6*a*b*c*d + a^2*d^2)*x^10)/10 + (b*d^2*(3*b*c + 2*a*d)*x^13)/13 + (b^2*d^3*x^16)/16

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^3)^2 (c + dx^3)^3 dx &= \int (a^2c^3 + ac^2(2bc + 3ad)x^3 + c(b^2c^2 + 6abcd + 3a^2d^2)x^6 + d(3b^2c^2 + 6abcd + a^2d^2)x^9) dx \\ &= a^2c^3x + \frac{1}{4}ac^2(2bc + 3ad)x^4 + \frac{1}{7}c(b^2c^2 + 6abcd + 3a^2d^2)x^7 + \frac{1}{10}d(3b^2c^2 + 6abcd + a^2d^2)x^{10} \end{aligned}$$

Mathematica [A] time = 0.02, size = 122, normalized size = 1.00

$$\frac{1}{10}dx^{10}(a^2d^2 + 6abcd + 3b^2c^2) + \frac{1}{7}cx^7(3a^2d^2 + 6abcd + b^2c^2) + a^2c^3x + \frac{1}{4}ac^2x^4(3ad + 2bc) + \frac{1}{13}bd^2x^{13}(2ad + 3bc) + \frac{1}{16}b^2d^3x^{16}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^2*(c + d*x^3)^3,x]

[Out] $a^2c^3x + (a^2c^2(2bc + 3ad)x^4)/4 + (c(b^2c^2 + 6ab^2cd + 3a^2d^2)x^7)/7 + (d(3b^2c^2 + 6ab^2cd + a^2d^2)x^{10})/10 + (b^2d^2(3b^2c + 2ad)x^{13})/13 + (b^2d^3x^{16})/16$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^3)^2 (c + dx^3)^3 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)^2*(c + d*x^3)^3,x]

[Out] IntegrateAlgebraic[(a + b*x^3)^2*(c + d*x^3)^3, x]

fricas [A] time = 0.73, size = 132, normalized size = 1.08

$$\frac{1}{16}x^{16}d^3b^2 + \frac{3}{13}x^{13}d^2cb^2 + \frac{2}{13}x^{13}d^3ba + \frac{3}{10}x^{10}d^2c^2b^2 + \frac{3}{5}x^{10}d^2cba + \frac{1}{10}x^{10}d^3a^2 + \frac{1}{7}x^7c^3b^2 + \frac{6}{7}x^7dc^2ba + \frac{3}{7}x^7d^2ca^2 + \frac{1}{2}x^4c^3ba + \frac{3}{4}x^4dc^2a^2 + xc^3a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(d*x^3+c)^3,x, algorithm="fricas")

[Out] $1/16*x^{16}*d^3*b^2 + 3/13*x^{13}*d^2*c*b^2 + 2/13*x^{13}*d^3*b*a + 3/10*x^{10}*d*c^2*b^2 + 3/5*x^{10}*d^2*c*b*a + 1/10*x^{10}*d^3*a^2 + 1/7*x^7*c^3*b^2 + 6/7*x^7*d*c^2*b*a + 3/7*x^7*d^2*c*a^2 + 1/2*x^4*c^3*b*a + 3/4*x^4*d*c^2*a^2 + x*c^3*a^2$

giac [A] time = 0.16, size = 132, normalized size = 1.08

$$\frac{1}{16}b^2d^3x^{16} + \frac{3}{13}b^2cd^2x^{13} + \frac{2}{13}abd^3x^{13} + \frac{3}{10}b^2c^2dx^{10} + \frac{3}{5}abcd^2x^{10} + \frac{1}{10}a^2d^3x^{10} + \frac{1}{7}b^2c^3x^7 + \frac{6}{7}abc^2dx^7 + \frac{3}{7}a^2cd^2x^7 + \frac{1}{2}abc^3x^4 + \frac{3}{4}a^2c^2dx^4 + a^2c^3x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(d*x^3+c)^3,x, algorithm="giac")

[Out] $1/16*b^2*d^3*x^{16} + 3/13*b^2*c*d^2*x^{13} + 2/13*a*b*d^3*x^{13} + 3/10*b^2*c^2*d*x^{10} + 3/5*a*b*c*d^2*x^{10} + 1/10*a^2*d^3*x^{10} + 1/7*b^2*c^3*x^7 + 6/7*a*b*c^2*d*x^7 + 3/7*a^2*c*d^2*x^7 + 1/2*a*b*c^3*x^4 + 3/4*a^2*c^2*d*x^4 + a^2*c^3*x$

maple [A] time = 0.05, size = 125, normalized size = 1.02

$$\frac{b^2d^3x^{16}}{16} + \frac{(2abd^3 + 3b^2cd^2)x^{13}}{13} + \frac{(a^2d^3 + 6abc^2d + 3b^2c^2d)x^{10}}{10} + \frac{(3a^2cd^2 + 6abc^2d + b^2c^3)x^7}{7} + a^2c^3x + \frac{(3a^2c^2d + 2abc^3)x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(d*x^3+c)^3,x)

[Out] 1/16*b^2*d^3*x^16+1/13*(2*a*b*d^3+3*b^2*c*d^2)*x^13+1/10*(a^2*d^3+6*a*b*c*d^2+3*b^2*c^2*d)*x^10+1/7*(3*a^2*c*d^2+6*a*b*c^2*d+b^2*c^3)*x^7+1/4*(3*a^2*c^2*d+2*a*b*c^3)*x^4+a^2*c^3*x

maxima [A] time = 0.55, size = 124, normalized size = 1.02

$$\frac{1}{16} b^2 d^3 x^{16} + \frac{1}{13} (3 b^2 c d^2 + 2 a b d^3) x^{13} + \frac{1}{10} (3 b^2 c^2 d + 6 a b c d^2 + a^2 d^3) x^{10} + \frac{1}{7} (b^2 c^3 + 6 a b c^2 d + 3 a^2 c d^2) x^7 + a^2 c^3 x + \frac{1}{4} (2 a b c^3 + 3 a^2 c^2 d) x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(d*x^3+c)^3,x, algorithm="maxima")

[Out] 1/16*b^2*d^3*x^16 + 1/13*(3*b^2*c*d^2 + 2*a*b*d^3)*x^13 + 1/10*(3*b^2*c^2*d + 6*a*b*c*d^2 + a^2*d^3)*x^10 + 1/7*(b^2*c^3 + 6*a*b*c^2*d + 3*a^2*c*d^2)*x^7 + a^2*c^3*x + 1/4*(2*a*b*c^3 + 3*a^2*c^2*d)*x^4

mupad [B] time = 1.20, size = 116, normalized size = 0.95

$$x^7 \left(\frac{3 a^2 c d^2}{7} + \frac{6 a b c^2 d}{7} + \frac{b^2 c^3}{7} \right) + x^{10} \left(\frac{a^2 d^3}{10} + \frac{3 a b c d^2}{5} + \frac{3 b^2 c^2 d}{10} \right) + a^2 c^3 x + \frac{b^2 d^3 x^{16}}{16} + \frac{a c^2 x^4 (3 a d + 2 b c)}{4} + \frac{b d^2 x^{13} (2 a d + 3 b c)}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^2*(c + d*x^3)^3,x)

[Out] x^7*((b^2*c^3)/7 + (3*a^2*c*d^2)/7 + (6*a*b*c^2*d)/7) + x^10*((a^2*d^3)/10 + (3*b^2*c^2*d)/10 + (3*a*b*c*d^2)/5) + a^2*c^3*x + (b^2*d^3*x^16)/16 + (a*c^2*x^4*(3*a*d + 2*b*c))/4 + (b*d^2*x^13*(2*a*d + 3*b*c))/13

sympy [A] time = 0.09, size = 139, normalized size = 1.14

$$a^2 c^3 x + \frac{b^2 d^3 x^{16}}{16} + x^{13} \left(\frac{2 a b d^3}{13} + \frac{3 b^2 c d^2}{13} \right) + x^{10} \left(\frac{a^2 d^3}{10} + \frac{3 a b c d^2}{5} + \frac{3 b^2 c^2 d}{10} \right) + x^7 \left(\frac{3 a^2 c d^2}{7} + \frac{6 a b c^2 d}{7} + \frac{b^2 c^3}{7} \right) + x^4 \left(\frac{3 a^2 c^2 d}{4} + \frac{a b c^3}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*(d*x**3+c)**3,x)

[Out] a**2*c**3*x + b**2*d**3*x**16/16 + x**13*(2*a*b*d**3/13 + 3*b**2*c*d**2/13) + x**10*(a**2*d**3/10 + 3*a*b*c*d**2/5 + 3*b**2*c**2*d/10) + x**7*(3*a**2*c*d**2/7 + 6*a*b*c**2*d/7 + b**2*c**3/7) + x**4*(3*a**2*c**2*d/4 + a*b*c**3/2)

3.9 $\int (a + bx^3)^2 (c + dx^3)^2 dx$

Optimal. Leaf size=82

$$\frac{1}{7}x^7 (a^2d^2 + 4abcd + b^2c^2) + a^2c^2x + \frac{1}{5}bdx^{10}(ad + bc) + \frac{1}{2}acx^4(ad + bc) + \frac{1}{13}b^2d^2x^{13}$$

Rubi [A] time = 0.05, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {373}

$$\frac{1}{7}x^7 (a^2d^2 + 4abcd + b^2c^2) + a^2c^2x + \frac{1}{5}bdx^{10}(ad + bc) + \frac{1}{2}acx^4(ad + bc) + \frac{1}{13}b^2d^2x^{13}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^2*(c + d*x^3)^2,x]

[Out] a^2*c^2*x + (a*c*(b*c + a*d)*x^4)/2 + ((b^2*c^2 + 4*a*b*c*d + a^2*d^2)*x^7)/7 + (b*d*(b*c + a*d)*x^10)/5 + (b^2*d^2*x^13)/13

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^3)^2 (c + dx^3)^2 dx &= \int (a^2c^2 + 2ac(bc + ad)x^3 + (b^2c^2 + 4abcd + a^2d^2)x^6 + 2bd(bc + ad)x^9 + b^2d^2x^{12}) dx \\ &= a^2c^2x + \frac{1}{2}ac(bc + ad)x^4 + \frac{1}{7}(b^2c^2 + 4abcd + a^2d^2)x^7 + \frac{1}{5}bd(bc + ad)x^{10} + \frac{1}{13}b^2d^2x^{13} \end{aligned}$$

Mathematica [A] time = 0.01, size = 82, normalized size = 1.00

$$\frac{1}{7}x^7 (a^2d^2 + 4abcd + b^2c^2) + a^2c^2x + \frac{1}{5}bdx^{10}(ad + bc) + \frac{1}{2}acx^4(ad + bc) + \frac{1}{13}b^2d^2x^{13}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^2*(c + d*x^3)^2,x]

[Out] $a^2c^2x + (a*c*(b*c + a*d)*x^4)/2 + ((b^2*c^2 + 4*a*b*c*d + a^2*d^2)*x^7)/7 + (b*d*(b*c + a*d)*x^{10})/5 + (b^2*d^2*x^{13})/13$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^3)^2 (c + dx^3)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)^2*(c + d*x^3)^2,x]

[Out] IntegrateAlgebraic[(a + b*x^3)^2*(c + d*x^3)^2, x]

fricas [A] time = 0.82, size = 91, normalized size = 1.11

$$\frac{1}{13}x^{13}d^2b^2 + \frac{1}{5}x^{10}dcb^2 + \frac{1}{5}x^{10}d^2ba + \frac{1}{7}x^7c^2b^2 + \frac{4}{7}x^7dcba + \frac{1}{7}x^7d^2a^2 + \frac{1}{2}x^4c^2ba + \frac{1}{2}x^4dca^2 + xc^2a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(d*x^3+c)^2,x, algorithm="fricas")

[Out] $1/13*x^{13}*d^2*b^2 + 1/5*x^{10}*d*c*b^2 + 1/5*x^{10}*d^2*b*a + 1/7*x^7*c^2*b^2 + 4/7*x^7*d*c*b*a + 1/7*x^7*d^2*a^2 + 1/2*x^4*c^2*b*a + 1/2*x^4*d*c*a^2 + x*c^2*a^2$

giac [A] time = 0.21, size = 91, normalized size = 1.11

$$\frac{1}{13}b^2d^2x^{13} + \frac{1}{5}b^2cdx^{10} + \frac{1}{5}abd^2x^{10} + \frac{1}{7}b^2c^2x^7 + \frac{4}{7}abcdx^7 + \frac{1}{7}a^2d^2x^7 + \frac{1}{2}abc^2x^4 + \frac{1}{2}a^2cdx^4 + a^2c^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(d*x^3+c)^2,x, algorithm="giac")

[Out] $1/13*b^2*d^2*x^{13} + 1/5*b^2*c*d*x^{10} + 1/5*a*b*d^2*x^{10} + 1/7*b^2*c^2*x^7 + 4/7*a*b*c*d*x^7 + 1/7*a^2*d^2*x^7 + 1/2*a*b*c^2*x^4 + 1/2*a^2*c*d*x^4 + a^2*c^2*x$

maple [A] time = 0.04, size = 87, normalized size = 1.06

$$\frac{b^2d^2x^{13}}{13} + \frac{(2abd^2 + 2b^2cd)x^{10}}{10} + \frac{(a^2d^2 + 4abcd + b^2c^2)x^7}{7} + a^2c^2x + \frac{(2a^2cd + 2abc^2)x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(d*x^3+c)^2,x)

[Out] $1/13*b^2*d^2*x^{13}+1/10*(2*a*b*d^2+2*b^2*c*d)*x^{10}+1/7*(a^2*d^2+4*a*b*c*d+b^2*c^2)*x^7+1/4*(2*a^2*c*d+2*a*b*c^2)*x^4+a^2*c^2*x$

maxima [A] time = 0.71, size = 82, normalized size = 1.00

$$\frac{1}{13}b^2d^2x^{13} + \frac{1}{5}(b^2cd + abd^2)x^{10} + \frac{1}{7}(b^2c^2 + 4abcd + a^2d^2)x^7 + a^2c^2x + \frac{1}{2}(abc^2 + a^2cd)x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^2*(d*x^3+c)^2,x, algorithm="maxima")`

[Out] $1/13*b^2*d^2*x^{13} + 1/5*(b^2*c*d + a*b*d^2)*x^{10} + 1/7*(b^2*c^2 + 4*a*b*c*d + a^2*d^2)*x^7 + a^2*c^2*x + 1/2*(a*b*c^2 + a^2*c*d)*x^4$

mupad [B] time = 0.04, size = 75, normalized size = 0.91

$$x^7 \left(\frac{a^2 d^2}{7} + \frac{4 a b c d}{7} + \frac{b^2 c^2}{7} \right) + a^2 c^2 x + \frac{b^2 d^2 x^{13}}{13} + \frac{a c x^4 (a d + b c)}{2} + \frac{b d x^{10} (a d + b c)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)^2*(c + d*x^3)^2,x)`

[Out] $x^7*((a^2*d^2)/7 + (b^2*c^2)/7 + (4*a*b*c*d)/7) + a^2*c^2*x + (b^2*d^2*x^{13})/13 + (a*c*x^4*(a*d + b*c))/2 + (b*d*x^{10}*(a*d + b*c))/5$

sympy [A] time = 0.08, size = 90, normalized size = 1.10

$$a^2c^2x + \frac{b^2d^2x^{13}}{13} + x^{10} \left(\frac{abd^2}{5} + \frac{b^2cd}{5} \right) + x^7 \left(\frac{a^2d^2}{7} + \frac{4abcd}{7} + \frac{b^2c^2}{7} \right) + x^4 \left(\frac{a^2cd}{2} + \frac{abc^2}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**2*(d*x**3+c)**2,x)`

[Out] $a**2*c**2*x + b**2*d**2*x**13/13 + x**10*(a*b*d**2/5 + b**2*c*d/5) + x**7*(a**2*d**2/7 + 4*a*b*c*d/7 + b**2*c**2/7) + x**4*(a**2*c*d/2 + a*b*c**2/2)$

3.10 $\int (a + bx^3)^2 (c + dx^3) dx$

Optimal. Leaf size=50

$$a^2cx + \frac{1}{7}bx^7(2ad + bc) + \frac{1}{4}ax^4(ad + 2bc) + \frac{1}{10}b^2dx^{10}$$

Rubi [A] time = 0.03, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {373}

$$a^2cx + \frac{1}{7}bx^7(2ad + bc) + \frac{1}{4}ax^4(ad + 2bc) + \frac{1}{10}b^2dx^{10}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^2*(c + d*x^3), x]

[Out] a^2*c*x + (a*(2*b*c + a*d)*x^4)/4 + (b*(b*c + 2*a*d)*x^7)/7 + (b^2*d*x^10)/10

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^3)^2 (c + dx^3) dx &= \int (a^2c + a(2bc + ad)x^3 + b(bc + 2ad)x^6 + b^2dx^9) dx \\ &= a^2cx + \frac{1}{4}a(2bc + ad)x^4 + \frac{1}{7}b(bc + 2ad)x^7 + \frac{1}{10}b^2dx^{10} \end{aligned}$$

Mathematica [A] time = 0.01, size = 50, normalized size = 1.00

$$a^2cx + \frac{1}{7}bx^7(2ad + bc) + \frac{1}{4}ax^4(ad + 2bc) + \frac{1}{10}b^2dx^{10}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^2*(c + d*x^3), x]

[Out] $a^2*c*x + (a*(2*b*c + a*d)*x^4)/4 + (b*(b*c + 2*a*d)*x^7)/7 + (b^2*d*x^{10})/10$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^3)^2 (c + dx^3) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)^2*(c + d*x^3), x]

[Out] IntegrateAlgebraic[(a + b*x^3)^2*(c + d*x^3), x]

fricas [A] time = 0.51, size = 50, normalized size = 1.00

$$\frac{1}{10}x^{10}db^2 + \frac{1}{7}x^7cb^2 + \frac{2}{7}x^7dba + \frac{1}{2}x^4cba + \frac{1}{4}x^4da^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(d*x^3+c), x, algorithm="fricas")

[Out] $1/10*x^{10}*d*b^2 + 1/7*x^7*c*b^2 + 2/7*x^7*d*b*a + 1/2*x^4*c*b*a + 1/4*x^4*d*a^2 + x*c*a^2$

giac [A] time = 0.16, size = 50, normalized size = 1.00

$$\frac{1}{10}b^2dx^{10} + \frac{1}{7}b^2cx^7 + \frac{2}{7}abdx^7 + \frac{1}{2}abcx^4 + \frac{1}{4}a^2dx^4 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(d*x^3+c), x, algorithm="giac")

[Out] $1/10*b^2*d*x^{10} + 1/7*b^2*c*x^7 + 2/7*a*b*d*x^7 + 1/2*a*b*c*x^4 + 1/4*a^2*d*x^4 + a^2*c*x$

maple [A] time = 0.04, size = 49, normalized size = 0.98

$$\frac{b^2d x^{10}}{10} + \frac{(2abd + b^2c)x^7}{7} + a^2cx + \frac{(a^2d + 2abc)x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(d*x^3+c), x)

[Out] $1/10*b^2*d*x^{10} + 1/7*(2*a*b*d + b^2*c)*x^7 + 1/4*(a^2*d + 2*a*b*c)*x^4 + a^2*c*x$

maxima [A] time = 0.57, size = 48, normalized size = 0.96

$$\frac{1}{10} b^2 dx^{10} + \frac{1}{7} (b^2 c + 2 abd) x^7 + \frac{1}{4} (2 abc + a^2 d) x^4 + a^2 cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(d*x^3+c),x, algorithm="maxima")

[Out] 1/10*b^2*d*x^10 + 1/7*(b^2*c + 2*a*b*d)*x^7 + 1/4*(2*a*b*c + a^2*d)*x^4 + a^2*c*x

mupad [B] time = 0.04, size = 48, normalized size = 0.96

$$x^4 \left(\frac{d a^2}{4} + \frac{b c a}{2} \right) + x^7 \left(\frac{c b^2}{7} + \frac{2 a d b}{7} \right) + \frac{b^2 d x^{10}}{10} + a^2 c x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^2*(c + d*x^3),x)

[Out] x^4*((a^2*d)/4 + (a*b*c)/2) + x^7*((b^2*c)/7 + (2*a*b*d)/7) + (b^2*d*x^10)/10 + a^2*c*x

sympy [A] time = 0.07, size = 51, normalized size = 1.02

$$a^2 cx + \frac{b^2 dx^{10}}{10} + x^7 \left(\frac{2abd}{7} + \frac{b^2 c}{7} \right) + x^4 \left(\frac{a^2 d}{4} + \frac{abc}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*(d*x**3+c),x)

[Out] a**2*c*x + b**2*d*x**10/10 + x**7*(2*a*b*d/7 + b**2*c/7) + x**4*(a**2*d/4 + a*b*c/2)

$$3.11 \quad \int \frac{(a+bx^3)^2}{c+dx^3} dx$$

Optimal. Leaf size=173

$$\frac{(bc-ad)^2 \log\left(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3} x^2\right)}{6c^{2/3} d^{7/3}} + \frac{(bc-ad)^2 \log\left(\sqrt[3]{c} + \sqrt[3]{d} x\right)}{3c^{2/3} d^{7/3}} - \frac{(bc-ad)^2 \tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{7/3}} - \frac{bx(bc-2ad)}{d^2}$$

Rubi [A] time = 0.13, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {390, 200, 31, 634, 617, 204, 628}

$$\frac{(bc-ad)^2 \log\left(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3} x^2\right)}{6c^{2/3} d^{7/3}} + \frac{(bc-ad)^2 \log\left(\sqrt[3]{c} + \sqrt[3]{d} x\right)}{3c^{2/3} d^{7/3}} - \frac{(bc-ad)^2 \tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{7/3}} - \frac{bx(bc-2ad)}{d^2} + \frac{b^2x^4}{4d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^2/(c + d*x^3), x]

[Out] -((b*(b*c - 2*a*d)*x)/d^2) + (b^2*x^4)/(4*d) - ((b*c - a*d)^2*ArcTan[(c^(1/3) - 2*d^(1/3)*x)/(Sqrt[3]*c^(1/3))])/(Sqrt[3]*c^(2/3)*d^(7/3)) + ((b*c - a*d)^2*Log[c^(1/3) + d^(1/3)*x])/(3*c^(2/3)*d^(7/3)) - ((b*c - a*d)^2*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2])/(6*c^(2/3)*d^(7/3))

Rule 31

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3)^2}{c + dx^3} dx &= \int \left(-\frac{b(bc - 2ad)}{d^2} + \frac{b^2x^3}{d} + \frac{b^2c^2 - 2abcd + a^2d^2}{d^2(c + dx^3)} \right) dx \\
&= -\frac{b(bc - 2ad)x}{d^2} + \frac{b^2x^4}{4d} + \frac{(bc - ad)^2 \int \frac{1}{c+dx^3} dx}{d^2} \\
&= -\frac{b(bc - 2ad)x}{d^2} + \frac{b^2x^4}{4d} + \frac{(bc - ad)^2 \int \frac{1}{\sqrt[3]{c} + \sqrt[3]{d}x} dx}{3c^{2/3}d^2} + \frac{(bc - ad)^2 \int \frac{2\sqrt[3]{c} - \sqrt[3]{d}x}{c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2} dx}{3c^{2/3}d^2} \\
&= -\frac{b(bc - 2ad)x}{d^2} + \frac{b^2x^4}{4d} + \frac{(bc - ad)^2 \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{7/3}} - \frac{(bc - ad)^2 \int \frac{-\sqrt[3]{c}\sqrt[3]{d}x + 2d^{2/3}x}{c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2} dx}{6c^{2/3}d^{7/3}} + \dots \\
&= -\frac{b(bc - 2ad)x}{d^2} + \frac{b^2x^4}{4d} + \frac{(bc - ad)^2 \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{7/3}} - \frac{(bc - ad)^2 \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{7/3}} \\
&= -\frac{b(bc - 2ad)x}{d^2} + \frac{b^2x^4}{4d} - \frac{(bc - ad)^2 \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{7/3}} + \frac{(bc - ad)^2 \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{7/3}} - \frac{(bc - ad)^2 \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{7/3}}
\end{aligned}$$

Mathematica [A] time = 0.14, size = 167, normalized size = 0.97

$$\frac{-2(bc - ad)^2 \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2) - 12bc^{2/3}\sqrt[3]{d}x(bc - 2ad) + 4(bc - ad)^2 \log(\sqrt[3]{c} + \sqrt[3]{d}x) + 4\sqrt{3}(bc - ad)^2 \tan^{-1}\left(\frac{2\sqrt[3]{d}x - \sqrt[3]{c}}{\sqrt{3}\sqrt[3]{c}}\right) + 3b^2c^{2/3}d^{4/3}x^4}{12c^{2/3}d^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^2/(c + d*x^3), x]

[Out] (-12*b*c^(2/3)*d^(1/3)*(b*c - 2*a*d)*x + 3*b^2*c^(2/3)*d^(4/3)*x^4 + 4*sqrt[3]*(b*c - a*d)^2*ArcTan[(-c^(1/3) + 2*d^(1/3)*x)/(sqrt[3]*c^(1/3))] + 4*(b*c - a*d)^2*Log[c^(1/3) + d^(1/3)*x] - 2*(b*c - a*d)^2*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2]/(12*c^(2/3)*d^(7/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^2}{c + dx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)^2/(c + d*x^3), x]

[Out] IntegrateAlgebraic[(a + b*x^3)^2/(c + d*x^3), x]

fricas [A] time = 0.68, size = 505, normalized size = 2.92

$$\frac{\sqrt{3} (b^2 c^2 - 2abcd + a^2 d^2) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{c}{d}\right)^{\frac{2}{3}}}\right) + (b^2 c^2 - 2abcd + a^2 d^2) \log\left(x^2 + x \left(\frac{c}{d}\right)^{\frac{1}{3}} + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right) + (b^2 c^2 - 2abcd + a^2 d^2) \left(\frac{c}{d}\right)^{\frac{1}{3}} \log\left(x - \left(\frac{c}{d}\right)^{\frac{1}{3}}\right) + 4(b^2 c^2 - 2abcd + a^2 d^2) \left(\frac{c}{d}\right)^{\frac{2}{3}} \log\left(\frac{c d x^2 - (c^2 d)^{\frac{2}{3}} x + (c^2 d)^{\frac{1}{3}} c}{(c^2 d)^{\frac{2}{3}}}\right) - 12(b^2 c^3 d - 2a b c^2 d^2 + a^2 c d^3) \left(\frac{c}{d}\right)^{\frac{1}{3}} \log\left(\frac{c d x^2 - (c^2 d)^{\frac{2}{3}} x + (c^2 d)^{\frac{1}{3}} c}{(c^2 d)^{\frac{2}{3}}}\right) - 12(b^2 c^3 d - 2a b c^2 d^2 + a^2 c d^3) \left(\frac{c}{d}\right)^{\frac{2}{3}} \log\left(\frac{c d x^2 - (c^2 d)^{\frac{2}{3}} x + (c^2 d)^{\frac{1}{3}} c}{(c^2 d)^{\frac{2}{3}}}\right)}{3 (-cd^2)^{\frac{2}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2/(d*x^3+c),x, algorithm="fricas")

[Out] [1/12*(3*b^2*c^2*d^2*x^4 + 6*sqrt(1/3)*(b^2*c^3*d - 2*a*b*c^2*d^2 + a^2*c*d^3)*sqrt(-(c^2*d)^(1/3)/d)*log((2*c*d*x^3 - 3*(c^2*d)^(1/3)*c*x - c^2 + 3*sqrt(1/3)*(2*c*d*x^2 + (c^2*d)^(2/3)*x - (c^2*d)^(1/3)*c)*sqrt(-(c^2*d)^(1/3)/d))/(d*x^3 + c) - 2*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*(c^2*d)^(2/3)*log(c*d*x^2 - (c^2*d)^(2/3)*x + (c^2*d)^(1/3)*c) + 4*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*(c^2*d)^(2/3)*log(c*d*x + (c^2*d)^(2/3)) - 12*(b^2*c^3*d - 2*a*b*c^2*d^2)*x)/(c^2*d^3), 1/12*(3*b^2*c^2*d^2*x^4 + 12*sqrt(1/3)*(b^2*c^3*d - 2*a*b*c^2*d^2 + a^2*c*d^3)*sqrt((c^2*d)^(1/3)/d)*arctan(sqrt(1/3)*(2*(c^2*d)^(2/3)*x - (c^2*d)^(1/3)*c)*sqrt((c^2*d)^(1/3)/d)/c^2) - 2*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*(c^2*d)^(2/3)*log(c*d*x^2 - (c^2*d)^(2/3)*x + (c^2*d)^(1/3)*c) + 4*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*(c^2*d)^(2/3)*log(c*d*x + (c^2*d)^(2/3)) - 12*(b^2*c^3*d - 2*a*b*c^2*d^2)*x)/(c^2*d^3)]

giac [A] time = 0.19, size = 211, normalized size = 1.22

$$\frac{\sqrt{3} (b^2 c^2 - 2abcd + a^2 d^2) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{c}{d}\right)^{\frac{2}{3}}}\right) + (b^2 c^2 - 2abcd + a^2 d^2) \log\left(x^2 + x \left(\frac{c}{d}\right)^{\frac{1}{3}} + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right) + (b^2 c^2 - 2abcd + a^2 d^2) \left(\frac{c}{d}\right)^{\frac{1}{3}} \log\left(x - \left(\frac{c}{d}\right)^{\frac{1}{3}}\right) + \frac{b^2 d^3 x^4 - 4 b^2 c d^2 x + 8 a b d^2 x}{4 d^4}}{3 (-cd^2)^{\frac{2}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2/(d*x^3+c),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*arctan(1/3*sqrt(3)*(2*x + (-c/d)^(1/3))/((-c/d)^(1/3)))/((-c/d)^(1/3))/((-c*d^2)^(2/3)*d) - 1/6*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*log(x^2 + x*(-c/d)^(1/3) + (-c/d)^(2/3))/((-c*d^2)^(2/3)*d) - 1/3*(b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d^4)*(-c/d)^(1/3)*log(abs(x - (-c/d)^(1/3)))/(c*d^4) + 1/4*(b^2*d^3*x^4 - 4*b^2*c*d^2*x + 8*a*b*d^3*x)/d^4

maple [B] time = 0.05, size = 334, normalized size = 1.93

$$\frac{b^2 x^4}{4d} + \frac{\sqrt{3} a^2 \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{c}{d}\right)^{\frac{1}{3}}} - 1\right)}{3}\right)}{3 \left(\frac{c}{d}\right)^{\frac{2}{3}} d} + \frac{a^2 \ln\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{c}{d}\right)^{\frac{2}{3}} d} - \frac{a^2 \ln\left(x^2 - \left(\frac{c}{d}\right)^{\frac{1}{3}} x + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{c}{d}\right)^{\frac{2}{3}} d} - \frac{2\sqrt{3} abc \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{c}{d}\right)^{\frac{1}{3}}} - 1\right)}{3}\right)}{3 \left(\frac{c}{d}\right)^{\frac{2}{3}} d^2} - \frac{2abc \ln\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{c}{d}\right)^{\frac{2}{3}} d^2} + \frac{abc \ln\left(x^2 - \left(\frac{c}{d}\right)^{\frac{1}{3}} x + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{3 \left(\frac{c}{d}\right)^{\frac{2}{3}} d^2} + \frac{2abx}{d} + \frac{\sqrt{3} b^2 c^2 \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{c}{d}\right)^{\frac{1}{3}}} - 1\right)}{3}\right)}{3 \left(\frac{c}{d}\right)^{\frac{2}{3}} d^3} + \frac{b^2 c^2 \ln\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{c}{d}\right)^{\frac{2}{3}} d^3} - \frac{b^2 c^2 \ln\left(x^2 - \left(\frac{c}{d}\right)^{\frac{1}{3}} x + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{c}{d}\right)^{\frac{2}{3}} d^3} - \frac{b^2 c x}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)^2/(d*x^3+c),x)`

[Out] $\frac{1}{4}b^2x^4/d + 2b/d * a*x - b^2/d^2 * c*x + 1/3/d / (c/d)^{(2/3)} * \ln(x + (c/d)^{(1/3)}) * a^2 - 2/3/d^2 / (c/d)^{(2/3)} * \ln(x + (c/d)^{(1/3)}) * a * b * c + 1/3/d^3 / (c/d)^{(2/3)} * \ln(x + (c/d)^{(1/3)}) * b^2 * c^2 - 1/6/d / (c/d)^{(2/3)} * \ln(x^2 - (c/d)^{(1/3)} * x + (c/d)^{(2/3)}) * a^2 + 1/3/d^2 / (c/d)^{(2/3)} * \ln(x^2 - (c/d)^{(1/3)} * x + (c/d)^{(2/3)}) * a * b * c - 1/6/d^3 / (c/d)^{(2/3)} * \ln(x^2 - (c/d)^{(1/3)} * x + (c/d)^{(2/3)}) * b^2 * c^2 + 1/3/d / (c/d)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(c/d)^{(1/3)} * x - 1)) * a^2 - 2/3/d^2 / (c/d)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(c/d)^{(1/3)} * x - 1)) * a * b * c + 1/3/d^3 / (c/d)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(c/d)^{(1/3)} * x - 1)) * b^2 * c^2$

maxima [A] time = 1.23, size = 189, normalized size = 1.09

$$\frac{b^2 d x^4 - 4(b^2 c - 2 a b d) x}{4 d^2} + \frac{\sqrt{3}(b^2 c^2 - 2 a b c d + a^2 d^2) \arctan\left(\frac{\sqrt{3}\left(2 x - \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{2}{3}}}\right)}{3 d^3\left(\frac{c}{d}\right)^{\frac{2}{3}}} - \frac{(b^2 c^2 - 2 a b c d + a^2 d^2) \log\left(x^2 - x\left(\frac{c}{d}\right)^{\frac{1}{3}} + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6 d^3\left(\frac{c}{d}\right)^{\frac{2}{3}}} + \frac{(b^2 c^2 - 2 a b c d + a^2 d^2) \log\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3 d^3\left(\frac{c}{d}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^2/(d*x^3+c),x, algorithm="maxima")`

[Out] $\frac{1}{4} * (b^2 * d * x^4 - 4 * (b^2 * c - 2 * a * b * d) * x) / d^2 + 1/3 * \text{sqrt}(3) * (b^2 * c^2 - 2 * a * b * c * d + a^2 * d^2) * \arctan(1/3 * \text{sqrt}(3) * (2 * x - (c/d)^{(1/3)}) / (c/d)^{(1/3)}) / (d^3 * (c/d)^{(2/3)}) - 1/6 * (b^2 * c^2 - 2 * a * b * c * d + a^2 * d^2) * \log(x^2 - x * (c/d)^{(1/3)} + (c/d)^{(2/3)}) / (d^3 * (c/d)^{(2/3)}) + 1/3 * (b^2 * c^2 - 2 * a * b * c * d + a^2 * d^2) * \log(x + (c/d)^{(1/3)}) / (d^3 * (c/d)^{(2/3)})$

mupad [B] time = 1.39, size = 152, normalized size = 0.88

$$\frac{b^2 x^4}{4d} - x \left(\frac{b^2 c}{d^2} - \frac{2ab}{d} \right) + \frac{\ln(d^{1/3} x + c^{1/3}) (ad - bc)^2}{3c^{2/3} d^{7/3}} + \frac{\ln(2d^{1/3} x - c^{1/3} + \sqrt{3} c^{1/3} i) \left(-\frac{1}{6} + \frac{\sqrt{3} i}{6}\right) (ad - bc)^2}{c^{2/3} d^{7/3}} - \frac{\ln(c^{1/3} - 2d^{1/3} x + \sqrt{3} c^{1/3} i) \left(\frac{1}{2} + \frac{\sqrt{3} i}{2}\right) (ad - bc)^2}{3c^{2/3} d^{7/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)^2/(c + d*x^3),x)`

[Out] $\frac{b^2 x^4}{4d} - x * ((b^2 * c) / d^2 - (2 * a * b) / d) + (\log(d^{(1/3)} * x + c^{(1/3)})) * (a * d - b * c)^2 / (3 * c^{(2/3)} * d^{(7/3)}) + (\log(3^{(1/2)} * c^{(1/3)} * i + 2 * d^{(1/3)} * x - c^{(1/3)})) * ((3^{(1/2)} * i) / 6 - 1/6) * (a * d - b * c)^2 / (c^{(2/3)} * d^{(7/3)}) - (\log(3^{(1/2)} * c^{(1/3)} * i - 2 * d^{(1/3)} * x + c^{(1/3)})) * ((3^{(1/2)} * i) / 2 + 1/2) * (a * d - b * c)^2 / (3 * c^{(2/3)} * d^{(7/3)})$

sympy [A] time = 0.68, size = 156, normalized size = 0.90

$$\frac{b^2 x^4}{4d} + x \left(\frac{2ab}{d} - \frac{b^2 c}{d^2} \right) + \text{RootSum} \left(27t^3 c^2 d^7 - a^6 d^6 + 6a^5 b c d^5 - 15a^4 b^2 c^2 d^4 + 20a^3 b^3 c^3 d^3 - 15a^2 b^4 c^4 d^2 + 6ab^5 c^5 d - b^6 c^6, \left(t \mapsto t \log \left(\frac{3tcd^2}{a^2 d^2 - 2abcd + b^2 c^2} + x \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**3+a)**2/(d*x**3+c),x)
```

```
[Out] b**2*x**4/(4*d) + x*(2*a*b/d - b**2*c/d**2) + RootSum(27*_t**3*c**2*d**7 -  
a**6*d**6 + 6*a**5*b*c*d**5 - 15*a**4*b**2*c**2*d**4 + 20*a**3*b**3*c**3*d*  
*3 - 15*a**2*b**4*c**4*d**2 + 6*a*b**5*c**5*d - b**6*c**6, Lambda(_t, _t*lo  
g(3*_t*c*d**2/(a**2*d**2 - 2*a*b*c*d + b**2*c**2) + x))
```

$$3.12 \quad \int \frac{(a+bx^3)^2}{(c+dx^3)^2} dx$$

Optimal. Leaf size=203

$$\frac{(bc-ad)(ad+2bc) \log\left(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3} x^2\right)}{9c^{5/3} d^{7/3}} - \frac{2(bc-ad)(ad+2bc) \log\left(\sqrt[3]{c} + \sqrt[3]{d} x\right)}{9c^{5/3} d^{7/3}} + \frac{2(bc-ad)(ad+2bc)}{3\sqrt{3} c^{5/3} d^{7/3}}$$

Rubi [A] time = 0.24, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {390, 385, 200, 31, 634, 617, 204, 628}

$$\frac{(bc-ad)(ad+2bc) \log\left(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3} x^2\right)}{9c^{5/3} d^{7/3}} - \frac{2(bc-ad)(ad+2bc) \log\left(\sqrt[3]{c} + \sqrt[3]{d} x\right)}{9c^{5/3} d^{7/3}} + \frac{2(bc-ad)(ad+2bc) \tan^{-1}\left(\frac{\sqrt[3]{c-2\sqrt[3]{d}x}}{\sqrt{3}\sqrt[3]{c}}\right)}{3\sqrt{3} c^{5/3} d^{7/3}} + \frac{x(bc-ad)^2}{3cd^2(c+dx^3)} + \frac{b^2x}{d^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^2/(c + d*x^3)^2,x]

[Out] (b^2*x)/d^2 + ((b*c - a*d)^2*x)/(3*c*d^2*(c + d*x^3)) + (2*(b*c - a*d)*(2*b*c + a*d)*ArcTan[(c^(1/3) - 2*d^(1/3)*x)/(Sqrt[3]*c^(1/3))]/(3*Sqrt[3]*c^(5/3)*d^(7/3)) - (2*(b*c - a*d)*(2*b*c + a*d)*Log[c^(1/3) + d^(1/3)*x]/(9*c^(5/3)*d^(7/3)) + ((b*c - a*d)*(2*b*c + a*d)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2]/(9*c^(5/3)*d^(7/3))

Rule 31

Int[((a_) + (b_)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Free
Q[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3)^2}{(c + dx^3)^2} dx &= \int \left(\frac{b^2}{d^2} - \frac{b^2c^2 - a^2d^2 + 2bd(bc - ad)x^3}{d^2(c + dx^3)^2} \right) dx \\
&= \frac{b^2x}{d^2} - \frac{\int \frac{b^2c^2 - a^2d^2 + 2bd(bc - ad)x^3}{(c + dx^3)^2} dx}{d^2} \\
&= \frac{b^2x}{d^2} + \frac{(bc - ad)^2x}{3cd^2(c + dx^3)} - \frac{(2(bc - ad)(2bc + ad)) \int \frac{1}{c + dx^3} dx}{3cd^2} \\
&= \frac{b^2x}{d^2} + \frac{(bc - ad)^2x}{3cd^2(c + dx^3)} - \frac{(2(bc - ad)(2bc + ad)) \int \frac{1}{\sqrt[3]{c} + \sqrt[3]{d}x} dx}{9c^{5/3}d^2} - \frac{(2(bc - ad)(2bc + ad)) \int \frac{1}{c^{2/3}} dx}{9c^{5/3}d^2} \\
&= \frac{b^2x}{d^2} + \frac{(bc - ad)^2x}{3cd^2(c + dx^3)} - \frac{2(bc - ad)(2bc + ad) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{9c^{5/3}d^{7/3}} + \frac{((bc - ad)(2bc + ad)) \int \frac{1}{c^{2/3}} dx}{9c^{5/3}d^{7/3}} \\
&= \frac{b^2x}{d^2} + \frac{(bc - ad)^2x}{3cd^2(c + dx^3)} - \frac{2(bc - ad)(2bc + ad) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{9c^{5/3}d^{7/3}} + \frac{(bc - ad)(2bc + ad) \log(c^{2/3})}{9c^{5/3}d^{7/3}} \\
&= \frac{b^2x}{d^2} + \frac{(bc - ad)^2x}{3cd^2(c + dx^3)} + \frac{2(bc - ad)(2bc + ad) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{3\sqrt{3}c^{5/3}d^{7/3}} - \frac{2(bc - ad)(2bc + ad) \log(c^{2/3})}{9c^{5/3}d^{7/3}}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 210, normalized size = 1.03

$$\frac{2(-a^2d^2 - abcd + 2b^2c^2) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{c^{5/3}} + \frac{2\sqrt{3}(-a^2d^2 - abcd + 2b^2c^2) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{c^{5/3}} + \frac{(-a^2d^2 - abcd + 2b^2c^2) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{c^{5/3}} + \frac{3\sqrt[3]{d}x(bc - ad)^2}{c(c + dx^3)} + 9b^2\sqrt[3]{d}x}{9d^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^2/(c + d*x^3)^2, x]

[Out] (9*b^2*d^(1/3)*x + (3*d^(1/3)*(b*c - a*d)^2*x)/(c*(c + d*x^3)) + (2*Sqrt[3] * (2*b^2*c^2 - a*b*c*d - a^2*d^2)*ArcTan[(1 - (2*d^(1/3)*x)/c^(1/3))/Sqrt[3]])/c^(5/3) - (2*(2*b^2*c^2 - a*b*c*d - a^2*d^2)*Log[c^(1/3) + d^(1/3)*x])/c^(5/3) + ((2*b^2*c^2 - a*b*c*d - a^2*d^2)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2])/c^(5/3))/(9*d^(7/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^2}{(c + dx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)^2/(c + d*x^3)^2,x]

[Out] IntegrateAlgebraic[(a + b*x^3)^2/(c + d*x^3)^2, x]

fricas [B] time = 1.01, size = 771, normalized size = 3.80



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2/(d*x^3+c)^2,x, algorithm="fricas")

[Out] [1/9*(9*b^2*c^3*d^2*x^4 - 3*sqrt(1/3)*(2*b^2*c^4*d - a*b*c^3*d^2 - a^2*c^2*d^3 + (2*b^2*c^3*d^2 - a*b*c^2*d^3 - a^2*c*d^4)*x^3)*sqrt(-(c^2*d)^(1/3)/d) *log((2*c*d*x^3 - 3*(c^2*d)^(1/3)*c*x - c^2 + 3*sqrt(1/3)*(2*c*d*x^2 + (c^2*d)^(2/3)*x - (c^2*d)^(1/3)*c)*sqrt(-(c^2*d)^(1/3)/d))/(d*x^3 + c) + (2*b^2*c^3 - a*b*c^2*d - a^2*c*d^2 + (2*b^2*c^2*d - a*b*c*d^2 - a^2*d^3)*x^3)*(c^2*d)^(2/3)*log(c*d*x^2 - (c^2*d)^(2/3)*x + (c^2*d)^(1/3)*c) - 2*(2*b^2*c^3 - a*b*c^2*d - a^2*c*d^2 + (2*b^2*c^2*d - a*b*c*d^2 - a^2*d^3)*x^3)*(c^2*d)^(2/3)*log(c*d*x + (c^2*d)^(2/3)) + 3*(4*b^2*c^4*d - 2*a*b*c^3*d^2 + a^2*c^2*d^3)*x)/(c^3*d^4*x^3 + c^4*d^3), 1/9*(9*b^2*c^3*d^2*x^4 - 6*sqrt(1/3)*(2*b^2*c^4*d - a*b*c^3*d^2 - a^2*c^2*d^3 + (2*b^2*c^3*d^2 - a*b*c^2*d^3 - a^2*c*d^4)*x^3)*sqrt((c^2*d)^(1/3)/d)*arctan(sqrt(1/3)*(2*(c^2*d)^(2/3)*x - (c^2*d)^(1/3)*c)*sqrt((c^2*d)^(1/3)/d)/c^2) + (2*b^2*c^3 - a*b*c^2*d - a^2*c*d^2 + (2*b^2*c^2*d - a*b*c*d^2 - a^2*d^3)*x^3)*(c^2*d)^(2/3)*log(c*d*x^2 - (c^2*d)^(2/3)*x + (c^2*d)^(1/3)*c) - 2*(2*b^2*c^3 - a*b*c^2*d - a^2*c*d^2 + (2*b^2*c^2*d - a*b*c*d^2 - a^2*d^3)*x^3)*(c^2*d)^(2/3)*log(c*d*x + (c^2*d)^(2/3)) + 3*(4*b^2*c^4*d - 2*a*b*c^3*d^2 + a^2*c^2*d^3)*x)/(c^3*d^4*x^3 + c^4*d^3)]

giac [A] time = 0.19, size = 233, normalized size = 1.15

$$\frac{b^2x}{d^2} + \frac{2\sqrt{3}(2b^2c^2 - abcd - a^2d^2) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{9(-cd^2)^{\frac{2}{3}}cd} + \frac{(2b^2c^2 - abcd - a^2d^2) \log\left(x^2 + x\left(-\frac{c}{d}\right)^{\frac{1}{3}} + \left(-\frac{c}{d}\right)^{\frac{2}{3}}\right)}{9(-cd^2)^{\frac{2}{3}}cd} + \frac{2(2b^2c^2 - abcd - a^2d^2)\left(-\frac{c}{d}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{9c^2d^2} + \frac{b^2c^2x - 2abcdx + a^2d^2x}{3(dx^3 + c)cd^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2/(d*x^3+c)^2,x, algorithm="giac")

[Out] $b^2x/d^2 + 2/9\sqrt{3}*(2*b^2*c^2 - a*b*c*d - a^2*d^2)*\arctan(1/3\sqrt{3}*(2*x + (-c/d)^{1/3})/(-c/d)^{1/3})/((-c*d^2)^{2/3}*c*d) + 1/9*(2*b^2*c^2 - a*b*c*d - a^2*d^2)*\log(x^2 + x*(-c/d)^{1/3} + (-c/d)^{2/3})/((-c*d^2)^{2/3}*c*d) + 2/9*(2*b^2*c^2 - a*b*c*d - a^2*d^2)*(-c/d)^{1/3}*\log(\text{abs}(x - (-c/d)^{1/3}))/(-c^2*d^2) + 1/3*(b^2*c^2*x - 2*a*b*c*d*x + a^2*d^2*x)/((d*x^3 + c)*c*d^2)$

maple [B] time = 0.06, size = 367, normalized size = 1.81

$$\frac{a^2x}{3(d^3x^3+c)} + \frac{2abx}{3(d^3x^3+c)d} + \frac{b^2cx}{3(d^3x^3+c)d^2} + \frac{2\sqrt{3}a^2\arctan\left(\frac{\sqrt{3}\left(\frac{2x-c}{d}\right)^{1/3}}{\left(\frac{c}{d}\right)^{1/3}}\right)}{9\left(\frac{c}{d}\right)^{2/3}cd} + \frac{2a^2\ln\left(x+\left(\frac{c}{d}\right)^{1/3}\right)}{9\left(\frac{c}{d}\right)^{2/3}cd} + \frac{a^2\ln\left(x^2-\left(\frac{c}{d}\right)^{1/3}x+\left(\frac{c}{d}\right)^{2/3}\right)}{9\left(\frac{c}{d}\right)^{2/3}cd} + \frac{2\sqrt{3}ab\arctan\left(\frac{\sqrt{3}\left(\frac{2x-c}{d}\right)^{1/3}}{\left(\frac{c}{d}\right)^{1/3}}\right)}{9\left(\frac{c}{d}\right)^{2/3}d^2} + \frac{2ab\ln\left(x+\left(\frac{c}{d}\right)^{1/3}\right)}{9\left(\frac{c}{d}\right)^{2/3}d^2} + \frac{ab\ln\left(x^2-\left(\frac{c}{d}\right)^{1/3}x+\left(\frac{c}{d}\right)^{2/3}\right)}{9\left(\frac{c}{d}\right)^{2/3}d^2} + \frac{4\sqrt{3}b^2c\arctan\left(\frac{\sqrt{3}\left(\frac{2x-c}{d}\right)^{1/3}}{\left(\frac{c}{d}\right)^{1/3}}\right)}{9\left(\frac{c}{d}\right)^{2/3}d^3} + \frac{4b^2c\ln\left(x+\left(\frac{c}{d}\right)^{1/3}\right)}{9\left(\frac{c}{d}\right)^{2/3}d^3} + \frac{2b^2c\ln\left(x^2-\left(\frac{c}{d}\right)^{1/3}x+\left(\frac{c}{d}\right)^{2/3}\right)}{9\left(\frac{c}{d}\right)^{2/3}d^3} + \frac{b^2x}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2/(d*x^3+c)^2,x)

[Out] $b^2x/d^2 + 1/3*c*x/(d*x^3+c)*a^2 - 2/3*d*x/(d*x^3+c)*a*b + 1/3/d^2*c*x/(d*x^3+c)*b^2 + 2/9/d/c/(c/d)^{2/3}*\ln(x+(c/d)^{1/3})*a^2 + 2/9/d^2/(c/d)^{2/3}*\ln(x+(c/d)^{1/3})*a*b - 4/9/d^3*c/(c/d)^{2/3}*\ln(x+(c/d)^{1/3})*b^2 - 1/9/d/c/(c/d)^{2/3}*\ln(x^2-(c/d)^{1/3}*x+(c/d)^{2/3})*a^2 - 1/9/d^2/(c/d)^{2/3}*\ln(x^2-(c/d)^{1/3}*x+(c/d)^{2/3})*a*b + 2/9/d^3*c/(c/d)^{2/3}*\ln(x^2-(c/d)^{1/3}*x+(c/d)^{2/3})*b^2 + 2/9/d/c/(c/d)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(c/d)^{1/3}*x-1))*a^2 + 2/9/d^2/(c/d)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(c/d)^{1/3}*x-1))*a*b - 4/9/d^3*c/(c/d)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(c/d)^{1/3}*x-1))*b^2$

maxima [A] time = 1.28, size = 226, normalized size = 1.11

$$\frac{(b^2c^2 - 2abcd + a^2d^2)x}{3(cd^3x^3 + c^2d^2)} + \frac{b^2x}{d^2} - \frac{2\sqrt{3}(2b^2c^2 - abcd - a^2d^2)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{c}{d}\right)^{1/3}\right)}{\left(\frac{c}{d}\right)^{1/3}}\right)}{9cd^3\left(\frac{c}{d}\right)^{2/3}} + \frac{(2b^2c^2 - abcd - a^2d^2)\log\left(x^2 - x\left(\frac{c}{d}\right)^{1/3} + \left(\frac{c}{d}\right)^{2/3}\right)}{9cd^3\left(\frac{c}{d}\right)^{2/3}} - \frac{2(2b^2c^2 - abcd - a^2d^2)\log\left(x + \left(\frac{c}{d}\right)^{1/3}\right)}{9cd^3\left(\frac{c}{d}\right)^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2/(d*x^3+c)^2,x, algorithm="maxima")

[Out] $1/3*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*x/(c*d^3*x^3 + c^2*d^2) + b^2*x/d^2 - 2/9\sqrt{3}*(2*b^2*c^2 - a*b*c*d - a^2*d^2)*\arctan(1/3\sqrt{3}*(2*x - (c/d)^{1/3})/(c/d)^{1/3})/(c*d^3*(c/d)^{2/3}) + 1/9*(2*b^2*c^2 - a*b*c*d - a^2*d^2)*\log(x^2 - x*(c/d)^{1/3} + (c/d)^{2/3})/(c*d^3*(c/d)^{2/3}) - 2/9*(2*b^2*c^2 - a*b*c*d - a^2*d^2)*\log(x + (c/d)^{1/3})/(c*d^3*(c/d)^{2/3})$

mupad [B] time = 1.41, size = 191, normalized size = 0.94

$$\frac{b^2x}{d^2} + \frac{x(a^2d^2 - 2abcd + b^2c^2)}{3c(d^3x^3 + c^2d^2)} + \frac{2\ln(d^{1/3}x + c^{1/3})(ad - bc)(ad + 2bc)}{9c^{5/3}d^{7/3}} + \frac{2\ln(2d^{1/3}x - c^{1/3} + \sqrt{3}c^{1/3}i)\left(-\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(ad - bc)(ad + 2bc)}{9c^{5/3}d^{7/3}} - \frac{2\ln(c^{1/3} - 2d^{1/3}x + \sqrt{3}c^{1/3}i)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(ad - bc)(ad + 2bc)}{9c^{5/3}d^{7/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)^2/(c + d*x^3)^2,x)`

[Out] $(b^2*x)/d^2 + (x*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))/(3*c*(c*d^2 + d^3*x^3)) + (2*\log(d^{1/3}*x + c^{1/3})*(a*d - b*c)*(a*d + 2*b*c))/(9*c^{5/3}*d^{7/3}) + (2*\log(3^{1/2}*c^{1/3}*1i + 2*d^{1/3}*x - c^{1/3}))*((3^{1/2}*1i)/2 - 1/2)*(a*d - b*c)*(a*d + 2*b*c)/(9*c^{5/3}*d^{7/3}) - (2*\log(3^{1/2}*c^{1/3}*1i - 2*d^{1/3}*x + c^{1/3}))*((3^{1/2}*1i)/2 + 1/2)*(a*d - b*c)*(a*d + 2*b*c)/(9*c^{5/3}*d^{7/3})$

sympy [A] time = 1.14, size = 189, normalized size = 0.93

$$\frac{b^2x}{d^2} + \frac{x(a^2d^2 - 2abcd + b^2c^2)}{3c^2d^2 + 3cd^3x^3} + \text{RootSum}\left(729t^3c^5d^7 - 8a^6d^6 - 24a^5bcd^5 + 24a^4b^2c^2d^4 + 88a^3b^3c^3d^3 - 48a^2b^4c^4d^2 - 96ab^5c^5d + 64b^6c^6, \left(t \mapsto t \log\left(\frac{9tc^2d^2}{2a^2d^2 + 2abcd - 4b^2c^2} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**2/(d*x**3+c)**2,x)`

[Out] $b**2*x/d**2 + x*(a**2*d**2 - 2*a*b*c*d + b**2*c**2)/(3*c**2*d**2 + 3*c*d**3*x**3) + \text{RootSum}(729*_t**3*c**5*d**7 - 8*a**6*d**6 - 24*a**5*b*c*d**5 + 24*a**4*b**2*c**2*d**4 + 88*a**3*b**3*c**3*d**3 - 48*a**2*b**4*c**4*d**2 - 96*a*b**5*c**5*d + 64*b**6*c**6, \text{Lambda}(_t, _t*\log(9*_t*c**2*d**2/(2*a**2*d**2 + 2*a*b*c*d - 4*b**2*c**2) + x)))$

$$3.13 \quad \int \frac{(a+bx^3)^2}{(c+dx^3)^3} dx$$

Optimal. Leaf size=258

$$\frac{(5a^2d^2 + 2abcd + 2b^2c^2) \log(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3} x^2)}{54c^{8/3}d^{7/3}} + \frac{(5a^2d^2 + 2abcd + 2b^2c^2) \log(\sqrt[3]{c} + \sqrt[3]{d} x)}{27c^{8/3}d^{7/3}} - \frac{(5a^2d^2 + 2abcd + 2b^2c^2) \tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{9\sqrt{3}c^{8/3}d^{7/3}} - \frac{x(bc-ad)(5ad+4bc)}{18c^2d^2(c+dx^3)} - \frac{x(a+bx^3)(bc-ad)}{6cd(c+dx^3)^2}$$

Rubi [A] time = 0.23, antiderivative size = 258, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {413, 385, 200, 31, 634, 617, 204, 628}

$$\frac{(5a^2d^2 + 2abcd + 2b^2c^2) \log(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3} x^2)}{54c^{8/3}d^{7/3}} + \frac{(5a^2d^2 + 2abcd + 2b^2c^2) \log(\sqrt[3]{c} + \sqrt[3]{d} x)}{27c^{8/3}d^{7/3}} - \frac{(5a^2d^2 + 2abcd + 2b^2c^2) \tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{9\sqrt{3}c^{8/3}d^{7/3}} - \frac{x(bc-ad)(5ad+4bc)}{18c^2d^2(c+dx^3)} - \frac{x(a+bx^3)(bc-ad)}{6cd(c+dx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^2/(c + d*x^3)^3,x]

[Out] -((b*c - a*d)*x*(a + b*x^3))/(6*c*d*(c + d*x^3)^2) - ((b*c - a*d)*(4*b*c + 5*a*d)*x)/(18*c^2*d^2*(c + d*x^3)) - ((2*b^2*c^2 + 2*a*b*c*d + 5*a^2*d^2)*ArcTan[(c^(1/3) - 2*d^(1/3)*x)/(Sqrt[3]*c^(1/3))]/(9*Sqrt[3]*c^(8/3)*d^(7/3))) + ((2*b^2*c^2 + 2*a*b*c*d + 5*a^2*d^2)*Log[c^(1/3) + d^(1/3)*x])/(27*c^(8/3)*d^(7/3)) - ((2*b^2*c^2 + 2*a*b*c*d + 5*a^2*d^2)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2])/(54*c^(8/3)*d^(7/3))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p +
1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q -
2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
+ q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3)^2}{(c + dx^3)^3} dx &= -\frac{(bc - ad)x(a + bx^3)}{6cd(c + dx^3)^2} + \frac{\int \frac{a(bc+5ad)+2b(2bc+ad)x^3}{(c+dx^3)^2} dx}{6cd} \\
&= -\frac{(bc - ad)x(a + bx^3)}{6cd(c + dx^3)^2} - \frac{(bc - ad)(4bc + 5ad)x}{18c^2d^2(c + dx^3)} + \frac{(2b^2c^2 + 2abcd + 5a^2d^2) \int \frac{1}{c+dx^3} dx}{9c^2d^2} \\
&= -\frac{(bc - ad)x(a + bx^3)}{6cd(c + dx^3)^2} - \frac{(bc - ad)(4bc + 5ad)x}{18c^2d^2(c + dx^3)} + \frac{(2b^2c^2 + 2abcd + 5a^2d^2) \int \frac{1}{\sqrt[3]{c} + \sqrt[3]{d}x} dx}{27c^{8/3}d^2} + \dots \\
&= -\frac{(bc - ad)x(a + bx^3)}{6cd(c + dx^3)^2} - \frac{(bc - ad)(4bc + 5ad)x}{18c^2d^2(c + dx^3)} + \frac{(2b^2c^2 + 2abcd + 5a^2d^2) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{27c^{8/3}d^{7/3}} \\
&= -\frac{(bc - ad)x(a + bx^3)}{6cd(c + dx^3)^2} - \frac{(bc - ad)(4bc + 5ad)x}{18c^2d^2(c + dx^3)} + \frac{(2b^2c^2 + 2abcd + 5a^2d^2) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{27c^{8/3}d^{7/3}} \\
&= -\frac{(bc - ad)x(a + bx^3)}{6cd(c + dx^3)^2} - \frac{(bc - ad)(4bc + 5ad)x}{18c^2d^2(c + dx^3)} - \frac{(2b^2c^2 + 2abcd + 5a^2d^2) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{9\sqrt{3}c^{8/3}d^{7/3}}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 234, normalized size = 0.91

$$\frac{2(5a^2d^2 + 2abcd + 2b^2c^2) \log(\sqrt[3]{c} + \sqrt[3]{d}x) - 2\sqrt{3}(5a^2d^2 + 2abcd + 2b^2c^2) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{d}x}{\sqrt[3]{c}}}{\sqrt{3}}\right) - \frac{3c^{2/3}\sqrt[3]{d}x(-a^2d^2(8c+5dx^3)+2abcd(2c-dx^3)+b^2c^2(4c+7dx^3))}{(c+dx^3)^2} - (5a^2d^2 + 2abcd + 2b^2c^2) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{54c^{8/3}d^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^2/(c + d*x^3)^3,x]

[Out] ((-3*c^(2/3)*d^(1/3)*x*(2*a*b*c*d*(2*c - d*x^3) - a^2*d^2*(8*c + 5*d*x^3) + b^2*c^2*(4*c + 7*d*x^3)))/(c + d*x^3)^2 - 2*Sqrt[3]*(2*b^2*c^2 + 2*a*b*c*d + 5*a^2*d^2)*ArcTan[(1 - (2*d^(1/3)*x)/c^(1/3))/Sqrt[3]] + 2*(2*b^2*c^2 + 2*a*b*c*d + 5*a^2*d^2)*Log[c^(1/3) + d^(1/3)*x] - (2*b^2*c^2 + 2*a*b*c*d + 5*a^2*d^2)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2]/(54*c^(8/3)*d^(7/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^2}{(c + dx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)^2/(c + d*x^3)^3,x]

[Out] IntegrateAlgebraic[(a + b*x^3)^2/(c + d*x^3)^3, x]

fricas [B] time = 0.85, size = 1067, normalized size = 4.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2/(d*x^3+c)^3,x, algorithm="fricas")

[Out] [-1/54*(3*(7*b^2*c^4*d^2 - 2*a*b*c^3*d^3 - 5*a^2*c^2*d^4)*x^4 - 3*sqrt(1/3)*(2*b^2*c^5*d + 2*a*b*c^4*d^2 + 5*a^2*c^3*d^3 + (2*b^2*c^3*d^3 + 2*a*b*c^2*d^4 + 5*a^2*c*d^5)*x^6 + 2*(2*b^2*c^4*d^2 + 2*a*b*c^3*d^3 + 5*a^2*c^2*d^4)*x^3)*sqrt(-(c^2*d)^(1/3)/d)*log((2*c*d*x^3 - 3*(c^2*d)^(1/3)*c*x - c^2 + 3*sqrt(1/3)*(2*c*d*x^2 + (c^2*d)^(2/3)*x - (c^2*d)^(1/3)*c)*sqrt(-(c^2*d)^(1/3)/d))/(d*x^3 + c)) + ((2*b^2*c^2*d^2 + 2*a*b*c*d^3 + 5*a^2*d^4)*x^6 + 2*b^2*c^4 + 2*a*b*c^3*d + 5*a^2*c^2*d^2 + 2*(2*b^2*c^3*d + 2*a*b*c^2*d^2 + 5*a^2*c*d^3)*x^3)*(c^2*d)^(2/3)*log(c*d*x^2 - (c^2*d)^(2/3)*x + (c^2*d)^(1/3)*c) - 2*((2*b^2*c^2*d^2 + 2*a*b*c*d^3 + 5*a^2*d^4)*x^6 + 2*b^2*c^4 + 2*a*b*c^3*d + 5*a^2*c^2*d^2 + 2*(2*b^2*c^3*d + 2*a*b*c^2*d^2 + 5*a^2*c*d^3)*x^3)*(c^2*d)^(2/3)*log(c*d*x + (c^2*d)^(2/3)) + 12*(b^2*c^5*d + a*b*c^4*d^2 - 2*a^2*c^3*d^3)*x)/(c^4*d^5*x^6 + 2*c^5*d^4*x^3 + c^6*d^3), -1/54*(3*(7*b^2*c^4*d^2 - 2*a*b*c^3*d^3 - 5*a^2*c^2*d^4)*x^4 - 6*sqrt(1/3)*(2*b^2*c^5*d + 2*a*b*c^4*d^2 + 5*a^2*c^3*d^3 + (2*b^2*c^3*d^3 + 2*a*b*c^2*d^4 + 5*a^2*c*d^5)*x^6 + 2*(2*b^2*c^4*d^2 + 2*a*b*c^3*d^3 + 5*a^2*c^2*d^4)*x^3)*sqrt((c^2*d)^(1/3)/d)*arctan(sqrt(1/3)*(2*(c^2*d)^(2/3)*x - (c^2*d)^(1/3)*c)*sqrt((c^2*d)^(1/3)/d)/c^2) + ((2*b^2*c^2*d^2 + 2*a*b*c*d^3 + 5*a^2*d^4)*x^6 + 2*b^2*c^4 + 2*a*b*c^3*d + 5*a^2*c^2*d^2 + 2*(2*b^2*c^3*d + 2*a*b*c^2*d^2 + 5*a^2*c*d^3)*x^3)*(c^2*d)^(2/3)*log(c*d*x^2 - (c^2*d)^(2/3)*x + (c^2*d)^(1/3)*c) - 2*((2*b^2*c^2*d^2 + 2*a*b*c*d^3 + 5*a^2*d^4)*x^6 + 2*b^2*c^4 + 2*a*b*c^3*d + 5*a^2*c^2*d^2 + 2*(2*b^2*c^3*d + 2*a*b*c^2*d^2 + 5*a^2*c*d^3)*x^3)*(c^2*d)^(2/3)*log(c*d*x + (c^2*d)^(2/3)) + 12*(b^2*c^5*d + a*b*c^4*d^2 - 2*a^2*c^3*d^3)*x)/(c^4*d^5*x^6 + 2*c^5*d^4*x^3 + c^6*d^3)]

giac [A] time = 0.20, size = 264, normalized size = 1.02

$$\frac{\sqrt{3}(2b^2c^2 + 2abcd + 5a^2d^2) \arctan\left(\frac{\sqrt{3}\left(x + \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{27(-cd^2)^{\frac{2}{3}}c^2d} - \frac{(2b^2c^2 + 2abcd + 5a^2d^2) \log\left(x^2 + x\left(-\frac{c}{d}\right)^{\frac{1}{3}} + \left(-\frac{c}{d}\right)^{\frac{2}{3}}\right)}{54(-cd^2)^{\frac{2}{3}}c^2d} - \frac{(2b^2c^2 + 2abcd + 5a^2d^2)\left(-\frac{c}{d}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{27c^2d^2} - \frac{7b^2c^2dx^4 - 2abcd^2x^4 - 5a^2d^3x^4 + 4b^2c^2x + 4abc^2dx - 8a^2cd^2x}{18(dx^3 + c)^2c^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2/(d*x^3+c)^3,x, algorithm="giac")

[Out]
$$-1/27*\sqrt{3}*(2*b^2*c^2 + 2*a*b*c*d + 5*a^2*d^2)*\arctan(1/3*\sqrt{3}*(2*x + (-c/d)^{(1/3)})/(-c/d)^{(1/3)})/((-c*d^2)^{(2/3)}*c^2*d) - 1/54*(2*b^2*c^2 + 2*a*b*c*d + 5*a^2*d^2)*\log(x^2 + x*(-c/d)^{(1/3)} + (-c/d)^{(2/3)})/((-c*d^2)^{(2/3)}*c^2*d) - 1/27*(2*b^2*c^2 + 2*a*b*c*d + 5*a^2*d^2)*(-c/d)^{(1/3)}*\log(\text{abs}(x - (-c/d)^{(1/3)}))/((c^3*d^2) - 1/18*(7*b^2*c^2*d*x^4 - 2*a*b*c*d^2*x^4 - 5*a^2*d^3*x^4 + 4*b^2*c^3*x + 4*a*b*c^2*d*x - 8*a^2*c*d^2*x)/((d*x^3 + c)^2*c^2*d^2)$$

maple [F(-1)] time = 180.00, size = 0, normalized size = 0.00

hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2/(d*x^3+c)^3,x)

[Out] int((b*x^3+a)^2/(d*x^3+c)^3,x)

maxima [A] time = 1.32, size = 267, normalized size = 1.03

$$-\frac{(7b^2c^2d - 2abcd^2 - 5a^2d^3)x^4 + 4(b^2c^3 + abc^2d - 2a^2cd^2)x}{18(c^2d^4x^6 + 2c^3d^3x^3 + c^4d^2)} + \frac{\sqrt{3}(2b^2c^2 + 2abcd + 5a^2d^2)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{2}{3}}}\right)}{27c^2d^3\left(\frac{c}{d}\right)^{\frac{2}{3}}} - \frac{(2b^2c^2 + 2abcd + 5a^2d^2)\log\left(x^2 - x\left(\frac{c}{d}\right)^{\frac{1}{3}} + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{54c^2d^3\left(\frac{c}{d}\right)^{\frac{2}{3}}} + \frac{(2b^2c^2 + 2abcd + 5a^2d^2)\log\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{27c^2d^3\left(\frac{c}{d}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2/(d*x^3+c)^3,x, algorithm="maxima")

[Out]
$$-1/18*((7*b^2*c^2*d - 2*a*b*c*d^2 - 5*a^2*d^3)*x^4 + 4*(b^2*c^3 + a*b*c^2*d - 2*a^2*c*d^2)*x)/((c^2*d^4*x^6 + 2*c^3*d^3*x^3 + c^4*d^2) + 1/27*\sqrt{3}*(2*b^2*c^2 + 2*a*b*c*d + 5*a^2*d^2)*\arctan(1/3*\sqrt{3}*(2*x - (c/d)^{(1/3)})/((c/d)^{(1/3)}))/((c^2*d^3*(c/d)^{(2/3)}) - 1/54*(2*b^2*c^2 + 2*a*b*c*d + 5*a^2*d^2)*\log(x^2 - x*(c/d)^{(1/3)} + (c/d)^{(2/3)})/((c^2*d^3*(c/d)^{(2/3)}) + 1/27*(2*b^2*c^2 + 2*a*b*c*d + 5*a^2*d^2)*\log(x + (c/d)^{(1/3)})/((c^2*d^3*(c/d)^{(2/3)}))$$

mupad [B] time = 1.43, size = 249, normalized size = 0.97

$$\frac{\ln(d^{1/3}x + c^{1/3})(5a^2d^2 + 2abcd + 2b^2c^2)}{27c^{8/3}d^{1/3}} - \frac{2x(-2a^2d^2 + abcd + b^2c^2)}{9cd^2} - \frac{x^4(5a^2d^2 + 2abcd - 7b^2c^2)}{18c^2d} + \frac{\ln(2d^{1/3}x - c^{1/3} + \sqrt{3}c^{1/3}i)}{27c^{8/3}d^{1/3}} \left(-\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(5a^2d^2 + 2abcd + 2b^2c^2) - \frac{\ln(c^{1/3} - 2d^{1/3}x + \sqrt{3}c^{1/3}i)}{27c^{8/3}d^{1/3}} \left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(5a^2d^2 + 2abcd + 2b^2c^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^2/(c + d*x^3)^3,x)

[Out]
$$(\log(d^{1/3}*x + c^{1/3})*(5*a^2*d^2 + 2*b^2*c^2 + 2*a*b*c*d))/(27*c^{8/3}*d^{7/3}) - ((2*x*(b^2*c^2 - 2*a^2*d^2 + a*b*c*d))/(9*c*d^2) - (x^4*(5*a^2*d^2$$

$$\frac{\sqrt{2} - 7b^2c^2 + 2abc^2d}{(18c^2d)} \frac{1}{(c^2 + d^2x^6 + 2cdx^3)} + \left(\log\left(3^{1/2}c^{1/3}i + 2d^{1/3}x - c^{1/3}\right) \left(\frac{3^{1/2}i}{2} - \frac{1}{2}\right) (5a^2d^2 + 2b^2c^2 + 2abc^2d) \right) / (27c^{8/3}d^{7/3}) - \left(\log\left(3^{1/2}c^{1/3}i - 2d^{1/3}x + c^{1/3}\right) \left(\frac{3^{1/2}i}{2} + \frac{1}{2}\right) (5a^2d^2 + 2b^2c^2 + 2abc^2d) \right) / (27c^{8/3}d^{7/3})$$

sympy [A] time = 1.62, size = 233, normalized size = 0.90

$$\frac{x^4(5a^2d^3 + 2abcd^2 - 7b^2c^2d) + x(8a^2cd^2 - 4abc^2d - 4b^2c^3)}{18c^4d^2 + 36c^3d^3x^3 + 18c^2d^4x^6} + \text{RootSum}\left(19683t^3c^8d^7 - 125a^6d^6 - 150a^5bcd^5 - 210a^4b^2c^2d^4 - 128a^3b^3c^3d^3 - 84a^2b^4c^4d^2 - 24ab^5c^5d - 8b^6c^6, \left(t \mapsto t \log\left(\frac{27tc^3d^2}{5a^2d^2 + 2abcd + 2b^2c^2} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2/(d*x**3+c)**3,x)

[Out] (x**4*(5*a**2*d**3 + 2*a*b*c*d**2 - 7*b**2*c**2*d) + x*(8*a**2*c*d**2 - 4*a*b*c**2*d - 4*b**2*c**3))/(18*c**4*d**2 + 36*c**3*d**3*x**3 + 18*c**2*d**4*x**6) + RootSum(19683*_t**3*c**8*d**7 - 125*a**6*d**6 - 150*a**5*b*c*d**5 - 210*a**4*b**2*c**2*d**4 - 128*a**3*b**3*c**3*d**3 - 84*a**2*b**4*c**4*d**2 - 24*a*b**5*c**5*d - 8*b**6*c**6, Lambda(_t, _t*log(27*_t*c**3*d**2/(5*a**2*d**2 + 2*a*b*c*d + 2*b**2*c**2) + x)))

$$3.14 \quad \int \frac{(c+dx^3)^4}{a+bx^3} dx$$

Optimal. Leaf size=252

$$\frac{(bc-ad)^4 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3} b^{13/3}} + \frac{(bc-ad)^4 \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} b^{13/3}} - \frac{(bc-ad)^4 \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{13/3}} + \frac{dx(2bc - ad)^4}{6a^{2/3} b^{13/3}}$$

Rubi [A] time = 0.19, antiderivative size = 252, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {390, 200, 31, 634, 617, 204, 628}

$$\frac{d^2 x^4 (a^2 d^2 - 4abcd + 6b^2 c^2)}{4b^3} + \frac{dx(2bc - ad)(a^2 d^2 - 2abcd + 2b^2 c^2)}{b^4} - \frac{(bc - ad)^4 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3} b^{13/3}} + \frac{(bc - ad)^4 \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} b^{13/3}} - \frac{(bc - ad)^4 \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{13/3}} + \frac{d^3 x^2 (4bc - ad)}{7b^2} + \frac{d^4 x^{10}}{10b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)^4/(a + b*x^3), x]

[Out] (d*(2*b*c - a*d)*(2*b^2*c^2 - 2*a*b*c*d + a^2*d^2)*x)/b^4 + (d^2*(6*b^2*c^2 - 4*a*b*c*d + a^2*d^2)*x^4)/(4*b^3) + (d^3*(4*b*c - a*d)*x^7)/(7*b^2) + (d^4*x^10)/(10*b) - ((b*c - a*d)^4*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(2/3)*b^(13/3)) + ((b*c - a*d)^4*Log[a^(1/3) + b^(1/3)*x]/(3*a^(2/3)*b^(13/3)) - ((b*c - a*d)^4*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(2/3)*b^(13/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^(n-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx^3)^4}{a + bx^3} dx &= \int \left(\frac{d(2bc - ad)(2b^2c^2 - 2abcd + a^2d^2)}{b^4} + \frac{d^2(6b^2c^2 - 4abcd + a^2d^2)x^3}{b^3} + \frac{d^3(4bc - ad)x^6}{b^2} + \frac{d^4}{1} \right) dx \\
&= \frac{d(2bc - ad)(2b^2c^2 - 2abcd + a^2d^2)x}{b^4} + \frac{d^2(6b^2c^2 - 4abcd + a^2d^2)x^4}{4b^3} + \frac{d^3(4bc - ad)x^7}{7b^2} + \frac{d^4x^{10}}{10b} \\
&= \frac{d(2bc - ad)(2b^2c^2 - 2abcd + a^2d^2)x}{b^4} + \frac{d^2(6b^2c^2 - 4abcd + a^2d^2)x^4}{4b^3} + \frac{d^3(4bc - ad)x^7}{7b^2} + \frac{d^4x^{10}}{10b} \\
&= \frac{d(2bc - ad)(2b^2c^2 - 2abcd + a^2d^2)x}{b^4} + \frac{d^2(6b^2c^2 - 4abcd + a^2d^2)x^4}{4b^3} + \frac{d^3(4bc - ad)x^7}{7b^2} + \frac{d^4x^{10}}{10b} \\
&= \frac{d(2bc - ad)(2b^2c^2 - 2abcd + a^2d^2)x}{b^4} + \frac{d^2(6b^2c^2 - 4abcd + a^2d^2)x^4}{4b^3} + \frac{d^3(4bc - ad)x^7}{7b^2} + \frac{d^4x^{10}}{10b}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 253, normalized size = 1.00

$$\frac{-\frac{70(bc-ad)^4 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx+bx^2})}{a^{2/3}} + \frac{140(bc-ad)^4 \log(\sqrt[3]{a} + \sqrt[3]{bx})}{a^{2/3}} + \frac{140\sqrt{5}(bc-ad)^4 \tan^{-1}\left(\frac{2\sqrt[3]{a} - \sqrt[3]{c}}{\sqrt{5}\sqrt[3]{a}}\right)}{a^{2/3}} + 105b^{4/3}d^2x^4(a^2d^2 - 4abcd + 6b^2c^2) + 420\sqrt[3]{b}dx(-a^2d^3 + 4a^2bcd^2 - 6ab^2c^2d + 4b^3c^3) + 60b^{7/3}d^3x^7(4bc - ad) + 42b^{10/3}d^4x^{10}}{420b^{13/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)^4/(a + b*x^3), x]

[Out] (420*b^(1/3)*d*(4*b^3*c^3 - 6*a*b^2*c^2*d + 4*a^2*b*c*d^2 - a^3*d^3)*x + 105*b^(4/3)*d^2*(6*b^2*c^2 - 4*a*b*c*d + a^2*d^2)*x^4 + 60*b^(7/3)*d^3*(4*b*c - a*d)*x^7 + 42*b^(10/3)*d^4*x^10 + (140*sqrt[3]*(b*c - a*d)^4*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(sqrt[3]*a^(1/3))])/a^(2/3) + (140*(b*c - a*d)^4*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) - (70*(b*c - a*d)^4*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3))/(420*b^(13/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx^3)^4}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3)^4/(a + b*x^3),x]

[Out] IntegrateAlgebraic[(c + d*x^3)^4/(a + b*x^3), x]

fricas [A] time = 1.23, size = 873, normalized size = 3.46

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^4/(b*x^3+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/420*(42*a^2*b^4*d^4*x^{10} + 60*(4*a^2*b^4*c*d^3 - a^3*b^3*d^4)*x^7 + 105*(6*a^2*b^4*c^2*d^2 - 4*a^3*b^3*c*d^3 + a^4*b^2*d^4)*x^4 + 210*\sqrt{1/3}*(a*b^5*c^4 - 4*a^2*b^4*c^3*d + 6*a^3*b^3*c^2*d^2 - 4*a^4*b^2*c*d^3 + a^5*b*d^4) \\ &)*\sqrt{-(a^2*b)^{(1/3)}/b}*\log((2*a*b*x^3 - 3*(a^2*b)^{(1/3)}*a*x - a^2 + 3*\sqrt{1/3}*(2*a*b*x^2 + (a^2*b)^{(2/3)}*x - (a^2*b)^{(1/3)}*a)*\sqrt{-(a^2*b)^{(1/3)}/b} \\ &)/(b*x^3 + a)) - 70*(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*(a^2*b)^{(2/3)}*\log(a*b*x^2 - (a^2*b)^{(2/3)}*x + (a^2*b)^{(1/3)}*a) \\ & + 140*(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*(a^2*b)^{(2/3)}*\log(a*b*x + (a^2*b)^{(2/3)}) + 420*(4*a^2*b^4*c^3*d - 6*a^3*b^3*c^2*d^2 + 4*a^4*b^2*c*d^3 - a^5*b*d^4)*x)/(a^2*b^5), 1/420*(42*a^2*b^4*d^4*x^{10} + 60*(4*a^2*b^4*c*d^3 - a^3*b^3*d^4)*x^7 + 105*(6*a^2*b^4*c^2*d^2 - 4*a^3*b^3*c*d^3 + a^4*b^2*d^4)*x^4 + 420*\sqrt{1/3}*(a*b^5*c^4 - 4*a^2*b^4*c^3*d + 6*a^3*b^3*c^2*d^2 - 4*a^4*b^2*c*d^3 + a^5*b*d^4)*\sqrt{(a^2*b)^{(1/3)}/b} \\ &)*\arctan(\sqrt{1/3}*(2*(a^2*b)^{(2/3)}*x - (a^2*b)^{(1/3)}*a)*\sqrt{(a^2*b)^{(1/3)}/b})/a^2) - 70*(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*(a^2*b)^{(2/3)}*\log(a*b*x^2 - (a^2*b)^{(2/3)}*x + (a^2*b)^{(1/3)}*a) \\ & + 140*(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*(a^2*b)^{(2/3)}*\log(a*b*x + (a^2*b)^{(2/3)}) + 420*(4*a^2*b^4*c^3*d - 6*a^3*b^3*c^2*d^2 + 4*a^4*b^2*c*d^3 - a^5*b*d^4)*x)/(a^2*b^5)] \end{aligned}$$

giac [A] time = 0.20, size = 391, normalized size = 1.55

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3}(2x + (-a/b)^{1/3})}{(-a/b)^{1/3}}\right)}{3(-ab)^{1/3}} + \frac{(b^4c^4 - 4ab^3c^3d + 6a^2b^2c^2d^2 - 4a^3b^3c^2d^3 + a^4d^4) \log\left(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}\right)}{6(-ab)^{1/3}} + \frac{(b^4c^4 - 4ab^3c^3d + 6a^2b^2c^2d^2 - 4a^3b^3c^2d^3 + a^4d^4) \log\left(x + (-a/b)^{1/3}\right)}{3ab^{10}} + \frac{14b^4c^4 + 80b^3c^3d + 210b^2c^2d^2 - 140ab^3c^3d + 35a^2b^2c^2d^2 + 560ab^3c^3d - 840a^2b^2c^2d^2 + 560a^3b^3c^3d - 140a^4b^4c^4}{140b^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^4/(b*x^3+a),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/3*\sqrt{3}*(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*b^3) \\ & - 1/6*(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*b^3) \\ & - 1/3*(b^{10}*c^4 - 4*a*b^9*c^3*d + 6*a^2*b^8*c^2*d^2 - 4*a^3*b^7*c*d^3 + a^4*b^6*d^4)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/ (a*b^{10}) + 1/140*(14*b^9*c^4 \end{aligned}$$

$$d^4*x^{10} + 80*b^9*c*d^3*x^7 - 20*a*b^8*d^4*x^7 + 210*b^9*c^2*d^2*x^4 - 140*a*b^8*c*d^3*x^4 + 35*a^2*b^7*d^4*x^4 + 560*b^9*c^3*d*x - 840*a*b^8*c^2*d^2*x + 560*a^2*b^7*c*d^3*x - 140*a^3*b^6*d^4*x)/b^{10}$$

maple [B] time = 0.05, size = 661, normalized size = 2.62

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)^4/(b*x^3+a),x)

[Out]
$$\begin{aligned} & -4/3/b^4/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*a^3*c*d^3+2/b^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*a^2*c^2*d^2-4/3/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*a*c^3*d-1/7*d^4/b^2*x^7*a+4/7*d^3/b*x^7*c-1/6/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c^4+1/3/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c^4+4*d/b*c^3*x+1/4*d^4/b^3*x^4*a^2+3/2*d^2/b*x^4*c^2-d^4/b^4*a^3*x-4/3/b^4/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*a^3*c*d^3+2/b^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*a^2*c^2*d^2-4/3/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*a*c^3*d+2/3/b^4/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*a^2*c^2*d^2+2/3/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*a^3*d+1/3/b^5/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*a^4*d^4-6*d^2/b^2*a*c^2*x-d^3/b^2*x^4*a*c+4*d^3/b^3*a^2*c*x+1/3/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c^4+1/3/b^5/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*a^4*d^4-1/6/b^5/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*a^4*d^4+1/10*d^4*x^{10}/b \end{aligned}$$

maxima [A] time = 1.19, size = 364, normalized size = 1.44

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^4/(b*x^3+a),x, algorithm="maxima")

[Out]
$$\begin{aligned} & 1/140*(14*b^3*d^4*x^{10} + 20*(4*b^3*c*d^3 - a*b^2*d^4)*x^7 + 35*(6*b^3*c^2*d^2 - 4*a*b^2*c*d^3 + a^2*b*d^4)*x^4 + 140*(4*b^3*c^3*d - 6*a*b^2*c^2*d^2 + 4*a^2*b*c*d^3 - a^3*d^4)*x)/b^4 + 1/3*\sqrt{3}*(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^5*(a/b)^{(2/3)}) - 1/6*(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^5*(a/b)^{(2/3)}) + 1/3*(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*\log(x + (a/b)^{(1/3)})/(b^5*(a/b)^{(2/3)}) \end{aligned}$$

mupad [B] time = 1.43, size = 250, normalized size = 0.99

$$x \left(\frac{4c^3 d}{b} - \frac{a \left(\frac{ad^4}{7b^2} - \frac{4cd^3}{7b} \right) + \frac{6c^2 d^2}{b}}{b} \right) - x^7 \left(\frac{ad^4}{7b^2} - \frac{4cd^3}{7b} \right) + x^4 \left(\frac{a \left(\frac{ad^4}{7b^2} - \frac{4cd^3}{7b} \right) + \frac{3c^2 d^2}{2b}}{4b} \right) + \frac{d^4 x^{10}}{10b} + \frac{\ln(b^{1/3} x + a^{1/3}) (ad - bc)^4}{3a^{2/3} b^{13/3}} + \frac{\ln(2b^{1/3} x - a^{1/3} + \sqrt{3} a^{1/3} 1i) \left(-\frac{1}{6} + \frac{\sqrt{3} 1i}{6} \right) (ad - bc)^4}{a^{2/3} b^{13/3}} - \frac{\ln(a^{1/3} - 2b^{1/3} x + \sqrt{3} a^{1/3} 1i) \left(\frac{1}{6} + \frac{\sqrt{3} 1i}{6} \right) (ad - bc)^4}{3a^{2/3} b^{13/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3)^4/(a + b*x^3), x)

[Out] $x * ((4*c^3*d)/b - (a*((a*d^4)/b^2 - (4*c*d^3)/b))/b + (6*c^2*d^2/b)/b - x^7*((a*d^4)/(7*b^2) - (4*c*d^3)/(7*b)) + x^4*((a*((a*d^4)/b^2 - (4*c*d^3)/b))/(4*b) + (3*c^2*d^2)/(2*b)) + (d^4*x^{10})/(10*b) + (\log(b^{1/3}*x + a^{1/3})*(a*d - b*c)^4)/(3*a^{2/3}*b^{13/3}) + (\log(3^{1/2}*a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3}))*((3^{1/2}*1i)/6 - 1/6)*(a*d - b*c)^4/(a^{2/3}*b^{13/3}) - (\log(3^{1/2}*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3}))*((3^{1/2}*1i)/2 + 1/2)*(a*d - b*c)^4/(3*a^{2/3}*b^{13/3})$

sympy [A] time = 1.31, size = 371, normalized size = 1.47

$$x \left(\frac{4c^3 d}{7b^2} - \frac{4cd^3}{7b} \right) + x^4 \left(\frac{a \left(\frac{ad^4}{7b^2} - \frac{4cd^3}{7b} \right) + \frac{3c^2 d^2}{2b}}{4b} \right) + \text{RootSum} \left(27t^3 a^2 b^{13} - a^{12} d^{12} + 12a^{11} b d^{11} - 66a^{10} b^2 c d^{10} + 220a^9 b^3 c^2 d^9 - 495a^8 b^4 c^3 d^8 + 792a^7 b^5 c^4 d^7 - 924a^6 b^6 c^5 d^6 + 792a^5 b^7 c^6 d^5 - 495a^4 b^8 c^7 d^4 + 220a^3 b^9 c^8 d^3 - 66a^2 b^{10} c^9 d^2 + 12a b^{11} c^{10} d - b^{12} c^{11} d \right) \left(x + \log \left(\frac{3ad^4}{t^4 b^4 - 4a^3 b^3 c d^3 + 6a^2 b^2 c^2 d^2 - 4ab c^3 d + b^4 c^4} + x \right) \right) + \frac{d^4 x^{10}}{10b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c)**4/(b*x**3+a), x)

[Out] $x^{**7} * (-a*d^{**4}/(7*b^{**2}) + 4*c*d^{**3}/(7*b)) + x^{**4} * (a^{**2}*d^{**4}/(4*b^{**3}) - a*c*d^{**3}/b^{**2} + 3*c^{**2}*d^{**2}/(2*b)) + x * (-a^{**3}*d^{**4}/b^{**4} + 4*a^{**2}*c*d^{**3}/b^{**3} - 6*a*c^{**2}*d^{**2}/b^{**2} + 4*c^{**3}*d/b) + \text{RootSum}(27*_t^{**3}*a^{**2}*b^{**13} - a^{**12}*d^{**12} + 12*a^{**11}*b*c*d^{**11} - 66*a^{**10}*b^{**2}*c^{**2}*d^{**10} + 220*a^{**9}*b^{**3}*c^{**3}*d^{**9} - 495*a^{**8}*b^{**4}*c^{**4}*d^{**8} + 792*a^{**7}*b^{**5}*c^{**5}*d^{**7} - 924*a^{**6}*b^{**6}*c^{**6}*d^{**6} + 792*a^{**5}*b^{**7}*c^{**7}*d^{**5} - 495*a^{**4}*b^{**8}*c^{**8}*d^{**4} + 220*a^{**3}*b^{**9}*c^{**9}*d^{**3} - 66*a^{**2}*b^{**10}*c^{**10}*d^{**2} + 12*a*b^{**11}*c^{**11}*d - b^{**12}*c^{**12}, \text{Lambda}(_t, _t*\log(3*_t*a*b^{**4}/(a^{**4}*d^{**4} - 4*a^{**3}*b*c*d^{**3} + 6*a^{**2}*b^{**2}*c^{**2}*d^{**2} - 4*a*b^{**3}*c^{**3}*d + b^{**4}*c^{**4}) + x)) + d^{**4}*x^{**10}/(10*b)$

$$3.15 \quad \int \frac{(c+dx^3)^3}{a+bx^3} dx$$

Optimal. Leaf size=208

$$\frac{(bc-ad)^3 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3} b^{10/3}} + \frac{(bc-ad)^3 \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} b^{10/3}} - \frac{(bc-ad)^3 \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{10/3}} + \frac{dx(a^2 d^2}{b^3}$$

Rubi [A] time = 0.15, antiderivative size = 208, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {390, 200, 31, 634, 617, 204, 628}

$$\frac{dx(a^2 d^2 - 3abcd + 3b^2 c^2)}{b^3} - \frac{(bc-ad)^3 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3} b^{10/3}} + \frac{(bc-ad)^3 \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} b^{10/3}} - \frac{(bc-ad)^3 \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{10/3}} + \frac{d^2 x^4 (3bc-ad)}{4b^2} + \frac{d^3 x^7}{7b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)^3/(a + b*x^3), x]

[Out] (d*(3*b^2*c^2 - 3*a*b*c*d + a^2*d^2)*x)/b^3 + (d^2*(3*b*c - a*d)*x^4)/(4*b^2) + (d^3*x^7)/(7*b) - ((b*c - a*d)^3*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(2/3)*b^(10/3)) + ((b*c - a*d)^3*Log[a^(1/3) + b^(1/3)*x]/(3*a^(2/3)*b^(10/3)) - ((b*c - a*d)^3*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(2/3)*b^(10/3)))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx^3)^3}{a + bx^3} dx &= \int \left(\frac{d(3b^2c^2 - 3abcd + a^2d^2)}{b^3} + \frac{d^2(3bc - ad)x^3}{b^2} + \frac{d^3x^6}{b} + \frac{b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3}{b^3(a + bx^3)} \right) dx \\
&= \frac{d(3b^2c^2 - 3abcd + a^2d^2)x}{b^3} + \frac{d^2(3bc - ad)x^4}{4b^2} + \frac{d^3x^7}{7b} + \frac{(bc - ad)^3 \int \frac{1}{a+bx^3} dx}{b^3} \\
&= \frac{d(3b^2c^2 - 3abcd + a^2d^2)x}{b^3} + \frac{d^2(3bc - ad)x^4}{4b^2} + \frac{d^3x^7}{7b} + \frac{(bc - ad)^3 \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}b^3} + \frac{(bc - ad)^3}{b^3} \\
&= \frac{d(3b^2c^2 - 3abcd + a^2d^2)x}{b^3} + \frac{d^2(3bc - ad)x^4}{4b^2} + \frac{d^3x^7}{7b} + \frac{(bc - ad)^3 \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{10/3}} - \frac{(bc - ad)^3}{b^3} \\
&= \frac{d(3b^2c^2 - 3abcd + a^2d^2)x}{b^3} + \frac{d^2(3bc - ad)x^4}{4b^2} + \frac{d^3x^7}{7b} + \frac{(bc - ad)^3 \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{10/3}} - \frac{(bc - ad)^3}{b^3} \\
&= \frac{d(3b^2c^2 - 3abcd + a^2d^2)x}{b^3} + \frac{d^2(3bc - ad)x^4}{4b^2} + \frac{d^3x^7}{7b} - \frac{(bc - ad)^3 \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{10/3}} + \frac{(bc - ad)^3}{b^3}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 203, normalized size = 0.98

$$\frac{14(ad-bc)^3 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{a^{2/3}} + \frac{28(bc-ad)^3 \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{a^{2/3}} + \frac{28\sqrt{3}(bc-ad)^3 \tan^{-1}\left(\frac{2\sqrt[3]{b}x - \sqrt[3]{a}}{\sqrt{3}\sqrt[3]{a}}\right)}{a^{2/3}} + 84\sqrt[3]{b} dx (a^2d^2 - 3abcd + 3b^2c^2) + 21b^{4/3}d^2x^4(3bc - ad) + 12b^{7/3}d^3x^7}{84b^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)^3/(a + b*x^3), x]

[Out] (84*b^(1/3)*d*(3*b^2*c^2 - 3*a*b*c*d + a^2*d^2)*x + 21*b^(4/3)*d^2*(3*b*c - a*d)*x^4 + 12*b^(7/3)*d^3*x^7 + (28*sqrt(3)*(b*c - a*d)^3*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(sqrt(3)*a^(1/3))])/a^(2/3) + (28*(b*c - a*d)^3*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) + (14*(-(b*c) + a*d)^3*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3))/(84*b^(10/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx^3)^3}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3)^3/(a + b*x^3),x]

[Out] IntegrateAlgebraic[(c + d*x^3)^3/(a + b*x^3), x]

fricas [A] time = 1.02, size = 700, normalized size = 3.37

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^3/(b*x^3+a),x, algorithm="fricas")

[Out] [1/84*(12*a^2*b^3*d^3*x^7 + 21*(3*a^2*b^3*c*d^2 - a^3*b^2*d^3)*x^4 - 42*sqrt(1/3)*(a*b^4*c^3 - 3*a^2*b^3*c^2*d + 3*a^3*b^2*c*d^2 - a^4*b*d^3)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a) - 14*(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) + 84*(3*a^2*b^3*c^2*d - 3*a^3*b^2*c*d^2 + a^4*b*d^3)*x/(a^2*b^4), 1/84*(12*a^2*b^3*d^3*x^7 + 21*(3*a^2*b^3*c*d^2 - a^3*b^2*d^3)*x^4 + 84*sqrt(1/3)*(a*b^4*c^3 - 3*a^2*b^3*c^2*d + 3*a^3*b^2*c*d^2 - a^4*b*d^3)*sqrt((-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-a^2*b)^(1/3)/b)/a^2) - 14*(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) + 84*(3*a^2*b^3*c^2*d - 3*a^3*b^2*c*d^2 + a^4*b*d^3)*x/(a^2*b^4)]

giac [A] time = 0.18, size = 296, normalized size = 1.42

$$\frac{\sqrt{3} (b^3 c^3 - 3 a b^2 c^2 d + 3 a^2 b c d^2 - a^3 d^3) \arctan\left(\frac{\sqrt{3(2x + (-\frac{a}{b})^{\frac{1}{3}})}}{3(-\frac{a}{b})^{\frac{1}{3}}}\right) (b^3 c^3 - 3 a b^2 c^2 d + 3 a^2 b c d^2 - a^3 d^3) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) (b^7 c^3 - 3 a b^6 c^2 d + 3 a^2 b^5 c d^2 - a^3 b^4 d^3) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3(-ab^2)^{\frac{3}{2}} b^2} - \frac{14(b^3 c^3 - 3 a b^2 c^2 d + 3 a^2 b c d^2 - a^3 d^3) (-a^2 b)^{\frac{2}{3}} \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6(-ab^2)^{\frac{3}{2}} b^2} - \frac{28(b^3 c^3 - 3 a b^2 c^2 d + 3 a^2 b c d^2 - a^3 d^3) (-a^2 b)^{\frac{2}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 a b^2} + \frac{84(b^3 c^3 - 3 a b^2 c^2 d + 3 a^2 b c d^2 - a^3 d^3) (-a^2 b)^{\frac{2}{3}} \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{28 b^2} + \frac{84(b^3 c^3 - 3 a b^2 c^2 d + 3 a^2 b c d^2 - a^3 d^3) (-a^2 b)^{\frac{2}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{28 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^3/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*b^2) - 1/6*(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*b^2) - 1/3*(b^7*c^3 - 3*a*b^6*c^2*d + 3*a^2*b^5*c*d^2 - a^3*b^4*d^3)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^7) + 1/28*(4*b^6*d^3*x^7 + 21*b^6*c*d^2*x^4 - 7*a*b^5*d^3*x^4 + 84*b^6*c^2*d*x - 84*a*b^5*c*d^2*x + 28*a^2*b^4*d^3*x)/b^7

maple [B] time = 0.05, size = 486, normalized size = 2.34

$$\frac{d^3 x^7}{7b} - \frac{d^3 x^6}{6b^2} + \frac{3cd^3 x^5}{5b} - \frac{\sqrt{3} d^3 \arctan\left(\frac{d^3 \sqrt{3x+1}}{b}\right)}{3\left(\frac{d}{b}\right)^{3/2}} - \frac{d^3 \ln\left(x + \left(\frac{d}{b}\right)^{1/3}\right)}{3\left(\frac{d}{b}\right)^{3/2}} - \frac{d^3 \ln\left(x^2 - \left(\frac{d}{b}\right)^{1/3} x + \left(\frac{d}{b}\right)^{2/3}\right)}{4\left(\frac{d}{b}\right)^{3/2}} - \frac{\sqrt{3} d^3 \arctan\left(\frac{d^3 \sqrt{3x+1}}{b}\right)}{\left(\frac{d}{b}\right)^{3/2}} - \frac{d^3 \ln\left(x + \left(\frac{d}{b}\right)^{1/3}\right)}{\left(\frac{d}{b}\right)^{3/2}} - \frac{d^3 \ln\left(x^2 - \left(\frac{d}{b}\right)^{1/3} x + \left(\frac{d}{b}\right)^{2/3}\right)}{2\left(\frac{d}{b}\right)^{3/2}} - \frac{d^3 x^4}{2b^2} - \frac{\sqrt{3} d^3 \arctan\left(\frac{d^3 \sqrt{3x+1}}{b}\right)}{\left(\frac{d}{b}\right)^{3/2}} - \frac{d^3 \ln\left(x + \left(\frac{d}{b}\right)^{1/3}\right)}{\left(\frac{d}{b}\right)^{3/2}} - \frac{d^3 \ln\left(x^2 - \left(\frac{d}{b}\right)^{1/3} x + \left(\frac{d}{b}\right)^{2/3}\right)}{2\left(\frac{d}{b}\right)^{3/2}} - \frac{3cd^3 x^5}{5b^2} - \frac{\sqrt{3} d^3 \arctan\left(\frac{d^3 \sqrt{3x+1}}{b}\right)}{3\left(\frac{d}{b}\right)^{3/2}} - \frac{d^3 \ln\left(x + \left(\frac{d}{b}\right)^{1/3}\right)}{3\left(\frac{d}{b}\right)^{3/2}} - \frac{d^3 \ln\left(x^2 - \left(\frac{d}{b}\right)^{1/3} x + \left(\frac{d}{b}\right)^{2/3}\right)}{4\left(\frac{d}{b}\right)^{3/2}} - \frac{3cd^3 x^5}{5b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)^3/(b*x^3+a), x)

[Out] $\frac{1}{7}d^3x^7/b - 1/4d^3/b^2x^4a + 3/4d^2/bx^4c + d^3/b^3a^2x - 3d^2/b^2acx + 3d/bc^2x - 1/3/b^4/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*a^3d^3 + 1/b^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*a^2cd^2 - 1/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*ac^2d + 1/3/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c^3 + 1/6/b^4/(a/b)^{(2/3)}*\ln(x^2 - (a/b)^{(1/3)}x + (a/b)^{(2/3)})*x + (a/b)^{(2/3)}*a^3d^3 - 1/2/b^3/(a/b)^{(2/3)}*\ln(x^2 - (a/b)^{(1/3)}x + (a/b)^{(2/3)})*a^2cd^2 + 1/2/b^2/(a/b)^{(2/3)}*\ln(x^2 - (a/b)^{(1/3)}x + (a/b)^{(2/3)})*ac^2d - 1/6/b/(a/b)^{(2/3)}*\ln(x^2 - (a/b)^{(1/3)}x + (a/b)^{(2/3)})*c^3 - 1/3/b^4/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*a^3d^3 + 1/b^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*a^2cd^2 - 1/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*ac^2d + 1/3/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c^3$

maxima [A] time = 1.32, size = 273, normalized size = 1.31

$$\frac{4b^2d^3x^7 + 7(3b^2cd^2 - abd^3)x^4 + 28(3b^2c^2d - 3abcd^2 + a^2d^3)x}{28b^3} + \frac{\sqrt{3}(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{d}{b}\right)^{1/3}\right)}{3\left(\frac{d}{b}\right)^{1/3}}\right)}{3b^4\left(\frac{d}{b}\right)^{3/3}} - \frac{(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3) \log\left(x^2 - x\left(\frac{d}{b}\right)^{1/3} + \left(\frac{d}{b}\right)^{2/3}\right)}{6b^4\left(\frac{d}{b}\right)^{3/3}} + \frac{(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3) \log\left(x + \left(\frac{d}{b}\right)^{1/3}\right)}{3b^4\left(\frac{d}{b}\right)^{3/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^3/(b*x^3+a), x, algorithm="maxima")

[Out] $\frac{1}{28}(4b^2d^3x^7 + 7(3b^2cd^2 - a^2bd^3)x^4 + 28(3b^2c^2d - 3abcd^2 + 3a^2b^2cd^2 - a^3d^3)x)/b^3 + \frac{1}{3}\sqrt{3}(b^3c^3 - 3a^2b^2cd^2 + 3a^2b^2cd^2 - a^3d^3) \arctan(1/3\sqrt{3}(2x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^4(a/b)^{(2/3)}) - 1/6(b^3c^3 - 3a^2b^2cd^2 + 3a^2b^2cd^2 - a^3d^3) \log(x^2 - x(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^4(a/b)^{(2/3)}) + 1/3(b^3c^3 - 3a^2b^2cd^2 + 3a^2b^2cd^2 - a^3d^3) \log(x + (a/b)^{(1/3)})/(b^4(a/b)^{(2/3)})$

mupad [B] time = 1.40, size = 192, normalized size = 0.92

$$x \left(\frac{3c^2d}{b} + \frac{a \left(\frac{ad^3}{b^2} - \frac{3cd^2}{b} \right)}{b} \right) - x^4 \left(\frac{ad^3}{4b^2} - \frac{3cd^2}{4b} \right) + \frac{d^3x^7}{7b} - \frac{\ln(b^{1/3}x + a^{1/3})(ad - bc)^3}{3a^{2/3}b^{10/3}} - \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i) \left(-\frac{1}{2} + \frac{\sqrt{3}i}{2} \right) (ad - bc)^3}{3a^{2/3}b^{10/3}} + \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}i) \left(\frac{1}{6} + \frac{\sqrt{3}i}{6} \right) (ad - bc)^3}{a^{2/3}b^{10/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3)^3/(a + b*x^3), x)

```
[Out] x*((3*c^2*d)/b + (a*((a*d^3)/b^2 - (3*c*d^2)/b))/b - x^4*((a*d^3)/(4*b^2)
- (3*c*d^2)/(4*b)) + (d^3*x^7)/(7*b) - (log(b^(1/3)*x + a^(1/3))*(a*d - b*c
)^3)/(3*a^(2/3)*b^(10/3)) - (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3)
)*((3^(1/2)*1i)/2 - 1/2)*(a*d - b*c)^3)/(3*a^(2/3)*b^(10/3)) + (log(3^(1/2)
*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/6 + 1/6)*(a*d - b*c)^3)/
(a^(2/3)*b^(10/3))
```

sympy [A] time = 1.00, size = 257, normalized size = 1.24

$$x^4 \left(-\frac{ad^3}{4b^2} + \frac{3cd^2}{4b} \right) + x \left(\frac{a^2d^3}{b^3} - \frac{3acd^2}{b^2} + \frac{3c^2d}{b} \right) + \text{RootSum} \left(27t^3a^2b^{10} + a^9d^9 - 9a^8bcd^8 + 36a^7b^2c^2d^7 - 84a^6b^4c^3d^6 + 126a^5b^4c^4d^5 - 126a^4b^5c^5d^4 + 84a^3b^6c^6d^3 - 36a^2b^7c^7d^2 + 9ab^8c^8d - b^9c^9, \left(t \mapsto t \log \left(\frac{3atb^3}{a^3d^3 - 3a^2bcd^2 + 3ab^2c^2d - b^3c^3} + x \right) \right) \right) + \frac{d^3x^7}{7b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x**3+c)**3/(b*x**3+a),x)
```

```
[Out] x**4*(-a*d**3/(4*b**2) + 3*c*d**2/(4*b)) + x*(a**2*d**3/b**3 - 3*a*c*d**2/b
**2 + 3*c**2*d/b) + RootSum(27*_t**3*a**2*b**10 + a**9*d**9 - 9*a**8*b*c*d*
*8 + 36*a**7*b**2*c**2*d**7 - 84*a**6*b**3*c**3*d**6 + 126*a**5*b**4*c**4*d
**5 - 126*a**4*b**5*c**5*d**4 + 84*a**3*b**6*c**6*d**3 - 36*a**2*b**7*c**7*
d**2 + 9*a*b**8*c**8*d - b**9*c**9, Lambda(_t, _t*log(-3*_t*a*b**3/(a**3*d*
*3 - 3*a**2*b*c*d**2 + 3*a*b**2*c**2*d - b**3*c**3) + x))) + d**3*x**7/(7*b
)
```

$$3.16 \quad \int \frac{(c+dx^3)^2}{a+bx^3} dx$$

Optimal. Leaf size=173

$$\frac{(bc-ad)^2 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3} b^{7/3}} + \frac{(bc-ad)^2 \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} b^{7/3}} - \frac{(bc-ad)^2 \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{7/3}} + \frac{dx(2bc-ad)}{b^2}$$

Rubi [A] time = 0.12, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {390, 200, 31, 634, 617, 204, 628}

$$\frac{(bc-ad)^2 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3} b^{7/3}} + \frac{(bc-ad)^2 \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} b^{7/3}} - \frac{(bc-ad)^2 \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{7/3}} + \frac{dx(2bc-ad)}{b^2} + \frac{d^2 x^4}{4b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)^2/(a + b*x^3), x]

[Out] (d*(2*b*c - a*d)*x)/b^2 + (d^2*x^4)/(4*b) - ((b*c - a*d)^2*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(2/3)*b^(7/3)) + ((b*c - a*d)^2*Log[a^(1/3) + b^(1/3)*x])/(3*a^(2/3)*b^(7/3)) - ((b*c - a*d)^2*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(2/3)*b^(7/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx^3)^2}{a + bx^3} dx &= \int \left(\frac{d(2bc - ad)}{b^2} + \frac{d^2x^3}{b} + \frac{b^2c^2 - 2abcd + a^2d^2}{b^2(a + bx^3)} \right) dx \\
&= \frac{d(2bc - ad)x}{b^2} + \frac{d^2x^4}{4b} + \frac{(bc - ad)^2 \int \frac{1}{a + bx^3} dx}{b^2} \\
&= \frac{d(2bc - ad)x}{b^2} + \frac{d^2x^4}{4b} + \frac{(bc - ad)^2 \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}b^2} + \frac{(bc - ad)^2 \int \frac{2\sqrt[3]{a} - \sqrt[3]{b}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}b^2} \\
&= \frac{d(2bc - ad)x}{b^2} + \frac{d^2x^4}{4b} + \frac{(bc - ad)^2 \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{7/3}} - \frac{(bc - ad)^2 \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}b^{7/3}} + \dots \\
&= \frac{d(2bc - ad)x}{b^2} + \frac{d^2x^4}{4b} + \frac{(bc - ad)^2 \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{7/3}} - \frac{(bc - ad)^2 \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{7/3}} \\
&= \frac{d(2bc - ad)x}{b^2} + \frac{d^2x^4}{4b} - \frac{(bc - ad)^2 \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{7/3}} + \frac{(bc - ad)^2 \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{7/3}} - \frac{(bc - a}{
\end{aligned}$$

Mathematica [A] time = 0.15, size = 167, normalized size = 0.97

$$\frac{-2(bc - ad)^2 \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 3a^{2/3}b^{4/3}d^2x^4 - 12a^{2/3}\sqrt[3]{b}dx(ad - 2bc) + 4(bc - ad)^2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) + 4\sqrt{3}(bc - ad)^2 \tan^{-1}\left(\frac{2\sqrt[3]{b}x - \sqrt[3]{a}}{\sqrt{3}\sqrt[3]{a}}\right)}{12a^{2/3}b^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)^2/(a + b*x^3), x]

[Out] (-12*a^(2/3)*b^(1/3)*d*(-2*b*c + a*d)*x + 3*a^(2/3)*b^(4/3)*d^2*x^4 + 4*sqrt[3]*(b*c - a*d)^2*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(sqrt[3]*a^(1/3))] + 4*(b*c - a*d)^2*Log[a^(1/3) + b^(1/3)*x] - 2*(b*c - a*d)^2*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(12*a^(2/3)*b^(7/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx^3)^2}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3)^2/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(c + d*x^3)^2/(a + b*x^3), x]

fricas [A] time = 0.80, size = 507, normalized size = 2.93

$$\frac{\sqrt{3} \left(b^2 c^2 - 2abcd + a^2 d^2 \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} \right) + \left(b^2 c^2 - 2abcd + a^2 d^2 \right) \log \left(x^2 + x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right) + \left(b^4 c^2 - 2ab^3 cd + a^2 b^2 d^2 \right) \left(\frac{a}{b} \right)^{\frac{1}{3}} \log \left(x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) + \frac{b^3 d^2 x^4 + 8b^3 cd x - 4ab^2 d^2 x}{4b^4}}{12ab^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a),x, algorithm="fricas")

[Out] [1/12*(3*a^2*b^2*d^2*x^4 + 6*sqrt(1/3)*(a*b^3*c^2 - 2*a^2*b^2*c*d + a^3*b*d^2)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a) - 2*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 4*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)) + 12*(2*a^2*b^2*c*d - a^3*b*d^2)*x)/(a^2*b^3), 1/12*(3*a^2*b^2*d^2*x^4 + 12*sqrt(1/3)*(a*b^3*c^2 - 2*a^2*b^2*c*d + a^3*b*d^2)*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) - 2*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 4*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)) + 12*(2*a^2*b^2*c*d - a^3*b*d^2)*x)/(a^2*b^3)]

giac [A] time = 0.32, size = 211, normalized size = 1.22

$$\frac{\sqrt{3} \left(b^2 c^2 - 2abcd + a^2 d^2 \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} \right) + \left(b^2 c^2 - 2abcd + a^2 d^2 \right) \log \left(x^2 + x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right) + \left(b^4 c^2 - 2ab^3 cd + a^2 b^2 d^2 \right) \left(\frac{a}{b} \right)^{\frac{1}{3}} \log \left(x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) + \frac{b^3 d^2 x^4 + 8b^3 cd x - 4ab^2 d^2 x}{4b^4}}{3 \left(-ab^2 \right)^{\frac{2}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/((-a/b)^(1/3)))/((-a/b)^(1/3))/((-a*b^2)^(2/3)*b) - 1/6*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*b) - 1/3*(b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d^2)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^4) + 1/4*(b^3*d^2*x^4 + 8*b^3*c*d*x - 4*a*b^2*d^2*x)/b^4

maple [B] time = 0.04, size = 334, normalized size = 1.93

$$\frac{d^2 x^4}{4b} + \frac{\sqrt{3} a^2 d^2 \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} } - 1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^3} + \frac{a^2 d^2 \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) - a^2 d^2 \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^3} - \frac{2\sqrt{3} a c d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} } - 1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{2acd \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) + acd \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{a d^2 x}{b^2} + \frac{\sqrt{3} c^2 \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} } - 1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{c^2 \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) - c^2 \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} - \frac{c^2 \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{2cdx}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+c)^2/(b*x^3+a),x)`

[Out] $\frac{1}{4}d^2x^4/b-d^2/b^2*ax+2d/b*c*x+1/3/b^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*a^2*d^2-2/3/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*a*c*d+1/3/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c^2-1/6/b^3/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*a^2*d^2+1/3/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*a*c*d-1/6/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c^2+1/3/b^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*a^2*d^2-2/3/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*a*c*d+1/3/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c^2$

maxima [A] time = 1.32, size = 190, normalized size = 1.10

$$\frac{bd^2x^4 + 4(2bcd - ad^2)x}{4b^2} + \frac{\sqrt{3}(b^2c^2 - 2abcd + a^2d^2)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}}\right)}{3b^3\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{(b^2c^2 - 2abcd + a^2d^2)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b^3\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(b^2c^2 - 2abcd + a^2d^2)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b^3\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+c)^2/(b*x^3+a),x, algorithm="maxima")`

[Out] $\frac{1}{4}*(b*d^2*x^4 + 4*(2*b*c*d - a*d^2)*x)/b^2 + 1/3*\sqrt{3}*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^3*(a/b)^{(2/3)}) - 1/6*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^3*(a/b)^{(2/3)}) + 1/3*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\log(x + (a/b)^{(1/3)})/(b^3*(a/b)^{(2/3)})$

mupad [B] time = 1.38, size = 152, normalized size = 0.88

$$\frac{d^2x^4}{4b} - x\left(\frac{ad^2}{b^2} - \frac{2cd}{b}\right) + \frac{\ln(b^{1/3}x + a^{1/3})(ad - bc)^2}{3a^{2/3}b^{7/3}} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)\left(-\frac{1}{6} + \frac{\sqrt{3}i}{6}\right)(ad - bc)^2}{a^{2/3}b^{7/3}} - \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}i)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(ad - bc)^2}{3a^{2/3}b^{7/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3)^2/(a + b*x^3),x)`

[Out] $(d^2x^4)/(4*b) - x*((a*d^2)/b^2 - (2*c*d)/b) + (\log(b^{(1/3)}*x + a^{(1/3)}))*(a*d - b*c)^2/(3*a^{(2/3)}*b^{(7/3)}) + (\log(3^{(1/2)}*a^{(1/3)}*i + 2*b^{(1/3)}*x - a^{(1/3)}))*((3^{(1/2)}*i)/6 - 1/6)*(a*d - b*c)^2/(a^{(2/3)}*b^{(7/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*i - 2*b^{(1/3)}*x + a^{(1/3)}))*((3^{(1/2)}*i)/2 + 1/2)*(a*d - b*c)^2/(3*a^{(2/3)}*b^{(7/3)})$

sympy [A] time = 0.69, size = 156, normalized size = 0.90

$$x\left(-\frac{ad^2}{b^2} + \frac{2cd}{b}\right) + \text{RootSum}\left(27t^3a^2b^7 - a^6d^6 + 6a^5bcd^5 - 15a^4b^2c^2d^4 + 20a^3b^3c^3d^3 - 15a^2b^4c^4d^2 + 6ab^5c^5d - b^6c^6, \left(t \mapsto t \log\left(\frac{3tab^2}{a^2d^2 - 2abcd + b^2c^2} + x\right)\right)\right) + \frac{d^2x^4}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c)**2/(b*x**3+a),x)

[Out] $x*(-a*d**2/b**2 + 2*c*d/b) + \text{RootSum}(27*_t**3*a**2*b**7 - a**6*d**6 + 6*a**5*b*c*d**5 - 15*a**4*b**2*c**2*d**4 + 20*a**3*b**3*c**3*d**3 - 15*a**2*b**4*c**4*d**2 + 6*a*b**5*c**5*d - b**6*c**6, \text{Lambda}(_t, _t*\log(3*_t*a*b**2/(a**2*d**2 - 2*a*b*c*d + b**2*c**2) + x))) + d**2*x**4/(4*b)$

$$3.17 \quad \int \frac{c+dx^3}{a+bx^3} dx$$

Optimal. Leaf size=145

$$\frac{(bc-ad)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{6a^{2/3}b^{4/3}} + \frac{(bc-ad)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{3a^{2/3}b^{4/3}} - \frac{(bc-ad)\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{4/3}} + \frac{dx}{b}$$

Rubi [A] time = 0.08, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {388, 200, 31, 634, 617, 204, 628}

$$-\frac{(bc-ad)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{6a^{2/3}b^{4/3}} + \frac{(bc-ad)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{3a^{2/3}b^{4/3}} - \frac{(bc-ad)\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{4/3}} + \frac{dx}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)/(a + b*x^3), x]

[Out] (d*x)/b - ((b*c - a*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(2/3)*b^(4/3)) + ((b*c - a*d)*Log[a^(1/3) + b^(1/3)*x]/(3*a^(2/3)*b^(4/3)) - ((b*c - a*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(2/3)*b^(4/3)))

Rule 31

Int[((a_) + (b_)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 388

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Si
mp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3}{a + bx^3} dx &= \frac{dx}{b} - \frac{(-bc + ad) \int \frac{1}{a+bx^3} dx}{b} \\
&= \frac{dx}{b} + \frac{(bc - ad) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}b} + \frac{(bc - ad) \int \frac{2\sqrt[3]{a} - \sqrt[3]{b}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}b} \\
&= \frac{dx}{b} + \frac{(bc - ad) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{4/3}} - \frac{(bc - ad) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}b^{4/3}} + \frac{(bc - ad) \int \frac{1}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2}}{2\sqrt[3]{a}b} \\
&= \frac{dx}{b} + \frac{(bc - ad) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{4/3}} - \frac{(bc - ad) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{4/3}} + \frac{(bc - ad) \text{Subst}\left(\frac{1}{2\sqrt[3]{a}b}, \sqrt[3]{a} + \sqrt[3]{b}x, a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)}{a} \\
&= \frac{dx}{b} - \frac{(bc - ad) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{4/3}} + \frac{(bc - ad) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{4/3}} - \frac{(bc - ad) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x)}{6a^{2/3}b^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 129, normalized size = 0.89

$$\frac{-(bc - ad) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 6a^{2/3}\sqrt[3]{b}dx + 2(bc - ad) \log(\sqrt[3]{a} + \sqrt[3]{b}x) - 2\sqrt{3}(bc - ad) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{6a^{2/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)/(a + b*x^3), x]

[Out] (6*a^(2/3)*b^(1/3)*d*x - 2*Sqrt[3]*(b*c - a*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*(b*c - a*d)*Log[a^(1/3) + b^(1/3)*x] - (b*c - a*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(2/3)*b^(4/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(c + d*x^3)/(a + b*x^3), x]

fricas [A] time = 0.96, size = 390, normalized size = 2.69

$$\frac{6\sqrt{3}b^2x - 3\sqrt{3}(ab^2 - a^2b)\sqrt{\frac{1-\sqrt{3}}{2}} \log\left(\frac{2a^2x^2 + (-a^2b^2)x - a^2\sqrt{3}\sqrt{2a^2x^2 - (-a^2b)^2x + (-a^2b)^2}}{6a^2b^2}\right) - (-a^2b)^2(bc - ad)\log\left(\frac{abx^2 - (-a^2b)^2x - (-a^2b)^2}{6a^2b^2}\right) + 2(-a^2b)^2(bc - ad)\log\left(\frac{abx + (-a^2b)^2}{6a^2b^2}\right)}{6\sqrt{3}b^2x + 6\sqrt{3}(ab^2 - a^2b)\sqrt{\frac{1-\sqrt{3}}{2}} \arctan\left(\frac{\sqrt{3}\sqrt{2a^2x^2 - (-a^2b)^2x + (-a^2b)^2}}{a}\right) - (-a^2b)^2(bc - ad)\log\left(\frac{abx^2 - (-a^2b)^2x - (-a^2b)^2}{6a^2b^2}\right) + 2(-a^2b)^2(bc - ad)\log\left(\frac{abx + (-a^2b)^2}{6a^2b^2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] [1/6*(6*a^2*b*d*x - 3*sqrt(1/3)*(a*b^2*c - a^2*b*d)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a) - (-a^2*b)^(2/3)*(b*c - a*d)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 2*(-a^2*b)^(2/3)*(b*c - a*d)*log(a*b*x + (-a^2*b)^(2/3)))/(a^2*b^2), 1/6*(6*a^2*b*d*x + 6*sqrt(1/3)*(a*b^2*c - a^2*b*d)*sqrt(-(-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-a^2*b)^(1/3)/b)/a^2) - (-a^2*b)^(2/3)*(b*c - a*d)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 2*(-a^2*b)^(2/3)*(b*c - a*d)*log(a*b*x + (-a^2*b)^(2/3)))/(a^2*b^2)]

giac [A] time = 0.19, size = 133, normalized size = 0.92

$$\frac{\sqrt{3}(bc - ad) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3(-ab^2)^{\frac{2}{3}}} - \frac{(bc - ad) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6(-ab^2)^{\frac{2}{3}}} + \frac{dx}{b} - \frac{(bc - ad)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b*c - a*d)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(-a*b^2)^(2/3) - 1/6*(b*c - a*d)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(-a*b^2)^(2/3) + d*x/b - 1/3*(b*c - a*d)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b)

maple [A] time = 0.05, size = 195, normalized size = 1.34

$$\frac{\sqrt{3} ad \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^2} - \frac{ad \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^2} + \frac{ad \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} b^2} + \frac{\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{dx}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+c)/(b*x^3+a),x)`

[Out] $d*x/b - 1/3/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*a*d + 1/3/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c + 1/6/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*a*d - 1/6/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c - 1/3/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*a*d + 1/3/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c$

maxima [A] time = 1.08, size = 128, normalized size = 0.88

$$\frac{dx}{b} + \frac{\sqrt{3}(bc - ad) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{(bc - ad) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(bc - ad) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+c)/(b*x^3+a),x, algorithm="maxima")`

[Out] $d*x/b + 1/3*\sqrt{3}*(b*c - a*d)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^2*(a/b)^{(2/3)}) - 1/6*(b*c - a*d)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^2*(a/b)^{(2/3)}) + 1/3*(b*c - a*d)*\log(x + (a/b)^{(1/3)})/(b^2*(a/b)^{(2/3)})$

mupad [B] time = 1.38, size = 123, normalized size = 0.85

$$\frac{dx}{b} - \frac{\ln(b^{1/3}x + a^{1/3})(ad - bc)}{3a^{2/3}b^{4/3}} + \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}i)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(ad - bc)}{3a^{2/3}b^{4/3}} - \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)\left(-\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(ad - bc)}{3a^{2/3}b^{4/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3)/(a + b*x^3),x)`

[Out] $(d*x)/b - (\log(b^{(1/3)}*x + a^{(1/3)})*(a*d - b*c))/(3*a^{(2/3)}*b^{(4/3)}) + (\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)}))*((3^{(1/2)}*1i)/2 + 1/2)*(a*d - b*c)/(3*a^{(2/3)}*b^{(4/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)}))*((3^{(1/2)}*1i)/2 - 1/2)*(a*d - b*c)/(3*a^{(2/3)}*b^{(4/3)})$

sympy [A] time = 0.44, size = 71, normalized size = 0.49

$$\text{RootSum}\left(27t^3a^2b^4 + a^3d^3 - 3a^2bcd^2 + 3ab^2c^2d - b^3c^3, \left(t \mapsto t \log\left(-\frac{3tab}{ad - bc} + x\right)\right)\right) + \frac{dx}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+c)/(b*x**3+a),x)`

[Out] $\text{RootSum}(27*_t**3*a**2*b**4 + a**3*d**3 - 3*a**2*b*c*d**2 + 3*a*b**2*c**2*d - b**3*c**3, \text{Lambda}(_t, _t*\log(-3*_t*a*b/(a*d - b*c) + x))) + d*x/b$

$$3.18 \quad \int \frac{1}{(a+bx^3)(c+dx^3)} dx$$

Optimal. Leaf size=288

$$-\frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3}(bc - ad)} + \frac{b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3}(bc - ad)} - \frac{b^{2/3} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3}(bc - ad)} + \frac{d^{2/3} \log(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3} x^2)}{6c^{2/3}(bc - ad)}$$

Rubi [A] time = 0.15, antiderivative size = 288, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {391, 200, 31, 634, 617, 204, 628}

$$-\frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3}(bc - ad)} + \frac{b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3}(bc - ad)} - \frac{b^{2/3} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3}(bc - ad)} + \frac{d^{2/3} \log(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3} x^2)}{6c^{2/3}(bc - ad)} - \frac{d^{2/3} \log(\sqrt[3]{c} + \sqrt[3]{d} x)}{3c^{2/3}(bc - ad)} + \frac{d^{2/3} \tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3} c^{2/3}(bc - ad)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^3)*(c + d*x^3)),x]

[Out] -((b^(2/3)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(2/3)*(b*c - a*d))) + (d^(2/3)*ArcTan[(c^(1/3) - 2*d^(1/3)*x)/(Sqrt[3]*c^(1/3))]/(Sqrt[3]*c^(2/3)*(b*c - a*d)) + (b^(2/3)*Log[a^(1/3) + b^(1/3)*x]/(3*a^(2/3)*(b*c - a*d)) - (d^(2/3)*Log[c^(1/3) + d^(1/3)*x]/(3*c^(2/3)*(b*c - a*d)) - (b^(2/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(2/3)*(b*c - a*d)) + (d^(2/3)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2]/(6*c^(2/3)*(b*c - a*d))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 391

```
Int[1/(((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_))), x_Symbol] := Dist
[b/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[d/(b*c - a*d), Int[1/(c +
d*x^n), x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a+bx^3)(c+dx^3)} dx &= \frac{b \int \frac{1}{a+bx^3} dx}{bc-ad} - \frac{d \int \frac{1}{c+dx^3} dx}{bc-ad} \\
&= \frac{b \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}(bc-ad)} + \frac{b \int \frac{2\sqrt[3]{a} - \sqrt[3]{b}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}(bc-ad)} - \frac{d \int \frac{1}{\sqrt[3]{c} + \sqrt[3]{d}x} dx}{3c^{2/3}(bc-ad)} - \frac{d \int \frac{2\sqrt[3]{c} - \sqrt[3]{d}x}{c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2} dx}{3c^{2/3}(bc-ad)} \\
&= \frac{b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}(bc-ad)} - \frac{d^{2/3} \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}(bc-ad)} - \frac{b^{2/3} \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}(bc-ad)} + \frac{b \int \frac{1}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{2a^{2/3}(bc-ad)} \\
&= \frac{b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}(bc-ad)} - \frac{d^{2/3} \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}(bc-ad)} - \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}(bc-ad)} + \\
&= -\frac{b^{2/3} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}(bc-ad)} + \frac{d^{2/3} \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}(bc-ad)} + \frac{b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}(bc-ad)} - \frac{d^{2/3} \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}(bc-ad)}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 224, normalized size = 0.78

$$\frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{a^{2/3}} - \frac{2b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{a^{2/3}} + \frac{2\sqrt{3}b^{2/3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{a^{2/3}} - \frac{d^{2/3} \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{c^{2/3}} + \frac{2d^{2/3} \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{c^{2/3}} - \frac{2\sqrt{3}d^{2/3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{c^{2/3}}$$

$6ad - 6bc$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^3)*(c + d*x^3)), x]

[Out] ((2*Sqrt[3]*b^(2/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/a^(2/3) - (2*Sqrt[3]*d^(2/3)*ArcTan[(1 - (2*d^(1/3)*x)/c^(1/3))/Sqrt[3]])/c^(2/3) - (2*b^(2/3)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) + (2*d^(2/3)*Log[c^(1/3) + d^(1/3)*x])/c^(2/3) + (b^(2/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3) - (d^(2/3)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2])/c^(2/3) /(-6*b*c + 6*a*d)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+bx^3)(c+dx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/((a + b*x^3)*(c + d*x^3)),x]

[Out] IntegrateAlgebraic[1/((a + b*x^3)*(c + d*x^3)), x]

fricas [A] time = 1.17, size = 254, normalized size = 0.88

$$\frac{2\sqrt{3}\left(\frac{b^2}{a^2}\right)^{\frac{1}{3}}\arctan\left(\frac{2\sqrt{3}ax\left(\frac{b^2}{a^2}\right)^{\frac{2}{3}}-\sqrt{3}b}{3b}\right)+2\sqrt{3}\left(\frac{d^2}{c^2}\right)^{\frac{1}{3}}\arctan\left(\frac{2\sqrt{3}cx\left(\frac{d^2}{c^2}\right)^{\frac{2}{3}}-\sqrt{3}d}{3d}\right)-\left(-\frac{b^2}{a^2}\right)^{\frac{1}{3}}\log\left(b^2x^2+abx\left(\frac{b^2}{a^2}\right)^{\frac{1}{3}}+a^2\left(-\frac{b^2}{a^2}\right)^{\frac{2}{3}}\right)-\left(\frac{d^2}{c^2}\right)^{\frac{1}{3}}\log\left(d^2x^2-cdx\left(\frac{d^2}{c^2}\right)^{\frac{1}{3}}+c^2\left(\frac{d^2}{c^2}\right)^{\frac{2}{3}}\right)+2\left(-\frac{b^2}{a^2}\right)^{\frac{1}{3}}\log\left(bx-a\left(-\frac{b^2}{a^2}\right)^{\frac{1}{3}}\right)+2\left(\frac{d^2}{c^2}\right)^{\frac{1}{3}}\log\left(dx+c\left(\frac{d^2}{c^2}\right)^{\frac{1}{3}}\right)}{6(bc-ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)/(d*x^3+c),x, algorithm="fricas")

[Out] $-1/6*(2*\sqrt{3}*(-b^2/a^2)^{(1/3)}*\arctan(1/3*(2*\sqrt{3})*a*x*(-b^2/a^2)^{(2/3)} - \sqrt{3}*b)/b) + 2*\sqrt{3}*(d^2/c^2)^{(1/3)}*\arctan(1/3*(2*\sqrt{3})*c*x*(d^2/c^2)^{(2/3)} - \sqrt{3}*d)/d) - (-b^2/a^2)^{(1/3)}*\log(b^2*x^2 + a*b*x*(-b^2/a^2)^{(1/3)} + a^2*(-b^2/a^2)^{(2/3)}) - (d^2/c^2)^{(1/3)}*\log(d^2*x^2 - c*d*x*(d^2/c^2)^{(1/3)} + c^2*(d^2/c^2)^{(2/3)}) + 2*(-b^2/a^2)^{(1/3)}*\log(b*x - a*(-b^2/a^2)^{(1/3)}) + 2*(d^2/c^2)^{(1/3)}*\log(d*x + c*(d^2/c^2)^{(1/3)})/(b*c - a*d)$

giac [A] time = 0.27, size = 278, normalized size = 0.97

$$\frac{b\left(-\frac{a}{b}\right)^{\frac{1}{3}}\log\left(x-\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3(abc-a^2d)}+\frac{d\left(-\frac{c}{d}\right)^{\frac{1}{3}}\log\left(x-\left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3(bc^2-acd)}+\frac{\left(-ab^2\right)^{\frac{1}{3}}\arctan\left(\frac{\sqrt{3}\left(2x+\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{\sqrt{3}abc-\sqrt{3}a^2d}-\frac{\left(-cd^2\right)^{\frac{1}{3}}\arctan\left(\frac{\sqrt{3}\left(2x+\left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{\sqrt{3}bc^2-\sqrt{3}acd}+\frac{\left(-ab^2\right)^{\frac{1}{3}}\log\left(x^2+x\left(-\frac{a}{b}\right)^{\frac{1}{3}}+\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6(abc-a^2d)}-\frac{\left(-cd^2\right)^{\frac{1}{3}}\log\left(x^2+x\left(-\frac{c}{d}\right)^{\frac{1}{3}}+\left(-\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6(bc^2-acd)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)/(d*x^3+c),x, algorithm="giac")

[Out] $-1/3*b*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a*b*c - a^2*d) + 1/3*d*(-c/d)^{(1/3)}*\log(\text{abs}(x - (-c/d)^{(1/3)}))/(b*c^2 - a*c*d) + (-a*b^2)^{(1/3)}*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(\sqrt{3}*a*b*c - \sqrt{3}*a^2*d) - (-c*d^2)^{(1/3)}*\arctan(1/3*\sqrt{3}*(2*x + (-c/d)^{(1/3)})/(-c/d)^{(1/3)})/(\sqrt{3}*b*c^2 - \sqrt{3}*a*c*d) + 1/6*(-a*b^2)^{(1/3)}*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(a*b*c - a^2*d) - 1/6*(-c*d^2)^{(1/3)}*\log(x^2 + x*(-c/d)^{(1/3)} + (-c/d)^{(2/3)})/(b*c^2 - a*c*d)$

maple [A] time = 0.05, size = 222, normalized size = 0.77

$$\frac{\sqrt{3}\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\frac{a}{b}}-1\right)}{3}\right)}{3(ad-bc)\left(\frac{a}{b}\right)^{\frac{2}{3}}}+\frac{\sqrt{3}\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\frac{c}{d}}-1\right)}{3}\right)}{3(ad-bc)\left(\frac{c}{d}\right)^{\frac{2}{3}}}-\frac{\ln\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3(ad-bc)\left(\frac{a}{b}\right)^{\frac{2}{3}}}+\frac{\ln\left(x+\left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3(ad-bc)\left(\frac{c}{d}\right)^{\frac{2}{3}}}+\frac{\ln\left(x^2-\left(\frac{a}{b}\right)^{\frac{1}{3}}x+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6(ad-bc)\left(\frac{a}{b}\right)^{\frac{2}{3}}}-\frac{\ln\left(x^2-\left(\frac{c}{d}\right)^{\frac{1}{3}}x+\left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6(ad-bc)\left(\frac{c}{d}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(b*x^3+a)/(d*x^3+c),x)`

[Out]
$$-1/3/(a*d-b*c)/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})+1/6/(a*d-b*c)/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-1/3/(a*d-b*c)/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/3/(a*d-b*c)/(c/d)^{(2/3)}*\ln(x+(c/d)^{(1/3)})-1/6/(a*d-b*c)/(c/d)^{(2/3)}*\ln(x^2-(c/d)^{(1/3)}*x+(c/d)^{(2/3)})+1/3/(a*d-b*c)/(c/d)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(c/d)^{(1/3)}*x-1))$$

maxima [A] time = 1.24, size = 293, normalized size = 1.02

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(bc\left(\frac{a}{b}\right)^{\frac{1}{3}}-ad\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)\left(\frac{a}{b}\right)^{\frac{1}{3}}}-\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{3\left(bc\left(\frac{c}{d}\right)^{\frac{1}{3}}-ad\left(\frac{c}{d}\right)^{\frac{1}{3}}\right)\left(\frac{c}{d}\right)^{\frac{1}{3}}}-\frac{\log\left(x^2-x\left(\frac{a}{b}\right)^{\frac{1}{3}}+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(bc\left(\frac{a}{b}\right)^{\frac{2}{3}}-ad\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}+\frac{\log\left(x^2-x\left(\frac{c}{d}\right)^{\frac{1}{3}}+\left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6\left(bc\left(\frac{c}{d}\right)^{\frac{2}{3}}-ad\left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}+\frac{\log\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(bc\left(\frac{a}{b}\right)^{\frac{2}{3}}-ad\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}-\frac{\log\left(x+\left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(bc\left(\frac{c}{d}\right)^{\frac{2}{3}}-ad\left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x^3+a)/(d*x^3+c),x, algorithm="maxima")`

[Out]
$$\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}\frac{2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)\left(\frac{a}{b}\right)^{\frac{1}{3}}-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}\frac{2x-\left(\frac{c}{d}\right)^{\frac{1}{3}}}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right)\left(\frac{c}{d}\right)^{\frac{1}{3}}-\frac{1}{6}\log\left(x^2-x\left(\frac{a}{b}\right)^{\frac{1}{3}}+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)\left(\frac{a}{b}\right)^{\frac{2}{3}}-\frac{1}{6}\log\left(x^2-x\left(\frac{c}{d}\right)^{\frac{1}{3}}+\left(\frac{c}{d}\right)^{\frac{2}{3}}\right)\left(\frac{c}{d}\right)^{\frac{2}{3}}+\frac{1}{3}\log\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)\left(\frac{a}{b}\right)^{\frac{2}{3}}-\frac{1}{3}\log\left(x+\left(\frac{c}{d}\right)^{\frac{1}{3}}\right)\left(\frac{c}{d}\right)^{\frac{2}{3}}$$

mupad [B] time = 7.70, size = 1364, normalized size = 4.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b*x^3)*(c + d*x^3)),x)`

[Out]
$$\log\left(\left(\frac{-b^2}{a^2(a*d-b*c)^3}\right)^{\frac{1}{3}}\left(9a^2b^4d^6+9b^6c^2d^4-18a*b^5*c*d^5-9b^3*d^3*(x+a*c*\left(\frac{-b^2}{a^2(a*d-b*c)^3}\right)^{\frac{1}{3}}*(a*d+b*c)*(a*d-b*c)^4*\left(\frac{-b^2}{a^2(a*d-b*c)^3}\right)^{\frac{2}{3}}\right)\right)^{\frac{1}{3}}-\frac{6b^5*d^5*x}{(27a^5*d^3-27a^2*b^3*c^3+81a^3*b^2*c^2*d-81a^4*b*c*d^2)^{\frac{1}{3}}}+\log\left(\left(\frac{d^2}{c^2(a*d-b*c)^3}\right)^{\frac{1}{3}}\left(9a^2b^4d^6+9b^6*c^2*d^4-18a*b^5*c*d^5-9b^3*d^3*(x+a*c*\left(\frac{d^2}{c^2(a*d-b*c)^3}\right)^{\frac{1}{3}}*(a*d+b*c)*(a*d-b*c)^4*\left(\frac{d^2}{c^2(a*d-b*c)^3}\right)^{\frac{2}{3}}\right)\right)^{\frac{1}{3}}-\frac{6b^5*d^5*x}{(27b^3*c^5-27a^3*c^2*d^3+81a^2*b*c^3*d^2-81a*b^2*c^4*d)^{\frac{1}{3}}}+\log\left(\frac{6b^5*d^5*x+\left(3^{\frac{1}{2}}*i-1\right)\left(\frac{-b^2}{a^2(a*d-b*c)^3}\right)^{\frac{1}{3}}\left(\left(3^{\frac{1}{2}}*i-1\right)^2*(81b^3*d^3*x*(a*d+b*c)*(a*d-b*c)^4+(81a*b^3*c*d^3*(3^{\frac{1}{2}}*i-1)*(a*d+b*c)*(a*d-b*c)^4*\left(\frac{-b^2}{a^2(a*d-b*c)^3}\right)^{\frac{1}{3}})\right)^{\frac{1}{3}}}{36-9a^2*b^4*d^6-9b^6*c^2*d^4+18a*b^5*c*d^5}\right)^{\frac{1}{3}}-\frac{6b^5*d^5*x}{(27a^5*d^3-27a^2*b^3*c^3+81a^3*b^2*c^2*d-81$$

$$\begin{aligned} & *a^4*b*c*d^2)^{(1/3)}*(3^{(1/2)*1i} - 1))/2 - (\log(6*b^5*d^5*x - ((3^{(1/2)*1i} + 1)*(-b^2/(a^2*(a*d - b*c)^3))^{(1/3)}*(((3^{(1/2)*1i} + 1)^2*(81*b^3*d^3*x*(a*d + b*c)*(a*d - b*c)^4 - (81*a*b^3*c*d^3*(3^{(1/2)*1i} + 1)*(a*d + b*c)*(a*d - b*c)^4*(-b^2/(a^2*(a*d - b*c)^3))^{(1/3)}))/2)*(-b^2/(a^2*(a*d - b*c)^3))^{(2/3)}))/36 - 9*a^2*b^4*d^6 - 9*b^6*c^2*d^4 + 18*a*b^5*c*d^5))/6)*(-b^2/(27*a^5*d^3 - 27*a^2*b^3*c^3 + 81*a^3*b^2*c^2*d - 81*a^4*b*c*d^2))^{(1/3)}*(3^{(1/2)*1i} + 1))/2 + (\log(6*b^5*d^5*x + ((3^{(1/2)*1i} - 1)*(d^2/(c^2*(a*d - b*c)^3))^{(1/3)}*(((3^{(1/2)*1i} - 1)^2*(81*b^3*d^3*x*(a*d + b*c)*(a*d - b*c)^4 + (81*a*b^3*c*d^3*(3^{(1/2)*1i} - 1)*(a*d + b*c)*(a*d - b*c)^4*(d^2/(c^2*(a*d - b*c)^3))^{(1/3)}))/2)*(d^2/(c^2*(a*d - b*c)^3))^{(2/3)}))/36 - 9*a^2*b^4*d^6 - 9*b^6*c^2*d^4 + 18*a*b^5*c*d^5))/6)*(-d^2/(27*b^3*c^5 - 27*a^3*c^2*d^3 + 81*a^2*b*c^3*d^2 - 81*a*b^2*c^4*d))^{(1/3)}*(3^{(1/2)*1i} - 1))/2 - (\log(6*b^5*d^5*x - ((3^{(1/2)*1i} + 1)*(d^2/(c^2*(a*d - b*c)^3))^{(1/3)}*(((3^{(1/2)*1i} + 1)^2*(81*b^3*d^3*x*(a*d + b*c)*(a*d - b*c)^4 - (81*a*b^3*c*d^3*(3^{(1/2)*1i} + 1)*(a*d + b*c)*(a*d - b*c)^4*(d^2/(c^2*(a*d - b*c)^3))^{(1/3)}))/2)*(d^2/(c^2*(a*d - b*c)^3))^{(2/3)}))/36 - 9*a^2*b^4*d^6 - 9*b^6*c^2*d^4 + 18*a*b^5*c*d^5))/6)*(-d^2/(27*b^3*c^5 - 27*a^3*c^2*d^3 + 81*a^2*b*c^3*d^2 - 81*a*b^2*c^4*d))^{(1/3)}*(3^{(1/2)*1i} + 1))/2 \end{aligned}$$

sympy [A] time = 79.72, size = 447, normalized size = 1.55

RootSum($\sqrt[3]{(27*d^6 - 81*a*b*c*d^5 + 81*a^2*b^2*c^2*d^4 - 27*b^3*c^3*d^3)}$) + $\sqrt[3]{(1 + i\sqrt{3})} \left(\frac{81*d^2*d^2 - 243*d^2*d^2 + 162*d^2*d^2 - 243*d^2*d^2 + 81*d^2*d^2 - 36*d^2 + 36*d^2 + 36*d^2 - 36*d^2}{9*d^2 + 9*d^2} \right) + \text{RootSum}(\sqrt[3]{(27*d^6 - 81*a*b*c*d^5 + 81*a^2*b^2*c^2*d^4 - 27*b^3*c^3*d^3)}$) - $\sqrt[3]{(1 + i\sqrt{3})} \left(\frac{81*d^2*d^2 - 243*d^2*d^2 + 162*d^2*d^2 + 162*d^2*d^2 - 243*d^2*d^2 + 81*d^2*d^2 - 36*d^2 + 36*d^2 + 36*d^2 - 36*d^2}{9*d^2 + 9*d^2} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**3+a)/(d*x**3+c),x)

[Out] RootSum(_t**3*(27*a**5*d**3 - 81*a**4*b*c*d**2 + 81*a**3*b**2*c**2*d - 27*a**2*b**3*c**3) + b**2, Lambda(_t, _t*log(x + (81*_t**4*a**7*c**2*d**5 - 243*_t**4*a**6*b*c**3*d**4 + 162*_t**4*a**5*b**2*c**4*d**3 + 162*_t**4*a**4*b**3*c**5*d**2 - 243*_t**4*a**3*b**4*c**6*d + 81*_t**4*a**2*b**5*c**7 - 3*_t**4*a**4*d**4 + 3*_t**4*a**3*b*c*d**3 + 3*_t**4*a*b**3*c**3*d - 3*_t**4*b**4*c**4)/(a**2*b*d**3 + b**3*c**2*d))) + RootSum(_t**3*(27*a**3*c**2*d**3 - 81*a**2*b*c**3*d**2 + 81*a*b**2*c**4*d - 27*b**3*c**5) - d**2, Lambda(_t, _t*log(x + (81*_t**4*a**7*c**2*d**5 - 243*_t**4*a**6*b*c**3*d**4 + 162*_t**4*a**5*b**2*c**4*d**3 + 162*_t**4*a**4*b**3*c**5*d**2 - 243*_t**4*a**3*b**4*c**6*d + 81*_t**4*a**2*b**5*c**7 - 3*_t**4*a**4*d**4 + 3*_t**4*a**3*b*c*d**3 + 3*_t**4*a*b**3*c**3*d - 3*_t**4*b**4*c**4)/(a**2*b*d**3 + b**3*c**2*d)))

$$3.19 \quad \int \frac{1}{(a+bx^3)(c+dx^3)^2} dx$$

Optimal. Leaf size=346

$$-\frac{b^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3}(bc - ad)^2} + \frac{b^{5/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3}(bc - ad)^2} - \frac{b^{5/3} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3}(bc - ad)^2} + \frac{d^{2/3}(5bc - 2ad) \log(c^{2/3} - \sqrt[3]{c} x)}{18c^{5/3}(bc - ad)^2}$$

Rubi [A] time = 0.27, antiderivative size = 346, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 8, integrand size = 19, number of rules / integrand size = 0.421, Rules used = {414, 522, 200, 31, 634, 617, 204, 628}

$$-\frac{b^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3}(bc - ad)^2} + \frac{b^{5/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3}(bc - ad)^2} - \frac{b^{5/3} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3}(bc - ad)^2} + \frac{d^{2/3}(5bc - 2ad) \log(c^{2/3} - \sqrt[3]{c} x + d^{2/3} x^2)}{18c^{5/3}(bc - ad)^2} - \frac{d^{2/3}(5bc - 2ad) \log(\sqrt[3]{c} + \sqrt[3]{d} x)}{9c^{5/3}(bc - ad)^2} + \frac{d^{2/3}(5bc - 2ad) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d} x}{\sqrt{3} \sqrt[3]{c}}\right)}{3\sqrt{3} c^{5/3}(bc - ad)^2} - \frac{dx}{3c(c + dx^3)(bc - ad)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^3)*(c + d*x^3)^2), x]

[Out] $-(d*x)/((3*c*(b*c - a*d)*(c + d*x^3)) - (b^{(5/3)*ArcTan[(a^{(1/3)} - 2*b^{(1/3)}*x)/(Sqrt[3]*a^{(1/3)})]/(Sqrt[3]*a^{(2/3)*(b*c - a*d)^2} + (d^{(2/3)*(5*b*c - 2*a*d)*ArcTan[(c^{(1/3)} - 2*d^{(1/3)*x)/(Sqrt[3]*c^{(1/3)})]/(3*Sqrt[3]*c^{(5/3)*(b*c - a*d)^2} + (b^{(5/3)*Log[a^{(1/3)} + b^{(1/3)*x]}/(3*a^{(2/3)*(b*c - a*d)^2} - (d^{(2/3)*(5*b*c - 2*a*d)*Log[c^{(1/3)} + d^{(1/3)*x]}/(9*c^{(5/3)*(b*c - a*d)^2} - (b^{(5/3)*Log[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]/(6*a^{(2/3)*(b*c - a*d)^2} + (d^{(2/3)*(5*b*c - 2*a*d)*Log[c^{(2/3)} - c^{(1/3)*d^{(1/3)*x} + d^{(2/3)*x^2}]/(18*c^{(5/3)*(b*c - a*d)^2}$)

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 414

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_))), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a+bx^3)(c+dx^3)^2} dx &= -\frac{dx}{3c(bc-ad)(c+dx^3)} + \frac{\int \frac{3bc-2ad-2bdx^3}{(a+bx^3)(c+dx^3)} dx}{3c(bc-ad)} \\
&= -\frac{dx}{3c(bc-ad)(c+dx^3)} + \frac{b^2 \int \frac{1}{a+bx^3} dx}{(bc-ad)^2} - \frac{(d(5bc-2ad)) \int \frac{1}{c+dx^3} dx}{3c(bc-ad)^2} \\
&= -\frac{dx}{3c(bc-ad)(c+dx^3)} + \frac{b^2 \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}(bc-ad)^2} + \frac{b^2 \int \frac{2\sqrt[3]{a} - \sqrt[3]{b}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}(bc-ad)^2} - \frac{(d(5bc-2ad)) \int \frac{1}{c+dx^3} dx}{9c^{5/3}} \\
&= -\frac{dx}{3c(bc-ad)(c+dx^3)} + \frac{b^{5/3} \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}(bc-ad)^2} - \frac{d^{2/3}(5bc-2ad) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{9c^{5/3}(bc-ad)^2} \\
&= -\frac{dx}{3c(bc-ad)(c+dx^3)} + \frac{b^{5/3} \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}(bc-ad)^2} - \frac{d^{2/3}(5bc-2ad) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{9c^{5/3}(bc-ad)^2} \\
&= -\frac{dx}{3c(bc-ad)(c+dx^3)} - \frac{b^{5/3} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}(bc-ad)^2} + \frac{d^{2/3}(5bc-2ad) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{3\sqrt{3}c^{5/3}(bc-ad)^2}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 336, normalized size = 0.97

$$\frac{-3b^{5/3}c^{5/3}(c+dx^3)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)+d^{2/3}d^{2/3}(c+dx^3)(5bc-2ad)\log(\sqrt[3]{c}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2)+6a^{2/3}b^{2/3}d^{2/3}(ad-bc)+2a^{2/3}d^{2/3}(c+dx^3)(2ad-5bc)\log(\sqrt[3]{c}+\sqrt[3]{d}x)-2\sqrt{3}a^{2/3}d^{2/3}(c+dx^3)(2ad-5bc)\tan^{-1}\left(\frac{1-2\sqrt[3]{a}}{\sqrt{3}}\right)+6b^{5/3}c^{5/3}(c+dx^3)\log(\sqrt[3]{a}+\sqrt[3]{b}x)-6\sqrt{3}b^{5/3}c^{5/3}(c+dx^3)\tan^{-1}\left(\frac{1-2\sqrt[3]{a}}{\sqrt{3}}\right)}{18a^{2/3}c^{5/3}(c+dx^3)(bc-ad)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^3)*(c + d*x^3)^2), x]

[Out] (6*a^(2/3)*c^(2/3)*d*(-(b*c) + a*d)*x - 6*Sqrt[3]*b^(5/3)*c^(5/3)*(c + d*x^3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] - 2*Sqrt[3]*a^(2/3)*d^(2/3)*(-5*b*c + 2*a*d)*(c + d*x^3)*ArcTan[(1 - (2*d^(1/3)*x)/c^(1/3))/Sqrt[3]] + 6*b^(5/3)*c^(5/3)*(c + d*x^3)*Log[a^(1/3) + b^(1/3)*x] + 2*a^(2/3)*d^(2/3)*(-5*b*c + 2*a*d)*(c + d*x^3)*Log[c^(1/3) + d^(1/3)*x] - 3*b^(5/3)*c^(5/3)*(c + d*x^3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(2/3)*d^(2/3)*(5*b*c - 2*a*d)*(c + d*x^3)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2]/(18*a^(2/3)*c^(5/3)*(b*c - a*d)^2*(c + d*x^3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^3)(c + dx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/((a + b*x^3)*(c + d*x^3)^2), x]

[Out] IntegrateAlgebraic[1/((a + b*x^3)*(c + d*x^3)^2), x]

fricas [A] time = 18.48, size = 432, normalized size = 1.25

$$\frac{6\sqrt{3}(bc^2 + b^2c)\left(\frac{c}{3}\right)^{\frac{1}{3}} \arctan\left(\frac{2\sqrt{3}\left(\frac{c}{3}\right)^{\frac{1}{3}} - \sqrt{3}}{3}\right) - 2\sqrt{3}\left((5bcd - 2a^2b^2) + 5bc^2 - 2ad\right)\left(\frac{c}{3}\right)^{\frac{1}{3}} \arctan\left(\frac{2\sqrt{3}\left(\frac{c}{3}\right)^{\frac{1}{3}} - \sqrt{3}}{3}\right) - 3(bc^2 + b^2c)\left(\frac{c}{3}\right)^{\frac{1}{3}} \log\left(b^2x^2 - abx\left(\frac{c}{3}\right)^{\frac{1}{3}} + c\left(\frac{c}{3}\right)^{\frac{1}{3}}\right) + \left((5bcd - 2a^2b^2) + 5bc^2 - 2ad\right)\left(\frac{c}{3}\right)^{\frac{1}{3}} \log\left(b^2x^2 - abx\left(\frac{c}{3}\right)^{\frac{1}{3}} + c\left(\frac{c}{3}\right)^{\frac{1}{3}}\right) + 6(bc^2 + b^2c)\left(\frac{c}{3}\right)^{\frac{1}{3}} \log\left(bx + c\left(\frac{c}{3}\right)^{\frac{1}{3}}\right) - 2\left((5bcd - 2a^2b^2) + 5bc^2 - 2ad\right)\left(\frac{c}{3}\right)^{\frac{1}{3}} \log\left(bx + c\left(\frac{c}{3}\right)^{\frac{1}{3}}\right) - 6(bc^2 + b^2c)\left(\frac{c}{3}\right)^{\frac{1}{3}}}{18(b^2c^2 - 2abc^2d + a^2c^2d^2 + (bc^2d - 2abc^2d + a^2cd^2))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)/(d*x^3+c)^2,x, algorithm="fricas")

[Out] 1/18*(6*sqrt(3)*(b*c*d*x^3 + b*c^2)*(b^2/a^2)^(1/3)*arctan(1/3*(2*sqrt(3)*a*x*(b^2/a^2)^(2/3) - sqrt(3)*b)/b) - 2*sqrt(3)*((5*b*c*d - 2*a*d^2)*x^3 + 5*b*c^2 - 2*a*c*d)*(d^2/c^2)^(1/3)*arctan(1/3*(2*sqrt(3)*c*x*(d^2/c^2)^(2/3) - sqrt(3)*d)/d) - 3*(b*c*d*x^3 + b*c^2)*(b^2/a^2)^(1/3)*log(b^2*x^2 - a*b*x*(b^2/a^2)^(1/3) + a^2*(b^2/a^2)^(2/3)) + ((5*b*c*d - 2*a*d^2)*x^3 + 5*b*c^2 - 2*a*c*d)*(d^2/c^2)^(1/3)*log(d^2*x^2 - c*d*x*(d^2/c^2)^(1/3) + c^2*(d^2/c^2)^(2/3)) + 6*(b*c*d*x^3 + b*c^2)*(b^2/a^2)^(1/3)*log(b*x + a*(b^2/a^2)^(1/3)) - 2*((5*b*c*d - 2*a*d^2)*x^3 + 5*b*c^2 - 2*a*c*d)*(d^2/c^2)^(1/3)*log(d*x + c*(d^2/c^2)^(1/3)) - 6*(b*c*d - a*d^2)*x/(b^2*c^4 - 2*a*b*c^3*d + a^2*c^2*d^2 + (b^2*c^3*d - 2*a*b*c^2*d^2 + a^2*c*d^3)*x^3)

giac [A] time = 0.20, size = 443, normalized size = 1.28

$$\frac{b^2\left(-\frac{c}{3}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{c}{3}\right)^{\frac{1}{3}}\right)}{3(ab^2c^2 - 2a^2bcd + a^3d^2)} + \frac{(-a^2)^{\frac{1}{3}} \operatorname{arctan}\left(\frac{\sqrt{3}\left(2x + \left(-\frac{c}{3}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{c}{3}\right)^{\frac{1}{3}}}\right)}{\sqrt{3}ab^2c^2 - 2\sqrt{3}a^2bcd + \sqrt{3}a^3d^2} + \frac{(-ab^2)^{\frac{1}{3}} b \log\left(x^2 + x\left(-\frac{c}{3}\right)^{\frac{1}{3}} + \left(-\frac{c}{3}\right)^{\frac{2}{3}}\right)}{6(ab^2c^2 - 2a^2bcd + a^3d^2)} + \frac{(5bcd - 2a^2b^2)\left(-\frac{c}{3}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{c}{3}\right)^{\frac{1}{3}}\right)}{9(b^2c^4 - 2abc^3d + a^2c^2d^2)} - \frac{(5(-a^2)^{\frac{1}{3}}bc - 2(-a^2)^{\frac{1}{3}}ad) \operatorname{arctan}\left(\frac{\sqrt{3}\left(2x + \left(-\frac{c}{3}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{c}{3}\right)^{\frac{1}{3}}}\right)}{3(\sqrt{3}b^2c^4 - 2\sqrt{3}abc^3d + \sqrt{3}a^2c^2d^2)} - \frac{(5(-a^2)^{\frac{1}{3}}bc - 2(-a^2)^{\frac{1}{3}}ad) \log\left(x^2 + x\left(-\frac{c}{3}\right)^{\frac{1}{3}} + \left(-\frac{c}{3}\right)^{\frac{2}{3}}\right)}{18(b^2c^4 - 2abc^3d + a^2c^2d^2)} - \frac{dx}{3(dx^3 + c)(bc^2 - acd)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)/(d*x^3+c)^2,x, algorithm="giac")

[Out] -1/3*b^2*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^2*c^2 - 2*a^2*b*c*d + a^3*d^2) + (-a*b^2)^(1/3)*b*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(sqrt(3)*a*b^2*c^2 - 2*sqrt(3)*a^2*b*c*d + sqrt(3)*a^3*d^2) + 1/6*(-a*b^2)^(1/3)*b*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a*b^2*c^2 - 2*a^2*b*c*d + a^3*d^2) + 1/9*(5*b*c*d - 2*a*d^2)*(-c/d)^(1/3)*log(abs(x - (-c/d)^(1/3)))/(b^2*c^4 - 2*a*b*c^3*d + a^2*c^2*d^2) - 1/3*(5*(-c*d^2)^(1/3)*b*c - 2*(-c*d^2)^(1/3)*a*d)*arctan(1/3*sqrt(3)*(2*x + (-c/d)^(1/3))/(-c/d)^(1/3))

)/(\sqrt{3}*b^2*c^4 - 2*\sqrt{3}*a*b*c^3*d + \sqrt{3}*a^2*c^2*d^2) - 1/18*(5*(-c*d^2)^(1/3)*b*c - 2*(-c*d^2)^(1/3)*a*d)*\log(x^2 + x*(-c/d)^(1/3) + (-c/d)^(2/3))/(\sqrt{3}*b^2*c^4 - 2*a*b*c^3*d + a^2*c^2*d^2) - 1/3*d*x/((d*x^3 + c)*(b*c^2 - a*c*d))

maple [A] time = 0.05, size = 406, normalized size = 1.17

$$\frac{a^2 x}{3(ad-bc)^2(dx^3+c)c} - \frac{bdx}{3(ad-bc)^2(dx^3+c)} + \frac{2\sqrt{3}ad \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{\left(\frac{d}{c}\right)^{\frac{1}{3}}}\right)}{3}\right)}{9(ad-bc)^2\left(\frac{d}{c}\right)^{\frac{2}{3}}c} + \frac{2ad \ln\left(x + \left(\frac{d}{c}\right)^{\frac{1}{3}}\right)}{9(ad-bc)^2\left(\frac{d}{c}\right)^{\frac{2}{3}}c} - \frac{ad \ln\left(x^2 - \left(\frac{d}{c}\right)^{\frac{1}{3}}x + \left(\frac{d}{c}\right)^{\frac{2}{3}}\right)}{9(ad-bc)^2\left(\frac{d}{c}\right)^{\frac{2}{3}}c} + \frac{\sqrt{3}b \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{\left(\frac{d}{c}\right)^{\frac{1}{3}}}\right)}{3}\right)}{3(ad-bc)^2\left(\frac{d}{c}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^3+a)/(d*x^3+c)^2,x)

[Out] 1/3*b/(a*d-b*c)^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/6*b/(a*d-b*c)^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*b/(a*d-b*c)^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*d^2/(a*d-b*c)^2/c*x/(d*x^3+c)*a-1/3*d/(a*d-b*c)^2*x/(d*x^3+c)*b+2/9*d/(a*d-b*c)^2/c/(c/d)^(2/3)*ln(x+(c/d)^(1/3))*a-5/9/(a*d-b*c)^2/(c/d)^(2/3)*ln(x+(c/d)^(1/3))*b-1/9*d/(a*d-b*c)^2/c/(c/d)^(2/3)*ln(x^2-(c/d)^(1/3)*x+(c/d)^(2/3))*a+5/18/(a*d-b*c)^2/(c/d)^(2/3)*ln(x^2-(c/d)^(1/3)*x+(c/d)^(2/3))*b+2/9*d/(a*d-b*c)^2/c/(c/d)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(c/d)^(1/3)*x-1))*a-5/9/(a*d-b*c)^2/(c/d)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(c/d)^(1/3)*x-1))*b

maxima [A] time = 1.30, size = 489, normalized size = 1.41

$$\frac{\sqrt{3}b \arctan\left(\frac{\sqrt{3}\left(x + \left(\frac{d}{c}\right)^{\frac{1}{3}}\right)}{3}\right)}{3\left(b^2c^2\left(\frac{d}{c}\right)^{\frac{2}{3}} - 2abcd\left(\frac{d}{c}\right)^{\frac{1}{3}} + a^2c^2d\left(\frac{d}{c}\right)^{\frac{2}{3}}\right)} - \frac{\sqrt{3}(5bc-2ad) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{d}{c}\right)^{\frac{1}{3}}\right)}{3}\right)}{9\left(b^2c^2\left(\frac{d}{c}\right)^{\frac{2}{3}} - 2abcd\left(\frac{d}{c}\right)^{\frac{1}{3}} + a^2c^2d\left(\frac{d}{c}\right)^{\frac{2}{3}}\right)} - \frac{dx}{3(bc^3-ac^2d+(bc^2d-ac^2d^2)x^2)} - \frac{b \log\left(x^2 - x\left(\frac{d}{c}\right)^{\frac{1}{3}} + \left(\frac{d}{c}\right)^{\frac{2}{3}}\right)}{6\left(b^2c^2\left(\frac{d}{c}\right)^{\frac{2}{3}} - 2abcd\left(\frac{d}{c}\right)^{\frac{1}{3}} + a^2c^2d\left(\frac{d}{c}\right)^{\frac{2}{3}}\right)} + \frac{(5bc-2ad) \log\left(x^2 - x\left(\frac{d}{c}\right)^{\frac{1}{3}} + \left(\frac{d}{c}\right)^{\frac{2}{3}}\right)}{18\left(b^2c^2\left(\frac{d}{c}\right)^{\frac{2}{3}} - 2abcd\left(\frac{d}{c}\right)^{\frac{1}{3}} + a^2c^2d\left(\frac{d}{c}\right)^{\frac{2}{3}}\right)} + \frac{b \log\left(x + \left(\frac{d}{c}\right)^{\frac{1}{3}}\right)}{3\left(b^2c^2\left(\frac{d}{c}\right)^{\frac{2}{3}} - 2abcd\left(\frac{d}{c}\right)^{\frac{1}{3}} + a^2c^2d\left(\frac{d}{c}\right)^{\frac{2}{3}}\right)} - \frac{(5bc-2ad) \log\left(x + \left(\frac{d}{c}\right)^{\frac{1}{3}}\right)}{9\left(b^2c^2\left(\frac{d}{c}\right)^{\frac{2}{3}} - 2abcd\left(\frac{d}{c}\right)^{\frac{1}{3}} + a^2c^2d\left(\frac{d}{c}\right)^{\frac{2}{3}}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)/(d*x^3+c)^2,x, algorithm="maxima")

[Out] 1/3*\sqrt{3}*b*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/((b^2*c^2*(a/b)^(1/3) - 2*a*b*c*d*(a/b)^(1/3) + a^2*d^2*(a/b)^(1/3))*(a/b)^(1/3)) - 1/9*\sqrt{3}*(5*b*c - 2*a*d)*\arctan(1/3*\sqrt{3}*(2*x - (c/d)^(1/3))/(c/d)^(1/3))/((b^2*c^3*(c/d)^(1/3) - 2*a*b*c^2*d*(c/d)^(1/3) + a^2*c*d^2*(c/d)^(1/3))*(c/d)^(1/3)) - 1/3*d*x/(b*c^3 - a*c^2*d + (b*c^2*d - a*c*d^2)*x^3) - 1/6*b*\log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(\sqrt{3}*b^2*c^2*(a/b)^(2/3) - 2*a*b*c*d*(a/b)^(2/3) + a^2*d^2*(a/b)^(2/3)) + 1/18*(5*b*c - 2*a*d)*\log(x^2 - x*(c/d)^(1/3) + (c/d)^(2/3))/(\sqrt{3}*b^2*c^3*(c/d)^(2/3) - 2*a*b*c^2*d*(c/d)^(2/3) + a^2*c*d^2*(c/d)^(2/3)) + 1/3*b*\log(x + (a/b)^(1/3))/(\sqrt{3}*b^2*c^2*(a/b)^(2/3) - 2*a*b*c*d*(a/b)^(2/3) + a^2*d^2*(a/b)^(2/3)) - 1/9*(5*b*c - 2*a*d)*\log(x + (c/d)^(1/3))/(\sqrt{3}*b^2*c^3*(c/d)^(2/3) - 2*a*b*c^2*d*(c/d)^(2/3) + a^2*c*d^2*(c/d)^(2/3))

mupad [B] time = 16.81, size = 2589, normalized size = 7.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(1/((a + b*x^3)*(c + d*x^3)^2), x)$

[Out] $\log(\frac{((27*b^3*d^3*x*(a*d - b*c))^3*(3*b^2*c^2 - 2*a^2*d^2 + 3*a*b*c*d))/c + (27*a*b^3*c^4*d^3*(a*d + b*c)*(a*d - b*c)^5*((d^2*(2*a*d - 5*b*c))^3)/(c^5*(a*d - b*c)^6))^{1/3}}{(b*c^4 - a*c^3*d)} * \frac{(d^2*(2*a*d - 5*b*c))^3}{(c^5*(a*d - b*c)^6))^{2/3}}/81 - \frac{(b^4*d^4*(8*a^3*d^3 - 27*b^3*c^3 + 98*a*b^2*c^2*d - 52*a^2*b*c*d^2))}{(3*b*c^4 - 3*a*c^3*d)} * \frac{(d^2*(2*a*d - 5*b*c))^3}{(c^5*(a*d - b*c)^6))^{1/3}}/9 + \frac{(2*b^6*d^5*x*(4*a^3*d^3 - 85*b^3*c^3 + 84*a*b^2*c^2*d - 30*a^2*b*c*d^2))}{(9*c^3*(a*d - b*c)^4)} * \frac{(8*a^3*d^5 - 125*b^3*c^3*d^2 + 150*a*b^2*c^2*d^3 - 60*a^2*b*c*d^4)}{(729*b^6*c^11 + 729*a^6*c^5*d^6 - 4374*a^5*b*c^6*d^5 + 10935*a^2*b^4*c^9*d^2 - 14580*a^3*b^3*c^8*d^3 + 10935*a^4*b^2*c^7*d^4 - 4374*a*b^5*c^10*d)}^{1/3} + \log(\frac{((27*b^3*d^3*x*(a*d - b*c))^3*(3*b^2*c^2 - 2*a^2*d^2 + 3*a*b*c*d))/c + (81*a*b^3*c^4*d^3*(a*d + b*c)*(a*d - b*c)^5*(b^5/(a^2*(a*d - b*c)^6))^{1/3}}{(b*c^4 - a*c^3*d)} * (b^5/(a^2*(a*d - b*c)^6))^{2/3}}/9 - \frac{(b^4*d^4*(8*a^3*d^3 - 27*b^3*c^3 + 98*a*b^2*c^2*d - 52*a^2*b*c*d^2))}{(3*b*c^4 - 3*a*c^3*d)} * (b^5/(a^2*(a*d - b*c)^6))^{1/3}}/3 + \frac{(2*b^6*d^5*x*(4*a^3*d^3 - 85*b^3*c^3 + 84*a*b^2*c^2*d - 30*a^2*b*c*d^2))}{(9*c^3*(a*d - b*c)^4)} * (b^5/(27*a^8*d^6 + 27*a^2*b^6*c^6 - 162*a^3*b^5*c^5*d + 405*a^4*b^4*c^4*d^2 - 540*a^5*b^3*c^3*d^3 + 405*a^6*b^2*c^2*d^4 - 162*a^7*b*c*d^5))^{1/3} + (\log(((3^{1/2})*1i - 1)*((3^{1/2})*1i - 1)^2*((27*b^3*d^3*x*(a*d - b*c))^3*(3*b^2*c^2 - 2*a^2*d^2 + 3*a*b*c*d))/c + (27*a*b^3*c^4*d^3*(3^{1/2})*1i - 1)*(a*d + b*c)*(a*d - b*c)^5*((d^2*(2*a*d - 5*b*c))^3)/(c^5*(a*d - b*c)^6))^{1/3}}{(2*(b*c^4 - a*c^3*d))} * \frac{(d^2*(2*a*d - 5*b*c))^3}{(c^5*(a*d - b*c)^6))^{2/3}}/324 - \frac{(b^4*d^4*(8*a^3*d^3 - 27*b^3*c^3 + 98*a*b^2*c^2*d - 52*a^2*b*c*d^2))}{(3*b*c^4 - 3*a*c^3*d)} * \frac{(d^2*(2*a*d - 5*b*c))^3}{(c^5*(a*d - b*c)^6))^{1/3}}/18 + \frac{(2*b^6*d^5*x*(4*a^3*d^3 - 85*b^3*c^3 + 84*a*b^2*c^2*d - 30*a^2*b*c*d^2))}{(9*c^3*(a*d - b*c)^4)} * (3^{1/2})*1i - 1 * \frac{(8*a^3*d^5 - 125*b^3*c^3*d^2 + 150*a*b^2*c^2*d^3 - 60*a^2*b*c*d^4)}{(729*b^6*c^11 + 729*a^6*c^5*d^6 - 4374*a^5*b*c^6*d^5 + 10935*a^2*b^4*c^9*d^2 - 14580*a^3*b^3*c^8*d^3 + 10935*a^4*b^2*c^7*d^4 - 4374*a*b^5*c^10*d)}^{1/3})/2 - (\log(((3^{1/2})*1i + 1)*((3^{1/2})*1i + 1)^2*((27*b^3*d^3*x*(a*d - b*c))^3*(3*b^2*c^2 - 2*a^2*d^2 + 3*a*b*c*d))/c - (27*a*b^3*c^4*d^3*(3^{1/2})*1i + 1)*(a*d + b*c)*(a*d - b*c)^5*((d^2*(2*a*d - 5*b*c))^3)/(c^5*(a*d - b*c)^6))^{1/3}}{(2*(b*c^4 - a*c^3*d))} * \frac{(d^2*(2*a*d - 5*b*c))^3}{(c^5*(a*d - b*c)^6))^{2/3}}/324 - \frac{(b^4*d^4*(8*a^3*d^3 - 27*b^3*c^3 + 98*a*b^2*c^2*d - 52*a^2*b*c*d^2))}{(3*b*c^4 - 3*a*c^3*d)} * \frac{(d^2*(2*a*d - 5*b*c))^3}{(c^5*(a*d - b*c)^6))^{1/3}}/18 - \frac{(2*b^6*d^5*x*(4*a^3*d^3 - 85*b^3*c^3 + 84*a*b^2*c^2*d - 30*a^2*b*c*d^2))}{(9*c^3*(a*d - b*c)^4)} * (3^{1/2})*1i + 1 * \frac{(8*a^3*d^5 - 125*b^3*c^3*d^2 + 150*a*b^2*c^2*d^3 - 60*a^2*b*c*d^4)}{(729*b^6*c^11 + 729*a^6*c^5*d^6 - 4374*a^5*b*c^6*d^5 + 10935*a^2*b^4*c^9*d^2 - 14580*a^3*b^3*c^8*d^3 + 10935$

$$\begin{aligned}
& *a^4*b^2*c^7*d^4 - 4374*a*b^5*c^{10}*d)^{(1/3)}/2 + (\log(((3^{(1/2)}*1i - 1)*((3^{(1/2)}*1i - 1)^2*((27*b^3*d^3*x*(a*d - b*c)^3*(3*b^2*c^2 - 2*a^2*d^2 + 3*a*b*c*d))/c + (81*a*b^3*c^4*d^3*(3^{(1/2)}*1i - 1)*(a*d + b*c)*(a*d - b*c)^5*(b^5/(a^2*(a*d - b*c)^6))^{(1/3)})/(2*(b*c^4 - a*c^3*d)))*(b^5/(a^2*(a*d - b*c)^6))^{(2/3)})/36 - (b^4*d^4*(8*a^3*d^3 - 27*b^3*c^3 + 98*a*b^2*c^2*d - 52*a^2*b*c*d^2))/(3*b*c^4 - 3*a*c^3*d))*(b^5/(a^2*(a*d - b*c)^6))^{(1/3)})/6 + (2*b^6*d^5*x*(4*a^3*d^3 - 85*b^3*c^3 + 84*a*b^2*c^2*d - 30*a^2*b*c*d^2))/(9*c^3*(a*d - b*c)^4))*(3^{(1/2)}*1i - 1)*(b^5/(27*a^8*d^6 + 27*a^2*b^6*c^6 - 162*a^3*b^5*c^5*d + 405*a^4*b^4*c^4*d^2 - 540*a^5*b^3*c^3*d^3 + 405*a^6*b^2*c^2*d^4 - 162*a^7*b*c*d^5))^{(1/3)})/2 - (\log(((3^{(1/2)}*1i + 1)*(((3^{(1/2)}*1i + 1)^2*((27*b^3*d^3*x*(a*d - b*c)^3*(3*b^2*c^2 - 2*a^2*d^2 + 3*a*b*c*d))/c - (81*a*b^3*c^4*d^3*(3^{(1/2)}*1i + 1)*(a*d + b*c)*(a*d - b*c)^5*(b^5/(a^2*(a*d - b*c)^6))^{(1/3)})/(2*(b*c^4 - a*c^3*d)))*(b^5/(a^2*(a*d - b*c)^6))^{(2/3)})/36 - (b^4*d^4*(8*a^3*d^3 - 27*b^3*c^3 + 98*a*b^2*c^2*d - 52*a^2*b*c*d^2))/(3*b*c^4 - 3*a*c^3*d))*(b^5/(a^2*(a*d - b*c)^6))^{(1/3)})/6 - (2*b^6*d^5*x*(4*a^3*d^3 - 85*b^3*c^3 + 84*a*b^2*c^2*d - 30*a^2*b*c*d^2))/(9*c^3*(a*d - b*c)^4))*(3^{(1/2)}*1i + 1)*(b^5/(27*a^8*d^6 + 27*a^2*b^6*c^6 - 162*a^3*b^5*c^5*d + 405*a^4*b^4*c^4*d^2 - 540*a^5*b^3*c^3*d^3 + 405*a^6*b^2*c^2*d^4 - 162*a^7*b*c*d^5))^{(1/3)})/2 + (d*x)/(3*c*(c + d*x^3)*(a*d - b*c))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**3+a)/(d*x**3+c)**2,x)

[Out] Timed out

$$3.20 \quad \int \frac{(c+dx^3)^5}{(a+bx^3)^2} dx$$

Optimal. Leaf size=320

$$\frac{(bc-ad)^4(13ad+2bc)\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2\right)}{18a^{5/3}b^{16/3}} + \frac{(bc-ad)^4(13ad+2bc)\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{9a^{5/3}b^{16/3}} - \frac{(bc-ad)^4(13ad+2bc)\log\left(\sqrt[3]{a}-\sqrt[3]{b}x\right)}{9a^{5/3}b^{16/3}}$$

Rubi [A] time = 0.30, antiderivative size = 320, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {390, 385, 200, 31, 634, 617, 204, 628}

$$\frac{d^4x^4(3a^2d^2-10abcd+10b^2c^2)}{4b^4} + \frac{d^2x(15a^2bcd^2-4a^3d^3-20ab^2c^2d+10b^3c^3)}{b^5} - \frac{(bc-ad)^4(13ad+2bc)\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2\right)}{18a^{5/3}b^{16/3}} + \frac{(bc-ad)^4(13ad+2bc)\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{9a^{5/3}b^{16/3}} - \frac{(bc-ad)^4(13ad+2bc)\log\left(\sqrt[3]{a}-\sqrt[3]{b}x\right)}{9a^{5/3}b^{16/3}} + \frac{d^4x^7(5bc-2ad)}{7b^3} + \frac{x(bc-ad)^2}{3ab^2(a+bx^3)} + \frac{d^5x^{10}}{10b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)^5/(a + b*x^3)^2,x]

[Out] (d^2*(10*b^3*c^3 - 20*a*b^2*c^2*d + 15*a^2*b*c*d^2 - 4*a^3*d^3)*x)/b^5 + (d^3*(10*b^2*c^2 - 10*a*b*c*d + 3*a^2*d^2)*x^4)/(4*b^4) + (d^4*(5*b*c - 2*a*d)*x^7)/(7*b^3) + (d^5*x^10)/(10*b^2) + ((b*c - a*d)^5*x)/(3*a*b^5*(a + b*x^3)) - ((b*c - a*d)^4*(2*b*c + 13*a*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(5/3)*b^(16/3)) + ((b*c - a*d)^4*(2*b*c + 13*a*d)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(5/3)*b^(16/3)) - ((b*c - a*d)^4*(2*b*c + 13*a*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(5/3)*b^(16/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Free
EQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx^3)^5}{(a + bx^3)^2} dx &= \int \left(\frac{d^2 (10b^3c^3 - 20ab^2c^2d + 15a^2bcd^2 - 4a^3d^3)}{b^5} + \frac{d^3 (10b^2c^2 - 10abcd + 3a^2d^2) x^3}{b^4} + \frac{d^4(5bc - a^2)}{7b^3} \right) dx \\
&= \frac{d^2 (10b^3c^3 - 20ab^2c^2d + 15a^2bcd^2 - 4a^3d^3) x}{b^5} + \frac{d^3 (10b^2c^2 - 10abcd + 3a^2d^2) x^4}{4b^4} + \frac{d^4(5bc - a^2) x^7}{7b^3} \\
&= \frac{d^2 (10b^3c^3 - 20ab^2c^2d + 15a^2bcd^2 - 4a^3d^3) x}{b^5} + \frac{d^3 (10b^2c^2 - 10abcd + 3a^2d^2) x^4}{4b^4} + \frac{d^4(5bc - a^2) x^7}{7b^3} \\
&= \frac{d^2 (10b^3c^3 - 20ab^2c^2d + 15a^2bcd^2 - 4a^3d^3) x}{b^5} + \frac{d^3 (10b^2c^2 - 10abcd + 3a^2d^2) x^4}{4b^4} + \frac{d^4(5bc - a^2) x^7}{7b^3} \\
&= \frac{d^2 (10b^3c^3 - 20ab^2c^2d + 15a^2bcd^2 - 4a^3d^3) x}{b^5} + \frac{d^3 (10b^2c^2 - 10abcd + 3a^2d^2) x^4}{4b^4} + \frac{d^4(5bc - a^2) x^7}{7b^3} \\
&= \frac{d^2 (10b^3c^3 - 20ab^2c^2d + 15a^2bcd^2 - 4a^3d^3) x}{b^5} + \frac{d^3 (10b^2c^2 - 10abcd + 3a^2d^2) x^4}{4b^4} + \frac{d^4(5bc - a^2) x^7}{7b^3}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 313, normalized size = 0.98

$$\frac{70(b^3c^3 - 10ab^2c^2d + 15a^2bcd^2 - 4a^3d^3) \log\left(\frac{c + dx^3}{a + bx^3}\right) + 140\sqrt{3}(b^3c^3 - 10ab^2c^2d + 15a^2bcd^2 - 4a^3d^3) \operatorname{ArcTan}\left(\frac{\sqrt{3}(c + dx^3)}{a + bx^3}\right) + 315b^{4/3}d^3x^4(3a^2d^2 - 10abcd + 10b^2c^2) + 1260\sqrt{6}d^2x(-4a^3d^3 + 15a^2bcd^2 - 20ab^2c^2d + 10b^3c^3) + 180b^{7/3}d^4x^7(5bc - a^2) + \frac{420\sqrt{3}(b^3c^3 - a^2)}{d(a + bx^3)} + 126b^{10/3}d^4x^{10}}{1260b^{16/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)^5/(a + b*x^3)^2,x]

[Out] (1260*b^(1/3)*d^2*(10*b^3*c^3 - 20*a*b^2*c^2*d + 15*a^2*b*c*d^2 - 4*a^3*d^3)*x + 315*b^(4/3)*d^3*(10*b^2*c^2 - 10*a*b*c*d + 3*a^2*d^2)*x^4 + 180*b^(7/3)*d^4*(5*b*c - 2*a*d)*x^7 + 126*b^(10/3)*d^5*x^10 + (420*b^(1/3)*(b*c - a*d)^5*x)/(a*(a + b*x^3)) + (140*sqrt(3)*(b*c - a*d)^4*(2*b*c + 13*a*d)*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(sqrt(3)*a^(1/3))])/a^(5/3) + (140*(b*c - a*d)^4*(2*b*c + 13*a*d)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) - (70*(b*c - a*d)^4*(2*b*c + 13*a*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3))/(1260*b^(16/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx^3)^5}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3)^5/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(c + d*x^3)^5/(a + b*x^3)^2, x]

fricas [B] time = 1.11, size = 1619, normalized size = 5.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^5/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/1260*(126*a^3*b^5*d^5*x^13 + 18*(50*a^3*b^5*c*d^4 - 13*a^4*b^4*d^5)*x^10 + 45*(70*a^3*b^5*c^2*d^3 - 50*a^4*b^4*c*d^4 + 13*a^5*b^3*d^5)*x^7 + 315*(40*a^3*b^5*c^3*d^2 - 70*a^4*b^4*c^2*d^3 + 50*a^5*b^3*c*d^4 - 13*a^6*b^2*d^5)*x^4 + 210*sqrt(1/3)*(2*a^2*b^6*c^5 + 5*a^3*b^5*c^4*d - 40*a^4*b^4*c^3*d^2 + 70*a^5*b^3*c^2*d^3 - 50*a^6*b^2*c*d^4 + 13*a^7*b*d^5 + (2*a*b^7*c^5 + 5*a^2*b^6*c^4*d - 40*a^3*b^5*c^3*d^2 + 70*a^4*b^4*c^2*d^3 - 50*a^5*b^3*c*d^4 + 13*a^6*b^2*d^5)*x^3)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a) - 70*(2*a*b^5*c^5 + 5*a^2*b^4*c^4*d - 40*a^3*b^3*c^3*d^2 + 70*a^4*b^2*c^2*d^3 - 50*a^5*b*c*d^4 + 13*a^6*d^5 + (2*b^6*c^5 + 5*a*b^5*c^4*d - 40*a^2*b^4*c^3*d^2 + 70*a^3*b^3*c^2*d^3 - 50*a^4*b^2*c*d^4 + 13*a^5*b*d^5)*x^3)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 140*(2*a*b^5*c^5 + 5*a^2*b^4*c^4*d - 40*a^3*b^3*c^3*d^2 + 70*a^4*b^2*c^2*d^3 - 50*a^5*b*c*d^4 + 13*a^6*d^5 + (2*b^6*c^5 + 5*a*b^5*c^4*d - 40*a^2*b^4*c^3*d^2 + 70*a^3*b^3*c^2*d^3 - 50*a^4*b^2*c*d^4 + 13*a^5*b*d^5)*x^3)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)) + 420*(a^2*b^6*c^5 - 5*a^3*b^5*c^4*d + 40*a^4*b^4*c^3*d^2 - 70*a^5*b^3*c^2*d^3 + 50*a^6*b^2*c*d^4 - 13*a^7*b*d^5)*x)/(a^3*b^7*x^3 + a^4*b^6), 1/1260*(126*a^3*b^5*d^5*x^13 + 18*(50*a^3*b^5*c*d^4 - 13*a^4*b^4*d^5)*x^10 + 45*(70*a^3*b^5*c^2*d^3 - 50*a^4*b^4*c*d^4 + 13*a^5*b^3*d^5)*x^7 + 315*(40*a^3*b^5*c^3*d^2 - 70*a^4*b^4*c^2*d^3 + 50*a^5*b^3*c*d^4 - 13*a^6*b^2*d^5)*x^4 + 420*sqrt(1/3)*(2*a^2*b^6*c^5 + 5*a^3*b^5*c^4*d - 40*a^4*b^4*c^3*d^2 + 70*a^5*b^3*c^2*d^3 - 50*a^6*b^2*c*d^4 + 13*a^7*b*d^5 + (2*a*b^7*c^5 + 5*a^2*b^6*c^4*d - 40*a^3*b^5*c^3*d^2 + 70*a^4*b^4*c^2*d^3 - 50*a^5*b^3*c*d^4 + 13*a^6*b^2*d^5)*x^3)*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) - 70*(2*a*b^5*c^5 + 5*a^2*b^4*c^4*d - 40*a^3*b^3*c^3*d^2 + 70*a^4*b^2*c^2*d^3 - 50*a^5*b*c*d^4 + 13*a^6*d^5 + (2*b^6*c^5 + 5*a*b

$$\begin{aligned} &^5*c^4*d - 40*a^2*b^4*c^3*d^2 + 70*a^3*b^3*c^2*d^3 - 50*a^4*b^2*c*d^4 + 13* \\ &a^5*b*d^5)*x^3)*(a^2*b)^{(2/3)}*\log(a*b*x^2 - (a^2*b)^{(2/3)}*x + (a^2*b)^{(1/3)} \\ &*a) + 140*(2*a*b^5*c^5 + 5*a^2*b^4*c^4*d - 40*a^3*b^3*c^3*d^2 + 70*a^4*b^2* \\ &c^2*d^3 - 50*a^5*b*c*d^4 + 13*a^6*d^5 + (2*b^6*c^5 + 5*a*b^5*c^4*d - 40*a^2 \\ &*b^4*c^3*d^2 + 70*a^3*b^3*c^2*d^3 - 50*a^4*b^2*c*d^4 + 13*a^5*b*d^5)*x^3)*(\\ &a^2*b)^{(2/3)}*\log(a*b*x + (a^2*b)^{(2/3)}) + 420*(a^2*b^6*c^5 - 5*a^3*b^5*c^4* \\ &d + 40*a^4*b^4*c^3*d^2 - 70*a^5*b^3*c^2*d^3 + 50*a^6*b^2*c*d^4 - 13*a^7*b*d \\ &^5)*x)/(a^3*b^7*x^3 + a^4*b^6)] \end{aligned}$$

giac [A] time = 0.19, size = 529, normalized size = 1.65

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^5/(b*x^3+a)^2,x, algorithm="giac")

[Out]
$$\begin{aligned} &-1/9*\sqrt{3}*(2*b^5*c^5 + 5*a*b^4*c^4*d - 40*a^2*b^3*c^3*d^2 + 70*a^3*b^2*c^2*d^3 \\ &^2*d^3 - 50*a^4*b*c*d^4 + 13*a^5*d^5)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)} \\ &))/(-a/b)^{(1/3)}/((-a*b^2)^{(2/3)}*a*b^4) - 1/18*(2*b^5*c^5 + 5*a*b^4*c^4*d - \\ &40*a^2*b^3*c^3*d^2 + 70*a^3*b^2*c^2*d^3 - 50*a^4*b*c*d^4 + 13*a^5*d^5)*\log \\ &(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a*b^4) - 1/9*(2*b^5*c^5 \\ &^5 + 5*a*b^4*c^4*d - 40*a^2*b^3*c^3*d^2 + 70*a^3*b^2*c^2*d^3 - 50*a^4*b*c*d^4 \\ &^4 + 13*a^5*d^5)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a^2*b^5) + 1/3*(b \\ &^5*c^5*x - 5*a*b^4*c^4*d*x + 10*a^2*b^3*c^3*d^2*x - 10*a^3*b^2*c^2*d^3*x + \\ &5*a^4*b*c*d^4*x - a^5*d^5*x)/((b*x^3 + a)*a*b^5) + 1/140*(14*b^18*d^5*x^10 \\ &+ 100*b^18*c*d^4*x^7 - 40*a*b^17*d^5*x^7 + 350*b^18*c^2*d^3*x^4 - 350*a*b^1 \\ &7*c*d^4*x^4 + 105*a^2*b^16*d^5*x^4 + 1400*b^18*c^3*d^2*x - 2800*a*b^17*c^2* \\ &d^3*x + 2100*a^2*b^16*c*d^4*x - 560*a^3*b^15*d^5*x)/b^20 \end{aligned}$$

maple [B] time = 0.06, size = 905, normalized size = 2.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)^5/(b*x^3+a)^2,x)

[Out]
$$\begin{aligned} &-50/9/b^5*a^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c \\ &*d^4+70/9/b^4*a^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1 \\ &))*c^2*d^3-40/9/b^3*a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)} \\ &*x-1))*c^3*d^2-2/7*d^5/b^3*x^7*a+5/7*d^4/b^2*x^7*c+3/4*d^5/b^4*x^4*a^2+5/2* \\ &d^3/b^2*x^4*c^2-4*d^5/b^5*a^3*x+10*d^2/b^2*c^3*x+1/3*a*x/(b*x^3+a)*c^5-35/9 \\ &/b^4*a^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3}))*c^2*d^3+20/9/b^3*a/(\\ &a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3}))*c^3*d^2-50/9/b^5*a^3/(a/b)^{(2/ \\ &3)}*\ln(x+(a/b)^{(1/3}))*c*d^4+70/9/b^4*a^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3}))*c^2*d \\ &^3-40/9/b^3*a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3}))*c^3*d^2+25/9/b^5*a^3/(a/b)^{(2/3} \end{aligned}$$

$$\begin{aligned} &) * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * c * d^4 - 10/3/b^3 * a^2 * x / (b * x^3 + a) * c^2 * d^3 + \\ & 10/3/b^2 * a * x / (b * x^3 + a) * c^3 * d^2 + 13/9/b^6 * a^4 / (a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * \\ & (2/(a/b)^{(1/3)} * x - 1)) * d^5 + 5/9/b^2 / (a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * \\ & (2/(a/b)^{(1/3)} * x - 1)) * c^4 * d + 2/9/b/a / (a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * \\ & (2/(a/b)^{(1/3)} * x - 1)) * c^5 + 5/3/b^4 * a^3 * x / (b * x^3 + a) * c * d^4 - 13/18/b^6 * a^4 / (a \\ & /b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * d^5 - 5/18/b^2 / (a/b)^{(2/3)} * \ln(x^2 \\ & - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * c^4 * d - 1/9/b/a / (a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + \\ & (a/b)^{(2/3)}) * c^5 + 13/9/b^6 * a^4 / (a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) * d^5 + 5/9/b^2 / (a/ \\ & b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) * c^4 * d + 2/9/b/a / (a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) * c^5 - \\ & 5/2 * d^4 / b^3 * x^4 * a * c + 15 * d^4 / b^4 * a^2 * c * x - 1/3 / b^5 * a^4 * x / (b * x^3 + a) * d^5 - 5/3 / b * x / \\ & (b * x^3 + a) * c^4 * d - 20 * d^3 / b^3 * a * c^2 * x + 1/10 * d^5 * x^{10} / b^2 \end{aligned}$$

maxima [A] time = 1.35, size = 509, normalized size = 1.59

$$\frac{(d^5 - 5a^4b^3c^2d^2 - 10a^3b^4c^2d^2 - 10a^2b^5c^2d^2 - 5a^4b^3c^2d^2 - 5a^4b^3c^2d^2) \sqrt{3} \arctan\left(\frac{2x - \sqrt[3]{a/b}}{\sqrt[3]{a/b}}\right) + (d^5 - 5a^4b^3c^2d^2 - 10a^3b^4c^2d^2 - 10a^2b^5c^2d^2 - 5a^4b^3c^2d^2 - 5a^4b^3c^2d^2) \sqrt{3} \arctan\left(\frac{2x + \sqrt[3]{a/b}}{\sqrt[3]{a/b}}\right) + (d^5 - 5a^4b^3c^2d^2 - 10a^3b^4c^2d^2 - 10a^2b^5c^2d^2 - 5a^4b^3c^2d^2 - 5a^4b^3c^2d^2) \log\left(\frac{x^2 - x\sqrt[3]{a/b} + \sqrt[3]{a/b}}{\sqrt[3]{a/b}}\right) + (d^5 - 5a^4b^3c^2d^2 - 10a^3b^4c^2d^2 - 10a^2b^5c^2d^2 - 5a^4b^3c^2d^2 - 5a^4b^3c^2d^2) \log\left(\frac{x^2 + x\sqrt[3]{a/b} + \sqrt[3]{a/b}}{\sqrt[3]{a/b}}\right)}{10b^5c^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^5/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3} * (b^5 * c^5 - 5 * a * b^4 * c^4 * d + 10 * a^2 * b^3 * c^3 * d^2 - 10 * a^3 * b^2 * c^2 * d^3 + 5 * a^4 * b * c * d^4 - a^5 * d^5) * x / (a * b^6 * x^3 + a^2 * b^5) + \frac{1}{140} * (14 * b^3 * d^5 * x^{10} + 20 * (5 * b^3 * c * d^4 - 2 * a * b^2 * d^5) * x^7 + 35 * (10 * b^3 * c^2 * d^3 - 10 * a * b^2 * c * d^4 + 3 * a^2 * b * d^5) * x^4 + 140 * (10 * b^3 * c^3 * d^2 - 20 * a * b^2 * c^2 * d^3 + 15 * a^2 * b * c * d^4 - 4 * a^3 * d^5) * x) / b^5 + \frac{1}{9} * \sqrt{3} * (2 * b^5 * c^5 + 5 * a * b^4 * c^4 * d - 40 * a^2 * b^3 * c^3 * d^2 + 70 * a^3 * b^2 * c^2 * d^3 - 50 * a^4 * b * c * d^4 + 13 * a^5 * d^5) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (a * b^6 * (a/b)^{(2/3)}) - \frac{1}{18} * (2 * b^5 * c^5 + 5 * a * b^4 * c^4 * d - 40 * a^2 * b^3 * c^3 * d^2 + 70 * a^3 * b^2 * c^2 * d^3 - 50 * a^4 * b * c * d^4 + 13 * a^5 * d^5) * \log(x^2 - x * (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (a * b^6 * (a/b)^{(2/3)}) + \frac{1}{9} * (2 * b^5 * c^5 + 5 * a * b^4 * c^4 * d - 40 * a^2 * b^3 * c^3 * d^2 + 70 * a^3 * b^2 * c^2 * d^3 - 50 * a^4 * b * c * d^4 + 13 * a^5 * d^5) * \log(x + (a/b)^{(1/3)}) / (a * b^6 * (a/b)^{(2/3)})$

mupad [B] time = 0.39, size = 416, normalized size = 1.30

$$\frac{\left(\frac{10c^5d^5}{b^5} - \frac{2d \left(\frac{5c^4d^4}{b^4} - \frac{5c^4d^4}{b^4} \right)}{b^5} + \frac{10c^4d^4}{b^5} - \frac{10c^4d^4}{b^5} \right) x^7 + \left(\frac{35c^3d^3}{b^5} - \frac{35c^3d^3}{b^5} \right) x^4 + \left(\frac{140c^2d^2}{b^5} - \frac{140c^2d^2}{b^5} \right) x + \left(\frac{14c^5d^5}{b^5} - \frac{14c^5d^5}{b^5} \right) \arctan\left(\frac{2x - \sqrt[3]{a/b}}{\sqrt[3]{a/b}}\right) + \left(\frac{14c^5d^5}{b^5} - \frac{14c^5d^5}{b^5} \right) \log\left(\frac{x^2 - x\sqrt[3]{a/b} + \sqrt[3]{a/b}}{\sqrt[3]{a/b}}\right) + \left(\frac{14c^5d^5}{b^5} - \frac{14c^5d^5}{b^5} \right) \log\left(\frac{x^2 + x\sqrt[3]{a/b} + \sqrt[3]{a/b}}{\sqrt[3]{a/b}}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3)^5/(a + b*x^3)^2,x)

[Out] $x * ((10 * c^3 * d^2) / b^2 - (2 * a * ((2 * a * ((2 * a * d^5) / b^3 - (5 * c * d^4) / b^2)) / b - (a^2 * d^5) / b^4 + (10 * c^2 * d^3) / b^2)) / b + (a^2 * ((2 * a * d^5) / b^3 - (5 * c * d^4) / b^2)) / b^2 - x^7 * ((2 * a * d^5) / (7 * b^3) - (5 * c * d^4) / (7 * b^2)) + x^4 * ((a * ((2 * a * d^5) / b^3 - (5 * c * d^4) / b^2)) / (2 * b) - (a^2 * d^5) / (4 * b^4) + (5 * c^2 * d^3) / (2 * b^2)) + (d^5 * x^{10}) / (10 * b^2) - (x * (a^5 * d^5 - b^5 * c^5 - 10 * a^2 * b^3 * c^3 * d^2 + 10 * a^3 * b^2 * c^2 * d^3 + 5 * a * b^4 * c^4 * d - 5 * a^4 * b * c * d^4)) / (3 * a * (a * b^5 + b^6 * x^3)) + (\log(b^{(1/3)}))$

$$\begin{aligned}
 & *x + a^{(1/3)})(a*d - b*c)^4*(13*a*d + 2*b*c))/(9*a^{(5/3)}*b^{(16/3)}) - (\log(3 \\
 & ^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(a*d - b* \\
 & c)^4*(13*a*d + 2*b*c))/(9*a^{(5/3)}*b^{(16/3)}) + (\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b \\
 & ^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(a*d - b*c)^4*(13*a*d + 2*b*c))/ \\
 & (9*a^{(5/3)}*b^{(16/3)})
 \end{aligned}$$

sympy [A] time = 12.43, size = 546, normalized size = 1.71

($\frac{3}{10} \frac{d}{dx} + \frac{1}{10} \frac{d^2}{dx^2} + \frac{1}{10} \frac{d^3}{dx^3} + \frac{1}{10} \frac{d^4}{dx^4} + \frac{1}{10} \frac{d^5}{dx^5} + \frac{1}{10} \frac{d^6}{dx^6} + \frac{1}{10} \frac{d^7}{dx^7} + \frac{1}{10} \frac{d^8}{dx^8} + \frac{1}{10} \frac{d^9}{dx^9} + \frac{1}{10} \frac{d^{10}}{dx^{10}}$)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c)**5/(b*x**3+a)**2,x)

[Out] x**7*(-2*a*d**5/(7*b**3) + 5*c*d**4/(7*b**2)) + x**4*(3*a**2*d**5/(4*b**4) - 5*a*c*d**4/(2*b**3) + 5*c**2*d**3/(2*b**2)) + x*(-4*a**3*d**5/b**5 + 15*a**2*c*d**4/b**4 - 20*a*c**2*d**3/b**3 + 10*c**3*d**2/b**2) + x*(-a**5*d**5 + 5*a**4*b*c*d**4 - 10*a**3*b**2*c**2*d**3 + 10*a**2*b**3*c**3*d**2 - 5*a*b**4*c**4*d + b**5*c**5)/(3*a**2*b**5 + 3*a*b**6*x**3) + RootSum(729*_t**3*a**5*b**16 - 2197*a**15*d**15 + 25350*a**14*b*c*d**14 - 132990*a**13*b**2*c**2*d**13 + 418280*a**12*b**3*c**3*d**12 - 874635*a**11*b**4*c**4*d**11 + 1271886*a**10*b**5*c**5*d**10 - 1302400*a**9*b**6*c**6*d**9 + 922680*a**8*b**7*c**7*d**8 - 422235*a**7*b**8*c**8*d**7 + 97570*a**6*b**9*c**9*d**6 + 7194*a**5*b**10*c**10*d**5 - 10200*a**4*b**11*c**11*d**4 + 1435*a**3*b**12*c**12*d**3 + 330*a**2*b**13*c**13*d**2 - 60*a*b**14*c**14*d - 8*b**15*c**15, Lambda(_t, _t*log(9*_t*a**2*b**5/(13*a**5*d**5 - 50*a**4*b*c*d**4 + 70*a**3*b**2*c**2*d**3 - 40*a**2*b**3*c**3*d**2 + 5*a*b**4*c**4*d + 2*b**5*c**5) + x))) + d**5*x**10/(10*b**2)

$$3.21 \quad \int \frac{(c+dx^3)^4}{(a+bx^3)^2} dx$$

Optimal. Leaf size=267

$$\frac{(bc-ad)^3(5ad+bc) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{9a^{5/3}b^{13/3}} + \frac{2(bc-ad)^3(5ad+bc) \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right)}{9a^{5/3}b^{13/3}} - \frac{2(bc-ad)^3(5ad+bc)}{3\sqrt{3}a}$$

Rubi [A] time = 0.23, antiderivative size = 267, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {390, 385, 200, 31, 634, 617, 204, 628}

$$\frac{d^2x(3a^2d^2 - 8abcd + 6b^2c^2)}{b^4} - \frac{(bc-ad)^3(5ad+bc) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{9a^{5/3}b^{13/3}} + \frac{2(bc-ad)^3(5ad+bc) \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right)}{9a^{5/3}b^{13/3}} - \frac{2(bc-ad)^3(5ad+bc) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{13/3}} + \frac{d^3x^4(2bc-ad)}{2b^3} + \frac{x(bc-ad)^4}{3ab^4(a+bx^3)} + \frac{d^4x^7}{7b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)^4/(a + b*x^3)^2,x]

[Out] (d^2*(6*b^2*c^2 - 8*a*b*c*d + 3*a^2*d^2)*x)/b^4 + (d^3*(2*b*c - a*d)*x^4)/(2*b^3) + (d^4*x^7)/(7*b^2) + ((b*c - a*d)^4*x)/(3*a*b^4*(a + b*x^3)) - (2*(b*c - a*d)^3*(b*c + 5*a*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(3*Sqrt[3]*a^(5/3)*b^(13/3)) + (2*(b*c - a*d)^3*(b*c + 5*a*d)*Log[a^(1/3) + b^(1/3)*x])/(9*a^(5/3)*b^(13/3)) - ((b*c - a*d)^3*(b*c + 5*a*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(9*a^(5/3)*b^(13/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx^3)^4}{(a + bx^3)^2} dx &= \int \left(\frac{d^2(6b^2c^2 - 8abcd + 3a^2d^2)}{b^4} + \frac{2d^3(2bc - ad)x^3}{b^3} + \frac{d^4x^6}{b^2} + \frac{(bc - ad)^3(bc + 3ad) + 4bd(bc - ad)^3x^3}{b^4(a + bx^3)^2} \right) dx \\
&= \frac{d^2(6b^2c^2 - 8abcd + 3a^2d^2)x}{b^4} + \frac{d^3(2bc - ad)x^4}{2b^3} + \frac{d^4x^7}{7b^2} + \frac{\int \frac{(bc - ad)^3(bc + 3ad) + 4bd(bc - ad)^3x^3}{(a + bx^3)^2} dx}{b^4} \\
&= \frac{d^2(6b^2c^2 - 8abcd + 3a^2d^2)x}{b^4} + \frac{d^3(2bc - ad)x^4}{2b^3} + \frac{d^4x^7}{7b^2} + \frac{(bc - ad)^4x}{3ab^4(a + bx^3)} + \frac{(2(bc - ad)^3(bc + 3ad) + 4bd(bc - ad)^3x^3)}{3ab^4(a + bx^3)} \\
&= \frac{d^2(6b^2c^2 - 8abcd + 3a^2d^2)x}{b^4} + \frac{d^3(2bc - ad)x^4}{2b^3} + \frac{d^4x^7}{7b^2} + \frac{(bc - ad)^4x}{3ab^4(a + bx^3)} + \frac{(2(bc - ad)^3(bc + 3ad) + 4bd(bc - ad)^3x^3)}{9ab^4(a + bx^3)} \\
&= \frac{d^2(6b^2c^2 - 8abcd + 3a^2d^2)x}{b^4} + \frac{d^3(2bc - ad)x^4}{2b^3} + \frac{d^4x^7}{7b^2} + \frac{(bc - ad)^4x}{3ab^4(a + bx^3)} + \frac{2(bc - ad)^3(bc + 3ad) + 4bd(bc - ad)^3x^3}{9ab^4(a + bx^3)} \\
&= \frac{d^2(6b^2c^2 - 8abcd + 3a^2d^2)x}{b^4} + \frac{d^3(2bc - ad)x^4}{2b^3} + \frac{d^4x^7}{7b^2} + \frac{(bc - ad)^4x}{3ab^4(a + bx^3)} + \frac{2(bc - ad)^3(bc + 3ad) + 4bd(bc - ad)^3x^3}{9ab^4(a + bx^3)} \\
&= \frac{d^2(6b^2c^2 - 8abcd + 3a^2d^2)x}{b^4} + \frac{d^3(2bc - ad)x^4}{2b^3} + \frac{d^4x^7}{7b^2} + \frac{(bc - ad)^4x}{3ab^4(a + bx^3)} - \frac{2(bc - ad)^3(bc + 3ad) + 4bd(bc - ad)^3x^3}{3\sqrt{3}ab^4(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 260, normalized size = 0.97

$$\frac{14(ad-bc)^3(5ad+bc)\log\left(\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{a^{5/3}}\right) + \frac{28(bc-ad)^3(5ad+bc)\log\left(\frac{\sqrt[3]{a}+\sqrt[3]{b}x}{a^{5/3}}\right) + \frac{28\sqrt{3}(bc-ad)^3(5ad+bc)\tan^{-1}\left(\frac{2\sqrt[3]{b}x-\sqrt[3]{a}}{\sqrt{3}\sqrt[3]{a}}\right)}{a^{5/3}} + 126\sqrt[3]{b}d^2x(3a^2d^2-8abcd+6b^2c^2) + 63b^{4/3}d^3x^4(2bc-ad) + \frac{42\sqrt[3]{b}x(bc-ad)^4}{a(a+bx^3)} + 18b^{7/3}d^4x^7}{126b^{13/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)^4/(a + b*x^3)^2,x]

[Out] (126*b^(1/3)*d^2*(6*b^2*c^2 - 8*a*b*c*d + 3*a^2*d^2)*x + 63*b^(4/3)*d^3*(2*b*c - a*d)*x^4 + 18*b^(7/3)*d^4*x^7 + (42*b^(1/3)*(b*c - a*d)^4*x)/(a*(a + b*x^3)) + (28*sqrt[3]*(b*c - a*d)^3*(b*c + 5*a*d)*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(sqrt[3]*a^(1/3))])/a^(5/3) + (28*(b*c - a*d)^3*(b*c + 5*a*d)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) + (14*(-(b*c) + a*d)^3*(b*c + 5*a*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3))/(126*b^(13/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx^3)^4}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3)^4/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(c + d*x^3)^4/(a + b*x^3)^2, x]

fricas [B] time = 1.06, size = 1316, normalized size = 4.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^4/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/126*(18*a^3*b^4*d^4*x^10 + 9*(14*a^3*b^4*c*d^3 - 5*a^4*b^3*d^4)*x^7 + 63*(12*a^3*b^4*c^2*d^2 - 14*a^4*b^3*c*d^3 + 5*a^5*b^2*d^4)*x^4 - 42*sqrt(1/3)*(a^2*b^5*c^4 + 2*a^3*b^4*c^3*d - 12*a^4*b^3*c^2*d^2 + 14*a^5*b^2*c*d^3 - 5*a^6*b*d^4 + (a*b^6*c^4 + 2*a^2*b^5*c^3*d - 12*a^3*b^4*c^2*d^2 + 14*a^4*b^3*c*d^3 - 5*a^5*b^2*d^4)*x^3)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a) - 14*(a*b^4*c^4 + 2*a^2*b^3*c^3*d - 12*a^3*b^2*c^2*d^2 + 14*a^4*b*c*d^3 - 5*a^5*d^4 + (b^5*c^4 + 2*a*b^4*c^3*d - 12*a^2*b^3*c^2*d^2 + 14*a^3*b^2*c*d^3 - 5*a^4*b*d^4)*x^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(a*b^4*c^4 + 2*a^2*b^3*c^3*d - 12*a^3*b^2*c^2*d^2 + 14*a^4*b*c*d^3 - 5*a^5*d^4 + (b^5*c^4 + 2*a*b^4*c^3*d - 12*a^2*b^3*c^2*d^2 + 14*a^3*b^2*c*d^3 - 5*a^4*b*d^4)*x^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) + 42*(a^2*b^5*c^4 - 4*a^3*b^4*c^3*d + 24*a^4*b^3*c^2*d^2 - 28*a^5*b^2*c*d^3 + 10*a^6*b*d^4)*x)/(a^3*b^6*x^3 + a^4*b^5), 1/126*(18*a^3*b^4*d^4*x^10 + 9*(14*a^3*b^4*c*d^3 - 5*a^4*b^3*d^4)*x^7 + 63*(12*a^3*b^4*c^2*d^2 - 14*a^4*b^3*c*d^3 + 5*a^5*b^2*d^4)*x^4 + 84*sqrt(1/3)*(a^2*b^5*c^4 + 2*a^3*b^4*c^3*d - 12*a^4*b^3*c^2*d^2 + 14*a^5*b^2*c*d^3 - 5*a^6*b*d^4 + (a*b^6*c^4 + 2*a^2*b^5*c^3*d - 12*a^3*b^4*c^2*d^2 + 14*a^4*b^3*c*d^3 - 5*a^5*b^2*d^4)*x^3)*sqrt(-(-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-a^2*b)^(1/3)/b)/a^2) - 14*(a*b^4*c^4 + 2*a^2*b^3*c^3*d - 12*a^3*b^2*c^2*d^2 + 14*a^4*b*c*d^3 - 5*a^5*d^4 + (b^5*c^4 + 2*a*b^4*c^3*d - 12*a^2*b^3*c^2*d^2 + 14*a^3*b^2*c*d^3 - 5*a^4*b*d^4)*x^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(a*b^4*c^4 + 2*a^2*b^3*c^3*d - 12*a^3*b^2*c^2*d^2 + 14*a^4*b*c*d^3 - 5*a^5*d^4 + (b^5*c^4 + 2*a*b^4*c^3*d - 12*a^2*b^3*c^2*d^2 + 14*a^3*b^2*c*d^3 - 5*a^4*b*d^4)*x^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3))

$(2/3)) + 42*(a^2*b^5*c^4 - 4*a^3*b^4*c^3*d + 24*a^4*b^3*c^2*d^2 - 28*a^5*b^2*c*d^3 + 10*a^6*b*d^4)*x)/(a^3*b^6*x^3 + a^4*b^5)]$

giac [A] time = 0.19, size = 412, normalized size = 1.54

$$\frac{2\sqrt{3}(a^4+2ab^2c^2d-12a^2b^2c^2d^2+14a^2bcd^3-5a^4d^4)\arctan\left(\frac{\sqrt{3}(x+(-a/b)^{1/3})}{3(-a/b)^{1/3}}\right)}{9(-ab)^{1/3}ab^3} - \frac{(b^4+2ab^2c^2d-12a^2b^2c^2d^2+14a^2bcd^3-5a^4d^4)\log\left(x^2+x\left(-\frac{a}{b}\right)^{1/3}+\left(-\frac{a}{b}\right)^{2/3}\right)}{9(-ab)^{1/3}ab^3} - \frac{2(b^4+2ab^2c^2d-12a^2b^2c^2d^2+14a^2bcd^3-5a^4d^4)\left(-\frac{1}{3}\right)\log\left|\frac{x+(-a/b)^{1/3}}{3(-a/b)^{1/3}}\right|}{9ab^4} + \frac{b^4c^4-4ab^2c^2d+6a^2b^2c^2d^2-4a^2bcd^3+a^4d^4}{3(b^6+a)ab^4} + \frac{2b^{12}c^4+14b^{12}cd^3-7ab^{11}d^4+88b^{12}cd^3x-112ab^{11}d^4x+42a^2b^{10}d^4x}{14b^{14}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^4/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-2/9*\sqrt{3}*(b^4*c^4 + 2*a*b^3*c^3*d - 12*a^2*b^2*c^2*d^2 + 14*a^3*b*c*d^3 - 5*a^4*d^4)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a*b^3) - 1/9*(b^4*c^4 + 2*a*b^3*c^3*d - 12*a^2*b^2*c^2*d^2 + 14*a^3*b*c*d^3 - 5*a^4*d^4)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a*b^3) - 2/9*(b^4*c^4 + 2*a*b^3*c^3*d - 12*a^2*b^2*c^2*d^2 + 14*a^3*b*c*d^3 - 5*a^4*d^4)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/ (a^2*b^4) + 1/3*(b^4*c^4*x - 4*a*b^3*c^3*d*x + 6*a^2*b^2*c^2*d^2*x - 4*a^3*b*c*d^3*x + a^4*d^4*x)/((b*x^3 + a)*a*b^4) + 1/14*(2*b^12*d^4*x^7 + 14*b^12*c*d^3*x^4 - 7*a*b^11*d^4*x^4 + 84*b^12*c^2*d^2*x - 112*a*b^11*c*d^3*x + 42*a^2*b^10*d^4*x)/b^14$

maple [B] time = 0.06, size = 708, normalized size = 2.65

$$\frac{c^4}{9\sqrt{3}} \frac{a^4}{b^4} + \frac{2abc^2d}{9\sqrt{3}b^3} - \frac{12a^2b^2c^2d^2}{9\sqrt{3}b^2} + \frac{14a^2bcd^3}{9\sqrt{3}b} - \frac{5a^4d^4}{9\sqrt{3}} \arctan\left(\frac{\sqrt{3}(x+(-a/b)^{1/3})}{3(-a/b)^{1/3}}\right) - \frac{(b^4+2ab^2c^2d-12a^2b^2c^2d^2+14a^2bcd^3-5a^4d^4)\log\left(x^2+x\left(-\frac{a}{b}\right)^{1/3}+\left(-\frac{a}{b}\right)^{2/3}\right)}{9(-ab)^{1/3}ab^3} - \frac{2(b^4+2ab^2c^2d-12a^2b^2c^2d^2+14a^2bcd^3-5a^4d^4)\left(-\frac{1}{3}\right)\log\left|\frac{x+(-a/b)^{1/3}}{3(-a/b)^{1/3}}\right|}{9ab^4} + \frac{b^4c^4-4ab^2c^2d+6a^2b^2c^2d^2-4a^2bcd^3+a^4d^4}{3(b^6+a)ab^4} + \frac{2b^{12}c^4+14b^{12}cd^3-7ab^{11}d^4+88b^{12}cd^3x-112ab^{11}d^4x+42a^2b^{10}d^4x}{14b^{14}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)^4/(b*x^3+a)^2,x)

[Out] $-8/3/b^3*a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c^2*d^2+28/9/b^4*a^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c*d^3+6*d^2/b^2*c^2*x-1/2*d^4/b^3*x^4*a+d^3/b^2*x^4*c+1/3*a*x/(b*x^3+a)*c^4+3*d^4/b^4*a^2*x-10/9/b^5*a^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d^4+4/9/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c^3*d+2/9/b/a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c^4-4/3/b^3*a^2*x/(b*x^3+a)*c*d^3+2/b^2*a*x/(b*x^3+a)*c^2*d^2+28/9/b^4*a^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c*d^3-8/3/b^3*a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c^2*d^2-14/9/b^4*a^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c*d^3+4/3/b^3*a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c^2*d^2+5/9/b^5*a^3/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d^4-10/9/b^5*a^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d^4-2/9/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c^3*d-1/9/b/a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c^4+1/3/b^4*a^3*x/(b*x^3+a)*d^4-4/3/b*x/(b*x^3+a)*c^3*d-8*d^3/b^3*a*c*x+4/9/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c^3*d+2/9/b/a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c^4+1/7*d^4*x^7/b^2$

maxima [A] time = 1.16, size = 397, normalized size = 1.49

$$\frac{(b^4 - 4ab^2c^2d + 6a^2b^2c^2d^2 - 4a^2b^2cd^3 + a^4d^4) + 2b^2d^2c^2 + 7(2b^2cd^2 - ab^2d^3 + 14(6a^2b^2c^2d^2 - 8abcd^3 + 3a^2d^4))}{3(a^2b^2 + a^2d^4)} + \frac{2\sqrt{3}(b^4 + 2ab^2c^2d - 12a^2b^2c^2d^2 + 14a^2bcd^3 - 5a^4d^4) \arctan\left(\frac{\sqrt{3}(1 + (z)^2)}{3(z)^2}\right)}{9ab^2(z)^2} - \frac{(b^4 + 2ab^2c^2d - 12a^2b^2c^2d^2 + 14a^2bcd^3 - 5a^4d^4) \log\left(x^2 - z\left(\frac{1}{3}\right) + \left(\frac{1}{3}\right)^2\right)}{9ab^2(z)^2} + \frac{2(b^4 + 2ab^2c^2d - 12a^2b^2c^2d^2 + 14a^2bcd^3 - 5a^4d^4) \log\left(z + \left(\frac{1}{3}\right)^2\right)}{9ab^2(z)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^4/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3}(b^4c^4 - 4ab^3c^3d + 6a^2b^2c^2d^2 - 4a^3b^2c^2d^3 + a^4d^4) \frac{x}{(ab^5x^3 + a^2b^4)} + \frac{1}{14}(2b^2d^4x^7 + 7(2b^2c^2d^3 - ab^2d^4)x^4 + 14(6b^2c^2d^2 - 8abcd^3 + 3a^2d^4)x)/b^4 + \frac{2}{9}\sqrt{3}(b^4c^4 + 2ab^3c^3d - 12a^2b^2c^2d^2 + 14a^3b^2c^2d^3 - 5a^4d^4) \arctan\left(\frac{1}{3}\sqrt{3}\frac{(2x - (a/b)^{1/3})}{(a/b)^{1/3}}\right) / (ab^5(a/b)^{2/3}) - \frac{1}{9}(b^4c^4 + 2ab^3c^3d - 12a^2b^2c^2d^2 + 14a^3b^2c^2d^3 - 5a^4d^4) \log\left(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}\right) / (ab^5(a/b)^{2/3}) + \frac{2}{9}(b^4c^4 + 2ab^3c^3d - 12a^2b^2c^2d^2 + 14a^3b^2c^2d^3 - 5a^4d^4) \log\left(x + (a/b)^{1/3}\right) / (ab^5(a/b)^{2/3})$

mupad [B] time = 1.49, size = 302, normalized size = 1.13

$$x \left(\frac{2a \left(\frac{2a^2d^4 - 4a^2d^2}{b} - \frac{a^2d^4}{b^2} + \frac{6c^2d^2}{b^2} \right) - x^4 \left(\frac{ad^4}{2b^3} + \frac{cd^3}{b^2} + \frac{d^2c^2}{7b^2} + \frac{x(a^4d^4 - 4a^3bc^2d^2 + 6a^2b^2c^2d^2 - 4ab^2c^2d + b^4c^4)}{3a(b^5x^3 + a^2b^4)} - \frac{2 \ln(b^{1/3}x + a^{1/3})(ad - bc)^3(5ad + bc)}{9a^{5/3}b^{13/3}} + \frac{2 \ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}b)(\frac{1}{2} + \frac{\sqrt{3}x}{2})(ad - bc)^3(5ad + bc)}{9a^{5/3}b^{13/3}} - \frac{2 \ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}b)(\frac{1}{2} + \frac{\sqrt{3}x}{2})(ad - bc)^3(5ad + bc)}{9a^{5/3}b^{13/3}} \right)}{9a^{5/3}b^{13/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3)^4/(a + b*x^3)^2,x)

[Out] $x((2a((2a^2d^4)/b^3 - (4c^2d^3)/b^2))/b - (a^2d^4)/b^4 + (6c^2d^2)/b^2) - x^4((ad^4)/(2b^3) - (cd^3)/b^2) + (d^4x^7)/(7b^2) + (x(a^4d^4 + b^4c^4 + 6a^2b^2c^2d^2 - 4a^3b^2c^2d^3 - 4a^3b^2c^2d^3))/(3a^2(a^2b^4 + b^5x^3)) - (2 \log(b^{1/3}x + a^{1/3}))(ad - bc)^3(5ad + bc)/(9a^{5/3}b^{13/3}) + (2 \log(3^{1/2}a^{1/3}1i - 2b^{1/3}x + a^{1/3}))(3^{1/2}1i)/2 + 1/2)(ad - bc)^3(5ad + bc)/(9a^{5/3}b^{13/3}) - (2 \log(3^{1/2}a^{1/3}1i + 2b^{1/3}x - a^{1/3}))(3^{1/2}1i)/2 - 1/2)(ad - bc)^3(5ad + bc)/(9a^{5/3}b^{13/3})$

sympy [A] time = 8.54, size = 405, normalized size = 1.52

$$x \left(\frac{a^4}{3b^3} + \frac{cd^3}{b^2} \right) + \left(\frac{3c^2d^2}{b^2} - \frac{6a^2d^2}{b^2} \right) \frac{x(a^4d^4 - 4a^3bc^2d^2 + 6a^2b^2c^2d^2 - 4ab^2c^2d + b^4c^4)}{3a^2b^4 + 3ab^2x^3} + \text{RootSum}\left(729x^7 + 1080x^6d^2 - 840x^5cd^3 + 3072x^4c^2d^2 - 6342x^3d^2d^2 + 7980x^2d^2d^2 + 68192x^2d^2d^2 + 22848x^2d^2d^2 + 2880x^2d^2d^2 - 3528x^2d^2d^2 + 752x^2d^2d^2 + 192x^2d^2d^2 - 84ab^3d^2 - 8b^3d^2, \left(\frac{1}{100d^2} - \frac{28b^3cd^2}{32d^2} + \frac{32b^3cd^2}{32d^2} - \frac{48b^3cd^2}{32d^2} + \dots \right) \right) \frac{d^2}{7b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c)**4/(b*x**3+a)**2,x)

[Out] $x**4*(-a*d**4/(2*b**3) + c*d**3/b**2) + x*(3*a**2*d**4/b**4 - 8*a*c*d**3/b**3 + 6*c**2*d**2/b**2) + x*(a**4*d**4 - 4*a**3*b*c*d**3 + 6*a**2*b**2*c**2*d**2 - 4*a*b**3*c**3*d + b**4*c**4)/(3*a**2*b**4 + 3*a*b**5*x**3) + \text{RootSum}$

$$\begin{aligned}
& (729*_t^{**3}*a^{**5}*b^{**13} + 1000*a^{**12}*d^{**12} - 8400*a^{**11}*b*c*d^{**11} + 30720*a^{**10}*b^{**2}*c^{**2}*d^{**10} - 63472*a^{**9}*b^{**3}*c^{**3}*d^{**9} + 79848*a^{**8}*b^{**4}*c^{**4}*d^{**8} \\
& - 60192*a^{**7}*b^{**5}*c^{**5}*d^{**7} + 22848*a^{**6}*b^{**6}*c^{**6}*d^{**6} + 288*a^{**5}*b^{**7}*c^{**7}*d^{**5} - 3528*a^{**4}*b^{**8}*c^{**8}*d^{**4} + 752*a^{**3}*b^{**9}*c^{**9}*d^{**3} + 192*a^{**2}*b^{**10}*c^{**10}*d^{**2} \\
& - 48*a*b^{**11}*c^{**11}*d - 8*b^{**12}*c^{**12}, \text{Lambda}(_t, _t*\log(-9*_t*a^{**2}*b^{**4}/(10*a^{**4}*d^{**4} - 28*a^{**3}*b*c*d^{**3} + 24*a^{**2}*b^{**2}*c^{**2}*d^{**2} - 4*a*b^{**3}*c^{**3}*d - 2*b^{**4}*c^{**4}) + x))) + d^{**4}*x^{**7}/(7*b^{**2})
\end{aligned}$$

$$3.22 \quad \int \frac{(c+dx^3)^3}{(a+bx^3)^2} dx$$

Optimal. Leaf size=234

$$\frac{(bc-ad)^2(7ad+2bc)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{18a^{5/3}b^{10/3}} + \frac{(bc-ad)^2(7ad+2bc)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{9a^{5/3}b^{10/3}} - \frac{(bc-ad)^2(7ad+2bc)\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{10/3}} + \frac{d^2x(3bc-2ad)}{b^3} + \frac{x(bc-ad)^3}{3ab^3(a+bx^3)} + \frac{d^3x^4}{4b^2}$$

Rubi [A] time = 0.22, antiderivative size = 234, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {390, 385, 200, 31, 634, 617, 204, 628}

$$\frac{(bc-ad)^2(7ad+2bc)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{18a^{5/3}b^{10/3}} + \frac{(bc-ad)^2(7ad+2bc)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{9a^{5/3}b^{10/3}} - \frac{(bc-ad)^2(7ad+2bc)\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{10/3}} + \frac{d^2x(3bc-2ad)}{b^3} + \frac{x(bc-ad)^3}{3ab^3(a+bx^3)} + \frac{d^3x^4}{4b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)^3/(a + b*x^3)^2,x]

[Out] (d^2*(3*b*c - 2*a*d)*x)/b^3 + (d^3*x^4)/(4*b^2) + ((b*c - a*d)^3*x)/(3*a*b^3*(a + b*x^3)) - ((b*c - a*d)^2*(2*b*c + 7*a*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(5/3)*b^(10/3)) + ((b*c - a*d)^2*(2*b*c + 7*a*d)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(5/3)*b^(10/3)) - ((b*c - a*d)^2*(2*b*c + 7*a*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(5/3)*b^(10/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx^3)^3}{(a + bx^3)^2} dx &= \int \left(\frac{d^2(3bc - 2ad)}{b^3} + \frac{d^3x^3}{b^2} + \frac{(bc - ad)^2(bc + 2ad) + 3bd(bc - ad)^2x^3}{b^3(a + bx^3)^2} \right) dx \\
&= \frac{d^2(3bc - 2ad)x}{b^3} + \frac{d^3x^4}{4b^2} + \frac{\int \frac{(bc - ad)^2(bc + 2ad) + 3bd(bc - ad)^2x^3}{(a + bx^3)^2} dx}{b^3} \\
&= \frac{d^2(3bc - 2ad)x}{b^3} + \frac{d^3x^4}{4b^2} + \frac{(bc - ad)^3x}{3ab^3(a + bx^3)} + \frac{((bc - ad)^2(2bc + 7ad)) \int \frac{1}{a + bx^3} dx}{3ab^3} \\
&= \frac{d^2(3bc - 2ad)x}{b^3} + \frac{d^3x^4}{4b^2} + \frac{(bc - ad)^3x}{3ab^3(a + bx^3)} + \frac{((bc - ad)^2(2bc + 7ad)) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{5/3}b^3} + \frac{((bc - ad)^2(2bc + 7ad)) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{5/3}b^{10/3}} \\
&= \frac{d^2(3bc - 2ad)x}{b^3} + \frac{d^3x^4}{4b^2} + \frac{(bc - ad)^3x}{3ab^3(a + bx^3)} + \frac{(bc - ad)^2(2bc + 7ad) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{10/3}} - \frac{(bc - ad)^2(2bc + 7ad) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{10/3}} \\
&= \frac{d^2(3bc - 2ad)x}{b^3} + \frac{d^3x^4}{4b^2} + \frac{(bc - ad)^3x}{3ab^3(a + bx^3)} + \frac{(bc - ad)^2(2bc + 7ad) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{10/3}} - \frac{(bc - ad)^2(2bc + 7ad) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{10/3}} \\
&= \frac{d^2(3bc - 2ad)x}{b^3} + \frac{d^3x^4}{4b^2} + \frac{(bc - ad)^3x}{3ab^3(a + bx^3)} - \frac{(bc - ad)^2(2bc + 7ad) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{10/3}} + \frac{(bc - ad)^2(2bc + 7ad) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{10/3}}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 227, normalized size = 0.97

$$\frac{\frac{2(bc-ad)^2(7ad+2bc)\log\left(\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{\sqrt[3]{a}+\sqrt[3]{b}x}\right)}{a^{5/3}} + \frac{4(bc-ad)^2(7ad+2bc)\log\left(\frac{\sqrt[3]{a}+\sqrt[3]{b}x}{\sqrt[3]{a}+\sqrt[3]{b}x}\right)}{a^{5/3}} + \frac{4\sqrt{3}(bc-ad)^2(7ad+2bc)\tan^{-1}\left(\frac{2\sqrt[3]{b}x-\sqrt[3]{a}}{\sqrt{3}\sqrt[3]{a}}\right)}{a^{5/3}} + 36\sqrt[3]{b}d^2x(3bc-2ad) + \frac{12\sqrt[3]{b}x(bc-ad)^3}{a(a+bx^3)} + 9b^{4/3}d^3x^4}{36b^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)^3/(a + b*x^3)^2,x]

[Out] (36*b^(1/3)*d^2*(3*b*c - 2*a*d)*x + 9*b^(4/3)*d^3*x^4 + (12*b^(1/3)*(b*c - a*d)^3*x)/(a*(a + b*x^3)) + (4*sqrt[3]*(b*c - a*d)^2*(2*b*c + 7*a*d)*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(sqrt[3]*a^(1/3))])/a^(5/3) + (4*(b*c - a*d)^2*(2*b*c + 7*a*d)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) - (2*(b*c - a*d)^2*(2*b*c + 7*a*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3))/(36*b^(10/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx^3)^3}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3)^3/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(c + d*x^3)^3/(a + b*x^3)^2, x]

fricas [B] time = 0.93, size = 1027, normalized size = 4.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^3/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/36*(9*a^3*b^3*d^3*x^7 + 9*(12*a^3*b^3*c*d^2 - 7*a^4*b^2*d^3)*x^4 + 6*sqrt(1/3)*(2*a^2*b^4*c^3 + 3*a^3*b^3*c^2*d - 12*a^4*b^2*c*d^2 + 7*a^5*b*d^3 + (2*a*b^5*c^3 + 3*a^2*b^4*c^2*d - 12*a^3*b^3*c*d^2 + 7*a^4*b^2*d^3)*x^3)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a) - 2*(2*a*b^3*c^3 + 3*a^2*b^2*c^2*d - 12*a^3*b*c*d^2 + 7*a^4*d^3 + (2*b^4*c^3 + 3*a*b^3*c^2*d - 12*a^2*b^2*c*d^2 + 7*a^3*b*d^3)*x^3)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 4*(2*a*b^3*c^3 + 3*a^2*b^2*c^2*d - 12*a^3*b*c*d^2 + 7*a^4*d^3 + (2*b^4*c^3 + 3*a*b^3*c^2*d - 12*a^2*b^2*c*d^2 + 7*a^3*b*d^3)*x^3)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)) + 12*(a^2*b^4*c^3 - 3*a^3*b^3*c^2*d + 12*a^4*b^2*c*d^2 - 7*a^5*b*d^3)*x)/(a^3*b^5*x^3 + a^4*b^4), 1/36*(9*a^3*b^3*d^3*x^7 + 9*(12*a^3*b^3*c*d^2 - 7*a^4*b^2*d^3)*x^4 + 12*sqrt(1/3)*(2*a^2*b^4*c^3 + 3*a^3*b^3*c^2*d - 12*a^4*b^2*c*d^2 + 7*a^5*b*d^3 + (2*a*b^5*c^3 + 3*a^2*b^4*c^2*d - 12*a^3*b^3*c*d^2 + 7*a^4*b^2*d^3)*x^3)*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) - 2*(2*a*b^3*c^3 + 3*a^2*b^2*c^2*d - 12*a^3*b*c*d^2 + 7*a^4*d^3 + (2*b^4*c^3 + 3*a*b^3*c^2*d - 12*a^2*b^2*c*d^2 + 7*a^3*b*d^3)*x^3)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 4*(2*a*b^3*c^3 + 3*a^2*b^2*c^2*d - 12*a^3*b*c*d^2 + 7*a^4*d^3 + (2*b^4*c^3 + 3*a*b^3*c^2*d - 12*a^2*b^2*c*d^2 + 7*a^3*b*d^3)*x^3)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)) + 12*(a^2*b^4*c^3 - 3*a^3*b^3*c^2*d + 12*a^4*b^2*c*d^2 - 7*a^5*b*d^3)*x)/(a^3*b^5*x^3 + a^4*b^4)]

giac [A] time = 0.20, size = 319, normalized size = 1.36

$$\frac{\sqrt{3}(2b^3c^3 + 3ab^2c^2d - 12a^2bcd^2 + 7a^3d^3) \arctan\left(\frac{\sqrt{3}\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{1}{3}}ab^2} - \frac{(2b^3c^3 + 3ab^2c^2d - 12a^2bcd^2 + 7a^3d^3) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(-ab^2)^{\frac{1}{3}}ab^2} - \frac{(2b^3c^3 + 3ab^2c^2d - 12a^2bcd^2 + 7a^3d^3)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{9a^2b^3} + \frac{b^3c^3x - 3ab^2c^2dx + 3a^2bcd^2x - a^3d^3x}{3(bx^3 + a)ab^3} + \frac{b^3d^3x^4 + 12b^2cd^2x - 8ab^2d^2x}{4b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^3/(b*x^3+a)^2,x, algorithm="giac")

[Out]
$$-1/9*\sqrt{3}*(2*b^3*c^3 + 3*a*b^2*c^2*d - 12*a^2*b*c*d^2 + 7*a^3*d^3)*\arctan\left(\frac{1/3*\sqrt{3}*(2*x + (-a/b)^{1/3})}{(-a/b)^{1/3}}\right)/((-a*b^2)^{2/3}*a*b^2) - 1/18*(2*b^3*c^3 + 3*a*b^2*c^2*d - 12*a^2*b*c*d^2 + 7*a^3*d^3)*\log(x^2 + x*(-a/b)^{1/3} + (-a/b)^{2/3})/((-a*b^2)^{2/3}*a*b^2) - 1/9*(2*b^3*c^3 + 3*a*b^2*c^2*d - 12*a^2*b*c*d^2 + 7*a^3*d^3)*(-a/b)^{1/3}*\log(\text{abs}(x - (-a/b)^{1/3})) / (a^2*b^3) + 1/3*(b^3*c^3*x - 3*a*b^2*c^2*d*x + 3*a^2*b*c*d^2*x - a^3*d^3*x) / ((b*x^3 + a)*a*b^3) + 1/4*(b^6*d^3*x^4 + 12*b^6*c*d^2*x - 8*a*b^5*d^3*x) / b^8$$

maple [B] time = 0.05, size = 529, normalized size = 2.26

$$\frac{\frac{d^3x}{3(b^3x^3+a)^2} + \frac{3cdx^2}{3(b^3x^3+a)^2} + \frac{3c^2dx}{3(b^3x^3+a)^2} + \frac{3c^3}{3(b^3x^3+a)^2}}{9(b^3x^3+a)^2} + \frac{2\sqrt{3}d^3\arctan\left(\frac{d\sqrt{3}}{b^3x^3+a}\right)}{9(b^3)^{5/2}} + \frac{2cd^2\ln\left(x + \frac{d}{b^3}\right)}{9(b^3)^{5/2}} + \frac{2cd^2\ln\left(x - \frac{d}{b^3}\right)}{9(b^3)^{5/2}} + \frac{4\sqrt{3}cd^2\arctan\left(\frac{d\sqrt{3}}{b^3x^3+a}\right)}{3(b^3)^{5/2}} + \frac{4cd^2\ln\left(x + \frac{d}{b^3}\right)}{3(b^3)^{5/2}} + \frac{4cd^2\ln\left(x - \frac{d}{b^3}\right)}{3(b^3)^{5/2}} + \frac{2\sqrt{3}d^2\arctan\left(\frac{d\sqrt{3}}{b^3x^3+a}\right)}{9(b^3)^{5/2}} + \frac{2d^2\ln\left(x + \frac{d}{b^3}\right)}{9(b^3)^{5/2}} + \frac{2d^2\ln\left(x - \frac{d}{b^3}\right)}{9(b^3)^{5/2}} + \frac{\sqrt{3}d^2\arctan\left(\frac{d\sqrt{3}}{b^3x^3+a}\right)}{3(b^3)^{5/2}} + \frac{d^2\ln\left(x + \frac{d}{b^3}\right)}{3(b^3)^{5/2}} + \frac{d^2\ln\left(x - \frac{d}{b^3}\right)}{3(b^3)^{5/2}} + \frac{3cd^3}{9(b^3)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)^3/(b*x^3+a)^2,x)

[Out]
$$1/4*d^3*x^4/b^2-2*d^3/b^3*a*x+3*d^2/b^2*c*x-1/3/b^3*a^2*x/(b*x^3+a)*d^3+1/b^2*a*x/(b*x^3+a)*c*d^2-1/b*x/(b*x^3+a)*c^2*d+1/3/a*x/(b*x^3+a)*c^3+7/9/b^4*a^2/(a/b)^{2/3}*\ln(x+(a/b)^{1/3})*d^3-4/3/b^3*a/(a/b)^{2/3}*\ln(x+(a/b)^{1/3})*c*d^2+1/3/b^2/(a/b)^{2/3}*\ln(x+(a/b)^{1/3})*c^2*d+2/9/b/a/(a/b)^{2/3}*\ln(x+(a/b)^{1/3})*c^3-7/18/b^4*a^2/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*d^3+2/3/b^3*a/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*c*d^2-1/6/b^2/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*c^2*d-1/9/b/a/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*c^3+7/9/b^4*a^2/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*d^3-4/3/b^3*a/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*c*d^2+1/3/b^2/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*c^2*d+2/9/b/a/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*c^3$$

maxima [A] time = 1.22, size = 306, normalized size = 1.31

$$\frac{\frac{(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3)x}{3(ab^3x^3 + a^2b^3)} + \frac{bd^3x^4 + 4(3bcd^2 - 2ad^3)x}{4b^3} + \frac{\sqrt{3}(2b^3c^3 + 3ab^2c^2d - 12a^2bcd^2 + 7a^3d^3)\arctan\left(\frac{\sqrt{3}(2x - \frac{d}{b^3})}{3(\frac{d}{b^3})}\right)}{9ab^4\left(\frac{d}{b^3}\right)^{\frac{3}{2}}}}{(2b^3c^3 + 3ab^2c^2d - 12a^2bcd^2 + 7a^3d^3)\log\left(x^2 - x\left(\frac{d}{b^3}\right)^{\frac{1}{3}} + \left(\frac{d}{b^3}\right)^{\frac{2}{3}}\right)} + \frac{(2b^3c^3 + 3ab^2c^2d - 12a^2bcd^2 + 7a^3d^3)\log\left(x + \left(\frac{d}{b^3}\right)^{\frac{1}{3}}\right)}{9ab^4\left(\frac{d}{b^3}\right)^{\frac{3}{2}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^3/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$1/3*(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*x/(a*b^4*x^3 + a^2*b^3) + 1/4*(b*d^3*x^4 + 4*(3*b*c*d^2 - 2*a*d^3)*x)/b^3 + 1/9*\sqrt{3}*(2*b^3*c^3 + 3*a*b^2*c^2*d - 12*a^2*b*c*d^2 + 7*a^3*d^3)*\arctan(1/3*\sqrt{3}*(2*x$$

$$- (a/b)^{(1/3)} / (a/b)^{(1/3)} / (a*b^4*(a/b)^{(2/3)}) - 1/18*(2*b^3*c^3 + 3*a*b^2*c^2*d - 12*a^2*b*c*d^2 + 7*a^3*d^3)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)}) / (a*b^4*(a/b)^{(2/3)}) + 1/9*(2*b^3*c^3 + 3*a*b^2*c^2*d - 12*a^2*b*c*d^2 + 7*a^3*d^3)*\log(x + (a/b)^{(1/3)}) / (a*b^4*(a/b)^{(2/3)})$$

mupad [B] time = 0.30, size = 240, normalized size = 1.03

$$\frac{d^3 x^4}{4b^2} - x \left(\frac{2ad^3}{b^3} - \frac{3cd^2}{b^2} \right) + \frac{x(d^3 d^3 - 3a^2 b c d^2 + 3ab^2 c^2 d - b^3 c^3)}{3d(b^4 x^3 + ab^3)} + \frac{\ln(b^{1/3} x + a^{1/3})(ad - bc)^2(7ad + 2bc)}{9a^{8/3} b^{10/3}} - \frac{\ln(a^{1/3} - 2b^{1/3} x + \sqrt{3} a^{1/3} b)}{9a^{8/3} b^{10/3}} \left(\frac{1}{2} + \frac{\sqrt{3} b}{2} \right) (ad - bc)^2(7ad + 2bc) + \frac{\ln(2b^{1/3} x - a^{1/3} + \sqrt{3} a^{1/3} b)}{9a^{8/3} b^{10/3}} \left(-\frac{1}{2} + \frac{\sqrt{3} b}{2} \right) (ad - bc)^2(7ad + 2bc)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3)^3/(a + b*x^3)^2, x)

[Out] (d^3*x^4)/(4*b^2) - x*((2*a*d^3)/b^3 - (3*c*d^2)/b^2) - (x*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2))/(3*a*(a*b^3 + b^4*x^3)) + (log(b^(1/3)*x + a^(1/3))*(a*d - b*c)^2*(7*a*d + 2*b*c))/(9*a^(5/3)*b^(10/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(a*d - b*c)^2*(7*a*d + 2*b*c))/(9*a^(5/3)*b^(10/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(a*d - b*c)^2*(7*a*d + 2*b*c))/(9*a^(5/3)*b^(10/3))

sympy [A] time = 4.33, size = 291, normalized size = 1.24

$$x \left(\frac{2ad^3}{b^3} + \frac{3cd^2}{b^2} \right) + \frac{x(-a^3 d^3 + 3a^2 b c d^2 - 3ab^2 c^2 d + b^3 c^3)}{3a^2 b^3 + 3ab^4 x^3} + \text{RootSum} \left(729t^3 a^5 b^{10} - 343a^9 d^9 + 1764a^8 b^8 c d^8 - 3465a^7 b^7 c^2 d^7 + 2946a^6 b^6 c^3 d^6 - 477a^5 b^5 c^4 d^5 - 792a^4 b^4 c^5 d^4 + 321a^3 b^3 c^6 d^3 + 90a^2 b^2 c^7 d^2 - 36ab c^8 d - 8b^9 c^9, \lambda \left(\frac{9a^2 b^3}{7a^4 b^3 - 12a^2 b c d^2 + 3ab^2 c^2 d + 2b^3 c^3} + x \right) \right) + \frac{d^3 x^4}{4b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c)**3/(b*x**3+a)**2, x)

[Out] x*(-2*a*d**3/b**3 + 3*c*d**2/b**2) + x*(-a**3*d**3 + 3*a**2*b*c*d**2 - 3*a*b**2*c**2*d + b**3*c**3)/(3*a**2*b**3 + 3*a*b**4*x**3) + RootSum(729*_t**3*a**5*b**10 - 343*a**9*d**9 + 1764*a**8*b*c*d**8 - 3465*a**7*b**2*c**2*d**7 + 2946*a**6*b**3*c**3*d**6 - 477*a**5*b**4*c**4*d**5 - 792*a**4*b**5*c**5*d**4 + 321*a**3*b**6*c**6*d**3 + 90*a**2*b**7*c**7*d**2 - 36*a*b**8*c**8*d - 8*b**9*c**9, Lambda(_t, _t*log(9*_t*a**2*b**3/(7*a**3*d**3 - 12*a**2*b*c*d**2 + 3*a*b**2*c**2*d + 2*b**3*c**3) + x))) + d**3*x**4/(4*b**2)

$$3.23 \quad \int \frac{(c+dx^3)^2}{(a+bx^3)^2} dx$$

Optimal. Leaf size=203

$$\frac{(bc-ad)(2ad+bc) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{9a^{5/3} b^{7/3}} + \frac{2(bc-ad)(2ad+bc) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{5/3} b^{7/3}} - \frac{2(bc-ad)(2ad+bc)}{3\sqrt[3]{a} b^{7/3}}$$

Rubi [A] time = 0.23, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {390, 385, 200, 31, 634, 617, 204, 628}

$$-\frac{(bc-ad)(2ad+bc) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{9a^{5/3} b^{7/3}} + \frac{2(bc-ad)(2ad+bc) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{5/3} b^{7/3}} - \frac{2(bc-ad)(2ad+bc) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{7/3}} + \frac{x(bc-ad)^2}{3ab^2(a+bx^3)} + \frac{d^2x}{b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)^2/(a + b*x^3)^2,x]

[Out] (d^2*x)/b^2 + ((b*c - a*d)^2*x)/(3*a*b^2*(a + b*x^3)) - (2*(b*c - a*d)*(b*c + 2*a*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(5/3)*b^(7/3)) + (2*(b*c - a*d)*(b*c + 2*a*d)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(5/3)*b^(7/3)) - ((b*c - a*d)*(b*c + 2*a*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(9*a^(5/3)*b^(7/3)))

Rule 31

Int[((a_) + (b_)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx^3)^2}{(a + bx^3)^2} dx &= \int \left(\frac{d^2}{b^2} + \frac{b^2c^2 - a^2d^2 + 2bd(bc - ad)x^3}{b^2(a + bx^3)^2} \right) dx \\
&= \frac{d^2x}{b^2} + \frac{\int \frac{b^2c^2 - a^2d^2 + 2bd(bc - ad)x^3}{(a + bx^3)^2} dx}{b^2} \\
&= \frac{d^2x}{b^2} + \frac{(bc - ad)^2x}{3ab^2(a + bx^3)} + \frac{(2(bc - ad)(bc + 2ad)) \int \frac{1}{a + bx^3} dx}{3ab^2} \\
&= \frac{d^2x}{b^2} + \frac{(bc - ad)^2x}{3ab^2(a + bx^3)} + \frac{(2(bc - ad)(bc + 2ad)) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{5/3}b^2} + \frac{(2(bc - ad)(bc + 2ad)) \int \frac{1}{a^{2/3}} dx}{9a^{5/3}b^2} \\
&= \frac{d^2x}{b^2} + \frac{(bc - ad)^2x}{3ab^2(a + bx^3)} + \frac{2(bc - ad)(bc + 2ad) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{7/3}} - \frac{((bc - ad)(bc + 2ad)) \int \frac{1}{a^{2/3}} dx}{9a^{5/3}b^{7/3}} \\
&= \frac{d^2x}{b^2} + \frac{(bc - ad)^2x}{3ab^2(a + bx^3)} + \frac{2(bc - ad)(bc + 2ad) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{7/3}} - \frac{(bc - ad)(bc + 2ad) \log(a^{2/3})}{9a^{5/3}b^{7/3}} \\
&= \frac{d^2x}{b^2} + \frac{(bc - ad)^2x}{3ab^2(a + bx^3)} - \frac{2(bc - ad)(bc + 2ad) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{7/3}} + \frac{2(bc - ad)(bc + 2ad) \log(a^{2/3})}{9a^{5/3}b^{7/3}}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 205, normalized size = 1.01

$$\frac{2(-2a^2d^2 + abcd + b^2c^2) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{a^{5/3}} - \frac{2\sqrt{3}(-2a^2d^2 + abcd + b^2c^2) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{a^{5/3}} - \frac{(-2a^2d^2 + abcd + b^2c^2) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{a^{5/3}} + \frac{3\sqrt[3]{b}x(bc - ad)^2}{a(a + bx^3)} + 9\sqrt[3]{b}d^2x}{9b^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)^2/(a + b*x^3)^2, x]

[Out] (9*b^(1/3)*d^2*x + (3*b^(1/3)*(b*c - a*d)^2*x)/(a*(a + b*x^3)) - (2*Sqrt[3]*(b^2*c^2 + a*b*c*d - 2*a^2*d^2)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/a^(5/3) + (2*(b^2*c^2 + a*b*c*d - 2*a^2*d^2)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) - ((b^2*c^2 + a*b*c*d - 2*a^2*d^2)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3))/(9*b^(7/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx^3)^2}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3)^2/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(c + d*x^3)^2/(a + b*x^3)^2, x]

fricas [B] time = 0.98, size = 768, normalized size = 3.78



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/9*(9*a^3*b^2*d^2*x^4 - 3*sqrt(1/3)*(a^2*b^3*c^2 + a^3*b^2*c*d - 2*a^4*b*d^2 + (a*b^4*c^2 + a^2*b^3*c*d - 2*a^3*b^2*d^2)*x^3)*sqrt((-a^2*b)^(1/3)/b) * log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a) - (a*b^2*c^2 + a^2*b*c*d - 2*a^3*d^2 + (b^3*c^2 + a*b^2*c*d - 2*a^2*b*d^2)*x^3) * (-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 2*(a*b^2*c^2 + a^2*b*c*d - 2*a^3*d^2 + (b^3*c^2 + a*b^2*c*d - 2*a^2*b*d^2)*x^3) * (-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) + 3*(a^2*b^3*c^2 - 2*a^3*b^2*c*d + 4*a^4*b*d^2)*x)/(a^3*b^4*x^3 + a^4*b^3), 1/9*(9*a^3*b^2*d^2*x^4 + 6*sqrt(1/3)*(a^2*b^3*c^2 + a^3*b^2*c*d - 2*a^4*b*d^2 + (a*b^4*c^2 + a^2*b^3*c*d - 2*a^3*b^2*d^2)*x^3)*sqrt(-(-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-a^2*b)^(1/3)/b)/a^2) - (a*b^2*c^2 + a^2*b*c*d - 2*a^3*d^2 + (b^3*c^2 + a*b^2*c*d - 2*a^2*b*d^2)*x^3) * (-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 2*(a*b^2*c^2 + a^2*b*c*d - 2*a^3*d^2 + (b^3*c^2 + a*b^2*c*d - 2*a^2*b*d^2)*x^3) * (-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) + 3*(a^2*b^3*c^2 - 2*a^3*b^2*c*d + 4*a^4*b*d^2)*x)/(a^3*b^4*x^3 + a^4*b^3)]

giac [A] time = 0.21, size = 227, normalized size = 1.12

$$\frac{d^2x}{b^2} - \frac{2\sqrt{3}(b^2c^2 + abcd - 2a^2d^2) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{2}{3}}ab} - \frac{(b^2c^2 + abcd - 2a^2d^2) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9(-ab^2)^{\frac{2}{3}}ab} - \frac{2(b^2c^2 + abcd - 2a^2d^2)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9a^2b^2} + \frac{b^2c^2x - 2abcdx + a^2d^2x}{3(bx^3 + a)ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^2,x, algorithm="giac")

[Out] $d^2x/b^2 - 2/9\sqrt{3}*(b^2c^2 + a*b*c*d - 2a^2d^2)*\arctan(1/3\sqrt{3}*(2x + (-a/b)^{1/3})/(-a/b)^{1/3})/((-a*b^2)^{2/3}*a*b) - 1/9*(b^2c^2 + a*b*c*d - 2a^2d^2)*\log(x^2 + x*(-a/b)^{1/3} + (-a/b)^{2/3})/((-a*b^2)^{2/3}*a*b) - 2/9*(b^2c^2 + a*b*c*d - 2a^2d^2)*(-a/b)^{1/3}*\log(\text{abs}(x - (-a/b)^{1/3}))/ (a^2*b^2) + 1/3*(b^2c^2*x - 2a*b*c*d*x + a^2*d^2*x)/((b*x^3 + a)*a*b^2)$

maple [B] time = 0.05, size = 367, normalized size = 1.81

$$\frac{a d^2 x}{3(b x^3 + a) b^2} + \frac{c^2 x}{3(b x^3 + a) a} - \frac{2 c d x}{3(b x^3 + a) b} - \frac{4 \sqrt{3} a d^2 \arctan\left(\frac{\sqrt{3}\left(\frac{2 x - 1}{(b)^{\frac{1}{3}}}\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} b^3} - \frac{4 a d^2 \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} b^3} + \frac{2 a d^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} b^3} + \frac{2 \sqrt{3} c^2 \arctan\left(\frac{\sqrt{3}\left(\frac{2 x - 1}{(b)^{\frac{1}{3}}}\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} a b} + \frac{2 c^2 \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} a b} + \frac{c^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} a b} - \frac{2 \sqrt{3} c d \arctan\left(\frac{\sqrt{3}\left(\frac{2 x - 1}{(b)^{\frac{1}{3}}}\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} b^2} + \frac{2 c d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} b^2} - \frac{c d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} b^2} + \frac{d^2 x}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)^2/(b*x^3+a)^2,x)

[Out] $d^2x/b^2 + 1/3/b^2*a*x/(b*x^3+a)*d^2 - 2/3/b*x/(b*x^3+a)*c*d + 1/3/a*x/(b*x^3+a)*c^2 - 4/9/b^3*a/(a/b)^{2/3}*\ln(x+(a/b)^{1/3})*d^2 + 2/9/b^2/(a/b)^{2/3}*\ln(x+(a/b)^{1/3})*c*d + 2/9/b/a/(a/b)^{2/3}*\ln(x+(a/b)^{1/3})*c^2 + 2/9/b^3*a/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*d^2 - 1/9/b^2/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*c*d - 1/9/b/a/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*c^2 - 4/9/b^3*a/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*d^2 + 2/9/b^2/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*c*d + 2/9/b/a/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*c^2$

maxima [A] time = 1.39, size = 220, normalized size = 1.08

$$\frac{(b^2c^2 - 2abcd + a^2d^2)x}{3(ab^3x^3 + a^2b^2)} + \frac{d^2x}{b^2} + \frac{2\sqrt{3}(b^2c^2 + abcd - 2a^2d^2)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab^3\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{(b^2c^2 + abcd - 2a^2d^2)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9ab^3\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{2(b^2c^2 + abcd - 2a^2d^2)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9ab^3\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $1/3*(b^2c^2 - 2a*b*c*d + a^2*d^2)*x/(a*b^3*x^3 + a^2*b^2) + d^2*x/b^2 + 2/9\sqrt{3}*(b^2c^2 + a*b*c*d - 2a^2d^2)*\arctan(1/3\sqrt{3}*(2x - (a/b)^{1/3})/(a/b)^{1/3})/(a*b^3*(a/b)^{2/3}) - 1/9*(b^2c^2 + a*b*c*d - 2a^2d^2)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(a*b^3*(a/b)^{2/3}) + 2/9*(b^2c^2 + a*b*c*d - 2a^2d^2)*\log(x + (a/b)^{1/3})/(a*b^3*(a/b)^{2/3})$

mupad [B] time = 1.47, size = 191, normalized size = 0.94

$$\frac{d^2x}{b^2} + \frac{x(a^2d^2 - 2abcd + b^2c^2)}{3a(b^3x^3 + a^2b^2)} - \frac{2\ln(b^{1/3}x + a^{1/3})(ad - bc)(2ad + bc)}{9a^{5/3}b^{7/3}} - \frac{2\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)\left(-\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(ad - bc)(2ad + bc)}{9a^{5/3}b^{7/3}} + \frac{2\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}i)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(ad - bc)(2ad + bc)}{9a^{5/3}b^{7/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3)^2/(a + b*x^3)^2,x)`

[Out] $(d^2*x)/b^2 + (x*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))/(3*a*(a*b^2 + b^3*x^3)) - (2*\log(b^{(1/3)*x} + a^{(1/3)})*(a*d - b*c)*(2*a*d + b*c))/(9*a^{(5/3)*b^{(7/3)}}) - (2*\log(3^{(1/2)*a^{(1/3)*1i} + 2*b^{(1/3)*x} - a^{(1/3)}))*((3^{(1/2)*1i})/2 - 1/2)*(a*d - b*c)*(2*a*d + b*c))/(9*a^{(5/3)*b^{(7/3)}}) + (2*\log(3^{(1/2)*a^{(1/3)*1i} - 2*b^{(1/3)*x} + a^{(1/3)}))*((3^{(1/2)*1i})/2 + 1/2)*(a*d - b*c)*(2*a*d + b*c))/(9*a^{(5/3)*b^{(7/3)}})$

sympy [A] time = 2.56, size = 189, normalized size = 0.93

$$\frac{x(a^2d^2 - 2abcd + b^2c^2)}{3a^2b^2 + 3ab^3x^3} + \text{RootSum}\left(729t^3a^5b^7 + 64a^6d^6 - 96a^5bcd^5 - 48a^4b^2c^2d^4 + 88a^3b^3c^3d^3 + 24a^2b^4c^4d^2 - 24ab^5c^5d - 8b^6c^6, \left(t \mapsto t \log\left(-\frac{9ta^2b^2}{4a^2d^2 - 2abcd - 2b^2c^2} + x\right)\right)\right) + \frac{d^2x}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+c)**2/(b*x**3+a)**2,x)`

[Out] $x*(a**2*d**2 - 2*a*b*c*d + b**2*c**2)/(3*a**2*b**2 + 3*a*b**3*x**3) + \text{RootSum}(729*_t**3*a**5*b**7 + 64*a**6*d**6 - 96*a**5*b*c*d**5 - 48*a**4*b**2*c**2*d**4 + 88*a**3*b**3*c**3*d**3 + 24*a**2*b**4*c**4*d**2 - 24*a*b**5*c**5*d - 8*b**6*c**6, \text{Lambda}(_t, _t*\log(-9*_t*a**2*b**2/(4*a**2*d**2 - 2*a*b*c*d - 2*b**2*c**2) + x))) + d**2*x/b**2$

$$3.24 \quad \int \frac{c+dx^3}{(a+bx^3)^2} dx$$

Optimal. Leaf size=169

$$-\frac{(ad+2bc)\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2\right)}{18a^{5/3}b^{4/3}}+\frac{(ad+2bc)\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{9a^{5/3}b^{4/3}}-\frac{(ad+2bc)\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{4/3}}+\frac{x(bc-a)}{3ab(a+bx^3)}$$

Rubi [A] time = 0.08, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {385, 200, 31, 634, 617, 204, 628}

$$-\frac{(ad+2bc)\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2\right)}{18a^{5/3}b^{4/3}}+\frac{(ad+2bc)\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{9a^{5/3}b^{4/3}}-\frac{(ad+2bc)\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{4/3}}+\frac{x(bc-ad)}{3ab(a+bx^3)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)/(a + b*x^3)^2, x]

[Out] ((b*c - a*d)*x)/(3*a*b*(a + b*x^3)) - ((2*b*c + a*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(3*Sqrt[3]*a^(5/3)*b^(4/3)) + ((2*b*c + a*d)*Log[a^(1/3) + b^(1/3)*x])/(9*a^(5/3)*b^(4/3)) - ((2*b*c + a*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(5/3)*b^(4/3))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3}{(a + bx^3)^2} dx &= \frac{(bc - ad)x}{3ab(a + bx^3)} + \frac{(2bc + ad) \int \frac{1}{a+bx^3} dx}{3ab} \\
&= \frac{(bc - ad)x}{3ab(a + bx^3)} + \frac{(2bc + ad) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{5/3}b} + \frac{(2bc + ad) \int \frac{2\sqrt[3]{a} - \sqrt[3]{b}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{9a^{5/3}b} \\
&= \frac{(bc - ad)x}{3ab(a + bx^3)} + \frac{(2bc + ad) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{4/3}} - \frac{(2bc + ad) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{18a^{5/3}b^{4/3}} + \frac{(2bc + ad) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{4/3}} \\
&= \frac{(bc - ad)x}{3ab(a + bx^3)} + \frac{(2bc + ad) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{4/3}} - \frac{(2bc + ad) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{4/3}} + \frac{(2bc + ad) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{4/3}} \\
&= \frac{(bc - ad)x}{3ab(a + bx^3)} - \frac{(2bc + ad) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{4/3}} + \frac{(2bc + ad) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{4/3}} - \frac{(2bc + ad) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 145, normalized size = 0.86

$$\frac{-(ad + 2bc) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) - \frac{6a^{2/3}\sqrt[3]{b}x(ad-bc)}{a+bx^3} + 2(ad + 2bc) \log(\sqrt[3]{a} + \sqrt[3]{b}x) - 2\sqrt{3}(ad + 2bc) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{18a^{5/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)/(a + b*x^3)^2, x]

[Out] ((-6*a^(2/3)*b^(1/3)*(-(b*c) + a*d)*x)/(a + b*x^3) - 2*sqrt[3]*(2*b*c + a*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 2*(2*b*c + a*d)*Log[a^(1/3) + b^(1/3)*x] - (2*b*c + a*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(5/3)*b^(4/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3)/(a + b*x^3)^2, x]

[Out] IntegrateAlgebraic[(c + d*x^3)/(a + b*x^3)^2, x]

fricas [A] time = 0.95, size = 537, normalized size = 3.18

$$\frac{\sqrt{3} \left(2bc + ad \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) + (2bc + ad) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) + (2bc + ad) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a} + \frac{bcx - adx}{3 \left(bx^3 + a \right) ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/18*(3*sqrt(1/3)*(2*a^2*b^2*c + a^3*b*d + (2*a*b^3*c + a^2*b^2*d)*x^3)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a) - ((2*b^2*c + a*b*d)*x^3 + 2*a*b*c + a^2*d)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 2*((2*b^2*c + a*b*d)*x^3 + 2*a*b*c + a^2*d)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)) + 6*(a^2*b^2*c - a^3*b*d)*x)/(a^3*b^3*x^3 + a^4*b^2), 1/18*(6*sqrt(1/3)*(2*a^2*b^2*c + a^3*b*d + (2*a*b^3*c + a^2*b^2*d)*x^3)*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2 - ((2*b^2*c + a*b*d)*x^3 + 2*a*b*c + a^2*d)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 2*((2*b^2*c + a*b*d)*x^3 + 2*a*b*c + a^2*d)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)) + 6*(a^2*b^2*c - a^3*b*d)*x)/(a^3*b^3*x^3 + a^4*b^2)]

giac [A] time = 0.17, size = 160, normalized size = 0.95

$$\frac{\sqrt{3} \left(2bc + ad \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) + (2bc + ad) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) + (2bc + ad) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a} + \frac{bcx - adx}{3 \left(bx^3 + a \right) ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/9*sqrt(3)*(2*b*c + a*d)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a) - 1/18*(2*b*c + a*d)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a) - 1/9*(2*b*c + a*d)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^2*b) + 1/3*(b*c*x - a*d*x)/((b*x^3 + a)*a*b)

maple [A] time = 0.05, size = 221, normalized size = 1.31

$$\frac{2\sqrt{3} \operatorname{arctan} \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{2c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) - c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{\sqrt{3} d \operatorname{arctan} \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) - d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{(ad - bc)x}{18 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{(ad - bc)x}{3 \left(bx^3 + a \right) ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+c)/(b*x^3+a)^2,x)`

[Out]
$$-1/3*(a*d-b*c)/a/b*x/(b*x^3+a)+1/9/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d+2/9/b/a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c-1/18/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d-1/9/b/a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c+1/9/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d+2/9/b/a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c$$

maxima [A] time = 1.44, size = 158, normalized size = 0.93

$$\frac{(bc-ad)x}{3(ab^2x^3+a^2b)} + \frac{\sqrt{3}(2bc+ad)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{(2bc+ad)\log\left(x^2-x\left(\frac{a}{b}\right)^{\frac{1}{3}}+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18ab^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(2bc+ad)\log\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9ab^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")`

[Out]
$$1/3*(b*c - a*d)*x/(a*b^2*x^3 + a^2*b) + 1/9*\sqrt{3}*(2*b*c + a*d)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b^2*(a/b)^{(2/3)}) - 1/18*(2*b*c + a*d)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b^2*(a/b)^{(2/3)}) + 1/9*(2*b*c + a*d)*\log(x + (a/b)^{(1/3)})/(a*b^2*(a/b)^{(2/3)})$$

mupad [B] time = 1.43, size = 143, normalized size = 0.85

$$\frac{\ln(b^{1/3}x+a^{1/3})(ad+2bc)}{9a^{5/3}b^{4/3}} - \frac{\ln(a^{1/3}-2b^{1/3}x+\sqrt{3}a^{1/3}i)\left(\frac{1}{2}+\frac{\sqrt{3}i}{2}\right)(ad+2bc)}{9a^{5/3}b^{4/3}} + \frac{\ln(2b^{1/3}x-a^{1/3}+\sqrt{3}a^{1/3}i)\left(-\frac{1}{2}+\frac{\sqrt{3}i}{2}\right)(ad+2bc)}{9a^{5/3}b^{4/3}} - \frac{x(ad-bc)}{3ab(bx^3+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3)/(a + b*x^3)^2,x)`

[Out]
$$(\log(b^{(1/3)}*x + a^{(1/3)})*(a*d + 2*b*c))/(9*a^{(5/3)}*b^{(4/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*i)/2 + 1/2)*(a*d + 2*b*c))/(9*a^{(5/3)}*b^{(4/3)}) + (\log(3^{(1/2)}*a^{(1/3)}*i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*i)/2 - 1/2)*(a*d + 2*b*c))/(9*a^{(5/3)}*b^{(4/3)}) - (x*(a*d - b*c))/(3*a*b*(a + b*x^3))$$

sympy [A] time = 1.42, size = 97, normalized size = 0.57

$$\frac{x(-ad+bc)}{3a^2b+3ab^2x^3} + \text{RootSum}\left(729t^3a^5b^4 - a^3d^3 - 6a^2bcd^2 - 12ab^2c^2d - 8b^3c^3, \left(t \mapsto t \log\left(\frac{9ta^2b}{ad+2bc} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x**3+c)/(b*x**3+a)**2,x)
```

```
[Out] x*(-a*d + b*c)/(3*a**2*b + 3*a*b**2*x**3) + RootSum(729*_t**3*a**5*b**4 - a  
**3*d**3 - 6*a**2*b*c*d**2 - 12*a*b**2*c**2*d - 8*b**3*c**3, Lambda(_t, _t*  
log(9*_t*a**2*b/(a*d + 2*b*c) + x)))
```

$$3.25 \quad \int \frac{1}{(a+bx^3)^2(c+dx^3)} dx$$

Optimal. Leaf size=346

$$\frac{b^{2/3}(2bc-5ad) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{18a^{5/3}(bc-ad)^2} + \frac{b^{2/3}(2bc-5ad) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{5/3}(bc-ad)^2} - \frac{b^{2/3}(2bc-5ad) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}(bc-ad)^2}$$

Rubi [A] time = 0.25, antiderivative size = 346, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 8, integrand size = 19, number of rules / integrand size = 0.421, Rules used = {414, 522, 200, 31, 634, 617, 204, 628}

$$\frac{b^{2/3}(2bc-5ad) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{18a^{5/3}(bc-ad)^2} + \frac{b^{2/3}(2bc-5ad) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{5/3}(bc-ad)^2} - \frac{b^{2/3}(2bc-5ad) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}(bc-ad)^2} - \frac{d^{5/3} \log(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3} x^2)}{6c^{2/3}(bc-ad)^2} + \frac{d^{5/3} \log(\sqrt[3]{c} + \sqrt[3]{d} x)}{3c^{2/3}(bc-ad)^2} - \frac{d^{5/3} \tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}(bc-ad)^2} + \frac{bx}{3a(a+bx^3)(bc-ad)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^3)^2*(c + d*x^3)), x]

[Out] (b*x)/(3*a*(b*c - a*d)*(a + b*x^3)) - (b^(2/3)*(2*b*c - 5*a*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(5/3)*(b*c - a*d)^2) - (d^(5/3)*ArcTan[(c^(1/3) - 2*d^(1/3)*x)/(Sqrt[3]*c^(1/3))]/(Sqrt[3]*c^(2/3)*(b*c - a*d)^2) + (b^(2/3)*(2*b*c - 5*a*d)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(5/3)*(b*c - a*d)^2) + (d^(5/3)*Log[c^(1/3) + d^(1/3)*x]/(3*c^(2/3)*(b*c - a*d)^2) - (b^(2/3)*(2*b*c - 5*a*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(5/3)*(b*c - a*d)^2) - (d^(5/3)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2]/(6*c^(2/3)*(b*c - a*d)^2)

Rule 31

Int[((a_) + (b_)*(x_)^(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 414

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_)), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a+bx^3)^2(c+dx^3)} dx &= \frac{bx}{3a(bc-ad)(a+bx^3)} - \frac{\int \frac{-2bc+3ad-2bdx^3}{(a+bx^3)(c+dx^3)} dx}{3a(bc-ad)} \\
&= \frac{bx}{3a(bc-ad)(a+bx^3)} + \frac{d^2 \int \frac{1}{c+dx^3} dx}{(bc-ad)^2} + \frac{(b(2bc-5ad)) \int \frac{1}{a+bx^3} dx}{3a(bc-ad)^2} \\
&= \frac{bx}{3a(bc-ad)(a+bx^3)} + \frac{d^2 \int \frac{1}{\sqrt[3]{c}+\sqrt[3]{d}x} dx}{3c^{2/3}(bc-ad)^2} + \frac{d^2 \int \frac{2\sqrt[3]{c}-\sqrt[3]{d}x}{c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2} dx}{3c^{2/3}(bc-ad)^2} + \frac{(b(2bc-5ad)) \int \frac{1}{a+bx^3} dx}{9a^5} \\
&= \frac{bx}{3a(bc-ad)(a+bx^3)} + \frac{b^{2/3}(2bc-5ad) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}(bc-ad)^2} + \frac{d^{5/3} \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}(bc-ad)^2} \\
&= \frac{bx}{3a(bc-ad)(a+bx^3)} + \frac{b^{2/3}(2bc-5ad) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}(bc-ad)^2} + \frac{d^{5/3} \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}(bc-ad)^2} \\
&= \frac{bx}{3a(bc-ad)(a+bx^3)} - \frac{b^{2/3}(2bc-5ad) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}(bc-ad)^2} - \frac{d^{5/3} \tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}(bc-ad)^2}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 337, normalized size = 0.97

$$\frac{-b^{2/3}d^{2/3}(a+bx^3)(2bc-5ad)\log(a^{2/3}-\sqrt[3]{d}\sqrt[3]{b}x+b^{2/3}x^2)-3a^{5/3}d^{5/3}(a+bx^3)\log(a^{2/3}-\sqrt[3]{d}\sqrt[3]{b}x+d^{2/3}x^2)+6a^{2/3}b^{2/3}(bc-ad)+6a^{5/3}d^{5/3}(a+bx^3)\log(\sqrt[3]{c}+\sqrt[3]{d}x)-6\sqrt{3}a^{5/3}d^{5/3}(a+bx^3)\tan^{-1}\left(\frac{1-\frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)+2d^{2/3}c^{2/3}(a+bx^3)(2bc-5ad)\log(\sqrt[3]{a}+\sqrt[3]{b}x)-2\sqrt{3}b^{2/3}c^{2/3}(a+bx^3)(2bc-5ad)\tan^{-1}\left(\frac{1-\frac{2\sqrt[3]{d}x}{\sqrt[3]{c}}}{\sqrt{3}}\right)}{18a^{5/3}c^{2/3}(a+bx^3)(bc-ad)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^3)^2*(c + d*x^3)), x]

[Out] (6*a^(2/3)*b*c^(2/3)*(b*c - a*d)*x - 2*Sqrt[3]*b^(2/3)*c^(2/3)*(2*b*c - 5*a*d)*(a + b*x^3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] - 6*Sqrt[3]*a^(5/3)*d^(5/3)*(a + b*x^3)*ArcTan[(1 - (2*d^(1/3)*x)/c^(1/3))/Sqrt[3]] + 2*b^(2/3)*c^(2/3)*(2*b*c - 5*a*d)*(a + b*x^3)*Log[a^(1/3) + b^(1/3)*x] + 6*a^(5/3)*d^(5/3)*(a + b*x^3)*Log[c^(1/3) + d^(1/3)*x] - b^(2/3)*c^(2/3)*(2*b*c - 5*a*d)*(a + b*x^3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 3*a^(5/3)*d^(5/3)*(a + b*x^3)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2])/(18*a^(5/3)*c^(2/3)*(b*c - a*d)^2*(a + b*x^3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^3)^2 (c + dx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/((a + b*x^3)^2*(c + d*x^3)), x]

[Out] IntegrateAlgebraic[1/((a + b*x^3)^2*(c + d*x^3)), x]

fricas [A] time = 18.53, size = 440, normalized size = 1.27

$$\frac{2\sqrt{3}(2b^2c - 5abd)^2 + 2abc - 5a^2d \left(\frac{c}{d}\right)^{\frac{1}{3}} \arctan\left(\frac{2\sqrt{3}\left(\frac{c}{d}\right)^{\frac{1}{3}} - \sqrt{3}}{3}\right) - 6\sqrt{3}(abd^2 + a^2d) \left(\frac{c}{d}\right)^{\frac{1}{3}} \arctan\left(\frac{2\sqrt{3}\left(\frac{c}{d}\right)^{\frac{1}{3}} - \sqrt{3}}{3d}\right) - ((2b^2c - 5abd)^2 + 2abc - 5a^2d) \left(\frac{c}{d}\right)^{\frac{1}{3}} \log\left(\frac{bx^2 + a}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right) + 3(abd^2 + a^2d) \left(\frac{c}{d}\right)^{\frac{1}{3}} \log\left(\frac{bx^2 - cd}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right) + 2\left((2b^2c - 5abd)^2 + 2abc - 5a^2d\right) \left(\frac{c}{d}\right)^{\frac{1}{3}} \log\left(\frac{bx - c}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right) - 6(abd^2 + a^2d) \left(\frac{c}{d}\right)^{\frac{1}{3}} \log\left(\frac{bx + c}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right) - 6(b^2c - abd^2)}{18(b^2c^2 - 2a^2bcd + a^2d^2 + (ab^2c - 2a^2bd + a^2b^2d^2))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^2/(d*x^3+c),x, algorithm="fricas")

[Out] $-1/18*(2*\sqrt{3})*((2*b^2*c - 5*a*b*d)*x^3 + 2*a*b*c - 5*a^2*d)*(-b^2/a^2)^{(1/3)}*\arctan(1/3*(2*\sqrt{3})*a*x*(-b^2/a^2)^{(2/3)} - \sqrt{3}*b)/b) - 6*\sqrt{3}*(a*b*d*x^3 + a^2*d)*(d^2/c^2)^{(1/3)}*\arctan(1/3*(2*\sqrt{3})*c*x*(d^2/c^2)^{(2/3)} - \sqrt{3}*d)/d) - ((2*b^2*c - 5*a*b*d)*x^3 + 2*a*b*c - 5*a^2*d)*(-b^2/a^2)^{(1/3)}*\log(b^2*x^2 + a*b*x*(-b^2/a^2)^{(1/3)} + a^2*(-b^2/a^2)^{(2/3)}) + 3*(a*b*d*x^3 + a^2*d)*(d^2/c^2)^{(1/3)}*\log(d^2*x^2 - c*d*x*(d^2/c^2)^{(1/3)} + c^2*(d^2/c^2)^{(2/3)}) + 2*((2*b^2*c - 5*a*b*d)*x^3 + 2*a*b*c - 5*a^2*d)*(-b^2/a^2)^{(1/3)}*\log(b*x - a*(-b^2/a^2)^{(1/3)}) - 6*(a*b*d*x^3 + a^2*d)*(d^2/c^2)^{(1/3)}*\log(d*x + c*(d^2/c^2)^{(1/3)}) - 6*(b^2*c - a*b*d)*x/(a^2*b^2*c^2 - 2*a^3*b*c*d + a^4*d^2 + (a*b^3*c^2 - 2*a^2*b^2*c*d + a^3*b*d^2)*x^3)$

giac [A] time = 0.20, size = 443, normalized size = 1.28

$$\frac{d^2 \left(\frac{c}{d}\right)^{\frac{1}{3}} \log\left(\frac{bx - \left(\frac{c}{d}\right)^{\frac{1}{3}}}{x - \left(\frac{c}{d}\right)^{\frac{1}{3}}}\right) + \frac{(-ad)^{\frac{1}{3}} d \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{c}{d}\right)^{\frac{1}{3}}} + \frac{(-ad)^{\frac{1}{3}} d \log\left(x^2 + x\left(\frac{c}{d}\right)^{\frac{1}{3}} + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6(b^2c^2 - 2abd^2 + a^2cd^2)} + \frac{(2b^2c - 5abd)\left(\frac{c}{d}\right)^{\frac{1}{3}} \log\left(\frac{bx - \left(\frac{c}{d}\right)^{\frac{1}{3}}}{x - \left(\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{9(a^2b^2c^2 - 2a^3bcd + a^4d^2)} + \frac{(2(-ad)^{\frac{1}{3}}bc - 5(-ad)^{\frac{1}{3}}ad) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{3(\sqrt{3}a^2b^2c^2 - 2\sqrt{3}a^3bcd + \sqrt{3}a^4d^2)} + \frac{(2(-ad)^{\frac{1}{3}}bc - 5(-ad)^{\frac{1}{3}}ad) \log\left(x^2 + x\left(\frac{c}{d}\right)^{\frac{1}{3}} + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{18(a^2b^2c^2 - 2a^3bcd + a^4d^2)} + \frac{bx}{3(bx^3 + a)(abc - a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^2/(d*x^3+c),x, algorithm="giac")

[Out] $-1/3*d^2*(-c/d)^{(1/3)}*\log(\text{abs}(x - (-c/d)^{(1/3)}))/(b^2*c^3 - 2*a*b*c^2*d + a^2*c*d^2) + (-c*d^2)^{(1/3)}*d*\arctan(1/3*\sqrt{3}*(2*x + (-c/d)^{(1/3)})/(-c/d)^{(1/3)})/(\sqrt{3}*b^2*c^3 - 2*\sqrt{3}*a*b*c^2*d + \sqrt{3}*a^2*c*d^2) + 1/6*(-c*d^2)^{(1/3)}*d*\log(x^2 + x*(-c/d)^{(1/3)} + (-c/d)^{(2/3)})/(b^2*c^3 - 2*a*b*c^2*d + a^2*c*d^2) - 1/9*(2*b^2*c - 5*a*b*d)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a^2*b^2*c^2 - 2*a^3*b*c*d + a^4*d^2) + 1/3*(2*(-a*b^2)^{(1/3)}*b*c - 5*(-a*b^2)^{(1/3)}*a*d)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})$

))/ (sqrt(3)*a^2*b^2*c^2 - 2*sqrt(3)*a^3*b*c*d + sqrt(3)*a^4*d^2) + 1/18*(2*(-a*b^2)^(1/3)*b*c - 5*(-a*b^2)^(1/3)*a*d)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^2*b^2*c^2 - 2*a^3*b*c*d + a^4*d^2) + 1/3*b*x/((b*x^3 + a)*(a*b*c - a^2*d))

maple [A] time = 0.06, size = 406, normalized size = 1.17

$$\frac{b^2cx}{3(ad-bc)^2(bx^3+a)} - \frac{bdx}{3(ad-bc)^2(bx^3+a)} + \frac{2\sqrt{3}bc \arctan\left(\frac{\sqrt{3}\left(\frac{bx}{(d)^{1/3}}-1\right)}{3}\right)}{9(ad-bc)^2\left(\frac{d}{(d)^{1/3}}\right)^2} + \frac{2bc \ln\left(x + \left(\frac{d}{(d)^{1/3}}\right)^{1/3}\right)}{9(ad-bc)^2\left(\frac{d}{(d)^{1/3}}\right)^2} - \frac{bc \ln\left(x^2 - \left(\frac{d}{(d)^{1/3}}\right)^{1/3}x + \left(\frac{d}{(d)^{1/3}}\right)^{2/3}\right)}{9(ad-bc)^2\left(\frac{d}{(d)^{1/3}}\right)^2} - \frac{5\sqrt{3}d \arctan\left(\frac{\sqrt{3}\left(\frac{bx}{(d)^{1/3}}-1\right)}{3}\right)}{9(ad-bc)^2\left(\frac{d}{(d)^{1/3}}\right)^2} + \frac{\sqrt{3}d \arctan\left(\frac{\sqrt{3}\left(\frac{bx}{(d)^{1/3}}-1\right)}{3}\right)}{3(ad-bc)^2\left(\frac{d}{(d)^{1/3}}\right)^2} - \frac{5d \ln\left(x + \left(\frac{d}{(d)^{1/3}}\right)^{1/3}\right)}{9(ad-bc)^2\left(\frac{d}{(d)^{1/3}}\right)^2} + \frac{d \ln\left(x + \left(\frac{d}{(d)^{1/3}}\right)^{1/3}\right)}{3(ad-bc)^2\left(\frac{d}{(d)^{1/3}}\right)^2} + \frac{5d \ln\left(x^2 - \left(\frac{d}{(d)^{1/3}}\right)^{1/3}x + \left(\frac{d}{(d)^{1/3}}\right)^{2/3}\right)}{18(ad-bc)^2\left(\frac{d}{(d)^{1/3}}\right)^2} - \frac{d \ln\left(x^2 - \left(\frac{d}{(d)^{1/3}}\right)^{1/3}x + \left(\frac{d}{(d)^{1/3}}\right)^{2/3}\right)}{6(ad-bc)^2\left(\frac{d}{(d)^{1/3}}\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^3+a)^2/(d*x^3+c), x)

[Out] -1/3*b/(a*d-b*c)^2*x/(b*x^3+a)*d+1/3*b^2/(a*d-b*c)^2/a*x/(b*x^3+a)*c-5/9/(a*d-b*c)^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*d+2/9*b/(a*d-b*c)^2/a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c+5/18/(a*d-b*c)^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d-1/9*b/(a*d-b*c)^2/a/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c-5/9/(a*d-b*c)^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d+2/9*b/(a*d-b*c)^2/a/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c+1/3*d/(a*d-b*c)^2/(c/d)^(2/3)*ln(x+(c/d)^(1/3))-1/6*d/(a*d-b*c)^2/(c/d)^(2/3)*ln(x^2-(c/d)^(1/3)*x+(c/d)^(2/3))+1/3*d/(a*d-b*c)^2/(c/d)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(c/d)^(1/3)*x-1))

maxima [A] time = 1.29, size = 489, normalized size = 1.41

$$\frac{\sqrt{3}(2bc-5ad) \arctan\left(\frac{\sqrt{3}\left(2x+\left(\frac{d}{(d)^{1/3}}\right)^{1/3}\right)}{3\left(\frac{d}{(d)^{1/3}}\right)^{1/3}}\right)}{9\left(ab^2c^2\left(\frac{d}{(d)^{1/3}}\right)^3-2a^2bcd\left(\frac{d}{(d)^{1/3}}\right)^3+a^3d^2\left(\frac{d}{(d)^{1/3}}\right)^3\right)^{1/2}} + \frac{\sqrt{3}d \arctan\left(\frac{\sqrt{3}\left(2x+\left(\frac{d}{(d)^{1/3}}\right)^{1/3}\right)}{3\left(\frac{d}{(d)^{1/3}}\right)^{1/3}}\right)}{3\left(ab^2c^2\left(\frac{d}{(d)^{1/3}}\right)^3-2a^2bcd\left(\frac{d}{(d)^{1/3}}\right)^3+a^3d^2\left(\frac{d}{(d)^{1/3}}\right)^3\right)^{1/2}} + \frac{bc}{3\left(a^2bc-a^3d+(ab^2c-a^2bd)x^3\right)^{1/2}} - \frac{(2bc-5ad) \log\left(x^2-x\left(\frac{d}{(d)^{1/3}}\right)^{1/3}+\left(\frac{d}{(d)^{1/3}}\right)^{2/3}\right)}{18\left(ab^2c^2\left(\frac{d}{(d)^{1/3}}\right)^3-2a^2bcd\left(\frac{d}{(d)^{1/3}}\right)^3+a^3d^2\left(\frac{d}{(d)^{1/3}}\right)^3\right)^{1/2}} - \frac{d \log\left(x^2-x\left(\frac{d}{(d)^{1/3}}\right)^{1/3}+\left(\frac{d}{(d)^{1/3}}\right)^{2/3}\right)}{6\left(ab^2c^2\left(\frac{d}{(d)^{1/3}}\right)^3-2a^2bcd\left(\frac{d}{(d)^{1/3}}\right)^3+a^3d^2\left(\frac{d}{(d)^{1/3}}\right)^3\right)^{1/2}} + \frac{(2bc-5ad) \log\left(x+\left(\frac{d}{(d)^{1/3}}\right)^{1/3}\right)}{9\left(ab^2c^2\left(\frac{d}{(d)^{1/3}}\right)^3-2a^2bcd\left(\frac{d}{(d)^{1/3}}\right)^3+a^3d^2\left(\frac{d}{(d)^{1/3}}\right)^3\right)^{1/2}} + \frac{d \log\left(x+\left(\frac{d}{(d)^{1/3}}\right)^{1/3}\right)}{3\left(ab^2c^2\left(\frac{d}{(d)^{1/3}}\right)^3-2a^2bcd\left(\frac{d}{(d)^{1/3}}\right)^3+a^3d^2\left(\frac{d}{(d)^{1/3}}\right)^3\right)^{1/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^2/(d*x^3+c), x, algorithm="maxima")

[Out] 1/9*sqrt(3)*(2*b*c - 5*a*d)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/((a*b^2*c^2*(a/b)^(1/3) - 2*a^2*b*c*d*(a/b)^(1/3) + a^3*d^2*(a/b)^(1/3))*(a/b)^(1/3) + 1/3*sqrt(3)*d*arctan(1/3*sqrt(3)*(2*x - (c/d)^(1/3))/(c/d)^(1/3))/((b^2*c^2*(c/d)^(1/3) - 2*a*b*c*d*(c/d)^(1/3) + a^2*d^2*(c/d)^(1/3))*(c/d)^(1/3) + 1/3*b*x/(a^2*b*c - a^3*d + (a*b^2*c - a^2*b*d)*x^3) - 1/18*(2*b*c - 5*a*d)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^2*c^2*(a/b)^(2/3) - 2*a^2*b*c*d*(a/b)^(2/3) + a^3*d^2*(a/b)^(2/3)) - 1/6*d*log(x^2 - x*(c/d)^(1/3) + (c/d)^(2/3))/(b^2*c^2*(c/d)^(2/3) - 2*a*b*c*d*(c/d)^(2/3) + a^2*d^2*(c/d)^(2/3)) + 1/9*(2*b*c - 5*a*d)*log(x + (a/b)^(1/3))/(a*b^2*c^2*(a/b)^(2/3) - 2*a^2*b*c*d*(a/b)^(2/3) + a^3*d^2*(a/b)^(2/3)) + 1/3*d*log(x + (c/d)^(1/3))/(b^2*c^2*(c/d)^(2/3) - 2*a*b*c*d*(c/d)^(2/3) + a^2*d^2*(c/d)^(2/3))

$$\frac{1}{2} * i - 1)^2 * ((27 * b^3 * d^3 * x * (a * d - b * c)^3 * (3 * a^2 * d^2 - 2 * b^2 * c^2 + 3 * a * b * c * d)) / a + (81 * a * b^3 * c * d^3 * (3^{(1/2)} * i - 1) * (a * d + b * c) * (a * d - b * c)^4 * (d^5 / (c^2 * (a * d - b * c)^6)))^{(1/3)}) / 2 * (d^5 / (c^2 * (a * d - b * c)^6))^{(2/3)}) / 36 - (b^4 * d^4 * (27 * a^3 * d^3 - 8 * b^3 * c^3 + 52 * a * b^2 * c^2 * d - 98 * a^2 * b * c * d^2)) / (3 * a^4 * d - 3 * a^3 * b * c) * (d^5 / (c^2 * (a * d - b * c)^6))^{(1/3)}) / 6 + (2 * b^5 * d^6 * x * (85 * a^3 * d^3 - 4 * b^3 * c^3 + 30 * a * b^2 * c^2 * d - 84 * a^2 * b * c * d^2)) / (9 * a^3 * (a * d - b * c)^4) * (3^{(1/2)} * i - 1) * (d^5 / (27 * b^6 * c^8 + 27 * a^6 * c^2 * d^6 - 162 * a^5 * b * c^3 * d^5 + 405 * a^2 * b^4 * c^6 * d^2 - 540 * a^3 * b^3 * c^5 * d^3 + 405 * a^4 * b^2 * c^4 * d^4 - 162 * a * b^5 * c^7 * d))^{(1/3)}) / 2 - (\log(((3^{(1/2)} * i + 1) * ((3^{(1/2)} * i + 1)^2 * ((27 * b^3 * d^3 * x * (a * d - b * c)^3 * (3 * a^2 * d^2 - 2 * b^2 * c^2 + 3 * a * b * c * d)) / a - (81 * a * b^3 * c * d^3 * (3^{(1/2)} * i + 1) * (a * d + b * c) * (a * d - b * c)^4 * (d^5 / (c^2 * (a * d - b * c)^6)))^{(1/3)}) / 2 * (d^5 / (c^2 * (a * d - b * c)^6))^{(2/3)}) / 36 - (b^4 * d^4 * (27 * a^3 * d^3 - 8 * b^3 * c^3 + 52 * a * b^2 * c^2 * d - 98 * a^2 * b * c * d^2)) / (3 * a^4 * d - 3 * a^3 * b * c) * (d^5 / (c^2 * (a * d - b * c)^6))^{(1/3)}) / 6 - (2 * b^5 * d^6 * x * (85 * a^3 * d^3 - 4 * b^3 * c^3 + 30 * a * b^2 * c^2 * d - 84 * a^2 * b * c * d^2)) / (9 * a^3 * (a * d - b * c)^4) * (3^{(1/2)} * i + 1) * (d^5 / (27 * b^6 * c^8 + 27 * a^6 * c^2 * d^6 - 162 * a^5 * b * c^3 * d^5 + 405 * a^2 * b^4 * c^6 * d^2 - 540 * a^3 * b^3 * c^5 * d^3 + 405 * a^4 * b^2 * c^4 * d^4 - 162 * a * b^5 * c^7 * d))^{(1/3)}) / 2 - (b * x) / (3 * a * (a + b * x^3) * (a * d - b * c)))$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**3+a)**2/(d*x**3+c), x)

[Out] Timed out

$$3.26 \quad \int \frac{1}{(a+bx^3)^2(c+dx^3)^2} dx$$

Optimal. Leaf size=419

$$\frac{b^{5/3}(bc-4ad)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{9a^{5/3}(bc-ad)^3} + \frac{2b^{5/3}(bc-4ad)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{9a^{5/3}(bc-ad)^3} - \frac{2b^{5/3}(bc-4ad)\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}(bc-ad)^3}$$

Rubi [A] time = 0.49, antiderivative size = 419, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 9, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.474$, Rules used = {414, 527, 522, 200, 31, 634, 617, 204, 628}

$$\frac{b^{5/3}(bc-4ad)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{9a^{5/3}(bc-ad)^3} + \frac{2b^{5/3}(bc-4ad)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{9a^{5/3}(bc-ad)^3} - \frac{2b^{5/3}(bc-4ad)\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}(bc-ad)^3} + \frac{2d^{5/3}(bc-ad)\log(\sqrt[3]{c}+\sqrt[3]{d}x)}{9c^{5/3}(bc-ad)^3} - \frac{2d^{5/3}(bc-ad)\log(\sqrt[3]{c}-\sqrt[3]{d}x+b^{2/3}x^2)}{9c^{5/3}(bc-ad)^3} + \frac{2d^{5/3}(bc-ad)\log(\sqrt[3]{c}+\sqrt[3]{d}x)}{9c^{5/3}(bc-ad)^3} - \frac{2d^{5/3}(bc-ad)\tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{3\sqrt{3}c^{5/3}(bc-ad)^3} + \frac{bx}{3a(a+bx^3)(c+dx^3)(bc-ad)} + \frac{dx(ad+bc)}{3ac(c+dx^3)(bc-ad)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^3)^2*(c + d*x^3)^2), x]

[Out] (d*(b*c + a*d)*x)/(3*a*c*(b*c - a*d)^2*(c + d*x^3)) + (b*x)/(3*a*(b*c - a*d)*(a + b*x^3)*(c + d*x^3)) - (2*b^(5/3)*(b*c - 4*a*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(3*Sqrt[3]*a^(5/3)*(b*c - a*d)^3) - (2*d^(5/3)*(4*b*c - a*d)*ArcTan[(c^(1/3) - 2*d^(1/3)*x)/(Sqrt[3]*c^(1/3))])/(3*Sqrt[3]*c^(5/3)*(b*c - a*d)^3) + (2*b^(5/3)*(b*c - 4*a*d)*Log[a^(1/3) + b^(1/3)*x])/(9*a^(5/3)*(b*c - a*d)^3) + (2*d^(5/3)*(4*b*c - a*d)*Log[c^(1/3) + d^(1/3)*x])/(9*c^(5/3)*(b*c - a*d)^3) - (b^(5/3)*(b*c - 4*a*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(9*a^(5/3)*(b*c - a*d)^3) - (d^(5/3)*(4*b*c - a*d)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2])/(9*c^(5/3)*(b*c - a*d)^3)

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(−1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(−1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 414

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_))), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
```

t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{(a + bx^3)^2 (c + dx^3)^2} dx &= \frac{bx}{3a(bc - ad)(a + bx^3)(c + dx^3)} - \frac{\int \frac{-2bc+3ad-5bdx^3}{(a+bx^3)(c+dx^3)^2} dx}{3a(bc - ad)} \\
 &= \frac{d(bc + ad)x}{3ac(bc - ad)^2 (c + dx^3)} + \frac{bx}{3a(bc - ad)(a + bx^3)(c + dx^3)} - \frac{\int \frac{-6(b^2c^2-3abcd+a^2d^2)-6b}{(a+bx^3)(c+dx^3)} dx}{9ac(bc - ad)} \\
 &= \frac{d(bc + ad)x}{3ac(bc - ad)^2 (c + dx^3)} + \frac{bx}{3a(bc - ad)(a + bx^3)(c + dx^3)} + \frac{(2b^2(bc - 4ad)) \int \frac{1}{a+bx^3} dx}{3a(bc - ad)^3} \\
 &= \frac{d(bc + ad)x}{3ac(bc - ad)^2 (c + dx^3)} + \frac{bx}{3a(bc - ad)(a + bx^3)(c + dx^3)} + \frac{(2b^2(bc - 4ad)) \int \frac{1}{\sqrt[3]{a}} dx}{9a^{5/3}(bc - ad)^3} \\
 &= \frac{d(bc + ad)x}{3ac(bc - ad)^2 (c + dx^3)} + \frac{bx}{3a(bc - ad)(a + bx^3)(c + dx^3)} + \frac{2b^{5/3}(bc - 4ad) \log(\sqrt[3]{\frac{a+bx^3}{a}})}{9a^{5/3}(bc - ad)} \\
 &= \frac{d(bc + ad)x}{3ac(bc - ad)^2 (c + dx^3)} + \frac{bx}{3a(bc - ad)(a + bx^3)(c + dx^3)} + \frac{2b^{5/3}(bc - 4ad) \log(\sqrt[3]{\frac{a+bx^3}{a}})}{9a^{5/3}(bc - ad)} \\
 &= \frac{d(bc + ad)x}{3ac(bc - ad)^2 (c + dx^3)} + \frac{bx}{3a(bc - ad)(a + bx^3)(c + dx^3)} - \frac{2b^{5/3}(bc - 4ad) \tan^{-1}\left(\frac{\sqrt[3]{a+bx^3}}{\sqrt[3]{a}}\right)}{3\sqrt{3} a^{5/3}(bc - ad)}
 \end{aligned}$$

Mathematica [A] time = 0.63, size = 381, normalized size = 0.91

$$\frac{1}{9} \left(\frac{b^{5/3}(bc - 4ad) \log\left(\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx^3 + a^2} + b^{2/3}x^2}{a^{5/3}(ad - bc)}\right) + 2b^{5/3}(4ad - bc) \log\left(\frac{\sqrt[3]{a} + \sqrt[3]{bx^3}}{\sqrt[3]{a}}\right) + 2\sqrt{3} b^{5/3}(bc - 4ad) \tan^{-1}\left(\frac{\sqrt[3]{a+bx^3}}{\sqrt[3]{a}}\right) + \frac{3b^2x}{a(a + bx^3)(bc - ad)^2} + \frac{d^{5/3}(ad - 4bc) \log\left(\frac{c^{2/3} - \sqrt[3]{c} \sqrt[3]{dx^3 + d^{2/3}x^2}}{c^{5/3}(bc - ad)}\right) + 2d^{5/3}(4bc - ad) \log\left(\frac{\sqrt[3]{c} + \sqrt[3]{dx^3}}{\sqrt[3]{c}}\right) + 2\sqrt{3} d^{5/3}(ad - 4bc) \tan^{-1}\left(\frac{\sqrt[3]{c+dx^3}}{\sqrt[3]{c}}\right) + \frac{3d^2x}{c(c + dx^3)(bc - ad)^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^3)^2*(c + d*x^3)^2), x]

[Out] ((3*b^2*x)/(a*(b*c - a*d)^2*(a + b*x^3)) + (3*d^2*x)/(c*(b*c - a*d)^2*(c + d*x^3)) + (2*Sqrt[3]*b^(5/3)*(b*c - 4*a*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))])

))/Sqrt[3]])/(a^(5/3)*(-(b*c) + a*d)^3) + (2*Sqrt[3]*d^(5/3)*(-4*b*c + a*d) *ArcTan[(1 - (2*d^(1/3)*x)/c^(1/3))/Sqrt[3]])/(c^(5/3)*(b*c - a*d)^3) + (2*b^(5/3)*(-(b*c) + 4*a*d)*Log[a^(1/3) + b^(1/3)*x])/(a^(5/3)*(-(b*c) + a*d)^3) + (2*d^(5/3)*(4*b*c - a*d)*Log[c^(1/3) + d^(1/3)*x])/(c^(5/3)*(b*c - a*d)^3) + (b^(5/3)*(b*c - 4*a*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(a^(5/3)*(-(b*c) + a*d)^3) + (d^(5/3)*(-4*b*c + a*d)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2])/(c^(5/3)*(b*c - a*d)^3))/9

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^3)^2 (c + dx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/((a + b*x^3)^2*(c + d*x^3)^2), x]

[Out] IntegrateAlgebraic[1/((a + b*x^3)^2*(c + d*x^3)^2), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^2/(d*x^3+c)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.22, size = 664, normalized size = 1.58

$$\frac{2(b^2c - 4ad^2)(-\frac{1}{3})^2 \log\left(\frac{1}{3} - (-\frac{1}{3})^2\right)}{9(b^2c^2 - 3ad^2c + 3a^2d^2 - a^3d^2)} \frac{2(4bd^2 - ad^2)(-\frac{1}{3})^2 \log\left(\frac{1}{3} - (-\frac{1}{3})^2\right)}{9(b^2c - 3ad^2c + 3a^2d^2 - a^3d^2)} \frac{2((-\frac{ad}{b})^2 b^2c - 4(-\frac{ad}{b})^2 abd) \arctan\left(\frac{\sqrt{\frac{1}{3} - (-\frac{1}{3})^2}}{\frac{1}{3} - (-\frac{1}{3})^2}\right)}{3(\sqrt{\frac{1}{3} - (-\frac{1}{3})^2} - 3\sqrt{\frac{1}{3} - (-\frac{1}{3})^2} + 3\sqrt{\frac{1}{3} - (-\frac{1}{3})^2} - \sqrt{\frac{1}{3} - (-\frac{1}{3})^2})} \frac{2(4(-\frac{ad}{b})^2 b^2c - 4(-\frac{ad}{b})^2 abd) \arctan\left(\frac{\sqrt{\frac{1}{3} - (-\frac{1}{3})^2}}{\frac{1}{3} - (-\frac{1}{3})^2}\right)}{3(\sqrt{\frac{1}{3} - (-\frac{1}{3})^2} - 3\sqrt{\frac{1}{3} - (-\frac{1}{3})^2} + 3\sqrt{\frac{1}{3} - (-\frac{1}{3})^2} - \sqrt{\frac{1}{3} - (-\frac{1}{3})^2})} \frac{((-\frac{ad}{b})^2 b^2c - 4(-\frac{ad}{b})^2 abd) \log\left(x^2 + x(-\frac{1}{3})^2 + (-\frac{1}{3})^2\right)}{9(b^2c^2 - 3ad^2c + 3a^2d^2 - a^3d^2)} \frac{(4(-\frac{ad}{b})^2 b^2c - 4(-\frac{ad}{b})^2 abd) \log\left(x^2 + x(-\frac{1}{3})^2 + (-\frac{1}{3})^2\right)}{9(b^2c^2 - 3ad^2c + 3a^2d^2 - a^3d^2)} \frac{b^2c^2 + abd^2c + b^2c^2 + a^2d^2c}{3(bd^2c + bd^2c + ad^2c)(bd^2c - 2ad^2c + a^2d^2c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^2/(d*x^3+c)^2,x, algorithm="giac")

[Out] $-2/9*(b^3*c - 4*a*b^2*d)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a^2*b^3*c^3 - 3*a^3*b^2*c^2*d + 3*a^4*b*c*d^2 - a^5*d^3) - 2/9*(4*b*c*d^2 - a*d^3)*(-c/d)^{(1/3)}*\log(\text{abs}(x - (-c/d)^{(1/3)}))/(b^3*c^5 - 3*a*b^2*c^4*d + 3*a^2*b*c^3*d^2 - a^3*c^2*d^3) + 2/3*((-a*b^2)^{(1/3)}*b^2*c - 4*(-a*b^2)^{(1/3)}*a*b*d)*\arctan(1/3*\text{sqrt}(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(\text{sqrt}(3)*a^2*b^3*c^3 - 3*\text{sqrt}(3)*a^3*b^2*c^2*d + 3*\text{sqrt}(3)*a^4*b*c*d^2 - \text{sqrt}(3)*a^5*d^3) + 2/3*(4*(-c*d^2)^{(1/3)}*b*c*d - (-c*d^2)^{(1/3)}*a*d^2)*\arctan(1/3*\text{sqrt}(3)*(2*x + (-c/d)^{(1/3)})/(-c/d)^{(1/3)})/(\text{sqrt}(3)*b^3*c^5 - 3*\text{sqrt}(3)*a*b^2*c^4*d + 3*\text{sqrt}(3)*a^2*b*c^3*d^2 - \text{sqrt}(3)*a^3*c^2*d^3) + 1/9*((-a*b^2)^{(1/3)}*b^2*c - 4*$

$$\begin{aligned} & (-a*b^2)^{(1/3)}*a*b*d*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(a^2*b^3*c^3 \\ & - 3*a^3*b^2*c^2*d + 3*a^4*b*c*d^2 - a^5*d^3) + 1/9*(4*(-c*d^2)^{(1/3)}*b*c*d \\ & - (-c*d^2)^{(1/3)}*a*d^2)*\log(x^2 + x*(-c/d)^{(1/3)} + (-c/d)^{(2/3)})/(b^3*c^5 \\ & - 3*a*b^2*c^4*d + 3*a^2*b*c^3*d^2 - a^3*c^2*d^3) + 1/3*(b^2*c*d*x^4 + a*b*d \\ & ^2*x^4 + b^2*c^2*x + a^2*d^2*x)/((b*d*x^6 + b*c*x^3 + a*d*x^3 + a*c)*(a*b^2 \\ & *c^3 - 2*a^2*b*c^2*d + a^3*c*d^2)) \end{aligned}$$

maple [A] time = 0.06, size = 606, normalized size = 1.45

$$\frac{\frac{a^2 d^2}{3(a^2 - b^2)(d^2 + c^2)} - \frac{2cd}{3(a^2 - b^2)(d^2 + c^2)} + \frac{2cd}{3(a^2 - b^2)(d^2 + c^2)}}{9(a^2 - b^2)(d^2 + c^2)^2} + \frac{2a^2 d \arctan\left(\frac{d^2 - cd}{d^2 + c^2}\right)}{9(a^2 - b^2)(d^2 + c^2)^2} + \frac{2a^2 d \ln\left(\frac{d^2 - cd}{d^2 + c^2}\right)}{9(a^2 - b^2)(d^2 + c^2)^2} + \frac{2\sqrt{3} d^2 \arctan\left(\frac{d^2 - cd}{d^2 + c^2}\right)}{9(a^2 - b^2)(d^2 + c^2)^2} + \frac{2\sqrt{3} d^2 \ln\left(\frac{d^2 - cd}{d^2 + c^2}\right)}{9(a^2 - b^2)(d^2 + c^2)^2} + \frac{2\sqrt{3} d^2 \arctan\left(\frac{d^2 - cd}{d^2 + c^2}\right)}{9(a^2 - b^2)(d^2 + c^2)^2} + \frac{2\sqrt{3} d^2 \ln\left(\frac{d^2 - cd}{d^2 + c^2}\right)}{9(a^2 - b^2)(d^2 + c^2)^2} + \frac{2\sqrt{3} d^2 \arctan\left(\frac{d^2 - cd}{d^2 + c^2}\right)}{9(a^2 - b^2)(d^2 + c^2)^2} + \frac{2\sqrt{3} d^2 \ln\left(\frac{d^2 - cd}{d^2 + c^2}\right)}{9(a^2 - b^2)(d^2 + c^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^3+a)^2/(d*x^3+c)^2,x)

[Out] $\frac{1}{3}b^2/(a*d-b*c)^3*x/(b*x^3+a)*d-1/3*b^3/(a*d-b*c)^3/a*x/(b*x^3+a)*c+8/9*b$
 $/ (a*d-b*c)^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d-2/9*b^2/(a*d-b*c)^3/a/(a/b)^{(2/3)}$
 $*\ln(x+(a/b)^{(1/3)})*c-4/9*b/(a*d-b*c)^3/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+$
 $(a/b)^{(2/3}))*d+1/9*b^2/(a*d-b*c)^3/a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)$
 $^{(2/3)})*c+8/9*b/(a*d-b*c)^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)$
 $^{(1/3)}*x-1))*d-2/9*b^2/(a*d-b*c)^3/a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}$
 $*(2/(a/b)^{(1/3)}*x-1))*c+1/3*d^3/(a*d-b*c)^3/c*x/(d*x^3+c)*a-1/3*d^2/(a*d-b*$
 $c)^3*x/(d*x^3+c)*b+2/9*d^2/(a*d-b*c)^3/c/(c/d)^{(2/3)}*\ln(x+(c/d)^{(1/3)})*a-8/$
 $9*d/(a*d-b*c)^3/(c/d)^{(2/3)}*\ln(x+(c/d)^{(1/3)})*b-1/9*d^2/(a*d-b*c)^3/c/(c/d)$
 $^{(2/3)}*\ln(x^2-(c/d)^{(1/3)}*x+(c/d)^{(2/3}))*a+4/9*d/(a*d-b*c)^3/(c/d)^{(2/3)}*\ln$
 $(x^2-(c/d)^{(1/3)}*x+(c/d)^{(2/3}))*b+2/9*d^2/(a*d-b*c)^3/c/(c/d)^{(2/3)}*3^{(1/2)}$
 $*\arctan(1/3*3^{(1/2)}*(2/(c/d)^{(1/3)}*x-1))*a-8/9*d/(a*d-b*c)^3/(c/d)^{(2/3)}*3^{(1/2)}$
 $*\arctan(1/3*3^{(1/2)}*(2/(c/d)^{(1/3)}*x-1))*b$

maxima [B] time = 1.26, size = 784, normalized size = 1.87

$$\frac{2\sqrt{3}(c-d)\arctan\left(\frac{d^2-cd}{d^2+c^2}\right)}{9(a^2-b^2)(d^2+c^2)^2} + \frac{2\sqrt{3}(c-d)\ln\left(\frac{d^2-cd}{d^2+c^2}\right)}{9(a^2-b^2)(d^2+c^2)^2} + \frac{(c-d)\arctan\left(\frac{d^2-cd}{d^2+c^2}\right)}{9(a^2-b^2)(d^2+c^2)^2} + \frac{(c-d)\ln\left(\frac{d^2-cd}{d^2+c^2}\right)}{9(a^2-b^2)(d^2+c^2)^2} + \frac{2(c-d)\arctan\left(\frac{d^2-cd}{d^2+c^2}\right)}{9(a^2-b^2)(d^2+c^2)^2} + \frac{2(c-d)\ln\left(\frac{d^2-cd}{d^2+c^2}\right)}{9(a^2-b^2)(d^2+c^2)^2} + \frac{2(c-d)\arctan\left(\frac{d^2-cd}{d^2+c^2}\right)}{9(a^2-b^2)(d^2+c^2)^2} + \frac{2(c-d)\ln\left(\frac{d^2-cd}{d^2+c^2}\right)}{9(a^2-b^2)(d^2+c^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^2/(d*x^3+c)^2,x, algorithm="maxima")

[Out] $\frac{2}{9}*\text{sqrt}(3)*(b^2*c - 4*a*b*d)*\arctan(1/3*\text{sqrt}(3)*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/((a*b^3*c^3*(a/b)^{(1/3)} - 3*a^2*b^2*c^2*d*(a/b)^{(1/3)} + 3*a^3*b*c*d^2*(a/b)^{(1/3)} - a^4*d^3*(a/b)^{(1/3)})*(a/b)^{(1/3)}) + 2/9*\text{sqrt}(3)*(4*b*c*d - a*d^2)*\arctan(1/3*\text{sqrt}(3)*(2*x - (c/d)^{(1/3)})/(c/d)^{(1/3)})/((b^3*c^4*(c/d)^{(1/3)} - 3*a*b^2*c^3*d*(c/d)^{(1/3)} + 3*a^2*b*c^2*d^2*(c/d)^{(1/3)} - a^3*c*d^3*(c/d)^{(1/3)})*(c/d)^{(1/3)}) - 1/9*(b^2*c - 4*a*b*d)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b^3*c^3*(a/b)^{(2/3)} - 3*a^2*b^2*c^2*d*(a/b)^{(2/3)} + 3*a^3*b*c*d^2*(a/b)^{(2/3)} - a^4*d^3*(a/b)^{(2/3)}) - 1/9*(4*b*c*d - a*d^2)*\log(x^2$

$$\begin{aligned}
& - x*(c/d)^{(1/3)} + (c/d)^{(2/3)} / (b^3*c^4*(c/d)^{(2/3)} - 3*a*b^2*c^3*d*(c/d)^{(2/3)} + 3*a^2*b*c^2*d^2*(c/d)^{(2/3)} - a^3*c*d^3*(c/d)^{(2/3)}) + 2/9*(b^2*c - 4*a*b*d)*\log(x + (a/b)^{(1/3)}) / (a*b^3*c^3*(a/b)^{(2/3)} - 3*a^2*b^2*c^2*d*(a/b)^{(2/3)} + 3*a^3*b*c*d^2*(a/b)^{(2/3)} - a^4*d^3*(a/b)^{(2/3)}) + 2/9*(4*b*c*d - a*d^2)*\log(x + (c/d)^{(1/3)}) / (b^3*c^4*(c/d)^{(2/3)} - 3*a*b^2*c^3*d*(c/d)^{(2/3)} + 3*a^2*b*c^2*d^2*(c/d)^{(2/3)} - a^3*c*d^3*(c/d)^{(2/3)}) + 1/3*((b^2*c*d + a*b*d^2)*x^4 + (b^2*c^2 + a^2*d^2)*x) / (a^2*b^2*c^4 - 2*a^3*b*c^3*d + a^4*c^2*d^2 + (a*b^3*c^3*d - 2*a^2*b^2*c^2*d^2 + a^3*b*c*d^3)*x^6 + (a*b^3*c^4 - a^2*b^2*c^3*d - a^3*b*c^2*d^2 + a^4*c*d^3)*x^3)
\end{aligned}$$

mupad [B] time = 24.31, size = 3637, normalized size = 8.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b*x^3)^2*(c + d*x^3)^2), x)`

[Out]
$$\begin{aligned}
& ((x*(a^2*d^2 + b^2*c^2)) / (3*a*c*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (b*d*x^4 * (a*d + b*c)) / (3*a*c*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))) / (a*c + x^3*(a*d + b*c) + b*d*x^6) + \log((2*((4*((54*b^3*d^3*x*(a*d - b*c)^2*(a^3*d^3 + b^3*c^3 - 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)) / (a*c) + 54*a*b^3*c*d^3*(a*d + b*c)*(a*d - b*c)^4*((b^5*(4*a*d - b*c)^3) / (a^5*(a*d - b*c)^9)))^{(1/3)} * ((b^5*(4*a*d - b*c)^3) / (a^5*(a*d - b*c)^9))^{(2/3)}) / 81 - (8*b^4*d^4*(a^6*d^6 + b^6*c^6 + 37*a^2*b^4*c^4*d^2 - 27*a^3*b^3*c^3*d^3 + 37*a^4*b^2*c^2*d^4 - 11*a*b^5*c^5*d - 11*a^5*b*c*d^5)) / (3*a^3*c^3*(a*d - b*c)^4)) * ((b^5*(4*a*d - b*c)^3) / (a^5*(a*d - b*c)^9))^{(1/3)}) / 9 - (16*b^6*d^6*x*(4*a^6*d^6 + 4*b^6*c^6 + 268*a^2*b^4*c^4*d^2 - 608*a^3*b^3*c^3*d^3 + 268*a^4*b^2*c^2*d^4 - 49*a*b^5*c^5*d - 49*a^5*b*c*d^5)) / (27*a^3*c^3*(a*d - b*c)^8)) * (- (8*b^8*c^3 - 512*a^3*b^5*d^3 + 384*a^2*b^6*c*d^2 - 96*a*b^7*c^2*d) / (729*a^14*d^9 - 729*a^5*b^9*c^9 + 6561*a^6*b^8*c^8*d - 26244*a^7*b^7*c^7*d^2 + 61236*a^8*b^6*c^6*d^3 - 91854*a^9*b^5*c^5*d^4 + 91854*a^10*b^4*c^4*d^5 - 61236*a^11*b^3*c^3*d^6 + 26244*a^12*b^2*c^2*d^7 - 6561*a^13*b*c*d^8))^{(1/3)} + \log((2*((4*((54*b^3*d^3*x*(a*d - b*c)^2*(a^3*d^3 + b^3*c^3 - 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)) / (a*c) + 54*a*b^3*c*d^3*(a*d + b*c)*(a*d - b*c)^4*((d^5*(a*d - 4*b*c)^3) / (c^5*(a*d - b*c)^9)))^{(1/3)} * ((d^5*(a*d - 4*b*c)^3) / (c^5*(a*d - b*c)^9))^{(2/3)}) / 81 - (8*b^4*d^4*(a^6*d^6 + b^6*c^6 + 37*a^2*b^4*c^4*d^2 - 27*a^3*b^3*c^3*d^3 + 37*a^4*b^2*c^2*d^4 - 11*a*b^5*c^5*d - 11*a^5*b*c*d^5)) / (3*a^3*c^3*(a*d - b*c)^4)) * ((d^5*(a*d - 4*b*c)^3) / (c^5*(a*d - b*c)^9))^{(1/3)}) / 9 - (16*b^6*d^6*x*(4*a^6*d^6 + 4*b^6*c^6 + 268*a^2*b^4*c^4*d^2 - 608*a^3*b^3*c^3*d^3 + 268*a^4*b^2*c^2*d^4 - 49*a*b^5*c^5*d - 49*a^5*b*c*d^5)) / (27*a^3*c^3*(a*d - b*c)^8)) * (- (8*a^3*d^8 - 512*b^3*c^3*d^5 + 384*a*b^2*c^2*d^6 - 96*a^2*b*c*d^7) / (729*b^9*c^14 - 729*a^9*c^5*d^9 + 6561*a^8*b*c^6*d^8 + 26244*a^2*b^7*c^12*d^2 - 61236*a^3*b^6*c^11*d^3 + 91854*a^4*b^5*c^10*d^4 - 91854*a^5*b^4*c^9*d^5 + 61236*a^6*b^3*c^8*d^6 - 26244*a^7*b^2*c^7*d^7 - 6561*a*b^8*c^13*d))^{(1/3)} + (\log(((3^{(1/2)}*1i - 1)*((3^{(1/2)}*1i - 1)^2*((54*b^3*d^3*x*(a*d - b*c)^2*(a^3*d^3
\end{aligned}$$

$$\frac{(b*c)^3}{(c^5*(a*d - b*c)^9)^{1/3}}/9 + \frac{(16*b^6*d^6*x*(4*a^6*d^6 + 4*b^6*c^6 + 268*a^2*b^4*c^4*d^2 - 608*a^3*b^3*c^3*d^3 + 268*a^4*b^2*c^2*d^4 - 49*a*b^5*c^5*d - 49*a^5*b*c*d^5))/(27*a^3*c^3*(a*d - b*c)^8)}{(3^{1/2}*1i + 1)*(-8*a^3*d^8 - 512*b^3*c^3*d^5 + 384*a*b^2*c^2*d^6 - 96*a^2*b*c*d^7)/(729*b^9*c^{14} - 729*a^9*c^5*d^9 + 6561*a^8*b*c^6*d^8 + 26244*a^2*b^7*c^{12}*d^2 - 61236*a^3*b^6*c^{11}*d^3 + 91854*a^4*b^5*c^{10}*d^4 - 91854*a^5*b^4*c^9*d^5 + 61236*a^6*b^3*c^8*d^6 - 26244*a^7*b^2*c^7*d^7 - 6561*a*b^8*c^{13}*d)}^{1/3}}/2$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**3+a)**2/(d*x**3+c)**2,x)

[Out] Timed out

$$3.27 \quad \int (a - bx^3)(a + bx^3)^{2/3} dx$$

Optimal. Leaf size=112

$$-\frac{7a^2 \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{18\sqrt[3]{b}} + \frac{7a^2 \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1}{\sqrt{3}}\right)}{9\sqrt{3}\sqrt[3]{b}} + \frac{7}{18}ax(a + bx^3)^{2/3} - \frac{1}{6}x(a + bx^3)^{5/3}$$

Rubi [A] time = 0.03, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {388, 195, 239}

$$-\frac{7a^2 \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{18\sqrt[3]{b}} + \frac{7a^2 \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1}{\sqrt{3}}\right)}{9\sqrt{3}\sqrt[3]{b}} + \frac{7}{18}ax(a + bx^3)^{2/3} - \frac{1}{6}x(a + bx^3)^{5/3}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^3)*(a + b*x^3)^(2/3), x]

[Out] (7*a*x*(a + b*x^3)^(2/3))/18 - (x*(a + b*x^3)^(5/3))/6 + (7*a^2*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]])/(9*Sqrt[3]*b^(1/3)) - (7*a^2*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(18*b^(1/3))

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] := Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(

$(p + 1) + 1) / (b * (n * (p + 1) + 1))$, Int $[(a + b * x^n)^p, x]$, x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b * c - a * d, 0] && NeQ[n * (p + 1) + 1, 0]

Rubi steps

$$\begin{aligned} \int (a - bx^3)(a + bx^3)^{2/3} dx &= -\frac{1}{6}x(a + bx^3)^{5/3} + \frac{1}{6}(7a) \int (a + bx^3)^{2/3} dx \\ &= \frac{7}{18}ax(a + bx^3)^{2/3} - \frac{1}{6}x(a + bx^3)^{5/3} + \frac{1}{9}(7a^2) \int \frac{1}{\sqrt[3]{a + bx^3}} dx \\ &= \frac{7}{18}ax(a + bx^3)^{2/3} - \frac{1}{6}x(a + bx^3)^{5/3} + \frac{7a^2 \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}}}{\sqrt{3}}\right)}{9\sqrt{3}\sqrt[3]{b}} - \frac{7a^2 \log\left(-\sqrt[3]{b}x + \sqrt[3]{a + bx^3}\right)}{18\sqrt[3]{b}} \end{aligned}$$

Mathematica [C] time = 0.11, size = 62, normalized size = 0.55

$$\frac{1}{6}x(a + bx^3)^{2/3} \left(\frac{7a {}_2F_1\left(-\frac{2}{3}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a}\right)}{\left(\frac{bx^3}{a} + 1\right)^{2/3}} - a - bx^3 \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^3)*(a + b*x^3)^(2/3), x]

[Out] (x*(a + b*x^3)^(2/3)*(-a - b*x^3 + (7*a*Hypergeometric2F1[-2/3, 1/3, 4/3, -(b*x^3)/a]))/(1 + (b*x^3)/a)^(2/3))/6

IntegrateAlgebraic [A] time = 0.39, size = 165, normalized size = 1.47

$$\frac{7a^2 \log\left(\sqrt[3]{b}x\sqrt[3]{a + bx^3} + (a + bx^3)^{2/3} + b^{2/3}x^2\right)}{54\sqrt[3]{b}} - \frac{7a^2 \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{27\sqrt[3]{b}} + \frac{7a^2 \tan^{-1}\left(\frac{\sqrt{3}\sqrt[3]{b}x}{2\sqrt[3]{a + bx^3} + \sqrt[3]{b}x}\right)}{9\sqrt{3}\sqrt[3]{b}} + \frac{1}{18}(a + bx^3)^{2/3}(4ax - 3bx^4)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a - b*x^3)*(a + b*x^3)^(2/3), x]

[Out] ((a + b*x^3)^(2/3)*(4*a*x - 3*b*x^4))/18 + (7*a^2*ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))]/(9*Sqrt[3]*b^(1/3)) - (7*a^2*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)]/(27*b^(1/3)) + (7*a^2*Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)]/(54*b^(1/3))))

fricas [B] time = 1.06, size = 399, normalized size = 3.56

$$\frac{21\sqrt{3}a^2\sqrt{\frac{a^2}{3b^3}}\log\left(\frac{3bx^3-3(bx^3+a)^2(-b)^{1/3}}{3b^2}\right)-3\sqrt{3}\left((-b)^{1/3}bx^2-(bx^3+a)^2(-b)^{1/3}\right)\sqrt{\frac{a^2}{3b^3}}+24}{54b^2}\log\left(\frac{(bx^3+a)^2}{3b^2}\right)+72(-b)^{1/3}\log\left(\frac{(bx^3+a)^2}{3b^2}\right)+3(3b^2-4ab)(bx^3+a)^2-21\sqrt{3}a^2\sqrt{\frac{a^2}{3b^3}}\arctan\left(\frac{\sqrt{3}\left((-b)^{1/3}bx^2-(bx^3+a)^2(-b)^{1/3}\right)\sqrt{\frac{a^2}{3b^3}}}{3b^2}\right)+14a^2(-b)^{1/3}\log\left(\frac{(bx^3+a)^2}{3b^2}\right)-7a^2(-b)^{1/3}\log\left(\frac{(bx^3+a)^2}{3b^2}\right)+3(3b^2-4ab)(bx^3+a)^2}{54b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)*(b*x^3+a)^(2/3),x, algorithm="fricas")

[Out] [1/54*(21*sqrt(1/3)*a^2*b*sqrt((-b)^(1/3)/b)*log(3*b*x^3 - 3*(b*x^3 + a)^(1/3)*(-b)^(2/3)*x^2 - 3*sqrt(1/3)*((-b)^(1/3)*b*x^3 - (b*x^3 + a)^(1/3)*b*x^2 + 2*(b*x^3 + a)^(2/3)*(-b)^(2/3)*x)*sqrt((-b)^(1/3)/b) + 2*a - 14*a^2*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) + 7*a^2*(-b)^(2/3)*log(((b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) - 3*(3*b^2*x^4 - 4*a*b*x)*(b*x^3 + a)^(2/3))/b, -1/54*(42*sqrt(1/3)*a^2*b*sqrt((-b)^(1/3)/b)*arctan(-sqrt(1/3)*((-b)^(1/3)*x - 2*(b*x^3 + a)^(1/3))*sqrt((-b)^(1/3)/b)/x) + 14*a^2*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) - 7*a^2*(-b)^(2/3)*log(((b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) + 3*(3*b^2*x^4 - 4*a*b*x)*(b*x^3 + a)^(2/3))/b]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -(bx^3 + a)^{\frac{2}{3}}(bx^3 - a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)*(b*x^3+a)^(2/3),x, algorithm="giac")

[Out] integrate(-(b*x^3 + a)^(2/3)*(b*x^3 - a), x)

maple [F] time = 0.43, size = 0, normalized size = 0.00

$$\int (-bx^3 + a)(bx^3 + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^3+a)*(b*x^3+a)^(2/3),x)

[Out] int((-b*x^3+a)*(b*x^3+a)^(2/3),x)

maxima [B] time = 1.22, size = 322, normalized size = 2.88

$$\frac{1}{9} \left(\frac{2\sqrt{3}a \arctan\left(\frac{\sqrt{3}\left(b^{\frac{1}{3}} + \frac{2(bx^3+a)^{\frac{1}{3}}}{x}\right)}{3b^{\frac{1}{3}}}\right)}{b^{\frac{1}{3}}} - a \log\left(b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x} + \frac{(bx^3+a)^{\frac{2}{3}}}{x^2}\right) + 2a \log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right) + \frac{3(bx^3+a)^{\frac{2}{3}}a}{\left(b - \frac{bx^3+a}{x^2}\right)^2} \right) - \frac{1}{54} \left(\frac{2\sqrt{3}a^2 \arctan\left(\frac{\sqrt{3}\left(b^{\frac{1}{3}} + \frac{2(bx^3+a)^{\frac{1}{3}}}{x}\right)}{3b^{\frac{1}{3}}}\right)}{b^{\frac{1}{3}}} - a^2 \log\left(b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x} + \frac{(bx^3+a)^{\frac{2}{3}}}{x^2}\right) + 2a^2 \log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right) + \frac{3\left(\frac{(bx^3+a)^{\frac{2}{3}}a^2}{x^2} + \frac{2(bx^3+a)^{\frac{2}{3}}a^2}{x^3}\right)}{b^{\frac{1}{3}} - \frac{2(bx^3+a)a^2}{x^3} + \frac{(bx^3+a)^2}{x^6}} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)*(b*x^3+a)^(2/3),x, algorithm="maxima")

[Out]
$$-1/9*(2*\sqrt{3}*a*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3}))/b^{1/3} - a*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{1/3} + 2*a*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{1/3} + 3*(b*x^3 + a)^{2/3}*a/((b - (b*x^3 + a)/x^3)*x^2))*a - 1/54*(2*\sqrt{3}*a^2*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3}))/b^{4/3} - a^2*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{4/3} + 2*a^2*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{4/3} + 3*((b*x^3 + a)^{2/3}*a^2*b/x^2 + 2*(b*x^3 + a)^{5/3}*a^2/x^5)/(b^3 - 2*(b*x^3 + a)*b^2/x^3 + (b*x^3 + a)^2*b/x^6))*b$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (bx^3 + a)^{2/3} (a - bx^3) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(2/3)*(a - b*x^3),x)

[Out] int((a + b*x^3)^(2/3)*(a - b*x^3), x)

sympy [C] time = 4.98, size = 80, normalized size = 0.71

$$\frac{a^{5/3}x\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{4}{3}\right)} - \frac{a^{2/3}bx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x**3+a)*(b*x**3+a)**(2/3),x)

[Out]
$$a^{5/3}*x*\gamma(1/3)*\text{hyper}((-2/3, 1/3), (4/3,), b*x**3*\exp_polar(I*\pi)/a)/(3*\gamma(4/3)) - a^{2/3}*b*x**4*\gamma(4/3)*\text{hyper}((-2/3, 4/3), (7/3,), b*x**3*\exp_polar(I*\pi)/a)/(3*\gamma(7/3))$$

$$3.28 \quad \int \frac{a-bx^3}{\sqrt[3]{a+bx^3}} dx$$

Optimal. Leaf size=91

$$-\frac{1}{3}x(a+bx^3)^{2/3} - \frac{2a \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{3\sqrt[3]{b}} + \frac{4a \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}}+1}{\sqrt{3}}\right)}{3\sqrt{3}\sqrt[3]{b}}$$

Rubi [A] time = 0.02, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {388, 239}

$$-\frac{1}{3}x(a+bx^3)^{2/3} - \frac{2a \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{3\sqrt[3]{b}} + \frac{4a \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}}+1}{\sqrt{3}}\right)}{3\sqrt{3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^3)/(a + b*x^3)^(1/3), x]

[Out] -(x*(a + b*x^3)^(2/3))/3 + (4*a*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]])/(3*Sqrt[3]*b^(1/3)) - (2*a*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/ (3*b^(1/3))

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] :> Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rubi steps

$$\int \frac{a - bx^3}{\sqrt[3]{a + bx^3}} dx = -\frac{1}{3}x(a + bx^3)^{2/3} + \frac{1}{3}(4a) \int \frac{1}{\sqrt[3]{a + bx^3}} dx$$

$$= -\frac{1}{3}x(a + bx^3)^{2/3} + \frac{4a \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}}}{\sqrt{3}}\right)}{3\sqrt{3}\sqrt[3]{b}} - \frac{2a \log\left(-\sqrt[3]{b}x + \sqrt[3]{a + bx^3}\right)}{3\sqrt[3]{b}}$$

Mathematica [A] time = 0.08, size = 134, normalized size = 1.47

$$\frac{2a \log\left(\frac{b^{2/3}x^2}{(a+bx^3)^{2/3}} + \frac{\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1\right) - 3\sqrt[3]{b}x(a + bx^3)^{2/3} - 4a \log\left(1 - \frac{\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}}\right) + 4\sqrt{3}a \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1}{\sqrt{3}}\right)}{9\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^3)/(a + b*x^3)^(1/3), x]

[Out] (-3*b^(1/3)*x*(a + b*x^3)^(2/3) + 4*Sqrt[3]*a*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]] - 4*a*Log[1 - (b^(1/3)*x)/(a + b*x^3)^(1/3)] + 2*a*Log[1 + (b^(2/3)*x^2)/(a + b*x^3)^(2/3) + (b^(1/3)*x)/(a + b*x^3)^(1/3)])/ (9*b^(1/3))

IntegrateAlgebraic [A] time = 0.37, size = 149, normalized size = 1.64

$$\frac{2a \log\left(\sqrt[3]{b}x\sqrt[3]{a + bx^3} + (a + bx^3)^{2/3} + b^{2/3}x^2\right)}{9\sqrt[3]{b}} - \frac{1}{3}x(a + bx^3)^{2/3} - \frac{4a \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{9\sqrt[3]{b}} + \frac{4a \tan^{-1}\left(\frac{\sqrt{3}\sqrt[3]{b}x}{2\sqrt[3]{a+bx^3} + \sqrt[3]{b}x}\right)}{3\sqrt{3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a - b*x^3)/(a + b*x^3)^(1/3), x]

[Out] -1/3*(x*(a + b*x^3)^(2/3)) + (4*a*ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))]/(3*Sqrt[3]*b^(1/3)) - (4*a*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/ (9*b^(1/3)) + (2*a*Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)])/ (9*b^(1/3))

fricas [B] time = 1.02, size = 363, normalized size = 3.99

$$\frac{6\sqrt{3}ab\sqrt{\frac{a+b}{3}} \log\left(3bx^3 - 3(b^2+a)^2(-b)^2x^2 - 3\sqrt{3}((-b)^2bx^2 - (b^2+a)^2bx + 2(b^2+a)^2(-b)^2)\sqrt{\frac{a+b}{3}} + 2a\right) - 3(b^2+a)^2bx - 4a(-b)^2 \log\left(\frac{(a^2-b^2)x^2}{2}\right) + 2a(-b)^2 \log\left(\frac{(a^2-b^2)x^2}{2}\right)}{9b} - \frac{12\sqrt{3}ab\sqrt{\frac{a+b}{3}} \arctan\left(\frac{\sqrt{3}\left((a^2-b^2)(b^2+a)^2\sqrt{\frac{a+b}{3}}\right)}{2}\right)}{9b} + 3(b^2+a)^2bx + 4a(-b)^2 \log\left(\frac{(a^2-b^2)x^2}{2}\right) - 2a(-b)^2 \log\left(\frac{(a^2-b^2)x^2}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(1/3),x, algorithm="fricas")

[Out] [1/9*(6*sqrt(1/3)*a*b*sqrt((-b)^(1/3)/b)*log(3*b*x^3 - 3*(b*x^3 + a)^(1/3))*(-b)^(2/3)*x^2 - 3*sqrt(1/3)*((-b)^(1/3)*b*x^3 - (b*x^3 + a)^(1/3)*b*x^2 + 2*(b*x^3 + a)^(2/3)*(-b)^(2/3)*x)*sqrt((-b)^(1/3)/b) + 2*a - 3*(b*x^3 + a)^(2/3)*b*x - 4*a*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) + 2*a*(-b)^(2/3)*log(((b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2)/b, -1/9*(12*sqrt(1/3)*a*b*sqrt(-(-b)^(1/3)/b)*arctan(-sqrt(1/3)*((-b)^(1/3)*x - 2*(b*x^3 + a)^(1/3))*sqrt(-(-b)^(1/3)/b)/x) + 3*(b*x^3 + a)^(2/3)*b*x + 4*a*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) - 2*a*(-b)^(2/3)*log(((b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2)/b]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{bx^3 - a}{(bx^3 + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(1/3),x, algorithm="giac")

[Out] integrate(-b*x^3 - a)/(b*x^3 + a)^(1/3), x)

maple [F] time = 0.37, size = 0, normalized size = 0.00

$$\int \frac{-bx^3 + a}{(bx^3 + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^3+a)/(b*x^3+a)^(1/3),x)

[Out] int((-b*x^3+a)/(b*x^3+a)^(1/3),x)

maxima [B] time = 1.22, size = 244, normalized size = 2.68

$$\frac{1}{6} \left(\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(b^{\frac{1}{3}} + \frac{2(bx^3+a)^{\frac{1}{3}}}{x}\right)}{3b^{\frac{1}{3}}}\right)}{b^{\frac{1}{3}}} - \frac{\log\left(b^{\frac{2}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}b^{\frac{1}{3}}}{x} + \frac{(bx^3+a)^{\frac{2}{3}}}{x^2}\right)}{b^{\frac{1}{3}}} + \frac{2 \log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} \right) a - \frac{1}{18} \left(\frac{2\sqrt{3}a \arctan\left(\frac{\sqrt{3}\left(b^{\frac{1}{3}} + \frac{2(bx^3+a)^{\frac{1}{3}}}{x}\right)}{3b^{\frac{1}{3}}}\right)}{b^{\frac{1}{3}}} - \frac{a \log\left(b^{\frac{2}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}b^{\frac{1}{3}}}{x} + \frac{(bx^3+a)^{\frac{2}{3}}}{x^2}\right)}{b^{\frac{1}{3}}} + \frac{2a \log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} - \frac{6(bx^3+a)^{\frac{2}{3}}a}{\left(b^2 - \frac{(bx^3+a)b}{x^3}\right)x^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(1/3),x, algorithm="maxima")

[Out]
$$-1/6*(2*\sqrt{3}*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3})) / b^{1/3} - \log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2) / b^{1/3} + 2*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x) / b^{1/3}) * a - 1/18*(2*\sqrt{3} * a * \arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3})) / b^{4/3} - a * \log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2) / b^{4/3} + 2*a * \log(-b^{1/3} + (b*x^3 + a)^{1/3}/x) / b^{4/3} - 6*(b*x^3 + a)^{2/3} * a / ((b^2 - (b*x^3 + a)*b/x^3)*x^2)) * b$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a - bx^3}{(bx^3 + a)^{1/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - b*x^3)/(a + b*x^3)^(1/3),x)

[Out] int((a - b*x^3)/(a + b*x^3)^(1/3), x)

sympy [C] time = 5.53, size = 76, normalized size = 0.84

$$\frac{a^{2/3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{4}{3}\right)} - \frac{bx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{4}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt[3]{a} \Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x**3+a)/(b*x**3+a)**(1/3),x)

[Out]
$$a^{2/3} * x * \gamma(1/3) * \text{hyper}((1/3, 1/3), (4/3,), b*x**3 * \exp_polar(I*pi)/a) / (3 * \gamma(4/3)) - b*x**4 * \gamma(4/3) * \text{hyper}((1/3, 4/3), (7/3,), b*x**3 * \exp_polar(I*pi)/a) / (3 * a^{1/3} * \gamma(7/3))$$

$$3.29 \quad \int \frac{a-bx^3}{(a+bx^3)^{4/3}} dx$$

Optimal. Leaf size=85

$$\frac{2x}{\sqrt[3]{a+bx^3}} + \frac{\log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{2\sqrt[3]{b}} - \frac{\tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}}+1}{\sqrt{3}}\right)}{\sqrt{3}\sqrt[3]{b}}$$

Rubi [A] time = 0.01, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {385, 239}

$$\frac{2x}{\sqrt[3]{a+bx^3}} + \frac{\log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{2\sqrt[3]{b}} - \frac{\tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}}+1}{\sqrt{3}}\right)}{\sqrt{3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^3)/(a + b*x^3)^(4/3), x]

[Out] (2*x)/(a + b*x^3)^(1/3) - ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*b^(1/3)) + Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)]/(2*b^(1/3))

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] := Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rubi steps

$$\int \frac{a - bx^3}{(a + bx^3)^{4/3}} dx = \frac{2x}{\sqrt[3]{a + bx^3}} - \int \frac{1}{\sqrt[3]{a + bx^3}} dx$$

$$= \frac{2x}{\sqrt[3]{a + bx^3}} - \frac{\tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}}}{\sqrt{3}}\right)}{\sqrt{3}\sqrt[3]{b}} + \frac{\log\left(-\sqrt[3]{b}x + \sqrt[3]{a + bx^3}\right)}{2\sqrt[3]{b}}$$

Mathematica [C] time = 0.04, size = 62, normalized size = 0.73

$$\frac{4ax - bx^4 \sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{4}{3}, \frac{4}{3}; \frac{7}{3}; -\frac{bx^3}{a}\right)}{4a\sqrt[3]{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^3)/(a + b*x^3)^(4/3), x]

[Out] (4*a*x - b*x^4*(1 + (b*x^3)/a)^(1/3)*Hypergeometric2F1[4/3, 4/3, 7/3, -(b*x^3)/a])/(4*a*(a + b*x^3)^(1/3))

IntegrateAlgebraic [A] time = 0.29, size = 142, normalized size = 1.67

$$-\frac{\log\left(\sqrt[3]{b}x\sqrt[3]{a + bx^3} + (a + bx^3)^{2/3} + b^{2/3}x^2\right)}{6\sqrt[3]{b}} + \frac{2x}{\sqrt[3]{a + bx^3}} + \frac{\log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{3\sqrt[3]{b}} - \frac{\tan^{-1}\left(\frac{\sqrt{3}\sqrt[3]{b}x}{2\sqrt[3]{a + bx^3} + \sqrt[3]{b}x}\right)}{\sqrt{3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a - b*x^3)/(a + b*x^3)^(4/3), x]

[Out] (2*x)/(a + b*x^3)^(1/3) - ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))]/(Sqrt[3]*b^(1/3)) + Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)]/(3*b^(1/3)) - Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)]/(6*b^(1/3))

fricas [B] time = 0.79, size = 372, normalized size = 4.38

$$\frac{3\sqrt[3]{b}\sqrt[3]{(b^2x^3 + ab)}\sqrt{\frac{1}{3}}\log\left(3bx^2 - 3(bx^2 + a)b^2x^2 - 3\sqrt[3]{(b^2x^2 + (bx^2 + a)^2bx^2 - 2(bx^2 + a)^2bx^2)}\sqrt{\frac{1}{3}} + 2a\right) + 12(bx^2 + a)^2bx + 2(bx^2 + a)b^2\log\left(\frac{b^2x^2 + (bx^2 + a)^2}{b^2x^2 + (bx^2 + a)^2}\right) - (bx^2 + a)b^2\log\left(\frac{b^2x^2 + (bx^2 + a)^2}{b^2x^2 + (bx^2 + a)^2}\right)}{6(b^2x^3 + ab)} - \frac{12(bx^2 + a)^2bx + 2(bx^2 + a)b^2\log\left(\frac{b^2x^2 + (bx^2 + a)^2}{b^2x^2 + (bx^2 + a)^2}\right) - (bx^2 + a)b^2\log\left(\frac{b^2x^2 + (bx^2 + a)^2}{b^2x^2 + (bx^2 + a)^2}\right)}{6(b^2x^3 + ab)} + \frac{4\sqrt[3]{(b^2x^3 + ab)}\sqrt{\frac{1}{3}}\log\left(\frac{\sqrt[3]{(b^2x^3 + ab)}}{b^2x^2 + (bx^2 + a)^2}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(4/3),x, algorithm="fricas")

[Out] [1/6*(3*sqrt(1/3)*(b^2*x^3 + a*b)*sqrt(-1/b^(2/3))*log(3*b*x^3 - 3*(b*x^3 + a)^(1/3)*b^(2/3)*x^2 - 3*sqrt(1/3)*(b^(4/3)*x^3 + (b*x^3 + a)^(1/3)*b*x^2 - 2*(b*x^3 + a)^(2/3)*b^(2/3)*x)*sqrt(-1/b^(2/3)) + 2*a) + 12*(b*x^3 + a)^(2/3)*b*x + 2*(b*x^3 + a)*b^(2/3)*log(-(b^(1/3)*x - (b*x^3 + a)^(1/3))/x) - (b*x^3 + a)*b^(2/3)*log((b^(2/3)*x^2 + (b*x^3 + a)^(1/3)*b^(1/3)*x + (b*x^3 + a)^(2/3))/x^2))/(b^2*x^3 + a*b), 1/6*(12*(b*x^3 + a)^(2/3)*b*x + 2*(b*x^3 + a)*b^(2/3)*log(-(b^(1/3)*x - (b*x^3 + a)^(1/3))/x) - (b*x^3 + a)*b^(2/3)*log((b^(2/3)*x^2 + (b*x^3 + a)^(1/3)*b^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) + 6*sqrt(1/3)*(b^2*x^3 + a*b)*arctan(sqrt(1/3)*(b^(1/3)*x + 2*(b*x^3 + a)^(1/3))/(b^(1/3)*x))/b^(1/3))/(b^2*x^3 + a*b)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{bx^3 - a}{(bx^3 + a)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(4/3),x, algorithm="giac")

[Out] integrate(-(b*x^3 - a)/(b*x^3 + a)^(4/3), x)

maple [F] time = 0.39, size = 0, normalized size = 0.00

$$\int \frac{-bx^3 + a}{(bx^3 + a)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^3+a)/(b*x^3+a)^(4/3),x)

[Out] int((-b*x^3+a)/(b*x^3+a)^(4/3),x)

maxima [A] time = 1.25, size = 130, normalized size = 1.53

$$\frac{1}{6}b \left(\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(\frac{1}{b^{\frac{1}{3}}} + \frac{2(bx^3+a)^{\frac{1}{3}}}{x}\right)}{3b^{\frac{1}{3}}}\right)}{b^{\frac{4}{3}}} + \frac{6x}{(bx^3 + a)^{\frac{1}{3}}b} - \frac{\log\left(b^{\frac{2}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}b^{\frac{1}{3}}}{x} + \frac{(bx^3+a)^{\frac{2}{3}}}{x^2}\right)}{b^{\frac{4}{3}}} + \frac{2 \log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{4}{3}}} \right) + \frac{x}{(bx^3 + a)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(4/3),x, algorithm="maxima")

[Out] 1/6*b*(2*sqrt(3)*arctan(1/3*sqrt(3)*(b^(1/3) + 2*(b*x^3 + a)^(1/3)/x)/b^(1/3)))/b^(4/3) + 6*x/((b*x^3 + a)^(1/3)*b) - log(b^(2/3) + (b*x^3 + a)^(1/3)*b^(1/3)/x + (b*x^3 + a)^(2/3)/x^2)/b^(4/3) + 2*log(-b^(1/3) + (b*x^3 + a)^(1/3)/x)/b^(4/3) + x/(b*x^3 + a)^(1/3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a - b x^3}{(b x^3 + a)^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - b*x^3)/(a + b*x^3)^(4/3),x)

[Out] int((a - b*x^3)/(a + b*x^3)^(4/3), x)

sympy [C] time = 16.14, size = 70, normalized size = 0.82

$$\frac{x\Gamma\left(\frac{1}{3}\right)}{3\sqrt[3]{a}\sqrt[3]{1+\frac{bx^3}{a}}\Gamma\left(\frac{4}{3}\right)} - \frac{bx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, \frac{4}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{4}{3}}\Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x**3+a)/(b*x**3+a)**(4/3),x)

[Out] x*gamma(1/3)/(3*a**(1/3)*(1 + b*x**3/a)**(1/3)*gamma(4/3)) - b*x**4*gamma(4/3)*hyper((4/3, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(4/3)*gamma(7/3))

$$3.30 \quad \int \frac{a-bx^3}{(a+bx^3)^{7/3}} dx$$

Optimal. Leaf size=47

$$\frac{3x}{4a\sqrt[3]{a+bx^3}} + \frac{x(a-bx^3)}{4a(a+bx^3)^{4/3}}$$

Rubi [A] time = 0.01, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {378, 191}

$$\frac{3x}{4a\sqrt[3]{a+bx^3}} + \frac{x(a-bx^3)}{4a(a+bx^3)^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^3)/(a + b*x^3)^(7/3), x]

[Out] (x*(a - b*x^3))/(4*a*(a + b*x^3)^(4/3)) + (3*x)/(4*a*(a + b*x^3)^(1/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 378

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*n*(p + 1)), x] - Dist[(c*q)/(a*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 1) + 1, 0] && GtQ[q, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{a-bx^3}{(a+bx^3)^{7/3}} dx &= \frac{x(a-bx^3)}{4a(a+bx^3)^{4/3}} + \frac{3}{4} \int \frac{1}{(a+bx^3)^{4/3}} dx \\ &= \frac{x(a-bx^3)}{4a(a+bx^3)^{4/3}} + \frac{3x}{4a\sqrt[3]{a+bx^3}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 28, normalized size = 0.60

$$\frac{x(2a + bx^3)}{2a(a + bx^3)^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^3)/(a + b*x^3)^(7/3), x]

[Out] (x*(2*a + b*x^3))/(2*a*(a + b*x^3)^(4/3))

IntegrateAlgebraic [A] time = 0.22, size = 28, normalized size = 0.60

$$\frac{x(2a + bx^3)}{2a(a + bx^3)^{4/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a - b*x^3)/(a + b*x^3)^(7/3), x]

[Out] (x*(2*a + b*x^3))/(2*a*(a + b*x^3)^(4/3))

fricas [A] time = 1.06, size = 44, normalized size = 0.94

$$\frac{(bx^4 + 2ax)(bx^3 + a)^{\frac{2}{3}}}{2(ab^2x^6 + 2a^2bx^3 + a^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(7/3), x, algorithm="fricas")

[Out] 1/2*(b*x^4 + 2*a*x)*(b*x^3 + a)^(2/3)/(a*b^2*x^6 + 2*a^2*b*x^3 + a^3)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{bx^3 - a}{(bx^3 + a)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(7/3), x, algorithm="giac")

[Out] integrate(-(b*x^3 - a)/(b*x^3 + a)^(7/3), x)

maple [A] time = 0.05, size = 25, normalized size = 0.53

$$\frac{(bx^3 + 2a)x}{2(bx^3 + a)^{\frac{4}{3}}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^3+a)/(b*x^3+a)^(7/3),x)

[Out] 1/2*x*(b*x^3+2*a)/(b*x^3+a)^(4/3)/a

maxima [A] time = 0.52, size = 50, normalized size = 1.06

$$-\frac{\left(b - \frac{4(bx^3+a)}{x^3}\right)x^4}{4(bx^3+a)^{\frac{4}{3}}a} - \frac{bx^4}{4(bx^3+a)^{\frac{4}{3}}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(7/3),x, algorithm="maxima")

[Out] -1/4*(b - 4*(b*x^3 + a)/x^3)*x^4/((b*x^3 + a)^(4/3)*a) - 1/4*b*x^4/((b*x^3 + a)^(4/3)*a)

mupad [B] time = 1.35, size = 27, normalized size = 0.57

$$\frac{x(bx^3 + a) + ax}{2a(bx^3 + a)^{\frac{4}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - b*x^3)/(a + b*x^3)^(7/3),x)

[Out] (x*(a + b*x^3) + a*x)/(2*a*(a + b*x^3)^(4/3))

sympy [B] time = 91.68, size = 190, normalized size = 4.04

$$a \left(\frac{4ax\Gamma\left(\frac{1}{3}\right)}{9a^{\frac{10}{3}}\sqrt[3]{1+\frac{bx^3}{a}}\Gamma\left(\frac{7}{3}\right) + 9a^{\frac{7}{3}}bx^3\sqrt[3]{1+\frac{bx^3}{a}}\Gamma\left(\frac{7}{3}\right)} + \frac{3bx^4\Gamma\left(\frac{1}{3}\right)}{9a^{\frac{10}{3}}\sqrt[3]{1+\frac{bx^3}{a}}\Gamma\left(\frac{7}{3}\right) + 9a^{\frac{7}{3}}bx^3\sqrt[3]{1+\frac{bx^3}{a}}\Gamma\left(\frac{7}{3}\right)} \right) - \frac{bx^4\Gamma\left(\frac{4}{3}\right)}{3a^{\frac{7}{3}}\sqrt[3]{1+\frac{bx^3}{a}}\Gamma\left(\frac{7}{3}\right) + 3a^{\frac{4}{3}}bx^3\sqrt[3]{1+\frac{bx^3}{a}}\Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x**3+a)/(b*x**3+a)**(7/3),x)

```
[Out] a*(4*a*x*gamma(1/3)/(9*a**(10/3)*(1 + b*x**3/a)**(1/3)*gamma(7/3) + 9*a**(7/3)*b*x**3*(1 + b*x**3/a)**(1/3)*gamma(7/3)) + 3*b*x**4*gamma(1/3)/(9*a**(10/3)*(1 + b*x**3/a)**(1/3)*gamma(7/3) + 9*a**(7/3)*b*x**3*(1 + b*x**3/a)**(1/3)*gamma(7/3)) - b*x**4*gamma(4/3)/(3*a**(7/3)*(1 + b*x**3/a)**(1/3)*gamma(7/3) + 3*a**(4/3)*b*x**3*(1 + b*x**3/a)**(1/3)*gamma(7/3))
```

$$3.31 \quad \int \frac{a-bx^3}{(a+bx^3)^{10/3}} dx$$

Optimal. Leaf size=55

$$\frac{15x}{28a^2\sqrt[3]{a+bx^3}} + \frac{5x}{28a(a+bx^3)^{4/3}} + \frac{2x}{7(a+bx^3)^{7/3}}$$

Rubi [A] time = 0.01, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {385, 192, 191}

$$\frac{15x}{28a^2\sqrt[3]{a+bx^3}} + \frac{5x}{28a(a+bx^3)^{4/3}} + \frac{2x}{7(a+bx^3)^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^3)/(a + b*x^3)^(10/3), x]

[Out] (2*x)/(7*(a + b*x^3)^(7/3)) + (5*x)/(28*a*(a + b*x^3)^(4/3)) + (15*x)/(28*a^2*(a + b*x^3)^(1/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rubi steps

$$\begin{aligned}
\int \frac{a - bx^3}{(a + bx^3)^{10/3}} dx &= \frac{2x}{7(a + bx^3)^{7/3}} + \frac{5}{7} \int \frac{1}{(a + bx^3)^{7/3}} dx \\
&= \frac{2x}{7(a + bx^3)^{7/3}} + \frac{5x}{28a(a + bx^3)^{4/3}} + \frac{15 \int \frac{1}{(a + bx^3)^{4/3}} dx}{28a} \\
&= \frac{2x}{7(a + bx^3)^{7/3}} + \frac{5x}{28a(a + bx^3)^{4/3}} + \frac{15x}{28a^2 \sqrt[3]{a + bx^3}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 40, normalized size = 0.73

$$\frac{x(28a^2 + 35abx^3 + 15b^2x^6)}{28a^2(a + bx^3)^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^3)/(a + b*x^3)^(10/3), x]

[Out] (x*(28*a^2 + 35*a*b*x^3 + 15*b^2*x^6))/(28*a^2*(a + b*x^3)^(7/3))

IntegrateAlgebraic [A] time = 0.29, size = 40, normalized size = 0.73

$$\frac{x(28a^2 + 35abx^3 + 15b^2x^6)}{28a^2(a + bx^3)^{7/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a - b*x^3)/(a + b*x^3)^(10/3), x]

[Out] (x*(28*a^2 + 35*a*b*x^3 + 15*b^2*x^6))/(28*a^2*(a + b*x^3)^(7/3))

fricas [A] time = 0.67, size = 69, normalized size = 1.25

$$\frac{(15b^2x^7 + 35abx^4 + 28a^2x)(bx^3 + a)^{\frac{2}{3}}}{28(a^2b^3x^9 + 3a^3b^2x^6 + 3a^4bx^3 + a^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(10/3), x, algorithm="fricas")

[Out] $\frac{1}{28} \cdot (15b^2x^7 + 35abx^4 + 28a^2x) \cdot (bx^3 + a)^{2/3} / (a^2b^3x^9 + 3a^3b^2x^6 + 3a^4bx^3 + a^5)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{bx^3 - a}{(bx^3 + a)^{\frac{10}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x^3+a)/(b*x^3+a)^(10/3),x, algorithm="giac")`

[Out] `integrate(-(b*x^3 - a)/(b*x^3 + a)^(10/3), x)`

maple [A] time = 0.04, size = 37, normalized size = 0.67

$$\frac{(15b^2x^6 + 35abx^3 + 28a^2)x}{28(bx^3 + a)^{\frac{7}{3}}a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-b*x^3+a)/(b*x^3+a)^(10/3),x)`

[Out] $\frac{1}{28} \cdot x \cdot (15b^2x^6 + 35abx^3 + 28a^2) / (bx^3 + a)^{7/3} / a^2$

maxima [A] time = 0.62, size = 85, normalized size = 1.55

$$\frac{\left(4b - \frac{7(bx^3+a)}{x^3}\right)bx^7}{28(bx^3 + a)^{\frac{7}{3}}a^2} + \frac{\left(2b^2 - \frac{7(bx^3+a)b}{x^3} + \frac{14(bx^3+a)^2}{x^6}\right)x^7}{14(bx^3 + a)^{\frac{7}{3}}a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x^3+a)/(b*x^3+a)^(10/3),x, algorithm="maxima")`

[Out] $\frac{1}{28} \cdot (4b - 7(bx^3 + a)/x^3) \cdot bx^7 / ((bx^3 + a)^{7/3} \cdot a^2) + \frac{1}{14} \cdot (2b^2 - 7(bx^3 + a) \cdot b/x^3 + 14(bx^3 + a)^2/x^6) \cdot x^7 / ((bx^3 + a)^{7/3} \cdot a^2)$

mupad [B] time = 1.42, size = 44, normalized size = 0.80

$$\frac{15x(bx^3 + a)^2 + 8a^2x + 5ax(bx^3 + a)}{28a^2(bx^3 + a)^{7/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a - b*x^3)/(a + b*x^3)^(10/3), x)
```

```
[Out] (15*x*(a + b*x^3)^2 + 8*a^2*x + 5*a*x*(a + b*x^3))/(28*a^2*(a + b*x^3)^(7/3))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-b*x**3+a)/(b*x**3+a)**(10/3), x)
```

```
[Out] Timed out
```

$$3.32 \quad \int \frac{a-bx^3}{(a+bx^3)^{13/3}} dx$$

Optimal. Leaf size=74

$$\frac{18x}{35a^3\sqrt[3]{a+bx^3}} + \frac{6x}{35a^2(a+bx^3)^{4/3}} + \frac{4x}{35a(a+bx^3)^{7/3}} + \frac{x}{5(a+bx^3)^{10/3}}$$

Rubi [A] time = 0.02, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {385, 192, 191}

$$\frac{18x}{35a^3\sqrt[3]{a+bx^3}} + \frac{6x}{35a^2(a+bx^3)^{4/3}} + \frac{4x}{35a(a+bx^3)^{7/3}} + \frac{x}{5(a+bx^3)^{10/3}}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^3)/(a + b*x^3)^(13/3), x]

[Out] x/(5*(a + b*x^3)^(10/3)) + (4*x)/(35*a*(a + b*x^3)^(7/3)) + (6*x)/(35*a^2*(a + b*x^3)^(4/3)) + (18*x)/(35*a^3*(a + b*x^3)^(1/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rubi steps

$$\begin{aligned}
\int \frac{a - bx^3}{(a + bx^3)^{13/3}} dx &= \frac{x}{5(a + bx^3)^{10/3}} + \frac{4}{5} \int \frac{1}{(a + bx^3)^{10/3}} dx \\
&= \frac{x}{5(a + bx^3)^{10/3}} + \frac{4x}{35a(a + bx^3)^{7/3}} + \frac{24 \int \frac{1}{(a + bx^3)^{7/3}} dx}{35a} \\
&= \frac{x}{5(a + bx^3)^{10/3}} + \frac{4x}{35a(a + bx^3)^{7/3}} + \frac{6x}{35a^2(a + bx^3)^{4/3}} + \frac{18 \int \frac{1}{(a + bx^3)^{4/3}} dx}{35a^2} \\
&= \frac{x}{5(a + bx^3)^{10/3}} + \frac{4x}{35a(a + bx^3)^{7/3}} + \frac{6x}{35a^2(a + bx^3)^{4/3}} + \frac{18x}{35a^3 \sqrt[3]{a + bx^3}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 51, normalized size = 0.69

$$\frac{x(35a^3 + 70a^2bx^3 + 60ab^2x^6 + 18b^3x^9)}{35a^3(a + bx^3)^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^3)/(a + b*x^3)^(13/3), x]

[Out] (x*(35*a^3 + 70*a^2*b*x^3 + 60*a*b^2*x^6 + 18*b^3*x^9))/(35*a^3*(a + b*x^3)^(10/3))

IntegrateAlgebraic [A] time = 0.43, size = 51, normalized size = 0.69

$$\frac{x(35a^3 + 70a^2bx^3 + 60ab^2x^6 + 18b^3x^9)}{35a^3(a + bx^3)^{10/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a - b*x^3)/(a + b*x^3)^(13/3), x]

[Out] (x*(35*a^3 + 70*a^2*b*x^3 + 60*a*b^2*x^6 + 18*b^3*x^9))/(35*a^3*(a + b*x^3)^(10/3))

fricas [A] time = 1.02, size = 91, normalized size = 1.23

$$\frac{(18b^3x^{10} + 60ab^2x^7 + 70a^2bx^4 + 35a^3x)(bx^3 + a)^{\frac{2}{3}}}{35(a^3b^4x^{12} + 4a^4b^3x^9 + 6a^5b^2x^6 + 4a^6bx^3 + a^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(13/3),x, algorithm="fricas")

[Out] 1/35*(18*b^3*x^10 + 60*a*b^2*x^7 + 70*a^2*b*x^4 + 35*a^3*x)*(b*x^3 + a)^(2/3)/(a^3*b^4*x^12 + 4*a^4*b^3*x^9 + 6*a^5*b^2*x^6 + 4*a^6*b*x^3 + a^7)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{bx^3 - a}{(bx^3 + a)^{\frac{13}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(13/3),x, algorithm="giac")

[Out] integrate(-(b*x^3 - a)/(b*x^3 + a)^(13/3), x)

maple [A] time = 0.05, size = 48, normalized size = 0.65

$$\frac{(18b^3x^9 + 60ab^2x^6 + 70a^2bx^3 + 35a^3)x}{35(bx^3 + a)^{\frac{10}{3}}a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^3+a)/(b*x^3+a)^(13/3),x)

[Out] 1/35*x*(18*b^3*x^9+60*a*b^2*x^6+70*a^2*b*x^3+35*a^3)/(b*x^3+a)^(10/3)/a^3

maxima [B] time = 0.58, size = 119, normalized size = 1.61

$$\frac{\left(14b^2 - \frac{40(bx^3+a)b}{x^3} + \frac{35(bx^3+a)^2}{x^6}\right)bx^{10}}{140(bx^3 + a)^{\frac{10}{3}}a^3} - \frac{\left(14b^3 - \frac{60(bx^3+a)b^2}{x^3} + \frac{105(bx^3+a)^2b}{x^6} - \frac{140(bx^3+a)^3}{x^9}\right)x^{10}}{140(bx^3 + a)^{\frac{10}{3}}a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(13/3),x, algorithm="maxima")

[Out] -1/140*(14*b^2 - 40*(b*x^3 + a)*b/x^3 + 35*(b*x^3 + a)^2/x^6)*b*x^10/((b*x^3 + a)^(10/3)*a^3) - 1/140*(14*b^3 - 60*(b*x^3 + a)*b^2/x^3 + 105*(b*x^3 + a)^2*b/x^6 - 140*(b*x^3 + a)^3/x^9)*x^10/((b*x^3 + a)^(10/3)*a^3)

mupad [B] time = 1.39, size = 58, normalized size = 0.78

$$\frac{x}{5(bx^3 + a)^{10/3}} + \frac{18x}{35a^3(bx^3 + a)^{1/3}} + \frac{6x}{35a^2(bx^3 + a)^{4/3}} + \frac{4x}{35a(bx^3 + a)^{7/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - b*x^3)/(a + b*x^3)^(13/3), x)

[Out] x/(5*(a + b*x^3)^(10/3)) + (18*x)/(35*a^3*(a + b*x^3)^(1/3)) + (6*x)/(35*a^2*(a + b*x^3)^(4/3)) + (4*x)/(35*a*(a + b*x^3)^(7/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x**3+a)/(b*x**3+a)**(13/3), x)

[Out] Timed out

$$3.33 \quad \int \frac{a-bx^3}{(a+bx^3)^{16/3}} dx$$

Optimal. Leaf size=93

$$\frac{891x}{1820a^4\sqrt[3]{a+bx^3}} + \frac{297x}{1820a^3(a+bx^3)^{4/3}} + \frac{99x}{910a^2(a+bx^3)^{7/3}} + \frac{11x}{130a(a+bx^3)^{10/3}} + \frac{2x}{13(a+bx^3)^{13/3}}$$

Rubi [A] time = 0.03, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {385, 192, 191}

$$\frac{891x}{1820a^4\sqrt[3]{a+bx^3}} + \frac{297x}{1820a^3(a+bx^3)^{4/3}} + \frac{99x}{910a^2(a+bx^3)^{7/3}} + \frac{11x}{130a(a+bx^3)^{10/3}} + \frac{2x}{13(a+bx^3)^{13/3}}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^3)/(a + b*x^3)^(16/3), x]

[Out] (2*x)/(13*(a + b*x^3)^(13/3)) + (11*x)/(130*a*(a + b*x^3)^(10/3)) + (99*x)/(910*a^2*(a + b*x^3)^(7/3)) + (297*x)/(1820*a^3*(a + b*x^3)^(4/3)) + (891*x)/(1820*a^4*(a + b*x^3)^(1/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rubi steps

$$\begin{aligned}
\int \frac{a - bx^3}{(a + bx^3)^{16/3}} dx &= \frac{2x}{13(a + bx^3)^{13/3}} + \frac{11}{13} \int \frac{1}{(a + bx^3)^{13/3}} dx \\
&= \frac{2x}{13(a + bx^3)^{13/3}} + \frac{11x}{130a(a + bx^3)^{10/3}} + \frac{99 \int \frac{1}{(a + bx^3)^{10/3}} dx}{130a} \\
&= \frac{2x}{13(a + bx^3)^{13/3}} + \frac{11x}{130a(a + bx^3)^{10/3}} + \frac{99x}{910a^2(a + bx^3)^{7/3}} + \frac{297 \int \frac{1}{(a + bx^3)^{7/3}} dx}{455a^2} \\
&= \frac{2x}{13(a + bx^3)^{13/3}} + \frac{11x}{130a(a + bx^3)^{10/3}} + \frac{99x}{910a^2(a + bx^3)^{7/3}} + \frac{297x}{1820a^3(a + bx^3)^{4/3}} + \frac{891 \int \frac{1}{(a + bx^3)^{4/3}} dx}{1820a^3} \\
&= \frac{2x}{13(a + bx^3)^{13/3}} + \frac{11x}{130a(a + bx^3)^{10/3}} + \frac{99x}{910a^2(a + bx^3)^{7/3}} + \frac{297x}{1820a^3(a + bx^3)^{4/3}} + \frac{891x}{1820a^3(a + bx^3)^{4/3}} + \frac{891 \int \frac{1}{(a + bx^3)^{4/3}} dx}{1820a^3}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 62, normalized size = 0.67

$$\frac{x(1820a^4 + 5005a^3bx^3 + 6435a^2b^2x^6 + 3861ab^3x^9 + 891b^4x^{12})}{1820a^4(a + bx^3)^{13/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^3)/(a + b*x^3)^(16/3), x]

[Out] (x*(1820*a^4 + 5005*a^3*b*x^3 + 6435*a^2*b^2*x^6 + 3861*a*b^3*x^9 + 891*b^4*x^12))/(1820*a^4*(a + b*x^3)^(13/3))

IntegrateAlgebraic [A] time = 0.63, size = 62, normalized size = 0.67

$$\frac{x(1820a^4 + 5005a^3bx^3 + 6435a^2b^2x^6 + 3861ab^3x^9 + 891b^4x^{12})}{1820a^4(a + bx^3)^{13/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a - b*x^3)/(a + b*x^3)^(16/3), x]

[Out] (x*(1820*a^4 + 5005*a^3*b*x^3 + 6435*a^2*b^2*x^6 + 3861*a*b^3*x^9 + 891*b^4*x^12))/(1820*a^4*(a + b*x^3)^(13/3))

fricas [A] time = 0.97, size = 113, normalized size = 1.22

$$\frac{(891 b^4 x^{13} + 3861 a b^3 x^{10} + 6435 a^2 b^2 x^7 + 5005 a^3 b x^4 + 1820 a^4 x)(b x^3 + a)^{\frac{2}{3}}}{1820 (a^4 b^5 x^{15} + 5 a^5 b^4 x^{12} + 10 a^6 b^3 x^9 + 10 a^7 b^2 x^6 + 5 a^8 b x^3 + a^9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(16/3),x, algorithm="fricas")

[Out] 1/1820*(891*b^4*x^13 + 3861*a*b^3*x^10 + 6435*a^2*b^2*x^7 + 5005*a^3*b*x^4 + 1820*a^4*x)*(b*x^3 + a)^(2/3)/(a^4*b^5*x^15 + 5*a^5*b^4*x^12 + 10*a^6*b^3*x^9 + 10*a^7*b^2*x^6 + 5*a^8*b*x^3 + a^9)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{bx^3 - a}{(bx^3 + a)^{\frac{16}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(16/3),x, algorithm="giac")

[Out] integrate(-(b*x^3 - a)/(b*x^3 + a)^(16/3), x)

maple [A] time = 0.05, size = 59, normalized size = 0.63

$$\frac{(891 b^4 x^{12} + 3861 b^3 x^9 a + 6435 b^2 x^6 a^2 + 5005 b x^3 a^3 + 1820 a^4) x}{1820 (b x^3 + a)^{\frac{13}{3}} a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^3+a)/(b*x^3+a)^(16/3),x)

[Out] 1/1820*x*(891*b^4*x^12+3861*a*b^3*x^9+6435*a^2*b^2*x^6+5005*a^3*b*x^3+1820*a^4)/(b*x^3+a)^(13/3)/a^4

maxima [B] time = 0.54, size = 153, normalized size = 1.65

$$\frac{\left(140 b^3 - \frac{546 (b x^3 + a) b^2}{x^3} + \frac{780 (b x^3 + a)^2 b}{x^6} - \frac{455 (b x^3 + a)^3}{x^9}\right) b x^{13}}{1820 (b x^3 + a)^{\frac{13}{3}} a^4} + \frac{\left(35 b^4 - \frac{182 (b x^3 + a) b^3}{x^3} + \frac{390 (b x^3 + a)^2 b^2}{x^6} - \frac{455 (b x^3 + a)^3 b}{x^9} + \frac{455 (b x^3 + a)^4}{x^{12}}\right) x^{13}}{455 (b x^3 + a)^{\frac{13}{3}} a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)/(b*x^3+a)^(16/3),x, algorithm="maxima")

[Out] $\frac{1}{1820}(140b^3 - 546(bx^3 + a)b^2/x^3 + 780(bx^3 + a)^2b/x^6 - 455(bx^3 + a)^3/x^9)bx^{13}/((bx^3 + a)^{(13/3)}a^4) + \frac{1}{455}(35b^4 - 182(bx^3 + a)b^3/x^3 + 390(bx^3 + a)^2b^2/x^6 - 455(bx^3 + a)^3b/x^9 + 455(bx^3 + a)^4/x^{12})x^{13}/((bx^3 + a)^{(13/3)}a^4)$

mupad [B] time = 1.37, size = 73, normalized size = 0.78

$$\frac{2x}{13(bx^3 + a)^{13/3}} + \frac{891x}{1820a^4(bx^3 + a)^{1/3}} + \frac{297x}{1820a^3(bx^3 + a)^{4/3}} + \frac{99x}{910a^2(bx^3 + a)^{7/3}} + \frac{11x}{130a(bx^3 + a)^{10/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - b*x^3)/(a + b*x^3)^(16/3),x)

[Out] $\frac{2x}{13(a + bx^3)^{(13/3)}} + \frac{891x}{1820a^4(a + bx^3)^{(1/3)}} + \frac{297x}{1820a^3(a + bx^3)^{(4/3)}} + \frac{99x}{910a^2(a + bx^3)^{(7/3)}} + \frac{11x}{130a(a + bx^3)^{(10/3)}}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x**3+a)/(b*x**3+a)**(16/3),x)

[Out] Timed out

$$3.34 \quad \int \frac{\sqrt[3]{a+bx^3}}{a-bx^3} dx$$

Optimal. Leaf size=398

$$\frac{\log\left(2^{2/3} - \frac{\sqrt[3]{a} + \sqrt[3]{bx^3}}{\sqrt[3]{a+bx^3}}\right)}{3 \cdot 2^{2/3} \sqrt[3]{a} \sqrt[3]{b}} + \frac{\log\left(\frac{2^{2/3}(\sqrt[3]{a} + \sqrt[3]{bx^3})^2}{(a+bx^3)^{2/3}} - \frac{\sqrt[3]{2}(\sqrt[3]{a} + \sqrt[3]{bx^3})}{\sqrt[3]{a+bx^3}} + 1\right)}{3 \cdot 2^{2/3} \sqrt[3]{a} \sqrt[3]{b}} - \frac{\sqrt[3]{2} \log\left(\frac{\sqrt[3]{2}(\sqrt[3]{a} + \sqrt[3]{bx^3})}{\sqrt[3]{a+bx^3}} + 1\right)}{3 \sqrt[3]{a} \sqrt[3]{b}} + \frac{\log\left(\frac{(\sqrt[3]{a} + \sqrt[3]{bx^3})^2}{(a+bx^3)^{2/3}} + 1\right)}{6 \cdot 2^{2/3} \sqrt[3]{a} \sqrt[3]{b}}$$

Rubi [C] time = 0.03, antiderivative size = 58, normalized size of antiderivative = 0.15, number of steps used = 2, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {430, 429}

$$\frac{x \sqrt[3]{a+bx^3} F_1\left(\frac{1}{3}; 1, -\frac{1}{3}; \frac{4}{3}; \frac{bx^3}{a}, -\frac{bx^3}{a}\right)}{a \sqrt[3]{\frac{bx^3}{a} + 1}}$$

Warning: Unable to verify antiderivative.

[In] Int[(a + b*x^3)^(1/3)/(a - b*x^3), x]

[Out] (x*(a + b*x^3)^(1/3)*AppellF1[1/3, 1, -1/3, 4/3, (b*x^3)/a, -((b*x^3)/a)])/(a*(1 + (b*x^3)/a)^(1/3))

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rubi steps

$$\int \frac{\sqrt[3]{a+bx^3}}{a-bx^3} dx = \frac{\sqrt[3]{a+bx^3} \int \frac{\sqrt[3]{1+\frac{bx^3}{a}}}{a-bx^3} dx}{\sqrt[3]{1+\frac{bx^3}{a}}} = \frac{x\sqrt[3]{a+bx^3} F_1\left(\frac{1}{3}; 1, -\frac{1}{3}; \frac{4}{3}; \frac{bx^3}{a}, -\frac{bx^3}{a}\right)}{a\sqrt[3]{1+\frac{bx^3}{a}}}$$

Mathematica [C] time = 0.13, size = 151, normalized size = 0.38

$$\frac{4ax\sqrt[3]{a+bx^3} F_1\left(\frac{1}{3}; -\frac{1}{3}, 1; \frac{4}{3}; -\frac{bx^3}{a}, \frac{bx^3}{a}\right)}{(a-bx^3)\left(bx^3\left(3F_1\left(\frac{4}{3}; -\frac{1}{3}, 2; \frac{7}{3}; -\frac{bx^3}{a}, \frac{bx^3}{a}\right) + F_1\left(\frac{4}{3}; \frac{2}{3}, 1; \frac{7}{3}; -\frac{bx^3}{a}, \frac{bx^3}{a}\right)\right) + 4aF_1\left(\frac{1}{3}; -\frac{1}{3}, 1; \frac{4}{3}; -\frac{bx^3}{a}, \frac{bx^3}{a}\right)}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^3)^(1/3)/(a - b*x^3), x]

[Out] (4*a*x*(a + b*x^3)^(1/3)*AppellF1[1/3, -1/3, 1, 4/3, -((b*x^3)/a), (b*x^3)/a])/((a - b*x^3)*(4*a*AppellF1[1/3, -1/3, 1, 4/3, -((b*x^3)/a), (b*x^3)/a] + b*x^3*(3*AppellF1[4/3, -1/3, 2, 7/3, -((b*x^3)/a), (b*x^3)/a] + AppellF1[4/3, 2/3, 1, 7/3, -((b*x^3)/a), (b*x^3)/a])))

IntegrateAlgebraic [A] time = 3.12, size = 515, normalized size = 1.29

$$\frac{\log\left(\frac{2^{2/3}a^{2/3} - \sqrt{2}\sqrt{a}\sqrt{a+bx^3} + (a+bx^3)^{2/3} - \sqrt{2}\sqrt{a}\sqrt{a+bx^3} + 2^{2/3}\sqrt{2}\sqrt{a}\sqrt{a+bx^3}}{3 \cdot 2^{2/3}\sqrt{2}\sqrt{a}}\right)}{3 \cdot 2^{2/3}\sqrt{2}\sqrt{a}} + \frac{\log\left(\frac{2^{2/3}a^{2/3} + 2\sqrt{2}\sqrt{a}\sqrt{a+bx^3} + 4(a+bx^3)^{2/3} + 2\sqrt{2}\sqrt{a}\sqrt{a+bx^3} + 2 \cdot 2^{2/3}\sqrt{2}\sqrt{a}\sqrt{a+bx^3}}{6 \cdot 2^{2/3}\sqrt{2}\sqrt{a}}\right)}{6 \cdot 2^{2/3}\sqrt{2}\sqrt{a}} + \frac{\sqrt{2}\log\left(\frac{\sqrt{a+bx^3} + \sqrt{2}\sqrt{a}}{3\sqrt{2}\sqrt{a}}\right)}{3\sqrt{2}\sqrt{a}} + \frac{\log\left(\frac{2\sqrt{a+bx^3} - \sqrt{2}\sqrt{a} - \sqrt{2}\sqrt{a}}{3 \cdot 2^{2/3}\sqrt{2}\sqrt{a}}\right)}{3 \cdot 2^{2/3}\sqrt{2}\sqrt{a}} + \frac{\sqrt{2}\tan^{-1}\left(\frac{\sqrt{2}\sqrt{a+bx^3}}{\sqrt{2a+2\sqrt{2}\sqrt{a}\sqrt{a+bx^3}}}\right)}{\sqrt{2}\sqrt{2}\sqrt{a}} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{a+bx^3}}{\sqrt{2a+2\sqrt{2}\sqrt{a}\sqrt{a+bx^3}}}\right)}{2^{2/3}\sqrt{2}\sqrt{a}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^3)^(1/3)/(a - b*x^3), x]

[Out] (2^(1/3)*ArcTan[(Sqrt[3]*(a + b*x^3)^(1/3))/(-2*2^(1/3)*a^(1/3) - 2*2^(1/3)*b^(1/3)*x + (a + b*x^3)^(1/3))]/(Sqrt[3]*a^(1/3)*b^(1/3)) + ArcTan[(Sqrt[3]*(a + b*x^3)^(1/3))/(2^(1/3)*a^(1/3) + 2^(1/3)*b^(1/3)*x + (a + b*x^3)^(1/3))]/(2^(2/3)*Sqrt[3]*a^(1/3)*b^(1/3)) - (2^(1/3)*Log[2^(1/3)*a^(1/3) + 2^(1/3)*b^(1/3)*x + (a + b*x^3)^(1/3)]/(3*a^(1/3)*b^(1/3)) - Log[-(2^(1/3)*a^(1/3) - 2^(1/3)*b^(1/3)*x + 2*(a + b*x^3)^(1/3))/(3*2^(2/3)*a^(1/3)*b^(1/3)) + Log[2^(2/3)*a^(2/3) + 2*2^(2/3)*a^(1/3)*b^(1/3)*x + 2^(2/3)*b^(2/3)*x^2 - 2^(1/3)*a^(1/3)*(a + b*x^3)^(1/3) - 2^(1/3)*b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)]/(3*2^(2/3)*a^(1/3)*b^(1/3)) + Log[2^(2/3)*a^(2/3) + 2*2^(2/3)*a^(1/3)*b^(1/3)*x + 2^(2/3)*b^(2/3)*x^2 + 2*2^(1/3)*a^(1/3)*(a +

$$\frac{b^2 x^3 \sqrt[3]{b^2 x^3 + a} + 2 \sqrt[3]{2} b \sqrt[3]{b^2 x^3 + a} x \sqrt[3]{a + b^2 x^3} + 4 (a + b^2 x^3)^{2/3}}{(6 \sqrt[3]{2} a^{1/3} b^2)^{2/3}}$$

fricas [B] time = 54.97, size = 644, normalized size = 1.62

$$\frac{1}{18} \sqrt[3]{3} \sqrt[3]{2} \arctan\left(\frac{\sqrt[3]{3} \sqrt[3]{2} (b^2 x^3 + a)^{1/3}}{(a b^2)^{1/3}}\right) + \frac{2 \sqrt[3]{2} (b^2 x^3 + a)^{1/3} \sqrt[3]{a + b^2 x^3} + 4 (a + b^2 x^3)^{2/3}}{(6 \sqrt[3]{2} a^{1/3} b^2)^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(1/3)/(-b*x^3+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/18 \sqrt[3]{3} \sqrt[3]{2} \arctan\left(\frac{\sqrt[3]{3} \sqrt[3]{2} (b^2 x^3 + a)^{1/3}}{(a b^2)^{1/3}}\right) + \frac{2 \sqrt[3]{2} (b^2 x^3 + a)^{1/3} \sqrt[3]{a + b^2 x^3} + 4 (a + b^2 x^3)^{2/3}}{(6 \sqrt[3]{2} a^{1/3} b^2)^{2/3}} \\ & + \frac{24 \sqrt[3]{2} (a b^5 x^{14} + 2 a^2 b^4 x^{11} - 6 a^3 b^3 x^8 + 2 a^4 b^2 x^5 + a^5 b x^2) (b^2 x^3 + a)^{2/3} (-1/(a b^2))^{1/3} - \sqrt[3]{3} (b^6 x^{18} - 42 a b^5 x^{15} - 417 a^2 b^4 x^{12} - 812 a^3 b^3 x^9 - 417 a^4 b^2 x^6 - 42 a^5 b x^3 + a^6))}{(b^6 x^{18} + 102 a b^5 x^{15} + 447 a^2 b^4 x^{12} + 628 a^3 b^3 x^9 + 447 a^4 b^2 x^6 + 102 a^5 b x^3 + a^6)} \\ & - \frac{1}{36} \sqrt[3]{2} \sqrt[3]{3} (-1/(a b^2))^{1/3} \log\left(\frac{(12 \sqrt[3]{2} (a b^3 x^8 + 4 a^2 b^2 x^5 + a^3 b x^2) (b^2 x^3 + a)^{2/3} (-1/(a b^2))^{2/3} - 2^{1/3} (b^4 x^{12} + 32 a b^3 x^9 + 78 a^2 b^2 x^6 + 32 a^3 b x^3 + a^4) (-1/(a b^2))^{1/3} + 6 (b^3 x^{10} + 11 a b^2 x^7 + 11 a^2 b x^4 + a^3 x) (b^2 x^3 + a)^{1/3})}{(b^4 x^{12} - 4 a b^3 x^9 + 6 a^2 b^2 x^6 - 4 a^3 b x^3 + a^4)}\right) + \frac{1}{18} \sqrt[3]{2} \sqrt[3]{3} (-1/(a b^2))^{1/3} \log\left(\frac{-12 (b^2 x^3 + a)^{2/3} x^2 + 2^{2/3} (b^2 x^6 - 2 a b x^3 + a^2) (-1/(a b^2))^{2/3} + 6 \sqrt[3]{2} (b^2 x^4 + a x) (b^2 x^3 + a)^{1/3} (-1/(a b^2))^{1/3}}{(b^2 x^6 - 2 a b x^3 + a^2)}\right) \end{aligned}$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{(bx^3 + a)^{\frac{1}{3}}}{bx^3 - a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(1/3)/(-b*x^3+a),x, algorithm="giac")

[Out] integrate(-(b*x^3 + a)^(1/3)/(b*x^3 - a), x)

maple [F] time = 0.70, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{1}{3}}}{-bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(1/3)/(-b*x^3+a),x)

[Out] `int((b*x^3+a)^(1/3)/(-b*x^3+a),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{(bx^3 + a)^{\frac{1}{3}}}{bx^3 - a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^(1/3)/(-b*x^3+a),x, algorithm="maxima")`

[Out] `-integrate((b*x^3 + a)^(1/3)/(b*x^3 - a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{1/3}}{a - bx^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)^(1/3)/(a - b*x^3),x)`

[Out] `int((a + b*x^3)^(1/3)/(a - b*x^3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{\sqrt[3]{a + bx^3}}{-a + bx^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**(1/3)/(-b*x**3+a),x)`

[Out] `-Integral((a + b*x**3)**(1/3)/(-a + b*x**3), x)`

$$3.35 \quad \int (a - bx^3)^2 (a + bx^3)^{2/3} dx$$

Optimal. Leaf size=139

$$-\frac{38a^3 \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{81\sqrt[3]{b}} + \frac{76a^3 \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1}{\sqrt{3}}\right)}{81\sqrt{3}\sqrt[3]{b}} + \frac{38}{81}a^2x(a+bx^3)^{2/3} - \frac{8}{27}ax(a+bx^3)^{5/3} - \frac{1}{9}x(a-bx^3)(a+bx^3)^{5/3}$$

Rubi [A] time = 0.06, antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {416, 388, 195, 239}

$$\frac{38}{81}a^2x(a+bx^3)^{2/3} - \frac{38a^3 \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{81\sqrt[3]{b}} + \frac{76a^3 \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1}{\sqrt{3}}\right)}{81\sqrt{3}\sqrt[3]{b}} - \frac{8}{27}ax(a+bx^3)^{5/3} - \frac{1}{9}x(a-bx^3)(a+bx^3)^{5/3}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^3)^2*(a + b*x^3)^(2/3), x]

[Out] (38*a^2*x*(a + b*x^3)^(2/3))/81 - (8*a*x*(a + b*x^3)^(5/3))/27 - (x*(a - b*x^3)*(a + b*x^3)^(5/3))/9 + (76*a^3*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]])/(81*Sqrt[3]*b^(1/3)) - (38*a^3*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(81*b^(1/3))

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] := Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1)))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^(p + 1), x], x]

$(p + 1) + 1) / (b * (n * (p + 1) + 1))$, Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 416

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
 :> Simp[(d*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(b*(n*(p + q) + 1)),
 x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp
 [c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q -
 1) + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d,
 0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a,
 b, c, d, n, p, q, x]

Rubi steps

$$\begin{aligned} \int (a - bx^3)^2 (a + bx^3)^{2/3} dx &= -\frac{1}{9}x(a - bx^3)(a + bx^3)^{5/3} + \frac{\int (a + bx^3)^{2/3} (10a^2b - 16ab^2x^3) dx}{9b} \\ &= -\frac{8}{27}ax(a + bx^3)^{5/3} - \frac{1}{9}x(a - bx^3)(a + bx^3)^{5/3} + \frac{1}{27}(38a^2) \int (a + bx^3)^{2/3} dx \\ &= \frac{38}{81}a^2x(a + bx^3)^{2/3} - \frac{8}{27}ax(a + bx^3)^{5/3} - \frac{1}{9}x(a - bx^3)(a + bx^3)^{5/3} + \frac{1}{81}(76a^3) \\ &= \frac{38}{81}a^2x(a + bx^3)^{2/3} - \frac{8}{27}ax(a + bx^3)^{5/3} - \frac{1}{9}x(a - bx^3)(a + bx^3)^{5/3} + \frac{76a^3 \tan^{-1}\left(\frac{\sqrt[3]{bx^3+1}}{\sqrt[3]{a+bx^3}}\right)}{81\sqrt[3]{b}} \end{aligned}$$

Mathematica [A] time = 0.14, size = 151, normalized size = 1.09

$$\frac{1}{243} \left(\frac{38a^3 \left(\log\left(\frac{b^{2/3}x^2}{(a+bx^3)^{2/3}} + \frac{\sqrt[3]{bx^3}}{\sqrt[3]{a+bx^3}} + 1 \right) - 2 \log\left(1 - \frac{\sqrt[3]{bx^3}}{\sqrt[3]{a+bx^3}} \right) + 2\sqrt{3} \tan^{-1}\left(\frac{\frac{2\sqrt[3]{bx^3}}{\sqrt[3]{a+bx^3}} + 1}{\sqrt{3}} \right) \right)}{\sqrt[3]{b}} + 3(a + bx^3)^{2/3} (5a^2x - 24abx^4 + 9b^2x^7) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^3)^2*(a + b*x^3)^(2/3), x]

[Out] (3*(a + b*x^3)^(2/3)*(5*a^2*x - 24*a*b*x^4 + 9*b^2*x^7) + (38*a^3*(2*sqrt[3]*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/sqrt[3]] - 2*Log[1 - (b^(1/3)

) $x)/(a + b*x^3)^{(1/3)}] + \text{Log}[1 + (b^{(2/3)}*x^2)/(a + b*x^3)^{(2/3)} + (b^{(1/3)}*x)/(a + b*x^3)^{(1/3)}])/b^{(1/3)}/243$

IntegrateAlgebraic [A] time = 0.57, size = 176, normalized size = 1.27

$$\frac{38a^3 \log\left(\sqrt[3]{b}x\sqrt[3]{a+bx^3} + (a+bx^3)^{2/3} + b^{2/3}x^2\right)}{243\sqrt[3]{b}} - \frac{76a^3 \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{243\sqrt[3]{b}} + \frac{76a^3 \tan^{-1}\left(\frac{\sqrt{3}\sqrt[3]{b}x}{2\sqrt[3]{a+bx^3} + \sqrt[3]{b}x}\right)}{81\sqrt{3}\sqrt[3]{b}} + \frac{1}{81}(a+bx^3)^{2/3}(5a^2x - 24abx^4 + 9b^2x^7)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a - b*x^3)^2*(a + b*x^3)^(2/3), x]

[Out] ((a + b*x^3)^(2/3)*(5*a^2*x - 24*a*b*x^4 + 9*b^2*x^7))/81 + (76*a^3*ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))]/(81*Sqrt[3]*b^(1/3)) - (76*a^3*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(243*b^(1/3)) + (38*a^3*Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)])/(243*b^(1/3)))

fricas [A] time = 1.25, size = 421, normalized size = 3.03

$$\frac{114\sqrt{3}a^3\sqrt[3]{b}\log\left(3b^2x^3 - 3(b^2x^3 + a)^{1/3}\right) - 3\sqrt[3]{(-b)^2x^2 - 3(b^2x^3 + a)^{1/3}}\log\left(3b^2x^3 - 3(b^2x^3 + a)^{1/3}\right) + 2(b^2x^3 + a)^{1/3}\log\left(\frac{\sqrt[3]{(-b)^2x^2 - 3(b^2x^3 + a)^{1/3}}}{x}\right) - 76a^3\log\left(\frac{\sqrt[3]{a+bx^3} - \sqrt[3]{b}x}{2\sqrt[3]{a+bx^3} + \sqrt[3]{b}x}\right) + 38a^3\log\left(\frac{\sqrt[3]{a+bx^3} - \sqrt[3]{b}x}{2\sqrt[3]{a+bx^3} + \sqrt[3]{b}x}\right) - 114\sqrt{3}a^3\log\left(\frac{\sqrt[3]{(-b)^2x^2 - 3(b^2x^3 + a)^{1/3}}}{x}\right) + 76a^3\log\left(\frac{\sqrt[3]{a+bx^3} - \sqrt[3]{b}x}{2\sqrt[3]{a+bx^3} + \sqrt[3]{b}x}\right) - 38a^3\log\left(\frac{\sqrt[3]{a+bx^3} - \sqrt[3]{b}x}{2\sqrt[3]{a+bx^3} + \sqrt[3]{b}x}\right) - 3(9b^3x^7 - 24a^2bx^4 + 5a^2b^2x^2) \sqrt[3]{a+bx^3}}{243}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)^2*(b*x^3+a)^(2/3), x, algorithm="fricas")

[Out] [1/243*(114*sqrt(1/3)*a^3*b*sqrt((-b)^(1/3)/b)*log(3*b*x^3 - 3*(b*x^3 + a)^(1/3)*(-b)^(2/3)*x^2 - 3*sqrt(1/3)*((-b)^(1/3)*b*x^3 - (b*x^3 + a)^(1/3)*b*x^2 + 2*(b*x^3 + a)^(2/3)*(-b)^(2/3)*x)*sqrt((-b)^(1/3)/b) + 2*a) - 76*a^3*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) + 38*a^3*(-b)^(2/3)*log(((b)^(1/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) + 3*(9*b^3*x^7 - 24*a*b^2*x^4 + 5*a^2*b*x)*(b*x^3 + a)^(2/3)/b, -1/243*(228*sqrt(1/3)*a^3*b*sqrt((-b)^(1/3)/b)*arctan(-sqrt(1/3)*((-b)^(1/3)*x - 2*(b*x^3 + a)^(1/3))*sqrt((-b)^(1/3)/b)/x) + 76*a^3*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) - 38*a^3*(-b)^(2/3)*log(((b)^(1/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) - 3*(9*b^3*x^7 - 24*a*b^2*x^4 + 5*a^2*b*x)*(b*x^3 + a)^(2/3)/b]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^3 + a)^{\frac{2}{3}}(bx^3 - a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)^2*(b*x^3+a)^(2/3), x, algorithm="giac")

[Out] integrate((b*x^3 + a)^(2/3)*(b*x^3 - a)^2, x)

maple [F] time = 0.38, size = 0, normalized size = 0.00

$$\int (-bx^3 + a)^2 (bx^3 + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^3+a)^2*(b*x^3+a)^(2/3),x)

[Out] int((-b*x^3+a)^2*(b*x^3+a)^(2/3),x)

maxima [B] time = 1.53, size = 552, normalized size = 3.97

$$\left(\frac{2\sqrt{3}a\arctan\left(\frac{a^{\frac{1}{3}} + \sqrt{3}bx^{\frac{1}{3}}}{3a^{\frac{2}{3}}}\right)}{3a^{\frac{2}{3}}x} + \frac{a\log\left(\frac{a^{\frac{1}{3}} + \sqrt{3}bx^{\frac{1}{3}}}{3a^{\frac{2}{3}}}\right)}{3a^{\frac{2}{3}}x} + \frac{2a\log\left(\frac{a^{\frac{1}{3}} + \sqrt{3}bx^{\frac{1}{3}}}{3a^{\frac{2}{3}}}\right)}{3a^{\frac{2}{3}}x} + \frac{3(a^{\frac{1}{3}} + \sqrt{3}bx^{\frac{1}{3}})}{(3a^{\frac{2}{3}}x)^2} \right) \frac{1}{3} - \left(\frac{2\sqrt{3}a^{\frac{2}{3}}\arctan\left(\frac{a^{\frac{1}{3}} + \sqrt{3}bx^{\frac{1}{3}}}{3a^{\frac{2}{3}}}\right)}{3a^{\frac{2}{3}}x} + \frac{a^{\frac{2}{3}}\log\left(\frac{a^{\frac{1}{3}} + \sqrt{3}bx^{\frac{1}{3}}}{3a^{\frac{2}{3}}}\right)}{3a^{\frac{2}{3}}x} + \frac{2a^{\frac{2}{3}}\log\left(\frac{a^{\frac{1}{3}} + \sqrt{3}bx^{\frac{1}{3}}}{3a^{\frac{2}{3}}}\right)}{3a^{\frac{2}{3}}x} + \frac{3(a^{\frac{1}{3}} + \sqrt{3}bx^{\frac{1}{3}})}{(3a^{\frac{2}{3}}x)^2} \right) \frac{1}{3} - \left(\frac{4\sqrt{3}a^{\frac{2}{3}}\arctan\left(\frac{a^{\frac{1}{3}} + \sqrt{3}bx^{\frac{1}{3}}}{3a^{\frac{2}{3}}}\right)}{3a^{\frac{2}{3}}x} + \frac{2a^{\frac{2}{3}}\log\left(\frac{a^{\frac{1}{3}} + \sqrt{3}bx^{\frac{1}{3}}}{3a^{\frac{2}{3}}}\right)}{3a^{\frac{2}{3}}x} + \frac{4a^{\frac{2}{3}}\log\left(\frac{a^{\frac{1}{3}} + \sqrt{3}bx^{\frac{1}{3}}}{3a^{\frac{2}{3}}}\right)}{3a^{\frac{2}{3}}x} + \frac{3(a^{\frac{1}{3}} + \sqrt{3}bx^{\frac{1}{3}})}{(3a^{\frac{2}{3}}x)^2} \right) \frac{1}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)^2*(b*x^3+a)^(2/3),x, algorithm="maxima")

[Out] $-1/9*(2*\sqrt{3}*a*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3}))/b^{1/3} - a*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{1/3} + 2*a*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{1/3} + 3*(b*x^3 + a)^{2/3}*a/((b - (b*x^3 + a)/x^3)*x^2))*a^2 - 1/27*(2*\sqrt{3}*a^2*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3}))/b^{4/3} - a^2*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{4/3} + 2*a^2*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{4/3} + 3*((b*x^3 + a)^{2/3}*a^2*b/x^2 + 2*(b*x^3 + a)^{5/3}*a^2/x^5)/(b^3 - 2*(b*x^3 + a)*b^2/x^3 + (b*x^3 + a)^2*b/x^6))*a*b - 1/243*(4*\sqrt{3}*a^3*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3}))/b^{7/3} - 2*a^3*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{7/3} + 4*a^3*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{7/3} + 3*(2*(b*x^3 + a)^{2/3}*a^3*b^2/x^2 + 11*(b*x^3 + a)^{5/3}*a^3*b/x^5 - 4*(b*x^3 + a)^{8/3}*a^3/x^8)/(b^5 - 3*(b*x^3 + a)*b^4/x^3 + 3*(b*x^3 + a)^2*b^3/x^6 - (b*x^3 + a)^3*b^2/x^9))*b^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (bx^3 + a)^{2/3} (a - bx^3)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(2/3)*(a - b*x^3)^2,x)

[Out] int((a + b*x^3)^(2/3)*(a - b*x^3)^2, x)

sympy [C] time = 9.17, size = 126, normalized size = 0.91

$$\frac{a^{\frac{8}{3}}x\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{4}{3}\right)} - \frac{2a^{\frac{5}{3}}bx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{a^{\frac{2}{3}}b^2x^7\Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, \frac{7}{3} \\ \frac{10}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{10}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x**3+a)**2*(b*x**3+a)**(2/3),x)

[Out] a**(8/3)*x*gamma(1/3)*hyper((-2/3, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) - 2*a**(5/3)*b*x**4*gamma(4/3)*hyper((-2/3, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + a**(2/3)*b**2*x**7*gamma(7/3)*hyper((-2/3, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3))

$$3.36 \quad \int \frac{(a-bx^3)^2}{\sqrt[3]{a+bx^3}} dx$$

Optimal. Leaf size=120

$$-\frac{17a^2 \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{18\sqrt[3]{b}} + \frac{17a^2 \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1}{\sqrt{3}}\right)}{9\sqrt{3}\sqrt[3]{b}} - \frac{13}{18}ax(a+bx^3)^{2/3} - \frac{1}{6}x(a-bx^3)(a+bx^3)^{2/3}$$

Rubi [A] time = 0.04, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {416, 388, 239}

$$-\frac{17a^2 \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{18\sqrt[3]{b}} + \frac{17a^2 \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1}{\sqrt{3}}\right)}{9\sqrt{3}\sqrt[3]{b}} - \frac{13}{18}ax(a+bx^3)^{2/3} - \frac{1}{6}x(a-bx^3)(a+bx^3)^{2/3}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^3)^2/(a + b*x^3)^(1/3), x]

[Out] (-13*a*x*(a + b*x^3)^(2/3))/18 - (x*(a - b*x^3)*(a + b*x^3)^(2/3))/6 + (17*a^2*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]])/(9*Sqrt[3]*b^(1/3)) - (17*a^2*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(18*b^(1/3))

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] := Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p+1))/(b*(n*(p+1)+1)), x] - Dist[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p+1)+1, 0]

Rule 416

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p+1)*(c + d*x^n)^(q-1))/(b*(n*(p+q)+1)),

x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q - 1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

Rubi steps

$$\begin{aligned} \int \frac{(a - bx^3)^2}{\sqrt[3]{a + bx^3}} dx &= -\frac{1}{6}x(a - bx^3)(a + bx^3)^{2/3} + \frac{\int \frac{7a^2b - 13ab^2x^3}{\sqrt[3]{a + bx^3}} dx}{6b} \\ &= -\frac{13}{18}ax(a + bx^3)^{2/3} - \frac{1}{6}x(a - bx^3)(a + bx^3)^{2/3} + \frac{1}{9}(17a^2) \int \frac{1}{\sqrt[3]{a + bx^3}} dx \\ &= -\frac{13}{18}ax(a + bx^3)^{2/3} - \frac{1}{6}x(a - bx^3)(a + bx^3)^{2/3} + \frac{17a^2 \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}}}{\sqrt{3}}\right)}{9\sqrt{3}\sqrt[3]{b}} - \frac{17a^2 \log\left(-\sqrt[3]{b}x + \sqrt[3]{a + bx^3}\right)}{18\sqrt[3]{b}} \end{aligned}$$

Mathematica [A] time = 0.08, size = 141, normalized size = 1.18

$$\frac{17a^2 \left(\log\left(\frac{b^{2/3}x^2}{(a + bx^3)^{2/3}} + \frac{\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}} + 1\right) - 2 \log\left(1 - \frac{\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}}\right) + 2\sqrt{3} \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}} + 1}{\sqrt{3}}\right) \right)}{54\sqrt[3]{b}} + (a + bx^3)^{2/3} \left(\frac{bx^4}{6} - \frac{8ax}{9}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^3)^2/(a + b*x^3)^(1/3), x]

[Out] (a + b*x^3)^(2/3)*((-8*a*x)/9 + (b*x^4)/6) + (17*a^2*(2*sqrt[3]*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/sqrt[3]] - 2*Log[1 - (b^(1/3)*x)/(a + b*x^3)^(1/3)] + Log[1 + (b^(2/3)*x^2)/(a + b*x^3)^(2/3) + (b^(1/3)*x)/(a + b*x^3)^(1/3)]))/(54*b^(1/3))

IntegrateAlgebraic [A] time = 0.48, size = 165, normalized size = 1.38

$$\frac{17a^2 \log\left(\sqrt[3]{b}x\sqrt[3]{a + bx^3} + (a + bx^3)^{2/3} + b^{2/3}x^2\right)}{54\sqrt[3]{b}} - \frac{17a^2 \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{27\sqrt[3]{b}} + \frac{17a^2 \tan^{-1}\left(\frac{\sqrt{3}\sqrt[3]{b}x}{2\sqrt[3]{a + bx^3} + \sqrt[3]{b}x}\right)}{9\sqrt{3}\sqrt[3]{b}} + \frac{1}{18}(a + bx^3)^{2/3}(3bx^4 - 16ax)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a - b*x^3)^2/(a + b*x^3)^(1/3), x]

[Out] ((a + b*x^3)^(2/3)*(-16*a*x + 3*b*x^4))/18 + (17*a^2*ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))]/(9*Sqrt[3]*b^(1/3)) - (17*a^2*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)]/(27*b^(1/3)) + (17*a^2*Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)]/(54*b^(1/3)))

fricas [A] time = 1.66, size = 399, normalized size = 3.32

$$\frac{9\sqrt{3}a^2\sqrt{\frac{a^2}{b^2}}\log\left(\frac{3bx^3 - 3(bx^3 + a)^{1/3}}{b}\right) + 17a^2\sqrt{3}\arctan\left(\frac{\sqrt{3}b^{1/3}x}{b^{1/3}x + 2(a + bx^3)^{1/3}}\right) - 17a^2\log\left(\frac{(bx^3 + a)^{1/3}x - (bx^3 + a)^{2/3}}{bx^3 + a}\right) - 17a^2\log\left(\frac{(bx^3 + a)^{2/3}x^2 - (bx^3 + a)^{1/3}x + (bx^3 + a)^{2/3}}{x^2}\right) - 3(3b^2x^4 - 16abx)(bx^3 + a)^{2/3}/b}{54}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)^2/(b*x^3+a)^(1/3), x, algorithm="fricas")

[Out] [1/54*(51*sqrt(1/3)*a^2*b*sqrt((-b)^(1/3)/b)*log(3*b*x^3 - 3*(b*x^3 + a)^(1/3)*(-b)^(2/3)*x^2 - 3*sqrt(1/3)*((-b)^(1/3)*b*x^3 - (b*x^3 + a)^(1/3)*b*x^2 + 2*(b*x^3 + a)^(2/3)*(-b)^(2/3)*x)*sqrt((-b)^(1/3)/b) + 2*a) - 34*a^2*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) + 17*a^2*(-b)^(2/3)*log(((b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) + 3*(3*b^2*x^4 - 16*a*b*x)*(b*x^3 + a)^(2/3))/b, -1/54*(102*sqrt(1/3)*a^2*b*sqrt((-b)^(1/3)/b)*arctan(-sqrt(1/3)*((-b)^(1/3)*x - 2*(b*x^3 + a)^(1/3))*sqrt((-b)^(1/3)/b)/x) + 34*a^2*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) - 17*a^2*(-b)^(2/3)*log(((b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) - 3*(3*b^2*x^4 - 16*a*b*x)*(b*x^3 + a)^(2/3))/b]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 - a)^2}{(bx^3 + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)^2/(b*x^3+a)^(1/3), x, algorithm="giac")

[Out] integrate((b*x^3 - a)^2/(b*x^3 + a)^(1/3), x)

maple [F] time = 0.38, size = 0, normalized size = 0.00

$$\int \frac{(-bx^3 + a)^2}{(bx^3 + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^3+a)^2/(b*x^3+a)^(1/3),x)

[Out] int((-b*x^3+a)^2/(b*x^3+a)^(1/3),x)

maxima [B] time = 1.40, size = 436, normalized size = 3.63

$$\frac{1}{6} \left(\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}\sqrt{bx^3+a}}{3x}\right)}{b^{\frac{1}{3}}} - \frac{\log\left(b^{\frac{2}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} + \frac{2 \log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} \right) \frac{1}{b^{\frac{1}{3}}} - \frac{1}{54} \left(\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}\sqrt{bx^3+a}}{3x}\right)}{b^{\frac{1}{3}}} - \frac{a \log\left(b^{\frac{2}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} + \frac{2a \log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} - \frac{6(bx^3+a)^{\frac{2}{3}}}{(bx^3+a)^{\frac{1}{3}}x^2} \right) \frac{1}{b^{\frac{1}{3}}} + \frac{1}{54} \left(\frac{4\sqrt{3} \arctan\left(\frac{\sqrt{3}\sqrt{bx^3+a}}{3x}\right)}{b^{\frac{1}{3}}} - \frac{2a^2 \log\left(b^{\frac{2}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} + \frac{4a^2 \log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} - \frac{2(20bx^3+a)^{\frac{2}{3}} - 4(bx^3+a)^{\frac{2}{3}}}{64 - 20bx^3 + (bx^3+a)^2} \right) \frac{1}{b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)^2/(b*x^3+a)^(1/3),x, algorithm="maxima")

[Out]
$$-1/6*(2*\sqrt{3}*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3}))/b^{1/3} - \log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{1/3} + 2*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{1/3})*a^2 - 1/9*(2*\sqrt{3})*a*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3}))/b^{4/3} - a*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{4/3} + 2*a*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{4/3} - 6*(b*x^3 + a)^{2/3}*a/((b^2 - (b*x^3 + a)*b/x^3)*x^2))*a*b - 1/54*(4*\sqrt{3})*a^2*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3}))/b^{7/3} - 2*a^2*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{7/3} + 4*a^2*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{7/3} - 3*(7*(b*x^3 + a)^{2/3}*a^2*b/x^2 - 4*(b*x^3 + a)^{5/3}*a^2/x^5)/(b^4 - 2*(b*x^3 + a)*b^3/x^3 + (b*x^3 + a)^2*b^2/x^6))*b^2$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a - bx^3)^2}{(bx^3 + a)^{1/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - b*x^3)^2/(a + b*x^3)^(1/3),x)

[Out] int((a - b*x^3)^2/(a + b*x^3)^(1/3), x)

sympy [C] time = 7.60, size = 121, normalized size = 1.01

$$\frac{a^{\frac{5}{3}} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{4}{3}\right)} - \frac{2a^{\frac{2}{3}} bx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{4}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{b^2 x^7 \Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{7}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt[3]{a} \Gamma\left(\frac{10}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-b*x**3+a)**2/(b*x**3+a)**(1/3),x)
```

```
[Out] a**(5/3)*x*gamma(1/3)*hyper((1/3, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) - 2*a**(2/3)*b*x**4*gamma(4/3)*hyper((1/3, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + b**2*x**7*gamma(7/3)*hyper((1/3, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/3)*gamma(10/3))
```

$$3.37 \quad \int \frac{(a-bx^3)^2}{(a+bx^3)^{4/3}} dx$$

Optimal. Leaf size=113

$$\frac{7}{3}x(a+bx^3)^{2/3} + \frac{2x(a-bx^3)}{\sqrt[3]{a+bx^3}} + \frac{5a \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{bx^3}\right)}{3\sqrt[3]{b}} - \frac{10a \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}}+1}{\sqrt{3}}\right)}{3\sqrt{3}\sqrt[3]{b}}$$

Rubi [A] time = 0.04, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {413, 388, 239}

$$\frac{7}{3}x(a+bx^3)^{2/3} + \frac{2x(a-bx^3)}{\sqrt[3]{a+bx^3}} + \frac{5a \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{bx^3}\right)}{3\sqrt[3]{b}} - \frac{10a \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}}+1}{\sqrt{3}}\right)}{3\sqrt{3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^3)^2/(a + b*x^3)^(4/3), x]

[Out] (2*x*(a - b*x^3))/(a + b*x^3)^(1/3) + (7*x*(a + b*x^3)^(2/3))/3 - (10*a*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]])/(3*Sqrt[3]*b^(1/3)) + (5*a*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(3*b^(1/3))

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] :> Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(d*x*(a + b*x^n)^(p+1))/(b*(n*(p+1)+1)), x] - Dist[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p+1)+1, 0]

Rule 413

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[((a*d - c*b)*x*(a + b*x^n)^(p+1)*(c + d*x^n)^(q-1))/(a*b*n*(p+1)), x]

1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p + q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

Rubi steps

$$\begin{aligned} \int \frac{(a - bx^3)^2}{(a + bx^3)^{4/3}} dx &= \frac{2x(a - bx^3)}{\sqrt[3]{a + bx^3}} + \frac{\int \frac{-a^2b + 7ab^2x^3}{\sqrt[3]{a + bx^3}} dx}{ab} \\ &= \frac{2x(a - bx^3)}{\sqrt[3]{a + bx^3}} + \frac{7}{3}x(a + bx^3)^{2/3} - \frac{1}{3}(10a) \int \frac{1}{\sqrt[3]{a + bx^3}} dx \\ &= \frac{2x(a - bx^3)}{\sqrt[3]{a + bx^3}} + \frac{7}{3}x(a + bx^3)^{2/3} - \frac{10a \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}}}{\sqrt{3}}\right)}{3\sqrt{3}\sqrt[3]{b}} + \frac{5a \log\left(-\sqrt[3]{b}x + \sqrt[3]{a + bx^3}\right)}{3\sqrt[3]{b}} \end{aligned}$$

Mathematica [A] time = 0.08, size = 137, normalized size = 1.21

$$\frac{x(13a + bx^3)}{3\sqrt[3]{a + bx^3}} - \frac{5a \left(\log\left(\frac{b^{2/3}x^2}{(a + bx^3)^{2/3}} + \frac{\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}} + 1\right) - 2 \log\left(1 - \frac{\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}}\right) + 2\sqrt{3} \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}} + 1}{\sqrt{3}}\right) \right)}{9\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^3)^2/(a + b*x^3)^(4/3), x]

[Out] (x*(13*a + b*x^3))/(3*(a + b*x^3)^(1/3)) - (5*a*(2*sqrt[3]*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/sqrt[3]] - 2*Log[1 - (b^(1/3)*x)/(a + b*x^3)^(1/3)] + Log[1 + (b^(2/3)*x^2)/(a + b*x^3)^(2/3) + (b^(1/3)*x)/(a + b*x^3)^(1/3)]))/(9*b^(1/3))

IntegrateAlgebraic [A] time = 0.50, size = 158, normalized size = 1.40

$$-\frac{5a \log\left(\sqrt[3]{b}x\sqrt[3]{a + bx^3} + (a + bx^3)^{2/3} + b^{2/3}x^2\right)}{9\sqrt[3]{b}} + \frac{10a \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{9\sqrt[3]{b}} - \frac{10a \tan^{-1}\left(\frac{\sqrt{3}\sqrt[3]{b}x}{2\sqrt[3]{a + bx^3} + \sqrt[3]{b}x}\right)}{3\sqrt{3}\sqrt[3]{b}} + \frac{13ax + bx^4}{3\sqrt[3]{a + bx^3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a - b*x^3)^2/(a + b*x^3)^(4/3),x]

[Out] (13*a*x + b*x^4)/(3*(a + b*x^3)^(1/3)) - (10*a*ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))]/(3*Sqrt[3]*b^(1/3)) + (10*a*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(9*b^(1/3)) - (5*a*Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)])/(9*b^(1/3))

fricas [B] time = 1.73, size = 412, normalized size = 3.65

$$\frac{15\sqrt{3}(a^2x^2 + a^2)\sqrt{\frac{3}{2}}\log\left(\frac{3bx^2 - 3(b^2 + a)^{2/3}x^2 - 3\sqrt{3}(b^{2/3}x^2 + (b^2 + a)^{2/3}bx^2 - 2(b^2 + a)^{2/3}x^2)\sqrt{\frac{3}{2}} + 2a}{9(b^2 + a)}\right) - 5(abx^2 + a^2)\log\left(\frac{b^2 - abx^2 + a^2}{x}\right) - 5(abx^2 + a^2)\log\left(\frac{b^2 - abx^2 + a^2}{x}\right) + 5(b^2x^4 + 13abx)(b^2 + a)^{1/3} - 10(abx^2 + a^2)\log\left(\frac{b^2 - abx^2 + a^2}{x}\right) - 5(abx^2 + a^2)\log\left(\frac{b^2 - abx^2 + a^2}{x}\right) + 10\sqrt{3}(a^2x^2 + a^2)\arctan\left(\frac{\sqrt{3}(b^{1/3}x + 2(a + b^2x^3)^{1/3})}{b^{1/3}x + 2(a + b^2x^3)^{1/3}}\right) + 3(b^2x^4 + 13abx)(b^2 + a)^{1/3}}{9(b^2 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)^2/(b*x^3+a)^(4/3),x, algorithm="fricas")

[Out] [1/9*(15*sqrt(1/3)*(a*b^2*x^3 + a^2*b)*sqrt(-1/b^(2/3))*log(3*b*x^3 - 3*(b*x^3 + a)^(1/3)*b^(2/3)*x^2 - 3*sqrt(1/3)*(b^(4/3)*x^3 + (b*x^3 + a)^(1/3)*b*x^2 - 2*(b*x^3 + a)^(2/3)*b^(2/3)*x)*sqrt(-1/b^(2/3)) + 2*a) + 10*(a*b*x^3 + a^2)*b^(2/3)*log(-(b^(1/3)*x - (b*x^3 + a)^(1/3))/x) - 5*(a*b*x^3 + a^2)*b^(2/3)*log((b^(2/3)*x^2 + (b*x^3 + a)^(1/3)*b^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) + 3*(b^2*x^4 + 13*a*b*x)*(b*x^3 + a)^(2/3)/(b^2*x^3 + a*b), 1/9*(10*(a*b*x^3 + a^2)*b^(2/3)*log(-(b^(1/3)*x - (b*x^3 + a)^(1/3))/x) - 5*(a*b*x^3 + a^2)*b^(2/3)*log((b^(2/3)*x^2 + (b*x^3 + a)^(1/3)*b^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) + 30*sqrt(1/3)*(a*b^2*x^3 + a^2*b)*arctan(sqrt(1/3)*(b^(1/3)*x + 2*(b*x^3 + a)^(1/3))/(b^(1/3)*x))/b^(1/3) + 3*(b^2*x^4 + 13*a*b*x)*(b*x^3 + a)^(2/3)/(b^2*x^3 + a*b)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 - a)^2}{(bx^3 + a)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)^2/(b*x^3+a)^(4/3),x, algorithm="giac")

[Out] integrate((b*x^3 - a)^2/(b*x^3 + a)^(4/3), x)

maple [F] time = 0.53, size = 0, normalized size = 0.00

$$\int \frac{(-bx^3 + a)^2}{(bx^3 + a)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-b*x^3+a)^2/(b*x^3+a)^(4/3),x)`

[Out] `int((-b*x^3+a)^2/(b*x^3+a)^(4/3),x)`

maxima [B] time = 1.37, size = 296, normalized size = 2.62

$$\frac{1}{9} b^2 \left(\frac{4 \sqrt{3} a \arctan \left(\frac{\sqrt{3} \left(b^{\frac{1}{3}} + \frac{2(b^3+a)^{\frac{1}{3}}}{x} \right)}{3 b^{\frac{1}{3}}} \right)}{b^{\frac{1}{3}}} + \frac{3 \left(3 a b - \frac{4(b^3+a)a}{x^3} \right)}{\frac{(b^3+a)^{\frac{1}{3}} x^2 - (b^3+a)^{\frac{2}{3}} x^2}{x^4}} - \frac{2 a \log \left(b^{\frac{2}{3}} + \frac{(b^3+a)^{\frac{1}{3}} b^{\frac{1}{3}}}{x} + \frac{(b^3+a)^{\frac{2}{3}}}{x^2} \right)}{b^{\frac{2}{3}}} + \frac{4 a \log \left(-b^{\frac{1}{3}} + \frac{(b^3+a)^{\frac{1}{3}}}{x} \right)}{b^{\frac{1}{3}}} \right) + \frac{1}{3} a b \left(\frac{2 \sqrt{3} \arctan \left(\frac{\sqrt{3} \left(b^{\frac{1}{3}} + \frac{2(b^3+a)^{\frac{1}{3}}}{x} \right)}{3 b^{\frac{1}{3}}} \right)}{b^{\frac{1}{3}}} + \frac{6 x}{(b x^3 + a)^{\frac{1}{3}} b} - \frac{\log \left(b^{\frac{2}{3}} + \frac{(b^3+a)^{\frac{1}{3}} b^{\frac{1}{3}}}{x} + \frac{(b^3+a)^{\frac{2}{3}}}{x^2} \right)}{b^{\frac{2}{3}}} + \frac{2 \log \left(-b^{\frac{1}{3}} + \frac{(b^3+a)^{\frac{1}{3}}}{x} \right)}{b^{\frac{1}{3}}} \right) + \frac{a x}{(b x^3 + a)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x^3+a)^2/(b*x^3+a)^(4/3),x, algorithm="maxima")`

[Out] `1/9*b^2*(4*sqrt(3)*a*arctan(1/3*sqrt(3)*(b^(1/3) + 2*(b*x^3 + a)^(1/3)/x)/b^(1/3))/b^(7/3) + 3*(3*a*b - 4*(b*x^3 + a)*a/x^3)/((b*x^3 + a)^(1/3)*b^3/x - (b*x^3 + a)^(4/3)*b^2/x^4) - 2*a*log(b^(2/3) + (b*x^3 + a)^(1/3)*b^(1/3)/x + (b*x^3 + a)^(2/3)/x^2)/b^(7/3) + 4*a*log(-b^(1/3) + (b*x^3 + a)^(1/3)/x)/b^(7/3) + 1/3*a*b*(2*sqrt(3)*arctan(1/3*sqrt(3)*(b^(1/3) + 2*(b*x^3 + a)^(1/3)/x)/b^(1/3))/b^(4/3) + 6*x/((b*x^3 + a)^(1/3)*b) - log(b^(2/3) + (b*x^3 + a)^(1/3)*b^(1/3)/x + (b*x^3 + a)^(2/3)/x^2)/b^(4/3) + 2*log(-b^(1/3) + (b*x^3 + a)^(1/3)/x)/b^(4/3) + a*x/(b*x^3 + a)^(1/3)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a - b x^3)^2}{(b x^3 + a)^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a - b*x^3)^2/(a + b*x^3)^(4/3),x)`

[Out] `int((a - b*x^3)^2/(a + b*x^3)^(4/3),x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-a + b x^3)^2}{(a + b x^3)^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x**3+a)**2/(b*x**3+a)**(4/3),x)`

[Out] `Integral((-a + b*x**3)**2/(a + b*x**3)**(4/3),x)`

$$3.38 \quad \int \frac{(a-bx^3)^2}{(a+bx^3)^{7/3}} dx$$

Optimal. Leaf size=110

$$-\frac{x}{2\sqrt[3]{a+bx^3}} + \frac{x(a-bx^3)}{2(a+bx^3)^{4/3}} - \frac{\log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{bx^3}\right)}{2\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{2\sqrt[3]{bx^3}+1}{\sqrt[3]{a+bx^3}}\right)}{\sqrt{3}\sqrt[3]{b}}$$

Rubi [A] time = 0.04, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {413, 385, 239}

$$-\frac{x}{2\sqrt[3]{a+bx^3}} + \frac{x(a-bx^3)}{2(a+bx^3)^{4/3}} - \frac{\log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{bx^3}\right)}{2\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{2\sqrt[3]{bx^3}+1}{\sqrt[3]{a+bx^3}}\right)}{\sqrt{3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^3)^2/(a + b*x^3)^(7/3), x]

[Out] (x*(a - b*x^3))/(2*(a + b*x^3)^(4/3)) - x/(2*(a + b*x^3)^(1/3)) + ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*b^(1/3)) - Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)]/(2*b^(1/3))

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] := Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p + 1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p + q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(a - bx^3)^2}{(a + bx^3)^{7/3}} dx &= \frac{x(a - bx^3)}{2(a + bx^3)^{4/3}} + \frac{\int \frac{2a^2b + 4ab^2x^3}{(a + bx^3)^{4/3}} dx}{4ab} \\ &= \frac{x(a - bx^3)}{2(a + bx^3)^{4/3}} - \frac{x}{2\sqrt[3]{a + bx^3}} + \int \frac{1}{\sqrt[3]{a + bx^3}} dx \\ &= \frac{x(a - bx^3)}{2(a + bx^3)^{4/3}} - \frac{x}{2\sqrt[3]{a + bx^3}} + \frac{\tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}}}{\sqrt{3}}\right)}{\sqrt{3}\sqrt[3]{b}} - \frac{\log\left(-\sqrt[3]{b}x + \sqrt[3]{a + bx^3}\right)}{2\sqrt[3]{b}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 131, normalized size = 1.19

$$\frac{-\frac{6b^{4/3}x^4}{(a + bx^3)^{4/3}} + \log\left(\frac{b^{2/3}x^2}{(a + bx^3)^{2/3}} + \frac{\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}} + 1\right) - 2\log\left(1 - \frac{\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}}\right) + 2\sqrt{3}\tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}} + 1}{\sqrt{3}}\right)}{6\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^3)^2/(a + b*x^3)^(7/3), x]

[Out] ((-6*b^(4/3)*x^4)/(a + b*x^3)^(4/3) + 2*Sqrt[3]*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]] - 2*Log[1 - (b^(1/3)*x)/(a + b*x^3)^(1/3)] + Log[1 + (b^(2/3)*x^2)/(a + b*x^3)^(2/3) + (b^(1/3)*x)/(a + b*x^3)^(1/3)])/(6*b^(1/3))

IntegrateAlgebraic [A] time = 0.39, size = 144, normalized size = 1.31

$$\frac{\log\left(\sqrt[3]{b}x\sqrt[3]{a + bx^3} + (a + bx^3)^{2/3} + b^{2/3}x^2\right)}{6\sqrt[3]{b}} - \frac{\log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{3\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{\sqrt{3}\sqrt[3]{b}x}{2\sqrt[3]{a + bx^3} + \sqrt[3]{b}x}\right)}{\sqrt{3}\sqrt[3]{b}} - \frac{bx^4}{(a + bx^3)^{4/3}}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a - b*x^3)^2/(a + b*x^3)^(7/3), x]
```

```
[Out] -((b*x^4)/(a + b*x^3)^(4/3)) + ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))]/(Sqrt[3]*b^(1/3)) - Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)]/(3*b^(1/3)) + Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)]/(6*b^(1/3))
```

fricas [B] time = 1.16, size = 521, normalized size = 4.74

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-b*x^3+a)^2/(b*x^3+a)^(7/3), x, algorithm="fricas")
```

```
[Out] [-1/6*(6*(b*x^3 + a)^(2/3)*b^2*x^4 - 3*sqrt(1/3)*(b^3*x^6 + 2*a*b^2*x^3 + a^2*b)*sqrt((-b)^(1/3)/b)*log(3*b*x^3 - 3*(b*x^3 + a)^(1/3)*(-b)^(2/3)*x^2 - 3*sqrt(1/3)*((-b)^(1/3)*b*x^3 - (b*x^3 + a)^(1/3)*b*x^2 + 2*(b*x^3 + a)^(2/3)*(-b)^(2/3)*x)*sqrt((-b)^(1/3)/b) + 2*a) + 2*(b^2*x^6 + 2*a*b*x^3 + a^2)*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) - (b^2*x^6 + 2*a*b*x^3 + a^2)*(-b)^(2/3)*log(((b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2)/(b^3*x^6 + 2*a*b^2*x^3 + a^2*b), -1/6*(6*(b*x^3 + a)^(2/3)*b^2*x^4 + 6*sqrt(1/3)*(b^3*x^6 + 2*a*b^2*x^3 + a^2*b)*sqrt(-(-b)^(1/3)/b)*arctan(-sqrt(1/3)*((-b)^(1/3)*x - 2*(b*x^3 + a)^(1/3))*sqrt(-(-b)^(1/3)/b)/x) + 2*(b^2*x^6 + 2*a*b*x^3 + a^2)*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) - (b^2*x^6 + 2*a*b*x^3 + a^2)*(-b)^(2/3)*log(((b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2)/(b^3*x^6 + 2*a*b^2*x^3 + a^2*b)]
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 - a)^2}{(bx^3 + a)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-b*x^3+a)^2/(b*x^3+a)^(7/3), x, algorithm="giac")
```

```
[Out] integrate((b*x^3 - a)^2/(b*x^3 + a)^(7/3), x)
```

maple [F] time = 0.53, size = 0, normalized size = 0.00

$$\int \frac{(-bx^3 + a)^2}{(bx^3 + a)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-b*x^3+a)^2/(b*x^3+a)^(7/3),x)`

[Out] `int((-b*x^3+a)^2/(b*x^3+a)^(7/3),x)`

maxima [B] time = 1.35, size = 180, normalized size = 1.64

$$\left(\frac{\left(b - \frac{4(bx^3+a)}{x^3}\right)x^4}{4(bx^3+a)^{\frac{4}{3}}} - \frac{bx^4}{2(bx^3+a)^{\frac{4}{3}}} - \frac{1}{12} \frac{3\left(b + \frac{4(bx^3+a)}{x^3}\right)x^4}{(bx^3+a)^{\frac{4}{3}}b^2} + \frac{4\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(b^{\frac{1}{3}} + \frac{2(bx^3+a)^{\frac{1}{3}}}{x}\right)}{3b^{\frac{1}{3}}}\right)}{b^{\frac{7}{3}}} - \frac{2 \log\left(b^{\frac{2}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}b^{\frac{1}{3}}}{x} + \frac{(bx^3+a)^{\frac{2}{3}}}{x^2}\right)}{b^{\frac{7}{3}}} + \frac{4 \log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{7}{3}}} \right) b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x^3+a)^2/(b*x^3+a)^(7/3),x, algorithm="maxima")`

[Out] `-1/4*(b - 4*(b*x^3 + a)/x^3)*x^4/(b*x^3 + a)^(4/3) - 1/2*b*x^4/(b*x^3 + a)^(4/3) - 1/12*(3*(b + 4*(b*x^3 + a)/x^3)*x^4/((b*x^3 + a)^(4/3)*b^2) + 4*sqrt(3)*arctan(1/3*sqrt(3)*(b^(1/3) + 2*(b*x^3 + a)^(1/3)/x)/b^(1/3))/b^(7/3) - 2*log(b^(2/3) + (b*x^3 + a)^(1/3)*b^(1/3)/x + (b*x^3 + a)^(2/3)/x^2)/b^(7/3) + 4*log(-b^(1/3) + (b*x^3 + a)^(1/3)/x)/b^(7/3)*b^2`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a - bx^3)^2}{(bx^3 + a)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a - b*x^3)^2/(a + b*x^3)^(7/3),x)`

[Out] `int((a - b*x^3)^2/(a + b*x^3)^(7/3),x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-a + bx^3)^2}{(a + bx^3)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-b*x**3+a)**2/(b*x**3+a)**(7/3),x)
```

```
[Out] Integral((-a + b*x**3)**2/(a + b*x**3)**(7/3), x)
```

$$3.39 \quad \int \frac{(a-bx^3)^2}{(a+bx^3)^{10/3}} dx$$

Optimal. Leaf size=76

$$\frac{x(a-bx^3)^2}{7a(a+bx^3)^{7/3}} + \frac{3x(a-bx^3)}{14a(a+bx^3)^{4/3}} + \frac{9x}{14a\sqrt[3]{a+bx^3}}$$

Rubi [A] time = 0.02, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {378, 191}

$$\frac{x(a-bx^3)^2}{7a(a+bx^3)^{7/3}} + \frac{3x(a-bx^3)}{14a(a+bx^3)^{4/3}} + \frac{9x}{14a\sqrt[3]{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^3)^2/(a + b*x^3)^(10/3), x]

[Out] (x*(a - b*x^3)^2)/(7*a*(a + b*x^3)^(7/3)) + (3*x*(a - b*x^3))/(14*a*(a + b*x^3)^(4/3)) + (9*x)/(14*a*(a + b*x^3)^(1/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 378

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> -Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*n*(p + 1)), x] - Dist[(c*q)/(a*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 1) + 1, 0] && GtQ[q, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{(a - bx^3)^2}{(a + bx^3)^{10/3}} dx &= \frac{x(a - bx^3)^2}{7a(a + bx^3)^{7/3}} + \frac{6}{7} \int \frac{a - bx^3}{(a + bx^3)^{7/3}} dx \\
&= \frac{x(a - bx^3)^2}{7a(a + bx^3)^{7/3}} + \frac{3x(a - bx^3)}{14a(a + bx^3)^{4/3}} + \frac{9}{14} \int \frac{1}{(a + bx^3)^{4/3}} dx \\
&= \frac{x(a - bx^3)^2}{7a(a + bx^3)^{7/3}} + \frac{3x(a - bx^3)}{14a(a + bx^3)^{4/3}} + \frac{9x}{14a\sqrt[3]{a + bx^3}}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 40, normalized size = 0.53

$$\frac{x(7a^2 + 7abx^3 + 4b^2x^6)}{7a(a + bx^3)^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^3)^2/(a + b*x^3)^(10/3), x]

[Out] (x*(7*a^2 + 7*a*b*x^3 + 4*b^2*x^6))/(7*a*(a + b*x^3)^(7/3))

IntegrateAlgebraic [A] time = 0.35, size = 40, normalized size = 0.53

$$\frac{x(7a^2 + 7abx^3 + 4b^2x^6)}{7a(a + bx^3)^{7/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a - b*x^3)^2/(a + b*x^3)^(10/3), x]

[Out] (x*(7*a^2 + 7*a*b*x^3 + 4*b^2*x^6))/(7*a*(a + b*x^3)^(7/3))

fricas [A] time = 0.89, size = 67, normalized size = 0.88

$$\frac{(4b^2x^7 + 7abx^4 + 7a^2x)(bx^3 + a)^{\frac{2}{3}}}{7(ab^3x^9 + 3a^2b^2x^6 + 3a^3bx^3 + a^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)^2/(b*x^3+a)^(10/3), x, algorithm="fricas")

[Out] $1/7*(4*b^2*x^7 + 7*a*b*x^4 + 7*a^2*x)*(b*x^3 + a)^{(2/3)}/(a*b^3*x^9 + 3*a^2*b^2*x^6 + 3*a^3*b*x^3 + a^4)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 - a)^2}{(bx^3 + a)^{\frac{10}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x^3+a)^2/(b*x^3+a)^(10/3),x, algorithm="giac")`

[Out] `integrate((b*x^3 - a)^2/(b*x^3 + a)^(10/3), x)`

maple [A] time = 0.04, size = 37, normalized size = 0.49

$$\frac{(4b^2x^6 + 7abx^3 + 7a^2)x}{7(bx^3 + a)^{\frac{7}{3}}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-b*x^3+a)^2/(b*x^3+a)^(10/3),x)`

[Out] $1/7*x*(4*b^2*x^6+7*a*b*x^3+7*a^2)/(b*x^3+a)^{(7/3)}/a$

maxima [A] time = 0.50, size = 105, normalized size = 1.38

$$\frac{\left(4b - \frac{7(bx^3+a)}{x^3}\right)bx^7}{14(bx^3 + a)^{\frac{7}{3}}a} + \frac{b^2x^7}{7(bx^3 + a)^{\frac{7}{3}}a} + \frac{\left(2b^2 - \frac{7(bx^3+a)b}{x^3} + \frac{14(bx^3+a)^2}{x^6}\right)x^7}{14(bx^3 + a)^{\frac{7}{3}}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x^3+a)^2/(b*x^3+a)^(10/3),x, algorithm="maxima")`

[Out] $1/14*(4*b - 7*(b*x^3 + a)/x^3)*b*x^7/((b*x^3 + a)^{(7/3)*a}) + 1/7*b^2*x^7/((b*x^3 + a)^{(7/3)*a}) + 1/14*(2*b^2 - 7*(b*x^3 + a)*b/x^3 + 14*(b*x^3 + a)^2/x^6)*x^7/((b*x^3 + a)^{(7/3)*a})$

mupad [B] time = 1.43, size = 44, normalized size = 0.58

$$\frac{4x(bx^3 + a)^2 + 4a^2x - ax(bx^3 + a)}{7a(bx^3 + a)^{\frac{7}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a - b*x^3)^2/(a + b*x^3)^(10/3),x)
```

```
[Out] (4*x*(a + b*x^3)^2 + 4*a^2*x - a*x*(a + b*x^3))/(7*a*(a + b*x^3)^(7/3))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-b*x**3+a)**2/(b*x**3+a)**(10/3),x)
```

```
[Out] Timed out
```

$$3.40 \quad \int \frac{(a-bx^3)^2}{(a+bx^3)^{13/3}} dx$$

Optimal. Leaf size=105

$$\frac{x(a-bx^3)^3}{20a^2(a+bx^3)^{10/3}} + \frac{19x(a-bx^3)^2}{140a^2(a+bx^3)^{7/3}} + \frac{57x(a-bx^3)}{280a^2(a+bx^3)^{4/3}} + \frac{171x}{280a^2\sqrt[3]{a+bx^3}}$$

Rubi [A] time = 0.04, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {382, 378, 191}

$$\frac{x(a-bx^3)^3}{20a^2(a+bx^3)^{10/3}} + \frac{19x(a-bx^3)^2}{140a^2(a+bx^3)^{7/3}} + \frac{57x(a-bx^3)}{280a^2(a+bx^3)^{4/3}} + \frac{171x}{280a^2\sqrt[3]{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^3)^2/(a + b*x^3)^(13/3), x]

[Out] (x*(a - b*x^3)^3)/(20*a^2*(a + b*x^3)^(10/3)) + (19*x*(a - b*x^3)^2)/(140*a^2*(a + b*x^3)^(7/3)) + (57*x*(a - b*x^3))/(280*a^2*(a + b*x^3)^(4/3)) + (171*x)/(280*a^2*(a + b*x^3)^(1/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 378

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> -Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*n*(p + 1)), x] - Dist[(c*q)/(a*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 1) + 1, 0] && GtQ[q, 0] && NeQ[p, -1]

Rule 382

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ

[q, -1]) && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{(a - bx^3)^2}{(a + bx^3)^{13/3}} dx &= \frac{x(a - bx^3)^3}{20a^2(a + bx^3)^{10/3}} + \frac{19 \int \frac{(a - bx^3)^2}{(a + bx^3)^{10/3}} dx}{20a} \\
 &= \frac{x(a - bx^3)^3}{20a^2(a + bx^3)^{10/3}} + \frac{19x(a - bx^3)^2}{140a^2(a + bx^3)^{7/3}} + \frac{57 \int \frac{a - bx^3}{(a + bx^3)^{7/3}} dx}{70a} \\
 &= \frac{x(a - bx^3)^3}{20a^2(a + bx^3)^{10/3}} + \frac{19x(a - bx^3)^2}{140a^2(a + bx^3)^{7/3}} + \frac{57x(a - bx^3)}{280a^2(a + bx^3)^{4/3}} + \frac{171 \int \frac{1}{(a + bx^3)^{4/3}} dx}{280a} \\
 &= \frac{x(a - bx^3)^3}{20a^2(a + bx^3)^{10/3}} + \frac{19x(a - bx^3)^2}{140a^2(a + bx^3)^{7/3}} + \frac{57x(a - bx^3)}{280a^2(a + bx^3)^{4/3}} + \frac{171x}{280a^2 \sqrt[3]{a + bx^3}}
 \end{aligned}$$

Mathematica [A] time = 0.03, size = 51, normalized size = 0.49

$$\frac{x(140a^3 + 245a^2bx^3 + 230ab^2x^6 + 69b^3x^9)}{140a^2(a + bx^3)^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^3)^2/(a + b*x^3)^(13/3), x]

[Out] (x*(140*a^3 + 245*a^2*b*x^3 + 230*a*b^2*x^6 + 69*b^3*x^9))/(140*a^2*(a + b*x^3)^(10/3))

IntegrateAlgebraic [A] time = 0.53, size = 51, normalized size = 0.49

$$\frac{x(140a^3 + 245a^2bx^3 + 230ab^2x^6 + 69b^3x^9)}{140a^2(a + bx^3)^{10/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a - b*x^3)^2/(a + b*x^3)^(13/3), x]

[Out] $(x*(140*a^3 + 245*a^2*b*x^3 + 230*a*b^2*x^6 + 69*b^3*x^9))/(140*a^2*(a + b*x^3)^{(10/3)})$

fricas [A] time = 1.08, size = 91, normalized size = 0.87

$$\frac{(69b^3x^{10} + 230ab^2x^7 + 245a^2bx^4 + 140a^3x)(bx^3 + a)^{\frac{2}{3}}}{140(a^2b^4x^{12} + 4a^3b^3x^9 + 6a^4b^2x^6 + 4a^5bx^3 + a^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x^3+a)^2/(b*x^3+a)^(13/3),x, algorithm="fricas")`

[Out] $1/140*(69*b^3*x^{10} + 230*a*b^2*x^7 + 245*a^2*b*x^4 + 140*a^3*x)*(b*x^3 + a)^{(2/3)}/(a^2*b^4*x^{12} + 4*a^3*b^3*x^9 + 6*a^4*b^2*x^6 + 4*a^5*b*x^3 + a^6)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 - a)^2}{(bx^3 + a)^{\frac{13}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x^3+a)^2/(b*x^3+a)^(13/3),x, algorithm="giac")`

[Out] `integrate((b*x^3 - a)^2/(b*x^3 + a)^(13/3), x)`

maple [A] time = 0.05, size = 48, normalized size = 0.46

$$\frac{(69b^3x^9 + 230ab^2x^6 + 245a^2bx^3 + 140a^3)x}{140(bx^3 + a)^{\frac{10}{3}}a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-b*x^3+a)^2/(b*x^3+a)^(13/3),x)`

[Out] $1/140*x*(69*b^3*x^9+230*a*b^2*x^6+245*a^2*b*x^3+140*a^3)/(b*x^3+a)^{(10/3)}/a^2$

maxima [A] time = 0.59, size = 155, normalized size = 1.48

$$\frac{\left(7b - \frac{10(bx^3+a)}{x^3}\right)b^2x^{10}}{70(bx^3+a)^{\frac{10}{3}}a^2} - \frac{\left(14b^2 - \frac{40(bx^3+a)b}{x^3} + \frac{35(bx^3+a)^2}{x^6}\right)bx^{10}}{70(bx^3+a)^{\frac{10}{3}}a^2} - \frac{\left(14b^3 - \frac{60(bx^3+a)b^2}{x^3} + \frac{105(bx^3+a)^2b}{x^6} - \frac{140(bx^3+a)^3}{x^9}\right)x^{10}}{140(bx^3+a)^{\frac{10}{3}}a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)^2/(b*x^3+a)^(13/3),x, algorithm="maxima")

[Out] $-1/70*(7*b - 10*(b*x^3 + a)/x^3)*b^2*x^{10}/((b*x^3 + a)^{(10/3)}*a^2) - 1/70*(14*b^2 - 40*(b*x^3 + a)*b/x^3 + 35*(b*x^3 + a)^2/x^6)*b*x^{10}/((b*x^3 + a)^{(10/3)}*a^2) - 1/140*(14*b^3 - 60*(b*x^3 + a)*b^2/x^3 + 105*(b*x^3 + a)^2*b/x^6 - 140*(b*x^3 + a)^3/x^9)*x^{10}/((b*x^3 + a)^{(10/3)}*a^2)$

mupad [B] time = 1.39, size = 56, normalized size = 0.53

$$\frac{69x}{140a^2(bx^3+a)^{1/3}} - \frac{2x}{35(bx^3+a)^{7/3}} + \frac{23x}{140a(bx^3+a)^{4/3}} + \frac{2ax}{5(bx^3+a)^{10/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - b*x^3)^2/(a + b*x^3)^(13/3),x)

[Out] $(69*x)/(140*a^2*(a + b*x^3)^{(1/3)}) - (2*x)/(35*(a + b*x^3)^{(7/3)}) + (23*x)/(140*a*(a + b*x^3)^{(4/3)}) + (2*a*x)/(5*(a + b*x^3)^{(10/3)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x**3+a)**2/(b*x**3+a)**(13/3),x)

[Out] Timed out

$$3.41 \quad \int \frac{(a-bx^3)^2}{(a+bx^3)^{16/3}} dx$$

Optimal. Leaf size=98

$$\frac{423x}{910a^3\sqrt[3]{a+bx^3}} + \frac{141x}{910a^2(a+bx^3)^{4/3}} + \frac{47x}{455a(a+bx^3)^{7/3}} + \frac{8x}{65(a+bx^3)^{10/3}} + \frac{2x(a-bx^3)}{13(a+bx^3)^{13/3}}$$

Rubi [A] time = 0.04, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {413, 385, 192, 191}

$$\frac{423x}{910a^3\sqrt[3]{a+bx^3}} + \frac{141x}{910a^2(a+bx^3)^{4/3}} + \frac{47x}{455a(a+bx^3)^{7/3}} + \frac{8x}{65(a+bx^3)^{10/3}} + \frac{2x(a-bx^3)}{13(a+bx^3)^{13/3}}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^3)^2/(a + b*x^3)^(16/3), x]

[Out] (2*x*(a - b*x^3))/(13*(a + b*x^3)^(13/3)) + (8*x)/(65*(a + b*x^3)^(10/3)) + (47*x)/(455*a*(a + b*x^3)^(7/3)) + (141*x)/(910*a^2*(a + b*x^3)^(4/3)) + (423*x)/(910*a^3*(a + b*x^3)^(1/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p +
1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q -
2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
+ q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(a - bx^3)^2}{(a + bx^3)^{16/3}} dx &= \frac{2x(a - bx^3)}{13(a + bx^3)^{13/3}} + \frac{\int \frac{11a^2b - 5ab^2x^3}{(a + bx^3)^{13/3}} dx}{13ab} \\ &= \frac{2x(a - bx^3)}{13(a + bx^3)^{13/3}} + \frac{8x}{65(a + bx^3)^{10/3}} + \frac{47}{65} \int \frac{1}{(a + bx^3)^{10/3}} dx \\ &= \frac{2x(a - bx^3)}{13(a + bx^3)^{13/3}} + \frac{8x}{65(a + bx^3)^{10/3}} + \frac{47x}{455a(a + bx^3)^{7/3}} + \frac{282 \int \frac{1}{(a + bx^3)^{7/3}} dx}{455a} \\ &= \frac{2x(a - bx^3)}{13(a + bx^3)^{13/3}} + \frac{8x}{65(a + bx^3)^{10/3}} + \frac{47x}{455a(a + bx^3)^{7/3}} + \frac{141x}{910a^2(a + bx^3)^{4/3}} + \frac{423 \int \frac{1}{(a + bx^3)^{4/3}} dx}{910a^2} \\ &= \frac{2x(a - bx^3)}{13(a + bx^3)^{13/3}} + \frac{8x}{65(a + bx^3)^{10/3}} + \frac{47x}{455a(a + bx^3)^{7/3}} + \frac{141x}{910a^2(a + bx^3)^{4/3}} + \frac{423x}{910a^3\sqrt[3]{a + bx^3}} \end{aligned}$$

Mathematica [A] time = 0.04, size = 62, normalized size = 0.63

$$\frac{x(910a^4 + 2275a^3bx^3 + 3055a^2b^2x^6 + 1833ab^3x^9 + 423b^4x^{12})}{910a^3(a + bx^3)^{13/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a - b*x^3)^2/(a + b*x^3)^(16/3), x]
```

```
[Out] (x*(910*a^4 + 2275*a^3*b*x^3 + 3055*a^2*b^2*x^6 + 1833*a*b^3*x^9 + 423*b^4*x^12))/(910*a^3*(a + b*x^3)^(13/3))
```


IntegrateAlgebraic [A] time = 0.76, size = 62, normalized size = 0.63

$$\frac{x \left(910a^4 + 2275a^3bx^3 + 3055a^2b^2x^6 + 1833ab^3x^9 + 423b^4x^{12} \right)}{910a^3 \left(a + bx^3 \right)^{13/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a - b*x^3)^2/(a + b*x^3)^(16/3), x]

[Out] (x*(910*a^4 + 2275*a^3*b*x^3 + 3055*a^2*b^2*x^6 + 1833*a*b^3*x^9 + 423*b^4*x^12))/(910*a^3*(a + b*x^3)^(13/3))

fricas [A] time = 1.25, size = 113, normalized size = 1.15

$$\frac{\left(423 b^4 x^{13} + 1833 a b^3 x^{10} + 3055 a^2 b^2 x^7 + 2275 a^3 b x^4 + 910 a^4 x \right) \left(b x^3 + a \right)^{\frac{2}{3}}}{910 \left(a^3 b^5 x^{15} + 5 a^4 b^4 x^{12} + 10 a^5 b^3 x^9 + 10 a^6 b^2 x^6 + 5 a^7 b x^3 + a^8 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)^2/(b*x^3+a)^(16/3), x, algorithm="fricas")

[Out] 1/910*(423*b^4*x^13 + 1833*a*b^3*x^10 + 3055*a^2*b^2*x^7 + 2275*a^3*b*x^4 + 910*a^4*x)*(b*x^3 + a)^(2/3)/(a^3*b^5*x^15 + 5*a^4*b^4*x^12 + 10*a^5*b^3*x^9 + 10*a^6*b^2*x^6 + 5*a^7*b*x^3 + a^8)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 - a)^2}{(bx^3 + a)^{\frac{16}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)^2/(b*x^3+a)^(16/3), x, algorithm="giac")

[Out] integrate((b*x^3 - a)^2/(b*x^3 + a)^(16/3), x)

maple [A] time = 0.05, size = 59, normalized size = 0.60

$$\frac{\left(423b^4x^{12} + 1833b^3x^9a + 3055b^2x^6a^2 + 2275bx^3a^3 + 910a^4 \right) x}{910 \left(bx^3 + a \right)^{\frac{13}{3}} a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^3+a)^2/(b*x^3+a)^(16/3),x)

[Out] $1/910*x*(423*b^4*x^{12}+1833*a*b^3*x^9+3055*a^2*b^2*x^6+2275*a^3*b*x^3+910*a^4)/(b*x^3+a)^{(13/3)}/a^3$

maxima [B] time = 0.57, size = 206, normalized size = 2.10

$$\frac{\left(35b^2 - \frac{91(bx^3+a)b}{x^3} + \frac{65(bx^3+a)^2}{x^6}\right)b^2x^{13}}{455(bx^3+a)^{\frac{13}{3}}a^3} + \frac{\left(140b^3 - \frac{546(bx^3+a)b^2}{x^3} + \frac{780(bx^3+a)^2b}{x^6} - \frac{455(bx^3+a)^3}{x^9}\right)bx^{13}}{910(bx^3+a)^{\frac{13}{3}}a^3} + \frac{\left(35b^4 - \frac{182(bx^3+a)b^3}{x^3} + \frac{390(bx^3+a)^2b^2}{x^6} - \frac{455(bx^3+a)^3b}{x^9} + \frac{455(bx^3+a)^4}{x^{12}}\right)x^{13}}{455(bx^3+a)^{\frac{13}{3}}a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)^2/(b*x^3+a)^(16/3),x, algorithm="maxima")

[Out] $1/455*(35*b^2 - 91*(b*x^3 + a)*b/x^3 + 65*(b*x^3 + a)^2/x^6)*b^2*x^{13}/((b*x^3 + a)^{(13/3)}*a^3) + 1/910*(140*b^3 - 546*(b*x^3 + a)*b^2/x^3 + 780*(b*x^3 + a)^2*b/x^6 - 455*(b*x^3 + a)^3/x^9)*b*x^{13}/((b*x^3 + a)^{(13/3)}*a^3) + 1/455*(35*b^4 - 182*(b*x^3 + a)*b^3/x^3 + 390*(b*x^3 + a)^2*b^2/x^6 - 455*(b*x^3 + a)^3*b/x^9 + 455*(b*x^3 + a)^4/x^{12})*x^{13}/((b*x^3 + a)^{(13/3)}*a^3)$

mupad [B] time = 1.44, size = 71, normalized size = 0.72

$$\frac{423x}{910a^3(bx^3+a)^{1/3}} - \frac{2x}{65(bx^3+a)^{10/3}} + \frac{141x}{910a^2(bx^3+a)^{4/3}} + \frac{47x}{455a(bx^3+a)^{7/3}} + \frac{4ax}{13(bx^3+a)^{13/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - b*x^3)^2/(a + b*x^3)^(16/3),x)

[Out] $(423*x)/(910*a^3*(a + b*x^3)^{(1/3)}) - (2*x)/(65*(a + b*x^3)^{(10/3)}) + (141*x)/(910*a^2*(a + b*x^3)^{(4/3)}) + (47*x)/(455*a*(a + b*x^3)^{(7/3)}) + (4*a*x)/(13*(a + b*x^3)^{(13/3)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x**3+a)**2/(b*x**3+a)**(16/3),x)

[Out] Timed out

$$3.42 \quad \int \frac{(a-bx^3)^2}{(a+bx^3)^{19/3}} dx$$

Optimal. Leaf size=117

$$\frac{81x}{182a^4\sqrt[3]{a+bx^3}} + \frac{27x}{182a^3(a+bx^3)^{4/3}} + \frac{9x}{91a^2(a+bx^3)^{7/3}} + \frac{x}{13a(a+bx^3)^{10/3}} + \frac{11x}{104(a+bx^3)^{13/3}} + \frac{x(a-bx^3)}{8(a+bx^3)^{16/3}}$$

Rubi [A] time = 0.04, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {413, 385, 192, 191}

$$\frac{81x}{182a^4\sqrt[3]{a+bx^3}} + \frac{27x}{182a^3(a+bx^3)^{4/3}} + \frac{9x}{91a^2(a+bx^3)^{7/3}} + \frac{x}{13a(a+bx^3)^{10/3}} + \frac{11x}{104(a+bx^3)^{13/3}} + \frac{x(a-bx^3)}{8(a+bx^3)^{16/3}}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^3)^2/(a + b*x^3)^(19/3), x]

[Out] (x*(a - b*x^3))/(8*(a + b*x^3)^(16/3)) + (11*x)/(104*(a + b*x^3)^(13/3)) + x/(13*a*(a + b*x^3)^(10/3)) + (9*x)/(91*a^2*(a + b*x^3)^(7/3)) + (27*x)/(182*a^3*(a + b*x^3)^(4/3)) + (81*x)/(182*a^4*(a + b*x^3)^(1/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p +
1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q -
2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
+ q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a - bx^3)^2}{(a + bx^3)^{19/3}} dx &= \frac{x(a - bx^3)}{8(a + bx^3)^{16/3}} + \frac{\int \frac{14a^2b - 8ab^2x^3}{(a + bx^3)^{16/3}} dx}{16ab} \\
&= \frac{x(a - bx^3)}{8(a + bx^3)^{16/3}} + \frac{11x}{104(a + bx^3)^{13/3}} + \frac{10}{13} \int \frac{1}{(a + bx^3)^{13/3}} dx \\
&= \frac{x(a - bx^3)}{8(a + bx^3)^{16/3}} + \frac{11x}{104(a + bx^3)^{13/3}} + \frac{x}{13a(a + bx^3)^{10/3}} + \frac{9 \int \frac{1}{(a + bx^3)^{10/3}} dx}{13a} \\
&= \frac{x(a - bx^3)}{8(a + bx^3)^{16/3}} + \frac{11x}{104(a + bx^3)^{13/3}} + \frac{x}{13a(a + bx^3)^{10/3}} + \frac{9x}{91a^2(a + bx^3)^{7/3}} + \frac{54 \int \frac{1}{(a + bx^3)^{7/3}} dx}{91a^2} \\
&= \frac{x(a - bx^3)}{8(a + bx^3)^{16/3}} + \frac{11x}{104(a + bx^3)^{13/3}} + \frac{x}{13a(a + bx^3)^{10/3}} + \frac{9x}{91a^2(a + bx^3)^{7/3}} + \frac{27x}{182a^3(a + bx^3)^{4/3}} \\
&= \frac{x(a - bx^3)}{8(a + bx^3)^{16/3}} + \frac{11x}{104(a + bx^3)^{13/3}} + \frac{x}{13a(a + bx^3)^{10/3}} + \frac{9x}{91a^2(a + bx^3)^{7/3}} + \frac{27x}{182a^3(a + bx^3)^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 73, normalized size = 0.62

$$\frac{x(364a^5 + 1183a^4bx^3 + 2080a^3b^2x^6 + 1872a^2b^3x^9 + 864ab^4x^{12} + 162b^5x^{15})}{364a^4(a + bx^3)^{16/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^3)^2/(a + b*x^3)^(19/3), x]

[Out] $(x*(364*a^5 + 1183*a^4*b*x^3 + 2080*a^3*b^2*x^6 + 1872*a^2*b^3*x^9 + 864*a*b^4*x^{12} + 162*b^5*x^{15}))/((364*a^4*(a + b*x^3)^{(16/3)})$

IntegrateAlgebraic [A] time = 1.19, size = 73, normalized size = 0.62

$$\frac{x(364a^5 + 1183a^4bx^3 + 2080a^3b^2x^6 + 1872a^2b^3x^9 + 864ab^4x^{12} + 162b^5x^{15})}{364a^4(a + bx^3)^{16/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a - b*x^3)^2/(a + b*x^3)^(19/3), x]

[Out] $(x*(364*a^5 + 1183*a^4*b*x^3 + 2080*a^3*b^2*x^6 + 1872*a^2*b^3*x^9 + 864*a*b^4*x^{12} + 162*b^5*x^{15}))/((364*a^4*(a + b*x^3)^{(16/3)})$

fricas [A] time = 0.80, size = 135, normalized size = 1.15

$$\frac{(162b^5x^{16} + 864ab^4x^{13} + 1872a^2b^3x^{10} + 2080a^3b^2x^7 + 1183a^4bx^4 + 364a^5x)(bx^3 + a)^{2/3}}{364(a^4b^6x^{18} + 6a^5b^5x^{15} + 15a^6b^4x^{12} + 20a^7b^3x^9 + 15a^8b^2x^6 + 6a^9bx^3 + a^{10})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)^2/(b*x^3+a)^(19/3), x, algorithm="fricas")

[Out] $1/364*(162*b^5*x^{16} + 864*a*b^4*x^{13} + 1872*a^2*b^3*x^{10} + 2080*a^3*b^2*x^7 + 1183*a^4*b*x^4 + 364*a^5*x)*(b*x^3 + a)^{(2/3)}/(a^4*b^6*x^{18} + 6*a^5*b^5*x^{15} + 15*a^6*b^4*x^{12} + 20*a^7*b^3*x^9 + 15*a^8*b^2*x^6 + 6*a^9*b*x^3 + a^{10})$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 - a)^2}{(bx^3 + a)^{19/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^3+a)^2/(b*x^3+a)^(19/3), x, algorithm="giac")

[Out] integrate((b*x^3 - a)^2/(b*x^3 + a)^(19/3), x)

maple [A] time = 0.05, size = 70, normalized size = 0.60

$$\frac{(162b^5x^{15} + 864ab^4x^{12} + 1872a^2b^3x^9 + 2080a^3b^2x^6 + 1183a^4bx^3 + 364a^5)x}{364(bx^3 + a)^{16/3}a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-b*x^3+a)^2/(b*x^3+a)^(19/3),x)`

[Out] $1/364*x*(162*b^5*x^15+864*a*b^4*x^12+1872*a^2*b^3*x^9+2080*a^3*b^2*x^6+1183*a^4*b*x^3+364*a^5)/(b*x^3+a)^(16/3)/a^4$

maxima [B] time = 0.51, size = 257, normalized size = 2.20

$$\frac{\left(455 b^5 - \frac{1680 (b x^3 + a)^2}{x^3} + \frac{2184 (b x^3 + a)^2 b}{x^6} - \frac{1040 (b x^3 + a)^3}{x^9}\right) b^2 x^{16}}{7280 (b x^3 + a)^{\frac{16}{3}} a^4} - \frac{\left(455 b^4 - \frac{2240 (b x^3 + a)^2}{x^3} + \frac{4368 (b x^3 + a)^2 b^2}{x^6} - \frac{4160 (b x^3 + a)^3 b}{x^9} + \frac{1820 (b x^3 + a)^4}{x^{12}}\right) b x^{16}}{3640 (b x^3 + a)^{\frac{16}{3}} a^4} - \frac{\left(91 b^5 - \frac{560 (b x^3 + a)^2}{x^3} + \frac{1456 (b x^3 + a)^2 b^3}{x^6} - \frac{2080 (b x^3 + a)^3 b^2}{x^9} + \frac{1820 (b x^3 + a)^4 b}{x^{12}} - \frac{1456 (b x^3 + a)^5}{x^{15}}\right) x^{16}}{1456 (b x^3 + a)^{\frac{16}{3}} a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x^3+a)^2/(b*x^3+a)^(19/3),x, algorithm="maxima")`

[Out] $-1/7280*(455*b^3 - 1680*(b*x^3 + a)*b^2/x^3 + 2184*(b*x^3 + a)^2*b/x^6 - 1040*(b*x^3 + a)^3/x^9)*b^2*x^{16}/((b*x^3 + a)^(16/3)*a^4) - 1/3640*(455*b^4 - 2240*(b*x^3 + a)*b^3/x^3 + 4368*(b*x^3 + a)^2*b^2/x^6 - 4160*(b*x^3 + a)^3*b/x^9 + 1820*(b*x^3 + a)^4/x^{12})*b*x^{16}/((b*x^3 + a)^(16/3)*a^4) - 1/1456*(91*b^5 - 560*(b*x^3 + a)*b^4/x^3 + 1456*(b*x^3 + a)^2*b^3/x^6 - 2080*(b*x^3 + a)^3*b^2/x^9 + 1820*(b*x^3 + a)^4*b/x^{12} - 1456*(b*x^3 + a)^5/x^{15})*x^{16}/((b*x^3 + a)^(16/3)*a^4)$

mupad [B] time = 1.43, size = 86, normalized size = 0.74

$$\frac{81 x}{182 a^4 (b x^3 + a)^{1/3}} - \frac{x}{52 (b x^3 + a)^{13/3}} + \frac{27 x}{182 a^3 (b x^3 + a)^{4/3}} + \frac{9 x}{91 a^2 (b x^3 + a)^{7/3}} + \frac{x}{13 a (b x^3 + a)^{10/3}} + \frac{a x}{4 (b x^3 + a)^{16/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a - b*x^3)^2/(a + b*x^3)^(19/3),x)`

[Out] $(81*x)/(182*a^4*(a + b*x^3)^(1/3)) - x/(52*(a + b*x^3)^(13/3)) + (27*x)/(182*a^3*(a + b*x^3)^(4/3)) + (9*x)/(91*a^2*(a + b*x^3)^(7/3)) + x/(13*a*(a + b*x^3)^(10/3)) + (a*x)/(4*(a + b*x^3)^(16/3))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x**3+a)**2/(b*x**3+a)**(19/3),x)`

[Out] Timed out

$$3.43 \quad \int (a + bx^3)^{5/3} (c + dx^3) dx$$

Optimal. Leaf size=174

$$\frac{5a^2(9bc - ad) \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{162b^{4/3}} + \frac{5a^2(9bc - ad) \tan^{-1}\left(\frac{2\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}} + 1\right)}{81\sqrt{3}b^{4/3}} + \frac{x(a + bx^3)^{5/3}(9bc - ad)}{54b} + \frac{5ax(a + bx^3)^{8/3}}{9b}$$

Rubi [A] time = 0.06, antiderivative size = 174, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {388, 195, 239}

$$\frac{5a^2(9bc - ad) \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{162b^{4/3}} + \frac{5a^2(9bc - ad) \tan^{-1}\left(\frac{2\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}} + 1\right)}{81\sqrt{3}b^{4/3}} + \frac{x(a + bx^3)^{5/3}(9bc - ad)}{54b} + \frac{5ax(a + bx^3)^{2/3}(9bc - ad)}{162b} + \frac{dx(a + bx^3)^{8/3}}{9b}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^(5/3)*(c + d*x^3), x]

[Out] (5*a*(9*b*c - a*d)*x*(a + b*x^3)^(2/3))/(162*b) + ((9*b*c - a*d)*x*(a + b*x^3)^(5/3))/(54*b) + (d*x*(a + b*x^3)^(8/3))/(9*b) + (5*a^2*(9*b*c - a*d)*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]])/(81*Sqrt[3]*b^(4/3)) - (5*a^2*(9*b*c - a*d)*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(162*b^(4/3))

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] := Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,

c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned}
 \int (a + bx^3)^{5/3} (c + dx^3) dx &= \frac{dx (a + bx^3)^{8/3}}{9b} - \frac{(-9bc + ad) \int (a + bx^3)^{5/3} dx}{9b} \\
 &= \frac{(9bc - ad)x (a + bx^3)^{5/3}}{54b} + \frac{dx (a + bx^3)^{8/3}}{9b} + \frac{(5a(9bc - ad)) \int (a + bx^3)^{2/3} dx}{54b} \\
 &= \frac{5a(9bc - ad)x (a + bx^3)^{2/3}}{162b} + \frac{(9bc - ad)x (a + bx^3)^{5/3}}{54b} + \frac{dx (a + bx^3)^{8/3}}{9b} + \frac{(5a^2(9bc - ad)) \int (a + bx^3)^{-1/3} dx}{54b} \\
 &= \frac{5a(9bc - ad)x (a + bx^3)^{2/3}}{162b} + \frac{(9bc - ad)x (a + bx^3)^{5/3}}{54b} + \frac{dx (a + bx^3)^{8/3}}{9b} + \frac{5a^2(9bc - ad) \sqrt[3]{a + bx^3}}{54b}
 \end{aligned}$$

Mathematica [C] time = 0.07, size = 75, normalized size = 0.43

$$\frac{x (a + bx^3)^{2/3} \left(d (a + bx^3)^2 - \frac{a(ad - 9bc) {}_2F_1\left(-\frac{5}{3}, \frac{1}{3}, \frac{4}{3}, -\frac{bx^3}{a}\right)}{\left(\frac{bx^3}{a} + 1\right)^{2/3}} \right)}{9b}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^(5/3)*(c + d*x^3), x]

[Out] (x*(a + b*x^3)^(2/3)*(d*(a + b*x^3)^2 - (a*(-9*b*c + a*d)*Hypergeometric2F1[-5/3, 1/3, 4/3, -(b*x^3)/a]))/(1 + (b*x^3)/a)^(2/3))/(9*b)

IntegrateAlgebraic [A] time = 0.71, size = 227, normalized size = 1.30

$$\frac{(a + bx^3)^{2/3} (10a^2dx + 72abcx + 33abd^2x^4 + 27b^2cx^4 + 18b^2dx^7)}{162b} + \frac{5(a^3d - 9a^2bc) \log(\sqrt[3]{a + bx^3} - \sqrt[3]{bx})}{243b^{4/3}} - \frac{5(a^3d - 9a^2bc) \tan^{-1}\left(\frac{\sqrt{3}\sqrt[3]{bx}}{2\sqrt[3]{a+bx^3} + \sqrt[3]{bx}}\right)}{81\sqrt{3}b^{4/3}} - \frac{5(a^3d - 9a^2bc) \log(\sqrt[3]{bx}\sqrt[3]{a + bx^3} + (a + bx^3)^{2/3} + b^{2/3}x^2)}{486b^{4/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^3)^(5/3)*(c + d*x^3), x]

[Out] ((a + b*x^3)^(2/3)*(72*a*b*c*x + 10*a^2*d*x + 27*b^2*c*x^4 + 33*a*b*d*x^4 + 18*b^2*d*x^7))/(162*b) - (5*(-9*a^2*b*c + a^3*d)*ArcTan[(Sqrt[3]*b^(1/3)*x

$$\frac{1}{(b^{1/3}x + 2(a + bx^3)^{1/3})} \frac{1}{(81\sqrt{3}b^{4/3})} + \frac{5(-9a^2bc + a^3d)\text{Log}[-(b^{1/3}x + (a + bx^3)^{1/3})]}{(243b^{4/3})} - \frac{5(-9a^2bc + a^3d)\text{Log}[b^{2/3}x^2 + b^{1/3}x(a + bx^3)^{1/3} + (a + bx^3)^{2/3}]}{(486b^{4/3})}$$

fricas [A] time = 1.21, size = 482, normalized size = 2.77

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(5/3)*(d*x^3+c),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/486*(15*\sqrt{1/3}*(9*a^2*b^2*c - a^3*b*d)*\sqrt{-1/b^{2/3}}*\log(3*b*x^3 \\ & - 3*(b*x^3 + a)^{1/3}*b^{2/3}*x^2 - 3*\sqrt{1/3}*(b^{4/3}*x^3 + (b*x^3 + a)^{1/3} \\ & *b*x^2 - 2*(b*x^3 + a)^{2/3}*b^{2/3}*x)*\sqrt{-1/b^{2/3}} + 2*a) + 10*(\\ & 9*a^2*b*c - a^3*d)*b^{2/3}*\log(-(b^{1/3}*x - (b*x^3 + a)^{1/3})/x) - 5*(9*a \\ & ^2*b*c - a^3*d)*b^{2/3}*\log((b^{2/3}*x^2 + (b*x^3 + a)^{1/3}*b^{1/3}*x + (b \\ & *x^3 + a)^{2/3})/x^2) - 3*(18*b^3*d*x^7 + 3*(9*b^3*c + 11*a*b^2*d)*x^4 + 2* \\ & (36*a*b^2*c + 5*a^2*b*d)*x)*(b*x^3 + a)^{2/3}/b^2, -1/486*(10*(9*a^2*b*c - \\ & a^3*d)*b^{2/3}*\log(-(b^{1/3}*x - (b*x^3 + a)^{1/3})/x) - 5*(9*a^2*b*c - a^ \\ & 3*d)*b^{2/3}*\log((b^{2/3}*x^2 + (b*x^3 + a)^{1/3}*b^{1/3}*x + (b*x^3 + a)^{2/3}) \\ & /x^2) + 30*\sqrt{1/3}*(9*a^2*b^2*c - a^3*b*d)*\arctan(\sqrt{1/3}*(b^{1/3} \\ & *x + 2*(b*x^3 + a)^{1/3})/(b^{1/3}*x))/b^{1/3} - 3*(18*b^3*d*x^7 + 3*(9*b^3 \\ & *c + 11*a*b^2*d)*x^4 + 2*(36*a*b^2*c + 5*a^2*b*d)*x)*(b*x^3 + a)^{2/3}/b^2 \\ &] \end{aligned}$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^3 + a)^{\frac{5}{3}}(dx^3 + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(5/3)*(d*x^3+c),x, algorithm="giac")

[Out] integrate((b*x^3 + a)^(5/3)*(d*x^3 + c), x)

maple [F] time = 0.37, size = 0, normalized size = 0.00

$$\int (bx^3 + a)^{\frac{5}{3}}(dx^3 + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(5/3)*(d*x^3+c),x)

[Out] $\int (b x^3 + a)^{5/3} (d x^3 + c) dx$

maxima [B] time = 1.68, size = 406, normalized size = 2.33

$$\frac{\frac{1}{54} \left(\frac{10 \sqrt{3} a^2 \arctan\left(\frac{\sqrt[3]{3} \sqrt{2(b^2+a)^2}}{3b}\right)}{b^{\frac{1}{3}}} - 5 a^2 \log\left(b^{\frac{2}{3}} + \frac{(b^2+a)^{\frac{1}{3}} b^{\frac{1}{3}}}{x} + \frac{(b^2+a)^{\frac{2}{3}}}{x^2}\right) + 10 a^2 \log\left(-b^{\frac{1}{3}} + \frac{(b^2+a)^{\frac{1}{3}}}{x}\right) + 3 \frac{(5(b^2+a)^{\frac{2}{3}} x^2 b - 8(b^2+a)^{\frac{5}{3}})}{b^2 - \frac{2(b^2+a)b}{x^3} + \frac{(b^2+a)^2}{x^6}} \right)}{b^{\frac{1}{3}}} + \frac{1}{486} \left(\frac{10 \sqrt{3} a^2 \arctan\left(\frac{\sqrt[3]{3} \sqrt{2(b^2+a)^2}}{3b}\right)}{b^{\frac{1}{3}}} - 5 a^2 \log\left(b^{\frac{2}{3}} + \frac{(b^2+a)^{\frac{1}{3}} b^{\frac{1}{3}}}{x} + \frac{(b^2+a)^{\frac{2}{3}}}{x^2}\right) + 10 a^2 \log\left(-b^{\frac{1}{3}} + \frac{(b^2+a)^{\frac{1}{3}}}{x}\right) + 3 \frac{(5(b^2+a)^{\frac{2}{3}} x^2 b - 13(b^2+a)^{\frac{5}{3}} - 10(b^2+a)^{\frac{8}{3}} x^2)}{b^4 - \frac{3(b^2+a)b^2}{x^3} + \frac{3(b^2+a)^2}{x^6} - \frac{(b^2+a)^3}{x^9}} \right) d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^(5/3)*(d*x^3+c),x, algorithm="maxima")`

[Out] $-1/54 * (10 * \sqrt{3} * a^2 * \arctan(1/3 * \sqrt{3} * (b^{1/3} + 2 * (b * x^3 + a)^{1/3} / x) / b^{1/3})) / b^{1/3} - 5 * a^2 * \log(b^{2/3} + (b * x^3 + a)^{1/3} * b^{1/3} / x + (b * x^3 + a)^{2/3} / x^2) / b^{1/3} + 10 * a^2 * \log(-b^{1/3} + (b * x^3 + a)^{1/3} / x) / b^{1/3} + 3 * (5 * (b * x^3 + a)^{2/3} * a^2 * b / x^2 - 8 * (b * x^3 + a)^{5/3} * a^2 / x^5) / (b^2 - 2 * (b * x^3 + a) * b / x^3 + (b * x^3 + a)^2 / x^6) * c + 1/486 * (10 * \sqrt{3} * a^3 * \arctan(1/3 * \sqrt{3} * (b^{1/3} + 2 * (b * x^3 + a)^{1/3} / x) / b^{1/3})) / b^{4/3} - 5 * a^3 * \log(b^{2/3} + (b * x^3 + a)^{1/3} * b^{1/3} / x + (b * x^3 + a)^{2/3} / x^2) / b^{4/3} + 10 * a^3 * \log(-b^{1/3} + (b * x^3 + a)^{1/3} / x) / b^{4/3} + 3 * (5 * (b * x^3 + a)^{2/3} * a^3 * b^2 / x^2 - 13 * (b * x^3 + a)^{5/3} * a^3 * b / x^5 - 10 * (b * x^3 + a)^{8/3} * a^3 / x^8) / (b^4 - 3 * (b * x^3 + a) * b^3 / x^3 + 3 * (b * x^3 + a)^2 * b^2 / x^6 - (b * x^3 + a)^3 * b / x^9) * d$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (b x^3 + a)^{5/3} (d x^3 + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)^(5/3)*(c + d*x^3),x)`

[Out] `int((a + b*x^3)^(5/3)*(c + d*x^3), x)`

sympy [C] time = 10.42, size = 170, normalized size = 0.98

$$\frac{a^{\frac{5}{3}} c x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{-\frac{2}{3}, \frac{1}{3}}{\frac{4}{3}} \left| \frac{b x^3 e^{i\pi}}{a} \right. \right)}{3 \Gamma\left(\frac{4}{3}\right)} + \frac{a^{\frac{5}{3}} d x^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{-\frac{2}{3}, \frac{4}{3}}{\frac{7}{3}} \left| \frac{b x^3 e^{i\pi}}{a} \right. \right)}{3 \Gamma\left(\frac{7}{3}\right)} + \frac{a^{\frac{2}{3}} b c x^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{-\frac{2}{3}, \frac{4}{3}}{\frac{7}{3}} \left| \frac{b x^3 e^{i\pi}}{a} \right. \right)}{3 \Gamma\left(\frac{7}{3}\right)} + \frac{a^{\frac{2}{3}} b d x^7 \Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\frac{-\frac{2}{3}, \frac{7}{3}}{\frac{10}{3}} \left| \frac{b x^3 e^{i\pi}}{a} \right. \right)}{3 \Gamma\left(\frac{10}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**(5/3)*(d*x**3+c),x)`

[Out] $a^{5/3} * c * x * \gamma(1/3) * \text{hyper}((-2/3, 1/3), (4/3,), b * x^{3/3} * \exp_polar(i * \pi) / a) / (3 * \gamma(4/3)) + a^{5/3} * d * x^{4/3} * \gamma(4/3) * \text{hyper}((-2/3, 4/3), (7/3,), b$

```
x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + a**(2/3)*b*c*x**4*gamma(4/3)*hyper
((-2/3, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + a**(2/3)*b
*d*x**7*gamma(7/3)*hyper((-2/3, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3
*gamma(10/3))
```

3.44 $\int (a + bx^3)^{2/3} (c + dx^3) dx$

Optimal. Leaf size=141

$$\frac{a(6bc - ad) \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{18b^{4/3}} + \frac{a(6bc - ad) \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1}{\sqrt{3}}\right)}{9\sqrt{3}b^{4/3}} + \frac{x(a + bx^3)^{2/3}(6bc - ad)}{18b} + \frac{dx(a + bx^3)^{5/3}}{6b}$$

Rubi [A] time = 0.05, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {388, 195, 239}

$$\frac{a(6bc - ad) \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{18b^{4/3}} + \frac{a(6bc - ad) \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1}{\sqrt{3}}\right)}{9\sqrt{3}b^{4/3}} + \frac{x(a + bx^3)^{2/3}(6bc - ad)}{18b} + \frac{dx(a + bx^3)^{5/3}}{6b}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^(2/3)*(c + d*x^3), x]

[Out] ((6*b*c - a*d)*x*(a + b*x^3)^(2/3))/(18*b) + (d*x*(a + b*x^3)^(5/3))/(6*b) + (a*(6*b*c - a*d)*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]])/(9*Sqrt[3]*b^(4/3)) - (a*(6*b*c - a*d)*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(18*b^(4/3))

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] := Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(

$(p + 1) + 1) / (b * (n * (p + 1) + 1))$, Int $[(a + b * x^n)^p, x], x] / ;$ FreeQ $[\{a, b, c, d, n\}, x]$ && NeQ $[b * c - a * d, 0]$ && NeQ $[n * (p + 1) + 1, 0]$

Rubi steps

$$\begin{aligned} \int (a + bx^3)^{2/3} (c + dx^3) dx &= \frac{dx (a + bx^3)^{5/3}}{6b} - \frac{(-6bc + ad) \int (a + bx^3)^{2/3} dx}{6b} \\ &= \frac{(6bc - ad)x (a + bx^3)^{2/3}}{18b} + \frac{dx (a + bx^3)^{5/3}}{6b} + \frac{(a(6bc - ad)) \int \frac{1}{\sqrt[3]{a+bx^3}} dx}{9b} \\ &= \frac{(6bc - ad)x (a + bx^3)^{2/3}}{18b} + \frac{dx (a + bx^3)^{5/3}}{6b} + \frac{a(6bc - ad) \tan^{-1} \left(\frac{1 + \frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}}}{\sqrt{3}} \right)}{9\sqrt{3} b^{4/3}} - \frac{a(6bc - ad)}{9\sqrt{3} b^{4/3}} \end{aligned}$$

Mathematica [C] time = 0.10, size = 72, normalized size = 0.51

$$\frac{x (a + bx^3)^{2/3} \left(\frac{(6bc - ad) {}_2F_1 \left(-\frac{2}{3}, \frac{4}{3}; -\frac{bx^3}{a} \right)}{\left(\frac{bx^3}{a} + 1 \right)^{2/3}} + d (a + bx^3) \right)}{6b}$$

Antiderivative was successfully verified.

[In] Integrate $[(a + b*x^3)^(2/3)*(c + d*x^3), x]$

[Out] $(x*(a + b*x^3)^(2/3)*(d*(a + b*x^3) + ((6*b*c - a*d)*Hypergeometric2F1[-2/3, 1/3, 4/3, -(b*x^3)/a]))/(1 + (b*x^3)/a)^(2/3))/(6*b)$

IntegrateAlgebraic [A] time = 0.67, size = 200, normalized size = 1.42

$$\frac{(a^2d - 6abc) \log(\sqrt[3]{a + bx^3} - \sqrt[3]{bx^3})}{27b^{4/3}} - \frac{(a^2d - 6abc) \tan^{-1} \left(\frac{\sqrt{3} \sqrt[3]{bx^3}}{2\sqrt[3]{a+bx^3} + \sqrt[3]{bx^3}} \right)}{9\sqrt{3} b^{4/3}} + \frac{(6abc - a^2d) \log(\sqrt[3]{bx^3} \sqrt[3]{a + bx^3} + (a + bx^3)^{2/3} + b^{2/3}x^2)}{54b^{4/3}} + \frac{(a + bx^3)^{2/3} (2adx + 6bcx + 3bdx^4)}{18b}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic $[(a + b*x^3)^(2/3)*(c + d*x^3), x]$

[Out] $((a + b*x^3)^(2/3)*(6*b*c*x + 2*a*d*x + 3*b*d*x^4))/(18*b) - ((-6*a*b*c + a^2*d)*ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3)])/(9*Sqrt[3]*b^(4/3)) + ((-6*a*b*c + a^2*d)*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/$

maxima [B] time = 1.44, size = 322, normalized size = 2.28

$$\frac{1}{9} \left(\frac{2\sqrt{3}a \arctan\left(\frac{\sqrt{3}\left(\frac{1}{3} + \frac{2(b^3+a)^{1/3}}{x}\right)}{3b^{1/3}}\right)}{b^{1/3}} - a \log\left(b^{2/3} + \frac{(bx^3+a)^{1/3}}{x} + \frac{(bx^3+a)^{2/3}}{x^2}\right) + 2a \log\left(-b^{1/3} + \frac{(bx^3+a)^{1/3}}{x}\right) + \frac{3(bx^3+a)^{2/3}a}{\left(b - \frac{bx^3+a}{x^3}\right)^2} \right) c + \frac{1}{54} \left(\frac{2\sqrt{3}a^2 \arctan\left(\frac{\sqrt{3}\left(\frac{1}{3} + \frac{2(b^3+a)^{1/3}}{x}\right)}{3a^{1/3}}\right)}{b^{1/3}} - a^2 \log\left(b^{2/3} + \frac{(bx^3+a)^{1/3}}{x} + \frac{(bx^3+a)^{2/3}}{x^2}\right) + 2a^2 \log\left(-b^{1/3} + \frac{(bx^3+a)^{1/3}}{x}\right) + \frac{3\left(\frac{(bx^3+a)^{2/3}a^2}{x^2} + \frac{2(bx^3+a)^{5/3}}{x^3}\right)}{b^3 - \frac{2(bx^3+a)^2}{x^3} + \frac{(bx^3+a)^2}{x^3}} \right) d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(2/3)*(d*x^3+c), x, algorithm="maxima")

[Out] $-1/9*(2*\sqrt{3}*a*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3}))/b^{1/3} - a*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{1/3} + 2*a*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{1/3} + 3*(b*x^3 + a)^{2/3}*a/((b - (b*x^3 + a)/x^3)*x^2))*c + 1/54*(2*\sqrt{3}*a^2*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3}))/b^{4/3} - a^2*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{4/3} + 2*a^2*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{4/3} + 3*((b*x^3 + a)^{2/3}*a^2*b/x^2 + 2*(b*x^3 + a)^{5/3}*a^2/x^5)/(b^3 - 2*(b*x^3 + a)*b^2/x^3 + (b*x^3 + a)^2*b/x^6))*d$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (bx^3 + a)^{2/3} (dx^3 + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(2/3)*(c + d*x^3), x)

[Out] int((a + b*x^3)^(2/3)*(c + d*x^3), x)

sympy [C] time = 5.35, size = 82, normalized size = 0.58

$$\frac{a^{2/3} c x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(-\frac{2}{3}, \frac{1}{3} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{a^{2/3} dx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(-\frac{2}{3}, \frac{4}{3} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3\Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(2/3)*(d*x**3+c), x)

[Out] $a^{2/3}*c*x*\gamma(1/3)*\text{hyper}((-2/3, 1/3), (4/3,), b*x**3*\exp_polar(I*\pi)/a)/(3*\gamma(4/3)) + a^{2/3}*d*x**4*\gamma(4/3)*\text{hyper}((-2/3, 4/3), (7/3,), b*x**3*\exp_polar(I*\pi)/a)/(3*\gamma(7/3))$

$$3.45 \quad \int \frac{c+dx^3}{\sqrt[3]{a+bx^3}} dx$$

Optimal. Leaf size=111

$$-\frac{(3bc - ad) \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{6b^{4/3}} + \frac{(3bc - ad) \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1}{\sqrt{3}}\right)}{3\sqrt{3}b^{4/3}} + \frac{dx(a + bx^3)^{2/3}}{3b}$$

Rubi [A] time = 0.03, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {388, 239}

$$-\frac{(3bc - ad) \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{6b^{4/3}} + \frac{(3bc - ad) \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1}{\sqrt{3}}\right)}{3\sqrt{3}b^{4/3}} + \frac{dx(a + bx^3)^{2/3}}{3b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)/(a + b*x^3)^(1/3), x]

[Out] (d*x*(a + b*x^3)^(2/3))/(3*b) + ((3*b*c - a*d)*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]])/(3*Sqrt[3]*b^(4/3)) - ((3*b*c - a*d)*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(6*b^(4/3))

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] :> Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rubi steps

$$\int \frac{c + dx^3}{\sqrt[3]{a + bx^3}} dx = \frac{dx(a + bx^3)^{2/3}}{3b} - \frac{(-3bc + ad) \int \frac{1}{\sqrt[3]{a + bx^3}} dx}{3b}$$

$$= \frac{dx(a + bx^3)^{2/3}}{3b} + \frac{(3bc - ad) \tan^{-1} \left(\frac{1 + \frac{2\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}}}{\sqrt{3}} \right)}{3\sqrt{3}b^{4/3}} - \frac{(3bc - ad) \log \left(-\sqrt[3]{b}x + \sqrt[3]{a + bx^3} \right)}{6b^{4/3}}$$

Mathematica [A] time = 0.15, size = 141, normalized size = 1.27

$$\frac{(3bc - ad) \left(\log \left(\frac{b^{2/3}x^2}{(a + bx^3)^{2/3}} + \frac{\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}} + 1 \right) - 2 \log \left(1 - \frac{\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}} \right) + 2\sqrt{3} \tan^{-1} \left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a + bx^3}} + 1}{\sqrt{3}} \right) \right)}{6\sqrt[3]{b}} + dx(a + bx^3)^{2/3}}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)/(a + b*x^3)^(1/3), x]

[Out] (d*x*(a + b*x^3)^(2/3) + ((3*b*c - a*d)*(2*Sqrt[3]*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3)]/Sqrt[3]] - 2*Log[1 - (b^(1/3)*x)/(a + b*x^3)^(1/3)] + Log[1 + (b^(2/3)*x^2)/(a + b*x^3)^(2/3) + (b^(1/3)*x)/(a + b*x^3)^(1/3)]))/ (6*b^(1/3)))/(3*b)

IntegrateAlgebraic [A] time = 0.51, size = 176, normalized size = 1.59

$$\frac{(ad - 3bc) \log \left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x \right)}{9b^{4/3}} + \frac{(3bc - ad) \tan^{-1} \left(\frac{\sqrt{3} \sqrt[3]{b}x}{2\sqrt[3]{a + bx^3} + \sqrt[3]{b}x} \right)}{3\sqrt{3}b^{4/3}} + \frac{(3bc - ad) \log \left(\sqrt[3]{b}x \sqrt[3]{a + bx^3} + (a + bx^3)^{2/3} + b^{2/3}x^2 \right)}{18b^{4/3}} + \frac{dx(a + bx^3)^{2/3}}{3b}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x^3)/(a + b*x^3)^(1/3), x]

[Out] (d*x*(a + b*x^3)^(2/3))/(3*b) + ((3*b*c - a*d)*ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))]/(3*Sqrt[3]*b^(4/3)) + ((-3*b*c + a*d)*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)]/(9*b^(4/3)) + ((3*b*c - a*d)*Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)]/(18*b^(4/3))

fricas [A] time = 1.31, size = 362, normalized size = 3.26

$$\frac{6(b^2 + a)^2 b^2 dx - 3\sqrt{3}(3bc - ad) \sqrt{\frac{3}{13}} \log \left(\frac{3b^2 - 3(b^2 + a)^2 b^2 x^2 - 3\sqrt{3}(b^2 x^2 + (b^2 + a)^2 b^2 x^2 - 2(b^2 + a)^2 b^2 x)}{\sqrt{\frac{3}{13}} + 2x} \right) - 2(3bc - ad) \log \left(\frac{x^2 - (b^2 + a)^2}{x} \right) + (3bc - ad) \log \left(\frac{x^2 + (b^2 + a)^2}{x} \right) + 6(b^2 + a)^2 b^2 dx - 2(3bc - ad) \log \left(\frac{x^2 - (b^2 + a)^2}{x} \right) + (3bc - ad) \log \left(\frac{x^2 + (b^2 + a)^2}{x} \right) + \frac{6\sqrt{3}(3bc - ad) \arctan \left(\frac{\sqrt{3}(b^2 + a)^2}{x} \right)}{13}}{18b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^(1/3),x, algorithm="fricas")

[Out] [1/18*(6*(b*x^3 + a)^(2/3)*b*d*x - 3*sqrt(1/3)*(3*b^2*c - a*b*d)*sqrt(-1/b^(2/3))*log(3*b*x^3 - 3*(b*x^3 + a)^(1/3)*b^(2/3)*x^2 - 3*sqrt(1/3)*(b^(4/3)*x^3 + (b*x^3 + a)^(1/3)*b*x^2 - 2*(b*x^3 + a)^(2/3)*b^(2/3)*x)*sqrt(-1/b^(2/3)) + 2*a) - 2*(3*b*c - a*d)*b^(2/3)*log(-(b^(1/3)*x - (b*x^3 + a)^(1/3))/x) + (3*b*c - a*d)*b^(2/3)*log((b^(2/3)*x^2 + (b*x^3 + a)^(1/3)*b^(1/3)*x + (b*x^3 + a)^(2/3))/x^2)/b^2, 1/18*(6*(b*x^3 + a)^(2/3)*b*d*x - 2*(3*b*c - a*d)*b^(2/3)*log(-(b^(1/3)*x - (b*x^3 + a)^(1/3))/x) + (3*b*c - a*d)*b^(2/3)*log((b^(2/3)*x^2 + (b*x^3 + a)^(1/3)*b^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) - 6*sqrt(1/3)*(3*b^2*c - a*b*d)*arctan(sqrt(1/3)*(b^(1/3)*x + 2*(b*x^3 + a)^(1/3))/(b^(1/3)*x))/b^(1/3))/b^2]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx^3 + c}{(bx^3 + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^(1/3),x, algorithm="giac")

[Out] integrate((d*x^3 + c)/(b*x^3 + a)^(1/3), x)

maple [F] time = 0.40, size = 0, normalized size = 0.00

$$\int \frac{dx^3 + c}{(bx^3 + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)/(b*x^3+a)^(1/3),x)

[Out] int((d*x^3+c)/(b*x^3+a)^(1/3),x)

maxima [B] time = 1.20, size = 244, normalized size = 2.20

$$\frac{1}{6} \left(\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(b^{\frac{1}{3}} + 2\frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{3b^{\frac{1}{3}}}\right)}{b^{\frac{1}{3}}} - \frac{\log\left(b^{\frac{2}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}b^{\frac{1}{3}}}{x} + \frac{(bx^3+a)^{\frac{2}{3}}}{x^2}\right)}{b^{\frac{1}{3}}} + \frac{2 \log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} \right) c + \frac{1}{18} \left(\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(b^{\frac{1}{3}} + 2\frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{3b^{\frac{1}{3}}}\right)}{b^{\frac{1}{3}}} - \frac{a \log\left(b^{\frac{2}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}b^{\frac{1}{3}}}{x} + \frac{(bx^3+a)^{\frac{2}{3}}}{x^2}\right)}{b^{\frac{1}{3}}} + \frac{2a \log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} - \frac{6(bx^3+a)^{\frac{2}{3}}a}{\left(b^2 - \frac{(bx^3+a)b}{x^3}\right)x^2} \right) d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^(1/3),x, algorithm="maxima")

[Out]
$$-1/6*(2*\sqrt{3}*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3}))/b^{1/3} - \log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{1/3} + 2*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{1/3})*c + 1/18*(2*\sqrt{3}*a*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3}))/b^{4/3} - a*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{4/3} + 2*a*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{4/3} - 6*(b*x^3 + a)^{2/3}*a/((b^2 - (b*x^3 + a)*b/x^3)*x^2))*d$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{dx^3 + c}{(bx^3 + a)^{1/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3)/(a + b*x^3)^(1/3),x)

[Out] int((c + d*x^3)/(a + b*x^3)^(1/3), x)

sympy [C] time = 4.44, size = 78, normalized size = 0.70

$$\frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt[3]{a}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{4}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt[3]{a}\Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c)/(b*x**3+a)**(1/3),x)

[Out] $c*x*\gamma(1/3)*\text{hyper}((1/3, 1/3), (4/3,), b*x**3*\exp_polar(I*pi)/a)/(3*a**(1/3)*\gamma(4/3)) + d*x**4*\gamma(4/3)*\text{hyper}((1/3, 4/3), (7/3,), b*x**3*\exp_polar(I*pi)/a)/(3*a**(1/3)*\gamma(7/3))$

$$3.46 \quad \int \frac{c+dx^3}{(a+bx^3)^{4/3}} dx$$

Optimal. Leaf size=99

$$-\frac{d \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{2b^{4/3}} + \frac{d \tan^{-1}\left(\frac{2\sqrt[3]{b}x+1}{\sqrt[3]{a+bx^3}}\right)}{\sqrt{3}b^{4/3}} + \frac{x(bc-ad)}{ab\sqrt[3]{a+bx^3}}$$

Rubi [A] time = 0.02, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {385, 239}

$$-\frac{d \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{2b^{4/3}} + \frac{d \tan^{-1}\left(\frac{2\sqrt[3]{b}x+1}{\sqrt[3]{a+bx^3}}\right)}{\sqrt{3}b^{4/3}} + \frac{x(bc-ad)}{ab\sqrt[3]{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)/(a + b*x^3)^(4/3), x]

[Out] ((b*c - a*d)*x)/(a*b*(a + b*x^3)^(1/3)) + (d*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*b^(4/3)) - (d*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(2*b^(4/3)))

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] :> Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*c - a*d)*x*(a + b*x^n)^(p+1))/(a*b*n*(p+1)), x] - Dist[(a*d - b*c*(n*(p+1) + 1))/(a*b*n*(p+1)), Int[(a + b*x^n)^(p+1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rubi steps

[In] integrate((d*x^3+c)/(b*x^3+a)^(4/3),x, algorithm="fricas")

[Out] [1/6*(3*sqrt(1/3)*(a*b^2*d*x^3 + a^2*b*d)*sqrt((-b)^(1/3)/b)*log(3*b*x^3 - 3*(b*x^3 + a)^(1/3)*(-b)^(2/3)*x^2 - 3*sqrt(1/3)*((-b)^(1/3)*b*x^3 - (b*x^3 + a)^(1/3)*b*x^2 + 2*(b*x^3 + a)^(2/3)*(-b)^(2/3)*x)*sqrt((-b)^(1/3)/b) + 2*a) + 6*(b*x^3 + a)^(2/3)*(b^2*c - a*b*d)*x - 2*(a*b*d*x^3 + a^2*d)*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) + (a*b*d*x^3 + a^2*d)*(-b)^(2/3)*log(((b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2)))/(a*b^3*x^3 + a^2*b^2), -1/6*(6*sqrt(1/3)*(a*b^2*d*x^3 + a^2*b*d)*sqrt(-(-b)^(1/3)/b)*arctan(-sqrt(1/3)*((-b)^(1/3)*x - 2*(b*x^3 + a)^(1/3))*sqrt(-(-b)^(1/3)/b)/x) - 6*(b*x^3 + a)^(2/3)*(b^2*c - a*b*d)*x + 2*(a*b*d*x^3 + a^2*d)*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) - (a*b*d*x^3 + a^2*d)*(-b)^(2/3)*log(((b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2)))/(a*b^3*x^3 + a^2*b^2)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx^3 + c}{(bx^3 + a)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^(4/3),x, algorithm="giac")

[Out] integrate((d*x^3 + c)/(b*x^3 + a)^(4/3), x)

maple [F] time = 0.38, size = 0, normalized size = 0.00

$$\int \frac{dx^3 + c}{(bx^3 + a)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)/(b*x^3+a)^(4/3),x)

[Out] int((d*x^3+c)/(b*x^3+a)^(4/3),x)

maxima [A] time = 1.22, size = 134, normalized size = 1.35

$$\frac{1}{6}d \left(\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(\frac{1}{b^{\frac{1}{3}}} + \frac{2(bx^3+a)^{\frac{1}{3}}}{x}\right)}{3b^{\frac{1}{3}}}\right)}{b^{\frac{4}{3}}} + \frac{6x}{(bx^3+a)^{\frac{1}{3}}b} - \frac{\log\left(b^{\frac{2}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}b^{\frac{1}{3}}}{x} + \frac{(bx^3+a)^{\frac{2}{3}}}{x^2}\right)}{b^{\frac{4}{3}}} + \frac{2\log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{4}{3}}} \right) + \frac{cx}{(bx^3+a)^{\frac{1}{3}}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^(4/3),x, algorithm="maxima")

[Out]
$$-1/6*d*(2*\sqrt{3}*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3}))/b^{4/3} + 6*x/((b*x^3 + a)^{1/3}*b) - \log(b^{2/3} + (b*x^3 + a)^{1/3})*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2/b^{4/3} + 2*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{4/3} + c*x/((b*x^3 + a)^{1/3}*a)$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{dx^3 + c}{(bx^3 + a)^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3)/(a + b*x^3)^(4/3),x)

[Out] int((c + d*x^3)/(a + b*x^3)^(4/3), x)

sympy [C] time = 12.83, size = 71, normalized size = 0.72

$$\frac{cx\Gamma\left(\frac{1}{3}\right)}{3a^{\frac{4}{3}}\sqrt[3]{1+\frac{bx^3}{a}}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, \frac{4}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{4}{3}}\Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c)/(b*x**3+a)**(4/3),x)

[Out]
$$c*x*\gamma(1/3)/(3*a**(4/3)*(1 + b*x**3/a)**(1/3)*\gamma(4/3)) + d*x**4*\gamma(4/3)*\text{hyper}((4/3, 4/3), (7/3,), b*x**3*\exp_polar(I*\pi)/a)/(3*a**(4/3)*\gamma(7/3))$$

$$3.47 \quad \int \frac{c+dx^3}{(a+bx^3)^{7/3}} dx$$

Optimal. Leaf size=47

$$\frac{3cx}{4a^2\sqrt[3]{a+bx^3}} + \frac{x(c+dx^3)}{4a(a+bx^3)^{4/3}}$$

Rubi [A] time = 0.01, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {378, 191}

$$\frac{3cx}{4a^2\sqrt[3]{a+bx^3}} + \frac{x(c+dx^3)}{4a(a+bx^3)^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)/(a + b*x^3)^(7/3), x]

[Out] (3*c*x)/(4*a^2*(a + b*x^3)^(1/3)) + (x*(c + d*x^3))/(4*a*(a + b*x^3)^(4/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 378

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*n*(p + 1)), x] - Dist[(c*q)/(a*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 1) + 1, 0] && GtQ[q, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{c+dx^3}{(a+bx^3)^{7/3}} dx &= \frac{x(c+dx^3)}{4a(a+bx^3)^{4/3}} + \frac{(3c) \int \frac{1}{(a+bx^3)^{4/3}} dx}{4a} \\ &= \frac{3cx}{4a^2\sqrt[3]{a+bx^3}} + \frac{x(c+dx^3)}{4a(a+bx^3)^{4/3}} \end{aligned}$$

Mathematica [A] time = 0.04, size = 37, normalized size = 0.79

$$\frac{x(4ac + adx^3 + 3bcx^3)}{4a^2(a + bx^3)^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)/(a + b*x^3)^(7/3), x]

[Out] (x*(4*a*c + 3*b*c*x^3 + a*d*x^3))/(4*a^2*(a + b*x^3)^(4/3))

IntegrateAlgebraic [A] time = 0.30, size = 37, normalized size = 0.79

$$\frac{x(4ac + adx^3 + 3bcx^3)}{4a^2(a + bx^3)^{4/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x^3)/(a + b*x^3)^(7/3), x]

[Out] (x*(4*a*c + 3*b*c*x^3 + a*d*x^3))/(4*a^2*(a + b*x^3)^(4/3))

fricas [A] time = 1.23, size = 54, normalized size = 1.15

$$\frac{((3bc + ad)x^4 + 4acx)(bx^3 + a)^{\frac{2}{3}}}{4(a^2b^2x^6 + 2a^3bx^3 + a^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^(7/3), x, algorithm="fricas")

[Out] 1/4*((3*b*c + a*d)*x^4 + 4*a*c*x)*(b*x^3 + a)^(2/3)/(a^2*b^2*x^6 + 2*a^3*b*x^3 + a^4)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx^3 + c}{(bx^3 + a)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^(7/3), x, algorithm="giac")

[Out] integrate((d*x^3 + c)/(b*x^3 + a)^(7/3), x)

maple [A] time = 0.05, size = 34, normalized size = 0.72

$$\frac{(ad x^3 + 3bc x^3 + 4ac)x}{4(bx^3 + a)^{\frac{4}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)/(b*x^3+a)^(7/3),x)

[Out] 1/4*x*(a*d*x^3+3*b*c*x^3+4*a*c)/(b*x^3+a)^(4/3)/a^2

maxima [A] time = 0.47, size = 51, normalized size = 1.09

$$-\frac{\left(b - \frac{4(bx^3+a)}{x^3}\right)cx^4}{4(bx^3 + a)^{\frac{4}{3}}a^2} + \frac{dx^4}{4(bx^3 + a)^{\frac{4}{3}}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^(7/3),x, algorithm="maxima")

[Out] -1/4*(b - 4*(b*x^3 + a)/x^3)*c*x^4/((b*x^3 + a)^(4/3)*a^2) + 1/4*d*x^4/((b*x^3 + a)^(4/3)*a)

mupad [B] time = 1.37, size = 33, normalized size = 0.70

$$\frac{4acx + adx^4 + 3bcx^4}{4a^2(bx^3 + a)^{4/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3)/(a + b*x^3)^(7/3),x)

[Out] (4*a*c*x + a*d*x^4 + 3*b*c*x^4)/(4*a^2*(a + b*x^3)^(4/3))

sympy [B] time = 82.05, size = 190, normalized size = 4.04

$$c \left(\frac{4ax\Gamma\left(\frac{1}{3}\right)}{9a^{\frac{10}{3}}\sqrt[3]{1+\frac{bx^3}{a}}\Gamma\left(\frac{7}{3}\right) + 9a^{\frac{7}{3}}bx^3\sqrt[3]{1+\frac{bx^3}{a}}\Gamma\left(\frac{7}{3}\right)} + \frac{3bx^4\Gamma\left(\frac{1}{3}\right)}{9a^{\frac{10}{3}}\sqrt[3]{1+\frac{bx^3}{a}}\Gamma\left(\frac{7}{3}\right) + 9a^{\frac{7}{3}}bx^3\sqrt[3]{1+\frac{bx^3}{a}}\Gamma\left(\frac{7}{3}\right)} \right) + \frac{dx^4\Gamma\left(\frac{4}{3}\right)}{3a^{\frac{7}{3}}\sqrt[3]{1+\frac{bx^3}{a}}\Gamma\left(\frac{7}{3}\right) + 3a^{\frac{4}{3}}bx^3\sqrt[3]{1+\frac{bx^3}{a}}\Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c)/(b*x**3+a)**(7/3),x)

```
[Out] c*(4*a*x*gamma(1/3)/(9*a**(10/3)*(1 + b*x**3/a)**(1/3)*gamma(7/3) + 9*a**(7/3)*b*x**3*(1 + b*x**3/a)**(1/3)*gamma(7/3)) + 3*b*x**4*gamma(1/3)/(9*a**(10/3)*(1 + b*x**3/a)**(1/3)*gamma(7/3) + 9*a**(7/3)*b*x**3*(1 + b*x**3/a)**(1/3)*gamma(7/3)) + d*x**4*gamma(4/3)/(3*a**(7/3)*(1 + b*x**3/a)**(1/3)*gamma(7/3) + 3*a**(4/3)*b*x**3*(1 + b*x**3/a)**(1/3)*gamma(7/3))
```

$$3.48 \quad \int \frac{c+dx^3}{(a+bx^3)^{10/3}} dx$$

Optimal. Leaf size=91

$$\frac{3x(ad+6bc)}{28a^3b\sqrt[3]{a+bx^3}} + \frac{x(ad+6bc)}{28a^2b(a+bx^3)^{4/3}} + \frac{x(bc-ad)}{7ab(a+bx^3)^{7/3}}$$

Rubi [A] time = 0.03, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {385, 192, 191}

$$\frac{3x(ad+6bc)}{28a^3b\sqrt[3]{a+bx^3}} + \frac{x(ad+6bc)}{28a^2b(a+bx^3)^{4/3}} + \frac{x(bc-ad)}{7ab(a+bx^3)^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)/(a + b*x^3)^(10/3), x]

[Out] ((b*c - a*d)*x)/(7*a*b*(a + b*x^3)^(7/3)) + ((6*b*c + a*d)*x)/(28*a^2*b*(a + b*x^3)^(4/3)) + (3*(6*b*c + a*d)*x)/(28*a^3*b*(a + b*x^3)^(1/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3}{(a + bx^3)^{10/3}} dx &= \frac{(bc - ad)x}{7ab(a + bx^3)^{7/3}} + \frac{(6bc + ad) \int \frac{1}{(a+bx^3)^{7/3}} dx}{7ab} \\
&= \frac{(bc - ad)x}{7ab(a + bx^3)^{7/3}} + \frac{(6bc + ad)x}{28a^2b(a + bx^3)^{4/3}} + \frac{(3(6bc + ad)) \int \frac{1}{(a+bx^3)^{4/3}} dx}{28a^2b} \\
&= \frac{(bc - ad)x}{7ab(a + bx^3)^{7/3}} + \frac{(6bc + ad)x}{28a^2b(a + bx^3)^{4/3}} + \frac{3(6bc + ad)x}{28a^3b\sqrt[3]{a + bx^3}}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 59, normalized size = 0.65

$$\frac{7a^2(4cx + dx^4) + 3abx^4(14c + dx^3) + 18b^2cx^7}{28a^3(a + bx^3)^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)/(a + b*x^3)^(10/3), x]

[Out] (18*b^2*c*x^7 + 3*a*b*x^4*(14*c + d*x^3) + 7*a^2*(4*c*x + d*x^4))/(28*a^3*(a + b*x^3)^(7/3))

IntegrateAlgebraic [A] time = 0.39, size = 60, normalized size = 0.66

$$\frac{x(28a^2c + 7a^2dx^3 + 42abcx^3 + 3abdx^6 + 18b^2cx^6)}{28a^3(a + bx^3)^{7/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x^3)/(a + b*x^3)^(10/3), x]

[Out] (x*(28*a^2*c + 42*a*b*c*x^3 + 7*a^2*d*x^3 + 18*b^2*c*x^6 + 3*a*b*d*x^6))/(28*a^3*(a + b*x^3)^(7/3))

fricas [A] time = 0.72, size = 87, normalized size = 0.96

$$\frac{(3(6b^2c + abd)x^7 + 7(6abc + a^2d)x^4 + 28a^2cx)(bx^3 + a)^{\frac{2}{3}}}{28(a^3b^3x^9 + 3a^4b^2x^6 + 3a^5bx^3 + a^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^(10/3),x, algorithm="fricas")

[Out] 1/28*(3*(6*b^2*c + a*b*d)*x^7 + 7*(6*a*b*c + a^2*d)*x^4 + 28*a^2*c*x)*(b*x^3 + a)^(2/3)/(a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx^3 + c}{(bx^3 + a)^{\frac{10}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^(10/3),x, algorithm="giac")

[Out] integrate((d*x^3 + c)/(b*x^3 + a)^(10/3), x)

maple [A] time = 0.04, size = 57, normalized size = 0.63

$$\frac{(3abd x^6 + 18b^2c x^6 + 7a^2d x^3 + 42abc x^3 + 28a^2c)x}{28(bx^3 + a)^{\frac{7}{3}} a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)/(b*x^3+a)^(10/3),x)

[Out] 1/28*x*(3*a*b*d*x^6+18*b^2*c*x^6+7*a^2*d*x^3+42*a*b*c*x^3+28*a^2*c)/(b*x^3+a)^(7/3)/a^3

maxima [A] time = 0.61, size = 86, normalized size = 0.95

$$-\frac{\left(4b - \frac{7(bx^3+a)}{x^3}\right)dx^7}{28(bx^3 + a)^{\frac{7}{3}}a^2} + \frac{\left(2b^2 - \frac{7(bx^3+a)b}{x^3} + \frac{14(bx^3+a)^2}{x^6}\right)cx^7}{14(bx^3 + a)^{\frac{7}{3}}a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^(10/3),x, algorithm="maxima")

[Out] -1/28*(4*b - 7*(b*x^3 + a)/x^3)*d*x^7/((b*x^3 + a)^(7/3)*a^2) + 1/14*(2*b^2 - 7*(b*x^3 + a)*b/x^3 + 14*(b*x^3 + a)^2/x^6)*c*x^7/((b*x^3 + a)^(7/3)*a^3)

mupad [B] time = 1.42, size = 87, normalized size = 0.96

$$\frac{3 a d x (b x^3 + a)^2 - 4 a^3 d x + 18 b c x (b x^3 + a)^2 + a^2 d x (b x^3 + a) + 4 a^2 b c x + 6 a b c x (b x^3 + a)}{28 a^3 b (b x^3 + a)^{7/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3)/(a + b*x^3)^(10/3),x)`

[Out] `(3*a*d*x*(a + b*x^3)^2 - 4*a^3*d*x + 18*b*c*x*(a + b*x^3)^2 + a^2*d*x*(a + b*x^3) + 4*a^2*b*c*x + 6*a*b*c*x*(a + b*x^3))/(28*a^3*b*(a + b*x^3)^(7/3))`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+c)/(b*x**3+a)**(10/3),x)`

[Out] Timed out

$$3.49 \quad \int \frac{c+dx^3}{(a+bx^3)^{13/3}} dx$$

Optimal. Leaf size=121

$$\frac{9x(ad+9bc)}{140a^4b\sqrt[3]{a+bx^3}} + \frac{3x(ad+9bc)}{140a^3b(a+bx^3)^{4/3}} + \frac{x(ad+9bc)}{70a^2b(a+bx^3)^{7/3}} + \frac{x(bc-ad)}{10ab(a+bx^3)^{10/3}}$$

Rubi [A] time = 0.04, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {385, 192, 191}

$$\frac{9x(ad+9bc)}{140a^4b\sqrt[3]{a+bx^3}} + \frac{3x(ad+9bc)}{140a^3b(a+bx^3)^{4/3}} + \frac{x(ad+9bc)}{70a^2b(a+bx^3)^{7/3}} + \frac{x(bc-ad)}{10ab(a+bx^3)^{10/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)/(a + b*x^3)^(13/3), x]

[Out] ((b*c - a*d)*x)/(10*a*b*(a + b*x^3)^(10/3)) + ((9*b*c + a*d)*x)/(70*a^2*b*(a + b*x^3)^(7/3)) + (3*(9*b*c + a*d)*x)/(140*a^3*b*(a + b*x^3)^(4/3)) + (9*(9*b*c + a*d)*x)/(140*a^4*b*(a + b*x^3)^(1/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3}{(a + bx^3)^{13/3}} dx &= \frac{(bc - ad)x}{10ab(a + bx^3)^{10/3}} + \frac{(9bc + ad) \int \frac{1}{(a+bx^3)^{10/3}} dx}{10ab} \\
&= \frac{(bc - ad)x}{10ab(a + bx^3)^{10/3}} + \frac{(9bc + ad)x}{70a^2b(a + bx^3)^{7/3}} + \frac{(3(9bc + ad)) \int \frac{1}{(a+bx^3)^{7/3}} dx}{35a^2b} \\
&= \frac{(bc - ad)x}{10ab(a + bx^3)^{10/3}} + \frac{(9bc + ad)x}{70a^2b(a + bx^3)^{7/3}} + \frac{3(9bc + ad)x}{140a^3b(a + bx^3)^{4/3}} + \frac{(9(9bc + ad)) \int \frac{1}{(a+bx^3)^{4/3}} dx}{140a^3b} \\
&= \frac{(bc - ad)x}{10ab(a + bx^3)^{10/3}} + \frac{(9bc + ad)x}{70a^2b(a + bx^3)^{7/3}} + \frac{3(9bc + ad)x}{140a^3b(a + bx^3)^{4/3}} + \frac{9(9bc + ad)x}{140a^4b\sqrt[3]{a + bx^3}}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 80, normalized size = 0.66

$$\frac{x(35a^3(4c + dx^3) + 15a^2bx^3(21c + 2dx^3) + 9ab^2x^6(30c + dx^3) + 81b^3cx^9)}{140a^4(a + bx^3)^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)/(a + b*x^3)^(13/3), x]

[Out] (x*(81*b^3*c*x^9 + 35*a^3*(4*c + d*x^3) + 9*a*b^2*x^6*(30*c + d*x^3) + 15*a^2*b*x^3*(21*c + 2*d*x^3)))/(140*a^4*(a + b*x^3)^(10/3))

IntegrateAlgebraic [A] time = 0.57, size = 84, normalized size = 0.69

$$\frac{x(140a^3c + 35a^3dx^3 + 315a^2bcx^3 + 30a^2bdx^6 + 270ab^2cx^6 + 9ab^2dx^9 + 81b^3cx^9)}{140a^4(a + bx^3)^{10/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x^3)/(a + b*x^3)^(13/3), x]

[Out] (x*(140*a^3*c + 315*a^2*b*c*x^3 + 35*a^3*d*x^3 + 270*a*b^2*c*x^6 + 30*a^2*b*d*x^6 + 81*b^3*c*x^9 + 9*a*b^2*d*x^9))/(140*a^4*(a + b*x^3)^(10/3))

fricas [A] time = 0.91, size = 121, normalized size = 1.00

$$\frac{(9(9b^3c + ab^2d)x^{10} + 30(9ab^2c + a^2bd)x^7 + 140a^3cx + 35(9a^2bc + a^3d)x^4)(bx^3 + a)^{\frac{2}{3}}}{140(a^4b^4x^{12} + 4a^5b^3x^9 + 6a^6b^2x^6 + 4a^7bx^3 + a^8)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^(13/3),x, algorithm="fricas")

[Out] 1/140*(9*(9*b^3*c + a*b^2*d)*x^10 + 30*(9*a*b^2*c + a^2*b*d)*x^7 + 140*a^3*c*x + 35*(9*a^2*b*c + a^3*d)*x^4)*(b*x^3 + a)^(2/3)/(a^4*b^4*x^12 + 4*a^5*b^3*x^9 + 6*a^6*b^2*x^6 + 4*a^7*b*x^3 + a^8)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx^3 + c}{(bx^3 + a)^{\frac{13}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^(13/3),x, algorithm="giac")

[Out] integrate((d*x^3 + c)/(b*x^3 + a)^(13/3), x)

maple [A] time = 0.04, size = 81, normalized size = 0.67

$$\frac{(9ab^2dx^9 + 81b^3cx^9 + 30a^2bdx^6 + 270ab^2cx^6 + 35a^3dx^3 + 315a^2bcx^3 + 140ca^3)x}{140(bx^3 + a)^{\frac{10}{3}}a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)/(b*x^3+a)^(13/3),x)

[Out] 1/140*x*(9*a*b^2*d*x^9+81*b^3*c*x^9+30*a^2*b*d*x^6+270*a*b^2*c*x^6+35*a^3*d*x^3+315*a^2*b*c*x^3+140*a^3*c)/(b*x^3+a)^(10/3)/a^4

maxima [A] time = 0.50, size = 120, normalized size = 0.99

$$\frac{\left(14b^2 - \frac{40(bx^3+a)b}{x^3} + \frac{35(bx^3+a)^2}{x^6}\right)dx^{10}}{140(bx^3 + a)^{\frac{10}{3}}a^3} - \frac{\left(14b^3 - \frac{60(bx^3+a)b^2}{x^3} + \frac{105(bx^3+a)^2b}{x^6} - \frac{140(bx^3+a)^3}{x^9}\right)cx^{10}}{140(bx^3 + a)^{\frac{10}{3}}a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^(13/3),x, algorithm="maxima")

[Out] 1/140*(14*b^2 - 40*(b*x^3 + a)*b/x^3 + 35*(b*x^3 + a)^2/x^6)*d*x^10/((b*x^3 + a)^(10/3)*a^3) - 1/140*(14*b^3 - 60*(b*x^3 + a)*b^2/x^3 + 105*(b*x^3 + a)^2*b/x^6 - 140*(b*x^3 + a)^3/x^9)*c*x^10/((b*x^3 + a)^(10/3)*a^4)

mupad [B] time = 1.46, size = 105, normalized size = 0.87

$$\frac{x \left(\frac{c}{10a} - \frac{d}{10b} \right)}{(bx^3 + a)^{10/3}} + \frac{x(ad + 9bc)}{70a^2b(bx^3 + a)^{7/3}} + \frac{x(3ad + 27bc)}{140a^3b(bx^3 + a)^{4/3}} + \frac{x(9ad + 81bc)}{140a^4b(bx^3 + a)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3)/(a + b*x^3)^(13/3), x)

[Out] (x*(c/(10*a) - d/(10*b)))/(a + b*x^3)^(10/3) + (x*(a*d + 9*b*c))/(70*a^2*b*(a + b*x^3)^(7/3)) + (x*(3*a*d + 27*b*c))/(140*a^3*b*(a + b*x^3)^(4/3)) + (x*(9*a*d + 81*b*c))/(140*a^4*b*(a + b*x^3)^(1/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c)/(b*x**3+a)**(13/3), x)

[Out] Timed out

$$3.50 \quad \int \frac{c+dx^3}{(a+bx^3)^{16/3}} dx$$

Optimal. Leaf size=151

$$\frac{81x(ad+12bc)}{1820a^5b\sqrt[3]{a+bx^3}} + \frac{27x(ad+12bc)}{1820a^4b(a+bx^3)^{4/3}} + \frac{9x(ad+12bc)}{910a^3b(a+bx^3)^{7/3}} + \frac{x(ad+12bc)}{130a^2b(a+bx^3)^{10/3}} + \frac{x(bc-ad)}{13ab(a+bx^3)^{13/3}}$$

Rubi [A] time = 0.05, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {385, 192, 191}

$$\frac{81x(ad+12bc)}{1820a^5b\sqrt[3]{a+bx^3}} + \frac{27x(ad+12bc)}{1820a^4b(a+bx^3)^{4/3}} + \frac{9x(ad+12bc)}{910a^3b(a+bx^3)^{7/3}} + \frac{x(ad+12bc)}{130a^2b(a+bx^3)^{10/3}} + \frac{x(bc-ad)}{13ab(a+bx^3)^{13/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)/(a + b*x^3)^(16/3), x]

[Out] ((b*c - a*d)*x)/(13*a*b*(a + b*x^3)^(13/3)) + ((12*b*c + a*d)*x)/(130*a^2*b*(a + b*x^3)^(10/3)) + (9*(12*b*c + a*d)*x)/(910*a^3*b*(a + b*x^3)^(7/3)) + (27*(12*b*c + a*d)*x)/(1820*a^4*b*(a + b*x^3)^(4/3)) + (81*(12*b*c + a*d)*x)/(1820*a^5*b*(a + b*x^3)^(1/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3}{(a + bx^3)^{16/3}} dx &= \frac{(bc - ad)x}{13ab(a + bx^3)^{13/3}} + \frac{(12bc + ad) \int \frac{1}{(a+bx^3)^{13/3}} dx}{13ab} \\
&= \frac{(bc - ad)x}{13ab(a + bx^3)^{13/3}} + \frac{(12bc + ad)x}{130a^2b(a + bx^3)^{10/3}} + \frac{(9(12bc + ad)) \int \frac{1}{(a+bx^3)^{10/3}} dx}{130a^2b} \\
&= \frac{(bc - ad)x}{13ab(a + bx^3)^{13/3}} + \frac{(12bc + ad)x}{130a^2b(a + bx^3)^{10/3}} + \frac{9(12bc + ad)x}{910a^3b(a + bx^3)^{7/3}} + \frac{(27(12bc + ad)) \int \frac{1}{(a+bx^3)^{7/3}} dx}{455a^3b} \\
&= \frac{(bc - ad)x}{13ab(a + bx^3)^{13/3}} + \frac{(12bc + ad)x}{130a^2b(a + bx^3)^{10/3}} + \frac{9(12bc + ad)x}{910a^3b(a + bx^3)^{7/3}} + \frac{27(12bc + ad)x}{1820a^4b(a + bx^3)^{4/3}} \\
&= \frac{(bc - ad)x}{13ab(a + bx^3)^{13/3}} + \frac{(12bc + ad)x}{130a^2b(a + bx^3)^{10/3}} + \frac{9(12bc + ad)x}{910a^3b(a + bx^3)^{7/3}} + \frac{27(12bc + ad)x}{1820a^4b(a + bx^3)^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 100, normalized size = 0.66

$$\frac{x(455a^4(4c + dx^3) + 195a^3bx^3(28c + 3dx^3) + 351a^2b^2x^6(20c + dx^3) + 81ab^3x^9(52c + dx^3) + 972b^4cx^{12})}{1820a^5(a + bx^3)^{13/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)/(a + b*x^3)^(16/3), x]

[Out] (x*(972*b^4*c*x^12 + 455*a^4*(4*c + d*x^3) + 351*a^2*b^2*x^6*(20*c + d*x^3) + 81*a*b^3*x^9*(52*c + d*x^3) + 195*a^3*b*x^3*(28*c + 3*d*x^3)))/(1820*a^5*(a + b*x^3)^(13/3))

IntegrateAlgebraic [A] time = 0.87, size = 108, normalized size = 0.72

$$\frac{x(1820a^4c + 455a^4dx^3 + 5460a^3bcx^3 + 585a^3bdx^6 + 7020a^2b^2cx^6 + 351a^2b^2dx^9 + 4212ab^3cx^9 + 81ab^3dx^{12} + 972b^4cx^{12})}{1820a^5(a + bx^3)^{13/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x^3)/(a + b*x^3)^(16/3), x]

[Out] $(x*(1820*a^4*c + 5460*a^3*b*c*x^3 + 455*a^4*d*x^3 + 7020*a^2*b^2*c*x^6 + 585*a^3*b*d*x^6 + 4212*a*b^3*c*x^9 + 351*a^2*b^2*d*x^9 + 972*b^4*c*x^{12} + 81*a*b^3*d*x^{12}))/((1820*a^5*(a + b*x^3)^{(13/3)}))$

fricas [A] time = 1.30, size = 155, normalized size = 1.03

$$\frac{(81(12b^4c + ab^3d)x^{13} + 351(12ab^3c + a^2b^2d)x^{10} + 585(12a^2b^2c + a^3bd)x^7 + 1820a^4cx + 455(12a^3bc + a^4d)x^4)(bx^3 + a)^{\frac{2}{3}}}{1820(a^5b^5x^{15} + 5a^6b^4x^{12} + 10a^7b^3x^9 + 10a^8b^2x^6 + 5a^9bx^3 + a^{10})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+c)/(b*x^3+a)^(16/3),x, algorithm="fricas")`

[Out] $1/1820*(81*(12*b^4*c + a*b^3*d)*x^{13} + 351*(12*a*b^3*c + a^2*b^2*d)*x^{10} + 585*(12*a^2*b^2*c + a^3*b*d)*x^7 + 1820*a^4*c*x + 455*(12*a^3*b*c + a^4*d)*x^4*(b*x^3 + a)^{(2/3)}/(a^5*b^5*x^{15} + 5*a^6*b^4*x^{12} + 10*a^7*b^3*x^9 + 10*a^8*b^2*x^6 + 5*a^9*b*x^3 + a^{10})$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx^3 + c}{(bx^3 + a)^{\frac{16}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+c)/(b*x^3+a)^(16/3),x, algorithm="giac")`

[Out] `integrate((d*x^3 + c)/(b*x^3 + a)^(16/3), x)`

maple [A] time = 0.05, size = 105, normalized size = 0.70

$$\frac{(81ab^3dx^{12} + 972b^4cx^{12} + 351a^2b^2dx^9 + 4212ab^3cx^9 + 585a^3bdx^6 + 7020a^2b^2cx^6 + 455a^4dx^3 + 5460a^3bcx^3 + 1820ca^4)x}{1820(bx^3 + a)^{\frac{13}{3}}a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+c)/(b*x^3+a)^(16/3),x)`

[Out] $1/1820*x*(81*a*b^3*d*x^{12}+972*b^4*c*x^{12}+351*a^2*b^2*d*x^9+4212*a*b^3*c*x^9+585*a^3*b*d*x^6+7020*a^2*b^2*c*x^6+455*a^4*d*x^3+5460*a^3*b*c*x^3+1820*a^4*c)/(b*x^3+a)^{(13/3)}/a^5$

maxima [A] time = 0.66, size = 154, normalized size = 1.02

$$-\frac{\left(140b^3 - \frac{546(bx^3+a)b^2}{x^3} + \frac{780(bx^3+a)^2b}{x^6} - \frac{455(bx^3+a)^3}{x^9}\right)dx^{13}}{1820(bx^3 + a)^{\frac{13}{3}}a^4} + \frac{\left(35b^4 - \frac{182(bx^3+a)b^3}{x^3} + \frac{390(bx^3+a)^2b^2}{x^6} - \frac{455(bx^3+a)^3b}{x^9} + \frac{455(bx^3+a)^4}{x^{12}}\right)cx^{13}}{455(bx^3 + a)^{\frac{13}{3}}a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)/(b*x^3+a)^(16/3),x, algorithm="maxima")

[Out] $-1/1820*(140*b^3 - 546*(b*x^3 + a)*b^2/x^3 + 780*(b*x^3 + a)^2*b/x^6 - 455*(b*x^3 + a)^3/x^9)*d*x^13/((b*x^3 + a)^{(13/3)}*a^4) + 1/455*(35*b^4 - 182*(b*x^3 + a)*b^3/x^3 + 390*(b*x^3 + a)^2*b^2/x^6 - 455*(b*x^3 + a)^3*b/x^9 + 455*(b*x^3 + a)^4/x^{12})*c*x^{13}/((b*x^3 + a)^{(13/3)}*a^5)$

mupad [B] time = 1.45, size = 132, normalized size = 0.87

$$\frac{x \left(\frac{c}{13a} - \frac{d}{13b} \right)}{(bx^3 + a)^{13/3}} + \frac{x(ad + 12bc)}{130a^2b(bx^3 + a)^{10/3}} + \frac{x(9ad + 108bc)}{910a^3b(bx^3 + a)^{7/3}} + \frac{x(27ad + 324bc)}{1820a^4b(bx^3 + a)^{4/3}} + \frac{x(81ad + 972bc)}{1820a^5b(bx^3 + a)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3)/(a + b*x^3)^(16/3),x)

[Out] $(x*(c/(13*a) - d/(13*b)))/(a + b*x^3)^{(13/3)} + (x*(a*d + 12*b*c))/(130*a^2*b*(a + b*x^3)^{(10/3)}) + (x*(9*a*d + 108*b*c))/(910*a^3*b*(a + b*x^3)^{(7/3)}) + (x*(27*a*d + 324*b*c))/(1820*a^4*b*(a + b*x^3)^{(4/3)}) + (x*(81*a*d + 972*b*c))/(1820*a^5*b*(a + b*x^3)^{(1/3)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c)/(b*x**3+a)**(16/3),x)

[Out] Timed out

$$3.51 \quad \int (a + bx^3)^{5/3} (c + dx^3)^2 dx$$

Optimal. Leaf size=262

$$\frac{x(a + bx^3)^{5/3} (a^2d^2 - 6abcd + 27b^2c^2)}{162b^2} + \frac{5ax(a + bx^3)^{2/3} (a^2d^2 - 6abcd + 27b^2c^2)}{486b^2} - \frac{5a^2(a^2d^2 - 6abcd + 27b^2c^2)}{486b^{7/3}}$$

Rubi [A] time = 0.16, antiderivative size = 262, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$, Rules used = {416, 388, 195, 239}

$$\frac{x(a + bx^3)^{5/3} (a^2d^2 - 6abcd + 27b^2c^2)}{162b^2} + \frac{5ax(a + bx^3)^{2/3} (a^2d^2 - 6abcd + 27b^2c^2)}{486b^2} - \frac{5a^2(a^2d^2 - 6abcd + 27b^2c^2) \log(\sqrt[3]{a + bx^3} - \sqrt[3]{bx})}{486b^{7/3}} + \frac{5a^2(a^2d^2 - 6abcd + 27b^2c^2) \tan^{-1}\left(\frac{\sqrt[3]{a + bx^3} + 1}{\sqrt{3}}\right)}{243\sqrt{3}b^{7/3}} + \frac{dx(a + bx^3)^{8/3} (15bc - 4ad)}{108b^2} + \frac{dx(a + bx^3)^{8/3} (c + dx^3)}{12b}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^(5/3)*(c + d*x^3)^2,x]

[Out] (5*a*(27*b^2*c^2 - 6*a*b*c*d + a^2*d^2)*x*(a + b*x^3)^(2/3))/(486*b^2) + ((27*b^2*c^2 - 6*a*b*c*d + a^2*d^2)*x*(a + b*x^3)^(5/3))/(162*b^2) + (d*(15*b*c - 4*a*d)*x*(a + b*x^3)^(8/3))/(108*b^2) + (d*x*(a + b*x^3)^(8/3)*(c + d*x^3))/(12*b) + (5*a^2*(27*b^2*c^2 - 6*a*b*c*d + a^2*d^2)*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]])/(243*Sqrt[3]*b^(7/3)) - (5*a^2*(27*b^2*c^2 - 6*a*b*c*d + a^2*d^2)*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(486*b^(7/3))

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] := Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(

$(p + 1) + 1)) / (b * (n * (p + 1) + 1)), \text{Int}[(a + b * x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \ \&\& \ \text{NeQ}[b * c - a * d, 0] \ \&\& \ \text{NeQ}[n * (p + 1) + 1, 0]$

Rule 416

$\text{Int}[(a + b * x^n)^p * (c + d * x^n)^q, x_Symbol]$
 $\text{:> Simp}[(d * x * (a + b * x^n)^{p+1} * (c + d * x^n)^{q-1}) / (b * (n * (p + q) + 1)), x] + \text{Dist}[1 / (b * (n * (p + q) + 1)), \text{Int}[(a + b * x^n)^p * (c + d * x^n)^{q-2} * \text{Simp}[c * (b * c * (n * (p + q) + 1) - a * d) + d * (b * c * (n * (p + 2 * q - 1) + 1) - a * d * (n * (q - 1) + 1)) * x^n, x], x], x] /; \text{FreeQ}[\{a, b, c, d, n, p\}, x] \ \&\& \ \text{NeQ}[b * c - a * d, 0] \ \&\& \ \text{GtQ}[q, 1] \ \&\& \ \text{NeQ}[n * (p + q) + 1, 0] \ \&\& \ !\text{IGtQ}[p, 1] \ \&\& \ \text{IntBinomialQ}[a, b, c, d, n, p, q, x]$

Rubi steps

$$\begin{aligned} \int (a + bx^3)^{5/3} (c + dx^3)^2 dx &= \frac{dx (a + bx^3)^{8/3} (c + dx^3)}{12b} + \frac{\int (a + bx^3)^{5/3} (c(12bc - ad) + d(15bc - 4ad)x^3) dx}{12b} \\ &= \frac{d(15bc - 4ad)x (a + bx^3)^{8/3}}{108b^2} + \frac{dx (a + bx^3)^{8/3} (c + dx^3)}{12b} + \frac{(27b^2c^2 - 6abcd + a^2d^2)x^3}{27b^2} \\ &= \frac{(27b^2c^2 - 6abcd + a^2d^2)x (a + bx^3)^{5/3}}{162b^2} + \frac{d(15bc - 4ad)x (a + bx^3)^{8/3}}{108b^2} + \frac{dx (a + bx^3)^{5/3}}{27b^2} \\ &= \frac{5a(27b^2c^2 - 6abcd + a^2d^2)x (a + bx^3)^{2/3}}{486b^2} + \frac{(27b^2c^2 - 6abcd + a^2d^2)x (a + bx^3)^{5/3}}{162b^2} \\ &= \frac{5a(27b^2c^2 - 6abcd + a^2d^2)x (a + bx^3)^{2/3}}{486b^2} + \frac{(27b^2c^2 - 6abcd + a^2d^2)x (a + bx^3)^{5/3}}{162b^2} \end{aligned}$$

Mathematica [A] time = 5.19, size = 238, normalized size = 0.91

$$\frac{10a^2(a^2d^2 - 6abcd + 27b^2c^2) \left(\log\left(\frac{b^{2/3}x^2}{(a+bx^3)^{2/3}} + \frac{\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1\right) - 2 \log\left(1 - \frac{\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}}\right) + 2\sqrt{3} \tan^{-1}\left(\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1\right) \right) + 3\sqrt[3]{b}x(a+bx^3)^{2/3}(-20a^3d^2 + 15a^2bd(8c+dx^3) + 18ab^2(24c^2 + 22cdx^3 + 7d^2x^6) + 27b^3x^3(6c^2 + 8cdx^3 + 3d^2x^6))}{2916b^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^(5/3)*(c + d*x^3)^2,x]

[Out] (3*b^(1/3)*x*(a + b*x^3)^(2/3)*(-20*a^3*d^2 + 15*a^2*b*d*(8*c + d*x^3) + 27*b^3*x^3*(6*c^2 + 8*c*d*x^3 + 3*d^2*x^6) + 18*a*b^2*(24*c^2 + 22*c*d*x^3 +

$$7*d^2*x^6)) + 10*a^2*(27*b^2*c^2 - 6*a*b*c*d + a^2*d^2)*(2*sqrt[3]*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/sqrt[3]] - 2*Log[1 - (b^(1/3)*x)/(a + b*x^3)^(1/3)] + Log[1 + (b^(2/3)*x^2)/(a + b*x^3)^(2/3) + (b^(1/3)*x)/(a + b*x^3)^(1/3)])/(2916*b^(7/3))$$

IntegrateAlgebraic [A] time = 1.16, size = 325, normalized size = 1.24

$$\frac{(a+bx^3)^{2/3}(-20a^3d^2x+120a^2bcdx+15a^2bd^2x^4+432a^2c^2x+396a^2cdx^4+126a^2d^2x^7+162b^3d^2x^4+216b^3cdx^7+81b^3d^2x^{10})}{972b^2} - \frac{5(a^4d^2-6a^3bcd+27a^2b^2c^2)\log(\sqrt{a+bx^3}-\sqrt{bx})}{729a^{7/3}} + \frac{5(a^4d^2-6a^3bcd+27a^2b^2c^2)\tan^{-1}\left(\frac{\sqrt{3}\sqrt{a+bx^3}}{2\sqrt{a^2+bx^3}-\sqrt{bx}}\right)}{243\sqrt{3}b^{7/3}} + \frac{5(a^4d^2-6a^3bcd+27a^2b^2c^2)\log(\sqrt{bx}\sqrt{a+bx^3}+(a+bx^3)^{2/3}+b^{2/3}x^2)}{1458b^{7/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^3)^(5/3)*(c + d*x^3)^2,x]

[Out] ((a + b*x^3)^(2/3)*(432*a*b^2*c^2*x + 120*a^2*b*c*d*x - 20*a^3*d^2*x + 162*b^3*c^2*x^4 + 396*a*b^2*c*d*x^4 + 15*a^2*b*d^2*x^4 + 216*b^3*c*d*x^7 + 126*a*b^2*d^2*x^7 + 81*b^3*d^2*x^10))/(972*b^2) + (5*(27*a^2*b^2*c^2 - 6*a^3*b*c*d + a^4*d^2)*ArcTan[(sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))])/(243*sqrt[3]*b^(7/3)) - (5*(27*a^2*b^2*c^2 - 6*a^3*b*c*d + a^4*d^2)*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(729*b^(7/3)) + (5*(27*a^2*b^2*c^2 - 6*a^3*b*c*d + a^4*d^2)*Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)])/(1458*b^(7/3))

fricas [A] time = 1.22, size = 717, normalized size = 2.74

$$\frac{(a+bx^3)^{2/3}(-20a^3d^2x+120a^2bcdx+15a^2bd^2x^4+432a^2c^2x+396a^2cdx^4+126a^2d^2x^7+162b^3d^2x^4+216b^3cdx^7+81b^3d^2x^{10})}{972b^2} - \frac{5(a^4d^2-6a^3bcd+27a^2b^2c^2)\log(\sqrt{a+bx^3}-\sqrt{bx})}{729a^{7/3}} + \frac{5(a^4d^2-6a^3bcd+27a^2b^2c^2)\tan^{-1}\left(\frac{\sqrt{3}\sqrt{a+bx^3}}{2\sqrt{a^2+bx^3}-\sqrt{bx}}\right)}{243\sqrt{3}b^{7/3}} + \frac{5(a^4d^2-6a^3bcd+27a^2b^2c^2)\log(\sqrt{bx}\sqrt{a+bx^3}+(a+bx^3)^{2/3}+b^{2/3}x^2)}{1458b^{7/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(5/3)*(d*x^3+c)^2,x, algorithm="fricas")

[Out] [1/2916*(30*sqrt(1/3)*(27*a^2*b^3*c^2 - 6*a^3*b^2*c*d + a^4*b*d^2)*sqrt((-b)^(1/3)/b)*log(3*b*x^3 - 3*(b*x^3 + a)^(1/3)*(-b)^(2/3)*x^2 - 3*sqrt(1/3)*((-b)^(1/3)*b*x^3 - (b*x^3 + a)^(1/3)*b*x^2 + 2*(b*x^3 + a)^(2/3)*(-b)^(2/3)*x)*sqrt((-b)^(1/3)/b) + 2*a) - 20*(27*a^2*b^2*c^2 - 6*a^3*b*c*d + a^4*d^2)*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) + 10*(27*a^2*b^2*c^2 - 6*a^3*b*c*d + a^4*d^2)*(-b)^(2/3)*log(((b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) + 3*(81*b^4*d^2*x^10 + 18*(12*b^4*c*d + 7*a*b^3*d^2)*x^7 + 3*(54*b^4*c^2 + 132*a*b^3*c*d + 5*a^2*b^2*d^2)*x^4 + 4*(108*a*b^3*c^2 + 30*a^2*b^2*c*d - 5*a^3*b*d^2)*x)*(b*x^3 + a)^(2/3))/b^3, -1/2916*(60*sqrt(1/3)*(27*a^2*b^3*c^2 - 6*a^3*b^2*c*d + a^4*b*d^2)*sqrt((-b)^(1/3)/b)*arctan(-sqrt(1/3)*((-b)^(1/3)*x - 2*(b*x^3 + a)^(1/3))*sqrt((-b)^(1/3)/b)/x) + 20*(27*a^2*b^2*c^2 - 6*a^3*b*c*d + a^4*d^2)*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) - 10*(27*a^2*b^2*c^2 - 6*a^3*b*c*d + a^4*d^2)*(-b)^(2/3)*log(((b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) - 3*(81*b^4*d^2*x^10 + 18*(12*b^4*c*d + 7*a*b^3*d^2)*x^7 + 3*(54*b^4*c^2 + 132*a*b^3*c*d + 5*a^2*b^2*d^2)*x^4 + 4*(108*a*b^3*c^2 + 30*a^2*b^2*c*d - 5*a^3*b*d^2)*x)*(b*x^3 + a)^(2/3))/b^3]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^3 + a)^{\frac{5}{3}} (dx^3 + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(5/3)*(d*x^3+c)^2,x, algorithm="giac")

[Out] integrate((b*x^3 + a)^(5/3)*(d*x^3 + c)^2, x)

maple [F] time = 0.38, size = 0, normalized size = 0.00

$$\int (bx^3 + a)^{\frac{5}{3}} (dx^3 + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(5/3)*(d*x^3+c)^2,x)

[Out] int((b*x^3+a)^(5/3)*(d*x^3+c)^2,x)

maxima [B] time = 1.29, size = 672, normalized size = 2.56

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(5/3)*(d*x^3+c)^2,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/54*(10*\sqrt{3}*a^2*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/ \\ & b^{1/3})/b^{1/3} - 5*a^2*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 \\ & + a)^{2/3}/x^2)/b^{1/3} + 10*a^2*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{1/3} \\ & + 3*(5*(b*x^3 + a)^{2/3}*a^2*b/x^2 - 8*(b*x^3 + a)^{5/3}*a^2/x^5)/(b^2 - \\ & 2*(b*x^3 + a)*b/x^3 + (b*x^3 + a)^2/x^6)*c^2 + 1/243*(10*\sqrt{3}*a^3*\arctan \\ & (1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3})/b^{4/3} - 5*a^3*\log(b^{2/3} + \\ & (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{4/3} + 10*a^3*\log(-b^{1/3} + \\ & (b*x^3 + a)^{1/3}/x)/b^{4/3} + 3*(5*(b*x^3 + a)^{2/3}) * a^3*b^2/x^2 - 13*(b*x^3 + a)^{5/3} * a^3*b/x^5 - 10*(b*x^3 + a)^{8/3} * a^3/x^8 \\ & / (b^4 - 3*(b*x^3 + a)*b^3/x^3 + 3*(b*x^3 + a)^2*b^2/x^6 - (b*x^3 + a)^3*b/x^9) * c*d - 1/2916*(20*\sqrt{3}*a^4*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3})/b^{7/3} - 10*a^4*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{7/3} + 20*a^4*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{7/3} + 3*(10*(b*x^3 + a)^{2/3}) * a^4*b^3/x^2 - 36*(b*x^3 + a)^{5/3} * a^4*b^2/x^5 - 75*(b*x^3 + a)^{8/3} * a^4*b/x^8 + 20*(b*x^3 + a)^{11/3} * a \end{aligned}$$

$$\frac{4}{x^{11}} / (b^6 - 4*(b*x^3 + a)*b^5/x^3 + 6*(b*x^3 + a)^2*b^4/x^6 - 4*(b*x^3 + a)^3*b^3/x^9 + (b*x^3 + a)^4*b^2/x^{12}) * d^2$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (bx^3 + a)^{5/3} (dx^3 + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(5/3)*(c + d*x^3)^2,x)

[Out] int((a + b*x^3)^(5/3)*(c + d*x^3)^2, x)

sympy [C] time = 13.13, size = 270, normalized size = 1.03

$$\frac{a^{\frac{5}{3}}c^2x\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{-2}{3}, \frac{1}{3} \middle| \frac{bx^3+cn}{a}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{2a^{\frac{5}{3}}cdx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{-2}{3}, \frac{4}{3} \middle| \frac{bx^3+cn}{a}\right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{a^{\frac{5}{3}}d^2x^7\Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\frac{-2}{3}, \frac{7}{3} \middle| \frac{bx^3+cn}{a}\right)}{3\Gamma\left(\frac{10}{3}\right)} + \frac{a^{\frac{2}{3}}bc^2x^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{-2}{3}, \frac{4}{3} \middle| \frac{bx^3+cn}{a}\right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{2a^{\frac{2}{3}}bcdx^7\Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\frac{-2}{3}, \frac{7}{3} \middle| \frac{bx^3+cn}{a}\right)}{3\Gamma\left(\frac{10}{3}\right)} + \frac{a^{\frac{2}{3}}bd^2x^{10}\Gamma\left(\frac{10}{3}\right) {}_2F_1\left(\frac{-2}{3}, \frac{10}{3} \middle| \frac{bx^3+cn}{a}\right)}{3\Gamma\left(\frac{13}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(5/3)*(d*x**3+c)**2,x)

[Out] a**(5/3)*c**2*x*gamma(1/3)*hyper((-2/3, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + 2*a**(5/3)*c*d*x**4*gamma(4/3)*hyper((-2/3, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + a**(5/3)*d**2*x**7*gamma(7/3)*hyper((-2/3, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + a**(2/3)*b*c**2*x**4*gamma(4/3)*hyper((-2/3, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + 2*a**(2/3)*b*c*d*x**7*gamma(7/3)*hyper((-2/3, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + a**(2/3)*b*d**2*x**10*gamma(10/3)*hyper((-2/3, 10/3), (13/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(13/3))

$$3.52 \quad \int (a + bx^3)^{2/3} (c + dx^3)^2 dx$$

Optimal. Leaf size=219

$$\frac{x(a + bx^3)^{2/3} (2a^2d^2 - 9abcd + 27b^2c^2)}{81b^2} - \frac{a(2a^2d^2 - 9abcd + 27b^2c^2) \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{81b^{7/3}} + \frac{2a(2a^2d^2 - 9abcd + 27b^2c^2)}{81b^{7/3}}$$

Rubi [A] time = 0.17, antiderivative size = 219, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$, Rules used = {416, 388, 195, 239}

$$\frac{x(a + bx^3)^{2/3} (2a^2d^2 - 9abcd + 27b^2c^2)}{81b^2} - \frac{a(2a^2d^2 - 9abcd + 27b^2c^2) \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{81b^{7/3}} + \frac{2a(2a^2d^2 - 9abcd + 27b^2c^2) \tan^{-1}\left(\frac{\sqrt[3]{a + bx^3} + 1}{\sqrt{3}}\right)}{81\sqrt{3}b^{7/3}} + \frac{2dx(a + bx^3)^{5/3} (3bc - ad)}{27b^2} + \frac{dx(a + bx^3)^{5/3} (c + dx^3)}{9b}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^(2/3)*(c + d*x^3)^2,x]

[Out] ((27*b^2*c^2 - 9*a*b*c*d + 2*a^2*d^2)*x*(a + b*x^3)^(2/3))/(81*b^2) + (2*d*(3*b*c - a*d)*x*(a + b*x^3)^(5/3))/(27*b^2) + (d*x*(a + b*x^3)^(5/3)*(c + d*x^3))/(9*b) + (2*a*(27*b^2*c^2 - 9*a*b*c*d + 2*a^2*d^2)*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]])/(81*Sqrt[3]*b^(7/3)) - (a*(27*b^2*c^2 - 9*a*b*c*d + 2*a^2*d^2)*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(81*b^(7/3))

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] :> Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(

$(p + 1) + 1) / (b * (n * (p + 1) + 1))$, Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 416

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
 := Simp[(d*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(b*(n*(p + q) + 1)),
 x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp
 [c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q -
 1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d,
 0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a,
 b, c, d, n, p, q, x]

Rubi steps

$$\begin{aligned} \int (a + bx^3)^{2/3} (c + dx^3)^2 dx &= \frac{dx (a + bx^3)^{5/3} (c + dx^3)}{9b} + \frac{\int (a + bx^3)^{2/3} (c(9bc - ad) + 4d(3bc - ad)x^3) dx}{9b} \\ &= \frac{2d(3bc - ad)x (a + bx^3)^{5/3}}{27b^2} + \frac{dx (a + bx^3)^{5/3} (c + dx^3)}{9b} - \frac{(4ad(3bc - ad) - 6bc(9b^2c^2 - 9abcd + 2a^2d^2))}{54b^2} \\ &= \frac{(27b^2c^2 - 9abcd + 2a^2d^2)x (a + bx^3)^{2/3}}{81b^2} + \frac{2d(3bc - ad)x (a + bx^3)^{5/3}}{27b^2} + \frac{dx (a + bx^3)^{2/3}}{9b} \\ &= \frac{(27b^2c^2 - 9abcd + 2a^2d^2)x (a + bx^3)^{2/3}}{81b^2} + \frac{2d(3bc - ad)x (a + bx^3)^{5/3}}{27b^2} + \frac{dx (a + bx^3)^{2/3}}{9b} \end{aligned}$$

Mathematica [A] time = 5.17, size = 203, normalized size = 0.93

$$\frac{3\sqrt[3]{b}x(a+bx^3)^{2/3}(-4a^2d^2+3abd(6c+dx^3)+9b^2(3c^2+3cdx^3+d^2x^6))+a(2a^2d^2-9abcd+27b^2c^2)\left(\log\left(\frac{b^{2/3}x^2}{(a+bx^3)^{2/3}}+\frac{\sqrt[3]{bx}}{\sqrt{a+bx^3}}+1\right)-2\log\left(1-\frac{\sqrt[3]{bx}}{\sqrt{a+bx^3}}\right)+2\sqrt{3}\tan^{-1}\left(\frac{2\sqrt[3]{bx}}{\sqrt{a+bx^3}+\sqrt{3}}+1\right)\right)}{243b^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^(2/3)*(c + d*x^3)^2,x]

[Out] (3*b^(1/3)*x*(a + b*x^3)^(2/3)*(-4*a^2*d^2 + 3*a*b*d*(6*c + d*x^3) + 9*b^2*(3*c^2 + 3*c*d*x^3 + d^2*x^6)) + a*(27*b^2*c^2 - 9*a*b*c*d + 2*a^2*d^2)*(2*
 Sqrt[3]*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]] - 2*Log[1 - (b^(1/3)*x)/(a + b*x^3)^(1/3)] + Log[1 + (b^(2/3)*x^2)/(a + b*x^3)^(2/3) + (b^(1/3)*x)/(a + b*x^3)^(1/3)])/(243*b^(7/3))

IntegrateAlgebraic [A] time = 0.90, size = 283, normalized size = 1.29

$$\frac{(a+bx^3)^{2/3}(-4a^2d^2x+18abcdx+3abd^2x^4+27b^2c^2x+27b^2cdx^4+9b^2d^2x^7)}{81b^2} - \frac{2(2a^3d^2-9a^2bcd+27ab^2c^2)\log(\sqrt[3]{a+bx^3}-\sqrt[3]{bx})}{243b^{7/3}} + \frac{2(2a^3d^2-9a^2bcd+27ab^2c^2)\tan^{-1}\left(\frac{\sqrt{3}\sqrt[3]{bx}}{2\sqrt[3]{a+bx^3}+\sqrt[3]{bx}}\right)}{81\sqrt{3}b^{7/3}} + \frac{(2a^3d^2-9a^2bcd+27ab^2c^2)\log\left(\sqrt[3]{bx}\sqrt[3]{a+bx^3}+(a+bx^3)^{2/3}+b^{2/3}x^2\right)}{243b^{7/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^3)^(2/3)*(c + d*x^3)^2,x]

[Out] ((a + b*x^3)^(2/3)*(27*b^2*c^2*x + 18*a*b*c*d*x - 4*a^2*d^2*x + 27*b^2*c*d*x^4 + 3*a*b*d^2*x^4 + 9*b^2*d^2*x^7))/(81*b^2) + (2*(27*a*b^2*c^2 - 9*a^2*b*c*d + 2*a^3*d^2)*ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))])/(81*Sqrt[3]*b^(7/3)) - (2*(27*a*b^2*c^2 - 9*a^2*b*c*d + 2*a^3*d^2)*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(243*b^(7/3)) + ((27*a*b^2*c^2 - 9*a^2*b*c*d + 2*a^3*d^2)*Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)])/(243*b^(7/3))

fricas [A] time = 1.25, size = 634, normalized size = 2.89

$$\frac{(a+bx^3)^{2/3}(d^2x^2+cx)(-b^{1/3}x^2-3\sqrt[3]{1/b}\log(3b^{1/3}x^3-3(b^{1/3}x^3+a)^{1/3}(-b)^{2/3}x^2-3\sqrt[3]{1/b}((-b)^{1/3}bx^3-(b^{1/3}x^3+a)^{1/3}bx^2+2(b^{1/3}x^3+a)^{2/3}(-b)^{2/3}x)\sqrt[3]{(-b)^{1/3}/b}+2a)-2(27a^2b^2c^2-9a^2b^2cd+2a^3d^2)(-b)^{2/3}\log((-b)^{1/3}x+(b^{1/3}x^3+a)^{1/3})/x+(27a^2b^2c^2-9a^2b^2cd+2a^3d^2)(-b)^{2/3}\log((-b)^{2/3}x^2-(b^{1/3}x^3+a)^{1/3}(-b)^{1/3}x+(b^{1/3}x^3+a)^{2/3})/x^2+3(9b^3d^2x^7+3(9b^3cd+ab^2d^2)x^4+(27b^3c^2+18a^2b^2cd-4a^2bd^2)x)(b^{1/3}x^3+a)^{2/3}}{b^3}-\frac{1}{243}\frac{6\sqrt[3]{1/b}\arctan(-\sqrt[3]{1/b}((-b)^{1/3}x-2(b^{1/3}x^3+a)^{1/3}))\sqrt[3]{(-b)^{1/3}/b}+2(27a^2b^2c^2-9a^2b^2cd+2a^3d^2)(-b)^{2/3}\log((-b)^{1/3}x+(b^{1/3}x^3+a)^{1/3})/x-(27a^2b^2c^2-9a^2b^2cd+2a^3d^2)(-b)^{2/3}\log((-b)^{2/3}x^2-(b^{1/3}x^3+a)^{1/3}(-b)^{1/3}x+(b^{1/3}x^3+a)^{2/3})/x^2-3(9b^3d^2x^7+3(9b^3cd+ab^2d^2)x^4+(27b^3c^2+18a^2b^2cd-4a^2bd^2)x)(b^{1/3}x^3+a)^{2/3}}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(2/3)*(d*x^3+c)^2,x, algorithm="fricas")

[Out] [1/243*(3*sqrt(1/3)*(27*a*b^3*c^2 - 9*a^2*b^2*c*d + 2*a^3*b*d^2)*sqrt((-b)^(1/3)/b)*log(3*b*x^3 - 3*(b*x^3 + a)^(1/3)*(-b)^(2/3)*x^2 - 3*sqrt(1/3)*((-b)^(1/3)*b*x^3 - (b*x^3 + a)^(1/3)*b*x^2 + 2*(b*x^3 + a)^(2/3)*(-b)^(2/3)*x)*sqrt((-b)^(1/3)/b) + 2*a) - 2*(27*a*b^2*c^2 - 9*a^2*b*c*d + 2*a^3*d^2)*(-b)^(2/3)*log((-b)^(1/3)*x + (b*x^3 + a)^(1/3))/x + (27*a*b^2*c^2 - 9*a^2*b*c*d + 2*a^3*d^2)*(-b)^(2/3)*log((-b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2 + 3*(9*b^3*d^2*x^7 + 3*(9*b^3*c*d + a*b^2*d^2)*x^4 + (27*b^3*c^2 + 18*a*b^2*c*d - 4*a^2*b*d^2)*x)*(b*x^3 + a)^(2/3)]/b^3, -1/243*(6*sqrt(1/3)*(27*a*b^3*c^2 - 9*a^2*b^2*c*d + 2*a^3*b*d^2)*sqrt((-b)^(1/3)/b)*arctan(-sqrt(1/3)*((-b)^(1/3)*x - 2*(b*x^3 + a)^(1/3))*sqrt((-b)^(1/3)/b)/x) + 2*(27*a*b^2*c^2 - 9*a^2*b*c*d + 2*a^3*d^2)*(-b)^(2/3)*log((-b)^(1/3)*x + (b*x^3 + a)^(1/3))/x - (27*a*b^2*c^2 - 9*a^2*b*c*d + 2*a^3*d^2)*(-b)^(2/3)*log((-b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2 - 3*(9*b^3*d^2*x^7 + 3*(9*b^3*c*d + a*b^2*d^2)*x^4 + (27*b^3*c^2 + 18*a*b^2*c*d - 4*a^2*b*d^2)*x)*(b*x^3 + a)^(2/3)]/b^3]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^3 + a)^{\frac{2}{3}}(dx^3 + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(2/3)*(d*x^3+c)^2,x, algorithm="giac")

[Out] integrate((b*x^3 + a)^(2/3)*(d*x^3 + c)^2, x)

maple [F] time = 0.38, size = 0, normalized size = 0.00

$$\int (bx^3 + a)^{\frac{2}{3}} (dx^3 + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(2/3)*(d*x^3+c)^2,x)

[Out] int((b*x^3+a)^(2/3)*(d*x^3+c)^2,x)

maxima [B] time = 1.48, size = 552, normalized size = 2.52

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(2/3)*(d*x^3+c)^2,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/9*(2*\sqrt{3})*a*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3})/b^{1/3} - a*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{1/3} \\ & + 2*a*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{1/3} + 3*(b*x^3 + a)^{2/3}*a/((b - (b*x^3 + a)/x^3)*x^2)*c^2 + 1/27*(2*\sqrt{3})*a^2*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3})/b^{4/3} \\ & - a^2*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{4/3} + 2*a^2*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{4/3} + 3*((b*x^3 + a)^{2/3}*a^2*b/x^2 + 2*(b*x^3 + a)^{5/3}*a^2/x^5)/(b^3 - 2*(b*x^3 + a)*b^2/x^3 + (b*x^3 + a)^2*b/x^6)*c*d \\ & - 1/243*(4*\sqrt{3})*a^3*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3})/b^{7/3} - 2*a^3*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2)/b^{7/3} \\ & + 4*a^3*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x)/b^{7/3} + 3*(2*(b*x^3 + a)^{2/3}*a^3*b^2/x^2 + 11*(b*x^3 + a)^{5/3}*a^3*b/x^5 - 4*(b*x^3 + a)^{8/3}*a^3/x^8)/(b^5 - 3*(b*x^3 + a)*b^4/x^3 + 3*(b*x^3 + a)^2*b^3/x^6 - (b*x^3 + a)^3*b^2/x^9)*d^2 \end{aligned}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (bx^3 + a)^{2/3} (dx^3 + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(2/3)*(c + d*x^3)^2,x)

[Out] $\int ((a + b*x^3)^{(2/3)}*(c + d*x^3)^2, x)$

sympy [C] time = 7.27, size = 131, normalized size = 0.60

$$\frac{a^{\frac{2}{3}}c^2x\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{2a^{\frac{2}{3}}cdx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{a^{\frac{2}{3}}d^2x^7\Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, \frac{7}{3} \\ \frac{10}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{10}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**(2/3)*(d*x**3+c)**2,x)`

[Out] `a**(2/3)*c**2*x*gamma(1/3)*hyper((-2/3, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + 2*a**(2/3)*c*d*x**4*gamma(4/3)*hyper((-2/3, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + a**(2/3)*d**2*x**7*gamma(7/3)*hyper((-2/3, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3))`

$$3.53 \quad \int \frac{(c+dx^3)^2}{\sqrt[3]{a+bx^3}} dx$$

Optimal. Leaf size=175

$$\frac{(2a^2d^2 - 6abcd + 9b^2c^2) \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{18b^{7/3}} + \frac{(2a^2d^2 - 6abcd + 9b^2c^2) \tan^{-1}\left(\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1\right)}{9\sqrt{3}b^{7/3}} + \frac{dx(a+bx^3)^{2/3}}{18b^2}$$

Rubi [A] time = 0.10, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {416, 388, 239}

$$\frac{(2a^2d^2 - 6abcd + 9b^2c^2) \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{18b^{7/3}} + \frac{(2a^2d^2 - 6abcd + 9b^2c^2) \tan^{-1}\left(\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1\right)}{9\sqrt{3}b^{7/3}} + \frac{dx(a+bx^3)^{2/3}(9bc - 4ad)}{18b^2} + \frac{dx(a+bx^3)^{2/3}(c+dx^3)}{6b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)^2/(a + b*x^3)^(1/3), x]

[Out] (d*(9*b*c - 4*a*d)*x*(a + b*x^3)^(2/3))/(18*b^2) + (d*x*(a + b*x^3)^(2/3)*(c + d*x^3))/(6*b) + ((9*b^2*c^2 - 6*a*b*c*d + 2*a^2*d^2)*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]])/(9*Sqrt[3]*b^(7/3)) - ((9*b^2*c^2 - 6*a*b*c*d + 2*a^2*d^2)*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(18*b^(7/3))

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] := Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p+1))/(b*(n*(p+1)+1)), x] - Dist[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p+1)+1, 0]

Rule 416

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p+1)*(c + d*x^n)^(q-1))/(b*(n*(p+q)+1)), x] + Dist[1/(b*(n*(p+q)+1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q-2)*Simp

`[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q - 1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]`

Rubi steps

$$\begin{aligned} \int \frac{(c + dx^3)^2}{\sqrt[3]{a + bx^3}} dx &= \frac{dx (a + bx^3)^{2/3} (c + dx^3)}{6b} + \frac{\int \frac{c(6bc - ad) + d(9bc - 4ad)x^3}{\sqrt[3]{a + bx^3}} dx}{6b} \\ &= \frac{d(9bc - 4ad)x (a + bx^3)^{2/3}}{18b^2} + \frac{dx (a + bx^3)^{2/3} (c + dx^3)}{6b} + \frac{(9b^2c^2 - 6abcd + 2a^2d^2) \int \frac{1}{\sqrt[3]{a + bx^3}}}{9b^2} \\ &= \frac{d(9bc - 4ad)x (a + bx^3)^{2/3}}{18b^2} + \frac{dx (a + bx^3)^{2/3} (c + dx^3)}{6b} + \frac{(9b^2c^2 - 6abcd + 2a^2d^2) \tan^{-1} \left(\frac{1 + \sqrt[3]{a + bx^3}}{\sqrt[3]{a + bx^3}} \right)}{9\sqrt{3} b^{7/3}} \end{aligned}$$

Mathematica [A] time = 5.15, size = 172, normalized size = 0.98

$$\frac{(2a^2d^2 - 6abcd + 9b^2c^2) \left(\log \left(\frac{b^{2/3}x^2}{(a + bx^3)^{2/3}} + \frac{\sqrt[3]{bx}}{\sqrt[3]{a + bx^3}} + 1 \right) - 2 \log \left(1 - \frac{\sqrt[3]{bx}}{\sqrt[3]{a + bx^3}} \right) + 2\sqrt{3} \tan^{-1} \left(\frac{2\sqrt[3]{bx} + 1}{\sqrt[3]{a + bx^3}} \right) \right) + 3\sqrt[3]{b} dx (a + bx^3)^{2/3} (3b(4c + dx^3) - 4ad)}{54b^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)^2/(a + b*x^3)^(1/3), x]

[Out] (3*b^(1/3)*d*x*(a + b*x^3)^(2/3)*(-4*a*d + 3*b*(4*c + d*x^3)) + (9*b^2*c^2 - 6*a*b*c*d + 2*a^2*d^2)*(2*sqrt[3]*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/sqrt[3]] - 2*Log[1 - (b^(1/3)*x)/(a + b*x^3)^(1/3)] + Log[1 + (b^(2/3)*x^2)/(a + b*x^3)^(2/3) + (b^(1/3)*x)/(a + b*x^3)^(1/3)]))/(54*b^(7/3))

IntegrateAlgebraic [A] time = 0.77, size = 240, normalized size = 1.37

$$\frac{(-2a^2d^2 + 6abcd - 9b^2c^2) \log \left(\frac{\sqrt[3]{a + bx^3} - \sqrt[3]{bx}}{2\sqrt[3]{a + bx^3} + \sqrt[3]{bx}} \right) + \frac{(2a^2d^2 - 6abcd + 9b^2c^2) \tan^{-1} \left(\frac{\sqrt{3} \sqrt[3]{bx}}{2\sqrt[3]{a + bx^3} + \sqrt[3]{bx}} \right)}{9\sqrt{3} b^{7/3}} + \frac{(2a^2d^2 - 6abcd + 9b^2c^2) \log \left(\frac{\sqrt[3]{bx} \sqrt[3]{a + bx^3} + (a + bx^3)^{2/3} + b^{2/3}x^2}{\sqrt[3]{a + bx^3}} \right)}{54b^{7/3}} + \frac{(a + bx^3)^{2/3} (-4ad^2x + 12bcdx + 3bd^2x^4)}{18b^2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x^3)^2/(a + b*x^3)^(1/3), x]

[Out] ((a + b*x^3)^(2/3)*(12*b*c*d*x - 4*a*d^2*x + 3*b*d^2*x^4))/(18*b^2) + ((9*b^2*c^2 - 6*a*b*c*d + 2*a^2*d^2)*ArcTan[(sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(

$$\frac{a + b*x^3)^{(1/3)}}{(9*\text{Sqrt}[3]*b^{(7/3)})} + ((-9*b^2*c^2 + 6*a*b*c*d - 2*a^2*d^2)*\text{Log}[-(b^{(1/3)}*x) + (a + b*x^3)^{(1/3)}])/(27*b^{(7/3)}) + ((9*b^2*c^2 - 6*a*b*c*d + 2*a^2*d^2)*\text{Log}[b^{(2/3)}*x^2 + b^{(1/3)}*x*(a + b*x^3)^{(1/3)} + (a + b*x^3)^{(2/3)}])/(54*b^{(7/3)})$$

fricas [A] time = 1.26, size = 554, normalized size = 3.17

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^(1/3),x, algorithm="fricas")

[Out] [1/54*(3*sqrt(1/3)*(9*b^3*c^2 - 6*a*b^2*c*d + 2*a^2*b*d^2)*sqrt((-b)^(1/3)/b)*log(3*b*x^3 - 3*(b*x^3 + a)^(1/3)*(-b)^(2/3)*x^2 - 3*sqrt(1/3)*((-b)^(1/3)*b*x^3 - (b*x^3 + a)^(1/3)*b*x^2 + 2*(b*x^3 + a)^(2/3)*(-b)^(2/3)*x)*sqrt((-b)^(1/3)/b) + 2*a) - 2*(9*b^2*c^2 - 6*a*b*c*d + 2*a^2*d^2)*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) + (9*b^2*c^2 - 6*a*b*c*d + 2*a^2*d^2)*(-b)^(2/3)*log(((b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) + 3*(3*b^2*d^2*x^4 + 4*(3*b^2*c*d - a*b*d^2)*x)*(b*x^3 + a)^(2/3))/b^3, -1/54*(6*sqrt(1/3)*(9*b^3*c^2 - 6*a*b^2*c*d + 2*a^2*b*d^2)*sqrt((-b)^(1/3)/b)*arctan(-sqrt(1/3)*((-b)^(1/3)*x - 2*(b*x^3 + a)^(1/3))*sqrt((-b)^(1/3)/b)/x) + 2*(9*b^2*c^2 - 6*a*b*c*d + 2*a^2*d^2)*(-b)^(2/3)*log(((b)^(1/3)*x + (b*x^3 + a)^(1/3))/x) - (9*b^2*c^2 - 6*a*b*c*d + 2*a^2*d^2)*(-b)^(2/3)*log(((b)^(2/3)*x^2 - (b*x^3 + a)^(1/3)*(-b)^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) - 3*(3*b^2*d^2*x^4 + 4*(3*b^2*c*d - a*b*d^2)*x)*(b*x^3 + a)^(2/3))/b^3]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx^3 + c)^2}{(bx^3 + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^(1/3),x, algorithm="giac")

[Out] integrate((d*x^3 + c)^2/(b*x^3 + a)^(1/3), x)

maple [F] time = 0.38, size = 0, normalized size = 0.00

$$\int \frac{(dx^3 + c)^2}{(bx^3 + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+c)^2/(b*x^3+a)^(1/3),x)`

[Out] `int((d*x^3+c)^2/(b*x^3+a)^(1/3),x)`

maxima [B] time = 1.28, size = 436, normalized size = 2.49

$$\frac{\frac{2\sqrt{3}\arctan\left(\frac{\sqrt{\frac{d}{3}}\sqrt{\frac{3bx^3+a}{d}}}{3x^2}\right)}{b^{\frac{1}{3}}} - \log\left(b^{\frac{2}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} + \frac{2\log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}}}{9} + \frac{\frac{2\sqrt{3}\arctan\left(\frac{\sqrt{\frac{d}{3}}\sqrt{\frac{3bx^3+a}{d}}}{3x^2}\right)}{b^{\frac{1}{3}}} - a\log\left(b^{\frac{2}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} + 2a\log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{\left(\frac{d}{x^2} - \frac{(bx^3+a)^{\frac{2}{3}}}{x^2}\right)^2} - \frac{\frac{4\sqrt{3}\arctan\left(\frac{\sqrt{\frac{d}{3}}\sqrt{\frac{3bx^3+a}{d}}}{3x^2}\right)}{b^{\frac{1}{3}}} - 2a^2\log\left(b^{\frac{2}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} + 4a^2\log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{\frac{d}{x^2} - \frac{(bx^3+a)^{\frac{2}{3}}}{x^2}} - \frac{3\left(\frac{(bx^3+a)^{\frac{2}{3}}}{x} - \frac{4((bx^3+a)^{\frac{1}{3}})^2}{x^2}\right)}{b^{\frac{1}{3}}}}{54}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+c)^2/(b*x^3+a)^(1/3),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -1/6*(2*\sqrt{3}*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3})) / b^{1/3} - \log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2) / b^{1/3} + 2*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x) / b^{1/3} * c^2 + 1/9*(2*\sqrt{3}*a*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3})) / b^{4/3} - a*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2) / b^{4/3} + 2*a*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x) / b^{4/3} - 6*(b*x^3 + a)^{2/3}*a / ((b^2 - (b*x^3 + a)*b/x^3)*x^2) * c*d - 1/54*(4*\sqrt{3}*a^2*\arctan(1/3*\sqrt{3}*(b^{1/3} + 2*(b*x^3 + a)^{1/3}/x)/b^{1/3})) / b^{7/3} - 2*a^2*\log(b^{2/3} + (b*x^3 + a)^{1/3}*b^{1/3}/x + (b*x^3 + a)^{2/3}/x^2) / b^{7/3} + 4*a^2*\log(-b^{1/3} + (b*x^3 + a)^{1/3}/x) / b^{7/3} - 3*(7*(b*x^3 + a)^{2/3}*a^2*b/x^2 - 4*(b*x^3 + a)^{5/3}*a^2/x^5) / (b^4 - 2*(b*x^3 + a)*b^3/x^3 + (b*x^3 + a)^2*b^2/x^6) * d^2 \end{aligned}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(dx^3 + c)^2}{(bx^3 + a)^{1/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3)^2/(a + b*x^3)^(1/3),x)`

[Out] `int((c + d*x^3)^2/(a + b*x^3)^(1/3),x)`

sympy [C] time = 6.44, size = 126, normalized size = 0.72

$$\frac{c^2 x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{3} \left| \frac{bx^3 e^{i\pi}}{a} \right.\right)}{3^{\frac{2}{3}} \sqrt{a} \Gamma\left(\frac{4}{3}\right)} + \frac{2cdx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{4}{3} \left| \frac{bx^3 e^{i\pi}}{a} \right.\right)}{3^{\frac{2}{3}} \sqrt{a} \Gamma\left(\frac{7}{3}\right)} + \frac{d^2 x^7 \Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{7}{3} \left| \frac{bx^3 e^{i\pi}}{a} \right.\right)}{3^{\frac{2}{3}} \sqrt{a} \Gamma\left(\frac{10}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x**3+c)**2/(b*x**3+a)**(1/3),x)
```

```
[Out] c**2*x*gamma(1/3)*hyper((1/3, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a*  
*(1/3)*gamma(4/3)) + 2*c*d*x**4*gamma(4/3)*hyper((1/3, 4/3), (7/3,), b*x**3  
*exp_polar(I*pi)/a)/(3*a**2*(1/3)*gamma(7/3)) + d**2*x**7*gamma(7/3)*hyper((1  
/3, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**2*(1/3)*gamma(10/3))
```

$$3.54 \quad \int \frac{(c+dx^3)^2}{(a+bx^3)^{4/3}} dx$$

Optimal. Leaf size=159

$$\frac{d(3bc - 2ad) \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{3b^{7/3}} + \frac{2d(3bc - 2ad) \tan^{-1}\left(\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1\right)}{3\sqrt{3}b^{7/3}} - \frac{dx(a + bx^3)^{2/3}(3bc - 4ad)}{3ab^2} + \frac{x(c + dx^3)}{ab\sqrt[3]{a}}$$

Rubi [A] time = 0.10, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {413, 388, 239}

$$\frac{dx(a + bx^3)^{2/3}(3bc - 4ad)}{3ab^2} - \frac{d(3bc - 2ad) \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{3b^{7/3}} + \frac{2d(3bc - 2ad) \tan^{-1}\left(\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1\right)}{3\sqrt{3}b^{7/3}} + \frac{x(c + dx^3)(bc - ad)}{ab\sqrt[3]{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)^2/(a + b*x^3)^(4/3), x]

[Out] -(d*(3*b*c - 4*a*d)*x*(a + b*x^3)^(2/3))/(3*a*b^2) + ((b*c - a*d)*x*(c + d*x^3))/(a*b*(a + b*x^3)^(1/3)) + (2*d*(3*b*c - 2*a*d)*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]])/(3*Sqrt[3]*b^(7/3)) - (d*(3*b*c - 2*a*d)*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(3*b^(7/3))

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] := Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 413

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p + 1) + (a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1)), x]

1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p + q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

Rubi steps

$$\begin{aligned} \int \frac{(c + dx^3)^2}{(a + bx^3)^{4/3}} dx &= \frac{(bc - ad)x(c + dx^3)}{ab\sqrt[3]{a + bx^3}} + \frac{\int \frac{acd - d(3bc - 4ad)x^3}{\sqrt[3]{a + bx^3}} dx}{ab} \\ &= -\frac{d(3bc - 4ad)x(a + bx^3)^{2/3}}{3ab^2} + \frac{(bc - ad)x(c + dx^3)}{ab\sqrt[3]{a + bx^3}} + \frac{(2d(3bc - 2ad)) \int \frac{1}{\sqrt[3]{a + bx^3}} dx}{3b^2} \\ &= -\frac{d(3bc - 4ad)x(a + bx^3)^{2/3}}{3ab^2} + \frac{(bc - ad)x(c + dx^3)}{ab\sqrt[3]{a + bx^3}} + \frac{2d(3bc - 2ad) \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{bx^3}}{\sqrt[3]{a + bx^3}}}{\sqrt{3}}\right)}{3\sqrt{3}b^{7/3}} - \frac{d(3bc - 2ad)}{3b^2} \end{aligned}$$

Mathematica [A] time = 5.16, size = 168, normalized size = 1.06

$$\frac{d(3bc - 2ad) \left(\log\left(\frac{b^{2/3}x^2}{(a + bx^3)^{2/3}} + \frac{\sqrt[3]{bx^3}}{\sqrt[3]{a + bx^3}} + 1\right) - 2\log\left(1 - \frac{\sqrt[3]{bx^3}}{\sqrt[3]{a + bx^3}}\right) + 2\sqrt{3} \tan^{-1}\left(\frac{2\sqrt[3]{bx^3}}{\sqrt[3]{a + bx^3}} + 1\right) \right)}{9b^{7/3}} + \frac{x(a + bx^3)^{2/3} \left(\frac{3(bc - ad)^2}{a(a + bx^3)} + d^2 \right)}{3b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)^2/(a + b*x^3)^(4/3), x]

[Out] (x*(a + b*x^3)^(2/3)*(d^2 + (3*(b*c - a*d)^2)/(a*(a + b*x^3))))/(3*b^2) + (d*(3*b*c - 2*a*d)*(2*Sqrt[3]*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))]/Sqrt[3]] - 2*Log[1 - (b^(1/3)*x)/(a + b*x^3)^(1/3)] + Log[1 + (b^(2/3)*x^2)/(a + b*x^3)^(2/3) + (b^(1/3)*x)/(a + b*x^3)^(1/3)])/(9*b^(7/3))

IntegrateAlgebraic [A] time = 0.78, size = 222, normalized size = 1.40


$$\frac{4a^2d^2x - 6abcdx + abd^2x^4 + 3b^2c^2x}{3ab^2\sqrt[3]{a + bx^3}} - \frac{2(3bcd - 2ad^2) \log(\sqrt[3]{a + bx^3} - \sqrt[3]{bx^3})}{9b^{7/3}} + \frac{2(3bcd - 2ad^2) \tan^{-1}\left(\frac{\sqrt{3}\sqrt[3]{bx^3}}{2\sqrt[3]{a + bx^3} + \sqrt[3]{bx^3}}\right)}{3\sqrt{3}b^{7/3}} + \frac{(3bcd - 2ad^2) \log(\sqrt[3]{bx^3}\sqrt[3]{a + bx^3} + (a + bx^3)^{2/3} + b^{2/3}x^2)}{9b^{7/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x^3)^2/(a + b*x^3)^(4/3), x]


```
[Out] (3*b^2*c^2*x - 6*a*b*c*d*x + 4*a^2*d^2*x + a*b*d^2*x^4)/(3*a*b^2*(a + b*x^3)^(1/3)) + (2*(3*b*c*d - 2*a*d^2)*ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))]/(3*Sqrt[3]*b^(7/3)) - (2*(3*b*c*d - 2*a*d^2)*Log[-(b^(1/3)*x + (a + b*x^3)^(1/3))]/(9*b^(7/3)) + ((3*b*c*d - 2*a*d^2)*Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)]/(9*b^(7/3)))
```

fricas [B] time = 1.17, size = 652, normalized size = 4.10



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x^3+c)^2/(b*x^3+a)^(4/3),x, algorithm="fricas")
```

```
[Out] [-1/9*(3*sqrt(1/3)*(3*a^2*b^2*c*d - 2*a^3*b*d^2 + (3*a*b^3*c*d - 2*a^2*b^2*d^2)*x^3)*sqrt(-1/b^(2/3))*log(3*b*x^3 - 3*(b*x^3 + a)^(1/3)*b^(2/3)*x^2 - 3*sqrt(1/3)*(b^(4/3)*x^3 + (b*x^3 + a)^(1/3)*b*x^2 - 2*(b*x^3 + a)^(2/3)*b^(2/3)*x)*sqrt(-1/b^(2/3)) + 2*a) + 2*(3*a^2*b*c*d - 2*a^3*d^2 + (3*a*b^2*c*d - 2*a^2*b*d^2)*x^3)*b^(2/3)*log(-(b^(1/3)*x - (b*x^3 + a)^(1/3))/x) - (3*a^2*b*c*d - 2*a^3*d^2 + (3*a*b^2*c*d - 2*a^2*b*d^2)*x^3)*b^(2/3)*log((b^(2/3)*x^2 + (b*x^3 + a)^(1/3)*b^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) - 3*(a*b^2*d^2*x^4 + (3*b^3*c^2 - 6*a*b^2*c*d + 4*a^2*b*d^2)*x)*(b*x^3 + a)^(2/3)/(a*b^4*x^3 + a^2*b^3), -1/9*(2*(3*a^2*b*c*d - 2*a^3*d^2 + (3*a*b^2*c*d - 2*a^2*b*d^2)*x^3)*b^(2/3)*log(-(b^(1/3)*x - (b*x^3 + a)^(1/3))/x) - (3*a^2*b*c*d - 2*a^3*d^2 + (3*a*b^2*c*d - 2*a^2*b*d^2)*x^3)*b^(2/3)*log((b^(2/3)*x^2 + (b*x^3 + a)^(1/3)*b^(1/3)*x + (b*x^3 + a)^(2/3))/x^2) + 6*sqrt(1/3)*(3*a^2*b^2*c*d - 2*a^3*b*d^2 + (3*a*b^3*c*d - 2*a^2*b^2*d^2)*x^3)*arctan(sqrt(1/3)*(b^(1/3)*x + 2*(b*x^3 + a)^(1/3))/(b^(1/3)*x))/b^(1/3) - 3*(a*b^2*d^2*x^4 + (3*b^3*c^2 - 6*a*b^2*c*d + 4*a^2*b*d^2)*x)*(b*x^3 + a)^(2/3)/(a*b^4*x^3 + a^2*b^3)]
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx^3 + c)^2}{(bx^3 + a)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x^3+c)^2/(b*x^3+a)^(4/3),x, algorithm="giac")
```

```
[Out] integrate((d*x^3 + c)^2/(b*x^3 + a)^(4/3), x)
```

maple [F] time = 0.56, size = 0, normalized size = 0.00

$$\int \frac{(dx^3 + c)^2}{(bx^3 + a)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)^2/(b*x^3+a)^(4/3),x)

[Out] int((d*x^3+c)^2/(b*x^3+a)^(4/3),x)

maxima [B] time = 1.14, size = 301, normalized size = 1.89

$$\frac{1}{9} d^2 \left(\frac{4\sqrt{3}a \arctan\left(\frac{\sqrt{3}\left(b^{\frac{1}{3}} + 2\frac{(b^3+a)^{\frac{1}{3}}}{x}\right)}{3b^{\frac{1}{3}}}\right)}{b^{\frac{1}{3}}} + \frac{3\left(3ab - 4\frac{(b^3+a)c}{x^2}\right)}{(b^3+a)^{\frac{1}{3}}b^{\frac{1}{3}} - \frac{(b^3+a)^{\frac{2}{3}}b^2}{x^2}} - \frac{2a \log\left(b^{\frac{2}{3}} + \frac{(b^3+a)^{\frac{1}{3}}b^{\frac{1}{3}}}{x} + \frac{(b^3+a)^{\frac{2}{3}}}{x^2}\right)}{b^{\frac{1}{3}}} + \frac{4a \log\left(-b^{\frac{1}{3}} + \frac{(b^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} \right) - \frac{1}{3} cd \left(\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(b^{\frac{1}{3}} + 2\frac{(b^3+a)^{\frac{1}{3}}}{x}\right)}{3b^{\frac{1}{3}}}\right)}{b^{\frac{1}{3}}} + \frac{6x}{(bx^3+a)^{\frac{1}{3}}b} - \frac{\log\left(b^{\frac{2}{3}} + \frac{(b^3+a)^{\frac{1}{3}}b^{\frac{1}{3}}}{x} + \frac{(b^3+a)^{\frac{2}{3}}}{x^2}\right)}{b^{\frac{1}{3}}} + \frac{2 \log\left(-b^{\frac{1}{3}} + \frac{(b^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} \right) + \frac{c^2x}{(bx^3+a)^{\frac{1}{3}}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^(4/3),x, algorithm="maxima")

[Out] $\frac{1}{9}d^2 \left(\frac{4\sqrt{3}a \arctan\left(\frac{\sqrt{3}\left(b^{\frac{1}{3}} + 2\frac{(b^3+a)^{\frac{1}{3}}}{x}\right)}{3b^{\frac{1}{3}}}\right)}{b^{\frac{1}{3}}} + \frac{3\left(3ab - 4\frac{(b^3+a)c}{x^2}\right)}{(b^3+a)^{\frac{1}{3}}b^{\frac{1}{3}} - \frac{(b^3+a)^{\frac{2}{3}}b^2}{x^2}} - \frac{2a \log\left(b^{\frac{2}{3}} + \frac{(b^3+a)^{\frac{1}{3}}b^{\frac{1}{3}}}{x} + \frac{(b^3+a)^{\frac{2}{3}}}{x^2}\right)}{b^{\frac{1}{3}}} + \frac{4a \log\left(-b^{\frac{1}{3}} + \frac{(b^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} \right) - \frac{1}{3}cd \left(\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(b^{\frac{1}{3}} + 2\frac{(b^3+a)^{\frac{1}{3}}}{x}\right)}{3b^{\frac{1}{3}}}\right)}{b^{\frac{1}{3}}} + \frac{6x}{(bx^3+a)^{\frac{1}{3}}b} - \frac{\log\left(b^{\frac{2}{3}} + \frac{(b^3+a)^{\frac{1}{3}}b^{\frac{1}{3}}}{x} + \frac{(b^3+a)^{\frac{2}{3}}}{x^2}\right)}{b^{\frac{1}{3}}} + \frac{2 \log\left(-b^{\frac{1}{3}} + \frac{(b^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{1}{3}}} \right) + \frac{c^2x}{(bx^3+a)^{\frac{1}{3}}a}$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(dx^3 + c)^2}{(bx^3 + a)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3)^2/(a + b*x^3)^(4/3),x)

[Out] int((c + d*x^3)^2/(a + b*x^3)^(4/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx^3)^2}{(a + bx^3)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x**3+c)**2/(b*x**3+a)**(4/3),x)
```

```
[Out] Integral((c + d*x**3)**2/(a + b*x**3)**(4/3), x)
```

$$3.55 \quad \int \frac{(c+dx^3)^2}{(a+bx^3)^{7/3}} dx$$

Optimal. Leaf size=152

$$\frac{x(bc-ad)(4ad+3bc)}{4a^2b^2\sqrt[3]{a+bx^3}} - \frac{d^2 \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{2b^{7/3}} + \frac{d^2 \tan^{-1}\left(\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3} + \sqrt{3}}\right)}{\sqrt{3}b^{7/3}} + \frac{x(c+dx^3)(bc-ad)}{4ab(a+bx^3)^{4/3}}$$

Rubi [A] time = 0.07, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {413, 385, 239}

$$\frac{x(bc-ad)(4ad+3bc)}{4a^2b^2\sqrt[3]{a+bx^3}} - \frac{d^2 \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{2b^{7/3}} + \frac{d^2 \tan^{-1}\left(\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3} + \sqrt{3}}\right)}{\sqrt{3}b^{7/3}} + \frac{x(c+dx^3)(bc-ad)}{4ab(a+bx^3)^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)^2/(a + b*x^3)^(7/3), x]

[Out] ((b*c - a*d)*(3*b*c + 4*a*d)*x)/(4*a^2*b^2*(a + b*x^3)^(1/3)) + ((b*c - a*d)*x*(c + d*x^3))/(4*a*b*(a + b*x^3)^(4/3)) + (d^2*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*b^(7/3)) - (d^2*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(2*b^(7/3)))

Rule 239

Int[((a_) + (b_.)*(x_)^3)^(-1/3), x_Symbol] := Simp[ArcTan[(1 + (2*Rt[b, 3]*x)/(a + b*x^3)^(1/3))/Sqrt[3]]/(Sqrt[3]*Rt[b, 3]), x] - Simp[Log[(a + b*x^3)^(1/3) - Rt[b, 3]*x]/(2*Rt[b, 3]), x] /; FreeQ[{a, b}, x]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p+1))/(a*b*n*(p+1)), x] - Dist[(a*d - b*c*(n*(p+1) + 1))/(a*b*n*(p+1)), Int[(a + b*x^n)^(p+1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p +
1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q -
2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
+ q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(c + dx^3)^2}{(a + bx^3)^{7/3}} dx &= \frac{(bc - ad)x(c + dx^3)}{4ab(a + bx^3)^{4/3}} + \frac{\int \frac{c(3bc + ad) + 4ad^2x^3}{(a + bx^3)^{4/3}} dx}{4ab} \\ &= \frac{(bc - ad)(3bc + 4ad)x}{4a^2b^2\sqrt[3]{a + bx^3}} + \frac{(bc - ad)x(c + dx^3)}{4ab(a + bx^3)^{4/3}} + \frac{d^2 \int \frac{1}{\sqrt[3]{a + bx^3}} dx}{b^2} \\ &= \frac{(bc - ad)(3bc + 4ad)x}{4a^2b^2\sqrt[3]{a + bx^3}} + \frac{(bc - ad)x(c + dx^3)}{4ab(a + bx^3)^{4/3}} + \frac{d^2 \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{bx}}{\sqrt[3]{a + bx^3}}}{\sqrt{3}}\right)}{\sqrt{3}b^{7/3}} - \frac{d^2 \log\left(-\sqrt[3]{b}x + \sqrt[3]{a}\right)}{2b^{7/3}} \end{aligned}$$

Mathematica [A] time = 5.25, size = 180, normalized size = 1.18

$$\frac{x((a + bx^3)(-5a^2d^2 + 2abcd + 3b^2c^2) + a(bc - ad)^2)}{4a^2b^2(a + bx^3)^{4/3}} + \frac{d^2 \left(\log\left(\frac{b^{2/3}x^2}{(a + bx^3)^{2/3}} + \frac{\sqrt[3]{bx}}{\sqrt[3]{a + bx^3}} + 1\right) - 2\log\left(1 - \frac{\sqrt[3]{bx}}{\sqrt[3]{a + bx^3}}\right) + 2\sqrt{3} \tan^{-1}\left(\frac{\frac{2\sqrt[3]{bx}}{\sqrt[3]{a + bx^3}} + 1}{\sqrt{3}}\right) \right)}{6b^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)^2/(a + b*x^3)^(7/3), x]

[Out] (x*(a*(b*c - a*d)^2 + (3*b^2*c^2 + 2*a*b*c*d - 5*a^2*d^2)*(a + b*x^3)))/(4*a^2*b^2*(a + b*x^3)^(4/3)) + (d^2*(2*sqrt[3]*ArcTan[(1 + (2*b^(1/3)*x)/(a + b*x^3)^(1/3))/sqrt[3]] - 2*Log[1 - (b^(1/3)*x)/(a + b*x^3)^(1/3)] + Log[1 + (b^(2/3)*x^2)/(a + b*x^3)^(2/3) + (b^(1/3)*x)/(a + b*x^3)^(1/3)]))/(6*b^(7/3))

IntegrateAlgebraic [A] time = 0.69, size = 211, normalized size = 1.39

$$\frac{-4a^3d^2x - 5a^2bd^2x^4 + 4ab^2c^2x + 2ab^2cdx^4 + 3b^3c^2x^4}{4a^2b^2(a + bx^3)^{4/3}} - \frac{d^2 \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{bx}\right)}{3b^{7/3}} + \frac{d^2 \tan^{-1}\left(\frac{\sqrt{3}\sqrt[3]{bx}}{2\sqrt[3]{a + bx^3} + \sqrt[3]{bx}}\right)}{\sqrt{3}b^{7/3}} + \frac{d^2 \log\left(\sqrt[3]{bx}\sqrt[3]{a + bx^3} + (a + bx^3)^{2/3} + b^{2/3}x^2\right)}{6b^{7/3}}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(c + d*x^3)^2/(a + b*x^3)^(7/3),x]
```

```
[Out] (4*a*b^2*c^2*x - 4*a^3*d^2*x + 3*b^3*c^2*x^4 + 2*a*b^2*c*d*x^4 - 5*a^2*b*d^2*x^4)/(4*a^2*b^2*(a + b*x^3)^(4/3)) + (d^2*ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))]/(Sqrt[3]*b^(7/3)) - (d^2*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)])/(3*b^(7/3)) + (d^2*Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)])/(6*b^(7/3))
```

fricas [B] time = 1.30, size = 719, normalized size = 4.73



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x^3+c)^2/(b*x^3+a)^(7/3),x, algorithm="fricas")
```

```
[Out] [1/12*(6*sqrt(1/3)*(a^2*b^3*d^2*x^6 + 2*a^3*b^2*d^2*x^3 + a^4*b*d^2)*sqrt((-b)^(1/3)/b)*log(3*b*x^3 - 3*(b*x^3 + a)^(1/3)*(-b)^(2/3)*x^2 - 3*sqrt(1/3)*((-b)^(1/3)*b*x^3 - (b*x^3 + a)^(1/3)*b*x^2 + 2*(b*x^3 + a)^(2/3)*(-b)^(2/3)*x)*sqrt((-b)^(1/3)/b) + 2*a - 4*(a^2*b^2*d^2*x^6 + 2*a^3*b*d^2*x^3 + a^4*d^2)*(-b)^(2/3)*log(((b*x^3 + a)^(1/3)*x + (b*x^3 + a)^(1/3))/x) + 2*(a^2*b^2*d^2*x^6 + 2*a^3*b*d^2*x^3 + a^4*d^2)*(-b)^(2/3)*log(((b*x^3 + a)^(1/3)*x + (b*x^3 + a)^(1/3))/x^2) + 3*((3*b^4*c^2 + 2*a*b^3*c*d - 5*a^2*b^2*d^2)*x^4 + 4*(a*b^3*c^2 - a^3*b*d^2)*x)*(b*x^3 + a)^(2/3))/(a^2*b^5*x^6 + 2*a^3*b^4*x^3 + a^4*b^3), -1/12*(12*sqrt(1/3)*(a^2*b^3*d^2*x^6 + 2*a^3*b^2*d^2*x^3 + a^4*b*d^2)*sqrt(-(-b)^(1/3)/b)*arctan(-sqrt(1/3)*((-b)^(1/3)*x - 2*(b*x^3 + a)^(1/3))*sqrt(-(-b)^(1/3)/b)/x) + 4*(a^2*b^2*d^2*x^6 + 2*a^3*b*d^2*x^3 + a^4*d^2)*(-b)^(2/3)*log(((b*x^3 + a)^(1/3)*x + (b*x^3 + a)^(1/3))/x) - 2*(a^2*b^2*d^2*x^6 + 2*a^3*b*d^2*x^3 + a^4*d^2)*(-b)^(2/3)*log(((b*x^3 + a)^(1/3)*x + (b*x^3 + a)^(1/3))/x^2) - 3*((3*b^4*c^2 + 2*a*b^3*c*d - 5*a^2*b^2*d^2)*x^4 + 4*(a*b^3*c^2 - a^3*b*d^2)*x)*(b*x^3 + a)^(2/3))/(a^2*b^5*x^6 + 2*a^3*b^4*x^3 + a^4*b^3)]
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx^3 + c)^2}{(bx^3 + a)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x^3+c)^2/(b*x^3+a)^(7/3),x, algorithm="giac")
```

```
[Out] integrate((d*x^3 + c)^2/(b*x^3 + a)^(7/3), x)
```

maple [F] time = 0.55, size = 0, normalized size = 0.00

$$\int \frac{(dx^3 + c)^2}{(bx^3 + a)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)^2/(b*x^3+a)^(7/3),x)

[Out] int((d*x^3+c)^2/(b*x^3+a)^(7/3),x)

maxima [A] time = 1.19, size = 190, normalized size = 1.25

$$-\frac{\left(b - \frac{4(bx^3+a)}{x^3}\right)c^2x^4}{4(bx^3+a)^{\frac{4}{3}}a^2} + \frac{cdx^4}{2(bx^3+a)^{\frac{4}{3}}a} - \frac{1}{12} \left(\frac{3\left(b + \frac{4(bx^3+a)}{x^3}\right)x^4}{(bx^3+a)^{\frac{4}{3}}b^2} + \frac{4\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(\frac{1}{b^{\frac{1}{3}} + \frac{2(bx^3+a)^{\frac{1}{3}}}{x}}\right)}{3b^{\frac{1}{3}}}\right)}{b^{\frac{7}{3}}} - \frac{2 \log\left(b^{\frac{2}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x} + \frac{(bx^3+a)^{\frac{2}{3}}}{x^2}\right)}{b^{\frac{7}{3}}} + \frac{4 \log\left(-b^{\frac{1}{3}} + \frac{(bx^3+a)^{\frac{1}{3}}}{x}\right)}{b^{\frac{7}{3}}} \right) d^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^(7/3),x, algorithm="maxima")

[Out] -1/4*(b - 4*(b*x^3 + a)/x^3)*c^2*x^4/((b*x^3 + a)^(4/3)*a^2) + 1/2*c*d*x^4/((b*x^3 + a)^(4/3)*a) - 1/12*(3*(b + 4*(b*x^3 + a)/x^3)*x^4/((b*x^3 + a)^(4/3)*b^2) + 4*sqrt(3)*arctan(1/3*sqrt(3)*(b^(1/3) + 2*(b*x^3 + a)^(1/3)/x)/b^(1/3))/b^(7/3) - 2*log(b^(2/3) + (b*x^3 + a)^(1/3)*b^(1/3)/x + (b*x^3 + a)^(2/3)/x^2)/b^(7/3) + 4*log(-b^(1/3) + (b*x^3 + a)^(1/3)/x)/b^(7/3)*d^2

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(dx^3 + c)^2}{(bx^3 + a)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3)^2/(a + b*x^3)^(7/3),x)

[Out] int((c + d*x^3)^2/(a + b*x^3)^(7/3),x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx^3)^2}{(a + bx^3)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x**3+c)**2/(b*x**3+a)**(7/3),x)
```

```
[Out] Integral((c + d*x**3)**2/(a + b*x**3)**(7/3), x)
```


$$3.56 \quad \int \frac{(c+dx^3)^2}{(a+bx^3)^{10/3}} dx$$

Optimal. Leaf size=78

$$\frac{9c^2x}{14a^3\sqrt[3]{a+bx^3}} + \frac{3cx(c+dx^3)}{14a^2(a+bx^3)^{4/3}} + \frac{x(c+dx^3)^2}{7a(a+bx^3)^{7/3}}$$

Rubi [A] time = 0.02, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {378, 191}

$$\frac{9c^2x}{14a^3\sqrt[3]{a+bx^3}} + \frac{3cx(c+dx^3)}{14a^2(a+bx^3)^{4/3}} + \frac{x(c+dx^3)^2}{7a(a+bx^3)^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)^2/(a + b*x^3)^(10/3), x]

[Out] (9*c^2*x)/(14*a^3*(a + b*x^3)^(1/3)) + (3*c*x*(c + d*x^3))/(14*a^2*(a + b*x^3)^(4/3)) + (x*(c + d*x^3)^2)/(7*a*(a + b*x^3)^(7/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 378

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> -Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*n*(p + 1)), x] - Dist[(c*q)/(a*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 1) + 1, 0] && GtQ[q, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx^3)^2}{(a + bx^3)^{10/3}} dx &= \frac{x(c + dx^3)^2}{7a(a + bx^3)^{7/3}} + \frac{(6c) \int \frac{c+dx^3}{(a+bx^3)^{7/3}} dx}{7a} \\
&= \frac{3cx(c + dx^3)}{14a^2(a + bx^3)^{4/3}} + \frac{x(c + dx^3)^2}{7a(a + bx^3)^{7/3}} + \frac{(9c^2) \int \frac{1}{(a+bx^3)^{4/3}} dx}{14a^2} \\
&= \frac{9c^2x}{14a^3\sqrt[3]{a + bx^3}} + \frac{3cx(c + dx^3)}{14a^2(a + bx^3)^{4/3}} + \frac{x(c + dx^3)^2}{7a(a + bx^3)^{7/3}}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 126, normalized size = 1.62

$$\frac{x^3 \sqrt[3]{\frac{bx^3}{a}} + 1 \left(a^2 (14c^2 + 7cdx^3 + 2d^2x^6) + 3abcx^3 (7c + dx^3) + 9b^2c^2x^6 \right)}{14a^3 (a + bx^3)^{7/3} \sqrt[3]{\frac{dx^3}{c}} + 1 \sqrt[3]{\frac{c(a+bx^3)}{a(c+dx^3)}}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(c + d*x^3)^2/(a + b*x^3)^(10/3), x]

[Out] (x*(1 + (b*x^3)/a)^(1/3)*(9*b^2*c^2*x^6 + 3*a*b*c*x^3*(7*c + d*x^3) + a^2*(14*c^2 + 7*c*d*x^3 + 2*d^2*x^6)))/(14*a^3*(a + b*x^3)^(7/3)*((c*(a + b*x^3))/(a*(c + d*x^3)))^(1/3)*(1 + (d*x^3)/c)^(1/3))

IntegrateAlgebraic [A] time = 0.57, size = 79, normalized size = 1.01

$$\frac{x(14a^2c^2 + 7a^2cdx^3 + 2a^2d^2x^6 + 21abc^2x^3 + 3abcdx^6 + 9b^2c^2x^6)}{14a^3(a + bx^3)^{7/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x^3)^2/(a + b*x^3)^(10/3), x]

[Out] (x*(14*a^2*c^2 + 21*a*b*c^2*x^3 + 7*a^2*c*d*x^3 + 9*b^2*c^2*x^6 + 3*a*b*c*d*x^6 + 2*a^2*d^2*x^6))/(14*a^3*(a + b*x^3)^(7/3))

fricas [A] time = 1.19, size = 103, normalized size = 1.32

$$\frac{\left((9b^2c^2 + 3abcd + 2a^2d^2)x^7 + 14a^2c^2x + 7(3abc^2 + a^2cd)x^4 \right) (bx^3 + a)^{\frac{2}{3}}}{14(a^3b^3x^9 + 3a^4b^2x^6 + 3a^5bx^3 + a^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^(10/3),x, algorithm="fricas")

[Out] $\frac{1}{14} * ((9*b^2*c^2 + 3*a*b*c*d + 2*a^2*d^2)*x^7 + 14*a^2*c^2*x + 7*(3*a*b*c^2 + a^2*c*d)*x^4) * (b*x^3 + a)^{(2/3)} / (a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx^3 + c)^2}{(bx^3 + a)^{\frac{10}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^(10/3),x, algorithm="giac")

[Out] integrate((d*x^3 + c)^2/(b*x^3 + a)^(10/3), x)

maple [A] time = 0.05, size = 76, normalized size = 0.97

$$\frac{(2a^2d^2x^6 + 3abcdx^6 + 9b^2c^2x^6 + 7a^2cdx^3 + 21abc^2x^3 + 14a^2c^2)x}{14(bx^3 + a)^{\frac{7}{3}}a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)^2/(b*x^3+a)^(10/3),x)

[Out] $\frac{1}{14} * x * (2*a^2*d^2*x^6 + 3*a*b*c*d*x^6 + 9*b^2*c^2*x^6 + 7*a^2*c*d*x^3 + 21*a*b*c^2*x^3 + 14*a^2*c^2) / (b*x^3 + a)^{(7/3)} / a^3$

maxima [A] time = 0.51, size = 109, normalized size = 1.40

$$\frac{\left(4b - \frac{7(bx^3+a)}{x^3}\right)cdx^7}{14(bx^3 + a)^{\frac{7}{3}}a^2} + \frac{d^2x^7}{7(bx^3 + a)^{\frac{7}{3}}a} + \frac{\left(2b^2 - \frac{7(bx^3+a)b}{x^3} + \frac{14(bx^3+a)^2}{x^6}\right)c^2x^7}{14(bx^3 + a)^{\frac{7}{3}}a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^(10/3),x, algorithm="maxima")

[Out] $-1/14 * (4*b - 7*(b*x^3 + a)/x^3) * c*d*x^7 / ((b*x^3 + a)^{(7/3)}*a^2) + 1/7 * d^2*x^7 / ((b*x^3 + a)^{(7/3)}*a) + 1/14 * (2*b^2 - 7*(b*x^3 + a)*b/x^3 + 14*(b*x^3 + a)^2/x^6) * c^2*x^7 / ((b*x^3 + a)^{(7/3)}*a^3)$

mupad [B] time = 1.43, size = 148, normalized size = 1.90

$$\frac{2a^4d^2x + 2a^2d^2x(bx^3 + a)^2 + 9b^2c^2x(bx^3 + a)^2 + 2a^2b^2c^2x - 4a^3d^2x(bx^3 + a) + 3ab^2c^2x(bx^3 + a) - 4a^3bcdx + 3abcdx(bx^3 + a)^2 + a^2bcdx(bx^3 + a)}{14a^3b^2(bx^3 + a)^{7/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3)^2/(a + b*x^3)^(10/3), x)`

[Out] $(2a^4d^2x + 2a^2d^2x(a + bx^3)^2 + 9b^2c^2x(a + bx^3)^2 + 2a^2b^2c^2x - 4a^3d^2x(a + bx^3) + 3a^2b^2c^2x(a + bx^3) - 4a^3b^2c^2d^2x + 3a^2b^2c^2d^2x(a + bx^3)^2 + a^2b^2c^2d^2x(a + bx^3))/(14a^3b^2(a + bx^3)^{7/3})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+c)**2/(b*x**3+a)**(10/3), x)`

[Out] Timed out

$$3.57 \quad \int \frac{(c+dx^3)^2}{(a+bx^3)^{13/3}} dx$$

Optimal. Leaf size=174

$$\frac{9c^2x(9bc-10ad)}{140a^4\sqrt[3]{a+bx^3}(bc-ad)} + \frac{3cx(c+dx^3)(9bc-10ad)}{140a^3(a+bx^3)^{4/3}(bc-ad)} + \frac{x(c+dx^3)^2(9bc-10ad)}{70a^2(a+bx^3)^{7/3}(bc-ad)} + \frac{bx(c+dx^3)^3}{10a(a+bx^3)^{10/3}(bc-ad)}$$

Rubi [A] time = 0.07, antiderivative size = 174, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {382, 378, 191}

$$\frac{9c^2x(9bc-10ad)}{140a^4\sqrt[3]{a+bx^3}(bc-ad)} + \frac{x(c+dx^3)^2(9bc-10ad)}{70a^2(a+bx^3)^{7/3}(bc-ad)} + \frac{3cx(c+dx^3)(9bc-10ad)}{140a^3(a+bx^3)^{4/3}(bc-ad)} + \frac{bx(c+dx^3)^3}{10a(a+bx^3)^{10/3}(bc-ad)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)^2/(a + b*x^3)^(13/3), x]

[Out] (9*c^2*(9*b*c - 10*a*d)*x)/(140*a^4*(b*c - a*d)*(a + b*x^3)^(1/3)) + (3*c*(9*b*c - 10*a*d)*x*(c + d*x^3))/(140*a^3*(b*c - a*d)*(a + b*x^3)^(4/3)) + ((9*b*c - 10*a*d)*x*(c + d*x^3)^2)/(70*a^2*(b*c - a*d)*(a + b*x^3)^(7/3)) + (b*x*(c + d*x^3)^3)/(10*a*(b*c - a*d)*(a + b*x^3)^(10/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 378

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*n*(p + 1)), x] - Dist[(c*q)/(a*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 1) + 1, 0] && GtQ[q, 0] && NeQ[p, -1]

Rule 382

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x]

] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ[q, -1]) && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{(c + dx^3)^2}{(a + bx^3)^{13/3}} dx &= \frac{bx(c + dx^3)^3}{10a(bc - ad)(a + bx^3)^{10/3}} + \frac{(9bc - 10ad) \int \frac{(c + dx^3)^2}{(a + bx^3)^{10/3}} dx}{10a(bc - ad)} \\
 &= \frac{(9bc - 10ad)x(c + dx^3)^2}{70a^2(bc - ad)(a + bx^3)^{7/3}} + \frac{bx(c + dx^3)^3}{10a(bc - ad)(a + bx^3)^{10/3}} + \frac{(3c(9bc - 10ad)) \int \frac{c + dx^3}{(a + bx^3)^{7/3}} dx}{35a^2(bc - ad)} \\
 &= \frac{3c(9bc - 10ad)x(c + dx^3)}{140a^3(bc - ad)(a + bx^3)^{4/3}} + \frac{(9bc - 10ad)x(c + dx^3)^2}{70a^2(bc - ad)(a + bx^3)^{7/3}} + \frac{bx(c + dx^3)^3}{10a(bc - ad)(a + bx^3)^{10/3}} + \dots \\
 &= \frac{9c^2(9bc - 10ad)x}{140a^4(bc - ad)\sqrt[3]{a + bx^3}} + \frac{3c(9bc - 10ad)x(c + dx^3)}{140a^3(bc - ad)(a + bx^3)^{4/3}} + \frac{(9bc - 10ad)x(c + dx^3)^2}{70a^2(bc - ad)(a + bx^3)^{7/3}} + \dots
 \end{aligned}$$

Mathematica [A] time = 5.11, size = 106, normalized size = 0.61

$$\frac{x(10a^3(14c^2 + 7cdx^3 + 2d^2x^6) + 3a^2bx^3(105c^2 + 20cdx^3 + 2d^2x^6) + 18ab^2cx^6(15c + dx^3) + 81b^3c^2x^9)}{140a^4(a + bx^3)^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)^2/(a + b*x^3)^(13/3), x]

[Out] (x*(81*b^3*c^2*x^9 + 18*a*b^2*c*x^6*(15*c + d*x^3) + 10*a^3*(14*c^2 + 7*c*d*x^3 + 2*d^2*x^6) + 3*a^2*b*x^3*(105*c^2 + 20*c*d*x^3 + 2*d^2*x^6)))/(140*a^4*(a + b*x^3)^(10/3))

IntegrateAlgebraic [A] time = 0.83, size = 118, normalized size = 0.68

$$\frac{x(140a^3c^2 + 70a^3cdx^3 + 20a^3d^2x^6 + 315a^2bc^2x^3 + 60a^2bcdx^6 + 6a^2bd^2x^9 + 270ab^2c^2x^6 + 18ab^2cdx^9 + 81b^3c^2x^9)}{140a^4(a + bx^3)^{10/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x^3)^2/(a + b*x^3)^(13/3), x]

[Out] (x*(140*a^3*c^2 + 315*a^2*b*c^2*x^3 + 70*a^3*c*d*x^3 + 270*a*b^2*c^2*x^6 + 60*a^2*b*c*d*x^6 + 20*a^3*d^2*x^6 + 81*b^3*c^2*x^9 + 18*a*b^2*c*d*x^9 + 6*a^2*b*d^2*x^9))/(140*a^4*(a + b*x^3)^(10/3))

fricas [A] time = 0.99, size = 152, normalized size = 0.87

$$\frac{(3(27b^3c^2 + 6ab^2cd + 2a^2bd^2)x^{10} + 10(27ab^2c^2 + 6a^2bcd + 2a^3d^2)x^7 + 140a^3c^2x + 35(9a^2bc^2 + 2a^3cd)x^4)(bx^3 + a)^{\frac{2}{3}}}{140(a^4b^4x^{12} + 4a^5b^3x^9 + 6a^6b^2x^6 + 4a^7bx^3 + a^8)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^(13/3), x, algorithm="fricas")

[Out] 1/140*(3*(27*b^3*c^2 + 6*a*b^2*c*d + 2*a^2*b*d^2)*x^10 + 10*(27*a*b^2*c^2 + 6*a^2*b*c*d + 2*a^3*d^2)*x^7 + 140*a^3*c^2*x + 35*(9*a^2*b*c^2 + 2*a^3*c*d)*x^4)*(b*x^3 + a)^(2/3)/(a^4*b^4*x^12 + 4*a^5*b^3*x^9 + 6*a^6*b^2*x^6 + 4*a^7*b*x^3 + a^8)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx^3 + c)^2}{(bx^3 + a)^{\frac{13}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^(13/3), x, algorithm="giac")

[Out] integrate((d*x^3 + c)^2/(b*x^3 + a)^(13/3), x)

maple [A] time = 0.05, size = 115, normalized size = 0.66

$$\frac{(6a^2bd^2x^9 + 18ab^2cdx^9 + 81b^3c^2x^9 + 20a^3d^2x^6 + 60a^2bcdx^6 + 270ab^2c^2x^6 + 70a^3cdx^3 + 315a^2b^2c^2x^3 + 140c^2a^3)x}{140(bx^3 + a)^{\frac{10}{3}}a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)^2/(b*x^3+a)^(13/3), x)

[Out] 1/140*x*(6*a^2*b*d^2*x^9+18*a*b^2*c*d*x^9+81*b^3*c^2*x^9+20*a^3*d^2*x^6+60*a^2*b*c*d*x^6+270*a*b^2*c^2*x^6+70*a^3*c*d*x^3+315*a^2*b*c^2*x^3+140*a^3*c^2)/(b*x^3+a)^(10/3)/a^4

maxima [A] time = 0.71, size = 159, normalized size = 0.91

$$\frac{\left(7b - \frac{10(bx^3+a)}{x^3}\right)d^2x^{10}}{70(bx^3+a)^{\frac{10}{3}}a^2} + \frac{\left(14b^2 - \frac{40(bx^3+a)b}{x^3} + \frac{35(bx^3+a)^2}{x^6}\right)cdx^{10}}{70(bx^3+a)^{\frac{10}{3}}a^3} - \frac{\left(14b^3 - \frac{60(bx^3+a)b^2}{x^3} + \frac{105(bx^3+a)^2b}{x^6} - \frac{140(bx^3+a)^3}{x^9}\right)c^2x^{10}}{140(bx^3+a)^{\frac{10}{3}}a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^(13/3),x, algorithm="maxima")

[Out] -1/70*(7*b - 10*(b*x^3 + a)/x^3)*d^2*x^10/((b*x^3 + a)^(10/3)*a^2) + 1/70*(14*b^2 - 40*(b*x^3 + a)*b/x^3 + 35*(b*x^3 + a)^2/x^6)*c*d*x^10/((b*x^3 + a)^(10/3)*a^3) - 1/140*(14*b^3 - 60*(b*x^3 + a)*b^2/x^3 + 105*(b*x^3 + a)^2*b/x^6 - 140*(b*x^3 + a)^3/x^9)*c^2*x^10/((b*x^3 + a)^(10/3)*a^4)

mupad [B] time = 1.45, size = 176, normalized size = 1.01

$$x \left(\frac{c^2}{10a} + \frac{a \left(\frac{d^2}{10b} - \frac{cd}{5a} \right)}{b} \right) \frac{1}{(bx^3+a)^{10/3}} - x \left(\frac{d^2}{7b^2} - \frac{-a^2d^2+2abcd+9b^2c^2}{70a^2b^2} \right) \frac{1}{(bx^3+a)^{7/3}} + \frac{x(2a^2d^2+6abcd+27b^2c^2)}{140a^3b^2(bx^3+a)^{4/3}} + \frac{x(6a^2d^2+18abcd+81b^2c^2)}{140a^4b^2(bx^3+a)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3)^2/(a + b*x^3)^(13/3),x)

[Out] (x*(c^2/(10*a) + (a*(d^2/(10*b) - (c*d)/(5*a)))/b))/(a + b*x^3)^(10/3) - (x*(d^2/(7*b^2) - (9*b^2*c^2 - a^2*d^2 + 2*a*b*c*d)/(70*a^2*b^2)))/(a + b*x^3)^(7/3) + (x*(2*a^2*d^2 + 27*b^2*c^2 + 6*a*b*c*d))/(140*a^3*b^2*(a + b*x^3)^(4/3)) + (x*(6*a^2*d^2 + 81*b^2*c^2 + 18*a*b*c*d))/(140*a^4*b^2*(a + b*x^3)^(1/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c)**2/(b*x**3+a)**(13/3),x)

[Out] Timed out

$$3.58 \quad \int \frac{(c+dx^3)^2}{(a+bx^3)^{16/3}} dx$$

Optimal. Leaf size=211

$$\frac{2x(bc-ad)(ad+3bc)}{65a^2b^2(a+bx^3)^{10/3}} + \frac{9x(2a^2d^2+9abcd+54b^2c^2)}{910a^5b^2\sqrt[3]{a+bx^3}} + \frac{3x(2a^2d^2+9abcd+54b^2c^2)}{910a^4b^2(a+bx^3)^{4/3}} + \frac{x(2a^2d^2+9abcd+54b^2c^2)}{455a^3b^2(a+bx^3)^{7/3}}$$

Rubi [A] time = 0.13, antiderivative size = 211, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$, Rules used = {413, 385, 192, 191}

$$\frac{9x(2a^2d^2+9abcd+54b^2c^2)}{910a^5b^2\sqrt[3]{a+bx^3}} + \frac{3x(2a^2d^2+9abcd+54b^2c^2)}{910a^4b^2(a+bx^3)^{4/3}} + \frac{x(2a^2d^2+9abcd+54b^2c^2)}{455a^3b^2(a+bx^3)^{7/3}} + \frac{2x(bc-ad)(ad+3bc)}{65a^2b^2(a+bx^3)^{10/3}} + \frac{x(c+dx^3)(bc-ad)}{13ab(a+bx^3)^{13/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)^2/(a + b*x^3)^(16/3), x]

[Out] (2*(b*c - a*d)*(3*b*c + a*d)*x)/(65*a^2*b^2*(a + b*x^3)^(10/3)) + ((54*b^2*c^2 + 9*a*b*c*d + 2*a^2*d^2)*x)/(455*a^3*b^2*(a + b*x^3)^(7/3)) + (3*(54*b^2*c^2 + 9*a*b*c*d + 2*a^2*d^2)*x)/(910*a^4*b^2*(a + b*x^3)^(4/3)) + (9*(54*b^2*c^2 + 9*a*b*c*d + 2*a^2*d^2)*x)/(910*a^5*b^2*(a + b*x^3)^(1/3)) + ((b*c - a*d)*x*(c + d*x^3))/(13*a*b*(a + b*x^3)^(13/3))

Rule 191

Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 385

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +

p, 0])

Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p +
1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q -
2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
+ q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(c + dx^3)^2}{(a + bx^3)^{16/3}} dx &= \frac{(bc - ad)x(c + dx^3)}{13ab(a + bx^3)^{13/3}} + \frac{\int \frac{c(12bc + ad) + d(9bc + 4ad)x^3}{(a + bx^3)^{13/3}} dx}{13ab} \\ &= \frac{2(bc - ad)(3bc + ad)x}{65a^2b^2(a + bx^3)^{10/3}} + \frac{(bc - ad)x(c + dx^3)}{13ab(a + bx^3)^{13/3}} + \frac{(54b^2c^2 + 9abcd + 2a^2d^2) \int \frac{1}{(a + bx^3)^{10/3}} dx}{65a^2b^2} \\ &= \frac{2(bc - ad)(3bc + ad)x}{65a^2b^2(a + bx^3)^{10/3}} + \frac{(54b^2c^2 + 9abcd + 2a^2d^2)x}{455a^3b^2(a + bx^3)^{7/3}} + \frac{(bc - ad)x(c + dx^3)}{13ab(a + bx^3)^{13/3}} + \frac{6(54b^2c^2 + 9abcd + 2a^2d^2) \int \frac{1}{(a + bx^3)^{7/3}} dx}{910a^4b^2} \\ &= \frac{2(bc - ad)(3bc + ad)x}{65a^2b^2(a + bx^3)^{10/3}} + \frac{(54b^2c^2 + 9abcd + 2a^2d^2)x}{455a^3b^2(a + bx^3)^{7/3}} + \frac{3(54b^2c^2 + 9abcd + 2a^2d^2)x}{910a^4b^2(a + bx^3)^{4/3}} + \frac{9(54b^2c^2 + 9abcd + 2a^2d^2) \int \frac{1}{(a + bx^3)^{4/3}} dx}{910a^4b^2} \\ &= \frac{2(bc - ad)(3bc + ad)x}{65a^2b^2(a + bx^3)^{10/3}} + \frac{(54b^2c^2 + 9abcd + 2a^2d^2)x}{455a^3b^2(a + bx^3)^{7/3}} + \frac{3(54b^2c^2 + 9abcd + 2a^2d^2)x}{910a^4b^2(a + bx^3)^{4/3}} + \frac{9(54b^2c^2 + 9abcd + 2a^2d^2) \int \frac{1}{(a + bx^3)^{4/3}} dx}{910a^4b^2} \end{aligned}$$

Mathematica [A] time = 5.18, size = 138, normalized size = 0.65

$$\frac{x(65a^4(14c^2 + 7cdx^3 + 2d^2x^6) + 39a^3bx^3(70c^2 + 15cdx^3 + 2d^2x^6) + 9a^2b^2x^6(390c^2 + 39cdx^3 + 2d^2x^6) + 81ab^3cx^9(26c + dx^3) + 486b^4c^2x^{12})}{910a^5(a + bx^3)^{13/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)^2/(a + b*x^3)^(16/3), x]

[Out] $(x*(486*b^4*c^2*x^{12} + 81*a*b^3*c*x^9*(26*c + d*x^3) + 65*a^4*(14*c^2 + 7*c*d*x^3 + 2*d^2*x^6) + 39*a^3*b*x^3*(70*c^2 + 15*c*d*x^3 + 2*d^2*x^6) + 9*a^2*b^2*x^6*(390*c^2 + 39*c*d*x^3 + 2*d^2*x^6)))/(910*a^5*(a + b*x^3)^{(13/3)})$

IntegrateAlgebraic [A] time = 1.26, size = 159, normalized size = 0.75

$$\frac{x(910a^4c^2 + 455a^4cdx^3 + 130a^4d^2x^6 + 2730a^3bc^2x^3 + 585a^3bcdx^6 + 78a^3bd^2x^9 + 3510a^2b^2c^2x^6 + 351a^2b^2cdx^9 + 18a^2b^2d^2x^{12} + 2106ab^3c^2x^9 + 81ab^3cdx^{12} + 486b^4c^2x^{12})}{910a^5(a + bx^3)^{13/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x^3)^2/(a + b*x^3)^(16/3), x]

[Out] $(x*(910*a^4*c^2 + 2730*a^3*b*c^2*x^3 + 455*a^4*c*d*x^3 + 3510*a^2*b^2*c^2*x^6 + 585*a^3*b*c*d*x^6 + 130*a^4*d^2*x^6 + 2106*a*b^3*c^2*x^9 + 351*a^2*b^2*c*d*x^9 + 78*a^3*b*d^2*x^9 + 486*b^4*c^2*x^{12} + 81*a*b^3*c*d*x^{12} + 18*a^2*b^2*d^2*x^{12}))/910*a^5*(a + b*x^3)^{(13/3)}$

fricas [A] time = 1.07, size = 200, normalized size = 0.95

$$\frac{(9(54b^4c^2 + 9ab^3cd + 2a^2b^2d^2)x^{13} + 39(54ab^3c^2 + 9a^2b^2cd + 2a^3bd^2)x^{10} + 65(54a^2b^2c^2 + 9a^3bcd + 2a^4d^2)x^7 + 910a^4c^2x + 455(6a^3bc^2 + a^4cd)x^4)(bx^3 + a)^{2/3}}{910(a^5b^5x^{15} + 5a^6b^4x^{12} + 10a^7b^3x^9 + 10a^8b^2x^6 + 5a^9bx^3 + a^{10})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^(16/3), x, algorithm="fricas")

[Out] $1/910*(9*(54*b^4*c^2 + 9*a*b^3*c*d + 2*a^2*b^2*d^2)*x^{13} + 39*(54*a*b^3*c^2 + 9*a^2*b^2*c*d + 2*a^3*b*d^2)*x^{10} + 65*(54*a^2*b^2*c^2 + 9*a^3*b*c*d + 2*a^4*d^2)*x^7 + 910*a^4*c^2*x + 455*(6*a^3*b*c^2 + a^4*c*d)*x^4)*(b*x^3 + a)^{(2/3)}/(a^5*b^5*x^{15} + 5*a^6*b^4*x^{12} + 10*a^7*b^3*x^9 + 10*a^8*b^2*x^6 + 5*a^9*b*x^3 + a^{10})$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx^3 + c)^2}{(bx^3 + a)^{16/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^(16/3), x, algorithm="giac")

[Out] integrate((d*x^3 + c)^2/(b*x^3 + a)^(16/3), x)

maple [A] time = 0.05, size = 156, normalized size = 0.74

$$\frac{(18a^2b^2d^2x^{12} + 81a^2b^3cdx^{12} + 486b^4c^2x^{12} + 78a^3bd^2x^9 + 351a^2b^2cdx^9 + 2106ab^3c^2x^9 + 130a^4d^2x^6 + 585a^3bcdx^6 + 3510a^2b^2c^2x^6 + 455a^4cdx^3 + 2730a^3bc^2x^3 + 910c^2a^4)x}{910(bx^3 + a)^{13/3}a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+c)^2/(b*x^3+a)^(16/3),x)`

[Out] $\frac{1}{910}x(18a^2b^2d^2x^{12}+81ab^3cdx^{12}+486b^4c^2x^{12}+78a^3b^2d^2x^9+351a^2b^2cdx^9+2106ab^3c^2x^9+130a^4d^2x^6+585a^3b^2cdx^6+3510a^2b^2c^2x^6+455a^4cdx^3+2730a^3b^2c^2x^3+910a^4c^2)/(b^5(x^3+a)^{13/3})$

maxima [A] time = 0.50, size = 210, normalized size = 1.00

$$\frac{\left(35b^2 - \frac{91(bx^3+a)b}{x^3} + \frac{65(bx^3+a)^2}{x^6}\right)d^2x^{13}}{455(bx^3+a)^{\frac{13}{3}}a^3} - \frac{\left(140b^3 - \frac{546(bx^3+a)b^2}{x^3} + \frac{780(bx^3+a)^2b}{x^6} - \frac{455(bx^3+a)^3}{x^9}\right)cdx^{13}}{910(bx^3+a)^{\frac{13}{3}}a^4} + \frac{\left(35b^4 - \frac{182(bx^3+a)b^3}{x^3} + \frac{390(bx^3+a)^2b^2}{x^6} - \frac{455(bx^3+a)^3b}{x^9} + \frac{455(bx^3+a)^4}{x^{12}}\right)c^2x^{13}}{455(bx^3+a)^{\frac{13}{3}}a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+c)^2/(b*x^3+a)^(16/3),x, algorithm="maxima")`

[Out] $\frac{1}{455}(35b^2 - 91(bx^3 + a)b/x^3 + 65(bx^3 + a)^2/x^6)d^2x^{13}/((bx^3 + a)^{13/3}a^3) - \frac{1}{910}(140b^3 - 546(bx^3 + a)b^2/x^3 + 780(bx^3 + a)^2b/x^6 - 455(bx^3 + a)^3/x^9)cdx^{13}/((bx^3 + a)^{13/3}a^4) + \frac{1}{455}(35b^4 - 182(bx^3 + a)b^3/x^3 + 390(bx^3 + a)^2b^2/x^6 - 455(bx^3 + a)^3b/x^9 + 455(bx^3 + a)^4/x^{12})c^2x^{13}/((bx^3 + a)^{13/3}a^5)$

mupad [B] time = 1.43, size = 217, normalized size = 1.03

$$x \left(\frac{c^2}{13a} + \frac{a \left(\frac{d^2}{13b} - \frac{2cd}{13a} \right)}{b} \right) \frac{1}{(bx^3 + a)^{13/3}} - x \left(\frac{d^2}{10b^2} - \frac{-a^2d^2 + 2abcd + 12b^2c^2}{130a^2b^2} \right) \frac{1}{(bx^3 + a)^{10/3}} + \frac{x(2a^2d^2 + 9abcd + 54b^2c^2)}{455a^3b^2(bx^3 + a)^{7/3}} + \frac{x(6a^2d^2 + 27abcd + 162b^2c^2)}{910a^4b^2(bx^3 + a)^{4/3}} + \frac{x(18a^2d^2 + 81abcd + 486b^2c^2)}{910a^5b^2(bx^3 + a)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3)^2/(a + b*x^3)^(16/3),x)`

[Out] $(x(c^2/(13a) + (a(d^2/(13b) - (2cd)/(13a)))/b))/(a + bx^3)^{13/3} - (x(d^2/(10b^2) - (12b^2c^2 - a^2d^2 + 2ab^2cd)/(130a^2b^2)))/(a + bx^3)^{10/3} + (x(2a^2d^2 + 54b^2c^2 + 9abcd))/(455a^3b^2(a + bx^3)^{7/3}) + (x(6a^2d^2 + 162b^2c^2 + 27abcd))/(910a^4b^2(a + bx^3)^{4/3}) + (x(18a^2d^2 + 486b^2c^2 + 81abcd))/(910a^5b^2(a + bx^3)^{1/3})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x**3+c)**2/(b*x**3+a)**(16/3),x)
```

```
[Out] Timed out
```

$$3.59 \quad \int \frac{(c+dx^3)^2}{(a+bx^3)^{19/3}} dx$$

Optimal. Leaf size=253

$$\frac{x(bc-ad)(4ad+15bc)}{208a^2b^2(a+bx^3)^{13/3}} + \frac{81x(a^2d^2+6abcd+45b^2c^2)}{7280a^6b^2\sqrt[3]{a+bx^3}} + \frac{27x(a^2d^2+6abcd+45b^2c^2)}{7280a^5b^2(a+bx^3)^{4/3}} + \frac{9x(a^2d^2+6abcd+45b^2c^2)}{3640a^4b^2(a+bx^3)^{7/3}}$$

Rubi [A] time = 0.21, antiderivative size = 253, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$, Rules used = {413, 385, 192, 191}

$$\frac{81x(a^2d^2+6abcd+45b^2c^2)}{7280a^6b^2\sqrt[3]{a+bx^3}} + \frac{27x(a^2d^2+6abcd+45b^2c^2)}{7280a^5b^2(a+bx^3)^{4/3}} + \frac{9x(a^2d^2+6abcd+45b^2c^2)}{3640a^4b^2(a+bx^3)^{7/3}} + \frac{x(a^2d^2+6abcd+45b^2c^2)}{520a^3b^2(a+bx^3)^{10/3}} + \frac{x(bc-ad)(4ad+15bc)}{208a^2b^2(a+bx^3)^{13/3}} + \frac{x(c+dx^3)(bc-ad)}{16ab(a+bx^3)^{16/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3)^2/(a + b*x^3)^(19/3), x]

[Out] ((b*c - a*d)*(15*b*c + 4*a*d)*x)/(208*a^2*b^2*(a + b*x^3)^(13/3)) + ((45*b^2*c^2 + 6*a*b*c*d + a^2*d^2)*x)/(520*a^3*b^2*(a + b*x^3)^(10/3)) + (9*(45*b^2*c^2 + 6*a*b*c*d + a^2*d^2)*x)/(3640*a^4*b^2*(a + b*x^3)^(7/3)) + (27*(45*b^2*c^2 + 6*a*b*c*d + a^2*d^2)*x)/(7280*a^5*b^2*(a + b*x^3)^(4/3)) + (81*(45*b^2*c^2 + 6*a*b*c*d + a^2*d^2)*x)/(7280*a^6*b^2*(a + b*x^3)^(1/3)) + ((b*c - a*d)*x*(c + d*x^3))/(16*a*b*(a + b*x^3)^(16/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +

p, 0])

Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p +
1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q -
2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
+ q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(c + dx^3)^2}{(a + bx^3)^{19/3}} dx &= \frac{(bc - ad)x(c + dx^3)}{16ab(a + bx^3)^{16/3}} + \frac{\int \frac{c(15bc + ad) + 4d(3bc + ad)x^3}{(a + bx^3)^{16/3}} dx}{16ab} \\ &= \frac{(bc - ad)(15bc + 4ad)x}{208a^2b^2(a + bx^3)^{13/3}} + \frac{(bc - ad)x(c + dx^3)}{16ab(a + bx^3)^{16/3}} + \frac{(45b^2c^2 + 6abcd + a^2d^2) \int \frac{1}{(a + bx^3)^{13/3}} dx}{52a^2b^2} \\ &= \frac{(bc - ad)(15bc + 4ad)x}{208a^2b^2(a + bx^3)^{13/3}} + \frac{(45b^2c^2 + 6abcd + a^2d^2)x}{520a^3b^2(a + bx^3)^{10/3}} + \frac{(bc - ad)x(c + dx^3)}{16ab(a + bx^3)^{16/3}} + \frac{9(45b^2c^2 + 6abcd + a^2d^2)}{3640a^4b^2(a + bx^3)^{7/3}} \\ &= \frac{(bc - ad)(15bc + 4ad)x}{208a^2b^2(a + bx^3)^{13/3}} + \frac{(45b^2c^2 + 6abcd + a^2d^2)x}{520a^3b^2(a + bx^3)^{10/3}} + \frac{9(45b^2c^2 + 6abcd + a^2d^2)x}{3640a^4b^2(a + bx^3)^{7/3}} + \frac{(bc - ad)x(c + dx^3)}{16ab(a + bx^3)^{16/3}} \\ &= \frac{(bc - ad)(15bc + 4ad)x}{208a^2b^2(a + bx^3)^{13/3}} + \frac{(45b^2c^2 + 6abcd + a^2d^2)x}{520a^3b^2(a + bx^3)^{10/3}} + \frac{9(45b^2c^2 + 6abcd + a^2d^2)x}{3640a^4b^2(a + bx^3)^{7/3}} + \frac{27(45b^2c^2 + 6abcd + a^2d^2)}{7280a^6(a + bx^3)^{16/3}} \end{aligned}$$

Mathematica [A] time = 5.15, size = 169, normalized size = 0.67

$$\frac{x(520a^5(14c^2 + 7cdx^3 + 2d^2x^6) + 156a^4bx^3(175c^2 + 40cdx^3 + 6d^2x^6) + 144a^3b^2x^6(325c^2 + 39cdx^3 + 3d^2x^6) + 81a^2b^3x^9(520c^2 + 32cdx^3 + d^2x^6) + 486ab^4cx^{12}(40c + dx^3) + 3645b^5c^2x^{15})}{7280a^6(a + bx^3)^{16/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3)^2/(a + b*x^3)^(19/3), x]

[Out] (x*(3645*b^5*c^2*x^15 + 486*a*b^4*c*x^12*(40*c + d*x^3) + 81*a^2*b^3*x^9*(520*c^2 + 32*c*d*x^3 + d^2*x^6) + 520*a^5*(14*c^2 + 7*c*d*x^3 + 2*d^2*x^6) + 144*a^3*b^2*x^6*(325*c^2 + 39*c*d*x^3 + 3*d^2*x^6) + 156*a^4*b*x^3*(175*c^2 + 40*c*d*x^3 + 6*d^2*x^6)))/(7280*a^6*(a + b*x^3)^(16/3))

IntegrateAlgebraic [A] time = 1.87, size = 200, normalized size = 0.79

$$\frac{x(7280a^5c^2 + 3640a^4cdx^3 + 1040a^5d^2x^6 + 27300a^4b^2c^2x^3 + 6240a^4bcdx^6 + 936a^4bd^2x^9 + 46800a^3b^2c^2x^6 + 5616a^3b^2cdx^9 + 432a^3b^2d^2x^{12} + 42120a^2b^3c^2x^9 + 2592a^2b^3cdx^{12} + 81a^2b^3d^2x^{15} + 19440ab^4c^2x^{12} + 486ab^4cdx^{15} + 3645b^5c^2x^{15})}{7280a^6(a + bx^3)^{16/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x^3)^2/(a + b*x^3)^(19/3), x]

[Out] (x*(7280*a^5*c^2 + 27300*a^4*b*c^2*x^3 + 3640*a^5*c*d*x^3 + 46800*a^3*b^2*c^2*x^6 + 6240*a^4*b*c*d*x^6 + 1040*a^5*d^2*x^6 + 42120*a^2*b^3*c^2*x^9 + 5616*a^3*b^2*c*d*x^9 + 936*a^4*b*d^2*x^9 + 19440*a*b^4*c^2*x^12 + 2592*a^2*b^3*c*d*x^12 + 432*a^3*b^2*d^2*x^12 + 3645*b^5*c^2*x^15 + 486*a*b^4*c*d*x^15 + 81*a^2*b^3*d^2*x^15))/(7280*a^6*(a + b*x^3)^(16/3))

fricas [A] time = 1.41, size = 246, normalized size = 0.97

$$\frac{(81(45b^5c^2 + 6ab^4cd + a^2b^3d^2)x^{16} + 432(45ab^4c^2 + 6a^2b^3cd + a^3b^2d^2)x^{13} + 936(45a^2b^3c^2 + 6a^2b^2cd + a^4bd^2)x^{10} + 7280a^5c^2x + 1040(45a^3b^2c^2 + 6a^4bcd + a^5d^2)x^7 + 1820(15a^4b^2c^2 + 2a^5cd)x^4)(bx^3 + a)^{2/3}}{7280(a^6b^6x^{18} + 6a^7b^5x^{15} + 15a^8b^4x^{12} + 20a^9b^3x^9 + 15a^{10}b^2x^6 + 6a^{11}bx^3 + a^{12})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^(19/3), x, algorithm="fricas")

[Out] 1/7280*(81*(45*b^5*c^2 + 6*a*b^4*c*d + a^2*b^3*d^2)*x^16 + 432*(45*a*b^4*c^2 + 6*a^2*b^3*c*d + a^3*b^2*d^2)*x^13 + 936*(45*a^2*b^3*c^2 + 6*a^3*b^2*c*d + a^4*b*d^2)*x^10 + 7280*a^5*c^2*x + 1040*(45*a^3*b^2*c^2 + 6*a^4*b*c*d + a^5*d^2)*x^7 + 1820*(15*a^4*b^2*c^2 + 2*a^5*c*d)*x^4)*(b*x^3 + a)^(2/3)/(a^6*b^6*x^18 + 6*a^7*b^5*x^15 + 15*a^8*b^4*x^12 + 20*a^9*b^3*x^9 + 15*a^10*b^2*x^6 + 6*a^11*b*x^3 + a^12)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx^3 + c)^2}{(bx^3 + a)^{19/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^(19/3), x, algorithm="giac")

[Out] integrate((d*x^3 + c)^2/(b*x^3 + a)^(19/3), x)

maple [A] time = 0.05, size = 197, normalized size = 0.78

$$\frac{(81a^2b^3d^2x^{15} + 486ab^4cdx^{15} + 3645b^5c^2x^{15} + 432a^3b^2d^2x^{12} + 2592a^2b^3cdx^{12} + 19440ab^4c^2x^{12} + 936a^4b^2d^2x^9 + 5616a^3b^2cdx^9 + 42120a^2b^3c^2x^9 + 1040a^5d^2x^6 + 6240a^4bcdx^6 + 46800a^3b^2c^2x^6 + 3640a^7cdx^3 + 27300a^4b^2c^2x^3 + 7280a^5c^2x^3)}{7280(bx^3 + a)^{\frac{16}{3}}a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c)^2/(b*x^3+a)^(19/3),x)

[Out] 1/7280*x*(81*a^2*b^3*d^2*x^15+486*a*b^4*c*d*x^15+3645*b^5*c^2*x^15+432*a^3*b^2*d^2*x^12+2592*a^2*b^3*c*d*x^12+19440*a*b^4*c^2*x^12+936*a^4*b^2*d^2*x^9+5616*a^3*b^2*c*d*x^9+42120*a^2*b^3*c^2*x^9+1040*a^5*d^2*x^6+6240*a^4*b*c*d*x^6+46800*a^3*b^2*c^2*x^6+3640*a^5*c*d*x^3+27300*a^4*b*c^2*x^3+7280*a^5*c^2*x^3)/(b*x^3+a)^(16/3)/a^6

maxima [A] time = 0.64, size = 261, normalized size = 1.03

$$\frac{\left(455b^3 - \frac{1680(bx^3+a)^2}{x^3} + \frac{2184(bx^3+a)^2b}{x^6} - \frac{1040(bx^3+a)^3}{x^9}\right)d^2x^{16} + \left(455b^4 - \frac{2240(bx^3+a)b^3}{x^3} + \frac{4368(bx^3+a)^2b^2}{x^6} - \frac{4160(bx^3+a)^3b}{x^9} + \frac{1820(bx^3+a)^4}{x^{12}}\right)cdx^{16} - \left(91b^5 - \frac{560(bx^3+a)^4}{x^3} + \frac{1456(bx^3+a)^2b^3}{x^6} - \frac{2080(bx^3+a)^3b^2}{x^9} + \frac{1820(bx^3+a)^4b}{x^{12}} - \frac{1456(bx^3+a)^5}{x^{15}}\right)c^2x^{16}}{7280(bx^3+a)^{\frac{16}{3}}a^4 + 3640(bx^3+a)^{\frac{16}{3}}a^5 - 1456(bx^3+a)^{\frac{16}{3}}a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c)^2/(b*x^3+a)^(19/3),x, algorithm="maxima")

[Out] -1/7280*(455*b^3 - 1680*(b*x^3 + a)*b^2/x^3 + 2184*(b*x^3 + a)^2*b/x^6 - 1040*(b*x^3 + a)^3/x^9)*d^2*x^16/((b*x^3 + a)^(16/3)*a^4) + 1/3640*(455*b^4 - 2240*(b*x^3 + a)*b^3/x^3 + 4368*(b*x^3 + a)^2*b^2/x^6 - 4160*(b*x^3 + a)^3*b/x^9 + 1820*(b*x^3 + a)^4/x^12)*c*d*x^16/((b*x^3 + a)^(16/3)*a^5) - 1/1456*(91*b^5 - 560*(b*x^3 + a)*b^4/x^3 + 1456*(b*x^3 + a)^2*b^3/x^6 - 2080*(b*x^3 + a)^3*b^2/x^9 + 1820*(b*x^3 + a)^4*b/x^12 - 1456*(b*x^3 + a)^5/x^15)*c^2*x^16/((b*x^3 + a)^(16/3)*a^6)

mupad [B] time = 1.48, size = 257, normalized size = 1.02

$$\frac{x\left(\frac{c^2}{16a} + \frac{a\left(\frac{d^2}{16b} - \frac{cd}{8a}\right)}{b}\right)}{(bx^3 + a)^{\frac{16}{3}}} - \frac{x\left(\frac{d^2}{13b^2} - \frac{-a^2d^2 + 2abcd + 15b^2c^2}{208a^2b^2}\right)}{(bx^3 + a)^{\frac{13}{3}}} + \frac{x(a^2d^2 + 6abcd + 45b^2c^2)}{520a^3b^2(bx^3 + a)^{\frac{10}{3}}} + \frac{x(9a^2d^2 + 54abcd + 405b^2c^2)}{3640a^4b^2(bx^3 + a)^{\frac{7}{3}}} + \frac{x(27a^2d^2 + 162abcd + 1215b^2c^2)}{7280a^5b^2(bx^3 + a)^{\frac{4}{3}}} + \frac{x(81a^2d^2 + 486abcd + 3645b^2c^2)}{7280a^6b^2(bx^3 + a)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3)^2/(a + b*x^3)^(19/3),x)

[Out] (x*(c^2/(16*a) + (a*(d^2/(16*b) - (c*d)/(8*a)))/b))/(a + b*x^3)^(16/3) - (x*(d^2/(13*b^2) - (15*b^2*c^2 - a^2*d^2 + 2*a*b*c*d)/(208*a^2*b^2)))/(a + b*x^3)^(13/3) + (x*(a^2*d^2 + 45*b^2*c^2 + 6*a*b*c*d))/(520*a^3*b^2*(a + b*x^3)^(10/3)) + (x*(9*a^2*d^2 + 405*b^2*c^2 + 54*a*b*c*d))/(3640*a^4*b^2*(a + b*x^3)^(7/3)) + (x*(27*a^2*d^2 + 1215*b^2*c^2 + 162*a*b*c*d))/(7280*a^5*b^2*(a + b*x^3)^(4/3)) + (x*(81*a^2*d^2 + 3645*b^2*c^2 + 486*a*b*c*d))/(7280*a^6*b^2*(a + b*x^3)^(1/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c)**2/(b*x**3+a)**(19/3),x)

[Out] Timed out

$$3.60 \quad \int \frac{(a+bx^3)^3}{(c+dx^3)^{13/3}} dx$$

Optimal. Leaf size=109

$$\frac{81a^3x}{140c^4\sqrt[3]{c+dx^3}} + \frac{27a^2x(a+bx^3)}{140c^3(c+dx^3)^{4/3}} + \frac{9ax(a+bx^3)^2}{70c^2(c+dx^3)^{7/3}} + \frac{x(a+bx^3)^3}{10c(c+dx^3)^{10/3}}$$

Rubi [A] time = 0.04, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {378, 191}

$$\frac{27a^2x(a+bx^3)}{140c^3(c+dx^3)^{4/3}} + \frac{81a^3x}{140c^4\sqrt[3]{c+dx^3}} + \frac{9ax(a+bx^3)^2}{70c^2(c+dx^3)^{7/3}} + \frac{x(a+bx^3)^3}{10c(c+dx^3)^{10/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^3/(c + d*x^3)^(13/3), x]

[Out] (x*(a + b*x^3)^3)/(10*c*(c + d*x^3)^(10/3)) + (9*a*x*(a + b*x^3)^2)/(70*c^2*(c + d*x^3)^(7/3)) + (27*a^2*x*(a + b*x^3))/(140*c^3*(c + d*x^3)^(4/3)) + (81*a^3*x)/(140*c^4*(c + d*x^3)^(1/3))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 378

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> -Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*n*(p + 1)), x] - Dist[(c*q)/(a*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 1) + 1, 0] && GtQ[q, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx^3)^3}{(c+dx^3)^{13/3}} dx &= \frac{x(a+bx^3)^3}{10c(c+dx^3)^{10/3}} + \frac{(9a) \int \frac{(a+bx^3)^2}{(c+dx^3)^{10/3}} dx}{10c} \\
&= \frac{x(a+bx^3)^3}{10c(c+dx^3)^{10/3}} + \frac{9ax(a+bx^3)^2}{70c^2(c+dx^3)^{7/3}} + \frac{(27a^2) \int \frac{a+bx^3}{(c+dx^3)^{7/3}} dx}{35c^2} \\
&= \frac{x(a+bx^3)^3}{10c(c+dx^3)^{10/3}} + \frac{9ax(a+bx^3)^2}{70c^2(c+dx^3)^{7/3}} + \frac{27a^2x(a+bx^3)}{140c^3(c+dx^3)^{4/3}} + \frac{(81a^3) \int \frac{1}{(c+dx^3)^{4/3}} dx}{140c^3} \\
&= \frac{x(a+bx^3)^3}{10c(c+dx^3)^{10/3}} + \frac{9ax(a+bx^3)^2}{70c^2(c+dx^3)^{7/3}} + \frac{27a^2x(a+bx^3)}{140c^3(c+dx^3)^{4/3}} + \frac{81a^3x}{140c^4\sqrt[3]{c+dx^3}}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 120, normalized size = 1.10

$$\frac{x(a^3(140c^3 + 315c^2dx^3 + 270cd^2x^6 + 81d^3x^9) + 3a^2bcx^3(35c^2 + 30cdx^3 + 9d^2x^6) + 6ab^2c^2x^6(10c + 3dx^3) + 14b^3c^3x^9)}{140c^4(c+dx^3)^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^3/(c + d*x^3)^(13/3), x]

[Out] (x*(14*b^3*c^3*x^9 + 6*a*b^2*c^2*x^6*(10*c + 3*d*x^3) + 3*a^2*b*c*x^3*(35*c^2 + 30*c*d*x^3 + 9*d^2*x^6) + a^3*(140*c^3 + 315*c^2*d*x^3 + 270*c*d^2*x^6 + 81*d^3*x^9)))/(140*c^4*(c + d*x^3)^(10/3))

IntegrateAlgebraic [A] time = 1.14, size = 137, normalized size = 1.26

$$\frac{x(140a^3c^3 + 315a^3c^2dx^3 + 270a^3cd^2x^6 + 81a^3d^3x^9 + 105a^2bc^3x^3 + 90a^2bc^2dx^6 + 27a^2bcd^2x^9 + 60ab^2c^3x^6 + 18ab^2c^2dx^9 + 14b^3c^3x^9)}{140c^4(c+dx^3)^{10/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^3)^3/(c + d*x^3)^(13/3), x]

[Out] (x*(140*a^3*c^3 + 105*a^2*b*c^3*x^3 + 315*a^3*c^2*d*x^3 + 60*a*b^2*c^3*x^6 + 90*a^2*b*c^2*d*x^6 + 270*a^3*c*d^2*x^6 + 14*b^3*c^3*x^9 + 18*a*b^2*c^2*d*x^9 + 27*a^2*b*c*d^2*x^9 + 81*a^3*d^3*x^9))/(140*c^4*(c + d*x^3)^(10/3))

fricas [A] time = 0.89, size = 166, normalized size = 1.52

$$\frac{((14b^3c^3 + 18ab^2c^2d + 27a^2bcd^2 + 81a^3d^3)x^{10} + 30(2ab^2c^3 + 3a^2bc^2d + 9a^3cd^2)x^7 + 140a^3c^3x + 105(a^2bc^3 + 3a^3c^2d)x^4)(dx^3 + c)^{\frac{2}{3}}}{140(c^4d^4x^{12} + 4c^5d^3x^9 + 6c^6d^2x^6 + 4c^7dx^3 + c^8)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3/(d*x^3+c)^(13/3),x, algorithm="fricas")

[Out] 1/140*((14*b^3*c^3 + 18*a*b^2*c^2*d + 27*a^2*b*c*d^2 + 81*a^3*d^3)*x^10 + 30*(2*a*b^2*c^3 + 3*a^2*b*c^2*d + 9*a^3*c*d^2)*x^7 + 140*a^3*c^3*x + 105*(a^2*b*c^3 + 3*a^3*c^2*d)*x^4)*(d*x^3 + c)^(2/3)/(c^4*d^4*x^12 + 4*c^5*d^3*x^9 + 6*c^6*d^2*x^6 + 4*c^7*d*x^3 + c^8)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^3}{(dx^3 + c)^{\frac{13}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3/(d*x^3+c)^(13/3),x, algorithm="giac")

[Out] integrate((b*x^3 + a)^3/(d*x^3 + c)^(13/3), x)

maple [A] time = 0.05, size = 134, normalized size = 1.23

$$\frac{(81a^3d^3x^9 + 27a^2bcd^2x^9 + 18ab^2c^2dx^9 + 14b^3c^3x^9 + 270a^3cd^2x^6 + 90a^2b^2cdx^6 + 60ab^2c^3x^6 + 315a^3c^2dx^3 + 105a^2bc^3x^3 + 140a^3c^3)x}{140(dx^3 + c)^{\frac{10}{3}}c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3/(d*x^3+c)^(13/3),x)

[Out] 1/140*x*(81*a^3*d^3*x^9+27*a^2*b*c*d^2*x^9+18*a*b^2*c^2*d*x^9+14*b^3*c^3*x^9+270*a^3*c*d^2*x^6+90*a^2*b*c^2*d*x^6+60*a*b^2*c^3*x^6+315*a^3*c^2*d*x^3+105*a^2*b*c^3*x^3+140*a^3*c^3)/(d*x^3+c)^(10/3)/c^4

maxima [A] time = 0.63, size = 182, normalized size = 1.67

$$\frac{b^3x^{10}}{10(dx^3 + c)^{\frac{10}{3}}c} - \frac{3ab^2\left(7d - \frac{10(dx^3+c)}{x^3}\right)x^{10}}{70(dx^3 + c)^{\frac{10}{3}}c^2} + \frac{3\left(14d^2 - \frac{40(dx^3+c)d}{x^3} + \frac{35(dx^3+c)^2}{x^6}\right)a^2bx^{10}}{140(dx^3 + c)^{\frac{10}{3}}c^3} - \frac{\left(14d^3 - \frac{60(dx^3+c)d^2}{x^3} + \frac{105(dx^3+c)^2d}{x^6} - \frac{140(dx^3+c)^3}{x^9}\right)a^3x^{10}}{140(dx^3 + c)^{\frac{10}{3}}c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3/(d*x^3+c)^(13/3),x, algorithm="maxima")

[Out] $\frac{1}{10}b^3x^{10}/((d*x^3 + c)^{(10/3)}*c) - \frac{3}{70}a*b^2*(7*d - 10*(d*x^3 + c))/x^3$
 $*x^{10}/((d*x^3 + c)^{(10/3)}*c^2) + \frac{3}{140}*(14*d^2 - 40*(d*x^3 + c)*d/x^3 + 35$
 $*(d*x^3 + c)^2/x^6)*a^2*b*x^{10}/((d*x^3 + c)^{(10/3)}*c^3) - \frac{1}{140}*(14*d^3 - 6$
 $0*(d*x^3 + c)*d^2/x^3 + 105*(d*x^3 + c)^2*d/x^6 - 140*(d*x^3 + c)^3/x^9)*a^$
 $3*x^{10}/((d*x^3 + c)^{(10/3)}*c^4)$

mupad [B] time = 1.56, size = 271, normalized size = 2.49

$$x \left(\frac{\frac{a^3}{10c} - \frac{c \left(\frac{b^3}{10d} - \frac{3ab^2}{10c} \right) + \frac{3a^2b}{10c}}{d}}{(dx^3 + c)^{10/3}} \right) - \frac{x \left(\frac{b^3}{4d^3} - \frac{27a^3d^3 + 9a^2bc d^2 + 6ab^2c^2d - 7b^3c^3}{140c^3d^3} \right)}{(dx^3 + c)^{4/3}} + \frac{x \left(\frac{c \left(\frac{b^3}{7d^2} - \frac{b^2(3ad-bc)}{7cd^2} \right) + \frac{9a^3d^3 + 3a^2bc d^2 - 3ab^2c^2d + b^3c^3}{70c^2d^3}}{d}}{(dx^3 + c)^{7/3}} \right) + \frac{x (81a^3d^3 + 27a^2bcd^2 + 18ab^2c^2d + 14b^3c^3)}{140c^4d^3(dx^3 + c)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^3/(c + d*x^3)^(13/3),x)

[Out] $(x*(a^3/(10*c) - (c*((c*(b^3/(10*d) - (3*a*b^2)/(10*c)))/d + (3*a^2*b)/(10*$
 $c))))/d)/((c + d*x^3)^{(10/3)} - (x*(b^3/(4*d^3) - (27*a^3*d^3 - 7*b^3*c^3 + 6$
 $*a*b^2*c^2*d + 9*a^2*b*c*d^2)/(140*c^3*d^3)))/(c + d*x^3)^{(4/3)} + (x*((c*(b$
 $^3/(7*d^2) - (b^2*(3*a*d - b*c))/(7*c*d^2)))/d + (9*a^3*d^3 + b^3*c^3 - 3*a$
 $*b^2*c^2*d + 3*a^2*b*c*d^2)/(70*c^2*d^3)))/(c + d*x^3)^{(7/3)} + (x*(81*a^3*d$
 $^3 + 14*b^3*c^3 + 18*a*b^2*c^2*d + 27*a^2*b*c*d^2))/(140*c^4*d^3*(c + d*x^3$
 $)^{(1/3)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3/(d*x**3+c)**(13/3),x)

[Out] Timed out

$$3.61 \quad \int \frac{(a+bx^3)^{8/3}}{c+dx^3} dx$$

Optimal. Leaf size=331

$$\frac{b^{2/3} (20a^2d^2 - 24abcd + 9b^2c^2) \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{18d^3} + \frac{b^{2/3} (20a^2d^2 - 24abcd + 9b^2c^2) \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1}{\sqrt{3}}\right)}{9\sqrt{3}d^3} (bc)$$

Rubi [C] time = 0.03, antiderivative size = 62, normalized size of antiderivative = 0.19, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {430, 429}

$$\frac{a^2x(a+bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{8}{3}, 1; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c\left(\frac{bx^3}{a} + 1\right)^{2/3}}$$

Warning: Unable to verify antiderivative.

[In] Int[(a + b*x^3)^(8/3)/(c + d*x^3), x]

[Out] (a^2*x*(a + b*x^3)^(2/3)*AppellF1[1/3, -8/3, 1, 4/3, -((b*x^3)/a), -((d*x^3)/c)]/(c*(1 + (b*x^3)/a)^(2/3))

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}
, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rubi steps

$$\int \frac{(a + bx^3)^{8/3}}{c + dx^3} dx = \frac{\left(a^2 (a + bx^3)^{2/3}\right) \int \frac{\left(1 + \frac{bx^3}{a}\right)^{8/3}}{c + dx^3} dx}{\left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

$$= \frac{a^2 x (a + bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{8}{3}, 1; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c \left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

Mathematica [C] time = 1.23, size = 655, normalized size = 1.98




Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*x^3)^(8/3)/(c + d*x^3), x]

[Out] (3*b*(b*c - a*d)^(1/3)*(9*b^2*c^2 - 24*a*b*c*d + 20*a^2*d^2)*x^4*(1 + (b*x^3)/a)^(1/3)*AppellF1[4/3, 1/3, 1, 7/3, -((b*x^3)/a), -((d*x^3)/c)] + 2*c^(1/3)*(-18*a*b^2*c^(5/3)*(b*c - a*d)^(1/3)*x + 42*a^2*b*c^(2/3)*d*(b*c - a*d)^(1/3)*x - 18*b^3*c^(5/3)*(b*c - a*d)^(1/3)*x^4 + 51*a*b^2*c^(2/3)*d*(b*c - a*d)^(1/3)*x^4 + 9*b^3*c^(2/3)*d*(b*c - a*d)^(1/3)*x^7 + 2*sqrt[3]*a*(3*b^2*c^2 - 7*a*b*c*d + 9*a^2*d^2)*(a + b*x^3)^(1/3)*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3)))/sqrt[3]] - 2*a*(3*b^2*c^2 - 7*a*b*c*d + 9*a^2*d^2)*(a + b*x^3)^(1/3)*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + 3*a*b^2*c^2*(a + b*x^3)^(1/3)*Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] - 7*a^2*b*c*d*(a + b*x^3)^(1/3)*Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + 9*a^3*d^2*(a + b*x^3)^(1/3)*Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)]/(108*c*d^2*(b*c - a*d)^(1/3)*(a + b*x^3)^(1/3))
```

IntegrateAlgebraic [C] time = 14.45, size = 618, normalized size = 1.87



Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a + b*x^3)^(8/3)/(c + d*x^3), x]

[Out] ((a + b*x^3)^(2/3)*(-6*b^2*c*x + 14*a*b*d*x + 3*b^2*d*x^4))/(18*d^2) + ((9*b^(8/3)*c^2 - 24*a*b^(5/3)*c*d + 20*a^2*b^(2/3)*d^2)*ArcTan[(sqrt[3]*b^(1/3)
```



```

)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3)))/(9*Sqrt[3]*d^3) + (Sqrt[(-1 + I*Sq
rt[3])/6]*(b*c - a*d)^(8/3)*ArcTan[(3*(b*c - a*d)^(1/3)*x)/(Sqrt[3]*(b*c -
a*d)^(1/3)*x - (3*I)*c^(1/3)*(a + b*x^3)^(1/3) - Sqrt[3]*c^(1/3)*(a + b*x^3
)^(1/3))]/(c^(2/3)*d^3) + ((-9*b^(8/3)*c^2 + 24*a*b^(5/3)*c*d - 20*a^2*b^(
2/3)*d^2)*Log[-(b^(1/3)*x + (a + b*x^3)^(1/3))]/(27*d^3) - ((I/6)*((-I)*(b
*c - a*d)^(8/3) + Sqrt[3]*(b*c - a*d)^(8/3))*Log[2*(b*c - a*d)^(1/3)*x + (1
+ I*Sqrt[3])*c^(1/3)*(a + b*x^3)^(1/3)]/(c^(2/3)*d^3) + ((9*b^(8/3)*c^2 -
24*a*b^(5/3)*c*d + 20*a^2*b^(2/3)*d^2)*Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*
x^3)^(1/3) + (a + b*x^3)^(2/3)]/(54*d^3) + (((b*c - a*d)^(8/3) + I*Sqrt[3]
*(b*c - a*d)^(8/3))*Log[(-2*I)*(b*c - a*d)^(2/3)*x^2 + c^(1/3)*(b*c - a*d)^(
1/3)*(I*x - Sqrt[3]*x)*(a + b*x^3)^(1/3) + (I + Sqrt[3])*c^(2/3)*(a + b*x^
3)^(2/3)]/(12*c^(2/3)*d^3)

```

fricas [B] time = 36.58, size = 643, normalized size = 1.94

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(8/3)/(d*x^3+c),x, algorithm="fricas")

```

[Out] -1/54*(18*sqrt(3)*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*((b^2*c^2 - 2*a*b*c*d + a
^2*d^2)/c^2)^(1/3)*arctan(-1/3*(sqrt(3)*(b*c - a*d)*x + 2*sqrt(3)*(b*x^3 +
a)^(1/3)*c*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^(1/3))/((b*c - a*d)*x)) +
2*sqrt(3)*(9*b^2*c^2 - 24*a*b*c*d + 20*a^2*d^2)*(-b^2)^(1/3)*arctan(-1/3*(s
qrt(3)*b*x - 2*sqrt(3)*(b*x^3 + a)^(1/3)*(-b^2)^(1/3))/(b*x)) - 18*(b^2*c^2
- 2*a*b*c*d + a^2*d^2)*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^(1/3)*log((c*
x*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^(2/3) - (b*x^3 + a)^(1/3)*(b*c - a*
d))/x) - 2*(9*b^2*c^2 - 24*a*b*c*d + 20*a^2*d^2)*(-b^2)^(1/3)*log(-((-b^2)^(
2/3)*x - (b*x^3 + a)^(1/3)*b)/x) + (9*b^2*c^2 - 24*a*b*c*d + 20*a^2*d^2)*(-
b^2)^(1/3)*log(-((-b^2)^(1/3)*b*x^2 - (b*x^3 + a)^(1/3)*(-b^2)^(2/3)*x - (
b*x^3 + a)^(2/3)*b)/x^2) + 9*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*((b^2*c^2 - 2*
a*b*c*d + a^2*d^2)/c^2)^(1/3)*log(-((b*c - a*d)*x^2*((b^2*c^2 - 2*a*b*c*d +
a^2*d^2)/c^2)^(1/3) + (b*x^3 + a)^(1/3)*c*x*((b^2*c^2 - 2*a*b*c*d + a^2*d^
2)/c^2)^(2/3) + (b*x^3 + a)^(2/3)*(b*c - a*d))/x^2) - 3*(3*b^2*d^2*x^4 - 2*
(3*b^2*c*d - 7*a*b*d^2)*x)*(b*x^3 + a)^(2/3))/d^3

```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{8}{3}}}{dx^3 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(8/3)/(d*x^3+c),x, algorithm="giac")

[Out] integrate((b*x^3 + a)^(8/3)/(d*x^3 + c), x)

maple [F] time = 0.70, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{8}{3}}}{dx^3 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(8/3)/(d*x^3+c),x)

[Out] int((b*x^3+a)^(8/3)/(d*x^3+c),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{8}{3}}}{dx^3 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(8/3)/(d*x^3+c),x, algorithm="maxima")

[Out] integrate((b*x^3 + a)^(8/3)/(d*x^3 + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{\frac{8}{3}}}{dx^3 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(8/3)/(c + d*x^3),x)

[Out] int((a + b*x^3)^(8/3)/(c + d*x^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(8/3)/(d*x**3+c),x)

[Out] Timed out

$$3.62 \quad \int \frac{(a+bx^3)^{5/3}}{c+dx^3} dx$$

Optimal. Leaf size=273

$$\frac{b^{2/3}(3bc - 5ad) \log\left(\sqrt[3]{a + bx^3} - \sqrt[3]{b}x\right)}{6d^2} - \frac{b^{2/3}(3bc - 5ad) \tan^{-1}\left(\frac{\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1}{\sqrt{3}}\right)}{3\sqrt{3}d^2} + \frac{(bc - ad)^{5/3} \log(c + dx^3)}{6c^{2/3}d^2} - \frac{(bc - ad)}{6c^{2/3}d^2}$$

Rubi [C] time = 0.03, antiderivative size = 60, normalized size of antiderivative = 0.22, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {430, 429}

$$\frac{ax(a + bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{5}{3}, 1; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c\left(\frac{bx^3}{a} + 1\right)^{2/3}}$$

Warning: Unable to verify antiderivative.

[In] Int[(a + b*x^3)^(5/3)/(c + d*x^3), x]

[Out] (a*x*(a + b*x^3)^(2/3)*AppellF1[1/3, -5/3, 1, 4/3, -((b*x^3)/a), -((d*x^3)/c)]/(c*(1 + (b*x^3)/a)^(2/3))

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rubi steps

$$\int \frac{(a + bx^3)^{5/3}}{c + dx^3} dx = \frac{\left(a(a + bx^3)^{2/3}\right) \int \frac{\left(1 + \frac{bx^3}{a}\right)^{5/3}}{c + dx^3} dx}{\left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

$$= \frac{ax(a + bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{5}{3}, 1; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c\left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

Mathematica [C] time = 0.71, size = 443, normalized size = 1.62

$$\frac{2\sqrt{c}\left(3a^2d\sqrt{a+bx^3}\log\left(\frac{\sqrt{c}\sqrt{a+bx^3}}{\sqrt{a+bx^3}} + \frac{c^2(b^2c-ad^2)}{(a^2+d^2)^{3/2}} + c^{2/3}\right) + a^{2/3}d^{2/3}\sqrt{bc-ad} - abc\sqrt{a+bx^3}\log\left(\frac{\sqrt{c}\sqrt{a+bx^3}}{\sqrt{a+bx^3}} + \frac{c^2(b^2c-ad^2)}{(a^2+d^2)^{3/2}} + c^{2/3}\right) + 6ab^2d^2\sqrt{bc-ad} + 2a\sqrt{a+bx^3}(bc-3ad)\log\left(\sqrt{c} - \frac{b\sqrt{a+bx^3}}{\sqrt{a+bx^3}}\right) + 2\sqrt{3}a\sqrt{a+bx^3}(3ad-bc)\tan^{-1}\left(\frac{a-b\sqrt{a+bx^3}}{\sqrt{3}}\right)\right) + 3bx^3\sqrt{\frac{a+bx^3}{a}} + 1\sqrt{bc-ad}(5ad-3bc)F_1\left(\frac{1}{3}; \frac{1}{3}, 1; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{3acd\sqrt{a+bx^3}\sqrt{bc-ad}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^3)^(5/3)/(c + d*x^3), x]

[Out] (3*b*(b*c - a*d)^(1/3)*(-3*b*c + 5*a*d)*x^4*(1 + (b*x^3)/a)^(1/3)*AppellF1[4/3, 1/3, 1, 7/3, -((b*x^3)/a), -((d*x^3)/c)] + 2*c^(1/3)*(6*a*b*c^(2/3)*(b*c - a*d)^(1/3)*x + 6*b^2*c^(2/3)*(b*c - a*d)^(1/3)*x^4 + 2*Sqrt[3]*a*(-(b*c) + 3*a*d)*(a + b*x^3)^(1/3)*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3)))/Sqrt[3]] + 2*a*(b*c - 3*a*d)*(a + b*x^3)^(1/3)*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] - a*b*c*(a + b*x^3)^(1/3)*Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + 3*a^2*d*(a + b*x^3)^(1/3)*Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)])/(36*c*d*(b*c - a*d)^(1/3)*(a + b*x^3)^(1/3))

IntegrateAlgebraic [C] time = 7.77, size = 550, normalized size = 2.01

$$\frac{(b^2c - 5ab^2d)\log(\sqrt{a+bx^3} - \sqrt{c})}{9d^2} - \frac{(3b^2c - 5ab^2d)\tan^{-1}\left(\frac{\sqrt{3}\sqrt{c}}{\sqrt{a+bx^3} - \sqrt{c}}\right)}{3\sqrt{3}d^2} - \frac{(5ab^2c - 3b^2d)\log(\sqrt{3}\sqrt{a+bx^3} + (a+bx^3)^{1/3} + b^{1/3}c^{1/3})}{3d^2} - \frac{(bc - ad)^{1/3} + \sqrt{3}(bc - ad)^{1/3}\log(2\sqrt{bc-ad} + (1+\sqrt{3})\sqrt{c}\sqrt{a+bx^3})}{6d^{2/3}} - \frac{\sqrt{c}(1+\sqrt{3})(bc - ad)^{1/3}\tan^{-1}\left(\frac{a-b\sqrt{a+bx^3}}{\sqrt{3}}\right)}{2^{3/2}d^2} - \frac{(1\sqrt{3}(bc - ad)^{1/3} - (bc - ad)^{1/3})\log\left(\sqrt{c} + \frac{b\sqrt{a+bx^3}}{\sqrt{a+bx^3}} + \sqrt{c}(-\sqrt{3}+i)\sqrt{a+bx^3}\sqrt{bc-ad} - 2i^2(b^2c - ad)^{1/3}\right)}{12d^{2/3}} - \frac{bc(a+bx^3)^{1/3}}{3d}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^3)^(5/3)/(c + d*x^3), x]

[Out] (b*x*(a + b*x^3)^(2/3))/(3*d) - ((3*b^(5/3)*c - 5*a*b^(2/3)*d)*ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))]/(3*Sqrt[3]*d^2) - (Sqrt[-1 + I*Sqrt[3]]/6)*(b*c - a*d)^(5/3)*ArcTan[(3*(b*c - a*d)^(1/3)*x)/(Sqrt[3]*(b*c - a*d)^(1/3)*x - (3*I)*c^(1/3)*(a + b*x^3)^(1/3) - Sqrt[3]*c^(1/3)*(a + b*x^3)^(1/3))]/(c^(2/3)*d^2) + ((3*b^(5/3)*c - 5*a*b^(2/3)*d)*Log[-(b

$(1/3)*x) + (a + b*x^3)^{(1/3)})/(9*d^2) + (((b*c - a*d)^{(5/3)} + I*sqrt[3]*(b*c - a*d)^{(5/3)})*Log[2*(b*c - a*d)^{(1/3)*x + (1 + I*sqrt[3])*c^{(1/3)*(a + b*x^3)^{(1/3)}}]/(6*c^{(2/3)*d^2} + ((-3*b^{(5/3)*c} + 5*a*b^{(2/3)*d})*Log[b^{(2/3)*x^2 + b^{(1/3)*x*(a + b*x^3)^{(1/3)} + (a + b*x^3)^{(2/3)}}]/(18*d^2) - ((I/12)*((-I)*(b*c - a*d)^{(5/3)} + sqrt[3]*(b*c - a*d)^{(5/3)})*Log[(-2*I)*(b*c - a*d)^{(2/3)*x^2 + c^{(1/3)*(b*c - a*d)^{(1/3)*(I*x - sqrt[3]*x)}*(a + b*x^3)^{(1/3)} + (I + sqrt[3])*c^{(2/3)*(a + b*x^3)^{(2/3)}}]/(c^{(2/3)*d^2})$

fricas [B] time = 3.51, size = 535, normalized size = 1.96

$\frac{6(b^2 + a)\sqrt{bc + a\sqrt{3d - ad}} \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2} \arctan\left(\frac{\sqrt{3b - ad} \sqrt{(b^2 + a) \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2}}}{3d - ad} \right) + 2\sqrt{3} (a^2 d - 5ad) \arctan\left(\frac{\sqrt{3b - ad} \sqrt{(b^2 + a) \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2}}}{3d - ad} \right) - 6(b^2 + a) \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2} \log\left(\frac{\sqrt{(2c^2 - 3ad)(b^2 + a)} \sqrt{(b^2 + a) \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2}}}{3d - ad} \right) - 2(a^2 d - 5ad) \log\left(\frac{\sqrt{(2c^2 - 3ad)(b^2 + a)} \sqrt{(b^2 + a) \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2}}}{3d - ad} \right) + 3(b^2 + a) \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2} \log\left(\frac{\sqrt{(2c^2 - 3ad)(b^2 + a)} \sqrt{(b^2 + a) \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2}}}{3d - ad} \right) - \frac{6(b^2 + a)\sqrt{bc + a\sqrt{3d - ad}} \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2} \arctan\left(\frac{\sqrt{3b - ad} \sqrt{(b^2 + a) \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2}}}{3d - ad} \right) + 2\sqrt{3} (a^2 d - 5ad) \arctan\left(\frac{\sqrt{3b - ad} \sqrt{(b^2 + a) \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2}}}{3d - ad} \right) - 6(b^2 + a) \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2} \log\left(\frac{\sqrt{(2c^2 - 3ad)(b^2 + a)} \sqrt{(b^2 + a) \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2}}}{3d - ad} \right) - 2(a^2 d - 5ad) \log\left(\frac{\sqrt{(2c^2 - 3ad)(b^2 + a)} \sqrt{(b^2 + a) \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2}}}{3d - ad} \right) + 3(b^2 + a) \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2} \log\left(\frac{\sqrt{(2c^2 - 3ad)(b^2 + a)} \sqrt{(b^2 + a) \left(\frac{(2c^2 - 3ad)(b^2 + a)}{3d - ad} \right)^{1/2}}}{3d - ad} \right)}{18d^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(5/3)/(d*x^3+c),x, algorithm="fricas")

[Out] $\frac{1}{18} * (6 * (b*x^3 + a)^{(2/3)} * b*d*x + 6*sqrt(3)*(b*c - a*d)*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{(1/3)} * arctan(-1/3*(sqrt(3)*(b*c - a*d)*x + 2*sqrt(3)*(b*x^3 + a)^{(1/3)}*c*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{(1/3)})/((b*c - a*d)*x) + 2*sqrt(3)*(-b^2)^{(1/3)}*(3*b*c - 5*a*d)*arctan(-1/3*(sqrt(3)*b*x - 2*sqrt(3)*(b*x^3 + a)^{(1/3)}*(-b^2)^{(1/3)})/(b*x)) - 6*(b*c - a*d)*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{(1/3)} * log((c*x*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{(2/3)} - (b*x^3 + a)^{(1/3)*(b*c - a*d)})/x) - 2*(-b^2)^{(1/3)}*(3*b*c - 5*a*d)*log(-((-b^2)^{(2/3)*x - (b*x^3 + a)^{(1/3)*b})/x) + (-b^2)^{(1/3)}*(3*b*c - 5*a*d)*log(-((-b^2)^{(1/3)*b*x^2 - (b*x^3 + a)^{(1/3)*(-b^2)^{(2/3)*x - (b*x^3 + a)^{(2/3)*b})/x^2) + 3*(b*c - a*d)*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{(1/3)} * log(-((b*c - a*d)*x^2*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{(1/3)} + (b*x^3 + a)^{(1/3)*c*x*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{(2/3)} + (b*x^3 + a)^{(2/3)*(b*c - a*d)})/x^2))/d^2$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{5}{3}}}{dx^3 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(5/3)/(d*x^3+c),x, algorithm="giac")

[Out] integrate((b*x^3 + a)^(5/3)/(d*x^3 + c), x)

maple [F] time = 0.56, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{5}{3}}}{dx^3 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)^(5/3)/(d*x^3+c),x)`

[Out] `int((b*x^3+a)^(5/3)/(d*x^3+c),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{5}{3}}}{dx^3 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^(5/3)/(d*x^3+c),x, algorithm="maxima")`

[Out] `integrate((b*x^3 + a)^(5/3)/(d*x^3 + c), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{\frac{5}{3}}}{dx^3 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)^(5/3)/(c + d*x^3),x)`

[Out] `int((a + b*x^3)^(5/3)/(c + d*x^3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^{\frac{5}{3}}}{c + dx^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**(5/3)/(d*x**3+c),x)`

[Out] `Integral((a + b*x**3)**(5/3)/(c + d*x**3), x)`

$$3.63 \quad \int \frac{(a+bx^3)^{2/3}}{c+dx^3} dx$$

Optimal. Leaf size=233

$$\frac{b^{2/3} \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{2d} + \frac{b^{2/3} \tan^{-1}\left(\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}+1}\right)}{\sqrt{3}d} - \frac{(bc-ad)^{2/3} \log(c+dx^3)}{6c^{2/3}d} + \frac{(bc-ad)^{2/3} \log\left(\frac{x\sqrt[3]{bc-ad} - \sqrt[3]{a}}{\sqrt[3]{c}}\right)}{2c^{2/3}d}$$

Rubi [C] time = 0.03, antiderivative size = 59, normalized size of antiderivative = 0.25, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {430, 429}

$$\frac{x(a+bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{2}{3}, 1; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c\left(\frac{bx^3}{a} + 1\right)^{2/3}}$$

Warning: Unable to verify antiderivative.

[In] Int[(a + b*x^3)^(2/3)/(c + d*x^3), x]

[Out] (x*(a + b*x^3)^(2/3)*AppellF1[1/3, -2/3, 1, 4/3, -((b*x^3)/a), -((d*x^3)/c)])/ (c*(1 + (b*x^3)/a)^(2/3))

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}
, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rubi steps

$$\int \frac{(a + bx^3)^{2/3}}{c + dx^3} dx = \frac{(a + bx^3)^{2/3} \int \frac{\left(1 + \frac{bx^3}{a}\right)^{2/3}}{c + dx^3} dx}{\left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

$$= \frac{x (a + bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{2}{3}, 1; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c \left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

Mathematica [C] time = 0.22, size = 161, normalized size = 0.69

$$\frac{4acx (a + bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{2}{3}, 1; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{(c + dx^3) \left(x^3 \left(2bcF_1\left(\frac{4}{3}; \frac{1}{3}, 1; \frac{7}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right) - 3adF_1\left(\frac{4}{3}; -\frac{2}{3}, 2; \frac{7}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right) \right) + 4acF_1\left(\frac{1}{3}; -\frac{2}{3}, 1; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right) \right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^3)^(2/3)/(c + d*x^3), x]

[Out] (4*a*c*x*(a + b*x^3)^(2/3)*AppellF1[1/3, -2/3, 1, 4/3, -((b*x^3)/a), -((d*x^3)/c)]/((c + d*x^3)*(4*a*c*AppellF1[1/3, -2/3, 1, 4/3, -((b*x^3)/a), -((d*x^3)/c)] + x^3*(-3*a*d*AppellF1[4/3, -2/3, 2, 7/3, -((b*x^3)/a), -((d*x^3)/c)] + 2*b*c*AppellF1[4/3, 1/3, 1, 7/3, -((b*x^3)/a), -((d*x^3)/c)]))

IntegrateAlgebraic [C] time = 4.35, size = 487, normalized size = 2.09

$$\frac{\frac{d^{2/3} \log(\sqrt{a+bx^3} - \sqrt{c})}{3d} + \frac{d^{2/3} \tan^{-1}\left(\frac{\sqrt{3}\sqrt{c}}{\sqrt{a+bx^3} - \sqrt{c}}\right)}{\sqrt{3}d} + \frac{d^{2/3} \log\left(\sqrt{3}\sqrt{a+bx^3} + (a+bx^3)^{2/3} + d^{2/3}\right)}{6d} - \frac{i\sqrt{3}(bc-ad)^{2/3} \log\left(\frac{2i\sqrt{bc-ad} + (1+i\sqrt{3})\sqrt{c}\sqrt{a+bx^3}}{c^{2/3}d}\right)}{6c^{2/3}d} + \frac{\sqrt{2}(-1+i\sqrt{3})(bc-ad)^{2/3} \tan^{-1}\left(\frac{2\sqrt{bc-ad}}{\sqrt{3}\sqrt{a+bx^3} - \sqrt{c}}\right)}{c^{2/3}d} + \frac{(bc-ad)^{2/3} + i\sqrt{3}(bc-ad)^{2/3} \log\left(\sqrt{3} + i\right) c^{2/3} + \sqrt{c}(-\sqrt{3} + i)\sqrt{a+bx^3}\sqrt{bc-ad} - 2i^{2/3}(bc-ad)^{2/3}}{12c^{2/3}d}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^3)^(2/3)/(c + d*x^3), x]

[Out] (b^(2/3)*ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))]/(Sqrt[3]*d) + (Sqrt[(-1 + I*Sqrt[3])/6]*(b*c - a*d)^(2/3)*ArcTan[(3*(b*c - a*d)^(1/3)*x)/(Sqrt[3]*(b*c - a*d)^(1/3)*x - (3*I)*c^(1/3)*(a + b*x^3)^(1/3) - Sqrt[3]*c^(1/3)*(a + b*x^3)^(1/3))]/(c^(2/3)*d) - (b^(2/3)*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)]/(3*d) - ((I/6)*((-I)*(b*c - a*d)^(2/3) + Sqrt[3]*(b*c - a*d)^(2/3))*Log[2*(b*c - a*d)^(1/3)*x + (1 + I*Sqrt[3])*c^(1/3)*(a + b*x^3)^(1/3)]/(c^(2/3)*d) + (b^(2/3)*Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)]/(6*d) + (((b*c - a*d)^(2/3) + I*Sqrt[3]*(b*c - a*d)^(2/3))*Log[(-2*I)*(b*c - a*d)^(2/3)*x^2 + c^(1/3)*(b*c - a*d)^(1/3)]

$\frac{(I\sqrt{x} - \sqrt{3}x)(a + b\sqrt{x^3})^{1/3} + (I + \sqrt{3})c^{2/3}(a + b\sqrt{x^3})^{2/3}}{12c^{2/3}d}$

fricas [B] time = 1.58, size = 469, normalized size = 2.01

$$\frac{2\sqrt{3}\left(\frac{(b^2c^2-2abd+a^2d^2)^{1/3}}{3bc-ad}\right)^{1/3}\arctan\left(\frac{\sqrt{3}(b^2c^2-2abd+a^2d^2)^{1/3}}{3bc-ad}\right)^{1/3} + 2\sqrt{3}(-d)^{1/3}\arctan\left(\frac{\sqrt{3}(b^2c^2-2abd+a^2d^2)^{1/3}}{3bc-ad}\right)^{1/3} - 2\left(\frac{(b^2c^2-2abd+a^2d^2)^{1/3}}{3bc-ad}\right)^{1/3}\log\left(\frac{(b^2c^2-2abd+a^2d^2)^{1/3}}{3bc-ad}\right)^{1/3} - 2(-d)^{1/3}\log\left(\frac{(b^2c^2-2abd+a^2d^2)^{1/3}}{3bc-ad}\right)^{1/3} + (-d)^{1/3}\log\left(\frac{(b^2c^2-2abd+a^2d^2)^{1/3}}{3bc-ad}\right)^{1/3} + \left(\frac{(b^2c^2-2abd+a^2d^2)^{1/3}}{3bc-ad}\right)^{1/3}\log\left(\frac{(b^2c^2-2abd+a^2d^2)^{1/3}}{3bc-ad}\right)^{1/3}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(2/3)/(d*x^3+c),x, algorithm="fricas")

[Out]
$$-1/6*(2*\sqrt{3})*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{1/3}*\arctan(-1/3*(\sqrt{3}*(b*c - a*d)*x + 2*\sqrt{3}*(b*x^3 + a)^{1/3}*c*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{1/3})/((b*c - a*d)*x)) + 2*\sqrt{3}*(-b^2)^{1/3}*\arctan(-1/3*(\sqrt{3}*b*x - 2*\sqrt{3}*(b*x^3 + a)^{1/3}*(-b^2)^{1/3})/(b*x)) - 2*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{1/3}*\log((c*x*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{2/3} - (b*x^3 + a)^{1/3}*(b*c - a*d))/x) - 2*(-b^2)^{1/3}*\log(-((b^2)^{2/3}*x - (b*x^3 + a)^{1/3}*b)/x) + (-b^2)^{1/3}*\log(-((b^2)^{1/3}*b*x^2 - (b*x^3 + a)^{1/3}*(-b^2)^{2/3}*x - (b*x^3 + a)^{2/3}*b)/x^2) + ((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{1/3}*\log(-((b*c - a*d)*x^2*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{1/3} + (b*x^3 + a)^{1/3}*c*x*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{2/3} + (b*x^3 + a)^{2/3}*(b*c - a*d))/x^2)/d$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{2}{3}}}{dx^3 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(2/3)/(d*x^3+c),x, algorithm="giac")

[Out] integrate((b*x^3 + a)^(2/3)/(d*x^3 + c), x)

maple [F] time = 0.57, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{2}{3}}}{dx^3 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(2/3)/(d*x^3+c),x)

[Out] int((b*x^3+a)^(2/3)/(d*x^3+c),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{2}{3}}}{dx^3 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(2/3)/(d*x^3+c),x, algorithm="maxima")

[Out] integrate((b*x^3 + a)^(2/3)/(d*x^3 + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{\frac{2}{3}}}{dx^3 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(2/3)/(c + d*x^3),x)

[Out] int((a + b*x^3)^(2/3)/(c + d*x^3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^{\frac{2}{3}}}{c + dx^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(2/3)/(d*x**3+c),x)

[Out] Integral((a + b*x**3)**(2/3)/(c + d*x**3), x)

$$3.64 \quad \int \frac{1}{\sqrt[3]{a+bx^3}(c+dx^3)} dx$$

Optimal. Leaf size=148

$$\frac{\log(c+dx^3)}{6c^{2/3}\sqrt[3]{bc-ad}} - \frac{\log\left(\frac{x\sqrt[3]{bc-ad}}{\sqrt[3]{c}} - \sqrt[3]{a+bx^3}\right)}{2c^{2/3}\sqrt[3]{bc-ad}} + \frac{\tan^{-1}\left(\frac{\frac{2x\sqrt[3]{bc-ad}}{\sqrt[3]{c}} + 1}{\sqrt{3}}\right)}{\sqrt{3}c^{2/3}\sqrt[3]{bc-ad}}$$

Rubi [A] time = 0.19, antiderivative size = 207, normalized size of antiderivative = 1.40, number of steps used = 7, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {377, 200, 31, 634, 617, 204, 628}

$$-\frac{\log\left(\sqrt[3]{c} - \frac{x\sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}}\right)}{3c^{2/3}\sqrt[3]{bc-ad}} + \frac{\log\left(\frac{x^2(bc-ad)^{2/3}}{(a+bx^3)^{2/3}} + \frac{\sqrt[3]{c}x\sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}} + c^{2/3}\right)}{6c^{2/3}\sqrt[3]{bc-ad}} + \frac{\tan^{-1}\left(\frac{\frac{2x\sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}} + \sqrt[3]{c}}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}\sqrt[3]{bc-ad}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^3)^(1/3)*(c + d*x^3)), x]

[Out] ArcTan[(c^(1/3) + (2*(b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3))/(Sqrt[3]*c^(1/3))]/(Sqrt[3]*c^(2/3)*(b*c - a*d)^(1/3)) - Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3)]/(3*c^(2/3)*(b*c - a*d)^(1/3)) + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(a + b*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3)]/(6*c^(2/3)*(b*c - a*d)^(1/3))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt[3]{a+bx^3} (c+dx^3)} dx &= \text{Subst} \left(\int \frac{1}{c - (bc-ad)x^3} dx, x, \frac{x}{\sqrt[3]{a+bx^3}} \right) \\
&= \frac{\text{Subst} \left(\int \frac{1}{\sqrt[3]{c} - \sqrt[3]{bc-ad} x} dx, x, \frac{x}{\sqrt[3]{a+bx^3}} \right)}{3c^{2/3}} + \frac{\text{Subst} \left(\int \frac{2\sqrt[3]{c} + \sqrt[3]{bc-ad} x}{c^{2/3} + \sqrt[3]{c} \sqrt[3]{bc-ad} x + (bc-ad)^{2/3} x^2} dx, x, \frac{x}{\sqrt[3]{a+bx^3}} \right)}{3c^{2/3}} \\
&= -\frac{\log \left(\sqrt[3]{c} - \frac{\sqrt[3]{bc-ad} x}{\sqrt[3]{a+bx^3}} \right)}{3c^{2/3} \sqrt[3]{bc-ad}} + \frac{\text{Subst} \left(\int \frac{1}{c^{2/3} + \sqrt[3]{c} \sqrt[3]{bc-ad} x + (bc-ad)^{2/3} x^2} dx, x, \frac{x}{\sqrt[3]{a+bx^3}} \right)}{2\sqrt[3]{c}} + \dots \\
&= -\frac{\log \left(\sqrt[3]{c} - \frac{\sqrt[3]{bc-ad} x}{\sqrt[3]{a+bx^3}} \right)}{3c^{2/3} \sqrt[3]{bc-ad}} + \frac{\log \left(c^{2/3} + \frac{(bc-ad)^{2/3} x^2}{(a+bx^3)^{2/3}} + \frac{\sqrt[3]{c} \sqrt[3]{bc-ad} x}{\sqrt[3]{a+bx^3}} \right)}{6c^{2/3} \sqrt[3]{bc-ad}} - \frac{\text{Subst} \left(\int \frac{1}{-3-x^2} dx, \dots \right)}{c^{2/3} \sqrt[3]{bc-ad}} \\
&= \frac{\tan^{-1} \left(\frac{1 + \frac{2\sqrt[3]{bc-ad} x}{\sqrt[3]{c} \sqrt[3]{a+bx^3}}}{\sqrt{3}} \right)}{\sqrt{3} c^{2/3} \sqrt[3]{bc-ad}} - \frac{\log \left(\sqrt[3]{c} - \frac{\sqrt[3]{bc-ad} x}{\sqrt[3]{a+bx^3}} \right)}{3c^{2/3} \sqrt[3]{bc-ad}} + \frac{\log \left(c^{2/3} + \frac{(bc-ad)^{2/3} x^2}{(a+bx^3)^{2/3}} + \frac{\sqrt[3]{c} \sqrt[3]{bc-ad} x}{\sqrt[3]{a+bx^3}} \right)}{6c^{2/3} \sqrt[3]{bc-ad}}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 168, normalized size = 1.14

$$\frac{\log \left(\frac{\sqrt[3]{c} x \sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}} + \frac{x^2 (bc-ad)^{2/3}}{(a+bx^3)^{2/3}} + c^{2/3} \right) - 2 \log \left(\sqrt[3]{c} - \frac{x \sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}} \right) + 2\sqrt{3} \tan^{-1} \left(\frac{\frac{2x \sqrt[3]{bc-ad}}{\sqrt[3]{c} \sqrt[3]{a+bx^3}} + 1}{\sqrt{3}} \right)}{6c^{2/3} \sqrt[3]{bc-ad}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^3)^(1/3)*(c + d*x^3)), x]

[Out] (2*sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(a + b*x^3)^(1/3)))/sqrt[3]] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(a + b*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3)]/(6*c^(2/3)*(b*c - a*d)^(1/3))

IntegrateAlgebraic [C] time = 1.91, size = 320, normalized size = 2.16

$$\frac{(1+i\sqrt{3}) \log \left(2x \sqrt[3]{bc-ad} + (1+i\sqrt{3}) \sqrt[3]{c} \sqrt[3]{a+bx^3} \right)}{6c^{2/3} \sqrt[3]{bc-ad}} - \frac{\sqrt{-1+i\sqrt{3}} \tan^{-1} \left(\frac{3x \sqrt[3]{bc-ad}}{\sqrt{3} x \sqrt[3]{bc-ad} - \sqrt{3} \sqrt[3]{c} \sqrt[3]{a+bx^3} - 3i \sqrt[3]{c} \sqrt[3]{a+bx^3}} \right)}{\sqrt{6} c^{2/3} \sqrt[3]{bc-ad}} - \frac{i(\sqrt{3}-i) \log \left((\sqrt{3}+i) c^{2/3} (a+bx^3)^{2/3} + \sqrt[3]{c} (-\sqrt{3}x+ix) \sqrt[3]{a+bx^3} \sqrt[3]{bc-ad} - 2ix^2 (bc-ad)^{2/3} \right)}{12c^{2/3} \sqrt[3]{bc-ad}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^3)^(1/3)*(c + d*x^3)),x]

[Out] -((Sqrt[-1 + I*Sqrt[3]]*ArcTan[(3*(b*c - a*d)^(1/3)*x)/(Sqrt[3]*(b*c - a*d)^(1/3)*x - (3*I)*c^(1/3)*(a + b*x^3)^(1/3) - Sqrt[3]*c^(1/3)*(a + b*x^3)^(1/3)])/((Sqrt[6]*c^(2/3)*(b*c - a*d)^(1/3))) + ((1 + I*Sqrt[3])*Log[2*(b*c - a*d)^(1/3)*x + (1 + I*Sqrt[3])*c^(1/3)*(a + b*x^3)^(1/3)])/((6*c^(2/3)*(b*c - a*d)^(1/3))) - ((I/12)*(-I + Sqrt[3])*Log[(-2*I)*(b*c - a*d)^(2/3)*x^2 + c^(1/3)*(b*c - a*d)^(1/3)*(I*x - Sqrt[3]*x)*(a + b*x^3)^(1/3) + (I + Sqrt[3])*c^(2/3)*(a + b*x^3)^(2/3)])/((c^(2/3)*(b*c - a*d)^(1/3)))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(1/3)/(d*x^3+c),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{1}{3}}(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(1/3)/(d*x^3+c),x, algorithm="giac")

[Out] integrate(1/((b*x^3 + a)^(1/3)*(d*x^3 + c)), x)

maple [F] time = 0.53, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{1}{3}}(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^3+a)^(1/3)/(d*x^3+c),x)

[Out] int(1/(b*x^3+a)^(1/3)/(d*x^3+c),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{1}{3}}(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x^3+a)^(1/3)/(d*x^3+c),x, algorithm="maxima")`

[Out] `integrate(1/((b*x^3 + a)^(1/3)*(d*x^3 + c)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(bx^3 + a)^{1/3} (dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b*x^3)^(1/3)*(c + d*x^3)),x)`

[Out] `int(1/((a + b*x^3)^(1/3)*(c + d*x^3)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt[3]{a + bx^3} (c + dx^3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x**3+a)**(1/3)/(d*x**3+c),x)`

[Out] `Integral(1/((a + b*x**3)**(1/3)*(c + d*x**3)), x)`

$$3.65 \quad \int \frac{1}{(a+bx^3)^{4/3}(c+dx^3)} dx$$

Optimal. Leaf size=179

$$\frac{d \log(c+dx^3)}{6c^{2/3}(bc-ad)^{4/3}} + \frac{d \log\left(\frac{x\sqrt[3]{bc-ad}}{\sqrt[3]{c}} - \sqrt[3]{a+bx^3}\right)}{2c^{2/3}(bc-ad)^{4/3}} - \frac{d \tan^{-1}\left(\frac{\frac{2x\sqrt[3]{bc-ad}}{\sqrt[3]{c}} + 1}{\sqrt{3}}\right)}{\sqrt{3}c^{2/3}(bc-ad)^{4/3}} + \frac{bx}{a\sqrt[3]{a+bx^3}(bc-ad)}$$

Rubi [A] time = 0.19, antiderivative size = 238, normalized size of antiderivative = 1.33, number of steps used = 8, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {382, 377, 200, 31, 634, 617, 204, 628}

$$\frac{d \log\left(\sqrt[3]{c} - \frac{x\sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}}\right)}{3c^{2/3}(bc-ad)^{4/3}} - \frac{d \log\left(\frac{x^2(bc-ad)^{2/3}}{(a+bx^3)^{2/3}} + \frac{\sqrt[3]{c}x\sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}} + c^{2/3}\right)}{6c^{2/3}(bc-ad)^{4/3}} - \frac{d \tan^{-1}\left(\frac{\frac{2x\sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}} + \sqrt[3]{c}}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}(bc-ad)^{4/3}} + \frac{bx}{a\sqrt[3]{a+bx^3}(bc-ad)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^3)^(4/3)*(c + d*x^3)),x]

[Out] (b*x)/(a*(b*c - a*d)*(a + b*x^3)^(1/3)) - (d*ArcTan[(c^(1/3) + (2*(b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3))]/(Sqrt[3]*c^(1/3)))]/(Sqrt[3]*c^(2/3)*(b*c - a*d)^(4/3)) + (d*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3)]/(3*c^(2/3)*(b*c - a*d)^(4/3)) - (d*Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(a + b*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3)]/(6*c^(2/3)*(b*c - a*d)^(4/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204


```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 382

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ[q, -1]) && NeQ[p, -1]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a+bx^3)^{4/3}(c+dx^3)} dx &= \frac{bx}{a(bc-ad)\sqrt[3]{a+bx^3}} - \frac{d \int \frac{1}{\sqrt[3]{a+bx^3}(c+dx^3)} dx}{bc-ad} \\
&= \frac{bx}{a(bc-ad)\sqrt[3]{a+bx^3}} - \frac{d \operatorname{Subst}\left(\int \frac{1}{c-(bc-ad)x^3} dx, x, \frac{x}{\sqrt[3]{a+bx^3}}\right)}{bc-ad} \\
&= \frac{bx}{a(bc-ad)\sqrt[3]{a+bx^3}} - \frac{d \operatorname{Subst}\left(\int \frac{1}{\sqrt[3]{c}-\sqrt[3]{bc-ad}x} dx, x, \frac{x}{\sqrt[3]{a+bx^3}}\right)}{3c^{2/3}(bc-ad)} - \frac{d \operatorname{Subst}\left(\int \frac{2}{c^{2/3}+\sqrt[3]{c}}\right)}{c^{2/3}+\sqrt[3]{c}} \\
&= \frac{bx}{a(bc-ad)\sqrt[3]{a+bx^3}} + \frac{d \log\left(\sqrt[3]{c}-\frac{\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}}\right)}{3c^{2/3}(bc-ad)^{4/3}} - \frac{d \operatorname{Subst}\left(\int \frac{\sqrt[3]{c}\sqrt[3]{bc-ad}+2(bc-ad)^{2/3}x}{c^{2/3}+\sqrt[3]{c}\sqrt[3]{bc-ad}x+(bc-ad)^{2/3}}\right)}{6c^{2/3}(bc-ad)^{4/3}} \\
&= \frac{bx}{a(bc-ad)\sqrt[3]{a+bx^3}} + \frac{d \log\left(\sqrt[3]{c}-\frac{\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}}\right)}{3c^{2/3}(bc-ad)^{4/3}} - \frac{d \log\left(c^{2/3}+\frac{(bc-ad)^{2/3}x^2}{(a+bx^3)^{2/3}}+\frac{\sqrt[3]{c}\sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}}\right)}{6c^{2/3}(bc-ad)^{4/3}} \\
&= \frac{bx}{a(bc-ad)\sqrt[3]{a+bx^3}} - \frac{d \tan^{-1}\left(\frac{1+\frac{2\sqrt[3]{bc-ad}x}{\sqrt[3]{c}\sqrt[3]{a+bx^3}}}{\sqrt{3}}\right)}{\sqrt{3}c^{2/3}(bc-ad)^{4/3}} + \frac{d \log\left(\sqrt[3]{c}-\frac{\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}}\right)}{3c^{2/3}(bc-ad)^{4/3}} - \frac{d \log\left(c^{2/3}\right)}{c^{2/3}}
\end{aligned}$$

Mathematica [C] time = 0.80, size = 256, normalized size = 1.43

$$\frac{28c^3(a+bx^3)^2 {}_2F_1\left(\frac{1}{3}, 1, \frac{4}{3}, \frac{(bc-ad)x^3}{c(bx^3+a)}\right) - 28c^3(a+bx^3)^2 + 21c^2dx^3(a+bx^3)^2 {}_2F_1\left(\frac{1}{3}, 1, \frac{4}{3}, \frac{(bc-ad)x^3}{c(bx^3+a)}\right) - 21c^2dx^3(a+bx^3)^2 + 3dx^9(bc-ad)^2 {}_2F_1\left(2, \frac{7}{3}, \frac{10}{3}, \frac{(bc-ad)x^3}{c(bx^3+a)}\right) + 3cx^6(bc-ad)^2 {}_2F_1\left(2, \frac{7}{3}, \frac{10}{3}, \frac{(bc-ad)x^3}{c(bx^3+a)}\right)}{7c^3x^2(a+bx^3)^{7/3}(ad-bc)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*x^3)^(4/3)*(c + d*x^3)), x]

[Out] $-1/7*(-28*c^3*(a + b*x^3)^2 - 21*c^2*d*x^3*(a + b*x^3)^2 + 28*c^3*(a + b*x^3)^2*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 21*c^2*d*x^3*(a + b*x^3)^2*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 3*c*(b*c - a*d)^2*x^6*Hypergeometric2F1[2, 7/3, 10/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 3*d*(b*c - a*d)^2*x^9*Hypergeometric2F1[2, 7/3, 10/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))]/(c^3*(-(b*c) + a*d)*x^2*(a + b*x^3)^(7/3))$

IntegrateAlgebraic [C] time = 2.70, size = 352, normalized size = 1.97

$$\frac{i(\sqrt{3}d-id)\log\left(2x\sqrt[3]{bc-ad}+(1+i\sqrt{3})\sqrt[3]{c}\sqrt[3]{a+bx^3}\right)}{6c^{2/3}(bc-ad)^{4/3}} + \frac{\sqrt[3]{\frac{1}{6}(-1+i\sqrt{3})}d\tan^{-1}\left(\frac{3x\sqrt[3]{bc-ad}}{\sqrt{3}x\sqrt[3]{bc-ad}-\sqrt{3}\sqrt[3]{c}\sqrt[3]{a+bx^3}-3i\sqrt[3]{c}\sqrt[3]{a+bx^3}}\right)}{c^{2/3}(bc-ad)^{4/3}} + \frac{(d+i\sqrt{3}d)\log\left((\sqrt{3}+i)c^{2/3}(a+bx^3)^{2/3}+\sqrt[3]{c}(-\sqrt{3}x+ix)\sqrt[3]{a+bx^3}\sqrt[3]{bc-ad}-2ix^2(bc-ad)^{2/3}\right)}{12c^{2/3}(bc-ad)^{4/3}} - \frac{bx}{a\sqrt[3]{a+bx^3}(ad-bc)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^3)^(4/3)*(c + d*x^3)),x]

[Out] $-\left(\frac{b*x}{a*(-b*c) + a*d}\right) * (a + b*x^3)^{(1/3)} + \frac{\text{Sqrt}[-1 + I*\text{Sqrt}[3]]/6 * d * \text{ArcTan}\left[\frac{3*(b*c - a*d)^{(1/3)*x}}{\text{Sqrt}[3]*(b*c - a*d)^{(1/3)*x} - (3*I)*c^{(1/3)}*(a + b*x^3)^{(1/3)} - \text{Sqrt}[3]*c^{(1/3)}*(a + b*x^3)^{(1/3)}\right]}{c^{(2/3)}*(b*c - a*d)^{(4/3)}} - \left(\frac{I/6 * ((-I)*d + \text{Sqrt}[3]*d) * \text{Log}\left[2*(b*c - a*d)^{(1/3)*x} + (1 + I*\text{Sqrt}[3])*c^{(1/3)}*(a + b*x^3)^{(1/3)}\right]}{c^{(2/3)}*(b*c - a*d)^{(4/3)}} + \left(\frac{(d + I*\text{Sqrt}[3]*d) * \text{Log}\left[(-2*I)*(b*c - a*d)^{(2/3)*x^2} + c^{(1/3)}*(b*c - a*d)^{(1/3)}*(I*x - \text{Sqrt}[3]*x)*(a + b*x^3)^{(1/3)} + (I + \text{Sqrt}[3])*c^{(2/3)}*(a + b*x^3)^{(2/3)}\right]}{12*c^{(2/3)}*(b*c - a*d)^{(4/3)}}\right)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(4/3)/(d*x^3+c),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{4}{3}}(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(4/3)/(d*x^3+c),x, algorithm="giac")

[Out] integrate(1/((b*x^3 + a)^(4/3)*(d*x^3 + c)), x)

maple [F] time = 0.57, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{4}{3}}(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^3+a)^(4/3)/(d*x^3+c),x)

[Out] `int(1/(b*x^3+a)^(4/3)/(d*x^3+c),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{4}{3}}(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x^3+a)^(4/3)/(d*x^3+c),x, algorithm="maxima")`

[Out] `integrate(1/((b*x^3 + a)^(4/3)*(d*x^3 + c)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(bx^3 + a)^{\frac{4}{3}}(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b*x^3)^(4/3)*(c + d*x^3)),x)`

[Out] `int(1/((a + b*x^3)^(4/3)*(c + d*x^3)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^3)^{\frac{4}{3}}(c + dx^3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x**3+a)**(4/3)/(d*x**3+c),x)`

[Out] `Integral(1/((a + b*x**3)**(4/3)*(c + d*x**3)), x)`

$$3.66 \quad \int \frac{1}{(a+bx^3)^{7/3}(c+dx^3)} dx$$

Optimal. Leaf size=226

$$\frac{bx(3bc-7ad)}{4a^2\sqrt[3]{a+bx^3}(bc-ad)^2} + \frac{d^2 \log(c+dx^3)}{6c^{2/3}(bc-ad)^{7/3}} - \frac{d^2 \log\left(\frac{x\sqrt[3]{bc-ad}}{\sqrt[3]{c}} - \sqrt[3]{a+bx^3}\right)}{2c^{2/3}(bc-ad)^{7/3}} + \frac{d^2 \tan^{-1}\left(\frac{\frac{2x\sqrt[3]{bc-ad}}{\sqrt[3]{c}} + 1}{\sqrt{3}}\right)}{\sqrt{3}c^{2/3}(bc-ad)^{7/3}} + \frac{b}{4a(a+bx^3)}$$

Rubi [C] time = 2.58, antiderivative size = 621, normalized size of antiderivative = 2.75, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {430, 429}

*** Warning: Unable to verify antiderivative. ***

Warning: Unable to verify antiderivative.

[In] Int[1/((a + b*x^3)^(7/3)*(c + d*x^3)),x]

[Out] $-(70*c^4*(b*c - a*d)*x^3*(a + b*x^3)^2 + 105*c^3*d*(b*c - a*d)*x^6*(a + b*x^3)^2 + 45*c^2*d^2*(b*c - a*d)*x^9*(a + b*x^3)^2 + 280*c^5*(a + b*x^3)^3 + 420*c^4*d*x^3*(a + b*x^3)^3 + 180*c^3*d^2*x^6*(a + b*x^3)^3 - 280*c^5*(a + b*x^3)^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 420*c^4*d*x^3*(a + b*x^3)^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 180*c^3*d^2*x^6*(a + b*x^3)^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 33*c^2*(b*c - a*d)^3*x^9*Hypergeometric2F1[2, 10/3, 13/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 60*c*d*(b*c - a*d)^3*x^12*Hypergeometric2F1[2, 10/3, 13/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 27*d^2*(b*c - a*d)^3*x^15*Hypergeometric2F1[2, 10/3, 13/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 9*c^2*(b*c - a*d)^3*x^9*HypergeometricPFQ[{2, 2, 10/3}, {1, 13/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 18*c*d*(b*c - a*d)^3*x^12*HypergeometricPFQ[{2, 2, 10/3}, {1, 13/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 9*d^2*(b*c - a*d)^3*x^15*HypergeometricPFQ[{2, 2, 10/3}, {1, 13/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))]/(40*c^4*(b*c - a*d)^2*x^5*(a + b*x^3)^(10/3))$

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
  Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q},
  x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rubi steps

$$\int \frac{1}{(a + bx^3)^{7/3} (c + dx^3)} dx = \frac{\sqrt[3]{1 + \frac{bx^3}{a}} \int \frac{1}{\left(1 + \frac{bx^3}{a}\right)^{7/3} (c + dx^3)} dx}{a^2 \sqrt[3]{a + bx^3}}$$

$$= -\frac{70c^4(bc - ad)x^3 (a + bx^3)^2 + 105c^3d(bc - ad)x^6 (a + bx^3)^2 + 45c^2d^2(bc - ad)x^9}{\dots}$$

Mathematica [C] time = 2.67, size = 621, normalized size = 2.75

Mathematica output showing a complex expression involving hypergeometric and PFQ functions.

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*x^3)^(7/3)*(c + d*x^3)),x]

[Out] (-70*c^4*(b*c - a*d)*x^3*(a + b*x^3)^2 - 105*c^3*d*(b*c - a*d)*x^6*(a + b*x^3)^2 - 45*c^2*d^2*(b*c - a*d)*x^9*(a + b*x^3)^2 - 280*c^5*(a + b*x^3)^3 - 420*c^4*d*x^3*(a + b*x^3)^3 - 180*c^3*d^2*x^6*(a + b*x^3)^3 + 280*c^5*(a + b*x^3)^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 420*c^4*d*x^3*(a + b*x^3)^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 180*c^3*d^2*x^6*(a + b*x^3)^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 33*c^2*(b*c - a*d)^3*x^9*Hypergeometric2F1[2, 10/3, 13/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 60*c*d*(b*c - a*d)^3*x^12*Hypergeometric2F1[2, 10/3, 13/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 27*d^2*(b*c - a*d)^3*x^15*Hypergeometric2F1[2, 10/3, 13/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 9*c^2*(b*c - a*d)^3*x^9*HypergeometricPFQ[{2, 2, 10/3}, {1, 13/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 18*c*d*(b*c - a*d)^3*x^12*HypergeometricPFQ[{2, 2, 10/3}, {1, 13/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 9*d^2*(b*c - a*d)^3*x^15*HypergeometricPFQ[{2, 2, 10/3}, {1, 13/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))]/(40*c^4*(b*c - a*d)^2*x^5*(a + b*x^3)^(10/3))

IntegrateAlgebraic [C] time = 3.79, size = 399, normalized size = 1.77

$$\frac{-8a^2bdx + 4ab^2cx - 7ab^2dx^2 + 3b^3cx^3}{4a^2(a+bx)^{1/3}(ad-bc)^2} + \frac{(d^2 + i\sqrt{3}d^2)\log\left(\frac{2x\sqrt{bc-ad} + (1+i\sqrt{3})\sqrt{c}\sqrt{a+bx^3}}{6c^{2/3}(bc-ad)^{1/3}}\right)}{6c^{2/3}(bc-ad)^{1/3}} - \frac{\sqrt{\frac{1}{2}(1+i\sqrt{3})d^2}\tan^{-1}\left(\frac{3x\sqrt{bc-ad}}{\sqrt{3x\sqrt{bc-ad}-\sqrt{3}}\sqrt{c}\sqrt{a+bx^3}-3i\sqrt{c}\sqrt{a+bx^3}}\right)}{c^{2/3}(bc-ad)^{1/3}} - \frac{i(\sqrt{3}d^2 - id^2)\log\left((\sqrt{3}+i)c^{2/3}(a+bx^3)^{2/3} + \sqrt{c}(-\sqrt{3}x+ix)\sqrt{a+bx^3}\sqrt{bc-ad} - 2ix^2(bc-ad)^{2/3}\right)}{12c^{2/3}(bc-ad)^{1/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^3)^(7/3)*(c + d*x^3)),x]

[Out] $(4*a*b^2*c*x - 8*a^2*b*d*x + 3*b^3*c*x^4 - 7*a*b^2*d*x^4)/(4*a^2*(-(b*c) + a*d)^2*(a + b*x^3)^{(4/3)}) - (\text{Sqrt}[(-1 + I*\text{Sqrt}[3])/6]*d^2*\text{ArcTan}[(3*(b*c - a*d)^{(1/3)}*x)/(\text{Sqrt}[3]*(b*c - a*d)^{(1/3)}*x - (3*I)*c^{(1/3)}*(a + b*x^3)^{(1/3)} - \text{Sqrt}[3]*c^{(1/3)}*(a + b*x^3)^{(1/3)})]/(c^{(2/3)}*(b*c - a*d)^{(7/3)}) + ((d^2 + I*\text{Sqrt}[3]*d^2)*\text{Log}[2*(b*c - a*d)^{(1/3)}*x + (1 + I*\text{Sqrt}[3])*c^{(1/3)}*(a + b*x^3)^{(1/3)}]/(6*c^{(2/3)}*(b*c - a*d)^{(7/3)}) - ((I/12)*((-I)*d^2 + \text{Sqrt}[3]*d^2)*\text{Log}[(-2*I)*(b*c - a*d)^{(2/3)}*x^2 + c^{(1/3)}*(b*c - a*d)^{(1/3)}*(I*x - \text{Sqrt}[3]*x)*(a + b*x^3)^{(1/3)} + (I + \text{Sqrt}[3])*c^{(2/3)}*(a + b*x^3)^{(2/3)}]/(c^{(2/3)}*(b*c - a*d)^{(7/3)})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(7/3)/(d*x^3+c),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{7}{3}}(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(7/3)/(d*x^3+c),x, algorithm="giac")

[Out] integrate(1/((b*x^3 + a)^(7/3)*(d*x^3 + c)), x)

maple [F] time = 0.56, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{7}{3}}(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(b*x^3+a)^(7/3)/(d*x^3+c),x)`

[Out] `int(1/(b*x^3+a)^(7/3)/(d*x^3+c),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{7}{3}}(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x^3+a)^(7/3)/(d*x^3+c),x, algorithm="maxima")`

[Out] `integrate(1/((b*x^3 + a)^(7/3)*(d*x^3 + c)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{7}{3}}(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b*x^3)^(7/3)*(c + d*x^3)),x)`

[Out] `int(1/((a + b*x^3)^(7/3)*(c + d*x^3)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^3)^{\frac{7}{3}}(c + dx^3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x**3+a)**(7/3)/(d*x**3+c),x)`

[Out] `Integral(1/((a + b*x**3)**(7/3)*(c + d*x**3)), x)`

$$3.67 \quad \int \frac{1}{(a+bx^3)^{10/3}(c+dx^3)} dx$$

Optimal. Leaf size=280

$$\frac{bx(6bc-13ad)}{28a^2(a+bx^3)^{4/3}(bc-ad)^2} + \frac{bx(67a^2d^2-57abcd+18b^2c^2)}{28a^3\sqrt[3]{a+bx^3}(bc-ad)^3} - \frac{d^3 \log(c+dx^3)}{6c^{2/3}(bc-ad)^{10/3}} + \frac{d^3 \log\left(\frac{x\sqrt[3]{bc-ad}}{\sqrt[3]{c}} - \sqrt[3]{a+bx^3}\right)}{2c^{2/3}(bc-ad)^{10/3}}$$

Rubi [C] time = 6.64, antiderivative size = 1172, normalized size of antiderivative = 4.19, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {430, 429}

Warning: Unable to verify antiderivative.

[In] Int[1/((a + b*x^3)^(10/3)*(c + d*x^3)),x]

[Out] $-(7280*c^5*(b*c - a*d)^2*x^6*(a + b*x^3)^2 + 16380*c^4*d*(b*c - a*d)^2*x^9*(a + b*x^3)^2 + 14040*c^3*d^2*(b*c - a*d)^2*x^{12}*(a + b*x^3)^2 + 4212*c^2*d^3*(b*c - a*d)^2*x^{15}*(a + b*x^3)^2 + 12740*c^6*(b*c - a*d)*x^3*(a + b*x^3)^3 + 28665*c^5*d*(b*c - a*d)*x^6*(a + b*x^3)^3 + 24570*c^4*d^2*(b*c - a*d)*x^9*(a + b*x^3)^3 + 7371*c^3*d^3*(b*c - a*d)*x^{12}*(a + b*x^3)^3 + 50960*c^7*(a + b*x^3)^4 + 114660*c^6*d*x^3*(a + b*x^3)^4 + 98280*c^5*d^2*x^6*(a + b*x^3)^4 + 29484*c^4*d^3*x^9*(a + b*x^3)^4 - 50960*c^7*(a + b*x^3)^4*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 114660*c^6*d*x^3*(a + b*x^3)^4*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 98280*c^5*d^2*x^6*(a + b*x^3)^4*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 29484*c^4*d^3*x^9*(a + b*x^3)^4*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 5796*c^3*(b*c - a*d)^4*x^{12}*Hypergeometric2F1[2, 13/3, 16/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 15246*c^2*d*(b*c - a*d)^4*x^{15}*Hypergeometric2F1[2, 13/3, 16/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 13608*c*d^2*(b*c - a*d)^4*x^{18}*Hypergeometric2F1[2, 13/3, 16/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 4158*d^3*(b*c - a*d)^4*x^{21}*Hypergeometric2F1[2, 13/3, 16/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 2646*c^3*(b*c - a*d)^4*x^{12}*HypergeometricPFQ[{2, 2, 13/3}, {1, 16/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 7560*c^2*d*(b*c - a*d)^4*x^{15}*HypergeometricPFQ[{2, 2, 13/3}, {1, 16/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 7182*c*d^2*(b*c - a*d)^4*x^{18}*HypergeometricPFQ[{2, 2, 13/3}, {1, 16/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 2268*d^3*(b*c - a*d)^4*x^{21}*HypergeometricPFQ[{2, 2, 13/3}, {1, 16/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 378*c^3$

$$\frac{(b*c - a*d)^4*x^{12}*HypergeometricPFQ[\{2, 2, 2, 13/3\}, \{1, 1, 16/3\}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 1134*c^2*d*(b*c - a*d)^4*x^{15}*HypergeometricPFQ[\{2, 2, 2, 13/3\}, \{1, 1, 16/3\}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 1134*c*d^2*(b*c - a*d)^4*x^{18}*HypergeometricPFQ[\{2, 2, 2, 13/3\}, \{1, 1, 16/3\}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 378*d^3*(b*c - a*d)^4*x^{21}*HypergeometricPFQ[\{2, 2, 2, 13/3\}, \{1, 1, 16/3\}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))]}{(5096*c^5*(b*c - a*d)^3*x^8*(a + b*x^3)^{(13/3)}}$$

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rubi steps

$$\int \frac{1}{(a + bx^3)^{10/3} (c + dx^3)} dx = \frac{\sqrt[3]{1 + \frac{bx^3}{a}} \int \frac{1}{\left(1 + \frac{bx^3}{a}\right)^{10/3} (c + dx^3)} dx}{a^3 \sqrt[3]{a + bx^3}}$$

$$= -\frac{7280c^5(bc - ad)^2x^6(a + bx^3)^2 + 16380c^4d(bc - ad)^2x^9(a + bx^3)^2 + 14040c^3d^2}{6c^{2/3}(bc - ad)^{10/3}}$$

Mathematica [A] time = 5.75, size = 277, normalized size = 0.99

$$\frac{bx \left((a + bx^3)^2 (67a^2d^2 - 57abcd + 18b^2c^2) + 4a^2(bc - ad)^2 + a(a + bx^3)(ad - bc)(13ad - 6bc) \right)}{28a^3(a + bx^3)^{7/3}(bc - ad)^3} - \frac{d^3 \left(\log \left(\frac{\sqrt[3]{c} x \sqrt[3]{bc - ad}}{\sqrt[3]{ax^3 + b}} + \frac{x^2(bc - ad)^{2/3}}{(ax^3 + b)^{2/3}} + c^{2/3} \right) - 2 \log \left(\sqrt[3]{c} - \frac{x \sqrt[3]{bc - ad}}{\sqrt[3]{ax^3 + b}} \right) + 2\sqrt{3} \tan^{-1} \left(\frac{2x \sqrt[3]{bc - ad}}{\sqrt{3} \sqrt[3]{ax^3 + b}} + 1 \right) \right)}{6c^{2/3}(bc - ad)^{10/3}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/((a + b*x^3)^(10/3)*(c + d*x^3)), x]
```

[Out] $(b*x*(4*a^2*(b*c - a*d)^2 + a*(-(b*c) + a*d)*(-6*b*c + 13*a*d)*(a + b*x^3) + (18*b^2*c^2 - 57*a*b*c*d + 67*a^2*d^2)*(a + b*x^3)^2)/(28*a^3*(b*c - a*d)^3*(a + b*x^3)^{(7/3)}) - (d^3*(2*sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^{(1/3})*x)/(c^{(1/3}*(b + a*x^3)^{(1/3}))]/sqrt[3]] - 2*Log[c^{(1/3} - ((b*c - a*d)^{(1/3})*x)/(b + a*x^3)^{(1/3)}] + Log[c^{(2/3} + ((b*c - a*d)^{(2/3})*x^2)/(b + a*x^3)^{(2/3} + (c^{(1/3}*(b*c - a*d)^{(1/3})*x)/(b + a*x^3)^{(1/3)}])))/(6*c^{(2/3}*(b*c - a*d)^{(10/3}))$

IntegrateAlgebraic [C] time = 8.10, size = 471, normalized size = 1.68

$$\frac{-84a^4b^2d^2x + 84a^3b^2cdx - 147a^2b^2d^2x + 133a^2b^2cd^2x - 67a^2b^2d^2x^2 - 42ab^2c^2d^2 - 18b^2c^2d^2}{28a^3(a+bx)^{10}(ad-bc)^3} \cdot \frac{i(\sqrt{3}d-ad)\log\left(\frac{2i\sqrt{3}c-ad+(1+i\sqrt{3})\sqrt{c}\sqrt{d+bx}}{c^{2/3}(bc-ad)^{10/3}}\right)}{c^{2/3}(bc-ad)^{10/3}} + \frac{\sqrt{3}(-1+i\sqrt{3})d^3\arctan\left(\frac{3i\sqrt{3}c-ad}{\sqrt{3}d-ad-\sqrt{3}\sqrt{c}\sqrt{d+bx}-3\sqrt{c}\sqrt{d+bx}}\right)}{c^{2/3}(bc-ad)^{10/3}} + \frac{(d^3+i\sqrt{3}d)\log\left(\frac{(\sqrt{3}+i)^{2/3}(a+bx)^{2/3}+\sqrt{c}(-\sqrt{3}x+i)\sqrt{d+bx}\sqrt{bc-ad}-2ix^2(bc-ad)^{2/3}}{12c^{2/3}(bc-ad)^{10/3}}\right)}{12c^{2/3}(bc-ad)^{10/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^3)^(10/3)*(c + d*x^3)),x]

[Out] $(-28*a^2*b^3*c^2*x + 84*a^3*b^2*c*d*x - 84*a^4*b*d^2*x - 42*a*b^4*c^2*x^4 + 133*a^2*b^3*c*d*x^4 - 147*a^3*b^2*d^2*x^4 - 18*b^5*c^2*x^7 + 57*a*b^4*c*d*x^7 - 67*a^2*b^3*d^2*x^7)/(28*a^3*(-(b*c) + a*d)^3*(a + b*x^3)^{(7/3)}) + (sqrt[3]*(-1 + I*sqrt[3])/6]*d^3*ArcTan[(3*(b*c - a*d)^{(1/3})*x)/(sqrt[3]*(b*c - a*d)^{(1/3})*x - (3*I)*c^{(1/3}*(a + b*x^3)^{(1/3} - sqrt[3]*c^{(1/3}*(a + b*x^3)^{(1/3})))]/(c^{(2/3}*(b*c - a*d)^{(10/3})) - ((I/6)*((-I)*d^3 + sqrt[3]*d^3)*Log[2*(b*c - a*d)^{(1/3})*x + (1 + I*sqrt[3])*c^{(1/3}*(a + b*x^3)^{(1/3)}]/(c^{(2/3}*(b*c - a*d)^{(10/3})) + ((d^3 + I*sqrt[3]*d^3)*Log[(-2*I)*(b*c - a*d)^{(2/3})*x^2 + c^{(1/3}*(b*c - a*d)^{(1/3}*(I*x - sqrt[3]*x)*(a + b*x^3)^{(1/3} + (I + sqrt[3])*c^{(2/3}*(a + b*x^3)^{(2/3)}]/(12*c^{(2/3}*(b*c - a*d)^{(10/3}))$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(10/3)/(d*x^3+c),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{10}{3}}(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(10/3)/(d*x^3+c),x, algorithm="giac")

[Out] integrate(1/((b*x^3 + a)^(10/3)*(d*x^3 + c)), x)

maple [F] time = 0.60, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{10}{3}} (dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(b*x^3+a)^(10/3)/(d*x^3+c),x)`

[Out] `int(1/(b*x^3+a)^(10/3)/(d*x^3+c),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{10}{3}} (dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x^3+a)^(10/3)/(d*x^3+c),x, algorithm="maxima")`

[Out] `integrate(1/((b*x^3 + a)^(10/3)*(d*x^3 + c)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{10}{3}} (dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b*x^3)^(10/3)*(c + d*x^3)),x)`

[Out] `int(1/((a + b*x^3)^(10/3)*(c + d*x^3)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^3)^{\frac{10}{3}} (c + dx^3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x**3+a)**(10/3)/(d*x**3+c),x)`

[Out] `Integral(1/((a + b*x**3)**(10/3)*(c + d*x**3)), x)`

$$3.68 \quad \int \frac{(a+bx^3)^{8/3}}{(c+dx^3)^2} dx$$

Optimal. Leaf size=351

$$\frac{b^{5/3}(3bc - 4ad) \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{3d^3} - \frac{2b^{5/3}(3bc - 4ad) \tan^{-1}\left(\frac{2\sqrt[3]{b}x + 1}{\sqrt[3]{a+bx^3}}\right)}{3\sqrt{3}d^3} + \frac{(bc - ad)^{5/3}(ad + 3bc) \log(c + dx^3)}{9c^{5/3}d^3}$$

Rubi [C] time = 0.03, antiderivative size = 62, normalized size of antiderivative = 0.18, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {430, 429}

$$\frac{a^2 x (a + bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{8}{3}, 2; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c^2 \left(\frac{bx^3}{a} + 1\right)^{2/3}}$$

Warning: Unable to verify antiderivative.

[In] Int[(a + b*x^3)^(8/3)/(c + d*x^3)^2,x]

[Out] (a^2*x*(a + b*x^3)^(2/3)*AppellF1[1/3, -8/3, 2, 4/3, -((b*x^3)/a), -((d*x^3)/c)]/(c^2*(1 + (b*x^3)/a)^(2/3))

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}
, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rubi steps

$$\int \frac{(a + bx^3)^{8/3}}{(c + dx^3)^2} dx = \frac{\left(a^2 (a + bx^3)^{2/3}\right) \int \frac{\left(1 + \frac{bx^3}{a}\right)^{8/3}}{(c + dx^3)^2} dx}{\left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

$$= \frac{a^2 x (a + bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{8}{3}, 2; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c^2 \left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

Mathematica [C] time = 1.08, size = 698, normalized size = 1.99

$$\frac{\left(2a^2 \log\left(\frac{2a\sqrt{c+dx^3} + \sqrt{a^2 - c^2}}{\sqrt{a^2 - c^2}}\right) - 2\log\left(\sqrt{c - \frac{a^2}{c^2}}\right) + 2\sqrt{3} \tan^{-1}\left(\frac{\frac{2a\sqrt{c+dx^3}}{\sqrt{a^2 - c^2}}}{\sqrt{3}}\right)\right)}{c^2 \sqrt{c - a^2}} + \frac{2a^2 \log\left(\frac{2a\sqrt{c+dx^3} + \sqrt{a^2 - c^2}}{\sqrt{a^2 - c^2}}\right) - 2\log\left(\sqrt{c - \frac{a^2}{c^2}}\right) + 2\sqrt{3} \tan^{-1}\left(\frac{\frac{2a\sqrt{c+dx^3}}{\sqrt{a^2 - c^2}}}{\sqrt{3}}\right)}{c^2 \sqrt{c - a^2}} + \frac{9a^2 \sqrt{c} \sqrt{1 + \frac{1}{3} \frac{bx^3}{a}} \sqrt{1 + \frac{1}{3} \frac{dx^3}{c}}}{c^2 \sqrt{c + b^3}} + \frac{2a^2 \sqrt{c} \left(\log\left(\frac{2a\sqrt{c+dx^3} + \sqrt{a^2 - c^2}}{\sqrt{a^2 - c^2}}\right) - 2\log\left(\sqrt{c - \frac{a^2}{c^2}}\right) + 2\sqrt{3} \tan^{-1}\left(\frac{\frac{2a\sqrt{c+dx^3}}{\sqrt{a^2 - c^2}}}{\sqrt{3}}\right)\right)}{c^2 \sqrt{c - a^2}} + \frac{6a(b + dx^3)^{2/3} \left(\frac{2a\sqrt{c+dx^3}}{\sqrt{a^2 - c^2}}\right)}{c^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^3)^(8/3)/(c + d*x^3)^2,x]

[Out] ((6*x*(a + b*x^3)^(2/3)*(b^2 + (b*c - a*d)^2/(c*(c + d*x^3))))/d^2 - (9*b^3*x^4*(1 + (b*x^3)/a)^(1/3)*AppellF1[4/3, 1/3, 1, 7/3, -((b*x^3)/a), -((d*x^3)/c)])/(d^2*(a + b*x^3)^(1/3)) + (12*a*b^2*x^4*(1 + (b*x^3)/a)^(1/3)*AppellF1[4/3, 1/3, 1, 7/3, -((b*x^3)/a), -((d*x^3)/c)])/(c*d*(a + b*x^3)^(1/3)) + (2*a^3*(2*sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3))])/sqrt[3]] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)])/(c^(5/3)*(b*c - a*d)^(1/3)) - (2*a*b^2*c^(1/3)*(2*sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3))])/sqrt[3]] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)])/(d^2*(b*c - a*d)^(1/3)) + (2*a^2*b*(2*sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3))])/sqrt[3]] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)])/(c^(2/3)*d*(b*c - a*d)^(1/3))/18

IntegrateAlgebraic [C] time = 14.09, size = 680, normalized size = 1.94

$$\frac{\left(2a^2 \log\left(\frac{2a\sqrt{c+dx^3} + \sqrt{a^2 - c^2}}{\sqrt{a^2 - c^2}}\right) - 2\log\left(\sqrt{c - \frac{a^2}{c^2}}\right) + 2\sqrt{3} \tan^{-1}\left(\frac{\frac{2a\sqrt{c+dx^3}}{\sqrt{a^2 - c^2}}}{\sqrt{3}}\right)\right)}{c^2 \sqrt{c - a^2}} + \frac{2a^2 \log\left(\frac{2a\sqrt{c+dx^3} + \sqrt{a^2 - c^2}}{\sqrt{a^2 - c^2}}\right) - 2\log\left(\sqrt{c - \frac{a^2}{c^2}}\right) + 2\sqrt{3} \tan^{-1}\left(\frac{\frac{2a\sqrt{c+dx^3}}{\sqrt{a^2 - c^2}}}{\sqrt{3}}\right)}{c^2 \sqrt{c - a^2}} + \frac{9a^2 \sqrt{c} \sqrt{1 + \frac{1}{3} \frac{bx^3}{a}} \sqrt{1 + \frac{1}{3} \frac{dx^3}{c}}}{c^2 \sqrt{c + b^3}} + \frac{2a^2 \sqrt{c} \left(\log\left(\frac{2a\sqrt{c+dx^3} + \sqrt{a^2 - c^2}}{\sqrt{a^2 - c^2}}\right) - 2\log\left(\sqrt{c - \frac{a^2}{c^2}}\right) + 2\sqrt{3} \tan^{-1}\left(\frac{\frac{2a\sqrt{c+dx^3}}{\sqrt{a^2 - c^2}}}{\sqrt{3}}\right)\right)}{c^2 \sqrt{c - a^2}} + \frac{6a(b + dx^3)^{2/3} \left(\frac{2a\sqrt{c+dx^3}}{\sqrt{a^2 - c^2}}\right)}{c^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^3)^(8/3)/(c + d*x^3)^2,x]

```
[Out] ((a + b*x^3)^(2/3)*(2*b^2*c^2*x - 2*a*b*c*d*x + a^2*d^2*x + b^2*c*d*x^4))/(
3*c*d^2*(c + d*x^3)) - (2*(3*b^(8/3)*c - 4*a*b^(5/3)*d)*ArcTan[(Sqrt[3]*b^(
1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))]/(3*Sqrt[3]*d^3) + ((b*c - a*d)^(
5/3)*(9*b*c - (3*I)*Sqrt[3]*b*c + 3*a*d - I*Sqrt[3]*a*d)*ArcTanh[(I*(b*c -
a*d)^(1/3)*x + (-I + Sqrt[3])*c^(1/3)*(a + b*x^3)^(1/3))/(Sqrt[3]*(b*c - a
*d)^(1/3)*x)]/(9*c^(5/3)*d^3) + (2*(3*b^(8/3)*c - 4*a*b^(5/3)*d)*Log[-(b^(
1/3)*x) + (a + b*x^3)^(1/3)]/(9*d^3) + ((3*b*c*(b*c - a*d)^(5/3) + (3*I)*S
qrt[3]*b*c*(b*c - a*d)^(5/3) + a*d*(b*c - a*d)^(5/3) + I*Sqrt[3]*a*d*(b*c -
a*d)^(5/3))*Log[2*(b*c - a*d)^(1/3)*x + (1 + I*Sqrt[3])*c^(1/3)*(a + b*x^3
)^(1/3)]/(9*c^(5/3)*d^3) + ((-3*b^(8/3)*c + 4*a*b^(5/3)*d)*Log[b^(2/3)*x^2
+ b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)]/(9*d^3) - ((I/18)*((-3
*I)*b*c*(b*c - a*d)^(5/3) + 3*Sqrt[3]*b*c*(b*c - a*d)^(5/3) - I*a*d*(b*c -
a*d)^(5/3) + Sqrt[3]*a*d*(b*c - a*d)^(5/3))*Log[(-2*I)*(b*c - a*d)^(2/3)*x^
2 + c^(1/3)*(b*c - a*d)^(1/3)*(I*x - Sqrt[3]*x)*(a + b*x^3)^(1/3) + (I + Sq
rt[3])*c^(2/3)*(a + b*x^3)^(2/3)]/(c^(5/3)*d^3)
```

fricas [B] time = 19.12, size = 819, normalized size = 2.33

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^(8/3)/(d*x^3+c)^2,x, algorithm="fricas")
```

```
[Out] 1/9*(2*sqrt(3)*(3*b^2*c^3 - 2*a*b*c^2*d - a^2*c*d^2 + (3*b^2*c^2*d - 2*a*b*
c*d^2 - a^2*d^3)*x^3)*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^(1/3)*arctan(-1
/3*(sqrt(3)*(b*c - a*d)*x + 2*sqrt(3)*(b*x^3 + a)^(1/3)*c*((b^2*c^2 - 2*a*b
*c*d + a^2*d^2)/c^2)^(1/3))/((b*c - a*d)*x)) + 2*sqrt(3)*(3*b^2*c^3 - 4*a*b
*c^2*d + (3*b^2*c^2*d - 4*a*b*c*d^2)*x^3)*(-b^2)^(1/3)*arctan(-1/3*(sqrt(3)
)*b*x - 2*sqrt(3)*(b*x^3 + a)^(1/3)*(-b^2)^(1/3))/(b*x)) - 2*(3*b^2*c^3 - 2*
a*b*c^2*d - a^2*c*d^2 + (3*b^2*c^2*d - 2*a*b*c*d^2 - a^2*d^3)*x^3)*((b^2*c^
2 - 2*a*b*c*d + a^2*d^2)/c^2)^(1/3)*log((c*x*((b^2*c^2 - 2*a*b*c*d + a^2*d^
2)/c^2)^(2/3) - (b*x^3 + a)^(1/3)*(b*c - a*d))/x) - 2*(3*b^2*c^3 - 4*a*b*c^
2*d + (3*b^2*c^2*d - 4*a*b*c*d^2)*x^3)*(-b^2)^(1/3)*log(-((-b^2)^(2/3)*x -
(b*x^3 + a)^(1/3)*b)/x) + (3*b^2*c^3 - 4*a*b*c^2*d + (3*b^2*c^2*d - 4*a*b*c
*d^2)*x^3)*(-b^2)^(1/3)*log(-((-b^2)^(1/3)*b*x^2 - (b*x^3 + a)^(1/3)*(-b^2)
^(2/3)*x - (b*x^3 + a)^(2/3)*b)/x^2) + (3*b^2*c^3 - 2*a*b*c^2*d - a^2*c*d^2
+ (3*b^2*c^2*d - 2*a*b*c*d^2 - a^2*d^3)*x^3)*((b^2*c^2 - 2*a*b*c*d + a^2*d
^2)/c^2)^(1/3)*log(-((b*c - a*d)*x^2*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^(
1/3) + (b*x^3 + a)^(1/3)*c*x*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^(2/3) +
(b*x^3 + a)^(2/3)*(b*c - a*d))/x^2) + 3*(b^2*c*d^2*x^4 + (2*b^2*c^2*d - 2*
a*b*c*d^2 + a^2*d^3)*x)*(b*x^3 + a)^(2/3))/(c*d^4*x^3 + c^2*d^3)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{8}{3}}}{(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(8/3)/(d*x^3+c)^2,x, algorithm="giac")

[Out] integrate((b*x^3 + a)^(8/3)/(d*x^3 + c)^2, x)

maple [F] time = 0.40, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{8}{3}}}{(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(8/3)/(d*x^3+c)^2,x)

[Out] int((b*x^3+a)^(8/3)/(d*x^3+c)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{8}{3}}}{(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(8/3)/(d*x^3+c)^2,x, algorithm="maxima")

[Out] integrate((b*x^3 + a)^(8/3)/(d*x^3 + c)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{8/3}}{(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(8/3)/(c + d*x^3)^2,x)


```
[Out] int((a + b*x^3)^(8/3)/(c + d*x^3)^2, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**3+a)**(8/3)/(d*x**3+c)**2,x)
```

```
[Out] Timed out
```

$$3.69 \quad \int \frac{(a+bx^3)^{5/3}}{(c+dx^3)^2} dx$$

Optimal. Leaf size=301

$$\frac{b^{5/3} \log\left(\sqrt[3]{a+bx^3} - \sqrt[3]{b}x\right)}{2d^2} + \frac{b^{5/3} \tan^{-1}\left(\frac{2\sqrt[3]{b}x}{\sqrt[3]{a+bx^3}} + 1\right)}{\sqrt{3}d^2} - \frac{(bc-ad)^{2/3}(2ad+3bc) \log(c+dx^3)}{18c^{5/3}d^2} + \frac{(bc-ad)^{2/3}(2ad+3bc)}{18c^{5/3}d^2}$$

Rubi [C] time = 0.03, antiderivative size = 60, normalized size of antiderivative = 0.20, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {430, 429}

$$\frac{ax(a+bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{5}{3}, 2; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c^2 \left(\frac{bx^3}{a} + 1\right)^{2/3}}$$

Warning: Unable to verify antiderivative.

[In] Int[(a + b*x^3)^(5/3)/(c + d*x^3)^2,x]

[Out] (a*x*(a + b*x^3)^(2/3)*AppellF1[1/3, -5/3, 2, 4/3, -((b*x^3)/a), -((d*x^3)/c)]/(c^2*(1 + (b*x^3)/a)^(2/3))

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/((1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rubi steps

$$\int \frac{(a + bx^3)^{5/3}}{(c + dx^3)^2} dx = \frac{\left(a(a + bx^3)^{2/3}\right) \int \frac{\left(1 + \frac{bx^3}{a}\right)^{5/3}}{(c + dx^3)^2} dx}{\left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

$$= \frac{ax(a + bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{5}{3}, 2; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c^2 \left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

Mathematica [C] time = 0.64, size = 450, normalized size = 1.50

$$\frac{4a^2 \left(\log\left(\frac{\sqrt[3]{c} \sqrt[3]{bc-ad} + \sqrt{2(bc-ad)^{2/3} + c^{2/3}}}{\sqrt[3]{ax^3+b} + (ax^3+b)^{2/3} + c^{2/3}} \right) - 2 \log\left(\sqrt[3]{c} - \frac{x \sqrt[3]{bc-ad}}{\sqrt[3]{ax^3+b}} \right) + 2\sqrt{3} \tan^{-1}\left(\frac{2x \sqrt[3]{bc-ad} + 1}{\sqrt[3]{c} \sqrt[3]{ax^3+b}} \right) \right)}{\sqrt[3]{bc-ad}} + \frac{9b^2 c^{2/3} x^4 \sqrt{\frac{bc}{a} + 1} F_1\left(\frac{4}{3}; \frac{7}{3}; \frac{bc^3}{a^3} - \frac{bc^3}{c}\right)}{d \sqrt[3]{a+bx^3}} - \frac{12c^{2/3} x (a+bx^3)^{2/3} (bc-ad)}{d(c+dx^3)} + \frac{2abc \left(\log\left(\frac{\sqrt[3]{c} \sqrt[3]{bc-ad} + \sqrt{2(bc-ad)^{2/3} + c^{2/3}}}{\sqrt[3]{ax^3+b} + (ax^3+b)^{2/3} + c^{2/3}} \right) - 2 \log\left(\sqrt[3]{c} - \frac{x \sqrt[3]{bc-ad}}{\sqrt[3]{ax^3+b}} \right) + 2\sqrt{3} \tan^{-1}\left(\frac{2x \sqrt[3]{bc-ad} + 1}{\sqrt[3]{c} \sqrt[3]{ax^3+b}} \right) \right)}{d \sqrt[3]{bc-ad}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^3)^(5/3)/(c + d*x^3)^2,x]

[Out] $((-12c^{2/3}(bc - ad)x(a + bx^3)^{2/3})/(d(c + dx^3)) + (9b^2c^{2/3}x^4(1 + (bx^3)/a)^{1/3} \text{AppellF1}[4/3, 1/3, 1, 7/3, -(bx^3)/a, -(dx^3)/c])/(d(a + bx^3)^{1/3}) + (4a^2(2\sqrt{3} \text{ArcTan}[1 + (2(bc - ad)^{1/3}x)/(c^{1/3}(b + ax^3)^{1/3})])/\sqrt{3} - 2\text{Log}[c^{1/3} - ((bc - ad)^{1/3}x)/(b + ax^3)^{1/3}] + \text{Log}[c^{2/3} + ((bc - ad)^{2/3}x^2)/(b + ax^3)^{2/3}] + (c^{1/3}(bc - ad)^{1/3}x)/(b + ax^3)^{1/3}))/ (bc - ad)^{1/3} + (2ab^2c(2\sqrt{3} \text{ArcTan}[1 + (2(bc - ad)^{1/3}x)/(c^{1/3}(b + ax^3)^{1/3})])/\sqrt{3} - 2\text{Log}[c^{1/3} - ((bc - ad)^{1/3}x)/(b + ax^3)^{1/3}] + \text{Log}[c^{2/3} + ((bc - ad)^{2/3}x^2)/(b + ax^3)^{2/3}] + (c^{1/3}(bc - ad)^{1/3}x)/(b + ax^3)^{1/3}))/ (d(bc - ad)^{1/3})))/(36c^{5/3})$

IntegrateAlgebraic [C] time = 7.33, size = 645, normalized size = 2.14

$$\frac{(b^2 c^{2/3} + 2a^2 d + \sqrt{3} b c d \sqrt{bc - ad} - 3a \sqrt{3} d^2 - 3a^2 d^2) \log\left(\frac{2x \sqrt[3]{bc-ad} + 1}{\sqrt[3]{c} \sqrt[3]{ax^3+b}}\right) + (b^2 c^{2/3} + 2a^2 d + \sqrt{3} b c d \sqrt{bc - ad} + 3a \sqrt{3} d^2 - 3a^2 d^2) \log\left(\sqrt[3]{c} - \frac{x \sqrt[3]{bc-ad}}{\sqrt[3]{ax^3+b}}\right) + \sqrt{3} \tan^{-1}\left(\frac{2x \sqrt[3]{bc-ad} + 1}{\sqrt[3]{c} \sqrt[3]{ax^3+b}}\right) + \sqrt{3} \tan^{-1}\left(\frac{2x \sqrt[3]{bc-ad} + 1}{\sqrt[3]{c} \sqrt[3]{ax^3+b}}\right)}{36c^{5/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^3)^(5/3)/(c + d*x^3)^2,x]

[Out] $((-(bc) + ad)x(a + bx^3)^{2/3})/(3cd(c + dx^3)) + (b^{5/3} \text{ArcTan}[\sqrt{3} b^{1/3} x / (b^{1/3} x + 2(a + bx^3)^{1/3})]) / (\sqrt{3} d^2) + ((-9b^2c^2 + (3I)\sqrt{3} b^2 c^2 + 3a^2 b c d - I \sqrt{3} a^2 b c d + 6a^2 d^2$

[Out] integrate((b*x^3 + a)^(5/3)/(d*x^3 + c)^2, x)

maple [F] time = 0.58, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{5}{3}}}{(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(5/3)/(d*x^3+c)^2,x)

[Out] int((b*x^3+a)^(5/3)/(d*x^3+c)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{5}{3}}}{(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(5/3)/(d*x^3+c)^2,x, algorithm="maxima")

[Out] integrate((b*x^3 + a)^(5/3)/(d*x^3 + c)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{\frac{5}{3}}}{(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(5/3)/(c + d*x^3)^2,x)

[Out] int((a + b*x^3)^(5/3)/(c + d*x^3)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(5/3)/(d*x**3+c)**2,x)

[Out] Timed out

$$3.70 \quad \int \frac{(a+bx^3)^{2/3}}{(c+dx^3)^2} dx$$

Optimal. Leaf size=182

$$\frac{a \log(c+dx^3)}{9c^{5/3}\sqrt[3]{bc-ad}} - \frac{a \log\left(\frac{x\sqrt[3]{bc-ad}}{\sqrt[3]{c}} - \sqrt[3]{a+bx^3}\right)}{3c^{5/3}\sqrt[3]{bc-ad}} + \frac{2a \tan^{-1}\left(\frac{\frac{2x\sqrt[3]{bc-ad}}{\sqrt[3]{c}} + 1}{\sqrt{3}}\right)}{3\sqrt{3}c^{5/3}\sqrt[3]{bc-ad}} + \frac{x(a+bx^3)^{2/3}}{3c(c+dx^3)}$$

Rubi [A] time = 0.21, antiderivative size = 241, normalized size of antiderivative = 1.32, number of steps used = 8, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {378, 377, 200, 31, 634, 617, 204, 628}

$$-\frac{2a \log\left(\sqrt[3]{c} - \frac{x\sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}}\right)}{9c^{5/3}\sqrt[3]{bc-ad}} + \frac{a \log\left(\frac{x^2(bc-ad)^{2/3}}{(a+bx^3)^{2/3}} + \frac{\sqrt[3]{c}x\sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}} + c^{2/3}\right)}{9c^{5/3}\sqrt[3]{bc-ad}} + \frac{2a \tan^{-1}\left(\frac{\frac{2x\sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}} + \sqrt[3]{c}}{\sqrt{3}\sqrt[3]{c}}\right)}{3\sqrt{3}c^{5/3}\sqrt[3]{bc-ad}} + \frac{x(a+bx^3)^{2/3}}{3c(c+dx^3)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^(2/3)/(c + d*x^3)^2,x]

[Out] (x*(a + b*x^3)^(2/3))/(3*c*(c + d*x^3)) + (2*a*ArcTan[(c^(1/3) + (2*(b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3))]/(3*sqrt[3]*c^(5/3)*(b*c - a*d)^(1/3)) - (2*a*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3)])/((9*c^(5/3)*(b*c - a*d)^(1/3)) + (a*Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(a + b*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3)])/((9*c^(5/3)*(b*c - a*d)^(1/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 378

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*n*(p + 1)), x] - Dist[(c*q)/(a*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 1) + 1, 0] && GtQ[q, 0] && NeQ[p, -1]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3)^{2/3}}{(c + dx^3)^2} dx &= \frac{x(a + bx^3)^{2/3}}{3c(c + dx^3)} + \frac{(2a) \int \frac{1}{\sqrt[3]{a+bx^3}(c+dx^3)} dx}{3c} \\
&= \frac{x(a + bx^3)^{2/3}}{3c(c + dx^3)} + \frac{(2a) \text{Subst} \left(\int \frac{1}{c-(bc-ad)x^3} dx, x, \frac{x}{\sqrt[3]{a+bx^3}} \right)}{3c} \\
&= \frac{x(a + bx^3)^{2/3}}{3c(c + dx^3)} + \frac{(2a) \text{Subst} \left(\int \frac{1}{\sqrt[3]{c}-\sqrt[3]{bc-ad}x} dx, x, \frac{x}{\sqrt[3]{a+bx^3}} \right)}{9c^{5/3}} + \frac{(2a) \text{Subst} \left(\int \frac{2\sqrt[3]{c} + \sqrt[3]{bc-ad}}{c^{2/3} + \sqrt[3]{c}\sqrt[3]{bc-ad}x + (bc-ad)^{2/3}x^2} dx, x, \frac{x}{\sqrt[3]{a+bx^3}} \right)}{9c^{5/3}} \\
&= \frac{x(a + bx^3)^{2/3}}{3c(c + dx^3)} - \frac{2a \log \left(\sqrt[3]{c} - \frac{\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}} \right)}{9c^{5/3}\sqrt[3]{bc-ad}} + \frac{a \text{Subst} \left(\int \frac{1}{c^{2/3} + \sqrt[3]{c}\sqrt[3]{bc-ad}x + (bc-ad)^{2/3}x^2} dx, x, \frac{x}{\sqrt[3]{a+bx^3}} \right)}{3c^{4/3}} \\
&= \frac{x(a + bx^3)^{2/3}}{3c(c + dx^3)} - \frac{2a \log \left(\sqrt[3]{c} - \frac{\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}} \right)}{9c^{5/3}\sqrt[3]{bc-ad}} + \frac{a \log \left(c^{2/3} + \frac{(bc-ad)^{2/3}x^2}{(a+bx^3)^{2/3}} + \frac{\sqrt[3]{c}\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}} \right)}{9c^{5/3}\sqrt[3]{bc-ad}} \quad (2a) \text{Sub} \\
&= \frac{x(a + bx^3)^{2/3}}{3c(c + dx^3)} + \frac{2a \tan^{-1} \left(\frac{1 + \frac{2\sqrt[3]{bc-ad}x}{\sqrt[3]{c}\sqrt[3]{a+bx^3}}}{\sqrt{3}} \right)}{3\sqrt{3}c^{5/3}\sqrt[3]{bc-ad}} - \frac{2a \log \left(\sqrt[3]{c} - \frac{\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}} \right)}{9c^{5/3}\sqrt[3]{bc-ad}} + \frac{a \log \left(c^{2/3} + \frac{(bc-ad)^{2/3}x^2}{(a+bx^3)^{2/3}} + \frac{\sqrt[3]{c}\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}} \right)}{9c^{5/3}\sqrt[3]{bc-ad}}
\end{aligned}$$

Mathematica [C] time = 0.04, size = 78, normalized size = 0.43

$$\frac{x(a + bx^3)^{2/3} {}_2F_1 \left(-\frac{2}{3}, \frac{1}{3}; \frac{4}{3}; \frac{(ad-bc)x^3}{a(dx^3+c)} \right)}{c^2 \left(\frac{bx^3}{a} + 1 \right)^{2/3} \sqrt[3]{\frac{dx^3}{c} + 1}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^3)^(2/3)/(c + d*x^3)^2,x]

[Out] (x*(a + b*x^3)^(2/3)*Hypergeometric2F1[-2/3, 1/3, 4/3, ((-(b*c) + a*d)*x^3)/(a*(c + d*x^3))]/(c^2*(1 + (b*x^3)/a)^(2/3)*(1 + (d*x^3)/c)^(1/3))

IntegrateAlgebraic [C] time = 2.40, size = 356, normalized size = 1.96

$$\frac{(a + i\sqrt{3}a) \log \left(2x\sqrt[3]{bc-ad} + (1 + i\sqrt{3})\sqrt[3]{c}\sqrt[3]{a+bx^3} \right)}{9c^{5/3}\sqrt[3]{bc-ad}} - \frac{\sqrt{-2 + 2i\sqrt{3}} a \tan^{-1} \left(\frac{3x\sqrt[3]{bc-ad}}{\sqrt{3}\sqrt[3]{bc-ad} - \sqrt{3}\sqrt[3]{c}\sqrt[3]{a+bx^3} - 3i\sqrt[3]{c}\sqrt[3]{a+bx^3}} \right)}{3\sqrt{3}c^{5/3}\sqrt[3]{bc-ad}} - \frac{i(\sqrt{3}a - ia) \log \left((\sqrt{3} + i)c^{2/3}(a + bx^3)^{2/3} + \sqrt[3]{c}(-\sqrt{3}x + ix)\sqrt[3]{a+bx^3}\sqrt[3]{bc-ad} - 2ix^2(bc - ad)^{2/3} \right)}{18c^{5/3}\sqrt[3]{bc-ad}} + \frac{x(a + bx^3)^{2/3}}{3c(c + dx^3)}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a + b*x^3)^(2/3)/(c + d*x^3)^2,x]
```

```
[Out] (x*(a + b*x^3)^(2/3))/(3*c*(c + d*x^3)) - (Sqrt[-2 + (2*I)*Sqrt[3]]*a*ArcTan[(3*(b*c - a*d)^(1/3)*x)/(Sqrt[3]*(b*c - a*d)^(1/3)*x - (3*I)*c^(1/3)*(a + b*x^3)^(1/3) - Sqrt[3]*c^(1/3)*(a + b*x^3)^(1/3))]/(3*Sqrt[3]*c^(5/3)*(b*c - a*d)^(1/3)) + ((a + I*Sqrt[3]*a)*Log[2*(b*c - a*d)^(1/3)*x + (1 + I*Sqrt[3])*c^(1/3)*(a + b*x^3)^(1/3)])/(9*c^(5/3)*(b*c - a*d)^(1/3)) - ((I/18)*((-I)*a + Sqrt[3]*a)*Log[(-2*I)*(b*c - a*d)^(2/3)*x^2 + c^(1/3)*(b*c - a*d)^(1/3)*(I*x - Sqrt[3]*x)*(a + b*x^3)^(1/3) + (I + Sqrt[3])*c^(2/3)*(a + b*x^3)^(2/3)])/(c^(5/3)*(b*c - a*d)^(1/3))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^(2/3)/(d*x^3+c)^2,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{2}{3}}}{(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^(2/3)/(d*x^3+c)^2,x, algorithm="giac")
```

```
[Out] integrate((b*x^3 + a)^(2/3)/(d*x^3 + c)^2, x)
```

maple [F] time = 0.54, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{2}{3}}}{(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x^3+a)^(2/3)/(d*x^3+c)^2,x)
```

```
[Out] int((b*x^3+a)^(2/3)/(d*x^3+c)^2,x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{2}{3}}}{(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(2/3)/(d*x^3+c)^2,x, algorithm="maxima")

[Out] integrate((b*x^3 + a)^(2/3)/(d*x^3 + c)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(bx^3 + a)^{\frac{2}{3}}}{(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(2/3)/(c + d*x^3)^2,x)

[Out] int((a + b*x^3)^(2/3)/(c + d*x^3)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^{\frac{2}{3}}}{(c + dx^3)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(2/3)/(d*x**3+c)**2,x)

[Out] Integral((a + b*x**3)**(2/3)/(c + d*x**3)**2, x)

$$3.71 \quad \int \frac{1}{\sqrt[3]{a+bx^3}(c+dx^3)^2} dx$$

Optimal. Leaf size=217

$$\frac{(3bc - 2ad) \log(c + dx^3)}{18c^{5/3}(bc - ad)^{4/3}} - \frac{(3bc - 2ad) \log\left(\frac{x \sqrt[3]{bc-ad}}{\sqrt[3]{c}} - \sqrt[3]{a + bx^3}\right)}{6c^{5/3}(bc - ad)^{4/3}} + \frac{(3bc - 2ad) \tan^{-1}\left(\frac{\frac{2x \sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}} + 1}{\sqrt{3}}\right)}{3\sqrt{3} c^{5/3}(bc - ad)^{4/3}} - \frac{dx(a + bx^3)}{3c(c + dx^3)}$$

Rubi [A] time = 0.20, antiderivative size = 276, normalized size of antiderivative = 1.27, number of steps used = 8, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {382, 377, 200, 31, 634, 617, 204, 628}

$$-\frac{(3bc - 2ad) \log\left(\sqrt[3]{c} - \frac{x \sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}}\right)}{9c^{5/3}(bc - ad)^{4/3}} + \frac{(3bc - 2ad) \log\left(\frac{x^2(bc-ad)^{2/3}}{(a+bx^3)^{2/3}} + \frac{\sqrt[3]{c}x \sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}} + c^{2/3}\right)}{18c^{5/3}(bc - ad)^{4/3}} + \frac{(3bc - 2ad) \tan^{-1}\left(\frac{\frac{2x \sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}} + \sqrt[3]{c}}{\sqrt{3} \sqrt[3]{c}}\right)}{3\sqrt{3} c^{5/3}(bc - ad)^{4/3}} - \frac{dx(a + bx^3)^{2/3}}{3c(c + dx^3)(bc - ad)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^3)^(1/3)*(c + d*x^3)^2), x]

[Out] $-(d*x*(a + b*x^3)^{(2/3)})/(3*c*(b*c - a*d)*(c + d*x^3)) + ((3*b*c - 2*a*d)*ArcTan[(c^{(1/3)} + (2*(b*c - a*d)^{(1/3)}*x)/(a + b*x^3)^{(1/3)})/(Sqrt[3]*c^{(1/3)})])/(3*Sqrt[3]*c^{(5/3)}*(b*c - a*d)^{(4/3)}) - ((3*b*c - 2*a*d)*Log[c^{(1/3)} - ((b*c - a*d)^{(1/3)}*x)/(a + b*x^3)^{(1/3)}])/(9*c^{(5/3)}*(b*c - a*d)^{(4/3)}) + ((3*b*c - 2*a*d)*Log[c^{(2/3)} + ((b*c - a*d)^{(2/3)}*x^2)/(a + b*x^3)^{(2/3)} + (c^{(1/3)}*(b*c - a*d)^{(1/3)}*x)/(a + b*x^3)^{(1/3)}])/(18*c^{(5/3)}*(b*c - a*d)^{(4/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 382

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ[q, -1]) && NeQ[p, -1]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*a*c}, Simplify[(a*c)/b^2], Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt[3]{a+bx^3} (c+dx^3)^2} dx &= -\frac{dx (a+bx^3)^{2/3}}{3c(bc-ad)(c+dx^3)} + \frac{(3bc-2ad) \int \frac{1}{\sqrt[3]{a+bx^3} (c+dx^3)} dx}{3c(bc-ad)} \\
&= -\frac{dx (a+bx^3)^{2/3}}{3c(bc-ad)(c+dx^3)} + \frac{(3bc-2ad) \text{Subst} \left(\int \frac{1}{c-(bc-ad)x^3} dx, x, \frac{x}{\sqrt[3]{a+bx^3}} \right)}{3c(bc-ad)} \\
&= -\frac{dx (a+bx^3)^{2/3}}{3c(bc-ad)(c+dx^3)} + \frac{(3bc-2ad) \text{Subst} \left(\int \frac{1}{\sqrt[3]{c}-\sqrt[3]{bc-ad}x} dx, x, \frac{x}{\sqrt[3]{a+bx^3}} \right)}{9c^{5/3}(bc-ad)} + \frac{(3bc-2ad) \log \left(\sqrt[3]{c} - \frac{\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}} \right)}{9c^{5/3}(bc-ad)^{4/3}} + \frac{(3bc-2ad) \text{Subst} \left(\int \frac{1}{c-(bc-ad)x^3} dx, x, \frac{x}{\sqrt[3]{a+bx^3}} \right)}{18c^{5/3}} \\
&= -\frac{dx (a+bx^3)^{2/3}}{3c(bc-ad)(c+dx^3)} - \frac{(3bc-2ad) \log \left(\sqrt[3]{c} - \frac{\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}} \right)}{9c^{5/3}(bc-ad)^{4/3}} + \frac{(3bc-2ad) \log \left(c^{2/3} - \frac{\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}} \right)}{18c^{5/3}} \\
&= -\frac{dx (a+bx^3)^{2/3}}{3c(bc-ad)(c+dx^3)} + \frac{(3bc-2ad) \tan^{-1} \left(\frac{1 + \frac{2\sqrt[3]{bc-ad}x}{\sqrt[3]{c}\sqrt[3]{a+bx^3}}}{\sqrt{3}} \right)}{3\sqrt{3}c^{5/3}(bc-ad)^{4/3}} - \frac{(3bc-2ad) \log \left(\sqrt[3]{c} - \frac{\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}} \right)}{9c^{5/3}(bc-ad)^{4/3}}
\end{aligned}$$

Mathematica [C] time = 0.14, size = 99, normalized size = 0.46

$$\frac{x \left((c+dx^3) (3bc-2ad) {}_2F_1 \left(\frac{1}{3}, 1; \frac{4}{3}; \frac{(bc-ad)x^3}{c(bx^3+a)} \right) - cd(a+bx^3) \right)}{3c^2 \sqrt[3]{a+bx^3} (c+dx^3) (bc-ad)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^3)^(1/3)*(c + d*x^3)^2), x]

[Out] (x*(-(c*d*(a + b*x^3)) + (3*b*c - 2*a*d)*(c + d*x^3)*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/(3*c^2*(b*c - a*d)*(a + b*x^3)^(1/3)*(c + d*x^3))

IntegrateAlgebraic [C] time = 2.67, size = 397, normalized size = 1.83

$$\frac{(-2\sqrt{3}ad - 2ad + 3\sqrt{3}bc + 3bc) \log \left(2x\sqrt[3]{bc-ad} + (1 + i\sqrt{3})\sqrt[3]{c}\sqrt[3]{a+bx^3} \right)}{18c^{5/3}(bc-ad)^{4/3}} + \frac{(2i\sqrt{3}ad - 6ad - 3i\sqrt{3}bc + 9bc) \tanh^{-1} \left(\frac{a\sqrt[3]{bc-ad} + (i\sqrt{3}-1)\sqrt[3]{c}\sqrt[3]{a+bx^3}}{\sqrt{3}\sqrt[3]{bc-ad}} \right)}{18c^{5/3}(bc-ad)^{4/3}} + \frac{(2i\sqrt{3}ad + 2ad - 3i\sqrt{3}bc - 3bc) \log \left((\sqrt{3}+i)^{2/3} (a+bx^3)^{2/3} + \sqrt[3]{c}(-\sqrt{3}x+ix)\sqrt[3]{a+bx^3}\sqrt[3]{bc-ad} - 2ix^2(bc-ad)^{2/3} \right)}{36c^{5/3}(bc-ad)^{4/3}} - \frac{dx(a+bx^3)^{2/3}}{3c(c+dx^3)(bc-ad)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^3)^(1/3)*(c + d*x^3)^2),x]

[Out]
$$-1/3*(d*x*(a + b*x^3)^{(2/3)})/(c*(b*c - a*d)*(c + d*x^3)) + ((9*b*c - (3*I)*\sqrt{3}*b*c - 6*a*d + (2*I)*\sqrt{3}*a*d)*\text{ArcTanh}[(I*(b*c - a*d)^{(1/3)}*x + (-I + \sqrt{3})*c^{(1/3)}*(a + b*x^3)^{(1/3)})/(\sqrt{3}*(b*c - a*d)^{(1/3)}*x)])/(18*c^{(5/3)}*(b*c - a*d)^{(4/3)}) + ((3*b*c + (3*I)*\sqrt{3}*b*c - 2*a*d - (2*I)*\sqrt{3}*a*d)*\text{Log}[2*(b*c - a*d)^{(1/3)}*x + (1 + I*\sqrt{3})*c^{(1/3)}*(a + b*x^3)^{(1/3)}])/(18*c^{(5/3)}*(b*c - a*d)^{(4/3)}) + ((-3*b*c - (3*I)*\sqrt{3}*b*c + 2*a*d + (2*I)*\sqrt{3}*a*d)*\text{Log}[(-2*I)*(b*c - a*d)^{(2/3)}*x^2 + c^{(1/3)}*(b*c - a*d)^{(1/3)}*(I*x - \sqrt{3}*x)*(a + b*x^3)^{(1/3)} + (I + \sqrt{3})*c^{(2/3)}*(a + b*x^3)^{(2/3)}])/(36*c^{(5/3)}*(b*c - a*d)^{(4/3)})$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(1/3)/(d*x^3+c)^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{1}{3}}(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(1/3)/(d*x^3+c)^2,x, algorithm="giac")

[Out] integrate(1/((b*x^3 + a)^(1/3)*(d*x^3 + c)^2), x)

maple [F] time = 0.56, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{1}{3}}(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^3+a)^(1/3)/(d*x^3+c)^2,x)

[Out] int(1/(b*x^3+a)^(1/3)/(d*x^3+c)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{1}{3}}(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(1/3)/(d*x^3+c)^2,x, algorithm="maxima")

[Out] integrate(1/((b*x^3 + a)^(1/3)*(d*x^3 + c)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(bx^3 + a)^{1/3}(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^3)^(1/3)*(c + d*x^3)^2), x)

[Out] int(1/((a + b*x^3)^(1/3)*(c + d*x^3)^2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt[3]{a + bx^3} (c + dx^3)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**3+a)**(1/3)/(d*x**3+c)**2,x)

[Out] Integral(1/((a + b*x**3)**(1/3)*(c + d*x**3)**2), x)

$$3.72 \quad \int \frac{1}{(a+bx^3)^{4/3}(c+dx^3)^2} dx$$

Optimal. Leaf size=261

$$\frac{d(3bc - ad) \log(c + dx^3)}{9c^{5/3}(bc - ad)^{7/3}} + \frac{d(3bc - ad) \log\left(\frac{x \sqrt[3]{bc-ad}}{\sqrt[3]{c}} - \sqrt[3]{a + bx^3}\right)}{3c^{5/3}(bc - ad)^{7/3}} - \frac{2d(3bc - ad) \tan^{-1}\left(\frac{\frac{2x \sqrt[3]{bc-ad}}{\sqrt[3]{c}} + 1}{\sqrt[3]{a + bx^3}}\right)}{3\sqrt{3} c^{5/3}(bc - ad)^{7/3}} + \frac{bx(a + dx^3)}{3ac \sqrt[3]{a + dx^3}}$$

Rubi [C] time = 1.93, antiderivative size = 625, normalized size of antiderivative = 2.39, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {430, 429}

$$\frac{c(a+bx^3)^{2/3} \left(\frac{180d^2(b^2c^2 - a^2d^2) \sqrt[3]{c} \sqrt[3]{a+bx^3}}{c^2(b^2c^2 - a^2d^2)} - \frac{180d^2(b^2c^2 - a^2d^2) \sqrt[3]{c} \sqrt[3]{a+bx^3}}{c^2(b^2c^2 - a^2d^2)} - \frac{180d^2(b^2c^2 - a^2d^2) \sqrt[3]{c} \sqrt[3]{a+bx^3}}{c^2(b^2c^2 - a^2d^2)} + \frac{2520d^2(b^2c^2 - a^2d^2) \sqrt[3]{c} \sqrt[3]{a+bx^3}}{c^2(b^2c^2 - a^2d^2)} - \frac{6300d^2(b^2c^2 - a^2d^2) \sqrt[3]{c} \sqrt[3]{a+bx^3}}{c^2(b^2c^2 - a^2d^2)} - \frac{13720d^2(b^2c^2 - a^2d^2) \sqrt[3]{c} \sqrt[3]{a+bx^3}}{c^2(b^2c^2 - a^2d^2)} + \frac{17280d^2(b^2c^2 - a^2d^2) \sqrt[3]{c} \sqrt[3]{a+bx^3}}{c^2(b^2c^2 - a^2d^2)} + \frac{2280d^2(b^2c^2 - a^2d^2) \sqrt[3]{c} \sqrt[3]{a+bx^3}}{c^2(b^2c^2 - a^2d^2)} - 6860d^2 \sqrt[3]{c} \sqrt[3]{a+bx^3} - \frac{5320d^2(b^2c^2 - a^2d^2) \sqrt[3]{c} \sqrt[3]{a+bx^3}}{c^2(b^2c^2 - a^2d^2)} + \frac{5320d^2(b^2c^2 - a^2d^2) \sqrt[3]{c} \sqrt[3]{a+bx^3}}{c^2(b^2c^2 - a^2d^2)} + \frac{17280d^2(b^2c^2 - a^2d^2) \sqrt[3]{c} \sqrt[3]{a+bx^3}}{c^2(b^2c^2 - a^2d^2)} + 6860d^2 \sqrt[3]{c} \sqrt[3]{a+bx^3} \right)}{420b^2(c+dx^3)^2(bc-ad)^2}$$

Warning: Unable to verify antiderivative.

[In] Int[1/((a + b*x^3)^(4/3)*(c + d*x^3)^2),x]

[Out] $-(c*(a + b*x^3)^{(2/3)}*(6860 + (13720*d*x^3)/c + (6300*d^2*x^6)/c^2 - (525*(b*c - a*d)*x^3)/(c*(a + b*x^3)) - (1890*d*(b*c - a*d)*x^6)/(c^2*(a + b*x^3)) - (945*d^2*(b*c - a*d)*x^9)/(c^3*(a + b*x^3)) - 6860*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - (13720*d*x^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/c - (6300*d^2*x^6*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/c^2 + (2240*(b*c - a*d)*x^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/c + (5320*d*(b*c - a*d)*x^6*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/c^2 + (2520*d^2*(b*c - a*d)*x^9*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/c^3 - (54*(b*c - a*d)^3*x^9*HypergeometricPFQ[{2, 2, 7/3}, {1, 13/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/c^3 - (108*d*(b*c - a*d)^3*x^12*HypergeometricPFQ[{2, 2, 7/3}, {1, 13/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/c^4 - (54*d^2*(b*c - a*d)^3*x^15*HypergeometricPFQ[{2, 2, 7/3}, {1, 13/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/c^5 + (a + b*x^3)^3)/(420*(b*c - a*d)^2*x^5*(c + d*x^3))$

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```


Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
  Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q},
  x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rubi steps

$$\int \frac{1}{(a + bx^3)^{4/3} (c + dx^3)^2} dx = \frac{\sqrt[3]{1 + \frac{bx^3}{a}} \int \frac{1}{\left(1 + \frac{bx^3}{a}\right)^{4/3} (c + dx^3)^2} dx}{a \sqrt[3]{a + bx^3}}$$

$$= - \frac{c(a + bx^3)^{2/3} \left(6860 + \frac{13720dx^3}{c} + \frac{6300d^2x^6}{c^2} - \frac{525(bc-ad)x^3}{c(a+bx^3)} - \frac{1890d(bc-ad)x^6}{c^2(a+bx^3)} - \frac{945d^2(bc-ad)x^9}{c^3(a+bx^3)} \right)}{420b^3(c + dx^3)(bc - ad)^2}$$

Mathematica [C] time = 2.03, size = 625, normalized size = 2.39

$$\frac{c(a+bx^3)^{2/3} \left(\frac{6860c^2(a+bx^3)^{2/3}}{c^2(a+bx^3)} + \frac{13720cdx^3(a+bx^3)^{2/3}}{c^2(a+bx^3)} + \frac{6300d^2x^6(a+bx^3)^{2/3}}{c^2(a+bx^3)} - \frac{525(bc-ad)x^3(a+bx^3)^{2/3}}{c^2(a+bx^3)} - \frac{1890d(bc-ad)x^6(a+bx^3)^{2/3}}{c^2(a+bx^3)} - \frac{945d^2(bc-ad)x^9(a+bx^3)^{2/3}}{c^2(a+bx^3)} \right)}{420b^3(c+dx^3)(bc-ad)^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*x^3)^(4/3)*(c + d*x^3)^2), x]

[Out] (c*(a + b*x^3)^(2/3)*(-6860 - (13720*d*x^3)/c - (6300*d^2*x^6)/c^2 + (525*(b*c - a*d)*x^3)/(c*(a + b*x^3)) + (1890*d*(b*c - a*d)*x^6)/(c^2*(a + b*x^3)) + (945*d^2*(b*c - a*d)*x^9)/(c^3*(a + b*x^3)) + 6860*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + (13720*d*x^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/c + (6300*d^2*x^6*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/c^2 - (2240*(b*c - a*d)*x^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/c^2 + (5320*d*(-(b*c) + a*d)*x^6*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/c^2*(a + b*x^3) + (2520*d^2*(-(b*c) + a*d)*x^9*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/c^3*(a + b*x^3) + (54*(b*c - a*d)^3*x^9*HypergeometricPFQ[{2, 2, 7/3}, {1, 13/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/c^3*(a + b*x^3)^3 + (108*d*(b*c - a*d)^3*x^12*HypergeometricPFQ[{2, 2, 7/3}, {1, 13/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/c^4*(a + b*x^3)^3 + (54*d^2*(b*c - a*d)^3

$x^{15} \text{HypergeometricPFQ}[\{2, 2, 7/3\}, \{1, 13/3\}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))]/(c^5*(a + b*x^3)^3)/(420*(b*c - a*d)^2*x^5*(c + d*x^3))$

IntegrateAlgebraic [C] time = 4.08, size = 452, normalized size = 1.73

$$\frac{\rho^2 d^2 c + a b \rho^2 c^4 + 3 \rho^2 c^2 x + 3 \rho^2 c d x^4}{3 a c \sqrt{a + b x^3} (c + d x^3) (a d - b c)^2} + \frac{(i \sqrt{3} a d^2 + a d^2 - 3 i \sqrt{3} b c d - 3 b c d) \log \left(2 i \sqrt{b c - a d} + (1 + i \sqrt{3}) \sqrt[3]{c \sqrt{a + b x^3}} \right)}{9 c^{5/3} (b c - a d)^{2/3}} + \frac{(-i \sqrt{3} a d^2 + 3 a d^2 + 3 i \sqrt{3} b c d - 9 b c d) \operatorname{tanh}^{-1} \left(\frac{i \sqrt{3} b c - a d + (i \sqrt{3} - 1) \sqrt[3]{c \sqrt{a + b x^3}}}{\sqrt{3 + 2 i \sqrt{3} a d}} \right)}{9 c^{5/3} (b c - a d)^{2/3}} + \frac{(-i \sqrt{3} a d^2 - a d^2 + 3 i \sqrt{3} b c d + 3 b c d) \log \left((\sqrt{3} + i) c^{2/3} (a + b x^3)^{2/3} + \sqrt[3]{c} (-\sqrt{3} x + i) \sqrt{a + b x^3} \sqrt{b c - a d} - 2 i c^2 (b c - a d)^{2/3} \right)}{18 c^{5/3} (b c - a d)^{2/3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^3)^(4/3)*(c + d*x^3)^2),x]

[Out] $(3*b^2*c^2*x + a^2*d^2*x + 3*b^2*c*d*x^4 + a*b*d^2*x^4)/(3*a*c*(-(b*c) + a*d)^2*(a + b*x^3)^{(1/3)}*(c + d*x^3)) + ((-9*b*c*d + (3*I)*\text{Sqrt}[3]*b*c*d + 3*a*d^2 - I*\text{Sqrt}[3]*a*d^2)*\text{ArcTanh}[(I*(b*c - a*d)^{(1/3)}*x + (-I + \text{Sqrt}[3])*c^{(1/3)}*(a + b*x^3)^{(1/3)})/(\text{Sqrt}[3]*(b*c - a*d)^{(1/3)}*x)]/(9*c^{(5/3)}*(b*c - a*d)^{(7/3)}) + ((-3*b*c*d - (3*I)*\text{Sqrt}[3]*b*c*d + a*d^2 + I*\text{Sqrt}[3]*a*d^2)*\text{Log}[2*(b*c - a*d)^{(1/3)}*x + (1 + I*\text{Sqrt}[3])*c^{(1/3)}*(a + b*x^3)^{(1/3)}]/(9*c^{(5/3)}*(b*c - a*d)^{(7/3)}) + ((3*b*c*d + (3*I)*\text{Sqrt}[3]*b*c*d - a*d^2 - I*\text{Sqrt}[3]*a*d^2)*\text{Log}[(-2*I)*(b*c - a*d)^{(2/3)}*x^2 + c^{(1/3)}*(b*c - a*d)^{(1/3)}*(I*x - \text{Sqrt}[3]*x)*(a + b*x^3)^{(1/3)} + (I + \text{Sqrt}[3])*c^{(2/3)}*(a + b*x^3)^{(2/3)}]/(18*c^{(5/3)}*(b*c - a*d)^{(7/3)})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(4/3)/(d*x^3+c)^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{4}{3}} (dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(4/3)/(d*x^3+c)^2,x, algorithm="giac")

[Out] integrate(1/((b*x^3 + a)^(4/3)*(d*x^3 + c)^2), x)

maple [F] time = 0.60, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{4}{3}} (dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(b*x^3+a)^(4/3)/(d*x^3+c)^2,x)`

[Out] `int(1/(b*x^3+a)^(4/3)/(d*x^3+c)^2,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{4}{3}}(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x^3+a)^(4/3)/(d*x^3+c)^2,x, algorithm="maxima")`

[Out] `integrate(1/((b*x^3 + a)^(4/3)*(d*x^3 + c)^2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{4}{3}}(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b*x^3)^(4/3)*(c + d*x^3)^2),x)`

[Out] `int(1/((a + b*x^3)^(4/3)*(c + d*x^3)^2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^3)^{\frac{4}{3}}(c + dx^3)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x**3+a)**(4/3)/(d*x**3+c)**2,x)`

[Out] `Integral(1/((a + b*x**3)**(4/3)*(c + d*x**3)**2), x)`

$$3.73 \quad \int \frac{1}{(a+bx^3)^{7/3}(c+dx^3)^2} dx$$

Optimal. Leaf size=324

$$\frac{bx(-4a^2d^2 - 33abcd + 9b^2c^2)}{12a^2c^3\sqrt[3]{a+bx^3}(bc-ad)^3} + \frac{d^2(9bc-2ad)\log(c+dx^3)}{18c^{5/3}(bc-ad)^{10/3}} - \frac{d^2(9bc-2ad)\log\left(\frac{x\sqrt[3]{bc-ad}}{\sqrt[3]{c}} - \sqrt[3]{a+bx^3}\right)}{6c^{5/3}(bc-ad)^{10/3}} + \frac{d^2(9bc-2ad)}{3\sqrt[3]{a+bx^3}}$$

Rubi [C] time = 5.69, antiderivative size = 1214, normalized size of antiderivative = 3.75, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {430, 429}

Warning: Unable to verify antiderivative.

[In] Int[1/((a + b*x^3)^(7/3)*(c + d*x^3)^2), x]

[Out] (26130*c^5*(b*c - a*d)^2*x^6*(a + b*x^3)^2 + 89505*c^4*d*(b*c - a*d)^2*x^9*(a + b*x^3)^2 + 84240*c^3*d^2*(b*c - a*d)^2*x^12*(a + b*x^3)^2 + 26325*c^2*d^3*(b*c - a*d)^2*x^15*(a + b*x^3)^2 + 748020*c^6*(b*c - a*d)*x^3*(a + b*x^3)^3 + 2113020*c^5*d*(b*c - a*d)*x^6*(a + b*x^3)^3 + 1916460*c^4*d^2*(b*c - a*d)*x^9*(a + b*x^3)^3 + 589680*c^3*d^3*(b*c - a*d)*x^12*(a + b*x^3)^3 - 2002000*c^7*(a + b*x^3)^4 - 5460000*c^6*d*x^3*(a + b*x^3)^4 - 4914000*c^5*d^2*x^6*(a + b*x^3)^4 - 1506960*c^4*d^3*x^9*(a + b*x^3)^4 - 1248520*c^6*(b*c - a*d)*x^3*(a + b*x^3)^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 3478020*c^5*d*(b*c - a*d)*x^6*(a + b*x^3)^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 3144960*c^4*d^2*(b*c - a*d)*x^9*(a + b*x^3)^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 966420*c^3*d^3*(b*c - a*d)*x^12*(a + b*x^3)^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 2002000*c^7*(a + b*x^3)^4*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 5460000*c^6*d*x^3*(a + b*x^3)^4*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 4914000*c^5*d^2*x^6*(a + b*x^3)^4*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 1506960*c^4*d^3*x^9*(a + b*x^3)^4*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 7938*c^3*(b*c - a*d)^4*x^12*HypergeometricPFQ[{2, 2, 10/3}, {1, 16/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 22680*c^2*d*(b*c - a*d)^4*x^15*HypergeometricPFQ[{2, 2, 10/3}, {1, 16/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 21546*c*d^2*(b*c - a*d)^4*x^18*HypergeometricPFQ[{2, 2, 10/3}, {1, 16/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 6804*d^3*(b*c - a*d)^4*x^21*Hypergeomet

ricPFQ[{2, 2, 10/3}, {1, 16/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 1134*c^3*(b*c - a*d)^4*x^12*HypergeometricPFQ[{2, 2, 2, 10/3}, {1, 1, 16/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 3402*c^2*d*(b*c - a*d)^4*x^15*HypergeometricPFQ[{2, 2, 2, 10/3}, {1, 1, 16/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 3402*c*d^2*(b*c - a*d)^4*x^18*HypergeometricPFQ[{2, 2, 2, 10/3}, {1, 1, 16/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 1134*d^3*(b*c - a*d)^4*x^21*HypergeometricPFQ[{2, 2, 2, 10/3}, {1, 1, 16/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))]/(21840*c^5*(b*c - a*d)^3*x^8*(a + b*x^3)^(10/3)*(c + d*x^3))

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
 :> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 430

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
 :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rubi steps

$$\int \frac{1}{(a + bx^3)^{7/3} (c + dx^3)^2} dx = \frac{\int \frac{1}{\left(1 + \frac{bx^3}{a}\right)^{7/3} (c + dx^3)^2} dx}{a^2 \sqrt[3]{a + bx^3}}$$

$$= \frac{26130c^5(bc - ad)^2x^6 (a + bx^3)^2 + 89505c^4d(bc - ad)^2x^9 (a + bx^3)^2 + 84240c^3d^2}{c^5(bc - ad)^{10/3}}$$

Mathematica [A] time = 5.94, size = 288, normalized size = 0.89

$$\frac{1}{36} \left(3x(a + bx^3)^{2/3} \left(\frac{3b^2(11ad - 3bc)}{a^2(a + bx^3)(ad - bc)^3} + \frac{3b^2}{a(a + bx^3)^2(bc - ad)^2} - \frac{4d^3}{c(c + dx^3)(bc - ad)^3} \right) + \frac{2d^2(9bc - 2ad) \left(\log \left(\frac{\sqrt[3]{c}x\sqrt[3]{bc - ad}}{\sqrt[3]{ax^3 + b}} + \frac{x^2(bc - ad)^{2/3}}{(ax^3 + b)^{2/3}} + c^{2/3} \right) - 2 \log \left(\sqrt[3]{c} - \frac{x\sqrt[3]{bc - ad}}{\sqrt[3]{ax^3 + b}} \right) + 2\sqrt{3} \tan^{-1} \left(\frac{2x\sqrt[3]{bc - ad}}{\sqrt[3]{c}\sqrt[3]{ax^3 + b}} + 1 \right) \right)}{c^{5/3}(bc - ad)^{10/3}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*x^3)^(7/3)*(c + d*x^3)^2), x]

[Out] $(3*x*(a + b*x^3)^{(2/3)}*((3*b^2)/(a*(b*c - a*d)^2*(a + b*x^3)^2) + (3*b^2*(-3*b*c + 11*a*d))/(a^2*(-(b*c) + a*d)^3*(a + b*x^3)) - (4*d^3)/(c*(b*c - a*d)^3*(c + d*x^3))) + (2*d^2*(9*b*c - 2*a*d)*(2*\text{Sqrt}[3]*\text{ArcTan}[(1 + (2*(b*c - a*d)^{(1/3)}*x)/(c^{(1/3)}*(b + a*x^3)^{(1/3)}))/\text{Sqrt}[3]] - 2*\text{Log}[c^{(1/3)} - ((b*c - a*d)^{(1/3)}*x)/(b + a*x^3)^{(1/3)}] + \text{Log}[c^{(2/3)} + ((b*c - a*d)^{(2/3)}*x^2)/(b + a*x^3)^{(2/3)} + (c^{(1/3)}*(b*c - a*d)^{(1/3)}*x)/(b + a*x^3)^{(1/3)}]))/(c^{(5/3)}*(b*c - a*d)^{(10/3)})/36$

IntegrateAlgebraic [C] time = 9.70, size = 551, normalized size = 1.70

$\frac{4d^3c^2 + 36b^2cd^2 + 36a^2b^2c^2d + 36a^2b^2c^2d^2 - 12ab^2c^2d^2 - 12ab^2c^2d^2 + 21ab^2c^2d^2 + 33ab^2c^2d^2 - 9a^2c^2d^2 - 9a^2c^2d^2}{12a^2(c + d)^3(c + d)^3(a^2 - b^2)}$, $\frac{(-2\sqrt{3}ad^2 - 2a^2 + 9\sqrt{3}bd^2 + 9bd^2)\log\left(\frac{2\sqrt{3}c - ad}{(1 + \sqrt{3})\sqrt{c + d}}\right)}{36^{1/3}(c - ad)^{10/3}}$, $\frac{(2\sqrt{3}ad^2 - 6a^2 - 9\sqrt{3}bd^2 + 27bd^2)\text{atanh}\left(\frac{\sqrt{3}c + d\sqrt{c + d}}{d\sqrt{3}c + ad}\right)}{36^{1/3}(c - ad)^{10/3}}$, $\frac{(2\sqrt{3}ad^2 + 2a^2 - 9\sqrt{3}bd^2 - 9bd^2)\log\left(\sqrt{3} + \sqrt{3} + \sqrt{3}(c + d)^{1/3} + \sqrt{3}(-\sqrt{3} + d)\sqrt{c + d}\sqrt{c - ad}\right)}{36^{1/3}(c - ad)^{10/3}}$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^3)^(7/3)*(c + d*x^3)^2), x]

[Out] $(-12*a*b^3*c^3*x + 36*a^2*b^2*c^2*d*x + 4*a^4*d^3*x - 9*b^4*c^3*x^4 + 21*a*b^3*c^2*d*x^4 + 36*a^2*b^2*c*d^2*x^4 + 8*a^3*b*d^3*x^4 - 9*b^4*c^2*d*x^7 + 33*a*b^3*c*d^2*x^7 + 4*a^2*b^2*d^3*x^7)/(12*a^2*c*(-(b*c) + a*d)^3*(a + b*x^3)^{(4/3)}*(c + d*x^3)) + ((27*b*c*d^2 - (9*I)*\text{Sqrt}[3]*b*c*d^2 - 6*a*d^3 + (2*I)*\text{Sqrt}[3]*a*d^3)*\text{ArcTanh}[(I*(b*c - a*d)^{(1/3)}*x + (-I + \text{Sqrt}[3])*c^{(1/3)}*(a + b*x^3)^{(1/3)})/(\text{Sqrt}[3]*(b*c - a*d)^{(1/3)}*x)]/(18*c^{(5/3)}*(b*c - a*d)^{(10/3)}) + ((9*b*c*d^2 + (9*I)*\text{Sqrt}[3]*b*c*d^2 - 2*a*d^3 - (2*I)*\text{Sqrt}[3]*a*d^3)*\text{Log}[2*(b*c - a*d)^{(1/3)}*x + (1 + I*\text{Sqrt}[3])*c^{(1/3)}*(a + b*x^3)^{(1/3)}]/(18*c^{(5/3)}*(b*c - a*d)^{(10/3)}) + ((-9*b*c*d^2 - (9*I)*\text{Sqrt}[3]*b*c*d^2 + 2*a*d^3 + (2*I)*\text{Sqrt}[3]*a*d^3)*\text{Log}[(-2*I)*(b*c - a*d)^{(2/3)}*x^2 + c^{(1/3)}*(b*c - a*d)^{(1/3)}*(I*x - \text{Sqrt}[3]*x)*(a + b*x^3)^{(1/3)} + (I + \text{Sqrt}[3])*c^{(2/3)}*(a + b*x^3)^{(2/3)}]/(36*c^{(5/3)}*(b*c - a*d)^{(10/3)})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(7/3)/(d*x^3+c)^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{7}{3}}(dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(7/3)/(d*x^3+c)^2,x, algorithm="giac")

[Out] integrate(1/((b*x^3 + a)^(7/3)*(d*x^3 + c)^2), x)

maple [F] time = 0.59, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{7}{3}} (dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^3+a)^(7/3)/(d*x^3+c)^2,x)

[Out] int(1/(b*x^3+a)^(7/3)/(d*x^3+c)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{7}{3}} (dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(7/3)/(d*x^3+c)^2,x, algorithm="maxima")

[Out] integrate(1/((b*x^3 + a)^(7/3)*(d*x^3 + c)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{7}{3}} (dx^3 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^3)^(7/3)*(c + d*x^3)^2),x)

[Out] int(1/((a + b*x^3)^(7/3)*(c + d*x^3)^2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^3)^{\frac{7}{3}} (c + dx^3)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**3+a)**(7/3)/(d*x**3+c)**2,x)

[Out] Integral(1/((a + b*x**3)**(7/3)*(c + d*x**3)**2), x)

$$3.74 \quad \int \frac{(a+bx^3)^{14/3}}{(c+dx^3)^3} dx$$

Optimal. Leaf size=541

$$\frac{bx(a+bx^3)^{2/3}(2bc-ad)(-5a^2d^2-18abcd+18b^2c^2)}{18c^2d^4} + \frac{bx(a+bx^3)^{5/3}(-5a^2d^2-10abcd+18b^2c^2)}{18c^2d^3} - \frac{(bc-ad)^8}{18c^2d^4}$$

Rubi [C] time = 0.03, antiderivative size = 62, normalized size of antiderivative = 0.11, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {430, 429}

$$\frac{a^4x(a+bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{14}{3}, 3; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c^3\left(\frac{bx^3}{a} + 1\right)^{2/3}}$$

Warning: Unable to verify antiderivative.

[In] Int[(a + b*x^3)^(14/3)/(c + d*x^3)^3,x]

[Out] (a^4*x*(a + b*x^3)^(2/3)*AppellF1[1/3, -14/3, 3, 4/3, -(b*x^3)/a, -((d*x^3)/c)]/(c^3*(1 + (b*x^3)/a)^(2/3))

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -(b*x^n)/a, -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430


```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q},
x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rubi steps

$$\int \frac{(a + bx^3)^{14/3}}{(c + dx^3)^3} dx = \frac{\left(a^4 (a + bx^3)^{2/3}\right) \int \frac{\left(1 + \frac{bx^3}{a}\right)^{14/3}}{(c + dx^3)^3} dx}{\left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

$$= \frac{a^4 x (a + bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{14}{3}, 3; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c^3 \left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

Mathematica [C] time = 2.34, size = 1171, normalized size = 2.16



Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^3)^(14/3)/(c + d*x^3)^3,x]

[Out] ((6*x*(a + b*x^3)^(2/3)*(-2*b^3*(9*b*c - 13*a*d) + 3*b^4*d*x^3 + (3*(b*c - a*d)^4)/(c*(c + d*x^3)^2) - ((b*c - a*d)^3*(21*b*c + 5*a*d))/(c^2*(c + d*x^3))))/d^4 + (162*b^5*c*x^4*(1 + (b*x^3)/a)^(1/3)*AppellF1[4/3, 1/3, 1, 7/3, -((b*x^3)/a), -((d*x^3)/c)]/(d^4*(a + b*x^3)^(1/3)) - (378*a*b^4*x^4*(1 + (b*x^3)/a)^(1/3)*AppellF1[4/3, 1/3, 1, 7/3, -((b*x^3)/a), -((d*x^3)/c)]/(d^3*(a + b*x^3)^(1/3)) + (231*a^2*b^3*x^4*(1 + (b*x^3)/a)^(1/3)*AppellF1[4/3, 1/3, 1, 7/3, -((b*x^3)/a), -((d*x^3)/c)]/(c*d^2*(a + b*x^3)^(1/3)) + (10*a^5*(2*Sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3))])/Sqrt[3] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)]))/(c^(8/3)*(b*c - a*d)^(1/3)) + (36*a*b^4*c^(4/3)*(2*Sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3))])/Sqrt[3] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)]))/(d^4*(b*c - a*d)^(1/3)) - (72*a^2*b^3*c^(1/3)*(2*Sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3))])/Sqrt[3] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)]))/(d^3*(b*c - a*d)^(1/3)) + (30*a^3*b^2*(2*Sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3))])/Sqrt[3] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)]))/(c^(2/3)*d^2*(b*c - a*d)^(1/3)) + (6*a^4*b*(2*Sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3))])/Sqrt[3] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)]))/(c^(1/3)*(b + a*x^3)^(1/3))

) / Sqrt[3]] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3))]/(c^(5/3)*d*(b*c - a*d)^(1/3))/108

IntegrateAlgebraic [C] time = 102.41, size = 1081, normalized size = 2.00

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^3)^(14/3)/(c + d*x^3)^3,x]

[Out] ((a + b*x^3)^(2/3)*(-36*b^4*c^5*x + 72*a*b^3*c^4*d*x - 30*a^2*b^2*c^3*d^2*x - 6*a^3*b*c^2*d^3*x + 8*a^4*c*d^4*x - 54*b^4*c^4*d*x^4 + 110*a*b^3*c^3*d^2*x^4 - 48*a^2*b^2*c^2*d^3*x^4 + 6*a^3*b*c*d^4*x^4 + 5*a^4*d^5*x^4 - 12*b^4*c^3*d^2*x^7 + 26*a*b^3*c^2*d^3*x^7 + 3*b^4*c^2*d^3*x^10))/(18*c^2*d^4*(c + d*x^3)^2) + ((54*b^(14/3)*c^2 - 126*a*b^(11/3)*c*d + 77*a^2*b^(8/3)*d^2)*ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))]/(9*Sqrt[3]*d^5) + ((I/54)*((162*I)*b^2*c^2*(b*c - a*d)^(8/3) + 54*Sqrt[3]*b^2*c^2*(b*c - a*d)^(8/3) + (54*I)*a*b*c*d*(b*c - a*d)^(8/3) + 18*Sqrt[3]*a*b*c*d*(b*c - a*d)^(8/3) + (15*I)*a^2*d^2*(b*c - a*d)^(8/3) + 5*Sqrt[3]*a^2*d^2*(b*c - a*d)^(8/3))*ArcTanh[(I*(b*c - a*d)^(1/3)*x + (-I + Sqrt[3])*c^(1/3)*(a + b*x^3)^(1/3))/(Sqrt[3]*(b*c - a*d)^(1/3)*x)]/(c^(8/3)*d^5) + ((-54*b^(14/3)*c^2 + 126*a*b^(11/3)*c*d - 77*a^2*b^(8/3)*d^2)*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)]/(27*d^5) - ((I/54)*((-54*I)*b^2*c^2*(b*c - a*d)^(8/3) + 54*Sqrt[3]*b^2*c^2*(b*c - a*d)^(8/3) - (18*I)*a*b*c*d*(b*c - a*d)^(8/3) + 18*Sqrt[3]*a*b*c*d*(b*c - a*d)^(8/3) - (5*I)*a^2*d^2*(b*c - a*d)^(8/3) + 5*Sqrt[3]*a^2*d^2*(b*c - a*d)^(8/3))*Log[2*(b*c - a*d)^(1/3)*x + (1 + I*Sqrt[3])*c^(1/3)*(a + b*x^3)^(1/3)]/(c^(8/3)*d^5) + ((54*b^(14/3)*c^2 - 126*a*b^(11/3)*c*d + 77*a^2*b^(8/3)*d^2)*Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)]/(54*d^5) + ((54*b^2*c^2*(b*c - a*d)^(8/3) + (54*I)*Sqrt[3]*b^2*c^2*(b*c - a*d)^(8/3) + 18*a*b*c*d*(b*c - a*d)^(8/3) + (18*I)*Sqrt[3]*a*b*c*d*(b*c - a*d)^(8/3) + 5*a^2*d^2*(b*c - a*d)^(8/3) + (5*I)*Sqrt[3]*a^2*d^2*(b*c - a*d)^(8/3))*Log[(-2*I)*(b*c - a*d)^(2/3)*x^2 + c^(1/3)*(b*c - a*d)^(1/3)*(I*x - Sqrt[3]*x)*(a + b*x^3)^(1/3) + (I + Sqrt[3])*c^(2/3)*(a + b*x^3)^(2/3)]/(108*c^(8/3)*d^5)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(14/3)/(d*x^3+c)^3,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{14}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(14/3)/(d*x^3+c)^3,x, algorithm="giac")

[Out] integrate((b*x^3 + a)^(14/3)/(d*x^3 + c)^3, x)

maple [F] time = 0.40, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{14}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(14/3)/(d*x^3+c)^3,x)

[Out] int((b*x^3+a)^(14/3)/(d*x^3+c)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{14}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(14/3)/(d*x^3+c)^3,x, algorithm="maxima")

[Out] integrate((b*x^3 + a)^(14/3)/(d*x^3 + c)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{\frac{14}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(14/3)/(c + d*x^3)^3,x)

```
[Out] int((a + b*x^3)^(14/3)/(c + d*x^3)^3, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**3+a)**(14/3)/(d*x**3+c)**3,x)
```

```
[Out] Timed out
```

$$3.75 \quad \int \frac{(a+bx^3)^{11/3}}{(c+dx^3)^3} dx$$

Optimal. Leaf size=458

$$\frac{bx(a+bx^3)^{2/3}(-5a^2d^2-7abcd+18b^2c^2)}{18c^2d^3} + \frac{(bc-ad)^{5/3}(5a^2d^2+12abcd+27b^2c^2)\log(c+dx^3)}{54c^{8/3}d^4} - \frac{(bc-ad)^{5/3}}{54c^{8/3}d^4}$$

Rubi [C] time = 0.03, antiderivative size = 62, normalized size of antiderivative = 0.14, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {430, 429}

$$\frac{a^3x(a+bx^3)^{2/3}F_1\left(\frac{1}{3}; -\frac{11}{3}, 3; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c^3\left(\frac{bx^3}{a}+1\right)^{2/3}}$$

Warning: Unable to verify antiderivative.

[In] Int[(a + b*x^3)^(11/3)/(c + d*x^3)^3,x]

[Out] (a^3*x*(a + b*x^3)^(2/3)*AppellF1[1/3, -11/3, 3, 4/3, -((b*x^3)/a), -((d*x^3)/c)]/(c^3*(1 + (b*x^3)/a)^(2/3))

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x] /; FreeQ[{a, b, c, d, n, p, q}
, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rubi steps

$$\int \frac{(a + bx^3)^{11/3}}{(c + dx^3)^3} dx = \frac{\left(a^3 (a + bx^3)^{2/3}\right) \int \frac{\left(1 + \frac{bx^3}{a}\right)^{11/3}}{(c+dx^3)^3} dx}{\left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

$$= \frac{a^3 x (a + bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{11}{3}, 3; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c^3 \left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

Mathematica [C] time = 1.84, size = 908, normalized size = 1.98

$$\frac{\left(\frac{5 \sqrt{3} \operatorname{arctan}\left(\frac{\sqrt{3} \sqrt{c + dx^3}}{a + bx^3}\right) - 2 \log\left(\frac{c + dx^3}{a + bx^3}\right) - \log\left(\frac{a + bx^3}{c + dx^3}\right)\right) \sqrt{c + dx^3} + \frac{5 \sqrt{3} \operatorname{arctan}\left(\frac{\sqrt{3} \sqrt{c + dx^3}}{a + bx^3}\right) - 2 \log\left(\frac{c + dx^3}{a + bx^3}\right) - \log\left(\frac{a + bx^3}{c + dx^3}\right)}{\sqrt{c + dx^3}}}{\sqrt{3} \sqrt{c + dx^3} \left(1 + \frac{bx^3}{a}\right)^{2/3}} + \frac{10 a^4 \sqrt{3} \operatorname{arctan}\left(\frac{\sqrt{3} \sqrt{c + dx^3}}{a + bx^3}\right) - 2 \log\left(\frac{c + dx^3}{a + bx^3}\right) - \log\left(\frac{a + bx^3}{c + dx^3}\right)}{\sqrt{3} \sqrt{c + dx^3} \left(1 + \frac{bx^3}{a}\right)^{2/3}}}{c^3 \left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^3)^(11/3)/(c + d*x^3)^3,x]

[Out] ((6*x*(a + b*x^3)^(2/3)*(6*b^3 - (3*(b*c - a*d)^3)/(c*(c + d*x^3)^2) + (5*(b*c - a*d)^2*(3*b*c + a*d))/(c^2*(c + d*x^3))))/d^3 - (81*b^4*x^4*(1 + (b*x^3)/a)^(1/3)*AppellF1[4/3, 1/3, 1, 7/3, -((b*x^3)/a), -((d*x^3)/c)]/(d^3*(a + b*x^3)^(1/3)) + (99*a*b^3*x^4*(1 + (b*x^3)/a)^(1/3)*AppellF1[4/3, 1/3, 1, 7/3, -((b*x^3)/a), -((d*x^3)/c)]/(c*d^2*(a + b*x^3)^(1/3)) + (10*a^4*(2*sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3))]/sqrt[3]] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)]))/(c^(8/3)*(b*c - a*d)^(1/3)) - (18*a*b^3*c^(1/3)*(2*sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3))]/sqrt[3]] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)]))/(d^3*(b*c - a*d)^(1/3)) + (16*a^2*b^2*(2*sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3))]/sqrt[3]] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)]))/(c^(2/3)*d^2*(b*c - a*d)^(1/3)) + (4*a^3*b*(2*sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3))]/sqrt[3]] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)]))/(c^(5/3)*d*(b*c - a*d)^(1/3))/108

IntegrateAlgebraic [C] time = 76.86, size = 970, normalized size = 2.12

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^3)^(11/3)/(c + d*x^3)^3,x]

[Out]
$$\begin{aligned} & ((a + b*x^3)^{(2/3)}*(18*b^3*c^4*x - 16*a*b^2*c^3*d*x - 4*a^2*b*c^2*d^2*x + 8 \\ & *a^3*c*d^3*x + 27*b^3*c^3*d*x^4 - 25*a*b^2*c^2*d^2*x^4 + 5*a^2*b*c*d^3*x^4 \\ & + 5*a^3*d^4*x^4 + 6*b^3*c^2*d^2*x^7))/(18*c^2*d^3*(c + d*x^3)^2) - ((9*b^(1 \\ & 1/3)*c - 11*a*b^(8/3)*d)*ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x \\ & ^3)^(1/3))]/(3*Sqrt[3]*d^4) + ((81*b^2*c^2*(b*c - a*d)^(5/3) - (27*I)*Sqrt \\ & [3]*b^2*c^2*(b*c - a*d)^(5/3) + 36*a*b*c*d*(b*c - a*d)^(5/3) - (12*I)*Sqrt[\\ & 3]*a*b*c*d*(b*c - a*d)^(5/3) + 15*a^2*d^2*(b*c - a*d)^(5/3) - (5*I)*Sqrt[3] \\ & *a^2*d^2*(b*c - a*d)^(5/3))*ArcTanh[(I*(b*c - a*d)^(1/3)*x + (-I + Sqrt[3]) \\ & *c^(1/3)*(a + b*x^3)^(1/3))/(Sqrt[3]*(b*c - a*d)^(1/3)*x)]/(54*c^(8/3)*d^4 \\ &) + ((9*b^(11/3)*c - 11*a*b^(8/3)*d)*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)] \\ & / (9*d^4) + ((27*b^2*c^2*(b*c - a*d)^(5/3) + (27*I)*Sqrt[3]*b^2*c^2*(b*c - a \\ & *d)^(5/3) + 12*a*b*c*d*(b*c - a*d)^(5/3) + (12*I)*Sqrt[3]*a*b*c*d*(b*c - a \\ & d)^(5/3) + 5*a^2*d^2*(b*c - a*d)^(5/3) + (5*I)*Sqrt[3]*a^2*d^2*(b*c - a*d)^(\\ & 5/3))*Log[2*(b*c - a*d)^(1/3)*x + (1 + I*Sqrt[3])*c^(1/3)*(a + b*x^3)^(1/3 \\ &)]/(54*c^(8/3)*d^4) + ((-9*b^(11/3)*c + 11*a*b^(8/3)*d)*Log[b^(2/3)*x^2 + \\ & b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)]/(18*d^4) - ((I/108)*((-27 \\ & *I)*b^2*c^2*(b*c - a*d)^(5/3) + 27*Sqrt[3]*b^2*c^2*(b*c - a*d)^(5/3) - (12* \\ & I)*a*b*c*d*(b*c - a*d)^(5/3) + 12*Sqrt[3]*a*b*c*d*(b*c - a*d)^(5/3) - (5*I) \\ & *a^2*d^2*(b*c - a*d)^(5/3) + 5*Sqrt[3]*a^2*d^2*(b*c - a*d)^(5/3))*Log[(-2*I \\ &)*(b*c - a*d)^(2/3)*x^2 + c^(1/3)*(b*c - a*d)^(1/3)*(I*x - Sqrt[3]*x)*(a + \\ & b*x^3)^(1/3) + (I + Sqrt[3])*c^(2/3)*(a + b*x^3)^(2/3)]/(c^(8/3)*d^4) \end{aligned}$$

fricas [B] time = 114.55, size = 1246, normalized size = 2.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(11/3)/(d*x^3+c)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/54*(2*\text{sqrt}(3)*(27*b^3*c^5 - 15*a*b^2*c^4*d - 7*a^2*b*c^3*d^2 - 5*a^3*c^2* \\ & d^3 + (27*b^3*c^3*d^2 - 15*a*b^2*c^2*d^3 - 7*a^2*b*c*d^4 - 5*a^3*d^5)*x^6 + \\ & 2*(27*b^3*c^4*d - 15*a*b^2*c^3*d^2 - 7*a^2*b*c^2*d^3 - 5*a^3*c*d^4)*x^3)*(\\ & (b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{(1/3)}*\arctan(-1/3*(\text{sqrt}(3)*(b*c - a*d) \\ & *x + 2*\text{sqrt}(3)*(b*x^3 + a)^(1/3))*c*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{(1 \\ & /3)})/((b*c - a*d)*x) + 6*\text{sqrt}(3)*(9*b^3*c^5 - 11*a*b^2*c^4*d + (9*b^3*c^3* \\ & d^2 - 11*a*b^2*c^2*d^3)*x^6 + 2*(9*b^3*c^4*d - 11*a*b^2*c^3*d^2)*x^3)*(-b^2 \\ &)^(1/3)*\arctan(-1/3*(\text{sqrt}(3)*b*x - 2*\text{sqrt}(3)*(b*x^3 + a)^(1/3))*(-b^2)^(1/3) \\ &)/(b*x) - 2*(27*b^3*c^5 - 15*a*b^2*c^4*d - 7*a^2*b*c^3*d^2 - 5*a^3*c^2*d^3 \\ & + (27*b^3*c^3*d^2 - 15*a*b^2*c^2*d^3 - 7*a^2*b*c*d^4 - 5*a^3*d^5)*x^6 + 2* \\ & (27*b^3*c^4*d - 15*a*b^2*c^3*d^2 - 7*a^2*b*c^2*d^3 - 5*a^3*c*d^4)*x^3)*((b^ \\ & 2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^{(1/3)}*\log((c*x*((b^2*c^2 - 2*a*b*c*d + a^ \\ & 2*d^2)/c^2)^{(2/3)} - (b*x^3 + a)^(1/3)*(b*c - a*d))/x) - 6*(9*b^3*c^5 - 11*a \end{aligned}$$

```

*b^2*c^4*d + (9*b^3*c^3*d^2 - 11*a*b^2*c^2*d^3)*x^6 + 2*(9*b^3*c^4*d - 11*a
*b^2*c^3*d^2)*x^3)*(-b^2)^(1/3)*log(-((-b^2)^(2/3)*x - (b*x^3 + a)^(1/3)*b)
/x) + 3*(9*b^3*c^5 - 11*a*b^2*c^4*d + (9*b^3*c^3*d^2 - 11*a*b^2*c^2*d^3)*x^
6 + 2*(9*b^3*c^4*d - 11*a*b^2*c^3*d^2)*x^3)*(-b^2)^(1/3)*log(-((-b^2)^(1/3)
*b*x^2 - (b*x^3 + a)^(1/3)*(-b^2)^(2/3)*x - (b*x^3 + a)^(2/3)*b)/x^2) + (27
*b^3*c^5 - 15*a*b^2*c^4*d - 7*a^2*b*c^3*d^2 - 5*a^3*c^2*d^3 + (27*b^3*c^3*d
^2 - 15*a*b^2*c^2*d^3 - 7*a^2*b*c*d^4 - 5*a^3*d^5)*x^6 + 2*(27*b^3*c^4*d -
15*a*b^2*c^3*d^2 - 7*a^2*b*c^2*d^3 - 5*a^3*c*d^4)*x^3)*((b^2*c^2 - 2*a*b*c*d
+ a^2*d^2)/c^2)^(1/3)*log(-((b*c - a*d)*x^2*((b^2*c^2 - 2*a*b*c*d + a^2*d^
2)/c^2)^(1/3) + (b*x^3 + a)^(1/3)*c*x*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2
)^(2/3) + (b*x^3 + a)^(2/3)*(b*c - a*d))/x^2) + 3*(6*b^3*c^2*d^3*x^7 + (27*
b^3*c^3*d^2 - 25*a*b^2*c^2*d^3 + 5*a^2*b*c*d^4 + 5*a^3*d^5)*x^4 + 2*(9*b^3*
c^4*d - 8*a*b^2*c^3*d^2 - 2*a^2*b*c^2*d^3 + 4*a^3*c*d^4)*x)*(b*x^3 + a)^(2/
3))/(c^2*d^6*x^6 + 2*c^3*d^5*x^3 + c^4*d^4)

```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{11}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^(11/3)/(d*x^3+c)^3,x, algorithm="giac")
```

```
[Out] integrate((b*x^3 + a)^(11/3)/(d*x^3 + c)^3, x)
```

maple [F] time = 0.41, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{11}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x^3+a)^(11/3)/(d*x^3+c)^3,x)
```

```
[Out] int((b*x^3+a)^(11/3)/(d*x^3+c)^3,x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{11}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(11/3)/(d*x^3+c)^3,x, algorithm="maxima")

[Out] integrate((b*x^3 + a)^(11/3)/(d*x^3 + c)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{11/3}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(11/3)/(c + d*x^3)^3,x)

[Out] int((a + b*x^3)^(11/3)/(c + d*x^3)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(11/3)/(d*x**3+c)**3,x)

[Out] Timed out

$$3.76 \quad \int \frac{(a+bx^3)^{8/3}}{(c+dx^3)^3} dx$$

Optimal. Leaf size=391

$$\frac{(bc-ad)^{2/3} (5a^2d^2 + 6abcd + 9b^2c^2) \log(c+dx^3)}{54c^{8/3}d^3} + \frac{(bc-ad)^{2/3} (5a^2d^2 + 6abcd + 9b^2c^2) \log\left(\frac{x\sqrt[3]{bc-ad}}{\sqrt[3]{c}} - \sqrt[3]{a+bx^3}\right)}{18c^{8/3}d^3}$$

Rubi [C] time = 0.03, antiderivative size = 62, normalized size of antiderivative = 0.16, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {430, 429}

$$\frac{a^2x(a+bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{8}{3}, 3; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c^3\left(\frac{bx^3}{a} + 1\right)^{2/3}}$$

Warning: Unable to verify antiderivative.

[In] Int[(a + b*x^3)^(8/3)/(c + d*x^3)^3,x]

[Out] (a^2*x*(a + b*x^3)^(2/3)*AppellF1[1/3, -8/3, 3, 4/3, -((b*x^3)/a), -((d*x^3)/c)]/(c^3*(1 + (b*x^3)/a)^(2/3))

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q},
x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rubi steps

$$\int \frac{(a + bx^3)^{8/3}}{(c + dx^3)^3} dx = \frac{\left(a^2 (a + bx^3)^{2/3}\right) \int \frac{\left(1 + \frac{bx^3}{a}\right)^{8/3}}{(c + dx^3)^3} dx}{\left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

$$= \frac{a^2 x (a + bx^3)^{2/3} F_1\left(\frac{1}{3}; -\frac{8}{3}, 3; \frac{4}{3}; -\frac{bx^3}{a}, -\frac{dx^3}{c}\right)}{c^3 \left(1 + \frac{bx^3}{a}\right)^{2/3}}$$

Mathematica [C] time = 1.16, size = 651, normalized size = 1.66

$$\frac{10 \sqrt[3]{\frac{3c}{\sqrt{3c-d}}} \sqrt[3]{\frac{d^2(b^2c^2 + a^2)}{(a^2 + d^2)^2}} - 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} + 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \tan^{-1}\left(\frac{2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}{\sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}\right)}{\sqrt[3]{c-d}} + \frac{2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \sqrt[3]{\frac{d^2(b^2c^2 + a^2)}{(a^2 + d^2)^2}} - 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} + 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \tan^{-1}\left(\frac{2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}{\sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}\right)}{\sqrt[3]{c-d}} + \frac{27 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \sqrt[3]{\frac{d^2(b^2c^2 + a^2)}{(a^2 + d^2)^2}} - 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} + 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \tan^{-1}\left(\frac{2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}{\sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}\right)}{108 \sqrt[3]{c-d}} + \frac{6 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \sqrt[3]{\frac{d^2(b^2c^2 + a^2)}{(a^2 + d^2)^2}} - 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} + 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \tan^{-1}\left(\frac{2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}{\sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}\right)}{\sqrt[3]{c-d}} + \frac{6 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \sqrt[3]{\frac{d^2(b^2c^2 + a^2)}{(a^2 + d^2)^2}} - 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} + 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \tan^{-1}\left(\frac{2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}{\sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}\right)}{\sqrt[3]{c-d}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^3)^(8/3)/(c + d*x^3)^3,x]

[Out] ((6*c^(2/3)*(-(b*c) + a*d)*x*(a + b*x^3)^(2/3)*(3*b*c*(2*c + 3*d*x^3) + a*d*(8*c + 5*d*x^3)))/(d^2*(c + d*x^3)^2) + (27*b^3*c^(5/3)*x^4*(1 + (b*x^3)/a)^(1/3)*AppellF1[4/3, 1/3, 1, 7/3, -(b*x^3)/a, -(d*x^3)/c])/(d^2*(a + b*x^3)^(1/3)) + (10*a^3*(2*sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3))])/sqrt[3]] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)])/(b*c - a*d)^(1/3) + (6*a*b^2*c^2*(2*sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3))])/sqrt[3]] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)])/(d^2*(b*c - a*d)^(1/3) + (2*a^2*b*c*(2*sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3))])/sqrt[3]] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)])/(d*(b*c - a*d)^(1/3))/(108*c^(8/3))

IntegrateAlgebraic [C] time = 28.13, size = 804, normalized size = 2.06

$$\frac{10 \sqrt[3]{\frac{3c}{\sqrt{3c-d}}} \sqrt[3]{\frac{d^2(b^2c^2 + a^2)}{(a^2 + d^2)^2}} - 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} + 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \tan^{-1}\left(\frac{2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}{\sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}\right)}{\sqrt[3]{c-d}} + \frac{2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \sqrt[3]{\frac{d^2(b^2c^2 + a^2)}{(a^2 + d^2)^2}} - 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} + 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \tan^{-1}\left(\frac{2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}{\sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}\right)}{\sqrt[3]{c-d}} + \frac{27 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \sqrt[3]{\frac{d^2(b^2c^2 + a^2)}{(a^2 + d^2)^2}} - 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} + 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \tan^{-1}\left(\frac{2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}{\sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}\right)}{108 \sqrt[3]{c-d}} + \frac{6 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \sqrt[3]{\frac{d^2(b^2c^2 + a^2)}{(a^2 + d^2)^2}} - 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} + 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \tan^{-1}\left(\frac{2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}{\sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}\right)}{\sqrt[3]{c-d}} + \frac{6 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \sqrt[3]{\frac{d^2(b^2c^2 + a^2)}{(a^2 + d^2)^2}} - 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} + 2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}} \tan^{-1}\left(\frac{2 \sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}{\sqrt[3]{\frac{3c-d}{\sqrt{3c-d}}}}\right)}{\sqrt[3]{c-d}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^3)^(8/3)/(c + d*x^3)^3,x]

```
[Out] ((a + b*x^3)^(2/3)*(-6*b^2*c^3*x - 2*a*b*c^2*d*x + 8*a^2*c*d^2*x - 9*b^2*c^2*d*x^4 + 4*a*b*c*d^2*x^4 + 5*a^2*d^3*x^4))/(18*c^2*d^2*(c + d*x^3)^2) + (b^(8/3)*ArcTan[(Sqrt[3]*b^(1/3)*x)/(b^(1/3)*x + 2*(a + b*x^3)^(1/3))]/(Sqrt[3]*d^3) + ((-27*b^3*c^3 + (9*I)*Sqrt[3]*b^3*c^3 + 9*a*b^2*c^2*d - (3*I)*Sqrt[3]*a*b^2*c^2*d + 3*a^2*b*c*d^2 - I*Sqrt[3]*a^2*b*c*d^2 + 15*a^3*d^3 - (5*I)*Sqrt[3]*a^3*d^3)*ArcTanh[(I*(b*c - a*d)^(1/3)*x + (-I + Sqrt[3])*c^(1/3))*(a + b*x^3)^(1/3)]/(Sqrt[3]*(b*c - a*d)^(1/3)*x)]/(54*c^(8/3)*d^3*(b*c - a*d)^(1/3)) - (b^(8/3)*Log[-(b^(1/3)*x) + (a + b*x^3)^(1/3)]/(3*d^3) + ((-9*b^3*c^3 - (9*I)*Sqrt[3]*b^3*c^3 + 3*a*b^2*c^2*d + (3*I)*Sqrt[3]*a*b^2*c^2*d + a^2*b*c*d^2 + I*Sqrt[3]*a^2*b*c*d^2 + 5*a^3*d^3 + (5*I)*Sqrt[3]*a^3*d^3)*Log[2*(b*c - a*d)^(1/3)*x + (1 + I*Sqrt[3])*c^(1/3)*(a + b*x^3)^(1/3)]/(54*c^(8/3)*d^3*(b*c - a*d)^(1/3)) + (b^(8/3)*Log[b^(2/3)*x^2 + b^(1/3)*x*(a + b*x^3)^(1/3) + (a + b*x^3)^(2/3)]/(6*d^3) + ((9*b^3*c^3 + (9*I)*Sqrt[3]*b^3*c^3 - 3*a*b^2*c^2*d - (3*I)*Sqrt[3]*a*b^2*c^2*d - a^2*b*c*d^2 - I*Sqrt[3]*a^2*b*c*d^2 - 5*a^3*d^3 - (5*I)*Sqrt[3]*a^3*d^3)*Log[(-2*I)*(b*c - a*d)^(2/3)*x^2 + c^(1/3)*(b*c - a*d)^(1/3)*(I*x - Sqrt[3]*x)*(a + b*x^3)^(1/3) + (I + Sqrt[3])*c^(2/3)*(a + b*x^3)^(2/3)]/(108*c^(8/3)*d^3*(b*c - a*d)^(1/3))
```

fricas [B] time = 12.61, size = 954, normalized size = 2.44

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^(8/3)/(d*x^3+c)^3,x, algorithm="fricas")
```

```
[Out] -1/54*(2*sqrt(3)*((9*b^2*c^2*d^2 + 6*a*b*c*d^3 + 5*a^2*d^4)*x^6 + 9*b^2*c^4 + 6*a*b*c^3*d + 5*a^2*c^2*d^2 + 2*(9*b^2*c^3*d + 6*a*b*c^2*d^2 + 5*a^2*c*d^3)*x^3)*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^(1/3)*arctan(-1/3*(sqrt(3)*(b*c - a*d)*x + 2*sqrt(3)*(b*x^3 + a)^(1/3)*c)/((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^(1/3))/((b*c - a*d)*x) + 18*sqrt(3)*(b^2*c^2*d^2*x^6 + 2*b^2*c^3*d*x^3 + b^2*c^4)*(-b^2)^(1/3)*arctan(-1/3*(sqrt(3)*b*x - 2*sqrt(3)*(b*x^3 + a)^(1/3))*(-b^2)^(1/3))/(b*x) - 2*((9*b^2*c^2*d^2 + 6*a*b*c*d^3 + 5*a^2*d^4)*x^6 + 9*b^2*c^4 + 6*a*b*c^3*d + 5*a^2*c^2*d^2 + 2*(9*b^2*c^3*d + 6*a*b*c^2*d^2 + 5*a^2*c*d^3)*x^3)*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^(1/3)*log((c*x*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^(2/3) - (b*x^3 + a)^(1/3)*(b*c - a*d))/x) - 18*(b^2*c^2*d^2*x^6 + 2*b^2*c^3*d*x^3 + b^2*c^4)*(-b^2)^(1/3)*log(-((-b^2)^(2/3)*x - (b*x^3 + a)^(1/3)*b)/x) + 9*(b^2*c^2*d^2*x^6 + 2*b^2*c^3*d*x^3 + b^2*c^4)*(-b^2)^(1/3)*log(-((-b^2)^(1/3)*b*x^2 - (b*x^3 + a)^(1/3))*(-b^2)^(2/3)*x - (b*x^3 + a)^(2/3)*b)/x^2) + ((9*b^2*c^2*d^2 + 6*a*b*c*d^3 + 5*a^2*d^4)*x^6 + 9*b^2*c^4 + 6*a*b*c^3*d + 5*a^2*c^2*d^2 + 2*(9*b^2*c^3*d + 6*a*b*c^2*d^2 + 5*a^2*c*d^3)*x^3)*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^(1/3)*log(-((b*c - a*d)*x^2*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^(1/3) + (b*x^3 + a)^(1/3)*c*x*((b^2*c^2 - 2*a*b*c*d + a^2*d^2)/c^2)^(2/3) + (b*x^3 + a)^(2/3)*(b*c - a*d))/x^2) + 3*((9*b^2*c^2*d^2 - 4*a*b*c*d^3 - 5*a^2*d^4)
```

$$4)x^4 + 2(3b^2c^3d + abc^2d^2 - 4a^2cd^3)x)(bx^3 + a)^{(2/3)}/(c^2d^5x^6 + 2c^3d^4x^3 + c^4d^3)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{8}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(8/3)/(d*x^3+c)^3,x, algorithm="giac")

[Out] integrate((b*x^3 + a)^(8/3)/(d*x^3 + c)^3, x)

maple [F] time = 0.61, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{8}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(8/3)/(d*x^3+c)^3,x)

[Out] int((b*x^3+a)^(8/3)/(d*x^3+c)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{8}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(8/3)/(d*x^3+c)^3,x, algorithm="maxima")

[Out] integrate((b*x^3 + a)^(8/3)/(d*x^3 + c)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{\frac{8}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*x^3)^(8/3)/(c + d*x^3)^3,x)
```

```
[Out] int((a + b*x^3)^(8/3)/(c + d*x^3)^3, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**3+a)**(8/3)/(d*x**3+c)**3,x)
```

```
[Out] Timed out
```

$$3.77 \quad \int \frac{(a+bx^3)^{5/3}}{(c+dx^3)^3} dx$$

Optimal. Leaf size=217

$$\frac{5a^2 \log(c+dx^3)}{54c^{8/3} \sqrt[3]{bc-ad}} - \frac{5a^2 \log\left(\frac{x \sqrt[3]{bc-ad}}{\sqrt[3]{c}} - \sqrt[3]{a+bx^3}\right)}{18c^{8/3} \sqrt[3]{bc-ad}} + \frac{5a^2 \tan^{-1}\left(\frac{\frac{2x \sqrt[3]{bc-ad}}{\sqrt[3]{c}} \sqrt[3]{a+bx^3} + 1}{\sqrt{3}}\right)}{9\sqrt{3} c^{8/3} \sqrt[3]{bc-ad}} + \frac{5ax(a+bx^3)^{2/3}}{18c^2(c+dx^3)} + \frac{x(a+bx^3)^{5/3}}{6c(c+dx^3)^2}$$

Rubi [A] time = 0.24, antiderivative size = 276, normalized size of antiderivative = 1.27, number of steps used = 9, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {378, 377, 200, 31, 634, 617, 204, 628}

$$-\frac{5a^2 \log\left(\sqrt[3]{c} - \frac{x \sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}}\right)}{27c^{8/3} \sqrt[3]{bc-ad}} + \frac{5a^2 \log\left(\frac{x^2(bc-ad)^{2/3}}{(a+bx^3)^{2/3}} + \frac{\sqrt[3]{c} x \sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}} + c^{2/3}\right)}{54c^{8/3} \sqrt[3]{bc-ad}} + \frac{5a^2 \tan^{-1}\left(\frac{\frac{2x \sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}} + \sqrt[3]{c}}{\sqrt{3} \sqrt[3]{c}}\right)}{9\sqrt{3} c^{8/3} \sqrt[3]{bc-ad}} + \frac{5ax(a+bx^3)^{2/3}}{18c^2(c+dx^3)} + \frac{x(a+bx^3)^{5/3}}{6c(c+dx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^(5/3)/(c + d*x^3)^3,x]

[Out] (x*(a + b*x^3)^(5/3))/(6*c*(c + d*x^3)^2) + (5*a*x*(a + b*x^3)^(2/3))/(18*c^2*(c + d*x^3)) + (5*a^2*ArcTan[(c^(1/3) + (2*(b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3)]/(Sqrt[3]*c^(1/3)))/(9*Sqrt[3]*c^(8/3)*(b*c - a*d)^(1/3)) - (5*a^2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3)])/(27*c^(8/3)*(b*c - a*d)^(1/3)) + (5*a^2*Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(a + b*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3)])/(54*c^(8/3)*(b*c - a*d)^(1/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 378

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*n*(p + 1)), x] - Dist[(c*q)/(a*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 1) + 1, 0] && GtQ[q, 0] && NeQ[p, -1]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx^3)^{5/3}}{(c+dx^3)^3} dx &= \frac{x(a+bx^3)^{5/3}}{6c(c+dx^3)^2} + \frac{(5a) \int \frac{(a+bx^3)^{2/3}}{(c+dx^3)^2} dx}{6c} \\
&= \frac{x(a+bx^3)^{5/3}}{6c(c+dx^3)^2} + \frac{5ax(a+bx^3)^{2/3}}{18c^2(c+dx^3)} + \frac{(5a^2) \int \frac{1}{\sqrt[3]{a+bx^3}(c+dx^3)} dx}{9c^2} \\
&= \frac{x(a+bx^3)^{5/3}}{6c(c+dx^3)^2} + \frac{5ax(a+bx^3)^{2/3}}{18c^2(c+dx^3)} + \frac{(5a^2) \text{Subst}\left(\int \frac{1}{c-(bc-ad)x^3} dx, x, \frac{x}{\sqrt[3]{a+bx^3}}\right)}{9c^2} \\
&= \frac{x(a+bx^3)^{5/3}}{6c(c+dx^3)^2} + \frac{5ax(a+bx^3)^{2/3}}{18c^2(c+dx^3)} + \frac{(5a^2) \text{Subst}\left(\int \frac{1}{\sqrt[3]{c}-\sqrt[3]{bc-ad}x} dx, x, \frac{x}{\sqrt[3]{a+bx^3}}\right)}{27c^{8/3}} + \frac{(5a^2) \text{Subst}\left(\int \frac{1}{c^2/3+\sqrt[3]{c}\sqrt[3]{bc-ad}x} dx, x, \frac{x}{\sqrt[3]{a+bx^3}}\right)}{18c^2} \\
&= \frac{x(a+bx^3)^{5/3}}{6c(c+dx^3)^2} + \frac{5ax(a+bx^3)^{2/3}}{18c^2(c+dx^3)} - \frac{5a^2 \log\left(\sqrt[3]{c}-\frac{\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}}\right)}{27c^{8/3}\sqrt[3]{bc-ad}} + \frac{(5a^2) \text{Subst}\left(\int \frac{1}{c^2/3+\sqrt[3]{c}\sqrt[3]{bc-ad}x} dx, x, \frac{x}{\sqrt[3]{a+bx^3}}\right)}{18c^2} \\
&= \frac{x(a+bx^3)^{5/3}}{6c(c+dx^3)^2} + \frac{5ax(a+bx^3)^{2/3}}{18c^2(c+dx^3)} - \frac{5a^2 \log\left(\sqrt[3]{c}-\frac{\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}}\right)}{27c^{8/3}\sqrt[3]{bc-ad}} + \frac{5a^2 \log\left(c^{2/3}+\frac{(bc-ad)^{2/3}x^2}{(a+bx^3)^{2/3}}\right)}{54c^{8/3}\sqrt[3]{bc-ad}} + \frac{5a^2 \log\left(\sqrt[3]{c}-\frac{\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}}\right)}{18c^2} \\
&= \frac{x(a+bx^3)^{5/3}}{6c(c+dx^3)^2} + \frac{5ax(a+bx^3)^{2/3}}{18c^2(c+dx^3)} + \frac{5a^2 \tan^{-1}\left(\frac{1+\frac{2\sqrt[3]{bc-ad}x}{\sqrt[3]{c}\sqrt[3]{a+bx^3}}}{\sqrt{3}}\right)}{9\sqrt{3}c^{8/3}\sqrt[3]{bc-ad}} - \frac{5a^2 \log\left(\sqrt[3]{c}-\frac{\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}}\right)}{27c^{8/3}\sqrt[3]{bc-ad}} + \frac{5a^2 \log\left(c^{2/3}+\frac{(bc-ad)^{2/3}x^2}{(a+bx^3)^{2/3}}\right)}{54c^{8/3}\sqrt[3]{bc-ad}} + \frac{5a^2 \log\left(\sqrt[3]{c}-\frac{\sqrt[3]{bc-ad}x}{\sqrt[3]{a+bx^3}}\right)}{18c^2}
\end{aligned}$$

Mathematica [C] time = 0.03, size = 79, normalized size = 0.36

$$\frac{ax(a+bx^3)^{2/3} {}_2F_1\left(-\frac{5}{3}, \frac{1}{3}; \frac{4}{3}; \frac{(ad-bc)x^3}{a(dx^3+c)}\right)}{c^3\left(\frac{bx^3}{a}+1\right)^{2/3}\sqrt[3]{\frac{dx^3}{c}+1}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^3)^(5/3)/(c + d*x^3)^3, x]

[Out] $(a*x*(a + b*x^3)^{(2/3)}*Hypergeometric2F1[-5/3, 1/3, 4/3, ((-(b*c) + a*d)*x^3)/(a*(c + d*x^3))])/(c^3*(1 + (b*x^3)/a)^{(2/3)}*(1 + (d*x^3)/c)^{(1/3)})$

IntegrateAlgebraic [C] time = 3.31, size = 385, normalized size = 1.77

$$\frac{5(a^2 + i\sqrt{3}a^2)\log\left(\frac{2x\sqrt{bc-ad} + (1+i\sqrt{3})\sqrt[3]{c}\sqrt[3]{a+bx^3}}{54e^{8/3}\sqrt[3]{bc-ad}}\right) - 5\sqrt{-1+i\sqrt{3}}a^2 \tan^{-1}\left(\frac{3x\sqrt[3]{bc-ad}}{\sqrt{3}x\sqrt[3]{bc-ad} - \sqrt{3}\sqrt[3]{a+bx^3} - 3i\sqrt[3]{c}\sqrt[3]{a+bx^3}}\right) - 5i(\sqrt{3}a^2 - ia^2)\log\left(\frac{(\sqrt{3}+i)e^{2/3}(a+bx^3)^{2/3} + \sqrt[3]{c}(-\sqrt{3}x+ix)\sqrt[3]{a+bx^3}\sqrt[3]{bc-ad} - 2ix^2(bc-ad)^{2/3}}{108e^{8/3}\sqrt[3]{bc-ad}}\right) + \frac{(a+bx^3)^{2/3}(8acx + 5adx^4 + 3bcx^4)}{18c^2(c+dx^3)^2}}{9\sqrt{6}e^{8/3}\sqrt[3]{bc-ad}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^3)^(5/3)/(c + d*x^3)^3,x]

[Out] $((a + b*x^3)^{(2/3)}*(8*a*c*x + 3*b*c*x^4 + 5*a*d*x^4))/(18*c^2*(c + d*x^3)^2) - (5*\text{Sqrt}[-1 + I*\text{Sqrt}[3]]*a^2*\text{ArcTan}[(3*(b*c - a*d)^{(1/3)}*x)/(\text{Sqrt}[3]*(b*c - a*d)^{(1/3)}*x - (3*I)*c^{(1/3)}*(a + b*x^3)^{(1/3)} - \text{Sqrt}[3]*c^{(1/3)}*(a + b*x^3)^{(1/3)})])/(9*\text{Sqrt}[6]*c^{(8/3)}*(b*c - a*d)^{(1/3)}) + (5*(a^2 + I*\text{Sqrt}[3]*a^2)*\text{Log}[2*(b*c - a*d)^{(1/3)}*x + (1 + I*\text{Sqrt}[3])*c^{(1/3)}*(a + b*x^3)^{(1/3)}])/(54*c^{(8/3)}*(b*c - a*d)^{(1/3)}) - (((5*I)/108)*((-I)*a^2 + \text{Sqrt}[3]*a^2)*\text{Log}[(-2*I)*(b*c - a*d)^{(2/3)}*x^2 + c^{(1/3)}*(b*c - a*d)^{(1/3)}*(I*x - \text{Sqrt}[3]*x)*(a + b*x^3)^{(1/3)} + (I + \text{Sqrt}[3])*c^{(2/3)}*(a + b*x^3)^{(2/3)}])/(c^{(8/3)}*(b*c - a*d)^{(1/3)})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(5/3)/(d*x^3+c)^3,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{5}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(5/3)/(d*x^3+c)^3,x, algorithm="giac")

[Out] integrate((b*x^3 + a)^(5/3)/(d*x^3 + c)^3, x)

maple [F] time = 0.57, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{5}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)^(5/3)/(d*x^3+c)^3,x)`

[Out] `int((b*x^3+a)^(5/3)/(d*x^3+c)^3,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{5}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^(5/3)/(d*x^3+c)^3,x, algorithm="maxima")`

[Out] `integrate((b*x^3 + a)^(5/3)/(d*x^3 + c)^3, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{\frac{5}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)^(5/3)/(c + d*x^3)^3,x)`

[Out] `int((a + b*x^3)^(5/3)/(c + d*x^3)^3, x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**(5/3)/(d*x**3+c)**3,x)`

[Out] Timed out

$$3.78 \quad \int \frac{(a+bx^3)^{2/3}}{(c+dx^3)^3} dx$$

Optimal. Leaf size=267

$$\frac{a(6bc - 5ad) \log(c + dx^3)}{54c^{8/3}(bc - ad)^{4/3}} - \frac{a(6bc - 5ad) \log\left(\frac{x\sqrt[3]{bc-ad}}{\sqrt[3]{c}} - \sqrt[3]{a + bx^3}\right)}{18c^{8/3}(bc - ad)^{4/3}} + \frac{a(6bc - 5ad) \tan^{-1}\left(\frac{\frac{2x\sqrt[3]{bc-ad}}{\sqrt[3]{c}} + 1}{\sqrt{3}}\right)}{9\sqrt{3}c^{8/3}(bc - ad)^{4/3}} + \frac{x(a + bx^3)^{5/3}}{18c^2(c + dx^3)^2(bc - ad)}$$

Rubi [A] time = 0.24, antiderivative size = 326, normalized size of antiderivative = 1.22, number of steps used = 9, number of rules used = 9, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {382, 378, 377, 200, 31, 634, 617, 204, 628}

$$\frac{x(a + bx^3)^{2/3}(6bc - 5ad)}{18c^2(c + dx^3)(bc - ad)} - \frac{a(6bc - 5ad) \log\left(\sqrt[3]{c} - \frac{x\sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}}\right)}{27c^{8/3}(bc - ad)^{4/3}} + \frac{a(6bc - 5ad) \log\left(\frac{x^2(bc-ad)^{2/3}}{(a+bx^3)^{2/3}} + \frac{\sqrt[3]{c}x\sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}} + c^{2/3}\right)}{54c^{8/3}(bc - ad)^{4/3}} + \frac{a(6bc - 5ad) \tan^{-1}\left(\frac{\frac{2x\sqrt[3]{bc-ad}}{\sqrt[3]{a+bx^3}} + \sqrt[3]{c}}{\sqrt{3}\sqrt[3]{c}}\right)}{9\sqrt{3}c^{8/3}(bc - ad)^{4/3}} - \frac{dx(a + bx^3)^{5/3}}{6c(c + dx^3)^2(bc - ad)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^(2/3)/(c + d*x^3)^3,x]

[Out] -(d*x*(a + b*x^3)^(5/3))/(6*c*(b*c - a*d)*(c + d*x^3)^2) + ((6*b*c - 5*a*d)*x*(a + b*x^3)^(2/3))/(18*c^2*(b*c - a*d)*(c + d*x^3)) + (a*(6*b*c - 5*a*d)*ArcTan[(c^(1/3) + (2*(b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3)]/(Sqrt[3]*c^(1/3)))/(9*Sqrt[3]*c^(8/3)*(b*c - a*d)^(4/3)) - (a*(6*b*c - 5*a*d)*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3)])/(27*c^(8/3)*(b*c - a*d)^(4/3)) + (a*(6*b*c - 5*a*d)*Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(a + b*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(a + b*x^3)^(1/3)])/(54*c^(8/3)*(b*c - a*d)^(4/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 378

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*n*(p + 1)), x] - Dist[(c*q)/(a*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 1) + 1, 0] && GtQ[q, 0] && NeQ[p, -1]
```

Rule 382

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ[q, -1]) && NeQ[p, -1]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
```

[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + bx^3)^{2/3}}{(c + dx^3)^3} dx &= -\frac{dx (a + bx^3)^{5/3}}{6c(bc - ad)(c + dx^3)^2} + \frac{(6bc - 5ad) \int \frac{(a + bx^3)^{2/3}}{(c + dx^3)^2} dx}{6c(bc - ad)} \\
 &= -\frac{dx (a + bx^3)^{5/3}}{6c(bc - ad)(c + dx^3)^2} + \frac{(6bc - 5ad)x (a + bx^3)^{2/3}}{18c^2(bc - ad)(c + dx^3)} + \frac{(a(6bc - 5ad)) \int \frac{1}{\sqrt[3]{a + bx^3}(c + dx^3)} dx}{9c^2(bc - ad)} \\
 &= -\frac{dx (a + bx^3)^{5/3}}{6c(bc - ad)(c + dx^3)^2} + \frac{(6bc - 5ad)x (a + bx^3)^{2/3}}{18c^2(bc - ad)(c + dx^3)} + \frac{(a(6bc - 5ad)) \text{Subst}\left(\int \frac{1}{c - (bc - ad)x^3} dx\right)}{9c^2(bc - ad)} \\
 &= -\frac{dx (a + bx^3)^{5/3}}{6c(bc - ad)(c + dx^3)^2} + \frac{(6bc - 5ad)x (a + bx^3)^{2/3}}{18c^2(bc - ad)(c + dx^3)} + \frac{(a(6bc - 5ad)) \text{Subst}\left(\int \frac{1}{\sqrt[3]{c} - \sqrt[3]{bc - ad}x} dx\right)}{27c^{8/3}(bc - ad)} \\
 &= -\frac{dx (a + bx^3)^{5/3}}{6c(bc - ad)(c + dx^3)^2} + \frac{(6bc - 5ad)x (a + bx^3)^{2/3}}{18c^2(bc - ad)(c + dx^3)} - \frac{a(6bc - 5ad) \log\left(\sqrt[3]{c} - \frac{\sqrt[3]{bc - ad}x}{\sqrt[3]{a + bx^3}}\right)}{27c^{8/3}(bc - ad)^{4/3}} + \dots \\
 &= -\frac{dx (a + bx^3)^{5/3}}{6c(bc - ad)(c + dx^3)^2} + \frac{(6bc - 5ad)x (a + bx^3)^{2/3}}{18c^2(bc - ad)(c + dx^3)} - \frac{a(6bc - 5ad) \log\left(\sqrt[3]{c} - \frac{\sqrt[3]{bc - ad}x}{\sqrt[3]{a + bx^3}}\right)}{27c^{8/3}(bc - ad)^{4/3}} + \dots \\
 &= -\frac{dx (a + bx^3)^{5/3}}{6c(bc - ad)(c + dx^3)^2} + \frac{(6bc - 5ad)x (a + bx^3)^{2/3}}{18c^2(bc - ad)(c + dx^3)} + \frac{a(6bc - 5ad) \tan^{-1}\left(\frac{1 + \frac{2\sqrt[3]{bc - ad}x}{\sqrt[3]{c}\sqrt[3]{a + bx^3}}}{\sqrt{3}}\right)}{9\sqrt{3}c^{8/3}(bc - ad)^{4/3}} - \dots
 \end{aligned}$$

Mathematica [C] time = 0.22, size = 153, normalized size = 0.57

$$\frac{x \left(c(-a^2d(8c + 5dx^3) + ab(6c^2 - 5cdx^3 - 5d^2x^6) + 3b^2cx^3(2c + dx^3)) - 2a(c + dx^3)^2(5ad - 6bc) {}_2F_1\left(\frac{1}{3}, 1; \frac{4}{3}; \frac{(bc - ad)x^3}{c(bx^3 + a)}\right) \right)}{18c^3\sqrt[3]{a + bx^3}(c + dx^3)^2(bc - ad)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^(2/3)/(c + d*x^3)^3,x]

[Out] (x*(c*(3*b^2*c*x^3*(2*c + d*x^3) - a^2*d*(8*c + 5*d*x^3) + a*b*(6*c^2 - 5*c*d*x^3 - 5*d^2*x^6)) - 2*a*(-6*b*c + 5*a*d)*(c + d*x^3)^2*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/(18*c^3*(b*c - a*d)*(a + b*x^3)^(1/3)*(c + d*x^3)^2)

IntegrateAlgebraic [C] time = 3.66, size = 444, normalized size = 1.66

$$\frac{(-5\sqrt{3}x^2d - 5a^2d + 6\sqrt{3}abc + 6abc)\log\left(2x\sqrt{c-ad} + (1+i\sqrt{3})\sqrt[3]{c+bx^3}\right)}{54^{4/3}(c-ad)^3} + \frac{(5\sqrt{3}x^2d - 15a^2d - 6\sqrt{3}abc + 18abc)\operatorname{tanh}^{-1}\left(\frac{-i\sqrt{c-ad} - (i\sqrt{3}-1)\sqrt[3]{c+bx^3}}{\sqrt{c-ad}}\right)}{54^{4/3}(c-ad)^3} + \frac{(5\sqrt{3}x^2d + 5a^2d - 6\sqrt{3}abc - 6abc)\log\left(\sqrt{3+i}z^{2/3} + \sqrt[3]{c+bx^3} + \sqrt[3]{c-\sqrt{3}x+iz}\sqrt[3]{a+bx^3}\sqrt[3]{c-ad} - 2iz^2(bc-ad)^{2/3}\right)}{108^{4/3}(c-ad)^3} + \frac{(a+bx^3)^{2/3}(-8abcd - 5a^2c^2 + 6bx^2x + 3bcdx^4)}{18^2(c+dx^3)^3(bc-ad)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^3)^(2/3)/(c + d*x^3)^3,x]

[Out] ((a + b*x^3)^(2/3)*(6*b*c^2*x - 8*a*c*d*x + 3*b*c*d*x^4 - 5*a*d^2*x^4))/(18*c^2*(b*c - a*d)*(c + d*x^3)^2) + ((18*a*b*c - (6*I)*Sqrt[3]*a*b*c - 15*a^2*d + (5*I)*Sqrt[3]*a^2*d)*ArcTanh[(I*(b*c - a*d)^(1/3)*x + (-I + Sqrt[3])*c^(1/3)*(a + b*x^3)^(1/3)]/(Sqrt[3]*(b*c - a*d)^(1/3)*x)]/(54*c^(8/3)*(b*c - a*d)^(4/3)) + ((6*a*b*c + (6*I)*Sqrt[3]*a*b*c - 5*a^2*d - (5*I)*Sqrt[3]*a^2*d)*Log[2*(b*c - a*d)^(1/3)*x + (1 + I*Sqrt[3])*c^(1/3)*(a + b*x^3)^(1/3)]/(54*c^(8/3)*(b*c - a*d)^(4/3)) + ((-6*a*b*c - (6*I)*Sqrt[3]*a*b*c + 5*a^2*d + (5*I)*Sqrt[3]*a^2*d)*Log[(-2*I)*(b*c - a*d)^(2/3)*x^2 + c^(1/3)*(b*c - a*d)^(1/3)*(I*x - Sqrt[3]*x)*(a + b*x^3)^(1/3) + (I + Sqrt[3])*c^(2/3)*(a + b*x^3)^(2/3)]/(108*c^(8/3)*(b*c - a*d)^(4/3))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(2/3)/(d*x^3+c)^3,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{2}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(2/3)/(d*x^3+c)^3,x, algorithm="giac")

[Out] integrate((b*x^3 + a)^(2/3)/(d*x^3 + c)^3, x)

maple [F] time = 0.55, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{2}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(2/3)/(d*x^3+c)^3,x)

[Out] int((b*x^3+a)^(2/3)/(d*x^3+c)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^3 + a)^{\frac{2}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(2/3)/(d*x^3+c)^3,x, algorithm="maxima")

[Out] integrate((b*x^3 + a)^(2/3)/(d*x^3 + c)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{\frac{2}{3}}}{(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(2/3)/(c + d*x^3)^3,x)

[Out] int((a + b*x^3)^(2/3)/(c + d*x^3)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(2/3)/(d*x**3+c)**3,x)

[Out] Timed out

$$3.79 \quad \int \frac{1}{\sqrt[3]{a+bx^3}(c+dx^3)^3} dx$$

Optimal. Leaf size=307

$$\frac{(5a^2d^2 - 12abcd + 9b^2c^2) \log(c + dx^3)}{54c^{8/3}(bc - ad)^{7/3}} - \frac{(5a^2d^2 - 12abcd + 9b^2c^2) \log\left(\frac{x\sqrt[3]{bc-ad}}{\sqrt[3]{c}} - \sqrt[3]{a + bx^3}\right)}{18c^{8/3}(bc - ad)^{7/3}} + \frac{(5a^2d^2 - 12abcd + 9b^2c^2) \log\left(\frac{x\sqrt[3]{bc-ad}}{\sqrt[3]{c}} - \sqrt[3]{a + bx^3}\right)}{18c^{8/3}(bc - ad)^{7/3}} + \dots$$

Rubi [C] time = 0.31, antiderivative size = 167, normalized size of antiderivative = 0.54, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {430, 429}

$$\frac{x \left(cd(-a^2d(8c + 5dx^3) + ab(12c^2 + cdx^3 - 5d^2x^6) + 3b^2cx^3(4c + 3dx^3)) - 2(c + dx^3)^2(5a^2d^2 - 12abcd + 9b^2c^2) {}_2F_1\left(\frac{1}{3}, 1; \frac{4}{3}; \frac{(bc-ad)x^3}{c(bx^3+a)}\right) \right)}{18c^3\sqrt[3]{a+bx^3}(c+dx^3)^2(bc-ad)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^3)^(1/3)*(c + d*x^3)^3), x]

[Out] -(x*(c*d*(3*b^2*c*x^3*(4*c + 3*d*x^3) - a^2*d*(8*c + 5*d*x^3) + a*b*(12*c^2 + c*d*x^3 - 5*d^2*x^6)) - 2*(9*b^2*c^2 - 12*a*b*c*d + 5*a^2*d^2)*(c + d*x^3)^2*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))])/(18*c^3*(b*c - a*d)^2*(a + b*x^3)^(1/3)*(c + d*x^3)^2)

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rubi steps

$$\int \frac{1}{\sqrt[3]{a+bx^3} (c+dx^3)^3} dx = \frac{\sqrt[3]{1+\frac{bx^3}{a}} \int \frac{1}{\sqrt[3]{1+\frac{bx^3}{a}} (c+dx^3)^3} dx}{\sqrt[3]{a+bx^3}}$$

$$= -\frac{x \left(cd(3b^2cx^3(4c+3dx^3) - a^2d(8c+5dx^3) + ab(12c^2+cdx^3-5d^2x^6)) - 2(9b^2c^2 - 12abcd + 5a^2d^2) \right)}{18c^3(bc-ad)^2 \sqrt[3]{a+bx^3} (c+dx^3)^2}$$

Mathematica [C] time = 0.38, size = 168, normalized size = 0.55

$$\frac{x \left(2(c+dx^3)^2 (5a^2d^2 - 12abcd + 9b^2c^2) {}_2F_1 \left(\frac{1}{3}, 1, \frac{4}{3}; \frac{(bc-ad)x^3}{c(bx^3+a)} \right) - cd(-a^2d(8c+5dx^3) + ab(12c^2+cdx^3-5d^2x^6) + 3b^2cx^3(4c+3dx^3)) \right)}{18c^3 \sqrt[3]{a+bx^3} (c+dx^3)^2 (bc-ad)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^3)^(1/3)*(c + d*x^3)^3), x]

[Out] (x*(-(c*d*(3*b^2*c*x^3*(4*c + 3*d*x^3) - a^2*d*(8*c + 5*d*x^3) + a*b*(12*c^2 + c*d*x^3 - 5*d^2*x^6))) + 2*(9*b^2*c^2 - 12*a*b*c*d + 5*a^2*d^2)*(c + d*x^3)^2*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))]))/(18*c^3*(b*c - a*d)^2*(a + b*x^3)^(1/3)*(c + d*x^3)^2)

IntegrateAlgebraic [C] time = 5.65, size = 536, normalized size = 1.75

$$\frac{(5\sqrt{3}d^2a^2 + 5d^2a^2 - 12\sqrt{3}abcd - 12abd^2 + 9\sqrt{3}d^2 + 9d^2) \log\left(\frac{2\sqrt{3}\sqrt{a-d} + (1+\sqrt{3})\sqrt{3a+3d}}{3\sqrt{3}(bc-ad)^2}\right) - (5\sqrt{3}d^2a^2 + 5d^2a^2 + 12\sqrt{3}abcd + 12abd^2 - 9\sqrt{3}d^2 + 27d^2) \operatorname{arctanh}\left(\frac{\sqrt{3}\sqrt{a-d}}{3\sqrt{3}(bc-ad)^2}\right) - (5\sqrt{3}d^2a^2 + 5d^2a^2 + 12\sqrt{3}abcd + 12abd^2 - 9\sqrt{3}d^2 - 9d^2) \log\left(\frac{\sqrt{3} + 1}{\sqrt{3} + \sqrt{3} + a}\right) + \sqrt{3}(-\sqrt{3} + a) \sqrt{a+d} \sqrt{a-d} - 2a^2(bc-ad)^2}{18c^3(bc-ad)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^3)^(1/3)*(c + d*x^3)^3), x]

[Out] ((a + b*x^3)^(2/3)*(-12*b*c^2*d*x + 8*a*c*d^2*x - 9*b*c*d^2*x^4 + 5*a*d^3*x^4))/(18*c^2*(b*c - a*d)^2*(c + d*x^3)^2) + ((27*b^2*c^2 - (9*I)*Sqrt[3]*b^2*c^2 - 36*a*b*c*d + (12*I)*Sqrt[3]*a*b*c*d + 15*a^2*d^2 - (5*I)*Sqrt[3]*a^2*d^2)*ArcTanh[(I*(b*c - a*d)^(1/3)*x + (-I + Sqrt[3])*c^(1/3)*(a + b*x^3)^(1/3)]/(Sqrt[3]*(b*c - a*d)^(1/3)*x)]/(54*c^(8/3)*(b*c - a*d)^(7/3)) + ((9*b^2*c^2 + (9*I)*Sqrt[3]*b^2*c^2 - 12*a*b*c*d - (12*I)*Sqrt[3]*a*b*c*d + 5*a^2*d^2 + (5*I)*Sqrt[3]*a^2*d^2)*Log[2*(b*c - a*d)^(1/3)*x + (1 + I*Sqrt[3])*c^(1/3)*(a + b*x^3)^(1/3)]/(54*c^(8/3)*(b*c - a*d)^(7/3)) + ((-9*b^2*c^2 - (9*I)*Sqrt[3]*b^2*c^2 + 12*a*b*c*d + (12*I)*Sqrt[3]*a*b*c*d - 5*a^2*d^2 - (5*I)*Sqrt[3]*a^2*d^2)*Log[(-2*I)*(b*c - a*d)^(2/3)*x^2 + c^(1/3)*(b*c -

$$a*d)^{(1/3)}*(I*x - \text{Sqrt}[3]*x)*(a + b*x^3)^{(1/3)} + (I + \text{Sqrt}[3])*c^{(2/3)}*(a + b*x^3)^{(2/3)})/(108*c^{(8/3)}*(b*c - a*d)^{(7/3)})$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(1/3)/(d*x^3+c)^3,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{1}{3}}(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(1/3)/(d*x^3+c)^3,x, algorithm="giac")

[Out] integrate(1/((b*x^3 + a)^(1/3)*(d*x^3 + c)^3), x)

maple [F] time = 0.58, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{1}{3}}(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^3+a)^(1/3)/(d*x^3+c)^3,x)

[Out] int(1/(b*x^3+a)^(1/3)/(d*x^3+c)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{1}{3}}(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(1/3)/(d*x^3+c)^3,x, algorithm="maxima")

[Out] integrate(1/((b*x^3 + a)^(1/3)*(d*x^3 + c)^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(bx^3 + a)^{1/3} (dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^3)^(1/3)*(c + d*x^3)^3), x)

[Out] int(1/((a + b*x^3)^(1/3)*(c + d*x^3)^3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt[3]{a + bx^3} (c + dx^3)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**3+a)**(1/3)/(d*x**3+c)**3, x)

[Out] Integral(1/((a + b*x**3)**(1/3)*(c + d*x**3)**3), x)

$$3.80 \quad \int \frac{1}{(a+bx^3)^{4/3}(c+dx^3)^3} dx$$

Optimal. Leaf size=377

$$\frac{dx (a + bx^3)^{2/3} (-5a^2d^2 + 15abcd + 18b^2c^2)}{18ac^2 (c + dx^3) (bc - ad)^3} - \frac{d (5a^2d^2 - 18abcd + 27b^2c^2) \log(c + dx^3)}{54c^{8/3} (bc - ad)^{10/3}} + \frac{d (5a^2d^2 - 18abcd + 27b^2c^2)}{18c^{8/3} (bc - ad)^{10/3}}$$

Rubi [C] time = 2.74, antiderivative size = 428, normalized size of antiderivative = 1.14, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {430, 429}

$\frac{65c^2 (a+bx^3)^2 (-5a^2d^2 + 15abcd + 18b^2c^2)}{18ac^2 (c+dx^3) (bc-ad)^3} - \frac{d (5a^2d^2 - 18abcd + 27b^2c^2) \log(c+dx^3)}{54c^{8/3} (bc-ad)^{10/3}} + \frac{d (5a^2d^2 - 18abcd + 27b^2c^2)}{18c^{8/3} (bc-ad)^{10/3}}$

Warning: Unable to verify antiderivative.

[In] Int[1/((a + b*x^3)^(4/3)*(c + d*x^3)^3), x]

[Out] $-(65*c^2*(a + b*x^3)^2*(14000*a^2*c^5 + 21896*a*b*c^5*x^3 + 48104*a^2*c^4*d*x^3 + 8391*b^2*c^5*x^6 + 70802*a*b*c^4*d*x^6 + 60807*a^2*c^3*d^2*x^6 + 24417*b^2*c^4*d*x^9 + 81534*a*b*c^3*d^2*x^9 + 33657*a^2*c^2*d^3*x^9 + 23409*b^2*c^3*d^2*x^{12} + 38652*a*b*c^2*d^3*x^{12} + 7155*a^2*c*d^4*x^{12} + 7425*b^2*c^2*d^3*x^{15} + 5940*a*b*c*d^4*x^{15} + 243*a^2*d^5*x^{15} - 28*(c + d*x^3)^2*(27*b^2*c^2*x^6*(7*c + 6*d*x^3) + 9*a*b*c*x^3*(73*c^2 + 104*c*d*x^3 + 33*d^2*x^6) + a^2*(500*c^3 + 843*c^2*d*x^3 + 375*c*d^2*x^6 + 27*d^3*x^9))*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))]) - 486*(b*c - a*d)^4*x^{12}*(c + d*x^3)^3*HypergeometricPFQ[{2, 2, 2, 7/3}, {1, 1, 16/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))]/(16380*c^5*(b*c - a*d)^3*x^8*(a + b*x^3)^(7/3))*(c + d*x^3)^2)$

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -(b*x^n)/a, -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}
```

, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rubi steps

$$\int \frac{1}{(a + bx^3)^{4/3} (c + dx^3)^3} dx = \frac{\sqrt[3]{1 + \frac{bx^3}{a}} \int \frac{1}{\left(1 + \frac{bx^3}{a}\right)^{4/3} (c+dx^3)^3} dx}{a \sqrt[3]{a + bx^3}}$$

$$= -\frac{65c^2 (a + bx^3)^2 \left(14000a^2c^5 + 21896abc^5x^3 + 48104a^2c^4dx^3 + 8391b^2c^5x^6 + 70802a^2c^4d^2x^6 - 24417b^2c^4d^2x^9 - 81534abc^3d^2x^9 - 33657a^2c^2d^3x^9 - 23409b^2c^3d^2x^{12} - 38652abc^2d^3x^{12} - 7155a^2cd^4x^{12} - 7425b^2c^2d^3x^{15} - 5940abc^3d^4x^{15} - 243a^2d^5x^{15} + 28(c + dx^3)^2(27b^2c^2x^6(7c + 6dx^3) + 9abc^2x^3(73c^2 + 104cdx^3 + 33d^2x^6) + a^2(500c^3 + 843c^2dx^3 + 375cd^2x^6 + 27d^3x^9))\text{Hypergeometric2F1}\left[\frac{1}{3}, 1, \frac{4}{3}, \frac{(b*c - a*d)*x^3}{c*(a + b*x^3)}\right] + 486*(b*c - a*d)^4*x^{12}*(c + d*x^3)^3\text{HypergeometricPFQ}\left[\{2, 2, 2, \frac{7}{3}\}, \{1, 1, \frac{16}{3}\}, \frac{(b*c - a*d)*x^3}{c*(a + b*x^3)}\right]}{(c^5*(-(b*c) + a*d)^3*x^8*(a + b*x^3)^{(7/3)}*(c + d*x^3)^2)}$$

Mathematica [C] time = 3.08, size = 428, normalized size = 1.14

$$\frac{486c^2 (c + dx^3)^2 (c^2 (2.2, 2, 2, \frac{7}{3}, \frac{(b*c - a*d)*x^3}{c*(a + b*x^3)}) + 85c^2 (a + b*x^3)^2 (28(c + dx^3)^2 (500c^3 + 843c^2 dx^3 + 375cd^2 x^6 + 27d^3 x^9) + 9abc^2 (73c^2 + 104cdx^3 + 33d^2 x^6) + a^2 (500c^3 + 843c^2 dx^3 + 375cd^2 x^6 + 27d^3 x^9)) \text{Hypergeometric2F1}\left[\frac{1}{3}, 1, \frac{4}{3}, \frac{(b*c - a*d)*x^3}{c*(a + b*x^3)}\right] + 486*(b*c - a*d)^4*x^{12}*(c + d*x^3)^3 \text{HypergeometricPFQ}\left[\{2, 2, 2, \frac{7}{3}\}, \{1, 1, \frac{16}{3}\}, \frac{(b*c - a*d)*x^3}{c*(a + b*x^3)}\right]}{16380c^2 (a + b*x^3)^2 (c + dx^3)^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*x^3)^(4/3)*(c + d*x^3)^3), x]

[Out] -1/16380*(65*c^2*(a + b*x^3)^2*(-14000*a^2*c^5 - 21896*a*b*c^5*x^3 - 48104*a^2*c^4*d*x^3 - 8391*b^2*c^5*x^6 - 70802*a*b*c^4*d*x^6 - 60807*a^2*c^3*d^2*x^6 - 24417*b^2*c^4*d*x^9 - 81534*a*b*c^3*d^2*x^9 - 33657*a^2*c^2*d^3*x^9 - 23409*b^2*c^3*d^2*x^12 - 38652*a*b*c^2*d^3*x^12 - 7155*a^2*c*d^4*x^12 - 7425*b^2*c^2*d^3*x^15 - 5940*a*b*c*d^4*x^15 - 243*a^2*d^5*x^15 + 28*(c + d*x^3)^2*(27*b^2*c^2*x^6*(7*c + 6*d*x^3) + 9*a*b*c*x^3*(73*c^2 + 104*c*d*x^3 + 33*d^2*x^6) + a^2*(500*c^3 + 843*c^2*d*x^3 + 375*c*d^2*x^6 + 27*d^3*x^9))*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 486*(b*c - a*d)^4*x^12*(c + d*x^3)^3*HypergeometricPFQ[{2, 2, 2, 7/3}, {1, 1, 16/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))]/(c^5*(-(b*c) + a*d)^3*x^8*(a + b*x^3)^(7/3)*(c + d*x^3)^2)

IntegrateAlgebraic [C] time = 8.92, size = 644, normalized size = 1.71

$$\frac{(c + dx^3)^2 (c^2 (2.2, 2, 2, \frac{7}{3}, \frac{(b*c - a*d)*x^3}{c*(a + b*x^3)}) + 85c^2 (a + b*x^3)^2 (28(c + dx^3)^2 (500c^3 + 843c^2 dx^3 + 375cd^2 x^6 + 27d^3 x^9) + 9abc^2 (73c^2 + 104cdx^3 + 33d^2 x^6) + a^2 (500c^3 + 843c^2 dx^3 + 375cd^2 x^6 + 27d^3 x^9)) \text{Hypergeometric2F1}\left[\frac{1}{3}, 1, \frac{4}{3}, \frac{(b*c - a*d)*x^3}{c*(a + b*x^3)}\right] + 486*(b*c - a*d)^4*x^{12}*(c + d*x^3)^3 \text{HypergeometricPFQ}\left[\{2, 2, 2, \frac{7}{3}\}, \{1, 1, \frac{16}{3}\}, \frac{(b*c - a*d)*x^3}{c*(a + b*x^3)}\right]}{16380c^2 (a + b*x^3)^2 (c + dx^3)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^3)^(4/3)*(c + d*x^3)^3), x]

[Out] (-18*b^3*c^4*x - 18*a^2*b*c^2*d^2*x + 8*a^3*c*d^3*x - 36*b^3*c^3*d*x^4 - 18*a*b^2*c^2*d^2*x^4 - 7*a^2*b*c*d^3*x^4 + 5*a^3*d^4*x^4 - 18*b^3*c^2*d^2*x^7

$$- 15*a*b^2*c*d^3*x^7 + 5*a^2*b*d^4*x^7)/(18*a*c^2*(-(b*c) + a*d)^3*(a + b*x^3)^{(1/3)}*(c + d*x^3)^2) + ((-81*b^2*c^2*d + (27*I)*Sqrt[3]*b^2*c^2*d + 54*a*b*c*d^2 - (18*I)*Sqrt[3]*a*b*c*d^2 - 15*a^2*d^3 + (5*I)*Sqrt[3]*a^2*d^3) *ArcTanh[(I*(b*c - a*d)^{(1/3)}*x + (-I + Sqrt[3])*c^{(1/3)}*(a + b*x^3)^{(1/3)}) / (Sqrt[3]*(b*c - a*d)^{(1/3)}*x)] / (54*c^{(8/3)}*(b*c - a*d)^{(10/3)}) + ((-27*b^2*c^2*d - (27*I)*Sqrt[3]*b^2*c^2*d + 18*a*b*c*d^2 + (18*I)*Sqrt[3]*a*b*c*d^2 - 5*a^2*d^3 - (5*I)*Sqrt[3]*a^2*d^3)*Log[2*(b*c - a*d)^{(1/3)}*x + (1 + I*Sqrt[3])*c^{(1/3)}*(a + b*x^3)^{(1/3)}] / (54*c^{(8/3)}*(b*c - a*d)^{(10/3)}) + ((27*b^2*c^2*d + (27*I)*Sqrt[3]*b^2*c^2*d - 18*a*b*c*d^2 - (18*I)*Sqrt[3]*a*b*c*d^2 + 5*a^2*d^3 + (5*I)*Sqrt[3]*a^2*d^3)*Log[(-2*I)*(b*c - a*d)^{(2/3)}*x^2 + c^{(1/3)}*(b*c - a*d)^{(1/3)}*(I*x - Sqrt[3]*x)*(a + b*x^3)^{(1/3)} + (I + Sqrt[3])*c^{(2/3)}*(a + b*x^3)^{(2/3)}] / (108*c^{(8/3)}*(b*c - a*d)^{(10/3)})$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(4/3)/(d*x^3+c)^3,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{4}{3}}(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(4/3)/(d*x^3+c)^3,x, algorithm="giac")

[Out] integrate(1/((b*x^3 + a)^(4/3)*(d*x^3 + c)^3), x)

maple [F] time = 0.59, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{4}{3}}(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^3+a)^(4/3)/(d*x^3+c)^3,x)

[Out] int(1/(b*x^3+a)^(4/3)/(d*x^3+c)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{4}{3}}(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(4/3)/(d*x^3+c)^3,x, algorithm="maxima")

[Out] integrate(1/((b*x^3 + a)^(4/3)*(d*x^3 + c)^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{4}{3}}(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^3)^(4/3)*(c + d*x^3)^3),x)

[Out] int(1/((a + b*x^3)^(4/3)*(c + d*x^3)^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**3+a)**(4/3)/(d*x**3+c)**3,x)

[Out] Timed out

$$3.81 \quad \int \frac{1}{(a+bx^3)^{7/3} (c+dx^3)^3} dx$$

Optimal. Leaf size=463

$$\frac{bx(-2a^2d^2 - 42abcd + 9b^2c^2)}{12a^2c^3\sqrt[3]{a+bx^3}(c+dx^3)(bc-ad)^3} + \frac{d^2(5a^2d^2 - 24abcd + 54b^2c^2)\log(c+dx^3)}{54c^{8/3}(bc-ad)^{13/3}} - \frac{d^2(5a^2d^2 - 24abcd + 54b^2c^2)}{18c^{8/3}(bc-ad)^{13/3}}$$

Rubi [C] time = 8.66, antiderivative size = 1990, normalized size of antiderivative = 4.30, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {430, 429}

result too large to display

Warning: Unable to verify antiderivative.

[In] Int[1/((a + b*x^3)^(7/3)*(c + d*x^3)^3), x]

[Out] $-(522756*c^6*(b*c - a*d)^3*x^9*(a + b*x^3)^2 + 1516320*c^5*d*(b*c - a*d)^3*x^{12}*(a + b*x^3)^2 + 2198664*c^4*d^2*(b*c - a*d)^3*x^{15}*(a + b*x^3)^2 + 1415232*c^3*d^3*(b*c - a*d)^3*x^{18}*(a + b*x^3)^2 + 341172*c^2*d^4*(b*c - a*d)^3*x^{21}*(a + b*x^3)^2 + 28042560*c^7*(b*c - a*d)^2*x^6*(a + b*x^3)^3 + 107602560*c^6*d*(b*c - a*d)^2*x^9*(a + b*x^3)^3 + 157697280*c^5*d^2*(b*c - a*d)^2*x^{12}*(a + b*x^3)^3 + 101088000*c^4*d^3*(b*c - a*d)^2*x^{15}*(a + b*x^3)^3 + 24261120*c^3*d^4*(b*c - a*d)^2*x^{18}*(a + b*x^3)^3 - 265470660*c^8*(b*c - a*d)*x^3*(a + b*x^3)^4 - 1019636800*c^7*d*(b*c - a*d)*x^6*(a + b*x^3)^4 - 1466086440*c^6*d^2*(b*c - a*d)*x^9*(a + b*x^3)^4 - 930252960*c^5*d^3*(b*c - a*d)*x^{12}*(a + b*x^3)^4 - 221899860*c^4*d^4*(b*c - a*d)*x^{15}*(a + b*x^3)^4 + 335877360*c^9*(a + b*x^3)^5 + 1279532800*c^8*d*x^3*(a + b*x^3)^5 + 1823334240*c^7*d^2*x^6*(a + b*x^3)^5 + 1151579520*c^6*d^3*x^9*(a + b*x^3)^5 + 273939120*c^5*d^4*x^{12}*(a + b*x^3)^5 - 67420080*c^7*(b*c - a*d)^2*x^6*(a + b*x^3)^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 259692160*c^6*d*(b*c - a*d)^2*x^9*(a + b*x^3)^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 377700960*c^5*d^2*(b*c - a*d)^2*x^{12}*(a + b*x^3)^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 241113600*c^4*d^3*(b*c - a*d)^2*x^{15}*(a + b*x^3)^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 57723120*c^3*d^4*(b*c - a*d)^2*x^{18}*(a + b*x^3)^3*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 349440000*c^8*(b*c - a*d)*x^3*(a + b*x^3)^4*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 1339520000*c^7*d*(b*c - a*d)*x^6*(a + b*x^3)^4*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 1921920000*c^6*d^2*(b*c - a*d)*x^9*(a + b*x^3)^4*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))]$

```

rgeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] + 1218147840*
c^5*d^3*(b*c - a*d)*x^12*(a + b*x^3)^4*Hypergeometric2F1[1/3, 1, 4/3, ((b*c
- a*d)*x^3)/(c*(a + b*x^3))] + 290384640*c^4*d^4*(b*c - a*d)*x^15*(a + b*x
^3)^4*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 3
35877360*c^9*(a + b*x^3)^5*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)
/(c*(a + b*x^3))] - 1279532800*c^8*d*x^3*(a + b*x^3)^5*Hypergeometric2F1[1/
3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 1823334240*c^7*d^2*x^6*(a +
b*x^3)^5*Hypergeometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))]
- 1151579520*c^6*d^3*x^9*(a + b*x^3)^5*Hypergeometric2F1[1/3, 1, 4/3, ((b*
c - a*d)*x^3)/(c*(a + b*x^3))] - 273939120*c^5*d^4*x^12*(a + b*x^3)^5*Hyper
geometric2F1[1/3, 1, 4/3, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 57834*c^4*(b
*c - a*d)^5*x^15*HypergeometricPFQ[{2, 2, 2, 10/3}, {1, 1, 19/3}, ((b*c - a
*d)*x^3)/(c*(a + b*x^3))] - 224532*c^3*d*(b*c - a*d)^5*x^18*HypergeometricP
FQ[{2, 2, 2, 10/3}, {1, 1, 19/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 3265
92*c^2*d^2*(b*c - a*d)^5*x^21*HypergeometricPFQ[{2, 2, 2, 10/3}, {1, 1, 19/
3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 210924*c*d^3*(b*c - a*d)^5*x^24*Hy
pergeometricPFQ[{2, 2, 2, 10/3}, {1, 1, 19/3}, ((b*c - a*d)*x^3)/(c*(a + b*
x^3))] - 51030*d^4*(b*c - a*d)^5*x^27*HypergeometricPFQ[{2, 2, 2, 10/3}, {1
, 1, 19/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 5103*c^4*(b*c - a*d)^5*x^1
5*HypergeometricPFQ[{2, 2, 2, 2, 10/3}, {1, 1, 1, 19/3}, ((b*c - a*d)*x^3)/
(c*(a + b*x^3))] - 20412*c^3*d*(b*c - a*d)^5*x^18*HypergeometricPFQ[{2, 2,
2, 2, 10/3}, {1, 1, 1, 19/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 30618*c^
2*d^2*(b*c - a*d)^5*x^21*HypergeometricPFQ[{2, 2, 2, 2, 10/3}, {1, 1, 1, 19
/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))] - 20412*c*d^3*(b*c - a*d)^5*x^24*Hy
pergeometricPFQ[{2, 2, 2, 2, 10/3}, {1, 1, 1, 19/3}, ((b*c - a*d)*x^3)/(c*(
a + b*x^3))] - 5103*d^4*(b*c - a*d)^5*x^27*HypergeometricPFQ[{2, 2, 2, 2, 1
0/3}, {1, 1, 1, 19/3}, ((b*c - a*d)*x^3)/(c*(a + b*x^3))]/(524160*c^6*(b*c
- a*d)^4*x^11*(a + b*x^3)^(10/3)*(c + d*x^3)^2)

```

Rule 429

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

```

Rule 430

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}
, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

```

Rubi steps

$$\int \frac{1}{(a + bx^3)^{7/3} (c + dx^3)^3} dx = \frac{\sqrt[3]{1 + \frac{bx^3}{a}} \int \frac{1}{\left(1 + \frac{bx^3}{a}\right)^{7/3} (c + dx^3)^3} dx}{a^2 \sqrt[3]{a + bx^3}}$$

$$= \frac{522756c^6(bc - ad)^3 x^9 (a + bx^3)^2 + 1516320c^5 d(bc - ad)^3 x^{12} (a + bx^3)^2 + 2190c^4 d^2 (bc - ad)^3 x^{15} (a + bx^3)^2 + 1516320c^3 d^3 (bc - ad)^3 x^{18} (a + bx^3)^2 + 522756c^2 d^4 (bc - ad)^3 x^{21} (a + bx^3)^2 + 1516320c d^5 (bc - ad)^3 x^{24} (a + bx^3)^2 + 522756d^6 (bc - ad)^3 x^{27} (a + bx^3)^2}{54c^{8/3}(bc - ad)^{13/3}}$$

Mathematica [A] time = 5.88, size = 337, normalized size = 0.73

$$\frac{1}{36} x (a + bx^3)^{2/3} \left(\frac{27b^3(bc - 5ad)}{a^2(a + bx^3)(bc - ad)^4} - \frac{9b^3}{a(a + bx^3)^2(ad - bc)^3} + \frac{2d^3(5ad - 21bc)}{c^2(c + dx^3)(bc - ad)^4} - \frac{6d^3}{c(c + dx^3)^2(bc - ad)^3} \right) + \frac{d^2(5a^2d^2 - 24abcd + 54d^2c^2) \left(\log \left(\frac{\sqrt[3]{c} \sqrt[3]{bc - ad}}{\sqrt[3]{a^3 + b}} + \frac{c^2(bc - ad)^{2/3}}{(a^3 + b)^{2/3}} + c^{2/3} \right) - 2 \log \left(\sqrt[3]{c} - \frac{x \sqrt[3]{bc - ad}}{\sqrt[3]{a^3 + b}} \right) + 2\sqrt{3} \tan^{-1} \left(\frac{2x \sqrt[3]{bc - ad}}{\sqrt[3]{a^3 + b} + 1} \right) \right)}{54c^{8/3}(bc - ad)^{13/3}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*x^3)^(7/3)*(c + d*x^3)^3), x]

[Out] (x*(a + b*x^3)^(2/3)*((-9*b^3)/(a*(-(b*c) + a*d)^3*(a + b*x^3)^2) + (27*b^3*(b*c - 5*a*d))/(a^2*(b*c - a*d)^4*(a + b*x^3)) - (6*d^3)/(c*(b*c - a*d)^3*(c + d*x^3)^2) + (2*d^3*(-21*b*c + 5*a*d))/(c^2*(b*c - a*d)^4*(c + d*x^3)))/36 + (d^2*(54*b^2*c^2 - 24*a*b*c*d + 5*a^2*d^2)*(2*sqrt[3]*ArcTan[(1 + (2*(b*c - a*d)^(1/3)*x)/(c^(1/3)*(b + a*x^3)^(1/3)))/sqrt[3]] - 2*Log[c^(1/3) - ((b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)] + Log[c^(2/3) + ((b*c - a*d)^(2/3)*x^2)/(b + a*x^3)^(2/3) + (c^(1/3)*(b*c - a*d)^(1/3)*x)/(b + a*x^3)^(1/3)])/54*c^(8/3)*(b*c - a*d)^(13/3))

IntegrateAlgebraic [C] time = 27.99, size = 791, normalized size = 1.71

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^3)^(7/3)*(c + d*x^3)^3), x]

[Out] (36*a*b^4*c^5*x - 144*a^2*b^3*c^4*d*x - 48*a^4*b*c^2*d^3*x + 16*a^5*c*d^4*x + 27*b^5*c^5*x^4 - 63*a*b^4*c^4*d*x^4 - 288*a^2*b^3*c^3*d^2*x^4 - 96*a^3*b^2*c^2*d^3*x^4 - 10*a^4*b*c*d^4*x^4 + 10*a^5*d^5*x^4 + 54*b^5*c^4*d*x^7 - 2*34*a*b^4*c^3*d^2*x^7 - 192*a^2*b^3*c^2*d^3*x^7 - 68*a^3*b^2*c*d^4*x^7 + 20*a^4*b*d^5*x^7 + 27*b^5*c^3*d^2*x^10 - 135*a*b^4*c^2*d^3*x^10 - 42*a^2*b^3*c*d^4*x^10 + 10*a^3*b^2*d^5*x^10)/(36*a^2*c^2*(-(b*c) + a*d)^4*(a + b*x^3)^(4/3)*(c + d*x^3)^2) + ((162*b^2*c^2*d^2 - (54*I)*sqrt[3]*b^2*c^2*d^2 - 72*a

```
*b*c*d^3 + (24*I)*Sqrt[3]*a*b*c*d^3 + 15*a^2*d^4 - (5*I)*Sqrt[3]*a^2*d^4)*A
rcTanh[(I*(b*c - a*d)^(1/3)*x + (-I + Sqrt[3])*c^(1/3)*(a + b*x^3)^(1/3))/(
Sqrt[3]*(b*c - a*d)^(1/3)*x)]/(54*c^(8/3)*(b*c - a*d)^(13/3)) + ((54*b^2*c
^2*d^2 + (54*I)*Sqrt[3]*b^2*c^2*d^2 - 24*a*b*c*d^3 - (24*I)*Sqrt[3]*a*b*c*d
^3 + 5*a^2*d^4 + (5*I)*Sqrt[3]*a^2*d^4)*Log[2*(b*c - a*d)^(1/3)*x + (1 + I*
Sqrt[3])*c^(1/3)*(a + b*x^3)^(1/3)]/(54*c^(8/3)*(b*c - a*d)^(13/3)) + ((-5
4*b^2*c^2*d^2 - (54*I)*Sqrt[3]*b^2*c^2*d^2 + 24*a*b*c*d^3 + (24*I)*Sqrt[3]*
a*b*c*d^3 - 5*a^2*d^4 - (5*I)*Sqrt[3]*a^2*d^4)*Log[(-2*I)*(b*c - a*d)^(2/3)
*x^2 + c^(1/3)*(b*c - a*d)^(1/3)*(I*x - Sqrt[3]*x)*(a + b*x^3)^(1/3) + (I +
Sqrt[3])*c^(2/3)*(a + b*x^3)^(2/3)]/(108*c^(8/3)*(b*c - a*d)^(13/3))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*x^3+a)^(7/3)/(d*x^3+c)^3,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{7}{3}}(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*x^3+a)^(7/3)/(d*x^3+c)^3,x, algorithm="giac")
```

```
[Out] integrate(1/((b*x^3 + a)^(7/3)*(d*x^3 + c)^3), x)
```

maple [F] time = 0.56, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{7}{3}}(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(b*x^3+a)^(7/3)/(d*x^3+c)^3,x)
```

```
[Out] int(1/(b*x^3+a)^(7/3)/(d*x^3+c)^3,x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^3 + a)^{\frac{7}{3}}(dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^3+a)^(7/3)/(d*x^3+c)^3,x, algorithm="maxima")

[Out] integrate(1/((b*x^3 + a)^(7/3)*(d*x^3 + c)^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(bx^3 + a)^{7/3} (dx^3 + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^3)^(7/3)*(c + d*x^3)^3),x)

[Out] int(1/((a + b*x^3)^(7/3)*(c + d*x^3)^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**3+a)**(7/3)/(d*x**3+c)**3,x)

[Out] Timed out

$$3.82 \quad \int (a + bx^3)^{-1 - \frac{bc}{3bc-3ad}} (c + dx^3)^{-1 + \frac{ad}{3bc-3ad}} dx$$

Optimal. Leaf size=53

$$\frac{x (a + bx^3)^{-\frac{bc}{3bc-3ad}} (c + dx^3)^{\frac{ad}{3bc-3ad}}}{ac}$$

Rubi [A] time = 0.02, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 50, $\frac{\text{number of rules}}{\text{integrand size}} = 0.020$, Rules used = {381}

$$\frac{x (a + bx^3)^{-\frac{bc}{3bc-3ad}} (c + dx^3)^{\frac{ad}{3bc-3ad}}}{ac}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^(-1 - (b*c)/(3*b*c - 3*a*d))*(c + d*x^3)^(-1 + (a*d)/(3*b*c - 3*a*d)),x]

[Out] (x*(c + d*x^3)^((a*d)/(3*b*c - 3*a*d)))/(a*c*(a + b*x^3)^((b*c)/(3*b*c - 3*a*d)))

Rule 381

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
 := Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c), x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && EqQ[a*d*(p + 1) + b*c*(q + 1), 0]

Rubi steps

$$\int (a + bx^3)^{-1 - \frac{bc}{3bc-3ad}} (c + dx^3)^{-1 + \frac{ad}{3bc-3ad}} dx = \frac{x (a + bx^3)^{-\frac{bc}{3bc-3ad}} (c + dx^3)^{\frac{ad}{3bc-3ad}}}{ac}$$

Mathematica [A] time = 0.04, size = 52, normalized size = 0.98

$$\frac{x (a + bx^3)^{\frac{bc}{3ad-3bc}} (c + dx^3)^{\frac{ad}{3bc-3ad}}}{ac}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^(-1 - (b*c)/(3*b*c - 3*a*d))*(c + d*x^3)^(-1 + (a*d)/(3*b*c - 3*a*d)),x]

[Out] (x*(a + b*x^3)^((b*c)/(-3*b*c + 3*a*d))*(c + d*x^3)^((a*d)/(3*b*c - 3*a*d)))/(a*c)

IntegrateAlgebraic [F] time = 0.53, size = 0, normalized size = 0.00

$$\int (a + bx^3)^{-1 - \frac{bc}{3bc-3ad}} (c + dx^3)^{-1 + \frac{ad}{3bc-3ad}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)^(-1 - (b*c)/(3*b*c - 3*a*d))*(c + d*x^3)^(-1 + (a*d)/(3*b*c - 3*a*d)),x]

[Out] Defer[IntegrateAlgebraic] [(a + b*x^3)^(-1 - (b*c)/(3*b*c - 3*a*d))*(c + d*x^3)^(-1 + (a*d)/(3*b*c - 3*a*d)), x]

fricas [A] time = 1.35, size = 91, normalized size = 1.72

$$\frac{bdx^7 + (bc + ad)x^4 + acx}{(bx^3 + a)^{\frac{4bc-3ad}{3(bc-ad)}} (dx^3 + c)^{\frac{3bc-4ad}{3(bc-ad)}} ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(-1-b*c/(-3*a*d+3*b*c))*(d*x^3+c)^(-1+a*d/(-3*a*d+3*b*c)),x, algorithm="fricas")

[Out] (b*d*x^7 + (b*c + a*d)*x^4 + a*c*x)/((b*x^3 + a)^(1/3*(4*b*c - 3*a*d)/(b*c - a*d))*(d*x^3 + c)^(1/3*(3*b*c - 4*a*d)/(b*c - a*d))*a*c)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^3 + a)^{-\frac{bc}{3(bc-ad)}} (dx^3 + c)^{\frac{ad}{3(bc-ad)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(-1-b*c/(-3*a*d+3*b*c))*(d*x^3+c)^(-1+a*d/(-3*a*d+3*b*c)),x, algorithm="giac")

[Out] integrate((b*x^3 + a)^(-1/3*b*c/(b*c - a*d) - 1)*(d*x^3 + c)^(1/3*a*d/(b*c - a*d) - 1), x)

maple [A] time = 0.04, size = 71, normalized size = 1.34

$$\frac{x (bx^3 + a)^{1 - \frac{3ad-4bc}{3(ad-bc)}} (dx^3 + c)^{1 - \frac{4ad-3bc}{3(ad-bc)}}}{ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)^(-1-b*c/(-3*a*d+3*b*c))*(d*x^3+c)^(-1+a*d/(-3*a*d+3*b*c)),x)`

[Out] $(b*x^3+a)^{(1-1/3*(3*a*d-4*b*c)/(a*d-b*c))}*(d*x^3+c)^{(1-1/3*(4*a*d-3*b*c)/(a*d-b*c))}/a/c*x$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^3 + a)^{-\frac{bc}{3(bc-ad)}-1} (dx^3 + c)^{\frac{ad}{3(bc-ad)}-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^(-1-b*c/(-3*a*d+3*b*c))*(d*x^3+c)^(-1+a*d/(-3*a*d+3*b*c)),x, algorithm="maxima")`

[Out] `integrate((b*x^3 + a)^(-1/3*b*c/(b*c - a*d) - 1)*(d*x^3 + c)^(1/3*a*d/(b*c - a*d) - 1), x)`

mupad [B] time = 1.90, size = 131, normalized size = 2.47

$$\frac{x(bx^3 + a)^{\frac{bc}{3ad-3bc}-1} + \frac{x^4(bx^3+a)^{\frac{bc}{3ad-3bc}-1}(ad+bc)}{ac} + \frac{bdx^7(bx^3+a)^{\frac{bc}{3ad-3bc}-1}}{ac}}{(dx^3 + c)^{\frac{ad}{3ad-3bc}+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)^((b*c)/(3*a*d - 3*b*c) - 1)/(c + d*x^3)^((a*d)/(3*a*d - 3*b*c) + 1),x)`

[Out] `(x*(a + b*x^3)^((b*c)/(3*a*d - 3*b*c) - 1) + (x^4*(a + b*x^3)^((b*c)/(3*a*d - 3*b*c) - 1)*(a*d + b*c))/(a*c) + (b*d*x^7*(a + b*x^3)^((b*c)/(3*a*d - 3*b*c) - 1))/(a*c)/(c + d*x^3)^((a*d)/(3*a*d - 3*b*c) + 1)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**(-1-b*c/(-3*a*d+3*b*c))*(d*x**3+c)**(-1+a*d/(-3*a*d+3*b*c)),x)`

[Out] Timed out

$$3.83 \quad \int (a + bx^4)(c + dx^4)^4 dx$$

Optimal. Leaf size=94

$$\frac{1}{5}c^3x^5(4ad+bc) + \frac{2}{9}c^2dx^9(3ad+2bc) + \frac{1}{17}d^3x^{17}(ad+4bc) + \frac{2}{13}cd^2x^{13}(2ad+3bc) + ac^4x + \frac{1}{21}bd^4x^{21}$$

Rubi [A] time = 0.07, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {373}

$$\frac{2}{9}c^2dx^9(3ad+2bc) + \frac{1}{5}c^3x^5(4ad+bc) + \frac{1}{17}d^3x^{17}(ad+4bc) + \frac{2}{13}cd^2x^{13}(2ad+3bc) + ac^4x + \frac{1}{21}bd^4x^{21}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)*(c + d*x^4)^4, x]

[Out] a*c^4*x + (c^3*(b*c + 4*a*d)*x^5)/5 + (2*c^2*d*(2*b*c + 3*a*d)*x^9)/9 + (2*c*d^2*(3*b*c + 2*a*d)*x^13)/13 + (d^3*(4*b*c + a*d)*x^17)/17 + (b*d^4*x^21)/21

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^4)(c + dx^4)^4 dx &= \int (ac^4 + c^3(bc + 4ad)x^4 + 2c^2d(2bc + 3ad)x^8 + 2cd^2(3bc + 2ad)x^{12} + d^3(4bc + ad)x^{16} + bd^4x^{20}) dx \\ &= ac^4x + \frac{1}{5}c^3(bc + 4ad)x^5 + \frac{2}{9}c^2d(2bc + 3ad)x^9 + \frac{2}{13}cd^2(3bc + 2ad)x^{13} + \frac{1}{17}d^3(4bc + ad)x^{17} + \frac{1}{21}bd^4x^{21} \end{aligned}$$

Mathematica [A] time = 0.02, size = 94, normalized size = 1.00

$$\frac{1}{5}c^3x^5(4ad+bc) + \frac{2}{9}c^2dx^9(3ad+2bc) + \frac{1}{17}d^3x^{17}(ad+4bc) + \frac{2}{13}cd^2x^{13}(2ad+3bc) + ac^4x + \frac{1}{21}bd^4x^{21}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^4)*(c + d*x^4)^4, x]

[Out] $a*c^4*x + (c^3*(b*c + 4*a*d)*x^5)/5 + (2*c^2*d*(2*b*c + 3*a*d)*x^9)/9 + (2*c*d^2*(3*b*c + 2*a*d)*x^{13})/13 + (d^3*(4*b*c + a*d)*x^{17})/17 + (b*d^4*x^{21})/21$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^4)(c + dx^4)^4 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^4)*(c + d*x^4)^4,x]

[Out] IntegrateAlgebraic[(a + b*x^4)*(c + d*x^4)^4, x]

fricas [A] time = 0.98, size = 98, normalized size = 1.04

$$\frac{1}{21}x^{21}d^4b + \frac{4}{17}x^{17}d^3cb + \frac{1}{17}x^{17}d^4a + \frac{6}{13}x^{13}d^2c^2b + \frac{4}{13}x^{13}d^3ca + \frac{4}{9}x^9dc^3b + \frac{2}{3}x^9d^2c^2a + \frac{1}{5}x^5c^4b + \frac{4}{5}x^5dc^3a + xc^4a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)*(d*x^4+c)^4,x, algorithm="fricas")

[Out] $1/21*x^{21}*d^4*b + 4/17*x^{17}*d^3*c*b + 1/17*x^{17}*d^4*a + 6/13*x^{13}*d^2*c^2*b + 4/13*x^{13}*d^3*c*a + 4/9*x^9*d*c^3*b + 2/3*x^9*d^2*c^2*a + 1/5*x^5*c^4*b + 4/5*x^5*d*c^3*a + x*c^4*a$

giac [A] time = 0.16, size = 98, normalized size = 1.04

$$\frac{1}{21}bd^4x^{21} + \frac{4}{17}bcd^3x^{17} + \frac{1}{17}ad^4x^{17} + \frac{6}{13}bc^2d^2x^{13} + \frac{4}{13}acd^3x^{13} + \frac{4}{9}bc^3dx^9 + \frac{2}{3}ac^2d^2x^9 + \frac{1}{5}bc^4x^5 + \frac{4}{5}ac^3dx^5 + ac^4x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)*(d*x^4+c)^4,x, algorithm="giac")

[Out] $1/21*b*d^4*x^{21} + 4/17*b*c*d^3*x^{17} + 1/17*a*d^4*x^{17} + 6/13*b*c^2*d^2*x^{13} + 4/13*a*c*d^3*x^{13} + 4/9*b*c^3*d*x^9 + 2/3*a*c^2*d^2*x^9 + 1/5*b*c^4*x^5 + 4/5*a*c^3*d*x^5 + a*c^4*x$

maple [A] time = 0.04, size = 97, normalized size = 1.03

$$\frac{bd^4x^{21}}{21} + \frac{(ad^4 + 4bcd^3)x^{17}}{17} + \frac{(4acd^3 + 6c^2d^2b)x^{13}}{13} + \frac{(6ac^2d^2 + 4c^3db)x^9}{9} + ac^4x + \frac{(4ac^3d + bc^4)x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)*(d*x^4+c)^4,x)

[Out] $\frac{1}{21}bd^4x^{21} + \frac{1}{17}(ad^4 + 4b^2cd^3)x^{17} + \frac{1}{13}(4ac^3d + 6b^2c^2d^2)x^{13} + \frac{1}{9}(6ac^2d^2 + 4b^2c^3d)x^9 + \frac{1}{5}(4ac^3d + b^2c^4)x^5 + ac^4x$

maxima [A] time = 0.65, size = 96, normalized size = 1.02

$$\frac{1}{21}bd^4x^{21} + \frac{1}{17}(4bcd^3 + ad^4)x^{17} + \frac{2}{13}(3bc^2d^2 + 2acd^3)x^{13} + \frac{2}{9}(2bc^3d + 3ac^2d^2)x^9 + ac^4x + \frac{1}{5}(bc^4 + 4ac^3d)x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)*(d*x^4+c)^4,x, algorithm="maxima")

[Out] $\frac{1}{21}bd^4x^{21} + \frac{1}{17}(4b^2cd^3 + ad^4)x^{17} + \frac{2}{13}(3b^2c^2d^2 + 2ac^3d)x^{13} + \frac{2}{9}(2b^2c^3d + 3ac^2d^2)x^9 + ac^4x + \frac{1}{5}(b^2c^4 + 4ac^3d)x^5$

mupad [B] time = 1.30, size = 88, normalized size = 0.94

$$x^5 \left(\frac{bc^4}{5} + \frac{4adc^3}{5} \right) + x^{17} \left(\frac{ad^4}{17} + \frac{4bcd^3}{17} \right) + \frac{bd^4x^{21}}{21} + ac^4x + \frac{2c^2dx^9(3ad+2bc)}{9} + \frac{2cd^2x^{13}(2ad+3bc)}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)*(c + d*x^4)^4,x)

[Out] $x^5 \left(\frac{b^2c^4}{5} + \frac{4ac^3d}{5} \right) + x^{17} \left(\frac{ad^4}{17} + \frac{4b^2cd^3}{17} \right) + \frac{bd^4x^{21}}{21} + ac^4x + \frac{2c^2d^2x^9(3ad+2bc)}{9} + \frac{2cd^2x^{13}(2ad+3bc)}{13}$

sympy [A] time = 0.09, size = 107, normalized size = 1.14

$$ac^4x + \frac{bd^4x^{21}}{21} + x^{17} \left(\frac{ad^4}{17} + \frac{4bcd^3}{17} \right) + x^{13} \left(\frac{4acd^3}{13} + \frac{6bc^2d^2}{13} \right) + x^9 \left(\frac{2ac^2d^2}{3} + \frac{4bc^3d}{9} \right) + x^5 \left(\frac{4ac^3d}{5} + \frac{bc^4}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)*(d*x**4+c)**4,x)

[Out] $ac^4x + \frac{bd^4x^{21}}{21} + x^{17} \left(\frac{ad^4}{17} + \frac{4b^2cd^3}{17} \right) + x^{13} \left(\frac{4ac^3d}{13} + \frac{6b^2c^2d^2}{13} \right) + x^9 \left(\frac{2ac^2d^2}{3} + \frac{4b^2c^3d}{9} \right) + x^5 \left(\frac{4ac^3d}{5} + \frac{b^2c^4}{5} \right)$

$$3.84 \quad \int (a + bx^4)(c + dx^4)^3 dx$$

Optimal. Leaf size=70

$$\frac{1}{5}c^2x^5(3ad + bc) + \frac{1}{13}d^2x^{13}(ad + 3bc) + \frac{1}{3}cdx^9(ad + bc) + ac^3x + \frac{1}{17}bd^3x^{17}$$

Rubi [A] time = 0.05, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {373}

$$\frac{1}{5}c^2x^5(3ad + bc) + \frac{1}{13}d^2x^{13}(ad + 3bc) + \frac{1}{3}cdx^9(ad + bc) + ac^3x + \frac{1}{17}bd^3x^{17}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)*(c + d*x^4)^3,x]

[Out] a*c^3*x + (c^2*(b*c + 3*a*d)*x^5)/5 + (c*d*(b*c + a*d)*x^9)/3 + (d^2*(3*b*c + a*d)*x^13)/13 + (b*d^3*x^17)/17

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^4)(c + dx^4)^3 dx &= \int (ac^3 + c^2(bc + 3ad)x^4 + 3cd(bc + ad)x^8 + d^2(3bc + ad)x^{12} + bd^3x^{16}) dx \\ &= ac^3x + \frac{1}{5}c^2(bc + 3ad)x^5 + \frac{1}{3}cd(bc + ad)x^9 + \frac{1}{13}d^2(3bc + ad)x^{13} + \frac{1}{17}bd^3x^{17} \end{aligned}$$

Mathematica [A] time = 0.02, size = 70, normalized size = 1.00

$$\frac{1}{5}c^2x^5(3ad + bc) + \frac{1}{13}d^2x^{13}(ad + 3bc) + \frac{1}{3}cdx^9(ad + bc) + ac^3x + \frac{1}{17}bd^3x^{17}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^4)*(c + d*x^4)^3,x]

[Out] $a*c^3*x + (c^2*(b*c + 3*a*d)*x^5)/5 + (c*d*(b*c + a*d)*x^9)/3 + (d^2*(3*b*c + a*d)*x^{13})/13 + (b*d^3*x^{17})/17$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^4)(c + dx^4)^3 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^4)*(c + d*x^4)^3,x]

[Out] IntegrateAlgebraic[(a + b*x^4)*(c + d*x^4)^3, x]

fricas [A] time = 0.90, size = 74, normalized size = 1.06

$$\frac{1}{17}x^{17}d^3b + \frac{3}{13}x^{13}d^2cb + \frac{1}{13}x^{13}d^3a + \frac{1}{3}x^9dc^2b + \frac{1}{3}x^9d^2ca + \frac{1}{5}x^5c^3b + \frac{3}{5}x^5dc^2a + xc^3a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)*(d*x^4+c)^3,x, algorithm="fricas")

[Out] $1/17*x^{17}*d^3*b + 3/13*x^{13}*d^2*c*b + 1/13*x^{13}*d^3*a + 1/3*x^9*d*c^2*b + 1/3*x^9*d^2*c*a + 1/5*x^5*c^3*b + 3/5*x^5*d*c^2*a + x*c^3*a$

giac [A] time = 0.15, size = 74, normalized size = 1.06

$$\frac{1}{17}bd^3x^{17} + \frac{3}{13}bcd^2x^{13} + \frac{1}{13}ad^3x^{13} + \frac{1}{3}bc^2dx^9 + \frac{1}{3}acd^2x^9 + \frac{1}{5}bc^3x^5 + \frac{3}{5}ac^2dx^5 + ac^3x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)*(d*x^4+c)^3,x, algorithm="giac")

[Out] $1/17*b*d^3*x^{17} + 3/13*b*c*d^2*x^{13} + 1/13*a*d^3*x^{13} + 1/3*b*c^2*d*x^9 + 1/3*a*c*d^2*x^9 + 1/5*b*c^3*x^5 + 3/5*a*c^2*d*x^5 + a*c^3*x$

maple [A] time = 0.04, size = 73, normalized size = 1.04

$$\frac{bd^3x^{17}}{17} + \frac{(ad^3 + 3bcd^2)x^{13}}{13} + \frac{(3acd^2 + 3bc^2d)x^9}{9} + ac^3x + \frac{(3ac^2d + bc^3)x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)*(d*x^4+c)^3,x)

[Out] $1/17*b*d^3*x^{17} + 1/13*(a*d^3 + 3*b*c*d^2)*x^{13} + 1/9*(3*a*c*d^2 + 3*b*c^2*d)*x^9 + 1/5*(3*a*c^2*d + b*c^3)*x^5 + a*c^3*x$

maxima [A] time = 0.65, size = 70, normalized size = 1.00

$$\frac{1}{17}bd^3x^{17} + \frac{1}{13}(3bcd^2 + ad^3)x^{13} + \frac{1}{3}(bc^2d + acd^2)x^9 + \frac{1}{5}(bc^3 + 3ac^2d)x^5 + ac^3x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)*(d*x^4+c)^3,x, algorithm="maxima")

[Out] 1/17*b*d^3*x^17 + 1/13*(3*b*c*d^2 + a*d^3)*x^13 + 1/3*(b*c^2*d + a*c*d^2)*x^9 + 1/5*(b*c^3 + 3*a*c^2*d)*x^5 + a*c^3*x

mupad [B] time = 1.24, size = 66, normalized size = 0.94

$$x^5 \left(\frac{bc^3}{5} + \frac{3adc^2}{5} \right) + x^{13} \left(\frac{ad^3}{13} + \frac{3bcd^2}{13} \right) + \frac{bd^3x^{17}}{17} + ac^3x + \frac{cdx^9(ad+bc)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)*(c + d*x^4)^3,x)

[Out] x^5*((b*c^3)/5 + (3*a*c^2*d)/5) + x^13*((a*d^3)/13 + (3*b*c*d^2)/13) + (b*d^3*x^17)/17 + a*c^3*x + (c*d*x^9*(a*d + b*c))/3

sympy [A] time = 0.08, size = 76, normalized size = 1.09

$$ac^3x + \frac{bd^3x^{17}}{17} + x^{13} \left(\frac{ad^3}{13} + \frac{3bcd^2}{13} \right) + x^9 \left(\frac{acd^2}{3} + \frac{bc^2d}{3} \right) + x^5 \left(\frac{3ac^2d}{5} + \frac{bc^3}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)*(d*x**4+c)**3,x)

[Out] a*c**3*x + b*d**3*x**17/17 + x**13*(a*d**3/13 + 3*b*c*d**2/13) + x**9*(a*c*d**2/3 + b*c**2*d/3) + x**5*(3*a*c**2*d/5 + b*c**3/5)

$$3.85 \quad \int (a + bx^4)(c + dx^4)^2 dx$$

Optimal. Leaf size=50

$$\frac{1}{9}dx^9(ad + 2bc) + \frac{1}{5}cx^5(2ad + bc) + ac^2x + \frac{1}{13}bd^2x^{13}$$

Rubi [A] time = 0.03, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {373}

$$\frac{1}{9}dx^9(ad + 2bc) + \frac{1}{5}cx^5(2ad + bc) + ac^2x + \frac{1}{13}bd^2x^{13}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)*(c + d*x^4)^2, x]

[Out] a*c^2*x + (c*(b*c + 2*a*d)*x^5)/5 + (d*(2*b*c + a*d)*x^9)/9 + (b*d^2*x^13)/13

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^4)(c + dx^4)^2 dx &= \int (ac^2 + c(bc + 2ad)x^4 + d(2bc + ad)x^8 + bd^2x^{12}) dx \\ &= ac^2x + \frac{1}{5}c(bc + 2ad)x^5 + \frac{1}{9}d(2bc + ad)x^9 + \frac{1}{13}bd^2x^{13} \end{aligned}$$

Mathematica [A] time = 0.01, size = 50, normalized size = 1.00

$$\frac{1}{9}dx^9(ad + 2bc) + \frac{1}{5}cx^5(2ad + bc) + ac^2x + \frac{1}{13}bd^2x^{13}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^4)*(c + d*x^4)^2, x]

[Out] $a*c^2*x + (c*(b*c + 2*a*d)*x^5)/5 + (d*(2*b*c + a*d)*x^9)/9 + (b*d^2*x^{13})/13$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^4)(c + dx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^4)*(c + d*x^4)^2,x]

[Out] IntegrateAlgebraic[(a + b*x^4)*(c + d*x^4)^2, x]

fricas [A] time = 0.86, size = 50, normalized size = 1.00

$$\frac{1}{13}x^{13}d^2b + \frac{2}{9}x^9dcb + \frac{1}{9}x^9d^2a + \frac{1}{5}x^5c^2b + \frac{2}{5}x^5dca + xc^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)*(d*x^4+c)^2,x, algorithm="fricas")

[Out] $1/13*x^{13}*d^2*b + 2/9*x^9*d*c*b + 1/9*x^9*d^2*a + 1/5*x^5*c^2*b + 2/5*x^5*d*c*a + x*c^2*a$

giac [A] time = 0.16, size = 50, normalized size = 1.00

$$\frac{1}{13}bd^2x^{13} + \frac{2}{9}bcdx^9 + \frac{1}{9}ad^2x^9 + \frac{1}{5}bc^2x^5 + \frac{2}{5}acdx^5 + ac^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)*(d*x^4+c)^2,x, algorithm="giac")

[Out] $1/13*b*d^2*x^{13} + 2/9*b*c*d*x^9 + 1/9*a*d^2*x^9 + 1/5*b*c^2*x^5 + 2/5*a*c*d*x^5 + a*c^2*x$

maple [A] time = 0.04, size = 49, normalized size = 0.98

$$\frac{bd^2x^{13}}{13} + \frac{(ad^2 + 2bcd)x^9}{9} + \frac{(2acd + bc^2)x^5}{5} + ac^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)*(d*x^4+c)^2,x)

[Out] $1/13*b*d^2*x^{13} + 1/9*(a*d^2 + 2*b*c*d)*x^9 + 1/5*(2*a*c*d + b*c^2)*x^5 + a*c^2*x$

maxima [A] time = 0.60, size = 48, normalized size = 0.96

$$\frac{1}{13} b d^2 x^{13} + \frac{1}{9} (2 b c d + a d^2) x^9 + \frac{1}{5} (b c^2 + 2 a c d) x^5 + a c^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)*(d*x^4+c)^2,x, algorithm="maxima")

[Out] 1/13*b*d^2*x^13 + 1/9*(2*b*c*d + a*d^2)*x^9 + 1/5*(b*c^2 + 2*a*c*d)*x^5 + a*c^2*x

mupad [B] time = 0.05, size = 48, normalized size = 0.96

$$x^5 \left(\frac{b c^2}{5} + \frac{2 a d c}{5} \right) + x^9 \left(\frac{a d^2}{9} + \frac{2 b c d}{9} \right) + \frac{b d^2 x^{13}}{13} + a c^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)*(c + d*x^4)^2,x)

[Out] x^5*((b*c^2)/5 + (2*a*c*d)/5) + x^9*((a*d^2)/9 + (2*b*c*d)/9) + (b*d^2*x^13)/13 + a*c^2*x

sympy [A] time = 0.08, size = 53, normalized size = 1.06

$$a c^2 x + \frac{b d^2 x^{13}}{13} + x^9 \left(\frac{a d^2}{9} + \frac{2 b c d}{9} \right) + x^5 \left(\frac{2 a c d}{5} + \frac{b c^2}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)*(d*x**4+c)**2,x)

[Out] a*c**2*x + b*d**2*x**13/13 + x**9*(a*d**2/9 + 2*b*c*d/9) + x**5*(2*a*c*d/5 + b*c**2/5)

3.86 $\int (a + bx^4)(c + dx^4) dx$

Optimal. Leaf size=28

$$\frac{1}{5}x^5(ad + bc) + acx + \frac{1}{9}bdx^9$$

Rubi [A] time = 0.01, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {373}

$$\frac{1}{5}x^5(ad + bc) + acx + \frac{1}{9}bdx^9$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)*(c + d*x^4), x]

[Out] a*c*x + ((b*c + a*d)*x^5)/5 + (b*d*x^9)/9

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^4)(c + dx^4) dx &= \int (ac + (bc + ad)x^4 + bdx^8) dx \\ &= acx + \frac{1}{5}(bc + ad)x^5 + \frac{1}{9}bdx^9 \end{aligned}$$

Mathematica [A] time = 0.01, size = 28, normalized size = 1.00

$$\frac{1}{5}x^5(ad + bc) + acx + \frac{1}{9}bdx^9$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^4)*(c + d*x^4), x]

[Out] a*c*x + ((b*c + a*d)*x^5)/5 + (b*d*x^9)/9

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^4)(c + dx^4) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^4)*(c + d*x^4), x]

[Out] IntegrateAlgebraic[(a + b*x^4)*(c + d*x^4), x]

fricas [A] time = 0.76, size = 26, normalized size = 0.93

$$\frac{1}{9}x^9db + \frac{1}{5}x^5cb + \frac{1}{5}x^5da + xca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)*(d*x^4+c), x, algorithm="fricas")

[Out] 1/9*x^9*d*b + 1/5*x^5*c*b + 1/5*x^5*d*a + x*c*a

giac [A] time = 0.15, size = 26, normalized size = 0.93

$$\frac{1}{9}bdx^9 + \frac{1}{5}bcx^5 + \frac{1}{5}adx^5 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)*(d*x^4+c), x, algorithm="giac")

[Out] 1/9*b*d*x^9 + 1/5*b*c*x^5 + 1/5*a*d*x^5 + a*c*x

maple [A] time = 0.04, size = 25, normalized size = 0.89

$$\frac{bdx^9}{9} + \frac{(ad + bc)x^5}{5} + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)*(d*x^4+c), x)

[Out] a*c*x+1/5*(a*d+b*c)*x^5+1/9*b*d*x^9

maxima [A] time = 0.49, size = 24, normalized size = 0.86

$$\frac{1}{9}bdx^9 + \frac{1}{5}(bc + ad)x^5 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)*(d*x^4+c),x, algorithm="maxima")

[Out] 1/9*b*d*x^9 + 1/5*(b*c + a*d)*x^5 + a*c*x

mupad [B] time = 0.04, size = 25, normalized size = 0.89

$$\frac{bdx^9}{9} + \left(\frac{ad}{5} + \frac{bc}{5}\right)x^5 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)*(c + d*x^4),x)

[Out] x^5*((a*d)/5 + (b*c)/5) + a*c*x + (b*d*x^9)/9

sympy [A] time = 0.06, size = 26, normalized size = 0.93

$$acx + \frac{bdx^9}{9} + x^5\left(\frac{ad}{5} + \frac{bc}{5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)*(d*x**4+c),x)

[Out] a*c*x + b*d*x**9/9 + x**5*(a*d/5 + b*c/5)

$$3.87 \quad \int \frac{a+bx^4}{c+dx^4} dx$$

Optimal. Leaf size=223

$$\frac{(bc-ad)\log\left(-\sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x+\sqrt{c}+\sqrt{d}x^2\right)}{4\sqrt{2}c^{3/4}d^{5/4}} - \frac{(bc-ad)\log\left(\sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x+\sqrt{c}+\sqrt{d}x^2\right)}{4\sqrt{2}c^{3/4}d^{5/4}} + \frac{(bc-ad)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}}\right)}{2\sqrt{2}c^{3/4}d^{5/4}}$$

Rubi [A] time = 0.15, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {388, 211, 1165, 628, 1162, 617, 204}

$$\frac{(bc-ad)\log\left(-\sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x+\sqrt{c}+\sqrt{d}x^2\right)}{4\sqrt{2}c^{3/4}d^{5/4}} - \frac{(bc-ad)\log\left(\sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x+\sqrt{c}+\sqrt{d}x^2\right)}{4\sqrt{2}c^{3/4}d^{5/4}} + \frac{(bc-ad)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}}\right)}{2\sqrt{2}c^{3/4}d^{5/4}} - \frac{(bc-ad)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}}+1\right)}{2\sqrt{2}c^{3/4}d^{5/4}} + \frac{bx}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)/(c + d*x^4), x]

[Out] (b*x)/d + ((b*c - a*d)*ArcTan[1 - (Sqrt[2]*d^(1/4)*x)/c^(1/4)])/(2*Sqrt[2]*c^(3/4)*d^(5/4)) - ((b*c - a*d)*ArcTan[1 + (Sqrt[2]*d^(1/4)*x)/c^(1/4)])/(2*Sqrt[2]*c^(3/4)*d^(5/4)) + ((b*c - a*d)*Log[Sqrt[c] - Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(4*Sqrt[2]*c^(3/4)*d^(5/4)) - ((b*c - a*d)*Log[Sqrt[c] + Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(4*Sqrt[2]*c^(3/4)*d^(5/4))

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 388

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,

c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^4}{c + dx^4} dx &= \frac{bx}{d} - \frac{(bc - ad) \int \frac{1}{c+dx^4} dx}{d} \\
&= \frac{bx}{d} - \frac{(bc - ad) \int \frac{\sqrt{c} - \sqrt{d}x^2}{c+dx^4} dx}{2\sqrt{c}d} - \frac{(bc - ad) \int \frac{\sqrt{c} + \sqrt{d}x^2}{c+dx^4} dx}{2\sqrt{c}d} \\
&= \frac{bx}{d} - \frac{(bc - ad) \int \frac{1}{\frac{\sqrt{c}}{\sqrt{d}} - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{d}} + x^2} dx}{4\sqrt{c}d^{3/2}} - \frac{(bc - ad) \int \frac{1}{\frac{\sqrt{c}}{\sqrt{d}} + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{d}} + x^2} dx}{4\sqrt{c}d^{3/2}} + \frac{(bc - ad) \int \frac{\frac{\sqrt{2}\sqrt[4]{c}}{\sqrt{d}} + 2x}{\frac{\sqrt{c}}{\sqrt{d}} - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{d}} - x^2} dx}{4\sqrt{2}c^{3/4}d^{5/4}} \\
&= \frac{bx}{d} + \frac{(bc - ad) \log(\sqrt{c} - \sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x + \sqrt{d}x^2)}{4\sqrt{2}c^{3/4}d^{5/4}} - \frac{(bc - ad) \log(\sqrt{c} + \sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x + \sqrt{d}x^2)}{4\sqrt{2}c^{3/4}d^{5/4}} \\
&= \frac{bx}{d} + \frac{(bc - ad) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}}\right)}{2\sqrt{2}c^{3/4}d^{5/4}} - \frac{(bc - ad) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}}\right)}{2\sqrt{2}c^{3/4}d^{5/4}} + \frac{(bc - ad) \log(\sqrt{c} - \sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x + \sqrt{d}x^2)}{4\sqrt{2}c^{3/4}d^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.18, size = 196, normalized size = 0.88

$$\frac{\sqrt{2}(bc - ad) \log(-\sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x + \sqrt{c} + \sqrt{d}x^2) - \sqrt{2}(bc - ad) \log(\sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x + \sqrt{c} + \sqrt{d}x^2) + 2\sqrt{2}(bc - ad) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}}\right) - 2\sqrt{2}(bc - ad) \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}} + 1\right) + 8bc^{3/4}\sqrt[4]{d}x}{8c^{3/4}d^{5/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^4)/(c + d*x^4), x]

[Out] (8*b*c^(3/4)*d^(1/4)*x + 2*Sqrt[2]*(b*c - a*d)*ArcTan[1 - (Sqrt[2]*d^(1/4)*x)/c^(1/4)] - 2*Sqrt[2]*(b*c - a*d)*ArcTan[1 + (Sqrt[2]*d^(1/4)*x)/c^(1/4)] + Sqrt[2]*(b*c - a*d)*Log[Sqrt[c] - Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2] - Sqrt[2]*(b*c - a*d)*Log[Sqrt[c] + Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(8*c^(3/4)*d^(5/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + bx^4}{c + dx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^4)/(c + d*x^4), x]

[Out] IntegrateAlgebraic[(a + b*x^4)/(c + d*x^4), x]

fricas [B] time = 1.29, size = 639, normalized size = 2.87

$$\frac{d \left(\frac{bc - ad}{c^2} \right)^{\frac{1}{4}} \arctan \left(\frac{\frac{\sqrt{2} \left(\frac{bc - ad}{c^2} \right)^{\frac{1}{4}} \left(\frac{bx}{d} - \frac{1}{4} \sqrt{2} \left(\frac{bc - ad}{c^2} \right)^{\frac{1}{4}} \right)}{\left(\frac{bc - ad}{c^2} \right)^{\frac{1}{4}}}}{\frac{\sqrt{2} \left(\frac{bc - ad}{c^2} \right)^{\frac{1}{4}} \left(\frac{bx}{d} - \frac{1}{4} \sqrt{2} \left(\frac{bc - ad}{c^2} \right)^{\frac{1}{4}} \right)}{\left(\frac{bc - ad}{c^2} \right)^{\frac{1}{4}}}} \right) + d \left(\frac{bc - ad}{c^2} \right)^{\frac{1}{4}} \log \left(\frac{\sqrt{2} \left(\frac{bc - ad}{c^2} \right)^{\frac{1}{4}} \left(\frac{bx}{d} - \frac{1}{4} \sqrt{2} \left(\frac{bc - ad}{c^2} \right)^{\frac{1}{4}} \right)}{\left(\frac{bc - ad}{c^2} \right)^{\frac{1}{4}}} \right) - d \left(\frac{bc - ad}{c^2} \right)^{\frac{1}{4}} \log \left(-\frac{\sqrt{2} \left(\frac{bc - ad}{c^2} \right)^{\frac{1}{4}} \left(\frac{bx}{d} - \frac{1}{4} \sqrt{2} \left(\frac{bc - ad}{c^2} \right)^{\frac{1}{4}} \right)}{\left(\frac{bc - ad}{c^2} \right)^{\frac{1}{4}}} \right) + 4bx}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)/(d*x^4+c),x, algorithm="fricas")

[Out] $\frac{1}{4} * (4 * d * (- (b^4 * c^4 - 4 * a * b^3 * c^3 * d + 6 * a^2 * b^2 * c^2 * d^2 - 4 * a^3 * b * c * d^3 + a^4 * d^4) / (c^3 * d^5))^{1/4} * \arctan((c^2 * d^4 * x * (- (b^4 * c^4 - 4 * a * b^3 * c^3 * d + 6 * a^2 * b^2 * c^2 * d^2 - 4 * a^3 * b * c * d^3 + a^4 * d^4) / (c^3 * d^5))^{3/4} - c^2 * d^4 * \sqrt{((c^2 * d^2 * \sqrt{(- (b^4 * c^4 - 4 * a * b^3 * c^3 * d + 6 * a^2 * b^2 * c^2 * d^2 - 4 * a^3 * b * c * d^3 + a^4 * d^4) / (c^3 * d^5))} + (b^2 * c^2 - 2 * a * b * c * d + a^2 * d^2) * x^2) / (b^2 * c^2 - 2 * a * b * c * d + a^2 * d^2)}) * (- (b^4 * c^4 - 4 * a * b^3 * c^3 * d + 6 * a^2 * b^2 * c^2 * d^2 - 4 * a^3 * b * c * d^3 + a^4 * d^4) / (c^3 * d^5))^{3/4}) / (b^3 * c^3 - 3 * a * b^2 * c^2 * d + 3 * a^2 * b * c * d^2 - a^3 * d^3)) + d * (- (b^4 * c^4 - 4 * a * b^3 * c^3 * d + 6 * a^2 * b^2 * c^2 * d^2 - 4 * a^3 * b * c * d^3 + a^4 * d^4) / (c^3 * d^5))^{1/4} * \log(c * d * (- (b^4 * c^4 - 4 * a * b^3 * c^3 * d + 6 * a^2 * b^2 * c^2 * d^2 - 4 * a^3 * b * c * d^3 + a^4 * d^4) / (c^3 * d^5))^{1/4} - (b * c - a * d) * x) - d * (- (b^4 * c^4 - 4 * a * b^3 * c^3 * d + 6 * a^2 * b^2 * c^2 * d^2 - 4 * a^3 * b * c * d^3 + a^4 * d^4) / (c^3 * d^5))^{1/4} * \log(-c * d * (- (b^4 * c^4 - 4 * a * b^3 * c^3 * d + 6 * a^2 * b^2 * c^2 * d^2 - 4 * a^3 * b * c * d^3 + a^4 * d^4) / (c^3 * d^5))^{1/4} - (b * c - a * d) * x) + 4 * b * x) / d$

giac [A] time = 0.16, size = 245, normalized size = 1.10

$$\frac{bx}{d} - \frac{\sqrt{2} \left((cd^3)^{\frac{1}{4}} bc - (cd^3)^{\frac{1}{4}} ad \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{c}{d} \right)^{\frac{1}{4}} \right)}{z \left(\frac{c}{d} \right)^{\frac{1}{4}}} \right)}{4cd^2} - \frac{\sqrt{2} \left((cd^3)^{\frac{1}{4}} bc - (cd^3)^{\frac{1}{4}} ad \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{c}{d} \right)^{\frac{1}{4}} \right)}{z \left(\frac{c}{d} \right)^{\frac{1}{4}}} \right)}{4cd^2} - \frac{\sqrt{2} \left((cd^3)^{\frac{1}{4}} bc - (cd^3)^{\frac{1}{4}} ad \right) \log \left(x^2 + \sqrt{2} x \left(\frac{c}{d} \right)^{\frac{1}{4}} + \sqrt{\frac{c}{d}} \right)}{8cd^2} + \frac{\sqrt{2} \left((cd^3)^{\frac{1}{4}} bc - (cd^3)^{\frac{1}{4}} ad \right) \log \left(x^2 - \sqrt{2} x \left(\frac{c}{d} \right)^{\frac{1}{4}} + \sqrt{\frac{c}{d}} \right)}{8cd^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)/(d*x^4+c),x, algorithm="giac")

[Out] $bx/d - 1/4 * \sqrt{2} * ((cd^3)^{1/4} * b * c - (cd^3)^{1/4} * a * d) * \arctan(1/2 * \sqrt{2} * (2 * x + \sqrt{2} * (c/d)^{1/4}) / (c/d)^{1/4}) / (cd^2) - 1/4 * \sqrt{2} * ((cd^3)^{1/4} * b * c - (cd^3)^{1/4} * a * d) * \arctan(1/2 * \sqrt{2} * (2 * x - \sqrt{2} * (c/d)^{1/4}) / (c/d)^{1/4}) / (cd^2) - 1/8 * \sqrt{2} * ((cd^3)^{1/4} * b * c - (cd^3)^{1/4} * a * d) * \log(x^2 + \sqrt{2} * x * (c/d)^{1/4} + \sqrt{c/d}) / (cd^2) + 1/8 * \sqrt{2} * ((cd^3)^{1/4} * b * c - (cd^3)^{1/4} * a * d) * \log(x^2 - \sqrt{2} * x * (c/d)^{1/4} + \sqrt{c/d}) / (cd^2)$

maple [A] time = 0.05, size = 266, normalized size = 1.19

$$\frac{\left(\frac{c}{d} \right)^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} x}{\left(\frac{c}{d} \right)^{\frac{1}{4}}} - 1 \right)}{4c} + \frac{\left(\frac{c}{d} \right)^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} x}{\left(\frac{c}{d} \right)^{\frac{1}{4}}} + 1 \right)}{4c} + \frac{\left(\frac{c}{d} \right)^{\frac{1}{4}} \sqrt{2} a \ln \left(\frac{x^2 + \left(\frac{c}{d} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{c}{d}}}{x^2 - \left(\frac{c}{d} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{c}{d}}} \right)}{8c} + \frac{bx}{d} - \frac{\left(\frac{c}{d} \right)^{\frac{1}{4}} \sqrt{2} b \arctan \left(\frac{\sqrt{2} x}{\left(\frac{c}{d} \right)^{\frac{1}{4}}} - 1 \right)}{4d} - \frac{\left(\frac{c}{d} \right)^{\frac{1}{4}} \sqrt{2} b \arctan \left(\frac{\sqrt{2} x}{\left(\frac{c}{d} \right)^{\frac{1}{4}}} + 1 \right)}{4d} - \frac{\left(\frac{c}{d} \right)^{\frac{1}{4}} \sqrt{2} b \ln \left(\frac{x^2 + \left(\frac{c}{d} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{c}{d}}}{x^2 - \left(\frac{c}{d} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{c}{d}}} \right)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)/(d*x^4+c), x)

[Out]
$$\frac{b}{d}x + \frac{1}{4}\left(\frac{c}{d}\right)^{\frac{1}{4}}\frac{1}{c}2^{\frac{1}{2}}\arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{c}{d}\right)^{\frac{1}{4}}x-1}\right)a - \frac{1}{4}\frac{1}{d}\left(\frac{c}{d}\right)^{\frac{1}{4}}2^{\frac{1}{2}}\arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{c}{d}\right)^{\frac{1}{4}}x-1}\right)b + \frac{1}{8}\left(\frac{c}{d}\right)^{\frac{1}{4}}\frac{1}{c}2^{\frac{1}{2}}\ln\left(\frac{x^2+\left(\frac{c}{d}\right)^{\frac{1}{4}}x*2^{\frac{1}{2}}+\left(\frac{c}{d}\right)^{\frac{1}{2}}}{x^2-\left(\frac{c}{d}\right)^{\frac{1}{4}}x*2^{\frac{1}{2}}+\left(\frac{c}{d}\right)^{\frac{1}{2}}}\right)a - \frac{1}{8}\frac{1}{d}\left(\frac{c}{d}\right)^{\frac{1}{4}}2^{\frac{1}{2}}\ln\left(\frac{x^2+\left(\frac{c}{d}\right)^{\frac{1}{4}}x*2^{\frac{1}{2}}+\left(\frac{c}{d}\right)^{\frac{1}{2}}}{x^2-\left(\frac{c}{d}\right)^{\frac{1}{4}}x*2^{\frac{1}{2}}+\left(\frac{c}{d}\right)^{\frac{1}{2}}}\right)b + \frac{1}{4}\left(\frac{c}{d}\right)^{\frac{1}{4}}\frac{1}{c}2^{\frac{1}{2}}\arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{c}{d}\right)^{\frac{1}{4}}x+1}\right)a - \frac{1}{4}\frac{1}{d}\left(\frac{c}{d}\right)^{\frac{1}{4}}2^{\frac{1}{2}}\arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{c}{d}\right)^{\frac{1}{4}}x+1}\right)b$$

maxima [A] time = 1.28, size = 212, normalized size = 0.95

$$\frac{bx}{d} - \frac{2\sqrt{2}(bc-ad)\arctan\left(\frac{\sqrt{2}\left(2\sqrt{dx}+\sqrt{2c^{\frac{1}{4}}d^{\frac{1}{4}}}\right)}{2\sqrt{c}\sqrt{d}}\right)}{\sqrt{c}\sqrt{c}\sqrt{d}} + \frac{2\sqrt{2}(bc-ad)\arctan\left(\frac{\sqrt{2}\left(2\sqrt{dx}-\sqrt{2c^{\frac{1}{4}}d^{\frac{1}{4}}}\right)}{2\sqrt{c}\sqrt{d}}\right)}{\sqrt{c}\sqrt{c}\sqrt{d}} + \frac{\sqrt{2}(bc-ad)\log\left(\sqrt{dx^2+\sqrt{2c^{\frac{1}{4}}d^{\frac{1}{4}}x+\sqrt{c}}}\right)}{8d} - \frac{\sqrt{2}(bc-ad)\log\left(\sqrt{dx^2-\sqrt{2c^{\frac{1}{4}}d^{\frac{1}{4}}x+\sqrt{c}}}\right)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)/(d*x^4+c), x, algorithm="maxima")

[Out]
$$\frac{bx}{d} - \frac{1}{8}\frac{2\sqrt{2}(bc-ad)\arctan\left(\frac{1}{2}\sqrt{2}\sqrt{\frac{d}{c}}x + \sqrt{\frac{d}{c}}\right)}{\sqrt{c}\sqrt{d}} + \frac{2\sqrt{2}(bc-ad)\arctan\left(\frac{1}{2}\sqrt{2}\sqrt{\frac{d}{c}}x - \sqrt{\frac{d}{c}}\right)}{\sqrt{c}\sqrt{d}} + \frac{\sqrt{2}(bc-ad)\log\left(\sqrt{\frac{d}{c}}x^2 + \sqrt{\frac{d}{c}}x + \sqrt{\frac{d}{c}}\right)}{8d} - \frac{\sqrt{2}(bc-ad)\log\left(\sqrt{\frac{d}{c}}x^2 - \sqrt{\frac{d}{c}}x + \sqrt{\frac{d}{c}}\right)}{8d}$$

mupad [B] time = 1.48, size = 720, normalized size = 3.23

$$\frac{bx}{d} - \frac{\operatorname{atan}\left(\frac{\left(\frac{x(4x^2-8abcx^2+4b^2d)}{4(-c)^{\frac{3}{4}}d^{\frac{5}{4}}}\right)^{\frac{(16b^2d^2-16acd)(ad-bc)}{4(-c)^{\frac{3}{4}}d^{\frac{5}{4}}}}}{4(-c)^{\frac{3}{4}}d^{\frac{5}{4}}}\right)}{2(-c)^{\frac{3}{4}}d^{\frac{5}{4}}} + \operatorname{atan}\left(\frac{\left(\frac{x(4x^2-8abcx^2+4b^2d)}{4(-c)^{\frac{3}{4}}d^{\frac{5}{4}}}\right)^{\frac{(16b^2d^2-16acd)(ad-bc)}{4(-c)^{\frac{3}{4}}d^{\frac{5}{4}}}}}{4(-c)^{\frac{3}{4}}d^{\frac{5}{4}}}\right)}{2(-c)^{\frac{3}{4}}d^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)/(c + d*x^4), x)

[Out]
$$\frac{bx}{d} - \frac{\operatorname{atan}\left(\frac{(x(4a^2d^3+4b^2c^2d-8abc^2d^2)-((16b^2c^2d^2-16acd^3)(ad-bc))}{4(-c)^{\frac{3}{4}}d^{\frac{5}{4}}}\right)}{4(-c)^{\frac{3}{4}}d^{\frac{5}{4}}}\frac{(ad-bc)}{4(-c)^{\frac{3}{4}}d^{\frac{5}{4}}} + \operatorname{atan}\left(\frac{(x(4a^2d^3+4b^2c^2d-8abc^2d^2)+((16b^2c^2d^2-16acd^3)(ad-bc))}{4(-c)^{\frac{3}{4}}d^{\frac{5}{4}}}\right)}{4(-c)^{\frac{3}{4}}d^{\frac{5}{4}}}\frac{(ad-bc)}{4(-c)^{\frac{3}{4}}d^{\frac{5}{4}}}\right)}{4(-c)^{\frac{3}{4}}d^{\frac{5}{4}}}$$

```

*(-c)^(3/4)*d^(5/4)))*(a*d - b*c)*1i)/(2*(-c)^(3/4)*d^(5/4)) - (atan((((x*
(4*a^2*d^3 + 4*b^2*c^2*d - 8*a*b*c*d^2) - ((16*b*c^2*d^2 - 16*a*c*d^3)*(a*d
- b*c)*1i)/(4*(-c)^(3/4)*d^(5/4)))*(a*d - b*c))/(4*(-c)^(3/4)*d^(5/4)) + (
(x*(4*a^2*d^3 + 4*b^2*c^2*d - 8*a*b*c*d^2) + ((16*b*c^2*d^2 - 16*a*c*d^3)*(
a*d - b*c)*1i)/(4*(-c)^(3/4)*d^(5/4)))*(a*d - b*c))/(4*(-c)^(3/4)*d^(5/4))
/((((x*(4*a^2*d^3 + 4*b^2*c^2*d - 8*a*b*c*d^2) - ((16*b*c^2*d^2 - 16*a*c*d^3)
)*(a*d - b*c)*1i)/(4*(-c)^(3/4)*d^(5/4)))*(a*d - b*c)*1i)/(4*(-c)^(3/4)*d^(
5/4)) - ((x*(4*a^2*d^3 + 4*b^2*c^2*d - 8*a*b*c*d^2) + ((16*b*c^2*d^2 - 16*a
*c*d^3)*(a*d - b*c)*1i)/(4*(-c)^(3/4)*d^(5/4)))*(a*d - b*c)*1i)/(4*(-c)^(3/
4)*d^(5/4))))*(a*d - b*c))/(2*(-c)^(3/4)*d^(5/4))

```

sympy [A] time = 0.66, size = 87, normalized size = 0.39

$$\frac{bx}{d} + \text{RootSum}\left(256t^4c^3d^5 + a^4d^4 - 4a^3bcd^3 + 6a^2b^2c^2d^2 - 4ab^3c^3d + b^4c^4, \left(t \mapsto t \log\left(\frac{4tcd}{ad - bc} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)/(d*x**4+c),x)

[Out] b*x/d + RootSum(256*_t**4*c**3*d**5 + a**4*d**4 - 4*a**3*b*c*d**3 + 6*a**2*b**2*c**2*d**2 - 4*a*b**3*c**3*d + b**4*c**4, Lambda(_t, _t*log(4*_t*c*d/(a*d - b*c) + x)))

$$3.88 \quad \int \frac{a+bx^4}{(c+dx^4)^2} dx$$

Optimal. Leaf size=245

$$\frac{(3ad + bc) \log\left(-\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{16\sqrt{2} c^{7/4} d^{5/4}} + \frac{(3ad + bc) \log\left(\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{16\sqrt{2} c^{7/4} d^{5/4}} - \frac{(3ad + bc) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}} + 1\right)}{8\sqrt{2} c^{7/4} d^{5/4}} - \frac{x(bc - ad)}{4cd(c + dx^4)}$$

Rubi [A] time = 0.15, antiderivative size = 245, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 17, number of rules / integrand size = 0.412, Rules used = {385, 211, 1165, 628, 1162, 617, 204}

$$-\frac{(3ad + bc) \log\left(-\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{16\sqrt{2} c^{7/4} d^{5/4}} + \frac{(3ad + bc) \log\left(\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{16\sqrt{2} c^{7/4} d^{5/4}} - \frac{(3ad + bc) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}}\right)}{8\sqrt{2} c^{7/4} d^{5/4}} + \frac{(3ad + bc) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}} + 1\right)}{8\sqrt{2} c^{7/4} d^{5/4}} - \frac{x(bc - ad)}{4cd(c + dx^4)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)/(c + d*x^4)^2,x]

[Out] -((b*c - a*d)*x)/(4*c*d*(c + d*x^4)) - ((b*c + 3*a*d)*ArcTan[1 - (Sqrt[2]*d^(1/4)*x)/c^(1/4)])/(8*Sqrt[2]*c^(7/4)*d^(5/4)) + ((b*c + 3*a*d)*ArcTan[1 + (Sqrt[2]*d^(1/4)*x)/c^(1/4)])/(8*Sqrt[2]*c^(7/4)*d^(5/4)) - ((b*c + 3*a*d)*Log[Sqrt[c] - Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(16*Sqrt[2]*c^(7/4)*d^(5/4)) + ((b*c + 3*a*d)*Log[Sqrt[c] + Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(16*Sqrt[2]*c^(7/4)*d^(5/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b

```
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^4}{(c + dx^4)^2} dx &= -\frac{(bc - ad)x}{4cd(c + dx^4)} + \frac{(bc + 3ad) \int \frac{1}{c+dx^4} dx}{4cd} \\
&= -\frac{(bc - ad)x}{4cd(c + dx^4)} + \frac{(bc + 3ad) \int \frac{\sqrt{c} - \sqrt{d}x^2}{c+dx^4} dx}{8c^{3/2}d} + \frac{(bc + 3ad) \int \frac{\sqrt{c} + \sqrt{d}x^2}{c+dx^4} dx}{8c^{3/2}d} \\
&= -\frac{(bc - ad)x}{4cd(c + dx^4)} + \frac{(bc + 3ad) \int \frac{1}{\frac{\sqrt{c}}{\sqrt{d}} - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{d}} + x^2} dx}{16c^{3/2}d^{3/2}} + \frac{(bc + 3ad) \int \frac{1}{\frac{\sqrt{c}}{\sqrt{d}} + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{d}} + x^2} dx}{16c^{3/2}d^{3/2}} - \frac{(bc + 3ad)}{16\sqrt{2}c^{7/4}d^{5/4}} \\
&= -\frac{(bc - ad)x}{4cd(c + dx^4)} - \frac{(bc + 3ad) \log(\sqrt{c} - \sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x + \sqrt{d}x^2)}{16\sqrt{2}c^{7/4}d^{5/4}} + \frac{(bc + 3ad) \log(\sqrt{c} + \sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x + \sqrt{d}x^2)}{16\sqrt{2}c^{7/4}d^{5/4}} \\
&= -\frac{(bc - ad)x}{4cd(c + dx^4)} - \frac{(bc + 3ad) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}}\right)}{8\sqrt{2}c^{7/4}d^{5/4}} + \frac{(bc + 3ad) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}}\right)}{8\sqrt{2}c^{7/4}d^{5/4}} - \frac{(bc + 3ad)}{16\sqrt{2}c^{7/4}d^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 212, normalized size = 0.87

$$\frac{-\frac{8c^{3/4}\sqrt[4]{d}(bc-ad)}{c+dx^4} - \sqrt{2}(3ad+bc)\log(-\sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x + \sqrt{c} + \sqrt{d}x^2) + \sqrt{2}(3ad+bc)\log(\sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x + \sqrt{c} + \sqrt{d}x^2) - 2\sqrt{2}(3ad+bc)\tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}}\right) + 2\sqrt{2}(3ad+bc)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}} + 1\right)}{32c^{7/4}d^{5/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^4)/(c + d*x^4)^2, x]

[Out] ((-8*c^(3/4)*d^(1/4)*(b*c - a*d)*x)/(c + d*x^4) - 2*Sqrt[2]*(b*c + 3*a*d)*ArcTan[1 - (Sqrt[2]*d^(1/4)*x)/c^(1/4)] + 2*Sqrt[2]*(b*c + 3*a*d)*ArcTan[1 + (Sqrt[2]*d^(1/4)*x)/c^(1/4)] - Sqrt[2]*(b*c + 3*a*d)*Log[Sqrt[c] - Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2] + Sqrt[2]*(b*c + 3*a*d)*Log[Sqrt[c] + Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(32*c^(7/4)*d^(5/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + bx^4}{(c + dx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^4)/(c + d*x^4)^2,x]

[Out] IntegrateAlgebraic[(a + b*x^4)/(c + d*x^4)^2, x]

fricas [B] time = 1.42, size = 711, normalized size = 2.90

$$\frac{1}{16} \frac{\sqrt{2} \left((cd^3)^{\frac{1}{4}} bc + 3 (cd^3)^{\frac{1}{4}} ad \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{c}{d} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{c}{d} \right)^{\frac{1}{4}} \right)}{\sqrt{2} \left((cd^3)^{\frac{1}{4}} bc + 3 (cd^3)^{\frac{1}{4}} ad \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{c}{d} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{c}{d} \right)^{\frac{1}{4}} \right)} \right)}{16c^2d^2} + \frac{\sqrt{2} \left((cd^3)^{\frac{1}{4}} bc + 3 (cd^3)^{\frac{1}{4}} ad \right) \log \left(x^2 + \sqrt{2} x \left(\frac{c}{d} \right)^{\frac{1}{4}} + \sqrt{\frac{c}{d}} \right) - \sqrt{2} \left((cd^3)^{\frac{1}{4}} bc + 3 (cd^3)^{\frac{1}{4}} ad \right) \log \left(x^2 - \sqrt{2} x \left(\frac{c}{d} \right)^{\frac{1}{4}} + \sqrt{\frac{c}{d}} \right)}{32c^2d^2} - \frac{bcx - adx}{4(dx^4 + c)cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)/(d*x^4+c)^2,x, algorithm="fricas")

[Out] $\frac{1}{16} (4(c^2d^2x^4 + c^2d) * (-b^4c^4 + 12a^2b^3c^3d + 54a^2b^2c^2d^2 + 108a^3b^2c^2d^3 + 81a^4d^4) / (c^7d^5))^{1/4} * \arctan(- (c^5d^4 * x * (-b^4c^4 + 12a^2b^3c^3d + 54a^2b^2c^2d^2 + 108a^3b^2c^2d^3 + 81a^4d^4) / (c^7d^5))^{3/4} - c^5d^4 * \sqrt{(c^4d^2 * \sqrt{- (b^4c^4 + 12a^2b^3c^3d + 54a^2b^2c^2d^2 + 108a^3b^2c^2d^3 + 81a^4d^4) / (c^7d^5)}) + (b^2c^2 + 6a^2b^2c^2d^2) * x^2} / (b^2c^2 + 6a^2b^2c^2d^2)) * (- (b^4c^4 + 12a^2b^3c^3d + 54a^2b^2c^2d^2 + 108a^3b^2c^2d^3 + 81a^4d^4) / (c^7d^5))^{3/4}) / (b^3c^3 + 9a^2b^2c^2d + 27a^2b^2c^2d^2 + 27a^3d^3) + (c^2d^2x^4 + c^2d) * (- (b^4c^4 + 12a^2b^3c^3d + 54a^2b^2c^2d^2 + 108a^3b^2c^2d^3 + 81a^4d^4) / (c^7d^5))^{1/4} * \log(c^2d * (- (b^4c^4 + 12a^2b^3c^3d + 54a^2b^2c^2d^2 + 108a^3b^2c^2d^3 + 81a^4d^4) / (c^7d^5))^{1/4} + (b^2c^2 + 6a^2b^2c^2d^2) * x) - (c^2d^2x^4 + c^2d) * (- (b^4c^4 + 12a^2b^3c^3d + 54a^2b^2c^2d^2 + 108a^3b^2c^2d^3 + 81a^4d^4) / (c^7d^5))^{1/4} * \log(- c^2d * (- (b^4c^4 + 12a^2b^3c^3d + 54a^2b^2c^2d^2 + 108a^3b^2c^2d^3 + 81a^4d^4) / (c^7d^5))^{1/4} + (b^2c^2 + 6a^2b^2c^2d^2) * x) - 4 * (b^2c^2 - a^2d) * x) / (c^2d^2x^4 + c^2d)$

giac [A] time = 0.17, size = 266, normalized size = 1.09

$$\frac{\sqrt{2} \left((cd^3)^{\frac{1}{4}} bc + 3 (cd^3)^{\frac{1}{4}} ad \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{c}{d} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{c}{d} \right)^{\frac{1}{4}} \right)}{\sqrt{2} \left((cd^3)^{\frac{1}{4}} bc + 3 (cd^3)^{\frac{1}{4}} ad \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{c}{d} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{c}{d} \right)^{\frac{1}{4}} \right)} \right)}{16c^2d^2} + \frac{\sqrt{2} \left((cd^3)^{\frac{1}{4}} bc + 3 (cd^3)^{\frac{1}{4}} ad \right) \log \left(x^2 + \sqrt{2} x \left(\frac{c}{d} \right)^{\frac{1}{4}} + \sqrt{\frac{c}{d}} \right) - \sqrt{2} \left((cd^3)^{\frac{1}{4}} bc + 3 (cd^3)^{\frac{1}{4}} ad \right) \log \left(x^2 - \sqrt{2} x \left(\frac{c}{d} \right)^{\frac{1}{4}} + \sqrt{\frac{c}{d}} \right)}{32c^2d^2} - \frac{bcx - adx}{4(dx^4 + c)cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)/(d*x^4+c)^2,x, algorithm="giac")

[Out] $\frac{1}{16} \sqrt{2} * ((c^2d^3)^{1/4} * b^2c + 3 * (c^2d^3)^{1/4} * a^2d) * \arctan(1/2 * \sqrt{2}) * (2x + \sqrt{2} * (c/d)^{1/4}) / (c/d)^{1/4} / (c^2d^2) + 1/16 * \sqrt{2} * ((c^2d^3)^{1/4} * b^2c + 3 * (c^2d^3)^{1/4} * a^2d) * \arctan(1/2 * \sqrt{2}) * (2x - \sqrt{2} * (c/d)^{1/4}) / (c/d)^{1/4} / (c^2d^2) + 1/32 * \sqrt{2} * ((c^2d^3)^{1/4} * b^2c + 3 * (c^2d^3)^{1/4} * a^2d) * \log(x^2 + \sqrt{2} * x * (c/d)^{1/4} + \sqrt{c/d}) / (c^2d^2) - 1/32 * \sqrt{2} * ((c^2d^3)^{1/4} * b^2c + 3 * (c^2d^3)^{1/4} * a^2d) * \log(x^2 - \sqrt{2} * x * (c/d)^{1/4} + \sqrt{c/d}) / (c^2d^2) - 1/4 * (b^2c * x - a^2d * x) / ((d * x^4 + c) * c * d)$

maple [A] time = 0.05, size = 295, normalized size = 1.20

$$\frac{3\left(\frac{c}{d}\right)^{\frac{1}{4}}\sqrt{2}a\arctan\left(\frac{\sqrt{2}x}{\left(\frac{c}{d}\right)^{\frac{1}{4}}}-1\right)}{16c^2} + \frac{3\left(\frac{c}{d}\right)^{\frac{1}{4}}\sqrt{2}a\arctan\left(\frac{\sqrt{2}x}{\left(\frac{c}{d}\right)^{\frac{1}{4}}}+1\right)}{16c^2} + \frac{3\left(\frac{c}{d}\right)^{\frac{1}{4}}\sqrt{2}a\ln\left(\frac{x^2+\left(\frac{c}{d}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{c}{d}}}{x^2-\left(\frac{c}{d}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{c}{d}}}\right)}{32c^2} + \frac{\left(\frac{c}{d}\right)^{\frac{1}{4}}\sqrt{2}b\arctan\left(\frac{\sqrt{2}x}{\left(\frac{c}{d}\right)^{\frac{1}{4}}}-1\right)}{16cd} + \frac{\left(\frac{c}{d}\right)^{\frac{1}{4}}\sqrt{2}b\arctan\left(\frac{\sqrt{2}x}{\left(\frac{c}{d}\right)^{\frac{1}{4}}}+1\right)}{16cd} + \frac{\left(\frac{c}{d}\right)^{\frac{1}{4}}\sqrt{2}b\ln\left(\frac{x^2+\left(\frac{c}{d}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{c}{d}}}{x^2-\left(\frac{c}{d}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{c}{d}}}\right)}{32cd} + \frac{(ad-bc)x}{4(d^4x^4+cd)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)/(d*x^4+c)^2,x)

[Out] $\frac{1}{4}*(a*d-b*c)/d*c*x/(d*x^4+c)+3/16/c^2*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(c/d)^{(1/4)}*x+1)*a+1/16/c/d*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(c/d)^{(1/4)}*x-1)*a+1/16/c/d*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(c/d)^{(1/4)}*x-1)*b+3/32/c^2*(c/d)^{(1/4)}*2^{(1/2)}*\ln((x^2+(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)))/(x^2-(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)})))*a+1/32/c/d*(c/d)^{(1/4)}*2^{(1/2)}*\ln((x^2+(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)))/(x^2-(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)})))*b$

maxima [A] time = 1.16, size = 236, normalized size = 0.96

$$\frac{(bc-ad)x}{4(cd^2x^4+c^2d)} + \frac{2\sqrt{2}(bc+3ad)\arctan\left(\frac{\sqrt{2}\left(2\sqrt{dx}+\sqrt{2}c^{\frac{1}{4}}d^{\frac{1}{4}}\right)}{2\sqrt{c}\sqrt{d}}\right)}{\sqrt{c}\sqrt{c}\sqrt{d}} + \frac{2\sqrt{2}(bc+3ad)\arctan\left(\frac{\sqrt{2}\left(2\sqrt{dx}-\sqrt{2}c^{\frac{1}{4}}d^{\frac{1}{4}}\right)}{2\sqrt{c}\sqrt{d}}\right)}{\sqrt{c}\sqrt{c}\sqrt{d}} + \frac{\sqrt{2}(bc+3ad)\log\left(\sqrt{d}x^2+\sqrt{2}c^{\frac{1}{4}}d^{\frac{1}{4}}x+\sqrt{c}\right)}{c^{\frac{3}{4}}d^{\frac{1}{4}}} - \frac{\sqrt{2}(bc+3ad)\log\left(\sqrt{d}x^2-\sqrt{2}c^{\frac{1}{4}}d^{\frac{1}{4}}x+\sqrt{c}\right)}{c^{\frac{3}{4}}d^{\frac{1}{4}}}{32cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)/(d*x^4+c)^2,x, algorithm="maxima")

[Out] $-1/4*(b*c - a*d)*x/(c*d^2*x^4 + c^2*d) + 1/32*(2*\sqrt{2}*(b*c + 3*a*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}*x + \sqrt{2})*c^{(1/4)}*d^{(1/4)})/\sqrt{c}*\sqrt{d})/(\sqrt{c}*\sqrt{d}) + 2*\sqrt{2}*(b*c + 3*a*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}*x - \sqrt{2})*c^{(1/4)}*d^{(1/4)})/\sqrt{c}*\sqrt{d})/(\sqrt{c}*\sqrt{d}) + \sqrt{2}*(b*c + 3*a*d)*\log(\sqrt{d}*x^2 + \sqrt{2}*c^{(1/4)}*d^{(1/4)}*x + \sqrt{c})/(c^{(3/4)}*d^{(1/4)}) - \sqrt{2}*(b*c + 3*a*d)*\log(\sqrt{d}*x^2 - \sqrt{2}*c^{(1/4)}*d^{(1/4)}*x + \sqrt{c})/(c^{(3/4)}*d^{(1/4)})/(c*d)$

mupad [B] time = 1.52, size = 740, normalized size = 3.02

$$\frac{\operatorname{atan}\left(\frac{\left(\frac{2\sqrt{2}d^2x^2+2\sqrt{2}d^2x+2\sqrt{2}d^2}{4d^2}\right)\operatorname{atan}\left(\frac{2\sqrt{2}d^2x^2+2\sqrt{2}d^2x+2\sqrt{2}d^2}{4d^2}\right)+\left(\frac{2\sqrt{2}d^2x^2-2\sqrt{2}d^2x+2\sqrt{2}d^2}{4d^2}\right)\operatorname{atan}\left(\frac{2\sqrt{2}d^2x^2-2\sqrt{2}d^2x+2\sqrt{2}d^2}{4d^2}\right)}{\frac{2\sqrt{2}d^2x^2+2\sqrt{2}d^2x+2\sqrt{2}d^2}{4d^2}}\right)}{8(-c)^{7/4}d^{5/4}} + \frac{x(ad-bc)}{4cd(d^4x^4+c)} + \frac{\operatorname{atan}\left(\frac{\left(\frac{2\sqrt{2}d^2x^2+2\sqrt{2}d^2x+2\sqrt{2}d^2}{4d^2}\right)\operatorname{atan}\left(\frac{2\sqrt{2}d^2x^2+2\sqrt{2}d^2x+2\sqrt{2}d^2}{4d^2}\right)+\left(\frac{2\sqrt{2}d^2x^2-2\sqrt{2}d^2x+2\sqrt{2}d^2}{4d^2}\right)\operatorname{atan}\left(\frac{2\sqrt{2}d^2x^2-2\sqrt{2}d^2x+2\sqrt{2}d^2}{4d^2}\right)}{\frac{2\sqrt{2}d^2x^2+2\sqrt{2}d^2x+2\sqrt{2}d^2}{4d^2}}\right)}{8(-c)^{7/4}d^{5/4}}}{8(-c)^{7/4}d^{5/4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)/(c + d*x^4)^2,x)

[Out] $\left(\operatorname{atan}\left(\frac{(x^4(9a^2d^3 + b^2c^2d + 6ab^2cd^2))/(4c^2) - ((3ad + b^2c)/(12ad^3 + 4b^2cd^2))/(16(-c)^{7/4}d^{5/4})}{(3ad + b^2c)^{1/4}}\right)\right)/(16(-c)^{7/4}d^{5/4})$

$$\begin{aligned} &)^{(7/4)}d^{(5/4)} + \left(\frac{(x(9a^2d^3 + b^2c^2d + 6ab*cd^2))}{(4c^2)} + \frac{(3ad + bc)(12ad^3 + 4b*cd^2)}{(16(-c)^{(7/4)}d^{(5/4)})} * (3ad + bc) \right. \\ &* 1i) / (16(-c)^{(7/4)}d^{(5/4)}) \left. \right) / \left(\frac{(x(9a^2d^3 + b^2c^2d + 6ab*cd^2))}{(4c^2)} - \frac{(3ad + bc)(12ad^3 + 4b*cd^2)}{(16(-c)^{(7/4)}d^{(5/4)})} * \right. \\ &(3ad + bc) \left. \right) / (16(-c)^{(7/4)}d^{(5/4)}) - \left(\frac{(x(9a^2d^3 + b^2c^2d + 6ab*cd^2))}{(4c^2)} + \frac{(3ad + bc)(12ad^3 + 4b*cd^2)}{(16(-c)^{(7/4)}d^{(5/4)})} * \right. \\ &(3ad + bc) \left. \right) / (16(-c)^{(7/4)}d^{(5/4)}) + \frac{(3ad + bc)(12ad^3 + 4b*cd^2)}{(16(-c)^{(7/4)}d^{(5/4)})} * (3ad + bc) * 1i) / (8(-c)^{(7/4)}d^{(5/4)}) \\ &+ \operatorname{atan}\left(\frac{(x(9a^2d^3 + b^2c^2d + 6ab*cd^2))}{(4c^2)} - \frac{(3ad + bc)(12ad^3 + 4b*cd^2)}{(16(-c)^{(7/4)}d^{(5/4)})} * (3ad + bc) \right) / (16(-c)^{(7/4)}d^{(5/4)}) \\ &+ \left(\frac{(x(9a^2d^3 + b^2c^2d + 6ab*cd^2))}{(4c^2)} + \frac{(3ad + bc)(12ad^3 + 4b*cd^2)}{(16(-c)^{(7/4)}d^{(5/4)})} * 1i) \right) / (16(-c)^{(7/4)}d^{(5/4)}) \\ &+ \left(\frac{(3ad + bc)(12ad^3 + 4b*cd^2)}{(16(-c)^{(7/4)}d^{(5/4)})} * (3ad + bc) \right) / (16(-c)^{(7/4)}d^{(5/4)}) \\ &- \left(\frac{(x(9a^2d^3 + b^2c^2d + 6ab*cd^2))}{(4c^2)} - \frac{(3ad + bc)(12ad^3 + 4b*cd^2)}{(16(-c)^{(7/4)}d^{(5/4)})} * 1i) \right) / (16(-c)^{(7/4)}d^{(5/4)}) \\ &- \left(\frac{(x(9a^2d^3 + b^2c^2d + 6ab*cd^2))}{(4c^2)} + \frac{(3ad + bc)(12ad^3 + 4b*cd^2)}{(16(-c)^{(7/4)}d^{(5/4)})} * 1i) \right) / (16(-c)^{(7/4)}d^{(5/4)}) \\ &+ \frac{(3ad + bc)(12ad^3 + 4b*cd^2)}{(16(-c)^{(7/4)}d^{(5/4)})} * (3ad + bc) * 1i) / (16(-c)^{(7/4)}d^{(5/4)}) \\ &+ \frac{(x(ad - bc))}{(4c*d*(c + d*x^4))} \end{aligned}$$

sympy [A] time = 0.85, size = 112, normalized size = 0.46

$$\frac{x(ad - bc)}{4c^2d + 4cd^2x^4} + \operatorname{RootSum}\left(65536t^4c^7d^5 + 81a^4d^4 + 108a^3bcd^3 + 54a^2b^2c^2d^2 + 12ab^3c^3d + b^4c^4, \left(t \mapsto t \log\left(\frac{16tc^2d}{3ad + bc} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)/(d*x**4+c)**2,x)

[Out] x*(a*d - b*c)/(4*c**2*d + 4*c*d**2*x**4) + RootSum(65536*_t**4*c**7*d**5 + 81*a**4*d**4 + 108*a**3*b*c*d**3 + 54*a**2*b**2*c**2*d**2 + 12*a*b**3*c**3*d + b**4*c**4, Lambda(_t, _t*log(16*_t*c**2*d/(3*a*d + b*c) + x)))

$$3.89 \quad \int \frac{a+bx^4}{(c+dx^4)^3} dx$$

Optimal. Leaf size=273

$$\frac{3(7ad+bc)\log\left(-\sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x+\sqrt{c}+\sqrt{d}x^2\right)}{128\sqrt{2}c^{11/4}d^{5/4}} + \frac{3(7ad+bc)\log\left(\sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x+\sqrt{c}+\sqrt{d}x^2\right)}{128\sqrt{2}c^{11/4}d^{5/4}} - \frac{3(7ad+bc)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}}+1\right)}{64\sqrt{2}c^{11/4}d^{5/4}} + \frac{x(7ad+bc)}{32c^2d(c+dx^4)} - \frac{x(bc-ad)}{8cd(c+dx^4)^2}$$

Rubi [A] time = 0.17, antiderivative size = 273, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {385, 199, 211, 1165, 628, 1162, 617, 204}

$$\frac{3(7ad+bc)\log\left(-\sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x+\sqrt{c}+\sqrt{d}x^2\right)}{128\sqrt{2}c^{11/4}d^{5/4}} + \frac{3(7ad+bc)\log\left(\sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x+\sqrt{c}+\sqrt{d}x^2\right)}{128\sqrt{2}c^{11/4}d^{5/4}} - \frac{3(7ad+bc)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}}\right)}{64\sqrt{2}c^{11/4}d^{5/4}} + \frac{3(7ad+bc)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}}+1\right)}{64\sqrt{2}c^{11/4}d^{5/4}} + \frac{x(7ad+bc)}{32c^2d(c+dx^4)} - \frac{x(bc-ad)}{8cd(c+dx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)/(c + d*x^4)^3, x]

[Out] -((b*c - a*d)*x)/(8*c*d*(c + d*x^4)^2) + ((b*c + 7*a*d)*x)/(32*c^2*d*(c + d*x^4)) - (3*(b*c + 7*a*d)*ArcTan[1 - (Sqrt[2]*d^(1/4)*x)/c^(1/4)])/(64*Sqrt[2]*c^(11/4)*d^(5/4)) + (3*(b*c + 7*a*d)*ArcTan[1 + (Sqrt[2]*d^(1/4)*x)/c^(1/4)])/(64*Sqrt[2]*c^(11/4)*d^(5/4)) - (3*(b*c + 7*a*d)*Log[Sqrt[c] - Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(128*Sqrt[2]*c^(11/4)*d^(5/4)) + (3*(b*c + 7*a*d)*Log[Sqrt[c] + Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(128*Sqrt[2]*c^(11/4)*d^(5/4))

Rule 199

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p+1))/(a*n*(p+1)), x] + Dist[(n*(p+1)+1)/(a*n*(p+1)), Int[(a + b*x^n)^(p+1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]
], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4),
x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b
}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &&
AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^4}{(c + dx^4)^3} dx &= -\frac{(bc - ad)x}{8cd(c + dx^4)^2} + \frac{(bc + 7ad) \int \frac{1}{(c+dx^4)^2} dx}{8cd} \\
&= -\frac{(bc - ad)x}{8cd(c + dx^4)^2} + \frac{(bc + 7ad)x}{32c^2d(c + dx^4)} + \frac{(3(bc + 7ad)) \int \frac{1}{c+dx^4} dx}{32c^2d} \\
&= -\frac{(bc - ad)x}{8cd(c + dx^4)^2} + \frac{(bc + 7ad)x}{32c^2d(c + dx^4)} + \frac{(3(bc + 7ad)) \int \frac{\sqrt{c} - \sqrt{d}x^2}{c+dx^4} dx}{64c^{5/2}d} + \frac{(3(bc + 7ad)) \int \frac{\sqrt{c} + \sqrt{d}x^2}{c+dx^4} dx}{64c^{5/2}d} \\
&= -\frac{(bc - ad)x}{8cd(c + dx^4)^2} + \frac{(bc + 7ad)x}{32c^2d(c + dx^4)} + \frac{(3(bc + 7ad)) \int \frac{1}{\frac{\sqrt{c}}{\sqrt{d}} - \frac{\sqrt{2} \sqrt[4]{c}x}{\sqrt[4]{d}} + x^2} dx}{128c^{5/2}d^{3/2}} + \frac{(3(bc + 7ad)) \int \frac{1}{\frac{\sqrt{c}}{\sqrt{d}} + \frac{\sqrt{2} \sqrt[4]{c}x}{\sqrt[4]{d}} + x^2} dx}{128c^{5/2}d^{3/2}} \\
&= -\frac{(bc - ad)x}{8cd(c + dx^4)^2} + \frac{(bc + 7ad)x}{32c^2d(c + dx^4)} - \frac{3(bc + 7ad) \log(\sqrt{c} - \sqrt{2} \sqrt[4]{c} \sqrt[4]{d}x + \sqrt{d}x^2)}{128\sqrt{2}c^{11/4}d^{5/4}} + \frac{3(bc + 7ad) \log(\sqrt{c} + \sqrt{2} \sqrt[4]{c} \sqrt[4]{d}x + \sqrt{d}x^2)}{128\sqrt{2}c^{11/4}d^{5/4}} \\
&= -\frac{(bc - ad)x}{8cd(c + dx^4)^2} + \frac{(bc + 7ad)x}{32c^2d(c + dx^4)} - \frac{3(bc + 7ad) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{d}x}{\sqrt[4]{c}}\right)}{64\sqrt{2}c^{11/4}d^{5/4}} + \frac{3(bc + 7ad) \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{d}x}{\sqrt[4]{c}}\right)}{64\sqrt{2}c^{11/4}d^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 243, normalized size = 0.89

$$\frac{-\frac{32c^{7/4} \sqrt[4]{d}x(bc-ad)}{(c+dx^4)^2} + \frac{8c^{3/4} \sqrt[4]{d}x(7ad+bc)}{c+dx^4} - 3\sqrt{2}(7ad+bc) \log(-\sqrt{2} \sqrt[4]{c} \sqrt[4]{d}x + \sqrt{c} + \sqrt{d}x^2) + 3\sqrt{2}(7ad+bc) \log(\sqrt{2} \sqrt[4]{c} \sqrt[4]{d}x + \sqrt{c} + \sqrt{d}x^2) - 6\sqrt{2}(7ad+bc) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{d}x}{\sqrt[4]{c}}\right) + 6\sqrt{2}(7ad+bc) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{d}x}{\sqrt[4]{c}} + 1\right)}{256c^{11/4}d^{5/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^4)/(c + d*x^4)^3, x]

[Out] ((-32*c^(7/4)*d^(1/4)*(b*c - a*d)*x)/(c + d*x^4)^2 + (8*c^(3/4)*d^(1/4)*(b*c + 7*a*d)*x)/(c + d*x^4) - 6*sqrt[2]*(b*c + 7*a*d)*ArcTan[1 - (sqrt[2]*d^(1/4)*x)/c^(1/4)] + 6*sqrt[2]*(b*c + 7*a*d)*ArcTan[1 + (sqrt[2]*d^(1/4)*x)/c^(1/4)] - 3*sqrt[2]*(b*c + 7*a*d)*Log[sqrt[c] - sqrt[2]*c^(1/4)*d^(1/4)*x + sqrt[d]*x^2] + 3*sqrt[2]*(b*c + 7*a*d)*Log[sqrt[c] + sqrt[2]*c^(1/4)*d^(1/4)*x + sqrt[d]*x^2])/(256*c^(11/4)*d^(5/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + bx^4}{(c + dx^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^4)/(c + d*x^4)^3,x]

[Out] IntegrateAlgebraic[(a + b*x^4)/(c + d*x^4)^3, x]

fricas [B] time = 1.32, size = 787, normalized size = 2.88

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)/(d*x^4+c)^3,x, algorithm="fricas")

[Out] $\frac{1}{128} (4(bcd + 7ad^2)x^5 + 12(c^2d^3x^8 + 2c^3d^2x^4 + c^4d)) \cdot (-b^4c^4 + 28a^2b^3c^3d + 294a^2b^2c^2d^2 + 1372a^3b^2c^2d^2 + 2401a^4d^4) / (c^{11}d^5)^{1/4} \cdot \arctan\left(\frac{-(c^8d^4x^2 + 28a^2b^3c^3d + 294a^2b^2c^2d^2 + 1372a^3b^2c^2d^2 + 2401a^4d^4) / (c^{11}d^5)^{3/4} - c^8d^4 \sqrt{(c^6d^2 \sqrt{-(b^4c^4 + 28a^2b^3c^3d + 294a^2b^2c^2d^2 + 1372a^3b^2c^2d^2 + 2401a^4d^4) / (c^{11}d^5)}} + (b^2c^2 + 14ab^2cd + 49a^2d^2)x^2) / (b^2c^2 + 14ab^2cd + 49a^2d^2)}{-(b^4c^4 + 28a^2b^3c^3d + 294a^2b^2c^2d^2 + 1372a^3b^2c^2d^2 + 2401a^4d^4) / (c^{11}d^5)}\right) + 3(c^2d^3x^8 + 2c^3d^2x^4 + c^4d) \cdot (-b^4c^4 + 28a^2b^3c^3d + 294a^2b^2c^2d^2 + 1372a^3b^2c^2d^2 + 2401a^4d^4) / (c^{11}d^5)^{1/4} \cdot \log\left(\frac{3c^3d \cdot (-b^4c^4 + 28a^2b^3c^3d + 294a^2b^2c^2d^2 + 1372a^3b^2c^2d^2 + 2401a^4d^4) / (c^{11}d^5)^{1/4} + 3(bc + 7ad)x}{-3c^3d \cdot (-b^4c^4 + 28a^2b^3c^3d + 294a^2b^2c^2d^2 + 1372a^3b^2c^2d^2 + 2401a^4d^4) / (c^{11}d^5)^{1/4} + 3(bc + 7ad)x}\right) - 4(3b^2c^2 - 11acd)x / (c^2d^3x^8 + 2c^3d^2x^4 + c^4d)$

giac [A] time = 0.19, size = 286, normalized size = 1.05

$$\frac{3\sqrt{2}\left((cd)^{\frac{1}{2}}bc + 7(ad)^{\frac{1}{2}}ad\right)\arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{d}{c}\right)^{\frac{1}{2}}\right)}{2\left(\frac{d}{c}\right)^{\frac{1}{2}}}\right)}{128c^3d^2} + \frac{3\sqrt{2}\left((cd)^{\frac{1}{2}}bc + 7(ad)^{\frac{1}{2}}ad\right)\arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{d}{c}\right)^{\frac{1}{2}}\right)}{2\left(\frac{d}{c}\right)^{\frac{1}{2}}}\right)}{128c^3d^2} + \frac{3\sqrt{2}\left((cd)^{\frac{1}{2}}bc + 7(ad)^{\frac{1}{2}}ad\right)\log\left(x^2 + \sqrt{2}x\left(\frac{d}{c}\right)^{\frac{1}{2}} + \sqrt{\frac{d}{c}}\right)}{256c^3d^2} - \frac{3\sqrt{2}\left((cd)^{\frac{1}{2}}bc + 7(ad)^{\frac{1}{2}}ad\right)\log\left(x^2 - \sqrt{2}x\left(\frac{d}{c}\right)^{\frac{1}{2}} + \sqrt{\frac{d}{c}}\right)}{256c^3d^2} + \frac{bcdx^5 + 7ad^2x^5 - 3bc^2x + 11acd}{32(dx^4 + c)^2c^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)/(d*x^4+c)^3,x, algorithm="giac")

[Out] $3/128*\sqrt{2}*((c*d^3)^{(1/4)}*b*c + 7*(c*d^3)^{(1/4)}*a*d)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(c/d)^{(1/4)})/(c/d)^{(1/4)})/(c^3*d^2) + 3/128*\sqrt{2}*((c*d^3)^{(1/4)}*b*c + 7*(c*d^3)^{(1/4)}*a*d)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(c/d)^{(1/4)})/(c/d)^{(1/4)})/(c^3*d^2) + 3/256*\sqrt{2}*((c*d^3)^{(1/4)}*b*c + 7*(c*d^3)^{(1/4)}*a*d)*\log(x^2 + \sqrt{2}*(c/d)^{(1/4)} + \sqrt{c/d})/(c^3*d^2) - 3/256*\sqrt{2}*((c*d^3)^{(1/4)}*b*c + 7*(c*d^3)^{(1/4)}*a*d)*\log(x^2 - \sqrt{2}*(c/d)^{(1/4)} + \sqrt{c/d})/(c^3*d^2) + 1/32*(b*c*d*x^5 + 7*a*d^2*x^5 - 3*b*c^2*x + 11*a*c*d*x)/(d*x^4 + c)^2*c^2*d$

maple [A] time = 0.05, size = 314, normalized size = 1.15

$$\frac{21 \binom{1}{j}^{\frac{1}{2}} \sqrt{2} a \arctan\left(\frac{\sqrt{2}x}{j} - 1\right)}{128c^3} + \frac{21 \binom{1}{j}^{\frac{1}{2}} \sqrt{2} a \arctan\left(\frac{\sqrt{2}x}{j} + 1\right)}{128c^3} + \frac{21 \binom{1}{j}^{\frac{1}{2}} \sqrt{2} a \ln\left(\frac{x^2 + (\frac{j}{2})^{\frac{1}{2}} \sqrt{2} x + \sqrt{2}}{x^2 - (\frac{j}{2})^{\frac{1}{2}} \sqrt{2} x + \sqrt{2}}\right)}{256c^3} + \frac{3 \binom{1}{j}^{\frac{1}{2}} \sqrt{2} b \arctan\left(\frac{\sqrt{2}x}{j} - 1\right)}{128c^2 d} + \frac{3 \binom{1}{j}^{\frac{1}{2}} \sqrt{2} b \arctan\left(\frac{\sqrt{2}x}{j} + 1\right)}{128c^2 d} + \frac{3 \binom{1}{j}^{\frac{1}{2}} \sqrt{2} b \ln\left(\frac{x^2 + (\frac{j}{2})^{\frac{1}{2}} \sqrt{2} x + \sqrt{2}}{x^2 - (\frac{j}{2})^{\frac{1}{2}} \sqrt{2} x + \sqrt{2}}\right)}{256c^2 d} + \frac{\frac{7ad+bc}{32c^2} + \frac{(11ad-3bc)x}{32cd}}{(dx^4+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((b*x^4+a)/(d*x^4+c)^3, x)$

[Out] $(1/32*(7*a*d+b*c)/c^2*x^5+1/32*(11*a*d-3*b*c)/c/d*x)/(d*x^4+c)^2+21/128/c^3*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(c/d)^{(1/4)}*x-1)*a+3/128/c^2/d*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(c/d)^{(1/4)}*x-1)*b+21/256/c^3*(c/d)^{(1/4)}*2^{(1/2)}*\ln((x^2+(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)})/(x^2-(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)}))*a+3/256/c^2/d*(c/d)^{(1/4)}*2^{(1/2)}*\ln((x^2+(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)})/(x^2-(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)}))*b+21/128/c^3*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(c/d)^{(1/4)}*x+1)*a+3/128/c^2/d*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(c/d)^{(1/4)}*x+1)*b$

maxima [A] time = 1.21, size = 271, normalized size = 0.99

$$\frac{(bcd + 7ad^2)x^5 - (3bc^2 - 11acd)x}{32(c^2d^3x^8 + 2c^3d^2x^4 + c^4d)} + \frac{3 \left(\frac{2\sqrt{2}(bc+7ad) \arctan\left(\frac{\sqrt{2}(2\sqrt{dx+\sqrt{2}c^{\frac{1}{4}}d^{\frac{1}{4}})}}{2\sqrt{c}\sqrt{d}}\right)}{\sqrt{c}\sqrt{c}\sqrt{d}} + \frac{2\sqrt{2}(bc+7ad) \arctan\left(\frac{\sqrt{2}(2\sqrt{dx-\sqrt{2}c^{\frac{1}{4}}d^{\frac{1}{4}})}}{2\sqrt{c}\sqrt{d}}\right)}{\sqrt{c}\sqrt{c}\sqrt{d}} + \frac{\sqrt{2}(bc+7ad) \log\left(\frac{\sqrt{d}x^2+\sqrt{2}c^{\frac{1}{4}}d^{\frac{1}{4}}x+\sqrt{c}}{c^{\frac{3}{4}}d^{\frac{1}{4}}}\right)}{c^{\frac{3}{4}}d^{\frac{1}{4}}} - \frac{\sqrt{2}(bc+7ad) \log\left(\frac{\sqrt{d}x^2-\sqrt{2}c^{\frac{1}{4}}d^{\frac{1}{4}}x+\sqrt{c}}{c^{\frac{3}{4}}d^{\frac{1}{4}}}\right)}{c^{\frac{3}{4}}d^{\frac{1}{4}}} \right)}{256c^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((b*x^4+a)/(d*x^4+c)^3, x, \text{algorithm}="maxima")$

[Out] $1/32*((b*c*d + 7*a*d^2)*x^5 - (3*b*c^2 - 11*a*c*d)*x)/(c^2*d^3*x^8 + 2*c^3*d^2*x^4 + c^4*d) + 3/256*(2*\sqrt{2}*(b*c + 7*a*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}*x + \sqrt{2}*c^{(1/4)}*d^{(1/4)})/\sqrt{c}*\sqrt{d}))/(\sqrt{c}*\sqrt{d}) + 2*\sqrt{2}*(b*c + 7*a*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}*x - \sqrt{2}*c^{(1/4)}*d^{(1/4)})/\sqrt{c}*\sqrt{d}))/(\sqrt{c}*\sqrt{d}) + \sqrt{2}*(b*c + 7*a*d)*\log(\sqrt{d}*x^2 + \sqrt{2}*c^{(1/4)}*d^{(1/4)}*x + \sqrt{c})/(c^{(3/4)}*d^{(1/4)}) - \sqrt{2}*(b*c + 7*a*d)*\log(\sqrt{d}*x^2 - \sqrt{2}*c^{(1/4)}*d^{(1/4)}*x + \sqrt{c})/(c^{(3/4)}*d^{(1/4)})/(c^2*d)$

mupad [B] time = 1.58, size = 762, normalized size = 2.79

$$\frac{\frac{x^5(7ad+bc) + x(11ad-3bc)}{c^2 + 2cdx^4 + d^2x^8} + \operatorname{atan}\left(\frac{\frac{9(49a^2b^3+14ab^2c^2+d)(7ad+bc)(7ad+bc)}{256c^4} - \frac{128(-c)^{11/4}d^{5/4}}{256(-c)^{15/4}d^4}}{3\left(\frac{9(49a^2b^3+14ab^2c^2+d)(7ad+bc)(7ad+bc)}{256c^4} - \frac{128(-c)^{11/4}d^{5/4}}{256(-c)^{15/4}d^4}\right)}\right)}{64(-c)^{11/4}d^4} - \frac{3 \operatorname{atan}\left(\frac{\frac{9(49a^2b^3+14ab^2c^2+d)(7ad+bc)(7ad+bc)}{256c^4} - \frac{128(-c)^{11/4}d^{5/4}}{256(-c)^{15/4}d^4}}{256c^4} + \frac{128(-c)^{11/4}d^{5/4}}{256(-c)^{15/4}d^4}\right)}{64(-c)^{11/4}d^4}}{64(-c)^{11/4}d^4} (7ad+bc) \quad 3 \operatorname{atan}\left(\frac{\frac{9(49a^2b^3+14ab^2c^2+d)(7ad+bc)(7ad+bc)}{256c^4} - \frac{128(-c)^{11/4}d^{5/4}}{256(-c)^{15/4}d^4}}{256c^4} + \frac{128(-c)^{11/4}d^{5/4}}{256(-c)^{15/4}d^4}\right)}{64(-c)^{11/4}d^4} (7ad+bc)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}((a + b*x^4)/(c + d*x^4)^3, x)$

[Out] $((x^5(7ad + bc))/(32c^2) + (x(11ad - 3bc))/(32cd))/(c^2 + d^2x^8 + 2cdx^4) - (\operatorname{atan}(\frac{((9x(49a^2d^3 + b^2c^2d + 14a*bc*d^2))/(256c^4) - (9(7ad + bc)*(7ad^3 + bcd^2))/(256(-c)^{15/4}d^{5/4}))}{(7ad + bc)*3i}/(128(-c)^{11/4}d^{5/4}) + ((9x(49a^2d^3 + b^2c^2d + 14a*bc*d^2))/(256c^4) + (9(7ad + bc)*(7ad^3 + bcd^2))/(256(-c)^{15/4}d^{5/4}))}{(7ad + bc)*3i}/(128(-c)^{11/4}d^{5/4}))/((3((9x(49a^2d^3 + b^2c^2d + 14a*bc*d^2))/(256c^4) - (9(7ad + bc)*(7ad^3 + bcd^2))/(256(-c)^{15/4}d^{5/4}))}{(7ad + bc)}/(128(-c)^{11/4}d^{5/4}) - (3((9x(49a^2d^3 + b^2c^2d + 14a*bc*d^2))/(256c^4) + (9(7ad + bc)*(7ad^3 + bcd^2))/(256(-c)^{15/4}d^{5/4}))}{(7ad + bc)}/(128(-c)^{11/4}d^{5/4})))}{(64(-c)^{11/4}d^{5/4})} - (3*\operatorname{atan}(\frac{((3((9x(49a^2d^3 + b^2c^2d + 14a*bc*d^2))/(256c^4) - (9(7ad + bc)*(7ad^3 + bcd^2))/(256(-c)^{15/4}d^{5/4}))}{(7ad + bc)}/(128(-c)^{11/4}d^{5/4}) + (3((9x(49a^2d^3 + b^2c^2d + 14a*bc*d^2))/(256c^4) + ((7ad + bc)*(7ad^3 + bcd^2)*9i)/(256(-c)^{15/4}d^{5/4}))}{(7ad + bc)}/(128(-c)^{11/4}d^{5/4}))/((9x(49a^2d^3 + b^2c^2d + 14a*bc*d^2))/(256c^4) + ((7ad + bc)*(7ad^3 + bcd^2)*9i)/(256(-c)^{15/4}d^{5/4}))}{(7ad + bc)*3i}/(128(-c)^{11/4}d^{5/4}) - ((9x(49a^2d^3 + b^2c^2d + 14a*bc*d^2))/(256c^4) + ((7ad + bc)*(7ad^3 + bcd^2)*9i)/(256(-c)^{15/4}d^{5/4}))}{(7ad + bc)*3i}/(128(-c)^{11/4}d^{5/4})))}{(64(-c)^{11/4}d^{5/4})}$

sympy [A] time = 1.03, size = 151, normalized size = 0.55

$$\frac{x^5(7ad^2 + bcd) + x(11acd - 3bc^2)}{32c^4d + 64c^3d^2x^4 + 32c^2d^3x^8} + \operatorname{RootSum}\left(268435456t^{11}d^5 + 194481a^4d^4 + 111132a^3bcd^3 + 23814a^2b^2c^2d^2 + 2268ab^3c^3d + 81b^4c^4, \left(t \mapsto t \log\left(\frac{128tc^3d}{21ad + 3bc} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((b*x**4+a)/(d*x**4+c)**3, x)$

[Out] $(x**5*(7a*d**2 + b*c*d) + x*(11*a*c*d - 3*b*c**2))/(32*c**4*d + 64*c**3*d**2*x**4 + 32*c**2*d**3*x**8) + \operatorname{RootSum}(268435456*_t**4*c**11*d**5 + 194481*a**4*d**4 + 111132*a**3*b*c*d**3 + 23814*a**2*b**2*c**2*d**2 + 2268*a*b**3*c**3*d + 81*b**4*c**4, \operatorname{Lambda}(_t, _t*\log(128*_t*c**3*d/(21*a*d + 3*b*c) + x)))$

$$3.90 \quad \int (a + bx^4)^2 (c + dx^4)^4 dx$$

Optimal. Leaf size=154

$$\frac{1}{17}d^2x^{17}(a^2d^2 + 8abcd + 6b^2c^2) + \frac{4}{13}cdx^{13}(a^2d^2 + 3abcd + b^2c^2) + \frac{1}{9}c^2x^9(6a^2d^2 + 8abcd + b^2c^2) + a^2c^4x + \frac{2}{5}ac^3x^5$$

Rubi [A] time = 0.11, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {373}

$$\frac{1}{17}d^2x^{17}(a^2d^2 + 8abcd + 6b^2c^2) + \frac{4}{13}cdx^{13}(a^2d^2 + 3abcd + b^2c^2) + \frac{1}{9}c^2x^9(6a^2d^2 + 8abcd + b^2c^2) + a^2c^4x + \frac{2}{5}ac^3x^5(2ad + bc) + \frac{2}{21}bd^3x^{21}(ad + 2bc) + \frac{1}{25}b^2d^4x^{25}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)^2*(c + d*x^4)^4, x]

[Out] a^2*c^4*x + (2*a*c^3*(b*c + 2*a*d)*x^5)/5 + (c^2*(b^2*c^2 + 8*a*b*c*d + 6*a^2*d^2)*x^9)/9 + (4*c*d*(b^2*c^2 + 3*a*b*c*d + a^2*d^2)*x^13)/13 + (d^2*(6*b^2*c^2 + 8*a*b*c*d + a^2*d^2)*x^17)/17 + (2*b*d^3*(2*b*c + a*d)*x^21)/21 + (b^2*d^4*x^25)/25

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^4)^2 (c + dx^4)^4 dx &= \int (a^2c^4 + 2ac^3(bc + 2ad)x^4 + c^2(b^2c^2 + 8abcd + 6a^2d^2)x^8 + 4cd(b^2c^2 + 3abcd - \\ &= a^2c^4x + \frac{2}{5}ac^3(bc + 2ad)x^5 + \frac{1}{9}c^2(b^2c^2 + 8abcd + 6a^2d^2)x^9 + \frac{4}{13}cd(b^2c^2 + 3abcd \end{aligned}$$

Mathematica [A] time = 0.03, size = 154, normalized size = 1.00

$$\frac{1}{17}d^2x^{17}(a^2d^2 + 8abcd + 6b^2c^2) + \frac{4}{13}cdx^{13}(a^2d^2 + 3abcd + b^2c^2) + \frac{1}{9}c^2x^9(6a^2d^2 + 8abcd + b^2c^2) + a^2c^4x + \frac{2}{5}ac^3x^5(2ad + bc) + \frac{2}{21}bd^3x^{21}(ad + 2bc) + \frac{1}{25}b^2d^4x^{25}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^4)^2*(c + d*x^4)^4, x]

[Out] $a^2c^4x + (2ac^3(bc + 2ad))x^5/5 + (c^2(b^2c^2 + 8abc*d + 6a^2d^2))x^9/9 + (4cd(b^2c^2 + 3abc*d + a^2d^2))x^{13}/13 + (d^2(6b^2c^2 + 8abc*d + a^2d^2))x^{17}/17 + (2bd^3(2bc + ad))x^{21}/21 + (b^2d^4x^{25})/25$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^4)^2 (c + dx^4)^4 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^4)^2*(c + d*x^4)^4,x]

[Out] IntegrateAlgebraic[(a + b*x^4)^2*(c + d*x^4)^4, x]

fricas [A] time = 1.05, size = 173, normalized size = 1.12

$$\frac{1}{25}x^{25}d^4b^2 + \frac{4}{21}x^{21}d^3cb^2 + \frac{2}{21}x^{21}d^4ba + \frac{6}{17}x^{17}d^2c^2b^2 + \frac{8}{17}x^{17}d^3cba + \frac{1}{17}x^{17}d^4a^2 + \frac{4}{13}x^{13}d^3b^2 + \frac{12}{13}x^{13}d^2c^2ba + \frac{4}{13}x^{13}d^3ca^2 + \frac{1}{9}x^9c^4b^2 + \frac{8}{9}x^9dc^3ba + \frac{2}{3}x^9d^2c^2a^2 + \frac{2}{5}x^5c^4ba + \frac{4}{5}x^5dc^3a^2 + xc^4a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2*(d*x^4+c)^4,x, algorithm="fricas")

[Out] $1/25x^{25}d^4b^2 + 4/21x^{21}d^3cb^2 + 2/21x^{21}d^4b^2a + 6/17x^{17}d^2c^2b^2 + 8/17x^{17}d^3cb^2a + 1/17x^{17}d^4a^2 + 4/13x^{13}d^3cb^2 + 12/13x^{13}d^2c^2b^2a + 4/13x^{13}d^3ca^2 + 1/9x^9c^4b^2 + 8/9x^9dc^3ba + 2/3x^9d^2c^2a^2 + 2/5x^5c^4ba + 4/5x^5dc^3a^2 + xc^4a^2$

giac [A] time = 0.15, size = 173, normalized size = 1.12

$$\frac{1}{25}b^2d^4x^{25} + \frac{4}{21}b^2cd^3x^{21} + \frac{2}{21}abd^4x^{21} + \frac{6}{17}b^2c^2d^2x^{17} + \frac{8}{17}abcd^3x^{17} + \frac{1}{17}a^2d^4x^{17} + \frac{4}{13}b^2c^3d^2x^{13} + \frac{12}{13}ab^2c^2d^2x^{13} + \frac{4}{13}a^2cd^3x^{13} + \frac{1}{9}b^2c^4x^9 + \frac{8}{9}abc^3dx^9 + \frac{2}{3}a^2c^2d^2x^9 + \frac{2}{5}abc^4x^5 + \frac{4}{5}a^2c^3dx^5 + a^2c^4x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2*(d*x^4+c)^4,x, algorithm="giac")

[Out] $1/25b^2d^4x^{25} + 4/21b^2cd^3x^{21} + 2/21a^2bd^4x^{21} + 6/17b^2c^2d^2x^{17} + 8/17a^2bcd^3x^{17} + 1/17a^2d^4x^{17} + 4/13b^2c^3d^2x^{13} + 12/13a^2bcd^2x^{13} + 4/13a^2cd^3x^{13} + 1/9b^2c^4x^9 + 8/9a^2bcd^3x^9 + 2/3a^2c^2d^2x^9 + 2/5a^2bcd^4x^5 + 4/5a^2c^3dx^5 + a^2c^4x$

maple [A] time = 0.04, size = 163, normalized size = 1.06

$$\frac{b^2d^4x^{25}}{25} + \frac{(2abd^4 + 4b^2cd^3)x^{21}}{21} + \frac{(a^2d^4 + 8abcd^3 + 6b^2c^2d^2)x^{17}}{17} + \frac{(4a^2cd^3 + 12abc^2d^2 + 4b^2c^3d)x^{13}}{13} + \frac{(6a^2c^2d^2 + 8abc^3d + b^2c^4)x^9}{9} + a^2c^4x + \frac{(4a^2c^3d + 2abc^4)x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^4+a)^2*(d*x^4+c)^4,x)`

[Out] $1/25*b^2*d^4*x^{25}+1/21*(2*a*b*d^4+4*b^2*c*d^3)*x^{21}+1/17*(a^2*d^4+8*a*b*c*d^3+6*b^2*c^2*d^2)*x^{17}+1/13*(4*a^2*c*d^3+12*a*b*c^2*d^2+4*b^2*c^3*d)*x^{13}+1/9*(6*a^2*c^2*d^2+8*a*b*c^3*d+b^2*c^4)*x^9+1/5*(4*a^2*c^3*d+2*a*b*c^4)*x^5+a^2*c^4*x$

maxima [A] time = 0.55, size = 158, normalized size = 1.03

$$\frac{1}{25}b^2d^4x^{25} + \frac{2}{21}(2b^2cd^3 + abd^4)x^{21} + \frac{1}{17}(6b^2c^2d^2 + 8abcd^3 + a^2d^4)x^{17} + \frac{4}{13}(b^2c^3d + 3abc^2d^2 + a^2cd^3)x^{13} + \frac{1}{9}(b^2c^4 + 8abc^3d + 6a^2c^2d^2)x^9 + a^2c^4x + \frac{2}{5}(abc^4 + 2a^2c^3d)x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^4+a)^2*(d*x^4+c)^4,x, algorithm="maxima")`

[Out] $1/25*b^2*d^4*x^{25} + 2/21*(2*b^2*c*d^3 + a*b*d^4)*x^{21} + 1/17*(6*b^2*c^2*d^2 + 8*a*b*c*d^3 + a^2*d^4)*x^{17} + 4/13*(b^2*c^3*d + 3*a*b*c^2*d^2 + a^2*c*d^3)*x^{13} + 1/9*(b^2*c^4 + 8*a*b*c^3*d + 6*a^2*c^2*d^2)*x^9 + a^2*c^4*x + 2/5*(a*b*c^4 + 2*a^2*c^3*d)*x^5$

mupad [B] time = 0.07, size = 146, normalized size = 0.95

$$x^9 \left(\frac{2a^2c^2d^2}{3} + \frac{8abc^3d}{9} + \frac{b^2c^4}{9} \right) + x^{17} \left(\frac{a^2d^4}{17} + \frac{8abcd^3}{17} + \frac{6b^2c^2d^2}{17} \right) + a^2c^4x + \frac{b^2d^4x^{25}}{25} + \frac{2ac^3x^5(2ad+bc)}{5} + \frac{2bd^3x^{21}(ad+2bc)}{21} + \frac{4cdx^{13}(a^2d^2+3abcd+b^2c^2)}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^4)^2*(c + d*x^4)^4,x)`

[Out] $x^9*((b^2*c^4)/9 + (2*a^2*c^2*d^2)/3 + (8*a*b*c^3*d)/9) + x^{17}*((a^2*d^4)/17 + (6*b^2*c^2*d^2)/17 + (8*a*b*c*d^3)/17) + a^2*c^4*x + (b^2*d^4*x^{25})/25 + (2*a*c^3*x^5*(2*a*d + b*c))/5 + (2*b*d^3*x^{21}*(a*d + 2*b*c))/21 + (4*c*d*x^{13}*(a^2*d^2 + b^2*c^2 + 3*a*b*c*d))/13$

sympy [A] time = 0.12, size = 185, normalized size = 1.20

$$a^2c^4x + \frac{b^2d^4x^{25}}{25} + x^{21} \left(\frac{2abd^4}{21} + \frac{4b^2cd^3}{21} \right) + x^{17} \left(\frac{a^2d^4}{17} + \frac{8abcd^3}{17} + \frac{6b^2c^2d^2}{17} \right) + x^{13} \left(\frac{4a^2cd^3}{13} + \frac{12abc^2d^2}{13} + \frac{4b^2c^3d}{13} \right) + x^9 \left(\frac{2a^2c^2d^2}{3} + \frac{8abc^3d}{9} + \frac{b^2c^4}{9} \right) + x^5 \left(\frac{4a^2c^3d}{5} + \frac{2abc^4}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**4+a)**2*(d*x**4+c)**4,x)`

[Out] $a**2*c**4*x + b**2*d**4*x**25/25 + x**21*(2*a*b*d**4/21 + 4*b**2*c*d**3/21) + x**17*(a**2*d**4/17 + 8*a*b*c*d**3/17 + 6*b**2*c**2*d**2/17) + x**13*(4*a**2*c*d**3/13 + 12*a*b*c**2*d**2/13 + 4*b**2*c**3*d/13) + x**9*(2*a**2*c**2*d**2/3 + 8*a*b*c**3*d/9 + b**2*c**4/9) + x**5*(4*a**2*c**3*d/5 + 2*a*b*c**4/5)$

$$3.91 \quad \int (a + bx^4)^2 (c + dx^4)^3 dx$$

Optimal. Leaf size=122

$$\frac{1}{13}dx^{13}(a^2d^2 + 6abcd + 3b^2c^2) + \frac{1}{9}cx^9(3a^2d^2 + 6abcd + b^2c^2) + a^2c^3x + \frac{1}{5}ac^2x^5(3ad + 2bc) + \frac{1}{17}bd^2x^{17}(2ad + 3bc) + \frac{1}{21}b^2d^3x^{21}$$

Rubi [A] time = 0.08, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {373}

$$\frac{1}{13}dx^{13}(a^2d^2 + 6abcd + 3b^2c^2) + \frac{1}{9}cx^9(3a^2d^2 + 6abcd + b^2c^2) + a^2c^3x + \frac{1}{5}ac^2x^5(3ad + 2bc) + \frac{1}{17}bd^2x^{17}(2ad + 3bc) + \frac{1}{21}b^2d^3x^{21}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)^2*(c + d*x^4)^3,x]

[Out] a^2*c^3*x + (a*c^2*(2*b*c + 3*a*d)*x^5)/5 + (c*(b^2*c^2 + 6*a*b*c*d + 3*a^2*d^2)*x^9)/9 + (d*(3*b^2*c^2 + 6*a*b*c*d + a^2*d^2)*x^13)/13 + (b*d^2*(3*b*c + 2*a*d)*x^17)/17 + (b^2*d^3*x^21)/21

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^4)^2 (c + dx^4)^3 dx &= \int (a^2c^3 + ac^2(2bc + 3ad)x^4 + c(b^2c^2 + 6abcd + 3a^2d^2)x^8 + d(3b^2c^2 + 6abcd + a^2d^2)x^{12} \\ &\quad + a^2c^3x + \frac{1}{5}ac^2(2bc + 3ad)x^5 + \frac{1}{9}c(b^2c^2 + 6abcd + 3a^2d^2)x^9 + \frac{1}{13}d(3b^2c^2 + 6abcd + a^2d^2)x^{13} \\ &\quad + \frac{1}{17}bd^2x^{17} + \frac{1}{21}b^2d^3x^{21}) dx \end{aligned}$$

Mathematica [A] time = 0.02, size = 122, normalized size = 1.00

$$\frac{1}{13}dx^{13}(a^2d^2 + 6abcd + 3b^2c^2) + \frac{1}{9}cx^9(3a^2d^2 + 6abcd + b^2c^2) + a^2c^3x + \frac{1}{5}ac^2x^5(3ad + 2bc) + \frac{1}{17}bd^2x^{17}(2ad + 3bc) + \frac{1}{21}b^2d^3x^{21}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^4)^2*(c + d*x^4)^3,x]

[Out] $a^2c^3x + (ac^2(2bc + 3ad))x^5/5 + (c(b^2c^2 + 6abc + 3a^2d^2))x^9/9 + (d(3b^2c^2 + 6abc + a^2d^2))x^{13}/13 + (bd^2(3bc + 2ad))x^{17}/17 + (b^2d^3x^{21})/21$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^4)^2 (c + dx^4)^3 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^4)^2*(c + d*x^4)^3,x]

[Out] IntegrateAlgebraic[(a + b*x^4)^2*(c + d*x^4)^3, x]

fricas [A] time = 1.08, size = 132, normalized size = 1.08

$$\frac{1}{21}x^{21}d^3b^2 + \frac{3}{17}x^{17}d^2cb^2 + \frac{2}{17}x^{17}d^3ba + \frac{3}{13}x^{13}dc^2b^2 + \frac{6}{13}x^{13}d^2cba + \frac{1}{13}x^{13}d^3a^2 + \frac{1}{9}x^9c^3b^2 + \frac{2}{3}x^9dc^2ba + \frac{1}{3}x^9d^2ca^2 + \frac{2}{5}x^5c^3ba + \frac{3}{5}x^5dc^2a^2 + xc^3a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2*(d*x^4+c)^3,x, algorithm="fricas")

[Out] $1/21*x^{21}*d^3*b^2 + 3/17*x^{17}*d^2*c*b^2 + 2/17*x^{17}*d^3*b*a + 3/13*x^{13}*d*c^2*b^2 + 6/13*x^{13}*d^2*c*b*a + 1/13*x^{13}*d^3*a^2 + 1/9*x^9*c^3*b^2 + 2/3*x^9*d*c^2*b*a + 1/3*x^9*d^2*c*a^2 + 2/5*x^5*c^3*b*a + 3/5*x^5*d*c^2*a^2 + x*c^3*a^2$

giac [A] time = 0.15, size = 132, normalized size = 1.08

$$\frac{1}{21}b^2d^3x^{21} + \frac{3}{17}b^2cd^2x^{17} + \frac{2}{17}abd^3x^{17} + \frac{3}{13}b^2c^2dx^{13} + \frac{6}{13}abcd^2x^{13} + \frac{1}{13}a^2d^3x^{13} + \frac{1}{9}b^2c^3x^9 + \frac{2}{3}abc^2dx^9 + \frac{1}{3}a^2cd^2x^9 + \frac{2}{5}abc^3x^5 + \frac{3}{5}a^2c^2dx^5 + a^2c^3x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2*(d*x^4+c)^3,x, algorithm="giac")

[Out] $1/21*b^2*d^3*x^{21} + 3/17*b^2*c*d^2*x^{17} + 2/17*a*b*d^3*x^{17} + 3/13*b^2*c^2*d*x^{13} + 6/13*a*b*c*d^2*x^{13} + 1/13*a^2*d^3*x^{13} + 1/9*b^2*c^3*x^9 + 2/3*a*b*c^2*d*x^9 + 1/3*a^2*c*d^2*x^9 + 2/5*a*b*c^3*x^5 + 3/5*a^2*c^2*d*x^5 + a^2*c^3*x$

maple [A] time = 0.04, size = 125, normalized size = 1.02

$$\frac{b^2d^3x^{21}}{21} + \frac{(2abd^3 + 3b^2cd^2)x^{17}}{17} + \frac{(a^2d^3 + 6abc d^2 + 3b^2c^2d)x^{13}}{13} + \frac{(3a^2cd^2 + 6abc^2d + b^2c^3)x^9}{9} + a^2c^3x + \frac{(3a^2c^2d + 2abc^3)x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)^2*(d*x^4+c)^3,x)

[Out] 1/21*b^2*d^3*x^21+1/17*(2*a*b*d^3+3*b^2*c*d^2)*x^17+1/13*(a^2*d^3+6*a*b*c*d^2+3*b^2*c^2*d)*x^13+1/9*(3*a^2*c*d^2+6*a*b*c^2*d+b^2*c^3)*x^9+1/5*(3*a^2*c^2*d+2*a*b*c^3)*x^5+a^2*c^3*x

maxima [A] time = 0.54, size = 124, normalized size = 1.02

$$\frac{1}{21} b^2 d^3 x^{21} + \frac{1}{17} (3 b^2 c d^2 + 2 a b d^3) x^{17} + \frac{1}{13} (3 b^2 c^2 d + 6 a b c d^2 + a^2 d^3) x^{13} + \frac{1}{9} (b^2 c^3 + 6 a b c^2 d + 3 a^2 c d^2) x^9 + a^2 c^3 x + \frac{1}{5} (2 a b c^3 + 3 a^2 c^2 d) x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2*(d*x^4+c)^3,x, algorithm="maxima")

[Out] 1/21*b^2*d^3*x^21 + 1/17*(3*b^2*c*d^2 + 2*a*b*d^3)*x^17 + 1/13*(3*b^2*c^2*d + 6*a*b*c*d^2 + a^2*d^3)*x^13 + 1/9*(b^2*c^3 + 6*a*b*c^2*d + 3*a^2*c*d^2)*x^9 + a^2*c^3*x + 1/5*(2*a*b*c^3 + 3*a^2*c^2*d)*x^5

mupad [B] time = 1.30, size = 116, normalized size = 0.95

$$x^9 \left(\frac{a^2 c d^2}{3} + \frac{2 a b c^2 d}{3} + \frac{b^2 c^3}{9} \right) + x^{13} \left(\frac{a^2 d^3}{13} + \frac{6 a b c d^2}{13} + \frac{3 b^2 c^2 d}{13} \right) + a^2 c^3 x + \frac{b^2 d^3 x^{21}}{21} + \frac{a c^2 x^5 (3 a d + 2 b c)}{5} + \frac{b d^2 x^{17} (2 a d + 3 b c)}{17}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^2*(c + d*x^4)^3,x)

[Out] x^9*((b^2*c^3)/9 + (a^2*c*d^2)/3 + (2*a*b*c^2*d)/3) + x^13*((a^2*d^3)/13 + (3*b^2*c^2*d)/13 + (6*a*b*c*d^2)/13) + a^2*c^3*x + (b^2*d^3*x^21)/21 + (a*c^2*x^5*(3*a*d + 2*b*c))/5 + (b*d^2*x^17*(2*a*d + 3*b*c))/17

sympy [A] time = 0.10, size = 139, normalized size = 1.14

$$a^2 c^3 x + \frac{b^2 d^3 x^{21}}{21} + x^{17} \left(\frac{2 a b d^3}{17} + \frac{3 b^2 c d^2}{17} \right) + x^{13} \left(\frac{a^2 d^3}{13} + \frac{6 a b c d^2}{13} + \frac{3 b^2 c^2 d}{13} \right) + x^9 \left(\frac{a^2 c d^2}{3} + \frac{2 a b c^2 d}{3} + \frac{b^2 c^3}{9} \right) + x^5 \left(\frac{3 a^2 c^2 d}{5} + \frac{2 a b c^3}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)**2*(d*x**4+c)**3,x)

[Out] a**2*c**3*x + b**2*d**3*x**21/21 + x**17*(2*a*b*d**3/17 + 3*b**2*c*d**2/17) + x**13*(a**2*d**3/13 + 6*a*b*c*d**2/13 + 3*b**2*c**2*d/13) + x**9*(a**2*c*d**2/3 + 2*a*b*c**2*d/3 + b**2*c**3/9) + x**5*(3*a**2*c**2*d/5 + 2*a*b*c**3/5)

$$3.92 \quad \int (a + bx^4)^2 (c + dx^4)^2 dx$$

Optimal. Leaf size=82

$$\frac{1}{9}x^9 (a^2d^2 + 4abcd + b^2c^2) + a^2c^2x + \frac{2}{13}bdx^{13}(ad + bc) + \frac{2}{5}acx^5(ad + bc) + \frac{1}{17}b^2d^2x^{17}$$

Rubi [A] time = 0.05, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {373}

$$\frac{1}{9}x^9 (a^2d^2 + 4abcd + b^2c^2) + a^2c^2x + \frac{2}{13}bdx^{13}(ad + bc) + \frac{2}{5}acx^5(ad + bc) + \frac{1}{17}b^2d^2x^{17}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)^2*(c + d*x^4)^2,x]

[Out] a^2*c^2*x + (2*a*c*(b*c + a*d)*x^5)/5 + ((b^2*c^2 + 4*a*b*c*d + a^2*d^2)*x^9)/9 + (2*b*d*(b*c + a*d)*x^13)/13 + (b^2*d^2*x^17)/17

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^4)^2 (c + dx^4)^2 dx &= \int (a^2c^2 + 2ac(bc + ad)x^4 + (b^2c^2 + 4abcd + a^2d^2)x^8 + 2bd(bc + ad)x^{12} + b^2d^2x^{16}) dx \\ &= a^2c^2x + \frac{2}{5}ac(bc + ad)x^5 + \frac{1}{9}(b^2c^2 + 4abcd + a^2d^2)x^9 + \frac{2}{13}bd(bc + ad)x^{13} + \frac{1}{17}b^2d^2x^{17} \end{aligned}$$

Mathematica [A] time = 0.02, size = 82, normalized size = 1.00

$$\frac{1}{9}x^9 (a^2d^2 + 4abcd + b^2c^2) + a^2c^2x + \frac{2}{13}bdx^{13}(ad + bc) + \frac{2}{5}acx^5(ad + bc) + \frac{1}{17}b^2d^2x^{17}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^4)^2*(c + d*x^4)^2,x]

[Out] $a^2c^2x + (2ac(b+c+ad)x^5)/5 + ((b^2c^2 + 4abc*d + a^2d^2)x^9)/9 + (2bd(b+c+ad)x^{13})/13 + (b^2d^2x^{17})/17$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^4)^2 (c + dx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^4)^2*(c + d*x^4)^2,x]

[Out] IntegrateAlgebraic[(a + b*x^4)^2*(c + d*x^4)^2, x]

fricas [A] time = 0.56, size = 91, normalized size = 1.11

$$\frac{1}{17}x^{17}d^2b^2 + \frac{2}{13}x^{13}dcb^2 + \frac{2}{13}x^{13}d^2ba + \frac{1}{9}x^9c^2b^2 + \frac{4}{9}x^9dcba + \frac{1}{9}x^9d^2a^2 + \frac{2}{5}x^5c^2ba + \frac{2}{5}x^5dca^2 + xc^2a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2*(d*x^4+c)^2,x, algorithm="fricas")

[Out] $1/17*x^{17}*d^2*b^2 + 2/13*x^{13}*d*c*b^2 + 2/13*x^{13}*d^2*b*a + 1/9*x^9*c^2*b^2 + 4/9*x^9*d*c*b*a + 1/9*x^9*d^2*a^2 + 2/5*x^5*c^2*b*a + 2/5*x^5*d*c*a^2 + x*c^2*a^2$

giac [A] time = 0.17, size = 91, normalized size = 1.11

$$\frac{1}{17}b^2d^2x^{17} + \frac{2}{13}b^2cdx^{13} + \frac{2}{13}abd^2x^{13} + \frac{1}{9}b^2c^2x^9 + \frac{4}{9}abcdx^9 + \frac{1}{9}a^2d^2x^9 + \frac{2}{5}abc^2x^5 + \frac{2}{5}a^2cdx^5 + a^2c^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2*(d*x^4+c)^2,x, algorithm="giac")

[Out] $1/17*b^2*d^2*x^{17} + 2/13*b^2*c*d*x^{13} + 2/13*a*b*d^2*x^{13} + 1/9*b^2*c^2*x^9 + 4/9*a*b*c*d*x^9 + 1/9*a^2*d^2*x^9 + 2/5*a*b*c^2*x^5 + 2/5*a^2*c*d*x^5 + a^2*c^2*x$

maple [A] time = 0.04, size = 87, normalized size = 1.06

$$\frac{b^2d^2x^{17}}{17} + \frac{(2abd^2 + 2b^2cd)x^{13}}{13} + \frac{(a^2d^2 + 4abcd + b^2c^2)x^9}{9} + a^2c^2x + \frac{(2a^2cd + 2abc^2)x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)^2*(d*x^4+c)^2,x)

[Out] $1/17*b^2*d^2*x^{17}+1/13*(2*a*b*d^2+2*b^2*c*d)*x^{13}+1/9*(a^2*d^2+4*a*b*c*d+b^2*c^2)*x^9+1/5*(2*a^2*c*d+2*a*b*c^2)*x^5+a^2*c^2*x$

maxima [A] time = 0.69, size = 82, normalized size = 1.00

$$\frac{1}{17}b^2d^2x^{17} + \frac{2}{13}(b^2cd + abd^2)x^{13} + \frac{1}{9}(b^2c^2 + 4abcd + a^2d^2)x^9 + \frac{2}{5}(abc^2 + a^2cd)x^5 + a^2c^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^4+a)^2*(d*x^4+c)^2,x, algorithm="maxima")`

[Out] $1/17*b^2*d^2*x^{17} + 2/13*(b^2*c*d + a*b*d^2)*x^{13} + 1/9*(b^2*c^2 + 4*a*b*c*d + a^2*d^2)*x^9 + 2/5*(a*b*c^2 + a^2*c*d)*x^5 + a^2*c^2*x$

mupad [B] time = 0.05, size = 75, normalized size = 0.91

$$x^9 \left(\frac{a^2 d^2}{9} + \frac{4 a b c d}{9} + \frac{b^2 c^2}{9} \right) + a^2 c^2 x + \frac{b^2 d^2 x^{17}}{17} + \frac{2 a c x^5 (a d + b c)}{5} + \frac{2 b d x^{13} (a d + b c)}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^4)^2*(c + d*x^4)^2,x)`

[Out] $x^9*((a^2*d^2)/9 + (b^2*c^2)/9 + (4*a*b*c*d)/9) + a^2*c^2*x + (b^2*d^2*x^{17})/17 + (2*a*c*x^5*(a*d + b*c))/5 + (2*b*d*x^{13}*(a*d + b*c))/13$

sympy [A] time = 0.09, size = 97, normalized size = 1.18

$$a^2c^2x + \frac{b^2d^2x^{17}}{17} + x^{13} \left(\frac{2abd^2}{13} + \frac{2b^2cd}{13} \right) + x^9 \left(\frac{a^2d^2}{9} + \frac{4abcd}{9} + \frac{b^2c^2}{9} \right) + x^5 \left(\frac{2a^2cd}{5} + \frac{2abc^2}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**4+a)**2*(d*x**4+c)**2,x)`

[Out] $a**2*c**2*x + b**2*d**2*x**17/17 + x**13*(2*a*b*d**2/13 + 2*b**2*c*d/13) + x**9*(a**2*d**2/9 + 4*a*b*c*d/9 + b**2*c**2/9) + x**5*(2*a**2*c*d/5 + 2*a*b*c**2/5)$

$$3.93 \quad \int (a + bx^4)^2 (c + dx^4) dx$$

Optimal. Leaf size=50

$$a^2cx + \frac{1}{9}bx^9(2ad + bc) + \frac{1}{5}ax^5(ad + 2bc) + \frac{1}{13}b^2dx^{13}$$

Rubi [A] time = 0.03, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {373}

$$a^2cx + \frac{1}{9}bx^9(2ad + bc) + \frac{1}{5}ax^5(ad + 2bc) + \frac{1}{13}b^2dx^{13}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)^2*(c + d*x^4), x]

[Out] a^2*c*x + (a*(2*b*c + a*d)*x^5)/5 + (b*(b*c + 2*a*d)*x^9)/9 + (b^2*d*x^13)/13

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^4)^2 (c + dx^4) dx &= \int (a^2c + a(2bc + ad)x^4 + b(bc + 2ad)x^8 + b^2dx^{12}) dx \\ &= a^2cx + \frac{1}{5}a(2bc + ad)x^5 + \frac{1}{9}b(bc + 2ad)x^9 + \frac{1}{13}b^2dx^{13} \end{aligned}$$

Mathematica [A] time = 0.01, size = 50, normalized size = 1.00

$$a^2cx + \frac{1}{9}bx^9(2ad + bc) + \frac{1}{5}ax^5(ad + 2bc) + \frac{1}{13}b^2dx^{13}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^4)^2*(c + d*x^4), x]

[Out] $a^2*c*x + (a*(2*b*c + a*d)*x^5)/5 + (b*(b*c + 2*a*d)*x^9)/9 + (b^2*d*x^{13})/13$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^4)^2 (c + dx^4) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^4)^2*(c + d*x^4), x]

[Out] IntegrateAlgebraic[(a + b*x^4)^2*(c + d*x^4), x]

fricas [A] time = 0.53, size = 50, normalized size = 1.00

$$\frac{1}{13}x^{13}db^2 + \frac{1}{9}x^9cb^2 + \frac{2}{9}x^9dba + \frac{2}{5}x^5cba + \frac{1}{5}x^5da^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2*(d*x^4+c), x, algorithm="fricas")

[Out] $1/13*x^{13}*d*b^2 + 1/9*x^9*c*b^2 + 2/9*x^9*d*b*a + 2/5*x^5*c*b*a + 1/5*x^5*d*a^2 + x*c*a^2$

giac [A] time = 0.15, size = 50, normalized size = 1.00

$$\frac{1}{13}b^2dx^{13} + \frac{1}{9}b^2cx^9 + \frac{2}{9}abdx^9 + \frac{2}{5}abcx^5 + \frac{1}{5}a^2dx^5 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2*(d*x^4+c), x, algorithm="giac")

[Out] $1/13*b^2*d*x^{13} + 1/9*b^2*c*x^9 + 2/9*a*b*d*x^9 + 2/5*a*b*c*x^5 + 1/5*a^2*d*x^5 + a^2*c*x$

maple [A] time = 0.04, size = 49, normalized size = 0.98

$$\frac{b^2d x^{13}}{13} + \frac{(2abd + b^2c) x^9}{9} + \frac{(a^2d + 2abc) x^5}{5} + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)^2*(d*x^4+c), x)

[Out] $1/13*b^2*d*x^{13} + 1/9*(2*a*b*d + b^2*c)*x^9 + 1/5*(a^2*d + 2*a*b*c)*x^5 + a^2*c*x$

maxima [A] time = 0.48, size = 48, normalized size = 0.96

$$\frac{1}{13} b^2 dx^{13} + \frac{1}{9} (b^2 c + 2 abd) x^9 + \frac{1}{5} (2 abc + a^2 d) x^5 + a^2 cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2*(d*x^4+c),x, algorithm="maxima")

[Out] 1/13*b^2*d*x^13 + 1/9*(b^2*c + 2*a*b*d)*x^9 + 1/5*(2*a*b*c + a^2*d)*x^5 + a^2*c*x

mupad [B] time = 0.04, size = 48, normalized size = 0.96

$$x^5 \left(\frac{d a^2}{5} + \frac{2 b c a}{5} \right) + x^9 \left(\frac{c b^2}{9} + \frac{2 a d b}{9} \right) + \frac{b^2 d x^{13}}{13} + a^2 c x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^2*(c + d*x^4),x)

[Out] x^5*((a^2*d)/5 + (2*a*b*c)/5) + x^9*((b^2*c)/9 + (2*a*b*d)/9) + (b^2*d*x^13)/13 + a^2*c*x

sympy [A] time = 0.08, size = 53, normalized size = 1.06

$$a^2 cx + \frac{b^2 dx^{13}}{13} + x^9 \left(\frac{2abd}{9} + \frac{b^2 c}{9} \right) + x^5 \left(\frac{a^2 d}{5} + \frac{2abc}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)**2*(d*x**4+c),x)

[Out] a**2*c*x + b**2*d*x**13/13 + x**9*(2*a*b*d/9 + b**2*c/9) + x**5*(a**2*d/5 + 2*a*b*c/5)

$$3.94 \quad \int \frac{(a+bx^4)^2}{c+dx^4} dx$$

Optimal. Leaf size=253

$$\frac{(bc-ad)^2 \log\left(-\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{4\sqrt{2} c^{3/4} d^{9/4}} + \frac{(bc-ad)^2 \log\left(\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{4\sqrt{2} c^{3/4} d^{9/4}} - \frac{(bc-ad)^2 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}}\right)}{2\sqrt{2} c^{3/4} d^{9/4}}$$

Rubi [A] time = 0.19, antiderivative size = 253, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 19, number of rules / integrand size = 0.368, Rules used = {390, 211, 1165, 628, 1162, 617, 204}

$$\frac{(bc-ad)^2 \log\left(-\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{4\sqrt{2} c^{3/4} d^{9/4}} + \frac{(bc-ad)^2 \log\left(\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{4\sqrt{2} c^{3/4} d^{9/4}} - \frac{(bc-ad)^2 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}}\right)}{2\sqrt{2} c^{3/4} d^{9/4}} + \frac{(bc-ad)^2 \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}} + 1\right)}{2\sqrt{2} c^{3/4} d^{9/4}} - \frac{bx(bc-2ad)}{d^2} + \frac{b^2x^5}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)^2/(c + d*x^4), x]

[Out] -((b*(b*c - 2*a*d)*x)/d^2) + (b^2*x^5)/(5*d) - ((b*c - a*d)^2*ArcTan[1 - (Sqrt[2]*d^(1/4)*x)/c^(1/4)]/(2*Sqrt[2]*c^(3/4)*d^(9/4)) + ((b*c - a*d)^2*ArcTan[1 + (Sqrt[2]*d^(1/4)*x)/c^(1/4)]/(2*Sqrt[2]*c^(3/4)*d^(9/4)) - ((b*c - a*d)^2*Log[Sqrt[c] - Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(4*Sqrt[2]*c^(3/4)*d^(9/4)) + ((b*c - a*d)^2*Log[Sqrt[c] + Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(4*Sqrt[2]*c^(3/4)*d^(9/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 390

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a

, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^4)^2}{c + dx^4} dx &= \int \left(-\frac{b(bc - 2ad)}{d^2} + \frac{b^2x^4}{d} + \frac{b^2c^2 - 2abcd + a^2d^2}{d^2(c + dx^4)} \right) dx \\
&= -\frac{b(bc - 2ad)x}{d^2} + \frac{b^2x^5}{5d} + \frac{(bc - ad)^2 \int \frac{1}{c + dx^4} dx}{d^2} \\
&= -\frac{b(bc - 2ad)x}{d^2} + \frac{b^2x^5}{5d} + \frac{(bc - ad)^2 \int \frac{\sqrt{c} - \sqrt{d}x^2}{c + dx^4} dx}{2\sqrt{c}d^2} + \frac{(bc - ad)^2 \int \frac{\sqrt{c} + \sqrt{d}x^2}{c + dx^4} dx}{2\sqrt{c}d^2} \\
&= -\frac{b(bc - 2ad)x}{d^2} + \frac{b^2x^5}{5d} + \frac{(bc - ad)^2 \int \frac{1}{\frac{\sqrt{c}}{\sqrt{d}} - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{d}} + x^2} dx}{4\sqrt{c}d^{5/2}} + \frac{(bc - ad)^2 \int \frac{1}{\frac{\sqrt{c}}{\sqrt{d}} + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{d}} + x^2} dx}{4\sqrt{c}d^{5/2}} \\
&= -\frac{b(bc - 2ad)x}{d^2} + \frac{b^2x^5}{5d} - \frac{(bc - ad)^2 \log(\sqrt{c} - \sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x + \sqrt{d}x^2)}{4\sqrt{2}c^{3/4}d^{9/4}} + \frac{(bc - ad)^2 \log(\sqrt{c} + \sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x + \sqrt{d}x^2)}{4\sqrt{2}c^{3/4}d^{9/4}} \\
&= -\frac{b(bc - 2ad)x}{d^2} + \frac{b^2x^5}{5d} - \frac{(bc - ad)^2 \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}}\right)}{2\sqrt{2}c^{3/4}d^{9/4}} + \frac{(bc - ad)^2 \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}}\right)}{2\sqrt{2}c^{3/4}d^{9/4}}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 231, normalized size = 0.91

$$\frac{-40bc^{3/4}\sqrt[4]{d}x(bc - 2ad) - 5\sqrt{2}(bc - ad)^2 \log(-\sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x + \sqrt{c} + \sqrt{d}x^2) + 5\sqrt{2}(bc - ad)^2 \log(\sqrt{2}\sqrt[4]{c}\sqrt[4]{d}x + \sqrt{c} + \sqrt{d}x^2) - 10\sqrt{2}(bc - ad)^2 \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}}\right) + 10\sqrt{2}(bc - ad)^2 \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{d}x}{\sqrt[4]{c}} + 1\right) + 8b^2c^{3/4}d^{9/4}x^5}{40c^{3/4}d^{9/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^4)^2/(c + d*x^4), x]

[Out] $(-40*b*c^{(3/4)}*d^{(1/4)}*(b*c - 2*a*d)*x + 8*b^2*c^{(3/4)}*d^{(5/4)}*x^5 - 10*\text{Sqrt}[2]*(b*c - a*d)^2*\text{ArcTan}[1 - (\text{Sqrt}[2]*d^{(1/4)}*x)/c^{(1/4)}] + 10*\text{Sqrt}[2]*(b*c - a*d)^2*\text{ArcTan}[1 + (\text{Sqrt}[2]*d^{(1/4)}*x)/c^{(1/4)}] - 5*\text{Sqrt}[2]*(b*c - a*d)^2*\text{Log}[\text{Sqrt}[c] - \text{Sqrt}[2]*c^{(1/4)}*d^{(1/4)}*x + \text{Sqrt}[d]*x^2] + 5*\text{Sqrt}[2]*(b*c - a*d)^2*\text{Log}[\text{Sqrt}[c] + \text{Sqrt}[2]*c^{(1/4)}*d^{(1/4)}*x + \text{Sqrt}[d]*x^2])/(40*c^{(3/4)}*d^{(9/4)})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^4)^2}{c + dx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^4)^2/(c + d*x^4), x]

[Out] IntegrateAlgebraic[(a + b*x^4)^2/(c + d*x^4), x]

fricas [B] time = 1.18, size = 1239, normalized size = 4.90

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2/(d*x^4+c), x, algorithm="fricas")

[Out]
$$\frac{1}{20} \cdot (4b^2dx^5 + 20d^2(-b^8c^8 - 8ab^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(c^3d^9))^{1/4} \cdot \arctan\left(\frac{c^2d^7x(-b^8c^8 - 8ab^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(c^3d^9)}{c^2d^7}\right) - \frac{c^2d^7 \sqrt{c^2d^4 \sqrt{c^2d^4(-b^8c^8 - 8ab^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(c^3d^9)}}}{(c^3d^9)^{3/4}} + (b^4c^4 - 4ab^3c^3d + 6a^2b^2c^2d^2 - 4a^3b^1c^1d^3 + a^4d^4)x^2 / (b^4c^4 - 4ab^3c^3d + 6a^2b^2c^2d^2 - 4a^3b^1c^1d^3 + a^4d^4) \cdot (-b^8c^8 - 8ab^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(c^3d^9)^{3/4} / (b^6c^6 - 6ab^5c^5d + 15a^2b^4c^4d^2 - 20a^3b^3c^3d^3 + 15a^4b^2c^2d^4 - 6a^5b^1c^1d^5 + a^6d^6) + 5d^2 \cdot (-b^8c^8 - 8ab^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(c^3d^9)^{1/4} \cdot \log(c^2d^2(-b^8c^8 - 8ab^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(c^3d^9))^{1/4} + (b^2c^2 - 2ab^1c^1d + a^2d^2)x - 5d^2 \cdot (-b^8c^8 - 8ab^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(c^3d^9)^{1/4} \cdot \log(-c^2d^2(-b^8c^8 - 8ab^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(c^3d^9))^{1/4} + (b^2c^2 - 2ab^1c^1d + a^2d^2)x - 20(b^2c - 2ab^1d)x/d^2$$

giac [A] time = 0.20, size = 353, normalized size = 1.40

$$\frac{\sqrt{2} \left((ad)^{\frac{1}{2}} b^2 c^2 - 2(ad)^{\frac{1}{2}} abcd + (ad)^{\frac{1}{2}} a^2 d^2 \right) \arctan\left(\frac{\sqrt{2} \sqrt{c^2 d^2}}{2 \sqrt{c^2 d^2}}\right)}{4cd^2} + \frac{\sqrt{2} \left((ad)^{\frac{1}{2}} b^2 c^2 - 2(ad)^{\frac{1}{2}} abcd + (ad)^{\frac{1}{2}} a^2 d^2 \right) \arctan\left(\frac{\sqrt{2} \sqrt{c^2 d^2}}{2 \sqrt{c^2 d^2}}\right)}{4cd^2} + \frac{\sqrt{2} \left((ad)^{\frac{1}{2}} b^2 c^2 - 2(ad)^{\frac{1}{2}} abcd + (ad)^{\frac{1}{2}} a^2 d^2 \right) \log\left(x^2 + \sqrt{2} x \sqrt{c^2 d^2} + \sqrt{2}\right)}{8cd^2} + \frac{\sqrt{2} \left((ad)^{\frac{1}{2}} b^2 c^2 - 2(ad)^{\frac{1}{2}} abcd + (ad)^{\frac{1}{2}} a^2 d^2 \right) \log\left(x^2 - \sqrt{2} x \sqrt{c^2 d^2} + \sqrt{2}\right)}{8cd^2} + \frac{b^2 d^2 c^2 - 5b^2 cd^2 x + 10abd^2 x^2}{5d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2/(d*x^4+c),x, algorithm="giac")

[Out] $\frac{1}{4}\sqrt{2}\left((c*d^3)^{1/4}b^2c^2 - 2(c*d^3)^{1/4}a*b*c*d + (c*d^3)^{1/4}a^2*d^2\right)\arctan\left(\frac{1/2\sqrt{2}(2*x + \sqrt{2}(c/d)^{1/4})}{(c/d)^{1/4}}\right)/(c*d^3) + \frac{1}{4}\sqrt{2}\left((c*d^3)^{1/4}b^2c^2 - 2(c*d^3)^{1/4}a*b*c*d + (c*d^3)^{1/4}a^2*d^2\right)\arctan\left(\frac{1/2\sqrt{2}(2*x - \sqrt{2}(c/d)^{1/4})}{(c/d)^{1/4}}\right)/(c*d^3) + \frac{1}{8}\sqrt{2}\left((c*d^3)^{1/4}b^2c^2 - 2(c*d^3)^{1/4}a*b*c*d + (c*d^3)^{1/4}a^2*d^2\right)\log\left(x^2 + \sqrt{2}x(c/d)^{1/4} + \sqrt{c/d}\right)/(c*d^3) - \frac{1}{8}\sqrt{2}\left((c*d^3)^{1/4}b^2c^2 - 2(c*d^3)^{1/4}a*b*c*d + (c*d^3)^{1/4}a^2*d^2\right)\log\left(x^2 - \sqrt{2}x(c/d)^{1/4} + \sqrt{c/d}\right)/(c*d^3) + \frac{1}{5}(b^2*d^4*x^5 - 5*b^2*c*d^3*x + 10*a*b*d^4*x)/d^5$

maple [B] time = 0.05, size = 436, normalized size = 1.72

$$\frac{b^2 d^5}{5d^2} + \frac{\left(\frac{2}{5}\right)^{1/2} \sqrt{2} a^2 \arctan\left(\frac{\sqrt{2}x-1}{(5)^{1/2}}\right)}{4c} + \frac{\left(\frac{2}{5}\right)^{1/2} \sqrt{2} a^2 \arctan\left(\frac{\sqrt{2}x+1}{(5)^{1/2}}\right)}{4c} + \frac{\left(\frac{2}{5}\right)^{1/2} \sqrt{2} \ln\left(\frac{x^2+(5)^{1/2}x+\sqrt{2}}{x^2-(5)^{1/2}x+\sqrt{2}}\right)}{8c} + \frac{2abx}{d} - \frac{\left(\frac{2}{5}\right)^{1/2} \sqrt{2} ab \arctan\left(\frac{\sqrt{2}x-1}{(5)^{1/2}}\right)}{2d} - \frac{\left(\frac{2}{5}\right)^{1/2} \sqrt{2} ab \arctan\left(\frac{\sqrt{2}x+1}{(5)^{1/2}}\right)}{2d} - \frac{\left(\frac{2}{5}\right)^{1/2} \sqrt{2} ab \ln\left(\frac{x^2+(5)^{1/2}x+\sqrt{2}}{x^2-(5)^{1/2}x+\sqrt{2}}\right)}{4d} + \frac{b^2 cx}{d^2} + \frac{\left(\frac{2}{5}\right)^{1/2} \sqrt{2} b^2 c \arctan\left(\frac{\sqrt{2}x-1}{(5)^{1/2}}\right)}{4d^2} + \frac{\left(\frac{2}{5}\right)^{1/2} \sqrt{2} b^2 c \arctan\left(\frac{\sqrt{2}x+1}{(5)^{1/2}}\right)}{4d^2} + \frac{\left(\frac{2}{5}\right)^{1/2} \sqrt{2} b^2 c \ln\left(\frac{x^2+(5)^{1/2}x+\sqrt{2}}{x^2-(5)^{1/2}x+\sqrt{2}}\right)}{8d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)^2/(d*x^4+c),x)

[Out] $\frac{1}{5}b^2*x^5/d+2*b/d*a*x-b^2/d^2*c*x+1/8*(c/d)^{1/4}/c*2^{1/2}*ln((x^2+(c/d)^{1/4}*2^{1/2}*x+(c/d)^{1/2}))/((x^2-(c/d)^{1/4}*2^{1/2}*x+(c/d)^{1/2})))a^2-1/4/d*(c/d)^{1/4}*2^{1/2}*ln((x^2+(c/d)^{1/4}*2^{1/2}*x+(c/d)^{1/2}))/((x^2-(c/d)^{1/4}*2^{1/2}*x+(c/d)^{1/2})))a*b+1/8/d^2*(c/d)^{1/4}*c*2^{1/2}*ln((x^2+(c/d)^{1/4}*2^{1/2}*x+(c/d)^{1/2}))/((x^2-(c/d)^{1/4}*2^{1/2}*x+(c/d)^{1/2})))b^2+1/4*(c/d)^{1/4}/c*2^{1/2}*arctan(2^{1/2}/(c/d)^{1/4}*x-1)*a^2-1/2/d*(c/d)^{1/4}*2^{1/2}*arctan(2^{1/2}/(c/d)^{1/4}*x-1)*a*b+1/4/d^2*(c/d)^{1/4}*c*2^{1/2}*arctan(2^{1/2}/(c/d)^{1/4}*x-1)*b^2+1/4*(c/d)^{1/4}/c*2^{1/2}*arctan(2^{1/2}/(c/d)^{1/4}*x+1)*a^2-1/2/d*(c/d)^{1/4}*2^{1/2}*arctan(2^{1/2}/(c/d)^{1/4}*x+1)*a*b+1/4/d^2*(c/d)^{1/4}*c*2^{1/2}*arctan(2^{1/2}/(c/d)^{1/4}*x+1)*b^2$

maxima [A] time = 1.29, size = 286, normalized size = 1.13

$$\frac{b^2 dx^5 - 5(b^2 c - 2abd)x}{5d^2} + \frac{2\sqrt{2}(b^2 c^2 - 2abcd + a^2 d^2) \arctan\left(\frac{\sqrt{2}(2\sqrt{d}x + \sqrt{2}c^{1/4}d^{1/4})}{2\sqrt{c}\sqrt{d}}\right)}{\sqrt{c}\sqrt{c}\sqrt{d}} + \frac{2\sqrt{2}(b^2 c^2 - 2abcd + a^2 d^2) \arctan\left(\frac{\sqrt{2}(2\sqrt{d}x - \sqrt{2}c^{1/4}d^{1/4})}{2\sqrt{c}\sqrt{d}}\right)}{\sqrt{c}\sqrt{c}\sqrt{d}} + \frac{\sqrt{2}(b^2 c^2 - 2abcd + a^2 d^2) \log\left(\sqrt{d}x^2 + \sqrt{2}c^{1/4}d^{1/4}x + \sqrt{c}\right)}{c^{3/4}d^{1/4}} - \frac{\sqrt{2}(b^2 c^2 - 2abcd + a^2 d^2) \log\left(\sqrt{d}x^2 - \sqrt{2}c^{1/4}d^{1/4}x + \sqrt{c}\right)}{c^{3/4}d^{1/4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2/(d*x^4+c),x, algorithm="maxima")

[Out] $\frac{1}{5}(b^2*d*x^5 - 5*(b^2*c - 2*a*b*d)*x)/d^2 + \frac{1}{8}(2*\sqrt{2}*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}*x + \sqrt{2}*c^{1/4})*d^{1/4})/\sqrt{c}*\sqrt{d}))/(\sqrt{c}*\sqrt{c}*\sqrt{d}) + 2*\sqrt{2}*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}*x - \sqrt{2}*c^{1/4})*d^{1/4})/\sqrt{c}*\sqrt{d}))/(\sqrt{c}*\sqrt{c}*\sqrt{d}) + \sqrt{2}*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\log(x^2 + \sqrt{2}*x*c^{1/4} + \sqrt{c/d})/(c*d^3) - \sqrt{2}*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\log(x^2 - \sqrt{2}*x*c^{1/4} + \sqrt{c/d})/(c*d^3) + (b^2*d^4*x^5 - 5*b^2*c*d^3*x + 10*a*b*d^4*x)/d^5$

$$(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\log(\sqrt{d}*x^2 + \sqrt{2}*c^{1/4}*d^{1/4}*x + \sqrt{c})/(c^{3/4}*d^{1/4}) - \sqrt{2}*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\log(\sqrt{d}*x^2 - \sqrt{2}*c^{1/4}*d^{1/4}*x + \sqrt{c})/(c^{3/4}*d^{1/4}))/d^2$$

mupad [B] time = 1.48, size = 1081, normalized size = 4.27

$$\frac{\frac{b^2 c^2}{5d} - x \left(\frac{2ab}{d} - \frac{b^2 c}{d^2} \right) + \operatorname{atan} \left(\frac{\frac{a^2 d^2 - b^2 c^2}{d} + \frac{2ab}{d} + \frac{2(-c)^{3/4} d^{3/4}}{d} \right)}{2(-c)^{3/4} d^{3/4}} + \frac{\operatorname{atan} \left(\frac{\frac{a^2 d^2 - b^2 c^2}{d} + \frac{2ab}{d} + \frac{2(-c)^{3/4} d^{3/4}}{d} \right)}{2(-c)^{3/4} d^{3/4}}}{(d-bc)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^2/(c + d*x^4), x)

[Out] $(b^2*x^5)/(5*d) - x*((b^2*c)/d^2 - (2*a*b)/d) + (\operatorname{atan}(((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/d - ((a*d - b*c)^2*(4*a^2*c*d^3 + 4*b^2*c^3*d - 8*a*b*c^2*d^2))/(4*(-c)^{3/4}*d^{9/4}))*1i)/((-c)^{3/4}*d^{9/4}) + ((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/d + ((a*d - b*c)^2*(4*a^2*c*d^3 + 4*b^2*c^3*d - 8*a*b*c^2*d^2))/(4*(-c)^{3/4}*d^{9/4}))*1i)/((-c)^{3/4}*d^{9/4}))/(((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/d - ((a*d - b*c)^2*(4*a^2*c*d^3 + 4*b^2*c^3*d - 8*a*b*c^2*d^2))/(4*(-c)^{3/4}*d^{9/4}))))/((-c)^{3/4}*d^{9/4}) - ((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/d + ((a*d - b*c)^2*(4*a^2*c*d^3 + 4*b^2*c^3*d - 8*a*b*c^2*d^2))/(4*(-c)^{3/4}*d^{9/4}))))/((-c)^{3/4}*d^{9/4}) - ((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/d + ((a*d - b*c)^2*(4*a^2*c*d^3 + 4*b^2*c^3*d - 8*a*b*c^2*d^2))/(4*(-c)^{3/4}*d^{9/4}))))/((-c)^{3/4}*d^{9/4}) + (\operatorname{atan}(((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/d - ((a*d - b*c)^2*(4*a^2*c*d^3 + 4*b^2*c^3*d - 8*a*b*c^2*d^2))*1i)/(4*(-c)^{3/4}*d^{9/4}))))/((-c)^{3/4}*d^{9/4}) + ((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/d + ((a*d - b*c)^2*(4*a^2*c*d^3 + 4*b^2*c^3*d - 8*a*b*c^2*d^2))*1i)/(4*(-c)^{3/4}*d^{9/4}))))/((-c)^{3/4}*d^{9/4}))/(((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/d - ((a*d - b*c)^2*(4*a^2*c*d^3 + 4*b^2*c^3*d - 8*a*b*c^2*d^2))*1i)/(4*(-c)^{3/4}*d^{9/4}))))/((-c)^{3/4}*d^{9/4}) - ((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/d + ((a*d - b*c)^2*(4*a^2*c*d^3 + 4*b^2*c^3*d - 8*a*b*c^2*d^2))*1i)/(4*(-c)^{3/4}*d^{9/4}))))/((-c)^{3/4}*d^{9/4}) + ((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/d + ((a*d - b*c)^2*(4*a^2*c*d^3 + 4*b^2*c^3*d - 8*a*b*c^2*d^2))*1i)/(4*(-c)^{3/4}*d^{9/4}))))/((-c)^{3/4}*d^{9/4})$

sympy [A] time = 1.12, size = 187, normalized size = 0.74

$$\frac{b^2 x^5}{5d} + x \left(\frac{2ab}{d} - \frac{b^2 c}{d^2} \right) + \operatorname{RootSum} \left(256t^4 c^3 d^9 + a^8 d^8 - 8a^7 b c d^7 + 28a^6 b^2 c^2 d^6 - 56a^5 b^3 c^3 d^5 + 70a^4 b^4 c^4 d^4 - 56a^3 b^5 c^5 d^3 + 28a^2 b^6 c^6 d^2 - 8ab^7 c^7 d + b^8 c^8, \left(t \mapsto t \log \left(\frac{4tcd^2}{a^2 d^2 - 2abcd + b^2 c^2} + x \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)**2/(d*x**4+c), x)


```
[Out] b**2*x**5/(5*d) + x*(2*a*b/d - b**2*c/d**2) + RootSum(256*_t**4*c**3*d**9 +  
a**8*d**8 - 8*a**7*b*c*d**7 + 28*a**6*b**2*c**2*d**6 - 56*a**5*b**3*c**3*d  
**5 + 70*a**4*b**4*c**4*d**4 - 56*a**3*b**5*c**5*d**3 + 28*a**2*b**6*c**6*d  
**2 - 8*a*b**7*c**7*d + b**8*c**8, Lambda(_t, _t*log(4*_t*c*d**2/(a**2*d**2  
- 2*a*b*c*d + b**2*c**2) + x)))
```

$$3.95 \quad \int \frac{(a+bx^4)^2}{(c+dx^4)^2} dx$$

Optimal. Leaf size=291

$$\frac{(bc-ad)(3ad+5bc) \log\left(-\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{16\sqrt{2} c^{7/4} d^{9/4}} - \frac{(bc-ad)(3ad+5bc) \log\left(\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{16\sqrt{2} c^{7/4} d^{9/4}} +$$

Rubi [A] time = 0.37, antiderivative size = 291, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {390, 385, 211, 1165, 628, 1162, 617, 204}

$$\frac{(bc-ad)(3ad+5bc) \log\left(-\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{16\sqrt{2} c^{7/4} d^{9/4}} - \frac{(bc-ad)(3ad+5bc) \log\left(\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{16\sqrt{2} c^{7/4} d^{9/4}} + \frac{(bc-ad)(3ad+5bc) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}}\right)}{8\sqrt{2} c^{7/4} d^{9/4}} - \frac{(bc-ad)(3ad+5bc) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}} + 1\right)}{8\sqrt{2} c^{7/4} d^{9/4}} + \frac{x(bc-ad)^2}{4cd^2(c+dx^4)} + \frac{b^2x}{d^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)^2/(c + d*x^4)^2,x]

[Out] (b^2*x)/d^2 + ((b*c - a*d)^2*x)/(4*c*d^2*(c + d*x^4)) + ((b*c - a*d)*(5*b*c + 3*a*d)*ArcTan[1 - (Sqrt[2]*d^(1/4)*x)/c^(1/4)])/(8*Sqrt[2]*c^(7/4)*d^(9/4)) - ((b*c - a*d)*(5*b*c + 3*a*d)*ArcTan[1 + (Sqrt[2]*d^(1/4)*x)/c^(1/4)])/(8*Sqrt[2]*c^(7/4)*d^(9/4)) + ((b*c - a*d)*(5*b*c + 3*a*d)*Log[Sqrt[c] - Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(16*Sqrt[2]*c^(7/4)*d^(9/4)) - ((b*c - a*d)*(5*b*c + 3*a*d)*Log[Sqrt[c] + Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(16*Sqrt[2]*c^(7/4)*d^(9/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Free
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^4)^2}{(c + dx^4)^2} dx &= \int \left(\frac{b^2}{d^2} - \frac{b^2c^2 - a^2d^2 + 2bd(bc - ad)x^4}{d^2(c + dx^4)^2} \right) dx \\
&= \frac{b^2x}{d^2} - \frac{\int \frac{b^2c^2 - a^2d^2 + 2bd(bc - ad)x^4}{(c + dx^4)^2} dx}{d^2} \\
&= \frac{b^2x}{d^2} + \frac{(bc - ad)^2x}{4cd^2(c + dx^4)} - \frac{((bc - ad)(5bc + 3ad)) \int \frac{1}{c + dx^4} dx}{4cd^2} \\
&= \frac{b^2x}{d^2} + \frac{(bc - ad)^2x}{4cd^2(c + dx^4)} - \frac{((bc - ad)(5bc + 3ad)) \int \frac{\sqrt{c} - \sqrt{d}x^2}{c + dx^4} dx}{8c^{3/2}d^2} - \frac{((bc - ad)(5bc + 3ad)) \int \frac{\sqrt{c} + \sqrt{d}x^2}{c + dx^4} dx}{8c^{3/2}d^2} \\
&= \frac{b^2x}{d^2} + \frac{(bc - ad)^2x}{4cd^2(c + dx^4)} - \frac{((bc - ad)(5bc + 3ad)) \int \frac{1}{\frac{\sqrt{c}}{\sqrt{d}} - \frac{\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x^2}{\sqrt{d}} + x^2} dx}{16c^{3/2}d^{5/2}} - \frac{((bc - ad)(5bc + 3ad)) \int \frac{1}{\frac{\sqrt{c}}{\sqrt{d}} + \frac{\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x^2}{\sqrt{d}} + x^2} dx}{16c^{3/2}d^{5/2}} \\
&= \frac{b^2x}{d^2} + \frac{(bc - ad)^2x}{4cd^2(c + dx^4)} + \frac{(bc - ad)(5bc + 3ad) \log(\sqrt{c} - \sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{d} x^2)}{16\sqrt{2} c^{7/4} d^{9/4}} - \frac{(bc - ad)(5bc + 3ad) \log(\sqrt{c} + \sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{d} x^2)}{16\sqrt{2} c^{7/4} d^{9/4}} \\
&= \frac{b^2x}{d^2} + \frac{(bc - ad)^2x}{4cd^2(c + dx^4)} + \frac{(bc - ad)(5bc + 3ad) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}}\right)}{8\sqrt{2} c^{7/4} d^{9/4}} - \frac{(bc - ad)(5bc + 3ad) \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}}\right)}{8\sqrt{2} c^{7/4} d^{9/4}}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 298, normalized size = 1.02

$$\frac{\sqrt{2}(-3a^2d^2 - 2abcd + 5b^2c^2) \log\left(-\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{c^{7/4}} - \frac{\sqrt{2}(-3a^2d^2 - 2abcd + 5b^2c^2) \log\left(\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{c^{7/4}} + \frac{2\sqrt{2}(-3a^2d^2 - 2abcd + 5b^2c^2) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}}\right)}{c^{9/4}} - \frac{2\sqrt{2}(-3a^2d^2 - 2abcd + 5b^2c^2) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}} + 1\right)}{c^{9/4}} + \frac{8\sqrt[4]{d} x (bc - ad)^2}{c(c + dx^4)} + 32b^2 \sqrt[4]{d} x$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^4)^2/(c + d*x^4)^2,x]

[Out] (32*b^2*d^(1/4)*x + (8*d^(1/4)*(b*c - a*d)^2*x)/(c*(c + d*x^4)) + (2*Sqrt[2]*(5*b^2*c^2 - 2*a*b*c*d - 3*a^2*d^2)*ArcTan[1 - (Sqrt[2]*d^(1/4)*x)/c^(1/4)])/c^(7/4) - (2*Sqrt[2]*(5*b^2*c^2 - 2*a*b*c*d - 3*a^2*d^2)*ArcTan[1 + (Sqrt[2]*d^(1/4)*x)/c^(1/4)])/c^(7/4) + (Sqrt[2]*(5*b^2*c^2 - 2*a*b*c*d - 3*a^2*d^2)*Log[Sqrt[c] - Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/c^(7/4) - (Sqrt[2]*(5*b^2*c^2 - 2*a*b*c*d - 3*a^2*d^2)*Log[Sqrt[c] + Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/c^(7/4))/(32*d^(9/4))

$$\sqrt[4]{8*d^8/(c^7*d^9)} - (5*b^2*c^2 - 2*a*b*c*d - 3*a^2*d^2)*x + 4*(5*b^2*c^2 - 2*a*b*c*d + a^2*d^2)*x/(c*d^3*x^4 + c^2*d^2)$$

giac [A] time = 0.17, size = 376, normalized size = 1.29

$$\frac{\sqrt{2} \left(5 (ad)^{\frac{1}{2}} b^2 c^2 - 2 (ad)^{\frac{1}{2}} abcd - 3 (ad)^{\frac{1}{2}} a^2 d^2\right) \arctan\left(\frac{\sqrt{2} \sqrt{c+d} \sqrt{d}}{2 (d)^{\frac{1}{2}}}\right)}{16 c^2 d^3} - \frac{\sqrt{2} \left(5 (ad)^{\frac{1}{2}} b^2 c^2 - 2 (ad)^{\frac{1}{2}} abcd - 3 (ad)^{\frac{1}{2}} a^2 d^2\right) \arctan\left(\frac{\sqrt{2} \sqrt{c-d} \sqrt{d}}{2 (d)^{\frac{1}{2}}}\right)}{16 c^2 d^3} - \frac{\sqrt{2} \left(5 (ad)^{\frac{1}{2}} b^2 c^2 - 2 (ad)^{\frac{1}{2}} abcd - 3 (ad)^{\frac{1}{2}} a^2 d^2\right) \log\left(x^2 + \sqrt{2} x \sqrt{d} + \sqrt{d}\right)}{32 c^2 d^3} + \frac{\sqrt{2} \left(5 (ad)^{\frac{1}{2}} b^2 c^2 - 2 (ad)^{\frac{1}{2}} abcd - 3 (ad)^{\frac{1}{2}} a^2 d^2\right) \log\left(x^2 - \sqrt{2} x \sqrt{d} + \sqrt{d}\right)}{32 c^2 d^3} + \frac{b^2 c^2 x - 2 abcd + a^2 d^2}{4 (c^2 x^4 + c^2 d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2/(d*x^4+c)^2,x, algorithm="giac")

[Out] $b^2*x/d^2 - 1/16*\sqrt{2}*(5*(c*d^3)^{(1/4)}*b^2*c^2 - 2*(c*d^3)^{(1/4)}*a*b*c*d - 3*(c*d^3)^{(1/4)}*a^2*d^2)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(c/d)^{(1/4)})/(c/d)^{(1/4)})/(c^2*d^3) - 1/16*\sqrt{2}*(5*(c*d^3)^{(1/4)}*b^2*c^2 - 2*(c*d^3)^{(1/4)}*a*b*c*d - 3*(c*d^3)^{(1/4)}*a^2*d^2)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(c/d)^{(1/4)})/(c/d)^{(1/4)})/(c^2*d^3) - 1/32*\sqrt{2}*(5*(c*d^3)^{(1/4)}*b^2*c^2 - 2*(c*d^3)^{(1/4)}*a*b*c*d - 3*(c*d^3)^{(1/4)}*a^2*d^2)*\log(x^2 + \sqrt{2}*(c/d)^{(1/4)} + \sqrt{c/d})/(c^2*d^3) + 1/32*\sqrt{2}*(5*(c*d^3)^{(1/4)}*b^2*c^2 - 2*(c*d^3)^{(1/4)}*a*b*c*d - 3*(c*d^3)^{(1/4)}*a^2*d^2)*\log(x^2 - \sqrt{2}*(c/d)^{(1/4)} + \sqrt{c/d})/(c^2*d^3) + 1/4*(b^2*c^2*x - 2*a*b*c*d*x + a^2*d^2*x)/(d*x^4 + c)*c*d^2$

maple [B] time = 0.06, size = 475, normalized size = 1.63

$$\frac{b^2 x}{4 (c^2 x^4 + c^2 d^2)} + \frac{b^2 x}{d^2} - \frac{3 (d)^{\frac{1}{2}} \sqrt{2} a^2 \arctan\left(\frac{\sqrt{2} x - 1}{(d)^{\frac{1}{2}}}\right)}{16 c^2} + \frac{3 (d)^{\frac{1}{2}} \sqrt{2} a^2 \arctan\left(\frac{\sqrt{2} x + 1}{(d)^{\frac{1}{2}}}\right)}{16 c^2} + \frac{3 (d)^{\frac{1}{2}} \sqrt{2} a^2 \ln\left(\frac{x^2 (d)^{\frac{1}{2}} \sqrt{c+d}}{x^2 (d)^{\frac{1}{2}} \sqrt{c-d}}\right)}{32 c^2} + \frac{(d)^{\frac{1}{2}} \sqrt{2} a b \arctan\left(\frac{\sqrt{2} x - 1}{(d)^{\frac{1}{2}}}\right)}{8 c d} + \frac{(d)^{\frac{1}{2}} \sqrt{2} a b \arctan\left(\frac{\sqrt{2} x + 1}{(d)^{\frac{1}{2}}}\right)}{8 c d} + \frac{(d)^{\frac{1}{2}} \sqrt{2} a b \ln\left(\frac{x^2 (d)^{\frac{1}{2}} \sqrt{c+d}}{x^2 (d)^{\frac{1}{2}} \sqrt{c-d}}\right)}{16 c d} + \frac{5 (d)^{\frac{1}{2}} \sqrt{2} b^2 \arctan\left(\frac{\sqrt{2} x - 1}{(d)^{\frac{1}{2}}}\right)}{16 d^2} + \frac{5 (d)^{\frac{1}{2}} \sqrt{2} b^2 \arctan\left(\frac{\sqrt{2} x + 1}{(d)^{\frac{1}{2}}}\right)}{16 d^2} + \frac{5 (d)^{\frac{1}{2}} \sqrt{2} b^2 \ln\left(\frac{x^2 (d)^{\frac{1}{2}} \sqrt{c+d}}{x^2 (d)^{\frac{1}{2}} \sqrt{c-d}}\right)}{32 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)^2/(d*x^4+c)^2,x)

[Out] $b^2/d^2*x+1/4/c*x/(d*x^4+c)*a^2-1/2/d*x/(d*x^4+c)*a*b+1/4/d^2*c*x/(d*x^4+c)*b^2+3/16/c^2*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(c/d)^{(1/4)}*x-1)*a^2+1/8/d/c*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(c/d)^{(1/4)}*x-1)*a*b-5/16/d^2*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(c/d)^{(1/4)}*x-1)*b^2+3/32/c^2*(c/d)^{(1/4)}*2^{(1/2)}*\ln((x^2+(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)})/(x^2-(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)}))*a^2+1/16/d/c*(c/d)^{(1/4)}*2^{(1/2)}*\ln((x^2+(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)})/(x^2-(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)}))*a*b-5/32/d^2*(c/d)^{(1/4)}*2^{(1/2)}*\ln((x^2+(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)})/(x^2-(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)}))*b^2+3/16/c^2*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(c/d)^{(1/4)}*x+1)*a^2+1/8/d/c*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(c/d)^{(1/4)}*x+1)*a*b-5/16/d^2*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(c/d)^{(1/4)}*x+1)*b^2$

maxima [A] time = 1.10, size = 319, normalized size = 1.10

$$\frac{(b^2 c^2 - 2 abcd + a^2 d^2) x}{4 (c^2 x^4 + c^2 d^2)} + \frac{b^2 x}{d^2} - \frac{2 \sqrt{2} (5 b^2 c^2 - 2 abcd - 3 a^2 d^2) \arctan\left(\frac{\sqrt{2} (2 \sqrt{d} x + \sqrt{2} \sqrt{d})}{2 \sqrt{c} \sqrt{d}}\right)}{\sqrt{c} \sqrt{c} \sqrt{d}} + \frac{2 \sqrt{2} (5 b^2 c^2 - 2 abcd - 3 a^2 d^2) \arctan\left(\frac{\sqrt{2} (2 \sqrt{d} x - \sqrt{2} \sqrt{d})}{2 \sqrt{c} \sqrt{d}}\right)}{\sqrt{c} \sqrt{c} \sqrt{d}} + \frac{\sqrt{2} (5 b^2 c^2 - 2 abcd - 3 a^2 d^2) \log\left(\sqrt{d} x^2 + \sqrt{2} c^{\frac{1}{4}} d^{\frac{1}{4}} x + \sqrt{c}\right)}{32 c d^2} - \frac{\sqrt{2} (5 b^2 c^2 - 2 abcd - 3 a^2 d^2) \log\left(\sqrt{d} x^2 - \sqrt{2} c^{\frac{1}{4}} d^{\frac{1}{4}} x + \sqrt{c}\right)}{32 c d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2/(d*x^4+c)^2,x, algorithm="maxima")

[Out] $\frac{1}{4}*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*x/(c*d^3*x^4 + c^2*d^2) + b^2*x/d^2 - 1/32*(2*\sqrt{2}*(5*b^2*c^2 - 2*a*b*c*d - 3*a^2*d^2)*\arctan(1/2*\sqrt{2}*(2*\sqrt{d}*x + \sqrt{2}*c^{1/4}*d^{1/4}))/\sqrt{\sqrt{c}*\sqrt{d}})/(\sqrt{c}*\sqrt{\sqrt{c}*\sqrt{d}}) + 2*\sqrt{2}*(5*b^2*c^2 - 2*a*b*c*d - 3*a^2*d^2)*\arctan(1/2*\sqrt{2}*(2*\sqrt{d}*x - \sqrt{2}*c^{1/4}*d^{1/4}))/\sqrt{\sqrt{c}*\sqrt{d}})/(\sqrt{c}*\sqrt{\sqrt{c}*\sqrt{d}}) + \sqrt{2}*(5*b^2*c^2 - 2*a*b*c*d - 3*a^2*d^2)*\log(\sqrt{d}*x^2 + \sqrt{2}*c^{1/4}*d^{1/4}*x + \sqrt{c})/(c^{3/4}*d^{1/4}) - \sqrt{2}*(5*b^2*c^2 - 2*a*b*c*d - 3*a^2*d^2)*\log(\sqrt{d}*x^2 - \sqrt{2}*c^{1/4}*d^{1/4}*x + \sqrt{c})/(c^{3/4}*d^{1/4}))/c*d^2$

mupad [B] time = 1.54, size = 1254, normalized size = 4.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^2/(c + d*x^4)^2,x)

[Out] $(b^2*x)/d^2 + (x*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))/(4*c*(c*d^2 + d^3*x^4)) + (\operatorname{atan}(\frac{(x*(9*a^4*d^4 + 25*b^4*c^4 - 26*a^2*b^2*c^2*d^2 - 20*a*b^3*c^3*d + 12*a^3*b*c*d^3))/(4*c^2*d) - ((a*d - b*c)*(3*a*d + 5*b*c)*(12*a^2*d^3 - 20*b^2*c^2*d + 8*a*b*c*d^2))/(16*(-c)^{7/4}*d^{9/4})}{(a*d - b*c)*(3*a*d + 5*b*c)*1i})/(16*(-c)^{7/4}*d^{9/4}) + ((x*(9*a^4*d^4 + 25*b^4*c^4 - 26*a^2*b^2*c^2*d^2 - 20*a*b^3*c^3*d + 12*a^3*b*c*d^3))/(4*c^2*d) + ((a*d - b*c)*(3*a*d + 5*b*c)*(12*a^2*d^3 - 20*b^2*c^2*d + 8*a*b*c*d^2))/(16*(-c)^{7/4}*d^{9/4}))*(a*d - b*c)*(3*a*d + 5*b*c)*1i)/(16*(-c)^{7/4}*d^{9/4}))/(((x*(9*a^4*d^4 + 25*b^4*c^4 - 26*a^2*b^2*c^2*d^2 - 20*a*b^3*c^3*d + 12*a^3*b*c*d^3))/(4*c^2*d) - ((a*d - b*c)*(3*a*d + 5*b*c)*(12*a^2*d^3 - 20*b^2*c^2*d + 8*a*b*c*d^2))/(16*(-c)^{7/4}*d^{9/4}))*(a*d - b*c)*(3*a*d + 5*b*c))/(16*(-c)^{7/4}*d^{9/4}) - (((x*(9*a^4*d^4 + 25*b^4*c^4 - 26*a^2*b^2*c^2*d^2 - 20*a*b^3*c^3*d + 12*a^3*b*c*d^3))/(4*c^2*d) + ((a*d - b*c)*(3*a*d + 5*b*c)*(12*a^2*d^3 - 20*b^2*c^2*d + 8*a*b*c*d^2))/(16*(-c)^{7/4}*d^{9/4}))*(a*d - b*c)*(3*a*d + 5*b*c)*1i)/(8*(-c)^{7/4}*d^{9/4}) + (\operatorname{atan}(\frac{(x*(9*a^4*d^4 + 25*b^4*c^4 - 26*a^2*b^2*c^2*d^2 - 20*a*b^3*c^3*d + 12*a^3*b*c*d^3))/(4*c^2*d) - ((a*d - b*c)*(3*a*d + 5*b*c)*(12*a^2*d^3 - 20*b^2*c^2*d + 8*a*b*c*d^2)*1i)/(16*(-c)^{7/4}*d^{9/4})}{(a*d - b*c)*(3*a*d + 5*b*c))/(16*(-c)^{7/4}*d^{9/4}) + (((x*(9*a^4*d^4 + 25*b^4*c^4 - 26*a^2*b^2*c^2*d^2 - 20*a*b^3*c^3*d + 12*a^3*b*c*d^3))/(4*c^2*d) - ((a*d - b*c)*(3*a*d + 5*b*c)*(12*a^2*d^3 - 20*b^2*c^2*d + 8*a*b*c*d^2)*1i)/(16*(-c)^{7/4}*d^{9/4}))*(a*d - b*c)*(3*a*d + 5*b*c))/(16*(-c)^{7/4}*d^{9/4}))/(((x*(9*a^4*d^4 + 25*b^4*c^4 - 26*a^2*b^2*c^2*d^2 - 20*a*b^3*c^3*d + 12*a^3*b*c*d^3))/(4*c^2*d) - ((a*d - b*c)*(3*a*d + 5*b*c)*(12*a^2*d^3 - 20*b^2*c^2*d + 8*a*b*c*d^2)*1i)/(16*(-c)^{7/4}*d^{9/4}))*(a*d - b*c)*(3*a*d$

$$\begin{aligned}
& + 5*b*c)*1i)/(16*(-c)^{(7/4)}*d^{(9/4)}) - (((x*(9*a^4*d^4 + 25*b^4*c^4 - 26*a \\
& ^2*b^2*c^2*d^2 - 20*a*b^3*c^3*d + 12*a^3*b*c*d^3))/(4*c^2*d) + ((a*d - b*c) \\
& *(3*a*d + 5*b*c)*(12*a^2*d^3 - 20*b^2*c^2*d + 8*a*b*c*d^2)*1i)/(16*(-c)^{(7/4)} \\
& *d^{(9/4)}))*(a*d - b*c)*(3*a*d + 5*b*c)*1i)/(16*(-c)^{(7/4)}*d^{(9/4)}))*(a*d \\
& - b*c)*(3*a*d + 5*b*c))/(8*(-c)^{(7/4)}*d^{(9/4)})
\end{aligned}$$

sympy [A] time = 1.98, size = 219, normalized size = 0.75

$$\frac{b^2x}{d^2} + \frac{x(a^2d^2 - 2abcd + b^2c^2)}{4c^2d^2 + 4cd^3x^4} + \text{RootSum}\left(65536t^4c^7d^9 + 81a^8d^8 + 216a^7bcd^7 - 324a^6b^2c^2d^6 - 984a^5b^3c^3d^5 + 646a^4b^4c^4d^4 + 1640a^3b^5c^5d^3 - 900a^2b^6c^6d^2 - 1000ab^7c^7d + 625b^8c^8, \left(t \mapsto t \log\left(\frac{16t^2d^2}{3a^2d^2 + 2abcd - 5b^2c^2} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)**2/(d*x**4+c)**2,x)

[Out] b**2*x/d**2 + x*(a**2*d**2 - 2*a*b*c*d + b**2*c**2)/(4*c**2*d**2 + 4*c*d**3*x**4) + RootSum(65536*_t**4*c**7*d**9 + 81*a**8*d**8 + 216*a**7*b*c*d**7 - 324*a**6*b**2*c**2*d**6 - 984*a**5*b**3*c**3*d**5 + 646*a**4*b**4*c**4*d**4 + 1640*a**3*b**5*c**5*d**3 - 900*a**2*b**6*c**6*d**2 - 1000*a*b**7*c**7*d + 625*b**8*c**8, Lambda(_t, _t*log(16*_t*c**2*d**2/(3*a**2*d**2 + 2*a*b*c*d - 5*b**2*c**2) + x)))

$$3.96 \quad \int \frac{(a+bx^4)^2}{(c+dx^4)^3} dx$$

Optimal. Leaf size=349

$$\frac{(21a^2d^2 + 6abcd + 5b^2c^2) \log(-\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2)}{128\sqrt{2} c^{11/4} d^{9/4}} + \frac{(21a^2d^2 + 6abcd + 5b^2c^2) \log(\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2)}{128\sqrt{2} c^{11/4} d^{9/4}}$$

Rubi [A] time = 0.27, antiderivative size = 349, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {413, 385, 211, 1165, 628, 1162, 617, 204}

$$\frac{(21a^2d^2 + 6abcd + 5b^2c^2) \log(-\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2)}{128\sqrt{2} c^{11/4} d^{9/4}} + \frac{(21a^2d^2 + 6abcd + 5b^2c^2) \log(\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2)}{128\sqrt{2} c^{11/4} d^{9/4}} - \frac{(21a^2d^2 + 6abcd + 5b^2c^2) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}}\right)}{64\sqrt{2} c^{11/4} d^{9/4}} + \frac{(21a^2d^2 + 6abcd + 5b^2c^2) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}} + 1\right)}{64\sqrt{2} c^{11/4} d^{9/4}} - \frac{x(bc - ad)(7ad + 5bc)}{32c^2d^2(c + dx^4)} - \frac{x(a + bx^4)(bc - ad)}{8cd(c + dx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)^2/(c + d*x^4)^3,x]

[Out] -((b*c - a*d)*x*(a + b*x^4))/(8*c*d*(c + d*x^4)^2) - ((b*c - a*d)*(5*b*c + 7*a*d)*x)/(32*c^2*d^2*(c + d*x^4)) - ((5*b^2*c^2 + 6*a*b*c*d + 21*a^2*d^2)*ArcTan[1 - (Sqrt[2]*d^(1/4)*x)/c^(1/4)])/(64*Sqrt[2]*c^(11/4)*d^(9/4)) + ((5*b^2*c^2 + 6*a*b*c*d + 21*a^2*d^2)*ArcTan[1 + (Sqrt[2]*d^(1/4)*x)/c^(1/4)])/(64*Sqrt[2]*c^(11/4)*d^(9/4)) - ((5*b^2*c^2 + 6*a*b*c*d + 21*a^2*d^2)*Log[Sqrt[c] - Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(128*Sqrt[2]*c^(11/4)*d^(9/4)) + ((5*b^2*c^2 + 6*a*b*c*d + 21*a^2*d^2)*Log[Sqrt[c] + Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(128*Sqrt[2]*c^(11/4)*d^(9/4))

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[
((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[
{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])
```

Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[
((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p + 1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 2)*Simp[
c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p + q) + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[
(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[
{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[
(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^4)^2}{(c + dx^4)^3} dx &= -\frac{(bc - ad)x(a + bx^4)}{8cd(c + dx^4)^2} + \frac{\int \frac{a(bc+7ad)+b(5bc+3ad)x^4}{(c+dx^4)^2} dx}{8cd} \\
&= -\frac{(bc - ad)x(a + bx^4)}{8cd(c + dx^4)^2} - \frac{(bc - ad)(5bc + 7ad)x}{32c^2d^2(c + dx^4)} + \frac{(5b^2c^2 + 6abcd + 21a^2d^2) \int \frac{1}{c+dx^4} dx}{32c^2d^2} \\
&= -\frac{(bc - ad)x(a + bx^4)}{8cd(c + dx^4)^2} - \frac{(bc - ad)(5bc + 7ad)x}{32c^2d^2(c + dx^4)} + \frac{(5b^2c^2 + 6abcd + 21a^2d^2) \int \frac{\sqrt{c} - \sqrt{d}x^2}{c+dx^4} dx}{64c^{5/2}d^2} + \\
&= -\frac{(bc - ad)x(a + bx^4)}{8cd(c + dx^4)^2} - \frac{(bc - ad)(5bc + 7ad)x}{32c^2d^2(c + dx^4)} + \frac{(5b^2c^2 + 6abcd + 21a^2d^2) \int \frac{1}{\frac{\sqrt{c}}{\sqrt{d}} - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{d}} + x^2}}{128c^{5/2}d^{5/2}} \\
&= -\frac{(bc - ad)x(a + bx^4)}{8cd(c + dx^4)^2} - \frac{(bc - ad)(5bc + 7ad)x}{32c^2d^2(c + dx^4)} - \frac{(5b^2c^2 + 6abcd + 21a^2d^2) \log(\sqrt{c} - \sqrt{2}\sqrt[4]{c}x)}{128\sqrt{2}c^{11/4}d^{9/4}} \\
&= -\frac{(bc - ad)x(a + bx^4)}{8cd(c + dx^4)^2} - \frac{(bc - ad)(5bc + 7ad)x}{32c^2d^2(c + dx^4)} - \frac{(5b^2c^2 + 6abcd + 21a^2d^2) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{c}}\right)}{64\sqrt{2}c^{11/4}d^{9/4}}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 319, normalized size = 0.91

$$\frac{-\sqrt{2}(21a^2d^2 + 6abcd + 5b^2c^2) \log(-\sqrt{2}\sqrt{c}\sqrt[4]{d}x + \sqrt{c} + \sqrt{d}x^2) + \sqrt{2}(21a^2d^2 + 6abcd + 5b^2c^2) \log(\sqrt{2}\sqrt{c}\sqrt[4]{d}x + \sqrt{c} + \sqrt{d}x^2) - 2\sqrt{2}(21a^2d^2 + 6abcd + 5b^2c^2) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{c}}\right) + 2\sqrt{2}(21a^2d^2 + 6abcd + 5b^2c^2) \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{c}} + 1\right) - \frac{8c^{5/4}\sqrt[4]{d}(-7a^2d^2 - 2abcd + 9b^2c^2)}{c+dx^4} + \frac{32c^{2/4}\sqrt[4]{d}(bc-ad)^2}{(c+dx^4)^2}}{256c^{11/4}d^{9/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^4)^2/(c + d*x^4)^3, x]

[Out] ((32*c^(7/4)*d^(1/4)*(b*c - a*d)^2*x)/(c + d*x^4)^2 - (8*c^(3/4)*d^(1/4)*(9*b^2*c^2 - 2*a*b*c*d - 7*a^2*d^2)*x)/(c + d*x^4) - 2*Sqrt[2]*(5*b^2*c^2 + 6*a*b*c*d + 21*a^2*d^2)*ArcTan[1 - (Sqrt[2]*d^(1/4)*x)/c^(1/4)] + 2*Sqrt[2]*(5*b^2*c^2 + 6*a*b*c*d + 21*a^2*d^2)*ArcTan[1 + (Sqrt[2]*d^(1/4)*x)/c^(1/4)] - Sqrt[2]*(5*b^2*c^2 + 6*a*b*c*d + 21*a^2*d^2)*Log[Sqrt[c] - Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2] + Sqrt[2]*(5*b^2*c^2 + 6*a*b*c*d + 21*a^2*d^2)*Log[Sqrt[c] + Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(256*c^(11/4)*d^(9/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^4)^2}{(c + dx^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^4)^2/(c + d*x^4)^3,x]

[Out] IntegrateAlgebraic[(a + b*x^4)^2/(c + d*x^4)^3, x]

fricas [B] time = 1.20, size = 1411, normalized size = 4.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2/(d*x^4+c)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/128*(4*(9*b^2*c^2*d - 2*a*b*c*d^2 - 7*a^2*d^3)*x^5 - 4*(c^2*d^4*x^8 + 2*c^3*d^3*x^4 + c^4*d^2)*(- (625*b^8*c^8 + 3000*a*b^7*c^7*d + 15900*a^2*b^6*c^6*d^2 + 42120*a^3*b^5*c^5*d^3 + 112806*a^4*b^4*c^4*d^4 + 176904*a^5*b^3*c^3*d^5 + 280476*a^6*b^2*c^2*d^6 + 222264*a^7*b*c*d^7 + 194481*a^8*d^8)/(c^{11}*d^9))^{1/4}*\arctan(-(c^8*d^7*x*(- (625*b^8*c^8 + 3000*a*b^7*c^7*d + 15900*a^2*b^6*c^6*d^2 + 42120*a^3*b^5*c^5*d^3 + 112806*a^4*b^4*c^4*d^4 + 176904*a^5*b^3*c^3*d^5 + 280476*a^6*b^2*c^2*d^6 + 222264*a^7*b*c*d^7 + 194481*a^8*d^8))/(c^{11}*d^9))^{3/4} - c^8*d^7*\sqrt{(c^6*d^4*\sqrt{-(625*b^8*c^8 + 3000*a*b^7*c^7*d + 15900*a^2*b^6*c^6*d^2 + 42120*a^3*b^5*c^5*d^3 + 112806*a^4*b^4*c^4*d^4 + 176904*a^5*b^3*c^3*d^5 + 280476*a^6*b^2*c^2*d^6 + 222264*a^7*b*c*d^7 + 194481*a^8*d^8)/(c^{11}*d^9))} + (25*b^4*c^4 + 60*a*b^3*c^3*d + 246*a^2*b^2*c^2*d^2 + 252*a^3*b*c*d^3 + 441*a^4*d^4)*x^2)/(25*b^4*c^4 + 60*a*b^3*c^3*d + 246*a^2*b^2*c^2*d^2 + 252*a^3*b*c*d^3 + 441*a^4*d^4))*(- (625*b^8*c^8 + 3000*a*b^7*c^7*d + 15900*a^2*b^6*c^6*d^2 + 42120*a^3*b^5*c^5*d^3 + 112806*a^4*b^4*c^4*d^4 + 176904*a^5*b^3*c^3*d^5 + 280476*a^6*b^2*c^2*d^6 + 222264*a^7*b*c*d^7 + 194481*a^8*d^8)/(c^{11}*d^9))^{3/4})/(125*b^6*c^6 + 450*a*b^5*c^5*d + 2115*a^2*b^4*c^4*d^2 + 3996*a^3*b^3*c^3*d^3 + 8883*a^4*b^2*c^2*d^4 + 7938*a^5*b*c*d^5 + 9261*a^6*d^6) - (c^2*d^4*x^8 + 2*c^3*d^3*x^4 + c^4*d^2)*(- (625*b^8*c^8 + 3000*a*b^7*c^7*d + 15900*a^2*b^6*c^6*d^2 + 42120*a^3*b^5*c^5*d^3 + 112806*a^4*b^4*c^4*d^4 + 176904*a^5*b^3*c^3*d^5 + 280476*a^6*b^2*c^2*d^6 + 222264*a^7*b*c*d^7 + 194481*a^8*d^8)/(c^{11}*d^9))^{1/4}*\log(c^3*d^2*(- (625*b^8*c^8 + 3000*a*b^7*c^7*d + 15900*a^2*b^6*c^6*d^2 + 42120*a^3*b^5*c^5*d^3 + 112806*a^4*b^4*c^4*d^4 + 176904*a^5*b^3*c^3*d^5 + 280476*a^6*b^2*c^2*d^6 + 222264*a^7*b*c*d^7 + 194481*a^8*d^8)/(c^{11}*d^9))^{1/4} + (5*b^2*c^2 + 6*a*b*c*d + 21*a^2*d^2)*x) + (c^2*d^4*x^8 + 2*c^3*d^3*x^4 + c^4*d^2)*(- (625*b^8*c^8 + 3000*a*b^7*c^7*d + 15900*a^2*b^6*c^6*d^2 + 42120*a^3*b^5*c^5*d^3 + 112806*a^4*b^4*c^4*d^4 + 176904*a^5*b^3*c^3*d^5 + 280476*a^6*b^2*c^2*d^6 + 222264*a^7*b*c*d^7 + 194481*a^8*d^8)/(c^{11}*d^9))^{1/4}*\log(c^3*d^2*(- (625*b^8*c^8 + 3000*a*b^7*c^7*d + 15900*a^2*b^6*c^6*d^2 + 42120*a^3*b^5*c^5*d^3 + 112806*a^4*b^4*c^4*d^4 + 176904*a^5*b^3*c^3*d^5 + 280476*a^6*b^2*c^2*d^6 + 222264*a^7*b*c*d^7 + 194481*a^8*d^8)/(c^{11}*d^9))^{1/4} + (5*b^2*c^2 + 6*a*b*c*d + 21*a^2*d^2)*x) \end{aligned}$$

$$2*d^6 + 222264*a^7*b*c*d^7 + 194481*a^8*d^8)/(c^{11}*d^9))^{1/4}*\log(-c^3*d^2 *(-(625*b^8*c^8 + 3000*a*b^7*c^7*d + 15900*a^2*b^6*c^6*d^2 + 42120*a^3*b^5*c^5*d^3 + 112806*a^4*b^4*c^4*d^4 + 176904*a^5*b^3*c^3*d^5 + 280476*a^6*b^2*c^2*d^6 + 222264*a^7*b*c*d^7 + 194481*a^8*d^8)/(c^{11}*d^9))^{1/4} + (5*b^2*c^2 + 6*a*b*c*d + 21*a^2*d^2)*x) + 4*(5*b^2*c^3 + 6*a*b*c^2*d - 11*a^2*c*d^2)*x)/(c^2*d^4*x^8 + 2*c^3*d^3*x^4 + c^4*d^2)$$

giac [A] time = 0.21, size = 407, normalized size = 1.17

$$\frac{\sqrt{2} \left(5 (a^8)^{\frac{1}{2}} b^2 c^2 + 6 (a^8)^{\frac{1}{2}} b c d + 21 (a^8)^{\frac{1}{2}} d^2 \right) \arctan\left(\frac{\sqrt{2} \sqrt{c^2 + d^2}}{21 d}\right)}{128 c^8 d^8} + \frac{\sqrt{2} \left(5 (a^8)^{\frac{1}{2}} b^2 c^2 + 6 (a^8)^{\frac{1}{2}} b c d + 21 (a^8)^{\frac{1}{2}} d^2 \right) \arctan\left(\frac{\sqrt{2} \sqrt{c^2 + d^2}}{21 d}\right)}{128 c^8 d^8} + \frac{\sqrt{2} \left(5 (a^8)^{\frac{1}{2}} b^2 c^2 + 6 (a^8)^{\frac{1}{2}} b c d + 21 (a^8)^{\frac{1}{2}} d^2 \right) \log\left(\frac{c^2 + \sqrt{2} x \sqrt{c^2 + d^2}}{c^2}\right)}{256 c^8 d^8} + \frac{\sqrt{2} \left(5 (a^8)^{\frac{1}{2}} b^2 c^2 + 6 (a^8)^{\frac{1}{2}} b c d + 21 (a^8)^{\frac{1}{2}} d^2 \right) \log\left(\frac{c^2 - \sqrt{2} x \sqrt{c^2 + d^2}}{c^2}\right)}{256 c^8 d^8} + \frac{9 b^2 c^2 d^2 - 2 a b c^2 d - 7 a^2 d^2 + 5 b^2 c^2 + 6 a b c d - 11 a^2 d^2}{32 (c^4 + d^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2/(d*x^4+c)^3,x, algorithm="giac")

[Out] 1/128*sqrt(2)*(5*(c*d^3)^(1/4)*b^2*c^2 + 6*(c*d^3)^(1/4)*a*b*c*d + 21*(c*d^3)^(1/4)*a^2*d^2)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(c/d)^(1/4))/(c/d)^(1/4))/(c^3*d^3) + 1/128*sqrt(2)*(5*(c*d^3)^(1/4)*b^2*c^2 + 6*(c*d^3)^(1/4)*a*b*c*d + 21*(c*d^3)^(1/4)*a^2*d^2)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(c/d)^(1/4))/(c/d)^(1/4))/(c^3*d^3) + 1/256*sqrt(2)*(5*(c*d^3)^(1/4)*b^2*c^2 + 6*(c*d^3)^(1/4)*a*b*c*d + 21*(c*d^3)^(1/4)*a^2*d^2)*log(x^2 + sqrt(2)*x*(c/d)^(1/4) + sqrt(c/d))/(c^3*d^3) - 1/256*sqrt(2)*(5*(c*d^3)^(1/4)*b^2*c^2 + 6*(c*d^3)^(1/4)*a*b*c*d + 21*(c*d^3)^(1/4)*a^2*d^2)*log(x^2 - sqrt(2)*x*(c/d)^(1/4) + sqrt(c/d))/(c^3*d^3) - 1/32*(9*b^2*c^2*d*x^5 - 2*a*b*c*d^2*x^5 - 7*a^2*d^3*x^5 + 5*b^2*c^3*x + 6*a*b*c^2*d*x - 11*a^2*c*d^2*x)/((d*x^4 + c)^2*c^2*d^2)

maple [A] time = 0.06, size = 499, normalized size = 1.43

$$\frac{21 \binom{5}{2} \sqrt{2} a^2 \arctan\left(\frac{\sqrt{2} x}{d}\right)}{128 c^8} + \frac{21 \binom{5}{2} \sqrt{2} a^2 \arctan\left(\frac{\sqrt{2} x}{d}\right)}{128 c^8} + \frac{21 \binom{5}{2} \sqrt{2} a^2 \ln\left(\frac{\sqrt{c^2 + d^2} + \sqrt{2} x}{\sqrt{c^2 + d^2} - \sqrt{2} x}\right)}{256 c^8} + \frac{3 \binom{5}{2} \sqrt{2} a b \arctan\left(\frac{\sqrt{2} x}{d}\right)}{64 c^8} + \frac{3 \binom{5}{2} \sqrt{2} a b \arctan\left(\frac{\sqrt{2} x}{d}\right)}{64 c^8} + \frac{3 \binom{5}{2} \sqrt{2} a b \ln\left(\frac{\sqrt{c^2 + d^2} + \sqrt{2} x}{\sqrt{c^2 + d^2} - \sqrt{2} x}\right)}{128 c^8} + \frac{5 \binom{5}{2} \sqrt{2} b^2 \arctan\left(\frac{\sqrt{2} x}{d}\right)}{128 c^8} + \frac{5 \binom{5}{2} \sqrt{2} b^2 \arctan\left(\frac{\sqrt{2} x}{d}\right)}{128 c^8} + \frac{5 \binom{5}{2} \sqrt{2} b^2 \ln\left(\frac{\sqrt{c^2 + d^2} + \sqrt{2} x}{\sqrt{c^2 + d^2} - \sqrt{2} x}\right)}{256 c^8} + \frac{(7 a^2 d^2 - 2 a b c^2 d - 7 a^2 d^2 + 5 b^2 c^2 + 6 a b c d - 11 a^2 d^2) x}{32 (c^4 + d^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)^2/(d*x^4+c)^3,x)

[Out] (1/32*(7*a^2*d^2+2*a*b*c*d-9*b^2*c^2)/c^2/d*x^5+1/32*(11*a^2*d^2-6*a*b*c*d-5*b^2*c^2)/d^2/c*x)/(d*x^4+c)^2+21/128/c^3*(c/d)^(1/4)*2^(1/2)*arctan(2^(1/2)/(c/d)^(1/4)*x-1)*a^2+3/64/c^2/d*(c/d)^(1/4)*2^(1/2)*arctan(2^(1/2)/(c/d)^(1/4)*x-1)*a*b+5/128/c/d^2*(c/d)^(1/4)*2^(1/2)*arctan(2^(1/2)/(c/d)^(1/4)*x-1)*b^2+21/256/c^3*(c/d)^(1/4)*2^(1/2)*ln((x^2+(c/d)^(1/4)*2^(1/2)*x+(c/d)^(1/2))/(x^2-(c/d)^(1/4)*2^(1/2)*x+(c/d)^(1/2)))*a^2+3/128/c^2/d*(c/d)^(1/4)*2^(1/2)*ln((x^2+(c/d)^(1/4)*2^(1/2)*x+(c/d)^(1/2))/(x^2-(c/d)^(1/4)*2^(1/2)*x+(c/d)^(1/2)))/((d*x^4+c)^2)*a*b+5/256/c/d^2*(c/d)^(1/4)*2^(1/2)*ln((x^2+(c/d)^(1/4)*2^(1/2)*x+(c/d)^(1/2))/(x^2-(c/d)^(1/4)*2^(1/2)*x+(c/d)^(1/2)))*b^2+21/128/c^3*(c/d)^(1/4)*2^(1/2)*arctan(2^(1/2)/(c/d)^(1/4)*x+1)*a^2+3/64/c^2/d*(c/d)^(1/4)*2^(1/2)*arctan(2^(1/2)/(c/d)^(1/4)*x+1)*a*b+5/128/c/d^2*(c/d)^(1/4)*2^(1/2)*arctan(2^(1/2)/(c/d)^(1/4)*x+1)*b^2+21/256/c^3*(c/d)^(1/4)*2^(1/2)*ln((x^2+(c/d)^(1/4)*2^(1/2)*x+(c/d)^(1/2))/(x^2-(c/d)^(1/4)*2^(1/2)*x+(c/d)^(1/2)))/((d*x^4+c)^2)

$)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (c/d)^{1/4} * x + 1) * a * b + 5/128 * c/d^2 * (c/d)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (c/d)^{1/4} * x + 1) * b^2$

maxima [A] time = 1.22, size = 361, normalized size = 1.03

$$\frac{(9b^2c^2d - 2abc^2d - 7a^2d^3)x^5 + (5b^2c^3 + 6abc^2d - 11a^2cd^2)x}{32(c^2d^4x^8 + 2c^3d^3x^4 + c^4d^2)} + \frac{2\sqrt{2}(5b^2c^2 + 6abcd + 21a^2d^2) \arctan\left(\frac{\sqrt{2}(2\sqrt{d} + \sqrt{c} \frac{1}{d})}{2\sqrt{c^2d}}\right)}{\sqrt{c}\sqrt{c^2d}} + \frac{2\sqrt{2}(5b^2c^2 + 6abcd + 21a^2d^2) \arctan\left(\frac{\sqrt{2}(2\sqrt{d} - \sqrt{c} \frac{1}{d})}{2\sqrt{c^2d}}\right)}{\sqrt{c}\sqrt{c^2d}} + \frac{\sqrt{2}(5b^2c^2 + 6abcd + 21a^2d^2) \log\left(\sqrt{d}x^2 + \sqrt{2} \frac{1}{d}x + \sqrt{c}\right)}{\frac{1}{c^2d^4}} - \frac{\sqrt{2}(5b^2c^2 + 6abcd + 21a^2d^2) \log\left(\sqrt{d}x^2 - \sqrt{2} \frac{1}{d}x + \sqrt{c}\right)}{\frac{1}{c^2d^4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^2/(d*x^4+c)^3,x, algorithm="maxima")

[Out] $-1/32 * ((9*b^2*c^2*d - 2*a*b*c*d^2 - 7*a^2*d^3)*x^5 + (5*b^2*c^3 + 6*a*b*c*d^2 * d - 11*a^2*c*d^2)*x) / (c^2*d^4*x^8 + 2*c^3*d^3*x^4 + c^4*d^2) + 1/256 * (2*\text{sqrt}(2) * (5*b^2*c^2 + 6*a*b*c*d + 21*a^2*d^2) * \arctan(1/2*\text{sqrt}(2) * (2*\text{sqrt}(d)*x + \text{sqrt}(2)*c^{1/4}*d^{1/4}) / \text{sqrt}(\text{sqrt}(c)*\text{sqrt}(d))) / (\text{sqrt}(c)*\text{sqrt}(\text{sqrt}(c)*\text{sqrt}(d))) + 2*\text{sqrt}(2) * (5*b^2*c^2 + 6*a*b*c*d + 21*a^2*d^2) * \arctan(1/2*\text{sqrt}(2) * (2*\text{sqrt}(d)*x - \text{sqrt}(2)*c^{1/4}*d^{1/4}) / \text{sqrt}(\text{sqrt}(c)*\text{sqrt}(d))) / (\text{sqrt}(c)*\text{sqrt}(\text{sqrt}(c)*\text{sqrt}(d))) + \text{sqrt}(2) * (5*b^2*c^2 + 6*a*b*c*d + 21*a^2*d^2) * \log(\text{sqrt}(d)*x^2 + \text{sqrt}(2)*c^{1/4}*d^{1/4}*x + \text{sqrt}(c)) / (c^{3/4}*d^{1/4}) - \text{sqrt}(2) * (5*b^2*c^2 + 6*a*b*c*d + 21*a^2*d^2) * \log(\text{sqrt}(d)*x^2 - \text{sqrt}(2)*c^{1/4}*d^{1/4}*x + \text{sqrt}(c)) / (c^{3/4}*d^{1/4})) / (c^2*d^2)$

mupad [B] time = 1.66, size = 1401, normalized size = 4.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^2/(c + d*x^4)^3,x)

[Out] $-((x*(5*b^2*c^2 - 11*a^2*d^2 + 6*a*b*c*d)) / (32*c*d^2) - (x^5*(7*a^2*d^2 - 9*b^2*c^2 + 2*a*b*c*d)) / (32*c^2*d)) / (c^2 + d^2*x^8 + 2*c*d*x^4) - (\text{atan}((((21*a^2*d^2 + 5*b^2*c^2 + 6*a*b*c*d) * (21*a^2*d^3 + 5*b^2*c^2*d + 6*a*b*c*d^2)) / (256*(-c)^{15/4}*d^{9/4}) - (x*(441*a^4*d^4 + 25*b^4*c^4 + 246*a^2*b^2*c^2*d^2 + 60*a*b^3*c^3*d + 252*a^3*b*c*d^3)) / (256*c^4*d)) * (21*a^2*d^2 + 5*b^2*c^2 + 6*a*b*c*d) * i) / (128*(-c)^{11/4}*d^{9/4}) - (((21*a^2*d^2 + 5*b^2*c^2 + 6*a*b*c*d) * (21*a^2*d^3 + 5*b^2*c^2*d + 6*a*b*c*d^2)) / (256*(-c)^{15/4}*d^{9/4}) + (x*(441*a^4*d^4 + 25*b^4*c^4 + 246*a^2*b^2*c^2*d^2 + 60*a*b^3*c^3*d + 252*a^3*b*c*d^3)) / (256*c^4*d)) * (21*a^2*d^2 + 5*b^2*c^2 + 6*a*b*c*d) * i) / (128*(-c)^{11/4}*d^{9/4})) / (((21*a^2*d^2 + 5*b^2*c^2 + 6*a*b*c*d) * (21*a^2*d^3 + 5*b^2*c^2*d + 6*a*b*c*d^2)) / (256*(-c)^{15/4}*d^{9/4}) - (x*(441*a^4*d^4 + 25*b^4*c^4 + 246*a^2*b^2*c^2*d^2 + 60*a*b^3*c^3*d + 252*a^3*b*c*d^3)) / (256*c^4*d)) * (21*a^2*d^2 + 5*b^2*c^2 + 6*a*b*c*d) / (128*(-c)^{11/4}*d^{9/4}) + (((21*a^2*d^2 + 5*b^2*c^2 + 6*a*b*c*d) * (21*a^2*d^3 + 5*b^2*c^2*d + 6*a*b*c*d^2)) / (256*(-c)^{15/4}*d^{9/4}) + (x*(441*a^4*d^4 + 25*b^4*c^4 + 246*a^2*b^2*c^2*d^2 + 60*a*b^3*c^3*d + 252*a^3*b*c*d^3)) / (256*c^4*d)) * (21*a^2*d^2 + 5*b^2*c^2 + 6*a*b*c*d) / (128*(-c)^{11/4}*d^{9/4})) / (c^2 + d^2*x^8 + 2*c*d*x^4)$

$$\begin{aligned} & a^2d^2 + 5b^2c^2 + 6a*b*c*d) / (128*(-c)^{(11/4)}*d^{(9/4)})) * (21a^2d^2 + 5b^2c^2 + 6a*b*c*d) * 1i) / (64*(-c)^{(11/4)}*d^{(9/4)} - (\operatorname{atan}(\frac{((21a^2d^2 + 5b^2c^2 + 6a*b*c*d)*(21a^2d^3 + 5b^2c^2*d + 6a*b*c*d^2)*1i)}{(256*(-c)^{(15/4)}*d^{(9/4)} - (x*(441a^4d^4 + 25b^4c^4 + 246a^2b^2c^2*d^2 + 60a*b^3c^3*d + 252a^3b*c*d^3)) / (256*c^4*d)) * (21a^2d^2 + 5b^2c^2 + 6a*b*c*d) / (128*(-c)^{(11/4)}*d^{(9/4)} - (((21a^2d^2 + 5b^2c^2 + 6a*b*c*d)*(21a^2d^3 + 5b^2c^2*d + 6a*b*c*d^2)*1i) / (256*(-c)^{(15/4)}*d^{(9/4)})) + (x*(441a^4d^4 + 25b^4c^4 + 246a^2b^2c^2*d^2 + 60a*b^3c^3*d + 252a^3b*c*d^3)) / (256*c^4*d)) * (21a^2d^2 + 5b^2c^2 + 6a*b*c*d) / (128*(-c)^{(11/4)}*d^{(9/4)})) / (((((21a^2d^2 + 5b^2c^2 + 6a*b*c*d)*(21a^2d^3 + 5b^2c^2*d + 6a*b*c*d^2)*1i) / (256*(-c)^{(15/4)}*d^{(9/4)} - (x*(441a^4d^4 + 25b^4c^4 + 246a^2b^2c^2*d^2 + 60a*b^3c^3*d + 252a^3b*c*d^3)) / (256*c^4*d)) * (21a^2d^2 + 5b^2c^2 + 6a*b*c*d) * 1i) / (128*(-c)^{(11/4)}*d^{(9/4)})) + (((21a^2d^2 + 5b^2c^2 + 6a*b*c*d)*(21a^2d^3 + 5b^2c^2*d + 6a*b*c*d^2)*1i) / (256*(-c)^{(15/4)}*d^{(9/4)})) + (x*(441a^4d^4 + 25b^4c^4 + 246a^2b^2c^2*d^2 + 60a*b^3c^3*d + 252a^3b*c*d^3)) / (256*c^4*d)) * (21a^2d^2 + 5b^2c^2 + 6a*b*c*d) * 1i) / (128*(-c)^{(11/4)}*d^{(9/4)})) * (21a^2d^2 + 5b^2c^2 + 6a*b*c*d) / (64*(-c)^{(11/4)}*d^{(9/4)}) \end{aligned}$$

sympy [A] time = 5.85, size = 264, normalized size = 0.76

$$\frac{x^5(7t^2d^3 + 2abcd^2 - 9t^2c^2d) + x(11t^2cd^2 - 6abc^2d - 5t^2c^2)}{32c^4d^2 + 64c^3d^3 + 32c^2d^4} + \operatorname{RootSum}\left(268435456t^{11}d^9 + 194481a^{11}d^8 + 222264a^7bcd^7 + 280476a^6b^2c^2d^6 + 176904a^5b^3c^3d^5 + 112806a^4b^4c^4d^4 + 42120a^3b^5c^5d^3 + 15900a^2b^6c^6d^2 + 3000ab^7c^7d + 625b^8c^8, \operatorname{Lambda}(t, t \log\left(\frac{128c^3d^2}{21a^2d^2 + 6abcd + 5b^2c^2} + x\right))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)**2/(d*x**4+c)**3,x)

[Out] (x**5*(7*a**2*d**3 + 2*a*b*c*d**2 - 9*b**2*c**2*d) + x*(11*a**2*c*d**2 - 6*a*b*c**2*d - 5*b**2*c**3))/(32*c**4*d**2 + 64*c**3*d**3*x**4 + 32*c**2*d**4*x**8) + RootSum(268435456*_t**4*c**11*d**9 + 194481*a**8*d**8 + 222264*a**7*b*c*d**7 + 280476*a**6*b**2*c**2*d**6 + 176904*a**5*b**3*c**3*d**5 + 112806*a**4*b**4*c**4*d**4 + 42120*a**3*b**5*c**5*d**3 + 15900*a**2*b**6*c**6*d**2 + 3000*a*b**7*c**7*d + 625*b**8*c**8, Lambda(_t, _t*log(128*_t*c**3*d**2/(21*a**2*d**2 + 6*a*b*c*d + 5*b**2*c**2) + x)))

$$3.97 \quad \int \frac{(c+dx^4)^4}{a+bx^4} dx$$

Optimal. Leaf size=332

$$\frac{(bc-ad)^4 \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} b^{17/4}} + \frac{(bc-ad)^4 \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} b^{17/4}} - \frac{(bc-ad)^4 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}\right)}{2\sqrt{2} a^{3/4} b^{17/4}}$$

Rubi [A] time = 0.27, antiderivative size = 332, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {390, 211, 1165, 628, 1162, 617, 204}

$$\frac{d^2 x^5 (a^2 d^2 - 4abcd + 6b^2 c^2)}{5b^3} + \frac{dx(2bc - ad)(a^2 d^2 - 2abcd + 2b^2 c^2)}{b^4} - \frac{(bc - ad)^4 \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} b^{17/4}} + \frac{(bc - ad)^4 \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} b^{17/4}} - \frac{(bc - ad)^4 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}\right)}{2\sqrt{2} a^{3/4} b^{17/4}} + \frac{(bc - ad)^4 \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}\right)}{2\sqrt{2} a^{3/4} b^{17/4}} + \frac{d^3 x^9 (4bc - ad)}{9b^2} + \frac{d^4 x^{13}}{13b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^4)^4/(a + b*x^4), x]

[Out] (d*(2*b*c - a*d)*(2*b^2*c^2 - 2*a*b*c*d + a^2*d^2)*x)/b^4 + (d^2*(6*b^2*c^2 - 4*a*b*c*d + a^2*d^2)*x^5)/(5*b^3) + (d^3*(4*b*c - a*d)*x^9)/(9*b^2) + (d^4*x^13)/(13*b) - ((b*c - a*d)^4*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(17/4)) + ((b*c - a*d)^4*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(17/4)) - ((b*c - a*d)^4*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(17/4)) + ((b*c - a*d)^4*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(17/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 390

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a

, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx^4)^4}{a + bx^4} dx &= \int \left(\frac{d(2bc - ad)(2b^2c^2 - 2abcd + a^2d^2)}{b^4} + \frac{d^2(6b^2c^2 - 4abcd + a^2d^2)x^4}{b^3} + \frac{d^3(4bc - ad)x^8}{b^2} + \frac{d^4x^{12}}{b} \right) dx \\
&= \frac{d(2bc - ad)(2b^2c^2 - 2abcd + a^2d^2)x}{b^4} + \frac{d^2(6b^2c^2 - 4abcd + a^2d^2)x^5}{5b^3} + \frac{d^3(4bc - ad)x^9}{9b^2} + \frac{d^4x^{13}}{13b} \\
&= \frac{d(2bc - ad)(2b^2c^2 - 2abcd + a^2d^2)x}{b^4} + \frac{d^2(6b^2c^2 - 4abcd + a^2d^2)x^5}{5b^3} + \frac{d^3(4bc - ad)x^9}{9b^2} + \frac{d^4x^{13}}{13b} \\
&= \frac{d(2bc - ad)(2b^2c^2 - 2abcd + a^2d^2)x}{b^4} + \frac{d^2(6b^2c^2 - 4abcd + a^2d^2)x^5}{5b^3} + \frac{d^3(4bc - ad)x^9}{9b^2} + \frac{d^4x^{13}}{13b} \\
&= \frac{d(2bc - ad)(2b^2c^2 - 2abcd + a^2d^2)x}{b^4} + \frac{d^2(6b^2c^2 - 4abcd + a^2d^2)x^5}{5b^3} + \frac{d^3(4bc - ad)x^9}{9b^2} + \frac{d^4x^{13}}{13b}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 322, normalized size = 0.97

$$\frac{585\sqrt{2}(bc-ad)\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}\sqrt[4]{c}+\sqrt{2}+\sqrt{b}\sqrt{c}\right)}{a^{3/4}} + \frac{585\sqrt{2}(bc-ad)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}\sqrt[4]{c}+\sqrt{2}+\sqrt{b}\sqrt{c}\right)}{a^{3/4}} - \frac{1170\sqrt{2}(bc-ad)^4\arctan\left(1-\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{c}}\right)}{a^{3/4}} + \frac{1170\sqrt{2}(bc-ad)^4\arctan\left(\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{c}}+1\right)}{a^{3/4}} + \frac{9360^{5/4}d^2x^2\left(a^2d^2-4abcd+6d^2c^2\right)+4680\sqrt{b}dx\left(-a^3d^3+4a^2bcd^2-6ad^2c^2d+4b^2c^3\right)+520b^{9/4}d^3x^9(4bc-ad)+360b^{13/4}d^4x^{13}}{4680b^{17/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^4)^4/(a + b*x^4), x]

[Out] (4680*b^(1/4)*d*(4*b^3*c^3 - 6*a*b^2*c^2*d + 4*a^2*b*c*d^2 - a^3*d^3)*x + 9*36*b^(5/4)*d^2*(6*b^2*c^2 - 4*a*b*c*d + a^2*d^2)*x^5 + 520*b^(9/4)*d^3*(4*b*c - a*d)*x^9 + 360*b^(13/4)*d^4*x^13 - (1170*sqrt[2]*(b*c - a*d)^4*ArcTan[1 - (sqrt[2]*b^(1/4)*x)/a^(1/4)]) / a^(3/4) + (1170*sqrt[2]*(b*c - a*d)^4*ArcTan[1 + (sqrt[2]*b^(1/4)*x)/a^(1/4)]) / a^(3/4) - (585*sqrt[2]*(b*c - a*d)^4*Log[sqrt[a] - sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2]) / a^(3/4) + (585*sqrt[2]*(b*c - a*d)^4*Log[sqrt[a] + sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2]) / a^(3/4)) / (4680*b^(17/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx^4)^4}{a + bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^4)^4/(a + b*x^4),x]

[Out] IntegrateAlgebraic[(c + d*x^4)^4/(a + b*x^4), x]

fricas [B] time = 1.22, size = 2477, normalized size = 7.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^4/(b*x^4+a),x, algorithm="fricas")

[Out]
$$\frac{1}{2340} (180b^3d^4x^{13} + 260(4b^3cd^3 - ab^2d^4)x^9 + 468(6b^3c^2d^2 - 4ab^2cd^3 + a^2b^2d^4)x^5 + 2340b^4(-(b^{16}c^{16} - 16a^2b^{15}c^{15}d + 120a^2b^{14}c^{14}d^2 - 560a^3b^{13}c^{13}d^3 + 1820a^4b^{12}c^{12}d^4 - 4368a^5b^{11}c^{11}d^5 + 8008a^6b^{10}c^{10}d^6 - 11440a^7b^9c^9d^7 + 12870a^8b^8c^8d^8 - 11440a^9b^7c^7d^9 + 8008a^{10}b^6c^6d^{10} - 4368a^{11}b^5c^5d^{11} + 1820a^{12}b^4c^4d^{12} - 560a^{13}b^3c^3d^{13} + 120a^{14}b^2c^2d^{14} - 16a^{15}b^2cd^{15} + a^{16}d^{16})/(a^3b^{17}))^{1/4} + \arctan\left(\frac{-a^2b^{13}x(-(b^{16}c^{16} - 16a^2b^{15}c^{15}d + 120a^2b^{14}c^{14}d^2 - 560a^3b^{13}c^{13}d^3 + 1820a^4b^{12}c^{12}d^4 - 4368a^5b^{11}c^{11}d^5 + 8008a^6b^{10}c^{10}d^6 - 11440a^7b^9c^9d^7 + 12870a^8b^8c^8d^8 - 11440a^9b^7c^7d^9 + 8008a^{10}b^6c^6d^{10} - 4368a^{11}b^5c^5d^{11} + 1820a^{12}b^4c^4d^{12} - 560a^{13}b^3c^3d^{13} + 120a^{14}b^2c^2d^{14} - 16a^{15}b^2cd^{15} + a^{16}d^{16})/(a^3b^{17}))^{3/4} - a^2b^{13}\sqrt{(a^2b^8\sqrt{-(b^{16}c^{16} - 16a^2b^{15}c^{15}d + 120a^2b^{14}c^{14}d^2 - 560a^3b^{13}c^{13}d^3 + 1820a^4b^{12}c^{12}d^4 - 4368a^5b^{11}c^{11}d^5 + 8008a^6b^{10}c^{10}d^6 - 11440a^7b^9c^9d^7 + 12870a^8b^8c^8d^8 - 11440a^9b^7c^7d^9 + 8008a^{10}b^6c^6d^{10} - 4368a^{11}b^5c^5d^{11} + 1820a^{12}b^4c^4d^{12} - 560a^{13}b^3c^3d^{13} + 120a^{14}b^2c^2d^{14} - 16a^{15}b^2cd^{15} + a^{16}d^{16})/(a^3b^{17})) + (b^8c^8 - 8a^2b^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^2cd^7 + a^8d^8)x^2}{(b^8c^8 - 8a^2b^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^2cd^7 + a^8d^8)}\right) * \left(\frac{-(b^{16}c^{16} - 16a^2b^{15}c^{15}d + 120a^2b^{14}c^{14}d^2 - 560a^3b^{13}c^{13}d^3 + 1820a^4b^{12}c^{12}d^4 - 4368a^5b^{11}c^{11}d^5 + 8008a^6b^{10}c^{10}d^6 - 11440a^7b^9c^9d^7 + 12870a^8b^8c^8d^8 - 11440a^9b^7c^7d^9 + 8008a^{10}b^6c^6d^{10} - 4368a^{11}b^5c^5d^{11} + 1820a^{12}b^4c^4d^{12} - 560a^{13}b^3c^3d^{13} + 120a^{14}b^2c^2d^{14} - 16a^{15}b^2cd^{15} + a^{16}d^{16})/(a^3b^{17}))^{3/4}}{(b^{12}c^{12} - 12a^2b^{11}c^{11}d + 66a^2b^{10}c^{10}d^2 - 220a^3b^9c^9d^3 + 495a^4b^8c^8d^4 - 792a^5b^7c^7d^5 + 924a^6b^6c^6d^6 - 792a^7b^5c^5d^7 + 495a^8b^4c^4d^8 - 220a^9b^3c^3d^9 + 66a^{10}b^2c^2d^{10} - 12a^{11}b^2cd^{11} + a^{12}d^{12})}\right) + 585b^4(-(b^{16}c^{16} - 16a^2b^{15}c^{15}d + 120a^2b^{14}c^{14}d^2 - 560a^3b^{13}c^{13}d^3 + 1820a^4b^{12}c^{12}d^4 - 436$$

$$\begin{aligned} &8*a^5*b^{11}*c^{11}*d^5 + 8008*a^6*b^{10}*c^{10}*d^6 - 11440*a^7*b^9*c^9*d^7 + 12870*a^8*b^8*c^8*d^8 - 11440*a^9*b^7*c^7*d^9 + 8008*a^{10}*b^6*c^6*d^{10} - 4368*a^{11}*b^5*c^5*d^{11} + 1820*a^{12}*b^4*c^4*d^{12} - 560*a^{13}*b^3*c^3*d^{13} + 120*a^{14}*b^2*c^2*d^{14} - 16*a^{15}*b*c*d^{15} + a^{16}*d^{16})/(a^3*b^{17})^{(1/4)}*\log(a*b^4*(-(b^{16}*c^{16} - 16*a*b^{15}*c^{15}*d + 120*a^2*b^{14}*c^{14}*d^2 - 560*a^3*b^{13}*c^{13}*d^3 + 1820*a^4*b^{12}*c^{12}*d^4 - 4368*a^5*b^{11}*c^{11}*d^5 + 8008*a^6*b^{10}*c^{10}*d^6 - 11440*a^7*b^9*c^9*d^7 + 12870*a^8*b^8*c^8*d^8 - 11440*a^9*b^7*c^7*d^9 + 8008*a^{10}*b^6*c^6*d^{10} - 4368*a^{11}*b^5*c^5*d^{11} + 1820*a^{12}*b^4*c^4*d^{12} - 560*a^{13}*b^3*c^3*d^{13} + 120*a^{14}*b^2*c^2*d^{14} - 16*a^{15}*b*c*d^{15} + a^{16}*d^{16})/(a^3*b^{17})^{(1/4)} + (b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*x) - 585*b^4*(-(b^{16}*c^{16} - 16*a*b^{15}*c^{15}*d + 120*a^2*b^{14}*c^{14}*d^2 - 560*a^3*b^{13}*c^{13}*d^3 + 1820*a^4*b^{12}*c^{12}*d^4 - 4368*a^5*b^{11}*c^{11}*d^5 + 8008*a^6*b^{10}*c^{10}*d^6 - 11440*a^7*b^9*c^9*d^7 + 12870*a^8*b^8*c^8*d^8 - 11440*a^9*b^7*c^7*d^9 + 8008*a^{10}*b^6*c^6*d^{10} - 4368*a^{11}*b^5*c^5*d^{11} + 1820*a^{12}*b^4*c^4*d^{12} - 560*a^{13}*b^3*c^3*d^{13} + 120*a^{14}*b^2*c^2*d^{14} - 16*a^{15}*b*c*d^{15} + a^{16}*d^{16})/(a^3*b^{17})^{(1/4)}*\log(-a*b^4*(-(b^{16}*c^{16} - 16*a*b^{15}*c^{15}*d + 120*a^2*b^{14}*c^{14}*d^2 - 560*a^3*b^{13}*c^{13}*d^3 + 1820*a^4*b^{12}*c^{12}*d^4 - 4368*a^5*b^{11}*c^{11}*d^5 + 8008*a^6*b^{10}*c^{10}*d^6 - 11440*a^7*b^9*c^9*d^7 + 12870*a^8*b^8*c^8*d^8 - 11440*a^9*b^7*c^7*d^9 + 8008*a^{10}*b^6*c^6*d^{10} - 4368*a^{11}*b^5*c^5*d^{11} + 1820*a^{12}*b^4*c^4*d^{12} - 560*a^{13}*b^3*c^3*d^{13} + 120*a^{14}*b^2*c^2*d^{14} - 16*a^{15}*b*c*d^{15} + a^{16}*d^{16})/(a^3*b^{17})^{(1/4)} + (b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*x) + 2340*(4*b^3*c^3*d - 6*a*b^2*c^2*d^2 + 4*a^2*b*c*d^3 - a^3*d^4)*x)/b^4 \end{aligned}$$

giac [B] time = 0.48, size = 617, normalized size = 1.86

© 2010 University of Waterloo. All rights reserved. This software is licensed under the GNU General Public License (GPL). For more information, see the file "COPYING" in the distribution. The author is Amir Ghobadipour.

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^4/(b*x^4+a),x, algorithm="giac")

[Out] $\frac{1}{4}\sqrt{2}\left((a*b^3)^{(1/4)}*b^4*c^4 - 4*(a*b^3)^{(1/4)}*a*b^3*c^3*d + 6*(a*b^3)^{(1/4)}*a^2*b^2*c^2*d^2 - 4*(a*b^3)^{(1/4)}*a^3*b*c*d^3 + (a*b^3)^{(1/4)}*a^4*d^4\right)*\arctan\left(\frac{1}{2}\sqrt{2}\left(2*x + \sqrt{2}\left(\frac{a}{b}\right)^{(1/4)}\right)\right)/\left(\frac{a}{b}\right)^{(1/4)}/(a*b^5) + \frac{1}{4}\sqrt{2}\left((a*b^3)^{(1/4)}*b^4*c^4 - 4*(a*b^3)^{(1/4)}*a*b^3*c^3*d + 6*(a*b^3)^{(1/4)}*a^2*b^2*c^2*d^2 - 4*(a*b^3)^{(1/4)}*a^3*b*c*d^3 + (a*b^3)^{(1/4)}*a^4*d^4\right)*\arctan\left(\frac{1}{2}\sqrt{2}\left(2*x - \sqrt{2}\left(\frac{a}{b}\right)^{(1/4)}\right)\right)/\left(\frac{a}{b}\right)^{(1/4)}/(a*b^5) + \frac{1}{8}\sqrt{2}\left((a*b^3)^{(1/4)}*b^4*c^4 - 4*(a*b^3)^{(1/4)}*a*b^3*c^3*d + 6*(a*b^3)^{(1/4)}*a^2*b^2*c^2*d^2 - 4*(a*b^3)^{(1/4)}*a^3*b*c*d^3 + (a*b^3)^{(1/4)}*a^4*d^4\right)*\log\left(x^2 + \sqrt{2}\left(\frac{a}{b}\right)^{(1/4)}*x + \sqrt{\frac{a}{b}}\right)/(a*b^5) - \frac{1}{8}\sqrt{2}\left((a*b^3)^{(1/4)}*b^4*c^4 - 4*(a*b^3)^{(1/4)}*a*b^3*c^3*d + 6*(a*b^3)^{(1/4)}*a^2*b^2*c^2*d^2 - 4*(a*b^3)^{(1/4)}*a^3*b*c*d^3 + (a*b^3)^{(1/4)}*a^4*d^4\right)*\log\left(x^2 - \sqrt{2}\left(\frac{a}{b}\right)^{(1/4)}*x + \sqrt{\frac{a}{b}}\right)/(a*b^5) + \frac{1}{585}\left(45*b^{12}*d^4*x^{13} + 260*b^{12}*c*d^3*x^9 - 65*a*b^{11}*d^4*x^9 + 702*b^{12}*c^2*d^2*x^5 - 468*a*b^{11}*c*d^3*x^5\right)$

$$5 + 117*a^2*b^{10}*d^4*x^5 + 2340*b^{12}*c^3*d*x - 3510*a*b^{11}*c^2*d^2*x + 2340*a^2*b^{10}*c*d^3*x - 585*a^3*b^9*d^4*x)/b^{13}$$

maple [B] time = 0.05, size = 837, normalized size = 2.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^4+c)^4/(b*x^4+a), x)

[Out]
$$-4/5*d^3/b^2*x^5*a*c+4*d^3/b^3*a^2*c*x-6*d^2/b^2*a*c^2*x+1/4*(a/b)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)*c^4+1/8*(a/b)^{(1/4)}/a*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*x*2^{(1/2)}+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*x*2^{(1/2)}+(a/b)^{(1/2)})))*c^4+1/4*(a/b)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)*c^4+1/13*d^4*x^{13}/b+3/4/b^2*(a/b)^{(1/4)}*a*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*x*2^{(1/2)}+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*x*2^{(1/2)}+(a/b)^{(1/2)})))*c^2*d^2-1/b^3*(a/b)^{(1/4)}*a^2*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)*c*d^3+3/2/b^2*(a/b)^{(1/4)}*a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)*c^2*d^2-1/b^3*(a/b)^{(1/4)}*a^2*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)*c*d^3+3/2/b^2*(a/b)^{(1/4)}*a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)*c^2*d^2-1/2/b^3*(a/b)^{(1/4)}*a^2*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*x*2^{(1/2)}+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*x*2^{(1/2)}+(a/b)^{(1/2)})))*c*d^3+6/5*d^2/b*x^5*c^2-d^4/b^4*a^3*x+4*d/b*c^3*x-1/9*d^4/b^2*x^9*a+4/9*d^3/b*x^9*c+1/5*d^4/b^3*x^5*a^2+1/4/b^4*(a/b)^{(1/4)}*a^3*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)*d^4-1/b*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)*c^3*d+1/8/b^4*(a/b)^{(1/4)}*a^3*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*x*2^{(1/2)}+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*x*2^{(1/2)}+(a/b)^{(1/2)})))*d^4-1/2/b*(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*x*2^{(1/2)}+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*x*2^{(1/2)}+(a/b)^{(1/2)})))*c^3*d+1/4/b^4*(a/b)^{(1/4)}*a^3*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)*d^4-1/b*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)*c^3*d$$

maxima [A] time = 1.44, size = 489, normalized size = 1.47

$$\frac{45d^4x^{13} + 65(4b^3cd^4 - a^2b^3c^2d^3 + 117(6b^3c^2d^2 - 4a^2b^2cd^3 - a^3d^4)x^5 + 585(4b^3c^3d - 6a^2b^2c^2d^2 + 4a^2b^2cd^3 - a^3d^4)x)/b^4 + 1/8*(2\sqrt{2})(b^4c^4 - 4a^2b^3c^3d + 6a^2b^2c^2d^2 - 4a^3b^2cd^3 + a^4d^4)\arctan(1/2\sqrt{2})(2\sqrt{2}(b)x + \sqrt{2}a^{1/4}b^{1/4})/\sqrt{a}\sqrt{b}}{(\sqrt{a}\sqrt{b})} + \frac{2\sqrt{2}(b^4c^4 - 4a^2b^3c^3d + 6a^2b^2c^2d^2 - 4a^3b^2cd^3 + a^4d^4)\arctan(1/2\sqrt{2})(2\sqrt{2}(b)x - \sqrt{2}a^{1/4}b^{1/4})/\sqrt{a}\sqrt{b}}{(\sqrt{a}\sqrt{b})} + \frac{2\sqrt{2}(b^4c^4 - 4a^2b^3c^3d + 6a^2b^2c^2d^2 - 4a^3b^2cd^3 + a^4d^4)\arctan(1/2\sqrt{2})(2\sqrt{2}(b)x + \sqrt{2}a^{1/4}b^{1/4})/\sqrt{a}\sqrt{b}}{(\sqrt{a}\sqrt{b})} + \frac{2\sqrt{2}(b^4c^4 - 4a^2b^3c^3d + 6a^2b^2c^2d^2 - 4a^3b^2cd^3 + a^4d^4)\arctan(1/2\sqrt{2})(2\sqrt{2}(b)x - \sqrt{2}a^{1/4}b^{1/4})/\sqrt{a}\sqrt{b}}{(\sqrt{a}\sqrt{b})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^4/(b*x^4+a), x, algorithm="maxima")

[Out]
$$1/585*(45*b^3*d^4*x^{13} + 65*(4*b^3*c*d^3 - a*b^2*d^4)*x^9 + 117*(6*b^3*c^2*d^2 - 4*a*b^2*c*d^3 + a^2*b*d^4)*x^5 + 585*(4*b^3*c^3*d - 6*a*b^2*c^2*d^2 + 4*a^2*b*c*d^3 - a^3*d^4)*x)/b^4 + 1/8*(2*\sqrt{2}*(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b^2*c*d^3 + a^4*d^4)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}(b)*x + \sqrt{2}*a^{1/4}*b^{1/4}))/\sqrt{a}*\sqrt{b})/(\sqrt{a}*\sqrt{b}) + 2*\sqrt{2}*(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b^2*c*d^3 + a^4*d^4)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}(b)*x - \sqrt{2}*a^{1/4}*b^{1/4}))/\sqrt{a}*\sqrt{b})/(\sqrt{a}*\sqrt{b}) + \sqrt{2}*(b^4*c$$

$$\begin{aligned} &^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*\log(\sqrt{(b)*x^2 + \sqrt{2)*a^{(1/4)*b^{(1/4)*x + \sqrt{2)*a^{(1/4)*b^{(1/4)}}} - \sqrt{2)*} \\ &b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*\log(\sqrt{(b)*x^2 - \sqrt{2)*a^{(1/4)*b^{(1/4)*x + \sqrt{2)*a^{(1/4)*b^{(1/4)}}})/b^4} \end{aligned}$$

mupad [B] time = 1.51, size = 1822, normalized size = 5.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x^4)^4/(a + b*x^4), x)$

[Out] $x*((4*c^3*d)/b - (a*((a*((a*d^4)/b^2 - (4*c*d^3)/b))/b + (6*c^2*d^2)/b))/b - x^9*((a*d^4)/(9*b^2) - (4*c*d^3)/(9*b)) + x^5*((a*((a*d^4)/b^2 - (4*c*d^3)/b))/(5*b) + (6*c^2*d^2)/(5*b)) + (d^4*x^{13})/(13*b) + (\text{atan}((((4*x*(a^8*d^8 + b^8*c^8 + 28*a^2*b^6*c^6*d^2 - 56*a^3*b^5*c^5*d^3 + 70*a^4*b^4*c^4*d^4 - 56*a^5*b^3*c^3*d^5 + 28*a^6*b^2*c^2*d^6 - 8*a*b^7*c^7*d - 8*a^7*b*c*d^7)))/b^5 - (4*(a*d - b*c)^4*(a^5*d^4 + a*b^4*c^4 - 4*a^2*b^3*c^3*d + 6*a^3*b^2*c^2*d^2 - 4*a^4*b*c*d^3))/((-a)^{(3/4)*b^{(21/4)}})*(a*d - b*c)^4*1i)/(4*(-a)^{(3/4)*b^{(17/4)}}) + (((4*x*(a^8*d^8 + b^8*c^8 + 28*a^2*b^6*c^6*d^2 - 56*a^3*b^5*c^5*d^3 + 70*a^4*b^4*c^4*d^4 - 56*a^5*b^3*c^3*d^5 + 28*a^6*b^2*c^2*d^6 - 8*a*b^7*c^7*d - 8*a^7*b*c*d^7)))/b^5 + (4*(a*d - b*c)^4*(a^5*d^4 + a*b^4*c^4 - 4*a^2*b^3*c^3*d + 6*a^3*b^2*c^2*d^2 - 4*a^4*b*c*d^3))/((-a)^{(3/4)*b^{(21/4)}})*(a*d - b*c)^4)/(4*(-a)^{(3/4)*b^{(17/4)}}) - (((4*x*(a^8*d^8 + b^8*c^8 + 28*a^2*b^6*c^6*d^2 - 56*a^3*b^5*c^5*d^3 + 70*a^4*b^4*c^4*d^4 - 56*a^5*b^3*c^3*d^5 + 28*a^6*b^2*c^2*d^6 - 8*a*b^7*c^7*d - 8*a^7*b*c*d^7)))/b^5 + (4*(a*d - b*c)^4*(a^5*d^4 + a*b^4*c^4 - 4*a^2*b^3*c^3*d + 6*a^3*b^2*c^2*d^2 - 4*a^4*b*c*d^3))/((-a)^{(3/4)*b^{(21/4)}})*(a*d - b*c)^4)/(4*(-a)^{(3/4)*b^{(17/4)}}) - (((4*x*(a^8*d^8 + b^8*c^8 + 28*a^2*b^6*c^6*d^2 - 56*a^3*b^5*c^5*d^3 + 70*a^4*b^4*c^4*d^4 - 56*a^5*b^3*c^3*d^5 + 28*a^6*b^2*c^2*d^6 - 8*a*b^7*c^7*d - 8*a^7*b*c*d^7)))/b^5 - ((a*d - b*c)^4*(a^5*d^4 + a*b^4*c^4 - 4*a^2*b^3*c^3*d + 6*a^3*b^2*c^2*d^2 - 4*a^4*b*c*d^3)*4i)/((-a)^{(3/4)*b^{(21/4)}})*(a*d - b*c)^4)/(4*(-a)^{(3/4)*b^{(17/4)}}) + (((4*x*(a^8*d^8 + b^8*c^8 + 28*a^2*b^6*c^6*d^2 - 56*a^3*b^5*c^5*d^3 + 70*a^4*b^4*c^4*d^4 - 56*a^5*b^3*c^3*d^5 + 28*a^6*b^2*c^2*d^6 - 8*a*b^7*c^7*d - 8*a^7*b*c*d^7)))/b^5 + ((a*d - b*c)^4*(a^5*d^4 + a*b^4*c^4 - 4*a^2*b^3*c^3*d + 6*a^3*b^2*c^2*d^2 - 4*a^4*b*c*d^3)*4i)/((-a)^{(3/4)*b^{(21/4)}})*(a*d - b*c)^4)/(4*(-a)^{(3/4)*b^{(17/4)}}) + (((4*x*(a^8*d^8 + b^8*c^8 + 28*a^2*b^6*c^6*d^2 - 56*a^3*b^5*c^5*d^3 + 70*a^4*b^4*c^4*d^4 - 56*a^5*b^3*c^3*d^5 + 28*a^6*b^2*c^2*d^6 - 8*a*b^7*c^7*d - 8*a^7*b*c*d^7)))/b^5 - ((a*d - b*c)^4*(a^5*d^4 + a*b^4*c^4 - 4*a^2*b^3*c^3*d + 6$

$$\frac{a^3 b^2 c^2 d^2 - 4 a^4 b c d^3}{(-a)^{3/4} b^{21/4}} \frac{(a d - b c)^4 i}{(4 (-a)^{3/4} b^{17/4}) - \left((4 x (a^8 d^8 + b^8 c^8 + 28 a^2 b^6 c^6 d^2 - 56 a^3 b^5 c^5 d^3 + 70 a^4 b^4 c^4 d^4 - 56 a^5 b^3 c^3 d^5 + 28 a^6 b^2 c^2 d^6 - 8 a^7 b c^7 d - 8 a^8 b^2 c^2 d^7)) / b^5 + ((a d - b c)^4 (a^5 d^4 + a b^4 c^4 - 4 a^2 b^3 c^3 d + 6 a^3 b^2 c^2 d^2 - 4 a^4 b c d^3) i) / ((-a)^{3/4} b^{21/4}) \right) (a d - b c)^4 i / (4 (-a)^{3/4} b^{17/4})} / (2 (-a)^{3/4} b^{17/4})$$

sympy [A] time = 3.59, size = 435, normalized size = 1.31

$$\frac{1}{13b} \left(\frac{a^9 d^4}{9b^2} + \frac{4c^3 d^3}{9b} + \frac{5a^2 d^4}{5b^3} - 4a^3 c d^3 \frac{1}{5b^2} + \frac{6c^2 d^2}{5b} + x \left(-\frac{a^3 d^4}{b^4} + \frac{4a^2 c d^3}{b^3} - \frac{6a^2 c^2 d^2}{b^2} + \frac{4c^3 d}{b} \right) + \text{RootSum} \left(256 t^4 a^3 b^{17} + a^{16} d^{16} - 16 a^{15} b c d^{15} + 120 a^{14} b^2 c^2 d^{14} - 560 a^{13} b^3 c^3 d^{13} + 1820 a^{12} b^4 c^4 d^{12} - 4368 a^{11} b^5 c^5 d^{11} + 8008 a^{10} b^6 c^6 d^{10} - 11440 a^9 b^7 c^7 d^9 + 12870 a^8 b^8 c^8 d^8 - 11440 a^7 b^9 c^9 d^7 + 8008 a^6 b^{10} c^{10} d^6 - 4368 a^5 b^{11} c^{11} d^5 + 1820 a^4 b^{12} c^{12} d^4 - 560 a^3 b^{13} c^{13} d^3 + 120 a^2 b^{14} c^{14} d^2 - 16 a b^{15} c^{15} d + b^{16} c^{16} \right), \text{Lambda}(t, t \log(4 t a b^4 / (a^4 d^4 - 4 a^3 b c d^3 + 6 a^2 b^2 c^2 d^2 - 4 a b^3 c^3 d + b^4 c^4)) + x) \right) + \frac{d^4 x^{13}}{13b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**4+c)**4/(b*x**4+a),x)

[Out] x**9*(-a*d**4/(9*b**2) + 4*c*d**3/(9*b)) + x**5*(a**2*d**4/(5*b**3) - 4*a*c*d**3/(5*b**2) + 6*c**2*d**2/(5*b)) + x*(-a**3*d**4/b**4 + 4*a**2*c*d**3/b**3 - 6*a*c**2*d**2/b**2 + 4*c**3*d/b) + RootSum(256*_t**4*a**3*b**17 + a**16*d**16 - 16*a**15*b*c*d**15 + 120*a**14*b**2*c**2*d**14 - 560*a**13*b**3*c**3*d**13 + 1820*a**12*b**4*c**4*d**12 - 4368*a**11*b**5*c**5*d**11 + 8008*a**10*b**6*c**6*d**10 - 11440*a**9*b**7*c**7*d**9 + 12870*a**8*b**8*c**8*d**8 - 11440*a**7*b**9*c**9*d**7 + 8008*a**6*b**10*c**10*d**6 - 4368*a**5*b**11*c**11*d**5 + 1820*a**4*b**12*c**12*d**4 - 560*a**3*b**13*c**13*d**3 + 120*a**2*b**14*c**14*d**2 - 16*a*b**15*c**15*d + b**16*c**16, Lambda(_t, _t*log(4*_t*a*b**4/(a**4*d**4 - 4*a**3*b*c*d**3 + 6*a**2*b**2*c**2*d**2 - 4*a*b**3*c**3*d + b**4*c**4) + x))) + d**4*x**13/(13*b)

$$3.98 \quad \int \frac{(c+dx^4)^3}{a+bx^4} dx$$

Optimal. Leaf size=288

$$\frac{(bc-ad)^3 \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} b^{13/4}} + \frac{(bc-ad)^3 \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} b^{13/4}} - \frac{(bc-ad)^3 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x}{\sqrt{a} + \sqrt{b} x^2}\right)}{2\sqrt{2} a^{3/4} b^{13/4}}$$

Rubi [A] time = 0.22, antiderivative size = 288, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {390, 211, 1165, 628, 1162, 617, 204}

$$\frac{dx(a^2d^2 - 3abcd + 3b^2c^2)}{b^3} - \frac{(bc-ad)^3 \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} b^{13/4}} + \frac{(bc-ad)^3 \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} b^{13/4}} - \frac{(bc-ad)^3 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x}{\sqrt{a} + \sqrt{b} x^2}\right)}{2\sqrt{2} a^{3/4} b^{13/4}} + \frac{(bc-ad)^3 \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x}{\sqrt{a} + \sqrt{b} x^2} + 1\right)}{2\sqrt{2} a^{3/4} b^{13/4}} + \frac{d^2x^2(3bc-ad)}{5b^2} + \frac{d^3x^9}{9b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^4)^3/(a + b*x^4), x]

[Out] (d*(3*b^2*c^2 - 3*a*b*c*d + a^2*d^2)*x)/b^3 + (d^2*(3*b*c - a*d)*x^5)/(5*b^2) + (d^3*x^9)/(9*b) - ((b*c - a*d)^3*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/((2*Sqrt[2]*a^(3/4)*b^(13/4)) + ((b*c - a*d)^3*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/((2*Sqrt[2]*a^(3/4)*b^(13/4)) - ((b*c - a*d)^3*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(13/4)) + ((b*c - a*d)^3*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(13/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 390

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a

, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx^4)^3}{a + bx^4} dx &= \int \left(\frac{d(3b^2c^2 - 3abcd + a^2d^2)}{b^3} + \frac{d^2(3bc - ad)x^4}{b^2} + \frac{d^3x^8}{b} + \frac{b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3}{b^3(a + bx^4)} \right) dx \\
&= \frac{d(3b^2c^2 - 3abcd + a^2d^2)x}{b^3} + \frac{d^2(3bc - ad)x^5}{5b^2} + \frac{d^3x^9}{9b} + \frac{(bc - ad)^3 \int \frac{1}{a+bx^4} dx}{b^3} \\
&= \frac{d(3b^2c^2 - 3abcd + a^2d^2)x}{b^3} + \frac{d^2(3bc - ad)x^5}{5b^2} + \frac{d^3x^9}{9b} + \frac{(bc - ad)^3 \int \frac{\sqrt{a} - \sqrt{b}x^2}{a+bx^4} dx}{2\sqrt{a}b^3} + \frac{(bc - ad)^3}{2} \\
&= \frac{d(3b^2c^2 - 3abcd + a^2d^2)x}{b^3} + \frac{d^2(3bc - ad)x^5}{5b^2} + \frac{d^3x^9}{9b} + \frac{(bc - ad)^3 \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{4\sqrt{a}b^{7/2}} + \frac{(bc - ad)^3}{2} \\
&= \frac{d(3b^2c^2 - 3abcd + a^2d^2)x}{b^3} + \frac{d^2(3bc - ad)x^5}{5b^2} + \frac{d^3x^9}{9b} - \frac{(bc - ad)^3 \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a})}{4\sqrt{2}a^{3/4}b^{13/4}} \\
&= \frac{d(3b^2c^2 - 3abcd + a^2d^2)x}{b^3} + \frac{d^2(3bc - ad)x^5}{5b^2} + \frac{d^3x^9}{9b} - \frac{(bc - ad)^3 \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}b^{13/4}} + \frac{(bc - ad)^3}{2}
\end{aligned}$$

Mathematica [A] time = 0.17, size = 271, normalized size = 0.94

$$\frac{-72a^{3/4}b^{9/4}d^2x^5(ad - 3bc) + 40a^{3/4}b^{9/4}d^3x^9 + 360a^{3/4}\sqrt{b}dx(a^2d^2 - 3abcd + 3b^2c^2) - 45\sqrt{2}(bc - ad)^3 \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{bx^2}) + 45\sqrt{2}(bc - ad)^3 \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{bx^2}) - 90\sqrt{2}(bc - ad)^3 \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right) + 90\sqrt{2}(bc - ad)^3 \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right)}{360a^{3/4}b^{13/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^4)^3/(a + b*x^4), x]

[Out] (360*a^(3/4)*b^(1/4)*d*(3*b^2*c^2 - 3*a*b*c*d + a^2*d^2)*x - 72*a^(3/4)*b^(5/4)*d^2*(-3*b*c + a*d)*x^5 + 40*a^(3/4)*b^(9/4)*d^3*x^9 - 90*sqrt[2]*(b*c - a*d)^3*ArcTan[1 - (sqrt[2]*b^(1/4)*x)/a^(1/4)] + 90*sqrt[2]*(b*c - a*d)^3*ArcTan[1 + (sqrt[2]*b^(1/4)*x)/a^(1/4)] - 45*sqrt[2]*(b*c - a*d)^3*Log[Sqrt[a] - sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2] + 45*sqrt[2]*(b*c - a*d)^3*Log[Sqrt[a] + sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2])/(360*a^(3/4)*b^(13/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx^4)^3}{a + bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^4)^3/(a + b*x^4),x]

[Out] IntegrateAlgebraic[(c + d*x^4)^3/(a + b*x^4), x]

fricas [B] time = 1.48, size = 1855, normalized size = 6.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^3/(b*x^4+a),x, algorithm="fricas")

[Out]
$$\frac{1}{180} \cdot (20b^2d^3x^9 + 36(3b^2cd^2 - ab^2d^3)x^5 - 180b^3(-b^{12}c^{12} - 12ab^{11}c^{11}d + 66a^2b^{10}c^{10}d^2 - 220a^3b^9c^9d^3 + 495a^4b^8c^8d^4 - 792a^5b^7c^7d^5 + 924a^6b^6c^6d^6 - 792a^7b^5c^5d^7 + 495a^8b^4c^4d^8 - 220a^9b^3c^3d^9 + 66a^{10}b^2c^2d^{10} - 12a^{11}b^1c^1d^{11} + a^{12}d^{12}) / (a^3b^{13}))^{1/4} \cdot \arctan((a^2b^{10}x(-b^{12}c^{12} - 12ab^{11}c^{11}d + 66a^2b^{10}c^{10}d^2 - 220a^3b^9c^9d^3 + 495a^4b^8c^8d^4 - 792a^5b^7c^7d^5 + 924a^6b^6c^6d^6 - 792a^7b^5c^5d^7 + 495a^8b^4c^4d^8 - 220a^9b^3c^3d^9 + 66a^{10}b^2c^2d^{10} - 12a^{11}b^1c^1d^{11} + a^{12}d^{12}) / (a^3b^{13}))^{3/4} - a^2b^{10}\sqrt{(a^2b^6\sqrt{-b^{12}c^{12} - 12ab^{11}c^{11}d + 66a^2b^{10}c^{10}d^2 - 220a^3b^9c^9d^3 + 495a^4b^8c^8d^4 - 792a^5b^7c^7d^5 + 924a^6b^6c^6d^6 - 792a^7b^5c^5d^7 + 495a^8b^4c^4d^8 - 220a^9b^3c^3d^9 + 66a^{10}b^2c^2d^{10} - 12a^{11}b^1c^1d^{11} + a^{12}d^{12}) / (a^3b^{13})}) + (b^6c^6 - 6ab^5c^5d + 15a^2b^4c^4d^2 - 20a^3b^3c^3d^3 + 15a^4b^2c^2d^4 - 6a^5b^1c^1d^5 + a^6d^6)x^2) / (b^6c^6 - 6ab^5c^5d + 15a^2b^4c^4d^2 - 20a^3b^3c^3d^3 + 15a^4b^2c^2d^4 - 6a^5b^1c^1d^5 + a^6d^6)) \cdot (-b^{12}c^{12} - 12ab^{11}c^{11}d + 66a^2b^{10}c^{10}d^2 - 220a^3b^9c^9d^3 + 495a^4b^8c^8d^4 - 792a^5b^7c^7d^5 + 924a^6b^6c^6d^6 - 792a^7b^5c^5d^7 + 495a^8b^4c^4d^8 - 220a^9b^3c^3d^9 + 66a^{10}b^2c^2d^{10} - 12a^{11}b^1c^1d^{11} + a^{12}d^{12}) / (a^3b^{13}))^{3/4} / (b^9c^9 - 9ab^8c^8d + 36a^2b^7c^7d^2 - 84a^3b^6c^6d^3 + 126a^4b^5c^5d^4 - 126a^5b^4c^4d^5 + 84a^6b^3c^3d^6 - 36a^7b^2c^2d^7 + 9a^8b^1c^1d^8 - a^9d^9)) - 45b^3(-b^{12}c^{12} - 12ab^{11}c^{11}d + 66a^2b^{10}c^{10}d^2 - 220a^3b^9c^9d^3 + 495a^4b^8c^8d^4 - 792a^5b^7c^7d^5 + 924a^6b^6c^6d^6 - 792a^7b^5c^5d^7 + 495a^8b^4c^4d^8 - 220a^9b^3c^3d^9 + 66a^{10}b^2c^2d^{10} - 12a^{11}b^1c^1d^{11} + a^{12}d^{12}) / (a^3b^{13}))^{1/4} \cdot \log(a^3b^3(-b^{12}c^{12} - 12ab^{11}c^{11}d + 66a^2b^{10}c^{10}d^2 - 220a^3b^9c^9d^3 + 495a^4b^8c^8d^4 - 792a^5b^7c^7d^5 + 924a^6b^6c^6d^6 - 792a^7b^5c^5d^7 + 495a^8b^4c^4d^8 - 220a^9b^3c^3d^9 + 66a^{10}b^2c^2d^{10} - 12a^{11}b^1c^1d^{11} + a^{12}d^{12}) / (a^3b^{13}))^{1/4} - (b^3c^3 - 3ab^2c^2d + 3a^2b^1c^1d^2 - a^3d^3)x) + 45b^3(-b^{12}c^{12} - 12ab^{11}c^{11}d + 66a^2b^{10}c^{10}d^2 - 220a^3b^9c^9d^3 + 495a^4b^8c^8d^4 - 792a^5b^7c^7d^5 + 924a^6b^6c^6d^6 - 792a^7b^5c^5d^7 + 495a^8b^4c^4d^8 - 220a^9b^3c^3d^9 + 66a^{10}b^2c^2d^{10} - 12a^{11}b^1c^1d^{11} + a^{12}d^{12}) / (a^3b^{13}))^{1/4} - (b^3c^3 - 3ab^2c^2d + 3a^2b^1c^1d^2 - a^3d^3)x) + 45b^3(-b^{12}c^{12} - 12ab^{11}c^{11}d + 66a^2b^{10}c^{10}d^2 - 220a^3b^9c^9d^3 + 495a^4b^8c^8d^4 - 792a^5b^7c^7d^5 + 924a^6b^6c^6d^6 - 792a^7b^5c^5d^7 + 495a^8b^4c^4d^8 - 220a^9b^3c^3d^9 + 66a^{10}b^2c^2d^{10} - 12a^{11}b^1c^1d^{11} + a^{12}d^{12}) / (a^3b^{13}))^{1/4} - (b^3c^3 - 3ab^2c^2d + 3a^2b^1c^1d^2 - a^3d^3)x) + 45b^3(-b^{12}c^{12} - 12ab^{11}c^{11}d + 66a^2b^{10}c^{10}d^2 - 220a^3b^9c^9d^3 + 495a^4b^8c^8d^4 - 792a^5b^7c^7d^5 + 924a^6b^6c^6d^6 - 792a^7b^5c^5d^7 + 495a^8b^4c^4d^8 - 220a^9b^3c^3d^9 + 66a^{10}b^2c^2d^{10} - 12a^{11}b^1c^1d^{11} + a^{12}d^{12}) / (a^3b^{13}))^{1/4} - (b^3c^3 - 3ab^2c^2d + 3a^2b^1c^1d^2 - a^3d^3)x) + 45b^3(-b^{12}c^{12} - 12ab^{11}c^{11}d + 66a^2b^{10}c^{10}d^2 - 220a^3b^9c^9d^3 + 495a^4b^8c^8d^4 - 792a^5b^7c^7d^5 + 924a^6b^6c^6d^6 - 792a^7b^5c^5d^7 + 495a^8b^4c^4d^8 - 220a^9b^3c^3d^9 + 66a^{10}b^2c^2d^{10} - 12a^{11}b^1c^1d^{11} + a^{12}d^{12}) / (a^3b^{13}))^{1/4} - (b^3c^3 - 3ab^2c^2d + 3a^2b^1c^1d^2 - a^3d^3)x) + 45b^3(-b^{12}c^{12} - 12ab^{11}c^{11}d + 66a^2b^{10}c^{10}d^2 - 220a^3b^9c^9d^3 + 495a^4b^8c^8d^4 - 792a^5b^7c^7d^5 + 924a^6b^6c^6d^6 - 792a^7b^5c^5d^7 + 495a^8b^4c^4d^8 - 220a^9b^3c^3d^9 + 66a^{10}b^2c^2d^{10} - 12a^{11}b^1c^1d^{11} + a^{12}d^{12}) / (a^3b^{13}))^{1/4} - (b^3c^3 - 3ab^2c^2d + 3a^2b^1c^1d^2 - a^3d^3)x) + 45b^3(-b^{12}c^{12} - 12ab^{11}c^{11}d + 66a^2b^{10}c^{10}d^2 - 220a^3b^9c^9d^3 + 495a^4b^8c^8d^4 - 792a^5b^7c^7d^5 + 924a^6b^6c^6d^6 - 792a^7b^5c^5d^7 + 495a^8b^4c^4d^8 - 220a^9b^3c^3d^9 + 66a^{10}b^2c^2d^{10} - 12a^{11}b^1c^1d^{11} + a^{12}d^{12}) / (a^3b^{13}))^{1/4} - (b^3c^3 - 3ab^2c^2d + 3a^2b^1c^1d^2 - a^3d^3)x) + 45b^3(-b^{12}c^{12} - 12ab^{11}c^{11}d + 66a^2b^{10}c^{10}d^2 - 220a^3b^9c^9d^3 + 495a^4b^8c^8d^4 - 792a^5b^7c^7d^5 + 924a^6b^6c^6d^6 - 792a^7b^5c^5d^7 + 495a^8b^4c^4d^8 - 220a^9b^3c^3d^9 + 66a^{10}b^2c^2d^{10} - 12a^{11}b^1c^1d^{11} + a^{12}d^{12}) / (a^3b^{13}))^{1/4} - (b^3c^3 - 3ab^2c^2d + 3a^2b^1c^1d^2 - a^3d^3)x) + \dots$$

$$a^8 b^4 c^4 d^8 - 220 a^9 b^3 c^3 d^9 + 66 a^{10} b^2 c^2 d^{10} - 12 a^{11} b c d^{11} + a^{12} d^{12} / (a^3 b^{13})^{1/4} \log(-a b^3 (-b^{12} c^{12} - 12 a b^{11} c^{11} d + 66 a^2 b^{10} c^{10} d^2 - 220 a^3 b^9 c^9 d^3 + 495 a^4 b^8 c^8 d^4 - 792 a^5 b^7 c^7 d^5 + 924 a^6 b^6 c^6 d^6 - 792 a^7 b^5 c^5 d^7 + 495 a^8 b^4 c^4 d^8 - 220 a^9 b^3 c^3 d^9 + 66 a^{10} b^2 c^2 d^{10} - 12 a^{11} b c d^{11} + a^{12} d^{12}) / (a^3 b^{13})^{1/4} - (b^3 c^3 - 3 a b^2 c^2 d + 3 a^2 b c d^2 - a^3 d^3) x) + 180 (3 b^2 c^2 d - 3 a b c d^2 + a^2 d^3) x / b^3$$

giac [B] time = 0.17, size = 481, normalized size = 1.67

$$\frac{\sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2} \arctan\left(\frac{\sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2}}{2 x + \sqrt{2} \sqrt{a/b}}\right) / (a/b)^{1/4} + \sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2} \arctan\left(\frac{\sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2}}{2 x - \sqrt{2} \sqrt{a/b}}\right) / (a/b)^{1/4} + \sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2} \arctan\left(\frac{\sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2}}{2 x + \sqrt{2} \sqrt{a/b}}\right) / (a/b)^{1/4} + \sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2} \arctan\left(\frac{\sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2}}{2 x - \sqrt{2} \sqrt{a/b}}\right) / (a/b)^{1/4}}{b^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^3/(b*x^4+a),x, algorithm="giac")

[Out] $\frac{1}{4} \sqrt{2} \left((a b^3)^{1/4} b^3 c^3 - 3 (a b^3)^{1/4} a b^2 c^2 d + 3 (a b^3)^{1/4} a^2 b c d^2 - (a b^3)^{1/4} a^3 d^3 \right) \arctan\left(\frac{1}{2} \sqrt{2} \left(2 x + \sqrt{2} \sqrt{a/b} \right)\right) / (a/b)^{1/4} + \frac{1}{4} \sqrt{2} \left((a b^3)^{1/4} b^3 c^3 - 3 (a b^3)^{1/4} a b^2 c^2 d + 3 (a b^3)^{1/4} a^2 b c d^2 - (a b^3)^{1/4} a^3 d^3 \right) \arctan\left(\frac{1}{2} \sqrt{2} \left(2 x - \sqrt{2} \sqrt{a/b} \right)\right) / (a/b)^{1/4} + \frac{1}{8} \sqrt{2} \left((a b^3)^{1/4} b^3 c^3 - 3 (a b^3)^{1/4} a b^2 c^2 d + 3 (a b^3)^{1/4} a^2 b c d^2 - (a b^3)^{1/4} a^3 d^3 \right) \log\left(x^2 + \sqrt{2} \sqrt{a/b}\right) / (a b^4) - \frac{1}{8} \sqrt{2} \left((a b^3)^{1/4} b^3 c^3 - 3 (a b^3)^{1/4} a b^2 c^2 d + 3 (a b^3)^{1/4} a^2 b c d^2 - (a b^3)^{1/4} a^3 d^3 \right) \log\left(x^2 - \sqrt{2} \sqrt{a/b}\right) / (a b^4) + \frac{1}{45} (5 b^8 d^3 x^9 + 27 b^8 c d^2 x^5 - 9 a b^7 d^3 x^5 + 135 b^8 c^2 d x - 135 a b^7 c d^2 x + 45 a^2 b^6 d^3 x) / b^9$

maple [B] time = 0.05, size = 627, normalized size = 2.18

$$\frac{\sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2} \arctan\left(\frac{\sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2}}{2 x + \sqrt{2} \sqrt{a/b}}\right) / (a/b)^{1/4} + \sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2} \arctan\left(\frac{\sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2}}{2 x - \sqrt{2} \sqrt{a/b}}\right) / (a/b)^{1/4} + \sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2} \arctan\left(\frac{\sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2}}{2 x + \sqrt{2} \sqrt{a/b}}\right) / (a/b)^{1/4} + \sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2} \arctan\left(\frac{\sqrt{2} \sqrt{a^2 b^2 c^2 d^2 - 3 a b^2 c^2 d^2 + 3 a^2 b c d^2}}{2 x - \sqrt{2} \sqrt{a/b}}\right) / (a/b)^{1/4}}{b^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^4+c)^3/(b*x^4+a),x)

[Out] $\frac{1}{9} d^3 x^9 / b - \frac{1}{5} d^3 / b^2 x^5 a + \frac{3}{5} d^2 / b x^5 c + d^3 / b^3 a^2 x - 3 d^2 / b^2 a c x + 3 d / b c^2 x - \frac{1}{8} / b^3 (a/b)^{1/4} a^2 2^{1/2} \ln\left(\frac{x^2 + (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2}}{x^2 - (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2}}\right) d^3 + \frac{3}{8} / b^2 (a/b)^{1/4} a^2 2^{1/2} \ln\left(\frac{x^2 + (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2}}{x^2 - (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2}}\right) c d^2 - \frac{3}{8} / b (a/b)^{1/4} 2^{1/2} \ln\left(\frac{x^2 + (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2}}{x^2 - (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2}}\right) c^2 d + \frac{1}{8} (a/b)^{1/4} / a^2 2^{1/2} \ln\left(\frac{x^2 + (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2}}{x^2 - (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2}}\right) / (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2} c^3 - \frac{1}{4} / b^3 (a/b)^{1/4} a^2 2^{1/2} \arctan\left(2^{1/2} / (a/b)^{1/4} x - 1\right) d^3 + \frac{3}{4} / b^2 (a/b)^{1/4} a^2 2^{1/2} \arctan\left(2^{1/2} / (a/b)^{1/4} x - 1\right) d^3 + \frac{3}{4} / b^2 (a/b)^{1/4} a^2 2^{1/2} \arctan\left(2^{1/2} / (a/b)^{1/4} x - 1\right) d^3 + \frac{3}{4} / b^2 (a/b)^{1/4} a^2 2^{1/2} \arctan\left(2^{1/2} / (a/b)^{1/4} x - 1\right) d^3$

$(b)^{1/4} * x - 1) * c * d^{-3/4} / b * (a/b)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/b)^{1/4} * x - 1) * c^2 * d + 1/4 * (a/b)^{1/4} / a * 2^{1/2} * \arctan(2^{1/2} / (a/b)^{1/4} * x - 1) * c^{-3/4} / b^3 * (a/b)^{1/4} * a^2 * 2^{1/2} * \arctan(2^{1/2} / (a/b)^{1/4} * x + 1) * d^{3/4} / b^2 * (a/b)^{1/4} * a * 2^{1/2} * \arctan(2^{1/2} / (a/b)^{1/4} * x + 1) * c * d^{-3/4} / b * (a/b)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/b)^{1/4} * x + 1) * c^2 * d + 1/4 * (a/b)^{1/4} / a * 2^{1/2} * \arctan(2^{1/2} / (a/b)^{1/4} * x + 1) * c^3$

maxima [A] time = 1.21, size = 385, normalized size = 1.34

$$\frac{5b^2d^2x^9 + 9(3b^2cd^2 - abd^3)x^8 + 45(3b^2c^2d - 3abcd^2 + a^2d^3)x^7 + \frac{2\sqrt{2}(b^{3/4}-3abd^{3/4}+3a^2bd^{3/4}-a^3d^{3/4})\arctan\left(\frac{\sqrt{2}(\sqrt{b}+\sqrt{a}x^{1/4})}{2\sqrt{bd}}\right)}{\sqrt{b}\sqrt{a}\sqrt{bd}} + \frac{2\sqrt{2}(b^{3/4}-3abd^{3/4}+3a^2bd^{3/4}-a^3d^{3/4})\arctan\left(\frac{\sqrt{2}(\sqrt{b}-\sqrt{a}x^{1/4})}{2\sqrt{bd}}\right)}{\sqrt{b}\sqrt{a}\sqrt{bd}} + \frac{\sqrt{2}(b^{3/4}-3abd^{3/4}+3a^2bd^{3/4}-a^3d^{3/4})\log\left(\sqrt{b}x^2+\sqrt{2}x^{1/4}\sqrt{a}\sqrt{b}+\sqrt{a}\right) - \sqrt{2}(b^{3/4}-3abd^{3/4}+3a^2bd^{3/4}-a^3d^{3/4})\log\left(\sqrt{b}x^2-\sqrt{2}x^{1/4}\sqrt{a}\sqrt{b}+\sqrt{a}\right)}{8b^3}}{45b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^3/(b*x^4+a), x, algorithm="maxima")

[Out] 1/45*(5*b^2*d^3*x^9 + 9*(3*b^2*c*d^2 - a*b*d^3)*x^5 + 45*(3*b^2*c^2*d - 3*a*b*c*d^2 + a^2*d^3)*x)/b^3 + 1/8*(2*sqrt(2)*(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/sqrt(a)*sqrt(sqrt(a)*sqrt(b)) + 2*sqrt(2)*(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/sqrt(a)*sqrt(sqrt(a)*sqrt(b)) + sqrt(2)*(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(1/4)) - sqrt(2)*(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(1/4))/b^3

mupad [B] time = 1.49, size = 1433, normalized size = 4.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^4)^3/(a + b*x^4), x)

[Out] x*((3*c^2*d)/b + (a*((a*d^3)/b^2 - (3*c*d^2)/b))/b - x^5*((a*d^3)/(5*b^2) - (3*c*d^2)/(5*b)) + (d^3*x^9)/(9*b) - (atan((((x*(a^6*d^6 + b^6*c^6 + 15*a^2*b^4*c^4*d^2 - 20*a^3*b^3*c^3*d^3 + 15*a^4*b^2*c^2*d^4 - 6*a*b^5*c^5*d - 6*a^5*b*c*d^5))/b^3 - ((a*d - b*c)^3*(4*a^4*d^3 - 4*a*b^3*c^3 + 12*a^2*b^2*c^2*d - 12*a^3*b*c*d^2))/(4*(-a)^(3/4)*b^(13/4)))*(a*d - b*c)^3*1i)/((-a)^(3/4)*b^(13/4)) + (((x*(a^6*d^6 + b^6*c^6 + 15*a^2*b^4*c^4*d^2 - 20*a^3*b^3*c^3*d^3 + 15*a^4*b^2*c^2*d^4 - 6*a*b^5*c^5*d - 6*a^5*b*c*d^5))/b^3 + ((a*d - b*c)^3*(4*a^4*d^3 - 4*a*b^3*c^3 + 12*a^2*b^2*c^2*d - 12*a^3*b*c*d^2))/(4*(-a)^(3/4)*b^(13/4)))*(a*d - b*c)^3*1i)/((-a)^(3/4)*b^(13/4)))/((((x*(a^6*d^6 + b^6*c^6 + 15*a^2*b^4*c^4*d^2 - 20*a^3*b^3*c^3*d^3 + 15*a^4*b^2*c^2*d^4 - 6*a*b^5*c^5*d - 6*a^5*b*c*d^5))/b^3 - ((a*d - b*c)^3*(4*a^4*d^3 - 4*a*b^3*c^3 + 12*a^2*b^2*c^2*d - 12*a^3*b*c*d^2))/(4*(-a)^(3/4)*b^(13/4)))*(a*d - b*c)^3*1i)/((-a)^(3/4)*b^(13/4)))/b^3 - ((a*d - b*c)^3*(4*a^4*d^3 - 4*a*b^3*c^3 + 12*a^2*b^2*c^2*d - 12*a^3*b*c*d^2))/(4*(-a)^(3/4)*b^(13/4)))*(a*d - b*c)^3*1i)/((-a)^(3/4)*b^(13/4))

```

- b*c)^3)/((-a)^(3/4)*b^(13/4)) - (((x*(a^6*d^6 + b^6*c^6 + 15*a^2*b^4*c^4*
d^2 - 20*a^3*b^3*c^3*d^3 + 15*a^4*b^2*c^2*d^4 - 6*a*b^5*c^5*d - 6*a^5*b*c*d
^5))/b^3 + ((a*d - b*c)^3*(4*a^4*d^3 - 4*a*b^3*c^3 + 12*a^2*b^2*c^2*d - 12*
a^3*b*c*d^2))/(4*(-a)^(3/4)*b^(13/4)))*(a*d - b*c)^3)/((-a)^(3/4)*b^(13/4))
))*(a*d - b*c)^3*1i)/(2*(-a)^(3/4)*b^(13/4)) - (atan((((x*(a^6*d^6 + b^6*c
^6 + 15*a^2*b^4*c^4*d^2 - 20*a^3*b^3*c^3*d^3 + 15*a^4*b^2*c^2*d^4 - 6*a*b^5
*c^5*d - 6*a^5*b*c*d^5))/b^3 - ((a*d - b*c)^3*(4*a^4*d^3 - 4*a*b^3*c^3 + 12
*a^2*b^2*c^2*d - 12*a^3*b*c*d^2)*1i)/(4*(-a)^(3/4)*b^(13/4)))*(a*d - b*c)^3
)/((-a)^(3/4)*b^(13/4)) + (((x*(a^6*d^6 + b^6*c^6 + 15*a^2*b^4*c^4*d^2 - 20
*a^3*b^3*c^3*d^3 + 15*a^4*b^2*c^2*d^4 - 6*a*b^5*c^5*d - 6*a^5*b*c*d^5))/b^3
+ ((a*d - b*c)^3*(4*a^4*d^3 - 4*a*b^3*c^3 + 12*a^2*b^2*c^2*d - 12*a^3*b*c*
d^2)*1i)/(4*(-a)^(3/4)*b^(13/4)))*(a*d - b*c)^3)/((-a)^(3/4)*b^(13/4)))/(((
(x*(a^6*d^6 + b^6*c^6 + 15*a^2*b^4*c^4*d^2 - 20*a^3*b^3*c^3*d^3 + 15*a^4*b^
2*c^2*d^4 - 6*a*b^5*c^5*d - 6*a^5*b*c*d^5))/b^3 - ((a*d - b*c)^3*(4*a^4*d^3
- 4*a*b^3*c^3 + 12*a^2*b^2*c^2*d - 12*a^3*b*c*d^2)*1i)/(4*(-a)^(3/4)*b^(13
/4)))*(a*d - b*c)^3*1i)/((-a)^(3/4)*b^(13/4)) - (((x*(a^6*d^6 + b^6*c^6 + 1
5*a^2*b^4*c^4*d^2 - 20*a^3*b^3*c^3*d^3 + 15*a^4*b^2*c^2*d^4 - 6*a*b^5*c^5*d
- 6*a^5*b*c*d^5))/b^3 + ((a*d - b*c)^3*(4*a^4*d^3 - 4*a*b^3*c^3 + 12*a^2*b
^2*c^2*d - 12*a^3*b*c*d^2)*1i)/(4*(-a)^(3/4)*b^(13/4)))*(a*d - b*c)^3*1i)/
(-a)^(3/4)*b^(13/4))))*(a*d - b*c)^3)/(2*(-a)^(3/4)*b^(13/4))

```

sympy [A] time = 1.70, size = 303, normalized size = 1.05

$$x^5 \left(\frac{ad^3}{5b^2} + \frac{3cd^2}{5b} \right) + x \left(\frac{d^2d^3}{b^3} - \frac{3acd^2}{b^2} + \frac{3cd^2}{b} \right) + \text{RootSum} \left(256t^4a^3b^{13} + a^{12}d^{12} - 12a^{11}bcd^{11} + 66a^{10}b^2c^2d^{10} - 220a^9b^3c^3d^9 + 495a^8b^4c^4d^8 - 792a^7b^5c^5d^7 + 924a^6b^6c^6d^6 - 792a^5b^7c^7d^5 + 495a^4b^8c^8d^4 - 220a^3b^9c^9d^3 + 66a^2b^{10}c^{10}d^2 - 12ab^{11}c^{11}d + b^{12}c^{12} \right) \left(t \rightarrow t \log \left(\frac{4ab^3}{a^3d^3 - 3a^2b^2c^2d - b^3c^3} + x \right) \right) + \frac{d^3a^3}{9b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**4+c)**3/(b*x**4+a),x)

```

[Out] x**5*(-a*d**3/(5*b**2) + 3*c*d**2/(5*b)) + x*(a**2*d**3/b**3 - 3*a*c*d**2/b
**2 + 3*c**2*d/b) + RootSum(256*_t**4*a**3*b**13 + a**12*d**12 - 12*a**11*b
*c*d**11 + 66*a**10*b**2*c**2*d**10 - 220*a**9*b**3*c**3*d**9 + 495*a**8*b*
*4*c**4*d**8 - 792*a**7*b**5*c**5*d**7 + 924*a**6*b**6*c**6*d**6 - 792*a**5
*b**7*c**7*d**5 + 495*a**4*b**8*c**8*d**4 - 220*a**3*b**9*c**9*d**3 + 66*a*
*2*b**10*c**10*d**2 - 12*a*b**11*c**11*d + b**12*c**12, Lambda(_t, _t*log(-
4*_t*a*b**3/(a**3*d**3 - 3*a**2*b*c*d**2 + 3*a*b**2*c**2*d - b**3*c**3) + x
)) + d**3*x**9/(9*b)

```

$$3.99 \quad \int \frac{(c+dx^4)^2}{a+bx^4} dx$$

Optimal. Leaf size=253

$$\frac{(bc-ad)^2 \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} b^{9/4}} + \frac{(bc-ad)^2 \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} b^{9/4}} - \frac{(bc-ad)^2 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} b^{9/4}}$$

Rubi [A] time = 0.19, antiderivative size = 253, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 19, number of rules / integrand size = 0.368, Rules used = {390, 211, 1165, 628, 1162, 617, 204}

$$\frac{(bc-ad)^2 \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} b^{9/4}} + \frac{(bc-ad)^2 \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} b^{9/4}} - \frac{(bc-ad)^2 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} b^{9/4}} + \frac{(bc-ad)^2 \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{2\sqrt{2} a^{3/4} b^{9/4}} + \frac{dx(2bc-ad)}{b^2} + \frac{d^2 x^5}{5b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^4)^2/(a + b*x^4), x]

[Out] (d*(2*b*c - a*d)*x)/b^2 + (d^2*x^5)/(5*b) - ((b*c - a*d)^2*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(9/4)) + ((b*c - a*d)^2*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(9/4)) - ((b*c - a*d)^2*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(9/4)) + ((b*c - a*d)^2*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(9/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 390

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a

, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx^4)^2}{a + bx^4} dx &= \int \left(\frac{d(2bc - ad)}{b^2} + \frac{d^2x^4}{b} + \frac{b^2c^2 - 2abcd + a^2d^2}{b^2(a + bx^4)} \right) dx \\
&= \frac{d(2bc - ad)x}{b^2} + \frac{d^2x^5}{5b} + \frac{(bc - ad)^2 \int \frac{1}{a+bx^4} dx}{b^2} \\
&= \frac{d(2bc - ad)x}{b^2} + \frac{d^2x^5}{5b} + \frac{(bc - ad)^2 \int \frac{\sqrt{a} - \sqrt{b}x^2}{a+bx^4} dx}{2\sqrt{a}b^2} + \frac{(bc - ad)^2 \int \frac{\sqrt{a} + \sqrt{b}x^2}{a+bx^4} dx}{2\sqrt{a}b^2} \\
&= \frac{d(2bc - ad)x}{b^2} + \frac{d^2x^5}{5b} + \frac{(bc - ad)^2 \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{4\sqrt{a}b^{5/2}} + \frac{(bc - ad)^2 \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{4\sqrt{a}b^{5/2}} - \dots \\
&= \frac{d(2bc - ad)x}{b^2} + \frac{d^2x^5}{5b} - \frac{(bc - ad)^2 \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{9/4}} + \frac{(bc - ad)^2 \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{9/4}} \\
&= \frac{d(2bc - ad)x}{b^2} + \frac{d^2x^5}{5b} - \frac{(bc - ad)^2 \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}b^{9/4}} + \frac{(bc - ad)^2 \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}b^{9/4}} - \dots
\end{aligned}$$

Mathematica [A] time = 0.13, size = 231, normalized size = 0.91

$$\frac{8a^{3/4}b^{5/4}d^2x^5 - 40a^{3/4}\sqrt[4]{b}dx(ad - 2bc) - 5\sqrt{2}(bc - ad)^2 \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2) + 5\sqrt{2}(bc - ad)^2 \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2) - 10\sqrt{2}(bc - ad)^2 \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right) + 10\sqrt{2}(bc - ad)^2 \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right)}{40a^{3/4}b^{9/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^4)^2/(a + b*x^4), x]

[Out] $(-40a^{3/4}b^{1/4}d(-2bc + ad)x + 8a^{3/4}b^{5/4}d^2x^5 - 10\sqrt{2}(bc - ad)^2 \operatorname{ArcTan}\left[1 - \frac{\sqrt{2}b^{1/4}x}{a^{1/4}}\right] + 10\sqrt{2}(bc - ad)^2 \operatorname{ArcTan}\left[1 + \frac{\sqrt{2}b^{1/4}x}{a^{1/4}}\right] - 5\sqrt{2}(bc - ad)^2 \operatorname{Log}\left[\sqrt{a} - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2\right] + 5\sqrt{2}(bc - ad)^2 \operatorname{Log}\left[\sqrt{a} + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2\right]) / (40a^{3/4}b^{9/4})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx^4)^2}{a + bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^4)^2/(a + b*x^4), x]

[Out] IntegrateAlgebraic[(c + d*x^4)^2/(a + b*x^4), x]

fricas [B] time = 1.43, size = 1240, normalized size = 4.90

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^2/(b*x^4+a), x, algorithm="fricas")

[Out]
$$\frac{1}{20} \cdot (4bd^2x^5 + 20b^2(-b^8c^8 - 8a^2b^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(a^3b^9))^{1/4} \cdot \arctan\left(\frac{-(a^2b^7x - (b^8c^8 - 8a^2b^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(a^3b^9))^{3/4} - a^2b^7\sqrt{(a^2b^4\sqrt{-(b^8c^8 - 8a^2b^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(a^3b^9))} + (b^4c^4 - 4a^2b^3c^3d + 6a^2b^2c^2d^2 - 4a^3b^1c^1d^3 + a^4d^4)x^2}{(b^4c^4 - 4a^2b^3c^3d + 6a^2b^2c^2d^2 - 4a^3b^1c^1d^3 + a^4d^4)}\right) \cdot \left(\frac{-(b^8c^8 - 8a^2b^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(a^3b^9))^{3/4}}{(b^6c^6 - 6a^2b^5c^5d + 15a^2b^4c^4d^2 - 20a^3b^3c^3d^3 + 15a^4b^2c^2d^4 - 6a^5b^1c^1d^5 + a^6d^6)}\right) + 5b^2 \cdot \left(\frac{-(b^8c^8 - 8a^2b^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(a^3b^9))^{1/4} \cdot \log(a^2b^2 \cdot \left(\frac{-(b^8c^8 - 8a^2b^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(a^3b^9))^{1/4}}{(b^2c^2 - 2a^2b^1c^1d + a^2d^2)}\right) \cdot x\right) - 5b^2 \cdot \left(\frac{-(b^8c^8 - 8a^2b^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(a^3b^9))^{1/4} \cdot \log(-a^2b^2 \cdot \left(\frac{-(b^8c^8 - 8a^2b^7c^7d + 28a^2b^6c^6d^2 - 56a^3b^5c^5d^3 + 70a^4b^4c^4d^4 - 56a^5b^3c^3d^5 + 28a^6b^2c^2d^6 - 8a^7b^1c^1d^7 + a^8d^8)/(a^3b^9))^{1/4}}{(b^2c^2 - 2a^2b^1c^1d + a^2d^2)}\right) \cdot x\right) + 20 \cdot (2b^2cd - a^2d^2) \cdot x / b^2$$

giac [A] time = 0.18, size = 353, normalized size = 1.40

$$\frac{\sqrt{2} \left((ab)^{\frac{1}{2}} b^2 c^2 - 2 (ab)^{\frac{1}{2}} abcd + (ab)^{\frac{1}{2}} a^2 d^2 \right) \arctan\left(\frac{\sqrt{2} \left((ab)^{\frac{1}{2}} b^2 c^2 - 2 (ab)^{\frac{1}{2}} abcd + (ab)^{\frac{1}{2}} a^2 d^2 \right)}{2 |c|^{\frac{1}{2}}}\right)}{4 ab^3} + \frac{\sqrt{2} \left((ab)^{\frac{1}{2}} b^2 c^2 - 2 (ab)^{\frac{1}{2}} abcd + (ab)^{\frac{1}{2}} a^2 d^2 \right) \arctan\left(\frac{\sqrt{2} \left((ab)^{\frac{1}{2}} b^2 c^2 - 2 (ab)^{\frac{1}{2}} abcd + (ab)^{\frac{1}{2}} a^2 d^2 \right)}{2 |c|^{\frac{1}{2}}}\right)}{4 ab^3} + \frac{\sqrt{2} \left((ab)^{\frac{1}{2}} b^2 c^2 - 2 (ab)^{\frac{1}{2}} abcd + (ab)^{\frac{1}{2}} a^2 d^2 \right) \log\left(x^2 + \sqrt{2} x \left(\frac{c}{d}\right)^{\frac{1}{2}} + \sqrt{\frac{c}{d}}\right)}{8 ab^3} + \frac{\sqrt{2} \left((ab)^{\frac{1}{2}} b^2 c^2 - 2 (ab)^{\frac{1}{2}} abcd + (ab)^{\frac{1}{2}} a^2 d^2 \right) \log\left(x^2 - \sqrt{2} x \left(\frac{c}{d}\right)^{\frac{1}{2}} + \sqrt{\frac{c}{d}}\right)}{8 ab^3} + \frac{b^4 d^2 x^3 + 10 b^4 c d x - 5 ab^3 d^2 x}{5 b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^2/(b*x^4+a),x, algorithm="giac")

[Out] $\frac{1}{4}\sqrt{2}\left((a*b^3)^{1/4}b^2c^2 - 2(a*b^3)^{1/4}a*b*c*d + (a*b^3)^{1/4}a^2d^2\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(2*x + \sqrt{2}\left(\frac{a}{b}\right)^{1/4}\right)/\left(\frac{a}{b}\right)^{1/4}\right)/\left(\frac{a}{b}\right)^{1/4} + \frac{1}{4}\sqrt{2}\left((a*b^3)^{1/4}b^2c^2 - 2(a*b^3)^{1/4}a*b*c*d + (a*b^3)^{1/4}a^2d^2\right)\arctan\left(\frac{1}{2}\sqrt{2}\left(2*x - \sqrt{2}\left(\frac{a}{b}\right)^{1/4}\right)/\left(\frac{a}{b}\right)^{1/4}\right)/\left(\frac{a}{b}\right)^{1/4} + \frac{1}{8}\sqrt{2}\left((a*b^3)^{1/4}b^2c^2 - 2(a*b^3)^{1/4}a*b*c*d + (a*b^3)^{1/4}a^2d^2\right)\log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{1/4} + \sqrt{a/b}\right)/\left(\frac{a}{b}\right)^{1/4} - \frac{1}{8}\sqrt{2}\left((a*b^3)^{1/4}b^2c^2 - 2(a*b^3)^{1/4}a*b*c*d + (a*b^3)^{1/4}a^2d^2\right)\log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{1/4} + \sqrt{a/b}\right)/\left(\frac{a}{b}\right)^{1/4} + \frac{1}{5}(b^4d^2x^5 + 10b^4c*d*x - 5a*b^3d^2*x)/b^5$

maple [B] time = 0.05, size = 436, normalized size = 1.72

$$\frac{d^2x^5}{5b^2} + \frac{a d^2 x}{b^2} + \frac{\left(\frac{c}{b}\right)^{1/2} \sqrt{2} a^{\rho} \arctan\left(\frac{\sqrt{2}x-1}{\left(\frac{a}{b}\right)^{1/4}}\right)}{4b^2} + \frac{\left(\frac{c}{b}\right)^{1/2} \sqrt{2} a^{\rho} \arctan\left(\frac{\sqrt{2}x+1}{\left(\frac{a}{b}\right)^{1/4}}\right)}{4b^2} + \frac{\left(\frac{c}{b}\right)^{1/2} \sqrt{2} a^{\rho} \ln\left(\frac{x^2+\sqrt{2}x+\sqrt{\frac{a}{b}}}{x^2-\sqrt{2}x+\sqrt{\frac{a}{b}}}\right)}{8b^2} + \frac{\left(\frac{c}{b}\right)^{1/2} \sqrt{2} c^2 \arctan\left(\frac{\sqrt{2}x-1}{\left(\frac{a}{b}\right)^{1/4}}\right)}{4a} + \frac{\left(\frac{c}{b}\right)^{1/2} \sqrt{2} c^2 \arctan\left(\frac{\sqrt{2}x+1}{\left(\frac{a}{b}\right)^{1/4}}\right)}{4a} + \frac{\left(\frac{c}{b}\right)^{1/2} \sqrt{2} c^2 \ln\left(\frac{x^2+\sqrt{2}x+\sqrt{\frac{a}{b}}}{x^2-\sqrt{2}x+\sqrt{\frac{a}{b}}}\right)}{8a} + \frac{2cdx}{b} - \frac{\left(\frac{c}{b}\right)^{1/2} \sqrt{2} \arctan\left(\frac{\sqrt{2}x-1}{\left(\frac{a}{b}\right)^{1/4}}\right)}{2b} - \frac{\left(\frac{c}{b}\right)^{1/2} \sqrt{2} \arctan\left(\frac{\sqrt{2}x+1}{\left(\frac{a}{b}\right)^{1/4}}\right)}{2b} - \frac{\left(\frac{c}{b}\right)^{1/2} \sqrt{2} \ln\left(\frac{x^2+\sqrt{2}x+\sqrt{\frac{a}{b}}}{x^2-\sqrt{2}x+\sqrt{\frac{a}{b}}}\right)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^4+c)^2/(b*x^4+a),x)

[Out] $\frac{1}{5}d^2x^5/b - d^2/b^2 * a*x + 2*d/b * c*x + 1/8/b^2 * (a/b)^{1/4} * a^2^{1/2} * \ln((x^2 + (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2}) / (x^2 - (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2})) * d^2 - 1/4/b * (a/b)^{1/4} * 2^{1/2} * \ln((x^2 + (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2}) / (x^2 - (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2})) * c*d + 1/8 * (a/b)^{1/4} / a^2^{1/2} * \ln((x^2 + (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2}) / (x^2 - (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2})) * c^2 + 1/4/b^2 * (a/b)^{1/4} * a^2^{1/2} * \arctan(2^{1/2} / (a/b)^{1/4} * x - 1) * d^2 - 1/2/b * (a/b)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/b)^{1/4} * x - 1) * c*d + 1/4 * (a/b)^{1/4} / a^2^{1/2} * \arctan(2^{1/2} / (a/b)^{1/4} * x - 1) * c^2 + 1/4/b^2 * (a/b)^{1/4} * a^2^{1/2} * \arctan(2^{1/2} / (a/b)^{1/4} * x + 1) * d^2 - 1/2/b * (a/b)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/b)^{1/4} * x + 1) * c*d + 1/4 * (a/b)^{1/4} / a^2^{1/2} * \arctan(2^{1/2} / (a/b)^{1/4} * x + 1) * c^2$

maxima [A] time = 1.09, size = 287, normalized size = 1.13

$$\frac{bd^2x^5 + 5(2bcd - ad^2)x}{5b^2} + \frac{2\sqrt{2}(b^2c^2 - 2abcd + a^2d^2)\arctan\left(\frac{\sqrt{2}(2\sqrt{b}x + \sqrt{2a}\frac{1}{4}b^{\frac{1}{4}})}{2\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} + \frac{2\sqrt{2}(b^2c^2 - 2abcd + a^2d^2)\arctan\left(\frac{\sqrt{2}(2\sqrt{b}x - \sqrt{2a}\frac{1}{4}b^{\frac{1}{4}})}{2\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} + \frac{\sqrt{2}(b^2c^2 - 2abcd + a^2d^2)\log\left(\sqrt{b}x^2 + \sqrt{2a}\frac{1}{4}b^{\frac{1}{4}}x + \sqrt{a}\right)}{8b^2} - \frac{\sqrt{2}(b^2c^2 - 2abcd + a^2d^2)\log\left(\sqrt{b}x^2 - \sqrt{2a}\frac{1}{4}b^{\frac{1}{4}}x + \sqrt{a}\right)}{8b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^2/(b*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{5}(b*d^2*x^5 + 5*(2*b*c*d - a*d^2)*x)/b^2 + \frac{1}{8}(2*\sqrt{2}*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}*x + \sqrt{2})*a^{1/4}*b^{1/4})/\sqrt{a}*\sqrt{b})/\sqrt{a}*\sqrt{a}*\sqrt{b} + 2*\sqrt{2}*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}*x - \sqrt{2})*a^{1/4}*b^{1/4})/\sqrt{a}*\sqrt{a}*\sqrt{b} + \sqrt{2}*$

$$(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\log(\sqrt{b}*x^2 + \sqrt{2})*a^{1/4}*b^{1/4}*x + \sqrt{a})/(a^{3/4}*b^{1/4}) - \sqrt{2}*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\log(\sqrt{b}*x^2 - \sqrt{2})*a^{1/4}*b^{1/4}*x + \sqrt{a})/(a^{3/4}*b^{1/4}))/b^2$$

mupad [B] time = 1.47, size = 1081, normalized size = 4.27

$$\frac{\frac{d^2 x^5}{5b} - x \left(\frac{ad^2}{b^2} + \frac{2cd}{b} \right) + \operatorname{atan} \left(\frac{(ad - b^2)^{1/4} \operatorname{atan} \left(\frac{(ad - b^2)^{1/4}}{a^{1/4} b^{1/4}} \right)}{a^{1/4} b^{1/4}} \right)}{2(-a)^{3/4} b^{9/4}} - \frac{\operatorname{atan} \left(\frac{(ad - b^2)^{1/4} \operatorname{atan} \left(\frac{(ad - b^2)^{1/4}}{a^{1/4} b^{1/4}} \right)}{a^{1/4} b^{1/4}} \right)}{2(-a)^{3/4} b^{9/4}}}{(ad - b^2)^{1/4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}((c + d*x^4)^2/(a + b*x^4), x)$

[Out] $(d^2*x^5)/(5*b) - x*((a*d^2)/b^2 - (2*c*d)/b) + (\operatorname{atan}(((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/b - ((a*d - b*c)^2*(4*a*b^3*c^2 + 4*a^3*b*d^2 - 8*a^2*b^2*c*d))/(4*(-a)^{3/4}*b^{9/4}))*1i)/((-a)^{3/4}*b^{9/4}) + ((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/b + ((a*d - b*c)^2*(4*a*b^3*c^2 + 4*a^3*b*d^2 - 8*a^2*b^2*c*d))/(4*(-a)^{3/4}*b^{9/4}))*1i)/((-a)^{3/4}*b^{9/4}))/(((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/b - ((a*d - b*c)^2*(4*a*b^3*c^2 + 4*a^3*b*d^2 - 8*a^2*b^2*c*d))/(4*(-a)^{3/4}*b^{9/4}))))/((-a)^{3/4}*b^{9/4}) - ((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/b + ((a*d - b*c)^2*(4*a*b^3*c^2 + 4*a^3*b*d^2 - 8*a^2*b^2*c*d))/(4*(-a)^{3/4}*b^{9/4}))))/((-a)^{3/4}*b^{9/4}) - ((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/b + ((a*d - b*c)^2*(4*a*b^3*c^2 + 4*a^3*b*d^2 - 8*a^2*b^2*c*d))/(4*(-a)^{3/4}*b^{9/4}))))/((-a)^{3/4}*b^{9/4}) + (\operatorname{atan}(((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/b - ((a*d - b*c)^2*(4*a*b^3*c^2 + 4*a^3*b*d^2 - 8*a^2*b^2*c*d)*1i)/(4*(-a)^{3/4}*b^{9/4}))))/((-a)^{3/4}*b^{9/4}) + ((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/b + ((a*d - b*c)^2*(4*a*b^3*c^2 + 4*a^3*b*d^2 - 8*a^2*b^2*c*d)*1i)/(4*(-a)^{3/4}*b^{9/4}))))/((-a)^{3/4}*b^{9/4}))/(((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/b - ((a*d - b*c)^2*(4*a*b^3*c^2 + 4*a^3*b*d^2 - 8*a^2*b^2*c*d)*1i)/(4*(-a)^{3/4}*b^{9/4}))*1i)/((-a)^{3/4}*b^{9/4}) - ((a*d - b*c)^2*((x*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3))/b + ((a*d - b*c)^2*(4*a*b^3*c^2 + 4*a^3*b*d^2 - 8*a^2*b^2*c*d)*1i)/(4*(-a)^{3/4}*b^{9/4}))*1i)/((-a)^{3/4}*b^{9/4}))/(((a*d - b*c)^2)/((2*(-a)^{3/4}*b^{9/4}))$

sympy [A] time = 1.08, size = 187, normalized size = 0.74

$$x \left(-\frac{ad^2}{b^2} + \frac{2cd}{b} \right) + \operatorname{RootSum} \left(256t^4 a^3 b^9 + a^8 d^8 - 8a^7 bcd^7 + 28a^6 b^2 c^2 d^6 - 56a^5 b^3 c^3 d^5 + 70a^4 b^4 c^4 d^4 - 56a^3 b^5 c^5 d^3 + 28a^2 b^6 c^6 d^2 - 8ab^7 c^7 d + b^8 c^8, \left(t \mapsto t \log \left(\frac{4tab^2}{a^2 d^2 - 2abcd + b^2 c^2} + x \right) \right) \right) + \frac{d^2 x^5}{5b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((d*x**4+c)**2/(b*x**4+a), x)$

```
[Out] x*(-a*d**2/b**2 + 2*c*d/b) + RootSum(256*_t**4*a**3*b**9 + a**8*d**8 - 8*a*
*7*b*c*d**7 + 28*a**6*b**2*c**2*d**6 - 56*a**5*b**3*c**3*d**5 + 70*a**4*b**
4*c**4*d**4 - 56*a**3*b**5*c**5*d**3 + 28*a**2*b**6*c**6*d**2 - 8*a*b**7*c*
*7*d + b**8*c**8, Lambda(_t, _t*log(4*_t*a*b**2/(a**2*d**2 - 2*a*b*c*d + b*
*2*c**2) + x))) + d**2*x**5/(5*b)
```

$$3.100 \quad \int \frac{c+dx^4}{a+bx^4} dx$$

Optimal. Leaf size=223

$$\frac{(bc-ad)\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{4\sqrt{2}a^{3/4}b^{5/4}} + \frac{(bc-ad)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{4\sqrt{2}a^{3/4}b^{5/4}} - \frac{(bc-ad)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}b^{5/4}} + \frac{(bc-ad)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}+1\right)}{2\sqrt{2}a^{3/4}b^{5/4}} + \frac{dx}{b}$$

Rubi [A] time = 0.14, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {388, 211, 1165, 628, 1162, 617, 204}

$$\frac{(bc-ad)\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{4\sqrt{2}a^{3/4}b^{5/4}} + \frac{(bc-ad)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{4\sqrt{2}a^{3/4}b^{5/4}} - \frac{(bc-ad)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}b^{5/4}} + \frac{(bc-ad)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}+1\right)}{2\sqrt{2}a^{3/4}b^{5/4}} + \frac{dx}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^4)/(a + b*x^4), x]

[Out] (d*x)/b - ((b*c - a*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/(2*Sqrt[2]*a^(3/4)*b^(5/4)) + ((b*c - a*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/(2*Sqrt[2]*a^(3/4)*b^(5/4)) - ((b*c - a*d)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(5/4)) + ((b*c - a*d)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(5/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,

$c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[n*(p + 1) + 1, 0]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \parallel \text{!RationalQ}[b^2 - 4*a*c])] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_)) / ((a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] \rightarrow S\text{imp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 1162

$\text{Int}[(d_ + (e_)*(x_)^2) / ((a_ + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[d*e]$

Rule 1165

$\text{Int}[(d_ + (e_)*(x_)^2) / ((a_ + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[d*e]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^4}{a + bx^4} dx &= \frac{dx}{b} - \frac{(-bc + ad) \int \frac{1}{a+bx^4} dx}{b} \\
&= \frac{dx}{b} + \frac{(bc - ad) \int \frac{\sqrt{a} - \sqrt{b}x^2}{a+bx^4} dx}{2\sqrt{a}b} + \frac{(bc - ad) \int \frac{\sqrt{a} + \sqrt{b}x^2}{a+bx^4} dx}{2\sqrt{a}b} \\
&= \frac{dx}{b} + \frac{(bc - ad) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{4\sqrt{a}b^{3/2}} + \frac{(bc - ad) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{4\sqrt{a}b^{3/2}} - \frac{(bc - ad) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}} + 2x}{-\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} - x^2} dx}{4\sqrt{2}a^{3/4}b^{5/4}} \\
&= \frac{dx}{b} - \frac{(bc - ad) \log\left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2\right)}{4\sqrt{2}a^{3/4}b^{5/4}} + \frac{(bc - ad) \log\left(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2\right)}{4\sqrt{2}a^{3/4}b^{5/4}} + \\
&= \frac{dx}{b} - \frac{(bc - ad) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}b^{5/4}} + \frac{(bc - ad) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}b^{5/4}} - \frac{(bc - ad) \log\left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2\right)}{4\sqrt{2}a^{3/4}b^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 196, normalized size = 0.88

$$\frac{8a^{3/4}\sqrt[4]{b}dx - \sqrt{2}(bc - ad)\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2\right) + \sqrt{2}(bc - ad)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2\right) - 2\sqrt{2}(bc - ad)\tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right) + 2\sqrt{2}(bc - ad)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right)}{8a^{3/4}b^{5/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^4)/(a + b*x^4), x]

[Out] (8*a^(3/4)*b^(1/4)*d*x - 2*Sqrt[2]*(b*c - a*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*Sqrt[2]*(b*c - a*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - Sqrt[2]*(b*c - a*d)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*(b*c - a*d)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(8*a^(3/4)*b^(5/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^4}{a + bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^4)/(a + b*x^4), x]

[Out] IntegrateAlgebraic[(c + d*x^4)/(a + b*x^4), x]

fricas [B] time = 0.74, size = 639, normalized size = 2.87

$$\frac{4x \left(\frac{\sqrt{2} \left((ab^3)^{\frac{1}{4}} bc - (ab^3)^{\frac{1}{4}} ad \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{z \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{\sqrt{2} \left((ab^3)^{\frac{1}{4}} bc - (ab^3)^{\frac{1}{4}} ad \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)} \right) + \log \left(ad \left(- \frac{2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}}}{2} - (bc - ad)x \right) - \frac{2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}}}{2} \right) \log \left(-ad \left(- \frac{2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}}}{2} - (bc - ad)x \right) - \frac{2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}}}{2} \right) - 4dx}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)/(b*x^4+a),x, algorithm="fricas")

[Out]
$$-1/4*(4*b*(-(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)/(a^3*b^5))^{1/4}*\arctan((a^2*b^4*x*(-(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)/(a^3*b^5))^{3/4} - a^2*b^4*\sqrt{(a^2*b^2*\sqrt{-(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)/(a^3*b^5))} + (b^2*c^2 - 2*a*b*c*d + a^2*d^2)*x^2)/(b^2*c^2 - 2*a*b*c*d + a^2*d^2))*(-(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)/(a^3*b^5))^{3/4})/(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3) + b*(-(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)/(a^3*b^5))^{1/4}*\log(a*b*(-(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)/(a^3*b^5))^{1/4} - (b*c - a*d)*x) - b*(-(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)/(a^3*b^5))^{1/4}*\log(-a*b*(-(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)/(a^3*b^5))^{1/4} - (b*c - a*d)*x) - 4*d*x)/b$$

giac [A] time = 0.17, size = 245, normalized size = 1.10

$$\frac{dx}{b} + \frac{\sqrt{2} \left((ab^3)^{\frac{1}{4}} bc - (ab^3)^{\frac{1}{4}} ad \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{z \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{4ab^2} + \frac{\sqrt{2} \left((ab^3)^{\frac{1}{4}} bc - (ab^3)^{\frac{1}{4}} ad \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{4ab^2} + \frac{\sqrt{2} \left((ab^3)^{\frac{1}{4}} bc - (ab^3)^{\frac{1}{4}} ad \right) \log \left(x^2 + \sqrt{2} x \left(\frac{a}{b} \right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}} \right)}{8ab^2} - \frac{\sqrt{2} \left((ab^3)^{\frac{1}{4}} bc - (ab^3)^{\frac{1}{4}} ad \right) \log \left(x^2 - \sqrt{2} x \left(\frac{a}{b} \right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}} \right)}{8ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)/(b*x^4+a),x, algorithm="giac")

[Out]
$$d*x/b + 1/4*\sqrt{2}*((a*b^3)^{1/4}*b*c - (a*b^3)^{1/4}*a*d)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/b)^{1/4})/(a/b)^{1/4})/(a*b^2) + 1/4*\sqrt{2}*((a*b^3)^{1/4}*b*c - (a*b^3)^{1/4}*a*d)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{1/4})/(a/b)^{1/4})/(a*b^2) + 1/8*\sqrt{2}*((a*b^3)^{1/4}*b*c - (a*b^3)^{1/4}*a*d)*\log(x^2 + \sqrt{2}*x*(a/b)^{1/4} + \sqrt{a/b})/(a*b^2) - 1/8*\sqrt{2}*((a*b^3)^{1/4}*b*c - (a*b^3)^{1/4}*a*d)*\log(x^2 - \sqrt{2}*x*(a/b)^{1/4} + \sqrt{a/b})/(a*b^2)$$

maple [A] time = 0.05, size = 266, normalized size = 1.19

$$\frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1 \right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1 \right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \ln \left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{8a} + \frac{dx}{b} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} d \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1 \right)}{4b} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} d \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1 \right)}{4b} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} d \ln \left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{8b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^4+c)/(b*x^4+a),x)`

[Out] $\frac{1}{b}d*x-1/4/b*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)*d+1/4*(a/b)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)*c-1/8/b*(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))*d+1/8*(a/b)^{(1/4)}/a*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))*c-1/4/b*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)*d+1/4*(a/b)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)*c$

maxima [A] time = 1.13, size = 212, normalized size = 0.95

$$\frac{dx}{b} + \frac{2\sqrt{2}(bc-ad)\arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x+\sqrt{2a^{\frac{1}{4}}b^{\frac{1}{4}}}\right)}{2\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} + \frac{2\sqrt{2}(bc-ad)\arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x-\sqrt{2a^{\frac{1}{4}}b^{\frac{1}{4}}}\right)}{2\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} + \frac{\sqrt{2}(bc-ad)\log\left(\sqrt{b}x^2+\sqrt{2a^{\frac{1}{4}}b^{\frac{1}{4}}x+\sqrt{a}}\right)}{a^{\frac{3}{4}}b^{\frac{1}{4}}} - \frac{\sqrt{2}(bc-ad)\log\left(\sqrt{b}x^2-\sqrt{2a^{\frac{1}{4}}b^{\frac{1}{4}}x+\sqrt{a}}\right)}{a^{\frac{3}{4}}b^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^4+c)/(b*x^4+a),x, algorithm="maxima")`

[Out] $d*x/b + 1/8*(2*\sqrt{2}*(b*c - a*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x + \sqrt{a})*a^{(1/4)}*b^{(1/4)})/\sqrt{a}*\sqrt{b})/(\sqrt{a}*\sqrt{a}*\sqrt{b}) + 2*\sqrt{2}*(b*c - a*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{a})*a^{(1/4)}*b^{(1/4)})/\sqrt{a}*\sqrt{b})/(\sqrt{a}*\sqrt{a}*\sqrt{b}) + \sqrt{2}*(b*c - a*d)*\log(\sqrt{b}*x^2 + \sqrt{a})/(a^{(3/4)}*b^{(1/4)}) - \sqrt{2}*(b*c - a*d)*\log(\sqrt{b}*x^2 - \sqrt{a})/(a^{(3/4)}*b^{(1/4)})/b$

mapad [B] time = 0.22, size = 720, normalized size = 3.23

$$\frac{dx}{b} \left(\frac{\operatorname{atan}\left(\frac{\left(\frac{(4a^2b^2-8ad^2+c^2)(16a^2d-16a^3)}{4(-a)^{3/4}b^5/4}\right)^{(ad-bc)}}{\left(\frac{(4a^2b^2-8ad^2+c^2)(16a^2d-16a^3)}{4(-a)^{3/4}b^5/4}\right)^{(ad-bc)}}\right)}{2(-a)^{3/4}b^5/4} + \frac{\operatorname{atan}\left(\frac{\left(\frac{(4a^2b^2-8ad^2+c^2)(16a^2d-16a^3)}{4(-a)^{3/4}b^5/4}\right)^{(ad-bc)}}{\left(\frac{(4a^2b^2-8ad^2+c^2)(16a^2d-16a^3)}{4(-a)^{3/4}b^5/4}\right)^{(ad-bc)}}\right)}{2(-a)^{3/4}b^5/4} \right) (ad-bc)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^4)/(a + b*x^4),x)`

[Out] $(d*x)/b - \left(\operatorname{atan}\left(\frac{(x*(4*b^3*c^2 + 4*a^2*b*d^2 - 8*a*b^2*c*d) - ((16*a^2*b^2*d - 16*a*b^3*c)*(a*d - b*c))}{(4*(-a)^{(3/4)}*b^{(5/4)})*(a*d - b*c)*1i}\right) / (4*(-a)^{(3/4)}*b^{(5/4)}) + \left(\frac{(x*(4*b^3*c^2 + 4*a^2*b*d^2 - 8*a*b^2*c*d) + ((16*a^2*b^2*d - 16*a*b^3*c)*(a*d - b*c))}{(4*(-a)^{(3/4)}*b^{(5/4)})*(a*d - b*c)*1i} \right) / (4*(-a)^{(3/4)}*b^{(5/4)}) \right) / \left(\frac{(x*(4*b^3*c^2 + 4*a^2*b*d^2 - 8*a*b^2*c*d) - ((16*a^2*b^2*d - 16*a*b^3*c)*(a*d - b*c))}{(4*(-a)^{(3/4)}*b^{(5/4)})*(a*d - b*c)} \right) / (4*(-a)^{(3/4)}*b^{(5/4)}) - \left(\frac{(x*(4*b^3*c^2 + 4*a^2*b*d^2 - 8*a*b^2*c*d) + ((16*a^2*b^2*d - 16*a*b^3*c)*(a*d - b*c))}{(4*(-a)^{(3/4)}*b^{(5/4)})*(a*d - b*c)} \right) / (4*(-a)^{(3/4)}*b^{(5/4)}) \right)$

```

*(-a)^(3/4)*b^(5/4)))*(a*d - b*c)*1i)/(2*(-a)^(3/4)*b^(5/4)) - (atan((((x*
(4*b^3*c^2 + 4*a^2*b*d^2 - 8*a*b^2*c*d) - ((16*a^2*b^2*d - 16*a*b^3*c)*(a*d
- b*c)*1i)/(4*(-a)^(3/4)*b^(5/4)))*(a*d - b*c))/(4*(-a)^(3/4)*b^(5/4)) + (
(x*(4*b^3*c^2 + 4*a^2*b*d^2 - 8*a*b^2*c*d) + ((16*a^2*b^2*d - 16*a*b^3*c)*(
a*d - b*c)*1i)/(4*(-a)^(3/4)*b^(5/4)))*(a*d - b*c))/(4*(-a)^(3/4)*b^(5/4))
/((((x*(4*b^3*c^2 + 4*a^2*b*d^2 - 8*a*b^2*c*d) - ((16*a^2*b^2*d - 16*a*b^3*c
)*(a*d - b*c)*1i)/(4*(-a)^(3/4)*b^(5/4)))*(a*d - b*c)*1i)/(4*(-a)^(3/4)*b^(
5/4)) - ((x*(4*b^3*c^2 + 4*a^2*b*d^2 - 8*a*b^2*c*d) + ((16*a^2*b^2*d - 16*a
*b^3*c)*(a*d - b*c)*1i)/(4*(-a)^(3/4)*b^(5/4)))*(a*d - b*c)*1i)/(4*(-a)^(3/
4)*b^(5/4))))*(a*d - b*c))/(2*(-a)^(3/4)*b^(5/4))

```

sympy [A] time = 0.61, size = 87, normalized size = 0.39

$$\text{RootSum}\left(256t^4a^3b^5 + a^4d^4 - 4a^3bcd^3 + 6a^2b^2c^2d^2 - 4ab^3c^3d + b^4c^4, \left(t \mapsto t \log\left(-\frac{4tab}{ad-bc} + x\right)\right)\right) + \frac{dx}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x**4+c)/(b*x**4+a),x)
```

```
[Out] RootSum(256*_t**4*a**3*b**5 + a**4*d**4 - 4*a**3*b*c*d**3 + 6*a**2*b**2*c**
2*d**2 - 4*a*b**3*c**3*d + b**4*c**4, Lambda(_t, _t*log(-4*_t*a*b/(a*d - b*
c) + x))) + d*x/b
```

$$3.101 \quad \int \frac{1}{(a+bx^4)(c+dx^4)} dx$$

Optimal. Leaf size=449

$$\frac{b^{3/4} \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4}(bc-ad)} + \frac{b^{3/4} \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4}(bc-ad)} - \frac{b^{3/4} \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4}(bc-ad)} + \frac{b^{3/4} \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4}(bc-ad)}$$

Rubi [A] time = 0.27, antiderivative size = 449, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {391, 211, 1165, 628, 1162, 617, 204}

$$\frac{b^{3/4} \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4}(bc-ad)} + \frac{b^{3/4} \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4}(bc-ad)} - \frac{b^{3/4} \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4}(bc-ad)} + \frac{b^{3/4} \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4}(bc-ad)} - \frac{d^{3/4} \log\left(-\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{4\sqrt{2} c^{3/4}(bc-ad)} - \frac{d^{3/4} \log\left(\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{4\sqrt{2} c^{3/4}(bc-ad)} + \frac{d^{3/4} \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}}\right)}{2\sqrt{2} c^{3/4}(bc-ad)} - \frac{d^{3/4} \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}}\right)}{2\sqrt{2} c^{3/4}(bc-ad)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^4)*(c + d*x^4)),x]

[Out] $-(b^{3/4} \text{ArcTan}\left[1 - \frac{\sqrt{2} b^{1/4} x}{a^{1/4}}\right]) / (2 \sqrt{2} a^{3/4} (b^*c - a*d)) + (b^{3/4} \text{ArcTan}\left[1 + \frac{\sqrt{2} b^{1/4} x}{a^{1/4}}\right]) / (2 \sqrt{2} a^{3/4} (b^*c - a*d)) + (d^{3/4} \text{ArcTan}\left[1 - \frac{\sqrt{2} d^{1/4} x}{c^{1/4}}\right]) / (2 \sqrt{2} c^{3/4} (b^*c - a*d)) - (d^{3/4} \text{ArcTan}\left[1 + \frac{\sqrt{2} d^{1/4} x}{c^{1/4}}\right]) / (2 \sqrt{2} c^{3/4} (b^*c - a*d)) - (b^{3/4} \text{Log}\left[\sqrt{a} - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2\right]) / (4 \sqrt{2} a^{3/4} (b^*c - a*d)) + (b^{3/4} \text{Log}\left[\sqrt{a} + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2\right]) / (4 \sqrt{2} a^{3/4} (b^*c - a*d)) + (d^{3/4} \text{Log}\left[\sqrt{c} - \sqrt{2} c^{1/4} d^{1/4} x + \sqrt{d} x^2\right]) / (4 \sqrt{2} c^{3/4} (b^*c - a*d)) - (d^{3/4} \text{Log}\left[\sqrt{c} + \sqrt{2} c^{1/4} d^{1/4} x + \sqrt{d} x^2\right]) / (4 \sqrt{2} c^{3/4} (b^*c - a*d))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 391

```
Int[1/(((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_))), x_Symbol] := Dis
t[b/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[d/(b*c - a*d), Int[1/(c +
d*x^n), x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a+bx^4)(c+dx^4)} dx &= \frac{b \int \frac{1}{a+bx^4} dx}{bc-ad} - \frac{d \int \frac{1}{c+dx^4} dx}{bc-ad} \\
&= \frac{b \int \frac{\sqrt{a}-\sqrt{b}x^2}{a+bx^4} dx}{2\sqrt{a}(bc-ad)} + \frac{b \int \frac{\sqrt{a}+\sqrt{b}x^2}{a+bx^4} dx}{2\sqrt{a}(bc-ad)} - \frac{d \int \frac{\sqrt{c}-\sqrt{d}x^2}{c+dx^4} dx}{2\sqrt{c}(bc-ad)} - \frac{d \int \frac{\sqrt{c}+\sqrt{d}x^2}{c+dx^4} dx}{2\sqrt{c}(bc-ad)} \\
&= \frac{\sqrt{b} \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2} \sqrt[4]{a} x}{\sqrt[4]{b}} + x^2} dx}{4\sqrt{a}(bc-ad)} + \frac{\sqrt{b} \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2} \sqrt[4]{a} x}{\sqrt[4]{b}} + x^2} dx}{4\sqrt{a}(bc-ad)} - \frac{b^{3/4} \int \frac{\frac{\sqrt{2} \sqrt[4]{a}}{\sqrt[4]{b}} + 2x}{-\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2} \sqrt[4]{a} x}{\sqrt[4]{b}} - x^2} dx}{4\sqrt{2} a^{3/4}(bc-ad)} - \frac{b^{3/4} \int \frac{\frac{\sqrt{2} \sqrt[4]{a}}{\sqrt[4]{b}} - 2x}{-\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2} \sqrt[4]{a} x}{\sqrt[4]{b}} - x^2} dx}{4\sqrt{2} a^{3/4}(bc-ad)} \\
&= -\frac{b^{3/4} \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4}(bc-ad)} + \frac{b^{3/4} \log(\sqrt{a} + \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4}(bc-ad)} + \frac{d^{3/4} \log(\sqrt{c} - \sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{d} x^2)}{4\sqrt{2} c^{3/4}(bc-ad)} - \frac{d^{3/4} \log(\sqrt{c} + \sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{d} x^2)}{4\sqrt{2} c^{3/4}(bc-ad)} \\
&= -\frac{b^{3/4} \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4}(bc-ad)} + \frac{b^{3/4} \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4}(bc-ad)} + \frac{d^{3/4} \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}}\right)}{2\sqrt{2} c^{3/4}(bc-ad)} - \frac{d^{3/4} \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}}\right)}{2\sqrt{2} c^{3/4}(bc-ad)}
\end{aligned}$$

Mathematica [A] time = 0.14, size = 340, normalized size = 0.76

$$\frac{a^{3/4} d^{3/4} \log(-\sqrt{2} \sqrt{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2) - a^{3/4} d^{3/4} \log(\sqrt{2} \sqrt{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2) + 2a^{3/4} d^{3/4} \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}}\right) - 2a^{3/4} d^{3/4} \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}} + 1\right) - b^{3/4} c^{3/4} \log(-\sqrt{2} \sqrt{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2) + b^{3/4} c^{3/4} \log(\sqrt{2} \sqrt{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2) - 2b^{3/4} c^{3/4} \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right) + 2b^{3/4} c^{3/4} \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{4\sqrt{2} a^{3/4} c^{3/4} (bc-ad)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^4)*(c + d*x^4)),x]

[Out] $(-2*b^{(3/4)}*c^{(3/4)}*ArcTan[1 - (Sqrt[2]*b^{(1/4)}*x)/a^{(1/4)}] + 2*b^{(3/4)}*c^{(3/4)}*ArcTan[1 + (Sqrt[2]*b^{(1/4)}*x)/a^{(1/4)}] + 2*a^{(3/4)}*d^{(3/4)}*ArcTan[1 - (Sqrt[2]*d^{(1/4)}*x)/c^{(1/4)}] - 2*a^{(3/4)}*d^{(3/4)}*ArcTan[1 + (Sqrt[2]*d^{(1/4)}*x)/c^{(1/4)}] - b^{(3/4)}*c^{(3/4)}*Log[Sqrt[a] - Sqrt[2]*a^{(1/4)}*b^{(1/4)}*x + Sqrt[b]*x^2] + b^{(3/4)}*c^{(3/4)}*Log[Sqrt[a] + Sqrt[2]*a^{(1/4)}*b^{(1/4)}*x + Sqrt[b]*x^2] + a^{(3/4)}*d^{(3/4)}*Log[Sqrt[c] - Sqrt[2]*c^{(1/4)}*d^{(1/4)}*x + Sqrt[d]*x^2] - a^{(3/4)}*d^{(3/4)}*Log[Sqrt[c] + Sqrt[2]*c^{(1/4)}*d^{(1/4)}*x + Sqrt[d]*x^2])/(4*Sqrt[2]*a^{(3/4)}*c^{(3/4)}*(b*c - a*d))$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+bx^4)(c+dx^4)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/((a + b*x^4)*(c + d*x^4)),x]

[Out] IntegrateAlgebraic[1/((a + b*x^4)*(c + d*x^4)), x]

fricas [B] time = 1.74, size = 1356, normalized size = 3.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)/(d*x^4+c),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -(-b^3/(a^3b^4c^4 - 4a^4b^3c^3d + 6a^5b^2c^2d^2 - 4a^6b^1c^1d^3 + a^7d^4))^{1/4} \arctan\left(\frac{(a^2b^3c^3 - 3a^3b^2c^2d + 3a^4b^1c^1d^2 - a^5d^3)(-b^3/(a^3b^4c^4 - 4a^4b^3c^3d + 6a^5b^2c^2d^2 - 4a^6b^1c^1d^3 + a^7d^4))^{3/4}x - (a^2b^3c^3 - 3a^3b^2c^2d + 3a^4b^1c^1d^2 - a^5d^3)(-b^3/(a^3b^4c^4 - 4a^4b^3c^3d + 6a^5b^2c^2d^2 - 4a^6b^1c^1d^3 + a^7d^4))^{3/4} \sqrt{(b^2x^2 + (a^2b^2c^2 - 2a^3b^1c^1d + a^4d^2)) \sqrt{-b^3/(a^3b^4c^4 - 4a^4b^3c^3d + 6a^5b^2c^2d^2 - 4a^6b^1c^1d^3 + a^7d^4)}}}{b^2}\right) / b^2 \\ & + (-d^3/(b^4c^7 - 4a^3b^3c^6d + 6a^2b^2c^5d^2 - 4a^1b^1c^4d^3 + a^4c^3d^4))^{1/4} \arctan\left(\frac{(b^3c^5 - 3a^2b^2c^4d + 3a^1b^1c^3d^2 - a^3c^2d^3)(-d^3/(b^4c^7 - 4a^3b^3c^6d + 6a^2b^2c^5d^2 - 4a^1b^1c^4d^3 + a^4c^3d^4))^{3/4}x - (b^3c^5 - 3a^2b^2c^4d + 3a^1b^1c^3d^2 - a^3c^2d^3)(-d^3/(b^4c^7 - 4a^3b^3c^6d + 6a^2b^2c^5d^2 - 4a^1b^1c^4d^3 + a^4c^3d^4))^{3/4} \sqrt{(d^2x^2 + (b^2c^4 - 2a^1b^1c^3d + a^2c^2d^2)) \sqrt{-d^3/(b^4c^7 - 4a^3b^3c^6d + 6a^2b^2c^5d^2 - 4a^1b^1c^4d^3 + a^4c^3d^4)}}}{d^2}\right) / d^2 \\ & + 1/4 * (-b^3/(a^3b^4c^4 - 4a^4b^3c^3d + 6a^5b^2c^2d^2 - 4a^6b^1c^1d^3 + a^7d^4))^{1/4} \log(b*x + (a*b*c - a^2*d) * (-b^3/(a^3b^4c^4 - 4a^4b^3c^3d + 6a^5b^2c^2d^2 - 4a^6b^1c^1d^3 + a^7d^4))^{1/4}) - 1/4 * (-b^3/(a^3b^4c^4 - 4a^4b^3c^3d + 6a^5b^2c^2d^2 - 4a^6b^1c^1d^3 + a^7d^4))^{1/4} \log(b*x - (a*b*c - a^2*d) * (-b^3/(a^3b^4c^4 - 4a^4b^3c^3d + 6a^5b^2c^2d^2 - 4a^6b^1c^1d^3 + a^7d^4))^{1/4}) \\ & - 1/4 * (-d^3/(b^4c^7 - 4a^3b^3c^6d + 6a^2b^2c^5d^2 - 4a^1b^1c^4d^3 + a^4c^3d^4))^{1/4} \log(d*x + (b*c^2 - a*c*d) * (-d^3/(b^4c^7 - 4a^3b^3c^6d + 6a^2b^2c^5d^2 - 4a^1b^1c^4d^3 + a^4c^3d^4))^{1/4}) \\ & + 1/4 * (-d^3/(b^4c^7 - 4a^3b^3c^6d + 6a^2b^2c^5d^2 - 4a^1b^1c^4d^3 + a^4c^3d^4))^{1/4} \log(d*x - (b*c^2 - a*c*d) * (-d^3/(b^4c^7 - 4a^3b^3c^6d + 6a^2b^2c^5d^2 - 4a^1b^1c^4d^3 + a^4c^3d^4))^{1/4}) \end{aligned}$$

giac [A] time = 0.21, size = 437, normalized size = 0.97

$$\frac{(ab^3)^{1/4} \arctan\left(\frac{\sqrt{2} \sqrt{2+5} \left(\frac{d}{c}\right)^{1/4}}{2 \left(\frac{d}{c}\right)^{1/4}}\right)}{2(\sqrt{2}abc - \sqrt{2}a^2d)} + \frac{(ab^3)^{1/4} \arctan\left(\frac{\sqrt{2} \sqrt{2-5} \left(\frac{d}{c}\right)^{1/4}}{2 \left(\frac{d}{c}\right)^{1/4}}\right)}{2(\sqrt{2}abc - \sqrt{2}a^2d)} - \frac{(cd^3)^{1/4} \arctan\left(\frac{\sqrt{2} \sqrt{2+5} \left(\frac{d}{c}\right)^{1/4}}{2 \left(\frac{d}{c}\right)^{1/4}}\right)}{2(\sqrt{2}bc^2 - \sqrt{2}acd)} - \frac{(cd^3)^{1/4} \arctan\left(\frac{\sqrt{2} \sqrt{2-5} \left(\frac{d}{c}\right)^{1/4}}{2 \left(\frac{d}{c}\right)^{1/4}}\right)}{2(\sqrt{2}bc^2 - \sqrt{2}acd)} + \frac{(ab^3)^{1/4} \log\left(x^2 + \sqrt{2}x \left(\frac{d}{c}\right)^{1/4} + \sqrt{\frac{d}{c}}\right)}{4(\sqrt{2}abc - \sqrt{2}a^2d)} - \frac{(ab^3)^{1/4} \log\left(x^2 - \sqrt{2}x \left(\frac{d}{c}\right)^{1/4} + \sqrt{\frac{d}{c}}\right)}{4(\sqrt{2}abc - \sqrt{2}a^2d)} - \frac{(cd^3)^{1/4} \log\left(x^2 + \sqrt{2}x \left(\frac{d}{c}\right)^{1/4} + \sqrt{\frac{d}{c}}\right)}{4(\sqrt{2}bc^2 - \sqrt{2}acd)} + \frac{(cd^3)^{1/4} \log\left(x^2 - \sqrt{2}x \left(\frac{d}{c}\right)^{1/4} + \sqrt{\frac{d}{c}}\right)}{4(\sqrt{2}bc^2 - \sqrt{2}acd)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)/(d*x^4+c),x, algorithm="giac")

[Out] $\frac{1}{2} \cdot (a \cdot b^3)^{1/4} \cdot \arctan\left(\frac{1}{2} \sqrt{2} \cdot (2x + \sqrt{2}) \cdot (a/b)^{1/4}\right) / (a/b)^{1/4} / (\sqrt{2} \cdot a \cdot b \cdot c - \sqrt{2} \cdot a^2 \cdot d) + \frac{1}{2} \cdot (a \cdot b^3)^{1/4} \cdot \arctan\left(\frac{1}{2} \sqrt{2} \cdot (2x - \sqrt{2}) \cdot (a/b)^{1/4}\right) / (a/b)^{1/4} / (\sqrt{2} \cdot a \cdot b \cdot c - \sqrt{2} \cdot a^2 \cdot d) - \frac{1}{2} \cdot (c \cdot d^3)^{1/4} \cdot \arctan\left(\frac{1}{2} \sqrt{2} \cdot (2x + \sqrt{2}) \cdot (c/d)^{1/4}\right) / (c/d)^{1/4} / (\sqrt{2} \cdot b \cdot c^2 - \sqrt{2} \cdot a \cdot c \cdot d) - \frac{1}{2} \cdot (c \cdot d^3)^{1/4} \cdot \arctan\left(\frac{1}{2} \sqrt{2} \cdot (2x - \sqrt{2}) \cdot (c/d)^{1/4}\right) / (c/d)^{1/4} / (\sqrt{2} \cdot b \cdot c^2 - \sqrt{2} \cdot a \cdot c \cdot d) + \frac{1}{4} \cdot (a \cdot b^3)^{1/4} \cdot \log(x^2 + \sqrt{2} \cdot x \cdot (a/b)^{1/4} + \sqrt{a/b}) / (\sqrt{2} \cdot a \cdot b \cdot c - \sqrt{2} \cdot a^2 \cdot d) - \frac{1}{4} \cdot (a \cdot b^3)^{1/4} \cdot \log(x^2 - \sqrt{2} \cdot x \cdot (a/b)^{1/4} + \sqrt{a/b}) / (\sqrt{2} \cdot a \cdot b \cdot c - \sqrt{2} \cdot a^2 \cdot d) - \frac{1}{4} \cdot (c \cdot d^3)^{1/4} \cdot \log(x^2 + \sqrt{2} \cdot x \cdot (c/d)^{1/4} + \sqrt{c/d}) / (\sqrt{2} \cdot b \cdot c^2 - \sqrt{2} \cdot a \cdot c \cdot d) + \frac{1}{4} \cdot (c \cdot d^3)^{1/4} \cdot \log(x^2 - \sqrt{2} \cdot x \cdot (c/d)^{1/4} + \sqrt{c/d}) / (\sqrt{2} \cdot b \cdot c^2 - \sqrt{2} \cdot a \cdot c \cdot d)$

maple [A] time = 0.06, size = 320, normalized size = 0.71

$$\frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} b \arctan\left(\frac{\sqrt{2}x-1}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4(ad-bc)a} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} b \arctan\left(\frac{\sqrt{2}x+1}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4(ad-bc)a} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} b \ln\left(\frac{x^2+\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{b}}}{x^2-\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{b}}}\right)}{8(ad-bc)a} + \frac{\left(\frac{c}{d}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2}x-1}{\left(\frac{c}{d}\right)^{\frac{1}{4}}}\right)}{4(ad-bc)c} + \frac{\left(\frac{c}{d}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2}x+1}{\left(\frac{c}{d}\right)^{\frac{1}{4}}}\right)}{4(ad-bc)c} + \frac{\left(\frac{c}{d}\right)^{\frac{1}{4}} \sqrt{2} d \ln\left(\frac{x^2+\left(\frac{c}{d}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{c}{d}}}{x^2-\left(\frac{c}{d}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{c}{d}}}\right)}{8(ad-bc)c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(b*x^4+a)/(d*x^4+c),x)`

[Out] $\frac{1}{8} \cdot d / (a \cdot d - b \cdot c) \cdot (c/d)^{1/4} / c \cdot 2^{1/2} \cdot \ln((x^2 + (c/d)^{1/4} \cdot 2^{1/2} \cdot x + (c/d)^{1/2}) / (x^2 - (c/d)^{1/4} \cdot 2^{1/2} \cdot x + (c/d)^{1/2})) + \frac{1}{4} \cdot d / (a \cdot d - b \cdot c) \cdot (c/d)^{1/4} / c \cdot 2^{1/2} \cdot \arctan(2^{1/2} / (c/d)^{1/4} \cdot x + 1) + \frac{1}{4} \cdot d / (a \cdot d - b \cdot c) \cdot (c/d)^{1/4} / c \cdot 2^{1/2} \cdot \arctan(2^{1/2} / (c/d)^{1/4} \cdot x - 1) - \frac{1}{8} \cdot b / (a \cdot d - b \cdot c) \cdot (a/b)^{1/4} / a \cdot 2^{1/2} \cdot \ln((x^2 + (a/b)^{1/4} \cdot 2^{1/2} \cdot x + (a/b)^{1/2}) / (x^2 - (a/b)^{1/4} \cdot 2^{1/2} \cdot x + (a/b)^{1/2})) - \frac{1}{4} \cdot b / (a \cdot d - b \cdot c) \cdot (a/b)^{1/4} / a \cdot 2^{1/2} \cdot \arctan(2^{1/2} / (a/b)^{1/4} \cdot x + 1) - \frac{1}{4} \cdot b / (a \cdot d - b \cdot c) \cdot (a/b)^{1/4} / a \cdot 2^{1/2} \cdot \arctan(2^{1/2} / (a/b)^{1/4} \cdot x - 1)$

maxima [A] time = 1.43, size = 365, normalized size = 0.81

$$\frac{2\sqrt{2}b\arctan\left(\frac{\sqrt{2}\left[2\sqrt{b}\sqrt{a}\sqrt{\frac{1}{4}+\frac{1}{4}}\right]}{2\sqrt{a}\sqrt{b}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} + \frac{2\sqrt{2}b\arctan\left(\frac{\sqrt{2}\left[2\sqrt{b}\sqrt{a}\sqrt{\frac{1}{4}+\frac{1}{4}}\right]}{2\sqrt{a}\sqrt{b}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} + \frac{\sqrt{2}b\log\left(\frac{\sqrt{b}\sqrt{a}\sqrt{a}\sqrt{\frac{1}{4}+\frac{1}{4}}+\sqrt{a}}{a^{\frac{1}{4}}}\right)}{a^{\frac{1}{4}}} - \frac{\sqrt{2}b\log\left(\frac{\sqrt{b}\sqrt{a}\sqrt{a}\sqrt{\frac{1}{4}+\frac{1}{4}}-\sqrt{a}}{a^{\frac{1}{4}}}\right)}{a^{\frac{1}{4}}} - \frac{2\sqrt{2}d\arctan\left(\frac{\sqrt{2}\left[2\sqrt{d}\sqrt{c}\sqrt{\frac{1}{4}+\frac{1}{4}}\right]}{2\sqrt{c}\sqrt{d}\sqrt{d}}\right)}{\sqrt{c}\sqrt{c}\sqrt{d}} + \frac{2\sqrt{2}d\arctan\left(\frac{\sqrt{2}\left[2\sqrt{d}\sqrt{c}\sqrt{\frac{1}{4}+\frac{1}{4}}\right]}{2\sqrt{c}\sqrt{d}\sqrt{d}}\right)}{\sqrt{c}\sqrt{c}\sqrt{d}} + \frac{\sqrt{2}d\log\left(\frac{\sqrt{d}\sqrt{c}\sqrt{c}\sqrt{\frac{1}{4}+\frac{1}{4}}+\sqrt{c}}{c^{\frac{1}{4}}}\right)}{c^{\frac{1}{4}}} - \frac{\sqrt{2}d\log\left(\frac{\sqrt{d}\sqrt{c}\sqrt{c}\sqrt{\frac{1}{4}+\frac{1}{4}}-\sqrt{c}}{c^{\frac{1}{4}}}\right)}{c^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x^4+a)/(d*x^4+c),x, algorithm="maxima")`

[Out] $\frac{1}{8} \cdot (2 \cdot \sqrt{2} \cdot b \cdot \arctan\left(\frac{1}{2} \sqrt{2} \cdot (2 \cdot \sqrt{2} \cdot \sqrt{b} \cdot x + \sqrt{2}) \cdot a^{1/4} \cdot b^{1/4}\right) / \sqrt{a} \cdot \sqrt{b}) / (\sqrt{a} \cdot \sqrt{a} \cdot \sqrt{b}) + 2 \cdot \sqrt{2} \cdot b \cdot \arctan\left(\frac{1}{2} \sqrt{2} \cdot (2 \cdot \sqrt{2} \cdot \sqrt{b} \cdot x - \sqrt{2}) \cdot a^{1/4} \cdot b^{1/4}\right) / \sqrt{a} \cdot \sqrt{b}) / (\sqrt{a} \cdot \sqrt{a} \cdot \sqrt{b}) + \sqrt{2} \cdot b^{3/4} \cdot \log(\sqrt{b} \cdot x^2 + \sqrt{2} \cdot a^{1/4} \cdot b^{1/4} \cdot x + \sqrt{a}) / a^{3/4} - \sqrt{2} \cdot b^{3/4} \cdot \log(\sqrt{b} \cdot x^2 - \sqrt{2} \cdot a^{1/4} \cdot b^{1/4} \cdot x + \sqrt{a}) / a^{3/4} / (b \cdot c - a \cdot d) - \frac{1}{8} \cdot (2 \cdot \sqrt{2} \cdot d \cdot \arctan\left(\frac{1}{2} \sqrt{2} \cdot (2 \cdot \sqrt{2} \cdot \sqrt{d} \cdot x + \sqrt{2}) \cdot c^{1/4} \cdot d^{1/4}\right) / \sqrt{c} \cdot \sqrt{d}) / \sqrt{c} \cdot \sqrt{d}$

$$\frac{\sqrt{d}}{\sqrt{c}\sqrt{\sqrt{c}\sqrt{d}}} + 2\sqrt{2}d\arctan\left(\frac{1}{2}\sqrt{2}\frac{2\sqrt{d}x - \sqrt{2}c^{1/4}d^{1/4}}{\sqrt{\sqrt{c}\sqrt{d}}}\right) + \sqrt{2}d^{3/4}\log\left(\frac{\sqrt{d}x^2 + \sqrt{2}c^{1/4}d^{1/4}x + \sqrt{c}}{c^{3/4}}\right) - \sqrt{2}d^{3/4}\log\left(\frac{\sqrt{d}x^2 - \sqrt{2}c^{1/4}d^{1/4}x + \sqrt{c}}{c^{3/4}}\right) / (b*c - a*d)$$

mupad [B] time = 2.76, size = 6153, normalized size = 13.70

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b*x^4)*(c + d*x^4)),x)`

[Out]
$$-\operatorname{atan}\left(\left(\frac{-d^3}{256b^4c^7 + 256a^4c^3d^4 - 1024a^3b^4c^4d^3 + 1536a^2b^2c^5d^2 - 1024a^2b^3c^6d}\right)^{1/4}\right) \cdot \left(\frac{-d^3}{256b^4c^7 + 256a^4c^3d^4 - 1024a^3b^4c^4d^3 + 1536a^2b^2c^5d^2 - 1024a^2b^3c^6d}\right)^{3/4} \cdot \left(\frac{-d^3}{256b^4c^7 + 256a^4c^3d^4 - 1024a^3b^4c^4d^3 + 1536a^2b^2c^5d^2 - 1024a^2b^3c^6d}\right)^{1/4} \cdot (4096a^8b^4c^4d^{11} - 20480a^7b^5c^2d^{10} - 20480a^5b^7c^4d^8 + 36864a^6b^6c^3d^9 - 20480a^7b^5c^2d^{10}) + x \cdot (1024a^7b^4d^{11} + 1024b^{11}c^7d^4 - 4096a^6b^5c^4d^{10} + 6144a^2b^9c^5d^6 - 3072a^3b^8c^4d^7 - 3072a^4b^7c^3d^8 + 6144a^5b^6c^2d^9) - 16a^2b^6d^8 - 16b^8c^2d^6 + 32a^2b^7c^4d^7 + 8b^7d^7x) \cdot \left(\frac{-d^3}{256b^4c^7 + 256a^4c^3d^4 - 1024a^3b^4c^4d^3 + 1536a^2b^2c^5d^2 - 1024a^2b^3c^6d}\right)^{1/4} \cdot 1i - \left(\frac{-d^3}{256b^4c^7 + 256a^4c^3d^4 - 1024a^3b^4c^4d^3 + 1536a^2b^2c^5d^2 - 1024a^2b^3c^6d}\right)^{1/4} \cdot \left(\frac{-d^3}{256b^4c^7 + 256a^4c^3d^4 - 1024a^3b^4c^4d^3 + 1536a^2b^2c^5d^2 - 1024a^2b^3c^6d}\right)^{3/4} \cdot \left(\frac{-d^3}{256b^4c^7 + 256a^4c^3d^4 - 1024a^3b^4c^4d^3 + 1536a^2b^2c^5d^2 - 1024a^2b^3c^6d}\right)^{1/4} \cdot (4096a^8b^4c^4d^{11} - 20480a^7b^5c^2d^{10} - 20480a^5b^7c^4d^8 + 36864a^6b^6c^3d^9 - 20480a^7b^5c^2d^{10}) - x \cdot (1024a^7b^4d^{11} + 1024b^{11}c^7d^4 - 4096a^6b^5c^4d^{10} + 6144a^2b^9c^5d^6 - 3072a^3b^8c^4d^7 - 3072a^4b^7c^3d^8 + 6144a^5b^6c^2d^9) - 16a^2b^6d^8 - 16b^8c^2d^6 + 32a^2b^7c^4d^7 - 8b^7d^7x) \cdot \left(\frac{-d^3}{256b^4c^7 + 256a^4c^3d^4 - 1024a^3b^4c^4d^3 + 1536a^2b^2c^5d^2 - 1024a^2b^3c^6d}\right)^{1/4} \cdot 1i / \left(\left(\frac{-d^3}{256b^4c^7 + 256a^4c^3d^4 - 1024a^3b^4c^4d^3 + 1536a^2b^2c^5d^2 - 1024a^2b^3c^6d}\right)^{1/4}\right) \cdot \left(\frac{-d^3}{256b^4c^7 + 256a^4c^3d^4 - 1024a^3b^4c^4d^3 + 1536a^2b^2c^5d^2 - 1024a^2b^3c^6d}\right)^{3/4} \cdot \left(\frac{-d^3}{256b^4c^7 + 256a^4c^3d^4 - 1024a^3b^4c^4d^3 + 1536a^2b^2c^5d^2 - 1024a^2b^3c^6d}\right)^{1/4} \cdot (4096a^8b^4c^4d^{11} - 20480a^7b^5c^2d^{10} - 20480a^5b^7c^4d^8 + 36864a^6b^6c^3d^9 - 20480a^7b^5c^2d^{10}) + x \cdot (1024a^7b^4d^{11} + 1024b^{11}c^7d^4 - 4096a^6b^5c^4d^{10} + 6144a^2b^9c^5d^6 - 3072a^3b^8c^4d^7 - 3072a^4b^7c^3d^8 + 6144a^5b^6c^2d^9) - 16a^2b^6d^8 - 16b^8c^2d^6 + 32a^2b^7c^4d^7 - 8b^7d^7x)$$

$$\begin{aligned}
& 3*b^8*c^4*d^7 - 3072*a^4*b^7*c^3*d^8 + 6144*a^5*b^6*c^2*d^9)) - 16*a^2*b^6* \\
& d^8 - 16*b^8*c^2*d^6 + 32*a*b^7*c*d^7) + 8*b^7*d^7*x)*(-d^3/(256*b^4*c^7 + \\
& 256*a^4*c^3*d^4 - 1024*a^3*b*c^4*d^3 + 1536*a^2*b^2*c^5*d^2 - 1024*a*b^3*c^6*d) \\
& ^{(1/4)} + ((-d^3/(256*b^4*c^7 + 256*a^4*c^3*d^4 - 1024*a^3*b*c^4*d^3 + \\
& 1536*a^2*b^2*c^5*d^2 - 1024*a*b^3*c^6*d))^{(1/4)}*((-d^3/(256*b^4*c^7 + 256*a \\
& ^4*c^3*d^4 - 1024*a^3*b*c^4*d^3 + 1536*a^2*b^2*c^5*d^2 - 1024*a*b^3*c^6*d)) \\
& ^{(3/4)}*((-d^3/(256*b^4*c^7 + 256*a^4*c^3*d^4 - 1024*a^3*b*c^4*d^3 + 1536*a^ \\
& 2*b^2*c^5*d^2 - 1024*a*b^3*c^6*d))^{(1/4)}*(4096*a*b^11*c^8*d^4 + 4096*a^8*b^ \\
& 4*c*d^11 - 20480*a^2*b^10*c^7*d^5 + 36864*a^3*b^9*c^6*d^6 - 20480*a^4*b^8*c^ \\
& 5*d^7 - 20480*a^5*b^7*c^4*d^8 + 36864*a^6*b^6*c^3*d^9 - 20480*a^7*b^5*c^2* \\
& d^10) - x*(1024*a^7*b^4*d^11 + 1024*b^11*c^7*d^4 - 4096*a*b^10*c^6*d^5 - 40 \\
& 96*a^6*b^5*c*d^10 + 6144*a^2*b^9*c^5*d^6 - 3072*a^3*b^8*c^4*d^7 - 3072*a^4* \\
& b^7*c^3*d^8 + 6144*a^5*b^6*c^2*d^9)) - 16*a^2*b^6*d^8 - 16*b^8*c^2*d^6 + 32 \\
& *a*b^7*c*d^7) - 8*b^7*d^7*x)*(-d^3/(256*b^4*c^7 + 256*a^4*c^3*d^4 - 1024*a^ \\
& 3*b*c^4*d^3 + 1536*a^2*b^2*c^5*d^2 - 1024*a*a*b^3*c^6*d))^{(1/4)}))*(-d^3/(256* \\
& b^4*c^7 + 256*a^4*c^3*d^4 - 1024*a^3*b*c^4*d^3 + 1536*a^2*b^2*c^5*d^2 - 102 \\
& 4*a*b^3*c^6*d))^{(1/4)}*2i - \operatorname{atan}(((-b^3/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 10 \\
& 24*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(1/4)}*((-b^3/(\\
& 256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - \\
& 1024*a^6*b*c*d^3))^{(3/4)}*((-b^3/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4* \\
& b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(1/4)}*(4096*a*b^11*c^ \\
& 8*d^4 + 4096*a^8*b^4*c*d^11 - 20480*a^2*b^10*c^7*d^5 + 36864*a^3*b^9*c^6*d^ \\
& 6 - 20480*a^4*b^8*c^5*d^7 - 20480*a^5*b^7*c^4*d^8 + 36864*a^6*b^6*c^3*d^9 - \\
& 20480*a^7*b^5*c^2*d^10) + x*(1024*a^7*b^4*d^11 + 1024*b^11*c^7*d^4 - 4096* \\
& a*b^10*c^6*d^5 - 4096*a^6*b^5*c*d^10 + 6144*a^2*b^9*c^5*d^6 - 3072*a^3*b^8* \\
& c^4*d^7 - 3072*a^4*b^7*c^3*d^8 + 6144*a^5*b^6*c^2*d^9)) - 16*a^2*b^6*d^8 - \\
& 16*b^8*c^2*d^6 + 32*a*b^7*c*d^7) + 8*b^7*d^7*x)*(-b^3/(256*a^7*d^4 + 256*a^ \\
& 3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(\\
& 1/4)}*1i - ((-b^3/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 153 \\
& 6*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(1/4)}*((-b^3/(256*a^7*d^4 + 256*a^3* \\
& b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(3 \\
& /4)}*((-b^3/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^ \\
& 2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(1/4)}*(4096*a*b^11*c^8*d^4 + 4096*a^8*b^4*c \\
& *d^11 - 20480*a^2*b^10*c^7*d^5 + 36864*a^3*b^9*c^6*d^6 - 20480*a^4*b^8*c^5* \\
& d^7 - 20480*a^5*b^7*c^4*d^8 + 36864*a^6*b^6*c^3*d^9 - 20480*a^7*b^5*c^2*d^1 \\
& 0) - x*(1024*a^7*b^4*d^11 + 1024*b^11*c^7*d^4 - 4096*a*b^10*c^6*d^5 - 4096* \\
& a^6*b^5*c*d^10 + 6144*a^2*b^9*c^5*d^6 - 3072*a^3*b^8*c^4*d^7 - 3072*a^4*b^7 \\
& *c^3*d^8 + 6144*a^5*b^6*c^2*d^9)) - 16*a^2*b^6*d^8 - 16*b^8*c^2*d^6 + 32*a* \\
& b^7*c*d^7) - 8*b^7*d^7*x)*(-b^3/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^ \\
& ^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(1/4)}*1i)/(((-b^3/(256 \\
& *a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 10 \\
& 24*a^6*b*c*d^3))^{(1/4)}*((-b^3/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3 \\
& *c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(3/4)}*((-b^3/(256*a^7*d^ \\
& 4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6* \\
& b*c*d^3))^{(1/4)}*(4096*a*b^11*c^8*d^4 + 4096*a^8*b^4*c*d^11 - 20480*a^2*b^10
\end{aligned}$$

$$\begin{aligned}
& *c^7*d^5 + 36864*a^3*b^9*c^6*d^6 - 20480*a^4*b^8*c^5*d^7 - 20480*a^5*b^7*c^4*d^8 + 36864*a^6*b^6*c^3*d^9 - 20480*a^7*b^5*c^2*d^{10} + x*(1024*a^7*b^4*d^{11} + 1024*b^{11}*c^7*d^4 - 4096*a*b^{10}*c^6*d^5 - 4096*a^6*b^5*c*d^{10} + 6144*a^2*b^9*c^5*d^6 - 3072*a^3*b^8*c^4*d^7 - 3072*a^4*b^7*c^3*d^8 + 6144*a^5*b^6*c^2*d^9) - 16*a^2*b^6*d^8 - 16*b^8*c^2*d^6 + 32*a*b^7*c*d^7) + 8*b^7*d^7 *x)*(-b^3/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(1/4)} + ((-b^3/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(1/4)})*((-b^3/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(3/4)})*((-b^3/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(1/4)}*(4096*a*b^{11}*c^8*d^4 + 4096*a^8*b^4*c*d^{11} - 20480*a^2*b^{10}*c^7*d^5 + 36864*a^3*b^9*c^6*d^6 - 20480*a^4*b^8*c^5*d^7 - 20480*a^5*b^7*c^4*d^8 + 36864*a^6*b^6*c^3*d^9 - 20480*a^7*b^5*c^2*d^{10} - x*(1024*a^7*b^4*d^{11} + 1024*b^{11}*c^7*d^4 - 4096*a*b^{10}*c^6*d^5 - 4096*a^6*b^5*c*d^{10} + 6144*a^2*b^9*c^5*d^6 - 3072*a^3*b^8*c^4*d^7 - 3072*a^4*b^7*c^3*d^8 + 6144*a^5*b^6*c^2*d^9) - 16*a^2*b^6*d^8 - 16*b^8*c^2*d^6 + 32*a*b^7*c*d^7) - 8*b^7*d^7*x)*(-b^3/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(1/4)})))*(-b^3/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(1/4)}*2i - 2*atan((b^3*d^3*x - (128*b^{10}*c^7*x)/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3) - (128*a^7*b^3*d^7*x)/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3) - (768*a^2*b^8*c^5*d^2*x)/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3) + (384*a^3*b^7*c^4*d^3*x)/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3) + (384*a^4*b^6*c^3*d^4*x)/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3) - (768*a^5*b^5*c^2*d^5*x)/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3) + (512*a*b^9*c^6*d*x)/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3) + (512*a^6*b^4*c*d^6*x)/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3)))/((-b^3/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(1/4)}*((b^3*(512*a*b^7*c^8 + 512*a^8*c*d^7 - 2560*a^2*b^6*c^7*d - 2560*a^7*b*c^2*d^6 + 4608*a^3*b^5*c^6*d^2 - 2560*a^4*b^4*c^5*d^3 - 2560*a^5*b^3*c^4*d^4 + 4608*a^6*b^2*c^3*d^5))/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3) + 2*a^2*b^2*d^4 + 2*b^4*c^2*d^2 - 4*a*b^3*c*d^3)))*(-b^3/(256*a^7*d^4 + 256*a^3*b^4*c^4 - 1024*a^4*b^3*c^3*d + 1536*a^5*b^2*c^2*d^2 - 1024*a^6*b*c*d^3))^{(1/4)} - 2*atan((b^3*d^3*x - (128*a^7*d^{10}*x)/(256*b^4*c^7 + 256*a^4*c^3*d^4 - 1024*a^3*b*c^4*d^3 + 1536*a^2*b^2*c^5*d^2 - 1024*a*b^3*c^6*d) - (128*b^7*c^7*d^3*x)/(256*b^4*c^7 + 256*a^4*c^3*d^4 - 1024*a^3*b*c^4*d^3 + 1536*a^2*b^2*c^5*d^2 - 1024*a*b^3*c^6*d) + (384*a^3*b^4*c^4*d
\end{aligned}$$

$$\begin{aligned} &^6*x)/(256*b^4*c^7 + 256*a^4*c^3*d^4 - 1024*a^3*b*c^4*d^3 + 1536*a^2*b^2*c^5*d^2 - 1024*a*b^3*c^6*d) + (384*a^4*b^3*c^3*d^7*x)/(256*b^4*c^7 + 256*a^4*c^3*d^4 - 1024*a^3*b*c^4*d^3 + 1536*a^2*b^2*c^5*d^2 - 1024*a*b^3*c^6*d) - (768*a^5*b^2*c^2*d^8*x)/(256*b^4*c^7 + 256*a^4*c^3*d^4 - 1024*a^3*b*c^4*d^3 + 1536*a^2*b^2*c^5*d^2 - 1024*a*b^3*c^6*d) + (512*a^6*b*c*d^9*x)/(256*b^4*c^7 + 256*a^4*c^3*d^4 - 1024*a^3*b*c^4*d^3 + 1536*a^2*b^2*c^5*d^2 - 1024*a*b^3*c^6*d) + (512*a*b^6*c^6*d^4*x)/(256*b^4*c^7 + 256*a^4*c^3*d^4 - 1024*a^3*b*c^4*d^3 + 1536*a^2*b^2*c^5*d^2 - 1024*a*b^3*c^6*d) / ((-d^3/(256*b^4*c^7 + 256*a^4*c^3*d^4 - 1024*a^3*b*c^4*d^3 + 1536*a^2*b^2*c^5*d^2 - 1024*a*b^3*c^6*d))^(1/4) * ((d^3*(512*a*b^7*c^8 + 512*a^8*c*d^7 - 2560*a^2*b^6*c^7*d - 2560*a^7*b*c^2*d^6 + 4608*a^3*b^5*c^6*d^2 - 2560*a^4*b^4*c^5*d^3 - 2560*a^5*b^3*c^4*d^4 + 4608*a^6*b^2*c^3*d^5))/(256*b^4*c^7 + 256*a^4*c^3*d^4 - 1024*a^3*b*c^4*d^3 + 1536*a^2*b^2*c^5*d^2 - 1024*a*b^3*c^6*d) + 2*a^2*b^2*d^4 + 2*b^4*c^2*d^2 - 4*a*b^3*c*d^3)) * (-d^3/(256*b^4*c^7 + 256*a^4*c^3*d^4 - 1024*a^3*b*c^4*d^3 + 1536*a^2*b^2*c^5*d^2 - 1024*a*b^3*c^6*d))^(1/4) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**4+a)/(d*x**4+c),x)

[Out] Timed out

$$3.102 \quad \int \frac{1}{(a+bx^4)(c+dx^4)^2} dx$$

Optimal. Leaf size=513

$$\frac{b^{7/4} \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4}(bc-ad)^2} + \frac{b^{7/4} \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4}(bc-ad)^2} - \frac{b^{7/4} \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4}(bc-ad)^2} + \frac{b^{7/4} \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4}(bc-ad)^2}$$

Rubi [A] time = 0.42, antiderivative size = 513, normalized size of antiderivative = 1.00, number of steps used = 20, number of rules used = 8, integrand size = 19, number of rules / integrand size = 0.421, Rules used = {414, 522, 211, 1165, 628, 1162, 617, 204}

$$\frac{b^{7/4} \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4}(bc-ad)^2} + \frac{b^{7/4} \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4}(bc-ad)^2} - \frac{b^{7/4} \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4}(bc-ad)^2} + \frac{b^{7/4} \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4}(bc-ad)^2} + \frac{d^{3/4}(7bc-3ad) \log\left(-\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{16\sqrt{2} c^{3/4}(bc-ad)^2} - \frac{d^{3/4}(7bc-3ad) \log\left(\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{16\sqrt{2} c^{3/4}(bc-ad)^2} + \frac{d^{3/4}(7bc-3ad) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}}\right)}{8\sqrt{2} c^{3/4}(bc-ad)^2} - \frac{d^{3/4}(7bc-3ad) \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{d} x}{\sqrt[4]{c}}\right)}{8\sqrt{2} c^{3/4}(bc-ad)^2} - \frac{dx}{4(c+dx^4)(bc-ad)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^4)*(c + d*x^4)^2), x]

[Out] $-(d*x)/(4*c*(b*c - a*d)*(c + d*x^4)) - (b^{(7/4)}*ArcTan[1 - (Sqrt[2]*b^{(1/4)}*x)/a^{(1/4)}])/(2*Sqrt[2]*a^{(3/4)}*(b*c - a*d)^2) + (b^{(7/4)}*ArcTan[1 + (Sqrt[2]*b^{(1/4)}*x)/a^{(1/4)}])/(2*Sqrt[2]*a^{(3/4)}*(b*c - a*d)^2) + (d^{(3/4)}*(7*b*c - 3*a*d)*ArcTan[1 - (Sqrt[2]*d^{(1/4)}*x)/c^{(1/4)}])/(8*Sqrt[2]*c^{(7/4)}*(b*c - a*d)^2) - (d^{(3/4)}*(7*b*c - 3*a*d)*ArcTan[1 + (Sqrt[2]*d^{(1/4)}*x)/c^{(1/4)}])/(8*Sqrt[2]*c^{(7/4)}*(b*c - a*d)^2) - (b^{(7/4)}*Log[Sqrt[a] - Sqrt[2]*a^{(1/4)}*b^{(1/4)}*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^{(3/4)}*(b*c - a*d)^2) + (b^{(7/4)}*Log[Sqrt[a] + Sqrt[2]*a^{(1/4)}*b^{(1/4)}*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^{(3/4)}*(b*c - a*d)^2) + (d^{(3/4)}*(7*b*c - 3*a*d)*Log[Sqrt[c] - Sqrt[2]*c^{(1/4)}*d^{(1/4)}*x + Sqrt[d]*x^2])/(16*Sqrt[2]*c^{(7/4)}*(b*c - a*d)^2) - (d^{(3/4)}*(7*b*c - 3*a*d)*Log[Sqrt[c] + Sqrt[2]*c^{(1/4)}*d^{(1/4)}*x + Sqrt[d]*x^2])/(16*Sqrt[2]*c^{(7/4)}*(b*c - a*d)^2)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &&

AtomQ[SplitProduct[SumBaseQ, b]])

Rule 414

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && !(IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c, d, n, p, q, x]

Rule 522

Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre

eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{(a+bx^4)(c+dx^4)^2} dx &= -\frac{dx}{4c(bc-ad)(c+dx^4)} + \frac{\int \frac{4bc-3ad-3bdx^4}{(a+bx^4)(c+dx^4)} dx}{4c(bc-ad)} \\
 &= -\frac{dx}{4c(bc-ad)(c+dx^4)} + \frac{b^2 \int \frac{1}{a+bx^4} dx}{(bc-ad)^2} - \frac{(d(7bc-3ad)) \int \frac{1}{c+dx^4} dx}{4c(bc-ad)^2} \\
 &= -\frac{dx}{4c(bc-ad)(c+dx^4)} + \frac{b^2 \int \frac{\sqrt{a}-\sqrt{b}x^2}{a+bx^4} dx}{2\sqrt{a}(bc-ad)^2} + \frac{b^2 \int \frac{\sqrt{a}+\sqrt{b}x^2}{a+bx^4} dx}{2\sqrt{a}(bc-ad)^2} - \frac{(d(7bc-3ad)) \int}{8c^{3/2}(bc-} \\
 &= -\frac{dx}{4c(bc-ad)(c+dx^4)} + \frac{b^{3/2} \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{4\sqrt{a}(bc-ad)^2} + \frac{b^{3/2} \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{4\sqrt{a}(bc-ad)^2} - \frac{b^{7/4}}{4\sqrt{2}a^{3/4}} \\
 &= -\frac{dx}{4c(bc-ad)(c+dx^4)} - \frac{b^{7/4} \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{4\sqrt{2}a^{3/4}(bc-ad)^2} + \frac{b^{7/4} \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{4\sqrt{2}a^{3/4}(bc-ad)^2} \\
 &= -\frac{dx}{4c(bc-ad)(c+dx^4)} - \frac{b^{7/4} \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}(bc-ad)^2} + \frac{b^{7/4} \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}(bc-ad)^2} + \frac{d^{3/4}}{4\sqrt{2}a^{3/4}}
 \end{aligned}$$

Mathematica [A] time = 0.33, size = 498, normalized size = 0.97

$$\frac{8\sqrt[4]{a} \sqrt[4]{c} (d(-bc+a)x - 8\sqrt{2} b^{7/4} c^{7/4} (c+dx^4) \operatorname{ArcTan}\left[1 - \frac{\sqrt{2} b^{1/4} x}{a^{1/4}}\right] + 8\sqrt{2} b^{7/4} c^{7/4} (c+dx^4) \operatorname{ArcTan}\left[1 + \frac{\sqrt{2} b^{1/4} x}{a^{1/4}}\right] - 2\sqrt{2} a^{3/4} d^{3/4} (-7bc+3ad)(c+dx^4) \operatorname{ArcTan}\left[1 - \frac{\sqrt{2} d^{1/4} x}{c^{1/4}}\right] + 2\sqrt{2} a^{3/4} d^{3/4} (-7bc+3ad)(c+dx^4) \operatorname{ArcTan}\left[1 + \frac{\sqrt{2} d^{1/4} x}{c^{1/4}}\right] - 4\sqrt{2} b^{7/4} c^{7/4} (c+dx^4) \operatorname{Log}\left[\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2\right] + 4\sqrt{2} b^{7/4} c^{7/4} (c+dx^4) \operatorname{Log}\left[\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2\right] + d^{3/4}}{4\sqrt{2} a^{3/4} (bc-ad)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^4)*(c + d*x^4)^2), x]

[Out] (8*a^(3/4)*c^(3/4)*d*(-(b*c) + a*d)*x - 8*Sqrt[2]*b^(7/4)*c^(7/4)*(c + d*x^4)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 8*Sqrt[2]*b^(7/4)*c^(7/4)*(c + d*x^4)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - 2*Sqrt[2]*a^(3/4)*d^(3/4)*(-7*b*c + 3*a*d)*(c + d*x^4)*ArcTan[1 - (Sqrt[2]*d^(1/4)*x)/c^(1/4)] + 2*Sqrt[2]*a^(3/4)*d^(3/4)*(-7*b*c + 3*a*d)*(c + d*x^4)*ArcTan[1 + (Sqrt[2]*d^(1/4)*x)/c^(1/4)] - 4*Sqrt[2]*b^(7/4)*c^(7/4)*(c + d*x^4)*Log[Sqrt[a] - Sqrt[2]*sqrt[4]{a}*sqrt[4]{b}*x + sqrt{b}*x^2] + 4*Sqrt[2]*b^(7/4)*c^(7/4)*(c + d*x^4)*Log[Sqrt[a] + Sqrt[2]*sqrt[4]{a}*sqrt[4]{b}*x + sqrt{b}*x^2] + d^(3/4)

$[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2] + 4*\text{Sqrt}[2]*b^{(7/4)}*c^{(7/4)}*(c + d*x^4)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2] + \text{Sqrt}[2]*a^{(3/4)}*d^{(3/4)}*(7*b*c - 3*a*d)*(c + d*x^4)*\text{Log}[\text{Sqrt}[c] - \text{Sqrt}[2]*c^{(1/4)}*d^{(1/4)}*x + \text{Sqrt}[d]*x^2] + \text{Sqrt}[2]*a^{(3/4)}*d^{(3/4)}*(-7*b*c + 3*a*d)*(c + d*x^4)*\text{Log}[\text{Sqrt}[c] + \text{Sqrt}[2]*c^{(1/4)}*d^{(1/4)}*x + \text{Sqrt}[d]*x^2)]/(32*a^{(3/4)}*c^{(7/4)}*(b*c - a*d)^2*(c + d*x^4))$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^4)(c + dx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/((a + b*x^4)*(c + d*x^4)^2), x]

[Out] IntegrateAlgebraic[1/((a + b*x^4)*(c + d*x^4)^2), x]

fricas [B] time = 58.70, size = 3299, normalized size = 6.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)/(d*x^4+c)^2,x, algorithm="fricas")

[Out] $\frac{1}{16}*(4*((b*c^2*d - a*c*d^2)*x^4 + b*c^3 - a*c^2*d)*(-(2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6 + 81*a^4*d^7)/(b^8*c^15 - 8*a*b^7*c^14*d + 28*a^2*b^6*c^13*d^2 - 56*a^3*b^5*c^12*d^3 + 70*a^4*b^4*c^11*d^4 - 56*a^5*b^3*c^10*d^5 + 28*a^6*b^2*c^9*d^6 - 8*a^7*b*c^8*d^7 + a^8*c^7*d^8))^{(1/4)}*\arctan(((b^6*c^11 - 6*a*b^5*c^10*d + 15*a^2*b^4*c^9*d^2 - 20*a^3*b^3*c^8*d^3 + 15*a^4*b^2*c^7*d^4 - 6*a^5*b*c^6*d^5 + a^6*c^5*d^6)*x*(-(2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6 + 81*a^4*d^7)/(b^8*c^15 - 8*a*b^7*c^14*d + 28*a^2*b^6*c^13*d^2 - 56*a^3*b^5*c^12*d^3 + 70*a^4*b^4*c^11*d^4 - 56*a^5*b^3*c^10*d^5 + 28*a^6*b^2*c^9*d^6 - 8*a^7*b*c^8*d^7 + a^8*c^7*d^8)))^{(3/4)} - (b^6*c^11 - 6*a*b^5*c^10*d + 15*a^2*b^4*c^9*d^2 - 20*a^3*b^3*c^8*d^3 + 15*a^4*b^2*c^7*d^4 - 6*a^5*b*c^6*d^5 + a^6*c^5*d^6)*(-(2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6 + 81*a^4*d^7)/(b^8*c^15 - 8*a*b^7*c^14*d + 28*a^2*b^6*c^13*d^2 - 56*a^3*b^5*c^12*d^3 + 70*a^4*b^4*c^11*d^4 - 56*a^5*b^3*c^10*d^5 + 28*a^6*b^2*c^9*d^6 - 8*a^7*b*c^8*d^7 + a^8*c^7*d^8))^{(3/4)}*\sqrt{((49*b^2*c^2*d^2 - 42*a*b*c*d^3 + 9*a^2*d^4)*x^2 + (b^4*c^8 - 4*a*b^3*c^7*d + 6*a^2*b^2*c^6*d^2 - 4*a^3*b*c^5*d^3 + a^4*c^4*d^4)*\sqrt{-(2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6 + 81*a^4*d^7)/(b^8*c^15 - 8*a*b^7*c^14*d + 28*a^2*b^6*c^13*d^2 - 56*a^3*b^5*c^12*d^3 + 70*a^4*b^4*c^11*d^4 - 56*a^5*b^3*c^10*d^5 + 28*a^6*b^2*c^9*d^6 - 8*a^7*b*c^8*d^7 + a^8*c^7*d^8)))/(49*b^2*c^2*d^2 - 42*a*b*c*d^3 + 9*a^2*d^4)}$

$$(8*a^7*b*c^8*d^7 + a^8*c^7*d^8)^{(1/4)} - 4*d*x)/((b*c^2*d - a*c*d^2)*x^4 + b*c^3 - a*c^2*d)$$

giac [A] time = 0.19, size = 667, normalized size = 1.30

$$\frac{(a^7)^{\frac{1}{4}} \arctan\left(\frac{\sqrt{c^2-d} \sqrt{d}}{2cd}\right)}{2(\sqrt{8}a^7c^2 - 2\sqrt{2}a^7cd + \sqrt{2}d^2)^{\frac{1}{4}}} + \frac{(a^7)^{\frac{1}{4}} b \arctan\left(\frac{\sqrt{c^2-d} \sqrt{d}}{2cd}\right)}{2(\sqrt{2}a^7c^2 - 2\sqrt{2}a^7cd + \sqrt{2}d^2)^{\frac{1}{4}}} + \frac{(a^7)^{\frac{1}{4}} b \log\left(x^2 + \sqrt{2}x\left(\frac{d}{c}\right) + \sqrt{2}\right)}{4(\sqrt{2}a^7c^2 - 2\sqrt{2}a^7cd + \sqrt{2}d^2)^{\frac{1}{4}}} + \frac{(a^7)^{\frac{1}{4}} b \log\left(x^2 - \sqrt{2}x\left(\frac{d}{c}\right) + \sqrt{2}\right)}{4(\sqrt{2}a^7c^2 - 2\sqrt{2}a^7cd + \sqrt{2}d^2)^{\frac{1}{4}}} + \frac{\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} b c - 3(a^7)^{\frac{1}{4}} a d \arctan\left(\frac{\sqrt{c^2-d} \sqrt{d}}{2cd}\right)}{8(\sqrt{2}a^7c^2 - 2\sqrt{2}a^7cd + \sqrt{2}d^2)^{\frac{1}{4}}} + \frac{\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} b^2 c - 3(a^7)^{\frac{1}{4}} a d \arctan\left(\frac{\sqrt{c^2-d} \sqrt{d}}{2cd}\right)}{8(\sqrt{2}a^7c^2 - 2\sqrt{2}a^7cd + \sqrt{2}d^2)^{\frac{1}{4}}} + \frac{\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} b^2 c - 3(a^7)^{\frac{1}{4}} a d \log\left(x^2 + \sqrt{2}x\left(\frac{d}{c}\right) + \sqrt{2}\right)}{16(\sqrt{2}a^7c^2 - 2\sqrt{2}a^7cd + \sqrt{2}d^2)^{\frac{1}{4}}} + \frac{\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} b^2 c - 3(a^7)^{\frac{1}{4}} a d \log\left(x^2 - \sqrt{2}x\left(\frac{d}{c}\right) + \sqrt{2}\right)}{16(\sqrt{2}a^7c^2 - 2\sqrt{2}a^7cd + \sqrt{2}d^2)^{\frac{1}{4}}} + \frac{d}{4(a^7)^{\frac{1}{4}}(b^3 - a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)/(d*x^4+c)^2,x, algorithm="giac")

[Out] $\frac{1}{2}*(a*b^3)^{(1/4)}*b*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a/b)^{(1/4)}/(\sqrt{2}*a*b^2*c^2 - 2*\sqrt{2}*a^2*b*c*d + \sqrt{2}*a^3*d^2) + \frac{1}{2}*(a*b^3)^{(1/4)}*b*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a/b)^{(1/4)}/(\sqrt{2}*a*b^2*c^2 - 2*\sqrt{2}*a^2*b*c*d + \sqrt{2}*a^3*d^2) + \frac{1}{4}*(a*b^3)^{(1/4)}*b*\log(x^2 + \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{2}*(a/b)^{(1/4)})/(\sqrt{2}*a*b^2*c^2 - 2*\sqrt{2}*a^2*b*c*d + \sqrt{2}*a^3*d^2) - \frac{1}{4}*(a*b^3)^{(1/4)}*b*\log(x^2 - \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{2}*(a/b)^{(1/4)})/(\sqrt{2}*a*b^2*c^2 - 2*\sqrt{2}*a^2*b*c*d + \sqrt{2}*a^3*d^2) - \frac{1}{8}*(7*(c*d^3)^{(1/4)}*b*c - 3*(c*d^3)^{(1/4)}*a*d)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(c/d)^{(1/4)})/(c/d)^{(1/4)})/(\sqrt{2}*b^2*c^4 - 2*\sqrt{2}*a*b*c^3*d + \sqrt{2}*a^2*c^2*d^2) - \frac{1}{8}*(7*(c*d^3)^{(1/4)}*b*c - 3*(c*d^3)^{(1/4)}*a*d)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(c/d)^{(1/4)})/(c/d)^{(1/4)})/(\sqrt{2}*b^2*c^4 - 2*\sqrt{2}*a*b*c^3*d + \sqrt{2}*a^2*c^2*d^2) - \frac{1}{16}*(7*(c*d^3)^{(1/4)}*b*c - 3*(c*d^3)^{(1/4)}*a*d)*\log(x^2 + \sqrt{2}*x*(c/d)^{(1/4)} + \sqrt{2}*(c/d)^{(1/4)})/(\sqrt{2}*b^2*c^4 - 2*\sqrt{2}*a*b*c^3*d + \sqrt{2}*a^2*c^2*d^2) + \frac{1}{16}*(7*(c*d^3)^{(1/4)}*b*c - 3*(c*d^3)^{(1/4)}*a*d)*\log(x^2 - \sqrt{2}*x*(c/d)^{(1/4)} + \sqrt{2}*(c/d)^{(1/4)})/(\sqrt{2}*b^2*c^4 - 2*\sqrt{2}*a*b*c^3*d + \sqrt{2}*a^2*c^2*d^2) - \frac{1}{4}d*x/((d*x^4 + c)*(b*c^2 - a*c*d))$

maple [A] time = 0.06, size = 550, normalized size = 1.07

$$\frac{a^7 d^2}{4(ad-bc^2)(d^2+c)} + \frac{b d^2}{4(ad-bc^2)(d^2+c)} + \frac{3\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} a^7 b \arctan\left(\frac{\sqrt{2}x-1}{\left(\frac{d}{c}\right)^{\frac{1}{4}}}\right)}{16(ad-bc^2)^{\frac{1}{4}}} + \frac{3\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} a^7 b \arctan\left(\frac{\sqrt{2}x+1}{\left(\frac{d}{c}\right)^{\frac{1}{4}}}\right)}{16(ad-bc^2)^{\frac{1}{4}}} + \frac{3\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} a^7 b \ln\left(\frac{\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{2}}{\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} x - \sqrt{2}}\right)}{32(ad-bc^2)^{\frac{1}{4}}} + \frac{\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} b^2 \arctan\left(\frac{\sqrt{2}x-1}{\left(\frac{d}{c}\right)^{\frac{1}{4}}}\right)}{4(ad-bc^2)^{\frac{1}{4}}} + \frac{\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} b^2 \arctan\left(\frac{\sqrt{2}x+1}{\left(\frac{d}{c}\right)^{\frac{1}{4}}}\right)}{4(ad-bc^2)^{\frac{1}{4}}} + \frac{\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} b^2 \ln\left(\frac{\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{2}}{\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} x - \sqrt{2}}\right)}{8(ad-bc^2)^{\frac{1}{4}}} + \frac{7\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} b^2 \arctan\left(\frac{\sqrt{2}x-1}{\left(\frac{d}{c}\right)^{\frac{1}{4}}}\right)}{16(ad-bc^2)^{\frac{1}{4}}} + \frac{7\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} b^2 \arctan\left(\frac{\sqrt{2}x+1}{\left(\frac{d}{c}\right)^{\frac{1}{4}}}\right)}{16(ad-bc^2)^{\frac{1}{4}}} + \frac{7\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} b^2 \ln\left(\frac{\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{2}}{\left(\frac{d}{c}\right)^{\frac{1}{4}} \sqrt{2} x - \sqrt{2}}\right)}{32(ad-bc^2)^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^4+a)/(d*x^4+c)^2,x)

[Out] $\frac{1}{4}d^2/(a*d-b*c)^2/c*x/(d*x^4+c)*a-1/4*d/(a*d-b*c)^2*x/(d*x^4+c)*b+3/16*d^2/(a*d-b*c)^2/c^2*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(c/d)^{(1/4)}*x-1)*a-7/16*d/(a*d-b*c)^2/c*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(c/d)^{(1/4)}*x-1)*b+3/32*d^2/(a*d-b*c)^2/c^2*(c/d)^{(1/4)}*2^{(1/2)}*\ln((x^2+(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)})/(x^2-(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)}))*a-7/32*d/(a*d-b*c)^2/c*(c/d)^{(1/4)}*2^{(1/2)}*\ln((x^2+(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)})/(x^2-(c/d)^{(1/4)}*2^{(1/2)}*x+(c/d)^{(1/2)}))*b+3/16*d^2/(a*d-b*c)^2/c^2*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(c/d)^{(1/4)}*x+1)*a-7/16*d/(a*d-b*c)^2/c*(c/d)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(c/d)^{(1/4)}*x+1)*b+1/8*b^2/(a*d-b*c)^2*(a/b)^{(1/4)}/a*2^{(1/2)}$

$$\ln((x^2+(a/b)^{1/4} \cdot 2^{1/2} \cdot x + (a/b)^{1/2}) / (x^2 - (a/b)^{1/4} \cdot 2^{1/2} \cdot x + (a/b)^{1/2})) + 1/4 \cdot b^2 / (a \cdot d - b \cdot c)^2 \cdot (a/b)^{1/4} / a \cdot 2^{1/2} \cdot \arctan(2^{1/2} / (a/b)^{1/4} \cdot x + 1) + 1/4 \cdot b^2 / (a \cdot d - b \cdot c)^2 \cdot (a/b)^{1/4} / a \cdot 2^{1/2} \cdot \arctan(2^{1/2} / (a/b)^{1/4} \cdot x - 1)$$

maxima [A] time = 1.57, size = 481, normalized size = 0.94

$$\frac{dx}{4((bc^2d - ac^2d)^2 + bc^3 - ac^2d)} \cdot \frac{2\sqrt{2} \arctan\left(\frac{\sqrt{a}\sqrt{b}\sqrt{c}\sqrt{d}}{2\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{b}\sqrt{c}} + \frac{2\sqrt{2} \arctan\left(\frac{\sqrt{a}\sqrt{b}\sqrt{c}\sqrt{d}}{2\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{b}\sqrt{c}} + \frac{\sqrt{2} \log\left(\frac{\sqrt{a}\sqrt{b}\sqrt{c}\sqrt{d}}{\sqrt{a}\sqrt{b}\sqrt{c}}\right)}{d^2} - \frac{\sqrt{2} \log\left(\frac{\sqrt{a}\sqrt{b}\sqrt{c}\sqrt{d}}{\sqrt{a}\sqrt{b}\sqrt{c}}\right)}{d^2} + \frac{2\sqrt{2} \arctan\left(\frac{\sqrt{a}\sqrt{b}\sqrt{c}\sqrt{d}}{2\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{b}\sqrt{c}} + \frac{2\sqrt{2} \arctan\left(\frac{\sqrt{a}\sqrt{b}\sqrt{c}\sqrt{d}}{2\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{b}\sqrt{c}} + \frac{\sqrt{2} \log\left(\frac{\sqrt{a}\sqrt{b}\sqrt{c}\sqrt{d}}{\sqrt{a}\sqrt{b}\sqrt{c}}\right)}{d^2} - \frac{\sqrt{2} \log\left(\frac{\sqrt{a}\sqrt{b}\sqrt{c}\sqrt{d}}{\sqrt{a}\sqrt{b}\sqrt{c}}\right)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)/(d*x^4+c)^2,x, algorithm="maxima")

[Out]
$$-1/4 \cdot d \cdot x / ((b \cdot c^2 \cdot d - a \cdot c \cdot d^2) \cdot x^4 + b \cdot c^3 - a \cdot c^2 \cdot d) + 1/8 \cdot (2 \cdot \sqrt{2}) \cdot b^2 \cdot a \cdot \arctan(1/2 \cdot \sqrt{2} \cdot (2 \cdot \sqrt{2} \cdot \sqrt{b} \cdot x + \sqrt{2}) \cdot a^{1/4} \cdot b^{1/4}) / \sqrt{a} \cdot \sqrt{b} / (\sqrt{a} \cdot \sqrt{b}) + 2 \cdot \sqrt{2} \cdot b^2 \cdot \arctan(1/2 \cdot \sqrt{2} \cdot (2 \cdot \sqrt{2} \cdot \sqrt{b} \cdot x - \sqrt{2}) \cdot a^{1/4} \cdot b^{1/4}) / \sqrt{a} \cdot \sqrt{b} / (\sqrt{a} \cdot \sqrt{b}) + \sqrt{2} \cdot b^{7/4} \cdot \log(\sqrt{b} \cdot x^2 + \sqrt{2}) \cdot a^{1/4} \cdot b^{1/4} \cdot x + \sqrt{a}) / a^{3/4} - \sqrt{2} \cdot b^{7/4} \cdot \log(\sqrt{b} \cdot x^2 - \sqrt{2}) \cdot a^{1/4} \cdot b^{1/4} \cdot x + \sqrt{a}) / a^{3/4} / (b^2 \cdot c^2 - 2 \cdot a \cdot b \cdot c \cdot d + a^2 \cdot d^2) - 1/32 \cdot (2 \cdot \sqrt{2}) \cdot (7 \cdot b \cdot c \cdot d - 3 \cdot a \cdot d^2) \cdot \arctan(1/2 \cdot \sqrt{2} \cdot (2 \cdot \sqrt{2} \cdot \sqrt{d} \cdot x + \sqrt{2}) \cdot c^{1/4} \cdot d^{1/4}) / \sqrt{c} \cdot \sqrt{d} / (\sqrt{c} \cdot \sqrt{d}) + 2 \cdot \sqrt{2} \cdot (7 \cdot b \cdot c \cdot d - 3 \cdot a \cdot d^2) \cdot \arctan(1/2 \cdot \sqrt{2} \cdot (2 \cdot \sqrt{2} \cdot \sqrt{d} \cdot x - \sqrt{2}) \cdot c^{1/4} \cdot d^{1/4}) / \sqrt{c} \cdot \sqrt{d} / (\sqrt{c} \cdot \sqrt{d}) + \sqrt{2} \cdot (7 \cdot b \cdot c \cdot d - 3 \cdot a \cdot d^2) \cdot \log(\sqrt{d} \cdot x^2 + \sqrt{2}) \cdot c^{1/4} \cdot d^{1/4} \cdot x + \sqrt{c}) / (c^{3/4} \cdot d^{1/4}) - \sqrt{2} \cdot (7 \cdot b \cdot c \cdot d - 3 \cdot a \cdot d^2) \cdot \log(\sqrt{d} \cdot x^2 - \sqrt{2}) \cdot c^{1/4} \cdot d^{1/4} \cdot x + \sqrt{c}) / (c^{3/4} \cdot d^{1/4}) / (b^2 \cdot c^3 - 2 \cdot a \cdot b \cdot c^2 \cdot d + a^2 \cdot c \cdot d^2)$$

mupad [B] time = 4.00, size = 21975, normalized size = 42.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^4)*(c + d*x^4)^2),x)

[Out]
$$2 \cdot \operatorname{atan}\left(\frac{(-81 \cdot a^4 \cdot d^7 + 2401 \cdot b^4 \cdot c^4 \cdot d^3 - 4116 \cdot a \cdot b^3 \cdot c^3 \cdot d^4 + 2646 \cdot a^2 \cdot b^2 \cdot c^2 \cdot d^5 - 756 \cdot a^3 \cdot b \cdot c \cdot d^6) / (65536 \cdot b^8 \cdot c^{15} + 65536 \cdot a^8 \cdot c^7 \cdot d^8 - 524288 \cdot a^7 \cdot b \cdot c^8 \cdot d^7 + 1835008 \cdot a^2 \cdot b^6 \cdot c^{13} \cdot d^2 - 3670016 \cdot a^3 \cdot b^5 \cdot c^{12} \cdot d^3 + 4587520 \cdot a^4 \cdot b^4 \cdot c^{11} \cdot d^4 - 3670016 \cdot a^5 \cdot b^3 \cdot c^{10} \cdot d^5 + 1835008 \cdot a^6 \cdot b^2 \cdot c^9 \cdot d^6 - 524288 \cdot a \cdot b^7 \cdot c^{14} \cdot d)}{(-81 \cdot a^4 \cdot d^7 + 2401 \cdot b^4 \cdot c^4 \cdot d^3 - 4116 \cdot a \cdot b^3 \cdot c^3 \cdot d^4 + 2646 \cdot a^2 \cdot b^2 \cdot c^2 \cdot d^5 - 756 \cdot a^3 \cdot b \cdot c \cdot d^6) / (65536 \cdot b^8 \cdot c^{15} + 65536 \cdot a^8 \cdot c^7 \cdot d^8 - 524288 \cdot a^7 \cdot b \cdot c^8 \cdot d^7 + 1835008 \cdot a^2 \cdot b^6 \cdot c^{13} \cdot d^2 - 3670016 \cdot a^3 \cdot b^5 \cdot c^{12} \cdot d^3 + 4587520 \cdot a^4 \cdot b^4 \cdot c^{11} \cdot d^4 - 3670016 \cdot a^5 \cdot b^3 \cdot c^{10} \cdot d^5 + 1835008 \cdot a^6 \cdot b^2 \cdot c^9 \cdot d^6 - 524288 \cdot a \cdot b^7 \cdot c^{14} \cdot d)}\right) \cdot \left(\frac{(81 \cdot a^4 \cdot b^7 \cdot d^{10}) / 16 + 28 \cdot b^{11} \cdot c^4 \cdot d^6 - (2145 \cdot a \cdot b^{10} \cdot c^3 \cdot d^7) / 16 - (675 \cdot a^3 \cdot b^8 \cdot c \cdot d^9) / 16 + (1971 \cdot a \cdot b^8 \cdot c^2 \cdot d^8) / 16 - (1971 \cdot a^2 \cdot b^7 \cdot c^2 \cdot d^7) / 16 - (1971 \cdot a^3 \cdot b^6 \cdot c^3 \cdot d^6) / 16 - (1971 \cdot a^4 \cdot b^5 \cdot c^4 \cdot d^5) / 16 - (1971 \cdot a^5 \cdot b^4 \cdot c^5 \cdot d^4) / 16 - (1971 \cdot a^6 \cdot b^3 \cdot c^6 \cdot d^3) / 16 - (1971 \cdot a^7 \cdot b^2 \cdot c^7 \cdot d^2) / 16 - (1971 \cdot a^8 \cdot b \cdot c^8 \cdot d) / 16 - (1971 \cdot a^9 \cdot c^9) / 16 - (1971 \cdot a^{10} \cdot c^{10}) / 16 - (1971 \cdot a^{11} \cdot c^{11}) / 16 - (1971 \cdot a^{12} \cdot c^{12}) / 16 - (1971 \cdot a^{13} \cdot c^{13}) / 16 - (1971 \cdot a^{14} \cdot c^{14}) / 16 - (1971 \cdot a^{15} \cdot c^{15}) / 16\right)$$

$$\begin{aligned}
& \left(\frac{2b^9c^2d^8}{16} \right) * i) / (b^3c^7 - a^3c^4d^3 + 3a^2b^5c^2d^2 - 3ab^2c^6d) + (- (81a^4d^7 + 2401b^4c^4d^3 - 4116ab^3c^3d^4 + 2646a^2b^2c^2d^5 - 756a^3b^3c^3d^6) / (65536b^8c^15 + 65536a^8c^7d^8 - 524288a^7b^5c^8d^7 + 1835008a^2b^6c^13d^2 - 3670016a^3b^5c^12d^3 + 4587520a^4b^4c^11d^4 - 3670016a^5b^3c^10d^5 + 1835008a^6b^2c^9d^6 - 524288ab^7c^14d))^{3/4} * (((- (81a^4d^7 + 2401b^4c^4d^3 - 4116ab^3c^3d^4 + 2646a^2b^2c^2d^5 - 756a^3b^3c^3d^6) / (65536b^8c^15 + 65536a^8c^7d^8 - 524288a^7b^5c^8d^7 + 1835008a^2b^6c^13d^2 - 3670016a^3b^5c^12d^3 + 4587520a^4b^4c^11d^4 - 3670016a^5b^3c^10d^5 + 1835008a^6b^2c^9d^6 - 524288ab^7c^14d))^{1/4} * (28672a^2b^13c^13d^5 - 4096ab^14c^14d^4 - 78848a^3b^12c^12d^6 + 90112a^4b^11c^11d^7 + 28672a^5b^10c^10d^8 - 229376a^6b^9c^9d^9 + 329728a^7b^8c^8d^10 - 253952a^8b^7c^7d^11 + 114688a^9b^6c^6d^12 - 28672a^10b^5c^5d^13 + 3072a^11b^4c^4d^14) / (b^3c^7 - a^3c^4d^3 + 3a^2b^5c^2d^2 - 3ab^2c^6d) - (x * (65536b^17c^15d^4 - 524288ab^16c^14d^5 + 1835008a^2b^15c^13d^6 - 3469312a^3b^14c^12d^7 + 2809856a^4b^13c^11d^8 + 3362816a^5b^12c^10d^9 - 14516224a^6b^11c^9d^10 + 24190976a^7b^10c^8d^11 - 25280512a^8b^9c^7d^12 + 17833984a^9b^8c^6d^13 - 8486912a^10b^7c^5d^14 + 2609152a^11b^6c^4d^15 - 466944a^12b^5c^3d^16 + 36864a^13b^4c^2d^17) * i) / (64 * (b^6c^10 + a^6c^4d^6 - 6a^5b^5c^5d^5 + 15a^2b^4c^8d^2 - 20a^3b^3c^7d^3 + 15a^4b^2c^6d^4 - 6ab^5c^9d))) * i) + (x * (81a^4b^9d^11 + 3185b^13c^4d^7 - 4788ab^12c^3d^8 - 756a^3b^10c^2d^10 + 2790a^2b^11c^2d^9) / (64 * (b^6c^10 + a^6c^4d^6 - 6a^5b^5c^5d^5 + 15a^2b^4c^8d^2 - 20a^3b^3c^7d^3 + 15a^4b^2c^6d^4 - 6ab^5c^9d))) - (- (81a^4d^7 + 2401b^4c^4d^3 - 4116ab^3c^3d^4 + 2646a^2b^2c^2d^5 - 756a^3b^3c^3d^6) / (65536b^8c^15 + 65536a^8c^7d^8 - 524288a^7b^5c^8d^7 + 1835008a^2b^6c^13d^2 - 3670016a^3b^5c^12d^3 + 4587520a^4b^4c^11d^4 - 3670016a^5b^3c^10d^5 + 1835008a^6b^2c^9d^6 - 524288ab^7c^14d))^{1/4} * (((- (81a^4d^7 + 2401b^4c^4d^3 - 4116ab^3c^3d^4 + 2646a^2b^2c^2d^5 - 756a^3b^3c^3d^6) / (65536b^8c^15 + 65536a^8c^7d^8 - 524288a^7b^5c^8d^7 + 1835008a^2b^6c^13d^2 - 3670016a^3b^5c^12d^3 + 4587520a^4b^4c^11d^4 - 3670016a^5b^3c^10d^5 + 1835008a^6b^2c^9d^6 - 524288ab^7c^14d))^{1/4} * (((81a^4b^7d^10) / 16 + 28b^11c^4d^6 - (2145ab^10c^3d^7) / 16 - (675a^3b^8c^2d^9) / 16 + (1971a^2b^9c^2d^8) / 16) * i) / (b^3c^7 - a^3c^4d^3 + 3a^2b^5c^2d^2 - 3ab^2c^6d) + (- (81a^4d^7 + 2401b^4c^4d^3 - 4116ab^3c^3d^4 + 2646a^2b^2c^2d^5 - 756a^3b^3c^3d^6) / (65536b^8c^15 + 65536a^8c^7d^8 - 524288a^7b^5c^8d^7 + 1835008a^2b^6c^13d^2 - 3670016a^3b^5c^12d^3 + 4587520a^4b^4c^11d^4 - 3670016a^5b^3c^10d^5 + 1835008a^6b^2c^9d^6 - 524288ab^7c^14d))^{3/4} * (((- (81a^4d^7 + 2401b^4c^4d^3 - 4116ab^3c^3d^4 + 2646a^2b^2c^2d^5 - 756a^3b^3c^3d^6) / (65536b^8c^15 + 65536a^8c^7d^8 - 524288a^7b^5c^8d^7 + 1835008a^2b^6c^13d^2 - 3670016a^3b^5c^12d^3 + 4587520a^4b^4c^11d^4 - 3670016a^5b^3c^10d^5 + 1835008a^6b^2c^9d^6 - 524288ab^7c^14d))^{1/4} * (28672a^2b^13c^13d^5 - 4096ab^14c^14d^4 - 78848a^3b^12c^12d^6 + 9011
\end{aligned}$$

$$\begin{aligned}
& 2*a^4*b^{11}*c^{11}*d^7 + 28672*a^5*b^{10}*c^{10}*d^8 - 229376*a^6*b^9*c^9*d^9 + 32 \\
& 9728*a^7*b^8*c^8*d^{10} - 253952*a^8*b^7*c^7*d^{11} + 114688*a^9*b^6*c^6*d^{12} - \\
& 28672*a^{10}*b^5*c^5*d^{13} + 3072*a^{11}*b^4*c^4*d^{14})/(b^3*c^7 - a^3*c^4*d^3 \\
& + 3*a^2*b*c^5*d^2 - 3*a*b^2*c^6*d) + (x*(65536*b^{17}*c^{15}*d^4 - 524288*a*b^{16} \\
& *c^{14}*d^5 + 1835008*a^2*b^{15}*c^{13}*d^6 - 3469312*a^3*b^{14}*c^{12}*d^7 + 280985 \\
& 6*a^4*b^{13}*c^{11}*d^8 + 3362816*a^5*b^{12}*c^{10}*d^9 - 14516224*a^6*b^{11}*c^9*d^{10} \\
& + 24190976*a^7*b^{10}*c^8*d^{11} - 25280512*a^8*b^9*c^7*d^{12} + 17833984*a^9*b^8 \\
& *c^6*d^{13} - 8486912*a^{10}*b^7*c^5*d^{14} + 2609152*a^{11}*b^6*c^4*d^{15} - 46694 \\
& 4*a^{12}*b^5*c^3*d^{16} + 36864*a^{13}*b^4*c^2*d^{17})*1i)/(64*(b^6*c^{10} + a^6*c^4*d^6 \\
& - 6*a^5*b*c^5*d^5 + 15*a^2*b^4*c^8*d^2 - 20*a^3*b^3*c^7*d^3 + 15*a^4*b^2*c^6*d^4 \\
& - 6*a*b^5*c^9*d)))*1i) - (x*(81*a^4*b^9*d^{11} + 3185*b^{13}*c^4*d^7 \\
& - 4788*a*b^{12}*c^3*d^8 - 756*a^3*b^{10}*c*d^{10} + 2790*a^2*b^{11}*c^2*d^9))/(64*(\\
& b^6*c^{10} + a^6*c^4*d^6 - 6*a^5*b*c^5*d^5 + 15*a^2*b^4*c^8*d^2 - 20*a^3*b^3*c^7*d^3 \\
& + 15*a^4*b^2*c^6*d^4 - 6*a*b^5*c^9*d)))/((-81*a^4*d^7 + 2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 \\
& + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6)/(65536*b^8*c^{15} + 65536*a^8*c^7*d^8 - 524288*a^7*b*c^8*d^7 \\
& + 1835008*a^2*b^6*c^{13}*d^2 - 3670016*a^3*b^5*c^{12}*d^3 + 4587520*a^4*b^4*c^{11}*d^4 - 3670016*a^5*b^3*c^{10}*d^5 \\
& + 1835008*a^6*b^2*c^9*d^6 - 524288*a*b^7*c^{14}*d))^{(1/4)}*((-81*a^4*d^7 + 2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 \\
& + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6)/(65536*b^8*c^{15} + 65536*a^8*c^7*d^8 - 524288*a^7*b*c^8*d^7 \\
& + 1835008*a^2*b^6*c^{13}*d^2 - 3670016*a^3*b^5*c^{12}*d^3 + 4587520*a^4*b^4*c^{11}*d^4 - 3670016*a^5*b^3*c^{10}*d^5 \\
& + 1835008*a^6*b^2*c^9*d^6 - 524288*a*b^7*c^{14}*d))^{(1/4)}*((((-81*a^4*d^7 + 2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 \\
& + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6)/(65536*b^8*c^{15} + 65536*a^8*c^7*d^8 - 524288*a^7*b*c^8*d^7 \\
& + 1835008*a^2*b^6*c^{13}*d^2 - 3670016*a^3*b^5*c^{12}*d^3 + 4587520*a^4*b^4*c^{11}*d^4 - 3670016*a^5*b^3*c^{10}*d^5 \\
& + 1835008*a^6*b^2*c^9*d^6 - 524288*a*b^7*c^{14}*d))^{(1/4)}*(28672*a^2*b^{13}*c^{13}*d^5 - 4096*a*b^{14}*c^{14}*d^4 - 78848*a^3 \\
& *b^{12}*c^{12}*d^6 + 90112*a^4*b^{11}*c^{11}*d^7 + 28672*a^5*b^{10}*c^{10}*d^8 - 229376 \\
& *a^6*b^9*c^9*d^9 + 329728*a^7*b^8*c^8*d^{10} - 253952*a^8*b^7*c^7*d^{11} + 1146 \\
& 88*a^9*b^6*c^6*d^{12} - 28672*a^{10}*b^5*c^5*d^{13} + 3072*a^{11}*b^4*c^4*d^{14}))/ (b^3*c^7 - a^3*c^4*d^3 \\
& + 3*a^2*b*c^5*d^2 - 3*a*b^2*c^6*d) - (x*(65536*b^{17}*c^{15}*d^4 - 524288*a*b^{16}*c^{14}*d^5 + 1835008*a^2*b^{15}*c^{13}*d^6 \\
& - 3469312*a^3*b^{14}*c^{12}*d^7 + 2809856*a^4*b^{13}*c^{11}*d^8 + 3362816*a^5*b^{12}*c^{10}*d^9 - 1451 \\
& 6224*a^6*b^{11}*c^9*d^{10} + 24190976*a^7*b^{10}*c^8*d^{11} - 25280512*a^8*b^9*c^7*d^{12} + 17833984*a^9*b^8*c^6*d^{13} \\
& - 8486912*a^{10}*b^7*c^5*d^{14} + 2609152*a^{11}*b^6*c^4*d^{15} - 466944*a^{12}*b^5*c^3*d^{16} + 36864*a^{13}*b^4*c^2*d^{17})*1i)/(64 \\
& *(b^6*c^{10} + a^6*c^4*d^6 - 6*a^5*b*c^5*d^5 + 15*a^2*b^4*c^8*d^2 - 20*a^3*b^3*c^7*d^3 + 15*a^4*b^2*c^6*d^4 - 6*a*b^5*c^9*d)) \\
& *1i) + (x*(81*a^4*b^9*d^{11} + 3185*b^{13}*c^4*d^7 - 4788*a*b^{12}*c^3*d^8 - 756*a^3*b^{10}*c*d^{10} + 2790*a^2*b^{11}*c^2*d^9))
\end{aligned}$$

$$\begin{aligned}
& ^{11} + 3185*b^{13}*c^4*d^7 - 4788*a*b^{12}*c^3*d^8 - 756*a^3*b^{10}*c*d^{10} + 2790* \\
& a^2*b^{11}*c^2*d^9)*1i)/(64*(b^6*c^{10} + a^6*c^4*d^6 - 6*a^5*b*c^5*d^5 + 15*a^ \\
& 2*b^4*c^8*d^2 - 20*a^3*b^3*c^7*d^3 + 15*a^4*b^2*c^6*d^4 - 6*a*b^5*c^9*d)) \\
& + ((-81*a^4*d^7 + 2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 + 2646*a^2*b^2*c^2* \\
& d^5 - 756*a^3*b*c*d^6)/(65536*b^8*c^{15} + 65536*a^8*c^7*d^8 - 524288*a^7*b*c \\
& ^8*d^7 + 1835008*a^2*b^6*c^{13*d^2} - 3670016*a^3*b^5*c^{12*d^3} + 4587520*a^4* \\
& b^4*c^{11*d^4} - 3670016*a^5*b^3*c^{10*d^5} + 1835008*a^6*b^2*c^9*d^6 - 524288* \\
& a*b^7*c^{14*d}))^{(1/4)}*((-81*a^4*d^7 + 2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 \\
& + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6)/(65536*b^8*c^{15} + 65536*a^8*c^7* \\
& d^8 - 524288*a^7*b*c^8*d^7 + 1835008*a^2*b^6*c^{13*d^2} - 3670016*a^3*b^5*c^1 \\
& 2*d^3 + 4587520*a^4*b^4*c^{11*d^4} - 3670016*a^5*b^3*c^{10*d^5} + 1835008*a^6*b \\
& ^2*c^9*d^6 - 524288*a*b^7*c^{14*d}))^{(1/4)}*(((81*a^4*b^7*d^{10})/16 + 28*b^{11}* \\
& c^4*d^6 - (2145*a*b^{10}*c^3*d^7)/16 - (675*a^3*b^8*c*d^9)/16 + (1971*a^2*b^9 \\
& *c^2*d^8)/16)*1i)/(b^3*c^7 - a^3*c^4*d^3 + 3*a^2*b*c^5*d^2 - 3*a*b^2*c^6*d) \\
& + ((-81*a^4*d^7 + 2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 + 2646*a^2*b^2*c^2 \\
& *d^5 - 756*a^3*b*c*d^6)/(65536*b^8*c^{15} + 65536*a^8*c^7*d^8 - 524288*a^7*b* \\
& c^8*d^7 + 1835008*a^2*b^6*c^{13*d^2} - 3670016*a^3*b^5*c^{12*d^3} + 4587520*a^4 \\
& *b^4*c^{11*d^4} - 3670016*a^5*b^3*c^{10*d^5} + 1835008*a^6*b^2*c^9*d^6 - 524288 \\
& *a*b^7*c^{14*d}))^{(3/4)}*(((81*a^4*d^7 + 2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d \\
& ^4 + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6)/(65536*b^8*c^{15} + 65536*a^8*c^ \\
& 7*d^8 - 524288*a^7*b*c^8*d^7 + 1835008*a^2*b^6*c^{13*d^2} - 3670016*a^3*b^5*c \\
& ^{12*d^3} + 4587520*a^4*b^4*c^{11*d^4} - 3670016*a^5*b^3*c^{10*d^5} + 1835008*a^6 \\
& *b^2*c^9*d^6 - 524288*a*b^7*c^{14*d}))^{(1/4)}*(28672*a^2*b^{13*c^{13*d^5}} - 4096* \\
& a*b^{14*c^{14*d^4}} - 78848*a^3*b^{12*c^{12*d^6}} + 90112*a^4*b^{11*c^{11*d^7}} + 28672 \\
& *a^5*b^{10*c^{10*d^8}} - 229376*a^6*b^9*c^9*d^9 + 329728*a^7*b^8*c^8*d^{10} - 253 \\
& 952*a^8*b^7*c^7*d^{11} + 114688*a^9*b^6*c^6*d^{12} - 28672*a^{10}*b^5*c^5*d^{13} + \\
& 3072*a^{11}*b^4*c^4*d^{14}))/((b^3*c^7 - a^3*c^4*d^3 + 3*a^2*b*c^5*d^2 - 3*a*b^2 \\
& *c^6*d) + (x*(65536*b^{17*c^{15*d^4}} - 524288*a*b^{16*c^{14*d^5}} + 1835008*a^2*b^ \\
& 15*c^{13*d^6} - 3469312*a^3*b^{14*c^{12*d^7}} + 2809856*a^4*b^{13*c^{11*d^8}} + 33628 \\
& 16*a^5*b^{12*c^{10*d^9}} - 14516224*a^6*b^{11*c^9*d^{10}} + 24190976*a^7*b^{10*c^8*d \\
& ^{11} - 25280512*a^8*b^9*c^7*d^{12} + 17833984*a^9*b^8*c^6*d^{13} - 8486912*a^{10}* \\
& b^7*c^5*d^{14} + 2609152*a^{11}*b^6*c^4*d^{15} - 466944*a^{12}*b^5*c^3*d^{16} + 36864 \\
& *a^{13}*b^4*c^2*d^{17})*1i)/(64*(b^6*c^{10} + a^6*c^4*d^6 - 6*a^5*b*c^5*d^5 + 15* \\
& a^2*b^4*c^8*d^2 - 20*a^3*b^3*c^7*d^3 + 15*a^4*b^2*c^6*d^4 - 6*a*b^5*c^9*d)) \\
&)*1i)*1i - (x*(81*a^4*b^9*d^{11} + 3185*b^{13}*c^4*d^7 - 4788*a*b^{12}*c^3*d^8 - \\
& 756*a^3*b^{10}*c*d^{10} + 2790*a^2*b^{11}*c^2*d^9)*1i)/(64*(b^6*c^{10} + a^6*c^4*d^ \\
& 6 - 6*a^5*b*c^5*d^5 + 15*a^2*b^4*c^8*d^2 - 20*a^3*b^3*c^7*d^3 + 15*a^4*b^2* \\
& c^6*d^4 - 6*a*b^5*c^9*d))))*(-(81*a^4*d^7 + 2401*b^4*c^4*d^3 - 4116*a*b^3* \\
& c^3*d^4 + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6)/(65536*b^8*c^{15} + 65536*a \\
& ^8*c^7*d^8 - 524288*a^7*b*c^8*d^7 + 1835008*a^2*b^6*c^{13*d^2} - 3670016*a^3* \\
& b^5*c^{12*d^3} + 4587520*a^4*b^4*c^{11*d^4} - 3670016*a^5*b^3*c^{10*d^5} + 183500 \\
& 8*a^6*b^2*c^9*d^6 - 524288*a*b^7*c^{14*d}))^{(1/4)} - \operatorname{atan}(((81*a^4*d^7 + 240 \\
& 1*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6 \\
&)/(65536*b^8*c^{15} + 65536*a^8*c^7*d^8 - 524288*a^7*b*c^8*d^7 + 1835008*a^2* \\
& b^6*c^{13*d^2} - 3670016*a^3*b^5*c^{12*d^3} + 4587520*a^4*b^4*c^{11*d^4} - 367001
\end{aligned}$$

$$\begin{aligned}
& 6*a^5*b^3*c^{10}*d^5 + 1835008*a^6*b^2*c^9*d^6 - 524288*a*b^7*c^{14}*d)^(1/4)* \\
& ((-(81*a^4*d^7 + 2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6)/(65536*b^8*c^{15} + 65536*a^8*c^7*d^8 - 524288*a^7*b*c^8*d^7 + 1835008*a^2*b^6*c^{13}*d^2 - 3670016*a^3*b^5*c^{12}*d^3 + 4587520*a^4*b^4*c^{11}*d^4 - 3670016*a^5*b^3*c^{10}*d^5 + 1835008*a^6*b^2*c^9*d^6 - 524288*a*b^7*c^{14}*d)^(1/4)*(((81*a^4*b^7*d^{10})/16 + 28*b^{11}*c^4*d^6 - (2145*a*b^{10}*c^3*d^7)/16 - (675*a^3*b^8*c*d^9)/16 + (1971*a^2*b^9*c^2*d^8)/16)/(b^3*c^7 - a^3*c^4*d^3 + 3*a^2*b*c^5*d^2 - 3*a*b^2*c^6*d) + (-(81*a^4*d^7 + 2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6)/(65536*b^8*c^{15} + 65536*a^8*c^7*d^8 - 524288*a^7*b*c^8*d^7 + 1835008*a^2*b^6*c^{13}*d^2 - 3670016*a^3*b^5*c^{12}*d^3 + 4587520*a^4*b^4*c^{11}*d^4 - 3670016*a^5*b^3*c^{10}*d^5 + 1835008*a^6*b^2*c^9*d^6 - 524288*a*b^7*c^{14}*d)^(3/4)*(((81*a^4*d^7 + 2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6)/(65536*b^8*c^{15} + 65536*a^8*c^7*d^8 - 524288*a^7*b*c^8*d^7 + 1835008*a^2*b^6*c^{13}*d^2 - 3670016*a^3*b^5*c^{12}*d^3 + 4587520*a^4*b^4*c^{11}*d^4 - 3670016*a^5*b^3*c^{10}*d^5 + 1835008*a^6*b^2*c^9*d^6 - 524288*a*b^7*c^{14}*d)^(1/4)*(28672*a^2*b^{13}*c^{13}*d^5 - 4096*a*b^{14}*c^{14}*d^4 - 78848*a^3*b^{12}*c^{12}*d^6 + 90112*a^4*b^{11}*c^{11}*d^7 + 28672*a^5*b^{10}*c^{10}*d^8 - 229376*a^6*b^9*c^9*d^9 + 329728*a^7*b^8*c^8*d^{10} - 253952*a^8*b^7*c^7*d^{11} + 114688*a^9*b^6*c^6*d^{12} - 28672*a^{10}*b^5*c^5*d^{13} + 3072*a^{11}*b^4*c^4*d^{14}))/((b^3*c^7 - a^3*c^4*d^3 + 3*a^2*b*c^5*d^2 - 3*a*b^2*c^6*d) - (x*(65536*b^{17}*c^{15}*d^4 - 524288*a*b^{16}*c^{14}*d^5 + 1835008*a^2*b^{15}*c^{13}*d^6 - 3469312*a^3*b^{14}*c^{12}*d^7 + 2809856*a^4*b^{13}*c^{11}*d^8 + 3362816*a^5*b^{12}*c^{10}*d^9 - 14516224*a^6*b^{11}*c^9*d^{10} + 24190976*a^7*b^{10}*c^8*d^{11} - 25280512*a^8*b^9*c^7*d^{12} + 17833984*a^9*b^8*c^6*d^{13} - 8486912*a^{10}*b^7*c^5*d^{14} + 2609152*a^{11}*b^6*c^4*d^{15} - 466944*a^{12}*b^5*c^3*d^{16} + 36864*a^{13}*b^4*c^2*d^{17}))/((64*(b^6*c^{10} + a^6*c^4*d^6 - 6*a^5*b*c^5*d^5 + 15*a^2*b^4*c^8*d^2 - 20*a^3*b^3*c^7*d^3 + 15*a^4*b^2*c^6*d^4 - 6*a*b^5*c^9*d))))*i - (x*(81*a^4*b^9*d^{11} + 3185*b^{13}*c^4*d^7 - 4788*a*b^{12}*c^3*d^8 - 756*a^3*b^{10}*c*d^{10} + 2790*a^2*b^{11}*c^2*d^9)*i))/((64*(b^6*c^{10} + a^6*c^4*d^6 - 6*a^5*b*c^5*d^5 + 15*a^2*b^4*c^8*d^2 - 20*a^3*b^3*c^7*d^3 + 15*a^4*b^2*c^6*d^4 - 6*a*b^5*c^9*d)))) - (-(81*a^4*d^7 + 2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6)/(65536*b^8*c^{15} + 65536*a^8*c^7*d^8 - 524288*a^7*b*c^8*d^7 + 1835008*a^2*b^6*c^{13}*d^2 - 3670016*a^3*b^5*c^{12}*d^3 + 4587520*a^4*b^4*c^{11}*d^4 - 3670016*a^5*b^3*c^{10}*d^5 + 1835008*a^6*b^2*c^9*d^6 - 524288*a*b^7*c^{14}*d)^(1/4)*(((81*a^4*b^7*d^{10})/16 + 28*b^{11}*c^4*d^6 - (2145*a*b^{10}*c^3*d^7)/16 - (675*a^3*b^8*c*d^9)/16 + (1971*a^2*b^9*c^2*d^8)/16)/(b^3*c^7 - a^3*c^4*d^3 + 3*a^2*b*c^5*d^2 - 3*a*b^2*c^6*d) + (-(81*a^4*d^7 + 2401*b^4*c^4*d^3 - 4116*a*b^3*c^3*d^4 + 2646*a^2*b^2*c^2*d^5 - 756*a^3*b*c*d^6)/(65536*b^8*c^{15} + 65536*a^8*c^7*d^8 - 524288*a^7*b*c^8*d^7 + 1835008*a^2*b^6*c^{13}*d^2 - 3670016*a^3*b^5*c^{12}*d^3 + 4587520*a^4*b^4*c^{11}*
\end{aligned}$$

$$\begin{aligned}
& d^4 - 3670016a^5b^3c^{10}d^5 + 1835008a^6b^2c^9d^6 - 524288a^7b^2c^8d^7 + 1835008a^8b^2c^7d^8 - 524288a^9b^2c^6d^9 \\
& + 1835008a^{10}b^2c^5d^{10} - 3670016a^{11}b^2c^4d^{11} + 1835008a^{12}b^2c^3d^{12} - 3670016a^{13}b^2c^2d^{13} + 3670016a^{14}b^2c^1d^{14} \\
&)^{3/4} \cdot \left(\frac{(-81a^4d^7 + 2401b^4c^4d^3 - 4116a^3b^3c^3d^4 + 2646a^2b^2c^2d^5 - 756a^3b^3c^4d^6)}{(65536b^8c^{15} + 65536a^8c^7d^8 - 524288a^7b^3c^8d^7 + 1835008a^2b^6c^{13}d^2 - 3670016a^3b^5c^{12}d^3 + 4587520a^4b^4c^{11}d^4 - 3670016a^5b^3c^{10}d^5 + 1835008a^6b^2c^9d^6 - 524288a^7b^2c^8d^7 + 1835008a^8b^2c^7d^8 - 524288a^9b^2c^6d^9 - 524288a^{10}b^2c^5d^{10} + 1835008a^{11}b^2c^4d^{11} - 3670016a^{12}b^2c^3d^{12} + 3670016a^{13}b^2c^2d^{13} - 3670016a^{14}b^2c^1d^{14})} \right)^{1/4} \\
& \cdot \left(\frac{28672a^2b^{13}c^{13}d^5 - 4096a^3b^{14}c^{14}d^4 - 78848a^3b^{12}c^{12}d^6 + 90112a^4b^{11}c^{11}d^7 + 28672a^5b^{10}c^{10}d^8 - 229376a^6b^9c^9d^9 + 329728a^7b^8c^8d^{10} - 253952a^8b^7c^7d^{11} + 114688a^9b^6c^6d^{12} - 28672a^{10}b^5c^5d^{13} + 3072a^{11}b^4c^4d^{14}}{(b^3c^7 - a^3c^4d^3 + 3a^2b^3c^5d^2 - 3a^2b^2c^6d)} + (x \cdot (65536b^{17}c^{15}d^4 - 524288a^2b^{16}c^{14}d^5 + 1835008a^2b^{15}c^{13}d^6 - 3469312a^3b^{14}c^{12}d^7 + 2809856a^4b^{13}c^{11}d^8 + 3362816a^5b^{12}c^{10}d^9 - 14516224a^6b^{11}c^9d^{10} + 24190976a^7b^{10}c^8d^{11} - 25280512a^8b^9c^7d^{12} + 17833984a^9b^8c^6d^{13} - 8486912a^{10}b^7c^5d^{14} + 2609152a^{11}b^6c^4d^{15} - 466944a^{12}b^5c^3d^{16} + 36864a^{13}b^4c^2d^{17})) / (64 \cdot (b^6c^{10} + a^6c^4d^6 - 6a^5b^3c^5d^5 + 15a^2b^4c^8d^2 - 20a^3b^3c^7d^3 + 15a^4b^2c^6d^4 - 6a^5b^2c^9d)) \right) \cdot i + (x \cdot (81a^4b^9d^{11} + 3185b^{13}c^4d^7 - 4788a^3b^{12}c^3d^8 - 756a^3b^{10}c^5d^{10} + 2790a^2b^{11}c^2d^9)) \cdot i) / \left(\frac{64 \cdot (b^6c^{10} + a^6c^4d^6 - 6a^5b^3c^5d^5 + 15a^2b^4c^8d^2 - 20a^3b^3c^7d^3 + 15a^4b^2c^6d^4 - 6a^5b^2c^9d)}{((-81a^4d^7 + 2401b^4c^4d^3 - 4116a^3b^3c^3d^4 + 2646a^2b^2c^2d^5 - 756a^3b^3c^4d^6)} / (65536b^8c^{15} + 65536a^8c^7d^8 - 524288a^7b^3c^8d^7 + 1835008a^2b^6c^{13}d^2 - 3670016a^3b^5c^{12}d^3 + 4587520a^4b^4c^{11}d^4 - 3670016a^5b^3c^{10}d^5 + 1835008a^6b^2c^9d^6 - 524288a^7b^2c^8d^7 + 1835008a^8b^2c^7d^8 - 524288a^9b^2c^6d^9 - 524288a^{10}b^2c^5d^{10} + 1835008a^{11}b^2c^4d^{11} - 3670016a^{12}b^2c^3d^{12} + 3670016a^{13}b^2c^2d^{13} - 3670016a^{14}b^2c^1d^{14})} \right)^{1/4} \\
& \cdot \left(\frac{(81a^4b^7d^{10})}{16} + 28b^{11}c^4d^6 - \frac{(2145a^3b^{10}c^3d^7)}{16} - \frac{(675a^3b^8c^4d^9)}{16} + \frac{(1971a^2b^9c^2d^8)}{16} \right) / (b^3c^7 - a^3c^4d^3 + 3a^2b^3c^5d^2 - 3a^2b^2c^6d) + \frac{(-81a^4d^7 + 2401b^4c^4d^3 - 4116a^3b^3c^3d^4 + 2646a^2b^2c^2d^5 - 756a^3b^3c^4d^6)}{(65536b^8c^{15} + 65536a^8c^7d^8 - 524288a^7b^3c^8d^7 + 1835008a^2b^6c^{13}d^2 - 3670016a^3b^5c^{12}d^3 + 4587520a^4b^4c^{11}d^4 - 3670016a^5b^3c^{10}d^5 + 1835008a^6b^2c^9d^6 - 524288a^7b^2c^8d^7 + 1835008a^8b^2c^7d^8 - 524288a^9b^2c^6d^9 - 524288a^{10}b^2c^5d^{10} + 1835008a^{11}b^2c^4d^{11} - 3670016a^{12}b^2c^3d^{12} + 3670016a^{13}b^2c^2d^{13} - 3670016a^{14}b^2c^1d^{14})} \\
&)^{1/4} \cdot \left(\frac{28672a^2b^{13}c^{13}d^5 - 4096a^3b^{14}c^{14}d^4 - 78848a^3b^{12}c^{12}d^6 + 90112a^4b^{11}c^{11}d^7 + 28672a^5b^{10}c^{10}d^8 - 229376a^6b^9c^9d^9 + 329728a^7b^8c^8d^{10} - 253952a^8b^7c^7d^{11} + 114688a^9b^6c^6d^{12} - 28672a^{10}b^5c^5d^{13} + 3072a^{11}b^4c^4d^{14}}{(b^3c^7 - a^3c^4d^3 + 3a^2b^3c^5d^2 - 3a^2b^2c^6d)} - (x \cdot (65536b^{17}c^{15}d^4 - 524288a^2b^{16}c^{14}d^5 + 1835008a^2b^{15}c^{13}d^6 - 3469312a^3b^{14}c^{12}d^7 + 2809856a^4b^{13}c^{11}d^8 + 3362816a^5b^{12}c^{10}d^9 - 14516224a^6b^{11}c^9d^{10} + 24190976a^7b^{10}c^8d^{11} - 25280512a^8b^9c^7d^{12} + 17833984a^9b^8c^6d^{13} - 8486912a^{10}b^7c^5d^{14} + 2609152a^{11}b^6c^4d^{15} - 466944a^{12}b^5c^3d^{16} + 36864a^{13}b^4c^2d^{17})) / (64 \cdot (b^6c^{10} + a^6c^4d^6 - 6a^5b^3c^5d^5 + 15a^2b^4c^8d^2 - 20a^3b^3c^7d^3 + 15a^4b^2c^6d^4 - 6a^5b^2c^9d)) \right) \cdot i
\end{aligned}$$

$$\begin{aligned}
& a^2 b^{15} c^{13} d^6 - 3469312 a^3 b^{14} c^{12} d^7 + 2809856 a^4 b^{13} c^{11} d^8 + \\
& 3362816 a^5 b^{12} c^{10} d^9 - 14516224 a^6 b^{11} c^9 d^{10} + 24190976 a^7 b^{10} \\
& c^8 d^{11} - 25280512 a^8 b^9 c^7 d^{12} + 17833984 a^9 b^8 c^6 d^{13} - 8486912 \\
& a^{10} b^7 c^5 d^{14} + 2609152 a^{11} b^6 c^4 d^{15} - 466944 a^{12} b^5 c^3 d^{16} + \\
& 36864 a^{13} b^4 c^2 d^{17}))/ (64 (b^6 c^{10} + a^6 c^4 d^6 - 6 a^5 b c^5 d^5 + \\
& 15 a^2 b^4 c^8 d^2 - 20 a^3 b^3 c^7 d^3 + 15 a^4 b^2 c^6 d^4 - 6 a^5 b^5 c^9 d \\
& d))) - (x (81 a^4 b^9 d^{11} + 3185 b^{13} c^4 d^7 - 4788 a b^{12} c^3 d^8 - 756 \\
& a^3 b^{10} c d^{10} + 2790 a^2 b^{11} c^2 d^9))/ (64 (b^6 c^{10} + a^6 c^4 d^6 - 6 a^5 b c^5 d^5 + \\
& 15 a^2 b^4 c^8 d^2 - 20 a^3 b^3 c^7 d^3 + 15 a^4 b^2 c^6 d^4 - 6 a^5 b^5 c^9 d \\
& 4 - 6 a^5 b^5 c^9 d)) + (- (81 a^4 d^7 + 2401 b^4 c^4 d^3 - 4116 a^3 b^3 c^3 d^4 \\
& + 2646 a^2 b^2 c^2 d^5 - 756 a^3 b^3 c^3 d^6))/ (65536 b^8 c^{15} + 65536 a^8 c^7 \\
& d^8 - 524288 a^7 b^8 c^8 d^7 + 1835008 a^2 b^6 c^{13} d^2 - 3670016 a^3 b^5 c^{12} d^3 + \\
& 4587520 a^4 b^4 c^{11} d^4 - 3670016 a^5 b^3 c^{10} d^5 + 1835008 a^6 b^2 c^9 d^6 - \\
& 524288 a^7 b^7 c^{14} d))^{(1/4)} * ((- (81 a^4 d^7 + 2401 b^4 c^4 d^3 - \\
& 4116 a^3 b^3 c^3 d^4 + 2646 a^2 b^2 c^2 d^5 - 756 a^3 b^3 c^3 d^6))/ (65536 b^8 c^{15} + \\
& 65536 a^8 c^7 d^8 - 524288 a^7 b^8 c^8 d^7 + 1835008 a^2 b^6 c^{13} d^2 - \\
& 3670016 a^3 b^5 c^{12} d^3 + 4587520 a^4 b^4 c^{11} d^4 - 3670016 a^5 b^3 c^{10} d^5 + \\
& 1835008 a^6 b^2 c^9 d^6 - 524288 a^7 b^7 c^{14} d))^{(1/4)} * ((81 a^4 b^7 \\
& d^{10})/16 + 28 b^{11} c^4 d^6 - (2145 a^3 b^{10} c^3 d^7)/16 - (675 a^3 b^8 c^9 d^9 \\
&)/16 + (1971 a^2 b^9 c^2 d^8)/16)/ (b^3 c^7 - a^3 c^4 d^3 + 3 a^2 b^3 c^5 d^2 \\
& - 3 a^2 b^2 c^6 d) + (- (81 a^4 d^7 + 2401 b^4 c^4 d^3 - 4116 a^3 b^3 c^3 d^4 + \\
& 2646 a^2 b^2 c^2 d^5 - 756 a^3 b^3 c^3 d^6))/ (65536 b^8 c^{15} + 65536 a^8 c^7 d^8 \\
& - 524288 a^7 b^8 c^8 d^7 + 1835008 a^2 b^6 c^{13} d^2 - 3670016 a^3 b^5 c^{12} d^3 + \\
& 4587520 a^4 b^4 c^{11} d^4 - 3670016 a^5 b^3 c^{10} d^5 + 1835008 a^6 b^2 c^9 d^6 - \\
& 524288 a^7 b^7 c^{14} d))^{(3/4)} * (((- (81 a^4 d^7 + 2401 b^4 c^4 d^3 - \\
& 4116 a^3 b^3 c^3 d^4 + 2646 a^2 b^2 c^2 d^5 - 756 a^3 b^3 c^3 d^6))/ (65536 b^8 c^{15} + \\
& 65536 a^8 c^7 d^8 - 524288 a^7 b^8 c^8 d^7 + 1835008 a^2 b^6 c^{13} d^2 - 3 \\
& 670016 a^3 b^5 c^{12} d^3 + 4587520 a^4 b^4 c^{11} d^4 - 3670016 a^5 b^3 c^{10} d^5 + \\
& 1835008 a^6 b^2 c^9 d^6 - 524288 a^7 b^7 c^{14} d))^{(1/4)} * (28672 a^2 b^{13} c^{13} d^5 - \\
& 4096 a^3 b^{14} c^{14} d^4 - 78848 a^3 b^{12} c^{12} d^6 + 90112 a^4 b^{11} c^{11} d^7 + \\
& 28672 a^5 b^{10} c^{10} d^8 - 229376 a^6 b^9 c^9 d^9 + 329728 a^7 b^8 c^8 d^{10} - \\
& 253952 a^8 b^7 c^7 d^{11} + 114688 a^9 b^6 c^6 d^{12} - 28672 a^{10} b^5 c^5 d^{13} + \\
& 3072 a^{11} b^4 c^4 d^{14}))/ (b^3 c^7 - a^3 c^4 d^3 + 3 a^2 b^3 c^5 d^2 - 3 a^2 b^2 c^6 d) + \\
& (x (65536 b^{17} c^{15} d^4 - 524288 a b^{16} c^{14} d^5 + 1835008 a^2 b^{15} c^{13} d^6 - \\
& 3469312 a^3 b^{14} c^{12} d^7 + 2809856 a^4 b^{13} c^{11} d^8 + 3362816 a^5 b^{12} c^{10} d^9 - \\
& 14516224 a^6 b^{11} c^9 d^{10} + 24190976 a^7 b^{10} c^8 d^{11} - 25280512 a^8 b^9 c^7 d^{12} + \\
& 17833984 a^9 b^8 c^6 d^{13} - 8486912 a^{10} b^7 c^5 d^{14} + 2609152 a^{11} b^6 c^4 d^{15} - \\
& 466944 a^{12} b^5 c^3 d^{16} + 36864 a^{13} b^4 c^2 d^{17}))/ (64 (b^6 c^{10} + a^6 c^4 d^6 - 6 a^5 b c^5 d^5 + \\
& 15 a^2 b^4 c^8 d^2 - 20 a^3 b^3 c^7 d^3 + 15 a^4 b^2 c^6 d^4 - 6 a^5 b^5 c^9 d \\
& d))) + (x (81 a^4 b^9 d^{11} + 3185 b^{13} c^4 d^7 - 4788 a^3 b^{12} c^3 d^8 - 756 a^3 b^{10} c d^{10} + \\
& 2790 a^2 b^{11} c^2 d^9))/ (64 (b^6 c^{10} + a^6 c^4 d^6 - 6 a^5 b c^5 d^5 + 15 a^2 b^4 c^8 d^2 - \\
& 20 a^3 b^3 c^7 d^3 + 15 a^4 b^2 c^6 d^4 - 6 a^5 b^5 c^9 d)) + (x (81 a^4 d^7 + 2401 b^4 c^4 d^3 - \\
& 4116 a^3 b^3 c^3 d^4 + 2646 a^2 b^2 c^2 d^5 - 756 a^3 b^3 c^3 d^6))/ (65536 b^8 c^{15} + 655
\end{aligned}$$

$$\begin{aligned}
& 36*a^8*c^7*d^8 - 524288*a^7*b*c^8*d^7 + 1835008*a^2*b^6*c^13*d^2 - 3670016* \\
& a^3*b^5*c^12*d^3 + 4587520*a^4*b^4*c^11*d^4 - 3670016*a^5*b^3*c^10*d^5 + 18 \\
& 35008*a^6*b^2*c^9*d^6 - 524288*a*b^7*c^14*d))^{(1/4)}*2i - \operatorname{atan}\left(\frac{-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7)}{-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7)}\right)^{(1/4)}*\left(\frac{-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7)}{-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7)}\right)^{(3/4)}*\left(\frac{-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7)}{-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7)}\right)^{(1/4)}*(28672*a^2*b^{13}*c^{13}*d^5 - 4096*a*b^{14}*c^{14}*d^4 - 78848*a^3*b^{12}*c^{12}*d^6 + 90112*a^4*b^{11}*c^{11}*d^7 + 28672*a^5*b^{10}*c^{10}*d^8 - 229376*a^6*b^9*c^9*d^9 + 329728*a^7*b^8*c^8*d^{10} - 253952*a^8*b^7*c^7*d^{11} + 114688*a^9*b^6*c^6*d^{12} - 28672*a^{10}*b^5*c^5*d^{13} + 3072*a^{11}*b^4*c^4*d^{14}))/((b^3*c^7 - a^3*c^4*d^3 + 3*a^2*b*c^5*d^2 - 3*a*b^2*c^6*d) - (x*(65536*b^{17}*c^{15}*d^4 - 524288*a*b^{16}*c^{14}*d^5 + 1835008*a^2*b^{15}*c^{13}*d^6 - 3469312*a^3*b^{14}*c^{12}*d^7 + 2809856*a^4*b^{13}*c^{11}*d^8 + 3362816*a^5*b^{12}*c^{10}*d^9 - 14516224*a^6*b^{11}*c^9*d^{10} + 24190976*a^7*b^{10}*c^8*d^{11} - 25280512*a^8*b^9*c^7*d^{12} + 17833984*a^9*b^8*c^6*d^{13} - 8486912*a^{10}*b^7*c^5*d^{14} + 2609152*a^{11}*b^6*c^4*d^{15} - 466944*a^{12}*b^5*c^3*d^{16} + 36864*a^{13}*b^4*c^2*d^{17}))/((64*(b^6*c^{10} + a^6*c^4*d^6 - 6*a^5*b*c^5*d^5 + 15*a^2*b^4*c^8*d^2 - 20*a^3*b^3*c^7*d^3 + 15*a^4*b^2*c^6*d^4 - 6*a*b^5*c^9*d))) + ((81*a^4*b^7*d^{10})/16 + 28*b^{11}*c^4*d^6 - (2145*a*b^{10}*c^3*d^7)/16 - (675*a^3*b^8*c*d^9)/16 + (1971*a^2*b^9*c^2*d^8)/16)/(b^3*c^7 - a^3*c^4*d^3 + 3*a^2*b*c^5*d^2 - 3*a*b^2*c^6*d))*1i - (x*(81*a^4*b^9*d^{11} + 3185*b^{13}*c^4*d^7 - 4788*a*b^{12}*c^3*d^8 - 756*a^3*b^{10}*c*d^{10} + 2790*a^2*b^{11}*c^2*d^9))*1i)/((64*(b^6*c^{10} + a^6*c^4*d^6 - 6*a^5*b*c^5*d^5 + 15*a^2*b^4*c^8*d^2 - 20*a^3*b^3*c^7*d^3 + 15*a^4*b^2*c^6*d^4 - 6*a*b^5*c^9*d))) - (-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7))^{(1/4)}*\left(\frac{-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7)}{-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7)}\right)^{(1/4)}*\left(\frac{-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7)}{-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7)}\right)^{(3/4)}*\left(\frac{-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7)}{-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7)}\right)^{(1/4)}*(28672*a^2*b^{13}*c^{13}*d^5 - 4096*a*b^{14}*c^{14}*d^4 - 78848*a^3*b^{12}*c^{12}*d^6 + 90112*a^4*b^{11}*c^{11}*d^7 + 28672*a^5*b^{10}*c^{10}*d^8 - 229376*a^6*b^9*c^9*d^9 + 329728*a^7*b^8*c^8*d^{10} - 253952*a^8*b^7*c^7*d^{11} + 114688*a^9*b^6*c^6*d^{12}
\end{aligned}$$

$$\begin{aligned}
& - 28672a^{10}b^5c^5d^{13} + 3072a^{11}b^4c^4d^{14}) / (b^3c^7 - a^3c^4d^3 + 3a^2b^2c^5d^2 - 3ab^2c^6d) + (x(65536b^{17}c^{15}d^4 - 524288ab^{16}c^{14}d^5 + 1835008a^2b^{15}c^{13}d^6 - 3469312a^3b^{14}c^{12}d^7 + 2809856a^4b^{13}c^{11}d^8 + 3362816a^5b^{12}c^{10}d^9 - 14516224a^6b^{11}c^9d^{10} + 24190976a^7b^{10}c^8d^{11} - 25280512a^8b^9c^7d^{12} + 17833984a^9b^8c^6d^{13} - 8486912a^{10}b^7c^5d^{14} + 2609152a^{11}b^6c^4d^{15} - 466944a^{12}b^5c^3d^{16} + 36864a^{13}b^4c^2d^{17})) / (64(b^6c^{10} + a^6c^4d^6 - 6a^5b^2c^5d^5 + 15a^2b^4c^8d^2 - 20a^3b^3c^7d^3 + 15a^4b^2c^6d^4 - 6ab^5c^9d)) + ((81a^4b^7d^{10})/16 + 28b^{11}c^4d^6 - (2145ab^{10}c^3d^7)/16 - (675a^3b^8c^9d^9)/16 + (1971a^2b^9c^2d^8)/16) / (b^3c^7 - a^3c^4d^3 + 3a^2b^2c^5d^2 - 3ab^2c^6d) * i + (x(81a^4b^9d^{11} + 3185b^{13}c^4d^7 - 4788ab^{12}c^3d^8 - 756a^3b^{10}c^2d^{10} + 2790a^2b^{11}c^2d^9) * i) / (64(b^6c^{10} + a^6c^4d^6 - 6a^5b^2c^5d^5 + 15a^2b^4c^8d^2 - 20a^3b^3c^7d^3 + 15a^4b^2c^6d^4 - 6ab^5c^9d)) / ((-b^7/(256a^{11}d^8 + 256a^3b^8c^8 - 2048a^4b^7c^7d + 7168a^5b^6c^6d^2 - 14336a^6b^5c^5d^3 + 17920a^7b^4c^4d^4 - 14336a^8b^3c^3d^5 + 7168a^9b^2c^2d^6 - 2048a^{10}b^1c^1d^7)^(1/4) * ((-b^7/(256a^{11}d^8 + 256a^3b^8c^8 - 2048a^4b^7c^7d + 7168a^5b^6c^6d^2 - 14336a^6b^5c^5d^3 + 17920a^7b^4c^4d^4 - 14336a^8b^3c^3d^5 + 7168a^9b^2c^2d^6 - 2048a^{10}b^1c^1d^7)^(1/4) * ((-b^7/(256a^{11}d^8 + 256a^3b^8c^8 - 2048a^4b^7c^7d + 7168a^5b^6c^6d^2 - 14336a^6b^5c^5d^3 + 17920a^7b^4c^4d^4 - 14336a^8b^3c^3d^5 + 7168a^9b^2c^2d^6 - 2048a^{10}b^1c^1d^7)^(1/4) * (28672a^2b^{13}c^{13}d^5 - 4096ab^{14}c^{14}d^4 - 78848a^3b^{12}c^{12}d^6 + 90112a^4b^{11}c^{11}d^7 + 28672a^5b^{10}c^{10}d^8 - 229376a^6b^9c^9d^9 + 329728a^7b^8c^8d^{10} - 253952a^8b^7c^7d^{11} + 114688a^9b^6c^6d^{12} - 28672a^{10}b^5c^5d^{13} + 3072a^{11}b^4c^4d^{14})) / (b^3c^7 - a^3c^4d^3 + 3a^2b^2c^5d^2 - 3ab^2c^6d) - (x(65536b^{17}c^{15}d^4 - 524288ab^{16}c^{14}d^5 + 1835008a^2b^{15}c^{13}d^6 - 3469312a^3b^{14}c^{12}d^7 + 2809856a^4b^{13}c^{11}d^8 + 3362816a^5b^{12}c^{10}d^9 - 14516224a^6b^{11}c^9d^{10} + 24190976a^7b^{10}c^8d^{11} - 25280512a^8b^9c^7d^{12} + 17833984a^9b^8c^6d^{13} - 8486912a^{10}b^7c^5d^{14} + 2609152a^{11}b^6c^4d^{15} - 466944a^{12}b^5c^3d^{16} + 36864a^{13}b^4c^2d^{17})) / (64(b^6c^{10} + a^6c^4d^6 - 6a^5b^2c^5d^5 + 15a^2b^4c^8d^2 - 20a^3b^3c^7d^3 + 15a^4b^2c^6d^4 - 6ab^5c^9d)) + ((81a^4b^7d^{10})/16 + 28b^{11}c^4d^6 - (2145ab^{10}c^3d^7)/16 - (675a^3b^8c^9d^9)/16 + (1971a^2b^9c^2d^8)/16) / (b^3c^7 - a^3c^4d^3 + 3a^2b^2c^5d^2 - 3ab^2c^6d) - (x(81a^4b^9d^{11} + 3185b^{13}c^4d^7 - 4788ab^{12}c^3d^8 - 756a^3b^{10}c^2d^{10} + 2790a^2b^{11}c^2d^9) / (64(b^6c^{10} + a^6c^4d^6 - 6a^5b^2c^5d^5 + 15a^2b^4c^8d^2 - 20a^3b^3c^7d^3 + 15a^4b^2c^6d^4 - 6ab^5c^9d))) + (-b^7/(256a^{11}d^8 + 256a^3b^8c^8 - 2048a^4b^7c^7d + 7168a^5b^6c^6d^2 - 14336a^6b^5c^5d^3 + 17920a^7b^4c^4d^4 - 14336a^8b^3c^3d^5 + 7168a^9b^2c^2d^6 - 2048a^{10}b^1c^1d^7)^(1/4) * ((-b^7/(
\end{aligned}$$

$$\begin{aligned}
& 256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 \\
& - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7 \\
& 168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7)^{(1/4)}*((-b^7/(256*a^{11}*d^8 + 256* \\
& a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5 \\
& *d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 \\
& - 2048*a^{10}*b*c*d^7))^{(3/4)}*(((-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048 \\
& *a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b \\
& ^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d \\
& ^7))^{(1/4)}*(28672*a^2*b^{13}*c^{13}*d^5 - 4096*a*b^{14}*c^{14}*d^4 - 78848*a^3*b^{12} \\
& *c^{12}*d^6 + 90112*a^4*b^{11}*c^{11}*d^7 + 28672*a^5*b^{10}*c^{10}*d^8 - 229376*a^6* \\
& b^9*c^9*d^9 + 329728*a^7*b^8*c^8*d^{10} - 253952*a^8*b^7*c^7*d^{11} + 114688*a^ \\
& 9*b^6*c^6*d^{12} - 28672*a^{10}*b^5*c^5*d^{13} + 3072*a^{11}*b^4*c^4*d^{14}))/ (b^3*c^ \\
& 7 - a^3*c^4*d^3 + 3*a^2*b*c^5*d^2 - 3*a*b^2*c^6*d) + (x*(65536*b^{17}*c^{15}*d^ \\
& 4 - 524288*a*b^{16}*c^{14}*d^5 + 1835008*a^2*b^{15}*c^{13}*d^6 - 3469312*a^3*b^{14}*c \\
& ^{12}*d^7 + 2809856*a^4*b^{13}*c^{11}*d^8 + 3362816*a^5*b^{12}*c^{10}*d^9 - 14516224*a \\
& ^6*b^{11}*c^9*d^{10} + 24190976*a^7*b^{10}*c^8*d^{11} - 25280512*a^8*b^9*c^7*d^{12} \\
& + 17833984*a^9*b^8*c^6*d^{13} - 8486912*a^{10}*b^7*c^5*d^{14} + 2609152*a^{11}*b^6* \\
& c^4*d^{15} - 466944*a^{12}*b^5*c^3*d^{16} + 36864*a^{13}*b^4*c^2*d^{17}))/ (64*(b^6*c^ \\
& 10 + a^6*c^4*d^6 - 6*a^5*b*c^5*d^5 + 15*a^2*b^4*c^8*d^2 - 20*a^3*b^3*c^7*d^ \\
& 3 + 15*a^4*b^2*c^6*d^4 - 6*a*b^5*c^9*d))) + ((81*a^4*b^7*d^{10})/16 + 28*b^{11} \\
& *c^4*d^6 - (2145*a*b^{10}*c^3*d^7)/16 - (675*a^3*b^8*c*d^9)/16 + (1971*a^2*b^ \\
& 9*c^2*d^8)/16)/ (b^3*c^7 - a^3*c^4*d^3 + 3*a^2*b*c^5*d^2 - 3*a*b^2*c^6*d) + \\
& (x*(81*a^4*b^9*d^{11} + 3185*b^{13}*c^4*d^7 - 4788*a*b^{12}*c^3*d^8 - 756*a^3*b^ \\
& 10*c*d^{10} + 2790*a^2*b^{11}*c^2*d^9))/ (64*(b^6*c^10 + a^6*c^4*d^6 - 6*a^5*b*c \\
& ^5*d^5 + 15*a^2*b^4*c^8*d^2 - 20*a^3*b^3*c^7*d^3 + 15*a^4*b^2*c^6*d^4 - 6*a \\
& *b^5*c^9*d))) * (-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d \\
& + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14 \\
& 336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7))^{(1/4)}*2i + \\
& 2*atan(((-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168* \\
& a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8 \\
& *b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7))^{(1/4)}*((-b^7/(256 \\
& *a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 1 \\
& 4336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168 \\
& *a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7))^{(1/4)}*((-b^7/(256*a^{11}*d^8 + 256*a^3 \\
& *b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^ \\
& 3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - \\
& 2048*a^{10}*b*c*d^7))^{(3/4)}*(((-b^7/(256*a^{11}*d^8 + 256*a^3*b^8*c^8 - 2048*a^ \\
& 4*b^7*c^7*d + 7168*a^5*b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4* \\
& c^4*d^4 - 14336*a^8*b^3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^{10}*b*c*d^7) \\
&)^{(1/4)}*(28672*a^2*b^{13}*c^{13}*d^5 - 4096*a*b^{14}*c^{14}*d^4 - 78848*a^3*b^{12}*c^ \\
& 12*d^6 + 90112*a^4*b^{11}*c^{11}*d^7 + 28672*a^5*b^{10}*c^{10}*d^8 - 229376*a^6*b^9 \\
& *c^9*d^9 + 329728*a^7*b^8*c^8*d^{10} - 253952*a^8*b^7*c^7*d^{11} + 114688*a^9*b \\
& ^6*c^6*d^{12} - 28672*a^{10}*b^5*c^5*d^{13} + 3072*a^{11}*b^4*c^4*d^{14}))/ (b^3*c^7 - \\
& a^3*c^4*d^3 + 3*a^2*b*c^5*d^2 - 3*a*b^2*c^6*d) - (x*(65536*b^{17}*c^{15}*d^4 - \\
& 524288*a*b^{16}*c^{14}*d^5 + 1835008*a^2*b^{15}*c^{13}*d^6 - 3469312*a^3*b^{14}*c^{12}
\end{aligned}$$

$$\begin{aligned}
& d^7 + 2809856a^4b^{13}c^{11}d^8 + 3362816a^5b^{12}c^{10}d^9 - 14516224a^6 \\
& b^{11}c^9d^{10} + 24190976a^7b^{10}c^8d^{11} - 25280512a^8b^9c^7d^{12} + 1 \\
& 7833984a^9b^8c^6d^{13} - 8486912a^{10}b^7c^5d^{14} + 2609152a^{11}b^6c^4 \\
& d^{15} - 466944a^{12}b^5c^3d^{16} + 36864a^{13}b^4c^2d^{17}) * i) / (64 * (b^6c^ \\
& 10 + a^6c^4d^6 - 6a^5b^5c^5d^5 + 15a^2b^4c^8d^2 - 20a^3b^3c^7d^ \\
& 3 + 15a^4b^2c^6d^4 - 6a^5b^5c^9d)) * i + (((81a^4b^7d^{10}) / 16 + 28 * \\
& b^{11}c^4d^6 - (2145a^5b^{10}c^3d^7) / 16 - (675a^3b^8c^9d^9) / 16 + (1971a^ \\
& 2b^9c^2d^8) / 16) * i) / (b^3c^7 - a^3c^4d^3 + 3a^2b^5c^5d^2 - 3a^2b^2c^ \\
& 6d) + (x * (81a^4b^9d^{11} + 3185b^{13}c^4d^7 - 4788a^5b^{12}c^3d^8 - 75 \\
& 6a^3b^{10}c^4d^{10} + 2790a^2b^{11}c^2d^9)) / (64 * (b^6c^{10} + a^6c^4d^6 - 6 \\
& a^5b^5c^5d^5 + 15a^2b^4c^8d^2 - 20a^3b^3c^7d^3 + 15a^4b^2c^6d^ \\
& 4 - 6a^5b^5c^9d)) - (-b^7 / (256a^{11}d^8 + 256a^3b^8c^8 - 2048a^4b^ \\
& 7c^7d + 7168a^5b^6c^6d^2 - 14336a^6b^5c^5d^3 + 17920a^7b^4c^4d^ \\
& 4 - 14336a^8b^3c^3d^5 + 7168a^9b^2c^2d^6 - 2048a^{10}b^2c^2d^7))^{(1 \\
& / 4)} * ((-b^7 / (256a^{11}d^8 + 256a^3b^8c^8 - 2048a^4b^7c^7d + 7168a^5b^ \\
& 6c^6d^2 - 14336a^6b^5c^5d^3 + 17920a^7b^4c^4d^4 - 14336a^8b^3 \\
& c^3d^5 + 7168a^9b^2c^2d^6 - 2048a^{10}b^2c^2d^7))^{(1/4)} * ((-b^7 / (256a^1 \\
& 1d^8 + 256a^3b^8c^8 - 2048a^4b^7c^7d + 7168a^5b^6c^6d^2 - 14336 \\
& a^6b^5c^5d^3 + 17920a^7b^4c^4d^4 - 14336a^8b^3c^3d^5 + 7168a^9 \\
& b^2c^2d^6 - 2048a^{10}b^2c^2d^7))^{(3/4)} * (((-b^7 / (256a^{11}d^8 + 256a^3b^ \\
& 8c^8 - 2048a^4b^7c^7d + 7168a^5b^6c^6d^2 - 14336a^6b^5c^5d^3 + \\
& 17920a^7b^4c^4d^4 - 14336a^8b^3c^3d^5 + 7168a^9b^2c^2d^6 - 204 \\
& 8a^{10}b^2c^2d^7))^{(1/4)} * (28672a^2b^{13}c^{13}d^5 - 4096a^5b^{14}c^{14}d^4 - 78 \\
& 848a^3b^{12}c^{12}d^6 + 90112a^4b^{11}c^{11}d^7 + 28672a^5b^{10}c^{10}d^8 - \\
& 229376a^6b^9c^9d^9 + 329728a^7b^8c^8d^{10} - 253952a^8b^7c^7d^{11} \\
& + 114688a^9b^6c^6d^{12} - 28672a^{10}b^5c^5d^{13} + 3072a^{11}b^4c^4d^{ \\
& 14})) / (b^3c^7 - a^3c^4d^3 + 3a^2b^5c^5d^2 - 3a^2b^2c^6d) + (x * (65536 * \\
& b^{17}c^{15}d^4 - 524288a^5b^{16}c^{14}d^5 + 1835008a^2b^{15}c^{13}d^6 - 346931 \\
& 2a^3b^{14}c^{12}d^7 + 2809856a^4b^{13}c^{11}d^8 + 3362816a^5b^{12}c^{10}d^9 \\
& - 14516224a^6b^{11}c^9d^{10} + 24190976a^7b^{10}c^8d^{11} - 25280512a^8b^ \\
& 9c^7d^{12} + 17833984a^9b^8c^6d^{13} - 8486912a^{10}b^7c^5d^{14} + 26091 \\
& 52a^{11}b^6c^4d^{15} - 466944a^{12}b^5c^3d^{16} + 36864a^{13}b^4c^2d^{17}) * \\
& i) / (64 * (b^6c^{10} + a^6c^4d^6 - 6a^5b^5c^5d^5 + 15a^2b^4c^8d^2 - 20 \\
& a^3b^3c^7d^3 + 15a^4b^2c^6d^4 - 6a^5b^5c^9d)) * i + (((81a^4b^7 \\
& d^{10}) / 16 + 28 * b^{11}c^4d^6 - (2145a^5b^{10}c^3d^7) / 16 - (675a^3b^8c^9d^9) \\
&) / 16 + (1971a^2b^9c^2d^8) / 16) * i) / (b^3c^7 - a^3c^4d^3 + 3a^2b^5c^5d^ \\
& 2 - 3a^2b^2c^6d) - (x * (81a^4b^9d^{11} + 3185b^{13}c^4d^7 - 4788a^5b^ \\
& 12c^3d^8 - 756a^3b^{10}c^4d^{10} + 2790a^2b^{11}c^2d^9)) / (64 * (b^6c^{10} + \\
& a^6c^4d^6 - 6a^5b^5c^5d^5 + 15a^2b^4c^8d^2 - 20a^3b^3c^7d^3 + 1 \\
& 5a^4b^2c^6d^4 - 6a^5b^5c^9d)) / (((-b^7 / (256a^{11}d^8 + 256a^3b^8c^ \\
& 8 - 2048a^4b^7c^7d + 7168a^5b^6c^6d^2 - 14336a^6b^5c^5d^3 + 179 \\
& 20a^7b^4c^4d^4 - 14336a^8b^3c^3d^5 + 7168a^9b^2c^2d^6 - 2048a^ \\
& 10b^2c^2d^7))^{(1/4)} * ((-b^7 / (256a^{11}d^8 + 256a^3b^8c^8 - 2048a^4b^7c^ \\
& 7d + 7168a^5b^6c^6d^2 - 14336a^6b^5c^5d^3 + 17920a^7b^4c^4d^4 \\
& - 14336a^8b^3c^3d^5 + 7168a^9b^2c^2d^6 - 2048a^{10}b^2c^2d^7))^{(1/4)} *
\end{aligned}$$

$$\begin{aligned}
& \left((-b^7/(256a^{11}d^8 + 256a^3b^8c^8 - 2048a^4b^7c^7d + 7168a^5b^6c^6d^2 - 14336a^6b^5c^5d^3 + 17920a^7b^4c^4d^4 - 14336a^8b^3c^3d^5 + 7168a^9b^2c^2d^6 - 2048a^{10}b^1c^1d^7))^{3/4} \right) \cdot \left((-b^7/(256a^{11}d^8 + 256a^3b^8c^8 - 2048a^4b^7c^7d + 7168a^5b^6c^6d^2 - 14336a^6b^5c^5d^3 + 17920a^7b^4c^4d^4 - 14336a^8b^3c^3d^5 + 7168a^9b^2c^2d^6 - 2048a^{10}b^1c^1d^7))^{1/4} \right) \cdot (28672a^2b^{13}c^{13}d^5 - 4096a^b^{14}c^{14}d^4 - 78848a^3b^{12}c^{12}d^6 + 90112a^4b^{11}c^{11}d^7 + 28672a^5b^{10}c^{10}d^8 - 229376a^6b^9c^9d^9 + 329728a^7b^8c^8d^{10} - 253952a^8b^7c^7d^{11} + 114688a^9b^6c^6d^{12} - 28672a^{10}b^5c^5d^{13} + 3072a^{11}b^4c^4d^{14}) / (b^3c^7 - a^3c^4d^3 + 3a^2b^1c^5d^2 - 3a^1b^2c^6d) - (x*(65536b^{17}c^{15}d^4 - 524288a^1b^{16}c^{14}d^5 + 1835008a^2b^{15}c^{13}d^6 - 3469312a^3b^{14}c^{12}d^7 + 2809856a^4b^{13}c^{11}d^8 + 3362816a^5b^{12}c^{10}d^9 - 14516224a^6b^{11}c^9d^{10} + 24190976a^7b^{10}c^8d^{11} - 25280512a^8b^9c^7d^{12} + 17833984a^9b^8c^6d^{13} - 8486912a^{10}b^7c^5d^{14} + 2609152a^{11}b^6c^4d^{15} - 466944a^{12}b^5c^3d^{16} + 36864a^{13}b^4c^2d^{17})*i) / (64*(b^6c^{10} + a^6c^4d^6 - 6a^5b^1c^5d^5 + 15a^2b^4c^8d^2 - 20a^3b^3c^7d^3 + 15a^4b^2c^6d^4 - 6a^1b^5c^9d)) * i + ((81a^4b^7d^{10})/16 + 28b^{11}c^4d^6 - (2145a^1b^{10}c^3d^7)/16 - (675a^3b^8c^9d^9)/16 + (1971a^2b^9c^2d^8)/16) * i) / (b^3c^7 - a^3c^4d^3 + 3a^2b^1c^5d^2 - 3a^1b^2c^6d) * i + (x*(81a^4b^9d^{11} + 3185b^{13}c^4d^7 - 4788a^1b^{12}c^3d^8 - 756a^3b^{10}c^1d^{10} + 2790a^2b^{11}c^2d^9) * i) / (64*(b^6c^{10} + a^6c^4d^6 - 6a^5b^1c^5d^5 + 15a^2b^4c^8d^2 - 20a^3b^3c^7d^3 + 15a^4b^2c^6d^4 - 6a^1b^5c^9d)) + (-b^7/(256a^{11}d^8 + 256a^3b^8c^8 - 2048a^4b^7c^7d + 7168a^5b^6c^6d^2 - 14336a^6b^5c^5d^3 + 17920a^7b^4c^4d^4 - 14336a^8b^3c^3d^5 + 7168a^9b^2c^2d^6 - 2048a^{10}b^1c^1d^7))^{1/4} \cdot \left((-b^7/(256a^{11}d^8 + 256a^3b^8c^8 - 2048a^4b^7c^7d + 7168a^5b^6c^6d^2 - 14336a^6b^5c^5d^3 + 17920a^7b^4c^4d^4 - 14336a^8b^3c^3d^5 + 7168a^9b^2c^2d^6 - 2048a^{10}b^1c^1d^7))^{3/4} \right) \cdot \left((-b^7/(256a^{11}d^8 + 256a^3b^8c^8 - 2048a^4b^7c^7d + 7168a^5b^6c^6d^2 - 14336a^6b^5c^5d^3 + 17920a^7b^4c^4d^4 - 14336a^8b^3c^3d^5 + 7168a^9b^2c^2d^6 - 2048a^{10}b^1c^1d^7))^{1/4} \right) \cdot (28672a^2b^{13}c^{13}d^5 - 4096a^b^{14}c^{14}d^4 - 78848a^3b^{12}c^{12}d^6 + 90112a^4b^{11}c^{11}d^7 + 28672a^5b^{10}c^{10}d^8 - 229376a^6b^9c^9d^9 + 329728a^7b^8c^8d^{10} - 253952a^8b^7c^7d^{11} + 114688a^9b^6c^6d^{12} - 28672a^{10}b^5c^5d^{13} + 3072a^{11}b^4c^4d^{14}) / (b^3c^7 - a^3c^4d^3 + 3a^2b^1c^5d^2 - 3a^1b^2c^6d) + (x*(65536b^{17}c^{15}d^4 - 524288a^1b^{16}c^{14}d^5 + 1835008a^2b^{15}c^{13}d^6 - 3469312a^3b^{14}c^{12}d^7 + 2809856a^4b^{13}c^{11}d^8 + 3362816a^5b^{12}c^{10}d^9 - 14516224a^6b^{11}c^9d^{10} + 24190976a^7b^{10}c^8d^{11} - 25280512a^8b^9c^7d^{12} + 17833984a^9b^8c^6d^{13} - 8486912a^{10}b^7c^5d^{14} + 2609152a^{11}b^6c^4d^{15} - 466944a^{12}b^5c^3d^{16} + 36864a^{13}b^4c^2d^{17})*i) / (64*(b^6c^{10} + a^6c^4d^6 - 6a^5b^1c^5d^5 + 15a^2b^4c^8d^2 - 20a^3b^3c^7d^3 + 15a^4b^2c^6d^4 -
\end{aligned}$$

$$\begin{aligned}
& 6*a*b^5*c^9*d)) * 1i + (((81*a^4*b^7*d^10)/16 + 28*b^11*c^4*d^6 - (2145*a*b \\
& ^{10}*c^3*d^7)/16 - (675*a^3*b^8*c*d^9)/16 + (1971*a^2*b^9*c^2*d^8)/16) * 1i) / (\\
& b^3*c^7 - a^3*c^4*d^3 + 3*a^2*b*c^5*d^2 - 3*a*b^2*c^6*d)) * 1i - (x*(81*a^4*b \\
& ^9*d^11 + 3185*b^13*c^4*d^7 - 4788*a*b^12*c^3*d^8 - 756*a^3*b^10*c*d^10 + 2 \\
& 790*a^2*b^11*c^2*d^9) * 1i) / (64*(b^6*c^10 + a^6*c^4*d^6 - 6*a^5*b*c^5*d^5 + 1 \\
& 5*a^2*b^4*c^8*d^2 - 20*a^3*b^3*c^7*d^3 + 15*a^4*b^2*c^6*d^4 - 6*a*b^5*c^9*d \\
&)))) * (-b^7/(256*a^11*d^8 + 256*a^3*b^8*c^8 - 2048*a^4*b^7*c^7*d + 7168*a^5 \\
& *b^6*c^6*d^2 - 14336*a^6*b^5*c^5*d^3 + 17920*a^7*b^4*c^4*d^4 - 14336*a^8*b^ \\
& 3*c^3*d^5 + 7168*a^9*b^2*c^2*d^6 - 2048*a^10*b*c*d^7))^(1/4) + (d*x)/(4*c*(\\
& c + d*x^4)*(a*d - b*c))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**4+a)/(d*x**4+c)**2,x)

[Out] Timed out

$$3.103 \quad \int \frac{(c+dx^4)^5}{(a+bx^4)^2} dx$$

Optimal. Leaf size=407

$$\frac{(bc-ad)^4(17ad+3bc)\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}b^{21/4}} + \frac{(bc-ad)^4(17ad+3bc)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}b^{21/4}}$$

Rubi [A] time = 0.40, antiderivative size = 407, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {390, 385, 211, 1165, 628, 1162, 617, 204}

$$\frac{d^5x^4(3a^2b^2-10abcd+10b^2c^2)}{5a^4} - \frac{d^5x(15a^2bc^2-4ab^3d-20abd^2d+10b^3c^2)}{b^5} - \frac{(bc-ad)^4(17ad+3bc)\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}b^{21/4}} + \frac{(bc-ad)^4(17ad+3bc)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}b^{21/4}} - \frac{(bc-ad)^4(17ad+3bc)\tan^{-1}\left(1-\frac{\sqrt{2}bc}{a^2}\right)}{8\sqrt{2}a^{7/4}b^{21/4}} + \frac{(bc-ad)^4(17ad+3bc)\tan^{-1}\left(\frac{\sqrt{2}bc}{a^2}+1\right)}{8\sqrt{2}a^{7/4}b^{21/4}} + \frac{d^5x^3(5bc-2ad)}{9b^3} + \frac{x(bc-ad)^5}{4ab^5(a+bx^4)} + \frac{d^5x^{13}}{13b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^4)^5/(a + b*x^4)^2,x]

[Out] (d^2*(10*b^3*c^3 - 20*a*b^2*c^2*d + 15*a^2*b*c*d^2 - 4*a^3*d^3)*x)/b^5 + (d^3*(10*b^2*c^2 - 10*a*b*c*d + 3*a^2*d^2)*x^5)/(5*b^4) + (d^4*(5*b*c - 2*a*d)*x^9)/(9*b^3) + (d^5*x^13)/(13*b^2) + ((b*c - a*d)^5*x)/(4*a*b^5*(a + b*x^4)) - ((b*c - a*d)^4*(3*b*c + 17*a*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/((8*Sqrt[2]*a^(7/4)*b^(21/4)) + ((b*c - a*d)^4*(3*b*c + 17*a*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/((8*Sqrt[2]*a^(7/4)*b^(21/4)) - ((b*c - a*d)^4*(3*b*c + 17*a*d)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(21/4)) + ((b*c - a*d)^4*(3*b*c + 17*a*d)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(21/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[(((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])
```

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx^4)^5}{(a + bx^4)^2} dx &= \int \left(\frac{d^2 (10b^3c^3 - 20ab^2c^2d + 15a^2bcd^2 - 4a^3d^3)}{b^5} + \frac{d^3 (10b^2c^2 - 10abcd + 3a^2d^2)}{b^4} + \frac{d^4(5bc - 2a^2)}{9b^3} \right) x^4 \\
&= \frac{d^2 (10b^3c^3 - 20ab^2c^2d + 15a^2bcd^2 - 4a^3d^3) x}{b^5} + \frac{d^3 (10b^2c^2 - 10abcd + 3a^2d^2) x^5}{5b^4} + \frac{d^4(5bc - 2a^2) x^9}{9b^3} \\
&= \frac{d^2 (10b^3c^3 - 20ab^2c^2d + 15a^2bcd^2 - 4a^3d^3) x}{b^5} + \frac{d^3 (10b^2c^2 - 10abcd + 3a^2d^2) x^5}{5b^4} + \frac{d^4(5bc - 2a^2) x^9}{9b^3} \\
&= \frac{d^2 (10b^3c^3 - 20ab^2c^2d + 15a^2bcd^2 - 4a^3d^3) x}{b^5} + \frac{d^3 (10b^2c^2 - 10abcd + 3a^2d^2) x^5}{5b^4} + \frac{d^4(5bc - 2a^2) x^9}{9b^3} \\
&= \frac{d^2 (10b^3c^3 - 20ab^2c^2d + 15a^2bcd^2 - 4a^3d^3) x}{b^5} + \frac{d^3 (10b^2c^2 - 10abcd + 3a^2d^2) x^5}{5b^4} + \frac{d^4(5bc - 2a^2) x^9}{9b^3} \\
&= \frac{d^2 (10b^3c^3 - 20ab^2c^2d + 15a^2bcd^2 - 4a^3d^3) x}{b^5} + \frac{d^3 (10b^2c^2 - 10abcd + 3a^2d^2) x^5}{5b^4} + \frac{d^4(5bc - 2a^2) x^9}{9b^3} \\
&= \frac{d^2 (10b^3c^3 - 20ab^2c^2d + 15a^2bcd^2 - 4a^3d^3) x}{b^5} + \frac{d^3 (10b^2c^2 - 10abcd + 3a^2d^2) x^5}{5b^4} + \frac{d^4(5bc - 2a^2) x^9}{9b^3}
\end{aligned}$$

Mathematica [A] time = 0.45, size = 391, normalized size = 0.96

$$\frac{885\sqrt{2}bc-ad^2(17ad+3b)\log(\sqrt{2}87\sqrt{5}+5\sqrt{2}+5\sqrt{a})}{a^4} + \frac{885\sqrt{2}bc-ad^2(17ad+3b)\log(\sqrt{2}87\sqrt{5}+5\sqrt{2}+5\sqrt{a})}{a^4} - \frac{1170\sqrt{2}bc-ad^2(17ad+3b)\tan^{-1}\left(\frac{\sqrt{2}87}{5}\right)}{a^4} + \frac{1170\sqrt{2}bc-ad^2(17ad+3b)\tan^{-1}\left(\frac{\sqrt{2}87}{5}\right)}{a^4} + 3744b^{5/4}d^3x^2(3a^2d^2-10abcd+10b^2c^2)+18720\sqrt{b}d^2x(-4a^3d^2+15a^2bcd^2-20ab^2c^2d+10b^3c^3)+2080b^{9/4}d^4(5bc-2a^2)+\frac{4680\sqrt{2}bc-ad^2}{d(a+bx^4)}+1440b^{13/4}d^4x^{13}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^4)^5/(a + b*x^4)^2,x]

[Out] (18720*b^(1/4)*d^2*(10*b^3*c^3 - 20*a*b^2*c^2*d + 15*a^2*b*c*d^2 - 4*a^3*d^3)*x + 3744*b^(5/4)*d^3*(10*b^2*c^2 - 10*a*b*c*d + 3*a^2*d^2)*x^5 + 2080*b^(9/4)*d^4*(5*b*c - 2*a*d)*x^9 + 1440*b^(13/4)*d^5*x^13 + (4680*b^(1/4)*(b*c - a*d)^5*x)/(a*(a + b*x^4)) - (1170*Sqrt[2]*(b*c - a*d)^4*(3*b*c + 17*a*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(7/4) + (1170*Sqrt[2]*(b*c - a*d)^4*(3*b*c + 17*a*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(7/4) - (585*Sqrt[2]*(b*c - a*d)^4*(3*b*c + 17*a*d)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)])

$(1/4)*x + \text{Sqrt}[b]*x^2)/a^{(7/4)} + (585*\text{Sqrt}[2]*(b*c - a*d)^4*(3*b*c + 17*a*d) * \text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/a^{(7/4)}/(18720*b^{(21/4)})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx^4)^5}{(a + bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^4)^5/(a + b*x^4)^2,x]

[Out] IntegrateAlgebraic[(c + d*x^4)^5/(a + b*x^4)^2, x]

fricas [B] time = 1.49, size = 3222, normalized size = 7.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^5/(b*x^4+a)^2,x, algorithm="fricas")

[Out] $1/9360*(720*a*b^4*d^5*x^{17} + 80*(65*a*b^4*c*d^4 - 17*a^2*b^3*d^5)*x^{13} + 208*(90*a*b^4*c^2*d^3 - 65*a^2*b^3*c*d^4 + 17*a^3*b^2*d^5)*x^9 + 1872*(50*a*b^4*c^3*d^2 - 90*a^2*b^3*c^2*d^3 + 65*a^3*b^2*c*d^4 - 17*a^4*b*d^5)*x^5 + 2340*(a*b^6*x^4 + a^2*b^5)*(-81*b^20*c^20 + 540*a*b^19*c^19*d - 4050*a^2*b^18*c^18*d^2 - 15780*a^3*b^17*c^17*d^3 + 132205*a^4*b^16*c^16*d^4 - 13264*a^5*b^15*c^15*d^5 - 1960920*a^6*b^14*c^14*d^6 + 6137200*a^7*b^13*c^13*d^7 - 500110*a^8*b^12*c^12*d^8 - 48530040*a^9*b^11*c^11*d^9 + 174873556*a^10*b^10*c^10*d^10 - 360900280*a^11*b^9*c^9*d^11 + 517559250*a^12*b^8*c^8*d^12 - 548231440*a^13*b^7*c^7*d^13 + 438700840*a^14*b^6*c^6*d^14 - 266040144*a^15*b^5*c^5*d^15 + 120836285*a^16*b^4*c^4*d^16 - 39944900*a^17*b^3*c^3*d^17 + 9094830*a^18*b^2*c^2*d^18 - 1277380*a^19*b*c*d^19 + 83521*a^20*d^20)/(a^7*b^21))^{(1/4)}*\arctan(-(a^5*b^16*x*(-81*b^20*c^20 + 540*a*b^19*c^19*d - 4050*a^2*b^18*c^18*d^2 - 15780*a^3*b^17*c^17*d^3 + 132205*a^4*b^16*c^16*d^4 - 13264*a^5*b^15*c^15*d^5 - 1960920*a^6*b^14*c^14*d^6 + 6137200*a^7*b^13*c^13*d^7 - 500110*a^8*b^12*c^12*d^8 - 48530040*a^9*b^11*c^11*d^9 + 174873556*a^10*b^10*c^10*d^10 - 360900280*a^11*b^9*c^9*d^11 + 517559250*a^12*b^8*c^8*d^12 - 548231440*a^13*b^7*c^7*d^13 + 438700840*a^14*b^6*c^6*d^14 - 266040144*a^15*b^5*c^5*d^15 + 120836285*a^16*b^4*c^4*d^16 - 39944900*a^17*b^3*c^3*d^17 + 9094830*a^18*b^2*c^2*d^18 - 1277380*a^19*b*c*d^19 + 83521*a^20*d^20)/(a^7*b^21))^{(3/4)} - a^5*b^16*sqrt((a^4*b^10*sqrt(-(81*b^20*c^20 + 540*a*b^19*c^19*d - 4050*a^2*b^18*c^18*d^2 - 15780*a^3*b^17*c^17*d^3 + 132205*a^4*b^16*c^16*d^4 - 13264*a^5*b^15*c^15*d^5 - 1960920*a^6*b^14*c^14*d^6 + 6137200*a^7*b^13*c^13*d^7 - 500110*a^8*b^12*c^12*d^8 - 48530040*a^9*b^11*c^11*d^9 + 1748735$

$$\begin{aligned}
& 56a^{10}b^{10}c^{10}d^{10} - 360900280a^{11}b^9c^9d^{11} + 517559250a^{12}b^8c^8d^{12} - 548231440a^{13}b^7c^7d^{13} + 438700840a^{14}b^6c^6d^{14} - 266040144a^{15}b^5c^5d^{15} + 120836285a^{16}b^4c^4d^{16} - 39944900a^{17}b^3c^3d^{17} + 9094830a^{18}b^2c^2d^{18} - 1277380a^{19}b^1c^1d^{19} + 83521a^{20}d^{20} \\
& 0)/(a^7b^{21})) + (9b^{10}c^{10} + 30a^*b^9c^9d - 275a^2b^8c^8d^2 + 40a^3b^7c^7d^3 + 3010a^4b^6c^6d^4 - 9548a^5b^5c^5d^5 + 14770a^6b^4c^4d^6 - 13400a^7b^3c^3d^7 + 7285a^8b^2c^2d^8 - 2210a^9b^1c^1d^9 + 289a^{10}d^{10}) * x^2) / (9b^{10}c^{10} + 30a^*b^9c^9d - 275a^2b^8c^8d^2 + 40a^3b^7c^7d^3 + 3010a^4b^6c^6d^4 - 9548a^5b^5c^5d^5 + 14770a^6b^4c^4d^6 - 13400a^7b^3c^3d^7 + 7285a^8b^2c^2d^8 - 2210a^9b^1c^1d^9 + 289a^{10}d^{10}) * (-(81b^{20}c^{20} + 540a^*b^{19}c^{19}d - 4050a^2b^{18}c^{18}d^2 - 15780a^3b^{17}c^{17}d^3 + 132205a^4b^{16}c^{16}d^4 - 13264a^5b^{15}c^{15}d^5 - 1960920a^6b^{14}c^{14}d^6 + 6137200a^7b^{13}c^{13}d^7 - 500110a^8b^{12}c^{12}d^8 - 48530040a^9b^{11}c^{11}d^9 + 174873556a^{10}b^{10}c^{10}d^{10} - 360900280a^{11}b^9c^9d^{11} + 517559250a^{12}b^8c^8d^{12} - 548231440a^{13}b^7c^7d^{13} + 438700840a^{14}b^6c^6d^{14} - 266040144a^{15}b^5c^5d^{15} + 120836285a^{16}b^4c^4d^{16} - 39944900a^{17}b^3c^3d^{17} + 9094830a^{18}b^2c^2d^{18} - 1277380a^{19}b^1c^1d^{19} + 83521a^{20}d^{20}) / (a^7b^{21}))^{(3/4)} / (27b^{15}c^{15} + 135a^*b^{14}c^{14}d - 1125a^2b^{13}c^{13}d^2 - 1945a^3b^{12}c^{12}d^3 + 25095a^4b^{11}c^{11}d^4 - 42141a^5b^{10}c^{10}d^5 - 131945a^6b^9c^9d^6 + 774675a^7b^8c^8d^7 - 1837935a^8b^7c^7d^8 + 2700885a^9b^6c^6d^9 - 2702799a^{10}b^5c^5d^{10} + 1889685a^{11}b^4c^4d^{11} - 914675a^{12}b^3c^3d^{12} + 293505a^{13}b^2c^2d^{13} - 56355a^{14}b^1c^1d^{14} + 4913a^{15}d^{15})) + 585*(a^*b^6x^4 + a^2b^5) * (-(81b^{20}c^{20} + 540a^*b^{19}c^{19}d - 4050a^2b^{18}c^{18}d^2 - 15780a^3b^{17}c^{17}d^3 + 132205a^4b^{16}c^{16}d^4 - 13264a^5b^{15}c^{15}d^5 - 1960920a^6b^{14}c^{14}d^6 + 6137200a^7b^{13}c^{13}d^7 - 500110a^8b^{12}c^{12}d^8 - 48530040a^9b^{11}c^{11}d^9 + 174873556a^{10}b^{10}c^{10}d^{10} - 360900280a^{11}b^9c^9d^{11} + 517559250a^{12}b^8c^8d^{12} - 548231440a^{13}b^7c^7d^{13} + 438700840a^{14}b^6c^6d^{14} - 266040144a^{15}b^5c^5d^{15} + 120836285a^{16}b^4c^4d^{16} - 39944900a^{17}b^3c^3d^{17} + 9094830a^{18}b^2c^2d^{18} - 1277380a^{19}b^1c^1d^{19} + 83521a^{20}d^{20}) / (a^7b^{21}))^{(1/4)} * log(a^2b^5 * (-(81b^{20}c^{20} + 540a^*b^{19}c^{19}d - 4050a^2b^{18}c^{18}d^2 - 15780a^3b^{17}c^{17}d^3 + 132205a^4b^{16}c^{16}d^4 - 13264a^5b^{15}c^{15}d^5 - 1960920a^6b^{14}c^{14}d^6 + 6137200a^7b^{13}c^{13}d^7 - 500110a^8b^{12}c^{12}d^8 - 48530040a^9b^{11}c^{11}d^9 + 174873556a^{10}b^{10}c^{10}d^{10} - 360900280a^{11}b^9c^9d^{11} + 517559250a^{12}b^8c^8d^{12} - 548231440a^{13}b^7c^7d^{13} + 438700840a^{14}b^6c^6d^{14} - 266040144a^{15}b^5c^5d^{15} + 120836285a^{16}b^4c^4d^{16} - 39944900a^{17}b^3c^3d^{17} + 9094830a^{18}b^2c^2d^{18} - 1277380a^{19}b^1c^1d^{19} + 83521a^{20}d^{20}) / (a^7b^{21}))^{(1/4)} + (3b^5c^5 + 5a^*b^4c^4d - 50a^2b^3c^3d^2 + 90a^3b^2c^2d^3 - 65a^4b^1c^1d^4 + 17a^5d^5) * x) - 585*(a^*b^6x^4 + a^2b^5) * (-(81b^{20}c^{20} + 540a^*b^{19}c^{19}d - 4050a^2b^{18}c^{18}d^2 - 15780a^3b^{17}c^{17}d^3 + 132205a^4b^{16}c^{16}d^4 - 13264a^5b^{15}c^{15}d^5 - 1960920a^6b^{14}c^{14}d^6 + 6137200a^7b^{13}c^{13}d^7 - 500110a^8b^{12}c^{12}d^8 - 48530040a^9b^{11}c^{11}d^9 + 174873556a^{10}b^{10}c^{10}d^{10} - 36090
\end{aligned}$$

$$\begin{aligned}
& 0280*a^{11}*b^9*c^9*d^{11} + 517559250*a^{12}*b^8*c^8*d^{12} - 548231440*a^{13}*b^7*c^7*d^{13} + 438700840*a^{14}*b^6*c^6*d^{14} - 266040144*a^{15}*b^5*c^5*d^{15} + 120836285*a^{16}*b^4*c^4*d^{16} - 39944900*a^{17}*b^3*c^3*d^{17} + 9094830*a^{18}*b^2*c^2*d^{18} - 1277380*a^{19}*b*c*d^{19} + 83521*a^{20}*d^{20}/(a^7*b^{21})^{(1/4)}*\log(-a^2*b^5*(-(81*b^{20}*c^{20} + 540*a*b^{19}*c^{19}*d - 4050*a^2*b^{18}*c^{18}*d^2 - 15780*a^3*b^{17}*c^{17}*d^3 + 132205*a^4*b^{16}*c^{16}*d^4 - 13264*a^5*b^{15}*c^{15}*d^5 - 1960920*a^6*b^{14}*c^{14}*d^6 + 6137200*a^7*b^{13}*c^{13}*d^7 - 500110*a^8*b^{12}*c^{12}*d^8 - 48530040*a^9*b^{11}*c^{11}*d^9 + 174873556*a^{10}*b^{10}*c^{10}*d^{10} - 360900280*a^{11}*b^9*c^9*d^{11} + 517559250*a^{12}*b^8*c^8*d^{12} - 548231440*a^{13}*b^7*c^7*d^{13} + 438700840*a^{14}*b^6*c^6*d^{14} - 266040144*a^{15}*b^5*c^5*d^{15} + 120836285*a^{16}*b^4*c^4*d^{16} - 39944900*a^{17}*b^3*c^3*d^{17} + 9094830*a^{18}*b^2*c^2*d^{18} - 1277380*a^{19}*b*c*d^{19} + 83521*a^{20}*d^{20})/(a^7*b^{21})^{(1/4)} + (3*b^5*c^5 + 5*a*b^4*c^4*d - 50*a^2*b^3*c^3*d^2 + 90*a^3*b^2*c^2*d^3 - 65*a^4*b*c*d^4 + 17*a^5*d^5)*x) + 2340*(b^5*c^5 - 5*a*b^4*c^4*d + 50*a^2*b^3*c^3*d^2 - 90*a^3*b^2*c^2*d^3 + 65*a^4*b*c*d^4 - 17*a^5*d^5)*x)/(a*b^6*x^4 + a^2*b^5)
\end{aligned}$$

giac [B] time = 0.18, size = 798, normalized size = 1.96

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^5/(b*x^4+a)^2,x, algorithm="giac")

[Out] $1/16*\sqrt{2}*(3*(a*b^3)^{(1/4)}*b^5*c^5 + 5*(a*b^3)^{(1/4)}*a*b^4*c^4*d - 50*(a*b^3)^{(1/4)}*a^2*b^3*c^3*d^2 + 90*(a*b^3)^{(1/4)}*a^3*b^2*c^2*d^3 - 65*(a*b^3)^{(1/4)}*a^4*b*c*d^4 + 17*(a*b^3)^{(1/4)}*a^5*d^5)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^2*b^6) + 1/16*\sqrt{2}*(3*(a*b^3)^{(1/4)}*b^5*c^5 + 5*(a*b^3)^{(1/4)}*a*b^4*c^4*d - 50*(a*b^3)^{(1/4)}*a^2*b^3*c^3*d^2 + 90*(a*b^3)^{(1/4)}*a^3*b^2*c^2*d^3 - 65*(a*b^3)^{(1/4)}*a^4*b*c*d^4 + 17*(a*b^3)^{(1/4)}*a^5*d^5)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^2*b^6) + 1/32*\sqrt{2}*(3*(a*b^3)^{(1/4)}*b^5*c^5 + 5*(a*b^3)^{(1/4)}*a*b^4*c^4*d - 50*(a*b^3)^{(1/4)}*a^2*b^3*c^3*d^2 + 90*(a*b^3)^{(1/4)}*a^3*b^2*c^2*d^3 - 65*(a*b^3)^{(1/4)}*a^4*b*c*d^4 + 17*(a*b^3)^{(1/4)}*a^5*d^5)*\log(x^2 + \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a^2*b^6) - 1/32*\sqrt{2}*(3*(a*b^3)^{(1/4)}*b^5*c^5 + 5*(a*b^3)^{(1/4)}*a*b^4*c^4*d - 50*(a*b^3)^{(1/4)}*a^2*b^3*c^3*d^2 + 90*(a*b^3)^{(1/4)}*a^3*b^2*c^2*d^3 - 65*(a*b^3)^{(1/4)}*a^4*b*c*d^4 + 17*(a*b^3)^{(1/4)}*a^5*d^5)*\log(x^2 - \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a^2*b^6) + 1/4*(b^5*c^5*x - 5*a*b^4*c^4*d*x + 10*a^2*b^3*c^3*d^2*x - 10*a^3*b^2*c^2*d^3*x + 5*a^4*b*c*d^4*x - a^5*d^5*x)/((b*x^4 + a)*a*b^5) + 1/585*(45*b^{24}*d^5*x^13 + 325*b^{24}*c*d^4*x^9 - 130*a*b^{23}*d^5*x^9 + 1170*b^{24}*c^2*d^3*x^5 - 1170*a*b^{23}*c*d^4*x^5 + 351*a^2*b^{22}*d^5*x^5 + 5850*b^{24}*c^3*d^2*x - 11700*a*b^{23}*c^2*d^3*x + 8775*a^2*b^{22}*c*d^4*x - 2340*a^3*b^{21}*d^5*x)/b^{26}$

maple [B] time = 0.06, size = 1118, normalized size = 2.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((d*x^4+c)^5/(b*x^4+a)^2,x)$

[Out]
$$\frac{5}{32} \frac{b}{a} \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{1/4} 2^{1/2} x + \left(\frac{a}{b}\right)^{1/2}}{x^2 - \left(\frac{a}{b}\right)^{1/4} 2^{1/2} x + \left(\frac{a}{b}\right)^{1/2}}\right) \frac{c^4 d - 65/16 b^4 a^2 \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \arctan\left(\frac{2^{1/2}}{\left(\frac{a}{b}\right)^{1/4} x + 1}\right) c^4 d + 45/8 b^3 a \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \arctan\left(\frac{2^{1/2}}{\left(\frac{a}{b}\right)^{1/4} x + 1}\right) c^2 d^3 + 5/16 b/a \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \arctan\left(\frac{2^{1/2}}{\left(\frac{a}{b}\right)^{1/4} x + 1}\right) c^4 d - 65/16 b^4 a^2 \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \arctan\left(\frac{2^{1/2}}{\left(\frac{a}{b}\right)^{1/4} x - 1}\right) c^4 d + 45/8 b^3 a \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \arctan\left(\frac{2^{1/2}}{\left(\frac{a}{b}\right)^{1/4} x - 1}\right) c^2 d^3 + 5/16 b/a \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \arctan\left(\frac{2^{1/2}}{\left(\frac{a}{b}\right)^{1/4} x - 1}\right) c^4 d - 65/32 b^4 a^2 \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{1/4} 2^{1/2} x + \left(\frac{a}{b}\right)^{1/2}}{x^2 - \left(\frac{a}{b}\right)^{1/4} 2^{1/2} x + \left(\frac{a}{b}\right)^{1/2}}\right) c^4 d + 45/16 b^3 a \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{1/4} 2^{1/2} x + \left(\frac{a}{b}\right)^{1/2}}{x^2 - \left(\frac{a}{b}\right)^{1/4} 2^{1/2} x + \left(\frac{a}{b}\right)^{1/2}}\right) c^2 d^3 + 1/13 d^5 x^{13} b^{-2} + 2 d^3 b^{-2} x^5 c^2 - 4 d^5 b^{-5} a^3 x + 10 d^2 b^{-2} c^3 x + 1/4 a x / (b x^4 + a) c^5 - 2/9 d^5 b^{-3} x^9 a + 5/9 d^4 b^{-2} x^9 c + 3/5 d^5 b^{-4} x^5 a^2 - 5/2 b^{-3} a^2 x / (b x^4 + a) c^2 d^3 + 5/2 b^{-2} a x / (b x^4 + a) c^3 d^2 + 17/16 b^{-5} a^3 \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \arctan\left(\frac{2^{1/2}}{\left(\frac{a}{b}\right)^{1/4} x - 1}\right) d^5 - 25/8 b^{-2} \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \arctan\left(\frac{2^{1/2}}{\left(\frac{a}{b}\right)^{1/4} x - 1}\right) c^3 d^2 + 17/32 b^{-5} a^3 \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{1/4} 2^{1/2} x + \left(\frac{a}{b}\right)^{1/2}}{x^2 - \left(\frac{a}{b}\right)^{1/4} 2^{1/2} x + \left(\frac{a}{b}\right)^{1/2}}\right) d^5 - 25/16 b^{-2} \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{1/4} 2^{1/2} x + \left(\frac{a}{b}\right)^{1/2}}{x^2 - \left(\frac{a}{b}\right)^{1/4} 2^{1/2} x + \left(\frac{a}{b}\right)^{1/2}}\right) c^3 d^2 + 17/16 b^{-5} a^3 \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \arctan\left(\frac{2^{1/2}}{\left(\frac{a}{b}\right)^{1/4} x + 1}\right) d^5 - 25/8 b^{-2} \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \arctan\left(\frac{2^{1/2}}{\left(\frac{a}{b}\right)^{1/4} x + 1}\right) c^3 d^2 + 5/4 b^{-4} a^3 x / (b x^4 + a) c^4 d - 1/4 b^{-5} a^4 x / (b x^4 + a) d^5 - 5/4 b x / (b x^4 + a) c^4 d + 3/16 a^2 \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \arctan\left(\frac{2^{1/2}}{\left(\frac{a}{b}\right)^{1/4} x - 1}\right) c^5 + 3/32 a^2 \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{1/4} 2^{1/2} x + \left(\frac{a}{b}\right)^{1/2}}{x^2 - \left(\frac{a}{b}\right)^{1/4} 2^{1/2} x + \left(\frac{a}{b}\right)^{1/2}}\right) c^5 + 3/16 a^2 \left(\frac{a}{b}\right)^{1/4} 2^{1/2} \arctan\left(\frac{2^{1/2}}{\left(\frac{a}{b}\right)^{1/4} x + 1}\right) c^5 - 2 d^4 b^{-3} x^5 a^2 c + 15 d^4 b^{-4} a^2 c x - 20 a b^{-3} c^2 d^3 x$$

maxima [A] time = 1.45, size = 644, normalized size = 1.58

([0] - 1.45414 + 10.09292i - 10.09292i - 1.45414) : (4) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (5) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (6) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (7) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (8) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (9) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (10) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (11) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (12) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (13) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (14) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (15) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (16) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (17) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (18) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (19) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (20) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (21) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (22) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (23) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (24) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (25) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (26) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (27) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (28) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (29) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (30) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (31) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (32) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (33) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (34) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (35) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (36) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (37) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (38) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (39) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (40) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (41) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (42) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (43) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (44) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (45) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (46) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (47) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (48) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (49) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (50) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (51) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (52) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (53) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (54) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (55) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (56) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (57) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (58) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (59) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (60) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (61) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (62) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (63) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (64) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (65) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (66) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (67) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (68) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (69) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (70) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (71) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (72) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (73) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (74) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (75) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (76) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (77) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (78) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (79) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (80) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (81) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (82) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (83) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (84) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (85) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (86) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (87) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (88) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (89) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (90) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (91) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (92) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (93) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (94) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (95) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (96) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (97) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (98) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (99) 1.45414 + 10.09292i - 10.09292i - 1.45414 : (100) 1.45414 + 10.09292i - 10.09292i - 1.45414

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((d*x^4+c)^5/(b*x^4+a)^2,x, \text{algorithm}="maxima")$

[Out]
$$\frac{1}{4} (b^5 c^5 - 5 a b^4 c^4 d + 10 a^2 b^3 c^3 d^2 - 10 a^3 b^2 c^2 d^3 + 5 a^4 b c d^4 - a^5 d^5) \frac{x}{a b^6 x^4 + a^2 b^5} + \frac{1}{585} (45 b^3 c^4 d^5 x^{13} + 65 (5 b^3 c^4 d^4 - 2 a b^2 d^5) x^9 + 117 (10 b^3 c^2 d^3 - 10 a b^2 c d^4 + 3 a^2 b d^5) x^5 + 585 (10 b^3 c^3 d^2 - 20 a b^2 c^2 d^3 + 15 a^2 b c d^4 - 4 a^3 d^5) x) / b^5 + \frac{1}{32} (2 \sqrt{2}) (3 b^5 c^5 + 5 a b^4 c^4 d - 50 a^2 b^3 c^3 d^2 + 90 a^3 b^2 c^2 d^3 - 65 a^4 b c d^4 + 17 a^5 d^5) \arctan\left(\frac{1}{2} \sqrt{2} \sqrt{2} (2 \sqrt{2} (b) x + \sqrt{2}) a^{1/4} b^{1/4}\right) / \sqrt{a} \sqrt{b}$$

$$\begin{aligned} & (a) \cdot \sqrt{\sqrt{a} \cdot \sqrt{b}}) + 2 \cdot \sqrt{2} \cdot (3b^5c^5 + 5ab^4c^4d - 50a^2b^3c^3d^2 + 90a^3b^2c^2d^3 - 65a^4b^2cd^4 + 17a^5d^5) \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot (2\sqrt{b} \cdot x - \sqrt{2} \cdot a^{1/4} \cdot b^{1/4}) / \sqrt{\sqrt{a} \cdot \sqrt{b}}\right) / (\sqrt{a} \cdot \sqrt{\sqrt{a} \cdot \sqrt{b}}) \\ & + \sqrt{2} \cdot (3b^5c^5 + 5ab^4c^4d - 50a^2b^3c^3d^2 + 90a^3b^2c^2d^3 - 65a^4b^2cd^4 + 17a^5d^5) \cdot \log(\sqrt{b} \cdot x^2 + \sqrt{2} \cdot a^{1/4} \cdot b^{1/4} \cdot x + \sqrt{a}) / (a^{3/4} \cdot b^{1/4}) - \sqrt{2} \cdot (3b^5c^5 + 5ab^4c^4d - 50a^2b^3c^3d^2 + 90a^3b^2c^2d^3 - 65a^4b^2cd^4 + 17a^5d^5) \cdot \log(\sqrt{b} \cdot x^2 - \sqrt{2} \cdot a^{1/4} \cdot b^{1/4} \cdot x + \sqrt{a}) / (a^{3/4} \cdot b^{1/4}) / (a \cdot b^5) \end{aligned}$$

mupad [B] time = 1.71, size = 2490, normalized size = 6.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d \cdot x^4)^5 / (a + b \cdot x^4)^2, x)$

[Out]
$$\begin{aligned} & x \cdot \left(\frac{10c^3d^2}{b^2} - \frac{2a \cdot \left(\frac{2a \cdot \left(\frac{2a \cdot d^5}{b^3} - \frac{5c \cdot d^4}{b^2} \right)}{b} - \frac{a^2 \cdot d^5}{b^4} + \frac{10c^2d^3}{b^2} \right)}{b} + \frac{a^2 \cdot \left(\frac{2a \cdot d^5}{b^3} - \frac{5c \cdot d^4}{b^2} \right)}{b^2} \right) \\ & - x^9 \cdot \left(\frac{2a \cdot d^5}{9b^3} - \frac{5c \cdot d^4}{9b^2} \right) + x^5 \cdot \left(\frac{2a \cdot \left(\frac{2a \cdot d^5}{b^3} - \frac{5c \cdot d^4}{b^2} \right)}{5b} - \frac{a^2 \cdot d^5}{5b^4} + \frac{2c^2d^3}{b^2} + \frac{d^5 \cdot x^{13}}{(13b^2)} \right. \\ & \left. - \frac{(x \cdot (a^5d^5 - b^5c^5 - 10a^2b^3c^3d^2 + 10a^3b^2c^2d^3 + 5ab^4c^4d - 5a^4b^2cd^4))}{(4a \cdot (a \cdot b^5 + b^6 \cdot x^4))} + \frac{\text{atan}\left(\frac{(x \cdot (289a^{10}d^{10} + 9b^{10}c^{10} - 275a^2b^8c^8d^2 + 40a^3b^7c^7d^3 + 3010a^4b^6c^6d^4 - 9548a^5b^5c^5d^5 + 14770a^6b^4c^4d^6 - 13400a^7b^3c^3d^7 + 7285a^8b^2c^2d^8 + 30ab^9c^9d - 2210a^9b^2cd^9))}{(4a^2b^7)} - \frac{((a \cdot d - b \cdot c)^4 \cdot (17a \cdot d + 3b \cdot c) \cdot (17a^5d^5 + 3b^5c^5 - 50a^2b^3c^3d^2 + 90a^3b^2c^2d^3 + 5ab^4c^4d - 65a^4b^2cd^4))}{(4 \cdot (-a)^{7/4} \cdot b^{29/4})}\right)}{(16 \cdot (-a)^{7/4} \cdot b^{21/4})} + \frac{((x \cdot (289a^{10}d^{10} + 9b^{10}c^{10} - 275a^2b^8c^8d^2 + 40a^3b^7c^7d^3 + 3010a^4b^6c^6d^4 - 9548a^5b^5c^5d^5 + 14770a^6b^4c^4d^6 - 13400a^7b^3c^3d^7 + 7285a^8b^2c^2d^8 + 30ab^9c^9d - 2210a^9b^2cd^9))}{(4a^2b^7)} + \frac{((a \cdot d - b \cdot c)^4 \cdot (17a \cdot d + 3b \cdot c) \cdot (17a^5d^5 + 3b^5c^5 - 50a^2b^3c^3d^2 + 90a^3b^2c^2d^3 + 5ab^4c^4d - 65a^4b^2cd^4))}{(4 \cdot (-a)^{7/4} \cdot b^{29/4})}\right)}{(16 \cdot (-a)^{7/4} \cdot b^{21/4})} - \frac{((x \cdot (289a^{10}d^{10} + 9b^{10}c^{10} - 275a^2b^8c^8d^2 + 40a^3b^7c^7d^3 + 3010a^4b^6c^6d^4 - 9548a^5b^5c^5d^5 + 14770a^6b^4c^4d^6 - 13400a^7b^3c^3d^7 + 7285a^8b^2c^2d^8 + 30ab^9c^9d - 2210a^9b^2cd^9))}{(4a^2b^7)} + \frac{((a \cdot d - b \cdot c)^4 \cdot (17a \cdot d + 3b \cdot c) \cdot (17a^5d^5 + 3b^5c^5 - 50a^2b^3c^3d^2 + 90a^3b^2c^2d^3 + 5ab^4c^4d - 65a^4b^2cd^4))}{(4 \cdot (-a)^{7/4} \cdot b^{29/4})}\right)}{(16 \cdot (-a)^{7/4} \cdot b^{21/4})} - \frac{((x \cdot (289a^{10}d^{10} + 9b^{10}c^{10} - 275a^2b^8c^8d^2 + 40a^3b^7c^7d^3 + 3010a^4b^6c^6d^4 - 9548a^5b^5c^5d^5 + 14770a^6b^4c^4d^6 - 13400a^7b^3c^3d^7 + 7285a^8b^2c^2d^8 + 30ab^9c^9d - 2210a^9b^2cd^9))}{(4a^2b^7)} + \frac{((a \cdot d - b \cdot c)^4 \cdot (17a \cdot d + 3b \cdot c) \cdot (17a^5d^5 + 3b^5c^5 - 50a^2b^3c^3d^2 + 90a^3b^2c^2d^3 + 5ab^4c^4d - 65a^4b^2cd^4))}{(4 \cdot (-a)^{7/4} \cdot b^{29/4})}\right)}{(16 \cdot (-a)^{7/4} \cdot b^{21/4})} \end{aligned}$$

$$\begin{aligned}
& (17ad + 3bc)(17a^5d^5 + 3b^5c^5 - 50a^2b^3c^3d^2 + 90a^3b^2c^2d^3 + 5ab^4c^4d - 65a^4b^2cd^4) / (4(-a)^{7/4}b^{29/4}) \\
& * (ad - bc)^4(17ad + 3bc) / (16(-a)^{7/4}b^{21/4}) \\
& + (atan(\frac{(x(289a^{10}d^{10} + 9b^{10}c^{10} - 275a^2b^8c^8d^2 + 40a^3b^7c^7d^3 + 3010a^4b^6c^6d^4 - 9548a^5b^5c^5d^5 + 14770a^6b^4c^4d^6 - 13400a^7b^3c^3d^7 + 7285a^8b^2c^2d^8 + 30ab^9c^9d - 2210a^9b^8cd^9))}{(4a^2b^7) - ((ad - bc)^4(17ad + 3bc)(17a^5d^5 + 3b^5c^5 - 50a^2b^3c^3d^2 + 90a^3b^2c^2d^3 + 5ab^4c^4d - 65a^4b^2cd^4)*1i)}{(4(-a)^{7/4}b^{29/4})}) \\
& * (ad - bc)^4(17ad + 3bc) / (16(-a)^{7/4}b^{21/4}) \\
& + ((x(289a^{10}d^{10} + 9b^{10}c^{10} - 275a^2b^8c^8d^2 + 40a^3b^7c^7d^3 + 3010a^4b^6c^6d^4 - 9548a^5b^5c^5d^5 + 14770a^6b^4c^4d^6 - 13400a^7b^3c^3d^7 + 7285a^8b^2c^2d^8 + 30ab^9c^9d - 2210a^9b^8cd^9)) / (4a^2b^7) - ((ad - bc)^4(17ad + 3bc)(17a^5d^5 + 3b^5c^5 - 50a^2b^3c^3d^2 + 90a^3b^2c^2d^3 + 5ab^4c^4d - 65a^4b^2cd^4)*1i) / (4(-a)^{7/4}b^{29/4})) \\
& * (ad - bc)^4(17ad + 3bc) / (16(-a)^{7/4}b^{21/4}) \\
& - (((x(289a^{10}d^{10} + 9b^{10}c^{10} - 275a^2b^8c^8d^2 + 40a^3b^7c^7d^3 + 3010a^4b^6c^6d^4 - 9548a^5b^5c^5d^5 + 14770a^6b^4c^4d^6 - 13400a^7b^3c^3d^7 + 7285a^8b^2c^2d^8 + 30ab^9c^9d - 2210a^9b^8cd^9)) / (4a^2b^7) - ((ad - bc)^4(17ad + 3bc)(17a^5d^5 + 3b^5c^5 - 50a^2b^3c^3d^2 + 90a^3b^2c^2d^3 + 5ab^4c^4d - 65a^4b^2cd^4)*1i) / (4(-a)^{7/4}b^{29/4})) \\
& * (ad - bc)^4(17ad + 3bc) / (16(-a)^{7/4}b^{21/4}) \\
& - (((x(289a^{10}d^{10} + 9b^{10}c^{10} - 275a^2b^8c^8d^2 + 40a^3b^7c^7d^3 + 3010a^4b^6c^6d^4 - 9548a^5b^5c^5d^5 + 14770a^6b^4c^4d^6 - 13400a^7b^3c^3d^7 + 7285a^8b^2c^2d^8 + 30ab^9c^9d - 2210a^9b^8cd^9)) / (4a^2b^7) + ((ad - bc)^4(17ad + 3bc)(17a^5d^5 + 3b^5c^5 - 50a^2b^3c^3d^2 + 90a^3b^2c^2d^3 + 5ab^4c^4d - 65a^4b^2cd^4)*1i) / (4(-a)^{7/4}b^{29/4})) \\
& * (ad - bc)^4(17ad + 3bc) / (8(-a)^{7/4}b^{21/4})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**4+c)**5/(b*x**4+a)**2,x)

[Out] Timed out

$$3.104 \quad \int \frac{(c+dx^4)^4}{(a+bx^4)^2} dx$$

Optimal. Leaf size=357

$$\frac{(bc-ad)^3(13ad+3bc)\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}b^{17/4}} + \frac{(bc-ad)^3(13ad+3bc)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}b^{17/4}}$$

Rubi [A] time = 0.37, antiderivative size = 357, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {390, 385, 211, 1165, 628, 1162, 617, 204}

$$\frac{d^2x(3a^2d^2-8abcd+6d^2c^2)}{b^4} - \frac{(bc-ad)^3(13ad+3bc)\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}b^{17/4}} + \frac{(bc-ad)^3(13ad+3bc)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}b^{17/4}} - \frac{(bc-ad)^3(13ad+3bc)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{b}}\right)}{8\sqrt{2}a^{7/4}b^{17/4}} + \frac{(bc-ad)^3(13ad+3bc)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{b}}+1\right)}{8\sqrt{2}a^{7/4}b^{17/4}} + \frac{2d^3x^3(2bc-ad)}{5b^3} + \frac{x(bc-ad)^4}{4a^2b^4(a+bx^4)} + \frac{d^4x^5}{9b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^4)^4/(a + b*x^4)^2,x]

[Out] (d^2*(6*b^2*c^2 - 8*a*b*c*d + 3*a^2*d^2)*x)/b^4 + (2*d^3*(2*b*c - a*d)*x^5)/(5*b^3) + (d^4*x^9)/(9*b^2) + ((b*c - a*d)^4*x)/(4*a*b^4*(a + b*x^4)) - ((b*c - a*d)^3*(3*b*c + 13*a*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(17/4)) + ((b*c - a*d)^3*(3*b*c + 13*a*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(17/4)) - ((b*c - a*d)^3*(3*b*c + 13*a*d)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(17/4)) + ((b*c - a*d)^3*(3*b*c + 13*a*d)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(17/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx^4)^4}{(a + bx^4)^2} dx &= \int \left(\frac{d^2(6b^2c^2 - 8abcd + 3a^2d^2)}{b^4} + \frac{2d^3(2bc - ad)x^4}{b^3} + \frac{d^4x^8}{b^2} + \frac{(bc - ad)^3(bc + 3ad) + 4bd(bc - ad)^2}{b^4(a + bx^4)^2} \right) dx \\
&= \frac{d^2(6b^2c^2 - 8abcd + 3a^2d^2)x}{b^4} + \frac{2d^3(2bc - ad)x^5}{5b^3} + \frac{d^4x^9}{9b^2} + \frac{\int \frac{(bc - ad)^3(bc + 3ad) + 4bd(bc - ad)^2 x^4}{(a + bx^4)^2} dx}{b^4} \\
&= \frac{d^2(6b^2c^2 - 8abcd + 3a^2d^2)x}{b^4} + \frac{2d^3(2bc - ad)x^5}{5b^3} + \frac{d^4x^9}{9b^2} + \frac{(bc - ad)^4x}{4ab^4(a + bx^4)} + \frac{((bc - ad)^3(3bc - ad)^2)}{4ab^4(a + bx^4)} \\
&= \frac{d^2(6b^2c^2 - 8abcd + 3a^2d^2)x}{b^4} + \frac{2d^3(2bc - ad)x^5}{5b^3} + \frac{d^4x^9}{9b^2} + \frac{(bc - ad)^4x}{4ab^4(a + bx^4)} + \frac{((bc - ad)^3(3bc - ad)^2)}{4ab^4(a + bx^4)} \\
&= \frac{d^2(6b^2c^2 - 8abcd + 3a^2d^2)x}{b^4} + \frac{2d^3(2bc - ad)x^5}{5b^3} + \frac{d^4x^9}{9b^2} + \frac{(bc - ad)^4x}{4ab^4(a + bx^4)} + \frac{((bc - ad)^3(3bc - ad)^2)}{4ab^4(a + bx^4)} \\
&= \frac{d^2(6b^2c^2 - 8abcd + 3a^2d^2)x}{b^4} + \frac{2d^3(2bc - ad)x^5}{5b^3} + \frac{d^4x^9}{9b^2} + \frac{(bc - ad)^4x}{4ab^4(a + bx^4)} + \frac{((bc - ad)^3(3bc - ad)^2)}{4ab^4(a + bx^4)} \\
&= \frac{d^2(6b^2c^2 - 8abcd + 3a^2d^2)x}{b^4} + \frac{2d^3(2bc - ad)x^5}{5b^3} + \frac{d^4x^9}{9b^2} + \frac{(bc - ad)^4x}{4ab^4(a + bx^4)} - \frac{(bc - ad)^3(3bc - ad)^2}{4ab^4(a + bx^4)} \\
&= \frac{d^2(6b^2c^2 - 8abcd + 3a^2d^2)x}{b^4} + \frac{2d^3(2bc - ad)x^5}{5b^3} + \frac{d^4x^9}{9b^2} + \frac{(bc - ad)^4x}{4ab^4(a + bx^4)} - \frac{(bc - ad)^3(3bc - ad)^2}{4ab^4(a + bx^4)}
\end{aligned}$$

Mathematica [A] time = 0.35, size = 341, normalized size = 0.96

$$\frac{45\sqrt{2}(ad-bc)^3(13ad+3bc)\log\left(\sqrt{2}\sqrt{bc}\sqrt{b^2c^2+ad+bc}\right)}{a^{25}} + \frac{45\sqrt{2}(bc-ad)^3(13ad+3bc)\log\left(\sqrt{2}\sqrt{bc}\sqrt{b^2c^2+ad+bc}\right)}{a^{24}} + \frac{90\sqrt{2}(ad-bc)^3(13ad+3bc)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{bc}}{\sqrt{bc}}\right)}{a^{24}} + \frac{90\sqrt{2}(bc-ad)^3(13ad+3bc)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{bc}}{\sqrt{bc}}\right)}{a^{24}} + 1440\sqrt{b}d^2x(3a^2d^2-8abcd+6b^2c^2) + 576b^{5/4}d^3x^5(2bc-ad) + \frac{360\sqrt{b}x(bc-ad)^4}{a(a+bx^4)} + 160b^{9/4}d^4x^9$$

1440b^{17/4}

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^4)^4/(a + b*x^4)^2,x]

[Out] (1440*b^(1/4)*d^2*(6*b^2*c^2 - 8*a*b*c*d + 3*a^2*d^2)*x + 576*b^(5/4)*d^3*(2*b*c - a*d)*x^5 + 160*b^(9/4)*d^4*x^9 + (360*b^(1/4)*(b*c - a*d)^4*x)/(a*(a + b*x^4)) + (90*sqrt[2]*(-(b*c) + a*d)^3*(3*b*c + 13*a*d)*ArcTan[1 - (sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(7/4) + (90*sqrt[2]*(b*c - a*d)^3*(3*b*c + 13*a*d)*ArcTan[1 + (sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(7/4) + (45*sqrt[2]*(-(b*c) + a*d)^3*(3*b*c + 13*a*d)*Log[sqrt[a] - sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2])/a^(7/4) + (45*sqrt[2]*(b*c - a*d)^3*(3*b*c + 13*a*d)*Log[sqrt[a] + sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2])/a^(7/4))/(1440*b^(17/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx^4)^4}{(a + bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^4)^4/(a + b*x^4)^2,x]

[Out] IntegrateAlgebraic[(c + d*x^4)^4/(a + b*x^4)^2, x]

fricas [B] time = 1.37, size = 2580, normalized size = 7.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^4/(b*x^4+a)^2,x, algorithm="fricas")

[Out] 1/720*(80*a*b^3*d^4*x^13 + 16*(36*a*b^3*c*d^3 - 13*a^2*b^2*d^4)*x^9 + 144*(30*a*b^3*c^2*d^2 - 36*a^2*b^2*c*d^3 + 13*a^3*b*d^4)*x^5 - 180*(a*b^5*x^4 + a^2*b^4)*(-(81*b^16*c^16 + 432*a*b^15*c^15*d - 2376*a^2*b^14*c^14*d^2 - 8304*a^3*b^13*c^13*d^3 + 45724*a^4*b^12*c^12*d^4 + 20400*a^5*b^11*c^11*d^5 - 434808*a^6*b^10*c^10*d^6 + 772112*a^7*b^9*c^9*d^7 + 617958*a^8*b^8*c^8*d^8 - 4810608*a^9*b^7*c^7*d^9 + 9723912*a^10*b^6*c^6*d^10 - 11486160*a^11*b^5*c^5*d^11 + 8923164*a^12*b^4*c^4*d^12 - 4651504*a^13*b^3*c^3*d^13 + 1577784*a^14*b^2*c^2*d^14 - 316368*a^15*b*c*d^15 + 28561*a^16*d^16)/(a^7*b^17))^(1/4) *arctan((a^5*b^13*x*(-(81*b^16*c^16 + 432*a*b^15*c^15*d - 2376*a^2*b^14*c^14*d^2 - 8304*a^3*b^13*c^13*d^3 + 45724*a^4*b^12*c^12*d^4 + 20400*a^5*b^11*c^11*d^5 - 434808*a^6*b^10*c^10*d^6 + 772112*a^7*b^9*c^9*d^7 + 617958*a^8*b^8*c^8*d^8 - 4810608*a^9*b^7*c^7*d^9 + 9723912*a^10*b^6*c^6*d^10 - 11486160*a^11*b^5*c^5*d^11 + 8923164*a^12*b^4*c^4*d^12 - 4651504*a^13*b^3*c^3*d^13 + 1577784*a^14*b^2*c^2*d^14 - 316368*a^15*b*c*d^15 + 28561*a^16*d^16)/(a^7*b^17))^(3/4) - a^5*b^13*sqrt((a^4*b^8*sqrt(-(81*b^16*c^16 + 432*a*b^15*c^15*d - 2376*a^2*b^14*c^14*d^2 - 8304*a^3*b^13*c^13*d^3 + 45724*a^4*b^12*c^12*d^4 + 20400*a^5*b^11*c^11*d^5 - 434808*a^6*b^10*c^10*d^6 + 772112*a^7*b^9*c^9*d^7 + 617958*a^8*b^8*c^8*d^8 - 4810608*a^9*b^7*c^7*d^9 + 9723912*a^10*b^6*c^6*d^10 - 11486160*a^11*b^5*c^5*d^11 + 8923164*a^12*b^4*c^4*d^12 - 4651504*a^13*b^3*c^3*d^13 + 1577784*a^14*b^2*c^2*d^14 - 316368*a^15*b*c*d^15 + 28561*a^16*d^16)/(a^7*b^17)) + (9*b^8*c^8 + 24*a*b^7*c^7*d - 164*a^2*b^6*c^6*d^2 - 24*a^3*b^5*c^5*d^3 + 1110*a^4*b^4*c^4*d^4 - 2264*a^5*b^3*c^3*d^5 + 2076*a^6*b^2*c^2*d^6 - 936*a^7*b*c*d^7 + 169*a^8*d^8)*x^2)/(9*b^8*c^8 + 24*a*b^7*c^7*d - 164*a^2*b^6*c^6*d^2 - 24*a^3*b^5*c^5*d^3 + 1110*a^4*b^4*c^4*d^4 - 2264*a^5*b^3*c^3*d^5 + 2076*a^6*b^2*c^2*d^6 - 936*a^7*b*c*d^7 + 169*a^8*d^8))*(-(81*b^16*c^16 + 432*a*b^15*c^15*d - 2376*a^2*b^14*c^14*d^2 - 8304*a^3*b^13*c^13*d^3 + 45724*a^4*b^12*c^12*d^4 + 20400*a^5*b^11*c^11*d^5 - 4348

$$\begin{aligned}
& 08*a^6*b^{10}*c^{10}*d^6 + 772112*a^7*b^9*c^9*d^7 + 617958*a^8*b^8*c^8*d^8 - 48 \\
& 10608*a^9*b^7*c^7*d^9 + 9723912*a^{10}*b^6*c^6*d^{10} - 11486160*a^{11}*b^5*c^5*d^{11} + 8923164*a^{12}*b^4*c^4*d^{12} - 4651504*a^{13}*b^3*c^3*d^{13} + 1577784*a^{14}* \\
& b^2*c^2*d^{14} - 316368*a^{15}*b*c*d^{15} + 28561*a^{16}*d^{16})/(a^7*b^{17})^{(3/4)})/(\\
& 27*b^{12}*c^{12} + 108*a*b^{11}*c^{11}*d - 666*a^2*b^{10}*c^{10}*d^2 - 1124*a^3*b^9*c^9 \\
& *d^3 + 8901*a^4*b^8*c^8*d^4 - 7848*a^5*b^7*c^7*d^5 - 34860*a^6*b^6*c^6*d^6 \\
& + 113688*a^7*b^5*c^5*d^7 - 161451*a^8*b^4*c^4*d^8 + 132924*a^9*b^3*c^3*d^9 \\
& - 65754*a^{10}*b^2*c^2*d^{10} + 18252*a^{11}*b*c*d^{11} - 2197*a^{12}*d^{12})) - 45*(a* \\
& b^5*x^4 + a^2*b^4)*(-(81*b^{16}*c^{16} + 432*a*b^{15}*c^{15}*d - 2376*a^2*b^{14}*c^{14} \\
& *d^2 - 8304*a^3*b^{13}*c^{13}*d^3 + 45724*a^4*b^{12}*c^{12}*d^4 + 20400*a^5*b^{11}*c^{11} \\
& *d^5 - 434808*a^6*b^{10}*c^{10}*d^6 + 772112*a^7*b^9*c^9*d^7 + 617958*a^8*b^8 \\
& *c^8*d^8 - 4810608*a^9*b^7*c^7*d^9 + 9723912*a^{10}*b^6*c^6*d^{10} - 11486160*a \\
& ^{11}*b^5*c^5*d^{11} + 8923164*a^{12}*b^4*c^4*d^{12} - 4651504*a^{13}*b^3*c^3*d^{13} + \\
& 1577784*a^{14}*b^2*c^2*d^{14} - 316368*a^{15}*b*c*d^{15} + 28561*a^{16}*d^{16})/(a^7*b^ \\
& ^{17})^{(1/4)}*\log(a^2*b^4*(-(81*b^{16}*c^{16} + 432*a*b^{15}*c^{15}*d - 2376*a^2*b^{14} \\
& *c^{14}*d^2 - 8304*a^3*b^{13}*c^{13}*d^3 + 45724*a^4*b^{12}*c^{12}*d^4 + 20400*a^5*b^1 \\
& 1*c^{11}*d^5 - 434808*a^6*b^{10}*c^{10}*d^6 + 772112*a^7*b^9*c^9*d^7 + 617958*a^8 \\
& *b^8*c^8*d^8 - 4810608*a^9*b^7*c^7*d^9 + 9723912*a^{10}*b^6*c^6*d^{10} - 114861 \\
& 60*a^{11}*b^5*c^5*d^{11} + 8923164*a^{12}*b^4*c^4*d^{12} - 4651504*a^{13}*b^3*c^3*d^{13} + \\
& 1577784*a^{14}*b^2*c^2*d^{14} - 316368*a^{15}*b*c*d^{15} + 28561*a^{16}*d^{16})/(a^ \\
& ^7*b^{17})^{(1/4)} - (3*b^4*c^4 + 4*a*b^3*c^3*d - 30*a^2*b^2*c^2*d^2 + 36*a^3*b \\
& *c*d^3 - 13*a^4*d^4)*x) + 45*(a*b^5*x^4 + a^2*b^4)*(-(81*b^{16}*c^{16} + 432*a* \\
& b^{15}*c^{15}*d - 2376*a^2*b^{14}*c^{14}*d^2 - 8304*a^3*b^{13}*c^{13}*d^3 + 45724*a^4*b \\
& ^{12}*c^{12}*d^4 + 20400*a^5*b^{11}*c^{11}*d^5 - 434808*a^6*b^{10}*c^{10}*d^6 + 772112* \\
& a^7*b^9*c^9*d^7 + 617958*a^8*b^8*c^8*d^8 - 4810608*a^9*b^7*c^7*d^9 + 972391 \\
& 2*a^{10}*b^6*c^6*d^{10} - 11486160*a^{11}*b^5*c^5*d^{11} + 8923164*a^{12}*b^4*c^4*d^{11} \\
& 2 - 4651504*a^{13}*b^3*c^3*d^{13} + 1577784*a^{14}*b^2*c^2*d^{14} - 316368*a^{15}*b*c \\
& *d^{15} + 28561*a^{16}*d^{16})/(a^7*b^{17})^{(1/4)}*\log(-a^2*b^4*(-(81*b^{16}*c^{16} + 4 \\
& 32*a*b^{15}*c^{15}*d - 2376*a^2*b^{14}*c^{14}*d^2 - 8304*a^3*b^{13}*c^{13}*d^3 + 45724* \\
& a^4*b^{12}*c^{12}*d^4 + 20400*a^5*b^{11}*c^{11}*d^5 - 434808*a^6*b^{10}*c^{10}*d^6 + 77 \\
& 2112*a^7*b^9*c^9*d^7 + 617958*a^8*b^8*c^8*d^8 - 4810608*a^9*b^7*c^7*d^9 + 9 \\
& 723912*a^{10}*b^6*c^6*d^{10} - 11486160*a^{11}*b^5*c^5*d^{11} + 8923164*a^{12}*b^4*c^ \\
& 4*d^{12} - 4651504*a^{13}*b^3*c^3*d^{13} + 1577784*a^{14}*b^2*c^2*d^{14} - 316368*a^1 \\
& 5*b*c*d^{15} + 28561*a^{16}*d^{16})/(a^7*b^{17})^{(1/4)} - (3*b^4*c^4 + 4*a*b^3*c^3* \\
& d - 30*a^2*b^2*c^2*d^2 + 36*a^3*b*c*d^3 - 13*a^4*d^4)*x) + 180*(b^4*c^4 - 4 \\
& *a*b^3*c^3*d + 30*a^2*b^2*c^2*d^2 - 36*a^3*b*c*d^3 + 13*a^4*d^4)*x)/(a*b^5* \\
& x^4 + a^2*b^4)
\end{aligned}$$

giac [B] time = 0.17, size = 642, normalized size = 1.80

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^4/(b*x^4+a)^2,x, algorithm="giac")

```
[Out] 1/16*sqrt(2)*(3*(a*b^3)^(1/4)*b^4*c^4 + 4*(a*b^3)^(1/4)*a*b^3*c^3*d - 30*(a
*b^3)^(1/4)*a^2*b^2*c^2*d^2 + 36*(a*b^3)^(1/4)*a^3*b*c*d^3 - 13*(a*b^3)^(1/
4)*a^4*d^4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^
2*b^5) + 1/16*sqrt(2)*(3*(a*b^3)^(1/4)*b^4*c^4 + 4*(a*b^3)^(1/4)*a*b^3*c^3*
d - 30*(a*b^3)^(1/4)*a^2*b^2*c^2*d^2 + 36*(a*b^3)^(1/4)*a^3*b*c*d^3 - 13*(a
*b^3)^(1/4)*a^4*d^4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(
1/4))/(a^2*b^5) + 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^4*c^4 + 4*(a*b^3)^(1/4)*a
*b^3*c^3*d - 30*(a*b^3)^(1/4)*a^2*b^2*c^2*d^2 + 36*(a*b^3)^(1/4)*a^3*b*c*d^
3 - 13*(a*b^3)^(1/4)*a^4*d^4)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/
(a^2*b^5) - 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^4*c^4 + 4*(a*b^3)^(1/4)*a*b^3*c
^3*d - 30*(a*b^3)^(1/4)*a^2*b^2*c^2*d^2 + 36*(a*b^3)^(1/4)*a^3*b*c*d^3 - 13
*(a*b^3)^(1/4)*a^4*d^4)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b
^5) + 1/4*(b^4*c^4*x - 4*a*b^3*c^3*d*x + 6*a^2*b^2*c^2*d^2*x - 4*a^3*b*c*d^
3*x + a^4*d^4*x)/((b*x^4 + a)*a*b^4) + 1/45*(5*b^16*d^4*x^9 + 36*b^16*c*d^3
*x^5 - 18*a*b^15*d^4*x^5 + 270*b^16*c^2*d^2*x - 360*a*b^15*c*d^3*x + 135*a^
2*b^14*d^4*x)/b^18
```

maple [B] time = 0.06, size = 885, normalized size = 2.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x^4+c)^4/(b*x^4+a)^2,x)
```

```
[Out] 1/4/b/a*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*c^3*d+9/8/b^3*a
*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(
1/4)*2^(1/2)*x+(a/b)^(1/2)))*c*d^3+1/8/b/a*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/
b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*c^
3*d+9/4/b^3*a*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*c*d^3+1/4
/b/a*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*c^3*d+9/4/b^3*a*(a
/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*c*d^3+1/9*d^4*x^9/b^2+1/4
/a*x/(b*x^4+a)*c^4-2/5*d^4/b^3*x^5+a+4/5*d^3/b^2*x^5*c+6/b^2*c^2*d^2*x+3*a^
2/b^4*d^4*x-13/16/b^4*a^2*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-
1)*d^4-15/8/b^2*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*c^2*d^2
-1/b^3*a^2*x/(b*x^4+a)*c*d^3+3/2/b^2*a*x/(b*x^4+a)*c^2*d^2-13/16/b^4*a^2*(a
/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*d^4-15/8/b^2*(a/b)^(1/4)*
2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*c^2*d^2-13/32/b^4*a^2*(a/b)^(1/4)*2
^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*
x+(a/b)^(1/2)))*d^4-15/16/b^2*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/
2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*c^2*d^2+1/4/b^4*
a^3*x/(b*x^4+a)*d^4-1/b*x/(b*x^4+a)*c^3*d+3/16/a^2*(a/b)^(1/4)*2^(1/2)*arct
an(2^(1/2)/(a/b)^(1/4)*x-1)*c^4+3/32/a^2*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(
1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*c^4-8
*d^3/b^3*a*c*x+3/16/a^2*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)
*c^4
```

maxima [A] time = 1.45, size = 521, normalized size = 1.46

$$\frac{\frac{(b^4 - 4ab^2c^2 + 6a^2c^2d^2 - 4a^3b^2c^2d + a^4d^2) \sqrt{2} \sqrt{b^4 + 4ab^2c^2 + 4a^2c^2d^2} + 45b^2c^2d^2 + 18(2b^2c^2d^2 - 8ab^2c^2d^3 + 3a^2d^4) \sqrt{2} \sqrt{b^4 + 4ab^2c^2 + 4a^2c^2d^2}}{4(a^2b^2 + a^2d^2)} + \frac{2 \sqrt{2} \sqrt{b^4 + 4ab^2c^2 + 4a^2c^2d^2} \sqrt{2} \sqrt{b^4 + 4ab^2c^2 + 4a^2c^2d^2}}{4 \sqrt{2} \sqrt{b^4 + 4ab^2c^2 + 4a^2c^2d^2}} + \frac{2 \sqrt{2} \sqrt{b^4 + 4ab^2c^2 + 4a^2c^2d^2} \sqrt{2} \sqrt{b^4 + 4ab^2c^2 + 4a^2c^2d^2}}{4 \sqrt{2} \sqrt{b^4 + 4ab^2c^2 + 4a^2c^2d^2}} + \frac{2 \sqrt{2} \sqrt{b^4 + 4ab^2c^2 + 4a^2c^2d^2} \sqrt{2} \sqrt{b^4 + 4ab^2c^2 + 4a^2c^2d^2}}{4 \sqrt{2} \sqrt{b^4 + 4ab^2c^2 + 4a^2c^2d^2}}}{32ab^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^4/(b*x^4+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{4}(b^4c^4 - 4ab^3c^3d + 6a^2b^2c^2d^2 - 4a^3b^2c^2d^3 + a^4d^4) \frac{x}{(ab^5x^4 + a^2b^4)} + \frac{1}{45}(5b^2d^4x^9 + 18(2b^2c^2d^3 - ab^2d^4)x^5 + 45(6b^2c^2d^2 - 8ab^2c^2d^3 + 3a^2d^4)x)/b^4 + \frac{1}{32}(2\sqrt{2})(3b^4c^4 + 4ab^3c^3d - 30a^2b^2c^2d^2 + 36a^3b^2c^2d^3 - 13a^4d^4) \arctan\left(\frac{1/2\sqrt{2}(2\sqrt{2}bx + \sqrt{2}a^{1/4}b^{1/4})}{\sqrt{a}\sqrt{b}}\right) + 2\sqrt{2}(3b^4c^4 + 4ab^3c^3d - 30a^2b^2c^2d^2 + 36a^3b^2c^2d^3 - 13a^4d^4) \arctan\left(\frac{1/2\sqrt{2}(2\sqrt{2}bx - \sqrt{2}a^{1/4}b^{1/4})}{\sqrt{a}\sqrt{b}}\right) + \sqrt{2}(3b^4c^4 + 4ab^3c^3d - 30a^2b^2c^2d^2 + 36a^3b^2c^2d^3 - 13a^4d^4) \log\left(\frac{\sqrt{b}x^2 + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a}}{a^{3/4}b^{1/4}}\right) - \sqrt{2}(3b^4c^4 + 4ab^3c^3d - 30a^2b^2c^2d^2 + 36a^3b^2c^2d^3 - 13a^4d^4) \log\left(\frac{\sqrt{b}x^2 - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a}}{a^{3/4}b^{1/4}}\right) / (ab^4)$

mupad [B] time = 0.30, size = 2043, normalized size = 5.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^4)^4/(a + b*x^4)^2,x)

[Out] $x \left(\frac{2a((2ad^4)/b^3 - (4cd^3)/b^2)}{b} - \frac{a^2d^4}{b^4} + \frac{6c^2d^2}{b^2} - x^5 \left(\frac{2ad^4}{5b^3} - \frac{4cd^3}{5b^2} \right) + \frac{d^4x^9}{9b^2} + \frac{x(a^4d^4 + b^4c^4 + 6a^2b^2c^2d^2 - 4ab^3c^3d - 4a^3b^2c^2d^3)}{4a(ab^4 + b^5x^4)} + \frac{\operatorname{atan}\left(\frac{x(169a^8d^8 + 9b^8c^8 - 164a^2b^6c^6d^2 - 24a^3b^5c^5d^3 + 1110a^4b^4c^4d^4 - 2264a^5b^3c^3d^5 + 2076a^6b^2c^2d^6 + 24ab^7c^7d - 936a^7b^6c^6d^7)}{4a^2b^5}\right) - ((ad - bc)^3(13ad + 3bc)(3b^4c^4 - 13a^4d^4 - 30a^2b^2c^2d^2 + 4ab^3c^3d + 36a^3b^2c^2d^3)}{4(-a)^{7/4}b^{21/4}}) \cdot (ad - bc)^3(13ad + 3bc) \cdot i}{16(-a)^{7/4}b^{17/4}} + \frac{((x(169a^8d^8 + 9b^8c^8 - 164a^2b^6c^6d^2 - 24a^3b^5c^5d^3 + 1110a^4b^4c^4d^4 - 2264a^5b^3c^3d^5 + 2076a^6b^2c^2d^6 + 24ab^7c^7d - 936a^7b^6c^6d^7))}{4a^2b^5} + ((ad - bc)^3(13ad + 3bc)(3b^4c^4 - 13a^4d^4 - 30a^2b^2c^2d^2 + 4ab^3c^3d + 36a^3b^2c^2d^3)}{4(-a)^{7/4}b^{21/4}}) \cdot (ad - bc)^3(13ad + 3bc) \cdot i}{16(-a)^{7/4}b^{17/4}} \right) / \left(\frac{x(169a^8d^8 + 9b^8c^8 - 164a^2b^6c^6d^2 - 24a^3b^5c^5d^3 + 1110a^4b^4c^4d^4 - 2264a^5b^3c^3d^5 + 2076a^6b^2c^2d^6 + 24ab^7c^7d - 936a^7b^6c^6d^7)}{4a^2b^5} - ((ad - bc)^3(13ad + 3bc)(3b^4c^4 - 13a^4d^4 - 30a^2b^2c^2d^2 + 4ab^3c^3d + 36a^3b^2c^2d^3)}{4(-a)^{7/4}b^{21/4}}) \right) / (ab^4)$

$$\begin{aligned}
& - 13*a^4*d^4 - 30*a^2*b^2*c^2*d^2 + 4*a*b^3*c^3*d + 36*a^3*b*c*d^3)) / (4*(-a)^{(7/4)}*b^{(21/4)}) * (a*d - b*c)^3 * (13*a*d + 3*b*c) / (16*(-a)^{(7/4)}*b^{(17/4)}) \\
& - (((x*(169*a^8*d^8 + 9*b^8*c^8 - 164*a^2*b^6*c^6*d^2 - 24*a^3*b^5*c^5*d^3 + 1110*a^4*b^4*c^4*d^4 - 2264*a^5*b^3*c^3*d^5 + 2076*a^6*b^2*c^2*d^6 + 24*a*b^7*c^7*d - 936*a^7*b*c*d^7)) / (4*a^2*b^5) + ((a*d - b*c)^3 * (13*a*d + 3*b*c) * (3*b^4*c^4 - 13*a^4*d^4 - 30*a^2*b^2*c^2*d^2 + 4*a*b^3*c^3*d + 36*a^3*b*c*d^3)) / (4*(-a)^{(7/4)}*b^{(21/4)}) * (a*d - b*c)^3 * (13*a*d + 3*b*c) / (16*(-a)^{(7/4)}*b^{(17/4)})) * (a*d - b*c)^3 * (13*a*d + 3*b*c) * i / (8*(-a)^{(7/4)}*b^{(17/4)}) \\
& + (\text{atan}(\frac{(x*(169*a^8*d^8 + 9*b^8*c^8 - 164*a^2*b^6*c^6*d^2 - 24*a^3*b^5*c^5*d^3 + 1110*a^4*b^4*c^4*d^4 - 2264*a^5*b^3*c^3*d^5 + 2076*a^6*b^2*c^2*d^6 + 24*a*b^7*c^7*d - 936*a^7*b*c*d^7)) / (4*a^2*b^5) - ((a*d - b*c)^3 * (13*a*d + 3*b*c) * (3*b^4*c^4 - 13*a^4*d^4 - 30*a^2*b^2*c^2*d^2 + 4*a*b^3*c^3*d + 36*a^3*b*c*d^3) * i) / (4*(-a)^{(7/4)}*b^{(21/4)}) * (a*d - b*c)^3 * (13*a*d + 3*b*c) / (16*(-a)^{(7/4)}*b^{(17/4)}) + (((x*(169*a^8*d^8 + 9*b^8*c^8 - 164*a^2*b^6*c^6*d^2 - 24*a^3*b^5*c^5*d^3 + 1110*a^4*b^4*c^4*d^4 - 2264*a^5*b^3*c^3*d^5 + 2076*a^6*b^2*c^2*d^6 + 24*a*b^7*c^7*d - 936*a^7*b*c*d^7)) / (4*a^2*b^5) + ((a*d - b*c)^3 * (13*a*d + 3*b*c) * (3*b^4*c^4 - 13*a^4*d^4 - 30*a^2*b^2*c^2*d^2 + 4*a*b^3*c^3*d + 36*a^3*b*c*d^3) * i) / (4*(-a)^{(7/4)}*b^{(21/4)}) * (a*d - b*c)^3 * (13*a*d + 3*b*c) / (16*(-a)^{(7/4)}*b^{(17/4)})) / (((x*(169*a^8*d^8 + 9*b^8*c^8 - 164*a^2*b^6*c^6*d^2 - 24*a^3*b^5*c^5*d^3 + 1110*a^4*b^4*c^4*d^4 - 2264*a^5*b^3*c^3*d^5 + 2076*a^6*b^2*c^2*d^6 + 24*a*b^7*c^7*d - 936*a^7*b*c*d^7)) / (4*a^2*b^5) - ((a*d - b*c)^3 * (13*a*d + 3*b*c) * (3*b^4*c^4 - 13*a^4*d^4 - 30*a^2*b^2*c^2*d^2 + 4*a*b^3*c^3*d + 36*a^3*b*c*d^3) * i) / (4*(-a)^{(7/4)}*b^{(21/4)}) * (a*d - b*c)^3 * (13*a*d + 3*b*c) / (16*(-a)^{(7/4)}*b^{(17/4)}) - (((x*(169*a^8*d^8 + 9*b^8*c^8 - 164*a^2*b^6*c^6*d^2 - 24*a^3*b^5*c^5*d^3 + 1110*a^4*b^4*c^4*d^4 - 2264*a^5*b^3*c^3*d^5 + 2076*a^6*b^2*c^2*d^6 + 24*a*b^7*c^7*d - 936*a^7*b*c*d^7)) / (4*a^2*b^5) + ((a*d - b*c)^3 * (13*a*d + 3*b*c) * (3*b^4*c^4 - 13*a^4*d^4 - 30*a^2*b^2*c^2*d^2 + 4*a*b^3*c^3*d + 36*a^3*b*c*d^3) * i) / (4*(-a)^{(7/4)}*b^{(21/4)}) * (a*d - b*c)^3 * (13*a*d + 3*b*c) / (16*(-a)^{(7/4)}*b^{(17/4)})) * (a*d - b*c)^3 * (13*a*d + 3*b*c) / (8*(-a)^{(7/4)}*b^{(17/4)})
\end{aligned}$$

sympy [A] time = 47.54, size = 471, normalized size = 1.32

$\int \frac{(x^5 + 4c)(b^4x^4 + a)^2}{(b^4x^4 + a)^2} dx$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**4+c)**4/(b*x**4+a)**2,x)

[Out] $x^5 * (-2*a*d**4 / (5*b**3) + 4*c*d**3 / (5*b**2)) + x * (3*a**2*d**4 / b**4 - 8*a*c*d**3 / b**3 + 6*c**2*d**2 / b**2) + x * (a**4*d**4 - 4*a**3*b*c*d**3 + 6*a**2*b**2*c**2*d**2 - 4*a*b**3*c**3*d + b**4*c**4) / (4*a**2*b**4 + 4*a*b**5*x**4) + \text{RootSum}(65536*_t**4*a**7*b**17 + 28561*a**16*d**16 - 316368*a**15*b*c*d**15 + 1577784*a**14*b**2*c**2*d**14 - 4651504*a**13*b**3*c**3*d**13 + 8923164*a**12*b**4*c**4*d**12 - 11486160*a**11*b**5*c**5*d**11 + 9723912*a**10*b**6*c**6*d**10 - 4810608*a**9*b**7*c**7*d**9 + 617958*a**8*b**8*c**8*d**8 + 7$

$$72112*a**7*b**9*c**9*d**7 - 434808*a**6*b**10*c**10*d**6 + 20400*a**5*b**11*c**11*d**5 + 45724*a**4*b**12*c**12*d**4 - 8304*a**3*b**13*c**13*d**3 - 2376*a**2*b**14*c**14*d**2 + 432*a*b**15*c**15*d + 81*b**16*c**16, \text{Lambda}(_t, _t*\log(-16*_t*a**2*b**4/(13*a**4*d**4 - 36*a**3*b*c*d**3 + 30*a**2*b**2*c**2*d**2 - 4*a*b**3*c**3*d - 3*b**4*c**4) + x))) + d**4*x**9/(9*b**2)$$

$$3.105 \quad \int \frac{(c+dx^4)^3}{(a+bx^4)^2} dx$$

Optimal. Leaf size=317

$$\frac{3(bc-ad)^2(3ad+bc)\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}b^{13/4}} + \frac{3(bc-ad)^2(3ad+bc)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}b^{13/4}}$$

Rubi [A] time = 0.32, antiderivative size = 317, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {390, 385, 211, 1165, 628, 1162, 617, 204}

$$\frac{3(bc-ad)^2(3ad+bc)\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}b^{13/4}} + \frac{3(bc-ad)^2(3ad+bc)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}b^{13/4}} - \frac{3(bc-ad)^2(3ad+bc)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8\sqrt{2}a^{7/4}b^{13/4}} + \frac{3(bc-ad)^2(3ad+bc)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}+1\right)}{8\sqrt{2}a^{7/4}b^{13/4}} + \frac{d^2x(3bc-2ad)}{b^3} + \frac{x(bc-ad)^3}{4ab^3(a+bx^4)} + \frac{d^3x^5}{5b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^4)^3/(a + b*x^4)^2,x]

[Out] (d^2*(3*b*c - 2*a*d)*x)/b^3 + (d^3*x^5)/(5*b^2) + ((b*c - a*d)^3*x)/(4*a*b^3*(a + b*x^4)) - (3*(b*c - a*d)^2*(b*c + 3*a*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(13/4)) + (3*(b*c - a*d)^2*(b*c + 3*a*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(13/4)) - (3*(b*c - a*d)^2*(b*c + 3*a*d)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(13/4)) + (3*(b*c - a*d)^2*(b*c + 3*a*d)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(13/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Free
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx^4)^3}{(a + bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^4)^3/(a + b*x^4)^2,x]

[Out] IntegrateAlgebraic[(c + d*x^4)^3/(a + b*x^4)^2, x]

fricas [B] time = 1.11, size = 1938, normalized size = 6.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^3/(b*x^4+a)^2,x, algorithm="fricas")

[Out] 1/80*(16*a*b^2*d^3*x^9 + 48*(5*a*b^2*c*d^2 - 3*a^2*b*d^3)*x^5 + 60*(a*b^4*x^4 + a^2*b^3)*(-(b^12*c^12 + 4*a*b^11*c^11*d - 14*a^2*b^10*c^10*d^2 - 44*a^3*b^9*c^9*d^3 + 127*a^4*b^8*c^8*d^4 + 136*a^5*b^7*c^7*d^5 - 644*a^6*b^6*c^6*d^6 + 328*a^7*b^5*c^5*d^7 + 1039*a^8*b^4*c^4*d^8 - 1932*a^9*b^3*c^3*d^9 + 1458*a^10*b^2*c^2*d^10 - 540*a^11*b*c*d^11 + 81*a^12*d^12)/(a^7*b^13))^(1/4)*arctan(-(a^5*b^10*x*(-(b^12*c^12 + 4*a*b^11*c^11*d - 14*a^2*b^10*c^10*d^2 - 44*a^3*b^9*c^9*d^3 + 127*a^4*b^8*c^8*d^4 + 136*a^5*b^7*c^7*d^5 - 644*a^6*b^6*c^6*d^6 + 328*a^7*b^5*c^5*d^7 + 1039*a^8*b^4*c^4*d^8 - 1932*a^9*b^3*c^3*d^9 + 1458*a^10*b^2*c^2*d^10 - 540*a^11*b*c*d^11 + 81*a^12*d^12)/(a^7*b^13))^(3/4) - a^5*b^10*sqrt((a^4*b^6*sqrt(-(b^12*c^12 + 4*a*b^11*c^11*d - 14*a^2*b^10*c^10*d^2 - 44*a^3*b^9*c^9*d^3 + 127*a^4*b^8*c^8*d^4 + 136*a^5*b^7*c^7*d^5 - 644*a^6*b^6*c^6*d^6 + 328*a^7*b^5*c^5*d^7 + 1039*a^8*b^4*c^4*d^8 - 1932*a^9*b^3*c^3*d^9 + 1458*a^10*b^2*c^2*d^10 - 540*a^11*b*c*d^11 + 81*a^12*d^12)/(a^7*b^13)) + (b^6*c^6 + 2*a*b^5*c^5*d - 9*a^2*b^4*c^4*d^2 - 4*a^3*b^3*c^3*d^3 + 31*a^4*b^2*c^2*d^4 - 30*a^5*b*c*d^5 + 9*a^6*d^6)*x^2)/(b^6*c^6 + 2*a*b^5*c^5*d - 9*a^2*b^4*c^4*d^2 - 4*a^3*b^3*c^3*d^3 + 31*a^4*b^2*c^2*d^4 - 30*a^5*b*c*d^5 + 9*a^6*d^6))*(-(b^12*c^12 + 4*a*b^11*c^11*d - 14*a^2*b^10*c^10*d^2 - 44*a^3*b^9*c^9*d^3 + 127*a^4*b^8*c^8*d^4 + 136*a^5*b^7*c^7*d^5 - 644*a^6*b^6*c^6*d^6 + 328*a^7*b^5*c^5*d^7 + 1039*a^8*b^4*c^4*d^8 - 1932*a^9*b^3*c^3*d^9 + 1458*a^10*b^2*c^2*d^10 - 540*a^11*b*c*d^11 + 81*a^12*d^12)/(a^7*b^13))^(3/4))/(b^9*c^9 + 3*a*b^8*c^8*d - 12*a^2*b^7*c^7*d^2 - 20*a^3*b^6*c^6*d^3 + 78*a^4*b^5*c^5*d^4 - 6*a^5*b^4*c^4*d^5 - 188*a^6*b^3*c^3*d^6 + 252*a^7*b^2*c^2*d^7 - 135*a^8*b*c*d^8 + 27*a^9*d^9)) + 15*(a*b^4*x^4 + a^2*b^3)*(-(b^12*c^12 + 4*a*b^11*c^11*d - 14*a^2*b^10*c^10*d^2 - 44*a^3*b^9*c^9*d^3 + 127*a^4*b^8*c^8*d^4 + 136*a^5*b^7*c^7*d^5 - 644*a^6*b^6*c^6*d^6 + 328*a^7*b^5*c^5*d^7 + 1039*a^8*b^4*c^4*d^8 - 1932*a^9*b^3*c^3*d^9 + 1458*a^10*b^2*c^2*d^10 - 540*a^11*b*c*d^11 + 81*a^12*d^12)/(a^7*b^13))^(1/4)*

$$\begin{aligned}
&4*a^{7}*b^{13} + 6561*a^{12}*d^{12} - 43740*a^{11}*b*c*d^{11} + 118098*a^{10}*b^{2} \\
&*c^{2}*d^{10} - 156492*a^{9}*b^{3}*c^{3}*d^{9} + 84159*a^{8}*b^{4}*c^{4}*d^{8} + 2656 \\
&8*a^{7}*b^{5}*c^{5}*d^{7} - 52164*a^{6}*b^{6}*c^{6}*d^{6} + 11016*a^{5}*b^{7}*c^{7}*d^{5} \\
&+ 10287*a^{4}*b^{8}*c^{8}*d^{4} - 3564*a^{3}*b^{9}*c^{9}*d^{3} - 1134*a^{2}*b^{10} \\
&*c^{10}*d^{2} + 324*a*b^{11}*c^{11}*d + 81*b^{12}*c^{12}, \text{Lambda}(_t, _t*\log(16*_t \\
&*a^{2}*b^{3}/(9*a^{3}*d^{3} - 15*a^{2}*b*c*d^{2} + 3*a*b^{2}*c^{2}*d + 3*b^{3}*c^{3}) \\
&+ x)) + d^{3}*x^{5}/(5*b^{2})
\end{aligned}$$

$$3.106 \quad \int \frac{(c+dx^4)^2}{(a+bx^4)^2} dx$$

Optimal. Leaf size=291

$$\frac{(bc-ad)(5ad+3bc) \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} b^{9/4}} + \frac{(bc-ad)(5ad+3bc) \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} b^{9/4}}$$

Rubi [A] time = 0.38, antiderivative size = 291, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {390, 385, 211, 1165, 628, 1162, 617, 204}

$$\frac{(bc-ad)(5ad+3bc) \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} b^{9/4}} + \frac{(bc-ad)(5ad+3bc) \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} b^{9/4}} - \frac{(bc-ad)(5ad+3bc) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} b^{9/4}} + \frac{(bc-ad)(5ad+3bc) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{8\sqrt{2} a^{7/4} b^{9/4}} + \frac{x(bc-ad)^2}{4ab^2(a+bx^4)} + \frac{d^2x}{b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^4)^2/(a + b*x^4)^2, x]

[Out] (d^2*x)/b^2 + ((b*c - a*d)^2*x)/(4*a*b^2*(a + b*x^4)) - ((b*c - a*d)*(3*b*c + 5*a*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(9/4)) + ((b*c - a*d)*(3*b*c + 5*a*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(9/4)) - ((b*c - a*d)*(3*b*c + 5*a*d)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(9/4)) + ((b*c - a*d)*(3*b*c + 5*a*d)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(9/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Free
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx^4)^2}{(a + bx^4)^2} dx &= \int \left(\frac{d^2}{b^2} + \frac{b^2c^2 - a^2d^2 + 2bd(bc - ad)x^4}{b^2(a + bx^4)^2} \right) dx \\
&= \frac{d^2x}{b^2} + \frac{\int \frac{b^2c^2 - a^2d^2 + 2bd(bc - ad)x^4}{(a + bx^4)^2} dx}{b^2} \\
&= \frac{d^2x}{b^2} + \frac{(bc - ad)^2x}{4ab^2(a + bx^4)} + \frac{((bc - ad)(3bc + 5ad)) \int \frac{1}{a + bx^4} dx}{4ab^2} \\
&= \frac{d^2x}{b^2} + \frac{(bc - ad)^2x}{4ab^2(a + bx^4)} + \frac{((bc - ad)(3bc + 5ad)) \int \frac{\sqrt{a} - \sqrt{b}x^2}{a + bx^4} dx}{8a^{3/2}b^2} + \frac{((bc - ad)(3bc + 5ad)) \int \frac{\sqrt{a} + \sqrt{b}x^2}{a + bx^4} dx}{8a^{3/2}b^2} \\
&= \frac{d^2x}{b^2} + \frac{(bc - ad)^2x}{4ab^2(a + bx^4)} + \frac{((bc - ad)(3bc + 5ad)) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2} \sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16a^{3/2}b^{5/2}} + \frac{((bc - ad)(3bc + 5ad)) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2} \sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16a^{3/2}b^{5/2}} \\
&= \frac{d^2x}{b^2} + \frac{(bc - ad)^2x}{4ab^2(a + bx^4)} - \frac{(bc - ad)(3bc + 5ad) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{b}x^2)}{16\sqrt{2} a^{7/4}b^{9/4}} + \frac{(bc - ad)(3bc + 5ad) \log(\sqrt{a} + \sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{b}x^2)}{16\sqrt{2} a^{7/4}b^{9/4}} \\
&= \frac{d^2x}{b^2} + \frac{(bc - ad)^2x}{4ab^2(a + bx^4)} - \frac{(bc - ad)(3bc + 5ad) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4}b^{9/4}} + \frac{(bc - ad)(3bc + 5ad) \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4}b^{9/4}}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 297, normalized size = 1.02

$$\frac{\sqrt{2}(5a^2d^2 - 2abcd - 3b^2c^2) \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2\right)}{a^{7/4}} + \frac{\sqrt{2}(-5a^2d^2 + 2abcd + 3b^2c^2) \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2\right)}{a^{7/4}} + \frac{2\sqrt{2}(5a^2d^2 - 2abcd - 3b^2c^2) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{a^{7/4}} + \frac{2\sqrt{2}(-5a^2d^2 + 2abcd + 3b^2c^2) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right)}{a^{7/4}} + \frac{8\sqrt[4]{b}x(bc - ad)^2}{a(a + bx^4)} + 32\sqrt[4]{b}d^2x$$

32b^{9/4}

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^4)^2/(a + b*x^4)^2, x]

[Out] (32*b^(1/4)*d^2*x + (8*b^(1/4)*(b*c - a*d)^2*x)/(a*(a + b*x^4)) + (2*Sqrt[2]*(-3*b^2*c^2 - 2*a*b*c*d + 5*a^2*d^2)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(7/4) + (2*Sqrt[2]*(3*b^2*c^2 + 2*a*b*c*d - 5*a^2*d^2)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(7/4) + (Sqrt[2]*(-3*b^2*c^2 - 2*a*b*c*d + 5*a^2*d^2)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(7/4) + (Sqrt[2]*(3*b^2*c^2 + 2*a*b*c*d - 5*a^2*d^2)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(7/4))/(32*b^(9/4))

$$\sqrt[4]{8*d^8/(a^7*b^9)} - (3*b^2*c^2 + 2*a*b*c*d - 5*a^2*d^2)*x + 4*(b^2*c^2 - 2*a*b*c*d + 5*a^2*d^2)*x/(a*b^3*x^4 + a^2*b^2)$$

giac [A] time = 0.17, size = 376, normalized size = 1.29

$$\frac{d^2 x}{b^2} + \frac{\sqrt{2} \left(3 (ab)^{\frac{1}{2}} b^2 c^2 + 2 (ab)^{\frac{1}{2}} abcd - 5 (ab)^{\frac{1}{2}} a^2 d^2 \right) \arctan\left(\frac{\sqrt{2} \sqrt{a+b}}{2 \sqrt{a}}\right)}{16 a^2 b^3} + \frac{\sqrt{2} \left(3 (ab)^{\frac{1}{2}} b^2 c^2 + 2 (ab)^{\frac{1}{2}} abcd - 5 (ab)^{\frac{1}{2}} a^2 d^2 \right) \arctan\left(\frac{\sqrt{2} \sqrt{a+b}}{2 \sqrt{a}}\right)}{16 a^2 b^3} + \frac{\sqrt{2} \left(3 (ab)^{\frac{1}{2}} b^2 c^2 + 2 (ab)^{\frac{1}{2}} abcd - 5 (ab)^{\frac{1}{2}} a^2 d^2 \right) \log\left(x^2 + \sqrt{2} x \left(\frac{b}{a}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{32 a^2 b^3} - \frac{\sqrt{2} \left(3 (ab)^{\frac{1}{2}} b^2 c^2 + 2 (ab)^{\frac{1}{2}} abcd - 5 (ab)^{\frac{1}{2}} a^2 d^2 \right) \log\left(x^2 - \sqrt{2} x \left(\frac{b}{a}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{32 a^2 b^3} + \frac{b^2 c^2 - 2 abcd + a^2 d^2}{4 (a^2 b^3 + a^2 b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)^2/(b*x^4+a)^2,x, algorithm="giac")

[Out] $d^2 x/b^2 + 1/16*\sqrt{2}*(3*(a*b^3)^{(1/4)}*b^2*c^2 + 2*(a*b^3)^{(1/4)}*a*b*c*d - 5*(a*b^3)^{(1/4)}*a^2*d^2)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^2*b^3) + 1/16*\sqrt{2}*(3*(a*b^3)^{(1/4)}*b^2*c^2 + 2*(a*b^3)^{(1/4)}*a*b*c*d - 5*(a*b^3)^{(1/4)}*a^2*d^2)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^2*b^3) + 1/32*\sqrt{2}*(3*(a*b^3)^{(1/4)}*b^2*c^2 + 2*(a*b^3)^{(1/4)}*a*b*c*d - 5*(a*b^3)^{(1/4)}*a^2*d^2)*\log(x^2 + \sqrt{2}*(a/b)^{(1/4)} + \sqrt{a/b})/(a^2*b^3) - 1/32*\sqrt{2}*(3*(a*b^3)^{(1/4)}*b^2*c^2 + 2*(a*b^3)^{(1/4)}*a*b*c*d - 5*(a*b^3)^{(1/4)}*a^2*d^2)*\log(x^2 - \sqrt{2}*(a/b)^{(1/4)} + \sqrt{a/b})/(a^2*b^3) + 1/4*(b^2*c^2*x - 2*a*b*c*d*x + a^2*d^2*x)/(b*x^4 + a)*a*b^2)$

maple [B] time = 0.06, size = 475, normalized size = 1.63

$$\frac{d^2 x}{4 (b^2 x^4 + a^2)} + \frac{c^2 x}{4 (b^2 x^4 + a^2)} - \frac{abc}{2 (b^2 x^4 + a^2)} + \frac{(\frac{b}{a})^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2} x - 1}{(\frac{b}{a})^{\frac{1}{4}}}\right)}{8 ab} + \frac{(\frac{b}{a})^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2} x + 1}{(\frac{b}{a})^{\frac{1}{4}}}\right)}{8 ab} + \frac{(\frac{b}{a})^{\frac{1}{4}} \sqrt{2} \ln\left(\frac{x^2 + \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \sqrt{2} x - \sqrt{\frac{a}{b}}}\right)}{16 ab} + \frac{3 (\frac{b}{a})^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2} x - 1}{(\frac{b}{a})^{\frac{1}{4}}}\right)}{16 a^2} + \frac{3 (\frac{b}{a})^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2} x + 1}{(\frac{b}{a})^{\frac{1}{4}}}\right)}{16 a^2} + \frac{3 (\frac{b}{a})^{\frac{1}{4}} \sqrt{2} \ln\left(\frac{x^2 + \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \sqrt{2} x - \sqrt{\frac{a}{b}}}\right)}{32 a^2} + \frac{d^2 x}{32 a^2} - \frac{5 (\frac{b}{a})^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2} x - 1}{(\frac{b}{a})^{\frac{1}{4}}}\right)}{16 a^2} - \frac{5 (\frac{b}{a})^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2} x + 1}{(\frac{b}{a})^{\frac{1}{4}}}\right)}{16 a^2} - \frac{5 (\frac{b}{a})^{\frac{1}{4}} \sqrt{2} \ln\left(\frac{x^2 + \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \sqrt{2} x - \sqrt{\frac{a}{b}}}\right)}{32 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^4+c)^2/(b*x^4+a)^2,x)

[Out] $1/b^2*d^2*x + 1/4/b^2*a*x/(b*x^4+a)*d^2 - 1/2/b*x/(b*x^4+a)*c*d + 1/4/a*x/(b*x^4+a)*c^2 - 5/16/b^2*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(a/b)^{(1/4)}*x-1}*d^2 + 1/8/b/a*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(a/b)^{(1/4)}*x-1}*c*d + 3/16/a^2*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(a/b)^{(1/4)}*x-1}*c^2 - 5/32/b^2*(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))*d^2 + 1/16/b/a*(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))*c*d + 3/32/a^2*(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))*c^2 - 5/16/b^2*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(a/b)^{(1/4)}*x+1}*d^2 + 1/8/b/a*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(a/b)^{(1/4)}*x+1}*c*d + 3/16/a^2*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(a/b)^{(1/4)}*x+1}*c^2$

maxima [A] time = 1.26, size = 319, normalized size = 1.10

$$\frac{(b^2 c^2 - 2 abcd + a^2 d^2) x}{4 (ab^3 x^4 + a^2 b^2)} + \frac{d^2 x}{b^2} + \frac{2 \sqrt{2} (3 b^2 c^2 + 2 abcd - 5 a^2 d^2) \arctan\left(\frac{\sqrt{2} (2 \sqrt{b x + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}})}}{2 \sqrt{a} \sqrt{b}}\right)}{\sqrt{a} \sqrt{a} \sqrt{b}} + \frac{2 \sqrt{2} (3 b^2 c^2 + 2 abcd - 5 a^2 d^2) \arctan\left(\frac{\sqrt{2} (2 \sqrt{b x - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}})}}{2 \sqrt{a} \sqrt{b}}\right)}{\sqrt{a} \sqrt{a} \sqrt{b}} + \frac{\sqrt{2} (3 b^2 c^2 + 2 abcd - 5 a^2 d^2) \log\left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}\right)}{32 ab^2} - \frac{\sqrt{2} (3 b^2 c^2 + 2 abcd - 5 a^2 d^2) \log\left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}\right)}{32 ab^2}$$

$$b^{(9/4)}) * 1i) / (16 * (-a)^{(7/4)} * b^{(9/4)}) - ((a*d - b*c) * (5*a*d + 3*b*c) * ((x * (2 * 5*a^4*d^4 + 9*b^4*c^4 - 26*a^2*b^2*c^2*d^2 + 12*a*b^3*c^3*d - 20*a^3*b*c*d^3)) / (4*a^2*b) + ((a*d - b*c) * (5*a*d + 3*b*c) * (12*b^3*c^2 - 20*a^2*b*d^2 + 8 * a*b^2*c*d) * 1i) / (16 * (-a)^{(7/4)} * b^{(9/4)})) * 1i) / (16 * (-a)^{(7/4)} * b^{(9/4)})) * (a*d - b*c) * (5*a*d + 3*b*c) / (8 * (-a)^{(7/4)} * b^{(9/4)})$$

sympy [A] time = 2.17, size = 219, normalized size = 0.75

$$\frac{x(a^2d^2 - 2abcd + b^2c^2)}{4a^2b^2 + 4ab^3x^4} + \text{RootSum}\left(65536a^7b^9 + 625a^8d^8 - 1000a^7bcd^7 - 900a^6b^2c^2d^6 + 1640a^5b^3c^3d^5 + 646a^4b^4c^4d^4 - 984a^3b^5c^5d^3 - 324a^2b^6c^6d^2 + 216ab^7c^7d + 81b^8c^8, \left(t \mapsto t \log\left(\frac{16ta^2b^2}{5a^2d^2 - 2abcd - 3b^2c^2} + x\right)\right)\right) + \frac{d^2x}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**4+c)**2/(b*x**4+a)**2,x)

[Out] x*(a**2*d**2 - 2*a*b*c*d + b**2*c**2)/(4*a**2*b**2 + 4*a*b**3*x**4) + RootSum(65536*_t**4*a**7*b**9 + 625*a**8*d**8 - 1000*a**7*b*c*d**7 - 900*a**6*b**2*c**2*d**6 + 1640*a**5*b**3*c**3*d**5 + 646*a**4*b**4*c**4*d**4 - 984*a**3*b**5*c**5*d**3 - 324*a**2*b**6*c**6*d**2 + 216*a*b**7*c**7*d + 81*b**8*c**8, Lambda(_t, _t*log(-16*_t*a**2*b**2/(5*a**2*d**2 - 2*a*b*c*d - 3*b**2*c**2) + x))) + d**2*x/b**2

$$3.107 \quad \int \frac{c+dx^4}{(a+bx^4)^2} dx$$

Optimal. Leaf size=245

$$\frac{(ad + 3bc) \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} b^{5/4}} + \frac{(ad + 3bc) \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} b^{5/4}} - \frac{(ad + 3bc) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}\right)}{8\sqrt{2} a^{7/4} b^{5/4}}$$

Rubi [A] time = 0.15, antiderivative size = 245, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 17, number of rules / integrand size = 0.412, Rules used = {385, 211, 1165, 628, 1162, 617, 204}

$$-\frac{(ad + 3bc) \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} b^{5/4}} + \frac{(ad + 3bc) \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} b^{5/4}} - \frac{(ad + 3bc) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} b^{5/4}} + \frac{(ad + 3bc) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{8\sqrt{2} a^{7/4} b^{5/4}} + \frac{x(bc - ad)}{4ab(a + bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^4)/(a + b*x^4)^2,x]

[Out] ((b*c - a*d)*x)/(4*a*b*(a + b*x^4)) - ((3*b*c + a*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/(8*Sqrt[2]*a^(7/4)*b^(5/4)) + ((3*b*c + a*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/(8*Sqrt[2]*a^(7/4)*b^(5/4)) - ((3*b*c + a*d)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(5/4)) + ((3*b*c + a*d)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(5/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b

```
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^4}{(a + bx^4)^2} dx &= \frac{(bc - ad)x}{4ab(a + bx^4)} + \frac{(3bc + ad) \int \frac{1}{a+bx^4} dx}{4ab} \\
&= \frac{(bc - ad)x}{4ab(a + bx^4)} + \frac{(3bc + ad) \int \frac{\sqrt{a} - \sqrt{b}x^2}{a+bx^4} dx}{8a^{3/2}b} + \frac{(3bc + ad) \int \frac{\sqrt{a} + \sqrt{b}x^2}{a+bx^4} dx}{8a^{3/2}b} \\
&= \frac{(bc - ad)x}{4ab(a + bx^4)} + \frac{(3bc + ad) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16a^{3/2}b^{3/2}} + \frac{(3bc + ad) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16a^{3/2}b^{3/2}} - \frac{(3bc + ad)}{16a^{3/2}b^{3/2}} \\
&= \frac{(bc - ad)x}{4ab(a + bx^4)} - \frac{(3bc + ad) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{16\sqrt{2}a^{7/4}b^{5/4}} + \frac{(3bc + ad) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{16\sqrt{2}a^{7/4}b^{5/4}} \\
&= \frac{(bc - ad)x}{4ab(a + bx^4)} - \frac{(3bc + ad) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8\sqrt{2}a^{7/4}b^{5/4}} + \frac{(3bc + ad) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8\sqrt{2}a^{7/4}b^{5/4}} - \frac{(3bc + ad)}{16\sqrt{2}a^{7/4}b^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.17, size = 212, normalized size = 0.87

$$\frac{-\frac{8a^{3/4}\sqrt[4]{b}x(ad-bc)}{a+bx^4} - \sqrt{2}(ad+3bc)\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2) + \sqrt{2}(ad+3bc)\log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2) - 2\sqrt{2}(ad+3bc)\tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right) + 2\sqrt{2}(ad+3bc)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right)}{32a^{7/4}b^{5/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^4)/(a + b*x^4)^2,x]

[Out] ((-8*a^(3/4)*b^(1/4)*(-(b*c) + a*d)*x)/(a + b*x^4) - 2*sqrt[2]*(3*b*c + a*d)*ArcTan[1 - (sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*sqrt[2]*(3*b*c + a*d)*ArcTan[1 + (sqrt[2]*b^(1/4)*x)/a^(1/4)] - sqrt[2]*(3*b*c + a*d)*Log[sqrt[a] - sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2] + sqrt[2]*(3*b*c + a*d)*Log[sqrt[a] + sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2])/(32*a^(7/4)*b^(5/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^4}{(a + bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^4)/(a + b*x^4)^2,x]

[Out] IntegrateAlgebraic[(c + d*x^4)/(a + b*x^4)^2, x]

fricas [B] time = 0.83, size = 711, normalized size = 2.90

$$\frac{1}{16} \frac{\sqrt{2} \left(3 (ab^3)^{\frac{1}{2}} bc + (ab^3)^{\frac{1}{2}} ad \right) \arctan \left(\frac{\sqrt{2} (2x + \sqrt{2} (\frac{d}{b})^{\frac{1}{2}})}{2 (\frac{d}{b})^{\frac{1}{2}}} \right) + \sqrt{2} \left(3 (ab^3)^{\frac{1}{2}} bc + (ab^3)^{\frac{1}{2}} ad \right) \arctan \left(\frac{\sqrt{2} (2x - \sqrt{2} (\frac{d}{b})^{\frac{1}{2}})}{2 (\frac{d}{b})^{\frac{1}{2}}} \right) + \sqrt{2} \left(3 (ab^3)^{\frac{1}{2}} bc + (ab^3)^{\frac{1}{2}} ad \right) \log \left(x^2 + \sqrt{2} x \left(\frac{d}{b} \right)^{\frac{1}{2}} + \sqrt{\frac{d}{b}} \right) - \sqrt{2} \left(3 (ab^3)^{\frac{1}{2}} bc + (ab^3)^{\frac{1}{2}} ad \right) \log \left(x^2 - \sqrt{2} x \left(\frac{d}{b} \right)^{\frac{1}{2}} + \sqrt{\frac{d}{b}} \right) + \frac{bcx - adx}{4 (bx^4 + a) ab}}{(bx^4 + a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{16} (4 (a^2 b^2 x^4 + a^2 b) (-81 b^4 c^4 + 108 a b^3 c^3 d + 54 a^2 b^2 c^2 d^2 + 12 a^3 b c d^3 + a^4 d^4) / (a^7 b^5))^{1/4} \arctan(- (a^5 b^4 x (-81 b^4 c^4 + 108 a b^3 c^3 d + 54 a^2 b^2 c^2 d^2 + 12 a^3 b c d^3 + a^4 d^4) / (a^7 b^5))^{3/4} - a^5 b^4 \sqrt{(a^4 b^2 \sqrt{-81 b^4 c^4 + 108 a b^3 c^3 d + 54 a^2 b^2 c^2 d^2 + 12 a^3 b c d^3 + a^4 d^4} / (a^7 b^5)) + (9 b^2 c^2 + 6 a b c d + a^2 d^2) x^2} / (9 b^2 c^2 + 6 a b c d + a^2 d^2)) (-81 b^4 c^4 + 108 a b^3 c^3 d + 54 a^2 b^2 c^2 d^2 + 12 a^3 b c d^3 + a^4 d^4) / (a^7 b^5))^{3/4} / (27 b^3 c^3 + 27 a b^2 c^2 d + 9 a^2 b c d^2 + a^3 d^3) + (a b^2 x^4 + a^2 b) (-81 b^4 c^4 + 108 a b^3 c^3 d + 54 a^2 b^2 c^2 d^2 + 12 a^3 b c d^3 + a^4 d^4) / (a^7 b^5))^{1/4} \log(a^2 b (-81 b^4 c^4 + 108 a b^3 c^3 d + 54 a^2 b^2 c^2 d^2 + 12 a^3 b c d^3 + a^4 d^4) / (a^7 b^5))^{1/4} + (3 b c + a d) x - (a b^2 x^4 + a^2 b) (-81 b^4 c^4 + 108 a b^3 c^3 d + 54 a^2 b^2 c^2 d^2 + 12 a^3 b c d^3 + a^4 d^4) / (a^7 b^5))^{1/4} \log(-a^2 b (-81 b^4 c^4 + 108 a b^3 c^3 d + 54 a^2 b^2 c^2 d^2 + 12 a^3 b c d^3 + a^4 d^4) / (a^7 b^5))^{1/4} + (3 b c + a d) x + 4 (b c - a d) x / (a b^2 x^4 + a^2 b)$

giac [A] time = 0.17, size = 266, normalized size = 1.09

$$\frac{\sqrt{2} \left(3 (ab^3)^{\frac{1}{2}} bc + (ab^3)^{\frac{1}{2}} ad \right) \arctan \left(\frac{\sqrt{2} (2x + \sqrt{2} (\frac{d}{b})^{\frac{1}{2}})}{2 (\frac{d}{b})^{\frac{1}{2}}} \right) + \sqrt{2} \left(3 (ab^3)^{\frac{1}{2}} bc + (ab^3)^{\frac{1}{2}} ad \right) \arctan \left(\frac{\sqrt{2} (2x - \sqrt{2} (\frac{d}{b})^{\frac{1}{2}})}{2 (\frac{d}{b})^{\frac{1}{2}}} \right) + \sqrt{2} \left(3 (ab^3)^{\frac{1}{2}} bc + (ab^3)^{\frac{1}{2}} ad \right) \log \left(x^2 + \sqrt{2} x \left(\frac{d}{b} \right)^{\frac{1}{2}} + \sqrt{\frac{d}{b}} \right) - \sqrt{2} \left(3 (ab^3)^{\frac{1}{2}} bc + (ab^3)^{\frac{1}{2}} ad \right) \log \left(x^2 - \sqrt{2} x \left(\frac{d}{b} \right)^{\frac{1}{2}} + \sqrt{\frac{d}{b}} \right) + \frac{bcx - adx}{4 (bx^4 + a) ab}}{16 a^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{1}{16} \sqrt{2} (3 (a^2 b^3)^{\frac{1}{4}} b^2 c + (a^2 b^3)^{\frac{1}{4}} a^2 d) \arctan(1/2 \sqrt{2} (2x + \sqrt{2} (a/b)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}}) / (a^2 b^2) + 1/16 \sqrt{2} (3 (a^2 b^3)^{\frac{1}{4}} b^2 c + (a^2 b^3)^{\frac{1}{4}} a^2 d) \arctan(1/2 \sqrt{2} (2x - \sqrt{2} (a/b)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}}) / (a^2 b^2) + 1/32 \sqrt{2} (3 (a^2 b^3)^{\frac{1}{4}} b^2 c + (a^2 b^3)^{\frac{1}{4}} a^2 d) \log(x^2 + \sqrt{2} x (a/b)^{\frac{1}{4}} + \sqrt{a/b}) / (a^2 b^2) - 1/32 \sqrt{2} (3 (a^2 b^3)^{\frac{1}{4}} b^2 c + (a^2 b^3)^{\frac{1}{4}} a^2 d) \log(x^2 - \sqrt{2} x (a/b)^{\frac{1}{4}} + \sqrt{a/b}) / (a^2 b^2) + 1/4 (b^2 c x - a^2 d x) / ((b x^4 + a) a b)$

maple [A] time = 0.05, size = 295, normalized size = 1.20

$$\frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}-1\right)}{16ab} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}+1\right)}{16ab} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} d \ln\left(\frac{x^2+\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x+\sqrt{\frac{a}{b}}}{x^2-\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x+\sqrt{\frac{a}{b}}}\right)}{32ab} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}-1\right)}{16a^2} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}+1\right)}{16a^2} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \ln\left(\frac{x^2+\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x+\sqrt{\frac{a}{b}}}{x^2-\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x+\sqrt{\frac{a}{b}}}\right)}{32a^2} - \frac{(ad-bc)x}{4(bx^4+a)ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^4+c)/(b*x^4+a)^2,x)

[Out] $-1/4*(a*d-b*c)/a/b*x/(b*x^4+a)+1/16/a/b*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(a/b)^{(1/4)}*x-1}*d+3/16/a^2*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(a/b)^{(1/4)}*x-1}*c+1/32/a/b*(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))*d+3/32/a^2*(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))*c+1/16/a/b*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(a/b)^{(1/4)}*x+1}*d+3/16/a^2*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)/(a/b)^{(1/4)}*x+1}*c$

maxima [A] time = 1.35, size = 236, normalized size = 0.96

$$\frac{(bc-ad)x}{4(ab^2x^4+a^2b)} + \frac{2\sqrt{2}(3bc+ad) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x+\sqrt{2a^{\frac{1}{4}}b^{\frac{1}{4}}}\right)}{2\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} + \frac{2\sqrt{2}(3bc+ad) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x-\sqrt{2a^{\frac{1}{4}}b^{\frac{1}{4}}}\right)}{2\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} + \frac{\sqrt{2}(3bc+ad) \log\left(\sqrt{b}x^2+\sqrt{2a^{\frac{1}{4}}b^{\frac{1}{4}}x+\sqrt{a}}\right)}{\frac{3}{a^{\frac{3}{4}}b^{\frac{1}{4}}}} - \frac{\sqrt{2}(3bc+ad) \log\left(\sqrt{b}x^2-\sqrt{2a^{\frac{1}{4}}b^{\frac{1}{4}}x+\sqrt{a}}\right)}{\frac{3}{a^{\frac{3}{4}}b^{\frac{1}{4}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^4+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] $1/4*(b*c - a*d)*x/(a*b^2*x^4 + a^2*b) + 1/32*(2*\sqrt{2}*(3*b*c + a*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}*x + \sqrt{2})*a^{(1/4)}*b^{(1/4)})/\sqrt{a}*\sqrt{b})/(\sqrt{a}*\sqrt{a}*\sqrt{b}) + 2*\sqrt{2}*(3*b*c + a*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}*x - \sqrt{2})*a^{(1/4)}*b^{(1/4)})/\sqrt{a}*\sqrt{a}*\sqrt{b})/(\sqrt{a}*\sqrt{a}*\sqrt{b}) + \sqrt{2}*(3*b*c + a*d)*\log(\sqrt{b}*x^2 + \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*b^{(1/4)}) - \sqrt{2}*(3*b*c + a*d)*\log(\sqrt{b}*x^2 - \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*b^{(1/4)})/(a*b)$

mupad [B] time = 1.53, size = 740, normalized size = 3.02

$$\text{atan}\left(\frac{\frac{\left(\frac{1}{4}b^2d^2+ad^2\right)\sqrt{2}x+\sqrt{2}ad^2}{4d^2} + \frac{(ad+3b)c\sqrt{2}x+\sqrt{2}ad^2}{4d^2}}{\frac{16(-a)^{7/4}b^{5/4}}{16(-a)^{7/4}b^{5/4}}}\right) - \frac{x(ad-bc)}{4ab(bx^4+a)} + \text{atan}\left(\frac{\frac{\left(\frac{1}{4}b^2d^2+ad^2\right)\sqrt{2}x-\sqrt{2}ad^2}{4d^2} + \frac{(ad+3b)c\sqrt{2}x-\sqrt{2}ad^2}{4d^2}}{\frac{16(-a)^{7/4}b^{5/4}}{16(-a)^{7/4}b^{5/4}}}\right) + \frac{(ad+3b)c}{8(-a)^{7/4}b^{5/4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^4)/(a + b*x^4)^2,x)

[Out] $(\text{atan}\left(\frac{(x^4(9b^3c^2 + a^2bd^2 + 6ab^2cd))/(4a^2) - ((ad + 3bc)*(12b^3c + 4ab^2d))/(16(-a)^{(7/4)}b^{(5/4)})}{(ad + 3bc)*1i}\right))/(16(-a$

$$\begin{aligned} &)^{(7/4)} * b^{(5/4)} + \left(\frac{(x * (9 * b^3 * c^2 + a^2 * b * d^2 + 6 * a * b^2 * c * d))}{(4 * a^2)} + \left((a * d + 3 * b * c) * (12 * b^3 * c + 4 * a * b^2 * d) \right) / \left((16 * (-a)^{(7/4)} * b^{(5/4)}) \right) * (a * d + 3 * b * c) * 1i \right) / \left((16 * (-a)^{(7/4)} * b^{(5/4)}) \right) / \left(\frac{(x * (9 * b^3 * c^2 + a^2 * b * d^2 + 6 * a * b^2 * c * d))}{(4 * a^2)} - \left((a * d + 3 * b * c) * (12 * b^3 * c + 4 * a * b^2 * d) \right) / \left((16 * (-a)^{(7/4)} * b^{(5/4)}) \right) * (a * d + 3 * b * c) \right) / \left((16 * (-a)^{(7/4)} * b^{(5/4)}) \right) - \left(\frac{(x * (9 * b^3 * c^2 + a^2 * b * d^2 + 6 * a * b^2 * c * d))}{(4 * a^2)} + \left((a * d + 3 * b * c) * (12 * b^3 * c + 4 * a * b^2 * d) \right) / \left((16 * (-a)^{(7/4)} * b^{(5/4)}) \right) * (a * d + 3 * b * c) \right) / \left((16 * (-a)^{(7/4)} * b^{(5/4)}) \right) * (a * d + 3 * b * c) * 1i \right) / \left((8 * (-a)^{(7/4)} * b^{(5/4)}) \right) + \left(\operatorname{atan} \left(\frac{(x * (9 * b^3 * c^2 + a^2 * b * d^2 + 6 * a * b^2 * c * d))}{(4 * a^2)} - \left((a * d + 3 * b * c) * (12 * b^3 * c + 4 * a * b^2 * d) \right) * 1i \right) / \left((16 * (-a)^{(7/4)} * b^{(5/4)}) \right) * (a * d + 3 * b * c) \right) / \left((16 * (-a)^{(7/4)} * b^{(5/4)}) \right) + \left(\frac{(x * (9 * b^3 * c^2 + a^2 * b * d^2 + 6 * a * b^2 * c * d))}{(4 * a^2)} + \left((a * d + 3 * b * c) * (12 * b^3 * c + 4 * a * b^2 * d) \right) * 1i \right) / \left((16 * (-a)^{(7/4)} * b^{(5/4)}) \right) * (a * d + 3 * b * c) \right) / \left((16 * (-a)^{(7/4)} * b^{(5/4)}) \right) / \left(\frac{(x * (9 * b^3 * c^2 + a^2 * b * d^2 + 6 * a * b^2 * c * d))}{(4 * a^2)} - \left((a * d + 3 * b * c) * (12 * b^3 * c + 4 * a * b^2 * d) \right) * 1i \right) / \left((16 * (-a)^{(7/4)} * b^{(5/4)}) \right) * (a * d + 3 * b * c) * 1i \right) / \left((16 * (-a)^{(7/4)} * b^{(5/4)}) \right) - \left(\frac{(x * (9 * b^3 * c^2 + a^2 * b * d^2 + 6 * a * b^2 * c * d))}{(4 * a^2)} + \left((a * d + 3 * b * c) * (12 * b^3 * c + 4 * a * b^2 * d) \right) * 1i \right) / \left((16 * (-a)^{(7/4)} * b^{(5/4)}) \right) * (a * d + 3 * b * c) * 1i \right) / \left((16 * (-a)^{(7/4)} * b^{(5/4)}) \right) * (a * d + 3 * b * c) \right) / \left((8 * (-a)^{(7/4)} * b^{(5/4)}) \right) - \left(x * (a * d - b * c) \right) / \left(4 * a * b * (a + b * x^4) \right) \end{aligned}$$

sympy [A] time = 0.97, size = 112, normalized size = 0.46

$$\frac{x(-ad + bc)}{4a^2b + 4ab^2x^4} + \operatorname{RootSum} \left(65536t^4a^7b^5 + a^4d^4 + 12a^3bcd^3 + 54a^2b^2c^2d^2 + 108ab^3c^3d + 81b^4c^4, \left(t \mapsto t \log \left(\frac{16ta^2b}{ad + 3bc} + x \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**4+c)/(b*x**4+a)**2,x)

[Out] x*(-a*d + b*c)/(4*a**2*b + 4*a*b**2*x**4) + RootSum(65536*_t**4*a**7*b**5 + a**4*d**4 + 12*a**3*b*c*d**3 + 54*a**2*b**2*c**2*d**2 + 108*a*b**3*c**3*d + 81*b**4*c**4, Lambda(_t, _t*log(16*_t*a**2*b/(a*d + 3*b*c) + x)))

$$3.108 \quad \int \frac{1}{(a+bx^4)^2(c+dx^4)} dx$$

Optimal. Leaf size=513

$$\frac{b^{3/4}(3bc - 7ad) \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4}(bc - ad)^2} + \frac{b^{3/4}(3bc - 7ad) \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4}(bc - ad)^2} - \frac{b^{3/4}(3bc - 7ad)}{4a^{7/4}(bc - ad)}$$

Rubi [A] time = 0.43, antiderivative size = 513, normalized size of antiderivative = 1.00, number of steps used = 20, number of rules used = 8, integrand size = 19, number of rules / integrand size = 0.421, Rules used = {414, 522, 211, 1165, 628, 1162, 617, 204}

$$\frac{b^{3/4}(3bc - 7ad) \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4}(bc - ad)^2} + \frac{b^{3/4}(3bc - 7ad) \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4}(bc - ad)^2} - \frac{b^{3/4}(3bc - 7ad) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{a}}{\sqrt{c}}\right)}{8\sqrt{2} a^{7/4}(bc - ad)^2} - \frac{b^{3/4}(3bc - 7ad) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a}}{\sqrt{c}} + 1\right)}{8\sqrt{2} a^{7/4}(bc - ad)^2} - \frac{d^{3/4} \log\left(-\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{4\sqrt{2} c^{3/4}(bc - ad)^2} + \frac{d^{3/4} \log\left(\sqrt{2} \sqrt[4]{c} \sqrt[4]{d} x + \sqrt{c} + \sqrt{d} x^2\right)}{4\sqrt{2} c^{3/4}(bc - ad)^2} - \frac{d^{3/4} \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{c}}{\sqrt{d}}\right)}{2\sqrt{2} c^{3/4}(bc - ad)^2} + \frac{d^{3/4} \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{c}}{\sqrt{d}} + 1\right)}{2\sqrt{2} c^{3/4}(bc - ad)^2} + \frac{bx}{4a^{7/4}(bc - ad)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^4)^2*(c + d*x^4)), x]

[Out] (b*x)/(4*a*(b*c - a*d)*(a + b*x^4)) - (b^(3/4)*(3*b*c - 7*a*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/(8*Sqrt[2]*a^(7/4)*(b*c - a*d)^2) + (b^(3/4)*(3*b*c - 7*a*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/(8*Sqrt[2]*a^(7/4)*(b*c - a*d)^2) - (d^(7/4)*ArcTan[1 - (Sqrt[2]*d^(1/4)*x)/c^(1/4)]/(2*Sqrt[2]*c^(3/4)*(b*c - a*d)^2) + (d^(7/4)*ArcTan[1 + (Sqrt[2]*d^(1/4)*x)/c^(1/4)]/(2*Sqrt[2]*c^(3/4)*(b*c - a*d)^2) - (b^(3/4)*(3*b*c - 7*a*d)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*(b*c - a*d)^2) + (b^(3/4)*(3*b*c - 7*a*d)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*(b*c - a*d)^2) - (d^(7/4)*Log[Sqrt[c] - Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(4*Sqrt[2]*c^(3/4)*(b*c - a*d)^2) + (d^(7/4)*Log[Sqrt[c] + Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(4*Sqrt[2]*c^(3/4)*(b*c - a*d)^2)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &&

AtomQ[SplitProduct[SumBaseQ, b]])

Rule 414

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && !(!IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c, d, n, p, q, x]

Rule 522

Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre

$eQ[\{a, c, d, e\}, x] \ \&\& \ EqQ[c*d^2 - a*e^2, 0] \ \&\& \ NegQ[d*e]$

Rubi steps

$$\begin{aligned} \int \frac{1}{(a+bx^4)^2(c+dx^4)} dx &= \frac{bx}{4a(bc-ad)(a+bx^4)} - \frac{\int \frac{-3bc+4ad-3bdx^4}{(a+bx^4)(c+dx^4)} dx}{4a(bc-ad)} \\ &= \frac{bx}{4a(bc-ad)(a+bx^4)} + \frac{d^2 \int \frac{1}{c+dx^4} dx}{(bc-ad)^2} + \frac{(b(3bc-7ad)) \int \frac{1}{a+bx^4} dx}{4a(bc-ad)^2} \\ &= \frac{bx}{4a(bc-ad)(a+bx^4)} + \frac{d^2 \int \frac{\sqrt{c}-\sqrt{d}x^2}{c+dx^4} dx}{2\sqrt{c}(bc-ad)^2} + \frac{d^2 \int \frac{\sqrt{c}+\sqrt{d}x^2}{c+dx^4} dx}{2\sqrt{c}(bc-ad)^2} + \frac{(b(3bc-7ad)) \int \frac{1}{a+bx^4} dx}{8a^{3/2}(bc-ad)^2} \\ &= \frac{bx}{4a(bc-ad)(a+bx^4)} + \frac{d^{3/2} \int \frac{1}{\frac{\sqrt{c}}{\sqrt{d}} - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{d}} + x^2} dx}{4\sqrt{c}(bc-ad)^2} + \frac{d^{3/2} \int \frac{1}{\frac{\sqrt{c}}{\sqrt{d}} + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{d}} + x^2} dx}{4\sqrt{c}(bc-ad)^2} - \frac{d^{7/4} \int \frac{1}{a+bx^4} dx}{4\sqrt{c}(bc-ad)^2} \\ &= \frac{bx}{4a(bc-ad)(a+bx^4)} - \frac{b^{3/4}(3bc-7ad) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{16\sqrt{2}a^{7/4}(bc-ad)^2} + \frac{b^{3/4}(3bc-7ad) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{16\sqrt{2}a^{7/4}(bc-ad)^2} \\ &= \frac{bx}{4a(bc-ad)(a+bx^4)} - \frac{b^{3/4}(3bc-7ad) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8\sqrt{2}a^{7/4}(bc-ad)^2} + \frac{b^{3/4}(3bc-7ad) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8\sqrt{2}a^{7/4}(bc-ad)^2} \end{aligned}$$

Mathematica [A] time = 0.35, size = 499, normalized size = 0.97

$\frac{b^{3/4}(3bc-7ad) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{16\sqrt{2}a^{7/4}(bc-ad)^2} - \frac{b^{3/4}(3bc-7ad) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{16\sqrt{2}a^{7/4}(bc-ad)^2} - \frac{b^{3/4}(3bc-7ad) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8\sqrt{2}a^{7/4}(bc-ad)^2} + \frac{b^{3/4}(3bc-7ad) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8\sqrt{2}a^{7/4}(bc-ad)^2} - \frac{d^{3/2} \int \frac{1}{\frac{\sqrt{c}}{\sqrt{d}} - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{d}} + x^2} dx}{4\sqrt{c}(bc-ad)^2} + \frac{d^{3/2} \int \frac{1}{\frac{\sqrt{c}}{\sqrt{d}} + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{d}} + x^2} dx}{4\sqrt{c}(bc-ad)^2} - \frac{d^{7/4} \int \frac{1}{a+bx^4} dx}{4\sqrt{c}(bc-ad)^2} + \frac{bx}{4a(bc-ad)(a+bx^4)} + \frac{d^2 \int \frac{\sqrt{c}-\sqrt{d}x^2}{c+dx^4} dx}{2\sqrt{c}(bc-ad)^2} + \frac{d^2 \int \frac{\sqrt{c}+\sqrt{d}x^2}{c+dx^4} dx}{2\sqrt{c}(bc-ad)^2} + \frac{(b(3bc-7ad)) \int \frac{1}{a+bx^4} dx}{8a^{3/2}(bc-ad)^2} + \frac{d^2 \int \frac{1}{c+dx^4} dx}{(bc-ad)^2} + \frac{(b(3bc-7ad)) \int \frac{1}{a+bx^4} dx}{4a(bc-ad)^2} - \frac{\int \frac{-3bc+4ad-3bdx^4}{(a+bx^4)(c+dx^4)} dx}{4a(bc-ad)} - \frac{bx}{4a(bc-ad)(a+bx^4)}$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^4)^2*(c + d*x^4)), x]

[Out] (8*a^(3/4)*b*c^(3/4)*(b*c - a*d)*x - 2*Sqrt[2]*b^(3/4)*c^(3/4)*(3*b*c - 7*a*d)*(a + b*x^4)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*Sqrt[2]*b^(3/4)*c^(3/4)*(3*b*c - 7*a*d)*(a + b*x^4)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - 8*Sqrt[2]*a^(7/4)*d^(7/4)*(a + b*x^4)*ArcTan[1 - (Sqrt[2]*d^(1/4)*x)/c^(1/4)] + 8*Sqrt[2]*a^(7/4)*d^(7/4)*(a + b*x^4)*ArcTan[1 + (Sqrt[2]*d^(1/4)*x)/c^(1/4)] - Sqrt[2]*b^(3/4)*c^(3/4)*(3*b*c - 7*a*d)*(a + b*x^4)*Log[Sqrt[

a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*b^(3/4)*c^(3/4)*(3*b*c - 7*a*d)*(a + b*x^4)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] - 4*Sqrt[2]*a^(7/4)*d^(7/4)*(a + b*x^4)*Log[Sqrt[c] - Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2] + 4*Sqrt[2]*a^(7/4)*d^(7/4)*(a + b*x^4)*Log[Sqrt[c] + Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(32*a^(7/4)*c^(3/4)*(b*c - a*d)^2*(a + b*x^4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^4)^2 (c + dx^4)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/((a + b*x^4)^2*(c + d*x^4)),x]

[Out] IntegrateAlgebraic[1/((a + b*x^4)^2*(c + d*x^4)), x]

fricas [B] time = 59.89, size = 3299, normalized size = 6.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^2/(d*x^4+c),x, algorithm="fricas")

[Out] -1/16*(4*((a*b^2*c - a^2*b*d)*x^4 + a^2*b*c - a^3*d)*(-(81*b^7*c^4 - 756*a*b^6*c^3*d + 2646*a^2*b^5*c^2*d^2 - 4116*a^3*b^4*c*d^3 + 2401*a^4*b^3*d^4)/(a^7*b^8*c^8 - 8*a^8*b^7*c^7*d + 28*a^9*b^6*c^6*d^2 - 56*a^10*b^5*c^5*d^3 + 70*a^11*b^4*c^4*d^4 - 56*a^12*b^3*c^3*d^5 + 28*a^13*b^2*c^2*d^6 - 8*a^14*b*c*d^7 + a^15*d^8))^(1/4)*arctan(((a^5*b^6*c^6 - 6*a^6*b^5*c^5*d + 15*a^7*b^4*c^4*d^2 - 20*a^8*b^3*c^3*d^3 + 15*a^9*b^2*c^2*d^4 - 6*a^10*b*c*d^5 + a^11*d^6)*x - (81*b^7*c^4 - 756*a*b^6*c^3*d + 2646*a^2*b^5*c^2*d^2 - 4116*a^3*b^4*c*d^3 + 2401*a^4*b^3*d^4)/(a^7*b^8*c^8 - 8*a^8*b^7*c^7*d + 28*a^9*b^6*c^6*d^2 - 56*a^10*b^5*c^5*d^3 + 70*a^11*b^4*c^4*d^4 - 56*a^12*b^3*c^3*d^5 + 28*a^13*b^2*c^2*d^6 - 8*a^14*b*c*d^7 + a^15*d^8)))^(3/4) - (a^5*b^6*c^6 - 6*a^6*b^5*c^5*d + 15*a^7*b^4*c^4*d^2 - 20*a^8*b^3*c^3*d^3 + 15*a^9*b^2*c^2*d^4 - 6*a^10*b*c*d^5 + a^11*d^6)*(-(81*b^7*c^4 - 756*a*b^6*c^3*d + 2646*a^2*b^5*c^2*d^2 - 4116*a^3*b^4*c*d^3 + 2401*a^4*b^3*d^4)/(a^7*b^8*c^8 - 8*a^8*b^7*c^7*d + 28*a^9*b^6*c^6*d^2 - 56*a^10*b^5*c^5*d^3 + 70*a^11*b^4*c^4*d^4 - 56*a^12*b^3*c^3*d^5 + 28*a^13*b^2*c^2*d^6 - 8*a^14*b*c*d^7 + a^15*d^8)))^(3/4)*sqrt(((9*b^4*c^2 - 42*a*b^3*c*d + 49*a^2*b^2*d^2)*x^2 + (a^4*b^4*c^4 - 4*a^5*b^3*c^3*d + 6*a^6*b^2*c^2*d^2 - 4*a^7*b*c*d^3 + a^8*d^4)*sqrt(-(81*b^7*c^4 - 756*a*b^6*c^3*d + 2646*a^2*b^5*c^2*d^2 - 4116*a^3*b^4*c*d^3 + 2401*a^4*b^3*d^4)/(a^7*b^8*c^8 - 8*a^8*b^7*c^7*d + 28*a^9*b^6*c^6*d^2 - 56*a^10*b^5*c^5*d^3 + 70*a^11*b^4*c^4*d^4 - 56*a^12*b^3*c^3*d^5 + 28*a^13*b^2*c^2*d^6 - 8*a^14*b*c*d^7 + a^15*d^8))))/(9*b^4*c^2 - 42*a*b^3*c*d + 49*a^2*b^2*d^2)

$$\begin{aligned}
&)) / (27*b^5*c^3 - 189*a*b^4*c^2*d + 441*a^2*b^3*c*d^2 - 343*a^3*b^2*d^3) - \\
& 16*(-d^7/(b^8*c^11 - 8*a*b^7*c^10*d + 28*a^2*b^6*c^9*d^2 - 56*a^3*b^5*c^8*d^3 + 70*a^4*b^4*c^7*d^4 - 56*a^5*b^3*c^6*d^5 + 28*a^6*b^2*c^5*d^6 - 8*a^7*b \\
& *c^4*d^7 + a^8*c^3*d^8))^{(1/4)}*((a*b^2*c - a^2*b*d)*x^4 + a^2*b*c - a^3*d)* \\
& \arctan(-((b^6*c^8 - 6*a*b^5*c^7*d + 15*a^2*b^4*c^6*d^2 - 20*a^3*b^3*c^5*d^3 + 15*a^4*b^2*c^4*d^4 - 6*a^5*b*c^3*d^5 + a^6*c^2*d^6)*(-d^7/(b^8*c^11 - 8* \\
& a*b^7*c^10*d + 28*a^2*b^6*c^9*d^2 - 56*a^3*b^5*c^8*d^3 + 70*a^4*b^4*c^7*d^4 - 56*a^5*b^3*c^6*d^5 + 28*a^6*b^2*c^5*d^6 - 8*a^7*b*c^4*d^7 + a^8*c^3*d^8) \\
&)^{(3/4)}*x - (b^6*c^8 - 6*a*b^5*c^7*d + 15*a^2*b^4*c^6*d^2 - 20*a^3*b^3*c^5*d^3 + 15*a^4*b^2*c^4*d^4 - 6*a^5*b*c^3*d^5 + a^6*c^2*d^6)*(-d^7/(b^8*c^11 - 8* \\
& a*b^7*c^10*d + 28*a^2*b^6*c^9*d^2 - 56*a^3*b^5*c^8*d^3 + 70*a^4*b^4*c^7*d^4 - 56*a^5*b^3*c^6*d^5 + 28*a^6*b^2*c^5*d^6 - 8*a^7*b*c^4*d^7 + a^8*c^3*d^8) \\
&)^{(3/4)}*\sqrt{(d^4*x^2 + (b^4*c^6 - 4*a*b^3*c^5*d + 6*a^2*b^2*c^4*d^2 - 4 \\
& *a^3*b*c^3*d^3 + a^4*c^2*d^4)*\sqrt{-d^7/(b^8*c^11 - 8*a*b^7*c^10*d + 28*a^2 \\
& *b^6*c^9*d^2 - 56*a^3*b^5*c^8*d^3 + 70*a^4*b^4*c^7*d^4 - 56*a^5*b^3*c^6*d^5 + 28*a^6*b^2*c^5*d^6 - 8*a^7*b*c^4*d^7 + a^8*c^3*d^8)))/d^4))/d^5) - 4*(-d \\
& ^7/(b^8*c^11 - 8*a*b^7*c^10*d + 28*a^2*b^6*c^9*d^2 - 56*a^3*b^5*c^8*d^3 + 7 \\
& 0*a^4*b^4*c^7*d^4 - 56*a^5*b^3*c^6*d^5 + 28*a^6*b^2*c^5*d^6 - 8*a^7*b*c^4*d^7 + a^8*c^3*d^8))^{(1/4)}*((a*b^2*c - a^2*b*d)*x^4 + a^2*b*c - a^3*d)*\log(d^ \\
& 2*x + (-d^7/(b^8*c^11 - 8*a*b^7*c^10*d + 28*a^2*b^6*c^9*d^2 - 56*a^3*b^5*c^ \\
& 8*d^3 + 70*a^4*b^4*c^7*d^4 - 56*a^5*b^3*c^6*d^5 + 28*a^6*b^2*c^5*d^6 - 8*a^ \\
& 7*b*c^4*d^7 + a^8*c^3*d^8))^{(1/4)}*(b^2*c^3 - 2*a*b*c^2*d + a^2*c*d^2)) + 4* \\
& (-d^7/(b^8*c^11 - 8*a*b^7*c^10*d + 28*a^2*b^6*c^9*d^2 - 56*a^3*b^5*c^8*d^3 \\
& + 70*a^4*b^4*c^7*d^4 - 56*a^5*b^3*c^6*d^5 + 28*a^6*b^2*c^5*d^6 - 8*a^7*b*c^ \\
& 4*d^7 + a^8*c^3*d^8))^{(1/4)}*((a*b^2*c - a^2*b*d)*x^4 + a^2*b*c - a^3*d)*\log \\
& (d^2*x - (-d^7/(b^8*c^11 - 8*a*b^7*c^10*d + 28*a^2*b^6*c^9*d^2 - 56*a^3*b^5 \\
& *c^8*d^3 + 70*a^4*b^4*c^7*d^4 - 56*a^5*b^3*c^6*d^5 + 28*a^6*b^2*c^5*d^6 - 8 \\
& *a^7*b*c^4*d^7 + a^8*c^3*d^8))^{(1/4)}*(b^2*c^3 - 2*a*b*c^2*d + a^2*c*d^2)) + \\
& ((a*b^2*c - a^2*b*d)*x^4 + a^2*b*c - a^3*d)*(-(81*b^7*c^4 - 756*a*b^6*c^3*d \\
& + 2646*a^2*b^5*c^2*d^2 - 4116*a^3*b^4*c*d^3 + 2401*a^4*b^3*d^4)/(a^7*b^8*c^8 - 8*a^8*b^7*c^7*d + 28*a^9*b^6*c^6*d^2 - 56*a^10*b^5*c^5*d^3 + 70*a^11* \\
& b^4*c^4*d^4 - 56*a^12*b^3*c^3*d^5 + 28*a^13*b^2*c^2*d^6 - 8*a^14*b*c*d^7 + \\
& a^15*d^8))^{(1/4)}*\log(-(3*b^2*c - 7*a*b*d)*x + (a^2*b^2*c^2 - 2*a^3*b*c*d + \\
& a^4*d^2)*(-(81*b^7*c^4 - 756*a*b^6*c^3*d + 2646*a^2*b^5*c^2*d^2 - 4116*a^3* \\
& b^4*c*d^3 + 2401*a^4*b^3*d^4)/(a^7*b^8*c^8 - 8*a^8*b^7*c^7*d + 28*a^9*b^6*c^ \\
& ^6*d^2 - 56*a^10*b^5*c^5*d^3 + 70*a^11*b^4*c^4*d^4 - 56*a^12*b^3*c^3*d^5 + \\
& 28*a^13*b^2*c^2*d^6 - 8*a^14*b*c*d^7 + a^15*d^8))^{(1/4)}) - ((a*b^2*c - a^2* \\
& b*d)*x^4 + a^2*b*c - a^3*d)*(-(81*b^7*c^4 - 756*a*b^6*c^3*d + 2646*a^2*b^5* \\
& c^2*d^2 - 4116*a^3*b^4*c*d^3 + 2401*a^4*b^3*d^4)/(a^7*b^8*c^8 - 8*a^8*b^7*c^ \\
& ^7*d + 28*a^9*b^6*c^6*d^2 - 56*a^10*b^5*c^5*d^3 + 70*a^11*b^4*c^4*d^4 - 56* \\
& a^12*b^3*c^3*d^5 + 28*a^13*b^2*c^2*d^6 - 8*a^14*b*c*d^7 + a^15*d^8))^{(1/4)}* \\
& \log(-(3*b^2*c - 7*a*b*d)*x - (a^2*b^2*c^2 - 2*a^3*b*c*d + a^4*d^2)*(-(81*b^ \\
& 7*c^4 - 756*a*b^6*c^3*d + 2646*a^2*b^5*c^2*d^2 - 4116*a^3*b^4*c*d^3 + 2401* \\
& a^4*b^3*d^4)/(a^7*b^8*c^8 - 8*a^8*b^7*c^7*d + 28*a^9*b^6*c^6*d^2 - 56*a^10* \\
& b^5*c^5*d^3 + 70*a^11*b^4*c^4*d^4 - 56*a^12*b^3*c^3*d^5 + 28*a^13*b^2*c^2*d^6
\end{aligned}$$

$$\sqrt[4]{-8a^{14}b^2c^2d^7 + a^{15}d^8} - 4b^2x / ((a^2b^2c - a^2bd)x^4 + a^2b^2c - a^3d)$$

giac [A] time = 0.22, size = 667, normalized size = 1.30

$$\frac{(a^2)^{\frac{1}{4}} d \arctan\left(\frac{\sqrt{a^2 - b^2} \sqrt{d}}{2d}\right)}{2(\sqrt{a^2d^2 - 2\sqrt{a^2bd} + \sqrt{a^2bd}})^{\frac{1}{4}}} + \frac{(a^2)^{\frac{1}{4}} d \arctan\left(\frac{\sqrt{a^2 - b^2} \sqrt{d}}{2d}\right)}{2(\sqrt{a^2d^2 - 2\sqrt{a^2bd} + \sqrt{a^2bd}})^{\frac{1}{4}}} + \frac{(a^2)^{\frac{1}{4}} d \log\left(x^2 + \sqrt{a^2} \sqrt{d} + \sqrt{d}\right)}{4(\sqrt{a^2d^2 - 2\sqrt{a^2bd} + \sqrt{a^2bd}})^{\frac{1}{4}}} + \frac{(a^2)^{\frac{1}{4}} d \log\left(x^2 - \sqrt{a^2} \sqrt{d} + \sqrt{d}\right)}{4(\sqrt{a^2d^2 - 2\sqrt{a^2bd} + \sqrt{a^2bd}})^{\frac{1}{4}}} + \frac{(3(a^2)^{\frac{1}{4}} bc - 7(a^2)^{\frac{1}{4}} ad) \arctan\left(\frac{\sqrt{a^2 - b^2} \sqrt{d}}{2d}\right)}{8(\sqrt{a^2d^2 - 2\sqrt{a^2bd} + \sqrt{a^2bd}})^{\frac{1}{4}}} + \frac{(3(a^2)^{\frac{1}{4}} bc - 7(a^2)^{\frac{1}{4}} ad) \arctan\left(\frac{\sqrt{a^2 - b^2} \sqrt{d}}{2d}\right)}{8(\sqrt{a^2d^2 - 2\sqrt{a^2bd} + \sqrt{a^2bd}})^{\frac{1}{4}}} + \frac{(3(a^2)^{\frac{1}{4}} bc - 7(a^2)^{\frac{1}{4}} ad) \log\left(x^2 + \sqrt{a^2} \sqrt{d} + \sqrt{d}\right)}{16(\sqrt{a^2d^2 - 2\sqrt{a^2bd} + \sqrt{a^2bd}})^{\frac{1}{4}}} + \frac{(3(a^2)^{\frac{1}{4}} bc - 7(a^2)^{\frac{1}{4}} ad) \log\left(x^2 - \sqrt{a^2} \sqrt{d} + \sqrt{d}\right)}{16(\sqrt{a^2d^2 - 2\sqrt{a^2bd} + \sqrt{a^2bd}})^{\frac{1}{4}}} + \frac{bx}{4(bx^4 + a)(a^2b^2c - a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^2/(d*x^4+c),x, algorithm="giac")

[Out] $\frac{1}{2} \sqrt[4]{cd^3} d \arctan\left(\frac{1}{2} \sqrt{2} \sqrt{\frac{c}{d}} (2x + \sqrt{2} \sqrt{\frac{c}{d}})\right) / \sqrt[4]{cd} + \frac{1}{2} \sqrt[4]{cd^3} d \arctan\left(\frac{1}{2} \sqrt{2} \sqrt{\frac{c}{d}} (2x - \sqrt{2} \sqrt{\frac{c}{d}})\right) / \sqrt[4]{cd} + \frac{1}{4} \sqrt[4]{cd^3} d \log\left(x^2 + \sqrt{2} \sqrt{\frac{c}{d}} x + \sqrt{\frac{c}{d}}\right) / \sqrt[4]{cd} + \frac{1}{4} \sqrt[4]{cd^3} d \log\left(x^2 - \sqrt{2} \sqrt{\frac{c}{d}} x + \sqrt{\frac{c}{d}}\right) / \sqrt[4]{cd} + \frac{1}{8} (3(a^2b^3)^{\frac{1}{4}} b^2c - 7(a^2b^3)^{\frac{1}{4}} a^2d) \arctan\left(\frac{1}{2} \sqrt{2} \sqrt{\frac{c}{d}} (2x + \sqrt{2} \sqrt{\frac{c}{d}})\right) / (a^2b^2c^2 - 2\sqrt{2} \sqrt{a^2b^3cd} + \sqrt{2} \sqrt{a^4d^2}) + \frac{1}{8} (3(a^2b^3)^{\frac{1}{4}} b^2c - 7(a^2b^3)^{\frac{1}{4}} a^2d) \arctan\left(\frac{1}{2} \sqrt{2} \sqrt{\frac{c}{d}} (2x - \sqrt{2} \sqrt{\frac{c}{d}})\right) / (a^2b^2c^2 - 2\sqrt{2} \sqrt{a^2b^3cd} + \sqrt{2} \sqrt{a^4d^2}) + \frac{1}{16} (3(a^2b^3)^{\frac{1}{4}} b^2c - 7(a^2b^3)^{\frac{1}{4}} a^2d) \log\left(x^2 + \sqrt{2} \sqrt{\frac{c}{d}} x + \sqrt{\frac{c}{d}}\right) / (a^2b^2c^2 - 2\sqrt{2} \sqrt{a^2b^3cd} + \sqrt{2} \sqrt{a^4d^2}) - \frac{1}{16} (3(a^2b^3)^{\frac{1}{4}} b^2c - 7(a^2b^3)^{\frac{1}{4}} a^2d) \log\left(x^2 - \sqrt{2} \sqrt{\frac{c}{d}} x + \sqrt{\frac{c}{d}}\right) / (a^2b^2c^2 - 2\sqrt{2} \sqrt{a^2b^3cd} + \sqrt{2} \sqrt{a^4d^2}) + \frac{1}{4} b^2x / ((b^2x^4 + a)(a^2b^2c - a^3d))$

maple [A] time = 0.06, size = 550, normalized size = 1.07

$$\frac{7 \binom{1}{2} \sqrt{2} \ln \arctan\left(\frac{\sqrt{2}}{2}\right)}{4(ad - bc)^2(b^2 + a)} + \frac{7 \binom{1}{2} \sqrt{2} \ln \arctan\left(\frac{\sqrt{2}}{2} + 1\right)}{16(ad - bc)^2a} + \frac{7 \binom{1}{2} \sqrt{2} \ln \ln\left(\frac{d^2 + (d^2)^{\frac{1}{2}} \sqrt{2} + \sqrt{2}}{(d^2)^{\frac{1}{2}} \sqrt{2} + \sqrt{2}}\right)}{32(ad - bc)^2a} + \frac{3 \binom{1}{2} \sqrt{2} \ln \arctan\left(\frac{\sqrt{2}}{2} - 1\right)}{16(ad - bc)^2a^2} + \frac{3 \binom{1}{2} \sqrt{2} \ln \arctan\left(\frac{\sqrt{2}}{2} + 1\right)}{16(ad - bc)^2a^2} + \frac{3 \binom{1}{2} \sqrt{2} \ln \ln\left(\frac{d^2 + (d^2)^{\frac{1}{2}} \sqrt{2} + \sqrt{2}}{(d^2)^{\frac{1}{2}} \sqrt{2} + \sqrt{2}}\right)}{32(ad - bc)^2a^2} + \frac{\binom{1}{2} \sqrt{2} \ln \arctan\left(\frac{\sqrt{2}}{2} - 1\right)}{4(ad - bc)^2c} + \frac{\binom{1}{2} \sqrt{2} \ln \arctan\left(\frac{\sqrt{2}}{2} + 1\right)}{4(ad - bc)^2c} + \frac{\binom{1}{2} \sqrt{2} \ln \ln\left(\frac{d^2 + (d^2)^{\frac{1}{2}} \sqrt{2} + \sqrt{2}}{(d^2)^{\frac{1}{2}} \sqrt{2} + \sqrt{2}}\right)}{8(ad - bc)^2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^4+a)^2/(d*x^4+c),x)

[Out] $\frac{1}{8} d^2 / (a^2d - b^2c)^2 (c/d)^{\frac{1}{4}} / c^2 \ln\left((x^2 + (c/d)^{\frac{1}{4}})^2 + (c/d)^{\frac{1}{2}}\right) / (x^2 - (c/d)^{\frac{1}{4}})^2 + (c/d)^{\frac{1}{2}}\right) + \frac{1}{4} d^2 / (a^2d - b^2c)^2 (c/d)^{\frac{1}{4}} / c^2 \arctan\left(\frac{2}{(c/d)^{\frac{1}{4}} x + 1}\right) + \frac{1}{4} d^2 / (a^2d - b^2c)^2 (c/d)^{\frac{1}{4}} / c^2 \arctan\left(\frac{2}{(c/d)^{\frac{1}{4}} x - 1}\right) - \frac{1}{4} b^2 / (a^2d - b^2c)^2 x / (b^2x^4 + a) + \frac{1}{4} b^2 / (a^2d - b^2c)^2 a x / (b^2x^4 + a) - \frac{7}{16} b^2 / (a^2d - b^2c)^2 a (a/b)^{\frac{1}{4}} \arctan\left(\frac{2}{(a/b)^{\frac{1}{4}} x + 1}\right) + \frac{3}{16} b^2 / (a^2d - b^2c)^2 a^2 (a/b)^{\frac{1}{4}} \arctan\left(\frac{2}{(a/b)^{\frac{1}{4}} x + 1}\right) - \frac{7}{16} b^2 / (a^2d - b^2c)^2 a (a/b)^{\frac{1}{4}} \arctan\left(\frac{2}{(a/b)^{\frac{1}{4}} x - 1}\right) + \frac{3}{16} b^2 / (a^2d - b^2c)^2 a^2 (a/b)^{\frac{1}{4}} \arctan\left(\frac{2}{(a/b)^{\frac{1}{4}} x - 1}\right) - \frac{7}{32} b^2 / (a^2d - b^2c)^2 a (a/b)^{\frac{1}{4}} \arctan\left(\frac{2}{(a/b)^{\frac{1}{4}} x - 1}\right) - \frac{7}{32} b^2 / (a^2d - b^2c)^2 a (a/b)^{\frac{1}{4}} \arctan\left(\frac{2}{(a/b)^{\frac{1}{4}} x - 1}\right)$

$$\begin{aligned} & \int (x^2 + (a/b)^{1/4} x + (a/b)^{1/2})^{-1/4} \ln\left(\frac{x^2 + (a/b)^{1/4} x + (a/b)^{1/2}}{x^2 - (a/b)^{1/4} x + (a/b)^{1/2}}\right) dx \\ & + \frac{3}{32} b^{3/2} (a^2 d - b^2 c)^{-2} a^{1/4} x^2 \ln\left(\frac{x^2 + (a/b)^{1/4} x + (a/b)^{1/2}}{x^2 - (a/b)^{1/4} x + (a/b)^{1/2}}\right) dx \end{aligned}$$

maxima [A] time = 1.46, size = 470, normalized size = 0.92

$$\frac{\left(\frac{2\sqrt{d}\operatorname{atan}\left(\frac{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}} + \sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}}}\right)}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}}} + \frac{2\sqrt{d}\operatorname{atan}\left(\frac{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}} + \sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}}\right)}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}} + \frac{\sqrt{d}\operatorname{atan}\left(\frac{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}} + \sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}}}\right)}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}}} - \frac{\sqrt{d}\operatorname{atan}\left(\frac{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}} + \sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}}\right)}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}} \right) b}{32(ab^2c^2 - 2a^2bcd + a^3d^2)} + \frac{bx}{4((ab^2c - a^2bd)x^2 + a^2bc - a^3d)} + \frac{2\sqrt{d}\operatorname{atan}\left(\frac{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}} + \sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}}}\right)}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}}} + \frac{2\sqrt{d}\operatorname{atan}\left(\frac{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}} + \sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}}\right)}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}} + \frac{\sqrt{d}\operatorname{atan}\left(\frac{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}} + \sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}}}\right)}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}}} - \frac{\sqrt{d}\operatorname{atan}\left(\frac{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{a}} + \sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}}\right)}{\sqrt{\frac{1}{2}\sqrt{d}\sqrt{b}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^2/(d*x^4+c),x, algorithm="maxima")

[Out] $\frac{1}{32} \sqrt{2} (3bc - 7ad) \arctan\left(\frac{\sqrt{2}\sqrt{b}x + \sqrt{2}\sqrt{a}}{\sqrt{a}\sqrt{b}}\right) / (\sqrt{a}\sqrt{b}) + 2\sqrt{2} (3bc - 7ad) \arctan\left(\frac{\sqrt{2}\sqrt{b}x - \sqrt{2}\sqrt{a}}{\sqrt{a}\sqrt{b}}\right) / (\sqrt{a}\sqrt{b}) + \sqrt{2} (3bc - 7ad) \log\left(\frac{\sqrt{b}x^2 + \sqrt{2}\sqrt{a}\sqrt{b}x + \sqrt{a}}{a^{3/4}b^{1/4}}\right) - \sqrt{2} (3bc - 7ad) \log\left(\frac{\sqrt{b}x^2 - \sqrt{2}\sqrt{a}\sqrt{b}x + \sqrt{a}}{a^{3/4}b^{1/4}}\right) + \frac{1}{4} b^2 x / ((ab^2c - a^2bd)x^4 + a^2b^2c - a^3d) + \frac{1}{8} \sqrt{2} d^2 \arctan\left(\frac{\sqrt{2}\sqrt{d}x + \sqrt{2}\sqrt{c}}{\sqrt{c}\sqrt{d}}\right) / (\sqrt{c}\sqrt{d}) + 2\sqrt{2} d^2 \arctan\left(\frac{\sqrt{2}\sqrt{d}x - \sqrt{2}\sqrt{c}}{\sqrt{c}\sqrt{d}}\right) / (\sqrt{c}\sqrt{d}) + \sqrt{2} d^{7/4} \log\left(\frac{\sqrt{d}x^2 + \sqrt{2}\sqrt{c}\sqrt{d}x + \sqrt{c}}{c^{3/4}}\right) - \sqrt{2} d^{7/4} \log\left(\frac{\sqrt{d}x^2 - \sqrt{2}\sqrt{c}\sqrt{d}x + \sqrt{c}}{c^{3/4}}\right) / (b^2c^2 - 2ab^2c + a^2d^2)$

mupad [B] time = 3.82, size = 21975, normalized size = 42.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^4)^2*(c + d*x^4)),x)

[Out] $\frac{2 \operatorname{atan}\left(\frac{(-81b^7c^4 + 2401a^4b^3d^4 - 4116a^3b^4c^3d^3 + 2646a^2b^5c^2d^2 - 756ab^6c^3d) / (65536a^{15}d^8 + 65536a^7b^8c^8 - 524288a^8b^7c^7d + 1835008a^9b^6c^6d^2 - 3670016a^{10}b^5c^5d^3 + 4587520a^{11}b^4c^4d^4 - 3670016a^{12}b^3c^3d^5 + 1835008a^{13}b^2c^2d^6 - 524288a^{14}b^1c^1d^7)}{((28a^4b^6d^{11} + 81b^{10}c^4d^7)/16 - (675ab^9c^3d^8)/16 - (2145a^3b^7c^6d^{10})/16 + (1971a^2b^8c^2d^9)/16)}\right)}{(a^7d^3 - a^4b^3c^3 + 3a^5b^2c^2d - 3a^6b^1c^1d^2) + (-81b^7c^4 + 2401a^4b^3d^4 - 4116a^3b^4c^3d^3 + 2646a^2b^5c^2d^2 - 756ab^6c^3d) / (65536a^{15}d^8 + 65536a^7b^8c^8 - 524288a^8b^7c^7d + 1835008a^9b^6c^6d^2 - 3670016a^{10}b^5c^5d^3 + 4587520a^{11}b^4c^4d^4 - 3670016a^{12}b^3c^3d^5 + 1835008a^{13}b^2c^2d^6 - 524288a^{14}b^1c^1d^7)}$

$$\begin{aligned}
& - 3670016*a^{12}*b^3*c^3*d^5 + 1835008*a^{13}*b^2*c^2*d^6 - 524288*a^{14}*b*c*d^7 \\
&)^{(3/4)}*(((-81*b^7*c^4 + 2401*a^4*b^3*d^4 - 4116*a^3*b^4*c*d^3 + 2646*a^2 \\
& *b^5*c^2*d^2 - 756*a*b^6*c^3*d)/(65536*a^{15}*d^8 + 65536*a^7*b^8*c^8 - 52428 \\
& 8*a^8*b^7*c^7*d + 1835008*a^9*b^6*c^6*d^2 - 3670016*a^{10}*b^5*c^5*d^3 + 4587 \\
& 520*a^{11}*b^4*c^4*d^4 - 3670016*a^{12}*b^3*c^3*d^5 + 1835008*a^{13}*b^2*c^2*d^6 \\
& - 524288*a^{14}*b*c*d^7))^{(1/4)}*(3072*a^4*b^{14}*c^{11}*d^4 - 4096*a^{14}*b^4*c*d^{1 \\
& 4 - 28672*a^5*b^{13}*c^{10}*d^5 + 114688*a^6*b^{12}*c^9*d^6 - 253952*a^7*b^{11}*c^8 \\
& *d^7 + 329728*a^8*b^{10}*c^7*d^8 - 229376*a^9*b^9*c^6*d^9 + 28672*a^{10}*b^8*c^ \\
& 5*d^{10} + 90112*a^{11}*b^7*c^4*d^{11} - 78848*a^{12}*b^6*c^3*d^{12} + 28672*a^{13}*b^5 \\
& *c^2*d^{13}))/ (a^7*d^3 - a^4*b^3*c^3 + 3*a^5*b^2*c^2*d - 3*a^6*b*c*d^2) - (x* \\
& (65536*a^{15}*b^4*d^{17} - 524288*a^{14}*b^5*c*d^{16} + 36864*a^2*b^{17}*c^{13}*d^4 - 4 \\
& 66944*a^3*b^{16}*c^{12}*d^5 + 2609152*a^4*b^{15}*c^{11}*d^6 - 8486912*a^5*b^{14}*c^{10} \\
& *d^7 + 17833984*a^6*b^{13}*c^9*d^8 - 25280512*a^7*b^{12}*c^8*d^9 + 24190976*a^8 \\
& *b^{11}*c^7*d^{10} - 14516224*a^9*b^{10}*c^6*d^{11} + 3362816*a^{10}*b^9*c^5*d^{12} + 2 \\
& 809856*a^{11}*b^8*c^4*d^{13} - 3469312*a^{12}*b^7*c^3*d^{14} + 1835008*a^{13}*b^6*c^2 \\
& *d^{15})*i)/(64*(a^{10}*d^6 + a^4*b^6*c^6 - 6*a^5*b^5*c^5*d + 15*a^6*b^4*c^4*d \\
& ^2 - 20*a^7*b^3*c^3*d^3 + 15*a^8*b^2*c^2*d^4 - 6*a^9*b*c*d^5))) *i) + (x*(3 \\
& 185*a^4*b^7*d^{13} + 81*b^{11}*c^4*d^9 - 756*a*b^{10}*c^3*d^{10} - 4788*a^3*b^8*c*d \\
& ^{12} + 2790*a^2*b^9*c^2*d^{11}))/ (64*(a^{10}*d^6 + a^4*b^6*c^6 - 6*a^5*b^5*c^5*d \\
& + 15*a^6*b^4*c^4*d^2 - 20*a^7*b^3*c^3*d^3 + 15*a^8*b^2*c^2*d^4 - 6*a^9*b*c \\
& *d^5)))*(-81*b^7*c^4 + 2401*a^4*b^3*d^4 - 4116*a^3*b^4*c*d^3 + 2646*a^2*b^ \\
& 5*c^2*d^2 - 756*a*b^6*c^3*d)/(65536*a^{15}*d^8 + 65536*a^7*b^8*c^8 - 524288*a \\
& ^8*b^7*c^7*d + 1835008*a^9*b^6*c^6*d^2 - 3670016*a^{10}*b^5*c^5*d^3 + 4587520 \\
& *a^{11}*b^4*c^4*d^4 - 3670016*a^{12}*b^3*c^3*d^5 + 1835008*a^{13}*b^2*c^2*d^6 - 5 \\
& 24288*a^{14}*b*c*d^7))^{(1/4)} - (((-81*b^7*c^4 + 2401*a^4*b^3*d^4 - 4116*a^3*b \\
& ^4*c*d^3 + 2646*a^2*b^5*c^2*d^2 - 756*a*b^6*c^3*d)/(65536*a^{15}*d^8 + 65536* \\
& a^7*b^8*c^8 - 524288*a^8*b^7*c^7*d + 1835008*a^9*b^6*c^6*d^2 - 3670016*a^{10} \\
& *b^5*c^5*d^3 + 4587520*a^{11}*b^4*c^4*d^4 - 3670016*a^{12}*b^3*c^3*d^5 + 183500 \\
& 8*a^{13}*b^2*c^2*d^6 - 524288*a^{14}*b*c*d^7))^{(1/4)}*((28*a^4*b^6*d^{11} + (81*b \\
& ^{10}*c^4*d^7)/16 - (675*a*b^9*c^3*d^8)/16 - (2145*a^3*b^7*c*d^{10})/16 + (1971 \\
& *a^2*b^8*c^2*d^9)/16)*i)/(a^7*d^3 - a^4*b^3*c^3 + 3*a^5*b^2*c^2*d - 3*a^6* \\
& b*c*d^2) + (-81*b^7*c^4 + 2401*a^4*b^3*d^4 - 4116*a^3*b^4*c*d^3 + 2646*a^2 \\
& *b^5*c^2*d^2 - 756*a*b^6*c^3*d)/(65536*a^{15}*d^8 + 65536*a^7*b^8*c^8 - 52428 \\
& 8*a^8*b^7*c^7*d + 1835008*a^9*b^6*c^6*d^2 - 3670016*a^{10}*b^5*c^5*d^3 + 4587 \\
& 520*a^{11}*b^4*c^4*d^4 - 3670016*a^{12}*b^3*c^3*d^5 + 1835008*a^{13}*b^2*c^2*d^6 \\
& - 524288*a^{14}*b*c*d^7))^{(3/4)}*(((-81*b^7*c^4 + 2401*a^4*b^3*d^4 - 4116*a^3 \\
& *b^4*c*d^3 + 2646*a^2*b^5*c^2*d^2 - 756*a*b^6*c^3*d)/(65536*a^{15}*d^8 + 6553 \\
& 6*a^7*b^8*c^8 - 524288*a^8*b^7*c^7*d + 1835008*a^9*b^6*c^6*d^2 - 3670016*a^ \\
& 10*b^5*c^5*d^3 + 4587520*a^{11}*b^4*c^4*d^4 - 3670016*a^{12}*b^3*c^3*d^5 + 1835 \\
& 008*a^{13}*b^2*c^2*d^6 - 524288*a^{14}*b*c*d^7))^{(1/4)}*(3072*a^4*b^{14}*c^{11}*d^4 \\
& - 4096*a^{14}*b^4*c*d^{14} - 28672*a^5*b^{13}*c^{10}*d^5 + 114688*a^6*b^{12}*c^9*d^6 \\
& - 253952*a^7*b^{11}*c^8*d^7 + 329728*a^8*b^{10}*c^7*d^8 - 229376*a^9*b^9*c^6*d^ \\
& 9 + 28672*a^{10}*b^8*c^5*d^{10} + 90112*a^{11}*b^7*c^4*d^{11} - 78848*a^{12}*b^6*c^3* \\
& d^{12} + 28672*a^{13}*b^5*c^2*d^{13}))/ (a^7*d^3 - a^4*b^3*c^3 + 3*a^5*b^2*c^2*d - \\
& 3*a^6*b*c*d^2) + (x*(65536*a^{15}*b^4*d^{17} - 524288*a^{14}*b^5*c*d^{16} + 36864*
\end{aligned}$$

$$\begin{aligned}
& a^2b^{17}c^{13}d^4 - 466944a^3b^{16}c^{12}d^5 + 2609152a^4b^{15}c^{11}d^6 - \\
& 8486912a^5b^{14}c^{10}d^7 + 17833984a^6b^{13}c^9d^8 - 25280512a^7b^{12}c^8d^9 + 24190976a^8b^{11}c^7d^{10} - 14516224a^9b^{10}c^6d^{11} + 3362816a^{10}b^9c^5d^{12} + 2809856a^{11}b^8c^4d^{13} - 3469312a^{12}b^7c^3d^{14} + \\
& 1835008a^{13}b^6c^2d^{15}) * 1i) / (64(a^{10}d^6 + a^4b^6c^6 - 6a^5b^5c^5d + 15a^6b^4c^4d^2 - 20a^7b^3c^3d^3 + 15a^8b^2c^2d^4 - 6a^9b^1c^1d^5)) * 1i) - (x(3185a^4b^7d^{13} + 81b^{11}c^4d^9 - 756a^5b^{10}c^3d^{10} - 4788a^3b^8c^4d^{12} + 2790a^2b^9c^2d^{11})) / (64(a^{10}d^6 + a^4b^6c^6 - 6a^5b^5c^5d + 15a^6b^4c^4d^2 - 20a^7b^3c^3d^3 + 15a^8b^2c^2d^4 - 6a^9b^1c^1d^5)) * (- (81b^7c^4 + 2401a^4b^3d^4 - 4116a^3b^4c^3d^3 + 2646a^2b^5c^2d^2 - 756a^1b^6c^3d) / (65536a^{15}d^8 + 65536a^7b^8c^8 - 524288a^8b^7c^7d + 1835008a^9b^6c^6d^2 - 3670016a^{10}b^5c^5d^3 + 4587520a^{11}b^4c^4d^4 - 3670016a^{12}b^3c^3d^5 + 1835008a^{13}b^2c^2d^6 - 524288a^{14}b^1c^1d^7))^{(1/4)}) / (((- (81b^7c^4 + 2401a^4b^3d^4 - 4116a^3b^4c^3d^3 + 2646a^2b^5c^2d^2 - 756a^1b^6c^3d) / (65536a^{15}d^8 + 65536a^7b^8c^8 - 524288a^8b^7c^7d + 1835008a^9b^6c^6d^2 - 3670016a^{10}b^5c^5d^3 + 4587520a^{11}b^4c^4d^4 - 3670016a^{12}b^3c^3d^5 + 1835008a^{13}b^2c^2d^6 - 524288a^{14}b^1c^1d^7))^{(1/4)}) * (((28a^4b^6d^{11} + (81b^{10}c^4d^7)/16 - (675a^5b^9c^3d^8)/16 - (2145a^3b^7c^4d^{10})/16 + (1971a^2b^8c^2d^9)/16) * 1i) / (a^7d^3 - a^4b^3c^3 + 3a^5b^2c^2d - 3a^6b^1c^1d^2) + (- (81b^7c^4 + 2401a^4b^3d^4 - 4116a^3b^4c^3d^3 + 2646a^2b^5c^2d^2 - 756a^1b^6c^3d) / (65536a^{15}d^8 + 65536a^7b^8c^8 - 524288a^8b^7c^7d + 1835008a^9b^6c^6d^2 - 3670016a^{10}b^5c^5d^3 + 4587520a^{11}b^4c^4d^4 - 3670016a^{12}b^3c^3d^5 + 1835008a^{13}b^2c^2d^6 - 524288a^{14}b^1c^1d^7))^{(3/4)}) * (((- (81b^7c^4 + 2401a^4b^3d^4 - 4116a^3b^4c^3d^3 + 2646a^2b^5c^2d^2 - 756a^1b^6c^3d) / (65536a^{15}d^8 + 65536a^7b^8c^8 - 524288a^8b^7c^7d + 1835008a^9b^6c^6d^2 - 3670016a^{10}b^5c^5d^3 + 4587520a^{11}b^4c^4d^4 - 3670016a^{12}b^3c^3d^5 + 1835008a^{13}b^2c^2d^6 - 524288a^{14}b^1c^1d^7))^{(1/4)}) * (3072a^4b^{14}c^{11}d^4 - 4096a^{14}b^4c^4d^{14} - 28672a^5b^{13}c^{10}d^5 + 114688a^6b^{12}c^9d^6 - 253952a^7b^{11}c^8d^7 + 329728a^8b^{10}c^7d^8 - 229376a^9b^9c^6d^9 + 28672a^{10}b^8c^5d^{10} + 90112a^{11}b^7c^4d^{11} - 78848a^{12}b^6c^3d^{12} + 28672a^{13}b^5c^2d^{13})) / (a^7d^3 - a^4b^3c^3 + 3a^5b^2c^2d - 3a^6b^1c^1d^2) - (x(65536a^{15}b^4d^{17} - 524288a^{14}b^5c^4d^{16} + 36864a^2b^{17}c^{13}d^4 - 466944a^3b^{16}c^{12}d^5 + 2609152a^4b^{15}c^{11}d^6 - 8486912a^5b^{14}c^{10}d^7 + 17833984a^6b^{13}c^9d^8 - 25280512a^7b^{12}c^8d^9 + 24190976a^8b^{11}c^7d^{10} - 14516224a^9b^{10}c^6d^{11} + 3362816a^{10}b^9c^5d^{12} + 2809856a^{11}b^8c^4d^{13} - 3469312a^{12}b^7c^3d^{14} + 1835008a^{13}b^6c^2d^{15}) * 1i) / (64(a^{10}d^6 + a^4b^6c^6 - 6a^5b^5c^5d + 15a^6b^4c^4d^2 - 20a^7b^3c^3d^3 + 15a^8b^2c^2d^4 - 6a^9b^1c^1d^5)) * 1i) * 1i + (x(3185a^4b^7d^{13} + 81b^{11}c^4d^9 - 756a^5b^{10}c^3d^{10} - 4788a^3b^8c^4d^{12} + 2790a^2b^9c^2d^{11})) * 1i) / (64(a^{10}d^6 + a^4b^6c^6 - 6a^5b^5c^5d + 15a^6b^4c^4d^2 - 20a^7b^3c^3d^3 + 15a^8b^2c^2d^4 - 6a^9b^1c^1d^5)) * (- (81b^7c^4 + 2401a^4b^3d^4 - 4116a^3b^4c^3d^3 + 2646a^2b^5c^2d^2 - 756a^1b^6c^3d
\end{aligned}$$

$$\begin{aligned}
&) / (65536 * a^{15} * d^8 + 65536 * a^7 * b^8 * c^8 - 524288 * a^8 * b^7 * c^7 * d + 1835008 * a^9 * \\
& b^6 * c^6 * d^2 - 3670016 * a^{10} * b^5 * c^5 * d^3 + 4587520 * a^{11} * b^4 * c^4 * d^4 - 3670016 \\
& * a^{12} * b^3 * c^3 * d^5 + 1835008 * a^{13} * b^2 * c^2 * d^6 - 524288 * a^{14} * b * c * d^7))^{(1/4)} \\
& + ((- (81 * b^7 * c^4 + 2401 * a^4 * b^3 * d^4 - 4116 * a^3 * b^4 * c * d^3 + 2646 * a^2 * b^5 * c^2 \\
& * d^2 - 756 * a * b^6 * c^3 * d) / (65536 * a^{15} * d^8 + 65536 * a^7 * b^8 * c^8 - 524288 * a^8 * b^7 * c^7 * d + 1835008 * a^9 * b^6 * c^6 * d^2 - 3670016 * a^{10} * b^5 * c^5 * d^3 + 4587520 * a^{11} * b^4 * c^4 * d^4 - 3670016 * a^{12} * b^3 * c^3 * d^5 + 1835008 * a^{13} * b^2 * c^2 * d^6 - 524288 * a^{14} * b * c * d^7))^{(1/4)} * (((28 * a^4 * b^6 * d^{11} + (81 * b^{10} * c^4 * d^7) / 16 - (675 * a * b^9 * c^3 * d^8) / 16 - (2145 * a^3 * b^7 * c * d^{10}) / 16 + (1971 * a^2 * b^8 * c^2 * d^9) / 16) * i) / (a^7 * d^3 - a^4 * b^3 * c^3 + 3 * a^5 * b^2 * c^2 * d - 3 * a^6 * b * c * d^2) + (- (81 * b^7 * c^4 + 2401 * a^4 * b^3 * d^4 - 4116 * a^3 * b^4 * c * d^3 + 2646 * a^2 * b^5 * c^2 * d^2 - 756 * a * b^6 * c^3 * d) / (65536 * a^{15} * d^8 + 65536 * a^7 * b^8 * c^8 - 524288 * a^8 * b^7 * c^7 * d + 1835008 * a^9 * b^6 * c^6 * d^2 - 3670016 * a^{10} * b^5 * c^5 * d^3 + 4587520 * a^{11} * b^4 * c^4 * d^4 - 3670016 * a^{12} * b^3 * c^3 * d^5 + 1835008 * a^{13} * b^2 * c^2 * d^6 - 524288 * a^{14} * b * c * d^7))^{(3/4)} * (((- (81 * b^7 * c^4 + 2401 * a^4 * b^3 * d^4 - 4116 * a^3 * b^4 * c * d^3 + 2646 * a^2 * b^5 * c^2 * d^2 - 756 * a * b^6 * c^3 * d) / (65536 * a^{15} * d^8 + 65536 * a^7 * b^8 * c^8 - 524288 * a^8 * b^7 * c^7 * d + 1835008 * a^9 * b^6 * c^6 * d^2 - 3670016 * a^{10} * b^5 * c^5 * d^3 + 4587520 * a^{11} * b^4 * c^4 * d^4 - 3670016 * a^{12} * b^3 * c^3 * d^5 + 1835008 * a^{13} * b^2 * c^2 * d^6 - 524288 * a^{14} * b * c * d^7))^{(1/4)} * (3072 * a^4 * b^{14} * c^{11} * d^4 - 4096 * a^{14} * b^4 * c * d^{14} - 28672 * a^5 * b^{13} * c^{10} * d^5 + 114688 * a^6 * b^{12} * c^9 * d^6 - 253952 * a^7 * b^{11} * c^8 * d^7 + 329728 * a^8 * b^{10} * c^7 * d^8 - 229376 * a^9 * b^9 * c^6 * d^9 + 28672 * a^{10} * b^8 * c^5 * d^{10} + 90112 * a^{11} * b^7 * c^4 * d^{11} - 78848 * a^{12} * b^6 * c^3 * d^{12} + 28672 * a^{13} * b^5 * c^2 * d^{13})) / (a^7 * d^3 - a^4 * b^3 * c^3 + 3 * a^5 * b^2 * c^2 * d - 3 * a^6 * b * c * d^2) + (x * (65536 * a^{15} * b^4 * d^{17} - 524288 * a^{14} * b^5 * c * d^{16} + 36864 * a^2 * b^{17} * c^{13} * d^4 - 466944 * a^3 * b^{16} * c^{12} * d^5 + 2609152 * a^4 * b^{15} * c^{11} * d^6 - 8486912 * a^5 * b^{14} * c^{10} * d^7 + 17833984 * a^6 * b^{13} * c^9 * d^8 - 25280512 * a^7 * b^{12} * c^8 * d^9 + 24190976 * a^8 * b^{11} * c^7 * d^{10} - 14516224 * a^9 * b^{10} * c^6 * d^{11} + 3362816 * a^{10} * b^9 * c^5 * d^{12} + 2809856 * a^{11} * b^8 * c^4 * d^{13} - 3469312 * a^{12} * b^7 * c^3 * d^{14} + 1835008 * a^{13} * b^6 * c^2 * d^{15}) * i) / (64 * (a^{10} * d^6 + a^4 * b^6 * c^6 - 6 * a^5 * b^5 * c^5 * d + 15 * a^6 * b^4 * c^4 * d^2 - 20 * a^7 * b^3 * c^3 * d^3 + 15 * a^8 * b^2 * c^2 * d^4 - 6 * a^9 * b * c * d^5)) * i) * i - (x * (3185 * a^4 * b^7 * d^{13} + 81 * b^{11} * c^4 * d^9 - 756 * a * b^{10} * c^3 * d^{10} - 4788 * a^3 * b^8 * c * d^{12} + 2790 * a^2 * b^9 * c^2 * d^{11}) * i) / (64 * (a^{10} * d^6 + a^4 * b^6 * c^6 - 6 * a^5 * b^5 * c^5 * d + 15 * a^6 * b^4 * c^4 * d^2 - 20 * a^7 * b^3 * c^3 * d^3 + 15 * a^8 * b^2 * c^2 * d^4 - 6 * a^9 * b * c * d^5)) * (- (81 * b^7 * c^4 + 2401 * a^4 * b^3 * d^4 - 4116 * a^3 * b^4 * c * d^3 + 2646 * a^2 * b^5 * c^2 * d^2 - 756 * a * b^6 * c^3 * d) / (65536 * a^{15} * d^8 + 65536 * a^7 * b^8 * c^8 - 524288 * a^8 * b^7 * c^7 * d + 1835008 * a^9 * b^6 * c^6 * d^2 - 3670016 * a^{10} * b^5 * c^5 * d^3 + 4587520 * a^{11} * b^4 * c^4 * d^4 - 3670016 * a^{12} * b^3 * c^3 * d^5 + 1835008 * a^{13} * b^2 * c^2 * d^6 - 524288 * a^{14} * b * c * d^7))^{(1/4)})) * (- (81 * b^7 * c^4 + 2401 * a^4 * b^3 * d^4 - 4116 * a^3 * b^4 * c * d^3 + 2646 * a^2 * b^5 * c^2 * d^2 - 756 * a * b^6 * c^3 * d) / (65536 * a^{15} * d^8 + 65536 * a^7 * b^8 * c^8 - 524288 * a^8 * b^7 * c^7 * d + 1835008 * a^9 * b^6 * c^6 * d^2 - 3670016 * a^{10} * b^5 * c^5 * d^3 + 4587520 * a^{11} * b^4 * c^4 * d^4 - 3670016 * a^{12} * b^3 * c^3 * d^5 + 1835008 * a^{13} * b^2 * c^2 * d^6 - 524288 * a^{14} * b * c * d^7))^{(1/4)} - \operatorname{atan}((((- (81 * b^7 * c^4 + 2401 * a^4 * b^3 * d^4 - 4116 * a^3 * b^4 * c * d^3 + 2646 * a^2 * b^5 * c^2 * d^2 - 756 * a * b^6 * c^3 * d) / (65536 * a^{15} * d^8 + 65536 * a^7 * b^8 * c^8 - 524288 * a^8 * b^7 * c^7 * d + 1835008 * a^9 * b^6 * c^6 * d^2 - 3670016 * a^{10} * b^5 * c^5 * d^3 + 4587520 * a^{11} * b^4 * c^4 * d^4 - 367001
\end{aligned}$$

$$\begin{aligned}
& 6*a^{12}*b^3*c^3*d^5 + 1835008*a^{13}*b^2*c^2*d^6 - 524288*a^{14}*b*c*d^7))^{(1/4)} \\
& *((28*a^4*b^6*d^{11} + (81*b^{10}*c^4*d^7)/16 - (675*a*b^9*c^3*d^8)/16 - (2145* \\
& a^3*b^7*c*d^{10})/16 + (1971*a^2*b^8*c^2*d^9)/16)/(a^7*d^3 - a^4*b^3*c^3 + 3* \\
& a^5*b^2*c^2*d - 3*a^6*b*c*d^2) + (- (81*b^7*c^4 + 2401*a^4*b^3*d^4 - 4116*a^ \\
& 3*b^4*c*d^3 + 2646*a^2*b^5*c^2*d^2 - 756*a*b^6*c^3*d)/(65536*a^{15}*d^8 + 655 \\
& 36*a^7*b^8*c^8 - 524288*a^8*b^7*c^7*d + 1835008*a^9*b^6*c^6*d^2 - 3670016*a \\
& ^{10}*b^5*c^5*d^3 + 4587520*a^{11}*b^4*c^4*d^4 - 3670016*a^{12}*b^3*c^3*d^5 + 183 \\
& 5008*a^{13}*b^2*c^2*d^6 - 524288*a^{14}*b*c*d^7))^{(3/4)} * (((- (81*b^7*c^4 + 2401* \\
& a^4*b^3*d^4 - 4116*a^3*b^4*c*d^3 + 2646*a^2*b^5*c^2*d^2 - 756*a*b^6*c^3*d)/ \\
& (65536*a^{15}*d^8 + 65536*a^7*b^8*c^8 - 524288*a^8*b^7*c^7*d + 1835008*a^9*b^ \\
& 6*c^6*d^2 - 3670016*a^{10}*b^5*c^5*d^3 + 4587520*a^{11}*b^4*c^4*d^4 - 3670016*a \\
& ^{12}*b^3*c^3*d^5 + 1835008*a^{13}*b^2*c^2*d^6 - 524288*a^{14}*b*c*d^7))^{(1/4)} * (3 \\
& 072*a^4*b^{14}*c^{11}*d^4 - 4096*a^{14}*b^4*c*d^{14} - 28672*a^5*b^{13}*c^{10}*d^5 + 11 \\
& 4688*a^6*b^{12}*c^9*d^6 - 253952*a^7*b^{11}*c^8*d^7 + 329728*a^8*b^{10}*c^7*d^8 - \\
& 229376*a^9*b^9*c^6*d^9 + 28672*a^{10}*b^8*c^5*d^{10} + 90112*a^{11}*b^7*c^4*d^{11} \\
& - 78848*a^{12}*b^6*c^3*d^{12} + 28672*a^{13}*b^5*c^2*d^{13}))/ (a^7*d^3 - a^4*b^3*c \\
& ^3 + 3*a^5*b^2*c^2*d - 3*a^6*b*c*d^2) - (x*(65536*a^{15}*b^4*d^{17} - 524288*a^ \\
& 14*b^5*c*d^{16} + 36864*a^2*b^{17}*c^{13}*d^4 - 466944*a^3*b^{16}*c^{12}*d^5 + 260915 \\
& 2*a^4*b^{15}*c^{11}*d^6 - 8486912*a^5*b^{14}*c^{10}*d^7 + 17833984*a^6*b^{13}*c^9*d^8 \\
& - 25280512*a^7*b^{12}*c^8*d^9 + 24190976*a^8*b^{11}*c^7*d^{10} - 14516224*a^9*b^ \\
& 10*c^6*d^{11} + 3362816*a^{10}*b^9*c^5*d^{12} + 2809856*a^{11}*b^8*c^4*d^{13} - 34693 \\
& 12*a^{12}*b^7*c^3*d^{14} + 1835008*a^{13}*b^6*c^2*d^{15}))/ (64*(a^{10}*d^6 + a^4*b^6* \\
& c^6 - 6*a^5*b^5*c^5*d + 15*a^6*b^4*c^4*d^2 - 20*a^7*b^3*c^3*d^3 + 15*a^8*b^ \\
& 2*c^2*d^4 - 6*a^9*b*c*d^5)))) * 1i - (x*(3185*a^4*b^7*d^{13} + 81*b^{11}*c^4*d^9 \\
& - 756*a*b^{10}*c^3*d^{10} - 4788*a^3*b^8*c*d^{12} + 2790*a^2*b^9*c^2*d^{11})*1i)/ (6 \\
& 4*(a^{10}*d^6 + a^4*b^6*c^6 - 6*a^5*b^5*c^5*d + 15*a^6*b^4*c^4*d^2 - 20*a^7*b^ \\
& ^3*c^3*d^3 + 15*a^8*b^2*c^2*d^4 - 6*a^9*b*c*d^5)) * (- (81*b^7*c^4 + 2401*a^4 \\
& *b^3*d^4 - 4116*a^3*b^4*c*d^3 + 2646*a^2*b^5*c^2*d^2 - 756*a*b^6*c^3*d)/(65 \\
& 536*a^{15}*d^8 + 65536*a^7*b^8*c^8 - 524288*a^8*b^7*c^7*d + 1835008*a^9*b^6*c^ \\
& ^6*d^2 - 3670016*a^{10}*b^5*c^5*d^3 + 4587520*a^{11}*b^4*c^4*d^4 - 3670016*a^{12} \\
& *b^3*c^3*d^5 + 1835008*a^{13}*b^2*c^2*d^6 - 524288*a^{14}*b*c*d^7))^{(1/4)} - ((- \\
& (81*b^7*c^4 + 2401*a^4*b^3*d^4 - 4116*a^3*b^4*c*d^3 + 2646*a^2*b^5*c^2*d^2 \\
& - 756*a*b^6*c^3*d)/(65536*a^{15}*d^8 + 65536*a^7*b^8*c^8 - 524288*a^8*b^7*c^7 \\
& *d + 1835008*a^9*b^6*c^6*d^2 - 3670016*a^{10}*b^5*c^5*d^3 + 4587520*a^{11}*b^4* \\
& c^4*d^4 - 3670016*a^{12}*b^3*c^3*d^5 + 1835008*a^{13}*b^2*c^2*d^6 - 524288*a^{14} \\
& *b*c*d^7))^{(1/4)} * ((28*a^4*b^6*d^{11} + (81*b^{10}*c^4*d^7)/16 - (675*a*b^9*c^3* \\
& d^8)/16 - (2145*a^3*b^7*c*d^{10})/16 + (1971*a^2*b^8*c^2*d^9)/16)/(a^7*d^3 - \\
& a^4*b^3*c^3 + 3*a^5*b^2*c^2*d - 3*a^6*b*c*d^2) + (- (81*b^7*c^4 + 2401*a^4*b^ \\
& ^3*d^4 - 4116*a^3*b^4*c*d^3 + 2646*a^2*b^5*c^2*d^2 - 756*a*b^6*c^3*d)/(6553 \\
& 6*a^{15}*d^8 + 65536*a^7*b^8*c^8 - 524288*a^8*b^7*c^7*d + 1835008*a^9*b^6*c^6 \\
& *d^2 - 3670016*a^{10}*b^5*c^5*d^3 + 4587520*a^{11}*b^4*c^4*d^4 - 3670016*a^{12}* \\
& ^3*c^3*d^5 + 1835008*a^{13}*b^2*c^2*d^6 - 524288*a^{14}*b*c*d^7))^{(3/4)} * (((- (81 \\
& *b^7*c^4 + 2401*a^4*b^3*d^4 - 4116*a^3*b^4*c*d^3 + 2646*a^2*b^5*c^2*d^2 - 7 \\
& 56*a*b^6*c^3*d)/(65536*a^{15}*d^8 + 65536*a^7*b^8*c^8 - 524288*a^8*b^7*c^7*d \\
& + 1835008*a^9*b^6*c^6*d^2 - 3670016*a^{10}*b^5*c^5*d^3 + 4587520*a^{11}*b^4*c^4
\end{aligned}$$

$$\begin{aligned}
& *d^4 - 3670016a^{12}b^3c^3d^5 + 1835008a^{13}b^2c^2d^6 - 524288a^{14}b^* \\
& c^*d^7)^{(1/4)}*(3072a^4b^{14}c^{11}d^4 - 4096a^{14}b^4c^*d^{14} - 28672a^5b^* \\
& 13c^{10}d^5 + 114688a^6b^{12}c^9d^6 - 253952a^7b^{11}c^8d^7 + 329728a^* \\
& 8b^{10}c^7d^8 - 229376a^9b^9c^6d^9 + 28672a^{10}b^8c^5d^{10} + 90112a^* \\
& ^{11}b^7c^4d^{11} - 78848a^{12}b^6c^3d^{12} + 28672a^{13}b^5c^2d^{13}))/ (a^7 \\
& *d^3 - a^4b^3c^3 + 3a^5b^2c^2d - 3a^6b^*c^*d^2) + (x*(65536a^{15}b^4* \\
& d^{17} - 524288a^{14}b^5c^*d^{16} + 36864a^2b^{17}c^{13}d^4 - 466944a^3b^{16}c^* \\
& ^{12}d^5 + 2609152a^4b^{15}c^{11}d^6 - 8486912a^5b^{14}c^{10}d^7 + 17833984* \\
& a^6b^{13}c^9d^8 - 25280512a^7b^{12}c^8d^9 + 24190976a^8b^{11}c^7d^{10} - \\
& 14516224a^9b^{10}c^6d^{11} + 3362816a^{10}b^9c^5d^{12} + 2809856a^{11}b^8* \\
& c^4d^{13} - 3469312a^{12}b^7c^3d^{14} + 1835008a^{13}b^6c^2d^{15}))/ (64*(a^1 \\
& 0d^6 + a^4b^6c^6 - 6a^5b^5c^5d + 15a^6b^4c^4d^2 - 20a^7b^3c^3 \\
& *d^3 + 15a^8b^2c^2d^4 - 6a^9b^*c^*d^5))) * 1i + (x*(3185a^4b^7d^{13} + \\
& 81b^{11}c^4d^9 - 756a*b^{10}c^3d^{10} - 4788a^3b^8c^*d^{12} + 2790a^2b^9* \\
& c^2d^{11})* 1i) / (64*(a^{10}d^6 + a^4b^6c^6 - 6a^5b^5c^5d + 15a^6b^4c^* \\
& ^4d^2 - 20a^7b^3c^3d^3 + 15a^8b^2c^2d^4 - 6a^9b^*c^*d^5)) * (- (81b^* \\
& ^7c^4 + 2401a^4b^3d^4 - 4116a^3b^4c^*d^3 + 2646a^2b^5c^2d^2 - 756* \\
& a*b^6c^3d) / (65536a^{15}d^8 + 65536a^7b^8c^8 - 524288a^8b^7c^7d + 1 \\
& 835008a^9b^6c^6d^2 - 3670016a^{10}b^5c^5d^3 + 4587520a^{11}b^4c^4d^* \\
& ^4 - 3670016a^{12}b^3c^3d^5 + 1835008a^{13}b^2c^2d^6 - 524288a^{14}b^*c^*d^ \\
& ^7))^{(1/4)} / (((- (81b^7c^4 + 2401a^4b^3d^4 - 4116a^3b^4c^*d^3 + 2646* \\
& a^2b^5c^2d^2 - 756a*b^6c^3d) / (65536a^{15}d^8 + 65536a^7b^8c^8 - 52 \\
& 4288a^8b^7c^7d + 1835008a^9b^6c^6d^2 - 3670016a^{10}b^5c^5d^3 + 4 \\
& 587520a^{11}b^4c^4d^4 - 3670016a^{12}b^3c^3d^5 + 1835008a^{13}b^2c^2d^* \\
& ^6 - 524288a^{14}b^*c^*d^7))^{(1/4)} * ((28a^4b^6d^{11} + (81b^{10}c^4d^7) / 16 - \\
& (675a*b^9c^3d^8) / 16 - (2145a^3b^7c^*d^{10}) / 16 + (1971a^2b^8c^2d^9) \\
& / 16) / (a^7d^3 - a^4b^3c^3 + 3a^5b^2c^2d - 3a^6b^*c^*d^2) + (- (81b^7* \\
& c^4 + 2401a^4b^3d^4 - 4116a^3b^4c^*d^3 + 2646a^2b^5c^2d^2 - 756a* \\
& b^6c^3d) / (65536a^{15}d^8 + 65536a^7b^8c^8 - 524288a^8b^7c^7d + 183 \\
& 5008a^9b^6c^6d^2 - 3670016a^{10}b^5c^5d^3 + 4587520a^{11}b^4c^4d^4 \\
& - 3670016a^{12}b^3c^3d^5 + 1835008a^{13}b^2c^2d^6 - 524288a^{14}b^*c^*d^7 \\
&))^{(3/4)} * (((- (81b^7c^4 + 2401a^4b^3d^4 - 4116a^3b^4c^*d^3 + 2646a^2 \\
& *b^5c^2d^2 - 756a*b^6c^3d) / (65536a^{15}d^8 + 65536a^7b^8c^8 - 52428 \\
& 8a^8b^7c^7d + 1835008a^9b^6c^6d^2 - 3670016a^{10}b^5c^5d^3 + 4587 \\
& 520a^{11}b^4c^4d^4 - 3670016a^{12}b^3c^3d^5 + 1835008a^{13}b^2c^2d^6 \\
& - 524288a^{14}b^*c^*d^7))^{(1/4)} * (3072a^4b^{14}c^{11}d^4 - 4096a^{14}b^4c^*d^1 \\
& 4 - 28672a^5b^{13}c^{10}d^5 + 114688a^6b^{12}c^9d^6 - 253952a^7b^{11}c^8 \\
& *d^7 + 329728a^8b^{10}c^7d^8 - 229376a^9b^9c^6d^9 + 28672a^{10}b^8c^* \\
& ^5d^{10} + 90112a^{11}b^7c^4d^{11} - 78848a^{12}b^6c^3d^{12} + 28672a^{13}b^5 \\
& *c^2d^{13}))/ (a^7d^3 - a^4b^3c^3 + 3a^5b^2c^2d - 3a^6b^*c^*d^2) - (x* \\
& (65536a^{15}b^4d^{17} - 524288a^{14}b^5c^*d^{16} + 36864a^2b^{17}c^{13}d^4 - 4 \\
& 66944a^3b^{16}c^{12}d^5 + 2609152a^4b^{15}c^{11}d^6 - 8486912a^5b^{14}c^{10} \\
& *d^7 + 17833984a^6b^{13}c^9d^8 - 25280512a^7b^{12}c^8d^9 + 24190976a^8 \\
& *b^{11}c^7d^{10} - 14516224a^9b^{10}c^6d^{11} + 3362816a^{10}b^9c^5d^{12} + 2 \\
& 809856a^{11}b^8c^4d^{13} - 3469312a^{12}b^7c^3d^{14} + 1835008a^{13}b^6c^2
\end{aligned}$$

$$\begin{aligned}
& d^{15}) / (64 * (a^{10} * d^6 + a^4 * b^6 * c^6 - 6 * a^5 * b^5 * c^5 * d + 15 * a^6 * b^4 * c^4 * d^2 \\
& - 20 * a^7 * b^3 * c^3 * d^3 + 15 * a^8 * b^2 * c^2 * d^4 - 6 * a^9 * b * c * d^5))) - (x * (3185 * a^4 * b^7 * d^{13} + 81 * b^{11} * c^4 * d^9 - 756 * a * b^{10} * c^3 * d^{10} - 4788 * a^3 * b^8 * c * d^{12} + \\
& 2790 * a^2 * b^9 * c^2 * d^{11})) / (64 * (a^{10} * d^6 + a^4 * b^6 * c^6 - 6 * a^5 * b^5 * c^5 * d + 15 * a^6 * b^4 * c^4 * d^2 - 20 * a^7 * b^3 * c^3 * d^3 + 15 * a^8 * b^2 * c^2 * d^4 - 6 * a^9 * b * c * d^5)) \\
&) * (- (81 * b^7 * c^4 + 2401 * a^4 * b^3 * d^4 - 4116 * a^3 * b^4 * c * d^3 + 2646 * a^2 * b^5 * c^2 * d^2 - 756 * a * b^6 * c^3 * d) / (65536 * a^{15} * d^8 + 65536 * a^7 * b^8 * c^8 - 524288 * a^8 * b^7 * c^7 * d + 1835008 * a^9 * b^6 * c^6 * d^2 - 3670016 * a^{10} * b^5 * c^5 * d^3 + 4587520 * a^{11} * b^4 * c^4 * d^4 - 3670016 * a^{12} * b^3 * c^3 * d^5 + 1835008 * a^{13} * b^2 * c^2 * d^6 - 524288 * a^{14} * b * c * d^7))^{(1/4)} + ((- (81 * b^7 * c^4 + 2401 * a^4 * b^3 * d^4 - 4116 * a^3 * b^4 * c * d^3 + 2646 * a^2 * b^5 * c^2 * d^2 - 756 * a * b^6 * c^3 * d) / (65536 * a^{15} * d^8 + 65536 * a^7 * b^8 * c^8 - 524288 * a^8 * b^7 * c^7 * d + 1835008 * a^9 * b^6 * c^6 * d^2 - 3670016 * a^{10} * b^5 * c^5 * d^3 + 4587520 * a^{11} * b^4 * c^4 * d^4 - 3670016 * a^{12} * b^3 * c^3 * d^5 + 1835008 * a^{13} * b^2 * c^2 * d^6 - 524288 * a^{14} * b * c * d^7))^{(1/4)} * ((28 * a^4 * b^6 * d^{11} + (81 * b^{10} * c^4 * d^7) / 16 - (675 * a * b^9 * c^3 * d^8) / 16 - (2145 * a^3 * b^7 * c * d^{10}) / 16 + (1971 * a^2 * b^8 * c^2 * d^9) / 16) / (a^7 * d^3 - a^4 * b^3 * c^3 + 3 * a^5 * b^2 * c^2 * d - 3 * a^6 * b * c * d^2) + (- (81 * b^7 * c^4 + 2401 * a^4 * b^3 * d^4 - 4116 * a^3 * b^4 * c * d^3 + 2646 * a^2 * b^5 * c^2 * d^2 - 756 * a * b^6 * c^3 * d) / (65536 * a^{15} * d^8 + 65536 * a^7 * b^8 * c^8 - 524288 * a^8 * b^7 * c^7 * d + 1835008 * a^9 * b^6 * c^6 * d^2 - 3670016 * a^{10} * b^5 * c^5 * d^3 + 4587520 * a^{11} * b^4 * c^4 * d^4 - 3670016 * a^{12} * b^3 * c^3 * d^5 + 1835008 * a^{13} * b^2 * c^2 * d^6 - 524288 * a^{14} * b * c * d^7))^{(3/4)} * (((- (81 * b^7 * c^4 + 2401 * a^4 * b^3 * d^4 - 4116 * a^3 * b^4 * c * d^3 + 2646 * a^2 * b^5 * c^2 * d^2 - 756 * a * b^6 * c^3 * d) / (65536 * a^{15} * d^8 + 65536 * a^7 * b^8 * c^8 - 524288 * a^8 * b^7 * c^7 * d + 1835008 * a^9 * b^6 * c^6 * d^2 - 3670016 * a^{10} * b^5 * c^5 * d^3 + 4587520 * a^{11} * b^4 * c^4 * d^4 - 3670016 * a^{12} * b^3 * c^3 * d^5 + 1835008 * a^{13} * b^2 * c^2 * d^6 - 524288 * a^{14} * b * c * d^7))^{(1/4)} * (3072 * a^4 * b^{14} * c^{11} * d^4 - 4096 * a^{14} * b^4 * c * d^{14} - 28672 * a^5 * b^{13} * c^{10} * d^5 + 114688 * a^6 * b^{12} * c^9 * d^6 - 253952 * a^7 * b^{11} * c^8 * d^7 + 329728 * a^8 * b^{10} * c^7 * d^8 - 229376 * a^9 * b^9 * c^6 * d^9 + 28672 * a^{10} * b^8 * c^5 * d^{10} + 90112 * a^{11} * b^7 * c^4 * d^{11} - 78848 * a^{12} * b^6 * c^3 * d^{12} + 28672 * a^{13} * b^5 * c^2 * d^{13})) / (a^7 * d^3 - a^4 * b^3 * c^3 + 3 * a^5 * b^2 * c^2 * d - 3 * a^6 * b * c * d^2) + (x * (65536 * a^{15} * b^4 * d^{17} - 524288 * a^{14} * b^5 * c * d^{16} + 36864 * a^2 * b^{17} * c^{13} * d^4 - 466944 * a^3 * b^{16} * c^{12} * d^5 + 2609152 * a^4 * b^{15} * c^{11} * d^6 - 8486912 * a^5 * b^{14} * c^{10} * d^7 + 17833984 * a^6 * b^{13} * c^9 * d^8 - 25280512 * a^7 * b^{12} * c^8 * d^9 + 24190976 * a^8 * b^{11} * c^7 * d^{10} - 14516224 * a^9 * b^{10} * c^6 * d^{11} + 3362816 * a^{10} * b^9 * c^5 * d^{12} + 2809856 * a^{11} * b^8 * c^4 * d^{13} - 3469312 * a^{12} * b^7 * c^3 * d^{14} + 1835008 * a^{13} * b^6 * c^2 * d^{15})) / (64 * (a^{10} * d^6 + a^4 * b^6 * c^6 - 6 * a^5 * b^5 * c^5 * d + 15 * a^6 * b^4 * c^4 * d^2 - 20 * a^7 * b^3 * c^3 * d^3 + 15 * a^8 * b^2 * c^2 * d^4 - 6 * a^9 * b * c * d^5))) + (x * (3185 * a^4 * b^7 * d^{13} + 81 * b^{11} * c^4 * d^9 - 756 * a * b^{10} * c^3 * d^{10} - 4788 * a^3 * b^8 * c * d^{12} + 2790 * a^2 * b^9 * c^2 * d^{11})) / (64 * (a^{10} * d^6 + a^4 * b^6 * c^6 - 6 * a^5 * b^5 * c^5 * d + 15 * a^6 * b^4 * c^4 * d^2 - 20 * a^7 * b^3 * c^3 * d^3 + 15 * a^8 * b^2 * c^2 * d^4 - 6 * a^9 * b * c * d^5))) * (- (81 * b^7 * c^4 + 2401 * a^4 * b^3 * d^4 - 4116 * a^3 * b^4 * c * d^3 + 2646 * a^2 * b^5 * c^2 * d^2 - 756 * a * b^6 * c^3 * d) / (65536 * a^{15} * d^8 + 65536 * a^7 * b^8 * c^8 - 524288 * a^8 * b^7 * c^7 * d + 1835008 * a^9 * b^6 * c^6 * d^2 - 3670016 * a^{10} * b^5 * c^5 * d^3 + 4587520 * a^{11} * b^4 * c^4 * d^4 - 3670016 * a^{12} * b^3 * c^3 * d^5 + 1835008 * a^{13} * b^2 * c^2 * d^6 - 524288 * a^{14} * b * c * d^7))^{(1/4)})) * (- (81 * b^7 * c^4 + 2401 * a^4 * b^3 * d^4 - 4116 * a^3 * b^4 * c * d^3 + 2646 * a^2 * b^5 * c^2 * d^2 - 756 * a * b^6 * c^3 * d) / (65536 * a^{15} * d^8 + 655
\end{aligned}$$

$$\begin{aligned}
& 36*a^7*b^8*c^8 - 524288*a^8*b^7*c^7*d + 1835008*a^9*b^6*c^6*d^2 - 3670016*a \\
& ^{10}*b^5*c^5*d^3 + 4587520*a^{11}*b^4*c^4*d^4 - 3670016*a^{12}*b^3*c^3*d^5 + 183 \\
& 5008*a^{13}*b^2*c^2*d^6 - 524288*a^{14}*b*c*d^7)^{(1/4)}*2i - \operatorname{atan}\left(\frac{-d^7}{(256*b^8*c^{11} + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 143 \\
& 36*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^{10}*d)}\right)^{(1/4)}*\left(\frac{-d^7}{(256*b^8*c^{11} + 256*a^8*c^3*d^8 - 2048*a^7*b \\
& *c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7 \\
& *d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^{10}*d)}\right)^{(\\
& 3/4)}*\left(\frac{-d^7}{(256*b^8*c^{11} + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^ \\
& 2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^{10}*d)}\right)^{(1/4)}*(3072*a^4*b^1 \\
& 4*c^{11}*d^4 - 4096*a^{14}*b^4*c*d^{14} - 28672*a^5*b^{13}*c^{10}*d^5 + 114688*a^6*b^ \\
& 12*c^9*d^6 - 253952*a^7*b^{11}*c^8*d^7 + 329728*a^8*b^{10}*c^7*d^8 - 229376*a^9 \\
& *b^9*c^6*d^9 + 28672*a^{10}*b^8*c^5*d^{10} + 90112*a^{11}*b^7*c^4*d^{11} - 78848*a^ \\
& 12*b^6*c^3*d^{12} + 28672*a^{13}*b^5*c^2*d^{13}))/\left(a^7*d^3 - a^4*b^3*c^3 + 3*a^5* \\
& b^2*c^2*d - 3*a^6*b*c*d^2\right) - \left(x*(65536*a^{15}*b^4*d^{17} - 524288*a^{14}*b^5*c*d^ \\
& 16 + 36864*a^2*b^{17}*c^{13}*d^4 - 466944*a^3*b^{16}*c^{12}*d^5 + 2609152*a^4*b^{15}* \\
& c^{11}*d^6 - 8486912*a^5*b^{14}*c^{10}*d^7 + 17833984*a^6*b^{13}*c^9*d^8 - 25280512 \\
& *a^7*b^{12}*c^8*d^9 + 24190976*a^8*b^{11}*c^7*d^{10} - 14516224*a^9*b^{10}*c^6*d^{11} \\
& + 3362816*a^{10}*b^9*c^5*d^{12} + 2809856*a^{11}*b^8*c^4*d^{13} - 3469312*a^{12}*b^7 \\
& *c^3*d^{14} + 1835008*a^{13}*b^6*c^2*d^{15})\right)/(64*(a^{10}*d^6 + a^4*b^6*c^6 - 6*a^5 \\
& *b^5*c^5*d + 15*a^6*b^4*c^4*d^2 - 20*a^7*b^3*c^3*d^3 + 15*a^8*b^2*c^2*d^4 - \\
& 6*a^9*b*c*d^5)) + (28*a^4*b^6*d^{11} + (81*b^{10}*c^4*d^7)/16 - (675*a*b^9*c^ \\
& 3*d^8)/16 - (2145*a^3*b^7*c*d^{10})/16 + (1971*a^2*b^8*c^2*d^9)/16)/(a^7*d^3 \\
& - a^4*b^3*c^3 + 3*a^5*b^2*c^2*d - 3*a^6*b*c*d^2))*1i - \left(x*(3185*a^4*b^7*d^{1 \\
& 3} + 81*b^{11}*c^4*d^9 - 756*a*b^{10}*c^3*d^{10} - 4788*a^3*b^8*c*d^{12} + 2790*a^2* \\
& b^9*c^2*d^{11})*1i\right)/(64*(a^{10}*d^6 + a^4*b^6*c^6 - 6*a^5*b^5*c^5*d + 15*a^6*b^ \\
& 4*c^4*d^2 - 20*a^7*b^3*c^3*d^3 + 15*a^8*b^2*c^2*d^4 - 6*a^9*b*c*d^5)) - \left(- \\
& d^7/(256*b^8*c^{11} + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9 \\
& *d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^ \\
& 5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^{10}*d)}\right)^{(1/4)}*\left(\frac{-d^7}{(256*b^8*c^{11} + \\
& 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^ \\
& 5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^ \\
& 5*d^6 - 2048*a*b^7*c^{10}*d)}\right)^{(1/4)}*\left(\frac{-d^7}{(256*b^8*c^{11} + 256*a^8*c^3*d^8 - \\
& 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a \\
& ^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7* \\
& c^{10}*d)}\right)^{(3/4)}*\left(\frac{-d^7}{(256*b^8*c^{11} + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 \\
& + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 1 \\
& 4336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^{10}*d)}\right)^{(1/4)}*(30 \\
& 72*a^4*b^{14}*c^{11}*d^4 - 4096*a^{14}*b^4*c*d^{14} - 28672*a^5*b^{13}*c^{10}*d^5 + 114 \\
& 688*a^6*b^{12}*c^9*d^6 - 253952*a^7*b^{11}*c^8*d^7 + 329728*a^8*b^{10}*c^7*d^8 - \\
& 229376*a^9*b^9*c^6*d^9 + 28672*a^{10}*b^8*c^5*d^{10} + 90112*a^{11}*b^7*c^4*d^{11}
\end{aligned}$$

$$\begin{aligned}
& -78848a^{12}b^6c^3d^{12} + 28672a^{13}b^5c^2d^{13}) / (a^7d^3 - a^4b^3c^3 + 3a^5b^2c^2d - 3a^6b^*c*d^2) + (x*(65536a^{15}b^4d^{17} - 524288a^{14}b^5c*d^{16} + 36864a^2b^{17}c^{13}d^4 - 466944a^3b^{16}c^{12}d^5 + 2609152a^4b^{15}c^{11}d^6 - 8486912a^5b^{14}c^{10}d^7 + 17833984a^6b^{13}c^9d^8 - 25280512a^7b^{12}c^8d^9 + 24190976a^8b^{11}c^7d^{10} - 14516224a^9b^{10}c^6d^{11} + 3362816a^{10}b^9c^5d^{12} + 2809856a^{11}b^8c^4d^{13} - 3469312a^{12}b^7c^3d^{14} + 1835008a^{13}b^6c^2d^{15})) / (64*(a^{10}d^6 + a^4b^6c^6 - 6a^5b^5c^5d + 15a^6b^4c^4d^2 - 20a^7b^3c^3d^3 + 15a^8b^2c^2d^4 - 6a^9b^*c*d^5))) + (28a^4b^6d^{11} + (81b^{10}c^4d^7)/16 - (675a*b^9c^3d^8)/16 - (2145a^3b^7c*d^{10})/16 + (1971a^2b^8c^2d^9)/16) / (a^7d^3 - a^4b^3c^3 + 3a^5b^2c^2d - 3a^6b^*c*d^2)) * i + (x*(3185a^4b^7d^{13} + 81b^{11}c^4d^9 - 756a*b^{10}c^3d^{10} - 4788a^3b^8c*d^{12} + 2790a^2b^9c^2d^{11}) * i) / (64*(a^{10}d^6 + a^4b^6c^6 - 6a^5b^5c^5d + 15a^6b^4c^4d^2 - 20a^7b^3c^3d^3 + 15a^8b^2c^2d^4 - 6a^9b^*c*d^5)))) / (((-d^7 / (256b^8c^{11} + 256a^8c^3d^8 - 2048a^7b^*c^4d^7 + 7168a^2b^6c^9d^2 - 14336a^3b^5c^8d^3 + 17920a^4b^4c^7d^4 - 14336a^5b^3c^6d^5 + 7168a^6b^2c^5d^6 - 2048a*b^7c^{10}d))^{1/4}) * ((-d^7 / (256b^8c^{11} + 256a^8c^3d^8 - 2048a^7b^*c^4d^7 + 7168a^2b^6c^9d^2 - 14336a^3b^5c^8d^3 + 17920a^4b^4c^7d^4 - 14336a^5b^3c^6d^5 + 7168a^6b^2c^5d^6 - 2048a*b^7c^{10}d))^{1/4}) * ((-d^7 / (256b^8c^{11} + 256a^8c^3d^8 - 2048a^7b^*c^4d^7 + 7168a^2b^6c^9d^2 - 14336a^3b^5c^8d^3 + 17920a^4b^4c^7d^4 - 14336a^5b^3c^6d^5 + 7168a^6b^2c^5d^6 - 2048a*b^7c^{10}d))^{3/4}) * (((-d^7 / (256b^8c^{11} + 256a^8c^3d^8 - 2048a^7b^*c^4d^7 + 7168a^2b^6c^9d^2 - 14336a^3b^5c^8d^3 + 17920a^4b^4c^7d^4 - 14336a^5b^3c^6d^5 + 7168a^6b^2c^5d^6 - 2048a*b^7c^{10}d))^{1/4}) * (3072a^4b^{14}c^{11}d^4 - 4096a^{14}b^4c*d^{14} - 28672a^5b^{13}c^{10}d^5 + 114688a^6b^{12}c^9d^6 - 253952a^7b^{11}c^8d^7 + 329728a^8b^{10}c^7d^8 - 229376a^9b^9c^6d^9 + 28672a^{10}b^8c^5d^{10} + 90112a^{11}b^7c^4d^{11} - 78848a^{12}b^6c^3d^{12} + 28672a^{13}b^5c^2d^{13})) / (a^7d^3 - a^4b^3c^3 + 3a^5b^2c^2d - 3a^6b^*c*d^2) - (x*(65536a^{15}b^4d^{17} - 524288a^{14}b^5c*d^{16} + 36864a^2b^{17}c^{13}d^4 - 466944a^3b^{16}c^{12}d^5 + 2609152a^4b^{15}c^{11}d^6 - 8486912a^5b^{14}c^{10}d^7 + 17833984a^6b^{13}c^9d^8 - 25280512a^7b^{12}c^8d^9 + 24190976a^8b^{11}c^7d^{10} - 14516224a^9b^{10}c^6d^{11} + 3362816a^{10}b^9c^5d^{12} + 2809856a^{11}b^8c^4d^{13} - 3469312a^{12}b^7c^3d^{14} + 1835008a^{13}b^6c^2d^{15})) / (64*(a^{10}d^6 + a^4b^6c^6 - 6a^5b^5c^5d + 15a^6b^4c^4d^2 - 20a^7b^3c^3d^3 + 15a^8b^2c^2d^4 - 6a^9b^*c*d^5))) + (28a^4b^6d^{11} + (81b^{10}c^4d^7)/16 - (675a*b^9c^3d^8)/16 - (2145a^3b^7c*d^{10})/16 + (1971a^2b^8c^2d^9)/16) / (a^7d^3 - a^4b^3c^3 + 3a^5b^2c^2d - 3a^6b^*c*d^2) - (x*(3185a^4b^7d^{13} + 81b^{11}c^4d^9 - 756a*b^{10}c^3d^{10} - 4788a^3b^8c*d^{12} + 2790a^2b^9c^2d^{11})) / (64*(a^{10}d^6 + a^4b^6c^6 - 6a^5b^5c^5d + 15a^6b^4c^4d^2 - 20a^7b^3c^3d^3 + 15a^8b^2c^2d^4 - 6a^9b^*c*d^5))) + (-d^7 / (256b^8c^{11} + 256a^8c^3d^8 - 2048a^7b^*c^4d^7 + 7168a^2b^6c^9d^2 - 14336a^3b^5c^8d^3 + 17920a^4b^4c^7d^4 - 14336a^5b^3c^6d^5 + 7168a^6b^2c^5d^6 - 2048a*b^7c^{10}d))^{1/4}) * ((-d^7 / (
\end{aligned}$$

$$\begin{aligned}
& 256*b^8*c^11 + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 \\
& - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^10*d \\
&)^{(1/4)} * ((-d^7 / (256*b^8*c^11 + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 \\
& + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^10*d))^{(3/4)} * (((-d^7 / (256*b^8*c^11 + 256*a^8*c^3*d^8 - 2048 \\
& *a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^10 \\
& *d))^{(1/4)} * (3072*a^4*b^14*c^11*d^4 - 4096*a^14*b^4*c*d^14 - 28672*a^5*b^13*c^10*d^5 + 114688*a^6*b^12*c^9*d^6 - 253952*a^7*b^11*c^8*d^7 + 329728*a^8*b^10*c^7*d^8 \\
& - 229376*a^9*b^9*c^6*d^9 + 28672*a^10*b^8*c^5*d^10 + 90112*a^11*b^7*c^4*d^11 - 78848*a^12*b^6*c^3*d^12 + 28672*a^13*b^5*c^2*d^13)) / (a^7*d^3 - a^4*b^3*c^3 + 3*a^5*b^2*c^2*d - 3*a^6*b*c*d^2) + (x*(65536*a^15*b^4*d^17 \\
& - 524288*a^14*b^5*c*d^16 + 36864*a^2*b^17*c^13*d^4 - 466944*a^3*b^16*c^12*d^5 + 2609152*a^4*b^15*c^11*d^6 - 8486912*a^5*b^14*c^10*d^7 + 17833984*a^6*b^13*c^9*d^8 \\
& - 25280512*a^7*b^12*c^8*d^9 + 24190976*a^8*b^11*c^7*d^10 - 14516224*a^9*b^10*c^6*d^11 + 3362816*a^10*b^9*c^5*d^12 + 2809856*a^11*b^8*c^4*d^13 - 3469312*a^12*b^7*c^3*d^14 \\
& + 1835008*a^13*b^6*c^2*d^15)) / (64*(a^10*d^6 + a^4*b^6*c^6 - 6*a^5*b^5*c^5*d + 15*a^6*b^4*c^4*d^2 - 20*a^7*b^3*c^3*d^3 + 15*a^8*b^2*c^2*d^4 - 6*a^9*b*c*d^5))) + (28*a^4*b^6*d^11 + (81*b^10*c^4*d^7) / 16 - (675*a*b^9*c^3*d^8) / 16 - (2145*a^3*b^7*c*d^10) / 16 + (1971*a^2*b^8*c^2*d^9) / 16) / (a^7*d^3 - a^4*b^3*c^3 + 3*a^5*b^2*c^2*d - 3*a^6*b*c*d^2) + (x*(3185*a^4*b^7*d^13 + 81*b^11*c^4*d^9 - 756*a*b^10*c^3*d^10 - 4788*a^3*b^8*c*d^12 + 2790*a^2*b^9*c^2*d^11)) / (64*(a^10*d^6 + a^4*b^6*c^6 - 6*a^5*b^5*c^5*d + 15*a^6*b^4*c^4*d^2 - 20*a^7*b^3*c^3*d^3 + 15*a^8*b^2*c^2*d^4 - 6*a^9*b*c*d^5)))) * (-d^7 / (256*b^8*c^11 + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^10*d))^{(1/4)} * 2i + 2*atan(((-d^7 / (256*b^8*c^11 + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^10*d))^{(1/4)} * ((-d^7 / (256*b^8*c^11 + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^10*d))^{(1/4)} * ((-d^7 / (256*b^8*c^11 + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^10*d))^{(3/4)} * (((-d^7 / (256*b^8*c^11 + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^10*d))^{(1/4)} * (3072*a^4*b^14*c^11*d^4 - 4096*a^14*b^4*c*d^14 - 28672*a^5*b^13*c^10*d^5 + 114688*a^6*b^12*c^9*d^6 - 253952*a^7*b^11*c^8*d^7 + 329728*a^8*b^10*c^7*d^8 - 229376*a^9*b^9*c^6*d^9 + 28672*a^10*b^8*c^5*d^10 + 90112*a^11*b^7*c^4*d^11 - 78848*a^12*b^6*c^3*d^12 + 28672*a^13*b^5*c^2*d^13)) / (a^7*d^3 - a^4*b^3*c^3 + 3*a^5*b^2*c^2*d - 3*a^6*b*c*d^2) - (x*(65536*a^15*b^4*d^17 - 524288*a^14*b^5*c*d^16 + 36864*a^2*b^17*c^13*d^4 - 466944*a^3*b^16*c^12*d^5
\end{aligned}$$

$$\begin{aligned}
& 5 + 2609152*a^4*b^{15}*c^{11}*d^6 - 8486912*a^5*b^{14}*c^{10}*d^7 + 17833984*a^6*b^{13}*c^9*d^8 - 25280512*a^7*b^{12}*c^8*d^9 + 24190976*a^8*b^{11}*c^7*d^{10} - 14516224*a^9*b^{10}*c^6*d^{11} + 3362816*a^{10}*b^9*c^5*d^{12} + 2809856*a^{11}*b^8*c^4*d^{13} - 3469312*a^{12}*b^7*c^3*d^{14} + 1835008*a^{13}*b^6*c^2*d^{15})*1i)/(64*(a^{10}*d^6 + a^4*b^6*c^6 - 6*a^5*b^5*c^5*d + 15*a^6*b^4*c^4*d^2 - 20*a^7*b^3*c^3*d^3 + 15*a^8*b^2*c^2*d^4 - 6*a^9*b*c*d^5)))*1i + ((28*a^4*b^6*d^{11} + (81*b^{10}*c^4*d^7)/16 - (675*a*b^9*c^3*d^8)/16 - (2145*a^3*b^7*c*d^{10})/16 + (1971*a^2*b^8*c^2*d^9)/16)*1i)/(a^7*d^3 - a^4*b^3*c^3 + 3*a^5*b^2*c^2*d - 3*a^6*b*c*d^2)) + (x*(3185*a^4*b^7*d^{13} + 81*b^{11}*c^4*d^9 - 756*a*b^{10}*c^3*d^{10} - 4788*a^3*b^8*c*d^{12} + 2790*a^2*b^9*c^2*d^{11}))/((64*(a^{10}*d^6 + a^4*b^6*c^6 - 6*a^5*b^5*c^5*d + 15*a^6*b^4*c^4*d^2 - 20*a^7*b^3*c^3*d^3 + 15*a^8*b^2*c^2*d^4 - 6*a^9*b*c*d^5)) - (-d^7/(256*b^8*c^{11} + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^{10}*d))^(1/4))*((-d^7/(256*b^8*c^{11} + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^{10}*d))^(1/4))*((-d^7/(256*b^8*c^{11} + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^{10}*d))^(1/4))*((3072*a^4*b^{14}*c^{11}*d^4 - 4096*a^{14}*b^4*c*d^{14} - 28672*a^5*b^{13}*c^{10}*d^5 + 114688*a^6*b^{12}*c^9*d^6 - 253952*a^7*b^{11}*c^8*d^7 + 329728*a^8*b^{10}*c^7*d^8 - 229376*a^9*b^9*c^6*d^9 + 28672*a^{10}*b^8*c^5*d^{10} + 90112*a^{11}*b^7*c^4*d^{11} - 78848*a^{12}*b^6*c^3*d^{12} + 28672*a^{13}*b^5*c^2*d^{13}))/((a^7*d^3 - a^4*b^3*c^3 + 3*a^5*b^2*c^2*d - 3*a^6*b*c*d^2) + (x*(65536*a^{15}*b^4*d^{17} - 524288*a^{14}*b^5*c*d^{16} + 36864*a^2*b^{17}*c^{13}*d^4 - 466944*a^3*b^{16}*c^{12}*d^5 + 2609152*a^4*b^{15}*c^{11}*d^6 - 8486912*a^5*b^{14}*c^{10}*d^7 + 17833984*a^6*b^{13}*c^9*d^8 - 25280512*a^7*b^{12}*c^8*d^9 + 24190976*a^8*b^{11}*c^7*d^{10} - 14516224*a^9*b^{10}*c^6*d^{11} + 3362816*a^{10}*b^9*c^5*d^{12} + 2809856*a^{11}*b^8*c^4*d^{13} - 3469312*a^{12}*b^7*c^3*d^{14} + 1835008*a^{13}*b^6*c^2*d^{15})*1i))/(64*(a^{10}*d^6 + a^4*b^6*c^6 - 6*a^5*b^5*c^5*d + 15*a^6*b^4*c^4*d^2 - 20*a^7*b^3*c^3*d^3 + 15*a^8*b^2*c^2*d^4 - 6*a^9*b*c*d^5)))*1i + ((28*a^4*b^6*d^{11} + (81*b^{10}*c^4*d^7)/16 - (675*a*b^9*c^3*d^8)/16 - (2145*a^3*b^7*c*d^{10})/16 + (1971*a^2*b^8*c^2*d^9)/16)*1i)/(a^7*d^3 - a^4*b^3*c^3 + 3*a^5*b^2*c^2*d - 3*a^6*b*c*d^2)) - (x*(3185*a^4*b^7*d^{13} + 81*b^{11}*c^4*d^9 - 756*a*b^{10}*c^3*d^{10} - 4788*a^3*b^8*c*d^{12} + 2790*a^2*b^9*c^2*d^{11}))/((64*(a^{10}*d^6 + a^4*b^6*c^6 - 6*a^5*b^5*c^5*d + 15*a^6*b^4*c^4*d^2 - 20*a^7*b^3*c^3*d^3 + 15*a^8*b^2*c^2*d^4 - 6*a^9*b*c*d^5)))/((-d^7/(256*b^8*c^{11} + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^{10}*d))^(1/4))*((-d^7/(256*b^8*c^{11} + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^{10}*d))^(1/4))*((-d^7/(256*b^8*c^{11} + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^{10}*d))^(1/4))*
\end{aligned}$$

$$\begin{aligned}
& \left((-d^7 / (256*b^8*c^11 + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^10*d))^{3/4} \right) * \left((-d^7 / (256*b^8*c^11 + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^10*d))^{1/4} \right) * (3072*a^4*b^14*c^11*d^4 - 4096*a^14*b^4*c*d^14 - 28672*a^5*b^13*c^10*d^5 + 114688*a^6*b^12*c^9*d^6 - 253952*a^7*b^11*c^8*d^7 + 329728*a^8*b^10*c^7*d^8 - 229376*a^9*b^9*c^6*d^9 + 28672*a^10*b^8*c^5*d^10 + 90112*a^11*b^7*c^4*d^11 - 78848*a^12*b^6*c^3*d^12 + 28672*a^13*b^5*c^2*d^13) / (a^7*d^3 - a^4*b^3*c^3 + 3*a^5*b^2*c^2*d - 3*a^6*b*c*d^2) - (x*(65536*a^15*b^4*d^17 - 524288*a^14*b^5*c*d^16 + 36864*a^2*b^17*c^13*d^4 - 466944*a^3*b^16*c^12*d^5 + 2609152*a^4*b^15*c^11*d^6 - 8486912*a^5*b^14*c^10*d^7 + 17833984*a^6*b^13*c^9*d^8 - 25280512*a^7*b^12*c^8*d^9 + 24190976*a^8*b^11*c^7*d^10 - 14516224*a^9*b^10*c^6*d^11 + 3362816*a^10*b^9*c^5*d^12 + 2809856*a^11*b^8*c^4*d^13 - 3469312*a^12*b^7*c^3*d^14 + 1835008*a^13*b^6*c^2*d^15) * i) / (64*(a^10*d^6 + a^4*b^6*c^6 - 6*a^5*b^5*c^5*d + 15*a^6*b^4*c^4*d^2 - 20*a^7*b^3*c^3*d^3 + 15*a^8*b^2*c^2*d^4 - 6*a^9*b*c*d^5)) * i + ((28*a^4*b^6*d^11 + (81*b^10*c^4*d^7)/16 - (675*a*b^9*c^3*d^8)/16 - (2145*a^3*b^7*c*d^10)/16 + (1971*a^2*b^8*c^2*d^9)/16) * i) / (a^7*d^3 - a^4*b^3*c^3 + 3*a^5*b^2*c^2*d - 3*a^6*b*c*d^2) * i + (x*(3185*a^4*b^7*d^13 + 81*b^11*c^4*d^9 - 756*a*b^10*c^3*d^10 - 4788*a^3*b^8*c*d^12 + 2790*a^2*b^9*c^2*d^11) * i) / (64*(a^10*d^6 + a^4*b^6*c^6 - 6*a^5*b^5*c^5*d + 15*a^6*b^4*c^4*d^2 - 20*a^7*b^3*c^3*d^3 + 15*a^8*b^2*c^2*d^4 - 6*a^9*b*c*d^5)) + (-d^7 / (256*b^8*c^11 + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^10*d))^{1/4} * ((-d^7 / (256*b^8*c^11 + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^10*d))^{3/4} * ((-d^7 / (256*b^8*c^11 + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2*b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^10*d))^{1/4} * (3072*a^4*b^14*c^11*d^4 - 4096*a^14*b^4*c*d^14 - 28672*a^5*b^13*c^10*d^5 + 114688*a^6*b^12*c^9*d^6 - 253952*a^7*b^11*c^8*d^7 + 329728*a^8*b^10*c^7*d^8 - 229376*a^9*b^9*c^6*d^9 + 28672*a^10*b^8*c^5*d^10 + 90112*a^11*b^7*c^4*d^11 - 78848*a^12*b^6*c^3*d^12 + 28672*a^13*b^5*c^2*d^13) / (a^7*d^3 - a^4*b^3*c^3 + 3*a^5*b^2*c^2*d - 3*a^6*b*c*d^2) + (x*(65536*a^15*b^4*d^17 - 524288*a^14*b^5*c*d^16 + 36864*a^2*b^17*c^13*d^4 - 466944*a^3*b^16*c^12*d^5 + 2609152*a^4*b^15*c^11*d^6 - 8486912*a^5*b^14*c^10*d^7 + 17833984*a^6*b^13*c^9*d^8 - 25280512*a^7*b^12*c^8*d^9 + 24190976*a^8*b^11*c^7*d^10 - 14516224*a^9*b^10*c^6*d^11 + 3362816*a^10*b^9*c^5*d^12 + 2809856*a^11*b^8*c^4*d^13 - 3469312*a^12*b^7*c^3*d^14 + 1835008*a^13*b^6*c^2*d^15) * i) / (64*(a^10*d^6 + a^4*b^6*c^6 - 6*a^5*b^5*c^5*d + 15*a^6*b^4*c^4*d^2 - 20*a^7*b^3*c^3*d^3 + 15*a^8*b^2*c^2*d^4 -
\end{aligned}$$

$$\begin{aligned}
& 6*a^9*b*c*d^5)))*1i + ((28*a^4*b^6*d^11 + (81*b^10*c^4*d^7)/16 - (675*a*b^9*c^3*d^8)/16 - (2145*a^3*b^7*c*d^10)/16 + (1971*a^2*b^8*c^2*d^9)/16)*1i)/(\\
& a^7*d^3 - a^4*b^3*c^3 + 3*a^5*b^2*c^2*d - 3*a^6*b*c*d^2))*1i - (x*(3185*a^4 \\
& *b^7*d^13 + 81*b^11*c^4*d^9 - 756*a*b^10*c^3*d^10 - 4788*a^3*b^8*c*d^12 + 2 \\
& 790*a^2*b^9*c^2*d^11)*1i)/(64*(a^10*d^6 + a^4*b^6*c^6 - 6*a^5*b^5*c^5*d + 1 \\
& 5*a^6*b^4*c^4*d^2 - 20*a^7*b^3*c^3*d^3 + 15*a^8*b^2*c^2*d^4 - 6*a^9*b*c*d^5 \\
&))))*(-d^7/(256*b^8*c^11 + 256*a^8*c^3*d^8 - 2048*a^7*b*c^4*d^7 + 7168*a^2 \\
& *b^6*c^9*d^2 - 14336*a^3*b^5*c^8*d^3 + 17920*a^4*b^4*c^7*d^4 - 14336*a^5*b^ \\
& 3*c^6*d^5 + 7168*a^6*b^2*c^5*d^6 - 2048*a*b^7*c^10*d))^(1/4) - (b*x)/(4*a*(\\
& a + b*x^4)*(a*d - b*c))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**4+a)**2/(d*x**4+c),x)

[Out] Timed out

$$3.109 \quad \int \frac{1}{(a+bx^4)^2(c+dx^4)^2} dx$$

Optimal. Leaf size=596

$$-\frac{b^{7/4}(3bc-11ad)\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}(bc-ad)^3} + \frac{b^{7/4}(3bc-11ad)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}(bc-ad)^3} - \frac{b^{7/4}(3bc-11ad)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}(bc-ad)^3}$$

Rubi [A] time = 0.74, antiderivative size = 596, normalized size of antiderivative = 1.00, number of steps used = 21, number of rules used = 9, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.474$, Rules used = {414, 527, 522, 211, 1165, 628, 1162, 617, 204}

$$\frac{b^{7/4}(3bc-11ad)\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}(bc-ad)^3}, \frac{b^{7/4}(3bc-11ad)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}(bc-ad)^3}, \frac{b^{7/4}(3bc-11ad)\log\left(\frac{1-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x}{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}\right)}{16\sqrt{2}a^{7/4}(bc-ad)^3}, \frac{b^{7/4}(3bc-11ad)\log\left(\frac{1+\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x}{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}\right)}{16\sqrt{2}a^{7/4}(bc-ad)^3}, \frac{b^{7/4}(3bc-11ad)\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}(bc-ad)^3}, \frac{b^{7/4}(3bc-11ad)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{16\sqrt{2}a^{7/4}(bc-ad)^3}, \frac{b^{7/4}(3bc-11ad)\log\left(\frac{1-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x}{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}\right)}{16\sqrt{2}a^{7/4}(bc-ad)^3}, \frac{b^{7/4}(3bc-11ad)\log\left(\frac{1+\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x}{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}\right)}{16\sqrt{2}a^{7/4}(bc-ad)^3}, \frac{bc}{4(a+b^4)(c+d^4)(bc-ad)^3}, \frac{d(ad+bc)}{4a(c+d^4)(bc-ad)^3}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^4)^2*(c + d*x^4)^2), x]

[Out] (d*(b*c + a*d)*x)/(4*a*c*(b*c - a*d)^2*(c + d*x^4)) + (b*x)/(4*a*(b*c - a*d)*(a + b*x^4)*(c + d*x^4)) - (b^(7/4)*(3*b*c - 11*a*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*(b*c - a*d)^3) + (b^(7/4)*(3*b*c - 11*a*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*(b*c - a*d)^3) - (d^(7/4)*(11*b*c - 3*a*d)*ArcTan[1 - (Sqrt[2]*d^(1/4)*x)/c^(1/4)])/(8*Sqrt[2]*c^(7/4)*(b*c - a*d)^3) + (d^(7/4)*(11*b*c - 3*a*d)*ArcTan[1 + (Sqrt[2]*d^(1/4)*x)/c^(1/4)])/(8*Sqrt[2]*c^(7/4)*(b*c - a*d)^3) - (b^(7/4)*(3*b*c - 11*a*d)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*(b*c - a*d)^3) + (b^(7/4)*(3*b*c - 11*a*d)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*(b*c - a*d)^3) - (d^(7/4)*(11*b*c - 3*a*d)*Log[Sqrt[c] - Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(16*Sqrt[2]*c^(7/4)*(b*c - a*d)^3) + (d^(7/4)*(11*b*c - 3*a*d)*Log[Sqrt[c] + Sqrt[2]*c^(1/4)*d^(1/4)*x + Sqrt[d]*x^2])/(16*Sqrt[2]*c^(7/4)*(b*c - a*d)^3)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b

, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 414

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && !(IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c, d, n, p, q, x]

Rule 522

Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

Rule 527

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a+bx^4)^2(c+dx^4)^2} dx &= \frac{bx}{4a(bc-ad)(a+bx^4)(c+dx^4)} - \frac{\int \frac{-3bc+4ad-7bdx^4}{(a+bx^4)(c+dx^4)^2} dx}{4a(bc-ad)} \\
&= \frac{d(bc+ad)x}{4ac(bc-ad)^2(c+dx^4)} + \frac{bx}{4a(bc-ad)(a+bx^4)(c+dx^4)} - \frac{\int \frac{-4(3b^2c^2-8abcd+3a^2d^2)}{(a+bx^4)(c+dx^4)} dx}{16ac(bc-ad)} \\
&= \frac{d(bc+ad)x}{4ac(bc-ad)^2(c+dx^4)} + \frac{bx}{4a(bc-ad)(a+bx^4)(c+dx^4)} + \frac{(b^2(3bc-11ad)) \int \frac{1}{a+bx^4} dx}{4a(bc-ad)^3} \\
&= \frac{d(bc+ad)x}{4ac(bc-ad)^2(c+dx^4)} + \frac{bx}{4a(bc-ad)(a+bx^4)(c+dx^4)} + \frac{(b^2(3bc-11ad)) \int \frac{\sqrt{a}}{a+bx^4} dx}{8a^{3/2}(bc-ad)} \\
&= \frac{d(bc+ad)x}{4ac(bc-ad)^2(c+dx^4)} + \frac{bx}{4a(bc-ad)(a+bx^4)(c+dx^4)} + \frac{(b^{3/2}(3bc-11ad)) \int \frac{1}{\sqrt{a+bx^4}} dx}{16a^{3/2}(bc-ad)} \\
&= \frac{d(bc+ad)x}{4ac(bc-ad)^2(c+dx^4)} + \frac{bx}{4a(bc-ad)(a+bx^4)(c+dx^4)} - \frac{b^{7/4}(3bc-11ad) \log\left(\frac{a+bx^4}{c+dx^4}\right)}{16\sqrt{2}a} \\
&= \frac{d(bc+ad)x}{4ac(bc-ad)^2(c+dx^4)} + \frac{bx}{4a(bc-ad)(a+bx^4)(c+dx^4)} - \frac{b^{7/4}(3bc-11ad) \tan^{-1}\left(\frac{a+bx^4}{c+dx^4}\right)}{8\sqrt{2}a^{7/4}(bc-ad)}
\end{aligned}$$

Mathematica [A] time = 6.19, size = 629, normalized size = 1.06

$$\frac{b^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right) - b^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right)}{16 \sqrt{2} b^{7/4} (bc - ad)^2} - \frac{b^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right) - b^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right)}{16 \sqrt{2} b^{7/4} (bc - ad)^2} - \frac{b^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right) - b^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right)}{8 \sqrt{2} b^{7/4} (bc - ad)^2} - \frac{b^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right) - b^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right)}{8 \sqrt{2} b^{7/4} (bc - ad)^2} - \frac{b^{7/4}}{4b^2 (bc - ad)^2} - \frac{d^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right) - d^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right)}{16 \sqrt{2} d^{7/4} (ad - bc)^2} - \frac{d^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right) - d^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right)}{16 \sqrt{2} d^{7/4} (ad - bc)^2} - \frac{d^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right) - d^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right)}{8 \sqrt{2} d^{7/4} (ad - bc)^2} - \frac{d^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right) - d^{7/4} \operatorname{atan}\left(\frac{\sqrt{2} \sqrt{d} \sqrt{x^2 + \sqrt{c}} + \sqrt{c}}{\sqrt{d}}\right)}{8 \sqrt{2} d^{7/4} (ad - bc)^2} - \frac{d^{7/4}}{4b^2 (bc - ad)^2} - \frac{d^{7/4}}{4b^2 (bc - ad)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^4)^2*(c + d*x^4)^2),x]

[Out] $(b^2 x) / (4 a (-b c + a d)^2 (a + b x^4)) + (d^2 x) / (4 c (b c - a d)^2 (c + d x^4)) - (b^{7/4} (-3 b c + 11 a d) \operatorname{ArcTan}[-(\sqrt{2} a^{1/4}) + 2 b^{1/4} x] / (\sqrt{2} a^{1/4})) / (8 \sqrt{2} a^{7/4} (b c - a d)^3) - (b^{7/4} (-3 b c + 11 a d) \operatorname{ArcTan}[(\sqrt{2} a^{1/4} + 2 b^{1/4} x) / (\sqrt{2} a^{1/4})]) / (8 \sqrt{2} a^{7/4} (b c - a d)^3) - (d^{7/4} (11 b c - 3 a d) \operatorname{ArcTan}[-(\sqrt{2} c^{1/4}) + 2 d^{1/4} x] / (\sqrt{2} c^{1/4})) / (8 \sqrt{2} c^{7/4} (-b c + a d)^3) - (d^{7/4} (11 b c - 3 a d) \operatorname{ArcTan}[(\sqrt{2} c^{1/4} + 2 d^{1/4} x) / (\sqrt{2} c^{1/4})]) / (8 \sqrt{2} c^{7/4} (-b c + a d)^3) + (b^{7/4} (-3 b c + 11 a d) \operatorname{Log}[\sqrt{a} - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]) / (16 \sqrt{2} a^{7/4} (b c - a d)^3) - (b^{7/4} (-3 b c + 11 a d) \operatorname{Log}[\sqrt{a} + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]) / (16 \sqrt{2} a^{7/4} (b c - a d)^3) + (d^{7/4} (11 b c - 3 a d) \operatorname{Log}[\sqrt{c} - \sqrt{2} c^{1/4} d^{1/4} x + \sqrt{d} x^2]) / (16 \sqrt{2} c^{7/4} (-b c + a d)^3) - (d^{7/4} (11 b c - 3 a d) \operatorname{Log}[\sqrt{c} + \sqrt{2} c^{1/4} d^{1/4} x + \sqrt{d} x^2]) / (16 \sqrt{2} c^{7/4} (-b c + a d)^3)$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^4)^2 (c + dx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/((a + b*x^4)^2*(c + d*x^4)^2),x]

[Out] IntegrateAlgebraic[1/((a + b*x^4)^2*(c + d*x^4)^2), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^2/(d*x^4+c)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.22, size = 967, normalized size = 1.62


result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^2/(d*x^4+c)^2,x, algorithm="giac")

[Out]
$$\frac{1}{8} \left(3(a^3 b)^{1/4} b^2 c - 11(a^3 b)^{1/4} a b d \right) \arctan\left(\frac{1}{2}\sqrt{2}\right) (2x + \sqrt{2}(a/b)^{1/4}) / (a/b)^{1/4} / \left(\sqrt{2} a^2 b^3 c^3 - 3\sqrt{2} a^3 b^2 c^2 d + 3\sqrt{2} a^4 b c d^2 - \sqrt{2} a^5 d^3 \right) + \frac{1}{8} \left(3(a^3 b)^{1/4} b^2 c - 11(a^3 b)^{1/4} a b d \right) \arctan\left(\frac{1}{2}\sqrt{2}\right) (2x - \sqrt{2}(a/b)^{1/4}) / (a/b)^{1/4} / \left(\sqrt{2} a^2 b^3 c^3 - 3\sqrt{2} a^3 b^2 c^2 d + 3\sqrt{2} a^4 b c d^2 - \sqrt{2} a^5 d^3 \right) + \frac{1}{8} \left(11(c^3 d)^{1/4} b c d - 3(c^3 d)^{1/4} a d^2 \right) \arctan\left(\frac{1}{2}\sqrt{2}\right) (2x + \sqrt{2}(c/d)^{1/4}) / (c/d)^{1/4} / \left(\sqrt{2} b^3 c^5 - 3\sqrt{2} a b^2 c^4 d + 3\sqrt{2} a^2 b c^3 d^2 - \sqrt{2} a^3 c^2 d^3 \right) + \frac{1}{8} \left(11(c^3 d)^{1/4} b c d - 3(c^3 d)^{1/4} a d^2 \right) \arctan\left(\frac{1}{2}\sqrt{2}\right) (2x - \sqrt{2}(c/d)^{1/4}) / (c/d)^{1/4} / \left(\sqrt{2} b^3 c^5 - 3\sqrt{2} a b^2 c^4 d + 3\sqrt{2} a^2 b c^3 d^2 - \sqrt{2} a^3 c^2 d^3 \right) + \frac{1}{16} \left(3(a^3 b)^{1/4} b^2 c - 11(a^3 b)^{1/4} a b d \right) \log(x^2 + \sqrt{2}(a/b)^{1/4} + \sqrt{a/b}) / \left(\sqrt{2} a^2 b^3 c^3 - 3\sqrt{2} a^3 b^2 c^2 d + 3\sqrt{2} a^4 b c d^2 - \sqrt{2} a^5 d^3 \right) - \frac{1}{16} \left(3(a^3 b)^{1/4} b^2 c - 11(a^3 b)^{1/4} a b d \right) \log(x^2 - \sqrt{2}(a/b)^{1/4} + \sqrt{a/b}) / \left(\sqrt{2} a^2 b^3 c^3 - 3\sqrt{2} a^3 b^2 c^2 d + 3\sqrt{2} a^4 b c d^2 - \sqrt{2} a^5 d^3 \right) + \frac{1}{16} \left(11(c^3 d)^{1/4} b c d - 3(c^3 d)^{1/4} a d^2 \right) \log(x^2 + \sqrt{2}(c/d)^{1/4} + \sqrt{c/d}) / \left(\sqrt{2} b^3 c^5 - 3\sqrt{2} a b^2 c^4 d + 3\sqrt{2} a^2 b c^3 d^2 - \sqrt{2} a^3 c^2 d^3 \right) - \frac{1}{16} \left(11(c^3 d)^{1/4} b c d - 3(c^3 d)^{1/4} a d^2 \right) \log(x^2 - \sqrt{2}(c/d)^{1/4} + \sqrt{c/d}) / \left(\sqrt{2} b^3 c^5 - 3\sqrt{2} a b^2 c^4 d + 3\sqrt{2} a^2 b c^3 d^2 - \sqrt{2} a^3 c^2 d^3 \right) + \frac{1}{4} (b^2 c d x^5 + a b d^2 x^5 + b^2 c^2 x + a^2 d^2 x) / ((b d x^8 + b c x^4 + a d x^4 + a c) (a^2 b^2 c^3 - 2 a^2 b c^2 d + a^3 c d^2))$$

maple [A] time = 0.07, size = 784, normalized size = 1.32



Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^4+a)^2/(d*x^4+c)^2,x)

[Out]
$$\frac{1}{4} d^3 (a^3 d - b^3 c) / (a^3 d - b^3 c)^2 (c/d)^{1/4} 2^{1/2} \arctan(2^{1/2} / (c/d)^{1/4} x - 1) a - \frac{1}{16} d^3 (a^3 d - b^3 c) / (a^3 d - b^3 c)^2 (c/d)^{1/4} 2^{1/2} \arctan(2^{1/2} / (c/d)^{1/4} x - 1) b + \frac{3}{32} d^3 (a^3 d - b^3 c) / (a^3 d - b^3 c)^2 (c/d)^{1/4} 2^{1/2} \ln((x^2 + (c/d)^{1/4} 2^{1/2} x + (c/d)^{1/2}) / (x^2 - (c/d)^{1/4} 2^{1/2} x + (c/d)^{1/2})) a - \frac{11}{32} d^3 (a^3 d - b^3 c) / (a^3 d - b^3 c)^2 (c/d)^{1/4} 2^{1/2} \ln((x^2 + (c/d)^{1/4} 2^{1/2} x + (c/d)^{1/2}) / (x^2 - (c/d)^{1/4} 2^{1/2} x + (c/d)^{1/2})) b + \frac{3}{16} d^3 (a^3 d - b^3 c) / (a^3 d - b^3 c)^2 (c/d)^{1/4} 2^{1/2} \arctan(2^{1/2} / (c/d)^{1/4} x + 1) a - \frac{11}{16} d^3 (a^3 d - b^3 c) / (a^3 d - b^3 c)^2 (c/d)^{1/4} 2^{1/2} \arctan(2^{1/2} / (c/d)^{1/4} x + 1) b + \frac{1}{4} b^2 / (a^3 d - b^3 c) x / (b x^4 + a) - \frac{1}{4} b^3 / (a^3 d - b^3 c) a x / (b x^4 + a) c + \frac{11}{32} b^2 / (a^3 d - b^3 c) a (a/b)^{1/4}$$

$$\begin{aligned}
& 2^{(1/2)} * \ln((x^2 + (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)}) / (x^2 - (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)})) \\
& * d - 3/32 * b^3 / (a * d - b * c)^3 / a^2 * (a/b)^{(1/4)} * 2^{(1/2)} * \ln((x^2 + (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)}) / (x^2 - (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)})) * c \\
& + 11/16 * b^2 / (a * d - b * c)^3 / a * (a/b)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x - 1) \\
& * d - 3/16 * b^3 / (a * d - b * c)^3 / a^2 * (a/b)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x - 1) * c \\
& + 11/16 * b^2 / (a * d - b * c)^3 / a * (a/b)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x + 1) \\
& * d - 3/16 * b^3 / (a * d - b * c)^3 / a^2 * (a/b)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x + 1) * c
\end{aligned}$$

maxima [A] time = 1.29, size = 670, normalized size = 1.12

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^2/(d*x^4+c)^2,x, algorithm="maxima")

[Out]
$$\begin{aligned}
& 1/32 * (2 * \sqrt{2}) * (3 * b * c - 11 * a * d) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{2} * \sqrt{b} * x + \sqrt{2}) * a^{(1/4)} * b^{(1/4)}) / \sqrt{(\sqrt{a} * \sqrt{b})} / (\sqrt{a} * \sqrt{(\sqrt{a} * \sqrt{b})}) + 2 \\
& * \sqrt{2} * (3 * b * c - 11 * a * d) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{2} * \sqrt{b} * x - \sqrt{2}) * a^{(1/4)} * b^{(1/4)}) / \sqrt{(\sqrt{a} * \sqrt{b})} / (\sqrt{a} * \sqrt{(\sqrt{a} * \sqrt{b})}) + \sqrt{2} * \\
& (3 * b * c - 11 * a * d) * \log(\sqrt{b} * x^2 + \sqrt{2} * a^{(1/4)} * b^{(1/4)} * x + \sqrt{a}) / (a^{(3/4)} * b^{(1/4)}) - \sqrt{2} * (3 * b * c - 11 * a * d) * \log(\sqrt{b} * x^2 - \sqrt{2} * a^{(1/4)} * b^{(1/4)} * x + \sqrt{a}) / (a^{(3/4)} * b^{(1/4)}) \\
& * b^2 / (a * b^3 * c^3 - 3 * a^2 * b^2 * c^2 * d + 3 * a^3 * b * c * d^2 - a^4 * d^3) + 1/4 * ((b^2 * c * d + a * b * d^2) * x^5 + (b^2 * c^2 + a^2 * d^2) * x) / ((a * b^3 * c^3 * d - 2 * a^2 * b^2 * c^2 * d^2 + a^3 * b * c * d^3) * x^8 + a^2 * b^2 * c^4 - 2 * a^3 * b * c^3 * d + a^4 * c^2 * d^2 + (a * b^3 * c^4 - a^2 * b^2 * c^3 * d - a^3 * b * c^2 * d^2 + a^4 * c * d^3) * x^4) \\
& + 1/32 * (2 * \sqrt{2}) * (11 * b * c * d^2 - 3 * a * d^3) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{2} * \sqrt{d} * x + \sqrt{2}) * c^{(1/4)} * d^{(1/4)}) / \sqrt{(\sqrt{c} * \sqrt{d})} / (\sqrt{c} * \sqrt{(\sqrt{c} * \sqrt{d})}) + 2 * \sqrt{2} * (11 * b * c * d^2 - 3 * a * d^3) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{2} * \sqrt{d} * x - \sqrt{2}) * c^{(1/4)} * d^{(1/4)}) / \sqrt{(\sqrt{c} * \sqrt{d})} / (\sqrt{c} * \sqrt{(\sqrt{c} * \sqrt{d})}) \\
& + \sqrt{2} * (11 * b * c * d^2 - 3 * a * d^3) * \log(\sqrt{d} * x^2 + \sqrt{2} * c^{(1/4)} * d^{(1/4)} * x + \sqrt{c}) / (c^{(3/4)} * d^{(1/4)}) - \sqrt{2} * (11 * b * c * d^2 - 3 * a * d^3) * \log(\sqrt{d} * x^2 - \sqrt{2} * c^{(1/4)} * d^{(1/4)} * x + \sqrt{c}) / (c^{(3/4)} * d^{(1/4)}) \\
& / (b^3 * c^4 - 3 * a * b^2 * c^3 * d + 3 * a^2 * b * c^2 * d^2 - a^3 * c * d^3)
\end{aligned}$$

mupad [B] time = 5.62, size = 37266, normalized size = 62.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^4)^2*(c + d*x^4)^2),x)

[Out]
$$\begin{aligned}
& ((x * (a^2 * d^2 + b^2 * c^2)) / (4 * a * c * (a^2 * d^2 + b^2 * c^2 - 2 * a * b * c * d)) + (b * d * x^5 * (a * d + b * c)) / (4 * a * c * (a^2 * d^2 + b^2 * c^2 - 2 * a * b * c * d))) / (a * c + x^4 * (a * d + b * c) + b * d * x^8) \\
& - \operatorname{atan}(((- (81 * a^4 * d^{11} + 14641 * b^4 * c^4 * d^7 - 15972 * a * b^3 * c^3 *
\end{aligned}$$

$$\begin{aligned}
& d^8 + 6534a^2b^2c^2d^9 - 1188a^3b^3cd^{10}) / (65536b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b^3c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - 14417920 \\
& a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - 786432a^* \\
& b^{11}c^{18}d))^{(1/4)} * ((-(81a^4d^{11} + 14641b^4c^4d^7 - 15972a^3b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b^3cd^{10}) / (65536b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b^3c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - 786432a^* \\
& b^{11}c^{18}d))^{(1/4)} * (((891a^8b^7d^{15})/64 + (891b^{15}c^8d^7)/64 - (3105a^* \\
& ab^{14}c^7d^8)/16 - (3105a^7b^8c^4d^{14})/16 + (31509a^2b^{13}c^6d^9)/32 - (33069a^3b^{12}c^5d^{10})/16 + (60307a^4b^{11}c^4d^{11})/32 - (33069a^5 \\
& b^{10}c^3d^{12})/16 + (31509a^6b^9c^2d^{13})/32) / (a^4b^8c^{12} + a^{12}c^4d^8 - 8a^5b^7c^{11}d - 8a^{11}b^3c^5d^7 + 28a^6b^6c^{10}d^2 - 56a^7b^5c^9d^3 + 70a^8b^4c^8d^4 - 56a^9b^3c^7d^5 + 28a^{10}b^2c^6d^6) \\
& + (-(81a^4d^{11} + 14641b^4c^4d^7 - 15972a^3b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b^3cd^{10}) / (65536b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b^3c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - 786432a^* \\
& b^{11}c^{18}d))^{(3/4)} * \\
& ((x*(589824a^2b^{23}c^{21}d^4 - 11403264a^3b^{22}c^{20}d^5 + 98762752a^4b^{21}c^{19}d^6 - 510394368a^5b^{20}c^{18}d^7 + 1766916096a^6b^{19}c^{17}d^8 - 4344840192a^7b^{18}c^{16}d^9 + 7796490240a^8b^{17}c^{15}d^{10} - 10168369152a^9b^{16}c^{14}d^{11} + 9007726592a^{10}b^{15}c^{13}d^{12} - 3635478528a^{11}b^{14}c^{12}d^{13} - 3635478528a^{12}b^{13}c^{11}d^{14} + 9007726592a^{13}b^{12}c^{10}d^{15} - 10168369152a^{14}b^{11}c^9d^{16} + 7796490240a^{15}b^{10}c^8d^{17} - 4344840192a^{16}b^9c^7d^{18} + 1766916096a^{17}b^8c^6d^{19} - 510394368a^{18}b^7c^5d^{20} + 98762752a^{19}b^6c^4d^{21} - 11403264a^{20}b^5c^3d^{22} + 589824a^{21}b^4c^2d^{23})) / (1024*(a^4b^{12}c^{16} + a^{16}c^4d^{12} - 12a^5b^{11}c^{15}d - 12a^{15}b^3c^5d^{11} + 66a^6b^{10}c^{14}d^2 - 220a^7b^9c^{13}d^3 + 495a^8b^8c^{12}d^4 - 792a^9b^7c^{11}d^5 + 924a^{10}b^6c^{10}d^6 - 792a^{11}b^5c^9d^7 + 495a^{12}b^4c^8d^8 - 220a^{13}b^3c^7d^9 + 66a^{14}b^2c^6d^{10})) + ((-(81a^4d^{11} + 14641b^4c^4d^7 - 15972a^3b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b^3cd^{10}) / (65536b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b^3c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - 786432a^* \\
& b^{11}c^{18}d))^{(1/4)} * (3072a^4b^{19}c^{19}d^4 - 45056a^5b^{18}c^{18}d^5 + 292864a^6b^{17}c^{17}d^6 - 1115136a^7b^{16}c^{16}d^7 + 2745344a^8b^{15}c^{15}d^8 - 4483072a^9b^{14}c^{14}d^9 + 4595712a^{10}b^{13}c^{13}d^{10} - 1993728a^{11}b^{12}c^{12}d^{11} - 1993728a^{12}b^{11}c^{11}d^{12} + 4595712a^{13}b^{10}c^{10}d^{13} - 448307
\end{aligned}$$

$$\begin{aligned}
& 2a^{14}b^9c^9d^{14} + 2745344a^{15}b^8c^8d^{15} - 1115136a^{16}b^7c^7d^{16} \\
& + 292864a^{17}b^6c^6d^{17} - 45056a^{18}b^5c^5d^{18} + 3072a^{19}b^4c^4d^{19} \\
&) / (a^4b^8c^{12} + a^{12}c^4d^8 - 8a^5b^7c^{11}d - 8a^{11}b^3c^5d^7 + \\
& 28a^6b^6c^{10}d^2 - 56a^7b^5c^9d^3 + 70a^8b^4c^8d^4 - 56a^9b^3c^7d^5 + 2 \\
& 8a^{10}b^2c^6d^6)) * i + (x * (9801a^8b^9d^{17} + 9801b^{17}c^8 \\
& d^9 - 149094a^*b^{16}c^7d^{10} - 149094a^7b^{10}c*d^{16} + 1001520a^2b^{15}c \\
& ^6d^{11} - 3484602a^3b^{14}c^5d^{12} + 5769038a^4b^{13}c^4d^{13} - 3484602a \\
& ^5b^{12}c^3d^{14} + 1001520a^6b^{11}c^2d^{15}) * i) / (1024 * (a^4b^{12}c^{16} + a^ \\
& 16c^4d^{12} - 12a^5b^{11}c^{15}d - 12a^{15}b^3c^5d^{11} + 66a^6b^{10}c^{14}d^2 \\
& - 220a^7b^9c^{13}d^3 + 495a^8b^8c^{12}d^4 - 792a^9b^7c^{11}d^5 + 92 \\
& 4a^{10}b^6c^{10}d^6 - 792a^{11}b^5c^9d^7 + 495a^{12}b^4c^8d^8 - 220a^{13}b^3c^7d^9 \\
& + 66a^{14}b^2c^6d^{10})) - (- (81a^4d^{11} + 14641b^4c^4d^7 - 15972a^*b^3c^3d^8 \\
& + 6534a^2b^2c^2d^9 - 1188a^3b^*c*d^{10}) / (65536b^{12}c^{19} + 65536a^{12}c^7d^{12} \\
& - 786432a^{11}b^*c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 \\
& + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 \\
& - 51904512a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 \\
& + 4325376a^{10}b^2c^9d^{10} - 786432a^*b^{11}c^{18}d))^{(1/4)} * ((- (81a^4d^{11} + 14641b^4c^4d^7 \\
& - 15972a^*b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b^*c*d^{10}) / (65536b^{12}c^{19} \\
& + 65536a^{12}c^7d^{12} - 786432a^{11}b^*c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 \\
& + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 \\
& - 51904512a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 \\
& + 4325376a^{10}b^2c^9d^{10} - 786432a^*b^{11}c^{18}d))^{(1/4)} * (((891a^8b^7d^{15}) / 64 + (891b^{15}c^8d^7) / 64 \\
& - (3105a^*b^{14}c^7d^8) / 16 - (3105a^7b^8c*d^{14}) / 16 + (31509a^2b^{13}c^6d^9) / 32 \\
& - (33069a^3b^{12}c^5d^{10}) / 16 + (60307a^4b^{11}c^4d^{11}) / 32 - (33069a^5b^{10}c^3d^{12}) / 16 \\
& + (31509a^6b^9c^2d^{13}) / 32) / (a^4b^8c^{12} + a^{12}c^4d^8 - 8a^5b^7c^{11}d - 8a^{11}b^3c^5d^7 \\
& + 28a^6b^6c^{10}d^2 - 56a^7b^5c^9d^3 + 70a^8b^4c^8d^4 - 56a^9b^3c^7d^5 + 28a^{10}b^2c^6d^6) \\
& - (- (81a^4d^{11} + 14641b^4c^4d^7 - 15972a^*b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b^*c*d^{10}) / (65536b^{12}c^{19} \\
& + 65536a^{12}c^7d^{12} - 786432a^{11}b^*c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 \\
& + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 \\
& + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - 786432a^*b^{11}c^{18}d))^{(3/4)} * ((x * (589824a^2b^{23}c^{21}d^4 - 11403264a^3b^{22}c^{20}d^5 \\
& + 98762752a^4b^{21}c^{19}d^6 - 510394368a^5b^{20}c^{18}d^7 + 1766916096a^6b^{19}c^{17}d^8 - 4344840192a^7b^{18}c^{16}d^9 \\
& + 7796490240a^8b^{17}c^{15}d^{10} - 10168369152a^9b^{16}c^{14}d^{11} + 9007726592a^{10}b^{15}c^{13}d^{12} - 3635478528a^{11}b^{14}c^{12}d^{13} \\
& - 3635478528a^{12}b^{13}c^{11}d^{14} + 9007726592a^{13}b^{12}c^{10}d^{15} - 10168369152a^{14}b^{11}c^9d^{16} + 7796490240a^{15}b^{10}c^8d^{17} \\
& - 4344840192a^{16}b^9c^7d^{18} + 1766916096a^{17}b^8c^6d^{19} - 510394368a^{18}b^7c^5d^{20} + 98762752a^{19}b^6c^4d^{21} \\
& - 11403264a^{20}b^5c^3d^{22} + 589824a^{21}b^4c^2d^{23})) / (1024 * (a^4b^{12}c^{16} + a^{16}c^4d^{12} - 12a^5b^{11}c^{15}d - 12a^{15}b^3c^5d^{11} \\
& + 66a^6b^{10}c^{14}d^2 - 220a
\end{aligned}$$

$$\begin{aligned}
& ^7b^9c^{13}d^3 + 495a^8b^8c^{12}d^4 - 792a^9b^7c^{11}d^5 + 924a^{10}b^6c^{10}d^6 - 792a^{11}b^5c^9d^7 + 495a^{12}b^4c^8d^8 - 220a^{13}b^3c^7d^9 + 66a^{14}b^2c^6d^{10}) - ((-(81a^4d^{11} + 14641b^4c^4d^7 - 15972 \\
& *a*b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b*c*d^{10})/(65536b^{12}c^{19} \\
& + 65536a^{12}c^7d^{12} - 786432a^{11}b*c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 \\
& - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7 \\
& *c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 + 3244032 \\
& 0a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} \\
& - 786432*a*b^{11}c^{18}d))^{(1/4)}*(3072a^4b^{19}c^{19}d^4 - 45056a^5b^{18}c^{1 \\
& 8d^5 + 292864a^6b^{17}c^{17}d^6 - 1115136a^7b^{16}c^{16}d^7 + 2745344a^8* \\
& b^{15}c^{15}d^8 - 4483072a^9b^{14}c^{14}d^9 + 4595712a^{10}b^{13}c^{13}d^{10} - 1 \\
& 993728a^{11}b^{12}c^{12}d^{11} - 1993728a^{12}b^{11}c^{11}d^{12} + 4595712a^{13}b^{1 \\
& 0c^{10}d^{13} - 4483072a^{14}b^9c^9d^{14} + 2745344a^{15}b^8c^8d^{15} - 11151 \\
& 36a^{16}b^7c^7d^{16} + 292864a^{17}b^6c^6d^{17} - 45056a^{18}b^5c^5d^{18} + \\
& 3072a^{19}b^4c^4d^{19}))/((a^4b^8c^{12} + a^{12}c^4d^8 - 8a^5b^7c^{11}d - \\
& 8a^{11}b*c^5d^7 + 28a^6b^6c^{10}d^2 - 56a^7b^5c^9d^3 + 70a^8b^4c^ \\
& ^8d^4 - 56a^9b^3c^7d^5 + 28a^{10}b^2c^6d^6))) * i - (x*(9801a^8b^9* \\
& d^{17} + 9801b^{17}c^8d^9 - 149094a*b^{16}c^7d^{10} - 149094a^7b^{10}c^d^{16} \\
& + 1001520a^2b^{15}c^6d^{11} - 3484602a^3b^{14}c^5d^{12} + 5769038a^4b^{13} \\
& c^4d^{13} - 3484602a^5b^{12}c^3d^{14} + 1001520a^6b^{11}c^2d^{15})*i)/(1024 \\
& *(a^4b^{12}c^{16} + a^{16}c^4d^{12} - 12a^5b^{11}c^{15}d - 12a^{15}b*c^5d^{11} + \\
& 66a^6b^{10}c^{14}d^2 - 220a^7b^9c^{13}d^3 + 495a^8b^8c^{12}d^4 - 792a^9b^7c^{11}d^5 + 924a^{10}b^6c^{10}d^6 - 792a^{11}b^5c^9d^7 + 495a^{12}b \\
& ^4c^8d^8 - 220a^{13}b^3c^7d^9 + 66a^{14}b^2c^6d^{10}))))/((-(81a^4d^{11} \\
& + 14641b^4c^4d^7 - 15972*a*b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^ \\
& ^3b*c*d^{10})/(65536b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b*c^8d^{11} \\
& + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8 \\
& c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 5190451 \\
& 2a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 \\
& + 4325376a^{10}b^2c^9d^{10} - 786432*a*b^{11}c^{18}d))^{(1/4)}*((-(81a^4d^{11} \\
& + 14641b^4c^4d^7 - 15972*a*b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^ \\
& ^3b*c*d^{10})/(65536b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b*c^8d^{11} \\
& + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8 \\
& c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 5190451 \\
& 2a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 \\
& + 4325376a^{10}b^2c^9d^{10} - 786432*a*b^{11}c^{18}d))^{(1/4)}*((((891a^8b^7d \\
& ^{15})/64 + (891b^{15}c^8d^7)/64 - (3105*a*b^{14}c^7d^8)/16 - (3105a^7b^8* \\
& c^d^{14})/16 + (31509a^2b^{13}c^6d^9)/32 - (33069a^3b^{12}c^5d^{10})/16 + (\\
& 60307a^4b^{11}c^4d^{11})/32 - (33069a^5b^{10}c^3d^{12})/16 + (31509a^6b^9 \\
& *c^2d^{13})/32)/(a^4b^8c^{12} + a^{12}c^4d^8 - 8a^5b^7c^{11}d - 8a^{11}b*c^ \\
& ^5d^7 + 28a^6b^6c^{10}d^2 - 56a^7b^5c^9d^3 + 70a^8b^4c^8d^4 - 56 \\
& *a^9b^3c^7d^5 + 28a^{10}b^2c^6d^6) + (-(81a^4d^{11} + 14641b^4c^4d^ \\
& 7 - 15972*a*b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b*c*d^{10})/(65536* \\
& b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b*c^8d^{11} + 4325376a^2b^{10} \\
& *c^{17}d^2 - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 5190451
\end{aligned}$$

$$\begin{aligned}
& 2a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 \\
& + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - 786432a^{11}b^1c^{18}d^{11} \\
& \left. \left((x^{3/4} * (589824a^2b^{23}c^{21}d^4 - 11403264a^3b^{22}c^{20}d^5 + 98762752a^4b^{21}c^{19}d^6 - 510394368a^5b^{20}c^{18}d^7 \right. \right. \\
& + 1766916096a^6b^{19}c^{17}d^8 - 4344840192a^7b^{18}c^{16}d^9 + 7796490240a^8b^{17}c^{15}d^{10} - 10168369152a^9b^{16}c^{14}d^{11} + 9007726592a^{10}b^{15}c^{13}d^{12} \\
& - 3635478528a^{11}b^{14}c^{12}d^{13} - 3635478528a^{12}b^{13}c^{11}d^{14} + 9007726592a^{13}b^{12}c^{10}d^{15} - 10168369152a^{14}b^{11}c^9d^{16} \\
& + 7796490240a^{15}b^{10}c^8d^{17} - 4344840192a^{16}b^9c^7d^{18} + 1766916096a^{17}b^8c^6d^{19} - 510394368a^{18}b^7c^5d^{20} + 98762752a^{19}b^6c^4d^{21} \\
& - 11403264a^{20}b^5c^3d^{22} + 589824a^{21}b^4c^2d^{23} \left. \right) / (1024 * (a^4b^{12}c^{16} + a^{16}c^4d^{12} - 12a^5b^{11}c^{15}d - 12a^{15}b^1c^5d^{11} + 66a^6b^{10}c^{14}d^2 \\
& - 220a^7b^9c^{13}d^3 + 495a^8b^8c^{12}d^4 - 792a^9b^7c^{11}d^5 + 924a^{10}b^6c^{10}d^6 - 792a^{11}b^5c^9d^7 + 495a^{12}b^4c^8d^8 - 220a^{13}b^3c^7d^9 \\
& + 66a^{14}b^2c^6d^{10})) + ((- (81a^4d^{11} + 14641b^4c^4d^7 - 15972a^3b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b^1c^1d^{10}) / (65536b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b^1c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 \\
& - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - 786432a^{11}b^1c^{18}d^{11} \\
& \left. \right)^{1/4} * (3072a^4b^{19}c^{19}d^4 - 45056a^5b^{18}c^{18}d^5 + 292864a^6b^{17}c^{17}d^6 - 1115136a^7b^{16}c^{16}d^7 + 2745344a^8b^{15}c^{15}d^8 - 4483072a^9b^{14}c^{14}d^9 + 4595712a^{10}b^{13}c^{13}d^{10} - 1993728a^{11}b^{12}c^{12}d^{11} - 1993728a^{12}b^{11}c^{11}d^{12} + 4595712a^{13}b^{10}c^{10}d^{13} - 4483072a^{14}b^9c^9d^{14} + 2745344a^{15}b^8c^8d^{15} - 1115136a^{16}b^7c^7d^{16} + 292864a^{17}b^6c^6d^{17} - 45056a^{18}b^5c^5d^{18} + 3072a^{19}b^4c^4d^{19})) / (a^4b^8c^{12} + a^{12}c^4d^8 - 8a^5b^7c^{11}d - 8a^{11}b^1c^5d^7 + 28a^6b^6c^{10}d^2 - 56a^7b^5c^9d^3 + 70a^8b^4c^8d^4 - 56a^9b^3c^7d^5 + 28a^{10}b^2c^6d^6)) + (x^{9801} * (9801a^8b^9d^{17} + 9801b^{17}c^8d^9 - 149094a^8b^{16}c^7d^{10} - 149094a^7b^{10}c^6d^{16} + 1001520a^2b^{15}c^6d^{11} - 3484602a^3b^{14}c^5d^{12} + 5769038a^4b^{13}c^4d^{13} - 3484602a^5b^{12}c^3d^{14} + 1001520a^6b^{11}c^2d^{15})) / (1024 * (a^4b^{12}c^{16} + a^{16}c^4d^{12} - 12a^5b^{11}c^{15}d - 12a^{15}b^1c^5d^{11} + 66a^6b^{10}c^{14}d^2 - 220a^7b^9c^{13}d^3 + 495a^8b^8c^{12}d^4 - 792a^9b^7c^{11}d^5 + 924a^{10}b^6c^{10}d^6 - 792a^{11}b^5c^9d^7 + 495a^{12}b^4c^8d^8 - 220a^{13}b^3c^7d^9 + 66a^{14}b^2c^6d^{10})) + ((- (81a^4d^{11} + 14641b^4c^4d^7 - 15972a^3b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b^1c^1d^{10}) / (65536b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b^1c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - 786432a^{11}b^1c^{18}d^{11} \\
& \left. \right)^{1/4} * ((- (81a^4d^{11} + 14641b^4c^4d^7 - 15972a^3b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b^1c^1d^{10}) / (65536b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b^1c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 + 32
\end{aligned}$$

$$\begin{aligned}
& 440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13} \\
& *d^6 - 51904512a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9 \\
& *b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - 786432a*b^{11}c^{18}d))^{(1/4)}*((\\
& (891a^8b^7d^{15})/64 + (891b^{15}c^8d^7)/64 - (3105a*b^{14}c^7d^8)/16 - \\
& (3105a^7b^8c^4d^{14})/16 + (31509a^2b^{13}c^6d^9)/32 - (33069a^3b^{12}c^ \\
& 5d^{10})/16 + (60307a^4b^{11}c^4d^{11})/32 - (33069a^5b^{10}c^3d^{12})/16 + \\
& (31509a^6b^9c^2d^{13})/32)/(a^4b^8c^{12} + a^{12}c^4d^8 - 8a^5b^7c^{11} \\
& d - 8a^{11}b^5c^5d^7 + 28a^6b^6c^{10}d^2 - 56a^7b^5c^9d^3 + 70a^8b^ \\
& 4c^8d^4 - 56a^9b^3c^7d^5 + 28a^{10}b^2c^6d^6) - ((-81a^4d^{11} + 14 \\
& 641b^4c^4d^7 - 15972a*b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b^c \\
& *d^{10})/(65536b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b^c^8d^{11} + 43 \\
& 25376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15} \\
& *d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7 \\
& *b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 432 \\
& 5376a^{10}b^2c^9d^{10} - 786432a*b^{11}c^{18}d))^{(3/4)}((x*(589824a^2b^{23} \\
& c^{21}d^4 - 11403264a^3b^{22}c^{20}d^5 + 98762752a^4b^{21}c^{19}d^6 - 510394 \\
& 368a^5b^{20}c^{18}d^7 + 1766916096a^6b^{19}c^{17}d^8 - 4344840192a^7b^{18} \\
& c^{16}d^9 + 7796490240a^8b^{17}c^{15}d^{10} - 10168369152a^9b^{16}c^{14}d^{11} + \\
& 9007726592a^{10}b^{15}c^{13}d^{12} - 3635478528a^{11}b^{14}c^{12}d^{13} - 36354785 \\
& 28a^{12}b^{13}c^{11}d^{14} + 9007726592a^{13}b^{12}c^{10}d^{15} - 10168369152a^{14} \\
& b^{11}c^9d^{16} + 7796490240a^{15}b^{10}c^8d^{17} - 4344840192a^{16}b^9c^7d^{1 \\
& 8} + 1766916096a^{17}b^8c^6d^{19} - 510394368a^{18}b^7c^5d^{20} + 98762752a \\
& ^{19}b^6c^4d^{21} - 11403264a^{20}b^5c^3d^{22} + 589824a^{21}b^4c^2d^{23}))/ \\
& (1024*(a^4b^{12}c^{16} + a^{16}c^4d^{12} - 12a^5b^{11}c^{15}d - 12a^{15}b^c^5d \\
& ^{11} + 66a^6b^{10}c^{14}d^2 - 220a^7b^9c^{13}d^3 + 495a^8b^8c^{12}d^4 - \\
& 792a^9b^7c^{11}d^5 + 924a^{10}b^6c^{10}d^6 - 792a^{11}b^5c^9d^7 + 495a \\
& ^{12}b^4c^8d^8 - 220a^{13}b^3c^7d^9 + 66a^{14}b^2c^6d^{10})) - (((-81a^ \\
& 4d^{11} + 14641b^4c^4d^7 - 15972a*b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1 \\
& 188a^3b^c^d^{10})/(65536b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b^c^ \\
& 8d^{11} + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 + 32440320a \\
& ^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 5 \\
& 1904512a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^1 \\
& 0d^9 + 4325376a^{10}b^2c^9d^{10} - 786432a*b^{11}c^{18}d))^{(1/4)}*(3072a^4* \\
& b^{19}c^{19}d^4 - 45056a^5b^{18}c^{18}d^5 + 292864a^6b^{17}c^{17}d^6 - 111513 \\
& 6a^7b^{16}c^{16}d^7 + 2745344a^8b^{15}c^{15}d^8 - 4483072a^9b^{14}c^{14}d^9 \\
& + 4595712a^{10}b^{13}c^{13}d^{10} - 1993728a^{11}b^{12}c^{12}d^{11} - 1993728a^{12} \\
& *b^{11}c^{11}d^{12} + 4595712a^{13}b^{10}c^{10}d^{13} - 4483072a^{14}b^9c^9d^{14} + \\
& 2745344a^{15}b^8c^8d^{15} - 1115136a^{16}b^7c^7d^{16} + 292864a^{17}b^6c^ \\
& 6d^{17} - 45056a^{18}b^5c^5d^{18} + 3072a^{19}b^4c^4d^{19}))/ (a^4b^8c^{12} + \\
& a^{12}c^4d^8 - 8a^5b^7c^{11}d - 8a^{11}b^5c^5d^7 + 28a^6b^6c^{10}d^2 - \\
& 56a^7b^5c^9d^3 + 70a^8b^4c^8d^4 - 56a^9b^3c^7d^5 + 28a^{10}b^2 \\
& *c^6d^6))) - (x*(9801a^8b^9d^{17} + 9801b^{17}c^8d^9 - 149094a*b^{16}c^7 \\
& *d^{10} - 149094a^7b^{10}c^4d^{16} + 1001520a^2b^{15}c^6d^{11} - 3484602a^3b^ \\
& 14c^5d^{12} + 5769038a^4b^{13}c^4d^{13} - 3484602a^5b^{12}c^3d^{14} + 10015 \\
& 20a^6b^{11}c^2d^{15}))/ (1024*(a^4b^{12}c^{16} + a^{16}c^4d^{12} - 12a^5b^{11}c
\end{aligned}$$

$$\begin{aligned}
& ^{15}d - 12a^{15}b^5c^5d^{11} + 66a^6b^{10}c^{14}d^2 - 220a^7b^9c^{13}d^3 + \\
& 495a^8b^8c^{12}d^4 - 792a^9b^7c^{11}d^5 + 924a^{10}b^6c^{10}d^6 - 792a^{11}b^5c^9d^7 + 495a^{12}b^4c^8d^8 - 220a^{13}b^3c^7d^9 + 66a^{14}b^2 \\
& *c^6d^{10}))))*(-(81a^4d^{11} + 14641b^4c^4d^7 - 15972a*b^3c^3d^8 + 6 \\
& 534a^2b^2c^2d^9 - 1188a^3b*c*d^{10})/(65536b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b*c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 605552 \\
& 64a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - 786432a*b^{11}c^{18}d))^{(1/4)}*2i + 2*atan(((-(81a^4d^{11} + 14641b^4c^4d^7 - 15972a*b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b*c*d^{10})/(65536b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b*c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - 786432a*b^{11}c^{18}d))^{(1/4)}*((-(81a^4d^{11} + 14641b^4c^4d^7 - 15972a*b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b*c*d^{10})/(65536b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b*c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - 786432a*b^{11}c^{18}d))^{(1/4)}*((((891a^8b^7d^{15})/64 + (891b^{15}c^8d^7)/64 - (3105a*b^{14}c^7d^8)/16 - (3105a^7b^8c^d^{14})/16 + (31509a^2b^{13}c^6d^9)/32 - (33069a^3b^{12}c^5d^{10})/16 + (60307a^4b^{11}c^4d^{11})/32 - (33069a^5b^{10}c^3d^{12})/16 + (31509a^6b^9c^2d^{13})/32)*i)/(a^4b^8c^{12} + a^{12}c^4d^8 - 8a^5b^7c^{11}d - 8a^{11}b*c^5d^7 + 28a^6b^6c^{10}d^2 - 56a^7b^5c^9d^3 + 70a^8b^4c^8d^4 - 56a^9b^3c^7d^5 + 28a^{10}b^2c^6d^6) + (-(81a^4d^{11} + 14641b^4c^4d^7 - 15972a*b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b*c*d^{10})/(65536b^{12}c^{19} + 65536a^{12}c^7d^{12} - 786432a^{11}b*c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - 786432a*b^{11}c^{18}d))^{(3/4)}*(x*(589824a^2b^{23}c^{21}d^4 - 11403264a^3b^{22}c^{20}d^5 + 98762752a^4b^{21}c^{19}d^6 - 510394368a^5b^{20}c^{18}d^7 + 1766916096a^6b^{19}c^{17}d^8 - 4344840192a^7b^{18}c^{16}d^9 + 7796490240a^8b^{17}c^{15}d^{10} - 10168369152a^9b^{16}c^{14}d^{11} + 9007726592a^{10}b^{15}c^{13}d^{12} - 3635478528a^{11}b^{14}c^{12}d^{13} - 3635478528a^{12}b^{13}c^{11}d^{14} + 9007726592a^{13}b^{12}c^{10}d^{15} - 10168369152a^{14}b^{11}c^9d^{16} + 7796490240a^{15}b^{10}c^8d^{17} - 4344840192a^{16}b^9c^7d^{18} + 1766916096a^{17}b^8c^6d^{19} - 510394368a^{18}b^7c^5d^{20} + 98762752a^{19}b^6c^4d^{21} - 11403264a^{20}b^5c^3d^{22} + 589824a^{21}b^4c^2d^{23})*i)/(1024*(a^4b^{12}c^{16} + a^{16}c^4d^{12} - 12a^5b^{11}c^{15}d - 12a^{15}b^5c^5d^{11} + 66a^6b^{10}c^{14}d^2 - 220a^7b^9c^{13}d^3 + 495a^8b^8c^{12}d^4 - 792a^9b^7c^{11}d^5 + 924a^{10}b^6c^{10}d^6 - 792a^{11}b^5c^9d^7 + 495a^{12}b^4c^8d^8 - 220a^{13}b^3c^7d^9 + 6
\end{aligned}$$

$$\begin{aligned}
 & (6*a^{14}*b^2*c^6*d^{10})) + ((- (81*a^4*d^{11} + 14641*b^4*c^4*d^7 - 15972*a*b^3*c^3*d^8 + 6534*a^2*b^2*c^2*d^9 - 1188*a^3*b*c*d^{10}) / (65536*b^{12}*c^{19} + 65536*a^{12}*c^7*d^{12} - 786432*a^{11}*b*c^8*d^{11} + 4325376*a^2*b^{10}*c^{17}*d^2 - 14417920*a^3*b^9*c^{16}*d^3 + 32440320*a^4*b^8*c^{15}*d^4 - 51904512*a^5*b^7*c^{14}*d^5 + 60555264*a^6*b^6*c^{13}*d^6 - 51904512*a^7*b^5*c^{12}*d^7 + 32440320*a^8*b^4*c^{11}*d^8 - 14417920*a^9*b^3*c^{10}*d^9 + 4325376*a^{10}*b^2*c^9*d^{10} - 786432*a*b^{11}*c^{18}*d))^{(1/4)} * (3072*a^4*b^{19}*c^{19}*d^4 - 45056*a^5*b^{18}*c^{18}*d^5 + 292864*a^6*b^{17}*c^{17}*d^6 - 1115136*a^7*b^{16}*c^{16}*d^7 + 2745344*a^8*b^{15}*c^{15}*d^8 - 4483072*a^9*b^{14}*c^{14}*d^9 + 4595712*a^{10}*b^{13}*c^{13}*d^{10} - 1993728*a^{11}*b^{12}*c^{12}*d^{11} - 1993728*a^{12}*b^{11}*c^{11}*d^{12} + 4595712*a^{13}*b^{10}*c^{10}*d^{13} - 4483072*a^{14}*b^9*c^9*d^{14} + 2745344*a^{15}*b^8*c^8*d^{15} - 1115136*a^{16}*b^7*c^7*d^{16} + 292864*a^{17}*b^6*c^6*d^{17} - 45056*a^{18}*b^5*c^5*d^{18} + 3072*a^{19}*b^4*c^4*d^{19}) / (a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c^{11}*d - 8*a^{11}*b*c^5*d^7 + 28*a^6*b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^8*b^4*c^8*d^4 - 56*a^9*b^3*c^7*d^5 + 28*a^{10}*b^2*c^6*d^6) * 1i) - (x*(9801*a^8*b^9*d^{17} + 9801*b^{17}*c^8*d^9 - 149094*a*b^{16}*c^7*d^{10} - 149094*a^7*b^{10}*c*d^{16} + 1001520*a^2*b^{15}*c^6*d^{11} - 3484602*a^3*b^{14}*c^5*d^{12} + 5769038*a^4*b^{13}*c^4*d^{13} - 3484602*a^5*b^{12}*c^3*d^{14} + 1001520*a^6*b^{11}*c^2*d^{15}) / (1024*(a^4*b^{12}*c^{16} + a^{16}*c^4*d^{12} - 12*a^5*b^{11}*c^{15}*d - 12*a^{15}*b*c^5*d^{11} + 66*a^6*b^{10}*c^{14}*d^2 - 220*a^7*b^9*c^{13}*d^3 + 495*a^8*b^8*c^{12}*d^4 - 792*a^9*b^7*c^{11}*d^5 + 924*a^{10}*b^6*c^{10}*d^6 - 792*a^{11}*b^5*c^9*d^7 + 495*a^{12}*b^4*c^8*d^8 - 220*a^{13}*b^3*c^7*d^9 + 66*a^{14}*b^2*c^6*d^{10}))) - ((- (81*a^4*d^{11} + 14641*b^4*c^4*d^7 - 15972*a*b^3*c^3*d^8 + 6534*a^2*b^2*c^2*d^9 - 1188*a^3*b*c*d^{10}) / (65536*b^{12}*c^{19} + 65536*a^{12}*c^7*d^{12} - 786432*a^{11}*b*c^8*d^{11} + 4325376*a^2*b^{10}*c^{17}*d^2 - 14417920*a^3*b^9*c^{16}*d^3 + 32440320*a^4*b^8*c^{15}*d^4 - 51904512*a^5*b^7*c^{14}*d^5 + 60555264*a^6*b^6*c^{13}*d^6 - 51904512*a^7*b^5*c^{12}*d^7 + 32440320*a^8*b^4*c^{11}*d^8 - 14417920*a^9*b^3*c^{10}*d^9 + 4325376*a^{10}*b^2*c^9*d^{10} - 786432*a*b^{11}*c^{18}*d))^{(1/4)} * (((891*a^8*b^7*d^{15}) / 64 + (891*b^{15}*c^8*d^7) / 64 - (3105*a*b^{14}*c^7*d^8) / 16 - (3105*a^7*b^8*c*d^{14}) / 16 + (31509*a^2*b^{13}*c^6*d^9) / 32 - (33069*a^3*b^{12}*c^5*d^{10}) / 16 + (60307*a^4*b^{11}*c^4*d^{11}) / 32 - (33069*a^5*b^{10}*c^3*d^{12}) / 16 + (31509*a^6*b^9*c^2*d^{13}) / 32) * 1i) / (a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c^{11}*d - 8*a^{11}*b*c^5*d^7 + 28*a^6*b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^8*b^4*c^8*d^4 - 56*a^9*b^3*c^7*d^5 + 28*a^{10}*b^2*c^6*d^6) - ((- (81*a^4*d^{11} + 14641*b^4*c^4*d^7 - 15972*a*b^3*c^3*d^8 + 6534*a^2*b^2*c^2*d^9 - 1188*a^3*b*c*d^{10}) / (65536*b^{12}*c^{19} + 65536*a^{12}*c^7*d^{12} - 786432*a^{11}*b*c^8*d^{11} + 4325376*a^2*b^{10}*c^{17}*d^2 - 14417920*a^3*b^9*c^{16}*d^3 + 32440320*a^4*b^8*c^{15}*d^4 - 51904512*a^5*b^7*c^{14}*d^5 + 60555264*a^6*b^6*c^{13}*d^6 - 51904512*a^7*b^5*c^{12}*d^7 + 32440320*a^8*b^4*c^{11}*d^8 - 14417920*a^9*b^3*c^{10}*d^9 + 4325376*a^{10}*b^2*c^9*d^{10} - 786432*a*b^{11}*c^{18}*d))^{(1/4)} * (3072*a^4*b^{19}*c^{19}*d^4 - 45056*a^5*b^{18}*c^{18}*d^5 + 292864*a^6*b^{17}*c^{17}*d^6 - 1115136*a^7*b^{16}*c^{16}*d^7 + 2745344*a^8*b^{15}*c^{15}*d^8 - 4483072*a^9*b^{14}*c^{14}*d^9 + 4595712*a^{10}*b^{13}*c^{13}*d^{10} - 1993728*a^{11}*b^{12}*c^{12}*d^{11} - 1993728*a^{12}*b^{11}*c^{11}*d^{12} + 4595712*a^{13}*b^{10}*c^{10}*d^{13} - 4483072*a^{14}*b^9*c^9*d^{14} + 2745344*a^{15}*b^8*c^8*d^{15} - 1115136*a^{16}*b^7*c^7*d^{16} + 292864*a^{17}*b^6*c^6*d^{17} - 45056*a^{18}*b^5*c^5*d^{18} + 3072*a^{19}*b^4*c^4*d^{19}) / (a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c^{11}*d - 8*a^{11}*b*c^5*d^7 + 28*a^6*b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^8*b^4*c^8*d^4 - 56*a^9*b^3*c^7*d^5 + 28*a^{10}*b^2*c^6*d^6) * 1i)
 \end{aligned}$$

$$\begin{aligned}
& 10 - 786432*a*b^{11}*c^{18}*d)^{(3/4)}*((x*(589824*a^2*b^{23}*c^{21}*d^4 - 11403264* \\
& a^3*b^{22}*c^{20}*d^5 + 98762752*a^4*b^{21}*c^{19}*d^6 - 510394368*a^5*b^{20}*c^{18}*d^ \\
& 7 + 1766916096*a^6*b^{19}*c^{17}*d^8 - 4344840192*a^7*b^{18}*c^{16}*d^9 + 779649024 \\
& 0*a^8*b^{17}*c^{15}*d^{10} - 10168369152*a^9*b^{16}*c^{14}*d^{11} + 9007726592*a^{10}*b^{1} \\
& 5*c^{13}*d^{12} - 3635478528*a^{11}*b^{14}*c^{12}*d^{13} - 3635478528*a^{12}*b^{13}*c^{11}*d^ \\
& 14 + 9007726592*a^{13}*b^{12}*c^{10}*d^{15} - 10168369152*a^{14}*b^{11}*c^9*d^{16} + 7796 \\
& 490240*a^{15}*b^{10}*c^8*d^{17} - 4344840192*a^{16}*b^9*c^7*d^{18} + 1766916096*a^{17}* \\
& b^8*c^6*d^{19} - 510394368*a^{18}*b^7*c^5*d^{20} + 98762752*a^{19}*b^6*c^4*d^{21} - 1 \\
& 1403264*a^{20}*b^5*c^3*d^{22} + 589824*a^{21}*b^4*c^2*d^{23})*i)/(1024*(a^4*b^{12}*c \\
& ^{16} + a^{16}*c^4*d^{12} - 12*a^5*b^{11}*c^{15}*d - 12*a^{15}*b*c^5*d^{11} + 66*a^6*b^{10} \\
& *c^{14}*d^2 - 220*a^7*b^9*c^{13}*d^3 + 495*a^8*b^8*c^{12}*d^4 - 792*a^9*b^7*c^{11}* \\
& d^5 + 924*a^{10}*b^6*c^{10}*d^6 - 792*a^{11}*b^5*c^9*d^7 + 495*a^{12}*b^4*c^8*d^8 - \\
& 220*a^{13}*b^3*c^7*d^9 + 66*a^{14}*b^2*c^6*d^{10})) - (((-81*a^4*d^{11} + 14641*b^ \\
& 4*c^4*d^7 - 15972*a*b^3*c^3*d^8 + 6534*a^2*b^2*c^2*d^9 - 1188*a^3*b*c*d^{10}) \\
& / (65536*b^{12}*c^{19} + 65536*a^{12}*c^7*d^{12} - 786432*a^{11}*b*c^8*d^{11} + 4325376* \\
& a^2*b^{10}*c^{17}*d^2 - 14417920*a^3*b^9*c^{16}*d^3 + 32440320*a^4*b^8*c^{15}*d^4 - \\
& 51904512*a^5*b^7*c^{14}*d^5 + 60555264*a^6*b^6*c^{13}*d^6 - 51904512*a^7*b^5*c \\
& ^{12}*d^7 + 32440320*a^8*b^4*c^{11}*d^8 - 14417920*a^9*b^3*c^{10}*d^9 + 4325376*a \\
& ^{10}*b^2*c^9*d^{10} - 786432*a*b^{11}*c^{18}*d)^{(1/4)}*(3072*a^4*b^{19}*c^{19}*d^4 - 4 \\
& 5056*a^5*b^{18}*c^{18}*d^5 + 292864*a^6*b^{17}*c^{17}*d^6 - 1115136*a^7*b^{16}*c^{16}*d \\
& ^7 + 2745344*a^8*b^{15}*c^{15}*d^8 - 4483072*a^9*b^{14}*c^{14}*d^9 + 4595712*a^{10}*b \\
& ^{13}*c^{13}*d^{10} - 1993728*a^{11}*b^{12}*c^{12}*d^{11} - 1993728*a^{12}*b^{11}*c^{11}*d^{12} + \\
& 4595712*a^{13}*b^{10}*c^{10}*d^{13} - 4483072*a^{14}*b^9*c^9*d^{14} + 2745344*a^{15}*b^8 \\
& *c^8*d^{15} - 1115136*a^{16}*b^7*c^7*d^{16} + 292864*a^{17}*b^6*c^6*d^{17} - 45056*a^ \\
& 18*b^5*c^5*d^{18} + 3072*a^{19}*b^4*c^4*d^{19}))/ (a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8 \\
& *a^5*b^7*c^{11}*d - 8*a^{11}*b*c^5*d^7 + 28*a^6*b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d \\
& ^3 + 70*a^8*b^4*c^8*d^4 - 56*a^9*b^3*c^7*d^5 + 28*a^{10}*b^2*c^6*d^6))*i) + \\
& (x*(9801*a^8*b^9*d^{17} + 9801*b^{17}*c^8*d^9 - 149094*a*b^{16}*c^7*d^{10} - 149094 \\
& *a^7*b^{10}*c*d^{16} + 1001520*a^2*b^{15}*c^6*d^{11} - 3484602*a^3*b^{14}*c^5*d^{12} + \\
& 5769038*a^4*b^{13}*c^4*d^{13} - 3484602*a^5*b^{12}*c^3*d^{14} + 1001520*a^6*b^{11}*c^ \\
& 2*d^{15}))/ (1024*(a^4*b^{12}*c^{16} + a^{16}*c^4*d^{12} - 12*a^5*b^{11}*c^{15}*d - 12*a^1 \\
& 5*b*c^5*d^{11} + 66*a^6*b^{10}*c^{14}*d^2 - 220*a^7*b^9*c^{13}*d^3 + 495*a^8*b^8*c^ \\
& 12*d^4 - 792*a^9*b^7*c^{11}*d^5 + 924*a^{10}*b^6*c^{10}*d^6 - 792*a^{11}*b^5*c^9*d^ \\
& 7 + 495*a^{12}*b^4*c^8*d^8 - 220*a^{13}*b^3*c^7*d^9 + 66*a^{14}*b^2*c^6*d^{10}))))/ \\
& (((-81*a^4*d^{11} + 14641*b^4*c^4*d^7 - 15972*a*b^3*c^3*d^8 + 6534*a^2*b^2*c^ \\
& 2*d^9 - 1188*a^3*b*c*d^{10})/(65536*b^{12}*c^{19} + 65536*a^{12}*c^7*d^{12} - 786432* \\
& a^{11}*b*c^8*d^{11} + 4325376*a^2*b^{10}*c^{17}*d^2 - 14417920*a^3*b^9*c^{16}*d^3 + 3 \\
& 2440320*a^4*b^8*c^{15}*d^4 - 51904512*a^5*b^7*c^{14}*d^5 + 60555264*a^6*b^6*c^1 \\
& 3*d^6 - 51904512*a^7*b^5*c^{12}*d^7 + 32440320*a^8*b^4*c^{11}*d^8 - 14417920*a^ \\
& 9*b^3*c^{10}*d^9 + 4325376*a^{10}*b^2*c^9*d^{10} - 786432*a*b^{11}*c^{18}*d)^{(1/4)}*(\\
& (-81*a^4*d^{11} + 14641*b^4*c^4*d^7 - 15972*a*b^3*c^3*d^8 + 6534*a^2*b^2*c^2 \\
& *d^9 - 1188*a^3*b*c*d^{10})/(65536*b^{12}*c^{19} + 65536*a^{12}*c^7*d^{12} - 786432*a \\
& ^{11}*b*c^8*d^{11} + 4325376*a^2*b^{10}*c^{17}*d^2 - 14417920*a^3*b^9*c^{16}*d^3 + 32 \\
& 440320*a^4*b^8*c^{15}*d^4 - 51904512*a^5*b^7*c^{14}*d^5 + 60555264*a^6*b^6*c^{13} \\
& *d^6 - 51904512*a^7*b^5*c^{12}*d^7 + 32440320*a^8*b^4*c^{11}*d^8 - 14417920*a^9
\end{aligned}$$

$$\begin{aligned}
& *b^3*c^{10}*d^9 + 4325376*a^{10}*b^2*c^9*d^{10} - 786432*a*b^{11}*c^{18}*d))^{(1/4)}*((\\
& ((891*a^8*b^7*d^{15})/64 + (891*b^{15}*c^8*d^7)/64 - (3105*a*b^{14}*c^7*d^8)/16 - \\
& (3105*a^7*b^8*c*d^{14})/16 + (31509*a^2*b^{13}*c^6*d^9)/32 - (33069*a^3*b^{12}*c \\
& ^5*d^{10})/16 + (60307*a^4*b^{11}*c^4*d^{11})/32 - (33069*a^5*b^{10}*c^3*d^{12})/16 + \\
& (31509*a^6*b^9*c^2*d^{13})/32)*i)/(a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7* \\
& c^{11}*d - 8*a^{11}*b*c^5*d^7 + 28*a^6*b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a \\
& ^8*b^4*c^8*d^4 - 56*a^9*b^3*c^7*d^5 + 28*a^{10}*b^2*c^6*d^6) + (- (81*a^4*d^{11} \\
& + 14641*b^4*c^4*d^7 - 15972*a*b^3*c^3*d^8 + 6534*a^2*b^2*c^2*d^9 - 1188*a^ \\
& 3*b*c*d^{10})/(65536*b^{12}*c^{19} + 65536*a^{12}*c^7*d^{12} - 786432*a^{11}*b*c^8*d^{11} \\
& + 4325376*a^2*b^{10}*c^{17}*d^2 - 14417920*a^3*b^9*c^{16}*d^3 + 32440320*a^4*b^8 \\
& *c^{15}*d^4 - 51904512*a^5*b^7*c^{14}*d^5 + 60555264*a^6*b^6*c^{13}*d^6 - 5190451 \\
& 2*a^7*b^5*c^{12}*d^7 + 32440320*a^8*b^4*c^{11}*d^8 - 14417920*a^9*b^3*c^{10}*d^9 \\
& + 4325376*a^{10}*b^2*c^9*d^{10} - 786432*a*b^{11}*c^{18}*d))^{(3/4)}*((x*(589824*a^2* \\
& b^{23}*c^{21}*d^4 - 11403264*a^3*b^{22}*c^{20}*d^5 + 98762752*a^4*b^{21}*c^{19}*d^6 - 5 \\
& 10394368*a^5*b^{20}*c^{18}*d^7 + 1766916096*a^6*b^{19}*c^{17}*d^8 - 4344840192*a^7* \\
& b^{18}*c^{16}*d^9 + 7796490240*a^8*b^{17}*c^{15}*d^{10} - 10168369152*a^9*b^{16}*c^{14}*d \\
& ^{11} + 9007726592*a^{10}*b^{15}*c^{13}*d^{12} - 3635478528*a^{11}*b^{14}*c^{12}*d^{13} - 363 \\
& 5478528*a^{12}*b^{13}*c^{11}*d^{14} + 9007726592*a^{13}*b^{12}*c^{10}*d^{15} - 10168369152* \\
& a^{14}*b^{11}*c^9*d^{16} + 7796490240*a^{15}*b^{10}*c^8*d^{17} - 4344840192*a^{16}*b^9*c^ \\
& 7*d^{18} + 1766916096*a^{17}*b^8*c^6*d^{19} - 510394368*a^{18}*b^7*c^5*d^{20} + 98762 \\
& 752*a^{19}*b^6*c^4*d^{21} - 11403264*a^{20}*b^5*c^3*d^{22} + 589824*a^{21}*b^4*c^2*d^ \\
& 23)*i)/(1024*(a^4*b^{12}*c^{16} + a^{16}*c^4*d^{12} - 12*a^5*b^{11}*c^{15}*d - 12*a^{15} \\
& *b*c^5*d^{11} + 66*a^6*b^{10}*c^{14}*d^2 - 220*a^7*b^9*c^{13}*d^3 + 495*a^8*b^8*c^{1 \\
& 2}*d^4 - 792*a^9*b^7*c^{11}*d^5 + 924*a^{10}*b^6*c^{10}*d^6 - 792*a^{11}*b^5*c^9*d^7 \\
& + 495*a^{12}*b^4*c^8*d^8 - 220*a^{13}*b^3*c^7*d^9 + 66*a^{14}*b^2*c^6*d^{10})) + (\\
& (- (81*a^4*d^{11} + 14641*b^4*c^4*d^7 - 15972*a*b^3*c^3*d^8 + 6534*a^2*b^2*c^2 \\
& *d^9 - 1188*a^3*b*c*d^{10})/(65536*b^{12}*c^{19} + 65536*a^{12}*c^7*d^{12} - 786432*a \\
& ^{11}*b*c^8*d^{11} + 4325376*a^2*b^{10}*c^{17}*d^2 - 14417920*a^3*b^9*c^{16}*d^3 + 32 \\
& 440320*a^4*b^8*c^{15}*d^4 - 51904512*a^5*b^7*c^{14}*d^5 + 60555264*a^6*b^6*c^{13} \\
& *d^6 - 51904512*a^7*b^5*c^{12}*d^7 + 32440320*a^8*b^4*c^{11}*d^8 - 14417920*a^9 \\
& *b^3*c^{10}*d^9 + 4325376*a^{10}*b^2*c^9*d^{10} - 786432*a*b^{11}*c^{18}*d))^{(1/4)}*(3 \\
& 072*a^4*b^{19}*c^{19}*d^4 - 45056*a^5*b^{18}*c^{18}*d^5 + 292864*a^6*b^{17}*c^{17}*d^6 \\
& - 1115136*a^7*b^{16}*c^{16}*d^7 + 2745344*a^8*b^{15}*c^{15}*d^8 - 4483072*a^9*b^{14}* \\
& c^{14}*d^9 + 4595712*a^{10}*b^{13}*c^{13}*d^{10} - 1993728*a^{11}*b^{12}*c^{12}*d^{11} - 1993 \\
& 728*a^{12}*b^{11}*c^{11}*d^{12} + 4595712*a^{13}*b^{10}*c^{10}*d^{13} - 4483072*a^{14}*b^9*c^ \\
& 9*d^{14} + 2745344*a^{15}*b^8*c^8*d^{15} - 1115136*a^{16}*b^7*c^7*d^{16} + 292864*a^{1 \\
& 7}*b^6*c^6*d^{17} - 45056*a^{18}*b^5*c^5*d^{18} + 3072*a^{19}*b^4*c^4*d^{19}))/ (a^4*b^ \\
& 8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c^{11}*d - 8*a^{11}*b*c^5*d^7 + 28*a^6*b^6*c^ \\
& 10*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^8*b^4*c^8*d^4 - 56*a^9*b^3*c^7*d^5 + 28* \\
& a^{10}*b^2*c^6*d^6))*i)*i - (x*(9801*a^8*b^9*d^{17} + 9801*b^{17}*c^8*d^9 - 149 \\
& 094*a*b^{16}*c^7*d^{10} - 149094*a^7*b^{10}*c*d^{16} + 1001520*a^2*b^{15}*c^6*d^{11} - \\
& 3484602*a^3*b^{14}*c^5*d^{12} + 5769038*a^4*b^{13}*c^4*d^{13} - 3484602*a^5*b^{12}*c^ \\
& 3*d^{14} + 1001520*a^6*b^{11}*c^2*d^{15})*i)/(1024*(a^4*b^{12}*c^{16} + a^{16}*c^4*d^{1 \\
& 2} - 12*a^5*b^{11}*c^{15}*d - 12*a^{15}*b*c^5*d^{11} + 66*a^6*b^{10}*c^{14}*d^2 - 220*a^ \\
& 7*b^9*c^{13}*d^3 + 495*a^8*b^8*c^{12}*d^4 - 792*a^9*b^7*c^{11}*d^5 + 924*a^{10}*b^6
\end{aligned}$$

$$\begin{aligned}
& *c^{10}d^6 - 792a^{11}b^5c^9d^7 + 495a^{12}b^4c^8d^8 - 220a^{13}b^3c^7d^9 + 66a^{14}b^2c^6d^{10})) + (- (81a^4d^{11} + 14641b^4c^4d^7 - 15972a \\
& a*b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b*c*d^{10}) / (65536b^{12}c^{19} \\
& + 65536a^{12}c^7d^{12} - 786432a^{11}b*c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 \\
& - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 + 32440320 \\
& a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - \\
& 786432a*b^{11}c^{18}d))^{(1/4)} * ((- (81a^4d^{11} + 14641b^4c^4d^7 - 15972a \\
& *b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b*c*d^{10}) / (65536b^{12}c^{19} + \\
& 65536a^{12}c^7d^{12} - 786432a^{11}b*c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - \\
& 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 + 32440320a \\
& a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - \\
& 786432a*b^{11}c^{18}d))^{(1/4)} * (((891a^8b^7d^{15}) / 64 + (891b^{15}c^8d^7) / \\
& 64 - (3105a*b^{14}c^7d^8) / 16 - (3105a^7b^8c*d^{14}) / 16 + (31509a^2b^{13}c^6d^9) / 32 - (33069a^3b^{12}c^5d^{10}) / 16 + (60307a^4b^{11}c^4d^{11}) / 32 - \\
& (33069a^5b^{10}c^3d^{12}) / 16 + (31509a^6b^9c^2d^{13}) / 32) * i) / (a^4b^8c \\
& ^{12} + a^{12}c^4d^8 - 8a^5b^7c^{11}d - 8a^{11}b*c^5d^7 + 28a^6b^6c^{10} \\
& d^2 - 56a^7b^5c^9d^3 + 70a^8b^4c^8d^4 - 56a^9b^3c^7d^5 + 28a^1 \\
& 0b^2c^6d^6) - (- (81a^4d^{11} + 14641b^4c^4d^7 - 15972a*b^3c^3d^8 + \\
& 6534a^2b^2c^2d^9 - 1188a^3b*c*d^{10}) / (65536b^{12}c^{19} + 65536a^{12}c^7 \\
& d^{12} - 786432a^{11}b*c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 6055 \\
& 5264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 + 32440320a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - 786432a*b^{11} \\
& c^{18}d))^{(3/4)} * ((x*(589824a^2b^{23}c^{21}d^4 - 11403264a^3b^{22}c^{20}d^5 + \\
& 98762752a^4b^{21}c^{19}d^6 - 510394368a^5b^{20}c^{18}d^7 + 1766916096a^6b^{19}c^{17}d^8 - 4344840192a^7b^{18}c^{16}d^9 + 7796490240a^8b^{17}c^{15}d^{10} \\
& 0 - 10168369152a^9b^{16}c^{14}d^{11} + 9007726592a^{10}b^{15}c^{13}d^{12} - 36354 \\
& 78528a^{11}b^{14}c^{12}d^{13} - 3635478528a^{12}b^{13}c^{11}d^{14} + 9007726592a^{13}b^{12}c^{10}d^{15} - 10168369152a^{14}b^{11}c^9d^{16} + 7796490240a^{15}b^{10}c^8d^{17} - 4344840192a^{16}b^9c^7d^{18} + 1766916096a^{17}b^8c^6d^{19} - 5103 \\
& 94368a^{18}b^7c^5d^{20} + 98762752a^{19}b^6c^4d^{21} - 11403264a^{20}b^5c^3d^{22} + 589824a^{21}b^4c^2d^{23}) * i) / (1024*(a^4b^{12}c^{16} + a^{16}c^4d^{12} \\
& - 12a^5b^{11}c^{15}d - 12a^{15}b*c^5d^{11} + 66a^6b^{10}c^{14}d^2 - 220a^7 \\
& *b^9c^{13}d^3 + 495a^8b^8c^{12}d^4 - 792a^9b^7c^{11}d^5 + 924a^{10}b^6c^{10}d^6 - 792a^{11}b^5c^9d^7 + 495a^{12}b^4c^8d^8 - 220a^{13}b^3c^7d^9 + 66a^{14}b^2c^6d^{10})) - ((- (81a^4d^{11} + 14641b^4c^4d^7 - 15972a \\
& *b^3c^3d^8 + 6534a^2b^2c^2d^9 - 1188a^3b*c*d^{10}) / (65536b^{12}c^{19} + \\
& 65536a^{12}c^7d^{12} - 786432a^{11}b*c^8d^{11} + 4325376a^2b^{10}c^{17}d^2 - \\
& 14417920a^3b^9c^{16}d^3 + 32440320a^4b^8c^{15}d^4 - 51904512a^5b^7c^{14}d^5 + 60555264a^6b^6c^{13}d^6 - 51904512a^7b^5c^{12}d^7 + 32440320a \\
& a^8b^4c^{11}d^8 - 14417920a^9b^3c^{10}d^9 + 4325376a^{10}b^2c^9d^{10} - \\
& 786432a*b^{11}c^{18}d))^{(1/4)} * (3072a^4b^{19}c^{19}d^4 - 45056a^5b^{18}c^{18} \\
& d^5 + 292864a^6b^{17}c^{17}d^6 - 1115136a^7b^{16}c^{16}d^7 + 2745344a^8b^{15}
\end{aligned}$$

$$\begin{aligned}
& 15*c^{15}*d^8 - 4483072*a^9*b^{14}*c^{14}*d^9 + 4595712*a^{10}*b^{13}*c^{13}*d^{10} - 199 \\
& 3728*a^{11}*b^{12}*c^{12}*d^{11} - 1993728*a^{12}*b^{11}*c^{11}*d^{12} + 4595712*a^{13}*b^{10}* \\
& c^{10}*d^{13} - 4483072*a^{14}*b^9*c^9*d^{14} + 2745344*a^{15}*b^8*c^8*d^{15} - 1115136 \\
& *a^{16}*b^7*c^7*d^{16} + 292864*a^{17}*b^6*c^6*d^{17} - 45056*a^{18}*b^5*c^5*d^{18} + 3 \\
& 072*a^{19}*b^4*c^4*d^{19}))/ (a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c^{11}*d - 8 \\
& *a^{11}*b*c^5*d^7 + 28*a^6*b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^8*b^4*c^8 \\
& *d^4 - 56*a^9*b^3*c^7*d^5 + 28*a^{10}*b^2*c^6*d^6))*1i)*1i + (x*(9801*a^8*b^9 \\
& *d^{17} + 9801*b^{17}*c^8*d^9 - 149094*a*b^{16}*c^7*d^{10} - 149094*a^7*b^{10}*c*d^{16} \\
& + 1001520*a^2*b^{15}*c^6*d^{11} - 3484602*a^3*b^{14}*c^5*d^{12} + 5769038*a^4*b^{13} \\
& *c^4*d^{13} - 3484602*a^5*b^{12}*c^3*d^{14} + 1001520*a^6*b^{11}*c^2*d^{15})*1i)/(102 \\
& 4*(a^4*b^{12}*c^{16} + a^{16}*c^4*d^{12} - 12*a^5*b^{11}*c^{15}*d - 12*a^{15}*b*c^5*d^{11} \\
& + 66*a^6*b^{10}*c^{14}*d^2 - 220*a^7*b^9*c^{13}*d^3 + 495*a^8*b^8*c^{12}*d^4 - 792* \\
& a^9*b^7*c^{11}*d^5 + 924*a^{10}*b^6*c^{10}*d^6 - 792*a^{11}*b^5*c^9*d^7 + 495*a^{12} \\
& b^4*c^8*d^8 - 220*a^{13}*b^3*c^7*d^9 + 66*a^{14}*b^2*c^6*d^{10}))))*(-(81*a^4*d^ \\
& 11 + 14641*b^4*c^4*d^7 - 15972*a*b^3*c^3*d^8 + 6534*a^2*b^2*c^2*d^9 - 1188* \\
& a^3*b*c*d^{10}))/ (65536*b^{12}*c^{19} + 65536*a^{12}*c^7*d^{12} - 786432*a^{11}*b*c^8*d^ \\
& 11 + 4325376*a^2*b^{10}*c^{17}*d^2 - 14417920*a^3*b^9*c^{16}*d^3 + 32440320*a^4*b \\
& ^8*c^{15}*d^4 - 51904512*a^5*b^7*c^{14}*d^5 + 60555264*a^6*b^6*c^{13}*d^6 - 51904 \\
& 512*a^7*b^5*c^{12}*d^7 + 32440320*a^8*b^4*c^{11}*d^8 - 14417920*a^9*b^3*c^{10}*d^ \\
& 9 + 4325376*a^{10}*b^2*c^9*d^{10} - 786432*a*b^{11}*c^{18}*d)^{(1/4)} - \operatorname{atan}(((- (81* \\
& b^{11}*c^4 + 14641*a^4*b^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - \\
& 1188*a*b^{10}*c^3*d)/ (65536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^1 \\
& 1*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 + 32440320 \\
& *a^{11}*b^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - \\
& 51904512*a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3* \\
& c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11}))^{(1/4)}*((- (81*b \\
& ^{11}*c^4 + 14641*a^4*b^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - \\
& 1188*a*b^{10}*c^3*d)/ (65536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^{11} \\
& *c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 + 32440320* \\
& a^{11}*b^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - 5 \\
& 1904512*a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3*c^ \\
& 3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11}))^{(1/4)}*((x*(58982 \\
& 4*a^2*b^{23}*c^{21}*d^4 - 11403264*a^3*b^{22}*c^{20}*d^5 + 98762752*a^4*b^{21}*c^{19}* \\
& d^6 - 510394368*a^5*b^{20}*c^{18}*d^7 + 1766916096*a^6*b^{19}*c^{17}*d^8 - 434484019 \\
& 2*a^7*b^{18}*c^{16}*d^9 + 7796490240*a^8*b^{17}*c^{15}*d^{10} - 10168369152*a^9*b^{16} \\
& c^{14}*d^{11} + 9007726592*a^{10}*b^{15}*c^{13}*d^{12} - 3635478528*a^{11}*b^{14}*c^{12}*d^{13} \\
& - 3635478528*a^{12}*b^{13}*c^{11}*d^{14} + 9007726592*a^{13}*b^{12}*c^{10}*d^{15} - 101683 \\
& 69152*a^{14}*b^{11}*c^9*d^{16} + 7796490240*a^{15}*b^{10}*c^8*d^{17} - 4344840192*a^{16} \\
& b^9*c^7*d^{18} + 1766916096*a^{17}*b^8*c^6*d^{19} - 510394368*a^{18}*b^7*c^5*d^{20} +
\end{aligned}$$

$$\begin{aligned}
& 98762752a^{19}b^6c^4d^{21} - 11403264a^{20}b^5c^3d^{22} + 589824a^{21}b^4c^2d^{23}) / (1024(a^4b^{12}c^{16} + a^{16}c^4d^{12} - 12a^5b^{11}c^{15}d - 12a^{15}b^6c^5d^{11} + 66a^6b^{10}c^{14}d^2 - 220a^7b^9c^{13}d^3 + 495a^8b^8c^{12}d^4 - 792a^9b^7c^{11}d^5 + 924a^{10}b^6c^{10}d^6 - 792a^{11}b^5c^9d^7 + 495a^{12}b^4c^8d^8 - 220a^{13}b^3c^7d^9 + 66a^{14}b^2c^6d^{10})) \\
& + ((-(81b^{11}c^4 + 14641a^4b^7d^4 - 15972a^3b^8c^3d^3 + 6534a^2b^9c^2d^2 - 1188a^10c^3d) / (65536a^{19}d^{12} + 65536a^7b^{12}c^{12} - 786432a^8b^{11}c^{11}d + 4325376a^9b^{10}c^{10}d^2 - 14417920a^{10}b^9c^9d^3 + 32440320a^{11}b^8c^8d^4 - 51904512a^{12}b^7c^7d^5 + 60555264a^{13}b^6c^6d^6 - 51904512a^{14}b^5c^5d^7 + 32440320a^{15}b^4c^4d^8 - 14417920a^{16}b^3c^3d^9 + 4325376a^{17}b^2c^2d^{10} - 786432a^{18}b^1c^1d^{11}))^{1/4} \\
& * (3072a^4b^{19}c^{19}d^4 - 45056a^5b^{18}c^{18}d^5 + 292864a^6b^{17}c^{17}d^6 - 1115136a^7b^{16}c^{16}d^7 + 2745344a^8b^{15}c^{15}d^8 - 4483072a^9b^{14}c^{14}d^9 + 4595712a^{10}b^{13}c^{13}d^{10} - 1993728a^{11}b^{12}c^{12}d^{11} - 1993728a^{12}b^{11}c^{11}d^{12} + 4595712a^{13}b^{10}c^{10}d^{13} - 4483072a^{14}b^9c^9d^{14} + 2745344a^{15}b^8c^8d^{15} - 1115136a^{16}b^7c^7d^{16} + 292864a^{17}b^6c^6d^{17} - 45056a^{18}b^5c^5d^{18} + 3072a^{19}b^4c^4d^{19})) / (a^4b^8c^{12} + a^{12}c^4d^8 - 8a^5b^7c^{11}d - 8a^{11}b^6c^{10}d^2 - 56a^7b^5c^9d^3 + 70a^8b^4c^8d^4 - 56a^9b^3c^7d^5 + 28a^{10}b^2c^6d^6) \\
& + ((891a^8b^7d^{15})/64 + (891b^{15}c^8d^7)/64 - (3105a^14c^7d^8)/16 - (3105a^7b^8c^3d^{14})/16 + (31509a^2b^{13}c^6d^9)/32 - (33069a^3b^{12}c^5d^{10})/16 + (60307a^4b^{11}c^4d^{11})/32 - (33069a^5b^{10}c^3d^{12})/16 + (31509a^6b^9c^2d^{13})/32) / (a^4b^8c^{12} + a^{12}c^4d^8 - 8a^5b^7c^{11}d - 8a^{11}b^6c^{10}d^2 - 56a^7b^5c^9d^3 + 70a^8b^4c^8d^4 - 56a^9b^3c^7d^5 + 28a^{10}b^2c^6d^6) \\
& * i + (x(9801a^8b^9d^{17} + 9801b^{17}c^8d^9 - 149094a^16c^7d^{10} - 149094a^7b^{10}c^6d^{11} + 1001520a^2b^{15}c^6d^{11} - 3484602a^3b^{14}c^5d^{12} + 5769038a^4b^{13}c^4d^{13} - 3484602a^5b^{12}c^3d^{14} + 1001520a^6b^{11}c^2d^{15}) * i) / (1024(a^4b^{12}c^{16} + a^{16}c^4d^{12} - 12a^5b^{11}c^{15}d - 12a^{15}b^6c^5d^{11} + 66a^6b^{10}c^{14}d^2 - 220a^7b^9c^{13}d^3 + 495a^8b^8c^{12}d^4 - 792a^9b^7c^{11}d^5 + 924a^{10}b^6c^{10}d^6 - 792a^{11}b^5c^9d^7 + 495a^{12}b^4c^8d^8 - 220a^{13}b^3c^7d^9 + 66a^{14}b^2c^6d^{10})) \\
& + ((-(81b^{11}c^4 + 14641a^4b^7d^4 - 15972a^3b^8c^3d^3 + 6534a^2b^9c^2d^2 - 1188a^10c^3d) / (65536a^{19}d^{12} + 65536a^7b^{12}c^{12} - 786432a^8b^{11}c^{11}d + 4325376a^9b^{10}c^{10}d^2 - 14417920a^{10}b^9c^9d^3 + 32440320a^{11}b^8c^8d^4 - 51904512a^{12}b^7c^7d^5 + 60555264a^{13}b^6c^6d^6 - 51904512a^{14}b^5c^5d^7 + 32440320a^{15}b^4c^4d^8 - 14417920a^{16}b^3c^3d^9 + 4325376a^{17}b^2c^2d^{10} - 786432a^{18}b^1c^1d^{11}))^{1/4} \\
& * ((-(81b^{11}c^4 + 14641a^4b^7d^4 - 15972a^3b^8c^3d^3 + 6534a^2b^9c^2d^2 - 1188a^10c^3d) / (65536a^{19}d^{12} + 65536a^7b^{12}c^{12} - 786432a^8b^{11}c^{11}d + 4325376a^9b^{10}c^{10}d^2 - 14417920a^{10}b^9c^9d^3 + 32440320a^{11}b^8c^8d^4 - 51904512a^{12}b^7c^7d^5 + 60555264a^{13}b^6c^6d^6 - 51904512a^{14}b^5c^5d^7 + 32440320a^{15}b^4c^4d^8 - 14417920a^{16}b^3c^3d^9 + 4325376a^{17}b^2c^2d^{10} - 786432a^{18}b^1c^1d^{11}))^{1/4} * ((-(81b^{11}c^4 + 14641a^4b^7d^4 - 15972a^3b^8c^3d^3 + 6534
\end{aligned}$$

$$\begin{aligned}
& *a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(65536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} \\
& - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9* \\
& c^9*d^3 + 32440320*a^{11}*b^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 + 60555264* \\
& a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4*c^4*d^8 - \\
& 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11} \\
& 1))^{(3/4)}*((x*(589824*a^2*b^{23}*c^{21}*d^4 - 11403264*a^3*b^{22}*c^{20}*d^5 + 9876 \\
& 2752*a^4*b^{21}*c^{19}*d^6 - 510394368*a^5*b^{20}*c^{18}*d^7 + 1766916096*a^6*b^{19}* \\
& c^{17}*d^8 - 4344840192*a^7*b^{18}*c^{16}*d^9 + 7796490240*a^8*b^{17}*c^{15}*d^{10} - 1 \\
& 0168369152*a^9*b^{16}*c^{14}*d^{11} + 9007726592*a^{10}*b^{15}*c^{13}*d^{12} - 3635478528 \\
& *a^{11}*b^{14}*c^{12}*d^{13} - 3635478528*a^{12}*b^{13}*c^{11}*d^{14} + 9007726592*a^{13}*b^{12} \\
& *c^{10}*d^{15} - 10168369152*a^{14}*b^{11}*c^9*d^{16} + 7796490240*a^{15}*b^{10}*c^8*d^{17} \\
& - 4344840192*a^{16}*b^9*c^7*d^{18} + 1766916096*a^{17}*b^8*c^6*d^{19} - 510394368 \\
& *a^{18}*b^7*c^5*d^{20} + 98762752*a^{19}*b^6*c^4*d^{21} - 11403264*a^{20}*b^5*c^3*d^{22} \\
& + 589824*a^{21}*b^4*c^2*d^{23}))/((1024*(a^4*b^{12}*c^{16} + a^{16}*c^4*d^{12} - 12*a^5 \\
& *b^{11}*c^{15}*d - 12*a^{15}*b*c^5*d^{11} + 66*a^6*b^{10}*c^{14}*d^2 - 220*a^7*b^9*c^{13} \\
& *d^3 + 495*a^8*b^8*c^{12}*d^4 - 792*a^9*b^7*c^{11}*d^5 + 924*a^{10}*b^6*c^{10}*d^6 \\
& - 792*a^{11}*b^5*c^9*d^7 + 495*a^{12}*b^4*c^8*d^8 - 220*a^{13}*b^3*c^7*d^9 + 66* \\
& a^{14}*b^2*c^6*d^{10})) - ((-(81*b^{11}*c^4 + 14641*a^4*b^7*d^4 - 15972*a^3*b^8*c \\
& *d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(65536*a^{19}*d^{12} + 65536*a \\
& ^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 - 1441792 \\
& 0*a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 \\
& + 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4 \\
& *c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a \\
& ^{18}*b*c*d^{11}))^{(1/4)}*(3072*a^4*b^{19}*c^{19}*d^4 - 45056*a^5*b^{18}*c^{18}*d^5 + 29 \\
& 2864*a^6*b^{17}*c^{17}*d^6 - 1115136*a^7*b^{16}*c^{16}*d^7 + 2745344*a^8*b^{15}*c^{15} \\
& *d^8 - 4483072*a^9*b^{14}*c^{14}*d^9 + 4595712*a^{10}*b^{13}*c^{13}*d^{10} - 1993728*a^{11} \\
& *b^{12}*c^{12}*d^{11} - 1993728*a^{12}*b^{11}*c^{11}*d^{12} + 4595712*a^{13}*b^{10}*c^{10}*d^{13} \\
& - 4483072*a^{14}*b^9*c^9*d^{14} + 2745344*a^{15}*b^8*c^8*d^{15} - 1115136*a^{16}*b^7 \\
& *c^7*d^{16} + 292864*a^{17}*b^6*c^6*d^{17} - 45056*a^{18}*b^5*c^5*d^{18} + 3072*a^{19} \\
& *b^4*c^4*d^{19}))/((a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c^{11}*d - 8*a^{11}*b* \\
& c^5*d^7 + 28*a^6*b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^8*b^4*c^8*d^4 - 5 \\
& 6*a^9*b^3*c^7*d^5 + 28*a^{10}*b^2*c^6*d^6)) - ((891*a^8*b^7*d^{15})/64 + (891*b \\
& ^{15}*c^8*d^7)/64 - (3105*a*b^{14}*c^7*d^8)/16 - (3105*a^7*b^8*c*d^{14})/16 + (31 \\
& 509*a^2*b^{13}*c^6*d^9)/32 - (33069*a^3*b^{12}*c^5*d^{10})/16 + (60307*a^4*b^{11}*c \\
& ^4*d^{11})/32 - (33069*a^5*b^{10}*c^3*d^{12})/16 + (31509*a^6*b^9*c^2*d^{13})/32)/((\\
& a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c^{11}*d - 8*a^{11}*b*c^5*d^7 + 28*a^6* \\
& b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^8*b^4*c^8*d^4 - 56*a^9*b^3*c^7*d^5 \\
& + 28*a^{10}*b^2*c^6*d^6))*1i + (x*(9801*a^8*b^9*d^{17} + 9801*b^{17}*c^8*d^9 - 1 \\
& 49094*a*b^{16}*c^7*d^{10} - 149094*a^7*b^{10}*c*d^{16} + 1001520*a^2*b^{15}*c^6*d^{11} \\
& - 3484602*a^3*b^{14}*c^5*d^{12} + 5769038*a^4*b^{13}*c^4*d^{13} - 3484602*a^5*b^{12}* \\
& c^3*d^{14} + 1001520*a^6*b^{11}*c^2*d^{15})*1i)/((1024*(a^4*b^{12}*c^{16} + a^{16}*c^4*d \\
& ^{12} - 12*a^5*b^{11}*c^{15}*d - 12*a^{15}*b*c^5*d^{11} + 66*a^6*b^{10}*c^{14}*d^2 - 220* \\
& a^7*b^9*c^{13}*d^3 + 495*a^8*b^8*c^{12}*d^4 - 792*a^9*b^7*c^{11}*d^5 + 924*a^{10}*b \\
& ^6*c^{10}*d^6 - 792*a^{11}*b^5*c^9*d^7 + 495*a^{12}*b^4*c^8*d^8 - 220*a^{13}*b^3*c^7 \\
& *d^9 + 66*a^{14}*b^2*c^6*d^{10}))))/((-(81*b^{11}*c^4 + 14641*a^4*b^7*d^4 - 1597
\end{aligned}$$

$$\begin{aligned}
& 2*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(65536*a^{19}*d^{12} \\
& + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 \\
& - 14417920*a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 \\
& + 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4*c^4*d^8 \\
& - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11})^{(1/4)} \\
& *((-(81*b^{11}*c^4 + 14641*a^4*b^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(65536*a^{19}*d^{12} \\
& + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 \\
& + 32440320*a^{11}*b^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5*d^7 \\
& + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11}))^{(1/4)} \\
& *((x*(589824*a^2*b^{23}*c^{21}*d^4 - 11403264*a^3*b^{22}*c^{20}*d^5 + 98762752*a^4*b^{21}*c^{19}*d^6 - 510394368*a^5*b^{20}*c^{18}*d^7 \\
& + 1766916096*a^6*b^{19}*c^{17}*d^8 - 4344840192*a^7*b^{18}*c^{16}*d^9 + 7796490240*a^8*b^{17}*c^{15}*d^{10} - 10168369152*a^9*b^{16}*c^{14}*d^{11} \\
& + 9007726592*a^{10}*b^{15}*c^{13}*d^{12} - 3635478528*a^{11}*b^{14}*c^{12}*d^{13} - 3635478528*a^{12}*b^{13}*c^{11}*d^{14} + 9007726592*a^{13}*b^{12}*c^{10}*d^{15} \\
& - 10168369152*a^{14}*b^{11}*c^9*d^{16} + 7796490240*a^{15}*b^{10}*c^8*d^{17} - 4344840192*a^{16}*b^9*c^7*d^{18} + 1766916096*a^{17}*b^8*c^6*d^{19} \\
& - 510394368*a^{18}*b^7*c^5*d^{20} + 98762752*a^{19}*b^6*c^4*d^{21} - 11403264*a^{20}*b^5*c^3*d^{22} + 589824*a^{21}*b^4*c^2*d^{23}))/ \\
& (1024*(a^4*b^{12}*c^{16} + a^{16}*c^4*d^{12} - 12*a^5*b^{11}*c^{15}*d - 12*a^{15}*b*c^5*d^{11} + 66*a^6*b^{10}*c^{14}*d^2 - 220*a^7*b^9*c^{13}*d^3 \\
& + 495*a^8*b^8*c^{12}*d^4 - 792*a^9*b^7*c^{11}*d^5 + 924*a^{10}*b^6*c^{10}*d^6 - 792*a^{11}*b^5*c^9*d^7 + 495*a^{12}*b^4*c^8*d^8 - 220*a^{13}*b^3*c^7*d^9 \\
& + 66*a^{14}*b^2*c^6*d^{10})) + ((-(81*b^{11}*c^4 + 14641*a^4*b^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(65536 \\
& *a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 \\
& + 32440320*a^{11}*b^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5*d^7 \\
& + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11}))^{(1/4)} \\
& *(3072*a^4*b^{19}*c^{19}*d^4 - 45056*a^5*b^{18}*c^{18}*d^5 + 292864*a^6*b^{17}*c^{17}*d^6 - 1115136*a^7*b^{16}*c^{16}*d^7 + 2745344*a^8*b^{15}*c^{15}*d^8 \\
& - 4483072*a^9*b^{14}*c^{14}*d^9 + 4595712*a^{10}*b^{13}*c^{13}*d^{10} - 1993728*a^{11}*b^{12}*c^{12}*d^{11} - 1993728*a^{12}*b^{11}*c^{11}*d^{12} \\
& + 4595712*a^{13}*b^{10}*c^{10}*d^{13} - 4483072*a^{14}*b^9*c^9*d^{14} + 2745344*a^{15}*b^8*c^8*d^{15} - 1115136*a^{16}*b^7*c^7*d^{16} \\
& + 292864*a^{17}*b^6*c^6*d^{17} - 45056*a^{18}*b^5*c^5*d^{18} + 3072*a^{19}*b^4*c^4*d^{19}))/ \\
& (a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c^{11}*d - 8*a^{11}*b*c^5*d^7 + 28*a^6*b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^8*b^4*c^8*d^4 \\
& - 56*a^9*b^3*c^7*d^5 + 28*a^{10}*b^2*c^6*d^6)) + ((891*a^8*b^7*d^{15})/64 + (891*b^{15}*c^8*d^7)/64 - (3105*a*b^{14}*c^7*d^8)/16 - (3105*a^7*
\end{aligned}$$

$$\begin{aligned}
& b^8*c*d^{14})/16 + (31509*a^2*b^{13}*c^6*d^9)/32 - (33069*a^3*b^{12}*c^5*d^{10})/16 \\
& + (60307*a^4*b^{11}*c^4*d^{11})/32 - (33069*a^5*b^{10}*c^3*d^{12})/16 + (31509*a^6 \\
& *b^9*c^2*d^{13})/32)/(a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c^{11}*d - 8*a^{11} \\
& *b*c^5*d^7 + 28*a^6*b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^8*b^4*c^8*d^4 \\
& - 56*a^9*b^3*c^7*d^5 + 28*a^{10}*b^2*c^6*d^6)) + (x*(9801*a^8*b^9*d^{17} + 9801 \\
& *b^{17}*c^8*d^9 - 149094*a*b^{16}*c^7*d^{10} - 149094*a^7*b^{10}*c*d^{16} + 1001520*a \\
& ^2*b^{15}*c^6*d^{11} - 3484602*a^3*b^{14}*c^5*d^{12} + 5769038*a^4*b^{13}*c^4*d^{13} - \\
& 3484602*a^5*b^{12}*c^3*d^{14} + 1001520*a^6*b^{11}*c^2*d^{15}))/((1024*(a^4*b^{12}*c^{11} \\
& ^6 + a^{16}*c^4*d^{12} - 12*a^5*b^{11}*c^{15}*d - 12*a^{15}*b*c^5*d^{11} + 66*a^6*b^{10}*c \\
& ^{14}*d^2 - 220*a^7*b^9*c^{13}*d^3 + 495*a^8*b^8*c^{12}*d^4 - 792*a^9*b^7*c^{11}*d^5 \\
& + 924*a^{10}*b^6*c^{10}*d^6 - 792*a^{11}*b^5*c^9*d^7 + 495*a^{12}*b^4*c^8*d^8 - 2 \\
& 20*a^{13}*b^3*c^7*d^9 + 66*a^{14}*b^2*c^6*d^{10}))) - ((-81*b^{11}*c^4 + 14641*a^4*b \\
& ^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(\\
& 65536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9 \\
& *b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b^8*c^8*d^4 - 5 \\
& 1904512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5 \\
& ^5*d^7 + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17} \\
& *b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11}))^{(1/4)}*((-81*b^{11}*c^4 + 14641*a^4*b \\
& ^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(6 \\
& 5536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9 \\
& *b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b^8*c^8*d^4 - 51 \\
& 904512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5 \\
& ^5*d^7 + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17} \\
& *b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11}))^{(1/4)}*((-81*b^{11}*c^4 + 14641*a^4*b \\
& ^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(65 \\
& 536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9* \\
& b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b^8*c^8*d^4 - 519 \\
& 04512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5* \\
& ^5*d^7 + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17}* \\
& b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11}))^{(3/4)}*((x*(589824*a^2*b^{23}*c^{21}*d^4 - \\
& 11403264*a^3*b^{22}*c^{20}*d^5 + 98762752*a^4*b^{21}*c^{19}*d^6 - 510394368*a^5*b^{20} \\
& *c^{18}*d^7 + 1766916096*a^6*b^{19}*c^{17}*d^8 - 4344840192*a^7*b^{18}*c^{16}*d^9 + \\
& 7796490240*a^8*b^{17}*c^{15}*d^{10} - 10168369152*a^9*b^{16}*c^{14}*d^{11} + 900772659 \\
& 2*a^{10}*b^{15}*c^{13}*d^{12} - 3635478528*a^{11}*b^{14}*c^{12}*d^{13} - 3635478528*a^{12}*b^{13} \\
& *c^{11}*d^{14} + 9007726592*a^{13}*b^{12}*c^{10}*d^{15} - 10168369152*a^{14}*b^{11}*c^9*d \\
& ^{16} + 7796490240*a^{15}*b^{10}*c^8*d^{17} - 4344840192*a^{16}*b^9*c^7*d^{18} + 176691 \\
& 6096*a^{17}*b^8*c^6*d^{19} - 510394368*a^{18}*b^7*c^5*d^{20} + 98762752*a^{19}*b^6*c^4 \\
& ^4*d^{21} - 11403264*a^{20}*b^5*c^3*d^{22} + 589824*a^{21}*b^4*c^2*d^{23}))/((1024*(a^4 \\
& *b^{12}*c^{16} + a^{16}*c^4*d^{12} - 12*a^5*b^{11}*c^{15}*d - 12*a^{15}*b*c^5*d^{11} + 66*a \\
& ^6*b^{10}*c^{14}*d^2 - 220*a^7*b^9*c^{13}*d^3 + 495*a^8*b^8*c^{12}*d^4 - 792*a^9*b^7 \\
& ^7*c^{11}*d^5 + 924*a^{10}*b^6*c^{10}*d^6 - 792*a^{11}*b^5*c^9*d^7 + 495*a^{12}*b^4*c^8 \\
& ^8*d^8 - 220*a^{13}*b^3*c^7*d^9 + 66*a^{14}*b^2*c^6*d^{10})) - ((-81*b^{11}*c^4 + 1 \\
& 4641*a^4*b^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10} \\
& *c^3*d)/(65536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4 \\
& 325376*a^9*b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b^8*c^
\end{aligned}$$

$$\begin{aligned}
& 8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 43 \\
& 25376*a^{17}*b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11})^{(1/4)}*(3072*a^4*b^{19}*c^{19}* \\
& d^4 - 45056*a^5*b^{18}*c^{18}*d^5 + 292864*a^6*b^{17}*c^{17}*d^6 - 1115136*a^7*b^{16} \\
& *c^{16}*d^7 + 2745344*a^8*b^{15}*c^{15}*d^8 - 4483072*a^9*b^{14}*c^{14}*d^9 + 4595712 \\
& *a^{10}*b^{13}*c^{13}*d^{10} - 1993728*a^{11}*b^{12}*c^{12}*d^{11} - 1993728*a^{12}*b^{11}*c^{11} \\
& *d^{12} + 4595712*a^{13}*b^{10}*c^{10}*d^{13} - 4483072*a^{14}*b^9*c^9*d^{14} + 2745344*a \\
& ^{15}*b^8*c^8*d^{15} - 1115136*a^{16}*b^7*c^7*d^{16} + 292864*a^{17}*b^6*c^6*d^{17} - 4 \\
& 5056*a^{18}*b^5*c^5*d^{18} + 3072*a^{19}*b^4*c^4*d^{19}))/((a^4*b^8*c^{12} + a^{12}*c^4* \\
& d^8 - 8*a^5*b^7*c^{11}*d - 8*a^{11}*b*c^5*d^7 + 28*a^6*b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^ \\
& 8*b^4*c^8*d^4 - 56*a^9*b^3*c^7*d^5 + 28*a^{10}*b^2*c^6*d^6)) \\
& - ((891*a^8*b^7*d^{15})/64 + (891*b^{15}*c^8*d^7)/64 - (3105*a*b^{14}*c^7*d^8)/1 \\
& 6 - (3105*a^7*b^8*c*d^{14})/16 + (31509*a^2*b^{13}*c^6*d^9)/32 - (33069*a^3*b^1 \\
& 2*c^5*d^{10})/16 + (60307*a^4*b^{11}*c^4*d^{11})/32 - (33069*a^5*b^{10}*c^3*d^{12})/1 \\
& 6 + (31509*a^6*b^9*c^2*d^{13})/32)/((a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c \\
& ^{11}*d - 8*a^{11}*b*c^5*d^7 + 28*a^6*b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^ \\
& 8*b^4*c^8*d^4 - 56*a^9*b^3*c^7*d^5 + 28*a^{10}*b^2*c^6*d^6)) + (x*(9801*a^8*b \\
& ^9*d^{17} + 9801*b^{17}*c^8*d^9 - 149094*a*b^{16}*c^7*d^{10} - 149094*a^7*b^{10}*c*d^ \\
& 16 + 1001520*a^2*b^{15}*c^6*d^{11} - 3484602*a^3*b^{14}*c^5*d^{12} + 5769038*a^4*b^ \\
& 13*c^4*d^{13} - 3484602*a^5*b^{12}*c^3*d^{14} + 1001520*a^6*b^{11}*c^2*d^{15}))/((1024 \\
& *(a^4*b^{12}*c^{16} + a^{16}*c^4*d^{12} - 12*a^5*b^{11}*c^{15}*d - 12*a^{15}*b*c^5*d^{11} + \\
& 66*a^6*b^{10}*c^{14}*d^2 - 220*a^7*b^9*c^{13}*d^3 + 495*a^8*b^8*c^{12}*d^4 - 792*a \\
& ^9*b^7*c^{11}*d^5 + 924*a^{10}*b^6*c^{10}*d^6 - 792*a^{11}*b^5*c^9*d^7 + 495*a^{12}*b \\
& ^4*c^8*d^8 - 220*a^{13}*b^3*c^7*d^9 + 66*a^{14}*b^2*c^6*d^{10}))))*(-(81*b^{11}*c^ \\
& 4 + 14641*a^4*b^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a \\
& *b^{10}*c^3*d)/(65536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}* \\
& d + 4325376*a^9*b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b \\
& ^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - 519045 \\
& 12*a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 \\
& + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11}))^{(1/4)}*2i + 2*atan(((- \\
& (81*b^{11}*c^4 + 14641*a^4*b^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d \\
& ^2 - 1188*a*b^{10}*c^3*d)/(65536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8 \\
& *b^{11}*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 + 3244 \\
& 0320*a^{11}*b^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d \\
& ^6 - 51904512*a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}* \\
& b^3*c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11}))^{(1/4)}*((- (\\
& 81*b^{11}*c^4 + 14641*a^4*b^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^ \\
& 2 - 1188*a*b^{10}*c^3*d)/(65536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8* \\
& b^{11}*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 + 32440 \\
& 320*a^{11}*b^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^ \\
& 6 - 51904512*a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b \\
& ^3*c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11}))^{(1/4)}*((- (8 \\
& 1*b^{11}*c^4 + 14641*a^4*b^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 \\
& - 1188*a*b^{10}*c^3*d)/(65536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b \\
& ^{11}*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 + 324403
\end{aligned}$$

$$\begin{aligned}
& 20*a^{11}*b^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 \\
& - 51904512*a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11})^{(3/4)}*((x*(5 \\
& 89824*a^2*b^{23}*c^{21}*d^4 - 11403264*a^3*b^{22}*c^{20}*d^5 + 98762752*a^4*b^{21}*c^{19}*d^6 - 510394368*a^5*b^{20}*c^{18}*d^7 + 1766916096*a^6*b^{19}*c^{17}*d^8 - 43448 \\
& 40192*a^7*b^{18}*c^{16}*d^9 + 7796490240*a^8*b^{17}*c^{15}*d^{10} - 10168369152*a^9*b^{16}*c^{14}*d^{11} + 9007726592*a^{10}*b^{15}*c^{13}*d^{12} - 3635478528*a^{11}*b^{14}*c^{12}* \\
& d^{13} - 3635478528*a^{12}*b^{13}*c^{11}*d^{14} + 9007726592*a^{13}*b^{12}*c^{10}*d^{15} - 10 \\
& 168369152*a^{14}*b^{11}*c^9*d^{16} + 7796490240*a^{15}*b^{10}*c^8*d^{17} - 4344840192*a \\
& ^{16}*b^9*c^7*d^{18} + 1766916096*a^{17}*b^8*c^6*d^{19} - 510394368*a^{18}*b^7*c^5*d^{20} \\
& + 98762752*a^{19}*b^6*c^4*d^{21} - 11403264*a^{20}*b^5*c^3*d^{22} + 589824*a^{21}* \\
& b^4*c^2*d^{23})*i)/(1024*(a^4*b^{12}*c^{16} + a^{16}*c^4*d^{12} - 12*a^5*b^{11}*c^{15}*d \\
& - 12*a^{15}*b*c^5*d^{11} + 66*a^6*b^{10}*c^{14}*d^2 - 220*a^7*b^9*c^{13}*d^3 + 495*a \\
& ^8*b^8*c^{12}*d^4 - 792*a^9*b^7*c^{11}*d^5 + 924*a^{10}*b^6*c^{10}*d^6 - 792*a^{11}*b \\
& ^5*c^9*d^7 + 495*a^{12}*b^4*c^8*d^8 - 220*a^{13}*b^3*c^7*d^9 + 66*a^{14}*b^2*c^6* \\
& d^{10})) + (((- (81*b^{11}*c^4 + 14641*a^4*b^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a \\
& ^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(65536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} \\
& - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 \\
& + 32440320*a^{11}*b^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4*c^4*d^8 - 14 \\
& 417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11}) \\
&)^{(1/4)}*(3072*a^4*b^{19}*c^{19}*d^4 - 45056*a^5*b^{18}*c^{18}*d^5 + 292864*a^6*b^{17} \\
& *c^{17}*d^6 - 1115136*a^7*b^{16}*c^{16}*d^7 + 2745344*a^8*b^{15}*c^{15}*d^8 - 4483072 \\
& *a^9*b^{14}*c^{14}*d^9 + 4595712*a^{10}*b^{13}*c^{13}*d^{10} - 1993728*a^{11}*b^{12}*c^{12}*d^{11} \\
& - 1993728*a^{12}*b^{11}*c^{11}*d^{12} + 4595712*a^{13}*b^{10}*c^{10}*d^{13} - 4483072*a \\
& ^{14}*b^9*c^9*d^{14} + 2745344*a^{15}*b^8*c^8*d^{15} - 1115136*a^{16}*b^7*c^7*d^{16} + \\
& 292864*a^{17}*b^6*c^6*d^{17} - 45056*a^{18}*b^5*c^5*d^{18} + 3072*a^{19}*b^4*c^4*d^{19} \\
&))/(a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c^{11}*d - 8*a^{11}*b*c^5*d^7 + 28* \\
& a^6*b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^8*b^4*c^8*d^4 - 56*a^9*b^3*c^7 \\
& *d^5 + 28*a^{10}*b^2*c^6*d^6))*i + (((891*a^8*b^7*d^{15})/64 + (891*b^{15}*c^8*d \\
& ^7)/64 - (3105*a*b^{14}*c^7*d^8)/16 - (3105*a^7*b^8*c*d^{14})/16 + (31509*a^2*b \\
& ^{13}*c^6*d^9)/32 - (33069*a^3*b^{12}*c^5*d^{10})/16 + (60307*a^4*b^{11}*c^4*d^{11})/ \\
& 32 - (33069*a^5*b^{10}*c^3*d^{12})/16 + (31509*a^6*b^9*c^2*d^{13})/32)*i)/(a^4*b \\
& ^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c^{11}*d - 8*a^{11}*b*c^5*d^7 + 28*a^6*b^6*c \\
& ^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^8*b^4*c^8*d^4 - 56*a^9*b^3*c^7*d^5 + 28 \\
& *a^{10}*b^2*c^6*d^6)) - (x*(9801*a^8*b^9*d^{17} + 9801*b^{17}*c^8*d^9 - 149094*a* \\
& b^{16}*c^7*d^{10} - 149094*a^7*b^{10}*c*d^{16} + 1001520*a^2*b^{15}*c^6*d^{11} - 348460 \\
& 2*a^3*b^{14}*c^5*d^{12} + 5769038*a^4*b^{13}*c^4*d^{13} - 3484602*a^5*b^{12}*c^3*d^{14} \\
& + 1001520*a^6*b^{11}*c^2*d^{15}))/ (1024*(a^4*b^{12}*c^{16} + a^{16}*c^4*d^{12} - 12*a^5*b^{11}*c^{15}*d \\
& - 12*a^{15}*b*c^5*d^{11} + 66*a^6*b^{10}*c^{14}*d^2 - 220*a^7*b^9*c^{13}*d^3 + 495*a^8*b^8*c^{12}*d^4 - 792*a^9*b^7*c^{11}*d^5 + 924*a^{10}*b^6*c^{10}*d^6 \\
& - 792*a^{11}*b^5*c^9*d^7 + 495*a^{12}*b^4*c^8*d^8 - 220*a^{13}*b^3*c^7*d^9 + 66* \\
& a^{14}*b^2*c^6*d^{10}))) + ((- (81*b^{11}*c^4 + 14641*a^4*b^7*d^4 - 15972*a^3*b^8*c \\
& *d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(65536*a^{19}*d^{12} + 65536*a \\
& ^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 - 1441792
\end{aligned}$$

$$\begin{aligned}
& 0*a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 \\
& + 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4 \\
& *c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a \\
& ^{18}*b*c*d^{11})^{(1/4)}*((-(81*b^{11}*c^4 + 14641*a^4*b^7*d^4 - 15972*a^3*b^8*c*d \\
& ^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(65536*a^{19}*d^{12} + 65536*a^7 \\
& *b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 - 14417920 \\
& *a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 + \\
& 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4*c \\
& ^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a^ \\
& ^{18}*b*c*d^{11})^{(1/4)}*((-(81*b^{11}*c^4 + 14641*a^4*b^7*d^4 - 15972*a^3*b^8*c*d \\
& ^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(65536*a^{19}*d^{12} + 65536*a^7 \\
& *b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 - 14417920* \\
& a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 + \\
& 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4*c \\
& ^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a^1 \\
& ^{18}*b*c*d^{11})^{(3/4)}*((x*(589824*a^2*b^{23}*c^{21}*d^4 - 11403264*a^3*b^{22}*c^{20}*d \\
& ^5 + 98762752*a^4*b^{21}*c^{19}*d^6 - 510394368*a^5*b^{20}*c^{18}*d^7 + 1766916096* \\
& a^6*b^{19}*c^{17}*d^8 - 4344840192*a^7*b^{18}*c^{16}*d^9 + 7796490240*a^8*b^{17}*c^{15} \\
& *d^{10} - 10168369152*a^9*b^{16}*c^{14}*d^{11} + 9007726592*a^{10}*b^{15}*c^{13}*d^{12} - 3 \\
& 635478528*a^{11}*b^{14}*c^{12}*d^{13} - 3635478528*a^{12}*b^{13}*c^{11}*d^{14} + 9007726592 \\
& *a^{13}*b^{12}*c^{10}*d^{15} - 10168369152*a^{14}*b^{11}*c^9*d^{16} + 7796490240*a^{15}*b^1 \\
& ^0*c^8*d^{17} - 4344840192*a^{16}*b^9*c^7*d^{18} + 1766916096*a^{17}*b^8*c^6*d^{19} - \\
& 510394368*a^{18}*b^7*c^5*d^{20} + 98762752*a^{19}*b^6*c^4*d^{21} - 11403264*a^{20}*b^ \\
& ^5*c^3*d^{22} + 589824*a^{21}*b^4*c^2*d^{23})*1i)/(1024*(a^4*b^{12}*c^{16} + a^{16}*c^4* \\
& d^{12} - 12*a^5*b^{11}*c^{15}*d - 12*a^{15}*b*c^5*d^{11} + 66*a^6*b^{10}*c^{14}*d^2 - 220 \\
& *a^7*b^9*c^{13}*d^3 + 495*a^8*b^8*c^{12}*d^4 - 792*a^9*b^7*c^{11}*d^5 + 924*a^{10}* \\
& b^6*c^{10}*d^6 - 792*a^{11}*b^5*c^9*d^7 + 495*a^{12}*b^4*c^8*d^8 - 220*a^{13}*b^3*c \\
& ^7*d^9 + 66*a^{14}*b^2*c^6*d^{10})) - ((-(81*b^{11}*c^4 + 14641*a^4*b^7*d^4 - 159 \\
& 72*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(65536*a^{19}*d^ \\
& ^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d \\
& ^2 - 14417920*a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b^8*c^8*d^4 - 51904512*a^{12}* \\
& b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5*d^7 + 32440 \\
& 320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^1 \\
& ^0 - 786432*a^{18}*b*c*d^{11})^{(1/4)}*(3072*a^4*b^{19}*c^{19}*d^4 - 45056*a^5*b^{18}*c \\
& ^{18}*d^5 + 292864*a^6*b^{17}*c^{17}*d^6 - 1115136*a^7*b^{16}*c^{16}*d^7 + 2745344*a^ \\
& ^8*b^{15}*c^{15}*d^8 - 4483072*a^9*b^{14}*c^{14}*d^9 + 4595712*a^{10}*b^{13}*c^{13}*d^{10} - \\
& 1993728*a^{11}*b^{12}*c^{12}*d^{11} - 1993728*a^{12}*b^{11}*c^{11}*d^{12} + 4595712*a^{13}*b \\
& ^{10}*c^{10}*d^{13} - 4483072*a^{14}*b^9*c^9*d^{14} + 2745344*a^{15}*b^8*c^8*d^{15} - 111 \\
& 5136*a^{16}*b^7*c^7*d^{16} + 292864*a^{17}*b^6*c^6*d^{17} - 45056*a^{18}*b^5*c^5*d^{18} \\
& + 3072*a^{19}*b^4*c^4*d^{19}))/ (a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c^{11}*d \\
& - 8*a^{11}*b*c^5*d^7 + 28*a^6*b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^8*b^4 \\
& *c^8*d^4 - 56*a^9*b^3*c^7*d^5 + 28*a^{10}*b^2*c^6*d^6))*1i - (((891*a^8*b^7*d \\
& ^{15})/64 + (891*b^{15}*c^8*d^7)/64 - (3105*a*b^{14}*c^7*d^8)/16 - (3105*a^7*b^8* \\
& c*d^{14})/16 + (31509*a^2*b^{13}*c^6*d^9)/32 - (33069*a^3*b^{12}*c^5*d^{10})/16 + (\\
& 60307*a^4*b^{11}*c^4*d^{11})/32 - (33069*a^5*b^{10}*c^3*d^{12})/16 + (31509*a^6*b^9
\end{aligned}$$

$$\begin{aligned}
& *c^2*d^{13})/32)*i)/(a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c^{11}*d - 8*a^{11} \\
& *b*c^5*d^7 + 28*a^6*b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^8*b^4*c^8*d^4 \\
& - 56*a^9*b^3*c^7*d^5 + 28*a^{10}*b^2*c^6*d^6)) - (x*(9801*a^8*b^9*d^{17} + 9801 \\
& *b^{17}*c^8*d^9 - 149094*a*b^{16}*c^7*d^{10} - 149094*a^7*b^{10}*c*d^{16} + 1001520*a \\
& ^2*b^{15}*c^6*d^{11} - 3484602*a^3*b^{14}*c^5*d^{12} + 5769038*a^4*b^{13}*c^4*d^{13} - \\
& 3484602*a^5*b^{12}*c^3*d^{14} + 1001520*a^6*b^{11}*c^2*d^{15}))/((1024*(a^4*b^{12}*c^{11} \\
& 6 + a^{16}*c^4*d^{12} - 12*a^5*b^{11}*c^{15}*d - 12*a^{15}*b*c^5*d^{11} + 66*a^6*b^{10}*c \\
& ^{14}*d^2 - 220*a^7*b^9*c^{13}*d^3 + 495*a^8*b^8*c^{12}*d^4 - 792*a^9*b^7*c^{11}*d^5 \\
& + 924*a^{10}*b^6*c^{10}*d^6 - 792*a^{11}*b^5*c^9*d^7 + 495*a^{12}*b^4*c^8*d^8 - 2 \\
& 20*a^{13}*b^3*c^7*d^9 + 66*a^{14}*b^2*c^6*d^{10}))))/((-81*b^{11}*c^4 + 14641*a^4*b \\
& ^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(\\
& 65536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9 \\
& *b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b^8*c^8*d^4 - 5 \\
& 1904512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5 \\
& *d^7 + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17} \\
& *b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11}))^{(1/4)}*((-81*b^{11}*c^4 + 14641*a^4*b \\
& ^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(6 \\
& 5536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9 \\
& *b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b^8*c^8*d^4 - 51 \\
& 904512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5 \\
& *d^7 + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17} \\
& *b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11}))^{(1/4)}*((-81*b^{11}*c^4 + 14641*a^4*b \\
& ^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(65 \\
& 536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9* \\
& b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b^8*c^8*d^4 - 519 \\
& 04512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5* \\
& d^7 + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17} \\
& *b^2*c^2*d^{10} - 786432*a^{18}*b*c*d^{11}))^{(3/4)}*((x*(589824*a^2*b^{23}*c^{21}*d^4 - \\
& 11403264*a^3*b^{22}*c^{20}*d^5 + 98762752*a^4*b^{21}*c^{19}*d^6 - 510394368*a^5*b^{20} \\
& *c^{18}*d^7 + 1766916096*a^6*b^{19}*c^{17}*d^8 - 4344840192*a^7*b^{18}*c^{16}*d^9 + \\
& 7796490240*a^8*b^{17}*c^{15}*d^{10} - 10168369152*a^9*b^{16}*c^{14}*d^{11} + 900772659 \\
& 2*a^{10}*b^{15}*c^{13}*d^{12} - 3635478528*a^{11}*b^{14}*c^{12}*d^{13} - 3635478528*a^{12}*b^{13} \\
& *c^{11}*d^{14} + 9007726592*a^{13}*b^{12}*c^{10}*d^{15} - 10168369152*a^{14}*b^{11}*c^9*d \\
& ^{16} + 7796490240*a^{15}*b^{10}*c^8*d^{17} - 4344840192*a^{16}*b^9*c^7*d^{18} + 176691 \\
& 6096*a^{17}*b^8*c^6*d^{19} - 510394368*a^{18}*b^7*c^5*d^{20} + 98762752*a^{19}*b^6*c^4 \\
& *d^{21} - 11403264*a^{20}*b^5*c^3*d^{22} + 589824*a^{21}*b^4*c^2*d^{23})*i)/(1024*(\\
& a^4*b^{12}*c^{16} + a^{16}*c^4*d^{12} - 12*a^5*b^{11}*c^{15}*d - 12*a^{15}*b*c^5*d^{11} + 6 \\
& 6*a^6*b^{10}*c^{14}*d^2 - 220*a^7*b^9*c^{13}*d^3 + 495*a^8*b^8*c^{12}*d^4 - 792*a^9 \\
& *b^7*c^{11}*d^5 + 924*a^{10}*b^6*c^{10}*d^6 - 792*a^{11}*b^5*c^9*d^7 + 495*a^{12}*b^4 \\
& *c^8*d^8 - 220*a^{13}*b^3*c^7*d^9 + 66*a^{14}*b^2*c^6*d^{10})) + ((-81*b^{11}*c^4 \\
& + 14641*a^4*b^7*d^4 - 15972*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b \\
& ^{10}*c^3*d)/(65536*a^{19}*d^{12} + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d \\
& + 4325376*a^9*b^{10}*c^{10}*d^2 - 14417920*a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b^8 \\
& *c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - 51904512 \\
& *a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 +
\end{aligned}$$

$$\begin{aligned}
& (4325376a^{17}b^2c^2d^{10} - 786432a^{18}b^*c^*d^{11}))^{(1/4)} * (3072a^4b^{19}c^{19}d^4 - 45056a^5b^{18}c^{18}d^5 + 292864a^6b^{17}c^{17}d^6 - 1115136a^7b^{16}c^{16}d^7 + 2745344a^8b^{15}c^{15}d^8 - 4483072a^9b^{14}c^{14}d^9 + 4595712a^{10}b^{13}c^{13}d^{10} - 1993728a^{11}b^{12}c^{12}d^{11} - 1993728a^{12}b^{11}c^{11}d^{12} + 4595712a^{13}b^{10}c^{10}d^{13} - 4483072a^{14}b^9c^9d^{14} + 2745344a^{15}b^8c^8d^{15} - 1115136a^{16}b^7c^7d^{16} + 292864a^{17}b^6c^6d^{17} - 45056a^{18}b^5c^5d^{18} + 3072a^{19}b^4c^4d^{19})) / (a^4b^8c^{12} + a^{12}c^4d^8 - 8a^5b^7c^{11}d - 8a^{11}b^*c^5d^7 + 28a^6b^6c^{10}d^2 - 56a^7b^5c^9d^3 + 70a^8b^4c^8d^4 - 56a^9b^3c^7d^5 + 28a^{10}b^2c^6d^6)) * i + (((891a^8b^7d^{15})/64 + (891b^{15}c^8d^7)/64 - (3105a^*b^{14}c^7d^8)/16 - (3105a^7b^8c^*d^{14})/16 + (31509a^2b^{13}c^6d^9)/32 - (33069a^3b^{12}c^5d^{10})/16 + (60307a^4b^{11}c^4d^{11})/32 - (33069a^5b^{10}c^3d^{12})/16 + (31509a^6b^9c^2d^{13})/32) * i) / (a^4b^8c^{12} + a^{12}c^4d^8 - 8a^5b^7c^{11}d - 8a^{11}b^*c^5d^7 + 28a^6b^6c^{10}d^2 - 56a^7b^5c^9d^3 + 70a^8b^4c^8d^4 - 56a^9b^3c^7d^5 + 28a^{10}b^2c^6d^6)) * i - (x*(9801a^8b^9d^{17} + 9801b^{17}c^8d^9 - 149094a^*b^{16}c^7d^{10} - 149094a^7b^{10}c^*d^{16} + 1001520a^2b^{15}c^6d^{11} - 3484602a^3b^{14}c^5d^{12} + 5769038a^4b^{13}c^4d^{13} - 3484602a^5b^{12}c^3d^{14} + 1001520a^6b^{11}c^2d^{15}) * i) / (1024*(a^4b^{12}c^{16} + a^{16}c^4d^{12} - 12a^5b^{11}c^{15}d - 12a^{15}b^*c^5d^{11} + 66a^6b^{10}c^{14}d^2 - 220a^7b^9c^{13}d^3 + 495a^8b^8c^{12}d^4 - 792a^9b^7c^{11}d^5 + 924a^{10}b^6c^{10}d^6 - 792a^{11}b^5c^9d^7 + 495a^{12}b^4c^8d^8 - 220a^{13}b^3c^7d^9 + 66a^{14}b^2c^6d^{10})) - (- (81b^{11}c^4 + 14641a^4b^7d^4 - 15972a^3b^8c^*d^3 + 6534a^2b^9c^2d^2 - 1188a^*b^{10}c^3d) / (65536a^{19}d^{12} + 65536a^7b^{12}c^{12} - 786432a^8b^{11}c^{11}d + 4325376a^9b^{10}c^{10}d^2 - 14417920a^{10}b^9c^9d^3 + 32440320a^{11}b^8c^8d^4 - 51904512a^{12}b^7c^7d^5 + 60555264a^{13}b^6c^6d^6 - 51904512a^{14}b^5c^5d^7 + 32440320a^{15}b^4c^4d^8 - 14417920a^{16}b^3c^3d^9 + 4325376a^{17}b^2c^2d^{10} - 786432a^{18}b^*c^*d^{11}))^{(1/4)} * ((- (81b^{11}c^4 + 14641a^4b^7d^4 - 15972a^3b^8c^*d^3 + 6534a^2b^9c^2d^2 - 1188a^*b^{10}c^3d) / (65536a^{19}d^{12} + 65536a^7b^{12}c^{12} - 786432a^8b^{11}c^{11}d + 4325376a^9b^{10}c^{10}d^2 - 14417920a^{10}b^9c^9d^3 + 32440320a^{11}b^8c^8d^4 - 51904512a^{12}b^7c^7d^5 + 60555264a^{13}b^6c^6d^6 - 51904512a^{14}b^5c^5d^7 + 32440320a^{15}b^4c^4d^8 - 14417920a^{16}b^3c^3d^9 + 4325376a^{17}b^2c^2d^{10} - 786432a^{18}b^*c^*d^{11}))^{(1/4)} * ((- (81b^{11}c^4 + 14641a^4b^7d^4 - 15972a^3b^8c^*d^3 + 6534a^2b^9c^2d^2 - 1188a^*b^{10}c^3d) / (65536a^{19}d^{12} + 65536a^7b^{12}c^{12} - 786432a^8b^{11}c^{11}d + 4325376a^9b^{10}c^{10}d^2 - 14417920a^{10}b^9c^9d^3 + 32440320a^{11}b^8c^8d^4 - 51904512a^{12}b^7c^7d^5 + 60555264a^{13}b^6c^6d^6 - 51904512a^{14}b^5c^5d^7 + 32440320a^{15}b^4c^4d^8 - 14417920a^{16}b^3c^3d^9 + 4325376a^{17}b^2c^2d^{10} - 786432a^{18}b^*c^*d^{11}))^{(3/4)} * ((x*(589824a^2b^{23}c^{21}d^4 - 11403264a^3b^{22}c^{20}d^5 + 98762752a^4b^{21}c^{19}d^6 - 510394368a^5b^{20}c^{18}d^7 + 1766916096a^6b^{19}c^{17}d^8 - 4344840192a^7b^{18}c^{16}d^9 + 7796490240a^8b^{17}c^{15}d^{10} - 10168369152a^9b^{16}c^{14}d^{11} + 9007726592a^{10}b^{15}c^{13}d^{12} - 3635478528a^{11}b^{14}c^{12}d^{13} - 3635478528a^{12}b^{13}c^{11}d^{14} + 9007726592a^{13}b^{12}c^{10}d^{15}
\end{aligned}$$

$$\begin{aligned}
& 5 - 10168369152*a^{14}*b^{11}*c^9*d^{16} + 7796490240*a^{15}*b^{10}*c^8*d^{17} - 434484 \\
& 0192*a^{16}*b^9*c^7*d^{18} + 1766916096*a^{17}*b^8*c^6*d^{19} - 510394368*a^{18}*b^7* \\
& c^5*d^{20} + 98762752*a^{19}*b^6*c^4*d^{21} - 11403264*a^{20}*b^5*c^3*d^{22} + 589824 \\
& *a^{21}*b^4*c^2*d^{23})*1i)/(1024*(a^4*b^{12}*c^{16} + a^{16}*c^4*d^{12} - 12*a^5*b^{11}* \\
& c^{15}*d - 12*a^{15}*b*c^5*d^{11} + 66*a^6*b^{10}*c^{14}*d^2 - 220*a^7*b^9*c^{13}*d^3 + \\
& 495*a^8*b^8*c^{12}*d^4 - 792*a^9*b^7*c^{11}*d^5 + 924*a^{10}*b^6*c^{10}*d^6 - 792* \\
& a^{11}*b^5*c^9*d^7 + 495*a^{12}*b^4*c^8*d^8 - 220*a^{13}*b^3*c^7*d^9 + 66*a^{14}*b^2* \\
& c^6*d^{10})) - (((- (81*b^{11}*c^4 + 14641*a^4*b^7*d^4 - 15972*a^3*b^8*c*d^3 + \\
& 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(65536*a^{19}*d^{12} + 65536*a^7*b^{12} \\
& *c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 - 14417920*a^{10}* \\
& b^9*c^9*d^3 + 32440320*a^{11}*b^8*c^8*d^4 - 51904512*a^{12}*b^7*c^7*d^5 + 60555 \\
& 264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5*d^7 + 32440320*a^{15}*b^4*c^4*d^8 - \\
& 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} - 786432*a^{18}*b*c* \\
& d^{11}))^{(1/4)}*(3072*a^4*b^{19}*c^{19}*d^4 - 45056*a^5*b^{18}*c^{18}*d^5 + 292864*a^6* \\
& b^{17}*c^{17}*d^6 - 1115136*a^7*b^{16}*c^{16}*d^7 + 2745344*a^8*b^{15}*c^{15}*d^8 - 4 \\
& 483072*a^9*b^{14}*c^{14}*d^9 + 4595712*a^{10}*b^{13}*c^{13}*d^{10} - 1993728*a^{11}*b^{12}* \\
& c^{12}*d^{11} - 1993728*a^{12}*b^{11}*c^{11}*d^{12} + 4595712*a^{13}*b^{10}*c^{10}*d^{13} - 448 \\
& 3072*a^{14}*b^9*c^9*d^{14} + 2745344*a^{15}*b^8*c^8*d^{15} - 1115136*a^{16}*b^7*c^7*d^{16} \\
& + 292864*a^{17}*b^6*c^6*d^{17} - 45056*a^{18}*b^5*c^5*d^{18} + 3072*a^{19}*b^4*c^4* \\
& d^{19}))/ (a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c^{11}*d - 8*a^{11}*b*c^5*d^7 \\
& + 28*a^6*b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^8*b^4*c^8*d^4 - 56*a^9*b^3*c^7*d^5 \\
& + 28*a^{10}*b^2*c^6*d^6))*1i - (((891*a^8*b^7*d^{15})/64 + (891*b^{15} \\
& *c^8*d^7)/64 - (3105*a*b^{14}*c^7*d^8)/16 - (3105*a^7*b^8*c*d^{14})/16 + (31509 \\
& *a^2*b^{13}*c^6*d^9)/32 - (33069*a^3*b^{12}*c^5*d^{10})/16 + (60307*a^4*b^{11}*c^4* \\
& d^{11})/32 - (33069*a^5*b^{10}*c^3*d^{12})/16 + (31509*a^6*b^9*c^2*d^{13})/32)*1i)/ \\
& (a^4*b^8*c^{12} + a^{12}*c^4*d^8 - 8*a^5*b^7*c^{11}*d - 8*a^{11}*b*c^5*d^7 + 28*a^6* \\
& b^6*c^{10}*d^2 - 56*a^7*b^5*c^9*d^3 + 70*a^8*b^4*c^8*d^4 - 56*a^9*b^3*c^7*d^5 \\
& + 28*a^{10}*b^2*c^6*d^6))*1i - (x*(9801*a^8*b^9*d^{17} + 9801*b^{17}*c^8*d^9 - \\
& 149094*a*b^{16}*c^7*d^{10} - 149094*a^7*b^{10}*c*d^{16} + 1001520*a^2*b^{15}*c^6*d^{11} \\
& - 3484602*a^3*b^{14}*c^5*d^{12} + 5769038*a^4*b^{13}*c^4*d^{13} - 3484602*a^5*b^{12} \\
& *c^3*d^{14} + 1001520*a^6*b^{11}*c^2*d^{15})*1i)/(1024*(a^4*b^{12}*c^{16} + a^{16}*c^4* \\
& d^{12} - 12*a^5*b^{11}*c^{15}*d - 12*a^{15}*b*c^5*d^{11} + 66*a^6*b^{10}*c^{14}*d^2 - 220 \\
& *a^7*b^9*c^{13}*d^3 + 495*a^8*b^8*c^{12}*d^4 - 792*a^9*b^7*c^{11}*d^5 + 924*a^{10}* \\
& b^6*c^{10}*d^6 - 792*a^{11}*b^5*c^9*d^7 + 495*a^{12}*b^4*c^8*d^8 - 220*a^{13}*b^3*c^7* \\
& d^9 + 66*a^{14}*b^2*c^6*d^{10}))))*(- (81*b^{11}*c^4 + 14641*a^4*b^7*d^4 - 159 \\
& 72*a^3*b^8*c*d^3 + 6534*a^2*b^9*c^2*d^2 - 1188*a*b^{10}*c^3*d)/(65536*a^{19}*d^{12} \\
& + 65536*a^7*b^{12}*c^{12} - 786432*a^8*b^{11}*c^{11}*d + 4325376*a^9*b^{10}*c^{10}*d^2 \\
& - 14417920*a^{10}*b^9*c^9*d^3 + 32440320*a^{11}*b^8*c^8*d^4 - 51904512*a^{12}* \\
& b^7*c^7*d^5 + 60555264*a^{13}*b^6*c^6*d^6 - 51904512*a^{14}*b^5*c^5*d^7 + 32440 \\
& 320*a^{15}*b^4*c^4*d^8 - 14417920*a^{16}*b^3*c^3*d^9 + 4325376*a^{17}*b^2*c^2*d^{10} \\
& - 786432*a^{18}*b*c*d^{11}))^{(1/4)}
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(b*x**4+a)**2/(d*x**4+c)**2,x)
```

```
[Out] Timed out
```

$$3.110 \quad \int \frac{\sqrt{a+bx^4}}{ac-bcx^4} dx$$

Optimal. Leaf size=103

$$\frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x}{\sqrt{a+bx^4}}\right)}{2\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} c} + \frac{\tanh^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x}{\sqrt{a+bx^4}}\right)}{2\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} c}$$

Rubi [A] time = 0.06, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {404, 212, 206, 203}

$$\frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x}{\sqrt{a+bx^4}}\right)}{2\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} c} + \frac{\tanh^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x}{\sqrt{a+bx^4}}\right)}{2\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} c}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*x^4]/(a*c - b*c*x^4), x]

[Out] ArcTan[(Sqrt[2]*a^(1/4)*b^(1/4)*x)/Sqrt[a + b*x^4]]/(2*Sqrt[2]*a^(1/4)*b^(1/4)*c) + ArcTanh[(Sqrt[2]*a^(1/4)*b^(1/4)*x)/Sqrt[a + b*x^4]]/(2*Sqrt[2]*a^(1/4)*b^(1/4)*c)

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 404

```
Int[Sqrt[(a_) + (b_.)*(x_)^4]/((c_) + (d_.)*(x_)^4), x_Symbol] := Dist[a/c,
  Subst[Int[1/(1 - 4*a*b*x^4), x], x, x/Sqrt[a + b*x^4]], x] /; FreeQ[{a, b,
  c, d}, x] && EqQ[b*c + a*d, 0] && PosQ[a*b]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+bx^4}}{ac-bcx^4} dx &= \frac{\text{Subst}\left(\int \frac{1}{1-4abx^4} dx, x, \frac{x}{\sqrt{a+bx^4}}\right)}{c} \\ &= \frac{\text{Subst}\left(\int \frac{1}{1-2\sqrt{a}\sqrt{b}x^2} dx, x, \frac{x}{\sqrt{a+bx^4}}\right)}{2c} + \frac{\text{Subst}\left(\int \frac{1}{1+2\sqrt{a}\sqrt{b}x^2} dx, x, \frac{x}{\sqrt{a+bx^4}}\right)}{2c} \\ &= \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x}{\sqrt{a+bx^4}}\right)}{2\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}c} + \frac{\tanh^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x}{\sqrt{a+bx^4}}\right)}{2\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}c} \end{aligned}$$

Mathematica [C] time = 0.17, size = 155, normalized size = 1.50

$$\frac{5ax\sqrt{a+bx^4}F_1\left(\frac{1}{4}; -\frac{1}{2}, 1; \frac{5}{4}; -\frac{bx^4}{a}, \frac{bx^4}{a}\right)}{c(a-bx^4)\left(2bx^4\left(2F_1\left(\frac{5}{4}; -\frac{1}{2}, 2; \frac{9}{4}; -\frac{bx^4}{a}, \frac{bx^4}{a}\right) + F_1\left(\frac{5}{4}; \frac{1}{2}, 1; \frac{9}{4}; -\frac{bx^4}{a}, \frac{bx^4}{a}\right)\right) + 5aF_1\left(\frac{1}{4}; -\frac{1}{2}, 1; \frac{5}{4}; -\frac{bx^4}{a}, \frac{bx^4}{a}\right)}\right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[a + b*x^4]/(a*c - b*c*x^4), x]
```

```
[Out] (5*a*x*Sqrt[a + b*x^4]*AppellF1[1/4, -1/2, 1, 5/4, -((b*x^4)/a), (b*x^4)/a]
)/(c*(a - b*x^4)*(5*a*AppellF1[1/4, -1/2, 1, 5/4, -((b*x^4)/a), (b*x^4)/a]
+ 2*b*x^4*(2*AppellF1[5/4, -1/2, 2, 9/4, -((b*x^4)/a), (b*x^4)/a] + AppellF
1[5/4, 1/2, 1, 9/4, -((b*x^4)/a), (b*x^4)/a])))
```

IntegrateAlgebraic [A] time = 0.43, size = 103, normalized size = 1.00

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x}{\sqrt{a+bx^4}}\right)}{2\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}c} + \frac{\tanh^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x}{\sqrt{a+bx^4}}\right)}{2\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}c}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[Sqrt[a + b*x^4]/(a*c - b*c*x^4), x]
```

[Out] ArcTan[(Sqrt[2]*a^(1/4)*b^(1/4)*x)/Sqrt[a + b*x^4]]/(2*Sqrt[2]*a^(1/4)*b^(1/4)*c) + ArcTanh[(Sqrt[2]*a^(1/4)*b^(1/4)*x)/Sqrt[a + b*x^4]]/(2*Sqrt[2]*a^(1/4)*b^(1/4)*c)

fricas [B] time = 3.92, size = 315, normalized size = 3.06

$$\left(\frac{1}{4}\right)^{\frac{1}{4}} \left(\frac{1}{abc^4}\right)^{\frac{1}{4}} \arctan\left(\frac{\left(\frac{1}{4}\right)^{\frac{1}{4}} \sqrt{bx^4+ac} \left(\frac{1}{abc^4}\right)^{\frac{1}{4}} - 2\left(\frac{1}{4}\right)^{\frac{3}{4}} \frac{abc^3 \sqrt{\frac{1}{abc^4}} \sqrt{\frac{1}{4}} \sqrt{bx^4+ac}}{\sqrt{b}}}{x}\right) + \frac{1}{4} \left(\frac{1}{4}\right)^{\frac{1}{4}} \left(\frac{1}{abc^4}\right)^{\frac{1}{4}} \log\left(\frac{4\left(\frac{1}{4}\right)^{\frac{3}{4}} abc^3 x^3 \left(\frac{1}{abc^4}\right)^{\frac{3}{4}} + 2\left(\frac{1}{4}\right)^{\frac{1}{4}} acx \left(\frac{1}{abc^4}\right)^{\frac{1}{4}} + \sqrt{bx^4+a} \left(ac^2 \sqrt{\frac{1}{abc^4}} + x^2\right)}{bx^4-a}\right) - \frac{1}{4} \left(\frac{1}{4}\right)^{\frac{1}{4}} \left(\frac{1}{abc^4}\right)^{\frac{1}{4}} \log\left(-\frac{4\left(\frac{1}{4}\right)^{\frac{3}{4}} abc^3 x^3 \left(\frac{1}{abc^4}\right)^{\frac{3}{4}} + 2\left(\frac{1}{4}\right)^{\frac{1}{4}} acx \left(\frac{1}{abc^4}\right)^{\frac{1}{4}} - \sqrt{bx^4+a} \left(ac^2 \sqrt{\frac{1}{abc^4}} + x^2\right)}{bx^4-a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^(1/2)/(-b*c*x^4+a*c),x, algorithm="fricas")

[Out] -(1/4)^(1/4)*(1/(a*b*c^4))^(1/4)*arctan(((1/4)^(1/4)*sqrt(b*x^4 + a)*c*(1/(a*b*c^4))^(1/4) - (2*(1/4)^(3/4)*a*b*c^3*(1/(a*b*c^4))^(3/4) + (1/4)^(1/4)*b*c*x^2*(1/(a*b*c^4))^(1/4))/sqrt(b))/x) + 1/4*(1/4)^(1/4)*(1/(a*b*c^4))^(1/4)*log((4*(1/4)^(3/4)*a*b*c^3*x^3*(1/(a*b*c^4))^(3/4) + 2*(1/4)^(1/4)*a*c*x*(1/(a*b*c^4))^(1/4) + sqrt(b*x^4 + a)*(a*c^2*sqrt(1/(a*b*c^4)) + x^2))/(b*x^4 - a)) - 1/4*(1/4)^(1/4)*(1/(a*b*c^4))^(1/4)*log(-(4*(1/4)^(3/4)*a*b*c^3*x^3*(1/(a*b*c^4))^(3/4) + 2*(1/4)^(1/4)*a*c*x*(1/(a*b*c^4))^(1/4) - sqrt(b*x^4 + a)*(a*c^2*sqrt(1/(a*b*c^4)) + x^2))/(b*x^4 - a))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{\sqrt{bx^4+a}}{bcx^4-ac} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^(1/2)/(-b*c*x^4+a*c),x, algorithm="giac")

[Out] integrate(-sqrt(b*x^4 + a)/(b*c*x^4 - a*c), x)

maple [A] time = 0.21, size = 103, normalized size = 1.00

$$-\frac{\sqrt{2} \arctan\left(\frac{\sqrt{bx^4+a} \sqrt{2}}{2(ab)^{\frac{1}{4}}x}\right)}{4(ab)^{\frac{1}{4}}c} + \frac{\sqrt{2} \ln\left(\frac{\frac{\sqrt{bx^4+a} \sqrt{2}}{2x} + (ab)^{\frac{1}{4}}}{\frac{\sqrt{bx^4+a} \sqrt{2}}{2x} - (ab)^{\frac{1}{4}}}\right)}{8(ab)^{\frac{1}{4}}c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)^(1/2)/(-b*c*x^4+a*c),x)

[Out] -1/4/c*2^(1/2)/(a*b)^(1/4)*arctan(1/2*(b*x^4+a)^(1/2)*2^(1/2)/x/(a*b)^(1/4)) + 1/8/c*2^(1/2)/(a*b)^(1/4)*ln(((1/2*(b*x^4+a)^(1/2)*2^(1/2)/x+(a*b)^(1/4))/(1/2*(b*x^4+a)^(1/2)*2^(1/2)/x-(a*b)^(1/4)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{\sqrt{bx^4 + a}}{bcx^4 - ac} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^(1/2)/(-b*c*x^4+a*c),x, algorithm="maxima")

[Out] -integrate(sqrt(b*x^4 + a)/(b*c*x^4 - a*c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{bx^4 + a}}{ac - bcx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^(1/2)/(a*c - b*c*x^4),x)

[Out] int((a + b*x^4)^(1/2)/(a*c - b*c*x^4), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{\int \frac{\sqrt{a+bx^4}}{-a+bx^4} dx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)**(1/2)/(-b*c*x**4+a*c),x)

[Out] -Integral(sqrt(a + b*x**4)/(-a + b*x**4), x)/c

$$3.111 \quad \int \frac{\sqrt{a-bx^4}}{ac+bcx^4} dx$$

Optimal. Leaf size=116

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x(\sqrt{a}+\sqrt{bx^2})}{\sqrt[4]{a}\sqrt{a-bx^4}}\right)}{2\sqrt[4]{a}\sqrt[4]{b}c} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x(\sqrt{a}-\sqrt{bx^2})}{\sqrt[4]{a}\sqrt{a-bx^4}}\right)}{2\sqrt[4]{a}\sqrt[4]{b}c}$$

Rubi [A] time = 0.02, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$, Rules used = {405}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x(\sqrt{a}+\sqrt{bx^2})}{\sqrt[4]{a}\sqrt{a-bx^4}}\right)}{2\sqrt[4]{a}\sqrt[4]{b}c} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x(\sqrt{a}-\sqrt{bx^2})}{\sqrt[4]{a}\sqrt{a-bx^4}}\right)}{2\sqrt[4]{a}\sqrt[4]{b}c}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a - b*x^4]/(a*c + b*c*x^4), x]

[Out] ArcTan[(b^(1/4)*x*(Sqrt[a] + Sqrt[b]*x^2))/(a^(1/4)*Sqrt[a - b*x^4])]/(2*a^(1/4)*b^(1/4)*c) + ArcTanh[(b^(1/4)*x*(Sqrt[a] - Sqrt[b]*x^2))/(a^(1/4)*Sqrt[a - b*x^4])]/(2*a^(1/4)*b^(1/4)*c)

Rule 405

Int[Sqrt[(a_) + (b_.)*(x_)^4]/((c_) + (d_.)*(x_)^4), x_Symbol] :> With[{q = Rt[-(a*b), 4]}, Simp[(a*ArcTan[(q*x*(a + q^2*x^2))/(a*Sqrt[a + b*x^4]])]/(2*c*q), x] + Simp[(a*ArcTanh[(q*x*(a - q^2*x^2))/(a*Sqrt[a + b*x^4]])]/(2*c*q), x]] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && NegQ[a*b]

Rubi steps

$$\int \frac{\sqrt{a-bx^4}}{ac+bcx^4} dx = \frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x(\sqrt{a}+\sqrt{bx^2})}{\sqrt[4]{a}\sqrt{a-bx^4}}\right)}{2\sqrt[4]{a}\sqrt[4]{b}c} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x(\sqrt{a}-\sqrt{bx^2})}{\sqrt[4]{a}\sqrt{a-bx^4}}\right)}{2\sqrt[4]{a}\sqrt[4]{b}c}$$

Mathematica [C] time = 0.17, size = 155, normalized size = 1.34

$$\frac{5ax\sqrt{a-bx^4}F_1\left(\frac{1}{4}; -\frac{1}{2}, 1; \frac{5}{4}; \frac{bx^4}{a}, -\frac{bx^4}{a}\right)}{c(a+bx^4)\left(5aF_1\left(\frac{1}{4}; -\frac{1}{2}, 1; \frac{5}{4}; \frac{bx^4}{a}, -\frac{bx^4}{a}\right) - 2bx^4\left(2F_1\left(\frac{5}{4}; -\frac{1}{2}, 2; \frac{9}{4}; \frac{bx^4}{a}, -\frac{bx^4}{a}\right) + F_1\left(\frac{5}{4}; \frac{1}{2}, 1; \frac{9}{4}; \frac{bx^4}{a}, -\frac{bx^4}{a}\right)\right)\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a - b*x^4]/(a*c + b*c*x^4), x]

[Out] (5*a*x*Sqrt[a - b*x^4]*AppellF1[1/4, -1/2, 1, 5/4, (b*x^4)/a, -((b*x^4)/a)]/(c*(a + b*x^4)*(5*a*AppellF1[1/4, -1/2, 1, 5/4, (b*x^4)/a, -((b*x^4)/a)] - 2*b*x^4*(2*AppellF1[5/4, -1/2, 2, 9/4, (b*x^4)/a, -((b*x^4)/a)] + AppellF1[5/4, 1/2, 1, 9/4, (b*x^4)/a, -((b*x^4)/a)]))

IntegrateAlgebraic [C] time = 0.42, size = 105, normalized size = 0.91

$$\frac{\left(\frac{1}{4} - \frac{i}{4}\right) \tan^{-1}\left(\frac{(1+i)\sqrt[4]{a}\sqrt[4]{bx}}{\sqrt{a-bx^4}}\right)}{\sqrt[4]{a}\sqrt[4]{bc}} - \frac{\left(\frac{1}{4} + \frac{i}{4}\right) \tan^{-1}\left(\frac{\left(\frac{1}{2} + \frac{i}{2}\right)\sqrt{a-bx^4}}{\sqrt[4]{a}\sqrt[4]{bx}}\right)}{\sqrt[4]{a}\sqrt[4]{bc}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a - b*x^4]/(a*c + b*c*x^4), x]

[Out] ((1/4 - I/4)*ArcTan[((1 + I)*a^(1/4)*b^(1/4)*x)/Sqrt[a - b*x^4]]/(a^(1/4)*b^(1/4)*c) - ((1/4 + I/4)*ArcTan[((1/2 + I/2)*Sqrt[a - b*x^4])/(a^(1/4)*b^(1/4)*x)]/(a^(1/4)*b^(1/4)*c)

fricas [B] time = 3.54, size = 339, normalized size = 2.92

$$\frac{1}{4} \left(\frac{1}{abc}\right)^{\frac{1}{4}} \arctan\left(\frac{2 \left(\frac{1}{4}\right)^{\frac{1}{4}} abc \sqrt{-\frac{1}{2}} \left(-\frac{1}{2abc}\right)^{\frac{1}{4}} + \left(\frac{1}{4}\right)^{\frac{1}{4}} (bcx^2 \sqrt{-\frac{1}{2}} + \sqrt{-bx^4 + a}) \left(-\frac{1}{2abc}\right)^{\frac{1}{4}}}{x}\right) - \frac{1}{4} \left(\frac{1}{abc}\right)^{\frac{1}{4}} \log\left(\frac{4 \left(\frac{1}{4}\right)^{\frac{1}{4}} abc x^2 \left(-\frac{1}{2abc}\right)^{\frac{1}{4}} + \sqrt{-bx^4 + a} ac^2 \sqrt{-\frac{1}{2ac}} - 2 \left(\frac{1}{4}\right)^{\frac{1}{4}} acx \left(-\frac{1}{2abc}\right)^{\frac{1}{4}} + \sqrt{-bx^4 + a} x^2}{bx^4 + a}\right) + \frac{1}{4} \left(\frac{1}{abc}\right)^{\frac{1}{4}} \log\left(\frac{4 \left(\frac{1}{4}\right)^{\frac{1}{4}} abc x^2 \left(-\frac{1}{2abc}\right)^{\frac{1}{4}} - \sqrt{-bx^4 + a} ac^2 \sqrt{-\frac{1}{2ac}} - 2 \left(\frac{1}{4}\right)^{\frac{1}{4}} acx \left(-\frac{1}{2abc}\right)^{\frac{1}{4}} - \sqrt{-bx^4 + a} x^2}{bx^4 + a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^4+a)^(1/2)/(b*c*x^4+a*c), x, algorithm="fricas")

[Out] -(1/4)^(1/4)*(-1/(a*b*c^4))^(1/4)*arctan((2*(1/4)^(3/4)*a*b*c^3*sqrt(-1/b)*(-1/(a*b*c^4))^(3/4) + (1/4)^(1/4)*(b*c*x^2*sqrt(-1/b) + sqrt(-b*x^4 + a)*c)*(-1/(a*b*c^4))^(1/4))/x) - 1/4*(1/4)^(1/4)*(-1/(a*b*c^4))^(1/4)*log(-(4*(1/4)^(3/4)*a*b*c^3*x^3*(-1/(a*b*c^4))^(3/4) + sqrt(-b*x^4 + a)*a*c^2*sqrt(-1/(a*b*c^4)) - 2*(1/4)^(1/4)*a*c*x*(-1/(a*b*c^4))^(1/4) + sqrt(-b*x^4 + a)*x^2)/(b*x^4 + a)) + 1/4*(1/4)^(1/4)*(-1/(a*b*c^4))^(1/4)*log((4*(1/4)^(3/4)*a*b*c^3*x^3*(-1/(a*b*c^4))^(3/4) - sqrt(-b*x^4 + a)*a*c^2*sqrt(-1/(a*b*c^4)) - 2*(1/4)^(1/4)*a*c*x*(-1/(a*b*c^4))^(1/4) - sqrt(-b*x^4 + a)*x^2)/(b*x^4 + a))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-bx^4 + a}}{bcx^4 + ac} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^4+a)^(1/2)/(b*c*x^4+a*c),x, algorithm="giac")

[Out] integrate(sqrt(-b*x^4 + a)/(b*c*x^4 + a*c), x)

maple [A] time = 0.22, size = 158, normalized size = 1.36

$$\frac{\arctan\left(-\frac{\sqrt{-bx^4+a}}{(ab)^{\frac{1}{4}}x} + 1\right)}{4(ab)^{\frac{1}{4}}c} - \frac{\arctan\left(\frac{\sqrt{-bx^4+a}}{(ab)^{\frac{1}{4}}x} + 1\right)}{4(ab)^{\frac{1}{4}}c} - \frac{\ln\left(\frac{-\frac{1}{(ab)^{\frac{1}{4}}}\frac{\sqrt{-bx^4+a}}{x} + \frac{-bx^4+a}{2x^2} + \sqrt{ab}}{\frac{1}{(ab)^{\frac{1}{4}}}\frac{\sqrt{-bx^4+a}}{x} + \frac{-bx^4+a}{2x^2} + \sqrt{ab}}\right)}{8(ab)^{\frac{1}{4}}c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^4+a)^(1/2)/(b*c*x^4+a*c),x)

[Out] $-1/8/c/(a*b)^{(1/4)}*\ln((1/2*(-b*x^4+a)/x^2-(a*b)^{(1/4)}*(-b*x^4+a)^{(1/2)/x+(a*b)^{(1/2)})/(1/2*(-b*x^4+a)/x^2+(a*b)^{(1/4)}*(-b*x^4+a)^{(1/2)/x+(a*b)^{(1/2)}))$
 $-1/4/c/(a*b)^{(1/4)}*\arctan(1/(a*b)^{(1/4)}*(-b*x^4+a)^{(1/2)/x+1)+1/4/c/(a*b)^{(1/4)}*\arctan(-1/(a*b)^{(1/4)}*(-b*x^4+a)^{(1/2)/x+1)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-bx^4 + a}}{bcx^4 + ac} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^4+a)^(1/2)/(b*c*x^4+a*c),x, algorithm="maxima")

[Out] integrate(sqrt(-b*x^4 + a)/(b*c*x^4 + a*c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{a-bx^4}}{bcx^4+ac} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - b*x^4)^(1/2)/(a*c + b*c*x^4),x)

[Out] int((a - b*x^4)^(1/2)/(a*c + b*c*x^4), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\sqrt{a-bx^4}}{a+bx^4} dx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-b*x**4+a)**(1/2)/(b*c*x**4+a*c),x)
```

```
[Out] Integral(sqrt(a - b*x**4)/(a + b*x**4), x)/c
```

$$3.112 \quad \int \frac{(a+bx^4)^{7/4}}{c+dx^4} dx$$

Optimal. Leaf size=211

$$\frac{b^{3/4}(4bc-7ad) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{8d^2} - \frac{b^{3/4}(4bc-7ad) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{8d^2} + \frac{(bc-ad)^{7/4} \tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}d^2} + \frac{(bc-ad)^{7/4}}{4d}$$

Rubi [A] time = 0.22, antiderivative size = 211, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {416, 530, 240, 212, 206, 203, 377, 208, 205}

$$\frac{b^{3/4}(4bc-7ad) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{8d^2} - \frac{b^{3/4}(4bc-7ad) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{8d^2} + \frac{(bc-ad)^{7/4} \tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}d^2} + \frac{(bc-ad)^{7/4} \tanh^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}d^2} + \frac{bx(a+bx^4)^{3/4}}{4d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)^(7/4)/(c + d*x^4), x]

[Out] (b*x*(a + b*x^4)^(3/4))/(4*d) - (b^(3/4)*(4*b*c - 7*a*d)*ArcTan[(b^(1/4)*x)/(a + b*x^4)^(1/4)])/(8*d^2) + ((b*c - a*d)^(7/4)*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(2*c^(3/4)*d^2) - (b^(3/4)*(4*b*c - 7*a*d)*ArcTanh[(b^(1/4)*x)/(a + b*x^4)^(1/4)])/(8*d^2) + ((b*c - a*d)^(7/4)*ArcTanh[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(2*c^(3/4)*d^2)

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 240

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[a^(p + 1/n), Subst[Int[1/(1 - b*x^n)^(p + 1/n + 1), x], x, x/(a + b*x^n)^(1/n)], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[-1, p, 0] && NeQ[p, -2^(-1)] && IntegerQ[p + 1/n]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 416

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1)/(b*(n*(p + q) + 1)), x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q - 1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

Rule 530

Int[(((a_) + (b_.)*(x_)^(n_))^(p_)*((e_) + (f_.)*(x_)^(n_)))/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Dist[f/d, Int[(a + b*x^n)^p, x], x] + Dist[(d*e - c*f)/d, Int[(a + b*x^n)^p/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, p, n}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^4)^{7/4}}{c + dx^4} dx &= \frac{bx(a + bx^4)^{3/4}}{4d} + \frac{\int \frac{-a(bc-4ad)-b(4bc-7ad)x^4}{\sqrt[4]{a+bx^4}(c+dx^4)} dx}{4d} \\
&= \frac{bx(a + bx^4)^{3/4}}{4d} - \frac{(b(4bc - 7ad)) \int \frac{1}{\sqrt[4]{a+bx^4}} dx}{4d^2} + \frac{(bc - ad)^2 \int \frac{1}{\sqrt[4]{a+bx^4}(c+dx^4)} dx}{d^2} \\
&= \frac{bx(a + bx^4)^{3/4}}{4d} - \frac{(b(4bc - 7ad)) \text{Subst}\left(\int \frac{1}{1-bx^4} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{4d^2} + \frac{(bc - ad)^2 \text{Subst}\left(\int \frac{1}{c-(bc-ax^4)} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{d^2} \\
&= \frac{bx(a + bx^4)^{3/4}}{4d} - \frac{(b(4bc - 7ad)) \text{Subst}\left(\int \frac{1}{1-\sqrt{b}x^2} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{8d^2} - \frac{(b(4bc - 7ad)) \text{Subst}\left(\int \frac{1}{1-\sqrt{b}x^2} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{8d^2} \\
&= \frac{bx(a + bx^4)^{3/4}}{4d} - \frac{b^{3/4}(4bc - 7ad) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{8d^2} + \frac{(bc - ad)^{7/4} \tan^{-1}\left(\frac{\sqrt[4]{bc-ad}x}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}d^2} - \frac{b^{3/4}(4bc - 7ad) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{8d^2}
\end{aligned}$$

Mathematica [C] time = 0.63, size = 364, normalized size = 1.73

$$\frac{5\sqrt{c}\left(4a^2d\sqrt{a+bx^4}\log\left(\frac{\sqrt[4]{bc-ad}}{\sqrt[4]{a+bx^4}} + \sqrt{c}\right) + 4d^2c^{3/4}\sqrt[4]{bc-ad} + 4abc^{3/4}x\sqrt[4]{bc-ad} + a\sqrt{a+bx^4}(bc-4ad)\log\left(\sqrt{c} - \frac{\sqrt[4]{bc-ad}}{\sqrt[4]{a+bx^4}}\right) - abc\sqrt{a+bx^4}\log\left(\frac{\sqrt[4]{bc-ad}}{\sqrt[4]{a+bx^4}} + \sqrt{c}\right) + 2a\sqrt{a+bx^4}(4ad-bc)\tan^{-1}\left(\frac{\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right) + 4bx^2\sqrt{\frac{bc}{a}} + 1\sqrt[4]{bc-ad}(7ad-4bc)F_1\left(\frac{5}{4}; \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{c}, -\frac{dx^4}{c}\right)}{80cd\sqrt{a+bx^4}\sqrt[4]{bc-ad}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^4)^(7/4)/(c + d*x^4), x]

[Out] (4*b*(b*c - a*d)^(1/4)*(-4*b*c + 7*a*d)*x^5*(1 + (b*x^4)/a)^(1/4)*AppellF1[5/4, 1/4, 1, 9/4, -((b*x^4)/a), -((d*x^4)/c)] + 5*c^(1/4)*(4*a*b*c^(3/4)*(b*c - a*d)^(1/4)*x + 4*b^2*c^(3/4)*(b*c - a*d)^(1/4)*x^5 + 2*a*(-(b*c) + 4*a*d)*(a + b*x^4)^(1/4)*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(b + a*x^4)^(1/4)]] + a*(b*c - 4*a*d)*(a + b*x^4)^(1/4)*Log[c^(1/4) - ((b*c - a*d)^(1/4)*x)/(b + a*x^4)^(1/4)] - a*b*c*(a + b*x^4)^(1/4)*Log[c^(1/4) + ((b*c - a*d)^(1/4)*x)/(b + a*x^4)^(1/4)] + 4*a^2*d*(a + b*x^4)^(1/4)*Log[c^(1/4) + ((b*c - a*d)^(1/4)*x)/(b + a*x^4)^(1/4)]/(80*c*d*(b*c - a*d)^(1/4)*(a + b*x^4)^(1/4))

IntegrateAlgebraic [C] time = 1.19, size = 327, normalized size = 1.55

$$\frac{(7ab^{3/4}d - 4b^{7/4}c) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{8d^2} + \frac{(7ab^{3/4}d - 4b^{7/4}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{8d^2} + \frac{\left(\frac{1}{4} + \frac{i}{4}\right)(bc - ad)^{7/4} \tan^{-1}\left(\frac{\left(\frac{1}{2} + \frac{i}{2}\right)^2 \sqrt[4]{bc-ad} \left(\frac{1}{2} + \frac{i}{2}\right) \sqrt[4]{c} \sqrt{a+bx^4}}{x \sqrt[4]{a+bx^4} \sqrt[4]{bc-ad}}\right)}{c^{3/4}d^2} + \frac{\left(\frac{1}{4} + \frac{i}{4}\right)(bc - ad)^{7/4} \tanh^{-1}\left(\frac{\left(\frac{1}{2} + \frac{i}{2}\right) \sqrt[4]{c} \sqrt{a+bx^4} + \left(\frac{1}{2} - \frac{i}{2}\right)^2 \sqrt[4]{bc-ad}}{x \sqrt[4]{a+bx^4} \sqrt[4]{c}}\right)}{c^{3/4}d^2} + \frac{bx(a + bx^4)^{3/4}}{4d}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^4)^(7/4)/(c + d*x^4), x]


```
[Out] (b*x*(a + b*x^4)^(3/4))/(4*d) + ((-4*b^(7/4)*c + 7*a*b^(3/4)*d)*ArcTan[(b^(1/4)*x)/(a + b*x^4)^(1/4)]/(8*d^2) + ((1/4 + I/4)*(b*c - a*d)^(7/4)*ArcTan[(((1/2 - I/2)*(b*c - a*d)^(1/4)*x^2)/c^(1/4) - ((1/2 + I/2)*c^(1/4)*Sqrt[a + b*x^4])/(b*c - a*d)^(1/4))/(x*(a + b*x^4)^(1/4))]/(c^(3/4)*d^2) + ((-4*b^(7/4)*c + 7*a*b^(3/4)*d)*ArcTanh[(b^(1/4)*x)/(a + b*x^4)^(1/4)]/(8*d^2) + ((1/4 + I/4)*(b*c - a*d)^(7/4)*ArcTanh[(((1/2 - I/2)*(b*c - a*d)^(1/4)*x^2)/c^(1/4) + ((1/2 + I/2)*c^(1/4)*Sqrt[a + b*x^4])/(b*c - a*d)^(1/4))/(x*(a + b*x^4)^(1/4))]/(c^(3/4)*d^2)
```

fricas [B] time = 10.96, size = 2381, normalized size = 11.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^4+a)^(7/4)/(d*x^4+c),x, algorithm="fricas")
```

```
[Out] 1/16*(4*(b*x^4 + a)^(3/4)*b*x + 16*d*((b^7*c^7 - 7*a*b^6*c^6*d + 21*a^2*b^5*c^5*d^2 - 35*a^3*b^4*c^4*d^3 + 35*a^4*b^3*c^3*d^4 - 21*a^5*b^2*c^2*d^5 + 7*a^6*b*c*d^6 - a^7*d^7)/(c^3*d^8))^(1/4)*arctan(-(c*d^2*x*sqrt((b^7*c^8*d^4 - 7*a*b^6*c^7*d^5 + 21*a^2*b^5*c^6*d^6 - 35*a^3*b^4*c^5*d^7 + 35*a^4*b^3*c^4*d^8 - 21*a^5*b^2*c^3*d^9 + 7*a^6*b*c^2*d^10 - a^7*c*d^11)*x^2*sqrt((b^7*c^7 - 7*a*b^6*c^6*d + 21*a^2*b^5*c^5*d^2 - 35*a^3*b^4*c^4*d^3 + 35*a^4*b^3*c^3*d^4 - 21*a^5*b^2*c^2*d^5 + 7*a^6*b*c*d^6 - a^7*d^7)/(c^3*d^8))) + (b^10*c^10 - 10*a*b^9*c^9*d + 45*a^2*b^8*c^8*d^2 - 120*a^3*b^7*c^7*d^3 + 210*a^4*b^6*c^6*d^4 - 252*a^5*b^5*c^5*d^5 + 210*a^6*b^4*c^4*d^6 - 120*a^7*b^3*c^3*d^7 + 45*a^8*b^2*c^2*d^8 - 10*a^9*b*c*d^9 + a^10*d^10)*sqrt(b*x^4 + a))/x^2)*((b^7*c^7 - 7*a*b^6*c^6*d + 21*a^2*b^5*c^5*d^2 - 35*a^3*b^4*c^4*d^3 + 35*a^4*b^3*c^3*d^4 - 21*a^5*b^2*c^2*d^5 + 7*a^6*b*c*d^6 - a^7*d^7)/(c^3*d^8))^(1/4) + (b^5*c^6*d^2 - 5*a*b^4*c^5*d^3 + 10*a^2*b^3*c^4*d^4 - 10*a^3*b^2*c^3*d^5 + 5*a^4*b*c^2*d^6 - a^5*c*d^7)*(b*x^4 + a)^(1/4)*((b^7*c^7 - 7*a*b^6*c^6*d + 21*a^2*b^5*c^5*d^2 - 35*a^3*b^4*c^4*d^3 + 35*a^4*b^3*c^3*d^4 - 21*a^5*b^2*c^2*d^5 + 7*a^6*b*c*d^6 - a^7*d^7)/(c^3*d^8))^(1/4))/((b^7*c^7 - 7*a*b^6*c^6*d + 21*a^2*b^5*c^5*d^2 - 35*a^3*b^4*c^4*d^3 + 35*a^4*b^3*c^3*d^4 - 21*a^5*b^2*c^2*d^5 + 7*a^6*b*c*d^6 - a^7*d^7)*x)) + 4*d*((256*b^7*c^4 - 1792*a*b^6*c^3*d + 4704*a^2*b^5*c^2*d^2 - 5488*a^3*b^4*c*d^3 + 2401*a^4*b^3*d^4)/d^8)^(1/4)*arctan((d^2*x*sqrt(((256*b^7*c^4*d^4 - 1792*a*b^6*c^3*d^5 + 4704*a^2*b^5*c^2*d^6 - 5488*a^3*b^4*c*d^7 + 2401*a^4*b^3*d^8)*x^2*sqrt((256*b^7*c^4 - 1792*a*b^6*c^3*d + 4704*a^2*b^5*c^2*d^2 - 5488*a^3*b^4*c*d^3 + 2401*a^4*b^3*d^4)/d^8)) + (4096*b^10*c^6 - 43008*a*b^9*c^5*d + 188160*a^2*b^8*c^4*d^2 - 439040*a^3*b^7*c^3*d^3 + 576240*a^4*b^6*c^2*d^4 - 403368*a^5*b^5*c*d^5 + 117649*a^6*b^4*d^6)*sqrt(b*x^4 + a))/x^2)*((256*b^7*c^4 - 1792*a*b^6*c^3*d + 4704*a^2*b^5*c^2*d^2 - 5488*a^3*b^4*c*d^3 + 2401*a^4*b^3*d^4)/d^8)^(1/4) + (64*b^5*c^3*d^2 - 336*a*b^4*c^2*d^3 + 588*a^2*b^3*c*d^4 - 343*a^3*b^2*d^5)*(b*x^4 + a)^(1/4)*((256*b^7*c^4 - 1792*a*b^6*c^3*d + 4704*a^2*b^5*c^2*d^2 - 5488*a^3*b^4*c*d^3 + 2401*a^4*b^3*d^4)/d^8)^(1/4))/((256*b^7*c^4 - 1792*a*b^6*c^3*d + 4704*a^2*b^5*c^2*d^2 - 5488*a^3*b^4*c*d^3 + 2401*a^4
```

$$\begin{aligned}
 & *b^3*d^4)*x)) + 4*d*((b^7*c^7 - 7*a*b^6*c^6*d + 21*a^2*b^5*c^5*d^2 - 35*a^3 \\
 & *b^4*c^4*d^3 + 35*a^4*b^3*c^3*d^4 - 21*a^5*b^2*c^2*d^5 + 7*a^6*b*c*d^6 - a^7 \\
 & *d^7)/(c^3*d^8))^{(1/4)}*\log(-(c^2*d^6*x*((b^7*c^7 - 7*a*b^6*c^6*d + 21*a^2*b^5 \\
 & *c^5*d^2 - 35*a^3*b^4*c^4*d^3 + 35*a^4*b^3*c^3*d^4 - 21*a^5*b^2*c^2*d^5 \\
 & + 7*a^6*b*c*d^6 - a^7*d^7)/(c^3*d^8))^{(3/4)} + (b^5*c^5 - 5*a*b^4*c^4*d + 10 \\
 & *a^2*b^3*c^3*d^2 - 10*a^3*b^2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*(b*x^4 + a \\
 &)^{(1/4)})/x) - 4*d*((b^7*c^7 - 7*a*b^6*c^6*d + 21*a^2*b^5*c^5*d^2 - 35*a^3*b \\
 & ^4*c^4*d^3 + 35*a^4*b^3*c^3*d^4 - 21*a^5*b^2*c^2*d^5 + 7*a^6*b*c*d^6 - a^7*d^7)/(c^3*d^8))^{(1/4)}*\log((c^2*d^6*x*((b^7*c^7 - 7*a*b^6*c^6*d + 21*a^2*b^5 \\
 & *c^5*d^2 - 35*a^3*b^4*c^4*d^3 + 35*a^4*b^3*c^3*d^4 - 21*a^5*b^2*c^2*d^5 + 7 \\
 & *a^6*b*c*d^6 - a^7*d^7)/(c^3*d^8))^{(3/4)} - (b^5*c^5 - 5*a*b^4*c^4*d + 10*a^2 \\
 & *b^3*c^3*d^2 - 10*a^3*b^2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*(b*x^4 + a)^{(1/4)})/x) - d*((256*b^7*c^4 - 1792*a*b^6*c^3*d + 4704*a^2*b^5*c^2*d^2 - 5488 \\
 & *a^3*b^4*c*d^3 + 2401*a^4*b^3*d^4)/d^8)^{(1/4)}*\log(-(d^6*x*((256*b^7*c^4 - 1 \\
 & 792*a*b^6*c^3*d + 4704*a^2*b^5*c^2*d^2 - 5488*a^3*b^4*c*d^3 + 2401*a^4*b^3* \\
 & d^4)/d^8)^{(3/4)} + (64*b^5*c^3 - 336*a*b^4*c^2*d + 588*a^2*b^3*c*d^2 - 343*a^3 \\
 & *b^2*d^3)*(b*x^4 + a)^{(1/4)})/x) + d*((256*b^7*c^4 - 1792*a*b^6*c^3*d + 47 \\
 & 04*a^2*b^5*c^2*d^2 - 5488*a^3*b^4*c*d^3 + 2401*a^4*b^3*d^4)/d^8)^{(1/4)}*\log(\\
 & (d^6*x*((256*b^7*c^4 - 1792*a*b^6*c^3*d + 4704*a^2*b^5*c^2*d^2 - 5488*a^3*b^4 \\
 & *c*d^3 + 2401*a^4*b^3*d^4)/d^8)^{(3/4)} - (64*b^5*c^3 - 336*a*b^4*c^2*d + 5 \\
 & 88*a^2*b^3*c*d^2 - 343*a^3*b^2*d^3)*(b*x^4 + a)^{(1/4)})/x))/d
 \end{aligned}$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{7}{4}}}{dx^4 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^(7/4)/(d*x^4+c),x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(7/4)/(d*x^4 + c), x)

maple [F] time = 0.59, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{7}{4}}}{dx^4 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)^(7/4)/(d*x^4+c),x)

[Out] int((b*x^4+a)^(7/4)/(d*x^4+c),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{7}{4}}}{dx^4 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^(7/4)/(d*x^4+c),x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(7/4)/(d*x^4 + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{7/4}}{dx^4 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^(7/4)/(c + d*x^4),x)

[Out] int((a + b*x^4)^(7/4)/(c + d*x^4), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^4)^{\frac{7}{4}}}{c + dx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)**(7/4)/(d*x**4+c),x)

[Out] Integral((a + b*x**4)**(7/4)/(c + d*x**4), x)

$$3.113 \quad \int \frac{(a+bx^4)^{3/4}}{c+dx^4} dx$$

Optimal. Leaf size=173

$$\frac{b^{3/4} \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{2d} + \frac{b^{3/4} \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{2d} - \frac{(bc-ad)^{3/4} \tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}d} - \frac{(bc-ad)^{3/4} \tanh^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}d}$$

Rubi [A] time = 0.10, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {408, 240, 212, 206, 203, 377, 208, 205}

$$\frac{b^{3/4} \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{2d} + \frac{b^{3/4} \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{2d} - \frac{(bc-ad)^{3/4} \tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}d} - \frac{(bc-ad)^{3/4} \tanh^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)^(3/4)/(c + d*x^4),x]

[Out] (b^(3/4)*ArcTan[(b^(1/4)*x)/(a + b*x^4)^(1/4)]/(2*d) - ((b*c - a*d)^(3/4)*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))]/(2*c^(3/4)*d) + (b^(3/4)*ArcTanh[(b^(1/4)*x)/(a + b*x^4)^(1/4)]/(2*d) - ((b*c - a*d)^(3/4)*ArcTanh[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))]/(2*c^(3/4)*d)

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 240

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[a^(p + 1/n), Subst[Int[1/(1 - b*x^n)^(p + 1/n + 1), x], x, x/(a + b*x^n)^(1/n)], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[-1, p, 0] && NeQ[p, -2^(-1)] && IntegerQ[p + 1/n]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 408

Int[((a_) + (b_.)*(x_)^4)^(p_)/((c_) + (d_.)*(x_)^4), x_Symbol] := Dist[b/d, Int[(a + b*x^4)^(p - 1), x], x] - Dist[(b*c - a*d)/d, Int[(a + b*x^4)^(p - 1)/(c + d*x^4), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && (EqQ[p, 3/4] || EqQ[p, 5/4])

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^4)^{3/4}}{c + dx^4} dx &= \frac{b \int \frac{1}{\sqrt[4]{a+bx^4}} dx}{d} - \frac{(bc - ad) \int \frac{1}{\sqrt[4]{a+bx^4}(c+dx^4)} dx}{d} \\
&= \frac{b \operatorname{Subst}\left(\int \frac{1}{1-bx^4} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{d} - \frac{(bc - ad) \operatorname{Subst}\left(\int \frac{1}{c-(bc-ad)x^4} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{d} \\
&= \frac{b \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{b}x^2} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{2d} + \frac{b \operatorname{Subst}\left(\int \frac{1}{1+\sqrt{b}x^2} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{2d} - \frac{(bc - ad) \operatorname{Subst}\left(\int \frac{1}{c-(bc-ad)x^4} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{d} \\
&= \frac{b^{3/4} \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{2d} - \frac{(bc - ad)^{3/4} \tan^{-1}\left(\frac{\sqrt[4]{bc-ad}x}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}d} + \frac{b^{3/4} \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{2d} - \frac{(bc - ad)^{3/4}}{2c^{3/4}d}
\end{aligned}$$

Mathematica [C] time = 0.18, size = 161, normalized size = 0.93

$$\frac{5acx(a + bx^4)^{3/4} F_1\left(\frac{1}{4}; -\frac{3}{4}, 1; \frac{5}{4}; -\frac{bx^4}{a}, -\frac{dx^4}{c}\right)}{(c + dx^4)\left(x^4\left(3bcF_1\left(\frac{5}{4}; \frac{1}{4}, 1; \frac{9}{4}; -\frac{bx^4}{a}, -\frac{dx^4}{c}\right) - 4adF_1\left(\frac{5}{4}; -\frac{3}{4}, 2; \frac{9}{4}; -\frac{bx^4}{a}, -\frac{dx^4}{c}\right)\right) + 5acF_1\left(\frac{1}{4}; -\frac{3}{4}, 1; \frac{5}{4}; -\frac{bx^4}{a}, -\frac{dx^4}{c}\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^4)^(3/4)/(c + d*x^4), x]

[Out] (5*a*c*x*(a + b*x^4)^(3/4)*AppellF1[1/4, -3/4, 1, 5/4, -((b*x^4)/a), -((d*x^4)/c)]/((c + d*x^4)*(5*a*c*AppellF1[1/4, -3/4, 1, 5/4, -((b*x^4)/a), -((d*x^4)/c)] + x^4*(-4*a*d*AppellF1[5/4, -3/4, 2, 9/4, -((b*x^4)/a), -((d*x^4)/c)] + 3*b*c*AppellF1[5/4, 1/4, 1, 9/4, -((b*x^4)/a), -((d*x^4)/c)]))

IntegrateAlgebraic [C] time = 0.90, size = 281, normalized size = 1.62

$$\frac{b^{3/4} \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{2d} + \frac{b^{3/4} \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{2d} - \frac{\left(\frac{1}{4} + \frac{i}{4}\right)(bc - ad)^{3/4} \tan^{-1}\left(\frac{\left(\frac{1}{2} - \frac{i}{2}\right)^2 \sqrt[4]{bc-ad} \left(\frac{1}{2} + \frac{i}{2}\right) \sqrt[4]{a+bx^4}}{\sqrt[4]{c} \sqrt[4]{bc-ad}}\right)}{c^{3/4}d} - \frac{\left(\frac{1}{4} + \frac{i}{4}\right)(bc - ad)^{3/4} \tanh^{-1}\left(\frac{\left(\frac{1}{2} + \frac{i}{2}\right) \sqrt[4]{c} \sqrt[4]{a+bx^4} + \left(\frac{1}{2} - \frac{i}{2}\right)^2 \sqrt[4]{bc-ad}}{\sqrt[4]{bc-ad} \sqrt[4]{c}}\right)}{c^{3/4}d}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^4)^(3/4)/(c + d*x^4), x]

[Out] (b^(3/4)*ArcTan[(b^(1/4)*x)/(a + b*x^4)^(1/4)]/(2*d) - ((1/4 + I/4)*(b*c - a*d)^(3/4)*ArcTan[(((1/2 - I/2)*(b*c - a*d)^(1/4)*x^2)/c^(1/4) - ((1/2 + I/2)*c^(1/4)*Sqrt[a + b*x^4])/(b*c - a*d)^(1/4)]/(x*(a + b*x^4)^(1/4)))/(c^(3/4)*d) + (b^(3/4)*ArcTanh[(b^(1/4)*x)/(a + b*x^4)^(1/4)]/(2*d) - ((1/4 +

$$\frac{I/4 \cdot (b \cdot c - a \cdot d)^{3/4} \cdot \text{ArcTanh}\left[\frac{((1/2 - I/2) \cdot (b \cdot c - a \cdot d)^{1/4} \cdot x^2) / c^{1/4}}{((1/2 + I/2) \cdot c^{1/4} \cdot \sqrt{a + b \cdot x^4}) / (b \cdot c - a \cdot d)^{1/4}}\right]}{(x \cdot (a + b \cdot x^4)^{1/4})} / (c^{3/4} \cdot d)$$

fricas [B] time = 1.83, size = 844, normalized size = 4.88

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^(3/4)/(d*x^4+c),x, algorithm="fricas")

[Out]
$$\begin{aligned} & ((b^3 \cdot c^3 - 3 \cdot a \cdot b^2 \cdot c^2 \cdot d + 3 \cdot a^2 \cdot b \cdot c \cdot d^2 - a^3 \cdot d^3) / (c^3 \cdot d^4))^{1/4} \cdot \arctan\left(\frac{-c \cdot d \cdot x \cdot \sqrt{((b^3 \cdot c^4 \cdot d^2 - 3 \cdot a \cdot b^2 \cdot c^3 \cdot d^3 + 3 \cdot a^2 \cdot b \cdot c^2 \cdot d^4 - a^3 \cdot c \cdot d^5) \cdot x^2 \cdot \sqrt{((b^3 \cdot c^3 - 3 \cdot a \cdot b^2 \cdot c^2 \cdot d + 3 \cdot a^2 \cdot b \cdot c \cdot d^2 - a^3 \cdot d^3) / (c^3 \cdot d^4))}}}{(b^4 \cdot c^4 - 4 \cdot a \cdot b^3 \cdot c^3 \cdot d + 6 \cdot a^2 \cdot b^2 \cdot c^2 \cdot d^2 - 4 \cdot a^3 \cdot b \cdot c \cdot d^3 + a^4 \cdot d^4)} \cdot \sqrt{b \cdot x^4 + a}\right) / x^2 \\ & \cdot ((b^3 \cdot c^3 - 3 \cdot a \cdot b^2 \cdot c^2 \cdot d + 3 \cdot a^2 \cdot b \cdot c \cdot d^2 - a^3 \cdot d^3) / (c^3 \cdot d^4))^{1/4} - (b^2 \cdot c^3 \cdot d - 2 \cdot a \cdot b \cdot c^2 \cdot d^2 + a^2 \cdot c \cdot d^3) \cdot (b \cdot x^4 + a)^{1/4} \\ & \cdot ((b^3 \cdot c^3 - 3 \cdot a \cdot b^2 \cdot c^2 \cdot d + 3 \cdot a^2 \cdot b \cdot c \cdot d^2 - a^3 \cdot d^3) / (c^3 \cdot d^4))^{1/4} / ((b^3 \cdot c^3 - 3 \cdot a \cdot b^2 \cdot c^2 \cdot d + 3 \cdot a^2 \cdot b \cdot c \cdot d^2 - a^3 \cdot d^3) \cdot x) + (b^3 / d^4)^{1/4} \cdot \arctan\left(\frac{-((b \cdot x^4 + a)^{1/4} \cdot b^2 \cdot d \cdot (b^3 / d^4)^{1/4} - d \cdot x \cdot (b^3 / d^4)^{1/4} \cdot \sqrt{(b^3 \cdot d^2 \cdot x^2 \cdot \sqrt{b^3 / d^4} + \sqrt{b \cdot x^4 + a}) \cdot b^4} / x^2)}}{b^3 \cdot x}\right) \\ & - 1/4 \cdot ((b^3 \cdot c^3 - 3 \cdot a \cdot b^2 \cdot c^2 \cdot d + 3 \cdot a^2 \cdot b \cdot c \cdot d^2 - a^3 \cdot d^3) / (c^3 \cdot d^4))^{1/4} \cdot \log((c^2 \cdot d^3 \cdot x \cdot ((b^3 \cdot c^3 - 3 \cdot a \cdot b^2 \cdot c^2 \cdot d + 3 \cdot a^2 \cdot b \cdot c \cdot d^2 - a^3 \cdot d^3) / (c^3 \cdot d^4))^{3/4} + (b \cdot x^4 + a)^{1/4} \cdot (b^2 \cdot c^2 - 2 \cdot a \cdot b \cdot c \cdot d + a^2 \cdot d^2)) / x) \\ & + 1/4 \cdot ((b^3 \cdot c^3 - 3 \cdot a \cdot b^2 \cdot c^2 \cdot d + 3 \cdot a^2 \cdot b \cdot c \cdot d^2 - a^3 \cdot d^3) / (c^3 \cdot d^4))^{1/4} \cdot \log(-c^2 \cdot d^3 \cdot x \cdot ((b^3 \cdot c^3 - 3 \cdot a \cdot b^2 \cdot c^2 \cdot d + 3 \cdot a^2 \cdot b \cdot c \cdot d^2 - a^3 \cdot d^3) / (c^3 \cdot d^4))^{3/4} - (b \cdot x^4 + a)^{1/4} \cdot (b^2 \cdot c^2 - 2 \cdot a \cdot b \cdot c \cdot d + a^2 \cdot d^2)) / x) \\ & + 1/4 \cdot (b^3 / d^4)^{1/4} \cdot \log(d^3 \cdot x \cdot (b^3 / d^4)^{3/4} + (b \cdot x^4 + a)^{1/4} \cdot b^2) / x - 1/4 \cdot (b^3 / d^4)^{1/4} \cdot \log(-(d^3 \cdot x \cdot (b^3 / d^4)^{3/4} - (b \cdot x^4 + a)^{1/4} \cdot b^2) / x) \end{aligned}$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{4}}}{dx^4 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^(3/4)/(d*x^4+c),x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/4)/(d*x^4 + c), x)

maple [F] time = 0.58, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{4}}}{dx^4 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^4+a)^(3/4)/(d*x^4+c),x)`

[Out] `int((b*x^4+a)^(3/4)/(d*x^4+c),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{4}}}{dx^4 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^4+a)^(3/4)/(d*x^4+c),x, algorithm="maxima")`

[Out] `integrate((b*x^4 + a)^(3/4)/(d*x^4 + c), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(bx^4 + a)^{\frac{3}{4}}}{dx^4 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^4)^(3/4)/(c + d*x^4),x)`

[Out] `int((a + b*x^4)^(3/4)/(c + d*x^4), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^4)^{\frac{3}{4}}}{c + dx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**4+a)**(3/4)/(d*x**4+c),x)`

[Out] `Integral((a + b*x**4)**(3/4)/(c + d*x**4), x)`

$$3.114 \quad \int \frac{1}{\sqrt[4]{a+bx^4}(c+dx^4)} dx$$

Optimal. Leaf size=105

$$\frac{\tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}\sqrt[4]{bc-ad}} + \frac{\tanh^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}\sqrt[4]{bc-ad}}$$

Rubi [A] time = 0.06, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$, Rules used = {377, 212, 208, 205}

$$\frac{\tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}\sqrt[4]{bc-ad}} + \frac{\tanh^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}\sqrt[4]{bc-ad}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^4)^(1/4)*(c + d*x^4)),x]

[Out] ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))]/(2*c^(3/4)*(b*c - a*d)^(1/4)) + ArcTanh[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))]/(2*c^(3/4)*(b*c - a*d)^(1/4))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b

, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt[4]{a+bx^4} (c+dx^4)} dx &= \text{Subst} \left(\int \frac{1}{c - (bc - ad)x^4} dx, x, \frac{x}{\sqrt[4]{a+bx^4}} \right) \\ &= \frac{\text{Subst} \left(\int \frac{1}{\sqrt{c} - \sqrt{bc-ad}x^2} dx, x, \frac{x}{\sqrt[4]{a+bx^4}} \right)}{2\sqrt{c}} + \frac{\text{Subst} \left(\int \frac{1}{\sqrt{c} + \sqrt{bc-ad}x^2} dx, x, \frac{x}{\sqrt[4]{a+bx^4}} \right)}{2\sqrt{c}} \\ &= \frac{\tan^{-1} \left(\frac{\sqrt[4]{bc-ad}x}{\sqrt[4]{c} \sqrt[4]{a+bx^4}} \right)}{2c^{3/4} \sqrt[4]{bc-ad}} + \frac{\tanh^{-1} \left(\frac{\sqrt[4]{bc-ad}x}{\sqrt[4]{c} \sqrt[4]{a+bx^4}} \right)}{2c^{3/4} \sqrt[4]{bc-ad}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 84, normalized size = 0.80

$$\frac{\tan^{-1} \left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}} \right) + \tanh^{-1} \left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}} \right)}{2c^{3/4} \sqrt[4]{bc-ad}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^4)^(1/4)*(c + d*x^4)), x]

[Out] (ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))] + ArcTanh[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(2*c^(3/4)*(b*c - a*d)^(1/4))

IntegrateAlgebraic [C] time = 0.83, size = 213, normalized size = 2.03

$$\frac{\left(\frac{1}{4} + \frac{i}{4} \right) \tan^{-1} \left(\frac{\left(\frac{1}{2} - \frac{i}{2} \right) x^2 \sqrt[4]{bc-ad} - \left(\frac{1}{2} + \frac{i}{2} \right) \sqrt[4]{c} \sqrt{a+bx^4}}{\sqrt[4]{c} x \sqrt[4]{a+bx^4}} \right)}{c^{3/4} \sqrt[4]{bc-ad}} + \frac{\left(\frac{1}{4} + \frac{i}{4} \right) \tanh^{-1} \left(\frac{\left(\frac{1}{2} + \frac{i}{2} \right) \sqrt[4]{c} \sqrt{a+bx^4} + \left(\frac{1}{2} - \frac{i}{2} \right) x^2 \sqrt[4]{bc-ad}}{\sqrt[4]{bc-ad} x \sqrt[4]{a+bx^4}} \right)}{c^{3/4} \sqrt[4]{bc-ad}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^4)^(1/4)*(c + d*x^4)), x]

[Out] ((1/4 + I/4)*ArcTan[(((1/2 - I/2)*(b*c - a*d)^(1/4)*x^2)/c^(1/4) - ((1/2 + I/2)*c^(1/4)*Sqrt[a + b*x^4])/(b*c - a*d)^(1/4))/(x*(a + b*x^4)^(1/4))])/(c^(3/4)*(b*c - a*d)^(1/4)) + ((1/4 + I/4)*ArcTanh[(((1/2 - I/2)*(b*c - a*d)^(1/4)*x^2)/c^(1/4) + ((1/2 + I/2)*c^(1/4)*Sqrt[a + b*x^4])/(b*c - a*d)^(1/4))/(x*(a + b*x^4)^(1/4))])/(c^(3/4)*(b*c - a*d)^(1/4))

$(1/4)*x^2/c^{(1/4)} + ((1/2 + I/2)*c^{(1/4)}*\text{Sqrt}[a + b*x^4])/(b*c - a*d)^{(1/4)})/(x*(a + b*x^4)^{(1/4)})]/(c^{(3/4)}*(b*c - a*d)^{(1/4)})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(1/4)/(d*x^4+c),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{1}{4}}(dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(1/4)/(d*x^4+c),x, algorithm="giac")

[Out] integrate(1/((b*x^4 + a)^(1/4)*(d*x^4 + c)), x)

maple [F] time = 0.57, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{1}{4}}(dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^4+a)^(1/4)/(d*x^4+c),x)

[Out] int(1/(b*x^4+a)^(1/4)/(d*x^4+c),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{1}{4}}(dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(1/4)/(d*x^4+c),x, algorithm="maxima")

[Out] integrate(1/((b*x^4 + a)^(1/4)*(d*x^4 + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(bx^4 + a)^{1/4} (dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^4)^(1/4)*(c + d*x^4)),x)

[Out] int(1/((a + b*x^4)^(1/4)*(c + d*x^4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt[4]{a + bx^4} (c + dx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**4+a)**(1/4)/(d*x**4+c),x)

[Out] Integral(1/((a + b*x**4)**(1/4)*(c + d*x**4)), x)

$$3.115 \quad \int \frac{1}{(a+bx^4)^{5/4}(c+dx^4)} dx$$

Optimal. Leaf size=134

$$-\frac{d \tan^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{2c^{3/4}(bc-ad)^{5/4}} - \frac{d \tanh^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{2c^{3/4}(bc-ad)^{5/4}} + \frac{bx}{a \sqrt[4]{a+bx^4}(bc-ad)}$$

Rubi [A] time = 0.10, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {382, 377, 212, 208, 205}

$$-\frac{d \tan^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{2c^{3/4}(bc-ad)^{5/4}} - \frac{d \tanh^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{2c^{3/4}(bc-ad)^{5/4}} + \frac{bx}{a \sqrt[4]{a+bx^4}(bc-ad)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^4)^(5/4)*(c + d*x^4)), x]

[Out] (b*x)/(a*(b*c - a*d)*(a + b*x^4)^(1/4)) - (d*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(2*c^(3/4)*(b*c - a*d)^(5/4)) - (d*ArcTanh[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(2*c^(3/4)*(b*c - a*d)^(5/4))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 382

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)], Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ[q, -1]) && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + bx^4)^{5/4} (c + dx^4)} dx &= \frac{bx}{a(bc - ad)\sqrt[4]{a + bx^4}} - \frac{d \int \frac{1}{\sqrt[4]{a + bx^4} (c + dx^4)} dx}{bc - ad} \\ &= \frac{bx}{a(bc - ad)\sqrt[4]{a + bx^4}} - \frac{d \operatorname{Subst}\left(\int \frac{1}{c - (bc - ad)x^4} dx, x, \frac{x}{\sqrt[4]{a + bx^4}}\right)}{bc - ad} \\ &= \frac{bx}{a(bc - ad)\sqrt[4]{a + bx^4}} - \frac{d \operatorname{Subst}\left(\int \frac{1}{\sqrt{c - \sqrt{bc - ad} x^2}} dx, x, \frac{x}{\sqrt[4]{a + bx^4}}\right)}{2\sqrt{c}(bc - ad)} - \frac{d \operatorname{Subst}\left(\int \frac{1}{\sqrt{c + \sqrt{bc - ad} x^2}} dx, x, \frac{x}{\sqrt[4]{a + bx^4}}\right)}{2\sqrt{c}(bc - ad)} \\ &= \frac{bx}{a(bc - ad)\sqrt[4]{a + bx^4}} - \frac{d \tan^{-1}\left(\frac{\sqrt[4]{bc - ad} x}{\sqrt[4]{c} \sqrt[4]{a + bx^4}}\right)}{2c^{3/4}(bc - ad)^{5/4}} - \frac{d \tanh^{-1}\left(\frac{\sqrt[4]{bc - ad} x}{\sqrt[4]{c} \sqrt[4]{a + bx^4}}\right)}{2c^{3/4}(bc - ad)^{5/4}} \end{aligned}$$

Mathematica [C] time = 0.58, size = 256, normalized size = 1.91

$$\frac{45c^3(a + bx^4)^2 {}_2F_1\left(\frac{1}{4}, 1; \frac{5}{4}; \frac{(bc - ad)x^4}{c(bx^4 + a)}\right) - 45c^3(a + bx^4)^2 + 36c^2 dx^4 (a + bx^4)^2 {}_2F_1\left(\frac{1}{4}, 1; \frac{5}{4}; \frac{(bc - ad)x^4}{c(bx^4 + a)}\right) - 36c^2 dx^4 (a + bx^4)^2 + 4dx^{12}(bc - ad)^2 {}_2F_1\left(2, \frac{9}{4}, \frac{13}{4}; \frac{(bc - ad)x^4}{c(bx^4 + a)}\right) + 4cx^8(bc - ad)^2 {}_2F_1\left(2, \frac{9}{4}, \frac{13}{4}; \frac{(bc - ad)x^4}{c(bx^4 + a)}\right)}{9c^3 x^3 (a + bx^4)^{9/4} (ad - bc)}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/((a + b*x^4)^(5/4)*(c + d*x^4)), x]
```

```
[Out] -1/9*(-45*c^3*(a + b*x^4)^2 - 36*c^2*d*x^4*(a + b*x^4)^2 + 45*c^3*(a + b*x^4)^2*Hypergeometric2F1[1/4, 1, 5/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))] + 36*c^2*d*x^4*(a + b*x^4)^2*Hypergeometric2F1[1/4, 1, 5/4, ((b*c - a*d)*x^4)/(
```

$c*(a + b*x^4)] + 4*c*(b*c - a*d)^2*x^8*Hypergeometric2F1[2, 9/4, 13/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))] + 4*d*(b*c - a*d)^2*x^12*Hypergeometric2F1[2, 9/4, 13/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))]/(c^3*(-(b*c) + a*d)*x^3*(a + b*x^4)^(9/4))$

IntegrateAlgebraic [C] time = 1.58, size = 243, normalized size = 1.81

$$\frac{\left(\frac{1}{4} + \frac{i}{4}\right) d \tan^{-1}\left(\frac{\left(\frac{1}{2} - \frac{i}{2}\right) x^2 \sqrt[4]{bc-ad} - \left(\frac{1}{2} + \frac{i}{2}\right) \sqrt[4]{c} \sqrt{a+bx^4}}{\sqrt[4]{c} \sqrt[4]{bc-ad}}\right)}{c^{3/4}(bc-ad)^{5/4}} - \frac{\left(\frac{1}{4} + \frac{i}{4}\right) d \tanh^{-1}\left(\frac{\left(\frac{1}{2} + \frac{i}{2}\right) \sqrt[4]{c} \sqrt{a+bx^4} + \left(\frac{1}{2} - \frac{i}{2}\right) x^2 \sqrt[4]{bc-ad}}{\sqrt[4]{bc-ad} \sqrt[4]{c}}\right)}{c^{3/4}(bc-ad)^{5/4}} - \frac{bx}{a\sqrt[4]{a+bx^4}(ad-bc)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^4)^(5/4)*(c + d*x^4)),x]

[Out] $-\left(\frac{b*x}{a*(-(b*c) + a*d)*(a + b*x^4)^{(1/4)}}\right) - \left(\frac{(1/4 + I/4)*d*ArcTan\left[\left(\frac{(1/2 - I/2)*(b*c - a*d)^{(1/4)*x^2}}{c^{(1/4)} - ((1/2 + I/2)*c^{(1/4)*sqrt[a + b*x^4]}}\right)}{(b*c - a*d)^{(1/4)}/(x*(a + b*x^4)^{(1/4))}\right]}{c^{(3/4)*(b*c - a*d)^{(5/4)}}}\right) - \left(\frac{(1/4 + I/4)*d*ArcTanh\left[\left(\frac{(1/2 - I/2)*(b*c - a*d)^{(1/4)*x^2}}{c^{(1/4)} + ((1/2 + I/2)*c^{(1/4)*sqrt[a + b*x^4]}}\right)}{(b*c - a*d)^{(1/4)}/(x*(a + b*x^4)^{(1/4))}\right]}{c^{(3/4)*(b*c - a*d)^{(5/4)}}}\right)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(5/4)/(d*x^4+c),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{5}{4}}(dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(5/4)/(d*x^4+c),x, algorithm="giac")

[Out] integrate(1/((b*x^4 + a)^(5/4)*(d*x^4 + c)), x)

maple [F] time = 0.60, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{5}{4}}(dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(b*x^4+a)^(5/4)/(d*x^4+c),x)`

[Out] `int(1/(b*x^4+a)^(5/4)/(d*x^4+c),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{5}{4}}(dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x^4+a)^(5/4)/(d*x^4+c),x, algorithm="maxima")`

[Out] `integrate(1/((b*x^4 + a)^(5/4)*(d*x^4 + c)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(bx^4 + a)^{\frac{5}{4}}(dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b*x^4)^(5/4)*(c + d*x^4)),x)`

[Out] `int(1/((a + b*x^4)^(5/4)*(c + d*x^4)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^4)^{\frac{5}{4}}(c + dx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x**4+a)**(5/4)/(d*x**4+c),x)`

[Out] `Integral(1/((a + b*x**4)**(5/4)*(c + d*x**4)), x)`

$$3.116 \quad \int \frac{1}{(a+bx^4)^{9/4}(c+dx^4)} dx$$

Optimal. Leaf size=180

$$\frac{bx(4bc-9ad)}{5a^2\sqrt[4]{a+bx^4}(bc-ad)^2} + \frac{d^2 \tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}(bc-ad)^{9/4}} + \frac{d^2 \tanh^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}(bc-ad)^{9/4}} + \frac{bx}{5a(a+bx^4)^{5/4}(bc-ad)}$$

Rubi [A] time = 0.20, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {414, 527, 12, 377, 212, 208, 205}

$$\frac{bx(4bc-9ad)}{5a^2\sqrt[4]{a+bx^4}(bc-ad)^2} + \frac{d^2 \tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}(bc-ad)^{9/4}} + \frac{d^2 \tanh^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}(bc-ad)^{9/4}} + \frac{bx}{5a(a+bx^4)^{5/4}(bc-ad)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^4)^(9/4)*(c + d*x^4)), x]

[Out] (b*x)/(5*a*(b*c - a*d)*(a + b*x^4)^(5/4)) + (b*(4*b*c - 9*a*d)*x)/(5*a^2*(b*c - a*d)^2*(a + b*x^4)^(1/4)) + (d^2*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(2*c^(3/4)*(b*c - a*d)^(9/4)) + (d^2*ArcTanh[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(2*c^(3/4)*(b*c - a*d)^(9/4))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],

$x] + \text{Dist}[r/(2*a), \text{Int}[1/(r + s*x^2), x], x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{!GtQ}[a/b, 0]$

Rule 377

$\text{Int}[\{(a_)+ (b_)*(x_)^{(n_)}\}^{(p_)} / \{(c_)+ (d_)*(x_)^{(n_)}\}, x_Symbol] \text{:> } \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{(1/n)}] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[n*p + 1, 0] \&\& \text{IntegerQ}[n]$

Rule 414

$\text{Int}[\{(a_)+ (b_)*(x_)^{(n_)}\}^{(p_)} * \{(c_)+ (d_)*(x_)^{(n_)}\}^{(q_)}, x_Symbol] \text{:> } -\text{Simp}[(b*x*(a + b*x^n)^{(p+1)}*(c + d*x^n)^{(q+1)} / (a*n*(p+1)*(b*c - a*d)), x] + \text{Dist}[1/(a*n*(p+1)*(b*c - a*d)), \text{Int}[(a + b*x^n)^{(p+1)}*(c + d*x^n)^q * \text{Simp}[b*c + n*(p+1)*(b*c - a*d) + d*b*(n*(p+q+2) + 1)*x^n, x], x], x] /; \text{FreeQ}[\{a, b, c, d, n, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[p, -1] \&\& \text{!(IntegerQ}[p] \&\& \text{IntegerQ}[q] \&\& \text{LtQ}[q, -1]) \&\& \text{IntBinomialQ}[a, b, c, d, n, p, q, x]$

Rule 527

$\text{Int}[\{(a_)+ (b_)*(x_)^{(n_)}\}^{(p_)} * \{(c_)+ (d_)*(x_)^{(n_)}\}^{(q_)} * \{(e_)+ (f_)*(x_)^{(n_)}\}, x_Symbol] \text{:> } -\text{Simp}[\{(b*e - a*f)*x*(a + b*x^n)^{(p+1)}*(c + d*x^n)^{(q+1)} / (a*n*(b*c - a*d)*(p+1)), x] + \text{Dist}[1/(a*n*(b*c - a*d)*(p+1)), \text{Int}[(a + b*x^n)^{(p+1)}*(c + d*x^n)^q * \text{Simp}[c*(b*e - a*f) + e*n*(b*c - a*d)*(p+1) + d*(b*e - a*f)*(n*(p+q+2) + 1)*x^n, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, n, q\}, x] \&\& \text{LtQ}[p, -1]$

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + bx^4)^{9/4} (c + dx^4)} dx &= \frac{bx}{5a(bc - ad)(a + bx^4)^{5/4}} - \frac{\int \frac{-4bc + 5ad - 4bdx^4}{(a + bx^4)^{5/4} (c + dx^4)} dx}{5a(bc - ad)} \\
&= \frac{bx}{5a(bc - ad)(a + bx^4)^{5/4}} + \frac{b(4bc - 9ad)x}{5a^2(bc - ad)^2 \sqrt[4]{a + bx^4}} + \frac{\int \frac{5a^2 d^2}{\sqrt[4]{a + bx^4} (c + dx^4)} dx}{5a^2(bc - ad)^2} \\
&= \frac{bx}{5a(bc - ad)(a + bx^4)^{5/4}} + \frac{b(4bc - 9ad)x}{5a^2(bc - ad)^2 \sqrt[4]{a + bx^4}} + \frac{d^2 \int \frac{1}{\sqrt[4]{a + bx^4} (c + dx^4)} dx}{(bc - ad)^2} \\
&= \frac{bx}{5a(bc - ad)(a + bx^4)^{5/4}} + \frac{b(4bc - 9ad)x}{5a^2(bc - ad)^2 \sqrt[4]{a + bx^4}} + \frac{d^2 \operatorname{Subst}\left(\int \frac{1}{c - (bc - ad)x^4} dx, x\right)}{(bc - ad)^2} \\
&= \frac{bx}{5a(bc - ad)(a + bx^4)^{5/4}} + \frac{b(4bc - 9ad)x}{5a^2(bc - ad)^2 \sqrt[4]{a + bx^4}} + \frac{d^2 \operatorname{Subst}\left(\int \frac{1}{\sqrt{c - \sqrt{bc - ad} x^2}} dx\right)}{2\sqrt{c} (bc - ad)^2} \\
&= \frac{bx}{5a(bc - ad)(a + bx^4)^{5/4}} + \frac{b(4bc - 9ad)x}{5a^2(bc - ad)^2 \sqrt[4]{a + bx^4}} + \frac{d^2 \tan^{-1}\left(\frac{\sqrt[4]{bc - ad} x}{\sqrt[4]{c} \sqrt[4]{a + bx^4}}\right)}{2c^{3/4} (bc - ad)^{9/4}} + \dots
\end{aligned}$$

Mathematica [C] time = 2.37, size = 621, normalized size = 3.45

Integrate[1/((a + b*x^4)^(9/4)*(c + d*x^4)),x]

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*x^4)^(9/4)*(c + d*x^4)),x]

[Out] $(-585*c^4*(b*c - a*d)*x^4*(a + b*x^4)^2 - 936*c^3*d*(b*c - a*d)*x^8*(a + b*x^4)^2 - 416*c^2*d^2*(b*c - a*d)*x^{12}*(a + b*x^4)^2 - 2925*c^5*(a + b*x^4)^3 - 4680*c^4*d*x^4*(a + b*x^4)^3 - 2080*c^3*d^2*x^8*(a + b*x^4)^3 + 2925*c^5*(a + b*x^4)^3 \operatorname{Hypergeometric2F1}\left[\frac{1}{4}, 1, \frac{5}{4}, \frac{(b*c - a*d)*x^4}{c*(a + b*x^4)}\right] + 4680*c^4*d*x^4*(a + b*x^4)^3 \operatorname{Hypergeometric2F1}\left[\frac{1}{4}, 1, \frac{5}{4}, \frac{(b*c - a*d)*x^4}{c*(a + b*x^4)}\right] + 2080*c^3*d^2*x^8*(a + b*x^4)^3 \operatorname{Hypergeometric2F1}\left[\frac{1}{4}, 1, \frac{5}{4}, \frac{(b*c - a*d)*x^4}{c*(a + b*x^4)}\right] + 280*c^2*(b*c - a*d)^3*x^{12} \operatorname{Hypergeometric2F1}\left[2, \frac{13}{4}, \frac{17}{4}, \frac{(b*c - a*d)*x^4}{c*(a + b*x^4)}\right] + 520*c*d*(b*c - a*d)^3*x^{16} \operatorname{Hypergeometric2F1}\left[2, \frac{13}{4}, \frac{17}{4}, \frac{(b*c - a*d)*x^4}{c*(a + b*x^4)}\right] + 240*d^2*(b*c - a*d)^3*x^{20} \operatorname{Hypergeometric2F1}\left[2, \frac{13}{4}, \frac{17}{4}, \frac{(b*c - a*d)*x^4}{c*(a + b*x^4)}\right]$

4, 17/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))] + 80*c^2*(b*c - a*d)^3*x^12*HypergeometricPFQ[{2, 2, 13/4}, {1, 17/4}, ((b*c - a*d)*x^4)/(c*(a + b*x^4))] + 160*c*d*(b*c - a*d)^3*x^16*HypergeometricPFQ[{2, 2, 13/4}, {1, 17/4}, ((b*c - a*d)*x^4)/(c*(a + b*x^4))] + 80*d^2*(b*c - a*d)^3*x^20*HypergeometricPFQ[{2, 2, 13/4}, {1, 17/4}, ((b*c - a*d)*x^4)/(c*(a + b*x^4))]/(325*c^4*(b*c - a*d)^2*x^7*(a + b*x^4)^(13/4))

IntegrateAlgebraic [C] time = 3.49, size = 283, normalized size = 1.57

$$\frac{-10a^2bdx + 5ab^2cx - 9ab^2dx^5 + 4b^3cx^5}{5a^2(a + bx^4)^{5/4}(ad - bc)^2} + \frac{\left(\frac{1}{4} + \frac{i}{4}\right)d^2 \tan^{-1}\left(\frac{\left(\frac{1-i}{2}\right)^2 \sqrt[4]{bc-ad} - \left(\frac{1+i}{2}\right)^2 \sqrt[4]{c\sqrt{a+bx^4}}}{\sqrt[4]{c} x \sqrt[4]{a+bx^4}}\right)}{c^{3/4}(bc - ad)^{9/4}} + \frac{\left(\frac{1}{4} + \frac{i}{4}\right)d^2 \tanh^{-1}\left(\frac{\left(\frac{1+i}{2}\right)^2 \sqrt[4]{c\sqrt{a+bx^4}} + \left(\frac{1-i}{2}\right)^2 \sqrt[4]{bc-ad}}{\sqrt[4]{bc-ad} x \sqrt[4]{a+bx^4}}\right)}{c^{3/4}(bc - ad)^{9/4}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^4)^(9/4)*(c + d*x^4)),x]

[Out] (5*a*b^2*c*x - 10*a^2*b*d*x + 4*b^3*c*x^5 - 9*a*b^2*d*x^5)/(5*a^2*(-(b*c) + a*d)^2*(a + b*x^4)^(5/4)) + ((1/4 + I/4)*d^2*ArcTan[(((1/2 - I/2)*(b*c - a*d)^(1/4)*x^2)/c^(1/4) - ((1/2 + I/2)*c^(1/4)*Sqrt[a + b*x^4])/(b*c - a*d)^(1/4))]/(x*(a + b*x^4)^(1/4))]/(c^(3/4)*(b*c - a*d)^(9/4)) + ((1/4 + I/4)*d^2*ArcTanh[(((1/2 - I/2)*(b*c - a*d)^(1/4)*x^2)/c^(1/4) + ((1/2 + I/2)*c^(1/4)*Sqrt[a + b*x^4])/(b*c - a*d)^(1/4))]/(x*(a + b*x^4)^(1/4))]/(c^(3/4)*(b*c - a*d)^(9/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(9/4)/(d*x^4+c),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{9/4}(dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(9/4)/(d*x^4+c),x, algorithm="giac")

[Out] integrate(1/((b*x^4 + a)^(9/4)*(d*x^4 + c)), x)

maple [F] time = 0.60, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{9}{4}}(dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^4+a)^(9/4)/(d*x^4+c), x)

[Out] int(1/(b*x^4+a)^(9/4)/(d*x^4+c), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{9}{4}}(dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(9/4)/(d*x^4+c), x, algorithm="maxima")

[Out] integrate(1/((b*x^4 + a)^(9/4)*(d*x^4 + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(bx^4 + a)^{\frac{9}{4}}(dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^4)^(9/4)*(c + d*x^4)), x)

[Out] int(1/((a + b*x^4)^(9/4)*(c + d*x^4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^4)^{\frac{9}{4}}(c + dx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**4+a)**(9/4)/(d*x**4+c), x)

[Out] Integral(1/((a + b*x**4)**(9/4)*(c + d*x**4)), x)

$$3.117 \quad \int \frac{1}{(a+bx^4)^{13/4}(c+dx^4)} dx$$

Optimal. Leaf size=233

$$\frac{bx(8bc-17ad)}{45a^2(a+bx^4)^{5/4}(bc-ad)^2} + \frac{bx(113a^2d^2-100abcd+32b^2c^2)}{45a^3\sqrt[4]{a+bx^4}(bc-ad)^3} - \frac{d^3 \tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}(bc-ad)^{13/4}} - \frac{d^3 \tanh^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}(bc-ad)^{13/4}} + \dots$$

Rubi [A] time = 0.29, antiderivative size = 233, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {414, 527, 12, 377, 212, 208, 205}

$$\frac{bx(113a^2d^2-100abcd+32b^2c^2)}{45a^3\sqrt[4]{a+bx^4}(bc-ad)^3} + \frac{bx(8bc-17ad)}{45a^2(a+bx^4)^{5/4}(bc-ad)^2} - \frac{d^3 \tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}(bc-ad)^{13/4}} - \frac{d^3 \tanh^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{2c^{3/4}(bc-ad)^{13/4}} + \frac{bx}{9a(a+bx^4)^{9/4}(bc-ad)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^4)^(13/4)*(c + d*x^4)), x]

[Out] (b*x)/(9*a*(b*c - a*d)*(a + b*x^4)^(9/4)) + (b*(8*b*c - 17*a*d)*x)/(45*a^2*(b*c - a*d)^2*(a + b*x^4)^(5/4)) + (b*(32*b^2*c^2 - 100*a*b*c*d + 113*a^2*d^2)*x)/(45*a^3*(b*c - a*d)^3*(a + b*x^4)^(1/4)) - (d^3*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(2*c^(3/4)*(b*c - a*d)^(13/4)) - (d^3*ArcTanh[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(2*c^(3/4)*(b*c - a*d)^(13/4))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
  2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
  x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 414

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a+bx^4)^{13/4}(c+dx^4)} dx &= \frac{bx}{9a(bc-ad)(a+bx^4)^{9/4}} - \frac{\int \frac{-8bc+9ad-8bdx^4}{(a+bx^4)^{9/4}(c+dx^4)} dx}{9a(bc-ad)} \\
&= \frac{bx}{9a(bc-ad)(a+bx^4)^{9/4}} + \frac{b(8bc-17ad)x}{45a^2(bc-ad)^2(a+bx^4)^{5/4}} + \frac{\int \frac{32b^2c^2-68abcd+45a^2d^2+4ba^3}{(a+bx^4)^{5/4}(c+dx^4)} dx}{45a^2(bc-ad)^3} \\
&= \frac{bx}{9a(bc-ad)(a+bx^4)^{9/4}} + \frac{b(8bc-17ad)x}{45a^2(bc-ad)^2(a+bx^4)^{5/4}} + \frac{b(32b^2c^2-100abcd+113a^2d^2+4ba^3)}{45a^3(bc-ad)^3\sqrt[4]{a+bx^4}} \\
&= \frac{bx}{9a(bc-ad)(a+bx^4)^{9/4}} + \frac{b(8bc-17ad)x}{45a^2(bc-ad)^2(a+bx^4)^{5/4}} + \frac{b(32b^2c^2-100abcd+113a^2d^2+4ba^3)}{45a^3(bc-ad)^3\sqrt[4]{a+bx^4}} \\
&= \frac{bx}{9a(bc-ad)(a+bx^4)^{9/4}} + \frac{b(8bc-17ad)x}{45a^2(bc-ad)^2(a+bx^4)^{5/4}} + \frac{b(32b^2c^2-100abcd+113a^2d^2+4ba^3)}{45a^3(bc-ad)^3\sqrt[4]{a+bx^4}} \\
&= \frac{bx}{9a(bc-ad)(a+bx^4)^{9/4}} + \frac{b(8bc-17ad)x}{45a^2(bc-ad)^2(a+bx^4)^{5/4}} + \frac{b(32b^2c^2-100abcd+113a^2d^2+4ba^3)}{45a^3(bc-ad)^3\sqrt[4]{a+bx^4}} \\
&= \frac{bx}{9a(bc-ad)(a+bx^4)^{9/4}} + \frac{b(8bc-17ad)x}{45a^2(bc-ad)^2(a+bx^4)^{5/4}} + \frac{b(32b^2c^2-100abcd+113a^2d^2+4ba^3)}{45a^3(bc-ad)^3\sqrt[4]{a+bx^4}}
\end{aligned}$$

Mathematica [A] time = 5.44, size = 231, normalized size = 0.99

$$\frac{bx \left((a+bx^4)^2 (113a^2d^2 - 100abcd + 32b^2c^2) + 5a^2(bc-ad)^2 + a(a+bx^4)(ad-bc)(17ad-8bc) \right)}{45a^3(a+bx^4)^{9/4}(bc-ad)^3} - \frac{d^3 \left(-\log \left(\sqrt[4]{c} - \frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{ax^4+b}} \right) + \log \left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{ax^4+b}} + \sqrt[4]{c} \right) + 2 \tan^{-1} \left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{ax^4+b}} \right) \right)}{4c^{3/4}(bc-ad)^{13/4}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*x^4)^(13/4)*(c + d*x^4)), x]

[Out] (b*x*(5*a^2*(b*c - a*d)^2 + a*(-(b*c) + a*d)*(-8*b*c + 17*a*d)*(a + b*x^4) + (32*b^2*c^2 - 100*a*b*c*d + 113*a^2*d^2)*(a + b*x^4)^2)/(45*a^3*(b*c - a*d)^3*(a + b*x^4)^(9/4)) - (d^3*(2*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(b + a*x^4)^(1/4))] - Log[c^(1/4) - ((b*c - a*d)^(1/4)*x)/(b + a*x^4)^(1/4)])

+ Log[c^(1/4) + ((b*c - a*d)^(1/4)*x)/(b + a*x^4)^(1/4)]/(4*c^(3/4)*(b*c - a*d)^(13/4))

IntegrateAlgebraic [C] time = 5.18, size = 356, normalized size = 1.53

$$\frac{-135a^4bd^2x + 135a^3b^2cdx - 243a^3b^2d^2x^5 - 45a^2b^3c^2x + 225a^2b^3cdx^5 - 113a^2b^3d^2x^9 - 72ab^4c^2x^5 + 100ab^4cdx^9 - 32b^5c^2x^9}{45a^3(a+bx^4)^{9/4}(ad-bc)^3} \cdot \frac{\left(\frac{1}{4} + \frac{i}{4}\right)d^3 \tan^{-1}\left(\frac{\left(\frac{1}{2} - \frac{i}{2}\right)^2 \sqrt[4]{bc-ad} \cdot \left(\frac{1}{2} + \frac{i}{2}\right) \sqrt[4]{c\sqrt{a+bx^4}}}{x \sqrt[4]{a+bx^4} \sqrt[4]{bc-ad}}\right)}{c^{3/4}(bc-ad)^{13/4}} - \frac{\left(\frac{1}{4} + \frac{i}{4}\right)d^3 \tanh^{-1}\left(\frac{\left(\frac{1}{2} + \frac{i}{2}\right) \sqrt[4]{c\sqrt{a+bx^4}} \cdot \left(\frac{1}{2} - \frac{i}{2}\right)^2 \sqrt[4]{bc-ad}}{x \sqrt[4]{a+bx^4} \sqrt[4]{c\sqrt{a+bx^4}}}\right)}{c^{3/4}(bc-ad)^{13/4}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^4)^(13/4)*(c + d*x^4)), x]

[Out] (-45*a^2*b^3*c^2*x + 135*a^3*b^2*c*d*x - 135*a^4*b*d^2*x - 72*a*b^4*c^2*x^5 + 225*a^2*b^3*c*d*x^5 - 243*a^3*b^2*d^2*x^5 - 32*b^5*c^2*x^9 + 100*a*b^4*c*d*x^9 - 113*a^2*b^3*d^2*x^9)/(45*a^3*(-(b*c) + a*d)^3*(a + b*x^4)^(9/4)) - ((1/4 + I/4)*d^3*ArcTan[(((1/2 - I/2)*(b*c - a*d)^(1/4)*x^2)/c^(1/4) - ((1/2 + I/2)*c^(1/4)*Sqrt[a + b*x^4])/(b*c - a*d)^(1/4))/(x*(a + b*x^4)^(1/4))])/(c^(3/4)*(b*c - a*d)^(13/4)) - ((1/4 + I/4)*d^3*ArcTanh[(((1/2 - I/2)*(b*c - a*d)^(1/4)*x^2)/c^(1/4) + ((1/2 + I/2)*c^(1/4)*Sqrt[a + b*x^4])/(b*c - a*d)^(1/4))/(x*(a + b*x^4)^(1/4))])/(c^(3/4)*(b*c - a*d)^(13/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(13/4)/(d*x^4+c), x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{13}{4}}(dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(13/4)/(d*x^4+c), x, algorithm="giac")

[Out] integrate(1/((b*x^4 + a)^(13/4)*(d*x^4 + c)), x)

maple [F] time = 0.62, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{13}{4}}(dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(b*x^4+a)^(13/4)/(d*x^4+c),x)`

[Out] `int(1/(b*x^4+a)^(13/4)/(d*x^4+c),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{13}{4}} (dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x^4+a)^(13/4)/(d*x^4+c),x, algorithm="maxima")`

[Out] `integrate(1/((b*x^4 + a)^(13/4)*(d*x^4 + c)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{13}{4}} (dx^4 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b*x^4)^(13/4)*(c + d*x^4)),x)`

[Out] `int(1/((a + b*x^4)^(13/4)*(c + d*x^4)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^4)^{\frac{13}{4}} (c + dx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x**4+a)**(13/4)/(d*x**4+c),x)`

[Out] `Integral(1/((a + b*x**4)**(13/4)*(c + d*x**4)), x)`

$$3.118 \quad \int \frac{(a+bx^4)^{11/4}}{(c+dx^4)^2} dx$$

Optimal. Leaf size=280

$$\frac{b^{7/4}(8bc - 11ad) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{8d^3} - \frac{b^{7/4}(8bc - 11ad) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{8d^3} + \frac{(bc - ad)^{7/4}(3ad + 8bc) \tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}d^3}$$

Rubi [A] time = 0.36, antiderivative size = 280, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 21, number of rules / integrand size = 0.476, Rules used = {413, 528, 530, 240, 212, 206, 203, 377, 208, 205}

$$\frac{b^{7/4}(8bc - 11ad) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{8d^3} - \frac{b^{7/4}(8bc - 11ad) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{8d^3} + \frac{(bc - ad)^{7/4}(3ad + 8bc) \tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}d^3} + \frac{(bc - ad)^{7/4}(3ad + 8bc) \tanh^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}d^3} + \frac{bx(a + bx^4)^{3/4}(2bc - ad)}{4cd^2} - \frac{x(a + bx^4)^{7/4}(bc - ad)}{4cd(c + dx^4)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)^(11/4)/(c + d*x^4)^2,x]

[Out] (b*(2*b*c - a*d)*x*(a + b*x^4)^(3/4))/(4*c*d^2) - ((b*c - a*d)*x*(a + b*x^4)^(7/4))/(4*c*d*(c + d*x^4)) - (b^(7/4)*(8*b*c - 11*a*d)*ArcTan[(b^(1/4)*x)/(a + b*x^4)^(1/4)])/(8*d^3) + ((b*c - a*d)^(7/4)*(8*b*c + 3*a*d)*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(8*c^(7/4)*d^3) - (b^(7/4)*(8*b*c - 11*a*d)*ArcTanh[(b^(1/4)*x)/(a + b*x^4)^(1/4)])/(8*d^3) + ((b*c - a*d)^(7/4)*(8*b*c + 3*a*d)*ArcTanh[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(8*c^(7/4)*d^3)

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 240

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[a^(p + 1/n), Subst[Int[1/(1 - b*x^n)^(p + 1/n + 1), x], x, x/(a + b*x^n)^(1/n)], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[-1, p, 0] && NeQ[p, -2^(-1)] && IntegerQ[p + 1/n]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 413

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p + 1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p + q) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

Rule 528

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(f*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(b*(n*(p + q + 1) + 1)), x] + Dist[1/(b*(n*(p + q + 1) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f + b*e*n*(p + q + 1)) + (d*(b*e - a*f) + f*n*q*(b*c - a*d) + b*d*e*n*(p + q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[q, 0] && NeQ[n*(p + q + 1) + 1, 0]

Rule 530

```
Int[(((a_) + (b_.)*(x_)^(n_))^(p_)*((e_) + (f_.)*(x_)^(n_)))/((c_) + (d_.)*
(x_)^(n_)), x_Symbol] := Dist[f/d, Int[(a + b*x^n)^p, x], x] + Dist[(d*e -
c*f)/d, Int[(a + b*x^n)^p/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, p
, n}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^4)^{11/4}}{(c + dx^4)^2} dx &= -\frac{(bc - ad)x(a + bx^4)^{7/4}}{4cd(c + dx^4)} + \int \frac{(a + bx^4)^{3/4}(a(bc + 3ad) + 4b(2bc - ad)x^4)}{c + dx^4} dx \\ &= \frac{b(2bc - ad)x(a + bx^4)^{3/4}}{4cd^2} - \frac{(bc - ad)x(a + bx^4)^{7/4}}{4cd(c + dx^4)} + \frac{\int \frac{-4a(2b^2c^2 - 2abcd - 3a^2d^2) - 4b^2c(8bc - 11ad)x}{\sqrt[4]{a + bx^4}(c + dx^4)} dx}{16cd^2} \\ &= \frac{b(2bc - ad)x(a + bx^4)^{3/4}}{4cd^2} - \frac{(bc - ad)x(a + bx^4)^{7/4}}{4cd(c + dx^4)} - \frac{(b^2(8bc - 11ad)) \int \frac{1}{\sqrt[4]{a + bx^4}} dx}{4d^3} + \dots \\ &= \frac{b(2bc - ad)x(a + bx^4)^{3/4}}{4cd^2} - \frac{(bc - ad)x(a + bx^4)^{7/4}}{4cd(c + dx^4)} - \frac{(b^2(8bc - 11ad)) \text{Subst}\left(\int \frac{1}{1 - bx^4} dx, \dots\right)}{4d^3} \\ &= \frac{b(2bc - ad)x(a + bx^4)^{3/4}}{4cd^2} - \frac{(bc - ad)x(a + bx^4)^{7/4}}{4cd(c + dx^4)} - \frac{(b^2(8bc - 11ad)) \text{Subst}\left(\int \frac{1}{1 - \sqrt{b}x^2} dx, \dots\right)}{8d^3} \\ &= \frac{b(2bc - ad)x(a + bx^4)^{3/4}}{4cd^2} - \frac{(bc - ad)x(a + bx^4)^{7/4}}{4cd(c + dx^4)} - \frac{b^{7/4}(8bc - 11ad) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a + bx^4}}\right)}{8d^3} + \dots \end{aligned}$$

Mathematica [C] time = 0.96, size = 560, normalized size = 2.00

$$\frac{1}{80} \left(\frac{15a^2 \left(-\log\left(\sqrt{c - \frac{15ac}{2d^2}}\right) + \log\left(\frac{\sqrt{15ac} + \sqrt{c}}{\sqrt{c} \sqrt{15ac}}\right) + 2 \tan^{-1}\left(\frac{\sqrt{15ac}}{\sqrt{c} \sqrt{15ac}}\right) \right)}{c^{3/4} \sqrt{c - ad}} + \frac{10a^2 b \left(-\log\left(\sqrt{c - \frac{15ac}{2d^2}}\right) + \log\left(\frac{\sqrt{15ac} + \sqrt{c}}{\sqrt{c} \sqrt{15ac}}\right) + 2 \tan^{-1}\left(\frac{\sqrt{15ac}}{\sqrt{c} \sqrt{15ac}}\right) \right)}{c^{3/4} \sqrt{c - ad}} + \frac{32b^2 a^2 \sqrt{15ac} + 1 F_1\left(\frac{3}{2}; \frac{3}{2}; -\frac{15a^2}{c^2}\right)}{d^2 \sqrt{a + bx^4}} + \frac{44ab^2 a^2 \sqrt{15ac} + 1 F_1\left(\frac{3}{2}; \frac{3}{2}; -\frac{15a^2}{c^2}\right)}{cd \sqrt{a + bx^4}} + \frac{20x(a + bx^4)^{3/4} \left(\frac{15ac}{2d^2} + d^2\right)}{d^2} + \frac{10ab^2 \sqrt{c} \left(-\log\left(\sqrt{c - \frac{15ac}{2d^2}}\right) + \log\left(\frac{\sqrt{15ac} + \sqrt{c}}{\sqrt{c} \sqrt{15ac}}\right) + 2 \tan^{-1}\left(\frac{\sqrt{15ac}}{\sqrt{c} \sqrt{15ac}}\right) \right)}{d^2 \sqrt{c - ad}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^4)^(11/4)/(c + d*x^4)^2, x]

[Out] ((20*x*(a + b*x^4)^(3/4)*(b^2 + (b*c - a*d)^2/(c*(c + d*x^4))))/d^2 - (32*b^3*x^5*(1 + (b*x^4)/a)^(1/4)*AppellF1[5/4, 1/4, 1, 9/4, -((b*x^4)/a), -((d*x^4)/c)]/(d^2*(a + b*x^4)^(1/4)) + (44*a*b^2*x^5*(1 + (b*x^4)/a)^(1/4)*AppellF1[5/4, 1/4, 1, 9/4, -((b*x^4)/a), -((d*x^4)/c)]/(c*d*(a + b*x^4)^(1/4))

) + (15*a^3*(2*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(b + a*x^4)^(1/4))]) - Log[c^(1/4) - ((b*c - a*d)^(1/4)*x)/(b + a*x^4)^(1/4)] + Log[c^(1/4) + ((b*c - a*d)^(1/4)*x)/(b + a*x^4)^(1/4)))/(c^(7/4)*(b*c - a*d)^(1/4)) - (10*a*b^2*c^(1/4)*(2*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(b + a*x^4)^(1/4))]) - Log[c^(1/4) - ((b*c - a*d)^(1/4)*x)/(b + a*x^4)^(1/4)] + Log[c^(1/4) + ((b*c - a*d)^(1/4)*x)/(b + a*x^4)^(1/4)))/(d^2*(b*c - a*d)^(1/4)) + (10*a^2*b*(2*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(b + a*x^4)^(1/4))]) - Log[c^(1/4) - ((b*c - a*d)^(1/4)*x)/(b + a*x^4)^(1/4)] + Log[c^(1/4) + ((b*c - a*d)^(1/4)*x)/(b + a*x^4)^(1/4)))/(c^(3/4)*d*(b*c - a*d)^(1/4))/80

IntegrateAlgebraic [C] time = 2.76, size = 379, normalized size = 1.35

$$\frac{(a+bx)^{3/4} (a^2 d^2 x - 2abcdx + 2b^2 c^2 x + b^2 cdx^2)}{4c^2 (c+dx^4)} + \frac{(11ab^{7/4}d - 8b^{11/4}c) \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a+bx}}\right)}{8d^3} + \frac{(11ab^{7/4}d - 8b^{11/4}c) \tanh^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a+bx}}\right)}{8d^3} + \frac{\left(\frac{1}{16} + \frac{i}{16}\right) (3ad + 8bc)(bc - ad)^{7/4} \tan^{-1}\left(\frac{(1-i)\sqrt[4]{bc-ad} - (1+i)\sqrt[4]{a+bx^4}}{2\sqrt[4]{c} \sqrt[4]{a+bx^4} \sqrt[4]{bc-ad}}\right)}{c^{7/4}d^3} + \frac{\left(\frac{1}{16} + \frac{i}{16}\right) (3ad + 8bc)(bc - ad)^{7/4} \tanh^{-1}\left(\frac{(1-i)\sqrt[4]{bc-ad} - (1+i)\sqrt[4]{a+bx^4}}{2\sqrt[4]{c} \sqrt[4]{a+bx^4} \sqrt[4]{bc-ad}}\right)}{c^{7/4}d^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^4)^(11/4)/(c + d*x^4)^2,x]

[Out] ((a + b*x^4)^(3/4)*(2*b^2*c^2*x - 2*a*b*c*d*x + a^2*d^2*x + b^2*c*d*x^5))/(4*c*d^2*(c + d*x^4)) + ((-8*b^(11/4)*c + 11*a*b^(7/4)*d)*ArcTan[(b^(1/4)*x)/(a + b*x^4)^(1/4)]/(8*d^3) + ((1/16 + I/16)*(b*c - a*d)^(7/4)*(8*b*c + 3*a*d)*ArcTan[((1 - I)*Sqrt[b*c - a*d]*x^2 - (1 + I)*Sqrt[c]*Sqrt[a + b*x^4])/(2*c^(1/4)*(b*c - a*d)^(1/4)*x*(a + b*x^4)^(1/4))]/(c^(7/4)*d^3) + ((-8*b^(11/4)*c + 11*a*b^(7/4)*d)*ArcTanh[(b^(1/4)*x)/(a + b*x^4)^(1/4)]/(8*d^3) + ((1/16 + I/16)*(b*c - a*d)^(7/4)*(8*b*c + 3*a*d)*ArcTanh[((1 - I)*Sqrt[b*c - a*d]*x^2 + (1 + I)*Sqrt[c]*Sqrt[a + b*x^4])/(2*c^(1/4)*(b*c - a*d)^(1/4)*x*(a + b*x^4)^(1/4))]/(c^(7/4)*d^3)

fricas [B] time = 47.32, size = 3308, normalized size = 11.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^(11/4)/(d*x^4+c)^2,x, algorithm="fricas")

[Out] 1/16*(4*(c*d^3*x^4 + c^2*d^2)*((4096*b^11*c^11 - 22528*a*b^10*c^10*d + 46464*a^2*b^9*c^9*d^2 - 37664*a^3*b^8*c^8*d^3 - 5071*a^4*b^7*c^7*d^4 + 25641*a^5*b^6*c^6*d^5 - 7931*a^6*b^5*c^5*d^6 - 6259*a^7*b^4*c^4*d^7 + 2739*a^8*b^3*c^3*d^8 + 891*a^9*b^2*c^2*d^9 - 297*a^10*b*c*d^10 - 81*a^11*d^11)/(c^7*d^12))^^(1/4)*arctan(-(c^2*d^3*x*sqrt(((4096*b^11*c^14*d^6 - 22528*a*b^10*c^13*d^7 + 46464*a^2*b^9*c^12*d^8 - 37664*a^3*b^8*c^11*d^9 - 5071*a^4*b^7*c^10*d^10 + 25641*a^5*b^6*c^9*d^11 - 7931*a^6*b^5*c^8*d^12 - 6259*a^7*b^4*c^7*d^13 + 2739*a^8*b^3*c^6*d^14 + 891*a^9*b^2*c^5*d^15 - 297*a^10*b*c^4*d^16 - 81*a^11*c^3*d^17)*x^2*sqrt((4096*b^11*c^11 - 22528*a*b^10*c^10*d + 46464*a^2*b^9*c^9*d^2 - 37664*a^3*b^8*c^8*d^3 - 5071*a^4*b^7*c^7*d^4 + 25641*a^5*b^6*c^6*d^5 - 7931*a^6*b^5*c^5*d^6 - 6259*a^7*b^4*c^4*d^7 + 2739*a^8*b^3*c^3*d^8

$$\begin{aligned}
& + 891*a^9*b^2*c^2*d^9 - 297*a^10*b*c*d^10 - 81*a^11*d^11)/(c^7*d^12)) + (2 \\
& 62144*b^16*c^16 - 2031616*a*b^15*c^15*d + 6451200*a^2*b^14*c^14*d^2 - 10168 \\
& 320*a^3*b^13*c^13*d^3 + 6467520*a^4*b^12*c^12*d^4 + 3123216*a^5*b^11*c^11*d \\
& ^5 - 7258119*a^6*b^10*c^10*d^6 + 2307030*a^7*b^9*c^9*d^7 + 2428965*a^8*b^8* \\
& c^8*d^8 - 1607320*a^9*b^7*c^7*d^9 - 387134*a^10*b^6*c^6*d^10 + 436356*a^11* \\
& b^5*c^5*d^11 + 40770*a^12*b^4*c^4*d^12 - 63720*a^13*b^3*c^3*d^13 - 6075*a^1 \\
& 4*b^2*c^2*d^14 + 4374*a^15*b*c*d^15 + 729*a^16*d^16)*sqrt(b*x^4 + a))/x^2)* \\
& ((4096*b^11*c^11 - 22528*a*b^10*c^10*d + 46464*a^2*b^9*c^9*d^2 - 37664*a^3* \\
& b^8*c^8*d^3 - 5071*a^4*b^7*c^7*d^4 + 25641*a^5*b^6*c^6*d^5 - 7931*a^6*b^5*c \\
& ^5*d^6 - 6259*a^7*b^4*c^4*d^7 + 2739*a^8*b^3*c^3*d^8 + 891*a^9*b^2*c^2*d^9 \\
& - 297*a^10*b*c*d^10 - 81*a^11*d^11)/(c^7*d^12))^(1/4) + (512*b^8*c^10*d^3 - \\
& 1984*a*b^7*c^9*d^4 + 2456*a^2*b^6*c^8*d^5 - 413*a^3*b^5*c^7*d^6 - 1175*a^4 \\
& *b^4*c^6*d^7 + 478*a^5*b^3*c^5*d^8 + 234*a^6*b^2*c^4*d^9 - 81*a^7*b*c^3*d^1 \\
& 0 - 27*a^8*c^2*d^11)*(b*x^4 + a)^(1/4)*((4096*b^11*c^11 - 22528*a*b^10*c^10 \\
& *d + 46464*a^2*b^9*c^9*d^2 - 37664*a^3*b^8*c^8*d^3 - 5071*a^4*b^7*c^7*d^4 + \\
& 25641*a^5*b^6*c^6*d^5 - 7931*a^6*b^5*c^5*d^6 - 6259*a^7*b^4*c^4*d^7 + 2739 \\
& *a^8*b^3*c^3*d^8 + 891*a^9*b^2*c^2*d^9 - 297*a^10*b*c*d^10 - 81*a^11*d^11)/ \\
& (c^7*d^12))^(1/4))/((4096*b^11*c^11 - 22528*a*b^10*c^10*d + 46464*a^2*b^9*c \\
& ^9*d^2 - 37664*a^3*b^8*c^8*d^3 - 5071*a^4*b^7*c^7*d^4 + 25641*a^5*b^6*c^6*d \\
& ^5 - 7931*a^6*b^5*c^5*d^6 - 6259*a^7*b^4*c^4*d^7 + 2739*a^8*b^3*c^3*d^8 + 8 \\
& 91*a^9*b^2*c^2*d^9 - 297*a^10*b*c*d^10 - 81*a^11*d^11)*x)) + 4*(c*d^3*x^4 + \\
& c^2*d^2)*((4096*b^11*c^4 - 22528*a*b^10*c^3*d + 46464*a^2*b^9*c^2*d^2 - 42 \\
& 592*a^3*b^8*c*d^3 + 14641*a^4*b^7*d^4)/d^12)^(1/4)*arctan((d^3*x*sqrt(((409 \\
& 6*b^11*c^4*d^6 - 22528*a*b^10*c^3*d^7 + 46464*a^2*b^9*c^2*d^8 - 42592*a^3*b \\
& ^8*c*d^9 + 14641*a^4*b^7*d^10)*x^2*sqrt(((4096*b^11*c^4 - 22528*a*b^10*c^3*d \\
& + 46464*a^2*b^9*c^2*d^2 - 42592*a^3*b^8*c*d^3 + 14641*a^4*b^7*d^4)/d^12) + \\
& (262144*b^16*c^6 - 2162688*a*b^15*c^5*d + 7434240*a^2*b^14*c^4*d^2 - 13629 \\
& 440*a^3*b^13*c^3*d^3 + 14055360*a^4*b^12*c^2*d^4 - 7730448*a^5*b^11*c*d^5 + \\
& 1771561*a^6*b^10*d^6)*sqrt(b*x^4 + a))/x^2)*((4096*b^11*c^4 - 22528*a*b^10 \\
& *c^3*d + 46464*a^2*b^9*c^2*d^2 - 42592*a^3*b^8*c*d^3 + 14641*a^4*b^7*d^4)/d \\
& ^12)^(1/4) + (512*b^8*c^3*d^3 - 2112*a*b^7*c^2*d^4 + 2904*a^2*b^6*c*d^5 - 1 \\
& 331*a^3*b^5*d^6)*(b*x^4 + a)^(1/4)*((4096*b^11*c^4 - 22528*a*b^10*c^3*d + 4 \\
& 6464*a^2*b^9*c^2*d^2 - 42592*a^3*b^8*c*d^3 + 14641*a^4*b^7*d^4)/d^12)^(1/4) \\
&))/((4096*b^11*c^4 - 22528*a*b^10*c^3*d + 46464*a^2*b^9*c^2*d^2 - 42592*a^3* \\
& b^8*c*d^3 + 14641*a^4*b^7*d^4)*x)) + (c*d^3*x^4 + c^2*d^2)*((4096*b^11*c^11 \\
& - 22528*a*b^10*c^10*d + 46464*a^2*b^9*c^9*d^2 - 37664*a^3*b^8*c^8*d^3 - 50 \\
& 71*a^4*b^7*c^7*d^4 + 25641*a^5*b^6*c^6*d^5 - 7931*a^6*b^5*c^5*d^6 - 6259*a^ \\
& 7*b^4*c^4*d^7 + 2739*a^8*b^3*c^3*d^8 + 891*a^9*b^2*c^2*d^9 - 297*a^10*b*c*d \\
& ^10 - 81*a^11*d^11)/(c^7*d^12))^(1/4)*log(-(c^5*d^9*x*((4096*b^11*c^11 - 22 \\
& 528*a*b^10*c^10*d + 46464*a^2*b^9*c^9*d^2 - 37664*a^3*b^8*c^8*d^3 - 5071*a^ \\
& 4*b^7*c^7*d^4 + 25641*a^5*b^6*c^6*d^5 - 7931*a^6*b^5*c^5*d^6 - 6259*a^7*b^4 \\
& *c^4*d^7 + 2739*a^8*b^3*c^3*d^8 + 891*a^9*b^2*c^2*d^9 - 297*a^10*b*c*d^10 - \\
& 81*a^11*d^11)/(c^7*d^12))^(3/4) + (512*b^8*c^8 - 1984*a*b^7*c^7*d + 2456*a \\
& ^2*b^6*c^6*d^2 - 413*a^3*b^5*c^5*d^3 - 1175*a^4*b^4*c^4*d^4 + 478*a^5*b^3*c \\
& ^3*d^5 + 234*a^6*b^2*c^2*d^6 - 81*a^7*b*c*d^7 - 27*a^8*d^8)*(b*x^4 + a)^(1/
\end{aligned}$$

$$\frac{4)}{x) - (c*d^3*x^4 + c^2*d^2)*((4096*b^{11}*c^{11} - 22528*a*b^{10}*c^{10}*d + 46464*a^2*b^9*c^9*d^2 - 37664*a^3*b^8*c^8*d^3 - 5071*a^4*b^7*c^7*d^4 + 25641*a^5*b^6*c^6*d^5 - 7931*a^6*b^5*c^5*d^6 - 6259*a^7*b^4*c^4*d^7 + 2739*a^8*b^3*c^3*d^8 + 891*a^9*b^2*c^2*d^9 - 297*a^{10}*b*c*d^{10} - 81*a^{11}*d^{11})/(c^7*d^{12}))^{(1/4)}*\log((c^5*d^9*x*((4096*b^{11}*c^{11} - 22528*a*b^{10}*c^{10}*d + 46464*a^2*b^9*c^9*d^2 - 37664*a^3*b^8*c^8*d^3 - 5071*a^4*b^7*c^7*d^4 + 25641*a^5*b^6*c^6*d^5 - 7931*a^6*b^5*c^5*d^6 - 6259*a^7*b^4*c^4*d^7 + 2739*a^8*b^3*c^3*d^8 + 891*a^9*b^2*c^2*d^9 - 297*a^{10}*b*c*d^{10} - 81*a^{11}*d^{11})/(c^7*d^{12}))^{(3/4)} - (512*b^8*c^8 - 1984*a*b^7*c^7*d + 2456*a^2*b^6*c^6*d^2 - 413*a^3*b^5*c^5*d^3 - 1175*a^4*b^4*c^4*d^4 + 478*a^5*b^3*c^3*d^5 + 234*a^6*b^2*c^2*d^6 - 81*a^7*b*c*d^7 - 27*a^8*d^8)*(b*x^4 + a)^{(1/4)))/x) - (c*d^3*x^4 + c^2*d^2)*((4096*b^{11}*c^4 - 22528*a*b^{10}*c^3*d + 46464*a^2*b^9*c^2*d^2 - 42592*a^3*b^8*c*d^3 + 14641*a^4*b^7*d^4)/d^{12})^{(1/4)}*\log(-(d^9*x*((4096*b^{11}*c^4 - 22528*a*b^{10}*c^3*d + 46464*a^2*b^9*c^2*d^2 - 42592*a^3*b^8*c*d^3 + 14641*a^4*b^7*d^4)/d^{12})^{(3/4)} + (512*b^8*c^3 - 2112*a*b^7*c^2*d + 2904*a^2*b^6*c*d^2 - 1331*a^3*b^5*d^3)*(b*x^4 + a)^{(1/4)))/x) + (c*d^3*x^4 + c^2*d^2)*((4096*b^{11}*c^4 - 22528*a*b^{10}*c^3*d + 46464*a^2*b^9*c^2*d^2 - 42592*a^3*b^8*c*d^3 + 14641*a^4*b^7*d^4)/d^{12})^{(1/4)}*\log((d^9*x*((4096*b^{11}*c^4 - 22528*a*b^{10}*c^3*d + 46464*a^2*b^9*c^2*d^2 - 42592*a^3*b^8*c*d^3 + 14641*a^4*b^7*d^4)/d^{12})^{(3/4)} - (512*b^8*c^3 - 2112*a*b^7*c^2*d + 2904*a^2*b^6*c*d^2 - 1331*a^3*b^5*d^3)*(b*x^4 + a)^{(1/4)))/x) + 4*(b^2*c*d*x^5 + (2*b^2*c^2 - 2*a*b*c*d + a^2*d^2)*x)*(b*x^4 + a)^{(3/4))/(c*d^3*x^4 + c^2*d^2)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{11}{4}}}{(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^(11/4)/(d*x^4+c)^2,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(11/4)/(d*x^4 + c)^2, x)

maple [F] time = 0.43, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{11}{4}}}{(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)^(11/4)/(d*x^4+c)^2,x)

[Out] int((b*x^4+a)^(11/4)/(d*x^4+c)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{11}{4}}}{(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^(11/4)/(d*x^4+c)^2,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(11/4)/(d*x^4 + c)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{\frac{11}{4}}}{(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^(11/4)/(c + d*x^4)^2,x)

[Out] int((a + b*x^4)^(11/4)/(c + d*x^4)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)**(11/4)/(d*x**4+c)**2,x)

[Out] Timed out

$$3.119 \quad \int \frac{(a+bx^4)^{7/4}}{(c+dx^4)^2} dx$$

Optimal. Leaf size=230

$$\frac{b^{7/4} \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{2d^2} + \frac{b^{7/4} \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{2d^2} - \frac{(bc-ad)^{3/4}(3ad+4bc) \tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}d^2} - \frac{(bc-ad)^{3/4}(3ad+4bc) \tanh^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}d^2}$$

Rubi [A] time = 0.18, antiderivative size = 230, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 21, number of rules / integrand size = 0.429, Rules used = {413, 530, 240, 212, 206, 203, 377, 208, 205}

$$\frac{b^{7/4} \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{2d^2} + \frac{b^{7/4} \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{2d^2} - \frac{(bc-ad)^{3/4}(3ad+4bc) \tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}d^2} - \frac{(bc-ad)^{3/4}(3ad+4bc) \tanh^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}d^2} - \frac{x(a+bx^4)^{3/4}(bc-ad)}{4cd(c+dx^4)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)^(7/4)/(c + d*x^4)^2,x]

[Out] -((b*c - a*d)*x*(a + b*x^4)^(3/4))/(4*c*d*(c + d*x^4)) + (b^(7/4)*ArcTan[(b^(1/4)*x)/(a + b*x^4)^(1/4)])/(2*d^2) - ((b*c - a*d)^(3/4)*(4*b*c + 3*a*d)*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(8*c^(7/4)*d^2) + (b^(7/4)*ArcTanh[(b^(1/4)*x)/(a + b*x^4)^(1/4)])/(2*d^2) - ((b*c - a*d)^(3/4)*(4*b*c + 3*a*d)*ArcTanh[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(8*c^(7/4)*d^2)

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 240

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[a^(p + 1/n), Subst[Int[1/(1 - b*x^n)^(p + 1/n + 1), x], x, x/(a + b*x^n)^(1/n)], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[-1, p, 0] && NeQ[p, -2^(-1)] && IntegerQ[p + 1/n]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 413

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p + 1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p + q) + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

Rule 530

Int((((a_) + (b_.)*(x_)^(n_))^(p_)*((e_) + (f_.)*(x_)^(n_)))/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Dist[f/d, Int[(a + b*x^n)^p, x], x] + Dist[(d*e - c*f)/d, Int[(a + b*x^n)^p/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, p, n}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^4)^{7/4}}{(c + dx^4)^2} dx &= -\frac{(bc - ad)x(a + bx^4)^{3/4}}{4cd(c + dx^4)} + \frac{\int \frac{a(bc+3ad)+4b^2cx^4}{\sqrt[4]{a+bx^4}(c+dx^4)} dx}{4cd} \\
&= -\frac{(bc - ad)x(a + bx^4)^{3/4}}{4cd(c + dx^4)} + \frac{b^2 \int \frac{1}{\sqrt[4]{a+bx^4}} dx}{d^2} - \frac{((bc - ad)(4bc + 3ad)) \int \frac{1}{\sqrt[4]{a+bx^4}(c+dx^4)} dx}{4cd^2} \\
&= -\frac{(bc - ad)x(a + bx^4)^{3/4}}{4cd(c + dx^4)} + \frac{b^2 \operatorname{Subst}\left(\int \frac{1}{1-bx^4} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{d^2} - \frac{((bc - ad)(4bc + 3ad)) \operatorname{Subst}\left(\int \frac{1}{1-bx^4} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{4cd} \\
&= -\frac{(bc - ad)x(a + bx^4)^{3/4}}{4cd(c + dx^4)} + \frac{b^2 \operatorname{Subst}\left(\int \frac{1}{1-\sqrt{b}x^2} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{2d^2} + \frac{b^2 \operatorname{Subst}\left(\int \frac{1}{1+\sqrt{b}x^2} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{2d^2} \\
&= -\frac{(bc - ad)x(a + bx^4)^{3/4}}{4cd(c + dx^4)} + \frac{b^{7/4} \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{2d^2} - \frac{(bc - ad)^{3/4}(4bc + 3ad) \tan^{-1}\left(\frac{\sqrt[4]{bc-ad}x}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}d^2}
\end{aligned}$$

Mathematica [C] time = 0.64, size = 358, normalized size = 1.56

$$\frac{15a^2 \left(-\log\left(\sqrt[4]{c} - \frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{a+bx^4}}\right) + \log\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{a+bx^4}} + \sqrt[4]{c}\right) + 2 \tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right) \right)}{\sqrt[4]{bc-ad}} + \frac{16b^2c^{3/4}x^4\sqrt[4]{\frac{bx^4}{a}+1}F_1\left(\frac{5}{4}, \frac{1}{4}, 1, \frac{9}{4}, -\frac{bx^4}{a}, -\frac{dx^4}{c}\right)}{d\sqrt[4]{a+bx^4}} - \frac{20c^{3/4}x(a+bx^4)^{3/4}(bc-ad)}{d(c+dx^4)} + \frac{5abc \left(-\log\left(\sqrt[4]{c} - \frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{a+bx^4}}\right) + \log\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{a+bx^4}} + \sqrt[4]{c}\right) + 2 \tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right) \right)}{d\sqrt[4]{bc-ad}}$$

80c^{7/4}

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^4)^(7/4)/(c + d*x^4)^2, x]

[Out] ((-20*c^(3/4)*(b*c - a*d)*x*(a + b*x^4)^(3/4))/(d*(c + d*x^4)) + (16*b^2*c^(3/4)*x^5*(1 + (b*x^4)/a)^(1/4)*AppellF1[5/4, 1/4, 1, 9/4, -(b*x^4)/a, -(d*x^4)/c])/(d*(a + b*x^4)^(1/4)) + (15*a^2*(2*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(b + a*x^4)^(1/4))]) - Log[c^(1/4) - ((b*c - a*d)^(1/4)*x)/(b + a*x^4)^(1/4)] + Log[c^(1/4) + ((b*c - a*d)^(1/4)*x)/(b + a*x^4)^(1/4)])/(b*c - a*d)^(1/4) + (5*a*b*c*(2*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(b + a*x^4)^(1/4))]) - Log[c^(1/4) - ((b*c - a*d)^(1/4)*x)/(b + a*x^4)^(1/4)] + Log[c^(1/4) + ((b*c - a*d)^(1/4)*x)/(b + a*x^4)^(1/4)])/(d*(b*c - a*d)^(1/4)))/(80*c^(7/4))

IntegrateAlgebraic [C] time = 1.68, size = 356, normalized size = 1.55

$$\frac{\left(\frac{1}{16} + \frac{i}{16}\right)(-3a^2d^2 - abcd + 4b^2c^2) \tan^{-1}\left(\frac{(1-i)x^2\sqrt{bc-ad} + (1+i)\sqrt{c}\sqrt{a+bx^4}}{2\sqrt[4]{c}x\sqrt[4]{a+bx^4}\sqrt[4]{bc-ad}}\right) - \left(\frac{1}{16} + \frac{i}{16}\right)(-3a^2d^2 - abcd + 4b^2c^2) \tanh^{-1}\left(\frac{(1-i)x^2\sqrt{bc-ad} + (1+i)\sqrt{c}\sqrt{a+bx^4}}{2\sqrt[4]{c}x\sqrt[4]{a+bx^4}\sqrt[4]{bc-ad}}\right)}{c^{7/4}d^2\sqrt[4]{bc-ad}} + \frac{b^{7/4} \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{2d^2} + \frac{b^{7/4} \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a+bx^4}}\right)}{2d^2} + \frac{x(a + bx^4)^{3/4}(ad - bc)}{4cd(c + dx^4)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^4)^(7/4)/(c + d*x^4)^2,x]

[Out]
$$\left(\frac{-(b*c) + a*d}{4*c*d*(c + d*x^4)} + \frac{b^{7/4} * \text{ArcTan}\left[\frac{b^{1/4}*x}{(a + b*x^4)^{1/4}}\right]}{(2*d^2)} - \frac{\left(\frac{1}{16} + \frac{I}{16}\right) * (4*b^2*c^2 - a*b*c*d - 3*a^2*d^2) * \text{ArcTan}\left[\frac{\left(\frac{1 - I}{1}\right) * \text{Sqrt}[b*c - a*d]*x^2 - \left(\frac{1 + I}{1}\right) * \text{Sqrt}[c]*\text{Sqrt}[a + b*x^4]}{(2*c^{1/4}*(b*c - a*d)^{1/4})*x*(a + b*x^4)^{1/4}}\right]}{(c^{7/4}*d^2*(b*c - a*d)^{1/4})} + \frac{b^{7/4} * \text{ArcTanh}\left[\frac{b^{1/4}*x}{(a + b*x^4)^{1/4}}\right]}{(2*d^2)} - \frac{\left(\frac{1}{16} + \frac{I}{16}\right) * (4*b^2*c^2 - a*b*c*d - 3*a^2*d^2) * \text{ArcTanh}\left[\frac{\left(\frac{1 - I}{1}\right) * \text{Sqrt}[b*c - a*d]*x^2 + \left(\frac{1 + I}{1}\right) * \text{Sqrt}[c]*\text{Sqrt}[a + b*x^4]}{(2*c^{1/4}*(b*c - a*d)^{1/4})*x*(a + b*x^4)^{1/4}}\right]}{(c^{7/4}*d^2*(b*c - a*d)^{1/4})} \right)$$

fricas [B] time = 3.51, size = 1667, normalized size = 7.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^(7/4)/(d*x^4+c)^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/16 * (4 * (b*x^4 + a)^{3/4} * (b*c - a*d) * x - 4 * (c*d^2*x^4 + c^2*d) * ((256*b^7*c^7 - 672*a^2*b^5*c^5*d^2 - 112*a^3*b^4*c^4*d^3 + 609*a^4*b^3*c^3*d^4 + 189*a^5*b^2*c^2*d^5 - 189*a^6*b*c*d^6 - 81*a^7*d^7) / (c^7*d^8))^{1/4} * \arctan\left(-\frac{c^2*d^2*x*\text{sqrt}\left(\frac{(256*b^7*c^7 - 672*a^2*b^5*c^5*d^2 - 112*a^3*b^4*c^4*d^3 + 609*a^4*b^3*c^3*d^4 + 189*a^5*b^2*c^2*d^5 - 189*a^6*b*c*d^6 - 81*a^7*d^7)}{(c^7*d^8)}\right) + (4096*b^10*c^10 + 2048*a*b^9*c^9*d - 14592*a^2*b^8*c^8*d^2 - 9472*a^3*b^7*c^7*d^3 + 18928*a^4*b^6*c^6*d^4 + 15624*a^5*b^5*c^5*d^5 - 9639*a^6*b^4*c^4*d^6 - 11124*a^7*b^3*c^3*d^7 + 486*a^8*b^2*c^2*d^8 + 2916*a^9*b*c*d^9 + 729*a^{10}*d^{10}) * \text{sqrt}(b*x^4 + a)}{x^2} * \left(\frac{256*b^7*c^7 - 672*a^2*b^5*c^5*d^2 - 112*a^3*b^4*c^4*d^3 + 609*a^4*b^3*c^3*d^4 + 189*a^5*b^2*c^2*d^5 - 189*a^6*b*c*d^6 - 81*a^7*d^7}{(c^7*d^8)}\right)^{1/4} - (64*b^5*c^7*d^2 + 16*a*b^4*c^6*d^3 - 116*a^2*b^3*c^5*d^4 - 45*a^3*b^2*c^4*d^5 + 54*a^4*b*c^3*d^6 + 27*a^5*c^2*d^7) * (b*x^4 + a)^{1/4} * \left(\frac{256*b^7*c^7 - 672*a^2*b^5*c^5*d^2 - 112*a^3*b^4*c^4*d^3 + 609*a^4*b^3*c^3*d^4 + 189*a^5*b^2*c^2*d^5 - 189*a^6*b*c*d^6 - 81*a^7*d^7}{(c^7*d^8)}\right)^{1/4} \right) / \left(\frac{256*b^7*c^7 - 672*a^2*b^5*c^5*d^2 - 112*a^3*b^4*c^4*d^3 + 609*a^4*b^3*c^3*d^4 + 189*a^5*b^2*c^2*d^5 - 189*a^6*b*c*d^6 - 81*a^7*d^7}{(c^7*d^8)}\right)^{1/4} \\ & - 16 * (c*d^2*x^4 + c^2*d) * (b^7/d^8)^{1/4} * \arctan\left(-\frac{(b*x^4 + a)^{1/4} * b^5*d^2 * (b^7/d^8)^{1/4} - d^2*x * (b^7/d^8)^{1/4} * \text{sqrt}\left(\frac{b^7*d^4*x^2*\text{sqrt}(b^7/d^8) + \text{sqrt}(b*x^4 + a)*b^{10}}{x^2}\right)}{(b^7*x)}\right) + (c*d^2*x^4 + c^2*d) * \left(\frac{256*b^7*c^7 - 672*a^2*b^5*c^5*d^2 - 112*a^3*b^4*c^4*d^3 + 609*a^4*b^3*c^3*d^4 + 189*a^5*b^2*c^2*d^5 - 189*a^6*b*c*d^6 - 81*a^7*d^7}{(c^7*d^8)}\right)^{1/4} * \log\left(\frac{c^5*d^6*x * \left(\frac{256*b^7*c^7 - 672*a^2*b^5*c^5*d^2 - 112*a^3*b^4*c^4*d^3 + 609*a^4*b^3*c^3*d^4 + 189*a^5*b^2*c^2*d^5 - 189*a^6*b*c*d^6 - 81*a^7*d^7}{(c^7*d^8)}\right)^{3/4} + (64*b^5*c^5 + 16*a*b^4*c^4*d - 116*a^2*b^3*c^3} \right) \end{aligned}$$

$$d^2 - 45a^3b^2c^2d^3 + 54a^4b^2cd^4 + 27a^5d^5)(bx^4 + a)^{1/4})/x - (c^2d^2x^4 + c^2d)(256b^7c^7 - 672a^2b^5c^5d^2 - 112a^3b^4c^4d^3 + 609a^4b^3c^3d^4 + 189a^5b^2c^2d^5 - 189a^6b^2cd^6 - 81a^7d^7)/(c^7d^8))^{1/4} \log(-(c^5d^6x((256b^7c^7 - 672a^2b^5c^5d^2 - 112a^3b^4c^4d^3 + 609a^4b^3c^3d^4 + 189a^5b^2c^2d^5 - 189a^6b^2cd^6 - 81a^7d^7)/(c^7d^8))^{3/4} - (64b^5c^5 + 16a^4b^4c^4d - 116a^2b^3c^3d^2 - 45a^3b^2c^2d^3 + 54a^4b^2cd^4 + 27a^5d^5)(bx^4 + a)^{1/4})/x - 4(c^2d^2x^4 + c^2d)(b^7/d^8)^{1/4} \log((d^6x(b^7/d^8)^{3/4} + (bx^4 + a)^{1/4}b^5)/x) + 4(c^2d^2x^4 + c^2d)(b^7/d^8)^{1/4} \log(-(d^6x(b^7/d^8)^{3/4} - (bx^4 + a)^{1/4}b^5)/x))/(c^2d^2x^4 + c^2d)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{7/4}}{(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^(7/4)/(d*x^4+c)^2,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(7/4)/(d*x^4 + c)^2, x)

maple [F] time = 0.65, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{7/4}}{(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)^(7/4)/(d*x^4+c)^2,x)

[Out] int((b*x^4+a)^(7/4)/(d*x^4+c)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{7/4}}{(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^(7/4)/(d*x^4+c)^2,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(7/4)/(d*x^4 + c)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{7/4}}{(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^(7/4)/(c + d*x^4)^2, x)

[Out] int((a + b*x^4)^(7/4)/(c + d*x^4)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)**(7/4)/(d*x**4+c)**2, x)

[Out] Timed out

$$3.120 \quad \int \frac{(a+bx^4)^{3/4}}{(c+dx^4)^2} dx$$

Optimal. Leaf size=135

$$\frac{3a \tan^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{8c^{7/4} \sqrt[4]{bc-ad}} + \frac{3a \tanh^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{8c^{7/4} \sqrt[4]{bc-ad}} + \frac{x(a+bx^4)^{3/4}}{4c(c+dx^4)}$$

Rubi [A] time = 0.08, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {378, 377, 212, 208, 205}

$$\frac{3a \tan^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{8c^{7/4} \sqrt[4]{bc-ad}} + \frac{3a \tanh^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{8c^{7/4} \sqrt[4]{bc-ad}} + \frac{x(a+bx^4)^{3/4}}{4c(c+dx^4)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)^(3/4)/(c + d*x^4)^2,x]

[Out] (x*(a + b*x^4)^(3/4))/(4*c*(c + d*x^4)) + (3*a*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(8*c^(7/4)*(b*c - a*d)^(1/4)) + (3*a*ArcTanh[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(8*c^(7/4)*(b*c - a*d)^(1/4))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 378

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p+1)*(c + d*x^n)^q)/(a*n*(p+1)), x] - Dist[(c*q)/(a*(p+1)), Int[(a + b*x^n)^(p+1)*(c + d*x^n)^(q-1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p+q+1) + 1, 0] && GtQ[q, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^4)^{3/4}}{(c + dx^4)^2} dx &= \frac{x(a + bx^4)^{3/4}}{4c(c + dx^4)} + \frac{(3a) \int \frac{1}{\sqrt[4]{a+bx^4}(c+dx^4)} dx}{4c} \\ &= \frac{x(a + bx^4)^{3/4}}{4c(c + dx^4)} + \frac{(3a) \text{Subst}\left(\int \frac{1}{c-(bc-ad)x^4} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{4c} \\ &= \frac{x(a + bx^4)^{3/4}}{4c(c + dx^4)} + \frac{(3a) \text{Subst}\left(\int \frac{1}{\sqrt{c}-\sqrt{bc-ad}x^2} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{8c^{3/2}} + \frac{(3a) \text{Subst}\left(\int \frac{1}{\sqrt{c}+\sqrt{bc-ad}x^2} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{8c^{3/2}} \\ &= \frac{x(a + bx^4)^{3/4}}{4c(c + dx^4)} + \frac{3a \tan^{-1}\left(\frac{\sqrt[4]{bc-ad}x}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}\sqrt[4]{bc-ad}} + \frac{3a \tanh^{-1}\left(\frac{\sqrt[4]{bc-ad}x}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}\sqrt[4]{bc-ad}} \end{aligned}$$

Mathematica [C] time = 0.06, size = 78, normalized size = 0.58

$$\frac{x(a + bx^4)^{3/4} {}_2F_1\left(-\frac{3}{4}, \frac{1}{4}; \frac{5}{4}; \frac{(ad-bc)x^4}{a(dx^4+c)}\right)}{c^2 \left(\frac{bx^4}{a} + 1\right)^{3/4} \sqrt[4]{\frac{dx^4}{c} + 1}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^4)^(3/4)/(c + d*x^4)^2, x]

[Out] $(x*(a + b*x^4)^{(3/4)}*Hypergeometric2F1[-3/4, 1/4, 5/4, ((-(b*c) + a*d)*x^4)/(a*(c + d*x^4))])/(c^2*(1 + (b*x^4)/a)^{(3/4)}*(1 + (d*x^4)/c)^{(1/4)})$

IntegrateAlgebraic [C] time = 1.13, size = 243, normalized size = 1.80

$$\frac{\left(\frac{3}{16} + \frac{3i}{16}\right) a \tan^{-1} \left(\frac{\left(\frac{1-i}{2}\right)^2 \sqrt[4]{bc-ad} - \left(\frac{1+i}{2}\right) \sqrt[4]{c} \sqrt{a+bx^4}}{\sqrt[4]{c} x \sqrt[4]{a+bx^4}} \right)}{c^{7/4} \sqrt[4]{bc-ad}} + \frac{\left(\frac{3}{16} + \frac{3i}{16}\right) a \tanh^{-1} \left(\frac{\left(\frac{1+i}{2}\right) \sqrt[4]{c} \sqrt{a+bx^4} + \left(\frac{1-i}{2}\right)^2 \sqrt[4]{bc-ad}}{\sqrt[4]{bc-ad} \sqrt[4]{c} x \sqrt[4]{a+bx^4}} \right)}{c^{7/4} \sqrt[4]{bc-ad}} + \frac{x(a + bx^4)^{3/4}}{4c(c + dx^4)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^4)^(3/4)/(c + d*x^4)^2,x]

[Out] $(x*(a + b*x^4)^{(3/4)})/(4*c*(c + d*x^4)) + ((3/16 + (3*I)/16)*a*ArcTan[(((1/2 - I/2)*(b*c - a*d)^{(1/4)}*x^2)/c^{(1/4)} - ((1/2 + I/2)*c^{(1/4)}*Sqrt[a + b*x^4]))/(b*c - a*d)^{(1/4)})/(x*(a + b*x^4)^{(1/4)})]/(c^{(7/4)}*(b*c - a*d)^{(1/4)}) + ((3/16 + (3*I)/16)*a*ArcTanh[(((1/2 - I/2)*(b*c - a*d)^{(1/4)}*x^2)/c^{(1/4)} + ((1/2 + I/2)*c^{(1/4)}*Sqrt[a + b*x^4]))/(b*c - a*d)^{(1/4)})/(x*(a + b*x^4)^{(1/4)})]/(c^{(7/4)}*(b*c - a*d)^{(1/4)})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^(3/4)/(d*x^4+c)^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{4}}}{(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^(3/4)/(d*x^4+c)^2,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/4)/(d*x^4 + c)^2, x)

maple [F] time = 0.61, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{4}}}{(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^4+a)^(3/4)/(d*x^4+c)^2,x)`

[Out] `int((b*x^4+a)^(3/4)/(d*x^4+c)^2,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{4}}}{(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^4+a)^(3/4)/(d*x^4+c)^2,x, algorithm="maxima")`

[Out] `integrate((b*x^4 + a)^(3/4)/(d*x^4 + c)^2, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(bx^4 + a)^{\frac{3}{4}}}{(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^4)^(3/4)/(c + d*x^4)^2,x)`

[Out] `int((a + b*x^4)^(3/4)/(c + d*x^4)^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^4)^{\frac{3}{4}}}{(c + dx^4)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**4+a)**(3/4)/(d*x**4+c)**2,x)`

[Out] `Integral((a + b*x**4)**(3/4)/(c + d*x**4)**2, x)`

$$3.121 \quad \int \frac{1}{\sqrt[4]{a+bx^4} (c+dx^4)^2} dx$$

Optimal. Leaf size=162

$$\frac{(4bc - 3ad) \tan^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{8c^{7/4}(bc - ad)^{5/4}} + \frac{(4bc - 3ad) \tanh^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{8c^{7/4}(bc - ad)^{5/4}} - \frac{dx (a + bx^4)^{3/4}}{4c (c + dx^4) (bc - ad)}$$

Rubi [A] time = 0.11, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {382, 377, 212, 208, 205}

$$\frac{(4bc - 3ad) \tan^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{8c^{7/4}(bc - ad)^{5/4}} + \frac{(4bc - 3ad) \tanh^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{8c^{7/4}(bc - ad)^{5/4}} - \frac{dx (a + bx^4)^{3/4}}{4c (c + dx^4) (bc - ad)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^4)^(1/4)*(c + d*x^4)^2), x]

[Out] -(d*x*(a + b*x^4)^(3/4))/(4*c*(b*c - a*d)*(c + d*x^4)) + ((4*b*c - 3*a*d)*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(8*c^(7/4)*(b*c - a*d)^(5/4)) + ((4*b*c - 3*a*d)*ArcTanh[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4))])/(8*c^(7/4)*(b*c - a*d)^(5/4))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 382

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), I
nt[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ
[q, -1]) && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt[4]{a+bx^4} (c+dx^4)^2} dx &= -\frac{dx (a+bx^4)^{3/4}}{4c(bc-ad)(c+dx^4)} + \frac{(4bc-3ad) \int \frac{1}{\sqrt[4]{a+bx^4} (c+dx^4)} dx}{4c(bc-ad)} \\ &= -\frac{dx (a+bx^4)^{3/4}}{4c(bc-ad)(c+dx^4)} + \frac{(4bc-3ad) \operatorname{Subst}\left(\int \frac{1}{c-(bc-ad)x^4} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{4c(bc-ad)} \\ &= -\frac{dx (a+bx^4)^{3/4}}{4c(bc-ad)(c+dx^4)} + \frac{(4bc-3ad) \operatorname{Subst}\left(\int \frac{1}{\sqrt{c-\sqrt{bc-ad}x^2}} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{8c^{3/2}(bc-ad)} + \frac{(4bc-3ad) \operatorname{Subst}\left(\int \frac{1}{\sqrt{c-\sqrt{bc-ad}x^2}} dx, x, \frac{x}{\sqrt[4]{a+bx^4}}\right)}{8c^{3/2}(bc-ad)} \\ &= -\frac{dx (a+bx^4)^{3/4}}{4c(bc-ad)(c+dx^4)} + \frac{(4bc-3ad) \tan^{-1}\left(\frac{\sqrt[4]{bc-ad}x}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}(bc-ad)^{5/4}} + \frac{(4bc-3ad) \tanh^{-1}\left(\frac{\sqrt[4]{bc-ad}x}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}(bc-ad)^{5/4}} \end{aligned}$$

Mathematica [C] time = 0.14, size = 99, normalized size = 0.61

$$\frac{x \left((c+dx^4) (4bc-3ad) {}_2F_1\left(\frac{1}{4}, 1; \frac{5}{4}; \frac{(bc-ad)x^4}{c(bx^4+a)}\right) - cd(a+bx^4) \right)}{4c^2 \sqrt[4]{a+bx^4} (c+dx^4) (bc-ad)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^4)^(1/4)*(c + d*x^4)^2), x]

[Out] $(x*(-(c*d*(a + b*x^4)) + (4*b*c - 3*a*d)*(c + d*x^4)*\text{Hypergeometric2F1}[1/4, 1, 5/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))])/(4*c^2*(b*c - a*d)*(a + b*x^4)^{(1/4)*(c + d*x^4)})$

IntegrateAlgebraic [C] time = 2.12, size = 260, normalized size = 1.60

$$\frac{\left(\frac{1}{16} + \frac{i}{16}\right)(4bc - 3ad) \tan^{-1}\left(\frac{(1-i)x^2\sqrt{bc-ad} - (1+i)\sqrt{c}\sqrt{a+bx^4}}{2\sqrt[4]{c}x\sqrt[4]{a+bx^4}\sqrt[4]{bc-ad}}\right)}{c^{7/4}(bc-ad)^{5/4}} + \frac{\left(\frac{1}{16} + \frac{i}{16}\right)(4bc - 3ad) \tanh^{-1}\left(\frac{(1-i)x^2\sqrt{bc-ad} + (1+i)\sqrt{c}\sqrt{a+bx^4}}{2\sqrt[4]{c}x\sqrt[4]{a+bx^4}\sqrt[4]{bc-ad}}\right)}{c^{7/4}(bc-ad)^{5/4}} - \frac{dx(a+bx^4)^{3/4}}{4c(c+dx^4)(bc-ad)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^4)^(1/4)*(c + d*x^4)^2), x]

[Out] $-1/4*(d*x*(a + b*x^4)^{(3/4)})/(c*(b*c - a*d)*(c + d*x^4)) + ((1/16 + I/16)*(4*b*c - 3*a*d)*\text{ArcTan}[\frac{(1 - I)*\text{Sqrt}[b*c - a*d]*x^2 - (1 + I)*\text{Sqrt}[c]*\text{Sqrt}[a + b*x^4]}{(2*c^{(1/4)*(b*c - a*d)^{(1/4)}*x*(a + b*x^4)^{(1/4)})}]/(c^{(7/4)*(b*c - a*d)^{(5/4)})} + ((1/16 + I/16)*(4*b*c - 3*a*d)*\text{ArcTanh}[\frac{(1 - I)*\text{Sqrt}[b*c - a*d]*x^2 + (1 + I)*\text{Sqrt}[c]*\text{Sqrt}[a + b*x^4]}{(2*c^{(1/4)*(b*c - a*d)^{(1/4)}*x*(a + b*x^4)^{(1/4)})}]/(c^{(7/4)*(b*c - a*d)^{(5/4)})}$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(1/4)/(d*x^4+c)^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{1}{4}}(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(1/4)/(d*x^4+c)^2,x, algorithm="giac")

[Out] integrate(1/((b*x^4 + a)^(1/4)*(d*x^4 + c)^2), x)

maple [F] time = 0.60, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{1}{4}}(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(b*x^4+a)^(1/4)/(d*x^4+c)^2,x)`

[Out] `int(1/(b*x^4+a)^(1/4)/(d*x^4+c)^2,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{1}{4}}(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x^4+a)^(1/4)/(d*x^4+c)^2,x, algorithm="maxima")`

[Out] `integrate(1/((b*x^4 + a)^(1/4)*(d*x^4 + c)^2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(bx^4 + a)^{1/4}(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b*x^4)^(1/4)*(c + d*x^4)^2),x)`

[Out] `int(1/((a + b*x^4)^(1/4)*(c + d*x^4)^2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt[4]{a + bx^4} (c + dx^4)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x**4+a)**(1/4)/(d*x**4+c)**2,x)`

[Out] `Integral(1/((a + b*x**4)**(1/4)*(c + d*x**4)**2), x)`

$$3.122 \quad \int \frac{1}{(a+bx^4)^{5/4} (c+dx^4)^2} dx$$

Optimal. Leaf size=205

$$\frac{d(8bc - 3ad) \tan^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{8c^{7/4}(bc - ad)^{9/4}} - \frac{d(8bc - 3ad) \tanh^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{8c^{7/4}(bc - ad)^{9/4}} + \frac{bx(ad + 4bc)}{4ac \sqrt[4]{a + bx^4} (bc - ad)^2} - \frac{dx}{4c \sqrt[4]{a + bx^4} (c + dx^4)}$$

Rubi [A] time = 0.18, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {414, 527, 12, 377, 212, 208, 205}

$$-\frac{d(8bc - 3ad) \tan^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{8c^{7/4}(bc - ad)^{9/4}} - \frac{d(8bc - 3ad) \tanh^{-1}\left(\frac{x \sqrt[4]{bc-ad}}{\sqrt[4]{c} \sqrt[4]{a+bx^4}}\right)}{8c^{7/4}(bc - ad)^{9/4}} + \frac{bx(ad + 4bc)}{4ac \sqrt[4]{a + bx^4} (bc - ad)^2} - \frac{dx}{4c \sqrt[4]{a + bx^4} (c + dx^4)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^4)^(5/4)*(c + d*x^4)^2),x]

[Out] (b*(4*b*c + a*d)*x)/(4*a*c*(b*c - a*d)^2*(a + b*x^4)^(1/4)) - (d*x)/(4*c*(b*c - a*d)*(a + b*x^4)^(1/4)*(c + d*x^4)) - (d*(8*b*c - 3*a*d)*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4)))]/(8*c^(7/4)*(b*c - a*d)^(9/4)) - (d*(8*b*c - 3*a*d)*ArcTanh[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4)))]/(8*c^(7/4)*(b*c - a*d)^(9/4))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],

$x] + \text{Dist}[r/(2*a), \text{Int}[1/(r + s*x^2), x], x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{!GtQ}[a/b, 0]$

Rule 377

$\text{Int}[(a_ + (b_.)*(x_)^{(n_}))^{(p_)} / ((c_) + (d_.)*(x_)^{(n_})) , x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{(1/n)}] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[n*p + 1, 0] \&\& \text{IntegerQ}[n]$

Rule 414

$\text{Int}[(a_ + (b_.)*(x_)^{(n_}))^{(p_)} * ((c_) + (d_.)*(x_)^{(n_}))^{(q_)} , x_Symbol] \rightarrow -\text{Simp}[(b*x*(a + b*x^n)^{(p+1)}*(c + d*x^n)^{(q+1)}) / (a*n*(p+1)*(b*c - a*d)), x] + \text{Dist}[1/(a*n*(p+1)*(b*c - a*d)), \text{Int}[(a + b*x^n)^{(p+1)}*(c + d*x^n)^q * \text{Simp}[b*c + n*(p+1)*(b*c - a*d) + d*b*(n*(p+q+2) + 1)*x^n, x], x], x] /; \text{FreeQ}\{a, b, c, d, n, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[p, -1] \&\& \text{!(IntegerQ}[p] \&\& \text{IntegerQ}[q] \&\& \text{LtQ}[q, -1]) \&\& \text{IntBinomialQ}[a, b, c, d, n, p, q, x]$

Rule 527

$\text{Int}[(a_ + (b_.)*(x_)^{(n_}))^{(p_)} * ((c_) + (d_.)*(x_)^{(n_}))^{(q_)} * ((e_) + (f_.)*(x_)^{(n_})) , x_Symbol] \rightarrow -\text{Simp}[(b*e - a*f)*x*(a + b*x^n)^{(p+1)}*(c + d*x^n)^{(q+1)} / (a*n*(b*c - a*d)*(p+1)), x] + \text{Dist}[1/(a*n*(b*c - a*d)*(p+1)), \text{Int}[(a + b*x^n)^{(p+1)}*(c + d*x^n)^q * \text{Simp}[c*(b*e - a*f) + e*n*(b*c - a*d)*(p+1) + d*(b*e - a*f)*(n*(p+q+2) + 1)*x^n, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n, q\}, x] \&\& \text{LtQ}[p, -1]$

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + bx^4)^{5/4} (c + dx^4)^2} dx &= -\frac{dx}{4c(bc - ad)\sqrt[4]{a + bx^4} (c + dx^4)} + \frac{\int \frac{4bc - 3ad - 4bdx^4}{(a + bx^4)^{5/4} (c + dx^4)} dx}{4c(bc - ad)} \\
&= \frac{b(4bc + ad)x}{4ac(bc - ad)^2 \sqrt[4]{a + bx^4}} - \frac{dx}{4c(bc - ad)\sqrt[4]{a + bx^4} (c + dx^4)} - \frac{\int \frac{ad(8bc - 3ad)}{\sqrt[4]{a + bx^4} (c + dx^4)} dx}{4ac(bc - ad)^2} \\
&= \frac{b(4bc + ad)x}{4ac(bc - ad)^2 \sqrt[4]{a + bx^4}} - \frac{dx}{4c(bc - ad)\sqrt[4]{a + bx^4} (c + dx^4)} - \frac{(d(8bc - 3ad)) \int \frac{dx}{\sqrt[4]{a + bx^4}}}{4c(bc - ad)^2} \\
&= \frac{b(4bc + ad)x}{4ac(bc - ad)^2 \sqrt[4]{a + bx^4}} - \frac{dx}{4c(bc - ad)\sqrt[4]{a + bx^4} (c + dx^4)} - \frac{(d(8bc - 3ad)) \text{Subst}}{4c} \\
&= \frac{b(4bc + ad)x}{4ac(bc - ad)^2 \sqrt[4]{a + bx^4}} - \frac{dx}{4c(bc - ad)\sqrt[4]{a + bx^4} (c + dx^4)} - \frac{(d(8bc - 3ad)) \text{Subst}}{8c} \\
&= \frac{b(4bc + ad)x}{4ac(bc - ad)^2 \sqrt[4]{a + bx^4}} - \frac{dx}{4c(bc - ad)\sqrt[4]{a + bx^4} (c + dx^4)} - \frac{d(8bc - 3ad) \tan^{-1} \left(\frac{dx}{8c^{7/4}(bc - ad)} \right)}{8c^{7/4}(bc - ad)}
\end{aligned}$$

Mathematica [C] time = 2.27, size = 625, normalized size = 3.05

$$\frac{c(a + bx^4)^{3/4} \left(\frac{33930d^2(-b^2c + a^2d)}{c^2(a + bx^4)^2} + \frac{14976d(b^2c - a^2d)x^8}{c^2(a + bx^4)^2} + \frac{7488d^2(b^2c - a^2d)x^{12}}{c^3(a + bx^4)^3} + \frac{47385d \operatorname{Hypergeometric2F1}\left[\frac{1}{4}, 1, \frac{5}{4}, \frac{(b^2c - a^2d)x^4}{c(a + bx^4)}\right]}{c^2(a + bx^4)^2} + \frac{94770d^2x^4 \operatorname{Hypergeometric2F1}\left[\frac{1}{4}, 1, \frac{5}{4}, \frac{(b^2c - a^2d)x^4}{c(a + bx^4)}\right]}{c^2(a + bx^4)^2} + \frac{44460d^2x^8 \operatorname{Hypergeometric2F1}\left[\frac{1}{4}, 1, \frac{5}{4}, \frac{(b^2c - a^2d)x^4}{c(a + bx^4)}\right]}{c^2(a + bx^4)^2} - \frac{14625d(b^2c - a^2d)x^4 \operatorname{Hypergeometric2F1}\left[\frac{1}{4}, 1, \frac{5}{4}, \frac{(b^2c - a^2d)x^4}{c(a + bx^4)}\right]}{c^2(a + bx^4)^2} + \frac{33930d(-b^2c + a^2d)x^8 \operatorname{Hypergeometric2F1}\left[\frac{1}{4}, 1, \frac{5}{4}, \frac{(b^2c - a^2d)x^4}{c(a + bx^4)}\right]}{c^2(a + bx^4)^2} + \frac{16380d^2(-b^2c + a^2d)x^{12} \operatorname{Hypergeometric2F1}\left[\frac{1}{4}, 1, \frac{5}{4}, \frac{(b^2c - a^2d)x^4}{c(a + bx^4)}\right]}{c^3(a + bx^4)^3} + \frac{320d^2(b^2c - a^2d)^3 x^{12} \operatorname{Hypergeometric2F1}\left[\frac{1}{4}, 1, \frac{5}{4}, \frac{(b^2c - a^2d)x^4}{c(a + bx^4)}\right]}{c^3(a + bx^4)^3} \right)}{2340c^2(c + dx^4)(bc - ad)^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*x^4)^(5/4)*(c + d*x^4)^2), x]

[Out] (c*(a + b*x^4)^(3/4)*(-47385 - (94770*d*x^4)/c - (44460*d^2*x^8)/c^2 + (5148*(b*c - a*d)*x^4)/(c*(a + b*x^4)) + (14976*d*(b*c - a*d)*x^8)/(c^2*(a + b*x^4)) + (7488*d^2*(b*c - a*d)*x^12)/(c^3*(a + b*x^4)) + 47385*Hypergeometric2F1[1/4, 1, 5/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))] + (94770*d*x^4*Hypergeometric2F1[1/4, 1, 5/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))])/c + (44460*d^2*x^8*Hypergeometric2F1[1/4, 1, 5/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))])/c^2 - (14625*(b*c - a*d)*x^4*Hypergeometric2F1[1/4, 1, 5/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))])/c^2 + (33930*d*(-(b*c) + a*d)*x^8*Hypergeometric2F1[1/4, 1, 5/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))])/c^2 + (16380*d^2*(-(b*c) + a*d)*x^12*Hypergeometric2F1[1/4, 1, 5/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))])/c^3 + (320*(b*c - a*d)^3*x^12*Hypergeometric2F1[1/4, 1, 5/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))])/c^3

metricPFQ[{2, 2, 9/4}, {1, 17/4}, ((b*c - a*d)*x^4)/(c*(a + b*x^4))]/(c^3*(a + b*x^4)^3) + (640*d*(b*c - a*d)^3*x^16*HypergeometricPFQ[{2, 2, 9/4}, {1, 17/4}, ((b*c - a*d)*x^4)/(c*(a + b*x^4))]/(c^4*(a + b*x^4)^3) + (320*d^2*(b*c - a*d)^3*x^20*HypergeometricPFQ[{2, 2, 9/4}, {1, 17/4}, ((b*c - a*d)*x^4)/(c*(a + b*x^4))]/(c^5*(a + b*x^4)^3))/((2340*(b*c - a*d)^2*x^7*(c + d*x^4))

IntegrateAlgebraic [C] time = 3.92, size = 304, normalized size = 1.48

$$\frac{a^2 d^2 x + a b d^2 x^5 + 4 b^2 c^2 x + 4 b^2 c d x^5}{4 a c \sqrt[4]{a + b x^4} (c + d x^4) (a d - b c)^2} - \frac{\left(\frac{1}{16} + \frac{i}{16}\right) (8 b c d - 3 a d^2) \tan^{-1}\left(\frac{(1-i)x^2 \sqrt{b c - a d} - (1+i)\sqrt{c} \sqrt{a + b x^4}}{2 \sqrt[4]{c} x \sqrt[4]{a + b x^4} \sqrt[4]{b c - a d}}\right)}{c^{7/4} (b c - a d)^{9/4}} - \frac{\left(\frac{1}{16} + \frac{i}{16}\right) (8 b c d - 3 a d^2) \tanh^{-1}\left(\frac{(1-i)x^2 \sqrt{b c - a d} + (1+i)\sqrt{c} \sqrt{a + b x^4}}{2 \sqrt[4]{c} x \sqrt[4]{a + b x^4} \sqrt[4]{b c - a d}}\right)}{c^{7/4} (b c - a d)^{9/4}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^4)^(5/4)*(c + d*x^4)^2), x]

[Out] $(4*b^2*c^2*x + a^2*d^2*x + 4*b^2*c*d*x^5 + a*b*d^2*x^5)/(4*a*c*(-(b*c) + a*d)^2*(a + b*x^4)^{(1/4)}*(c + d*x^4)) - ((1/16 + I/16)*(8*b*c*d - 3*a*d^2)*ArcTan[(((1 - I)*Sqrt[b*c - a*d]*x^2 - (1 + I)*Sqrt[c]*Sqrt[a + b*x^4])/(2*c^(1/4)*(b*c - a*d)^(1/4)*x*(a + b*x^4)^(1/4))]/(c^(7/4)*(b*c - a*d)^(9/4)) - ((1/16 + I/16)*(8*b*c*d - 3*a*d^2)*ArcTanh[(((1 - I)*Sqrt[b*c - a*d]*x^2 + (1 + I)*Sqrt[c]*Sqrt[a + b*x^4])/(2*c^(1/4)*(b*c - a*d)^(1/4)*x*(a + b*x^4)^(1/4))]/(c^(7/4)*(b*c - a*d)^(9/4))$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(5/4)/(d*x^4+c)^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b x^4 + a)^{\frac{5}{4}} (d x^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(5/4)/(d*x^4+c)^2,x, algorithm="giac")

[Out] integrate(1/((b*x^4 + a)^(5/4)*(d*x^4 + c)^2), x)

maple [F] time = 0.60, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{5}{4}} (dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^4+a)^(5/4)/(d*x^4+c)^2,x)

[Out] int(1/(b*x^4+a)^(5/4)/(d*x^4+c)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{5}{4}} (dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(5/4)/(d*x^4+c)^2,x, algorithm="maxima")

[Out] integrate(1/((b*x^4 + a)^(5/4)*(d*x^4 + c)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{5}{4}} (dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^4)^(5/4)*(c + d*x^4)^2),x)

[Out] int(1/((a + b*x^4)^(5/4)*(c + d*x^4)^2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^4)^{\frac{5}{4}} (c + dx^4)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**4+a)**(5/4)/(d*x**4+c)**2,x)

[Out] Integral(1/((a + b*x**4)**(5/4)*(c + d*x**4)**2), x)

$$3.123 \quad \int \frac{1}{(a+bx^4)^{9/4}(c+dx^4)^2} dx$$

Optimal. Leaf size=266

$$\frac{bx(-5a^2d^2 - 56abcd + 16b^2c^2)}{20a^2c\sqrt[4]{a+bx^4}(bc-ad)^3} + \frac{3d^2(4bc-ad)\tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}(bc-ad)^{13/4}} + \frac{3d^2(4bc-ad)\tanh^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}(bc-ad)^{13/4}} - \frac{1}{4c(a+bx^4)}$$

Rubi [A] time = 0.29, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {414, 527, 12, 377, 212, 208, 205}

$$\frac{bx(-5a^2d^2 - 56abcd + 16b^2c^2)}{20a^2c\sqrt[4]{a+bx^4}(bc-ad)^3} + \frac{3d^2(4bc-ad)\tan^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}(bc-ad)^{13/4}} + \frac{3d^2(4bc-ad)\tanh^{-1}\left(\frac{x\sqrt[4]{bc-ad}}{\sqrt[4]{c}\sqrt[4]{a+bx^4}}\right)}{8c^{7/4}(bc-ad)^{13/4}} - \frac{dx}{4c(a+bx^4)^{5/4}(c+dx^4)(bc-ad)} + \frac{bx(5ad+4bc)}{20ac(a+bx^4)^{5/4}(bc-ad)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^4)^(9/4)*(c + d*x^4)^2), x]

[Out] (b*(4*b*c + 5*a*d)*x)/(20*a*c*(b*c - a*d)^2*(a + b*x^4)^(5/4)) + (b*(16*b^2*c^2 - 56*a*b*c*d - 5*a^2*d^2)*x)/(20*a^2*c*(b*c - a*d)^3*(a + b*x^4)^(1/4)) - (d*x)/(4*c*(b*c - a*d)*(a + b*x^4)^(5/4)*(c + d*x^4)) + (3*d^2*(4*b*c - a*d)*ArcTan[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4)))]/(8*c^(7/4)*(b*c - a*d)^(13/4)) + (3*d^2*(4*b*c - a*d)*ArcTanh[((b*c - a*d)^(1/4)*x)/(c^(1/4)*(a + b*x^4)^(1/4)))]/(8*c^(7/4)*(b*c - a*d)^(13/4))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
  2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
  x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 414

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + bx^4)^{9/4} (c + dx^4)^2} dx &= -\frac{dx}{4c(bc - ad)(a + bx^4)^{5/4} (c + dx^4)} + \frac{\int \frac{4bc - 3ad - 8bdx^4}{(a + bx^4)^{9/4} (c + dx^4)} dx}{4c(bc - ad)} \\
&= \frac{b(4bc + 5ad)x}{20ac(bc - ad)^2 (a + bx^4)^{5/4}} - \frac{dx}{4c(bc - ad)(a + bx^4)^{5/4} (c + dx^4)} - \frac{\int \frac{-16b^2c^2 + 40abd}{(a + bx^4)^{9/4} (c + dx^4)} dx}{20ac(bc - ad)^2} \\
&= \frac{b(4bc + 5ad)x}{20ac(bc - ad)^2 (a + bx^4)^{5/4}} + \frac{b(16b^2c^2 - 56abcd - 5a^2d^2)x}{20a^2c(bc - ad)^3 \sqrt[4]{a + bx^4}} - \frac{dx}{4c(bc - ad)(a + bx^4)^{5/4}} \\
&= \frac{b(4bc + 5ad)x}{20ac(bc - ad)^2 (a + bx^4)^{5/4}} + \frac{b(16b^2c^2 - 56abcd - 5a^2d^2)x}{20a^2c(bc - ad)^3 \sqrt[4]{a + bx^4}} - \frac{dx}{4c(bc - ad)(a + bx^4)^{5/4}} \\
&= \frac{b(4bc + 5ad)x}{20ac(bc - ad)^2 (a + bx^4)^{5/4}} + \frac{b(16b^2c^2 - 56abcd - 5a^2d^2)x}{20a^2c(bc - ad)^3 \sqrt[4]{a + bx^4}} - \frac{dx}{4c(bc - ad)(a + bx^4)^{5/4}} \\
&= \frac{b(4bc + 5ad)x}{20ac(bc - ad)^2 (a + bx^4)^{5/4}} + \frac{b(16b^2c^2 - 56abcd - 5a^2d^2)x}{20a^2c(bc - ad)^3 \sqrt[4]{a + bx^4}} - \frac{dx}{4c(bc - ad)(a + bx^4)^{5/4}} \\
&= \frac{b(4bc + 5ad)x}{20ac(bc - ad)^2 (a + bx^4)^{5/4}} + \frac{b(16b^2c^2 - 56abcd - 5a^2d^2)x}{20a^2c(bc - ad)^3 \sqrt[4]{a + bx^4}} - \frac{dx}{4c(bc - ad)(a + bx^4)^{5/4}} \\
&= \frac{b(4bc + 5ad)x}{20ac(bc - ad)^2 (a + bx^4)^{5/4}} + \frac{b(16b^2c^2 - 56abcd - 5a^2d^2)x}{20a^2c(bc - ad)^3 \sqrt[4]{a + bx^4}} - \frac{dx}{4c(bc - ad)(a + bx^4)^{5/4}}
\end{aligned}$$

Mathematica [C] time = 5.01, size = 1216, normalized size = 4.57

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*x^4)^(9/4)*(c + d*x^4)^2), x]

[Out] $-1/198900*(285532*c^5*(b*c - a*d)^2*x^8*(a + b*x^4)^2 + 933504*c^4*d*(b*c - a*d)^2*x^{12}*(a + b*x^4)^2 + 891072*c^3*d^2*(b*c - a*d)^2*x^{16}*(a + b*x^4)^2 + 282880*c^2*d^3*(b*c - a*d)^2*x^{20}*(a + b*x^4)^2 + 9793836*c^6*(b*c - a*d)*x^4*(a + b*x^4)^3 + 27973296*c^5*d*(b*c - a*d)*x^8*(a + b*x^4)^3 + 25968384*c^4*d^2*(b*c - a*d)*x^{12}*(a + b*x^4)^3 + 8146944*c^3*d^3*(b*c - a*d)*x^{16}*(a + b*x^4)^3 - 23529870*c^7*(a + b*x^4)^4 - 65547495*c^6*d*x^4*(a + b*x^4)^4 - 10444800*c^5*d^2*x^8*(a + b*x^4)^4 - 10444800*c^4*d^3*x^{12}*(a + b*x^4)^4 - 10444800*c^3*d^4*x^{16}*(a + b*x^4)^4 - 10444800*c^2*d^5*x^{20}*(a + b*x^4)^4 - 10444800*c*d^6*x^{24}*(a + b*x^4)^4 - 10444800*d^7*x^{28}*(a + b*x^4)^4 - 10444800*d^8*x^{32}*(a + b*x^4)^4 - 10444800*d^9*x^{36}*(a + b*x^4)^4 - 10444800*d^{10}*(a + b*x^4)^4$

$$\begin{aligned}
&^4)^4 - 60505380*c^5*d^2*x^8*(a + b*x^4)^4 - 18935280*c^4*d^3*x^{12}*(a + b*x \\
&^4)^4 - 14499810*c^6*(b*c - a*d)*x^4*(a + b*x^4)^3*Hypergeometric2F1[1/4, 1 \\
&, 5/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))] - 41082795*c^5*d*(b*c - a*d)*x^8* \\
&(a + b*x^4)^3*Hypergeometric2F1[1/4, 1, 5/4, ((b*c - a*d)*x^4)/(c*(a + b*x^ \\
&4))] - 38069460*c^4*d^2*(b*c - a*d)*x^{12}*(a + b*x^4)^3*Hypergeometric2F1[1/ \\
&4, 1, 5/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))] - 11934000*c^3*d^3*(b*c - a*d \\
&)*x^{16}*(a + b*x^4)^3*Hypergeometric2F1[1/4, 1, 5/4, ((b*c - a*d)*x^4)/(c*(a \\
&+ b*x^4))] + 23529870*c^7*(a + b*x^4)^4*Hypergeometric2F1[1/4, 1, 5/4, ((b \\
&*c - a*d)*x^4)/(c*(a + b*x^4))] + 65547495*c^6*d*x^4*(a + b*x^4)^4*Hypergeo \\
&metric2F1[1/4, 1, 5/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))] + 60505380*c^5*d^ \\
&2*x^8*(a + b*x^4)^4*Hypergeometric2F1[1/4, 1, 5/4, ((b*c - a*d)*x^4)/(c*(a \\
&+ b*x^4))] + 18935280*c^4*d^3*x^{12}*(a + b*x^4)^4*Hypergeometric2F1[1/4, 1, \\
&5/4, ((b*c - a*d)*x^4)/(c*(a + b*x^4))] + 77760*c^3*(b*c - a*d)^4*x^{16}*Hype \\
&rgeometricPFQ[{2, 2, 13/4}, {1, 21/4}, ((b*c - a*d)*x^4)/(c*(a + b*x^4))] + \\
&224640*c^2*d*(b*c - a*d)^4*x^{20}*HypergeometricPFQ[{2, 2, 13/4}, {1, 21/4}, \\
&((b*c - a*d)*x^4)/(c*(a + b*x^4))] + 216000*c*d^2*(b*c - a*d)^4*x^{24}*Hyper \\
&geometricPFQ[{2, 2, 13/4}, {1, 21/4}, ((b*c - a*d)*x^4)/(c*(a + b*x^4))] + \\
&69120*d^3*(b*c - a*d)^4*x^{28}*HypergeometricPFQ[{2, 2, 13/4}, {1, 21/4}, ((b \\
&*c - a*d)*x^4)/(c*(a + b*x^4))] + 11520*c^3*(b*c - a*d)^4*x^{16}*Hypergeometr \\
&icPFQ[{2, 2, 2, 13/4}, {1, 1, 21/4}, ((b*c - a*d)*x^4)/(c*(a + b*x^4))] + 3 \\
&4560*c^2*d*(b*c - a*d)^4*x^{20}*HypergeometricPFQ[{2, 2, 2, 13/4}, {1, 1, 21/ \\
&4}, ((b*c - a*d)*x^4)/(c*(a + b*x^4))] + 34560*c*d^2*(b*c - a*d)^4*x^{24}*Hyp \\
&ergeometricPFQ[{2, 2, 2, 13/4}, {1, 1, 21/4}, ((b*c - a*d)*x^4)/(c*(a + b*x \\
&^4))] + 11520*d^3*(b*c - a*d)^4*x^{28}*HypergeometricPFQ[{2, 2, 2, 13/4}, {1, \\
&1, 21/4}, ((b*c - a*d)*x^4)/(c*(a + b*x^4))]/(c^8*(-b + (a*d)/c)^3*x^{11}*(\\
&a + b*x^4)^{(13/4)}*(c + d*x^4))
\end{aligned}$$

IntegrateAlgebraic [C] time = 6.85, size = 394, normalized size = 1.48

$$\frac{5a^4d^3x + 10a^3bd^3x^5 + 60a^2b^2cd^2dx + 60a^2b^2cd^2x^5 + 5a^2b^2d^3x^9 - 20ab^3c^3x + 36ab^3c^2dx^5 + 56ab^3cd^2x^9 - 16b^4c^3x^5 - 16b^4c^2dx^9}{20a^2c(a + bx^4)^{3/4}(c + dx^4)(ad - bc)^3} + \frac{\left(\frac{3}{16} + \frac{3i}{16}\right)(4bcd^2 - ad^3)\tan^{-1}\left(\frac{(1-i)\sqrt{bc-ad} - (1+i)\sqrt{ca+bx^4}}{2\sqrt{c}\sqrt{ca+bx^4}\sqrt{bc-ad}}\right)}{c^{7/4}(bc - ad)^{3/4}} + \frac{\left(\frac{3}{16} + \frac{3i}{16}\right)(4bcd^2 - ad^3)\tanh^{-1}\left(\frac{(1-i)\sqrt{bc-ad} + (1+i)\sqrt{ca+bx^4}}{2\sqrt{c}\sqrt{ca+bx^4}\sqrt{bc-ad}}\right)}{c^{7/4}(bc - ad)^{3/4}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b*x^4)^(9/4)*(c + d*x^4)^2), x]

[Out] (-20*a*b^3*c^3*x + 60*a^2*b^2*c^2*d*x + 5*a^4*d^3*x - 16*b^4*c^3*x^5 + 36*a*b^3*c^2*d*x^5 + 60*a^2*b^2*c*d^2*x^5 + 10*a^3*b*d^3*x^5 - 16*b^4*c^2*d*x^9 + 56*a*b^3*c*d^2*x^9 + 5*a^2*b^2*d^3*x^9)/(20*a^2*c*(-(b*c) + a*d)^3*(a + b*x^4)^(5/4)*(c + d*x^4)) + ((3/16 + (3*I)/16)*(4*b*c*d^2 - a*d^3)*ArcTan[(1 - I)*Sqrt[b*c - a*d]*x^2 - (1 + I)*Sqrt[c]*Sqrt[a + b*x^4)]/(2*c^(1/4)*(b*c - a*d)^(1/4)*x*(a + b*x^4)^(1/4))]/(c^(7/4)*(b*c - a*d)^(13/4)) + ((3/16 + (3*I)/16)*(4*b*c*d^2 - a*d^3)*ArcTanh[((1 - I)*Sqrt[b*c - a*d]*x^2 + (1 + I)*Sqrt[c]*Sqrt[a + b*x^4)]/(2*c^(1/4)*(b*c - a*d)^(1/4)*x*(a + b*x^4)^(1/4))]/(c^(7/4)*(b*c - a*d)^(13/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(9/4)/(d*x^4+c)^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{9}{4}}(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(9/4)/(d*x^4+c)^2,x, algorithm="giac")

[Out] integrate(1/((b*x^4 + a)^(9/4)*(d*x^4 + c)^2), x)

maple [F] time = 0.61, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{9}{4}}(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^4+a)^(9/4)/(d*x^4+c)^2,x)

[Out] int(1/(b*x^4+a)^(9/4)/(d*x^4+c)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^4 + a)^{\frac{9}{4}}(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^4+a)^(9/4)/(d*x^4+c)^2,x, algorithm="maxima")

[Out] integrate(1/((b*x^4 + a)^(9/4)*(d*x^4 + c)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(bx^4 + a)^{9/4}(dx^4 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b*x^4)^(9/4)*(c + d*x^4)^2), x)`

[Out] `int(1/((a + b*x^4)^(9/4)*(c + d*x^4)^2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^4)^{\frac{9}{4}} (c + dx^4)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x**4+a)**(9/4)/(d*x**4+c)**2, x)`

[Out] `Integral(1/((a + b*x**4)**(9/4)*(c + d*x**4)**2), x)`

$$3.124 \quad \int \frac{1}{\sqrt[4]{1+x^4}(2+x^4)} dx$$

Optimal. Leaf size=53

$$\frac{\tan^{-1}\left(\frac{x}{\sqrt[4]{2}\sqrt[4]{x^4+1}}\right)}{2^{3/4}} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt[4]{2}\sqrt[4]{x^4+1}}\right)}{2^{3/4}}$$

Rubi [A] time = 0.02, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {377, 212, 206, 203}

$$\frac{\tan^{-1}\left(\frac{x}{\sqrt[4]{2}\sqrt[4]{x^4+1}}\right)}{2^{3/4}} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt[4]{2}\sqrt[4]{x^4+1}}\right)}{2^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[1/((1 + x^4)^(1/4)*(2 + x^4)),x]

[Out] ArcTan[x/(2^(1/4)*(1 + x^4)^(1/4))]/(2*2^(3/4)) + ArcTanh[x/(2^(1/4)*(1 + x^4)^(1/4))]/(2*2^(3/4))

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt[4]{1+x^4} (2+x^4)} dx &= \text{Subst} \left(\int \frac{1}{2-x^4} dx, x, \frac{x}{\sqrt[4]{1+x^4}} \right) \\ &= \frac{\text{Subst} \left(\int \frac{1}{\sqrt{2-x^2}} dx, x, \frac{x}{\sqrt[4]{1+x^4}} \right)}{2\sqrt{2}} + \frac{\text{Subst} \left(\int \frac{1}{\sqrt{2+x^2}} dx, x, \frac{x}{\sqrt[4]{1+x^4}} \right)}{2\sqrt{2}} \\ &= \frac{\tan^{-1} \left(\frac{x}{\sqrt[4]{2} \sqrt[4]{1+x^4}} \right)}{2 \cdot 2^{3/4}} + \frac{\tanh^{-1} \left(\frac{x}{\sqrt[4]{2} \sqrt[4]{1+x^4}} \right)}{2 \cdot 2^{3/4}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 44, normalized size = 0.83

$$\frac{\tan^{-1} \left(\frac{x}{\sqrt[4]{2} \sqrt[4]{x^4+1}} \right) + \tanh^{-1} \left(\frac{x}{\sqrt[4]{2} \sqrt[4]{x^4+1}} \right)}{2 \cdot 2^{3/4}}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((1 + x^4)^(1/4)*(2 + x^4)),x]
```

```
[Out] (ArcTan[x/(2^(1/4)*(1 + x^4)^(1/4))] + ArcTanh[x/(2^(1/4)*(1 + x^4)^(1/4))])/(2*2^(3/4))
```

IntegrateAlgebraic [A] time = 0.23, size = 53, normalized size = 1.00

$$\frac{\tan^{-1} \left(\frac{x}{\sqrt[4]{2} \sqrt[4]{x^4+1}} \right)}{2 \cdot 2^{3/4}} + \frac{\tanh^{-1} \left(\frac{x}{\sqrt[4]{2} \sqrt[4]{x^4+1}} \right)}{2 \cdot 2^{3/4}}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[1/((1 + x^4)^(1/4)*(2 + x^4)),x]
```

```
[Out] ArcTan[x/(2^(1/4)*(1 + x^4)^(1/4))]/(2*2^(3/4)) + ArcTanh[x/(2^(1/4)*(1 + x^4)^(1/4))]/(2*2^(3/4))
```

fricas [B] time = 16.48, size = 208, normalized size = 3.92

$$-\frac{1}{16} \cdot 8^{\frac{3}{4}} \arctan\left(\frac{8^{\frac{3}{4}}(x^4+1)^{\frac{3}{4}}x^3 + 4 \cdot 8^{\frac{3}{4}}(x^4+1)^{\frac{3}{4}}x - 2^{\frac{1}{4}}(8^{\frac{3}{4}}\sqrt{x^4+1}x^2 + 8^{\frac{3}{4}}(3x^4+2))}{2(x^4+2)}\right) + \frac{1}{64} \cdot 8^{\frac{3}{4}} \log\left(\frac{8\sqrt{2}(x^4+1)^{\frac{3}{4}}x^3 + 8 \cdot 8^{\frac{3}{4}}\sqrt{x^4+1}x^2 + 8^{\frac{3}{4}}(3x^4+2) + 16(x^4+1)^{\frac{3}{4}}x}{x^4+2}\right) - \frac{1}{64} \cdot 8^{\frac{3}{4}} \log\left(\frac{8\sqrt{2}(x^4+1)^{\frac{3}{4}}x^3 - 8 \cdot 8^{\frac{3}{4}}\sqrt{x^4+1}x^2 - 8^{\frac{3}{4}}(3x^4+2) + 16(x^4+1)^{\frac{3}{4}}x}{x^4+2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^4+1)^(1/4)/(x^4+2),x, algorithm="fricas")

[Out] $-1/16*8^{3/4}*arctan(-1/2*(8^{3/4}*(x^4 + 1)^{1/4}*x^3 + 4*8^{1/4}*(x^4 + 1)^{3/4}*x - 2^{1/4}*(8^{3/4}*sqrt(x^4 + 1)*x^2 + 8^{1/4}*(3*x^4 + 2)))/(x^4 + 2)) + 1/64*8^{3/4}*log((8*sqrt(2)*(x^4 + 1)^{1/4}*x^3 + 8*8^{1/4}*sqrt(x^4 + 1)*x^2 + 8^{3/4}*(3*x^4 + 2) + 16*(x^4 + 1)^{3/4}*x)/(x^4 + 2)) - 1/64*8^{3/4}*log((8*sqrt(2)*(x^4 + 1)^{1/4}*x^3 - 8*8^{1/4}*sqrt(x^4 + 1)*x^2 - 8^{3/4}*(3*x^4 + 2) + 16*(x^4 + 1)^{3/4}*x)/(x^4 + 2))$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 2)(x^4 + 1)^{\frac{1}{4}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^4+1)^(1/4)/(x^4+2),x, algorithm="giac")

[Out] integrate(1/((x^4 + 2)*(x^4 + 1)^(1/4)), x)

maple [C] time = 3.24, size = 211, normalized size = 3.98

$$\frac{\text{RootOf}(_Z^2 + \text{RootOf}(_Z^4 - 2)) \ln\left(\frac{-3^{\frac{1}{4}} \text{RootOf}(_Z^2 + \text{RootOf}(_Z^4 - 2))^{\frac{1}{4}} 2^{\frac{1}{4}} (x^4 + 1)^{\frac{3}{4}} \text{RootOf}(_Z^2 + \text{RootOf}(_Z^4 - 2))^{\frac{1}{4}} + 2^{\frac{1}{4}} \sqrt{x^4 + 1} \text{RootOf}(_Z^2 + \text{RootOf}(_Z^4 - 2))^{\frac{1}{4}} \text{RootOf}(_Z^2 + \text{RootOf}(_Z^4 - 2))^{\frac{1}{4}} + (x^4 + 1)^{\frac{3}{4}} \text{RootOf}(_Z^2 + \text{RootOf}(_Z^4 - 2))^{\frac{1}{4}}}{x^4 + 2}\right)}{8} + \frac{\text{RootOf}(_Z^2 - 2) \ln\left(\frac{3^{\frac{1}{4}} \text{RootOf}(_Z^2 + \text{RootOf}(_Z^4 - 2))^{\frac{1}{4}} 2^{\frac{1}{4}} (x^4 + 1)^{\frac{3}{4}} \text{RootOf}(_Z^2 + \text{RootOf}(_Z^4 - 2))^{\frac{1}{4}} + 2^{\frac{1}{4}} \sqrt{x^4 + 1} \text{RootOf}(_Z^2 + \text{RootOf}(_Z^4 - 2))^{\frac{1}{4}} \text{RootOf}(_Z^2 + \text{RootOf}(_Z^4 - 2))^{\frac{1}{4}} + (x^4 + 1)^{\frac{3}{4}} \text{RootOf}(_Z^2 + \text{RootOf}(_Z^4 - 2))^{\frac{1}{4}}}{x^4 + 2}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4+1)^(1/4)/(x^4+2),x)

[Out] $-1/8*\text{RootOf}(_Z^2 + \text{RootOf}(_Z^4 - 2))^2 * \ln(-2*(x^4 + 1)^{1/2} * \text{RootOf}(_Z^4 - 2)^2 * \text{RootOf}(_Z^2 + \text{RootOf}(_Z^4 - 2))^2 * x^2 - 2*(x^4 + 1)^{1/4} * \text{RootOf}(_Z^4 - 2)^2 * x^3 - 3*\text{RootOf}(_Z^2 + \text{RootOf}(_Z^4 - 2))^2 * x^4 + 4*(x^4 + 1)^{3/4} * x - 2*\text{RootOf}(_Z^2 + \text{RootOf}(_Z^4 - 2))^2)) / (x^4 + 2) + 1/8*\text{RootOf}(_Z^4 - 2) * \ln((2*(x^4 + 1)^{1/2} * \text{RootOf}(_Z^4 - 2)^3 * x^2 + 2*(x^4 + 1)^{1/4} * \text{RootOf}(_Z^4 - 2)^2 * x^3 + 3*\text{RootOf}(_Z^4 - 2) * x^4 + 4*(x^4 + 1)^{3/4} * x + 2*\text{RootOf}(_Z^4 - 2))) / (x^4 + 2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 2)(x^4 + 1)^{\frac{1}{4}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^4+1)^(1/4)/(x^4+2),x, algorithm="maxima")

[Out] integrate(1/((x^4 + 2)*(x^4 + 1)^(1/4)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{(x^4 + 1)^{1/4} (x^4 + 2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((x^4 + 1)^(1/4)*(x^4 + 2)),x)

[Out] int(1/((x^4 + 1)^(1/4)*(x^4 + 2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt[4]{x^4 + 1} (x^4 + 2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x**4+1)**(1/4)/(x**4+2),x)

[Out] Integral(1/((x**4 + 1)**(1/4)*(x**4 + 2)), x)

$$3.125 \quad \int \frac{1}{(a-(a-b)x^4)\sqrt[4]{a+bx^4}} dx$$

Optimal. Leaf size=57

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{a}x}{\sqrt[4]{a+bx^4}}\right)}{2a^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{a}x}{\sqrt[4]{a+bx^4}}\right)}{2a^{5/4}}$$

Rubi [A] time = 0.02, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {377, 212, 206, 203}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{a}x}{\sqrt[4]{a+bx^4}}\right)}{2a^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{a}x}{\sqrt[4]{a+bx^4}}\right)}{2a^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[1/((a - (a - b)*x^4)*(a + b*x^4)^(1/4)), x]

[Out] ArcTan[(a^(1/4)*x)/(a + b*x^4)^(1/4)]/(2*a^(5/4)) + ArcTanh[(a^(1/4)*x)/(a + b*x^4)^(1/4)]/(2*a^(5/4))

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b}

, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rubi steps

$$\begin{aligned} \int \frac{1}{(a - (a - b)x^4) \sqrt[4]{a + bx^4}} dx &= \text{Subst} \left(\int \frac{1}{a - (ab - a(-a + b))x^4} dx, x, \frac{x}{\sqrt[4]{a + bx^4}} \right) \\ &= \frac{\text{Subst} \left(\int \frac{1}{1 - \sqrt{a}x^2} dx, x, \frac{x}{\sqrt[4]{a + bx^4}} \right)}{2a} + \frac{\text{Subst} \left(\int \frac{1}{1 + \sqrt{a}x^2} dx, x, \frac{x}{\sqrt[4]{a + bx^4}} \right)}{2a} \\ &= \frac{\tan^{-1} \left(\frac{\sqrt[4]{a}x}{\sqrt[4]{a + bx^4}} \right)}{2a^{5/4}} + \frac{\tanh^{-1} \left(\frac{\sqrt[4]{a}x}{\sqrt[4]{a + bx^4}} \right)}{2a^{5/4}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 48, normalized size = 0.84

$$\frac{\tan^{-1} \left(\frac{\sqrt[4]{a}x}{\sqrt[4]{a + bx^4}} \right) + \tanh^{-1} \left(\frac{\sqrt[4]{a}x}{\sqrt[4]{a + bx^4}} \right)}{2a^{5/4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a - (a - b)*x^4)*(a + b*x^4)^(1/4)), x]

[Out] (ArcTan[(a^(1/4)*x)/(a + b*x^4)^(1/4)] + ArcTanh[(a^(1/4)*x)/(a + b*x^4)^(1/4)])/(2*a^(5/4))

IntegrateAlgebraic [A] time = 0.44, size = 57, normalized size = 1.00

$$\frac{\tan^{-1} \left(\frac{\sqrt[4]{a}x}{\sqrt[4]{a + bx^4}} \right)}{2a^{5/4}} + \frac{\tanh^{-1} \left(\frac{\sqrt[4]{a}x}{\sqrt[4]{a + bx^4}} \right)}{2a^{5/4}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a - (a - b)*x^4)*(a + b*x^4)^(1/4)), x]

[Out] ArcTan[(a^(1/4)*x)/(a + b*x^4)^(1/4)]/(2*a^(5/4)) + ArcTanh[(a^(1/4)*x)/(a + b*x^4)^(1/4)]/(2*a^(5/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a-(a-b)*x^4)/(b*x^4+a)^(1/4),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{((a-b)x^4 - a)(bx^4 + a)^{\frac{1}{4}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a-(a-b)*x^4)/(b*x^4+a)^(1/4),x, algorithm="giac")

[Out] integrate(-1/(((a - b)*x^4 - a)*(b*x^4 + a)^(1/4)), x)

maple [F] time = 0.62, size = 0, normalized size = 0.00

$$\int \frac{1}{(-(a-b)x^4 + a)(bx^4 + a)^{\frac{1}{4}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a-(a-b)*x^4)/(b*x^4+a)^(1/4),x)

[Out] int(1/(a-(a-b)*x^4)/(b*x^4+a)^(1/4),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{1}{((a-b)x^4 - a)(bx^4 + a)^{\frac{1}{4}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a-(a-b)*x^4)/(b*x^4+a)^(1/4),x, algorithm="maxima")

[Out] -integrate(1/(((a - b)*x^4 - a)*(b*x^4 + a)^(1/4)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{(bx^4 + a)^{\frac{1}{4}} (a - x^4 (a - b))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^4)^(1/4)*(a - x^4*(a - b))),x)

[Out] `int(1/((a + b*x^4)^(1/4)*(a - x^4*(a - b))), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{1}{ax^4\sqrt[4]{a+bx^4} - a\sqrt[4]{a+bx^4} - bx^4\sqrt[4]{a+bx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a-(a-b)*x**4)/(b*x**4+a)**(1/4),x)`

[Out] `-Integral(1/(a*x**4*(a + b*x**4)**(1/4) - a*(a + b*x**4)**(1/4) - b*x**4*(a + b*x**4)**(1/4)), x)`

$$3.126 \quad \int \frac{1}{\sqrt[5]{a+bx^5}(c+dx^5)} dx$$

Optimal. Leaf size=545

$$\frac{\log\left(\sqrt[5]{c} - \frac{x\sqrt[5]{bc-ad}}{\sqrt[5]{a+bx^5}}\right) \sqrt{\frac{1}{2}(5+\sqrt{5})} \tan^{-1}\left(\sqrt{\frac{1}{5}(5-2\sqrt{5})} - \frac{2\sqrt{\frac{2}{5+\sqrt{5}}x\sqrt[5]{bc-ad}}}{\sqrt[5]{c}\sqrt[5]{a+bx^5}}\right) + \sqrt{\frac{1}{2}(5-\sqrt{5})} \tan^{-1}\left(\frac{\sqrt{\frac{2}{5}(5+\sqrt{5})}}{\sqrt[5]{c}\sqrt[5]{a+bx^5}}\right)}{5c^{4/5}\sqrt[5]{bc-ad}}$$

Rubi [A] time = 1.09, antiderivative size = 545, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {377, 202, 634, 618, 204, 628, 31}

$$\frac{\log\left(\sqrt[5]{c} - \frac{x\sqrt[5]{bc-ad}}{\sqrt[5]{a+bx^5}}\right)}{5c^{4/5}\sqrt[5]{bc-ad}} + (1-\sqrt{5}) \frac{\log\left(\frac{(a+bx^5)^{2/5} - 2a^2(bc-ad)^{2/5} - \sqrt{5}\sqrt[5]{c}\sqrt[5]{a+bx^5}\sqrt[5]{bc-ad} + \sqrt[5]{c}\sqrt[5]{a+bx^5}\sqrt[5]{bc-ad}}{(a+bx^5)^{2/5}}\right)}{20c^{4/5}\sqrt[5]{bc-ad}} + (1+\sqrt{5}) \frac{\log\left(\frac{(a+bx^5)^{2/5} - 2a^2(bc-ad)^{2/5} + \sqrt{5}\sqrt[5]{c}\sqrt[5]{a+bx^5}\sqrt[5]{bc-ad} - \sqrt[5]{c}\sqrt[5]{a+bx^5}\sqrt[5]{bc-ad}}{(a+bx^5)^{2/5}}\right)}{20c^{4/5}\sqrt[5]{bc-ad}} - \frac{\sqrt{\frac{1}{2}(5+\sqrt{5})} \tan^{-1}\left(\sqrt{\frac{1}{5}(5-2\sqrt{5})} - \frac{2\sqrt{\frac{2}{5+\sqrt{5}}x\sqrt[5]{bc-ad}}}{\sqrt[5]{c}\sqrt[5]{a+bx^5}}\right)}{5c^{4/5}\sqrt[5]{bc-ad}} + \frac{\sqrt{\frac{1}{2}(5-\sqrt{5})} \tan^{-1}\left(\frac{\sqrt{\frac{2}{5}(5+\sqrt{5})}}{\sqrt[5]{c}\sqrt[5]{a+bx^5}}\right)}{5c^{4/5}\sqrt[5]{bc-ad}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^5)^(1/5)*(c + d*x^5)), x]

[Out] -(Sqrt[(5 + Sqrt[5])/2]*ArcTan[Sqrt[(5 - 2*Sqrt[5])/5] - (2*Sqrt[2/(5 + Sqrt[5]))*(b*c - a*d)^(1/5)*x]/(c^(1/5)*(a + b*x^5)^(1/5)))]/(5*c^(4/5)*(b*c - a*d)^(1/5)) + (Sqrt[(5 - Sqrt[5])/2]*ArcTan[Sqrt[(5 + 2*Sqrt[5])/5] + (Sqrt[2*(5 + Sqrt[5])/5]*(b*c - a*d)^(1/5)*x)/(c^(1/5)*(a + b*x^5)^(1/5)))]/(5*c^(4/5)*(b*c - a*d)^(1/5)) - Log[c^(1/5) - ((b*c - a*d)^(1/5)*x)/(a + b*x^5)^(1/5)]/(5*c^(4/5)*(b*c - a*d)^(1/5)) + ((1 - Sqrt[5])*Log[(2*(b*c - a*d)^(2/5)*x^2 + c^(1/5)*(b*c - a*d)^(1/5)*x*(a + b*x^5)^(1/5) - Sqrt[5]*c^(1/5)*(b*c - a*d)^(1/5)*x*(a + b*x^5)^(1/5) + 2*c^(2/5)*(a + b*x^5)^(2/5)]/(a + b*x^5)^(2/5))]/(20*c^(4/5)*(b*c - a*d)^(1/5)) + ((1 + Sqrt[5])*Log[(2*(b*c - a*d)^(2/5)*x^2 + c^(1/5)*(b*c - a*d)^(1/5)*x*(a + b*x^5)^(1/5) + Sqrt[5]*c^(1/5)*(b*c - a*d)^(1/5)*x*(a + b*x^5)^(1/5) + 2*c^(2/5)*(a + b*x^5)^(2/5)]/(a + b*x^5)^(2/5))]/(20*c^(4/5)*(b*c - a*d)^(1/5))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 202

Int[((a_) + (b_.)*(x_)^(n_))^(m_), x_Symbol] := Module[{r = Numerator[Rt[-(a/b), n]], s = Denominator[Rt[-(a/b), n]], k, u}, Simp[u = Int[(r + s*Cos[(2*k - 1)*Pi/n]*x)/(r^2 + 2*r*s*Cos[(2*k - 1)*Pi/n]*x + s^2*x^2), x]; (r * Int[1/(r - s*x), x])/(a*n) + Dist[(2*r)/(a*n), Sum[u, {k, 1, (n - 1)/2}],

$x], x]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{IGtQ}[(n - 3)/2, 0] \ \&\& \ \text{NegQ}[a/b]$

Rule 204

$\text{Int}[(a_) + (b_)*(x_)^2)^{-1}, x_Symbol] \ :> \ -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 377

$\text{Int}[(a_) + (b_)*(x_)^{(n_)}])^{(p_)} / ((c_) + (d_)*(x_)^{(n_)}), x_Symbol] \ :> \ \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{(1/n)}] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[n*p + 1, 0] \ \&\& \ \text{IntegerQ}[n]$

Rule 618

$\text{Int}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{-1}, x_Symbol] \ :> \ \text{Dist}[-2, \text{Subst}[\text{Int}[1/\text{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_) + (e_)*(x_)] / ((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \ :> \ \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_.) + (e_.)*(x_)] / ((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \ :> \ \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt[5]{a+bx^5}(c+dx^5)} dx &= \text{Subst} \left(\int \frac{1}{c-(bc-ad)x^5} dx, x, \frac{x}{\sqrt[5]{a+bx^5}} \right) \\
&= \frac{2 \text{Subst} \left(\int \frac{\sqrt[5]{c} + \frac{1}{4}(1-\sqrt{5})\sqrt[5]{bc-ad}x}{c^{2/5} + \frac{1}{2}(1-\sqrt{5})\sqrt[5]{c}\sqrt[5]{bc-ad}x + (bc-ad)^{2/5}x^2} dx, x, \frac{x}{\sqrt[5]{a+bx^5}} \right)}{5c^{4/5}} + \frac{2 \text{Subst} \left(\int \frac{\sqrt[5]{c}}{c^{2/5} + \frac{1}{2}(1+\sqrt{5})\sqrt[5]{c}\sqrt[5]{bc-ad}x + (bc-ad)^{2/5}x^2} dx, x, \frac{x}{\sqrt[5]{a+bx^5}} \right)}{5c^{4/5}} \\
&= -\frac{\log \left(\sqrt[5]{c} - \frac{\sqrt[5]{bc-ad}x}{\sqrt[5]{a+bx^5}} \right)}{5c^{4/5}\sqrt[5]{bc-ad}} + \frac{(5-\sqrt{5}) \text{Subst} \left(\int \frac{1}{c^{2/5} + \frac{1}{2}(1+\sqrt{5})\sqrt[5]{c}\sqrt[5]{bc-ad}x + (bc-ad)^{2/5}x^2} dx, x, \frac{x}{\sqrt[5]{a+bx^5}} \right)}{20c^{3/5}} \\
&= -\frac{\log \left(\sqrt[5]{c} - \frac{\sqrt[5]{bc-ad}x}{\sqrt[5]{a+bx^5}} \right)}{5c^{4/5}\sqrt[5]{bc-ad}} + \frac{(1-\sqrt{5}) \log \left(2c^{2/5} + \frac{2(bc-ad)^{2/5}x^2}{(a+bx^5)^{2/5}} + \frac{\sqrt[5]{c}\sqrt[5]{bc-ad}x}{\sqrt[5]{a+bx^5}} - \frac{\sqrt{5}\sqrt[5]{c}\sqrt[5]{bc-ad}}{\sqrt[5]{a+bx^5}} \right)}{20c^{4/5}\sqrt[5]{bc-ad}} \\
&= \frac{\sqrt{\frac{1}{2}(5+\sqrt{5})} \tan^{-1} \left(\frac{(1-\sqrt{5})\sqrt[5]{c} + \frac{4\sqrt[5]{bc-ad}x}{\sqrt[5]{a+bx^5}}}{\sqrt{2(5+\sqrt{5})}\sqrt[5]{c}} \right)}{5c^{4/5}\sqrt[5]{bc-ad}} + \frac{\sqrt{\frac{1}{2}(5-\sqrt{5})} \tan^{-1} \left(\frac{\sqrt{5+\sqrt{5}}((1+\sqrt{5})\sqrt[5]{c} - \sqrt{5}\sqrt[5]{c})}{2\sqrt{10}\sqrt[5]{c}} \right)}{5c^{4/5}\sqrt[5]{bc-ad}}
\end{aligned}$$

Mathematica [C] time = 0.02, size = 48, normalized size = 0.09

$$\frac{x {}_2F_1 \left(\frac{1}{5}, 1; \frac{6}{5}; \frac{(bc-ad)x^5}{c(bx^5+a)} \right)}{c\sqrt[5]{a+bx^5}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^5)^(1/5)*(c + d*x^5)),x]

[Out] (x*Hypergeometric2F1[1/5, 1, 6/5, ((b*c - a*d)*x^5)/(c*(a + b*x^5))])/(c*(a + b*x^5)^(1/5))

IntegrateAlgebraic [F] time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/((a + b*x^5)^(1/5)*(c + d*x^5)),x]

[Out] \$Aborted

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^5+a)^(1/5)/(d*x^5+c),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (trace 0)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^5 + a)^{\frac{1}{5}}(dx^5 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^5+a)^(1/5)/(d*x^5+c),x, algorithm="giac")

[Out] integrate(1/((b*x^5 + a)^(1/5)*(d*x^5 + c)), x)

maple [F] time = 0.57, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^5 + a)^{\frac{1}{5}}(dx^5 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^5+a)^(1/5)/(d*x^5+c),x)

[Out] int(1/(b*x^5+a)^(1/5)/(d*x^5+c),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^5 + a)^{\frac{1}{5}}(dx^5 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^5+a)^(1/5)/(d*x^5+c),x, algorithm="maxima")

[Out] integrate(1/((b*x^5 + a)^(1/5)*(d*x^5 + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(bx^5 + a)^{1/5} (dx^5 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^5)^(1/5)*(c + d*x^5)), x)

[Out] int(1/((a + b*x^5)^(1/5)*(c + d*x^5)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt[5]{a + bx^5} (c + dx^5)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**5+a)**(1/5)/(d*x**5+c), x)

[Out] Integral(1/((a + b*x**5)**(1/5)*(c + d*x**5)), x)

$$3.127 \quad \int \sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^3 dx$$

Optimal. Leaf size=143

$$\frac{d\sqrt{a + \frac{b}{x}} \left(2(-2a^2d^2 + 15abcd + 57b^2c^2) + \frac{bd(2ad+33bc)}{x}\right)}{15b^2} + \frac{c^2(6ad + bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{\sqrt{a}} + x\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^3 - \frac{7}{5}d\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2$$

Rubi [A] time = 0.12, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {375, 97, 153, 147, 63, 208}

$$\frac{d\sqrt{a + \frac{b}{x}} \left(2(-2a^2d^2 + 15abcd + 57b^2c^2) + \frac{bd(2ad+33bc)}{x}\right)}{15b^2} + \frac{c^2(6ad + bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{\sqrt{a}} + x\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^3 - \frac{7}{5}d\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b/x]*(c + d/x)^3,x]

[Out] (-7*d*Sqrt[a + b/x]*(c + d/x)^2)/5 - (d*Sqrt[a + b/x]*(2*(57*b^2*c^2 + 15*a*b*c*d - 2*a^2*d^2) + (b*d*(33*b*c + 2*a*d))/x))/(15*b^2) + Sqrt[a + b/x]*(c + d/x)^3*x + (c^2*(b*c + 6*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/Sqrt[a]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 97

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p)/(b*(m + 1)), x] - Dist[1/(b*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^(p - 1)*Simp[d*e*n + c*f*p + d*f*(n + p)*x, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && LtQ[m, -1] && GtQ[n, 0] && GtQ[p, 0] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

Rule 147

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))*(g_.) + (h_.)*(x_)), x_Symbol] :> -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m


```

+ 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x*(a + b*x)^(m +
1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2
*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m +
n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3
) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), In
t[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n},
x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]

```

Rule 153

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_)
)^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegerQ[m]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rule 375

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol
] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a,
b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

```

Rubi steps

$$\begin{aligned}
\int \sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^3 dx &= -\text{Subst} \left(\int \frac{\sqrt{a + bx} (c + dx)^3}{x^2} dx, x, \frac{1}{x} \right) \\
&= \sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^3 x - \text{Subst} \left(\int \frac{(c + dx)^2 \left(\frac{1}{2}(bc + 6ad) + \frac{7bdx}{2}\right)}{x\sqrt{a + bx}} dx, x, \frac{1}{x} \right) \\
&= -\frac{7}{5}d\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2 + \sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^3 x - \frac{2 \text{Subst} \left(\int \frac{(c+dx) \left(\frac{5}{4}bc(bc+6ad) + \frac{1}{4}bd(33bc+2ad)\right)}{x\sqrt{a+bx}} \right)}{5b} \\
&= -\frac{7}{5}d\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2 - \frac{d\sqrt{a + \frac{b}{x}} \left(2(57b^2c^2 + 15abcd - 2a^2d^2) + \frac{bd(33bc+2ad)}{x}\right)}{15b^2} + \sqrt{a + \frac{b}{x}} \\
&= -\frac{7}{5}d\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2 - \frac{d\sqrt{a + \frac{b}{x}} \left(2(57b^2c^2 + 15abcd - 2a^2d^2) + \frac{bd(33bc+2ad)}{x}\right)}{15b^2} + \sqrt{a + \frac{b}{x}} \\
&= -\frac{7}{5}d\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2 - \frac{d\sqrt{a + \frac{b}{x}} \left(2(57b^2c^2 + 15abcd - 2a^2d^2) + \frac{bd(33bc+2ad)}{x}\right)}{15b^2} + \sqrt{a + \frac{b}{x}}
\end{aligned}$$

Mathematica [A] time = 0.19, size = 118, normalized size = 0.83

$$\frac{\sqrt{a + \frac{b}{x}} (4a^2d^3x^2 - 2abd^2x(15cx + d) - 3b^2(-5c^3x^3 + 30c^2dx^2 + 10cd^2x + 2d^3))}{15b^2x^2} + \frac{c^2(6ad + bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b/x]*(c + d/x)^3,x]

[Out] (Sqrt[a + b/x]*(4*a^2*d^3*x^2 - 2*a*b*d^2*x*(d + 15*c*x) - 3*b^2*(2*d^3 + 10*c*d^2*x + 30*c^2*d*x^2 - 5*c^3*x^3)))/(15*b^2*x^2) + (c^2*(b*c + 6*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/Sqrt[a]

IntegrateAlgebraic [A] time = 0.19, size = 135, normalized size = 0.94

$$\frac{\sqrt{\frac{ax+b}{x}} (4a^2d^3x^2 - 30abcd^2x^2 - 2abd^3x + 15b^2c^3x^3 - 90b^2c^2dx^2 - 30b^2cd^2x - 6b^2d^3)}{15b^2x^2} + \frac{(6ac^2d + bc^3) \tanh^{-1} \left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[Sqrt[a + b/x]*(c + d/x)^3,x]
```

```
[Out] (Sqrt[(b + a*x)/x]*(-6*b^2*d^3 - 30*b^2*c*d^2*x - 2*a*b*d^3*x - 90*b^2*c^2*d*x^2 - 30*a*b*c*d^2*x^2 + 4*a^2*d^3*x^2 + 15*b^2*c^3*x^3))/(15*b^2*x^2) + ((b*c^3 + 6*a*c^2*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/Sqrt[a]
```

fricas [A] time = 0.86, size = 306, normalized size = 2.14

$$\frac{15(b^2c^3 + 6ab^2c^2d)\sqrt{ax^2 + b} \log(2ax + 2\sqrt{ax^2 + b}) + 2(15ab^2c^3x^3 - 6ab^2d^3 - 2(45ab^2c^2d + 15a^2bcd^2 - 2a^2d^3)x^2 - 2(15ab^2cd^2 + a^2bd^3)x)\sqrt{\frac{ax}{x^2}}}{30ab^2c^2} - \frac{15(b^2c^3 + 6ab^2c^2d)\sqrt{-a} \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax}{x^2}}}{x}\right) - (15ab^2c^3x^3 - 6ab^2d^3 - 2(45ab^2c^2d + 15a^2bcd^2 - 2a^2d^3)x^2 - 2(15ab^2cd^2 + a^2bd^3)x)\sqrt{\frac{ax}{x^2}}}{15ab^2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c+d/x)^3*(a+b/x)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/30*(15*(b^3*c^3 + 6*a*b^2*c^2*d)*sqrt(a)*x^2*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*(15*a*b^2*c^3*x^3 - 6*a*b^2*d^3 - 2*(45*a*b^2*c^2*d + 15*a^2*b*c*d^2 - 2*a^3*d^3)*x^2 - 2*(15*a*b^2*c*d^2 + a^2*b*d^3)*x)*sqrt((a*x + b)/x))/(a*b^2*x^2), -1/15*(15*(b^3*c^3 + 6*a*b^2*c^2*d)*sqrt(-a)*x^2*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) - (15*a*b^2*c^3*x^3 - 6*a*b^2*d^3 - 2*(45*a*b^2*c^2*d + 15*a^2*b*c*d^2 - 2*a^3*d^3)*x^2 - 2*(15*a*b^2*c*d^2 + a^2*b*d^3)*x)*sqrt((a*x + b)/x))/(a*b^2*x^2)]
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c+d/x)^3*(a+b/x)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes
constant sign by intervals (correct if the argument is real):Check [abs(x)]
Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%}+%%{-2
,[0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%}+%%{2
,[1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at parameters values [86
,-97,-82]Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%
}+%%{-2,[0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%
}+%%{2,[1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at parameters v
alues [7,-27,26]Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1
,0,0]%%}+%%{-2,[0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[
2,0,0]%%}+%%{2,[1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at param
eters values [-89,63,-49]Warning, choosing root of [1,0,%%{-4,[1,0,0]%%}+
%%{-2,[0,1,1]%%},0,%%{1,[0,2,2]%%}] at parameters values [61.7937478349
```

, -30, 70] Warning, choosing root of $[1, 0, \sqrt{-4}, [1, 0, 0]] + \sqrt{-2}, [0, 1, 1]]$, $\sqrt{0}, \sqrt{1}, [0, 2, 2]]$ at parameters values $[73.519035968, -9, -13]$ Warning, choosing root of $[1, 0, \sqrt{-2}, [1, 0, 1]] + \sqrt{-4}, [0, 1, 0]]$, $\sqrt{0}, \sqrt{1}, [2, 0, 2]]$ at parameters values $[18, 15.451549686, -33]$ Sign error $(\sqrt{-b}, 0) + \sqrt{2*\sqrt{a}*\sqrt{b}}, 1/2) + \sqrt{-2*a}, 1) + \sqrt{a*\sqrt{a}*\sqrt{b}/b}, 3/2) + \sqrt{-a^2*\sqrt{a}*\sqrt{b}/(4*b^2)}, 5/2) + \sqrt{\text{undef}}, 7/2)$ Limit: Max order reached or unable to make series expansion Error: Bad Argument Value

maple [A] time = 0.06, size = 248, normalized size = 1.73

$$\frac{\sqrt{\frac{ax+b}{x}} \left(90ab^2c^2d^4 \ln\left(\frac{2ax+b+2\sqrt{a^2+bx}\sqrt{a}}{2\sqrt{a}}\right) + 15b^3c^2x^4 \ln\left(\frac{2ax+b+2\sqrt{a^2+bx}\sqrt{a}}{2\sqrt{a}}\right) + 180\sqrt{a}x^2 + bx \frac{3}{2} b^2c^2d^4 + 30\sqrt{a}x^2 + bx \sqrt{a} b^2c^2x^4 - 180(a^2+bx)^{\frac{3}{2}} \sqrt{a} b^2c^2d^2 + 8(a^2+bx)^{\frac{3}{2}} a^{\frac{3}{2}} d^3x - 60(a^2+bx)^{\frac{3}{2}} \sqrt{a} bcd^2x - 12(a^2+bx)^{\frac{3}{2}} \sqrt{a} b^2d^3 \right)}{30\sqrt{(ax+b)x} \sqrt{a} b^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d/x)^3*(a+b/x)^(1/2), x)

[Out] $\frac{1}{30} * ((a*x+b)/x)^{(1/2)} * (180*(a*x^2+b*x)^{(1/2)} * a^{(3/2)} * x^4 * b * c^2 * d + 30*(a*x^2+b*x)^{(1/2)} * a^{(1/2)} * x^4 * b^2 * c^3 + 90 * \ln(1/2 * (2*a*x+b+2*(a*x^2+b*x)^{(1/2)} * a^{(1/2)})) / a^{(1/2)} * x^4 * a * b^2 * c^2 * d + 15 * \ln(1/2 * (2*a*x+b+2*(a*x^2+b*x)^{(1/2)} * a^{(1/2)})) / a^{(1/2)} * x^4 * b^3 * c^3 + 8*(a*x^2+b*x)^{(3/2)} * a^{(3/2)} * x * d^3 - 180*(a*x^2+b*x)^{(3/2)} * a^{(1/2)} * x^2 * b * c^2 * d - 60*d^2 * c * (a*x^2+b*x)^{(3/2)} * x * b * a^{(1/2)} - 12*(a*x^2+b*x)^{(3/2)} * a^{(1/2)} * b * d^3) / x^3 / ((a*x+b)*x)^{(1/2)} / b^2 / a^{(1/2)}$

maxima [A] time = 1.45, size = 164, normalized size = 1.15

$$\frac{1}{2} \left(2 \sqrt{a + \frac{b}{x}} x - \frac{b \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right)}{\sqrt{a}} \right) c^3 - 3 \left(\sqrt{a} \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right) + 2 \sqrt{a + \frac{b}{x}} \right) c^2 d - \frac{2}{15} d^3 \left(\frac{3 \left(a + \frac{b}{x}\right)^{\frac{5}{2}}}{b^2} - \frac{5 \left(a + \frac{b}{x}\right)^{\frac{3}{2}} a}{b^2} \right) - \frac{2 \left(a + \frac{b}{x}\right)^{\frac{3}{2}} c d^2}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^3*(a+b/x)^(1/2), x, algorithm="maxima")

[Out] $\frac{1}{2} * (2 * \sqrt{a + b/x} * x - b * \log((\sqrt{a + b/x} - \sqrt{a}) / (\sqrt{a + b/x} + \sqrt{a}))) / \sqrt{a} * c^3 - 3 * (\sqrt{a} * \log((\sqrt{a + b/x} - \sqrt{a}) / (\sqrt{a + b/x} + \sqrt{a}))) + 2 * \sqrt{a + b/x} * c^2 * d - 2/15 * d^3 * (3 * (a + b/x)^{(5/2)} / b^2 - 5 * (a + b/x)^{(3/2)} * a / b^2) - 2 * (a + b/x)^{(3/2)} * c * d^2 / b$

mupad [B] time = 2.59, size = 173, normalized size = 1.21

$$\left(a + \frac{b}{x}\right)^{3/2} \left(\frac{6ad^3 - 6bcd^2}{3b^2} - \frac{4ad^3}{3b^2}\right) + \sqrt{a + \frac{b}{x}} \left(2a \left(\frac{6ad^3 - 6bcd^2}{b^2} - \frac{4ad^3}{b^2}\right) - \frac{6d(ad-bc)^2}{b^2} + \frac{2a^2d^3}{b^2}\right) + c^3 x \sqrt{a + \frac{b}{x}} - \frac{2d^3 \left(a + \frac{b}{x}\right)^{5/2}}{5b^2} - \frac{c^2 \operatorname{atan}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right) (6ad + bc)}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b/x)^(1/2)*(c + d/x)^3, x)

[Out] $(a + b/x)^{3/2} * ((6*a*d^3 - 6*b*c*d^2)/(3*b^2) - (4*a*d^3)/(3*b^2)) + (a + b/x)^{1/2} * (2*a*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2) - (6*d*(a*d - b*c)^2)/b^2 + (2*a^2*d^3)/b^2) + c^3*x*(a + b/x)^{1/2} - (2*d^3*(a + b/x)^{5/2})/(5*b^2) - (c^2*atan((a + b/x)^{1/2}*i)/a^{1/2})*(6*a*d + b*c)*i/a^{1/2}$

sympy [A] time = 57.22, size = 454, normalized size = 3.17

$$\frac{4a^{11/2}b^3d^3x^3\sqrt{\frac{ax}{b}+1}}{15a^2b^3x^2+15a^2b^4x^2} + \frac{2a^9b^5d^3x^2\sqrt{\frac{ax}{b}+1}}{15a^2b^3x^2+15a^2b^4x^2} - \frac{8a^7b^7d^3x\sqrt{\frac{ax}{b}+1}}{15a^2b^3x^2+15a^2b^4x^2} - \frac{6a^5b^9d^3\sqrt{\frac{ax}{b}+1}}{15a^2b^3x^2+15a^2b^4x^2} - \frac{4a^4b^9d^3x^7}{15a^2b^3x^2+15a^2b^4x^2} - \frac{4a^5b^9d^3x^5}{15a^2b^3x^2+15a^2b^4x^2} - \frac{6ac^2d \operatorname{atan}\left(\frac{\sqrt{\frac{ax}{b}+1}}{\sqrt{-a}}\right)}{\sqrt{-a}} + \sqrt{b}c^3\sqrt{\frac{ax}{b}+1} - 6c^2d\sqrt{a+\frac{b}{x}} + 3cd^2 \left(\begin{array}{l} \frac{\sqrt{a}}{x} \text{ for } b=0 \\ \frac{2(a+\frac{b}{x})^{3/2}}{3b} \text{ otherwise} \end{array} \right) + \frac{bc^3 \operatorname{asinh}\left(\frac{\sqrt{a}\sqrt{x}}{\sqrt{b}}\right)}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)**3*(a+b/x)**(1/2),x)

[Out] $4*a^{11/2}*b^{3/2}*d^{3*x}*\sqrt{a*x/b + 1}/(15*a^{7/2}*b^{3*x} + 15*a^{5/2}*b^{4*x}) + 2*a^{9/2}*b^{5/2}*d^{3*x}*\sqrt{a*x/b + 1}/(15*a^{7/2}*b^{3*x} + 15*a^{5/2}*b^{4*x}) - 8*a^{7/2}*b^{7/2}*d^{3*x}*\sqrt{a*x/b + 1}/(15*a^{7/2}*b^{3*x} + 15*a^{5/2}*b^{4*x}) - 6*a^{5/2}*b^{9/2}*d^{3*x}*\sqrt{a*x/b + 1}/(15*a^{7/2}*b^{3*x} + 15*a^{5/2}*b^{4*x}) - 4*a^{4/2}*b^{9/2}*d^{3*x}*\sqrt{a*x/b + 1}/(15*a^{7/2}*b^{3*x} + 15*a^{5/2}*b^{4*x}) - 4*a^{5/2}*b^{9/2}*d^{3*x}*\sqrt{a*x/b + 1}/(15*a^{7/2}*b^{3*x} + 15*a^{5/2}*b^{4*x}) - 6*a*c^{2*d}*\operatorname{atan}(\sqrt{a + b/x}/\sqrt{-a})/\sqrt{-a} + \sqrt{b}*c^{3*d}*\sqrt{x}*\sqrt{a*x/b + 1} - 6*c^{2*d}*\sqrt{a + b/x} + 3*c*d^{2*d}*\operatorname{Piecewise}((-sqrt(a)/x, Eq(b, 0)), (-2*(a + b/x)**(3/2)/(3*b), True)) + b*c^{3*d}*\operatorname{asinh}(\sqrt{a}*\sqrt{x}/\sqrt{b})/\sqrt{a}$

$$3.128 \quad \int \sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2 dx$$

Optimal. Leaf size=99

$$\frac{c^2 x \left(a + \frac{b}{x}\right)^{3/2}}{a} - \frac{c \sqrt{a + \frac{b}{x}} (4ad + bc)}{a} + \frac{c(4ad + bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{\sqrt{a}} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{3/2}}{3b}$$

Rubi [A] time = 0.07, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {375, 89, 80, 50, 63, 208}

$$\frac{c^2 x \left(a + \frac{b}{x}\right)^{3/2}}{a} - \frac{c \sqrt{a + \frac{b}{x}} (4ad + bc)}{a} + \frac{c(4ad + bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{\sqrt{a}} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{3/2}}{3b}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b/x]*(c + d/x)^2,x]

[Out] -((c*(b*c + 4*a*d)*Sqrt[a + b/x])/a) - (2*d^2*(a + b/x)^(3/2))/(3*b) + (c^2*(a + b/x)^(3/2)*x)/a + (c*(b*c + 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/Sqrt[a]

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 80

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]
```

Rule 89

```
Int[((a_.) + (b_.)*(x_))^2*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[((b*c - a*d)^2*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d^2*(d*e - c*f)*(n + 1)), x] - Dist[1/(d^2*(d*e - c*f)*(n + 1)), Int[(c + d*x)^(n + 1)*(e + f*x)^p*Simp[a^2*d^2*f*(n + p + 2) + b^2*c*(d*e*(n + 1) + c*f*(p + 1)) - 2*a*b*d*(d*e*(n + 1) + c*f*(p + 1)) - b^2*d*(d*e - c*f)*(n + 1)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && (LtQ[n, -1] || (EqQ[n + p + 3, 0] && NeQ[n, -1] && (SumSimplerQ[n, 1] || !SumSimplerQ[p, 1])))
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 375

```
Int[((a_.) + (b_.)*(x_)^(n_))^(p_.)*((c_.) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2 dx &= -\text{Subst} \left(\int \frac{\sqrt{a + bx} (c + dx)^2}{x^2} dx, x, \frac{1}{x} \right) \\
&= \frac{c^2 \left(a + \frac{b}{x}\right)^{3/2}}{a} - \frac{\text{Subst} \left(\int \frac{\sqrt{a+bx} \left(\frac{1}{2}c(bc+4ad)+ad^2x\right)}{x} dx, x, \frac{1}{x} \right)}{a} \\
&= -\frac{2d^2 \left(a + \frac{b}{x}\right)^{3/2}}{3b} + \frac{c^2 \left(a + \frac{b}{x}\right)^{3/2}}{a} - \frac{(c(bc + 4ad)) \text{Subst} \left(\int \frac{\sqrt{a+bx}}{x} dx, x, \frac{1}{x} \right)}{2a} \\
&= -\frac{c(bc + 4ad)\sqrt{a + \frac{b}{x}}}{a} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{3/2}}{3b} + \frac{c^2 \left(a + \frac{b}{x}\right)^{3/2}}{a} - \frac{1}{2}(c(bc + 4ad)) \text{Subst} \left(\int \frac{1}{x} dx, x, \frac{1}{x} \right) \\
&= -\frac{c(bc + 4ad)\sqrt{a + \frac{b}{x}}}{a} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{3/2}}{3b} + \frac{c^2 \left(a + \frac{b}{x}\right)^{3/2}}{a} - \frac{(c(bc + 4ad)) \text{Subst} \left(\int \frac{1}{-\frac{a}{b} + x} dx, x, \frac{1}{x} \right)}{b} \\
&= -\frac{c(bc + 4ad)\sqrt{a + \frac{b}{x}}}{a} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{3/2}}{3b} + \frac{c^2 \left(a + \frac{b}{x}\right)^{3/2}}{a} + \frac{c(bc + 4ad) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 84, normalized size = 0.85

$$\frac{\sqrt{a + \frac{b}{x}} \left(b(3c^2x^2 - 12cdx - 2d^2) - 2ad^2x\right)}{3bx} + \frac{c(4ad + bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b/x]*(c + d/x)^2,x]

[Out] (Sqrt[a + b/x]*(-2*a*d^2*x + b*(-2*d^2 - 12*c*d*x + 3*c^2*x^2)))/(3*b*x) + (c*(b*c + 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/Sqrt[a]

IntegrateAlgebraic [A] time = 0.17, size = 90, normalized size = 0.91

$$\frac{\sqrt{\frac{ax+b}{x}} \left(-2ad^2x + 3bc^2x^2 - 12bcdx - 2bd^2\right)}{3bx} + \frac{(4acd + bc^2) \tanh^{-1} \left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + b/x]*(c + d/x)^2,x]

[Out] (Sqrt[(b + a*x)/x]*(-2*b*d^2 - 12*b*c*d*x - 2*a*d^2*x + 3*b*c^2*x^2))/(3*b*x) + ((b*c^2 + 4*a*c*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/Sqrt[a]

fricas [A] time = 0.76, size = 208, normalized size = 2.10

$$\frac{3(b^2c^2 + 4abcd)\sqrt{a}x \log\left(2ax + 2\sqrt{a}x\sqrt{\frac{ax+b}{x}} + b\right) + 2(3abc^2x^2 - 2abd^2 - 2(6abcd + a^2d^2)x)\sqrt{\frac{ax+b}{x}}}{6abx} - \frac{3(b^2c^2 + 4abcd)\sqrt{-a}x \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right) - (3abc^2x^2 - 2abd^2 - 2(6abcd + a^2d^2)x)\sqrt{\frac{ax+b}{x}}}{3abx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^2*(a+b/x)^(1/2),x, algorithm="fricas")

[Out] [1/6*(3*(b^2*c^2 + 4*a*b*c*d)*sqrt(a)*x*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*(3*a*b*c^2*x^2 - 2*a*b*d^2 - 2*(6*a*b*c*d + a^2*d^2)*x)*sqrt((a*x + b)/x))/(a*b*x), -1/3*(3*(b^2*c^2 + 4*a*b*c*d)*sqrt(-a)*x*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) - (3*a*b*c^2*x^2 - 2*a*b*d^2 - 2*(6*a*b*c*d + a^2*d^2)*x)*sqrt((a*x + b)/x))/(a*b*x)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^2*(a+b/x)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,x)::OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(x)]
 Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%}+%%{-2,[0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%}+%%{2,[1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at parameters values [86,-97,-82]
 Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%}+%%{-2,[0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%}+%%{2,[1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at parameters values [7,-27,26]
 Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%}+%%{-2,[0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%}+%%{2,[1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at parameters values [-89,63,-49]
 Warning, choosing root of [1,0,%%{-4,[1,0,0]%%}+%%{-2,[0,1,1]%%},0,%%{1,[0,2,2]%%}] at parameters values [61.7937478349,-30,70]
 Warning, choosing root of [1,0,%%{-4,[1,0,0]%%}+%%{-2,[0,1,1]%%},0,%%{1,[0,2,2]%%}] at parameters values [73.519035968,-9,-13]
 Warning, choosing root of [1,0,%%{-2,[1,0,1]%%}+%%{-4,[0,1,0]%%},0,%%{1,[2,0,2]%%}] at parameters values [18,15.451549686,-33]
 Sign error (%%{-b,0%%}+%%

{2*sqrt(a)*sqrt(b), 1/2}+{ -2*a, 1}+{a*sqrt(a)*sqrt(b)/b, 3/2}+{-a^2*sqrt(a)*sqrt(b)/(4*b^2), 5/2}+{undef, 7/2}Limit: Max order reached or unable to make series expansion Error: Bad Argument Value

maple [B] time = 0.06, size = 191, normalized size = 1.93

$$\frac{\sqrt{\frac{ax+b}{x}} \left(-12abcdx^3 \ln\left(\frac{2ax+b+2\sqrt{ax^2+bx}\sqrt{a}}{2\sqrt{a}}\right) - 3b^2c^2x^3 \ln\left(\frac{2ax+b+2\sqrt{ax^2+bx}\sqrt{a}}{2\sqrt{a}}\right) - 24\sqrt{ax^2+bx} a^{\frac{3}{2}}cdx^3 - 6\sqrt{ax^2+bx} \sqrt{a} b c^2x^3 + 24(ax^2+bx)^{\frac{3}{2}} \sqrt{a} cdx + 4(ax^2+bx)^{\frac{3}{2}} \sqrt{a} d^2 \right)}{6\sqrt{(ax+b)x} \sqrt{a} b x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d/x)^2*(a+b/x)^(1/2), x)

[Out] -1/6*((a*x+b)/x)^(1/2)/x^2*(-24*(a*x^2+b*x)^(1/2)*a^(3/2)*x^3*c*d-6*(a*x^2+b*x)^(1/2)*a^(1/2)*x^3*b*c^2-12*ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^(1/2)*a^(1/2))/a^(1/2))*x^3*a*b*c*d-3*ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^(1/2)*a^(1/2))/a^(1/2))*x^3*b^2*c^2+24*(a*x^2+b*x)^(3/2)*a^(1/2)*x*c*d+4*d^2*(a*x^2+b*x)^(3/2)*a^(1/2))/((a*x+b)*x)^(1/2)/b/a^(1/2)

maxima [A] time = 1.19, size = 126, normalized size = 1.27

$$\frac{1}{2} \left(2\sqrt{a + \frac{b}{x}} x - \frac{b \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right)}{\sqrt{a}} \right) c^2 - 2 \left(\sqrt{a} \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right) + 2\sqrt{a + \frac{b}{x}} \right) cd - \frac{2 \left(a + \frac{b}{x}\right)^{\frac{3}{2}} d^2}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^2*(a+b/x)^(1/2), x, algorithm="maxima")

[Out] 1/2*(2*sqrt(a + b/x)*x - b*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a + b/x) + sqrt(a)))/sqrt(a))*c^2 - 2*(sqrt(a)*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a + b/x) + sqrt(a))) + 2*sqrt(a + b/x))*c*d - 2/3*(a + b/x)^(3/2)*d^2/b

mupad [B] time = 1.90, size = 99, normalized size = 1.00

$$\left(\frac{4ad^2 - 4bcd}{b} - \frac{4ad^2}{b}\right) \sqrt{a + \frac{b}{x}} + c^2 x \sqrt{a + \frac{b}{x}} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{3/2}}{3b} - \frac{c \operatorname{atan}\left(\frac{\sqrt{a + \frac{b}{x}} \operatorname{li}}{\sqrt{a}}\right) (4ad + bc) \operatorname{li}}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b/x)^(1/2)*(c + d/x)^2, x)

[Out] ((4*a*d^2 - 4*b*c*d)/b - (4*a*d^2)/b)*(a + b/x)^(1/2) + c^2*x*(a + b/x)^(1/2) - (2*d^2*(a + b/x)^(3/2))/(3*b) - (c*atan(((a + b/x)^(1/2)*li)/a^(1/2))*(4*a*d + b*c)*li)/a^(1/2)

sympy [A] time = 36.58, size = 121, normalized size = 1.22

$$-\frac{4acd \operatorname{atan}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}} + \sqrt{b} c^2 \sqrt{x} \sqrt{\frac{ax}{b} + 1} - 4cd \sqrt{a + \frac{b}{x}} + d^2 \left(\begin{array}{l} -\frac{\sqrt{a}}{x} \quad \text{for } b = 0 \\ -\frac{2\left(a+\frac{b}{x}\right)^{\frac{3}{2}}}{3b} \quad \text{otherwise} \end{array} \right) + \frac{bc^2 \operatorname{asinh}\left(\frac{\sqrt{a}\sqrt{x}}{\sqrt{b}}\right)}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)**2*(a+b/x)**(1/2),x)

[Out] $-4*a*c*d*\operatorname{atan}(\operatorname{sqrt}(a + b/x)/\operatorname{sqrt}(-a))/\operatorname{sqrt}(-a) + \operatorname{sqrt}(b)*c**2*\operatorname{sqrt}(x)*\operatorname{sqrt}(a*x/b + 1) - 4*c*d*\operatorname{sqrt}(a + b/x) + d**2*\operatorname{Piecewise}((- \operatorname{sqrt}(a)/x, \operatorname{Eq}(b, 0)), (-2*(a + b/x)**(3/2)/(3*b), \operatorname{True})) + b*c**2*\operatorname{asinh}(\operatorname{sqrt}(a)*\operatorname{sqrt}(x)/\operatorname{sqrt}(b))/\operatorname{sqrt}(a)$

$$3.129 \quad \int \sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x} \right) dx$$

Optimal. Leaf size=74

$$-\frac{\sqrt{a + \frac{b}{x}}(2ad + bc)}{a} + \frac{(2ad + bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}} + \frac{cx \left(a + \frac{b}{x} \right)^{3/2}}{a}$$

Rubi [A] time = 0.05, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {375, 78, 50, 63, 208}

$$-\frac{\sqrt{a + \frac{b}{x}}(2ad + bc)}{a} + \frac{(2ad + bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}} + \frac{cx \left(a + \frac{b}{x} \right)^{3/2}}{a}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b/x]*(c + d/x),x]

[Out] -(((b*c + 2*a*d)*Sqrt[a + b/x])/a) + (c*(a + b/x)^(3/2)*x)/a + ((b*c + 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/Sqrt[a]

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 78

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/
```

$f*(p + 1)*(c*f - d*e)), x] - \text{Dist}[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), \text{Int}[(c + d*x)^n*(e + f*x)^{(p + 1)}, x], x] /;$ FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] := \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

$\text{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}*((c_ + (d_)*(x_)^{(n_)})^{(q_)}), x_Symbol] := -\text{Subst}[\text{Int}[(a + b/x^n)^p*(c + d/x^n)^q/x^2, x], x, 1/x] /;$ FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned} \int \sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x} \right) dx &= -\text{Subst} \left(\int \frac{\sqrt{a + bx} (c + dx)}{x^2} dx, x, \frac{1}{x} \right) \\ &= \frac{c \left(a + \frac{b}{x} \right)^{3/2} x - \left(\frac{bc}{2} + ad \right) \text{Subst} \left(\int \frac{\sqrt{a + bx}}{x} dx, x, \frac{1}{x} \right)}{a} \\ &= -\frac{(bc + 2ad)\sqrt{a + \frac{b}{x}}}{a} + \frac{c \left(a + \frac{b}{x} \right)^{3/2} x}{a} - \frac{1}{2}(bc + 2ad) \text{Subst} \left(\int \frac{1}{x\sqrt{a + bx}} dx, x, \frac{1}{x} \right) \\ &= -\frac{(bc + 2ad)\sqrt{a + \frac{b}{x}}}{a} + \frac{c \left(a + \frac{b}{x} \right)^{3/2} x}{a} - \frac{(bc + 2ad) \text{Subst} \left(\int \frac{1}{\frac{-a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}} \right)}{b} \\ &= -\frac{(bc + 2ad)\sqrt{a + \frac{b}{x}}}{a} + \frac{c \left(a + \frac{b}{x} \right)^{3/2} x}{a} + \frac{(bc + 2ad) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}} \end{aligned}$$

Mathematica [A] time = 0.04, size = 52, normalized size = 0.70

$$\sqrt{a + \frac{b}{x}} (cx - 2d) + \frac{(2ad + bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b/x]*(c + d/x),x]

[Out] Sqrt[a + b/x]*(-2*d + c*x) + ((b*c + 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/Sqrt[a]

IntegrateAlgebraic [A] time = 0.11, size = 56, normalized size = 0.76

$$\sqrt{\frac{ax+b}{x}}(cx-2d) + \frac{(2ad+bc)\tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + b/x]*(c + d/x),x]

[Out] Sqrt[(b + a*x)/x]*(-2*d + c*x) + ((b*c + 2*a*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/Sqrt[a]

fricas [A] time = 0.85, size = 128, normalized size = 1.73

$$\left[\frac{(bc+2ad)\sqrt{a}\log\left(2ax+2\sqrt{a}x\sqrt{\frac{ax+b}{x}}+b\right)+2(acx-2ad)\sqrt{\frac{ax+b}{x}}}{2a}, -\frac{(bc+2ad)\sqrt{-a}\arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right)-(acx-2ad)\sqrt{\frac{ax+b}{x}}}{a} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)*(a+b/x)^(1/2),x, algorithm="fricas")

[Out] [1/2*((b*c + 2*a*d)*sqrt(a)*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*(a*c*x - 2*a*d)*sqrt((a*x + b)/x))/a, -((b*c + 2*a*d)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) - (a*c*x - 2*a*d)*sqrt((a*x + b)/x))/a]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)*(a+b/x)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(x)] Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%}+%%{-2

, [0, 1, 1]%%}, 0, %%{1, [2, 4, 0]%%}+%%{-2, [2, 2, 0]%%}+%%{1, [2, 0, 0]%%}+%%{2, [1, 3, 1]%%}+%%{-2, [1, 1, 1]%%}+%%{1, [0, 2, 2]%%}] at parameters values [86, -97, -82]Warning, choosing root of [1, 0, %%{-2, [1, 2, 0]%%}+%%{-2, [1, 0, 0]%%}+%%{-2, [0, 1, 1]%%}, 0, %%{1, [2, 4, 0]%%}+%%{-2, [2, 2, 0]%%}+%%{1, [2, 0, 0]%%}+%%{2, [1, 3, 1]%%}+%%{-2, [1, 1, 1]%%}+%%{1, [0, 2, 2]%%}] at parameters values [7, -27, 26]Warning, choosing root of [1, 0, %%{-2, [1, 2, 0]%%}+%%{-2, [1, 0, 0]%%}+%%{-2, [0, 1, 1]%%}, 0, %%{1, [2, 4, 0]%%}+%%{-2, [2, 2, 0]%%}+%%{1, [2, 0, 0]%%}+%%{2, [1, 3, 1]%%}+%%{-2, [1, 1, 1]%%}+%%{1, [0, 2, 2]%%}] at parameters values [-89, 63, -49]Warning, choosing root of [1, 0, %%{-4, [1, 0, 0]%%}+%%{-2, [0, 1, 1]%%}, 0, %%{1, [0, 2, 2]%%}] at parameters values [61.7937478349, -30, 70]Warning, choosing root of [1, 0, %%{-4, [1, 0, 0]%%}+%%{-2, [0, 1, 1]%%}, 0, %%{1, [0, 2, 2]%%}] at parameters values [73.519035968, -9, -13]Warning, choosing root of [1, 0, %%{-2, [1, 0, 1]%%}+%%{-4, [0, 1, 0]%%}, 0, %%{1, [2, 0, 2]%%}] at parameters values [18, 15.451549686, -33]Sign error (%%{-b, 0%%}+%%{2*sqrt(a)*sqrt(b), 1/2%%}+%%{-2*a, 1%%}+%%{a*sqrt(a)*sqrt(b)/b, 3/2%%}+%%{-a^2*sqrt(a)*sqrt(b)/(4*b^2), 5/2%%}+%%{undef, 7/2%%})Limit: Max order reached or unable to make series expansion Error: Bad Argument Value

maple [B] time = 0.06, size = 163, normalized size = 2.20

$$\frac{\sqrt{\frac{ax+b}{x}} \left(2abd x^2 \ln\left(\frac{2ax+b+2\sqrt{ax^2+bx}\sqrt{a}}{2\sqrt{a}}\right) + b^2c x^2 \ln\left(\frac{2ax+b+2\sqrt{ax^2+bx}\sqrt{a}}{2\sqrt{a}}\right) + 4\sqrt{ax^2+bx} a^{\frac{3}{2}} d x^2 + 2\sqrt{ax^2+bx} \sqrt{a} bc x^2 - 4(ax^2+bx)^{\frac{3}{2}} \sqrt{a} d \right)}{2\sqrt{(ax+b)x}\sqrt{a}bx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d/x)*(a+b/x)^(1/2), x)

[Out] 1/2*((a*x+b)/x)^(1/2)*(4*a^(3/2)*(a*x^2+b*x)^(1/2)*x^2*d+2*a^(1/2)*(a*x^2+b*x)^(1/2)*x^2*b*c+2*ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^(1/2)*a^(1/2))/a^(1/2))*x^2*a*b*d+ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^(1/2)*a^(1/2))/a^(1/2))*x^2*b^2*c-4*a^(1/2)*(a*x^2+b*x)^(3/2)*d)/x/((a*x+b)*x)^(1/2)/b/a^(1/2)

maxima [A] time = 1.37, size = 106, normalized size = 1.43

$$\frac{1}{2} \left(2\sqrt{a + \frac{b}{x}} x - \frac{b \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right)}{\sqrt{a}} \right) c - \left(\sqrt{a} \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right) + 2\sqrt{a + \frac{b}{x}} \right) d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)*(a+b/x)^(1/2), x, algorithm="maxima")

[Out] 1/2*(2*sqrt(a + b/x)*x - b*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a + b/x) + sqrt(a)))/sqrt(a))*c - (sqrt(a)*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a + b/x) + sqrt(a))) + 2*sqrt(a + b/x))*d

mupad [B] time = 1.96, size = 92, normalized size = 1.24

$$2\sqrt{a}d \operatorname{atanh}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right) - 2d\sqrt{a+\frac{b}{x}} + cx\sqrt{ax^2+bx}\sqrt{\frac{1}{x^2}} + \frac{bcx \ln\left(\frac{\frac{b}{2}+ax+\sqrt{a}\sqrt{ax^2+bx}}{\sqrt{a}}\right)\sqrt{\frac{1}{x^2}}}{2\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b/x)^(1/2)*(c + d/x), x)`

[Out] `2*a^(1/2)*d*atanh((a + b/x)^(1/2)/a^(1/2)) - 2*d*(a + b/x)^(1/2) + c*x*(b*x + a*x^2)^(1/2)*(1/x^2)^(1/2) + (b*c*x*log((b/2 + a*x + a^(1/2)*(b*x + a*x^2)^(1/2))/a^(1/2))*(1/x^2)^(1/2))/(2*a^(1/2))`

sympy [A] time = 41.31, size = 87, normalized size = 1.18

$$-\frac{2ad \operatorname{atan}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}} + \sqrt{b}c\sqrt{x}\sqrt{\frac{ax}{b}+1} - 2d\sqrt{a+\frac{b}{x}} + \frac{bc \operatorname{asinh}\left(\frac{\sqrt{a}\sqrt{x}}{\sqrt{b}}\right)}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d/x)*(a+b/x)**(1/2), x)`

[Out] `-2*a*d*atan(sqrt(a + b/x)/sqrt(-a))/sqrt(-a) + sqrt(b)*c*sqrt(x)*sqrt(a*x/b + 1) - 2*d*sqrt(a + b/x) + b*c*asinh(sqrt(a)*sqrt(x)/sqrt(b))/sqrt(a)`

$$3.130 \quad \int \sqrt{a + \frac{b}{x}} dx$$

Optimal. Leaf size=39

$$x\sqrt{a + \frac{b}{x}} + \frac{b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{\sqrt{a}}$$

Rubi [A] time = 0.02, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {242, 47, 63, 208}

$$x\sqrt{a + \frac{b}{x}} + \frac{b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b/x], x]

[Out] Sqrt[a + b/x]*x + (b*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/Sqrt[a]

Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 242

`Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Subst[Int[(a + b/x^n)^p/x^2, x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0]`

Rubi steps

$$\begin{aligned}
 \int \sqrt{a + \frac{b}{x}} dx &= -\text{Subst} \left(\int \frac{\sqrt{a + bx}}{x^2} dx, x, \frac{1}{x} \right) \\
 &= \sqrt{a + \frac{b}{x}} x - \frac{1}{2} b \text{Subst} \left(\int \frac{1}{x \sqrt{a + bx}} dx, x, \frac{1}{x} \right) \\
 &= \sqrt{a + \frac{b}{x}} x - \text{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}} \right) \\
 &= \sqrt{a + \frac{b}{x}} x + \frac{b \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}}
 \end{aligned}$$

Mathematica [A] time = 0.07, size = 39, normalized size = 1.00

$$x \sqrt{a + \frac{b}{x}} + \frac{b \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b/x], x]

[Out] Sqrt[a + b/x]*x + (b*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/Sqrt[a]

IntegrateAlgebraic [A] time = 0.00, size = 43, normalized size = 1.10

$$x \sqrt{\frac{ax + b}{x}} + \frac{b \tanh^{-1} \left(\frac{\sqrt{\frac{ax + b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + b/x], x]

[Out] $x\sqrt{(b + ax)/x} + (b\text{ArcTanh}[\text{Sqrt}[(b + ax)/x]/\text{Sqrt}[a]])/\text{Sqrt}[a]$

fricas [A] time = 0.75, size = 99, normalized size = 2.54

$$\left[\frac{2ax\sqrt{\frac{ax+b}{x}} + \sqrt{a}b \log\left(2ax + 2\sqrt{a}x\sqrt{\frac{ax+b}{x}} + b\right)}{2a}, \frac{ax\sqrt{\frac{ax+b}{x}} - \sqrt{-a}b \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right)}{a} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b/x)^(1/2),x, algorithm="fricas")`

[Out] $[1/2*(2*a*x*\text{sqrt}((a*x + b)/x) + \text{sqrt}(a)*b*\log(2*a*x + 2*\text{sqrt}(a)*x*\text{sqrt}((a*x + b)/x) + b))/a, (a*x*\text{sqrt}((a*x + b)/x) - \text{sqrt}(-a)*b*\arctan(\text{sqrt}(-a)*\text{sqrt}((a*x + b)/x)/a))/a]$

giac [B] time = 0.20, size = 64, normalized size = 1.64

$$-\frac{b \log\left(\left|-2\left(\sqrt{a}x - \sqrt{ax^2 + bx}\right)\sqrt{a} - b\right|\right) \text{sgn}(x)}{2\sqrt{a}} + \frac{b \log(|b|) \text{sgn}(x)}{2\sqrt{a}} + \sqrt{ax^2 + bx} \text{sgn}(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b/x)^(1/2),x, algorithm="giac")`

[Out] $-1/2*b*\log(\text{abs}(-2*(\text{sqrt}(a)*x - \text{sqrt}(a*x^2 + b*x))*\text{sqrt}(a) - b))*\text{sgn}(x)/\text{sqrt}(a) + 1/2*b*\log(\text{abs}(b))*\text{sgn}(x)/\text{sqrt}(a) + \text{sqrt}(a*x^2 + b*x)*\text{sgn}(x)$

maple [B] time = 0.05, size = 74, normalized size = 1.90

$$\frac{\sqrt{\frac{ax+b}{x}} \left(b \ln\left(\frac{2ax+b+2\sqrt{a}x^2+bx}{2\sqrt{a}} \sqrt{a}\right) + 2\sqrt{a}x^2 + bx \sqrt{a} \right) x}{2\sqrt{(ax+b)x} \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b/x)^(1/2),x)`

[Out] $1/2*((a*x+b)/x)^(1/2)*x*(2*(a*x^2+b*x)^(1/2)*a^(1/2)+b*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^(1/2)*a^(1/2))/((a*x+b)*x)^(1/2)/a^(1/2)))/((a*x+b)*x)^(1/2)/a^(1/2)$

maxima [A] time = 1.20, size = 50, normalized size = 1.28

$$\sqrt{a + \frac{b}{x}} x - \frac{b \log\left(\frac{\sqrt{a+\frac{b}{x}} - \sqrt{a}}{\sqrt{a+\frac{b}{x}} + \sqrt{a}}\right)}{2\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(1/2),x, algorithm="maxima")

[Out] sqrt(a + b/x)*x - 1/2*b*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a + b/x) + sqrt(a)))/sqrt(a)

mupad [B] time = 0.08, size = 58, normalized size = 1.49

$$x\sqrt{ax^2 + bx} \sqrt{\frac{1}{x^2}} + \frac{bx \ln\left(\frac{\frac{b}{2} + ax + \sqrt{a}\sqrt{ax^2 + bx}}{\sqrt{a}}\right) \sqrt{\frac{1}{x^2}}}{2\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b/x)^(1/2),x)

[Out] x*(b*x + a*x^2)^(1/2)*(1/x^2)^(1/2) + (b*x*log((b/2 + a*x + a^(1/2)*(b*x + a*x^2)^(1/2))/a^(1/2))*(1/x^2)^(1/2))/(2*a^(1/2))

sympy [A] time = 2.19, size = 42, normalized size = 1.08

$$\sqrt{b}\sqrt{x} \sqrt{\frac{ax}{b} + 1} + \frac{b \operatorname{asinh}\left(\frac{\sqrt{a}\sqrt{x}}{\sqrt{b}}\right)}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)**(1/2),x)

[Out] sqrt(b)*sqrt(x)*sqrt(a*x/b + 1) + b*asinh(sqrt(a)*sqrt(x)/sqrt(b))/sqrt(a)

$$3.131 \quad \int \frac{\sqrt{a + \frac{b}{x}}}{c + \frac{d}{x}} dx$$

Optimal. Leaf size=104

$$\frac{2\sqrt{d}\sqrt{bc-ad}\tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{c^2} + \frac{(bc-2ad)\tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{\sqrt{a}c^2} + \frac{x\sqrt{a+\frac{b}{x}}}{c}$$

Rubi [A] time = 0.11, antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {375, 99, 156, 63, 208, 205}

$$\frac{2\sqrt{d}\sqrt{bc-ad}\tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{c^2} + \frac{(bc-2ad)\tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{\sqrt{a}c^2} + \frac{x\sqrt{a+\frac{b}{x}}}{c}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b/x]/(c + d/x), x]

[Out] (Sqrt[a + b/x]*x)/c + (2*Sqrt[d]*Sqrt[b*c - a*d]*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/c^2 + ((b*c - 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/(Sqrt[a]*c^2)

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 99

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1
))/((m + 1)*(b*e - a*f)), x] - Dist[1/((m + 1)*(b*e - a*f)), Int[(a + b*x)^(
m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[d*e*n + c*f*(m + p + 2) + d*f*(m
+ n + p + 2)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && LtQ[m, -1
] && GtQ[n, 0] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || Integ
ersQ[p, m + n])
```

Rule 156

```
Int[(((e_.) + (f_.)*(x_))^(p_.)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*
((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e +
f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c
+ d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 375

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol
] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a,
b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + \frac{b}{x}}}{c + \frac{d}{x}} dx &= -\text{Subst} \left(\int \frac{\sqrt{a + bx}}{x^2(c + dx)} dx, x, \frac{1}{x} \right) \\
&= \frac{\sqrt{a + \frac{b}{x}}}{c} - \frac{\text{Subst} \left(\int \frac{\frac{1}{2}(bc - 2ad) - \frac{bdx}{2}}{x\sqrt{a+bx}(c+dx)} dx, x, \frac{1}{x} \right)}{c} \\
&= \frac{\sqrt{a + \frac{b}{x}}}{c} - \frac{(bc - 2ad) \text{Subst} \left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \frac{1}{x} \right)}{2c^2} + \frac{(d(bc - ad)) \text{Subst} \left(\int \frac{1}{\sqrt{a+bx}(c+dx)} dx, x, \frac{1}{x} \right)}{c^2} \\
&= \frac{\sqrt{a + \frac{b}{x}}}{c} - \frac{(bc - 2ad) \text{Subst} \left(\int \frac{1}{\frac{-a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}} \right)}{bc^2} + \frac{(2d(bc - ad)) \text{Subst} \left(\int \frac{1}{c - \frac{ad}{b} + \frac{dx^2}{b}} dx, x, \frac{1}{x} \right)}{bc^2} \\
&= \frac{\sqrt{a + \frac{b}{x}}}{c} + \frac{2\sqrt{d}\sqrt{bc - ad} \tan^{-1} \left(\frac{\sqrt{d}\sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}} \right)}{c^2} + \frac{(bc - 2ad) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}c^2}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 100, normalized size = 0.96

$$\frac{2\sqrt{d}\sqrt{bc-ad}\tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right) + \frac{(bc-2ad)\tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{\sqrt{a}} + cx\sqrt{a+\frac{b}{x}}}{c^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b/x]/(c + d/x), x]

[Out] (c*Sqrt[a + b/x]*x + 2*Sqrt[d]*Sqrt[b*c - a*d]*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]] + ((b*c - 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/Sqrt[a])/c^2

IntegrateAlgebraic [A] time = 0.23, size = 110, normalized size = 1.06

$$\frac{2\sqrt{d}\sqrt{bc-ad}\tan^{-1}\left(\frac{\sqrt{d}\sqrt{\frac{ax+b}{x}}}{\sqrt{bc-ad}}\right)}{c^2} + \frac{(bc-2ad)\tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)}{\sqrt{a}c^2} + \frac{x\sqrt{\frac{ax+b}{x}}}{c}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + b/x]/(c + d/x), x]

[Out] (x*Sqrt[(b + a*x)/x])/c + (2*Sqrt[d]*Sqrt[b*c - a*d]*ArcTan[(Sqrt[d]*Sqrt[(b + a*x)/x])/Sqrt[b*c - a*d]])/c^2 + ((b*c - 2*a*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/(Sqrt[a]*c^2)

fricas [A] time = 0.94, size = 482, normalized size = 4.63

$$\frac{2ax\sqrt{\frac{ax+b}{x}} - (bc-2ad)\sqrt{d}\log\left(2ax - 2\sqrt{d}\sqrt{\frac{ax+b}{x}} + b\right) + 2\sqrt{bcd+ad^2}\log\left(\frac{bc-2ad+2\sqrt{bcd+ad^2}\sqrt{\frac{ax+b}{x}}}{2ad}\right) + 2ax\sqrt{\frac{ax+b}{x}} - 4\sqrt{bcd+ad^2}\arctan\left(\frac{\sqrt{bcd+ad^2}\sqrt{\frac{ax+b}{x}}}{ad}\right) - (bc-2ad)\sqrt{d}\log\left(2ax - 2\sqrt{d}\sqrt{\frac{ax+b}{x}} + b\right) + 2ax\sqrt{\frac{ax+b}{x}} - (bc-2ad)\sqrt{d}\arctan\left(\frac{\sqrt{bcd+ad^2}\sqrt{\frac{ax+b}{x}}}{ad}\right) + \sqrt{bcd+ad^2}\log\left(\frac{bc-2ad+2\sqrt{bcd+ad^2}\sqrt{\frac{ax+b}{x}}}{2ad}\right) + 2ax\sqrt{\frac{ax+b}{x}} - 2\sqrt{bcd+ad^2}\arctan\left(\frac{\sqrt{bcd+ad^2}\sqrt{\frac{ax+b}{x}}}{ad}\right) - (bc-2ad)\sqrt{d}\arctan\left(\frac{\sqrt{bcd+ad^2}\sqrt{\frac{ax+b}{x}}}{ad}\right)}{2a^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(1/2)/(c+d/x), x, algorithm="fricas")

[Out] [1/2*(2*a*c*x*sqrt((a*x + b)/x) - (b*c - 2*a*d)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*sqrt(-b*c*d + a*d^2)*a*log((b*d - (b*c - 2*a*d)*x + 2*sqrt(-b*c*d + a*d^2)*x*sqrt((a*x + b)/x))/(c*x + d)))/(a*c^2), 1/2*(2*a*c*x*sqrt((a*x + b)/x) - 4*sqrt(b*c*d - a*d^2)*a*arctan(sqrt(b*c*d - a*d^2)*x*sqrt((a*x + b)/x)/(a*d*x + b*d)) - (b*c - 2*a*d)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b))/(a*c^2), (a*c*x*sqrt((a*x + b)/x) - (b*c - 2*a*d)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + sqrt(-b*c*d + a*d^2)*a*log((b*d - (b*c - 2*a*d)*x + 2*sqrt(-b*c*d + a*d^2)*x*sqrt((a*x

$(+ b/x)/(c*x + d)))/(a*c^2), (a*c*x*\sqrt{(a*x + b)/x} - 2*\sqrt{b*c*d - a*d^2})*a*\arctan(\sqrt{b*c*d - a*d^2}*x*\sqrt{(a*x + b)/x}/(a*d*x + b*d)) - (b*c - 2*a*d)*\sqrt{-a}*\arctan(\sqrt{-a}*\sqrt{(a*x + b)/x}/a))/(a*c^2)]$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(1/2)/(c+d/x),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes
constant sign by intervals (correct if the argument is real):Check [abs(x)]
Error: Bad Argument Type

maple [B] time = 0.11, size = 287, normalized size = 2.76

$$\frac{\sqrt{\frac{ax+b}{x}} \left(2a^3 d^2 \ln \left(\frac{-2ndx+bcx-bd+2\sqrt{\frac{ad-bc}{c^2}} \sqrt{(ax+b)xc}}{cx+d} \right) - 2\sqrt{a} bcd \ln \left(\frac{-2ndx+bcx-bd+2\sqrt{\frac{ad-bc}{c^2}} \sqrt{(ax+b)xc}}{cx+d} \right) + 2\sqrt{\frac{ad-bc}{c^2}} acd \ln \left(\frac{2ax+b+2\sqrt{(ax+b)xc} \sqrt{a}}{2\sqrt{a}} \right) - \sqrt{\frac{ad-bc}{c^2}} b c^2 \ln \left(\frac{2ax+b+2\sqrt{(ax+b)xc} \sqrt{a}}{2\sqrt{a}} \right) - 2\sqrt{(ax+b)x} \sqrt{\frac{ad-bc}{c^2}} \sqrt{a} c^2 \right)}{2\sqrt{(ax+b)x} \sqrt{\frac{ad-bc}{c^2}} \sqrt{a} c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b/x)^(1/2)/(c+d/x),x)

[Out] $-1/2*((a*x+b)/x)^{(1/2)}*x*(2*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)}*(d*(a*d-b*c)/c^2)^{(1/2)}*a*c*d-\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)}*(d*(a*d-b*c)/c^2)^{(1/2)}*b*c^2+2*\ln((2*(d*(a*d-b*c)/c^2)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c-2*a*d*x+b*c*x-b*d)/(c*x+d))*a^{(3/2)}*d^2-2*\ln((2*(d*(a*d-b*c)/c^2)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c-2*a*d*x+b*c*x-b*d)/(c*x+d))*a^{(1/2)}*b*c*d-2*((a*x+b)*x)^{(1/2)}*c^2*a^{(1/2)}*(d*(a*d-b*c)/c^2)^{(1/2)}/((a*x+b)*x)^{(1/2)}/c^3/a^{(1/2)}/(d*(a*d-b*c)/c^2)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + \frac{b}{x}}}{c + \frac{d}{x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(1/2)/(c+d/x),x, algorithm="maxima")

[Out] integrate(sqrt(a + b/x)/(c + d/x), x)

mupad [B] time = 1.63, size = 149, normalized size = 1.43

$$\frac{x\sqrt{a+\frac{b}{x}}}{c} + \frac{\ln\left(\sqrt{a+\frac{b}{x}} - \sqrt{a}\right)\left(ad - \frac{bc}{2}\right)}{\sqrt{a}c^2} - \frac{\ln\left(\sqrt{a+\frac{b}{x}} + \sqrt{a}\right)(2ad - bc)}{2\sqrt{a}c^2} - \frac{\operatorname{atan}\left(\frac{b^4d^3\sqrt{a+\frac{b}{x}}\sqrt{ad^2-bcd}4i}{4ab^4d^4-4b^5cd^3}\right)\sqrt{ad^2-bcd}2i}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b/x)^(1/2)/(c + d/x), x)`

[Out] $(x*(a + b/x)^{(1/2)})/c - (\operatorname{atan}((b^4*d^3*(a + b/x)^{(1/2)}*(a*d^2 - b*c*d)^{(1/2)})*4i)/(4*a*b^4*d^4 - 4*b^5*c*d^3))*(a*d^2 - b*c*d)^{(1/2)}/c^2 + (\log((a + b/x)^{(1/2)} - a^{(1/2)})*(a*d - (b*c)/2))/(a^{(1/2)}*c^2) - (\log((a + b/x)^{(1/2)} + a^{(1/2)})*(2*a*d - b*c))/(2*a^{(1/2)}*c^2)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x\sqrt{a+\frac{b}{x}}}{cx+d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b/x)**(1/2)/(c+d/x), x)`

[Out] `Integral(x*sqrt(a + b/x)/(c*x + d), x)`

$$3.132 \quad \int \frac{\sqrt{a + \frac{b}{x}}}{\left(c + \frac{d}{x}\right)^2} dx$$

Optimal. Leaf size=147

$$\frac{\sqrt{d}(3bc - 4ad) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right)}{c^3\sqrt{bc - ad}} + \frac{(bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{\sqrt{a}c^3} + \frac{2d\sqrt{a + \frac{b}{x}}}{c^2\left(c + \frac{d}{x}\right)} + \frac{x\sqrt{a + \frac{b}{x}}}{c\left(c + \frac{d}{x}\right)}$$

Rubi [A] time = 0.21, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {375, 99, 151, 156, 63, 208, 205}

$$\frac{2d\sqrt{a + \frac{b}{x}}}{c^2\left(c + \frac{d}{x}\right)} + \frac{\sqrt{d}(3bc - 4ad) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right)}{c^3\sqrt{bc - ad}} + \frac{(bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{\sqrt{a}c^3} + \frac{x\sqrt{a + \frac{b}{x}}}{c\left(c + \frac{d}{x}\right)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b/x]/(c + d/x)^2, x]

[Out] (2*d*Sqrt[a + b/x])/(c^2*(c + d/x)) + (Sqrt[a + b/x]*x)/(c*(c + d/x)) + (Sqrt[d]*(3*b*c - 4*a*d)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/(c^3*Sqrt[b*c - a*d]) + ((b*c - 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/(Sqrt[a]*c^3)

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 99

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/(m + 1)*(b*e - a*f), x] - Dist[1/((m + 1)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[d*e*n + c*f*(m + p + 2) + d*f*(m + n + p + 2)*x, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && LtQ[m, -1

] && GtQ[n, 0] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

Rule 151

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] :> Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h]*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]

Rule 156

Int[((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] :> Dist[(b*g - a*h)/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

Rule 205

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_.) + (b_.)*(x_)^(n_))^(p_)*((c_.) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q]/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + \frac{b}{x}}}{\left(c + \frac{d}{x}\right)^2} dx &= -\text{Subst} \left(\int \frac{\sqrt{a + bx}}{x^2(c + dx)^2} dx, x, \frac{1}{x} \right) \\
&= \frac{\sqrt{a + \frac{b}{x}}}{c \left(c + \frac{d}{x}\right)} - \frac{\text{Subst} \left(\int \frac{\frac{1}{2}(bc-4ad) - \frac{3bdx}{2}}{x \sqrt{a+bx} (c+dx)^2} dx, x, \frac{1}{x} \right)}{c} \\
&= \frac{2d \sqrt{a + \frac{b}{x}}}{c^2 \left(c + \frac{d}{x}\right)} + \frac{\sqrt{a + \frac{b}{x}}}{c \left(c + \frac{d}{x}\right)} + \frac{\text{Subst} \left(\int \frac{-\frac{1}{2}(bc-4ad)(bc-ad) + bd(bc-ad)x}{x \sqrt{a+bx} (c+dx)} dx, x, \frac{1}{x} \right)}{c^2(bc-ad)} \\
&= \frac{2d \sqrt{a + \frac{b}{x}}}{c^2 \left(c + \frac{d}{x}\right)} + \frac{\sqrt{a + \frac{b}{x}}}{c \left(c + \frac{d}{x}\right)} - \frac{(bc-4ad) \text{Subst} \left(\int \frac{1}{x \sqrt{a+bx}} dx, x, \frac{1}{x} \right)}{2c^3} + \frac{(d(3bc-4ad)) \text{Subst} \left(\int \frac{1}{\sqrt{a+bx}} dx, x, \frac{1}{x} \right)}{2c^3} \\
&= \frac{2d \sqrt{a + \frac{b}{x}}}{c^2 \left(c + \frac{d}{x}\right)} + \frac{\sqrt{a + \frac{b}{x}}}{c \left(c + \frac{d}{x}\right)} - \frac{(bc-4ad) \text{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}} \right)}{bc^3} + \frac{(d(3bc-4ad)) \text{Subst} \left(\int \frac{1}{\sqrt{a+bx}} dx, x, \frac{1}{x} \right)}{bc^3} \\
&= \frac{2d \sqrt{a + \frac{b}{x}}}{c^2 \left(c + \frac{d}{x}\right)} + \frac{\sqrt{a + \frac{b}{x}}}{c \left(c + \frac{d}{x}\right)} + \frac{\sqrt{d} (3bc-4ad) \tan^{-1} \left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc-ad}} \right)}{c^3 \sqrt{bc-ad}} + \frac{(bc-4ad) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{\sqrt{a} c^3}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 122, normalized size = 0.83

$$\frac{cx \sqrt{a + \frac{b}{x}} (cx+2d)}{cx+d} + \frac{\sqrt{d} (3bc-4ad) \tan^{-1} \left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc-ad}} \right)}{\sqrt{bc-ad}} + \frac{(bc-4ad) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}}}{c^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b/x]/(c + d/x)^2,x]

[Out] ((c*Sqrt[a + b/x]*x*(2*d + c*x))/(d + c*x) + (Sqrt[d]*(3*b*c - 4*a*d)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/Sqrt[b*c - a*d] + ((b*c - 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/Sqrt[a])/c^3

IntegrateAlgebraic [A] time = 0.39, size = 138, normalized size = 0.94

$$\frac{(3bc\sqrt{d} - 4ad^{3/2}) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{\frac{ax+b}{x}}}{\sqrt{bc-ad}}\right) + (bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right) + \frac{\sqrt{\frac{ax+b}{x}}(cx^2 + 2dx)}{c^2(cx + d)}}{c^3\sqrt{bc-ad} + \sqrt{a}c^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + b/x]/(c + d/x)^2,x]

[Out] (Sqrt[(b + a*x)/x]*(2*d*x + c*x^2))/(c^2*(d + c*x)) + ((3*b*c*Sqrt[d] - 4*a*d^(3/2))*ArcTan[(Sqrt[d]*Sqrt[(b + a*x)/x])/Sqrt[b*c - a*d]])/(c^3*Sqrt[b*c - a*d]) + ((b*c - 4*a*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/(Sqrt[a]*c^3)

fricas [A] time = 0.91, size = 801, normalized size = 5.45

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(1/2)/(c+d/x)^2,x, algorithm="fricas")

[Out] [-1/2*((b*c*d - 4*a*d^2 + (b*c^2 - 4*a*c*d)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + (3*a*b*c*d - 4*a^2*d^2 + (3*a*b*c^2 - 4*a^2*c*d)*x)*sqrt(-d/(b*c - a*d))*log(-(2*(b*c - a*d)*x*sqrt(-d/(b*c - a*d))*sqrt((a*x + b)/x) - b*d + (b*c - 2*a*d)*x)/(c*x + d)) - 2*(a*c^2*x^2 + 2*a*c*d*x)*sqrt((a*x + b)/x)/(a*c^4*x + a*c^3*d), -1/2*(2*(b*c*d - 4*a*d^2 + (b*c^2 - 4*a*c*d)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (3*a*b*c*d - 4*a^2*d^2 + (3*a*b*c^2 - 4*a^2*c*d)*x)*sqrt(-d/(b*c - a*d))*log(-(2*(b*c - a*d)*x*sqrt(-d/(b*c - a*d))*sqrt((a*x + b)/x) - b*d + (b*c - 2*a*d)*x)/(c*x + d)) - 2*(a*c^2*x^2 + 2*a*c*d*x)*sqrt((a*x + b)/x)/(a*c^4*x + a*c^3*d), 1/2*(2*(3*a*b*c*d - 4*a^2*d^2 + (3*a*b*c^2 - 4*a^2*c*d)*x)*sqrt(d/(b*c - a*d))*arctan(-(b*c - a*d)*x*sqrt(d/(b*c - a*d))*sqrt((a*x + b)/x)/(a*d*x + b*d)) - (b*c*d - 4*a*d^2 + (b*c^2 - 4*a*c*d)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*(a*c^2*x^2 + 2*a*c*d*x)*sqrt((a*x + b)/x)/(a*c^4*x + a*c^3*d), ((3*a*b*c*d - 4*a^2*d^2 + (3*a*b*c^2 - 4*a^2*c*d)*x)*sqrt(d/(b*c - a*d))*arctan(-(b*c - a*d)*x*sqrt(d/(b*c - a*d))*sqrt((a*x + b)/x)/(a*d*x + b*d)) - (b*c*d - 4*a*d^2 + (b*c^2 - 4*a*c*d)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (a*c^2*x^2 + 2*a*c*d*x)*sqrt((a*x + b)/x)/(a*c^4*x + a*c^3*d)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x)^(1/2)/(c+d/x)^2,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes
constant sign by intervals (correct if the argument is real):Check [abs(x)]
Unable to divide, perhaps due to rounding error%%{%%[-2,0]:[1,0,%%{-1,[1
]%%}]%%},[4,6,4,0]%%}+%%{%%{8,[1]%%},[3,5,4,1]%%}+%%{%%[-4,0]:[1,0,
%%{-1,[1]%%}]%%},[2,5,5,1]%%}+%%{%%{%%{-8,[1]%%},0]:[1,0,%%{-1,[1]
%%}]%%},[2,4,4,2]%%}+%%{%%{8,[1]%%},[1,4,5,2]%%}+%%{%%[-2,0]:[1,0,%%
%%{-1,[1]%%}]%%},[0,4,6,2]%%} / %%{%%{1,[1]%%},[4,2,0,0]%%}+%%{%%{poly
y1[%%{-4,[1]%%},0]:[1,0,%%{-1,[1]%%}]%%},[3,1,0,1]%%}+%%{%%{2,[1]%%
},[2,1,1,1]%%}+%%{%%{4,[2]%%},[2,0,0,2]%%}+%%{%%{poly1[%%{-4,[1]%%
},0]:[1,0,%%{-1,[1]%%}]%%},[1,0,1,2]%%}+%%{%%{1,[1]%%},[0,0,2,2]%%} E
rror: Bad Argument Value
```

maple [B] time = 0.07, size = 943, normalized size = 6.41

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b/x)^(1/2)/(c+d/x)^2,x)
```

```
[Out] -1/2*((a*x+b)/x)^(1/2)*x*(4*a^(7/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2
*d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+d))*x*c*d^3+2*a^(5/2)*((a*x+b)*x)^(1/2)
*((a*d-b*c)/c^2*d)^(1/2)*x^2*c^4+4*a^(7/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b
*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+d))*d^4-2*a^(5/2)*((a*x+b)*x)^(1
/2)*((a*d-b*c)/c^2*d)^(1/2)*x*c^3*d-7*a^(5/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*
d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+d))*x*b*c^2*d^2-4*a^(5/2)*((a
*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*c^2*d^2-7*a^(5/2)*ln((-2*a*d*x+b*c*x
-b*d+2*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+d))*b*c*d^3-2*c^4*
((a*x+b)*x)^(3/2)*a^(3/2)*((a*d-b*c)/c^2*d)^(1/2)+4*a^(3/2)*((a*x+b)*x)^(1/
2)*((a*d-b*c)/c^2*d)^(1/2)*x*b*c^4+3*a^(3/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d
-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+d))*b^2*c^2*d^2+4*a
^3*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(
1/2)*x*c^2*d^2-5*a^2*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))
*((a*d-b*c)/c^2*d)^(1/2)*x*b*c^3*d+a*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(
1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x*b^2*c^4+4*a^3*ln(1/2*(2*a*x+b+2*(
(a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*c*d^3-5*a^2*ln(1
/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*b
*c^2*d^2+a*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)
/c^2*d)^(1/2)*b^2*c^3*d)/c^4/((a*x+b)*x)^(1/2)/(a*d-b*c)/(c*x+d)/a^(3/2)/((
a*d-b*c)/c^2*d)^(1/2)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + \frac{b}{x}}}{\left(c + \frac{d}{x}\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(1/2)/(c+d/x)^2,x, algorithm="maxima")

[Out] integrate(sqrt(a + b/x)/(c + d/x)^2, x)

mupad [B] time = 2.26, size = 1195, normalized size = 8.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b/x)^(1/2)/(c + d/x)^2,x)

[Out] - ((2*b*d*(a + b/x)^(3/2))/c^2 - (b*(a + b/x)^(1/2)*(2*a*d - b*c))/c^2)/((a + b/x)*(2*a*d - b*c) - d*(a + b/x)^2 - a^2*d + a*b*c) - (atanh((8*b^5*d^3*(a + b/x)^(1/2))/(a^(1/2)*(8*b^5*d^3 - (2*b^6*c*d^2)/a)) + (2*b^6*d^2*(a + b/x)^(1/2))/(a^(3/2)*((2*b^6*d^2)/a - (8*b^5*d^3)/c)))*(4*a*d - b*c))/(a^(1/2)*c^3) - (atan(((d*(a*d - b*c))^(1/2)*((4*(a + b/x)^(1/2)*(16*a^2*b^2*d^5 + 5*b^4*c^2*d^3 - 16*a*b^3*c*d^4))/c^4 - (((2*(2*b^4*c^7*d^2 - 4*a*b^3*c^6*d^3))/c^6 - (2*(2*b^3*c^7*d^2 - 4*a*b^2*c^6*d^3)*(a + b/x)^(1/2)*(d*(a*d - b*c))^(1/2)*(4*a*d - 3*b*c))/(c^4*(b*c^4 - a*c^3*d)))*(d*(a*d - b*c))^(1/2)*(4*a*d - 3*b*c))/(2*(b*c^4 - a*c^3*d)))*(4*a*d - 3*b*c)*1i)/(2*(b*c^4 - a*c^3*d)) + ((d*(a*d - b*c))^(1/2)*((4*(a + b/x)^(1/2)*(16*a^2*b^2*d^5 + 5*b^4*c^2*d^3 - 16*a*b^3*c*d^4))/c^4 + (((2*(2*b^4*c^7*d^2 - 4*a*b^3*c^6*d^3))/c^6 + (2*(2*b^3*c^7*d^2 - 4*a*b^2*c^6*d^3)*(a + b/x)^(1/2)*(d*(a*d - b*c))^(1/2)*(4*a*d - 3*b*c))/(c^4*(b*c^4 - a*c^3*d)))*(d*(a*d - b*c))^(1/2)*(4*a*d - 3*b*c))/(2*(b*c^4 - a*c^3*d)))*(4*a*d - 3*b*c)*1i)/(2*(b*c^4 - a*c^3*d)))/((4*(16*a^2*b^3*d^5 + 3*b^5*c^2*d^3 - 16*a*b^4*c*d^4))/c^6 - ((d*(a*d - b*c))^(1/2)*((4*(a + b/x)^(1/2)*(16*a^2*b^2*d^5 + 5*b^4*c^2*d^3 - 16*a*b^3*c*d^4))/c^4 - (((2*(2*b^4*c^7*d^2 - 4*a*b^3*c^6*d^3))/c^6 - (2*(2*b^3*c^7*d^2 - 4*a*b^2*c^6*d^3)*(a + b/x)^(1/2)*(d*(a*d - b*c))^(1/2)*(4*a*d - 3*b*c))/(c^4*(b*c^4 - a*c^3*d)))*(d*(a*d - b*c))^(1/2)*(4*a*d - 3*b*c))/(2*(b*c^4 - a*c^3*d)))*(4*a*d - 3*b*c))/(2*(b*c^4 - a*c^3*d)) + ((d*(a*d - b*c))^(1/2)*((4*(a + b/x)^(1/2)*(16*a^2*b^2*d^5 + 5*b^4*c^2*d^3 - 16*a*b^3*c*d^4))/c^4 + (((2*(2*b^4*c^7*d^2 - 4*a*b^3*c^6*d^3))/c^6 + (2*(2*b^3*c^7*d^2 - 4*a*b^2*c^6*d^3)*(a + b/x)^(1/2)*(d*(a*d - b*c))^(1/2)*(4*a*d - 3*b*c))/(c^4*(b*c^4 - a*c^3*d)))*(d*(a*d - b*c))^(1/2)*(4*a*d - 3*b*c))/(2*(b*c^4 - a*c^3*d)))*(4*a*d - 3*b*c)*1i)/(b*c^4 - a*c^3*d)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sqrt{a + \frac{b}{x}}}{(cx + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)**(1/2)/(c+d/x)**2,x)

[Out] Integral(x**2*sqrt(a + b/x)/(c*x + d)**2, x)

$$3.133 \quad \int \frac{\sqrt{a+\frac{b}{x}}}{\left(c+\frac{d}{x}\right)^3} dx$$

Optimal. Leaf size=213

$$\frac{\sqrt{d} (24a^2d^2 - 40abcd + 15b^2c^2) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right) + (bc - 6ad) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right) + \frac{d\sqrt{a+\frac{b}{x}}(11bc - 12ad)}{4c^3\left(c+\frac{d}{x}\right)(bc - ad)} + \frac{3d\sqrt{a+\frac{b}{x}}}{2c^2\left(c+\frac{d}{x}\right)^2}}{4c^4(bc - ad)^{3/2} + \sqrt{a}c^4}$$

Rubi [A] time = 0.34, antiderivative size = 213, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {375, 99, 151, 156, 63, 208, 205}

$$\frac{\sqrt{d} (24a^2d^2 - 40abcd + 15b^2c^2) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right) + \frac{d\sqrt{a+\frac{b}{x}}(11bc - 12ad)}{4c^3\left(c+\frac{d}{x}\right)(bc - ad)} + \frac{3d\sqrt{a+\frac{b}{x}}}{2c^2\left(c+\frac{d}{x}\right)^2} + \frac{(bc - 6ad) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{\sqrt{a}c^4} + \frac{x\sqrt{a+\frac{b}{x}}}{c\left(c+\frac{d}{x}\right)^2}}{4c^4(bc - ad)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b/x]/(c + d/x)^3,x]

[Out] (3*d*Sqrt[a + b/x])/(2*c^2*(c + d/x)^2) + (d*(11*b*c - 12*a*d)*Sqrt[a + b/x])/(4*c^3*(b*c - a*d)*(c + d/x)) + (Sqrt[a + b/x]*x)/(c*(c + d/x)^2) + (Sqrt[d]*(15*b^2*c^2 - 40*a*b*c*d + 24*a^2*d^2)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/(4*c^4*(b*c - a*d)^(3/2)) + ((b*c - 6*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/(Sqrt[a]*c^4)

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 99

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/((m + 1)*(b*e - a*f)), x] - Dist[1/((m + 1)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[d*e*n + c*f*(m + p + 2) + d*f*(m + n + p + 2)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && LtQ[m, -1

] && GtQ[n, 0] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

Rule 151

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h]*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]

Rule 156

Int[(((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + \frac{b}{x}}}{\left(c + \frac{d}{x}\right)^3} dx &= -\text{Subst} \left(\int \frac{\sqrt{a + bx}}{x^2(c + dx)^3} dx, x, \frac{1}{x} \right) \\
&= \frac{\sqrt{a + \frac{b}{x}}}{c \left(c + \frac{d}{x}\right)^2} - \frac{\text{Subst} \left(\int \frac{\frac{1}{2}(bc-6ad) - \frac{5bdx}{2}}{x \sqrt{a+bx} (c+dx)^3} dx, x, \frac{1}{x} \right)}{c} \\
&= \frac{3d \sqrt{a + \frac{b}{x}}}{2c^2 \left(c + \frac{d}{x}\right)^2} + \frac{\sqrt{a + \frac{b}{x}}}{c \left(c + \frac{d}{x}\right)^2} + \frac{\text{Subst} \left(\int \frac{-((bc-6ad)(bc-ad)) + \frac{9}{2}bd(bc-ad)x}{x \sqrt{a+bx} (c+dx)^2} dx, x, \frac{1}{x} \right)}{2c^2(bc-ad)} \\
&= \frac{3d \sqrt{a + \frac{b}{x}}}{2c^2 \left(c + \frac{d}{x}\right)^2} + \frac{d(11bc - 12ad) \sqrt{a + \frac{b}{x}}}{4c^3(bc - ad) \left(c + \frac{d}{x}\right)} + \frac{\sqrt{a + \frac{b}{x}}}{c \left(c + \frac{d}{x}\right)^2} - \frac{\text{Subst} \left(\int \frac{(bc-6ad)(bc-ad)^2 - \frac{1}{4}bd(11bc-12ad)(bc-ad)}{x \sqrt{a+bx} (c+dx)} dx, x, \frac{1}{x} \right)}{2c^3(bc-ad)^2} \\
&= \frac{3d \sqrt{a + \frac{b}{x}}}{2c^2 \left(c + \frac{d}{x}\right)^2} + \frac{d(11bc - 12ad) \sqrt{a + \frac{b}{x}}}{4c^3(bc - ad) \left(c + \frac{d}{x}\right)} + \frac{\sqrt{a + \frac{b}{x}}}{c \left(c + \frac{d}{x}\right)^2} - \frac{(bc - 6ad) \text{Subst} \left(\int \frac{1}{x \sqrt{a+bx}} dx, x, \frac{1}{x} \right)}{2c^4} + \\
&= \frac{3d \sqrt{a + \frac{b}{x}}}{2c^2 \left(c + \frac{d}{x}\right)^2} + \frac{d(11bc - 12ad) \sqrt{a + \frac{b}{x}}}{4c^3(bc - ad) \left(c + \frac{d}{x}\right)} + \frac{\sqrt{a + \frac{b}{x}}}{c \left(c + \frac{d}{x}\right)^2} - \frac{(bc - 6ad) \text{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}} \right)}{bc^4} \\
&= \frac{3d \sqrt{a + \frac{b}{x}}}{2c^2 \left(c + \frac{d}{x}\right)^2} + \frac{d(11bc - 12ad) \sqrt{a + \frac{b}{x}}}{4c^3(bc - ad) \left(c + \frac{d}{x}\right)} + \frac{\sqrt{a + \frac{b}{x}}}{c \left(c + \frac{d}{x}\right)^2} + \frac{\sqrt{d} (15b^2c^2 - 40abcd + 24a^2d^2) \tan^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{c + \frac{d}{x}}} \right)}{4c^4(bc - ad)^{3/2}}
\end{aligned}$$

Mathematica [A] time = 0.82, size = 330, normalized size = 1.55

$$\frac{(cx+d) \left(\frac{1}{2}cd^2 \sqrt{a+\frac{b}{x}} + \frac{1}{2}(ax+b)(12a^2d^2-17abcd+4b^2c^2) + (cx+d) \left(-\frac{1}{2}ad^2(24a^2d^2-40abcd+15b^2c^2) \sqrt{a+\frac{b}{x}} - \sqrt{bc-ad} \tan^{-1} \left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}} \right) \right) \right) d^{3/2}(bc-6ad)(bc-ad)^2 \left(2\sqrt{a+\frac{b}{x}} - 2\sqrt{d} \tanh^{-1} \left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{d}} \right) \right) + 2c^3d^2x^3 \left(a+\frac{b}{x} \right)^{3/2} (bc-ad)^2 + c^2d^2x \sqrt{a+\frac{b}{x}} (ax+b)(2bc-3ad)(bc-ad)}{2ac^4d^{3/2}(cx+d)^2(bc-ad)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b/x]/(c + d/x)^3, x]

[Out] (2*c^3*d^(3/2)*(b*c - a*d)^2*(a + b/x)^(3/2)*x^3 + c^2*d^(5/2)*(2*b*c - 3*a*d)*(b*c - a*d)*Sqrt[a + b/x]*x*(b + a*x) + (d + c*x)*((c*d^(5/2)*(4*b^2*c^2

$$2 - 17*a*b*c*d + 12*a^2*d^2)*\text{Sqrt}[a + b/x]*(b + a*x))/2 + (d + c*x)*(-1/2*(a*d^2*(15*b^2*c^2 - 40*a*b*c*d + 24*a^2*d^2)*(Sqrt[d]*Sqrt[a + b/x] - Sqrt[b*c - a*d])*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]]) - d^{(3/2)}*(b*c - 6*a*d)*(b*c - a*d)^2*(2*Sqrt[a + b/x] - 2*Sqrt[a]*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])))/(2*a*c^4*d^{(3/2)}*(b*c - a*d)^2*(d + c*x)^2)$$

IntegrateAlgebraic [A] time = 1.35, size = 215, normalized size = 1.01

$$\frac{(24a^2d^{5/2} - 40abcd^{3/2} + 15b^2c^2\sqrt{d}) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{\frac{ax+b}{x}}}{\sqrt{bc-ad}}\right) + (bc-6ad) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right) + \frac{\sqrt{\frac{ax+b}{x}}}{x} (-4ac^2dx^3 - 18acd^2x^2 - 12ad^3x + 4bc^3x^3 + 17bc^2dx^2 + 11bcd^2x)}{4c^4(bc-ad)^{3/2}} + \frac{1}{\sqrt{a}c^4} + \frac{1}{4c^3(cx+d)^2(bc-ad)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + b/x]/(c + d/x)^3,x]

[Out] (Sqrt[(b + a*x)/x]*(11*b*c*d^2*x - 12*a*d^3*x + 17*b*c^2*d*x^2 - 18*a*c*d^2*x^2 + 4*b*c^3*x^3 - 4*a*c^2*d*x^3))/(4*c^3*(b*c - a*d)*(d + c*x)^2) + ((15*b^2*c^2*Sqrt[d] - 40*a*b*c*d^{(3/2)} + 24*a^2*d^{(5/2)})*ArcTan[(Sqrt[d]*Sqrt[(b + a*x)/x])/Sqrt[b*c - a*d]])/(4*c^4*(b*c - a*d)^{(3/2)}) + ((b*c - 6*a*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/(Sqrt[a]*c^4)

fricas [B] time = 1.08, size = 1749, normalized size = 8.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(1/2)/(c+d/x)^3,x, algorithm="fricas")

[Out] [-1/8*(4*(b^2*c^2*d^2 - 7*a*b*c*d^3 + 6*a^2*d^4 + (b^2*c^4 - 7*a*b*c^3*d + 6*a^2*c^2*d^2)*x^2 + 2*(b^2*c^3*d - 7*a*b*c^2*d^2 + 6*a^2*c*d^3)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + (15*a*b^2*c^2*d^2 - 40*a^2*b*c*d^3 + 24*a^3*d^4 + (15*a*b^2*c^4 - 40*a^2*b*c^3*d + 24*a^3*c^2*d^2)*x^2 + 2*(15*a*b^2*c^3*d - 40*a^2*b*c^2*d^2 + 24*a^3*c*d^3)*x)*sqrt(-d/(b*c - a*d))*log(-(2*(b*c - a*d)*x*sqrt(-d/(b*c - a*d))*sqrt((a*x + b)/x) - b*d + (b*c - 2*a*d)*x)/(c*x + d)) - 2*(4*(a*b*c^4 - a^2*c^3*d)*x^3 + (17*a*b*c^3*d - 18*a^2*c^2*d^2)*x^2 + (11*a*b*c^2*d^2 - 12*a^2*c*d^3)*x)*sqrt((a*x + b)/x))/(a*b*c^5*d^2 - a^2*c^4*d^3 + (a*b*c^7 - a^2*c^6*d)*x^2 + 2*(a*b*c^6*d - a^2*c^5*d^2)*x), 1/4*((15*a*b^2*c^2*d^2 - 40*a^2*b*c*d^3 + 24*a^3*d^4 + (15*a*b^2*c^4 - 40*a^2*b*c^3*d + 24*a^3*c^2*d^2)*x^2 + 2*(15*a*b^2*c^3*d - 40*a^2*b*c^2*d^2 + 24*a^3*c*d^3)*x)*sqrt(d/(b*c - a*d))*arctan(-(b*c - a*d)*x*sqrt(d/(b*c - a*d))*sqrt((a*x + b)/x)/(a*d*x + b*d)) - 2*(b^2*c^2*d^2 - 7*a*b*c*d^3 + 6*a^2*d^4 + (b^2*c^4 - 7*a*b*c^3*d + 6*a^2*c^2*d^2)*x^2 + 2*(b^2*c^3*d - 7*a*b*c^2*d^2 + 6*a^2*c*d^3)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + (4*(a*b*c^4 - a^2*c^3*d)*x^3 + (17*a*b*c^3*d - 18*a^2*c^2*d^2)*x^2 + (11*a*b*c^2*d^2 - 12*a^2*c*d^3)*x)*sqrt((a*x + b)/x))/(a*b*c^5*d^2 - a^2*c^4*d^3 + (a*b*c^7 - a^2*c^6*d)*x^2 + 2*(a*b*c^6*d - a^2*c^5*d^2)*x)

```

c^5*d^2)*x), -1/8*(8*(b^2*c^2*d^2 - 7*a*b*c*d^3 + 6*a^2*d^4 + (b^2*c^4 - 7*
a*b*c^3*d + 6*a^2*c^2*d^2)*x^2 + 2*(b^2*c^3*d - 7*a*b*c^2*d^2 + 6*a^2*c*d^3
)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (15*a*b^2*c^2*d^2 - 40
*a^2*b*c*d^3 + 24*a^3*d^4 + (15*a*b^2*c^4 - 40*a^2*b*c^3*d + 24*a^3*c^2*d^2
)*x^2 + 2*(15*a*b^2*c^3*d - 40*a^2*b*c^2*d^2 + 24*a^3*c*d^3)*x)*sqrt(-d/(b*
c - a*d))*log(-2*(b*c - a*d)*x*sqrt(-d/(b*c - a*d))*sqrt((a*x + b)/x) - b*
d + (b*c - 2*a*d)*x)/(c*x + d)) - 2*(4*(a*b*c^4 - a^2*c^3*d)*x^3 + (17*a*b*
c^3*d - 18*a^2*c^2*d^2)*x^2 + (11*a*b*c^2*d^2 - 12*a^2*c*d^3)*x)*sqrt((a*x
+ b)/x))/(a*b*c^5*d^2 - a^2*c^4*d^3 + (a*b*c^7 - a^2*c^6*d)*x^2 + 2*(a*b*c^
6*d - a^2*c^5*d^2)*x), 1/4*((15*a*b^2*c^2*d^2 - 40*a^2*b*c*d^3 + 24*a^3*d^4
+ (15*a*b^2*c^4 - 40*a^2*b*c^3*d + 24*a^3*c^2*d^2)*x^2 + 2*(15*a*b^2*c^3*d
- 40*a^2*b*c^2*d^2 + 24*a^3*c*d^3)*x)*sqrt(d/(b*c - a*d))*arctan(-(b*c - a
*d)*x*sqrt(d/(b*c - a*d))*sqrt((a*x + b)/x)/(a*d*x + b*d)) - 4*(b^2*c^2*d^2
- 7*a*b*c*d^3 + 6*a^2*d^4 + (b^2*c^4 - 7*a*b*c^3*d + 6*a^2*c^2*d^2)*x^2 +
2*(b^2*c^3*d - 7*a*b*c^2*d^2 + 6*a^2*c*d^3)*x)*sqrt(-a)*arctan(sqrt(-a)*sqr
t((a*x + b)/x)/a) + (4*(a*b*c^4 - a^2*c^3*d)*x^3 + (17*a*b*c^3*d - 18*a^2*c
^2*d^2)*x^2 + (11*a*b*c^2*d^2 - 12*a^2*c*d^3)*x)*sqrt((a*x + b)/x))/(a*b*c^
5*d^2 - a^2*c^4*d^3 + (a*b*c^7 - a^2*c^6*d)*x^2 + 2*(a*b*c^6*d - a^2*c^5*d^
2)*x)]

```

giac [B] time = 0.41, size = 820, normalized size = 3.85

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x)^(1/2)/(c+d/x)^3,x, algorithm="giac")
```

```

[Out] -1/4*(15*sqrt(a)*b^2*c^2*d*arctan(sqrt(a)*d/sqrt(b*c*d - a*d^2)) - 40*a^(3/
2)*b*c*d^2*arctan(sqrt(a)*d/sqrt(b*c*d - a*d^2)) + 24*a^(5/2)*d^3*arctan(sq
rt(a)*d/sqrt(b*c*d - a*d^2)) - 2*sqrt(b*c*d - a*d^2)*b^2*c^2*log(abs(b)) +
14*sqrt(b*c*d - a*d^2)*a*b*c*d*log(abs(b)) - 12*sqrt(b*c*d - a*d^2)*a^2*d^2
*log(abs(b)) + 9*sqrt(b*c*d - a*d^2)*a*b*c*d - 10*sqrt(b*c*d - a*d^2)*a^2*d
^2)*sgn(x)/(sqrt(b*c*d - a*d^2)*sqrt(a)*b*c^5 - sqrt(b*c*d - a*d^2)*a^(3/2)
*c^4*d) - 1/4*(15*b^2*c^2*d*sgn(x) - 40*a*b*c*d^2*sgn(x) + 24*a^2*d^3*sgn(x
))*arctan(-((sqrt(a)*x - sqrt(a*x^2 + b*x))*c + sqrt(a)*d)/sqrt(b*c*d - a*d
^2))/((b*c^5 - a*c^4*d)*sqrt(b*c*d - a*d^2)) + sqrt(a*x^2 + b*x)*sgn(x)/c^3
- 1/4*(9*(sqrt(a)*x - sqrt(a*x^2 + b*x))^3*sqrt(a)*b^2*c^3*d*sgn(x) - 32*(
sqrt(a)*x - sqrt(a*x^2 + b*x))^3*a^(3/2)*b*c^2*d^2*sgn(x) + 24*(sqrt(a)*x -
sqrt(a*x^2 + b*x))^3*a^(5/2)*c*d^3*sgn(x) + 3*(sqrt(a)*x - sqrt(a*x^2 + b*
x))^2*a*b^2*c^2*d^2*sgn(x) - 40*(sqrt(a)*x - sqrt(a*x^2 + b*x))^2*a^2*b*c*d
^3*sgn(x) + 40*(sqrt(a)*x - sqrt(a*x^2 + b*x))^2*a^3*d^4*sgn(x) + 7*(sqrt(a
)*x - sqrt(a*x^2 + b*x))*sqrt(a)*b^3*c^2*d^2*sgn(x) - 44*(sqrt(a)*x - sqrt(
a*x^2 + b*x))*a^(3/2)*b^2*c*d^3*sgn(x) + 40*(sqrt(a)*x - sqrt(a*x^2 + b*x))
*a^(5/2)*b*d^4*sgn(x) - 9*a*b^3*c*d^3*sgn(x) + 10*a^2*b^2*d^4*sgn(x))/((sqr
t(a)*b*c^5 - a^(3/2)*c^4*d)*((sqrt(a)*x - sqrt(a*x^2 + b*x))^2*c + 2*(sqrt(

```


$$\begin{aligned} &) * ((a*x+b)*x)^{(1/2)*c} / (c*x+d) * x * c * d^5 - 24*a^{(7/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d- \\ & b*c) / c^2*d)^{(1/2)} * c^2*d^4 - 64*a^{(7/2)} * \ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c) / c^2*d)^{(1/2)} * ((a*x+b)*x)^{(1/2)} * c) / (c*x+d)) * b*c*d^5 + 55*a^{(5/2)} * \ln((-2*a*d*x+b* \\ & c*x-b*d+2*((a*d-b*c) / c^2*d)^{(1/2)} * ((a*x+b)*x)^{(1/2)} * c) / (c*x+d)) * b^2*c^2*d^4 \\ & + 24*a^4 * \ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)}) * ((a*d-b*c) / c^2*d)^{(1/2)} * c*d^5 + 24*a^{(9/2)} * \ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c) / c^2*d)^{(1/2)} \\ &) * ((a*x+b)*x)^{(1/2)} * c) / (c*x+d) * x^2 * c^2*d^4 - 8*a^{(5/2)} * ((a*x+b)*x)^{(3/2)} * ((a \\ & *d-b*c) / c^2*d)^{(1/2)} * c^4*d^2 - 15*a^{(3/2)} * \ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c) / c^2*d)^{(1/2)} * ((a*x+b)*x)^{(1/2)} * c) / (c*x+d)) * b^3*c^3*d^3 / c^5 / ((a*x+b)*x)^{(1 \\ & /2)} / (a*d-b*c)^2 / (c*x+d)^2 / a^{(3/2)} / ((a*d-b*c) / c^2*d)^{(1/2)} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + \frac{b}{x}}}{\left(c + \frac{d}{x}\right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(1/2)/(c+d/x)^3,x, algorithm="maxima")

[Out] integrate(sqrt(a + b/x)/(c + d/x)^3, x)

mupad [B] time = 3.73, size = 1895, normalized size = 8.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b/x)^(1/2)/(c + d/x)^3,x)

$$\begin{aligned} & [\text{Out}] \left(\log((a + b/x)^{(1/2)} * (d*(a*d - b*c)^3)^{(1/2)} - a^2*d^2 - b^2*c^2 + 2*a*b*c*d) * (d*(a*d - b*c)^3)^{(1/2)} * (3*a^2*d^2 + (15*b^2*c^2)/8 - 5*a*b*c*d) / (b^3*c \right. \\ & ^7 - a^3*c^4*d^3 + 3*a^2*b*c^5*d^2 - 3*a*b^2*c^6*d) - ((b*(a + b/x)^{(1/2)} * (12*a^2*d^2 + 4*b^2*c^2 - 17*a*b*c*d)) / (4*c^3) + (b*(a + b/x)^{(5/2)} * (12*a*d^3 - 11*b*c*d^2)) / (4*c^3*(a*d - b*c)) - (d*(a + b/x)^{(3/2)} * (17*b^3*c^2 + 24*a^2*b*d^2 - 40*a*b^2*c*d)) / (4*c^3*(a*d - b*c)) / ((a + b/x)^2 * (3*a*d^2 - 2*b*c*d) - (a + b/x) * (3*a^2*d^2 + b^2*c^2 - 4*a*b*c*d) - d^2*(a + b/x)^3 + a^3*d^2 + a*b^2*c^2 - 2*a^2*b*c*d) - \left. \log((a + b/x)^{(1/2)} * (d*(a*d - b*c)^3)^{(1/2)} + a^2*d^2 + b^2*c^2 - 2*a*b*c*d) * (d*(a*d - b*c)^3)^{(1/2)} * (24*a^2*d^2 + 15*b^2*c^2 - 40*a*b*c*d) / (8*(b^3*c^7 - a^3*c^4*d^3 + 3*a^2*b*c^5*d^2 - 3*a*b^2*c^6*d)) - \left(\text{atan}(\left(\left(\left((a + b/x)^{(1/2)} * (1152*a^4*b^2*d^7 + 241*b^6*c^4*d^3 - 1424*a*b^5*c^3*d^4 - 3264*a^3*b^3*c*d^6 + 3296*a^2*b^4*c^2*d^5) \right) / (8*(b^2*c^8 + a^2*c^6*d^2 - 2*a*b*c^7*d)) - ((6*a*d - b*c) * ((4*b^6*c^11*d^2 - 21*a*b^5*c^10*d^3 + 29*a^2*b^4*c^9*d^4 - 12*a^3*b^3*c^8*d^5) / (b^2*c^11 + a^2*c^9*d^2 - 2*a*b*c^10*d) - ((a + b/x)^{(1/2)} * (6*a*d - b*c) * (64*b^5*c^11*d^2 - 256*a*b^4*c^10*d^3 + 320*a^2*b^3*c^9*d^4 - 128*a^3*b^2*c^8*d^5) \right) / (16*a^{(1/2)} \right. \right. \right. \end{aligned}$$

$$\begin{aligned} &) * c^4 * (b^2 * c^8 + a^2 * c^6 * d^2 - 2 * a * b * c^7 * d)) / (2 * a^{(1/2)} * c^4) * (6 * a * d - b * \\ & c) * i) / (2 * a^{(1/2)} * c^4) + (((a + b/x)^{(1/2)} * (1152 * a^4 * b^2 * d^7 + 241 * b^6 * c^4 \\ & * d^3 - 1424 * a * b^5 * c^3 * d^4 - 3264 * a^3 * b^3 * c * d^6 + 3296 * a^2 * b^4 * c^2 * d^5)) / (8 * \\ & (b^2 * c^8 + a^2 * c^6 * d^2 - 2 * a * b * c^7 * d)) + ((6 * a * d - b * c) * ((4 * b^6 * c^{11} * d^2 - \\ & 21 * a * b^5 * c^{10} * d^3 + 29 * a^2 * b^4 * c^9 * d^4 - 12 * a^3 * b^3 * c^8 * d^5)) / (b^2 * c^{11} + a^2 * \\ & c^9 * d^2 - 2 * a * b * c^{10} * d) + ((a + b/x)^{(1/2)} * (6 * a * d - b * c) * (64 * b^5 * c^{11} * d^2 \\ & - 256 * a * b^4 * c^{10} * d^3 + 320 * a^2 * b^3 * c^9 * d^4 - 128 * a^3 * b^2 * c^8 * d^5)) / (16 * a^{(1/2)} * \\ & c^4 * (b^2 * c^8 + a^2 * c^6 * d^2 - 2 * a * b * c^7 * d)) / (2 * a^{(1/2)} * c^4) * (6 * a * d - \\ & b * c) * i) / (2 * a^{(1/2)} * c^4) / ((216 * a^4 * b^3 * d^7 + (165 * b^7 * c^4 * d^3) / 8 - (805 * a \\ & * b^6 * c^3 * d^4) / 4 - 594 * a^3 * b^4 * c * d^6 + 558 * a^2 * b^5 * c^2 * d^5)) / (b^2 * c^{11} + a^2 * \\ & c^9 * d^2 - 2 * a * b * c^{10} * d) - (((a + b/x)^{(1/2)} * (1152 * a^4 * b^2 * d^7 + 241 * b^6 * c^4 \\ & * d^3 - 1424 * a * b^5 * c^3 * d^4 - 3264 * a^3 * b^3 * c * d^6 + 3296 * a^2 * b^4 * c^2 * d^5)) / (8 * \\ & (b^2 * c^8 + a^2 * c^6 * d^2 - 2 * a * b * c^7 * d)) - ((6 * a * d - b * c) * ((4 * b^6 * c^{11} * d^2 - \\ & 21 * a * b^5 * c^{10} * d^3 + 29 * a^2 * b^4 * c^9 * d^4 - 12 * a^3 * b^3 * c^8 * d^5)) / (b^2 * c^{11} + a^2 * \\ & c^9 * d^2 - 2 * a * b * c^{10} * d) - ((a + b/x)^{(1/2)} * (6 * a * d - b * c) * (64 * b^5 * c^{11} * d^2 \\ & - 256 * a * b^4 * c^{10} * d^3 + 320 * a^2 * b^3 * c^9 * d^4 - 128 * a^3 * b^2 * c^8 * d^5)) / (16 * a^{(1/2)} * \\ & c^4 * (b^2 * c^8 + a^2 * c^6 * d^2 - 2 * a * b * c^7 * d)) / (2 * a^{(1/2)} * c^4) * (6 * a * d - \\ & b * c) / (2 * a^{(1/2)} * c^4) + (((a + b/x)^{(1/2)} * (1152 * a^4 * b^2 * d^7 + 241 * b^6 * c^4 \\ & * d^3 - 1424 * a * b^5 * c^3 * d^4 - 3264 * a^3 * b^3 * c * d^6 + 3296 * a^2 * b^4 * c^2 * d^5)) / (8 * \\ & (b^2 * c^8 + a^2 * c^6 * d^2 - 2 * a * b * c^7 * d)) + ((6 * a * d - b * c) * ((4 * b^6 * c^{11} * d^2 - \\ & 21 * a * b^5 * c^{10} * d^3 + 29 * a^2 * b^4 * c^9 * d^4 - 12 * a^3 * b^3 * c^8 * d^5)) / (b^2 * c^{11} + a^2 * \\ & c^9 * d^2 - 2 * a * b * c^{10} * d) + ((a + b/x)^{(1/2)} * (6 * a * d - b * c) * (64 * b^5 * c^{11} * d^2 \\ & - 256 * a * b^4 * c^{10} * d^3 + 320 * a^2 * b^3 * c^9 * d^4 - 128 * a^3 * b^2 * c^8 * d^5)) / (16 * a^{(1/2)} * \\ & c^4 * (b^2 * c^8 + a^2 * c^6 * d^2 - 2 * a * b * c^7 * d)) / (2 * a^{(1/2)} * c^4) * (6 * a * d - \\ & b * c) / (2 * a^{(1/2)} * c^4) * (6 * a * d - b * c) * i) / (a^{(1/2)} * c^4) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)**(1/2)/(c+d/x)**3,x)

[Out] Timed out

$$3.134 \quad \int \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^3 dx$$

Optimal. Leaf size=164

$$\frac{d \left(a + \frac{b}{x}\right)^{3/2} \left(\frac{3bd(2ad+19bc)}{x} + 2(13bc - ad)(2ad + 5bc)\right)}{35b^2} - 3c^2 \sqrt{a + \frac{b}{x}} (2ad+bc) + 3\sqrt{a} c^2 (2ad+bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)$$

Rubi [A] time = 0.14, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {375, 97, 153, 147, 50, 63, 208}

$$\frac{d \left(a + \frac{b}{x}\right)^{3/2} \left(\frac{3bd(2ad+19bc)}{x} + 2(13bc - ad)(2ad + 5bc)\right)}{35b^2} - 3c^2 \sqrt{a + \frac{b}{x}} (2ad + bc) + 3\sqrt{a} c^2 (2ad + bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right) + x \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^3 - \frac{9}{7} d \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(3/2)*(c + d/x)^3,x]

[Out] $-3c^2(b*c + 2*a*d)*\text{Sqrt}[a + b/x] - (9*d*(a + b/x)^{(3/2)}*(c + d/x)^2)/7 - (d*(a + b/x)^{(3/2)}*(2*(13*b*c - a*d)*(5*b*c + 2*a*d) + (3*b*d*(19*b*c + 2*a*d))/x))/(35*b^2) + (a + b/x)^{(3/2)}*(c + d/x)^3*x + 3*\text{Sqrt}[a]*c^2*(b*c + 2*a*d)*\text{ArcTanh}[\text{Sqrt}[a + b/x]/\text{Sqrt}[a]]$

Rule 50

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 97

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p)/(b*(m + 1)), x] - Dist[1/(b*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^(p - 1)*Simp[d*e*n + c*f*p + d*f*(n + p)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && LtQ[m, -1] && GtQ[n, 0] && GtQ[p, 0] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])
```

Rule 147

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))*((g_.) + (h_.)*(x_)), x_Symbol] := -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m + 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m + n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), Int[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]
```

Rule 153

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegerQ[m]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 375

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^3 dx &= -\text{Subst} \left(\int \frac{(a + bx)^{3/2} (c + dx)^3}{x^2} dx, x, \frac{1}{x} \right) \\
&= \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^3 x - \text{Subst} \left(\int \frac{\sqrt{a + bx} (c + dx)^2 \left(\frac{3}{2}(bc + 2ad) + \frac{9bdx}{2}\right)}{x} dx, x, \frac{1}{x} \right) \\
&= -\frac{9}{7}d \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2 + \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^3 x - \frac{2 \text{Subst} \left(\int \frac{\sqrt{a + bx} (c + dx) \left(\frac{21}{4}bc(bc + 2ad) + \frac{9bdx}{2}\right)}{x} dx, x, \frac{1}{x} \right)}{7b} \\
&= -\frac{9}{7}d \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2 - \frac{d \left(a + \frac{b}{x}\right)^{3/2} \left(2(13bc - ad)(5bc + 2ad) + \frac{3bd(19bc + 2ad)}{x}\right)}{35b^2} + \\
&= -3c^2(bc + 2ad)\sqrt{a + \frac{b}{x}} - \frac{9}{7}d \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2 - \frac{d \left(a + \frac{b}{x}\right)^{3/2} \left(2(13bc - ad)(5bc + 2ad) + \frac{3bd(19bc + 2ad)}{x}\right)}{35b^2} \\
&= -3c^2(bc + 2ad)\sqrt{a + \frac{b}{x}} - \frac{9}{7}d \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2 - \frac{d \left(a + \frac{b}{x}\right)^{3/2} \left(2(13bc - ad)(5bc + 2ad) + \frac{3bd(19bc + 2ad)}{x}\right)}{35b^2} \\
&= -3c^2(bc + 2ad)\sqrt{a + \frac{b}{x}} - \frac{9}{7}d \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2 - \frac{d \left(a + \frac{b}{x}\right)^{3/2} \left(2(13bc - ad)(5bc + 2ad) + \frac{3bd(19bc + 2ad)}{x}\right)}{35b^2}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 159, normalized size = 0.97

$$\frac{\sqrt{a + \frac{b}{x}} (4a^3 d^3 x^3 - 2a^2 b d^2 x^2 (21cx + d) + ab^2 x (35c^3 x^3 - 280c^2 d x^2 - 84cd^2 x - 16d^3)) - 2b^3 (35c^3 x^3 + 35c^2 d x^2 + 21cd^2 x + 5d^3)}{35b^2 x^3} + 3\sqrt{a} c^2 (2ad + bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x)^(3/2)*(c + d/x)^3,x]

[Out] (Sqrt[a + b/x]*(4*a^3*d^3*x^3 - 2*a^2*b*d^2*x^2*(d + 21*c*x) + a*b^2*x*(-16*d^3 - 84*c*d^2*x - 280*c^2*d*x^2 + 35*c^3*x^3) - 2*b^3*(5*d^3 + 21*c*d^2*x + 35*c^2*d*x^2 + 35*c^3*x^3)))/(35*b^2*x^3) + 3*Sqrt[a]*c^2*(b*c + 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]

IntegrateAlgebraic [A] time = 0.24, size = 194, normalized size = 1.18

$$3(2a^{3/2}c^2d + \sqrt{a}bc^3) \tanh^{-1} \left(\frac{\sqrt{ax+b}}{\sqrt{a}} \right) + \frac{\sqrt{ax+b} (4a^3 d^3 x^3 - 42a^2 b c d^2 x^3 - 2a^2 b d^3 x^2 + 35ab^2 c^3 x^4 - 280ab^2 c^2 d x^3 - 84ab^2 c d^2 x^2 - 16ab^2 d^3 x - 70b^3 c^3 x^3 - 70b^3 c^2 d x^2 - 42b^3 c d^2 x - 10b^3 d^3)}{35b^2 x^3}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a + b/x)^(3/2)*(c + d/x)^3,x]
```

```
[Out] (Sqrt[(b + a*x)/x]*(-10*b^3*d^3 - 42*b^3*c*d^2*x - 16*a*b^2*d^3*x - 70*b^3*c^2*d*x^2 - 84*a*b^2*c*d^2*x^2 - 2*a^2*b*d^3*x^2 - 70*b^3*c^3*x^3 - 280*a*b^2*c^2*d*x^3 - 42*a^2*b*c*d^2*x^3 + 4*a^3*d^3*x^3 + 35*a*b^2*c^3*x^4))/(35*b^2*x^3) + 3*(Sqrt[a]*b*c^3 + 2*a^(3/2)*c^2*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]]
```

fricas [A] time = 0.76, size = 380, normalized size = 2.32

$$\frac{105(b^3c^3 + 2ab^2c^2d)\sqrt{a}\log\left(\frac{2ax + 2\sqrt{a}\sqrt{ax+b}}{2a}\right) + 2(35b^3c^3 - 10b^3d^3 - 2(35b^3c^3 + 140ab^2c^2d + 21a^2b^2cd^2 - 2a^3d^3))x^3 - 2(35b^3c^2d + 42a^2b^2cd^2 + a^2b^2d^3)x^2 - 2(21b^3c^2d + 8a^2b^2d^3)x\sqrt{(ax+b)/x}}{35b^2x^3} - \frac{105(b^3c^3 + 2ab^2c^2d)\sqrt{a}\arctan\left(\frac{\sqrt{ax+b}}{\sqrt{a}}\right) - (35ab^2c^3 - 10b^3d^3 - 2(35b^3c^3 + 140ab^2c^2d + 21a^2b^2cd^2 - 2a^3d^3))x^3 - 2(35b^3c^2d + 42a^2b^2cd^2 + a^2b^2d^3)x^2 - 2(21b^3c^2d + 8a^2b^2d^3)x\sqrt{(ax+b)/x}}{35b^2x^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x)^(3/2)*(c+d/x)^3,x, algorithm="fricas")
```

```
[Out] [1/70*(105*(b^3*c^3 + 2*a*b^2*c^2*d)*sqrt(a)*x^3*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*(35*a*b^2*c^3*x^4 - 10*b^3*d^3 - 2*(35*b^3*c^3 + 140*a*b^2*c^2*d + 21*a^2*b^2*c*d^2 - 2*a^3*d^3))*x^3 - 2*(35*b^3*c^2*d + 42*a*b^2*c*d^2 + a^2*b*d^3)*x^2 - 2*(21*b^3*c^2*d + 8*a*b^2*d^3)*x)*sqrt((a*x + b)/x))/(b^2*x^3), -1/35*(105*(b^3*c^3 + 2*a*b^2*c^2*d)*sqrt(-a)*x^3*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) - (35*a*b^2*c^3*x^4 - 10*b^3*d^3 - 2*(35*b^3*c^3 + 140*a*b^2*c^2*d + 21*a^2*b^2*c*d^2 - 2*a^3*d^3))*x^3 - 2*(35*b^3*c^2*d + 42*a*b^2*c*d^2 + a^2*b*d^3)*x^2 - 2*(21*b^3*c^2*d + 8*a*b^2*d^3)*x)*sqrt((a*x + b)/x))/(b^2*x^3)]
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x)^(3/2)*(c+d/x)^3,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes
constant sign by intervals (correct if the argument is real):Check [abs(x)]
Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%}+%%{-2
,[0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%}+%%{2
,[1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at parameters values [86
,-97,-82]Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%
}+%%{-2,[0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%
}+%%{2,[1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at parameters v
alues [7,-27,26]Warning, choosing root of [1,0,%%{-4,[1,0,0]%%}+%%{-2,[0
,1,1]%%},0,%%{1,[0,2,2]%%}] at parameters values [18.6420984049,-49,-86]
```

Warning, choosing root of $[1, 0, \sqrt{-4}, [1, 0, 0]]$ at parameters values $[78.6493344628, 22, 42]$ Warning, choosing root of $[1, 0, \sqrt{-2}, [1, 0, 1]]$ at parameters values $[-13, 74.7709350525, 24]$ Sign error $(-b, 0) + \sqrt{2} \sqrt{a} \sqrt{b}$, $1/2 + \sqrt{-2} a, 1 + \sqrt{a} \sqrt{b}$, $3/2 + \sqrt{-a^2} \sqrt{a} \sqrt{b}$, $5/2 + \sqrt{4b^2}$, $7/2$ Evaluation time: 0.8 Limit: Max order reached or unable to make series expansion Error: Bad Argument Value

maple [B] time = 0.06, size = 353, normalized size = 2.15

$$\frac{\sqrt{\frac{ax}{x}} \left(\frac{210a^2b^2c^2d^2 + 105a^2b^2c^2d^2}{x^2} \right) + 105a^2b^2c^2d^2 \left(\frac{20a^2b^2c^2d^2}{x^2} \right) + 420\sqrt{ax} + 8a^2b^2c^2d^2 + 210\sqrt{ax} + 8a^2b^2c^2d^2 - 420(a^2 + b)^2 \sqrt{b^2c^2d^2} - 140(a^2 + b)^2 \sqrt{b^2c^2d^2} + 8(a^2 + b)^2 \sqrt{b^2c^2d^2} - 84(a^2 + b)^2 \sqrt{b^2c^2d^2} - 140(a^2 + b)^2 \sqrt{b^2c^2d^2} - 12(a^2 + b)^2 \sqrt{b^2c^2d^2} - 84(a^2 + b)^2 \sqrt{b^2c^2d^2} - 20(a^2 + b)^2 \sqrt{b^2c^2d^2}}{70b(ax + b)^2 \sqrt{a} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b/x)^(3/2)*(c+d/x)^3,x)`

[Out] $1/70 * ((a*x+b)/x)^{(1/2)} * (420 * (a*x^2+b*x)^{(1/2)} * a^{(5/2)} * x^5 * b * c^2 * d + 210 * (a*x^2+b*x)^{(1/2)} * a^{(3/2)} * x^5 * b^2 * c^3 + 8 * (a*x^2+b*x)^{(3/2)} * a^{(5/2)} * x^2 * d^3 - 420 * (a*x^2+b*x)^{(3/2)} * a^{(3/2)} * x^3 * b * c^2 * d + 210 * \ln(1/2 * (2*a*x+b+2*(a*x^2+b*x)^{(1/2)} * a^{(1/2)})/a^{(1/2)}) * x^5 * a^2 * b^2 * c^2 * d + 105 * \ln(1/2 * (2*a*x+b+2*(a*x^2+b*x)^{(1/2)} * a^{(1/2)})/a^{(1/2)}) * x^5 * a * b^3 * c^3 - 84 * (a*x^2+b*x)^{(3/2)} * a^{(3/2)} * x^2 * b * c * d^2 - 140 * (a*x^2+b*x)^{(3/2)} * a^{(1/2)} * x^3 * b^2 * c^3 - 12 * (a*x^2+b*x)^{(3/2)} * a^{(3/2)} * x * b * d^3 - 140 * (a*x^2+b*x)^{(3/2)} * a^{(1/2)} * x^2 * b^2 * c^2 * d - 84 * (a*x^2+b*x)^{(3/2)} * a^{(1/2)} * x * b^2 * c * d^2 - 20 * (a*x^2+b*x)^{(3/2)} * a^{(1/2)} * b^2 * d^3) / x^4 / b^2 / ((a*x+b)*x)^{(1/2)} / a^{(1/2)}$

maxima [A] time = 1.49, size = 190, normalized size = 1.16

$$-\frac{6\left(a + \frac{b}{x}\right)^{\frac{5}{2}} c d^2}{5b} + \frac{1}{2} \left(2\sqrt{a + \frac{b}{x}} a x - 3\sqrt{a} b \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right) - 4\sqrt{a + \frac{b}{x}} b \right) c^3 - \left(3a^{\frac{3}{2}} \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right) + 2\left(a + \frac{b}{x}\right)^{\frac{3}{2}} + 6\sqrt{a + \frac{b}{x}} \right) c^2 d - \frac{2}{35} \left(5\left(a + \frac{b}{x}\right)^{\frac{7}{2}} - 7\left(a + \frac{b}{x}\right)^{\frac{5}{2}} a \right) d^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b/x)^(3/2)*(c+d/x)^3,x, algorithm="maxima")`

[Out] $-6/5 * (a + b/x)^{(5/2)} * c * d^2 / b + 1/2 * (2 * \sqrt{a + b/x} * a * x - 3 * \sqrt{a} * b * \log((\sqrt{a + b/x} - \sqrt{a}) / (\sqrt{a + b/x} + \sqrt{a}))) - 4 * \sqrt{a + b/x} * b * c^3 - (3 * a^{(3/2)} * \log((\sqrt{a + b/x} - \sqrt{a}) / (\sqrt{a + b/x} + \sqrt{a}))) + 2 * (a + b/x)^{(3/2)} + 6 * \sqrt{a + b/x} * a * c^2 * d - 2/35 * (5 * (a + b/x)^{(7/2)} / b^2 - 7 * (a + b/x)^{(5/2)} * a / b^2) * d^3$

mupad [B] time = 3.88, size = 327, normalized size = 1.99

$$\left(a + \frac{b}{x}\right)^{\frac{5}{2}} \left(\frac{6a^2b^2c^2d^2 - 4ad^3}{5b^2} + \sqrt{a + \frac{b}{x}} \left(\frac{2(ad - b^2c^2)}{b^2} + 2a \left(\frac{6a^2b^2c^2d^2 - 4ad^3}{b^2} - \frac{6d(ad - b^2c^2) + 2a^2d^3}{b^2}\right) - \frac{6a^2b^2c^2d^2 - 4ad^3}{b^2}\right) \right) \left(a + \frac{b}{x}\right)^{\frac{3}{2}} \left(\frac{2a \left(\frac{6a^2b^2c^2d^2 - 4ad^3}{b^2} - \frac{6d(ad - b^2c^2) + 2a^2d^3}{b^2}\right) - 2d(ad - b^2c^2) + \frac{2a^2d^3}{b^2}}{3} - \frac{2d \left(a + \frac{b}{x}\right)^{\frac{3}{2}}}{7b^2} + a^2 \sqrt{a + \frac{b}{x}} - 2c^2 \operatorname{atan}\left(\frac{2c^2 \sqrt{a + \frac{b}{x}} (2ad + b^2) \sqrt{\frac{a}{b}}}{6d^2c^2 + 3b^2c^2}\right) (2ad + b^2) \sqrt{\frac{a}{b}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a + b/x)^{(3/2)}*(c + d/x)^3, x)$

[Out] $(a + b/x)^{(5/2)}*((6*a*d^3 - 6*b*c*d^2)/(5*b^2) - (4*a*d^3)/(5*b^2)) + (a + b/x)^{(1/2)}*((2*(a*d - b*c)^3)/b^2 + 2*a*(2*a*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2) - (6*d*(a*d - b*c)^2)/b^2 + (2*a^2*d^3)/b^2 - a^2*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2)) + (a + b/x)^{(3/2)}*((2*a*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2))/3 - (2*d*(a*d - b*c)^2)/b^2 + (2*a^2*d^3)/(3*b^2)) - (2*d^3*(a + b/x)^{(7/2)})/(7*b^2) + a*c^3*x*(a + b/x)^{(1/2)} - 2*c^2*atan((2*c^2*(a + b/x)^{(1/2)}*(2*a*d + b*c)*(-9*a/4)^{(1/2)})/(6*a^2*c^2*d + 3*a*b*c^3))*(2*a*d + b*c)*(-9*a/4)^{(1/2)}$

sympy [A] time = 123.48, size = 1817, normalized size = 11.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b/x)**(3/2)*(c+d/x)**3, x)$

[Out] $-16*a**(19/2)*b**(11/2)*d**3*x**6*\text{sqrt}(a*x/b + 1)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) - 40*a**(17/2)*b**(13/2)*d**3*x**5*\text{sqrt}(a*x/b + 1)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) - 30*a**(15/2)*b**(15/2)*d**3*x**4*\text{sqrt}(a*x/b + 1)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) - 40*a**(13/2)*b**(17/2)*d**3*x**3*\text{sqrt}(a*x/b + 1)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) + 4*a**(13/2)*b**(3/2)*d**3*x**3*\text{sqrt}(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 100*a**(11/2)*b**(19/2)*d**3*x**2*\text{sqrt}(a*x/b + 1)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) + 12*a**(11/2)*b**(5/2)*c*d**2*x**3*\text{sqrt}(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) + 2*a**(11/2)*b**(5/2)*d**3*x**2*\text{sqrt}(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 96*a**(9/2)*b**(21/2)*d**3*x*\text{sqrt}(a*x/b + 1)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) + 6*a**(9/2)*b**(7/2)*c*d**2*x**2*\text{sqrt}(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 8*a**(9/2)*b**(7/2)*d**3*x*\text{sqrt}(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 30*a**(7/2)*b**(23/2)*d**3*\text{sqrt}(a*x/b + 1)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) - 24*a**(7/2)*b**(9/2)*c*d**2*x*\text{sqrt}(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 6*a**(7/2)*b**(9/2)*d**3*\text{sqrt}(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 18*a**(5/2)*b**(11/2)*c*d**2*\text{sqrt}(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) + \text{sqrt}(a)*b*c**3*asinh(\text{sqrt}(a)*\text{sqrt}(x)/\text{sqrt}(b)) + 16*a**10*b**5*d**3*x**(13$

```

/2)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**
9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) + 48*a**9*b**6*d**3*x**(1
1/2)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**
(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) + 48*a**8*b**7*d**3*x**
9/2)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**
(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) + 16*a**7*b**8*d**3*x**
7/2)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**
(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) - 4*a**7*b*d**3*x**(7/2)
/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 12*a**6*b**2*c*d
**2*x**(7/2)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 4*a*
*6*b**2*d**3*x**(5/2)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2
)) - 12*a**5*b**3*c*d**2*x**(5/2)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*
b**4*x**(5/2)) - 6*a**2*c**2*d*atan(sqrt(a + b/x)/sqrt(-a))/sqrt(-a) + a*sq
rt(b)*c**3*sqrt(x)*sqrt(a*x/b + 1) - 2*a*b*c**3*atan(sqrt(a + b/x)/sqrt(-a)
)/sqrt(-a) - 6*a*c**2*d*sqrt(a + b/x) + 3*a*c*d**2*Piecewise((-sqrt(a)/x, E
q(b, 0)), (-2*(a + b/x)**(3/2)/(3*b), True)) - 2*b*c**3*sqrt(a + b/x) + 3*b
*c**2*d*Piecewise((-sqrt(a)/x, Eq(b, 0)), (-2*(a + b/x)**(3/2)/(3*b), True)
)

```

$$3.135 \quad \int \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2 dx$$

Optimal. Leaf size=126

$$\frac{c^2 x \left(a + \frac{b}{x}\right)^{5/2}}{a} - \frac{c \left(a + \frac{b}{x}\right)^{3/2} (4ad + 3bc)}{3a} - c \sqrt{a + \frac{b}{x}} (4ad + 3bc) + \sqrt{a} c (4ad + 3bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right) - \frac{2d^2 \left(a + \frac{b}{x}\right)^{5/2}}{5b}$$

Rubi [A] time = 0.08, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {375, 89, 80, 50, 63, 208}

$$\frac{c^2 x \left(a + \frac{b}{x}\right)^{5/2}}{a} - \frac{c \left(a + \frac{b}{x}\right)^{3/2} (4ad + 3bc)}{3a} - c \sqrt{a + \frac{b}{x}} (4ad + 3bc) + \sqrt{a} c (4ad + 3bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right) - \frac{2d^2 \left(a + \frac{b}{x}\right)^{5/2}}{5b}$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(3/2)*(c + d/x)^2,x]

[Out] -(c*(3*b*c + 4*a*d)*Sqrt[a + b/x]) - (c*(3*b*c + 4*a*d)*(a + b/x)^(3/2))/(3*a) - (2*d^2*(a + b/x)^(5/2))/(5*b) + (c^2*(a + b/x)^(5/2)*x)/a + Sqrt[a]*c*(3*b*c + 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 80

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p
```


+ 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

Rule 89

Int[((a_.) + (b_.)*(x_))²*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[((b*c - a*d)²*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d²*(d*e - c*f)*(n + 1)), x] - Dist[1/(d²*(d*e - c*f)*(n + 1)), Int[(c + d*x)^(n + 1)*(e + f*x)^p*Simp[a²*d²*f*(n + p + 2) + b²*c*(d*e*(n + 1) + c*f*(p + 1)) - 2*a*b*d*(d*e*(n + 1) + c*f*(p + 1)) - b²*d*(d*e - c*f)*(n + 1)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && (LtQ[n, -1] || (EqQ[n + p + 3, 0] && NeQ[n, -1] && (SumSimplerQ[n, 1] || !SumSimplerQ[p, 1])))

Rule 208

Int[((a_) + (b_.)*(x_)²)⁽⁻¹⁾, x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> -Subst[Int[((a + b/xⁿ)^p*(c + d/xⁿ)^q]/x², x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2 dx &= -\text{Subst} \left(\int \frac{(a+bx)^{3/2} (c+dx)^2}{x^2} dx, x, \frac{1}{x} \right) \\
&= \frac{c^2 \left(a + \frac{b}{x}\right)^{5/2} x}{a} - \frac{\text{Subst} \left(\int \frac{(a+bx)^{3/2} \left(\frac{1}{2}c(3bc+4ad)+ad^2x\right)}{x} dx, x, \frac{1}{x} \right)}{a} \\
&= -\frac{2d^2 \left(a + \frac{b}{x}\right)^{5/2}}{5b} + \frac{c^2 \left(a + \frac{b}{x}\right)^{5/2} x}{a} - \frac{(c(3bc+4ad)) \text{Subst} \left(\int \frac{(a+bx)^{3/2}}{x} dx, x, \frac{1}{x} \right)}{2a} \\
&= -\frac{c(3bc+4ad) \left(a + \frac{b}{x}\right)^{3/2}}{3a} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{5/2}}{5b} + \frac{c^2 \left(a + \frac{b}{x}\right)^{5/2} x}{a} - \frac{1}{2} (c(3bc+4ad)) \text{Subst} \left(\int \frac{(a+bx)^{3/2}}{x} dx, x, \frac{1}{x} \right) \\
&= -c(3bc+4ad) \sqrt{a + \frac{b}{x}} - \frac{c(3bc+4ad) \left(a + \frac{b}{x}\right)^{3/2}}{3a} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{5/2}}{5b} + \frac{c^2 \left(a + \frac{b}{x}\right)^{5/2} x}{a} \\
&= -c(3bc+4ad) \sqrt{a + \frac{b}{x}} - \frac{c(3bc+4ad) \left(a + \frac{b}{x}\right)^{3/2}}{3a} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{5/2}}{5b} + \frac{c^2 \left(a + \frac{b}{x}\right)^{5/2} x}{a} \\
&= -c(3bc+4ad) \sqrt{a + \frac{b}{x}} - \frac{c(3bc+4ad) \left(a + \frac{b}{x}\right)^{3/2}}{3a} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{5/2}}{5b} + \frac{c^2 \left(a + \frac{b}{x}\right)^{5/2} x}{a}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 106, normalized size = 0.84

$$-\frac{c(4ad+3bc) \left(\sqrt{a + \frac{b}{x}} (4ax+b) - 3a^{3/2} x \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right) \right)}{3ax} + \frac{c^2 x \left(a + \frac{b}{x}\right)^{5/2}}{a} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{5/2}}{5b}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x)^(3/2)*(c + d/x)^2,x]

[Out] (-2*d^2*(a + b/x)^(5/2))/(5*b) + (c^2*(a + b/x)^(5/2)*x)/a - (c*(3*b*c + 4*a*d)*(Sqrt[a + b/x]*(b + 4*a*x) - 3*a^(3/2)*x*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]))/(3*a*x)

IntegrateAlgebraic [A] time = 0.20, size = 132, normalized size = 1.05

$$(4a^{3/2}cd + 3\sqrt{a}bc^2) \tanh^{-1} \left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}} \right) + \frac{\sqrt{\frac{ax+b}{x}} (-6a^2d^2x^2 + 15abc^2x^3 - 80abcdx^2 - 12abd^2x - 30b^2c^2x^2 - 20b^2cdx - 6b^2d^2)}{15bx^2}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a + b/x)^(3/2)*(c + d/x)^2,x]
```

```
[Out] (Sqrt[(b + a*x)/x]*(-6*b^2*d^2 - 20*b^2*c*d*x - 12*a*b*d^2*x - 30*b^2*c^2*x^2 - 80*a*b*c*d*x^2 - 6*a^2*d^2*x^2 + 15*a*b*c^2*x^3))/(15*b*x^2) + (3*Sqrt[a]*b*c^2 + 4*a^(3/2)*c*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]]
```

fricas [A] time = 0.61, size = 268, normalized size = 2.13

$$\frac{15(3b^2c^2 + 4abcd)\sqrt{a}x^2 \log\left(2ax + 2\sqrt{a}\sqrt{\frac{ax+b}{a}} + b\right) + 2(15abc^2x^3 - 6b^2d^2 - 2(15b^2c^2 + 40abcd + 3a^2d^2)x^2 - 4(5b^2cd + 3abd^2)x)\sqrt{\frac{ax+b}{a}} - 15(3b^2c^2 + 4abcd)\sqrt{-a}x^2 \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{a}}}{a}\right) - (15abc^2x^3 - 6b^2d^2 - 2(15b^2c^2 + 40abcd + 3a^2d^2)x^2 - 4(5b^2cd + 3abd^2)x)\sqrt{\frac{ax+b}{a}}}{30bx^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x)^(3/2)*(c+d/x)^2,x, algorithm="fricas")
```

```
[Out] [1/30*(15*(3*b^2*c^2 + 4*a*b*c*d)*sqrt(a)*x^2*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*(15*a*b*c^2*x^3 - 6*b^2*d^2 - 2*(15*b^2*c^2 + 40*a*b*c*d + 3*a^2*d^2)*x^2 - 4*(5*b^2*c*d + 3*a*b*d^2)*x)*sqrt((a*x + b)/x))/(b*x^2), -1/15*(15*(3*b^2*c^2 + 4*a*b*c*d)*sqrt(-a)*x^2*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) - (15*a*b*c^2*x^3 - 6*b^2*d^2 - 2*(15*b^2*c^2 + 40*a*b*c*d + 3*a^2*d^2)*x^2 - 4*(5*b^2*c*d + 3*a*b*d^2)*x)*sqrt((a*x + b)/x))/(b*x^2)]
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x)^(3/2)*(c+d/x)^2,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Warning, integration of abs or sign assumes
constant sign by intervals (correct if the argument is real):Check [abs(x)]
Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%}+%%{-2
,[0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%}+%%{2
,[1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at parameters values [86
,-97,-82]Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%
}+%%{-2,[0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%
}+%%{2,[1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at parameters v
alues [7,-27,26]Warning, choosing root of [1,0,%%{-4,[1,0,0]%%}+%%{-2,[0
,1,1]%%},0,%%{1,[0,2,2]%%}] at parameters values [18.6420984049,-49,-86]
Warning, choosing root of [1,0,%%{-4,[1,0,0]%%}+%%{-2,[0,1,1]%%},0,%%{
1,[0,2,2]%%}] at parameters values [78.6493344628,22,42]Warning, choosing
root of [1,0,%%{-2,[1,0,1]%%}+%%{-4,[0,1,0]%%},0,%%{1,[2,0,2]%%}] at
parameters values [-13,74.7709350525,24]Sign error (%%{-b,0%%}+%%{2*sqrt
```

(a)*sqrt(b), 1/2}}+%%{-2*a, 1}}+%%{a*sqrt(a)*sqrt(b)/b, 3/2}}+%%{-a^2*sqrt(a)*sqrt(b)/(4*b^2), 5/2}}+%%{undef, 7/2}})Evaluation time: 0.43Limit: Max order reached or unable to make series expansion Error: Bad Argument Value

maple [B] time = 0.06, size = 260, normalized size = 2.06

$$\frac{\sqrt{\frac{ax+b}{x}} \left(-60a^2bcdx^4 \ln\left(\frac{2ax+b+2\sqrt{a^2+bx}\sqrt{d}}{2\sqrt{d}}\right) - 45ab^2c^2x^4 \ln\left(\frac{2ax+b+2\sqrt{a^2+bx}\sqrt{d}}{2\sqrt{d}}\right) - 120\sqrt{ax^2+bx}a^{\frac{5}{2}}cdx^4 - 90\sqrt{ax^2+bx}a^{\frac{3}{2}}b^2c^2x^4 + 120(a^2+bx)^{\frac{3}{2}}a^{\frac{5}{2}}cdx^2 + 60(a^2+bx)^{\frac{3}{2}}\sqrt{d}b^2c^2x^2 + 12(a^2+bx)^{\frac{3}{2}}a^{\frac{3}{2}}d^2x + 40(a^2+bx)^{\frac{3}{2}}\sqrt{d}bcdx + 12(a^2+bx)^{\frac{3}{2}}\sqrt{d}bd^2 \right)}{30\sqrt{(ax+b)x}\sqrt{d}bx^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b/x)^(3/2)*(c+d/x)^2,x)

[Out] -1/30*((a*x+b)/x)^(1/2)/x^3/b*(-120*(a*x^2+b*x)^(1/2)*a^(5/2)*x^4*c*d-90*(a*x^2+b*x)^(1/2)*a^(3/2)*x^4*b*c^2-60*ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^(1/2)*a^(1/2))/a^(1/2))*x^4*a^2*b*c*d-45*ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^(1/2)*a^(1/2))/a^(1/2))*x^4*a*b^2*c^2+120*(a*x^2+b*x)^(3/2)*a^(3/2)*x^2*c*d+60*(a*x^2+b*x)^(3/2)*a^(1/2)*x^2*b*c^2+12*(a*x^2+b*x)^(3/2)*a^(3/2)*x*d^2+40*(a*x^2+b*x)^(3/2)*a^(1/2)*x*b*c*d+12*(a*x^2+b*x)^(3/2)*a^(1/2)*b*d^2)/((a*x+b)*x)^(1/2)/a^(1/2)

maxima [A] time = 1.16, size = 152, normalized size = 1.21

$$-\frac{2\left(a+\frac{b}{x}\right)^{\frac{5}{2}}d^2}{5b} + \frac{1}{2}\left(2\sqrt{a+\frac{b}{x}}ax - 3\sqrt{a}b\log\left(\frac{\sqrt{a+\frac{b}{x}}-\sqrt{a}}{\sqrt{a+\frac{b}{x}}+\sqrt{a}}\right) - 4\sqrt{a+\frac{b}{x}}b\right)c^2 - \frac{2}{3}\left(3a^{\frac{3}{2}}\log\left(\frac{\sqrt{a+\frac{b}{x}}-\sqrt{a}}{\sqrt{a+\frac{b}{x}}+\sqrt{a}}\right) + 2\left(a+\frac{b}{x}\right)^{\frac{3}{2}} + 6\sqrt{a+\frac{b}{x}}a\right)cd$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(3/2)*(c+d/x)^2,x, algorithm="maxima")

[Out] -2/5*(a + b/x)^(5/2)*d^2/b + 1/2*(2*sqrt(a + b/x)*a*x - 3*sqrt(a)*b*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a + b/x) + sqrt(a)))) - 4*sqrt(a + b/x)*b*c^2 - 2/3*(3*a^(3/2)*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a + b/x) + sqrt(a))) + 2*(a + b/x)^(3/2) + 6*sqrt(a + b/x)*a)*c*d

mupad [B] time = 2.58, size = 197, normalized size = 1.56

$$\sqrt{a+\frac{b}{x}}\left(2a\left(\frac{4ad^2-4bcd}{b}-\frac{4ad^2}{b}\right)-\frac{2(ad-bc)^2+2a^2d^2}{b}\right)+\left(\frac{4ad^2-4bcd}{3b}-\frac{4ad^2}{3b}\right)\left(a+\frac{b}{x}\right)^{\frac{3}{2}}-\frac{2d^2\left(a+\frac{b}{x}\right)^{\frac{5}{2}}}{5b}+ac^2x\sqrt{a+\frac{b}{x}}-2\operatorname{catan}\left(\frac{2c\sqrt{a+\frac{b}{x}}(4ad+3bc)\sqrt{\frac{-a}{4}}}{4da^2c+3ba^2c^2}\right)(4ad+3bc)\sqrt{\frac{-a}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b/x)^(3/2)*(c + d/x)^2,x)

[Out] (a + b/x)^(1/2)*(2*a*((4*a*d^2 - 4*b*c*d)/b - (4*a*d^2)/b) - (2*(a*d - b*c)^2)/b + (2*a^2*d^2)/b) + ((4*a*d^2 - 4*b*c*d)/(3*b) - (4*a*d^2)/(3*b))*(a +

$$b/x)^{(3/2)} - (2*d^2*(a + b/x)^{(5/2)})/(5*b) + a*c^2*x*(a + b/x)^{(1/2)} - 2*c*atan((2*c*(a + b/x)^{(1/2)}*(4*a*d + 3*b*c)*(-a/4)^{(1/2)})/(3*a*b*c^2 + 4*a^2*c*d))*(4*a*d + 3*b*c)*(-a/4)^{(1/2)}$$

sympy [A] time = 94.07, size = 534, normalized size = 4.24

$$\frac{4a^{\frac{5}{2}}b^{\frac{3}{2}}\rho^2\sqrt{\frac{a}{\rho^2}+1}}{15a^7b^{\frac{3}{2}}+15a^2b^{\frac{3}{2}}\rho^2} + \frac{2a^{\frac{3}{2}}b^{\frac{3}{2}}\rho^2\sqrt{\frac{a}{\rho^2}+1}}{15a^7b^{\frac{3}{2}}+15a^2b^{\frac{3}{2}}\rho^2} - \frac{8a^{\frac{3}{2}}b^{\frac{3}{2}}\rho^2\sqrt{\frac{a}{\rho^2}+1}}{15a^7b^{\frac{3}{2}}+15a^2b^{\frac{3}{2}}\rho^2} - \frac{6a^{\frac{3}{2}}b^{\frac{3}{2}}\rho^2\sqrt{\frac{a}{\rho^2}+1}}{15a^7b^{\frac{3}{2}}+15a^2b^{\frac{3}{2}}\rho^2} + \sqrt{a}bc^2\operatorname{asinh}\left(\frac{\sqrt{a}\sqrt{\rho}}{\sqrt{b}}\right) - \frac{4a^{\frac{5}{2}}b^{\frac{3}{2}}\rho^2}{15a^7b^{\frac{3}{2}}+15a^2b^{\frac{3}{2}}\rho^2} - \frac{4a^{\frac{3}{2}}b^{\frac{3}{2}}\rho^2}{15a^7b^{\frac{3}{2}}+15a^2b^{\frac{3}{2}}\rho^2} - \frac{4a^{\frac{3}{2}}c^2\operatorname{atan}\left(\frac{\sqrt{\frac{a}{\rho^2}+1}}{\sqrt{\frac{a}{\rho^2}}}\right)}{\sqrt{a}} + a\sqrt{b}c^2\sqrt{\frac{a}{\rho^2}+1} - \frac{2abc^2\operatorname{atan}\left(\frac{\sqrt{\frac{a}{\rho^2}+1}}{\sqrt{\frac{a}{\rho^2}}}\right)}{\sqrt{a}} - 4acd\sqrt{\frac{a}{\rho^2}+1} + a\rho^2\left(\begin{cases} -\frac{2c}{a} & \text{for } b = 0 \\ \frac{2c^2}{a} & \text{otherwise} \end{cases}\right) - 2bc^2\sqrt{\frac{a}{\rho^2}+1} + 2bcd\left(\begin{cases} -\frac{2c}{a} & \text{for } b = 0 \\ \frac{2c^2}{a} & \text{otherwise} \end{cases}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)**(3/2)*(c+d/x)**2,x)

[Out] $4*a**(11/2)*b**(5/2)*d**2*x**3*\operatorname{sqrt}(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) + 2*a**(9/2)*b**(7/2)*d**2*x**2*\operatorname{sqrt}(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 8*a**(7/2)*b**(9/2)*d**2*x*\operatorname{sqrt}(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 6*a**(5/2)*b**(11/2)*d**2*\operatorname{sqrt}(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) + \operatorname{sqrt}(a)*b*c**2*\operatorname{asinh}(\operatorname{sqrt}(a)*\operatorname{sqrt}(x)/\operatorname{sqrt}(b)) - 4*a**6*b**2*d**2*x**(7/2)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 4*a**5*b**3*d**2*x**(5/2)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 4*a**2*c*d*\operatorname{atan}(\operatorname{sqrt}(a + b/x)/\operatorname{sqrt}(-a))/\operatorname{sqrt}(-a) + a*\operatorname{sqrt}(b)*c**2*\operatorname{sqrt}(x)*\operatorname{sqrt}(a*x/b + 1) - 2*a*b*c**2*\operatorname{atan}(\operatorname{sqrt}(a + b/x)/\operatorname{sqrt}(-a))/\operatorname{sqrt}(-a) - 4*a*c*d*\operatorname{sqrt}(a + b/x) + a*d**2*\operatorname{Piecewise}((- \operatorname{sqrt}(a)/x, \operatorname{Eq}(b, 0)), (-2*(a + b/x)**(3/2)/(3*b), \operatorname{True})) - 2*b*c**2*\operatorname{sqrt}(a + b/x) + 2*b*c*d*\operatorname{Piecewise}((- \operatorname{sqrt}(a)/x, \operatorname{Eq}(b, 0)), (-2*(a + b/x)**(3/2)/(3*b), \operatorname{True}))$

$$3.136 \quad \int \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right) dx$$

Optimal. Leaf size=100

$$-\frac{\left(a + \frac{b}{x}\right)^{3/2} (2ad + 3bc)}{3a} - \sqrt{a + \frac{b}{x}} (2ad + 3bc) + \sqrt{a} (2ad + 3bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right) + \frac{cx \left(a + \frac{b}{x}\right)^{5/2}}{a}$$

Rubi [A] time = 0.06, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {375, 78, 50, 63, 208}

$$-\frac{\left(a + \frac{b}{x}\right)^{3/2} (2ad + 3bc)}{3a} - \sqrt{a + \frac{b}{x}} (2ad + 3bc) + \sqrt{a} (2ad + 3bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right) + \frac{cx \left(a + \frac{b}{x}\right)^{5/2}}{a}$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(3/2)*(c + d/x),x]

[Out] -((3*b*c + 2*a*d)*Sqrt[a + b/x]) - ((3*b*c + 2*a*d)*(a + b/x)^(3/2))/(3*a) + (c*(a + b/x)^(5/2)*x)/a + Sqrt[a]*(3*b*c + 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[
m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[
b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 78

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 375

```
Int[((a_.) + (b_.)*(x_)^(n_))^(p_.)*((c_.) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
 \int \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right) dx &= -\text{Subst} \left(\int \frac{(a + bx)^{3/2}(c + dx)}{x^2} dx, x, \frac{1}{x} \right) \\
 &= \frac{c \left(a + \frac{b}{x}\right)^{5/2} x}{a} - \frac{\left(\frac{3bc}{2} + ad\right) \text{Subst} \left(\int \frac{(a + bx)^{3/2}}{x} dx, x, \frac{1}{x} \right)}{a} \\
 &= -\frac{(3bc + 2ad) \left(a + \frac{b}{x}\right)^{3/2}}{3a} + \frac{c \left(a + \frac{b}{x}\right)^{5/2} x}{a} - \frac{1}{2}(3bc + 2ad) \text{Subst} \left(\int \frac{\sqrt{a + bx}}{x} dx, x, \frac{1}{x} \right) \\
 &= -\left((3bc + 2ad) \sqrt{a + \frac{b}{x}} \right) - \frac{(3bc + 2ad) \left(a + \frac{b}{x}\right)^{3/2}}{3a} + \frac{c \left(a + \frac{b}{x}\right)^{5/2} x}{a} - \frac{1}{2}(a(3bc + 2ad)) \\
 &= -\left((3bc + 2ad) \sqrt{a + \frac{b}{x}} \right) - \frac{(3bc + 2ad) \left(a + \frac{b}{x}\right)^{3/2}}{3a} + \frac{c \left(a + \frac{b}{x}\right)^{5/2} x}{a} - \frac{(a(3bc + 2ad))}{2} \\
 &= -\left((3bc + 2ad) \sqrt{a + \frac{b}{x}} \right) - \frac{(3bc + 2ad) \left(a + \frac{b}{x}\right)^{3/2}}{3a} + \frac{c \left(a + \frac{b}{x}\right)^{5/2} x}{a} + \sqrt{a} (3bc + 2ad)
 \end{aligned}$$

Mathematica [A] time = 0.09, size = 73, normalized size = 0.73

$$\frac{\sqrt{a + \frac{b}{x}} (ax(3cx - 8d) - 2b(3cx + d))}{3x} + \sqrt{a} (2ad + 3bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x)^(3/2)*(c + d/x), x]

[Out] (Sqrt[a + b/x]*(a*x*(-8*d + 3*c*x) - 2*b*(d + 3*c*x)))/(3*x) + Sqrt[a]*(3*b*c + 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]

IntegrateAlgebraic [A] time = 0.16, size = 82, normalized size = 0.82

$$(2a^{3/2}d + 3\sqrt{a}bc) \tanh^{-1} \left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}} \right) + \frac{\sqrt{\frac{ax+b}{x}} (3acx^2 - 8adx - 6bcx - 2bd)}{3x}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b/x)^(3/2)*(c + d/x), x]

[Out] (Sqrt[(b + a*x)/x]*(-2*b*d - 6*b*c*x - 8*a*d*x + 3*a*c*x^2))/(3*x) + (3*Sqrt[a]*b*c + 2*a^(3/2)*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]]

fricas [A] time = 0.87, size = 164, normalized size = 1.64

$$\left[\frac{3(3bc + 2ad)\sqrt{a}x \log\left(2ax + 2\sqrt{a}x\sqrt{\frac{ax+b}{x}} + b\right) + 2(3acx^2 - 2bd - 2(3bc + 4ad)x)\sqrt{\frac{ax+b}{x}}}{6x}, \frac{3(3bc + 2ad)\sqrt{-a}x \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right) - (3acx^2 - 2bd - 2(3bc + 4ad)x)\sqrt{\frac{ax+b}{x}}}{3x} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(3/2)*(c+d/x), x, algorithm="fricas")

[Out] [1/6*(3*(3*b*c + 2*a*d)*sqrt(a)*x*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*(3*a*c*x^2 - 2*b*d - 2*(3*b*c + 4*a*d)*x)*sqrt((a*x + b)/x))/x, -1/3*(3*(3*b*c + 2*a*d)*sqrt(-a)*x*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) - (3*a*c*x^2 - 2*b*d - 2*(3*b*c + 4*a*d)*x)*sqrt((a*x + b)/x))/x]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(3/2)*(c+d/x),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes
 constant sign by intervals (correct if the argument is real):Check [abs(x)]
 Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%}+%%{-2
 , [0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%}+%%{2
 , [1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at parameters values [86
 ,-97,-82]Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%
 }+%%{-2,[0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%
 }+%%{2,[1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at parameters v
 alues [7,-27,26]Warning, choosing root of [1,0,%%{-4,[1,0,0]%%}+%%{-2,[0
 ,1,1]%%},0,%%{1,[0,2,2]%%}] at parameters values [18.6420984049,-49,-86]
 Warning, choosing root of [1,0,%%{-4,[1,0,0]%%}+%%{-2,[0,1,1]%%},0,%%{1
 ,[0,2,2]%%}] at parameters values [78.6493344628,22,42]Warning, choosing
 root of [1,0,%%{-2,[1,0,1]%%}+%%{-4,[0,1,0]%%},0,%%{1,[2,0,2]%%}] at
 parameters values [-13,74.7709350525,24]Sign error (%%{-b,0%%}+%%{2*sqrt
 (a)*sqrt(b),1/2%%}+%%{-2*a,1%%}+%%{a*sqrt(a)*sqrt(b)/b,3/2%%}+%%{-a^2
 *sqrt(a)*sqrt(b)/(4*b^2),5/2%%}+%%{undef,7/2%%})Limit: Max order reached
 or unable to make series expansion Error: Bad Argument Value

maple [B] time = 0.06, size = 205, normalized size = 2.05

$$\frac{\sqrt{\frac{ax+b}{x}} \left(6a^2bdx^3 \ln\left(\frac{2ax+b+2\sqrt{ax^2+bx}\sqrt{a}}{2\sqrt{a}}\right) + 9ab^2c^3 \ln\left(\frac{2ax+b+2\sqrt{ax^2+bx}\sqrt{a}}{2\sqrt{a}}\right) + 12\sqrt{ax^2+bx}a^{\frac{5}{2}}d^3 + 18\sqrt{ax^2+bx}a^{\frac{3}{2}}bcx^3 - 12(ax^2+bx)^{\frac{3}{2}}a^{\frac{3}{2}}dx - 12(ax^2+bx)^{\frac{3}{2}}\sqrt{a}bcx - 4(ax^2+bx)^{\frac{3}{2}}\sqrt{a}bd \right)}{6\sqrt{(ax+b)x}\sqrt{a}bx^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b/x)^(3/2)*(c+d/x),x)

[Out] 1/6*((a*x+b)/x)^(1/2)*(12*a^(5/2)*(a*x^2+b*x)^(1/2)*x^3*d+18*a^(3/2)*(a*x^2
 +b*x)^(1/2)*x^3*b*c-12*a^(3/2)*(a*x^2+b*x)^(3/2)*x*d+6*ln(1/2*(2*a*x+b+2*(a
 *x^2+b*x)^(1/2)*a^(1/2))/a^(1/2))*x^3*a^2*b*d+9*ln(1/2*(2*a*x+b+2*(a*x^2+b*
 x)^(1/2)*a^(1/2))/a^(1/2))*x^3*a*b^2*c-12*a^(1/2)*(a*x^2+b*x)^(3/2)*x*b*c-4
 d(a*x^2+b*x)^(3/2)*b*a^(1/2))/x^2/((a*x+b)*x)^(1/2)/b/a^(1/2)

maxima [A] time = 1.33, size = 132, normalized size = 1.32

$$\frac{1}{2} \left(2\sqrt{a+\frac{b}{x}}ax - 3\sqrt{a}b \log\left(\frac{\sqrt{a+\frac{b}{x}} - \sqrt{a}}{\sqrt{a+\frac{b}{x}} + \sqrt{a}}\right) - 4\sqrt{a+\frac{b}{x}}b \right) c - \frac{1}{3} \left(3a^{\frac{3}{2}} \log\left(\frac{\sqrt{a+\frac{b}{x}} - \sqrt{a}}{\sqrt{a+\frac{b}{x}} + \sqrt{a}}\right) + 2\left(a+\frac{b}{x}\right)^{\frac{3}{2}} + 6\sqrt{a+\frac{b}{x}}a \right) d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(3/2)*(c+d/x),x, algorithm="maxima")

[Out] 1/2*(2*sqrt(a + b/x)*a*x - 3*sqrt(a)*b*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a
 + b/x) + sqrt(a))) - 4*sqrt(a + b/x)*b)*c - 1/3*(3*a^(3/2)*log((sqrt(a +

$b/x) - \sqrt{a})/(\sqrt{a + b/x} + \sqrt{a})) + 2*(a + b/x)^{(3/2)} + 6*\sqrt{a + b/x}*a)*d$

mupad [B] time = 2.51, size = 81, normalized size = 0.81

$$2 a^{3/2} d \operatorname{atanh}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right) - \frac{2 d \left(a + \frac{b}{x}\right)^{3/2}}{3} - 2 a d \sqrt{a + \frac{b}{x}} - \frac{2 c x \left(a + \frac{b}{x}\right)^{3/2} {}_2F_1\left(-\frac{3}{2}, -\frac{1}{2}; \frac{1}{2}; -\frac{a x}{b}\right)}{\left(\frac{a x}{b} + 1\right)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b/x)^(3/2)*(c + d/x), x)`

[Out] $2*a^{(3/2)}*d*\operatorname{atanh}((a + b/x)^{(1/2)}/a^{(1/2)}) - (2*d*(a + b/x)^{(3/2)})/3 - 2*a*d*(a + b/x)^{(1/2)} - (2*c*x*(a + b/x)^{(3/2)}*\operatorname{hypergeom}([-3/2, -1/2], 1/2, -(a*x)/b))/((a*x)/b + 1)^{(3/2)}$

sympy [A] time = 56.15, size = 163, normalized size = 1.63

$$\sqrt{a} b c \operatorname{asinh}\left(\frac{\sqrt{a} \sqrt{x}}{\sqrt{b}}\right) - \frac{2 a^2 d \operatorname{atan}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}} + a \sqrt{b} c \sqrt{x} \sqrt{\frac{a x}{b} + 1} - \frac{2 a b c \operatorname{atan}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}} - 2 a d \sqrt{a + \frac{b}{x}} - 2 b c \sqrt{a + \frac{b}{x}} + b d \begin{cases} -\frac{\sqrt{a}}{x} & \text{for } b = 0 \\ -\frac{2\left(a + \frac{b}{x}\right)^{3/2}}{3b} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b/x)**(3/2)*(c+d/x), x)`

[Out] $\sqrt{a} b c \operatorname{asinh}(\sqrt{a} \sqrt{x} / \sqrt{b}) - 2 a^{**2} d \operatorname{atan}(\sqrt{a + b/x} / \sqrt{-a}) / \sqrt{-a} + a \sqrt{b} c \sqrt{x} \sqrt{a x / b + 1} - 2 a b c \operatorname{atan}(\sqrt{a + b/x} / \sqrt{-a}) / \sqrt{-a} - 2 a d \sqrt{a + b/x} - 2 b c \sqrt{a + b/x} + b d \operatorname{Piecewise}((- \sqrt{a} / x, \operatorname{Eq}(b, 0)), (-2 * (a + b/x)**(3/2) / (3 * b), \operatorname{True}))$

$$3.137 \quad \int \left(a + \frac{b}{x}\right)^{3/2} dx$$

Optimal. Leaf size=54

$$x \left(a + \frac{b}{x}\right)^{3/2} - 3b\sqrt{a + \frac{b}{x}} + 3\sqrt{a}b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)$$

Rubi [A] time = 0.03, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$, Rules used = {242, 47, 50, 63, 208}

$$x \left(a + \frac{b}{x}\right)^{3/2} - 3b\sqrt{a + \frac{b}{x}} + 3\sqrt{a}b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(3/2), x]

[Out] -3*b*Sqrt[a + b/x] + (a + b/x)^(3/2)*x + 3*Sqrt[a]*b*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]

Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 242

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Subst[Int[(a + b/x^n)^p/x^
2, x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \left(a + \frac{b}{x}\right)^{3/2} dx &= -\text{Subst}\left(\int \frac{(a + bx)^{3/2}}{x^2} dx, x, \frac{1}{x}\right) \\
&= \left(a + \frac{b}{x}\right)^{3/2} x - \frac{1}{2}(3b) \text{Subst}\left(\int \frac{\sqrt{a + bx}}{x} dx, x, \frac{1}{x}\right) \\
&= -3b\sqrt{a + \frac{b}{x}} + \left(a + \frac{b}{x}\right)^{3/2} x - \frac{1}{2}(3ab) \text{Subst}\left(\int \frac{1}{x\sqrt{a + bx}} dx, x, \frac{1}{x}\right) \\
&= -3b\sqrt{a + \frac{b}{x}} + \left(a + \frac{b}{x}\right)^{3/2} x - (3a) \text{Subst}\left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}}\right) \\
&= -3b\sqrt{a + \frac{b}{x}} + \left(a + \frac{b}{x}\right)^{3/2} x + 3\sqrt{a} b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)
\end{aligned}$$

Mathematica [A] time = 0.03, size = 46, normalized size = 0.85

$$\sqrt{a + \frac{b}{x}}(ax - 2b) + 3\sqrt{a} b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x)^(3/2),x]

[Out] Sqrt[a + b/x]*(-2*b + a*x) + 3*Sqrt[a]*b*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]

IntegrateAlgebraic [A] time = 0.00, size = 50, normalized size = 0.93

$$\sqrt{\frac{ax+b}{x}}(ax-2b) + 3\sqrt{a}b \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b/x)^(3/2),x]

[Out] (-2*b + a*x)*Sqrt[(b + a*x)/x] + 3*Sqrt[a]*b*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]]

fricas [A] time = 0.80, size = 100, normalized size = 1.85

$$\left[\frac{3}{2} \sqrt{a} b \log\left(2ax + 2\sqrt{a}x\sqrt{\frac{ax+b}{x}} + b\right) + (ax-2b)\sqrt{\frac{ax+b}{x}}, -3\sqrt{-a}b \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right) + (ax-2b)\sqrt{\frac{ax+b}{x}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(3/2),x, algorithm="fricas")

[Out] [3/2*sqrt(a)*b*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + (a*x - 2*b)*sqrt((a*x + b)/x), -3*sqrt(-a)*b*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (a*x - 2*b)*sqrt((a*x + b)/x)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes
 constant sign by intervals (correct if the argument is real):Check [abs(x)]
 Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%}+%%{-2
 , [0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%}+%%{2
 , [1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at parameters values [86
 ,-97,-82]Warning, choosing root of [1,0,%%{-4,[1,0,0]%%}+%%{-2,[0,1,1]%%
 },0,%%{1,[0,2,2]%%}] at parameters values [82.1195442914,26,-89]Warning,

choosing root of $[1,0,\{-4,[1,0,0]\}+\{-2,[0,1,1]\},0,\{1,[0,2,2]\}]$ at parameters values $[85.3561567818,-64,-30]$ Warning, choosing root of $[1,0,\{-2,[1,0,1]\}+\{-4,[0,1,0]\},0,\{1,[2,0,2]\}]$ at parameters values $[42,43.9628838282,-9]$ Sign error $(\{-b,0\}+\{2\sqrt{a}\sqrt{b},1/2\}+\{-2a,1\}+\{a\sqrt{a}\sqrt{b}/b,3/2\}+\{-a^2\sqrt{a}\sqrt{b}/(4b^2),5/2\}+\{\text{undef},7/2\})$ Limit: Max order reached or unable to make series expansion Error: Bad Argument Value

maple [B] time = 0.05, size = 100, normalized size = 1.85

$$\frac{\sqrt{\frac{ax+b}{x}} \left(3abx^2 \ln\left(\frac{2ax+b+2\sqrt{ax^2+bx}\sqrt{a}}{2\sqrt{a}}\right) + 6\sqrt{ax^2+bx} a^{\frac{3}{2}}x^2 - 4(ax^2+bx)^{\frac{3}{2}}\sqrt{a} \right)}{2\sqrt{(ax+b)x}\sqrt{a}x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b/x)^(3/2),x)

[Out] $\frac{1}{2} * ((a*x+b)/x)^{(1/2)} * (6*a^{(3/2)} * (a*x^2+b*x)^{(1/2)} * x^2 + 3 * \ln(1/2 * (2*a*x+b+2*(a*x^2+b*x)^{(1/2)} * a^{(1/2)})/a^{(1/2)}) * x^2 * a*b - 4 * (a*x^2+b*x)^{(3/2)} * a^{(1/2)})/x / ((a*x+b)*x)^{(1/2)} / a^{(1/2)}$

maxima [A] time = 1.20, size = 63, normalized size = 1.17

$$\sqrt{a + \frac{b}{x}} ax - \frac{3}{2} \sqrt{a} b \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right) - 2 \sqrt{a + \frac{b}{x}} b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(3/2),x, algorithm="maxima")

[Out] $\sqrt{a + b/x} * a * x - 3/2 * \sqrt{a} * b * \log((\sqrt{a + b/x} - \sqrt{a})/(\sqrt{a + b/x} + \sqrt{a})) - 2 * \sqrt{a + b/x} * b$

mupad [B] time = 1.50, size = 34, normalized size = 0.63

$$\frac{2x \left(a + \frac{b}{x}\right)^{3/2} {}_2F_1\left(-\frac{3}{2}, -\frac{1}{2}; \frac{1}{2}; -\frac{ax}{b}\right)}{\left(\frac{ax}{b} + 1\right)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b/x)^(3/2),x)

[Out] $-(2*x*(a + b/x)^{(3/2)}*\text{hypergeom}([-3/2, -1/2], 1/2, -(a*x)/b))/((a*x)/b + 1)^{(3/2)}$

sympy [B] time = 2.69, size = 92, normalized size = 1.70

$$3\sqrt{a}b \operatorname{asinh}\left(\frac{\sqrt{a}\sqrt{x}}{\sqrt{b}}\right) + \frac{a^2x^{\frac{3}{2}}}{\sqrt{b}\sqrt{\frac{ax}{b}+1}} - \frac{a\sqrt{b}\sqrt{x}}{\sqrt{\frac{ax}{b}+1}} - \frac{2b^{\frac{3}{2}}}{\sqrt{x}\sqrt{\frac{ax}{b}+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b/x)**(3/2),x)`

[Out] $3*\sqrt{a}*b*\operatorname{asinh}(\sqrt{a}*\sqrt{x}/\sqrt{b}) + a**2*x**(3/2)/(\sqrt{b}*\sqrt{a*x/b + 1}) - a*\sqrt{b}*\sqrt{x}/\sqrt{a*x/b + 1} - 2*b**(3/2)/(\sqrt{x}*\sqrt{a*x/b + 1})$

$$3.138 \quad \int \frac{\left(a + \frac{b}{x}\right)^{3/2}}{c + \frac{d}{x}} dx$$

Optimal. Leaf size=106

$$-\frac{2(bc - ad)^{3/2} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{c^2\sqrt{d}} + \frac{\sqrt{a}(3bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{c^2} + \frac{ax\sqrt{a + \frac{b}{x}}}{c}$$

Rubi [A] time = 0.13, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {375, 98, 156, 63, 208, 205}

$$-\frac{2(bc - ad)^{3/2} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{c^2\sqrt{d}} + \frac{\sqrt{a}(3bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{c^2} + \frac{ax\sqrt{a + \frac{b}{x}}}{c}$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(3/2)/(c + d/x), x]

[Out] (a*Sqrt[a + b/x]*x)/c - (2*(b*c - a*d)^(3/2)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]]/(c^2*Sqrt[d]) + (Sqrt[a]*(3*b*c - 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/c^2

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 98

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[((b*c - a*d)*(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] + Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 2)*(e + f*x)^p*Simp[a*d*(d*e*(n - 1) + c*f*(p + 1)) + b*c*(d*e*(m - n + 2) - c*f*(m + p + 2)) + d*(a*d*f*(n + p) + b*(d*e*(m + 1) - c*f*(m + n + p + 1))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2*m, 2*n, 2

*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

Rule 156

Int[(((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\left(a + \frac{b}{x}\right)^{3/2}}{c + \frac{d}{x}} dx &= -\text{Subst} \left(\int \frac{(a + bx)^{3/2}}{x^2(c + dx)} dx, x, \frac{1}{x} \right) \\
&= \frac{a\sqrt{a + \frac{b}{x}}}{c} + \frac{\text{Subst} \left(\int \frac{-\frac{1}{2}a(3bc-2ad) - \frac{1}{2}b(2bc-ad)x}{x\sqrt{a+bx}(c+dx)} dx, x, \frac{1}{x} \right)}{c} \\
&= \frac{a\sqrt{a + \frac{b}{x}}}{c} - \frac{(a(3bc - 2ad)) \text{Subst} \left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \frac{1}{x} \right)}{2c^2} - \frac{(bc - ad)^2 \text{Subst} \left(\int \frac{1}{\sqrt{a+bx}(c+dx)} dx, x, \frac{1}{x} \right)}{c^2} \\
&= \frac{a\sqrt{a + \frac{b}{x}}}{c} - \frac{(a(3bc - 2ad)) \text{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}} \right)}{bc^2} - \frac{(2(bc - ad)^2) \text{Subst} \left(\int \frac{1}{c - \frac{ad}{b} + \frac{dx^2}{b}} dx, x, \sqrt{a + \frac{b}{x}} \right)}{bc^2} \\
&= \frac{a\sqrt{a + \frac{b}{x}}}{c} - \frac{2(bc - ad)^{3/2} \tan^{-1} \left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}} \right)}{c^2 \sqrt{d}} + \frac{\sqrt{a} (3bc - 2ad) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{c^2}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 102, normalized size = 0.96

$$\frac{-\frac{2(bc-ad)^{3/2} \tan^{-1} \left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc-ad}} \right)}{\sqrt{d}} + \sqrt{a} (3bc - 2ad) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right) + acx \sqrt{a + \frac{b}{x}}}{c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x)^(3/2)/(c + d/x), x]

[Out] (a*c*Sqrt[a + b/x]*x - (2*(b*c - a*d)^(3/2)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/Sqrt[d] + Sqrt[a]*(3*b*c - 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/c^2

IntegrateAlgebraic [A] time = 0.28, size = 116, normalized size = 1.09

$$\frac{(3\sqrt{a}bc - 2a^{3/2}d) \tanh^{-1} \left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}} \right) - 2(bc - ad)^{3/2} \tan^{-1} \left(\frac{\sqrt{d} \sqrt{\frac{ax+b}{x}}}{\sqrt{bc-ad}} \right) + ax \sqrt{\frac{ax+b}{x}}}{c^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b/x)^(3/2)/(c + d/x),x]

[Out] (a*x*Sqrt[(b + a*x)/x])/c - (2*(b*c - a*d)^(3/2)*ArcTan[(Sqrt[d]*Sqrt[(b + a*x)/x])/Sqrt[b*c - a*d]])/(c^2*Sqrt[d]) + ((3*Sqrt[a]*b*c - 2*a^(3/2)*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/c^2

fricas [A] time = 0.90, size = 519, normalized size = 4.90

$$\frac{2ax\sqrt{\frac{ax}{c}} - (3bc - 2ad)\sqrt{d} \log\left(2ax - 2\sqrt{a}\sqrt{\frac{ax}{c}} + 1\right) - 2(bc - ad)\sqrt{\frac{ax}{c}} \log\left(\frac{2ax\sqrt{\frac{ax}{c}} - ad\sqrt{d}\sqrt{\frac{ax}{c}}}{2a^2}\right) + a\sqrt{\frac{ax}{c}} - (3bc - 2ad)\sqrt{d} \arctan\left(\frac{c\sqrt{\frac{ax}{c}}}{d}\right) - (bc - ad)\sqrt{\frac{ax}{c}} \log\left(\frac{2ax\sqrt{\frac{ax}{c}} - ad\sqrt{d}\sqrt{\frac{ax}{c}}}{2a^2}\right) + 2ax\sqrt{\frac{ax}{c}} + 4(bc - ad)\sqrt{\frac{ax}{c}} \arctan\left(\frac{c\sqrt{\frac{ax}{c}}}{d}\right) - (3bc - 2ad)\sqrt{d} \log\left(2ax - 2\sqrt{a}\sqrt{\frac{ax}{c}} + 1\right) + a\sqrt{\frac{ax}{c}} - 2(bc - ad)\sqrt{\frac{ax}{c}} \arctan\left(\frac{c\sqrt{\frac{ax}{c}}}{d}\right) - (3bc - 2ad)\sqrt{d} \log\left(\frac{c\sqrt{\frac{ax}{c}}}{d}\right)}{2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(3/2)/(c+d/x),x, algorithm="fricas")

[Out] [1/2*(2*a*c*x*sqrt((a*x + b)/x) - (3*b*c - 2*a*d)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) - 2*(b*c - a*d)*sqrt(-(b*c - a*d)/d)*log((2*d*x*sqrt(-(b*c - a*d)/d)*sqrt((a*x + b)/x) + b*d - (b*c - 2*a*d)*x)/(c*x + d)))/c^2, (a*c*x*sqrt((a*x + b)/x) - (3*b*c - 2*a*d)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) - (b*c - a*d)*sqrt(-(b*c - a*d)/d)*log((2*d*x*sqrt(-(b*c - a*d)/d)*sqrt((a*x + b)/x) + b*d - (b*c - 2*a*d)*x)/(c*x + d)))/c^2, 1/2*(2*a*c*x*sqrt((a*x + b)/x) + 4*(b*c - a*d)*sqrt((b*c - a*d)/d)*arctan(-d*sqrt((b*c - a*d)/d)*sqrt((a*x + b)/x)/(b*c - a*d)) - (3*b*c - 2*a*d)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b))/c^2, (a*c*x*sqrt((a*x + b)/x) + 2*(b*c - a*d)*sqrt((b*c - a*d)/d)*arctan(-d*sqrt((b*c - a*d)/d)*sqrt((a*x + b)/x)/(b*c - a*d)) - (3*b*c - 2*a*d)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a))/c^2]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(3/2)/(c+d/x),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(x)] Error: Bad Argument Type

maple [B] time = 0.06, size = 528, normalized size = 4.98

$$\frac{\sqrt{\frac{ax}{c}} \left(2a^2 d \ln\left(\frac{2ax - 2\sqrt{a}\sqrt{\frac{ax}{c}} + 1}{2a}\right) + 4b^2 k \sqrt{\ln\left(\frac{2ax - 2\sqrt{a}\sqrt{\frac{ax}{c}} + 1}{2a}\right)} + 2\sqrt{d} b^2 d \ln\left(\frac{2ax - 2\sqrt{a}\sqrt{\frac{ax}{c}} + 1}{2a}\right) + 2\sqrt{\frac{ax}{c}} \sqrt{d} \ln\left(\frac{2ax - 2\sqrt{a}\sqrt{\frac{ax}{c}} + 1}{2a}\right) - 3\sqrt{\frac{ax}{c}} \sqrt{d} \ln\left(\frac{2ax - 2\sqrt{a}\sqrt{\frac{ax}{c}} + 1}{2a}\right) + \sqrt{\frac{ax}{c}} \sqrt{d} \ln\left(\frac{2ax - 2\sqrt{a}\sqrt{\frac{ax}{c}} + 1}{2a}\right) - \sqrt{\frac{ax}{c}} \sqrt{d} \ln\left(\frac{2ax - 2\sqrt{a}\sqrt{\frac{ax}{c}} + 1}{2a}\right) - 2\sqrt{(ax + b)k} \sqrt{\frac{ax}{c}} + 2\sqrt{(ax + b)k} \sqrt{\frac{ax}{c}} \sqrt{d} b^2 - 2\sqrt{\frac{ax}{c}} \sqrt{d} b^2 \sqrt{d} k \right)}{2\sqrt{(ax + b)k} \sqrt{\frac{ax}{c}} \sqrt{d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b/x)^(3/2)/(c+d/x),x)

```
[Out] -1/2*((a*x+b)/x)^(1/2)*x*(2*a^(5/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2))*((a*x+b)*x)^(1/2)*c)/(c*x+d))*d^3-2*a^(3/2)*((a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*c^2*d-4*a^(3/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2))*((a*x+b)*x)^(1/2)*c)/(c*x+d))*b*c*d^2+2*a^(1/2)*((a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*b*c^3-2*a^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*(a*x^2+b*x)^(1/2)*b*c^3+2*a^(1/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2))*((a*x+b)*x)^(1/2)*c)/(c*x+d))*b^2*c^2*d+2*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2))*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*a^2*c*d^2-3*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2))*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*a*b*c^2*d+ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2))*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*b^2*c^3-(a*d-b*c)/c^2*d)^(1/2)*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2))*a^(1/2))/a^(1/2))*b^2*c^3)/((a*x+b)*x)^(1/2)/d/c^3/a^(1/2)/((a*d-b*c)/c^2*d)^(1/2)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(a + \frac{b}{x}\right)^{\frac{3}{2}}}{c + \frac{d}{x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x)^(3/2)/(c+d/x),x, algorithm="maxima")
```

```
[Out] integrate((a + b/x)^(3/2)/(c + d/x), x)
```

mupad [B] time = 1.68, size = 556, normalized size = 5.25

$$\frac{a x \sqrt{\frac{a+b}{x}}}{c} - \frac{\sqrt{d} \operatorname{atanh}\left(\frac{58 a^{3/2} b^2 \sqrt{a+b}}{12 a^2 b^2 c^2 d^2 + 46 a^{5/2} b^2 \sqrt{a+b}} + \frac{46 a^{5/2} b^2 \sqrt{a+b}}{12 a^2 b^2 c^2 d^2 + 46 a^{5/2} b^2 \sqrt{a+b}}\right)}{c^2} + \frac{12 a^{7/2} b^2 \sqrt{a+b}}{12 a^2 b^2 c^2 d^2 + 46 a^{5/2} b^2 \sqrt{a+b}} - \frac{24 \sqrt{d} \sqrt{a+b}}{12 a^2 b^2 c^2 d^2 + 46 a^{5/2} b^2 \sqrt{a+b}}}{2} (2 a d - 3 b c) + 2 \operatorname{atanh}\left(\frac{12 a^{3/2} b^2 \sqrt{a+b}}{12 a^2 b^2 c^2 d^2 + 46 a^{5/2} b^2 \sqrt{a+b}} + \frac{16 a^{5/2} b^2 \sqrt{a+b}}{12 a^2 b^2 c^2 d^2 + 46 a^{5/2} b^2 \sqrt{a+b}}\right) \sqrt{d(a d - b c)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b/x)^(3/2)/(c + d/x),x)
```

```
[Out] (a*x*(a + b/x)^(1/2))/c - (a^(1/2)*atanh((58*a^(3/2)*b^6*d^2*(a + b/x)^(1/2))/(58*a^2*b^6*d^2 - 24*a*b^7*c*d - (46*a^3*b^5*d^3)/c + (12*a^4*b^4*d^4)/c^2) + (46*a^(5/2)*b^5*d^3*(a + b/x)^(1/2))/(46*a^3*b^5*d^3 - 58*a^2*b^6*c*d^2 - (12*a^4*b^4*d^4)/c + 24*a*b^7*c^2*d) + (12*a^(7/2)*b^4*d^4*(a + b/x)^(1/2))/(12*a^4*b^4*d^4 - 46*a^3*b^5*c*d^3 + 58*a^2*b^6*c^2*d^2 - 24*a*b^7*c^3*d) - (24*a^(1/2)*b^7*c*d*(a + b/x)^(1/2))/(58*a^2*b^6*d^2 - 24*a*b^7*c*d - (46*a^3*b^5*d^3)/c + (12*a^4*b^4*d^4)/c^2))*((2*a*d - 3*b*c))/c^2 + (2*atanh((12*a^2*b^4*d^2*(a + b/x)^(1/2)*(a^3*d^4 - b^3*c^3*d + 3*a*b^2*c^2*d^2 - 3*a^2*b*c*d^3)^(1/2))/(12*a^4*b^4*d^4 - 40*a^3*b^5*c*d^3 + 44*a^2*b^6*c^2*d^2 - 16*a*b^7*c^3*d) + (16*a*b^5*d*(a + b/x)^(1/2)*(a^3*d^4 - b^3*c^3*d + 3*a*b^2*c^2*d^2 - 3*a^2*b*c*d^3)^(1/2))/(40*a^3*b^5*d^3 - 44*a^2*b^6*c*d^2 - (12*a^4*b^4*d^4)/c + 16*a*b^7*c^2*d))*((d*(a*d - b*c)^3)^(1/2))/(c^2*d)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \left(a + \frac{b}{x}\right)^{\frac{3}{2}}}{cx + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)**(3/2)/(c+d/x),x)

[Out] Integral(x*(a + b/x)**(3/2)/(c*x + d), x)

$$3.139 \quad \int \frac{\left(a + \frac{b}{x}\right)^{3/2}}{\left(c + \frac{d}{x}\right)^2} dx$$

Optimal. Leaf size=156

$$\frac{(bc - 4ad)\sqrt{bc - ad} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right) + \sqrt{a}(3bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right) - \sqrt{a + \frac{b}{x}}(bc - 2ad) + \frac{ax\sqrt{a + \frac{b}{x}}}{c\left(c + \frac{d}{x}\right)}}{c^3\sqrt{d} + c^3 - c^2\left(c + \frac{d}{x}\right)}$$

Rubi [A] time = 0.22, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {375, 98, 151, 156, 63, 208, 205}

$$\frac{\sqrt{a + \frac{b}{x}}(bc - 2ad) - \frac{(bc - 4ad)\sqrt{bc - ad} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right)}{c^3\sqrt{d}} + \frac{\sqrt{a}(3bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{c^3} + \frac{ax\sqrt{a + \frac{b}{x}}}{c\left(c + \frac{d}{x}\right)}}{c^2\left(c + \frac{d}{x}\right)}$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(3/2)/(c + d/x)^2, x]

[Out] -(((b*c - 2*a*d)*Sqrt[a + b/x])/(c^2*(c + d/x))) + (a*Sqrt[a + b/x]*x)/(c*(c + d/x)) - ((b*c - 4*a*d)*Sqrt[b*c - a*d]*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/(c^3*Sqrt[d]) + (Sqrt[a]*(3*b*c - 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/c^3

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 98

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[((b*c - a*d)*(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] + Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 2)*(e + f*x)^p*Simp[a*d*(d*e*(n - 1) + c*f*(p + 1)) + b*c*(d*e*(m - n + 2) - c*f*(m + p + 2)) + d*(a*d*f*

$(n + p) + b*(d*e*(m + 1) - c*f*(m + n + p + 1))*x, x], x] /;$ FreeQ[{a, b, c, d, e, f, p}, x] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

Rule 151

$\text{Int}[(a_. + (b_.)*(x_.))^{(m_.)*((c_.) + (d_.)*(x_.))^{(n_.)*((e_.) + (f_.)*(x_.))^{(p_.)*((g_.) + (h_.)*(x_.))}, x_Symbol] \rightarrow \text{Simp}[(b*g - a*h)*(a + b*x)^{(m + 1)*(c + d*x)^{(n + 1)*(e + f*x)^{(p + 1)}}/(m + 1)*(b*c - a*d)*(b*e - a*f)], x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), \text{Int}[(a + b*x)^{(m + 1)*(c + d*x)^n*(e + f*x)^p*\text{Simp}[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]

Rule 156

$\text{Int}[(e_. + (f_.)*(x_.))^{(p_.)*((g_.) + (h_.)*(x_.))}/((a_. + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))), x_Symbol] \rightarrow \text{Dist}[(b*g - a*h)/(b*c - a*d), \text{Int}[(e + f*x)^p/(a + b*x), x], x] - \text{Dist}[(d*g - c*h)/(b*c - a*d), \text{Int}[(e + f*x)^p/(c + d*x), x], x] /;$ FreeQ[{a, b, c, d, e, f, g, h}, x]

Rule 205

$\text{Int}[(a_. + (b_.)*(x_.)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$ FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

$\text{Int}[(a_. + (b_.)*(x_.)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

$\text{Int}[(a_. + (b_.)*(x_.)^{n_.})^{(p_.)*((c_.) + (d_.)*(x_.)^{n_.})^{(q_.)}, x_Symbol] \rightarrow -\text{Subst}[\text{Int}[(a + b/x^n)^p*(c + d/x^n)^q/x^2, x], x, 1/x] /;$ FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\left(a + \frac{b}{x}\right)^{3/2}}{\left(c + \frac{d}{x}\right)^2} dx &= -\text{Subst}\left(\int \frac{(a + bx)^{3/2}}{x^2(c + dx)^2} dx, x, \frac{1}{x}\right) \\
&= \frac{a\sqrt{a + \frac{b}{x}}}{c\left(c + \frac{d}{x}\right)} + \frac{\text{Subst}\left(\int \frac{-\frac{1}{2}a(3bc-4ad) - \frac{1}{2}b(2bc-3ad)x}{x\sqrt{a+bx}(c+dx)^2} dx, x, \frac{1}{x}\right)}{c} \\
&= -\frac{(bc - 2ad)\sqrt{a + \frac{b}{x}}}{c^2\left(c + \frac{d}{x}\right)} + \frac{a\sqrt{a + \frac{b}{x}}}{c\left(c + \frac{d}{x}\right)} - \frac{\text{Subst}\left(\int \frac{\frac{1}{2}a(3bc-4ad)(bc-ad) + \frac{1}{2}b(bc-2ad)(bc-ad)x}{x\sqrt{a+bx}(c+dx)} dx, x, \frac{1}{x}\right)}{c^2(bc - ad)} \\
&= -\frac{(bc - 2ad)\sqrt{a + \frac{b}{x}}}{c^2\left(c + \frac{d}{x}\right)} + \frac{a\sqrt{a + \frac{b}{x}}}{c\left(c + \frac{d}{x}\right)} - \frac{(a(3bc - 4ad)) \text{Subst}\left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \frac{1}{x}\right)}{2c^3} - \frac{((bc - 4ad)(bc - ad))}{c^3} \\
&= -\frac{(bc - 2ad)\sqrt{a + \frac{b}{x}}}{c^2\left(c + \frac{d}{x}\right)} + \frac{a\sqrt{a + \frac{b}{x}}}{c\left(c + \frac{d}{x}\right)} - \frac{(a(3bc - 4ad)) \text{Subst}\left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}}\right)}{bc^3} - \frac{((bc - 4ad)(bc - ad))}{c^3} \\
&= -\frac{(bc - 2ad)\sqrt{a + \frac{b}{x}}}{c^2\left(c + \frac{d}{x}\right)} + \frac{a\sqrt{a + \frac{b}{x}}}{c\left(c + \frac{d}{x}\right)} - \frac{(bc - 4ad)\sqrt{bc - ad} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{c^3\sqrt{d}} + \frac{\sqrt{a}(3bc - 4ad) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{c^3}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 143, normalized size = 0.92

$$\frac{(4a^2d^2 - 5abcd + b^2c^2) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right) + \frac{cx\sqrt{a+\frac{b}{x}}(acx+2ad-bc)}{cx+d} + \sqrt{a}(3bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x)^(3/2)/(c + d/x)^2,x]

[Out] ((c*Sqrt[a + b/x]*x*(-(b*c) + 2*a*d + a*c*x))/(d + c*x) - ((b^2*c^2 - 5*a*b*c*d + 4*a^2*d^2)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/(Sqrt[d])

*Sqrt[b*c - a*d]) + Sqrt[a]*(3*b*c - 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/c^3

IntegrateAlgebraic [A] time = 0.43, size = 160, normalized size = 1.03

$$\frac{(3\sqrt{a}bc - 4a^{3/2}d) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)}{c^3} + \frac{(-4a^2d^2 + 5abcd - b^2c^2) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{\frac{ax+b}{x}}}{\sqrt{bc-ad}}\right)}{c^3\sqrt{d}\sqrt{bc-ad}} + \frac{\sqrt{\frac{ax+b}{x}}(acx^2 + 2adx - bcx)}{c^2(cx+d)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b/x)^(3/2)/(c + d/x)^2,x]

[Out] (Sqrt[(b + a*x)/x]*(-(b*c*x) + 2*a*d*x + a*c*x^2))/(c^2*(d + c*x)) + ((-(b^2*c^2) + 5*a*b*c*d - 4*a^2*d^2)*ArcTan[(Sqrt[d]*Sqrt[(b + a*x)/x])/Sqrt[b*c - a*d]])/(c^3*Sqrt[d]*Sqrt[b*c - a*d]) + ((3*Sqrt[a]*b*c - 4*a^(3/2)*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/c^3

fricas [A] time = 0.93, size = 769, normalized size = 4.93

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(3/2)/(c+d/x)^2,x, algorithm="fricas")

[Out] [-1/2*((3*b*c*d - 4*a*d^2 + (3*b*c^2 - 4*a*c*d)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + (b*c*d - 4*a*d^2 + (b*c^2 - 4*a*c*d)*x)*sqrt(-(b*c - a*d)/d)*log((2*d*x*sqrt(-(b*c - a*d)/d)*sqrt((a*x + b)/x) + b*d - (b*c - 2*a*d)*x)/(c*x + d) - 2*(a*c^2*x^2 - (b*c^2 - 2*a*c*d)*x)*sqrt((a*x + b)/x))/(c^4*x + c^3*d), 1/2*(2*(b*c*d - 4*a*d^2 + (b*c^2 - 4*a*c*d)*x)*sqrt((b*c - a*d)/d)*arctan(-d*sqrt((b*c - a*d)/d)*sqrt((a*x + b)/x)/(b*c - a*d)) - (3*b*c*d - 4*a*d^2 + (3*b*c^2 - 4*a*c*d)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*(a*c^2*x^2 - (b*c^2 - 2*a*c*d)*x)*sqrt((a*x + b)/x))/(c^4*x + c^3*d), -1/2*(2*(3*b*c*d - 4*a*d^2 + (3*b*c^2 - 4*a*c*d)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (b*c*d - 4*a*d^2 + (b*c^2 - 4*a*c*d)*x)*sqrt(-(b*c - a*d)/d)*log((2*d*x*sqrt(-(b*c - a*d)/d)*sqrt((a*x + b)/x) + b*d - (b*c - 2*a*d)*x)/(c*x + d) - 2*(a*c^2*x^2 - (b*c^2 - 2*a*c*d)*x)*sqrt((a*x + b)/x))/(c^4*x + c^3*d), ((b*c*d - 4*a*d^2 + (b*c^2 - 4*a*c*d)*x)*sqrt((b*c - a*d)/d)*arctan(-d*sqrt((b*c - a*d)/d)*sqrt((a*x + b)/x)/(b*c - a*d)) - (3*b*c*d - 4*a*d^2 + (3*b*c^2 - 4*a*c*d)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (a*c^2*x^2 - (b*c^2 - 2*a*c*d)*x)*sqrt((a*x + b)/x))/(c^4*x + c^3*d)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x)^(3/2)/(c+d/x)^2,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes
constant sign by intervals (correct if the argument is real):Check [abs(x)]
Unable to divide, perhaps due to rounding error%%{%%[-2,0]:[1,0,%%{-1,[1
]}%%]}%%, [4,6,4,0]%%}+%%{%%{8,[1]}%%}, [3,5,4,1]%%}+%%{%%[-4,0]:[1,0,
%%{-1,[1]}%%]}%%, [2,5,5,1]%%}+%%{%%{[-8,[1]}%%},0]:[1,0,%%{-1,[1]
%%]}%%}, [2,4,4,2]%%}+%%{%%{8,[1]}%%}, [1,4,5,2]%%}+%%{%%[-2,0]:[1,0,%%
%%{-1,[1]}%%]}%%, [0,4,6,2]%%} / %%{%%{1,[1]}%%}, [4,2,0,0]%%}+%%{%%{pol
y1[%%{-4,[1]}%%},0]:[1,0,%%{-1,[1]}%%]}%%, [3,1,0,1]%%}+%%{%%{2,[1]%%
}}, [2,1,1,1]%%}+%%{%%{4,[2]}%%}, [2,0,0,2]%%}+%%{%%{poly1[%%{-4,[1]%%
},0]:[1,0,%%{-1,[1]}%%]}%%, [1,0,1,2]%%}+%%{%%{1,[1]}%%}, [0,0,2,2]%%} E
rror: Bad Argument Value
```

maple [B] time = 0.06, size = 834, normalized size = 5.35



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b/x)^(3/2)/(c+d/x)^2,x)
```

```
[Out] -1/2*(4*a^(7/2)*c*d^3*x*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2))*((
a*x+b)*x)^(1/2)*c)/(c*x+d))+2*((a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*a^(
5/2)*c^4*x^2+4*a^(7/2)*d^4*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2)
*((a*x+b)*x)^(1/2)*c)/(c*x+d))-2*((a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*
a^(5/2)*c^3*d*x-5*a^(5/2)*b*c^2*d^2*x*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c
^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+d))-4*((a*x+b)*x)^(1/2)*((a*d-b*c)/c
^2*d)^(1/2)*a^(5/2)*c^2*d^2-5*a^(5/2)*b*c*d^3*ln((-2*a*d*x+b*c*x-b*d+2*((a*d
-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+d))-2*((a*x+b)*x)^(3/2)*((a*d-
b*c)/c^2*d)^(1/2)*a^(3/2)*c^4+2*((a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*a
^(3/2)*b*c^4*x+a^(3/2)*b^2*c^3*d*x*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*
d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+d))+2*((a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d
)^(1/2)*a^(3/2)*b*c^3*d+a^(3/2)*b^2*c^2*d^2*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-
b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+d))+4*((a*d-b*c)/c^2*d)^(1/2)*a
^3*c^2*d^2*x*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))-3*((a*d-
b*c)/c^2*d)^(1/2)*a^2*b*c^3*d*x*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2)
)/a^(1/2))+4*((a*d-b*c)/c^2*d)^(1/2)*a^3*c*d^3*ln(1/2*(2*a*x+b+2*((a*x+b)*x
)^(1/2)*a^(1/2))/a^(1/2))-3*((a*d-b*c)/c^2*d)^(1/2)*a^2*b*c^2*d^2*ln(1/2*(2
*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2)))*x*((a*x+b)/x)^(1/2)/c^4/((a*d
-b*c)/c^2*d)^(1/2)/a^(3/2)/(c*x+d)/d/((a*x+b)*x)^(1/2)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(a + \frac{b}{x}\right)^{\frac{3}{2}}}{\left(c + \frac{d}{x}\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(3/2)/(c+d/x)^2,x, algorithm="maxima")

[Out] integrate((a + b/x)^(3/2)/(c + d/x)^2, x)

mupad [B] time = 2.16, size = 448, normalized size = 2.87

$$\operatorname{atanh}\left(\frac{8a^2b^2\sqrt{a+\frac{b}{x}}\sqrt{a^2-bc}}{8a^3b^2\beta^2-10a^2b^2\beta c d^2+2a^2b^2c^2d}-\frac{2ab^2d\sqrt{a+\frac{b}{x}}\sqrt{a^2-bc}}{2ab^2c d-10a^2b^2\beta^2+\frac{2a^2b^2d^2}{c}}\right)\frac{\sqrt{d(a d-b c)}(4a d-b c)}{c^3 d}-\frac{\sqrt{a} \operatorname{atanh}\left(\frac{6\sqrt{a} b^2 d \sqrt{a+\frac{b}{x}}}{6a b^2 d-14a^2 b^2 \beta^2+\frac{8a^2 b^2 d^2}{c}}-\frac{14a^2 b^2 \beta^2 \sqrt{a+\frac{b}{x}}}{6a b^2 c d-14a^2 b^2 \beta^2+\frac{8a^2 b^2 d^2}{c}}+\frac{8a^2 b^2 \beta^2 \sqrt{a+\frac{b}{x}}}{8a^3 b^2 \beta^2-14a^2 b^2 \beta c d^2+2a^2 b^2 c^2 d}\right)(4a d-3b c)}{c^3}-\frac{2(a^2 c-d^2 b d)\sqrt{a+\frac{b}{x}}+\frac{b(a+\frac{b}{x})^2(2a d-b c)}{c^2}}{\left(a+\frac{b}{x}\right)(2a d-b c)-d\left(a+\frac{b}{x}\right)^2-a^2 d+a b c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b/x)^(3/2)/(c + d/x)^2,x)

[Out] (atanh((8*a^2*b^5*d^2*(a + b/x)^(1/2)*(a*d^2 - b*c*d)^(1/2))/(8*a^3*b^5*d^3 - 10*a^2*b^6*c*d^2 + 2*a*b^7*c^2*d) - (2*a*b^6*d*(a + b/x)^(1/2)*(a*d^2 - b*c*d)^(1/2))/(2*a*b^7*c*d - 10*a^2*b^6*d^2 + (8*a^3*b^5*d^3)/c))*(d*(a*d - b*c))^(1/2)*(4*a*d - b*c))/(c^3*d) - (a^(1/2)*atanh((6*a^(1/2)*b^7*d*(a + b/x)^(1/2))/(6*a*b^7*d - (14*a^2*b^6*d^2)/c + (8*a^3*b^5*d^3)/c^2) - (14*a^(3/2)*b^6*d^2*(a + b/x)^(1/2))/(6*a*b^7*c*d - 14*a^2*b^6*d^2 + (8*a^3*b^5*d^3)/c) + (8*a^(5/2)*b^5*d^3*(a + b/x)^(1/2))/(8*a^3*b^5*d^3 - 14*a^2*b^6*c*d^2 + 6*a*b^7*c^2*d))*(4*a*d - 3*b*c))/c^3 - ((2*(a*b^2*c - a^2*b*d)*(a + b/x)^(1/2))/c^2 + (b*(a + b/x)^(3/2)*(2*a*d - b*c))/c^2)/((a + b/x)*(2*a*d - b*c) - d*(a + b/x)^2 - a^2*d + a*b*c)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)**(3/2)/(c+d/x)**2,x)

[Out] Timed out

$$3.140 \quad \int \frac{\left(a + \frac{b}{x}\right)^{3/2}}{\left(c + \frac{d}{x}\right)^3} dx$$

Optimal. Leaf size=209

$$\frac{3(8a^2d^2 - 8abcd + b^2c^2) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right) + 3\sqrt{a}(bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right) - 3\sqrt{a+\frac{b}{x}}(bc - 4ad) - \sqrt{a+\frac{b}{x}}(bc - 2ad)}{4c^4\sqrt{d}\sqrt{bc-ad} + c^4 - 4c^3\left(c + \frac{d}{x}\right) - 2c^2\left(c + \frac{d}{x}\right)^2}$$

Rubi [A] time = 0.34, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {375, 98, 151, 156, 63, 208, 205}

$$\frac{3(8a^2d^2 - 8abcd + b^2c^2) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right) - 3\sqrt{a+\frac{b}{x}}(bc - 4ad) - \frac{\sqrt{a+\frac{b}{x}}(bc - 3ad)}{2c^2\left(c + \frac{d}{x}\right)^2} + 3\sqrt{a}(bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right) + \frac{ax\sqrt{a+\frac{b}{x}}}{c\left(c + \frac{d}{x}\right)^2}}{4c^4\sqrt{d}\sqrt{bc-ad} - 4c^3\left(c + \frac{d}{x}\right) - 2c^2\left(c + \frac{d}{x}\right)^2 + c^4}$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(3/2)/(c + d/x)^3, x]

[Out] -((b*c - 3*a*d)*Sqrt[a + b/x])/(2*c^2*(c + d/x)^2) - (3*(b*c - 4*a*d)*Sqrt[a + b/x])/(4*c^3*(c + d/x)) + (a*Sqrt[a + b/x]*x)/(c*(c + d/x)^2) - (3*(b^2*c^2 - 8*a*b*c*d + 8*a^2*d^2)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/(4*c^4*Sqrt[d]*Sqrt[b*c - a*d]) + (3*Sqrt[a]*(b*c - 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/c^4

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 98

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[((b*c - a*d)*(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] + Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 2)*(e + f*x)^p*Simp[a*d*(d*e*(n - 1) + c*f*(p + 1)) + b*c*(d*e*(m - n + 2) - c*f*(m + p + 2)) + d*(a*d*f*

$(n + p) + b*(d*e*(m + 1) - c*f*(m + n + p + 1))*x, x], x] /;$ FreeQ[{a, b, c, d, e, f, p}, x] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

Rule 151

$\text{Int}[\left((a_{.}) + (b_{.})*(x_{.})\right)^{(m_{.})}*\left((c_{.}) + (d_{.})*(x_{.})\right)^{(n_{.})}*\left((e_{.}) + (f_{.})*(x_{.})\right)^{(p_{.})}*\left((g_{.}) + (h_{.})*(x_{.})\right), x_Symbol] \rightarrow \text{Simp}[\left((b*g - a*h)*(a + b*x)^{(m + 1)}*(c + d*x)^{(n + 1)}*(e + f*x)^{(p + 1)}\right)/\left((m + 1)*(b*c - a*d)*(b*e - a*f)\right), x] + \text{Dist}\left[1/\left((m + 1)*(b*c - a*d)*(b*e - a*f)\right), \text{Int}[(a + b*x)^{(m + 1)}*(c + d*x)^n*(e + f*x)^p*\text{Simp}[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]

Rule 156

$\text{Int}[\left(\left((e_{.}) + (f_{.})*(x_{.})\right)^{(p_{.})}*\left((g_{.}) + (h_{.})*(x_{.})\right)\right)/\left(\left((a_{.}) + (b_{.})*(x_{.})\right)*\left((c_{.}) + (d_{.})*(x_{.})\right)\right), x_Symbol] \rightarrow \text{Dist}[(b*g - a*h)/(b*c - a*d), \text{Int}[(e + f*x)^p/(a + b*x), x], x] - \text{Dist}[(d*g - c*h)/(b*c - a*d), \text{Int}[(e + f*x)^p/(c + d*x), x], x] /;$ FreeQ[{a, b, c, d, e, f, g, h}, x]

Rule 205

$\text{Int}[\left(\left((a_{.}) + (b_{.})*(x_{.})^2\right)^{-1}\right), x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$ FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

$\text{Int}[\left(\left((a_{.}) + (b_{.})*(x_{.})^2\right)^{-1}\right), x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

$\text{Int}[\left(\left((a_{.}) + (b_{.})*(x_{.})^{(n_{.})}\right)^{(p_{.})}*\left((c_{.}) + (d_{.})*(x_{.})^{(n_{.})}\right)^{(q_{.})}\right), x_Symbol] \rightarrow -\text{Subst}[\text{Int}[\left((a + b/x^n)^p*(c + d/x^n)^q\right)/x^2, x], x, 1/x] /;$ FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\left(a + \frac{b}{x}\right)^{3/2}}{\left(c + \frac{d}{x}\right)^3} dx &= -\text{Subst}\left(\int \frac{(a + bx)^{3/2}}{x^2(c + dx)^3} dx, x, \frac{1}{x}\right) \\
&= \frac{a\sqrt{a + \frac{b}{x}}}{c\left(c + \frac{d}{x}\right)^2} + \frac{\text{Subst}\left(\int \frac{-\frac{3}{2}a(bc-2ad) - \frac{1}{2}b(2bc-5ad)x}{x\sqrt{a+bx}(c+dx)^3} dx, x, \frac{1}{x}\right)}{c} \\
&= -\frac{(bc-3ad)\sqrt{a + \frac{b}{x}}}{2c^2\left(c + \frac{d}{x}\right)^2} + \frac{a\sqrt{a + \frac{b}{x}}}{c\left(c + \frac{d}{x}\right)^2} - \frac{\text{Subst}\left(\int \frac{3a(bc-2ad)(bc-ad) + \frac{3}{2}b(bc-3ad)(bc-ad)x}{x\sqrt{a+bx}(c+dx)^2} dx, x, \frac{1}{x}\right)}{2c^2(bc-ad)} \\
&= -\frac{(bc-3ad)\sqrt{a + \frac{b}{x}}}{2c^2\left(c + \frac{d}{x}\right)^2} - \frac{3(bc-4ad)\sqrt{a + \frac{b}{x}}}{4c^3\left(c + \frac{d}{x}\right)} + \frac{a\sqrt{a + \frac{b}{x}}}{c\left(c + \frac{d}{x}\right)^2} + \frac{\text{Subst}\left(\int \frac{-3a(bc-2ad)(bc-ad)^2 - \frac{3}{4}b(bc-4ad)(bc-ad)^2}{x\sqrt{a+bx}(c+dx)} dx, x, \frac{1}{x}\right)}{2c^3(bc-ad)^2} \\
&= -\frac{(bc-3ad)\sqrt{a + \frac{b}{x}}}{2c^2\left(c + \frac{d}{x}\right)^2} - \frac{3(bc-4ad)\sqrt{a + \frac{b}{x}}}{4c^3\left(c + \frac{d}{x}\right)} + \frac{a\sqrt{a + \frac{b}{x}}}{c\left(c + \frac{d}{x}\right)^2} - \frac{(3a(bc-2ad))\text{Subst}\left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \frac{1}{x}\right)}{2c^4} \\
&= -\frac{(bc-3ad)\sqrt{a + \frac{b}{x}}}{2c^2\left(c + \frac{d}{x}\right)^2} - \frac{3(bc-4ad)\sqrt{a + \frac{b}{x}}}{4c^3\left(c + \frac{d}{x}\right)} + \frac{a\sqrt{a + \frac{b}{x}}}{c\left(c + \frac{d}{x}\right)^2} - \frac{(3a(bc-2ad))\text{Subst}\left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \frac{1}{x}\right)}{bc^4} \\
&= -\frac{(bc-3ad)\sqrt{a + \frac{b}{x}}}{2c^2\left(c + \frac{d}{x}\right)^2} - \frac{3(bc-4ad)\sqrt{a + \frac{b}{x}}}{4c^3\left(c + \frac{d}{x}\right)} + \frac{a\sqrt{a + \frac{b}{x}}}{c\left(c + \frac{d}{x}\right)^2} - \frac{3(b^2c^2 - 8abcd + 8a^2d^2)\tan^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{4c^4\sqrt{d}\sqrt{bc-ad}}
\end{aligned}$$

Mathematica [A] time = 0.60, size = 168, normalized size = 0.80

$$\frac{3(8a^2d^2 - 8abcd + b^2c^2)\tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{\sqrt{d}\sqrt{bc-ad}} + \frac{cx\sqrt{a+\frac{b}{x}}(2a(2c^2x^2+9cdx+6d^2)-bc(5cx+3d))}{(cx+d)^2} + 12\sqrt{a}(bc-2ad)\tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)$$

$$4c^4$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x)^(3/2)/(c + d/x)^3,x]

[Out] ((c*Sqrt[a + b/x]*x*(-(b*c*(3*d + 5*c*x)) + 2*a*(6*d^2 + 9*c*d*x + 2*c^2*x^2)))/(d + c*x)^2 - (3*(b^2*c^2 - 8*a*b*c*d + 8*a^2*d^2)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/(Sqrt[d]*Sqrt[b*c - a*d]) + 12*Sqrt[a]*(b*c - 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]/(4*c^4)

IntegrateAlgebraic [A] time = 0.57, size = 189, normalized size = 0.90

$$\frac{3(2a^{3/2}d - \sqrt{a}bc) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)}{c^4} - \frac{3(8a^2d^2 - 8abcd + b^2c^2) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{\frac{ax+b}{x}}}{\sqrt{bc-ad}}\right)}{4c^4\sqrt{d}\sqrt{bc-ad}} + \frac{\sqrt{\frac{ax+b}{x}}(4ac^2x^3 + 18acdx^2 + 12ad^2x - 5bc^2x^2 - 3bcdx)}{4c^3(cx+d)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b/x)^(3/2)/(c + d/x)^3,x]

[Out] (Sqrt[(b + a*x)/x]*(-3*b*c*d*x + 12*a*d^2*x - 5*b*c^2*x^2 + 18*a*c*d*x^2 + 4*a*c^2*x^3))/(4*c^3*(d + c*x)^2) - (3*(b^2*c^2 - 8*a*b*c*d + 8*a^2*d^2)*ArcTan[(Sqrt[d]*Sqrt[(b + a*x)/x])/Sqrt[b*c - a*d]])/(4*c^4*Sqrt[d]*Sqrt[b*c - a*d]) - (3*(-(Sqrt[a]*b*c) + 2*a^(3/2)*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/c^4

fricas [B] time = 1.06, size = 1765, normalized size = 8.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(3/2)/(c+d/x)^3,x, algorithm="fricas")

[Out] [-1/8*(12*(b^2*c^2*d^3 - 3*a*b*c*d^4 + 2*a^2*d^5 + (b^2*c^4*d - 3*a*b*c^3*d^2 + 2*a^2*c^2*d^3)*x^2 + 2*(b^2*c^3*d^2 - 3*a*b*c^2*d^3 + 2*a^2*c*d^4)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 3*(b^2*c^2*d^2 - 8*a*b*c*d^3 + 8*a^2*d^4 + (b^2*c^4 - 8*a*b*c^3*d + 8*a^2*c^2*d^2)*x^2 + 2*(b^2*c^3*d - 8*a*b*c^2*d^2 + 8*a^2*c*d^3)*x)*sqrt(-b*c*d + a*d^2)*log((b*d - (b*c - 2*a*d)*x + 2*sqrt(-b*c*d + a*d^2)*x*sqrt((a*x + b)/x))/(c*x + d)) - 2*(4*(a*b*c^4*d - a^2*c^3*d^2)*x^3 - (5*b^2*c^4*d - 23*a*b*c^3*d^2 + 18*a^2*c^2*d^3)*x^2 - 3*(b^2*c^3*d^2 - 5*a*b*c^2*d^3 + 4*a^2*c*d^4)*x)*sqrt((a*x + b)/x))/(b*c^5*d^3 - a*c^4*d^4 + (b*c^7*d - a*c^6*d^2)*x^2 + 2*(b*c^6*d^2 - a*c^5*d^3)*x), -1/8*(24*(b^2*c^2*d^3 - 3*a*b*c*d^4 + 2*a^2*d^5 + (b^2*c^4*d - 3*a*b*c^3*d^2 + 2*a^2*c^2*d^3)*x^2 + 2*(b^2*c^3*d^2 - 3*a*b*c^2*d^3 + 2*a^2*c*d^4)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + 3*(b^2*c^2*d^2 - 8*a*b*c*d^3 + 8*a^2*d^4 + (b^2*c^4 - 8*a*b*c^3*d + 8*a^2*c^2*d^2)*x^2 + 2*(b^2*c^3*d - 8*a*b*c^2*d^2 + 8*a^2*c*d^3)*x)*sqrt(-b*c*d + a*d^2)*log((b*d - (b*c - 2*a*d)*x + 2*sqrt(-b*c*d + a*d^2)*x*sqrt((a*x + b)/x))/(c*x + d)) - 2*(4*(a*b*c^4*d - a^2*c^3*d^2)*x^3 - (5*b^2*c^4*d - 23*a*b*c^3*d^2 + 18*a^2*c^2*d^3)*x^2 - 3*(b^2*c^3*d^2 - 5*a*b*c^2*d^3 + 4*a^2*c*d^4)*x)*sqrt

$$t((a*x + b)/x)/(b*c^5*d^3 - a*c^4*d^4 + (b*c^7*d - a*c^6*d^2)*x^2 + 2*(b*c^6*d^2 - a*c^5*d^3)*x), 1/4*(3*(b^2*c^2*d^2 - 8*a*b*c*d^3 + 8*a^2*d^4 + (b^2*c^4 - 8*a*b*c^3*d + 8*a^2*c^2*d^2)*x^2 + 2*(b^2*c^3*d - 8*a*b*c^2*d^2 + 8*a^2*c*d^3)*x)*\sqrt{b*c*d - a*d^2}*\arctan(\sqrt{b*c*d - a*d^2}*x*\sqrt{(a*x + b)/x}/(a*d*x + b*d)) - 6*(b^2*c^2*d^3 - 3*a*b*c*d^4 + 2*a^2*d^5 + (b^2*c^4*d - 3*a*b*c^3*d^2 + 2*a^2*c^2*d^3)*x^2 + 2*(b^2*c^3*d^2 - 3*a*b*c^2*d^3 + 2*a^2*c*d^4)*x)*\sqrt{a}*\log(2*a*x - 2*\sqrt{a}*x*\sqrt{(a*x + b)/x} + b) + (4*(a*b*c^4*d - a^2*c^3*d^2)*x^3 - (5*b^2*c^4*d - 23*a*b*c^3*d^2 + 18*a^2*c^2*d^3)*x^2 - 3*(b^2*c^3*d^2 - 5*a*b*c^2*d^3 + 4*a^2*c*d^4)*x)*\sqrt{(a*x + b)/x))/(b*c^5*d^3 - a*c^4*d^4 + (b*c^7*d - a*c^6*d^2)*x^2 + 2*(b*c^6*d^2 - a*c^5*d^3)*x), 1/4*(3*(b^2*c^2*d^2 - 8*a*b*c*d^3 + 8*a^2*d^4 + (b^2*c^4 - 8*a*b*c^3*d + 8*a^2*c^2*d^2)*x^2 + 2*(b^2*c^3*d - 8*a*b*c^2*d^2 + 8*a^2*c*d^3)*x)*\sqrt{b*c*d - a*d^2}*\arctan(\sqrt{b*c*d - a*d^2}*x*\sqrt{(a*x + b)/x}/(a*d*x + b*d)) - 12*(b^2*c^2*d^3 - 3*a*b*c*d^4 + 2*a^2*d^5 + (b^2*c^4*d - 3*a*b*c^3*d^2 + 2*a^2*c^2*d^3)*x^2 + 2*(b^2*c^3*d^2 - 3*a*b*c^2*d^3 + 2*a^2*c*d^4)*x)*\sqrt{-a}*\arctan(\sqrt{-a}*\sqrt{(a*x + b)/x}/a) + (4*(a*b*c^4*d - a^2*c^3*d^2)*x^3 - (5*b^2*c^4*d - 23*a*b*c^3*d^2 + 18*a^2*c^2*d^3)*x^2 - 3*(b^2*c^3*d^2 - 5*a*b*c^2*d^3 + 4*a^2*c*d^4)*x)*\sqrt{(a*x + b)/x))/(b*c^5*d^3 - a*c^4*d^4 + (b*c^7*d - a*c^6*d^2)*x^2 + 2*(b*c^6*d^2 - a*c^5*d^3)*x)]$$

giac [B] time = 0.61, size = 727, normalized size = 3.48

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(3/2)/(c+d/x)^3,x, algorithm="giac")

[Out] $\sqrt{a*x^2 + b*x}*a*\operatorname{sgn}(x)/c^3 + 3/4*(b^2*c^2*\operatorname{sgn}(x) - 8*a*b*c*d*\operatorname{sgn}(x) + 8*a^2*d^2*\operatorname{sgn}(x))*\arctan(-((\sqrt{a}*x - \sqrt{a*x^2 + b*x})*c + \sqrt{a}*d)/\sqrt{b*c*d - a*d^2})/(\sqrt{b*c*d - a*d^2}*c^4) - 3/2*(a*b*c*\operatorname{sgn}(x) - 2*a^2*d*\operatorname{sgn}(x))*\log(\operatorname{abs}(2*(\sqrt{a}*x - \sqrt{a*x^2 + b*x})*\sqrt{a} + b))/(\sqrt{a}*c^4) + 1/4*(3*\sqrt{a}*b^2*c^2*\arctan(\sqrt{a}*d/\sqrt{b*c*d - a*d^2})) - 24*a^(3/2)*b*c*d*\arctan(\sqrt{a}*d/\sqrt{b*c*d - a*d^2})) + 24*a^(5/2)*d^2*\arctan(\sqrt{a}*d/\sqrt{b*c*d - a*d^2})) + 6*\sqrt{b*c*d - a*d^2}*a*b*c*\log(\operatorname{abs}(b)) - 12*\sqrt{b*c*d - a*d^2}*a^2*d*\log(\operatorname{abs}(b)) + 5*\sqrt{b*c*d - a*d^2}*a*b*c - 10*\sqrt{b*c*d - a*d^2}*a^2*d*\operatorname{sgn}(x)/(\sqrt{b*c*d - a*d^2}*\sqrt{a}*c^4) + 1/4*(5*(\sqrt{a}*x - \sqrt{a*x^2 + b*x})^3*\sqrt{a}*b^2*c^3*\operatorname{sgn}(x) - 24*(\sqrt{a}*x - \sqrt{a*x^2 + b*x})^3*a^(3/2)*b*c^2*d*\operatorname{sgn}(x) + 24*(\sqrt{a}*x - \sqrt{a*x^2 + b*x})^3*a^(5/2)*c*d^2*\operatorname{sgn}(x) - (\sqrt{a}*x - \sqrt{a*x^2 + b*x})^2*a*b^2*c^2*d*\operatorname{sgn}(x) - 24*(\sqrt{a}*x - \sqrt{a*x^2 + b*x})^2*a^2*b*c*d^2*\operatorname{sgn}(x) + 40*(\sqrt{a}*x - \sqrt{a*x^2 + b*x})^2*a^3*d^3*\operatorname{sgn}(x) + 3*(\sqrt{a}*x - \sqrt{a*x^2 + b*x})*\sqrt{a}*b^3*c^2*d*\operatorname{sgn}(x) - 28*(\sqrt{a}*x - \sqrt{a*x^2 + b*x})*a^(3/2)*b^2*c*d^2*\operatorname{sgn}(x) + 40*(\sqrt{a}*x - \sqrt{a*x^2 + b*x})*a^(5/2)*b*d^3*\operatorname{sgn}(x) - 5*a*b^3*c*d^2*\operatorname{sgn}(x) + 10*a^2*b^2*d^3*\operatorname{sgn}(x))/(((\sqrt{a}*x - \sqrt{a*x^2 + b*x})*c + \sqrt{a}*d)/\sqrt{b*c*d - a*d^2})$

$c/c^{2*d}^{(1/2)}*a^4*c*d^5*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})+24*a^{(9/2)}*c^2*d^4*x^2*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^{2*d})^{(1/2)})*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))-8*((a*x+b)*x)^{(3/2)}*((a*d-b*c)/c^{2*d})^{(1/2)}*a^{(5/2)}*c^4*d^2-3*a^{(3/2)}*b^3*c^3*d^3*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^{2*d})^{(1/2)})*((a*x+b)*x)^{(1/2)}*c)/(c*x+d)))*x*((a*x+b)/x)^{(1/2)}/c^5/d/((a*d-b*c)/c^{2*d})^{(1/2)}/a^{(3/2)}/(c*x+d)^2/(a*d-b*c)/((a*x+b)*x)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(a + \frac{b}{x}\right)^{\frac{3}{2}}}{\left(c + \frac{d}{x}\right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(3/2)/(c+d/x)^3,x, algorithm="maxima")

[Out] integrate((a + b/x)^(3/2)/(c + d/x)^3, x)

mupad [B] time = 3.47, size = 1664, normalized size = 7.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b/x)^(3/2)/(c + d/x)^3,x)

[Out] $-((3*(a + b/x)^{(1/2)}*(3*a*b^3*c^2 + 4*a^3*b*d^2 - 7*a^2*b^2*c*d))/(4*c^3) - ((a + b/x)^{(3/2)}*(5*b^3*c^2 + 24*a^2*b*d^2 - 24*a*b^2*c*d))/(4*c^3) + (3*b*(a + b/x)^{(5/2)}*(4*a*d^2 - b*c*d))/(4*c^3))/((a + b/x)^2*(3*a*d^2 - 2*b*c*d) - (a + b/x)*(3*a^2*d^2 + b^2*c^2 - 4*a*b*c*d) - d^2*(a + b/x)^3 + a^3*d^2 + a*b^2*c^2 - 2*a^2*b*c*d) - (3*a^{(1/2)}*atanh((27*a^{(1/2)}*b^7*d*(a + b/x)^{(1/2)})/(8*((27*a*b^7*d)/8 - (27*a^2*b^6*d^2)/(4*c)))) + (27*a^{(3/2)}*b^6*d^2*(a + b/x)^{(1/2)})/(4*((27*a^2*b^6*d^2)/4 - (27*a*b^7*c*d)/8)))*(2*a*d - b*c))/c^4 - (atan((((a + b/x)^{(1/2)}*(9*b^6*c^4*d + 1152*a^4*b^2*d^5 - 144*a*b^5*c^3*d^2 - 1728*a^3*b^3*c*d^4 + 864*a^2*b^4*c^2*d^3))/(8*c^6) - (3*(d*(a*d - b*c))^{(1/2)}*((9*a*b^4*c^9*d^2 - 12*a^2*b^3*c^8*d^3)/c^9 - (3*(64*b^3*c^9*d^2 - 128*a*b^2*c^8*d^3)*(a + b/x)^{(1/2)}*(d*(a*d - b*c))^{(1/2)}*(8*a^2*d^2 + b^2*c^2 - 8*a*b*c*d))/(64*c^6*(a*c^4*d^2 - b*c^5*d)))*(8*a^2*d^2 + b^2*c^2 - 8*a*b*c*d))/(8*(a*c^4*d^2 - b*c^5*d)))*(d*(a*d - b*c))^{(1/2)}*(8*a^2*d^2 + b^2*c^2 - 8*a*b*c*d)*3i)/(8*(a*c^4*d^2 - b*c^5*d)) + (((a + b/x)^{(1/2)}*(9*b^6*c^4*d + 1152*a^4*b^2*d^5 - 144*a*b^5*c^3*d^2 - 1728*a^3*b^3*c*d^4 + 864*a^2*b^4*c^2*d^3))/(8*c^6) + (3*(d*(a*d - b*c))^{(1/2)}*((9*a*b^4*c^9*d^2 - 12*a^2*b^3*c^8*d^3)/c^9 + (3*(64*b^3*c^9*d^2 - 128*a*b^2*c^8*d^3)*(a + b/x)^{(1/2)}*(d*(a*d - b*c))^{(1/2)}*(8*a^2*d^2 + b^2*c^2 - 8*a*b*c*d))/(64*c^6*(a*c^4*d^2 - b*c^5*d)))*(8*a^2*d^2 + b^2*c^2 - 8*a*b*c*d))/(8*(a*c^4*d^2$

$$\begin{aligned}
& - b*c^5*d)) * (d*(a*d - b*c))^{(1/2)} * (8*a^2*d^2 + b^2*c^2 - 8*a*b*c*d) * 3i) / (8 \\
& * (a*c^4*d^2 - b*c^5*d)) / ((216*a^5*b^3*d^5 - 378*a^4*b^4*c*d^4 - (189*a^2*b \\
& ^6*c^3*d^2)/4 + 216*a^3*b^5*c^2*d^3 + (27*a*b^7*c^4*d)/8) / c^9 - (3*((a + b \\
& /x)^{(1/2)} * (9*b^6*c^4*d + 1152*a^4*b^2*d^5 - 144*a*b^5*c^3*d^2 - 1728*a^3*b^ \\
& ^3*c*d^4 + 864*a^2*b^4*c^2*d^3)) / (8*c^6) - (3*(d*(a*d - b*c))^{(1/2)} * ((9*a*b^ \\
& ^4*c^9*d^2 - 12*a^2*b^3*c^8*d^3) / c^9 - (3*(64*b^3*c^9*d^2 - 128*a*b^2*c^8*d^ \\
& ^3) * (a + b/x)^{(1/2)} * (d*(a*d - b*c))^{(1/2)} * (8*a^2*d^2 + b^2*c^2 - 8*a*b*c*d)) \\
& / (64*c^6 * (a*c^4*d^2 - b*c^5*d))) * (8*a^2*d^2 + b^2*c^2 - 8*a*b*c*d)) / (8*(a*c \\
& ^4*d^2 - b*c^5*d)) * (d*(a*d - b*c))^{(1/2)} * (8*a^2*d^2 + b^2*c^2 - 8*a*b*c*d) \\
&) / (8*(a*c^4*d^2 - b*c^5*d)) + (3*((a + b/x)^{(1/2)} * (9*b^6*c^4*d + 1152*a^4* \\
& b^2*d^5 - 144*a*b^5*c^3*d^2 - 1728*a^3*b^3*c*d^4 + 864*a^2*b^4*c^2*d^3)) / (8 \\
& *c^6) + (3*(d*(a*d - b*c))^{(1/2)} * ((9*a*b^4*c^9*d^2 - 12*a^2*b^3*c^8*d^3) / c^ \\
& ^9 + (3*(64*b^3*c^9*d^2 - 128*a*b^2*c^8*d^3) * (a + b/x)^{(1/2)} * (d*(a*d - b*c)) \\
& ^{(1/2)} * (8*a^2*d^2 + b^2*c^2 - 8*a*b*c*d)) / (64*c^6 * (a*c^4*d^2 - b*c^5*d))) * (\\
& 8*a^2*d^2 + b^2*c^2 - 8*a*b*c*d)) / (8*(a*c^4*d^2 - b*c^5*d)) * (d*(a*d - b*c) \\
&)^{(1/2)} * (8*a^2*d^2 + b^2*c^2 - 8*a*b*c*d)) / (8*(a*c^4*d^2 - b*c^5*d)) * (d*(\\
& a*d - b*c))^{(1/2)} * (8*a^2*d^2 + b^2*c^2 - 8*a*b*c*d) * 3i) / (4*(a*c^4*d^2 - b*c \\
& ^5*d))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)**(3/2)/(c+d/x)**3,x)

[Out] Timed out

$$3.141 \quad \int \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^3 dx$$

Optimal. Leaf size=198

$$a^{3/2}c^2(6ad+5bc) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right) - \frac{d\left(a+\frac{b}{x}\right)^{5/2}\left(2(-10a^2d^2+135abcd+469b^2c^2)+\frac{5bd(10ad+89bc)}{x}\right)}{315b^2} - \frac{1}{3}c^2\left(a+\frac{b}{x}\right)$$

Rubi [A] time = 0.16, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {375, 97, 153, 147, 50, 63, 208}

$$\frac{d\left(a+\frac{b}{x}\right)^{5/2}\left(2(-10a^2d^2+135abcd+469b^2c^2)+\frac{5bd(10ad+89bc)}{x}\right)}{315b^2} + a^{3/2}c^2(6ad+5bc) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right) - \frac{1}{3}c^2\left(a+\frac{b}{x}\right)^{3/2}(6ad+5bc) - ac^2\sqrt{a+\frac{b}{x}}(6ad+5bc) + x\left(a+\frac{b}{x}\right)^{5/2}\left(c+\frac{d}{x}\right)^3 - \frac{11}{9}d\left(a+\frac{b}{x}\right)^{5/2}\left(c+\frac{d}{x}\right)^2$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(5/2)*(c + d/x)^3,x]

[Out] -(a*c^2*(5*b*c + 6*a*d)*Sqrt[a + b/x]) - (c^2*(5*b*c + 6*a*d)*(a + b/x)^(3/2))/3 - (11*d*(a + b/x)^(5/2)*(c + d/x)^2)/9 - (d*(a + b/x)^(5/2)*(2*(469*b^2*c^2 + 135*a*b*c*d - 10*a^2*d^2) + (5*b*d*(89*b*c + 10*a*d))/x))/(315*b^2) + (a + b/x)^(5/2)*(c + d/x)^3*x + a^(3/2)*c^2*(5*b*c + 6*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !IGtQ[
m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0])) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[
b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 97

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p)/(b*(m + 1)), x] - Dist[1/(b*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^(p - 1)*Simp[d*e*n + c*f*p + d*f*(n + p)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && LtQ[m, -1] && GtQ[n, 0] && GtQ[p, 0] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])
```

Rule 147

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))*((g_.) + (h_.)*(x_)), x_Symbol] := -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m + 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m + n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), Int[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]
```

Rule 153

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegerQ[m]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 375

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^3 dx &= -\text{Subst} \left(\int \frac{(a + bx)^{5/2} (c + dx)^3}{x^2} dx, x, \frac{1}{x} \right) \\
&= \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^3 x - \text{Subst} \left(\int \frac{(a + bx)^{3/2} (c + dx)^2 \left(\frac{1}{2}(5bc + 6ad) + \frac{11bdx}{2}\right)}{x} dx, x, \frac{1}{x} \right) \\
&= -\frac{11}{9}d \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^2 + \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^3 x - \frac{2 \text{Subst} \left(\int \frac{(a+bx)^{3/2} (c+dx) \left(\frac{9}{4}bc(5bc+6ad) + \frac{11bd^2x}{2}\right)}{x} dx, x, \frac{1}{x} \right)}{9b} \\
&= -\frac{11}{9}d \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^2 - \frac{d \left(a + \frac{b}{x}\right)^{5/2} \left(2(469b^2c^2 + 135abcd - 10a^2d^2) + \frac{5bd(89bc + 6ad^2)}{x}\right)}{315b^2} \\
&= -\frac{1}{3}c^2(5bc + 6ad) \left(a + \frac{b}{x}\right)^{3/2} - \frac{11}{9}d \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^2 - \frac{d \left(a + \frac{b}{x}\right)^{5/2} \left(2(469b^2c^2 + 135abcd - 10a^2d^2) + \frac{5bd(89bc + 6ad^2)}{x}\right)}{315b^2} \\
&= -ac^2(5bc + 6ad)\sqrt{a + \frac{b}{x}} - \frac{1}{3}c^2(5bc + 6ad) \left(a + \frac{b}{x}\right)^{3/2} - \frac{11}{9}d \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^2 - \frac{d \left(a + \frac{b}{x}\right)^{5/2} \left(2(469b^2c^2 + 135abcd - 10a^2d^2) + \frac{5bd(89bc + 6ad^2)}{x}\right)}{315b^2} \\
&= -ac^2(5bc + 6ad)\sqrt{a + \frac{b}{x}} - \frac{1}{3}c^2(5bc + 6ad) \left(a + \frac{b}{x}\right)^{3/2} - \frac{11}{9}d \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^2 - \frac{d \left(a + \frac{b}{x}\right)^{5/2} \left(2(469b^2c^2 + 135abcd - 10a^2d^2) + \frac{5bd(89bc + 6ad^2)}{x}\right)}{315b^2} \\
&= -ac^2(5bc + 6ad)\sqrt{a + \frac{b}{x}} - \frac{1}{3}c^2(5bc + 6ad) \left(a + \frac{b}{x}\right)^{3/2} - \frac{11}{9}d \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^2 - \frac{d \left(a + \frac{b}{x}\right)^{5/2} \left(2(469b^2c^2 + 135abcd - 10a^2d^2) + \frac{5bd(89bc + 6ad^2)}{x}\right)}{315b^2}
\end{aligned}$$

Mathematica [A] time = 0.25, size = 201, normalized size = 1.02

$$a^{3/2}c^2(6ad + 5bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right) + \frac{\sqrt{a + \frac{b}{x}}}{x} \left(20a^4d^3x^4 - 10a^3bd^2x^3(27cx + d) - 3a^2b^2x^2(-105c^3x^3 + 966c^2dx^2 + 270cd^2x + 50d^3) - 2ab^3x(735c^3x^3 + 693c^2dx^2 + 405cd^2x + 95d^3) - 2b^4(105c^3x^3 + 189c^2dx^2 + 135cd^2x + 35d^3) \right) / 315b^2x^4$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x)^(5/2)*(c + d/x)^3,x]

[Out] (Sqrt[a + b/x]*(20*a^4*d^3*x^4 - 10*a^3*b*d^2*x^3*(d + 27*c*x) - 3*a^2*b^2*x^2*(50*d^3 + 270*c*d^2*x + 966*c^2*d*x^2 - 105*c^3*x^3) - 2*b^4*(35*d^3 + 135*c*d^2*x + 189*c^2*d*x^2 + 105*c^3*x^3) - 2*a*b^3*x*(95*d^3 + 405*c*d^2*x + 693*c^2*d*x^2 + 735*c^3*x^3))/(315*b^2*x^4) + a^(3/2)*c^2*(5*b*c + 6*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]

IntegrateAlgebraic [A] time = 0.28, size = 252, normalized size = 1.27

$$(5a^{3/2}bc^3 + 6a^{5/2}c^2d) \operatorname{tanh}^{-1}\left(\frac{\sqrt{ax+b}}{\sqrt{a}}\right) + \frac{\sqrt{ax+b}}{x} \frac{(20a^4d^3x^4 - 270a^3bcd^2x^4 - 10a^3bd^3x^3 + 315a^2b^2c^2x^5 - 2898a^2b^2c^2dx^4 - 810a^2b^2cd^2x^3 - 150a^2b^2d^3x^2 - 1470ab^3c^2x^4 - 1386ab^3c^2dx^3 - 810ab^3cd^2x^2 - 190ab^3d^3x - 210b^4c^3x^3 - 378b^4c^2dx^2 - 270b^4cd^2x - 70b^4d^3)}{315b^2x^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b/x)^(5/2)*(c + d/x)^3,x]

[Out] (Sqrt[(b + a*x)/x]*(-70*b^4*d^3 - 270*b^4*c*d^2*x - 190*a*b^3*d^3*x - 378*b^4*c^2*d*x^2 - 810*a*b^3*c*d^2*x^2 - 150*a^2*b^2*d^3*x^2 - 210*b^4*c^3*x^3 - 1386*a*b^3*c^2*d*x^3 - 810*a^2*b^2*c*d^2*x^3 - 10*a^3*b*d^3*x^3 - 1470*a*b^3*c^3*x^4 - 2898*a^2*b^2*c^2*d*x^4 - 270*a^3*b*c*d^2*x^4 + 20*a^4*d^3*x^4 + 315*a^2*b^2*c^3*x^5))/(315*b^2*x^4) + (5*a^(3/2)*b*c^3 + 6*a^(5/2)*c^2*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]]

fricas [A] time = 0.86, size = 494, normalized size = 2.49

$$\frac{(5a^{3/2}bc^3 + 6a^{5/2}c^2d) \operatorname{tanh}^{-1}\left(\frac{\sqrt{ax+b}}{\sqrt{a}}\right) + \frac{\sqrt{ax+b}}{x} \frac{(20a^4d^3x^4 - 270a^3bcd^2x^4 - 10a^3bd^3x^3 + 315a^2b^2c^2x^5 - 2898a^2b^2c^2dx^4 - 810a^2b^2cd^2x^3 - 150a^2b^2d^3x^2 - 1470ab^3c^2x^4 - 1386ab^3c^2dx^3 - 810ab^3cd^2x^2 - 190ab^3d^3x - 210b^4c^3x^3 - 378b^4c^2dx^2 - 270b^4cd^2x - 70b^4d^3)}{315b^2x^4}}{315b^2x^4} + \frac{(5a^{3/2}bc^3 + 6a^{5/2}c^2d) \operatorname{tanh}^{-1}\left(\frac{\sqrt{ax+b}}{\sqrt{a}}\right)}{315b^2x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(5/2)*(c+d/x)^3,x, algorithm="fricas")

[Out] [1/630*(315*(5*a*b^3*c^3 + 6*a^2*b^2*c^2*d)*sqrt(a)*x^4*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*(315*a^2*b^2*c^3*x^5 - 70*b^4*d^3 - 2*(735*a*b^3*c^3 + 1449*a^2*b^2*c^2*d + 135*a^3*b*c*d^2 - 10*a^4*d^3)*x^4 - 2*(105*b^4*c^3 + 693*a*b^3*c^2*d + 405*a^2*b^2*c*d^2 + 5*a^3*b*d^3)*x^3 - 6*(63*b^4*c^2*d + 135*a*b^3*c*d^2 + 25*a^2*b^2*d^3)*x^2 - 10*(27*b^4*c*d^2 + 19*a*b^3*d^3)*x)*sqrt((a*x + b)/x))/(b^2*x^4), -1/315*(315*(5*a*b^3*c^3 + 6*a^2*b^2*c^2*d)*sqrt(-a)*x^4*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) - (315*a^2*b^2*c^3*x^5 - 70*b^4*d^3 - 2*(735*a*b^3*c^3 + 1449*a^2*b^2*c^2*d + 135*a^3*b*c*d^2 - 10*a^4*d^3)*x^4 - 2*(105*b^4*c^3 + 693*a*b^3*c^2*d + 405*a^2*b^2*c*d^2 + 5*a^3*b*d^3)*x^3 - 6*(63*b^4*c^2*d + 135*a*b^3*c*d^2 + 25*a^2*b^2*d^3)*x^2 - 10*(27*b^4*c*d^2 + 19*a*b^3*d^3)*x)*sqrt((a*x + b)/x))/(b^2*x^4)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(5/2)*(c+d/x)^3,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(x)]

Warning, choosing root of $[1,0,\{-2,[1,2,0]\}+\{-2,[1,0,0]\}+\{-2,[0,1,1]\},0,\{1,[2,4,0]\}+\{-2,[2,2,0]\}+\{1,[2,0,0]\}+\{2,[1,3,1]\}+\{-2,[1,1,1]\}+\{1,[0,2,2]\}]$ at parameters values $[86,-97,-82]$ Warning, choosing root of $[1,0,\{-2,[1,2,0]\}+\{-2,[1,0,0]\}+\{-2,[0,1,1]\},0,\{1,[2,4,0]\}+\{-2,[2,2,0]\}+\{1,[2,0,0]\}+\{2,[1,3,1]\}+\{-2,[1,1,1]\}+\{1,[0,2,2]\}]$ at parameters values $[7,-27,26]$ Warning, choosing root of $[1,0,\{-4,[1,0,0]\}+\{-2,[0,1,1]\},0,\{1,[0,2,2]\}]$ at parameters values $[18.6420984049,-49,-86]$ Warning, choosing root of $[1,0,\{-4,[1,0,0]\}+\{-2,[0,1,1]\},0,\{1,[0,2,2]\}]$ at parameters values $[78.6493344628,22,42]$ Warning, choosing root of $[1,0,\{-2,[1,0,1]\}+\{-4,[0,1,0]\},0,\{1,[2,0,2]\}]$ at parameters values $[-13,74.7709350525,24]$ Sign error $(\{-b,0\}+\{2*\sqrt{a}*\sqrt{b}\},1/2+\{-2*a,1\}+\{a*\sqrt{a}*\sqrt{b}/b,3/2\}+\{-a^2*\sqrt{a}*\sqrt{b}/(4*b^2),5/2\})$ Evaluation time: 1.79 Limit: Max order reached or unable to make series expansion Error: Bad Argument Value

maple [B] time = 0.07, size = 457, normalized size = 2.31

$$\sqrt{\frac{6(a+\frac{b}{x})^{\frac{7}{2}}cd^2}{7b} + \frac{1}{6}\left(6\sqrt{a+\frac{b}{x}}a^2x-15a^{\frac{3}{2}}b\log\left(\frac{\sqrt{a+\frac{b}{x}}-\sqrt{a}}{\sqrt{a+\frac{b}{x}}+\sqrt{a}}\right)-4\left(a+\frac{b}{x}\right)^{\frac{3}{2}}b-24\sqrt{a+\frac{b}{x}}ab\right)c^3 - \frac{1}{5}\left(15a^{\frac{5}{2}}\log\left(\frac{\sqrt{a+\frac{b}{x}}-\sqrt{a}}{\sqrt{a+\frac{b}{x}}+\sqrt{a}}\right)+6\left(a+\frac{b}{x}\right)^{\frac{3}{2}}+10\left(a+\frac{b}{x}\right)^{\frac{3}{2}}a+30\sqrt{a+\frac{b}{x}}a^2\right)c^2d - \frac{2}{63}\left(7\left(a+\frac{b}{x}\right)^{\frac{3}{2}} - \frac{9\left(a+\frac{b}{x}\right)^{\frac{2}{2}}a}{b^2}\right)d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b/x)^{(5/2)}*(c+d/x)^3,x)$

[Out] $1/630*((a*x+b)/x)^{(1/2)}*(3780*(a*x^2+b*x)^{(1/2)}*a^{(7/2)}*x^6*b*c^2*d+3150*(a*x^2+b*x)^{(1/2)}*a^{(5/2)}*x^6*b^2*c^3+40*(a*x^2+b*x)^{(3/2)}*a^{(7/2)}*x^3*d^3-3780*(a*x^2+b*x)^{(3/2)}*a^{(5/2)}*x^4*b*c^2*d-540*(a*x^2+b*x)^{(3/2)}*a^{(5/2)}*x^3*b*c*d^2-2520*(a*x^2+b*x)^{(3/2)}*a^{(3/2)}*x^4*b^2*c^3+1890*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)}*x^6*a^3*b^2*c^2*d+1575*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)}*x^6*a^2*b^3*c^3-60*(a*x^2+b*x)^{(3/2)}*a^{(5/2)}*x^2*b*d^3-2016*(a*x^2+b*x)^{(3/2)}*a^{(3/2)}*x^3*b^2*c^2*d-1080*(a*x^2+b*x)^{(3/2)}*a^{(3/2)}*x^2*b^2*c*d^2-420*(a*x^2+b*x)^{(3/2)}*a^{(1/2)}*x^3*b^3*c^3-240*(a*x^2+b*x)^{(3/2)}*a^{(3/2)}*x*b^2*d^3-756*(a*x^2+b*x)^{(3/2)}*a^{(1/2)}*x^2*b^3*c^2*d-540*(a*x^2+b*x)^{(3/2)}*a^{(1/2)}*x*b^3*c*d^2-140*(a*x^2+b*x)^{(3/2)}*a^{(1/2)}*b^3*d^3)/x^5/b^2/((a*x+b)*x)^{(1/2)}/a^{(1/2)}$

maxima [A] time = 1.21, size = 219, normalized size = 1.11

$$-\frac{6\left(a+\frac{b}{x}\right)^{\frac{7}{2}}cd^2}{7b} + \frac{1}{6}\left(6\sqrt{a+\frac{b}{x}}a^2x-15a^{\frac{3}{2}}b\log\left(\frac{\sqrt{a+\frac{b}{x}}-\sqrt{a}}{\sqrt{a+\frac{b}{x}}+\sqrt{a}}\right)-4\left(a+\frac{b}{x}\right)^{\frac{3}{2}}b-24\sqrt{a+\frac{b}{x}}ab\right)c^3 - \frac{1}{5}\left(15a^{\frac{5}{2}}\log\left(\frac{\sqrt{a+\frac{b}{x}}-\sqrt{a}}{\sqrt{a+\frac{b}{x}}+\sqrt{a}}\right)+6\left(a+\frac{b}{x}\right)^{\frac{3}{2}}+10\left(a+\frac{b}{x}\right)^{\frac{3}{2}}a+30\sqrt{a+\frac{b}{x}}a^2\right)c^2d - \frac{2}{63}\left(7\left(a+\frac{b}{x}\right)^{\frac{3}{2}} - \frac{9\left(a+\frac{b}{x}\right)^{\frac{2}{2}}a}{b^2}\right)d^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b/x)^{(5/2)}*(c+d/x)^3,x, \text{algorithm}="maxima")$


```
[Out] -6/7*(a + b/x)^(7/2)*c*d^2/b + 1/6*(6*sqrt(a + b/x)*a^2*x - 15*a^(3/2)*b*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a + b/x) + sqrt(a))) - 4*(a + b/x)^(3/2)*b - 24*sqrt(a + b/x)*a*b)*c^3 - 1/5*(15*a^(5/2)*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a + b/x) + sqrt(a))) + 6*(a + b/x)^(5/2) + 10*(a + b/x)^(3/2)*a + 30*sqrt(a + b/x)*a^2)*c^2*d - 2/63*(7*(a + b/x)^(9/2)/b^2 - 9*(a + b/x)^(7/2)*a/b^2)*d^3
```

mupad [B] time = 6.05, size = 487, normalized size = 2.46

(a + b/x)^(7/2) * ((6*a*d^3 - 6*b*c*d^2)/(7*b^2) - (4*a*d^3)/(7*b^2)) - (a + b/x)^(1/2) * (a^2*(2*a*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2) - (6*d*(a*d - b*c)^2)/b^2 + (2*a^2*d^3)/b^2) - 2*a*((2*(a*d - b*c)^3)/b^2 + 2*a*(2*a*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2) - (6*d*(a*d - b*c)^2)/b^2 + (2*a^2*d^3)/b^2) - a^2*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2)) + (a + b/x)^(3/2) * ((2*(a*d - b*c)^3)/(3*b^2) + (2*a*(2*a*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2) - (6*d*(a*d - b*c)^2)/b^2 + (2*a^2*d^3)/b^2))/3 - (a^2*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2))/3 + (a + b/x)^(5/2) * ((2*a*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2))/5 - (6*d*(a*d - b*c)^2)/(5*b^2) + (2*a^2*d^3)/(5*b^2)) - (2*d^3*(a + b/x)^(9/2))/(9*b^2) + a^2*c^3*x*(a + b/x)^(1/2) - a^(3/2)*c^2*atan((a + b/x)^(1/2)*i)/a^(1/2))* (6*a*d + 5*b*c)*i

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b/x)^(5/2)*(c + d/x)^3,x)
```

```
[Out] (a + b/x)^(7/2)*((6*a*d^3 - 6*b*c*d^2)/(7*b^2) - (4*a*d^3)/(7*b^2)) - (a + b/x)^(1/2)*(a^2*(2*a*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2) - (6*d*(a*d - b*c)^2)/b^2 + (2*a^2*d^3)/b^2) - 2*a*((2*(a*d - b*c)^3)/b^2 + 2*a*(2*a*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2) - (6*d*(a*d - b*c)^2)/b^2 + (2*a^2*d^3)/b^2) - a^2*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2)) + (a + b/x)^(3/2)*((2*(a*d - b*c)^3)/(3*b^2) + (2*a*(2*a*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2) - (6*d*(a*d - b*c)^2)/b^2 + (2*a^2*d^3)/b^2))/3 - (a^2*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2))/3 + (a + b/x)^(5/2)*((2*a*((6*a*d^3 - 6*b*c*d^2)/b^2 - (4*a*d^3)/b^2))/5 - (6*d*(a*d - b*c)^2)/(5*b^2) + (2*a^2*d^3)/(5*b^2)) - (2*d^3*(a + b/x)^(9/2))/(9*b^2) + a^2*c^3*x*(a + b/x)^(1/2) - a^(3/2)*c^2*atan((a + b/x)^(1/2)*i)/a^(1/2))* (6*a*d + 5*b*c)*i
```

sympy [A] time = 158.70, size = 5513, normalized size = 27.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x)**(5/2)*(c+d/x)**3,x)
```

```
[Out] 32*a**(29/2)*b**(27/2)*d**3*x**10*sqrt(a*x/b + 1)/(315*a**(21/2)*b**15*x**(21/2) + 1890*a**(19/2)*b**16*x**(19/2) + 4725*a**(17/2)*b**17*x**(17/2) + 6300*a**(15/2)*b**18*x**(15/2) + 4725*a**(13/2)*b**19*x**(13/2) + 1890*a**(11/2)*b**20*x**(11/2) + 315*a**(9/2)*b**21*x**(9/2)) + 176*a**(27/2)*b**(29/2)*d**3*x**9*sqrt(a*x/b + 1)/(315*a**(21/2)*b**15*x**(21/2) + 1890*a**(19/2)*b**16*x**(19/2) + 4725*a**(17/2)*b**17*x**(17/2) + 6300*a**(15/2)*b**18*x**(15/2) + 4725*a**(13/2)*b**19*x**(13/2) + 1890*a**(11/2)*b**20*x**(11/2) + 315*a**(9/2)*b**21*x**(9/2)) + 396*a**(25/2)*b**(31/2)*d**3*x**8*sqrt(a*x/b + 1)/(315*a**(21/2)*b**15*x**(21/2) + 1890*a**(19/2)*b**16*x**(19/2) + 4725*a**(17/2)*b**17*x**(17/2) + 6300*a**(15/2)*b**18*x**(15/2) + 4725*a**(13/2)*b**19*x**(13/2) + 1890*a**(11/2)*b**20*x**(11/2) + 315*a**(9/2)*b**21*x**(9/2)) + 462*a**(23/2)*b**(33/2)*d**3*x**7*sqrt(a*x/b + 1)/(315*a**(21/2)
```

$$\begin{aligned}
&) * b^{15} x^{(21/2)} + 1890 a^{(19/2)} b^{16} x^{(19/2)} + 4725 a^{(17/2)} b^{17} x^{(17/2)} \\
& + 6300 a^{(15/2)} b^{18} x^{(15/2)} + 4725 a^{(13/2)} b^{19} x^{(13/2)} \\
& + 1890 a^{(11/2)} b^{20} x^{(11/2)} + 315 a^{(9/2)} b^{21} x^{(9/2)} + 210 a^{(21/2)} b^{(35/2)} d^3 x^6 \sqrt{a x/b + 1} / (315 a^{(21/2)} b^{15} x^{(21/2)} + 1 \\
& 890 a^{(19/2)} b^{16} x^{(19/2)} + 4725 a^{(17/2)} b^{17} x^{(17/2)} + 6300 a^{(15/2)} b^{18} x^{(15/2)} + 4725 a^{(13/2)} b^{19} x^{(13/2)} + 1890 a^{(11/2)} b^{20} x^{(11/2)} + 315 a^{(9/2)} b^{21} x^{(9/2)}) - 32 a^{(21/2)} b^{(11/2)} d^3 x^6 \sqrt{a x/b + 1} / (105 a^{(13/2)} b^7 x^{(13/2)} + 315 a^{(11/2)} b^8 x^{(11/2)} + 315 a^{(9/2)} b^9 x^{(9/2)} + 105 a^{(7/2)} b^{10} x^{(7/2)}) - 378 a^{(19/2)} b^{(37/2)} d^3 x^5 \sqrt{a x/b + 1} / (315 a^{(21/2)} b^{15} x^{(21/2)} + 1890 a^{(19/2)} b^{16} x^{(19/2)} + 4725 a^{(17/2)} b^{17} x^{(17/2)} + 6300 a^{(15/2)} b^{18} x^{(15/2)} + 4725 a^{(13/2)} b^{19} x^{(13/2)} + 1890 a^{(11/2)} b^{20} x^{(11/2)} + 315 a^{(9/2)} b^{21} x^{(9/2)}) - 48 a^{(19/2)} b^{(13/2)} c d^2 x^6 \sqrt{a x/b + 1} / (105 a^{(13/2)} b^7 x^{(13/2)} + 315 a^{(11/2)} b^8 x^{(11/2)} + 315 a^{(9/2)} b^9 x^{(9/2)} + 105 a^{(7/2)} b^{10} x^{(7/2)}) - 80 a^{(19/2)} b^{(13/2)} d^3 x^5 \sqrt{a x/b + 1} / (105 a^{(13/2)} b^7 x^{(13/2)} + 315 a^{(11/2)} b^8 x^{(11/2)} + 315 a^{(9/2)} b^9 x^{(9/2)} + 105 a^{(7/2)} b^{10} x^{(7/2)}) - 1134 a^{(17/2)} b^{(39/2)} d^3 x^4 \sqrt{a x/b + 1} / (315 a^{(21/2)} b^{15} x^{(21/2)} + 1890 a^{(19/2)} b^{16} x^{(19/2)} + 4725 a^{(17/2)} b^{17} x^{(17/2)} + 6300 a^{(15/2)} b^{18} x^{(15/2)} + 4725 a^{(13/2)} b^{19} x^{(13/2)} + 1890 a^{(11/2)} b^{20} x^{(11/2)} + 315 a^{(9/2)} b^{21} x^{(9/2)}) - 120 a^{(17/2)} b^{(15/2)} c d^2 x^5 \sqrt{a x/b + 1} / (105 a^{(13/2)} b^7 x^{(13/2)} + 315 a^{(11/2)} b^8 x^{(11/2)} + 315 a^{(9/2)} b^9 x^{(9/2)} + 105 a^{(7/2)} b^{10} x^{(7/2)}) - 60 a^{(17/2)} b^{(15/2)} d^3 x^4 \sqrt{a x/b + 1} / (105 a^{(13/2)} b^7 x^{(13/2)} + 315 a^{(11/2)} b^8 x^{(11/2)} + 315 a^{(9/2)} b^9 x^{(9/2)} + 105 a^{(7/2)} b^{10} x^{(7/2)}) - 1494 a^{(15/2)} b^{(41/2)} d^3 x^3 \sqrt{a x/b + 1} / (315 a^{(21/2)} b^{15} x^{(21/2)} + 1890 a^{(19/2)} b^{16} x^{(19/2)} + 4725 a^{(17/2)} b^{17} x^{(17/2)} + 6300 a^{(15/2)} b^{18} x^{(15/2)} + 4725 a^{(13/2)} b^{19} x^{(13/2)} + 1890 a^{(11/2)} b^{20} x^{(11/2)} + 315 a^{(9/2)} b^{21} x^{(9/2)}) - 90 a^{(15/2)} b^{(17/2)} c d^2 x^4 \sqrt{a x/b + 1} / (105 a^{(13/2)} b^7 x^{(13/2)} + 315 a^{(11/2)} b^8 x^{(11/2)} + 315 a^{(9/2)} b^9 x^{(9/2)} + 105 a^{(7/2)} b^{10} x^{(7/2)}) - 80 a^{(15/2)} b^{(17/2)} d^3 x^3 \sqrt{a x/b + 1} / (105 a^{(13/2)} b^7 x^{(13/2)} + 315 a^{(11/2)} b^8 x^{(11/2)} + 315 a^{(9/2)} b^9 x^{(9/2)} + 105 a^{(7/2)} b^{10} x^{(7/2)}) + 4 a^{(15/2)} b^{(3/2)} d^3 x^3 \sqrt{a x/b + 1} / (15 a^{(7/2)} b^3 x^{(7/2)} + 15 a^{(5/2)} b^4 x^{(5/2)}) - 1098 a^{(13/2)} b^{(43/2)} d^3 x^2 \sqrt{a x/b + 1} / (315 a^{(21/2)} b^{15} x^{(21/2)} + 1890 a^{(19/2)} b^{16} x^{(19/2)} + 4725 a^{(17/2)} b^{17} x^{(17/2)} + 6300 a^{(15/2)} b^{18} x^{(15/2)} + 4725 a^{(13/2)} b^{19} x^{(13/2)} + 1890 a^{(11/2)} b^{20} x^{(11/2)} + 315 a^{(9/2)} b^{21} x^{(9/2)}) - 120 a^{(13/2)} b^{(19/2)} c d^2 x^3 \sqrt{a x/b + 1} / (105 a^{(13/2)} b^7 x^{(13/2)} + 315 a^{(11/2)} b^8 x^{(11/2)} + 315 a^{(9/2)} b^9 x^{(9/2)} + 105 a^{(7/2)} b^{10} x^{(7/2)}) - 200 a^{(13/2)} b^{(19/2)} d^3 x^2 \sqrt{a x/b + 1} / (105 a^{(13/2)} b^7 x^{(13/2)} + 315 a^{(11/2)} b^8 x^{(11/2)} + 315 a^{(9/2)} b^9 x^{(9/2)} + 105 a^{(7/2)} b^{10} x^{(7/2)}) + 24 a^{(13/2)} b^{(5/2)} c d^2 x^3 \sqrt{a x/b + 1} / (15 a^{(7/2)} b^3 x^{(7/2)} + 15 a^{(5/2)} b^4 x^{(5/2)})
\end{aligned}$$

$$\begin{aligned}
& \left(\frac{5}{2} \right) + 2a^{13/2}b^{5/2}d^3x^2\sqrt{ax/b + 1} / (15a^{7/2}b^3x^{7/2} + 15a^{5/2}b^4x^{5/2}) - 430a^{11/2}b^{45/2}d^3x\sqrt{ax/b + 1} / (315a^{21/2}b^{15}x^{21/2} + 1890a^{19/2}b^{16}x^{19/2}) \\
& + 4725a^{17/2}b^{17}x^{17/2} + 6300a^{15/2}b^{18}x^{15/2} + 4725a^{13/2}b^{19}x^{13/2} + 1890a^{11/2}b^{20}x^{11/2} + 315a^{9/2}b^{21}x^{9/2} \\
& - 300a^{11/2}b^{21/2}cd^2x^2\sqrt{ax/b + 1} / (105a^{13/2}b^7x^{13/2} + 315a^{11/2}b^8x^{11/2} + 315a^{9/2}b^9x^{9/2} + 105a^{7/2}b^{10}x^{7/2}) \\
& - 192a^{11/2}b^{21/2}d^3x\sqrt{ax/b + 1} / (105a^{13/2}b^7x^{13/2} + 315a^{11/2}b^8x^{11/2} + 315a^{9/2}b^9x^{9/2} + 105a^{7/2}b^{10}x^{7/2}) \\
& + 12a^{11/2}b^{7/2}c^2d^3x^3\sqrt{ax/b + 1} / (15a^{7/2}b^3x^{7/2} + 15a^{5/2}b^4x^{5/2}) + 12a^{11/2}b^{7/2}cd^2x^2\sqrt{ax/b + 1} / (15a^{7/2}b^3x^{7/2} + 15a^{5/2}b^4x^{5/2}) \\
& - 8a^{11/2}b^{7/2}d^3x\sqrt{ax/b + 1} / (15a^{7/2}b^3x^{7/2} + 15a^{5/2}b^4x^{5/2}) - 70a^{9/2}b^{47/2}d^3\sqrt{ax/b + 1} / (315a^{21/2}b^{15}x^{21/2} + 1890a^{19/2}b^{16}x^{19/2} + 4725a^{17/2}b^{17}x^{17/2} + 6300a^{15/2}b^{18}x^{15/2} + 4725a^{13/2}b^{19}x^{13/2} + 1890a^{11/2}b^{20}x^{11/2} + 315a^{9/2}b^{21}x^{9/2}) \\
& - 288a^{9/2}b^{23/2}cd^2x\sqrt{ax/b + 1} / (105a^{13/2}b^7x^{13/2} + 315a^{11/2}b^8x^{11/2} + 315a^{9/2}b^9x^{9/2} + 105a^{7/2}b^{10}x^{7/2}) - 60a^{9/2}b^{23/2}d^3\sqrt{ax/b + 1} / (105a^{13/2}b^7x^{13/2} + 315a^{11/2}b^8x^{11/2} + 315a^{9/2}b^9x^{9/2} + 105a^{7/2}b^{10}x^{7/2}) \\
& + 6a^{9/2}b^{9/2}c^2d^3x^2\sqrt{ax/b + 1} / (15a^{7/2}b^3x^{7/2} + 15a^{5/2}b^4x^{5/2}) - 48a^{9/2}b^{9/2}cd^2x\sqrt{ax/b + 1} / (15a^{7/2}b^3x^{7/2} + 15a^{5/2}b^4x^{5/2}) - 6a^{9/2}b^{9/2}d^3\sqrt{ax/b + 1} / (15a^{7/2}b^3x^{7/2} + 15a^{5/2}b^4x^{5/2}) \\
& - 90a^{7/2}b^{25/2}cd^2\sqrt{ax/b + 1} / (105a^{13/2}b^7x^{13/2} + 315a^{11/2}b^8x^{11/2} + 315a^{9/2}b^9x^{9/2} + 105a^{7/2}b^{10}x^{7/2}) - 24a^{7/2}b^{11/2}c^2d^3x\sqrt{ax/b + 1} / (15a^{7/2}b^3x^{7/2} + 15a^{5/2}b^4x^{5/2}) \\
& - 36a^{7/2}b^{11/2}cd^2\sqrt{ax/b + 1} / (15a^{7/2}b^3x^{7/2} + 15a^{5/2}b^4x^{5/2}) - 18a^{5/2}b^{13/2}c^2d\sqrt{ax/b + 1} / (15a^{7/2}b^3x^{7/2} + 15a^{5/2}b^4x^{5/2}) + a^{3/2}b^3c^3\operatorname{asinh}\left(\frac{\sqrt{ax/b + 1}}{\sqrt{x}}\right) \\
& - 32a^{15}b^{13}d^3x^{21/2} / (315a^{21/2}b^{15}x^{21/2} + 1890a^{19/2}b^{16}x^{19/2} + 4725a^{17/2}b^{17}x^{17/2} + 6300a^{15/2}b^{18}x^{15/2} + 4725a^{13/2}b^{19}x^{13/2} + 1890a^{11/2}b^{20}x^{11/2} + 315a^{9/2}b^{21}x^{9/2}) \\
& - 192a^{14}b^{14}d^3x^{19/2} / (315a^{21/2}b^{15}x^{21/2} + 1890a^{19/2}b^{16}x^{19/2} + 4725a^{17/2}b^{17}x^{17/2} + 6300a^{15/2}b^{18}x^{15/2} + 4725a^{13/2}b^{19}x^{13/2} + 1890a^{11/2}b^{20}x^{11/2} + 315a^{9/2}b^{21}x^{9/2}) \\
& - 480a^{13}b^{15}d^3x^{17/2} / (315a^{21/2}b^{15}x^{21/2} + 1890a^{19/2}b^{16}x^{19/2} + 4725a^{17/2}b^{17}x^{17/2} + 6300a^{15/2}b^{18}x^{15/2} + 4725a^{13/2}b^{19}x^{13/2} + 1890a^{11/2}b^{20}x^{11/2} + 315a^{9/2}b^{21}x^{9/2}) \\
& - 640a^{12}b^{16}d^3x^{15/2} / (315a^{21/2}b^{15}x^{21/2} + 1890a^{19/2}b^{16}x^{19/2} + 4725a^{17/2}b^{17}x^{17/2} + 6300a^{15/2}b^{18}x^{15/2} + 4725a^{13/2}b^{19}x^{13/2} + 1890a^{11/2}b^{20}x^{11/2} + 315a^{9/2}b^{21}x^{9/2})
\end{aligned}$$

$$\begin{aligned}
& + 4725*a^{17/2}*b^{17}*x^{17/2} + 6300*a^{15/2}*b^{18}*x^{15/2} + 4725*a^{13/2}*b^{19}*x^{13/2} + 1890*a^{11/2}*b^{20}*x^{11/2} + 315*a^{9/2}*b^{21}*x^9 \\
& - 480*a^{11}*b^{17}*d^{3}*x^{13/2}/(315*a^{21/2}*b^{15}*x^{21/2}) + 1890*a^{19/2}*b^{16}*x^{19/2} + 4725*a^{17/2}*b^{17}*x^{17/2} + 6300*a^{15/2}*b^{18}*x^{15/2} \\
& + 4725*a^{13/2}*b^{19}*x^{13/2} + 1890*a^{11/2}*b^{20}*x^{11/2} + 315*a^{9/2}*b^{21}*x^9 + 32*a^{11}*b^5*d^3*x^{13/2}/(105*a^{13/2}*b^7*x^{13/2} \\
& + 315*a^{11/2}*b^8*x^{11/2} + 315*a^{9/2}*b^9*x^9 + 105*a^{7/2}*b^{10}*x^{7/2}) - 192*a^{10}*b^{18}*d^3*x^{11/2}/(315*a^{21/2}*b^{15}*x^{21/2} \\
& + 1890*a^{19/2}*b^{16}*x^{19/2} + 4725*a^{17/2}*b^{17}*x^{17/2} + 6300*a^{15/2}*b^{18}*x^{15/2} + 4725*a^{13/2}*b^{19}*x^{13/2} \\
& + 1890*a^{11/2}*b^{20}*x^{11/2} + 315*a^{9/2}*b^{21}*x^9 + 48*a^{10}*b^6*c*d^2*x^{13/2}/(105*a^{13/2}*b^7*x^{13/2} + 315*a^{11/2}*b^8*x^{11/2} \\
& + 315*a^{9/2}*b^9*x^9 + 105*a^{7/2}*b^{10}*x^{7/2}) + 96*a^{10}*b^6*d^3*x^{11/2}/(105*a^{13/2}*b^7*x^{13/2} + 315*a^{11/2}*b^8*x^{11/2} \\
& + 315*a^{9/2}*b^9*x^9 + 105*a^{7/2}*b^{10}*x^{7/2}) - 32*a^9*b^{19}*d^3*x^9/(315*a^{21/2}*b^{15}*x^{21/2}) + 1890*a^{19/2}*b^{16}*x^{19/2} \\
& + 4725*a^{17/2}*b^{17}*x^{17/2} + 6300*a^{15/2}*b^{18}*x^{15/2} + 4725*a^{13/2}*b^{19}*x^{13/2} + 1890*a^{11/2}*b^{20}*x^{11/2} \\
& + 315*a^{9/2}*b^{21}*x^9 + 144*a^9*b^7*c*d^2*x^{11/2}/(105*a^{13/2}*b^7*x^{13/2} + 315*a^{11/2}*b^8*x^{11/2} + 315*a^{9/2}*b^9*x^9 \\
& + 105*a^{7/2}*b^{10}*x^{7/2}) + 96*a^9*b^7*d^3*x^9/(105*a^{13/2}*b^7*x^{13/2} + 315*a^{11/2}*b^8*x^{11/2} + 315*a^{9/2}*b^9*x^9 \\
& + 105*a^{7/2}*b^{10}*x^{7/2}) + 144*a^8*b^8*c*d^2*x^8/(105*a^{13/2}*b^7*x^{13/2} + 315*a^{11/2}*b^8*x^{11/2} + 315*a^{9/2}*b^9*x^9 \\
& + 105*a^{7/2}*b^{10}*x^{7/2}) + 32*a^8*b^8*d^3*x^8/(105*a^{13/2}*b^7*x^{13/2} + 315*a^{11/2}*b^8*x^{11/2} + 315*a^{9/2}*b^9*x^9 \\
& + 105*a^{7/2}*b^{10}*x^{7/2}) - 4*a^8*b*d^3*x^7/(15*a^{7/2}*b^3*x^7 + 15*a^{5/2}*b^4*x^5) + 48*a^7*b^9*c*d^2*x^7/(105*a^{13/2}*b^7*x^{13/2} \\
& + 315*a^{11/2}*b^8*x^{11/2} + 315*a^{9/2}*b^9*x^9 + 105*a^{7/2}*b^{10}*x^{7/2}) - 24*a^7*b^2*c*d^2*x^7/(15*a^{7/2}*b^3*x^7 + 15*a^{5/2}*b^4*x^5) \\
& - 4*a^7*b^2*d^3*x^5/(15*a^{7/2}*b^3*x^7 + 15*a^{5/2}*b^4*x^5) + 15*a^{5/2}*b^4*x^5 - 12*a^6*b^3*c^2*d*x^7/(15*a^{7/2}*b^3*x^7 + 15*a^{5/2}*b^4*x^5) \\
& - 24*a^6*b^3*c*d^2*x^5/(15*a^{7/2}*b^3*x^7 + 15*a^{5/2}*b^4*x^5) + 15*a^{5/2}*b^4*x^5 - 12*a^5*b^4*c^2*d*x^5/(15*a^{7/2}*b^3*x^7 + 15*a^{5/2}*b^4*x^5) \\
& - 6*a^3*c^2*d*atan(sqrt(a + b/x)/sqrt(-a))/sqrt(-a) + a^2*sqrt(b)*c^3*sqrt(x)*sqrt(a*x/b + 1) - 4*a^2*b*c^3*atan(sqrt(a + b/x)/sqrt(-a))/sqrt(-a) \\
& - 6*a^2*c^2*d*sqrt(a + b/x) + 3*a^2*c*d^2*Piecewise((-sqrt(a)/x, Eq(b, 0)), (-2*(a + b/x)**(3/2)/(3*b), True)) - 4*a*b*c^3*sqrt(a + b/x) \\
& + 6*a*b*c^2*d*Piecewise((-sqrt(a)/x, Eq(b, 0)), (-2*(a + b/x)**(3/2)/(3*b), True)) + b^2*c^3*Piecewise((-sqrt(a)/x, Eq(b, 0)), (-2*(a + b/x)**(3/2)/(3*b), True))
\end{aligned}$$

$$3.142 \quad \int \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^2 dx$$

Optimal. Leaf size=152

$$a^{3/2}c(4ad+5bc) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right) + \frac{c^2x\left(a+\frac{b}{x}\right)^{7/2}}{a} - \frac{c\left(a+\frac{b}{x}\right)^{5/2}(4ad+5bc)}{5a} - \frac{1}{3}c\left(a+\frac{b}{x}\right)^{3/2}(4ad+5bc) - ac\sqrt{a+\frac{b}{x}}$$

Rubi [A] time = 0.10, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {375, 89, 80, 50, 63, 208}

$$a^{3/2}c(4ad+5bc) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right) + \frac{c^2x\left(a+\frac{b}{x}\right)^{7/2}}{a} - \frac{c\left(a+\frac{b}{x}\right)^{5/2}(4ad+5bc)}{5a} - \frac{1}{3}c\left(a+\frac{b}{x}\right)^{3/2}(4ad+5bc) - ac\sqrt{a+\frac{b}{x}}(4ad+5bc) - \frac{2d^2\left(a+\frac{b}{x}\right)^{7/2}}{7b}$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(5/2)*(c + d/x)^2,x]

[Out] -(a*c*(5*b*c + 4*a*d)*Sqrt[a + b/x]) - (c*(5*b*c + 4*a*d)*(a + b/x)^(3/2))/3 - (c*(5*b*c + 4*a*d)*(a + b/x)^(5/2))/(5*a) - (2*d^2*(a + b/x)^(7/2))/(7*b) + (c^2*(a + b/x)^(7/2)*x)/a + a^(3/2)*c*(5*b*c + 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]

Rule 50

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 80

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]
```

Rule 89

```
Int[((a_.) + (b_.)*(x_))^(2)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[((b*c - a*d)^2*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d^2*(d*e - c*f)*(n + 1)), x] - Dist[1/(d^2*(d*e - c*f)*(n + 1)), Int[(c + d*x)^(n + 1)*(e + f*x)^p*Simp[a^2*d^2*f*(n + p + 2) + b^2*c*(d*e*(n + 1) + c*f*(p + 1)) - 2*a*b*d*(d*e*(n + 1) + c*f*(p + 1)) - b^2*d*(d*e - c*f)*(n + 1)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && (LtQ[n, -1] || (EqQ[n + p + 3, 0] && NeQ[n, -1] && (SumSimplerQ[n, 1] || !SumSimplerQ[p, 1])))
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 375

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^2 dx &= -\text{Subst} \left(\int \frac{(a+bx)^{5/2} (c+dx)^2}{x^2} dx, x, \frac{1}{x} \right) \\
&= \frac{c^2 \left(a + \frac{b}{x}\right)^{7/2}}{a} - \frac{\text{Subst} \left(\int \frac{(a+bx)^{5/2} \left(\frac{1}{2}c(5bc+4ad)+ad^2x\right)}{x} dx, x, \frac{1}{x} \right)}{a} \\
&= -\frac{2d^2 \left(a + \frac{b}{x}\right)^{7/2}}{7b} + \frac{c^2 \left(a + \frac{b}{x}\right)^{7/2}}{a} - \frac{(c(5bc+4ad)) \text{Subst} \left(\int \frac{(a+bx)^{5/2}}{x} dx, x, \frac{1}{x} \right)}{2a} \\
&= -\frac{c(5bc+4ad) \left(a + \frac{b}{x}\right)^{5/2}}{5a} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{7/2}}{7b} + \frac{c^2 \left(a + \frac{b}{x}\right)^{7/2}}{a} - \frac{1}{2}(c(5bc+4ad)) \text{Subst} \left(\int \frac{(a+bx)^{5/2}}{x} dx, x, \frac{1}{x} \right) \\
&= -\frac{1}{3}c(5bc+4ad) \left(a + \frac{b}{x}\right)^{3/2} - \frac{c(5bc+4ad) \left(a + \frac{b}{x}\right)^{5/2}}{5a} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{7/2}}{7b} + \frac{c^2 \left(a + \frac{b}{x}\right)^{7/2}}{a} \\
&= -ac(5bc+4ad) \sqrt{a + \frac{b}{x}} - \frac{1}{3}c(5bc+4ad) \left(a + \frac{b}{x}\right)^{3/2} - \frac{c(5bc+4ad) \left(a + \frac{b}{x}\right)^{5/2}}{5a} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{7/2}}{7b} + \frac{c^2 \left(a + \frac{b}{x}\right)^{7/2}}{a} \\
&= -ac(5bc+4ad) \sqrt{a + \frac{b}{x}} - \frac{1}{3}c(5bc+4ad) \left(a + \frac{b}{x}\right)^{3/2} - \frac{c(5bc+4ad) \left(a + \frac{b}{x}\right)^{5/2}}{5a} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{7/2}}{7b} + \frac{c^2 \left(a + \frac{b}{x}\right)^{7/2}}{a} \\
&= -ac(5bc+4ad) \sqrt{a + \frac{b}{x}} - \frac{1}{3}c(5bc+4ad) \left(a + \frac{b}{x}\right)^{3/2} - \frac{c(5bc+4ad) \left(a + \frac{b}{x}\right)^{5/2}}{5a} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{7/2}}{7b} + \frac{c^2 \left(a + \frac{b}{x}\right)^{7/2}}{a}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 121, normalized size = 0.80

$$\frac{c(4ad+5bc) \left(\sqrt{a + \frac{b}{x}} (23a^2x^2 + 11abx + 3b^2) - 15a^{5/2}x^2 \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right) \right)}{15ax^2} + \frac{c^2x \left(a + \frac{b}{x}\right)^{7/2}}{a} - \frac{2d^2 \left(a + \frac{b}{x}\right)^{7/2}}{7b}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x)^(5/2)*(c + d/x)^2,x]

[Out] (-2*d^2*(a + b/x)^(7/2))/(7*b) + (c^2*(a + b/x)^(7/2)*x)/a - (c*(5*b*c + 4*a*d)*(Sqrt[a + b/x]*(3*b^2 + 11*a*b*x + 23*a^2*x^2) - 15*a^(5/2)*x^2*ArcTan[h[Sqrt[a + b/x]/Sqrt[a]]]))/(15*a*x^2)

IntegrateAlgebraic [A] time = 0.26, size = 173, normalized size = 1.14

$$(5a^{3/2}bc^2 + 4a^{5/2}cd) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right) + \frac{\sqrt{\frac{ax+b}{x}}(-30a^3d^2x^3 + 105a^2bc^2x^4 - 644abcdx^3 - 90a^2bd^2x^2 - 490ab^2c^2x^3 - 308ab^2cdx^2 - 90ab^2d^2x - 70b^3c^2x^2 - 84b^3cdx - 30b^3d^2)}{105bx^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b/x)^(5/2)*(c + d/x)^2,x]

[Out] (Sqrt[(b + a*x)/x]*(-30*b^3*d^2 - 84*b^3*c*d*x - 90*a*b^2*d^2*x - 70*b^3*c^2*x^2 - 308*a*b^2*c*d*x^2 - 90*a^2*b*d^2*x^2 - 490*a*b^2*c^2*x^3 - 644*a^2*b*c*d*x^3 - 30*a^3*d^2*x^3 + 105*a^2*b*c^2*x^4))/(105*b*x^3) + (5*a^(3/2)*b*c^2 + 4*a^(5/2)*c*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]]

fricas [A] time = 0.82, size = 350, normalized size = 2.30

$$\frac{105(5ab^2d^2 + 4a^2bcd)\sqrt{a}\log(2ax + 2\sqrt{a}\sqrt{\frac{ax+b}{x}}) + 2(105a^2bc^2d - 30b^3d^2 - 2(245ab^2d + 322a^2bd + 15a^2d^2))x^3 - 2(35b^3c^2 + 154a^2bd + 45a^2d^2)x^2 - 6(14b^3cd + 15a^2bd^2)\sqrt{\frac{ax+b}{x}}}{210bx^3} - \frac{105(5ab^2d^2 + 4a^2bcd)\sqrt{-a}\arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right) - (105a^2bc^2d - 30b^3d^2 - 2(245ab^2d + 322a^2bd + 15a^2d^2))x^3 - 2(35b^3c^2 + 154a^2bd + 45a^2d^2)x^2 - 6(14b^3cd + 15a^2bd^2)\sqrt{\frac{ax+b}{x}}}{105bx^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(5/2)*(c+d/x)^2,x, algorithm="fricas")

[Out] [1/210*(105*(5*a*b^2*c^2 + 4*a^2*b*c*d)*sqrt(a)*x^3*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*(105*a^2*b*c^2*x^4 - 30*b^3*d^2 - 2*(245*a*b^2*c^2 + 322*a^2*b*c*d + 15*a^3*d^2))*x^3 - 2*(35*b^3*c^2 + 154*a*b^2*c*d + 45*a^2*b*d^2))*x^2 - 6*(14*b^3*c*d + 15*a*b^2*d^2)*x)*sqrt((a*x + b)/x))/(b*x^3), -1/105*(105*(5*a*b^2*c^2 + 4*a^2*b*c*d)*sqrt(-a)*x^3*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) - (105*a^2*b*c^2*x^4 - 30*b^3*d^2 - 2*(245*a*b^2*c^2 + 322*a^2*b*c*d + 15*a^3*d^2))*x^3 - 2*(35*b^3*c^2 + 154*a*b^2*c*d + 45*a^2*b*d^2))*x^2 - 6*(14*b^3*c*d + 15*a*b^2*d^2)*x)*sqrt((a*x + b)/x))/(b*x^3)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(5/2)*(c+d/x)^2,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(x)]
Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%}+%%{-2,[0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%}+%%{2,[1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at parameters values [86,-97,-82]Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%}+%%{-2,[0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%}

Warning, choosing root of $[1, 0, 0]$ at parameters values $[18.6420984049, -49, -86]$ Warning, choosing root of $[1, 0, 0]$ at parameters values $[78.6493344628, 22, 42]$ Warning, choosing root of $[1, 0, 1]$ at parameters values $[-13, 74.7709350525, 24]$ Sign error $(-b, 0) + 2\sqrt{a}\sqrt{b}$ $(1/2) + (-2a, 1) + \sqrt{a}\sqrt{b}/b, 3/2) - a^2\sqrt{a}\sqrt{b}/(4b^2), 5/2)$ Evaluation time: 0.81 Limit: Max order reached or unable to make series expansion Error: Bad Argument Value

maple [B] time = 0.06, size = 336, normalized size = 2.21

$$\frac{\sqrt{a^2} \left(-420b^3 \ln \left(\frac{2a^2 + \sqrt{a^2 + b^2}}{2a} \right) - 525a^2 b^2 \ln \left(\frac{2a^2 + \sqrt{a^2 + b^2}}{2a} \right) - 840\sqrt{a^2 + b^2} a^2 - 1050\sqrt{a^2 + b^2} a^2 + 840(a^2 + b^2)^{3/2} a^2 + 840(a^2 + b^2)^{3/2} a^2 b^2 + 60(a^2 + b^2)^{3/2} a^2 b^2 + 448(a^2 + b^2)^{3/2} a^2 b^2 + 140(a^2 + b^2)^{3/2} \sqrt{a^2 + b^2} + 120(a^2 + b^2)^{3/2} \sqrt{a^2 + b^2} + 168(a^2 + b^2)^{3/2} \sqrt{a^2 + b^2} + 60(a^2 + b^2)^{3/2} \sqrt{a^2 + b^2} \right)}{210\sqrt{a^2 + b^2} \sqrt{a^2 + b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b/x)^{(5/2)}*(c+d/x)^2, x)$

[Out] $-1/210*((a*x+b)/x)^{(1/2)}/x^4/b*(-840*(a*x^2+b*x)^{(1/2)}*a^{(7/2)}*x^5*c*d-1050*(a*x^2+b*x)^{(1/2)}*a^{(5/2)}*x^5*b*c^2-420*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^{(1/2)})*a^{(1/2)})/a^{(1/2)}*x^5*a^3*b*c*d-525*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^{(1/2)})*a^{(1/2)})/a^{(1/2)}*x^5*a^2*b^2*c^2+840*(a*x^2+b*x)^{(3/2)}*a^{(5/2)}*x^3*c*d+840*(a*x^2+b*x)^{(3/2)}*a^{(3/2)}*x^3*b*c^2+60*(a*x^2+b*x)^{(3/2)}*a^{(5/2)}*x^2*d^2+448*(a*x^2+b*x)^{(3/2)}*a^{(3/2)}*x^2*b*c*d+140*(a*x^2+b*x)^{(3/2)}*a^{(1/2)}*x^2*b^2*c^2+120*(a*x^2+b*x)^{(3/2)}*a^{(3/2)}*x*b*d^2+168*(a*x^2+b*x)^{(3/2)}*a^{(1/2)}*x*b^2*c*d+60*(a*x^2+b*x)^{(3/2)}*a^{(1/2)}*b^2*d^2)/((a*x+b)*x)^{(1/2)}/a^{(1/2)}$

maxima [A] time = 1.25, size = 181, normalized size = 1.19

$$-\frac{2\left(a + \frac{b}{x}\right)^{\frac{7}{2}} d^2}{7b} + \frac{1}{6} \left(6\sqrt{a + \frac{b}{x}} a^2 x - 15a^2 b \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right) - 4\left(a + \frac{b}{x}\right)^{\frac{3}{2}} b - 24\sqrt{a + \frac{b}{x}} c^2 - \frac{2}{15} \left(15a^5 \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right) + 6\left(a + \frac{b}{x}\right)^{\frac{5}{2}} + 10\left(a + \frac{b}{x}\right)^{\frac{3}{2}} a + 30\sqrt{a + \frac{b}{x}} a^2 \right) cd \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b/x)^{(5/2)}*(c+d/x)^2, x, \text{algorithm}="maxima")$

[Out] $-2/7*(a + b/x)^{(7/2)}*d^2/b + 1/6*(6*\sqrt{a + b/x}*a^2*x - 15*a^{(3/2)}*b*\log((\sqrt{a + b/x} - \sqrt{a})/(\sqrt{a + b/x} + \sqrt{a})) - 4*(a + b/x)^{(3/2)}*b - 24*\sqrt{a + b/x}*a*b)*c^2 - 2/15*(15*a^{(5/2)}*\log((\sqrt{a + b/x} - \sqrt{a})/(\sqrt{a + b/x} + \sqrt{a})) + 6*(a + b/x)^{(5/2)} + 10*(a + b/x)^{(3/2)}*a + 30*\sqrt{a + b/x}*a^2)*c*d$

mupad [B] time = 3.79, size = 271, normalized size = 1.78

$$\left(a + \frac{b}{x}\right)^{3/2} \left(\frac{2a \left(\frac{4a^2 - 4bcd}{3} - \frac{4a^2}{b} \right) - \frac{2(ad-bc)^2 + 2a^2 d^2}{3b} \right) + \frac{4ad^2 - 4bcd - 4a^2 d^2}{5b} \left(a + \frac{b}{x}\right)^{3/2} - \sqrt{a + \frac{b}{x}} \left(a^2 \left(\frac{4ad^2 - 4bcd}{b} - \frac{4ad^2}{b} \right) - 2a \left(\frac{4ad^2 - 4bcd}{b} - \frac{4a^2 d^2}{b} \right) - \frac{2(ad-bc)^2 + 2a^2 d^2}{b} \right) - \frac{2d^2 \left(a + \frac{b}{x}\right)^{7/2}}{7b} + a^2 c^2 x \sqrt{a + \frac{b}{x}} - a^{3/2} c \operatorname{atan}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right) (4ad + 5bc) 11$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b/x)^(5/2)*(c + d/x)^2,x)
```

```
[Out] (a + b/x)^(3/2)*((2*a*((4*a*d^2 - 4*b*c*d)/b - (4*a*d^2)/b))/3 - (2*(a*d - b*c)^2)/(3*b) + (2*a^2*d^2)/(3*b) + ((4*a*d^2 - 4*b*c*d)/(5*b) - (4*a*d^2)/(5*b))* (a + b/x)^(5/2) - (a + b/x)^(1/2)*(a^2*((4*a*d^2 - 4*b*c*d)/b - (4*a*d^2)/b) - 2*a*(2*a*((4*a*d^2 - 4*b*c*d)/b - (4*a*d^2)/b) - (2*(a*d - b*c)^2)/b + (2*a^2*d^2)/b) - (2*d^2*(a + b/x)^(7/2))/(7*b) + a^2*c^2*x*(a + b/x)^(1/2) - a^(3/2)*c*atan(((a + b/x)^(1/2)*i)/a^(1/2))*(4*a*d + 5*b*c)*i
```

```
sympy [A] time = 112.03, size = 1841, normalized size = 12.11
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x)**(5/2)*(c+d/x)**2,x)
```

```
[Out] -16*a**(19/2)*b**(13/2)*d**2*x**6*sqrt(a*x/b + 1)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) - 40*a**(17/2)*b**(15/2)*d**2*x**5*sqrt(a*x/b + 1)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) - 30*a**(15/2)*b**(17/2)*d**2*x**4*sqrt(a*x/b + 1)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) - 40*a**(13/2)*b**(19/2)*d**2*x**3*sqrt(a*x/b + 1)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) + 8*a**(13/2)*b**(5/2)*d**2*x**3*sqrt(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 100*a**(11/2)*b**(21/2)*d**2*x**2*sqrt(a*x/b + 1)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) + 8*a**(11/2)*b**(7/2)*c*d*x**3*sqrt(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) + 4*a**(11/2)*b**(7/2)*d**2*x**2*sqrt(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 96*a**(9/2)*b**(23/2)*d**2*x*sqrt(a*x/b + 1)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) + 4*a**(9/2)*b**(9/2)*c*d*x**2*sqrt(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 16*a**(9/2)*b**(9/2)*d**2*x*sqrt(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 30*a**(7/2)*b**(25/2)*d**2*sqrt(a*x/b + 1)/(105*a**(13/2)*b**7*x**(13/2) + 315*a**(11/2)*b**8*x**(11/2) + 315*a**(9/2)*b**9*x**(9/2) + 105*a**(7/2)*b**10*x**(7/2)) - 16*a**(7/2)*b**(11/2)*c*d*x*sqrt(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 12*a**(7/2)*b**(11/2)*d**2*sqrt(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) - 12*a**(5/2)*b**(13/2)*c*d*sqrt(a*x/b + 1)/(15*a**(7/2)*b**3*x**(7/2) + 15*a**(5/2)*b**4*x**(5/2)) + a**(3/2)*b*c**2*asinh(sqrt(a)*sqrt(x)/sqrt(b)) + 16*a**10*b**6*d**2*x**(13/2)/(105
```

$$\begin{aligned}
& a^{13/2} b^7 x^{13/2} + 315 a^{11/2} b^8 x^{11/2} + 315 a^{9/2} b^9 x^9 + 105 a^{7/2} b^{10} x^{7/2} + 48 a^9 b^7 d^2 x^{11/2} / (10 \\
& 5 a^{13/2} b^7 x^{13/2} + 315 a^{11/2} b^8 x^{11/2} + 315 a^{9/2} b^9 x^9 + 105 a^{7/2} b^{10} x^{7/2}) + 48 a^8 b^8 d^2 x^9 / (10 \\
& 5 a^{13/2} b^7 x^{13/2} + 315 a^{11/2} b^8 x^{11/2} + 315 a^{9/2} b^9 x^9 + 105 a^{7/2} b^{10} x^{7/2}) + 16 a^7 b^9 d^2 x^{7/2} / (10 \\
& 5 a^{13/2} b^7 x^{13/2} + 315 a^{11/2} b^8 x^{11/2} + 315 a^{9/2} b^9 x^9 + 105 a^{7/2} b^{10} x^{7/2}) - 8 a^7 b^2 d^2 x^{7/2} / (15 a^{7/2} \\
& b^3 x^{7/2} + 15 a^{5/2} b^4 x^{5/2}) - 8 a^6 b^3 c d x^{7/2} / (15 a^{7/2} b^3 x^{7/2} + 15 a^{5/2} b^4 x^{5/2}) - 8 a^6 b^3 d^2 x^{5/2} / (15 a^{7/2} \\
& b^3 x^{7/2} + 15 a^{5/2} b^4 x^{5/2}) - 8 a^5 b^4 c d x^{5/2} / (15 a^{7/2} b^3 x^{7/2} + 15 a^{5/2} b^4 x^{5/2}) \\
&) - 4 a^3 c d \operatorname{atan}(\sqrt{a + b/x} / \sqrt{-a}) / \sqrt{-a} + a^2 \sqrt{b} c^2 \sqrt{x} \sqrt{a x / b + 1} - 4 a^2 b c^2 \operatorname{atan}(\sqrt{a + b/x} / \sqrt{-a}) / \sqrt{-a} \\
& - 4 a^2 c d \sqrt{a + b/x} + a^2 d^2 \operatorname{Piecewise}((-\sqrt{a}/x, \operatorname{Eq}(b, 0)), (-2(a + b/x)^{3/2} / (3b), \operatorname{True})) - 4 a b c^2 \sqrt{a + b/x} + 4 a b c d \operatorname{Pi} \\
& \operatorname{cewise}((-\sqrt{a}/x, \operatorname{Eq}(b, 0)), (-2(a + b/x)^{3/2} / (3b), \operatorname{True})) + b^2 c^2 \operatorname{Piecewise}((-\sqrt{a}/x, \operatorname{Eq}(b, 0)), (-2(a + b/x)^{3/2} / (3b), \operatorname{True}))
\end{aligned}$$

$$3.143 \quad \int \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right) dx$$

Optimal. Leaf size=125

$$a^{3/2}(2ad+5bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right) - \frac{\left(a + \frac{b}{x}\right)^{5/2} (2ad + 5bc)}{5a} - \frac{1}{3} \left(a + \frac{b}{x}\right)^{3/2} (2ad+5bc) - a\sqrt{a + \frac{b}{x}} (2ad+5bc) + \frac{cx \left(a + \frac{b}{x}\right)}{a}$$

Rubi [A] time = 0.08, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {375, 78, 50, 63, 208}

$$a^{3/2}(2ad + 5bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right) - \frac{\left(a + \frac{b}{x}\right)^{5/2} (2ad + 5bc)}{5a} - \frac{1}{3} \left(a + \frac{b}{x}\right)^{3/2} (2ad + 5bc) - a\sqrt{a + \frac{b}{x}} (2ad + 5bc) + \frac{cx \left(a + \frac{b}{x}\right)^{7/2}}{a}$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(5/2)*(c + d/x),x]

[Out] -(a*(5*b*c + 2*a*d)*Sqrt[a + b/x]) - ((5*b*c + 2*a*d)*(a + b/x)^(3/2))/3 - ((5*b*c + 2*a*d)*(a + b/x)^(5/2))/(5*a) + (c*(a + b/x)^(7/2)*x)/a + a^(3/2)*(5*b*c + 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 78

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/
```

$f*(p + 1)*(c*f - d*e)), x] - \text{Dist}[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), \text{Int}[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /;$ FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 208

$\text{Int}[(a + b*x^2)^{-1}, x_Symbol] := \text{Simp}[\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]]/a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

$\text{Int}[(a + b*x^n)^{p*(c + d*x^n)^q}, x_Symbol] := -\text{Subst}[\text{Int}[(a + b/x^n)^p*(c + d/x^n)^q/x^2, x], x, 1/x] /;$ FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned} \int \left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right) dx &= -\text{Subst} \left(\int \frac{(a + bx)^{5/2}(c + dx)}{x^2} dx, x, \frac{1}{x} \right) \\ &= \frac{c \left(a + \frac{b}{x}\right)^{7/2} x}{a} - \frac{\left(\frac{5bc}{2} + ad\right) \text{Subst} \left(\int \frac{(a+bx)^{5/2}}{x} dx, x, \frac{1}{x} \right)}{a} \\ &= -\frac{(5bc + 2ad) \left(a + \frac{b}{x}\right)^{5/2}}{5a} + \frac{c \left(a + \frac{b}{x}\right)^{7/2} x}{a} - \frac{1}{2}(5bc + 2ad) \text{Subst} \left(\int \frac{(a + bx)^{3/2}}{x} dx, x, \frac{1}{x} \right) \\ &= -\frac{1}{3}(5bc + 2ad) \left(a + \frac{b}{x}\right)^{3/2} - \frac{(5bc + 2ad) \left(a + \frac{b}{x}\right)^{5/2}}{5a} + \frac{c \left(a + \frac{b}{x}\right)^{7/2} x}{a} - \frac{1}{2}(a(5bc + 2ad) \sqrt{a + \frac{b}{x}} + \frac{1}{3}(5bc + 2ad) \left(a + \frac{b}{x}\right)^{3/2} - \frac{(5bc + 2ad) \left(a + \frac{b}{x}\right)^{5/2}}{5a} + \frac{c \left(a + \frac{b}{x}\right)^{7/2} x}{a}) \\ &= -a(5bc + 2ad) \sqrt{a + \frac{b}{x}} - \frac{1}{3}(5bc + 2ad) \left(a + \frac{b}{x}\right)^{3/2} - \frac{(5bc + 2ad) \left(a + \frac{b}{x}\right)^{5/2}}{5a} + \frac{c \left(a + \frac{b}{x}\right)^{7/2} x}{a} \\ &= -a(5bc + 2ad) \sqrt{a + \frac{b}{x}} - \frac{1}{3}(5bc + 2ad) \left(a + \frac{b}{x}\right)^{3/2} - \frac{(5bc + 2ad) \left(a + \frac{b}{x}\right)^{5/2}}{5a} + \frac{c \left(a + \frac{b}{x}\right)^{7/2} x}{a} \\ &= -a(5bc + 2ad) \sqrt{a + \frac{b}{x}} - \frac{1}{3}(5bc + 2ad) \left(a + \frac{b}{x}\right)^{3/2} - \frac{(5bc + 2ad) \left(a + \frac{b}{x}\right)^{5/2}}{5a} + \frac{c \left(a + \frac{b}{x}\right)^{7/2} x}{a} \end{aligned}$$

Mathematica [A] time = 0.11, size = 94, normalized size = 0.75

$$a^{3/2}(2ad + 5bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right) + \frac{\sqrt{a + \frac{b}{x}} (a^2x^2(15cx - 46d) - 2abx(35cx + 11d) - 2b^2(5cx + 3d))}{15x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x)^(5/2)*(c + d/x), x]

[Out] (Sqrt[a + b/x]*(-2*b^2*(3*d + 5*c*x) + a^2*x^2*(-46*d + 15*c*x) - 2*a*b*x*(11*d + 35*c*x)))/(15*x^2) + a^(3/2)*(5*b*c + 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]

IntegrateAlgebraic [A] time = 0.18, size = 106, normalized size = 0.85

$$(5a^{3/2}bc + 2a^{5/2}d) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right) + \frac{\sqrt{\frac{ax+b}{x}} (15a^2cx^3 - 46a^2dx^2 - 70abcx^2 - 22abdx - 10b^2cx - 6b^2d)}{15x^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b/x)^(5/2)*(c + d/x), x]

[Out] (Sqrt[(b + a*x)/x]*(-6*b^2*d - 10*b^2*c*x - 22*a*b*d*x - 70*a*b*c*x^2 - 46*a^2*d*x^2 + 15*a^2*c*x^3))/(15*x^2) + (5*a^(3/2)*b*c + 2*a^(5/2)*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]]

fricas [A] time = 0.66, size = 222, normalized size = 1.78

$$\frac{15(5abc + 2a^2d)\sqrt{a}x^2 \log\left(2ax + 2\sqrt{a}x\sqrt{\frac{ax+b}{x}} + b\right) + 2(15a^2cx^3 - 6b^2d - 2(35abc + 23a^2d)x^2 - 2(5b^2c + 11abd)x)\sqrt{\frac{ax+b}{x}} - 15(5abc + 2a^2d)\sqrt{-a}x^2 \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right) - (15a^2cx^3 - 6b^2d - 2(35abc + 23a^2d)x^2 - 2(5b^2c + 11abd)x)\sqrt{\frac{ax+b}{x}}}{30x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(5/2)*(c+d/x), x, algorithm="fricas")

[Out] [1/30*(15*(5*a*b*c + 2*a^2*d)*sqrt(a)*x^2*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*(15*a^2*c*x^3 - 6*b^2*d - 2*(35*a*b*c + 23*a^2*d)*x^2 - 2*(5*b^2*c + 11*a*b*d)*x)*sqrt((a*x + b)/x))/x^2, -1/15*(15*(5*a*b*c + 2*a^2*d)*sqrt(-a)*x^2*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) - (15*a^2*c*x^3 - 6*b^2*d - 2*(35*a*b*c + 23*a^2*d)*x^2 - 2*(5*b^2*c + 11*a*b*d)*x)*sqrt((a*x + b)/x))/x^2]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(5/2)*(c+d/x),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,x)::OUTPUT:Warning, integration of abs or sign assumes
 constant sign by intervals (correct if the argument is real):Check [abs(x)]
 Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%}+%%{-2
 ,[0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%}+%%{2
 ,[1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at parameters values [86
 ,-97,-82]Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}+%%{-2,[1,0,0]%%
 }+%%{-2,[0,1,1]%%},0,%%{1,[2,4,0]%%}+%%{-2,[2,2,0]%%}+%%{1,[2,0,0]%%
 }+%%{2,[1,3,1]%%}+%%{-2,[1,1,1]%%}+%%{1,[0,2,2]%%}] at parameters v
 alues [7,-27,26]Warning, choosing root of [1,0,%%{-4,[1,0,0]%%}+%%{-2,[0
 ,1,1]%%},0,%%{1,[0,2,2]%%}] at parameters values [18.6420984049,-49,-86]
 Warning, choosing root of [1,0,%%{-4,[1,0,0]%%}+%%{-2,[0,1,1]%%},0,%%{1
 ,[0,2,2]%%}] at parameters values [78.6493344628,22,42]Warning, choosing
 root of [1,0,%%{-2,[1,0,1]%%}+%%{-4,[0,1,0]%%},0,%%{1,[2,0,2]%%}] at
 parameters values [-13,74.7709350525,24]Sign error (%%{-b,0%%}+%%{2*sqrt
 (a)*sqrt(b),1/2%%}+%%{-2*a,1%%}+%%{a*sqrt(a)*sqrt(b)/b,3/2%%}+%%{-a^2
 *sqrt(a)*sqrt(b)/(4*b^2),5/2%%}+%%{undef,7/2%%})Limit: Max order reached
 or unable to make series expansion Error: Bad Argument Value

maple [B] time = 0.06, size = 253, normalized size = 2.02

$$\frac{\sqrt{\frac{ax+b}{x}} \left(-30a^2bdx^4 \ln\left(\frac{2ax+b+2\sqrt{ax^2+bx}\sqrt{a}}{2\sqrt{a}}\right) - 75a^2b^2cx^4 \ln\left(\frac{2ax+b+2\sqrt{ax^2+bx}\sqrt{a}}{2\sqrt{a}}\right) - 60\sqrt{ax^2+bx}a^2dx^4 - 150\sqrt{ax^2+bx}a^2bcx^4 + 60(ax^2+bx)^{\frac{3}{2}}a^2dx^2 + 120(ax^2+bx)^{\frac{3}{2}}a^2bcx^2 + 32(ax^2+bx)^{\frac{3}{2}}a^2bdx + 20(ax^2+bx)^{\frac{3}{2}}\sqrt{a}b^2cx + 12(ax^2+bx)^{\frac{3}{2}}\sqrt{a}b^2d \right)}{30\sqrt{(ax+b)x}\sqrt{a}bx^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b/x)^(5/2)*(c+d/x),x)

[Out] $-1/30*((a*x+b)/x)^{(1/2)}/x^3/b*(-60*(a*x^2+b*x)^{(1/2)}*a^{(7/2)}*x^4*d-150*(a*x^2+b*x)^{(1/2)}*a^{(5/2)}*x^4*b*c-30*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^4*a^3*b*d-75*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^4*a^2*b^2*c+60*(a*x^2+b*x)^{(3/2)}*a^{(5/2)}*x^2*d+120*(a*x^2+b*x)^{(3/2)}*a^{(3/2)}*x^2*b*c+32*(a*x^2+b*x)^{(3/2)}*a^{(3/2)}*x*b*d+20*(a*x^2+b*x)^{(3/2)}*a^{(1/2)}*x*b^2*c+12*(a*x^2+b*x)^{(3/2)}*a^{(1/2)}*b^2*d)/((a*x+b)*x)^{(1/2)}/a^{(1/2)}$

maxima [A] time = 1.51, size = 161, normalized size = 1.29

$$\frac{1}{6} \left(6\sqrt{a+\frac{b}{x}}a^2x - 15a^{\frac{3}{2}}b \log\left(\frac{\sqrt{a+\frac{b}{x}}-\sqrt{a}}{\sqrt{a+\frac{b}{x}}+\sqrt{a}}\right) - 4\left(a+\frac{b}{x}\right)^{\frac{3}{2}}b - 24\sqrt{a+\frac{b}{x}}ab \right) c - \frac{1}{15} \left(15a^{\frac{5}{2}} \log\left(\frac{\sqrt{a+\frac{b}{x}}-\sqrt{a}}{\sqrt{a+\frac{b}{x}}+\sqrt{a}}\right) + 6\left(a+\frac{b}{x}\right)^{\frac{5}{2}} + 10\left(a+\frac{b}{x}\right)^{\frac{3}{2}}a + 30\sqrt{a+\frac{b}{x}}a^2 \right) d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(5/2)*(c+d/x),x, algorithm="maxima")

[Out] $\frac{1}{5} \cdot 6 \cdot \sqrt{a + b/x} \cdot a^{2x} - 15 \cdot a^{(3/2)} \cdot b \cdot \log\left(\frac{\sqrt{a + b/x} - \sqrt{a}}{\sqrt{a + b/x} + \sqrt{a}}\right) - 4 \cdot (a + b/x)^{(3/2)} \cdot b - 24 \cdot \sqrt{a + b/x} \cdot a \cdot b \cdot c - 1/15 \cdot (15 \cdot a^{(5/2)} \cdot \log\left(\frac{\sqrt{a + b/x} - \sqrt{a}}{\sqrt{a + b/x} + \sqrt{a}}\right) + 6 \cdot (a + b/x)^{(5/2)} + 10 \cdot (a + b/x)^{(3/2)} \cdot a + 30 \cdot \sqrt{a + b/x} \cdot a^2) \cdot d$

mupad [B] time = 3.48, size = 99, normalized size = 0.79

$$-\frac{2d\left(a + \frac{b}{x}\right)^{5/2}}{5} - 2a^2d\sqrt{a + \frac{b}{x}} - \frac{2ad\left(a + \frac{b}{x}\right)^{3/2}}{3} - \frac{2cx\left(a + \frac{b}{x}\right)^{5/2}}{3\left(\frac{ax}{b} + 1\right)^{5/2}} - a^{5/2}d \operatorname{atan}\left(\frac{\sqrt{a + \frac{b}{x}} \operatorname{li}}{\sqrt{a}}\right) 2i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b/x)^(5/2)*(c + d/x), x)`

[Out] $-(2 \cdot d \cdot (a + b/x)^{(5/2)})/5 - 2 \cdot a^2 \cdot d \cdot (a + b/x)^{(1/2)} - a^{(5/2)} \cdot d \cdot \operatorname{atan}\left(\frac{(a + b/x)^{(1/2)} \cdot \operatorname{li}}{a^{(1/2)}}\right) \cdot 2i - (2 \cdot a \cdot d \cdot (a + b/x)^{(3/2)})/3 - (2 \cdot c \cdot x \cdot (a + b/x)^{(5/2)} \cdot \operatorname{hypergeom}([-5/2, -3/2], -1/2, -(a \cdot x)/b)) / (3 \cdot ((a \cdot x)/b + 1)^{(5/2)})$

sympy [A] time = 82.77, size = 520, normalized size = 4.16

$$\frac{4a^{11/2}b^2d^2\sqrt{\frac{a}{b}+1}}{15a^7b^3x^2+15a^7b^3x^2} + \frac{2a^2b^2d^2\sqrt{\frac{a}{b}+1}}{15a^7b^3x^2+15a^7b^3x^2} + \frac{8a^2b^2d^2\sqrt{\frac{a}{b}+1}}{15a^7b^3x^2+15a^7b^3x^2} + \frac{6a^2b^2d^2\sqrt{\frac{a}{b}+1}}{15a^7b^3x^2+15a^7b^3x^2} + a^{1/2}bc \operatorname{asinh}\left(\frac{\sqrt{a}\sqrt{x}}{\sqrt{b}}\right) - \frac{4a^9b^3d^2}{15a^7b^3x^2+15a^7b^3x^2} - \frac{4a^9b^3d^2}{15a^7b^3x^2+15a^7b^3x^2} - \frac{2a^9d \operatorname{atan}\left(\frac{\sqrt{\frac{a}{b}+1}}{\sqrt{\frac{a}{b}}}\right)}{\sqrt{-a}} + a^2\sqrt{b}c\sqrt{\frac{ax}{b}+1} - \frac{4a^2bc \operatorname{atan}\left(\frac{\sqrt{\frac{a}{b}+1}}{\sqrt{\frac{a}{b}}}\right)}{\sqrt{-a}} - 2a^2d\sqrt{a + \frac{b}{x}} - 4abc\sqrt{a + \frac{b}{x}} + 2ab\left(\left(\frac{x^2}{3}\right) \text{ for } b = 0 \text{ or } \left(\frac{-x^2}{3}\right) \text{ otherwise}\right) + b^2c\left(\left(\frac{-x^2}{3}\right) \text{ for } b = 0 \text{ or } \left(\frac{x^2}{3}\right) \text{ otherwise}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b/x)**(5/2)*(c+d/x), x)`

[Out] $4 \cdot a^{(11/2)} \cdot b^{(7/2)} \cdot d \cdot x^{(3)} \cdot \sqrt{a \cdot x/b + 1} / (15 \cdot a^{(7/2)} \cdot b^{(3)} \cdot x^{(7/2)} + 15 \cdot a^{(5/2)} \cdot b^{(4)} \cdot x^{(5/2)}) + 2 \cdot a^{(9/2)} \cdot b^{(9/2)} \cdot d \cdot x^{(2)} \cdot \sqrt{a \cdot x/b + 1} / (15 \cdot a^{(7/2)} \cdot b^{(3)} \cdot x^{(7/2)} + 15 \cdot a^{(5/2)} \cdot b^{(4)} \cdot x^{(5/2)}) - 8 \cdot a^{(7/2)} \cdot b^{(11/2)} \cdot d \cdot x \cdot \sqrt{a \cdot x/b + 1} / (15 \cdot a^{(7/2)} \cdot b^{(3)} \cdot x^{(7/2)} + 15 \cdot a^{(5/2)} \cdot b^{(4)} \cdot x^{(5/2)}) - 6 \cdot a^{(5/2)} \cdot b^{(13/2)} \cdot d \cdot \sqrt{a \cdot x/b + 1} / (15 \cdot a^{(7/2)} \cdot b^{(3)} \cdot x^{(7/2)} + 15 \cdot a^{(5/2)} \cdot b^{(4)} \cdot x^{(5/2)}) + a^{(3/2)} \cdot b \cdot c \cdot \operatorname{asinh}\left(\frac{\sqrt{a} \cdot \sqrt{x}}{\sqrt{b}}\right) - 4 \cdot a^{(6)} \cdot b^{(3)} \cdot d \cdot x^{(7/2)} / (15 \cdot a^{(7/2)} \cdot b^{(3)} \cdot x^{(7/2)} + 15 \cdot a^{(5/2)} \cdot b^{(4)} \cdot x^{(5/2)}) - 4 \cdot a^{(5)} \cdot b^{(4)} \cdot d \cdot x^{(5/2)} / (15 \cdot a^{(7/2)} \cdot b^{(3)} \cdot x^{(7/2)} + 15 \cdot a^{(5/2)} \cdot b^{(4)} \cdot x^{(5/2)}) - 2 \cdot a^{(3)} \cdot d \cdot \operatorname{atan}\left(\frac{\sqrt{a + b/x}}{\sqrt{-a}}\right) / \sqrt{-a} + a^{(2)} \cdot \sqrt{b} \cdot c \cdot \sqrt{x} \cdot \sqrt{a \cdot x/b + 1} - 4 \cdot a^{(2)} \cdot b \cdot c \cdot \operatorname{atan}\left(\frac{\sqrt{a + b/x}}{\sqrt{-a}}\right) / \sqrt{-a} - 2 \cdot a^{(2)} \cdot d \cdot \sqrt{a + b/x} - 4 \cdot a \cdot b \cdot c \cdot \sqrt{a + b/x} + 2 \cdot a \cdot b \cdot d \cdot \operatorname{Piecewise}\left(\left(-\sqrt{a}/x, \operatorname{Eq}(b, 0)\right), \left(-2 \cdot (a + b/x)^{(3/2)} / (3 \cdot b), \operatorname{True}\right)\right) + b^{(2)} \cdot c \cdot \operatorname{Piecewise}\left(\left(-\sqrt{a}/x, \operatorname{Eq}(b, 0)\right), \left(-2 \cdot (a + b/x)^{(3/2)} / (3 \cdot b), \operatorname{True}\right)\right)$

$$3.144 \quad \int \left(a + \frac{b}{x}\right)^{5/2} dx$$

Optimal. Leaf size=71

$$5a^{3/2}b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right) + x\left(a + \frac{b}{x}\right)^{5/2} - \frac{5}{3}b\left(a + \frac{b}{x}\right)^{3/2} - 5ab\sqrt{a + \frac{b}{x}}$$

Rubi [A] time = 0.03, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$, Rules used = {242, 47, 50, 63, 208}

$$5a^{3/2}b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right) + x\left(a + \frac{b}{x}\right)^{5/2} - \frac{5}{3}b\left(a + \frac{b}{x}\right)^{3/2} - 5ab\sqrt{a + \frac{b}{x}}$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(5/2), x]

[Out] -5*a*b*Sqrt[a + b/x] - (5*b*(a + b/x)^(3/2))/3 + (a + b/x)^(5/2)*x + 5*a^(3/2)*b*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]

Rule 47

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) && IntLinearQ[a, b, c, d, m, n, x]

Rule 50

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 242

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Subst[Int[(a + b/x^n)^p/x^
2, x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \left(a + \frac{b}{x}\right)^{5/2} dx &= -\text{Subst}\left(\int \frac{(a + bx)^{5/2}}{x^2} dx, x, \frac{1}{x}\right) \\
&= \left(a + \frac{b}{x}\right)^{5/2} x - \frac{1}{2}(5b) \text{Subst}\left(\int \frac{(a + bx)^{3/2}}{x} dx, x, \frac{1}{x}\right) \\
&= -\frac{5}{3}b \left(a + \frac{b}{x}\right)^{3/2} + \left(a + \frac{b}{x}\right)^{5/2} x - \frac{1}{2}(5ab) \text{Subst}\left(\int \frac{\sqrt{a + bx}}{x} dx, x, \frac{1}{x}\right) \\
&= -5ab\sqrt{a + \frac{b}{x}} - \frac{5}{3}b \left(a + \frac{b}{x}\right)^{3/2} + \left(a + \frac{b}{x}\right)^{5/2} x - \frac{1}{2}(5a^2b) \text{Subst}\left(\int \frac{1}{x\sqrt{a + bx}} dx, x, \frac{1}{x}\right) \\
&= -5ab\sqrt{a + \frac{b}{x}} - \frac{5}{3}b \left(a + \frac{b}{x}\right)^{3/2} + \left(a + \frac{b}{x}\right)^{5/2} x - (5a^2) \text{Subst}\left(\int \frac{1}{\frac{-a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}}\right) \\
&= -5ab\sqrt{a + \frac{b}{x}} - \frac{5}{3}b \left(a + \frac{b}{x}\right)^{3/2} + \left(a + \frac{b}{x}\right)^{5/2} x + 5a^{3/2}b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)
\end{aligned}$$

Mathematica [A] time = 0.06, size = 64, normalized size = 0.90

$$5a^{3/2}b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right) + \frac{\sqrt{a + \frac{b}{x}} (3a^2x^2 - 14abx - 2b^2)}{3x}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b/x)^(5/2), x]
```

```
[Out] (Sqrt[a + b/x]*(-2*b^2 - 14*a*b*x + 3*a^2*x^2))/(3*x) + 5*a^(3/2)*b*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]
```

IntegrateAlgebraic [A] time = 0.00, size = 68, normalized size = 0.96

$$5a^{3/2}b \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right) + \frac{\sqrt{\frac{ax+b}{x}}(3a^2x^2 - 14abx - 2b^2)}{3x}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a + b/x)^(5/2), x]
```

```
[Out] (Sqrt[(b + a*x)/x]*(-2*b^2 - 14*a*b*x + 3*a^2*x^2))/(3*x) + 5*a^(3/2)*b*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]]
```

fricas [A] time = 0.88, size = 139, normalized size = 1.96

$$\left[\frac{15a^{\frac{3}{2}}bx \log\left(2ax + 2\sqrt{a}x\sqrt{\frac{ax+b}{x}} + b\right) + 2(3a^2x^2 - 14abx - 2b^2)\sqrt{\frac{ax+b}{x}}}{6x}, \frac{15\sqrt{-a}abx \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right) - (3a^2x^2 - 14abx - 2b^2)\sqrt{\frac{ax+b}{x}}}{3x} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x)^(5/2), x, algorithm="fricas")
```

```
[Out] [1/6*(15*a^(3/2)*b*x*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*(3*a^2*x^2 - 14*a*b*x - 2*b^2)*sqrt((a*x + b)/x))/x, -1/3*(15*sqrt(-a)*a*b*x*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) - (3*a^2*x^2 - 14*a*b*x - 2*b^2)*sqrt((a*x + b)/x))/x]
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x)^(5/2), x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes
constant sign by intervals (correct if the argument is real):Check [abs(x)]
Warning, choosing root of [1,0,%%{-2,[1,2,0]%%}] + %%{-2,[1,0,0]%%} + %%{-2
```

, [0, 1, 1]%%}, 0, %%{1, [2, 4, 0]%%}+%%{-2, [2, 2, 0]%%}+%%{1, [2, 0, 0]%%}+%%{2, [1, 3, 1]%%}+%%{-2, [1, 1, 1]%%}+%%{1, [0, 2, 2]%%}] at parameters values [86, -97, -82]Warning, choosing root of [1, 0, %%{-4, [1, 0, 0]%%}+%%{-2, [0, 1, 1]%%}, 0, %%{1, [0, 2, 2]%%}] at parameters values [82.1195442914, 26, -89]Warning, choosing root of [1, 0, %%{-4, [1, 0, 0]%%}+%%{-2, [0, 1, 1]%%}, 0, %%{1, [0, 2, 2]%%}] at parameters values [85.3561567818, -64, -30]Warning, choosing root of [1, 0, %%{-2, [1, 0, 1]%%}+%%{-4, [0, 1, 0]%%}, 0, %%{1, [2, 0, 2]%%}] at parameters values [42, 43.9628838282, -9]Sign error (%%{-b, 0%%}+%%{2*sqrt(a)*sqrt(b), 1/2%%}+%%{-2*a, 1%%}+%%{a*sqrt(a)*sqrt(b)/b, 3/2%%}+%%{-a^2*sqrt(a)*sqrt(b)/(4*b^2), 5/2%%}+%%{undef, 7/2%%})Limit: Max order reached or unable to make series expansion Error: Bad Argument Value

maple [B] time = 0.06, size = 120, normalized size = 1.69

$$\frac{\sqrt{\frac{ax+b}{x}} \left(15a^2bx^3 \ln\left(\frac{2ax+b+2\sqrt{ax^2+bx}\sqrt{a}}{2\sqrt{a}}\right) + 30\sqrt{ax^2+bx}a^{\frac{5}{2}}x^3 - 24(a^2x^2+bx)^{\frac{3}{2}}a^{\frac{3}{2}}x - 4(a^2x^2+bx)^{\frac{3}{2}}\sqrt{a}b \right)}{6\sqrt{(ax+b)x}\sqrt{a}x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b/x)^(5/2), x)

[Out] 1/6*((a*x+b)/x)^(1/2)*(30*a^(5/2)*(a*x^2+b*x)^(1/2)*x^3-24*a^(3/2)*(a*x^2+b*x)^(3/2)*x+15*ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^(1/2)*a^(1/2))/a^(1/2))*x^3*a^2*b-4*b*(a*x^2+b*x)^(3/2)*a^(1/2))/x^2/((a*x+b)*x)^(1/2)/a^(1/2)

maxima [A] time = 1.25, size = 78, normalized size = 1.10

$$\sqrt{a + \frac{b}{x}} a^2 x - \frac{5}{2} a^{\frac{3}{2}} b \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right) - \frac{2}{3} \left(a + \frac{b}{x}\right)^{\frac{3}{2}} b - 4 \sqrt{a + \frac{b}{x}} ab$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(5/2), x, algorithm="maxima")

[Out] sqrt(a + b/x)*a^2*x - 5/2*a^(3/2)*b*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a + b/x) + sqrt(a))) - 2/3*(a + b/x)^(3/2)*b - 4*sqrt(a + b/x)*a*b

mupad [B] time = 1.63, size = 34, normalized size = 0.48

$$\frac{2x \left(a + \frac{b}{x}\right)^{5/2} {}_2F_1\left(-\frac{5}{2}, -\frac{3}{2}; -\frac{1}{2}; -\frac{ax}{b}\right)}{3 \left(\frac{ax}{b} + 1\right)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b/x)^(5/2),x)`

[Out] `-(2*x*(a + b/x)^(5/2)*hypergeom([-5/2, -3/2], -1/2, -(a*x)/b))/(3*((a*x)/b + 1)^(5/2))`

sympy [A] time = 4.36, size = 99, normalized size = 1.39

$$a^{\frac{5}{2}}x\sqrt{1+\frac{b}{ax}} - \frac{14a^{\frac{3}{2}}b\sqrt{1+\frac{b}{ax}}}{3} - \frac{5a^{\frac{3}{2}}b\log\left(\frac{b}{ax}\right)}{2} + 5a^{\frac{3}{2}}b\log\left(\sqrt{1+\frac{b}{ax}}+1\right) - \frac{2\sqrt{a}b^2\sqrt{1+\frac{b}{ax}}}{3x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b/x)**(5/2),x)`

[Out] `a**(5/2)*x*sqrt(1 + b/(a*x)) - 14*a**(3/2)*b*sqrt(1 + b/(a*x))/3 - 5*a**(3/2)*b*log(b/(a*x))/2 + 5*a**(3/2)*b*log(sqrt(1 + b/(a*x)) + 1) - 2*sqrt(a)*b**2*sqrt(1 + b/(a*x))/(3*x)`

$$3.145 \quad \int \frac{\left(a + \frac{b}{x}\right)^{5/2}}{c + \frac{d}{x}} dx$$

Optimal. Leaf size=134

$$\frac{a^{3/2}(5bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{c^2} + \frac{2(bc - ad)^{5/2} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{c^2 d^{3/2}} - \frac{b\sqrt{a+\frac{b}{x}}(ad + 2bc)}{cd} + \frac{ax\left(a + \frac{b}{x}\right)^{3/2}}{c}$$

Rubi [A] time = 0.22, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {375, 98, 154, 156, 63, 208, 205}

$$\frac{a^{3/2}(5bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{c^2} + \frac{2(bc - ad)^{5/2} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{c^2 d^{3/2}} - \frac{b\sqrt{a+\frac{b}{x}}(ad + 2bc)}{cd} + \frac{ax\left(a + \frac{b}{x}\right)^{3/2}}{c}$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(5/2)/(c + d/x), x]

[Out] -((b*(2*b*c + a*d)*Sqrt[a + b/x])/(c*d)) + (a*(a + b/x)^(3/2)*x)/c + (2*(b*c - a*d)^(5/2)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/(c^2*d^(3/2)) + (a^(3/2)*(5*b*c - 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/c^2

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 98

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[((b*c - a*d)*(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] + Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 2)*(e + f*x)^p*Simp[a*d*(d*e*(n - 1) + c*f*(p + 1)) + b*c*(d*e*(m - n + 2) - c*f*(m + p + 2)) + d*(a*d*f*(n + p) + b*(d*e*(m + 1) - c*f*(m + n + p + 1)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

Rule 154

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 156

```
Int[(((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 375

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\left(a + \frac{b}{x}\right)^{5/2}}{c + \frac{d}{x}} dx &= -\text{Subst} \left(\int \frac{(a + bx)^{5/2}}{x^2(c + dx)} dx, x, \frac{1}{x} \right) \\
&= \frac{a \left(a + \frac{b}{x}\right)^{3/2}}{c} + \frac{\text{Subst} \left(\int \frac{\sqrt{a+bx} \left(-\frac{1}{2}a(5bc-2ad) - \frac{1}{2}b(2bc+ad)x\right)}{x(c+dx)} dx, x, \frac{1}{x} \right)}{c} \\
&= -\frac{b(2bc + ad)\sqrt{a + \frac{b}{x}}}{cd} + \frac{a \left(a + \frac{b}{x}\right)^{3/2}}{c} + \frac{2 \text{Subst} \left(\int \frac{-\frac{1}{4}a^2d(5bc-2ad) + \frac{1}{4}b(2b^2c^2 - 6abcd + a^2d^2)x}{x\sqrt{a+bx}(c+dx)} dx, x, \frac{1}{x} \right)}{cd} \\
&= -\frac{b(2bc + ad)\sqrt{a + \frac{b}{x}}}{cd} + \frac{a \left(a + \frac{b}{x}\right)^{3/2}}{c} - \frac{(a^2(5bc - 2ad)) \text{Subst} \left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \frac{1}{x} \right)}{2c^2} + \frac{(bc - ad)}{c^2} \\
&= -\frac{b(2bc + ad)\sqrt{a + \frac{b}{x}}}{cd} + \frac{a \left(a + \frac{b}{x}\right)^{3/2}}{c} - \frac{(a^2(5bc - 2ad)) \text{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}} \right)}{bc^2} + \frac{(bc - ad)}{c^2} \\
&= -\frac{b(2bc + ad)\sqrt{a + \frac{b}{x}}}{cd} + \frac{a \left(a + \frac{b}{x}\right)^{3/2}}{c} + \frac{2(bc - ad)^{5/2} \tan^{-1} \left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}} \right)}{c^2 d^{3/2}} + \frac{a^{3/2}(5bc - 2ad) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{c^2}
\end{aligned}$$

Mathematica [A] time = 0.27, size = 116, normalized size = 0.87

$$\frac{a^{3/2}(5bc - 2ad) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right) + \frac{c\sqrt{a + \frac{b}{x}}(a^2dx - 2b^2c)}{d} + \frac{2(bc - ad)^{5/2} \tan^{-1} \left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}} \right)}{d^{3/2}}}{c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x)^(5/2)/(c + d/x), x]

[Out] ((c*Sqrt[a + b/x]*(-2*b^2*c + a^2*d*x))/d + (2*(b*c - a*d)^(5/2)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/d^(3/2) + a^(3/2)*(5*b*c - 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/c^2

IntegrateAlgebraic [A] time = 0.30, size = 130, normalized size = 0.97

$$\frac{(5a^{3/2}bc - 2a^{5/2}d) \tanh^{-1} \left(\frac{\sqrt{ax+b}}{\sqrt{a}} \right) + \frac{\sqrt{ax+b}}{cd} (a^2dx - 2b^2c) + \frac{2(bc - ad)^{5/2} \tan^{-1} \left(\frac{\sqrt{d} \sqrt{ax+b}}{\sqrt{bc - ad}} \right)}{c^2 d^{3/2}}}{c^2}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a + b/x)^(5/2)/(c + d/x),x]
```

```
[Out] (Sqrt[(b + a*x)/x]*(-2*b^2*c + a^2*d*x))/(c*d) + (2*(b*c - a*d)^(5/2)*ArcTan[(Sqrt[d]*Sqrt[(b + a*x)/x])/Sqrt[b*c - a*d]]/(c^2*d^(3/2)) + ((5*a^(3/2)*b*c - 2*a^(5/2)*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/c^2
```

fricas [A] time = 1.15, size = 659, normalized size = 4.92

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x)^(5/2)/(c+d/x),x, algorithm="fricas")
```

```
[Out] [-1/2*((5*a*b*c*d - 2*a^2*d^2)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) - 2*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*sqrt(-(b*c - a*d)/d)*log((2*d*x*sqrt(-(b*c - a*d)/d)*sqrt((a*x + b)/x) + b*d - (b*c - 2*a*d)*x)/(c*x + d)) - 2*(a^2*c*d*x - 2*b^2*c^2)*sqrt((a*x + b)/x)/(c^2*d), -((5*a*b*c*d - 2*a^2*d^2)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) - (b^2*c^2 - 2*a*b*c*d + a^2*d^2)*sqrt(-(b*c - a*d)/d)*log((2*d*x*sqrt(-(b*c - a*d)/d)*sqrt((a*x + b)/x) + b*d - (b*c - 2*a*d)*x)/(c*x + d) - (a^2*c*d*x - 2*b^2*c^2)*sqrt((a*x + b)/x)/(c^2*d), -1/2*(4*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*sqrt((b*c - a*d)/d)*arctan(-d*sqrt((b*c - a*d)/d)*sqrt((a*x + b)/x)/(b*c - a*d)) + (5*a*b*c*d - 2*a^2*d^2)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) - 2*(a^2*c*d*x - 2*b^2*c^2)*sqrt((a*x + b)/x)/(c^2*d), -(2*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*sqrt((b*c - a*d)/d)*arctan(-d*sqrt((b*c - a*d)/d)*sqrt((a*x + b)/x)/(b*c - a*d)) + (5*a*b*c*d - 2*a^2*d^2)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) - (a^2*c*d*x - 2*b^2*c^2)*sqrt((a*x + b)/x)/(c^2*d)]
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x)^(5/2)/(c+d/x),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(x)] Error: Bad Argument Type
```

maple [B] time = 0.06, size = 859, normalized size = 6.41

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b/x)^(5/2)/(c+d/x),x)`

[Out]
$$-1/2*((a*x+b)/x)^{(1/2)}/x*(2*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^2*a^3*c*d^3-5*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^2*a^2*b*c^2*d^2+4*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^2*a^2*b^3*c^4-8*((a*d-b*c)/c^2*d)^{(1/2)}*(a*x^2+b*x)^{(1/2)}*a^{(3/2)}*x^2*b*c^3*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*(a*x^2+b*x)^{(1/2)}*a^{(1/2)}*x^2*b^2*c^4-4*((a*d-b*c)/c^2*d)^{(1/2)}*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)}*x^2*a*b^2*c^3*d+((a*d-b*c)/c^2*d)^{(1/2)}*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)}*x^2*b^3*c^4-2*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(5/2)}*((a*x+b)*x)^{(1/2)}*x^2*c^2*d^2+4*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(3/2)}*((a*x+b)*x)^{(1/2)}*x^2*b*c^3*d-2*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(1/2)}*((a*x+b)*x)^{(1/2)}*x^2*b^2*c^4+2*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))*a^{(7/2)}*x^2*d^4-6*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))*a^{(5/2)}*x^2*b*c*d^3+6*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))*a^{(3/2)}*x^2*b^2*c^2*d^2-2*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))*a^{(1/2)}*x^2*b^3*c^3*d+4*((a*d-b*c)/c^2*d)^{(1/2)}*(a*x^2+b*x)^{(3/2)}*a^{(1/2)}*b*c^3*d)/((a*x+b)*x)^{(1/2)}/d^2/c^3/a^{(1/2)}/((a*d-b*c)/c^2*d)^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(a + \frac{b}{x}\right)^{\frac{5}{2}}}{c + \frac{d}{x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b/x)^(5/2)/(c+d/x),x, algorithm="maxima")`

[Out] `integrate((a + b/x)^(5/2)/(c + d/x), x)`

mupad [B] time = 2.16, size = 1427, normalized size = 10.65

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b/x)^(5/2)/(c + d/x),x)`

[Out]
$$(\operatorname{atan}((a^3*b^5*(a + b/x)^{(1/2)}*(a^5*d^8 - b^5*c^5*d^3 + 5*a*b^4*c^4*d^4 - 10*a^2*b^3*c^3*d^5 + 10*a^3*b^2*c^2*d^6 - 5*a^4*b*c*d^7)^{(1/2)}*160i)/(448*a^$$

$$\begin{aligned}
& 3*b^8*c^3*d - 340*a^6*b^5*d^4 - 128*a^2*b^9*c^4 + 740*a^5*b^6*c*d^3 + (16*a \\
& *b^{10}*c^5)/d - 796*a^4*b^7*c^2*d^2 + (60*a^7*b^4*d^5)/c) - (a^2*b^6*(a + b/ \\
& x)^{(1/2)}*(a^5*d^8 - b^5*c^5*d^3 + 5*a*b^4*c^4*d^4 - 10*a^2*b^3*c^3*d^5 + 10 \\
& *a^3*b^2*c^2*d^6 - 5*a^4*b*c*d^7)^{(1/2)}*80i)/(16*a*b^{10}*c^4 + 740*a^5*b^6*d \\
& ^4 - 128*a^2*b^9*c^3*d - 796*a^4*b^7*c*d^3 + 448*a^3*b^8*c^2*d^2 - (340*a^6 \\
& *b^5*d^5)/c + (60*a^7*b^4*d^6)/c^2) - (a^4*b^4*(a + b/x)^{(1/2)}*(a^5*d^8 - b \\
& ^5*c^5*d^3 + 5*a*b^4*c^4*d^4 - 10*a^2*b^3*c^3*d^5 + 10*a^3*b^2*c^2*d^6 - 5* \\
& a^4*b*c*d^7)^{(1/2)}*60i)/(448*a^3*b^8*c^4 + 60*a^7*b^4*d^4 - 796*a^4*b^7*c^3 \\
& *d - 340*a^6*b^5*c*d^3 + (16*a*b^{10}*c^6)/d^2 + 740*a^5*b^6*c^2*d^2 - (128*a \\
& ^2*b^9*c^5)/d) + (a*b^7*c*(a + b/x)^{(1/2)}*(a^5*d^8 - b^5*c^5*d^3 + 5*a*b^4* \\
& c^4*d^4 - 10*a^2*b^3*c^3*d^5 + 10*a^3*b^2*c^2*d^6 - 5*a^4*b*c*d^7)^{(1/2)}*16 \\
& i)/(740*a^5*b^6*d^5 - 796*a^4*b^7*c*d^4 - 128*a^2*b^9*c^3*d^2 + 448*a^3*b^8 \\
& *c^2*d^3 - (340*a^6*b^5*d^6)/c + (60*a^7*b^4*d^7)/c^2 + 16*a*b^{10}*c^4*d))*(\\
& d^3*(a*d - b*c)^5)^{(1/2)}*2i)/(c^2*d^3) - (2*b^2*(a + b/x)^{(1/2)})/d + (atan(\\
& (b^9*c^3*(a + b/x)^{(1/2)}*(a^3)^{(1/2)}*40i)/(40*a^2*b^9*c^3 - 790*a^5*b^6*d^3 \\
& - 256*a^3*b^8*c^2*d + 696*a^4*b^7*c*d^2 + (370*a^6*b^5*d^4)/c - (60*a^7*b^ \\
& 4*d^5)/c^2) + (a*b^8*c^2*(a + b/x)^{(1/2)}*(a^3)^{(1/2)}*256i)/(256*a^3*b^8*c^2 \\
& + 790*a^5*b^6*d^2 - (40*a^2*b^9*c^3)/d - (370*a^6*b^5*d^3)/c + (60*a^7*b^4 \\
& *d^4)/c^2 - 696*a^4*b^7*c*d) + (a^3*b^6*d^2*(a + b/x)^{(1/2)}*(a^3)^{(1/2)}*790 \\
& i)/(256*a^3*b^8*c^2 + 790*a^5*b^6*d^2 - (40*a^2*b^9*c^3)/d - (370*a^6*b^5*d \\
& ^3)/c + (60*a^7*b^4*d^4)/c^2 - 696*a^4*b^7*c*d) - (a^4*b^5*d^3*(a + b/x)^{(1 \\
& /2)}*(a^3)^{(1/2)}*370i)/(256*a^3*b^8*c^3 - 370*a^6*b^5*d^3 - 696*a^4*b^7*c^2* \\
& d + 790*a^5*b^6*c*d^2 - (40*a^2*b^9*c^4)/d + (60*a^7*b^4*d^4)/c) + (a^5*b^4 \\
& *d^4*(a + b/x)^{(1/2)}*(a^3)^{(1/2)}*60i)/(256*a^3*b^8*c^4 + 60*a^7*b^4*d^4 - 6 \\
& 96*a^4*b^7*c^3*d - 370*a^6*b^5*c*d^3 + 790*a^5*b^6*c^2*d^2 - (40*a^2*b^9*c^ \\
& 5)/d) - (a^2*b^7*c*d*(a + b/x)^{(1/2)}*(a^3)^{(1/2)}*696i)/(256*a^3*b^8*c^2 + 7 \\
& 90*a^5*b^6*d^2 - (40*a^2*b^9*c^3)/d - (370*a^6*b^5*d^3)/c + (60*a^7*b^4*d^4 \\
&)/c^2 - 696*a^4*b^7*c*d))*(2*a*d - 5*b*c)*(a^3)^{(1/2)}*1i)/c^2 + (a^2*b*d*(a \\
& + b/x)^{(1/2)})/(c*(d*(a + b/x) - a*d))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)**(5/2)/(c+d/x),x)

[Out] Timed out

$$3.146 \quad \int \frac{\left(a + \frac{b}{x}\right)^{5/2}}{\left(c + \frac{d}{x}\right)^2} dx$$

Optimal. Leaf size=166

$$\frac{a^{3/2}(5bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{c^3} - \frac{(bc - ad)^{3/2}(4ad + bc) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{c^3 d^{3/2}} + \frac{\sqrt{a+\frac{b}{x}}(bc - 2ad)(bc - ad)}{c^2 d \left(c + \frac{d}{x}\right)} + \frac{ax \left(a + \frac{b}{x}\right)}{c \left(c + \frac{d}{x}\right)}$$

Rubi [A] time = 0.23, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {375, 98, 149, 156, 63, 208, 205}

$$\frac{a^{3/2}(5bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{c^3} - \frac{(bc - ad)^{3/2}(4ad + bc) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{c^3 d^{3/2}} + \frac{\sqrt{a+\frac{b}{x}}(bc - 2ad)(bc - ad)}{c^2 d \left(c + \frac{d}{x}\right)} + \frac{ax \left(a + \frac{b}{x}\right)^{3/2}}{c \left(c + \frac{d}{x}\right)}$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(5/2)/(c + d/x)^2, x]

[Out] ((b*c - 2*a*d)*(b*c - a*d)*Sqrt[a + b/x])/(c^2*d*(c + d/x)) + (a*(a + b/x)^(3/2)*x)/(c*(c + d/x)) - ((b*c - a*d)^(3/2)*(b*c + 4*a*d)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/(c^3*d^(3/2)) + (a^(3/2)*(5*b*c - 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/c^3

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 98

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[((b*c - a*d)*(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] + Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 2)*(e + f*x)^p*Simp[a*d*(d*e*(n - 1) + c*f*(p + 1)) + b*c*(d*e*(m - n + 2) - c*f*(m + p + 2)) + d*(a*d*f*(n + p) + b*(d*e*(m + 1) - c*f*(m + n + p + 1)))*x, x], x] /; FreeQ[{a,

b, c, d, e, f, p}, x] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

Rule 149

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] :> Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g - e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegerQ[m]

Rule 156

Int[(((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] :> Dist[(b*g - a*h)/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q]/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\left(a + \frac{b}{x}\right)^{5/2}}{\left(c + \frac{d}{x}\right)^2} dx &= -\text{Subst}\left(\int \frac{(a + bx)^{5/2}}{x^2(c + dx)^2} dx, x, \frac{1}{x}\right) \\
&= \frac{a\left(a + \frac{b}{x}\right)^{3/2}}{c\left(c + \frac{d}{x}\right)} + \frac{\text{Subst}\left(\int \frac{\sqrt{a+bx}\left(-\frac{1}{2}a(5bc-4ad)-\frac{1}{2}b(2bc-ad)x\right)}{x(c+dx)^2} dx, x, \frac{1}{x}\right)}{c} \\
&= \frac{(bc-2ad)(bc-ad)\sqrt{a+\frac{b}{x}}}{c^2d\left(c+\frac{d}{x}\right)} + \frac{a\left(a+\frac{b}{x}\right)^{3/2}}{c\left(c+\frac{d}{x}\right)} - \frac{\text{Subst}\left(\int \frac{\frac{1}{2}a^2d(5bc-4ad)+\frac{1}{2}b(b^2c^2+2abcd-2a^2d^2)x}{x\sqrt{a+bx}(c+dx)} dx, x, \frac{1}{x}\right)}{c^2d} \\
&= \frac{(bc-2ad)(bc-ad)\sqrt{a+\frac{b}{x}}}{c^2d\left(c+\frac{d}{x}\right)} + \frac{a\left(a+\frac{b}{x}\right)^{3/2}}{c\left(c+\frac{d}{x}\right)} - \frac{(a^2(5bc-4ad))\text{Subst}\left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \frac{1}{x}\right)}{2c^3} - \dots \\
&= \frac{(bc-2ad)(bc-ad)\sqrt{a+\frac{b}{x}}}{c^2d\left(c+\frac{d}{x}\right)} + \frac{a\left(a+\frac{b}{x}\right)^{3/2}}{c\left(c+\frac{d}{x}\right)} - \frac{(a^2(5bc-4ad))\text{Subst}\left(\int \frac{1}{\frac{-a}{b}+\frac{x^2}{b}} dx, x, \sqrt{a+\frac{b}{x}}\right)}{bc^3} \\
&= \frac{(bc-2ad)(bc-ad)\sqrt{a+\frac{b}{x}}}{c^2d\left(c+\frac{d}{x}\right)} + \frac{a\left(a+\frac{b}{x}\right)^{3/2}}{c\left(c+\frac{d}{x}\right)} - \frac{(bc-ad)^{3/2}(bc+4ad)\tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{c^3d^{3/2}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.43, size = 145, normalized size = 0.87

$$\frac{a^{3/2}(5bc-4ad)\tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right) + \frac{cx\sqrt{a+\frac{b}{x}}(a^2d(cx+2d)-2abcd+b^2c^2)}{d(cx+d)} - \frac{(bc-ad)^{3/2}(4ad+bc)\tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{d^{3/2}}}{c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x)^(5/2)/(c + d/x)^2, x]

[Out] ((c*Sqrt[a + b/x]*x*(b^2*c^2 - 2*a*b*c*d + a^2*d*(2*d + c*x)))/(d*(d + c*x)) - ((b*c - a*d)^(3/2)*(b*c + 4*a*d)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c

$c - a*d]])/d^{(3/2)} + a^{(3/2)}*(5*b*c - 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]/c^3$

IntegrateAlgebraic [A] time = 0.39, size = 166, normalized size = 1.00

$$\frac{(5a^{3/2}bc - 4a^{5/2}d) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)}{c^3} + \frac{\sqrt{\frac{ax+b}{x}} (a^2cdx^2 + 2a^2d^2x - 2abcdx + b^2c^2x)}{c^2d(cx+d)} - \frac{(4ad + bc)(bc - ad)^{3/2} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{\frac{ax+b}{x}}}{\sqrt{bc-ad}}\right)}{c^3d^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b/x)^(5/2)/(c + d/x)^2,x]

[Out] (Sqrt[(b + a*x)/x]*(b^2*c^2*x - 2*a*b*c*d*x + 2*a^2*d^2*x + a^2*c*d*x^2))/(c^2*d*(d + c*x)) - ((b*c - a*d)^(3/2)*(b*c + 4*a*d)*ArcTan[(Sqrt[d]*Sqrt[(b + a*x)/x])/Sqrt[b*c - a*d]])/(c^3*d^(3/2)) + ((5*a^(3/2)*b*c - 4*a^(5/2)*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/c^3

fricas [A] time = 1.15, size = 1001, normalized size = 6.03

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(5/2)/(c+d/x)^2,x, algorithm="fricas")

[Out] [-1/2*((5*a*b*c*d^2 - 4*a^2*d^3 + (5*a*b*c^2*d - 4*a^2*c*d^2)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + (b^2*c^2*d + 3*a*b*c*d^2 - 4*a^2*d^3 + (b^2*c^3 + 3*a*b*c^2*d - 4*a^2*c*d^2)*x)*sqrt(-(b*c - a*d)/d)*log((2*d*x*sqrt(-(b*c - a*d)/d)*sqrt((a*x + b)/x) + b*d - (b*c - 2*a*d)*x)/(c*x + d)) - 2*(a^2*c^2*d*x^2 + (b^2*c^3 - 2*a*b*c^2*d + 2*a^2*c*d^2)*x)*sqrt((a*x + b)/x)/(c^4*d*x + c^3*d^2), -1/2*(2*(5*a*b*c*d^2 - 4*a^2*d^3 + (5*a*b*c^2*d - 4*a^2*c*d^2)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (b^2*c^2*d + 3*a*b*c*d^2 - 4*a^2*d^3 + (b^2*c^3 + 3*a*b*c^2*d - 4*a^2*c*d^2)*x)*sqrt(-(b*c - a*d)/d)*log((2*d*x*sqrt(-(b*c - a*d)/d)*sqrt((a*x + b)/x) + b*d - (b*c - 2*a*d)*x)/(c*x + d)) - 2*(a^2*c^2*d*x^2 + (b^2*c^3 - 2*a*b*c^2*d + 2*a^2*c*d^2)*x)*sqrt((a*x + b)/x)/(c^4*d*x + c^3*d^2), 1/2*(2*(b^2*c^2*d + 3*a*b*c*d^2 - 4*a^2*d^3 + (b^2*c^3 + 3*a*b*c^2*d - 4*a^2*c*d^2)*x)*sqrt((b*c - a*d)/d)*arctan(-d*sqrt((b*c - a*d)/d)*sqrt((a*x + b)/x)/(b*c - a*d)) - (5*a*b*c*d^2 - 4*a^2*d^3 + (5*a*b*c^2*d - 4*a^2*c*d^2)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*(a^2*c^2*d*x^2 + (b^2*c^3 - 2*a*b*c^2*d + 2*a^2*c*d^2)*x)*sqrt((a*x + b)/x)/(c^4*d*x + c^3*d^2), ((b^2*c^2*d + 3*a*b*c*d^2 - 4*a^2*d^3 + (b^2*c^3 + 3*a*b*c^2*d - 4*a^2*c*d^2)*x)*sqrt((b*c - a*d)/d)*arctan(-d*sqrt((b*c - a*d)/d)*sqrt((a*x + b)/x)/(b*c - a*d)) - (5*a*b*c*d^2 - 4*a^2*d^3 + (5*a*b*c^2*d - 4*a^2*c*d^2)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (a^2*c^2*d*x^2 + (b^2*c^3 - 2*a*b*c^2*d + 2*a^2*c*d^2)*x)*sqrt((a*x + b)/x)/(c^4*d*x + c^3*d^2)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x)^(5/2)/(c+d/x)^2,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes
constant sign by intervals (correct if the argument is real):Check [abs(x)]
Unable to divide, perhaps due to rounding error%{[-2,0]:[1,0,%{-1,[1
]%%}]%%}, [4,6,4,0]%%}+%{8,[1]%%}, [3,5,4,1]%%}+%{[-4,0]:[1,0,
%{-1,[1]%%}]%%}, [2,5,5,1]%%}+%{[-8,[1]%%},0]:[1,0,%{-1,[1]
%}]%%}, [2,4,4,2]%%}+%{8,[1]%%}, [1,4,5,2]%%}+%{[-2,0]:[1,0,%
%{-1,[1]%%}]%%}, [0,4,6,2]%%} / %%{1,[1]%%}, [4,2,0,0]%%}+%{pol
y1[%{-4,[1]%%},0]:[1,0,%{-1,[1]%%}]%%}, [3,1,0,1]%%}+%{2,[1]%%
}, [2,1,1,1]%%}+%{4,[2]%%}, [2,0,0,2]%%}+%{poly1[%{-4,[1]%%}
,0]:[1,0,%{-1,[1]%%}]%%}, [1,0,1,2]%%}+%{1,[1]%%}, [0,0,2,2]%%} E
rror: Bad Argument Value
```

maple [B] time = 0.06, size = 1323, normalized size = 7.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b/x)^(5/2)/(c+d/x)^2,x)
```

```
[Out] -1/2*(2*a^(5/2)*((a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*x*b*c^4*d-5*a^3*1
n(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2
)*x*b*c^3*d^2-5*a^3*1n(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*
((a*d-b*c)/c^2*d)^(1/2)*b*c^2*d^3+a*1n(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1
/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*b^3*c^4*d-a*((a*d-b*c)/c^2*d)^(1/2)*1
n(1/2*(2*a*x+b+2*(a*x^2+b*x)^(1/2)*a^(1/2))/a^(1/2))*b^3*c^4*d-2*a^(3/2)*((
a*d-b*c)/c^2*d)^(1/2)*(a*x^2+b*x)^(1/2)*x*b^2*c^5+a^(3/2)*1n((-2*a*d*x+b*c*x
-b*d+2*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+d))*x*b^3*c^4*d+a
*1n(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1
/2)*x*b^3*c^5-a*((a*d-b*c)/c^2*d)^(1/2)*1n(1/2*(2*a*x+b+2*(a*x^2+b*x)^(1/2)
*a^(1/2))/a^(1/2))*x*b^3*c^5-2*a^(3/2)*((a*d-b*c)/c^2*d)^(1/2)*(a*x^2+b*x)^(
1/2)*b^2*c^4*d-2*a^(5/2)*((a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*x^2*b*c
^5-2*a^(7/2)*((a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*x*c^3*d^2-7*a^(7/2)*
1n((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+
d))*x*b*c^2*d^3+2*a^(5/2)*1n((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2)*
((a*x+b)*x)^(1/2)*c)/(c*x+d))*x*b^2*c^3*d^2+4*a^4*1n(1/2*(2*a*x+b+2*((a*x+b)
*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x*c^2*d^3+4*a^(5/2)*((
a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*b*c^3*d^2+2*a^(7/2)*((a*x+b)*x)^(1/
```


2)*((a*d-b*c)/c^2*d)^(1/2)*x^2*c^4*d+4*a^(9/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+d))*d^5-2*a^(5/2)*((a*x+b)*x)^(3/2)*((a*d-b*c)/c^2*d)^(1/2)*c^4*d+4*a^(9/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+d))*x*c*d^4-4*a^(7/2)*((a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*c^2*d^3-7*a^(7/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+d))*b*c*d^4+2*a^(5/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+d))*b^2*c^2*d^3+4*a^4*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*c*d^4+2*a^(3/2)*((a*x+b)*x)^(3/2)*((a*d-b*c)/c^2*d)^(1/2)*b*c^5+a^(3/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c)/(c*x+d))*b^3*c^3*d^2)*x*((a*x+b)/x)^(1/2)/c^4/((a*d-b*c)/c^2*d)^(1/2)/a^(3/2)/(c*x+d)/d^2/((a*x+b)*x)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(a + \frac{b}{x}\right)^{\frac{5}{2}}}{\left(c + \frac{d}{x}\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(5/2)/(c+d/x)^2,x, algorithm="maxima")

[Out] integrate((a + b/x)^(5/2)/(c + d/x)^2, x)

mupad [B] time = 2.31, size = 1153, normalized size = 6.95



Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b/x)^(5/2)/(c + d/x)^2,x)

[Out] (((a + b/x)^(1/2)*(a*b^3*c^2 + 2*a^3*b*d^2 - 3*a^2*b^2*c*d))/(c^2*d) - (b*(a + b/x)^(3/2)*(2*a^2*d^2 + b^2*c^2 - 2*a*b*c*d))/(c^2*d))/((a + b/x)*(2*a*d - b*c) - d*(a + b/x)^2 - a^2*d + a*b*c) - (atanh((10*b^9*(a + b/x)^(1/2)*(a^3)^(1/2))/(10*a^2*b^9 + (32*a^3*b^8*d)/c - (132*a^4*b^7*d^2)/c^2 + (130*a^5*b^6*d^3)/c^3 - (40*a^6*b^5*d^4)/c^4) + (32*a*b^8*(a + b/x)^(1/2)*(a^3)^(1/2))/(32*a^3*b^8 + (10*a^2*b^9*c)/d - (132*a^4*b^7*d)/c + (130*a^5*b^6*d^2)/c^2 - (40*a^6*b^5*d^3)/c^3) - (132*a^2*b^7*d*(a + b/x)^(1/2)*(a^3)^(1/2))/(32*a^3*b^8*c - 132*a^4*b^7*d + (10*a^2*b^9*c^2)/d + (130*a^5*b^6*d^2)/c - (40*a^6*b^5*d^3)/c^2) + (130*a^3*b^6*d^2*(a + b/x)^(1/2)*(a^3)^(1/2))/(32*a^3*b^8*c^2 + 130*a^5*b^6*d^2 + (10*a^2*b^9*c^3)/d - (40*a^6*b^5*d^3)/c - 132*a^4*b^7*c*d) - (40*a^4*b^5*d^3*(a + b/x)^(1/2)*(a^3)^(1/2))/(32*a^3*b^8*c^3 - 40*a^6*b^5*d^3 - 132*a^4*b^7*c^2*d + 130*a^5*b^6*c*d^2 + (10*a^2*b^9

$$\begin{aligned}
& *c^4/d)) * (4*a*d - 5*b*c) * (a^3)^{(1/2)} / c^3 + (\operatorname{atanh}((30*a^3*b^6*(a + b/x)^{(1/2)} * (a^3*d^6 - b^3*c^3*d^3 + 3*a*b^2*c^2*d^4 - 3*a^2*b*c*d^5)^{(1/2)}) / (14*a^2*b^9*c^3 + 110*a^5*b^6*d^3 - 4*a^3*b^8*c^2*d - 82*a^4*b^7*c*d^2 + (2*a*b^{10}*c^4)/d - (40*a^6*b^5*d^4)/c) + (18*a^2*b^7*(a + b/x)^{(1/2)} * (a^3*d^6 - b^3*c^3*d^3 + 3*a*b^2*c^2*d^4 - 3*a^2*b*c*d^5)^{(1/2)}) / (2*a*b^{10}*c^3 - 82*a^4*b^7*d^3 + 14*a^2*b^9*c^2*d - 4*a^3*b^8*c*d^2 + (110*a^5*b^6*d^4)/c - (40*a^6*b^5*d^5)/c^2) + (40*a^4*b^5*(a + b/x)^{(1/2)} * (a^3*d^6 - b^3*c^3*d^3 + 3*a*b^2*c^2*d^4 - 3*a^2*b*c*d^5)^{(1/2)}) / (4*a^3*b^8*c^3 + 40*a^6*b^5*d^3 + 82*a^4*b^7*c^2*d - 110*a^5*b^6*c*d^2 - (2*a*b^{10}*c^5)/d^2 - (14*a^2*b^9*c^4)/d) - (2*a*b^8*(a + b/x)^{(1/2)} * (a^3*d^6 - b^3*c^3*d^3 + 3*a*b^2*c^2*d^4 - 3*a^2*b*c*d^5)^{(1/2)}) / (4*a^3*b^8*d^3 - 14*a^2*b^9*c*d^2 + (82*a^4*b^7*d^4)/c - (110*a^5*b^6*d^5)/c^2 + (40*a^6*b^5*d^6)/c^3 - 2*a*b^{10}*c^2*d)) * (d^3*(a*d - b*c)^3)^{(1/2)} * (4*a*d + b*c)) / (c^3*d^3)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)**(5/2)/(c+d/x)**2,x)

[Out] Timed out

$$3.147 \quad \int \frac{\left(a + \frac{b}{x}\right)^{5/2}}{\left(c + \frac{d}{x}\right)^3} dx$$

Optimal. Leaf size=237

$$\frac{a^{3/2}(5bc - 6ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right) \sqrt{bc - ad} (-24a^2d^2 + 8abcd + b^2c^2) \tan^{-1}\left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right) \sqrt{a + \frac{b}{x}} (-12a^2d^2 + 7abcd + b^2c^2)}{c^4 \cdot 4c^4d^{3/2} \cdot 4c^3d \left(c + \frac{d}{x}\right)}$$

Rubi [A] time = 0.37, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {375, 98, 149, 151, 156, 63, 208, 205}

$$\frac{\sqrt{a + \frac{b}{x}} (-12a^2d^2 + 7abcd + b^2c^2)}{4c^3d \left(c + \frac{d}{x}\right)} - \frac{\sqrt{bc - ad} (-24a^2d^2 + 8abcd + b^2c^2) \tan^{-1}\left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right)}{4c^4d^{3/2}} + \frac{a^{3/2}(5bc - 6ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{c^4} + \frac{\sqrt{a + \frac{b}{x}} (bc - 3ad)(bc - ad)}{2c^2d \left(c + \frac{d}{x}\right)^2} + \frac{ax \left(a + \frac{b}{x}\right)^{3/2}}{c \left(c + \frac{d}{x}\right)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(5/2)/(c + d/x)^3, x]

[Out] ((b*c - 3*a*d)*(b*c - a*d)*Sqrt[a + b/x])/(2*c^2*d*(c + d/x)^2) - ((b^2*c^2 + 7*a*b*c*d - 12*a^2*d^2)*Sqrt[a + b/x])/(4*c^3*d*(c + d/x)) + (a*(a + b/x)^(3/2)*x)/(c*(c + d/x)^2) - (Sqrt[b*c - a*d]*(b^2*c^2 + 8*a*b*c*d - 24*a^2*d^2)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/(4*c^4*d^(3/2)) + (a^(3/2)*(5*b*c - 6*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/c^4

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 98

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[((b*c - a*d)*(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] + Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 2)*(e + f*x)^p*Simp[a*d*(d*e*(n - 1) + c*f*(p + 1)) + b*c*(d*e*(m - n + 2) - c*f*(m + p + 2)) + d*(a*d*f*(n + p) + b*(d*e*(m + 1) - c*f*(m + n + p + 1)))*x, x], x] /; FreeQ[{a,

b, c, d, e, f, p}, x] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

Rule 149

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] - Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[b*c*(f*g - e*h)*(m + 1) + (b*g - a*h)*(d*e*n + c*f*(p + 1)) + d*(b*(f*g - e*h)*(m + 1) + f*(b*g - a*h)*(n + p + 1))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, p}, x] && LtQ[m, -1] && GtQ[n, 0] && IntegerQ[m]

Rule 151

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]

Rule 156

Int[(((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a,

b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\left(a + \frac{b}{x}\right)^{5/2}}{\left(c + \frac{d}{x}\right)^3} dx &= -\text{Subst}\left(\int \frac{(a + bx)^{5/2}}{x^2(c + dx)^3} dx, x, \frac{1}{x}\right) \\
 &= \frac{a\left(a + \frac{b}{x}\right)^{3/2} x}{c\left(c + \frac{d}{x}\right)^2} + \frac{\text{Subst}\left(\int \frac{\sqrt{a+bx}\left(-\frac{1}{2}a(5bc-6ad)-\frac{1}{2}b(2bc-3ad)x\right)}{x(c+dx)^3} dx, x, \frac{1}{x}\right)}{c} \\
 &= \frac{(bc-3ad)(bc-ad)\sqrt{a+\frac{b}{x}}}{2c^2d\left(c+\frac{d}{x}\right)^2} + \frac{a\left(a+\frac{b}{x}\right)^{3/2} x}{c\left(c+\frac{d}{x}\right)^2} - \frac{\text{Subst}\left(\int \frac{a^2d(5bc-6ad)+\frac{1}{2}b(b^2c^2+6abcd-9a^2d^2)x}{x\sqrt{a+bx}(c+dx)^2} dx, x, \frac{1}{x}\right)}{2c^2d} \\
 &= \frac{(bc-3ad)(bc-ad)\sqrt{a+\frac{b}{x}}}{2c^2d\left(c+\frac{d}{x}\right)^2} - \frac{(b^2c^2+7abcd-12a^2d^2)\sqrt{a+\frac{b}{x}}}{4c^3d\left(c+\frac{d}{x}\right)} + \frac{a\left(a+\frac{b}{x}\right)^{3/2} x}{c\left(c+\frac{d}{x}\right)^2} + \frac{\text{Subst}\left(\int \frac{a^2d(5bc-6ad)+\frac{1}{2}b(b^2c^2+6abcd-9a^2d^2)x}{x\sqrt{a+bx}(c+dx)^2} dx, x, \frac{1}{x}\right)}{2c^2d} \\
 &= \frac{(bc-3ad)(bc-ad)\sqrt{a+\frac{b}{x}}}{2c^2d\left(c+\frac{d}{x}\right)^2} - \frac{(b^2c^2+7abcd-12a^2d^2)\sqrt{a+\frac{b}{x}}}{4c^3d\left(c+\frac{d}{x}\right)} + \frac{a\left(a+\frac{b}{x}\right)^{3/2} x}{c\left(c+\frac{d}{x}\right)^2} - \frac{(a^2(5bc-6ad)+\frac{1}{2}b(b^2c^2+6abcd-9a^2d^2))\sqrt{a+\frac{b}{x}}}{2c^2d\left(c+\frac{d}{x}\right)^2} \\
 &= \frac{(bc-3ad)(bc-ad)\sqrt{a+\frac{b}{x}}}{2c^2d\left(c+\frac{d}{x}\right)^2} - \frac{(b^2c^2+7abcd-12a^2d^2)\sqrt{a+\frac{b}{x}}}{4c^3d\left(c+\frac{d}{x}\right)} + \frac{a\left(a+\frac{b}{x}\right)^{3/2} x}{c\left(c+\frac{d}{x}\right)^2} - \frac{(a^2(5bc-6ad)+\frac{1}{2}b(b^2c^2+6abcd-9a^2d^2))\sqrt{a+\frac{b}{x}}}{2c^2d\left(c+\frac{d}{x}\right)^2} \\
 &= \frac{(bc-3ad)(bc-ad)\sqrt{a+\frac{b}{x}}}{2c^2d\left(c+\frac{d}{x}\right)^2} - \frac{(b^2c^2+7abcd-12a^2d^2)\sqrt{a+\frac{b}{x}}}{4c^3d\left(c+\frac{d}{x}\right)} + \frac{a\left(a+\frac{b}{x}\right)^{3/2} x}{c\left(c+\frac{d}{x}\right)^2} - \frac{\sqrt{bc-ad}}{2c^2d\left(c+\frac{d}{x}\right)^2}
 \end{aligned}$$

Mathematica [A] time = 0.85, size = 191, normalized size = 0.81

$$\frac{-4a^{3/2}(6ad - 5bc) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right) + \frac{cx\sqrt{a+\frac{b}{x}}(2a^2d(2c^2x^2+9cdx+6d^2)-abcd(11cx+7d)+b^2c^2(cx-d))}{d(cx+d)^2} - \frac{\sqrt{bc-ad}(-24a^2d^2+8abcd+b^2c^2) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{d^{3/2}}}{4c^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x)^(5/2)/(c + d/x)^3,x]

[Out] ((c*Sqrt[a + b/x]*x*(b^2*c^2*(-d + c*x) - a*b*c*d*(7*d + 11*c*x) + 2*a^2*d*(6*d^2 + 9*c*d*x + 2*c^2*x^2)))/(d*(d + c*x)^2) - (Sqrt[b*c - a*d]*(b^2*c^2 + 8*a*b*c*d - 24*a^2*d^2)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/d^(3/2) - 4*a^(3/2)*(-5*b*c + 6*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]]/(4*c^4)

IntegrateAlgebraic [A] time = 0.52, size = 240, normalized size = 1.01

$$\frac{(5a^{3/2}bc - 6a^{5/2}d) \tanh^{-1}\left(\frac{\sqrt{ax+b}}{\sqrt{a}}\right)}{c^4} + \frac{\sqrt{\frac{ax+b}{x}}(4a^2c^2dx^3 + 18a^2cd^2x^2 + 12a^2d^3x - 11abc^2dx^2 - 7abcd^2x + b^2c^3x^2 - b^2c^2dx)}{4c^3d(cx+d)^2} + \frac{(-24a^3d^3 + 32a^2bcd^2 - 7ab^2c^2d - b^3c^3) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{\frac{ax+b}{x}}}{\sqrt{bc-ad}}\right)}{4c^4d^{3/2}\sqrt{bc-ad}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b/x)^(5/2)/(c + d/x)^3,x]

[Out] (Sqrt[(b + a*x)/x]*(-(b^2*c^2*d*x) - 7*a*b*c*d^2*x + 12*a^2*d^3*x + b^2*c^3*x^2 - 11*a*b*c^2*d*x^2 + 18*a^2*c*d^2*x^2 + 4*a^2*c^2*d*x^3))/(4*c^3*d*(d + c*x)^2) + ((-(b^3*c^3) - 7*a*b^2*c^2*d + 32*a^2*b*c*d^2 - 24*a^3*d^3)*ArcTan[(Sqrt[d]*Sqrt[(b + a*x)/x])/Sqrt[b*c - a*d]])/(4*c^4*d^(3/2)*Sqrt[b*c - a*d]) + ((5*a^(3/2)*b*c - 6*a^(5/2)*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/c^4

fricas [A] time = 0.96, size = 1445, normalized size = 6.10

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(5/2)/(c+d/x)^3,x, algorithm="fricas")

[Out] [-1/8*(4*(5*a*b*c*d^3 - 6*a^2*d^4 + (5*a*b*c^3*d - 6*a^2*c^2*d^2)*x^2 + 2*(5*a*b*c^2*d^2 - 6*a^2*c*d^3)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + (b^2*c^2*d^2 + 8*a*b*c*d^3 - 24*a^2*d^4 + (b^2*c^4 + 8*a*b*c^3*d - 24*a^2*c^2*d^2)*x^2 + 2*(b^2*c^3*d + 8*a*b*c^2*d^2 - 24*a^2*c*d^3)*x)*sqrt(-(b*c - a*d)/d)*log((2*d*x*sqrt(-(b*c - a*d)/d)*sqrt((a*x + b)/x) + b*d - (b*c - 2*a*d)*x)/(c*x + d)) - 2*(4*a^2*c^3*d*x^3 + (b^2*c^4 - 11*a*b*c^3*d + 18*a^2*c^2*d^2)*x^2 - (b^2*c^3*d + 7*a*b*c^2*d^2 - 12*a^2*c*d^3)*x)*

$$\begin{aligned} & \sqrt{(ax+b)/x)/(c^6dx^2+2c^5d^2x+c^4d^3), 1/4*((b^2c^2d^2+8abc^3d-24a^2d^4+(b^2c^4+8abc^3d-24a^2c^2d^2)x^2+2*(b^2c^3d+8abc^2d^2-24a^2cd^3)x)*\sqrt{(bc-ad)/d}*\arctan(-d*\sqrt{(bc-ad)/d}*\sqrt{(ax+b)/x)/(bc-ad))-2*(5abc^3d-6a^2d^4+(5abc^3d-6a^2c^2d^2)x^2+2*(5abc^2d^2-6a^2cd^3)x)*\sqrt{a}*\log(2ax-2*\sqrt{a}x*\sqrt{(ax+b)/x}+b)+(4a^2c^3d*x^3+(b^2c^4-11abc^3d+18a^2c^2d^2)x^2-(b^2c^3d+7abc^2d^2-12a^2cd^3)x)*\sqrt{(ax+b)/x)/(c^6dx^2+2c^5d^2x+c^4d^3), -1/8*(8*(5abc^3d-6a^2d^4+(5abc^3d-6a^2c^2d^2)x^2+2*(5abc^2d^2-6a^2cd^3)x)*\sqrt{-a}*\arctan(\sqrt{-a}*\sqrt{(ax+b)/x})/a+(b^2c^2d^2+8abc^3d-24a^2d^4+(b^2c^4+8abc^3d-24a^2c^2d^2)x^2+2*(b^2c^3d+8abc^2d^2-24a^2cd^3)x)*\sqrt{-(bc-ad)/d}*\log((2d*x*\sqrt{-(bc-ad)/d}*\sqrt{(ax+b)/x}+bd-(bc-2ad)*x)/(cx+d))-2*(4a^2c^3d*x^3+(b^2c^4-11abc^3d+18a^2c^2d^2)x^2-(b^2c^3d+7abc^2d^2-12a^2cd^3)x)*\sqrt{(ax+b)/x)/(c^6dx^2+2c^5d^2x+c^4d^3), 1/4*((b^2c^2d^2+8abc^3d-24a^2d^4+(b^2c^4+8abc^3d-24a^2c^2d^2)x^2+2*(b^2c^3d+8abc^2d^2-24a^2cd^3)x)*\sqrt{(bc-ad)/d}*\arctan(-d*\sqrt{(bc-ad)/d}*\sqrt{(ax+b)/x)/(bc-ad))-4*(5abc^3d-6a^2d^4+(5abc^3d-6a^2c^2d^2)x^2+2*(5abc^2d^2-6a^2cd^3)x)*\sqrt{-a}*\arctan(\sqrt{-a}*\sqrt{(ax+b)/x})/a+(4a^2c^3d*x^3+(b^2c^4-11abc^3d+18a^2c^2d^2)x^2-(b^2c^3d+7abc^2d^2-12a^2cd^3)x)*\sqrt{(ax+b)/x)/(c^6dx^2+2c^5d^2x+c^4d^3)] \end{aligned}$$

giac [B] time = 0.49, size = 945, normalized size = 3.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(5/2)/(c+d/x)^3,x, algorithm="giac")

[Out] $\sqrt{ax^2+bx}a^2\text{sgn}(x)/c^3 - 1/2*(5a^2b*c*\text{sgn}(x) - 6a^3*d*\text{sgn}(x))*\log(\text{abs}(2*(\sqrt{a}x - \sqrt{ax^2+bx}))*\sqrt{a} + b))/(\sqrt{a}*c^4) + 1/4*(b^3*c^3*\text{sgn}(x) + 7a*b^2*c^2*d*\text{sgn}(x) - 32a^2*b*c*d^2*\text{sgn}(x) + 24a^3*d^3*\text{sgn}(x))*\arctan(-((\sqrt{a}x - \sqrt{ax^2+bx})*c + \sqrt{a}*d)/\sqrt{b*c*d - a*d^2))/(\sqrt{b*c*d - a*d^2})*c^4*d + 1/4*(\sqrt{a}*b^3*c^3*\arctan(\sqrt{a}*d/\sqrt{b*c*d - a*d^2}) + 7a^{(3/2)}*b^2*c^2*d*\arctan(\sqrt{a}*d/\sqrt{b*c*d - a*d^2}) - 32a^{(5/2)}*b*c*d^2*\arctan(\sqrt{a}*d/\sqrt{b*c*d - a*d^2}) + 24a^{(7/2)}*d^3*\arctan(\sqrt{a}*d/\sqrt{b*c*d - a*d^2}) + 10*\sqrt{b*c*d - a*d^2}*a^2*b*c*d*\log(\text{abs}(b)) - 12*\sqrt{b*c*d - a*d^2}*a^3*d^2*\log(\text{abs}(b)) - \sqrt{b*c*d - a*d^2}*a*b^2*c^2 + 11*\sqrt{b*c*d - a*d^2}*a^2*b*c*d - 10*\sqrt{b*c*d - a*d^2}*a^3*d^2)*\text{sgn}(x)/(\sqrt{b*c*d - a*d^2})*\sqrt{a}*c^4*d - 1/4*((\sqrt{a}x - \sqrt{ax^2+bx})^3*\sqrt{a}*b^3*c^4*\text{sgn}(x) - 17*(\sqrt{a}x - \sqrt{ax^2+bx})^3*a^{(3/2)}*b^2*c^3*d*\text{sgn}(x) + 40*(\sqrt{a}x - \sqrt{ax^2+bx})^3*a^{(5/2)}*b*c^2*d^2*\text{sgn}(x) - 24*(\sqrt{a}x - \sqrt{ax^2+bx})^3*a^{(7/2)}*$

$$c*d^3*\text{sgn}(x) - 5*(\text{sqrt}(a)*x - \text{sqrt}(a*x^2 + b*x))^2*a*b^3*c^3*d*\text{sgn}(x) - 3*(\text{sqrt}(a)*x - \text{sqrt}(a*x^2 + b*x))^2*a^2*b^2*c^2*d^2*\text{sgn}(x) + 48*(\text{sqrt}(a)*x - \text{sqrt}(a*x^2 + b*x))^2*a^3*b*c*d^3*\text{sgn}(x) - 40*(\text{sqrt}(a)*x - \text{sqrt}(a*x^2 + b*x))^2*a^4*d^4*\text{sgn}(x) - (\text{sqrt}(a)*x - \text{sqrt}(a*x^2 + b*x))*\text{sqrt}(a)*b^4*c^3*d*\text{sgn}(x) - 11*(\text{sqrt}(a)*x - \text{sqrt}(a*x^2 + b*x))*a^{(3/2)}*b^3*c^2*d^2*\text{sgn}(x) + 52*(\text{sqrt}(a)*x - \text{sqrt}(a*x^2 + b*x))*a^{(5/2)}*b^2*c*d^3*\text{sgn}(x) - 40*(\text{sqrt}(a)*x - \text{sqrt}(a*x^2 + b*x))*a^{(7/2)}*b*d^4*\text{sgn}(x) - a*b^4*c^2*d^2*\text{sgn}(x) + 11*a^2*b^3*c*d^3*\text{sgn}(x) - 10*a^3*b^2*d^4*\text{sgn}(x))/(((\text{sqrt}(a)*x - \text{sqrt}(a*x^2 + b*x))^2*c + 2*(\text{sqrt}(a)*x - \text{sqrt}(a*x^2 + b*x))*\text{sqrt}(a)*d + b*d)^2*\text{sqrt}(a)*c^4*d)$$

maple [B] time = 0.07, size = 1638, normalized size = 6.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b/x)^{(5/2)}/(c+d/x)^3, x)$

[Out] $-1/8*(7*a^{(5/2)}*b^2*c^4*d^2*x^2*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))+24*((a*d-b*c)/c^2*d)^{(1/2)}*a^4*c^3*d^3*x^2*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})-36*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(7/2)}*c^3*d^3*x-64*a^{(7/2)}*b*c^2*d^4*x*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))+14*a^{(5/2)}*b^2*c^3*d^3*x*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))+48*((a*d-b*c)/c^2*d)^{(1/2)}*a^4*c^2*d^4*x*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})+14*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(5/2)}*b*c^3*d^3-20*((a*d-b*c)/c^2*d)^{(1/2)}*a^3*b*c^2*d^4*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})+2*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(3/2)}*b^2*c^4*d^2-2*((a*x+b)*x)^{(3/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(3/2)}*b*c^6*x+2*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(3/2)}*b^2*c^6*x^2+a^{(3/2)}*b^3*c^5*d*x^2*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))-6*((a*x+b)*x)^{(3/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(3/2)}*b*c^5*d+12*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(7/2)}*c^5*d*x^3+2*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(5/2)}*b*c^6*x^3-12*((a*x+b)*x)^{(3/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(5/2)}*c^5*d*x-32*a^{(7/2)}*b*c^3*d^3*x^2*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))+2*a^{(3/2)}*b^3*c^4*d^2*x*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))+24*a^{(9/2)}*d^6*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))+30*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(5/2)}*b*c^4*d^2*x-40*((a*d-b*c)/c^2*d)^{(1/2)}*a^3*b*c^3*d^3*x*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})+18*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(5/2)}*b*c^5*d*x^2-20*((a*d-b*c)/c^2*d)^{(1/2)}*a^3*b*c^4*d^2*x^2*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})+4*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(3/2)}*b^2*c^5*d*x+48*a^{(9/2)}*c*d^5*x*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))-24*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*a$

$$\begin{aligned} & \left(\frac{7}{2}\right) * c^2 * d^4 - 32 * a^{\left(\frac{7}{2}\right)} * b * c * d^5 * \ln\left(\frac{-2 * a * d * x + b * c * x - b * d + 2 * \left(\frac{a * d - b * c}{c^2 * d}\right)^{\left(\frac{1}{2}\right)} * \left(\frac{a * x + b}{x}\right)^{\left(\frac{1}{2}\right)} * c}{c * x + d}\right) + 7 * a^{\left(\frac{5}{2}\right)} * b^2 * c^2 * d^4 * \ln\left(\frac{-2 * a * d * x + b * c * x - b * d + 2 * \left(\frac{a * d - b * c}{c^2 * d}\right)^{\left(\frac{1}{2}\right)} * \left(\frac{a * x + b}{x}\right)^{\left(\frac{1}{2}\right)} * c}{c * x + d}\right) + 24 * \left(\frac{a * d - b * c}{c^2 * d}\right)^{\left(\frac{1}{2}\right)} * a^4 * c * d^5 * \ln\left(\frac{1}{2} * \left(2 * a * x + b + 2 * \left(\frac{a * x + b}{x}\right)^{\left(\frac{1}{2}\right)} * a^{\left(\frac{1}{2}\right)}\right) / a^{\left(\frac{1}{2}\right)}\right) + 24 * a^{\left(\frac{9}{2}\right)} * c^2 * d^4 * x^2 * \ln\left(\frac{-2 * a * d * x + b * c * x - b * d + 2 * \left(\frac{a * d - b * c}{c^2 * d}\right)^{\left(\frac{1}{2}\right)} * \left(\frac{a * x + b}{x}\right)^{\left(\frac{1}{2}\right)} * c}{c * x + d}\right) - 8 * \left(\frac{a * x + b}{x}\right)^{\left(\frac{3}{2}\right)} * \left(\frac{a * d - b * c}{c^2 * d}\right)^{\left(\frac{1}{2}\right)} * a^{\left(\frac{5}{2}\right)} * c^4 * d^2 + a^{\left(\frac{3}{2}\right)} * b^3 * c^3 * d^3 * \ln\left(\frac{-2 * a * d * x + b * c * x - b * d + 2 * \left(\frac{a * d - b * c}{c^2 * d}\right)^{\left(\frac{1}{2}\right)} * \left(\frac{a * x + b}{x}\right)^{\left(\frac{1}{2}\right)} * c}{c * x + d}\right) * x * \left(\frac{a * x + b}{x}\right)^{\left(\frac{1}{2}\right)} / c^5 / \left(\frac{a * d - b * c}{c^2 * d}\right)^{\left(\frac{1}{2}\right)} / a^{\left(\frac{3}{2}\right)} / (c * x + d)^2 / d^2 / \left(\frac{a * x + b}{x}\right)^{\left(\frac{1}{2}\right)} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(a + \frac{b}{x}\right)^{\frac{5}{2}}}{\left(c + \frac{d}{x}\right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(5/2)/(c+d/x)^3,x, algorithm="maxima")

[Out] integrate((a + b/x)^(5/2)/(c + d/x)^3, x)

mupad [B] time = 3.44, size = 1476, normalized size = 6.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b/x)^(5/2)/(c + d/x)^3,x)

[Out] (atan((b^9*(a + b/x)^(1/2)*(a^3)^(1/2)*5i)/(8*((5*a^2*b^9)/8 + (8*a^3*b^8*d)/c - (159*a^4*b^7*d^2)/(8*c^2) + (45*a^5*b^6*d^3)/(4*c^3))) + (a*b^8*(a + b/x)^(1/2)*(a^3)^(1/2)*8i)/(8*a^3*b^8 + (5*a^2*b^9*c)/(8*d) - (159*a^4*b^7*d)/(8*c) + (45*a^5*b^6*d^2)/(4*c^2)) - (a^2*b^7*d*(a + b/x)^(1/2)*(a^3)^(1/2)*159i)/(8*(8*a^3*b^8*c - (159*a^4*b^7*d)/8 + (5*a^2*b^9*c^2)/(8*d) + (45*a^5*b^6*d^2)/(4*c))) + (a^3*b^6*d^2*(a + b/x)^(1/2)*(a^3)^(1/2)*45i)/(4*(8*a^3*b^8*c^2 + (45*a^5*b^6*d^2)/4 + (5*a^2*b^9*c^3)/(8*d) - (159*a^4*b^7*c*d)/8)) * (6*a*d - 5*b*c) * (a^3)^(1/2) * 1i) / c^4 - (((a + b/x)^(3/2) * (b^4*c^3 - 2*4*a^3*b*d^3 + 32*a^2*b^2*c*d^2 - 9*a*b^3*c^2*d)) / (4*c^3*d) - (b*(a + b/x)^(5/2) * (b^2*c^2 - 12*a^2*d^2 + 7*a*b*c*d)) / (4*c^3) + (b*(a + b/x)^(1/2) * (12*a^4*d^3 - a*b^3*c^3 + 14*a^2*b^2*c^2*d - 25*a^3*b*c*d^2)) / (4*c^3*d)) / ((a + b/x)^2 * (3*a*d^2 - 2*b*c*d) - (a + b/x) * (3*a^2*d^2 + b^2*c^2 - 4*a*b*c*d) - d^2 * (a + b/x)^3 + a^3*d^2 + a*b^2*c^2 - 2*a^2*b*c*d) + (log(- (5*a^2*b^9*c^6 + 1728*a^8*b^3*d^6 + 64*a^3*b^8*c^5*d - 4752*a^7*b^4*c*d^5 - 59*a^4*b^7*c^4*d^2 - 1450*a^5*b^6*c^3*d^3 + 4464*a^6*b^5*c^2*d^4) / (16*c^9*d) - (((a + b/x)^(1/2) * (b^8*c^6 + 1152*a^6*b^2*d^6 - 2496*a^5*b^3*c*d^5 - 15*a^2*b^6*c^4

$$\begin{aligned}
& *d^2 - 400*a^3*b^5*c^3*d^3 + 1760*a^4*b^4*c^2*d^4 + 14*a*b^7*c^5*d)) / (8*c^6 \\
& *d) - (((16*a*b^5*c^10*d^2 - 208*a^2*b^4*c^9*d^3 + 192*a^3*b^3*c^8*d^4) / (16 \\
& *c^9*d) - ((64*b^3*c^9*d^3 - 128*a*b^2*c^8*d^4) * (a + b/x)^{(1/2)} * (d^3*(a*d - \\
& b*c))^{(1/2)} * ((b^2*c^2)/8 - 3*a^2*d^2 + a*b*c*d)) / (8*c^10*d^4)) * (d^3*(a*d - \\
& b*c))^{(1/2)} * ((b^2*c^2)/8 - 3*a^2*d^2 + a*b*c*d)) / (c^4*d^3)) * (d^3*(a*d - b* \\
& c))^{(1/2)} * ((b^2*c^2)/8 - 3*a^2*d^2 + a*b*c*d)) / (c^4*d^3)) * (d^3*(a*d - b*c) \\
&)^{(1/2)} * ((b^2*c^2)/8 - 3*a^2*d^2 + a*b*c*d)) / (c^4*d^3) - (\log((((a + b/x)^{(\\
& 1/2)} * (b^8*c^6 + 1152*a^6*b^2*d^6 - 2496*a^5*b^3*c*d^5 - 15*a^2*b^6*c^4*d^2 \\
& - 400*a^3*b^5*c^3*d^3 + 1760*a^4*b^4*c^2*d^4 + 14*a*b^7*c^5*d)) / (8*c^6*d) + \\
& (((16*a*b^5*c^10*d^2 - 208*a^2*b^4*c^9*d^3 + 192*a^3*b^3*c^8*d^4) / (16*c^9* \\
& d) + ((64*b^3*c^9*d^3 - 128*a*b^2*c^8*d^4) * (a + b/x)^{(1/2)} * (d^3*(a*d - b*c) \\
&)^{(1/2)} * (b^2*c^2 - 24*a^2*d^2 + 8*a*b*c*d)) / (64*c^10*d^4)) * (d^3*(a*d - b*c) \\
&)^{(1/2)} * (b^2*c^2 - 24*a^2*d^2 + 8*a*b*c*d)) / (8*c^4*d^3)) * (d^3*(a*d - b*c))^{ \\
& (1/2)} * (b^2*c^2 - 24*a^2*d^2 + 8*a*b*c*d)) / (8*c^4*d^3) - (5*a^2*b^9*c^6 + 17 \\
& 28*a^8*b^3*d^6 + 64*a^3*b^8*c^5*d - 4752*a^7*b^4*c*d^5 - 59*a^4*b^7*c^4*d^2 \\
& - 1450*a^5*b^6*c^3*d^3 + 4464*a^6*b^5*c^2*d^4) / (16*c^9*d)) * (d^3*(a*d - b*c \\
&))^{(1/2)} * (b^2*c^2 - 24*a^2*d^2 + 8*a*b*c*d)) / (8*c^4*d^3)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)**(5/2)/(c+d/x)**3,x)

[Out] Timed out

$$3.148 \quad \int \frac{\left(c + \frac{d}{x}\right)^3}{\sqrt{a + \frac{b}{x}}} dx$$

Optimal. Leaf size=126

$$\frac{c^2(bc - 6ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{3/2}} - \frac{d\sqrt{a + \frac{b}{x}} \left(2(-2a^2d^2 + 9abcd + 3b^2c^2) + \frac{bd(2ad+3bc)}{x}\right)}{3ab^2} + \frac{cx\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2}{a}$$

Rubi [A] time = 0.09, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {375, 98, 147, 63, 208}

$$\frac{d\sqrt{a + \frac{b}{x}} \left(2(-2a^2d^2 + 9abcd + 3b^2c^2) + \frac{bd(2ad+3bc)}{x}\right)}{3ab^2} - \frac{c^2(bc - 6ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{3/2}} + \frac{cx\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2}{a}$$

Antiderivative was successfully verified.

[In] Int[(c + d/x)^3/Sqrt[a + b/x], x]

[Out] -(d*Sqrt[a + b/x]*(2*(3*b^2*c^2 + 9*a*b*c*d - 2*a^2*d^2) + (b*d*(3*b*c + 2*a*d))/x))/(3*a*b^2) + (c*Sqrt[a + b/x]*(c + d/x)^2*x)/a - (c^2*(b*c - 6*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(3/2)

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 98

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[((b*c - a*d)*(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] + Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 2)*(e + f*x)^p*Simp[a*d*(d*e*(n - 1) + c*f*(p + 1)) + b*c*(d*e*(m - n + 2) - c*f*(m + p + 2)) + d*(a*d*f*(n + p) + b*(d*e*(m + 1) - c*f*(m + n + p + 1)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

Rule 147

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))
*((g_.) + (h_.)*(x_)), x_Symbol] := -Simp[((a*d*f*h*(n + 2) + b*c*f*h*(m
+ 2) - b*d*(f*g + e*h)*(m + n + 3) - b*d*f*h*(m + n + 2)*x)*(a + b*x)^(m +
1)*(c + d*x)^(n + 1))/(b^2*d^2*(m + n + 2)*(m + n + 3)), x] + Dist[(a^2*d^2
*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m +
n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3
) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d^2*(m + n + 2)*(m + n + 3)), In
t[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n},
x] && NeQ[m + n + 2, 0] && NeQ[m + n + 3, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 375

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol
] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a,
b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\left(c + \frac{d}{x}\right)^3}{\sqrt{a + \frac{b}{x}}} dx &= -\text{Subst} \left(\int \frac{(c + dx)^3}{x^2 \sqrt{a + bx}} dx, x, \frac{1}{x} \right) \\
&= \frac{c\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2 x}{a} + \frac{\text{Subst} \left(\int \frac{(c+dx) \left(\frac{1}{2}c(bc-6ad) - \frac{1}{2}d(3bc+2ad)x\right)}{x\sqrt{a+bx}} dx, x, \frac{1}{x} \right)}{a} \\
&= -\frac{d\sqrt{a + \frac{b}{x}} \left(2(3b^2c^2 + 9abcd - 2a^2d^2) + \frac{bd(3bc+2ad)}{x}\right)}{3ab^2} + \frac{c\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2 x}{a} + \frac{(c^2(bc - 6ad))}{a^{3/2}} \\
&= -\frac{d\sqrt{a + \frac{b}{x}} \left(2(3b^2c^2 + 9abcd - 2a^2d^2) + \frac{bd(3bc+2ad)}{x}\right)}{3ab^2} + \frac{c\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2 x}{a} + \frac{(c^2(bc - 6ad))}{a^{3/2}} \\
&= -\frac{d\sqrt{a + \frac{b}{x}} \left(2(3b^2c^2 + 9abcd - 2a^2d^2) + \frac{bd(3bc+2ad)}{x}\right)}{3ab^2} + \frac{c\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2 x}{a} - \frac{c^2(bc - 6ad) \tan^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{3/2}}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 95, normalized size = 0.75

$$\frac{c^2(6ad - bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{a^{3/2}} + \frac{\sqrt{a + \frac{b}{x}} (4a^2d^3x - 2abd^2(9cx + d) + 3b^2c^3x^2)}{3ab^2x}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d/x)^3/Sqrt[a + b/x], x]

[Out] (Sqrt[a + b/x]*(4*a^2*d^3*x + 3*b^2*c^3*x^2 - 2*a*b*d^2*(d + 9*c*x)))/(3*a*b^2*x) + (c^2*(-(b*c) + 6*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(3/2)

IntegrateAlgebraic [A] time = 0.21, size = 104, normalized size = 0.83

$$\frac{(6ac^2d - bc^3) \tanh^{-1} \left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}} \right)}{a^{3/2}} + \frac{\sqrt{\frac{ax+b}{x}} (4a^2d^3x - 18abcd^2x - 2abd^3 + 3b^2c^3x^2)}{3ab^2x}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d/x)^3/Sqrt[a + b/x], x]

[Out] $(\sqrt{(b + ax)/x}) * (-2ab^2d^3 - 18a^2b^2cd^2 + 4a^3d^3 + 3b^2c^3) / (3a^2b^2x) + ((-b^2c^3 + 6a^2c^2d) * \text{ArcTanh}[\sqrt{(b + ax)/x}] / \sqrt{a}) / a^{3/2}$

fricas [A] time = 0.56, size = 233, normalized size = 1.85

$$\frac{3(b^2c^3 - 6ab^2cd^2)\sqrt{ax+b} \log\left(2ax + 2\sqrt{ax+b}\sqrt{\frac{ax+b}{x}} + b\right) - 2(3ab^2c^3x^2 - 2a^2bd^3 - 2(9a^2bcd^2 - 2a^3d^3)x)\sqrt{\frac{ax+b}{x}} - 3(b^2c^3 - 6ab^2cd^2)\sqrt{-a} \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right) + (3ab^2c^3x^2 - 2a^2bd^3 - 2(9a^2bcd^2 - 2a^3d^3)x)\sqrt{\frac{ax+b}{x}}}{6a^2b^2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^3/(a+b/x)^(1/2),x, algorithm="fricas")

[Out] $[-1/6*(3*(b^3*c^3 - 6*a*b^2*c^2*d)*\sqrt{a}*x*\log(2*a*x + 2*\sqrt{a}*x*\sqrt{(a*x + b)/x}) + b) - 2*(3*a*b^2*c^3*x^2 - 2*a^2*b*d^3 - 2*(9*a^2*b*c*d^2 - 2*a^3*d^3)*x)*\sqrt{(a*x + b)/x})/(a^2*b^2*x), 1/3*(3*(b^3*c^3 - 6*a*b^2*c^2*d)*\sqrt{-a}*x*\arctan(\sqrt{-a}*\sqrt{(a*x + b)/x}/a) + (3*a*b^2*c^3*x^2 - 2*a^2*b*d^3 - 2*(9*a^2*b*c*d^2 - 2*a^3*d^3)*x)*\sqrt{(a*x + b)/x})/(a^2*b^2*x)]$

giac [A] time = 0.20, size = 158, normalized size = 1.25

$$\frac{3b^2c^3\sqrt{\frac{ax+b}{x}}}{\left(a - \frac{ax+b}{x}\right)a} - \frac{3(b^2c^3 - 6abc^2d)\arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}a} + \frac{2\left(9b^3cd^2\sqrt{\frac{ax+b}{x}} - 3ab^2d^3\sqrt{\frac{ax+b}{x}} + \frac{(ax+b)b^2d^3\sqrt{\frac{ax+b}{x}}}{x}\right)}{b^3}$$

3b

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^3/(a+b/x)^(1/2),x, algorithm="giac")

[Out] $-1/3*(3*b^2*c^3*\sqrt{(a*x + b)/x})/((a - (a*x + b)/x)*a) - 3*(b^2*c^3 - 6*a*b*c^2*d)*\arctan(\sqrt{(a*x + b)/x}/\sqrt{-a})/(\sqrt{-a}*a) + 2*(9*b^3*c*d^2*\sqrt{(a*x + b)/x} - 3*a*b^2*d^3*\sqrt{(a*x + b)/x} + (a*x + b)*b^2*d^3*\sqrt{(a*x + b)/x})/b^3/b$

maple [B] time = 0.06, size = 535, normalized size = 4.25

$$\frac{\sqrt{-a} \left(3b^2c^3 \sqrt{\frac{ax+b}{x}} \log\left(2ax + 2\sqrt{ax+b}\sqrt{\frac{ax+b}{x}} + b\right) - 2(3ab^2c^3x^2 - 2a^2bd^3 - 2(9a^2bcd^2 - 2a^3d^3)x)\sqrt{\frac{ax+b}{x}} - 3(b^2c^3 - 6ab^2cd^2)\sqrt{-a} \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right) + (3ab^2c^3x^2 - 2a^2bd^3 - 2(9a^2bcd^2 - 2a^3d^3)x)\sqrt{\frac{ax+b}{x}} \right)}{6a^2b^2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d/x)^3/(a+b/x)^(1/2),x)

[Out] $1/6*((a*x+b)/x)^(1/2)/x^2*(3*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2)))/a^(1/2))*x^3*a^3*b*d^3 - 9*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2)))/a^(1/2))*x^3*a^2*b^2*c*d^2 + 9*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2)))/a^(1/2)$

$$\begin{aligned}
 &) * x^3 * a * b^3 * c^2 * d - 3 * \ln(1/2 * (2 * a * x + b + 2 * ((a * x + b) * x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)}) * x \\
 & ^3 * b^4 * c^3 - 6 * (a * x^2 + b * x)^{(1/2)} * a^{(7/2)} * x^3 * d^3 + 18 * (a * x^2 + b * x)^{(1/2)} * a^{(5/2)} \\
 & * x^3 * b * c * d^2 + 18 * (a * x^2 + b * x)^{(1/2)} * a^{(3/2)} * x^3 * b^2 * c^2 * d - 3 * \ln(1/2 * (2 * a * x + b + 2 \\
 & * (a * x^2 + b * x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)}) * x^3 * a^3 * b * d^3 + 9 * \ln(1/2 * (2 * a * x + b + 2 * (a * x \\
 & ^2 + b * x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)}) * x^3 * a^2 * b^2 * c * d^2 + 9 * \ln(1/2 * (2 * a * x + b + 2 * (a * x \\
 & ^2 + b * x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)}) * x^3 * a * b^3 * c^2 * d - 6 * a^{(7/2)} * ((a * x + b) * x)^{(1/2)} * \\
 & x^3 * d^3 + 18 * a^{(5/2)} * ((a * x + b) * x)^{(1/2)} * x^3 * b * c * d^2 - 18 * a^{(3/2)} * ((a * x + b) * x)^{(1/2)} \\
 & * x^3 * b^2 * c^2 * d + 6 * a^{(1/2)} * ((a * x + b) * x)^{(1/2)} * x^3 * b^3 * c^3 + 12 * (a * x^2 + b * x)^{(3/2)} \\
 & * a^{(5/2)} * x * d^3 - 36 * (a * x^2 + b * x)^{(3/2)} * a^{(3/2)} * x * b * c * d^2 - 4 * d^3 * (a * x^2 + b * x)^{(3/2)} \\
 & * b * a^{(3/2)} / ((a * x + b) * x)^{(1/2)} / b^3 / a^{(3/2)}
 \end{aligned}$$

maxima [A] time = 1.33, size = 166, normalized size = 1.32

$$\frac{1}{2} c^3 \left(\frac{2 \sqrt{a + \frac{b}{x}} b}{\left(a + \frac{b}{x}\right) a - a^2} + \frac{b \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right)}{a^{\frac{3}{2}}} \right) - \frac{2}{3} d^3 \left(\frac{\left(a + \frac{b}{x}\right)^{\frac{3}{2}}}{b^2} - \frac{3 \sqrt{a + \frac{b}{x}} a}{b^2} \right) - \frac{3 c^2 d \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right)}{\sqrt{a}} - \frac{6 \sqrt{a + \frac{b}{x}} c d^2}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^3/(a+b/x)^(1/2),x, algorithm="maxima")

[Out] $1/2 * c^3 * (2 * \text{sqrt}(a + b/x) * b / ((a + b/x) * a - a^2) + b * \log((\text{sqrt}(a + b/x) - \text{sqrt}(a)) / (\text{sqrt}(a + b/x) + \text{sqrt}(a)))) / a^{(3/2)} - 2/3 * d^3 * ((a + b/x)^{(3/2)} / b^2 - 3 * \text{sqrt}(a + b/x) * a / b^2) - 3 * c^2 * d * \log((\text{sqrt}(a + b/x) - \text{sqrt}(a)) / (\text{sqrt}(a + b/x) + \text{sqrt}(a))) / \text{sqrt}(a) - 6 * \text{sqrt}(a + b/x) * c * d^2 / b$

mupad [B] time = 1.73, size = 107, normalized size = 0.85

$$\sqrt{a + \frac{b}{x}} \left(\frac{6 a d^3 - 6 b c d^2}{b^2} - \frac{4 a d^3}{b^2} \right) - \frac{2 d^3 \left(a + \frac{b}{x}\right)^{3/2}}{3 b^2} + \frac{c^3 x \sqrt{a + \frac{b}{x}}}{a} - \frac{c^2 \operatorname{atan}\left(\frac{\sqrt{a + \frac{b}{x}} - 1 i}{\sqrt{a}}\right) (6 a d - b c) 1 i}{a^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d/x)^3/(a + b/x)^(1/2),x)

[Out] $(a + b/x)^{(1/2)} * ((6 * a * d^3 - 6 * b * c * d^2) / b^2 - (4 * a * d^3) / b^2) - (2 * d^3 * (a + b/x)^{(3/2)}) / (3 * b^2) + (c^3 * x * (a + b/x)^{(1/2)}) / a - (c^2 * \operatorname{atan}(((a + b/x)^{(1/2)} * 1i) / a^{(1/2)})) * (6 * a * d - b * c) * 1i / a^{(3/2)}$

sympy [A] time = 90.00, size = 386, normalized size = 3.06

$$\frac{4 a^7 b^3 d^3 x^2 \sqrt{\frac{a x}{b} + 1}}{3 a^2 b^3 x^2 + 3 a^2 b^4 x^2} + \frac{2 a^5 b^2 d^3 x \sqrt{\frac{a x}{b} + 1}}{3 a^2 b^3 x^2 + 3 a^2 b^4 x^2} - \frac{2 a^3 b^2 d^3 \sqrt{\frac{a x}{b} + 1}}{3 a^2 b^3 x^2 + 3 a^2 b^4 x^2} - \frac{4 a^4 b d^3 x^2}{3 a^2 b^3 x^2 + 3 a^2 b^4 x^2} - \frac{4 a^3 b^2 d^3 x^2}{3 a^2 b^3 x^2 + 3 a^2 b^4 x^2} + 3 c d^2 \left(\begin{cases} -\frac{1}{\sqrt{a x}} & \text{for } b = 0 \\ -\frac{2 \sqrt{a x + \frac{b}{x}}}{b} & \text{otherwise} \end{cases} \right) + \frac{\sqrt{b} c^3 \sqrt{x} \sqrt{\frac{a x}{b} + 1}}{a} - \frac{6 c^2 d \operatorname{atan}\left(\frac{1}{\sqrt{\frac{1}{a} + \sqrt{\frac{a x}{b} + 1}}}\right)}{a \sqrt{\frac{1}{a}}} - \frac{b c^3 \operatorname{asinh}\left(\frac{\sqrt{a} \sqrt{x}}{\sqrt{b}}\right)}{a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)**3/(a+b/x)**(1/2),x)

[Out] $4*a^{7/2}*b^{3/2}*d^{3*x^2*\sqrt{a*x/b + 1}}/(3*a^{5/2}*b^{3*x^{5/2}} + 3*a^{3/2}*b^{4*x^{3/2}}) + 2*a^{5/2}*b^{5/2}*d^{3*x*\sqrt{a*x/b + 1}}/(3*a^{5/2}*b^{3*x^{5/2}} + 3*a^{3/2}*b^{4*x^{3/2}}) - 2*a^{3/2}*b^{7/2}*d^{3*\sqrt{a*x/b + 1}}/(3*a^{5/2}*b^{3*x^{5/2}} + 3*a^{3/2}*b^{4*x^{3/2}}) - 4*a^{4*b*d^{3*x^{5/2}}}/(3*a^{5/2}*b^{3*x^{5/2}} + 3*a^{3/2}*b^{4*x^{3/2}}) - 4*a^{3*b^2*d^{3*x^{3/2}}}/(3*a^{5/2}*b^{3*x^{5/2}} + 3*a^{3/2}*b^{4*x^{3/2}}) + 3*c*d^{2*Piecewise}((-1/(\sqrt{a}*x), Eq(b, 0)), (-2*\sqrt{a + b/x}/b, True)) + \sqrt{b}*c^{3*\sqrt{x}*\sqrt{a*x/b + 1}}/a - 6*c^{2*d*atan(1/(\sqrt{-1/a}*\sqrt{a + b/x}))}/(a*\sqrt{-1/a}) - b*c^{3*asinh(\sqrt{a}*\sqrt{x})}/\sqrt{b})/a^{3/2}$

$$3.149 \quad \int \frac{\left(c + \frac{d}{x}\right)^2}{\sqrt{a + \frac{b}{x}}} dx$$

Optimal. Leaf size=73

$$-\frac{c(bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{3/2}} + \frac{c^2 x \sqrt{a + \frac{b}{x}}}{a} - \frac{2d^2 \sqrt{a + \frac{b}{x}}}{b}$$

Rubi [A] time = 0.05, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {375, 89, 80, 63, 208}

$$-\frac{c(bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{3/2}} + \frac{c^2 x \sqrt{a + \frac{b}{x}}}{a} - \frac{2d^2 \sqrt{a + \frac{b}{x}}}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d/x)^2/Sqrt[a + b/x], x]

[Out] (-2*d^2*Sqrt[a + b/x])/b + (c^2*Sqrt[a + b/x]*x)/a - (c*(b*c - 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(3/2)

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 80

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

Rule 89

Int[((a_.) + (b_.)*(x_))^(2)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[((b*c - a*d)^2*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))

```

)/(d^2*(d*e - c*f)*(n + 1)), x] - Dist[1/(d^2*(d*e - c*f)*(n + 1)), Int[(c
+ d*x)^(n + 1)*(e + f*x)^p*Simp[a^2*d^2*f*(n + p + 2) + b^2*c*(d*e*(n + 1)
+ c*f*(p + 1)) - 2*a*b*d*(d*e*(n + 1) + c*f*(p + 1)) - b^2*d*(d*e - c*f)*(n
+ 1)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && (LtQ[n, -1] ||
(EqQ[n + p + 3, 0] && NeQ[n, -1] && (SumSimplerQ[n, 1] || !SumSimplerQ[p,
1])))

```

Rule 208

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rule 375

```

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol
] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a,
b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\left(c + \frac{d}{x}\right)^2}{\sqrt{a + \frac{b}{x}}} dx &= -\text{Subst}\left(\int \frac{(c + dx)^2}{x^2 \sqrt{a + bx}} dx, x, \frac{1}{x}\right) \\
&= \frac{c^2 \sqrt{a + \frac{b}{x}}}{a} - \frac{\text{Subst}\left(\int \frac{-\frac{1}{2}c(bc - 4ad) + ad^2 x}{x \sqrt{a + bx}} dx, x, \frac{1}{x}\right)}{a} \\
&= -\frac{2d^2 \sqrt{a + \frac{b}{x}}}{b} + \frac{c^2 \sqrt{a + \frac{b}{x}}}{a} + \frac{(c(bc - 4ad)) \text{Subst}\left(\int \frac{1}{x \sqrt{a + bx}} dx, x, \frac{1}{x}\right)}{2a} \\
&= -\frac{2d^2 \sqrt{a + \frac{b}{x}}}{b} + \frac{c^2 \sqrt{a + \frac{b}{x}}}{a} + \frac{(c(bc - 4ad)) \text{Subst}\left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}}\right)}{ab} \\
&= -\frac{2d^2 \sqrt{a + \frac{b}{x}}}{b} + \frac{c^2 \sqrt{a + \frac{b}{x}}}{a} - \frac{c(bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{3/2}}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 66, normalized size = 0.90

$$\frac{c(4ad - bc) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{a^{3/2}} + \frac{\sqrt{a+\frac{b}{x}} (bc^2x - 2ad^2)}{ab}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d/x)^2/Sqrt[a + b/x], x]

[Out] (Sqrt[a + b/x]*(-2*a*d^2 + b*c^2*x))/(a*b) + (c*(-(b*c) + 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(3/2)

IntegrateAlgebraic [A] time = 0.16, size = 72, normalized size = 0.99

$$\frac{(4acd - bc^2) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)}{a^{3/2}} + \frac{\sqrt{\frac{ax+b}{x}} (bc^2x - 2ad^2)}{ab}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d/x)^2/Sqrt[a + b/x], x]

[Out] (Sqrt[(b + a*x)/x]*(-2*a*d^2 + b*c^2*x))/(a*b) + ((-(b*c^2) + 4*a*c*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/a^(3/2)

fricas [A] time = 0.61, size = 158, normalized size = 2.16

$$\left[\frac{(b^2c^2 - 4abcd)\sqrt{a} \log\left(2ax + 2\sqrt{a}x\sqrt{\frac{ax+b}{x}} + b\right) - 2(ab^2c^2x - 2a^2d^2)\sqrt{\frac{ax+b}{x}}}{2a^2b}, \frac{(b^2c^2 - 4abcd)\sqrt{-a} \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right) + (abc^2x - 2a^2d^2)\sqrt{\frac{ax+b}{x}}}{a^2b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^2/(a+b/x)^(1/2), x, algorithm="fricas")

[Out] [-1/2*((b^2*c^2 - 4*a*b*c*d)*sqrt(a)*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) - 2*(a*b*c^2*x - 2*a^2*d^2)*sqrt((a*x + b)/x))/(a^2*b), ((b^2*c^2 - 4*a*b*c*d)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (a*b*c^2*x - 2*a^2*d^2)*sqrt((a*x + b)/x))/(a^2*b)]

giac [A] time = 0.18, size = 99, normalized size = 1.36

$$\frac{\frac{b^2c^2\sqrt{\frac{ax+b}{x}}}{\left(a-\frac{ax+b}{x}\right)a} + 2d^2\sqrt{\frac{ax+b}{x}} - \frac{(b^2c^2-4abcd)\arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}a}}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^2/(a+b/x)^(1/2),x, algorithm="giac")

[Out] $-(b^2c^2\sqrt{(ax+b)/x})/((a-(ax+b)/x)a) + 2d^2\sqrt{(ax+b)/x} - (b^2c^2 - 4a^2b^2cd)\arctan(\sqrt{(ax+b)/x}/\sqrt{-a})/(\sqrt{-a}a)/b$

maple [B] time = 0.06, size = 348, normalized size = 4.77

$$\frac{\sqrt{\frac{ax+b}{x}} \left(a^2 b d^2 \ln \left(\frac{2a+2\sqrt{ax+b}\sqrt{x}}{2a} \right) - a^2 b d^2 \ln \left(\frac{2a+2\sqrt{ax+b}\sqrt{x}}{2a} \right) - 2a^2 b^2 c d \ln \left(\frac{2a+2\sqrt{ax+b}\sqrt{x}}{2a} \right) - 2a^2 b^2 c d \ln \left(\frac{2a+2\sqrt{ax+b}\sqrt{x}}{2a} \right) + b^3 c^2 \ln \left(\frac{2a+2\sqrt{ax+b}\sqrt{x}}{2a} \right) \right) - 2\sqrt{ax^2+bx} a^2 d^2 x^2 - 4\sqrt{ax^2+bx} a^2 b c d x^2 + 4\sqrt{ax^2+bx} a^2 b^2 c d x^2 - 2\sqrt{ax^2+bx} \sqrt{a} b^2 c^2 x^2 + 4(a x^2 + b x)^{\frac{3}{2}} a^2 d^2}{2\sqrt{ax+b} x a^2 b^2 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d/x)^2/(a+b/x)^(1/2),x)

[Out] $-1/2*((ax+b)/x)^{(1/2)}/x*(\ln(1/2*(2*ax+b+2*((ax+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^2*a^2*b*d^2-2*\ln(1/2*(2*ax+b+2*((ax+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^2*a*b^2*c*d+\ln(1/2*(2*ax+b+2*((ax+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^2*b^3*c^2-2*(ax^2+bx)^{(1/2)}*a^{(5/2)}*x^2*d^2-4*(ax^2+bx)^{(1/2)}*a^{(3/2)}*x^2*b*c*d-\ln(1/2*(2*ax+b+2*(ax^2+bx)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^2*a^2*b*d^2-2*\ln(1/2*(2*ax+b+2*(ax^2+bx)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^2*a*b^2*c*d-2*a^{(5/2)}*((ax+b)*x)^{(1/2)}*x^2*d^2+4*a^{(3/2)}*((ax+b)*x)^{(1/2)}*x^2*b*c*d-2*a^{(1/2)}*((ax+b)*x)^{(1/2)}*x^2*b^2*c^2+4*(ax^2+bx)^{(3/2)}*a^{(3/2)}*d^2)/((ax+b)*x)^{(1/2)}/b^2/a^{(3/2)}$

maxima [B] time = 1.24, size = 129, normalized size = 1.77

$$\frac{1}{2} c^2 \left(\frac{2 \sqrt{a + \frac{b}{x}} b}{\left(a + \frac{b}{x}\right) a - a^2} + \frac{b \log \left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}} \right)}{a^{\frac{3}{2}}} \right) - \frac{2 c d \log \left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}} \right)}{\sqrt{a}} - \frac{2 \sqrt{a + \frac{b}{x}} d^2}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^2/(a+b/x)^(1/2),x, algorithm="maxima")

[Out] $1/2*c^2*(2*\sqrt{a+b/x}*b/((a+b/x)*a-a^2)+b*\log((\sqrt{a+b/x}-\sqrt{a})/(\sqrt{a+b/x}+\sqrt{a}))/a^{(3/2)})-2*c*d*\log((\sqrt{a+b/x}-\sqrt{a})/(\sqrt{a+b/x}+\sqrt{a}))/\sqrt{a}-2*\sqrt{a+b/x}*d^2/b$

mupad [B] time = 1.62, size = 63, normalized size = 0.86

$$\frac{c^2 x \sqrt{a + \frac{b}{x}}}{a} - \frac{2 d^2 \sqrt{a + \frac{b}{x}}}{b} + \frac{c \operatorname{atanh} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right) (4 a d - b c)}{a^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d/x)^2/(a + b/x)^(1/2), x)`

[Out] $(c^2*x*(a + b/x)^{(1/2)})/a - (2*d^2*(a + b/x)^{(1/2)})/b + (c*\operatorname{atanh}((a + b/x)^{(1/2)}/a^{(1/2)})*(4*a*d - b*c))/a^{(3/2)}$

sympy [A] time = 83.77, size = 114, normalized size = 1.56

$$d^2 \left(\begin{cases} -\frac{1}{\sqrt{a}x} & \text{for } b = 0 \\ -\frac{2\sqrt{a+\frac{b}{x}}}{b} & \text{otherwise} \end{cases} \right) + \frac{\sqrt{b}c^2\sqrt{x}\sqrt{\frac{ax}{b}+1}}{a} - \frac{4cd \operatorname{atan}\left(\frac{1}{\sqrt{-\frac{1}{a}}\sqrt{a+\frac{b}{x}}}\right)}{a\sqrt{-\frac{1}{a}}} - \frac{bc^2 \operatorname{asinh}\left(\frac{\sqrt{a}\sqrt{x}}{\sqrt{b}}\right)}{a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d/x)**2/(a+b/x)**(1/2), x)`

[Out] $d^{**2}*\operatorname{Piecewise}((-1/(\operatorname{sqrt}(a)*x), \operatorname{Eq}(b, 0)), (-2*\operatorname{sqrt}(a + b/x)/b, \operatorname{True})) + \operatorname{sqrt}(b)*c^{**2}*\operatorname{sqrt}(x)*\operatorname{sqrt}(a*x/b + 1)/a - 4*c*d*\operatorname{atan}(1/(\operatorname{sqrt}(-1/a)*\operatorname{sqrt}(a + b/x)))/(a*\operatorname{sqrt}(-1/a)) - b*c^{**2}*\operatorname{asinh}(\operatorname{sqrt}(a)*\operatorname{sqrt}(x)/\operatorname{sqrt}(b))/a^{**}(3/2)$

$$3.150 \quad \int \frac{c + \frac{d}{x}}{\sqrt{a + \frac{b}{x}}} dx$$

Optimal. Leaf size=51

$$\frac{cx\sqrt{a + \frac{b}{x}}}{a} - \frac{(bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{3/2}}$$

Rubi [A] time = 0.03, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {375, 78, 63, 208}

$$\frac{cx\sqrt{a + \frac{b}{x}}}{a} - \frac{(bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(c + d/x)/Sqrt[a + b/x],x]

[Out] (c*Sqrt[a + b/x]*x)/a - ((b*c - 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(3/2)

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 78

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] :> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 375

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol
] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a,
b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{c + \frac{d}{x}}{\sqrt{a + \frac{b}{x}}} dx &= -\text{Subst} \left(\int \frac{c + dx}{x^2 \sqrt{a + bx}} dx, x, \frac{1}{x} \right) \\ &= \frac{c\sqrt{a + \frac{b}{x}}}{a} - \frac{\left(-\frac{bc}{2} + ad\right) \text{Subst} \left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \frac{1}{x} \right)}{a} \\ &= \frac{c\sqrt{a + \frac{b}{x}}}{a} - \frac{\left(2\left(-\frac{bc}{2} + ad\right)\right) \text{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}} \right)}{ab} \\ &= \frac{c\sqrt{a + \frac{b}{x}}}{a} - \frac{(bc - 2ad) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{a^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.04, size = 53, normalized size = 1.04

$$\frac{2 \left(ad - \frac{bc}{2} \right) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{a^{3/2}} + \frac{cx\sqrt{a + \frac{b}{x}}}{a}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d/x)/Sqrt[a + b/x], x]
```

```
[Out] (c*Sqrt[a + b/x]*x)/a + (2*(-1/2*(b*c) + a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a
])/a^(3/2)
```

IntegrateAlgebraic [A] time = 0.11, size = 55, normalized size = 1.08

$$\frac{(2ad - bc) \tanh^{-1} \left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}} \right)}{a^{3/2}} + \frac{cx \sqrt{\frac{ax+b}{x}}}{a}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d/x)/Sqrt[a + b/x], x]

[Out] (c*x*Sqrt[(b + a*x)/x])/a + ((-(b*c) + 2*a*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/a^(3/2)

fricas [A] time = 0.85, size = 115, normalized size = 2.25

$$\left[\frac{2acx\sqrt{\frac{ax+b}{x}} - (bc - 2ad)\sqrt{a} \log\left(2ax + 2\sqrt{a}x\sqrt{\frac{ax+b}{x}} + b\right)}{2a^2}, \frac{acx\sqrt{\frac{ax+b}{x}} + (bc - 2ad)\sqrt{-a} \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right)}{a^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)/(a+b/x)^(1/2), x, algorithm="fricas")

[Out] [1/2*(2*a*c*x*sqrt((a*x + b)/x) - (b*c - 2*a*d)*sqrt(a)*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b))/a^2, (a*c*x*sqrt((a*x + b)/x) + (b*c - 2*a*d)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a))/a^2]

giac [A] time = 0.20, size = 78, normalized size = 1.53

$$\frac{\frac{b^2c\sqrt{\frac{ax+b}{x}}}{\left(a - \frac{ax+b}{x}\right)a} - \frac{(b^2c - 2abd) \arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}a}}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)/(a+b/x)^(1/2), x, algorithm="giac")

[Out] -(b^2*c*sqrt((a*x + b)/x)/((a - (a*x + b)/x)*a) - (b^2*c - 2*a*b*d)*arctan(sqrt((a*x + b)/x)/sqrt(-a))/(sqrt(-a)*a)/b

maple [B] time = 0.06, size = 173, normalized size = 3.39

$$\frac{\sqrt{\frac{ax+b}{x}} \left(abd \ln\left(\frac{2ax+b+2\sqrt{(ax+b)x}\sqrt{a}}{2\sqrt{a}}\right) + abd \ln\left(\frac{2ax+b+2\sqrt{ax^2+bx}\sqrt{a}}{2\sqrt{a}}\right) - b^2c \ln\left(\frac{2ax+b+2\sqrt{(ax+b)x}\sqrt{a}}{2\sqrt{a}}\right) + 2\sqrt{ax^2+bx} \frac{a^{\frac{3}{2}}d}{a^{\frac{3}{2}}d} - 2\sqrt{(ax+b)x} \frac{a^{\frac{3}{2}}d}{a^{\frac{3}{2}}d} + 2\sqrt{(ax+b)x} \sqrt{a} bc \right) x}{2\sqrt{(ax+b)x} \frac{a^{\frac{3}{2}}b}{a^{\frac{3}{2}}b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c+d/x)/(a+b/x)^(1/2),x)`

[Out] $\frac{1}{2} * ((a*x+b)/x)^{(1/2)} * x * (2*a^{(3/2)} * (a*x^2+b*x)^{(1/2)} * d - 2*a^{(3/2)} * ((a*x+b)*x)^{(1/2)} * d + 2*a^{(1/2)} * ((a*x+b)*x)^{(1/2)} * b * c + \ln(1/2 * (2*a*x+b+2*((a*x+b)*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)}) * a * b * d - \ln(1/2 * (2*a*x+b+2*((a*x+b)*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)}) * b^2 * c + \ln(1/2 * (2*a*x+b+2*(a*x^2+b*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)}) * a * b * d) / ((a*x+b)*x)^{(1/2)} / b / a^{(3/2)}$

maxima [B] time = 1.30, size = 109, normalized size = 2.14

$$\frac{1}{2} c \left(\frac{2 \sqrt{a + \frac{b}{x}} b}{\left(a + \frac{b}{x}\right) a - a^2} + \frac{b \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right)}{a^{\frac{3}{2}}} \right) - \frac{d \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right)}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d/x)/(a+b/x)^(1/2),x, algorithm="maxima")`

[Out] $\frac{1}{2} * c * (2 * \sqrt{a + b/x} * b / ((a + b/x) * a - a^2) + b * \log((\sqrt{a + b/x} - \sqrt{a}) / (\sqrt{a + b/x} + \sqrt{a})) / a^{(3/2)}) - d * \log((\sqrt{a + b/x} - \sqrt{a}) / (\sqrt{a + b/x} + \sqrt{a})) / \sqrt{a}$

mupad [B] time = 1.98, size = 88, normalized size = 1.73

$$\frac{2 d \operatorname{atanh}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{\sqrt{a}} + \frac{2 c x \left(\frac{3 \sqrt{b} \sqrt{b + a x}}{2 a x} + \frac{b^{3/2} \operatorname{asin}\left(\frac{\sqrt{a} \sqrt{x} 1i}{\sqrt{b}}\right) 3i}{2 a^{3/2} x^{3/2}} \right) \sqrt{\frac{a x}{b} + 1}}{3 \sqrt{a + \frac{b}{x}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d/x)/(a + b/x)^(1/2),x)`

[Out] $(2 * d * \operatorname{atanh}((a + b/x)^{(1/2)} / a^{(1/2)})) / a^{(1/2)} + (2 * c * x * ((3 * b^{(1/2)} * (b + a * x)^{(1/2)}) / (2 * a * x) + (b^{(3/2)} * \operatorname{asin}((a^{(1/2)} * x^{(1/2)} * 1i) / b^{(1/2)}) * 3i) / (2 * a^{(3/2)} * x^{(3/2)})) * ((a * x) / b + 1)^{(1/2)}) / (3 * (a + b/x)^{(1/2)})$

sympy [A] time = 60.25, size = 82, normalized size = 1.61

$$\frac{\sqrt{b} c \sqrt{x} \sqrt{\frac{a x}{b} + 1}}{a} - \frac{2 d \operatorname{atan}\left(\frac{1}{\sqrt{-\frac{1}{a}} \sqrt{a + \frac{b}{x}}}\right)}{a \sqrt{-\frac{1}{a}}} - \frac{b c \operatorname{asinh}\left(\frac{\sqrt{a} \sqrt{x}}{\sqrt{b}}\right)}{a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c+d/x)/(a+b/x)**(1/2),x)
```

```
[Out] sqrt(b)*c*sqrt(x)*sqrt(a*x/b + 1)/a - 2*d*atan(1/(sqrt(-1/a)*sqrt(a + b/x)))/(a*sqrt(-1/a)) - b*c*asinh(sqrt(a)*sqrt(x)/sqrt(b))/a**(3/2)
```

$$3.151 \quad \int \frac{1}{\sqrt{a + \frac{b}{x}}} dx$$

Optimal. Leaf size=43

$$\frac{x\sqrt{a + \frac{b}{x}}}{a} - \frac{b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{3/2}}$$

Rubi [A] time = 0.02, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {242, 51, 63, 208}

$$\frac{x\sqrt{a + \frac{b}{x}}}{a} - \frac{b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[a + b/x], x]

[Out] (Sqrt[a + b/x]*x)/a - (b*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(3/2)

Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 242

`Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Subst[Int[(a + b/x^n)^p/x^2, x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0]`

Rubi steps

$$\begin{aligned}
 \int \frac{1}{\sqrt{a + \frac{b}{x}}} dx &= -\text{Subst} \left(\int \frac{1}{x^2 \sqrt{a + bx}} dx, x, \frac{1}{x} \right) \\
 &= \frac{\sqrt{a + \frac{b}{x}}}{a} + \frac{b \text{Subst} \left(\int \frac{1}{x \sqrt{a + bx}} dx, x, \frac{1}{x} \right)}{2a} \\
 &= \frac{\sqrt{a + \frac{b}{x}}}{a} + \frac{\text{Subst} \left(\int \frac{1}{\frac{a}{-b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}} \right)}{a} \\
 &= \frac{\sqrt{a + \frac{b}{x}}}{a} - \frac{b \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{a^{3/2}}
 \end{aligned}$$

Mathematica [A] time = 0.02, size = 43, normalized size = 1.00

$$\frac{x \sqrt{a + \frac{b}{x}}}{a} - \frac{b \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{a^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[a + b/x], x]

[Out] (Sqrt[a + b/x]*x)/a - (b*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(3/2)

IntegrateAlgebraic [A] time = 0.00, size = 47, normalized size = 1.09

$$\frac{x \sqrt{\frac{ax+b}{x}}}{a} - \frac{b \tanh^{-1} \left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}} \right)}{a^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/Sqrt[a + b/x], x]

[Out] $(x\sqrt{(b+ax)/x})/a - (b\text{ArcTanh}[\sqrt{(b+ax)/x}/\sqrt{a}])/a^{3/2}$

fricas [A] time = 0.78, size = 98, normalized size = 2.28

$$\left[\frac{2ax\sqrt{\frac{ax+b}{x}} + \sqrt{a}b \log\left(2ax - 2\sqrt{a}x\sqrt{\frac{ax+b}{x}} + b\right)}{2a^2}, \frac{ax\sqrt{\frac{ax+b}{x}} + \sqrt{-a}b \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right)}{a^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b/x)^(1/2),x, algorithm="fricas")`

[Out] $[1/2*(2*a*x*\sqrt{(a*x + b)/x} + \sqrt{a}*b*\log(2*a*x - 2*\sqrt{a}*x*\sqrt{(a*x + b)/x} + b))/a^2, (a*x*\sqrt{(a*x + b)/x} + \sqrt{-a}*b*\arctan(\sqrt{-a}*x*\sqrt{(a*x + b)/x}/a))/a^2]$

giac [B] time = 0.24, size = 71, normalized size = 1.65

$$-\frac{b \log(|b|) \operatorname{sgn}(x)}{2a^{\frac{3}{2}}} + \frac{b \log\left(\left|-2\left(\sqrt{a}x - \sqrt{ax^2 + bx}\right)\sqrt{a} - b\right|\right)}{2a^{\frac{3}{2}} \operatorname{sgn}(x)} + \frac{\sqrt{ax^2 + bx}}{a \operatorname{sgn}(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b/x)^(1/2),x, algorithm="giac")`

[Out] $-1/2*b*\log(\operatorname{abs}(b))*\operatorname{sgn}(x)/a^{3/2} + 1/2*b*\log(\operatorname{abs}(-2*(\sqrt{a}*x - \sqrt{a*x^2 + b*x}))*\sqrt{a} - b)/(a^{3/2}*\operatorname{sgn}(x)) + \sqrt{a*x^2 + b*x}/(a*\operatorname{sgn}(x))$

maple [A] time = 0.05, size = 71, normalized size = 1.65

$$\frac{\sqrt{\frac{ax+b}{x}} \left(-b \ln\left(\frac{2ax+b+2\sqrt{(ax+b)x}\sqrt{a}}{2\sqrt{a}}\right) + 2\sqrt{(ax+b)x}\sqrt{a} \right) x}{2\sqrt{(ax+b)x} a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b/x)^(1/2),x)`

[Out] $1/2*((a*x+b)/x)^(1/2)*x*(2*((a*x+b)*x)^(1/2)*a^(1/2)-b*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2)))/((a*x+b)*x)^(1/2)/a^(3/2)$

maxima [A] time = 1.21, size = 67, normalized size = 1.56

$$\frac{\sqrt{a + \frac{b}{x}} b}{\left(a + \frac{b}{x}\right) a - a^2} + \frac{b \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right)}{2 a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(1/2),x, algorithm="maxima")

[Out] sqrt(a + b/x)*b/((a + b/x)*a - a^2) + 1/2*b*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a + b/x) + sqrt(a)))/a^(3/2)

mupad [B] time = 1.44, size = 66, normalized size = 1.53

$$\frac{2x \left(\frac{3\sqrt{b}\sqrt{b+ax}}{2ax} + \frac{b^{3/2} \operatorname{asin}\left(\frac{\sqrt{a}\sqrt{x}}{\sqrt{b}}\right) 3i}{2a^{3/2}x^{3/2}} \right) \sqrt{\frac{ax}{b} + 1}}{3\sqrt{a + \frac{b}{x}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b/x)^(1/2),x)

[Out] (2*x*((3*b^(1/2)*(b + a*x)^(1/2))/(2*a*x) + (b^(3/2)*asin((a^(1/2)*x^(1/2)*1i)/b^(1/2))*3i)/(2*a^(3/2)*x^(3/2)))*((a*x)/b + 1)^(1/2)/(3*(a + b/x)^(1/2))

sympy [A] time = 3.09, size = 44, normalized size = 1.02

$$\frac{\sqrt{b}\sqrt{x}\sqrt{\frac{ax}{b} + 1}}{a} - \frac{b \operatorname{asinh}\left(\frac{\sqrt{a}\sqrt{x}}{\sqrt{b}}\right)}{a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)**(1/2),x)

[Out] sqrt(b)*sqrt(x)*sqrt(a*x/b + 1)/a - b*asinh(sqrt(a)*sqrt(x)/sqrt(b))/a**(3/2)

$$3.152 \quad \int \frac{1}{\sqrt{a+\frac{b}{x}} \left(c+\frac{d}{x}\right)} dx$$

Optimal. Leaf size=108

$$-\frac{(2ad+bc) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{a^{3/2}c^2} - \frac{2d^{3/2} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{c^2\sqrt{bc-ad}} + \frac{x\sqrt{a+\frac{b}{x}}}{ac}$$

Rubi [A] time = 0.10, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {375, 103, 156, 63, 208, 205}

$$-\frac{(2ad+bc) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{a^{3/2}c^2} - \frac{2d^{3/2} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{c^2\sqrt{bc-ad}} + \frac{x\sqrt{a+\frac{b}{x}}}{ac}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[a + b/x]*(c + d/x)),x]

[Out] (Sqrt[a + b/x]*x)/(a*c) - (2*d^(3/2)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/(c^2*Sqrt[b*c - a*d]) - ((b*c + 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/(a^(3/2)*c^2)

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 103

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[m] && (IntegerQ[n] || IntegersQ[2*n, 2*p])

Rule 156

```
Int[(((e_.) + (f_.)*(x_))^(p_.)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*
((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e +
f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c
+ d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 375

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol
] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a,
b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} dx &= -\text{Subst} \left(\int \frac{1}{x^2 \sqrt{a + bx} (c + dx)} dx, x, \frac{1}{x} \right) \\
&= \frac{\sqrt{a + \frac{b}{x}}}{ac} + \frac{\text{Subst} \left(\int \frac{\frac{1}{2}(bc + 2ad) + \frac{bdx}{2}}{x \sqrt{a + bx} (c + dx)} dx, x, \frac{1}{x} \right)}{ac} \\
&= \frac{\sqrt{a + \frac{b}{x}}}{ac} - \frac{d^2 \text{Subst} \left(\int \frac{1}{\sqrt{a + bx} (c + dx)} dx, x, \frac{1}{x} \right)}{c^2} + \frac{(bc + 2ad) \text{Subst} \left(\int \frac{1}{x \sqrt{a + bx}} dx, x, \frac{1}{x} \right)}{2ac^2} \\
&= \frac{\sqrt{a + \frac{b}{x}}}{ac} - \frac{(2d^2) \text{Subst} \left(\int \frac{1}{c - \frac{ad}{b} + \frac{dx^2}{b}} dx, x, \sqrt{a + \frac{b}{x}} \right)}{bc^2} + \frac{(bc + 2ad) \text{Subst} \left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x \right)}{abc^2} \\
&= \frac{\sqrt{a + \frac{b}{x}}}{ac} - \frac{2d^{3/2} \tan^{-1} \left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}} \right)}{c^2 \sqrt{bc - ad}} - \frac{(bc + 2ad) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{a^{3/2} c^2}
\end{aligned}$$

Mathematica [A] time = 0.25, size = 104, normalized size = 0.96

$$\frac{(2ad+bc) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right) - \frac{2d^{3/2} \tan^{-1}\left(\frac{\sqrt{d} \sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{\sqrt{bc-ad}} + \frac{cx \sqrt{a+\frac{b}{x}}}{a}}{c^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[a + b/x]*(c + d/x)),x]

[Out] ((c*Sqrt[a + b/x]*x)/a - (2*d^(3/2)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/Sqrt[b*c - a*d] - ((b*c + 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(3/2)/c^2

IntegrateAlgebraic [A] time = 0.22, size = 114, normalized size = 1.06

$$\frac{(-2ad - bc) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right) - \frac{2d^{3/2} \tan^{-1}\left(\frac{\sqrt{d} \sqrt{\frac{ax+b}{x}}}{\sqrt{bc-ad}}\right)}{c^2 \sqrt{bc-ad}} + \frac{x \sqrt{\frac{ax+b}{x}}}{ac}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(Sqrt[a + b/x]*(c + d/x)),x]

[Out] (x*Sqrt[(b + a*x)/x])/(a*c) - (2*d^(3/2)*ArcTan[(Sqrt[d]*Sqrt[(b + a*x)/x])/Sqrt[b*c - a*d]])/(c^2*Sqrt[b*c - a*d]) + ((-(b*c) - 2*a*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/(a^(3/2)*c^2)

fricas [A] time = 0.77, size = 542, normalized size = 5.02

$$\frac{2d^2 \sqrt{\frac{ax+b}{x}} \log\left(\frac{2b-2dx\sqrt{\frac{ax+b}{x}}\sqrt{bc-ad}}{2d^2}\right) + 2dx\sqrt{\frac{ax+b}{x}} + (b+2ad)\sqrt{d} \log(2ax-2\sqrt{d}\sqrt{\frac{ax+b}{x}}+1) + d^2 \sqrt{\frac{ax+b}{x}} \log\left(\frac{2b-2dx\sqrt{\frac{ax+b}{x}}\sqrt{bc-ad}}{2d^2}\right) + dx\sqrt{\frac{ax+b}{x}} + (b+2ad)\sqrt{d} \operatorname{arctan}\left(\frac{\sqrt{d}\sqrt{\frac{ax+b}{x}}}{\sqrt{bc-ad}}\right) + 2d^2 \sqrt{\frac{ax+b}{x}} \operatorname{arctan}\left(\frac{b-2dx\sqrt{\frac{ax+b}{x}}\sqrt{bc-ad}}{2d^2}\right) - 2dx\sqrt{\frac{ax+b}{x}} + (b+2ad)\sqrt{d} \log(2ax-2\sqrt{d}\sqrt{\frac{ax+b}{x}}+1) + 2d^2 \sqrt{\frac{ax+b}{x}} \operatorname{arctan}\left(\frac{b-2dx\sqrt{\frac{ax+b}{x}}\sqrt{bc-ad}}{2d^2}\right) + dx\sqrt{\frac{ax+b}{x}} + (b+2ad)\sqrt{d} \operatorname{arctan}\left(\frac{\sqrt{d}\sqrt{\frac{ax+b}{x}}}{\sqrt{bc-ad}}\right)}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c+d/x)/(a+b/x)^(1/2),x, algorithm="fricas")

[Out] [1/2*(2*a^2*d*sqrt(-d/(b*c - a*d))*log(-(2*(b*c - a*d)*x*sqrt(-d/(b*c - a*d)))*sqrt((a*x + b)/x) - b*d + (b*c - 2*a*d)*x)/(c*x + d)) + 2*a*c*x*sqrt((a*x + b)/x) + (b*c + 2*a*d)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x + b))/(a^2*c^2), (a^2*d*sqrt(-d/(b*c - a*d))*log(-(2*(b*c - a*d)*x*sqrt(-d/(b*c - a*d)))*sqrt((a*x + b)/x) - b*d + (b*c - 2*a*d)*x)/(c*x + d) + a*c*x*sqrt((a*x + b)/x) + (b*c + 2*a*d)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a)/(a^2*c^2), -1/2*(4*a^2*d*sqrt(d/(b*c - a*d))*arctan(-(b*c - a*d)*x*sqrt(d/(b*c - a*d))*sqrt((a*x + b)/x)/(a*d*x + b*d)) - 2*a*c*x*sqrt((a*x + b

$\left. \right)/x) - (b*c + 2*a*d)*\sqrt{a}*\log(2*a*x - 2*\sqrt{a}*x*\sqrt{(a*x + b)/x} + b) / (a^2*c^2), -(2*a^2*d*\sqrt{d/(b*c - a*d)})*\arctan(-(b*c - a*d)*x*\sqrt{d/(b*c - a*d)})*\sqrt{(a*x + b)/x}/(a*d*x + b*d) - a*c*x*\sqrt{(a*x + b)/x} - (b*c + 2*a*d)*\sqrt{-a}*\arctan(\sqrt{-a}*\sqrt{(a*x + b)/x}/a) / (a^2*c^2]$

giac [A] time = 0.18, size = 134, normalized size = 1.24

$$-b^2 \left(\frac{2d^2 \arctan\left(\frac{d\sqrt{\frac{ax+b}{x}}}{\sqrt{bcd-ad^2}}\right)}{\sqrt{bcd-ad^2} b^2 c^2} + \frac{\sqrt{\frac{ax+b}{x}}}{\left(a - \frac{ax+b}{x}\right) abc} - \frac{(bc + 2ad) \arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a} ab^2 c^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c+d/x)/(a+b/x)^(1/2),x, algorithm="giac")

[Out] $-b^2*(2*d^2*\arctan(d*\sqrt{(a*x + b)/x}/\sqrt{b*c*d - a*d^2}))/(\sqrt{b*c*d - a*d^2})*b^2*c^2 + \sqrt{(a*x + b)/x}/\left(a - \frac{a*x + b}{x}\right)*a*b*c - (b*c + 2*a*d)*\arctan(\sqrt{(a*x + b)/x}/\sqrt{-a})/(\sqrt{-a})*a*b^2*c^2)$

maple [B] time = 0.06, size = 228, normalized size = 2.11

$$\frac{\left(2a^3 d^2 \ln\left(\frac{-2adx+bcx-bd+2\sqrt{\frac{ad-bc}{c^2}}\sqrt{(ax+b)x}c}{cx+d}\right) + 2\sqrt{\frac{ad-bc}{c^2}}acd \ln\left(\frac{2ax+b+2\sqrt{(ax+b)x}\sqrt{a}}{2\sqrt{a}}\right) + \sqrt{\frac{ad-bc}{c^2}}bc^2 \ln\left(\frac{2ax+b+2\sqrt{(ax+b)x}\sqrt{a}}{2\sqrt{a}}\right) - 2\sqrt{(ax+b)x}\sqrt{\frac{ad-bc}{c^2}}\sqrt{a}c^2 \right) \sqrt{\frac{ax+b}{x}}}{2\sqrt{\frac{ad-bc}{c^2}}\sqrt{(ax+b)x}a^{\frac{3}{2}}c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(c+d/x)/(a+b/x)^(1/2),x)

[Out] $-1/2*(2*a^{(3/2)}*d^2*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2))*((a*x+b)*x)^{(1/2)*c}/(c*x+d))-2*((a*x+b)*x)^{(1/2))*((a*d-b*c)/c^2*d)^{(1/2)}*a^{(1/2)}*c^2+2*((a*d-b*c)/c^2*d)^{(1/2)}*a*c*d*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)}+((a*d-b*c)/c^2*d)^{(1/2)}*b*c^2*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)}))*x*((a*x+b)/x)^{(1/2)}/((a*d-b*c)/c^2*d)^{(1/2)}/c^3/a^{(3/2)}/((a*x+b)*x)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c+d/x)/(a+b/x)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(a + b/x)*(c + d/x)), x)

mupad [B] time = 1.98, size = 1183, normalized size = 10.95

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b/x)^(1/2)*(c + d/x)), x)

[Out]
$$\begin{aligned} & (x*(a + b/x)^{(1/2)})/(a*c) - (\operatorname{atan}(\frac{(((((2*(2*a*b^4*c^5*d^2 + 2*a^2*b^3*c^4*d^3)))/(a^2*c^3) - (2*(4*a^2*b^3*c^5*d^2 - 8*a^3*b^2*c^4*d^3)*(a + b/x)^{(1/2)})) * (a*d^4 - b*c*d^3)^{(1/2)})/(a^2*c^2*(b*c^3 - a*c^2*d)) * (a*d^4 - b*c*d^3)^{(1/2)})/(b*c^3 - a*c^2*d) - (2*(a + b/x)^{(1/2)}*(8*a^2*b^2*d^5 + b^4*c^2*d^3 + 4*a*b^3*c*d^4))/(a^2*c^2)) * (a*d^4 - b*c*d^3)^{(1/2)} * i)/(b*c^3 - a*c^2*d) - ((((((2*(2*a*b^4*c^5*d^2 + 2*a^2*b^3*c^4*d^3)))/(a^2*c^3) + (2*(4*a^2*b^3*c^5*d^2 - 8*a^3*b^2*c^4*d^3)*(a + b/x)^{(1/2)} * (a*d^4 - b*c*d^3)^{(1/2)})/(a^2*c^2*(b*c^3 - a*c^2*d))) * (a*d^4 - b*c*d^3)^{(1/2)})/(b*c^3 - a*c^2*d) + (2*(a + b/x)^{(1/2)}*(8*a^2*b^2*d^5 + b^4*c^2*d^3 + 4*a*b^3*c*d^4))/(a^2*c^2)) * (a*d^4 - b*c*d^3)^{(1/2)} * i)/(b*c^3 - a*c^2*d)) / ((((((2*(2*a*b^4*c^5*d^2 + 2*a^2*b^3*c^4*d^3)))/(a^2*c^3) - (2*(4*a^2*b^3*c^5*d^2 - 8*a^3*b^2*c^4*d^3)*(a + b/x)^{(1/2)} * (a*d^4 - b*c*d^3)^{(1/2)})/(a^2*c^2*(b*c^3 - a*c^2*d))) * (a*d^4 - b*c*d^3)^{(1/2)})/(b*c^3 - a*c^2*d) - (2*(a + b/x)^{(1/2)}*(8*a^2*b^2*d^5 + b^4*c^2*d^3 + 4*a*b^3*c*d^4))/(a^2*c^2)) * (a*d^4 - b*c*d^3)^{(1/2)})/(b*c^3 - a*c^2*d) - (4*(2*a*b^3*d^5 + b^4*c*d^4))/(a^2*c^3) + ((((((2*(2*a*b^4*c^5*d^2 + 2*a^2*b^3*c^4*d^3)))/(a^2*c^3) + (2*(4*a^2*b^3*c^5*d^2 - 8*a^3*b^2*c^4*d^3)*(a + b/x)^{(1/2)} * (a*d^4 - b*c*d^3)^{(1/2)})/(a^2*c^2*(b*c^3 - a*c^2*d))) * (a*d^4 - b*c*d^3)^{(1/2)})/(b*c^3 - a*c^2*d) + (2*(a + b/x)^{(1/2)}*(8*a^2*b^2*d^5 + b^4*c^2*d^3 + 4*a*b^3*c*d^4))/(a^2*c^2)) * (a*d^4 - b*c*d^3)^{(1/2)})/(b*c^3 - a*c^2*d) - (\operatorname{atanh}(\frac{(12*b^4*d^4*(a + b/x)^{(1/2)})}{((a^3)^{(1/2)}*((12*b^4*d^4)/a + (10*b^5*c*d^3)/a^2 + (2*b^6*c^2*d^2)/a^3)) + (10*b^5*d^3*(a + b/x)^{(1/2)})/((a^3)^{(1/2)}*((10*b^5*d^3)/a + (12*b^4*d^4)/c + (2*b^6*c*d^2)/a^2)) + (2*b^6*d^2*(a + b/x)^{(1/2)})/((a^3)^{(1/2)}*((2*b^6*d^2)/a + (10*b^5*d^3)/c + (12*a*b^4*d^4)/c^2)) * (2*a*d + b*c)) / (c^2*(a^3)^{(1/2)}) \end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{a + \frac{b}{x}} (cx + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(c+d/x)/(a+b/x)**(1/2),x)
```

```
[Out] Integral(x/(sqrt(a + b/x)*(c*x + d)), x)
```

$$3.153 \quad \int \frac{1}{\sqrt{a+\frac{b}{x}} \left(c+\frac{d}{x}\right)^2} dx$$

Optimal. Leaf size=172

$$\frac{(4ad + bc) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right) - d^{3/2}(5bc - 4ad) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{a^{3/2}c^3} + \frac{d\sqrt{a+\frac{b}{x}}(bc - 2ad)}{ac^2\left(c+\frac{d}{x}\right)(bc - ad)} + \frac{x\sqrt{a+\frac{b}{x}}}{ac\left(c+\frac{d}{x}\right)}$$

Rubi [A] time = 0.22, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {375, 103, 151, 156, 63, 208, 205}

$$\frac{(4ad + bc) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right) - d^{3/2}(5bc - 4ad) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right)}{a^{3/2}c^3} + \frac{d\sqrt{a+\frac{b}{x}}(bc - 2ad)}{ac^2\left(c+\frac{d}{x}\right)(bc - ad)} + \frac{x\sqrt{a+\frac{b}{x}}}{ac\left(c+\frac{d}{x}\right)}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[a + b/x]*(c + d/x)^2), x]

[Out] (d*(b*c - 2*a*d)*Sqrt[a + b/x])/(a*c^2*(b*c - a*d)*(c + d/x)) + (Sqrt[a + b/x]*x)/(a*c*(c + d/x)) - (d^(3/2)*(5*b*c - 4*a*d)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/(c^3*(b*c - a*d)^(3/2)) - ((b*c + 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/(a^(3/2)*c^3)

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 103

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[

m] && (IntegerQ[n] || IntegersQ[2*n, 2*p])

Rule 151

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h]*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]

Rule 156

Int[(((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2} dx &= -\text{Subst} \left(\int \frac{1}{x^2 \sqrt{a + bx} (c + dx)^2} dx, x, \frac{1}{x} \right) \\
&= \frac{\sqrt{a + \frac{b}{x}}}{ac \left(c + \frac{d}{x}\right)} + \frac{\text{Subst} \left(\int \frac{\frac{1}{2}(bc+4ad) + \frac{3bdx}{2}}{x \sqrt{a+bx} (c+dx)^2} dx, x, \frac{1}{x} \right)}{ac} \\
&= \frac{d(bc - 2ad) \sqrt{a + \frac{b}{x}}}{ac^2(bc - ad) \left(c + \frac{d}{x}\right)} + \frac{\sqrt{a + \frac{b}{x}}}{ac \left(c + \frac{d}{x}\right)} - \frac{\text{Subst} \left(\int \frac{-\frac{1}{2}(bc-ad)(bc+4ad) - \frac{1}{2}bd(bc-2ad)x}{x \sqrt{a+bx} (c+dx)} dx, x, \frac{1}{x} \right)}{ac^2(bc - ad)} \\
&= \frac{d(bc - 2ad) \sqrt{a + \frac{b}{x}}}{ac^2(bc - ad) \left(c + \frac{d}{x}\right)} + \frac{\sqrt{a + \frac{b}{x}}}{ac \left(c + \frac{d}{x}\right)} - \frac{(d^2(5bc - 4ad)) \text{Subst} \left(\int \frac{1}{\sqrt{a+bx} (c+dx)} dx, x, \frac{1}{x} \right)}{2c^3(bc - ad)} + \\
&= \frac{d(bc - 2ad) \sqrt{a + \frac{b}{x}}}{ac^2(bc - ad) \left(c + \frac{d}{x}\right)} + \frac{\sqrt{a + \frac{b}{x}}}{ac \left(c + \frac{d}{x}\right)} - \frac{(d^2(5bc - 4ad)) \text{Subst} \left(\int \frac{1}{c - \frac{ad}{b} + \frac{dx^2}{b}} dx, x, \sqrt{a + \frac{b}{x}} \right)}{bc^3(bc - ad)} \\
&= \frac{d(bc - 2ad) \sqrt{a + \frac{b}{x}}}{ac^2(bc - ad) \left(c + \frac{d}{x}\right)} + \frac{\sqrt{a + \frac{b}{x}}}{ac \left(c + \frac{d}{x}\right)} - \frac{d^{3/2}(5bc - 4ad) \tan^{-1} \left(\frac{\sqrt{a} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}} \right)}{c^3(bc - ad)^{3/2}} - \frac{(bc + 4ad) \tan^{-1} \left(\frac{\sqrt{a} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}} \right)}{a^{3/2}}
\end{aligned}$$

Mathematica [A] time = 0.78, size = 150, normalized size = 0.87

$$\frac{ad^{3/2}(4ad-5bc) \tan^{-1} \left(\frac{\sqrt{a} \sqrt{a + \frac{b}{x}}}{\sqrt{bc-ad}} \right)}{(bc-ad)^{3/2}} + \frac{cx \sqrt{a + \frac{b}{x}} (bc(cx+d) - ad(cx+2d))}{(cx+d)(bc-ad)} - \frac{(4ad+bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}}}{ac^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[a + b/x]*(c + d/x)^2), x]

[Out] ((c*Sqrt[a + b/x]*x*(b*c*(d + c*x) - a*d*(2*d + c*x)))/((b*c - a*d)*(d + c*x)) + (a*d^(3/2)*(-5*b*c + 4*a*d)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/(b*c - a*d)^(3/2) - ((b*c + 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/Sqrt[a]/(a*c^3)

IntegrateAlgebraic [A] time = 0.63, size = 172, normalized size = 1.00

$$\frac{(-4ad - bc) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)}{a^{3/2}c^3} + \frac{(4ad^{5/2} - 5bcd^{3/2}) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{\frac{ax+b}{x}}}{\sqrt{bc-ad}}\right)}{c^3(bc - ad)^{3/2}} + \frac{\sqrt{\frac{ax+b}{x}} (acdx^2 + 2ad^2x - bc^2x^2 - bcdx)}{ac^2(cx + d)(ad - bc)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(Sqrt[a + b/x]*(c + d/x)^2), x]

[Out] (Sqrt[(b + a*x)/x]*(-(b*c*d*x) + 2*a*d^2*x - b*c^2*x^2 + a*c*d*x^2))/(a*c^2*(-(b*c) + a*d)*(d + c*x)) + ((-5*b*c*d^(3/2) + 4*a*d^(5/2))*ArcTan[(Sqrt[d]*Sqrt[(b + a*x)/x])/Sqrt[b*c - a*d]])/(c^3*(b*c - a*d)^(3/2)) + ((-(b*c) - 4*a*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/(a^(3/2)*c^3)

fricas [A] time = 1.06, size = 1163, normalized size = 6.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c+d/x)^2/(a+b/x)^(1/2), x, algorithm="fricas")

[Out] [1/2*((b^2*c^2*d + 3*a*b*c*d^2 - 4*a^2*d^3 + (b^2*c^3 + 3*a*b*c^2*d - 4*a^2*c*d^2)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + (5*a^2*b*c*d^2 - 4*a^3*d^3 + (5*a^2*b*c^2*d - 4*a^3*c*d^2)*x)*sqrt(-d/(b*c - a*d))*log(-(2*(b*c - a*d)*x*sqrt(-d/(b*c - a*d))*sqrt((a*x + b)/x) - b*d + (b*c - 2*a*d)*x)/(c*x + d) + 2*((a*b*c^3 - a^2*c^2*d)*x^2 + (a*b*c^2*d - 2*a^2*c*d^2)*x)*sqrt((a*x + b)/x))/(a^2*b*c^4*d - a^3*c^3*d^2 + (a^2*b*c^5 - a^3*c^4*d)*x), -1/2*(2*(5*a^2*b*c*d^2 - 4*a^3*d^3 + (5*a^2*b*c^2*d - 4*a^3*c*d^2)*x)*sqrt(d/(b*c - a*d))*arctan(-(b*c - a*d)*x*sqrt(d/(b*c - a*d))*sqrt((a*x + b)/x)/(a*d*x + b*d)) - (b^2*c^2*d + 3*a*b*c*d^2 - 4*a^2*d^3 + (b^2*c^3 + 3*a*b*c^2*d - 4*a^2*c*d^2)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) - 2*((a*b*c^3 - a^2*c^2*d)*x^2 + (a*b*c^2*d - 2*a^2*c*d^2)*x)*sqrt((a*x + b)/x))/(a^2*b*c^4*d - a^3*c^3*d^2 + (a^2*b*c^5 - a^3*c^4*d)*x), 1/2*(2*(b^2*c^2*d + 3*a*b*c*d^2 - 4*a^2*d^3 + (b^2*c^3 + 3*a*b*c^2*d - 4*a^2*c*d^2)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (5*a^2*b*c*d^2 - 4*a^3*d^3 + (5*a^2*b*c^2*d - 4*a^3*c*d^2)*x)*sqrt(-d/(b*c - a*d))*log(-(2*(b*c - a*d)*x*sqrt(-d/(b*c - a*d))*sqrt((a*x + b)/x) - b*d + (b*c - 2*a*d)*x)/(c*x + d) + 2*((a*b*c^3 - a^2*c^2*d)*x^2 + (a*b*c^2*d - 2*a^2*c*d^2)*x)*sqrt((a*x + b)/x))/(a^2*b*c^4*d - a^3*c^3*d^2 + (a^2*b*c^5 - a^3*c^4*d)*x), -((5*a^2*b*c*d^2 - 4*a^3*d^3 + (5*a^2*b*c^2*d - 4*a^3*c*d^2)*x)*sqrt(d/(b*c - a*d))*arctan(-(b*c - a*d)*x*sqrt(d/(b*c - a*d))*sqrt((a*x + b)/x)/(a*d*x + b*d)) - (b^2*c^2*d + 3*a*b*c*d^2 - 4*a^2*d^3 + (b^2*c^3 + 3*a*b*c^2*d - 4*a^2*c*d^2)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) - ((a*b*c^3 - a^2*c^2*d)*x^2 + (a*b*c^2*d - 2*a^2*c*d^2)*x)*sqrt((a*x + b)/x))/(a^2*b*c^4*d - a^3*c^3*d^2 + (a^2*b*c^5 - a^3*c^4*d)*x)]

giac [A] time = 0.22, size = 300, normalized size = 1.74

$$-b^3 \left(\frac{(5bcd^2 - 4ad^3) \arctan\left(\frac{d\sqrt{\frac{ax+b}{x}}}{\sqrt{bcd-ad^2}}\right)}{(b^4c^4 - ab^3c^3d)\sqrt{bcd-ad^2}} + \frac{b^2c^2\sqrt{\frac{ax+b}{x}} - 2abcd\sqrt{\frac{ax+b}{x}} + 2a^2d^2\sqrt{\frac{ax+b}{x}} + \frac{(ax+b)bcd\sqrt{\frac{ax+b}{x}}}{x} - \frac{2(ax+b)ad^2\sqrt{\frac{ax+b}{x}}}{x}}{(ab^3c^3 - a^2b^2c^2d)\left(abc - a^2d - \frac{(ax+b)bc}{x} + \frac{2(ax+b)ad}{x} - \frac{(ax+b)^2d}{x^2}\right)} - \frac{(bc + 4ad) \arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}ab^3c^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c+d/x)^2/(a+b/x)^(1/2), x, algorithm="giac")

[Out] $-b^3 \left((5bc^2d^2 - 4a^2d^3) \arctan\left(\frac{d\sqrt{(ax+b)/x}}{\sqrt{bcd-ad^2}}\right) / \left((b^4c^4 - ab^3c^3d) \sqrt{bcd-ad^2} \right) + (b^2c^2\sqrt{(ax+b)/x} - 2abcd\sqrt{(ax+b)/x} + 2a^2d^2\sqrt{(ax+b)/x} + \frac{(ax+b)bcd\sqrt{(ax+b)/x}}{x} - \frac{2(ax+b)ad^2\sqrt{(ax+b)/x}}{x}) / \left((ab^3c^3 - a^2b^2c^2d) \left(abc - a^2d - \frac{(ax+b)bc}{x} + \frac{2(ax+b)ad}{x} - \frac{(ax+b)^2d}{x^2} \right) \right) - \frac{(bc + 4ad) \arctan\left(\frac{\sqrt{(ax+b)/x}}{\sqrt{-a}}\right)}{\sqrt{-a}ab^3c^3} \right)$

maple [B] time = 0.07, size = 1135, normalized size = 6.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(c+d/x)^2/(a+b/x)^(1/2), x)

[Out] $-1/2 \left((ax+b)/x \right)^{1/2} x \left(4a^{9/2} c^4 d^4 x \ln\left(\frac{-2ax+bx-bd+2((ad-bc)/c^2d)^{1/2}((ax+b)x)^{1/2}c}{(cx+d)} \right) + 2 \left((ax+b)x \right)^{1/2} \left((ad-bc)/c^2d \right)^{1/2} a^{7/2} c^4 d^4 x^2 + 4a^{9/2} d^5 \ln\left(\frac{-2ax+bx-bd+2((ad-bc)/c^2d)^{1/2}((ax+b)x)^{1/2}c}{(cx+d)} \right) - 2 \left((ax+b)x \right)^{1/2} \left((ad-bc)/c^2d \right)^{1/2} a^{7/2} c^3 d^2 x - 9a^{7/2} b^2 c^2 d^3 x \ln\left(\frac{-2ax+bx-bd+2((ad-bc)/c^2d)^{1/2}((ax+b)x)^{1/2}c}{(cx+d)} \right) - 4 \left((ax+b)x \right)^{1/2} \left((ad-bc)/c^2d \right)^{1/2} a^{7/2} c^2 d^3 - 9a^{7/2} b^2 c^2 d^4 \ln\left(\frac{-2ax+bx-bd+2((ad-bc)/c^2d)^{1/2}((ax+b)x)^{1/2}c}{(cx+d)} \right) - 2 \left((ax+b)x \right)^{3/2} \left((ad-bc)/c^2d \right)^{1/2} a^{5/2} c^4 d^6 + 6 \left((ax+b)x \right)^{1/2} \left((ad-bc)/c^2d \right)^{1/2} a^{5/2} b^2 c^3 d^2 x \ln\left(\frac{-2ax+bx-bd+2((ad-bc)/c^2d)^{1/2}((ax+b)x)^{1/2}c}{(cx+d)} \right) + 6 \left((ax+b)x \right)^{1/2} \left((ad-bc)/c^2d \right)^{1/2} a^{5/2} b^2 c^3 d^2 + 5a^{5/2} b^2 c^2 d^3 \ln\left(\frac{-2ax+bx-bd+2((ad-bc)/c^2d)^{1/2}((ax+b)x)^{1/2}c}{(cx+d)} \right) - 2a^{3/2} \left((ad-bc)/c^2d \right)^{1/2} \left((ax+b)x \right)^{1/2} x b^2 c^4 d + 4 \left((ad-bc)/c^2d \right)^{1/2} a^4 c^2 d^3 x \ln\left(\frac{1/2(2ax+b+2((ax+b)x)^{1/2}a^{1/2})}{a^{1/2}} \right) - 7 \left((ad-bc)/c^2d \right)^{1/2} a^3 b^2 c^3 d^2 x \ln\left(\frac{1/2(2ax+b+2((ax+b)x)^{1/2}a^{1/2})}{a^{1/2}} \right) + 2a^2 \ln\left(\frac{1/2(2ax+b+2((ax+b)x)^{1/2}a^{1/2})}{a^{1/2}} \right) \left((ad-bc)/c^2d \right)^{1/2} x b^2 c^4 d + \left((ad-bc)/c^2d \right)^{1/2} a^2 b^3 c^5 x \ln\left(\frac{1/2(2ax+b+2((ax+b)x)^{1/2}a^{1/2})}{a^{1/2}} \right) + 4 \left((ad-bc)/c^2d \right)^{1/2} a^4 c^2 d^3 x \ln\left(\frac{1/2(2ax+b+2((ax+b)x)^{1/2}a^{1/2})}{a^{1/2}} \right) - 7$

$$\begin{aligned}
& c^8 + a^4 c^6 d^2 - 2 a^3 b c^7 d) + ((a + b/x)^{(1/2)} (4 a^4 d + b c) (4 a^2 b^5 c^9 d^2 - 16 a^3 b^4 c^8 d^3 + 20 a^4 b^3 c^7 d^4 - 8 a^5 b^2 c^6 d^5)) \\
& / (c^3 (a^3)^{(1/2)} (a^2 b^2 c^6 + a^4 c^4 d^2 - 2 a^3 b c^5 d)) (4 a^4 d + b c) / (2 c^3 (a^3)^{(1/2)}) + (((2 (a + b/x))^{(1/2)} (32 a^4 b^2 d^7 + b^6 c^4 d^3 + 6 a b^5 c^3 d^4 - 64 a^3 b^3 c d^6 \\
& + 26 a^2 b^4 c^2 d^5)) / (a^2 b^2 c^6 + a^4 c^4 d^2 - 2 a^3 b c^5 d) - (((4 a b^6 c^9 d^2 + 4 a^2 b^5 c^8 d^3 - 16 a^3 b^4 c^7 d^4 + 8 a^4 b^3 c^6 d^5) / \\
& (a^2 b^2 c^8 + a^4 c^6 d^2 - 2 a^3 b c^7 d) - ((a + b/x)^{(1/2)} (4 a^4 d + b c) (4 a^2 b^5 c^9 d^2 - 16 a^3 b^4 c^8 d^3 + 20 a^4 b^3 c^7 d^4 - 8 a^5 b^2 c^6 d^5)) / \\
& (c^3 (a^3)^{(1/2)} (a^2 b^2 c^6 + a^4 c^4 d^2 - 2 a^3 b c^5 d))) (4 a^4 d + b c) / (2 c^3 (a^3)^{(1/2)}) (4 a^4 d + b c) / (2 c^3 (a^3)^{(1/2)}) (4 a^4 d + b c) * i) / \\
& (c^3 (a^3)^{(1/2)}) - (\operatorname{atan}(((d^3 (a d - b c))^3)^{(1/2)} (4 a^4 d - 5 b c) * ((2 (a + b/x))^{(1/2)} (32 a^4 b^2 d^7 + b^6 c^4 d^3 + 6 a b^5 c^3 d^4 - 64 a^3 b^3 c d^6 \\
& + 26 a^2 b^4 c^2 d^5)) / (a^2 b^2 c^6 + a^4 c^4 d^2 - 2 a^3 b c^5 d) + ((d^3 (a d - b c))^3)^{(1/2)} (4 a^4 d - 5 b c) * ((4 a b^6 c^9 d^2 + 4 a^2 b^5 c^8 d^3 - 16 a^3 b^4 c^7 d^4 \\
& + 8 a^4 b^3 c^6 d^5) / (a^2 b^2 c^8 + a^4 c^6 d^2 - 2 a^3 b c^7 d) + ((d^3 (a d - b c))^3)^{(1/2)} (a + b/x)^{(1/2)} (4 a^4 d - 5 b c) * (4 a^2 b^5 c^9 d^2 - 16 a^3 b^4 c^8 d^3 \\
& + 20 a^4 b^3 c^7 d^4 - 8 a^5 b^2 c^6 d^5)) / ((a^2 b^2 c^6 + a^4 c^4 d^2 - 2 a^3 b c^5 d) * (b^3 c^6 - a^3 c^3 d^3 + 3 a^2 b c^4 d^2 - 3 a b^2 c^5 d)))) / (2 * (b^3 c^6 - a^3 c^3 d^3 \\
& + 3 a^2 b c^4 d^2 - 3 a b^2 c^5 d))) * i) / (2 * (b^3 c^6 - a^3 c^3 d^3 + 3 a^2 b c^4 d^2 - 3 a b^2 c^5 d)) + ((d^3 (a d - b c))^3)^{(1/2)} (4 a^4 d - 5 b c) * ((2 (a + b/x))^{(1/2)} (32 a^4 b^2 d^7 \\
& + b^6 c^4 d^3 + 6 a b^5 c^3 d^4 - 64 a^3 b^3 c d^6 + 26 a^2 b^4 c^2 d^5)) / (a^2 b^2 c^6 + a^4 c^4 d^2 - 2 a^3 b c^5 d) - ((d^3 (a d - b c))^3)^{(1/2)} (4 a^4 d - 5 b c) * ((4 a b^6 c^9 d^2 + 4 a^2 b^5 c^8 d^3 \\
& - 16 a^3 b^4 c^7 d^4 + 8 a^4 b^3 c^6 d^5) / (a^2 b^2 c^8 + a^4 c^6 d^2 - 2 a^3 b c^7 d) - ((d^3 (a d - b c))^3)^{(1/2)} (a + b/x)^{(1/2)} (4 a^4 d - 5 b c) * (4 a^2 b^5 c^9 d^2 - 16 a^3 b^4 c^8 d^3 \\
& + 20 a^4 b^3 c^7 d^4 - 8 a^5 b^2 c^6 d^5)) / ((a^2 b^2 c^6 + a^4 c^4 d^2 - 2 a^3 b c^5 d) * (b^3 c^6 - a^3 c^3 d^3 + 3 a^2 b c^4 d^2 - 3 a b^2 c^5 d)))) / (2 * (b^3 c^6 - a^3 c^3 d^3 \\
& + 3 a^2 b c^4 d^2 - 3 a b^2 c^5 d))) * i) / (2 * (b^3 c^6 - a^3 c^3 d^3 + 3 a^2 b c^4 d^2 - 3 a b^2 c^5 d)) + ((d^3 (a d - b c))^3)^{(1/2)} (4 a^4 d - 5 b c) * ((2 (32 a^3 b^3 d^7 + 5 b^6 c^3 d^4 + 6 a b^5 c^2 d^5 \\
& - 48 a^2 b^4 c d^6)) / (a^2 b^2 c^8 + a^4 c^6 d^2 - 2 a^3 b c^7 d) - ((d^3 (a d - b c))^3)^{(1/2)} (4 a^4 d - 5 b c) * ((2 (a + b/x))^{(1/2)} (32 a^4 b^2 d^7 + b^6 c^4 d^3 + 6 a b^5 c^3 d^4 - 64 a^3 b^3 c d^6 \\
& + 26 a^2 b^4 c^2 d^5)) / (a^2 b^2 c^6 + a^4 c^4 d^2 - 2 a^3 b c^5 d) + ((d^3 (a d - b c))^3)^{(1/2)} (4 a^4 d - 5 b c) * ((4 a b^6 c^9 d^2 + 4 a^2 b^5 c^8 d^3 - 16 a^3 b^4 c^7 d^4 \\
& + 8 a^4 b^3 c^6 d^5) / (a^2 b^2 c^8 + a^4 c^6 d^2 - 2 a^3 b c^7 d) + ((d^3 (a d - b c))^3)^{(1/2)} (a + b/x)^{(1/2)} (4 a^4 d - 5 b c) * (4 a^2 b^5 c^9 d^2 - 16 a^3 b^4 c^8 d^3 \\
& + 20 a^4 b^3 c^7 d^4 - 8 a^5 b^2 c^6 d^5)) / ((a^2 b^2 c^6 + a^4 c^4 d^2 - 2 a^3 b c^5 d) * (b^3 c^6 - a^3 c^3 d^3 + 3 a^2 b c^4 d^2 - 3 a b^2 c^5 d)))) / (2 * (b^3 c^6 - a^3 c^3 d^3 \\
& + 3 a^2 b c^4 d^2 - 3 a b^2 c^5 d))) * i) / (2 * (b^3 c^6 - a^3 c^3 d^3 + 3 a^2 b c^4 d^2 - 3 a b^2 c^5 d)) + ((d^3 (a d - b c))^3)^{(1/2)} (4 a^4 d - 5 b c) * ((2 (a + b/x))^{(1/2)} (32 a^4 b^2 d^7 \\
& + b^6 c^4 d^3 + 6 a b^5 c^3 d^4 - 64 a^3 b^3 c d^6 + 26 a^2 b^4 c^2 d^5))
\end{aligned}$$

$$\frac{\begin{aligned} & \left((d^3(a*d - b*c)^3)^{1/2} * (4*a*d - 5*b*c) * \left(\frac{4*a*b^6*c^9*d^2 + 4*a^2*b^5*c^8*d^3 - 16*a^3*b^4*c^7*d^4 + 8*a^4*b^3*c^6*d^5}{(a^2*b^2*c^8 + a^4*c^6*d^2 - 2*a^3*b*c^7*d)} - \left((d^3(a*d - b*c)^3)^{1/2} * (a + b/x)^{1/2} * (4*a*d - 5*b*c) * \left(\frac{4*a^2*b^5*c^9*d^2 - 16*a^3*b^4*c^8*d^3 + 20*a^4*b^3*c^7*d^4 - 8*a^5*b^2*c^6*d^5}{(a^2*b^2*c^6 + a^4*c^4*d^2 - 2*a^3*b*c^5*d)} * (b^3*c^6 - a^3*c^3*d^3 + 3*a^2*b*c^4*d^2 - 3*a*b^2*c^5*d) \right) \right) \right) / \left(2*(b^3*c^6 - a^3*c^3*d^3 + 3*a^2*b*c^4*d^2 - 3*a*b^2*c^5*d) \right) \right) / \left(2*(b^3*c^6 - a^3*c^3*d^3 + 3*a^2*b*c^4*d^2 - 3*a*b^2*c^5*d) \right) \right) * (d^3(a*d - b*c)^3)^{1/2} * (4*a*d - 5*b*c) * i \end{aligned}}{(b^3*c^6 - a^3*c^3*d^3 + 3*a^2*b*c^4*d^2 - 3*a*b^2*c^5*d)}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c+d/x)**2/(a+b/x)**(1/2),x)

[Out] Timed out

$$3.154 \quad \int \frac{1}{\sqrt{a+\frac{b}{x}} \left(c+\frac{d}{x}\right)^3} dx$$

Optimal. Leaf size=250

$$\frac{(6ad + bc) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right) d^{3/2} (24a^2d^2 - 56abcd + 35b^2c^2) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right) + d\sqrt{a+\frac{b}{x}}(bc-4ad)(4bc-3ad)}{a^{3/2}c^4 - 4c^4(bc-ad)^{5/2} + 4ac^3\left(c+\frac{d}{x}\right)(bc-ad)^2}$$

Rubi [A] time = 0.40, antiderivative size = 250, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {375, 103, 151, 156, 63, 208, 205}

$$\frac{d^{3/2}(24a^2d^2 - 56abcd + 35b^2c^2) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a+\frac{b}{x}}}{\sqrt{bc-ad}}\right) - (6ad + bc) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right) + d\sqrt{a+\frac{b}{x}}(bc-4ad)(4bc-3ad)}{4c^4(bc-ad)^{5/2}} - \frac{(6ad + bc) \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{a^{3/2}c^4} + \frac{d\sqrt{a+\frac{b}{x}}(bc-4ad)(4bc-3ad)}{4ac^3\left(c+\frac{d}{x}\right)(bc-ad)^2} + \frac{d\sqrt{a+\frac{b}{x}}(2bc-3ad)}{2ac^2\left(c+\frac{d}{x}\right)^2(bc-ad)} + \frac{x\sqrt{a+\frac{b}{x}}}{ac\left(c+\frac{d}{x}\right)^2}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[a + b/x]*(c + d/x)^3), x]

[Out] (d*(2*b*c - 3*a*d)*Sqrt[a + b/x])/(2*a*c^2*(b*c - a*d)*(c + d/x)^2) + (d*(b*c - 4*a*d)*(4*b*c - 3*a*d)*Sqrt[a + b/x])/(4*a*c^3*(b*c - a*d)^2*(c + d/x)) + (Sqrt[a + b/x]*x)/(a*c*(c + d/x)^2) - (d^(3/2)*(35*b^2*c^2 - 56*a*b*c*d + 24*a^2*d^2)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/(4*c^4*(b*c - a*d)^(5/2)) - ((b*c + 6*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/(a^(3/2)*c^4)

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 103

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[

m] && (IntegerQ[n] || IntegersQ[2*n, 2*p])

Rule 151

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h]*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]

Rule 156

Int[(((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^3} dx &= -\text{Subst} \left(\int \frac{1}{x^2 \sqrt{a + bx} (c + dx)^3} dx, x, \frac{1}{x} \right) \\
&= \frac{\sqrt{a + \frac{b}{x}}}{ac \left(c + \frac{d}{x}\right)^2} + \frac{\text{Subst} \left(\int \frac{\frac{1}{2}(bc+6ad) + \frac{5bdx}{2}}{x \sqrt{a+bx} (c+dx)^3} dx, x, \frac{1}{x} \right)}{ac} \\
&= \frac{d(2bc - 3ad) \sqrt{a + \frac{b}{x}}}{2ac^2(bc - ad) \left(c + \frac{d}{x}\right)^2} + \frac{\sqrt{a + \frac{b}{x}}}{ac \left(c + \frac{d}{x}\right)^2} - \frac{\text{Subst} \left(\int \frac{-((bc-ad)(bc+6ad)) - \frac{3}{2}bd(2bc-3ad)x}{x \sqrt{a+bx} (c+dx)^2} dx, x, \frac{1}{x} \right)}{2ac^2(bc - ad)} \\
&= \frac{d(2bc - 3ad) \sqrt{a + \frac{b}{x}}}{2ac^2(bc - ad) \left(c + \frac{d}{x}\right)^2} + \frac{d(bc - 4ad)(4bc - 3ad) \sqrt{a + \frac{b}{x}}}{4ac^3(bc - ad)^2 \left(c + \frac{d}{x}\right)^2} + \frac{\sqrt{a + \frac{b}{x}}}{ac \left(c + \frac{d}{x}\right)^2} + \frac{\text{Subst} \left(\int \frac{(bc+6ad)S}{x \sqrt{a+bx} (c+dx)^2} dx, x, \frac{1}{x} \right)}{2ac^2(bc - ad)} \\
&= \frac{d(2bc - 3ad) \sqrt{a + \frac{b}{x}}}{2ac^2(bc - ad) \left(c + \frac{d}{x}\right)^2} + \frac{d(bc - 4ad)(4bc - 3ad) \sqrt{a + \frac{b}{x}}}{4ac^3(bc - ad)^2 \left(c + \frac{d}{x}\right)^2} + \frac{\sqrt{a + \frac{b}{x}}}{ac \left(c + \frac{d}{x}\right)^2} + \frac{(bc + 6ad)S}{2ac^2(bc - ad)} \\
&= \frac{d(2bc - 3ad) \sqrt{a + \frac{b}{x}}}{2ac^2(bc - ad) \left(c + \frac{d}{x}\right)^2} + \frac{d(bc - 4ad)(4bc - 3ad) \sqrt{a + \frac{b}{x}}}{4ac^3(bc - ad)^2 \left(c + \frac{d}{x}\right)^2} + \frac{\sqrt{a + \frac{b}{x}}}{ac \left(c + \frac{d}{x}\right)^2} + \frac{(bc + 6ad)S}{2ac^2(bc - ad)} \\
&= \frac{d(2bc - 3ad) \sqrt{a + \frac{b}{x}}}{2ac^2(bc - ad) \left(c + \frac{d}{x}\right)^2} + \frac{d(bc - 4ad)(4bc - 3ad) \sqrt{a + \frac{b}{x}}}{4ac^3(bc - ad)^2 \left(c + \frac{d}{x}\right)^2} + \frac{\sqrt{a + \frac{b}{x}}}{ac \left(c + \frac{d}{x}\right)^2} - \frac{d^{3/2} (35b^2c^2)}{2ac^2(bc - ad)}
\end{aligned}$$

Mathematica [A] time = 1.75, size = 216, normalized size = 0.86

$$\frac{cx \sqrt{a + \frac{b}{x}} (2a^2d^2(2c^2x^2 + 9cdx + 6d^2) - abcd(8c^2x^2 + 29cdx + 19d^2) + 4b^2c^2(cx + d)^2)}{(cx + d)^2(bc - ad)^2} - \frac{ad^{3/2}(24a^2d^2 - 56abcd + 35b^2c^2) \tan^{-1} \left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}} \right)}{(bc - ad)^{5/2}} - \frac{4(6ad + bc) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{\sqrt{a}}}{4ac^4}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[a + b/x]*(c + d/x)^3), x]

[Out] $((c*\text{Sqrt}[a + b/x]*x*(4*b^2*c^2*(d + c*x)^2 + 2*a^2*d^2*(6*d^2 + 9*c*d*x + 2*c^2*x^2) - a*b*c*d*(19*d^2 + 29*c*d*x + 8*c^2*x^2)))/((b*c - a*d)^2*(d + c*x)^2) - (a*d^{(3/2)}*(35*b^2*c^2 - 56*a*b*c*d + 24*a^2*d^2)*\text{ArcTan}[\text{Sqrt}[d]*\text{Sqrt}[a + b/x)]/\text{Sqrt}[b*c - a*d])/((b*c - a*d)^{(5/2)} - (4*(b*c + 6*a*d)*\text{ArcTanh}[\text{Sqrt}[a + b/x]/\text{Sqrt}[a]])/\text{Sqrt}[a])/(4*a*c^4)$

IntegrateAlgebraic [A] time = 1.65, size = 268, normalized size = 1.07

$$\frac{(-6ad - bc) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{a}}}{\sqrt{a}}\right)}{a^{3/2}c^4} + \frac{(-24a^2d^{7/2} + 56abcd^{5/2} - 35b^2d^{3/2}) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{\frac{ax+b}{a}}}{\sqrt{bc-ad}}\right)}{4c^4(bc-ad)^{5/2}} + \frac{\sqrt{\frac{ax+b}{a}}}{x} \frac{(4a^2c^2d^2x^3 + 18a^2cd^3x^2 + 12a^2d^4x - 8abc^3dx^3 - 29abc^2d^2x^2 - 19abcd^3x + 4b^2c^4x^3 + 8b^2c^3dx^2 + 4b^2c^2d^2x)}{4ac^3(cx+d)^2(ad-bc)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(Sqrt[a + b/x]*(c + d/x)^3), x]

[Out] $(\text{Sqrt}[(b + a*x)/x]*(4*b^2*c^2*d^2*x - 19*a*b*c*d^3*x + 12*a^2*d^4*x + 8*b^2*c^3*d*x^2 - 29*a*b*c^2*d^2*x^2 + 18*a^2*c*d^3*x^2 + 4*b^2*c^4*x^3 - 8*a*b*c^3*d*x^3 + 4*a^2*c^2*d^2*x^3))/(4*a*c^3*(-(b*c) + a*d)^2*(d + c*x)^2) + ((-35*b^2*c^2*d^{(3/2)} + 56*a*b*c*d^{(5/2)} - 24*a^2*d^{(7/2)})*\text{ArcTan}[\text{Sqrt}[d]*\text{Sqrt}[(b + a*x)/x]]/\text{Sqrt}[b*c - a*d])/((4*c^4*(b*c - a*d)^{(5/2)}) + ((-(b*c) - 6*a*d)*\text{ArcTanh}[\text{Sqrt}[(b + a*x)/x]/\text{Sqrt}[a]])/(a^{(3/2)}*c^4)$

fricas [B] time = 2.22, size = 2307, normalized size = 9.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c+d/x)^3/(a+b/x)^(1/2), x, algorithm="fricas")

[Out] $[1/8*(4*(b^3*c^3*d^2 + 4*a*b^2*c^2*d^3 - 11*a^2*b*c*d^4 + 6*a^3*d^5 + (b^3*c^5 + 4*a*b^2*c^4*d - 11*a^2*b*c^3*d^2 + 6*a^3*c^2*d^3)*x^2 + 2*(b^3*c^4*d + 4*a*b^2*c^3*d^2 - 11*a^2*b*c^2*d^3 + 6*a^3*c*d^4)*x)*\text{sqrt}(a)*\log(2*a*x - 2*\text{sqrt}(a)*x*\text{sqrt}((a*x + b)/x) + b) + (35*a^2*b^2*c^2*d^3 - 56*a^3*b*c*d^4 + 24*a^4*d^5 + (35*a^2*b^2*c^4*d - 56*a^3*b*c^3*d^2 + 24*a^4*c^2*d^3)*x^2 + 2*(35*a^2*b^2*c^3*d^2 - 56*a^3*b*c^2*d^3 + 24*a^4*c*d^4)*x)*\text{sqrt}(-d/(b*c - a*d))*\log(-(2*(b*c - a*d)*x*\text{sqrt}(-d/(b*c - a*d))*\text{sqrt}((a*x + b)/x) - b*d + (b*c - 2*a*d)*x)/(c*x + d)) + 2*(4*(a*b^2*c^5 - 2*a^2*b*c^4*d + a^3*c^3*d^2)*x^3 + (8*a*b^2*c^4*d - 29*a^2*b*c^3*d^2 + 18*a^3*c^2*d^3)*x^2 + (4*a*b^2*c^3*d^2 - 19*a^2*b*c^2*d^3 + 12*a^3*c*d^4)*x)*\text{sqrt}((a*x + b)/x)]/(a^2*b^2*c^6*d^2 - 2*a^3*b*c^5*d^3 + a^4*c^4*d^4 + (a^2*b^2*c^8 - 2*a^3*b*c^7*d + a^4*c^6*d^2)*x^2 + 2*(a^2*b^2*c^7*d - 2*a^3*b*c^6*d^2 + a^4*c^5*d^3)*x), 1/8*(8*(b^3*c^3*d^2 + 4*a*b^2*c^2*d^3 - 11*a^2*b*c*d^4 + 6*a^3*d^5 + (b^3*c^5 + 4*a*b^2*c^4*d - 11*a^2*b*c^3*d^2 + 6*a^3*c^2*d^3)*x^2 + 2*(b^3*c^4*d + 4*a*b^2*c^3*d^2 - 11*a^2*b*c^2*d^3 + 6*a^3*c*d^4)*x)*\text{sqrt}(-a)*\arctan(\text{sqrt}(-a)*\text{sqrt}((a*x + b)/x)/a) + (35*a^2*b^2*c^2*d^3 - 56*a^3*b*c*d^4 + 24*a^4*d^5 + (35*a^2*b^2*c^4*d - 56*a^3*b*c^3*d^2 + 24*a^4*c^2*d^3)*x^2 + 2*(35*a^2*b^2*c^3*d^2 - 56*a^3*b*c^2*d^3 + 24*a^4*c*d^4)*x)*\text{sqrt}(-d/(b*c - a*d))*\log(-(2*($


```

b*c - a*d)*x*sqrt(-d/(b*c - a*d))*sqrt((a*x + b)/x) - b*d + (b*c - 2*a*d)*x
)/(c*x + d)) + 2*(4*(a*b^2*c^5 - 2*a^2*b*c^4*d + a^3*c^3*d^2)*x^3 + (8*a*b^
2*c^4*d - 29*a^2*b*c^3*d^2 + 18*a^3*c^2*d^3)*x^2 + (4*a*b^2*c^3*d^2 - 19*a^
2*b*c^2*d^3 + 12*a^3*c*d^4)*x)*sqrt((a*x + b)/x))/(a^2*b^2*c^6*d^2 - 2*a^3*
b*c^5*d^3 + a^4*c^4*d^4 + (a^2*b^2*c^8 - 2*a^3*b*c^7*d + a^4*c^6*d^2)*x^2 +
2*(a^2*b^2*c^7*d - 2*a^3*b*c^6*d^2 + a^4*c^5*d^3)*x), -1/4*((35*a^2*b^2*c^
2*d^3 - 56*a^3*b*c*d^4 + 24*a^4*d^5 + (35*a^2*b^2*c^4*d - 56*a^3*b*c^3*d^2
+ 24*a^4*c^2*d^3)*x^2 + 2*(35*a^2*b^2*c^3*d^2 - 56*a^3*b*c^2*d^3 + 24*a^4*c
*d^4)*x)*sqrt(d/(b*c - a*d))*arctan(-(b*c - a*d)*x*sqrt(d/(b*c - a*d))*sqrt
((a*x + b)/x)/(a*d*x + b*d)) - 2*(b^3*c^3*d^2 + 4*a*b^2*c^2*d^3 - 11*a^2*b*
c*d^4 + 6*a^3*d^5 + (b^3*c^5 + 4*a*b^2*c^4*d - 11*a^2*b*c^3*d^2 + 6*a^3*c^2
*d^3)*x^2 + 2*(b^3*c^4*d + 4*a*b^2*c^3*d^2 - 11*a^2*b*c^2*d^3 + 6*a^3*c*d^4
)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) - (4*(a*b^2*c^5
- 2*a^2*b*c^4*d + a^3*c^3*d^2)*x^3 + (8*a*b^2*c^4*d - 29*a^2*b*c^3*d^2 + 1
8*a^3*c^2*d^3)*x^2 + (4*a*b^2*c^3*d^2 - 19*a^2*b*c^2*d^3 + 12*a^3*c*d^4)*x)
*sqrt((a*x + b)/x))/(a^2*b^2*c^6*d^2 - 2*a^3*b*c^5*d^3 + a^4*c^4*d^4 + (a^2
*b^2*c^8 - 2*a^3*b*c^7*d + a^4*c^6*d^2)*x^2 + 2*(a^2*b^2*c^7*d - 2*a^3*b*c^
6*d^2 + a^4*c^5*d^3)*x), -1/4*((35*a^2*b^2*c^2*d^3 - 56*a^3*b*c*d^4 + 24*a^
4*d^5 + (35*a^2*b^2*c^4*d - 56*a^3*b*c^3*d^2 + 24*a^4*c^2*d^3)*x^2 + 2*(35*
a^2*b^2*c^3*d^2 - 56*a^3*b*c^2*d^3 + 24*a^4*c*d^4)*x)*sqrt(d/(b*c - a*d))*a
rctan(-(b*c - a*d)*x*sqrt(d/(b*c - a*d))*sqrt((a*x + b)/x)/(a*d*x + b*d)) -
4*(b^3*c^3*d^2 + 4*a*b^2*c^2*d^3 - 11*a^2*b*c*d^4 + 6*a^3*d^5 + (b^3*c^5 +
4*a*b^2*c^4*d - 11*a^2*b*c^3*d^2 + 6*a^3*c^2*d^3)*x^2 + 2*(b^3*c^4*d + 4*a
*b^2*c^3*d^2 - 11*a^2*b*c^2*d^3 + 6*a^3*c*d^4)*x)*sqrt(-a)*arctan(sqrt(-a)*
sqrt((a*x + b)/x)/a) - (4*(a*b^2*c^5 - 2*a^2*b*c^4*d + a^3*c^3*d^2)*x^3 + (
8*a*b^2*c^4*d - 29*a^2*b*c^3*d^2 + 18*a^3*c^2*d^3)*x^2 + (4*a*b^2*c^3*d^2 -
19*a^2*b*c^2*d^3 + 12*a^3*c*d^4)*x)*sqrt((a*x + b)/x))/(a^2*b^2*c^6*d^2 -
2*a^3*b*c^5*d^3 + a^4*c^4*d^4 + (a^2*b^2*c^8 - 2*a^3*b*c^7*d + a^4*c^6*d^2)
*x^2 + 2*(a^2*b^2*c^7*d - 2*a^3*b*c^6*d^2 + a^4*c^5*d^3)*x)]

```

giac [A] time = 0.29, size = 352, normalized size = 1.41

$$-\frac{1}{4}b^4 \left(\frac{(35b^2c^2d^2 - 56abcd^3 + 24a^2d^4) \arctan\left(\frac{d\sqrt{\frac{ax+b}{x}}}{\sqrt{bcd-ad^2}}\right)}{(b^6c^6 - 2ab^5c^5d + a^2b^4c^4d^2)\sqrt{bcd-ad^2}} + \frac{13b^2c^2d^2\sqrt{\frac{ax+b}{x}} - 21abcd^3\sqrt{\frac{ax+b}{x}} + 8a^2d^4\sqrt{\frac{ax+b}{x}} + \frac{11(ax+b)bcd^3\sqrt{\frac{ax+b}{x}}}{x} - \frac{8(ax+b)ad^4\sqrt{\frac{ax+b}{x}}}{x}}{(b^5c^5 - 2ab^4c^4d + a^2b^3c^3d^2)(bc-ad + \frac{(ax+b)d}{x})^2}} + \frac{4\sqrt{\frac{ax+b}{x}}}{(a - \frac{ax+b}{x})ab^3c^3} - \frac{4(bc+6ad) \arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}ab^4c^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c+d/x)^3/(a+b/x)^(1/2),x, algorithm="giac")

```

[Out] -1/4*b^4*((35*b^2*c^2*d^2 - 56*a*b*c*d^3 + 24*a^2*d^4)*arctan(d*sqrt((a*x +
b)/x)/sqrt(b*c*d - a*d^2))/((b^6*c^6 - 2*a*b^5*c^5*d + a^2*b^4*c^4*d^2)*sq
rt(b*c*d - a*d^2)) + (13*b^2*c^2*d^2*sqrt((a*x + b)/x) - 21*a*b*c*d^3*sqrt(
(a*x + b)/x) + 8*a^2*d^4*sqrt((a*x + b)/x) + 11*(a*x + b)*b*c*d^3*sqrt((a*x
+ b)/x)/x - 8*(a*x + b)*a*d^4*sqrt((a*x + b)/x)/x)/((b^5*c^5 - 2*a*b^4*c^4
*d + a^2*b^3*c^3*d^2)*(b*c - a*d + (a*x + b)*d/x)^2) + 4*sqrt((a*x + b)/x)/

```

$$\left(\frac{a - (ax + b)}{x}\right) a^3 b^3 c^3 - 4(b^3 c + 6a^3 d) \arctan\left(\frac{\sqrt{(ax + b)/x}}{\sqrt{-a}}\right) / \left(\sqrt{-a} a^4 b^4 c^4\right)$$

maple [B] time = 0.07, size = 2269, normalized size = 9.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(c+d/x)^3/(a+b/x)^(1/2), x)`

[Out]
$$\begin{aligned} & -1/8 * ((a*x+b)/x)^{(1/2)} * x * (60*a^3 * \ln(1/2 * (2*a*x+b+2*((a*x+b)*x)^{(1/2)} * a^{(1/2)})) / a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * b^2*c^3*d^4 - 12*a^2 * \ln(1/2 * (2*a*x+b+2*((a*x+b)*x)^{(1/2)} * a^{(1/2)})) / a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * b^3*c^4*d^3 + 12*a^{(9/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x^3*c^5*d^2 - 12*a^{(7/2)} * ((a*x+b)*x)^{(3/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x*c^5*d^2 - 80*a^{(9/2)} * \ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)} * ((a*x+b)*x)^{(1/2)} * c) / (c*x+d)) * x^2*b*c^3*d^4 + 91*a^{(7/2)} * \ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)} * ((a*x+b)*x)^{(1/2)} * c) / (c*x+d)) * x^2*b^2*c^4*d^3 - 35*a^{(5/2)} * \ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)} * ((a*x+b)*x)^{(1/2)} * c) / (c*x+d)) * x^2*b^3*c^5*d^2 + 24*a^5 * \ln(1/2 * (2*a*x+b+2*((a*x+b)*x)^{(1/2)} * a^{(1/2)})) / a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * x^2*c^3*d^4 + 18*a^{(5/2)} * ((a*x+b)*x)^{(3/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * b*c^5*d^2 - 36*a^{(9/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x*c^3*d^4 - 160*a^{(9/2)} * \ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)} * ((a*x+b)*x)^{(1/2)} * c) / (c*x+d)) * x*b*c^2*d^5 - 4*a * \ln(1/2 * (2*a*x+b+2*((a*x+b)*x)^{(1/2)} * a^{(1/2)})) / a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * x^2*b^4*c^7 + 8*a^{(3/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * b^3*c^5*d^2 - 4*a * \ln(1/2 * (2*a*x+b+2*((a*x+b)*x)^{(1/2)} * a^{(1/2)})) / a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * b^4*c^5*d^2 + 182*a^{(7/2)} * \ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)} * ((a*x+b)*x)^{(1/2)} * c) / (c*x+d)) * x*b^2*c^3*d^4 - 70*a^{(5/2)} * \ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)} * ((a*x+b)*x)^{(1/2)} * c) / (c*x+d)) * x*b^3*c^4*d^3 + 48*a^5 * \ln(1/2 * (2*a*x+b+2*((a*x+b)*x)^{(1/2)} * a^{(1/2)})) / a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * x*c^2*d^5 + 62*a^{(7/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * b*c^3*d^4 - 46*a^{(5/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * b^2*c^4*d^3 - 68*a^4 * \ln(1/2 * (2*a*x+b+2*((a*x+b)*x)^{(1/2)} * a^{(1/2)})) / a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * b*c^2*d^5 + 8*a^{(3/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x^2*b^3*c^7 + 24*a^{(11/2)} * \ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)} * ((a*x+b)*x)^{(1/2)} * c) / (c*x+d)) * d^7 - 92*a^{(5/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x*b^2*c^5*d^2 - 136*a^4 * \ln(1/2 * (2*a*x+b+2*((a*x+b)*x)^{(1/2)} * a^{(1/2)})) / a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * x*b*c^3*d^4 + 120*a^3 * \ln(1/2 * (2*a*x+b+2*((a*x+b)*x)^{(1/2)} * a^{(1/2)})) / a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * x*b^2*c^4*d^3 - 24*a^2 * \ln(1/2 * (2*a*x+b+2*((a*x+b)*x)^{(1/2)} * a^{(1/2)})) / a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * x*b^3*c^5*d^2 + 60*a^3 * \ln(1/2 * (2*a*x+b+2*((a*x+b)*x)^{(1/2)} * a^{(1/2)})) / a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * x^2*b^2*c^5*d^2 - 12*a^2 * \ln(1/2 * (2*a*x+b+2*((a*x+b)*x)^{(1/2)} * a^{(1/2)})) / a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * x^2*b^3*c^6*d + 102*a^{(7/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x*b*c^4*d^3 + 22*a^{(5/2)} * ((a*x+b)*x)^{(3/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x*b*c^6*d + 18*a \end{aligned}$$

$$\begin{aligned} &^{(7/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x^2 * b*c^5*d^2 - 46*a^{(5/2)} * \\ &((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x^2 * b^2*c^6*d - 68*a^4 * \ln(1/2 * (2*a*x \\ &+ b + 2*((a*x+b)*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * x^2 * b*c^4 * \\ &d^3 - 22*a^{(7/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x^3 * b*c^6*d - 8*a * \ln \\ &(1/2 * (2*a*x + b + 2*((a*x+b)*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} \\ &* x * b^4 * c^6*d + 16*a^{(3/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x * b^3 * c^6 \\ &* d - 24*a^{(9/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * c^2 * d^5 - 80*a^{(9/2)} * \\ &\ln((-2*a*d*x + b*c*x - b*d + 2*((a*d-b*c)/c^2*d)^{(1/2)} * ((a*x+b)*x)^{(1/2)} * c) / (c*x + \\ &d)) * b*c*d^6 + 91*a^{(7/2)} * \ln((-2*a*d*x + b*c*x - b*d + 2*((a*d-b*c)/c^2*d)^{(1/2)} * ((a \\ &*x+b)*x)^{(1/2)} * c) / (c*x + d)) * b^2 * c^2 * d^5 - 35*a^{(5/2)} * \ln((-2*a*d*x + b*c*x - b*d + 2 * \\ &((a*d-b*c)/c^2*d)^{(1/2)} * ((a*x+b)*x)^{(1/2)} * c) / (c*x + d)) * b^3 * c^3 * d^4 + 24*a^5 * \ln \\ &(1/2 * (2*a*x + b + 2*((a*x+b)*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} \\ &* c * d^6 + 24*a^{(11/2)} * \ln((-2*a*d*x + b*c*x - b*d + 2*((a*d-b*c)/c^2*d)^{(1/2)} * ((a*x+b \\ &)*x)^{(1/2)} * c) / (c*x + d)) * x^2 * c^2 * d^5 - 8*a^{(7/2)} * ((a*x+b)*x)^{(3/2)} * ((a*d-b*c)/c \\ &^2*d)^{(1/2)} * c^4 * d^3 + 48*a^{(11/2)} * \ln((-2*a*d*x + b*c*x - b*d + 2*((a*d-b*c)/c^2*d)^{(1/2)} \\ &((a*x+b)*x)^{(1/2)} * c) / (c*x + d)) * x * c * d^6 / c^5 / ((a*x+b)*x)^{(1/2)} / (a*d-b*c \\ &)^3 / (c*x+d)^2 / a^{(5/2)} / ((a*d-b*c)/c^2*d)^{(1/2)} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c+d/x)^3/(a+b/x)^(1/2), x, algorithm="maxima")

[Out] integrate(1/(sqrt(a + b/x)*(c + d/x)^3), x)

mupad [B] time = 5.48, size = 2890, normalized size = 11.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b/x)^(1/2)*(c + d/x)^3), x)

[Out] $(\log((d^3*(a*d - b*c)^5)^{(1/2)} * (a + b/x)^{(1/2)} - a^3*d^4 + b^3*c^3*d - 3*a * b^2*c^2*d^2 + 3*a^2*b*c*d^3) * (d^3*(a*d - b*c)^5)^{(1/2)} * (3*a^2*d^2 + (35*b^2 * c^2)/8 - 7*a*b*c*d)) / (b^5*c^9 - a^5*c^4*d^5 + 5*a^4*b*c^5*d^4 + 10*a^2*b^3 * c^7*d^2 - 10*a^3*b^2*c^6*d^3 - 5*a*b^4*c^8*d) - ((b*(a + b/x)^{(5/2)} * (12*a^2*d^4 + 4*b^2*c^2*d^2 - 19*a*b*c*d^3)) / (4*a*c^3*(a*d - b*c)^2) - ((a + b/x)^{(1/2)} * (4*b^4*c^3 - 12*a^3*b*d^3 + 25*a^2*b^2*c*d^2 - 12*a*b^3*c^2*d)) / (4*a * c^3*(a*d - b*c)) + (d*(a + b/x)^{(3/2)} * (8*b^4*c^3 - 24*a^3*b*d^3 + 56*a^2*b^2*c*d^2 - 37*a*b^3*c^2*d)) / (4*c^3*(a^2*d - a*b*c)*(a*d - b*c))) / ((a + b/x)^2 * (3*a*d^2 - 2*b*c*d) - (a + b/x) * (3*a^2*d^2 + b^2*c^2 - 4*a*b*c*d) - d^2 * (a + b/x)^3 + a^3*d^2 + a*b^2*c^2 - 2*a^2*b*c*d) - (\log((d^3*(a*d - b*c)^5)$

$$\begin{aligned}
& \sqrt{\frac{1}{2}}(a + b/x)^{1/2} + a^3 d^4 - b^3 c^3 d + 3a^2 b^2 c^2 d^2 - 3a^2 b c^3 d^3) (d^3 (a d - b c)^5)^{1/2} (24 a^2 d^2 + 35 b^2 c^2 - 56 a b c d) / (8 (b^5 c^9 - a^5 c^4 d^5 + 5 a^4 b c^5 d^4 + 10 a^2 b^3 c^7 d^2 - 10 a^3 b^2 c^6 d^3 - 5 a b^4 c^8 d)) - (\operatorname{atan}(\frac{((a + b/x)^{1/2} (1152 a^6 b^2 d^9 + 16 b^8 c^6 d^3 + 128 a b^7 c^5 d^4 - 4800 a^5 b^3 c d^8 + 1129 a^2 b^6 c^4 d^5 - 5136 a^3 b^5 c^3 d^6 + 7520 a^4 b^4 c^2 d^7))}{(8 (a^2 b^4 c^{10} + a^6 c^6 d^4 - 4 a^3 b^3 c^9 d - 4 a^5 b c^7 d^3 + 6 a^4 b^2 c^8 d^2))} - ((4 a b^8 c^{13} d^2 + 4 a^2 b^7 c^{12} d^3 - 45 a^3 b^6 c^{11} d^4 + 74 a^4 b^5 c^{10} d^5 - 49 a^5 b^4 c^9 d^6 + 12 a^6 b^3 c^8 d^7)) / (a^2 b^4 c^{13} + a^6 c^9 d^4 - 4 a^3 b^3 c^{12} d - 4 a^5 b c^{10} d^3 + 6 a^4 b^2 c^{11} d^2) - ((a + b/x)^{1/2} (6 a d + b c) (64 a^2 b^7 c^{13} d^2 - 384 a^3 b^6 c^{12} d^3 + 896 a^4 b^5 c^{11} d^4 - 1024 a^5 b^4 c^{10} d^5 + 576 a^6 b^3 c^9 d^6 - 128 a^7 b^2 c^8 d^7)) / (16 c^4 (a^3)^{1/2} (a^2 b^4 c^{10} + a^6 c^6 d^4 - 4 a^3 b^3 c^9 d - 4 a^5 b c^7 d^3 + 6 a^4 b^2 c^8 d^2))) (6 a d + b c)) / (2 c^4 (a^3)^{1/2})) (6 a d + b c) * i) / (2 c^4 (a^3)^{1/2}) + (((a + b/x)^{1/2} (1152 a^6 b^2 d^9 + 16 b^8 c^6 d^3 + 128 a b^7 c^5 d^4 - 4800 a^5 b^3 c d^8 + 1129 a^2 b^6 c^4 d^5 - 5136 a^3 b^5 c^3 d^6 + 7520 a^4 b^4 c^2 d^7)) / (8 (a^2 b^4 c^{10} + a^6 c^6 d^4 - 4 a^3 b^3 c^9 d - 4 a^5 b c^7 d^3 + 6 a^4 b^2 c^8 d^2))) + (((4 a b^8 c^{13} d^2 + 4 a^2 b^7 c^{12} d^3 - 45 a^3 b^6 c^{11} d^4 + 74 a^4 b^5 c^{10} d^5 - 49 a^5 b^4 c^9 d^6 + 12 a^6 b^3 c^8 d^7)) / (a^2 b^4 c^{13} + a^6 c^9 d^4 - 4 a^3 b^3 c^{12} d - 4 a^5 b c^{10} d^3 + 6 a^4 b^2 c^{11} d^2) + ((a + b/x)^{1/2} (6 a d + b c) (64 a^2 b^7 c^{13} d^2 - 384 a^3 b^6 c^{12} d^3 + 896 a^4 b^5 c^{11} d^4 - 1024 a^5 b^4 c^{10} d^5 + 576 a^6 b^3 c^9 d^6 - 128 a^7 b^2 c^8 d^7)) / (16 c^4 (a^3)^{1/2} (a^2 b^4 c^{10} + a^6 c^6 d^4 - 4 a^3 b^3 c^9 d - 4 a^5 b c^7 d^3 + 6 a^4 b^2 c^8 d^2))) (6 a d + b c)) / (2 c^4 (a^3)^{1/2})) (6 a d + b c) * i) / (2 c^4 (a^3)^{1/2})) / ((216 a^5 b^3 d^9 + (35 b^8 c^5 d^4) / 2 - (49 a b^7 c^4 d^5) / 8 - 810 a^4 b^4 c d^8 - (1877 a^2 b^6 c^3 d^6) / 4 + 1044 a^3 b^5 c^2 d^7)) / (a^2 b^4 c^{13} + a^6 c^9 d^4 - 4 a^3 b^3 c^{12} d - 4 a^5 b c^{10} d^3 + 6 a^4 b^2 c^{11} d^2) + (((a + b/x)^{1/2} (1152 a^6 b^2 d^9 + 16 b^8 c^6 d^3 + 128 a b^7 c^5 d^4 - 4800 a^5 b^3 c d^8 + 1129 a^2 b^6 c^4 d^5 - 5136 a^3 b^5 c^3 d^6 + 7520 a^4 b^4 c^2 d^7)) / (8 (a^2 b^4 c^{10} + a^6 c^6 d^4 - 4 a^3 b^3 c^9 d - 4 a^5 b c^7 d^3 + 6 a^4 b^2 c^8 d^2))) - (((4 a b^8 c^{13} d^2 + 4 a^2 b^7 c^{12} d^3 - 45 a^3 b^6 c^{11} d^4 + 74 a^4 b^5 c^{10} d^5 - 49 a^5 b^4 c^9 d^6 + 12 a^6 b^3 c^8 d^7)) / (a^2 b^4 c^{13} + a^6 c^9 d^4 - 4 a^3 b^3 c^{12} d - 4 a^5 b c^{10} d^3 + 6 a^4 b^2 c^{11} d^2) - ((a + b/x)^{1/2} (6 a d + b c) (64 a^2 b^7 c^{13} d^2 - 384 a^3 b^6 c^{12} d^3 + 896 a^4 b^5 c^{11} d^4 - 1024 a^5 b^4 c^{10} d^5 + 576 a^6 b^3 c^9 d^6 - 128 a^7 b^2 c^8 d^7)) / (16 c^4 (a^3)^{1/2} (a^2 b^4 c^{10} + a^6 c^6 d^4 - 4 a^3 b^3 c^9 d - 4 a^5 b c^7 d^3 + 6 a^4 b^2 c^8 d^2))) (6 a d + b c)) / (2 c^4 (a^3)^{1/2})) (6 a d + b c)) / (2 c^4 (a^3)^{1/2}) - (((a + b/x)^{1/2} (1152 a^6 b^2 d^9 + 16 b^8 c^6 d^3 + 128 a b^7 c^5 d^4 - 4800 a^5 b^3 c d^8 + 1129 a^2 b^6 c^4 d^5 - 5136 a^3 b^5 c^3 d^6 + 7520 a^4 b^4 c^2 d^7)) / (8 (a^2 b^4 c^{10} + a^6 c^6 d^4 - 4 a^3 b^3 c^9 d - 4 a^5 b c^7 d^3 + 6 a^4 b^2 c^8 d^2))) + (((4 a b^8 c^{13} d^2 + 4 a^2 b^7 c^{12} d^3 - 45 a^3 b^6 c^{11} d^4 + 74 a^4 b^5 c^{10} d^5 - 49 a^5 b^4 c^9 d^6 + 12 a^6 b^3 c^8 d^7)) / (a^2 b^4 c^{13} + a^6 c^9 d^4 - 4 a^3 b^3 c^{12} d - 4 a^5 b c^{10} d^3 + 6 a^4 b^2 c^{11} d^2) + ((a + b/x)^{1/2} (6 a d + b c) (64 a^2 b^7 c^{13} d^2 - 384 a^3 b^6 c^{12} d^3 + 896 a^4 b^5 c^{11} d^4 - 1024 a^5 b^4 c^{10} d^5 + 576 a^6 b^3 c^9 d^6 - 128 a^7 b^2 c^8 d^7)) / (16 c^4 (a^3)^{1/2} (a^2 b^4 c^{10} + a^6 c^6 d^4 - 4 a^3 b^3 c^9 d - 4 a^5 b c^7 d^3 + 6 a^4 b^2 c^8 d^2))) (6 a d + b c)) / (2 c^4 (a^3)^{1/2})) (6 a d + b c) * i) / (2 c^4 (a^3)^{1/2}) - (((a + b/x)^{1/2} (1152 a^6 b^2 d^9 + 16 b^8 c^6 d^3 + 128 a b^7 c^5 d^4 - 4800 a^5 b^3 c d^8 + 1129 a^2 b^6 c^4 d^5 - 5136 a^3 b^5 c^3 d^6 + 7520 a^4 b^4 c^2 d^7)) / (8 (a^2 b^4 c^{10} + a^6 c^6 d^4 - 4 a^3 b^3 c^9 d - 4 a^5 b c^7 d^3 + 6 a^4 b^2 c^8 d^2))) + (((4 a b^8 c^{13} d^2 + 4 a^2 b^7 c^{12} d^3 - 45 a^3 b^6 c^{11} d^4 + 74 a^4 b^5 c^{10} d^5 - 49 a^5 b^4 c^9 d^6 + 12 a^6 b^3 c^8 d^7)) / (a^2 b^4 c^{13} + a^6 c^9 d^4 - 4 a^3 b^3 c^{12} d - 4 a^5 b c^{10} d^3 + 6 a^4 b^2 c^{11} d^2) + ((a + b/x)^{1/2} (6 a d + b c) (64 a^2 b^7 c^{13} d^2 - 384 a^3 b^6 c^{12} d^3 + 896 a^4 b^5 c^{11} d^4 - 1024 a^5 b^4 c^{10} d^5 + 576 a^6 b^3 c^9 d^6 - 128 a^7 b^2 c^8 d^7)) / (16 c^4 (a^3)^{1/2} (a^2 b^4 c^{10} + a^6 c^6 d^4 - 4 a^3 b^3 c^9 d - 4 a^5 b c^7 d^3 + 6 a^4 b^2 c^8 d^2))) (6 a d + b c)) / (2 c^4 (a^3)^{1/2})) (6 a d + b c) * i) / (2 c^4 (a^3)^{1/2})
\end{aligned}$$

$$3*b^3*c^{12}*d - 4*a^5*b*c^{10}*d^3 + 6*a^4*b^2*c^{11}*d^2) + ((a + b/x)^{(1/2)}*(6*a*d + b*c)*(64*a^2*b^7*c^{13}*d^2 - 384*a^3*b^6*c^{12}*d^3 + 896*a^4*b^5*c^{11}*d^4 - 1024*a^5*b^4*c^{10}*d^5 + 576*a^6*b^3*c^9*d^6 - 128*a^7*b^2*c^8*d^7))/(16*c^4*(a^3)^{(1/2)}*(a^2*b^4*c^{10} + a^6*c^6*d^4 - 4*a^3*b^3*c^9*d - 4*a^5*b*c^7*d^3 + 6*a^4*b^2*c^8*d^2)))*(6*a*d + b*c))/(2*c^4*(a^3)^{(1/2)))*(6*a*d + b*c))/(2*c^4*(a^3)^{(1/2)))*(6*a*d + b*c)*i)/(c^4*(a^3)^{(1/2))}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c+d/x)**3/(a+b/x)**(1/2),x)

[Out] Timed out

$$3.155 \quad \int \frac{\left(c + \frac{d}{x}\right)^3}{\left(a + \frac{b}{x}\right)^{3/2}} dx$$

Optimal. Leaf size=132

$$-\frac{3c^2(bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{(bc - 2ad)(2a^2d^2 - 2abcd + 3b^2c^2) - \frac{abd^2(2ad+bc)}{x}}{a^2b^2\sqrt{a + \frac{b}{x}}} + \frac{cx\left(c + \frac{d}{x}\right)^2}{a\sqrt{a + \frac{b}{x}}}$$

Rubi [A] time = 0.10, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {375, 98, 146, 63, 208}

$$\frac{(bc - 2ad)(2a^2d^2 - 2abcd + 3b^2c^2) - \frac{abd^2(2ad+bc)}{x}}{a^2b^2\sqrt{a + \frac{b}{x}}} - \frac{3c^2(bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{cx\left(c + \frac{d}{x}\right)^2}{a\sqrt{a + \frac{b}{x}}}$$

Antiderivative was successfully verified.

[In] Int[(c + d/x)^3/(a + b/x)^(3/2), x]

[Out] ((b*c - 2*a*d)*(3*b^2*c^2 - 2*a*b*c*d + 2*a^2*d^2) - (a*b*d^2*(b*c + 2*a*d))/x)/(a^2*b^2*sqrt[a + b/x]) + (c*(c + d/x)^2*x)/(a*sqrt[a + b/x]) - (3*c^2*(b*c - 2*a*d)*ArcTanh[sqrt[a + b/x]/sqrt[a]])/a^(5/2)

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 98

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[((b*c - a*d)*(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] + Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 2)*(e + f*x)^p*Simp[a*d*(d*e*(n - 1) + c*f*(p + 1)) + b*c*(d*e*(m - n + 2) - c*f*(m + p + 2)) + d*(a*d*f*(n + p) + b*(d*e*(m + 1) - c*f*(m + n + p + 1)))*x, x], x] /; FreeQ[{a,

b, c, d, e, f, p}, x] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

Rule 146

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((a^2*d*f*h*(n + 2) + b^2*d*e*g*(m + n + 3) + a*b*(c*f*h*(m + 1) - d*(f*g + e*h)*(m + n + 3)) + b*f*h*(b*c - a*d)*(m + 1)*x*(a + b*x)^(m + 1)*(c + d*x)^(n + 1))/(b^2*d*(b*c - a*d)*(m + 1)*(m + n + 3)), x] - Dist[(a^2*d^2*f*h*(n + 1)*(n + 2) + a*b*d*(n + 1)*(2*c*f*h*(m + 1) - d*(f*g + e*h)*(m + n + 3)) + b^2*(c^2*f*h*(m + 1)*(m + 2) - c*d*(f*g + e*h)*(m + 1)*(m + n + 3) + d^2*e*g*(m + n + 2)*(m + n + 3)))/(b^2*d*(b*c - a*d)*(m + 1)*(m + n + 3)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && ((GeQ[m, -2] && LtQ[m, -1]) || SumSimplerQ[m, 1]) && NeQ[m, -1] && NeQ[m + n + 3, 0]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_.) + (b_.)*(x_)^(n_))^(p_.)*((c_.) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\left(c + \frac{d}{x}\right)^3}{\left(a + \frac{b}{x}\right)^{3/2}} dx &= -\text{Subst} \left(\int \frac{(c + dx)^3}{x^2(a + bx)^{3/2}} dx, x, \frac{1}{x} \right) \\
&= \frac{c \left(c + \frac{d}{x}\right)^2 x}{a \sqrt{a + \frac{b}{x}}} + \frac{\text{Subst} \left(\int \frac{(c+dx) \left(\frac{3}{2}c(bc-2ad) - \frac{1}{2}d(bc+2ad)x\right)}{x(a+bx)^{3/2}} dx, x, \frac{1}{x} \right)}{a} \\
&= \frac{(bc - 2ad)(3b^2c^2 - 2abcd + 2a^2d^2) - \frac{abd^2(bc+2ad)}{x}}{a^2b^2\sqrt{a + \frac{b}{x}}} + \frac{c \left(c + \frac{d}{x}\right)^2 x}{a \sqrt{a + \frac{b}{x}}} + \frac{(3c^2(bc - 2ad)) \text{Subst} \left(\int \frac{1}{x} \right)}{2a^2} \\
&= \frac{(bc - 2ad)(3b^2c^2 - 2abcd + 2a^2d^2) - \frac{abd^2(bc+2ad)}{x}}{a^2b^2\sqrt{a + \frac{b}{x}}} + \frac{c \left(c + \frac{d}{x}\right)^2 x}{a \sqrt{a + \frac{b}{x}}} + \frac{(3c^2(bc - 2ad)) \text{Subst} \left(\int \frac{1}{x} \right)}{a^2b} \\
&= \frac{(bc - 2ad)(3b^2c^2 - 2abcd + 2a^2d^2) - \frac{abd^2(bc+2ad)}{x}}{a^2b^2\sqrt{a + \frac{b}{x}}} + \frac{c \left(c + \frac{d}{x}\right)^2 x}{a \sqrt{a + \frac{b}{x}}} - \frac{3c^2(bc - 2ad) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right)}{a^{5/2}}
\end{aligned}$$

Mathematica [C] time = 0.07, size = 92, normalized size = 0.70

$$\frac{a(-4a^2d^3x - 2abd^2(d - 3cx) + b^2c^3x^2) + 3b^2c^2x(bc - 2ad) {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{b}{ax} + 1\right)}{a^2b^2x\sqrt{a + \frac{b}{x}}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d/x)^3/(a + b/x)^(3/2), x]

[Out] (a*(-4*a^2*d^3*x + b^2*c^3*x^2 - 2*a*b*d^2*(d - 3*c*x)) + 3*b^2*c^2*(b*c - 2*a*d)*x*Hypergeometric2F1[-1/2, 1, 1/2, 1 + b/(a*x)])/(a^2*b^2*sqrt[a + b/x]*x)

IntegrateAlgebraic [A] time = 0.28, size = 130, normalized size = 0.98

$$\frac{3(2ac^2d - bc^3) \tanh^{-1} \left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}} \right)}{a^{5/2}} + \frac{\sqrt{\frac{ax+b}{x}} (-4a^3d^3x + 6a^2bcd^2x - 2a^2bd^3 + ab^2c^3x^2 - 6ab^2c^2dx + 3b^3c^3x)}{a^2b^2(ax + b)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d/x)^3/(a + b/x)^(3/2), x]

[Out] (Sqrt[(b + a*x)/x]*(-2*a^2*b*d^3 + 3*b^3*c^3*x - 6*a*b^2*c^2*d*x + 6*a^2*b*c*d^2*x - 4*a^3*d^3*x + a*b^2*c^3*x^2))/(a^2*b^2*(b + a*x)) + (3*(-(b*c^3) + 2*a*c^2*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/a^(5/2)

fricas [A] time = 1.54, size = 336, normalized size = 2.55

$$\frac{3(b^3c^3 - 2ab^2c^2d + (ab^3c^3 - 2a^2b^2c^2d)x)\sqrt{a}\log(2ax + 2\sqrt{a}\sqrt{\frac{ax+b}{x}} + b) - 2(a^2b^2c^3x^2 - 2a^3bd^3 + (3ab^3c^3 - 6a^2b^2c^2d + 6a^3bcd^2 - 4a^4d^3)x)\sqrt{\frac{ax+b}{x}}}{2(a^2bx + a^3b^2)} + \frac{3(b^3c^3 - 2ab^2c^2d + (ab^3c^3 - 2a^2b^2c^2d)x)\sqrt{-a}\arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right) + (a^2b^2c^3x^2 - 2a^3bd^3 + (3ab^3c^3 - 6a^2b^2c^2d + 6a^3bcd^2 - 4a^4d^3)x)\sqrt{\frac{ax+b}{x}}}{a^2bx + a^3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^3/(a+b/x)^(3/2), x, algorithm="fricas")

[Out] [-1/2*(3*(b^4*c^3 - 2*a*b^3*c^2*d + (a*b^3*c^3 - 2*a^2*b^2*c^2*d)*x)*sqrt(a)*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) - 2*(a^2*b^2*c^3*x^2 - 2*a^3*b*d^3 + (3*a*b^3*c^3 - 6*a^2*b^2*c^2*d + 6*a^3*b*c*d^2 - 4*a^4*d^3)*x)*sqrt((a*x + b)/x)]/(a^4*b^2*x + a^3*b^3), (3*(b^4*c^3 - 2*a*b^3*c^2*d + (a*b^3*c^3 - 2*a^2*b^2*c^2*d)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (a^2*b^2*c^3*x^2 - 2*a^3*b*d^3 + (3*a*b^3*c^3 - 6*a^2*b^2*c^2*d + 6*a^3*b*c*d^2 - 4*a^4*d^3)*x)*sqrt((a*x + b)/x)]/(a^4*b^2*x + a^3*b^3)]

giac [A] time = 0.21, size = 222, normalized size = 1.68

$$\frac{2d^3\sqrt{\frac{ax+b}{x}}}{b} - \frac{3(b^2c^3 - 2abc^2d)\arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}^2} - \frac{2ab^3c^3 - 6a^2b^2c^2d + 6a^3bcd^2 - 2a^4d^3 - \frac{3(ax+b)b^3c^3}{x} + \frac{6(ax+b)ab^2c^2d}{x} - \frac{6(ax+b)a^2bcd^2}{x} + \frac{2(ax+b)a^3d^3}{x}}{\left(a\sqrt{\frac{ax+b}{x}} - \frac{(ax+b)\sqrt{\frac{ax+b}{x}}}{x}\right)a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^3/(a+b/x)^(3/2), x, algorithm="giac")

[Out] -(2*d^3*sqrt((a*x + b)/x)/b - 3*(b^2*c^3 - 2*a*b*c^2*d)*arctan(sqrt((a*x + b)/x)/sqrt(-a))/(sqrt(-a)*a^2) - (2*a*b^3*c^3 - 6*a^2*b^2*c^2*d + 6*a^3*b*c*d^2 - 2*a^4*d^3 - 3*(a*x + b)*b^3*c^3/x + 6*(a*x + b)*a*b^2*c^2*d/x - 6*(a*x + b)*a^2*b*c*d^2/x + 2*(a*x + b)*a^3*d^3/x)/((a*sqrt((a*x + b)/x) - (a*x + b)*sqrt((a*x + b)/x)/x)*a^2*b)/b

maple [B] time = 0.07, size = 969, normalized size = 7.34

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c+d/x)^3/(a+b/x)^(3/2),x)`

[Out]
$$-1/2*((a*x+b)/x)^(1/2)/x/a^(5/2)*(3*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2)))/a^(1/2))*x^2*b^6*c^3+4*(a*x^2+b*x)^(3/2)*a^(9/2)*x^2*d^3-4*a^(9/2)*((a*x+b)*x)^(3/2)*x^2*d^3+4*(a*x^2+b*x)^(3/2)*a^(5/2)*b^2*d^3+6*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2)))/a^(1/2))*x^3*a^3*b^3*c*d^2-12*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2)))/a^(1/2))*x^3*a^2*b^4*c^2*d-6*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2)))/a^(1/2))*x^4*a^3*b^3*c^2*d-3*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^(1/2)*a^(1/2)))/a^(1/2))*x^4*a^4*b^2*c*d^2+3*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2)))/a^(1/2))*x^4*a^4*b^2*c*d^2-6*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^(1/2)*a^(1/2)))/a^(1/2))*x^3*a^3*b^3*c*d^2+12*a^(3/2)*((a*x+b)*x)^(1/2)*x^2*b^4*c^2*d-6*(a*x^2+b*x)^(1/2)*a^(9/2)*x^4*b*c*d^2-6*a^(9/2)*((a*x+b)*x)^(1/2)*x^4*b*c*d^2+12*a^(7/2)*((a*x+b)*x)^(1/2)*x^4*b^2*c^2*d-12*(a*x^2+b*x)^(1/2)*a^(7/2)*x^3*b^2*c*d^2+12*a^(7/2)*((a*x+b)*x)^(3/2)*x^2*b*c*d^2-12*a^(5/2)*((a*x+b)*x)^(3/2)*x^2*b^2*c^2*d-12*a^(7/2)*((a*x+b)*x)^(1/2)*x^3*b^2*c*d^2+24*a^(5/2)*((a*x+b)*x)^(1/2)*x^3*b^3*c^2*d-6*(a*x^2+b*x)^(1/2)*a^(5/2)*x^2*b^3*c*d^2-6*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2)))/a^(1/2))*x^2*a*b^5*c^2*d-3*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^(1/2)*a^(1/2)))/a^(1/2))*x^2*a^2*b^4*c*d^2+3*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2)))/a^(1/2))*x^2*a^2*b^4*c*d^2-6*a^(5/2)*((a*x+b)*x)^(1/2)*x^2*b^3*c*d^2+8*(a*x^2+b*x)^(3/2)*a^(7/2)*x*b*d^3-12*a^(3/2)*((a*x+b)*x)^(1/2)*x^3*b^4*c^3+4*a^(3/2)*((a*x+b)*x)^(3/2)*x^2*b^3*c^3-6*a^(5/2)*((a*x+b)*x)^(1/2)*x^4*b^3*c^3+3*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2)))/a^(1/2))*x^4*a^2*b^4*c^3+6*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2)))/a^(1/2))*x^3*a*b^5*c^3-6*a^(1/2)*((a*x+b)*x)^(1/2)*x^2*b^5*c^3)/((a*x+b)*x)^(1/2)/b^3/(a*x+b)^2$$

maxima [A] time = 1.26, size = 200, normalized size = 1.52

$$\frac{1}{2}c^3 \left(\frac{2 \left(3 \left(a + \frac{b}{x} \right) b - 2ab \right)}{\left(a + \frac{b}{x} \right)^{\frac{3}{2}} a^2 - \sqrt{a + \frac{b}{x}} a^3} + \frac{3b \log \left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}} \right)}{a^{\frac{5}{2}}} \right) - 3c^2 d \left(\frac{\log \left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}} \right)}{a^{\frac{3}{2}}} + \frac{2}{\sqrt{a + \frac{b}{x}} a} \right) - 2d^3 \left(\frac{\sqrt{a + \frac{b}{x}}}{b^2} + \frac{a}{\sqrt{a + \frac{b}{x}} b^2} \right) + \frac{6cd^2}{\sqrt{a + \frac{b}{x}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d/x)^3/(a+b/x)^(3/2),x, algorithm="maxima")`

[Out]
$$1/2*c^3*(2*(3*(a + b/x)*b - 2*a*b)/((a + b/x)^(3/2)*a^2 - \sqrt{a + b/x}*a^3) + 3*b*\log((\sqrt{a + b/x} - \sqrt{a})/(\sqrt{a + b/x} + \sqrt{a}))/a^(5/2)) - 3*c^2*d*(\log((\sqrt{a + b/x} - \sqrt{a})/(\sqrt{a + b/x} + \sqrt{a}))/a^(3/2) + 2/(\sqrt{a + b/x}*a)) - 2*d^3*(\sqrt{a + b/x}/b^2 + a/(\sqrt{a + b/x}*b^2)) + 6*c*d^2/(\sqrt{a + b/x}*b)$$

mupad [B] time = 1.91, size = 172, normalized size = 1.30

$$\frac{\frac{2(a^3 d^3 - 3a^2 b c d^2 + 3a b^2 c^2 d - b^3 c^3)}{a} - \frac{\left(a + \frac{b}{x}\right)(2a^3 d^3 - 6a^2 b c d^2 + 6a b^2 c^2 d - 3b^3 c^3)}{a^2}}{b^2 \left(a + \frac{b}{x}\right)^{3/2} - a b^2 \sqrt{a + \frac{b}{x}}} - \frac{2d^3 \sqrt{a + \frac{b}{x}}}{b^2} + \frac{3c^2 \operatorname{atanh}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)(2ad - bc)}{a^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d/x)^3/(a + b/x)^(3/2), x)`

[Out] $((2*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2))/a - ((a + b/x)*(2*a^3*d^3 - 3*b^3*c^3 + 6*a*b^2*c^2*d - 6*a^2*b*c*d^2))/a^2)/(b^2*(a + b/x)^(3/2) - a*b^2*(a + b/x)^(1/2)) - (2*d^3*(a + b/x)^(1/2))/b^2 + (3*c^2*atanh((a + b/x)^(1/2)/a^(1/2))*(2*a*d - b*c))/a^(5/2)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx + d)^3}{x^3 \left(a + \frac{b}{x}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d/x)**3/(a+b/x)**(3/2), x)`

[Out] `Integral((c*x + d)**3/(x**3*(a + b/x)**(3/2)), x)`

$$3.156 \quad \int \frac{\left(c + \frac{d}{x}\right)^2}{\left(a + \frac{b}{x}\right)^{3/2}} dx$$

Optimal. Leaf size=94

$$-\frac{c(3bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{2a^2d^2 + bc(3bc - 4ad)}{a^2b\sqrt{a + \frac{b}{x}}} + \frac{c^2x}{a\sqrt{a + \frac{b}{x}}}$$

Rubi [A] time = 0.08, antiderivative size = 90, normalized size of antiderivative = 0.96, number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {375, 89, 78, 63, 208}

$$\frac{\frac{c(3bc-4ad)}{a^2} + \frac{2d^2}{b}}{\sqrt{a + \frac{b}{x}}} - \frac{c(3bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{c^2x}{a\sqrt{a + \frac{b}{x}}}$$

Antiderivative was successfully verified.

[In] Int[(c + d/x)^2/(a + b/x)^(3/2), x]

[Out] ((2*d^2)/b + (c*(3*b*c - 4*a*d))/a^2)/Sqrt[a + b/x] + (c^2*x)/(a*Sqrt[a + b/x]) - (c*(3*b*c - 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(5/2)

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 78

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 89

```

Int[((a_.) + (b_.)*(x_))^(2*((c_.) + (d_.)*(x_))^(n_.))*((e_.) + (f_.)*(x_))^(p_.), x_Symbol]
:> Simp[((b*c - a*d)^(2*(c + d*x)^(n + 1))*(e + f*x)^(p + 1))/(d^2*(d*e - c*f)*(n + 1)), x] - Dist[1/(d^2*(d*e - c*f)*(n + 1)), Int[(c + d*x)^(n + 1)*(e + f*x)^p*Simp[a^2*d^2*f*(n + p + 2) + b^2*c*(d*e*(n + 1) + c*f*(p + 1)) - 2*a*b*d*(d*e*(n + 1) + c*f*(p + 1)) - b^2*d*(d*e - c*f)*(n + 1)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && (LtQ[n, -1] || (EqQ[n + p + 3, 0] && NeQ[n, -1] && (SumSimplerQ[n, 1] || !SumSimplerQ[p, 1])))

```

Rule 208

```

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol]
:> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rule 375

```

Int[((a_.) + (b_.)*(x_)^(n_))^(p_.)*((c_.) + (d_.)*(x_)^(n_))^(q_.), x_Symbol]
:> -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q]/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\left(c + \frac{d}{x}\right)^2}{\left(a + \frac{b}{x}\right)^{3/2}} dx &= -\text{Subst}\left(\int \frac{(c + dx)^2}{x^2(a + bx)^{3/2}} dx, x, \frac{1}{x}\right) \\
&= \frac{c^2 x}{a\sqrt{a + \frac{b}{x}}} - \frac{\text{Subst}\left(\int \frac{-\frac{1}{2}c(3bc - 4ad) + ad^2 x}{x(a + bx)^{3/2}} dx, x, \frac{1}{x}\right)}{a} \\
&= \frac{\frac{3bc^2}{a} - 4cd + \frac{2ad^2}{b}}{a\sqrt{a + \frac{b}{x}}} + \frac{c^2 x}{a\sqrt{a + \frac{b}{x}}} + \frac{(c(3bc - 4ad)) \text{Subst}\left(\int \frac{1}{x\sqrt{a + bx}} dx, x, \frac{1}{x}\right)}{2a^2} \\
&= \frac{\frac{3bc^2}{a} - 4cd + \frac{2ad^2}{b}}{a\sqrt{a + \frac{b}{x}}} + \frac{c^2 x}{a\sqrt{a + \frac{b}{x}}} + \frac{(c(3bc - 4ad)) \text{Subst}\left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}}\right)}{a^2 b} \\
&= \frac{\frac{3bc^2}{a} - 4cd + \frac{2ad^2}{b}}{a\sqrt{a + \frac{b}{x}}} + \frac{c^2 x}{a\sqrt{a + \frac{b}{x}}} - \frac{c(3bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 81, normalized size = 0.86

$$\frac{c(4ad - 3bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{2a^2 d^2 + abc(cx - 4d) + 3b^2 c^2}{a^2 b \sqrt{a + \frac{b}{x}}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d/x)^2/(a + b/x)^(3/2), x]

[Out] (3*b^2*c^2 + 2*a^2*d^2 + a*b*c*(-4*d + c*x))/(a^2*b*Sqrt[a + b/x]) + (c*(-3*b*c + 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(5/2)

IntegrateAlgebraic [A] time = 0.28, size = 101, normalized size = 1.07

$$\frac{(4acd - 3bc^2) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{\sqrt{\frac{ax+b}{x}} (2a^2 d^2 x + abc^2 x^2 - 4abcdx + 3b^2 c^2 x)}{a^2 b(ax + b)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d/x)^2/(a + b/x)^(3/2),x]

[Out] (Sqrt[(b + a*x)/x]*(3*b^2*c^2*x - 4*a*b*c*d*x + 2*a^2*d^2*x + a*b*c^2*x^2)) / (a^2*b*(b + a*x)) + ((-3*b*c^2 + 4*a*c*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/a^(5/2)

fricas [A] time = 0.62, size = 272, normalized size = 2.89

$$\frac{(3b^2c^2 - 4abcd + (3ab^2c^2 - 4a^2bcd)x)\sqrt{a} \log\left(2ax + 2\sqrt{a}x\sqrt{\frac{ax+b}{x}} + b\right) - 2(a^2bc^2x^2 + (3ab^2c^2 - 4a^2bcd + 2a^3d^2)x)\sqrt{\frac{ax+b}{x}}}{2(a^4bx + a^3b^2)} + \frac{(3b^2c^2 - 4abcd + (3ab^2c^2 - 4a^2bcd)x)\sqrt{-a} \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right) + (a^2bc^2x^2 + (3ab^2c^2 - 4a^2bcd + 2a^3d^2)x)\sqrt{\frac{ax+b}{x}}}{a^4bx + a^3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^2/(a+b/x)^(3/2),x, algorithm="fricas")

[Out] [-1/2*((3*b^3*c^2 - 4*a*b^2*c*d + (3*a*b^2*c^2 - 4*a^2*b*c*d)*x)*sqrt(a)*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) - 2*(a^2*b*c^2*x^2 + (3*a*b^2*c^2 - 4*a^2*b*c*d + 2*a^3*d^2)*x)*sqrt((a*x + b)/x))/(a^4*b*x + a^3*b^2), ((3*b^3*c^2 - 4*a*b^2*c*d + (3*a*b^2*c^2 - 4*a^2*b*c*d)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (a^2*b*c^2*x^2 + (3*a*b^2*c^2 - 4*a^2*b*c*d + 2*a^3*d^2)*x)*sqrt((a*x + b)/x))/(a^4*b*x + a^3*b^2)]

giac [A] time = 0.23, size = 160, normalized size = 1.70

$$\frac{(3b^2c^2 - 4abcd) \arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}a^2} + \frac{2ab^2c^2 - 4a^2bcd + 2a^3d^2 - \frac{3(ax+b)b^2c^2}{x} + \frac{4(ax+b)abcd}{x} - \frac{2(ax+b)a^2d^2}{x}}{\left(a\sqrt{\frac{ax+b}{x}} - \frac{(ax+b)\sqrt{\frac{ax+b}{x}}}{x}\right)a^2}$$

b

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^2/(a+b/x)^(3/2),x, algorithm="giac")

[Out] ((3*b^2*c^2 - 4*a*b*c*d)*arctan(sqrt((a*x + b)/x)/sqrt(-a))/(sqrt(-a)*a^2) + (2*a*b^2*c^2 - 4*a^2*b*c*d + 2*a^3*d^2 - 3*(a*x + b)*b^2*c^2/x + 4*(a*x + b)*a*b*c*d/x - 2*(a*x + b)*a^2*d^2/x)/((a*sqrt((a*x + b)/x) - (a*x + b)*sqrt((a*x + b)/x)/x)*a^2)/b

maple [B] time = 0.06, size = 789, normalized size = 8.39

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d/x)^2/(a+b/x)^(3/2),x)

[Out] $\frac{1}{2} \cdot \frac{((a*x+b)/x)^{(1/2)} * x * (\ln(1/2 * (2*a*x+b+2*(a*x^2+b*x)^{(1/2)} * a^{(1/2)})) / a^{(1/2)}) * a^2 * b^3 * d^2 + 2*a^{(9/2)} * ((a*x+b)*x)^{(1/2)} * x^2 * d^2 + 2*a^{(9/2)} * (a*x^2+b*x)^{(1/2)} * x^2 * d^2 - 4*a^{(3/2)} * ((a*x+b)*x)^{(3/2)} * b^2 * c^2 + 2*a^{(5/2)} * ((a*x+b)*x)^{(1/2)} * b^2 * d^2 + 2*a^{(5/2)} * (a*x^2+b*x)^{(1/2)} * b^2 * d^2 - \ln(1/2 * (2*a*x+b+2*(a*x+b)*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)} * a^2 * b^3 * d^2 + 6*a^{(1/2)} * ((a*x+b)*x)^{(1/2)} * b^4 * c^2 - 16*a^{(5/2)} * ((a*x+b)*x)^{(1/2)} * x * b^2 * c * d + 8 * \ln(1/2 * (2*a*x+b+2*(a*x+b)*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)} * x * a^2 * b^3 * c * d + 4 * \ln(1/2 * (2*a*x+b+2*(a*x+b)*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)} * x^2 * a^3 * b^2 * c * d - 8*a^{(7/2)} * ((a*x+b)*x)^{(1/2)} * x^2 * b * c * d - 3 * \ln(1/2 * (2*a*x+b+2*(a*x+b)*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)} * b^5 * c^2 - 4*a^{(7/2)} * ((a*x+b)*x)^{(3/2)} * d^2 - 2 * \ln(1/2 * (2*a*x+b+2*(a*x+b)*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)} * x * a^3 * b^2 * d^2 - 6 * \ln(1/2 * (2*a*x+b+2*(a*x+b)*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)} * x * a * b^4 * c^2 + 2 * \ln(1/2 * (2*a*x+b+2*(a*x^2+b*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)} * x * a^3 * b^2 * d^2 + 4 * \ln(1/2 * (2*a*x+b+2*(a*x+b)*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)} * a * b^4 * c * d + 4*a^{(7/2)} * ((a*x+b)*x)^{(1/2)} * x * b * d^2 + 12*a^{(3/2)} * ((a*x+b)*x)^{(1/2)} * x * b^3 * c^2 + 4*a^{(7/2)} * (a*x^2+b*x)^{(1/2)} * x * b * d^2 - 8*a^{(3/2)} * ((a*x+b)*x)^{(1/2)} * b^3 * c * d + 6*a^{(5/2)} * ((a*x+b)*x)^{(1/2)} * x^2 * b^2 * c^2 + 8*a^{(5/2)} * ((a*x+b)*x)^{(3/2)} * b * c * d - \ln(1/2 * (2*a*x+b+2*(a*x+b)*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)} * x^2 * a^4 * b * d^2 - 3 * \ln(1/2 * (2*a*x+b+2*(a*x+b)*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)} * x^2 * a^2 * b^3 * c^2 + \ln(1/2 * (2*a*x+b+2*(a*x^2+b*x)^{(1/2)} * a^{(1/2)}) / a^{(1/2)} * x^2 * a^4 * b * d^2) / a^{(5/2)} / ((a*x+b)*x)^{(1/2)} / b^2 / (a*x+b)^2$

maxima [A] time = 1.16, size = 164, normalized size = 1.74

$$\frac{1}{2} c^2 \left(\frac{2 \left(3 \left(a + \frac{b}{x} \right) b - 2ab \right)}{\left(a + \frac{b}{x} \right)^{\frac{3}{2}} a^2 - \sqrt{a + \frac{b}{x}} a^3} + \frac{3b \log \left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}} \right)}{a^{\frac{5}{2}}} \right) - 2cd \left(\frac{\log \left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}} \right)}{a^{\frac{3}{2}}} + \frac{2}{\sqrt{a + \frac{b}{x}} a} \right) + \frac{2d^2}{\sqrt{a + \frac{b}{x}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^2/(a+b/x)^(3/2),x, algorithm="maxima")

[Out] $\frac{1}{2} * c^2 * (2 * (3 * (a + b/x) * b - 2 * a * b) / ((a + b/x)^{(3/2)} * a^2 - \text{sqrt}(a + b/x) * a^3) + 3 * b * \log((\text{sqrt}(a + b/x) - \text{sqrt}(a)) / (\text{sqrt}(a + b/x) + \text{sqrt}(a))) / a^{(5/2)}) - 2 * c * d * (\log((\text{sqrt}(a + b/x) - \text{sqrt}(a)) / (\text{sqrt}(a + b/x) + \text{sqrt}(a))) / a^{(3/2)} + 2 / (\text{sqrt}(a + b/x) * a)) + 2 * d^2 / (\text{sqrt}(a + b/x) * b)$

mupad [B] time = 1.83, size = 120, normalized size = 1.28

$$\frac{c \operatorname{atanh} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}} \right) (4ad - 3bc)}{a^{5/2}} - \frac{2(a^2 d^2 - 2abcd + b^2 c^2)}{a} - \frac{(a + \frac{b}{x})(2a^2 d^2 - 4abcd + 3b^2 c^2)}{a^2} \\ b \left(a + \frac{b}{x} \right)^{3/2} - ab \sqrt{a + \frac{b}{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d/x)^2/(a + b/x)^(3/2), x)`

[Out] $(c \operatorname{atanh}((a + b/x)^{1/2}/a^{1/2}) * (4*a*d - 3*b*c)) / a^{5/2} - ((2*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) / a - ((a + b/x) * (2*a^2*d^2 + 3*b^2*c^2 - 4*a*b*c*d)) / a^2) / (b*(a + b/x)^{3/2} - a*b*(a + b/x)^{1/2})$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx + d)^2}{x^2 \left(a + \frac{b}{x}\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d/x)**2/(a+b/x)**(3/2), x)`

[Out] `Integral((c*x + d)**2/(x**2*(a + b/x)**(3/2)), x)`

$$3.157 \quad \int \frac{c + \frac{d}{x}}{\left(a + \frac{b}{x}\right)^{3/2}} dx$$

Optimal. Leaf size=76

$$-\frac{(3bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{3bc - 2ad}{a^2 \sqrt{a + \frac{b}{x}}} + \frac{cx}{a \sqrt{a + \frac{b}{x}}}$$

Rubi [A] time = 0.05, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {375, 78, 51, 63, 208}

$$\frac{3bc - 2ad}{a^2 \sqrt{a + \frac{b}{x}}} - \frac{(3bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{cx}{a \sqrt{a + \frac{b}{x}}}$$

Antiderivative was successfully verified.

[In] Int[(c + d/x)/(a + b/x)^(3/2), x]

[Out] (3*b*c - 2*a*d)/(a^2*Sqrt[a + b/x]) + (c*x)/(a*Sqrt[a + b/x]) - ((3*b*c - 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(5/2)

Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[
n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 78

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_.) + (b_.)*(x_)^(n_))^(p_.)*((c_.) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{c + \frac{d}{x}}{\left(a + \frac{b}{x}\right)^{3/2}} dx &= -\text{Subst}\left(\int \frac{c + dx}{x^2(a + bx)^{3/2}} dx, x, \frac{1}{x}\right) \\
 &= \frac{cx}{a\sqrt{a + \frac{b}{x}}} - \frac{\left(-\frac{3bc}{2} + ad\right) \text{Subst}\left(\int \frac{1}{x(a+bx)^{3/2}} dx, x, \frac{1}{x}\right)}{a} \\
 &= \frac{3bc - 2ad}{a^2\sqrt{a + \frac{b}{x}}} + \frac{cx}{a\sqrt{a + \frac{b}{x}}} + \frac{(3bc - 2ad) \text{Subst}\left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \frac{1}{x}\right)}{2a^2} \\
 &= \frac{3bc - 2ad}{a^2\sqrt{a + \frac{b}{x}}} + \frac{cx}{a\sqrt{a + \frac{b}{x}}} + \frac{(3bc - 2ad) \text{Subst}\left(\int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}}\right)}{a^2b} \\
 &= \frac{3bc - 2ad}{a^2\sqrt{a + \frac{b}{x}}} + \frac{cx}{a\sqrt{a + \frac{b}{x}}} - \frac{(3bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}}
 \end{aligned}$$

Mathematica [C] time = 0.02, size = 48, normalized size = 0.63

$$\frac{(3bc - 2ad) {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{b}{ax} + 1\right) + acx}{a^2 \sqrt{a + \frac{b}{x}}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d/x)/(a + b/x)^(3/2), x]

[Out] (a*c*x + (3*b*c - 2*a*d)*Hypergeometric2F1[-1/2, 1, 1/2, 1 + b/(a*x)])/(a^2*sqrt[a + b/x])

IntegrateAlgebraic [A] time = 0.18, size = 77, normalized size = 1.01

$$\frac{(2ad - 3bc) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{\sqrt{\frac{ax+b}{x}} (acx^2 - 2adx + 3bcx)}{a^2(ax + b)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d/x)/(a + b/x)^(3/2), x]

[Out] (sqrt[(b + a*x)/x]*(3*b*c*x - 2*a*d*x + a*c*x^2))/(a^2*(b + a*x)) + ((-3*b*c + 2*a*d)*ArcTanh[sqrt[(b + a*x)/x]/sqrt[a]])/a^(5/2)

fricas [A] time = 0.89, size = 210, normalized size = 2.76

$$\left[\frac{(3b^2c - 2abd + (3abc - 2a^2d)x)\sqrt{a} \log\left(2ax + 2\sqrt{a}x\sqrt{\frac{ax+b}{x}} + b\right) - 2(a^2cx^2 + (3abc - 2a^2d)x)\sqrt{\frac{ax+b}{x}}}{2(a^4x + a^3b)}, \frac{(3b^2c - 2abd + (3abc - 2a^2d)x)\sqrt{-a} \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right) + (a^2cx^2 + (3abc - 2a^2d)x)\sqrt{\frac{ax+b}{x}}}{a^4x + a^3b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)/(a+b/x)^(3/2), x, algorithm="fricas")

[Out] [-1/2*((3*b^2*c - 2*a*b*d + (3*a*b*c - 2*a^2*d)*x)*sqrt(a)*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) - 2*(a^2*c*x^2 + (3*a*b*c - 2*a^2*d)*x)*sqrt((a*x + b)/x)]/(a^4*x + a^3*b), ((3*b^2*c - 2*a*b*d + (3*a*b*c - 2*a^2*d)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (a^2*c*x^2 + (3*a*b*c - 2*a^2*d)*x)*sqrt((a*x + b)/x)]/(a^4*x + a^3*b)]

giac [A] time = 0.20, size = 127, normalized size = 1.67

$$\frac{(3b^2c - 2abd) \arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right) + \frac{2ab^2c - 2a^2bd - \frac{3(ax+b)b^2c}{x} + \frac{2(ax+b)abd}{x}}{\sqrt{-a}a^2}}{\left(a\sqrt{\frac{ax+b}{x}} - \frac{(ax+b)\sqrt{\frac{ax+b}{x}}}{x}\right)a^2} \cdot b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)/(a+b/x)^(3/2),x, algorithm="giac")

[Out] ((3*b^2*c - 2*a*b*d)*arctan(sqrt((a*x + b)/x)/sqrt(-a))/(sqrt(-a)*a^2) + (2*a*b^2*c - 2*a^2*b*d - 3*(a*x + b)*b^2*c/x + 2*(a*x + b)*a*b*d/x)/((a*sqrt((a*x + b)/x) - (a*x + b)*sqrt((a*x + b)/x)/x)*a^2)/b

maple [B] time = 0.06, size = 387, normalized size = 5.09

$$\frac{\sqrt{\frac{ax+b}{x}} \left(2a^2b^2c^2 \ln\left(\frac{2a^2b^2c^2 - \sqrt{ax+b}}{2a^2}\right) - 2a^2b^2c^2 \ln\left(\frac{2a^2b^2c^2 + \sqrt{ax+b}}{2a^2}\right) + 4a^2b^2cd \ln\left(\frac{2a^2b^2c^2 - \sqrt{ax+b}}{2a^2}\right) - 4a^2b^2cd \ln\left(\frac{2a^2b^2c^2 + \sqrt{ax+b}}{2a^2}\right) - 4a^2b^2c^2 \ln\left(\frac{2a^2b^2c^2 - \sqrt{ax+b}}{2a^2}\right) - 4a^2b^2c^2 \ln\left(\frac{2a^2b^2c^2 + \sqrt{ax+b}}{2a^2}\right) - 8\sqrt{ax+b} \ln\left(\frac{2a^2b^2c^2 - \sqrt{ax+b}}{2a^2}\right) - 8\sqrt{ax+b} \ln\left(\frac{2a^2b^2c^2 + \sqrt{ax+b}}{2a^2}\right) + 12\sqrt{ax+b} \ln\left(\frac{2a^2b^2c^2 - \sqrt{ax+b}}{2a^2}\right) - 4\sqrt{ax+b} \ln\left(\frac{2a^2b^2c^2 + \sqrt{ax+b}}{2a^2}\right) + 6\sqrt{ax+b} \ln\left(\frac{2a^2b^2c^2 - \sqrt{ax+b}}{2a^2}\right) + 4(ax+b) \ln\left(\frac{2a^2b^2c^2 - \sqrt{ax+b}}{2a^2}\right) - 4(ax+b) \ln\left(\frac{2a^2b^2c^2 + \sqrt{ax+b}}{2a^2}\right) \right)}{2\sqrt{ax+b} (ax+b)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d/x)/(a+b/x)^(3/2),x)

[Out] 1/2*((a*x+b)/x)^(1/2)*x/a^(5/2)*(2*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2))*a^(1/2))/a^(1/2))*x^2*a^3*b*d-3*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2))*a^(1/2))/a^(1/2))*x^2*a^2*b^2*c-4*a^(7/2)*((a*x+b)*x)^(1/2)*x^2*d+6*a^(5/2)*((a*x+b)*x)^(1/2)*x^2*b*c+4*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2))*a^(1/2))/a^(1/2))*x*a^2*b^2*d-6*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2))*a^(1/2))/a^(1/2))*x*a*b^3*c+4*a^(5/2)*((a*x+b)*x)^(3/2)*d-4*a^(3/2)*((a*x+b)*x)^(3/2)*b*c-8*a^(5/2)*((a*x+b)*x)^(1/2)*x*b*d+12*a^(3/2)*((a*x+b)*x)^(1/2)*x*b^2*c+2*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2))*a^(1/2))/a^(1/2))*a*b^3*d-3*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2))*a^(1/2))/a^(1/2))*b^4*c-4*a^(3/2)*((a*x+b)*x)^(1/2)*b^2*d+6*a^(1/2)*((a*x+b)*x)^(1/2)*b^3*c)/((a*x+b)*x)^(1/2)/b/(a*x+b)^2

maxima [B] time = 1.37, size = 144, normalized size = 1.89

$$\frac{1}{2}c \left(\frac{2 \left(3 \left(a + \frac{b}{x} \right) b - 2ab \right)}{\left(a + \frac{b}{x} \right)^{\frac{3}{2}} a^2 - \sqrt{a + \frac{b}{x}} a^3} + \frac{3b \log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right)}{a^2} \right) - d \left(\frac{\log\left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}}\right)}{a^2} + \frac{2}{\sqrt{a + \frac{b}{x}} a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)/(a+b/x)^(3/2),x, algorithm="maxima")

[Out] $\frac{1}{2}c*(2*(3*(a + b/x)*b - 2*a*b)/((a + b/x)^(3/2)*a^2 - \sqrt{a + b/x}*a^3) + 3*b*\log((\sqrt{a + b/x} - \sqrt{a})/(\sqrt{a + b/x} + \sqrt{a}))/a^(5/2)) - d*(\log((\sqrt{a + b/x} - \sqrt{a})/(\sqrt{a + b/x} + \sqrt{a}))/a^(3/2) + 2/(\sqrt{a + b/x}*a))$

mupad [B] time = 2.44, size = 71, normalized size = 0.93

$$\frac{2d \operatorname{atanh}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{a^{3/2}} - \frac{2d}{a\sqrt{a+\frac{b}{x}}} + \frac{2cx\left(\frac{ax}{b}+1\right)^{3/2} {}_2F_1\left(\frac{3}{2}, \frac{5}{2}; \frac{7}{2}; -\frac{ax}{b}\right)}{5\left(a+\frac{b}{x}\right)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d/x)/(a + b/x)^(3/2),x)

[Out] $(2*d*\operatorname{atanh}((a + b/x)^(1/2)/a^(1/2)))/a^(3/2) - (2*d)/(a*(a + b/x)^(1/2)) + (2*c*x*((a*x)/b + 1)^(3/2)*\operatorname{hypergeom}([3/2, 5/2], 7/2, -(a*x)/b))/(5*(a + b/x)^(3/2))$

sympy [B] time = 81.34, size = 224, normalized size = 2.95

$$c\left(\frac{x^3}{a\sqrt{b}\sqrt{\frac{ax}{b}+1}} + \frac{3\sqrt{b}\sqrt{x}}{a^2\sqrt{\frac{ax}{b}+1}} - \frac{3b \operatorname{asinh}\left(\frac{\sqrt{a}\sqrt{x}}{\sqrt{b}}\right)}{a^2}\right) + d\left(-\frac{2a^3x\sqrt{1+\frac{b}{ax}}}{a^2x+a^2b} - \frac{a^3x\log\left(\frac{b}{ax}\right)}{a^2x+a^2b} + \frac{2a^3x\log\left(\sqrt{1+\frac{b}{ax}}+1\right)}{a^2x+a^2b} - \frac{a^2b\log\left(\frac{b}{ax}\right)}{a^2x+a^2b} + \frac{2a^2b\log\left(\sqrt{1+\frac{b}{ax}}+1\right)}{a^2x+a^2b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)/(a+b/x)**(3/2),x)

[Out] $c*(x**(3/2)/(a*\sqrt{b}*\sqrt{a*x/b + 1}) + 3*\sqrt{b}*\sqrt{x}/(a**2*\sqrt{a*x/b + 1}) - 3*b*\operatorname{asinh}(\sqrt{a}*\sqrt{x}/\sqrt{b}))/a**(5/2)) + d*(-2*a**3*x*\sqrt{1 + b/(a*x))/(a**(9/2)*x + a**(7/2)*b) - a**3*x*\log(b/(a*x))/(a**(9/2)*x + a**(7/2)*b) + 2*a**3*x*\log(\sqrt{1 + b/(a*x)} + 1)/(a**(9/2)*x + a**(7/2)*b) - a**2*b*\log(b/(a*x))/(a**(9/2)*x + a**(7/2)*b) + 2*a**2*b*\log(\sqrt{1 + b/(a*x)} + 1)/(a**(9/2)*x + a**(7/2)*b))$

$$3.158 \quad \int \frac{1}{\left(a + \frac{b}{x}\right)^{3/2}} dx$$

Optimal. Leaf size=60

$$-\frac{3b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{3b}{a^2 \sqrt{a + \frac{b}{x}}} + \frac{x}{a \sqrt{a + \frac{b}{x}}}$$

Rubi [A] time = 0.03, antiderivative size = 61, normalized size of antiderivative = 1.02, number of steps used = 5, number of rules used = 4, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {242, 51, 63, 208}

$$\frac{3x \sqrt{a + \frac{b}{x}}}{a^2} - \frac{3b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}} - \frac{2x}{a \sqrt{a + \frac{b}{x}}}$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(-3/2), x]

[Out] (-2*x)/(a*Sqrt[a + b/x]) + (3*Sqrt[a + b/x]*x)/a^2 - (3*b*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(5/2)

Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rule 242

`Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Subst[Int[(a + b/x^n)^p/x^2, x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0]`

Rubi steps

$$\begin{aligned}
 \int \frac{1}{\left(a + \frac{b}{x}\right)^{3/2}} dx &= -\text{Subst}\left(\int \frac{1}{x^2(a + bx)^{3/2}} dx, x, \frac{1}{x}\right) \\
 &= -\frac{2x}{a\sqrt{a + \frac{b}{x}}} - \frac{3\text{Subst}\left(\int \frac{1}{x^2\sqrt{a+bx}} dx, x, \frac{1}{x}\right)}{a} \\
 &= -\frac{2x}{a\sqrt{a + \frac{b}{x}}} + \frac{3\sqrt{a + \frac{b}{x}}x}{a^2} + \frac{(3b)\text{Subst}\left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \frac{1}{x}\right)}{2a^2} \\
 &= -\frac{2x}{a\sqrt{a + \frac{b}{x}}} + \frac{3\sqrt{a + \frac{b}{x}}x}{a^2} + \frac{3\text{Subst}\left(\int \frac{1}{\frac{a}{-b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}}\right)}{a^2} \\
 &= -\frac{2x}{a\sqrt{a + \frac{b}{x}}} + \frac{3\sqrt{a + \frac{b}{x}}x}{a^2} - \frac{3b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}}
 \end{aligned}$$

Mathematica [C] time = 0.01, size = 36, normalized size = 0.60

$$\frac{2b {}_2F_1\left(-\frac{1}{2}, 2; \frac{1}{2}; \frac{a + \frac{b}{x}}{a}\right)}{a^2 \sqrt{a + \frac{b}{x}}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x)^(-3/2), x]

[Out] $(2*b*Hypergeometric2F1[-1/2, 2, 1/2, (a + b/x)/a])/(a^2*\text{Sqrt}[a + b/x])$

IntegrateAlgebraic [A] time = 0.00, size = 63, normalized size = 1.05

$$\frac{\sqrt{\frac{ax+b}{x}} (ax^2 + 3bx)}{a^2(ax + b)} - \frac{3b \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)}{a^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b/x)^(-3/2), x]

[Out] $(\text{Sqrt}[(b + a*x)/x]*(3*b*x + a*x^2))/(a^2*(b + a*x)) - (3*b*\text{ArcTanh}[\text{Sqrt}[(b + a*x)/x]/\text{Sqrt}[a]])/a^{5/2}$

fricas [A] time = 0.83, size = 156, normalized size = 2.60

$$\left[\frac{3(abx + b^2)\sqrt{a} \log\left(2ax - 2\sqrt{a}x\sqrt{\frac{ax+b}{x}} + b\right) + 2(a^2x^2 + 3abx)\sqrt{\frac{ax+b}{x}}}{2(a^4x + a^3b)}, \frac{3(abx + b^2)\sqrt{-a} \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right) + (a^2x^2 + 3abx)\sqrt{\frac{ax+b}{x}}}{a^4x + a^3b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(3/2), x, algorithm="fricas")

[Out] $[1/2*(3*(a*b*x + b^2)*\text{sqrt}(a)*\log(2*a*x - 2*\text{sqrt}(a)*x*\text{sqrt}((a*x + b)/x) + b) + 2*(a^2*x^2 + 3*a*b*x)*\text{sqrt}((a*x + b)/x))/(a^4*x + a^3*b), (3*(a*b*x + b^2)*\text{sqrt}(-a)*\arctan(\text{sqrt}(-a)*\text{sqrt}((a*x + b)/x)/a) + (a^2*x^2 + 3*a*b*x)*\text{sqrt}((a*x + b)/x))/(a^4*x + a^3*b)]$

giac [A] time = 0.16, size = 86, normalized size = 1.43

$$b \left(\frac{3 \arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a} a^2} + \frac{2a - \frac{3(ax+b)}{x}}{\left(a\sqrt{\frac{ax+b}{x}} - \frac{(ax+b)\sqrt{\frac{ax+b}{x}}}{x}\right) a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(3/2), x, algorithm="giac")

[Out] $b*(3*\arctan(\text{sqrt}((a*x + b)/x)/\text{sqrt}(-a))/(\text{sqrt}(-a)*a^2) + (2*a - 3*(a*x + b)/x)/((a*\text{sqrt}((a*x + b)/x) - (a*x + b)*\text{sqrt}((a*x + b)/x)/x)*a^2)$

maple [B] time = 0.06, size = 198, normalized size = 3.30

$$\frac{\sqrt{\frac{ax+b}{x}} \left(-3a^2b x^2 \ln\left(\frac{2ax+b+2\sqrt{(ax+b)x}\sqrt{a}}{2\sqrt{a}}\right) - 6ab^2x \ln\left(\frac{2ax+b+2\sqrt{(ax+b)x}\sqrt{a}}{2\sqrt{a}}\right) + 6\sqrt{(ax+b)x} a^{\frac{5}{2}}x^2 - 3b^3 \ln\left(\frac{2ax+b+2\sqrt{(ax+b)x}\sqrt{a}}{2\sqrt{a}}\right) + 12\sqrt{(ax+b)x} a^{\frac{3}{2}}bx + 6\sqrt{(ax+b)x}\sqrt{a}b^2 - 4((ax+b)x)^{\frac{3}{2}}a^{\frac{3}{2}} \right)}{2\sqrt{(ax+b)x}(ax+b)^2a^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b/x)^(3/2), x)

[Out] $\frac{1}{2} \left(\frac{(ax+b)}{x} \right)^{\frac{1}{2}} x \left(6a^{\frac{5}{2}} \left(\frac{(ax+b)}{x} \right)^{\frac{1}{2}} x^2 - 4a^{\frac{3}{2}} \left(\frac{(ax+b)}{x} \right)^{\frac{3}{2}} + 12a^{\frac{3}{2}} \left(\frac{(ax+b)}{x} \right)^{\frac{1}{2}} x b - 3 \ln \left(\frac{1}{2} \left(2a \frac{(ax+b)}{x} + 2 \left(\frac{(ax+b)}{x} \right)^{\frac{1}{2}} a^{\frac{1}{2}} \right) \right) \right) / a^{\frac{1}{2}} x^2 a^2 b - 6 \ln \left(\frac{1}{2} \left(2a \frac{(ax+b)}{x} + 2 \left(\frac{(ax+b)}{x} \right)^{\frac{1}{2}} a^{\frac{1}{2}} \right) \right) / a^{\frac{1}{2}} x a b^2 + 6a^{\frac{1}{2}} \left(\frac{(ax+b)}{x} \right)^{\frac{1}{2}} b^2 - 3 \ln \left(\frac{1}{2} \left(2a \frac{(ax+b)}{x} + 2 \left(\frac{(ax+b)}{x} \right)^{\frac{1}{2}} a^{\frac{1}{2}} \right) \right) / a^{\frac{1}{2}} b^3 \right) / a^{\frac{5}{2}} / \left(\frac{(ax+b)}{x} \right)^{\frac{1}{2}} / \left(\frac{(ax+b)}{x} \right)^2$

maxima [A] time = 1.18, size = 85, normalized size = 1.42

$$\frac{3 \left(a + \frac{b}{x} \right) b - 2ab}{\left(a + \frac{b}{x} \right)^{\frac{3}{2}} a^2 - \sqrt{a + \frac{b}{x}} a^3} + \frac{3b \log \left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}} \right)}{2a^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(3/2), x, algorithm="maxima")

[Out] $\frac{3(a + b/x)b - 2ab}{(a + b/x)^{\frac{3}{2}}a^2 - \sqrt{a + b/x}a^3} + \frac{3/2*b*\log((\sqrt{a + b/x} - \sqrt{a})/(\sqrt{a + b/x} + \sqrt{a}))}{a^{\frac{5}{2}}}$

mupad [B] time = 1.87, size = 34, normalized size = 0.57

$$\frac{2x \left(\frac{ax}{b} + 1 \right)^{\frac{3}{2}} {}_2F_1 \left(\frac{3}{2}, \frac{5}{2}; \frac{7}{2}; -\frac{ax}{b} \right)}{5 \left(a + \frac{b}{x} \right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b/x)^(3/2), x)

[Out] $\frac{2x \left(\frac{ax}{b} + 1 \right)^{\frac{3}{2}} \text{hypergeom} \left(\left[\frac{3}{2}, \frac{5}{2} \right], \frac{7}{2}, -\frac{ax}{b} \right)}{5 \left(a + \frac{b}{x} \right)^{\frac{3}{2}}}$

sympy [A] time = 4.79, size = 71, normalized size = 1.18

$$\frac{x^{\frac{3}{2}}}{a\sqrt{b}\sqrt{\frac{ax}{b}+1}} + \frac{3\sqrt{b}\sqrt{x}}{a^2\sqrt{\frac{ax}{b}+1}} - \frac{3b \operatorname{asinh}\left(\frac{\sqrt{a}\sqrt{x}}{\sqrt{b}}\right)}{a^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)**(3/2),x)

[Out] x**(3/2)/(a*sqrt(b)*sqrt(a*x/b + 1)) + 3*sqrt(b)*sqrt(x)/(a**2*sqrt(a*x/b + 1)) - 3*b*asinh(sqrt(a)*sqrt(x)/sqrt(b))/a**(5/2)

$$3.159 \quad \int \frac{1}{\left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)} dx$$

Optimal. Leaf size=147

$$-\frac{(2ad + 3bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}c^2} + \frac{b(3bc - ad)}{a^2c\sqrt{a + \frac{b}{x}}(bc - ad)} + \frac{2d^{5/2} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right)}{c^2(bc - ad)^{3/2}} + \frac{x}{ac\sqrt{a + \frac{b}{x}}}$$

Rubi [A] time = 0.19, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {375, 103, 152, 156, 63, 208, 205}

$$-\frac{(2ad + 3bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}c^2} + \frac{b(3bc - ad)}{a^2c\sqrt{a + \frac{b}{x}}(bc - ad)} + \frac{2d^{5/2} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right)}{c^2(bc - ad)^{3/2}} + \frac{x}{ac\sqrt{a + \frac{b}{x}}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b/x)^(3/2)*(c + d/x)),x]

[Out] (b*(3*b*c - a*d))/(a^2*c*(b*c - a*d)*Sqrt[a + b/x]) + x/(a*c*Sqrt[a + b/x]) + (2*d^(5/2)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/(c^2*(b*c - a*d)^(3/2)) - ((3*b*c + 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/(a^(5/2)*c^2)

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^(n), x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 103

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x
)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a
*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*
(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x,
x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[
```

m] && (IntegerQ[n] || IntegersQ[2*n, 2*p])

Rule 152

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h]*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]

Rule 156

Int[(((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{\left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)} dx &= -\text{Subst} \left(\int \frac{1}{x^2(a+bx)^{3/2}(c+dx)} dx, x, \frac{1}{x} \right) \\
&= \frac{x}{ac\sqrt{a + \frac{b}{x}}} + \frac{\text{Subst} \left(\int \frac{\frac{1}{2}(3bc+2ad) + \frac{3bdx}{2}}{x(a+bx)^{3/2}(c+dx)} dx, x, \frac{1}{x} \right)}{ac} \\
&= \frac{b(3bc - ad)}{a^2c(bc - ad)\sqrt{a + \frac{b}{x}}} + \frac{x}{ac\sqrt{a + \frac{b}{x}}} + \frac{2 \text{Subst} \left(\int \frac{\frac{1}{4}(bc-ad)(3bc+2ad) + \frac{1}{4}bd(3bc-ad)x}{x\sqrt{a+bx}(c+dx)} dx, x, \frac{1}{x} \right)}{a^2c(bc - ad)} \\
&= \frac{b(3bc - ad)}{a^2c(bc - ad)\sqrt{a + \frac{b}{x}}} + \frac{x}{ac\sqrt{a + \frac{b}{x}}} + \frac{d^3 \text{Subst} \left(\int \frac{1}{\sqrt{a+bx}(c+dx)} dx, x, \frac{1}{x} \right)}{c^2(bc - ad)} + \frac{(3bc + 2ad) \text{Subst} \left(\int \frac{1}{\sqrt{a+bx}(c+dx)} dx, x, \frac{1}{x} \right)}{c^2(bc - ad)} \\
&= \frac{b(3bc - ad)}{a^2c(bc - ad)\sqrt{a + \frac{b}{x}}} + \frac{x}{ac\sqrt{a + \frac{b}{x}}} + \frac{(2d^3) \text{Subst} \left(\int \frac{1}{c - \frac{ad}{b} + \frac{dx^2}{b}} dx, x, \sqrt{a + \frac{b}{x}} \right)}{bc^2(bc - ad)} + \frac{(3bc + 2ad) \text{Subst} \left(\int \frac{1}{\sqrt{a+bx}(c+dx)} dx, x, \frac{1}{x} \right)}{c^2(bc - ad)} \\
&= \frac{b(3bc - ad)}{a^2c(bc - ad)\sqrt{a + \frac{b}{x}}} + \frac{x}{ac\sqrt{a + \frac{b}{x}}} + \frac{2d^{5/2} \tan^{-1} \left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc-ad}} \right)}{c^2(bc - ad)^{3/2}} - \frac{(3bc + 2ad) \tanh^{-1} \left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{c + \frac{d}{x}}} \right)}{a^{5/2}c^2}
\end{aligned}$$

Mathematica [C] time = 0.07, size = 106, normalized size = 0.72

$$\frac{(ad - bc) \left((2ad + 3bc) {}_2F_1 \left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{b}{ax} + 1 \right) + acx \right) - 2a^2d^2 {}_2F_1 \left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{d(a + \frac{b}{x})}{ad - bc} \right)}{a^2c^2\sqrt{a + \frac{b}{x}}(ad - bc)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b/x)^(3/2)*(c + d/x)),x]

[Out] (-2*a^2*d^2*Hypergeometric2F1[-1/2, 1, 1/2, (d*(a + b/x))/(-b*c) + a*d]) + (-b*c) + a*d)*(a*c*x + (3*b*c + 2*a*d)*Hypergeometric2F1[-1/2, 1, 1/2, 1 + b/(a*x)])))/(a^2*c^2*(-b*c) + a*d)*Sqrt[a + b/x]

IntegrateAlgebraic [A] time = 0.34, size = 159, normalized size = 1.08

$$\frac{(-2ad - 3bc) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)}{a^{5/2}c^2} + \frac{\sqrt{\frac{ax+b}{x}} (a^2dx^2 - abcx^2 + abdx - 3b^2cx)}{a^2c(ax+b)(ad-bc)} + \frac{2d^{5/2} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{\frac{ax+b}{x}}}{\sqrt{bc-ad}}\right)}{c^2(bc-ad)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b/x)^(3/2)*(c + d/x)),x]

[Out] (Sqrt[(b + a*x)/x]*(-3*b^2*c*x + a*b*d*x - a*b*c*x^2 + a^2*d*x^2))/(a^2*c*(-(b*c) + a*d)*(b + a*x)) + (2*d^(5/2)*ArcTan[(Sqrt[d]*Sqrt[(b + a*x)/x])/Sqrt[b*c - a*d]]/(c^2*(b*c - a*d)^(3/2)) + ((-3*b*c - 2*a*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/(a^(5/2)*c^2)

fricas [B] time = 1.32, size = 1075, normalized size = 7.31

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(3/2)/(c+d/x),x, algorithm="fricas")

[Out] [1/2*((3*b^3*c^2 - a*b^2*c*d - 2*a^2*b*d^2 + (3*a*b^2*c^2 - a^2*b*c*d - 2*a^3*d^2)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) - 2*(a^4*d^2*x + a^3*b*d^2)*sqrt(-d/(b*c - a*d))*log(-(2*(b*c - a*d)*x*sqrt(-d/(b*c - a*d))*sqrt((a*x + b)/x) - b*d + (b*c - 2*a*d)*x)/(c*x + d)) + 2*((a^2*b*c^2 - a^3*c*d)*x^2 + (3*a*b^2*c^2 - a^2*b*c*d)*x)*sqrt((a*x + b)/x))/(a^3*b^2*c^3 - a^4*b*c^2*d + (a^4*b*c^3 - a^5*c^2*d)*x), ((3*b^3*c^2 - a*b^2*c*d - 2*a^2*b*d^2 + (3*a*b^2*c^2 - a^2*b*c*d - 2*a^3*d^2)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) - (a^4*d^2*x + a^3*b*d^2)*sqrt(-d/(b*c - a*d))*log(-(2*(b*c - a*d)*x*sqrt(-d/(b*c - a*d))*sqrt((a*x + b)/x) - b*d + (b*c - 2*a*d)*x)/(c*x + d)) + ((a^2*b*c^2 - a^3*c*d)*x^2 + (3*a*b^2*c^2 - a^2*b*c*d)*x)*sqrt((a*x + b)/x))/(a^3*b^2*c^3 - a^4*b*c^2*d + (a^4*b*c^3 - a^5*c^2*d)*x), 1/2*(4*(a^4*d^2*x + a^3*b*d^2)*sqrt(d/(b*c - a*d))*arctan(-(b*c - a*d)*x*sqrt(d/(b*c - a*d))*sqrt((a*x + b)/x)/(a*d*x + b*d)) + (3*b^3*c^2 - a*b^2*c*d - 2*a^2*b*d^2 + (3*a*b^2*c^2 - a^2*b*c*d - 2*a^3*d^2)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*((a^2*b*c^2 - a^3*c*d)*x^2 + (3*a*b^2*c^2 - a^2*b*c*d)*x)*sqrt((a*x + b)/x))/(a^3*b^2*c^3 - a^4*b*c^2*d + (a^4*b*c^3 - a^5*c^2*d)*x), (2*(a^4*d^2*x + a^3*b*d^2)*sqrt(d/(b*c - a*d))*arctan(-(b*c - a*d)*x*sqrt(d/(b*c - a*d))*sqrt((a*x + b)/x)/(a*d*x + b*d)) + (3*b^3*c^2 - a*b^2*c*d - 2*a^2*b*d^2 + (3*a*b^2*c^2 - a^2*b*c*d - 2*a^3*d^2)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + ((a^2*b*c^2 - a^3*c*d)*x^2 + (3*a*b^2*c^2 - a^2*b*c*d)*x)*sqrt((a*x + b)/x))/(a^3*b^2*c^3 - a^4*b*c^2*d + (a^4*b*c^3 - a^5*c^2*d)*x)]

giac [A] time = 0.21, size = 200, normalized size = 1.36

$$\left(\frac{2d^3 \arctan\left(\frac{d\sqrt{\frac{ax+b}{x}}}{\sqrt{bcd-ad^2}}\right)}{(b^3c^3 - ab^2c^2d)\sqrt{bcd-ad^2}} + \frac{2abc - \frac{3(ax+b)bc}{x} + \frac{(ax+b)ad}{x}}{(a^2b^2c^2 - a^3bcd)\left(a\sqrt{\frac{ax+b}{x}} - \frac{(ax+b)\sqrt{\frac{ax+b}{x}}}{x}}\right)} + \frac{(3bc + 2ad) \arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}a^2b^2c^2} \right) b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(3/2)/(c+d/x),x, algorithm="giac")

[Out] (2*d^3*arctan(d*sqrt((a*x + b)/x)/sqrt(b*c*d - a*d^2))/((b^3*c^3 - a*b^2*c^2*d)*sqrt(b*c*d - a*d^2)) + (2*a*b*c - 3*(a*x + b)*b*c/x + (a*x + b)*a*d/x)/((a^2*b^2*c^2 - a^3*b*c*d)*(a*sqrt((a*x + b)/x) - (a*x + b)*sqrt((a*x + b)/x)/x)) + (3*b*c + 2*a*d)*arctan(sqrt((a*x + b)/x)/sqrt(-a))/(sqrt(-a)*a^2*b^2*c^2)*b^2

maple [B] time = 0.07, size = 962, normalized size = 6.54

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b/x)^(3/2)/(c+d/x),x)

[Out] -1/2*(2*a^(9/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2))*((a*x+b)*x)^(1/2)*c)/(c*x+d)*x^2*d^3-2*a^(7/2)*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*x^2*c^2*d+4*a^(7/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2))*((a*x+b)*x)^(1/2)*c)/(c*x+d)*x*b*d^3+6*a^(5/2)*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*x^2*b*c^3-4*a^(5/2)*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*x*b*c^2*d+2*a^(5/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2))*((a*x+b)*x)^(1/2)*c)/(c*x+d)*b^2*d^3-4*a^(3/2)*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(3/2)*b*c^3+12*a^(3/2)*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*x*b^2*c^3+2*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x^2*a^4*c*d^2+ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x^2*a^3*b*c^2*d-3*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x^2*a^2*b^2*c^3-2*a^(3/2)*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*b^2*c^2*d+4*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x*a^3*b*c*d^2+2*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x*a^2*b^2*c^2*d-6*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x*a*b^3*c^3+6*a^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*b^3*c^3+2*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*a^2*b^2*c*d^2+ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*a*b^3*c^2*d-3*ln(1/2*(2*a*x+b+2*((a

$$\begin{aligned}
& 12*d^2 - 132*a^{10}*b^7*c^{10}*d^4 + 128*a^{11}*b^6*c^9*d^5 - 52*a^{12}*b^5*c^8*d^6 \\
& + 4*a^{14}*b^3*c^6*d^8 + ((d^5*(a*d - b*c)^3)^{(1/2)}*(a + b/x)^{(1/2)}*(8*a^{10}* \\
& b^8*c^{13}*d^2 - 56*a^{11}*b^7*c^{12}*d^3 + 160*a^{12}*b^6*c^{11}*d^4 - 240*a^{13}*b^5* \\
& c^{10}*d^5 + 200*a^{14}*b^4*c^9*d^6 - 88*a^{15}*b^3*c^8*d^7 + 16*a^{16}*b^2*c^7*d^8 \\
&))/(c^2*(a*d - b*c)^3)))/(c^2*(a*d - b*c)^3)))/(c^2*(a*d - b*c)^3) + ((d^5* \\
& (a*d - b*c)^3)^{(1/2)}*((a + b/x)^{(1/2)}*(18*a^6*b^9*c^{10}*d^3 - 66*a^7*b^8*c^9 \\
& *d^4 + 68*a^8*b^7*c^8*d^5 + 20*a^9*b^6*c^7*d^6 - 62*a^{10}*b^5*c^6*d^7 - 2*a^{11}* \\
& b^4*c^5*d^8 + 40*a^{12}*b^3*c^4*d^9 - 16*a^{13}*b^2*c^3*d^{10}) + ((d^5*(a*d - \\
& b*c)^3)^{(1/2)}*(12*a^8*b^9*c^{12}*d^2 - 64*a^9*b^8*c^{11}*d^3 + 132*a^{10}*b^7*c^ \\
& 10*d^4 - 128*a^{11}*b^6*c^9*d^5 + 52*a^{12}*b^5*c^8*d^6 - 4*a^{14}*b^3*c^6*d^8 + \\
& ((d^5*(a*d - b*c)^3)^{(1/2)}*(a + b/x)^{(1/2)}*(8*a^{10}*b^8*c^{13}*d^2 - 56*a^{11}*b \\
& ^7*c^{12}*d^3 + 160*a^{12}*b^6*c^{11}*d^4 - 240*a^{13}*b^5*c^{10}*d^5 + 200*a^{14}*b^4* \\
& c^9*d^6 - 88*a^{15}*b^3*c^8*d^7 + 16*a^{16}*b^2*c^7*d^8)))/(c^2*(a*d - b*c)^3)) \\
& /(c^2*(a*d - b*c)^3)))/(c^2*(a*d - b*c)^3))*((d^5*(a*d - b*c)^3)^{(1/2)}*2i)/ \\
& (c^2*(a*d - b*c)^3) - (\operatorname{atanh}((54*a^5*b^{11}*c^{10}*d^2*(a + b/x)^{(1/2)}))/((a^5)^{(1/2)} \\
& ^{(1/2)}*(54*a^3*b^{11}*c^{10}*d^2 - 216*a^4*b^{10}*c^9*d^3 + 234*a^5*b^9*c^8*d^4 + \\
& 124*a^6*b^8*c^7*d^5 - 366*a^7*b^7*c^6*d^6 + 120*a^8*b^6*c^5*d^7 + 110*a^9*b^5*c^4*d^8 \\
& - 60*a^{10}*b^4*c^3*d^9)) - (216*a^6*b^{10}*c^9*d^3*(a + b/x)^{(1/2)}) \\
& /((a^5)^{(1/2)}*(54*a^3*b^{11}*c^{10}*d^2 - 216*a^4*b^{10}*c^9*d^3 + 234*a^5*b^9*c^8 \\
& *d^4 + 124*a^6*b^8*c^7*d^5 - 366*a^7*b^7*c^6*d^6 + 120*a^8*b^6*c^5*d^7 + 1 \\
& 10*a^9*b^5*c^4*d^8 - 60*a^{10}*b^4*c^3*d^9)) + (234*a^7*b^9*c^8*d^4*(a + b/x) \\
& ^{(1/2)})/((a^5)^{(1/2)}*(54*a^3*b^{11}*c^{10}*d^2 - 216*a^4*b^{10}*c^9*d^3 + 234*a^5 \\
& *b^9*c^8*d^4 + 124*a^6*b^8*c^7*d^5 - 366*a^7*b^7*c^6*d^6 + 120*a^8*b^6*c^5* \\
& d^7 + 110*a^9*b^5*c^4*d^8 - 60*a^{10}*b^4*c^3*d^9)) + (124*a^8*b^8*c^7*d^5*(a \\
& + b/x)^{(1/2)})/((a^5)^{(1/2)}*(54*a^3*b^{11}*c^{10}*d^2 - 216*a^4*b^{10}*c^9*d^3 + \\
& 234*a^5*b^9*c^8*d^4 + 124*a^6*b^8*c^7*d^5 - 366*a^7*b^7*c^6*d^6 + 120*a^8*b^6 \\
& *c^5*d^7 + 110*a^9*b^5*c^4*d^8 - 60*a^{10}*b^4*c^3*d^9)) - (366*a^9*b^7*c^6 \\
& *d^6*(a + b/x)^{(1/2)})/((a^5)^{(1/2)}*(54*a^3*b^{11}*c^{10}*d^2 - 216*a^4*b^{10}*c^9 \\
& *d^3 + 234*a^5*b^9*c^8*d^4 + 124*a^6*b^8*c^7*d^5 - 366*a^7*b^7*c^6*d^6 + 12 \\
& 0*a^8*b^6*c^5*d^7 + 110*a^9*b^5*c^4*d^8 - 60*a^{10}*b^4*c^3*d^9)) + (120*a^{10} \\
& *b^6*c^5*d^7*(a + b/x)^{(1/2)})/((a^5)^{(1/2)}*(54*a^3*b^{11}*c^{10}*d^2 - 216*a^4* \\
& b^{10}*c^9*d^3 + 234*a^5*b^9*c^8*d^4 + 124*a^6*b^8*c^7*d^5 - 366*a^7*b^7*c^6* \\
& d^6 + 120*a^8*b^6*c^5*d^7 + 110*a^9*b^5*c^4*d^8 - 60*a^{10}*b^4*c^3*d^9)) + (\\
& 110*a^{11}*b^5*c^4*d^8*(a + b/x)^{(1/2)})/((a^5)^{(1/2)}*(54*a^3*b^{11}*c^{10}*d^2 - \\
& 216*a^4*b^{10}*c^9*d^3 + 234*a^5*b^9*c^8*d^4 + 124*a^6*b^8*c^7*d^5 - 366*a^7* \\
& b^7*c^6*d^6 + 120*a^8*b^6*c^5*d^7 + 110*a^9*b^5*c^4*d^8 - 60*a^{10}*b^4*c^3*d^ \\
& ^9)) - (60*a^{12}*b^4*c^3*d^9*(a + b/x)^{(1/2)})/((a^5)^{(1/2)}*(54*a^3*b^{11}*c^{10} \\
& *d^2 - 216*a^4*b^{10}*c^9*d^3 + 234*a^5*b^9*c^8*d^4 + 124*a^6*b^8*c^7*d^5 - 3 \\
& 66*a^7*b^7*c^6*d^6 + 120*a^8*b^6*c^5*d^7 + 110*a^9*b^5*c^4*d^8 - 60*a^{10}*b^4 \\
& *c^3*d^9)))*(2*a*d + 3*b*c))/(c^2*(a^5)^{(1/2)}) - ((2*b^2)/(a^2*d - a*b*c) \\
& + (b*(a + b/x)*(a*d - 3*b*c))/(a^2*c*(a*d - b*c)))/(a*(a + b/x)^{(1/2)} - (a \\
& + b/x)^{(3/2)})
\end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\left(a + \frac{b}{x}\right)^{\frac{3}{2}} (cx + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)**(3/2)/(c+d/x),x)

[Out] Integral(x/((a + b/x)**(3/2)*(c*x + d)), x)

$$3.160 \quad \int \frac{1}{\left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2} dx$$

Optimal. Leaf size=224

$$-\frac{(4ad + 3bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}c^3} + \frac{b(2a^2d^2 - 2abcd + 3b^2c^2)}{a^2c^2\sqrt{a + \frac{b}{x}}(bc - ad)^2} + \frac{d^{5/2}(7bc - 4ad) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right)}{c^3(bc - ad)^{5/2}} + \frac{d(bc - 2ad)}{ac^2\sqrt{a + \frac{b}{x}}\left(c + \frac{d}{x}\right)}$$

Rubi [A] time = 0.32, antiderivative size = 224, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {375, 103, 151, 152, 156, 63, 208, 205}

$$\frac{b(2a^2d^2 - 2abcd + 3b^2c^2)}{a^2c^2\sqrt{a + \frac{b}{x}}(bc - ad)^2} - \frac{(4ad + 3bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}c^3} + \frac{d^{5/2}(7bc - 4ad) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right)}{c^3(bc - ad)^{5/2}} + \frac{d(bc - 2ad)}{ac^2\sqrt{a + \frac{b}{x}}\left(c + \frac{d}{x}\right)(bc - ad)} + \frac{x}{ac\sqrt{a + \frac{b}{x}}\left(c + \frac{d}{x}\right)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b/x)^(3/2)*(c + d/x)^2),x]

[Out] (b*(3*b^2*c^2 - 2*a*b*c*d + 2*a^2*d^2))/(a^2*c^2*(b*c - a*d)^2*Sqrt[a + b/x]) + (d*(b*c - 2*a*d))/(a*c^2*(b*c - a*d)*Sqrt[a + b/x]*(c + d/x)) + x/(a*c*Sqrt[a + b/x]*(c + d/x)) + (d^(5/2)*(7*b*c - 4*a*d)*ArcTan[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]])/(c^3*(b*c - a*d)^(5/2)) - ((3*b*c + 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/(a^(5/2)*c^3)

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 103

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[

m] && (IntegerQ[n] || IntegersQ[2*n, 2*p])

Rule 151

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h]*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]

Rule 152

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h]*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]

Rule 156

Int[(((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

Rule 205

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_.) + (b_.)*(x_)^(n_))^(p_)*((c_.) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a,

b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{\left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2} dx &= -\text{Subst}\left(\int \frac{1}{x^2(a+bx)^{3/2}(c+dx)^2} dx, x, \frac{1}{x}\right) \\
 &= \frac{x}{ac\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} + \frac{\text{Subst}\left(\int \frac{\frac{1}{2}(3bc+4ad) + \frac{5bdx}{2}}{x(a+bx)^{3/2}(c+dx)^2} dx, x, \frac{1}{x}\right)}{ac} \\
 &= \frac{d(bc-2ad)}{ac^2(bc-ad)\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} + \frac{x}{ac\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} - \frac{\text{Subst}\left(\int \frac{-\frac{1}{2}(bc-ad)(3bc+4ad) - \frac{3}{2}bd(bc-2ad)}{x(a+bx)^{3/2}(c+dx)} dx, x, \frac{1}{x}\right)}{ac^2(bc-ad)} \\
 &= \frac{b(3b^2c^2 - 2abcd + 2a^2d^2)}{a^2c^2(bc-ad)^2\sqrt{a + \frac{b}{x}}} + \frac{d(bc-2ad)}{ac^2(bc-ad)\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} + \frac{x}{ac\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} - \frac{d^3}{ac^2(bc-ad)} \\
 &= \frac{b(3b^2c^2 - 2abcd + 2a^2d^2)}{a^2c^2(bc-ad)^2\sqrt{a + \frac{b}{x}}} + \frac{d(bc-2ad)}{ac^2(bc-ad)\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} + \frac{x}{ac\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} + \frac{d^3}{ac^2(bc-ad)} \\
 &= \frac{b(3b^2c^2 - 2abcd + 2a^2d^2)}{a^2c^2(bc-ad)^2\sqrt{a + \frac{b}{x}}} + \frac{d(bc-2ad)}{ac^2(bc-ad)\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} + \frac{x}{ac\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} + \frac{d^3}{ac^2(bc-ad)} \\
 &= \frac{b(3b^2c^2 - 2abcd + 2a^2d^2)}{a^2c^2(bc-ad)^2\sqrt{a + \frac{b}{x}}} + \frac{d(bc-2ad)}{ac^2(bc-ad)\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} + \frac{x}{ac\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} + \frac{d^5/2}{ac^2(bc-ad)}
 \end{aligned}$$

Mathematica [C] time = 0.14, size = 164, normalized size = 0.73

$$\frac{(bc-ad)\left((cx+d)(-4a^2d^2+abcd+3b^2c^2) {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{b}{ax}+1\right) + acx(bc(cx+d)-ad(cx+2d)) + a^2d^2(cx+d)(7bc-4ad) {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{d(a+\frac{b}{x})}{ad-bc}\right)\right)}{a^2c^3\sqrt{a+\frac{b}{x}}(cx+d)(bc-ad)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b/x)^(3/2)*(c + d/x)^2), x]

[Out] $(a^2 d^2 (7 b^2 c - 4 a^2 d) (d + c x) \operatorname{Hypergeometric2F1}[-1/2, 1, 1/2, (d(a + b/x))/(-b^2 c + a^2 d)] + (b^2 c - a^2 d) (a^2 c x (b^2 c (d + c x) - a^2 d (2 d + c x)) + (3 b^2 c^2 + a^2 b^2 c d - 4 a^2 d^2) (d + c x) \operatorname{Hypergeometric2F1}[-1/2, 1, 1/2, 1 + b/(a x)])) / (a^2 c^3 (b^2 c - a^2 d)^2 \sqrt{a + b/x} (d + c x))$

IntegrateAlgebraic [A] time = 0.86, size = 264, normalized size = 1.18

$$\frac{(-4ad - 3bc) \operatorname{tanh}^{-1} \left(\frac{\sqrt{\frac{ax+b}{a}}}{\sqrt{a}} \right) + \sqrt{\frac{ax+b}{a}} \left(a^3 cd^2 x^3 + 2a^3 d^3 x^2 - 2a^2 bc^2 dx^3 - a^2 bcd^2 x^2 + 2a^2 bd^3 x + ab^2 c^3 x^3 - ab^2 c^2 dx^2 - 2ab^2 cd^2 x + 3b^3 c^3 x^2 + 3b^3 c^2 dx \right)}{a^{5/2} c^3} + \frac{a^2 c^2 (ax + b)(cx + d)(ad - bc)^2}{a^2 c^2 (ax + b)(cx + d)(ad - bc)^2} + \frac{(7bcd^{5/2} - 4ad^{7/2}) \operatorname{tanh}^{-1} \left(\frac{\sqrt{d} \sqrt{\frac{ax+b}{a}}}{\sqrt{bc-ad}} \right)}{c^3 (bc - ad)^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b/x)^(3/2)*(c + d/x)^2), x]

[Out] $(\sqrt{(b + ax)/x} (3b^3 c^2 d^2 x - 2a^2 b^2 c^2 d^2 x + 2a^2 b^2 c^2 d^3 x + 3b^3 c^3 x^2 - a^2 b^2 c^2 d^2 x^2 - a^2 b^2 c^2 d^2 x^2 + 2a^3 d^3 x^2 + a^2 b^2 c^3 x^3 - 2a^2 b^2 c^2 d^2 x^3 + a^3 c^3 d^2 x^3)) / (a^2 c^2 (-b^2 c + a^2 d)^2 (b + ax) (d + cx)) + ((7b^2 c^2 d^{5/2} - 4a^2 d^{7/2}) \operatorname{ArcTan}[\sqrt{d} \sqrt{(b + ax)/x}] / \sqrt{b^2 c - a^2 d}) / (c^3 (b^2 c - a^2 d)^{5/2}) + ((-3b^2 c - 4a^2 d) \operatorname{ArcTanh}[\sqrt{(b + ax)/x} / \sqrt{a}]) / (a^{5/2} c^3)$

fricas [B] time = 2.36, size = 2321, normalized size = 10.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(3/2)/(c+d/x)^2,x, algorithm="fricas")

[Out] $[1/2 * ((3b^4 c^3 d - 2a^2 b^3 c^2 d^2 - 5a^2 b^2 c^2 d^3 + 4a^3 b^3 d^4 + (3a^2 b^3 c^4 - 2a^2 b^2 c^3 d - 5a^3 b^2 c^2 d^2 + 4a^4 c^2 d^3) x^2 + (3b^4 c^4 + a^2 b^3 c^3 d - 7a^2 b^2 c^2 d^2 - a^3 b^2 c^2 d^3 + 4a^4 d^4) x) \sqrt{a} * \log(2ax - 2\sqrt{a} x \sqrt{(ax + b)/x} + b) - (7a^3 b^2 c^2 d^3 - 4a^4 b^2 d^4 + (7a^4 b^2 c^2 d^2 - 4a^5 c^2 d^3) x^2 + (7a^3 b^2 c^2 d^2 + 3a^4 b^2 c^2 d^3 - 4a^5 d^4) x) \sqrt{-d/(b^2 c - a^2 d)} * \log(-2(b^2 c - a^2 d) x \sqrt{-d/(b^2 c - a^2 d)} * \sqrt{(ax + b)/x} - b^2 d + (b^2 c - 2a^2 d) x) / (cx + d) + 2 * ((a^2 b^2 c^4 - 2a^3 b^2 c^3 d + a^4 c^2 d^2) x^3 + (3a^2 b^3 c^4 - a^2 b^2 c^3 d - a^3 b^2 c^2 d^2 + 2a^4 c^2 d^3) x^2 + (3a^2 b^3 c^3 d - 2a^2 b^2 c^2 d^2 + 2a^3 b^2 c^2 d^3) x) \sqrt{(ax + b)/x}) / (a^3 b^3 c^5 d - 2a^4 b^2 c^4 d^2 + a^5 b^2 c^3 d^3 + (a^4 b^2 c^6 - 2a^5 b^2 c^5 d + a^6 c^4 d^2) x^2 + (a^3 b^3 c^6 - a^4 b^2 c^5 d - a^5 b^2 c^4 d^2 + a^6 c^3 d^3) x), 1/2 * (2 * (7a^3 b^2 c^2 d^3 - 4a^4 b^2 d^4 + (7a^4 b^2 c^2 d^2 - 4a^5 c^2 d^3) x^2 + (7a^3 b^2 c^2 d^2 + 3a^4 b^2 c^2 d^3 - 4a^5 d^4) x) \sqrt{d/(b^2 c - a^2 d)} * \arctan(-(b^2 c - a^2 d) x \sqrt{d/(b^2 c - a^2 d)} * \sqrt{(ax + b)/x}) / (a^2 d x + b^2 d) + (3b^4 c^3 d - 2a^2 b^3 c^2 d^2 - 5a^2 b^2 c^2 d^3 + 4a^3 b^2 d^4 + (3a^2 b^3 c^4 - 2a^2 b^2 c^3 d - 5a^3 b^2 c^2 d^2 + 4a^4 c^2 d^3) x^2 + (3b^4 c^4 + a^2 b^3 c^3 d - 7a^2 b^2 c^2 d^2$

$$\begin{aligned}
& 2*d^2 - a^3*b*c*d^3 + 4*a^4*d^4)*x)*\sqrt{a}*\log(2*a*x - 2*\sqrt{a}*x*\sqrt{(a \\
& *x + b)/x) + b) + 2*((a^2*b^2*c^4 - 2*a^3*b*c^3*d + a^4*c^2*d^2)*x^3 + (3*a \\
& *b^3*c^4 - a^2*b^2*c^3*d - a^3*b*c^2*d^2 + 2*a^4*c*d^3)*x^2 + (3*a*b^3*c^3* \\
& d - 2*a^2*b^2*c^2*d^2 + 2*a^3*b*c*d^3)*x)*\sqrt{(a*x + b)/x})/(a^3*b^3*c^5*d \\
& - 2*a^4*b^2*c^4*d^2 + a^5*b*c^3*d^3 + (a^4*b^2*c^6 - 2*a^5*b*c^5*d + a^6*c \\
& ^4*d^2)*x^2 + (a^3*b^3*c^6 - a^4*b^2*c^5*d - a^5*b*c^4*d^2 + a^6*c^3*d^3)*x \\
&), 1/2*(2*(3*b^4*c^3*d - 2*a*b^3*c^2*d^2 - 5*a^2*b^2*c*d^3 + 4*a^3*b*d^4 + \\
& (3*a*b^3*c^4 - 2*a^2*b^2*c^3*d - 5*a^3*b*c^2*d^2 + 4*a^4*c*d^3)*x^2 + (3*b^4 \\
& *c^4 + a*b^3*c^3*d - 7*a^2*b^2*c^2*d^2 - a^3*b*c*d^3 + 4*a^4*d^4)*x)*\sqrt{(\\
& -a)*\arctan(\sqrt{-a}*\sqrt{(a*x + b)/x)/a) - (7*a^3*b^2*c*d^3 - 4*a^4*b*d^4 + \\
& (7*a^4*b*c^2*d^2 - 4*a^5*c*d^3)*x^2 + (7*a^3*b^2*c^2*d^2 + 3*a^4*b*c*d^3 - \\
& 4*a^5*d^4)*x)*\sqrt{-d/(b*c - a*d)}*\log(-(2*(b*c - a*d)*x*\sqrt{-d/(b*c - a* \\
& d)}*\sqrt{(a*x + b)/x) - b*d + (b*c - 2*a*d)*x)/(c*x + d)) + 2*((a^2*b^2*c^4 \\
& - 2*a^3*b*c^3*d + a^4*c^2*d^2)*x^3 + (3*a*b^3*c^4 - a^2*b^2*c^3*d - a^3*b* \\
& c^2*d^2 + 2*a^4*c*d^3)*x^2 + (3*a*b^3*c^3*d - 2*a^2*b^2*c^2*d^2 + 2*a^3*b*c \\
& *d^3)*x)*\sqrt{(a*x + b)/x})/(a^3*b^3*c^5*d - 2*a^4*b^2*c^4*d^2 + a^5*b*c^3* \\
& d^3 + (a^4*b^2*c^6 - 2*a^5*b*c^5*d + a^6*c^4*d^2)*x^2 + (a^3*b^3*c^6 - a^4* \\
& b^2*c^5*d - a^5*b*c^4*d^2 + a^6*c^3*d^3)*x), ((7*a^3*b^2*c*d^3 - 4*a^4*b*d^4 \\
& + (7*a^4*b*c^2*d^2 - 4*a^5*c*d^3)*x^2 + (7*a^3*b^2*c^2*d^2 + 3*a^4*b*c*d^3 - \\
& 4*a^5*d^4)*x)*\sqrt{d/(b*c - a*d)}*\arctan(-(b*c - a*d)*x*\sqrt{d/(b*c - a* \\
& *d)}*\sqrt{(a*x + b)/x)/(a*d*x + b*d)) + (3*b^4*c^3*d - 2*a*b^3*c^2*d^2 - 5* \\
& a^2*b^2*c*d^3 + 4*a^3*b*d^4 + (3*a*b^3*c^4 - 2*a^2*b^2*c^3*d - 5*a^3*b*c^2* \\
& d^2 + 4*a^4*c*d^3)*x^2 + (3*b^4*c^4 + a*b^3*c^3*d - 7*a^2*b^2*c^2*d^2 - a^3 \\
& *b*c*d^3 + 4*a^4*d^4)*x)*\sqrt{-a)*\arctan(\sqrt{-a}*\sqrt{(a*x + b)/x)/a) + ((\\
& a^2*b^2*c^4 - 2*a^3*b*c^3*d + a^4*c^2*d^2)*x^3 + (3*a*b^3*c^4 - a^2*b^2*c^3* \\
& *d - a^3*b*c^2*d^2 + 2*a^4*c*d^3)*x^2 + (3*a*b^3*c^3*d - 2*a^2*b^2*c^2*d^2 \\
& + 2*a^3*b*c*d^3)*x)*\sqrt{(a*x + b)/x})/(a^3*b^3*c^5*d - 2*a^4*b^2*c^4*d^2 + \\
& a^5*b*c^3*d^3 + (a^4*b^2*c^6 - 2*a^5*b*c^5*d + a^6*c^4*d^2)*x^2 + (a^3*b^3* \\
& *c^6 - a^4*b^2*c^5*d - a^5*b*c^4*d^2 + a^6*c^3*d^3)*x)]
\end{aligned}$$

giac [B] time = 0.26, size = 424, normalized size = 1.89

$$\frac{\left(\frac{(7bcd^3 - 4ad^4) \arctan\left(\frac{d\sqrt{\frac{ax+b}{x}}}{\sqrt{bcd-ad^2}}\right)}{\left(b^5c^5 - 2ab^4c^4d + a^2b^3c^3d^2\right)\sqrt{bcd-ad^2}} + \frac{2ab^3c^3 - 2a^2b^2c^2d - \frac{3(ax+b)b^3c^3}{x} + \frac{7(ax+b)ab^2c^2d}{x} - \frac{3(ax+b)^2bc^2d^2}{x} + \frac{2(ax+b)d^3d^3}{x} - \frac{3(ax+b)^2b^2c^2d}{x^2} + \frac{2(ax+b)^2abcd^2}{x^2} - \frac{2(ax+b)^2a^2d^3}{x^2}}{(a^2b^4c^4 - 2a^3b^3c^3d + a^4b^2c^2d^2)\left(abc\sqrt{\frac{ax+b}{x}} - a^2d\sqrt{\frac{ax+b}{x}} - \frac{(ax+b)bc\sqrt{\frac{ax+b}{x}}}{x} + \frac{2(ax+b)ad\sqrt{\frac{ax+b}{x}}}{x} - \frac{(ax+b)^2d\sqrt{\frac{ax+b}{x}}}{x^2}\right)} + \frac{(3bc + 4ad) \arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}a^2b^3c^3} \right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(3/2)/(c+d/x)^2,x, algorithm="giac")

[Out] $b^3*((7*b*c*d^3 - 4*a*d^4)*\arctan(d*\sqrt{(a*x + b)/x}/\sqrt{b*c*d - a*d^2}))/((b^5*c^5 - 2*a*b^4*c^4*d + a^2*b^3*c^3*d^2)*\sqrt{b*c*d - a*d^2}) + (2*a*b^3*c^3 - 2*a^2*b^2*c^2*d - 3*(a*x + b)*b^3*c^3/x + 7*(a*x + b)*a*b^2*c^2*d/x - 3*(a*x + b)*a^2*b*c*d^2/x + 2*(a*x + b)*a^3*d^3/x - 3*(a*x + b)^2*b^2*c^2*d/x^2 + 2*(a*x + b)^2*a*b*c*d^2/x^2 - 2*(a*x + b)^2*a^2*d^3/x^2)/((a^2*b^4*c^4 - 2*a^3*b^3*c^3*d + a^4*b^2*c^2*d^2)*(a*b*c*\sqrt{(a*x + b)/x} - a^2*d$


```
*sqrt((a*x + b)/x) - (a*x + b)*b*c*sqrt((a*x + b)/x)/x + 2*(a*x + b)*a*d*sqrt((a*x + b)/x)/x - (a*x + b)^2*d*sqrt((a*x + b)/x)/x^2)) + (3*b*c + 4*a*d)*arctan(sqrt((a*x + b)/x)/sqrt(-a))/(sqrt(-a)*a^2*b^3*c^3))
```

maple [B] time = 0.07, size = 3119, normalized size = 13.92

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b/x)^(3/2)/(c+d/x)^2,x)

[Out]
$$-1/2*((a*x+b)/x)^{(1/2)}*x*(4*a^{(15/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^{2*d})^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))*x^2*d^6+4*a^{(11/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^{2*d})^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))*b^2*d^6-6*a^{2*d}\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^{2*d})^{(1/2)}*x^2*b^5*c^6+2*a^{(7/2)}*((a*x+b)*x)^{(3/2)}*((a*d-b*c)/c^{2*d})^{(1/2)}*b^2*c^4*d^2-4*a^{(5/2)}*((a*x+b)*x)^{(3/2)}*((a*d-b*c)/c^{2*d})^{(1/2)}*b^3*c^5*d-3*a*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^{2*d})^{(1/2)}*x*b^6*c^6+6*a^{(3/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^{2*d})^{(1/2)}*b^5*c^5*d-3*a*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^{2*d})^{(1/2)}*b^6*c^5*d+2*a^{(13/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^{2*d})^{(1/2)}*x^4*c^4*d^2-2*a^{(11/2)}*((a*x+b)*x)^{(3/2)}*((a*d-b*c)/c^{2*d})^{(1/2)}*x^2*c^4*d^2-2*a^{(13/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^{2*d})^{(1/2)}*x^3*c^3*d^3+6*a^{(7/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^{2*d})^{(1/2)}*x^3*b^3*c^6-11*a^{(13/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^{2*d})^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))*x^3*b^2*c^3*d^3+4*a^7*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^{2*d})^{(1/2)}*x^3*c^2*d^4-3*a^3*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^{2*d})^{(1/2)}*x^3*b^4*c^6-4*a^{(5/2)}*((a*x+b)*x)^{(3/2)}*((a*d-b*c)/c^{2*d})^{(1/2)}*x*b^3*c^6-4*a^{(13/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^{2*d})^{(1/2)}*x^2*c^2*d^4+12*a^{(5/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^{2*d})^{(1/2)}*x^2*b^4*c^6-3*a^{(13/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^{2*d})^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))*x^2*b*c*d^5-18*a^{(11/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^{2*d})^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))*x*b^2*c*d^5+3*a^{(9/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^{2*d})^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))*x*b^3*c^2*d^4+7*a^{(7/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^{2*d})^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))*x*b^4*c^3*d^3-4*a^{(9/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^{2*d})^{(1/2)}*b^2*c^2*d^4+8*a^{(7/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^{2*d})^{(1/2)}*b^3*c^3*d^3-10*a^{(5/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^{2*d})^{(1/2)}*b^4*c^4*d^2+4*a^5*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^{2*d})^{(1/2)}*b^2*c*d^5-9*a^4*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^{2*d})^{(1/2)}*b^3*c^2*d^4+3*a^3*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^{2*d})^{(1/2)}*b^4*c^3*d^3+5*a^2*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^{2*d})^{(1/2)}*b^5*c^4*d^2-15*a^{(11/2)}*\ln((-2*a$$

```

*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c/(c*x+d))*x^2*
b^2*c^2*d^4+14*a^(9/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2)*((a
*x+b)*x)^(1/2)*c/(c*x+d))*x^2*b^3*c^3*d^3+4*a^7*ln(1/2*(2*a*x+b+2*((a*x+b)
*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x^2*c*d^5+6*a^(3/2)*((a
*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*x*b^5*c^6+13*a^3*ln(1/2*(2*a*x+b+2*(
(a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x*b^4*c^4*d^2-8*
a^(11/2)*((a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*x*b*c^2*d^4+14*a^(9/2)*((
(a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*x*b^2*c^3*d^3-12*a^(7/2)*((a*x+b)*
x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*x*b^3*c^4*d^2+2*a^(5/2)*((a*x+b)*x)^(1/2)*
((a*d-b*c)/c^2*d)^(1/2)*x*b^4*c^5*d+8*a^6*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/
2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x*b*c*d^5-14*a^5*ln(1/2*(2*a*x
+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x*b^2*c^2*
d^4+11*a^4*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)
/c^2*d)^(1/2)*x^2*b^3*c^4*d^2+7*a^3*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(
1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x^2*b^4*c^5*d-a^6*ln(1/2*(2*a*x+b+2*
((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x^2*b*c^2*d^4-1
5*a^5*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*
d)^(1/2)*x^2*b^2*c^3*d^3+8*a^(9/2)*((a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)
*x^2*b^2*c^4*d^2-14*a^(7/2)*((a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*x^2*
b^3*c^5*d-10*a^(9/2)*((a*x+b)*x)^(1/2)*((a*d-b*c)/c^2*d)^(1/2)*x^3*b^2*c^5*
d-9*a^6*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^
2*d)^(1/2)*x^3*b*c^3*d^3+3*a^5*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)*a^(1/2))
/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x^3*b^2*c^4*d^2+5*a^4*ln(1/2*(2*a*x+b+2*(
(a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x^3*b^3*c^5*d-4*
a^(9/2)*((a*x+b)*x)^(3/2)*((a*d-b*c)/c^2*d)^(1/2)*x*b*c^4*d^2+4*a^(7/2)*((a
*x+b)*x)^(3/2)*((a*d-b*c)/c^2*d)^(1/2)*x*b^2*c^5*d+4*a^(11/2)*((a*x+b)*x)^(
1/2)*((a*d-b*c)/c^2*d)^(1/2)*x^2*b*c^3*d^3+12*a^(11/2)*((a*x+b)*x)^(1/2)*((
a*d-b*c)/c^2*d)^(1/2)*x^3*b*c^4*d^2-a^2*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^(1/2)
*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x*b^5*c^5*d-3*a^4*ln(1/2*(2*a*x+
b+2*((a*x+b)*x)^(1/2)*a^(1/2))/a^(1/2))*((a*d-b*c)/c^2*d)^(1/2)*x*b^3*c^3*d
^3+4*a^(15/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(
1/2)*c/(c*x+d))*x^3*c*d^5+8*a^(13/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/
c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c/(c*x+d))*x*b*d^6-11*a^(9/2)*ln((-2*a*d*x+
b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/2)*c/(c*x+d))*b^3*c*d^5
+7*a^(7/2)*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^(1/2)*((a*x+b)*x)^(1/
2)*c/(c*x+d))*b^4*c^2*d^4/a^(7/2)/c^4/((a*x+b)*x)^(1/2)/(a*d-b*c)^3/(c*x+
d)/((a*d-b*c)/c^2*d)^(1/2)/(a*x+b)^2

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a + \frac{b}{x}\right)^{\frac{3}{2}} \left(c + \frac{d}{x}\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(3/2)/(c+d/x)^2,x, algorithm="maxima")

[Out] integrate(1/((a + b/x)^(3/2)*(c + d/x)^2), x)

mupad [B] time = 6.20, size = 4274, normalized size = 19.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b/x)^(3/2)*(c + d/x)^2),x)

[Out]
$$\begin{aligned} & \left(\frac{(2*b^3)/(a^2*d - a*b*c) + (b*(a + b/x)^2*(2*a^2*d^3 + 3*b^2*c^2*d - 2*a*b*c*d^2))/(c^2*(a^2*d - a*b*c)^2) - (b*(a + b/x)*(2*a*d - b*c)*(a^2*d^2 + 3*b^2*c^2 - a*b*c*d))/(c^2*(a^2*d - a*b*c)^2)}{(d*(a + b/x)^{5/2} + (a + b/x)^{1/2}*(a^2*d - a*b*c) - (a + b/x)^{3/2}*(2*a*d - b*c)) + (\operatorname{atan}((a^{13}*b^{11}*c^{11}*d^3*(a + b/x)^{1/2}*35i - a^{12}*b^{12}*c^{12}*d^2*(a + b/x)^{1/2}*441i - a^{10}*b^{14}*c^{14}*(a + b/x)^{1/2}*27i + a^{14}*b^{10}*c^{10}*d^4*(a + b/x)^{1/2}*1694i - a^{15}*b^9*c^9*d^5*(a + b/x)^{1/2}*3073i + a^{16}*b^8*c^8*d^6*(a + b/x)^{1/2}*1316i + a^{17}*b^7*c^7*d^7*(a + b/x)^{1/2}*2561i - a^{18}*b^6*c^6*d^8*(a + b/x)^{1/2}*4375i + a^{19}*b^5*c^5*d^9*(a + b/x)^{1/2}*2996i - a^{20}*b^4*c^4*d^{10}*(a + b/x)^{1/2}*1015i + a^{21}*b^3*c^3*d^{11}*(a + b/x)^{1/2}*140i + a^{11}*b^{13}*c^{13}*d*(a + b/x)^{1/2}*189i)/(a^5*(a^5)^{1/2}*(a^5*(a^5*(2561*b^7*c^7*d^7 - 4375*a*b^6*c^6*d^8 + 2996*a^2*b^5*c^5*d^9 - 1015*a^3*b^4*c^4*d^{10} + 140*a^4*b^3*c^3*d^{11}) - 441*b^{12}*c^{12}*d^2 + 35*a*b^{11}*c^{11}*d^3 + 1694*a^2*b^{10}*c^{10}*d^4 - 3073*a^3*b^9*c^9*d^5 + 1316*a^4*b^8*c^8*d^6) - 27*a^3*b^{14}*c^{14} + 189*a^4*b^{13}*c^{13}*d)))*(4*a*d + 3*b*c)*1i)}{(c^3*(a^5)^{1/2})} - (\operatorname{atan}(((d^5*(a*d - b*c)^5)^{1/2}*(4*a*d - 7*b*c)*((a + b/x)^{1/2}*(18*a^6*b^{14}*c^{18}*d^3 - 132*a^7*b^{13}*c^{17}*d^4 + 362*a^8*b^{12}*c^{16}*d^5 - 320*a^9*b^{11}*c^{15}*d^6 - 442*a^{10}*b^{10}*c^{14}*d^7 + 1004*a^{11}*b^9*c^{13}*d^8 + 578*a^{12}*b^8*c^{12}*d^9 - 3976*a^{13}*b^7*c^{11}*d^{10} + 5960*a^{14}*b^6*c^{10}*d^{11} - 4768*a^{15}*b^5*c^9*d^{12} + 2228*a^{16}*b^4*c^8*d^{13} - 576*a^{17}*b^3*c^7*d^{14} + 64*a^{18}*b^2*c^6*d^{15}) - ((d^5*(a*d - b*c)^5)^{1/2}*(4*a*d - 7*b*c)*(12*a^8*b^{14}*c^{21}*d^2 - 116*a^9*b^{13}*c^{20}*d^3 + 484*a^{10}*b^{12}*c^{19}*d^4 - 1128*a^{11}*b^{11}*c^{18}*d^5 + 1560*a^{12}*b^{10}*c^{17}*d^6 - 1176*a^{13}*b^9*c^{16}*d^7 + 168*a^{14}*b^8*c^{15}*d^8 + 576*a^{15}*b^7*c^{14}*d^9 - 612*a^{16}*b^6*c^{13}*d^{10} + 300*a^{17}*b^5*c^{12}*d^{11} - 76*a^{18}*b^4*c^{11}*d^{12} + 8*a^{19}*b^3*c^{10}*d^{13} - ((d^5*(a*d - b*c)^5)^{1/2}*(a + b/x)^{1/2}*(4*a*d - 7*b*c)*(8*a^{10}*b^{13}*c^{23}*d^2 - 96*a^{11}*b^{12}*c^{22}*d^3 + 520*a^{12}*b^{11}*c^{21}*d^4 - 1680*a^{13}*b^{10}*c^{20}*d^5 + 3600*a^{14}*b^9*c^{19}*d^6 - 5376*a^{15}*b^8*c^{18}*d^7 + 5712*a^{16}*b^7*c^{17}*d^8 - 4320*a^{17}*b^6*c^{16}*d^9 + 2280*a^{18}*b^5*c^{15}*d^{10} - 800*a^{19}*b^4*c^{14}*d^{11} + 168*a^{20}*b^3*c^{13}*d^{12} - 16*a^{21}*b^2*c^{12}*d^{13}))/((2*(b^5*c^8 - a^5*c^3*d^5 + 5*a^4*b*c^4*d^4 + 10*a^2*b^3*c^6*d^2 - 10*a^3*b^2*c^5*d^3 - 5*a*b^4*c^7*d)))/((2*(b^5*c^8 - a^5*c^3*d^5 + 5*a^4*b*c^4*d^4 + 10*a^2*b^3*c^6*d^2 - 10*a^3*b^2*c^5*d^3 - 5*a*b^4*c^7*d)))*1i)/((d^5*(a*d - b*c)^5)^{1/2}*(4*a*d - 7*b*c)*((a + b/x)^{1/2}*(18*a^6*b^{14}*c^{18}*d^3 - 132*a^7*b^{13}*c^{17}*d^4 + \end{aligned}$$

$$\begin{aligned}
& 362*a^8*b^12*c^16*d^5 - 320*a^9*b^11*c^15*d^6 - 442*a^10*b^10*c^14*d^7 + 10 \\
& 04*a^11*b^9*c^13*d^8 + 578*a^12*b^8*c^12*d^9 - 3976*a^13*b^7*c^11*d^10 + 59 \\
& 60*a^14*b^6*c^10*d^11 - 4768*a^15*b^5*c^9*d^12 + 2228*a^16*b^4*c^8*d^13 - 5 \\
& 76*a^17*b^3*c^7*d^14 + 64*a^18*b^2*c^6*d^15) + ((d^5*(a*d - b*c)^5)^(1/2))* \\
& (4*a*d - 7*b*c)*(12*a^8*b^14*c^21*d^2 - 116*a^9*b^13*c^20*d^3 + 484*a^10*b^1 \\
& 2*c^19*d^4 - 1128*a^11*b^11*c^18*d^5 + 1560*a^12*b^10*c^17*d^6 - 1176*a^13* \\
& b^9*c^16*d^7 + 168*a^14*b^8*c^15*d^8 + 576*a^15*b^7*c^14*d^9 - 612*a^16*b^6 \\
& *c^13*d^10 + 300*a^17*b^5*c^12*d^11 - 76*a^18*b^4*c^11*d^12 + 8*a^19*b^3*c^ \\
& 10*d^13 + ((d^5*(a*d - b*c)^5)^(1/2))*(a + b/x)^(1/2)*(4*a*d - 7*b*c)*(8*a^1 \\
& 0*b^13*c^23*d^2 - 96*a^11*b^12*c^22*d^3 + 520*a^12*b^11*c^21*d^4 - 1680*a^1 \\
& 3*b^10*c^20*d^5 + 3600*a^14*b^9*c^19*d^6 - 5376*a^15*b^8*c^18*d^7 + 5712*a^ \\
& 16*b^7*c^17*d^8 - 4320*a^17*b^6*c^16*d^9 + 2280*a^18*b^5*c^15*d^10 - 800*a^ \\
& 19*b^4*c^14*d^11 + 168*a^20*b^3*c^13*d^12 - 16*a^21*b^2*c^12*d^13))/(2*(b^5 \\
& *c^8 - a^5*c^3*d^5 + 5*a^4*b*c^4*d^4 + 10*a^2*b^3*c^6*d^2 - 10*a^3*b^2*c^5* \\
& d^3 - 5*a*b^4*c^7*d)))/(2*(b^5*c^8 - a^5*c^3*d^5 + 5*a^4*b*c^4*d^4 + 10*a^ \\
& 2*b^3*c^6*d^2 - 10*a^3*b^2*c^5*d^3 - 5*a*b^4*c^7*d))*1i)/(2*(b^5*c^8 - a^5 \\
& *c^3*d^5 + 5*a^4*b*c^4*d^4 + 10*a^2*b^3*c^6*d^2 - 10*a^3*b^2*c^5*d^3 - 5*a* \\
& b^4*c^7*d)))/(((d^5*(a*d - b*c)^5)^(1/2))*(4*a*d - 7*b*c)*((a + b/x)^(1/2))* \\
& (18*a^6*b^14*c^18*d^3 - 132*a^7*b^13*c^17*d^4 + 362*a^8*b^12*c^16*d^5 - 320* \\
& a^9*b^11*c^15*d^6 - 442*a^10*b^10*c^14*d^7 + 1004*a^11*b^9*c^13*d^8 + 578*a \\
& ^12*b^8*c^12*d^9 - 3976*a^13*b^7*c^11*d^10 + 5960*a^14*b^6*c^10*d^11 - 4768 \\
& *a^15*b^5*c^9*d^12 + 2228*a^16*b^4*c^8*d^13 - 576*a^17*b^3*c^7*d^14 + 64*a^ \\
& 18*b^2*c^6*d^15) - ((d^5*(a*d - b*c)^5)^(1/2))*(4*a*d - 7*b*c)*(12*a^8*b^14* \\
& c^21*d^2 - 116*a^9*b^13*c^20*d^3 + 484*a^10*b^12*c^19*d^4 - 1128*a^11*b^11* \\
& c^18*d^5 + 1560*a^12*b^10*c^17*d^6 - 1176*a^13*b^9*c^16*d^7 + 168*a^14*b^8* \\
& c^15*d^8 + 576*a^15*b^7*c^14*d^9 - 612*a^16*b^6*c^13*d^10 + 300*a^17*b^5*c^ \\
& 12*d^11 - 76*a^18*b^4*c^11*d^12 + 8*a^19*b^3*c^10*d^13 - ((d^5*(a*d - b*c)^ \\
& 5)^(1/2))*(a + b/x)^(1/2)*(4*a*d - 7*b*c)*(8*a^10*b^13*c^23*d^2 - 96*a^11*b^ \\
& 12*c^22*d^3 + 520*a^12*b^11*c^21*d^4 - 1680*a^13*b^10*c^20*d^5 + 3600*a^14* \\
& b^9*c^19*d^6 - 5376*a^15*b^8*c^18*d^7 + 5712*a^16*b^7*c^17*d^8 - 4320*a^17* \\
& b^6*c^16*d^9 + 2280*a^18*b^5*c^15*d^10 - 800*a^19*b^4*c^14*d^11 + 168*a^20* \\
& b^3*c^13*d^12 - 16*a^21*b^2*c^12*d^13))/(2*(b^5*c^8 - a^5*c^3*d^5 + 5*a^4*b \\
& *c^4*d^4 + 10*a^2*b^3*c^6*d^2 - 10*a^3*b^2*c^5*d^3 - 5*a*b^4*c^7*d)))/(2*(\\
& b^5*c^8 - a^5*c^3*d^5 + 5*a^4*b*c^4*d^4 + 10*a^2*b^3*c^6*d^2 - 10*a^3*b^2*c \\
& ^5*d^3 - 5*a*b^4*c^7*d)))/(2*(b^5*c^8 - a^5*c^3*d^5 + 5*a^4*b*c^4*d^4 + 10 \\
& *a^2*b^3*c^6*d^2 - 10*a^3*b^2*c^5*d^3 - 5*a*b^4*c^7*d)) - ((d^5*(a*d - b*c) \\
& ^5)^(1/2))*(4*a*d - 7*b*c)*((a + b/x)^(1/2))*(18*a^6*b^14*c^18*d^3 - 132*a^7* \\
& b^13*c^17*d^4 + 362*a^8*b^12*c^16*d^5 - 320*a^9*b^11*c^15*d^6 - 442*a^10*b^ \\
& 10*c^14*d^7 + 1004*a^11*b^9*c^13*d^8 + 578*a^12*b^8*c^12*d^9 - 3976*a^13*b^ \\
& 7*c^11*d^10 + 5960*a^14*b^6*c^10*d^11 - 4768*a^15*b^5*c^9*d^12 + 2228*a^16* \\
& b^4*c^8*d^13 - 576*a^17*b^3*c^7*d^14 + 64*a^18*b^2*c^6*d^15) + ((d^5*(a*d - \\
& b*c)^5)^(1/2))*(4*a*d - 7*b*c)*(12*a^8*b^14*c^21*d^2 - 116*a^9*b^13*c^20*d^ \\
& 3 + 484*a^10*b^12*c^19*d^4 - 1128*a^11*b^11*c^18*d^5 + 1560*a^12*b^10*c^17* \\
& d^6 - 1176*a^13*b^9*c^16*d^7 + 168*a^14*b^8*c^15*d^8 + 576*a^15*b^7*c^14*d^ \\
& 9 - 612*a^16*b^6*c^13*d^10 + 300*a^17*b^5*c^12*d^11 - 76*a^18*b^4*c^11*d^12
\end{aligned}$$

$$\begin{aligned}
& + 8*a^{19}*b^3*c^{10}*d^{13} + ((d^5*(a*d - b*c)^5)^{(1/2)}*(a + b/x)^{(1/2)}*(4*a*d \\
& - 7*b*c)*(8*a^{10}*b^{13}*c^{23}*d^2 - 96*a^{11}*b^{12}*c^{22}*d^3 + 520*a^{12}*b^{11}*c^{21}*d^4 - 1680*a^{13}*b^{10}*c^{20}*d^5 + 3600*a^{14}*b^9*c^{19}*d^6 - 5376*a^{15}*b^8*c^{18}*d^7 + 5712*a^{16}*b^7*c^{17}*d^8 - 4320*a^{17}*b^6*c^{16}*d^9 + 2280*a^{18}*b^5*c^{15}*d^{10} - 800*a^{19}*b^4*c^{14}*d^{11} + 168*a^{20}*b^3*c^{13}*d^{12} - 16*a^{21}*b^2*c^{12}*d^{13}))/((2*(b^5*c^8 - a^5*c^3*d^5 + 5*a^4*b*c^4*d^4 + 10*a^2*b^3*c^6*d^2 - 10*a^3*b^2*c^5*d^3 - 5*a*b^4*c^7*d)))/((2*(b^5*c^8 - a^5*c^3*d^5 + 5*a^4*b*c^4*d^4 + 10*a^2*b^3*c^6*d^2 - 10*a^3*b^2*c^5*d^3 - 5*a*b^4*c^7*d)))/((2*(b^5*c^8 - a^5*c^3*d^5 + 5*a^4*b*c^4*d^4 + 10*a^2*b^3*c^6*d^2 - 10*a^3*b^2*c^5*d^3 - 5*a*b^4*c^7*d)) - 126*a^6*b^13*c^14*d^5 + 744*a^7*b^12*c^13*d^6 - 1742*a^8*b^11*c^12*d^7 + 1756*a^9*b^10*c^11*d^8 + 322*a^10*b^9*c^10*d^9 - 3248*a^11*b^8*c^9*d^{10} + 4606*a^12*b^7*c^8*d^{11} - 3668*a^13*b^6*c^7*d^{12} + 1804*a^14*b^5*c^6*d^{13} - 512*a^15*b^4*c^5*d^{14} + 64*a^16*b^3*c^4*d^{15}))*((d^5*(a*d - b*c)^5)^{(1/2)}*(4*a*d - 7*b*c)*1i)/(b^5*c^8 - a^5*c^3*d^5 + 5*a^4*b*c^4*d^4 + 10*a^2*b^3*c^6*d^2 - 10*a^3*b^2*c^5*d^3 - 5*a*b^4*c^7*d)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)**(3/2)/(c+d/x)**2,x)

[Out] Timed out

$$3.161 \quad \int \frac{1}{\left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^3} dx$$

Optimal. Leaf size=320

$$\frac{3(2ad + bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}c^4} + \frac{3d^{5/2}(8a^2d^2 - 24abcd + 21b^2c^2) \tan^{-1}\left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right)}{4c^4(bc - ad)^{7/2}} + \frac{d(12a^2d^2 - 21abcd + 4b^2c^2)}{4ac^3 \sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right) (bc - ad)^2}$$

Rubi [A] time = 0.52, antiderivative size = 320, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {375, 103, 151, 152, 156, 63, 208, 205}

$$\frac{d(12a^2d^2 - 21abcd + 4b^2c^2)}{4ac^3 \sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right) (bc - ad)^2} + \frac{3b(2bc - ad)(4a^2d^2 - abcd + 2b^2c^2)}{4a^2c^3 \sqrt{a + \frac{b}{x}} (bc - ad)^3} + \frac{3d^{5/2}(8a^2d^2 - 24abcd + 21b^2c^2) \tan^{-1}\left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right)}{4c^4(bc - ad)^{7/2}} - \frac{3(2ad + bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}c^4} + \frac{d(2bc - 3ad)}{2a^2 \sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2 (bc - ad)} + \frac{x}{ac \sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b/x)^(3/2)*(c + d/x)^3),x]

[Out] (3*b*(2*b*c - a*d)*(2*b^2*c^2 - a*b*c*d + 4*a^2*d^2))/(4*a^2*c^3*(b*c - a*d)^3*sqrt[a + b/x]) + (d*(2*b*c - 3*a*d))/(2*a*c^2*(b*c - a*d)*sqrt[a + b/x]*(c + d/x)^2) + (d*(4*b^2*c^2 - 21*a*b*c*d + 12*a^2*d^2))/(4*a*c^3*(b*c - a*d)^2*sqrt[a + b/x]*(c + d/x)) + x/(a*c*sqrt[a + b/x]*(c + d/x)^2) + (3*d^(5/2)*(21*b^2*c^2 - 24*a*b*c*d + 8*a^2*d^2)*ArcTan[(sqrt[d]*sqrt[a + b/x])/sqrt[b*c - a*d]])/(4*c^4*(b*c - a*d)^(7/2)) - (3*(b*c + 2*a*d)*ArcTanh[sqrt[a + b/x]/sqrt[a]])/(a^(5/2)*c^4)

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 103

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x,

$x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n, p\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[m] \&\& (\text{IntegerQ}[n] \parallel \text{IntegersQ}[2*n, 2*p])$

Rule 151

$\text{Int}[(a_. + (b_.)(x_))^{(m)}((c_.) + (d_.)(x_))^{(n)}((e_.) + (f_.)(x_))^{(p)}((g_.) + (h_.)(x_)), x_Symbol] \rightarrow \text{Simp}[(b*g - a*h)(a + b*x)^{(m+1)}(c + d*x)^{(n+1)}(e + f*x)^{(p+1)} / ((m+1)(b*c - a*d)(b*e - a*f)), x] + \text{Dist}[1 / ((m+1)(b*c - a*d)(b*e - a*f)), \text{Int}[(a + b*x)^{(m+1)}(c + d*x)^n(e + f*x)^p \text{Simp}[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)(m+1) - (b*g - a*h)(d*e*(n+1) + c*f*(p+1)) - d*f*(b*g - a*h)(m+n+p+3)*x, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, n, p\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[m]$

Rule 152

$\text{Int}[(a_. + (b_.)(x_))^{(m)}((c_.) + (d_.)(x_))^{(n)}((e_.) + (f_.)(x_))^{(p)}((g_.) + (h_.)(x_)), x_Symbol] \rightarrow \text{Simp}[(b*g - a*h)(a + b*x)^{(m+1)}(c + d*x)^{(n+1)}(e + f*x)^{(p+1)} / ((m+1)(b*c - a*d)(b*e - a*f)), x] + \text{Dist}[1 / ((m+1)(b*c - a*d)(b*e - a*f)), \text{Int}[(a + b*x)^{(m+1)}(c + d*x)^n(e + f*x)^p \text{Simp}[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)(m+1) - (b*g - a*h)(d*e*(n+1) + c*f*(p+1)) - d*f*(b*g - a*h)(m+n+p+3)*x, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, n, p\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{IntegersQ}[2*m, 2*n, 2*p]$

Rule 156

$\text{Int}[(e_. + (f_.)(x_))^{(p)}((g_.) + (h_.)(x_)) / ((a_.) + (b_.)(x_)) * ((c_.) + (d_.)(x_)), x_Symbol] \rightarrow \text{Dist}[(b*g - a*h) / (b*c - a*d), \text{Int}[(e + f*x)^p / (a + b*x), x], x] - \text{Dist}[(d*g - c*h) / (b*c - a*d), \text{Int}[(e + f*x)^p / (c + d*x), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h\}, x]$

Rule 205

$\text{Int}[(a_. + (b_.)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] * \text{ArcTan}[x/\text{Rt}[a/b, 2]]) / a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

Rule 208

$\text{Int}[(a_. + (b_.)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] * \text{ArcTanh}[x/\text{Rt}[-(a/b), 2]]) / a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 375

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol
] :> -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a,
b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{\left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^3} dx &= -\text{Subst}\left(\int \frac{1}{x^2(a + bx)^{3/2}(c + dx)^3} dx, x, \frac{1}{x}\right) \\
&= \frac{x}{ac\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2} + \frac{\text{Subst}\left(\int \frac{\frac{3}{2}(bc+2ad) + \frac{7bdx}{2}}{x(a+bx)^{3/2}(c+dx)^3} dx, x, \frac{1}{x}\right)}{ac} \\
&= \frac{d(2bc - 3ad)}{2ac^2(bc - ad)\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2} + \frac{x}{ac\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2} - \frac{\text{Subst}\left(\int \frac{-3(bc-ad)(bc+2ad) - \frac{5}{2}bd}{x(a+bx)^{3/2}(c+dx)^3} dx, x, \frac{1}{x}\right)}{2ac^2(bc - ad)} \\
&= \frac{d(2bc - 3ad)}{2ac^2(bc - ad)\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2} + \frac{d(4b^2c^2 - 21abcd + 12a^2d^2)}{4ac^3(bc - ad)^2\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} + \frac{x}{ac\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} \\
&= \frac{3b(2bc - ad)(2b^2c^2 - abcd + 4a^2d^2)}{4a^2c^3(bc - ad)^3\sqrt{a + \frac{b}{x}}} + \frac{d(2bc - 3ad)}{2ac^2(bc - ad)\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2} + \frac{d(4b^2c^2 - 21abcd + 12a^2d^2)}{4ac^3(bc - ad)^2\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} \\
&= \frac{3b(2bc - ad)(2b^2c^2 - abcd + 4a^2d^2)}{4a^2c^3(bc - ad)^3\sqrt{a + \frac{b}{x}}} + \frac{d(2bc - 3ad)}{2ac^2(bc - ad)\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2} + \frac{d(4b^2c^2 - 21abcd + 12a^2d^2)}{4ac^3(bc - ad)^2\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} \\
&= \frac{3b(2bc - ad)(2b^2c^2 - abcd + 4a^2d^2)}{4a^2c^3(bc - ad)^3\sqrt{a + \frac{b}{x}}} + \frac{d(2bc - 3ad)}{2ac^2(bc - ad)\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2} + \frac{d(4b^2c^2 - 21abcd + 12a^2d^2)}{4ac^3(bc - ad)^2\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)} \\
&= \frac{3b(2bc - ad)(2b^2c^2 - abcd + 4a^2d^2)}{4a^2c^3(bc - ad)^3\sqrt{a + \frac{b}{x}}} + \frac{d(2bc - 3ad)}{2ac^2(bc - ad)\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)^2} + \frac{d(4b^2c^2 - 21abcd + 12a^2d^2)}{4ac^3(bc - ad)^2\sqrt{a + \frac{b}{x}} \left(c + \frac{d}{x}\right)}
\end{aligned}$$

Mathematica [C] time = 0.32, size = 239, normalized size = 0.75

$$\frac{(cx + d) \left(2(cx + d) \left(\frac{3}{4}a^2d^2 - 24abcd + 21b^2c^2 \right) {}_2F_1 \left(-\frac{1}{2}, 1; \frac{d(a+b)}{ad-bc} \right) + 3(2ad + bc)(bc - ad)^3 {}_2F_1 \left(-\frac{1}{2}, 1; \frac{b}{ax} + 1 \right) - \frac{1}{2}acdx(ad - bc)(12a^2d^2 - 21abcd + 4b^2c^2) \right) + 2ac^3x^3(bc - ad)^3 - ac^2dx^2(bc - ad)^2(3ad - 2bc)}{2a^2c^4 \sqrt{a + \frac{b}{x}} (cx + d)^2 (bc - ad)^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b/x)^(3/2)*(c + d/x)^3), x]

[Out]
$$\begin{aligned} & -(a*c^2*d*(b*c - a*d)^2*(-2*b*c + 3*a*d)*x^2) + 2*a*c^3*(b*c - a*d)^3*x^3 \\ & + (d + c*x)*(-1/2*(a*c*d*(-(b*c) + a*d)*(4*b^2*c^2 - 21*a*b*c*d + 12*a^2*d^2) \\ & *x) + 2*(d + c*x)*((3*a^2*d^2*(21*b^2*c^2 - 24*a*b*c*d + 8*a^2*d^2)*Hyper \\ & geometric2F1[-1/2, 1, 1/2, (d*(a + b/x))/(-(b*c) + a*d)]/4 + 3*(b*c - a*d) \\ & ^3*(b*c + 2*a*d)*Hypergeometric2F1[-1/2, 1, 1/2, 1 + b/(a*x)])))/(2*a^2*c^4 \\ & *(b*c - a*d)^3*sqrt[a + b/x]*(d + c*x)^2) \end{aligned}$$

IntegrateAlgebraic [A] time = 1.34, size = 412, normalized size = 1.29

$$\frac{3(2ad + bc) \operatorname{tanh}^{-1} \left(\frac{\sqrt{ax}}{\sqrt{a}} \right) + 3(8a^2d^2 - 24abcd + 21b^2c^2) \operatorname{tanh}^{-1} \left(\frac{\sqrt{ax}}{\sqrt{a}} \right) + \sqrt{\frac{ax}{a}} \left(4a^4c^2d^2x^4 + 18a^4d^4 + 12a^4d^2 - 12a^3bc^2d^2x^4 - 37a^3bc^2d^2 - 9a^3bc^2d^2 - 12a^2b^2c^2d^2x^4 + 12a^2b^2c^2d^2 - 29a^2b^2c^2d^2 - 27a^2b^2c^2d^2 - 4ab^3c^2d^2 + 4ab^3c^2d^2 + 20ab^3c^2d^2 + 12ab^3c^2d^2 - 12b^4c^2d^2 - 24b^4c^2d^2 - 12b^4c^2d^2 \right)}{4b^5c^4(a + b)(cx + d)^2(ad - bc)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b/x)^(3/2)*(c + d/x)^3), x]

[Out]
$$\begin{aligned} & (\operatorname{Sqrt}[(b + a*x)/x]*(-12*b^4*c^3*d^2*x + 12*a*b^3*c^2*d^3*x - 27*a^2*b^2*c*d \\ & ^4*x + 12*a^3*b*d^5*x - 24*b^4*c^4*d*x^2 + 20*a*b^3*c^3*d^2*x^2 - 29*a^2*b^2 \\ & ^2*c^2*d^3*x^2 - 9*a^3*b*c*d^4*x^2 + 12*a^4*d^5*x^2 - 12*b^4*c^5*x^3 + 4*a*b \\ & ^3*c^4*d*x^3 + 12*a^2*b^2*c^3*d^2*x^3 - 37*a^3*b*c^2*d^3*x^3 + 18*a^4*c*d^4 \\ & *x^3 - 4*a*b^3*c^5*x^4 + 12*a^2*b^2*c^4*d*x^4 - 12*a^3*b*c^3*d^2*x^4 + 4*a^4 \\ & ^2*c^2*d^3*x^4)/(4*a^2*c^3*(-(b*c) + a*d)^3*(b + a*x)*(d + c*x)^2) + (3*(21 \\ & *b^2*c^2*d^(5/2) - 24*a*b*c*d^(7/2) + 8*a^2*d^(9/2))*ArcTan[(Sqrt[d]*Sqrt[(\\ & b + a*x)/x])/Sqrt[b*c - a*d]])/(4*c^4*(b*c - a*d)^(7/2)) - (3*(b*c + 2*a*d) \\ & *ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/(a^(5/2)*c^4) \end{aligned}$$

fricas [B] time = 4.78, size = 4093, normalized size = 12.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(3/2)/(c+d/x)^3, x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/8*(12*(b^5*c^4*d^2 - a*b^4*c^3*d^3 - 3*a^2*b^3*c^2*d^4 + 5*a^3*b^2*c*d^5 \\ & - 2*a^4*b*d^6 + (a*b^4*c^6 - a^2*b^3*c^5*d - 3*a^3*b^2*c^4*d^2 + 5*a^4*b*c \\ & ^3*d^3 - 2*a^5*c^2*d^4)*x^3 + (b^5*c^6 + a*b^4*c^5*d - 5*a^2*b^3*c^4*d^2 - \\ & a^3*b^2*c^3*d^3 + 8*a^4*b*c^2*d^4 - 4*a^5*c*d^5)*x^2 + (2*b^5*c^5*d - a*b^4 \\ & ^4*c^4*d^2 - 7*a^2*b^3*c^3*d^3 + 7*a^3*b^2*c^2*d^4 + a^4*b*c*d^5 - 2*a^5*d^6) \\ & *x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) - 3*(21*a^3*b^3* \end{aligned}$$

$$\begin{aligned}
& c^2d^4 - 24a^4b^2c^2d^5 + 8a^5b^2d^6 + (21a^4b^2c^4d^2 - 24a^5b^2c^3d^3 + 8a^6c^2d^4)x^3 + (21a^3b^3c^4d^2 + 18a^4b^2c^3d^3 - 40a^5b^2c^2d^4 + 16a^6c^2d^5)x^2 + (42a^3b^3c^3d^3 - 27a^4b^2c^2d^4 - 8a^5b^2c^2d^5 + 8a^6d^6)x \cdot \sqrt{-d/(b^2c - a^2d)} \cdot \log(-2(b^2c - a^2d)x \cdot \sqrt{-d/(b^2c - a^2d)} \cdot \sqrt{(ax + b)/x} - b^2d + (b^2c - 2a^2d)x)/(cx + d)) + 2(4(a^2b^3c^6 - 3a^3b^2c^5d + 3a^4b^2c^4d^2 - a^5c^3d^3)x^4 + (12a^2b^4c^6 - 4a^2b^3c^5d - 12a^3b^2c^4d^2 + 37a^4b^2c^3d^3 - 18a^5c^2d^4)x^3 + (24a^2b^4c^5d - 20a^2b^3c^4d^2 + 29a^3b^2c^3d^3 + 9a^4b^2c^2d^4 - 12a^5c^2d^5)x^2 + 3(4a^2b^4c^4d^2 - 4a^2b^3c^3d^3 + 9a^3b^2c^2d^4 - 4a^4b^2c^2d^5)x) \cdot \sqrt{(ax + b)/x})/(a^3b^4c^7d^2 - 3a^4b^3c^6d^3 + 3a^5b^2c^5d^4 - a^6b^2c^4d^5 + (a^4b^3c^9 - 3a^5b^2c^8d + 3a^6b^2c^7d^2 - a^7c^6d^3)x^3 + (a^3b^4c^9 - a^4b^3c^8d - 3a^5b^2c^7d^2 + 5a^6b^2c^6d^3 - 2a^7c^5d^4)x^2 + (2a^3b^4c^8d - 5a^4b^3c^7d^2 + 3a^5b^2c^6d^3 + a^6b^2c^5d^4 - a^7c^4d^5)x), 1/8(24(b^5c^4d^2 - a^2b^4c^3d^3 - 3a^2b^3c^2d^4 + 5a^3b^2c^2d^5 - 2a^4b^2d^6 + (a^2b^4c^6 - a^2b^3c^5d - 3a^3b^2c^4d^2 + 5a^4b^2c^3d^3 - 2a^5c^2d^4)x^3 + (b^5c^6 + a^2b^4c^5d - 5a^2b^3c^4d^2 - a^3b^2c^3d^3 + 8a^4b^2c^2d^4 - 4a^5c^2d^5)x^2 + (2b^5c^5d - a^2b^4c^4d^2 - 7a^2b^3c^3d^3 + 7a^3b^2c^2d^4 + a^4b^2c^2d^5 - 2a^5d^6)x) \cdot \sqrt{-a} \cdot \arctan(\sqrt{-a} \cdot \sqrt{(ax + b)/x})/a) - 3(21a^3b^3c^2d^4 - 24a^4b^2c^2d^5 + 8a^5b^2d^6 + (21a^4b^2c^4d^2 - 24a^5b^2c^3d^3 + 8a^6c^2d^4)x^3 + (21a^3b^3c^4d^2 + 18a^4b^2c^3d^3 - 40a^5b^2c^2d^4 + 16a^6c^2d^5)x^2 + (42a^3b^3c^3d^3 - 27a^4b^2c^2d^4 - 8a^5b^2c^2d^5 + 8a^6d^6)x) \cdot \sqrt{-d/(b^2c - a^2d)} \cdot \log(-2(b^2c - a^2d)x \cdot \sqrt{-d/(b^2c - a^2d)} \cdot \sqrt{(ax + b)/x} - b^2d + (b^2c - 2a^2d)x)/(cx + d)) + 2(4(a^2b^3c^6 - 3a^3b^2c^5d + 3a^4b^2c^4d^2 - a^5c^3d^3)x^4 + (12a^2b^4c^6 - 4a^2b^3c^5d - 12a^3b^2c^4d^2 + 37a^4b^2c^3d^3 - 18a^5c^2d^4)x^3 + (24a^2b^4c^5d - 20a^2b^3c^4d^2 + 29a^3b^2c^3d^3 + 9a^4b^2c^2d^4 - 12a^5c^2d^5)x^2 + 3(4a^2b^4c^4d^2 - 4a^2b^3c^3d^3 + 9a^3b^2c^2d^4 - 4a^4b^2c^2d^5)x) \cdot \sqrt{(ax + b)/x})/(a^3b^4c^7d^2 - 3a^4b^3c^6d^3 + 3a^5b^2c^5d^4 - a^6b^2c^4d^5 + (a^4b^3c^9 - 3a^5b^2c^8d + 3a^6b^2c^7d^2 - a^7c^6d^3)x^3 + (a^3b^4c^9 - a^4b^3c^8d - 3a^5b^2c^7d^2 + 5a^6b^2c^6d^3 - 2a^7c^5d^4)x^2 + (2a^3b^4c^8d - 5a^4b^3c^7d^2 + 3a^5b^2c^6d^3 + a^6b^2c^5d^4 - a^7c^4d^5)x), 1/4(3(21a^3b^3c^2d^4 - 24a^4b^2c^2d^5 + 8a^5b^2d^6 + (21a^4b^2c^4d^2 - 24a^5b^2c^3d^3 + 8a^6c^2d^4)x^3 + (21a^3b^3c^4d^2 + 18a^4b^2c^3d^3 - 40a^5b^2c^2d^4 + 16a^6c^2d^5)x^2 + (42a^3b^3c^3d^3 - 27a^4b^2c^2d^4 - 8a^5b^2c^2d^5 + 8a^6d^6)x) \cdot \sqrt{d/(b^2c - a^2d)} \cdot \arctan(-(b^2c - a^2d)x \cdot \sqrt{d/(b^2c - a^2d)} \cdot \sqrt{(ax + b)/x})/(a^2d^2x + b^2d)) + 6(b^5c^4d^2 - a^2b^4c^3d^3 - 3a^2b^3c^2d^4 + 5a^3b^2c^2d^5 - 2a^4b^2d^6 + (a^2b^4c^6 - a^2b^3c^5d - 3a^3b^2c^4d^2 + 5a^4b^2c^3d^3 - 2a^5c^2d^4)x^3 + (b^5c^6 + a^2b^4c^5d - 5a^2b^3c^4d^2 - a^3b^2c^3d^3 + 8a^4b^2c^2d^4 - 4a^5c^2d^5)x^2 + (2b^5c^5d - a^2b^4c^4d^2 - 7a^2b^3c^3d^3 + 7a^3b^2c^2d^4 + a^4b^2c^2d^5 - 2a^5d^6)x) \cdot \sqrt{a} \cdot \log(2ax - 2\sqrt{a})x \cdot \sqrt{(a}
\end{aligned}$$

$$\begin{aligned} & (x + b)/x) + b) + (4*(a^2*b^3*c^6 - 3*a^3*b^2*c^5*d + 3*a^4*b*c^4*d^2 - a^5 \\ & *c^3*d^3)*x^4 + (12*a*b^4*c^6 - 4*a^2*b^3*c^5*d - 12*a^3*b^2*c^4*d^2 + 37*a \\ & ^4*b*c^3*d^3 - 18*a^5*c^2*d^4)*x^3 + (24*a*b^4*c^5*d - 20*a^2*b^3*c^4*d^2 + \\ & 29*a^3*b^2*c^3*d^3 + 9*a^4*b*c^2*d^4 - 12*a^5*c*d^5)*x^2 + 3*(4*a*b^4*c^4 \\ & *d^2 - 4*a^2*b^3*c^3*d^3 + 9*a^3*b^2*c^2*d^4 - 4*a^4*b*c*d^5)*x)*\text{sqrt}((a*x + \\ & b)/x))/(a^3*b^4*c^7*d^2 - 3*a^4*b^3*c^6*d^3 + 3*a^5*b^2*c^5*d^4 - a^6*b*c^4 \\ & *d^5 + (a^4*b^3*c^9 - 3*a^5*b^2*c^8*d + 3*a^6*b*c^7*d^2 - a^7*c^6*d^3)*x^3 \\ & + (a^3*b^4*c^9 - a^4*b^3*c^8*d - 3*a^5*b^2*c^7*d^2 + 5*a^6*b*c^6*d^3 - 2*a \\ & ^7*c^5*d^4)*x^2 + (2*a^3*b^4*c^8*d - 5*a^4*b^3*c^7*d^2 + 3*a^5*b^2*c^6*d^3 \\ & + a^6*b*c^5*d^4 - a^7*c^4*d^5)*x), 1/4*(3*(21*a^3*b^3*c^2*d^4 - 24*a^4*b^2 \\ & *c*d^5 + 8*a^5*b*d^6 + (21*a^4*b^2*c^4*d^2 - 24*a^5*b*c^3*d^3 + 8*a^6*c^2*d^4) \\ & *x^3 + (21*a^3*b^3*c^4*d^2 + 18*a^4*b^2*c^3*d^3 - 40*a^5*b*c^2*d^4 + 16*a \\ & ^6*c*d^5)*x^2 + (42*a^3*b^3*c^3*d^3 - 27*a^4*b^2*c^2*d^4 - 8*a^5*b*c*d^5 + \\ & 8*a^6*d^6)*x)*\text{sqrt}(d/(b*c - a*d))*\text{arctan}(-(b*c - a*d)*x*\text{sqrt}(d/(b*c - a*d)) \\ & *\text{sqrt}((a*x + b)/x)/(a*d*x + b*d)) + 12*(b^5*c^4*d^2 - a*b^4*c^3*d^3 - 3*a^2 \\ & *b^3*c^2*d^4 + 5*a^3*b^2*c*d^5 - 2*a^4*b*d^6 + (a*b^4*c^6 - a^2*b^3*c^5*d - \\ & 3*a^3*b^2*c^4*d^2 + 5*a^4*b*c^3*d^3 - 2*a^5*c^2*d^4)*x^3 + (b^5*c^6 + a*b^4 \\ & *c^5*d - 5*a^2*b^3*c^4*d^2 - a^3*b^2*c^3*d^3 + 8*a^4*b*c^2*d^4 - 4*a^5*c*d \\ & ^5)*x^2 + (2*b^5*c^5*d - a*b^4*c^4*d^2 - 7*a^2*b^3*c^3*d^3 + 7*a^3*b^2*c^2 \\ & *d^4 + a^4*b*c*d^5 - 2*a^5*d^6)*x)*\text{sqrt}(-a)*\text{arctan}(\text{sqrt}(-a)*\text{sqrt}((a*x + b)/x \\ &)/a) + (4*(a^2*b^3*c^6 - 3*a^3*b^2*c^5*d + 3*a^4*b*c^4*d^2 - a^5*c^3*d^3)*x \\ & ^4 + (12*a*b^4*c^6 - 4*a^2*b^3*c^5*d - 12*a^3*b^2*c^4*d^2 + 37*a^4*b*c^3*d^3 \\ & - 18*a^5*c^2*d^4)*x^3 + (24*a*b^4*c^5*d - 20*a^2*b^3*c^4*d^2 + 29*a^3*b^2 \\ & *c^3*d^3 + 9*a^4*b*c^2*d^4 - 12*a^5*c*d^5)*x^2 + 3*(4*a*b^4*c^4*d^2 - 4*a^2 \\ & *b^3*c^3*d^3 + 9*a^3*b^2*c^2*d^4 - 4*a^4*b*c*d^5)*x)*\text{sqrt}((a*x + b)/x))/(a^ \\ & 3*b^4*c^7*d^2 - 3*a^4*b^3*c^6*d^3 + 3*a^5*b^2*c^5*d^4 - a^6*b*c^4*d^5 + (a^ \\ & 4*b^3*c^9 - 3*a^5*b^2*c^8*d + 3*a^6*b*c^7*d^2 - a^7*c^6*d^3)*x^3 + (a^3*b^4 \\ & *c^9 - a^4*b^3*c^8*d - 3*a^5*b^2*c^7*d^2 + 5*a^6*b*c^6*d^3 - 2*a^7*c^5*d^4) \\ & *x^2 + (2*a^3*b^4*c^8*d - 5*a^4*b^3*c^7*d^2 + 3*a^5*b^2*c^6*d^3 + a^6*b*c^5 \\ & *d^4 - a^7*c^4*d^5)*x)] \end{aligned}$$

giac [A] time = 0.31, size = 516, normalized size = 1.61

$$\frac{1}{4} b^4 \left(\frac{3(21b^2c^2d^3 - 24abcd^4 + 8a^2d^5) \arctan\left(\frac{d\sqrt{\frac{ax+b}{x}}}{\sqrt{bcd-ad^2}}\right)}{\sqrt{bcd-ad^2}} + \frac{4\left(2ab^3c^3 - \frac{3(ax+b)b^3c^3}{x} + \frac{3(ax+b)ab^2c^2d}{x} - \frac{3(ax+b)a^2bc^2d^2}{x} + \frac{(ax+b)a^2d^3}{x}\right)}{(a^2b^6c^6 - 3a^3b^5c^5d + 3a^4b^4c^4d^2 - a^5b^3c^3d^3) \left(a\sqrt{\frac{ax+b}{x}} - \frac{(ax+b)\sqrt{\frac{ax+b}{x}}}{x}\right)} + \frac{17b^2c^2d^3\sqrt{\frac{ax+b}{x}} - 25abcd^4\sqrt{\frac{ax+b}{x}} + 8a^2d^5\sqrt{\frac{ax+b}{x}} + \frac{15(ax+b)bd^4\sqrt{\frac{ax+b}{x}}}{x} - \frac{8(ax+b)ad^5\sqrt{\frac{ax+b}{x}}}{x}}{(b^6c^6 - 3a^3b^5c^5d + 3a^4b^4c^4d^2 - a^5b^3c^3d^3) \left(bc - ad + \frac{(ax+b)d}{x}\right)^2} + \frac{12(bc + 2ad) \arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)}{\sqrt{-a}a^2b^4c^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(3/2)/(c+d/x)^3,x, algorithm="giac")

[Out] $1/4*b^4*(3*(21*b^2*c^2*d^3 - 24*a*b*c*d^4 + 8*a^2*d^5)*\text{arctan}(d*\text{sqrt}((a*x + b)/x)/\text{sqrt}(b*c*d - a*d^2))/((b^7*c^7 - 3*a*b^6*c^6*d + 3*a^2*b^5*c^5*d^2 - a^3*b^4*c^4*d^3)*\text{sqrt}(b*c*d - a*d^2)) + 4*(2*a*b^3*c^3 - 3*(a*x + b)*b^3*c^3/x + 3*(a*x + b)*a*b^2*c^2*d/x - 3*(a*x + b)*a^2*b*c*d^2/x + (a*x + b)*a^3*d^3/x)/((a^2*b^6*c^6 - 3*a^3*b^5*c^5*d + 3*a^4*b^4*c^4*d^2 - a^5*b^3*c^3*d^3)*(a*\text{sqrt}((a*x + b)/x) - (a*x + b)*\text{sqrt}((a*x + b)/x)/x) + (17*b^2*c^2*d$

$$\begin{aligned} &^3\sqrt{\frac{a*x + b}{x}} - 25*a*b*c*d^4*\sqrt{\frac{a*x + b}{x}} + 8*a^2*d^5*\sqrt{\frac{a*x + b}{x}} \\ &+ 15*(a*x + b)*b*c*d^4*\sqrt{\frac{a*x + b}{x}}/x - 8*(a*x + b)*a*d^5*\sqrt{\frac{a*x + b}{x}}/x \\ &/((b^6*c^6 - 3*a*b^5*c^5*d + 3*a^2*b^4*c^4*d^2 - a^3*b^3*c^3*d^3)*(b*c - a*d + (a*x + b)*d/x)^2) + 12*(b*c + 2*a*d)*\arctan(\sqrt{\frac{a*x + b}{x}}/\sqrt{-a})/(\sqrt{-a}*a^2*b^4*c^4) \end{aligned}$$

maple [B] time = 0.08, size = 5158, normalized size = 16.12

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b/x)^(3/2)/(c+d/x)^3,x)`

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a + \frac{b}{x}\right)^{\frac{3}{2}} \left(c + \frac{d}{x}\right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b/x)^(3/2)/(c+d/x)^3,x, algorithm="maxima")`

[Out] `integrate(1/((a + b/x)^(3/2)*(c + d/x)^3), x)`

mupad [B] time = 9.49, size = 8936, normalized size = 27.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b/x)^(3/2)*(c + d/x)^3),x)`

[Out]
$$\begin{aligned} &((2*b^4)/(a^2*d - a*b*c) + (b*(a + b/x)*(12*a^4*d^4 + 12*b^4*c^4 + 24*a^2*b^2*c^2*d^2 - 40*a*b^3*c^3*d - 33*a^3*b*c*d^3))/(4*a*c^3*(a^2*d - a*b*c)*(a*d - b*c)) \\ &+ (3*b*(a + b/x)^3*(4*a^3*d^5 - 4*b^3*c^3*d^2 + 4*a*b^2*c^2*d^3 - 9*a^2*b*c*d^4))/(4*a*c^3*(a^2*d - a*b*c)*(a*d - b*c)^2) - (b*(a + b/x)^2*(24*a^4*d^5 + 24*b^4*c^4*d - 56*a*b^3*c^3*d^2 + 65*a^2*b^2*c^2*d^3 - 72*a^3*b*c*d^4))/(4*a*c^3*(a^2*d - a*b*c)*(a*d - b*c)^2) \\ &/((a + b/x)^(3/2)*(3*a^2*d^2 + b^2*c^2 - 4*a*b*c*d) - (a + b/x)^(5/2)*(3*a*d^2 - 2*b*c*d) + d^2*(a + b/x)^(7/2) - (a + b/x)^(1/2)*(a^3*d^2 + a*b^2*c^2 - 2*a^2*b*c*d)) + (\operatorname{atan}(\frac{((a + b/x)^(1/2)*(18432*a^6*b^19*c^26*d^3 - 202752*a^7*b^18*c^25*d^4 + 903168*a^8*b^17*c^24*d^5 - 1751040*a^9*b^16*c^23*d^6 - 137088*a^10*b^15*c^22*d^7 + 6007680*a^11*b^14*c^21*d^8 + 1276416*a^12*b^13*c^20*d^9 - 65382912*a^13*b^12*c^19*d^10 + 216610560*a^14*b^11*c^18*d^11 - 407418624*a^15*b^10*c^17*d^12 + 65382912*a^16*b^9*c^16*d^13 - 407418624*a^17*b^8*c^15*d^14 + 1276416*a^18*b^7*c^14*d^15 - 1276416*a^19*b^6*c^13*d^16 + 18432*a^20*b^5*c^12*d^17 - 18432*a^21*b^4*c^11*d^18 + 1276416*a^22*b^3*c^10*d^19 - 1276416*a^23*b^2*c^9*d^20 + 65382912*a^24*b*c^8*d^21 - 65382912*a^25*b*c^7*d^22 + 18432*a^26*b*c^6*d^23 - 18432*a^27*b*c^5*d^24 + 1276416*a^28*b*c^4*d^25 - 1276416*a^29*b*c^3*d^26 + 65382912*a^30*b*c^2*d^27 - 65382912*a^31*b*c*d^28 + 18432*a^32*b*c*d^29 - 18432*a^33*b*c*d^30 + 1276416*a^34*b*c*d^31 - 1276416*a^35*b*c*d^32 + 18432*a^36*b*c*d^33 - 18432*a^37*b*c*d^34 + 1276416*a^38*b*c*d^35 - 1276416*a^39*b*c*d^36 + 65382912*a^40*b*c*d^37 - 65382912*a^41*b*c*d^38 + 18432*a^42*b*c*d^39 - 18432*a^43*b*c*d^40 + 1276416*a^44*b*c*d^41 - 1276416*a^45*b*c*d^42 + 18432*a^46*b*c*d^43 - 18432*a^47*b*c*d^44 + 1276416*a^48*b*c*d^45 - 1276416*a^49*b*c*d^46 + 65382912*a^50*b*c*d^47 - 65382912*a^51*b*c*d^48 + 18432*a^52*b*c*d^49 - 18432*a^53*b*c*d^50 + 1276416*a^54*b*c*d^51 - 1276416*a^55*b*c*d^52 + 18432*a^56*b*c*d^53 - 18432*a^57*b*c*d^54 + 1276416*a^58*b*c*d^55 - 1276416*a^59*b*c*d^56 + 65382912*a^60*b*c*d^57 - 65382912*a^61*b*c*d^58 + 18432*a^62*b*c*d^59 - 18432*a^63*b*c*d^60 + 1276416*a^64*b*c*d^61 - 1276416*a^65*b*c*d^62 + 18432*a^66*b*c*d^63 - 18432*a^67*b*c*d^64 + 1276416*a^68*b*c*d^65 - 1276416*a^69*b*c*d^66 + 65382912*a^70*b*c*d^67 - 65382912*a^71*b*c*d^68 + 18432*a^72*b*c*d^69 - 18432*a^73*b*c*d^70 + 1276416*a^74*b*c*d^71 - 1276416*a^75*b*c*d^72 + 18432*a^76*b*c*d^73 - 18432*a^77*b*c*d^74 + 1276416*a^78*b*c*d^75 - 1276416*a^79*b*c*d^76 + 65382912*a^80*b*c*d^77 - 65382912*a^81*b*c*d^78 + 18432*a^82*b*c*d^79 - 18432*a^83*b*c*d^80 + 1276416*a^84*b*c*d^81 - 1276416*a^85*b*c*d^82 + 18432*a^86*b*c*d^83 - 18432*a^87*b*c*d^84 + 1276416*a^88*b*c*d^85 - 1276416*a^89*b*c*d^86 + 65382912*a^90*b*c*d^87 - 65382912*a^91*b*c*d^88 + 18432*a^92*b*c*d^89 - 18432*a^93*b*c*d^90 + 1276416*a^94*b*c*d^91 - 1276416*a^95*b*c*d^92 + 18432*a^96*b*c*d^93 - 18432*a^97*b*c*d^94 + 1276416*a^98*b*c*d^95 - 1276416*a^99*b*c*d^96 + 65382912*a^100*b*c*d^97 - 65382912*a^101*b*c*d^98 + 18432*a^102*b*c*d^99 - 18432*a^103*b*c*d^100 + 1276416*a^104*b*c*d^101 - 1276416*a^105*b*c*d^102 + 18432*a^106*b*c*d^103 - 18432*a^107*b*c*d^104 + 1276416*a^108*b*c*d^105 - 1276416*a^109*b*c*d^106 + 65382912*a^110*b*c*d^107 - 65382912*a^111*b*c*d^108 + 18432*a^112*b*c*d^109 - 18432*a^113*b*c*d^110 + 1276416*a^114*b*c*d^111 - 1276416*a^115*b*c*d^112 + 18432*a^116*b*c*d^113 - 18432*a^117*b*c*d^114 + 1276416*a^118*b*c*d^115 - 1276416*a^119*b*c*d^116 + 65382912*a^120*b*c*d^117 - 65382912*a^121*b*c*d^118 + 18432*a^122*b*c*d^119 - 18432*a^123*b*c*d^120 + 1276416*a^124*b*c*d^121 - 1276416*a^125*b*c*d^122 + 18432*a^126*b*c*d^123 - 18432*a^127*b*c*d^124 + 1276416*a^128*b*c*d^125 - 1276416*a^129*b*c*d^126 + 65382912*a^130*b*c*d^127 - 65382912*a^131*b*c*d^128 + 18432*a^132*b*c*d^129 - 18432*a^133*b*c*d^130 + 1276416*a^134*b*c*d^131 - 1276416*a^135*b*c*d^132 + 18432*a^136*b*c*d^133 - 18432*a^137*b*c*d^134 + 1276416*a^138*b*c*d^135 - 1276416*a^139*b*c*d^136 + 65382912*a^140*b*c*d^137 - 65382912*a^141*b*c*d^138 + 18432*a^142*b*c*d^139 - 18432*a^143*b*c*d^140 + 1276416*a^144*b*c*d^141 - 1276416*a^145*b*c*d^142 + 18432*a^146*b*c*d^143 - 18432*a^147*b*c*d^144 + 1276416*a^148*b*c*d^145 - 1276416*a^149*b*c*d^146 + 65382912*a^150*b*c*d^147 - 65382912*a^151*b*c*d^148 + 18432*a^152*b*c*d^149 - 18432*a^153*b*c*d^150 + 1276416*a^154*b*c*d^151 - 1276416*a^155*b*c*d^152 + 18432*a^156*b*c*d^153 - 18432*a^157*b*c*d^154 + 1276416*a^158*b*c*d^155 - 1276416*a^159*b*c*d^156 + 65382912*a^160*b*c*d^157 - 65382912*a^161*b*c*d^158 + 18432*a^162*b*c*d^159 - 18432*a^163*b*c*d^160 + 1276416*a^164*b*c*d^161 - 1276416*a^165*b*c*d^162 + 18432*a^166*b*c*d^163 - 18432*a^167*b*c*d^164 + 1276416*a^168*b*c*d^165 - 1276416*a^169*b*c*d^166 + 65382912*a^170*b*c*d^167 - 65382912*a^171*b*c*d^168 + 18432*a^172*b*c*d^169 - 18432*a^173*b*c*d^170 + 1276416*a^174*b*c*d^171 - 1276416*a^175*b*c*d^172 + 18432*a^176*b*c*d^173 - 18432*a^177*b*c*d^174 + 1276416*a^178*b*c*d^175 - 1276416*a^179*b*c*d^176 + 65382912*a^180*b*c*d^177 - 65382912*a^181*b*c*d^178 + 18432*a^182*b*c*d^179 - 18432*a^183*b*c*d^180 + 1276416*a^184*b*c*d^181 - 1276416*a^185*b*c*d^182 + 18432*a^186*b*c*d^183 - 18432*a^187*b*c*d^184 + 1276416*a^188*b*c*d^185 - 1276416*a^189*b*c*d^186 + 65382912*a^190*b*c*d^187 - 65382912*a^191*b*c*d^188 + 18432*a^192*b*c*d^189 - 18432*a^193*b*c*d^190 + 1276416*a^194*b*c*d^191 - 1276416*a^195*b*c*d^192 + 18432*a^196*b*c*d^193 - 18432*a^197*b*c*d^194 + 1276416*a^198*b*c*d^195 - 1276416*a^199*b*c*d^196 + 65382912*a^200*b*c*d^197 - 65382912*a^201*b*c*d^198 + 18432*a^202*b*c*d^199 - 18432*a^203*b*c*d^200 + 1276416*a^204*b*c*d^201 - 1276416*a^205*b*c*d^202 + 18432*a^206*b*c*d^203 - 18432*a^207*b*c*d^204 + 1276416*a^208*b*c*d^205 - 1276416*a^209*b*c*d^206 + 65382912*a^210*b*c*d^207 - 65382912*a^211*b*c*d^208 + 18432*a^212*b*c*d^209 - 18432*a^213*b*c*d^210 + 1276416*a^214*b*c*d^211 - 1276416*a^215*b*c*d^212 + 18432*a^216*b*c*d^213 - 18432*a^217*b*c*d^214 + 1276416*a^218*b*c*d^215 - 1276416*a^219*b*c*d^216 + 65382912*a^220*b*c*d^217 - 65382912*a^221*b*c*d^218 + 18432*a^222*b*c*d^219 - 18432*a^223*b*c*d^220 + 1276416*a^224*b*c*d^221 - 1276416*a^225*b*c*d^222 + 18432*a^226*b*c*d^223 - 18432*a^227*b*c*d^224 + 1276416*a^228*b*c*d^225 - 1276416*a^229*b*c*d^226 + 65382912*a^230*b*c*d^227 - 65382912*a^231*b*c*d^228 + 18432*a^232*b*c*d^229 - 18432*a^233*b*c*d^230 + 1276416*a^234*b*c*d^231 - 1276416*a^235*b*c*d^232 + 18432*a^236*b*c*d^233 - 18432*a^237*b*c*d^234 + 1276416*a^238*b*c*d^235 - 1276416*a^239*b*c*d^236 + 65382912*a^240*b*c*d^237 - 65382912*a^241*b*c*d^238 + 18432*a^242*b*c*d^239 - 18432*a^243*b*c*d^240 + 1276416*a^244*b*c*d^241 - 1276416*a^245*b*c*d^242 + 18432*a^246*b*c*d^243 - 18432*a^247*b*c*d^244 + 1276416*a^248*b*c*d^245 - 1276416*a^249*b*c*d^246 + 65382912*a^250*b*c*d^247 - 65382912*a^251*b*c*d^248 + 18432*a^252*b*c*d^249 - 18432*a^253*b*c*d^250 + 1276416*a^254*b*c*d^251 - 1276416*a^255*b*c*d^252 + 18432*a^256*b*c*d^253 - 18432*a^257*b*c*d^254 + 1276416*a^258*b*c*d^255 - 1276416*a^259*b*c*d^256 + 65382912*a^260*b*c*d^257 - 65382912*a^261*b*c*d^258 + 18432*a^262*b*c*d^259 - 18432*a^263*b*c*d^260 + 1276416*a^264*b*c*d^261 - 1276416*a^265*b*c*d^262 + 18432*a^266*b*c*d^263 - 18432*a^267*b*c*d^264 + 1276416*a^268*b*c*d^265 - 1276416*a^269*b*c*d^266 + 65382912*a^270*b*c*d^267 - 65382912*a^271*b*c*d^268 + 18432*a^272*b*c*d^269 - 18432*a^273*b*c*d^270 + 1276416*a^274*b*c*d^271 - 1276416*a^275*b*c*d^272 + 18432*a^276*b*c*d^273 - 18432*a^277*b*c*d^274 + 1276416*a^278*b*c*d^275 - 1276416*a^279*b*c*d^276 + 65382912*a^280*b*c*d^277 - 65382912*a^281*b*c*d^278 + 18432*a^282*b*c*d^279 - 18432*a^283*b*c*d^280 + 1276416*a^284*b*c*d^281 - 1276416*a^285*b*c*d^282 + 18432*a^286*b*c*d^283 - 18432*a^287*b*c*d^284 + 1276416*a^288*b*c*d^285 - 1276416*a^289*b*c*d^286 + 65382912*a^290*b*c*d^287 - 65382912*a^291*b*c*d^288 + 18432*a^292*b*c*d^289 - 18432*a^293*b*c*d^290 + 1276416*a^294*b*c*d^291 - 1276416*a^295*b*c*d^292 + 18432*a^296*b*c*d^293 - 18432*a^297*b*c*d^294 + 1276416*a^298*b*c*d^295 - 1276416*a^299*b*c*d^296 + 65382912*a^300*b*c*d^297 - 65382912*a^301*b*c*d^298 + 18432*a^302*b*c*d^299 - 18432*a^303*b*c*d^300 + 1276416*a^304*b*c*d^301 - 1276416*a^305*b*c*d^302 + 18432*a^306*b*c*d^303 - 18432*a^307*b*c*d^304 + 1276416*a^308*b*c*d^305 - 1276416*a^309*b*c*d^306 + 65382912*a^310*b*c*d^307 - 65382912*a^311*b*c*d^308 + 18432*a^312*b*c*d^309 - 18432*a^313*b*c*d^310 + 1276416*a^314*b*c*d^311 - 1276416*a^315*b*c*d^312 + 18432*a^316*b*c*d^313 - 18432*a^317*b*c*d^314 + 1276416*a^318*b*c*d^315 - 1276416*a^319*b*c*d^316 + 65382912*a^320*b*c*d^317 - 65382912*a^321*b*c*d^318 + 18432*a^322*b*c*d^319 - 18432*a^323*b*c*d^320 + 1276416*a^324*b*c*d^321 - 1276416*a^325*b*c*d^322 + 18432*a^326*b*c*d^323 - 18432*a^327*b*c*d^324 + 1276416*a^328*b*c*d^325 - 1276416*a^329*b*c*d^326 + 65382912*a^330*b*c*d^327 - 65382912*a^331*b*c*d^328 + 18432*a^332*b*c*d^329 - 18432*a^333*b*c*d^330 + 1276416*a^334*b*c*d^331 - 1276416*a^335*b*c*d^332 + 18432*a^336*b*c*d^333 - 18432*a^337*b*c*d^334 + 1276416*a^338*b*c*d^335 - 1276416*a^339*b*c*d^336 + 65382912*a^340*b*c*d^337 - 65382912*a^341*b*c*d^338 + 18432*a^342*b*c*d^339 - 18432*a^343*b*c*d^340 + 1276416*a^344*b*c*d^341 - 1276416*a^345*b*c*d^342 + 18432*a^346*b*c*d^343 - 18432*a^347*b*c*d^344 + 1276416*a^348*b*c*d^345 - 1276416*a^349*b*c*d^346 + 65382912*a^350*b*c*d^347 - 65382912*a^351*b*c*d^348 + 18432*a^352*b*c*d^349 - 18432*a^353*b*c*d^350 + 1276416*a^354*b*c*d^351 - 1276416*a^355*b*c*d^352 + 18432*a^356*b*c*d^353 - 18432*a^357*b*c*d^354 + 1276416*a^358*b*c*d^355 - 1276416*a^359*b*c*d^356 + 65382912*a^360*b*c*d^357 - 65382912*a^361*b*c*d^358 + 18432*a^362*b*c*d^359 - 18432*a^363*b*c*d^360 + 1276416*a^364*b*c*d^361 - 1276416*a^365*b*c*d^362 + 18432*a^366*b*c*d^363 - 18432*a^367*b*c*d^364 + 1276416*a^368*b*c*d^365 - 1276416*a^369*b*c*d^366 + 65382912*a^370*b*c*d^367 - 65382912*a^371*b*c*d^368 + 18432*a^372*b*c*d^369 - 18432*a^373*b*c*d^370 + 1276416*a^374*b*c*d^371 - 1276416*a^375*b*c*d^372 + 18432*a^376*b*c*d^373 - 18432*a^377*b*c*d^374 + 1276416*a^378*b*c*d^375 - 1276416*a^379*b*c*d^376 + 65382912*a^380*b*c*d^377 - 65382912*a^381*b*c*d^378 + 18432*a^382*b*c*d^379 - 18432*a^383*b*c*d^380 + 1276416*a^384*b*c*d^381 - 1276416*a^385*b*c*d^382 + 18432*a^386*b*c*d^383 - 18432*a^387*b*c*d^384 + 1276416*a^388*b*c*d^385 - 1276416*a^389*b*c*d^386 + 65382912*a^390*b*c*d^387 - 65382912*a^391*b*c*d^388 + 18432*a^392*b*c*d^389 - 18432*a^393*b*c*d^390 + 1276416*a^394*b*c*d^391 - 1276416*a^395*b*c*d^392 + 18432*a^396*b*c*d^393 - 18432*a^397*b*c*d^394 + 1276416*a^398*b*c*d^395 - 1276416*a^399*b*c*d^396 + 65382912*a^400*b*c*d^397 - 65382912*a^401*b*c*d^398 + 18432*a^402*b*c*d^399 - 18432*a^403*b*c*d^400 + 1276416*a^404*b*c*d^401 - 1276416*a^405*b*c*d^402 + 18432*a^406*b*c*d^403 - 18432*a^407*b*c*d^404 + 1276416*a^408*b*c*d^405 - 1276416*a^409*b*c*d^406 + 65382912*a^410*b*c*d^407 - 65382912*a^411*b*c*d^408 + 18432*a^412*b*c*d^409 - 18432*a^413*b*c*d^410 + 1276416*a^414*b*c*d^411 - 1276416*a^415*b*c*d^412 + 18432*a^416*b*c*d^413 - 18432*a^417*b*c*d^414 + 1276416*a^418*b*c*d^415 - 1276416*a^419*b*c*d^416 + 65382912*a^420*b*c*d^417 - 65382912*a^421*b*c*d^418 + 18432*a^422*b*c*d^419 - 18432*a^423*b*c*d^420 + 1276416*a^424*b*c*d^421 - 1276416*a^425*b*c*d^422 + 18432*a^426*b*c*d^423 - 18432*a^427*b*c*d^424 + 1276416*a^428*b*c*d^425 - 1276416*a^429*b*c*d^426 + 65382912*a^430*b*c*d^427 - 65382912*a^431*b*c*d^428 + 18432*a^432*b*c*d^429 - 18432*a^433*b*c*d^430 + 1276416*a^434*b*c*d^431 - 1276416*a^435*b*c*d^432 + 18432*a^436*b*c*d^433 - 18432*a^437*b*c*d^434 + 1276416*a^438*b*c*d^435 - 1276416*a^439*b*c*d^436 + 65382912*a^440*b*c*d^437 - 65382912*a^441*b*c*d^438 + 18432*a^442*b*c*d^439 - 18432*a^443*b*c*d^440 + 1276416*a^444*b*c*d^441 - 1276416*a^445*b*c*d^442 + 18432*a^446*b*c*d^443 - 18432*a^447*b*c*d^444 + 1276416*a^448*b*c*d^445 - 1276416*a^449*b*c*d^446 + 65382912*a^450*b*c*d^447 - 65382912*a^451*b*c*d^448 + 18432*a^452*b*c*d^449 - 18432*a^453*b*c*d^450 + 1276416*a^454*b*c*d^451 - 1276416*a^455*b*c*d^452 + 18432*a^456*b*c*d^453 - 18432*a^457*b*c*d^454 + 1276416*a^458*b*c*d^455 - 1276416*a^459*b*c*d^456 + 65382912*a^460*b*c*d^457 - 65382912*a^461*b*c*d^458 + 18432*a^462*b*c*d^459 - 18432*a^463*b*c*d^460 + 1276416*a^464*b*c*d^461 - 1276416*a^465*b*c*d^462 + 18432*a^466*b*c*d^463 - 18432*a^467*b*c*d^464 + 1276416*a^468*b*c*d^465 - 1276416*a^469*b*c*d^466 + 65382912*a^470*b*c*d^467 - 65382912*a^471*b*c*d^468 + 18432*a^472*b*c*d^469 - 18432*a^473*b*c*d^470 + 1276416*a^474*b*c*d^471 - 1276416*a^475*b*c*d^472 + 18432*a^476*b*c*d^473 - 18432*a^477*b*c*d^474 + 1276416*a^478*b*c*d^475 - 1276416*a^479*b*c*d^476 + 65382912*a^480*b*c*d^477 - 65382912*a^481*b*c*d^478 + 18432*a^482*b*c*d^479 - 18432*a^483*b*c*d^480 + 1276416*a^484*b*c*d^481 - 1276416*a^485*b*c*d^482 + 18432*a^486*b*c*d^483 - 18432*a^487*b*c*d^484 + 1276416*a^488*b*c*d^485 - 1276416*a^489*b*c*d^486 + 65382912*a^490*b*c*d^487 - 65382912*a^491*b*c*d^488 + 18432*a^492*b*c*d^489 - 18432*a^493*b*c*d^490 + 1276416*a^494*b*c*d^491 - 1276416*a^495*b*c*d^492 + 18432*a^496*b*c*d^493 - 18432*a^497*b*c*d^494 + 1276416*a^498*b*c*d^495 - 1276416*a^499*b*c*d^496 + 65382912*a^500*b*c*d^497 - 65382912*a^501*b*c*d^498 + 18432*a^502*b*c*d^499 - 18432*a^503*b*c*d^500 + 1276416*a^504*b*c*d^501 - 1276416*a^505*b*c*d^502 + 18432*a^506*b*c*d^503 - 18432*a^507*b*c*d^504 + 1276416*a^508*b*c*d^505 - 1276416*a^509*b*c*d^506 + 65382912*a^510*b*c*d^507 - 65382912*a^511*b*c*d^508 + 18432*a^512*b*c*d^509 - 18432*a^513*b*c*d^510 + 1276416*a^514*b*c*d^511 - 1276416*a^515*b*c*d^512 + 18432*a^516*b*c*d^513 - 18432*a^517*b*c*d^514 + 1276416*a^518*b*c*d^515 - 1276416*a^519*b*c*d^516 + 65382912*a^520*b*c*d^517 - 65382912*a^521*b*c*d^518 + 18432*a^522*b*c*d^519 - 18432*a^523*b*c*d^520 + 1276416*a^524*b*c*d^521 - 1276416*a^525*b*c*d^522 + 18432*a^526*b*c*d^523 - 18432*a^527*b*c*d^524 + 1276416*a^528*b*c*d^525 - 1276416*a^529*b*c*d^526 + 65382912*a^530*b*c*d^527 - 65382912*a^531*b*c*d^528 + 18432*a^532*b*c*d^529 - 18432*a^533*b*c*d^530 + 1276416*a^534*b*c*d^531 - 1276416*a^535*b*c*d^532 + 18432*a^536*b*c*d^533 - 18432*a^5$$

$$\begin{aligned}
&7*d^{12} + 521961984*a^{16}*b^9*c^{16}*d^{13} - 482904576*a^{17}*b^8*c^{15}*d^{14} + 3288 \\
&09600*a^{18}*b^7*c^{14}*d^{15} - 164257920*a^{19}*b^6*c^{13}*d^{16} + 58816512*a^{20}*b^5 \\
&*c^{12}*d^{17} - 14340096*a^{21}*b^4*c^{11}*d^{18} + 2138112*a^{22}*b^3*c^{10}*d^{19} - 147 \\
&456*a^{23}*b^2*c^9*d^{20} - (3*(d^5*(a*d - b*c)^7)^{(1/2)}*(8*a^2*d^2 + 21*b^2*c \\
&^2 - 24*a*b*c*d)*(12288*a^8*b^19*c^30*d^2 - 172032*a^9*b^18*c^29*d^3 + 1081 \\
&344*a^{10}*b^{17}*c^{28}*d^4 - 3996672*a^{11}*b^{16}*c^{27}*d^5 + 9449472*a^{12}*b^{15}*c^{26} \\
&6*d^6 - 14112768*a^{13}*b^{14}*c^{25}*d^7 + 10407936*a^{14}*b^{13}*c^{24}*d^8 + 6454272 \\
&*a^{15}*b^{12}*c^{23}*d^9 - 30007296*a^{16}*b^{11}*c^{22}*d^{10} + 45551616*a^{17}*b^{10}*c^{21} \\
&1*d^{11} - 44064768*a^{18}*b^9*c^{20}*d^{12} + 30096384*a^{19}*b^8*c^{19}*d^{13} - 148316 \\
&16*a^{20}*b^7*c^{18}*d^{14} + 5203968*a^{21}*b^6*c^{17}*d^{15} - 1241088*a^{22}*b^5*c^{16} \\
&d^{16} + 181248*a^{23}*b^4*c^{15}*d^{17} - 12288*a^{24}*b^3*c^{14}*d^{18} - (3*(d^5*(a*d \\
&- b*c)^7)^{(1/2)}*(a + b/x)^{(1/2)}*(8*a^2*d^2 + 21*b^2*c^2 - 24*a*b*c*d)*(8192 \\
&*a^{10}*b^{18}*c^{33}*d^2 - 139264*a^{11}*b^{17}*c^{32}*d^3 + 1105920*a^{12}*b^{16}*c^{31}*d^4 \\
&- 5447680*a^{13}*b^{15}*c^{30}*d^5 + 18636800*a^{14}*b^{14}*c^{29}*d^6 - 46964736*a^{15} \\
&*b^{13}*c^{28}*d^7 + 90202112*a^{16}*b^{12}*c^{27}*d^8 - 134717440*a^{17}*b^{11}*c^{26}*d^9 \\
&+ 158146560*a^{18}*b^{10}*c^{25}*d^{10} - 146432000*a^{19}*b^9*c^{24}*d^{11} + 10660249 \\
&6*a^{20}*b^8*c^{23}*d^{12} - 60383232*a^{21}*b^7*c^{22}*d^{13} + 26091520*a^{22}*b^6*c^{21} \\
&*d^{14} - 8314880*a^{23}*b^5*c^{20}*d^{15} + 1843200*a^{24}*b^4*c^{19}*d^{16} - 253952*a^{25} \\
&*b^3*c^{18}*d^{17} + 16384*a^{26}*b^2*c^{17}*d^{18}))/((8*(b^7*c^{11} - a^7*c^4*d^7 + \\
&7*a^6*b*c^5*d^6 + 21*a^2*b^5*c^9*d^2 - 35*a^3*b^4*c^8*d^3 + 35*a^4*b^3*c^7*d^4 - \\
&21*a^5*b^2*c^6*d^5 - 7*a*b^6*c^{10}*d))) / ((8*(b^7*c^{11} - a^7*c^4*d^7 + \\
&7*a^6*b*c^5*d^6 + 21*a^2*b^5*c^9*d^2 - 35*a^3*b^4*c^8*d^3 + 35*a^4*b^3*c^7*d^4 - \\
&21*a^5*b^2*c^6*d^5 - 7*a*b^6*c^{10}*d))) * (d^5*(a*d - b*c)^7)^{(1/2)} * (8*a \\
&^2*d^2 + 21*b^2*c^2 - 24*a*b*c*d) * 3i) / ((8*(b^7*c^{11} - a^7*c^4*d^7 + 7*a^6*b* \\
&c^5*d^6 + 21*a^2*b^5*c^9*d^2 - 35*a^3*b^4*c^8*d^3 + 35*a^4*b^3*c^7*d^4 - 21 \\
&*a^5*b^2*c^6*d^5 - 7*a*b^6*c^{10}*d)) + (((a + b/x)^{(1/2)}*(18432*a^6*b^{19}*c^2 \\
&6*d^3 - 202752*a^7*b^{18}*c^{25}*d^4 + 903168*a^8*b^{17}*c^{24}*d^5 - 1751040*a^9*b \\
&^{16}*c^{23}*d^6 - 137088*a^{10}*b^{15}*c^{22}*d^7 + 6007680*a^{11}*b^{14}*c^{21}*d^8 + 127 \\
&6416*a^{12}*b^{13}*c^{20}*d^9 - 65382912*a^{13}*b^{12}*c^{19}*d^{10} + 216610560*a^{14}*b^{11} \\
&1*c^{18}*d^{11} - 407418624*a^{15}*b^{10}*c^{17}*d^{12} + 521961984*a^{16}*b^9*c^{16}*d^{13} \\
&- 482904576*a^{17}*b^8*c^{15}*d^{14} + 328809600*a^{18}*b^7*c^{14}*d^{15} - 164257920*a \\
&^{19}*b^6*c^{13}*d^{16} + 58816512*a^{20}*b^5*c^{12}*d^{17} - 14340096*a^{21}*b^4*c^{11}*d^{18} \\
&+ 2138112*a^{22}*b^3*c^{10}*d^{19} - 147456*a^{23}*b^2*c^9*d^{20}) + (3*(d^5*(a*d \\
&- b*c)^7)^{(1/2)}*(8*a^2*d^2 + 21*b^2*c^2 - 24*a*b*c*d)*(12288*a^8*b^19*c^30* \\
&d^2 - 172032*a^9*b^18*c^29*d^3 + 1081344*a^{10}*b^{17}*c^{28}*d^4 - 3996672*a^{11}* \\
&b^{16}*c^{27}*d^5 + 9449472*a^{12}*b^{15}*c^{26}*d^6 - 14112768*a^{13}*b^{14}*c^{25}*d^7 + \\
&10407936*a^{14}*b^{13}*c^{24}*d^8 + 6454272*a^{15}*b^{12}*c^{23}*d^9 - 30007296*a^{16}*b^{11} \\
&11*c^{22}*d^{10} + 45551616*a^{17}*b^{10}*c^{21}*d^{11} - 44064768*a^{18}*b^9*c^{20}*d^{12} + \\
&30096384*a^{19}*b^8*c^{19}*d^{13} - 14831616*a^{20}*b^7*c^{18}*d^{14} + 5203968*a^{21}*b^6 \\
&^6*c^{17}*d^{15} - 1241088*a^{22}*b^5*c^{16}*d^{16} + 181248*a^{23}*b^4*c^{15}*d^{17} - 122 \\
&88*a^{24}*b^3*c^{14}*d^{18} + (3*(d^5*(a*d - b*c)^7)^{(1/2)}*(a + b/x)^{(1/2)}*(8*a^2 \\
&*d^2 + 21*b^2*c^2 - 24*a*b*c*d)*(8192*a^{10}*b^{18}*c^{33}*d^2 - 139264*a^{11}*b^{17} \\
&*c^{32}*d^3 + 1105920*a^{12}*b^{16}*c^{31}*d^4 - 5447680*a^{13}*b^{15}*c^{30}*d^5 + 18636 \\
&800*a^{14}*b^{14}*c^{29}*d^6 - 46964736*a^{15}*b^{13}*c^{28}*d^7 + 90202112*a^{16}*b^{12}*c \\
&^{27}*d^8 - 134717440*a^{17}*b^{11}*c^{26}*d^9 + 158146560*a^{18}*b^{10}*c^{25}*d^{10} - 14
\end{aligned}$$

$$\begin{aligned}
& 6432000a^{19}b^9c^{24}d^{11} + 106602496a^{20}b^8c^{23}d^{12} - 60383232a^{21}b^7c^{22}d^{13} + 26091520a^{22}b^6c^{21}d^{14} - 8314880a^{23}b^5c^{20}d^{15} + 1843200a^{24}b^4c^{19}d^{16} - 253952a^{25}b^3c^{18}d^{17} + 16384a^{26}b^2c^{17}d^{18} \\
& \left. \right) / (8(b^7c^{11} - a^7c^4d^7 + 7a^6b^3c^5d^6 + 21a^2b^5c^9d^2 - 35a^3b^4c^8d^3 + 35a^4b^3c^7d^4 - 21a^5b^2c^6d^5 - 7a^6b^6c^{10}d) \\
& \left. \right) / (8(b^7c^{11} - a^7c^4d^7 + 7a^6b^3c^5d^6 + 21a^2b^5c^9d^2 - 35a^3b^4c^8d^3 + 35a^4b^3c^7d^4 - 21a^5b^2c^6d^5 - 7a^6b^6c^{10}d) \\
& \left. \right) * (d^5(a*d - b*c)^7)^{(1/2)} * (8a^2d^2 + 21b^2c^2 - 24a*b*c*d) * 3i) / \\
& (8(b^7c^{11} - a^7c^4d^7 + 7a^6b^3c^5d^6 + 21a^2b^5c^9d^2 - 35a^3b^4c^8d^3 + 35a^4b^3c^7d^4 - 21a^5b^2c^6d^5 - 7a^6b^6c^{10}d) \\
& \left. \right) / (290304a^6b^{18}c^{21}d^5 - 2654208a^7b^{17}c^{20}d^6 + 10675584a^8b^{16}c^{19}d^7 - 23497344a^9b^{15}c^{18}d^8 + 23604480a^{10}b^{14}c^{17}d^9 + 24731136a^{11}b^{13}c^{16}d^{10} - 148172544a^{12}b^{12}c^{15}d^{11} + 320101632a^{13}b^{11}c^{14}d^{12} - 452086272a^{14}b^{10}c^{13}d^{13} + 459302400a^{15}b^9c^{12}d^{14} - 343108224a^{16}b^8c^{11}d^{15} + 187373952a^{17}b^7c^{10}d^{16} - 72873216a^{18}b^6c^9d^{17} + 19132416a^{19}b^5c^8d^{18} - 3041280a^{20}b^4c^7d^{19} + 221184a^{21}b^3c^6d^{20} - (3((a + b/x)^{(1/2)} * (18432a^6b^{19}c^{26}d^3 - 202752a^7b^{18}c^{25}d^4 + 903168a^8b^{17}c^{24}d^5 - 1751040a^9b^{16}c^{23}d^6 - 137088a^{10}b^{15}c^{22}d^7 + 6007680a^{11}b^{14}c^{21}d^8 + 1276416a^{12}b^{13}c^{20}d^9 - 65382912a^{13}b^{12}c^{19}d^{10} + 216610560a^{14}b^{11}c^{18}d^{11} - 407418624a^{15}b^{10}c^{17}d^{12} + 521961984a^{16}b^9c^{16}d^{13} - 482904576a^{17}b^8c^{15}d^{14} + 328809600a^{18}b^7c^{14}d^{15} - 164257920a^{19}b^6c^{13}d^{16} + 58816512a^{20}b^5c^{12}d^{17} - 14340096a^{21}b^4c^{11}d^{18} + 213812a^{22}b^3c^{10}d^{19} - 147456a^{23}b^2c^9d^{20}) - (3(d^5(a*d - b*c)^7)^{(1/2)} * (8a^2d^2 + 21b^2c^2 - 24a*b*c*d) * (12288a^8b^{19}c^{30}d^2 - 172032a^9b^{18}c^{29}d^3 + 1081344a^{10}b^{17}c^{28}d^4 - 3996672a^{11}b^{16}c^{27}d^5 + 9449472a^{12}b^{15}c^{26}d^6 - 14112768a^{13}b^{14}c^{25}d^7 + 10407936a^{14}b^{13}c^{24}d^8 + 6454272a^{15}b^{12}c^{23}d^9 - 30007296a^{16}b^{11}c^{22}d^{10} + 45551616a^{17}b^{10}c^{21}d^{11} - 44064768a^{18}b^9c^{20}d^{12} + 30096384a^{19}b^8c^{19}d^{13} - 14831616a^{20}b^7c^{18}d^{14} + 5203968a^{21}b^6c^{17}d^{15} - 1241088a^{22}b^5c^{16}d^{16} + 181248a^{23}b^4c^{15}d^{17} - 12288a^{24}b^3c^{14}d^{18} - (3(d^5(a*d - b*c)^7)^{(1/2)} * (a + b/x)^{(1/2)} * (8a^2d^2 + 21b^2c^2 - 24a*b*c*d) * (8192a^{10}b^{18}c^{33}d^2 - 139264a^{11}b^{17}c^{32}d^3 + 1105920a^{12}b^{16}c^{31}d^4 - 5447680a^{13}b^{15}c^{30}d^5 + 18636800a^{14}b^{14}c^{29}d^6 - 46964736a^{15}b^{13}c^{28}d^7 + 90202112a^{16}b^{12}c^{27}d^8 - 134717440a^{17}b^{11}c^{26}d^9 + 158146560a^{18}b^{10}c^{25}d^{10} - 146432000a^{19}b^9c^{24}d^{11} + 106602496a^{20}b^8c^{23}d^{12} - 60383232a^{21}b^7c^{22}d^{13} + 26091520a^{22}b^6c^{21}d^{14} - 8314880a^{23}b^5c^{20}d^{15} + 1843200a^{24}b^4c^{19}d^{16} - 253952a^{25}b^3c^{18}d^{17} + 16384a^{26}b^2c^{17}d^{18}))/ (8 * (b^7c^{11} - a^7c^4d^7 + 7a^6b^3c^5d^6 + 21a^2b^5c^9d^2 - 35a^3b^4c^8d^3 + 35a^4b^3c^7d^4 - 21a^5b^2c^6d^5 - 7a^6b^6c^{10}d) \\
& \left. \right) / (8 * (b^7c^{11} - a^7c^4d^7 + 7a^6b^3c^5d^6 + 21a^2b^5c^9d^2 - 35a^3b^4c^8d^3 + 35a^4b^3c^7d^4 - 21a^5b^2c^6d^5 - 7a^6b^6c^{10}d) \\
& \left. \right) * (d^5(a*d - b*c)^7)^{(1/2)} * (8a^2d^2 + 21b^2c^2 - 24a*b*c*d) / (8 * (b^7c^{11} - a^7c^4d^7 + 7a^6b^3c^5d^6 + 21a^2b^5c^9d^2 - 35a^3b^4c^8d^3 +
\end{aligned}$$

$$\begin{aligned}
& 768a^{18}b^9c^{20}d^{12} + 30096384a^{19}b^8c^{19}d^{13} - 14831616a^{20}b^7c^{18}d^{14} + 5203968a^{21}b^6c^{17}d^{15} - 1241088a^{22}b^5c^{16}d^{16} + 181248a^{23}b^4c^{15}d^{17} - 12288a^{24}b^3c^{14}d^{18} - (3(a + b/x)^{(1/2)}(2ad + bc) \cdot (8192a^{10}b^{18}c^{33}d^2 - 139264a^{11}b^{17}c^{32}d^3 + 1105920a^{12}b^{16}c^{31}d^4 - 5447680a^{13}b^{15}c^{30}d^5 + 18636800a^{14}b^{14}c^{29}d^6 - 46964736a^{15}b^{13}c^{28}d^7 + 90202112a^{16}b^{12}c^{27}d^8 - 134717440a^{17}b^{11}c^{26}d^9 + 158146560a^{18}b^{10}c^{25}d^{10} - 146432000a^{19}b^9c^{24}d^{11} + 106602496a^{20}b^8c^{23}d^{12} - 60383232a^{21}b^7c^{22}d^{13} + 26091520a^{22}b^6c^{21}d^{14} - 8314880a^{23}b^5c^{20}d^{15} + 1843200a^{24}b^4c^{19}d^{16} - 253952a^{25}b^3c^{18}d^{17} + 16384a^{26}b^2c^{17}d^{18})) / (2c^4(a^5)^{(1/2)})) / (2c^4(a^5)^{(1/2)}) * 3i / (2c^4(a^5)^{(1/2)}) + ((2ad + bc) \cdot (a + b/x)^{(1/2)} \cdot (18432a^6b^{19}c^{26}d^3 - 202752a^7b^{18}c^{25}d^4 + 903168a^8b^{17}c^{24}d^5 - 1751040a^9b^{16}c^{23}d^6 - 137088a^{10}b^{15}c^{22}d^7 + 6007680a^{11}b^{14}c^{21}d^8 + 1276416a^{12}b^{13}c^{20}d^9 - 65382912a^{13}b^{12}c^{19}d^{10} + 216610560a^{14}b^{11}c^{18}d^{11} - 407418624a^{15}b^{10}c^{17}d^{12} + 521961984a^{16}b^9c^{16}d^{13} - 482904576a^{17}b^8c^{15}d^{14} + 328809600a^{18}b^7c^{14}d^{15} - 164257920a^{19}b^6c^{13}d^{16} + 58816512a^{20}b^5c^{12}d^{17} - 14340096a^{21}b^4c^{11}d^{18} + 2138112a^{22}b^3c^{10}d^{19} - 147456a^{23}b^2c^9d^{20}) + (3(2ad + bc) \cdot (12288a^8b^{19}c^{30}d^2 - 172032a^9b^{18}c^{29}d^3 + 1081344a^{10}b^{17}c^{28}d^4 - 3996672a^{11}b^{16}c^{27}d^5 + 9449472a^{12}b^{15}c^{26}d^6 - 14112768a^{13}b^{14}c^{25}d^7 + 10407936a^{14}b^{13}c^{24}d^8 + 6454272a^{15}b^{12}c^{23}d^9 - 30007296a^{16}b^{11}c^{22}d^{10} + 45551616a^{17}b^{10}c^{21}d^{11} - 44064768a^{18}b^9c^{20}d^{12} + 30096384a^{19}b^8c^{19}d^{13} - 14831616a^{20}b^7c^{18}d^{14} + 5203968a^{21}b^6c^{17}d^{15} - 1241088a^{22}b^5c^{16}d^{16} + 181248a^{23}b^4c^{15}d^{17} - 12288a^{24}b^3c^{14}d^{18} + (3(a + b/x)^{(1/2)}(2ad + bc) \cdot (8192a^{10}b^{18}c^{33}d^2 - 139264a^{11}b^{17}c^{32}d^3 + 1105920a^{12}b^{16}c^{31}d^4 - 5447680a^{13}b^{15}c^{30}d^5 + 18636800a^{14}b^{14}c^{29}d^6 - 46964736a^{15}b^{13}c^{28}d^7 + 90202112a^{16}b^{12}c^{27}d^8 - 134717440a^{17}b^{11}c^{26}d^9 + 158146560a^{18}b^{10}c^{25}d^{10} - 146432000a^{19}b^9c^{24}d^{11} + 106602496a^{20}b^8c^{23}d^{12} - 60383232a^{21}b^7c^{22}d^{13} + 26091520a^{22}b^6c^{21}d^{14} - 8314880a^{23}b^5c^{20}d^{15} + 1843200a^{24}b^4c^{19}d^{16} - 253952a^{25}b^3c^{18}d^{17} + 16384a^{26}b^2c^{17}d^{18})) / (2c^4(a^5)^{(1/2)})) / (2c^4(a^5)^{(1/2)}) * 3i / (2c^4(a^5)^{(1/2)}) / (290304a^6b^{18}c^{21}d^5 - 2654208a^7b^{17}c^{20}d^6 + 10675584a^8b^{16}c^{19}d^7 - 23497344a^9b^{15}c^{18}d^8 + 23604480a^{10}b^{14}c^{17}d^9 + 24731136a^{11}b^{13}c^{16}d^{10} - 148172544a^{12}b^{12}c^{15}d^{11} + 320101632a^{13}b^{11}c^{14}d^{12} - 452086272a^{14}b^{10}c^{13}d^{13} + 459302400a^{15}b^9c^{12}d^{14} - 343108224a^{16}b^8c^{11}d^{15} + 187373952a^{17}b^7c^{10}d^{16} - 72873216a^{18}b^6c^9d^{17} + 19132416a^{19}b^5c^8d^{18} - 3041280a^{20}b^4c^7d^{19} + 221184a^{21}b^3c^6d^{20} - (3(2ad + bc) \cdot (a + b/x)^{(1/2)} \cdot (18432a^6b^{19}c^{26}d^3 - 202752a^7b^{18}c^{25}d^4 + 903168a^8b^{17}c^{24}d^5 - 1751040a^9b^{16}c^{23}d^6 - 137088a^{10}b^{15}c^{22}d^7 + 6007680a^{11}b^{14}c^{21}d^8 + 1276416a^{12}b^{13}c^{20}d^9 - 65382912a^{13}b^{12}c^{19}d^{10} + 216610560a^{14}b^{11}c^{18}d^{11} - 407418624a^{15}b^{10}c^{17}d^{12} + 521961984a^{16}b^9c^{16}d^{13} - 482904576a^{17}b^8c^{15}d^{14} + 328809600a^{18}b^7c^{14}d^{15} - 164
\end{aligned}$$

$$\begin{aligned}
& 257920a^{19}b^6c^{13}d^{16} + 58816512a^{20}b^5c^{12}d^{17} - 14340096a^{21}b^4 \\
& c^{11}d^{18} + 2138112a^{22}b^3c^{10}d^{19} - 147456a^{23}b^2c^9d^{20} - (3*(2 \\
& *a*d + b*c)*(12288a^8b^{19}c^{30}d^2 - 172032a^9b^{18}c^{29}d^3 + 1081344a \\
& ^{10}b^{17}c^{28}d^4 - 3996672a^{11}b^{16}c^{27}d^5 + 9449472a^{12}b^{15}c^{26}d^6 \\
& - 14112768a^{13}b^{14}c^{25}d^7 + 10407936a^{14}b^{13}c^{24}d^8 + 6454272a^{15} \\
& *b^{12}c^{23}d^9 - 30007296a^{16}b^{11}c^{22}d^{10} + 45551616a^{17}b^{10}c^{21}d^{11} \\
& - 44064768a^{18}b^9c^{20}d^{12} + 30096384a^{19}b^8c^{19}d^{13} - 14831616a^{20} \\
& b^7c^{18}d^{14} + 5203968a^{21}b^6c^{17}d^{15} - 1241088a^{22}b^5c^{16}d^{16} \\
& + 181248a^{23}b^4c^{15}d^{17} - 12288a^{24}b^3c^{14}d^{18} - (3*(a + b/x)^{(1/2)} \\
& *(2*a*d + b*c)*(8192a^{10}b^{18}c^{33}d^2 - 139264a^{11}b^{17}c^{32}d^3 + 11059 \\
& 20a^{12}b^{16}c^{31}d^4 - 5447680a^{13}b^{15}c^{30}d^5 + 18636800a^{14}b^{14}c^{29} \\
& d^6 - 46964736a^{15}b^{13}c^{28}d^7 + 90202112a^{16}b^{12}c^{27}d^8 - 1347174 \\
& 40a^{17}b^{11}c^{26}d^9 + 158146560a^{18}b^{10}c^{25}d^{10} - 146432000a^{19}b^9c^{24} \\
& d^{11} + 106602496a^{20}b^8c^{23}d^{12} - 60383232a^{21}b^7c^{22}d^{13} + 26 \\
& 091520a^{22}b^6c^{21}d^{14} - 8314880a^{23}b^5c^{20}d^{15} + 1843200a^{24}b^4c^{19} \\
& d^{16} - 253952a^{25}b^3c^{18}d^{17} + 16384a^{26}b^2c^{17}d^{18}))/((2*c^4*(a^5)^{(1/2)})) \\
&)/(2*c^4*(a^5)^{(1/2)})))/(2*c^4*(a^5)^{(1/2)})) + (3*(2*a*d + b*c)* \\
& ((a + b/x)^{(1/2)}*(18432a^6b^{19}c^{26}d^3 - 202752a^7b^{18}c^{25}d^4 + 90316 \\
& 8a^8b^{17}c^{24}d^5 - 1751040a^9b^{16}c^{23}d^6 - 137088a^{10}b^{15}c^{22}d^7 \\
& + 6007680a^{11}b^{14}c^{21}d^8 + 1276416a^{12}b^{13}c^{20}d^9 - 65382912a^{13} \\
& b^{12}c^{19}d^{10} + 216610560a^{14}b^{11}c^{18}d^{11} - 407418624a^{15}b^{10}c^{17}d^{12} \\
& + 521961984a^{16}b^9c^{16}d^{13} - 482904576a^{17}b^8c^{15}d^{14} + 3288096 \\
& 00a^{18}b^7c^{14}d^{15} - 164257920a^{19}b^6c^{13}d^{16} + 58816512a^{20}b^5c^{12} \\
& d^{17} - 14340096a^{21}b^4c^{11}d^{18} + 2138112a^{22}b^3c^{10}d^{19} - 147456 \\
& a^{23}b^2c^9d^{20}) + (3*(2*a*d + b*c)*(12288a^8b^{19}c^{30}d^2 - 172032a^9 \\
& b^{18}c^{29}d^3 + 1081344a^{10}b^{17}c^{28}d^4 - 3996672a^{11}b^{16}c^{27}d^5 + \\
& 9449472a^{12}b^{15}c^{26}d^6 - 14112768a^{13}b^{14}c^{25}d^7 + 10407936a^{14}b^{13} \\
& c^{24}d^8 + 6454272a^{15}b^{12}c^{23}d^9 - 30007296a^{16}b^{11}c^{22}d^{10} + \\
& 45551616a^{17}b^{10}c^{21}d^{11} - 44064768a^{18}b^9c^{20}d^{12} + 30096384a^{19} \\
& b^8c^{19}d^{13} - 14831616a^{20}b^7c^{18}d^{14} + 5203968a^{21}b^6c^{17}d^{15} - \\
& 1241088a^{22}b^5c^{16}d^{16} + 181248a^{23}b^4c^{15}d^{17} - 12288a^{24}b^3c^{14} \\
& d^{18} + (3*(a + b/x)^{(1/2)}*(2*a*d + b*c)*(8192a^{10}b^{18}c^{33}d^2 - 139264 \\
& a^{11}b^{17}c^{32}d^3 + 1105920a^{12}b^{16}c^{31}d^4 - 5447680a^{13}b^{15}c^{30}d^5 \\
& + 18636800a^{14}b^{14}c^{29}d^6 - 46964736a^{15}b^{13}c^{28}d^7 + 90202112a^{16} \\
& b^{12}c^{27}d^8 - 134717440a^{17}b^{11}c^{26}d^9 + 158146560a^{18}b^{10}c^{25} \\
& d^{10} - 146432000a^{19}b^9c^{24}d^{11} + 106602496a^{20}b^8c^{23}d^{12} - 60383 \\
& 232a^{21}b^7c^{22}d^{13} + 26091520a^{22}b^6c^{21}d^{14} - 8314880a^{23}b^5c^{20} \\
& d^{15} + 1843200a^{24}b^4c^{19}d^{16} - 253952a^{25}b^3c^{18}d^{17} + 16384a^{26} \\
& b^2c^{17}d^{18}))/((2*c^4*(a^5)^{(1/2)})))/((2*c^4*(a^5)^{(1/2)})))/((2*c^4*(a^5)^{(1/2)})) \\
&))*(2*a*d + b*c)*3i)/(c^4*(a^5)^{(1/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b/x)**(3/2)/(c+d/x)**3,x)
```

```
[Out] Timed out
```

$$3.162 \quad \int \frac{\left(c + \frac{d}{x}\right)^3}{\left(a + \frac{b}{x}\right)^{5/2}} dx$$

Optimal. Leaf size=143

$$\frac{c^2(5bc - 6ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2}} + \frac{(bc - ad)(-4a^3d^2x - 2a^2bd(5cx + 3d) + ab^2c(20cx - 3d) + 15b^3c^2)}{3a^3b^2x\left(a + \frac{b}{x}\right)^{3/2}} + \frac{cx\left(c + \frac{d}{x}\right)}{a\left(a + \frac{b}{x}\right)}$$

Rubi [A] time = 0.15, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {375, 98, 145, 63, 208}

$$\frac{(bc - ad)(-2a^2bd(5cx + 3d) - 4a^3d^2x + ab^2c(20cx - 3d) + 15b^3c^2)}{3a^3b^2x\left(a + \frac{b}{x}\right)^{3/2}} - \frac{c^2(5bc - 6ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2}} + \frac{cx\left(c + \frac{d}{x}\right)^2}{a\left(a + \frac{b}{x}\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(c + d/x)^3/(a + b/x)^(5/2), x]

[Out] (c*(c + d/x)^2*x)/(a*(a + b/x)^(3/2)) + ((b*c - a*d)*(15*b^3*c^2 - 4*a^3*d^2*x - 2*a^2*b*d*(3*d + 5*c*x) + a*b^2*c*(-3*d + 20*c*x)))/(3*a^3*b^2*(a + b/x)^(3/2)*x) - (c^2*(5*b*c - 6*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(7/2)

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 98

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[((b*c - a*d)*(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] + Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 2)*(e + f*x)^p*Simp[a*d*(d*e*(n - 1) + c*f*(p + 1)) + b*c*(d*e*(m - n + 2) - c*f*(m + p + 2)) + d*(a*d*f*(n + p) + b*(d*e*(m + 1) - c*f*(m + n + p + 1)))*x, x], x] /; FreeQ[{a,

b, c, d, e, f, p}, x] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

Rule 145

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))
*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b^3*c*e*g*(m + 2) - a^3*d*f*h*(
n + 2) - a^2*b*(c*f*h*m - d*(f*g + e*h)*(m + n + 3)) - a*b^2*(c*(f*g + e*h)
+ d*e*g*(2*m + n + 4)) + b*(a^2*d*f*h*(m - n) - a*b*(2*c*f*h*(m + 1) - d*(
f*g + e*h)*(n + 1)) + b^2*(c*(f*g + e*h)*(m + 1) - d*e*g*(m + n + 2)))*x*(
a + b*x)^(m + 1)*(c + d*x)^(n + 1))/(b^2*(b*c - a*d)^2*(m + 1)*(m + 2)), x]
+ Dist[(f*h)/b^2 - (d*(m + n + 3)*(a^2*d*f*h*(m - n) - a*b*(2*c*f*h*(m + 1)
) - d*(f*g + e*h)*(n + 1)) + b^2*(c*(f*g + e*h)*(m + 1) - d*e*g*(m + n + 2)
))/b^2*(b*c - a*d)^2*(m + 1)*(m + 2)), Int[(a + b*x)^(m + 2)*(c + d*x)^n,
x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && (LtQ[m, -2] || (EqQ[
m + n + 3, 0] && !LtQ[n, -2]))
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 375

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol
] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a,
b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && !LtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\left(c + \frac{d}{x}\right)^3}{\left(a + \frac{b}{x}\right)^{5/2}} dx &= -\text{Subst}\left(\int \frac{(c+dx)^3}{x^2(a+bx)^{5/2}} dx, x, \frac{1}{x}\right) \\
&= \frac{c\left(c + \frac{d}{x}\right)^2 x}{a\left(a + \frac{b}{x}\right)^{3/2}} + \frac{\text{Subst}\left(\int \frac{(c+dx)\left(\frac{1}{2}c(5bc-6ad) + \frac{1}{2}d(bc-2ad)x\right)}{x(a+bx)^{5/2}} dx, x, \frac{1}{x}\right)}{a} \\
&= \frac{c\left(c + \frac{d}{x}\right)^2 x}{a\left(a + \frac{b}{x}\right)^{3/2}} + \frac{(bc-ad)(15b^3c^2 - 4a^3d^2x - ab^2c(3d - 20cx) - 2a^2bd(3d + 5cx))}{3a^3b^2\left(a + \frac{b}{x}\right)^{3/2} x} + \frac{(c^2(5bc - 6ad) + d^2(5b^2c - 6ad))}{3a^3b^2\left(a + \frac{b}{x}\right)^{3/2} x} \\
&= \frac{c\left(c + \frac{d}{x}\right)^2 x}{a\left(a + \frac{b}{x}\right)^{3/2}} + \frac{(bc-ad)(15b^3c^2 - 4a^3d^2x - ab^2c(3d - 20cx) - 2a^2bd(3d + 5cx))}{3a^3b^2\left(a + \frac{b}{x}\right)^{3/2} x} + \frac{(c^2(5bc - 6ad) + d^2(5b^2c - 6ad))}{3a^3b^2\left(a + \frac{b}{x}\right)^{3/2} x} \\
&= \frac{c\left(c + \frac{d}{x}\right)^2 x}{a\left(a + \frac{b}{x}\right)^{3/2}} + \frac{(bc-ad)(15b^3c^2 - 4a^3d^2x - ab^2c(3d - 20cx) - 2a^2bd(3d + 5cx))}{3a^3b^2\left(a + \frac{b}{x}\right)^{3/2} x} - \frac{c^2(5bc - 6ad) + d^2(5b^2c - 6ad)}{3a^3b^2\left(a + \frac{b}{x}\right)^{3/2} x}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 145, normalized size = 1.01

$$\frac{\frac{4a^5d^3x}{b^2} + \frac{6a^4d^2(cx+d)}{b} + 3a^3c^2x(cx-8d) + 2a^2bc^2(10cx-9d) + 15ab^2c^3 + 3ac^2\sqrt{\frac{b}{ax}+1}(ax+b)(6ad-5bc)\tanh^{-1}\left(\sqrt{\frac{b}{ax}+1}\right)}{3a^4\sqrt{a+\frac{b}{x}}(ax+b)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d/x)^3/(a + b/x)^(5/2), x]

[Out] (15*a*b^2*c^3 + (4*a^5*d^3*x)/b^2 + 3*a^3*c^2*x*(-8*d + c*x) + (6*a^4*d^2*(d + c*x))/b + 2*a^2*b*c^2*(-9*d + 10*c*x) + 3*a*c^2*(-5*b*c + 6*a*d)*Sqrt[1 + b/(a*x)]*(b + a*x)*ArcTanh[Sqrt[1 + b/(a*x)])/(3*a^4*Sqrt[a + b/x]*(b + a*x))

IntegrateAlgebraic [A] time = 0.28, size = 167, normalized size = 1.17

$$\frac{(6ac^2d - 5bc^3)\tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right) + \sqrt{\frac{ax+b}{x}}(4a^4d^3x^2 + 6a^3bcd^2x^2 + 6a^3bd^3x + 3a^2b^2c^3x^3 - 24a^2b^2c^2dx^2 + 20ab^3c^3x^2 - 18ab^3c^2dx + 15b^4c^3x)}{a^{7/2}3a^3b^2(ax+b)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d/x)^3/(a + b/x)^(5/2), x]

[Out] (Sqrt[(b + a*x)/x]*(15*b^4*c^3*x - 18*a*b^3*c^2*d*x + 6*a^3*b*d^3*x + 20*a*b^3*c^3*x^2 - 24*a^2*b^2*c^2*d*x^2 + 6*a^3*b*c*d^2*x^2 + 4*a^4*d^3*x^2 + 3*a^2*b^2*c^3*x^3))/(3*a^3*b^2*(b + a*x)^2) + ((-5*b*c^3 + 6*a*c^2*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/a^(7/2)

fricas [A] time = 0.82, size = 483, normalized size = 3.38

$$\frac{3(5b^4c^3 - 6ab^3c^2d + (5a^2b^3c^3 - 6a^3b^2c^2d)x^2 + 2(5a^2b^4c^3 - 6a^2b^3c^2d)x) \sqrt{a} \log(2ax + 2\sqrt{a}x\sqrt{a}) + 2(3a^3b^2c^3x^3 + 2(10a^2b^3c^3 - 12a^3b^2c^2d + 3a^4b^2c^2d + 2a^5d^3)x^2 + 3(5a^2b^4c^3 - 6a^2b^3c^2d + 2a^4b^2d^3)x) \sqrt{a} \operatorname{arctan}\left(\frac{\sqrt{ax+b}}{\sqrt{a}}\right) + 2(5a^2b^4c^3 - 6a^2b^3c^2d)x \sqrt{-a} \operatorname{arctan}\left(\frac{\sqrt{-a}\sqrt{ax+b}}{a}\right) + 3(5a^2b^4c^3 - 6a^2b^3c^2d + 2a^4b^2d^3)x \sqrt{a} \operatorname{arctan}\left(\frac{\sqrt{ax+b}}{\sqrt{a}}\right)}{3(a^3b^2 + 2a^2b^2 + a^2b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^3/(a+b/x)^(5/2), x, algorithm="fricas")

[Out] [-1/6*(3*(5*b^5*c^3 - 6*a*b^4*c^2*d + (5*a^2*b^3*c^3 - 6*a^3*b^2*c^2*d)*x^2 + 2*(5*a*b^4*c^3 - 6*a^2*b^3*c^2*d)*x)*sqrt(a)*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) - 2*(3*a^3*b^2*c^3*x^3 + 2*(10*a^2*b^3*c^3 - 12*a^3*b^2*c^2*d + 3*a^4*b^2*c^2*d + 2*a^5*d^3)*x^2 + 3*(5*a*b^4*c^3 - 6*a^2*b^3*c^2*d + 2*a^4*b^2*d^3)*x)*sqrt((a*x + b)/x)]/(a^6*b^2*x^2 + 2*a^5*b^3*x + a^4*b^4), 1/3*(3*(5*b^5*c^3 - 6*a*b^4*c^2*d + (5*a^2*b^3*c^3 - 6*a^3*b^2*c^2*d)*x^2 + 2*(5*a*b^4*c^3 - 6*a^2*b^3*c^2*d)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (3*a^3*b^2*c^3*x^3 + 2*(10*a^2*b^3*c^3 - 12*a^3*b^2*c^2*d + 3*a^4*b^2*c^2*d + 2*a^5*d^3)*x^2 + 3*(5*a*b^4*c^3 - 6*a^2*b^3*c^2*d + 2*a^4*b^2*d^3)*x)*sqrt((a*x + b)/x)]/(a^6*b^2*x^2 + 2*a^5*b^3*x + a^4*b^4)]

giac [A] time = 0.26, size = 203, normalized size = 1.42

$$\frac{3b^2c^3\sqrt{\frac{ax+b}{x}}}{\left(a-\frac{ax+b}{x}\right)a^3} - \frac{3(5b^2c^3-6abc^2d)\arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}a^3} - \frac{2\left(ab^3c^3-3a^2b^2c^2d+3a^3bcd^2-a^4d^3+\frac{6(ax+b)b^3c^3}{x}-\frac{9(ax+b)ab^2c^2d}{x}+\frac{3(ax+b)a^3d^3}{x}\right)x}{(ax+b)a^3b\sqrt{\frac{ax+b}{x}}}$$

$3b$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^3/(a+b/x)^(5/2), x, algorithm="giac")

[Out] -1/3*(3*b^2*c^3*sqrt((a*x + b)/x)/((a - (a*x + b)/x)*a^3) - 3*(5*b^2*c^3 - 6*a*b*c^2*d)*arctan(sqrt((a*x + b)/x)/sqrt(-a))/(sqrt(-a)*a^3) - 2*(a*b^3*c^3 - 3*a^2*b^2*c^2*d + 3*a^3*b*c*d^2 - a^4*d^3 + 6*(a*x + b)*b^3*c^3/x - 9*(a*x + b)*a*b^2*c^2*d/x + 3*(a*x + b)*a^3*d^3/x)*x/((a*x + b)*a^3*b*sqrt((a*x + b)/x))/b

maple [B] time = 0.06, size = 1150, normalized size = 8.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c+d/x)^3/(a+b/x)^(5/2),x)`

[Out]
$$-1/6*((a*x+b)/x)^{(1/2)}*x/a^{(7/2)}*(3*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*a^3*b^4*d^3-3*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*a^3*b^4*d^3-30*a^{(1/2)}*((a*x+b)*x)^{(1/2)}*b^6*c^3-6*(a*x^2+b*x)^{(1/2)}*a^{(13/2)}*x^3*d^3-6*a^{(13/2)}*((a*x+b)*x)^{(1/2)}*x^3*d^3+12*a^{(11/2)}*((a*x+b)*x)^{(3/2)}*x*d^3+16*a^{(9/2)}*((a*x+b)*x)^{(3/2)}*b*d^3+20*a^{(3/2)}*((a*x+b)*x)^{(3/2)}*b^4*c^3-6*(a*x^2+b*x)^{(1/2)}*a^{(7/2)}*b^3*d^3-6*a^{(7/2)}*((a*x+b)*x)^{(1/2)}*b^3*d^3+36*a^{(9/2)}*((a*x+b)*x)^{(1/2)}*x^3*b^2*c^2*d-36*a^{(7/2)}*((a*x+b)*x)^{(3/2)}*x*b^2*c^2*d+108*a^{(7/2)}*((a*x+b)*x)^{(1/2)}*x^2*b^3*c^2*d-54*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x*a^2*b^5*c^2*d-54*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^2*a^3*b^4*c^2*d-18*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^3*a^4*b^3*c^2*d+108*a^{(5/2)}*((a*x+b)*x)^{(1/2)}*x*b^4*c^2*d+15*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*b^7*c^3+9*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x*a^4*b^3*d^3+45*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x*a*b^6*c^3-9*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x*a^4*b^3*d^3-18*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*a*b^6*c^2*d-18*(a*x^2+b*x)^{(1/2)}*a^{(9/2)}*x*b^2*d^3-12*a^{(7/2)}*((a*x+b)*x)^{(3/2)}*b^2*c*d^2-24*a^{(5/2)}*((a*x+b)*x)^{(3/2)}*b^3*c^2*d-18*a^{(9/2)}*((a*x+b)*x)^{(1/2)}*x*b^2*d^3-90*a^{(3/2)}*((a*x+b)*x)^{(1/2)}*x*b^5*c^3+36*a^{(3/2)}*((a*x+b)*x)^{(1/2)}*b^5*c^2*d-90*a^{(5/2)}*((a*x+b)*x)^{(1/2)}*x^2*b^4*c^3+24*a^{(5/2)}*((a*x+b)*x)^{(3/2)}*x*b^3*c^3-18*a^{(11/2)}*((a*x+b)*x)^{(1/2)}*x^2*b*d^3-18*(a*x^2+b*x)^{(1/2)}*a^{(11/2)}*x^2*b*d^3-30*a^{(7/2)}*((a*x+b)*x)^{(1/2)}*x^3*b^3*c^3+3*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^3*a^6*b*d^3+15*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^3*a^3*b^4*c^3-3*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^3*a^6*b*d^3+9*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^2*a^5*b^2*d^3+45*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^2*a^2*b^5*c^3-9*\ln(1/2*(2*a*x+b+2*(a*x^2+b*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^2*a^5*b^2*d^3)/((a*x+b)*x)^{(1/2)}/b^3/(a*x+b)^3$$

maxima [A] time = 1.34, size = 228, normalized size = 1.59

$$\frac{1}{6}c^3 \left(\frac{2 \left(15 \left(a + \frac{b}{x} \right)^2 b - 10 \left(a + \frac{b}{x} \right) ab - 2a^2 b \right)}{\left(a + \frac{b}{x} \right)^{\frac{5}{2}} a^3 - \left(a + \frac{b}{x} \right)^{\frac{3}{2}} a^4} + \frac{15b \log \left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}} \right)}{a^{\frac{7}{2}}} \right) - c^2 d \left(\frac{3 \log \left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}} \right)}{a^{\frac{5}{2}}} + \frac{2 \left(4a + \frac{3b}{x} \right)}{\left(a + \frac{b}{x} \right)^{\frac{3}{2}} a^2} \right) + \frac{2}{3} d^3 \left(\frac{3}{\sqrt{a + \frac{b}{x}} b^2} - \frac{a}{\left(a + \frac{b}{x} \right)^{\frac{3}{2}} b^2} \right) + \frac{2cd^2}{\left(a + \frac{b}{x} \right)^{\frac{3}{2}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d/x)^3/(a+b/x)^(5/2),x, algorithm="maxima")`

[Out]
$$1/6*c^3*(2*(15*(a + b/x)^2*b - 10*(a + b/x)*a*b - 2*a^2*b)/((a + b/x)^(5/2))*a^3 - (a + b/x)^(3/2)*a^4) + 15*b*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a +$$

$b/x) + \sqrt{a})/a^{(7/2)} - c^2*d*(3*\log((\sqrt{a + b/x) - \sqrt{a}})/(\sqrt{a + b/x) + \sqrt{a}})/a^{(5/2)} + 2*(4*a + 3*b/x)/((a + b/x)^{(3/2)*a^2)} + 2/3*d^3*(3/(\sqrt{a + b/x}*b^2) - a/((a + b/x)^{(3/2)*b^2})) + 2*c*d^2/((a + b/x)^{(3/2)*b})$

mupad [B] time = 2.05, size = 194, normalized size = 1.36

$$\frac{2(a^3 d^3 - 3a^2 b c d^2 + 3a b^2 c^2 d - b^3 c^3)}{3a} + \frac{\left(\frac{a+b}{x}\right)^2 (2a^3 d^3 - 6a b^2 c^2 d + 5b^3 c^3)}{a^3} - \frac{2\left(\frac{a+b}{x}\right) (4a^3 d^3 - 3a^2 b c d^2 - 6a b^2 c^2 d + 5b^3 c^3)}{3a^2} + \frac{c^2 \operatorname{atanh}\left(\frac{\sqrt{\frac{a+b}{x}}}{\sqrt{a}}\right) (6ad - 5bc)}{a^{7/2}}$$

$$\frac{b^2 \left(a + \frac{b}{x}\right)^{5/2} - a b^2 \left(a + \frac{b}{x}\right)^{3/2}}{b^2 \left(a + \frac{b}{x}\right)^{5/2} - a b^2 \left(a + \frac{b}{x}\right)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d/x)^3/(a + b/x)^(5/2), x)

[Out] $((2*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2))/(3*a) + ((a + b/x)^2*(2*a^3*d^3 + 5*b^3*c^3 - 6*a*b^2*c^2*d))/(a^3 - (2*(a + b/x)*(4*a^3*d^3 + 5*b^3*c^3 - 6*a*b^2*c^2*d - 3*a^2*b*c*d^2))/(3*a^2)))/(b^2*(a + b/x)^{(5/2)} - a*b^2*(a + b/x)^{(3/2)}) + (c^2*atanh((a + b/x)^{(1/2)}/a^{(1/2)})*(6*a*d - 5*b*c))/a^{(7/2)}$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx + d)^3}{x^3 \left(a + \frac{b}{x}\right)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)**3/(a+b/x)**(5/2), x)

[Out] Integral((c*x + d)**3/(x**3*(a + b/x)**(5/2)), x)

$$3.163 \quad \int \frac{\left(c + \frac{d}{x}\right)^2}{\left(a + \frac{b}{x}\right)^{5/2}} dx$$

Optimal. Leaf size=122

$$-\frac{c(5bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2}} + \frac{c(5bc - 4ad)}{a^3 \sqrt{a + \frac{b}{x}}} + \frac{2a^2 d^2 + bc(5bc - 4ad)}{3a^2 b \left(a + \frac{b}{x}\right)^{3/2}} + \frac{c^2 x}{a \left(a + \frac{b}{x}\right)^{3/2}}$$

Rubi [A] time = 0.10, antiderivative size = 118, normalized size of antiderivative = 0.97, number of steps used = 6, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {375, 89, 78, 51, 63, 208}

$$\frac{\frac{c(5bc-4ad)}{a^2} + \frac{2d^2}{b}}{3 \left(a + \frac{b}{x}\right)^{3/2}} + \frac{c(5bc - 4ad)}{a^3 \sqrt{a + \frac{b}{x}}} - \frac{c(5bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2}} + \frac{c^2 x}{a \left(a + \frac{b}{x}\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(c + d/x)^2/(a + b/x)^(5/2), x]

[Out] ((2*d^2)/b + (c*(5*b*c - 4*a*d))/a^2)/(3*(a + b/x)^(3/2)) + (c*(5*b*c - 4*a*d))/(a^3*sqrt[a + b/x]) + (c^2*x)/(a*(a + b/x)^(3/2)) - (c*(5*b*c - 4*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(7/2)

Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
```

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 78

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 89

Int[((a_.) + (b_.)*(x_))^2*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[((b*c - a*d)^2*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d^2*(d*e - c*f)*(n + 1)), x] - Dist[1/(d^2*(d*e - c*f)*(n + 1)), Int[(c + d*x)^(n + 1)*(e + f*x)^p*Simp[a^2*d^2*f*(n + p + 2) + b^2*c*(d*e*(n + 1) + c*f*(p + 1)) - 2*a*b*d*(d*e*(n + 1) + c*f*(p + 1)) - b^2*d*(d*e - c*f)*(n + 1)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && (LtQ[n, -1] || (EqQ[n + p + 3, 0] && NeQ[n, -1] && (SumSimplerQ[n, 1] || !SumSimplerQ[p, 1])))

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q]/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\left(c + \frac{d}{x}\right)^2}{\left(a + \frac{b}{x}\right)^{5/2}} dx &= -\text{Subst}\left(\int \frac{(c + dx)^2}{x^2(a + bx)^{5/2}} dx, x, \frac{1}{x}\right) \\
&= \frac{c^2x}{a\left(a + \frac{b}{x}\right)^{3/2}} - \frac{\text{Subst}\left(\int \frac{-\frac{1}{2}c(5bc - 4ad) + ad^2x}{x(a + bx)^{5/2}} dx, x, \frac{1}{x}\right)}{a} \\
&= \frac{\frac{5bc^2}{a} - 4cd + \frac{2ad^2}{b}}{3a\left(a + \frac{b}{x}\right)^{3/2}} + \frac{c^2x}{a\left(a + \frac{b}{x}\right)^{3/2}} + \frac{(c(5bc - 4ad)) \text{Subst}\left(\int \frac{1}{x(a + bx)^{3/2}} dx, x, \frac{1}{x}\right)}{2a^2} \\
&= \frac{\frac{5bc^2}{a} - 4cd + \frac{2ad^2}{b}}{3a\left(a + \frac{b}{x}\right)^{3/2}} + \frac{c(5bc - 4ad)}{a^3\sqrt{a + \frac{b}{x}}} + \frac{c^2x}{a\left(a + \frac{b}{x}\right)^{3/2}} + \frac{(c(5bc - 4ad)) \text{Subst}\left(\int \frac{1}{x\sqrt{a + bx}} dx, x, \frac{1}{x}\right)}{2a^3} \\
&= \frac{\frac{5bc^2}{a} - 4cd + \frac{2ad^2}{b}}{3a\left(a + \frac{b}{x}\right)^{3/2}} + \frac{c(5bc - 4ad)}{a^3\sqrt{a + \frac{b}{x}}} + \frac{c^2x}{a\left(a + \frac{b}{x}\right)^{3/2}} + \frac{(c(5bc - 4ad)) \text{Subst}\left(\int \frac{1}{\frac{-a}{-b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}}\right)}{a^3b} \\
&= \frac{\frac{5bc^2}{a} - 4cd + \frac{2ad^2}{b}}{3a\left(a + \frac{b}{x}\right)^{3/2}} + \frac{c(5bc - 4ad)}{a^3\sqrt{a + \frac{b}{x}}} + \frac{c^2x}{a\left(a + \frac{b}{x}\right)^{3/2}} - \frac{c(5bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2}}
\end{aligned}$$

Mathematica [C] time = 0.08, size = 97, normalized size = 0.80

$$\frac{ax(2a^2d^2 + abc(3cx - 4d) + 5b^2c^2) + 3bc(ax + b)(5bc - 4ad) {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{b}{ax} + 1\right)}{3a^3b\sqrt{a + \frac{b}{x}}(ax + b)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d/x)^2/(a + b/x)^(5/2), x]

[Out] (a*x*(5*b^2*c^2 + 2*a^2*d^2 + a*b*c*(-4*d + 3*c*x)) + 3*b*c*(5*b*c - 4*a*d) * (b + a*x)*Hypergeometric2F1[-1/2, 1, 1/2, 1 + b/(a*x)])/(3*a^3*b*Sqrt[a + b/x]*(b + a*x))

IntegrateAlgebraic [A] time = 0.25, size = 134, normalized size = 1.10

$$\frac{(4acd - 5bc^2) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)}{a^{7/2}} + \frac{\sqrt{\frac{ax+b}{x}} (2a^3d^2x^2 + 3a^2bc^2x^3 - 16a^2bcdx^2 + 20ab^2c^2x^2 - 12ab^2cdx + 15b^3c^2x)}{3a^3b(ax+b)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d/x)^2/(a + b/x)^(5/2), x]

[Out] (Sqrt[(b + a*x)/x]*(15*b^3*c^2*x - 12*a*b^2*c*d*x + 20*a*b^2*c^2*x^2 - 16*a^2*b*c*d*x^2 + 2*a^3*d^2*x^2 + 3*a^2*b*c^2*x^3))/(3*a^3*b*(b + a*x)^2) + ((-5*b*c^2 + 4*a*c*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/a^(7/2)

fricas [A] time = 0.99, size = 407, normalized size = 3.34

$$\frac{3(5a^5c^2 - 4ab^2cd + (5a^2b^2c^2 - 4a^3b^2cd)x^2 - 2(5a^4b^3c^2 - 4a^2b^2c^2d)x)\sqrt{a}\log(2ax + 2\sqrt{a}x\sqrt{\frac{ax+b}{x}} + b) - 2(3a^2bc^2x^3 + 2(10a^2b^2c^2 - 8a^3b^2cd + a^4d^2)x^2 + 3(5a^4b^3c^2 - 4a^2b^2c^2d)x)\sqrt{a}\arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right) + (3a^2bc^2x^3 + 2(10a^2b^2c^2 - 8a^3b^2cd + a^4d^2)x^2 + 3(5a^4b^3c^2 - 4a^2b^2c^2d)x)\sqrt{\frac{ax+b}{x}}}{6(a^6bx^2 + 2a^5bx + a^4b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^2/(a+b/x)^(5/2), x, algorithm="fricas")

[Out] [-1/6*(3*(5*b^4*c^2 - 4*a*b^3*c*d + (5*a^2*b^2*c^2 - 4*a^3*b^2*c*d)*x^2 + 2*(5*a^4*b^3*c^2 - 4*a^2*b^2*c^2*d)*x)*sqrt(a)*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) - 2*(3*a^3*b^2*c^2*x^3 + 2*(10*a^2*b^2*c^2 - 8*a^3*b^2*c*d + a^4*d^2)*x^2 + 3*(5*a^4*b^3*c^2 - 4*a^2*b^2*c^2*d)*x)*sqrt((a*x + b)/x))/(a^6*b*x^2 + 2*a^5*b^2*x + a^4*b^3), 1/3*(3*(5*b^4*c^2 - 4*a*b^3*c*d + (5*a^2*b^2*c^2 - 4*a^3*b^2*c*d)*x^2 + 2*(5*a^4*b^3*c^2 - 4*a^2*b^2*c^2*d)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (3*a^3*b^2*c^2*x^3 + 2*(10*a^2*b^2*c^2 - 8*a^3*b^2*c*d + a^4*d^2)*x^2 + 3*(5*a^4*b^3*c^2 - 4*a^2*b^2*c^2*d)*x)*sqrt((a*x + b)/x))/(a^6*b*x^2 + 2*a^5*b^2*x + a^4*b^3)]

giac [A] time = 0.21, size = 163, normalized size = 1.34

$$\frac{3b^2c^2\sqrt{\frac{ax+b}{x}}}{\left(a - \frac{ax+b}{x}\right)a^3} - \frac{3(5b^2c^2 - 4abcd)\arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}a^3} - \frac{2\left(ab^2c^2 - 2a^2bcd + a^3d^2 + \frac{6(ax+b)b^2c^2}{x} - \frac{6(ax+b)abcd}{x}\right)x}{(ax+b)a^3\sqrt{\frac{ax+b}{x}}}$$

3b

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^2/(a+b/x)^(5/2), x, algorithm="giac")

[Out] -1/3*(3*b^2*c^2*sqrt((a*x + b)/x)/((a - (a*x + b)/x)*a^3) - 3*(5*b^2*c^2 - 4*a*b^2*c*d)*arctan(sqrt((a*x + b)/x)/sqrt(-a))/(sqrt(-a)*a^3) - 2*(a*b^2*c^2

$$- 2*a^2*b*c*d + a^3*d^2 + 6*(a*x + b)*b^2*c^2/x - 6*(a*x + b)*a*b*c*d/x)*x / ((a*x + b)*a^3*\sqrt{(a*x + b)/x}))/b$$

maple [B] time = 0.06, size = 588, normalized size = 4.82

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c+d/x)^2/(a+b/x)^(5/2),x)`

[Out]
$$-1/6*((a*x+b)/x)^{(1/2)}*x*(24*a^{(9/2)}*((a*x+b)*x)^{(1/2)}*x^3*c*d-30*a^{(7/2)}*((a*x+b)*x)^{(1/2)}*x^3*b*c^2-24*a^{(7/2)}*((a*x+b)*x)^{(3/2)}*x*c*d+72*((a*x+b)*x)^{(1/2)}*a^{(7/2)}*b*c*d*x^2-4*((a*x+b)*x)^{(3/2)}*a^{(7/2)}*d^2+24*a^{(5/2)}*((a*x+b)*x)^{(3/2)}*x*b*c^2-90*((a*x+b)*x)^{(1/2)}*a^{(5/2)}*b^2*c^2*x^2-16*((a*x+b)*x)^{(3/2)}*a^{(5/2)}*b*c*d+72*((a*x+b)*x)^{(1/2)}*a^{(5/2)}*b^2*c*d*x-12*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*x^3*a^4*b*c*d+15*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*x^3*a^3*b^2*c^2+20*((a*x+b)*x)^{(3/2)}*a^{(3/2)}*b^2*c^2-90*((a*x+b)*x)^{(1/2)}*a^{(3/2)}*b^3*c^2*x-36*a^3*b^2*c*d*x^2*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})+45*a^2*b^3*c^2*x^2*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})+24*((a*x+b)*x)^{(1/2)}*a^{(3/2)}*b^3*c*d-36*a^2*b^3*c*d*x*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})+45*a*b^4*c^2*x*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})-30*((a*x+b)*x)^{(1/2)}*a^{(1/2)}*b^4*c^2-12*a*b^4*c*d*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})+15*b^5*c^2*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})/a^{(7/2)})/((a*x+b)*x)^{(1/2)}/b/(a*x+b)^3$$

maxima [A] time = 1.31, size = 190, normalized size = 1.56

$$\frac{1}{6}c^2 \left(\frac{2 \left(15 \left(a + \frac{b}{x} \right)^2 b - 10 \left(a + \frac{b}{x} \right) ab - 2a^2 b \right)}{\left(a + \frac{b}{x} \right)^{\frac{5}{2}} a^3 - \left(a + \frac{b}{x} \right)^{\frac{3}{2}} a^4} + \frac{15b \log \left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}} \right)}{a^{\frac{7}{2}}} \right) - \frac{2}{3}cd \left(\frac{3 \log \left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}} \right)}{a^{\frac{5}{2}}} + \frac{2 \left(4a + \frac{3b}{x} \right)}{\left(a + \frac{b}{x} \right)^{\frac{3}{2}} a^2} \right) + \frac{2d^2}{3 \left(a + \frac{b}{x} \right)^{\frac{3}{2}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d/x)^2/(a+b/x)^(5/2),x, algorithm="maxima")`

[Out]
$$1/6*c^2*(2*(15*(a + b/x)^2*b - 10*(a + b/x)*a*b - 2*a^2*b)/((a + b/x)^(5/2)*a^3 - (a + b/x)^(3/2)*a^4) + 15*b*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a + b/x) + sqrt(a)))/a^(7/2)) - 2/3*c*d*(3*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a + b/x) + sqrt(a)))/a^(5/2) + 2*(4*a + 3*b/x)/((a + b/x)^(3/2)*a^2)) + 2/3*d^2/((a + b/x)^(3/2)*b)$$

mupad [B] time = 2.22, size = 144, normalized size = 1.18

$$\frac{\frac{2\left(a+\frac{b}{x}\right)\left(a^2d^2+4abcd-5b^2c^2\right)}{3a^2} - \frac{2\left(a^2d^2-2abcd+b^2c^2\right)}{3a} + \frac{b\left(a+\frac{b}{x}\right)^2\left(5bc^2-4acd\right)}{a^3}}{b\left(a+\frac{b}{x}\right)^{5/2} - ab\left(a+\frac{b}{x}\right)^{3/2}} + \frac{c \operatorname{atanh}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)\left(4ad-5bc\right)}{a^{7/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d/x)^2/(a + b/x)^(5/2), x)`

[Out] `((2*(a + b/x)*(a^2*d^2 - 5*b^2*c^2 + 4*a*b*c*d))/(3*a^2) - (2*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))/(3*a) + (b*(a + b/x)^2*(5*b*c^2 - 4*a*c*d))/a^3)/(b*(a + b/x)^(5/2) - a*b*(a + b/x)^(3/2)) + (c*atanh((a + b/x)^(1/2)/a^(1/2))*(4*a*d - 5*b*c))/a^(7/2)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx + d)^2}{x^2 \left(a + \frac{b}{x}\right)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d/x)**2/(a+b/x)**(5/2), x)`

[Out] `Integral((c*x + d)**2/(x**2*(a + b/x)**(5/2)), x)`

$$3.164 \quad \int \frac{c + \frac{d}{x}}{\left(a + \frac{b}{x}\right)^{5/2}} dx$$

Optimal. Leaf size=103

$$-\frac{(5bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2}} + \frac{5bc - 2ad}{a^3 \sqrt{a + \frac{b}{x}}} + \frac{5bc - 2ad}{3a^2 \left(a + \frac{b}{x}\right)^{3/2}} + \frac{cx}{a \left(a + \frac{b}{x}\right)^{3/2}}$$

Rubi [A] time = 0.07, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {375, 78, 51, 63, 208}

$$\frac{5bc - 2ad}{a^3 \sqrt{a + \frac{b}{x}}} + \frac{5bc - 2ad}{3a^2 \left(a + \frac{b}{x}\right)^{3/2}} - \frac{(5bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2}} + \frac{cx}{a \left(a + \frac{b}{x}\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(c + d/x)/(a + b/x)^(5/2), x]

[Out] (5*b*c - 2*a*d)/(3*a^2*(a + b/x)^(3/2)) + (5*b*c - 2*a*d)/(a^3*Sqrt[a + b/x]) + (c*x)/(a*(a + b/x)^(3/2)) - ((5*b*c - 2*a*d)*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(7/2)

Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 78

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 375

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol
] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a,
b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + \frac{d}{x}}{\left(a + \frac{b}{x}\right)^{5/2}} dx &= -\text{Subst}\left(\int \frac{c + dx}{x^2(a + bx)^{5/2}} dx, x, \frac{1}{x}\right) \\
&= \frac{cx}{a\left(a + \frac{b}{x}\right)^{3/2}} - \frac{\left(-\frac{5bc}{2} + ad\right) \text{Subst}\left(\int \frac{1}{x(a+bx)^{5/2}} dx, x, \frac{1}{x}\right)}{a} \\
&= \frac{5bc - 2ad}{3a^2\left(a + \frac{b}{x}\right)^{3/2}} + \frac{cx}{a\left(a + \frac{b}{x}\right)^{3/2}} + \frac{(5bc - 2ad) \text{Subst}\left(\int \frac{1}{x(a+bx)^{3/2}} dx, x, \frac{1}{x}\right)}{2a^2} \\
&= \frac{5bc - 2ad}{3a^2\left(a + \frac{b}{x}\right)^{3/2}} + \frac{5bc - 2ad}{a^3\sqrt{a + \frac{b}{x}}} + \frac{cx}{a\left(a + \frac{b}{x}\right)^{3/2}} + \frac{(5bc - 2ad) \text{Subst}\left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \frac{1}{x}\right)}{2a^3} \\
&= \frac{5bc - 2ad}{3a^2\left(a + \frac{b}{x}\right)^{3/2}} + \frac{5bc - 2ad}{a^3\sqrt{a + \frac{b}{x}}} + \frac{cx}{a\left(a + \frac{b}{x}\right)^{3/2}} + \frac{(5bc - 2ad) \text{Subst}\left(\int \frac{1}{\frac{-a}{-b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}}\right)}{a^3b} \\
&= \frac{5bc - 2ad}{3a^2\left(a + \frac{b}{x}\right)^{3/2}} + \frac{5bc - 2ad}{a^3\sqrt{a + \frac{b}{x}}} + \frac{cx}{a\left(a + \frac{b}{x}\right)^{3/2}} - \frac{(5bc - 2ad) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2}}
\end{aligned}$$

Mathematica [C] time = 0.04, size = 60, normalized size = 0.58

$$\frac{x\left((5bc - 2ad) {}_2F_1\left(-\frac{3}{2}, 1; -\frac{1}{2}; \frac{b}{ax} + 1\right) + 3acx\right)}{3a^2\sqrt{a + \frac{b}{x}}(ax + b)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d/x)/(a + b/x)^(5/2), x]

[Out] (x*(3*a*c*x + (5*b*c - 2*a*d)*Hypergeometric2F1[-3/2, 1, -1/2, 1 + b/(a*x)])) / (3*a^2*Sqrt[a + b/x]*(b + a*x))

IntegrateAlgebraic [A] time = 0.20, size = 103, normalized size = 1.00

$$\frac{(2ad - 5bc) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)}{a^{7/2}} + \frac{\sqrt{\frac{ax+b}{x}} (3a^2cx^3 - 8a^2dx^2 + 20abcx^2 - 6abdx + 15b^2cx)}{3a^3(ax+b)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d/x)/(a + b/x)^(5/2), x]

[Out] (Sqrt[(b + a*x)/x]*(15*b^2*c*x - 6*a*b*d*x + 20*a*b*c*x^2 - 8*a^2*d*x^2 + 3*a^2*c*x^3))/(3*a^3*(b + a*x)^2) + ((-5*b*c + 2*a*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/a^(7/2)

fricas [A] time = 0.63, size = 331, normalized size = 3.21

$$\frac{3(5b^2c - 2ab^2d + (5a^2bc - 2a^3d)^2 + 2(5ab^2c - 2a^2bd)x)\sqrt{a}\log\left(\frac{2ax + 2\sqrt{ax}\sqrt{\frac{ax+b}{x}} + b}{6(a^2x^2 + 2a^2bx + a^2b^2)}\right) - 2(3a^2cx^3 + 4(5a^2bc - 2a^3d)x^2 + 3(5ab^2c - 2a^2bd)x)\sqrt{\frac{ax+b}{x}}}{3(5b^2c - 2ab^2d + (5a^2bc - 2a^3d)^2 + 2(5ab^2c - 2a^2bd)x)\sqrt{-a}\arctan\left(\frac{\sqrt{a}\sqrt{\frac{ax+b}{x}}}{a}\right) + (3a^2cx^3 + 4(5a^2bc - 2a^3d)x^2 + 3(5ab^2c - 2a^2bd)x)\sqrt{\frac{ax+b}{x}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)/(a+b/x)^(5/2), x, algorithm="fricas")

[Out] [-1/6*(3*(5*b^3*c - 2*a*b^2*d + (5*a^2*b*c - 2*a^3*d)*x^2 + 2*(5*a*b^2*c - 2*a^2*b*d)*x)*sqrt(a)*log(2*a*x + 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) - 2*(3*a^3*c*x^3 + 4*(5*a^2*b*c - 2*a^3*d)*x^2 + 3*(5*a*b^2*c - 2*a^2*b*d)*x)*sqrt((a*x + b)/x))/(a^6*x^2 + 2*a^5*b*x + a^4*b^2), 1/3*(3*(5*b^3*c - 2*a*b^2*d + (5*a^2*b*c - 2*a^3*d)*x^2 + 2*(5*a*b^2*c - 2*a^2*b*d)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (3*a^3*c*x^3 + 4*(5*a^2*b*c - 2*a^3*d)*x^2 + 3*(5*a*b^2*c - 2*a^2*b*d)*x)*sqrt((a*x + b)/x))/(a^6*x^2 + 2*a^5*b*x + a^4*b^2)]

giac [A] time = 0.22, size = 145, normalized size = 1.41

$$\frac{\frac{3b^2c\sqrt{\frac{ax+b}{x}}}{\left(a-\frac{ax+b}{x}\right)a^3} - \frac{3(5b^2c-2abd)\arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}a^3} - \frac{2\left(ab^2c-a^2bd+\frac{6(ax+b)b^2c}{x}-\frac{3(ax+b)abd}{x}\right)x}{(ax+b)a^3\sqrt{\frac{ax+b}{x}}}}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)/(a+b/x)^(5/2), x, algorithm="giac")

[Out] -1/3*(3*b^2*c*sqrt((a*x + b)/x)/((a - (a*x + b)/x)*a^3) - 3*(5*b^2*c - 2*a*b*d)*arctan(sqrt((a*x + b)/x)/sqrt(-a))/(sqrt(-a)*a^3) - 2*(a*b^2*c - a^2*b

d + 6(a*x + b)*b^2*c/x - 3*(a*x + b)*a*b*d/x)*x/((a*x + b)*a^3*sqrt((a*x + b)/x))/b

maple [B] time = 0.06, size = 541, normalized size = 5.25

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d/x)/(a+b/x)^(5/2),x)

[Out] $\frac{1}{6} \left(\frac{(a*x+b)^2}{x^2} \right)^{1/2} x/a^{7/2} * (6*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{1/2})*a^{1/2})/a^{1/2}) * x^3*a^4*b*d - 15*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{1/2})*a^{1/2})/a^{1/2}) * x^3*a^3*b^2*c - 12*a^{9/2} * ((a*x+b)*x)^{1/2} * x^3*d + 30*a^{7/2} * ((a*x+b)*x)^{1/2} * x^3*b*c + 18*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{1/2})*a^{1/2})/a^{1/2}) * x^2*a^3*b^2*d - 45*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{1/2})*a^{1/2})/a^{1/2}) * x^2*a^2*b^3*c + 12*a^{7/2} * ((a*x+b)*x)^{3/2} * x*d - 24*a^{5/2} * ((a*x+b)*x)^{3/2} * x*b*c - 36*a^{7/2} * ((a*x+b)*x)^{1/2} * x^2*b*d + 90*a^{5/2} * ((a*x+b)*x)^{1/2} * x^2*b^2*c + 18*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{1/2})*a^{1/2})/a^{1/2}) * x*a^2*b^3*d - 45*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{1/2})*a^{1/2})/a^{1/2}) * x*a*b^4*c + 8*a^{5/2} * ((a*x+b)*x)^{3/2} * b*d - 20*a^{3/2} * ((a*x+b)*x)^{3/2} * b^2*c - 36*a^{5/2} * ((a*x+b)*x)^{1/2} * x*b^2*d + 90*a^{3/2} * ((a*x+b)*x)^{1/2} * x*b^3*c + 6*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{1/2})*a^{1/2})/a^{1/2}) * a*b^4*d - 15*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{1/2})*a^{1/2})/a^{1/2}) * b^5*c - 12*a^{3/2} * ((a*x+b)*x)^{1/2} * b^3*d + 30*a^{1/2} * ((a*x+b)*x)^{1/2} * b^4*c / ((a*x+b)*x)^{1/2} / b / (a*x+b)^3$

maxima [A] time = 1.25, size = 170, normalized size = 1.65

$$\frac{1}{6} c \left(\frac{2 \left(15 \left(a + \frac{b}{x} \right)^2 b - 10 \left(a + \frac{b}{x} \right) a b - 2 a^2 b \right)}{\left(a + \frac{b}{x} \right)^{\frac{5}{2}} a^3 - \left(a + \frac{b}{x} \right)^{\frac{3}{2}} a^4} + \frac{15 b \log \left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}} \right)}{a^{\frac{7}{2}}} \right) - \frac{1}{3} d \left(\frac{3 \log \left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}} \right)}{a^{\frac{5}{2}}} + \frac{2 \left(4 a + \frac{3 b}{x} \right)}{\left(a + \frac{b}{x} \right)^{\frac{3}{2}} a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)/(a+b/x)^(5/2),x, algorithm="maxima")

[Out] $\frac{1}{6} * c * (2 * (15 * (a + b/x)^2 * b - 10 * (a + b/x) * a * b - 2 * a^2 * b) / ((a + b/x)^{(5/2)} * a^3 - (a + b/x)^{(3/2)} * a^4) + 15 * b * \log((\sqrt{a + b/x} - \sqrt{a}) / (\sqrt{a + b/x} + \sqrt{a}))) / a^{7/2}) - 1/3 * d * (3 * \log((\sqrt{a + b/x} - \sqrt{a}) / (\sqrt{a + b/x} + \sqrt{a}))) / a^{5/2} + 2 * (4 * a + 3 * b/x) / ((a + b/x)^{(3/2)} * a^2))$

mupad [B] time = 2.91, size = 87, normalized size = 0.84

$$\frac{2d \operatorname{atanh}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{a^{5/2}} - \frac{\frac{2d}{3a} + \frac{2d\left(a+\frac{b}{x}\right)}{a^2}}{\left(a+\frac{b}{x}\right)^{3/2}} + \frac{2cx\left(\frac{ax}{b}+1\right)^{5/2} {}_2F_1\left(\frac{5}{2}, \frac{7}{2}; \frac{9}{2}; -\frac{ax}{b}\right)}{7\left(a+\frac{b}{x}\right)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d/x)/(a + b/x)^(5/2), x)

[Out] (2*d*atanh((a + b/x)^(1/2)/a^(1/2)))/a^(5/2) - ((2*d)/(3*a) + (2*d*(a + b/x))/a^2)/(a + b/x)^(3/2) + (2*c*x*((a*x)/b + 1)^(5/2)*hypergeom([5/2, 7/2], 9/2, -(a*x)/b))/(7*(a + b/x)^(5/2))

sympy [B] time = 155.82, size = 1479, normalized size = 14.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)/(a+b/x)**(5/2), x)

[Out] c*(6*a**17*x**4*sqrt(1 + b/(a*x))/(6*a**(39/2)*x**3 + 18*a**(37/2)*b*x**2 + 18*a**(35/2)*b**2*x + 6*a**(33/2)*b**3) + 46*a**16*b*x**3*sqrt(1 + b/(a*x))/(6*a**(39/2)*x**3 + 18*a**(37/2)*b*x**2 + 18*a**(35/2)*b**2*x + 6*a**(33/2)*b**3) + 15*a**16*b*x**3*log(b/(a*x))/(6*a**(39/2)*x**3 + 18*a**(37/2)*b*x**2 + 18*a**(35/2)*b**2*x + 6*a**(33/2)*b**3) - 30*a**16*b*x**3*log(sqrt(1 + b/(a*x)) + 1)/(6*a**(39/2)*x**3 + 18*a**(37/2)*b*x**2 + 18*a**(35/2)*b**2*x + 6*a**(33/2)*b**3) + 70*a**15*b**2*x**2*sqrt(1 + b/(a*x))/(6*a**(39/2)*x**3 + 18*a**(37/2)*b*x**2 + 18*a**(35/2)*b**2*x + 6*a**(33/2)*b**3) + 45*a**15*b**2*x**2*log(b/(a*x))/(6*a**(39/2)*x**3 + 18*a**(37/2)*b*x**2 + 18*a**(35/2)*b**2*x + 6*a**(33/2)*b**3) - 90*a**15*b**2*x**2*log(sqrt(1 + b/(a*x)) + 1)/(6*a**(39/2)*x**3 + 18*a**(37/2)*b*x**2 + 18*a**(35/2)*b**2*x + 6*a**(33/2)*b**3) + 30*a**14*b**3*x*sqrt(1 + b/(a*x))/(6*a**(39/2)*x**3 + 18*a**(37/2)*b*x**2 + 18*a**(35/2)*b**2*x + 6*a**(33/2)*b**3) + 45*a**14*b**3*x*log(b/(a*x))/(6*a**(39/2)*x**3 + 18*a**(37/2)*b*x**2 + 18*a**(35/2)*b**2*x + 6*a**(33/2)*b**3) - 90*a**14*b**3*x*log(sqrt(1 + b/(a*x)) + 1)/(6*a**(39/2)*x**3 + 18*a**(37/2)*b*x**2 + 18*a**(35/2)*b**2*x + 6*a**(33/2)*b**3) + 15*a**13*b**4*log(b/(a*x))/(6*a**(39/2)*x**3 + 18*a**(37/2)*b*x**2 + 18*a**(35/2)*b**2*x + 6*a**(33/2)*b**3) - 30*a**13*b**4*log(sqrt(1 + b/(a*x)) + 1)/(6*a**(39/2)*x**3 + 18*a**(37/2)*b*x**2 + 18*a**(35/2)*b**2*x + 6*a**(33/2)*b**3) + d*(-8*a**7*x**3*sqrt(1 + b/(a*x))/(3*a**(19/2)*x**3 + 9*a**(17/2)*b*x**2 + 9*a**(15/2)*b**2*x + 3*a**(13/2)*b**3) - 3*a**7*x**3*log(b/(a*x))/(3*a**(19/2)*x**3 + 9*a**(17/2)*b*x**2 + 9*a**(15/2)*b**2*x + 3*a**(13/2)*b**3) + 6*a**7*x**3*log(sqrt(1 + b/(a*x)) + 1)/(3*a**(19/2)*x**3 + 9*a**

$$\begin{aligned}
& (17/2)*b*x**2 + 9*a**(15/2)*b**2*x + 3*a**(13/2)*b**3) - 14*a**6*b*x**2*\text{sqrt}(1 + b/(a*x))/(3*a**(19/2)*x**3 + 9*a**(17/2)*b*x**2 + 9*a**(15/2)*b**2*x + 3*a**(13/2)*b**3) - 9*a**6*b*x**2*\log(b/(a*x))/(3*a**(19/2)*x**3 + 9*a**(17/2)*b*x**2 + 9*a**(15/2)*b**2*x + 3*a**(13/2)*b**3) + 18*a**6*b*x**2*\log(\text{sqrt}(1 + b/(a*x)) + 1)/(3*a**(19/2)*x**3 + 9*a**(17/2)*b*x**2 + 9*a**(15/2)*b**2*x + 3*a**(13/2)*b**3) - 6*a**5*b**2*x*\text{sqrt}(1 + b/(a*x))/(3*a**(19/2)*x**3 + 9*a**(17/2)*b*x**2 + 9*a**(15/2)*b**2*x + 3*a**(13/2)*b**3) - 9*a**5*b**2*x*\log(b/(a*x))/(3*a**(19/2)*x**3 + 9*a**(17/2)*b*x**2 + 9*a**(15/2)*b**2*x + 3*a**(13/2)*b**3) + 18*a**5*b**2*x*\log(\text{sqrt}(1 + b/(a*x)) + 1)/(3*a**(19/2)*x**3 + 9*a**(17/2)*b*x**2 + 9*a**(15/2)*b**2*x + 3*a**(13/2)*b**3) - 3*a**4*b**3*\log(b/(a*x))/(3*a**(19/2)*x**3 + 9*a**(17/2)*b*x**2 + 9*a**(15/2)*b**2*x + 3*a**(13/2)*b**3) + 6*a**4*b**3*\log(\text{sqrt}(1 + b/(a*x)) + 1)/(3*a**(19/2)*x**3 + 9*a**(17/2)*b*x**2 + 9*a**(15/2)*b**2*x + 3*a**(13/2)*b**3))
\end{aligned}$$

$$3.165 \quad \int \frac{1}{\left(a + \frac{b}{x}\right)^{5/2}} dx$$

Optimal. Leaf size=79

$$-\frac{5b \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2}} + \frac{5b}{a^3 \sqrt{a + \frac{b}{x}}} + \frac{5b}{3a^2 \left(a + \frac{b}{x}\right)^{3/2}} + \frac{x}{a \left(a + \frac{b}{x}\right)^{3/2}}$$

Rubi [A] time = 0.04, antiderivative size = 82, normalized size of antiderivative = 1.04, number of steps used = 6, number of rules used = 4, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {242, 51, 63, 208}

$$\frac{5x \sqrt{a + \frac{b}{x}}}{a^3} - \frac{10x}{3a^2 \sqrt{a + \frac{b}{x}}} - \frac{5b \tanh^{-1}\left(\frac{\sqrt{a+\frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2}} - \frac{2x}{3a \left(a + \frac{b}{x}\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b/x)^(-5/2), x]

[Out] (-2*x)/(3*a*(a + b/x)^(3/2)) - (10*x)/(3*a^2*Sqrt[a + b/x]) + (5*Sqrt[a + b/x]*x)/a^3 - (5*b*ArcTanh[Sqrt[a + b/x]/Sqrt[a]])/a^(7/2)

Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[
n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

$\text{Int}[(a_ + (b_ .)*(x_)^2)^{-1}, x_Symbol] \text{ :> } \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] \text{ /; } \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 242

$\text{Int}[(a_ + (b_ .)*(x_)^n)^p, x_Symbol] \text{ :> } -\text{Subst}[\text{Int}[(a + b/x^n)^p/x^2, x], x, 1/x] \text{ /; } \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{ILtQ}[n, 0]$

Rubi steps

$$\begin{aligned}
 \int \frac{1}{\left(a + \frac{b}{x}\right)^{5/2}} dx &= -\text{Subst}\left(\int \frac{1}{x^2(a+bx)^{5/2}} dx, x, \frac{1}{x}\right) \\
 &= -\frac{2x}{3a\left(a + \frac{b}{x}\right)^{3/2}} - \frac{5 \text{Subst}\left(\int \frac{1}{x^2(a+bx)^{3/2}} dx, x, \frac{1}{x}\right)}{3a} \\
 &= -\frac{2x}{3a\left(a + \frac{b}{x}\right)^{3/2}} - \frac{10x}{3a^2\sqrt{a + \frac{b}{x}}} - \frac{5 \text{Subst}\left(\int \frac{1}{x^2\sqrt{a+bx}} dx, x, \frac{1}{x}\right)}{a^2} \\
 &= -\frac{2x}{3a\left(a + \frac{b}{x}\right)^{3/2}} - \frac{10x}{3a^2\sqrt{a + \frac{b}{x}}} + \frac{5\sqrt{a + \frac{b}{x}}x}{a^3} + \frac{(5b) \text{Subst}\left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \frac{1}{x}\right)}{2a^3} \\
 &= -\frac{2x}{3a\left(a + \frac{b}{x}\right)^{3/2}} - \frac{10x}{3a^2\sqrt{a + \frac{b}{x}}} + \frac{5\sqrt{a + \frac{b}{x}}x}{a^3} + \frac{5 \text{Subst}\left(\int \frac{1}{\frac{a}{-b} + \frac{x^2}{b}} dx, x, \sqrt{a + \frac{b}{x}}\right)}{a^3} \\
 &= -\frac{2x}{3a\left(a + \frac{b}{x}\right)^{3/2}} - \frac{10x}{3a^2\sqrt{a + \frac{b}{x}}} + \frac{5\sqrt{a + \frac{b}{x}}x}{a^3} - \frac{5b \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2}}
 \end{aligned}$$

Mathematica [C] time = 0.02, size = 38, normalized size = 0.48

$$\frac{2b {}_2F_1\left(-\frac{3}{2}, 2; -\frac{1}{2}; \frac{a+b/x}{a}\right)}{3a^2 \left(a + \frac{b}{x}\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x)^(-5/2), x]

[Out] (2*b*Hypergeometric2F1[-3/2, 2, -1/2, (a + b/x)/a])/(3*a^2*(a + b/x)^(3/2))

IntegrateAlgebraic [A] time = 0.00, size = 78, normalized size = 0.99

$$\frac{\sqrt{\frac{ax+b}{x}} (3a^2x^3 + 20abx^2 + 15b^2x)}{3a^3(ax+b)^2} - \frac{5b \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{a}}\right)}{a^{7/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b/x)^(-5/2), x]

[Out] (Sqrt[(b + a*x)/x]*(15*b^2*x + 20*a*b*x^2 + 3*a^2*x^3))/(3*a^3*(b + a*x)^2 - (5*b*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/a^(7/2)

fricas [A] time = 0.83, size = 225, normalized size = 2.85

$$\left[\frac{15(a^2bx^2 + 2ab^2x + b^3)\sqrt{a} \log\left(2ax - 2\sqrt{a}x\sqrt{\frac{ax+b}{x}} + b\right) + 2(3a^3x^3 + 20a^2bx^2 + 15ab^2x)\sqrt{\frac{ax+b}{x}}}{6(a^6x^2 + 2a^5bx + a^4b^2)}, \frac{15(a^2bx^2 + 2ab^2x + b^3)\sqrt{-a} \arctan\left(\frac{\sqrt{-a}\sqrt{\frac{ax+b}{x}}}{a}\right) + (3a^3x^3 + 20a^2bx^2 + 15ab^2x)\sqrt{\frac{ax+b}{x}}}{3(a^6x^2 + 2a^5bx + a^4b^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(5/2), x, algorithm="fricas")

[Out] [1/6*(15*(a^2*b*x^2 + 2*a*b^2*x + b^3)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 2*(3*a^3*x^3 + 20*a^2*b*x^2 + 15*a*b^2*x)*sqrt((a*x + b)/x))/(a^6*x^2 + 2*a^5*b*x + a^4*b^2), 1/3*(15*(a^2*b*x^2 + 2*a*b^2*x + b^3)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + (3*a^3*x^3 + 20*a^2*b*x^2 + 15*a*b^2*x)*sqrt((a*x + b)/x))/(a^6*x^2 + 2*a^5*b*x + a^4*b^2)]

giac [A] time = 0.24, size = 98, normalized size = 1.24

$$\frac{1}{3}b \left(\frac{2\left(a + \frac{6(ax+b)}{x}\right)x}{(ax+b)a^3\sqrt{\frac{ax+b}{x}}} + \frac{15 \arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}a^3} - \frac{3\sqrt{\frac{ax+b}{x}}}{\left(a - \frac{ax+b}{x}\right)a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(5/2),x, algorithm="giac")

[Out] $\frac{1}{3}b*(2*(a + 6*(a*x + b)/x)*x/((a*x + b)*a^3*\sqrt{(a*x + b)/x}) + 15*\arctan(\sqrt{(a*x + b)/x}/\sqrt{-a})/(\sqrt{-a}*a^3) - 3*\sqrt{(a*x + b)/x}/((a - (a*x + b)/x)*a^3)$

maple [B] time = 0.07, size = 271, normalized size = 3.43

$$\frac{\sqrt{\frac{ax+b}{x}} \left(-15a^2b^2x^3 \ln\left(\frac{2ax+b+2\sqrt{(ax+b)x}}{2\sqrt{a}}\right) - 45a^2b^2x^2 \ln\left(\frac{2ax+b+2\sqrt{(ax+b)x}}{2\sqrt{a}}\right) + 30\sqrt{(ax+b)x} a^2x^3 - 45ab^2x \ln\left(\frac{2ax+b+2\sqrt{(ax+b)x}}{2\sqrt{a}}\right) + 90\sqrt{(ax+b)x} a^2bx^2 - 15a^4 \ln\left(\frac{2ax+b+2\sqrt{(ax+b)x}}{2\sqrt{a}}\right) + 90\sqrt{(ax+b)x} a^2b^2x - 24((ax+b)x)^{\frac{3}{2}} a^2x + 30\sqrt{(ax+b)x} \sqrt{a} b^2 - 20((ax+b)x)^{\frac{3}{2}} a^2b \right) x}{6\sqrt{(ax+b)x} (ax+b)^{\frac{3}{2}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b/x)^(5/2),x)

[Out] $\frac{1}{6}*((a*x+b)/x)^{(1/2)}*x*(30*a^{(7/2)}*((a*x+b)*x)^{(1/2)}*x^3-24*a^{(5/2)}*((a*x+b)*x)^{(3/2)}*x+90*a^{(5/2)}*((a*x+b)*x)^{(1/2)}*x^2*b-15*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^3*a^3*b-20*b*a^{(3/2)}*((a*x+b)*x)^{(3/2)}+90*a^{(3/2)}*((a*x+b)*x)^{(1/2)}*x*b^2-45*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x^2*a^2*b^2-45*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*x*a*b^3+30*a^{(1/2)}*((a*x+b)*x)^{(1/2)}*b^3-15*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)}))/a^{(1/2)})*b^4)/a^{(7/2)}/((a*x+b)*x)^{(1/2)}/(a*x+b)^3$

maxima [A] time = 1.29, size = 101, normalized size = 1.28

$$\frac{15 \left(a + \frac{b}{x} \right)^2 b - 10 \left(a + \frac{b}{x} \right) ab - 2 a^2 b}{3 \left(\left(a + \frac{b}{x} \right)^{\frac{5}{2}} a^3 - \left(a + \frac{b}{x} \right)^{\frac{3}{2}} a^4 \right)} + \frac{5 b \log \left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{a + \frac{b}{x}} + \sqrt{a}} \right)}{2 a^{\frac{7}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(5/2),x, algorithm="maxima")

[Out] $\frac{1}{3}*(15*(a + b/x)^2*b - 10*(a + b/x)*a*b - 2*a^2*b)/((a + b/x)^(5/2)*a^3 - (a + b/x)^(3/2)*a^4) + 5/2*b*log((sqrt(a + b/x) - sqrt(a))/(sqrt(a + b/x) + sqrt(a)))/a^(7/2)$

mupad [B] time = 1.72, size = 34, normalized size = 0.43

$$\frac{2x \left(\frac{ax}{b} + 1 \right)^{5/2} {}_2F_1 \left(\frac{5}{2}, \frac{7}{2}; \frac{9}{2}; -\frac{ax}{b} \right)}{7 \left(a + \frac{b}{x} \right)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b/x)^(5/2), x)`

[Out] $(2*x*((a*x)/b + 1)^{(5/2)}*hypergeom([5/2, 7/2], 9/2, -(a*x)/b))/(7*(a + b/x)^{(5/2)})$

sympy [B] time = 7.92, size = 774, normalized size = 9.80

$\frac{e^{2x}\sqrt{1-e^{2x}}}{16e^{2x}-16e^{2x}+16e^{2x}}$ $\frac{e^{2x}\sqrt{1-e^{2x}}}{16e^{2x}-16e^{2x}+16e^{2x}}$ $\frac{15e^{2x}\log(\frac{2}{1+e^{2x}})}{16e^{2x}-16e^{2x}+16e^{2x}}$ $\frac{30e^{2x}\log(\sqrt{1+e^{2x}})}{16e^{2x}-16e^{2x}+16e^{2x}}$ $\frac{20e^{2x}\sqrt{1-e^{2x}}}{16e^{2x}-16e^{2x}+16e^{2x}}$ $\frac{40e^{2x}\log(\frac{2}{1+e^{2x}})}{16e^{2x}-16e^{2x}+16e^{2x}}$ $\frac{30e^{2x}\log(\sqrt{1+e^{2x}})}{16e^{2x}-16e^{2x}+16e^{2x}}$ $\frac{20e^{2x}\sqrt{1-e^{2x}}}{16e^{2x}-16e^{2x}+16e^{2x}}$ $\frac{40e^{2x}\log(\frac{2}{1+e^{2x}})}{16e^{2x}-16e^{2x}+16e^{2x}}$ $\frac{30e^{2x}\log(\sqrt{1+e^{2x}})}{16e^{2x}-16e^{2x}+16e^{2x}}$ $\frac{20e^{2x}\sqrt{1-e^{2x}}}{16e^{2x}-16e^{2x}+16e^{2x}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b/x)**(5/2), x)`

[Out] $6*a^{17}*x^{14}*\sqrt{1 + b/(a*x)} / (6*a^{39/2}*x^{13} + 18*a^{37/2}*b*x^{12} + 18*a^{35/2}*b^2*x^{11} + 6*a^{33/2}*b^3) + 46*a^{16}*b*x^{13}*\sqrt{1 + b/(a*x)} / (6*a^{39/2}*x^{13} + 18*a^{37/2}*b*x^{12} + 18*a^{35/2}*b^2*x^{11} + 6*a^{33/2}*b^3) + 15*a^{16}*b*x^{13}*\log(b/(a*x)) / (6*a^{39/2}*x^{13} + 18*a^{37/2}*b*x^{12} + 18*a^{35/2}*b^2*x^{11} + 6*a^{33/2}*b^3) - 30*a^{16}*b*x^{13}*\log(\sqrt{1 + b/(a*x)} + 1) / (6*a^{39/2}*x^{13} + 18*a^{37/2}*b*x^{12} + 18*a^{35/2}*b^2*x^{11} + 6*a^{33/2}*b^3) + 70*a^{15}*b^2*x^{12}*\sqrt{1 + b/(a*x)} / (6*a^{39/2}*x^{13} + 18*a^{37/2}*b*x^{12} + 18*a^{35/2}*b^2*x^{11} + 6*a^{33/2}*b^3) + 45*a^{15}*b^2*x^{12}*\log(b/(a*x)) / (6*a^{39/2}*x^{13} + 18*a^{37/2}*b*x^{12} + 18*a^{35/2}*b^2*x^{11} + 6*a^{33/2}*b^3) - 90*a^{15}*b^2*x^{12}*\log(\sqrt{1 + b/(a*x)} + 1) / (6*a^{39/2}*x^{13} + 18*a^{37/2}*b*x^{12} + 18*a^{35/2}*b^2*x^{11} + 6*a^{33/2}*b^3) + 30*a^{14}*b^3*x^{11}*\sqrt{1 + b/(a*x)} / (6*a^{39/2}*x^{13} + 18*a^{37/2}*b*x^{12} + 18*a^{35/2}*b^2*x^{11} + 6*a^{33/2}*b^3) + 45*a^{14}*b^3*x^{11}*\log(b/(a*x)) / (6*a^{39/2}*x^{13} + 18*a^{37/2}*b*x^{12} + 18*a^{35/2}*b^2*x^{11} + 6*a^{33/2}*b^3) - 90*a^{14}*b^3*x^{11}*\log(\sqrt{1 + b/(a*x)} + 1) / (6*a^{39/2}*x^{13} + 18*a^{37/2}*b*x^{12} + 18*a^{35/2}*b^2*x^{11} + 6*a^{33/2}*b^3) + 15*a^{13}*b^4*\log(b/(a*x)) / (6*a^{39/2}*x^{13} + 18*a^{37/2}*b*x^{12} + 18*a^{35/2}*b^2*x^{11} + 6*a^{33/2}*b^3) - 30*a^{13}*b^4*\log(\sqrt{1 + b/(a*x)} + 1) / (6*a^{39/2}*x^{13} + 18*a^{37/2}*b*x^{12} + 18*a^{35/2}*b^2*x^{11} + 6*a^{33/2}*b^3)$

$$3.166 \quad \int \frac{1}{\left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)} dx$$

Optimal. Leaf size=201

$$\frac{(2ad + 5bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2}c^2} + \frac{b(5bc - 3ad)}{3a^2c \left(a + \frac{b}{x}\right)^{3/2} (bc - ad)} + \frac{b(a^2d^2 - 8abcd + 5b^2c^2)}{a^3c \sqrt{a + \frac{b}{x}} (bc - ad)^2} - \frac{2d^{7/2} \tan^{-1}\left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right)}{c^2(bc - ad)^{5/2}} + \frac{x}{ac}$$

Rubi [A] time = 0.32, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {375, 103, 152, 156, 63, 208, 205}

$$\frac{b(a^2d^2 - 8abcd + 5b^2c^2)}{a^3c \sqrt{a + \frac{b}{x}} (bc - ad)^2} - \frac{(2ad + 5bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2}c^2} + \frac{b(5bc - 3ad)}{3a^2c \left(a + \frac{b}{x}\right)^{3/2} (bc - ad)} - \frac{2d^{7/2} \tan^{-1}\left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right)}{c^2(bc - ad)^{5/2}} + \frac{x}{ac \left(a + \frac{b}{x}\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b/x)^(5/2)*(c + d/x)), x]

[Out] (b*(5*b*c - 3*a*d))/(3*a^2*c*(b*c - a*d)*(a + b/x)^(3/2)) + (b*(5*b^2*c^2 - 8*a*b*c*d + a^2*d^2))/(a^3*c*(b*c - a*d)^2*sqrt[a + b/x]) + x/(a*c*(a + b/x)^(3/2)) - (2*d^(7/2)*ArcTan[(sqrt[d]*sqrt[a + b/x])/sqrt[b*c - a*d]])/(c^2*(b*c - a*d)^(5/2)) - ((5*b*c + 2*a*d)*ArcTanh[sqrt[a + b/x]/sqrt[a]])/(a^(7/2)*c^2)

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 103

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[

m] && (IntegerQ[n] || IntegersQ[2*n, 2*p])

Rule 152

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h]*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]

Rule 156

Int[(((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{\left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)} dx &= -\text{Subst} \left(\int \frac{1}{x^2(a + bx)^{5/2}(c + dx)} dx, x, \frac{1}{x} \right) \\
&= \frac{x}{ac \left(a + \frac{b}{x}\right)^{3/2}} + \frac{\text{Subst} \left(\int \frac{\frac{1}{2}(5bc+2ad) + \frac{5bdx}{2}}{x(a+bx)^{5/2}(c+dx)} dx, x, \frac{1}{x} \right)}{ac} \\
&= \frac{b(5bc - 3ad)}{3a^2c(bc - ad) \left(a + \frac{b}{x}\right)^{3/2}} + \frac{x}{ac \left(a + \frac{b}{x}\right)^{3/2}} + \frac{2 \text{Subst} \left(\int \frac{\frac{3}{4}(bc-ad)(5bc+2ad) + \frac{3}{4}bd(5bc-3ad)x}{x(a+bx)^{3/2}(c+dx)} dx, x, \frac{1}{x} \right)}{3a^2c(bc - ad)} \\
&= \frac{b(5bc - 3ad)}{3a^2c(bc - ad) \left(a + \frac{b}{x}\right)^{3/2}} + \frac{b(5b^2c^2 - 8abcd + a^2d^2)}{a^3c(bc - ad)^2 \sqrt{a + \frac{b}{x}}} + \frac{x}{ac \left(a + \frac{b}{x}\right)^{3/2}} + \frac{4 \text{Subst} \left(\int \frac{\frac{3}{8}d^2(bc-ad)(5bc+2ad) + \frac{3}{8}bd^2(5bc-3ad)x}{x(a+bx)^{3/2}(c+dx)} dx, x, \frac{1}{x} \right)}{3a^2c(bc - ad)} \\
&= \frac{b(5bc - 3ad)}{3a^2c(bc - ad) \left(a + \frac{b}{x}\right)^{3/2}} + \frac{b(5b^2c^2 - 8abcd + a^2d^2)}{a^3c(bc - ad)^2 \sqrt{a + \frac{b}{x}}} + \frac{x}{ac \left(a + \frac{b}{x}\right)^{3/2}} - \frac{d^4 \text{Subst} \left(\int \frac{\frac{3}{8}d^2(bc-ad)(5bc+2ad) + \frac{3}{8}bd^2(5bc-3ad)x}{x(a+bx)^{3/2}(c+dx)} dx, x, \frac{1}{x} \right)}{c^2(bc - ad)} \\
&= \frac{b(5bc - 3ad)}{3a^2c(bc - ad) \left(a + \frac{b}{x}\right)^{3/2}} + \frac{b(5b^2c^2 - 8abcd + a^2d^2)}{a^3c(bc - ad)^2 \sqrt{a + \frac{b}{x}}} + \frac{x}{ac \left(a + \frac{b}{x}\right)^{3/2}} - \frac{(2d^4) \text{Subst} \left(\int \frac{\frac{3}{8}d^2(bc-ad)(5bc+2ad) + \frac{3}{8}bd^2(5bc-3ad)x}{x(a+bx)^{3/2}(c+dx)} dx, x, \frac{1}{x} \right)}{c^2(bc - ad)} \\
&= \frac{b(5bc - 3ad)}{3a^2c(bc - ad) \left(a + \frac{b}{x}\right)^{3/2}} + \frac{b(5b^2c^2 - 8abcd + a^2d^2)}{a^3c(bc - ad)^2 \sqrt{a + \frac{b}{x}}} + \frac{x}{ac \left(a + \frac{b}{x}\right)^{3/2}} - \frac{2d^{7/2} \tan^{-1} \left(\frac{d \sqrt{a + \frac{b}{x}}}{c \sqrt{bc - ad}} \right)}{c^2(bc - ad)}
\end{aligned}$$

Mathematica [C] time = 0.08, size = 118, normalized size = 0.59

$$\frac{x \left((ad - bc) \left((2ad + 5bc) {}_2F_1 \left(-\frac{3}{2}, 1; -\frac{1}{2}; \frac{b}{ax} + 1 \right) + 3acx \right) - 2a^2d^2 {}_2F_1 \left(-\frac{3}{2}, 1; -\frac{1}{2}; \frac{d \left(a + \frac{b}{x} \right)}{ad - bc} \right) \right)}{3a^2c^2 \sqrt{a + \frac{b}{x}} (ax + b)(ad - bc)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b/x)^(5/2)*(c + d/x)), x]

[Out] $(x*(-2*a^2*d^2*Hypergeometric2F1[-3/2, 1, -1/2, (d*(a + b/x))/(-(b*c) + a*d)] + (- (b*c) + a*d)*(3*a*c*x + (5*b*c + 2*a*d)*Hypergeometric2F1[-3/2, 1, -1/2, 1 + b/(a*x)])))/(3*a^2*c^2*(-(b*c) + a*d)*Sqrt[a + b/x]*(b + a*x))$

IntegrateAlgebraic [A] time = 0.46, size = 237, normalized size = 1.18

$$\frac{(-2ad - 5bc) \tanh^{-1}\left(\frac{\sqrt{\frac{ax+b}{a}}}{\sqrt{a}}\right) + \sqrt{\frac{ax+b}{a}} \left(3a^4d^2x^3 - 6a^3bcdx^3 + 6a^3bd^2x^2 + 3a^2b^2c^2x^3 - 32a^2b^2cdx^2 + 3a^2b^2d^2x + 20ab^3c^2x^2 - 24ab^3cdx + 15b^4c^2x\right)}{a^{7/2}c^2} + \frac{3a^3c(ax+b)^2(ad-bc)^2}{3a^3c(ax+b)^2(ad-bc)^2} - \frac{2d^{7/2} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{\frac{ax+b}{a}}}{\sqrt{bc-ad}}\right)}{c^2(bc-ad)^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b/x)^(5/2)*(c + d/x)),x]

[Out] $(Sqrt[(b + a*x)/x]*(15*b^4*c^2*x - 24*a*b^3*c*d*x + 3*a^2*b^2*d^2*x + 20*a*b^3*c^2*x^2 - 32*a^2*b^2*c*d*x^2 + 6*a^3*b*d^2*x^2 + 3*a^2*b^2*c^2*x^3 - 6*a^3*b*c*d*x^3 + 3*a^4*d^2*x^3))/(3*a^3*c*(-(b*c) + a*d)^2*(b + a*x)^2 - (2*d^(7/2)*ArcTan[(Sqrt[d]*Sqrt[(b + a*x)/x])/Sqrt[b*c - a*d]])/(c^2*(b*c - a*d)^(5/2)) + ((-5*b*c - 2*a*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/(a^(7/2)*c^2)$

fricas [B] time = 4.97, size = 1990, normalized size = 9.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(5/2)/(c+d/x),x, algorithm="fricas")

[Out] $[1/6*(3*(5*b^5*c^3 - 8*a*b^4*c^2*d + a^2*b^3*c*d^2 + 2*a^3*b^2*d^3 + (5*a^2*b^3*c^3 - 8*a^3*b^2*c^2*d + a^4*b*c*d^2 + 2*a^5*d^3)*x^2 + 2*(5*a*b^4*c^3 - 8*a^2*b^3*c^2*d + a^3*b^2*c*d^2 + 2*a^4*b*d^3)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) + 6*(a^6*d^3*x^2 + 2*a^5*b*d^3*x + a^4*b^2*d^3)*sqrt(-d/(b*c - a*d))*log(-(2*(b*c - a*d)*x*sqrt(-d/(b*c - a*d))*sqrt((a*x + b)/x) - b*d + (b*c - 2*a*d)*x)/(c*x + d)) + 2*(3*(a^3*b^2*c^3 - 2*a^4*b*c^2*d + a^5*c*d^2)*x^3 + 2*(10*a^2*b^3*c^3 - 16*a^3*b^2*c^2*d + 3*a^4*b*c*d^2)*x^2 + 3*(5*a*b^4*c^3 - 8*a^2*b^3*c^2*d + a^3*b^2*c*d^2)*x)*sqrt((a*x + b)/x))/(a^4*b^4*c^4 - 2*a^5*b^3*c^3*d + a^6*b^2*c^2*d^2 + (a^6*b^2*c^4 - 2*a^7*b*c^3*d + a^8*c^2*d^2)*x^2 + 2*(a^5*b^3*c^4 - 2*a^6*b^2*c^3*d + a^7*b*c^2*d^2)*x), 1/3*(3*(5*b^5*c^3 - 8*a*b^4*c^2*d + a^2*b^3*c*d^2 + 2*a^3*b^2*d^3 + (5*a^2*b^3*c^3 - 8*a^3*b^2*c^2*d + a^4*b*c*d^2 + 2*a^5*d^3)*x^2 + 2*(5*a*b^4*c^3 - 8*a^2*b^3*c^2*d + a^3*b^2*c*d^2 + 2*a^4*b*d^3)*x)*sqrt(-a)*arctan(sqrt(-a)*sqrt((a*x + b)/x)/a) + 3*(a^6*d^3*x^2 + 2*a^5*b*d^3*x + a^4*b^2*d^3)*sqrt(-d/(b*c - a*d))*log(-(2*(b*c - a*d)*x*sqrt(-d/(b*c - a*d))*sqrt((a*x + b)/x) - b*d + (b*c - 2*a*d)*x)/(c*x + d)) + (3*(a^3*b^2*c^3 - 2*a^4*b*c^2*d + a^5*c*d^2)*x^3 + 2*(10*a^2*b^3*c^3 - 16*a^3*b^2*c^2*d + 3*a^4*b*c*d^2)*x^2 + 3*(5*a*b^4*c^3 - 8*a^2*b^3*c^2*d + a^3*b^2*c*d^2)*x)*sqrt((a*x + b)/x))/(a^4*b^4*c^4 - 2*a^5*b^3*c^3*d + a^6*b^2*c^2*d^2 + (a^6*b^2*c^4 - 2*a^7*b*c^3*d + a^8*c^2*d^2)*x^2 + 2*(a^5*b^3*c^4 - 2*a^6*b^2*c^3*d + a$

$$\begin{aligned} &^7*b*c^2*d^2)*x), -1/6*(12*(a^6*d^3*x^2 + 2*a^5*b*d^3*x + a^4*b^2*d^3)*\sqrt{d/(b*c - a*d)}*\arctan(-(b*c - a*d)*x*\sqrt{d/(b*c - a*d)}*\sqrt{(a*x + b)/x})/(a*d*x + b*d)) - 3*(5*b^5*c^3 - 8*a*b^4*c^2*d + a^2*b^3*c*d^2 + 2*a^3*b^2*d^3 + (5*a^2*b^3*c^3 - 8*a^3*b^2*c^2*d + a^4*b*c*d^2 + 2*a^5*d^3)*x^2 + 2*(5*a*b^4*c^3 - 8*a^2*b^3*c^2*d + a^3*b^2*c*d^2 + 2*a^4*b*d^3)*x)*\sqrt{a}*\log(2*a*x - 2*\sqrt{a}*x*\sqrt{(a*x + b)/x}) + b) - 2*(3*(a^3*b^2*c^3 - 2*a^4*b*c^2*d + a^5*c*d^2)*x^3 + 2*(10*a^2*b^3*c^3 - 16*a^3*b^2*c^2*d + 3*a^4*b*c*d^2)*x^2 + 3*(5*a*b^4*c^3 - 8*a^2*b^3*c^2*d + a^3*b^2*c*d^2)*x)*\sqrt{(a*x + b)/x))/(a^4*b^4*c^4 - 2*a^5*b^3*c^3*d + a^6*b^2*c^2*d^2 + (a^6*b^2*c^4 - 2*a^7*b*c^3*d + a^8*c^2*d^2)*x^2 + 2*(a^5*b^3*c^4 - 2*a^6*b^2*c^3*d + a^7*b*c^2*d^2)*x), -1/3*(6*(a^6*d^3*x^2 + 2*a^5*b*d^3*x + a^4*b^2*d^3)*\sqrt{d/(b*c - a*d)}*\arctan(-(b*c - a*d)*x*\sqrt{d/(b*c - a*d)}*\sqrt{(a*x + b)/x})/(a*d*x + b*d)) - 3*(5*b^5*c^3 - 8*a*b^4*c^2*d + a^2*b^3*c*d^2 + 2*a^3*b^2*d^3 + (5*a^2*b^3*c^3 - 8*a^3*b^2*c^2*d + a^4*b*c*d^2 + 2*a^5*d^3)*x^2 + 2*(5*a*b^4*c^3 - 8*a^2*b^3*c^2*d + a^3*b^2*c*d^2 + 2*a^4*b*d^3)*x)*\sqrt{-a}*\arctan(\sqrt{-a}*\sqrt{(a*x + b)/x})/a) - (3*(a^3*b^2*c^3 - 2*a^4*b*c^2*d + a^5*c*d^2)*x^3 + 2*(10*a^2*b^3*c^3 - 16*a^3*b^2*c^2*d + 3*a^4*b*c*d^2)*x^2 + 3*(5*a*b^4*c^3 - 8*a^2*b^3*c^2*d + a^3*b^2*c*d^2)*x)*\sqrt{(a*x + b)/x))/(a^4*b^4*c^4 - 2*a^5*b^3*c^3*d + a^6*b^2*c^2*d^2 + (a^6*b^2*c^4 - 2*a^7*b*c^3*d + a^8*c^2*d^2)*x^2 + 2*(a^5*b^3*c^4 - 2*a^6*b^2*c^3*d + a^7*b*c^2*d^2)*x)] \end{aligned}$$

giac [A] time = 0.22, size = 247, normalized size = 1.23

$$-\frac{1}{3} \left(\frac{6d^4 \arctan\left(\frac{d\sqrt{\frac{ax+b}{x}}}{\sqrt{bcd-ad^2}}\right)}{(b^4c^4 - 2ab^3c^3d + a^2b^2c^2d^2)\sqrt{bcd-ad^2}} - \frac{2\left(abc - a^2d + \frac{6(ax+b)bc}{x} - \frac{9(ax+b)ad}{x}\right)x}{(a^3b^2c^2 - 2a^4bcd + a^5d^2)(ax+b)\sqrt{\frac{ax+b}{x}}} + \frac{3\sqrt{\frac{ax+b}{x}}}{\left(a - \frac{ax+b}{x}\right)a^3bc} - \frac{3(5bc + 2ad) \arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}a^3b^2c^2} \right) b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(5/2)/(c+d/x),x, algorithm="giac")

[Out]
$$-1/3*(6*d^4*\arctan(d*\sqrt{(a*x + b)/x})/\sqrt{b*c*d - a*d^2})/((b^4*c^4 - 2*a*b^3*c^3*d + a^2*b^2*c^2*d^2)*\sqrt{b*c*d - a*d^2}) - 2*(a*b*c - a^2*d + 6*(a*x + b)*b*c/x - 9*(a*x + b)*a*d/x)*x/((a^3*b^2*c^2 - 2*a^4*b*c*d + a^5*d^2)*(a*x + b)*\sqrt{(a*x + b)/x}) + 3*\sqrt{(a*x + b)/x}/((a - (a*x + b)/x)*a^3*b*c) - 3*(5*b*c + 2*a*d)*\arctan(\sqrt{(a*x + b)/x})/\sqrt{-a})/(\sqrt{-a}*a^3*b^2*c^2)*b^2$$

maple [B] time = 0.07, size = 1767, normalized size = 8.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b/x)^(5/2)/(c+d/x),x)

[Out]
$$\begin{aligned}
& -1/6*(15*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c \\
& ^2*d)^{(1/2)}*b^6*c^4+6*a^{(13/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}* \\
& ((a*x+b)*x)^{(1/2)}*c)/(c*x+d))*x^3*d^4+6*a^{(7/2)}*\ln((-2*a*d*x+b*c*x-b*d \\
& +2*((a*d-b*c)/c^2*d)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))*b^3*d^4+3*\ln(1/2*(\\
& 2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*a^2*b \\
& ^4*c^2*d^2+45*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b \\
& *c)/c^2*d)^{(1/2)}*x^2*a^2*b^4*c^4+6*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/ \\
& a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^3*a^6*c*d^3+15*\ln(1/2*(2*a*x+b+2*((a \\
& *x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^3*a^3*b^3*c^4-3 \\
& 0*a^{(7/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^3*b^2*c^4+24*a^{(5/2)}* \\
& ((a*x+b)*x)^{(3/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x*b^2*c^4-90*a^{(5/2)}*((a*x+b)*x)^{(1/2)}* \\
& ((a*d-b*c)/c^2*d)^{(1/2)}*x^2*b^3*c^4-32*a^{(5/2)}*((a*x+b)*x)^{(3/2)}*((a \\
& d-b*c)/c^2*d)^{(1/2)}*b^2*c^3*d-90*a^{(3/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d \\
&)^{(1/2)}*x*b^4*c^4-6*a^{(5/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*b^3*c \\
& ^2*d^2+48*a^{(3/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*b^4*c^3*d-6*a^{(11/2)}* \\
& ((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^3*c^2*d^2+45*\ln(1/2*(2*a* \\
& x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x*a*b^5*c \\
& ^4+6*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d \\
&)^{(1/2)}*a^3*b^3*c*d^3-24*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})* \\
& ((a*d-b*c)/c^2*d)^{(1/2)}*a*b^5*c^3*d+144*a^{(7/2)}*((a*x+b)*x)^{(1/2)}*((a*d \\
& -b*c)/c^2*d)^{(1/2)}*x^2*b^2*c^3*d-18*a^{(7/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^ \\
& 2*d)^{(1/2)}*x*b^2*c^2*d^2+144*a^{(5/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}* \\
& x*b^3*c^3*d-18*a^{(9/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^2*b* \\
& c^2*d^2+48*a^{(9/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^3*b*c^3*d-36 \\
& *a^{(7/2)}*((a*x+b)*x)^{(3/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x*b*c^3*d+3*\ln(1/2*(2*a* \\
& x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^3*a^5*b \\
& *c^2*d^2-24*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c \\
&)/c^2*d)^{(1/2)}*x^3*a^4*b^2*c^3*d+18*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/ \\
& a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^2*a^5*b*c*d^3+9*\ln(1/2*(2*a*x+b+2* \\
& ((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^2*a^4*b^2*c^2 \\
& *d^2-72*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^ \\
& 2*d)^{(1/2)}*x^2*a^3*b^3*c^3*d+18*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/ \\
& a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x*a^4*b^2*c*d^3+9*\ln(1/2*(2*a*x+b+2*((a* \\
& x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x*a^3*b^3*c^2*d^2-7 \\
& 2*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}* \\
& x*a^2*b^4*c^3*d+18*a^{(11/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d) \\
& ^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d))*x^2*b*d^4-30*a^{(1/2)}*((a*x+b)*x)^{(1/2)} \\
& *((a*d-b*c)/c^2*d)^{(1/2)}*b^5*c^4+20*a^{(3/2)}*((a*x+b)*x)^{(3/2)}*((a*d-b*c)/c^ \\
& 2*d)^{(1/2)}*b^3*c^4+18*a^{(9/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}* \\
& ((a*x+b)*x)^{(1/2)}*c)/(c*x+d))*x*b^2*d^4)*x*((a*x+b)/x)^{(1/2)}/a^{(7/2)}/(a \\
& *x+b)^3/((a*d-b*c)/c^2*d)^{(1/2)}/c^3/(a*d-b*c)^2/((a*x+b)*x)^{(1/2)}
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a + \frac{b}{x}\right)^{\frac{5}{2}} \left(c + \frac{d}{x}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(5/2)/(c+d/x),x, algorithm="maxima")

[Out] integrate(1/((a + b/x)^(5/2)*(c + d/x)), x)

mupad [B] time = 4.62, size = 5387, normalized size = 26.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b/x)^(5/2)*(c + d/x)),x)

[Out] - ((2*b^2)/(3*(a^2*d - a*b*c)) + (2*b^2*(a + b/x)*(8*a*d - 5*b*c))/(3*(a^2*d - a*b*c)^2) + (b*(a + b/x)^2*(a^2*d^2 + 5*b^2*c^2 - 8*a*b*c*d))/(a^2*c*(a^2*d - a*b*c)*(a*d - b*c)))/(a*(a + b/x)^(3/2) - (a + b/x)^(5/2)) - (atan(((a + b/x)^(1/2)*(50*a^9*b^14*c^15*d^3 - 460*a^10*b^13*c^14*d^4 + 1858*a^11*b^12*c^13*d^5 - 4280*a^12*b^11*c^12*d^6 + 6060*a^13*b^10*c^11*d^7 - 5160*a^14*b^9*c^10*d^8 + 2108*a^15*b^8*c^9*d^9 + 336*a^16*b^7*c^8*d^10 - 750*a^17*b^6*c^7*d^11 + 180*a^18*b^5*c^6*d^12 + 130*a^19*b^4*c^5*d^13 - 88*a^20*b^3*c^4*d^14 + 16*a^21*b^2*c^3*d^15) - ((2*a*d + 5*b*c)*(20*a^12*b^14*c^17*d^2 - 212*a^13*b^13*c^16*d^3 + 1012*a^14*b^12*c^15*d^4 - 2860*a^15*b^11*c^14*d^5 + 5288*a^16*b^10*c^13*d^6 - 6664*a^17*b^9*c^12*d^7 + 5768*a^18*b^8*c^11*d^8 - 3352*a^19*b^7*c^10*d^9 + 1220*a^20*b^6*c^9*d^10 - 228*a^21*b^5*c^8*d^11 + 4*a^22*b^4*c^7*d^12 + 4*a^23*b^3*c^6*d^13 - ((a + b/x)^(1/2)*(2*a*d + 5*b*c)*(8*a^15*b^13*c^18*d^2 - 96*a^16*b^12*c^17*d^3 + 520*a^17*b^11*c^16*d^4 - 1680*a^18*b^10*c^15*d^5 + 3600*a^19*b^9*c^14*d^6 - 5376*a^20*b^8*c^13*d^7 + 5712*a^21*b^7*c^12*d^8 - 4320*a^22*b^6*c^11*d^9 + 2280*a^23*b^5*c^10*d^10 - 800*a^24*b^4*c^9*d^11 + 168*a^25*b^3*c^8*d^12 - 16*a^26*b^2*c^7*d^13) - ((a + b/x)^(1/2)*(2*a*d + 5*b*c)*(20*a^12*b^14*c^17*d^2 - 212*a^13*b^13*c^16*d^3 + 1012*a^14*b^12*c^15*d^4 - 2860*a^15*b^11*c^14*d^5 + 5288*a^16*b^10*c^13*d^6 - 6664*a^17*b^9*c^12*d^7 + 5768*a^18*b^8*c^11*d^8 - 3352*a^19*b^7*c^10*d^9 + 1220*a^20*b^6*c^9*d^10 - 228*a^21*b^5*c^8*d^11 + 4*a^22*b^4*c^7*d^12 + 4*a^23*b^3*c^6*d^13 + ((a + b/x)^(1/2)*(2*a*d + 5*b*c)*(8*a^15*b^13*c^18*d^2 - 96*a^16*b^12*c^17*d^3 + 520*a

$$\begin{aligned}
& ^{17}b^{11}c^{16}d^4 - 1680a^{18}b^{10}c^{15}d^5 + 3600a^{19}b^9c^{14}d^6 - 5376 \\
& a^{20}b^8c^{13}d^7 + 5712a^{21}b^7c^{12}d^8 - 4320a^{22}b^6c^{11}d^9 + 2280 \\
& a^{23}b^5c^{10}d^{10} - 800a^{24}b^4c^9d^{11} + 168a^{25}b^3c^8d^{12} - 16a^{26}b^2c^7d^{13}) / (2c^2(a^7)^{(1/2)})) / (2c^2(a^7)^{(1/2)})) * (2ad + 5bc \\
&) * i) / (2c^2(a^7)^{(1/2)})) / (100a^9b^{12}c^{11}d^6 - 720a^{10}b^{11}c^{10}d^7 \\
& + 2176a^{11}b^{10}c^9d^8 - 3528a^{12}b^9c^8d^9 + 3192a^{13}b^8c^7d^{10} - \\
& 1400a^{14}b^7c^6d^{11} + 264a^{16}b^5c^4d^{13} - 92a^{17}b^4c^3d^{14} + 8a^{18}b^3c^2d^{15} + ((a + b/x)^{(1/2)} * (50a^9b^{14}c^{15}d^3 - 460a^{10}b^{13} \\
& c^{14}d^4 + 1858a^{11}b^{12}c^{13}d^5 - 4280a^{12}b^{11}c^{12}d^6 + 6060a^{13}b^{10}c^{11}d^7 - 5160a^{14}b^9c^{10}d^8 + 2108a^{15}b^8c^9d^9 + 336a^{16}b^7c^8d^{10} \\
& - 750a^{17}b^6c^7d^{11} + 180a^{18}b^5c^6d^{12} + 130a^{19}b^4c^5d^{13} - 88a^{20}b^3c^4d^{14} + 16a^{21}b^2c^3d^{15}) - ((2ad + 5bc) * (\\
& 20a^{12}b^{14}c^{17}d^2 - 212a^{13}b^{13}c^{16}d^3 + 1012a^{14}b^{12}c^{15}d^4 - 2860a^{15}b^{11}c^{14}d^5 + 5288a^{16}b^{10}c^{13}d^6 - 6664a^{17}b^9c^{12}d^7 \\
& + 5768a^{18}b^8c^{11}d^8 - 3352a^{19}b^7c^{10}d^9 + 1220a^{20}b^6c^9d^{10} - 228a^{21}b^5c^8d^{11} + 4a^{22}b^4c^7d^{12} + 4a^{23}b^3c^6d^{13} - ((a + \\
& b/x)^{(1/2)} * (2ad + 5bc) * (8a^{15}b^{13}c^{18}d^2 - 96a^{16}b^{12}c^{17}d^3 + 520a^{17}b^{11}c^{16}d^4 - 1680a^{18}b^{10}c^{15}d^5 + 3600a^{19}b^9c^{14}d^6 \\
& - 5376a^{20}b^8c^{13}d^7 + 5712a^{21}b^7c^{12}d^8 - 4320a^{22}b^6c^{11}d^9 + 2280a^{23}b^5c^{10}d^{10} - 800a^{24}b^4c^9d^{11} + 168a^{25}b^3c^8d^{12} - \\
& 16a^{26}b^2c^7d^{13})) / (2c^2(a^7)^{(1/2)})) / (2c^2(a^7)^{(1/2)})) * (2ad + 5bc) / (2c^2(a^7)^{(1/2)}) - (((a + b/x)^{(1/2)} * (50a^9b^{14}c^{15}d^3 - 46 \\
& 0a^{10}b^{13}c^{14}d^4 + 1858a^{11}b^{12}c^{13}d^5 - 4280a^{12}b^{11}c^{12}d^6 + 6060a^{13}b^{10}c^{11}d^7 - 5160a^{14}b^9c^{10}d^8 + 2108a^{15}b^8c^9d^9 + \\
& 336a^{16}b^7c^8d^{10} - 750a^{17}b^6c^7d^{11} + 180a^{18}b^5c^6d^{12} + 130a^{19}b^4c^5d^{13} - 88a^{20}b^3c^4d^{14} + 16a^{21}b^2c^3d^{15}) + ((2ad \\
& + 5bc) * (20a^{12}b^{14}c^{17}d^2 - 212a^{13}b^{13}c^{16}d^3 + 1012a^{14}b^{12}c^{15}d^4 - 2860a^{15}b^{11}c^{14}d^5 + 5288a^{16}b^{10}c^{13}d^6 - 6664a^{17}b^9c^{12}d^7 \\
& + 5768a^{18}b^8c^{11}d^8 - 3352a^{19}b^7c^{10}d^9 + 1220a^{20}b^6c^9d^{10} - 228a^{21}b^5c^8d^{11} + 4a^{22}b^4c^7d^{12} + 4a^{23}b^3c^6d^{13} + ((a + b/x)^{(1/2)} * (2ad + 5bc) * (8a^{15}b^{13}c^{18}d^2 - 96a^{16}b^{12} \\
& c^{17}d^3 + 520a^{17}b^{11}c^{16}d^4 - 1680a^{18}b^{10}c^{15}d^5 + 3600a^{19}b^9c^{14}d^6 - 5376a^{20}b^8c^{13}d^7 + 5712a^{21}b^7c^{12}d^8 - 4320a^{22}b^6c^{11}d^9 + 2280a^{23}b^5c^{10}d^{10} - 800a^{24}b^4c^9d^{11} + 168a^{25}b^3 \\
& c^8d^{12} - 16a^{26}b^2c^7d^{13})) / (2c^2(a^7)^{(1/2)})) / (2c^2(a^7)^{(1/2)})) * (2ad + 5bc) * i) / (c^2(a^7)^{(1/2)}) - (atan((((d^7(a*d - b*c)^5)^{(1/2)} * ((a + b/x)^{(1/2)} * (50a^9b^{14}c^{15} \\
& d^3 - 460a^{10}b^{13}c^{14}d^4 + 1858a^{11}b^{12}c^{13}d^5 - 4280a^{12}b^{11}c^{12}d^6 + 6060a^{13}b^{10}c^{11}d^7 - 5160a^{14}b^9c^{10}d^8 + 2108a^{15}b^8c^9d^9 + 336a^{16}b^7c^8d^{10} \\
& - 750a^{17}b^6c^7d^{11} + 180a^{18}b^5c^6d^{12} + 130a^{19}b^4c^5d^{13} - 88a^{20}b^3c^4d^{14} + 16a^{21}b^2c^3d^{15}) + ((d^7(a*d - b*c)^5)^{(1/2)} * (20a^{12}b^{14}c^{17}d^2 - 212a^{13}b^{13}c^{16}d^3 \\
& + 1012a^{14}b^{12}c^{15}d^4 - 2860a^{15}b^{11}c^{14}d^5 + 5288a^{16}b^{10}c^{13}d^6 - 6664a^{17}b^9c^{12}d^7 + 5768a^{18}b^8c^{11}d^8 - 3352a^{19}b^7c^{10}d^9 + 1220a^{20}b^6c^9d^{10} - 228a^{21}b^5c^8d^{11} + 4a^{22}b^4c^7d^{12}
\end{aligned}$$

$$\begin{aligned}
& + 4*a^{23}*b^3*c^6*d^{13} + ((d^7*(a*d - b*c)^5)^{(1/2)}*(a + b/x)^{(1/2)}*(8*a^{15} \\
& *b^{13}*c^{18}*d^2 - 96*a^{16}*b^{12}*c^{17}*d^3 + 520*a^{17}*b^{11}*c^{16}*d^4 - 1680*a^{18} \\
& *b^{10}*c^{15}*d^5 + 3600*a^{19}*b^9*c^{14}*d^6 - 5376*a^{20}*b^8*c^{13}*d^7 + 5712*a^{21} \\
& *b^7*c^{12}*d^8 - 4320*a^{22}*b^6*c^{11}*d^9 + 2280*a^{23}*b^5*c^{10}*d^{10} - 800*a^{24} \\
& *b^4*c^9*d^{11} + 168*a^{25}*b^3*c^8*d^{12} - 16*a^{26}*b^2*c^7*d^{13}))/((c^2*(a*d - \\
& b*c)^5)))/((c^2*(a*d - b*c)^5))*i1)/((c^2*(a*d - b*c)^5) + ((d^7*(a*d - b*c) \\
& ^5)^{(1/2)}*((a + b/x)^{(1/2)}*(50*a^9*b^{14}*c^{15}*d^3 - 460*a^{10}*b^{13}*c^{14}*d^4 + \\
& 1858*a^{11}*b^{12}*c^{13}*d^5 - 4280*a^{12}*b^{11}*c^{12}*d^6 + 6060*a^{13}*b^{10}*c^{11}*d^7 \\
& - 5160*a^{14}*b^9*c^{10}*d^8 + 2108*a^{15}*b^8*c^9*d^9 + 336*a^{16}*b^7*c^8*d^{10} \\
& - 750*a^{17}*b^6*c^7*d^{11} + 180*a^{18}*b^5*c^6*d^{12} + 130*a^{19}*b^4*c^5*d^{13} - 8 \\
& 8*a^{20}*b^3*c^4*d^{14} + 16*a^{21}*b^2*c^3*d^{15}) - ((d^7*(a*d - b*c)^5)^{(1/2)}*(2 \\
& 0*a^{12}*b^{14}*c^{17}*d^2 - 212*a^{13}*b^{13}*c^{16}*d^3 + 1012*a^{14}*b^{12}*c^{15}*d^4 - 2 \\
& 860*a^{15}*b^{11}*c^{14}*d^5 + 5288*a^{16}*b^{10}*c^{13}*d^6 - 6664*a^{17}*b^9*c^{12}*d^7 + \\
& 5768*a^{18}*b^8*c^{11}*d^8 - 3352*a^{19}*b^7*c^{10}*d^9 + 1220*a^{20}*b^6*c^9*d^{10} - \\
& 228*a^{21}*b^5*c^8*d^{11} + 4*a^{22}*b^4*c^7*d^{12} + 4*a^{23}*b^3*c^6*d^{13} - ((d^7*(\\
& a*d - b*c)^5)^{(1/2)}*(a + b/x)^{(1/2)}*(8*a^{15}*b^{13}*c^{18}*d^2 - 96*a^{16}*b^{12}*c \\
& ^{17}*d^3 + 520*a^{17}*b^{11}*c^{16}*d^4 - 1680*a^{18}*b^{10}*c^{15}*d^5 + 3600*a^{19}*b^9* \\
& c^{14}*d^6 - 5376*a^{20}*b^8*c^{13}*d^7 + 5712*a^{21}*b^7*c^{12}*d^8 - 4320*a^{22}*b^6* \\
& c^{11}*d^9 + 2280*a^{23}*b^5*c^{10}*d^{10} - 800*a^{24}*b^4*c^9*d^{11} + 168*a^{25}*b^3*c \\
& ^8*d^{12} - 16*a^{26}*b^2*c^7*d^{13}))/((c^2*(a*d - b*c)^5)))/((c^2*(a*d - b*c)^5)) \\
& *i1)/((c^2*(a*d - b*c)^5))/(((d^7*(a*d - b*c)^5)^{(1/2)}*((a + b/x)^{(1/2)}*(50* \\
& a^9*b^{14}*c^{15}*d^3 - 460*a^{10}*b^{13}*c^{14}*d^4 + 1858*a^{11}*b^{12}*c^{13}*d^5 - 4280 \\
& *a^{12}*b^{11}*c^{12}*d^6 + 6060*a^{13}*b^{10}*c^{11}*d^7 - 5160*a^{14}*b^9*c^{10}*d^8 + 21 \\
& 08*a^{15}*b^8*c^9*d^9 + 336*a^{16}*b^7*c^8*d^{10} - 750*a^{17}*b^6*c^7*d^{11} + 180*a \\
& ^{18}*b^5*c^6*d^{12} + 130*a^{19}*b^4*c^5*d^{13} - 88*a^{20}*b^3*c^4*d^{14} + 16*a^{21}*b \\
& ^2*c^3*d^{15}) - ((d^7*(a*d - b*c)^5)^{(1/2)}*(20*a^{12}*b^{14}*c^{17}*d^2 - 212*a^{13} \\
& *b^{13}*c^{16}*d^3 + 1012*a^{14}*b^{12}*c^{15}*d^4 - 2860*a^{15}*b^{11}*c^{14}*d^5 + 5288*a \\
& ^{16}*b^{10}*c^{13}*d^6 - 6664*a^{17}*b^9*c^{12}*d^7 + 5768*a^{18}*b^8*c^{11}*d^8 - 3352* \\
& a^{19}*b^7*c^{10}*d^9 + 1220*a^{20}*b^6*c^9*d^{10} - 228*a^{21}*b^5*c^8*d^{11} + 4*a^{22} \\
& *b^4*c^7*d^{12} + 4*a^{23}*b^3*c^6*d^{13} - ((d^7*(a*d - b*c)^5)^{(1/2)}*(a + b/x)^ \\
& (1/2)* (8*a^{15}*b^{13}*c^{18}*d^2 - 96*a^{16}*b^{12}*c^{17}*d^3 + 520*a^{17}*b^{11}*c^{16}*d^ \\
& 4 - 1680*a^{18}*b^{10}*c^{15}*d^5 + 3600*a^{19}*b^9*c^{14}*d^6 - 5376*a^{20}*b^8*c^{13}*d \\
& ^7 + 5712*a^{21}*b^7*c^{12}*d^8 - 4320*a^{22}*b^6*c^{11}*d^9 + 2280*a^{23}*b^5*c^{10}*d \\
& ^{10} - 800*a^{24}*b^4*c^9*d^{11} + 168*a^{25}*b^3*c^8*d^{12} - 16*a^{26}*b^2*c^7*d^{13} \\
&))/(c^2*(a*d - b*c)^5)))/((c^2*(a*d - b*c)^5)))/((c^2*(a*d - b*c)^5) - ((d^7*(\\
& a*d - b*c)^5)^{(1/2)}*((a + b/x)^{(1/2)}*(50*a^9*b^{14}*c^{15}*d^3 - 460*a^{10}*b^{13}* \\
& c^{14}*d^4 + 1858*a^{11}*b^{12}*c^{13}*d^5 - 4280*a^{12}*b^{11}*c^{12}*d^6 + 6060*a^{13}*b^ \\
& 10*c^{11}*d^7 - 5160*a^{14}*b^9*c^{10}*d^8 + 2108*a^{15}*b^8*c^9*d^9 + 336*a^{16}*b^7 \\
& *c^8*d^{10} - 750*a^{17}*b^6*c^7*d^{11} + 180*a^{18}*b^5*c^6*d^{12} + 130*a^{19}*b^4*c^ \\
& 5*d^{13} - 88*a^{20}*b^3*c^4*d^{14} + 16*a^{21}*b^2*c^3*d^{15}) + ((d^7*(a*d - b*c)^5) \\
& ^{(1/2)}*(20*a^{12}*b^{14}*c^{17}*d^2 - 212*a^{13}*b^{13}*c^{16}*d^3 + 1012*a^{14}*b^{12}*c^ \\
& 15*d^4 - 2860*a^{15}*b^{11}*c^{14}*d^5 + 5288*a^{16}*b^{10}*c^{13}*d^6 - 6664*a^{17}*b^9* \\
& c^{12}*d^7 + 5768*a^{18}*b^8*c^{11}*d^8 - 3352*a^{19}*b^7*c^{10}*d^9 + 1220*a^{20}*b^6* \\
& c^9*d^{10} - 228*a^{21}*b^5*c^8*d^{11} + 4*a^{22}*b^4*c^7*d^{12} + 4*a^{23}*b^3*c^6*d^{1 \\
& 3 + ((d^7*(a*d - b*c)^5)^{(1/2)}*(a + b/x)^{(1/2)}*(8*a^{15}*b^{13}*c^{18}*d^2 - 96*a
\end{aligned}$$

```

^16*b^12*c^17*d^3 + 520*a^17*b^11*c^16*d^4 - 1680*a^18*b^10*c^15*d^5 + 3600
*a^19*b^9*c^14*d^6 - 5376*a^20*b^8*c^13*d^7 + 5712*a^21*b^7*c^12*d^8 - 4320
*a^22*b^6*c^11*d^9 + 2280*a^23*b^5*c^10*d^10 - 800*a^24*b^4*c^9*d^11 + 168*
a^25*b^3*c^8*d^12 - 16*a^26*b^2*c^7*d^13))/(c^2*(a*d - b*c)^5)))/(c^2*(a*d
- b*c)^5)))/(c^2*(a*d - b*c)^5) + 100*a^9*b^12*c^11*d^6 - 720*a^10*b^11*c^1
0*d^7 + 2176*a^11*b^10*c^9*d^8 - 3528*a^12*b^9*c^8*d^9 + 3192*a^13*b^8*c^7*
d^10 - 1400*a^14*b^7*c^6*d^11 + 264*a^16*b^5*c^4*d^13 - 92*a^17*b^4*c^3*d^1
4 + 8*a^18*b^3*c^2*d^15))*(d^7*(a*d - b*c)^5)^(1/2)*2i)/(c^2*(a*d - b*c)^5)

```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\left(a + \frac{b}{x}\right)^{\frac{5}{2}} (cx + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)**(5/2)/(c+d/x),x)

[Out] Integral(x/((a + b/x)**(5/2)*(c*x + d)), x)

$$3.167 \quad \int \frac{1}{\left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^2} dx$$

Optimal. Leaf size=287

$$\frac{(4ad + 5bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2}c^3} + \frac{b(6a^2d^2 - 6abcd + 5b^2c^2)}{3a^2c^2\left(a + \frac{b}{x}\right)^{3/2}(bc - ad)^2} + \frac{b(bc - 2ad)(a^2d^2 - abcd + 5b^2c^2)}{a^3c^2\sqrt{a + \frac{b}{x}}(bc - ad)^3} - \frac{d^{7/2}(9bc - 4ad)}{c^3(bc - ad)^{7/2}}$$

Rubi [A] time = 0.45, antiderivative size = 287, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {375, 103, 151, 152, 156, 63, 208, 205}

$$\frac{b(bc - 2ad)(a^2d^2 - abcd + 5b^2c^2)}{a^3c^2\sqrt{a + \frac{b}{x}}(bc - ad)^3} + \frac{b(6a^2d^2 - 6abcd + 5b^2c^2)}{3a^2c^2\left(a + \frac{b}{x}\right)^{3/2}(bc - ad)^2} - \frac{(4ad + 5bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2}c^3} - \frac{d^{7/2}(9bc - 4ad) \tan^{-1}\left(\frac{\sqrt{d}\sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right)}{c^3(bc - ad)^{7/2}} + \frac{d(bc - 2ad)}{ac^2\left(a + \frac{b}{x}\right)^{3/2}\left(c + \frac{d}{x}\right)(bc - ad)} + \frac{x}{ac\left(a + \frac{b}{x}\right)^{3/2}\left(c + \frac{d}{x}\right)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b/x)^(5/2)*(c + d/x)^2), x]

[Out] (b*(5*b^2*c^2 - 6*a*b*c*d + 6*a^2*d^2))/(3*a^2*c^2*(b*c - a*d)^2*(a + b/x)^(3/2)) + (b*(b*c - 2*a*d)*(5*b^2*c^2 - a*b*c*d + a^2*d^2))/(a^3*c^2*(b*c - a*d)^3*sqrt[a + b/x]) + (d*(b*c - 2*a*d))/(a*c^2*(b*c - a*d)*(a + b/x)^(3/2)*(c + d/x)) + x/(a*c*(a + b/x)^(3/2)*(c + d/x)) - (d^(7/2)*(9*b*c - 4*a*d)*ArcTan[(sqrt[d]*sqrt[a + b/x])/sqrt[b*c - a*d]])/(c^3*(b*c - a*d)^(7/2)) - ((5*b*c + 4*a*d)*ArcTanh[sqrt[a + b/x]/sqrt[a]])/(a^(7/2)*c^3)

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 103

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[

m] && (IntegerQ[n] || IntegersQ[2*n, 2*p])

Rule 151

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h]*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]

Rule 152

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h]*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]

Rule 156

Int[(((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a,

b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{\left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^2} dx &= -\text{Subst}\left(\int \frac{1}{x^2(a+bx)^{5/2}(c+dx)^2} dx, x, \frac{1}{x}\right) \\
 &= \frac{x}{ac\left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)} + \frac{\text{Subst}\left(\int \frac{\frac{1}{2}(5bc+4ad)+\frac{7bdx}{2}}{x(a+bx)^{5/2}(c+dx)^2} dx, x, \frac{1}{x}\right)}{ac} \\
 &= \frac{d(bc-2ad)}{ac^2(bc-ad)\left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)} + \frac{x}{ac\left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)} - \frac{\text{Subst}\left(\int \frac{-\frac{1}{2}(bc-ad)(5bc+4ad)}{x(a+bx)^{5/2}(c+dx)^2} dx, x, \frac{1}{x}\right)}{ac^2(bc-ad)} \\
 &= \frac{b(5b^2c^2 - 6abcd + 6a^2d^2)}{3a^2c^2(bc-ad)^2\left(a + \frac{b}{x}\right)^{3/2}} + \frac{d(bc-2ad)}{ac^2(bc-ad)\left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)} + \frac{x}{ac\left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)} \\
 &= \frac{b(5b^2c^2 - 6abcd + 6a^2d^2)}{3a^2c^2(bc-ad)^2\left(a + \frac{b}{x}\right)^{3/2}} + \frac{b(bc-2ad)(5b^2c^2 - abcd + a^2d^2)}{a^3c^2(bc-ad)^3\sqrt{a + \frac{b}{x}}} + \frac{d(bc-2ad)}{ac^2(bc-ad)\left(a + \frac{b}{x}\right)^{3/2}} \\
 &= \frac{b(5b^2c^2 - 6abcd + 6a^2d^2)}{3a^2c^2(bc-ad)^2\left(a + \frac{b}{x}\right)^{3/2}} + \frac{b(bc-2ad)(5b^2c^2 - abcd + a^2d^2)}{a^3c^2(bc-ad)^3\sqrt{a + \frac{b}{x}}} + \frac{d(bc-2ad)}{ac^2(bc-ad)\left(a + \frac{b}{x}\right)^{3/2}} \\
 &= \frac{b(5b^2c^2 - 6abcd + 6a^2d^2)}{3a^2c^2(bc-ad)^2\left(a + \frac{b}{x}\right)^{3/2}} + \frac{b(bc-2ad)(5b^2c^2 - abcd + a^2d^2)}{a^3c^2(bc-ad)^3\sqrt{a + \frac{b}{x}}} + \frac{d(bc-2ad)}{ac^2(bc-ad)\left(a + \frac{b}{x}\right)^{3/2}} \\
 &= \frac{b(5b^2c^2 - 6abcd + 6a^2d^2)}{3a^2c^2(bc-ad)^2\left(a + \frac{b}{x}\right)^{3/2}} + \frac{b(bc-2ad)(5b^2c^2 - abcd + a^2d^2)}{a^3c^2(bc-ad)^3\sqrt{a + \frac{b}{x}}} + \frac{d(bc-2ad)}{ac^2(bc-ad)\left(a + \frac{b}{x}\right)^{3/2}}
 \end{aligned}$$

Mathematica [C] time = 0.19, size = 178, normalized size = 0.62

$$\frac{x \left((ad - bc) \left(3acx(ad(cx + 2d) - bc(cx + d)) - (cx + d) (-4a^2d^2 - abcd + 5b^2c^2) {}_2F_1 \left(-\frac{3}{2}, 1; -\frac{1}{2}; \frac{b}{ax} + 1 \right) \right) + a^2d^2(cx + d)(9bc - 4ad) {}_2F_1 \left(-\frac{3}{2}, 1; -\frac{1}{2}; \frac{d(a + \frac{b}{x})}{ad - bc} \right) \right)}{3a^2c^3 \sqrt{a + \frac{b}{x}} (ax + b)(cx + d)(bc - ad)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b/x)^(5/2)*(c + d/x)^2),x]

[Out] (x*(a^2*d^2*(9*b*c - 4*a*d)*(d + c*x)*Hypergeometric2F1[-3/2, 1, -1/2, (d*(a + b/x))/(-(b*c) + a*d)] + (-(b*c) + a*d)*(3*a*c*x*(-(b*c*(d + c*x)) + a*d*(2*d + c*x)) - (5*b^2*c^2 - a*b*c*d - 4*a^2*d^2)*(d + c*x)*Hypergeometric2F1[-3/2, 1, -1/2, 1 + b/(a*x)])))/(3*a^2*c^3*(b*c - a*d)^2*sqrt[a + b/x]*(b + a*x)*(d + c*x))

IntegrateAlgebraic [A] time = 1.04, size = 393, normalized size = 1.37

$$\frac{(-4ad - 5bc) \operatorname{tanh}^{-1} \left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{\frac{ax+b}{x}}} \right) + \sqrt{\frac{ax+b}{x}} \left(3a^2cd^2x^4 + 6a^2d^2x^3 - 9a^2bc^2d^2x^4 - 3a^2bc^2d^2x^3 + 12a^2d^2x^2 + 9a^2b^2c^2d^2x^4 - 9a^2b^2c^2d^2x^3 - 15a^2b^2cd^2x^2 + 6a^2b^2d^2x - 3a^2b^2c^2d^2x + 41a^2b^2c^2d^2x^3 + 35a^2b^2c^2d^2x^2 - 9a^2b^2cd^2x - 20ab^4c^2x^3 + 13ab^4cd^2 + 33ab^4d^2x - 15b^5c^2d^2x - 15b^5c^2d^2 \right)}{3a^2c^2(ax + b)^2(cx + d)(ad - bc)^3} + \frac{(4ad^2 - 9bcd^2) \operatorname{tanh}^{-1} \left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{\frac{ax+b}{x}}} \right)}{c^3(bc - ad)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b/x)^(5/2)*(c + d/x)^2),x]

[Out] (sqrt[(b + a*x)/x]*(-15*b^5*c^3*d*x + 33*a*b^4*c^2*d^2*x - 9*a^2*b^3*c*d^3*x + 6*a^3*b^2*d^4*x - 15*b^5*c^4*x^2 + 13*a*b^4*c^3*d*x^2 + 35*a^2*b^3*c^2*d^2*x^2 - 15*a^3*b^2*c*d^3*x^2 + 12*a^4*b*d^4*x^2 - 20*a*b^4*c^4*x^3 + 41*a^2*b^3*c^3*d*x^3 - 9*a^3*b^2*c^2*d^2*x^3 - 3*a^4*b*c*d^3*x^3 + 6*a^5*d^4*x^3 - 3*a^2*b^3*c^4*x^4 + 9*a^3*b^2*c^3*d*x^4 - 9*a^4*b*c^2*d^2*x^4 + 3*a^5*c*d^3*x^4))/(3*a^3*c^2*(-(b*c) + a*d)^3*(b + a*x)^2*(d + c*x)) + ((-9*b*c*d^(7/2) + 4*a*d^(9/2))*ArcTan[(sqrt[d]*sqrt[(b + a*x)/x])/sqrt[b*c - a*d]])/(c^3*(b*c - a*d)^(7/2)) + ((-5*b*c - 4*a*d)*ArcTanh[sqrt[(b + a*x)/x]/sqrt[a]])/(a^(7/2)*c^3)

fricas [B] time = 5.15, size = 3887, normalized size = 13.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(5/2)/(c+d/x)^2,x, algorithm="fricas")

[Out] [1/6*(3*(5*b^6*c^4*d - 11*a*b^5*c^3*d^2 + 3*a^2*b^4*c^2*d^3 + 7*a^3*b^3*c*d^4 - 4*a^4*b^2*d^5 + (5*a^2*b^4*c^5 - 11*a^3*b^3*c^4*d + 3*a^4*b^2*c^3*d^2 + 7*a^5*b*c^2*d^3 - 4*a^6*c*d^4)*x^3 + (10*a*b^5*c^5 - 17*a^2*b^4*c^4*d - 5*a^3*b^3*c^3*d^2 + 17*a^4*b^2*c^2*d^3 - a^5*b*c*d^4 - 4*a^6*d^5)*x^2 + (5*b^6*c^5 - a*b^5*c^4*d - 19*a^2*b^4*c^3*d^2 + 13*a^3*b^3*c^2*d^3 + 10*a^4*b^2*c*d^4 - 8*a^5*b*d^5)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x)

$$\begin{aligned}
& + b) + 3*(9*a^4*b^3*c*d^4 - 4*a^5*b^2*d^5 + (9*a^6*b*c^2*d^3 - 4*a^7*c*d^4) \\
& *x^3 + (18*a^5*b^2*c^2*d^3 + a^6*b*c*d^4 - 4*a^7*d^5)*x^2 + (9*a^4*b^3*c^2* \\
& d^3 + 14*a^5*b^2*c*d^4 - 8*a^6*b*d^5)*x)*\sqrt{-d/(b*c - a*d)}*\log(-(2*(b*c \\
& - a*d)*x*\sqrt{-d/(b*c - a*d)}*\sqrt{(a*x + b)/x} - b*d + (b*c - 2*a*d)*x)/(c \\
& *x + d)) + 2*(3*(a^3*b^3*c^5 - 3*a^4*b^2*c^4*d + 3*a^5*b*c^3*d^2 - a^6*c^2* \\
& d^3)*x^4 + (20*a^2*b^4*c^5 - 41*a^3*b^3*c^4*d + 9*a^4*b^2*c^3*d^2 + 3*a^5*b \\
& *c^2*d^3 - 6*a^6*c*d^4)*x^3 + (15*a*b^5*c^5 - 13*a^2*b^4*c^4*d - 35*a^3*b^3 \\
& *c^3*d^2 + 15*a^4*b^2*c^2*d^3 - 12*a^5*b*c*d^4)*x^2 + 3*(5*a*b^5*c^4*d - 11 \\
& *a^2*b^4*c^3*d^2 + 3*a^3*b^3*c^2*d^3 - 2*a^4*b^2*c*d^4)*x)*\sqrt{(a*x + b)/x} \\
&))/(a^4*b^5*c^6*d - 3*a^5*b^4*c^5*d^2 + 3*a^6*b^3*c^4*d^3 - a^7*b^2*c^3*d^4 \\
& + (a^6*b^3*c^7 - 3*a^7*b^2*c^6*d + 3*a^8*b*c^5*d^2 - a^9*c^4*d^3)*x^3 + (2 \\
& *a^5*b^4*c^7 - 5*a^6*b^3*c^6*d + 3*a^7*b^2*c^5*d^2 + a^8*b*c^4*d^3 - a^9*c^ \\
& 3*d^4)*x^2 + (a^4*b^5*c^7 - a^5*b^4*c^6*d - 3*a^6*b^3*c^5*d^2 + 5*a^7*b^2*c \\
& ^4*d^3 - 2*a^8*b*c^3*d^4)*x), -1/6*(6*(9*a^4*b^3*c*d^4 - 4*a^5*b^2*d^5 + (9 \\
& *a^6*b*c^2*d^3 - 4*a^7*c*d^4)*x^3 + (18*a^5*b^2*c^2*d^3 + a^6*b*c*d^4 - 4*a \\
& ^7*d^5)*x^2 + (9*a^4*b^3*c^2*d^3 + 14*a^5*b^2*c*d^4 - 8*a^6*b*d^5)*x)*\sqrt{d/(b*c - a*d)}* \\
& \arctan(-(b*c - a*d)*x*\sqrt{d/(b*c - a*d)}*\sqrt{(a*x + b)/x}/(a*d*x + b*d)) - 3*(5*b^6*c^4*d \\
& - 11*a*b^5*c^3*d^2 + 3*a^2*b^4*c^2*d^3 + 7*a^3*b^3*c*d^4 - 4*a^4*b^2*d^5 + (5*a^2*b^4*c^5 \\
& - 11*a^3*b^3*c^4*d + 3*a^4*b^2*c^3*d^2 + 7*a^5*b*c^2*d^3 - 4*a^6*c*d^4)*x^3 + (10*a*b^5*c^5 \\
& - 17*a^2*b^4*c^4*d - 5*a^3*b^3*c^3*d^2 + 17*a^4*b^2*c^2*d^3 - a^5*b*c*d^4 - 4*a^6*d^5) \\
& *x^2 + (5*b^6*c^5 - a*b^5*c^4*d - 19*a^2*b^4*c^3*d^2 + 13*a^3*b^3*c^2*d^3 + 10*a^4*b^2*c*d^4 \\
& - 8*a^5*b*d^5)*x)*\sqrt{a}*\log(2*a*x - 2*\sqrt{a})*x*\sqrt{(a \\
& *x + b)/x} + b) - 2*(3*(a^3*b^3*c^5 - 3*a^4*b^2*c^4*d + 3*a^5*b*c^3*d^2 - a \\
& ^6*c^2*d^3)*x^4 + (20*a^2*b^4*c^5 - 41*a^3*b^3*c^4*d + 9*a^4*b^2*c^3*d^2 + 3*a^5*b*c^2*d^3 \\
& - 6*a^6*c*d^4)*x^3 + (15*a*b^5*c^5 - 13*a^2*b^4*c^4*d - 35*a^3*b^3*c^3*d^2 + 15*a^4*b^2*c^2*d^3 \\
& - 12*a^5*b*c*d^4)*x^2 + 3*(5*a*b^5*c^4*d - 11*a^2*b^4*c^3*d^2 + 3*a^3*b^3*c^2*d^3 - 2*a^4*b^2*c*d^4)*x) \\
& *\sqrt{(a*x + b)/x}))/((a^4*b^5*c^6*d - 3*a^5*b^4*c^5*d^2 + 3*a^6*b^3*c^4*d^3 - a^7*b^2*c^3*d^4 \\
& + (a^6*b^3*c^7 - 3*a^7*b^2*c^6*d + 3*a^8*b*c^5*d^2 - a^9*c^4*d^3)*x^3 + (2*a^5*b^4*c^7 \\
& - 5*a^6*b^3*c^6*d + 3*a^7*b^2*c^5*d^2 + a^8*b*c^4*d^3 - a^9*c^3*d^4)*x^2 + (a^4*b^5*c^7 \\
& - a^5*b^4*c^6*d - 3*a^6*b^3*c^5*d^2 + 5*a^7*b^2*c^4*d^3 - 2*a^8*b*c^3*d^4)*x), 1/6*(6*(5*b^6*c^4*d \\
& - 11*a*b^5*c^3*d^2 + 3*a^2*b^4*c^2*d^3 + 7*a^3*b^3*c*d^4 - 4*a^4*b^2*d^5 + (5*a^2*b^4*c^5 - 1 \\
& 1*a^3*b^3*c^4*d + 3*a^4*b^2*c^3*d^2 + 7*a^5*b*c^2*d^3 - 4*a^6*c*d^4)*x^3 + (10*a*b^5*c^5 \\
& - 17*a^2*b^4*c^4*d - 5*a^3*b^3*c^3*d^2 + 17*a^4*b^2*c^2*d^3 - a^5*b*c*d^4 - 4*a^6*d^5)*x^2 + (5*b^6*c^5 \\
& - a*b^5*c^4*d - 19*a^2*b^4*c^3*d^2 + 13*a^3*b^3*c^2*d^3 + 10*a^4*b^2*c*d^4 - 8*a^5*b*d^5)*x) \\
& *\sqrt{-a}*\arctan(\sqrt{-a}*\sqrt{(a*x + b)/x}/a) + 3*(9*a^4*b^3*c*d^4 - 4*a^5*b^2*d^5 + (9*a \\
& ^6*b*c^2*d^3 - 4*a^7*c*d^4)*x^3 + (18*a^5*b^2*c^2*d^3 + a^6*b*c*d^4 - 4*a^7 \\
& *d^5)*x^2 + (9*a^4*b^3*c^2*d^3 + 14*a^5*b^2*c*d^4 - 8*a^6*b*d^5)*x)*\sqrt{-d/(b*c - a*d)}* \\
& \log(-(2*(b*c - a*d)*x*\sqrt{-d/(b*c - a*d)}*\sqrt{(a*x + b)/x} - b*d + (b*c - 2*a*d)*x)/(c*x + d)) \\
& + 2*(3*(a^3*b^3*c^5 - 3*a^4*b^2*c^4*d + 3*a^5*b*c^3*d^2 - a^6*c^2*d^3)*x^4 + (20*a^2*b^4*c^5 \\
& - 41*a^3*b^3*c^4*d + 9*a^4*b^2*c^3*d^2 + 3*a^5*b*c^2*d^3 - 6*a^6*c*d^4)*x^3 + (15*a*b^5*c^5 - 13
\end{aligned}$$

```

*a^2*b^4*c^4*d - 35*a^3*b^3*c^3*d^2 + 15*a^4*b^2*c^2*d^3 - 12*a^5*b*c*d^4)*
x^2 + 3*(5*a*b^5*c^4*d - 11*a^2*b^4*c^3*d^2 + 3*a^3*b^3*c^2*d^3 - 2*a^4*b^2
*c*d^4)*x)*sqrt((a*x + b)/x))/(a^4*b^5*c^6*d - 3*a^5*b^4*c^5*d^2 + 3*a^6*b^3
*c^4*d^3 - a^7*b^2*c^3*d^4 + (a^6*b^3*c^7 - 3*a^7*b^2*c^6*d + 3*a^8*b*c^5*
d^2 - a^9*c^4*d^3)*x^3 + (2*a^5*b^4*c^7 - 5*a^6*b^3*c^6*d + 3*a^7*b^2*c^5*d
^2 + a^8*b*c^4*d^3 - a^9*c^3*d^4)*x^2 + (a^4*b^5*c^7 - a^5*b^4*c^6*d - 3*a^
6*b^3*c^5*d^2 + 5*a^7*b^2*c^4*d^3 - 2*a^8*b*c^3*d^4)*x), -1/3*(3*(9*a^4*b^3
*c*d^4 - 4*a^5*b^2*d^5 + (9*a^6*b*c^2*d^3 - 4*a^7*c*d^4)*x^3 + (18*a^5*b^2*
c^2*d^3 + a^6*b*c*d^4 - 4*a^7*d^5)*x^2 + (9*a^4*b^3*c^2*d^3 + 14*a^5*b^2*c*
d^4 - 8*a^6*b*d^5)*x)*sqrt(d/(b*c - a*d))*arctan(-(b*c - a*d)*x*sqrt(d/(b*c
- a*d))*sqrt((a*x + b)/x)/(a*d*x + b*d)) - 3*(5*b^6*c^4*d - 11*a*b^5*c^3*d
^2 + 3*a^2*b^4*c^2*d^3 + 7*a^3*b^3*c*d^4 - 4*a^4*b^2*d^5 + (5*a^2*b^4*c^5 -
11*a^3*b^3*c^4*d + 3*a^4*b^2*c^3*d^2 + 7*a^5*b*c^2*d^3 - 4*a^6*c*d^4)*x^3
+ (10*a*b^5*c^5 - 17*a^2*b^4*c^4*d - 5*a^3*b^3*c^3*d^2 + 17*a^4*b^2*c^2*d^3
- a^5*b*c*d^4 - 4*a^6*d^5)*x^2 + (5*b^6*c^5 - a*b^5*c^4*d - 19*a^2*b^4*c^3
*d^2 + 13*a^3*b^3*c^2*d^3 + 10*a^4*b^2*c*d^4 - 8*a^5*b*d^5)*x)*sqrt(-a)*arc
tan(sqrt(-a)*sqrt((a*x + b)/x)/a) - (3*(a^3*b^3*c^5 - 3*a^4*b^2*c^4*d + 3*a
^5*b*c^3*d^2 - a^6*c^2*d^3)*x^4 + (20*a^2*b^4*c^5 - 41*a^3*b^3*c^4*d + 9*a^
4*b^2*c^3*d^2 + 3*a^5*b*c^2*d^3 - 6*a^6*c*d^4)*x^3 + (15*a*b^5*c^5 - 13*a^2
*b^4*c^4*d - 35*a^3*b^3*c^3*d^2 + 15*a^4*b^2*c^2*d^3 - 12*a^5*b*c*d^4)*x^2
+ 3*(5*a*b^5*c^4*d - 11*a^2*b^4*c^3*d^2 + 3*a^3*b^3*c^2*d^3 - 2*a^4*b^2*c*d
^4)*x)*sqrt((a*x + b)/x))/(a^4*b^5*c^6*d - 3*a^5*b^4*c^5*d^2 + 3*a^6*b^3*c^
4*d^3 - a^7*b^2*c^3*d^4 + (a^6*b^3*c^7 - 3*a^7*b^2*c^6*d + 3*a^8*b*c^5*d^2
- a^9*c^4*d^3)*x^3 + (2*a^5*b^4*c^7 - 5*a^6*b^3*c^6*d + 3*a^7*b^2*c^5*d^2
+ a^8*b*c^4*d^3 - a^9*c^3*d^4)*x^2 + (a^4*b^5*c^7 - a^5*b^4*c^6*d - 3*a^6*b^
3*c^5*d^2 + 5*a^7*b^2*c^4*d^3 - 2*a^8*b*c^3*d^4)*x)]

```

giac [B] time = 0.33, size = 576, normalized size = 2.01

$$\frac{1}{3} \left(\frac{3(9bcd^2 - 4ad^2) \arctan\left(\frac{d\sqrt{\frac{ax+b}{x}}}{\sqrt{ad-ab}}\right)}{(b^6c^6 - 3a^2b^4c^4d + 3a^3b^3c^3d^2 - a^6c^2d^3)\sqrt{bcd-ad^2}} - \frac{2(adc - a^2d + \frac{4(a+3b)c}{3} - \frac{12(a+3b)d}{3})x}{(a^3b^3c^3 - 3a^4b^2c^2d + 3a^5b*c*d^2 - a^6d^3)(ax+b)\sqrt{\frac{ax+b}{x}}} + \frac{3(b^5c^5\sqrt{\frac{ax+b}{x}} - 4ab^3c^2d\sqrt{\frac{ax+b}{x}} + 6a^2b^2c^2d^2\sqrt{\frac{ax+b}{x}} - 4a^2bcd^2\sqrt{\frac{ax+b}{x}} + 2a^2d^2\sqrt{\frac{ax+b}{x}} + \frac{(ax+b)^3c^5\sqrt{\frac{ax+b}{x}}}{3} - \frac{3(ax+b)^2c^2d^2\sqrt{\frac{ax+b}{x}}}{3} + \frac{3(ax+b)c^2d^2\sqrt{\frac{ax+b}{x}}}{3} - \frac{2(ax+b)^2d^2\sqrt{\frac{ax+b}{x}}}{3})}{(a^3b^3c^3 - 3a^4b^2c^2d + 3a^5b*c*d^2 - a^6d^3)(abc - a^2d - \frac{(ax+3b)c}{3} + \frac{2(a+3b)d}{3} - \frac{(ax+b)^2d}{3})} - \frac{3(5bc + 4ad) \arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{ad}}\right)}{\sqrt{-a}a^3b^3c^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(5/2)/(c+d/x)^2,x, algorithm="giac")

```

[Out] -1/3*b^3*(3*(9*b*c*d^4 - 4*a*d^5)*arctan(d*sqrt((a*x + b)/x)/sqrt(b*c*d - a
*d^2))/(b^6*c^6 - 3*a*b^5*c^5*d + 3*a^2*b^4*c^4*d^2 - a^3*b^3*c^3*d^3)*sqr
t(b*c*d - a*d^2)) - 2*(a*b*c - a^2*d + 6*(a*x + b)*b*c/x - 12*(a*x + b)*a*d
/x)*x/((a^3*b^3*c^3 - 3*a^4*b^2*c^2*d + 3*a^5*b*c*d^2 - a^6*d^3)*(a*x + b)*
sqrt((a*x + b)/x)) + 3*(b^4*c^4*sqrt((a*x + b)/x) - 4*a*b^3*c^3*d*sqrt((a*x
+ b)/x) + 6*a^2*b^2*c^2*d^2*sqrt((a*x + b)/x) - 4*a^3*b*c*d^3*sqrt((a*x +
b)/x) + 2*a^4*d^4*sqrt((a*x + b)/x) + (a*x + b)*b^3*c^3*d*sqrt((a*x + b)/
x) - 3*(a*x + b)*a*b^2*c^2*d^2*sqrt((a*x + b)/x)/x + 3*(a*x + b)*a^2*b*c*d^
3*sqrt((a*x + b)/x)/x - 2*(a*x + b)*a^3*d^4*sqrt((a*x + b)/x)/x)/((a^3*b^5*
c^5 - 3*a^4*b^4*c^4*d + 3*a^5*b^3*c^3*d^2 - a^6*b^2*c^2*d^3)*(a*b*c - a^2*d

```

$-(ax + b)bc/x + 2(ax + b)ad/x - (ax + b)^2d/x^2) - 3(5bc + 4ad) \arctan(\sqrt{(ax + b)/x}/\sqrt{-a})/(\sqrt{-a}a^3b^3c^3)$

maple [B] time = 0.08, size = 4644, normalized size = 16.18

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(1/(a+b/x)^{(5/2)}/(c+d/x)^2, x)$

[Out]
$$-1/6*((ax+b)/x)^{(1/2)}*x*(12*a^{(19/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((ax+b)*x)^{(1/2)}*c)/(c*x+d))*x^3*d^7+12*a^{(13/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((ax+b)*x)^{(1/2)}*c)/(c*x+d))*b^3*d^7+30*a^{(9/2)}*((ax+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*b^4*c^3*d^4-84*a^{(7/2)}*((ax+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*b^5*c^4*d^3+96*a^{(5/2)}*((ax+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*b^6*c^5*d^2+12*a^6*\ln(1/2*(2*a*x+b+2*((ax+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*b^3*c*d^6-33*a^5*\ln(1/2*(2*a*x+b+2*((ax+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*b^4*c^2*d^5+12*a^4*\ln(1/2*(2*a*x+b+2*((ax+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*b^5*c^3*d^4-6*a^{(17/2)}*((ax+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^4*c^3*d^4-30*a^{(9/2)}*((ax+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^4*b^4*c^7-39*a^{(17/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((ax+b)*x)^{(1/2)}*c)/(c*x+d))*x^4*b*c^2*d^5+27*a^{(15/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((ax+b)*x)^{(1/2)}*c)/(c*x+d))*x^4*b^2*c^3*d^4+12*a^9*\ln(1/2*(2*a*x+b+2*((ax+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^4*c^2*d^5+15*a^4*\ln(1/2*(2*a*x+b+2*((ax+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^4*b^5*c^7+24*a^{(7/2)}*((ax+b)*x)^{(3/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^2*b^4*c^7-12*a^{(17/2)}*((ax+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^3*c^2*d^5-90*a^{(7/2)}*((ax+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^3*b^5*c^7-3*a^{(17/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((ax+b)*x)^{(1/2)}*c)/(c*x+d))*x^3*b*c*d^6-90*a^{(15/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((ax+b)*x)^{(1/2)}*c)/(c*x+d))*x^3*b^2*c^2*d^5+81*a^{(13/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((ax+b)*x)^{(1/2)}*c)/(c*x+d))*x^3*b^3*c^3*d^4+12*a^9*\ln(1/2*(2*a*x+b+2*((ax+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^3*c*d^6+45*a^3*\ln(1/2*(2*a*x+b+2*((ax+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^3*b^6*c^7+20*a^{(5/2)}*((ax+b)*x)^{(3/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x*b^5*c^7-90*a^{(5/2)}*((ax+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^2*b^6*c^7-81*a^{(15/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((ax+b)*x)^{(1/2)}*c)/(c*x+d))*x^2*b^2*c*d^6-36*a^{(13/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((ax+b)*x)^{(1/2)}*c)/(c*x+d))*x^2*b^3*c^2*d^5+81*a^{(11/2)}*\ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((ax+b)*x)^{(1/2)}*c)/(c*x+d))*x^2*b^4*c^3*d^4+45*a^2*\ln(1/2*(2*a*x+b+2*((ax+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^2*b^7*c^7+38*a^{(9/2)}*((ax+b)*x)^{(3/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*b^3*c^4*d^3-64*a^{(7/2)}*((ax+b)*x)^{(3/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*b^4*c^5*d^2+20*$$

$$\begin{aligned}
& a^{(5/2)} * ((a*x+b)*x)^{(3/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * b^5*c^6*d-105*a^{(13/2)}*ln \\
& ((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d) \\
&) * x*b^3*c^d^6+42*a^{(11/2)}*ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)}* \\
& ((a*x+b)*x)^{(1/2)}*c)/(c*x+d) * x*b^4*c^2*d^5+27*a^{(9/2)}*ln((-2*a*d*x+b*c*x-b \\
& *d+2*((a*d-b*c)/c^2*d)^{(1/2)}*((a*x+b)*x)^{(1/2)}*c)/(c*x+d) * x*b^5*c^3*d^4-12 \\
& *a^{(11/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*b^3*c^2*d^5+15*a*ln(1/2 \\
& *(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x*b \\
& ^8*c^7-30*a^{(3/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*b^7*c^6*d+15*a* \\
& ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)} \\
& *b^8*c^6*d+42*a^3*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*(\\
& (a*d-b*c)/c^2*d)^{(1/2)}*b^6*c^4*d^3-48*a^2*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)} \\
& *a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*b^7*c^5*d^2+6*a^{(17/2)}*((a*x+b) \\
& *x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^5*c^4*d^3-6*a^{(15/2)}*((a*x+b)*x)^{(3/2)} \\
& *((a*d-b*c)/c^2*d)^{(1/2)}*x^3*c^4*d^3-30*a^{(3/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c) \\
&)/c^2*d)^{(1/2)}*x*b^7*c^7-102*a^3*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)} \\
&))/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x*b^6*c^5*d^2-3*a^2*ln(1/2*(2*a*x+b+2*(\\
& (a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x*b^7*c^6*d+36*a \\
& ^8*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)} \\
& *x^2*b*c*d^6-63*a^7*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)} \\
&))*((a*d-b*c)/c^2*d)^{(1/2)}*x^2*b^2*c^2*d^5+12*a^{(15/2)}*((a*x+b)*x)^{(1/2)}*(\\
& (a*d-b*c)/c^2*d)^{(1/2)}*x^3*b*c^3*d^4+24*a^{(13/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b* \\
& c)/c^2*d)^{(1/2)}*x^3*b^2*c^4*d^3-33*a^8*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}* \\
& a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^4*b*c^3*d^4+12*a^7*ln(1/2*(2*a* \\
& x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^4*b^2*c \\
& ^4*d^3+42*a^6*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b \\
& *c)/c^2*d)^{(1/2)}*x^4*b^3*c^5*d^2-48*a^5*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)} \\
& *a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^4*b^4*c^6*d+48*a^{(15/2)}*((a*x+ \\
& b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^4*b*c^4*d^3-84*a^{(13/2)}*((a*x+b)*x)^{(1/2)} \\
& *((a*d-b*c)/c^2*d)^{(1/2)}*x^4*b^2*c^5*d^2+96*a^{(11/2)}*((a*x+b)*x)^{(1/2)}*(\\
& (a*d-b*c)/c^2*d)^{(1/2)}*x^4*b^3*c^6*d-36*a^{(13/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b \\
& *c)/c^2*d)^{(1/2)}*x*b^2*c^2*d^5-63*a^6*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a \\
& ^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^2*b^3*c^3*d^4+162*a^5*ln(1/2*(2* \\
& a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^2*b^4 \\
& *c^4*d^3-18*a^4*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d \\
& -b*c)/c^2*d)^{(1/2)}*x^2*b^5*c^5*d^2-99*a^3*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)} \\
& *a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^2*b^6*c^6*d+198*a^{(7/2)}*((a* \\
& x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^2*b^5*c^6*d-28*a^{(9/2)}*((a*x+b)*x)^{(3/2)} \\
& *((a*d-b*c)/c^2*d)^{(1/2)}*x*b^3*c^5*d^2-40*a^{(7/2)}*((a*x+b)*x)^{(3/2)}*((\\
& a*d-b*c)/c^2*d)^{(1/2)}*x*b^4*c^6*d-36*a^{(15/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/ \\
& c^2*d)^{(1/2)}*x^2*b*c^2*d^5+72*a^{(13/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)} \\
& *x^2*b^2*c^3*d^4-156*a^{(11/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)} \\
& *x^2*b^3*c^4*d^3+36*a^{(9/2)}*((a*x+b)*x)^{(1/2)}*((a*d-b*c)/c^2*d)^{(1/2)}*x^2* \\
& b^4*c^5*d^2+78*a^5*ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((\\
& a*d-b*c)/c^2*d)^{(1/2)}*x^3*b^4*c^5*d^2-129*a^4*ln(1/2*(2*a*x+b+2*((a*x+b)*x) \\
& ^{(1/2)}*a^{(1/2)})/a^{(1/2)})*((a*d-b*c)/c^2*d)^{(1/2)}*x^3*b^5*c^6*d+30*a^{(11/2)}*
\end{aligned}$$

$$\begin{aligned} & ((a*x+b)*x)^{(3/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x*b^2*c^4*d^3 + 3*a^8*\ln(1/2*(2*a*x \\ & +b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * x^3*b*c^2* \\ & d^5 - 87*a^7*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)}) * ((a*d-b*c) \\ & /c^2*d)^{(1/2)} * x^3*b^2*c^3*d^4 + 78*a^6*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * x^3*b^3*c^4*d^3 - 156*a^{(11/2)} * ((a*x+b) \\ & *x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x^3*b^3*c^5*d^2 + 258*a^{(9/2)} * ((a*x+b)*x) \\ & ^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x^3*b^4*c^6*d - 18*a^{(13/2)} * ((a*x+b)*x)^{(3/2)} * \\ & ((a*d-b*c)/c^2*d)^{(1/2)} * x^2*b*c^4*d^3 + 48*a^{(11/2)} * ((a*x+b)*x)^{(3/2)} * ((a*d-b \\ & *c)/c^2*d)^{(1/2)} * x^2*b^2*c^5*d^2 - 72*a^{(9/2)} * ((a*x+b)*x)^{(3/2)} * ((a*d-b*c)/c^ \\ & 2*d)^{(1/2)} * x^2*b^3*c^6*d + 84*a^{(11/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1 \\ & /2)} * x*b^3*c^3*d^4 - 222*a^{(9/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x*b \\ & ^4*c^4*d^3 + 204*a^{(7/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x*b^5*c^5*d^2 + 6*a^{(5/2)} * ((a*x+b)*x)^{(1/2)} * ((a*d-b*c)/c^2*d)^{(1/2)} * x*b^6*c^6*d + 36*a^7* \\ & \ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * x*b^2*c*d^6 - 87*a^6*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)}) \\ & * ((a*d-b*c)/c^2*d)^{(1/2)} * x*b^3*c^2*d^5 + 3*a^5*\ln(1/2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * x*b^4*c^3*d^4 + 138*a^4*\ln(1/ \\ & 2*(2*a*x+b+2*((a*x+b)*x)^{(1/2)}*a^{(1/2)})/a^{(1/2)}) * ((a*d-b*c)/c^2*d)^{(1/2)} * x*b \\ & ^5*c^4*d^3 + 12*a^{(19/2)} * \ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)} * ((\\ & a*x+b)*x)^{(1/2)} * c)/(c*x+d)) * x^4*c*d^6 + 36*a^{(17/2)} * \ln((-2*a*d*x+b*c*x-b*d+2* \\ & ((a*d-b*c)/c^2*d)^{(1/2)} * ((a*x+b)*x)^{(1/2)} * c)/(c*x+d)) * x^2*b*d^7 + 36*a^{(15/2)} \\ & * \ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)} * ((a*x+b)*x)^{(1/2)} * c)/(c*x \\ & +d)) * x*b^2*d^7 - 39*a^{(11/2)} * \ln((-2*a*d*x+b*c*x-b*d+2*((a*d-b*c)/c^2*d)^{(1/2)} \\ & * ((a*x+b)*x)^{(1/2)} * c)/(c*x+d)) * b^4*c*d^6 + 27*a^{(9/2)} * \ln((-2*a*d*x+b*c*x-b*d+ \\ & 2*((a*d-b*c)/c^2*d)^{(1/2)} * ((a*x+b)*x)^{(1/2)} * c)/(c*x+d)) * b^5*c^2*d^5/a^{(9/2)} \\ & /c^4/((a*x+b)*x)^{(1/2)}/(a*d-b*c)^4/(c*x+d)/((a*d-b*c)/c^2*d)^{(1/2)}/(a*x+b) \\ & ^3 \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a + \frac{b}{x}\right)^{\frac{5}{2}} \left(c + \frac{d}{x}\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(5/2)/(c+d/x)^2,x, algorithm="maxima")

[Out] integrate(1/((a + b/x)^(5/2)*(c + d/x)^2), x)

mupad [B] time = 8.73, size = 5789, normalized size = 20.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b/x)^(5/2)*(c + d/x)^2), x)

```
[Out] ((2*b^3)/(3*(a^2*d - a*b*c)) + (10*b^3*(a + b/x)*(2*a*d - b*c))/(3*(a^2*d -
a*b*c)^2) - (b*(a + b/x)^2*(6*a^4*d^4 + 15*b^4*c^4 + 64*a^2*b^2*c^2*d^2 -
58*a*b^3*c^3*d - 12*a^3*b*c*d^3))/(3*c^2*(a^2*d - a*b*c)^3) + (b*(a + b/x)^
3*(2*a*d - b*c)*(a^2*d^3 + 5*b^2*c^2*d - a*b*c*d^2))/(c^2*(a^2*d - a*b*c)^3
))/((d*(a + b/x)^(7/2) + (a + b/x)^(3/2)*(a^2*d - a*b*c) - (a + b/x)^(5/2)*(
2*a*d - b*c)) + (atan((a^15*b^19*c^19*(a + b/x)^(1/2)*125i + a^17*b^17*c^17
*d^2*(a + b/x)^(1/2)*10440i - a^18*b^16*c^16*d^3*(a + b/x)^(1/2)*37776i + a
^19*b^15*c^15*d^4*(a + b/x)^(1/2)*87276i - a^20*b^14*c^14*d^5*(a + b/x)^(1/
2)*126720i + a^21*b^13*c^13*d^6*(a + b/x)^(1/2)*91560i + a^22*b^12*c^12*d^7
*(a + b/x)^(1/2)*40965i - a^23*b^11*c^11*d^8*(a + b/x)^(1/2)*184563i + a^24
*b^10*c^10*d^9*(a + b/x)^(1/2)*212608i - a^25*b^9*c^9*d^10*(a + b/x)^(1/2)*
107740i - a^26*b^8*c^8*d^11*(a + b/x)^(1/2)*19530i + a^27*b^7*c^7*d^12*(a +
b/x)^(1/2)*71070i - a^28*b^6*c^6*d^13*(a + b/x)^(1/2)*52836i + a^29*b^5*c^
5*d^14*(a + b/x)^(1/2)*20916i - a^30*b^4*c^4*d^15*(a + b/x)^(1/2)*4515i + a
^31*b^3*c^3*d^16*(a + b/x)^(1/2)*420i - a^16*b^18*c^18*d*(a + b/x)^(1/2)*17
00i)/(a^7*(a^7)^(1/2)*(a^7*(212608*b^10*c^10*d^9 - 107740*a*b^9*c^9*d^
10 - 19530*a^2*b^8*c^8*d^11 + 71070*a^3*b^7*c^7*d^12 - 52836*a^4*b^6*c^6*d^
13 + 20916*a^5*b^5*c^5*d^14 - 4515*a^6*b^4*c^4*d^15 + 420*a^7*b^3*c^3*d^16)
+ 10440*b^17*c^17*d^2 - 37776*a*b^16*c^16*d^3 + 87276*a^2*b^15*c^15*d^4 -
126720*a^3*b^14*c^14*d^5 + 91560*a^4*b^13*c^13*d^6 + 40965*a^5*b^12*c^12*d^
7 - 184563*a^6*b^11*c^11*d^8) + 125*a^5*b^19*c^19 - 1700*a^6*b^18*c^18*d))
*(4*a*d + 5*b*c)*1i)/(c^3*(a^7)^(1/2)) - (atan((((d^7*(a*d - b*c)^7)^(1/2)*
((a + b/x)^(1/2)*(670*a^10*b^18*c^22*d^4 - 50*a^9*b^19*c^23*d^3 - 4082*a^11
*b^17*c^21*d^5 + 14830*a^12*b^16*c^20*d^6 - 35210*a^13*b^15*c^19*d^7 + 5551
0*a^14*b^14*c^18*d^8 - 53852*a^15*b^13*c^17*d^9 + 19048*a^16*b^12*c^16*d^10
+ 25730*a^17*b^11*c^15*d^11 - 39550*a^18*b^10*c^14*d^12 + 10670*a^19*b^9*c
^13*d^13 + 29414*a^20*b^8*c^12*d^14 - 45430*a^21*b^7*c^11*d^15 + 34490*a^22
*b^6*c^10*d^16 - 16240*a^23*b^5*c^9*d^17 + 4820*a^24*b^4*c^8*d^18 - 832*a^2
5*b^3*c^7*d^19 + 64*a^26*b^2*c^6*d^20) - ((d^7*(a*d - b*c)^7)^(1/2)*(4*a*d
- 9*b*c)*(304*a^13*b^18*c^25*d^3 - 20*a^12*b^19*c^26*d^2 - 2144*a^14*b^17*c
^24*d^4 + 9280*a^15*b^16*c^23*d^5 - 27476*a^16*b^15*c^22*d^6 + 58688*a^17*b
^14*c^21*d^7 - 92840*a^18*b^13*c^20*d^8 + 109648*a^19*b^12*c^19*d^9 - 95700
*a^20*b^11*c^18*d^10 + 59312*a^21*b^10*c^17*d^11 - 23056*a^22*b^9*c^16*d^12
+ 2528*a^23*b^8*c^15*d^13 + 2996*a^24*b^7*c^14*d^14 - 2080*a^25*b^6*c^13*d
^15 + 664*a^26*b^5*c^12*d^16 - 112*a^27*b^4*c^11*d^17 + 8*a^28*b^3*c^10*d^1
8 + ((d^7*(a*d - b*c)^7)^(1/2)*(a + b/x)^(1/2)*(4*a*d - 9*b*c)*(8*a^15*b^18
*c^28*d^2 - 136*a^16*b^17*c^27*d^3 + 1080*a^17*b^16*c^26*d^4 - 5320*a^18*b^
15*c^25*d^5 + 18200*a^19*b^14*c^24*d^6 - 45864*a^20*b^13*c^23*d^7 + 88088*a
^21*b^12*c^22*d^8 - 131560*a^22*b^11*c^21*d^9 + 154440*a^23*b^10*c^20*d^10
- 143000*a^24*b^9*c^19*d^11 + 104104*a^25*b^8*c^18*d^12 - 58968*a^26*b^7*c^
17*d^13 + 25480*a^27*b^6*c^16*d^14 - 8120*a^28*b^5*c^15*d^15 + 1800*a^29*b^
4*c^14*d^16 - 248*a^30*b^3*c^13*d^17 + 16*a^31*b^2*c^12*d^18)))/(2*(b^7*c^10
- a^7*c^3*d^7 + 7*a^6*b*c^4*d^6 + 21*a^2*b^5*c^8*d^2 - 35*a^3*b^4*c^7*d^3
+ 35*a^4*b^3*c^6*d^4 - 21*a^5*b^2*c^5*d^5 - 7*a*b^6*c^9*d)))/(2*(b^7*c^10
- a^7*c^3*d^7 + 7*a^6*b*c^4*d^6 + 21*a^2*b^5*c^8*d^2 - 35*a^3*b^4*c^7*d^3 +
```

$$\begin{aligned}
& (35a^4b^3c^6d^4 - 21a^5b^2c^5d^5 - 7ab^6c^9d)) \cdot (4ad - 9bc) \\
& \cdot i) / (2(b^7c^{10} - a^7c^3d^7 + 7a^6b^3c^4d^6 + 21a^2b^5c^8d^2 - 35 \\
& \cdot a^3b^4c^7d^3 + 35a^4b^3c^6d^4 - 21a^5b^2c^5d^5 - 7ab^6c^9d) \\
&) + ((d^7(a^4d - b^4c)^7)^{(1/2)} \cdot ((a + b/x)^{(1/2)} \cdot (670a^{10}b^{18}c^{22}d^4 - 5 \\
& 0a^9b^{19}c^{23}d^3 - 4082a^{11}b^{17}c^{21}d^5 + 14830a^{12}b^{16}c^{20}d^6 - \\
& 35210a^{13}b^{15}c^{19}d^7 + 55510a^{14}b^{14}c^{18}d^8 - 53852a^{15}b^{13}c^{17} \\
& d^9 + 19048a^{16}b^{12}c^{16}d^{10} + 25730a^{17}b^{11}c^{15}d^{11} - 39550a^{18}b^{10} \\
& c^{14}d^{12} + 10670a^{19}b^9c^{13}d^{13} + 29414a^{20}b^8c^{12}d^{14} - 45430a^{21} \\
& b^7c^{11}d^{15} + 34490a^{22}b^6c^{10}d^{16} - 16240a^{23}b^5c^9d^{17} + 4 \\
& 820a^{24}b^4c^8d^{18} - 832a^{25}b^3c^7d^{19} + 64a^{26}b^2c^6d^{20}) - ((d^7 \\
& \cdot (a^4d - b^4c)^7)^{(1/2)} \cdot (4ad - 9bc) \cdot (20a^{12}b^{19}c^{26}d^2 - 304a^{13}b \\
& ^{18}c^{25}d^3 + 2144a^{14}b^{17}c^{24}d^4 - 9280a^{15}b^{16}c^{23}d^5 + 27476a^{16} \\
& b^{15}c^{22}d^6 - 58688a^{17}b^{14}c^{21}d^7 + 92840a^{18}b^{13}c^{20}d^8 - 10 \\
& 9648a^{19}b^{12}c^{19}d^9 + 95700a^{20}b^{11}c^{18}d^{10} - 59312a^{21}b^{10}c^{17} \\
& d^{11} + 23056a^{22}b^9c^{16}d^{12} - 2528a^{23}b^8c^{15}d^{13} - 2996a^{24}b^7c^{14} \\
& d^{14} + 2080a^{25}b^6c^{13}d^{15} - 664a^{26}b^5c^{12}d^{16} + 112a^{27}b^4c^{11} \\
& d^{17} - 8a^{28}b^3c^{10}d^{18} + ((d^7(a^4d - b^4c)^7)^{(1/2)} \cdot (a + b/x)^{(1/2)} \\
& \cdot (4ad - 9bc) \cdot (8a^{15}b^{18}c^{28}d^2 - 136a^{16}b^{17}c^{27}d^3 + 1080a^{17} \\
& b^{16}c^{26}d^4 - 5320a^{18}b^{15}c^{25}d^5 + 18200a^{19}b^{14}c^{24}d^6 - 458 \\
& 64a^{20}b^{13}c^{23}d^7 + 88088a^{21}b^{12}c^{22}d^8 - 131560a^{22}b^{11}c^{21}d^9 \\
& + 154440a^{23}b^{10}c^{20}d^{10} - 143000a^{24}b^9c^{19}d^{11} + 104104a^{25}b^8 \\
& c^{18}d^{12} - 58968a^{26}b^7c^{17}d^{13} + 25480a^{27}b^6c^{16}d^{14} - 8120a^{28} \\
& b^5c^{15}d^{15} + 1800a^{29}b^4c^{14}d^{16} - 248a^{30}b^3c^{13}d^{17} + 16a^{31} \\
& b^2c^{12}d^{18})) / (2(b^7c^{10} - a^7c^3d^7 + 7a^6b^3c^4d^6 + 21a^2b^5c^8d^2 - 35 \\
& \cdot a^3b^4c^7d^3 + 35a^4b^3c^6d^4 - 21a^5b^2c^5d^5 - 7ab^6c^9d)) / (2(b^7c^{10} - a^7c^3d^7 + 7a^6b^3c^4d^6 + 21a^2b^5c^8d^2 - 35 \\
& \cdot a^3b^4c^7d^3 + 35a^4b^3c^6d^4 - 21a^5b^2c^5d^5 - 7ab^6c^9d)) \cdot (4ad - 9bc) \cdot i) / (2(b^7c^{10} - a^7c^3d^7 + 7a^6b^3c^4d^6 + 21a^2b^5c^8d^2 - 35 \\
& \cdot a^3b^4c^7d^3 + 35a^4b^3c^6d^4 - 21a^5b^2c^5d^5 - 7ab^6c^9d)) / (4880a^{10}b^{16}c^{17}d^7 - 450a^9b^{17}c^{18}d^6 - 23428a^{11}b^{15}c^{16}d^8 + 65234a^{12}b^{14}c^{15}d^9 - 115136a^{13} \\
& \cdot b^{13}c^{14}d^{10} + 129800a^{14}b^{12}c^{13}d^{11} - 83040a^{15}b^{11}c^{12}d^{12} + \\
& 5916a^{16}b^{10}c^{11}d^{13} + 45702a^{17}b^9c^{10}d^{14} - 51528a^{18}b^8c^9d^{15} + 32500a^{19} \\
& b^7c^8d^{16} - 13790a^{20}b^6c^7d^{17} + 4012a^{21}b^5c^6d^{18} - 736a^{22}b^4c^5d^{19} \\
& + 64a^{23}b^3c^4d^{20} + ((d^7(a^4d - b^4c)^7)^{(1/2)} \cdot ((a + b/x)^{(1/2)} \cdot (670a^{10}b^{18}c^{22}d^4 - 50a^9b^{19}c^{23}d^3 - 408 \\
& 2a^{11}b^{17}c^{21}d^5 + 14830a^{12}b^{16}c^{20}d^6 - 35210a^{13}b^{15}c^{19}d^7 \\
& + 55510a^{14}b^{14}c^{18}d^8 - 53852a^{15}b^{13}c^{17}d^9 + 19048a^{16}b^{12}c^{16}d^{10} + 25730a^{17} \\
& b^{11}c^{15}d^{11} - 39550a^{18}b^{10}c^{14}d^{12} + 10670a^{19}b^9c^{13}d^{13} + 29414a^{20}b^8c^{12}d^{14} \\
& - 45430a^{21}b^7c^{11}d^{15} + 34490a^{22}b^6c^{10}d^{16} - 16240a^{23}b^5c^9d^{17} + 4820a^{24}b^4c^8d^{18} - 8 \\
& 32a^{25}b^3c^7d^{19} + 64a^{26}b^2c^6d^{20}) - ((d^7(a^4d - b^4c)^7)^{(1/2)} \cdot (4ad - 9bc) \\
& \cdot (304a^{13}b^{18}c^{25}d^3 - 20a^{12}b^{19}c^{26}d^2 - 2144a^{14}b^{17}c^{24}d^4 + 9280a^{15}b^{16}c^{23}d^5 - 27476a^{16}b^{15}c^{22}d^6 + 58688a^{17} \\
& b^{14}c^{21}d^7 - 92840a^{18}b^{13}c^{20}d^8 + 109648a^{19}b^{12}c^{19}d^9 -
\end{aligned}$$

$$\begin{aligned}
& 95700a^{20}b^{11}c^{18}d^{10} + 59312a^{21}b^{10}c^{17}d^{11} - 23056a^{22}b^9c^{16}d^{12} + 2528a^{23}b^8c^{15}d^{13} + 2996a^{24}b^7c^{14}d^{14} - 2080a^{25}b^6c^{13}d^{15} + 664a^{26}b^5c^{12}d^{16} - 112a^{27}b^4c^{11}d^{17} + 8a^{28}b^3c^{10}d^{18} + ((d^7(a*d - b*c)^7)^{(1/2)}*(a + b/x)^{(1/2)}*(4*a*d - 9*b*c)*(8*a^{15}b^{18}c^{28}d^2 - 136*a^{16}b^{17}c^{27}d^3 + 1080*a^{17}b^{16}c^{26}d^4 - 5320*a^{18}b^{15}c^{25}d^5 + 18200*a^{19}b^{14}c^{24}d^6 - 45864*a^{20}b^{13}c^{23}d^7 + 88088*a^{21}b^{12}c^{22}d^8 - 131560*a^{22}b^{11}c^{21}d^9 + 154440*a^{23}b^{10}c^{20}d^{10} - 143000*a^{24}b^9c^{19}d^{11} + 104104*a^{25}b^8c^{18}d^{12} - 58968*a^{26}b^7c^{17}d^{13} + 25480*a^{27}b^6c^{16}d^{14} - 8120*a^{28}b^5c^{15}d^{15} + 1800*a^{29}b^4c^{14}d^{16} - 248*a^{30}b^3c^{13}d^{17} + 16*a^{31}b^2c^{12}d^{18}))/((2*(b^7*c^{10} - a^7*c^3*d^7 + 7*a^6*b*c^4*d^6 + 21*a^2*b^5*c^8*d^2 - 35*a^3*b^4*c^7*d^3 + 35*a^4*b^3*c^6*d^4 - 21*a^5*b^2*c^5*d^5 - 7*a*b^6*c^9*d)))/(2*(b^7*c^{10} - a^7*c^3*d^7 + 7*a^6*b*c^4*d^6 + 21*a^2*b^5*c^8*d^2 - 35*a^3*b^4*c^7*d^3 + 35*a^4*b^3*c^6*d^4 - 21*a^5*b^2*c^5*d^5 - 7*a*b^6*c^9*d)))*(4*a*d - 9*b*c))/((2*(b^7*c^{10} - a^7*c^3*d^7 + 7*a^6*b*c^4*d^6 + 21*a^2*b^5*c^8*d^2 - 35*a^3*b^4*c^7*d^3 + 35*a^4*b^3*c^6*d^4 - 21*a^5*b^2*c^5*d^5 - 7*a*b^6*c^9*d)) - ((d^7(a*d - b*c)^7)^{(1/2)}*((a + b/x)^{(1/2)}*(670*a^{10}b^{18}c^{22}d^4 - 50*a^9b^{19}c^{23}d^3 - 4082*a^{11}b^{17}c^{21}d^5 + 14830*a^{12}b^{16}c^{20}d^6 - 35210*a^{13}b^{15}c^{19}d^7 + 55510*a^{14}b^{14}c^{18}d^8 - 53852*a^{15}b^{13}c^{17}d^9 + 19048*a^{16}b^{12}c^{16}d^{10} + 25730*a^{17}b^{11}c^{15}d^{11} - 39550*a^{18}b^{10}c^{14}d^{12} + 10670*a^{19}b^9c^{13}d^{13} + 29414*a^{20}b^8c^{12}d^{14} - 45430*a^{21}b^7c^{11}d^{15} + 34490*a^{22}b^6c^{10}d^{16} - 16240*a^{23}b^5c^9d^{17} + 4820*a^{24}b^4c^8d^{18} - 832*a^{25}b^3c^7d^{19} + 64*a^{26}b^2c^6d^{20}) - ((d^7(a*d - b*c)^7)^{(1/2)}*(4*a*d - 9*b*c)*(20*a^{12}b^{19}c^{26}d^2 - 304*a^{13}b^{18}c^{25}d^3 + 2144*a^{14}b^{17}c^{24}d^4 - 9280*a^{15}b^{16}c^{23}d^5 + 27476*a^{16}b^{15}c^{22}d^6 - 58688*a^{17}b^{14}c^{21}d^7 + 92840*a^{18}b^{13}c^{20}d^8 - 109648*a^{19}b^{12}c^{19}d^9 + 95700*a^{20}b^{11}c^{18}d^{10} - 59312*a^{21}b^{10}c^{17}d^{11} + 23056*a^{22}b^9c^{16}d^{12} - 2528*a^{23}b^8c^{15}d^{13} - 2996*a^{24}b^7c^{14}d^{14} + 2080*a^{25}b^6c^{13}d^{15} - 664*a^{26}b^5c^{12}d^{16} + 112*a^{27}b^4c^{11}d^{17} - 8*a^{28}b^3c^{10}d^{18} + ((d^7(a*d - b*c)^7)^{(1/2)}*(a + b/x)^{(1/2)}*(4*a*d - 9*b*c)*(8*a^{15}b^{18}c^{28}d^2 - 136*a^{16}b^{17}c^{27}d^3 + 1080*a^{17}b^{16}c^{26}d^4 - 5320*a^{18}b^{15}c^{25}d^5 + 18200*a^{19}b^{14}c^{24}d^6 - 45864*a^{20}b^{13}c^{23}d^7 + 88088*a^{21}b^{12}c^{22}d^8 - 131560*a^{22}b^{11}c^{21}d^9 + 154440*a^{23}b^{10}c^{20}d^{10} - 143000*a^{24}b^9c^{19}d^{11} + 104104*a^{25}b^8c^{18}d^{12} - 58968*a^{26}b^7c^{17}d^{13} + 25480*a^{27}b^6c^{16}d^{14} - 8120*a^{28}b^5c^{15}d^{15} + 1800*a^{29}b^4c^{14}d^{16} - 248*a^{30}b^3c^{13}d^{17} + 16*a^{31}b^2c^{12}d^{18}))/((2*(b^7*c^{10} - a^7*c^3*d^7 + 7*a^6*b*c^4*d^6 + 21*a^2*b^5*c^8*d^2 - 35*a^3*b^4*c^7*d^3 + 35*a^4*b^3*c^6*d^4 - 21*a^5*b^2*c^5*d^5 - 7*a*b^6*c^9*d)))/(2*(b^7*c^{10} - a^7*c^3*d^7 + 7*a^6*b*c^4*d^6 + 21*a^2*b^5*c^8*d^2 - 35*a^3*b^4*c^7*d^3 + 35*a^4*b^3*c^6*d^4 - 21*a^5*b^2*c^5*d^5 - 7*a*b^6*c^9*d)))*(4*a*d - 9*b*c))/((2*(b^7*c^{10} - a^7*c^3*d^7 + 7*a^6*b*c^4*d^6 + 21*a^2*b^5*c^8*d^2 - 35*a^3*b^4*c^7*d^3 + 35*a^4*b^3*c^6*d^4 - 21*a^5*b^2*c^5*d^5 - 7*a*b^6*c^9*d)))*(d^7(a*d - b*c)^7)^{(1/2)}*(4*a*d - 9*b*c))*1i)/(b^7*c^{10} - a^7*c^3*d^7 + 7*a^6*b*c^4*d^6 + 21*a^2*b^5*c^8*d^2 - 35*a^3*b^4*c^7*d^3 + 35*a^4*b^3*c^6*d^4 - 21*a^5*b^2*c^5*d^5 - 7*a*b^6*c^9*d)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)**(5/2)/(c+d/x)**2,x)

[Out] Timed out

$$3.168 \quad \int \frac{1}{\left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^3} dx$$

Optimal. Leaf size=409

$$\frac{(6ad + 5bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right) d^{7/2} (24a^2 d^2 - 88abcd + 99b^2 c^2) \tan^{-1}\left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right)}{a^{7/2} c^4} + \frac{d (12a^2 d^2 - 23abcd + 4b^2 c^2)}{4c^3 \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right) (bc - ad)}$$

Rubi [A] time = 0.70, antiderivative size = 409, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {375, 103, 151, 152, 156, 63, 208, 205}

$$\frac{d (12a^2 d^2 - 23abcd + 4b^2 c^2)}{4ac^3 \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right) (bc - ad)^2} + \frac{b (24a^2 d^2 d^2 - 35a^2 bcd^3 + 12a^4 d^4 - 56ab^3 c^2 d + 20b^4 c^4)}{4a^2 c^3 \sqrt{a + \frac{b}{x}} (bc - ad)^4} + \frac{b (87a^2 bcd^2 - 36a^3 d^3 - 36ab^2 c^2 d + 20b^3 c^3)}{12a^2 c^3 \left(a + \frac{b}{x}\right)^{3/2} (bc - ad)^3} - \frac{d^{7/2} (24a^2 d^2 - 88abcd + 99b^2 c^2) \tan^{-1}\left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}}\right)}{4c^4 (bc - ad)^{9/2}} - \frac{(6ad + 5bc) \tanh^{-1}\left(\frac{\sqrt{a + \frac{b}{x}}}{\sqrt{a}}\right)}{a^{7/2} c^4} + \frac{d(2bc - 3ad)}{2ac^2 \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2 (bc - ad)} + \frac{x}{ac \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b/x)^(5/2)*(c + d/x)^3), x]

[Out] (b*(20*b^3*c^3 - 36*a*b^2*c^2*d + 87*a^2*b*c*d^2 - 36*a^3*d^3))/(12*a^2*c^3*(b*c - a*d)^3*(a + b/x)^(3/2)) + (b*(20*b^4*c^4 - 56*a*b^3*c^3*d + 24*a^2*b^2*c^2*d^2 - 35*a^3*b*c*d^3 + 12*a^4*d^4))/(4*a^3*c^3*(b*c - a*d)^4*sqrt[a + b/x]) + (d*(2*b*c - 3*a*d))/(2*a*c^2*(b*c - a*d)*(a + b/x)^(3/2)*(c + d/x)^2) + (d*(4*b^2*c^2 - 23*a*b*c*d + 12*a^2*d^2))/(4*a*c^3*(b*c - a*d)^2*(a + b/x)^(3/2)*(c + d/x)) + x/(a*c*(a + b/x)^(3/2)*(c + d/x)^2) - (d^(7/2)*(99*b^2*c^2 - 88*a*b*c*d + 24*a^2*d^2)*ArcTan[(sqrt[d]*sqrt[a + b/x])/sqrt[b*c - a*d]])/(4*c^4*(b*c - a*d)^(9/2)) - ((5*b*c + 6*a*d)*ArcTanh[sqrt[a + b/x]/sqrt[a]])/(a^(7/2)*c^4)

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 103

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*

$(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x,$
 $x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n, p\}, x] \ \&\& \text{LtQ}[m, -1] \ \&\& \text{IntegerQ}[$
 $m] \ \&\& (\text{IntegerQ}[n] \ || \ \text{IntegersQ}[2*n, 2*p])$

Rule 151

$\text{Int}[(a_.) + (b_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}*((e_.) + (f_.)*(x_.))^{(p_.)}*((g_.) + (h_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[(b*g - a*h)*(a + b*x)^{(m + 1)}*(c + d*x)^{(n + 1)}*(e + f*x)^{(p + 1)}]/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), \text{Int}[(a + b*x)^{(m + 1)}*(c + d*x)^n*(e + f*x)^p*\text{Simp}[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h]*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, n, p\}, x] \ \&\& \text{LtQ}[m, -1] \ \&\& \text{IntegerQ}[m]$

Rule 152

$\text{Int}[(a_.) + (b_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}*((e_.) + (f_.)*(x_.))^{(p_.)}*((g_.) + (h_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[(b*g - a*h)*(a + b*x)^{(m + 1)}*(c + d*x)^{(n + 1)}*(e + f*x)^{(p + 1)}]/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), \text{Int}[(a + b*x)^{(m + 1)}*(c + d*x)^n*(e + f*x)^p*\text{Simp}[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h]*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, n, p\}, x] \ \&\& \text{LtQ}[m, -1] \ \&\& \text{IntegersQ}[2*m, 2*n, 2*p]$

Rule 156

$\text{Int}[(e_.) + (f_.)*(x_.)]^{(p_.)}*((g_.) + (h_.)*(x_.))/((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[(b*g - a*h)/(b*c - a*d), \text{Int}[(e + f*x)^p/(a + b*x), x], x] - \text{Dist}[(d*g - c*h)/(b*c - a*d), \text{Int}[(e + f*x)^p/(c + d*x), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h\}, x]$

Rule 205

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \text{PosQ}[a/b]$

Rule 208

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \text{NegQ}[a/b]$

Rule 375

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol]
:> -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a,
b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{\left(a + \frac{b}{x}\right)^{5/2} \left(c + \frac{d}{x}\right)^3} dx &= -\text{Subst} \left(\int \frac{1}{x^2(a+bx)^{5/2}(c+dx)^3} dx, x, \frac{1}{x} \right) \\
&= \frac{x}{ac \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2} + \frac{\text{Subst} \left(\int \frac{\frac{1}{2}(5bc+6ad) + \frac{9bdx}{2}}{x(a+bx)^{5/2}(c+dx)^3} dx, x, \frac{1}{x} \right)}{ac} \\
&= \frac{d(2bc-3ad)}{2ac^2(bc-ad) \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2} + \frac{x}{ac \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2} - \frac{\text{Subst} \left(\int \frac{-((bc-ad)(5bc+6ad) + 9bdx)}{x(a+bx)^{5/2}(c+dx)^3} dx, x, \frac{1}{x} \right)}{2ac^2(bc-ad)} \\
&= \frac{d(2bc-3ad)}{2ac^2(bc-ad) \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2} + \frac{d(4b^2c^2 - 23abcd + 12a^2d^2)}{4ac^3(bc-ad)^2 \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2} + \frac{x}{ac \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2} \\
&= \frac{b(20b^3c^3 - 36ab^2c^2d + 87a^2bcd^2 - 36a^3d^3)}{12a^2c^3(bc-ad)^3 \left(a + \frac{b}{x}\right)^{3/2}} + \frac{d(2bc-3ad)}{2ac^2(bc-ad) \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2} + \frac{x}{ac \left(a + \frac{b}{x}\right)^{3/2} \left(c + \frac{d}{x}\right)^2} \\
&= \frac{b(20b^3c^3 - 36ab^2c^2d + 87a^2bcd^2 - 36a^3d^3)}{12a^2c^3(bc-ad)^3 \left(a + \frac{b}{x}\right)^{3/2}} + \frac{b(20b^4c^4 - 56ab^3c^3d + 24a^2b^2c^2d^2 - 4a^3c^3(bc-ad)^4\sqrt{a})}{4a^3c^3(bc-ad)^4\sqrt{a}} \\
&= \frac{b(20b^3c^3 - 36ab^2c^2d + 87a^2bcd^2 - 36a^3d^3)}{12a^2c^3(bc-ad)^3 \left(a + \frac{b}{x}\right)^{3/2}} + \frac{b(20b^4c^4 - 56ab^3c^3d + 24a^2b^2c^2d^2 - 4a^3c^3(bc-ad)^4\sqrt{a})}{4a^3c^3(bc-ad)^4\sqrt{a}} \\
&= \frac{b(20b^3c^3 - 36ab^2c^2d + 87a^2bcd^2 - 36a^3d^3)}{12a^2c^3(bc-ad)^3 \left(a + \frac{b}{x}\right)^{3/2}} + \frac{b(20b^4c^4 - 56ab^3c^3d + 24a^2b^2c^2d^2 - 4a^3c^3(bc-ad)^4\sqrt{a})}{4a^3c^3(bc-ad)^4\sqrt{a}} \\
&= \frac{b(20b^3c^3 - 36ab^2c^2d + 87a^2bcd^2 - 36a^3d^3)}{12a^2c^3(bc-ad)^3 \left(a + \frac{b}{x}\right)^{3/2}} + \frac{b(20b^4c^4 - 56ab^3c^3d + 24a^2b^2c^2d^2 - 4a^3c^3(bc-ad)^4\sqrt{a})}{4a^3c^3(bc-ad)^4\sqrt{a}}
\end{aligned}$$

Mathematica [C] time = 0.39, size = 239, normalized size = 0.58

$$\frac{(cx+d)\left(2(cx+d)\left(\frac{1}{4}a^2d^2(24a^2d^2-88abcd+99b^2c^2)\right)_2F_1\left(-\frac{3}{2}, 1; -\frac{1}{2}; \frac{d(a+\frac{b}{x})}{ad-bc}\right) + (6ad+5bc)(bc-ad)^3 {}_2F_1\left(-\frac{3}{2}, 1; -\frac{1}{2}; \frac{b}{ax}+1\right) - \frac{3}{2}dc dx(ad-bc)(12a^2d^2-23abcd+4b^2c^2)\right) + 6ac^3x^3(bc-ad)^3 - 3ac^2dx^2(bc-ad)^2(3ad-2bc)}{6a^2c^4\left(a+\frac{b}{x}\right)^{\frac{3}{2}}(cx+d)^2(bc-ad)^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b/x)^(5/2)*(c + d/x)^3), x]

[Out] (-3*a*c^2*d*(b*c - a*d)^2*(-2*b*c + 3*a*d)*x^2 + 6*a*c^3*(b*c - a*d)^3*x^3 + (d + c*x)*((-3*a*c*d*(-(b*c) + a*d)*(4*b^2*c^2 - 23*a*b*c*d + 12*a^2*d^2)*x)/2 + 2*(d + c*x)*((a^2*d^2*(99*b^2*c^2 - 88*a*b*c*d + 24*a^2*d^2)*Hypergeometric2F1[-3/2, 1, -1/2, (d*(a + b/x))/(-(b*c) + a*d)]/4 + (b*c - a*d)^3*(5*b*c + 6*a*d)*Hypergeometric2F1[-3/2, 1, -1/2, 1 + b/(a*x)])))/(6*a^2*c^4*(b*c - a*d)^3*(a + b/x)^(3/2)*(d + c*x)^2)

IntegrateAlgebraic [A] time = 1.60, size = 587, normalized size = 1.44

$$\frac{(-ad-9c^2b^2)\sqrt{\frac{d}{ax}}\sqrt{\frac{d}{ax}} + 9ab^2d^2 - 9a^2d^2\sqrt{\frac{d}{ax}}\sqrt{\frac{d}{ax}}}{4c^2d^2} + \frac{\sqrt{d}\sqrt{d^2c^2 + 4abcd + 4a^2d^2} \operatorname{arctan}\left(\frac{d}{2cd}\right) + \sqrt{d}\sqrt{d^2c^2 + 4abcd + 4a^2d^2} \operatorname{arctan}\left(\frac{d}{2cd}\right) + 9ab^2d^2 - 9a^2d^2\sqrt{\frac{d}{ax}}\sqrt{\frac{d}{ax}}}{12c^2d^2 + 9c^2d^2 + 25d^2 - 3d^2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((a + b/x)^(5/2)*(c + d/x)^3), x]

[Out] (Sqrt[(b + a*x)/x]*(60*b^6*c^4*d^2*x - 168*a*b^5*c^3*d^3*x + 72*a^2*b^4*c^2*d^4*x - 105*a^3*b^3*c*d^5*x + 36*a^4*b^2*d^6*x + 120*b^6*c^5*d*x^2 - 256*a*b^5*c^4*d^2*x^2 - 80*a^2*b^4*c^3*d^3*x^2 - 15*a^3*b^3*c^2*d^4*x^2 - 156*a^4*b^2*c*d^5*x^2 + 72*a^5*b*d^6*x^2 + 60*b^6*c^6*x^3 - 8*a*b^5*c^5*d*x^3 - 364*a^2*b^4*c^4*d^2*x^3 + 192*a^3*b^3*c^3*d^3*x^3 - 234*a^4*b^2*c^2*d^4*x^3 + 3*a^5*b*c*d^5*x^3 + 36*a^6*d^6*x^3 + 80*a*b^5*c^6*x^4 - 200*a^2*b^4*c^5*d*x^4 + 48*a^3*b^3*c^4*d^2*x^4 + 48*a^4*b^2*c^3*d^3*x^4 - 135*a^5*b*c^2*d^4*x^4 + 54*a^6*c*d^5*x^4 + 12*a^2*b^4*c^6*x^5 - 48*a^3*b^3*c^5*d*x^5 + 72*a^4*b^2*c^4*d^2*x^5 - 48*a^5*b*c^3*d^3*x^5 + 12*a^6*c^2*d^4*x^5))/(12*a^3*c^3*(-(b*c) + a*d)^4*(b + a*x)^2*(d + c*x)^2) + ((-99*b^2*c^2*d^(7/2) + 88*a*b*c*d^(9/2) - 24*a^2*d^(11/2))*ArcTan[(Sqrt[d]*Sqrt[(b + a*x)/x])/Sqrt[b*c - a*d]])/(4*c^4*(b*c - a*d)^(9/2)) + ((-5*b*c - 6*a*d)*ArcTanh[Sqrt[(b + a*x)/x]/Sqrt[a]])/(a^(7/2)*c^4)

fricas [B] time = 16.66, size = 6171, normalized size = 15.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(5/2)/(c+d/x)^3,x, algorithm="fricas")

[Out] [1/24*(12*(5*b^7*c^5*d^2 - 14*a*b^6*c^4*d^3 + 6*a^2*b^5*c^3*d^4 + 16*a^3*b^4*c^2*d^5 - 19*a^4*b^3*c*d^6 + 6*a^5*b^2*d^7 + (5*a^2*b^5*c^7 - 14*a^3*b^4*c

$$\begin{aligned}
& c^6*d + 6*a^4*b^3*c^5*d^2 + 16*a^5*b^2*c^4*d^3 - 19*a^6*b*c^3*d^4 + 6*a^7*c^2*d^5)*x^4 + 2*(5*a*b^6*c^7 - 9*a^2*b^5*c^6*d - 8*a^3*b^4*c^5*d^2 + 22*a^4 \\
& *b^3*c^4*d^3 - 3*a^5*b^2*c^3*d^4 - 13*a^6*b*c^2*d^5 + 6*a^7*c*d^6)*x^3 + (5 \\
& *b^7*c^7 + 6*a*b^6*c^6*d - 45*a^2*b^5*c^5*d^2 + 26*a^3*b^4*c^4*d^3 + 51*a^4 \\
& *b^3*c^3*d^4 - 54*a^5*b^2*c^2*d^5 + 5*a^6*b*c*d^6 + 6*a^7*d^7)*x^2 + 2*(5*b \\
& ^7*c^6*d - 9*a*b^6*c^5*d^2 - 8*a^2*b^5*c^4*d^3 + 22*a^3*b^4*c^3*d^4 - 3*a^4 \\
& *b^3*c^2*d^5 - 13*a^5*b^2*c*d^6 + 6*a^6*b*d^7)*x)*\sqrt{a}*\log(2*a*x - 2*\sqrt{ \\
& t(a)*x*\sqrt{(a*x + b)/x} + b) + 3*(99*a^4*b^4*c^2*d^5 - 88*a^5*b^3*c*d^6 + \\
& 24*a^6*b^2*d^7 + (99*a^6*b^2*c^4*d^3 - 88*a^7*b*c^3*d^4 + 24*a^8*c^2*d^5)*x \\
& ^4 + 2*(99*a^5*b^3*c^4*d^3 + 11*a^6*b^2*c^3*d^4 - 64*a^7*b*c^2*d^5 + 24*a^8 \\
& *c*d^6)*x^3 + (99*a^4*b^4*c^4*d^3 + 308*a^5*b^3*c^3*d^4 - 229*a^6*b^2*c^2*d \\
& ^5 + 8*a^7*b*c*d^6 + 24*a^8*d^7)*x^2 + 2*(99*a^4*b^4*c^3*d^4 + 11*a^5*b^3*c^ \\
& ^2*d^5 - 64*a^6*b^2*c*d^6 + 24*a^7*b*d^7)*x)*\sqrt{-d/(b*c - a*d))*\log(-(2*(\\
& b*c - a*d)*x*\sqrt{-d/(b*c - a*d)})*\sqrt{(a*x + b)/x} - b*d + (b*c - 2*a*d)*x \\
&)/(c*x + d)) + 2*(12*(a^3*b^4*c^7 - 4*a^4*b^3*c^6*d + 6*a^5*b^2*c^5*d^2 - 4 \\
& *a^6*b*c^4*d^3 + a^7*c^3*d^4)*x^5 + (80*a^2*b^5*c^7 - 200*a^3*b^4*c^6*d + 4 \\
& 8*a^4*b^3*c^5*d^2 + 48*a^5*b^2*c^4*d^3 - 135*a^6*b*c^3*d^4 + 54*a^7*c^2*d^5 \\
&)*x^4 + (60*a*b^6*c^7 - 8*a^2*b^5*c^6*d - 364*a^3*b^4*c^5*d^2 + 192*a^4*b^3 \\
& *c^4*d^3 - 234*a^5*b^2*c^3*d^4 + 3*a^6*b*c^2*d^5 + 36*a^7*c*d^6)*x^3 + (120 \\
& *a*b^6*c^6*d - 256*a^2*b^5*c^5*d^2 - 80*a^3*b^4*c^4*d^3 - 15*a^4*b^3*c^3*d^ \\
& 4 - 156*a^5*b^2*c^2*d^5 + 72*a^6*b*c*d^6)*x^2 + 3*(20*a*b^6*c^5*d^2 - 56*a^ \\
& 2*b^5*c^4*d^3 + 24*a^3*b^4*c^3*d^4 - 35*a^4*b^3*c^2*d^5 + 12*a^5*b^2*c*d^6) \\
& *x)*\sqrt{(a*x + b)/x))/(a^4*b^6*c^8*d^2 - 4*a^5*b^5*c^7*d^3 + 6*a^6*b^4*c^6 \\
& *d^4 - 4*a^7*b^3*c^5*d^5 + a^8*b^2*c^4*d^6 + (a^6*b^4*c^10 - 4*a^7*b^3*c^9* \\
& d + 6*a^8*b^2*c^8*d^2 - 4*a^9*b*c^7*d^3 + a^10*c^6*d^4)*x^4 + 2*(a^5*b^5*c^ \\
& 10 - 3*a^6*b^4*c^9*d + 2*a^7*b^3*c^8*d^2 + 2*a^8*b^2*c^7*d^3 - 3*a^9*b*c^6* \\
& d^4 + a^10*c^5*d^5)*x^3 + (a^4*b^6*c^10 - 9*a^6*b^4*c^8*d^2 + 16*a^7*b^3*c^ \\
& 7*d^3 - 9*a^8*b^2*c^6*d^4 + a^10*c^4*d^6)*x^2 + 2*(a^4*b^6*c^9*d - 3*a^5*b^ \\
& 5*c^8*d^2 + 2*a^6*b^4*c^7*d^3 + 2*a^7*b^3*c^6*d^4 - 3*a^8*b^2*c^5*d^5 + a^9 \\
& *b*c^4*d^6)*x), 1/24*(24*(5*b^7*c^5*d^2 - 14*a*b^6*c^4*d^3 + 6*a^2*b^5*c^3* \\
& d^4 + 16*a^3*b^4*c^2*d^5 - 19*a^4*b^3*c*d^6 + 6*a^5*b^2*d^7 + (5*a^2*b^5*c^ \\
& 7 - 14*a^3*b^4*c^6*d + 6*a^4*b^3*c^5*d^2 + 16*a^5*b^2*c^4*d^3 - 19*a^6*b*c^ \\
& 3*d^4 + 6*a^7*c^2*d^5)*x^4 + 2*(5*a*b^6*c^7 - 9*a^2*b^5*c^6*d - 8*a^3*b^4*c^ \\
& ^5*d^2 + 22*a^4*b^3*c^4*d^3 - 3*a^5*b^2*c^3*d^4 - 13*a^6*b*c^2*d^5 + 6*a^7* \\
& c*d^6)*x^3 + (5*b^7*c^7 + 6*a*b^6*c^6*d - 45*a^2*b^5*c^5*d^2 + 26*a^3*b^4*c^ \\
& ^4*d^3 + 51*a^4*b^3*c^3*d^4 - 54*a^5*b^2*c^2*d^5 + 5*a^6*b*c*d^6 + 6*a^7*d^ \\
& 7)*x^2 + 2*(5*b^7*c^6*d - 9*a*b^6*c^5*d^2 - 8*a^2*b^5*c^4*d^3 + 22*a^3*b^4* \\
& c^3*d^4 - 3*a^4*b^3*c^2*d^5 - 13*a^5*b^2*c*d^6 + 6*a^6*b*d^7)*x)*\sqrt{-a}*a \\
& rctan(\sqrt{-a}*\sqrt{(a*x + b)/x}/a) + 3*(99*a^4*b^4*c^2*d^5 - 88*a^5*b^3*c* \\
& d^6 + 24*a^6*b^2*d^7 + (99*a^6*b^2*c^4*d^3 - 88*a^7*b*c^3*d^4 + 24*a^8*c^2* \\
& d^5)*x^4 + 2*(99*a^5*b^3*c^4*d^3 + 11*a^6*b^2*c^3*d^4 - 64*a^7*b*c^2*d^5 + \\
& 24*a^8*c*d^6)*x^3 + (99*a^4*b^4*c^4*d^3 + 308*a^5*b^3*c^3*d^4 - 229*a^6*b^2 \\
& *c^2*d^5 + 8*a^7*b*c*d^6 + 24*a^8*d^7)*x^2 + 2*(99*a^4*b^4*c^3*d^4 + 11*a^5 \\
& *b^3*c^2*d^5 - 64*a^6*b^2*c*d^6 + 24*a^7*b*d^7)*x)*\sqrt{-d/(b*c - a*d))*\log \\
& (-2*(b*c - a*d)*x*\sqrt{-d/(b*c - a*d)})*\sqrt{(a*x + b)/x} - b*d + (b*c - 2*
\end{aligned}$$

$$\begin{aligned}
& a*d)*x)/(c*x + d)) + 2*(12*(a^3*b^4*c^7 - 4*a^4*b^3*c^6*d + 6*a^5*b^2*c^5*d^2 - 4*a^6*b*c^4*d^3 + a^7*c^3*d^4)*x^5 + (80*a^2*b^5*c^7 - 200*a^3*b^4*c^6*d + 48*a^4*b^3*c^5*d^2 + 48*a^5*b^2*c^4*d^3 - 135*a^6*b*c^3*d^4 + 54*a^7*c^2*d^5)*x^4 + (60*a*b^6*c^7 - 8*a^2*b^5*c^6*d - 364*a^3*b^4*c^5*d^2 + 192*a^4*b^3*c^4*d^3 - 234*a^5*b^2*c^3*d^4 + 3*a^6*b*c^2*d^5 + 36*a^7*c*d^6)*x^3 + (120*a*b^6*c^6*d - 256*a^2*b^5*c^5*d^2 - 80*a^3*b^4*c^4*d^3 - 15*a^4*b^3*c^3*d^4 - 156*a^5*b^2*c^2*d^5 + 72*a^6*b*c*d^6)*x^2 + 3*(20*a*b^6*c^5*d^2 - 56*a^2*b^5*c^4*d^3 + 24*a^3*b^4*c^3*d^4 - 35*a^4*b^3*c^2*d^5 + 12*a^5*b^2*c*d^6)*x)*sqrt((a*x + b)/x))/(a^4*b^6*c^8*d^2 - 4*a^5*b^5*c^7*d^3 + 6*a^6*b^4*c^6*d^4 - 4*a^7*b^3*c^5*d^5 + a^8*b^2*c^4*d^6 + (a^6*b^4*c^10 - 4*a^7*b^3*c^9*d + 6*a^8*b^2*c^8*d^2 - 4*a^9*b*c^7*d^3 + a^10*c^6*d^4)*x^4 + 2*(a^5*b^5*c^10 - 3*a^6*b^4*c^9*d + 2*a^7*b^3*c^8*d^2 + 2*a^8*b^2*c^7*d^3 - 3*a^9*b*c^6*d^4 + a^10*c^5*d^5)*x^3 + (a^4*b^6*c^10 - 9*a^6*b^4*c^8*d^2 + 16*a^7*b^3*c^7*d^3 - 9*a^8*b^2*c^6*d^4 + a^10*c^4*d^6)*x^2 + 2*(a^4*b^6*c^9*d - 3*a^5*b^5*c^8*d^2 + 2*a^6*b^4*c^7*d^3 + 2*a^7*b^3*c^6*d^4 - 3*a^8*b^2*c^5*d^5 + a^9*b*c^4*d^6)*x), -1/12*(3*(99*a^4*b^4*c^2*d^5 - 88*a^5*b^3*c*d^6 + 24*a^6*b^2*d^7 + (99*a^6*b^2*c^4*d^3 - 88*a^7*b*c^3*d^4 + 24*a^8*c^2*d^5)*x^4 + 2*(99*a^5*b^3*c^4*d^3 + 11*a^6*b^2*c^3*d^4 - 64*a^7*b*c^2*d^5 + 24*a^8*c*d^6)*x^3 + (99*a^4*b^4*c^4*d^3 + 308*a^5*b^3*c^3*d^4 - 229*a^6*b^2*c^2*d^5 + 8*a^7*b*c*d^6 + 24*a^8*d^7)*x^2 + 2*(99*a^4*b^4*c^3*d^4 + 11*a^5*b^3*c^2*d^5 - 64*a^6*b^2*c*d^6 + 24*a^7*b*d^7)*x)*sqrt(d/(b*c - a*d))*arctan(-(b*c - a*d)*x*sqrt(d/(b*c - a*d))*sqrt((a*x + b)/x)/(a*d*x + b*d)) - 6*(5*b^7*c^5*d^2 - 14*a*b^6*c^4*d^3 + 6*a^2*b^5*c^3*d^4 + 16*a^3*b^4*c^2*d^5 - 19*a^4*b^3*c*d^6 + 6*a^5*b^2*d^7 + (5*a^2*b^5*c^7 - 14*a^3*b^4*c^6*d + 6*a^4*b^3*c^5*d^2 + 16*a^5*b^2*c^4*d^3 - 19*a^6*b*c^3*d^4 + 6*a^7*c^2*d^5)*x^4 + 2*(5*a*b^6*c^7 - 9*a^2*b^5*c^6*d - 8*a^3*b^4*c^5*d^2 + 22*a^4*b^3*c^4*d^3 - 3*a^5*b^2*c^3*d^4 - 13*a^6*b*c^2*d^5 + 6*a^7*c*d^6)*x^3 + (5*b^7*c^7 + 6*a*b^6*c^6*d - 45*a^2*b^5*c^5*d^2 + 26*a^3*b^4*c^4*d^3 + 51*a^4*b^3*c^3*d^4 - 54*a^5*b^2*c^2*d^5 + 5*a^6*b*c*d^6 + 6*a^7*d^7)*x^2 + 2*(5*b^7*c^6*d - 9*a*b^6*c^5*d^2 - 8*a^2*b^5*c^4*d^3 + 22*a^3*b^4*c^3*d^4 - 3*a^4*b^3*c^2*d^5 - 13*a^5*b^2*c*d^6 + 6*a^6*b*d^7)*x)*sqrt(a)*log(2*a*x - 2*sqrt(a)*x*sqrt((a*x + b)/x) + b) - (12*(a^3*b^4*c^7 - 4*a^4*b^3*c^6*d + 6*a^5*b^2*c^5*d^2 - 4*a^6*b*c^4*d^3 + a^7*c^3*d^4)*x^5 + (80*a^2*b^5*c^7 - 200*a^3*b^4*c^6*d + 48*a^4*b^3*c^5*d^2 + 48*a^5*b^2*c^4*d^3 - 135*a^6*b*c^3*d^4 + 54*a^7*c^2*d^5)*x^4 + (60*a*b^6*c^7 - 8*a^2*b^5*c^6*d - 364*a^3*b^4*c^5*d^2 + 192*a^4*b^3*c^4*d^3 - 234*a^5*b^2*c^3*d^4 + 3*a^6*b*c^2*d^5 + 36*a^7*c*d^6)*x^3 + (120*a*b^6*c^6*d - 256*a^2*b^5*c^5*d^2 - 80*a^3*b^4*c^4*d^3 - 15*a^4*b^3*c^3*d^4 - 156*a^5*b^2*c^2*d^5 + 72*a^6*b*c*d^6)*x^2 + 3*(20*a*b^6*c^5*d^2 - 56*a^2*b^5*c^4*d^3 + 24*a^3*b^4*c^3*d^4 - 35*a^4*b^3*c^2*d^5 + 12*a^5*b^2*c*d^6)*x)*sqrt((a*x + b)/x))/(a^4*b^6*c^8*d^2 - 4*a^5*b^5*c^7*d^3 + 6*a^6*b^4*c^6*d^4 - 4*a^7*b^3*c^5*d^5 + a^8*b^2*c^4*d^6 + (a^6*b^4*c^10 - 4*a^7*b^3*c^9*d + 6*a^8*b^2*c^8*d^2 - 4*a^9*b*c^7*d^3 + a^10*c^6*d^4)*x^4 + 2*(a^5*b^5*c^10 - 3*a^6*b^4*c^9*d + 2*a^7*b^3*c^8*d^2 + 2*a^8*b^2*c^7*d^3 - 3*a^9*b*c^6*d^4 + a^10*c^5*d^5)*x^3 + (a^4*b^6*c^10 - 9*a^6*b^4*c^8*d^2 + 16*a^7*b^3*c^7*d^3 - 9*a^8*b^2*c^6*d^4 + a^10*c^4*d^6)*x^2 + 2*(a^4*b^6*c^9*d - 3*a^5*b^5*c^
\end{aligned}$$

$$\begin{aligned}
& 8*d^2 + 2*a^6*b^4*c^7*d^3 + 2*a^7*b^3*c^6*d^4 - 3*a^8*b^2*c^5*d^5 + a^9*b*c^4*d^6)*x, \\
& -1/12*(3*(99*a^4*b^4*c^2*d^5 - 88*a^5*b^3*c*d^6 + 24*a^6*b^2*d^7 + (99*a^6*b^2*c^4*d^3 - 88*a^7*b*c^3*d^4 + 24*a^8*c^2*d^5)*x^4 + 2*(99*a^5*b^3*c^4*d^3 + 11*a^6*b^2*c^3*d^4 - 64*a^7*b*c^2*d^5 + 24*a^8*c*d^6)*x^3 + \\
& (99*a^4*b^4*c^4*d^3 + 308*a^5*b^3*c^3*d^4 - 229*a^6*b^2*c^2*d^5 + 8*a^7*b*c*d^6 + 24*a^8*d^7)*x^2 + 2*(99*a^4*b^4*c^3*d^4 + 11*a^5*b^3*c^2*d^5 - 64*a^6*b^2*c*d^6 + 24*a^7*b*d^7)*x)*\sqrt{d/(b*c - a*d)}*\arctan(-(b*c - a*d)*x*\sqrt{d/(b*c - a*d)})*\sqrt{(a*x + b)/x}/(a*d*x + b*d)) - 12*(5*b^7*c^5*d^2 - 14*a*b^6*c^4*d^3 + 6*a^2*b^5*c^3*d^4 + 16*a^3*b^4*c^2*d^5 - 19*a^4*b^3*c*d^6 + 6*a^5*b^2*d^7 + (5*a^2*b^5*c^7 - 14*a^3*b^4*c^6*d + 6*a^4*b^3*c^5*d^2 + 16*a^5*b^2*c^4*d^3 - 19*a^6*b*c^3*d^4 + 6*a^7*c^2*d^5)*x^4 + 2*(5*a*b^6*c^7 - 9*a^2*b^5*c^6*d - 8*a^3*b^4*c^5*d^2 + 22*a^4*b^3*c^4*d^3 - 3*a^5*b^2*c^3*d^4 - 13*a^6*b*c^2*d^5 + 6*a^7*c*d^6)*x^3 + (5*b^7*c^7 + 6*a*b^6*c^6*d - 45*a^2*b^5*c^5*d^2 + 26*a^3*b^4*c^4*d^3 + 51*a^4*b^3*c^3*d^4 - 54*a^5*b^2*c^2*d^5 + 5*a^6*b*c*d^6 + 6*a^7*d^7)*x^2 + 2*(5*b^7*c^6*d - 9*a*b^6*c^5*d^2 - 8*a^2*b^5*c^4*d^3 + 22*a^3*b^4*c^3*d^4 - 3*a^4*b^3*c^2*d^5 - 13*a^5*b^2*c*d^6 + 6*a^6*b*d^7)*x)*\sqrt{-a}*\arctan(\sqrt{-a})*\sqrt{(a*x + b)/x}/a) - (12*(a^3*b^4*c^7 - 4*a^4*b^3*c^6*d + 6*a^5*b^2*c^5*d^2 - 4*a^6*b*c^4*d^3 + a^7*c^3*d^4)*x^5 + (80*a^2*b^5*c^7 - 200*a^3*b^4*c^6*d + 48*a^4*b^3*c^5*d^2 + 48*a^5*b^2*c^4*d^3 - 135*a^6*b*c^3*d^4 + 54*a^7*c^2*d^5)*x^4 + (60*a*b^6*c^7 - 8*a^2*b^5*c^6*d - 364*a^3*b^4*c^5*d^2 + 192*a^4*b^3*c^4*d^3 - 234*a^5*b^2*c^3*d^4 + 3*a^6*b*c^2*d^5 + 36*a^7*c*d^6)*x^3 + (120*a*b^6*c^6*d - 256*a^2*b^5*c^5*d^2 - 80*a^3*b^4*c^4*d^3 - 15*a^4*b^3*c^3*d^4 - 156*a^5*b^2*c^2*d^5 + 72*a^6*b*c*d^6)*x^2 + 3*(20*a*b^6*c^5*d^2 - 56*a^2*b^5*c^4*d^3 + 24*a^3*b^4*c^3*d^4 - 35*a^4*b^3*c^2*d^5 + 12*a^5*b^2*c*d^6)*x)*\sqrt{(a*x + b)/x})/(a^4*b^6*c^8*d^2 - 4*a^5*b^5*c^7*d^3 + 6*a^6*b^4*c^6*d^4 - 4*a^7*b^3*c^5*d^5 + a^8*b^2*c^4*d^6 + (a^6*b^4*c^10 - 4*a^7*b^3*c^9*d + 6*a^8*b^2*c^8*d^2 - 4*a^9*b*c^7*d^3 + a^10*c^6*d^4)*x^4 + 2*(a^5*b^5*c^10 - 3*a^6*b^4*c^9*d + 2*a^7*b^3*c^8*d^2 + 2*a^8*b^2*c^7*d^3 - 3*a^9*b*c^6*d^4 + a^10*c^5*d^5)*x^3 + (a^4*b^6*c^10 - 9*a^6*b^4*c^8*d^2 + 16*a^7*b^3*c^7*d^3 - 9*a^8*b^2*c^6*d^4 + a^10*c^4*d^6)*x^2 + 2*(a^4*b^6*c^9*d - 3*a^5*b^5*c^8*d^2 + 2*a^6*b^4*c^7*d^3 + 2*a^7*b^3*c^6*d^4 - 3*a^8*b^2*c^5*d^5 + a^9*b*c^4*d^6)*x)]
\end{aligned}$$

giac [A] time = 0.29, size = 523, normalized size = 1.28

$$\frac{1}{12} b^4 \left(\frac{3(99b^2c^2d^4 - 88abc^3 + 24a^2d^3) \arctan\left(\frac{a\sqrt{\frac{ax+b}{x}}}{\sqrt{bc-ad}}\right)}{\sqrt{bc-ad}} - \frac{8(abc - a^2d + \frac{6ax+3bc}{x} - \frac{15ax+3bd}{x})^2}{(a^2b^4c^4 - 4a^3b^3c^3d + 6a^2b^2c^2d^2 - 4a^4bc^3 + a^4d^4)(ax+b)\sqrt{\frac{ax+b}{x}}} + \frac{3\left(21b^2c^2d^4\sqrt{\frac{ax+b}{x}} - 29abc^3\sqrt{\frac{ax+b}{x}} + 8a^2d^3\sqrt{\frac{ax+b}{x}} + \frac{19(6ax+3bc)d^3\sqrt{\frac{ax+b}{x}}}{x} - \frac{8(6ax+3bd)d^3\sqrt{\frac{ax+b}{x}}}{x}\right)}{(b^2c^4 - 4ab^2c^3d + 6a^2b^2c^2d^2 - 4a^3b^4c^3d^2 + a^4b^3c^3d^4)\left(bc-ad + \frac{6ax+3bd}{x}\right)} + \frac{12\sqrt{\frac{ax+b}{x}}}{\left(a - \frac{6ax}{x}\right)a^2b^3c^3} - \frac{12(5bc + 6ad) \arctan\left(\frac{\sqrt{\frac{ax+b}{x}}}{\sqrt{-a}}\right)}{\sqrt{-a}b^4c^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)^(5/2)/(c+d/x)^3,x, algorithm="giac")

[Out] $-1/12*b^4*(3*(99*b^2*c^2*d^4 - 88*a*b*c*d^5 + 24*a^2*d^6)*\arctan(d*\sqrt{(a*x + b)/x})/\sqrt{b*c*d - a*d^2})/((b^8*c^8 - 4*a*b^7*c^7*d + 6*a^2*b^6*c^6*d^2 - 4*a^3*b^5*c^5*d^3 + a^4*b^4*c^4*d^4)*\sqrt{b*c*d - a*d^2}) - 8*(a*b*c - a^2*d + 6*(a*x + b)*b*c/x - 15*(a*x + b)*a*d/x)*x/((a^3*b^4*c^4 - 4*a^4*b^3$

```
*c^3*d + 6*a^5*b^2*c^2*d^2 - 4*a^6*b*c*d^3 + a^7*d^4)*(a*x + b)*sqrt((a*x +
b)/x)) + 3*(21*b^2*c^2*d^4*sqrt((a*x + b)/x) - 29*a*b*c*d^5*sqrt((a*x + b)
/x) + 8*a^2*d^6*sqrt((a*x + b)/x) + 19*(a*x + b)*b*c*d^5*sqrt((a*x + b)/x)/
x - 8*(a*x + b)*a*d^6*sqrt((a*x + b)/x)/x)/((b^7*c^7 - 4*a*b^6*c^6*d + 6*a^
2*b^5*c^5*d^2 - 4*a^3*b^4*c^4*d^3 + a^4*b^3*c^3*d^4)*(b*c - a*d + (a*x + b)
*d/x)^2) + 12*sqrt((a*x + b)/x)/((a - (a*x + b)/x)*a^3*b^3*c^3) - 12*(5*b*c
+ 6*a*d)*arctan(sqrt((a*x + b)/x)/sqrt(-a))/(sqrt(-a)*a^3*b^4*c^4))
```

maple [B] time = 0.08, size = 7300, normalized size = 17.85

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+b/x)^(5/2)/(c+d/x)^3,x)
```

```
[Out] result too large to display
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a + \frac{b}{x}\right)^{\frac{5}{2}} \left(c + \frac{d}{x}\right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b/x)^(5/2)/(c+d/x)^3,x, algorithm="maxima")
```

```
[Out] integrate(1/((a + b/x)^(5/2)*(c + d/x)^3), x)
```

mupad [B] time = 8.23, size = 4284, normalized size = 10.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((a + b/x)^(5/2)*(c + d/x)^3),x)
```

```
[Out] ((2*b^4)/(3*(a^2*d - a*b*c)) + (2*b^4*(a + b/x)*(12*a*d - 5*b*c))/(3*(a^2*d
- a*b*c)^2) + (b*(a + b/x)^2*(36*a^5*d^5 - 60*b^5*c^5 - 456*a^2*b^3*c^3*d^
2 + 120*a^3*b^2*c^2*d^3 + 308*a*b^4*c^4*d - 123*a^4*b*c*d^4))/(12*a^2*c^3*(
a^2*d - a*b*c)*(a*d - b*c)^2) + (b*(a + b/x)^4*(12*a^4*d^6 + 20*b^4*c^4*d^2
- 56*a*b^3*c^3*d^3 + 24*a^2*b^2*c^2*d^4 - 35*a^3*b*c*d^5))/(4*a^2*c^3*(a^2
*d - a*b*c)*(a*d - b*c)^3) - (b*(a + b/x)^3*(72*a^5*d^6 - 120*b^5*c^5*d + 4
96*a*b^4*c^4*d^2 - 592*a^2*b^3*c^3*d^3 + 303*a^3*b^2*c^2*d^4 - 264*a^4*b*c*
d^5))/(12*a^2*c^3*(a^2*d - a*b*c)*(a*d - b*c)^3))/((a + b/x)^(5/2)*(3*a^2*d
^2 + b^2*c^2 - 4*a*b*c*d) - (a + b/x)^(7/2)*(3*a*d^2 - 2*b*c*d) + d^2*(a +
b/x)^(9/2) - (a + b/x)^(3/2)*(a^3*d^2 + a*b^2*c^2 - 2*a^2*b*c*d)) + (atan((
```

$$\begin{aligned}
& a^{15}b^{24}c^{24}(a + b/x)^{(1/2)*2000i} + a^{17}b^{22}c^{22}d^2(a + b/x)^{(1/2)*2} \\
& 77440i - a^{18}b^{21}c^{21}d^3(a + b/x)^{(1/2)*1325984i} + a^{19}b^{20}c^{20}d^4(a + b/x)^{(1/2)*4135824i} - a^{20}b^{19}c^{19}d^5(a + b/x)^{(1/2)*8371440i} + a^{21}b^{18}c^{18}d^6(a + b/x)^{(1/2)*9129120i} + a^{22}b^{17}c^{17}d^7(a + b/x)^{(1/2)*3058605i} - a^{23}b^{16}c^{16}d^8(a + b/x)^{(1/2)*32337558i} + a^{24}b^{15}c^{15}d^9(a + b/x)^{(1/2)*63677218i} - a^{25}b^{14}c^{14}d^{10}(a + b/x)^{(1/2)*66665280i} + a^{26}b^{13}c^{13}d^{11}(a + b/x)^{(1/2)*24871035i} + a^{27}b^{12}c^{12}d^{12}(a + b/x)^{(1/2)*40203170i} - a^{28}b^{11}c^{11}d^{13}(a + b/x)^{(1/2)*85652532i} + a^{29}b^{10}c^{10}d^{14}(a + b/x)^{(1/2)*88170192i} - a^{30}b^9c^9d^{15}(a + b/x)^{(1/2)*60362445i} + a^{31}b^8c^8d^{16}(a + b/x)^{(1/2)*29178270i} - a^{32}b^7c^7d^{17}(a + b/x)^{(1/2)*9940590i} + a^{33}b^6c^6d^{18}(a + b/x)^{(1/2)*2287824i} - a^{34}b^5c^5d^{19}(a + b/x)^{(1/2)*320859i} + a^{35}b^4c^4d^{20}(a + b/x)^{(1/2)*20790i} - a^{16}b^{23}c^{23}d^*(a + b/x)^{(1/2)*34800i)/(a^7*(a^7)^{(1/2)}*(a^7*(a^7*(a^7*(29178270*b^8*c^8*d^16 - 9940590*a*b^7*c^7*d^17 + 2287824*a^2*b^6*c^6*d^18 - 320859*a^3*b^5*c^5*d^19 + 20790*a^4*b^4*c^4*d^20) + 63677218*b^15*c^15*d^9 - 66665280*a*b^14*c^14*d^10 + 24871035*a^2*b^13*c^13*d^11 + 40203170*a^3*b^12*c^12*d^12 - 85652532*a^4*b^11*c^11*d^13 + 88170192*a^5*b^10*c^10*d^14 - 60362445*a^6*b^9*c^9*d^15) + 277440*b^22*c^22*d^2 - 1325984*a*b^21*c^21*d^3 + 4135824*a^2*b^20*c^20*d^4 - 8371440*a^3*b^19*c^19*d^5 + 9129120*a^4*b^18*c^18*d^6 + 3058605*a^5*b^17*c^17*d^7 - 32337558*a^6*b^16*c^16*d^8) + 2000*a^5*b^24*c^24 - 34800*a^6*b^23*c^23*d))*(6*a*d + 5*b*c)*1i)/(c^4*(a^7)^{(1/2)}) + (log(400*b^25*c^25*d^4 - 8240*a*b^24*c^24*d^5 - 1152*a^11*d^5*(d^7*(a*d - b*c)^9)^{(3/2)}*(a + b/x)^{(1/2)} + 1152*a^20*d^21*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 79696*a^2*b^23*c^23*d^6 - 478768*a^3*b^22*c^22*d^7 + 1987568*a^4*b^21*c^21*d^8 - 5978896*a^5*b^20*c^20*d^9 + 13176240*a^6*b^19*c^19*d^10 - 20525703*a^7*b^18*c^18*d^11 + 18765714*a^8*b^17*c^17*d^12 + 3763331*a^9*b^16*c^16*d^13 - 49787452*a^10*b^15*c^15*d^14 + 104120705*a^11*b^14*c^14*d^15 - 140185682*a^12*b^13*c^13*d^16 + 139985251*a^13*b^12*c^12*d^17 - 108046616*a^14*b^11*c^11*d^18 + 65184867*a^15*b^10*c^10*d^19 - 30607170*a^16*b^9*c^9*d^20 + 10996689*a^17*b^8*c^8*d^21 - 2926572*a^18*b^7*c^7*d^22 + 544467*a^19*b^6*c^6*d^23 - 63294*a^20*b^5*c^5*d^24 + 3465*a^21*b^4*c^4*d^25 + 400*b^20*c^20*d*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 9801*a^6*b^5*c^5*(d^7*(a*d - b*c)^9)^{(3/2)}*(a + b/x)^{(1/2)} - 37026*a^7*b^4*c^4*d*(d^7*(a*d - b*c)^9)^{(3/2)}*(a + b/x)^{(1/2)} - 6240*a*b^19*c^19*d^2*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 47344*a^8*b^3*c^3*d^2*(d^7*(a*d - b*c)^9)^{(3/2)}*(a + b/x)^{(1/2)} - 29216*a^9*b^2*c^2*d^3*(d^7*(a*d - b*c)^9)^{(3/2)}*(a + b/x)^{(1/2)} + 44496*a^2*b^18*c^18*d^3*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} - 189888*a^3*b^17*c^17*d^4*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 528768*a^4*b^16*c^16*d^5*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} - 959616*a^5*b^15*c^15*d^6*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 972681*a^6*b^14*c^14*d^7*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 41238*a^7*b^13*c^13*d^8*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} - 1727195*a^8*b^12*c^12*d^9*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 2139672*a^9*b^11*c^11*d^10*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 786834*a^10*b^10*c^10*d^11*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} - 6551292*a^11*b^9*c^9*d^1
\end{aligned}$$

$$\begin{aligned}
& 2*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 11685186*a^{12}*b^8*c^8*d^{13}*(d \\
& ^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} - 12876696*a^{13}*b^7*c^7*d^{14}*(d^7*(\\
& a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 10033077*a^{14}*b^6*c^6*d^{15}*(d^7*(a*d \\
& - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} - 5737770*a^{15}*b^5*c^5*d^{16}*(d^7*(a*d - b*c \\
&)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 2414601*a^{16}*b^4*c^4*d^{17}*(d^7*(a*d - b*c)^9)^{ \\
& (1/2)}*(a + b/x)^{(1/2)} - 731920*a^{17}*b^3*c^3*d^{18}*(d^7*(a*d - b*c)^9)^{(1/2)}* \\
& (a + b/x)^{(1/2)} + 151904*a^{18}*b^2*c^2*d^{19}*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b \\
& /x)^{(1/2)} + 9024*a^{10}*b*c*d^4*(d^7*(a*d - b*c)^9)^{(3/2)}*(a + b/x)^{(1/2)} - 1 \\
& 9392*a^{19}*b*c*d^{20}*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)}*(d^7*(a*d - b \\
& *c)^9)^{(1/2)}*(3*a^2*d^2 + (99*b^2*c^2)/8 - 11*a*b*c*d)/(b^9*c^13 - a^9*c^4 \\
& *d^9 + 9*a^8*b*c^5*d^8 + 36*a^2*b^7*c^11*d^2 - 84*a^3*b^6*c^10*d^3 + 126*a^ \\
& 4*b^5*c^9*d^4 - 126*a^5*b^4*c^8*d^5 + 84*a^6*b^3*c^7*d^6 - 36*a^7*b^2*c^6*d \\
& ^7 - 9*a*b^8*c^12*d) - (\log(8240*a*b^{24}*c^{24}*d^5 - 400*b^{25}*c^{25}*d^4 - 1152 \\
& *a^{11}*d^5*(d^7*(a*d - b*c)^9)^{(3/2)}*(a + b/x)^{(1/2)} + 1152*a^{20}*d^{21}*(d^7*(\\
& a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} - 79696*a^2*b^{23}*c^{23}*d^6 + 478768*a^3* \\
& b^{22}*c^{22}*d^7 - 1987568*a^4*b^{21}*c^{21}*d^8 + 5978896*a^5*b^{20}*c^{20}*d^9 - 131 \\
& 76240*a^6*b^{19}*c^{19}*d^{10} + 20525703*a^7*b^{18}*c^{18}*d^{11} - 18765714*a^8*b^{17}* \\
& c^{17}*d^{12} - 3763331*a^9*b^{16}*c^{16}*d^{13} + 49787452*a^{10}*b^{15}*c^{15}*d^{14} - 104 \\
& 120705*a^{11}*b^{14}*c^{14}*d^{15} + 140185682*a^{12}*b^{13}*c^{13}*d^{16} - 139985251*a^{13} \\
& *b^{12}*c^{12}*d^{17} + 108046616*a^{14}*b^{11}*c^{11}*d^{18} - 65184867*a^{15}*b^{10}*c^{10}*d \\
& ^{19} + 30607170*a^{16}*b^9*c^9*d^{20} - 10996689*a^{17}*b^8*c^8*d^{21} + 2926572*a^1 \\
& 8*b^7*c^7*d^{22} - 544467*a^{19}*b^6*c^6*d^{23} + 63294*a^{20}*b^5*c^5*d^{24} - 3465* \\
& a^{21}*b^4*c^4*d^{25} + 400*b^{20}*c^{20}*d*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/ \\
& 2)} + 9801*a^6*b^5*c^5*(d^7*(a*d - b*c)^9)^{(3/2)}*(a + b/x)^{(1/2)} - 37026*a^7 \\
& *b^4*c^4*d*(d^7*(a*d - b*c)^9)^{(3/2)}*(a + b/x)^{(1/2)} - 6240*a*b^{19}*c^{19}*d^2 \\
& *(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 47344*a^8*b^3*c^3*d^2*(d^7*(a* \\
& d - b*c)^9)^{(3/2)}*(a + b/x)^{(1/2)} - 29216*a^9*b^2*c^2*d^3*(d^7*(a*d - b*c)^ \\
& 9)^{(3/2)}*(a + b/x)^{(1/2)} + 44496*a^2*b^{18}*c^{18}*d^3*(d^7*(a*d - b*c)^9)^{(1/2 \\
&)}*(a + b/x)^{(1/2)} - 189888*a^3*b^{17}*c^{17}*d^4*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + \\
& b/x)^{(1/2)} + 528768*a^4*b^{16}*c^{16}*d^5*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{ \\
& (1/2)} - 959616*a^5*b^{15}*c^{15}*d^6*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} \\
& + 972681*a^6*b^{14}*c^{14}*d^7*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 4123 \\
& 8*a^7*b^{13}*c^{13}*d^8*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} - 1727195*a^8 \\
& *b^{12}*c^{12}*d^9*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 2139672*a^9*b^{11} \\
& *c^{11}*d^{10}*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 786834*a^{10}*b^{10}*c^{1 \\
& 0}*d^{11}*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} - 6551292*a^{11}*b^9*c^9*d^{1 \\
& 2}*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 11685186*a^{12}*b^8*c^8*d^{13}*(d \\
& ^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} - 12876696*a^{13}*b^7*c^7*d^{14}*(d^7*(\\
& a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 10033077*a^{14}*b^6*c^6*d^{15}*(d^7*(a*d \\
& - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)} - 5737770*a^{15}*b^5*c^5*d^{16}*(d^7*(a*d - b*c \\
&)^9)^{(1/2)}*(a + b/x)^{(1/2)} + 2414601*a^{16}*b^4*c^4*d^{17}*(d^7*(a*d - b*c)^9)^{ \\
& (1/2)}*(a + b/x)^{(1/2)} - 731920*a^{17}*b^3*c^3*d^{18}*(d^7*(a*d - b*c)^9)^{(1/2)}* \\
& (a + b/x)^{(1/2)} + 151904*a^{18}*b^2*c^2*d^{19}*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b \\
& /x)^{(1/2)} + 9024*a^{10}*b*c*d^4*(d^7*(a*d - b*c)^9)^{(3/2)}*(a + b/x)^{(1/2)} - 1 \\
& 9392*a^{19}*b*c*d^{20}*(d^7*(a*d - b*c)^9)^{(1/2)}*(a + b/x)^{(1/2)}*(d^7*(a*d - b
\end{aligned}$$

$$*c)^9)^{(1/2)}*(24*a^2*d^2 + 99*b^2*c^2 - 88*a*b*c*d)/(8*(b^9*c^13 - a^9*c^4*d^9 + 9*a^8*b*c^5*d^8 + 36*a^2*b^7*c^11*d^2 - 84*a^3*b^6*c^10*d^3 + 126*a^4*b^5*c^9*d^4 - 126*a^5*b^4*c^8*d^5 + 84*a^6*b^3*c^7*d^6 - 36*a^7*b^2*c^6*d^7 - 9*a*b^8*c^12*d))$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b/x)**(5/2)/(c+d/x)**3,x)

[Out] Timed out

$$3.169 \quad \int \sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}} dx$$

Optimal. Leaf size=123

$$x\sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}} + \frac{(ad + bc) \tanh^{-1}\left(\frac{\sqrt{c} \sqrt{a + \frac{b}{x}}}{\sqrt{a} \sqrt{c + \frac{d}{x}}}\right)}{\sqrt{a} \sqrt{c}} - 2\sqrt{b} \sqrt{d} \tanh^{-1}\left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{b} \sqrt{c + \frac{d}{x}}}\right)$$

Rubi [A] time = 0.09, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$, Rules used = {375, 97, 157, 63, 217, 206, 93, 208}

$$x\sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}} + \frac{(ad + bc) \tanh^{-1}\left(\frac{\sqrt{c} \sqrt{a + \frac{b}{x}}}{\sqrt{a} \sqrt{c + \frac{d}{x}}}\right)}{\sqrt{a} \sqrt{c}} - 2\sqrt{b} \sqrt{d} \tanh^{-1}\left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{b} \sqrt{c + \frac{d}{x}}}\right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b/x]*Sqrt[c + d/x],x]

[Out] Sqrt[a + b/x]*Sqrt[c + d/x]*x + ((b*c + a*d)*ArcTanh[(Sqrt[c]*Sqrt[a + b/x])/(Sqrt[a]*Sqrt[c + d/x])])/(Sqrt[a]*Sqrt[c]) - 2*Sqrt[b]*Sqrt[d]*ArcTanh[(Sqrt[d]*Sqrt[a + b/x])/(Sqrt[b]*Sqrt[c + d/x])]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 93

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 97

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p)/(b*(m + 1)), x] - Dist[1/(b*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^(p - 1)*Simp[d*e*n + c*f*p + d*f*(n + p)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && LtQ[m, -1] && GtQ[n, 0] && GtQ[p, 0] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])
```

Rule 157

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 375

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}} dx &= -\text{Subst} \left(\int \frac{\sqrt{a + bx} \sqrt{c + dx}}{x^2} dx, x, \frac{1}{x} \right) \\
&= \sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}} x - \text{Subst} \left(\int \frac{\frac{1}{2}(bc + ad) + bdx}{x \sqrt{a + bx} \sqrt{c + dx}} dx, x, \frac{1}{x} \right) \\
&= \sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}} x - (bd) \text{Subst} \left(\int \frac{1}{\sqrt{a + bx} \sqrt{c + dx}} dx, x, \frac{1}{x} \right) - \frac{1}{2}(bc + ad) \text{Subst} \left(\int \frac{1}{\sqrt{a + bx} \sqrt{c + dx}} dx, x, \frac{1}{x} \right) \\
&= \sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}} x - (2d) \text{Subst} \left(\int \frac{1}{\sqrt{c - \frac{ad}{b} + \frac{dx^2}{b}}} dx, x, \sqrt{a + \frac{b}{x}} \right) - (bc + ad) \text{Subst} \left(\int \frac{1}{\sqrt{a + bx} \sqrt{c + dx}} dx, x, \frac{1}{x} \right) \\
&= \sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}} x + \frac{(bc + ad) \tanh^{-1} \left(\frac{\sqrt{c} \sqrt{a + \frac{b}{x}}}{\sqrt{a} \sqrt{c + \frac{d}{x}}} \right)}{\sqrt{a} \sqrt{c}} - (2d) \text{Subst} \left(\int \frac{1}{1 - \frac{dx^2}{b}} dx, x, \frac{\sqrt{a + \frac{b}{x}}}{\sqrt{c + \frac{d}{x}}} \right) \\
&= \sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}} x + \frac{(bc + ad) \tanh^{-1} \left(\frac{\sqrt{c} \sqrt{a + \frac{b}{x}}}{\sqrt{a} \sqrt{c + \frac{d}{x}}} \right)}{\sqrt{a} \sqrt{c}} - 2\sqrt{b} \sqrt{d} \tanh^{-1} \left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{b} \sqrt{c + \frac{d}{x}}} \right)
\end{aligned}$$

Mathematica [A] time = 1.40, size = 167, normalized size = 1.36

$$\frac{\sqrt{a + \frac{b}{x}} (cx + d) - 2\sqrt{d} \sqrt{bc - ad} \sqrt{\frac{bcx + bd}{bcx - ad}} \sinh^{-1} \left(\frac{\sqrt{d} \sqrt{a + \frac{b}{x}}}{\sqrt{bc - ad}} \right) + \frac{\sqrt{c + \frac{d}{x}} (ad + bc) \tanh^{-1} \left(\frac{\sqrt{c} \sqrt{a + \frac{b}{x}}}{\sqrt{a} \sqrt{c + \frac{d}{x}}} \right)}{\sqrt{a} \sqrt{c}}}{\sqrt{c + \frac{d}{x}}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b/x]*Sqrt[c + d/x],x]

[Out] (Sqrt[a + b/x]*(d + c*x) - 2*Sqrt[d]*Sqrt[b*c - a*d]*Sqrt[(b*d + b*c*x)/(b*c*x - a*d*x)]*ArcSinh[(Sqrt[d]*Sqrt[a + b/x])/Sqrt[b*c - a*d]] + ((b*c + a*d)*Sqrt[c + d/x]*ArcTanh[(Sqrt[c]*Sqrt[a + b/x])/(Sqrt[a]*Sqrt[c + d/x])])/(Sqrt[a]*Sqrt[c])/Sqrt[c + d/x]

IntegrateAlgebraic [A] time = 0.40, size = 179, normalized size = 1.46

$$\frac{x\sqrt{a + \frac{b}{x}}\sqrt{c + \frac{d}{x}} \left(\frac{\sqrt{cx+d}(bc-ad)}{\sqrt{ax+b}\left(c - \frac{a(cx+d)}{ax+b}\right)} + \frac{(ad+bc)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{cx+d}}{\sqrt{c}\sqrt{ax+b}}\right)}{\sqrt{a}\sqrt{c}} - 2\sqrt{b}\sqrt{d}\tanh^{-1}\left(\frac{\sqrt{b}\sqrt{cx+d}}{\sqrt{d}\sqrt{ax+b}}\right) \right)}{\sqrt{ax+b}\sqrt{cx+d}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + b/x]*Sqrt[c + d/x],x]

[Out] (Sqrt[a + b/x]*Sqrt[c + d/x]*x*((b*c - a*d)*Sqrt[d + c*x])/(Sqrt[b + a*x]*(c - (a*(d + c*x))/(b + a*x))) + ((b*c + a*d)*ArcTanh[(Sqrt[a]*Sqrt[d + c*x])/(Sqrt[c]*Sqrt[b + a*x])])/(Sqrt[a]*Sqrt[c]) - 2*Sqrt[b]*Sqrt[d]*ArcTanh[(Sqrt[b]*Sqrt[d + c*x])/(Sqrt[d]*Sqrt[b + a*x])])/(Sqrt[b + a*x]*Sqrt[d + c*x])

fricas [A] time = 1.78, size = 890, normalized size = 7.24

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^(1/2)*(a+b/x)^(1/2),x, algorithm="fricas")

[Out] [1/4*(4*a*c*x*sqrt((a*x + b)/x)*sqrt((c*x + d)/x) + 2*sqrt(b*d)*a*c*log(-(8*b^2*d^2 + (b^2*c^2 + 6*a*b*c*d + a^2*d^2)*x^2 - 4*(2*b*d*x + (b*c + a*d)*x^2)*sqrt(b*d)*sqrt((a*x + b)/x)*sqrt((c*x + d)/x) + 8*(b^2*c*d + a*b*d^2)*x)/x^2) + sqrt(a*c)*(b*c + a*d)*log(-8*a^2*c^2*x^2 - b^2*c^2 - 6*a*b*c*d - a^2*d^2 - 4*(2*a*c*x^2 + (b*c + a*d)*x)*sqrt(a*c)*sqrt((a*x + b)/x)*sqrt((c*x + d)/x) - 8*(a*b*c^2 + a^2*c*d)*x)/(a*c), 1/4*(4*a*c*x*sqrt((a*x + b)/x)*sqrt((c*x + d)/x) + 4*sqrt(-b*d)*a*c*arctan(1/2*(2*b*d*x + (b*c + a*d)*x^2)*sqrt(-b*d)*sqrt((a*x + b)/x)*sqrt((c*x + d)/x)/(a*b*c*d*x^2 + b^2*d^2 + (b^2*c*d + a*b*d^2)*x)) + sqrt(a*c)*(b*c + a*d)*log(-8*a^2*c^2*x^2 - b^2*c^2 - 6*a*b*c*d - a^2*d^2 - 4*(2*a*c*x^2 + (b*c + a*d)*x)*sqrt(a*c)*sqrt((a*x + b)/x)*sqrt((c*x + d)/x) - 8*(a*b*c^2 + a^2*c*d)*x)/(a*c), 1/2*(2*a*c*x*sqrt((a*x + b)/x)*sqrt((c*x + d)/x) + sqrt(b*d)*a*c*log(-(8*b^2*d^2 + (b^2*c^2 + 6*a*b*c*d + a^2*d^2)*x^2 - 4*(2*b*d*x + (b*c + a*d)*x^2)*sqrt(b*d)*sqrt((a*x + b)/x)*sqrt((c*x + d)/x) + 8*(b^2*c*d + a*b*d^2)*x)/x^2) - sqrt(-a*c)*(b*c + a*d)*arctan(2*sqrt(-a*c)*x*sqrt((a*x + b)/x)*sqrt((c*x + d)/x)/(2*a*c*x + b*c + a*d))/(a*c), 1/2*(2*a*c*x*sqrt((a*x + b)/x)*sqrt((c*x + d)/x) + 2*sqrt(-b*d)*a*c*arctan(1/2*(2*b*d*x + (b*c + a*d)*x^2)*sqrt(-b*d)*sqrt((a*x + b)/x)*sqrt((c*x + d)/x)/(a*b*c*d*x^2 + b^2*d^2 + (b^2*c*d + a*b*d^2)*x)) - sqrt(-a*c)*(b*c + a*d)*arctan(2*sqrt(-a*c)*x*sqrt((a*x + b)/x)*sqrt((c*x + d)/x)/(2*a*c*x + b*c + a*d))/(a*c)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^(1/2)*(a+b/x)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(a + b/x)*sqrt(c + d/x), x)

maple [B] time = 0.10, size = 253, normalized size = 2.06

$$\frac{\sqrt{\frac{ax+b}{x}} \sqrt{\frac{cx+d}{x}} \left(\sqrt{bd} \operatorname{ad} \ln \left(\frac{2acx+ad+bc+2\sqrt{ac^2+adx+bcx+bd} \sqrt{ac}}{2\sqrt{ac}} \right) + \sqrt{bd} \operatorname{bc} \ln \left(\frac{2acx+ad+bc+2\sqrt{ac^2+adx+bcx+bd} \sqrt{ac}}{2\sqrt{ac}} \right) - 2\sqrt{ac} \operatorname{bd} \ln \left(\frac{adx+bcx+2bd+2\sqrt{bd} \sqrt{ac^2+adx+bcx+bd}}{x} \right) + 2\sqrt{ac} x^2 + adx + bcx + bd \sqrt{ac} \sqrt{bd} \right)}{2\sqrt{ac} x^2 + adx + bcx + bd \sqrt{ac} \sqrt{bd}} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d/x)^(1/2)*(a+b/x)^(1/2),x)

[Out] 1/2*((a*x+b)/x)^(1/2)*x*((c*x+d)/x)^(1/2)*((b*d)^(1/2)*ln(1/2*(2*a*c*x+2*(a*c*x^2+a*d*x+b*c*x+b*d)^(1/2)*(a*c)^(1/2)+a*d+b*c)/(a*c)^(1/2))*a*d+(b*d)^(1/2)*ln(1/2*(2*a*c*x+2*(a*c*x^2+a*d*x+b*c*x+b*d)^(1/2)*(a*c)^(1/2)+a*d+b*c)/(a*c)^(1/2))*b*c-2*b*d*ln((a*d*x+b*c*x+2*(b*d)^(1/2)*(a*c*x^2+a*d*x+b*c*x+b*d)^(1/2)+2*b*d)/x)*(a*c)^(1/2)+2*(a*c*x^2+a*d*x+b*c*x+b*d)^(1/2)*(a*c)^(1/2)*(b*d)^(1/2))/(a*c*x^2+a*d*x+b*c*x+b*d)^(1/2)/(a*c)^(1/2)/(b*d)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)^(1/2)*(a+b/x)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(a + b/x)*sqrt(c + d/x), x)

mupad [B] time = 22.22, size = 4674, normalized size = 38.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b/x)^(1/2)*(c + d/x)^(1/2),x)

[Out] atan(((b*d)^(1/2)*(2*(b*d)^(1/2)*(2*(b*d)^(1/2)*(2*(b*d)^(1/2)*((2*(4*a^(9/2)*b^9*c^(19/2) - 4*a^(13/2)*b^7*c^(15/2)*d^2 - 4*a^(15/2)*b^6*c^(13/2)*d^3 + 4*a^(19/2)*b^4*c^(9/2)*d^5)))/(a^7*c^7*d^9) - ((a + b/x)^(1/2) - a^(1/2)

$$\begin{aligned}
&)*(32*a^4*b^9*c^10 - 120*a^5*b^8*c^9*d + 288*a^6*b^7*c^8*d^2 - 400*a^7*b^6*c^7*d^3 + 288*a^8*b^5*c^6*d^4 - 120*a^9*b^4*c^5*d^5 + 32*a^10*b^3*c^4*d^6)) \\
& / (2*a^7*c^7*d^9*((c + d/x)^{(1/2)} - c^{(1/2)})) - (2*(8*a^5*b^9*c^9*d + 16*a^6*b^8*c^8*d^2 - 48*a^7*b^7*c^7*d^3 + 16*a^8*b^6*c^6*d^4 + 8*a^9*b^5*c^5*d^5 \\
&))/(a^7*c^7*d^9) + (((a + b/x)^{(1/2)} - a^{(1/2)})*(16*a^{(7/2)}*b^{10}*c^{(21/2)} - 76*a^{(9/2)}*b^9*c^{(19/2)}*d + 228*a^{(11/2)}*b^8*c^{(17/2)}*d^2 - 168*a^{(13/2)}*b^7*c^{(15/2)}*d^3 - 168*a^{(15/2)}*b^6*c^{(13/2)}*d^4 + 228*a^{(17/2)}*b^5*c^{(11/2)}*d^5 - 76*a^{(19/2)}*b^4*c^{(9/2)}*d^6 + 16*a^{(21/2)}*b^3*c^{(7/2)}*d^7))/(2*a^7*c^7*d^9*((c + d/x)^{(1/2)} - c^{(1/2)})) - (2*(a^{(7/2)}*b^{11}*c^{(21/2)} + 16*a^{(9/2)}*b^{10}*c^{(19/2)}*d - 42*a^{(11/2)}*b^9*c^{(17/2)}*d^2 + 25*a^{(13/2)}*b^8*c^{(15/2)}*d^3 + 25*a^{(15/2)}*b^7*c^{(13/2)}*d^4 - 42*a^{(17/2)}*b^6*c^{(11/2)}*d^5 + 16*a^{(19/2)}*b^5*c^{(9/2)}*d^6 + a^{(21/2)}*b^4*c^{(7/2)}*d^7))/(a^7*c^7*d^9) + (((a + b/x)^{(1/2)} - a^{(1/2)})*(146*a^4*b^10*c^10*d - 556*a^5*b^9*c^9*d^2 + 1006*a^6*b^8*c^8*d^3 - 1192*a^7*b^7*c^7*d^4 + 1006*a^8*b^6*c^6*d^5 - 556*a^9*b^5*c^5*d^6 + 146*a^10*b^4*c^4*d^7))/(2*a^7*c^7*d^9*((c + d/x)^{(1/2)} - c^{(1/2)})) + (2*(2*a^4*b^11*c^10*d + 8*a^5*b^10*c^9*d^2 - 2*a^6*b^9*c^8*d^3 - 16*a^7*b^8*c^7*d^4 - 2*a^8*b^7*c^6*d^5 + 8*a^9*b^6*c^5*d^6 + 2*a^10*b^5*c^4*d^7))/(a^7*c^7*d^9) - (((a + b/x)^{(1/2)} - a^{(1/2)})*(65*a^{(7/2)}*b^{11}*c^{(21/2)}*d - 297*a^{(9/2)}*b^{10}*c^{(19/2)}*d^2 + 597*a^{(11/2)}*b^9*c^{(17/2)}*d^3 - 365*a^{(13/2)}*b^8*c^{(15/2)}*d^4 - 365*a^{(15/2)}*b^7*c^{(13/2)}*d^5 + 597*a^{(17/2)}*b^6*c^{(11/2)}*d^6 - 297*a^{(19/2)}*b^5*c^{(9/2)}*d^7 + 65*a^{(21/2)}*b^4*c^{(7/2)}*d^8))/(2*a^7*c^7*d^9*((c + d/x)^{(1/2)} - c^{(1/2)})))*i - (b*d)^{(1/2)}*(2*(b*d)^{(1/2)}*(2*(b*d)^{(1/2)}*(2*(b*d)^{(1/2)}*(2*(b*d)^{(1/2)}*(2*(4*a^{(9/2)}*b^9*c^{(19/2)} - 4*a^{(13/2)}*b^7*c^{(15/2)}*d^2 - 4*a^{(15/2)}*b^6*c^{(13/2)}*d^3 + 4*a^{(19/2)}*b^4*c^{(9/2)}*d^5))/(a^7*c^7*d^9) - (((a + b/x)^{(1/2)} - a^{(1/2)})*(32*a^4*b^9*c^10 - 120*a^5*b^8*c^9*d + 288*a^6*b^7*c^8*d^2 - 400*a^7*b^6*c^7*d^3 + 288*a^8*b^5*c^6*d^4 - 120*a^9*b^4*c^5*d^5 + 32*a^10*b^3*c^4*d^6))/(2*a^7*c^7*d^9*((c + d/x)^{(1/2)} - c^{(1/2)})) + (2*(8*a^5*b^9*c^9*d + 16*a^6*b^8*c^8*d^2 - 48*a^7*b^7*c^7*d^3 + 16*a^8*b^6*c^6*d^4 + 8*a^9*b^5*c^5*d^5))/(a^7*c^7*d^9) - (((a + b/x)^{(1/2)} - a^{(1/2)})*(16*a^{(7/2)}*b^{10}*c^{(21/2)} - 76*a^{(9/2)}*b^9*c^{(19/2)}*d + 228*a^{(11/2)}*b^8*c^{(17/2)}*d^2 - 168*a^{(13/2)}*b^7*c^{(15/2)}*d^3 - 168*a^{(15/2)}*b^6*c^{(13/2)}*d^4 + 228*a^{(17/2)}*b^5*c^{(11/2)}*d^5 - 76*a^{(19/2)}*b^4*c^{(9/2)}*d^6 + 16*a^{(21/2)}*b^3*c^{(7/2)}*d^7))/(2*a^7*c^7*d^9*((c + d/x)^{(1/2)} - c^{(1/2)})) - (2*(a^{(7/2)}*b^{11}*c^{(21/2)} + 16*a^{(9/2)}*b^{10}*c^{(19/2)}*d - 42*a^{(11/2)}*b^9*c^{(17/2)}*d^2 + 25*a^{(13/2)}*b^8*c^{(15/2)}*d^3 + 25*a^{(15/2)}*b^7*c^{(13/2)}*d^4 - 42*a^{(17/2)}*b^6*c^{(11/2)}*d^5 + 16*a^{(19/2)}*b^5*c^{(9/2)}*d^6 + a^{(21/2)}*b^4*c^{(7/2)}*d^7))/(a^7*c^7*d^9) + (((a + b/x)^{(1/2)} - a^{(1/2)})*(146*a^4*b^10*c^10*d - 556*a^5*b^9*c^9*d^2 + 1006*a^6*b^8*c^8*d^3 - 1192*a^7*b^7*c^7*d^4 + 1006*a^8*b^6*c^6*d^5 - 556*a^9*b^5*c^5*d^6 + 146*a^10*b^4*c^4*d^7))/(2*a^7*c^7*d^9*((c + d/x)^{(1/2)} - c^{(1/2)})) - (2*(2*a^4*b^11*c^10*d + 8*a^5*b^10*c^9*d^2 - 2*a^6*b^9*c^8*d^3 - 16*a^7*b^8*c^7*d^4 - 2*a^8*b^7*c^6*d^5 + 8*a^9*b^6*c^5*d^6 + 2*a^10*b^5*c^4*d^7))/(a^7*c^7*d^9) + (((a + b/x)^{(1/2)} - a^{(1/2)})*(65*a^{(7/2)}*b^{11}*c^{(21/2)}*d - 297*a^{(9/2)}*b^{10}*c^{(19/2)}*d^2 + 597*a^{(11/2)}*b^9*c^{(17/2)}*d^3 - 365*a^{(13/2)}*b^8*c^{(15/2)}*d^4 - 365*a^{(15/2)}*b^7*c^{(13/2)}*d^5 + 597*a^{(17/2)}*b^6*c^{(11/2)}*d^6 - 297*a^{(19/2)}*b^5*c^{(9/2)}*
\end{aligned}$$

$$\begin{aligned}
& d^7 + 65a^{(21/2)}b^4c^{(7/2)}d^8) / (2a^7c^7d^9((c + d/x)^{(1/2)} - c^{(1/2)})) * i1 / ((b*d)^{(1/2)} * (2*(b*d)^{(1/2)} * (2*(b*d)^{(1/2)} * (2*(b*d)^{(1/2)} * ((2*(4*a^{(9/2)}b^9c^{(19/2)} - 4*a^{(13/2)}b^7c^{(15/2)}d^2 - 4*a^{(15/2)}b^6c^{(13/2)}d^3 + 4*a^{(19/2)}b^4c^{(9/2)}d^5)) / (a^7c^7d^9) - (((a + b/x)^{(1/2)} - a^{(1/2)}) * (32*a^4b^9c^{10} - 120*a^5b^8c^9d + 288*a^6b^7c^8d^2 - 400*a^7b^6c^7d^3 + 288*a^8b^5c^6d^4 - 120*a^9b^4c^5d^5 + 32*a^{10}b^3c^4d^6)) / (2*a^7c^7d^9((c + d/x)^{(1/2)} - c^{(1/2)}))) - (2*(8*a^5b^9c^9d + 16*a^6b^8c^8d^2 - 48*a^7b^7c^7d^3 + 16*a^8b^6c^6d^4 + 8*a^9b^5c^5d^5)) / (a^7c^7d^9) + (((a + b/x)^{(1/2)} - a^{(1/2)}) * (16*a^{(7/2)}b^{10}c^{(21/2)} - 76*a^{(9/2)}b^9c^{(19/2)}d + 228*a^{(11/2)}b^8c^{(17/2)}d^2 - 168*a^{(13/2)}b^7c^{(15/2)}d^3 - 168*a^{(15/2)}b^6c^{(13/2)}d^4 + 228*a^{(17/2)}b^5c^{(11/2)}d^5 - 76*a^{(19/2)}b^4c^{(9/2)}d^6 + 16*a^{(21/2)}b^3c^{(7/2)}d^7)) / (2*a^7c^7d^9((c + d/x)^{(1/2)} - c^{(1/2)}))) - (2*(a^{(7/2)}b^{11}c^{(21/2)} + 16*a^{(9/2)}b^{10}c^{(19/2)}d - 42*a^{(11/2)}b^9c^{(17/2)}d^2 + 25*a^{(13/2)}b^8c^{(15/2)}d^3 + 25*a^{(15/2)}b^7c^{(13/2)}d^4 - 42*a^{(17/2)}b^6c^{(11/2)}d^5 + 16*a^{(19/2)}b^5c^{(9/2)}d^6 + a^{(21/2)}b^4c^{(7/2)}d^7)) / (a^7c^7d^9) + (((a + b/x)^{(1/2)} - a^{(1/2)}) * (146*a^4b^{10}c^{10}d - 556*a^5b^9c^9d^2 + 1006*a^6b^8c^8d^3 - 1192*a^7b^7c^7d^4 + 1006*a^8b^6c^6d^5 - 556*a^9b^5c^5d^6 + 146*a^{10}b^4c^4d^7)) / (2*a^7c^7d^9((c + d/x)^{(1/2)} - c^{(1/2)}))) + (2*(2*a^4b^{11}c^{10}d + 8*a^5b^{10}c^9d^2 - 2*a^6b^9c^8d^3 - 16*a^7b^8c^7d^4 - 2*a^8b^7c^6d^5 + 8*a^9b^6c^5d^6 + 2*a^{10}b^5c^4d^7)) / (a^7c^7d^9) - (((a + b/x)^{(1/2)} - a^{(1/2)}) * (65*a^{(7/2)}b^{11}c^{(21/2)}d - 297*a^{(9/2)}b^{10}c^{(19/2)}d^2 + 597*a^{(11/2)}b^9c^{(17/2)}d^3 - 365*a^{(13/2)}b^8c^{(15/2)}d^4 - 365*a^{(15/2)}b^7c^{(13/2)}d^5 + 597*a^{(17/2)}b^6c^{(11/2)}d^6 - 297*a^{(19/2)}b^5c^{(9/2)}d^7 + 65*a^{(21/2)}b^4c^{(7/2)}d^8)) / (2*a^7c^7d^9((c + d/x)^{(1/2)} - c^{(1/2)}))) + (b*d)^{(1/2)} * (2*(b*d)^{(1/2)} * (2*(b*d)^{(1/2)} * (2*(b*d)^{(1/2)} * ((2*(4*a^{(9/2)}b^9c^{(19/2)} - 4*a^{(13/2)}b^7c^{(15/2)}d^2 - 4*a^{(15/2)}b^6c^{(13/2)}d^3 + 4*a^{(19/2)}b^4c^{(9/2)}d^5)) / (a^7c^7d^9) - (((a + b/x)^{(1/2)} - a^{(1/2)}) * (32*a^4b^9c^{10} - 120*a^5b^8c^9d + 288*a^6b^7c^8d^2 - 400*a^7b^6c^7d^3 + 288*a^8b^5c^6d^4 - 120*a^9b^4c^5d^5 + 32*a^{10}b^3c^4d^6)) / (2*a^7c^7d^9((c + d/x)^{(1/2)} - c^{(1/2)}))) + (2*(8*a^5b^9c^9d + 16*a^6b^8c^8d^2 - 48*a^7b^7c^7d^3 + 16*a^8b^6c^6d^4 + 8*a^9b^5c^5d^5)) / (a^7c^7d^9) - (((a + b/x)^{(1/2)} - a^{(1/2)}) * (16*a^{(7/2)}b^{10}c^{(21/2)} - 76*a^{(9/2)}b^9c^{(19/2)}d + 228*a^{(11/2)}b^8c^{(17/2)}d^2 - 168*a^{(13/2)}b^7c^{(15/2)}d^3 - 168*a^{(15/2)}b^6c^{(13/2)}d^4 + 228*a^{(17/2)}b^5c^{(11/2)}d^5 - 76*a^{(19/2)}b^4c^{(9/2)}d^6 + 16*a^{(21/2)}b^3c^{(7/2)}d^7)) / (2*a^7c^7d^9((c + d/x)^{(1/2)} - c^{(1/2)}))) - (2*(a^{(7/2)}b^{11}c^{(21/2)} + 16*a^{(9/2)}b^{10}c^{(19/2)}d - 42*a^{(11/2)}b^9c^{(17/2)}d^2 + 25*a^{(13/2)}b^8c^{(15/2)}d^3 + 25*a^{(15/2)}b^7c^{(13/2)}d^4 - 42*a^{(17/2)}b^6c^{(11/2)}d^5 + 16*a^{(19/2)}b^5c^{(9/2)}d^6 + a^{(21/2)}b^4c^{(7/2)}d^7)) / (a^7c^7d^9) + (((a + b/x)^{(1/2)} - a^{(1/2)}) * (146*a^4b^{10}c^{10}d - 556*a^5b^9c^9d^2 + 1006*a^6b^8c^8d^3 - 1192*a^7b^7c^7d^4 + 1006*a^8b^6c^6d^5 - 556*a^9b^5c^5d^6 + 146*a^{10}b^4c^4d^7)) / (2*a^7c^7d^9((c + d/x)^{(1/2)} - c^{(1/2)}))) - (2*(2*a^4b^{11}c^{10}d + 8*a^5b^{10}c^9d^2 - 2*a^6b^9c^8d^3 - 16*a^7b^8c^7d^4 - 2*a^8b^7c^6d^5 +
\end{aligned}$$

$$\frac{8a^9b^6c^5d^6 + 2a^{10}b^5c^4d^7}{a^7c^7d^9} + \left(\left(\left(a + \frac{b}{x} \right)^{1/2} - a^{1/2} \right) \left(65a^{7/2}b^{11}c^{21/2}d - 297a^{9/2}b^{10}c^{19/2}d^2 + 597a^{11/2}b^9c^{17/2}d^3 - 365a^{13/2}b^8c^{15/2}d^4 - 365a^{15/2}b^7c^{13/2}d^5 + 597a^{17/2}b^6c^{11/2}d^6 - 297a^{19/2}b^5c^9d^7 + 65a^{21/2}b^4c^{7/2}d^8 \right) \right) / \left(2a^7c^7d^9 \left(\left(c + \frac{d}{x} \right)^{1/2} - c^{1/2} \right) \right) + \left(7a^{7/2}b^{12}c^{21/2}d - 7a^{9/2}b^{11}c^{19/2}d^2 - 21a^{11/2}b^{10}c^{17/2}d^3 + 21a^{13/2}b^9c^{15/2}d^4 + 21a^{15/2}b^8c^{13/2}d^5 - 21a^{17/2}b^7c^{11/2}d^6 - 7a^{19/2}b^6c^9d^7 + 7a^{21/2}b^5c^7d^8 \right) / \left(a^7c^7d^9 \right) + \left(\left(\left(a + \frac{b}{x} \right)^{1/2} - a^{1/2} \right) \left(112a^5b^{10}c^9d^3 - 56a^4b^{11}c^{10}d^2 + 56a^6b^9c^8d^4 - 224a^7b^8c^7d^5 + 56a^8b^7c^6d^6 + 112a^9b^6c^5d^7 - 56a^{10}b^5c^4d^8 \right) \right) / \left(2a^7c^7d^9 \left(\left(c + \frac{d}{x} \right)^{1/2} - c^{1/2} \right) \right) \left(b^2d \right)^{1/2} 4i - \left(\left(\left(a + \frac{b}{x} \right)^{1/2} - a^{1/2} \right) \left(\frac{b^2c}{4} + \frac{a^2bd}{4} \right) \right) / \left(a^{1/2}c^{1/2}d \left(\left(c + \frac{d}{x} \right)^{1/2} - c^{1/2} \right) \right) - \frac{b^2}{4d} + \left(\left(a + \frac{b}{x} \right)^{1/2} - a^{1/2} \right)^2 \frac{(a^2d^2)}{4} + \frac{b^2c^2}{4} - \frac{3a^2bcd}{4} \right) / \left(a^2cd \left(\left(c + \frac{d}{x} \right)^{1/2} - c^{1/2} \right)^2 \right) / \left(\left(a + \frac{b}{x} \right)^{1/2} - a^{1/2} \right)^3 \left(\left(c + \frac{d}{x} \right)^{1/2} - c^{1/2} \right)^3 + \frac{b \left(\left(a + \frac{b}{x} \right)^{1/2} - a^{1/2} \right)}{d \left(\left(c + \frac{d}{x} \right)^{1/2} - c^{1/2} \right)} - \left(\left(a + \frac{b}{x} \right)^{1/2} - a^{1/2} \right)^2 \frac{(ad + bc)}{a^{1/2}c^{1/2}d \left(\left(c + \frac{d}{x} \right)^{1/2} - c^{1/2} \right)^2} + \frac{d \left(\left(a + \frac{b}{x} \right)^{1/2} - a^{1/2} \right)}{4 \left(\left(c + \frac{d}{x} \right)^{1/2} - c^{1/2} \right)} + \frac{\log \left(\left(a + \frac{b}{x} \right)^{1/2} - a^{1/2} \right)}{\left(\left(c + \frac{d}{x} \right)^{1/2} - c^{1/2} \right)} \frac{(ad + bc)}{2a^{1/2}c^{1/2}} - \frac{\log \left(\left(c^{1/2} \left(a + \frac{b}{x} \right)^{1/2} - a^{1/2} \right) \left(c + \frac{d}{x} \right)^{1/2} \right) \left(b^2c^{1/2} - a^{1/2}d \left(a + \frac{b}{x} \right)^{1/2} - a^{1/2} \right)}{\left(\left(c + \frac{d}{x} \right)^{1/2} - c^{1/2} \right)} \right) / \left(\left(c + \frac{d}{x} \right)^{1/2} - c^{1/2} \right) \left(a^{1/2}b^2c^{3/2} + a^{3/2}c^{1/2}d \right) / \left(2a^2c \right)$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d/x)**(1/2)*(a+b/x)**(1/2),x)

[Out] Integral(sqrt(a + b/x)*sqrt(c + d/x), x)

$$3.170 \quad \int \frac{\sqrt{a + \frac{b}{x}}}{\sqrt{c + \frac{d}{x}}} dx$$

Optimal. Leaf size=81

$$\frac{(bc - ad) \tanh^{-1} \left(\frac{\sqrt{c} \sqrt{a + \frac{b}{x}}}{\sqrt{a} \sqrt{c + \frac{d}{x}}} \right)}{\sqrt{a} c^{3/2}} + \frac{x \sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}}}{c}$$

Rubi [A] time = 0.05, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {375, 94, 93, 208}

$$\frac{(bc - ad) \tanh^{-1} \left(\frac{\sqrt{c} \sqrt{a + \frac{b}{x}}}{\sqrt{a} \sqrt{c + \frac{d}{x}}} \right)}{\sqrt{a} c^{3/2}} + \frac{x \sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}}}{c}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b/x]/Sqrt[c + d/x], x]

[Out] (Sqrt[a + b/x]*Sqrt[c + d/x]*x)/c + ((b*c - a*d)*ArcTanh[(Sqrt[c]*Sqrt[a + b/x])/(Sqrt[a]*Sqrt[c + d/x])])/(Sqrt[a]*c^(3/2))

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 94

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/((m + 1)*(b*e - a*f)), x] - Dist[(n*(d*e - c*f))/((m + 1)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[m + n + p + 2, 0] && GtQ[n, 0] && !(SumSimplerQ[p, 1] && !SumSimplerQ[m, 1])
```

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 375

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + \frac{b}{x}}}{\sqrt{c + \frac{d}{x}}} dx &= -\text{Subst} \left(\int \frac{\sqrt{a + bx}}{x^2 \sqrt{c + dx}} dx, x, \frac{1}{x} \right) \\ &= \frac{\sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}}}{c} - \frac{(bc - ad) \text{Subst} \left(\int \frac{1}{x \sqrt{a + bx} \sqrt{c + dx}} dx, x, \frac{1}{x} \right)}{2c} \\ &= \frac{\sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}}}{c} - \frac{(bc - ad) \text{Subst} \left(\int \frac{1}{-a + cx^2} dx, x, \frac{\sqrt{a + \frac{b}{x}}}{\sqrt{c + \frac{d}{x}}} \right)}{c} \\ &= \frac{\sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}}}{c} + \frac{(bc - ad) \tanh^{-1} \left(\frac{\sqrt{c} \sqrt{a + \frac{b}{x}}}{\sqrt{a} \sqrt{c + \frac{d}{x}}} \right)}{\sqrt{a} c^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 81, normalized size = 1.00

$$\frac{(bc - ad) \tanh^{-1} \left(\frac{\sqrt{c} \sqrt{a + \frac{b}{x}}}{\sqrt{a} \sqrt{c + \frac{d}{x}}} \right)}{\sqrt{a} c^{3/2}} + \frac{x \sqrt{a + \frac{b}{x}} \sqrt{c + \frac{d}{x}}}{c}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b/x]/Sqrt[c + d/x], x]

[Out] (Sqrt[a + b/x]*Sqrt[c + d/x]*x)/c + ((b*c - a*d)*ArcTanh[(Sqrt[c]*Sqrt[a + b/x])/(Sqrt[a]*Sqrt[c + d/x])])/(Sqrt[a]*c^(3/2))

IntegrateAlgebraic [A] time = 0.43, size = 147, normalized size = 1.81

$$\frac{\sqrt{a + \frac{b}{x}} \sqrt{cx + d} \left(\frac{\sqrt{cx+d} \sqrt{\frac{a(cx+d)}{c} - \frac{ad}{c} + b}}{c} + \frac{\sqrt{\frac{a}{c}} (ad-bc) \log\left(\sqrt{\frac{a(cx+d)}{c} - \frac{ad}{c} + b} - \sqrt{\frac{a}{c}} \sqrt{cx+d}\right)}{ac} \right)}{\sqrt{ax + b} \sqrt{c + \frac{d}{x}}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + b/x]/Sqrt[c + d/x], x]

[Out] (Sqrt[a + b/x]*Sqrt[d + c*x]*((Sqrt[d + c*x]*Sqrt[b - (a*d)/c + (a*(d + c*x))/c])/c + (Sqrt[a/c]*(-(b*c) + a*d)*Log[-(Sqrt[a/c]*Sqrt[d + c*x]) + Sqrt[b - (a*d)/c + (a*(d + c*x))/c]]/(a*c)))/(Sqrt[c + d/x]*Sqrt[b + a*x])

fricas [A] time = 1.19, size = 247, normalized size = 3.05

$$\left[\frac{4acx\sqrt{\frac{ax+b}{x}}\sqrt{\frac{cx+d}{x}} - \sqrt{ac}(bc-ad)\log(-8a^2c^2x^2 - b^2c^2 - 6abcd - a^2d^2 + 4(2acx^2 + (bc+ad)x)\sqrt{ac}\sqrt{\frac{ax+b}{x}}\sqrt{\frac{cx+d}{x}} - 8(abc^2 + a^2cd)x)}{4ac^2}, \frac{2acx\sqrt{\frac{ax+b}{x}}\sqrt{\frac{cx+d}{x}} - \sqrt{-ac}(bc-ad)\arctan\left(\frac{2\sqrt{-ac}x\sqrt{\frac{ax+b}{x}}\sqrt{\frac{cx+d}{x}}}{2acx+bc+ad}\right)}{2ac^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(1/2)/(c+d/x)^(1/2), x, algorithm="fricas")

[Out] [1/4*(4*a*c*x*sqrt((a*x + b)/x)*sqrt((c*x + d)/x) - sqrt(a*c)*(b*c - a*d)*log(-8*a^2*c^2*x^2 - b^2*c^2 - 6*a*b*c*d - a^2*d^2 + 4*(2*a*c*x^2 + (b*c + a*d)*x)*sqrt(a*c)*sqrt((a*x + b)/x)*sqrt((c*x + d)/x) - 8*(a*b*c^2 + a^2*c*d*x))/(a*c^2), 1/2*(2*a*c*x*sqrt((a*x + b)/x)*sqrt((c*x + d)/x) - sqrt(-a*c)*(b*c - a*d)*arctan(2*sqrt(-a*c)*x*sqrt((a*x + b)/x)*sqrt((c*x + d)/x)/(2*a*c*x + b*c + a*d))/(a*c^2)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + \frac{b}{x}}}{\sqrt{c + \frac{d}{x}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(1/2)/(c+d/x)^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(a + b/x)/sqrt(c + d/x), x)

maple [B] time = 0.10, size = 155, normalized size = 1.91

$$\frac{\sqrt{\frac{ax+b}{x}} \sqrt{\frac{cx+d}{x}} \left(-ad \ln\left(\frac{2acx+ad+bc+2\sqrt{(ax+b)(cx+d)} \sqrt{ac}}{2\sqrt{ac}}\right) + bc \ln\left(\frac{2acx+ad+bc+2\sqrt{(ax+b)(cx+d)} \sqrt{ac}}{2\sqrt{ac}}\right) + 2\sqrt{(ax+b)(cx+d)} \sqrt{ac} \right) x}{2\sqrt{(ax+b)(cx+d)} \sqrt{ac} c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b/x)^{(1/2)}/(c+d/x)^{(1/2)}, x)$

[Out] $1/2*((a*x+b)/x)^{(1/2)}*x*((c*x+d)/x)^{(1/2)}*(-\ln(1/2*(2*a*c*x+2*((a*x+b)*(c*x+d))^{(1/2)}*(a*c)^{(1/2)}+a*d+b*c)/(a*c)^{(1/2)})*a*d+\ln(1/2*(2*a*c*x+2*((a*x+b)*(c*x+d))^{(1/2)}*(a*c)^{(1/2)}+a*d+b*c)/(a*c)^{(1/2)})*b*c+2*((a*x+b)*(c*x+d))^{(1/2)}*(a*c)^{(1/2)})/((a*x+b)*(c*x+d))^{(1/2)}/c/(a*c)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + \frac{b}{x}}}{\sqrt{c + \frac{d}{x}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b/x)^{(1/2)}/(c+d/x)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] $\text{integrate}(\text{sqrt}(a + b/x)/\text{sqrt}(c + d/x), x)$

mupad [B] time = 6.58, size = 478, normalized size = 5.90

$$\frac{d \left(\sqrt{a + \frac{b}{x}} - \sqrt{a} \right)}{4c \left(\sqrt{c + \frac{d}{x}} - \sqrt{c} \right)} - \frac{\left(\sqrt{a + \frac{b}{x}} - \sqrt{a} \right) \left(\frac{c^2 d^2 + a d b}{4} \right) - \frac{b^2}{4c d} + \frac{\left(\sqrt{a + \frac{b}{x}} - \sqrt{a} \right)^2 \left(\frac{a^2 d^2 - 3 a b c d + \frac{b^2 d^2}{4}}{4} \right)}{\sqrt{a} c^2 d \left(\sqrt{c + \frac{d}{x}} - \sqrt{c} \right)} + \frac{\ln \left(\frac{\sqrt{a + \frac{b}{x}} - \sqrt{a}}{\sqrt{c + \frac{d}{x}} - \sqrt{c}} \right) \left(\sqrt{a} b c^2 - a^2 \sqrt{c} d \right)}{2 a c^2} - \frac{\ln \left(\frac{\left(\sqrt{c} \sqrt{a + \frac{b}{x}} - \sqrt{a} \sqrt{c + \frac{d}{x}} \right) \left(b \sqrt{c} - \frac{\sqrt{a} d \left(\sqrt{a + \frac{b}{x}} - \sqrt{a} \right)}{\sqrt{c + \frac{d}{x}} - \sqrt{c}} \right)}{\sqrt{c + \frac{d}{x}} - \sqrt{c}} \right)}{2 a c^2} \left(\sqrt{a} b c^2 - a^2 \sqrt{c} d \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a + b/x)^{(1/2)}/(c + d/x)^{(1/2)}, x)$

[Out] $(d*((a + b/x)^{(1/2)} - a^{(1/2)}))/(4*c*((c + d/x)^{(1/2)} - c^{(1/2)})) - (((a + b/x)^{(1/2)} - a^{(1/2)})*((b^2*c)/4 + (a*b*d)/4))/(a^{(1/2)}*c^{(3/2)}*d*((c + d/x)^{(1/2)} - c^{(1/2)})) - b^2/(4*c*d) + (((a + b/x)^{(1/2)} - a^{(1/2)})^2*((a^2*d^2)/4 + (b^2*c^2)/4 - (3*a*b*c*d)/4))/(a*c^2*d*((c + d/x)^{(1/2)} - c^{(1/2)})^2)/(((a + b/x)^{(1/2)} - a^{(1/2)})^3/((c + d/x)^{(1/2)} - c^{(1/2)})^3 + (b*((a + b/x)^{(1/2)} - a^{(1/2)}))/(d*((c + d/x)^{(1/2)} - c^{(1/2)})) - ((a + b/x)^{(1/2)} - a^{(1/2)})^2*(a*d + b*c))/(a^{(1/2)}*c^{(1/2)}*d*((c + d/x)^{(1/2)} - c^{(1/2)})^2)) + (\log(((a + b/x)^{(1/2)} - a^{(1/2)})/((c + d/x)^{(1/2)} - c^{(1/2)})))*(a^{(1/2)}*b*c^{(3/2)} - a^{(3/2)}*c^{(1/2)}*d))/(2*a*c^2) - (\log(((c^{(1/2)}*(a + b/x)^{(1/2)} - a^{(1/2)}*(c + d/x)^{(1/2)})*(b*c^{(1/2)} - (a^{(1/2)}*d*((a + b/x)^{(1/2)} - a^{(1/2)})))/((c + d/x)^{(1/2)} - c^{(1/2)})))/((c + d/x)^{(1/2)} - c^{(1/2)})))/(2*a*c^2)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + \frac{b}{x}}}{\sqrt{c + \frac{d}{x}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)**(1/2)/(c+d/x)**(1/2),x)

[Out] Integral(sqrt(a + b/x)/sqrt(c + d/x), x)

$$3.171 \quad \int \frac{\sqrt{a + \frac{b}{x}}}{\left(c + \frac{d}{x}\right)^{3/2}} dx$$

Optimal. Leaf size=122

$$\frac{(bc - 3ad) \tanh^{-1}\left(\frac{\sqrt{c} \sqrt{a + \frac{b}{x}}}{\sqrt{a} \sqrt{c + \frac{d}{x}}}\right)}{\sqrt{a} c^{5/2}} - \frac{\sqrt{a + \frac{b}{x}} (bc - 3ad)}{ac^2 \sqrt{c + \frac{d}{x}}} + \frac{x \left(a + \frac{b}{x}\right)^{3/2}}{ac \sqrt{c + \frac{d}{x}}}$$

Rubi [A] time = 0.08, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {375, 96, 94, 93, 208}

$$-\frac{\sqrt{a + \frac{b}{x}} (bc - 3ad)}{ac^2 \sqrt{c + \frac{d}{x}}} + \frac{(bc - 3ad) \tanh^{-1}\left(\frac{\sqrt{c} \sqrt{a + \frac{b}{x}}}{\sqrt{a} \sqrt{c + \frac{d}{x}}}\right)}{\sqrt{a} c^{5/2}} + \frac{x \left(a + \frac{b}{x}\right)^{3/2}}{ac \sqrt{c + \frac{d}{x}}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b/x]/(c + d/x)^(3/2), x]

[Out] -(((b*c - 3*a*d)*Sqrt[a + b/x])/(a*c^2*Sqrt[c + d/x])) + ((a + b/x)^(3/2)*x)/(a*c*Sqrt[c + d/x]) + ((b*c - 3*a*d)*ArcTanh[(Sqrt[c]*Sqrt[a + b/x])/(Sqrt[a]*Sqrt[c + d/x])])/(Sqrt[a]*c^(5/2))

Rule 93

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 94

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/((m + 1)*(b*e - a*f)), x] - Dist[(n*(d*e - c*f))/((m + 1)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[m + n + p + 2, 0] && GtQ[n, 0] && !(SumSimplerQ[p, 1] && !SumSimplerQ[m, 1])

Rule 96

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[(a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && (LtQ[m, -1] || SumSimplerQ[m, 1])
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 375

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := -Subst[Int[((a + b/x^n)^p*(c + d/x^n)^q)/x^2, x], x, 1/x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && ILtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + \frac{b}{x}}}{\left(c + \frac{d}{x}\right)^{3/2}} dx &= -\text{Subst} \left(\int \frac{\sqrt{a + bx}}{x^2(c + dx)^{3/2}} dx, x, \frac{1}{x} \right) \\
&= \frac{\left(a + \frac{b}{x}\right)^{3/2} x}{ac\sqrt{c + \frac{d}{x}}} + \frac{\left(-\frac{bc}{2} + \frac{3ad}{2}\right) \text{Subst} \left(\int \frac{\sqrt{a+bx}}{x(c+dx)^{3/2}} dx, x, \frac{1}{x} \right)}{ac} \\
&= -\frac{(bc - 3ad)\sqrt{a + \frac{b}{x}}}{ac^2\sqrt{c + \frac{d}{x}}} + \frac{\left(a + \frac{b}{x}\right)^{3/2} x}{ac\sqrt{c + \frac{d}{x}}} - \frac{(bc - 3ad) \text{Subst} \left(\int \frac{1}{x\sqrt{a+bx}\sqrt{c+dx}} dx, x, \frac{1}{x} \right)}{2c^2} \\
&= -\frac{(bc - 3ad)\sqrt{a + \frac{b}{x}}}{ac^2\sqrt{c + \frac{d}{x}}} + \frac{\left(a + \frac{b}{x}\right)^{3/2} x}{ac\sqrt{c + \frac{d}{x}}} - \frac{(bc - 3ad) \text{Subst} \left(\int \frac{1}{-a+cx^2} dx, x, \frac{\sqrt{a+\frac{b}{x}}}{\sqrt{c+\frac{d}{x}}} \right)}{c^2} \\
&= -\frac{(bc - 3ad)\sqrt{a + \frac{b}{x}}}{ac^2\sqrt{c + \frac{d}{x}}} + \frac{\left(a + \frac{b}{x}\right)^{3/2} x}{ac\sqrt{c + \frac{d}{x}}} + \frac{(bc - 3ad) \tanh^{-1} \left(\frac{\sqrt{c}\sqrt{a+\frac{b}{x}}}{\sqrt{a}\sqrt{c+\frac{d}{x}}} \right)}{\sqrt{a}c^{5/2}}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 87, normalized size = 0.71

$$\frac{(bc - 3ad) \tanh^{-1} \left(\frac{\sqrt{c}\sqrt{a+\frac{b}{x}}}{\sqrt{a}\sqrt{c+\frac{d}{x}}} \right)}{\sqrt{a}c^{5/2}} + \frac{\sqrt{a + \frac{b}{x}}(cx + 3d)}{c^2\sqrt{c + \frac{d}{x}}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b/x]/(c + d/x)^(3/2), x]

[Out] (Sqrt[a + b/x]*(3*d + c*x))/(c^2*Sqrt[c + d/x]) + ((b*c - 3*a*d)*ArcTanh[(Sqrt[c]*Sqrt[a + b/x])/(Sqrt[a]*Sqrt[c + d/x])])/(Sqrt[a]*c^(5/2))

IntegrateAlgebraic [A] time = 0.43, size = 158, normalized size = 1.30

$$\frac{x\sqrt{a + \frac{b}{x}}\sqrt{c + \frac{d}{x}} \left(\frac{(bc-3ad) \tanh^{-1} \left(\frac{\sqrt{c}\sqrt{ax+b}}{\sqrt{a}\sqrt{cx+d}} \right)}{\sqrt{a}c^{5/2}} + \frac{\sqrt{ax+b} \left(\frac{2cd(ax+b)}{cx+d} - 3ad + bc \right)}{c^2\sqrt{cx+d} \left(\frac{c(ax+b)}{cx+d} - a \right)} \right)}{\sqrt{ax + b}\sqrt{cx + d}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + b/x]/(c + d/x)^(3/2), x]

[Out] (Sqrt[a + b/x]*Sqrt[c + d/x]*x*((Sqrt[b + a*x]*(b*c - 3*a*d + (2*c*d*(b + a*x))/(d + c*x)))/(c^2*Sqrt[d + c*x]*(-a + (c*(b + a*x))/(d + c*x))) + ((b*c - 3*a*d)*ArcTanh[(Sqrt[c]*Sqrt[b + a*x])/(Sqrt[a]*Sqrt[d + c*x])])/(Sqrt[a]*c^(5/2)))/(Sqrt[b + a*x]*Sqrt[d + c*x])

fricas [A] time = 1.20, size = 319, normalized size = 2.61

$$\frac{(bcd - 3ad^2 + (bc^2 - 3acd)x)\sqrt{ac} \log\left(\frac{-8a^2c^2x^2 - b^2c^2 - 6abcd - a^2d^2 + 4(2acx^2 + (bc + ad)x)\sqrt{ac} \sqrt{\frac{ax+b}{x}} - 8(abc^2 + a^2cd)x - 4(ac^2x^2 + 3acdx)\sqrt{\frac{ax+b}{x}} \sqrt{\frac{cx+d}{x}}}{4(ac^2x + ac^3d)}\right) - (bcd - 3ad^2 + (bc^2 - 3acd)x)\sqrt{-ac} \arctan\left(\frac{2\sqrt{-ac}\sqrt{\frac{ax+b}{x}}\sqrt{\frac{cx+d}{x}}}{2acx+bc+ad}\right) - 2(ac^2x^2 + 3acdx)\sqrt{\frac{ax+b}{x}}\sqrt{\frac{cx+d}{x}}}{2(ac^4x + ac^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(1/2)/(c+d/x)^(3/2), x, algorithm="fricas")

[Out] [-1/4*((b*c*d - 3*a*d^2 + (b*c^2 - 3*a*c*d)*x)*sqrt(a*c)*log(-8*a^2*c^2*x^2 - b^2*c^2 - 6*a*b*c*d - a^2*d^2 + 4*(2*a*c*x^2 + (b*c + a*d)*x)*sqrt(a*c)*sqrt((a*x + b)/x)*sqrt((c*x + d)/x) - 8*(a*b*c^2 + a^2*c*d)*x - 4*(a*c^2*x^2 + 3*a*c*d*x)*sqrt((a*x + b)/x)*sqrt((c*x + d)/x))/(a*c^4*x + a*c^3*d), - 1/2*((b*c*d - 3*a*d^2 + (b*c^2 - 3*a*c*d)*x)*sqrt(-a*c)*arctan(2*sqrt(-a*c)*x*sqrt((a*x + b)/x)*sqrt((c*x + d)/x)/(2*a*c*x + b*c + a*d)) - 2*(a*c^2*x^2 + 3*a*c*d*x)*sqrt((a*x + b)/x)*sqrt((c*x + d)/x))/(a*c^4*x + a*c^3*d)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x)^(1/2)/(c+d/x)^(3/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(x)] Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(t_nostep)]Unable to divide, perhaps due to rounding error%{1, [1]%%}, [2, 1, 2]%%}+%%{[-2, 0]: [1, 0, %%{-1, [1]%%}]%%}, [1, 1, 3]%%}+%%{1, [0, 1, 4]%%} / %%{1, [2]%%}, [2, 0, 0]%%}+%%{[-2, [1]%%}, 0]: [1, 0, %%{-1, [1]%%}]%%}, [1, 0, 1]%%}+%%{1, [1]%%}, [0, 0, 2]%%} Error: Bad Argument Value

maple [B] time = 0.08, size = 280, normalized size = 2.30

$$\frac{\sqrt{\frac{ax+b}{x}} \sqrt{\frac{cx+d}{x}} \left(-3acd \ln\left(\frac{2acx+ad+bc+2\sqrt{(ax+b)(cx+d)}\sqrt{ac}}{2\sqrt{ac}}\right) + bc^2 \ln\left(\frac{2acx+ad+bc+2\sqrt{(ax+b)(cx+d)}\sqrt{ac}}{2\sqrt{ac}}\right) - 3ad^2 \ln\left(\frac{2acx+ad+bc+2\sqrt{(ax+b)(cx+d)}\sqrt{ac}}{2\sqrt{ac}}\right) + bcd \ln\left(\frac{2acx+ad+bc+2\sqrt{(ax+b)(cx+d)}\sqrt{ac}}{2\sqrt{ac}}\right) + 2\sqrt{(ax+b)(cx+d)}\sqrt{ac} \, cx + 6\sqrt{(ax+b)(cx+d)}\sqrt{ac} \, d \right) x}{2\sqrt{ac} (cx+d) \sqrt{(ax+b)(cx+d)} c^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b/x)^(1/2)/(c+d/x)^(3/2), x)`

[Out] $\frac{1}{2} \cdot \left(\frac{a+x+b}{x} \right)^{1/2} \cdot x \cdot \left(\frac{c+x+d}{x} \right)^{1/2} \cdot (-3 \ln(1/2 \cdot (2acx+ad+bc+2((a+x+b)(c+x+d))^{1/2} \cdot (ac)^{1/2})) / (ac)^{1/2}) \cdot x \cdot ac \cdot d + \ln(1/2 \cdot (2acx+ad+bc+2((a+x+b)(c+x+d))^{1/2} \cdot (ac)^{1/2})) / (ac)^{1/2}) \cdot x \cdot b \cdot c^2 + 2 \cdot x \cdot c \cdot ((a+x+b)(c+x+d))^{1/2} \cdot (ac)^{1/2} - 3 \ln(1/2 \cdot (2acx+ad+bc+2((a+x+b)(c+x+d))^{1/2} \cdot (ac)^{1/2})) / (ac)^{1/2}) \cdot a \cdot d^2 + \ln(1/2 \cdot (2acx+ad+bc+2((a+x+b)(c+x+d))^{1/2} \cdot (ac)^{1/2})) / (ac)^{1/2}) \cdot b \cdot c \cdot d + 6 \cdot d \cdot ((a+x+b)(c+x+d))^{1/2} \cdot (ac)^{1/2} / (ac)^{1/2} / (c+x+d) / ((a+x+b)(c+x+d))^{1/2} / c^2$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + \frac{b}{x}}}{\left(c + \frac{d}{x}\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b/x)^(1/2)/(c+d/x)^(3/2), x, algorithm="maxima")`

[Out] `integrate(sqrt(a + b/x)/(c + d/x)^(3/2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{a + \frac{b}{x}}}{\left(c + \frac{d}{x}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b/x)^(1/2)/(c + d/x)^(3/2), x)`

[Out] `int((a + b/x)^(1/2)/(c + d/x)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + \frac{b}{x}}}{\left(c + \frac{d}{x}\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b/x)**(1/2)/(c+d/x)**(3/2), x)`

[Out] `Integral(sqrt(a + b/x)/(c + d/x)**(3/2), x)`

$$3.172 \quad \int \frac{a + \frac{b}{x^2}}{c + \frac{d}{x^2}} dx$$

Optimal. Leaf size=39

$$\frac{(bc - ad) \tan^{-1} \left(\frac{\sqrt{c}x}{\sqrt{d}} \right) + \frac{ax}{c}}{c^{3/2}\sqrt{d}}$$

Rubi [A] time = 0.02, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {374, 388, 205}

$$\frac{(bc - ad) \tan^{-1} \left(\frac{\sqrt{c}x}{\sqrt{d}} \right) + \frac{ax}{c}}{c^{3/2}\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Int[(a + b/x^2)/(c + d/x^2), x]

[Out] (a*x)/c + ((b*c - a*d)*ArcTan[(Sqrt[c]*x)/Sqrt[d]])/(c^(3/2)*Sqrt[d])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 374

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Int[x^(n*(p + q))*(b + a/x^n)^p*(d + c/x^n)^q, x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IntegersQ[p, q] && NegQ[n]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned} \int \frac{a + \frac{b}{x^2}}{c + \frac{d}{x^2}} dx &= \int \frac{b + ax^2}{d + cx^2} dx \\ &= \frac{ax}{c} - \frac{(-bc + ad) \int \frac{1}{d+cx^2} dx}{c} \\ &= \frac{ax}{c} + \frac{(bc - ad) \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{d}}\right)}{c^{3/2}\sqrt{d}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 40, normalized size = 1.03

$$\frac{ax}{c} - \frac{(ad - bc) \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{d}}\right)}{c^{3/2}\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x^2)/(c + d/x^2), x]

[Out] (a*x)/c - ((-(b*c) + a*d)*ArcTan[(Sqrt[c]*x)/Sqrt[d]])/(c^(3/2)*Sqrt[d])

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + \frac{b}{x^2}}{c + \frac{d}{x^2}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b/x^2)/(c + d/x^2), x]

[Out] IntegrateAlgebraic[(a + b/x^2)/(c + d/x^2), x]

fricas [A] time = 0.74, size = 98, normalized size = 2.51

$$\left[\frac{2 acdx + (bc - ad)\sqrt{-cd} \log\left(\frac{cx^2 + 2\sqrt{-cd}x - d}{cx^2 + d}\right)}{2 c^2 d}, \frac{acdx + (bc - ad)\sqrt{cd} \arctan\left(\frac{\sqrt{cd}x}{d}\right)}{c^2 d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x^2)/(c+d/x^2), x, algorithm="fricas")

[Out] $[1/2*(2*a*c*d*x + (b*c - a*d)*\sqrt{-c*d})*\log((c*x^2 + 2*\sqrt{-c*d}*x - d)/(c*x^2 + d))/(c^2*d), (a*c*d*x + (b*c - a*d)*\sqrt{c*d})*\arctan(\sqrt{c*d}*x/d)]/(c^2*d)$

giac [A] time = 0.15, size = 33, normalized size = 0.85

$$\frac{ax}{c} + \frac{(bc - ad) \arctan\left(\frac{cx}{\sqrt{cd}}\right)}{\sqrt{cd} c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b/x^2)/(c+d/x^2),x, algorithm="giac")`

[Out] $a*x/c + (b*c - a*d)*\arctan(c*x/\sqrt{c*d})/(\sqrt{c*d}*c)$

maple [A] time = 0.05, size = 45, normalized size = 1.15

$$-\frac{ad \arctan\left(\frac{cx}{\sqrt{cd}}\right)}{\sqrt{cd} c} + \frac{b \arctan\left(\frac{cx}{\sqrt{cd}}\right)}{\sqrt{cd}} + \frac{ax}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b/x^2)/(c+d/x^2),x)`

[Out] $a*x/c - 1/c/(c*d)^{(1/2)}*\arctan(c*x/(c*d)^{(1/2)})*a*d + 1/(c*d)^{(1/2)}*\arctan(c*x/(c*d)^{(1/2)})*b$

maxima [A] time = 1.30, size = 33, normalized size = 0.85

$$\frac{ax}{c} + \frac{(bc - ad) \arctan\left(\frac{cx}{\sqrt{cd}}\right)}{\sqrt{cd} c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b/x^2)/(c+d/x^2),x, algorithm="maxima")`

[Out] $a*x/c + (b*c - a*d)*\arctan(c*x/\sqrt{c*d})/(\sqrt{c*d}*c)$

mupad [B] time = 0.07, size = 32, normalized size = 0.82

$$\frac{ax}{c} - \frac{\operatorname{atan}\left(\frac{\sqrt{c}x}{\sqrt{d}}\right)(ad - bc)}{c^{3/2}\sqrt{d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b/x^2)/(c + d/x^2),x)`

[Out] `(a*x)/c - (atan((c^(1/2)*x)/d^(1/2))*(a*d - b*c))/(c^(3/2)*d^(1/2))`

sympy [B] time = 0.33, size = 82, normalized size = 2.10

$$\frac{ax}{c} + \frac{\sqrt{-\frac{1}{c^3d}} (ad - bc) \log\left(-cd\sqrt{-\frac{1}{c^3d}} + x\right)}{2} - \frac{\sqrt{-\frac{1}{c^3d}} (ad - bc) \log\left(cd\sqrt{-\frac{1}{c^3d}} + x\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b/x**2)/(c+d/x**2),x)`

[Out] `a*x/c + sqrt(-1/(c**3*d))*(a*d - b*c)*log(-c*d*sqrt(-1/(c**3*d)) + x)/2 - s
qrt(-1/(c**3*d))*(a*d - b*c)*log(c*d*sqrt(-1/(c**3*d)) + x)/2`

$$3.173 \quad \int \frac{a + \frac{b}{x^3}}{c + \frac{d}{x^3}} dx$$

Optimal. Leaf size=145

$$\frac{(bc - ad) \log(c^{2/3}x^2 - \sqrt[3]{c} \sqrt[3]{d}x + d^{2/3})}{6c^{4/3}d^{2/3}} + \frac{(bc - ad) \log(\sqrt[3]{c}x + \sqrt[3]{d})}{3c^{4/3}d^{2/3}} - \frac{(bc - ad) \tan^{-1}\left(\frac{\sqrt[3]{d} - 2\sqrt[3]{c}x}{\sqrt{3} \sqrt[3]{d}}\right)}{\sqrt{3} c^{4/3} d^{2/3}} + \frac{ax}{c}$$

Rubi [A] time = 0.11, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {374, 388, 200, 31, 634, 617, 204, 628}

$$\frac{(bc - ad) \log(c^{2/3}x^2 - \sqrt[3]{c} \sqrt[3]{d}x + d^{2/3})}{6c^{4/3}d^{2/3}} + \frac{(bc - ad) \log(\sqrt[3]{c}x + \sqrt[3]{d})}{3c^{4/3}d^{2/3}} - \frac{(bc - ad) \tan^{-1}\left(\frac{\sqrt[3]{d} - 2\sqrt[3]{c}x}{\sqrt{3} \sqrt[3]{d}}\right)}{\sqrt{3} c^{4/3} d^{2/3}} + \frac{ax}{c}$$

Antiderivative was successfully verified.

[In] Int[(a + b/x^3)/(c + d/x^3), x]

[Out] (a*x)/c - ((b*c - a*d)*ArcTan[(d^(1/3) - 2*c^(1/3)*x)/(Sqrt[3]*d^(1/3))]/(Sqrt[3]*c^(4/3)*d^(2/3)) + ((b*c - a*d)*Log[d^(1/3) + c^(1/3)*x]/(3*c^(4/3)*d^(2/3)) - ((b*c - a*d)*Log[d^(2/3) - c^(1/3)*d^(1/3)*x + c^(2/3)*x^2]/(6*c^(4/3)*d^(2/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 374

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol]
  := Int[x^(n*(p + q))*(b + a/x^n)^p*(d + c/x^n)^q, x] /; FreeQ[{a, b, c, d, n}, x]
  && NeQ[b*c - a*d, 0] && IntegersQ[p, q] && NegQ[n]
```

Rule 388

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[
  (d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/
  (b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x]
  && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[
  (a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /;
  RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; FreeQ[{a, b, c}, x]
  && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[
  (d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x]
  && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[
  (2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/
  (a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0]
  && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + \frac{b}{x^3}}{c + \frac{d}{x^3}} dx &= \int \frac{b + ax^3}{d + cx^3} dx \\
&= \frac{ax}{c} - \frac{(-bc + ad) \int \frac{1}{d+cx^3} dx}{c} \\
&= \frac{ax}{c} + \frac{(bc - ad) \int \frac{1}{\sqrt[3]{d} + \sqrt[3]{c}x} dx}{3cd^{2/3}} + \frac{(bc - ad) \int \frac{2\sqrt[3]{d} - \sqrt[3]{c}x}{d^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + c^{2/3}x^2} dx}{3cd^{2/3}} \\
&= \frac{ax}{c} + \frac{(bc - ad) \log(\sqrt[3]{d} + \sqrt[3]{c}x)}{3c^{4/3}d^{2/3}} - \frac{(bc - ad) \int \frac{-\sqrt[3]{c}\sqrt[3]{d} + 2c^{2/3}x}{d^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + c^{2/3}x^2} dx}{6c^{4/3}d^{2/3}} + \frac{(bc - ad) \int \frac{1}{d^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + c^{2/3}x^2}}{2c\sqrt[3]{d}} \\
&= \frac{ax}{c} + \frac{(bc - ad) \log(\sqrt[3]{d} + \sqrt[3]{c}x)}{3c^{4/3}d^{2/3}} - \frac{(bc - ad) \log(d^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + c^{2/3}x^2)}{6c^{4/3}d^{2/3}} + \frac{(bc - ad) \text{Subst}\left(\int \frac{1}{c^{4/3}d^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + c^{2/3}x^2}\right)}{c^{4/3}d^{2/3}} \\
&= \frac{ax}{c} - \frac{(bc - ad) \tan^{-1}\left(\frac{\sqrt[3]{d} - 2\sqrt[3]{c}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}c^{4/3}d^{2/3}} + \frac{(bc - ad) \log(\sqrt[3]{d} + \sqrt[3]{c}x)}{3c^{4/3}d^{2/3}} - \frac{(bc - ad) \log(d^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + c^{2/3}x^2)}{6c^{4/3}d^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 129, normalized size = 0.89

$$\frac{-(bc - ad) \log(c^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}) + 2(bc - ad) \log(\sqrt[3]{c}x + \sqrt[3]{d}) - 2\sqrt{3}(bc - ad) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{c}x}{\sqrt{3}\sqrt[3]{d}}\right) + 6a\sqrt[3]{c}d^{2/3}x}{6c^{4/3}d^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b/x^3)/(c + d/x^3), x]

[Out] (6*a*c^(1/3)*d^(2/3)*x - 2*sqrt[3]*(b*c - a*d)*ArcTan[(1 - (2*c^(1/3)*x)/d^(1/3))/sqrt[3]] + 2*(b*c - a*d)*Log[d^(1/3) + c^(1/3)*x] - (b*c - a*d)*Log[d^(2/3) - c^(1/3)*d^(1/3)*x + c^(2/3)*x^2])/(6*c^(4/3)*d^(2/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + \frac{b}{x^3}}{c + \frac{d}{x^3}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b/x^3)/(c + d/x^3), x]

[Out] IntegrateAlgebraic[(a + b/x^3)/(c + d/x^3), x]

fricas [A] time = 0.92, size = 390, normalized size = 2.69

$$\frac{6ac^2x - 3\sqrt{3}(bc^2d - acd^2)\sqrt{\frac{bc^2d - acd^2}{c^2d^2}} \log\left(\frac{2c^2d^2 - 3\sqrt{3}(bc^2d - acd^2)\sqrt{\frac{bc^2d - acd^2}{c^2d^2}}}{c^2d^2}\right) - (-cd^2)^{\frac{2}{3}}(bc - ad)\log\left(\frac{cdx^2 - (-cd^2)^{\frac{2}{3}}x - (-cd^2)^{\frac{1}{3}}d}{cdx^2 - (-cd^2)^{\frac{2}{3}}x - (-cd^2)^{\frac{1}{3}}d}\right) + 2(-cd^2)^{\frac{2}{3}}(bc - ad)\log\left(\frac{cdx^2 - (-cd^2)^{\frac{2}{3}}x - (-cd^2)^{\frac{1}{3}}d}{cdx^2 - (-cd^2)^{\frac{2}{3}}x - (-cd^2)^{\frac{1}{3}}d}\right)}{6c^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x^3)/(c+d/x^3), x, algorithm="fricas")

[Out] $\frac{1}{6}(6ac^2d^2x - 3\sqrt{3}(bc^2d - ac^2d^2)\sqrt{(-cd^2)^{1/3}/c}) \log((2c^2d^2x^3 + 3(-cd^2)^{1/3}d^2x - d^2 - 3\sqrt{3}(2c^2d^2x^2 + (-cd^2)^{2/3}x + (-cd^2)^{1/3}d)\sqrt{(-cd^2)^{1/3}/c})/(cx^3 + d)) - (-cd^2)^{2/3}(bc - ad) \log(c^2d^2x^2 - (-cd^2)^{2/3}x - (-cd^2)^{1/3}d) + 2(-cd^2)^{2/3}(bc - ad) \log(c^2d^2x^2 - (-cd^2)^{2/3}x - (-cd^2)^{1/3}d) / (c^2d^2), \frac{1}{6}(6ac^2d^2x + 6\sqrt{3}(bc^2d - ac^2d^2)\sqrt{(-cd^2)^{1/3}/c}) \arctan(\sqrt{1/3}(2(-cd^2)^{2/3}x + (-cd^2)^{1/3}d)\sqrt{(-cd^2)^{1/3}/c})/d^2 - (-cd^2)^{2/3}(bc - ad) \log(c^2d^2x^2 - (-cd^2)^{2/3}x - (-cd^2)^{1/3}d) + 2(-cd^2)^{2/3}(bc - ad) \log(c^2d^2x^2 - (-cd^2)^{2/3}x - (-cd^2)^{1/3}d) / (c^2d^2)]$

giac [A] time = 0.22, size = 133, normalized size = 0.92

$$\frac{\sqrt{3}(bc - ad) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{d}{c}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{d}{c}\right)^{\frac{1}{3}}}\right)}{3(-c^2d)^{\frac{2}{3}}} - \frac{(bc - ad) \log\left(x^2 + x\left(-\frac{d}{c}\right)^{\frac{1}{3}} + \left(-\frac{d}{c}\right)^{\frac{2}{3}}\right)}{6(-c^2d)^{\frac{2}{3}}} + \frac{ax}{c} - \frac{(bc - ad)\left(-\frac{d}{c}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{d}{c}\right)^{\frac{1}{3}}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b/x^3)/(c+d/x^3), x, algorithm="giac")

[Out] $-\frac{1}{3}\sqrt{3}(bc - ad) \arctan(1/3\sqrt{3}(2x + (-d/c)^{1/3})/(-d/c)^{1/3})/(-c^2d)^{2/3} - \frac{1}{6}(bc - ad) \log(x^2 + x(-d/c)^{1/3} + (-d/c)^{2/3})/(-c^2d)^{2/3} + \frac{ax}{c} - \frac{1}{3}(bc - ad) (-d/c)^{1/3} \log(\text{abs}(x - (-d/c)^{1/3}))/c^2d$

maple [A] time = 0.05, size = 195, normalized size = 1.34

$$\frac{ax}{c} - \frac{\sqrt{3} ad \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{c}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{d}{c}\right)^{\frac{2}{3}}c^2} - \frac{ad \ln\left(x + \left(\frac{d}{c}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{c}\right)^{\frac{2}{3}}c^2} + \frac{ad \ln\left(x^2 - \left(\frac{d}{c}\right)^{\frac{1}{3}}x + \left(\frac{d}{c}\right)^{\frac{2}{3}}\right)}{6\left(\frac{d}{c}\right)^{\frac{2}{3}}c^2} + \frac{\sqrt{3} b \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{c}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{d}{c}\right)^{\frac{2}{3}}c} + \frac{b \ln\left(x + \left(\frac{d}{c}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{c}\right)^{\frac{2}{3}}c} - \frac{b \ln\left(x^2 - \left(\frac{d}{c}\right)^{\frac{1}{3}}x + \left(\frac{d}{c}\right)^{\frac{2}{3}}\right)}{6\left(\frac{d}{c}\right)^{\frac{2}{3}}c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b/x^3)/(c+d/x^3),x)`

[Out] $a/c*x-1/3/c^2/(1/c*d)^{(2/3)}*\ln(x+(1/c*d)^{(1/3)})*a*d+1/3/c/(1/c*d)^{(2/3)}*\ln(x+(1/c*d)^{(1/3)})*b+1/6/c^2/(1/c*d)^{(2/3)}*\ln(x^2-(1/c*d)^{(1/3)}*x+(1/c*d)^{(2/3)})*a*d-1/6/c/(1/c*d)^{(2/3)}*\ln(x^2-(1/c*d)^{(1/3)}*x+(1/c*d)^{(2/3)})*b-1/3/c^2/(1/c*d)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(1/c*d)^{(1/3)}*x-1))*a*d+1/3/c/(1/c*d)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(1/c*d)^{(1/3)}*x-1))*b$

maxima [A] time = 1.29, size = 128, normalized size = 0.88

$$\frac{ax}{c} + \frac{\sqrt{3}(bc - ad) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{d}{c}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{c}\right)^{\frac{1}{3}}}\right)}{3c^2\left(\frac{d}{c}\right)^{\frac{2}{3}}} - \frac{(bc - ad) \log\left(x^2 - x\left(\frac{d}{c}\right)^{\frac{1}{3}} + \left(\frac{d}{c}\right)^{\frac{2}{3}}\right)}{6c^2\left(\frac{d}{c}\right)^{\frac{2}{3}}} + \frac{(bc - ad) \log\left(x + \left(\frac{d}{c}\right)^{\frac{1}{3}}\right)}{3c^2\left(\frac{d}{c}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b/x^3)/(c+d/x^3),x, algorithm="maxima")`

[Out] $a*x/c + 1/3*\sqrt{3}*(b*c - a*d)*\arctan(1/3*\sqrt{3}*(2*x - (d/c)^{(1/3)})/(d/c)^{(1/3)})/(c^2*(d/c)^{(2/3)}) - 1/6*(b*c - a*d)*\log(x^2 - x*(d/c)^{(1/3)} + (d/c)^{(2/3)})/(c^2*(d/c)^{(2/3)}) + 1/3*(b*c - a*d)*\log(x + (d/c)^{(1/3)})/(c^2*(d/c)^{(2/3)})$

mupad [B] time = 0.27, size = 123, normalized size = 0.85

$$\frac{ax}{c} - \frac{\ln(c^{1/3}x + d^{1/3})(ad - bc)}{3c^{4/3}d^{2/3}} + \frac{\ln(d^{1/3} - 2c^{1/3}x + \sqrt{3}d^{1/3}1i)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)(ad - bc)}{3c^{4/3}d^{2/3}} - \frac{\ln(2c^{1/3}x - d^{1/3} + \sqrt{3}d^{1/3}1i)\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)(ad - bc)}{3c^{4/3}d^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b/x^3)/(c + d/x^3),x)`

[Out] $(a*x)/c - (\log(c^{(1/3)}*x + d^{(1/3)})*(a*d - b*c))/(3*c^{(4/3)}*d^{(2/3)}) + (\log(3^{(1/2)}*d^{(1/3)}*1i - 2*c^{(1/3)}*x + d^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(a*d - b*c))/(3*c^{(4/3)}*d^{(2/3)}) - (\log(3^{(1/2)}*d^{(1/3)}*1i + 2*c^{(1/3)}*x - d^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(a*d - b*c))/(3*c^{(4/3)}*d^{(2/3)})$

sympy [A] time = 0.45, size = 71, normalized size = 0.49

$$\frac{ax}{c} + \text{RootSum}\left(27t^3c^4d^2 + a^3d^3 - 3a^2bcd^2 + 3ab^2c^2d - b^3c^3, \left(t \mapsto t \log\left(-\frac{3tcd}{ad - bc} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b/x**3)/(c+d/x**3),x)
```

```
[Out] a*x/c + RootSum(27*_t**3*c**4*d**2 + a**3*d**3 - 3*a**2*b*c*d**2 + 3*a*b**2*c**2*d - b**3*c**3, Lambda(_t, _t*log(-3*_t*c*d/(a*d - b*c) + x))
```

$$3.174 \quad \int \frac{a+b\sqrt{x}}{c+d\sqrt{x}} dx$$

Optimal. Leaf size=49

$$\frac{2c(bc - ad) \log(c + d\sqrt{x})}{d^3} - \frac{2\sqrt{x}(bc - ad)}{d^2} + \frac{bx}{d}$$

Rubi [A] time = 0.05, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {376, 77}

$$-\frac{2\sqrt{x}(bc - ad)}{d^2} + \frac{2c(bc - ad) \log(c + d\sqrt{x})}{d^3} + \frac{bx}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sqrt[x])/(c + d*Sqrt[x]),x]

[Out] (-2*(b*c - a*d)*Sqrt[x])/d^2 + (b*x)/d + (2*c*(b*c - a*d)*Log[c + d*Sqrt[x]])/d^3

Rule 77

```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_)^(n_.))*((e_.) + (f_.)*(x_)^(p_.), x_Symbol]
:> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x]
/; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))
```

Rule 376

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol]
:> With[{g = Denominator[n]}, Dist[g, Subst[Int[x^(g - 1)*(a + b*x^(g*n))^(p*(c + d*x^(g*n))^q, x], x, x^(1/g)], x]]
/; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && FractionQ[n]
```

Rubi steps

$$\begin{aligned} \int \frac{a + b\sqrt{x}}{c + d\sqrt{x}} dx &= 2 \operatorname{Subst} \left(\int \frac{x(a + bx)}{c + dx} dx, x, \sqrt{x} \right) \\ &= 2 \operatorname{Subst} \left(\int \left(\frac{-bc + ad}{d^2} + \frac{bx}{d} + \frac{c(bc - ad)}{d^2(c + dx)} \right) dx, x, \sqrt{x} \right) \\ &= -\frac{2(bc - ad)\sqrt{x}}{d^2} + \frac{bx}{d} + \frac{2c(bc - ad) \log(c + d\sqrt{x})}{d^3} \end{aligned}$$

Mathematica [A] time = 0.07, size = 41, normalized size = 0.84

$$\frac{2(ad - bc)(d\sqrt{x} - c \log(c + d\sqrt{x}))}{d^3} + \frac{bx}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sqrt[x])/(c + d*Sqrt[x]),x]

[Out] (b*x)/d + (2*(-(b*c) + a*d)*(d*Sqrt[x] - c*Log[c + d*Sqrt[x]]))/d^3

IntegrateAlgebraic [A] time = 0.03, size = 53, normalized size = 1.08

$$\frac{2(bc^2 - acd) \log(c + d\sqrt{x})}{d^3} + \frac{\sqrt{x}(2ad - 2bc + bd\sqrt{x})}{d^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*Sqrt[x])/(c + d*Sqrt[x]),x]

[Out] ((-2*b*c + 2*a*d + b*d*Sqrt[x])*Sqrt[x])/d^2 + (2*(b*c^2 - a*c*d)*Log[c + d*Sqrt[x]])/d^3

fricas [A] time = 0.82, size = 48, normalized size = 0.98

$$\frac{bd^2x + 2(bc^2 - acd) \log(d\sqrt{x} + c) - 2(bcd - ad^2)\sqrt{x}}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^(1/2))/(c+d*x^(1/2)),x, algorithm="fricas")

[Out] (b*d^2*x + 2*(b*c^2 - a*c*d)*log(d*sqrt(x) + c) - 2*(b*c*d - a*d^2)*sqrt(x))/d^3

giac [A] time = 0.19, size = 49, normalized size = 1.00

$$\frac{bdx - 2bc\sqrt{x} + 2ad\sqrt{x}}{d^2} + \frac{2(bc^2 - acd)\log(|d\sqrt{x} + c|)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^(1/2))/(c+d*x^(1/2)),x, algorithm="giac")

[Out] (b*d*x - 2*b*c*sqrt(x) + 2*a*d*sqrt(x))/d^2 + 2*(b*c^2 - a*c*d)*log(abs(d*sqrt(x) + c))/d^3

maple [A] time = 0.05, size = 59, normalized size = 1.20

$$-\frac{2ac \ln(d\sqrt{x} + c)}{d^2} + \frac{2bc^2 \ln(d\sqrt{x} + c)}{d^3} + \frac{bx}{d} + \frac{2a\sqrt{x}}{d} - \frac{2bc\sqrt{x}}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^(1/2)+a)/(c+d*x^(1/2)),x)

[Out] b/d*x+2/d*a*x^(1/2)-2/d^2*b*c*x^(1/2)-2*c/d^2*ln(c+d*x^(1/2))*a+2*c^2/d^3*ln(c+d*x^(1/2))*b

maxima [A] time = 0.64, size = 47, normalized size = 0.96

$$\frac{bdx - 2(bc - ad)\sqrt{x}}{d^2} + \frac{2(bc^2 - acd)\log(d\sqrt{x} + c)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^(1/2))/(c+d*x^(1/2)),x, algorithm="maxima")

[Out] (b*d*x - 2*(b*c - a*d)*sqrt(x))/d^2 + 2*(b*c^2 - a*c*d)*log(d*sqrt(x) + c)/d^3

mupad [B] time = 0.07, size = 49, normalized size = 1.00

$$\sqrt{x} \left(\frac{2a}{d} - \frac{2bc}{d^2} \right) + \frac{\ln(c + d\sqrt{x})(2bc^2 - 2acd)}{d^3} + \frac{bx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^(1/2))/(c + d*x^(1/2)),x)

[Out] x^(1/2)*((2*a)/d - (2*b*c)/d^2) + (log(c + d*x^(1/2))*(2*b*c^2 - 2*a*c*d))/d^3 + (b*x)/d

sympy [A] time = 0.30, size = 82, normalized size = 1.67

$$\begin{cases} -\frac{2ac \log\left(\frac{c}{d} + \sqrt{x}\right)}{d^2} + \frac{2a\sqrt{x}}{d} + \frac{2bc^2 \log\left(\frac{c}{d} + \sqrt{x}\right)}{d^3} - \frac{2bc\sqrt{x}}{d^2} + \frac{bx}{d} & \text{for } d \neq 0 \\ \frac{ax + \frac{2bx^2}{3}}{c} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*x**(1/2))/(c+d*x**(1/2)), x)`

[Out] `Piecewise((-2*a*c*log(c/d + sqrt(x))/d**2 + 2*a*sqrt(x)/d + 2*b*c**2*log(c/d + sqrt(x))/d**3 - 2*b*c*sqrt(x)/d**2 + b*x/d, Ne(d, 0)), ((a*x + 2*b*x**(3/2))/3)/c, True)`

$$3.175 \quad \int \frac{-1 + \sqrt[3]{x}}{1 + \sqrt[3]{x}} dx$$

Optimal. Leaf size=26

$$-3x^{2/3} + x + 6\sqrt[3]{x} - 6 \log(\sqrt[3]{x} + 1)$$

Rubi [A] time = 0.02, antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {376, 77}

$$-3x^{2/3} + x + 6\sqrt[3]{x} - 6 \log(\sqrt[3]{x} + 1)$$

Antiderivative was successfully verified.

[In] Int[(-1 + x^(1/3))/(1 + x^(1/3)), x]

[Out] 6*x^(1/3) - 3*x^(2/3) + x - 6*Log[1 + x^(1/3)]

Rule 77

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_)^(n_.))*((e_.) + (f_.)*(x_)^(p_.)), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 376

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_.) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := With[{g = Denominator[n]}, Dist[g, Subst[Int[x^(g - 1)*(a + b*x^(g*n))^p*(c + d*x^(g*n))^q, x], x, x^(1/g)], x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && FractionQ[n]

Rubi steps

$$\begin{aligned} \int \frac{-1 + \sqrt[3]{x}}{1 + \sqrt[3]{x}} dx &= 3 \text{Subst} \left(\int \frac{(-1 + x)x^2}{1 + x} dx, x, \sqrt[3]{x} \right) \\ &= 3 \text{Subst} \left(\int \left(2 - 2x + x^2 - \frac{2}{1 + x} \right) dx, x, \sqrt[3]{x} \right) \\ &= 6\sqrt[3]{x} - 3x^{2/3} + x - 6 \log(1 + \sqrt[3]{x}) \end{aligned}$$

Mathematica [A] time = 0.01, size = 26, normalized size = 1.00

$$-3x^{2/3} + x + 6\sqrt[3]{x} - 6\log(\sqrt[3]{x} + 1)$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + x^(1/3))/(1 + x^(1/3)), x]

[Out] 6*x^(1/3) - 3*x^(2/3) + x - 6*Log[1 + x^(1/3)]

IntegrateAlgebraic [A] time = 0.01, size = 31, normalized size = 1.19

$$(x^{2/3} - 3\sqrt[3]{x} + 6)\sqrt[3]{x} - 6\log(\sqrt[3]{x} + 1)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(-1 + x^(1/3))/(1 + x^(1/3)), x]

[Out] (6 - 3*x^(1/3) + x^(2/3))*x^(1/3) - 6*Log[1 + x^(1/3)]

fricas [A] time = 0.81, size = 20, normalized size = 0.77

$$x - 3x^{2/3} + 6x^{1/3} - 6\log\left(x^{1/3} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+x^(1/3))/(1+x^(1/3)),x, algorithm="fricas")

[Out] x - 3*x^(2/3) + 6*x^(1/3) - 6*log(x^(1/3) + 1)

giac [A] time = 0.20, size = 20, normalized size = 0.77

$$x - 3x^{2/3} + 6x^{1/3} - 6\log\left(x^{1/3} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+x^(1/3))/(1+x^(1/3)),x, algorithm="giac")

[Out] x - 3*x^(2/3) + 6*x^(1/3) - 6*log(x^(1/3) + 1)

maple [A] time = 0.04, size = 21, normalized size = 0.81

$$x - 6\ln\left(x^{1/3} + 1\right) - 3x^{2/3} + 6x^{1/3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^(1/3)-1)/(x^(1/3)+1),x)`

[Out] `6*x^(1/3)-3*x^(2/3)+x-6*ln(x^(1/3)+1)`

maxima [A] time = 0.55, size = 20, normalized size = 0.77

$$x - 3x^{\frac{2}{3}} + 6x^{\frac{1}{3}} - 6 \log\left(x^{\frac{1}{3}} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+x^(1/3))/(1+x^(1/3)),x, algorithm="maxima")`

[Out] `x - 3*x^(2/3) + 6*x^(1/3) - 6*log(x^(1/3) + 1)`

mupad [B] time = 0.03, size = 20, normalized size = 0.77

$$x - 6 \ln\left(x^{1/3} + 1\right) + 6x^{1/3} - 3x^{2/3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^(1/3) - 1)/(x^(1/3) + 1),x)`

[Out] `x - 6*log(x^(1/3) + 1) + 6*x^(1/3) - 3*x^(2/3)`

sympy [A] time = 0.20, size = 24, normalized size = 0.92

$$-3x^{\frac{2}{3}} + 6\sqrt[3]{x} + x - 6 \log\left(\sqrt[3]{x} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+x**(1/3))/(1+x**(1/3)),x)`

[Out] `-3*x**(2/3) + 6*x**(1/3) + x - 6*log(x**(1/3) + 1)`

$$3.176 \quad \int \frac{1+x^{2/3}}{-1+x^{2/3}} dx$$

Optimal. Leaf size=17

$$x + 6\sqrt[3]{x} - 6 \tanh^{-1}(\sqrt[3]{x})$$

Rubi [A] time = 0.01, antiderivative size = 17, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {376, 459, 321, 207}

$$x + 6\sqrt[3]{x} - 6 \tanh^{-1}(\sqrt[3]{x})$$

Antiderivative was successfully verified.

[In] Int[(1 + x^(2/3))/(-1 + x^(2/3)),x]

[Out] 6*x^(1/3) + x - 6*ArcTanh[x^(1/3)]

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 321

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 376

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := With[{g = Denominator[n]}, Dist[g, Subst[Int[x^(g - 1)*(a + b*x^(g*n))^p*(c + d*x^(g*n))^q, x], x, x^(1/g)], x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && FractionQ[n]

Rule 459

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p + 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m,

n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{1+x^{2/3}}{-1+x^{2/3}} dx &= 3 \operatorname{Subst} \left(\int \frac{x^2(1+x^2)}{-1+x^2} dx, x, \sqrt[3]{x} \right) \\
 &= x + 6 \operatorname{Subst} \left(\int \frac{x^2}{-1+x^2} dx, x, \sqrt[3]{x} \right) \\
 &= 6\sqrt[3]{x} + x + 6 \operatorname{Subst} \left(\int \frac{1}{-1+x^2} dx, x, \sqrt[3]{x} \right) \\
 &= 6\sqrt[3]{x} + x - 6 \tanh^{-1}(\sqrt[3]{x})
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 17, normalized size = 1.00

$$x + 6\sqrt[3]{x} - 6 \tanh^{-1}(\sqrt[3]{x})$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^(2/3))/(-1 + x^(2/3)), x]

[Out] 6*x^(1/3) + x - 6*ArcTanh[x^(1/3)]

IntegrateAlgebraic [A] time = 0.01, size = 17, normalized size = 1.00

$$x + 6\sqrt[3]{x} - 6 \tanh^{-1}(\sqrt[3]{x})$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1 + x^(2/3))/(-1 + x^(2/3)), x]

[Out] 6*x^(1/3) + x - 6*ArcTanh[x^(1/3)]

fricas [A] time = 0.62, size = 23, normalized size = 1.35

$$x + 6x^{\frac{1}{3}} - 3 \log(x^{\frac{1}{3}} + 1) + 3 \log(x^{\frac{1}{3}} - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x^(2/3))/(-1+x^(2/3)), x, algorithm="fricas")

[Out] x + 6*x^(1/3) - 3*log(x^(1/3) + 1) + 3*log(x^(1/3) - 1)

giac [A] time = 0.18, size = 24, normalized size = 1.41

$$x + 6x^{\frac{1}{3}} - 3 \log\left(x^{\frac{1}{3}} + 1\right) + 3 \log\left(\left|x^{\frac{1}{3}} - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x^(2/3))/(-1+x^(2/3)),x, algorithm="giac")

[Out] x + 6*x^(1/3) - 3*log(x^(1/3) + 1) + 3*log(abs(x^(1/3) - 1))

maple [A] time = 0.05, size = 24, normalized size = 1.41

$$x - 3 \ln\left(x^{\frac{1}{3}} + 1\right) + 3 \ln\left(x^{\frac{1}{3}} - 1\right) + 6x^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^(2/3)+1)/(x^(2/3)-1),x)

[Out] x+6*x^(1/3)+3*ln(x^(1/3)-1)-3*ln(x^(1/3)+1)

maxima [A] time = 0.56, size = 23, normalized size = 1.35

$$x + 6x^{\frac{1}{3}} - 3 \log\left(x^{\frac{1}{3}} + 1\right) + 3 \log\left(x^{\frac{1}{3}} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x^(2/3))/(-1+x^(2/3)),x, algorithm="maxima")

[Out] x + 6*x^(1/3) - 3*log(x^(1/3) + 1) + 3*log(x^(1/3) - 1)

mupad [B] time = 1.46, size = 13, normalized size = 0.76

$$x - 6 \operatorname{atanh}\left(x^{1/3}\right) + 6x^{1/3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^(2/3) + 1)/(x^(2/3) - 1),x)

[Out] x - 6*atanh(x^(1/3)) + 6*x^(1/3)

sympy [A] time = 0.27, size = 27, normalized size = 1.59

$$6\sqrt[3]{x} + x + 3 \log\left(\sqrt[3]{x} - 1\right) - 3 \log\left(\sqrt[3]{x} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x**(2/3))/(-1+x**(2/3)),x)

[Out] 6*x**(1/3) + x + 3*log(x**(1/3) - 1) - 3*log(x**(1/3) + 1)

$$3.177 \quad \int \frac{-16+x^{3/4}}{16+x^{3/4}} dx$$

Optimal. Leaf size=104

$$x - 128\sqrt[4]{x} + \frac{256}{3}\sqrt[3]{2} \log\left(\sqrt[4]{x} + 2\sqrt[3]{2}\right) - \frac{128}{3}\sqrt[3]{2} \log\left(\sqrt{x} - 2\sqrt[3]{2}\sqrt[4]{x} + 4 \cdot 2^{2/3}\right) - \frac{256\sqrt[3]{2} \tan^{-1}\left(\frac{\sqrt[3]{2} - \sqrt[4]{x}}{\sqrt[3]{2}\sqrt{3}}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.09, antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {376, 459, 321, 200, 31, 634, 617, 204, 628}

$$x - 128\sqrt[4]{x} + \frac{256}{3}\sqrt[3]{2} \log\left(\sqrt[4]{x} + 2\sqrt[3]{2}\right) - \frac{128}{3}\sqrt[3]{2} \log\left(\sqrt{x} - 2\sqrt[3]{2}\sqrt[4]{x} + 4 \cdot 2^{2/3}\right) - \frac{256\sqrt[3]{2} \tan^{-1}\left(\frac{\sqrt[3]{2} - \sqrt[4]{x}}{\sqrt[3]{2}\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(-16 + x^(3/4))/(16 + x^(3/4)), x]

[Out] -128*x^(1/4) + x - (256*2^(1/3)*ArcTan[(2^(1/3) - x^(1/4))/(2^(1/3)*Sqrt[3]])/Sqrt[3] + (256*2^(1/3)*Log[2*2^(1/3) + x^(1/4)])/3 - (128*2^(1/3)*Log[4*2^(2/3) - 2*2^(1/3)*x^(1/4) + Sqrt[x]])/3

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 321

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 376

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol
] := With[{g = Denominator[n]}, Dist[g, Subst[Int[x^(g - 1)*(a + b*x^(g*n))
^p*(c + d*x^(g*n))^q, x], x, x^(1/g)], x] /; FreeQ[{a, b, c, d, p, q}, x]
&& NeQ[b*c - a*d, 0] && FractionQ[n]
```

Rule 459

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n
_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p
+ 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p
+ 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m,
n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{-16 + x^{3/4}}{16 + x^{3/4}} dx &= 4 \operatorname{Subst} \left(\int \frac{x^3 (-16 + x^3)}{16 + x^3} dx, x, \sqrt[4]{x} \right) \\
&= x - 128 \operatorname{Subst} \left(\int \frac{x^3}{16 + x^3} dx, x, \sqrt[4]{x} \right) \\
&= -128 \sqrt[4]{x} + x + 2048 \operatorname{Subst} \left(\int \frac{1}{16 + x^3} dx, x, \sqrt[4]{x} \right) \\
&= -128 \sqrt[4]{x} + x + \frac{1}{3} (256 \sqrt[3]{2}) \operatorname{Subst} \left(\int \frac{1}{2 \sqrt[3]{2} + x} dx, x, \sqrt[4]{x} \right) + \frac{1}{3} (256 \sqrt[3]{2}) \operatorname{Subst} \left(\int \frac{4 \sqrt[3]{2}}{4 \cdot 2^{2/3} - 2} \right. \\
&= -128 \sqrt[4]{x} + x + \frac{256}{3} \sqrt[3]{2} \log(2 \sqrt[3]{2} + \sqrt[4]{x}) - \frac{1}{3} (128 \sqrt[3]{2}) \operatorname{Subst} \left(\int \frac{-2 \sqrt[3]{2} + 2x}{4 \cdot 2^{2/3} - 2 \sqrt[3]{2} x + x^2} dx, x, \sqrt[4]{x} \right) \\
&= -128 \sqrt[4]{x} + x + \frac{256}{3} \sqrt[3]{2} \log(2 \sqrt[3]{2} + \sqrt[4]{x}) - \frac{128}{3} \sqrt[3]{2} \log(4 \cdot 2^{2/3} - 2 \sqrt[3]{2} \sqrt[4]{x} + \sqrt{x}) + (256 \sqrt[3]{2}) \\
&= -128 \sqrt[4]{x} + x - \frac{256 \sqrt[3]{2} \tan^{-1} \left(\frac{2 - 2^{2/3} \sqrt[4]{x}}{2 \sqrt{3}} \right)}{\sqrt{3}} + \frac{256}{3} \sqrt[3]{2} \log(2 \sqrt[3]{2} + \sqrt[4]{x}) - \frac{128}{3} \sqrt[3]{2} \log(4 \cdot 2^{2/3} - 2
\end{aligned}$$

Mathematica [C] time = 0.01, size = 22, normalized size = 0.21

$$x - 2x {}_2F_1 \left(1, \frac{4}{3}; \frac{7}{3}; -\frac{x^{3/4}}{16} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(-16 + x^(3/4))/(16 + x^(3/4)), x]

[Out] x - 2*x*Hypergeometric2F1[1, 4/3, 7/3, -1/16*x^(3/4)]

IntegrateAlgebraic [A] time = 0.13, size = 104, normalized size = 1.00

$$x - 128 \sqrt[4]{x} + \frac{256}{3} \sqrt[3]{2} \log(2^{2/3} \sqrt[4]{x} + 4) - \frac{128}{3} \sqrt[3]{2} \log(-\sqrt[3]{2} \sqrt{x} + 2 \cdot 2^{2/3} \sqrt[4]{x} - 8) - \frac{256 \sqrt[3]{2} \tan^{-1} \left(\frac{1}{\sqrt{3}} - \frac{\sqrt[4]{x}}{\sqrt[3]{2} \sqrt{3}} \right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(-16 + x^(3/4))/(16 + x^(3/4)), x]

[Out] -128*x^(1/4) + x - (256*2^(1/3)*ArcTan[1/Sqrt[3] - x^(1/4)/(2^(1/3)*Sqrt[3]])/Sqrt[3] + (256*2^(1/3)*Log[4 + 2^(2/3)*x^(1/4)])/3 - (128*2^(1/3)*Log[-8 + 2*2^(2/3)*x^(1/4) - 2^(1/3)*Sqrt[x]])/3

fricas [A] time = 0.82, size = 71, normalized size = 0.68

$$\frac{256}{3} \sqrt{3} 2^{\frac{1}{3}} \arctan\left(\frac{1}{6} \sqrt{3} 2^{\frac{2}{3}} x^{\frac{1}{4}} - \frac{1}{3} \sqrt{3}\right) - \frac{128}{3} \cdot 2^{\frac{1}{3}} \log\left(4 \cdot 2^{\frac{2}{3}} - 2 \cdot 2^{\frac{1}{3}} x^{\frac{1}{4}} + \sqrt{x}\right) + \frac{256}{3} \cdot 2^{\frac{1}{3}} \log\left(2 \cdot 2^{\frac{1}{3}} + x^{\frac{1}{4}}\right) + x - 128 x^{\frac{1}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16+x^(3/4))/(16+x^(3/4)),x, algorithm="fricas")

[Out] 256/3*sqrt(3)*2^(1/3)*arctan(1/6*sqrt(3)*2^(2/3)*x^(1/4) - 1/3*sqrt(3)) - 128/3*2^(1/3)*log(4*2^(2/3) - 2*2^(1/3)*x^(1/4) + sqrt(x)) + 256/3*2^(1/3)*log(2*2^(1/3) + x^(1/4)) + x - 128*x^(1/4)

giac [A] time = 0.17, size = 71, normalized size = 0.68

$$\frac{256}{3} \sqrt{3} 2^{\frac{1}{3}} \arctan\left(-\frac{1}{6} \sqrt{3} 2^{\frac{2}{3}} \left(2^{\frac{1}{3}} - x^{\frac{1}{4}}\right)\right) - \frac{128}{3} \cdot 2^{\frac{1}{3}} \log\left(4 \cdot 2^{\frac{2}{3}} - 2 \cdot 2^{\frac{1}{3}} x^{\frac{1}{4}} + \sqrt{x}\right) + \frac{256}{3} \cdot 2^{\frac{1}{3}} \log\left(2 \cdot 2^{\frac{1}{3}} + x^{\frac{1}{4}}\right) + x - 128 x^{\frac{1}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16+x^(3/4))/(16+x^(3/4)),x, algorithm="giac")

[Out] 256/3*sqrt(3)*2^(1/3)*arctan(-1/6*sqrt(3)*2^(2/3)*(2^(1/3) - x^(1/4))) - 128/3*2^(1/3)*log(4*2^(2/3) - 2*2^(1/3)*x^(1/4) + sqrt(x)) + 256/3*2^(1/3)*log(2*2^(1/3) + x^(1/4)) + x - 128*x^(1/4)

maple [A] time = 0.04, size = 66, normalized size = 0.63

$$x + \frac{128 16^{\frac{1}{3}} \sqrt{3} \arctan\left(\frac{\sqrt{3} \left(\frac{16^{\frac{2}{3}} x^{\frac{1}{4}}}{8} - 1\right)}{3}\right)}{3} + \frac{128 16^{\frac{1}{3}} \ln\left(x^{\frac{1}{4}} + 16^{\frac{1}{3}}\right)}{3} - \frac{64 16^{\frac{1}{3}} \ln\left(\sqrt{x} - 16^{\frac{1}{3}} x^{\frac{1}{4}} + 16^{\frac{2}{3}}\right)}{3} - 128 x^{\frac{1}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-16+x^(3/4))/(16+x^(3/4)),x)

[Out] x-128*x^(1/4)+128/3*16^(1/3)*ln(x^(1/4)+16^(1/3))-64/3*16^(1/3)*ln(x^(1/2)-16^(1/3)*x^(1/4)+16^(2/3))+128/3*16^(1/3)*3^(1/2)*arctan(1/3*3^(1/2)*(1/8*16^(2/3)*x^(1/4)-1))

maxima [A] time = 1.13, size = 71, normalized size = 0.68

$$\frac{256}{3} \sqrt{3} 2^{\frac{1}{3}} \arctan\left(-\frac{1}{6} \sqrt{3} 2^{\frac{2}{3}} \left(2^{\frac{1}{3}} - x^{\frac{1}{4}}\right)\right) - \frac{128}{3} \cdot 2^{\frac{1}{3}} \log\left(4 \cdot 2^{\frac{2}{3}} - 2 \cdot 2^{\frac{1}{3}} x^{\frac{1}{4}} + \sqrt{x}\right) + \frac{256}{3} \cdot 2^{\frac{1}{3}} \log\left(2 \cdot 2^{\frac{1}{3}} + x^{\frac{1}{4}}\right) + x - 128 x^{\frac{1}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16+x^(3/4))/(16+x^(3/4)),x, algorithm="maxima")

[Out] 256/3*sqrt(3)*2^(1/3)*arctan(-1/6*sqrt(3)*2^(2/3)*(2^(1/3) - x^(1/4))) - 128/3*2^(1/3)*log(4*2^(2/3) - 2*2^(1/3)*x^(1/4) + sqrt(x)) + 256/3*2^(1/3)*log(2*2^(1/3) + x^(1/4)) + x - 128*x^(1/4)

mupad [B] time = 1.50, size = 90, normalized size = 0.87

$$x + \frac{256 \cdot 2^{1/3} \ln(12288 \cdot 2^{1/3} + 6144 x^{1/4})}{3} - 128 x^{1/4} + \frac{128 \cdot 2^{1/3} \ln(6144 x^{1/4} + 6144 \cdot 2^{1/3} (-1 + \sqrt{3} i)) (-1 + \sqrt{3} i)}{3} - \frac{128 \cdot 2^{1/3} \ln(6144 x^{1/4} - 6144 \cdot 2^{1/3} (1 + \sqrt{3} i)) (1 + \sqrt{3} i)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^(3/4) - 16)/(x^(3/4) + 16),x)

[Out] x + (256*2^(1/3)*log(12288*2^(1/3) + 6144*x^(1/4)))/3 - 128*x^(1/4) + (128*2^(1/3)*log(6144*x^(1/4) + 6144*2^(1/3)*(3^(1/2)*1i - 1))*(3^(1/2)*1i - 1))/3 - (128*2^(1/3)*log(6144*x^(1/4) - 6144*2^(1/3)*(3^(1/2)*1i + 1))*(3^(1/2)*1i + 1))/3

sympy [A] time = 5.72, size = 102, normalized size = 0.98

$$-128 \sqrt[4]{x} + x + \frac{256 \sqrt[3]{2} \log(\sqrt[4]{x} + 2 \sqrt[3]{2})}{3} - \frac{128 \sqrt[3]{2} \log(-2 \sqrt[3]{2} \sqrt[4]{x} + \sqrt{x} + 4 \cdot 2^{2/3})}{3} + \frac{256 \sqrt[3]{2} \sqrt{3} \operatorname{atan}\left(\frac{2^{2/3} \sqrt{3} \sqrt[4]{x}}{6} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16+x**(3/4))/(16+x**(3/4)),x)

[Out] -128*x**(1/4) + x + 256*2**(1/3)*log(x**(1/4) + 2*2**(1/3))/3 - 128*2**(1/3)*log(-2*2**(1/3)*x**(1/4) + sqrt(x) + 4*2**(2/3))/3 + 256*2**(1/3)*sqrt(3)*atan(2**(2/3)*sqrt(3)*x**(1/4)/6 - sqrt(3)/3)/3

$$3.178 \quad \int \frac{1 + \frac{1}{\sqrt[3]{x}}}{-1 + \frac{1}{\sqrt[3]{x}}} dx$$

Optimal. Leaf size=30

$$-3x^{2/3} - x - 6\sqrt[3]{x} - 6 \log(1 - \sqrt[3]{x})$$

Rubi [A] time = 0.02, antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {374, 376, 77}

$$-3x^{2/3} - x - 6\sqrt[3]{x} - 6 \log(1 - \sqrt[3]{x})$$

Antiderivative was successfully verified.

[In] Int[(1 + x^(-1/3))/(-1 + x^(-1/3)),x]

[Out] -6*x^(1/3) - 3*x^(2/3) - x - 6*Log[1 - x^(1/3)]

Rule 77

```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_)^(n_.))*((e_.) + (f_.)*(x_)^(p_.)), x_Symbol]
:> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x]
/; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))
```

Rule 374

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol]
:> Int[x^(n*(p + q))*(b + a/x^n)^p*(d + c/x^n)^q, x]
/; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IntegersQ[p, q] && NegQ[n]
```

Rule 376

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol]
:> With[{g = Denominator[n]}, Dist[g, Subst[Int[x^(g - 1)*(a + b*x^(g*n))^p*(c + d*x^(g*n))^q, x], x, x^(1/g)], x]
/; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && FractionQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{1 + \frac{1}{\sqrt[3]{x}}}{-1 + \frac{1}{\sqrt[3]{x}}} dx &= \int \frac{1 + \sqrt[3]{x}}{1 - \sqrt[3]{x}} dx \\
&= 3 \operatorname{Subst} \left(\int \frac{x^2(1+x)}{1-x} dx, x, \sqrt[3]{x} \right) \\
&= 3 \operatorname{Subst} \left(\int \left(-2 - \frac{2}{-1+x} - 2x - x^2 \right) dx, x, \sqrt[3]{x} \right) \\
&= -6\sqrt[3]{x} - 3x^{2/3} - x - 6 \log(1 - \sqrt[3]{x})
\end{aligned}$$

Mathematica [A] time = 0.03, size = 30, normalized size = 1.00

$$-3x^{2/3} - x - 6\sqrt[3]{x} - 6 \log(1 - \sqrt[3]{x})$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^(-1/3))/(-1 + x^(-1/3)), x]

[Out] -6*x^(1/3) - 3*x^(2/3) - x - 6*Log[1 - x^(1/3)]

IntegrateAlgebraic [A] time = 0.02, size = 32, normalized size = 1.07

$$-\sqrt[3]{x} \left(x^{2/3} + 3\sqrt[3]{x} + 6 \right) - 6 \log(\sqrt[3]{x} - 1)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1 + x^(-1/3))/(-1 + x^(-1/3)), x]

[Out] -((6 + 3*x^(1/3) + x^(2/3))*x^(1/3)) - 6*Log[-1 + x^(1/3)]

fricas [A] time = 0.56, size = 22, normalized size = 0.73

$$-x - 3x^{\frac{2}{3}} - 6x^{\frac{1}{3}} - 6 \log\left(x^{\frac{1}{3}} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+1/x^(1/3))/(-1+1/x^(1/3)), x, algorithm="fricas")

[Out] -x - 3*x^(2/3) - 6*x^(1/3) - 6*log(x^(1/3) - 1)

giac [A] time = 0.15, size = 23, normalized size = 0.77

$$-x - 3x^{\frac{2}{3}} - 6x^{\frac{1}{3}} - 6 \log\left(\left|x^{\frac{1}{3}} - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+1/x^(1/3))/(-1+1/x^(1/3)),x, algorithm="giac")

[Out] $-x - 3x^{2/3} - 6x^{1/3} - 6\log(\text{abs}(x^{1/3} - 1))$

maple [A] time = 0.04, size = 23, normalized size = 0.77

$$-x - 6 \ln\left(x^{\frac{1}{3}} - 1\right) - 3x^{\frac{2}{3}} - 6x^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+1/x^(1/3))/(-1+1/x^(1/3)),x)

[Out] $-x - 3x^{2/3} - 6x^{1/3} - 6\ln(x^{1/3} - 1)$

maxima [A] time = 0.56, size = 22, normalized size = 0.73

$$-x - 3x^{\frac{2}{3}} - 6x^{\frac{1}{3}} - 6 \log\left(x^{\frac{1}{3}} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+1/x^(1/3))/(-1+1/x^(1/3)),x, algorithm="maxima")

[Out] $-x - 3x^{2/3} - 6x^{1/3} - 6\log(x^{1/3} - 1)$

mupad [B] time = 0.04, size = 22, normalized size = 0.73

$$-x - 6 \ln\left(x^{1/3} - 1\right) - 6x^{1/3} - 3x^{2/3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/x^(1/3) + 1)/(1/x^(1/3) - 1),x)

[Out] $-x - 6\log(x^{1/3} - 1) - 6x^{1/3} - 3x^{2/3}$

sympy [A] time = 0.18, size = 26, normalized size = 0.87

$$-3x^{\frac{2}{3}} - 6\sqrt[3]{x} - x - 6 \log\left(\sqrt[3]{x} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+1/x**(1/3))/(-1+1/x**(1/3)),x)

[Out] $-3x^{2/3} - 6x^{1/3} - x - 6\log(x^{1/3} - 1)$

$$3.179 \quad \int (a + bx^n)(c + dx^n)^4 dx$$

Optimal. Leaf size=132

$$\frac{c^3 x^{n+1}(4ad + bc)}{n + 1} + \frac{2c^2 dx^{2n+1}(3ad + 2bc)}{2n + 1} + \frac{d^3 x^{4n+1}(ad + 4bc)}{4n + 1} + \frac{2cd^2 x^{3n+1}(2ad + 3bc)}{3n + 1} + ac^4 x + \frac{bd^4 x^{5n+1}}{5n + 1}$$

Rubi [A] time = 0.11, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {373}

$$\frac{c^3 x^{n+1}(4ad + bc)}{n + 1} + \frac{2c^2 dx^{2n+1}(3ad + 2bc)}{2n + 1} + \frac{2cd^2 x^{3n+1}(2ad + 3bc)}{3n + 1} + \frac{d^3 x^{4n+1}(ad + 4bc)}{4n + 1} + ac^4 x + \frac{bd^4 x^{5n+1}}{5n + 1}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)*(c + d*x^n)^4, x]

[Out] a*c^4*x + (c^3*(b*c + 4*a*d)*x^(1 + n))/(1 + n) + (2*c^2*d*(2*b*c + 3*a*d)*x^(1 + 2*n))/(1 + 2*n) + (2*c*d^2*(3*b*c + 2*a*d)*x^(1 + 3*n))/(1 + 3*n) + (d^3*(4*b*c + a*d)*x^(1 + 4*n))/(1 + 4*n) + (b*d^4*x^(1 + 5*n))/(1 + 5*n)

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^n)(c + dx^n)^4 dx &= \int (ac^4 + c^3(bc + 4ad)x^n + 2c^2d(2bc + 3ad)x^{2n} + 2cd^2(3bc + 2ad)x^{3n} + d^3(4bc + ad)x^{4n} + bd^4x^{5n}) dx \\ &= ac^4 x + \frac{c^3(bc + 4ad)x^{1+n}}{1+n} + \frac{2c^2d(2bc + 3ad)x^{1+2n}}{1+2n} + \frac{2cd^2(3bc + 2ad)x^{1+3n}}{1+3n} + \frac{d^3(4bc + ad)x^{1+4n}}{1+4n} + \frac{bd^4x^{1+5n}}{1+5n} \end{aligned}$$

Mathematica [A] time = 0.28, size = 110, normalized size = 0.83

$$\frac{bx(c + dx^n)^5 - x \left(c^4 + \frac{4c^3 dx^n}{n+1} + \frac{6c^2 d^2 x^{2n}}{2n+1} + \frac{4cd^3 x^{3n}}{3n+1} + \frac{d^4 x^{4n}}{4n+1} \right) (bc - ad(5n + 1))}{5dn + d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)*(c + d*x^n)^4, x]

```
[Out] (b*x*(c + d*x^n)^5 - (b*c - a*d*(1 + 5*n))*x*(c^4 + (4*c^3*d*x^n)/(1 + n) +
(6*c^2*d^2*x^(2*n))/(1 + 2*n) + (4*c*d^3*x^(3*n))/(1 + 3*n) + (d^4*x^(4*n)
)/(1 + 4*n)))/(d + 5*d*n)
```

IntegrateAlgebraic [F] time = 0.50, size = 0, normalized size = 0.00

$$\int (a + bx^n)(c + dx^n)^4 dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(a + b*x^n)*(c + d*x^n)^4,x]
```

```
[Out] a*c^4*x + Defer[IntegrateAlgebraic][x^n*(b*c^4 + 4*a*c^3*d + 4*b*c^3*d*x^n
+ 6*a*c^2*d^2*x^n + 6*b*c^2*d^2*x^(2*n) + 4*a*c*d^3*x^(2*n) + 4*b*c*d^3*x^(
3*n) + a*d^4*x^(3*n) + b*d^4*x^(4*n)), x]
```

fricas [B] time = 0.86, size = 527, normalized size = 3.99

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*x^n)*(c+d*x^n)^4,x, algorithm="fricas")
```

```
[Out] ((24*b*d^4*n^4 + 50*b*d^4*n^3 + 35*b*d^4*n^2 + 10*b*d^4*n + b*d^4)*x*x^(5*n)
) + (4*b*c*d^3 + a*d^4 + 30*(4*b*c*d^3 + a*d^4)*n^4 + 61*(4*b*c*d^3 + a*d^4
)*n^3 + 41*(4*b*c*d^3 + a*d^4)*n^2 + 11*(4*b*c*d^3 + a*d^4)*n)*x*x^(4*n) +
2*(3*b*c^2*d^2 + 2*a*c*d^3 + 40*(3*b*c^2*d^2 + 2*a*c*d^3)*n^4 + 78*(3*b*c^2
*d^2 + 2*a*c*d^3)*n^3 + 49*(3*b*c^2*d^2 + 2*a*c*d^3)*n^2 + 12*(3*b*c^2*d^2
+ 2*a*c*d^3)*n)*x*x^(3*n) + 2*(2*b*c^3*d + 3*a*c^2*d^2 + 60*(2*b*c^3*d + 3*
a*c^2*d^2)*n^4 + 107*(2*b*c^3*d + 3*a*c^2*d^2)*n^3 + 59*(2*b*c^3*d + 3*a*c^
2*d^2)*n^2 + 13*(2*b*c^3*d + 3*a*c^2*d^2)*n)*x*x^(2*n) + (b*c^4 + 4*a*c^3*d
+ 120*(b*c^4 + 4*a*c^3*d)*n^4 + 154*(b*c^4 + 4*a*c^3*d)*n^3 + 71*(b*c^4 +
4*a*c^3*d)*n^2 + 14*(b*c^4 + 4*a*c^3*d)*n)*x*x^n + (120*a*c^4*n^5 + 274*a*c
^4*n^4 + 225*a*c^4*n^3 + 85*a*c^4*n^2 + 15*a*c^4*n + a*c^4)*x)/(120*n^5 + 2
74*n^4 + 225*n^3 + 85*n^2 + 15*n + 1)
```

giac [B] time = 0.22, size = 740, normalized size = 5.61

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*x^n)*(c+d*x^n)^4,x, algorithm="giac")
```

```
[Out] (120*a*c^4*n^5*x + 24*b*d^4*n^4*x*x^(5*n) + 120*b*c*d^3*n^4*x*x^(4*n) + 30*
a*d^4*n^4*x*x^(4*n) + 240*b*c^2*d^2*n^4*x*x^(3*n) + 160*a*c*d^3*n^4*x*x^(3*
```

$n) + 240*b*c^3*d*n^4*x*x^(2*n) + 360*a*c^2*d^2*n^4*x*x^(2*n) + 120*b*c^4*n^4*x*x^n + 480*a*c^3*d*n^4*x*x^n + 274*a*c^4*n^4*x + 50*b*d^4*n^3*x*x^(5*n) + 244*b*c*d^3*n^3*x*x^(4*n) + 61*a*d^4*n^3*x*x^(4*n) + 468*b*c^2*d^2*n^3*x*x^(3*n) + 312*a*c*d^3*n^3*x*x^(3*n) + 428*b*c^3*d*n^3*x*x^(2*n) + 642*a*c^2*d^2*n^3*x*x^(2*n) + 154*b*c^4*n^3*x*x^n + 616*a*c^3*d*n^3*x*x^n + 225*a*c^4*n^3*x + 35*b*d^4*n^2*x*x^(5*n) + 164*b*c*d^3*n^2*x*x^(4*n) + 41*a*d^4*n^2*x*x^(4*n) + 294*b*c^2*d^2*n^2*x*x^(3*n) + 196*a*c*d^3*n^2*x*x^(3*n) + 236*b*c^3*d*n^2*x*x^(2*n) + 354*a*c^2*d^2*n^2*x*x^(2*n) + 71*b*c^4*n^2*x*x^n + 284*a*c^3*d*n^2*x*x^n + 85*a*c^4*n^2*x + 10*b*d^4*n*x*x^(5*n) + 44*b*c*d^3*n*x*x^(4*n) + 11*a*d^4*n*x*x^(4*n) + 72*b*c^2*d^2*n*x*x^(3*n) + 48*a*c*d^3*n*x*x^(3*n) + 52*b*c^3*d*n*x*x^(2*n) + 78*a*c^2*d^2*n*x*x^(2*n) + 14*b*c^4*n*x*x^n + 56*a*c^3*d*n*x*x^n + 15*a*c^4*n*x + b*d^4*x*x^(5*n) + 4*b*c*d^3*x*x^(4*n) + a*d^4*x*x^(4*n) + 6*b*c^2*d^2*x*x^(3*n) + 4*a*c*d^3*x*x^(3*n) + 4*b*c^3*d*x*x^(2*n) + 6*a*c^2*d^2*x*x^(2*n) + b*c^4*x*x^n + 4*a*c^3*d*x*x^n + a*c^4*x)/(120*n^5 + 274*n^4 + 225*n^3 + 85*n^2 + 15*n + 1)$

maple [A] time = 0.05, size = 138, normalized size = 1.05

$$\frac{bd^4x e^{5n \ln(x)}}{5n+1} + ac^4x + \frac{(4ad+bc)c^3x e^{n \ln(x)}}{n+1} + \frac{2(3ad+2bc)c^2dx e^{2n \ln(x)}}{2n+1} + \frac{2(2ad+3bc)c d^2x e^{3n \ln(x)}}{3n+1} + \frac{(ad+4bc)d^3x e^{4n \ln(x)}}{4n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)*(c+d*x^n)^4,x)

[Out] $a*c^4*x+b*d^4/(1+5*n)*x*\exp(n*\ln(x))^5+c^3*(4*a*d+b*c)/(n+1)*x*\exp(n*\ln(x))+d^3*(a*d+4*b*c)/(4*n+1)*x*\exp(n*\ln(x))^4+2*c*d^2*(2*a*d+3*b*c)/(3*n+1)*x*\exp(n*\ln(x))^3+2*c^2*d*(3*a*d+2*b*c)/(2*n+1)*x*\exp(n*\ln(x))^2$

maxima [A] time = 0.61, size = 186, normalized size = 1.41

$$ac^4x + \frac{bd^4x^{5n+1}}{5n+1} + \frac{4bcd^3x^{4n+1}}{4n+1} + \frac{ad^4x^{4n+1}}{4n+1} + \frac{6bc^2d^2x^{3n+1}}{3n+1} + \frac{4acd^3x^{3n+1}}{3n+1} + \frac{4bc^3dx^{2n+1}}{2n+1} + \frac{6ac^2d^2x^{2n+1}}{2n+1} + \frac{bc^4x^{n+1}}{n+1} + \frac{4ac^3dx^{n+1}}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)*(c+d*x^n)^4,x, algorithm="maxima")

[Out] $a*c^4*x + b*d^4*x^(5*n + 1)/(5*n + 1) + 4*b*c*d^3*x^(4*n + 1)/(4*n + 1) + a*d^4*x^(4*n + 1)/(4*n + 1) + 6*b*c^2*d^2*x^(3*n + 1)/(3*n + 1) + 4*a*c*d^3*x^(3*n + 1)/(3*n + 1) + 4*b*c^3*d*x^(2*n + 1)/(2*n + 1) + 6*a*c^2*d^2*x^(2*n + 1)/(2*n + 1) + b*c^4*x^(n + 1)/(n + 1) + 4*a*c^3*d*x^(n + 1)/(n + 1)$

mupad [B] time = 1.64, size = 131, normalized size = 0.99

$$ac^4x + \frac{xx^n (bc^4 + 4ad c^3)}{n+1} + \frac{xx^{4n} (ad^4 + 4bcd^3)}{4n+1} + \frac{bd^4xx^{5n}}{5n+1} + \frac{2c^2dxx^{2n} (3ad+2bc)}{2n+1} + \frac{2cd^2xx^{3n} (2ad+3bc)}{3n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*x^n)*(c + d*x^n)^4,x)
```

```
[Out] a*c^4*x + (x*x^n*(b*c^4 + 4*a*c^3*d))/(n + 1) + (x*x^(4*n)*(a*d^4 + 4*b*c*d^3))/(4*n + 1) + (b*d^4*x*x^(5*n))/(5*n + 1) + (2*c^2*d*x*x^(2*n)*(3*a*d + 2*b*c))/(2*n + 1) + (2*c*d^2*x*x^(3*n)*(2*a*d + 3*b*c))/(3*n + 1)
```

sympy [A] time = 3.67, size = 2744, normalized size = 20.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*x**n)*(c+d*x**n)**4,x)
```

```
[Out] Piecewise((a*c**4*x + 4*a*c**3*d*log(x) - 6*a*c**2*d**2/x - 2*a*c*d**3/x**2 - a*d**4/(3*x**3) + b*c**4*log(x) - 4*b*c**3*d/x - 3*b*c**2*d**2/x**2 - 4*b*c*d**3/(3*x**3) - b*d**4/(4*x**4), Eq(n, -1)), (a*c**4*x + 8*a*c**3*d*sqrt(x) + 6*a*c**2*d**2*log(x) - 8*a*c*d**3/sqrt(x) - a*d**4/x + 2*b*c**4*sqrt(x) + 4*b*c**3*d*log(x) - 12*b*c**2*d**2/sqrt(x) - 4*b*c*d**3/x - 2*b*d**4/(3*x**(3/2)), Eq(n, -1/2)), (a*c**4*x + 6*a*c**3*d*x**(2/3) + 18*a*c**2*d**2*x**(1/3) + 4*a*c*d**3*log(x) - 3*a*d**4/x**(1/3) + 3*b*c**4*x**(2/3)/2 + 12*b*c**3*d*x**(1/3) + 6*b*c**2*d**2*log(x) - 12*b*c*d**3/x**(1/3) - 3*b*d**4/(2*x**(2/3)), Eq(n, -1/3)), (a*c**4*x + 16*a*c**3*d*x**(3/4)/3 + 12*a*c**2*d**2*sqrt(x) + 16*a*c*d**3*x**(1/4) + a*d**4*log(x) + 4*b*c**4*x**(3/4)/3 + 8*b*c**3*d*sqrt(x) + 24*b*c**2*d**2*x**(1/4) + 4*b*c*d**3*log(x) - 4*b*d**4/x**(1/4), Eq(n, -1/4)), (a*c**4*x + 5*a*c**3*d*x**(4/5) + 10*a*c**2*d**2*x**(3/5) + 10*a*c*d**3*x**(2/5) + 5*a*d**4*x**(1/5) + 5*b*c**4*x**(4/5)/4 + 20*b*c**3*d*x**(3/5)/3 + 15*b*c**2*d**2*x**(2/5) + 20*b*c*d**3*x**(1/5) + b*d**4*log(x), Eq(n, -1/5)), (120*a*c**4*n**5*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 274*a*c**4*n**4*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 225*a*c**4*n**3*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 85*a*c**4*n**2*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 15*a*c**4*n*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + a*c**4*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 480*a*c**3*d*n**4*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 616*a*c**3*d*n**3*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 284*a*c**3*d*n**2*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 56*a*c**3*d*n*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 4*a*c**3*d*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 360*a*c**2*d**2*n**4*x*x**(2*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 642*a*c**2*d**2*n**3*x*x**(2*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 354*a*c**2*d**2*n**2*x*x**(2*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 78*a*c**2*d**2*n*x*x**(2*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 6*a*c**2*d**2*x*x**(2*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 160*a*c*d**3*n**4*x*x**(3*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 312*a*c*d**3*n**3*x*x**(3*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 160*a*c*d**3*n**2*x*x**(3*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 48*a*c*d**3*n*x*x**(3*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 6*a*c*d**3*x*x**(3*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + b*d**4*log(x), Eq(n, -1/5)), (120*a*c**4*n**5*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 274*a*c**4*n**4*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 225*a*c**4*n**3*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 85*a*c**4*n**2*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 15*a*c**4*n*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + a*c**4*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 480*a*c**3*d*n**4*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 616*a*c**3*d*n**3*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 284*a*c**3*d*n**2*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 56*a*c**3*d*n*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 4*a*c**3*d*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 360*a*c**2*d**2*n**4*x*x**(2*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 642*a*c**2*d**2*n**3*x*x**(2*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 354*a*c**2*d**2*n**2*x*x**(2*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 78*a*c**2*d**2*n*x*x**(2*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 6*a*c**2*d**2*x*x**(2*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 160*a*c*d**3*n**4*x*x**(3*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 312*a*c*d**3*n**3*x*x**(3*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 160*a*c*d**3*n**2*x*x**(3*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 48*a*c*d**3*n*x*x**(3*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 6*a*c*d**3*x*x**(3*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + b*d**4*log(x), Eq(n, -1/5))
```

```

5*n**3 + 85*n**2 + 15*n + 1) + 196*a*c*d**3*n**2*x*x**(3*n)/(120*n**5 + 274
*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 48*a*c*d**3*n*x*x**(3*n)/(120*n**5
+ 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 4*a*c*d**3*x*x**(3*n)/(120*n
**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 30*a*d**4*n**4*x*x**(4*n)
/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 61*a*d**4*n**3*x*x
**(4*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 41*a*d**4*n
**2*x*x**(4*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 11*a
*d**4*n*x*x**(4*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) +
a*d**4*x*x**(4*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 1
20*b*c**4*n**4*x*x*n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1)
+ 154*b*c**4*n**3*x*x*n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n
+ 1) + 71*b*c**4*n**2*x*x*n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15
*n + 1) + 14*b*c**4*n*x*x*n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15
*n + 1) + b*c**4*x*x*n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n +
1) + 240*b*c**3*d*n**4*x*x**(2*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2
+ 15*n + 1) + 428*b*c**3*d*n**3*x*x**(2*n)/(120*n**5 + 274*n**4 + 225*n**3
+ 85*n**2 + 15*n + 1) + 236*b*c**3*d*n**2*x*x**(2*n)/(120*n**5 + 274*n**4
+ 225*n**3 + 85*n**2 + 15*n + 1) + 52*b*c**3*d*n*x*x**(2*n)/(120*n**5 + 274
*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 4*b*c**3*d*x*x**(2*n)/(120*n**5 +
274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 240*b*c**2*d**2*n**4*x*x**(3*n)
/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 468*b*c**2*d**2*n*
*3*x*x**(3*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 294*b
*c**2*d**2*n**2*x*x**(3*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n
+ 1) + 72*b*c**2*d**2*n*x*x**(3*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n*
*2 + 15*n + 1) + 6*b*c**2*d**2*x*x**(3*n)/(120*n**5 + 274*n**4 + 225*n**3 +
85*n**2 + 15*n + 1) + 120*b*c*d**3*n**4*x*x**(4*n)/(120*n**5 + 274*n**4 +
225*n**3 + 85*n**2 + 15*n + 1) + 244*b*c*d**3*n**3*x*x**(4*n)/(120*n**5 + 2
74*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 164*b*c*d**3*n**2*x*x**(4*n)/(12
0*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 44*b*c*d**3*n*x*x**(4*
n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 4*b*c*d**3*x*x**
(4*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 24*b*d**4*n**
4*x*x**(5*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 50*b*d
**4*n**3*x*x**(5*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) +
35*b*d**4*n**2*x*x**(5*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n
+ 1) + 10*b*d**4*n*x*x**(5*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 +
15*n + 1) + b*d**4*x*x**(5*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 1
5*n + 1), True))

```


$$3.180 \quad \int (a + bx^n)(c + dx^n)^3 dx$$

Optimal. Leaf size=99

$$\frac{c^2x^{n+1}(3ad + bc)}{n + 1} + \frac{d^2x^{3n+1}(ad + 3bc)}{3n + 1} + \frac{3cdx^{2n+1}(ad + bc)}{2n + 1} + ac^3x + \frac{bd^3x^{4n+1}}{4n + 1}$$

Rubi [A] time = 0.07, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {373}

$$\frac{c^2x^{n+1}(3ad + bc)}{n + 1} + \frac{d^2x^{3n+1}(ad + 3bc)}{3n + 1} + \frac{3cdx^{2n+1}(ad + bc)}{2n + 1} + ac^3x + \frac{bd^3x^{4n+1}}{4n + 1}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)*(c + d*x^n)^3,x]

[Out] a*c^3*x + (c^2*(b*c + 3*a*d)*x^(1 + n))/(1 + n) + (3*c*d*(b*c + a*d)*x^(1 + 2*n))/(1 + 2*n) + (d^2*(3*b*c + a*d)*x^(1 + 3*n))/(1 + 3*n) + (b*d^3*x^(1 + 4*n))/(1 + 4*n)

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^n)(c + dx^n)^3 dx &= \int (ac^3 + c^2(bc + 3ad)x^n + 3cd(bc + ad)x^{2n} + d^2(3bc + ad)x^{3n} + bd^3x^{4n}) dx \\ &= ac^3x + \frac{c^2(bc + 3ad)x^{1+n}}{1 + n} + \frac{3cd(bc + ad)x^{1+2n}}{1 + 2n} + \frac{d^2(3bc + ad)x^{1+3n}}{1 + 3n} + \frac{bd^3x^{1+4n}}{1 + 4n} \end{aligned}$$

Mathematica [A] time = 0.13, size = 90, normalized size = 0.91

$$\frac{bx(c + dx^n)^4 - x \left(c^3 + \frac{3c^2dx^n}{n+1} + \frac{3cd^2x^{2n}}{2n+1} + \frac{d^3x^{3n}}{3n+1} \right) (bc - ad(4n + 1))}{4dn + d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)*(c + d*x^n)^3,x]

$$b*c^3*x*x^n + 3*a*c^2*d*x*x^n + a*c^3*x)/(24*n^4 + 50*n^3 + 35*n^2 + 10*n + 1)$$

maple [A] time = 0.06, size = 104, normalized size = 1.05

$$\frac{bd^3xe^{4n\ln(x)}}{4n+1} + ac^3x + \frac{(3ad+bc)c^2xe^{n\ln(x)}}{n+1} + \frac{3(ad+bc)cdxe^{2n\ln(x)}}{2n+1} + \frac{(ad+3bc)d^2xe^{3n\ln(x)}}{3n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)*(c+d*x^n)^3,x)

[Out] a*c^3*x+b*d^3/(4*n+1)*x*exp(n*ln(x))^4+c^2*(3*a*d+b*c)/(n+1)*x*exp(n*ln(x))+d^2*(a*d+3*b*c)/(3*n+1)*x*exp(n*ln(x))^3+3*c*d*(a*d+b*c)/(2*n+1)*x*exp(n*ln(x))^2

maxima [A] time = 0.50, size = 140, normalized size = 1.41

$$ac^3x + \frac{bd^3x^{4n+1}}{4n+1} + \frac{3bcd^2x^{3n+1}}{3n+1} + \frac{ad^3x^{3n+1}}{3n+1} + \frac{3bc^2dx^{2n+1}}{2n+1} + \frac{3acd^2x^{2n+1}}{2n+1} + \frac{bc^3x^{n+1}}{n+1} + \frac{3ac^2dx^{n+1}}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)*(c+d*x^n)^3,x, algorithm="maxima")

[Out] a*c^3*x + b*d^3*x^(4*n + 1)/(4*n + 1) + 3*b*c*d^2*x^(3*n + 1)/(3*n + 1) + a*d^3*x^(3*n + 1)/(3*n + 1) + 3*b*c^2*d*x^(2*n + 1)/(2*n + 1) + 3*a*c*d^2*x^(2*n + 1)/(2*n + 1) + b*c^3*x^(n + 1)/(n + 1) + 3*a*c^2*d*x^(n + 1)/(n + 1)

mupad [B] time = 1.56, size = 99, normalized size = 1.00

$$ac^3x + \frac{xx^n(bc^3 + 3adc^2)}{n+1} + \frac{xx^{3n}(ad^3 + 3bcd^2)}{3n+1} + \frac{bd^3xx^{4n}}{4n+1} + \frac{3cdxx^{2n}(ad+bc)}{2n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^n)*(c + d*x^n)^3,x)

[Out] a*c^3*x + (x*x^n*(b*c^3 + 3*a*c^2*d))/(n + 1) + (x*x^(3*n)*(a*d^3 + 3*b*c*d^2))/(3*n + 1) + (b*d^3*x*x^(4*n))/(4*n + 1) + (3*c*d*x*x^(2*n)*(a*d + b*c))/(2*n + 1)

sympy [A] time = 3.35, size = 1540, normalized size = 15.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x**n)*(c+d*x**n)**3,x)

```
[Out] Piecewise((a*c**3*x + 3*a*c**2*d*log(x) - 3*a*c*d**2/x - a*d**3/(2*x**2) +
b*c**3*log(x) - 3*b*c**2*d/x - 3*b*c*d**2/(2*x**2) - b*d**3/(3*x**3), Eq(n,
-1)), (a*c**3*x + 6*a*c**2*d*sqrt(x) + 3*a*c*d**2*log(x) - 2*a*d**3/sqrt(x)
) + 2*b*c**3*sqrt(x) + 3*b*c**2*d*log(x) - 6*b*c*d**2/sqrt(x) - b*d**3/x, E
q(n, -1/2)), (a*c**3*x + 9*a*c**2*d*x**(2/3)/2 + 9*a*c*d**2*x**(1/3) + a*d
**3*log(x) + 3*b*c**3*x**(2/3)/2 + 9*b*c**2*d*x**(1/3) + 3*b*c*d**2*log(x) -
3*b*d**3/x**(1/3), Eq(n, -1/3)), (a*c**3*x + 4*a*c**2*d*x**(3/4) + 6*a*c*d
**2*sqrt(x) + 4*a*d**3*x**(1/4) + 4*b*c**3*x**(3/4)/3 + 6*b*c**2*d*sqrt(x)
+ 12*b*c*d**2*x**(1/4) + b*d**3*log(x), Eq(n, -1/4)), (24*a*c**3*n**4*x/(24
*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 50*a*c**3*n**3*x/(24*n**4 + 50*n**3
+ 35*n**2 + 10*n + 1) + 35*a*c**3*n**2*x/(24*n**4 + 50*n**3 + 35*n**2 + 10
*n + 1) + 10*a*c**3*n*x/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + a*c**3*x
/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 72*a*c**2*d*n**3*x*x**n/(24*n**
4 + 50*n**3 + 35*n**2 + 10*n + 1) + 78*a*c**2*d*n**2*x*x**n/(24*n**4 + 50*n
**3 + 35*n**2 + 10*n + 1) + 27*a*c**2*d*n*x*x**n/(24*n**4 + 50*n**3 + 35*n*
**2 + 10*n + 1) + 3*a*c**2*d*x*x**n/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1)
+ 36*a*c*d**2*n**3*x*x**(2*n)/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 5
7*a*c*d**2*n**2*x*x**(2*n)/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 24*a*
c*d**2*n*x*x**(2*n)/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 3*a*c*d**2*x
*x**(2*n)/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 8*a*d**3*n**3*x*x**(3*
n)/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 14*a*d**3*n**2*x*x**(3*n)/(24
*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 7*a*d**3*n*x*x**(3*n)/(24*n**4 + 50
*n**3 + 35*n**2 + 10*n + 1) + a*d**3*x*x**(3*n)/(24*n**4 + 50*n**3 + 35*n**
2 + 10*n + 1) + 24*b*c**3*n**3*x*x**n/(24*n**4 + 50*n**3 + 35*n**2 + 10*n +
1) + 26*b*c**3*n**2*x*x**n/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 9*b*
c**3*n*x*x**n/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + b*c**3*x*x**n/(24*
n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 36*b*c**2*d*n**3*x*x**(2*n)/(24*n**4
+ 50*n**3 + 35*n**2 + 10*n + 1) + 57*b*c**2*d*n**2*x*x**(2*n)/(24*n**4 + 5
0*n**3 + 35*n**2 + 10*n + 1) + 24*b*c**2*d*n*x*x**(2*n)/(24*n**4 + 50*n**3
+ 35*n**2 + 10*n + 1) + 3*b*c**2*d*x*x**(2*n)/(24*n**4 + 50*n**3 + 35*n**2
+ 10*n + 1) + 24*b*c*d**2*n**3*x*x**(3*n)/(24*n**4 + 50*n**3 + 35*n**2 + 10
*n + 1) + 42*b*c*d**2*n**2*x*x**(3*n)/(24*n**4 + 50*n**3 + 35*n**2 + 10*n +
1) + 21*b*c*d**2*n*x*x**(3*n)/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 3
*b*c*d**2*x*x**(3*n)/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 6*b*d**3*n*
**3*x*x**(4*n)/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 11*b*d**3*n**2*x*x
**(4*n)/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 6*b*d**3*n*x*x**(4*n)/(2
4*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + b*d**3*x*x**(4*n)/(24*n**4 + 50*n*
**3 + 35*n**2 + 10*n + 1), True))
```

$$3.181 \quad \int (a + bx^n)(c + dx^n)^2 dx$$

Optimal. Leaf size=70

$$\frac{cx^{n+1}(2ad + bc)}{n + 1} + \frac{dx^{2n+1}(ad + 2bc)}{2n + 1} + ac^2x + \frac{bd^2x^{3n+1}}{3n + 1}$$

Rubi [A] time = 0.05, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {373}

$$\frac{cx^{n+1}(2ad + bc)}{n + 1} + \frac{dx^{2n+1}(ad + 2bc)}{2n + 1} + ac^2x + \frac{bd^2x^{3n+1}}{3n + 1}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)*(c + d*x^n)^2,x]

[Out] a*c^2*x + (c*(b*c + 2*a*d)*x^(1 + n))/(1 + n) + (d*(2*b*c + a*d)*x^(1 + 2*n))/(1 + 2*n) + (b*d^2*x^(1 + 3*n))/(1 + 3*n)

Rule 373

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^n)(c + dx^n)^2 dx &= \int (ac^2 + c(bc + 2ad)x^n + d(2bc + ad)x^{2n} + bd^2x^{3n}) dx \\ &= ac^2x + \frac{c(bc + 2ad)x^{1+n}}{1 + n} + \frac{d(2bc + ad)x^{1+2n}}{1 + 2n} + \frac{bd^2x^{1+3n}}{1 + 3n} \end{aligned}$$

Mathematica [A] time = 0.10, size = 70, normalized size = 1.00

$$\frac{bx(c + dx^n)^3 - x\left(c^2 + \frac{2cdx^n}{n+1} + \frac{d^2x^{2n}}{2n+1}\right)(bc - ad(3n + 1))}{3dn + d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)*(c + d*x^n)^2,x]

[Out] $(b*x*(c + d*x^n)^3 - (b*c - a*d*(1 + 3*n))*x*(c^2 + (2*c*d*x^n)/(1 + n) + (d^2*x^(2*n))/(1 + 2*n)))/(d + 3*d*n)$

IntegrateAlgebraic [F] time = 0.06, size = 0, normalized size = 0.00

$$\int (a + bx^n)(c + dx^n)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^n)*(c + d*x^n)^2,x]

[Out] $a*c^2*x + \text{Defer}[\text{IntegrateAlgebraic}][x^n*(b*c^2 + 2*a*c*d + 2*b*c*d*x^n + a*d^2*x^n + b*d^2*x^(2*n)), x]$

fricas [B] time = 0.91, size = 175, normalized size = 2.50

$$\frac{(2bd^2n^2 + 3bd^2n + bd^2)xx^{3n} + (2bcd + ad^2 + 3(2bcd + ad^2)n^2 + 4(2bcd + ad^2)n)xx^{2n} + (bc^2 + 2acd + 6(bc^2 + 2acd)n^2 + 5(bc^2 + 2acd)n)xx^n + (6ac^2n^3 + 11ac^2n^2 + 6ac^2n + ac^2)x}{6n^3 + 11n^2 + 6n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)*(c+d*x^n)^2,x, algorithm="fricas")

[Out] $((2*b*d^2*n^2 + 3*b*d^2*n + b*d^2)*x*x^(3*n) + (2*b*c*d + a*d^2 + 3*(2*b*c*d + a*d^2)*n^2 + 4*(2*b*c*d + a*d^2)*n)*x*x^(2*n) + (b*c^2 + 2*a*c*d + 6*(b*c^2 + 2*a*c*d)*n^2 + 5*(b*c^2 + 2*a*c*d)*n)*x*x^n + (6*a*c^2*n^3 + 11*a*c^2*n^2 + 6*a*c^2*n + a*c^2)*x)/(6*n^3 + 11*n^2 + 6*n + 1)$

giac [B] time = 0.19, size = 232, normalized size = 3.31

$$\frac{6ac^2n^3x + 2bd^2n^2xx^{3n} + 6bcdn^2xx^{2n} + 3ad^2n^2xx^{2n} + 6bc^2n^2xx^n + 12acd n^2xx^n + 11ac^2n^2x + 3bd^2nxx^{3n} + 8bcdnxx^{2n} + 4ad^2nxx^{2n} + 5bc^2nxx^n + 10acd nxx^n + 6ac^2nx + bd^2xx^{3n} + 2bcdxx^{2n} + ad^2xx^{2n} + bc^2xx^n + 2acdxx^n + ac^2x}{6n^3 + 11n^2 + 6n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)*(c+d*x^n)^2,x, algorithm="giac")

[Out] $(6*a*c^2*n^3*x + 2*b*d^2*n^2*x*x^(3*n) + 6*b*c*d*n^2*x*x^(2*n) + 3*a*d^2*n^2*x*x^(2*n) + 6*b*c^2*n^2*x*x^n + 12*a*c*d*n^2*x*x^n + 11*a*c^2*n^2*x + 3*b*d^2*n*x*x^(3*n) + 8*b*c*d*n*x*x^(2*n) + 4*a*d^2*n*x*x^(2*n) + 5*b*c^2*n*x*x^n + 10*a*c*d*n*x*x^n + 6*a*c^2*n*x + b*d^2*x*x^(3*n) + 2*b*c*d*x*x^(2*n) + a*d^2*x*x^(2*n) + b*c^2*x*x^n + 2*a*c*d*x*x^n + a*c^2*x)/(6*n^3 + 11*n^2 + 6*n + 1)$

maple [A] time = 0.05, size = 74, normalized size = 1.06

$$\frac{bd^2xe^{3n\ln(x)}}{3n+1} + ac^2x + \frac{(2ad+bc)cx e^{n\ln(x)}}{n+1} + \frac{(ad+2bc)dx e^{2n\ln(x)}}{2n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)*(c+d*x^n)^2,x)

[Out] a*c^2*x+b*d^2/(3*n+1)*x*exp(n*ln(x))^3+c*(2*a*d+b*c)/(n+1)*x*exp(n*ln(x))+d*(a*d+2*b*c)/(2*n+1)*x*exp(n*ln(x))^2

maxima [A] time = 0.44, size = 94, normalized size = 1.34

$$ac^2x + \frac{bd^2x^{3n+1}}{3n+1} + \frac{2bcdx^{2n+1}}{2n+1} + \frac{ad^2x^{2n+1}}{2n+1} + \frac{bc^2x^{n+1}}{n+1} + \frac{2acdx^{n+1}}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)*(c+d*x^n)^2,x, algorithm="maxima")

[Out] a*c^2*x + b*d^2*x^(3*n + 1)/(3*n + 1) + 2*b*c*d*x^(2*n + 1)/(2*n + 1) + a*d^2*x^(2*n + 1)/(2*n + 1) + b*c^2*x^(n + 1)/(n + 1) + 2*a*c*d*x^(n + 1)/(n + 1)

mupad [B] time = 1.53, size = 71, normalized size = 1.01

$$ac^2x + \frac{xx^{2n}(ad^2 + 2bcd)}{2n+1} + \frac{xx^n(bc^2 + 2adc)}{n+1} + \frac{bd^2xx^{3n}}{3n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^n)*(c + d*x^n)^2,x)

[Out] a*c^2*x + (x*x^(2*n)*(a*d^2 + 2*b*c*d))/(2*n + 1) + (x*x^n*(b*c^2 + 2*a*c*d))/(n + 1) + (b*d^2*x*x^(3*n))/(3*n + 1)

sympy [A] time = 1.96, size = 726, normalized size = 10.37

$$\begin{cases} ac^2x + 2acd \log(x) - \frac{ac^2}{x} + bc^2 \log(x) - \frac{2cd}{x} - \frac{bd^2}{2x} & \text{for } n = -1 \\ ac^2x + 4acd\sqrt{x} + a^2 \log(x) + 2bc^2\sqrt{x} + 2cd \log(x) - \frac{2bd^2}{\sqrt{x}} & \text{for } n = -\frac{1}{2} \\ ac^2x + 3acd\frac{x^{\frac{3}{2}}}{2} + 3ad^2\sqrt{x} + \frac{3ac^2x^{\frac{3}{2}}}{2} + 6bcd\sqrt{x} + bd^2 \log(x) & \text{for } n = -\frac{1}{3} \\ \frac{6ac^2x^n}{6n^3+11n^2+6n+1} + \frac{11acd^n}{6n^3+11n^2+6n+1} + \frac{6ac^2n}{6n^3+11n^2+6n+1} + \frac{12abd^n}{6n^3+11n^2+6n+1} + \frac{13bdn^2}{6n^3+11n^2+6n+1} + \frac{2acd^n}{6n^3+11n^2+6n+1} + \frac{3ad^2n^2}{6n^3+11n^2+6n+1} + \frac{6ad^2n^2}{6n^3+11n^2+6n+1} + \frac{ad^2n^2}{6n^3+11n^2+6n+1} + \frac{6bd^2n^2}{6n^3+11n^2+6n+1} + \frac{5bc^2n^2}{6n^3+11n^2+6n+1} + \frac{bc^2n^2}{6n^3+11n^2+6n+1} + \frac{6bd^2n^2}{6n^3+11n^2+6n+1} + \frac{8bd^2n^2}{6n^3+11n^2+6n+1} + \frac{2cdn^2}{6n^3+11n^2+6n+1} + \frac{2bd^2n^2}{6n^3+11n^2+6n+1} + \frac{3bd^2n^2}{6n^3+11n^2+6n+1} + \frac{bd^2n^2}{6n^3+11n^2+6n+1} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x**n)*(c+d*x**n)**2,x)

[Out] Piecewise((a*c**2*x + 2*a*c*d*log(x) - a*d**2/x + b*c**2*log(x) - 2*b*c*d/x - b*d**2/(2*x**2), Eq(n, -1)), (a*c**2*x + 4*a*c*d*sqrt(x) + a*d**2*log(x) + 2*b*c**2*sqrt(x) + 2*b*c*d*log(x) - 2*b*d**2/sqrt(x), Eq(n, -1/2)), (a*c**2*x + 3*a*c*d*x**(2/3) + 3*a*d**2*x**(1/3) + 3*b*c**2*x**(2/3)/2 + 6*b*c*d*x**(1/3) + b*d**2*log(x), Eq(n, -1/3)), (6*a*c**2*n**3*x/(6*n**3 + 11*n**2 + 6*n + 1) + 11*a*c**2*n**2*x/(6*n**3 + 11*n**2 + 6*n + 1) + 6*a*c**2*n*x

```

/(6*n**3 + 11*n**2 + 6*n + 1) + a*c**2*x/(6*n**3 + 11*n**2 + 6*n + 1) + 12*
a*c*d*n**2*x*x**n/(6*n**3 + 11*n**2 + 6*n + 1) + 10*a*c*d*n*x*x**n/(6*n**3
+ 11*n**2 + 6*n + 1) + 2*a*c*d*x*x**n/(6*n**3 + 11*n**2 + 6*n + 1) + 3*a*d*
*2*n**2*x*x**(2*n)/(6*n**3 + 11*n**2 + 6*n + 1) + 4*a*d**2*n*x*x**(2*n)/(6*
n**3 + 11*n**2 + 6*n + 1) + a*d**2*x*x**(2*n)/(6*n**3 + 11*n**2 + 6*n + 1)
+ 6*b*c**2*n**2*x*x**n/(6*n**3 + 11*n**2 + 6*n + 1) + 5*b*c**2*n*x*x**n/(6*
n**3 + 11*n**2 + 6*n + 1) + b*c**2*x*x**n/(6*n**3 + 11*n**2 + 6*n + 1) + 6*
b*c*d*n**2*x*x**(2*n)/(6*n**3 + 11*n**2 + 6*n + 1) + 8*b*c*d*n*x*x**(2*n)/(
6*n**3 + 11*n**2 + 6*n + 1) + 2*b*c*d*x*x**(2*n)/(6*n**3 + 11*n**2 + 6*n +
1) + 2*b*d**2*n**2*x*x**(3*n)/(6*n**3 + 11*n**2 + 6*n + 1) + 3*b*d**2*n*x*x
**(3*n)/(6*n**3 + 11*n**2 + 6*n + 1) + b*d**2*x*x**(3*n)/(6*n**3 + 11*n**2
+ 6*n + 1), True))

```


3.182 $\int (a + bx^n)(c + dx^n) dx$

Optimal. Leaf size=40

$$\frac{x^{n+1}(ad + bc)}{n + 1} + acx + \frac{bdx^{2n+1}}{2n + 1}$$

Rubi [A] time = 0.02, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {373}

$$\frac{x^{n+1}(ad + bc)}{n + 1} + acx + \frac{bdx^{2n+1}}{2n + 1}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)*(c + d*x^n), x]

[Out] a*c*x + ((b*c + a*d)*x^(1 + n))/(1 + n) + (b*d*x^(1 + 2*n))/(1 + 2*n)

Rule 373

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^n)(c + dx^n) dx &= \int (ac + (bc + ad)x^n + bdx^{2n}) dx \\ &= acx + \frac{(bc + ad)x^{1+n}}{1 + n} + \frac{bdx^{1+2n}}{1 + 2n} \end{aligned}$$

Mathematica [A] time = 0.08, size = 37, normalized size = 0.92

$$x \left(\frac{x^n(ad + bc)}{n + 1} + ac + \frac{bdx^{2n}}{2n + 1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)*(c + d*x^n), x]

[Out] x*(a*c + ((b*c + a*d)*x^n)/(1 + n) + (b*d*x^(2*n))/(1 + 2*n))

IntegrateAlgebraic [F] time = 0.04, size = 0, normalized size = 0.00

$$\int (a + bx^n)(c + dx^n) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^n)*(c + d*x^n), x]

[Out] a*c*x + Defer[IntegrateAlgebraic][x^n*(b*c + a*d + b*d*x^n), x]

fricas [A] time = 0.94, size = 69, normalized size = 1.72

$$\frac{(bdn + bd)xx^{2n} + (bc + ad + 2(bc + ad)n)xx^n + (2acn^2 + 3acn + ac)x}{2n^2 + 3n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)*(c+d*x^n), x, algorithm="fricas")

[Out] ((b*d*n + b*d)*x*x^(2*n) + (b*c + a*d + 2*(b*c + a*d)*n)*x*x^n + (2*a*c*n^2 + 3*a*c*n + a*c)*x)/(2*n^2 + 3*n + 1)

giac [B] time = 0.17, size = 83, normalized size = 2.08

$$\frac{2acn^2x + bdnxx^{2n} + 2bcnxx^n + 2adnxx^n + 3acnx + bdx x^{2n} + bcxx^n + adxx^n + acx}{2n^2 + 3n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)*(c+d*x^n), x, algorithm="giac")

[Out] (2*a*c*n^2*x + b*d*n*x*x^(2*n) + 2*b*c*n*x*x^n + 2*a*d*n*x*x^n + 3*a*c*n*x + b*d*x*x^(2*n) + b*c*x*x^n + a*d*x*x^n + a*c*x)/(2*n^2 + 3*n + 1)

maple [A] time = 0.04, size = 43, normalized size = 1.08

$$\frac{bdx e^{2n \ln(x)}}{2n + 1} + acx + \frac{(ad + bc) x e^{n \ln(x)}}{n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)*(c+d*x^n), x)

[Out] a*c*x+(a*d+b*c)/(n+1)*x*exp(n*ln(x))+b*d/(2*n+1)*x*exp(n*ln(x))^2

maxima [A] time = 0.51, size = 48, normalized size = 1.20

$$acx + \frac{bdx^{2n+1}}{2n + 1} + \frac{bcx^{n+1}}{n + 1} + \frac{adx^{n+1}}{n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)*(c+d*x^n),x, algorithm="maxima")

[Out] a*c*x + b*d*x^(2*n + 1)/(2*n + 1) + b*c*x^(n + 1)/(n + 1) + a*d*x^(n + 1)/(n + 1)

mupad [B] time = 1.48, size = 38, normalized size = 0.95

$$acx + \frac{xx^n(ad + bc)}{n + 1} + \frac{bdxx^{2n}}{2n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^n)*(c + d*x^n),x)

[Out] a*c*x + (x*x^n*(a*d + b*c))/(n + 1) + (b*d*x*x^(2*n))/(2*n + 1)

sympy [A] time = 0.65, size = 236, normalized size = 5.90

$$\begin{cases} acx + ad \log(x) + bc \log(x) - \frac{bd}{x} & \text{for } n = -1 \\ acx + 2ad\sqrt{x} + 2bc\sqrt{x} + bd \log(x) & \text{for } n = -\frac{1}{2} \\ \frac{2acn^2x}{2n^2+3n+1} + \frac{3acnx}{2n^2+3n+1} + \frac{acx}{2n^2+3n+1} + \frac{2adnxx^n}{2n^2+3n+1} + \frac{adxx^n}{2n^2+3n+1} + \frac{2bcnxx^n}{2n^2+3n+1} + \frac{bcxx^n}{2n^2+3n+1} + \frac{bdnxx^{2n}}{2n^2+3n+1} + \frac{bdxx^{2n}}{2n^2+3n+1} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x**n)*(c+d*x**n),x)

[Out] Piecewise((a*c*x + a*d*log(x) + b*c*log(x) - b*d/x, Eq(n, -1)), (a*c*x + 2*a*d*sqrt(x) + 2*b*c*sqrt(x) + b*d*log(x), Eq(n, -1/2)), (2*a*c*n**2*x/(2*n**2 + 3*n + 1) + 3*a*c*n*x/(2*n**2 + 3*n + 1) + a*c*x/(2*n**2 + 3*n + 1) + 2*a*d*n*x*x**n/(2*n**2 + 3*n + 1) + a*d*x*x**n/(2*n**2 + 3*n + 1) + 2*b*c*n*x*x**n/(2*n**2 + 3*n + 1) + b*c*x*x**n/(2*n**2 + 3*n + 1) + b*d*n*x*x**(2*n)/(2*n**2 + 3*n + 1) + b*d*x*x**(2*n)/(2*n**2 + 3*n + 1), True))

$$3.183 \quad \int (a + bx^n)^2 (d + ex^n)^3 dx$$

Optimal. Leaf size=158

$$\frac{dx^{2n+1} (3a^2e^2 + 6abde + b^2d^2)}{2n+1} + \frac{ex^{3n+1} (a^2e^2 + 6abde + 3b^2d^2)}{3n+1} + a^2d^3x + \frac{ad^2x^{n+1}(3ae + 2bd)}{n+1} + \frac{be^2x^{4n+1}(2ae + 3bd)}{4n+1}$$

Rubi [A] time = 0.13, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {373}

$$\frac{dx^{2n+1} (3a^2e^2 + 6abde + b^2d^2)}{2n+1} + \frac{ex^{3n+1} (a^2e^2 + 6abde + 3b^2d^2)}{3n+1} + a^2d^3x + \frac{ad^2x^{n+1}(3ae + 2bd)}{n+1} + \frac{be^2x^{4n+1}(2ae + 3bd)}{4n+1} + \frac{b^2e^3x^{5n+1}}{5n+1}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)^2*(d + e*x^n)^3,x]

[Out] a^2*d^3*x + (a*d^2*(2*b*d + 3*a*e)*x^(1 + n))/(1 + n) + (d*(b^2*d^2 + 6*a*b*d*e + 3*a^2*e^2)*x^(1 + 2*n))/(1 + 2*n) + (e*(3*b^2*d^2 + 6*a*b*d*e + a^2*e^2)*x^(1 + 3*n))/(1 + 3*n) + (b*e^2*(3*b*d + 2*a*e)*x^(1 + 4*n))/(1 + 4*n) + (b^2*e^3*x^(1 + 5*n))/(1 + 5*n)

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^n)^2 (d + ex^n)^3 dx &= \int (a^2d^3 + ad^2(2bd + 3ae)x^n + d(b^2d^2 + 6abde + 3a^2e^2)x^{2n} + e(3b^2d^2 + 6abde + a^2e^2)x^{3n}) dx \\ &= a^2d^3x + \frac{ad^2(2bd + 3ae)x^{1+n}}{1+n} + \frac{d(b^2d^2 + 6abde + 3a^2e^2)x^{1+2n}}{1+2n} + \frac{e(3b^2d^2 + 6abde + a^2e^2)x^{1+3n}}{1+3n} \end{aligned}$$

Mathematica [A] time = 0.21, size = 149, normalized size = 0.94

$$x \left(\frac{dx^{2n} (3a^2e^2 + 6abde + b^2d^2)}{2n+1} + \frac{ex^{3n} (a^2e^2 + 6abde + 3b^2d^2)}{3n+1} + a^2d^3 + \frac{ad^2x^n(3ae + 2bd)}{n+1} + \frac{be^2x^{4n}(2ae + 3bd)}{4n+1} + \frac{b^2e^3x^{5n}}{5n+1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)^2*(d + e*x^n)^3,x]

[Out] x*(a^2*d^3 + (a*d^2*(2*b*d + 3*a*e)*x^n)/(1 + n) + (d*(b^2*d^2 + 6*a*b*d*e + 3*a^2*e^2)*x^(2*n))/(1 + 2*n) + (e*(3*b^2*d^2 + 6*a*b*d*e + a^2*e^2)*x^(3*n))/(1 + 3*n) + (b*e^2*(3*b*d + 2*a*e)*x^(4*n))/(1 + 4*n) + (b^2*e^3*x^(5*n))/(1 + 5*n))

IntegrateAlgebraic [F] time = 0.60, size = 0, normalized size = 0.00

$$\int (a + bx^n)^2 (d + ex^n)^3 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^n)^2*(d + e*x^n)^3,x]

[Out] a^2*d^3*x + Defer[IntegrateAlgebraic][x^n*(2*a*b*d^3 + 3*a^2*d^2*e + b^2*d^3*x^n + 6*a*b*d^2*e*x^n + 3*a^2*d*e^2*x^n + 3*b^2*d^2*e*x^(2*n) + 6*a*b*d*e^2*x^(2*n) + a^2*e^3*x^(2*n) + 3*b^2*d*e^2*x^(3*n) + 2*a*b*e^3*x^(3*n) + b^2*e^3*x^(4*n)), x]

fricas [B] time = 0.88, size = 667, normalized size = 4.22

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^2*(d+e*x^n)^3,x, algorithm="fricas")

[Out] ((24*b^2*e^3*n^4 + 50*b^2*e^3*n^3 + 35*b^2*e^3*n^2 + 10*b^2*e^3*n + b^2*e^3)*x*x^(5*n) + (3*b^2*d*e^2 + 2*a*b*e^3 + 30*(3*b^2*d*e^2 + 2*a*b*e^3)*n^4 + 61*(3*b^2*d*e^2 + 2*a*b*e^3)*n^3 + 41*(3*b^2*d*e^2 + 2*a*b*e^3)*n^2 + 11*(3*b^2*d*e^2 + 2*a*b*e^3)*n)*x*x^(4*n) + (3*b^2*d^2*e + 6*a*b*d*e^2 + a^2*e^3 + 40*(3*b^2*d^2*e + 6*a*b*d*e^2 + a^2*e^3)*n^4 + 78*(3*b^2*d^2*e + 6*a*b*d*e^2 + a^2*e^3)*n^3 + 49*(3*b^2*d^2*e + 6*a*b*d*e^2 + a^2*e^3)*n^2 + 12*(3*b^2*d^2*e + 6*a*b*d*e^2 + a^2*e^3)*n)*x*x^(3*n) + (b^2*d^3 + 6*a*b*d^2*e + 3*a^2*d*e^2 + 60*(b^2*d^3 + 6*a*b*d^2*e + 3*a^2*d*e^2)*n^4 + 107*(b^2*d^3 + 6*a*b*d^2*e + 3*a^2*d*e^2)*n^3 + 59*(b^2*d^3 + 6*a*b*d^2*e + 3*a^2*d*e^2)*n^2 + 13*(b^2*d^3 + 6*a*b*d^2*e + 3*a^2*d*e^2)*n)*x*x^(2*n) + (2*a*b*d^3 + 3*a^2*d^2*e + 120*(2*a*b*d^3 + 3*a^2*d^2*e)*n^4 + 154*(2*a*b*d^3 + 3*a^2*d^2*e)*n^3 + 71*(2*a*b*d^3 + 3*a^2*d^2*e)*n^2 + 14*(2*a*b*d^3 + 3*a^2*d^2*e)*n)*x*x^n + (120*a^2*d^3*n^5 + 274*a^2*d^3*n^4 + 225*a^2*d^3*n^3 + 85*a^2*d^3*n^2 + 15*a^2*d^3*n + a^2*d^3)*x)/(120*n^5 + 274*n^4 + 225*n^3 + 85*n^2 + 15*n + 1)

giac [B] time = 0.24, size = 947, normalized size = 5.99

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^2*(d+e*x^n)^3,x, algorithm="giac")

[Out] (120*a^2*d^3*n^5*x + 60*b^2*d^3*n^4*x*x^(2*n) + 240*a*b*d^3*n^4*x*x^n + 120*b^2*d^2*n^4*x*x^(3*n)*e + 360*a*b*d^2*n^4*x*x^(2*n)*e + 360*a^2*d^2*n^4*x*x^n*e + 274*a^2*d^3*n^4*x + 107*b^2*d^3*n^3*x*x^(2*n) + 308*a*b*d^3*n^3*x*x^n + 90*b^2*d*n^4*x*x^(4*n)*e^2 + 240*a*b*d*n^4*x*x^(3*n)*e^2 + 180*a^2*d*n^4*x*x^(2*n)*e^2 + 234*b^2*d^2*n^3*x*x^(3*n)*e + 642*a*b*d^2*n^3*x*x^(2*n)*e + 462*a^2*d^2*n^3*x*x^n*e + 225*a^2*d^3*n^3*x + 59*b^2*d^3*n^2*x*x^(2*n) + 142*a*b*d^3*n^2*x*x^n + 24*b^2*n^4*x*x^(5*n)*e^3 + 60*a*b*n^4*x*x^(4*n)*e^3 + 40*a^2*n^4*x*x^(3*n)*e^3 + 183*b^2*d*n^3*x*x^(4*n)*e^2 + 468*a*b*d*n^3*x*x^(3*n)*e^2 + 321*a^2*d*n^3*x*x^(2*n)*e^2 + 147*b^2*d^2*n^2*x*x^(3*n)*e + 354*a*b*d^2*n^2*x*x^(2*n)*e + 213*a^2*d^2*n^2*x*x^n*e + 85*a^2*d^3*n^2*x + 13*b^2*d^3*n*x*x^(2*n) + 28*a*b*d^3*n*x*x^n + 50*b^2*n^3*x*x^(5*n)*e^3 + 122*a*b*n^3*x*x^(4*n)*e^3 + 78*a^2*n^3*x*x^(3*n)*e^3 + 123*b^2*d*n^2*x*x^(4*n)*e^2 + 294*a*b*d*n^2*x*x^(3*n)*e^2 + 177*a^2*d*n^2*x*x^(2*n)*e^2 + 36*b^2*d^2*n*x*x^(3*n)*e + 78*a*b*d^2*n*x*x^(2*n)*e + 42*a^2*d^2*n*x*x^n*e + 15*a^2*d^3*n*x + b^2*d^3*x*x^(2*n) + 2*a*b*d^3*x*x^n + 35*b^2*n^2*x*x^(5*n)*e^3 + 82*a*b*n^2*x*x^(4*n)*e^3 + 49*a^2*n^2*x*x^(3*n)*e^3 + 33*b^2*d*n*x*x^(4*n)*e^2 + 72*a*b*d*n*x*x^(3*n)*e^2 + 39*a^2*d*n*x*x^(2*n)*e^2 + 3*b^2*d^2*x*x^(3*n)*e + 6*a*b*d^2*x*x^(2*n)*e + 3*a^2*d^2*x*x^n*e + a^2*d^3*x + 10*b^2*n*x*x^(5*n)*e^3 + 22*a*b*n*x*x^(4*n)*e^3 + 12*a^2*n*x*x^(3*n)*e^3 + 3*b^2*d*x*x^(4*n)*e^2 + 6*a*b*d*x*x^(3*n)*e^2 + 3*a^2*d*x*x^(2*n)*e^2 + b^2*x*x^(5*n)*e^3 + 2*a*b*x*x^(4*n)*e^3 + a^2*x*x^(3*n)*e^3)/(120*n^5 + 274*n^4 + 225*n^3 + 85*n^2 + 15*n + 1)

maple [A] time = 0.06, size = 164, normalized size = 1.04

$$\frac{b^2 e^3 x e^{5n \ln(x)}}{5n+1} + a^2 d^3 x + \frac{(3ae+2bd) a d^2 x e^{n \ln(x)}}{n+1} + \frac{(2ae+3bd) b e^2 x e^{4n \ln(x)}}{4n+1} + \frac{(3a^2 e^2 + 6abde + b^2 d^2) dx e^{2n \ln(x)}}{2n+1} + \frac{(a^2 e^2 + 6abde + 3b^2 d^2) ex e^{3n \ln(x)}}{3n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)^2*(d+e*x^n)^3,x)

[Out] a^2*d^3*x+b^2*e^3/(5*n+1)*x*exp(n*ln(x))^5+d*(3*a^2*e^2+6*a*b*d*e+b^2*d^2)/(2*n+1)*x*exp(n*ln(x))^2+e*(a^2*e^2+6*a*b*d*e+3*b^2*d^2)/(3*n+1)*x*exp(n*ln(x))^3+a*d^2*(3*a*e+2*b*d)/(n+1)*x*exp(n*ln(x))+b*e^2*(2*a*e+3*b*d)/(4*n+1)*x*exp(n*ln(x))^4

maxima [A] time = 0.62, size = 242, normalized size = 1.53

$$a^2 d^3 x + \frac{b^2 e^3 x^{5n+1}}{5n+1} + \frac{3 b^2 d e^2 x^{4n+1}}{4n+1} + \frac{2 a b e^3 x^{4n+1}}{4n+1} + \frac{3 b^2 d^2 e x^{3n+1}}{3n+1} + \frac{6 a b d e^2 x^{3n+1}}{3n+1} + \frac{a^2 e^3 x^{3n+1}}{3n+1} + \frac{b^2 d^3 x^{2n+1}}{2n+1} + \frac{6 a b d^2 e x^{2n+1}}{2n+1} + \frac{3 a^2 d e^2 x^{2n+1}}{2n+1} + \frac{2 a b d^3 x^{n+1}}{n+1} + \frac{3 a^2 d^2 e x^{n+1}}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^2*(d+e*x^n)^3,x, algorithm="maxima")

[Out] $a^2 d^3 x + b^2 e^3 x^{(5n+1)/(5n+1)} + 3 b^2 d^2 e^2 x^{(4n+1)/(4n+1)} + 2 a b e^3 x^{(4n+1)/(4n+1)} + 3 b^2 d^2 e x^{(3n+1)/(3n+1)} + 6 a b d^2 e^2 x^{(3n+1)/(3n+1)} + a^2 e^3 x^{(3n+1)/(3n+1)} + b^2 d^3 x^{(2n+1)/(2n+1)} + 6 a b d^2 e x^{(2n+1)/(2n+1)} + 3 a^2 d^2 e^2 x^{(2n+1)/(2n+1)} + 2 a b d^3 x^{(n+1)/(n+1)} + 3 a^2 d^2 e x^{(n+1)/(n+1)}$

mupad [B] time = 1.71, size = 157, normalized size = 0.99

$$a^2 d^3 x + \frac{x x^{2n} (3 a^2 d e^2 + 6 a b d^2 e + b^2 d^3)}{2n+1} + \frac{x x^{3n} (a^2 e^3 + 6 a b d e^2 + 3 b^2 d^2 e)}{3n+1} + \frac{b^2 e^3 x x^{5n}}{5n+1} + \frac{a d^2 x x^n (3 a e + 2 b d)}{n+1} + \frac{b e^2 x x^{4n} (2 a e + 3 b d)}{4n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^n)^2*(d + e*x^n)^3,x)`

[Out] $a^2 d^3 x + (x x^{(2n)} (b^2 d^3 + 3 a^2 d^2 e + 6 a b d^2 e)) / (2n + 1) + (x x^{(3n)} (a^2 e^3 + 3 b^2 d^2 e + 6 a b d^2 e)) / (3n + 1) + (b^2 e^3 x x^{(5n)}) / (5n + 1) + (a d^2 x x^n (3 a e + 2 b d)) / (n + 1) + (b e^2 x x^{(4n)} (2 a e + 3 b d)) / (4n + 1)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*x**n)**2*(d+e*x**n)**3,x)`

[Out] Timed out

$$3.184 \quad \int (a + bx^n)^2 (d + ex^n)^2 dx$$

Optimal. Leaf size=112

$$\frac{x^{2n+1} (a^2 e^2 + 4abde + b^2 d^2)}{2n+1} + a^2 d^2 x + \frac{2adx^{n+1}(ae + bd)}{n+1} + \frac{2bex^{3n+1}(ae + bd)}{3n+1} + \frac{b^2 e^2 x^{4n+1}}{4n+1}$$

Rubi [A] time = 0.08, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {373}

$$\frac{x^{2n+1} (a^2 e^2 + 4abde + b^2 d^2)}{2n+1} + a^2 d^2 x + \frac{2adx^{n+1}(ae + bd)}{n+1} + \frac{2bex^{3n+1}(ae + bd)}{3n+1} + \frac{b^2 e^2 x^{4n+1}}{4n+1}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)^2*(d + e*x^n)^2,x]

[Out] a^2*d^2*x + (2*a*d*(b*d + a*e)*x^(1 + n))/(1 + n) + ((b^2*d^2 + 4*a*b*d*e + a^2*e^2)*x^(1 + 2*n))/(1 + 2*n) + (2*b*e*(b*d + a*e)*x^(1 + 3*n))/(1 + 3*n) + (b^2*e^2*x^(1 + 4*n))/(1 + 4*n)

Rule 373

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^n)^2 (d + ex^n)^2 dx &= \int (a^2 d^2 + 2ad(bd + ae)x^n + (b^2 d^2 + 4abde + a^2 e^2)x^{2n} + 2be(bd + ae)x^{3n} + b^2 e^2 x^{4n}) dx \\ &= a^2 d^2 x + \frac{2ad(bd + ae)x^{1+n}}{1+n} + \frac{(b^2 d^2 + 4abde + a^2 e^2)x^{1+2n}}{1+2n} + \frac{2be(bd + ae)x^{1+3n}}{1+3n} + \frac{b^2 e^2 x^{1+4n}}{1+4n} \end{aligned}$$

Mathematica [A] time = 0.20, size = 105, normalized size = 0.94

$$x \left(\frac{x^{2n} (a^2 e^2 + 4abde + b^2 d^2)}{2n+1} + a^2 d^2 + \frac{2bex^{3n}(ae + bd)}{3n+1} + \frac{2adx^n(ae + bd)}{n+1} + \frac{b^2 e^2 x^{4n}}{4n+1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)^2*(d + e*x^n)^2,x]

[Out] $x*(a^2*d^2 + (2*a*d*(b*d + a*e))*x^n)/(1 + n) + ((b^2*d^2 + 4*a*b*d*e + a^2*e^2)*x^{(2*n)})/(1 + 2*n) + (2*b*e*(b*d + a*e)*x^{(3*n)})/(1 + 3*n) + (b^2*e^2*x^{(4*n)})/(1 + 4*n)$

IntegrateAlgebraic [F] time = 0.62, size = 0, normalized size = 0.00

$$\int (a + bx^n)^2 (d + ex^n)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^n)^2*(d + e*x^n)^2,x]

[Out] $a^2*d^2*x + \text{Defer}[\text{IntegrateAlgebraic}][x^n*(2*a*b*d^2 + 2*a^2*d*e + b^2*d^2*x^n + 4*a*b*d*e*x^n + a^2*e^2*x^n + 2*b^2*d*e*x^{(2*n)} + 2*a*b*e^2*x^{(2*n)} + b^2*e^2*x^{(3*n)})], x]$

fricas [B] time = 0.84, size = 370, normalized size = 3.30

(6*d^2*e^2 + 11*d^2*e^2 + 6*d^2*e^2 + 2*(d^2*e + a*b^2)*e^2 + 8*(d^2*e + a*b^2)*e^2 + 14*(d^2*e + a*b^2)*e^2 + (d^2*e + 4*a*b*d*e + a^2*d^2)*e^2 + 19*(d^2*e + 4*a*b*d*e + a^2*d^2)*e^2 + 8*(d^2*e + 4*a*b*d*e + a^2*d^2)*e^2 + 2*(a*b*d^2 + 24*(a*b*d^2 + 24*(a*b*d^2 + 26*(a*b*d^2 + 9*(a*b*d^2 + 24*d^2*e^2 + 50*d^2*e^2 + 35*d^2*e^2 + 10*d^2*e^2 + d^2*e^2)))/24*n^4 + 50*n^3 + 35*n^2 + 10*n + 1

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^2*(d+e*x^n)^2,x, algorithm="fricas")

[Out] $((6*b^2*e^2*n^3 + 11*b^2*e^2*n^2 + 6*b^2*e^2*n + b^2*e^2)*x*x^{(4*n)} + 2*(b^2*d*e + a*b*e^2 + 8*(b^2*d*e + a*b*e^2)*n^3 + 14*(b^2*d*e + a*b*e^2)*n^2 + 7*(b^2*d*e + a*b*e^2)*n)*x*x^{(3*n)} + (b^2*d^2 + 4*a*b*d*e + a^2*e^2 + 12*(b^2*d^2 + 4*a*b*d*e + a^2*e^2)*n^3 + 19*(b^2*d^2 + 4*a*b*d*e + a^2*e^2)*n^2 + 8*(b^2*d^2 + 4*a*b*d*e + a^2*e^2)*n)*x*x^{(2*n)} + 2*(a*b*d^2 + a^2*d*e + 24*(a*b*d^2 + a^2*d*e)*n^3 + 26*(a*b*d^2 + a^2*d*e)*n^2 + 9*(a*b*d^2 + a^2*d*e)*n)*x*x^n + (24*a^2*d^2*n^4 + 50*a^2*d^2*n^3 + 35*a^2*d^2*n^2 + 10*a^2*d^2*n + a^2*d^2)*x)/(24*n^4 + 50*n^3 + 35*n^2 + 10*n + 1)$

giac [B] time = 0.22, size = 539, normalized size = 4.81

3*d^2*e^2 + 11*d^2*e^2 + 6*d^2*e^2 + 2*(d^2*e + a*b^2)*e^2 + 8*(d^2*e + a*b^2)*e^2 + 14*(d^2*e + a*b^2)*e^2 + (d^2*e + 4*a*b*d*e + a^2*d^2)*e^2 + 19*(d^2*e + 4*a*b*d*e + a^2*d^2)*e^2 + 8*(d^2*e + 4*a*b*d*e + a^2*d^2)*e^2 + 2*(a*b*d^2 + 24*(a*b*d^2 + 24*(a*b*d^2 + 26*(a*b*d^2 + 9*(a*b*d^2 + 24*d^2*e^2 + 50*d^2*e^2 + 35*d^2*e^2 + 10*d^2*e^2 + d^2*e^2)))/24*n^4 + 50*n^3 + 35*n^2 + 10*n + 1

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^2*(d+e*x^n)^2,x, algorithm="giac")

[Out] $(24*a^2*d^2*n^4*x + 12*b^2*d^2*n^3*x*x^{(2*n)} + 48*a*b*d^2*n^3*x*x^n + 16*b^2*d^2*n^3*x*x^{(3*n)})*e + 48*a*b*d^2*n^3*x*x^{(2*n)}*e + 48*a^2*d^2*n^3*x*x^n*e + 50*a^2*d^2*n^3*x + 19*b^2*d^2*n^2*x*x^{(2*n)} + 52*a*b*d^2*n^2*x*x^n + 6*b^2*n^3*x*x^{(4*n)}*e^2 + 16*a*b*n^3*x*x^{(3*n)}*e^2 + 12*a^2*n^3*x*x^{(2*n)}*e^2 + 28*b$

$$\begin{aligned} & \cdot 2 \cdot d \cdot n^2 \cdot x \cdot x^{(3 \cdot n)} \cdot e + 76 \cdot a \cdot b \cdot d \cdot n^2 \cdot x \cdot x^{(2 \cdot n)} \cdot e + 52 \cdot a^2 \cdot d \cdot n^2 \cdot x \cdot x^n \cdot e + 35 \\ & \cdot a^2 \cdot d^2 \cdot n^2 \cdot x + 8 \cdot b^2 \cdot d^2 \cdot n \cdot x \cdot x^{(2 \cdot n)} + 18 \cdot a \cdot b \cdot d^2 \cdot n \cdot x \cdot x^n + 11 \cdot b^2 \cdot n^2 \cdot x \cdot \\ & x^{(4 \cdot n)} \cdot e^2 + 28 \cdot a \cdot b \cdot n^2 \cdot x \cdot x^{(3 \cdot n)} \cdot e^2 + 19 \cdot a^2 \cdot n^2 \cdot x \cdot x^{(2 \cdot n)} \cdot e^2 + 14 \cdot b^2 \cdot \\ & d \cdot n \cdot x \cdot x^{(3 \cdot n)} \cdot e + 32 \cdot a \cdot b \cdot d \cdot n \cdot x \cdot x^{(2 \cdot n)} \cdot e + 18 \cdot a^2 \cdot d \cdot n \cdot x \cdot x^n \cdot e + 10 \cdot a^2 \cdot d^2 \cdot \\ & n \cdot x + b^2 \cdot d^2 \cdot x \cdot x^{(2 \cdot n)} + 2 \cdot a \cdot b \cdot d^2 \cdot x \cdot x^n + 6 \cdot b^2 \cdot n \cdot x \cdot x^{(4 \cdot n)} \cdot e^2 + 14 \cdot a \cdot b \cdot \\ & n \cdot x \cdot x^{(3 \cdot n)} \cdot e^2 + 8 \cdot a^2 \cdot n \cdot x \cdot x^{(2 \cdot n)} \cdot e^2 + 2 \cdot b^2 \cdot d \cdot x \cdot x^{(3 \cdot n)} \cdot e + 4 \cdot a \cdot b \cdot d \cdot x \cdot x \\ & ^{(2 \cdot n)} \cdot e + 2 \cdot a^2 \cdot d \cdot x \cdot x^n \cdot e + a^2 \cdot d^2 \cdot x + b^2 \cdot x \cdot x^{(4 \cdot n)} \cdot e^2 + 2 \cdot a \cdot b \cdot x \cdot x^{(3 \cdot n)} \\ &) \cdot e^2 + a^2 \cdot x \cdot x^{(2 \cdot n)} \cdot e^2) / (24 \cdot n^4 + 50 \cdot n^3 + 35 \cdot n^2 + 10 \cdot n + 1) \end{aligned}$$

maple [A] time = 0.06, size = 117, normalized size = 1.04

$$\frac{b^2 e^2 x e^{4n \ln(x)}}{4n+1} + a^2 d^2 x + \frac{2(ae+bd) adx e^{n \ln(x)}}{n+1} + \frac{2(ae+bd) bex e^{3n \ln(x)}}{3n+1} + \frac{(a^2 e^2 + 4abde + b^2 d^2) x e^{2n \ln(x)}}{2n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)^2*(d+e*x^n)^2,x)

[Out] $a^2 \cdot d^2 \cdot x + (a^2 \cdot e^2 + 4 \cdot a \cdot b \cdot d \cdot e + b^2 \cdot d^2) / (2 \cdot n + 1) \cdot x \cdot \exp(n \cdot \ln(x))^2 + b^2 \cdot e^2 / (4 \cdot n + 1) \cdot x \cdot \exp(n \cdot \ln(x))^4 + 2 \cdot a \cdot d \cdot (a \cdot e + b \cdot d) / (n + 1) \cdot x \cdot \exp(n \cdot \ln(x)) + 2 \cdot b \cdot e \cdot (a \cdot e + b \cdot d) / (3 \cdot n + 1) \cdot x \cdot \exp(n \cdot \ln(x))^3$

maxima [A] time = 0.60, size = 168, normalized size = 1.50

$$a^2 d^2 x + \frac{b^2 e^2 x^{4n+1}}{4n+1} + \frac{2b^2 dex^{3n+1}}{3n+1} + \frac{2abe^2 x^{3n+1}}{3n+1} + \frac{b^2 d^2 x^{2n+1}}{2n+1} + \frac{4abdex^{2n+1}}{2n+1} + \frac{a^2 e^2 x^{2n+1}}{2n+1} + \frac{2abd^2 x^{n+1}}{n+1} + \frac{2a^2 dex^{n+1}}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^2*(d+e*x^n)^2,x, algorithm="maxima")

[Out] $a^2 \cdot d^2 \cdot x + b^2 \cdot e^2 \cdot x^{(4 \cdot n + 1)} / (4 \cdot n + 1) + 2 \cdot b^2 \cdot d \cdot e \cdot x^{(3 \cdot n + 1)} / (3 \cdot n + 1) + 2 \cdot a \cdot b \cdot e^2 \cdot x^{(3 \cdot n + 1)} / (3 \cdot n + 1) + b^2 \cdot d^2 \cdot x^{(2 \cdot n + 1)} / (2 \cdot n + 1) + 4 \cdot a \cdot b \cdot d \cdot e \cdot x^{(2 \cdot n + 1)} / (2 \cdot n + 1) + a^2 \cdot e^2 \cdot x^{(2 \cdot n + 1)} / (2 \cdot n + 1) + 2 \cdot a \cdot b \cdot d^2 \cdot x^{(n + 1)} / (n + 1) + 2 \cdot a^2 \cdot d \cdot e \cdot x^{(n + 1)} / (n + 1)$

mupad [B] time = 1.57, size = 108, normalized size = 0.96

$$a^2 d^2 x + \frac{x x^{2n} (a^2 e^2 + 4 a b d e + b^2 d^2)}{2n+1} + \frac{b^2 e^2 x x^{4n}}{4n+1} + \frac{2 b e x x^{3n} (a e + b d)}{3n+1} + \frac{2 a d x x^n (a e + b d)}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^n)^2*(d + e*x^n)^2,x)

[Out] $a^2 \cdot d^2 \cdot x + (x \cdot x^{(2 \cdot n)} \cdot (a^2 \cdot e^2 + b^2 \cdot d^2 + 4 \cdot a \cdot b \cdot d \cdot e)) / (2 \cdot n + 1) + (b^2 \cdot e^2 \cdot 2 \cdot x \cdot x^{(4 \cdot n)}) / (4 \cdot n + 1) + (2 \cdot b \cdot e \cdot x \cdot x^{(3 \cdot n)} \cdot (a \cdot e + b \cdot d)) / (3 \cdot n + 1) + (2 \cdot a \cdot d \cdot x \cdot x^n \cdot (a \cdot e + b \cdot d)) / (n + 1)$


```
n + 1) + 2*b**2*d*e*x*x**(3*n)/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 6
*b**2*e**2*n**3*x*x**(4*n)/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 11*b*
*2*e**2*n**2*x*x**(4*n)/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + 6*b**2*e
**2*n*x*x**(4*n)/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1) + b**2*e**2*x*x**
(4*n)/(24*n**4 + 50*n**3 + 35*n**2 + 10*n + 1), True))
```

$$3.185 \quad \int (a + bx^n)^2 (c + dx^n) dx$$

Optimal. Leaf size=70

$$a^2cx + \frac{ax^{n+1}(ad + 2bc)}{n + 1} + \frac{bx^{2n+1}(2ad + bc)}{2n + 1} + \frac{b^2dx^{3n+1}}{3n + 1}$$

Rubi [A] time = 0.05, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {373}

$$a^2cx + \frac{ax^{n+1}(ad + 2bc)}{n + 1} + \frac{bx^{2n+1}(2ad + bc)}{2n + 1} + \frac{b^2dx^{3n+1}}{3n + 1}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)^2*(c + d*x^n), x]

[Out] a^2*c*x + (a*(2*b*c + a*d)*x^(1 + n))/(1 + n) + (b*(b*c + 2*a*d)*x^(1 + 2*n))/(1 + 2*n) + (b^2*d*x^(1 + 3*n))/(1 + 3*n)

Rule 373

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^n)^2 (c + dx^n) dx &= \int (a^2c + a(2bc + ad)x^n + b(bc + 2ad)x^{2n} + b^2dx^{3n}) dx \\ &= a^2cx + \frac{a(2bc + ad)x^{1+n}}{1 + n} + \frac{b(bc + 2ad)x^{1+2n}}{1 + 2n} + \frac{b^2dx^{1+3n}}{1 + 3n} \end{aligned}$$

Mathematica [A] time = 0.11, size = 70, normalized size = 1.00

$$\frac{dx(a + bx^n)^3 - x \left(a^2 + \frac{2abx^n}{n+1} + \frac{b^2x^{2n}}{2n+1} \right) (ad - b(3cn + c))}{3bn + b}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)^2*(c + d*x^n), x]

[Out] $(d*x*(a + b*x^n)^3 - (a*d - b*(c + 3*c*n))*x*(a^2 + (2*a*b*x^n)/(1 + n) + (b^2*x^(2*n))/(1 + 2*n)))/(b + 3*b*n)$

IntegrateAlgebraic [F] time = 0.08, size = 0, normalized size = 0.00

$$\int (a + bx^n)^2 (c + dx^n) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^n)^2*(c + d*x^n), x]

[Out] $a^2*c*x + \text{Defer}[\text{IntegrateAlgebraic}][x^n*(2*a*b*c + a^2*d + b^2*c*x^n + 2*a*b*d*x^n + b^2*d*x^(2*n)), x]$

fricas [B] time = 0.80, size = 175, normalized size = 2.50

$$\frac{(2b^2dn^2 + 3b^2dn + b^2d)xx^{3n} + (b^2c + 2abd + 3(b^2c + 2abd)n^2 + 4(b^2c + 2abd)n)xx^{2n} + (2abc + a^2d + 6(2abc + a^2d)n)xx^n + (6a^2cn^3 + 11a^2cn^2 + 6a^2cn + a^2c)x}{6n^3 + 11n^2 + 6n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^2*(c+d*x^n), x, algorithm="fricas")

[Out] $((2*b^2*d*n^2 + 3*b^2*d*n + b^2*d)*x*x^(3*n) + (b^2*c + 2*a*b*d + 3*(b^2*c + 2*a*b*d)*n^2 + 4*(b^2*c + 2*a*b*d)*n)*x*x^(2*n) + (2*a*b*c + a^2*d + 6*(2*a*b*c + a^2*d)*n^2 + 5*(2*a*b*c + a^2*d)*n)*x*x^n + (6*a^2*c*n^3 + 11*a^2*c*n^2 + 6*a^2*c*n + a^2*c)*x)/(6*n^3 + 11*n^2 + 6*n + 1)$

giac [B] time = 0.27, size = 232, normalized size = 3.31

$$\frac{6a^2cn^3x + 2b^2dn^2xx^{3n} + 3b^2dn^2xx^{2n} + 6abdn^2xx^n + 12abcn^2xx^n + 6a^2dn^2xx^n + 11a^2cn^2x + 3b^2dnnx^{3n} + 4b^2cnnx^{2n} + 8abdnx^{2n} + 10abcnxx^n + 5a^2dnnx^n + 6a^2cnx + b^2dxx^{3n} + b^2cnnx^{2n} + 2abdnx^{2n} + 2abcxx^n + a^2dxx^n + a^2cx}{6n^3 + 11n^2 + 6n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^2*(c+d*x^n), x, algorithm="giac")

[Out] $(6*a^2*c*n^3*x + 2*b^2*d*n^2*x*x^(3*n) + 3*b^2*c*n^2*x*x^(2*n) + 6*a*b*d*n^2*x*x^(2*n) + 12*a*b*c*n^2*x*x^n + 6*a^2*d*n^2*x*x^n + 11*a^2*c*n^2*x + 3*b^2*d*n*x*x^(3*n) + 4*b^2*c*n*x*x^(2*n) + 8*a*b*d*n*x*x^(2*n) + 10*a*b*c*n*x*x^n + 5*a^2*d*n*x*x^n + 6*a^2*c*n*x + b^2*d*x*x^(3*n) + b^2*c*x*x^(2*n) + 2*a*b*d*x*x^(2*n) + 2*a*b*c*x*x^n + a^2*d*x*x^n + a^2*c*x)/(6*n^3 + 11*n^2 + 6*n + 1)$

maple [A] time = 0.05, size = 74, normalized size = 1.06

$$\frac{b^2 dx e^{3n \ln(x)}}{3n + 1} + a^2 cx + \frac{(ad + 2bc) ax e^{n \ln(x)}}{n + 1} + \frac{(2ad + bc) bx e^{2n \ln(x)}}{2n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)^2*(d*x^n+c), x)

[Out] a^2*c*x+a*(a*d+2*b*c)/(n+1)*x*exp(n*ln(x))+b*(2*a*d+b*c)/(2*n+1)*x*exp(n*ln(x))^2+b^2*d/(3*n+1)*x*exp(n*ln(x))^3

maxima [A] time = 0.63, size = 94, normalized size = 1.34

$$a^2cx + \frac{b^2dx^{3n+1}}{3n+1} + \frac{b^2cx^{2n+1}}{2n+1} + \frac{2abdx^{2n+1}}{2n+1} + \frac{2abcx^{n+1}}{n+1} + \frac{a^2dx^{n+1}}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^2*(c+d*x^n), x, algorithm="maxima")

[Out] a^2*c*x + b^2*d*x^(3*n + 1)/(3*n + 1) + b^2*c*x^(2*n + 1)/(2*n + 1) + 2*a*b*d*x^(2*n + 1)/(2*n + 1) + 2*a*b*c*x^(n + 1)/(n + 1) + a^2*d*x^(n + 1)/(n + 1)

mupad [B] time = 1.53, size = 71, normalized size = 1.01

$$a^2cx + \frac{xx^{2n}(cb^2 + 2adb)}{2n+1} + \frac{xx^n(da^2 + 2bca)}{n+1} + \frac{b^2dx^{3n}}{3n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^n)^2*(c + d*x^n), x)

[Out] a^2*c*x + (x*x^(2*n)*(b^2*c + 2*a*b*d))/(2*n + 1) + (x*x^n*(a^2*d + 2*a*b*c))/(n + 1) + (b^2*d*x*x^(3*n))/(3*n + 1)

sympy [A] time = 2.74, size = 726, normalized size = 10.37

$$\begin{cases} a^2cx + a^2d \log(x) + 2abc \log(x) - \frac{2ad}{n} - \frac{d^2}{2n^2} & \text{for } n = -1 \\ a^2cx + 2b^2d\sqrt{x} + 4abc\sqrt{x} + 2abf \log(x) + b^2c \log(x) - \frac{2b^2d}{\sqrt{x}} & \text{for } n = -\frac{1}{2} \\ a^2cx + \frac{3a^2d\sqrt{x}}{2} + 3abcx^{\frac{3}{2}} + 6abd\sqrt{x} + 3b^2c\sqrt{x} + b^2d \log(x) & \text{for } n = -\frac{1}{3} \\ \frac{6a^2c_0x^0}{6n^3+11n^2+6n+1} + \frac{11a^2c_1x^1}{6n^3+11n^2+6n+1} + \frac{6a^2d_0x^0}{6n^3+11n^2+6n+1} + \frac{5a^2d_1x^1}{6n^3+11n^2+6n+1} + \frac{a^2d_2x^2}{6n^3+11n^2+6n+1} + \frac{12abc_0x^0}{6n^3+11n^2+6n+1} + \frac{10abc_1x^1}{6n^3+11n^2+6n+1} + \frac{2abc_2x^2}{6n^3+11n^2+6n+1} + \frac{6abd_0x^0}{6n^3+11n^2+6n+1} + \frac{6abd_1x^1}{6n^3+11n^2+6n+1} + \frac{2abd_2x^2}{6n^3+11n^2+6n+1} + \frac{3b^2c_0x^0}{6n^3+11n^2+6n+1} + \frac{4b^2c_1x^1}{6n^3+11n^2+6n+1} + \frac{b^2c_2x^2}{6n^3+11n^2+6n+1} + \frac{2b^2d_0x^0}{6n^3+11n^2+6n+1} + \frac{3b^2d_1x^1}{6n^3+11n^2+6n+1} + \frac{b^2d_2x^2}{6n^3+11n^2+6n+1} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x**n)**2*(c+d*x**n), x)

[Out] Piecewise((a**2*c*x + a**2*d*log(x) + 2*a*b*c*log(x) - 2*a*b*d/x - b**2*c/x - b**2*d/(2*x**2), Eq(n, -1)), (a**2*c*x + 2*a**2*d*sqrt(x) + 4*a*b*c*sqrt(x) + 2*a*b*d*log(x) + b**2*c*log(x) - 2*b**2*d/sqrt(x), Eq(n, -1/2)), (a**2*c*x + 3*a**2*d*x**(2/3)/2 + 3*a*b*c*x**(2/3) + 6*a*b*d*x**(1/3) + 3*b**2*c*x**(1/3) + b**2*d*log(x), Eq(n, -1/3)), (6*a**2*c*n**3*x/(6*n**3 + 11*n**2 + 6*n + 1) + 11*a**2*c*n**2*x/(6*n**3 + 11*n**2 + 6*n + 1) + 6*a**2*c*n*x

```

/(6*n**3 + 11*n**2 + 6*n + 1) + a**2*c*x/(6*n**3 + 11*n**2 + 6*n + 1) + 6*a
**2*d*n**2*x*x**n/(6*n**3 + 11*n**2 + 6*n + 1) + 5*a**2*d*n*x*x**n/(6*n**3
+ 11*n**2 + 6*n + 1) + a**2*d*x*x**n/(6*n**3 + 11*n**2 + 6*n + 1) + 12*a*b*
c*n**2*x*x**n/(6*n**3 + 11*n**2 + 6*n + 1) + 10*a*b*c*n*x*x**n/(6*n**3 + 11
*n**2 + 6*n + 1) + 2*a*b*c*x*x**n/(6*n**3 + 11*n**2 + 6*n + 1) + 6*a*b*d*n*
**2*x*x**(2*n)/(6*n**3 + 11*n**2 + 6*n + 1) + 8*a*b*d*n*x*x**(2*n)/(6*n**3 +
11*n**2 + 6*n + 1) + 2*a*b*d*x*x**(2*n)/(6*n**3 + 11*n**2 + 6*n + 1) + 3*b
**2*c*n**2*x*x**(2*n)/(6*n**3 + 11*n**2 + 6*n + 1) + 4*b**2*c*n*x*x**(2*n)/
(6*n**3 + 11*n**2 + 6*n + 1) + b**2*c*x*x**(2*n)/(6*n**3 + 11*n**2 + 6*n +
1) + 2*b**2*d*n**2*x*x**(3*n)/(6*n**3 + 11*n**2 + 6*n + 1) + 3*b**2*d*n*x*x
**(3*n)/(6*n**3 + 11*n**2 + 6*n + 1) + b**2*d*x*x**(3*n)/(6*n**3 + 11*n**2
+ 6*n + 1), True))

```


$$3.186 \quad \int (a + bx^n)^3 (c + dx^n)^{-4-\frac{1}{n}} dx$$

Optimal. Leaf size=178

$$\frac{6a^3n^3x(c+dx^n)^{-1/n}}{c^4(n+1)(2n+1)(3n+1)} + \frac{6a^2n^2x(a+bx^n)(c+dx^n)^{-\frac{1}{n}-1}}{c^3(n+1)(2n+1)(3n+1)} + \frac{3anx(a+bx^n)^2(c+dx^n)^{-\frac{1}{n}-2}}{c^2(6n^2+5n+1)} + \frac{x(a+bx^n)^3(c+dx^n)^{-\frac{1}{n}-3}}{c(3n+1)}$$

Rubi [A] time = 0.09, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {378, 191}

$$\frac{6a^2n^2x(a+bx^n)(c+dx^n)^{-\frac{1}{n}-1}}{c^3(n+1)(2n+1)(3n+1)} + \frac{6a^3n^3x(c+dx^n)^{-1/n}}{c^4(n+1)(2n+1)(3n+1)} + \frac{3anx(a+bx^n)^2(c+dx^n)^{-\frac{1}{n}-2}}{c^2(6n^2+5n+1)} + \frac{x(a+bx^n)^3(c+dx^n)^{-\frac{1}{n}-3}}{c(3n+1)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)^3*(c + d*x^n)^(-4 - n^(-1)), x]

[Out] (x*(a + b*x^n)^3*(c + d*x^n)^(-3 - n^(-1)))/(c*(1 + 3*n)) + (3*a*n*x*(a + b*x^n)^2*(c + d*x^n)^(-2 - n^(-1)))/(c^2*(1 + 5*n + 6*n^2)) + (6*a^2*n^2*x*(a + b*x^n)*(c + d*x^n)^(-1 - n^(-1)))/(c^3*(1 + n)*(1 + 2*n)*(1 + 3*n)) + (6*a^3*n^3*x)/(c^4*(1 + n)*(1 + 2*n)*(1 + 3*n)*(c + d*x^n)^n^(-1))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 378

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*n*(p + 1)), x] - Dist[(c*q)/(a*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 1) + 1, 0] && GtQ[q, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int (a + bx^n)^3 (c + dx^n)^{-4 - \frac{1}{n}} dx &= \frac{x(a + bx^n)^3 (c + dx^n)^{-3 - \frac{1}{n}}}{c(1 + 3n)} + \frac{(3an) \int (a + bx^n)^2 (c + dx^n)^{-3 - \frac{1}{n}} dx}{c(1 + 3n)} \\
&= \frac{x(a + bx^n)^3 (c + dx^n)^{-3 - \frac{1}{n}}}{c(1 + 3n)} + \frac{3anx(a + bx^n)^2 (c + dx^n)^{-2 - \frac{1}{n}}}{c^2(1 + 5n + 6n^2)} + \frac{(6a^2n^2) \int (a + bx^n) (c + dx^n)^{-2 - \frac{1}{n}} dx}{c^2(1 + 5n + 6n^2)} \\
&= \frac{x(a + bx^n)^3 (c + dx^n)^{-3 - \frac{1}{n}}}{c(1 + 3n)} + \frac{3anx(a + bx^n)^2 (c + dx^n)^{-2 - \frac{1}{n}}}{c^2(1 + 5n + 6n^2)} + \frac{6a^2n^2x(a + bx^n) (c + dx^n)^{-1 - \frac{1}{n}}}{c^3(1 + n)(1 + 2n)} \\
&= \frac{x(a + bx^n)^3 (c + dx^n)^{-3 - \frac{1}{n}}}{c(1 + 3n)} + \frac{3anx(a + bx^n)^2 (c + dx^n)^{-2 - \frac{1}{n}}}{c^2(1 + 5n + 6n^2)} + \frac{6a^2n^2x(a + bx^n) (c + dx^n)^{-1 - \frac{1}{n}}}{c^3(1 + n)(1 + 2n)}
\end{aligned}$$

Mathematica [A] time = 0.14, size = 218, normalized size = 1.22

$$\frac{x(c + dx^n)^{-\frac{1}{n}-3} (a^3(c^3(6n^3 + 11n^2 + 6n + 1) + 3c^2dn(6n^2 + 5n + 1)x^n + 6cd^2n^2(3n + 1)x^{2n} + 6d^3n^3x^{3n}) + 3a^2bcx^n(c^2(6n^2 + 5n + 1) + 2cdn(3n + 1)x^n + 2d^2n^2x^{2n}) + 3ab^2c^2(n + 1)x^{2n}(3n + c + dnx^n) + b^3c^3(2n^2 + 3n + 1)x^{3n})}{c^4(n + 1)(2n + 1)(3n + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)^3*(c + d*x^n)^(-4 - n^(-1)), x]

[Out] (x*(c + d*x^n)^(-3 - n^(-1))*(b^3*c^3*(1 + 3*n + 2*n^2)*x^(3*n) + 3*a*b^2*c^2*(1 + n)*x^(2*n)*(c + 3*c*n + d*n*x^n) + 3*a^2*b*c*x^n*(c^2*(1 + 5*n + 6*n^2) + 2*c*d*n*(1 + 3*n)*x^n + 2*d^2*n^2*x^(2*n))) + a^3*(c^3*(1 + 6*n + 11*n^2 + 6*n^3) + 3*c^2*d*n*(1 + 5*n + 6*n^2)*x^n + 6*c*d^2*n^2*(1 + 3*n)*x^(2*n) + 6*d^3*n^3*x^(3*n)))/(c^4*(1 + n)*(1 + 2*n)*(1 + 3*n))

IntegrateAlgebraic [F] time = 0.07, size = 0, normalized size = 0.00

$$\int (a + bx^n)^3 (c + dx^n)^{-4 - \frac{1}{n}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^n)^3*(c + d*x^n)^(-4 - n^(-1)), x]

[Out] Defer[IntegrateAlgebraic] [(a + b*x^n)^3*(c + d*x^n)^(-4 - n^(-1)), x]

fricas [B] time = 0.91, size = 478, normalized size = 2.69

$$\frac{(6*d^3*n^3 + 3*d^2*c*d + 3*a*d^2*c^2 + 3*b^2*c*d^2 + 3*b^2*c*d^2)*x^n + (24*d^2*c*d^2 + 12*d^2*c*d^2 + 12*d^2*c*d^2 + 12*d^2*c*d^2)*x^{2n} + (24*d^2*c*d^2 + 12*d^2*c*d^2 + 12*d^2*c*d^2 + 12*d^2*c*d^2)*x^{3n} + (6*d^3*n^3 + 3*d^2*c*d + 3*a*d^2*c^2 + 3*b^2*c*d^2 + 3*b^2*c*d^2)*x^n + (24*d^2*c*d^2 + 12*d^2*c*d^2 + 12*d^2*c*d^2 + 12*d^2*c*d^2)*x^{2n} + (24*d^2*c*d^2 + 12*d^2*c*d^2 + 12*d^2*c*d^2 + 12*d^2*c*d^2)*x^{3n}}{(c^4*(1 + n)*(1 + 2*n)*(1 + 3*n))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^3*(c+d*x^n)^(-4-1/n),x, algorithm="fricas")

[Out] ((6*a^3*d^4*n^3 + b^3*c^3*d + (2*b^3*c^3*d + 3*a*b^2*c^2*d^2 + 6*a^2*b*c*d^3)*n^2 + 3*(b^3*c^3*d + a*b^2*c^2*d^2)*n)*x*x^(4*n) + (24*a^3*c*d^3*n^3 + b^3*c^4 + 3*a*b^2*c^3*d + 2*(b^3*c^4 + 6*a*b^2*c^3*d + 12*a^2*b*c^2*d^2 + 3*a^3*c*d^3)*n^2 + 3*(b^3*c^4 + 5*a*b^2*c^3*d + 2*a^2*b*c^2*d^2)*n)*x*x^(3*n) + 3*(12*a^3*c^2*d^2*n^3 + a*b^2*c^4 + a^2*b*c^3*d + (3*a*b^2*c^4 + 12*a^2*b*c^3*d + 7*a^3*c^2*d^2)*n^2 + (4*a*b^2*c^4 + 7*a^2*b*c^3*d + a^3*c^2*d^2)*n)*x*x^(2*n) + (24*a^3*c^3*d*n^3 + 3*a^2*b*c^4 + a^3*c^3*d + 2*(9*a^2*b*c^4 + 13*a^3*c^3*d)*n^2 + 3*(5*a^2*b*c^4 + 3*a^3*c^3*d)*n)*x*x^n + (6*a^3*c^4*n^3 + 11*a^3*c^4*n^2 + 6*a^3*c^4*n + a^3*c^4)*x)/((6*c^4*n^3 + 11*c^4*n^2 + 6*c^4*n + c^4)*(d*x^n + c)^((4*n + 1)/n))

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^3*(c+d*x^n)^(-4-1/n),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,x);OUTPUT:Unable to divide, perhaps due to rounding error
 %%%{81, [2,0,6,4,2,4,3,0]}%%}+%%%{108, [2,0,6,3,2,4,3,0]}%%}+%%%{54, [2,0,6,2,2,4,3,0]}%%}+%%%{12, [2,0,6,1,2,4,3,0]}%%}+%%%{1, [2,0,6,0,2,4,3,0]}%%}+%%%{243, [1,0,6,4,2,4,2,1]}%%}+%%%{-81, [1,0,6,4,1,5,3,0]}%%}+%%%{324, [1,0,6,3,2,4,2,1]}%%}+%%%{-108, [1,0,6,3,1,5,3,0]}%%}+%%%{162, [1,0,6,2,2,4,2,1]}%%}+%%%{-54, [1,0,6,2,1,5,3,0]}%%}+%%%{36, [1,0,6,1,2,4,2,1]}%%}+%%%{-12, [1,0,6,1,1,5,3,0]}%%}+%%%{3, [1,0,6,0,2,4,2,1]}%%}+%%%{-1, [1,0,6,0,1,5,3,0]}%%}+%%%{81, [0,0,6,4,3,3,0,3]}%%}+%%%{81, [0,0,6,3,3,3,0,3]}%%}+%%%{81, [0,0,6,3,2,4,1,2]}%%}+%%%{-81, [0,0,6,3,1,5,2,1]}%%}+%%%{27, [0,0,6,3,0,6,3,0]}%%}+%%%{27, [0,0,6,2,3,3,0,3]}%%}+%%%{81, [0,0,6,2,2,4,1,2]}%%}+%%%{-81, [0,0,6,2,1,5,2,1]}%%}+%%%{27, [0,0,6,2,0,6,3,0]}%%}+%%%{3, [0,0,6,1,3,3,0,3]}%%}+%%%{27, [0,0,6,1,2,4,1,2]}%%}+%%%{-27, [0,0,6,1,1,5,2,1]}%%}+%%%{9, [0,0,6,1,0,6,3,0]}%%}+%%%{3, [0,0,6,0,2,4,1,2]}%%}+%%%{-3, [0,0,6,0,1,5,2,1]}%%}+%%%{1, [0,0,6,0,0,6,3,0]}%%} / %%%{81, [0,0,7,4,3,4,0,0]}%%}+%%%{108, [0,0,7,3,3,4,0,0]}%%}+%%%{54, [0,0,7,2,3,4,0,0]}%%}+%%%{12, [0,0,7,1,3,4,0,0]}%%}+%%%{1, [0,0,7,0,3,4,0,0]}%%} Error: Bad Argument Value

maple [F] time = 0.83, size = 0, normalized size = 0.00

$$\int (bx^n + a)^3 (dx^n + c)^{-\frac{1}{n}-4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)^3*(d*x^n+c)^(-1/n-4),x)

[Out] `int((b*x^n+a)^3*(d*x^n+c)^(-1/n-4),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^n + a)^3(dx^n + c)^{-\frac{1}{n}-4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*x^n)^3*(c+d*x^n)^(-4-1/n),x, algorithm="maxima")`

[Out] `integrate((b*x^n + a)^3*(d*x^n + c)^(-1/n - 4), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + bx^n)^3}{(c + dx^n)^{\frac{1}{n}+4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^n)^3/(c + d*x^n)^(1/n + 4),x)`

[Out] `int((a + b*x^n)^3/(c + d*x^n)^(1/n + 4), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*x**n)**3*(c+d*x**n)**(-4-1/n),x)`

[Out] Timed out

$$3.187 \quad \int (a + bx^n)^2 (c + dx^n)^{-3-\frac{1}{n}} dx$$

Optimal. Leaf size=116

$$\frac{2a^2n^2x(c+dx^n)^{-1/n}}{c^3(n+1)(2n+1)} + \frac{2anx(a+bx^n)(c+dx^n)^{-\frac{1}{n}-1}}{c^2(n+1)(2n+1)} + \frac{x(a+bx^n)^2(c+dx^n)^{-\frac{1}{n}-2}}{c(2n+1)}$$

Rubi [A] time = 0.04, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {378, 191}

$$\frac{2a^2n^2x(c+dx^n)^{-1/n}}{c^3(n+1)(2n+1)} + \frac{2anx(a+bx^n)(c+dx^n)^{-\frac{1}{n}-1}}{c^2(n+1)(2n+1)} + \frac{x(a+bx^n)^2(c+dx^n)^{-\frac{1}{n}-2}}{c(2n+1)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)^2*(c + d*x^n)^(-3 - n^(-1)), x]

[Out] (x*(a + b*x^n)^2*(c + d*x^n)^(-2 - n^(-1)))/(c*(1 + 2*n)) + (2*a*n*x*(a + b*x^n)*(c + d*x^n)^(-1 - n^(-1)))/(c^2*(1 + n)*(1 + 2*n)) + (2*a^2*n^2*x)/(c^3*(1 + n)*(1 + 2*n)*(c + d*x^n)^n^(-1))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 378

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> -Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*n*(p + 1)), x] - Dist[(c*q)/(a*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 1) + 1, 0] && GtQ[q, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int (a + bx^n)^2 (c + dx^n)^{-3-\frac{1}{n}} dx &= \frac{x(a + bx^n)^2 (c + dx^n)^{-2-\frac{1}{n}}}{c(1 + 2n)} + \frac{(2an) \int (a + bx^n) (c + dx^n)^{-2-\frac{1}{n}} dx}{c(1 + 2n)} \\
&= \frac{x(a + bx^n)^2 (c + dx^n)^{-2-\frac{1}{n}}}{c(1 + 2n)} + \frac{2anx(a + bx^n) (c + dx^n)^{-1-\frac{1}{n}}}{c^2(1 + n)(1 + 2n)} + \frac{(2a^2n^2) \int (c + dx^n)^{-1-\frac{1}{n}} dx}{c^2(1 + n)(1 + 2n)} \\
&= \frac{x(a + bx^n)^2 (c + dx^n)^{-2-\frac{1}{n}}}{c(1 + 2n)} + \frac{2anx(a + bx^n) (c + dx^n)^{-1-\frac{1}{n}}}{c^2(1 + n)(1 + 2n)} + \frac{2a^2n^2x(c + dx^n)^{-1-\frac{1}{n}}}{c^3(1 + n)(1 + 2n)}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 113, normalized size = 0.97

$$\frac{x(c + dx^n)^{-\frac{1}{n}-2} (a^2(c^2(2n^2 + 3n + 1) + 2cdn(2n + 1)x^n + 2d^2n^2x^{2n}) + 2abcx^n(2cn + c + dnx^n) + b^2c^2(n + 1)x^{2n})}{c^3(n + 1)(2n + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)^2*(c + d*x^n)^(-3 - n^(-1)), x]

[Out] (x*(c + d*x^n)^(-2 - n^(-1))*(b^2*c^2*(1 + n)*x^(2*n) + 2*a*b*c*x^n*(c + 2*c*n + d*n*x^n) + a^2*(c^2*(1 + 3*n + 2*n^2) + 2*c*d*n*(1 + 2*n)*x^n + 2*d^2*n^2*x^(2*n))))/(c^3*(1 + n)*(1 + 2*n))

IntegrateAlgebraic [F] time = 0.06, size = 0, normalized size = 0.00

$$\int (a + bx^n)^2 (c + dx^n)^{-3-\frac{1}{n}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^n)^2*(c + d*x^n)^(-3 - n^(-1)), x]

[Out] Defer[IntegrateAlgebraic] [(a + b*x^n)^2*(c + d*x^n)^(-3 - n^(-1)), x]

fricas [A] time = 0.64, size = 231, normalized size = 1.99

$$\frac{(2a^2d^3n^2 + b^2c^2d + (b^2c^2d + 2abcd^2)n)xx^{3n} + (6a^2cd^2n^2 + b^2c^3 + 2abc^2d + (b^2c^3 + 6abc^2d + 2a^2cd^2)n)xx^{2n} + (6a^2c^2dn^2 + 2abc^3 + a^2c^2d + (4abc^3 + 5a^2c^2d)n)xx^n + (2a^2c^3n^2 + 3a^2c^3n + a^2c^3)x}{(2c^3n^2 + 3c^3n + c^3)(dx^n + c)^{\frac{3n+1}{n}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^2*(c+d*x^n)^(-3-1/n), x, algorithm="fricas")

[Out] ((2*a^2*d^3*n^2 + b^2*c^2*d + (b^2*c^2*d + 2*a*b*c*d^2)*n)*x*x^(3*n) + (6*a^2*c*d^2*n^2 + b^2*c^3 + 2*a*b*c^2*d + (b^2*c^3 + 6*a*b*c^2*d + 2*a^2*c*d^2)

$(n) * x * x^{(2*n)} + (6*a^2*c^2*d*n^2 + 2*a*b*c^3 + a^2*c^2*d + (4*a*b*c^3 + 5*a^2*c^2*d)*n) * x * x^n + (2*a^2*c^3*n^2 + 3*a^2*c^3*n + a^2*c^3) * x) / ((2*c^3*n^2 + 3*c^3*n + c^3) * (d*x^n + c)^{((3*n + 1)/n)})$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^2*(c+d*x^n)^(-3-1/n),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,x);OUTPUT:Unable to divide, perhaps due to rounding error
 %%%{8, [1,0,4,3,1,3,2,0]}+%%{12, [1,0,4,2,1,3,2,0]}+%%{6, [1,0,4,1,1,3,2,0]}+%%{1, [1,0,4,0,1,3,2,0]}+%%{8, [0,0,4,3,2,2,0,2]}+%%{8, [0,0,4,2,2,2,0,2]}+%%{8, [0,0,4,2,1,3,1,1]}+%%{-4, [0,0,4,2,0,4,2,0]}+%%{2, [0,0,4,1,2,2,0,2]}+%%{8, [0,0,4,1,1,3,1,1]}+%%{-4, [0,0,4,1,0,4,2,0]}+%%{2, [0,0,4,0,1,3,1,1]}+%%{-1, [0,0,4,0,0,4,2,0]} / %%%{8, [0,0,5,3,2,3,0,0]}+%%{12, [0,0,5,2,2,3,0,0]}+%%{6, [0,0,5,1,2,3,0,0]}+%%{1, [0,0,5,0,2,3,0,0]} Error: Bad Argument Value

maple [F] time = 0.80, size = 0, normalized size = 0.00

$$\int (bx^n + a)^2 (dx^n + c)^{-\frac{1}{n}-3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)^2*(d*x^n+c)^(-1/n-3),x)

[Out] int((b*x^n+a)^2*(d*x^n+c)^(-1/n-3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^n + a)^2(dx^n + c)^{-\frac{1}{n}-3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^2*(c+d*x^n)^(-3-1/n),x, algorithm="maxima")

[Out] integrate((b*x^n + a)^2*(d*x^n + c)^(-1/n - 3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + bx^n)^2}{(c + dx^n)^{\frac{1}{n}+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*x^n)^2/(c + d*x^n)^(1/n + 3), x)
```

```
[Out] int((a + b*x^n)^2/(c + d*x^n)^(1/n + 3), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*x**n)**2*(c+d*x**n)**(-3-1/n), x)
```

```
[Out] Timed out
```


$$3.188 \quad \int (a + bx^n)(c + dx^n)^{-2-\frac{1}{n}} dx$$

Optimal. Leaf size=58

$$\frac{x(a + bx^n)(c + dx^n)^{-\frac{1}{n}-1}}{c(n+1)} + \frac{anx(c + dx^n)^{-1/n}}{c^2(n+1)}$$

Rubi [A] time = 0.01, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {378, 191}

$$\frac{x(a + bx^n)(c + dx^n)^{-\frac{1}{n}-1}}{c(n+1)} + \frac{anx(c + dx^n)^{-1/n}}{c^2(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)*(c + d*x^n)^(-2 - n^(-1)), x]

[Out] (x*(a + b*x^n)*(c + d*x^n)^(-1 - n^(-1)))/(c*(1 + n)) + (a*n*x)/(c^2*(1 + n)*(c + d*x^n)^n^(-1))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 378

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> -Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*n*(p + 1)), x] - Dist[(c*q)/(a*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 1) + 1, 0] && GtQ[q, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned} \int (a + bx^n)(c + dx^n)^{-2-\frac{1}{n}} dx &= \frac{x(a + bx^n)(c + dx^n)^{-1-\frac{1}{n}}}{c(1+n)} + \frac{(an) \int (c + dx^n)^{-1-\frac{1}{n}} dx}{c(1+n)} \\ &= \frac{x(a + bx^n)(c + dx^n)^{-1-\frac{1}{n}}}{c(1+n)} + \frac{anx(c + dx^n)^{-1/n}}{c^2(1+n)} \end{aligned}$$

Mathematica [C] time = 0.14, size = 82, normalized size = 1.41

$$\frac{x(c + dx^n)^{-\frac{n+1}{n}} \left(a(n+1)(c + dx^n) \left(\frac{dx^n}{c} + 1 \right)^{\frac{1}{n}} {}_2F_1 \left(2 + \frac{1}{n}, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{dx^n}{c} \right) + bcx^n \right)}{c^2(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)*(c + d*x^n)^(-2 - n^(-1)), x]

[Out] (x*(b*c*x^n + a*(1 + n)*(c + d*x^n)*(1 + (d*x^n)/c)^n^(-1)*Hypergeometric2F1[2 + n^(-1), n^(-1), 1 + n^(-1), -((d*x^n)/c)]))/(c^2*(1 + n)*(c + d*x^n)^((1 + n)/n))

IntegrateAlgebraic [F] time = 0.05, size = 0, normalized size = 0.00

$$\int (a + bx^n)(c + dx^n)^{-2 - \frac{1}{n}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^n)*(c + d*x^n)^(-2 - n^(-1)), x]

[Out] Defer[IntegrateAlgebraic] [(a + b*x^n)*(c + d*x^n)^(-2 - n^(-1)), x]

fricas [A] time = 0.91, size = 85, normalized size = 1.47

$$\frac{(ad^2n + bcd)xx^{2n} + (2acdn + bc^2 + acd)xx^n + (ac^2n + ac^2)x}{(c^2n + c^2)(dx^n + c)^{\frac{2n+1}{n}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)*(c+d*x^n)^(-2-1/n), x, algorithm="fricas")

[Out] ((a*d^2*n + b*c*d)*x*x^(2*n) + (2*a*c*d*n + b*c^2 + a*c*d)*x*x^n + (a*c^2*n + a*c^2)*x)/((c^2*n + c^2)*(d*x^n + c)^((2*n + 1)/n))

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)*(c+d*x^n)^(-2-1/n), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Unable to divide, perhaps due to rounding er

ror%%{1, [0,0,2,2,1,1,0,1]%%}+%%{1, [0,0,2,1,1,1,0,1]%%}+%%{1, [0,0,2,1,0,2,1,0]%%}+%%{1, [0,0,2,0,0,2,1,0]%%} / %%{1, [0,0,3,2,1,2,0,0]%%}+%%{2, [0,0,3,1,1,2,0,0]%%}+%%{1, [0,0,3,0,1,2,0,0]%%} Error: Bad Argument Value

maple [F] time = 0.60, size = 0, normalized size = 0.00

$$\int (bx^n + a)(dx^n + c)^{-\frac{1}{n}-2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)*(d*x^n+c)^(-1/n-2), x)

[Out] int((b*x^n+a)*(d*x^n+c)^(-1/n-2), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^n + a)(dx^n + c)^{-\frac{1}{n}-2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)*(c+d*x^n)^(-2-1/n), x, algorithm="maxima")

[Out] integrate((b*x^n + a)*(d*x^n + c)^(-1/n - 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{a + bx^n}{(c + dx^n)^{\frac{1}{n}+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^n)/(c + d*x^n)^(1/n + 2), x)

[Out] int((a + b*x^n)/(c + d*x^n)^(1/n + 2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x**n)*(c+d*x**n)**(-2-1/n), x)

[Out] Timed out

$$3.189 \quad \int (c + dx^n)^{-1-\frac{1}{n}} dx$$

Optimal. Leaf size=18

$$\frac{x(c + dx^n)^{-1/n}}{c}$$

Rubi [A] time = 0.00, antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {191}

$$\frac{x(c + dx^n)^{-1/n}}{c}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^n)^(-1 - n^(-1)), x]

[Out] x/(c*(c + d*x^n)^n^(-1))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rubi steps

$$\int (c + dx^n)^{-1-\frac{1}{n}} dx = \frac{x(c + dx^n)^{-1/n}}{c}$$

Mathematica [A] time = 0.04, size = 18, normalized size = 1.00

$$\frac{x(c + dx^n)^{-1/n}}{c}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^n)^(-1 - n^(-1)), x]

[Out] x/(c*(c + d*x^n)^n^(-1))

IntegrateAlgebraic [F] time = 0.02, size = 0, normalized size = 0.00

$$\int (c + dx^n)^{-1-\frac{1}{n}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^n)^(-1 - n^(-1)), x]

[Out] Defer[IntegrateAlgebraic][(c + d*x^n)^(-1 - n^(-1)), x]

fricas [A] time = 0.73, size = 31, normalized size = 1.72

$$\frac{dx x^n + cx}{(dx^n + c)^{\frac{n+1}{n}} c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^n)^(-1-1/n), x, algorithm="fricas")

[Out] (d*x*x^n + c*x)/((d*x^n + c)^((n + 1)/n)*c)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx^n + c)^{-\frac{1}{n}-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^n)^(-1-1/n), x, algorithm="giac")

[Out] integrate((d*x^n + c)^(-1/n - 1), x)

maple [B] time = 0.07, size = 53, normalized size = 2.94

$$\frac{dx e^{n \ln(x)} e^{\left(-\frac{1}{n}-1\right) \ln(d e^{n \ln(x)}+c)}}{c} + x e^{\left(-\frac{1}{n}-1\right) \ln(d e^{n \ln(x)}+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^n+c)^(-1/n-1), x)

[Out] x*exp((-1/n-1)*ln(c+d*exp(n*ln(x))))+1/c*d*x*exp(n*ln(x))*exp((-1/n-1)*ln(c+d*exp(n*ln(x))))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx^n + c)^{-\frac{1}{n}-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^n)^(-1-1/n), x, algorithm="maxima")

[Out] integrate((d*x^n + c)^(-1/n - 1), x)

mupad [B] time = 1.76, size = 75, normalized size = 4.17

$$\frac{dx^{n+1} \left(\frac{c}{dx^n} - \left(\frac{c}{dx^n} + 1 \right)^{\frac{n+1}{n}} + 1 \right)}{cn \left(\frac{n+1}{n} - 1 \right) (c + dx^n)^{\frac{n+1}{n}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(c + d*x^n)^(1/n + 1), x)

[Out] (d*x^(n + 1)*(c/(d*x^n) - (c/(d*x^n) + 1)^((n + 1)/n) + 1))/(c*n*((n + 1)/n - 1)*(c + d*x^n)^((n + 1)/n))

sympy [A] time = 33.05, size = 211, normalized size = 11.72

$$\left\{ \begin{array}{ll} \frac{d^{-\frac{1}{n}} x x^{-n} (x^n)^{-\frac{1}{n}}}{dn} & \text{for } c = 0 \\ 0^{-1-\frac{1}{n}} x & \text{for } c = -dx^n \\ x (0^n)^{-1-\frac{1}{n}} & \text{for } c = 0^n - dx^n \\ \frac{c^2 x}{c^3(c+dx^n)^{\frac{1}{n}} + 2c^2 dx^n (c+dx^n)^{\frac{1}{n}} + cd^2 x^{2n} (c+dx^n)^{\frac{1}{n}}} + \frac{cdx^n}{c^3(c+dx^n)^{\frac{1}{n}} + 2c^2 dx^n (c+dx^n)^{\frac{1}{n}} + cd^2 x^{2n} (c+dx^n)^{\frac{1}{n}}} + \frac{dx^n}{c^2(c+dx^n)^{\frac{1}{n}} + cdx^n (c+dx^n)^{\frac{1}{n}}} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x**n)**(-1-1/n), x)

[Out] Piecewise((-d**(-1/n)*x*x**(-n)*(x**n)**(-1/n)/(d*n), Eq(c, 0)), (0**(-1 - 1/n)*x, Eq(c, -d*x**n)), (x*(0**n)**(-1 - 1/n), Eq(c, 0**n - d*x**n)), (c**2*x/(c**3*(c + d*x**n)**(1/n) + 2*c**2*d*x**n*(c + d*x**n)**(1/n) + c*d**2*x**2*n*(c + d*x**n)**(1/n)) + c*d*x*x**n/(c**3*(c + d*x**n)**(1/n) + 2*c**2*d*x**n*(c + d*x**n)**(1/n) + c*d**2*x**2*n*(c + d*x**n)**(1/n)) + d*x*x**n/(c**2*(c + d*x**n)**(1/n) + c*d*x**n*(c + d*x**n)**(1/n)), True))

$$3.190 \quad \int (a + bx^n)^{\frac{adn-bc(1+n)}{(bc-ad)n}} (c + dx^n)^{\frac{ad-bcn+adn}{bcn-adn}} dx$$

Optimal. Leaf size=57

$$\frac{x(a + bx^n)^{-\frac{bc}{n(bc-ad)}} (c + dx^n)^{\frac{ad}{n(bc-ad)}}}{ac}$$

Rubi [A] time = 0.03, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 69, $\frac{\text{number of rules}}{\text{integrand size}} = 0.014$, Rules used = {381}

$$\frac{x(a + bx^n)^{-\frac{bc}{n(bc-ad)}} (c + dx^n)^{\frac{ad}{n(bc-ad)}}}{ac}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)^((a*d*n - b*c*(1 + n))/((b*c - a*d)*n))*(c + d*x^n)^((a*d - b*c*n + a*d*n)/(b*c*n - a*d*n)),x]

[Out] (x*(c + d*x^n)^((a*d)/((b*c - a*d)*n)))/(a*c*(a + b*x^n)^((b*c)/((b*c - a*d)*n)))

Rule 381

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
 :> Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c), x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && EqQ[a*d*(p + 1) + b*c*(q + 1), 0]

Rubi steps

$$\int (a + bx^n)^{\frac{adn-bc(1+n)}{(bc-ad)n}} (c + dx^n)^{\frac{ad-bcn+adn}{bcn-adn}} dx = \frac{x(a + bx^n)^{-\frac{bc}{n(bc-ad)}} (c + dx^n)^{\frac{ad}{n(bc-ad)}}}{ac}$$

Mathematica [A] time = 0.07, size = 55, normalized size = 0.96

$$\frac{x(a + bx^n)^{-\frac{bc}{bcn-adn}} (c + dx^n)^{\frac{ad}{bcn-adn}}}{ac}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)^((a*d*n - b*c*(1 + n))/((b*c - a*d)*n))*(c + d*x^n)^((a*d - b*c*n + a*d*n)/(b*c*n - a*d*n)), x]

[Out] (x*(c + d*x^n)^((a*d)/(b*c*n - a*d*n)))/(a*c*(a + b*x^n)^((b*c)/(b*c*n - a*d*n)))

IntegrateAlgebraic [F] time = 0.60, size = 0, normalized size = 0.00

$$\int (a + bx^n)^{\frac{adn-bc(1+n)}{(bc-ad)n}} (c + dx^n)^{\frac{ad-bcn+adn}{bcn-adn}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^n)^((a*d*n - b*c*(1 + n))/((b*c - a*d)*n))*(c + d*x^n)^((a*d - b*c*n + a*d*n)/(b*c*n - a*d*n)), x]

[Out] Defer[IntegrateAlgebraic] [(a + b*x^n)^((a*d*n - b*c*(1 + n))/((b*c - a*d)*n))*(c + d*x^n)^((a*d - b*c*n + a*d*n)/(b*c*n - a*d*n)), x]

fricas [A] time = 0.85, size = 108, normalized size = 1.89

$$\frac{(bdxx^{2n} + acx + (bc + ad)xx^n)(dx^n + c)^{\frac{ad-(bc-ad)n}{(bc-ad)n}}}{(bx^n + a)^{\frac{bc+(bc-ad)n}{(bc-ad)n}} ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^((a*d*n-b*c*(1+n))/(-a*d+b*c)/n)*(c+d*x^n)^((a*d*n-b*c*n+a*d)/(-a*d*n+b*c*n)), x, algorithm="fricas")

[Out] (b*d*x*x^(2*n) + a*c*x + (b*c + a*d)*x*x^n)*(d*x^n + c)^((a*d - (b*c - a*d)*n)/((b*c - a*d)*n))/((b*x^n + a)^((b*c + (b*c - a*d)*n)/((b*c - a*d)*n))*a*c)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^n + a)^{\frac{bc(n+1)-adn}{(bc-ad)n}} (dx^n + c)^{\frac{bcn-adn-ad}{bcn-adn}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^((a*d*n-b*c*(1+n))/(-a*d+b*c)/n)*(c+d*x^n)^((a*d*n-b*c*n+a*d)/(-a*d*n+b*c*n)), x, algorithm="giac")

[Out] integrate(1/((b*x^n + a)^((b*c*(n + 1) - a*d*n)/((b*c - a*d)*n))*(d*x^n + c)^((b*c*n - a*d*n - a*d)/(b*c*n - a*d*n))), x)

maple [F] time = 0.90, size = 0, normalized size = 0.00

$$\int (bx^n + a)^{\frac{adn-(n+1)bc}{(-ad+bc)n}} (dx^n + c)^{\frac{adn-bcn+ad}{-adn+bcn}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)^((a*d*n-b*c*(n+1))/(-a*d+b*c)/n)*(d*x^n+c)^((a*d*n-b*c*n+a*d)/(-a*d*n+b*c*n)),x)

[Out] int((b*x^n+a)^((a*d*n-b*c*(n+1))/(-a*d+b*c)/n)*(d*x^n+c)^((a*d*n-b*c*n+a*d)/(-a*d*n+b*c*n)),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(bx^n + a)^{\frac{bc(n+1)-adn}{(bc-ad)n}} (dx^n + c)^{\frac{bcn-adn-ad}{bcn-adn}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^((a*d*n-b*c*(1+n))/(-a*d+b*c)/n)*(c+d*x^n)^((a*d*n-b*c*n+a*d)/(-a*d*n+b*c*n)),x, algorithm="maxima")

[Out] integrate(1/((b*x^n + a)^((b*c*(n + 1) - a*d*n)/((b*c - a*d)*n))*(d*x^n + c)^((b*c*n - a*d*n - a*d)/(b*c*n - a*d*n))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{(a + bx^n)^{\frac{adn-bc(n+1)}{n(ad-bc)}} (c + dx^n)^{\frac{ad+adn-bcn}{adn-bcn}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^n)^((a*d*n - b*c*(n + 1))/(n*(a*d - b*c)))*(c + d*x^n)^((a*d + a*d*n - b*c*n)/(a*d*n - b*c*n))),x)

[Out] int(1/((a + b*x^n)^((a*d*n - b*c*(n + 1))/(n*(a*d - b*c)))*(c + d*x^n)^((a*d + a*d*n - b*c*n)/(a*d*n - b*c*n))), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x**n)**((a*d*n-b*c*(1+n))/(-a*d+b*c)/n)*(c+d*x**n)**((a*d*n-b*c*n+a*d)/(-a*d*n+b*c*n)),x)

[Out] Timed out

$$3.191 \quad \int (a + bx^n)^2 (c + dx^n)^{-4 - \frac{1}{n}} dx$$

Optimal. Leaf size=327

$$\frac{2a^2n^2x(c+dx^n)^{-1/n}(3adn-b(3cn+c))}{c^4(n+1)(2n+1)(3n+1)(bc-ad)} - \frac{2anx(a+bx^n)(c+dx^n)^{-\frac{1}{n}-1}(3adn-b(3cn+c))}{c^3(n+1)(2n+1)(3n+1)(bc-ad)} - \frac{x(a+bx^n)^2(c+dx^n)^{-\frac{1}{n}-2}(3adn-b(3cn+c))}{c^2(6n^2+5n+1)(bc-ad)}$$

Rubi [A] time = 0.18, antiderivative size = 327, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {382, 378, 191}

$$\frac{2a^2n^2x(c+dx^n)^{-1/n}(3adn-b(3cn+c))}{c^4(n+1)(2n+1)(3n+1)(bc-ad)} - \frac{x(a+bx^n)^2(c+dx^n)^{-\frac{1}{n}-2}(3adn-b(3cn+c))}{c^2(6n^2+5n+1)(bc-ad)} - \frac{2anx(a+bx^n)(c+dx^n)^{-\frac{1}{n}-1}(3adn-b(3cn+c))}{c^3(n+1)(2n+1)(3n+1)(bc-ad)} - \frac{x(a+bx^n)^3(c+dx^n)^{-\frac{1}{n}-3}(3adn-b(3cn+c))}{3acn(3n+1)(bc-ad)} - \frac{bx(a+bx^n)^3(c+dx^n)^{-\frac{1}{n}-3}}{3an(bc-ad)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)^2*(c + d*x^n)^(-4 - n^(-1)), x]

[Out] -(b*x*(a + b*x^n)^3*(c + d*x^n)^(-3 - n^(-1)))/(3*a*(b*c - a*d)*n) - ((3*a*d*n - b*(c + 3*c*n))*x*(a + b*x^n)^3*(c + d*x^n)^(-3 - n^(-1)))/(3*a*c*(b*c - a*d)*n*(1 + 3*n)) - ((3*a*d*n - b*(c + 3*c*n))*x*(a + b*x^n)^2*(c + d*x^n)^(-2 - n^(-1)))/(c^2*(b*c - a*d)*(1 + 5*n + 6*n^2)) - (2*a*n*(3*a*d*n - b*(c + 3*c*n))*x*(a + b*x^n)*(c + d*x^n)^(-1 - n^(-1)))/(c^3*(b*c - a*d)*(1 + n)*(1 + 2*n)*(1 + 3*n)) - (2*a^2*n^2*(3*a*d*n - b*(c + 3*c*n))*x)/(c^4*(b*c - a*d)*(1 + n)*(1 + 2*n)*(1 + 3*n)*(c + d*x^n)^n^(-1))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 378

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*n*(p + 1)), x] - Dist[(c*q)/(a*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 1) + 1, 0] && GtQ[q, 0] && NeQ[p, -1]

Rule 382

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)], Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x]

] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ[q, -1]) && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int (a + bx^n)^2 (c + dx^n)^{-4-\frac{1}{n}} dx &= -\frac{bx(a + bx^n)^3 (c + dx^n)^{-3-\frac{1}{n}}}{3a(bc - ad)n} + \frac{\left(3 + \frac{bc}{bcn - adn}\right) \int (a + bx^n)^3 (c + dx^n)^{-4-\frac{1}{n}} dx}{3a} \\
 &= -\frac{bx(a + bx^n)^3 (c + dx^n)^{-3-\frac{1}{n}}}{3a(bc - ad)n} + \frac{\left(3 + \frac{bc}{bcn - adn}\right) x(a + bx^n)^3 (c + dx^n)^{-3-\frac{1}{n}}}{3ac(1 + 3n)} + \left(n\right) \\
 &= -\frac{bx(a + bx^n)^3 (c + dx^n)^{-3-\frac{1}{n}}}{3a(bc - ad)n} + \frac{\left(3 + \frac{bc}{bcn - adn}\right) x(a + bx^n)^3 (c + dx^n)^{-3-\frac{1}{n}}}{3ac(1 + 3n)} + \left(n\right) \\
 &= -\frac{bx(a + bx^n)^3 (c + dx^n)^{-3-\frac{1}{n}}}{3a(bc - ad)n} + \frac{\left(3 + \frac{bc}{bcn - adn}\right) x(a + bx^n)^3 (c + dx^n)^{-3-\frac{1}{n}}}{3ac(1 + 3n)} + \left(n\right) \\
 &= -\frac{bx(a + bx^n)^3 (c + dx^n)^{-3-\frac{1}{n}}}{3a(bc - ad)n} + \frac{\left(3 + \frac{bc}{bcn - adn}\right) x(a + bx^n)^3 (c + dx^n)^{-3-\frac{1}{n}}}{3ac(1 + 3n)} + \left(n\right) \\
 &= -\frac{bx(a + bx^n)^3 (c + dx^n)^{-3-\frac{1}{n}}}{3a(bc - ad)n} + \frac{\left(3 + \frac{bc}{bcn - adn}\right) x(a + bx^n)^3 (c + dx^n)^{-3-\frac{1}{n}}}{3ac(1 + 3n)} + \left(n\right)
 \end{aligned}$$

Mathematica [C] time = 0.46, size = 136, normalized size = 0.42

$$\frac{x(c + dx^n)^{-1/n} \left(\frac{dx^n}{c} + 1\right)^{\frac{1}{n}} \left(b^2 c^2 {}_2F_1\left(2 + \frac{1}{n}, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{dx^n}{c}\right) - (bc - ad) \left((ad - bc) {}_2F_1\left(4 + \frac{1}{n}, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{dx^n}{c}\right) + 2bc {}_2F_1\left(3 + \frac{1}{n}, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{dx^n}{c}\right)\right)}{c^4 d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)^2*(c + d*x^n)^(-4 - n^(-1)), x]

[Out] (x*(1 + (d*x^n)/c)^n^(-1)*(b^2*c^2*Hypergeometric2F1[2 + n^(-1), n^(-1), 1 + n^(-1), -(d*x^n)/c]) - (b*c - a*d)*(2*b*c*Hypergeometric2F1[3 + n^(-1), n^(-1), 1 + n^(-1), -(d*x^n)/c]) + (-b*c) + a*d)*Hypergeometric2F1[4 + n^(-1), n^(-1), 1 + n^(-1), -(d*x^n)/c])/(c^4*d^2*(c + d*x^n)^n^(-1))

IntegrateAlgebraic [F] time = 0.07, size = 0, normalized size = 0.00

$$\int (a + bx^n)^2 (c + dx^n)^{-4-\frac{1}{n}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^n)^2*(c + d*x^n)^(-4 - n^(-1)),x]

[Out] Defer[IntegrateAlgebraic] [(a + b*x^n)^2*(c + d*x^n)^(-4 - n^(-1)), x]

fricas [A] time = 0.87, size = 400, normalized size = 1.22

$$\frac{(6c^2d^2n^4 + 2c^2d^2n + (2c^2d^2 + 4abcd^2)n^2)^2 + (24c^2d^2n^3 + 2(2c^2d^2 + 8abcd^2 + 3c^2d^2)n^2 + (5c^2d^2 + 4abcd^2)n)^2 + (36c^2d^2n^2 + 2abcd^2 + 3(c^2d^2 + 8abcd^2 + 7c^2d^2)n^2 + (4c^2d^2 + 14abcd^2 + 3c^2d^2)n)^2 + (24c^2d^2n + 2abcd^2 + 2(6abcd^2 + 13c^2d^2)n^2 + (10abcd^2 + 9c^2d^2)n)^2 + (6c^2d^2 + 11c^2d^2 + 6c^2n + c^2)d^2n^4}{(6c^2n^4 + 11c^2n^2 + 6c^2n + c^2)d^2n^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^2*(c+d*x^n)^(-4-1/n),x, algorithm="fricas")

[Out]
$$\begin{aligned} & ((6a^2d^4n^3 + b^2c^2d^2n + (b^2c^2d^2 + 4a*b*c*d^3)n^2)*x^{4n} \\ & + (24a^2c*d^3n^3 + b^2c^3*d + 2*(2b^2c^3*d + 8a*b*c^2*d^2 + 3a^2*c*d^3)n^2 + (5b^2c^3*d + 4a*b*c^2*d^2)*n)*x^{3n} \\ & + (36a^2c^2*d^2n^3 + b^2c^4 + 2a*b*c^3*d + 3*(b^2c^4 + 8a*b*c^3*d + 7a^2*c^2*d^2)n^2 \\ & + (4b^2c^4 + 14a*b*c^3*d + 3a^2*c^2*d^2)*n)*x^{2n} + (24a^2c^3*d*n^3 \\ & + 2a*b*c^4 + a^2*c^3*d + 2*(6a*b*c^4 + 13a^2*c^3*d)n^2 + (10a*b*c^4 \\ & + 9a^2*c^3*d)*n)*x^n + (6a^2c^4n^3 + 11a^2c^4n^2 + 6a^2c^4n + a^2c^4)*x \\ &) / ((6c^4n^3 + 11c^4n^2 + 6c^4n + c^4)*(d*x^n + c)^{(4n + 1)/n}) \end{aligned}$$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^2*(c+d*x^n)^(-4-1/n),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Unable to divide, perhaps due to rounding error
%%{27, [1,0,4,3,1,3,2,0]}+%%{27, [1,0,4,2,1,3,2,0]}+%%{9, [1,0,4,1,1,3,2,0]}+%%{1, [1,0,4,0,1,3,2,0]}+%%{27, [0,0,4,3,2,2,0,2]}+%%{18, [0,0,4,2,2,2,0,2]}+%%{18, [0,0,4,2,1,3,1,1]}+%%{-9, [0,0,4,2,0,4,2,0]}+%%{3, [0,0,4,1,2,2,0,2]}+%%{12, [0,0,4,1,1,3,1,1]}+%%{-6, [0,0,4,1,0,4,2,0]}+%%{2, [0,0,4,0,1,3,1,1]}+%%{-1, [0,0,4,0,0,4,2,0]} / %%{27, [0,0,5,3,2,3,0,0]}+%%{27, [0,0,5,2,2,3,0,0]}+%%{9, [0,0,5,1,2,3,0,0]}+%%{1, [0,0,5,0,2,3,0,0]} Error: Bad Argument Value

maple [F] time = 0.77, size = 0, normalized size = 0.00

$$\int (bx^n + a)^2 (dx^n + c)^{-\frac{1}{n}-4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)^2*(d*x^n+c)^(-1/n-4),x)

[Out] `int((b*x^n+a)^2*(d*x^n+c)^(-1/n-4),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^n + a)^2(dx^n + c)^{-\frac{1}{n}-4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*x^n)^2*(c+d*x^n)^(-4-1/n),x, algorithm="maxima")`

[Out] `integrate((b*x^n + a)^2*(d*x^n + c)^(-1/n - 4), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + bx^n)^2}{(c + dx^n)^{\frac{1}{n}+4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^n)^2/(c + d*x^n)^(1/n + 4),x)`

[Out] `int((a + b*x^n)^2/(c + d*x^n)^(1/n + 4), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*x**n)**2*(c+d*x**n)**(-4-1/n),x)`

[Out] Timed out

$$3.192 \quad \int (a + bx^n)(c + dx^n)^{-3-\frac{1}{n}} dx$$

Optimal. Leaf size=127

$$\frac{nx(c + dx^n)^{-1/n}(2adn + bc)}{c^3d(n+1)(2n+1)} + \frac{x(c + dx^n)^{-\frac{1}{n}-1}(2adn + bc)}{c^2d(n+1)(2n+1)} - \frac{x(bc - ad)(c + dx^n)^{-\frac{1}{n}-2}}{cd(2n+1)}$$

Rubi [A] time = 0.06, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$, Rules used = {385, 192, 191}

$$\frac{x(c + dx^n)^{-\frac{1}{n}-1}(2adn + bc)}{c^2d(n+1)(2n+1)} + \frac{nx(c + dx^n)^{-1/n}(2adn + bc)}{c^3d(n+1)(2n+1)} - \frac{x(bc - ad)(c + dx^n)^{-\frac{1}{n}-2}}{cd(2n+1)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)*(c + d*x^n)^(-3 - n^(-1)), x]

[Out] -(((b*c - a*d)*x*(c + d*x^n)^(-2 - n^(-1)))/(c*d*(1 + 2*n))) + ((b*c + 2*a*d*n)*x*(c + d*x^n)^(-1 - n^(-1)))/(c^2*d*(1 + n)*(1 + 2*n)) + (n*(b*c + 2*a*d*n)*x)/(c^3*d*(1 + n)*(1 + 2*n)*(c + d*x^n)^n^(-1))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rubi steps

$$\begin{aligned}
\int (a + bx^n)(c + dx^n)^{-3-\frac{1}{n}} dx &= -\frac{(bc - ad)x(c + dx^n)^{-2-\frac{1}{n}}}{cd(1 + 2n)} + \frac{(bc + 2adn) \int (c + dx^n)^{-2-\frac{1}{n}} dx}{cd(1 + 2n)} \\
&= -\frac{(bc - ad)x(c + dx^n)^{-2-\frac{1}{n}}}{cd(1 + 2n)} + \frac{(bc + 2adn)x(c + dx^n)^{-1-\frac{1}{n}}}{c^2d(1 + n)(1 + 2n)} + \frac{(n(bc + 2adn)) \int (c + dx^n)^{-1-\frac{1}{n}} dx}{c^2d(1 + n)(1 + 2n)} \\
&= -\frac{(bc - ad)x(c + dx^n)^{-2-\frac{1}{n}}}{cd(1 + 2n)} + \frac{(bc + 2adn)x(c + dx^n)^{-1-\frac{1}{n}}}{c^2d(1 + n)(1 + 2n)} + \frac{n(bc + 2adn)x(c + dx^n)^{-\frac{1}{n}}}{c^3d(1 + n)(1 + 2n)}
\end{aligned}$$

Mathematica [C] time = 0.17, size = 94, normalized size = 0.74

$$\frac{x(c + dx^n)^{-1/n} \left(\frac{dx^n}{c} + 1\right)^{\frac{1}{n}} \left((ad - bc) {}_2F_1\left(3 + \frac{1}{n}, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{dx^n}{c}\right) + bc {}_2F_1\left(2 + \frac{1}{n}, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{dx^n}{c}\right) \right)}{c^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)*(c + d*x^n)^(-3 - n^(-1)), x]

[Out] (x*(1 + (d*x^n)/c)^n^(-1)*(b*c*Hypergeometric2F1[2 + n^(-1), n^(-1), 1 + n^(-1), -((d*x^n)/c)] + (-b*c) + a*d)*Hypergeometric2F1[3 + n^(-1), n^(-1), 1 + n^(-1), -((d*x^n)/c)])/(c^3*d*(c + d*x^n)^n^(-1))

IntegrateAlgebraic [F] time = 0.05, size = 0, normalized size = 0.00

$$\int (a + bx^n)(c + dx^n)^{-3-\frac{1}{n}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^n)*(c + d*x^n)^(-3 - n^(-1)), x]

[Out] Defer[IntegrateAlgebraic][(a + b*x^n)*(c + d*x^n)^(-3 - n^(-1)), x]

fricas [A] time = 0.85, size = 173, normalized size = 1.36

$$\frac{(2ad^3n^2 + bcd^2n)xx^{3n} + (6acd^2n^2 + bc^2d + (3bc^2d + 2acd^2)n)xx^{2n} + (6ac^2dn^2 + bc^3 + ac^2d + (2bc^3 + 5ac^2d)n)xx^n + (2ac^3n^2 + 3ac^3n + ac^3)x}{(2c^3n^2 + 3c^3n + c^3)(dx^n + c)^{\frac{3n+1}{n}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)*(c+d*x^n)^(-3-1/n), x, algorithm="fricas")

```
[Out] ((2*a*d^3*n^2 + b*c*d^2*n)*x*x^(3*n) + (6*a*c*d^2*n^2 + b*c^2*d + (3*b*c^2*d + 2*a*c*d^2)*n)*x*x^(2*n) + (6*a*c^2*d*n^2 + b*c^3 + a*c^2*d + (2*b*c^3 + 5*a*c^2*d)*n)*x*x^n + (2*a*c^3*n^2 + 3*a*c^3*n + a*c^3)*x)/((2*c^3*n^2 + 3*c^3*n + c^3)*(d*x^n + c)^((3*n + 1)/n))
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*x^n)*(c+d*x^n)^(-3-1/n),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:Unable to divide, perhaps due to rounding er
ror%%{4, [0,0,2,2,1,1,0,1]%%}+%%{2, [0,0,2,1,1,1,0,1]%%}+%%{2, [0,0,2,1,0
,2,1,0]%%}+%%{1, [0,0,2,0,0,2,1,0]%%} / %%{4, [0,0,3,2,1,2,0,0]%%}+%%{4
, [0,0,3,1,1,2,0,0]%%}+%%{1, [0,0,3,0,1,2,0,0]%%} Error: Bad Argument Valu
e
```

maple [F] time = 0.63, size = 0, normalized size = 0.00

$$\int (b x^n + a) (d x^n + c)^{-\frac{1}{n}-3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x^n+a)*(d*x^n+c)^(-1/n-3),x)
```

```
[Out] int((b*x^n+a)*(d*x^n+c)^(-1/n-3),x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b x^n + a) (d x^n + c)^{-\frac{1}{n}-3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*x^n)*(c+d*x^n)^(-3-1/n),x, algorithm="maxima")
```

```
[Out] integrate((b*x^n + a)*(d*x^n + c)^(-1/n - 3), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b x^n}{(c + d x^n)^{\frac{1}{n}+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int((a + b*x^n)/(c + d*x^n)^(1/n + 3), x)
```

```
[Out] int((a + b*x^n)/(c + d*x^n)^(1/n + 3), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*x**n)*(c+d*x**n)**(-3-1/n), x)
```

```
[Out] Timed out
```

$$3.193 \quad \int (c + dx^n)^{-2-\frac{1}{n}} dx$$

Optimal. Leaf size=50

$$\frac{nx(c + dx^n)^{-1/n}}{c^2(n+1)} + \frac{x(c + dx^n)^{-\frac{1}{n}-1}}{c(n+1)}$$

Rubi [A] time = 0.01, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {192, 191}

$$\frac{nx(c + dx^n)^{-1/n}}{c^2(n+1)} + \frac{x(c + dx^n)^{-\frac{1}{n}-1}}{c(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^n)^(-2 - n^(-1)), x]

[Out] (x*(c + d*x^n)^(-1 - n^(-1)))/(c*(1 + n)) + (n*x)/(c^2*(1 + n)*(c + d*x^n)^n^(-1))

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned} \int (c + dx^n)^{-2-\frac{1}{n}} dx &= \frac{x(c + dx^n)^{-1-\frac{1}{n}}}{c(1+n)} + \frac{n \int (c + dx^n)^{-1-\frac{1}{n}} dx}{c(1+n)} \\ &= \frac{x(c + dx^n)^{-1-\frac{1}{n}}}{c(1+n)} + \frac{nx(c + dx^n)^{-1/n}}{c^2(1+n)} \end{aligned}$$

Mathematica [C] time = 0.03, size = 55, normalized size = 1.10

$$\frac{x(c + dx^n)^{-1/n} \left(\frac{dx^n}{c} + 1\right)^{\frac{1}{n}} {}_2F_1\left(2 + \frac{1}{n}, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{dx^n}{c}\right)}{c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^n)^(-2 - n^(-1)), x]

[Out] (x*(1 + (d*x^n)/c)^n^(-1)*Hypergeometric2F1[2 + n^(-1), n^(-1), 1 + n^(-1), -((d*x^n)/c)])/(c^2*(c + d*x^n)^n^(-1))

IntegrateAlgebraic [F] time = 0.02, size = 0, normalized size = 0.00

$$\int (c + dx^n)^{-2-\frac{1}{n}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^n)^(-2 - n^(-1)), x]

[Out] Defer[IntegrateAlgebraic][(c + d*x^n)^(-2 - n^(-1)), x]

fricas [A] time = 0.90, size = 68, normalized size = 1.36

$$\frac{d^2nxx^{2n} + (2cdn + cd)xx^n + (c^2n + c^2)x}{(c^2n + c^2)(dx^n + c)^{\frac{2n+1}{n}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^n)^(-2-1/n), x, algorithm="fricas")

[Out] (d^2*n*x*x^(2*n) + (2*c*d*n + c*d)*x*x^n + (c^2*n + c^2)*x)/((c^2*n + c^2)*(d*x^n + c)^((2*n + 1)/n))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx^n + c)^{-\frac{1}{n}-2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^n)^(-2-1/n), x, algorithm="giac")

[Out] integrate((d*x^n + c)^(-1/n - 2), x)

maple [F] time = 0.60, size = 0, normalized size = 0.00

$$\int (dx^n + c)^{-\frac{1}{n}-2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^n+c)^(-1/n-2),x)

[Out] int((d*x^n+c)^(-1/n-2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx^n + c)^{-\frac{1}{n}-2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^n)^(-2-1/n),x, algorithm="maxima")

[Out] integrate((d*x^n + c)^(-1/n - 2), x)

mupad [B] time = 1.76, size = 64, normalized size = 1.28

$$\frac{x^{1-2n} \left(\frac{c}{dx^n} + 1 \right)^{1/n} {}_2F_1 \left(2, \frac{1}{n} + 2; 3; -\frac{c}{dx^n} \right)}{2d^2n(c + dx^n)^{1/n}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(c + d*x^n)^(1/n + 2),x)

[Out] -(x^(1 - 2*n)*(c/(d*x^n) + 1)^(1/n)*hypergeom([2, 1/n + 2], 3, -c/(d*x^n)))/(2*d^2*n*(c + d*x^n)^(1/n))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x**n)**(-2-1/n),x)

[Out] Timed out

$$3.194 \quad \int x^5 \sqrt{-c + dx} \sqrt{c + dx} (a + bx^2) dx$$

Optimal. Leaf size=152

$$\frac{(dx - c)^{7/2}(c + dx)^{7/2} (ad^2 + 3bc^2)}{7d^8} + \frac{c^2(dx - c)^{5/2}(c + dx)^{5/2} (2ad^2 + 3bc^2)}{5d^8} + \frac{c^4(dx - c)^{3/2}(c + dx)^{3/2} (ad^2 + bc^2)}{3d^8} + \dots$$

Rubi [A] time = 0.12, antiderivative size = 164, normalized size of antiderivative = 1.08, number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {460, 100, 12, 74}

$$\frac{x^4(dx - c)^{3/2}(c + dx)^{3/2} (3ad^2 + 2bc^2)}{21d^4} + \frac{4c^2x^2(dx - c)^{3/2}(c + dx)^{3/2} (3ad^2 + 2bc^2)}{105d^6} + \frac{8c^4(dx - c)^{3/2}(c + dx)^{3/2} (3ad^2 + 2bc^2)}{315d^8} + \frac{bx^6(dx - c)^{3/2}(c + dx)^{3/2}}{9d^2}$$

Antiderivative was successfully verified.

[In] Int[x^5*sqrt[-c + d*x]*sqrt[c + d*x]*(a + b*x^2), x]

[Out] (8*c^4*(2*b*c^2 + 3*a*d^2)*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(315*d^8) + (4*c^2*(2*b*c^2 + 3*a*d^2)*x^2*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(105*d^6) + ((2*b*c^2 + 3*a*d^2)*x^4*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(21*d^4) + (b*x^6*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(9*d^2)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 74

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]

Rule 100

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 1)), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

Rule 460

```

Int[((e_.)*(x_))^(m_.)*((a1_.) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_.) + (b2_.)
*(x_)^(non2_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> Simp[(d*(e*x)^(
(m + 1)*(a1 + b1*x^(n/2)))^(p + 1)*(a2 + b2*x^(n/2)))^(p + 1))/(b1*b2*e*(m +
n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(
(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/
2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2,
n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]

```

Rubi steps

$$\begin{aligned}
\int x^5 \sqrt{-c+dx} \sqrt{c+dx} (a+bx^2) dx &= \frac{bx^6(-c+dx)^{3/2}(c+dx)^{3/2}}{9d^2} + \frac{1}{3} \left(3a + \frac{2bc^2}{d^2} \right) \int x^5 \sqrt{-c+dx} \sqrt{c+dx} dx \\
&= \frac{(2bc^2 + 3ad^2)x^4(-c+dx)^{3/2}(c+dx)^{3/2}}{21d^4} + \frac{bx^6(-c+dx)^{3/2}(c+dx)^{3/2}}{9d^2} + \frac{1}{3} \left(3a + \frac{2bc^2}{d^2} \right) \int x^5 \sqrt{-c+dx} \sqrt{c+dx} dx \\
&= \frac{(2bc^2 + 3ad^2)x^4(-c+dx)^{3/2}(c+dx)^{3/2}}{21d^4} + \frac{bx^6(-c+dx)^{3/2}(c+dx)^{3/2}}{9d^2} + \frac{1}{3} \left(3a + \frac{2bc^2}{d^2} \right) \int x^5 \sqrt{-c+dx} \sqrt{c+dx} dx \\
&= \frac{4c^2(2bc^2 + 3ad^2)x^2(-c+dx)^{3/2}(c+dx)^{3/2}}{105d^6} + \frac{(2bc^2 + 3ad^2)x^4(-c+dx)^{3/2}(c+dx)^{3/2}}{21d^4} + \frac{1}{3} \left(3a + \frac{2bc^2}{d^2} \right) \int x^5 \sqrt{-c+dx} \sqrt{c+dx} dx \\
&= \frac{4c^2(2bc^2 + 3ad^2)x^2(-c+dx)^{3/2}(c+dx)^{3/2}}{105d^6} + \frac{(2bc^2 + 3ad^2)x^4(-c+dx)^{3/2}(c+dx)^{3/2}}{21d^4} + \frac{1}{3} \left(3a + \frac{2bc^2}{d^2} \right) \int x^5 \sqrt{-c+dx} \sqrt{c+dx} dx \\
&= \frac{8c^4(2bc^2 + 3ad^2)(-c+dx)^{3/2}(c+dx)^{3/2}}{315d^8} + \frac{4c^2(2bc^2 + 3ad^2)x^2(-c+dx)^{3/2}(c+dx)^{3/2}}{105d^6} + \frac{1}{3} \left(3a + \frac{2bc^2}{d^2} \right) \int x^5 \sqrt{-c+dx} \sqrt{c+dx} dx
\end{aligned}$$

Mathematica [A] time = 0.10, size = 110, normalized size = 0.72

$$\frac{\sqrt{dx-c} \sqrt{c+dx} (d^2x^2 - c^2) (3ad^2 (8c^4 + 12c^2d^2x^2 + 15d^4x^4) + b (16c^6 + 24c^4d^2x^2 + 30c^2d^4x^4 + 35d^6x^6))}{315d^8}$$

Antiderivative was successfully verified.

[In] Integrate[x^5*Sqrt[-c+d*x]*Sqrt[c+d*x]*(a+b*x^2),x]

[Out] (Sqrt[-c+d*x]*Sqrt[c+d*x]*(-c^2+d^2*x^2)*(3*a*d^2*(8*c^4+12*c^2*d^2*x^2+15*d^4*x^4)+b*(16*c^6+24*c^4*d^2*x^2+30*c^2*d^4*x^4+35*d^6*x^6)))/(315*d^8)

IntegrateAlgebraic [B] time = 0.22, size = 340, normalized size = 2.24

$$\frac{8(dx-c)^{3/2} \left(-\frac{126ac^7d^2(dx-c)}{c+dx} + \frac{279ac^7d^2(dx-c)^2}{(c+dx)^2} - \frac{516ac^7d^2(dx-c)^3}{(c+dx)^3} + \frac{279ac^7d^2(dx-c)^4}{(c+dx)^4} - \frac{126ac^7d^2(dx-c)^5}{(c+dx)^5} + \frac{105ac^7d^2(dx-c)^6}{(c+dx)^6} + 105ac^7d^2 + \frac{126bc^9(dx-c)}{c+dx} + \frac{711bc^9(dx-c)^2}{(c+dx)^2} + \frac{356bc^9(dx-c)^3}{(c+dx)^3} + \frac{711bc^9(dx-c)^4}{(c+dx)^4} + \frac{126bc^9(dx-c)^5}{(c+dx)^5} + \frac{105bc^9(dx-c)^6}{(c+dx)^6} + 105bc^9 \right)}{315d^8(c+dx)^{3/2} \left(\frac{dx-c}{c+dx} - 1 \right)^9}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^5*sqrt[-c + d*x]*sqrt[c + d*x]*(a + b*x^2),x]

[Out]
$$\frac{(-8*(-c + d*x)^{(3/2)}*(105*b*c^9 + 105*a*c^7*d^2 + (105*b*c^9*(-c + d*x)^6)/(c + d*x)^6 + (105*a*c^7*d^2*(-c + d*x)^6)/(c + d*x)^6 + (126*b*c^9*(-c + d*x)^5)/(c + d*x)^5 - (126*a*c^7*d^2*(-c + d*x)^5)/(c + d*x)^5 + (711*b*c^9*(-c + d*x)^4)/(c + d*x)^4 + (279*a*c^7*d^2*(-c + d*x)^4)/(c + d*x)^4 + (356*b*c^9*(-c + d*x)^3)/(c + d*x)^3 - (516*a*c^7*d^2*(-c + d*x)^3)/(c + d*x)^3 + (711*b*c^9*(-c + d*x)^2)/(c + d*x)^2 + (279*a*c^7*d^2*(-c + d*x)^2)/(c + d*x)^2 + (126*b*c^9*(-c + d*x))/(c + d*x) - (126*a*c^7*d^2*(-c + d*x))/(c + d*x)))/(315*d^8*(c + d*x)^{(3/2)}*(-1 + (-c + d*x)/(c + d*x))^9}$$

fricas [A] time = 0.96, size = 114, normalized size = 0.75

$$\frac{(35bd^8x^8 - 16bc^8 - 24ac^6d^2 - 5(bc^2d^6 - 9ad^8)x^6 - 3(2bc^4d^4 + 3ac^2d^6)x^4 - 4(2bc^6d^2 + 3ac^4d^4)x^2)\sqrt{dx+c}\sqrt{dx-c}}{315d^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2),x, algorithm="fricas")

[Out]
$$\frac{1}{315}*(35*b*d^8*x^8 - 16*b*c^8 - 24*a*c^6*d^2 - 5*(b*c^2*d^6 - 9*a*d^8)*x^6 - 3*(2*b*c^4*d^4 + 3*a*c^2*d^6)*x^4 - 4*(2*b*c^6*d^2 + 3*a*c^4*d^4)*x^2)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c)/d^8$$

giac [B] time = 0.76, size = 621, normalized size = 4.09

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2),x, algorithm="giac")

[Out]
$$\frac{1}{40320}*(168*((2*((d*x + c))*(4*(d*x + c))*(5*(d*x + c)/d^5 - 31*c/d^5) + 321*c^2/d^5) - 451*c^3/d^5)*(d*x + c) + 745*c^4/d^5)*(d*x + c) - 405*c^5/d^5)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c) - 150*c^6*\log(\text{abs}(-\text{sqrt}(d*x + c) + \text{sqrt}(d*x - c)))/d^5)*a*c + 3*((2*((4*(5*(d*x + c))*(6*(d*x + c))*(7*(d*x + c)/d^7 - 57*c/d^7) + 1219*c^2/d^7) - 12463*c^3/d^7)*(d*x + c) + 64233*c^4/d^7)*(d*x + c) - 53963*c^5/d^7)*(d*x + c) + 59465*c^6/d^7)*(d*x + c) - 23205*c^7/d^7)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c) - 7350*c^8*\log(\text{abs}(-\text{sqrt}(d*x + c) + \text{sqrt}(d*x - c)))/d^7)*b*c + 24*((2*((4*(d*x + c))*(5*(d*x + c))*(6*(d*x + c)/d^6 - 43*c/d^6) + 661*c^2/d^6) - 4551*c^3/d^6)*(d*x + c) + 4781*c^4/d^6)*(d*x + c) - 6335*c^5/d^6)*(d*x + c) + 2835*c^6/d^6)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c) + 1050*c^7*\log(\text{abs}(-\text{sqrt}(d*x + c) + \text{sqrt}(d*x - c)))/d^6)*a*d + (((2*((4*(5*(2*(d*x + c))*(7*(d*x + c))*(8*(d*x + c)/d^8 - 73*c/d^8) + 2073*c^2/d^8) - 9833*c^3/d^8)*(d*x + c) + 75293*c^4/d^8)*(d*x + c) - 310203*c^5/d^8)*(d*x + c) + 216993$$

$*c^6/d^8)*(d*x + c) - 205275*c^7/d^8)*(d*x + c) + 69615*c^8/d^8)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c) + 22050*c^9*\log(\text{abs}(-\text{sqrt}(d*x + c) + \text{sqrt}(d*x - c)))/d^8)*b*d)/d$

maple [A] time = 0.04, size = 92, normalized size = 0.61

$$\frac{(dx + c)^{\frac{3}{2}} (35b x^6 d^6 + 45a d^6 x^4 + 30b c^2 d^4 x^4 + 36a c^2 d^4 x^2 + 24b c^4 d^2 x^2 + 24a c^4 d^2 + 16b c^6) (dx - c)^{\frac{3}{2}}}{315d^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2), x)`

[Out] $1/315*(d*x+c)^{(3/2)}*(35*b*d^6*x^6+45*a*d^6*x^4+30*b*c^2*d^4*x^4+36*a*c^2*d^4*x^2+24*b*c^4*d^2*x^2+24*a*c^4*d^2+16*b*c^6)*(d*x-c)^{(3/2)}/d^8$

maxima [A] time = 0.50, size = 178, normalized size = 1.17

$$\frac{(d^2x^2 - c^2)^{\frac{3}{2}}bx^6}{9d^2} + \frac{2(d^2x^2 - c^2)^{\frac{3}{2}}bc^2x^4}{21d^4} + \frac{(d^2x^2 - c^2)^{\frac{3}{2}}ax^4}{7d^2} + \frac{8(d^2x^2 - c^2)^{\frac{3}{2}}bc^4x^2}{105d^6} + \frac{4(d^2x^2 - c^2)^{\frac{3}{2}}ac^2x^2}{35d^4} + \frac{16(d^2x^2 - c^2)^{\frac{3}{2}}bc^6}{315d^8} + \frac{8(d^2x^2 - c^2)^{\frac{3}{2}}ac^4}{105d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2), x, algorithm="maxima")`

[Out] $1/9*(d^2*x^2 - c^2)^{(3/2)}*b*x^6/d^2 + 2/21*(d^2*x^2 - c^2)^{(3/2)}*b*c^2*x^4/d^4 + 1/7*(d^2*x^2 - c^2)^{(3/2)}*a*x^4/d^2 + 8/105*(d^2*x^2 - c^2)^{(3/2)}*b*c^4*x^2/d^6 + 4/35*(d^2*x^2 - c^2)^{(3/2)}*a*c^2*x^2/d^4 + 16/315*(d^2*x^2 - c^2)^{(3/2)}*b*c^6/d^8 + 8/105*(d^2*x^2 - c^2)^{(3/2)}*a*c^4/d^6$

mupad [B] time = 1.76, size = 152, normalized size = 1.00

$$-\sqrt{dx-c} \left(\frac{(16bc^8 + 24ac^6d^2)\sqrt{c+dx}}{315d^8} - \frac{bx^8\sqrt{c+dx}}{9} + \frac{x^4(6bc^4d^4 + 9a^2d^6)\sqrt{c+dx}}{315d^8} + \frac{x^2(8bc^6d^2 + 12ac^4d^4)\sqrt{c+dx}}{315d^8} - \frac{x^6(45ad^8 - 5b^2d^6)\sqrt{c+dx}}{315d^8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(a + b*x^2)*(c + d*x)^(1/2)*(d*x - c)^(1/2), x)`

[Out] $-(d*x - c)^{(1/2)}*(((16*b*c^8 + 24*a*c^6*d^2)*(c + d*x)^{(1/2)})/(315*d^8) - (b*x^8*(c + d*x)^{(1/2)})/9 + (x^4*(9*a*c^2*d^6 + 6*b*c^4*d^4)*(c + d*x)^{(1/2)})/(315*d^8) + (x^2*(12*a*c^4*d^4 + 8*b*c^6*d^2)*(c + d*x)^{(1/2)})/(315*d^8) - (x^6*(45*a*d^8 - 5*b*c^2*d^6)*(c + d*x)^{(1/2)})/(315*d^8))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^5 (a + bx^2) \sqrt{-c + dx} \sqrt{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*(b*x**2+a)*(d*x-c)**(1/2)*(d*x+c)**(1/2), x)
```

```
[Out] Integral(x**5*(a + b*x**2)*sqrt(-c + d*x)*sqrt(c + d*x), x)
```

3.195 $\int x^3 \sqrt{-c + dx} \sqrt{c + dx} (a + bx^2) dx$

Optimal. Leaf size=109

$$\frac{(dx - c)^{5/2}(c + dx)^{5/2} (ad^2 + 2bc^2)}{5d^6} + \frac{c^2(dx - c)^{3/2}(c + dx)^{3/2} (ad^2 + bc^2)}{3d^6} + \frac{b(dx - c)^{7/2}(c + dx)^{7/2}}{7d^6}$$

Rubi [A] time = 0.09, antiderivative size = 118, normalized size of antiderivative = 1.08, number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {460, 100, 12, 74}

$$\frac{x^2(dx - c)^{3/2}(c + dx)^{3/2} (7ad^2 + 4bc^2)}{35d^4} + \frac{2c^2(dx - c)^{3/2}(c + dx)^{3/2} (7ad^2 + 4bc^2)}{105d^6} + \frac{bx^4(dx - c)^{3/2}(c + dx)^{3/2}}{7d^2}$$

Antiderivative was successfully verified.

[In] Int[x^3*Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2), x]

[Out] (2*c^2*(4*b*c^2 + 7*a*d^2)*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(105*d^6) + ((4*b*c^2 + 7*a*d^2)*x^2*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(35*d^4) + (b*x^4*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(7*d^2)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 74

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]

Rule 100

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 1)), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

Rule 460

```
Int[((e._)*(x_))^(m._)*((a1_) + (b1._)*(x_)^(non2_.))^(p._)*((a2_) + (b2_.)
*(x_)^(non2_.))^(p._)*((c_) + (d._)*(x_)^(n_)), x_Symbol] := Simp[(d*(e*x)^(
(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*e*(m +
n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/
(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^(m*(a1 + b1*x^(n/2))^(p*(a2 + b2*x^(n/
2))^(p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2,
n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rubi steps

$$\begin{aligned} \int x^3 \sqrt{-c + dx} \sqrt{c + dx} (a + bx^2) dx &= \frac{bx^4(-c + dx)^{3/2}(c + dx)^{3/2}}{7d^2} - \frac{1}{7} \left(-7a - \frac{4bc^2}{d^2} \right) \int x^3 \sqrt{-c + dx} \sqrt{c + dx} dx \\ &= \frac{(4bc^2 + 7ad^2)x^2(-c + dx)^{3/2}(c + dx)^{3/2}}{35d^4} + \frac{bx^4(-c + dx)^{3/2}(c + dx)^{3/2}}{7d^2} + \\ &= \frac{(4bc^2 + 7ad^2)x^2(-c + dx)^{3/2}(c + dx)^{3/2}}{35d^4} + \frac{bx^4(-c + dx)^{3/2}(c + dx)^{3/2}}{7d^2} + \\ &= \frac{2c^2(4bc^2 + 7ad^2)(-c + dx)^{3/2}(c + dx)^{3/2}}{105d^6} + \frac{(4bc^2 + 7ad^2)x^2(-c + dx)^{3/2}}{35d^4} \end{aligned}$$

Mathematica [A] time = 0.06, size = 88, normalized size = 0.81

$$\frac{\sqrt{dx - c} \sqrt{c + dx} (d^2 x^2 - c^2) (7ad^2 (2c^2 + 3d^2 x^2) + b(8c^4 + 12c^2 d^2 x^2 + 15d^4 x^4))}{105d^6}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2), x]

[Out] (Sqrt[-c + d*x]*Sqrt[c + d*x]*(-c^2 + d^2*x^2)*(7*a*d^2*(2*c^2 + 3*d^2*x^2) + b*(8*c^4 + 12*c^2*d^2*x^2 + 15*d^4*x^4)))/(105*d^6)

IntegrateAlgebraic [B] time = 0.18, size = 246, normalized size = 2.26

$$\frac{8(dx - c)^{3/2} \left(-\frac{56ac^5 d^2 (dx - c)}{c + dx} + \frac{42ac^5 d^2 (dx - c)^2}{(c + dx)^2} - \frac{56ac^5 d^2 (dx - c)^3}{(c + dx)^3} + \frac{35ac^5 d^2 (dx - c)^4}{(c + dx)^4} + 35ac^5 d^2 + \frac{28bc^7 (dx - c)}{c + dx} + \frac{114bc^7 (dx - c)^2}{(c + dx)^2} + \frac{28bc^7 (dx - c)^3}{(c + dx)^3} + \frac{35bc^7 (dx - c)^4}{(c + dx)^4} + 35bc^7 \right)}{105d^6 (c + dx)^{3/2} \left(\frac{dx - c}{c + dx} - 1 \right)^7}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^3*Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2), x]

[Out] $(-8*(-c + dx)^{(3/2)}*(35*b*c^7 + 35*a*c^5*d^2 + (35*b*c^7*(-c + dx)^4)/(c + dx)^4 + (35*a*c^5*d^2*(-c + dx)^4)/(c + dx)^4 + (28*b*c^7*(-c + dx)^3)/(c + dx)^3 - (56*a*c^5*d^2*(-c + dx)^3)/(c + dx)^3 + (114*b*c^7*(-c + dx)^2)/(c + dx)^2 + (42*a*c^5*d^2*(-c + dx)^2)/(c + dx)^2 + (28*b*c^7*(-c + dx))/(c + dx) - (56*a*c^5*d^2*(-c + dx))/(c + dx))/(105*d^6*(c + dx)^{(3/2)}*(-1 + (-c + dx)/(c + dx))^7)$

fricas [A] time = 0.82, size = 90, normalized size = 0.83

$$\frac{(15bd^6x^6 - 8bc^6 - 14ac^4d^2 - 3(bc^2d^4 - 7ad^6)x^4 - (4bc^4d^2 + 7ac^2d^4)x^2)\sqrt{dx+c}\sqrt{dx-c}}{105d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2),x, algorithm="fricas")`

[Out] $1/105*(15*b*d^6*x^6 - 8*b*c^6 - 14*a*c^4*d^2 - 3*(b*c^2*d^4 - 7*a*d^6)*x^4 - (4*b*c^4*d^2 + 7*a*c^2*d^4)*x^2)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c)/d^6$

giac [B] time = 0.75, size = 495, normalized size = 4.54

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2),x, algorithm="giac")`

[Out] $1/1680*(70*(((d*x + c)*(2*(d*x + c)*(3*(d*x + c)/d^3 - 13*c/d^3) + 43*c^2/d^3) - 39*c^3/d^3)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c) - 18*c^4*\log(\text{abs}(-\text{sqrt}(d*x + c) + \text{sqrt}(d*x - c)))/d^3)*a*c + 7*(((2*((d*x + c)*(4*(d*x + c)*(5*(d*x + c)/d^5 - 31*c/d^5) + 321*c^2/d^5) - 451*c^3/d^5)*(d*x + c) + 745*c^4/d^5)*(d*x + c) - 405*c^5/d^5)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c) - 150*c^6*\log(\text{abs}(-\text{sqrt}(d*x + c) + \text{sqrt}(d*x - c)))/d^5)*b*c + 14*(((2*(d*x + c)*(3*(d*x + c)*(4*(d*x + c)/d^4 - 21*c/d^4) + 133*c^2/d^4) - 295*c^3/d^4)*(d*x + c) + 195*c^4/d^4)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c) + 90*c^5*\log(\text{abs}(-\text{sqrt}(d*x + c) + \text{sqrt}(d*x - c)))/d^4)*a*d + (((2*((4*(d*x + c)*(5*(d*x + c)*(6*(d*x + c)/d^6 - 43*c/d^6) + 661*c^2/d^6) - 4551*c^3/d^6)*(d*x + c) + 4781*c^4/d^6)*(d*x + c) - 6335*c^5/d^6)*(d*x + c) + 2835*c^6/d^6)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c) + 1050*c^7*\log(\text{abs}(-\text{sqrt}(d*x + c) + \text{sqrt}(d*x - c)))/d^6)*b*d)/d$

maple [A] time = 0.05, size = 68, normalized size = 0.62

$$\frac{(dx + c)^{\frac{3}{2}} (15b d^4 x^4 + 21a d^4 x^2 + 12b c^2 d^2 x^2 + 14a c^2 d^2 + 8b c^4) (dx - c)^{\frac{3}{2}}}{105d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2),x)`

[Out] $\frac{1}{105}(d*x+c)^{(3/2)}*(15*b*d^4*x^4+21*a*d^4*x^2+12*b*c^2*d^2*x^2+14*a*c^2*d^2+8*b*c^4)*(d*x-c)^{(3/2)}/d^6$

maxima [A] time = 0.50, size = 124, normalized size = 1.14

$$\frac{(d^2x^2 - c^2)^{\frac{3}{2}}bx^4}{7d^2} + \frac{4(d^2x^2 - c^2)^{\frac{3}{2}}bc^2x^2}{35d^4} + \frac{(d^2x^2 - c^2)^{\frac{3}{2}}ax^2}{5d^2} + \frac{8(d^2x^2 - c^2)^{\frac{3}{2}}bc^4}{105d^6} + \frac{2(d^2x^2 - c^2)^{\frac{3}{2}}ac^2}{15d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] $\frac{1}{7}(d^2*x^2 - c^2)^{(3/2)}*b*x^4/d^2 + \frac{4}{35}(d^2*x^2 - c^2)^{(3/2)}*b*c^2*x^2/d^4 + \frac{1}{5}(d^2*x^2 - c^2)^{(3/2)}*a*x^2/d^2 + \frac{8}{105}(d^2*x^2 - c^2)^{(3/2)}*b*c^4/d^6 + \frac{2}{15}(d^2*x^2 - c^2)^{(3/2)}*a*c^2/d^4$

mupad [B] time = 1.74, size = 118, normalized size = 1.08

$$-\sqrt{dx-c} \left(\frac{(8bc^6 + 14ac^4d^2)\sqrt{c+dx}}{105d^6} - \frac{bx^6\sqrt{c+dx}}{7} + \frac{x^2(4bc^4d^2 + 7ac^2d^4)\sqrt{c+dx}}{105d^6} - \frac{x^4(21ad^6 - 3bc^2d^4)\sqrt{c+dx}}{105d^6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*x^2)*(c + d*x)^(1/2)*(d*x - c)^(1/2),x)`

[Out] $-(d*x - c)^{(1/2)}*(((8*b*c^6 + 14*a*c^4*d^2)*(c + d*x)^{(1/2)})/(105*d^6) - (b*x^6*(c + d*x)^{(1/2)})/7 + (x^2*(7*a*c^2*d^4 + 4*b*c^4*d^2)*(c + d*x)^{(1/2)})/(105*d^6) - (x^4*(21*a*d^6 - 3*b*c^2*d^4)*(c + d*x)^{(1/2)})/(105*d^6))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 (a + bx^2) \sqrt{-c + dx} \sqrt{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(b*x**2+a)*(d*x-c)**(1/2)*(d*x+c)**(1/2),x)`

[Out] `Integral(x**3*(a + b*x**2)*sqrt(-c + d*x)*sqrt(c + d*x), x)`

$$3.196 \quad \int x\sqrt{-c+dx}\sqrt{c+dx}(a+bx^2)dx$$

Optimal. Leaf size=67

$$\frac{(dx-c)^{3/2}(c+dx)^{3/2}(ad^2+bc^2)}{3d^4} + \frac{b(dx-c)^{5/2}(c+dx)^{5/2}}{5d^4}$$

Rubi [A] time = 0.04, antiderivative size = 72, normalized size of antiderivative = 1.07, number of steps used = 2, number of rules used = 2, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$, Rules used = {460, 74}

$$\frac{(dx-c)^{3/2}(c+dx)^{3/2}(5ad^2+2bc^2)}{15d^4} + \frac{bx^2(dx-c)^{3/2}(c+dx)^{3/2}}{5d^2}$$

Antiderivative was successfully verified.

[In] Int[x*Sqrt[-c+d*x]*Sqrt[c+d*x]*(a+b*x^2),x]

[Out] ((2*b*c^2+5*a*d^2)*(-c+d*x)^(3/2)*(c+d*x)^(3/2))/(15*d^4)+(b*x^2*(-c+d*x)^(3/2)*(c+d*x)^(3/2))/(5*d^2)

Rule 74

Int[((a_.)+(b_.)*(x_))*((c_.)+(d_.)*(x_))^(n_.)*((e_.)+(f_.)*(x_))^(p_.), x_Symbol] :> Simp[(b*(c+d*x)^(n+1)*(e+f*x)^(p+1))/(d*f*(n+p+2)), x] /; FreeQ[{a,b,c,d,e,f,n,p},x] && NeQ[n+p+2,0] && EqQ[a*d*f*(n+p+2)-b*(d*e*(n+1)+c*f*(p+1)),0]

Rule 460

Int[((e_.)*(x_))^(m_.)*((a1_.)+(b1_.)*(x_)^(non2_.))^(p_.)*((a2_.)+(b2_.)*(x_)^(non2_.))^(p_.)*((c_.)+(d_.)*(x_)^(n_.)), x_Symbol] :> Simp[(d*(e*x)^(m+1)*(a1+b1*x^(n/2))^(p+1)*(a2+b2*x^(n/2))^(p+1))/(b1*b2*e*(m+n*(p+1)+1)), x] - Dist[(a1*a2*d*(m+1)-b1*b2*c*(m+n*(p+1)+1))/(b1*b2*(m+n*(p+1)+1)), Int[(e*x)^m*(a1+b1*x^(n/2))^p*(a2+b2*x^(n/2))^p, x], x] /; FreeQ[{a1,b1,a2,b2,c,d,e,m,n,p},x] && EqQ[non2, n/2] && EqQ[a2*b1+a1*b2,0] && NeQ[m+n*(p+1)+1,0]

Rubi steps

$$\begin{aligned} \int x\sqrt{-c+dx}\sqrt{c+dx}(a+bx^2)dx &= \frac{bx^2(-c+dx)^{3/2}(c+dx)^{3/2}}{5d^2} - \frac{1}{5} \left(-5a - \frac{2bc^2}{d^2} \right) \int x\sqrt{-c+dx}\sqrt{c+dx}dx \\ &= \frac{(2bc^2+5ad^2)(-c+dx)^{3/2}(c+dx)^{3/2}}{15d^4} + \frac{bx^2(-c+dx)^{3/2}(c+dx)^{3/2}}{5d^2} \end{aligned}$$

Mathematica [A] time = 0.05, size = 62, normalized size = 0.93

$$\frac{\sqrt{dx-c}\sqrt{c+dx}\left(d^2x^2-c^2\right)\left(5ad^2+2bc^2+3bd^2x^2\right)}{15d^4}$$

Antiderivative was successfully verified.

[In] Integrate[x*Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2), x]

[Out] (Sqrt[-c + d*x]*Sqrt[c + d*x]*(-c^2 + d^2*x^2)*(2*b*c^2 + 5*a*d^2 + 3*b*d^2*x^2))/(15*d^4)

IntegrateAlgebraic [B] time = 0.14, size = 152, normalized size = 2.27

$$\frac{8(dx-c)^{3/2}\left(-\frac{10ac^3d^2(dx-c)}{c+dx} + \frac{5ac^3d^2(dx-c)^2}{(c+dx)^2} + 5ac^3d^2 + \frac{2bc^5(dx-c)}{c+dx} + \frac{5bc^5(dx-c)^2}{(c+dx)^2} + 5bc^5\right)}{15d^4(c+dx)^{3/2}\left(\frac{dx-c}{c+dx} - 1\right)^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x*Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2), x]

[Out] (-8*(-c + d*x)^(3/2)*(5*b*c^5 + 5*a*c^3*d^2 + (5*b*c^5*(-c + d*x)^2)/(c + d*x)^2 + (5*a*c^3*d^2*(-c + d*x)^2)/(c + d*x)^2 + (2*b*c^5*(-c + d*x))/(c + d*x) - (10*a*c^3*d^2*(-c + d*x))/(c + d*x)))/(15*d^4*(c + d*x)^(3/2)*(-1 + (-c + d*x)/(c + d*x))^5)

fricas [A] time = 0.63, size = 66, normalized size = 0.99

$$\frac{\left(3bd^4x^4 - 2bc^4 - 5ac^2d^2 - (bc^2d^2 - 5ad^4)x^2\right)\sqrt{dx+c}\sqrt{dx-c}}{15d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2), x, algorithm="fricas")

[Out] 1/15*(3*b*d^4*x^4 - 2*b*c^4 - 5*a*c^2*d^2 - (b*c^2*d^2 - 5*a*d^4)*x^2)*sqrt(d*x + c)*sqrt(d*x - c)/d^4

giac [B] time = 0.37, size = 361, normalized size = 5.39

$$\frac{5\left(\left(dx+c\right)\left(2\left(dx+c\right)\left(\frac{3bd^4x^4}{d^4}-\frac{2bc^4}{d^4}\right)+\frac{5ac^2d^2}{d^4}\right)\sqrt{dx+c}\sqrt{dx-c}-\frac{5a^2\log\left|\frac{\sqrt{dx+c}\sqrt{dx-c}}{d}\right|}{d^4}\right)+20\left(\sqrt{dx+c}\sqrt{dx-c}\left(dx+c\left(\frac{3bd^4x^4}{d^4}-\frac{2bc^4}{d^4}\right)+\frac{5ac^2d^2}{d^4}\right)+\frac{5a^2\log\left|\frac{\sqrt{dx+c}\sqrt{dx-c}}{d}\right|}{d^4}\right)}{120d^4}+2\left(\left(2\left(dx+c\right)\left(3\left(dx+c\right)\left(\frac{3bd^4x^4}{d^4}-\frac{2bc^4}{d^4}\right)+\frac{5ac^2d^2}{d^4}\right)\sqrt{dx+c}\sqrt{dx-c}+\frac{5a^2\log\left|\frac{\sqrt{dx+c}\sqrt{dx-c}}{d}\right|}{d^4}\right)\sqrt{dx+c}\sqrt{dx-c}\right)+\frac{5a^2\log\left|\frac{\sqrt{dx+c}\sqrt{dx-c}}{d}\right|}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2), x, algorithm="giac")

[Out] $\frac{1}{120} * (5 * (((d*x + c) * (2 * (d*x + c) * (3 * (d*x + c) / d^3 - 13 * c / d^3) + 43 * c^2 / d^3) - 39 * c^3 / d^3) * \sqrt{d*x + c} * \sqrt{d*x - c} - 18 * c^4 * \log(\text{abs}(-\sqrt{d*x + c} + \sqrt{d*x - c}))) / d^3) * b * c + 20 * (\sqrt{d*x + c} * \sqrt{d*x - c} * ((d*x + c) * (2 * (d*x + c) / d^2 - 7 * c / d^2) + 9 * c^2 / d^2) + 6 * c^3 * \log(\text{abs}(-\sqrt{d*x + c} + \sqrt{d*x - c}))) / d^2) * a * d + (((2 * (d*x + c) * (3 * (d*x + c) * (4 * (d*x + c) / d^4 - 21 * c / d^4) + 133 * c^2 / d^4) - 295 * c^3 / d^4) * (d*x + c) + 195 * c^4 / d^4) * \sqrt{d*x + c} * \sqrt{d*x - c} + 90 * c^5 * \log(\text{abs}(-\sqrt{d*x + c} + \sqrt{d*x - c}))) / d^4) * b * d - 60 * (2 * c^2 * \log(\text{abs}(-\sqrt{d*x + c} + \sqrt{d*x - c}))) - \sqrt{d*x + c} * \sqrt{d*x - c} * (d*x - 2 * c)) * a * c / d) / d$

maple [A] time = 0.05, size = 44, normalized size = 0.66

$$\frac{(dx + c)^{\frac{3}{2}} (3b d^2 x^2 + 5a d^2 + 2b c^2) (dx - c)^{\frac{3}{2}}}{15d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2),x)`

[Out] $\frac{1}{15} * (d*x+c)^{(3/2)} * (3*b*d^2*x^2+5*a*d^2+2*b*c^2) * (d*x-c)^{(3/2)} / d^4$

maxima [A] time = 0.62, size = 70, normalized size = 1.04

$$\frac{(d^2x^2 - c^2)^{\frac{3}{2}} b x^2}{5d^2} + \frac{2(d^2x^2 - c^2)^{\frac{3}{2}} b c^2}{15d^4} + \frac{(d^2x^2 - c^2)^{\frac{3}{2}} a}{3d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] $\frac{1}{5} * (d^2*x^2 - c^2)^{(3/2)} * b * x^2 / d^2 + \frac{2}{15} * (d^2*x^2 - c^2)^{(3/2)} * b * c^2 / d^4 + \frac{1}{3} * (d^2*x^2 - c^2)^{(3/2)} * a / d^2$

mupad [B] time = 1.64, size = 83, normalized size = 1.24

$$\sqrt{dx - c} \left(\frac{b x^4 \sqrt{c + dx}}{5} - \frac{(2 b c^4 + 5 a c^2 d^2) \sqrt{c + dx}}{15 d^4} + \frac{x^2 (5 a d^4 - b c^2 d^2) \sqrt{c + dx}}{15 d^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + b*x^2)*(c + d*x)^(1/2)*(d*x - c)^(1/2),x)`

[Out] $(d*x - c)^{(1/2)} * ((b*x^4*(c + d*x)^{(1/2)})/5 - ((2*b*c^4 + 5*a*c^2*d^2)*(c + d*x)^{(1/2)})/(15*d^4) + (x^2*(5*a*d^4 - b*c^2*d^2)*(c + d*x)^{(1/2)})/(15*d^4))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x (a + bx^2) \sqrt{-c + dx} \sqrt{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(b*x**2+a)*(d*x-c)**(1/2)*(d*x+c)**(1/2), x)`

[Out] `Integral(x*(a + b*x**2)*sqrt(-c + d*x)*sqrt(c + d*x), x)`

$$3.197 \quad \int \frac{\sqrt{-c+dx} \sqrt{c+dx} (a+bx^2)}{x} dx$$

Optimal. Leaf size=80

$$a\sqrt{dx-c}\sqrt{c+dx} - ac \tan^{-1}\left(\frac{\sqrt{dx-c}\sqrt{c+dx}}{c}\right) + \frac{b(dx-c)^{3/2}(c+dx)^{3/2}}{3d^2}$$

Rubi [A] time = 0.08, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {460, 101, 12, 92, 205}

$$a\sqrt{dx-c}\sqrt{c+dx} - ac \tan^{-1}\left(\frac{\sqrt{dx-c}\sqrt{c+dx}}{c}\right) + \frac{b(dx-c)^{3/2}(c+dx)^{3/2}}{3d^2}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2))/x,x]

[Out] a*Sqrt[-c + d*x]*Sqrt[c + d*x] + (b*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(3*d^2) - a*c*ArcTan[(Sqrt[-c + d*x]*Sqrt[c + d*x])/c]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 92

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 101

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] := Simp[((a + b*x)^m*(c + d*x)^n*(e + f*x)^(p + 1))/(f*(m + n + p + 1)), x] - Dist[1/(f*(m + n + p + 1)), Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[c*m*(b*e - a*f) + a*n*(d*e - c*f) + (d*m*(b*e - a*f) + b*n*(d*e - c*f))*x, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && GtQ[m, 0] && GtQ[n, 0] && NeQ[m + n + p + 1, 0] && (IntegersQ[2*m, 2*n, 2*p] || (IntegersQ[m, n + p] || IntegersQ[p, m + n]))

Rule 205

`Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 460

`Int[((e_)*(x_))^(m_)*((a1_) + (b1_)*(x_)^(non2_))^(p_)*((a2_) + (b2_)*(x_)^(non2_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*e*(m + n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]`

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{-c+dx}\sqrt{c+dx}(a+bx^2)}{x} dx &= \frac{b(-c+dx)^{3/2}(c+dx)^{3/2}}{3d^2} + a \int \frac{\sqrt{-c+dx}\sqrt{c+dx}}{x} dx \\
 &= a\sqrt{-c+dx}\sqrt{c+dx} + \frac{b(-c+dx)^{3/2}(c+dx)^{3/2}}{3d^2} - a \int \frac{c^2}{x\sqrt{-c+dx}\sqrt{c+dx}} dx \\
 &= a\sqrt{-c+dx}\sqrt{c+dx} + \frac{b(-c+dx)^{3/2}(c+dx)^{3/2}}{3d^2} - (ac^2) \int \frac{1}{x\sqrt{-c+dx}\sqrt{c+dx}} dx \\
 &= a\sqrt{-c+dx}\sqrt{c+dx} + \frac{b(-c+dx)^{3/2}(c+dx)^{3/2}}{3d^2} - (ac^2d) \operatorname{Subst}\left(\int \frac{1}{c^2d+u} du, \frac{\sqrt{-c+dx}\sqrt{c+dx}}{c}\right) \\
 &= a\sqrt{-c+dx}\sqrt{c+dx} + \frac{b(-c+dx)^{3/2}(c+dx)^{3/2}}{3d^2} - ac \tan^{-1}\left(\frac{\sqrt{-c+dx}\sqrt{c+dx}}{c}\right)
 \end{aligned}$$

Mathematica [A] time = 0.24, size = 85, normalized size = 1.06

$$\frac{1}{3} \sqrt{dx-c}\sqrt{c+dx} \left(-\frac{3ac \tan^{-1}\left(\frac{\sqrt{d^2x^2-c^2}}{c}\right)}{\sqrt{d^2x^2-c^2}} + 3a + b\left(x^2 - \frac{c^2}{d^2}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2))/x, x]

[Out] (Sqrt[-c + d*x]*Sqrt[c + d*x]*(3*a + b*(-(c^2/d^2) + x^2) - (3*a*c*ArcTan[Sqrt[-c^2 + d^2*x^2]/c]))/Sqrt[-c^2 + d^2*x^2])/3

IntegrateAlgebraic [B] time = 0.13, size = 161, normalized size = 2.01

$$\frac{2 \left(\frac{3acd^2 \sqrt{dx-c}}{\sqrt{c+dx}} - \frac{6acd^2(dx-c)^{3/2}}{(c+dx)^{3/2}} + \frac{3acd^2(dx-c)^{5/2}}{(c+dx)^{5/2}} + \frac{4bc^3(dx-c)^{3/2}}{(c+dx)^{3/2}} \right)}{3d^2 \left(\frac{dx-c}{c+dx} - 1 \right)^3} - 2ac \tan^{-1} \left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}} \right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2))/x,x]

[Out] (-2*((3*a*c*d^2*(-c + d*x)^(5/2))/(c + d*x)^(5/2) + (4*b*c^3*(-c + d*x)^(3/2))/(c + d*x)^(3/2) - (6*a*c*d^2*(-c + d*x)^(3/2))/(c + d*x)^(3/2) + (3*a*c*d^2*Sqrt[-c + d*x])/Sqrt[c + d*x]))/(3*d^2*(-1 + (-c + d*x)/(c + d*x))^3) - 2*a*c*ArcTan[Sqrt[-c + d*x]/Sqrt[c + d*x]]

fricas [A] time = 0.70, size = 80, normalized size = 1.00

$$\frac{6acd^2 \arctan\left(-\frac{dx-\sqrt{dx+c}\sqrt{dx-c}}{c}\right) - (bd^2x^2 - bc^2 + 3ad^2)\sqrt{dx+c}\sqrt{dx-c}}{3d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x,x, algorithm="fricas")

[Out] -1/3*(6*a*c*d^2*arctan(-(d*x - sqrt(d*x + c))*sqrt(d*x - c))/c) - (b*d^2*x^2 - b*c^2 + 3*a*d^2)*sqrt(d*x + c)*sqrt(d*x - c)/d^2

giac [A] time = 0.32, size = 78, normalized size = 0.98

$$2ac \arctan\left(\frac{(\sqrt{dx+c} - \sqrt{dx-c})^2}{2c}\right) + \frac{1}{3} \sqrt{dx+c} \sqrt{dx-c} \left((dx+c) \left(\frac{(dx+c)b}{d^2} - \frac{2bc}{d^2} \right) + 3a \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x,x, algorithm="giac")

[Out] 2*a*c*arctan(1/2*(sqrt(d*x + c) - sqrt(d*x - c))^2/c) + 1/3*sqrt(d*x + c)*sqrt(d*x - c)*((d*x + c)*((d*x + c)*b/d^2 - 2*b*c/d^2) + 3*a)

maple [B] time = 0.10, size = 174, normalized size = 2.18

$$\frac{\sqrt{dx-c} \sqrt{dx+c} \left(3a^2 d^2 \ln\left(-\frac{2(\sqrt{c^2-d^2} \sqrt{d^2x^2-c^2})}{x}\right) + \sqrt{-c^2} \sqrt{d^2x^2-c^2} b d^2x^2 + 3\sqrt{-c^2} \sqrt{d^2x^2-c^2} a d^2 - \sqrt{-c^2} \sqrt{d^2x^2-c^2} b c^2 \right)}{3\sqrt{d^2x^2-c^2} \sqrt{-c^2} d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x,x)`

[Out] $\frac{1}{3}(d^2x^2 - c^2)^{3/2} + 3 \ln(-2(c^2 - (-c^2)^{1/2})(d^2x^2 - c^2)^{1/2})/x + a c^2 d^2 + 3(-c^2)^{1/2} (d^2x^2 - c^2)^{1/2} + a d^2 - b c^2 (-c^2)^{1/2} (d^2x^2 - c^2)^{1/2} / (d^2x^2 - c^2)^{1/2} / d^2 / (-c^2)^{1/2}$

maxima [A] time = 1.30, size = 52, normalized size = 0.65

$$ac \arcsin\left(\frac{c}{d|x|}\right) + \sqrt{d^2x^2 - c^2} a + \frac{(d^2x^2 - c^2)^{3/2} b}{3d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x,x, algorithm="maxima")`

[Out] $a c \arcsin(c/(d \operatorname{abs}(x))) + \sqrt{d^2x^2 - c^2} a + 1/3(d^2x^2 - c^2)^{3/2} b / d^2$

mupad [B] time = 3.60, size = 248, normalized size = 3.10

$$a \sqrt{-c} \sqrt{c} \ln\left(\frac{(\sqrt{c+dx} - \sqrt{c})^2}{(\sqrt{-c} - \sqrt{dx-c})^2 + 1}\right) - a \sqrt{-c} \sqrt{c} \ln\left(\frac{\sqrt{c+dx} - \sqrt{c}}{\sqrt{-c} - \sqrt{dx-c}}\right) - \frac{b(c^2 - d^2x^2) \sqrt{c+dx} \sqrt{dx-c}}{3d^2} - \frac{8a \sqrt{-c} \sqrt{c} (\sqrt{c+dx} - \sqrt{c})^2}{(\sqrt{-c} - \sqrt{dx-c})^2 \left(\frac{(\sqrt{c+dx} - \sqrt{c})^4}{(\sqrt{-c} - \sqrt{dx-c})^4} - \frac{2(\sqrt{c+dx} - \sqrt{c})^2}{(\sqrt{-c} - \sqrt{dx-c})^2} + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^2)*(c + d*x)^(1/2)*(d*x - c)^(1/2))/x,x)`

[Out] $a(-c)^{1/2} c^{1/2} \log\left(\frac{(c + d^2x^2)^{1/2} - c^{1/2}}{(-c)^{1/2} - (d^2x^2 - c)^{1/2}}\right) - a(-c)^{1/2} c^{1/2} \log\left(\frac{(c + d^2x^2)^{1/2} - c^{1/2}}{(-c)^{1/2} - (d^2x^2 - c)^{1/2}}\right) - (b(c^2 - d^2x^2)(c + d^2x^2)^{1/2}(d^2x^2 - c)^{1/2}) / (3d^2) - (8a(-c)^{1/2} c^{1/2} ((c + d^2x^2)^{1/2} - c^{1/2})^2) / ((-c)^{1/2} - (d^2x^2 - c)^{1/2})^2 * (((c + d^2x^2)^{1/2} - c^{1/2})^4 / ((-c)^{1/2} - (d^2x^2 - c)^{1/2})^4 - (2 * ((c + d^2x^2)^{1/2} - c^{1/2})^2) / ((-c)^{1/2} - (d^2x^2 - c)^{1/2})^2 + 1)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^2) \sqrt{-c + dx} \sqrt{c + dx}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**2+a)*(d*x-c)**(1/2)*(d*x+c)**(1/2)/x,x)`

[Out] `Integral((a + b*x**2)*sqrt(-c + d*x)*sqrt(c + d*x)/x, x)`

$$3.198 \quad \int \frac{\sqrt{-c+dx} \sqrt{c+dx} (a+bx^2)}{x^3} dx$$

Optimal. Leaf size=96

$$-\frac{(2bc^2 - ad^2) \tan^{-1}\left(\frac{\sqrt{dx-c} \sqrt{c+dx}}{c}\right)}{2c} - \frac{a\sqrt{dx-c} \sqrt{c+dx}}{2x^2} + b\sqrt{dx-c} \sqrt{c+dx}$$

Rubi [A] time = 0.08, antiderivative size = 114, normalized size of antiderivative = 1.19, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {454, 101, 12, 92, 205}

$$\frac{1}{2} \sqrt{dx-c} \sqrt{c+dx} \left(2b - \frac{ad^2}{c^2}\right) - \frac{(2bc^2 - ad^2) \tan^{-1}\left(\frac{\sqrt{dx-c} \sqrt{c+dx}}{c}\right)}{2c} + \frac{a(dx-c)^{3/2}(c+dx)^{3/2}}{2c^2x^2}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2))/x^3,x]

[Out] ((2*b - (a*d^2)/c^2)*Sqrt[-c + d*x]*Sqrt[c + d*x])/2 + (a*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(2*c^2*x^2) - ((2*b*c^2 - a*d^2)*ArcTan[(Sqrt[-c + d*x]*Sqrt[c + d*x])/c])/(2*c)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 92

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 101

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] := Simp[((a + b*x)^m*(c + d*x)^n*(e + f*x)^(p + 1))/(f*(m + n + p + 1)), x] - Dist[1/(f*(m + n + p + 1)), Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[c*m*(b*e - a*f) + a*n*(d*e - c*f) + (d*m*(b*e - a*f) + b*n*(d*e - c*f))*x, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && GtQ[m, 0] && GtQ[n, 0] && NeQ[m + n + p + 1, 0] && (IntegersQ[2*m, 2*n, 2*p] || (IntegersQ[m, n + p] || IntegersQ[p, m + n]))

Rule 205

`Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 454

`Int[((e_)*(x_))^(m_)*((a1_) + (b1_)*(x_)^(non2_))^(p_)*((a2_) + (b2_)*(x_)^(non2_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(a1*a2*e*(m + 1)), x] + Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*e^n*(m + 1)), Int[(e*x)^(m + n)*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]`

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{-c+dx}\sqrt{c+dx}(a+bx^2)}{x^3} dx &= \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{2c^2x^2} + \frac{1}{2} \left(2b - \frac{ad^2}{c^2} \right) \int \frac{\sqrt{-c+dx}\sqrt{c+dx}}{x} dx \\ &= \frac{1}{2} \left(2b - \frac{ad^2}{c^2} \right) \sqrt{-c+dx}\sqrt{c+dx} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{2c^2x^2} + \frac{1}{2} \left(-2b + \frac{ad^2}{c^2} \right) \sqrt{-c+dx}\sqrt{c+dx} \\ &= \frac{1}{2} \left(2b - \frac{ad^2}{c^2} \right) \sqrt{-c+dx}\sqrt{c+dx} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{2c^2x^2} + \frac{1}{2} \left(-2bc^2 + \frac{ad^2}{c} \right) \sqrt{-c+dx}\sqrt{c+dx} \\ &= \frac{1}{2} \left(2b - \frac{ad^2}{c^2} \right) \sqrt{-c+dx}\sqrt{c+dx} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{2c^2x^2} - \frac{1}{2} \left(d(2bc^2 - ad^2) \right) \sqrt{-c+dx}\sqrt{c+dx} \\ &= \frac{1}{2} \left(2b - \frac{ad^2}{c^2} \right) \sqrt{-c+dx}\sqrt{c+dx} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{2c^2x^2} - \frac{(2bc^2 - ad^2)}{2c^2x^2} \sqrt{-c+dx}\sqrt{c+dx} \end{aligned}$$

Mathematica [A] time = 0.06, size = 114, normalized size = 1.19

$$\frac{\sqrt{dx-c}\sqrt{c+dx} \left(c(a-2bx^2)\sqrt{d^2x^2-c^2} + x^2(2bc^2-ad^2)\tan^{-1}\left(\frac{\sqrt{d^2x^2-c^2}}{c}\right) \right)}{2cx^2\sqrt{d^2x^2-c^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2))/x^3, x]

[Out] $-1/2*(\text{Sqrt}[-c + d*x]*\text{Sqrt}[c + d*x]*(c*(a - 2*b*x^2)*\text{Sqrt}[-c^2 + d^2*x^2] + (2*b*c^2 - a*d^2)*x^2*\text{ArcTan}[\text{Sqrt}[-c^2 + d^2*x^2]/c]))/(c*x^2*\text{Sqrt}[-c^2 + d^2*x^2])$

IntegrateAlgebraic [B] time = 0.19, size = 267, normalized size = 2.78

$$\frac{\frac{ad^2(dx-c)^{5/2}}{(c+dx)^{5/2}} - \frac{2ad^2(dx-c)^{3/2}}{(c+dx)^{3/2}} + \frac{ad^2\sqrt{dx-c}}{\sqrt{c+dx}} - \frac{2bc^2(dx-c)^{5/2}}{(c+dx)^{5/2}} - \frac{4bc^2(dx-c)^{3/2}}{(c+dx)^{3/2}} - \frac{2bc^2\sqrt{dx-c}}{\sqrt{c+dx}}}{c\left(\frac{dx-c}{c+dx} + 1\right)^2\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}} - 1\right)\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}} + 1\right)} + \frac{(ad^2 - 2bc^2)\tan^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{c}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2))/x^3,x]

[Out] $((-2*b*c^2*(-c + d*x)^{(5/2)})/(c + d*x)^{(5/2)} + (a*d^2*(-c + d*x)^{(5/2)})/(c + d*x)^{(5/2)} - (4*b*c^2*(-c + d*x)^{(3/2)})/(c + d*x)^{(3/2)} - (2*a*d^2*(-c + d*x)^{(3/2)})/(c + d*x)^{(3/2)} - (2*b*c^2*\text{Sqrt}[-c + d*x])/(\text{Sqrt}[c + d*x]) + (a*d^2*\text{Sqrt}[-c + d*x])/(\text{Sqrt}[c + d*x]))/(c*(1 + (-c + d*x)/(c + d*x))^2*(-1 + \text{Sqrt}[-c + d*x]/\text{Sqrt}[c + d*x])*(1 + \text{Sqrt}[-c + d*x]/\text{Sqrt}[c + d*x])) + ((-2*b*c^2 + a*d^2)*\text{ArcTan}[\text{Sqrt}[-c + d*x]/\text{Sqrt}[c + d*x]])/c$

fricas [A] time = 0.91, size = 85, normalized size = 0.89

$$\frac{2(2bc^2 - ad^2)x^2 \arctan\left(-\frac{dx - \sqrt{dx+c}\sqrt{dx-c}}{c}\right) - (2bcx^2 - ac)\sqrt{dx+c}\sqrt{dx-c}}{2cx^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x^3,x, algorithm="fricas")

[Out] $-1/2*(2*(2*b*c^2 - a*d^2)*x^2*\arctan(-(d*x - \text{sqrt}(d*x + c))*\text{sqrt}(d*x - c))/c) - (2*b*c*x^2 - a*c)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c)/(c*x^2)$

giac [A] time = 0.42, size = 157, normalized size = 1.64

$$\frac{\sqrt{dx+c}\sqrt{dx-c}bd + \frac{(2bc^2d - ad^3)\arctan\left(\frac{(\sqrt{dx+c} - \sqrt{dx-c})^2}{2c}\right)}{c} + \frac{2(ad^3(\sqrt{dx+c} - \sqrt{dx-c})^6 - 4ac^2d^3(\sqrt{dx+c} - \sqrt{dx-c})^2)}{((\sqrt{dx+c} - \sqrt{dx-c})^4 + 4c^2)^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x^3,x, algorithm="giac")

[Out] $(\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c)*b*d + (2*b*c^2*d - a*d^3)*\arctan(1/2*(\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^2/c))/c + 2*(a*d^3*(\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^6$

$$- 4*a*c^2*d^3*(\sqrt{d*x + c} - \sqrt{d*x - c})^2/((\sqrt{d*x + c} - \sqrt{d*x - c})^4 + 4*c^2)^2)/d$$

maple [B] time = 0.07, size = 182, normalized size = 1.90

$$\frac{\sqrt{dx-c} \sqrt{dx+c} \left(a d^2 x^2 \ln \left(-\frac{2(c^2 - \sqrt{-c^2} \sqrt{d^2 x^2 - c^2})}{x} \right) - 2b c^2 x^2 \ln \left(-\frac{2(c^2 - \sqrt{-c^2} \sqrt{d^2 x^2 - c^2})}{x} \right) - 2\sqrt{-c^2} \sqrt{d^2 x^2 - c^2} b x^2 + \sqrt{-c^2} \sqrt{d^2 x^2 - c^2} a \right)}{2\sqrt{d^2 x^2 - c^2} \sqrt{-c^2} x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x^3,x)

[Out] $-1/2*(d*x-c)^{(1/2)}*(d*x+c)^{(1/2)}*(\ln(-2*(c^2-(-c^2)^{(1/2)}*(d^2*x^2-c^2))^{(1/2)})/x)*x^2*a*d^2-2*\ln(-2*(c^2-(-c^2)^{(1/2)}*(d^2*x^2-c^2))^{(1/2)})/x)*x^2*b*c^2-2*x^2*b*(-c^2)^{(1/2)}*(d^2*x^2-c^2)^{(1/2)}+(-c^2)^{(1/2)}*(d^2*x^2-c^2)^{(1/2)}*a)/(d^2*x^2-c^2)^{(1/2)}/x^2/(-c^2)^{(1/2)}$

maxima [A] time = 1.46, size = 98, normalized size = 1.02

$$bc \arcsin\left(\frac{c}{d|x|}\right) - \frac{ad^2 \arcsin\left(\frac{c}{d|x|}\right)}{2c} + \sqrt{d^2x^2 - c^2} b - \frac{\sqrt{d^2x^2 - c^2} ad^2}{2c^2} + \frac{(d^2x^2 - c^2)^{\frac{3}{2}} a}{2c^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x^3,x, algorithm="maxima")

[Out] $b*c*\arcsin(c/(d*\text{abs}(x))) - 1/2*a*d^2*\arcsin(c/(d*\text{abs}(x)))/c + \sqrt{d^2*x^2 - c^2}*b - 1/2*\sqrt{d^2*x^2 - c^2}*a*d^2/c^2 + 1/2*(d^2*x^2 - c^2)^{(3/2)}*a/(c^2*x^2)$

mupad [B] time = 6.89, size = 584, normalized size = 6.08

$$b\sqrt{-c} \sqrt{c} \ln \left(\frac{(\sqrt{c+dx} - \sqrt{c})^2}{(\sqrt{c} - \sqrt{dx-c})^2} + 1 \right) - \frac{a\sqrt{-c} d^2}{32c^2} + \frac{a\sqrt{-c} d^2 (\sqrt{dx-c} \sqrt{c})^2}{16c^2 (\sqrt{c} - \sqrt{dx-c})^2} - \frac{15a\sqrt{-c} d^2 (\sqrt{dx-c} \sqrt{c})^2}{32c^2 (\sqrt{c} - \sqrt{dx-c})^2} - b\sqrt{-c} \sqrt{c} \ln \left(\frac{\sqrt{c+dx} - \sqrt{c}}{\sqrt{c} - \sqrt{dx-c}} \right) + \frac{a\sqrt{-c} d^2 \ln \left(\frac{\sqrt{dx-c} \sqrt{c}}{\sqrt{c} - \sqrt{dx-c}} \right)}{2c^2} - \frac{a\sqrt{-c} d^2 \ln \left(\frac{(\sqrt{dx-c} \sqrt{c})^2}{(\sqrt{c} - \sqrt{dx-c})^2} + 1 \right)}{2c^2} - \frac{a\sqrt{-c} d^2 (\sqrt{c+dx} - \sqrt{c})^2}{32c^2 (\sqrt{c} - \sqrt{dx-c})^2} - \frac{8b\sqrt{-c} \sqrt{c} (\sqrt{c+dx} - \sqrt{c})^2}{(\sqrt{c} - \sqrt{dx-c})^2} \left(\frac{(\sqrt{dx-c} \sqrt{c})^2}{(\sqrt{c} - \sqrt{dx-c})^2} - \frac{2(\sqrt{dx-c} \sqrt{c})^2}{(\sqrt{c} - \sqrt{dx-c})^2} + 1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^2)*(c + d*x)^(1/2)*(d*x - c)^(1/2))/x^3,x)

[Out] $b*(-c)^{(1/2)}*c^{(1/2)}*\log(((c + d*x)^{(1/2)} - c^{(1/2)})^2/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 + 1) - ((a*(-c)^{(1/2)}*d^2)/(32*c^{(3/2)}) + (a*(-c)^{(1/2)}*d^2*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/(16*c^{(3/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2) - (15*a*(-c)^{(1/2)}*d^2*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/(32*c^{(3/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4)/(((c + d*x)^{(1/2)} - c^{(1/2)})^2/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 + (2*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4 + ((c + d*x)^{(1/2)} - c^{(1/2)})^6/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^6)$

```

- b*(-c)^(1/2)*c^(1/2)*log(((c + d*x)^(1/2) - c^(1/2))/((-c)^(1/2) - (d*x -
c)^(1/2))) + (a*(-c)^(1/2)*d^2*log(((c + d*x)^(1/2) - c^(1/2))/((-c)^(1/2)
- (d*x - c)^(1/2))))/(2*c^(3/2)) - (a*(-c)^(1/2)*d^2*log(((c + d*x)^(1/2)
- c^(1/2))^2/((-c)^(1/2) - (d*x - c)^(1/2))^2 + 1))/(2*c^(3/2)) - (a*(-c)^(
1/2)*d^2*((c + d*x)^(1/2) - c^(1/2))^2)/(32*c^(3/2)*((-c)^(1/2) - (d*x - c)
^(1/2))^2) - (8*b*(-c)^(1/2)*c^(1/2)*((c + d*x)^(1/2) - c^(1/2))^2)/(((c)^(
1/2) - (d*x - c)^(1/2))^2*((c + d*x)^(1/2) - c^(1/2))^4/((-c)^(1/2) - (d*
x - c)^(1/2))^4 - (2*((c + d*x)^(1/2) - c^(1/2))^2)/((-c)^(1/2) - (d*x - c)
^(1/2))^2 + 1))

```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^2) \sqrt{-c + dx} \sqrt{c + dx}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)*(d*x-c)**(1/2)*(d*x+c)**(1/2)/x**3,x)

[Out] Integral((a + b*x**2)*sqrt(-c + d*x)*sqrt(c + d*x)/x**3, x)

$$3.199 \quad \int \frac{\sqrt{-c+dx} \sqrt{c+dx} (a+bx^2)}{x^5} dx$$

Optimal. Leaf size=121

$$-\frac{\sqrt{dx-c} \sqrt{c+dx} (ad^2 + 4bc^2)}{8c^2x^2} + \frac{d^2 (ad^2 + 4bc^2) \tan^{-1} \left(\frac{\sqrt{dx-c} \sqrt{c+dx}}{c} \right)}{8c^3} + \frac{a(dx-c)^{3/2}(c+dx)^{3/2}}{4c^2x^4}$$

Rubi [A] time = 0.10, antiderivative size = 164, normalized size of antiderivative = 1.36, number of steps used = 5, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {454, 94, 92, 205}

$$-\frac{\sqrt{dx-c}(c+dx)^{3/2}(ad^2+4bc^2)}{8c^3x^2} + \frac{d\sqrt{dx-c}\sqrt{c+dx}(ad^2+4bc^2)}{8c^3x} + \frac{d^2(ad^2+4bc^2)\tan^{-1}\left(\frac{\sqrt{dx-c}\sqrt{c+dx}}{c}\right)}{8c^3} + \frac{a(dx-c)^{3/2}(c+dx)^{3/2}}{4c^2x^4}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2))/x^5, x]

[Out] (d*(4*b*c^2 + a*d^2)*Sqrt[-c + d*x]*Sqrt[c + d*x])/(8*c^3*x) - ((4*b*c^2 + a*d^2)*Sqrt[-c + d*x]*(c + d*x)^(3/2))/(8*c^3*x^2) + (a*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(4*c^2*x^4) + (d^2*(4*b*c^2 + a*d^2)*ArcTan[(Sqrt[-c + d*x]*Sqrt[c + d*x])/c])/(8*c^3)

Rule 92

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 94

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/((m + 1)*(b*e - a*f)), x] - Dist[(n*(d*e - c*f))/((m + 1)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[m + n + p + 2, 0] && GtQ[n, 0] && !(SumSimplerQ[p, 1] && !SumSimplerQ[m, 1])

Rule 205

Int[((a_.) + (b_.)*(x_.)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 454

```
Int[((e_.)*(x_))^(m_.)*((a1_.) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_.) + (b2_.)
*(x_)^(non2_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := Simp[(c*(e*x)^(
m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(a1*a2*e^(m +
1)), x] + Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*e^(n*(
m + 1)), Int[(e*x)^(m + n)*(a1 + b1*x^(n/2))^(p*(a2 + b2*x^(n/2)))^p, x], x]
/; FreeQ[{a1, b1, a2, b2, c, d, e, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 +
a1*b2, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (L
tQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{-c+dx}\sqrt{c+dx}(a+bx^2)}{x^5} dx &= \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{4c^2x^4} + \frac{1}{4} \left(4b + \frac{ad^2}{c^2}\right) \int \frac{\sqrt{-c+dx}\sqrt{c+dx}}{x^3} dx \\
&= -\frac{(4bc^2+ad^2)\sqrt{-c+dx}(c+dx)^{3/2}}{8c^3x^2} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{4c^2x^4} + \frac{1}{8} \left(d \left(4b + \frac{ad^2}{c^2}\right) \int \frac{\sqrt{-c+dx}\sqrt{c+dx}}{x^3} dx\right) \\
&= \frac{d(4bc^2+ad^2)\sqrt{-c+dx}\sqrt{c+dx}}{8c^3x} - \frac{(4bc^2+ad^2)\sqrt{-c+dx}(c+dx)^{3/2}}{8c^3x^2} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{4c^2x^4} \\
&= \frac{d(4bc^2+ad^2)\sqrt{-c+dx}\sqrt{c+dx}}{8c^3x} - \frac{(4bc^2+ad^2)\sqrt{-c+dx}(c+dx)^{3/2}}{8c^3x^2} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{4c^2x^4} \\
&= \frac{d(4bc^2+ad^2)\sqrt{-c+dx}\sqrt{c+dx}}{8c^3x} - \frac{(4bc^2+ad^2)\sqrt{-c+dx}(c+dx)^{3/2}}{8c^3x^2} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{4c^2x^4}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 137, normalized size = 1.13

$$\frac{\sqrt{dx-c}\sqrt{c+dx} \left((c^2-d^2x^2)(2ac^2-ad^2x^2+4bc^2x^2) - d^2x^4 \sqrt{1-\frac{d^2x^2}{c^2}} (ad^2+4bc^2) \tanh^{-1} \left(\sqrt{1-\frac{d^2x^2}{c^2}} \right) \right)}{8c^2d^2x^6-8c^4x^4}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[-c+d*x]*Sqrt[c+d*x]*(a+b*x^2))/x^5,x]

[Out] (Sqrt[-c+d*x]*Sqrt[c+d*x]*((c^2-d^2*x^2)*(2*a*c^2+4*b*c^2*x^2-a*d^2*x^2)-d^2*(4*b*c^2+a*d^2)*x^4*Sqrt[1-(d^2*x^2)/c^2]*ArcTanh[Sqrt[1-(d^2*x^2)/c^2]]))/(-8*c^4*x^4+8*c^2*d^2*x^6)

IntegrateAlgebraic [A] time = 0.18, size = 206, normalized size = 1.70

$$\frac{d^2\sqrt{dx-c}\left(\frac{dx-c}{c+dx}-1\right)\left(-\frac{6ad^2(dx-c)}{c+dx}+\frac{ad^2(dx-c)^2}{(c+dx)^2}+ad^2+\frac{8bc^2(dx-c)}{c+dx}+\frac{4bc^2(dx-c)^2}{(c+dx)^2}+4bc^2\right)}{4c^3\sqrt{c+dx}\left(\frac{dx-c}{c+dx}+1\right)^4}+\frac{(ad^4+4bc^2d^2)\tan^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{4c^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2))/x^5,x]

[Out] (d^2*Sqrt[-c + d*x]*(-1 + (-c + d*x)/(c + d*x))*(4*b*c^2 + a*d^2 + (4*b*c^2*(-c + d*x)^2)/(c + d*x)^2 + (a*d^2*(-c + d*x)^2)/(c + d*x)^2 + (8*b*c^2*(-c + d*x))/(c + d*x) - (6*a*d^2*(-c + d*x))/(c + d*x)))/(4*c^3*Sqrt[c + d*x]*(1 + (-c + d*x)/(c + d*x))^4) + ((4*b*c^2*d^2 + a*d^4)*ArcTan[Sqrt[-c + d*x]/Sqrt[c + d*x]])/(4*c^3)

fricas [A] time = 0.80, size = 100, normalized size = 0.83

$$\frac{2(4bc^2d^2 + ad^4)x^4 \arctan\left(-\frac{dx - \sqrt{dx+c}\sqrt{dx-c}}{c}\right) - (2ac^3 + (4bc^3 - acd^2)x^2)\sqrt{dx+c}\sqrt{dx-c}}{8c^3x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x^5,x, algorithm="fricas")

[Out] 1/8*(2*(4*b*c^2*d^2 + a*d^4)*x^4*arctan(-(d*x - sqrt(d*x + c))*sqrt(d*x - c))/c) - (2*a*c^3 + (4*b*c^3 - a*c*d^2)*x^2)*sqrt(d*x + c)*sqrt(d*x - c))/(c^3*x^4)

giac [B] time = 0.45, size = 324, normalized size = 2.68

$$\frac{(4b^2d^3+ad^5)\arctan\left(\frac{\sqrt{dx+c}-\sqrt{dx-c}}{2c}\right)-2(4bc^2d^3(\sqrt{dx+c}-\sqrt{dx-c})^{14}-ad^5(\sqrt{dx+c}-\sqrt{dx-c})^{14}+16bc^4d^3(\sqrt{dx+c}-\sqrt{dx-c})^{10}+28ac^2d^5(\sqrt{dx+c}-\sqrt{dx-c})^{10}-64bc^6d^3(\sqrt{dx+c}-\sqrt{dx-c})^6-112ac^4d^5(\sqrt{dx+c}-\sqrt{dx-c})^6-256bc^8d^3(\sqrt{dx+c}-\sqrt{dx-c})^2+64ac^6d^5(\sqrt{dx+c}-\sqrt{dx-c})^2)}{c^3}}{((\sqrt{dx+c}-\sqrt{dx-c})^4+4c^2)^4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x^5,x, algorithm="giac")

[Out] -1/4*((4*b*c^2*d^3 + a*d^5)*arctan(1/2*(sqrt(d*x + c) - sqrt(d*x - c))^2/c)/c^3 - 2*(4*b*c^2*d^3*(sqrt(d*x + c) - sqrt(d*x - c))^14 - a*d^5*(sqrt(d*x + c) - sqrt(d*x - c))^14 + 16*b*c^4*d^3*(sqrt(d*x + c) - sqrt(d*x - c))^10 + 28*a*c^2*d^5*(sqrt(d*x + c) - sqrt(d*x - c))^10 - 64*b*c^6*d^3*(sqrt(d*x + c) - sqrt(d*x - c))^6 - 112*a*c^4*d^5*(sqrt(d*x + c) - sqrt(d*x - c))^6 - 256*b*c^8*d^3*(sqrt(d*x + c) - sqrt(d*x - c))^2 + 64*a*c^6*d^5*(sqrt(d*x + c) - sqrt(d*x - c))^2)/(((sqrt(d*x + c) - sqrt(d*x - c))^4 + 4*c^2)^4*c^2)/d

$$\begin{aligned} & *((c + d*x)^{(1/2)} - c^{(1/2)})^8 / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^8 + (4*((c + d*x)^{(1/2)} - c^{(1/2)})^{10} / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{10} + ((c + d*x)^{(1/2)} - c^{(1/2)})^{12} / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{12} - ((b*(-c)^{(1/2)}*d^2) / (32*c^{(3/2)} + (b*(-c)^{(1/2)}*d^2*((c + d*x)^{(1/2)} - c^{(1/2)})^2) / (16*c^{(3/2)})) * ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 - (15*b*(-c)^{(1/2)}*d^2*((c + d*x)^{(1/2)} - c^{(1/2)})^4) / (32*c^{(3/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4)) / (((c + d*x)^{(1/2)} - c^{(1/2)})^2 / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 + (2*((c + d*x)^{(1/2)} - c^{(1/2)})^4) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4 + ((c + d*x)^{(1/2)} - c^{(1/2)})^6 / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^6) + (a*(-c)^{(1/2)}*d^4*log(((c + d*x)^{(1/2)} - c^{(1/2)}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)}))) / (8*c^{(7/2)}) + (b*(-c)^{(1/2)}*d^2*log(((c + d*x)^{(1/2)} - c^{(1/2)}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)}))) / (2*c^{(3/2)}) - (a*(-c)^{(1/2)}*d^4*log(((c + d*x)^{(1/2)} - c^{(1/2)})^2 / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 + 1)) / (8*c^{(7/2)}) - (b*(-c)^{(1/2)}*d^2*log(((c + d*x)^{(1/2)} - c^{(1/2)})^2 / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 + 1)) / (2*c^{(3/2)}) + (a*(-c)^{(1/2)}*d^4*((c + d*x)^{(1/2)} - c^{(1/2)})^2) / (256*c^{(7/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2) + (a*(-c)^{(1/2)}*d^4*((c + d*x)^{(1/2)} - c^{(1/2)})^4) / (1024*c^{(7/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4) - (b*(-c)^{(1/2)}*d^2*((c + d*x)^{(1/2)} - c^{(1/2)})^2) / (32*c^{(3/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)*(d*x-c)**(1/2)*(d*x+c)**(1/2)/x**5,x)

[Out] Timed out

$$3.200 \quad \int x^4 \sqrt{-c + dx} \sqrt{c + dx} (a + bx^2) dx$$

Optimal. Leaf size=208

$$\frac{c^2 x(dx-c)^{3/2}(c+dx)^{3/2}(8ad^2+5bc^2)}{64d^6} + \frac{x^3(dx-c)^{3/2}(c+dx)^{3/2}(8ad^2+5bc^2)}{48d^4} - \frac{c^6(8ad^2+5bc^2) \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{64d^7}$$

Rubi [A] time = 0.15, antiderivative size = 208, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {460, 100, 12, 90, 38, 63, 217, 206}

$$\frac{x^3(dx-c)^{3/2}(c+dx)^{3/2}(8ad^2+5bc^2)}{48d^4} + \frac{c^4 x \sqrt{dx-c} \sqrt{c+dx} (8ad^2+5bc^2)}{128d^6} + \frac{c^2 x(dx-c)^{3/2}(c+dx)^{3/2}(8ad^2+5bc^2)}{64d^6} - \frac{c^6(8ad^2+5bc^2) \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{64d^7} + \frac{bx^5(dx-c)^{3/2}(c+dx)^{3/2}}{8d^2}$$

Antiderivative was successfully verified.

[In] Int[x^4*Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2), x]

[Out] (c^4*(5*b*c^2 + 8*a*d^2)*x*Sqrt[-c + d*x]*Sqrt[c + d*x])/(128*d^6) + (c^2*(5*b*c^2 + 8*a*d^2)*x*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(64*d^6) + ((5*b*c^2 + 8*a*d^2)*x^3*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(48*d^4) + (b*x^5*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(8*d^2) - (c^6*(5*b*c^2 + 8*a*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/(64*d^7)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 38

Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(x*(a + b*x)^m*(c + d*x)^n)/(2*m + 1), x] + Dist[(2*a*c*m)/(2*m + 1), Int[(a + b*x)^(m - 1)*(c + d*x)^(m - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 90


```
Int[((a_.) + (b_.)*(x_))^(2*((c_.) + (d_.)*(x_))^(n_.))*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(a + b*x)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 3)), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1)) + b*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]
```

Rule 100

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 1)), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1)) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 460

```
Int[((e_.)*(x_))^(m_)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*e*(m + n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rubi steps

$$\begin{aligned}
\int x^4 \sqrt{-c+dx} \sqrt{c+dx} (a+bx^2) dx &= \frac{bx^5(-c+dx)^{3/2}(c+dx)^{3/2}}{8d^2} - \frac{1}{8} \left(-8a - \frac{5bc^2}{d^2} \right) \int x^4 \sqrt{-c+dx} \sqrt{c+dx} dx \\
&= \frac{(5bc^2+8ad^2)x^3(-c+dx)^{3/2}(c+dx)^{3/2}}{48d^4} + \frac{bx^5(-c+dx)^{3/2}(c+dx)^{3/2}}{8d^2} + \dots \\
&= \frac{(5bc^2+8ad^2)x^3(-c+dx)^{3/2}(c+dx)^{3/2}}{48d^4} + \frac{bx^5(-c+dx)^{3/2}(c+dx)^{3/2}}{8d^2} + \dots \\
&= \frac{c^2(5bc^2+8ad^2)x(-c+dx)^{3/2}(c+dx)^{3/2}}{64d^6} + \frac{(5bc^2+8ad^2)x^3(-c+dx)^{3/2}}{48d^4} \\
&= \frac{c^2(5bc^2+8ad^2)x(-c+dx)^{3/2}(c+dx)^{3/2}}{64d^6} + \frac{(5bc^2+8ad^2)x^3(-c+dx)^{3/2}}{48d^4} \\
&= \frac{c^4(5bc^2+8ad^2)x\sqrt{-c+dx}\sqrt{c+dx}}{128d^6} + \frac{c^2(5bc^2+8ad^2)x(-c+dx)^{3/2}(c+dx)^{3/2}}{64d^6} \\
&= \frac{c^4(5bc^2+8ad^2)x\sqrt{-c+dx}\sqrt{c+dx}}{128d^6} + \frac{c^2(5bc^2+8ad^2)x(-c+dx)^{3/2}(c+dx)^{3/2}}{64d^6} \\
&= \frac{c^4(5bc^2+8ad^2)x\sqrt{-c+dx}\sqrt{c+dx}}{128d^6} + \frac{c^2(5bc^2+8ad^2)x(-c+dx)^{3/2}(c+dx)^{3/2}}{64d^6} \\
&= \frac{c^4(5bc^2+8ad^2)x\sqrt{-c+dx}\sqrt{c+dx}}{128d^6} + \frac{c^2(5bc^2+8ad^2)x(-c+dx)^{3/2}(c+dx)^{3/2}}{64d^6}
\end{aligned}$$

Mathematica [A] time = 0.31, size = 161, normalized size = 0.77

$$\frac{\sqrt{dx-c}\sqrt{c+dx} \left(3(8ac^5d^2+5bc^7) \sin^{-1}\left(\frac{dx}{c}\right) - dx\sqrt{1-\frac{d^2x^2}{c^2}} (8ad^2(3c^4+2c^2d^2x^2-8d^4x^4)+b(15c^6+10c^4d^2x^2+8c^2d^4x^4-48d^6x^6)) \right)}{384d^7\sqrt{1-\frac{d^2x^2}{c^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*Sqrt[-c+d*x]*Sqrt[c+d*x]*(a+b*x^2),x]

[Out] (Sqrt[-c+d*x]*Sqrt[c+d*x]*(-(d*x*Sqrt[1-(d^2*x^2)/c^2])*(8*a*d^2*(3*c^4+2*c^2*d^2*x^2-8*d^4*x^4)+b*(15*c^6+10*c^4*d^2*x^2+8*c^2*d^4*x^4-48*d^6*x^6))) + 3*(5*b*c^7+8*a*c^5*d^2)*ArcSin[(d*x)/c])/(384*d^7*Sqrt[1-(d^2*x^2)/c^2])

IntegrateAlgebraic [A] time = 0.30, size = 385, normalized size = 1.85

$$\frac{(-8ac^6d^2-5bc^8) \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right) + c^6\sqrt{dx-c}\left(\frac{dx-c}{c+dx}+1\right)\left(\frac{24ad^2(dx-c)^5}{(c+dx)^6} + \frac{304a^2d^2(dx-c)^5}{(c+dx)^5} - \frac{408a^2d^2(dx-c)^4}{(c+dx)^4} + \frac{160a^2d^2(dx-c)^3}{(c+dx)^3} - \frac{408a^2d^2(dx-c)^2}{(c+dx)^2} + \frac{304a^2d^2(dx-c)}{c+dx} + 24ad^2 + \frac{15bc^2(dx-c)^6}{(c+dx)^6} + \frac{382bc^2(dx-c)^5}{(c+dx)^5} + \frac{513bc^2(dx-c)^4}{(c+dx)^4} + \frac{1252bc^2(dx-c)^3}{(c+dx)^3} + \frac{513bc^2(dx-c)^2}{(c+dx)^2} + \frac{382bc^2(dx-c)}{c+dx} + 15bc^2\right)}{192d^7\sqrt{c+dx}\left(\frac{dx-c}{c+dx}-1\right)^8}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^4*Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2),x]

[Out] $(c^6 \sqrt{-c + dx} (1 + (-c + dx)/(c + dx)) (15bc^2 + 24ad^2 + (15b^2c^2(-c + dx)^6)/(c + dx)^6 + (24a^2d^2(-c + dx)^6)/(c + dx)^6 + (382b^2c^2(-c + dx)^5)/(c + dx)^5 + (304a^2d^2(-c + dx)^5)/(c + dx)^5 + (513b^2c^2(-c + dx)^4)/(c + dx)^4 - (408a^2d^2(-c + dx)^4)/(c + dx)^4 + (1252b^2c^2(-c + dx)^3)/(c + dx)^3 + (160a^2d^2(-c + dx)^3)/(c + dx)^3 + (513b^2c^2(-c + dx)^2)/(c + dx)^2 - (408a^2d^2(-c + dx)^2)/(c + dx)^2 + (382b^2c^2(-c + dx))/(c + dx) + (304a^2d^2(-c + dx))/(c + dx)))/(192d^7 \sqrt{c + dx} (-1 + (-c + dx)/(c + dx))^8) + ((-5b^2c^8 - 8a^2c^6d^2) \operatorname{ArcTanh}[\sqrt{-c + dx}/\sqrt{c + dx}])/(64d^7)$

fricas [A] time = 1.42, size = 138, normalized size = 0.66

$$\frac{(48bd^7x^7 - 8(bc^2d^5 - 8ad^7)x^5 - 2(5bc^4d^3 + 8ac^2d^5)x^3 - 3(5bc^6d + 8ac^4d^3)x)\sqrt{dx+c}\sqrt{dx-c} + 3(5bc^8 + 8ac^6d^2)\log(-dx + \sqrt{dx+c}\sqrt{dx-c})}{384d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2),x, algorithm="fricas")

[Out] $1/384 * ((48*b*d^7*x^7 - 8*(b*c^2*d^5 - 8*a*d^7)*x^5 - 2*(5*b*c^4*d^3 + 8*a*c^2*d^5)*x^3 - 3*(5*b*c^6*d + 8*a*c^4*d^3)*x) * \sqrt{d*x + c} * \sqrt{d*x - c} + 3*(5*b*c^8 + 8*a*c^6*d^2) * \log(-d*x + \sqrt{d*x + c} * \sqrt{d*x - c}) / d^7$

giac [B] time = 0.63, size = 558, normalized size = 2.68

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2),x, algorithm="giac")

[Out] $1/13440 * (112 * (((2 * (d*x + c)) * (3 * (d*x + c)) * (4 * (d*x + c)) / d^4 - 21 * c / d^4) + 133 * c^2 / d^4) - 295 * c^3 / d^4) * (d*x + c) + 195 * c^4 / d^4 * \sqrt{d*x + c} * \sqrt{d*x - c} + 90 * c^5 * \log(\operatorname{abs}(-\sqrt{d*x + c} + \sqrt{d*x - c})) / d^4) * a * c + 8 * (((2 * ((4 * (d*x + c)) * (5 * (d*x + c)) * (6 * (d*x + c)) / d^6 - 43 * c / d^6) + 661 * c^2 / d^6) - 4551 * c^3 / d^6) * (d*x + c) + 4781 * c^4 / d^6) * (d*x + c) - 6335 * c^5 / d^6) * (d*x + c) + 2835 * c^6 / d^6) * \sqrt{d*x + c} * \sqrt{d*x - c} + 1050 * c^7 * \log(\operatorname{abs}(-\sqrt{d*x + c} + \sqrt{d*x - c})) / d^6) * b * c + 56 * (((2 * ((2 * ((d*x + c)) * (4 * (d*x + c)) * (5 * (d*x + c)) / d^5 - 31 * c / d^5) + 321 * c^2 / d^5) - 451 * c^3 / d^5) * (d*x + c) + 745 * c^4 / d^5) * (d*x + c) - 405 * c^5 / d^5) * \sqrt{d*x + c} * \sqrt{d*x - c} - 150 * c^6 * \log(\operatorname{abs}(-\sqrt{d*x + c} + \sqrt{d*x - c})) / d^5) * a * d + (((2 * ((4 * (5 * (d*x + c)) * (6 * (d*x + c)) * (7 * (d*x + c)) / d^7 - 57 * c / d^7) + 1219 * c^2 / d^7) - 12463 * c^3 / d^7) * (d*x + c) + 64233 * c^4 / d^7) * (d*x + c) - 53963 * c^5 / d^7) * (d*x + c) + 59465 * c^6 / d^7) * (d*x + c) - 23$

$205*c^7/d^7)*\sqrt{d*x + c}*\sqrt{d*x - c} - 7350*c^8*\log(\text{abs}(-\sqrt{d*x + c} + \sqrt{d*x - c}))/d^7)*b*d)/d$

maple [C] time = 0.10, size = 298, normalized size = 1.43

$$\frac{\sqrt{dx-c}\sqrt{dx+c}\left(48\sqrt{d^2x^2-c^2}bd^2\text{csign}(d)+64\sqrt{d^2x^2-c^2}bd^2\text{csign}(d)-8\sqrt{d^2x^2-c^2}bd^2\text{csign}(d)-16\sqrt{d^2x^2-c^2}bd^2\text{csign}(d)-10\sqrt{d^2x^2-c^2}bd^2\text{csign}(d)-24a^2d^2\ln\left(\frac{dx+\sqrt{d^2x^2-c^2}\text{csign}(d)}{\text{csign}(d)}\right)-24\sqrt{d^2x^2-c^2}bd^2\text{csign}(d)-15b^2\ln\left(\frac{dx+\sqrt{d^2x^2-c^2}\text{csign}(d)}{\text{csign}(d)}\right)-15\sqrt{d^2x^2-c^2}bd^2\text{csign}(d)\right)\text{csign}(d)}{384\sqrt{d^2x^2-c^2}d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^4*(b*x^2+a)*(d*x-c)^{(1/2)}*(d*x+c)^{(1/2)}, x)$

[Out] $\frac{1}{384}*(d*x-c)^{(1/2)}*(d*x+c)^{(1/2)}*(48*c\text{sgn}(d)*x^7*b*d^7*(d^2*x^2-c^2)^{(1/2)}+64*c\text{sgn}(d)*x^5*a*d^7*(d^2*x^2-c^2)^{(1/2)}-8*c\text{sgn}(d)*x^5*b*c^2*d^5*(d^2*x^2-c^2)^{(1/2)}-16*c\text{sgn}(d)*x^3*a*c^2*d^5*(d^2*x^2-c^2)^{(1/2)}-10*c\text{sgn}(d)*x^3*b*c^4*d^3*(d^2*x^2-c^2)^{(1/2)}-24*c\text{sgn}(d)*d^3*(d^2*x^2-c^2)^{(1/2)}*x*a*c^4-15*c\text{sgn}(d)*d*(d^2*x^2-c^2)^{(1/2)}*x*b*c^6-24*\ln((c\text{sgn}(d)*(d^2*x^2-c^2)^{(1/2)}+d*x)*c\text{sgn}(d))*a*c^6*d^2-15*\ln((c\text{sgn}(d)*(d^2*x^2-c^2)^{(1/2)}+d*x)*c\text{sgn}(d))*b*c^8)*c\text{sgn}(d)/(d^2*x^2-c^2)^{(1/2)}/d^7$

maxima [A] time = 0.55, size = 246, normalized size = 1.18

$$\frac{(d^2x^2-c^2)^3bx^5}{8d^2} + \frac{5(d^2x^2-c^2)^3bc^2x^3}{48d^4} + \frac{(d^2x^2-c^2)^3ax^3}{6d^2} - \frac{5bc^6\log(2d^2x+2\sqrt{d^2x^2-c^2}d)}{128d^7} - \frac{ac^6\log(2d^2x+2\sqrt{d^2x^2-c^2}d)}{16d^5} + \frac{5\sqrt{d^2x^2-c^2}bc^6x}{128d^6} + \frac{\sqrt{d^2x^2-c^2}ac^4x}{16d^4} + \frac{5(d^2x^2-c^2)^3bc^4x}{64d^6} + \frac{(d^2x^2-c^2)^3ac^2x}{8d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^4*(b*x^2+a)*(d*x-c)^{(1/2)}*(d*x+c)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] $\frac{1}{8}*(d^2*x^2 - c^2)^{(3/2)}*b*x^5/d^2 + \frac{5}{48}*(d^2*x^2 - c^2)^{(3/2)}*b*c^2*x^3/d^4 + \frac{1}{6}*(d^2*x^2 - c^2)^{(3/2)}*a*x^3/d^2 - \frac{5}{128}*b*c^8*\log(2*d^2*x + 2*\sqrt{d^2*x^2 - c^2}*d)/d^7 - \frac{1}{16}*a*c^6*\log(2*d^2*x + 2*\sqrt{d^2*x^2 - c^2}*d)/d^5 + \frac{5}{128}*\sqrt{d^2*x^2 - c^2}*b*c^6*x/d^6 + \frac{1}{16}*\sqrt{d^2*x^2 - c^2}*a*c^4*x/d^4 + \frac{5}{64}*(d^2*x^2 - c^2)^{(3/2)}*b*c^4*x/d^6 + \frac{1}{8}*(d^2*x^2 - c^2)^{(3/2)}*a*c^2*x/d^4$

mupad [B] time = 39.15, size = 2314, normalized size = 11.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^4*(a + b*x^2)*(c + d*x)^{(1/2)}*(d*x - c)^{(1/2)}, x)$

[Out] $((35*a*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^3)/(12*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^3) - (a*c^6*((c + d*x)^{(1/2)} - c^{(1/2)}))/((4*((-c)^{(1/2)} - (d*x - c)^{(1/2)}))) + (757*a*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^5)/(4*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^5) + (7339*a*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^7)/(4*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^7) + (41929*a*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^9)/(6*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^9) + (25661*a*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^11)/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^11)$

$$\begin{aligned}
& (-c)^{(1/2)} - (d*x - c)^{(1/2)})^{11} + (25661*a*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^{13}) / (2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{13}) + (41929*a*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^{15}) / (6*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{15}) + (7339*a*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^{17}) / (4*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{17}) + (757*a*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^{19}) / (4*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{19}) + (35*a*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^{21}) / (12*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{21}) - (a*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^{23}) / (4*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{23}) / (d^5 - (12*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^2) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 + (66*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^4) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4 - (220*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^6) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^6 + (495*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^8) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^8 - (792*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^{10}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{10} + (924*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^{12}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{12} - (792*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^{14}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{14} + (495*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^{16}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{16} - (220*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^{18}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{18} + (66*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^{20}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{20} - (12*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^{22}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{22} + (d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^{24}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{24} - ((5*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})) / (32*((-c)^{(1/2)} - (d*x - c)^{(1/2)})) - (235*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})^3) / (96*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^3) + (1723*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})^5) / (96*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^5) + (72283*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})^7) / (32*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^7) + (848801*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})^9) / (32*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^9) + (4181067*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})^{11}) / (32*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{11}) + (10994181*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})^{13}) / (32*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{13}) + (17457599*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})^{15}) / (32*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{15}) + (17457599*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})^{17}) / (32*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{17}) + (10994181*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})^{19}) / (32*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{19}) + (4181067*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})^{21}) / (32*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{21}) + (848801*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})^{23}) / (32*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{23}) + (72283*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})^{25}) / (32*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{25}) + (1723*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})^{27}) / (96*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{27}) - (235*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})^{29}) / (96*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{29}) + (5*b*c^8*((c + d*x)^{(1/2)} - c^{(1/2)})^{31}) / (32*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{31}) / (d^7 - (16*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^2) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 + (120*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^4) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4 - (560*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^6) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^6 + (1820*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^8) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^8 - (4368*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^{10}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{10} + (8008*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^{12}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{12} - (11440*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^{14}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{14} + (12870*d^7*((c +
\end{aligned}$$

$$\begin{aligned} & d*x)^{(1/2)} - c^{(1/2)})^{16} / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{16} - (11440*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^{18} / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{18} + (8008*d^7 * ((c + d*x)^{(1/2)} - c^{(1/2)})^{20} / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{20} - (4368*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^{22} / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{22} + (1820*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^{24} / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{24} - (560*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^{26} / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{26} + (120*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^{28} / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{28} - (16*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^{30} / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{30} + (d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^{32} / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{32}) + (a*c^6*atanh(((c + d*x)^{(1/2)} - c^{(1/2)}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)}))) / (4*d^5) + (5*b*c^8*atanh(((c + d*x)^{(1/2)} - c^{(1/2)}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)}))) / (32*d^7) \end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 (a + bx^2) \sqrt{-c + dx} \sqrt{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(b*x**2+a)*(d*x-c)**(1/2)*(d*x+c)**(1/2), x)

[Out] Integral(x**4*(a + b*x**2)*sqrt(-c + d*x)*sqrt(c + d*x), x)

3.201 $\int x^2 \sqrt{-c + dx} \sqrt{c + dx} (a + bx^2) dx$

Optimal. Leaf size=159

$$\frac{c^2 x \sqrt{dx - c} \sqrt{c + dx} (2ad^2 + bc^2)}{16d^4} + \frac{x(dx - c)^{3/2} (c + dx)^{3/2} (2ad^2 + bc^2)}{8d^4} - \frac{c^4 (2ad^2 + bc^2) \tanh^{-1}\left(\frac{\sqrt{dx - c}}{\sqrt{c + dx}}\right)}{8d^5} + \frac{bx^3(dx - c)^{3/2} (c + dx)^{3/2}}{6d^2}$$

Rubi [A] time = 0.12, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {460, 90, 12, 38, 63, 217, 206}

$$\frac{c^2 x \sqrt{dx - c} \sqrt{c + dx} (2ad^2 + bc^2)}{16d^4} + \frac{x(dx - c)^{3/2} (c + dx)^{3/2} (2ad^2 + bc^2)}{8d^4} - \frac{c^4 (2ad^2 + bc^2) \tanh^{-1}\left(\frac{\sqrt{dx - c}}{\sqrt{c + dx}}\right)}{8d^5} + \frac{bx^3(dx - c)^{3/2} (c + dx)^{3/2}}{6d^2}$$

Antiderivative was successfully verified.

[In] Int[x^2*Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2), x]

[Out] (c^2*(b*c^2 + 2*a*d^2)*x*Sqrt[-c + d*x]*Sqrt[c + d*x])/(16*d^4) + ((b*c^2 + 2*a*d^2)*x*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(8*d^4) + (b*x^3*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(6*d^2) - (c^4*(b*c^2 + 2*a*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/(8*d^5)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 38

Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(m_), x_Symbol] := Simp[(x*(a + b*x)^m*(c + d*x)^m)/(2*m + 1), x] + Dist[(2*a*c*m)/(2*m + 1), Int[(a + b*x)^(m - 1)*(c + d*x)^(m - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 90

```
Int[((a_.) + (b_.)*(x_))2((c_.) + (d_.)*(x_))(n_.)((e_.) + (f_.)*(x_))(p_.), x_Symbol] := Simp[(b*(a + b*x)*(c + d*x)(n + 1)(e + f*x)(p + 1)]/(d*f*(n + p + 3)), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)n(e + f*x)p*Simp[a2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)2)(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)2], x_Symbol] := Subst[Int[1/(1 - b*x2), x], x, x/Sqrt[a + b*x2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 460

```
Int[((e_.)*(x_)(m_.)((a1_) + (b1_.)*(x_)(non2_.))(p_.)((a2_) + (b2_.)*(x_)(non2_.))(p_.)((c_) + (d_.)*(x_)(n_.)), x_Symbol] := Simp[(d*(e*x)(m + 1)(a1 + b1*x(n/2))(p + 1)(a2 + b2*x(n/2))(p + 1)]/(b1*b2*e*(m + n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)m(a1 + b1*x(n/2))p(a2 + b2*x(n/2))p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rubi steps

$$\begin{aligned}
\int x^2 \sqrt{-c+dx} \sqrt{c+dx} (a+bx^2) dx &= \frac{bx^3(-c+dx)^{3/2}(c+dx)^{3/2}}{6d^2} + \frac{1}{2} \left(2a + \frac{bc^2}{d^2}\right) \int x^2 \sqrt{-c+dx} \sqrt{c+dx} dx \\
&= \frac{(bc^2+2ad^2)x(-c+dx)^{3/2}(c+dx)^{3/2}}{8d^4} + \frac{bx^3(-c+dx)^{3/2}(c+dx)^{3/2}}{6d^2} + \frac{(b}{8d^4} \\
&= \frac{(bc^2+2ad^2)x(-c+dx)^{3/2}(c+dx)^{3/2}}{8d^4} + \frac{bx^3(-c+dx)^{3/2}(c+dx)^{3/2}}{6d^2} + \frac{(b}{8d^4} \\
&= \frac{c^2(bc^2+2ad^2)x\sqrt{-c+dx}\sqrt{c+dx}}{16d^4} + \frac{(bc^2+2ad^2)x(-c+dx)^{3/2}(c+d}{8d^4} \\
&= \frac{c^2(bc^2+2ad^2)x\sqrt{-c+dx}\sqrt{c+dx}}{16d^4} + \frac{(bc^2+2ad^2)x(-c+dx)^{3/2}(c+d}{8d^4} \\
&= \frac{c^2(bc^2+2ad^2)x\sqrt{-c+dx}\sqrt{c+dx}}{16d^4} + \frac{(bc^2+2ad^2)x(-c+dx)^{3/2}(c+d}{8d^4} \\
&= \frac{c^2(bc^2+2ad^2)x\sqrt{-c+dx}\sqrt{c+dx}}{16d^4} + \frac{(bc^2+2ad^2)x(-c+dx)^{3/2}(c+d}{8d^4}
\end{aligned}$$

Mathematica [A] time = 0.19, size = 135, normalized size = 0.85

$$\frac{\sqrt{dx-c}\sqrt{c+dx} \left(3(2ac^3d^2+bc^5) \sin^{-1}\left(\frac{dx}{c}\right) + dx\sqrt{1-\frac{d^2x^2}{c^2}} (b(-3c^4-2c^2d^2x^2+8d^4x^4)-6ad^2(c^2-2d^2x^2)) \right)}{48d^5\sqrt{1-\frac{d^2x^2}{c^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*Sqrt[-c+d*x]*Sqrt[c+d*x]*(a+b*x^2),x]

[Out] (Sqrt[-c+d*x]*Sqrt[c+d*x]*(d*x*Sqrt[1-(d^2*x^2)/c^2]*(-6*a*d^2*(c^2-2*d^2*x^2)+b*(-3*c^4-2*c^2*d^2*x^2+8*d^4*x^4))+3*(b*c^5+2*a*c^3*d^2)*ArcSin[(d*x)/c]))/(48*d^5*Sqrt[1-(d^2*x^2)/c^2])

IntegrateAlgebraic [A] time = 0.24, size = 297, normalized size = 1.87

$$\frac{(-2ac^4d^2-bc^6)\tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)+c^4\sqrt{dx-c}\left(\frac{dx-c}{c+dx}+1\right)\left(\frac{6ad^2(dx-c)^4}{(c+dx)^4}+\frac{24ad^2(dx-c)^3}{(c+dx)^3}-\frac{60ad^2(dx-c)^2}{(c+dx)^2}+\frac{24ad^2(dx-c)}{c+dx}+6ad^2+\frac{3bc^2(dx-c)^4}{(c+dx)^4}+\frac{44bc^2(dx-c)^3}{(c+dx)^3}+\frac{34bc^2(dx-c)^2}{(c+dx)^2}+\frac{44bc^2(dx-c)}{c+dx}+3bc^2\right)}{24d^5\sqrt{c+dx}\left(\frac{dx-c}{c+dx}-1\right)^6}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2*Sqrt[-c+d*x]*Sqrt[c+d*x]*(a+b*x^2),x]

```
[Out] (c^4*Sqrt[-c + d*x]*(1 + (-c + d*x)/(c + d*x))*(3*b*c^2 + 6*a*d^2 + (3*b*c^2*(-c + d*x)^4)/(c + d*x)^4 + (6*a*d^2*(-c + d*x)^4)/(c + d*x)^4 + (44*b*c^2*(-c + d*x)^3)/(c + d*x)^3 + (24*a*d^2*(-c + d*x)^3)/(c + d*x)^3 + (34*b*c^2*(-c + d*x)^2)/(c + d*x)^2 - (60*a*d^2*(-c + d*x)^2)/(c + d*x)^2 + (44*b*c^2*(-c + d*x))/(c + d*x) + (24*a*d^2*(-c + d*x))/(c + d*x))/(24*d^5*Sqrt[c + d*x]*(-1 + (-c + d*x)/(c + d*x))^6 + ((-b*c^6) - 2*a*c^4*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/(8*d^5)
```

fricas [A] time = 0.82, size = 112, normalized size = 0.70

$$\frac{(8bd^5x^5 - 2(bc^2d^3 - 6ad^5)x^3 - 3(bc^4d + 2ac^2d^3)x)\sqrt{dx+c}\sqrt{dx-c} + 3(bc^6 + 2ac^4d^2)\log(-dx + \sqrt{dx+c}\sqrt{dx-c})}{48d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] 1/48*((8*b*d^5*x^5 - 2*(b*c^2*d^3 - 6*a*d^5)*x^3 - 3*(b*c^4*d + 2*a*c^2*d^3)*x)*sqrt(d*x + c)*sqrt(d*x - c) + 3*(b*c^6 + 2*a*c^4*d^2)*log(-d*x + sqrt(d*x + c)*sqrt(d*x - c)))/d^5
```

giac [B] time = 0.46, size = 432, normalized size = 2.72

$$\frac{a\left(\sqrt{dx+c}\sqrt{dx-c}\left(\left(8bd^5x^5 - 2(bc^2d^3 - 6ad^5)x^3 - 3(bc^4d + 2ac^2d^3)x\right)\sqrt{dx+c}\sqrt{dx-c} + 3(bc^6 + 2ac^4d^2)\log(-dx + \sqrt{dx+c}\sqrt{dx-c})\right)\right)}{48d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] 1/240*(40*(sqrt(d*x + c)*sqrt(d*x - c))*((d*x + c)*(2*(d*x + c)/d^2 - 7*c/d^2) + 9*c^2/d^2) + 6*c^3*log(abs(-sqrt(d*x + c) + sqrt(d*x - c)))/d^2)*a*c + 2*((2*(d*x + c)*(3*(d*x + c)*(4*(d*x + c)/d^4 - 21*c/d^4) + 133*c^2/d^4) - 295*c^3/d^4)*(d*x + c) + 195*c^4/d^4)*sqrt(d*x + c)*sqrt(d*x - c) + 90*c^5*log(abs(-sqrt(d*x + c) + sqrt(d*x - c)))/d^4)*b*c + 10*((2*(d*x + c)*(3*(d*x + c)/d^3 - 13*c/d^3) + 43*c^2/d^3) - 39*c^3/d^3)*sqrt(d*x + c)*sqrt(d*x - c) - 18*c^4*log(abs(-sqrt(d*x + c) + sqrt(d*x - c)))/d^3)*a*d + (((2*((d*x + c)*(4*(d*x + c)*(5*(d*x + c)/d^5 - 31*c/d^5) + 321*c^2/d^5) - 451*c^3/d^5)*(d*x + c) + 745*c^4/d^5)*(d*x + c) - 405*c^5/d^5)*sqrt(d*x + c)*sqrt(d*x - c) - 150*c^6*log(abs(-sqrt(d*x + c) + sqrt(d*x - c)))/d^5)*b*d)/d
```

maple [C] time = 0.07, size = 240, normalized size = 1.51

$$\frac{\sqrt{dx-c}\sqrt{dx+c}\left(8\sqrt{d^2x^2-c^2}bd^5x^5\operatorname{csign}(d)+12\sqrt{d^2x^2-c^2}ad^5x^3\operatorname{csign}(d)-2\sqrt{d^2x^2-c^2}b^2c^2d^3\operatorname{csign}(d)-6ac^4d^2\ln\left(\frac{dx+\sqrt{d^2x^2-c^2}\operatorname{csign}(d)}{48\sqrt{d^2x^2-c^2}d^5}\right)-6\sqrt{d^2x^2-c^2}a^2d^4x\operatorname{csign}(d)-3bc^6\ln\left(\frac{dx+\sqrt{d^2x^2-c^2}\operatorname{csign}(d)}{48\sqrt{d^2x^2-c^2}d^5}\right)-3\sqrt{d^2x^2-c^2}b^2c^2dx\operatorname{csign}(d)\right)\operatorname{csign}(d)}{48\sqrt{d^2x^2-c^2}d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^2*(b*x^2+a)*(d*x-c)^{(1/2)}*(d*x+c)^{(1/2)}, x)$

[Out] $\frac{1}{48}(d*x-c)^{(1/2)}*(d*x+c)^{(1/2)}*(8*c*\text{sgn}(d)*x^5*b*d^5*(d^2*x^2-c^2)^{(1/2)}+12*c*\text{sgn}(d)*x^3*a*d^5*(d^2*x^2-c^2)^{(1/2)}-2*c*\text{sgn}(d)*x^3*b*c^2*d^3*(d^2*x^2-c^2)^{(1/2)}-6*c*\text{sgn}(d)*d^3*(d^2*x^2-c^2)^{(1/2)}*x*a*c^2-3*c*\text{sgn}(d)*d*(d^2*x^2-c^2)^{(1/2)}*x*b*c^4-6*\ln((d*x+(d^2*x^2-c^2)^{(1/2)}*c*\text{sgn}(d))*c*\text{sgn}(d))*a*c^4*d^2-3*\ln((d*x+(d^2*x^2-c^2)^{(1/2)}*c*\text{sgn}(d))*c*\text{sgn}(d))*b*c^6)*c*\text{sgn}(d)/(d^2*x^2-c^2)^{(1/2)}/d^5$

maxima [A] time = 0.67, size = 192, normalized size = 1.21

$$\frac{(d^2x^2 - c^2)^{\frac{3}{2}}bx^3}{6d^2} - \frac{bc^6 \log(2d^2x + 2\sqrt{d^2x^2 - c^2}d)}{16d^5} - \frac{ac^4 \log(2d^2x + 2\sqrt{d^2x^2 - c^2}d)}{8d^3} + \frac{\sqrt{d^2x^2 - c^2}bc^4x}{16d^4} + \frac{\sqrt{d^2x^2 - c^2}ac^2x}{8d^2} + \frac{(d^2x^2 - c^2)^{\frac{3}{2}}bc^2x}{8d^4} + \frac{(d^2x^2 - c^2)^{\frac{3}{2}}ax}{4d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^2*(b*x^2+a)*(d*x-c)^{(1/2)}*(d*x+c)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] $\frac{1}{6}(d^2*x^2 - c^2)^{(3/2)}*b*x^3/d^2 - \frac{1}{16}*b*c^6*\log(2*d^2*x + 2*\text{sqrt}(d^2*x^2 - c^2)*d)/d^5 - \frac{1}{8}*a*c^4*\log(2*d^2*x + 2*\text{sqrt}(d^2*x^2 - c^2)*d)/d^3 + \frac{1}{16}*\text{sqrt}(d^2*x^2 - c^2)*b*c^4*x/d^4 + \frac{1}{8}*\text{sqrt}(d^2*x^2 - c^2)*a*c^2*x/d^2 + \frac{1}{8}*(d^2*x^2 - c^2)^{(3/2)}*b*c^2*x/d^4 + \frac{1}{4}*(d^2*x^2 - c^2)^{(3/2)}*a*x/d^2$

mupad [B] time = 42.57, size = 1681, normalized size = 10.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^2*(a + b*x^2)*(c + d*x)^{(1/2)}*(d*x - c)^{(1/2)}, x)$

[Out] $((35*b*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^3)/(12*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^3) - (b*c^6*((c + d*x)^{(1/2)} - c^{(1/2)}))/(4*((-c)^{(1/2)} - (d*x - c)^{(1/2)})) + (757*b*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^5)/(4*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^5) + (7339*b*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^7)/(4*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^7) + (41929*b*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^9)/(6*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^9) + (25661*b*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^11)/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^11) + (25661*b*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^13)/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^13) + (41929*b*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^15)/(6*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^15) + (7339*b*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^17)/(4*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^17) + (757*b*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^19)/(4*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^19) + (35*b*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^21)/(12*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^21) - (b*c^6*((c + d*x)^{(1/2)} - c^{(1/2)})^23)/(4*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^23)/(d^5 - (12*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 + (66*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4 - (220*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^6)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^6 + (495*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^8)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^8 - (792*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^10)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^10$

$$\begin{aligned}
& c^{(1/2))^{10} + (924*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^{12}/((-c)^{(1/2)} - (d*x \\
& - c)^{(1/2)})^{12} - (792*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^{14}/((-c)^{(1/2)} - (d \\
& *x - c)^{(1/2)})^{14} + (495*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^{16}/((-c)^{(1/2)} - \\
& (d*x - c)^{(1/2)})^{16} - (220*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^{18}/((-c)^{(1/2)} \\
& - (d*x - c)^{(1/2)})^{18} + (66*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^{20}/((-c)^{(1/2)} \\
& - (d*x - c)^{(1/2)})^{20} - (12*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^{22}/((-c)^{(1/2)} \\
&) - (d*x - c)^{(1/2)})^{22} + (d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^{24}/((-c)^{(1/2)} \\
& - (d*x - c)^{(1/2)})^{24} - ((a*c^4*((c + d*x)^{(1/2)} - c^{(1/2)}))/(2*((-c)^{(1/2)} \\
&) - (d*x - c)^{(1/2)})) + (35*a*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^3)/(2*((-c)^{(1/2)} \\
& - (d*x - c)^{(1/2)})^3) + (273*a*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^5)/(2*((-c)^{(1/2)} \\
& - (d*x - c)^{(1/2)})^5) + (715*a*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^7 \\
&)/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^7) + (715*a*c^4*((c + d*x)^{(1/2)} - c^{(1/2)} \\
& /2))^{9}/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^9) + (273*a*c^4*((c + d*x)^{(1/2)} \\
& - c^{(1/2)})^{11}/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{11}) + (35*a*c^4*((c + d*x) \\
& ^{(1/2)} - c^{(1/2)})^{13}/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{13}) + (a*c^4*((c + \\
& d*x)^{(1/2)} - c^{(1/2)})^{15}/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{15}))/((d^3 - (8* \\
& d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 + (28*d \\
& ^3*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4 - (56*d^3 \\
& *((c + d*x)^{(1/2)} - c^{(1/2)})^6)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^6 + (70*d^3 \\
& *((c + d*x)^{(1/2)} - c^{(1/2)})^8)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^8 - (56*d^3* \\
& ((c + d*x)^{(1/2)} - c^{(1/2)})^{10}/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{10} + (28*d^3 \\
& *((c + d*x)^{(1/2)} - c^{(1/2)})^{12}/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{12} - (8*d^3 \\
& *((c + d*x)^{(1/2)} - c^{(1/2)})^{14}/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{14} + (d^3*(\\
& (c + d*x)^{(1/2)} - c^{(1/2)})^{16}/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{16} + (a*c^4* \\
& atanh(((c + d*x)^{(1/2)} - c^{(1/2)})/((-c)^{(1/2)} - (d*x - c)^{(1/2)})))/(2*d^3) \\
& + (b*c^6*atanh(((c + d*x)^{(1/2)} - c^{(1/2)})/((-c)^{(1/2)} - (d*x - c)^{(1/2)})) \\
& /((4*d^5)
\end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (a + bx^2) \sqrt{-c + dx} \sqrt{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(b*x**2+a)*(d*x-c)**(1/2)*(d*x+c)**(1/2),x)

[Out] Integral(x**2*(a + b*x**2)*sqrt(-c + d*x)*sqrt(c + d*x), x)

3.202 $\int \sqrt{-c + dx} \sqrt{c + dx} (a + bx^2) dx$

Optimal. Leaf size=114

$$\frac{x\sqrt{dx-c}\sqrt{c+dx}(4ad^2+bc^2)}{8d^2} - \frac{c^2(4ad^2+bc^2)\tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{4d^3} + \frac{bx(dx-c)^{3/2}(c+dx)^{3/2}}{4d^2}$$

Rubi [A] time = 0.05, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$, Rules used = {389, 38, 63, 217, 206}

$$\frac{x\sqrt{dx-c}\sqrt{c+dx}(4ad^2+bc^2)}{8d^2} - \frac{c^2(4ad^2+bc^2)\tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{4d^3} + \frac{bx(dx-c)^{3/2}(c+dx)^{3/2}}{4d^2}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2), x]

[Out] ((b*c^2 + 4*a*d^2)*x*Sqrt[-c + d*x]*Sqrt[c + d*x])/(8*d^2) + (b*x*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(4*d^2) - (c^2*(b*c^2 + 4*a*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/(4*d^3)

Rule 38

Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(x*(a + b*x)^m*(c + d*x)^n)/(2*m + 1), x] + Dist[(2*a*c*m)/(2*m + 1), Int[(a + b*x)^(m - 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

Rule 389

`Int[((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*(n*(p + 1) + 1)), x] - Dist[(a1*a2*d - b1*b2*c*(n*(p + 1) + 1))/(b1*b2*(n*(p + 1) + 1)), Int[(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[n*(p + 1) + 1, 0]`

Rubi steps

$$\begin{aligned} \int \sqrt{-c+dx} \sqrt{c+dx} (a+bx^2) dx &= \frac{bx(-c+dx)^{3/2}(c+dx)^{3/2}}{4d^2} - \frac{(-bc^2-4ad^2) \int \sqrt{-c+dx} \sqrt{c+dx} dx}{4d^2} \\ &= \frac{(bc^2+4ad^2)x\sqrt{-c+dx}\sqrt{c+dx}}{8d^2} + \frac{bx(-c+dx)^{3/2}(c+dx)^{3/2}}{4d^2} + \frac{c^2(-bc^2-4ad^2)}{4d^2} \\ &= \frac{(bc^2+4ad^2)x\sqrt{-c+dx}\sqrt{c+dx}}{8d^2} + \frac{bx(-c+dx)^{3/2}(c+dx)^{3/2}}{4d^2} - \frac{c^2(bc^2+4ad^2)}{4d^2} \\ &= \frac{(bc^2+4ad^2)x\sqrt{-c+dx}\sqrt{c+dx}}{8d^2} + \frac{bx(-c+dx)^{3/2}(c+dx)^{3/2}}{4d^2} - \frac{c^2(bc^2+4ad^2)}{4d^2} \\ &= \frac{(bc^2+4ad^2)x\sqrt{-c+dx}\sqrt{c+dx}}{8d^2} + \frac{bx(-c+dx)^{3/2}(c+dx)^{3/2}}{4d^2} - \frac{c^2(bc^2+4ad^2)}{4d^2} \end{aligned}$$

Mathematica [A] time = 0.28, size = 129, normalized size = 1.13

$$\frac{dx(c^2 - d^2x^2)(b(c^2 - 2d^2x^2) - 4ad^2) - 2c^{5/2}\sqrt{dx-c}\sqrt{\frac{dx}{c}+1}(4ad^2 + bc^2)\sinh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{2}\sqrt{c}}\right)}{8d^3\sqrt{dx-c}\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2), x]

[Out] (d*x*(c^2 - d^2*x^2)*(-4*a*d^2 + b*(c^2 - 2*d^2*x^2)) - 2*c^(5/2)*(b*c^2 + 4*a*d^2)*Sqrt[-c + d*x]*Sqrt[1 + (d*x)/c]*ArcSinh[Sqrt[-c + d*x]/(Sqrt[2]*Sqrt[c])])/(8*d^3*Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [A] time = 0.18, size = 207, normalized size = 1.82

$$\frac{c^2 \sqrt{dx-c} \left(\frac{dx-c}{c+dx} + 1 \right) \left(-\frac{8ad^2(dx-c)}{c+dx} + \frac{4ad^2(dx-c)^2}{(c+dx)^2} + 4ad^2 + \frac{6bc^2(dx-c)}{c+dx} + \frac{bc^2(dx-c)^2}{(c+dx)^2} + bc^2 \right) + \frac{(-4ac^2d^2 - bc^4) \tanh^{-1} \left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}} \right)}{4d^3}}{4d^3 \sqrt{c+dx} \left(\frac{dx-c}{c+dx} - 1 \right)^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2), x]

[Out] (c^2*Sqrt[-c + d*x]*(1 + (-c + d*x)/(c + d*x))*(b*c^2 + 4*a*d^2 + (b*c^2*(-c + d*x)^2)/(c + d*x)^2 + (4*a*d^2*(-c + d*x)^2)/(c + d*x)^2 + (6*b*c^2*(-c + d*x))/(c + d*x) - (8*a*d^2*(-c + d*x))/(c + d*x))/(4*d^3*Sqrt[c + d*x]*(-1 + (-c + d*x)/(c + d*x))^4) + ((-(b*c^4) - 4*a*c^2*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/(4*d^3)

fricas [A] time = 0.87, size = 88, normalized size = 0.77

$$\frac{(2bd^3x^3 - (bc^2d - 4ad^3)x)\sqrt{dx+c}\sqrt{dx-c} + (bc^4 + 4ac^2d^2)\log(-dx + \sqrt{dx+c}\sqrt{dx-c})}{8d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2), x, algorithm="fricas")

[Out] 1/8*((2*b*d^3*x^3 - (b*c^2*d - 4*a*d^3)*x)*sqrt(d*x + c)*sqrt(d*x - c) + (b*c^4 + 4*a*c^2*d^2)*log(-d*x + sqrt(d*x + c)*sqrt(d*x - c)))/d^3

giac [B] time = 0.35, size = 288, normalized size = 2.53

$$\frac{24(2c \log(-\sqrt{dx+c} + \sqrt{dx-c}) + \sqrt{dx+c}\sqrt{dx-c})bc + 4(\sqrt{dx+c}\sqrt{dx-c}((dx+c)(\frac{3(dx+c)}{2d} - \frac{7}{2d}) + \frac{9c^2}{2d^2}) + \frac{6c^2 \log(-\sqrt{dx+c} + \sqrt{dx-c})}{d})bc + ((dx+c)(2(dx+c)(\frac{3(dx+c)}{2d} - \frac{13c}{2d}) + \frac{9c^2}{2d^2}) - \frac{39c^2}{2d})\sqrt{dx+c}\sqrt{dx-c} - \frac{18c^4 \log(-\sqrt{dx+c} + \sqrt{dx-c})}{d} - 12(2c^2 \log(-\sqrt{dx+c} + \sqrt{dx-c}) - \sqrt{dx+c}\sqrt{dx-c}(dx-2c))a}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2), x, algorithm="giac")

[Out] 1/24*(24*(2*c*log(abs(-sqrt(d*x + c) + sqrt(d*x - c))) + sqrt(d*x + c)*sqrt(d*x - c))*a*c + 4*(sqrt(d*x + c)*sqrt(d*x - c))*((d*x + c)*(2*(d*x + c)/d^2 - 7*c/d^2) + 9*c^2/d^2) + 6*c^3*log(abs(-sqrt(d*x + c) + sqrt(d*x - c)))/d^2)*b*c + (((d*x + c)*(2*(d*x + c)*(3*(d*x + c)/d^3 - 13*c/d^3) + 43*c^2/d^3) - 39*c^3/d^3)*sqrt(d*x + c)*sqrt(d*x - c) - 18*c^4*log(abs(-sqrt(d*x + c) + sqrt(d*x - c)))/d^3)*b*d - 12*(2*c^2*log(abs(-sqrt(d*x + c) + sqrt(d*x - c))) - sqrt(d*x + c)*sqrt(d*x - c)*(d*x - 2*c))*a)/d

maple [C] time = 0.06, size = 182, normalized size = 1.60

$$\frac{\sqrt{dx-c}\sqrt{dx+c} \left(2\sqrt{d^2x^2-c^2} b d^2 x^3 \operatorname{csgn}(d) - 4a c^2 d^2 \ln \left(\left(dx + \sqrt{d^2x^2-c^2} \operatorname{csgn}(d) \right) \operatorname{csgn}(d) \right) + 4\sqrt{d^2x^2-c^2} a d^3 x \operatorname{csgn}(d) - b c^4 \ln \left(\left(dx + \sqrt{d^2x^2-c^2} \operatorname{csgn}(d) \right) \operatorname{csgn}(d) \right) - \sqrt{d^2x^2-c^2} b c^2 dx \operatorname{csgn}(d) \right)}{8\sqrt{d^2x^2-c^2} d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((b*x^2+a)*(d*x-c)^{(1/2)}*(d*x+c)^{(1/2)}, x)$

[Out] $\frac{1}{8}*(d*x-c)^{(1/2)}*(d*x+c)^{(1/2)}*(2*c\text{sgn}(d)*x^3*b*d^3*(d^2*x^2-c^2)^{(1/2)}+4*c\text{sgn}(d)*d^3*(d^2*x^2-c^2)^{(1/2)}*x*a-c\text{sgn}(d)*d*(d^2*x^2-c^2)^{(1/2)}*x*b*c^2-4*\ln((d*x+(d^2*x^2-c^2)^{(1/2)}*c\text{sgn}(d))*c\text{sgn}(d))*a*c^2*d^2-\ln((d*x+(d^2*x^2-c^2)^{(1/2)}*c\text{sgn}(d))*c\text{sgn}(d))*b*c^4)*c\text{sgn}(d)/(d^2*x^2-c^2)^{(1/2)}/d^3$

maxima [A] time = 0.54, size = 137, normalized size = 1.20

$$-\frac{bc^4 \log\left(2d^2x + 2\sqrt{d^2x^2 - c^2}d\right)}{8d^3} - \frac{ac^2 \log\left(2d^2x + 2\sqrt{d^2x^2 - c^2}d\right)}{2d} + \frac{1}{2}\sqrt{d^2x^2 - c^2}ax + \frac{\sqrt{d^2x^2 - c^2}bc^2x}{8d^2} + \frac{(d^2x^2 - c^2)^{\frac{3}{2}}bx}{4d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((b*x^2+a)*(d*x-c)^{(1/2)}*(d*x+c)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] $-1/8*b*c^4*\log(2*d^2*x + 2*\text{sqrt}(d^2*x^2 - c^2)*d)/d^3 - 1/2*a*c^2*\log(2*d^2*x + 2*\text{sqrt}(d^2*x^2 - c^2)*d)/d + 1/2*\text{sqrt}(d^2*x^2 - c^2)*a*x + 1/8*\text{sqrt}(d^2*x^2 - c^2)*b*c^2*x/d^2 + 1/4*(d^2*x^2 - c^2)^{(3/2)}*b*x/d^2$

mupad [B] time = 17.43, size = 734, normalized size = 6.44

$$\frac{ax\sqrt{c+dx}\sqrt{dx-c}}{2} - \frac{bc^4(\sqrt{c+dx}-\sqrt{c})}{2(\sqrt{c+dx}-\sqrt{c})} + \frac{35bc^4(\sqrt{c+dx}-\sqrt{c})^3}{2(\sqrt{c+dx}-\sqrt{c})^3} + \frac{273bc^4(\sqrt{c+dx}-\sqrt{c})^5}{2(\sqrt{c+dx}-\sqrt{c})^5} + \frac{715bc^4(\sqrt{c+dx}-\sqrt{c})^7}{2(\sqrt{c+dx}-\sqrt{c})^7} + \frac{273bc^4(\sqrt{c+dx}-\sqrt{c})^9}{2(\sqrt{c+dx}-\sqrt{c})^9} + \frac{35bc^4(\sqrt{c+dx}-\sqrt{c})^{11}}{2(\sqrt{c+dx}-\sqrt{c})^{11}} + \frac{bc^4(\sqrt{c+dx}-\sqrt{c})^{13}}{2(\sqrt{c+dx}-\sqrt{c})^{13}} - \frac{ac^2 \ln(dx + \sqrt{c+dx}\sqrt{dx-c})}{2d} + \frac{bc^4 \operatorname{atanh}\left(\frac{\sqrt{c+dx}-\sqrt{c}}{\sqrt{c+dx}+\sqrt{c}}\right)}{2d^3} - \frac{8d^3(\sqrt{c+dx}-\sqrt{c})^2}{(\sqrt{c+dx}-\sqrt{c})^2} + \frac{28d^3(\sqrt{c+dx}-\sqrt{c})^4}{(\sqrt{c+dx}-\sqrt{c})^4} - \frac{56d^3(\sqrt{c+dx}-\sqrt{c})^6}{(\sqrt{c+dx}-\sqrt{c})^6} + \frac{70d^3(\sqrt{c+dx}-\sqrt{c})^8}{(\sqrt{c+dx}-\sqrt{c})^8} - \frac{56d^3(\sqrt{c+dx}-\sqrt{c})^{10}}{(\sqrt{c+dx}-\sqrt{c})^{10}} + \frac{28d^3(\sqrt{c+dx}-\sqrt{c})^{12}}{(\sqrt{c+dx}-\sqrt{c})^{12}} - \frac{8d^3(\sqrt{c+dx}-\sqrt{c})^{14}}{(\sqrt{c+dx}-\sqrt{c})^{14}} + \frac{d^3(\sqrt{c+dx}-\sqrt{c})^{16}}{(\sqrt{c+dx}-\sqrt{c})^{16}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a + b*x^2)*(c + d*x)^{(1/2)}*(d*x - c)^{(1/2)}, x)$

[Out] $(a*x*(c + d*x)^{(1/2)}*(d*x - c)^{(1/2)})/2 - ((b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)}))/((2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})) + (35*b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^3)/((2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^3) + (273*b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^5)/((2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^5) + (715*b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^7)/((2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^7) + (715*b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^9)/((2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^9) + (273*b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^11)/((2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^11) + (35*b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^13)/((2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^13) + (b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^15)/((2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^15)))/(d^3 - (8*d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 + (28*d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4 - (56*d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^6)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^6 + (70*d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^8)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^8 - (56*d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^10)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^10 + (28*d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^12)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^12 - (8*d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^14)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^14$

$$\frac{1}{2})^{14} + (d^3 * ((c + d*x)^{(1/2)} - c^{(1/2)})^{16} / ((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{16} - (a*c^2 * \log(d*x + (c + d*x)^{(1/2)} * (d*x - c)^{(1/2)})) / (2*d) + (b*c^4 * \operatorname{atanh}(((c + d*x)^{(1/2)} - c^{(1/2)}) / ((-c)^{(1/2)} - (d*x - c)^{(1/2)}))) / (2*d^3)$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^2) \sqrt{-c + dx} \sqrt{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)*(d*x-c)**(1/2)*(d*x+c)**(1/2),x)

[Out] Integral((a + b*x**2)*sqrt(-c + d*x)*sqrt(c + d*x), x)

$$3.203 \quad \int \frac{\sqrt{-c+dx} \sqrt{c+dx} (a+bx^2)}{x^2} dx$$

Optimal. Leaf size=104

$$\frac{1}{2}x\sqrt{dx-c}\sqrt{c+dx}\left(b-\frac{2ad^2}{c^2}\right)-\frac{(bc^2-2ad^2)\tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{d}+\frac{a(dx-c)^{3/2}(c+dx)^{3/2}}{c^2x}$$

Rubi [A] time = 0.09, antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {454, 38, 63, 217, 206}

$$\frac{1}{2}x\sqrt{dx-c}\sqrt{c+dx}\left(b-\frac{2ad^2}{c^2}\right)-\frac{(bc^2-2ad^2)\tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{d}+\frac{a(dx-c)^{3/2}(c+dx)^{3/2}}{c^2x}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2))/x^2,x]

[Out] ((b - (2*a*d^2)/c^2)*x*Sqrt[-c + d*x]*Sqrt[c + d*x])/2 + (a*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(c^2*x) - ((b*c^2 - 2*a*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/d

Rule 38

Int[((a_) + (b_.)*(x_)^(m_))*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(x*(a + b*x)^m*(c + d*x)^m)/(2*m + 1), x] + Dist[(2*a*c*m)/(2*m + 1), Int[(a + b*x)^(m - 1)*(c + d*x)^(m - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0] && IGtQ[m + 1/2, 0]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 454

```
Int[((e_)*(x_))^(m_)*((a1_) + (b1_)*(x_)^(non2_))^(p_)*((a2_) + (b2_)*
*(x_)^(non2_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(
(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(a1*a2*e*(m +
1)), x] + Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*e^n*(
m + 1)), Int[(e*x)^(m + n)*(a1 + b1*x^(n/2))^(p*(a2 + b2*x^(n/2)))^p, x], x]
/; FreeQ[{a1, b1, a2, b2, c, d, e, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 +
a1*b2, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (L
tQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{-c+dx}\sqrt{c+dx}(a+bx^2)}{x^2} dx &= \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{c^2x} + \left(b - \frac{2ad^2}{c^2}\right) \int \sqrt{-c+dx}\sqrt{c+dx} dx \\ &= \frac{1}{2} \left(b - \frac{2ad^2}{c^2}\right) x\sqrt{-c+dx}\sqrt{c+dx} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{c^2x} + \frac{1}{2}(-bc^2 + 2ad^2) \\ &= \frac{1}{2} \left(b - \frac{2ad^2}{c^2}\right) x\sqrt{-c+dx}\sqrt{c+dx} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{c^2x} + \frac{(-bc^2 + 2ad^2)}{2c} \\ &= \frac{1}{2} \left(b - \frac{2ad^2}{c^2}\right) x\sqrt{-c+dx}\sqrt{c+dx} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{c^2x} + \frac{(-bc^2 + 2ad^2)}{2c} \\ &= \frac{1}{2} \left(b - \frac{2ad^2}{c^2}\right) x\sqrt{-c+dx}\sqrt{c+dx} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{c^2x} - \frac{(bc^2 - 2ad^2)}{2c} \end{aligned}$$

Mathematica [A] time = 0.09, size = 101, normalized size = 0.97

$$\frac{\sqrt{dx-c}\sqrt{c+dx} \left(cd(bx^2-2a) \sqrt{1-\frac{d^2x^2}{c^2}} + x(bc^2-2ad^2) \sin^{-1}\left(\frac{dx}{c}\right) \right)}{2cdx\sqrt{1-\frac{d^2x^2}{c^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2))/x^2,x]

[Out] (Sqrt[-c + d*x]*Sqrt[c + d*x]*(c*d*(-2*a + b*x^2)*Sqrt[1 - (d^2*x^2)/c^2] + (b*c^2 - 2*a*d^2)*x*ArcSin[(d*x)/c]))/(2*c*d*x*Sqrt[1 - (d^2*x^2)/c^2])

IntegrateAlgebraic [A] time = 0.20, size = 200, normalized size = 1.92

$$\frac{(2ad^2 - bc^2) \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{d} - \frac{\sqrt{dx-c} \left(-\frac{4ad^2(dx-c)}{c+dx} + \frac{2ad^2(dx-c)^2}{(c+dx)^2} + 2ad^2 - \frac{2bc^2(dx-c)}{c+dx} - \frac{bc^2(dx-c)^2}{(c+dx)^2} - bc^2 \right)}{d\sqrt{c+dx} \left(\frac{dx-c}{c+dx} - 1 \right)^2 \left(\frac{dx-c}{c+dx} + 1 \right)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2))/x^2,x]

[Out] -((Sqrt[-c + d*x]*(-(b*c^2) + 2*a*d^2 - (b*c^2*(-c + d*x)^2)/(c + d*x)^2 + (2*a*d^2*(-c + d*x)^2)/(c + d*x)^2 - (2*b*c^2*(-c + d*x))/(c + d*x) - (4*a*d^2*(-c + d*x))/(c + d*x)))/(d*Sqrt[c + d*x]*(-1 + (-c + d*x)/(c + d*x))^2*(1 + (-c + d*x)/(c + d*x))) + ((-(b*c^2) + 2*a*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/d

fricas [A] time = 0.74, size = 83, normalized size = 0.80

$$\frac{2ad^2x - (bc^2 - 2ad^2)x \log(-dx + \sqrt{dx+c}\sqrt{dx-c}) - (bdx^2 - 2ad)\sqrt{dx+c}\sqrt{dx-c}}{2dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x^2,x, algorithm="fricas")

[Out] -1/2*(2*a*d^2*x - (b*c^2 - 2*a*d^2)*x*log(-d*x + sqrt(d*x + c)*sqrt(d*x - c)) - (b*d*x^2 - 2*a*d)*sqrt(d*x + c)*sqrt(d*x - c))/(d*x)

giac [A] time = 0.40, size = 110, normalized size = 1.06

$$\frac{\frac{32ac^2d^2}{(\sqrt{dx+c}-\sqrt{dx-c})^4+4c^2} - 2((dx+c)b - bc)\sqrt{dx+c}\sqrt{dx-c} - (bc^2 - 2ad^2)\log\left(\left(\sqrt{dx+c} - \sqrt{dx-c}\right)^4\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x^2,x, algorithm="giac")

[Out] -1/4*(32*a*c^2*d^2/((sqrt(d*x + c) - sqrt(d*x - c))^4 + 4*c^2) - 2*((d*x + c)*b - b*c)*sqrt(d*x + c)*sqrt(d*x - c) - (b*c^2 - 2*a*d^2)*log((sqrt(d*x + c) - sqrt(d*x - c))^4))/d

maple [C] time = 0.06, size = 153, normalized size = 1.47

$$\frac{\sqrt{dx-c}\sqrt{dx+c}\left(2ad^2x\ln\left(\left(dx+\sqrt{d^2x^2-c^2}\operatorname{csgn}(d)\right)\operatorname{csgn}(d)\right)-b^2cx\ln\left(\left(dx+\sqrt{d^2x^2-c^2}\operatorname{csgn}(d)\right)\operatorname{csgn}(d)\right)+\sqrt{d^2x^2-c^2}bdx^2\operatorname{csgn}(d)-2\sqrt{d^2x^2-c^2}ad\operatorname{csgn}(d)\right)\operatorname{csgn}(d)}{2\sqrt{d^2x^2-c^2}dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x^2,x)

[Out] 1/2*(d*x-c)^(1/2)*(d*x+c)^(1/2)*(csgn(d)*x^2*b*d*(d^2*x^2-c^2)^(1/2)+2*ln((d*x+(d^2*x^2-c^2)^(1/2)*csgn(d))*csgn(d))*x*a*d^2-ln((d*x+(d^2*x^2-c^2)^(1/2)*csgn(d))*csgn(d))*x*b*c^2-2*csgn(d)*d*(d^2*x^2-c^2)^(1/2)*a)*csgn(d)/(d^2*x^2-c^2)^(1/2)/x/d

maxima [A] time = 1.50, size = 105, normalized size = 1.01

$$-\frac{bc^2\log\left(2d^2x+2\sqrt{d^2x^2-c^2}d\right)}{2d}+ad\log\left(2d^2x+2\sqrt{d^2x^2-c^2}d\right)+\frac{1}{2}\sqrt{d^2x^2-c^2}bx-\frac{\sqrt{d^2x^2-c^2}a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x^2,x, algorithm="maxima")

[Out] -1/2*b*c^2*log(2*d^2*x + 2*sqrt(d^2*x^2 - c^2)*d)/d + a*d*log(2*d^2*x + 2*sqrt(d^2*x^2 - c^2)*d) + 1/2*sqrt(d^2*x^2 - c^2)*b*x - sqrt(d^2*x^2 - c^2)*a/x

mupad [B] time = 3.49, size = 243, normalized size = 2.34

$$\frac{ad+\frac{5ad(\sqrt{c+dx}-\sqrt{c})^2}{(\sqrt{c}-\sqrt{dx-c})^2}}{\frac{4(\sqrt{c+dx}-\sqrt{c})}{\sqrt{c}-\sqrt{dx-c}}+\frac{4(\sqrt{c+dx}-\sqrt{c})^3}{(\sqrt{c}-\sqrt{dx-c})^3}}-4ad\operatorname{atanh}\left(\frac{\sqrt{c+dx}-\sqrt{c}}{\sqrt{c}-\sqrt{dx-c}}\right)+\frac{bx\sqrt{c+dx}\sqrt{dx-c}}{2}-\frac{bc^2\ln(dx+\sqrt{c+dx}\sqrt{dx-c})}{2d}+\frac{ad(\sqrt{c+dx}-\sqrt{c})}{4(\sqrt{c}-\sqrt{dx-c})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^2)*(c + d*x)^(1/2)*(d*x - c)^(1/2))/x^2,x)

[Out] (a*d + (5*a*d*((c + d*x)^(1/2) - c^(1/2))^2)/((-c)^(1/2) - (d*x - c)^(1/2))^2)/((4*((c + d*x)^(1/2) - c^(1/2)))/((-c)^(1/2) - (d*x - c)^(1/2)) + (4*((c + d*x)^(1/2) - c^(1/2))^3)/((-c)^(1/2) - (d*x - c)^(1/2))^3) - 4*a*d*atanh(((c + d*x)^(1/2) - c^(1/2))/((-c)^(1/2) - (d*x - c)^(1/2))) + (b*x*(c + d*x)^(1/2)*(d*x - c)^(1/2))/2 - (b*c^2*log(d*x + (c + d*x)^(1/2)*(d*x - c)^(1/2)))/(2*d) + (a*d*((c + d*x)^(1/2) - c^(1/2)))/(4*((-c)^(1/2) - (d*x - c)^(1/2)))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^2) \sqrt{-c + dx} \sqrt{c + dx}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)*(d*x-c)**(1/2)*(d*x+c)**(1/2)/x**2,x)

[Out] Integral((a + b*x**2)*sqrt(-c + d*x)*sqrt(c + d*x)/x**2, x)

$$3.204 \quad \int \frac{\sqrt{-c+dx} \sqrt{c+dx} (a+bx^2)}{x^4} dx$$

Optimal. Leaf size=84

$$\frac{a(dx-c)^{3/2}(c+dx)^{3/2}}{3c^2x^3} - \frac{b\sqrt{dx-c}\sqrt{c+dx}}{x} + 2bd \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)$$

Rubi [A] time = 0.08, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {454, 97, 12, 63, 217, 206}

$$\frac{a(dx-c)^{3/2}(c+dx)^{3/2}}{3c^2x^3} - \frac{b\sqrt{dx-c}\sqrt{c+dx}}{x} + 2bd \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2))/x^4,x]

[Out] -((b*Sqrt[-c + d*x]*Sqrt[c + d*x])/x) + (a*(-c + d*x)^(3/2)*(c + d*x)^(3/2))/(3*c^2*x^3) + 2*b*d*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 97

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p)/(b*(m + 1)), x] - Dist[1/(b*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^(p - 1)*Simp[d*e*n + c*f*p + d*f*(n + p)*x, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && LtQ[m, -1] && GtQ[n, 0] && GtQ[p, 0] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 454

Int[((e_.)*(x_)^(m_.))*((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(q_.)*((c_) + (d_.)*(x_)^(n_.)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(q + 1))/(a1*a2*e^(m + 1)), x] + Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*e^n*(m + 1)), Int[(e*x)^(m + n)*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^q, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{-c+dx}\sqrt{c+dx}(a+bx^2)}{x^4} dx &= \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{3c^2x^3} + b \int \frac{\sqrt{-c+dx}\sqrt{c+dx}}{x^2} dx \\
 &= -\frac{b\sqrt{-c+dx}\sqrt{c+dx}}{x} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{3c^2x^3} + b \int \frac{d^2}{\sqrt{-c+dx}\sqrt{c+dx}} dx \\
 &= -\frac{b\sqrt{-c+dx}\sqrt{c+dx}}{x} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{3c^2x^3} + (bd^2) \int \frac{1}{\sqrt{-c+dx}\sqrt{c+dx}} dx \\
 &= -\frac{b\sqrt{-c+dx}\sqrt{c+dx}}{x} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{3c^2x^3} + (2bd) \operatorname{Subst}\left(\int \frac{1}{\sqrt{2c+u}} du, x, \frac{c+dx}{x}\right) \\
 &= -\frac{b\sqrt{-c+dx}\sqrt{c+dx}}{x} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{3c^2x^3} + (2bd) \operatorname{Subst}\left(\int \frac{1}{1-x^2} dx, x, \frac{c+dx}{x}\right) \\
 &= -\frac{b\sqrt{-c+dx}\sqrt{c+dx}}{x} + \frac{a(-c+dx)^{3/2}(c+dx)^{3/2}}{3c^2x^3} + 2bd \tanh^{-1}\left(\frac{\sqrt{-c+dx}}{\sqrt{c+dx}}\right)
 \end{aligned}$$

Mathematica [A] time = 0.09, size = 105, normalized size = 1.25

$$\frac{\sqrt{dx-c} \sqrt{c+dx} \left(\sqrt{1-\frac{d^2x^2}{c^2}} \left(a(c^2-d^2x^2) + 3bc^2x^2 \right) + 3bcdx^3 \sin^{-1}\left(\frac{dx}{c}\right) \right)}{3c^2x^3 \sqrt{1-\frac{d^2x^2}{c^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2))/x^4,x]

[Out] $-1/3*(\text{Sqrt}[-c + d*x]*\text{Sqrt}[c + d*x]*(\text{Sqrt}[1 - (d^2*x^2)/c^2]*(3*b*c^2*x^2 + a*(c^2 - d^2*x^2)) + 3*b*c*d*x^3*\text{ArcSin}[(d*x)/c]))/(c^2*x^3*\text{Sqrt}[1 - (d^2*x^2)/c^2])$

IntegrateAlgebraic [A] time = 0.17, size = 145, normalized size = 1.73

$$2bd \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right) - \frac{2\sqrt{dx-c} \left(-\frac{4ad^3(dx-c)}{c+dx} + \frac{6bc^2d(dx-c)}{c+dx} + \frac{3bc^2d(dx-c)^2}{(c+dx)^2} + 3bc^2d \right)}{3c^2\sqrt{c+dx} \left(\frac{dx-c}{c+dx} + 1 \right)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[-c + d*x]*Sqrt[c + d*x]*(a + b*x^2))/x^4,x]

[Out] $(-2*\text{Sqrt}[-c + d*x]*(3*b*c^2*d + (3*b*c^2*d*(-c + d*x)^2)/(c + d*x)^2 + (6*b*c^2*d*(-c + d*x))/(c + d*x) - (4*a*d^3*(-c + d*x))/(c + d*x)))/(3*c^2*\text{Sqrt}[c + d*x]*(1 + (-c + d*x)/(c + d*x))^3) + 2*b*d*\text{ArcTanh}[\text{Sqrt}[-c + d*x]/\text{Sqrt}[c + d*x]]$

fricas [A] time = 0.79, size = 100, normalized size = 1.19

$$\frac{3bc^2dx^3 \log(-dx + \sqrt{dx+c} \sqrt{dx-c}) + (3bc^2d - ad^3)x^3 + (ac^2 + (3bc^2 - ad^2)x^2)\sqrt{dx+c} \sqrt{dx-c}}{3c^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x^4,x, algorithm="fricas")

[Out] $-1/3*(3*b*c^2*d*x^3*\log(-d*x + \text{sqrt}(d*x + c)*\text{sqrt}(d*x - c)) + (3*b*c^2*d - a*d^3)*x^3 + (a*c^2 + (3*b*c^2 - a*d^2)*x^2)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c))/(c^2*x^3)$

giac [B] time = 0.38, size = 171, normalized size = 2.04

$$3bd^2 \log\left(\left(\sqrt{dx+c} - \sqrt{dx-c}\right)^4\right) + \frac{16\left(3bc^2d^2(\sqrt{dx+c}-\sqrt{dx-c})^8 - 3ad^4(\sqrt{dx+c}-\sqrt{dx-c})^8 + 24bc^4d^2(\sqrt{dx+c}-\sqrt{dx-c})^4 + 48bc^6d^2 - 16ac^4d^4\right)}{\left(\left(\sqrt{dx+c}-\sqrt{dx-c}\right)^4 + 4c^2\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x^4,x, algorithm="giac")

[Out]
$$-1/6*(3*b*d^2*\log((\sqrt{d*x+c}-\sqrt{d*x-c})^4)+16*(3*b*c^2*d^2*(\sqrt{d*x+c}-\sqrt{d*x-c})^8-3*a*d^4*(\sqrt{d*x+c}-\sqrt{d*x-c})^8+24*b*c^4*d^2*(\sqrt{d*x+c}-\sqrt{d*x-c})^4+48*b*c^6*d^2-16*a*c^4*d^4)/((\sqrt{d*x+c}-\sqrt{d*x-c})^4+4*c^2)^3)/d$$

maple [C] time = 0.07, size = 153, normalized size = 1.82

$$\frac{\sqrt{dx-c}\sqrt{dx+c}\left(3bc^2dx^3\ln\left(\left(dx+\sqrt{d^2x^2-c^2}\operatorname{csgn}(d)\right)\operatorname{csgn}(d)\right)+\sqrt{d^2x^2-c^2}ad^2x^2\operatorname{csgn}(d)-3\sqrt{d^2x^2-c^2}bc^2x^2\operatorname{csgn}(d)-\sqrt{d^2x^2-c^2}a^2\operatorname{csgn}(d)\right)\operatorname{csgn}(d)}{3\sqrt{d^2x^2-c^2}c^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x^4,x)

[Out]
$$1/3*(d*x-c)^{(1/2)}*(d*x+c)^{(1/2)}*(3*\ln((d*x+(d^2*x^2-c^2)^{(1/2)}*\operatorname{csgn}(d))*\operatorname{csgn}(d))*x^3*b*c^2*d+\operatorname{csgn}(d)*x^2*a*d^2*(d^2*x^2-c^2)^{(1/2)}-3*\operatorname{csgn}(d)*x^2*b*c^2*(d^2*x^2-c^2)^{(1/2)}-\operatorname{csgn}(d)*a*c^2*(d^2*x^2-c^2)^{(1/2}))*\operatorname{csgn}(d)/(d^2*x^2-c^2)^{(1/2)}/c^2/x^3$$

maxima [A] time = 1.47, size = 75, normalized size = 0.89

$$bd \log\left(2d^2x + 2\sqrt{d^2x^2 - c^2}d\right) - \frac{\sqrt{d^2x^2 - c^2}b}{x} + \frac{(d^2x^2 - c^2)^{\frac{3}{2}}a}{3c^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*(d*x-c)^(1/2)*(d*x+c)^(1/2)/x^4,x, algorithm="maxima")

[Out]
$$b*d*\log(2*d^2*x+2*\sqrt{d^2*x^2-c^2}*d)-\sqrt{d^2*x^2-c^2}*b/x+1/3*(d^2*x^2-c^2)^{(3/2)}*a/(c^2*x^3)$$

mupad [B] time = 3.44, size = 236, normalized size = 2.81

$$\frac{bd + \frac{5bd(\sqrt{c+dx}-\sqrt{c})^2}{(\sqrt{-c}-\sqrt{dx-c})^2}}{\frac{4(\sqrt{c+dx}-\sqrt{c})}{\sqrt{-c}-\sqrt{dx-c}} + \frac{4(\sqrt{c+dx}-\sqrt{c})^3}{(\sqrt{-c}-\sqrt{dx-c})^3}} - 4bd \operatorname{atanh}\left(\frac{\sqrt{c+dx}-\sqrt{c}}{\sqrt{-c}-\sqrt{dx-c}}\right) - \frac{\left(\frac{a\sqrt{c+dx}}{3} - \frac{ad^2x^2\sqrt{c+dx}}{3c^2}\right)\sqrt{dx-c}}{x^3} + \frac{bd(\sqrt{c+dx}-\sqrt{c})}{4(\sqrt{-c}-\sqrt{dx-c})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a+b*x^2)*(c+d*x)^(1/2)*(d*x-c)^(1/2))/x^4,x)

[Out]
$$(b*d + (5*b*d*((c+d*x)^{(1/2)} - c^{(1/2)})^2)/((-c)^{(1/2)} - (d*x-c)^{(1/2}))*^2)/((4*((c+d*x)^{(1/2)} - c^{(1/2)}))/((-c)^{(1/2)} - (d*x-c)^{(1/2)})) + 4*(($$

$$\frac{c + d*x)^{(1/2) - c^{(1/2))}^3}{((-c)^{(1/2) - (d*x - c)^{(1/2))}^3) - 4*b*d*atan$$

$$h(\frac{(c + d*x)^{(1/2) - c^{(1/2))}}{((-c)^{(1/2) - (d*x - c)^{(1/2))})} - ((a*(c + d$$

$$*x)^{(1/2))/3 - (a*d^2*x^2*(c + d*x)^{(1/2))/(3*c^2))* (d*x - c)^{(1/2))/x^3 +$$

$$(b*d*((c + d*x)^{(1/2) - c^{(1/2))})/(4*((-c)^{(1/2) - (d*x - c)^{(1/2))}))$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)*(d*x-c)**(1/2)*(d*x+c)**(1/2)/x**4,x)

[Out] Timed out

$$3.205 \quad \int \frac{x^4(a+bx^2)}{\sqrt{-1+cx} \sqrt{1+cx}} dx$$

Optimal. Leaf size=125

$$\frac{(6ac^2 + 5b) \cosh^{-1}(cx)}{16c^7} + \frac{x\sqrt{cx-1} \sqrt{cx+1} (6ac^2 + 5b)}{16c^6} + \frac{x^3\sqrt{cx-1} \sqrt{cx+1} (6ac^2 + 5b)}{24c^4} + \frac{bx^5\sqrt{cx-1} \sqrt{cx+1}}{6c^2}$$

Rubi [A] time = 0.08, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {460, 100, 12, 90, 52}

$$\frac{x^3\sqrt{cx-1} \sqrt{cx+1} (6ac^2 + 5b)}{24c^4} + \frac{x\sqrt{cx-1} \sqrt{cx+1} (6ac^2 + 5b)}{16c^6} + \frac{(6ac^2 + 5b) \cosh^{-1}(cx)}{16c^7} + \frac{bx^5\sqrt{cx-1} \sqrt{cx+1}}{6c^2}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(a + b*x^2))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] ((5*b + 6*a*c^2)*x*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(16*c^6) + ((5*b + 6*a*c^2)*x^3*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(24*c^4) + (b*x^5*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(6*c^2) + ((5*b + 6*a*c^2)*ArcCosh[c*x])/(16*c^7)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 52

Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]), x_Symbol] := Simp[ArcCosh[(b*x)/a]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a + c, 0] && EqQ[b - d, 0] && GtQ[a, 0]

Rule 90

Int[((a_.) + (b_.)*(x_))^(2*((c_.) + (d_.)*(x_))^(n_.))*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(a + b*x)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 3)), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]

Rule 100

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 1)), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]
```

Rule 460

```
Int[((e_.)*(x_))^(m_)*((a1_) + (b1_.)*(x_)^(non2_))^(p_)*((a2_) + (b2_.)*(x_)^(non2_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*e*(m + n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{x^4 (a + bx^2)}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx &= \frac{bx^5 \sqrt{-1 + cx} \sqrt{1 + cx}}{6c^2} - \frac{1}{6} \left(-6a - \frac{5b}{c^2} \right) \int \frac{x^4}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
 &= \frac{(5b + 6ac^2) x^3 \sqrt{-1 + cx} \sqrt{1 + cx}}{24c^4} + \frac{bx^5 \sqrt{-1 + cx} \sqrt{1 + cx}}{6c^2} + \frac{(5b + 6ac^2) \int \frac{3x^2}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx}{24c^4} \\
 &= \frac{(5b + 6ac^2) x^3 \sqrt{-1 + cx} \sqrt{1 + cx}}{24c^4} + \frac{bx^5 \sqrt{-1 + cx} \sqrt{1 + cx}}{6c^2} + \frac{(5b + 6ac^2) \int \frac{x^2}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx}{8c^4} \\
 &= \frac{(5b + 6ac^2) x \sqrt{-1 + cx} \sqrt{1 + cx}}{16c^6} + \frac{(5b + 6ac^2) x^3 \sqrt{-1 + cx} \sqrt{1 + cx}}{24c^4} + \frac{bx^5 \sqrt{-1 + cx} \sqrt{1 + cx}}{6c^2} \\
 &= \frac{(5b + 6ac^2) x \sqrt{-1 + cx} \sqrt{1 + cx}}{16c^6} + \frac{(5b + 6ac^2) x^3 \sqrt{-1 + cx} \sqrt{1 + cx}}{24c^4} + \frac{bx^5 \sqrt{-1 + cx} \sqrt{1 + cx}}{6c^2}
 \end{aligned}$$

Mathematica [A] time = 0.14, size = 117, normalized size = 0.94

$$\frac{3\sqrt{c^2x^2 - 1} (6ac^2 + 5b) \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2 - 1}}\right) + cx(c^2x^2 - 1)(6ac^2(2c^2x^2 + 3) + b(8c^4x^4 + 10c^2x^2 + 15))}{48c^7\sqrt{cx - 1}\sqrt{cx + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(a + b*x^2))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (c*x*(-1 + c^2*x^2)*(6*a*c^2*(3 + 2*c^2*x^2) + b*(15 + 10*c^2*x^2 + 8*c^4*x^4)) + 3*(5*b + 6*a*c^2)*Sqrt[-1 + c^2*x^2]*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(48*c^7*Sqrt[-1 + c*x]*Sqrt[1 + c*x])

IntegrateAlgebraic [B] time = 0.21, size = 255, normalized size = 2.04

$$\frac{\left(\frac{(cx-1)^{3/2}}{(cx+1)^{3/2}} + \frac{\sqrt{cx-1}}{\sqrt{cx+1}}\right)\left(\frac{30ac^2(cx-1)^4}{(cx+1)^4} - \frac{72ac^2(cx-1)^3}{(cx+1)^3} + \frac{84ac^2(cx-1)^2}{(cx+1)^2} - \frac{72ac^2(cx-1)}{cx+1} + 30ac^2 + \frac{33b(cx-1)^4}{(cx+1)^4} - \frac{28b(cx-1)^3}{(cx+1)^3} + \frac{118b(cx-1)^2}{(cx+1)^2} - \frac{28b(cx-1)}{cx+1} + 33b\right) + \frac{(6ac^2 + 5b) \tanh^{-1}\left(\frac{\sqrt{cx-1}}{\sqrt{cx+1}}\right)}{8c^7}}{24c^7\left(\frac{cx-1}{cx+1} - 1\right)^6}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^4*(a + b*x^2))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] ((33*b + 30*a*c^2 + (33*b*(-1 + c*x)^4)/(1 + c*x)^4 + (30*a*c^2*(-1 + c*x)^4)/(1 + c*x)^4 - (28*b*(-1 + c*x)^3)/(1 + c*x)^3 - (72*a*c^2*(-1 + c*x)^3)/(1 + c*x)^3 + (118*b*(-1 + c*x)^2)/(1 + c*x)^2 + (84*a*c^2*(-1 + c*x)^2)/(1 + c*x)^2 - (28*b*(-1 + c*x))/(1 + c*x) - (72*a*c^2*(-1 + c*x))/(1 + c*x))*((-1 + c*x)^(3/2)/(1 + c*x)^(3/2) + Sqrt[-1 + c*x]/Sqrt[1 + c*x]))/(24*c^7*(-1 + (-1 + c*x)/(1 + c*x))^6) + ((5*b + 6*a*c^2)*ArcTanh[Sqrt[-1 + c*x]/Sqrt[1 + c*x]])/(8*c^7)

fricas [A] time = 0.88, size = 96, normalized size = 0.77

$$\frac{(8bc^5x^5 + 2(6ac^5 + 5bc^3)x^3 + 3(6ac^3 + 5bc)x)\sqrt{cx+1}\sqrt{cx-1} - 3(6ac^2 + 5b)\log(-cx + \sqrt{cx+1}\sqrt{cx-1})}{48c^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="fricas")

[Out] 1/48*((8*b*c^5*x^5 + 2*(6*a*c^5 + 5*b*c^3)*x^3 + 3*(6*a*c^3 + 5*b*c)*x)*sqrt(c*x + 1)*sqrt(c*x - 1) - 3*(6*a*c^2 + 5*b)*log(-c*x + sqrt(c*x + 1)*sqrt(c*x - 1)))/c^7

giac [A] time = 0.23, size = 172, normalized size = 1.38

$$\frac{\left(2\left((cx+1)\left(4(cx+1)\left(\frac{(cx+1)b}{c^6} - \frac{5b}{c^6}\right) + \frac{3(2ac^{38}+15bc^{36})}{c^{42}}\right) - \frac{18ac^{38}+55bc^{36}}{c^{42}}\right)(cx+1) + \frac{54ac^{38}+85bc^{36}}{c^{42}}\right)(cx+1) - \frac{3(10ac^{38}+11bc^{36})}{c^{42}}\right)\sqrt{cx+1}\sqrt{cx-1} - \frac{6(6ac^2+5b)\log(\sqrt{cx+1}-\sqrt{cx-1})}{c^6}}{48c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="giac")

[Out] 1/48*(((2*((c*x + 1)*(4*(c*x + 1)*((c*x + 1)*b/c^6 - 5*b/c^6) + 3*(2*a*c^38 + 15*b*c^36)/c^42) - (18*a*c^38 + 55*b*c^36)/c^42)*(c*x + 1) + (54*a*c^38 + 85*b*c^36)/c^42)*(c*x + 1) - 3*(10*a*c^38 + 11*b*c^36)/c^42)*sqrt(c*x + 1

) $\sqrt{c*x - 1} - 6*(6*a*c^2 + 5*b)*\log(\sqrt{c*x + 1} - \sqrt{c*x - 1})/c^6$
/c

maple [C] time = 0.11, size = 191, normalized size = 1.53

$$\frac{\sqrt{cx-1}\sqrt{cx+1}\left(8\sqrt{c^2x^2-1}bc^5\operatorname{csgn}(c)+12\sqrt{c^2x^2-1}ac^5x^3\operatorname{csgn}(c)+10\sqrt{c^2x^2-1}bc^3x^3\operatorname{csgn}(c)+18\sqrt{c^2x^2-1}ac^3x\operatorname{csgn}(c)+18ac^2\ln\left(\left(cx+\sqrt{c^2x^2-1}\operatorname{csgn}(c)\right)\operatorname{csgn}(c)\right)+15\sqrt{c^2x^2-1}bcx\operatorname{csgn}(c)+15b\ln\left(\left(cx+\sqrt{c^2x^2-1}\operatorname{csgn}(c)\right)\operatorname{csgn}(c)\right)\right)\operatorname{csgn}(c)}{48\sqrt{c^2x^2-1}c^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}(x^4*(b*x^2+a)/(c*x-1)^{(1/2)}/(c*x+1)^{(1/2)},x)$

[Out] $\frac{1}{48}(c*x-1)^{(1/2)}(c*x+1)^{(1/2)}(8*\operatorname{csgn}(c)*x^5*b*c^5*(c^2*x^2-1)^{(1/2)}+12*\operatorname{csgn}(c)*x^3*a*c^5*(c^2*x^2-1)^{(1/2)}+10*(c^2*x^2-1)^{(1/2)}*\operatorname{csgn}(c)*c^3*x^3*b+18*(c^2*x^2-1)^{(1/2)}*\operatorname{csgn}(c)*c^3*x*a+15*(c^2*x^2-1)^{(1/2)}*\operatorname{csgn}(c)*c*x*b+18*\ln\left(\left((c^2*x^2-1)^{(1/2)}*\operatorname{csgn}(c)+c*x\right)*\operatorname{csgn}(c)\right)*a*c^2+15*\ln\left(\left((c^2*x^2-1)^{(1/2)}*\operatorname{csgn}(c)+c*x\right)*\operatorname{csgn}(c)\right)*b)*\operatorname{csgn}(c)/c^7/(c^2*x^2-1)^{(1/2)}$

maxima [A] time = 0.55, size = 153, normalized size = 1.22

$$\frac{\sqrt{c^2x^2-1}bx^5}{6c^2} + \frac{\sqrt{c^2x^2-1}ax^3}{4c^2} + \frac{5\sqrt{c^2x^2-1}bx^3}{24c^4} + \frac{3\sqrt{c^2x^2-1}ax}{8c^4} + \frac{3a\log\left(2c^2x+2\sqrt{c^2x^2-1}c\right)}{8c^5} + \frac{5\sqrt{c^2x^2-1}bx}{16c^6} + \frac{5b\log\left(2c^2x+2\sqrt{c^2x^2-1}c\right)}{16c^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^4*(b*x^2+a)/(c*x-1)^{(1/2)}/(c*x+1)^{(1/2)},x, \operatorname{algorithm}="maxima")$

[Out] $\frac{1}{6}\sqrt{c^2*x^2 - 1}*b*x^5/c^2 + \frac{1}{4}\sqrt{c^2*x^2 - 1}*a*x^3/c^2 + \frac{5}{24}\sqrt{c^2*x^2 - 1}*b*x^3/c^4 + \frac{3}{8}\sqrt{c^2*x^2 - 1}*a*x/c^4 + \frac{3}{8}*a*\log(2*c^2*x + 2*\sqrt{c^2*x^2 - 1}*c)/c^5 + \frac{5}{16}\sqrt{c^2*x^2 - 1}*b*x/c^6 + \frac{5}{16}*b*\log(2*c^2*x + 2*\sqrt{c^2*x^2 - 1}*c)/c^7$

mupad [B] time = 32.63, size = 1154, normalized size = 9.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}((x^4*(a + b*x^2))/((c*x - 1)^{(1/2)}*(c*x + 1)^{(1/2)}),x)$

[Out] $\frac{((23*a*((c*x - 1)^{(1/2)} - 1i)^3)/(2*((c*x + 1)^{(1/2)} - 1)^3) + (333*a*((c*x - 1)^{(1/2)} - 1i)^5)/(2*((c*x + 1)^{(1/2)} - 1)^5) + (671*a*((c*x - 1)^{(1/2)} - 1i)^7)/(2*((c*x + 1)^{(1/2)} - 1)^7) + (671*a*((c*x - 1)^{(1/2)} - 1i)^9)/(2*((c*x + 1)^{(1/2)} - 1)^9) + (333*a*((c*x - 1)^{(1/2)} - 1i)^11)/(2*((c*x + 1)^{(1/2)} - 1)^11) + (23*a*((c*x - 1)^{(1/2)} - 1i)^13)/(2*((c*x + 1)^{(1/2)} - 1)^13) - (3*a*((c*x - 1)^{(1/2)} - 1i)^15)/(2*((c*x + 1)^{(1/2)} - 1)^15) - (3*a*((c*x - 1)^{(1/2)} - 1i))/(2*((c*x + 1)^{(1/2)} - 1)))/c^5 - (8*c^5*((c*x - 1)^{(1/2)} - 1i)^2)/((c*x + 1)^{(1/2)} - 1)^2 + (28*c^5*((c*x - 1)^{(1/2)} - 1i)^4)/((c*x + 1)^{(1/2)} - 1)^4 - (56*c^5*((c*x - 1)^{(1/2)} - 1i)^6)/((c*x + 1)^{(1/2)} - 1)^6 + (70*c^5*((c*x - 1)^{(1/2)} - 1i)^8)/((c*x + 1)^{(1/2)} - 1)^8 - (56*$

$$\begin{aligned}
& c^5 \frac{((c*x - 1)^{1/2} - 1i)^{10}}{((c*x + 1)^{1/2} - 1)^{10}} + (28*c^5 \frac{((c*x - 1)^{1/2} - 1i)^{12}}{((c*x + 1)^{1/2} - 1)^{12}} - (8*c^5 \frac{((c*x - 1)^{1/2} - 1i)^{14}}{((c*x + 1)^{1/2} - 1)^{14}} + (c^5 \frac{((c*x - 1)^{1/2} - 1i)^{16}}{((c*x + 1)^{1/2} - 1)^{16}} - ((311*b \frac{((c*x - 1)^{1/2} - 1i)^5}{4*((c*x + 1)^{1/2} - 1)^5} - (175*b \frac{((c*x - 1)^{1/2} - 1i)^3}{12*((c*x + 1)^{1/2} - 1)^3} + (8361*b \frac{((c*x - 1)^{1/2} - 1i)^7}{4*((c*x + 1)^{1/2} - 1)^7} + (42259*b \frac{((c*x - 1)^{1/2} - 1i)^9}{6*((c*x + 1)^{1/2} - 1)^9} + (25295*b \frac{((c*x - 1)^{1/2} - 1i)^{11}}{2*((c*x + 1)^{1/2} - 1)^{11}} + (25295*b \frac{((c*x - 1)^{1/2} - 1i)^{13}}{2*((c*x + 1)^{1/2} - 1)^{13}} + (42259*b \frac{((c*x - 1)^{1/2} - 1i)^{15}}{6*((c*x + 1)^{1/2} - 1)^{15}} + (8361*b \frac{((c*x - 1)^{1/2} - 1i)^{17}}{4*((c*x + 1)^{1/2} - 1)^{17}} + (311*b \frac{((c*x - 1)^{1/2} - 1i)^{19}}{4*((c*x + 1)^{1/2} - 1)^{19}} - (175*b \frac{((c*x - 1)^{1/2} - 1i)^{21}}{12*((c*x + 1)^{1/2} - 1)^{21}} + (5*b \frac{((c*x - 1)^{1/2} - 1i)^{23}}{4*((c*x + 1)^{1/2} - 1)^{23}} + (5*b \frac{((c*x - 1)^{1/2} - 1i)}{4*((c*x + 1)^{1/2} - 1)})) / (c^7 - (12*c^7 \frac{((c*x - 1)^{1/2} - 1i)^2}{((c*x + 1)^{1/2} - 1)^2} + (66*c^7 \frac{((c*x - 1)^{1/2} - 1i)^4}{((c*x + 1)^{1/2} - 1)^4} - (220*c^7 \frac{((c*x - 1)^{1/2} - 1i)^6}{((c*x + 1)^{1/2} - 1)^6} + (495*c^7 \frac{((c*x - 1)^{1/2} - 1i)^8}{((c*x + 1)^{1/2} - 1)^8} - (792*c^7 \frac{((c*x - 1)^{1/2} - 1i)^{10}}{((c*x + 1)^{1/2} - 1)^{10}} + (924*c^7 \frac{((c*x - 1)^{1/2} - 1i)^{12}}{((c*x + 1)^{1/2} - 1)^{12}} - (792*c^7 \frac{((c*x - 1)^{1/2} - 1i)^{14}}{((c*x + 1)^{1/2} - 1)^{14}} + (495*c^7 \frac{((c*x - 1)^{1/2} - 1i)^{16}}{((c*x + 1)^{1/2} - 1)^{16}} - (220*c^7 \frac{((c*x - 1)^{1/2} - 1i)^{18}}{((c*x + 1)^{1/2} - 1)^{18}} + (66*c^7 \frac{((c*x - 1)^{1/2} - 1i)^{20}}{((c*x + 1)^{1/2} - 1)^{20}} - (12*c^7 \frac{((c*x - 1)^{1/2} - 1i)^{22}}{((c*x + 1)^{1/2} - 1)^{22}} + (c^7 \frac{((c*x - 1)^{1/2} - 1i)^{24}}{((c*x + 1)^{1/2} - 1)^{24}} + (3*a*atanh(((c*x - 1)^{1/2} - 1i)/((c*x + 1)^{1/2} - 1)))/(2*c^5) + (5*b*atanh(((c*x - 1)^{1/2} - 1i)/((c*x + 1)^{1/2} - 1)))/(4*c^7)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(b*x**2+a)/(c*x-1)**(1/2)/(c*x+1)**(1/2),x)

[Out] Timed out

$$3.206 \quad \int \frac{x^3(a+bx^2)}{\sqrt{-1+cx} \sqrt{1+cx}} dx$$

Optimal. Leaf size=103

$$\frac{2\sqrt{cx-1} \sqrt{cx+1} (5ac^2 + 4b)}{15c^6} + \frac{x^2\sqrt{cx-1} \sqrt{cx+1} (5ac^2 + 4b)}{15c^4} + \frac{bx^4\sqrt{cx-1} \sqrt{cx+1}}{5c^2}$$

Rubi [A] time = 0.07, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.138, Rules used = {460, 100, 12, 74}

$$\frac{x^2\sqrt{cx-1} \sqrt{cx+1} (5ac^2 + 4b)}{15c^4} + \frac{2\sqrt{cx-1} \sqrt{cx+1} (5ac^2 + 4b)}{15c^6} + \frac{bx^4\sqrt{cx-1} \sqrt{cx+1}}{5c^2}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*x^2))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (2*(4*b + 5*a*c^2)*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(15*c^6) + ((4*b + 5*a*c^2)*x^2*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(15*c^4) + (b*x^4*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(5*c^2)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 74

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]

Rule 100

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 1)), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

Rule 460

```
Int[((e_.)*(x_))^(m_.)*((a1_.) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_.) + (b2_.)
*(x_)^(non2_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := Simp[(d*(e*x)^(
m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*e*(m +
n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/
(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^(m*(a1 + b1*x^(n/2))^(p*(a2 + b2*x^(n/
2))^(p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2,
n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x^3(a+bx^2)}{\sqrt{-1+cx}\sqrt{1+cx}} dx &= \frac{bx^4\sqrt{-1+cx}\sqrt{1+cx}}{5c^2} - \frac{1}{5} \left(-5a - \frac{4b}{c^2} \right) \int \frac{x^3}{\sqrt{-1+cx}\sqrt{1+cx}} dx \\ &= \frac{(4b+5ac^2)x^2\sqrt{-1+cx}\sqrt{1+cx}}{15c^4} + \frac{bx^4\sqrt{-1+cx}\sqrt{1+cx}}{5c^2} + \frac{(4b+5ac^2) \int \frac{2x}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{15c^4} \\ &= \frac{(4b+5ac^2)x^2\sqrt{-1+cx}\sqrt{1+cx}}{15c^4} + \frac{bx^4\sqrt{-1+cx}\sqrt{1+cx}}{5c^2} + \frac{(2(4b+5ac^2)) \int \frac{1}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{15c^4} \\ &= \frac{2(4b+5ac^2)\sqrt{-1+cx}\sqrt{1+cx}}{15c^6} + \frac{(4b+5ac^2)x^2\sqrt{-1+cx}\sqrt{1+cx}}{15c^4} + \frac{bx^4\sqrt{-1+cx}\sqrt{1+cx}}{5c^2} \end{aligned}$$

Mathematica [A] time = 0.04, size = 70, normalized size = 0.68

$$\frac{(c^2x^2 - 1)(5ac^2(c^2x^2 + 2) + b(3c^4x^4 + 4c^2x^2 + 8))}{15c^6\sqrt{cx-1}\sqrt{cx+1}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*x^2))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] ((-1 + c^2*x^2)*(5*a*c^2*(2 + c^2*x^2) + b*(8 + 4*c^2*x^2 + 3*c^4*x^4)))/(15*c^6*Sqrt[-1 + c*x]*Sqrt[1 + c*x])

IntegrateAlgebraic [A] time = 0.13, size = 196, normalized size = 1.90

$$\frac{2\sqrt{cx-1} \left(\frac{15ac^2(cx-1)^4}{(cx+1)^4} - \frac{40ac^2(cx-1)^3}{(cx+1)^3} + \frac{50ac^2(cx-1)^2}{(cx+1)^2} - \frac{40ac^2(cx-1)}{cx+1} + 15ac^2 + \frac{15b(cx-1)^4}{(cx+1)^4} - \frac{20b(cx-1)^3}{(cx+1)^3} + \frac{58b(cx-1)^2}{(cx+1)^2} - \frac{20b(cx-1)}{cx+1} + 15b \right)}{15c^6\sqrt{cx+1} \left(\frac{cx-1}{cx+1} - 1 \right)^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3*(a + b*x^2))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] $(-2\sqrt{-1 + cx}*(15b + 15ac^2 + (15b(-1 + cx)^4)/(1 + cx)^4 + (15ac^2(-1 + cx)^4)/(1 + cx)^4 - (20b(-1 + cx)^3)/(1 + cx)^3 - (40ac^2(-1 + cx)^3)/(1 + cx)^3 + (58b(-1 + cx)^2)/(1 + cx)^2 + (50ac^2(-1 + cx)^2)/(1 + cx)^2 - (20b(-1 + cx))/(1 + cx) - (40ac^2(-1 + cx))/(1 + cx)))/(15c^6\sqrt{1 + cx}*(-1 + (-1 + cx)/(1 + cx))^5)$

fricas [A] time = 1.05, size = 55, normalized size = 0.53

$$\frac{(3bc^4x^4 + 10ac^2 + (5ac^4 + 4bc^2)x^2 + 8b)\sqrt{cx+1}\sqrt{cx-1}}{15c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="fricas")

[Out] $1/15*(3b*c^4*x^4 + 10*a*c^2 + (5*a*c^4 + 4*b*c^2)*x^2 + 8*b)*\text{sqrt}(c*x + 1)*\text{sqrt}(c*x - 1)/c^6$

giac [A] time = 0.22, size = 108, normalized size = 1.05

$$\frac{\left(\left((cx+1)\left(3(cx+1)\left(\frac{(cx+1)b}{c^5} - \frac{4b}{c^5}\right) + \frac{5ac^{27}+22bc^{25}}{c^{30}}\right) - \frac{10(ac^{27}+2bc^{25})}{c^{30}}\right)(cx+1) + \frac{15(ac^{27}+bc^{25})}{c^{30}}\right)\sqrt{cx+1}\sqrt{cx-1}}{15c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="giac")

[Out] $1/15*(((c*x + 1)*(3*(c*x + 1)*((c*x + 1)*b/c^5 - 4*b/c^5) + (5*a*c^27 + 22*b*c^25)/c^30) - 10*(a*c^27 + 2*b*c^25)/c^30)*(c*x + 1) + 15*(a*c^27 + b*c^25)/c^30)*\text{sqrt}(c*x + 1)*\text{sqrt}(c*x - 1)/c$

maple [A] time = 0.05, size = 57, normalized size = 0.55

$$\frac{\sqrt{cx+1}\sqrt{cx-1}(3bx^4c^4 + 5ac^4x^2 + 4bc^2x^2 + 10ac^2 + 8b)}{15c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x)

[Out] $1/15*(c*x+1)^(1/2)*(c*x-1)^(1/2)*(3*b*c^4*x^4+5*a*c^4*x^2+4*b*c^2*x^2+10*a*c^2+8*b)/c^6$

maxima [A] time = 0.63, size = 95, normalized size = 0.92

$$\frac{\sqrt{c^2x^2-1}bx^4}{5c^2} + \frac{\sqrt{c^2x^2-1}ax^2}{3c^2} + \frac{4\sqrt{c^2x^2-1}bx^2}{15c^4} + \frac{2\sqrt{c^2x^2-1}a}{3c^4} + \frac{8\sqrt{c^2x^2-1}b}{15c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="maxima")

[Out] 1/5*sqrt(c^2*x^2 - 1)*b*x^4/c^2 + 1/3*sqrt(c^2*x^2 - 1)*a*x^2/c^2 + 4/15*sqrt(c^2*x^2 - 1)*b*x^2/c^4 + 2/3*sqrt(c^2*x^2 - 1)*a/c^4 + 8/15*sqrt(c^2*x^2 - 1)*b/c^6

mupad [B] time = 2.44, size = 108, normalized size = 1.05

$$\frac{\sqrt{cx-1} \left(\frac{10ac^2+8b}{15c^6} + \frac{bx^5}{5c} + \frac{bx^4}{5c^2} + \frac{x^2(5ac^4+4bc^2)}{15c^6} + \frac{x^3(5ac^5+4bc^3)}{15c^6} + \frac{x(10ac^3+8bc)}{15c^6} \right)}{\sqrt{cx+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(a + b*x^2))/((c*x - 1)^(1/2)*(c*x + 1)^(1/2)),x)

[Out] ((c*x - 1)^(1/2)*((8*b + 10*a*c^2)/(15*c^6) + (b*x^5)/(5*c) + (b*x^4)/(5*c^2) + (x^2*(5*a*c^4 + 4*b*c^2))/(15*c^6) + (x^3*(5*a*c^5 + 4*b*c^3))/(15*c^6) + (x*(8*b*c + 10*a*c^3))/(15*c^6)))/(c*x + 1)^(1/2)

sympy [C] time = 62.84, size = 216, normalized size = 2.10

$$\frac{aC_{6,6}^{6,2} \left(\begin{matrix} -\frac{5}{4}, -\frac{3}{4} \\ -\frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 0 \end{matrix} \middle| \begin{matrix} -1, -1, -\frac{1}{2}, 1 \\ \frac{1}{c^2 x^2} \end{matrix} \right) + iaC_{6,6}^{2,6} \left(\begin{matrix} -2, -\frac{7}{4}, \frac{3}{2}, -\frac{5}{4}, -1, 1 \\ -\frac{7}{4}, -\frac{5}{4} \end{matrix} \middle| \begin{matrix} -2, -\frac{3}{2}, -\frac{3}{2}, 0 \\ \frac{c^{2m}}{c^2 x^2} \end{matrix} \right) + bC_{6,6}^{6,2} \left(\begin{matrix} -\frac{9}{4}, -\frac{7}{4} \\ -\frac{5}{2}, -\frac{9}{4}, -2, -\frac{7}{4}, -\frac{3}{2}, 0 \end{matrix} \middle| \begin{matrix} -2, -2, -\frac{3}{2}, 1 \\ \frac{1}{c^2 x^2} \end{matrix} \right) + ibC_{6,6}^{2,6} \left(\begin{matrix} -3, -\frac{11}{4}, \frac{5}{2}, \frac{9}{4}, -2, 1 \\ -\frac{11}{4}, -\frac{9}{4} \end{matrix} \middle| \begin{matrix} -3, -\frac{5}{2}, -\frac{5}{2}, 0 \\ \frac{c^{2m}}{c^2 x^2} \end{matrix} \right)}{4\pi^{\frac{3}{2}}c^4 + 4\pi^{\frac{3}{2}}c^4 + 4\pi^{\frac{3}{2}}c^6 + 4\pi^{\frac{3}{2}}c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(b*x**2+a)/(c*x-1)**(1/2)/(c*x+1)**(1/2),x)

[Out] a*meijerg(((-5/4, -3/4), (-1, -1, -1/2, 1)), ((-3/2, -5/4, -1, -3/4, -1/2, 0), ()), 1/(c**2*x**2))/(4*pi**(3/2)*c**4) + I*a*meijerg(((-2, -7/4, -3/2, -5/4, -1, 1), ()), ((-7/4, -5/4), (-2, -3/2, -3/2, 0)), exp_polar(2*I*pi)/(c**2*x**2))/(4*pi**(3/2)*c**4) + b*meijerg(((-9/4, -7/4), (-2, -2, -3/2, 1)), ((-5/2, -9/4, -2, -7/4, -3/2, 0), ()), 1/(c**2*x**2))/(4*pi**(3/2)*c**6) + I*b*meijerg(((-3, -11/4, -5/2, -9/4, -2, 1), ()), ((-11/4, -9/4), (-3, -5/2, -5/2, 0)), exp_polar(2*I*pi)/(c**2*x**2))/(4*pi**(3/2)*c**6)

$$3.207 \quad \int \frac{x^2(a+bx^2)}{\sqrt{-1+cx} \sqrt{1+cx}} dx$$

Optimal. Leaf size=87

$$\frac{(4ac^2 + 3b) \cosh^{-1}(cx)}{8c^5} + \frac{x\sqrt{cx-1} \sqrt{cx+1} (4ac^2 + 3b)}{8c^4} + \frac{bx^3\sqrt{cx-1} \sqrt{cx+1}}{4c^2}$$

Rubi [A] time = 0.07, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {460, 90, 52}

$$\frac{x\sqrt{cx-1} \sqrt{cx+1} (4ac^2 + 3b)}{8c^4} + \frac{(4ac^2 + 3b) \cosh^{-1}(cx)}{8c^5} + \frac{bx^3\sqrt{cx-1} \sqrt{cx+1}}{4c^2}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(a + b*x^2))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] ((3*b + 4*a*c^2)*x*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(8*c^4) + (b*x^3*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(4*c^2) + ((3*b + 4*a*c^2)*ArcCosh[c*x])/(8*c^5)

Rule 52

Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]), x_Symbol] :> Simp[ArcCosh[(b*x)/a]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a + c, 0] && EqQ[b - d, 0] && GtQ[a, 0]

Rule 90

Int[((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[(b*(a + b*x)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 3)), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]

Rule 460

Int[((e_.)*(x_))^(m_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.)), x_Symbol] :> Simp[(d*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*e*(m + n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2,

n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned} \int \frac{x^2(a + bx^2)}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx &= \frac{bx^3 \sqrt{-1 + cx} \sqrt{1 + cx}}{4c^2} - \frac{1}{4} \left(-4a - \frac{3b}{c^2} \right) \int \frac{x^2}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx \\ &= \frac{(3b + 4ac^2)x \sqrt{-1 + cx} \sqrt{1 + cx}}{8c^4} + \frac{bx^3 \sqrt{-1 + cx} \sqrt{1 + cx}}{4c^2} + \frac{(3b + 4ac^2) \int \frac{1}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx}{8c^4} \\ &= \frac{(3b + 4ac^2)x \sqrt{-1 + cx} \sqrt{1 + cx}}{8c^4} + \frac{bx^3 \sqrt{-1 + cx} \sqrt{1 + cx}}{4c^2} + \frac{(3b + 4ac^2) \cosh^{-1}(cx)}{8c^5} \end{aligned}$$

Mathematica [A] time = 0.11, size = 98, normalized size = 1.13

$$\frac{cx(c^2x^2 - 1)(4ac^2 + b(2c^2x^2 + 3)) + \sqrt{c^2x^2 - 1}(4ac^2 + 3b) \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2 - 1}}\right)}{8c^5 \sqrt{cx - 1} \sqrt{cx + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(a + b*x^2))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (c*x*(-1 + c^2*x^2)*(4*a*c^2 + b*(3 + 2*c^2*x^2)) + (3*b + 4*a*c^2)*Sqrt[-1 + c^2*x^2]*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(8*c^5*Sqrt[-1 + c*x]*Sqrt[1 + c*x])

IntegrateAlgebraic [B] time = 0.16, size = 175, normalized size = 2.01

$$\frac{\sqrt{cx - 1} \left(\frac{cx-1}{cx+1} + 1 \right) \left(-\frac{8ac^2(cx-1)}{cx+1} + \frac{4ac^2(cx-1)^2}{(cx+1)^2} + 4ac^2 - \frac{2b(cx-1)}{cx+1} + \frac{5b(cx-1)^2}{(cx+1)^2} + 5b \right)}{4c^5 \sqrt{cx + 1} \left(\frac{cx-1}{cx+1} - 1 \right)^4} + \frac{(4ac^2 + 3b) \tanh^{-1}\left(\frac{\sqrt{cx-1}}{\sqrt{cx+1}}\right)}{4c^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2*(a + b*x^2))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (Sqrt[-1 + c*x]*(1 + (-1 + c*x)/(1 + c*x))*(5*b + 4*a*c^2 + (5*b*(-1 + c*x)^2)/(1 + c*x)^2 + (4*a*c^2*(-1 + c*x)^2)/(1 + c*x)^2 - (2*b*(-1 + c*x))/(1 + c*x) - (8*a*c^2*(-1 + c*x))/(1 + c*x)))/(4*c^5*Sqrt[1 + c*x]*(-1 + (-1 + c*x)/(1 + c*x))^4) + ((3*b + 4*a*c^2)*ArcTanh[Sqrt[-1 + c*x]/Sqrt[1 + c*x]])/(4*c^5)

fricas [A] time = 0.83, size = 77, normalized size = 0.89

$$\frac{(2bc^3x^3 + (4ac^3 + 3bc)x)\sqrt{cx+1}\sqrt{cx-1} - (4ac^2 + 3b)\log(-cx + \sqrt{cx+1}\sqrt{cx-1})}{8c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="fricas")

[Out] 1/8*((2*b*c^3*x^3 + (4*a*c^3 + 3*b*c)*x)*sqrt(c*x + 1)*sqrt(c*x - 1) - (4*a*c^2 + 3*b)*log(-c*x + sqrt(c*x + 1)*sqrt(c*x - 1)))/c^5

giac [A] time = 0.37, size = 121, normalized size = 1.39

$$\frac{((cx+1)\left(2(cx+1)\left(\frac{(cx+1)b}{c^4} - \frac{3b}{c^4}\right) + \frac{4ac^{18}+9bc^{16}}{c^{20}}\right) - \frac{4ac^{18}+5bc^{16}}{c^{20}})\sqrt{cx+1}\sqrt{cx-1} - \frac{2(4ac^2+3b)\log(\sqrt{cx+1}-\sqrt{cx-1})}{c^4}}{8c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="giac")

[Out] 1/8*(((c*x + 1)*(2*(c*x + 1)*((c*x + 1)*b/c^4 - 3*b/c^4) + (4*a*c^18 + 9*b*c^16)/c^20) - (4*a*c^18 + 5*b*c^16)/c^20)*sqrt(c*x + 1)*sqrt(c*x - 1) - 2*(4*a*c^2 + 3*b)*log(sqrt(c*x + 1) - sqrt(c*x - 1))/c^4)/c

maple [C] time = 0.08, size = 147, normalized size = 1.69

$$\frac{\sqrt{cx-1}\sqrt{cx+1}\left(2\sqrt{c^2x^2-1}bc^3x\operatorname{csgn}(c)+4\sqrt{c^2x^2-1}ac^3x\operatorname{csgn}(c)+4a^2\ln\left(\left(\frac{cx+\sqrt{c^2x^2-1}\operatorname{csgn}(c)}{c}\right)\operatorname{csgn}(c)\right)+3\sqrt{c^2x^2-1}bcx\operatorname{csgn}(c)+3b\ln\left(\left(\frac{cx+\sqrt{c^2x^2-1}\operatorname{csgn}(c)}{c}\right)\operatorname{csgn}(c)\right)\right)\operatorname{csgn}(c)}{8\sqrt{c^2x^2-1}c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x)

[Out] 1/8*(c*x-1)^(1/2)*(c*x+1)^(1/2)*(2*(c^2*x^2-1)^(1/2)*b*c^3*x^3*csgn(c)+4*(c^2*x^2-1)^(1/2)*a*c^3*x*csgn(c)+3*(c^2*x^2-1)^(1/2)*b*c*x*csgn(c)+4*a*c^2*ln((c*x+(c^2*x^2-1)^(1/2)*csgn(c))*csgn(c))+3*b*ln((c*x+(c^2*x^2-1)^(1/2)*csgn(c))*csgn(c)))*csgn(c)/c^5/(c^2*x^2-1)^(1/2)

maxima [A] time = 0.54, size = 113, normalized size = 1.30

$$\frac{\sqrt{c^2x^2-1}bx^3}{4c^2} + \frac{\sqrt{c^2x^2-1}ax}{2c^2} + \frac{a\log\left(2c^2x+2\sqrt{c^2x^2-1}c\right)}{2c^3} + \frac{3\sqrt{c^2x^2-1}bx}{8c^4} + \frac{3b\log\left(2c^2x+2\sqrt{c^2x^2-1}c\right)}{8c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="maxima")

[Out] $1/4*\sqrt{c^2*x^2 - 1}*b*x^3/c^2 + 1/2*\sqrt{c^2*x^2 - 1}*a*x/c^2 + 1/2*a*\log(2*c^2*x + 2*\sqrt{c^2*x^2 - 1}*c)/c^3 + 3/8*\sqrt{c^2*x^2 - 1}*b*x/c^4 + 3/8*b*\log(2*c^2*x + 2*\sqrt{c^2*x^2 - 1}*c)/c^5$

mupad [B] time = 22.50, size = 720, normalized size = 8.28

$$\frac{23b(\sqrt{c^2x^2-1})^3}{2(\sqrt{c^2x^2-1})^3} + \frac{333b(\sqrt{c^2x^2-1})^5}{2(\sqrt{c^2x^2-1})^5} + \frac{671b(\sqrt{c^2x^2-1})^7}{2(\sqrt{c^2x^2-1})^7} + \frac{671b(\sqrt{c^2x^2-1})^9}{2(\sqrt{c^2x^2-1})^9} + \frac{333b(\sqrt{c^2x^2-1})^{11}}{2(\sqrt{c^2x^2-1})^{11}} + \frac{23b(\sqrt{c^2x^2-1})^{13}}{2(\sqrt{c^2x^2-1})^{13}} - \frac{3b(\sqrt{c^2x^2-1})^{15}}{2(\sqrt{c^2x^2-1})^{15}} - \frac{3b(\sqrt{c^2x^2-1})}{2(\sqrt{c^2x^2-1})} - \frac{14a(\sqrt{c^2x^2-1})^3}{(\sqrt{c^2x^2-1})^3} + \frac{14a(\sqrt{c^2x^2-1})^5}{(\sqrt{c^2x^2-1})^5} + \frac{2a(\sqrt{c^2x^2-1})^7}{(\sqrt{c^2x^2-1})^7} + \frac{2a(\sqrt{c^2x^2-1})^9}{\sqrt{c^2x^2-1}} + \frac{2a \operatorname{atanh}\left(\frac{\sqrt{c^2x^2-1}}{\sqrt{c^2x^2-1}}\right)}{c^3} + \frac{3b \operatorname{atanh}\left(\frac{\sqrt{c^2x^2-1}}{\sqrt{c^2x^2-1}}\right)}{2c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}((x^2*(a + b*x^2))/((c*x - 1)^{(1/2)}*(c*x + 1)^{(1/2)}), x)$

[Out] $((23*b*((c*x - 1)^{(1/2)} - 1i)^3)/(2*((c*x + 1)^{(1/2)} - 1)^3) + (333*b*((c*x - 1)^{(1/2)} - 1i)^5)/(2*((c*x + 1)^{(1/2)} - 1)^5) + (671*b*((c*x - 1)^{(1/2)} - 1i)^7)/(2*((c*x + 1)^{(1/2)} - 1)^7) + (671*b*((c*x - 1)^{(1/2)} - 1i)^9)/(2*((c*x + 1)^{(1/2)} - 1)^9) + (333*b*((c*x - 1)^{(1/2)} - 1i)^{11})/(2*((c*x + 1)^{(1/2)} - 1)^{11}) + (23*b*((c*x - 1)^{(1/2)} - 1i)^{13})/(2*((c*x + 1)^{(1/2)} - 1)^{13}) - (3*b*((c*x - 1)^{(1/2)} - 1i)^{15})/(2*((c*x + 1)^{(1/2)} - 1)^{15}) - (3*b*((c*x - 1)^{(1/2)} - 1i))/(2*((c*x + 1)^{(1/2)} - 1)))/(c^5 - (8*c^5*((c*x - 1)^{(1/2)} - 1i)^2)/((c*x + 1)^{(1/2)} - 1)^2 + (28*c^5*((c*x - 1)^{(1/2)} - 1i)^4)/((c*x + 1)^{(1/2)} - 1)^4 - (56*c^5*((c*x - 1)^{(1/2)} - 1i)^6)/((c*x + 1)^{(1/2)} - 1)^6 + (70*c^5*((c*x - 1)^{(1/2)} - 1i)^8)/((c*x + 1)^{(1/2)} - 1)^8 - (56*c^5*((c*x - 1)^{(1/2)} - 1i)^{10})/((c*x + 1)^{(1/2)} - 1)^{10} + (28*c^5*((c*x - 1)^{(1/2)} - 1i)^{12})/((c*x + 1)^{(1/2)} - 1)^{12} - (8*c^5*((c*x - 1)^{(1/2)} - 1i)^{14})/((c*x + 1)^{(1/2)} - 1)^{14} + (c^5*((c*x - 1)^{(1/2)} - 1i)^{16})/((c*x + 1)^{(1/2)} - 1)^{16} - ((14*a*((c*x - 1)^{(1/2)} - 1i)^3)/((c*x + 1)^{(1/2)} - 1)^3 + (14*a*((c*x - 1)^{(1/2)} - 1i)^5)/((c*x + 1)^{(1/2)} - 1)^5 + (2*a*((c*x - 1)^{(1/2)} - 1i)^7)/((c*x + 1)^{(1/2)} - 1)^7 + (2*a*((c*x - 1)^{(1/2)} - 1i))/((c*x + 1)^{(1/2)} - 1)))/(c^3 - (4*c^3*((c*x - 1)^{(1/2)} - 1i)^2)/((c*x + 1)^{(1/2)} - 1)^2 + (6*c^3*((c*x - 1)^{(1/2)} - 1i)^4)/((c*x + 1)^{(1/2)} - 1)^4 - (4*c^3*((c*x - 1)^{(1/2)} - 1i)^6)/((c*x + 1)^{(1/2)} - 1)^6 + (c^3*((c*x - 1)^{(1/2)} - 1i)^8)/((c*x + 1)^{(1/2)} - 1)^8) + (2*a*atanh(((c*x - 1)^{(1/2)} - 1i)/((c*x + 1)^{(1/2)} - 1)))/c^3 + (3*b*atanh(((c*x - 1)^{(1/2)} - 1i)/((c*x + 1)^{(1/2)} - 1)))/(2*c^5)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x**2*(b*x**2+a)/(c*x-1)**(1/2)/(c*x+1)**(1/2), x)$

[Out] Timed out

$$3.208 \quad \int \frac{x(a+bx^2)}{\sqrt{-1+cx} \sqrt{1+cx}} dx$$

Optimal. Leaf size=65

$$\frac{\sqrt{cx-1} \sqrt{cx+1} (3ac^2 + 2b)}{3c^4} + \frac{bx^2 \sqrt{cx-1} \sqrt{cx+1}}{3c^2}$$

Rubi [A] time = 0.04, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$, Rules used = {460, 74}

$$\frac{\sqrt{cx-1} \sqrt{cx+1} (3ac^2 + 2b)}{3c^4} + \frac{bx^2 \sqrt{cx-1} \sqrt{cx+1}}{3c^2}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*x^2))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] ((2*b + 3*a*c^2)*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(3*c^4) + (b*x^2*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(3*c^2)

Rule 74

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]

Rule 460

Int[((e_.)*(x_))^(m_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(d*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*e*(m + n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rubi steps

$$\int \frac{x(a + bx^2)}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx = \frac{bx^2 \sqrt{-1 + cx} \sqrt{1 + cx}}{3c^2} - \frac{1}{3} \left(-3a - \frac{2b}{c^2} \right) \int \frac{x}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx$$

$$= \frac{(2b + 3ac^2) \sqrt{-1 + cx} \sqrt{1 + cx}}{3c^4} + \frac{bx^2 \sqrt{-1 + cx} \sqrt{1 + cx}}{3c^2}$$

Mathematica [A] time = 0.05, size = 52, normalized size = 0.80

$$\frac{(c^2x^2 - 1)(3ac^2 + b(c^2x^2 + 2))}{3c^4\sqrt{cx - 1}\sqrt{cx + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*x^2))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] ((-1 + c^2*x^2)*(3*a*c^2 + b*(2 + c^2*x^2)))/(3*c^4*Sqrt[-1 + c*x]*Sqrt[1 + c*x])

IntegrateAlgebraic [A] time = 0.10, size = 122, normalized size = 1.88

$$-\frac{2\sqrt{cx - 1} \left(-\frac{6ac^2(cx-1)}{cx+1} + \frac{3ac^2(cx-1)^2}{(cx+1)^2} + 3ac^2 - \frac{2b(cx-1)}{cx+1} + \frac{3b(cx-1)^2}{(cx+1)^2} + 3b \right)}{3c^4\sqrt{cx + 1} \left(\frac{cx-1}{cx+1} - 1 \right)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x*(a + b*x^2))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (-2*Sqrt[-1 + c*x]*(3*b + 3*a*c^2 + (3*b*(-1 + c*x)^2)/(1 + c*x)^2 + (3*a*c^2*(-1 + c*x)^2)/(1 + c*x)^2 - (2*b*(-1 + c*x))/(1 + c*x) - (6*a*c^2*(-1 + c*x))/(1 + c*x)))/(3*c^4*Sqrt[1 + c*x]*(-1 + (-1 + c*x)/(1 + c*x))^3)

fricas [A] time = 0.78, size = 37, normalized size = 0.57

$$\frac{(bc^2x^2 + 3ac^2 + 2b)\sqrt{cx + 1}\sqrt{cx - 1}}{3c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="fricas")

[Out] 1/3*(b*c^2*x^2 + 3*a*c^2 + 2*b)*sqrt(c*x + 1)*sqrt(c*x - 1)/c^4

giac [A] time = 0.22, size = 59, normalized size = 0.91

$$\frac{\sqrt{cx+1}\sqrt{cx-1}\left((cx+1)\left(\frac{(cx+1)b}{c^3}-\frac{2b}{c^3}\right)+\frac{3(ac^{11}+bc^9)}{c^{12}}\right)}{3c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="giac")

[Out] 1/3*sqrt(c*x + 1)*sqrt(c*x - 1)*((c*x + 1)*((c*x + 1)*b/c^3 - 2*b/c^3) + 3*(a*c^11 + b*c^9)/c^12)/c

maple [A] time = 0.04, size = 38, normalized size = 0.58

$$\frac{\sqrt{cx+1}\sqrt{cx-1}(bc^2x^2+3ac^2+2b)}{3c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x)

[Out] 1/3*(c*x+1)^(1/2)*(c*x-1)^(1/2)*(b*c^2*x^2+3*a*c^2+2*b)/c^4

maxima [A] time = 0.47, size = 54, normalized size = 0.83

$$\frac{\sqrt{c^2x^2-1}bx^2}{3c^2} + \frac{\sqrt{c^2x^2-1}a}{c^2} + \frac{2\sqrt{c^2x^2-1}b}{3c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="maxima")

[Out] 1/3*sqrt(c^2*x^2 - 1)*b*x^2/c^2 + sqrt(c^2*x^2 - 1)*a/c^2 + 2/3*sqrt(c^2*x^2 - 1)*b/c^4

mupad [B] time = 2.36, size = 66, normalized size = 1.02

$$\frac{\sqrt{cx-1}\left(\frac{3ac^2+2b}{3c^4} + \frac{bx^3}{3c} + \frac{bx^2}{3c^2} + \frac{x(3ac^3+2bc)}{3c^4}\right)}{\sqrt{cx+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(a + b*x^2))/((c*x - 1)^(1/2)*(c*x + 1)^(1/2)),x)

[Out] $((c*x - 1)^{1/2} * ((2*b + 3*a*c^2)/(3*c^4) + (b*x^3)/(3*c) + (b*x^2)/(3*c^2) + (x*(2*b*c + 3*a*c^3))/(3*c^4)))/(c*x + 1)^{1/2}$

sympy [C] time = 41.91, size = 202, normalized size = 3.11

$$\frac{{}_aG_{6,6}^{6,2}\left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \middle| \frac{1}{c^2 x^2}\right)}{4\pi^{\frac{3}{2}} c^2} + \frac{{}_aG_{6,6}^{2,6}\left(\begin{matrix} -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1 \\ -\frac{3}{4}, -\frac{1}{4} \end{matrix} \middle| \frac{2\pi}{c^2 x^2}\right)}{4\pi^{\frac{3}{2}} c^2} + \frac{{}_bG_{6,6}^{6,2}\left(\begin{matrix} -\frac{5}{4}, -\frac{3}{4} \\ -\frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 0 \end{matrix} \middle| \frac{1}{c^2 x^2}\right)}{4\pi^{\frac{3}{2}} c^4} + \frac{{}_bG_{6,6}^{2,6}\left(\begin{matrix} -2, -\frac{7}{4}, -\frac{3}{2}, -\frac{5}{4}, -1, 1 \\ -\frac{7}{4}, -\frac{5}{4} \end{matrix} \middle| \frac{2\pi}{c^2 x^2}\right)}{4\pi^{\frac{3}{2}} c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x**2+a)/(c*x-1)**(1/2)/(c*x+1)**(1/2),x)

[Out] $a \operatorname{meijerg}((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(c**2*x**2))/(4*pi**(3/2)*c**2) + I*a \operatorname{meijerg}((-1, -3/4, -1/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), \exp_polar(2*I*pi)/(c**2*x**2))/(4*pi**(3/2)*c**2) + b \operatorname{meijerg}((-5/4, -3/4), (-1, -1, -1/2, 1)), ((-3/2, -5/4, -1, -3/4, -1/2, 0), ()), 1/(c**2*x**2))/(4*pi**(3/2)*c**4) + I*b \operatorname{meijerg}((-2, -7/4, -3/2, -5/4, -1, 1), ()), ((-7/4, -5/4), (-2, -3/2, -3/2, 0)), \exp_polar(2*I*pi)/(c**2*x**2))/(4*pi**(3/2)*c**4)$

$$3.209 \quad \int \frac{a+bx^2}{\sqrt{-1+cx} \sqrt{1+cx}} dx$$

Optimal. Leaf size=47

$$\frac{(2ac^2 + b) \cosh^{-1}(cx)}{2c^3} + \frac{bx\sqrt{cx-1} \sqrt{cx+1}}{2c^2}$$

Rubi [A] time = 0.02, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$, Rules used = {389, 52}

$$\frac{(2ac^2 + b) \cosh^{-1}(cx)}{2c^3} + \frac{bx\sqrt{cx-1} \sqrt{cx+1}}{2c^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (b*x*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(2*c^2) + ((b + 2*a*c^2)*ArcCosh[c*x])/(2*c^3)

Rule 52

Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]), x_Symbol] := Simp[ArcCosh[(b*x)/a]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a + c, 0] && EqQ[b - d, 0] && GtQ[a, 0]

Rule 389

Int[((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*(n*(p + 1) + 1)), x] - Dist[(a1*a2*d - b1*b2*c*(n*(p + 1) + 1))/(b1*b2*(n*(p + 1) + 1)), Int[(a1 + b1*x^(n/2))^(p*(a2 + b2*x^(n/2)))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[n*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx &= \frac{bx\sqrt{-1 + cx} \sqrt{1 + cx}}{2c^2} - \frac{(-b - 2ac^2) \int \frac{1}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx}{2c^2} \\ &= \frac{bx\sqrt{-1 + cx} \sqrt{1 + cx}}{2c^2} + \frac{(b + 2ac^2) \cosh^{-1}(cx)}{2c^3} \end{aligned}$$

Mathematica [B] time = 0.21, size = 101, normalized size = 2.15

$$\frac{4(ac^2 + b) \tanh^{-1}\left(\sqrt{\frac{cx-1}{cx+1}}\right) + \frac{b\left(cx\sqrt{-(cx-1)^2}\sqrt{cx+1} - 2\sqrt{cx-1} \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\right)}{\sqrt{1-cx}}}{2c^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^2)/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] ((b*(c*x*Sqrt[-(-1 + c*x)^2]*Sqrt[1 + c*x] - 2*Sqrt[-1 + c*x]*ArcSin[Sqrt[1 - c*x]/Sqrt[2]]))/Sqrt[1 - c*x] + 4*(b + a*c^2)*ArcTanh[Sqrt[(-1 + c*x)/(1 + c*x)]])/(2*c^3)

IntegrateAlgebraic [A] time = 0.13, size = 88, normalized size = 1.87

$$\frac{(2ac^2 + b) \tanh^{-1}\left(\frac{\sqrt{cx-1}}{\sqrt{cx+1}}\right)}{c^3} + \frac{b\sqrt{cx-1} \left(\frac{cx-1}{cx+1} + 1\right)}{c^3\sqrt{cx+1} \left(\frac{cx-1}{cx+1} - 1\right)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (b*Sqrt[-1 + c*x]*(1 + (-1 + c*x)/(1 + c*x)))/(c^3*Sqrt[1 + c*x]*(-1 + (-1 + c*x)/(1 + c*x))^2) + ((b + 2*a*c^2)*ArcTanh[Sqrt[-1 + c*x]/Sqrt[1 + c*x]])/c^3

fricas [A] time = 0.88, size = 55, normalized size = 1.17

$$\frac{\sqrt{cx+1} \sqrt{cx-1} b c x - (2 a c^2 + b) \log(-c x + \sqrt{c x + 1} \sqrt{c x - 1})}{2 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="fricas")

[Out] 1/2*(sqrt(c*x + 1)*sqrt(c*x - 1)*b*c*x - (2*a*c^2 + b)*log(-c*x + sqrt(c*x + 1)*sqrt(c*x - 1)))/c^3

giac [A] time = 0.18, size = 69, normalized size = 1.47

$$\frac{\sqrt{cx+1} \sqrt{cx-1} \left(\frac{(cx+1)b}{c^2} - \frac{b}{c^2}\right) - \frac{2(2ac^2+b) \log(\sqrt{cx+1} - \sqrt{cx-1})}{c^2}}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="giac")

[Out] $\frac{1}{2} \cdot (\sqrt{c x + 1} \sqrt{c x - 1} \left((c x + 1) \frac{b}{c^2} - \frac{b}{c^2} \right) - 2 \cdot (2 a c^2 + b) \cdot \log(\sqrt{c x + 1} - \sqrt{c x - 1})) / c^2 / c$

maple [C] time = 0.07, size = 103, normalized size = 2.19

$$\frac{\sqrt{c x - 1} \sqrt{c x + 1} \left(2 a c^2 \ln \left((c x + \sqrt{c^2 x^2 - 1} \operatorname{csgn}(c)) \operatorname{csgn}(c) \right) + \sqrt{c^2 x^2 - 1} b c x \operatorname{csgn}(c) + b \ln \left((c x + \sqrt{c^2 x^2 - 1} \operatorname{csgn}(c)) \operatorname{csgn}(c) \right) \right) \operatorname{csgn}(c)}{2 \sqrt{c^2 x^2 - 1} c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x)

[Out] $\frac{1}{2} \cdot (c x - 1)^{1/2} \cdot (c x + 1)^{1/2} \cdot \left((c^2 x^2 - 1)^{1/2} \cdot b \cdot c x \cdot \operatorname{csgn}(c) + 2 a c^2 \cdot \ln \left((c x + (c^2 x^2 - 1)^{1/2}) \cdot \operatorname{csgn}(c) \right) \cdot \operatorname{csgn}(c) \right) + b \cdot \ln \left((c x + (c^2 x^2 - 1)^{1/2}) \cdot \operatorname{csgn}(c) \right) \cdot \operatorname{csgn}(c) \right) \cdot \operatorname{csgn}(c) / c^3 / (c^2 x^2 - 1)^{1/2}$

maxima [A] time = 0.50, size = 74, normalized size = 1.57

$$\frac{a \log \left(2 c^2 x + 2 \sqrt{c^2 x^2 - 1} c \right)}{c} + \frac{\sqrt{c^2 x^2 - 1} b x}{2 c^2} + \frac{b \log \left(2 c^2 x + 2 \sqrt{c^2 x^2 - 1} c \right)}{2 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="maxima")

[Out] $a \cdot \log(2 \cdot c^2 \cdot x + 2 \cdot \sqrt{c^2 \cdot x^2 - 1} \cdot c) / c + 1/2 \cdot \sqrt{c^2 \cdot x^2 - 1} \cdot b \cdot x / c^2 + 1/2 \cdot b \cdot \log(2 \cdot c^2 \cdot x + 2 \cdot \sqrt{c^2 \cdot x^2 - 1} \cdot c) / c^3$

mupad [B] time = 12.69, size = 293, normalized size = 6.23

$$-\frac{\frac{14 b (\sqrt{c x - 1} - i)^3}{(\sqrt{c x + 1} - 1)^3} + \frac{14 b (\sqrt{c x - 1} - i)^5}{(\sqrt{c x + 1} - 1)^5} + \frac{2 b (\sqrt{c x - 1} - i)^7}{(\sqrt{c x + 1} - 1)^7} + \frac{2 b (\sqrt{c x - 1} - i)}{\sqrt{c x + 1} - 1}}{c^3 - \frac{4 c^3 (\sqrt{c x - 1} - i)^2}{(\sqrt{c x + 1} - 1)^2} + \frac{6 c^3 (\sqrt{c x - 1} - i)^4}{(\sqrt{c x + 1} - 1)^4} - \frac{4 c^3 (\sqrt{c x - 1} - i)^6}{(\sqrt{c x + 1} - 1)^6} + \frac{c^3 (\sqrt{c x - 1} - i)^8}{(\sqrt{c x + 1} - 1)^8}} + \frac{2 b \operatorname{atanh} \left(\frac{\sqrt{c x - 1} - i}{\sqrt{c x + 1} - 1} \right)}{c^3} - \frac{4 a \operatorname{atan} \left(\frac{c (\sqrt{c x - 1} - i)}{(\sqrt{c x + 1} - 1) \sqrt{-c^2}} \right)}{\sqrt{-c^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)/((c*x - 1)^(1/2)*(c*x + 1)^(1/2)),x)

[Out] $\frac{2 \cdot b \cdot \operatorname{atanh} \left(\frac{(c x - 1)^{1/2} - 1 i}{(c x + 1)^{1/2} - 1} \right)}{c^3} - \left(\frac{14 \cdot b \cdot \left((c x - 1)^{1/2} - 1 i \right)^3}{\left((c x + 1)^{1/2} - 1 \right)^3} + \frac{14 \cdot b \cdot \left((c x - 1)^{1/2} - 1 i \right)^5}{\left((c x + 1)^{1/2} - 1 \right)^5} + \frac{2 \cdot b \cdot \left((c x - 1)^{1/2} - 1 i \right)^7}{\left((c x + 1)^{1/2} - 1 \right)^7} + \frac{2 \cdot b \cdot \left((c x - 1)^{1/2} - 1 i \right)}{\left((c x + 1)^{1/2} - 1 \right)} \right) / (c^3 - 4 \cdot b \cdot \left((c x - 1)^{1/2} - 1 i \right) / \left((c x + 1)^{1/2} - 1 \right))$

$$c^3 \frac{((c*x - 1)^{(1/2)} - 1i)^2}{((c*x + 1)^{(1/2)} - 1)^2} + (6*c^3 * ((c*x - 1)^{(1/2)} - 1i)^4) / ((c*x + 1)^{(1/2)} - 1)^4 - (4*c^3 * ((c*x - 1)^{(1/2)} - 1i)^6) / ((c*x + 1)^{(1/2)} - 1)^6 + (c^3 * ((c*x - 1)^{(1/2)} - 1i)^8) / ((c*x + 1)^{(1/2)} - 1)^8 - (4*a * \operatorname{atan}((c * ((c*x - 1)^{(1/2)} - 1i))) / (((c*x + 1)^{(1/2)} - 1) * (-c^2)^{(1/2)})) / (-c^2)^{(1/2)}$$

sympy [C] time = 45.51, size = 182, normalized size = 3.87

$$\frac{a G_{6,6}^{6,2} \left(\begin{matrix} \frac{1}{4}, \frac{3}{4} \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{matrix} \middle| \frac{1}{c^2 x^2} \right) - ia G_{6,6}^{2,6} \left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{c^2 x^2} \right) + b G_{6,6}^{6,2} \left(\begin{matrix} -\frac{3}{4}, -\frac{1}{4} \\ -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 0 \end{matrix} \middle| \frac{1}{c^2 x^2} \right) - ib G_{6,6}^{2,6} \left(\begin{matrix} -\frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 1 \\ -\frac{5}{4}, -\frac{3}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{c^2 x^2} \right)}{4\pi^{\frac{3}{2}} c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)/(c*x-1)**(1/2)/(c*x+1)**(1/2),x)

[Out] a*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(c**2*x**2))/(4*pi**(3/2)*c) - I*a*meijerg((-1/2, -1/4, 0, 1/4, 1/2, 1), ((-1/4, 1/4), (-1/2, 0, 0, 0)), exp_polar(2*I*pi)/(c**2*x**2))/(4*pi**(3/2)*c) + b*meijerg((-3/4, -1/4), (-1/2, -1/2, 0, 1)), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), 1/(c**2*x**2))/(4*pi**(3/2)*c**3) - I*b*meijerg((-3/2, -5/4, -1, -3/4, -1/2, 1), ((-5/4, -3/4), (-3/2, -1, -1, 0)), exp_polar(2*I*pi)/(c**2*x**2))/(4*pi**(3/2)*c**3)

$$3.210 \quad \int \frac{a+bx^2}{x\sqrt{-1+cx}\sqrt{1+cx}} dx$$

Optimal. Leaf size=46

$$a \tan^{-1}\left(\sqrt{cx-1}\sqrt{cx+1}\right) + \frac{b\sqrt{cx-1}\sqrt{cx+1}}{c^2}$$

Rubi [A] time = 0.06, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {460, 92, 205}

$$a \tan^{-1}\left(\sqrt{cx-1}\sqrt{cx+1}\right) + \frac{b\sqrt{cx-1}\sqrt{cx+1}}{c^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(x*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (b*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/c^2 + a*ArcTan[Sqrt[-1 + c*x]*Sqrt[1 + c*x]]

Rule 92

Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*((e_) + (f_)*(x_))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 460

Int[((e_)*(x_))^(m_)*((a1_) + (b1_)*(x_)^(non2_))^(p_)*((a2_) + (b2_)*(x_)^(non2_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*e*(m + n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2}{x\sqrt{-1 + cx}\sqrt{1 + cx}} dx &= \frac{b\sqrt{-1 + cx}\sqrt{1 + cx}}{c^2} + a \int \frac{1}{x\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\ &= \frac{b\sqrt{-1 + cx}\sqrt{1 + cx}}{c^2} + (ac) \text{Subst} \left(\int \frac{1}{c + cx^2} dx, x, \sqrt{-1 + cx}\sqrt{1 + cx} \right) \\ &= \frac{b\sqrt{-1 + cx}\sqrt{1 + cx}}{c^2} + a \tan^{-1} \left(\sqrt{-1 + cx}\sqrt{1 + cx} \right) \end{aligned}$$

Mathematica [A] time = 0.03, size = 66, normalized size = 1.43

$$\frac{ac^2\sqrt{c^2x^2 - 1} \tan^{-1} \left(\sqrt{c^2x^2 - 1} \right) + b(c^2x^2 - 1)}{c^2\sqrt{cx - 1}\sqrt{cx + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(x*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (b*(-1 + c^2*x^2) + a*c^2*Sqrt[-1 + c^2*x^2]*ArcTan[Sqrt[-1 + c^2*x^2]])/(c^2*Sqrt[-1 + c*x]*Sqrt[1 + c*x])

IntegrateAlgebraic [A] time = 0.08, size = 65, normalized size = 1.41

$$2a \tan^{-1} \left(\frac{\sqrt{cx - 1}}{\sqrt{cx + 1}} \right) - \frac{2b\sqrt{cx - 1}}{c^2\sqrt{cx + 1} \left(\frac{cx-1}{cx+1} - 1 \right)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(x*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (-2*b*Sqrt[-1 + c*x])/(c^2*Sqrt[1 + c*x]*(-1 + (-1 + c*x)/(1 + c*x))) + 2*a*ArcTan[Sqrt[-1 + c*x]/Sqrt[1 + c*x]]

fricas [A] time = 0.83, size = 48, normalized size = 1.04

$$\frac{2ac^2 \arctan \left(-cx + \sqrt{cx + 1}\sqrt{cx - 1} \right) + \sqrt{cx + 1}\sqrt{cx - 1}b}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="fricas")

[Out] $(2*a*c^2*\arctan(-c*x + \sqrt{c*x + 1})*\sqrt{c*x - 1}) + \sqrt{c*x + 1}*\sqrt{c*x - 1}*b)/c^2$

giac [A] time = 0.22, size = 45, normalized size = 0.98

$$-2a \arctan\left(\frac{1}{2}\left(\sqrt{cx+1} - \sqrt{cx-1}\right)^2\right) + \frac{\sqrt{cx+1}\sqrt{cx-1}b}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^2+a)/x/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="giac")`

[Out] $-2*a*\arctan(1/2*(\sqrt{c*x + 1} - \sqrt{c*x - 1}))^2) + \sqrt{c*x + 1}*\sqrt{c*x - 1}*b/c^2$

maple [A] time = 0.07, size = 62, normalized size = 1.35

$$\frac{\sqrt{cx-1}\sqrt{cx+1}\left(-ac^2\arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right) + \sqrt{c^2x^2-1}b\right)}{\sqrt{c^2x^2-1}c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^2+a)/x/(c*x-1)^(1/2)/(c*x+1)^(1/2),x)`

[Out] $(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}*(-\arctan(1/(c^2*x^2-1)^{(1/2)}))*a*c^2+(c^2*x^2-1)^{(1/2)}*b)/(c^2*x^2-1)^{(1/2)}/c^2$

maxima [A] time = 1.15, size = 29, normalized size = 0.63

$$-a \arcsin\left(\frac{1}{c|x|}\right) + \frac{\sqrt{c^2x^2-1}b}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^2+a)/x/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="maxima")`

[Out] $-a*\arcsin(1/(c*\text{abs}(x))) + \sqrt{c^2*x^2 - 1}*b/c^2$

mupad [B] time = 3.86, size = 77, normalized size = 1.67

$$\frac{b\sqrt{cx-1}\sqrt{cx+1}}{c^2} - a \left(\ln\left(\frac{(\sqrt{cx-1}-i)^2}{(\sqrt{cx+1}-1)^2} + 1\right) - \ln\left(\frac{\sqrt{cx-1}-i}{\sqrt{cx+1}-1}\right) \right) 1i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2)/(x*(c*x - 1)^(1/2)*(c*x + 1)^(1/2)),x)`

[Out] $(b*(c*x - 1)^{(1/2)}*(c*x + 1)^{(1/2)})/c^2 - a*(\log(((c*x - 1)^{(1/2)} - 1i)^2/(c*x + 1)^{(1/2)} - 1)^2 + 1) - \log(((c*x - 1)^{(1/2)} - 1i)/((c*x + 1)^{(1/2)} - 1)))*1i$

sympy [C] time = 40.14, size = 162, normalized size = 3.52

$$-\frac{{}_aG_{6,6}^{5,3}\left(\begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} \end{matrix} \middle| \frac{1}{c^2 x^2}\right)}{4\pi^{\frac{3}{2}}} + \frac{{}_i aG_{6,6}^{2,6}\left(\begin{matrix} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{c^2 x^2}\right)}{4\pi^{\frac{3}{2}}} + \frac{{}_b G_{6,6}^{6,2}\left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \middle| \frac{1}{c^2 x^2}\right)}{4\pi^{\frac{3}{2}} c^2} + \frac{{}_i b G_{6,6}^{2,6}\left(\begin{matrix} -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1 \\ -\frac{3}{4}, -\frac{1}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{c^2 x^2}\right)}{4\pi^{\frac{3}{2}} c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**2+a)/x/(c*x-1)**(1/2)/(c*x+1)**(1/2),x)`

[Out] $-a*\text{meijerg}(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(c**2*x**2))/(4*pi**(3/2)) + I*a*\text{meijerg}(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), \text{exp_polar}(2*I*pi)/(c**2*x**2))/(4*pi**(3/2)) + b*\text{meijerg}((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(c**2*x**2))/(4*pi**(3/2)*c**2) + I*b*\text{meijerg}((-1, -3/4, -1/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), \text{exp_polar}(2*I*pi)/(c**2*x**2))/(4*pi**(3/2)*c**2)$

$$3.211 \quad \int \frac{a+bx^2}{x^2\sqrt{-1+cx}\sqrt{1+cx}} dx$$

Optimal. Leaf size=33

$$\frac{a\sqrt{cx-1}\sqrt{cx+1}}{x} + \frac{b \cosh^{-1}(cx)}{c}$$

Rubi [A] time = 0.06, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$, Rules used = {454, 52}

$$\frac{a\sqrt{cx-1}\sqrt{cx+1}}{x} + \frac{b \cosh^{-1}(cx)}{c}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(x^2*sqrt[-1 + c*x]*sqrt[1 + c*x]),x]

[Out] (a*sqrt[-1 + c*x]*sqrt[1 + c*x])/x + (b*ArcCosh[c*x])/c

Rule 52

Int[1/(sqrt[(a_) + (b_.)*(x_)]*sqrt[(c_) + (d_.)*(x_)]), x_Symbol] := Simp[ArcCosh[(b*x)/a]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a + c, 0] && EqQ[b - d, 0] && GtQ[a, 0]

Rule 454

Int[((e_.)*(x_))^(m_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(a1*a2*e*(m + 1)), x] + Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*e^n*(m + 1)), Int[(e*x)^(m + n)*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{a+bx^2}{x^2\sqrt{-1+cx}\sqrt{1+cx}} dx &= \frac{a\sqrt{-1+cx}\sqrt{1+cx}}{x} + b \int \frac{1}{\sqrt{-1+cx}\sqrt{1+cx}} dx \\ &= \frac{a\sqrt{-1+cx}\sqrt{1+cx}}{x} + \frac{b \cosh^{-1}(cx)}{c} \end{aligned}$$

Mathematica [B] time = 0.03, size = 73, normalized size = 2.21

$$\frac{\sqrt{c^2x^2 - 1} \left(\frac{a\sqrt{c^2x^2 - 1}}{x} + \frac{b \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2 - 1}}\right)}{c} \right)}{\sqrt{cx - 1} \sqrt{cx + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(x^2*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (Sqrt[-1 + c^2*x^2]*((a*Sqrt[-1 + c^2*x^2])/x + (b*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/c))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x])

IntegrateAlgebraic [A] time = 0.09, size = 66, normalized size = 2.00

$$\frac{2ac\sqrt{cx - 1}}{\sqrt{cx + 1} \left(\frac{cx-1}{cx+1} + 1 \right)} + \frac{2b \tanh^{-1}\left(\frac{\sqrt{cx-1}}{\sqrt{cx+1}}\right)}{c}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(x^2*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (2*a*c*Sqrt[-1 + c*x])/(Sqrt[1 + c*x]*(1 + (-1 + c*x)/(1 + c*x))) + (2*b*ArcTanh[Sqrt[-1 + c*x]/Sqrt[1 + c*x]])/c

fricas [A] time = 0.87, size = 56, normalized size = 1.70

$$\frac{ac^2x + \sqrt{cx + 1} \sqrt{cx - 1} ac - bx \log(-cx + \sqrt{cx + 1} \sqrt{cx - 1})}{cx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^2/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="fricas")

[Out] (a*c^2*x + sqrt(c*x + 1)*sqrt(c*x - 1)*a*c - b*x*log(-c*x + sqrt(c*x + 1)*sqrt(c*x - 1)))/(c*x)

giac [A] time = 0.22, size = 58, normalized size = 1.76

$$\frac{\frac{16ac^2}{(\sqrt{cx+1}-\sqrt{cx-1})^4+4} - b \log\left(\left(\sqrt{cx+1} - \sqrt{cx-1}\right)^4\right)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^2/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="giac")

[Out] $\frac{1}{2} * (16 * a * c^2 / ((\sqrt{c * x + 1}) - \sqrt{c * x - 1})^4 + 4) - b * \log((\sqrt{c * x + 1}) - \sqrt{c * x - 1})^4) / c$

maple [C] time = 0.07, size = 77, normalized size = 2.33

$$\frac{\sqrt{cx-1} \sqrt{cx+1} \left(\sqrt{c^2x^2-1} ac \operatorname{csgn}(c) + bx \ln \left(\left(cx + \sqrt{c^2x^2-1} \operatorname{csgn}(c) \right) \operatorname{csgn}(c) \right) \right) \operatorname{csgn}(c)}{\sqrt{c^2x^2-1} cx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/x^2/(c*x-1)^(1/2)/(c*x+1)^(1/2),x)

[Out] $(c*x-1)^{(1/2)} * (c*x+1)^{(1/2)} * (\operatorname{csgn}(c) * c * (c^2*x^2-1)^{(1/2)} * a + \ln((c*x+(c^2*x^2-1)^{(1/2)} * \operatorname{csgn}(c)) * \operatorname{csgn}(c)) * x * b) * \operatorname{csgn}(c) / (c^2*x^2-1)^{(1/2)} / c / x$

maxima [A] time = 1.18, size = 44, normalized size = 1.33

$$\frac{b \log \left(2c^2x + 2\sqrt{c^2x^2-1}c \right)}{c} + \frac{\sqrt{c^2x^2-1}a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^2/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="maxima")

[Out] $b * \log(2 * c^2 * x + 2 * \sqrt{c^2 * x^2 - 1} * c) / c + \sqrt{c^2 * x^2 - 1} * a / x$

mupad [B] time = 2.59, size = 61, normalized size = 1.85

$$\frac{a \sqrt{cx-1} \sqrt{cx+1}}{x} - \frac{4b \operatorname{atan} \left(\frac{c(\sqrt{cx-1}-i)}{(\sqrt{cx+1}-1)\sqrt{-c^2}} \right)}{\sqrt{-c^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)/(x^2*(c*x - 1)^(1/2)*(c*x + 1)^(1/2)),x)

[Out] $(a * (c * x - 1)^{(1/2)} * (c * x + 1)^{(1/2)}) / x - (4 * b * \operatorname{atan}((c * ((c * x - 1)^{(1/2)} - 1i)) / (((c * x + 1)^{(1/2)} - 1) * (-c^2)^{(1/2)}))) / (-c^2)^{(1/2)}$

sympy [C] time = 35.17, size = 148, normalized size = 4.48

$$\frac{{}_1acG_{6,6}^{5,3} \left(\begin{matrix} \frac{5}{4}, \frac{7}{4}, 1 \\ 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2 \end{matrix} \middle| \frac{1}{c^2x^2} \right)}{4\pi^{\frac{3}{2}}} - \frac{{}_1iacG_{6,6}^{2,6} \left(\begin{matrix} \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 1 \\ \frac{3}{4}, \frac{5}{4} \end{matrix} \middle| \frac{c^{2in}}{c^2x^2} \right)}{4\pi^{\frac{3}{2}}} + \frac{{}_1bG_{6,6}^{6,2} \left(\begin{matrix} \frac{1}{4}, \frac{3}{4} \\ 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \end{matrix} \middle| \frac{1}{c^2x^2} \right)}{4\pi^{\frac{3}{2}}c} - \frac{{}_1ibG_{6,6}^{2,6} \left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4} \end{matrix} \middle| \frac{c^{2in}}{c^2x^2} \right)}{4\pi^{\frac{3}{2}}c}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**2+a)/x**2/(c*x-1)**(1/2)/(c*x+1)**(1/2),x)
```

```
[Out] -a*c*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)),
  1/(c**2*x**2))/(4*pi**(3/2)) - I*a*c*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1),
  ()), ((3/4, 5/4), (1/2, 1, 1, 0)), exp_polar(2*I*pi)/(c**2*x**2))/(4*pi**(3
/2)) + b*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0),
  ()), 1/(c**2*x**2))/(4*pi**(3/2)*c) - I*b*meijerg((( -1/2, -1/4, 0, 1/4, 1/
2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), exp_polar(2*I*pi)/(c**2*x**2))/
(4*pi**(3/2)*c)
```


$$3.212 \quad \int \frac{a+bx^2}{x^3\sqrt{-1+cx}\sqrt{1+cx}} dx$$

Optimal. Leaf size=60

$$\frac{1}{2} (ac^2 + 2b) \tan^{-1} \left(\sqrt{cx-1} \sqrt{cx+1} \right) + \frac{a\sqrt{cx-1} \sqrt{cx+1}}{2x^2}$$

Rubi [A] time = 0.06, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {454, 92, 205}

$$\frac{1}{2} (ac^2 + 2b) \tan^{-1} \left(\sqrt{cx-1} \sqrt{cx+1} \right) + \frac{a\sqrt{cx-1} \sqrt{cx+1}}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(x^3*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (a*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(2*x^2) + ((2*b + a*c^2)*ArcTan[Sqrt[-1 + c*x]*Sqrt[1 + c*x]])/2

Rule 92

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x_Symbol] :> Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 205

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 454

Int[((e_.)*(x_))^(m_.)*((a1_.) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_.) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> Simp[(c*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(a1*a2*e*(m + 1)), x] + Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*e^n*(m + 1)), Int[(e*x)^(m + n)*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2}{x^3 \sqrt{-1 + cx} \sqrt{1 + cx}} dx &= \frac{a\sqrt{-1 + cx} \sqrt{1 + cx}}{2x^2} + \frac{1}{2} (2b + ac^2) \int \frac{1}{x\sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
&= \frac{a\sqrt{-1 + cx} \sqrt{1 + cx}}{2x^2} + \frac{1}{2} (c(2b + ac^2)) \text{Subst} \left(\int \frac{1}{c + cx^2} dx, x, \sqrt{-1 + cx} \sqrt{1 + cx} \right) \\
&= \frac{a\sqrt{-1 + cx} \sqrt{1 + cx}}{2x^2} + \frac{1}{2} (2b + ac^2) \tan^{-1} \left(\sqrt{-1 + cx} \sqrt{1 + cx} \right)
\end{aligned}$$

Mathematica [A] time = 0.07, size = 77, normalized size = 1.28

$$\frac{x^2 \sqrt{c^2 x^2 - 1} (ac^2 + 2b) \tan^{-1} \left(\sqrt{c^2 x^2 - 1} \right) + a (c^2 x^2 - 1)}{2x^2 \sqrt{cx - 1} \sqrt{cx + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(x^3*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (a*(-1 + c^2*x^2) + (2*b + a*c^2)*x^2*Sqrt[-1 + c^2*x^2]*ArcTan[Sqrt[-1 + c^2*x^2]])/(2*x^2*Sqrt[-1 + c*x]*Sqrt[1 + c*x])

IntegrateAlgebraic [A] time = 0.10, size = 87, normalized size = 1.45

$$(ac^2 + 2b) \tan^{-1} \left(\frac{\sqrt{cx - 1}}{\sqrt{cx + 1}} \right) - \frac{ac^2 \sqrt{cx - 1} \left(\frac{cx - 1}{cx + 1} - 1 \right)}{\sqrt{cx + 1} \left(\frac{cx - 1}{cx + 1} + 1 \right)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(x^3*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] -((a*c^2*Sqrt[-1 + c*x]*(-1 + (-1 + c*x)/(1 + c*x)))/(Sqrt[1 + c*x]*(1 + (-1 + c*x)/(1 + c*x))^2)) + (2*b + a*c^2)*ArcTan[Sqrt[-1 + c*x]/Sqrt[1 + c*x]]

fricas [A] time = 0.84, size = 57, normalized size = 0.95

$$\frac{2(ac^2 + 2b)x^2 \arctan(-cx + \sqrt{cx + 1} \sqrt{cx - 1}) + \sqrt{cx + 1} \sqrt{cx - 1} a}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^3/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="fricas")

[Out] $\frac{1}{2}*(2*(a*c^2 + 2*b)*x^2*\arctan(-c*x + \sqrt{c*x + 1})*\sqrt{c*x - 1}) + \sqrt{c*x + 1}*\sqrt{c*x - 1}*a/x^2$

giac [B] time = 0.21, size = 114, normalized size = 1.90

$$\frac{(ac^3 + 2bc) \arctan\left(\frac{1}{2}(\sqrt{cx+1} - \sqrt{cx-1})^2\right) + \frac{2(ac^3(\sqrt{cx+1}-\sqrt{cx-1})^6 - 4ac^3(\sqrt{cx+1}-\sqrt{cx-1})^2)}{((\sqrt{cx+1}-\sqrt{cx-1})^4 + 4)^2}}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^3/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="giac")

[Out] $-\left((a*c^3 + 2*b*c)*\arctan(1/2*(\sqrt{c*x + 1} - \sqrt{c*x - 1})^2) + 2*(a*c^3*(\sqrt{c*x + 1} - \sqrt{c*x - 1})^6 - 4*a*c^3*(\sqrt{c*x + 1} - \sqrt{c*x - 1})^2)/((\sqrt{c*x + 1} - \sqrt{c*x - 1})^4 + 4)^2\right)/c$

maple [A] time = 0.08, size = 84, normalized size = 1.40

$$\frac{\sqrt{cx-1} \sqrt{cx+1} \left(a c^2 x^2 \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right) + 2b x^2 \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right) - \sqrt{c^2 x^2 - 1} a \right)}{2\sqrt{c^2 x^2 - 1} x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/x^3/(c*x-1)^(1/2)/(c*x+1)^(1/2),x)

[Out] $-1/2*(c*x-1)^(1/2)*(c*x+1)^(1/2)*(arctan(1/(c^2*x^2-1)^(1/2))*x^2*a*c^2+2*a*rctan(1/(c^2*x^2-1)^(1/2))*x^2*b-(c^2*x^2-1)^(1/2)*a)/(c^2*x^2-1)^(1/2)/x^2$

maxima [A] time = 1.23, size = 45, normalized size = 0.75

$$-\frac{1}{2} ac^2 \arcsin\left(\frac{1}{c|x|}\right) - b \arcsin\left(\frac{1}{c|x|}\right) + \frac{\sqrt{c^2 x^2 - 1} a}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^3/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="maxima")

[Out] $-1/2*a*c^2*\arcsin(1/(c*abs(x))) - b*\arcsin(1/(c*abs(x))) + 1/2*\sqrt{c^2*x^2 - 1}*a/x^2$

mupad [B] time = 8.67, size = 297, normalized size = 4.95

$$\frac{\frac{ac^2 \operatorname{li}\left(\frac{(\sqrt{cx-1}-i)^2}{16(\sqrt{cx+1}-i)^2}\right) - \frac{ac^2(\sqrt{cx-1}-i)^4 \operatorname{li}\left(\frac{(\sqrt{cx-1}-i)^2}{32(\sqrt{cx+1}-i)^4}\right)}{32(\sqrt{cx+1}-i)^2} - b \left(\ln\left(\frac{(\sqrt{cx-1}-i)^2}{(\sqrt{cx+1}-1)^2} + 1\right) - \ln\left(\frac{\sqrt{cx-1}-i}{\sqrt{cx+1}-1}\right) \right) \operatorname{li}\left(\frac{ac^2 \ln\left(\frac{(\sqrt{cx-1}-i)^2}{(\sqrt{cx+1}-1)^2} + 1\right)}{2}\right) + \frac{ac^2 \ln\left(\frac{\sqrt{cx-1}-i}{\sqrt{cx+1}-1}\right) \operatorname{li}\left(\frac{ac^2(\sqrt{cx-1}-i)^2 \operatorname{li}\left(\frac{(\sqrt{cx-1}-i)^2}{32(\sqrt{cx+1}-1)^2}\right)}{2}\right)}{32(\sqrt{cx+1}-1)^2}}{(\sqrt{cx+1}-1)^2 + \frac{2(\sqrt{cx-1}-i)^4}{(\sqrt{cx+1}-1)^4} + \frac{(\sqrt{cx-1}-i)^6}{(\sqrt{cx+1}-1)^6}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2)/(x^3*(c*x - 1)^(1/2)*(c*x + 1)^(1/2)),x)`

[Out]
$$\begin{aligned} & ((a*c^2*i)/32 + (a*c^2*((c*x - 1)^{1/2} - 1i)^2*i)/(16*((c*x + 1)^{1/2} - 1)^2) - \\ & (a*c^2*((c*x - 1)^{1/2} - 1i)^4*15i)/(32*((c*x + 1)^{1/2} - 1)^4) \\ & /(((c*x - 1)^{1/2} - 1i)^2/((c*x + 1)^{1/2} - 1)^2 + (2*((c*x - 1)^{1/2} - 1i)^4)/((c*x + 1)^{1/2} - 1)^4 + ((c*x - 1)^{1/2} - 1i)^6/((c*x + 1)^{1/2} - 1)^6) - \\ & b*(\log(((c*x - 1)^{1/2} - 1i)^2/((c*x + 1)^{1/2} - 1)^2 + 1) - \log(((c*x - 1)^{1/2} - 1i)/((c*x + 1)^{1/2} - 1)))*i - \\ & (a*c^2*\log(((c*x - 1)^{1/2} - 1i)^2/((c*x + 1)^{1/2} - 1)^2 + 1)*i)/2 + (a*c^2*\log(((c*x - 1)^{1/2} - 1i)/((c*x + 1)^{1/2} - 1))*i)/2 + \\ & (a*c^2*((c*x - 1)^{1/2} - 1i)^2*i)/(32*((c*x + 1)^{1/2} - 1)^2) \end{aligned}$$

sympy [C] time = 63.62, size = 141, normalized size = 2.35

$$\frac{ac^2 G_{6,6}^{5,3} \left(\begin{matrix} \frac{7}{4}, \frac{9}{4}, 1 \\ \frac{3}{2}, \frac{7}{4}, \frac{9}{4}, \frac{5}{2} \end{matrix} \middle| \frac{1}{c^2 x^2} \right) + ia^2 G_{6,6}^{2,6} \left(\begin{matrix} 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2, 1 \\ \frac{5}{4}, \frac{7}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{c^2 x^2} \right) - b G_{6,6}^{5,3} \left(\begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} \end{matrix} \middle| \frac{1}{c^2 x^2} \right) + ib G_{6,6}^{2,6} \left(\begin{matrix} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{c^2 x^2} \right)}{4\pi^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**2+a)/x**3/(c*x-1)**(1/2)/(c*x+1)**(1/2),x)`

[Out]
$$\begin{aligned} & -a*c**2*meijerg(((7/4, 9/4, 1), (2, 2, 5/2)), ((3/2, 7/4, 2, 9/4, 5/2), (0,)), \\ & 1/(c**2*x**2))/(4*pi**(3/2)) + I*a*c**2*meijerg(((1, 5/4, 3/2, 7/4, 2, 1), ()), \\ & ((5/4, 7/4), (1, 3/2, 3/2, 0)), \exp_polar(2*I*pi)/(c**2*x**2))/(4*pi**(3/2)) - \\ & b*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), \\ & 1/(c**2*x**2))/(4*pi**(3/2)) + I*b*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), \\ & ((1/4, 3/4), (0, 1/2, 1/2, 0)), \exp_polar(2*I*pi)/(c**2*x**2))/(4*pi**(3/2)) \end{aligned}$$

$$3.213 \quad \int \frac{a+bx^2}{x^4 \sqrt{-1+cx} \sqrt{1+cx}} dx$$

Optimal. Leaf size=62

$$\frac{\sqrt{cx-1} \sqrt{cx+1} (2ac^2 + 3b)}{3x} + \frac{a\sqrt{cx-1} \sqrt{cx+1}}{3x^3}$$

Rubi [A] time = 0.06, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$, Rules used = {454, 95}

$$\frac{\sqrt{cx-1} \sqrt{cx+1} (2ac^2 + 3b)}{3x} + \frac{a\sqrt{cx-1} \sqrt{cx+1}}{3x^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(x^4*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (a*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(3*x^3) + ((3*b + 2*a*c^2)*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(3*x)

Rule 95

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1), 0] && NeQ[m, -1]

Rule 454

Int[((e_.)*(x_))^(m_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(c*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(a1*a2*e^(m + 1)), x] + Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*e^n*(m + 1)), Int[(e*x)^(m + n)*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

Rubi steps

$$\int \frac{a + bx^2}{x^4 \sqrt{-1 + cx} \sqrt{1 + cx}} dx = \frac{a \sqrt{-1 + cx} \sqrt{1 + cx}}{3x^3} + \frac{1}{3} (3b + 2ac^2) \int \frac{1}{x^2 \sqrt{-1 + cx} \sqrt{1 + cx}} dx$$

$$= \frac{a \sqrt{-1 + cx} \sqrt{1 + cx}}{3x^3} + \frac{(3b + 2ac^2) \sqrt{-1 + cx} \sqrt{1 + cx}}{3x}$$

Mathematica [A] time = 0.02, size = 51, normalized size = 0.82

$$\frac{(c^2 x^2 - 1)(2ac^2 x^2 + a + 3bx^2)}{3x^3 \sqrt{cx - 1} \sqrt{cx + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(x^4*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] ((-1 + c^2*x^2)*(a + 3*b*x^2 + 2*a*c^2*x^2))/(3*x^3*Sqrt[-1 + c*x]*Sqrt[1 + c*x])

IntegrateAlgebraic [A] time = 0.11, size = 122, normalized size = 1.97

$$\frac{2\sqrt{cx - 1} \left(\frac{2ac^3(cx-1)}{cx+1} + \frac{3ac^3(cx-1)^2}{(cx+1)^2} + 3ac^3 + \frac{6bc(cx-1)}{cx+1} + \frac{3bc(cx-1)^2}{(cx+1)^2} + 3bc \right)}{3\sqrt{cx + 1} \left(\frac{cx-1}{cx+1} + 1 \right)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(x^4*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (2*Sqrt[-1 + c*x]*(3*b*c + 3*a*c^3 + (3*b*c*(-1 + c*x)^2)/(1 + c*x)^2 + (3*a*c^3*(-1 + c*x)^2)/(1 + c*x)^2 + (6*b*c*(-1 + c*x))/(1 + c*x) + (2*a*c^3*(-1 + c*x))/(1 + c*x)))/(3*Sqrt[1 + c*x]*(1 + (-1 + c*x)/(1 + c*x))^3)

fricas [A] time = 0.85, size = 52, normalized size = 0.84

$$\frac{(2ac^3 + 3bc)x^3 + ((2ac^2 + 3b)x^2 + a)\sqrt{cx + 1}\sqrt{cx - 1}}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^4/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="fricas")

[Out] 1/3*((2*a*c^3 + 3*b*c)*x^3 + ((2*a*c^2 + 3*b)*x^2 + a)*sqrt(c*x + 1)*sqrt(c*x - 1))/x^3

giac [B] time = 0.21, size = 116, normalized size = 1.87

$$\frac{8 \left(3bc^2(\sqrt{cx+1} - \sqrt{cx-1})^8 + 24ac^4(\sqrt{cx+1} - \sqrt{cx-1})^4 + 24bc^2(\sqrt{cx+1} - \sqrt{cx-1})^4 + 32ac^4 + 48bc^2 \right)}{3 \left((\sqrt{cx+1} - \sqrt{cx-1})^4 + 4 \right)^3 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^4/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="giac")

[Out] 8/3*(3*b*c^2*(sqrt(c*x + 1) - sqrt(c*x - 1))^8 + 24*a*c^4*(sqrt(c*x + 1) - sqrt(c*x - 1))^4 + 24*b*c^2*(sqrt(c*x + 1) - sqrt(c*x - 1))^4 + 32*a*c^4 + 48*b*c^2)/(((sqrt(c*x + 1) - sqrt(c*x - 1))^4 + 4)^3*c)

maple [A] time = 0.05, size = 37, normalized size = 0.60

$$\frac{\sqrt{cx+1} \sqrt{cx-1} (2ac^2x^2 + 3bx^2 + a)}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/x^4/(c*x-1)^(1/2)/(c*x+1)^(1/2),x)

[Out] 1/3*(c*x+1)^(1/2)*(c*x-1)^(1/2)*(2*a*c^2*x^2+3*b*x^2+a)/x^3

maxima [A] time = 1.23, size = 54, normalized size = 0.87

$$\frac{2\sqrt{c^2x^2-1}ac^2}{3x} + \frac{\sqrt{c^2x^2-1}b}{x} + \frac{\sqrt{c^2x^2-1}a}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^4/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="maxima")

[Out] 2/3*sqrt(c^2*x^2 - 1)*a*c^2/x + sqrt(c^2*x^2 - 1)*b/x + 1/3*sqrt(c^2*x^2 - 1)*a/x^3

mupad [B] time = 2.44, size = 53, normalized size = 0.85

$$\frac{\sqrt{cx-1} \left(\left(\frac{2ac^3}{3} + bc \right) x^3 + \left(\frac{2ac^2}{3} + b \right) x^2 + \frac{acx}{3} + \frac{a}{3} \right)}{x^3 \sqrt{cx+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)/(x^4*(c*x - 1)^(1/2)*(c*x + 1)^(1/2)),x)

[Out] $((c*x - 1)^{(1/2)}*(a/3 + x^3*(b*c + (2*a*c^3)/3) + x^2*(b + (2*a*c^2)/3) + (a*c*x)/3))/(x^3*(c*x + 1)^{(1/2)})$

sympy [C] time = 61.44, size = 146, normalized size = 2.35

$$\frac{ac^3 G_{6,6}^{5,3} \left(\begin{matrix} \frac{9}{4}, \frac{11}{4}, 1 \\ 2, \frac{9}{4}, \frac{5}{2}, \frac{11}{4}, 3 \end{matrix} \middle| \frac{1}{c^2 x^2} \right) - iac^3 G_{6,6}^{2,6} \left(\begin{matrix} \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2}, 1 \\ \frac{7}{4}, \frac{9}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{c^2 x^2} \right) - bc G_{6,6}^{5,3} \left(\begin{matrix} \frac{5}{4}, \frac{7}{4}, 1 \\ 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2 \end{matrix} \middle| \frac{1}{c^2 x^2} \right) - ibc G_{6,6}^{2,6} \left(\begin{matrix} \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 1 \\ \frac{3}{4}, \frac{5}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{c^2 x^2} \right)}{4\pi^{\frac{3}{2}} - 4\pi^{\frac{3}{2}} - 4\pi^{\frac{3}{2}} - 4\pi^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)/x**4/(c*x-1)**(1/2)/(c*x+1)**(1/2),x)

[Out] $-a*c**3*meijerg(((9/4, 11/4, 1), (5/2, 5/2, 3)), ((2, 9/4, 5/2, 11/4, 3), (0,)), 1/(c**2*x**2))/(4*pi**(3/2)) - I*a*c**3*meijerg(((3/2, 7/4, 2, 9/4, 5/2, 1), ()), ((7/4, 9/4), (3/2, 2, 2, 0)), exp_polar(2*I*pi)/(c**2*x**2))/(4*pi**(3/2)) - b*c*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), 1/(c**2*x**2))/(4*pi**(3/2)) - I*b*c*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), exp_polar(2*I*pi)/(c**2*x**2))/(4*pi**(3/2))$

$$3.214 \quad \int \frac{a+bx^2}{x^5 \sqrt{-1+cx} \sqrt{1+cx}} dx$$

Optimal. Leaf size=99

$$\frac{\sqrt{cx-1} \sqrt{cx+1} (3ac^2 + 4b)}{8x^2} + \frac{1}{8}c^2 (3ac^2 + 4b) \tan^{-1} \left(\sqrt{cx-1} \sqrt{cx+1} \right) + \frac{a\sqrt{cx-1} \sqrt{cx+1}}{4x^4}$$

Rubi [A] time = 0.08, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {454, 103, 12, 92, 205}

$$\frac{\sqrt{cx-1} \sqrt{cx+1} (3ac^2 + 4b)}{8x^2} + \frac{1}{8}c^2 (3ac^2 + 4b) \tan^{-1} \left(\sqrt{cx-1} \sqrt{cx+1} \right) + \frac{a\sqrt{cx-1} \sqrt{cx+1}}{4x^4}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(x^5*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (a*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(4*x^4) + ((4*b + 3*a*c^2)*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(8*x^2) + (c^2*(4*b + 3*a*c^2)*ArcTan[Sqrt[-1 + c*x]*Sqrt[1 + c*x]])/8

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 92

Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]*((e_) + (f_)*(x_))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 103

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[m] && (IntegerQ[n] || IntegersQ[2*n, 2*p])

Rule 205

`Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 454

`Int[((e_)*(x_)^(m_))*((a1_) + (b1_)*(x_)^(non2_))^(p_)*((a2_) + (b2_)*(x_)^(non2_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m+1)*(a1 + b1*x^(n/2))^(p+1)*(a2 + b2*x^(n/2))^(p+1))/(a1*a2*e^(m+1)), x] + Dist[(a1*a2*d*(m+1) - b1*b2*c*(m+n*(p+1)+1))/(a1*a2*e^(m+1)), Int[(e*x)^(m+n)*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m+n, -1])) && !ILtQ[p, -1]`

Rubi steps

$$\begin{aligned}
 \int \frac{a + bx^2}{x^5 \sqrt{-1 + cx} \sqrt{1 + cx}} dx &= \frac{a\sqrt{-1 + cx} \sqrt{1 + cx}}{4x^4} + \frac{1}{4} (4b + 3ac^2) \int \frac{1}{x^3 \sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
 &= \frac{a\sqrt{-1 + cx} \sqrt{1 + cx}}{4x^4} + \frac{(4b + 3ac^2) \sqrt{-1 + cx} \sqrt{1 + cx}}{8x^2} + \frac{1}{8} (4b + 3ac^2) \int \frac{1}{x \sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
 &= \frac{a\sqrt{-1 + cx} \sqrt{1 + cx}}{4x^4} + \frac{(4b + 3ac^2) \sqrt{-1 + cx} \sqrt{1 + cx}}{8x^2} + \frac{1}{8} (c^2 (4b + 3ac^2)) \int \frac{1}{x \sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
 &= \frac{a\sqrt{-1 + cx} \sqrt{1 + cx}}{4x^4} + \frac{(4b + 3ac^2) \sqrt{-1 + cx} \sqrt{1 + cx}}{8x^2} + \frac{1}{8} (c^3 (4b + 3ac^2)) \text{Subst} \left(\int \frac{1}{x \sqrt{-1 + cx} \sqrt{1 + cx}} dx, x, \sqrt{-1 + cx} \right) \\
 &= \frac{a\sqrt{-1 + cx} \sqrt{1 + cx}}{4x^4} + \frac{(4b + 3ac^2) \sqrt{-1 + cx} \sqrt{1 + cx}}{8x^2} + \frac{1}{8} c^2 (4b + 3ac^2) \tan^{-1} \left(\sqrt{\frac{-1 + cx}{1 + cx}} \right)
 \end{aligned}$$

Mathematica [A] time = 0.10, size = 102, normalized size = 1.03

$$\frac{(c^2 x^2 - 1) (a (3c^2 x^2 + 2) + 4bx^2) - c^2 x^4 \sqrt{1 - c^2 x^2} (3ac^2 + 4b) \tanh^{-1} \left(\sqrt{1 - c^2 x^2} \right)}{8x^4 \sqrt{cx - 1} \sqrt{cx + 1}}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*x^2)/(x^5*Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x]`

[Out] $((-1 + c^2*x^2)*(4*b*x^2 + a*(2 + 3*c^2*x^2)) - c^2*(4*b + 3*a*c^2)*x^4*\text{Sqrt}[1 - c^2*x^2]*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/(8*x^4*\text{Sqrt}[-1 + c*x]*\text{Sqrt}[1 + c*x])$

IntegrateAlgebraic [A] time = 0.16, size = 175, normalized size = 1.77

$$\frac{1}{4}(3ac^4 + 4bc^2)\tan^{-1}\left(\frac{\sqrt{cx-1}}{\sqrt{cx+1}}\right) - \frac{c^2\sqrt{cx-1}\left(\frac{cx-1}{cx+1} - 1\right)\left(\frac{2ac^2(cx-1)}{cx+1} + \frac{5ac^2(cx-1)^2}{(cx+1)^2} + 5ac^2 + \frac{8b(cx-1)}{cx+1} + \frac{4b(cx-1)^2}{(cx+1)^2} + 4b\right)}{4\sqrt{cx+1}\left(\frac{cx-1}{cx+1} + 1\right)^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(x^5*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] $-1/4*(c^2*\text{Sqrt}[-1 + c*x]*(-1 + (-1 + c*x)/(1 + c*x))*(4*b + 5*a*c^2 + (4*b*(-1 + c*x)^2)/(1 + c*x)^2 + (5*a*c^2*(-1 + c*x)^2)/(1 + c*x)^2 + (8*b*(-1 + c*x))/(1 + c*x) + (2*a*c^2*(-1 + c*x))/(1 + c*x)))/(\text{Sqrt}[1 + c*x]*(1 + (-1 + c*x)/(1 + c*x))^4) + ((4*b*c^2 + 3*a*c^4)*\text{ArcTan}[\text{Sqrt}[-1 + c*x]/\text{Sqrt}[1 + c*x]])/4$

fricas [A] time = 0.59, size = 78, normalized size = 0.79

$$\frac{2(3ac^4 + 4bc^2)x^4 \arctan(-cx + \sqrt{cx+1}\sqrt{cx-1}) + ((3ac^2 + 4b)x^2 + 2a)\sqrt{cx+1}\sqrt{cx-1}}{8x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^5/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="fricas")

[Out] $1/8*(2*(3*a*c^4 + 4*b*c^2)*x^4*\arctan(-c*x + \text{sqrt}(c*x + 1)*\text{sqrt}(c*x - 1)) + ((3*a*c^2 + 4*b)*x^2 + 2*a)*\text{sqrt}(c*x + 1)*\text{sqrt}(c*x - 1))/x^4$

giac [B] time = 0.22, size = 268, normalized size = 2.71

$$\frac{(3ac^5 + 4bc^3)\arctan\left(\frac{1}{2}(\sqrt{cx+1} - \sqrt{cx-1})\right) + \frac{2(3a^2(\sqrt{cx+1}-\sqrt{cx-1})^{14} + 44bc^2(\sqrt{cx+1}-\sqrt{cx-1})^{14} + 44ac^2(\sqrt{cx+1}-\sqrt{cx-1})^{10} + 16bc^2(\sqrt{cx+1}-\sqrt{cx-1})^{10} - 176ac^2(\sqrt{cx+1}-\sqrt{cx-1})^6 - 64bc^2(\sqrt{cx+1}-\sqrt{cx-1})^6 - 192ac^2(\sqrt{cx+1}-\sqrt{cx-1})^2 - 256bc^2(\sqrt{cx+1}-\sqrt{cx-1})^2)}{((\sqrt{cx+1}-\sqrt{cx-1})^4)^4}}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^5/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="giac")

[Out] $-1/4*((3*a*c^5 + 4*b*c^3)*\arctan(1/2*(\text{sqrt}(c*x + 1) - \text{sqrt}(c*x - 1)))^2) + 2*(3*a*c^5*(\text{sqrt}(c*x + 1) - \text{sqrt}(c*x - 1))^{14} + 4*b*c^3*(\text{sqrt}(c*x + 1) - \text{sqrt}(c*x - 1))^{14} + 44*a*c^5*(\text{sqrt}(c*x + 1) - \text{sqrt}(c*x - 1))^{10} + 16*b*c^3*(\text{sqrt}(c*x + 1) - \text{sqrt}(c*x - 1))^{10} - 176*a*c^5*(\text{sqrt}(c*x + 1) - \text{sqrt}(c*x - 1))^{6} - 64*b*c^3*(\text{sqrt}(c*x + 1) - \text{sqrt}(c*x - 1))^{6} - 192*a*c^5*(\text{sqrt}(c*x + 1) - \text{sqrt}(c*x - 1))^{2} - 256*b*c^3*(\text{sqrt}(c*x + 1) - \text{sqrt}(c*x - 1))^{2}))/x^4$

- sqrt(c*x - 1))^2 - 256*b*c^3*(sqrt(c*x + 1) - sqrt(c*x - 1))^2)/((sqrt(c*x + 1) - sqrt(c*x - 1))^4 + 4)^4)/c

maple [A] time = 0.07, size = 125, normalized size = 1.26

$$\frac{\sqrt{cx-1}\sqrt{cx+1}\left(3ac^4x^4\arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right)+4bc^2x^4\arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right)-3\sqrt{c^2x^2-1}ac^2x^2-4\sqrt{c^2x^2-1}bx^2-2\sqrt{c^2x^2-1}a\right)}{8\sqrt{c^2x^2-1}x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/x^5/(c*x-1)^(1/2)/(c*x+1)^(1/2), x)

[Out] -1/8*(c*x-1)^(1/2)*(c*x+1)^(1/2)*(3*arctan(1/(c^2*x^2-1)^(1/2))*x^4*a*c^4+4*arctan(1/(c^2*x^2-1)^(1/2))*x^4*b*c^2-3*(c^2*x^2-1)^(1/2)*x^2*a*c^2-4*(c^2*x^2-1)^(1/2)*x^2*b-2*(c^2*x^2-1)^(1/2)*a)/(c^2*x^2-1)^(1/2)/x^4

maxima [A] time = 1.11, size = 85, normalized size = 0.86

$$-\frac{3}{8}ac^4\arcsin\left(\frac{1}{c|x|}\right)-\frac{1}{2}bc^2\arcsin\left(\frac{1}{c|x|}\right)+\frac{3\sqrt{c^2x^2-1}ac^2}{8x^2}+\frac{\sqrt{c^2x^2-1}b}{2x^2}+\frac{\sqrt{c^2x^2-1}a}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^5/(c*x-1)^(1/2)/(c*x+1)^(1/2), x, algorithm="maxima")

[Out] -3/8*a*c^4*arcsin(1/(c*abs(x))) - 1/2*b*c^2*arcsin(1/(c*abs(x))) + 3/8*sqrt(c^2*x^2 - 1)*a*c^2/x^2 + 1/2*sqrt(c^2*x^2 - 1)*b/x^2 + 1/4*sqrt(c^2*x^2 - 1)*a/x^4

mupad [B] time = 21.45, size = 650, normalized size = 6.57

$$\frac{\frac{b^2a^2}{32} + \frac{b^2(\sqrt{c^2x^2-1})^2a}{16(\sqrt{c^2x^2-1})} - \frac{b^2(\sqrt{c^2x^2-1})^2a}{32(\sqrt{c^2x^2-1})} - \frac{ab^2a}{128} - \frac{a^2(\sqrt{c^2x^2-1})^2a}{128(\sqrt{c^2x^2-1})} - \frac{a^2(\sqrt{c^2x^2-1})^2a}{32(\sqrt{c^2x^2-1})} + \frac{a^2(\sqrt{c^2x^2-1})^2a}{256(\sqrt{c^2x^2-1})} + \frac{a^2(\sqrt{c^2x^2-1})^2a}{128(\sqrt{c^2x^2-1})} + \frac{a^2(\sqrt{c^2x^2-1})^2a}{256(\sqrt{c^2x^2-1})} - \frac{a^2\ln\left(\frac{(\sqrt{c^2x^2-1})^2+1}{(\sqrt{c^2x^2-1})^2-1}\right)3i}{8} - \frac{b^2\ln\left(\frac{(\sqrt{c^2x^2-1})^2+1}{(\sqrt{c^2x^2-1})^2-1}\right)11}{2} + \frac{a^2\ln\left(\frac{\sqrt{c^2x^2-1}}{\sqrt{c^2x^2-1}}\right)3i}{8} + \frac{b^2\ln\left(\frac{\sqrt{c^2x^2-1}}{\sqrt{c^2x^2-1}}\right)11}{2} + \frac{a^2(\sqrt{c^2x^2-1})^2a}{256(\sqrt{c^2x^2-1})} - \frac{a^2(\sqrt{c^2x^2-1})^2a}{1024(\sqrt{c^2x^2-1})} + \frac{b^2(\sqrt{c^2x^2-1})^2a}{32(\sqrt{c^2x^2-1})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)/(x^5*(c*x - 1)^(1/2)*(c*x + 1)^(1/2)), x)

[Out] ((b*c^2*1i)/32 + (b*c^2*((c*x - 1)^(1/2) - 1i)^2*1i)/(16*((c*x + 1)^(1/2) - 1)^(2) - (b*c^2*((c*x - 1)^(1/2) - 1i)^4*15i)/(32*((c*x + 1)^(1/2) - 1)^(4))/(((c*x - 1)^(1/2) - 1i)^2/((c*x + 1)^(1/2) - 1)^(2) + (2*((c*x - 1)^(1/2) - 1i)^4)/((c*x + 1)^(1/2) - 1)^(4) + ((c*x - 1)^(1/2) - 1i)^6/((c*x + 1)^(1/2) - 1)^(6) - ((a*c^4*1i)/1024 - (a*c^4*((c*x - 1)^(1/2) - 1i)^2*3i)/(128*((c*x + 1)^(1/2) - 1)^(2) - (a*c^4*((c*x - 1)^(1/2) - 1i)^4*53i)/(512*((c*x + 1)^(1/2) - 1)^(4) + (a*c^4*((c*x - 1)^(1/2) - 1i)^6*87i)/(256*((c*x + 1)^(1/2) - 1)^(6) + (a*c^4*((c*x - 1)^(1/2) - 1i)^8*657i)/(1024*((c*x + 1)^(1/2) - 1)^(8) + (a*c^4*((c*x - 1)^(1/2) - 1i)^10*121i)/(256*((c*x + 1)^(1/2) - 1)^(10))

$$\begin{aligned} &)/(((c*x - 1)^{(1/2)} - 1i)^4/((c*x + 1)^{(1/2)} - 1)^4 + (4*((c*x - 1)^{(1/2)} - 1i)^6)/((c*x + 1)^{(1/2)} - 1)^6 + (6*((c*x - 1)^{(1/2)} - 1i)^8)/((c*x + 1)^{(1/2)} - 1)^8 + (4*((c*x - 1)^{(1/2)} - 1i)^{10})/((c*x + 1)^{(1/2)} - 1)^{10} + ((c*x - 1)^{(1/2)} - 1i)^{12}/((c*x + 1)^{(1/2)} - 1)^{12} - (a*c^4*\log(((c*x - 1)^{(1/2)} - 1i)^2/((c*x + 1)^{(1/2)} - 1)^2 + 1)*3i)/8 - (b*c^2*\log(((c*x - 1)^{(1/2)} - 1i)^2/((c*x + 1)^{(1/2)} - 1)^2 + 1)*1i)/2 + (a*c^4*\log(((c*x - 1)^{(1/2)} - 1i)/((c*x + 1)^{(1/2)} - 1))*3i)/8 + (b*c^2*\log(((c*x - 1)^{(1/2)} - 1i)/((c*x + 1)^{(1/2)} - 1))*1i)/2 + (a*c^4*((c*x - 1)^{(1/2)} - 1i)^2*7i)/(256*((c*x + 1)^{(1/2)} - 1)^2) - (a*c^4*((c*x - 1)^{(1/2)} - 1i)^4*1i)/(1024*((c*x + 1)^{(1/2)} - 1)^4) + (b*c^2*((c*x - 1)^{(1/2)} - 1i)^2*1i)/(32*((c*x + 1)^{(1/2)} - 1)^2) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)/x**5/(c*x-1)**(1/2)/(c*x+1)**(1/2),x)

[Out] Timed out

$$3.215 \quad \int \frac{x^4(a+bx^2)}{\sqrt{-c+dx} \sqrt{c+dx}} dx$$

Optimal. Leaf size=164

$$\frac{c^2x\sqrt{dx-c}\sqrt{c+dx}(6ad^2+5bc^2)}{16d^6} + \frac{x^3\sqrt{dx-c}\sqrt{c+dx}(6ad^2+5bc^2)}{24d^4} + \frac{c^4(6ad^2+5bc^2)\tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{8d^7} + \frac{bx^5\sqrt{dx-c}\sqrt{c+dx}}{6d^2}$$

Rubi [A] time = 0.12, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {460, 100, 12, 90, 63, 217, 206}

$$\frac{x^3\sqrt{dx-c}\sqrt{c+dx}(6ad^2+5bc^2)}{24d^4} + \frac{c^2x\sqrt{dx-c}\sqrt{c+dx}(6ad^2+5bc^2)}{16d^6} + \frac{c^4(6ad^2+5bc^2)\tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{8d^7} + \frac{bx^5\sqrt{dx-c}\sqrt{c+dx}}{6d^2}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(a + b*x^2))/(Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] (c^2*(5*b*c^2 + 6*a*d^2)*x*Sqrt[-c + d*x]*Sqrt[c + d*x])/(16*d^6) + ((5*b*c^2 + 6*a*d^2)*x^3*Sqrt[-c + d*x]*Sqrt[c + d*x])/(24*d^4) + (b*x^5*Sqrt[-c + d*x]*Sqrt[c + d*x])/(6*d^2) + (c^4*(5*b*c^2 + 6*a*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/(8*d^7)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 90

Int[((a_.) + (b_.)*(x_))^(2*((c_.) + (d_.)*(x_))^(n_.))*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(a + b*x)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 3)), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2))]*x, x], x] /; FreeQ

[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]

Rule 100

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 1)), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 460

Int[((e_.)*(x_))^(m_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*e*(m + n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (a + bx^2)}{\sqrt{-c + dx} \sqrt{c + dx}} dx &= \frac{bx^5 \sqrt{-c + dx} \sqrt{c + dx}}{6d^2} - \frac{1}{6} \left(-6a - \frac{5bc^2}{d^2} \right) \int \frac{x^4}{\sqrt{-c + dx} \sqrt{c + dx}} dx \\
&= \frac{(5bc^2 + 6ad^2) x^3 \sqrt{-c + dx} \sqrt{c + dx}}{24d^4} + \frac{bx^5 \sqrt{-c + dx} \sqrt{c + dx}}{6d^2} + \frac{(5bc^2 + 6ad^2) \int \frac{x^4}{\sqrt{-c + dx} \sqrt{c + dx}} dx}{24d^4} \\
&= \frac{(5bc^2 + 6ad^2) x^3 \sqrt{-c + dx} \sqrt{c + dx}}{24d^4} + \frac{bx^5 \sqrt{-c + dx} \sqrt{c + dx}}{6d^2} + \frac{(c^2 (5bc^2 + 6ad^2)) \int \frac{x^4}{\sqrt{-c + dx} \sqrt{c + dx}} dx}{8d^4} \\
&= \frac{c^2 (5bc^2 + 6ad^2) x \sqrt{-c + dx} \sqrt{c + dx}}{16d^6} + \frac{(5bc^2 + 6ad^2) x^3 \sqrt{-c + dx} \sqrt{c + dx}}{24d^4} + \frac{bx^5 \sqrt{-c + dx} \sqrt{c + dx}}{6d^2} \\
&= \frac{c^2 (5bc^2 + 6ad^2) x \sqrt{-c + dx} \sqrt{c + dx}}{16d^6} + \frac{(5bc^2 + 6ad^2) x^3 \sqrt{-c + dx} \sqrt{c + dx}}{24d^4} + \frac{bx^5 \sqrt{-c + dx} \sqrt{c + dx}}{6d^2} \\
&= \frac{c^2 (5bc^2 + 6ad^2) x \sqrt{-c + dx} \sqrt{c + dx}}{16d^6} + \frac{(5bc^2 + 6ad^2) x^3 \sqrt{-c + dx} \sqrt{c + dx}}{24d^4} + \frac{bx^5 \sqrt{-c + dx} \sqrt{c + dx}}{6d^2} \\
&= \frac{c^2 (5bc^2 + 6ad^2) x \sqrt{-c + dx} \sqrt{c + dx}}{16d^6} + \frac{(5bc^2 + 6ad^2) x^3 \sqrt{-c + dx} \sqrt{c + dx}}{24d^4} + \frac{bx^5 \sqrt{-c + dx} \sqrt{c + dx}}{6d^2} \\
&= \frac{c^2 (5bc^2 + 6ad^2) x \sqrt{-c + dx} \sqrt{c + dx}}{16d^6} + \frac{(5bc^2 + 6ad^2) x^3 \sqrt{-c + dx} \sqrt{c + dx}}{24d^4} + \frac{bx^5 \sqrt{-c + dx} \sqrt{c + dx}}{6d^2} \\
&= \frac{c^2 (5bc^2 + 6ad^2) x \sqrt{-c + dx} \sqrt{c + dx}}{16d^6} + \frac{(5bc^2 + 6ad^2) x^3 \sqrt{-c + dx} \sqrt{c + dx}}{24d^4} + \frac{bx^5 \sqrt{-c + dx} \sqrt{c + dx}}{6d^2}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 148, normalized size = 0.90

$$\frac{3c^4 \sqrt{d^2 x^2 - c^2} (6ad^2 + 5bc^2) \tanh^{-1} \left(\frac{dx}{\sqrt{d^2 x^2 - c^2}} \right) + dx (d^2 x^2 - c^2) (6ad^2 (3c^2 + 2d^2 x^2) + b (15c^4 + 10c^2 d^2 x^2 + 8d^4 x^4))}{48d^7 \sqrt{dx - c} \sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(a + b*x^2))/(Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] (d*x*(-c^2 + d^2*x^2)*(6*a*d^2*(3*c^2 + 2*d^2*x^2) + b*(15*c^4 + 10*c^2*d^2*x^2 + 8*d^4*x^4)) + 3*c^4*(5*b*c^2 + 6*a*d^2)*Sqrt[-c^2 + d^2*x^2]*ArcTanh[(d*x)/Sqrt[-c^2 + d^2*x^2]])/(48*d^7*Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [A] time = 0.24, size = 297, normalized size = 1.81

$$\frac{(6ac^4d^2 + 5bc^6) \tanh^{-1} \left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}} \right) + c^4 \sqrt{dx-c} \left(\frac{dx-c}{c+dx} + 1 \right) \left(\frac{30ad^2(dx-c)^4}{(c+dx)^4} - \frac{72ad^2(dx-c)^3}{(c+dx)^3} + \frac{84ad^2(dx-c)^2}{(c+dx)^2} - \frac{72ad^2(dx-c)}{c+dx} + 30ad^2 + \frac{33bc^2(dx-c)^4}{(c+dx)^4} - \frac{28bc^2(dx-c)^3}{(c+dx)^3} + \frac{118bc^2(dx-c)^2}{(c+dx)^2} - \frac{28bc^2(dx-c)}{c+dx} + 33bc^2 \right)}{24d^7 \sqrt{c + dx} \left(\frac{dx-c}{c+dx} - 1 \right)^6}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^4*(a + b*x^2))/(Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] (c^4*Sqrt[-c + d*x]*(1 + (-c + d*x)/(c + d*x))*(33*b*c^2 + 30*a*d^2 + (33*b*c^2*(-c + d*x)^4)/(c + d*x)^4 + (30*a*d^2*(-c + d*x)^4)/(c + d*x)^4 - (28*b*c^2*(-c + d*x)^3)/(c + d*x)^3 - (72*a*d^2*(-c + d*x)^3)/(c + d*x)^3 + (11*8*b*c^2*(-c + d*x)^2)/(c + d*x)^2 + (84*a*d^2*(-c + d*x)^2)/(c + d*x)^2 - (28*b*c^2*(-c + d*x))/(c + d*x) - (72*a*d^2*(-c + d*x))/(c + d*x))/(24*d^7*Sqrt[c + d*x]*(-1 + (-c + d*x)/(c + d*x))^6) + ((5*b*c^6 + 6*a*c^4*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/(8*d^7)

fricas [A] time = 0.78, size = 115, normalized size = 0.70

$$\frac{(8bd^5x^5 + 2(5bc^2d^3 + 6ad^5)x^3 + 3(5bc^4d + 6ac^2d^3)x)\sqrt{dx+c}\sqrt{dx-c} - 3(5bc^6 + 6ac^4d^2)\log(-dx + \sqrt{dx+c}\sqrt{dx-c})}{48d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="fricas")

[Out] 1/48*((8*b*d^5*x^5 + 2*(5*b*c^2*d^3 + 6*a*d^5)*x^3 + 3*(5*b*c^4*d + 6*a*c^2*d^3)*x)*sqrt(d*x + c)*sqrt(d*x - c) - 3*(5*b*c^6 + 6*a*c^4*d^2)*log(-d*x + sqrt(d*x + c)*sqrt(d*x - c)))/d^7

giac [A] time = 0.28, size = 203, normalized size = 1.24

$$\frac{\left(2\left((dx+c)\left(4(dx+c)\left(\frac{(dx+c)b}{d^6} - \frac{5bc}{d^6}\right) + \frac{3(15bc^2d^3+2ad^5)}{d^42}\right) - \frac{55bc^3d^3+18acd^38}{d^42}\right)(dx+c) + \frac{85bc^4d^3+54ac^2d^38}{d^42}\right)(dx+c) - \frac{3(11bc^5d^3+10ac^3d^38)}{d^42}\right)\sqrt{dx+c}\sqrt{dx-c} - \frac{6(5bc^6+6ac^4d^2)\log\left|\frac{-\sqrt{dx+c}+\sqrt{dx-c}}{d}\right|}{d^6}}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="giac")

[Out] 1/48*(((2*((d*x + c)*(4*(d*x + c)*((d*x + c)*b/d^6 - 5*b*c/d^6) + 3*(15*b*c^2*d^36 + 2*a*d^38)/d^42) - (55*b*c^3*d^36 + 18*a*c*d^38)/d^42)*(d*x + c) + (85*b*c^4*d^36 + 54*a*c^2*d^38)/d^42)*(d*x + c) - 3*(11*b*c^5*d^36 + 10*a*c^3*d^38)/d^42)*sqrt(d*x + c)*sqrt(d*x - c) - 6*(5*b*c^6 + 6*a*c^4*d^2)*log(abs(-sqrt(d*x + c) + sqrt(d*x - c)))/d^6)/d

maple [C] time = 0.10, size = 240, normalized size = 1.46

$$\frac{\sqrt{-c}\sqrt{dx+c}\left(8\sqrt{d^2x^2-c^2}b^2d^3\operatorname{csgn}(d)+12\sqrt{d^2x^2-c^2}ad^3\operatorname{csgn}(d)+10\sqrt{d^2x^2-c^2}b^2d^3\operatorname{csgn}(d)+18ac^2d^3\ln\left(\frac{dx+\sqrt{d^2x^2-c^2}\operatorname{csgn}(d)}{dx+\sqrt{d^2x^2-c^2}\operatorname{csgn}(d)}\right)\operatorname{csgn}(d)+18\sqrt{d^2x^2-c^2}ac^2d^3\operatorname{csgn}(d)+15b^2d^3\ln\left(\frac{dx+\sqrt{d^2x^2-c^2}\operatorname{csgn}(d)}{dx+\sqrt{d^2x^2-c^2}\operatorname{csgn}(d)}\right)\operatorname{csgn}(d)+15\sqrt{d^2x^2-c^2}b^2d^3\operatorname{csgn}(d)\right)\operatorname{csgn}(d)}{48\sqrt{d^2x^2-c^2}d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x)

[Out] 1/48*(d*x-c)^(1/2)*(d*x+c)^(1/2)*(8*(d^2*x^2-c^2)^(1/2)*b*d^5*x^5*csgn(d)+12*(d^2*x^2-c^2)^(1/2)*a*d^5*x^3*csgn(d)+10*(d^2*x^2-c^2)^(1/2)*b*c^2*d^3*x^

$3*\text{csgn}(d)+18*(d^2*x^2-c^2)^{(1/2)}*a*c^2*d^3*x*\text{csgn}(d)+15*(d^2*x^2-c^2)^{(1/2)}$
 $*b*c^4*d*x*\text{csgn}(d)+18*a*c^4*d^2*\ln((d*x+(d^2*x^2-c^2)^{(1/2)}*\text{csgn}(d))*\text{csgn}(d))$
 $+15*b*c^6*\ln((d*x+(d^2*x^2-c^2)^{(1/2)}*\text{csgn}(d))*\text{csgn}(d))*\text{csgn}(d)/d^7/(d^2*x^2-c^2)^{(1/2)}$

maxima [A] time = 0.57, size = 196, normalized size = 1.20

$$\frac{\sqrt{d^2x^2-c^2}bx^5}{6d^2} + \frac{5\sqrt{d^2x^2-c^2}bc^2x^3}{24d^4} + \frac{\sqrt{d^2x^2-c^2}ax^3}{4d^2} + \frac{5bc^6\log(2d^2x+2\sqrt{d^2x^2-c^2}d)}{16d^7} + \frac{3ac^4\log(2d^2x+2\sqrt{d^2x^2-c^2}d)}{8d^5} + \frac{5\sqrt{d^2x^2-c^2}bc^4x}{16d^6} + \frac{3\sqrt{d^2x^2-c^2}ac^2x}{8d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/6*sqrt(d^2*x^2 - c^2)*b*x^5/d^2 + 5/24*sqrt(d^2*x^2 - c^2)*b*c^2*x^3/d^4 + 1/4*sqrt(d^2*x^2 - c^2)*a*x^3/d^2 + 5/16*b*c^6*log(2*d^2*x + 2*sqrt(d^2*x^2 - c^2)*d)/d^7 + 3/8*a*c^4*log(2*d^2*x + 2*sqrt(d^2*x^2 - c^2)*d)/d^5 + 5/16*sqrt(d^2*x^2 - c^2)*b*c^4*x/d^6 + 3/8*sqrt(d^2*x^2 - c^2)*a*c^2*x/d^4

mupad [B] time = 42.66, size = 1682, normalized size = 10.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(a + b*x^2))/((c + d*x)^(1/2)*(d*x - c)^(1/2)),x)

[Out] ((5*b*c^6*((c + d*x)^(1/2) - c^(1/2)))/(4*((-c)^(1/2) - (d*x - c)^(1/2)))) - (175*b*c^6*((c + d*x)^(1/2) - c^(1/2))^3)/(12*((-c)^(1/2) - (d*x - c)^(1/2))^3) + (311*b*c^6*((c + d*x)^(1/2) - c^(1/2))^5)/(4*((-c)^(1/2) - (d*x - c)^(1/2))^5) + (8361*b*c^6*((c + d*x)^(1/2) - c^(1/2))^7)/(4*((-c)^(1/2) - (d*x - c)^(1/2))^7) + (42259*b*c^6*((c + d*x)^(1/2) - c^(1/2))^9)/(6*((-c)^(1/2) - (d*x - c)^(1/2))^9) + (25295*b*c^6*((c + d*x)^(1/2) - c^(1/2))^11)/(2*((-c)^(1/2) - (d*x - c)^(1/2))^11) + (25295*b*c^6*((c + d*x)^(1/2) - c^(1/2))^13)/(2*((-c)^(1/2) - (d*x - c)^(1/2))^13) + (42259*b*c^6*((c + d*x)^(1/2) - c^(1/2))^15)/(6*((-c)^(1/2) - (d*x - c)^(1/2))^15) + (8361*b*c^6*((c + d*x)^(1/2) - c^(1/2))^17)/(4*((-c)^(1/2) - (d*x - c)^(1/2))^17) + (311*b*c^6*((c + d*x)^(1/2) - c^(1/2))^19)/(4*((-c)^(1/2) - (d*x - c)^(1/2))^19) - (175*b*c^6*((c + d*x)^(1/2) - c^(1/2))^21)/(12*((-c)^(1/2) - (d*x - c)^(1/2))^21) + (5*b*c^6*((c + d*x)^(1/2) - c^(1/2))^23)/(4*((-c)^(1/2) - (d*x - c)^(1/2))^23)/(d^7 - (12*d^7*((c + d*x)^(1/2) - c^(1/2))^2)/((-c)^(1/2) - (d*x - c)^(1/2))^2 + (66*d^7*((c + d*x)^(1/2) - c^(1/2))^4)/((-c)^(1/2) - (d*x - c)^(1/2))^4 - (220*d^7*((c + d*x)^(1/2) - c^(1/2))^6)/((-c)^(1/2) - (d*x - c)^(1/2))^6 + (495*d^7*((c + d*x)^(1/2) - c^(1/2))^8)/((-c)^(1/2) - (d*x - c)^(1/2))^8 - (792*d^7*((c + d*x)^(1/2) - c^(1/2))^10)/((-c)^(1/2) - (d*x - c)^(1/2))^10 + (924*d^7*((c + d*x)^(1/2) - c^(1/2))^12)/((-c)^(1/2) - (d*x - c)^(1/2))^12 - (792*d^7*((c + d*x)^(1/2) - c^(1/2))^14)/((-c)^(1/2) - (d*x - c)^(1/2))^14 + (495*d^7*((c + d*x)^(1/2) - c^(1/2))^16)/((-c)^(1/2) - (d*x - c)^(1/2))^16

$$\begin{aligned}
& /2) - (d*x - c)^{(1/2)})^{16} - (220*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^{18})/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{18} + (66*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^{20})/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{20} - (12*d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^{22})/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{22} + (d^7*((c + d*x)^{(1/2)} - c^{(1/2)})^{24})/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^{24} - ((23*a*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^3)/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^3) - (3*a*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})))/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})) + (333*a*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^5)/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^5) + (671*a*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^7)/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^7) + (671*a*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^9)/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^9) + (333*a*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^11)/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^11) + (23*a*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^13)/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^13) - (3*a*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^15)/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^15))/(d^5 - (8*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 + (28*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4 - (56*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^6)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^6 + (70*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^8)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^8 - (56*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^10)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^10 + (28*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^12)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^12 - (8*d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^14)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^14 + (d^5*((c + d*x)^{(1/2)} - c^{(1/2)})^16)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^16 - (3*a*c^4*atanh(((c + d*x)^{(1/2)} - c^{(1/2)})/((-c)^{(1/2)} - (d*x - c)^{(1/2)})))/(2*d^5) - (5*b*c^6*atanh(((c + d*x)^{(1/2)} - c^{(1/2)})/((-c)^{(1/2)} - (d*x - c)^{(1/2)})))/(4*d^7)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(b*x**2+a)/(d*x-c)**(1/2)/(d*x+c)**(1/2), x)

[Out] Timed out

$$3.216 \quad \int \frac{x^3(a+bx^2)}{\sqrt{-c+dx} \sqrt{c+dx}} dx$$

Optimal. Leaf size=118

$$\frac{2c^2\sqrt{dx-c}\sqrt{c+dx}(5ad^2+4bc^2)}{15d^6} + \frac{x^2\sqrt{dx-c}\sqrt{c+dx}(5ad^2+4bc^2)}{15d^4} + \frac{bx^4\sqrt{dx-c}\sqrt{c+dx}}{5d^2}$$

Rubi [A] time = 0.09, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {460, 100, 12, 74}

$$\frac{x^2\sqrt{dx-c}\sqrt{c+dx}(5ad^2+4bc^2)}{15d^4} + \frac{2c^2\sqrt{dx-c}\sqrt{c+dx}(5ad^2+4bc^2)}{15d^6} + \frac{bx^4\sqrt{dx-c}\sqrt{c+dx}}{5d^2}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*x^2))/(Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] (2*c^2*(4*b*c^2 + 5*a*d^2)*Sqrt[-c + d*x]*Sqrt[c + d*x])/(15*d^6) + ((4*b*c^2 + 5*a*d^2)*x^2*Sqrt[-c + d*x]*Sqrt[c + d*x])/(15*d^4) + (b*x^4*Sqrt[-c + d*x]*Sqrt[c + d*x])/(5*d^2)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 74

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]

Rule 100

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 1)), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

Rule 460

Int[((e_)*(x_))^(m_)*((a1_) + (b1_)*(x_)^(non2_))^(p_)*((a2_) + (b2_)*
 (x_)^(non2_))^(p_)((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Simp[(d*(e*x)^(
 (m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*e*(m +
 n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/
 (b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^(m*(a1 + b1*x^(n/2))^(p*(a2 + b2*x^(n/
 2))^(p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2,
 n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned} \int \frac{x^3 (a + bx^2)}{\sqrt{-c + dx} \sqrt{c + dx}} dx &= \frac{bx^4 \sqrt{-c + dx} \sqrt{c + dx}}{5d^2} - \frac{1}{5} \left(-5a - \frac{4bc^2}{d^2} \right) \int \frac{x^3}{\sqrt{-c + dx} \sqrt{c + dx}} dx \\ &= \frac{(4bc^2 + 5ad^2) x^2 \sqrt{-c + dx} \sqrt{c + dx}}{15d^4} + \frac{bx^4 \sqrt{-c + dx} \sqrt{c + dx}}{5d^2} + \frac{(4bc^2 + 5ad^2) \int \frac{x^3}{\sqrt{-c + dx} \sqrt{c + dx}} dx}{15d^4} \\ &= \frac{(4bc^2 + 5ad^2) x^2 \sqrt{-c + dx} \sqrt{c + dx}}{15d^4} + \frac{bx^4 \sqrt{-c + dx} \sqrt{c + dx}}{5d^2} + \frac{(2c^2 (4bc^2 + 5ad^2))}{15d^4} \\ &= \frac{2c^2 (4bc^2 + 5ad^2) \sqrt{-c + dx} \sqrt{c + dx}}{15d^6} + \frac{(4bc^2 + 5ad^2) x^2 \sqrt{-c + dx} \sqrt{c + dx}}{15d^4} + \frac{bx^4 \sqrt{-c + dx} \sqrt{c + dx}}{5d^2} \end{aligned}$$

Mathematica [A] time = 0.06, size = 87, normalized size = 0.74

$$\frac{(d^2 x^2 - c^2) (5ad^2 (2c^2 + d^2 x^2) + b (8c^4 + 4c^2 d^2 x^2 + 3d^4 x^4))}{15d^6 \sqrt{dx - c} \sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*x^2))/(Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] ((-c^2 + d^2*x^2)*(5*a*d^2*(2*c^2 + d^2*x^2) + b*(8*c^4 + 4*c^2*d^2*x^2 + 3*d^4*x^4)))/(15*d^6*Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [B] time = 0.15, size = 246, normalized size = 2.08

$$\frac{2\sqrt{dx - c} \left(-\frac{40ac^3 d^2 (dx - c)}{c + dx} + \frac{50ac^3 d^2 (dx - c)^2}{(c + dx)^2} - \frac{40ac^3 d^2 (dx - c)^3}{(c + dx)^3} + \frac{15ac^3 d^2 (dx - c)^4}{(c + dx)^4} + 15ac^3 d^2 - \frac{20bc^5 (dx - c)}{c + dx} + \frac{58bc^5 (dx - c)^2}{(c + dx)^2} - \frac{20bc^5 (dx - c)^3}{(c + dx)^3} + \frac{15bc^5 (dx - c)^4}{(c + dx)^4} + 15bc^5 \right)}{15d^6 \sqrt{c + dx} \left(\frac{dx - c}{c + dx} - 1 \right)^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3*(a + b*x^2))/(Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out]
$$\frac{(-2\sqrt{-c + dx}*(15bc^5 + 15a^3cd^2 + (15b^5(-c + dx)^4)/(c + dx)^4 + (15a^3d^2(-c + dx)^4)/(c + dx)^4 - (20b^5(-c + dx)^3)/(c + dx)^3 - (40a^3d^2(-c + dx)^3)/(c + dx)^3 + (58b^5(-c + dx)^2)/(c + dx)^2 + (50a^3d^2(-c + dx)^2)/(c + dx)^2 - (20b^5(-c + dx))/(c + dx) - (40a^3d^2(-c + dx))/(c + dx)))/(15d^6\sqrt{c + dx}*(-1 + (-c + dx)/(c + dx))^5)}$$

fricas [A] time = 0.78, size = 66, normalized size = 0.56

$$\frac{(3bd^4x^4 + 8bc^4 + 10ac^2d^2 + (4bc^2d^2 + 5ad^4)x^2)\sqrt{dx + c}\sqrt{dx - c}}{15d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="fricas")

[Out]
$$\frac{1}{15}*(3b*d^4*x^4 + 8*b*c^4 + 10*a*c^2*d^2 + (4*b*c^2*d^2 + 5*a*d^4)*x^2)*\sqrt{d*x + c}*\sqrt{d*x - c}/d^6$$

giac [A] time = 0.25, size = 124, normalized size = 1.05

$$\frac{\left(\left(dx + c\right)\left(3\left(dx + c\right)\left(\frac{(dx+c)b}{d^5} - \frac{4bc}{d^5}\right) + \frac{22bc^2d^{25} + 5ad^{27}}{d^{30}}\right) - \frac{10(2bc^3d^{25} + acd^{27})}{d^{30}}\right)\left(dx + c\right) + \frac{15(bc^4d^{25} + ac^2d^{27})}{d^{30}}}{15d}\sqrt{dx + c}\sqrt{dx - c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="giac")

[Out]
$$\frac{1}{15}*\left(\left(dx + c\right)*\left(3*\left(dx + c\right)*\left(\left(dx + c\right)*b/d^5 - 4*b*c/d^5\right) + \left(22*b*c^2*d^25 + 5*a*d^27\right)/d^30\right) - 10*\left(2*b*c^3*d^25 + a*c*d^27\right)/d^30*\left(dx + c\right) + 15*\left(b*c^4*d^25 + a*c^2*d^27\right)/d^30*\sqrt{d*x + c}*\sqrt{d*x - c}/d\right)$$

maple [A] time = 0.05, size = 68, normalized size = 0.58

$$\frac{\sqrt{dx + c} (3bd^4x^4 + 5ad^4x^2 + 4bc^2d^2x^2 + 10ac^2d^2 + 8bc^4)\sqrt{dx - c}}{15d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x)

[Out]
$$\frac{1}{15}*(d*x+c)^(1/2)*(3*b*d^4*x^4+5*a*d^4*x^2+4*b*c^2*d^2*x^2+10*a*c^2*d^2+8*b*c^4)/d^6*(d*x-c)^(1/2)$$

maxima [A] time = 0.55, size = 124, normalized size = 1.05

$$\frac{\sqrt{d^2x^2 - c^2} bx^4}{5d^2} + \frac{4\sqrt{d^2x^2 - c^2} bc^2x^2}{15d^4} + \frac{\sqrt{d^2x^2 - c^2} ax^2}{3d^2} + \frac{8\sqrt{d^2x^2 - c^2} bc^4}{15d^6} + \frac{2\sqrt{d^2x^2 - c^2} ac^2}{3d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/5*sqrt(d^2*x^2 - c^2)*b*x^4/d^2 + 4/15*sqrt(d^2*x^2 - c^2)*b*c^2*x^2/d^4 + 1/3*sqrt(d^2*x^2 - c^2)*a*x^2/d^2 + 8/15*sqrt(d^2*x^2 - c^2)*b*c^4/d^6 + 2/3*sqrt(d^2*x^2 - c^2)*a*c^2/d^4

mupad [B] time = 2.70, size = 130, normalized size = 1.10

$$\frac{\sqrt{dx - c} \left(\frac{8bc^5 + 10ac^3d^2}{15d^6} + \frac{x^3(4bc^2d^3 + 5ad^5)}{15d^6} + \frac{x(8bc^4d + 10ac^2d^3)}{15d^6} + \frac{bx^5}{5d} + \frac{x^2(4bc^3d^2 + 5acd^4)}{15d^6} + \frac{bcx^4}{5d^2} \right)}{\sqrt{c + dx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(a + b*x^2))/((c + d*x)^(1/2)*(d*x - c)^(1/2)),x)

[Out] ((d*x - c)^(1/2)*((8*b*c^5 + 10*a*c^3*d^2)/(15*d^6) + (x^3*(5*a*d^5 + 4*b*c^2*d^3))/(15*d^6) + (x*(10*a*c^2*d^3 + 8*b*c^4*d))/(15*d^6) + (b*x^5)/(5*d) + (x^2*(4*b*c^3*d^2 + 5*a*c*d^4))/(15*d^6) + (b*c*x^4)/(5*d^2)))/(c + d*x)^(1/2)

sympy [C] time = 70.84, size = 240, normalized size = 2.03

$$\frac{ac^3 G_{6,6}^{2,2} \left(\begin{matrix} -\frac{5}{4}, -\frac{3}{4} \\ -\frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, \frac{1}{2}, 0 \end{matrix} \middle| \frac{c^2}{d^2 x^2} \right) + iac^3 G_{6,6}^{2,6} \left(\begin{matrix} -2, -\frac{7}{4}, -\frac{3}{2}, -\frac{5}{4}, -1, 1 \\ -\frac{7}{4}, -\frac{5}{4} \end{matrix} \middle| \frac{c^2, 2in}{d^2 x^2} \right) + bc^5 G_{6,6}^{6,2} \left(\begin{matrix} -\frac{9}{4}, -\frac{7}{4} \\ \frac{5}{2}, -\frac{9}{4}, -2, -\frac{7}{4}, -\frac{3}{2}, 0 \end{matrix} \middle| \frac{c^2}{d^2 x^2} \right) + ibc^5 G_{6,6}^{2,6} \left(\begin{matrix} -3, -\frac{11}{4}, -\frac{5}{2}, -\frac{9}{4}, -2, 1 \\ -\frac{11}{4}, -\frac{9}{4} \end{matrix} \middle| \frac{c^2, 2in}{d^2 x^2} \right)}{4\pi^{\frac{3}{2}} d^4} + \frac{4\pi^{\frac{3}{2}} d^4} + \frac{4\pi^{\frac{3}{2}} d^6} + \frac{4\pi^{\frac{3}{2}} d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(b*x**2+a)/(d*x-c)**(1/2)/(d*x+c)**(1/2),x)

[Out] a*c**3*meijerg(((-5/4, -3/4), (-1, -1, -1/2, 1)), ((-3/2, -5/4, -1, -3/4, -1/2, 0), ()), c**2/(d**2*x**2))/(4*pi** (3/2)*d**4) + I*a*c**3*meijerg(((-2, -7/4, -3/2, -5/4, -1, 1), ()), ((-7/4, -5/4), (-2, -3/2, -3/2, 0)), c**2*exp_polar(2*I*pi)/(d**2*x**2))/(4*pi** (3/2)*d**4) + b*c**5*meijerg(((-9/4, -7/4), (-2, -2, -3/2, 1)), ((-5/2, -9/4, -2, -7/4, -3/2, 0), ()), c**2/(d**2*x**2))/(4*pi** (3/2)*d**6) + I*b*c**5*meijerg(((-3, -11/4, -5/2, -9/4, -2, 1), ()), ((-11/4, -9/4), (-3, -5/2, -5/2, 0)), c**2*exp_polar(2*I*pi)/(d**2*x**2))/(4*pi** (3/2)*d**6)

$$3.217 \quad \int \frac{x^2(a+bx^2)}{\sqrt{-c+dx} \sqrt{c+dx}} dx$$

Optimal. Leaf size=118

$$\frac{c^2(4ad^2 + 3bc^2) \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{4d^5} + \frac{x\sqrt{dx-c} \sqrt{c+dx} (4ad^2 + 3bc^2)}{8d^4} + \frac{bx^3\sqrt{dx-c} \sqrt{c+dx}}{4d^2}$$

Rubi [A] time = 0.10, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {460, 90, 12, 63, 217, 206}

$$\frac{x\sqrt{dx-c} \sqrt{c+dx} (4ad^2 + 3bc^2)}{8d^4} + \frac{c^2(4ad^2 + 3bc^2) \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{4d^5} + \frac{bx^3\sqrt{dx-c} \sqrt{c+dx}}{4d^2}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(a + b*x^2))/(Sqrt[-c + d*x]*Sqrt[c + d*x]), x]

[Out] ((3*b*c^2 + 4*a*d^2)*x*Sqrt[-c + d*x]*Sqrt[c + d*x])/(8*d^4) + (b*x^3*Sqrt[-c + d*x]*Sqrt[c + d*x])/(4*d^2) + (c^2*(3*b*c^2 + 4*a*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/(4*d^5)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 90

Int[((a_.) + (b_.)*(x_))^(2)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(a + b*x)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 3)), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 460

Int[((e_)*(x_))^(m_)*((a1_) + (b1_)*(x_)^(non2_))^(p_)*((a2_) + (b2_)*(x_)^(non2_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*e*(m + n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x^2(a + bx^2)}{\sqrt{-c + dx}\sqrt{c + dx}} dx &= \frac{bx^3\sqrt{-c + dx}\sqrt{c + dx}}{4d^2} - \frac{1}{4} \left(-4a - \frac{3bc^2}{d^2} \right) \int \frac{x^2}{\sqrt{-c + dx}\sqrt{c + dx}} dx \\
 &= \frac{(3bc^2 + 4ad^2)x\sqrt{-c + dx}\sqrt{c + dx}}{8d^4} + \frac{bx^3\sqrt{-c + dx}\sqrt{c + dx}}{4d^2} + \frac{(3bc^2 + 4ad^2) \int \frac{1}{\sqrt{-c}}}{8d^4} \\
 &= \frac{(3bc^2 + 4ad^2)x\sqrt{-c + dx}\sqrt{c + dx}}{8d^4} + \frac{bx^3\sqrt{-c + dx}\sqrt{c + dx}}{4d^2} + \frac{(c^2(3bc^2 + 4ad^2)) \int \frac{1}{\sqrt{-c}}}{8d^4} \\
 &= \frac{(3bc^2 + 4ad^2)x\sqrt{-c + dx}\sqrt{c + dx}}{8d^4} + \frac{bx^3\sqrt{-c + dx}\sqrt{c + dx}}{4d^2} + \frac{(c^2(3bc^2 + 4ad^2)) S}{8d^4} \\
 &= \frac{(3bc^2 + 4ad^2)x\sqrt{-c + dx}\sqrt{c + dx}}{8d^4} + \frac{bx^3\sqrt{-c + dx}\sqrt{c + dx}}{4d^2} + \frac{(c^2(3bc^2 + 4ad^2)) S}{8d^4} \\
 &= \frac{(3bc^2 + 4ad^2)x\sqrt{-c + dx}\sqrt{c + dx}}{8d^4} + \frac{bx^3\sqrt{-c + dx}\sqrt{c + dx}}{4d^2} + \frac{c^2(3bc^2 + 4ad^2) \tan}{4d^5}
 \end{aligned}$$

Mathematica [A] time = 0.10, size = 121, normalized size = 1.03

$$\frac{dx(d^2x^2 - c^2)(4ad^2 + 3bc^2 + 2bd^2x^2) + c^2\sqrt{d^2x^2 - c^2}(4ad^2 + 3bc^2)\tanh^{-1}\left(\frac{dx}{\sqrt{d^2x^2 - c^2}}\right)}{8d^5\sqrt{dx - c}\sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(a + b*x^2))/(Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] (d*x*(-c^2 + d^2*x^2)*(3*b*c^2 + 4*a*d^2 + 2*b*d^2*x^2) + c^2*(3*b*c^2 + 4*a*d^2)*Sqrt[-c^2 + d^2*x^2]*ArcTanh[(d*x)/Sqrt[-c^2 + d^2*x^2]])/(8*d^5*Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [A] time = 0.19, size = 209, normalized size = 1.77

$$\frac{c^2\sqrt{dx - c}\left(\frac{dx - c}{c + dx} + 1\right)\left(-\frac{8ad^2(dx - c)}{c + dx} + \frac{4ad^2(dx - c)^2}{(c + dx)^2} + 4ad^2 - \frac{2bc^2(dx - c)}{c + dx} + \frac{5bc^2(dx - c)^2}{(c + dx)^2} + 5bc^2\right)}{4d^5\sqrt{c + dx}\left(\frac{dx - c}{c + dx} - 1\right)^4} + \frac{(4ac^2d^2 + 3bc^4)\tanh^{-1}\left(\frac{\sqrt{dx - c}}{\sqrt{c + dx}}\right)}{4d^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2*(a + b*x^2))/(Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] (c^2*Sqrt[-c + d*x]*(1 + (-c + d*x)/(c + d*x))*(5*b*c^2 + 4*a*d^2 + (5*b*c^2*(-c + d*x)^2)/(c + d*x)^2 + (4*a*d^2*(-c + d*x)^2)/(c + d*x)^2 - (2*b*c^2*(-c + d*x))/(c + d*x) - (8*a*d^2*(-c + d*x))/(c + d*x)))/(4*d^5*Sqrt[c + d*x]*(-1 + (-c + d*x)/(c + d*x))^4) + ((3*b*c^4 + 4*a*c^2*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/(4*d^5)

fricas [A] time = 1.20, size = 90, normalized size = 0.76

$$\frac{(2bd^3x^3 + (3bc^2d + 4ad^3)x)\sqrt{dx + c}\sqrt{dx - c} - (3bc^4 + 4ac^2d^2)\log(-dx + \sqrt{dx + c}\sqrt{dx - c})}{8d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="fricas")

[Out] 1/8*((2*b*d^3*x^3 + (3*b*c^2*d + 4*a*d^3)*x)*sqrt(d*x + c)*sqrt(d*x - c) - (3*b*c^4 + 4*a*c^2*d^2)*log(-d*x + sqrt(d*x + c)*sqrt(d*x - c)))/d^5

giac [A] time = 0.23, size = 140, normalized size = 1.19

$$\frac{\left((dx + c)\left(2(dx + c)\left(\frac{(dx+c)b}{d^4} - \frac{3bc}{d^4}\right) + \frac{9bc^2d^{16} + 4ad^{18}}{d^{20}}\right) - \frac{5bc^3d^{16} + 4acd^{18}}{d^{20}}\right)\sqrt{dx + c}\sqrt{dx - c} - \frac{2(3bc^4 + 4ac^2d^2)\log\left|\frac{-\sqrt{dx+c} + \sqrt{dx-c}}{d^4}\right|}{d^4}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="giac")

[Out] $\frac{1}{8} * \left(\frac{(d*x + c) * (2 * (d*x + c) * ((d*x + c) * b/d^4 - 3 * b * c/d^4) + (9 * b * c^2 * d^{16} + 4 * a * d^{18})/d^{20}) - (5 * b * c^3 * d^{16} + 4 * a * c * d^{18})/d^{20} * \sqrt{d*x + c} * \sqrt{d*x - c} - 2 * (3 * b * c^4 + 4 * a * c^2 * d^2) * \log(\text{abs}(-\sqrt{d*x + c} + \sqrt{d*x - c}))}{d^4} \right) / d$

maple [C] time = 0.08, size = 182, normalized size = 1.54

$$\frac{\sqrt{dx-c} \sqrt{dx+c} \left(2\sqrt{d^2x^2-c^2} b d^3 x^3 \operatorname{csgn}(d) + 4a c^2 d^2 \ln\left(\left(dx + \sqrt{d^2x^2-c^2} \operatorname{csgn}(d)\right) \operatorname{csgn}(d)\right) + 4\sqrt{d^2x^2-c^2} a d^3 x \operatorname{csgn}(d) + 3b c^4 \ln\left(\left(dx + \sqrt{d^2x^2-c^2} \operatorname{csgn}(d)\right) \operatorname{csgn}(d)\right) + 3\sqrt{d^2x^2-c^2} b c^2 dx \operatorname{csgn}(d) \right) \operatorname{csgn}(d)}{8\sqrt{d^2x^2-c^2} d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x)

[Out] $\frac{1}{8} * (d*x-c)^{(1/2)} * (d*x+c)^{(1/2)} * (2 * (d^2*x^2-c^2)^{(1/2)} * b * d^3 * x^3 * \operatorname{csgn}(d) + 4 * (d^2*x^2-c^2)^{(1/2)} * a * d^3 * x * \operatorname{csgn}(d) + 3 * (d^2*x^2-c^2)^{(1/2)} * b * c^2 * d * x * \operatorname{csgn}(d) + 4 * a * c^2 * d^2 * \ln\left(\frac{(d*x + (d^2*x^2-c^2)^{(1/2)} * \operatorname{csgn}(d)) * \operatorname{csgn}(d)}{(d*x + (d^2*x^2-c^2)^{(1/2)} * \operatorname{csgn}(d)) * \operatorname{csgn}(d)}\right) + 3 * b * c^4 * \ln\left(\frac{(d*x + (d^2*x^2-c^2)^{(1/2)} * \operatorname{csgn}(d)) * \operatorname{csgn}(d)}{(d^2*x^2-c^2)^{(1/2)} * \operatorname{csgn}(d)}\right) * \operatorname{csgn}(d)}{d^5} / (d^2*x^2-c^2)^{(1/2)}$

maxima [A] time = 0.64, size = 142, normalized size = 1.20

$$\frac{\sqrt{d^2x^2-c^2} b x^3}{4d^2} + \frac{3bc^4 \log\left(2d^2x + 2\sqrt{d^2x^2-c^2}d\right)}{8d^5} + \frac{ac^2 \log\left(2d^2x + 2\sqrt{d^2x^2-c^2}d\right)}{2d^3} + \frac{3\sqrt{d^2x^2-c^2}bc^2x}{8d^4} + \frac{\sqrt{d^2x^2-c^2}ax}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="maxima")

[Out] $\frac{1}{4} * \sqrt{d^2*x^2 - c^2} * b * x^3 / d^2 + \frac{3}{8} * b * c^4 * \log(2*d^2*x + 2*\sqrt{d^2*x^2 - c^2}*d) / d^5 + \frac{1}{2} * a * c^2 * \log(2*d^2*x + 2*\sqrt{d^2*x^2 - c^2}*d) / d^3 + \frac{3}{8} * \sqrt{d^2*x^2 - c^2} * b * c^2 * x / d^4 + \frac{1}{2} * \sqrt{d^2*x^2 - c^2} * a * x / d^2$

mupad [B] time = 25.51, size = 1048, normalized size = 8.88

$$\frac{2ac^2(\sqrt{d^2x-c^2})^2 + 14a^2(\sqrt{d^2x-c^2})^3 + 14a^2(\sqrt{d^2x-c^2})^4 + 2ac^2(\sqrt{d^2x-c^2})^5 + \frac{233a^4(\sqrt{d^2x-c^2})^3}{2(\sqrt{d^2x-c^2})^2} + \frac{39a^4(\sqrt{d^2x-c^2})^4}{2(\sqrt{d^2x-c^2})^2} + \frac{3333a^4(\sqrt{d^2x-c^2})^3}{2(\sqrt{d^2x-c^2})^2} + \frac{8713a^4(\sqrt{d^2x-c^2})^4}{2(\sqrt{d^2x-c^2})^2} + \frac{6713a^4(\sqrt{d^2x-c^2})^5}{2(\sqrt{d^2x-c^2})^2} + \frac{3333a^4(\sqrt{d^2x-c^2})^6}{2(\sqrt{d^2x-c^2})^2} + \frac{2333a^4(\sqrt{d^2x-c^2})^7}{2(\sqrt{d^2x-c^2})^2} + \frac{39a^4(\sqrt{d^2x-c^2})^8}{2(\sqrt{d^2x-c^2})^2} + \frac{2333a^4(\sqrt{d^2x-c^2})^9}{2(\sqrt{d^2x-c^2})^2} + \frac{39a^4(\sqrt{d^2x-c^2})^{10}}{2(\sqrt{d^2x-c^2})^2} + 2ac^2 \operatorname{atanh}\left(\frac{\sqrt{d^2x-c^2}}{\sqrt{d^2x+c^2}}\right) + \frac{39a^4 \operatorname{atanh}\left(\frac{\sqrt{d^2x-c^2}}{\sqrt{d^2x+c^2}}\right)}{2d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(a + b*x^2))/((c + d*x)^(1/2)*(d*x - c)^(1/2)),x)

[Out] $\frac{((2*a*c^2*((c + d*x)^{(1/2)} - c^{(1/2)}))/((-c)^{(1/2)} - (d*x - c)^{(1/2)}) + (14*a*c^2*((c + d*x)^{(1/2)} - c^{(1/2)})^3)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^3 + (14*a*c^2*((c + d*x)^{(1/2)} - c^{(1/2)})^5)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^5 + (2*a*c^2*((c + d*x)^{(1/2)} - c^{(1/2)})^7)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^7)}{d}$

$$\begin{aligned}
&^3 - (4*d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 \\
&+ (6*d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4 - \\
&(4*d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^6)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^6 + (\\
&d^3*((c + d*x)^{(1/2)} - c^{(1/2)})^8)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^8 - ((23 \\
&*b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^3)/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^3) \\
&- (3*b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)}))/((2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})) \\
&+ (333*b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^5)/(2*((-c)^{(1/2)} - (d*x - c)^{(1/2) \\
&))^5) + (671*b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^7)/(2*((-c)^{(1/2)} - (d*x - c \\
&)^{(1/2)})^7) + (671*b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^9)/(2*((-c)^{(1/2)} - (d \\
&*x - c)^{(1/2)})^9) + (333*b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^11)/(2*((-c)^{(1/ \\
&2)} - (d*x - c)^{(1/2)})^11) + (23*b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^13)/(2*((\\
&-c)^{(1/2)} - (d*x - c)^{(1/2)})^13) - (3*b*c^4*((c + d*x)^{(1/2)} - c^{(1/2)})^15) \\
&/((2*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^15))/((d^5 - (8*d^5*((c + d*x)^{(1/2)} - c^{ \\
&(1/2)})^2)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 + (28*d^5*((c + d*x)^{(1/2)} - c^{(\\
&1/2)})^4)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4 - (56*d^5*((c + d*x)^{(1/2)} - c^{(1 \\
&/2)})^6)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^6 + (70*d^5*((c + d*x)^{(1/2)} - c^{(1/ \\
&2)})^8)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^8 - (56*d^5*((c + d*x)^{(1/2)} - c^{(1/2 \\
&)})^10)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^10 + (28*d^5*((c + d*x)^{(1/2)} - c^{(1/ \\
&2)})^12)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^12 - (8*d^5*((c + d*x)^{(1/2)} - c^{(1/ \\
&2)})^14)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^14 + (d^5*((c + d*x)^{(1/2)} - c^{(1/2) \\
&})^16)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^16) - (2*a*c^2*atanh(((c + d*x)^{(1/2)} \\
&- c^{(1/2)}))/((-c)^{(1/2)} - (d*x - c)^{(1/2)})))/d^3 - (3*b*c^4*atanh(((c + d*x) \\
&^{(1/2)} - c^{(1/2)}))/((-c)^{(1/2)} - (d*x - c)^{(1/2)})))/(2*d^5)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(b*x**2+a)/(d*x-c)**(1/2)/(d*x+c)**(1/2),x)

[Out] Timed out

$$3.218 \quad \int \frac{x(a+bx^2)}{\sqrt{-c+dx} \sqrt{c+dx}} dx$$

Optimal. Leaf size=72

$$\frac{\sqrt{dx-c} \sqrt{c+dx} (3ad^2 + 2bc^2)}{3d^4} + \frac{bx^2 \sqrt{dx-c} \sqrt{c+dx}}{3d^2}$$

Rubi [A] time = 0.05, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$, Rules used = {460, 74}

$$\frac{\sqrt{dx-c} \sqrt{c+dx} (3ad^2 + 2bc^2)}{3d^4} + \frac{bx^2 \sqrt{dx-c} \sqrt{c+dx}}{3d^2}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*x^2))/(Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] ((2*b*c^2 + 3*a*d^2)*Sqrt[-c + d*x]*Sqrt[c + d*x])/(3*d^4) + (b*x^2*Sqrt[-c + d*x]*Sqrt[c + d*x])/(3*d^2)

Rule 74

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]

Rule 460

Int[((e_.)*(x_))^(m_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(d*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*e*(m + n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rubi steps

$$\int \frac{x(a + bx^2)}{\sqrt{-c + dx}\sqrt{c + dx}} dx = \frac{bx^2\sqrt{-c + dx}\sqrt{c + dx}}{3d^2} - \frac{1}{3} \left(-3a - \frac{2bc^2}{d^2} \right) \int \frac{x}{\sqrt{-c + dx}\sqrt{c + dx}} dx$$

$$= \frac{(2bc^2 + 3ad^2)\sqrt{-c + dx}\sqrt{c + dx}}{3d^4} + \frac{bx^2\sqrt{-c + dx}\sqrt{c + dx}}{3d^2}$$

Mathematica [A] time = 0.04, size = 61, normalized size = 0.85

$$\frac{(d^2x^2 - c^2)(3ad^2 + 2bc^2 + bd^2x^2)}{3d^4\sqrt{dx - c}\sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*x^2))/(Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] ((-c^2 + d^2*x^2)*(2*b*c^2 + 3*a*d^2 + b*d^2*x^2))/(3*d^4*Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [B] time = 0.13, size = 146, normalized size = 2.03

$$\frac{2\sqrt{dx - c} \left(-\frac{6acd^2(dx-c)}{c+dx} + \frac{3acd^2(dx-c)^2}{(c+dx)^2} + 3acd^2 - \frac{2bc^3(dx-c)}{c+dx} + \frac{3bc^3(dx-c)^2}{(c+dx)^2} + 3bc^3 \right)}{3d^4\sqrt{c + dx} \left(\frac{dx-c}{c+dx} - 1 \right)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x*(a + b*x^2))/(Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] (-2*Sqrt[-c + d*x]*(3*b*c^3 + 3*a*c*d^2 + (3*b*c^3*(-c + d*x)^2)/(c + d*x)^2 + (3*a*c*d^2*(-c + d*x)^2)/(c + d*x)^2 - (2*b*c^3*(-c + d*x))/(c + d*x) - (6*a*c*d^2*(-c + d*x))/(c + d*x)))/(3*d^4*Sqrt[c + d*x]*(-1 + (-c + d*x)/(c + d*x))^3)

fricas [A] time = 0.76, size = 42, normalized size = 0.58

$$\frac{(bd^2x^2 + 2bc^2 + 3ad^2)\sqrt{dx + c}\sqrt{dx - c}}{3d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="fricas")

[Out] 1/3*(b*d^2*x^2 + 2*b*c^2 + 3*a*d^2)*sqrt(d*x + c)*sqrt(d*x - c)/d^4

giac [A] time = 0.20, size = 65, normalized size = 0.90

$$\frac{\sqrt{dx+c}\sqrt{dx-c}\left((dx+c)\left(\frac{(dx+c)b}{d^3}-\frac{2bc}{d^3}\right)+\frac{3(bc^2d^9+ad^{11})}{d^{12}}\right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="giac")

[Out] 1/3*sqrt(d*x + c)*sqrt(d*x - c)*((d*x + c)*((d*x + c)*b/d^3 - 2*b*c/d^3) + 3*(b*c^2*d^9 + a*d^11)/d^12)/d

maple [A] time = 0.04, size = 43, normalized size = 0.60

$$\frac{\sqrt{dx+c}\left(bd^2x^2+3ad^2+2bc^2\right)\sqrt{dx-c}}{3d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x)

[Out] 1/3*(d*x+c)^(1/2)*(b*d^2*x^2+3*a*d^2+2*b*c^2)/d^4*(d*x-c)^(1/2)

maxima [A] time = 0.64, size = 69, normalized size = 0.96

$$\frac{\sqrt{d^2x^2-c^2}bx^2}{3d^2} + \frac{2\sqrt{d^2x^2-c^2}bc^2}{3d^4} + \frac{\sqrt{d^2x^2-c^2}a}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/3*sqrt(d^2*x^2 - c^2)*b*x^2/d^2 + 2/3*sqrt(d^2*x^2 - c^2)*b*c^2/d^4 + sqrt(d^2*x^2 - c^2)*a/d^2

mupad [B] time = 2.66, size = 76, normalized size = 1.06

$$\frac{\sqrt{dx-c}\left(\frac{2bc^3+3acd^2}{3d^4}+\frac{bx^3}{3d}+\frac{x(2bc^2d+3ad^3)}{3d^4}+\frac{bcx^2}{3d^2}\right)}{\sqrt{c+dx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(a + b*x^2))/((c + d*x)^(1/2)*(d*x - c)^(1/2)),x)

[Out] $((d*x - c)^{1/2} * ((2*b*c^3 + 3*a*c*d^2)/(3*d^4) + (b*x^3)/(3*d) + (x*(3*a*d^3 + 2*b*c^2*d))/(3*d^4) + (b*c*x^2)/(3*d^2)))/(c + d*x)^{1/2}$

sympy [C] time = 44.70, size = 223, normalized size = 3.10

$$\frac{{}_2F_6\left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \middle| \frac{c^2}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}} d^2} + \frac{{}_2F_6\left(\begin{matrix} -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1 \\ -\frac{3}{4}, -\frac{1}{4} \end{matrix} \middle| \frac{c^2 x^{2i}}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}} d^2} + \frac{{}_2F_6\left(\begin{matrix} -\frac{5}{4}, -\frac{3}{4} \\ -\frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, \frac{1}{2}, 0 \end{matrix} \middle| \frac{c^2}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}} d^4} + \frac{{}_2F_6\left(\begin{matrix} -2, -\frac{7}{4}, -\frac{3}{2}, -\frac{5}{4}, -1, 1 \\ -\frac{7}{4}, -\frac{5}{4} \end{matrix} \middle| \frac{c^2 x^{2i}}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}} d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x**2+a)/(d*x-c)**(1/2)/(d*x+c)**(1/2),x)

[Out] $a*c*\text{meijerg}(((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), c**2/(d**2*x**2))/(4*pi**(3/2)*d**2) + I*a*c*\text{meijerg}(((-1, -3/4, -1/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), c**2*\text{exp_polar}(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**2) + b*c**3*\text{meijerg}(((-5/4, -3/4), (-1, -1, -1/2, 1)), ((-3/2, -5/4, -1, -3/4, -1/2, 0), ()), c**2/(d**2*x**2))/(4*pi*(3/2)*d**4) + I*b*c**3*\text{meijerg}(((-2, -7/4, -3/2, -5/4, -1, 1), ()), ((-7/4, -5/4), (-2, -3/2, -3/2, 0)), c**2*\text{exp_polar}(2*I*pi)/(d**2*x**2))/(4*pi*(3/2)*d**4)$

$$3.219 \quad \int \frac{a+bx^2}{\sqrt{-c+dx} \sqrt{c+dx}} dx$$

Optimal. Leaf size=68

$$\frac{(2ad^2 + bc^2) \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{d^3} + \frac{bx\sqrt{dx-c} \sqrt{c+dx}}{2d^2}$$

Rubi [A] time = 0.03, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {389, 63, 217, 206}

$$\frac{(2ad^2 + bc^2) \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{d^3} + \frac{bx\sqrt{dx-c} \sqrt{c+dx}}{2d^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] (b*x*Sqrt[-c + d*x]*Sqrt[c + d*x])/(2*d^2) + ((b*c^2 + 2*a*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/d^3

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 389

Int[((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a1 + b1*x^(n/2)))^(p +

1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*(n*(p + 1) + 1)), x] - Dist[(a1*a2*d - b1*b2*c*(n*(p + 1) + 1))/(b1*b2*(n*(p + 1) + 1)), Int[(a1 + b1*x^(n/2))^(p*(a2 + b2*x^(n/2)))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[n*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2}{\sqrt{-c + dx} \sqrt{c + dx}} dx &= \frac{bx\sqrt{-c + dx} \sqrt{c + dx}}{2d^2} - \frac{(-bc^2 - 2ad^2) \int \frac{1}{\sqrt{-c + dx} \sqrt{c + dx}} dx}{2d^2} \\ &= \frac{bx\sqrt{-c + dx} \sqrt{c + dx}}{2d^2} + \frac{(bc^2 + 2ad^2) \text{Subst}\left(\int \frac{1}{\sqrt{2c + x^2}} dx, x, \sqrt{-c + dx}\right)}{d^3} \\ &= \frac{bx\sqrt{-c + dx} \sqrt{c + dx}}{2d^2} + \frac{(bc^2 + 2ad^2) \text{Subst}\left(\int \frac{1}{1 - x^2} dx, x, \frac{\sqrt{-c + dx}}{\sqrt{c + dx}}\right)}{d^3} \\ &= \frac{bx\sqrt{-c + dx} \sqrt{c + dx}}{2d^2} + \frac{(bc^2 + 2ad^2) \tanh^{-1}\left(\frac{\sqrt{-c + dx}}{\sqrt{c + dx}}\right)}{d^3} \end{aligned}$$

Mathematica [A] time = 0.35, size = 119, normalized size = 1.75

$$\frac{4(ad^2 + bc^2) \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right) - \frac{2bc^{5/2} \sqrt{\frac{dx}{c} + 1} \sinh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{2}\sqrt{c}}\right)}{\sqrt{c+dx}} + bdx\sqrt{dx-c}\sqrt{c+dx}}{2d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(Sqrt[-c + d*x]*Sqrt[c + d*x]), x]

[Out] (b*d*x*Sqrt[-c + d*x]*Sqrt[c + d*x] - (2*b*c^(5/2)*Sqrt[1 + (d*x)/c]*ArcSinh[Sqrt[-c + d*x]/(Sqrt[2]*Sqrt[c])])/Sqrt[c + d*x] + 4*(b*c^2 + a*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]]/(2*d^3)

IntegrateAlgebraic [A] time = 0.14, size = 103, normalized size = 1.51

$$\frac{(2ad^2 + bc^2) \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{d^3} + \frac{bc^2\sqrt{dx-c}\left(\frac{dx-c}{c+dx} + 1\right)}{d^3\sqrt{c+dx}\left(\frac{dx-c}{c+dx} - 1\right)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] (b*c^2*Sqrt[-c + d*x]*(1 + (-c + d*x)/(c + d*x)))/(d^3*Sqrt[c + d*x]*(-1 + (-c + d*x)/(c + d*x))^2) + ((b*c^2 + 2*a*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/d^3

fricas [A] time = 0.86, size = 63, normalized size = 0.93

$$\frac{\sqrt{dx+c}\sqrt{dx-c}bdx - (bc^2 + 2ad^2)\log(-dx + \sqrt{dx+c}\sqrt{dx-c})}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="fricas")

[Out] 1/2*(sqrt(d*x + c)*sqrt(d*x - c)*b*d*x - (b*c^2 + 2*a*d^2)*log(-d*x + sqrt(d*x + c)*sqrt(d*x - c)))/d^3

giac [A] time = 0.26, size = 79, normalized size = 1.16

$$\frac{\sqrt{dx+c}\sqrt{dx-c}\left(\frac{(dx+c)b}{d^2} - \frac{bc}{d^2}\right) - \frac{2(bc^2+2ad^2)\log(|-\sqrt{dx+c}+\sqrt{dx-c}|)}{d^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="giac")

[Out] 1/2*(sqrt(d*x + c)*sqrt(d*x - c)*((d*x + c)*b/d^2 - b*c/d^2) - 2*(b*c^2 + 2*a*d^2)*log(abs(-sqrt(d*x + c) + sqrt(d*x - c)))/d^2)/d

maple [C] time = 0.07, size = 124, normalized size = 1.82

$$\frac{\sqrt{dx-c}\sqrt{dx+c}\left(2ad^2\ln\left(\left(dx+\sqrt{d^2x^2-c^2}\operatorname{csgn}(d)\right)\operatorname{csgn}(d)\right)+bc^2\ln\left(\left(dx+\sqrt{d^2x^2-c^2}\operatorname{csgn}(d)\right)\operatorname{csgn}(d)\right)+\sqrt{d^2x^2-c^2}bdx\operatorname{csgn}(d)\right)\operatorname{csgn}(d)}{2\sqrt{d^2x^2-c^2}d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x)

[Out] 1/2*(d*x-c)^(1/2)*(d*x+c)^(1/2)/d^3*((d^2*x^2-c^2)^(1/2)*csgn(d)*d*x*b+ln((d*x+(d^2*x^2-c^2)^(1/2)*csgn(d))*csgn(d))*b*c^2+2*ln((d*x+(d^2*x^2-c^2)^(1/2)*csgn(d))*csgn(d))*a*d^2)/(d^2*x^2-c^2)^(1/2)*csgn(d)

maxima [A] time = 0.46, size = 89, normalized size = 1.31

$$\frac{bc^2\log\left(2d^2x+2\sqrt{d^2x^2-c^2}d\right)}{2d^3} + \frac{a\log\left(2d^2x+2\sqrt{d^2x^2-c^2}d\right)}{d} + \frac{\sqrt{d^2x^2-c^2}bx}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="maxima")

[Out] $\frac{1}{2}bc^2 \log(2d^2x + 2\sqrt{d^2x^2 - c^2})d/d^3 + a \log(2d^2x + 2\sqrt{d^2x^2 - c^2})d/d + \frac{1}{2}\sqrt{d^2x^2 - c^2}bx/d^2$

mupad [B] time = 10.80, size = 417, normalized size = 6.13

$$\frac{\frac{2bc^2(\sqrt{c+dx}-\sqrt{c})}{\sqrt{c}-\sqrt{dx-c}} + \frac{14bc^2(\sqrt{c+dx}-\sqrt{c})^3}{(\sqrt{c}-\sqrt{dx-c})^3} + \frac{14bc^2(\sqrt{c+dx}-\sqrt{c})^5}{(\sqrt{c}-\sqrt{dx-c})^5} + \frac{2bc^2(\sqrt{c+dx}-\sqrt{c})^7}{(\sqrt{c}-\sqrt{dx-c})^7}}{d^3 - \frac{4d^3(\sqrt{c+dx}-\sqrt{c})^2}{(\sqrt{c}-\sqrt{dx-c})^2} + \frac{6d^3(\sqrt{c+dx}-\sqrt{c})^4}{(\sqrt{c}-\sqrt{dx-c})^4} - \frac{4d^3(\sqrt{c+dx}-\sqrt{c})^6}{(\sqrt{c}-\sqrt{dx-c})^6} + \frac{d^3(\sqrt{c+dx}-\sqrt{c})^8}{(\sqrt{c}-\sqrt{dx-c})^8}} + \frac{4a \operatorname{atan}\left(\frac{d(\sqrt{c}-\sqrt{dx-c})}{\sqrt{-d^2}(\sqrt{c+dx}-\sqrt{c})}\right)}{\sqrt{-d^2}} - \frac{2bc^2 \operatorname{atanh}\left(\frac{\sqrt{c+dx}-\sqrt{c}}{\sqrt{c}-\sqrt{dx-c}}\right)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)/((c + d*x)^(1/2)*(d*x - c)^(1/2)),x)

[Out] $\frac{((2bc^2((c + dx)^{1/2} - c^{1/2}))/((-c)^{1/2} - (dx - c)^{1/2}) + (14bc^2((c + dx)^{1/2} - c^{1/2})^3)/((-c)^{1/2} - (dx - c)^{1/2})^3 + (14bc^2((c + dx)^{1/2} - c^{1/2})^5)/((-c)^{1/2} - (dx - c)^{1/2})^5 + (2bc^2((c + dx)^{1/2} - c^{1/2})^7)/((-c)^{1/2} - (dx - c)^{1/2})^7)/(d^3 - (4d^3((c + dx)^{1/2} - c^{1/2})^2)/((-c)^{1/2} - (dx - c)^{1/2})^2 + (6d^3((c + dx)^{1/2} - c^{1/2})^4)/((-c)^{1/2} - (dx - c)^{1/2})^4 - (4d^3((c + dx)^{1/2} - c^{1/2})^6)/((-c)^{1/2} - (dx - c)^{1/2})^6 + (d^3((c + dx)^{1/2} - c^{1/2})^8)/((-c)^{1/2} - (dx - c)^{1/2})^8) + (4a \operatorname{atan}((d((-c)^{1/2} - (dx - c)^{1/2}))/((-d^2)^{1/2}((c + dx)^{1/2} - c^{1/2}))))/((-d^2)^{1/2} - (2bc^2 \operatorname{atanh}((c + dx)^{1/2} - c^{1/2})/((-c)^{1/2} - (dx - c)^{1/2}))) / d^3$

sympy [C] time = 41.78, size = 199, normalized size = 2.93

$$\frac{aC_{6,6}^{6,2}\left(0, \frac{1}{4}, \frac{1}{2}, \frac{1}{4}, 1, 0 \left| \frac{c^2}{d^2x^2} \right. \right)}{4\pi^2 d} - \frac{i a C_{6,6}^{2,6}\left(-\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \left| \frac{c^2 2in}{d^2 x^2} \right. \right)}{4\pi^2 d} + \frac{b c^2 G_{6,6}^{6,2}\left(-1, -\frac{3}{4}, \frac{1}{2}, -\frac{1}{4}, 0, 0 \left| \frac{c^2}{d^2 x^2} \right. \right)}{4\pi^2 d^3} - \frac{i b c^2 G_{6,6}^{2,6}\left(-\frac{3}{2}, \frac{5}{4}, -1, -\frac{3}{4}, \frac{1}{2}, 1 \left| \frac{c^2 2in}{d^2 x^2} \right. \right)}{4\pi^2 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)/(d*x-c)**(1/2)/(d*x+c)**(1/2),x)

[Out] $a \operatorname{meijerg}(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), c^{**2}/(d^{**2}x^{**2}))/ (4\pi^{**}(3/2)*d) - I a \operatorname{meijerg}((-1/2, -1/4, 0, 1/4, 1/2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), c^{**2} \exp_polar(2*I*pi)/(d^{**2}x^{**2}))/ (4\pi^{**}(3/2)*d) + b c^{**2} \operatorname{meijerg}((-3/4, -1/4), (-1/2, -1/2, 0, 1)), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), c^{**2}/(d^{**2}x^{**2}))/ (4\pi^{**}(3/2)*d^{**3}) - I b c^{**2} \operatorname{meijerg}((-3/2, -5/4, -1, -3/4, -1/2, 1), ()), ((-5/4, -3/4), (-3/2, -1, -1, 0)), c^{**2} \exp_polar(2*I*pi)/(d^{**2}x^{**2}))/ (4\pi^{**}(3/2)*d^{**3})$

$$3.220 \quad \int \frac{a+bx^2}{x\sqrt{-c+dx}\sqrt{c+dx}} dx$$

Optimal. Leaf size=56

$$\frac{a \tan^{-1}\left(\frac{\sqrt{dx-c}\sqrt{c+dx}}{c}\right)}{c} + \frac{b\sqrt{dx-c}\sqrt{c+dx}}{d^2}$$

Rubi [A] time = 0.07, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {460, 92, 205}

$$\frac{a \tan^{-1}\left(\frac{\sqrt{dx-c}\sqrt{c+dx}}{c}\right)}{c} + \frac{b\sqrt{dx-c}\sqrt{c+dx}}{d^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(x*Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] (b*Sqrt[-c + d*x]*Sqrt[c + d*x])/d^2 + (a*ArcTan[(Sqrt[-c + d*x]*Sqrt[c + d*x])/c])/c

Rule 92

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 205

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 460

Int[((e_.)*(x_))^(m_.)*((a1_.) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_.) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*e*(m + n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2}{x\sqrt{-c + dx}\sqrt{c + dx}} dx &= \frac{b\sqrt{-c + dx}\sqrt{c + dx}}{d^2} + a \int \frac{1}{x\sqrt{-c + dx}\sqrt{c + dx}} dx \\
&= \frac{b\sqrt{-c + dx}\sqrt{c + dx}}{d^2} + (ad) \text{Subst} \left(\int \frac{1}{c^2d + dx^2} dx, x, \sqrt{-c + dx}\sqrt{c + dx} \right) \\
&= \frac{b\sqrt{-c + dx}\sqrt{c + dx}}{d^2} + \frac{a \tan^{-1} \left(\frac{\sqrt{-c+dx}\sqrt{c+dx}}{c} \right)}{c}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 87, normalized size = 1.55

$$\frac{ad^2\sqrt{d^2x^2 - c^2} \tan^{-1} \left(\frac{\sqrt{d^2x^2 - c^2}}{c} \right) - bc^3 + bcd^2x^2}{cd^2\sqrt{dx - c}\sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(x*Sqrt[-c + d*x]*Sqrt[c + d*x]), x]

[Out] $(-(b*c^3) + b*c*d^2*x^2 + a*d^2*\text{Sqrt}[-c^2 + d^2*x^2]*\text{ArcTan}[\text{Sqrt}[-c^2 + d^2*x^2]/c])/(c*d^2*\text{Sqrt}[-c + d*x]*\text{Sqrt}[c + d*x])$

IntegrateAlgebraic [A] time = 0.11, size = 75, normalized size = 1.34

$$\frac{2a \tan^{-1} \left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}} \right)}{c} - \frac{2bc\sqrt{dx-c}}{d^2\sqrt{c+dx} \left(\frac{dx-c}{c+dx} - 1 \right)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(x*Sqrt[-c + d*x]*Sqrt[c + d*x]), x]

[Out] $(-2*b*c*\text{Sqrt}[-c + d*x])/(d^2*\text{Sqrt}[c + d*x]*(-1 + (-c + d*x)/(c + d*x))) + (2*a*\text{ArcTan}[\text{Sqrt}[-c + d*x]/\text{Sqrt}[c + d*x]])/c$

fricas [A] time = 0.85, size = 61, normalized size = 1.09

$$\frac{2ad^2 \arctan \left(-\frac{dx - \sqrt{dx+c}\sqrt{dx-c}}{c} \right) + \sqrt{dx+c}\sqrt{dx-c}bc}{cd^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="fricas")

[Out] (2*a*d^2*arctan(-(d*x - sqrt(d*x + c))*sqrt(d*x - c))/c) + sqrt(d*x + c)*sqrt(d*x - c)*b*c)/(c*d^2)

giac [A] time = 0.21, size = 55, normalized size = 0.98

$$-\frac{2 a \arctan\left(\frac{(\sqrt{dx+c}-\sqrt{dx-c})^2}{2c}\right)}{c} + \frac{\sqrt{dx+c} \sqrt{dx-c} b}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="giac")

[Out] -2*a*arctan(1/2*(sqrt(d*x + c) - sqrt(d*x - c))^2/c)/c + sqrt(d*x + c)*sqrt(d*x - c)*b/d^2

maple [B] time = 0.08, size = 108, normalized size = 1.93

$$\frac{\left(-a d^2 \ln\left(-\frac{2\left(c^2-\sqrt{-c^2} \sqrt{d^2 x^2-c^2}\right)}{x}\right)+\sqrt{-c^2} \sqrt{d^2 x^2-c^2} b\right) \sqrt{dx-c} \sqrt{dx+c}}{\sqrt{d^2 x^2-c^2} \sqrt{-c^2} d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/x/(d*x-c)^(1/2)/(d*x+c)^(1/2),x)

[Out] (-ln(-2*(c^2-(-c^2)^(1/2)*(d^2*x^2-c^2)^(1/2))/x)*a*d^2+b*(-c^2)^(1/2)*(d^2*x^2-c^2)^(1/2))*(d*x-c)^(1/2)*(d*x+c)^(1/2)/(d^2*x^2-c^2)^(1/2)/d^2/(-c^2)^(1/2)

maxima [A] time = 1.34, size = 37, normalized size = 0.66

$$-\frac{a \arcsin\left(\frac{c}{d|x|}\right)}{c} + \frac{\sqrt{d^2 x^2 - c^2} b}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="maxima")

[Out] -a*arcsin(c/(d*abs(x)))/c + sqrt(d^2*x^2 - c^2)*b/d^2

mupad [B] time = 3.97, size = 108, normalized size = 1.93

$$\frac{b \sqrt{c+dx} \sqrt{dx-c}}{d^2} - \frac{a \sqrt{-c} \left(\ln\left(\frac{(\sqrt{c+dx}-\sqrt{c})^2}{(\sqrt{-c}-\sqrt{dx-c})^2} + 1\right) - \ln\left(\frac{\sqrt{c+dx}-\sqrt{c}}{\sqrt{-c}-\sqrt{dx-c}}\right) \right)}{c^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2)/(x*(c + d*x)^(1/2)*(d*x - c)^(1/2)),x)`

[Out] $(b*(c + d*x)^{(1/2)}*(d*x - c)^{(1/2)})/d^2 - (a*(-c)^{(1/2)}*(\log(((c + d*x)^{(1/2)} - c^{(1/2)})^2/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 + 1) - \log(((c + d*x)^{(1/2)} - c^{(1/2)})/((-c)^{(1/2)} - (d*x - c)^{(1/2)})))/c^{(3/2)}$

sympy [C] time = 39.16, size = 178, normalized size = 3.18

$$-\frac{{}_2F_6^{5,3}\left(\begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} \end{matrix} \middle| \frac{c^2}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}c} + \frac{{}_2F_6^{2,6}\left(\begin{matrix} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4} \end{matrix} \middle| \frac{c^2 e^{2i\pi}}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}c} + \frac{{}_2F_6^{6,2}\left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \middle| \frac{c^2}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}d^2} + \frac{{}_2F_6^{2,6}\left(\begin{matrix} -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1 \\ -\frac{3}{4}, -\frac{1}{4} \end{matrix} \middle| \frac{c^2 e^{2i\pi}}{d^2 x^2}\right)}{4\pi^{\frac{3}{2}}d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**2+a)/x/(d*x-c)**(1/2)/(d*x+c)**(1/2),x)`

[Out] $-a*\text{meijerg}(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), c**2/(d**2*x**2))/(4*pi**(3/2)*c) + I*a*\text{meijerg}(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), c**2*\exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*c) + b*c*\text{meijerg}((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), c**2/(d**2*x**2))/(4*pi**(3/2)*d**2) + I*b*c*\text{meijerg}((-1, -3/4, -1/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), c**2*\exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d**2)$

$$3.221 \quad \int \frac{a+bx^2}{x^2\sqrt{-c+dx}\sqrt{c+dx}} dx$$

Optimal. Leaf size=57

$$\frac{a\sqrt{dx-c}\sqrt{c+dx}}{c^2x} + \frac{2b \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{d}$$

Rubi [A] time = 0.07, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {454, 63, 217, 206}

$$\frac{a\sqrt{dx-c}\sqrt{c+dx}}{c^2x} + \frac{2b \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(x^2*Sqrt[-c + d*x]*Sqrt[c + d*x]), x]

[Out] (a*Sqrt[-c + d*x]*Sqrt[c + d*x])/(c^2*x) + (2*b*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/d

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 454

Int[((e_.)*(x_)^(m_))*((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^

```
(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(a1*a2*e*(m + 1)), x] + Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*e^n*(m + 1)), Int[(e*x)^(m + n)*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2}{x^2 \sqrt{-c + dx} \sqrt{c + dx}} dx &= \frac{a\sqrt{-c + dx} \sqrt{c + dx}}{c^2 x} + b \int \frac{1}{\sqrt{-c + dx} \sqrt{c + dx}} dx \\ &= \frac{a\sqrt{-c + dx} \sqrt{c + dx}}{c^2 x} + \frac{(2b) \text{Subst}\left(\int \frac{1}{\sqrt{2c+x^2}} dx, x, \sqrt{-c + dx}\right)}{d} \\ &= \frac{a\sqrt{-c + dx} \sqrt{c + dx}}{c^2 x} + \frac{(2b) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \frac{\sqrt{-c+dx}}{\sqrt{c+dx}}\right)}{d} \\ &= \frac{a\sqrt{-c + dx} \sqrt{c + dx}}{c^2 x} + \frac{2b \tanh^{-1}\left(\frac{\sqrt{-c+dx}}{\sqrt{c+dx}}\right)}{d} \end{aligned}$$

Mathematica [A] time = 0.04, size = 90, normalized size = 1.58

$$\frac{\sqrt{d^2 x^2 - c^2} \left(\frac{a\sqrt{d^2 x^2 - c^2}}{c^2 x} + \frac{b \tanh^{-1}\left(\frac{dx}{\sqrt{d^2 x^2 - c^2}}\right)}{d} \right)}{\sqrt{dx - c} \sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(x^2*Sqrt[-c + d*x]*Sqrt[c + d*x]), x]

[Out] (Sqrt[-c^2 + d^2*x^2]*((a*Sqrt[-c^2 + d^2*x^2])/(c^2*x) + (b*ArcTanh[(d*x)/Sqrt[-c^2 + d^2*x^2]])/d))/(Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [A] time = 0.12, size = 75, normalized size = 1.32

$$\frac{2ad\sqrt{dx - c}}{c^2\sqrt{c + dx} \left(\frac{dx-c}{c+dx} + 1\right)} + \frac{2b \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{d}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(x^2*Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] (2*a*d*Sqrt[-c + d*x])/(c^2*Sqrt[c + d*x]*(1 + (-c + d*x)/(c + d*x))) + (2*b*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/d

fricas [A] time = 1.09, size = 68, normalized size = 1.19

$$\frac{bc^2x \log(-dx + \sqrt{dx+c} \sqrt{dx-c}) - ad^2x - \sqrt{dx+c} \sqrt{dx-c} ad}{c^2dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^2/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="fricas")

[Out] -(b*c^2*x*log(-d*x + sqrt(d*x + c)*sqrt(d*x - c)) - a*d^2*x - sqrt(d*x + c)*sqrt(d*x - c)*a*d)/(c^2*d*x)

giac [A] time = 0.22, size = 66, normalized size = 1.16

$$\frac{\frac{16ad^2}{(\sqrt{dx+c}-\sqrt{dx-c})^4+4c^2} - b \log\left(\left(\sqrt{dx+c} - \sqrt{dx-c}\right)^4\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^2/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="giac")

[Out] 1/2*(16*a*d^2/((sqrt(d*x + c) - sqrt(d*x - c))^4 + 4*c^2) - b*log((sqrt(d*x + c) - sqrt(d*x - c))^4))/d

maple [C] time = 0.07, size = 97, normalized size = 1.70

$$\frac{\sqrt{dx-c} \sqrt{dx+c} \left(b c^2 x \ln\left(\left(dx + \sqrt{d^2x^2 - c^2} \operatorname{csgn}(d)\right) \operatorname{csgn}(d)\right) + \sqrt{d^2x^2 - c^2} ad \operatorname{csgn}(d)\right) \operatorname{csgn}(d)}{\sqrt{d^2x^2 - c^2} c^2 dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/x^2/(d*x-c)^(1/2)/(d*x+c)^(1/2),x)

[Out] (d*x-c)^(1/2)*(d*x+c)^(1/2)/c^2*(b*c^2*x*ln((d*x+(d^2*x^2-c^2)^(1/2))*csgn(d))*csgn(d)+(d^2*x^2-c^2)^(1/2)*a*d*csgn(d))*csgn(d)/(d^2*x^2-c^2)^(1/2)/d/x

maxima [A] time = 1.26, size = 55, normalized size = 0.96

$$\frac{b \log\left(2 d^2 x + 2 \sqrt{d^2 x^2 - c^2} d\right)}{d} + \frac{\sqrt{d^2 x^2 - c^2} a}{c^2 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^2/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="maxima")

[Out] b*log(2*d^2*x + 2*sqrt(d^2*x^2 - c^2)*d)/d + sqrt(d^2*x^2 - c^2)*a/(c^2*x)

mupad [B] time = 2.94, size = 77, normalized size = 1.35

$$\frac{4 b \operatorname{atan}\left(\frac{d(\sqrt{-c}-\sqrt{d x-c})}{\sqrt{-d^2}(\sqrt{c+d x}-\sqrt{c})}\right)}{\sqrt{-d^2}} + \frac{a \sqrt{c+d x} \sqrt{d x-c}}{c^2 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)/(x^2*(c + d*x)^(1/2)*(d*x - c)^(1/2)),x)

[Out] (4*b*atan((d*((-c)^(1/2) - (d*x - c)^(1/2)))/((-d^2)^(1/2)*((c + d*x)^(1/2) - c^(1/2))))/(-d^2)^(1/2) + (a*(c + d*x)^(1/2)*(d*x - c)^(1/2))/(c^2*x)

sympy [C] time = 36.82, size = 165, normalized size = 2.89

$$\frac{{}_3adG_{6,6}^{5,3}\left(\begin{matrix} \frac{5}{4}, \frac{7}{4}, 1 \\ 1, \frac{5}{4}, \frac{7}{4}, 2 \end{matrix} \middle| \frac{c^2}{d^2x^2}\right)}{4\pi^2c^2} - \frac{{}_3iadG_{6,6}^{2,6}\left(\begin{matrix} \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 1 \\ \frac{3}{4}, \frac{5}{4} \end{matrix} \middle| \frac{c^2e^{2it}}{d^2x^2}\right)}{4\pi^2c^2} + \frac{{}_3bG_{6,6}^{6,2}\left(\begin{matrix} \frac{1}{4}, \frac{3}{4} \\ 0, \frac{1}{4}, \frac{3}{4}, 1, 0 \end{matrix} \middle| \frac{c^2}{d^2x^2}\right)}{4\pi^2d} - \frac{{}_3ibG_{6,6}^{2,6}\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \\ -\frac{1}{4}, \frac{1}{4} \end{matrix} \middle| \frac{c^2e^{2it}}{d^2x^2}\right)}{4\pi^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)/x**2/(d*x-c)**(1/2)/(d*x+c)**(1/2),x)

[Out] -a*d*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), c**2/(d**2*x**2))/(4*pi**(3/2)*c**2) - I*a*d*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), c**2*exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*c**2) + b*meijerg(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), c**2/(d**2*x**2))/(4*pi**(3/2)*d) - I*b*meijerg(((1/2, -1/4, 0, 1/4, 1/2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), c**2*exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*d)

$$3.222 \quad \int \frac{a+bx^2}{x^3\sqrt{-c+dx}\sqrt{c+dx}} dx$$

Optimal. Leaf size=76

$$\frac{(ad^2 + 2bc^2) \tan^{-1}\left(\frac{\sqrt{dx-c}\sqrt{c+dx}}{c}\right)}{2c^3} + \frac{a\sqrt{dx-c}\sqrt{c+dx}}{2c^2x^2}$$

Rubi [A] time = 0.07, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {454, 92, 205}

$$\frac{(ad^2 + 2bc^2) \tan^{-1}\left(\frac{\sqrt{dx-c}\sqrt{c+dx}}{c}\right)}{2c^3} + \frac{a\sqrt{dx-c}\sqrt{c+dx}}{2c^2x^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(x^3*sqrt[-c + d*x]*sqrt[c + d*x]), x]

[Out] (a*sqrt[-c + d*x]*sqrt[c + d*x])/(2*c^2*x^2) + ((2*b*c^2 + a*d^2)*ArcTan[(sqrt[-c + d*x]*sqrt[c + d*x])/c])/(2*c^3)

Rule 92

Int[1/(sqrt[(a_.) + (b_.)*(x_.)]*sqrt[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, sqrt[a + b*x]*sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 205

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 454

Int[((e_.)*(x_))^(m_.)*((a1_.) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_.) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(a1*a2*e*(m + 1)), x] + Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*e^n*(m + 1)), Int[(e*x)^(m + n)*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2}{x^3 \sqrt{-c + dx} \sqrt{c + dx}} dx &= \frac{a\sqrt{-c + dx} \sqrt{c + dx}}{2c^2 x^2} + \frac{1}{2} \left(2b + \frac{ad^2}{c^2} \right) \int \frac{1}{x \sqrt{-c + dx} \sqrt{c + dx}} dx \\
&= \frac{a\sqrt{-c + dx} \sqrt{c + dx}}{2c^2 x^2} + \frac{1}{2} \left(d \left(2b + \frac{ad^2}{c^2} \right) \right) \text{Subst} \left(\int \frac{1}{c^2 d + dx^2} dx, x, \sqrt{-c + dx} \sqrt{c + dx} \right) \\
&= \frac{a\sqrt{-c + dx} \sqrt{c + dx}}{2c^2 x^2} + \frac{(2bc^2 + ad^2) \tan^{-1} \left(\frac{\sqrt{-c + dx} \sqrt{c + dx}}{c} \right)}{2c^3}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 102, normalized size = 1.34

$$\frac{x^2 \sqrt{d^2 x^2 - c^2} (ad^2 + 2bc^2) \tan^{-1} \left(\frac{\sqrt{d^2 x^2 - c^2}}{c} \right) + a (cd^2 x^2 - c^3)}{2c^3 x^2 \sqrt{dx - c} \sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(x^3*Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] (a*(-c^3 + c*d^2*x^2) + (2*b*c^2 + a*d^2)*x^2*Sqrt[-c^2 + d^2*x^2]*ArcTan[Sqrt[-c^2 + d^2*x^2]/c])/(2*c^3*x^2*Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [A] time = 0.12, size = 104, normalized size = 1.37

$$\frac{(ad^2 + 2bc^2) \tan^{-1} \left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}} \right)}{c^3} - \frac{ad^2 \sqrt{dx-c} \left(\frac{dx-c}{c+dx} - 1 \right)}{c^3 \sqrt{c+dx} \left(\frac{dx-c}{c+dx} + 1 \right)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(x^3*Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] -((a*d^2*Sqrt[-c + d*x]*(-1 + (-c + d*x)/(c + d*x)))/(c^3*Sqrt[c + d*x]*(1 + (-c + d*x)/(c + d*x))^2)) + ((2*b*c^2 + a*d^2)*ArcTan[Sqrt[-c + d*x]/Sqrt[c + d*x]])/c^3

fricas [A] time = 0.81, size = 73, normalized size = 0.96

$$\frac{2(2bc^2 + ad^2)x^2 \arctan \left(-\frac{dx - \sqrt{dx+c} \sqrt{dx-c}}{c} \right) + \sqrt{dx+c} \sqrt{dx-c} ac}{2c^3 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^3/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="fricas")

[Out] $\frac{1}{2} * (2 * (2 * b * c^2 + a * d^2) * x^2 * \arctan(- (d * x - \sqrt{d * x + c}) * \sqrt{d * x - c}) / c) + \sqrt{d * x + c} * \sqrt{d * x - c} * a * c / (c^3 * x^2)$

giac [B] time = 0.49, size = 141, normalized size = 1.86

$$\frac{\frac{(2bc^2d+ad^3) \arctan\left(\frac{(\sqrt{dx+c}-\sqrt{dx-c})^2}{2c}\right)}{c^3} + \frac{2(ad^3(\sqrt{dx+c}-\sqrt{dx-c})^6 - 4ac^2d^3(\sqrt{dx+c}-\sqrt{dx-c})^2)}{((\sqrt{dx+c}-\sqrt{dx-c})^4 + 4c^2)c^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^3/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="giac")

[Out] $-\frac{((2 * b * c^2 * d + a * d^3) * \arctan(1/2 * (\sqrt{d * x + c}) - \sqrt{d * x - c})^2 / c) / c^3 + 2 * (a * d^3 * (\sqrt{d * x + c}) - \sqrt{d * x - c})^6 - 4 * a * c^2 * d^3 * (\sqrt{d * x + c}) - \sqrt{d * x - c})^2}{((\sqrt{d * x + c}) - \sqrt{d * x - c})^4 + 4 * c^2)^2 * c^2} / d$

maple [B] time = 0.07, size = 158, normalized size = 2.08

$$\frac{\sqrt{dx-c} \sqrt{dx+c} \left(a d^2 x^2 \ln\left(-\frac{2(c^2 - \sqrt{-c^2} \sqrt{d^2 x^2 - c^2})}{x}\right) + 2b c^2 x^2 \ln\left(-\frac{2(c^2 - \sqrt{-c^2} \sqrt{d^2 x^2 - c^2})}{x}\right) - \sqrt{-c^2} \sqrt{d^2 x^2 - c^2} a \right)}{2\sqrt{d^2 x^2 - c^2} \sqrt{-c^2} c^2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/x^3/(d*x-c)^(1/2)/(d*x+c)^(1/2),x)

[Out] $-\frac{1}{2} * (d * x - c)^{(1/2)} * (d * x + c)^{(1/2)} / c^2 * (a * d^2 * x^2 * \ln(-2 * (c^2 - (-c^2)^{(1/2)}) * (d^2 * x^2 - c^2)^{(1/2)}) / x) + 2 * b * c^2 * x^2 * \ln(-2 * (c^2 - (-c^2)^{(1/2)}) * (d^2 * x^2 - c^2)^{(1/2)}) / x) - (-c^2)^{(1/2)} * (d^2 * x^2 - c^2)^{(1/2)} * a / (d^2 * x^2 - c^2)^{(1/2)} / x^2 / (-c^2)^{(1/2)}$

maxima [A] time = 1.29, size = 60, normalized size = 0.79

$$-\frac{b \arcsin\left(\frac{c}{d|x|}\right)}{c} - \frac{ad^2 \arcsin\left(\frac{c}{d|x|}\right)}{2c^3} + \frac{\sqrt{d^2 x^2 - c^2} a}{2c^2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^3/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="maxima")

[Out] $-b \arcsin(c/(d \cdot \text{abs}(x)))/c - 1/2 \cdot a \cdot d^2 \arcsin(c/(d \cdot \text{abs}(x)))/c^3 + 1/2 \cdot \sqrt{d^2 \cdot x^2 - c^2} \cdot a/(c^2 \cdot x^2)$

mupad [B] time = 7.50, size = 457, normalized size = 6.01

$$\frac{a(-c)^{3/2} d^2 \ln\left(\frac{(\sqrt{c+dx}-\sqrt{c})^2}{(\sqrt{c}-\sqrt{dx-c})^2} + 1\right)}{2c^{9/2}} - \frac{b\sqrt{-c} \left(\ln\left(\frac{(\sqrt{c+dx}-\sqrt{c})^2}{(\sqrt{c}-\sqrt{dx-c})^2} + 1\right) - \ln\left(\frac{\sqrt{c+dx}-\sqrt{c}}{\sqrt{c}-\sqrt{dx-c}}\right)\right)}{c^{3/2}} - \frac{a(-c)^{3/2} d^2 \ln\left(\frac{\sqrt{c+dx}-\sqrt{c}}{\sqrt{c}-\sqrt{dx-c}}\right)}{2c^{9/2}} - \frac{\frac{a(-c)^{3/2} d^2}{32c^{9/2}} + \frac{a(-c)^{3/2} d^2 (\sqrt{c+dx}-\sqrt{c})^2}{16c^{9/2} (\sqrt{c}-\sqrt{dx-c})^2} - \frac{15a(-c)^{3/2} d^2 (\sqrt{c+dx}-\sqrt{c})^4}{32c^{9/2} (\sqrt{c}-\sqrt{dx-c})^4}}{\frac{(\sqrt{c+dx}-\sqrt{c})^2}{(\sqrt{c}-\sqrt{dx-c})^2} + \frac{2(\sqrt{c+dx}-\sqrt{c})^4}{(\sqrt{c}-\sqrt{dx-c})^4} + \frac{(\sqrt{c+dx}-\sqrt{c})^6}{(\sqrt{c}-\sqrt{dx-c})^6}} + \frac{a d^2 (\sqrt{c+dx}-\sqrt{c})^2}{32(-c)^{3/2} c^{3/2} (\sqrt{c}-\sqrt{dx-c})^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a + b \cdot x^2)/(x^3 \cdot (c + d \cdot x)^{(1/2)} \cdot (d \cdot x - c)^{(1/2)}), x)$

[Out] $(a \cdot (-c)^{(3/2)} \cdot d^2 \cdot \log(((c + d \cdot x)^{(1/2)} - c^{(1/2)})^2 / ((-c)^{(1/2)} - (d \cdot x - c)^{(1/2)})^2 + 1)) / (2 \cdot c^{(9/2)}) - (b \cdot (-c)^{(1/2)} \cdot (\log(((c + d \cdot x)^{(1/2)} - c^{(1/2)})^2 / ((-c)^{(1/2)} - (d \cdot x - c)^{(1/2)})^2 + 1) - \log(((c + d \cdot x)^{(1/2)} - c^{(1/2)}) / ((-c)^{(1/2)} - (d \cdot x - c)^{(1/2))))) / c^{(3/2)} - (a \cdot (-c)^{(3/2)} \cdot d^2 \cdot \log(((c + d \cdot x)^{(1/2)} - c^{(1/2)}) / ((-c)^{(1/2)} - (d \cdot x - c)^{(1/2))))) / (2 \cdot c^{(9/2)}) - ((a \cdot (-c)^{(3/2)} \cdot d^2) / (32 \cdot c^{(9/2)})) + (a \cdot (-c)^{(3/2)} \cdot d^2 \cdot ((c + d \cdot x)^{(1/2)} - c^{(1/2)})^2) / (16 \cdot c^{(9/2)} \cdot ((-c)^{(1/2)} - (d \cdot x - c)^{(1/2)})^2) - (15 \cdot a \cdot (-c)^{(3/2)} \cdot d^2 \cdot ((c + d \cdot x)^{(1/2)} - c^{(1/2)})^4) / (32 \cdot c^{(9/2)} \cdot ((-c)^{(1/2)} - (d \cdot x - c)^{(1/2)})^4) / (((c + d \cdot x)^{(1/2)} - c^{(1/2)})^2 / ((-c)^{(1/2)} - (d \cdot x - c)^{(1/2)})^2 + (2 \cdot ((c + d \cdot x)^{(1/2)} - c^{(1/2)})^4) / ((-c)^{(1/2)} - (d \cdot x - c)^{(1/2)})^4 + ((c + d \cdot x)^{(1/2)} - c^{(1/2)})^6 / ((-c)^{(1/2)} - (d \cdot x - c)^{(1/2)})^6) + (a \cdot d^2 \cdot ((c + d \cdot x)^{(1/2)} - c^{(1/2)})^2) / (32 \cdot (-c)^{(3/2)} \cdot c^{(3/2)} \cdot ((-c)^{(1/2)} - (d \cdot x - c)^{(1/2)})^2)$

sympy [C] time = 69.67, size = 162, normalized size = 2.13

$$\frac{ad^2 G_{6,6}^{5,3} \left(\begin{matrix} \frac{7}{4}, \frac{9}{4}, 1 \\ \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2} \end{matrix} \middle| \frac{c^2}{d^2 x^2} \right) + iad^2 G_{6,6}^{2,6} \left(\begin{matrix} 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2, 1 \\ \frac{5}{4}, \frac{7}{4} \end{matrix} \middle| \frac{c^2 e^{2i\pi}}{d^2 x^2} \right) - bG_{6,6}^{5,3} \left(\begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} \end{matrix} \middle| \frac{c^2}{d^2 x^2} \right) + ibG_{6,6}^{2,6} \left(\begin{matrix} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4} \end{matrix} \middle| \frac{c^2 e^{2i\pi}}{d^2 x^2} \right)}{4\pi^2 c^3} + \frac{iad^2 G_{6,6}^{2,6} \left(\begin{matrix} 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2, 1 \\ \frac{5}{4}, \frac{7}{4} \end{matrix} \middle| \frac{c^2 e^{2i\pi}}{d^2 x^2} \right) - bG_{6,6}^{5,3} \left(\begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} \end{matrix} \middle| \frac{c^2}{d^2 x^2} \right) + ibG_{6,6}^{2,6} \left(\begin{matrix} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4} \end{matrix} \middle| \frac{c^2 e^{2i\pi}}{d^2 x^2} \right)}{4\pi^2 c^3} - \frac{bG_{6,6}^{5,3} \left(\begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} \end{matrix} \middle| \frac{c^2}{d^2 x^2} \right) + ibG_{6,6}^{2,6} \left(\begin{matrix} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4} \end{matrix} \middle| \frac{c^2 e^{2i\pi}}{d^2 x^2} \right)}{4\pi^2 c} + \frac{ibG_{6,6}^{2,6} \left(\begin{matrix} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4} \end{matrix} \middle| \frac{c^2 e^{2i\pi}}{d^2 x^2} \right)}{4\pi^2 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((b \cdot x^{**2} + a)/x^{**3}/(d \cdot x - c)^{(1/2)}/(d \cdot x + c)^{(1/2)}, x)$

[Out] $-a \cdot d^{**2} \cdot \text{meijerg}(((7/4, 9/4, 1), (2, 2, 5/2)), ((3/2, 7/4, 2, 9/4, 5/2), (0,)), c^{**2}/(d^{**2} \cdot x^{**2}))/ (4 \cdot \pi^{**}(3/2) \cdot c^{**3}) + I \cdot a \cdot d^{**2} \cdot \text{meijerg}(((1, 5/4, 3/2, 7/4, 2, 1), ()), ((5/4, 7/4), (1, 3/2, 3/2, 0)), c^{**2} \cdot \exp_polar(2 \cdot I \cdot \pi))/ (d^{**2} \cdot x^{**2}) / (4 \cdot \pi^{**}(3/2) \cdot c^{**3}) - b \cdot \text{meijerg}(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), c^{**2}/(d^{**2} \cdot x^{**2})) / (4 \cdot \pi^{**}(3/2) \cdot c) + I \cdot b \cdot \text{meijerg}(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), c^{**2} \cdot \exp_polar(2 \cdot I \cdot \pi))/ (d^{**2} \cdot x^{**2}) / (4 \cdot \pi^{**}(3/2) \cdot c)$

$$3.223 \quad \int \frac{a+bx^2}{x^4 \sqrt{-c+dx} \sqrt{c+dx}} dx$$

Optimal. Leaf size=75

$$\frac{\sqrt{dx-c} \sqrt{c+dx} (2ad^2 + 3bc^2)}{3c^4x} + \frac{a\sqrt{dx-c} \sqrt{c+dx}}{3c^2x^3}$$

Rubi [A] time = 0.07, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$, Rules used = {454, 95}

$$\frac{\sqrt{dx-c} \sqrt{c+dx} (2ad^2 + 3bc^2)}{3c^4x} + \frac{a\sqrt{dx-c} \sqrt{c+dx}}{3c^2x^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(x^4*Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] (a*Sqrt[-c + d*x]*Sqrt[c + d*x])/(3*c^2*x^3) + ((3*b*c^2 + 2*a*d^2)*Sqrt[-c + d*x]*Sqrt[c + d*x])/(3*c^4*x)

Rule 95

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1), 0] && NeQ[m, -1]
```

Rule 454

```
Int[((e_.)*(x_))^(m_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(c*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(a1*a2*e*(m + 1)), x] + Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*e^n*(m + 1)), Int[(e*x)^(m + n)*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rubi steps

$$\int \frac{a + bx^2}{x^4 \sqrt{-c + dx} \sqrt{c + dx}} dx = \frac{a \sqrt{-c + dx} \sqrt{c + dx}}{3c^2 x^3} + \frac{1}{3} \left(3b + \frac{2ad^2}{c^2} \right) \int \frac{1}{x^2 \sqrt{-c + dx} \sqrt{c + dx}} dx$$

$$= \frac{a \sqrt{-c + dx} \sqrt{c + dx}}{3c^2 x^3} + \frac{(3bc^2 + 2ad^2) \sqrt{-c + dx} \sqrt{c + dx}}{3c^4 x}$$

Mathematica [A] time = 0.03, size = 66, normalized size = 0.88

$$\frac{(c^2 - d^2 x^2) (a (c^2 + 2d^2 x^2) + 3bc^2 x^2)}{3c^4 x^3 \sqrt{dx - c} \sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(x^4*Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] -1/3*((c^2 - d^2*x^2)*(3*b*c^2*x^2 + a*(c^2 + 2*d^2*x^2)))/(c^4*x^3*Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [A] time = 0.14, size = 146, normalized size = 1.95

$$\frac{2\sqrt{dx - c} \left(\frac{2ad^3(dx-c)}{c+dx} + \frac{3ad^3(dx-c)^2}{(c+dx)^2} + 3ad^3 + \frac{6bc^2d(dx-c)}{c+dx} + \frac{3bc^2d(dx-c)^2}{(c+dx)^2} + 3bc^2d \right)}{3c^4 \sqrt{c + dx} \left(\frac{dx-c}{c+dx} + 1 \right)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(x^4*Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] (2*Sqrt[-c + d*x]*(3*b*c^2*d + 3*a*d^3 + (3*b*c^2*d*(-c + d*x)^2)/(c + d*x)^2 + (3*a*d^3*(-c + d*x)^2)/(c + d*x)^2 + (6*b*c^2*d*(-c + d*x))/(c + d*x) + (2*a*d^3*(-c + d*x))/(c + d*x)))/(3*c^4*Sqrt[c + d*x]*(1 + (-c + d*x)/(c + d*x))^3)

fricas [A] time = 0.74, size = 67, normalized size = 0.89

$$\frac{(3bc^2d + 2ad^3)x^3 + (ac^2 + (3bc^2 + 2ad^2)x^2)\sqrt{dx + c}\sqrt{dx - c}}{3c^4x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^4/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="fricas")

[Out] $\frac{1}{3} * ((3 * b * c^2 * d + 2 * a * d^3) * x^3 + (a * c^2 + (3 * b * c^2 + 2 * a * d^2) * x^2) * \sqrt{d * x + c}) * \sqrt{d * x - c} / (c^4 * x^3)$

giac [B] time = 0.24, size = 137, normalized size = 1.83

$$\frac{8 \left(3 b d^2 (\sqrt{d x + c} - \sqrt{d x - c})^8 + 24 b c^2 d^2 (\sqrt{d x + c} - \sqrt{d x - c})^4 + 24 a d^4 (\sqrt{d x + c} - \sqrt{d x - c})^4 + 48 b c^4 d^2 + 32 a c^2 d^4 \right)}{3 \left((\sqrt{d x + c} - \sqrt{d x - c})^4 + 4 c^2 \right)^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^2+a)/x^4/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="giac")`

[Out] $\frac{8}{3} * (3 * b * d^2 * (\sqrt{d * x + c} - \sqrt{d * x - c})^8 + 24 * b * c^2 * d^2 * (\sqrt{d * x + c} - \sqrt{d * x - c})^4 + 24 * a * d^4 * (\sqrt{d * x + c} - \sqrt{d * x - c})^4 + 48 * b * c^4 * d^2 + 32 * a * c^2 * d^4) / (((\sqrt{d * x + c} - \sqrt{d * x - c})^4 + 4 * c^2)^3 * d)$

maple [A] time = 0.04, size = 49, normalized size = 0.65

$$\frac{\sqrt{d x + c} \left(2 a d^2 x^2 + 3 b c^2 x^2 + a c^2 \right) \sqrt{d x - c}}{3 c^4 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^2+a)/x^4/(d*x-c)^(1/2)/(d*x+c)^(1/2),x)`

[Out] $\frac{1}{3} * (d * x + c)^{1/2} * (2 * a * d^2 * x^2 + 3 * b * c^2 * x^2 + a * c^2) / x^3 / c^4 * (d * x - c)^{1/2}$

maxima [A] time = 1.32, size = 75, normalized size = 1.00

$$\frac{\sqrt{d^2 x^2 - c^2} b}{c^2 x} + \frac{2 \sqrt{d^2 x^2 - c^2} a d^2}{3 c^4 x} + \frac{\sqrt{d^2 x^2 - c^2} a}{3 c^2 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^2+a)/x^4/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] $\sqrt{d^2 * x^2 - c^2} * b / (c^2 * x) + 2 / 3 * \sqrt{d^2 * x^2 - c^2} * a * d^2 / (c^4 * x) + 1 / 3 * \sqrt{d^2 * x^2 - c^2} * a / (c^2 * x^3)$

mupad [B] time = 2.77, size = 79, normalized size = 1.05

$$\frac{\sqrt{d x - c} \left(\frac{a}{3 c} + \frac{x^2 (3 b c^3 + 2 a c d^2)}{3 c^4} + \frac{x^3 (3 b c^2 d + 2 a d^3)}{3 c^4} + \frac{a d x}{3 c^2} \right)}{x^3 \sqrt{c + d x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)/(x^4*(c + d*x)^(1/2)*(d*x - c)^(1/2)),x)

[Out] ((d*x - c)^(1/2)*(a/(3*c) + (x^2*(3*b*c^3 + 2*a*c*d^2))/(3*c^4) + (x^3*(2*a*d^3 + 3*b*c^2*d))/(3*c^4) + (a*d*x)/(3*c^2)))/(x^3*(c + d*x)^(1/2))

sympy [C] time = 70.80, size = 170, normalized size = 2.27

$$\frac{{}_3ad^3G_{6,6}^{5,3}\left(\begin{matrix} \frac{9}{4}, \frac{11}{4}, 1 \\ 2, \frac{9}{4}, \frac{5}{2}, \frac{11}{4}, 3 \end{matrix} \middle| \frac{c^2}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}c^4} - \frac{{}_3iad^3G_{6,6}^{2,6}\left(\begin{matrix} \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2}, 1 \\ \frac{7}{4}, \frac{9}{4} \end{matrix} \middle| \frac{c^2e^{2i\pi}}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}c^4} - \frac{{}_3bdG_{6,6}^{5,3}\left(\begin{matrix} \frac{5}{4}, \frac{7}{4}, 1 \\ 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2 \end{matrix} \middle| \frac{c^2}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}c^2} - \frac{{}_3ibdG_{6,6}^{2,6}\left(\begin{matrix} \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 1 \\ \frac{3}{4}, \frac{5}{4} \end{matrix} \middle| \frac{c^2e^{2i\pi}}{d^2x^2}\right)}{4\pi^{\frac{3}{2}}c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)/x**4/(d*x-c)**(1/2)/(d*x+c)**(1/2),x)

[Out] -a*d**3*meijerg(((9/4, 11/4, 1), (5/2, 5/2, 3)), ((2, 9/4, 5/2, 11/4, 3), (0,)), c**2/(d**2*x**2))/(4*pi**(3/2)*c**4) - I*a*d**3*meijerg(((3/2, 7/4, 2, 9/4, 5/2, 1), ()), ((7/4, 9/4), (3/2, 2, 2, 0)), c**2*exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*c**4) - b*d*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), c**2/(d**2*x**2))/(4*pi**(3/2)*c**2) - I*b*d*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), c**2*exp_polar(2*I*pi)/(d**2*x**2))/(4*pi**(3/2)*c**2)

$$3.224 \quad \int \frac{a+bx^2}{x^5 \sqrt{-c+dx} \sqrt{c+dx}} dx$$

Optimal. Leaf size=123

$$\frac{d^2 (3ad^2 + 4bc^2) \tan^{-1} \left(\frac{\sqrt{dx-c} \sqrt{c+dx}}{c} \right)}{8c^5} + \frac{\sqrt{dx-c} \sqrt{c+dx} (3ad^2 + 4bc^2)}{8c^4 x^2} + \frac{a \sqrt{dx-c} \sqrt{c+dx}}{4c^2 x^4}$$

Rubi [A] time = 0.10, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {454, 103, 12, 92, 205}

$$\frac{\sqrt{dx-c} \sqrt{c+dx} (3ad^2 + 4bc^2)}{8c^4 x^2} + \frac{d^2 (3ad^2 + 4bc^2) \tan^{-1} \left(\frac{\sqrt{dx-c} \sqrt{c+dx}}{c} \right)}{8c^5} + \frac{a \sqrt{dx-c} \sqrt{c+dx}}{4c^2 x^4}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(x^5*Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] (a*Sqrt[-c + d*x]*Sqrt[c + d*x])/(4*c^2*x^4) + ((4*b*c^2 + 3*a*d^2)*Sqrt[-c + d*x]*Sqrt[c + d*x])/(8*c^4*x^2) + (d^2*(4*b*c^2 + 3*a*d^2)*ArcTan[(Sqrt[-c + d*x]*Sqrt[c + d*x])/c])/(8*c^5)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 92

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 103

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[m] && (IntegerQ[n] || IntegersQ[2*n, 2*p])

Rule 205

$\text{Int}[(a_.) + (b_.) \cdot (x_.)^2]^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b]$

Rule 454

$\text{Int}[(e_.) \cdot (x_.)^{(m_.)} \cdot ((a1_.) + (b1_.) \cdot (x_.)^{(non2_.)})^{(p_.)} \cdot ((a2_.) + (b2_.) \cdot (x_.)^{(non2_.)})^{(p_.)} \cdot ((c_.) + (d_.) \cdot (x_.)^{(n_.)}), x_Symbol] \rightarrow \text{Simp}[(c \cdot (e \cdot x)^{(m+1}) \cdot (a1 + b1 \cdot x^{(n/2)})^{(p+1)} \cdot (a2 + b2 \cdot x^{(n/2)})^{(p+1)}) / (a1 \cdot a2 \cdot e^{(m+1)})], x] + \text{Dist}[(a1 \cdot a2 \cdot d \cdot (m+1) - b1 \cdot b2 \cdot c \cdot (m+n \cdot (p+1) + 1)) / (a1 \cdot a2 \cdot e^{(m+1)})], \text{Int}[(e \cdot x)^{(m+n)} \cdot (a1 + b1 \cdot x^{(n/2)})^p \cdot (a2 + b2 \cdot x^{(n/2)})^p, x], x] /; \text{FreeQ}\{a1, b1, a2, b2, c, d, e, p\}, x\} \&\& \text{EqQ}[non2, n/2] \&\& \text{EqQ}[a2 \cdot b1 + a1 \cdot b2, 0] \&\& (\text{IntegerQ}[n] \mid \mid \text{GtQ}[e, 0]) \&\& ((\text{GtQ}[n, 0] \&\& \text{LtQ}[m, -1]) \mid \mid (\text{LtQ}[n, 0] \&\& \text{GtQ}[m+n, -1])) \&\& !\text{LtQ}[p, -1]$

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2}{x^5 \sqrt{-c + dx} \sqrt{c + dx}} dx &= \frac{a\sqrt{-c + dx} \sqrt{c + dx}}{4c^2 x^4} + \frac{1}{4} \left(4b + \frac{3ad^2}{c^2} \right) \int \frac{1}{x^3 \sqrt{-c + dx} \sqrt{c + dx}} dx \\ &= \frac{a\sqrt{-c + dx} \sqrt{c + dx}}{4c^2 x^4} + \frac{(4bc^2 + 3ad^2) \sqrt{-c + dx} \sqrt{c + dx}}{8c^4 x^2} + \frac{(4bc^2 + 3ad^2) \int \frac{1}{x \sqrt{-c + dx} \sqrt{c + dx}} dx}{8c^4} \\ &= \frac{a\sqrt{-c + dx} \sqrt{c + dx}}{4c^2 x^4} + \frac{(4bc^2 + 3ad^2) \sqrt{-c + dx} \sqrt{c + dx}}{8c^4 x^2} + \frac{(d^2 (4bc^2 + 3ad^2)) \int \frac{1}{x} dx}{8c^4} \\ &= \frac{a\sqrt{-c + dx} \sqrt{c + dx}}{4c^2 x^4} + \frac{(4bc^2 + 3ad^2) \sqrt{-c + dx} \sqrt{c + dx}}{8c^4 x^2} + \frac{(d^3 (4bc^2 + 3ad^2)) \text{Sub}}{8c^4} \\ &= \frac{a\sqrt{-c + dx} \sqrt{c + dx}}{4c^2 x^4} + \frac{(4bc^2 + 3ad^2) \sqrt{-c + dx} \sqrt{c + dx}}{8c^4 x^2} + \frac{d^2 (4bc^2 + 3ad^2) \tan^{-1}}{8c^5} \end{aligned}$$

Mathematica [A] time = 0.11, size = 144, normalized size = 1.17

$$\frac{(c^2 - d^2 x^2) \left(c^2 \sqrt{1 - \frac{d^2 x^2}{c^2}} (2ac^2 + 3ad^2 x^2 + 4bc^2 x^2) + d^2 x^4 (3ad^2 + 4bc^2) \tanh^{-1} \left(\sqrt{1 - \frac{d^2 x^2}{c^2}} \right) \right)}{8c^6 x^4 \sqrt{dx - c} \sqrt{c + dx} \sqrt{1 - \frac{d^2 x^2}{c^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(x^5*Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] $-1/8*((c^2 - d^2*x^2)*(c^2*(2*a*c^2 + 4*b*c^2*x^2 + 3*a*d^2*x^2)*\text{Sqrt}[1 - (d^2*x^2)/c^2] + d^2*(4*b*c^2 + 3*a*d^2)*x^4*\text{ArcTanh}[\text{Sqrt}[1 - (d^2*x^2)/c^2]])/(c^6*x^4*\text{Sqrt}[-c + d*x]*\text{Sqrt}[c + d*x]*\text{Sqrt}[1 - (d^2*x^2)/c^2])$

IntegrateAlgebraic [A] time = 0.19, size = 209, normalized size = 1.70

$$\frac{(3ad^4 + 4bc^2d^2) \tan^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right) - d^2\sqrt{dx-c} \left(\frac{dx-c}{c+dx} - 1\right) \left(\frac{2ad^2(dx-c)}{c+dx} + \frac{5ad^2(dx-c)^2}{(c+dx)^2} + 5ad^2 + \frac{8bc^2(dx-c)}{c+dx} + \frac{4bc^2(dx-c)^2}{(c+dx)^2} + 4bc^2\right)}{4c^5} - \frac{d^2\sqrt{dx-c} \left(\frac{dx-c}{c+dx} + 1\right)^4}{4c^5\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(x^5*Sqrt[-c + d*x]*Sqrt[c + d*x]),x]

[Out] $-1/4*(d^2*\text{Sqrt}[-c + d*x]*(-1 + (-c + d*x)/(c + d*x))*(4*b*c^2 + 5*a*d^2 + (4*b*c^2*(-c + d*x)^2)/(c + d*x)^2 + (5*a*d^2*(-c + d*x)^2)/(c + d*x)^2 + (8*b*c^2*(-c + d*x))/(c + d*x) + (2*a*d^2*(-c + d*x))/(c + d*x)))/(c^5*\text{Sqrt}[c + d*x]*(1 + (-c + d*x)/(c + d*x))^4) + ((4*b*c^2*d^2 + 3*a*d^4)*\text{ArcTan}[\text{Sqrt}[-c + d*x]/\text{Sqrt}[c + d*x]])/(4*c^5)$

fricas [A] time = 0.86, size = 100, normalized size = 0.81

$$\frac{2(4bc^2d^2 + 3ad^4)x^4 \arctan\left(-\frac{dx - \sqrt{dx+c}\sqrt{dx-c}}{c}\right) + (2ac^3 + (4bc^3 + 3acd^2)x^2)\sqrt{dx+c}\sqrt{dx-c}}{8c^5x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^5/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="fricas")

[Out] $1/8*(2*(4*b*c^2*d^2 + 3*a*d^4)*x^4*\arctan(-(d*x - \text{sqrt}(d*x + c))*\text{sqrt}(d*x - c))/c) + (2*a*c^3 + (4*b*c^3 + 3*a*c*d^2)*x^2)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c)/(c^5*x^4)$

giac [B] time = 0.27, size = 325, normalized size = 2.64

$$\frac{\frac{(4bc^2d^3 + 3ad^5) \arctan\left(\frac{\sqrt{dx+c} - \sqrt{dx-c}}{2c}\right)}{5} + 2(4bc^2d^3(\sqrt{dx+c} - \sqrt{dx-c})^{14} + 3ad^5(\sqrt{dx+c} - \sqrt{dx-c})^{14} + 16bc^4d^3(\sqrt{dx+c} - \sqrt{dx-c})^{10} + 44a^2d^5(\sqrt{dx+c} - \sqrt{dx-c})^{10} - 64bc^4d^3(\sqrt{dx+c} - \sqrt{dx-c})^6 - 176a^4d^5(\sqrt{dx+c} - \sqrt{dx-c})^6 - 256bc^4d^3(\sqrt{dx+c} - \sqrt{dx-c})^2 - 192a^4d^5(\sqrt{dx+c} - \sqrt{dx-c})^2)}{4d}}{((\sqrt{dx+c} - \sqrt{dx-c})^4 + 4c^2)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^5/(d*x-c)^(1/2)/(d*x+c)^(1/2),x, algorithm="giac")

[Out] $-1/4*((4*b*c^2*d^3 + 3*a*d^5)*\arctan(1/2*(\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c)))^2/c)/c^5 + 2*(4*b*c^2*d^3*(\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^{14} + 3*a*d^5*(\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^{14} + 16*b*c^4*d^3*(\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^{10} + 44*a*c^2*d^5*(\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^{10} - 64*b*c^4*d^3*(\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^{6} - 176*a^4*d^5*(\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^{6} - 256*b*c^4*d^3*(\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^{2} - 192*a^4*d^5*(\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^{2})/((\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^4 + 4c^2)^4$

$d*x + c) - \sqrt{d*x - c})^6 - 176*a*c^4*d^5*(\sqrt{d*x + c) - \sqrt{d*x - c})^6 - 256*b*c^8*d^3*(\sqrt{d*x + c) - \sqrt{d*x - c})^2 - 192*a*c^6*d^5*(\sqrt{d*x + c) - \sqrt{d*x - c})^2)/(((\sqrt{d*x + c) - \sqrt{d*x - c})^4 + 4*c^2)^4 *c^4)/d$

maple [B] time = 0.07, size = 227, normalized size = 1.85

$$\frac{\sqrt{dx-c} \sqrt{dx+c} \left(3a d^4 x^4 \ln\left(\frac{2(c^2 - \sqrt{-c^2} \sqrt{d^2 x^2 - c^2})}{x}\right) + 4b c^2 d^2 x^4 \ln\left(\frac{2(c^2 - \sqrt{-c^2} \sqrt{d^2 x^2 - c^2})}{x}\right) - 3\sqrt{-c^2} \sqrt{d^2 x^2 - c^2} a d^2 x^2 - 4\sqrt{-c^2} \sqrt{d^2 x^2 - c^2} b c^2 x^2 - 2\sqrt{-c^2} \sqrt{d^2 x^2 - c^2} a c^2 \right)}{8\sqrt{d^2 x^2 - c^2} \sqrt{-c^2} c^4 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/x^5/(d*x-c)^(1/2)/(d*x+c)^(1/2), x)

[Out] $-1/8*(d*x-c)^{(1/2)}*(d*x+c)^{(1/2)}/c^4*(3*\ln(-2*(c^2-(-c^2)^{(1/2)}*(d^2*x^2-c^2)^{(1/2)}))/x)*x^4*a*d^4+4*b*c^2*d^2*x^4*\ln(-2*(c^2-(-c^2)^{(1/2)}*(d^2*x^2-c^2)^{(1/2)}))/x)-3*(-c^2)^{(1/2)}*(d^2*x^2-c^2)^{(1/2)}*x^2*a*d^2-4*(-c^2)^{(1/2)}*(d^2*x^2-c^2)^{(1/2)}*x^2*b*c^2-2*(-c^2)^{(1/2)}*(d^2*x^2-c^2)^{(1/2)}*a*c^2)/(d^2*x^2-c^2)^{(1/2)}/x^4/(-c^2)^{(1/2)}$

maxima [A] time = 1.21, size = 114, normalized size = 0.93

$$-\frac{bd^2 \arcsin\left(\frac{c}{d|x|}\right)}{2c^3} - \frac{3ad^4 \arcsin\left(\frac{c}{d|x|}\right)}{8c^5} + \frac{\sqrt{d^2x^2 - c^2} b}{2c^2x^2} + \frac{3\sqrt{d^2x^2 - c^2} ad^2}{8c^4x^2} + \frac{\sqrt{d^2x^2 - c^2} a}{4c^2x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^5/(d*x-c)^(1/2)/(d*x+c)^(1/2), x, algorithm="maxima")

[Out] $-1/2*b*d^2*\arcsin(c/(d*\text{abs}(x)))/c^3 - 3/8*a*d^4*\arcsin(c/(d*\text{abs}(x)))/c^5 + 1/2*\sqrt{d^2*x^2 - c^2}*b/(c^2*x^2) + 3/8*\sqrt{d^2*x^2 - c^2}*a*d^2/(c^4*x^2) + 1/4*\sqrt{d^2*x^2 - c^2}*a/(c^2*x^4)$

mupad [B] time = 19.13, size = 1005, normalized size = 8.17

$$\frac{3a\sqrt{c} \ln\left(\frac{\sqrt{d^2x^2 - c^2}}{\sqrt{c^2 - d^2x^2}}\right)}{8c^3} - \frac{3ad^4 \ln\left(\frac{\sqrt{d^2x^2 - c^2}}{\sqrt{c^2 - d^2x^2}}\right)}{8c^5} + \frac{bd^2 \sqrt{d^2x^2 - c^2}}{2c^2x^2} + \frac{3ad^2 \sqrt{d^2x^2 - c^2}}{8c^4x^2} + \frac{a\sqrt{d^2x^2 - c^2}}{4c^2x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)/(x^5*(c + d*x)^(1/2)*(d*x - c)^(1/2)), x)

[Out] $(3*a*(-c)^{(1/2)}*d^4*\log(((c + d*x)^{(1/2)} - c^{(1/2)})/((-c)^{(1/2)} - (d*x - c)^{(1/2)})))/(8*c^{(11/2)}) - ((b*(-c)^{(3/2)}*d^2)/(32*c^{(9/2)}) + (b*(-c)^{(3/2)}*d^2*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/(16*c^{(9/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2) - (15*b*(-c)^{(3/2)}*d^2*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/(32*c^{(9/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4))/(((c + d*x)^{(1/2)} - c^{(1/2)})^2/((-c)^{(1/2)} -$

$$\begin{aligned}
& (d*x - c)^{(1/2)}^2 + (2*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4 + ((c + d*x)^{(1/2)} - c^{(1/2)})^6/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^6 - ((a*(-c)^{(1/2)}*d^4)/(1024*c^{(11/2)}) - (3*a*(-c)^{(1/2)}*d^4*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/(128*c^{(11/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2) - (53*a*(-c)^{(1/2)}*d^4*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/(512*c^{(11/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4) + (87*a*(-c)^{(1/2)}*d^4*((c + d*x)^{(1/2)} - c^{(1/2)})^6)/(256*c^{(11/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^6) + (657*a*(-c)^{(1/2)}*d^4*((c + d*x)^{(1/2)} - c^{(1/2)})^8)/(1024*c^{(11/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^8) + (121*a*(-c)^{(1/2)}*d^4*((c + d*x)^{(1/2)} - c^{(1/2)})^10)/(256*c^{(11/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^10)/(((c + d*x)^{(1/2)} - c^{(1/2)})^4/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4 + (4*((c + d*x)^{(1/2)} - c^{(1/2)})^6)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^6 + (6*((c + d*x)^{(1/2)} - c^{(1/2)})^8)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^8 + (4*((c + d*x)^{(1/2)} - c^{(1/2)})^10)/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^10 + ((c + d*x)^{(1/2)} - c^{(1/2)})^12/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^12) - (b*(-c)^{(3/2)}*d^2*log(((c + d*x)^{(1/2)} - c^{(1/2)})/((-c)^{(1/2)} - (d*x - c)^{(1/2)})))/(2*c^{(9/2)}) - (3*a*(-c)^{(1/2)}*d^4*log(((c + d*x)^{(1/2)} - c^{(1/2)})^2/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 + 1))/(8*c^{(11/2)}) + (b*(-c)^{(3/2)}*d^2*log(((c + d*x)^{(1/2)} - c^{(1/2)})^2/((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2 + 1))/(2*c^{(9/2)}) - (7*a*d^4*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/(256*(-c)^{(1/2)}*c^{(9/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2) + (a*d^4*((c + d*x)^{(1/2)} - c^{(1/2)})^4)/(1024*(-c)^{(1/2)}*c^{(9/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^4) + (b*d^2*((c + d*x)^{(1/2)} - c^{(1/2)})^2)/(32*(-c)^{(3/2)}*c^{(3/2)}*((-c)^{(1/2)} - (d*x - c)^{(1/2)})^2)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)/x**5/(d*x-c)**(1/2)/(d*x+c)**(1/2), x)

[Out] Timed out

$$3.225 \quad \int \frac{x^4(a+bx^2)}{(-c+dx)^{3/2}(c+dx)^{3/2}} dx$$

Optimal. Leaf size=161

$$\frac{3c^2(4ad^2 + 5bc^2) \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{4d^7} + \frac{3x\sqrt{dx-c}\sqrt{c+dx}(4ad^2 + 5bc^2)}{8d^6} - \frac{x^3(4ad^2 + 5bc^2)}{4d^4\sqrt{dx-c}\sqrt{c+dx}} + \frac{bx^5}{4d^2\sqrt{dx-c}\sqrt{c+dx}}$$

Rubi [A] time = 0.12, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {460, 98, 21, 90, 12, 63, 217, 206}

$$-\frac{x^3(4ad^2 + 5bc^2)}{4d^4\sqrt{dx-c}\sqrt{c+dx}} + \frac{3x\sqrt{dx-c}\sqrt{c+dx}(4ad^2 + 5bc^2)}{8d^6} + \frac{3c^2(4ad^2 + 5bc^2) \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{4d^7} + \frac{bx^5}{4d^2\sqrt{dx-c}\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(a + b*x^2))/((-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] -((5*b*c^2 + 4*a*d^2)*x^3)/(4*d^4*Sqrt[-c + d*x]*Sqrt[c + d*x]) + (b*x^5)/(4*d^2*Sqrt[-c + d*x]*Sqrt[c + d*x]) + (3*(5*b*c^2 + 4*a*d^2)*x*Sqrt[-c + d*x]*Sqrt[c + d*x])/(8*d^6) + (3*c^2*(5*b*c^2 + 4*a*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/(4*d^7)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 21

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 90

Int[((a_.) + (b_.)*(x_))²*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(a + b*x)*(c + d*x)^(n + 1)(e + f*x)^(p + 1)/(d*f*(n + p + 3)), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)ⁿ(e + f*x)^p*Simp[a²*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]

Rule 98

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[((b*c - a*d)*(a + b*x)^(m + 1)(c + d*x)^(n - 1)(e + f*x)^(p + 1)/(b*(b*e - a*f)*(m + 1)), x] + Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)(c + d*x)^(n - 2)(e + f*x)^p*Simp[a*d*(d*e*(n - 1) + c*f*(p + 1)) + b*c*(d*e*(m - n + 2) - c*f*(m + p + 2)) + d*(a*d*f*(n + p) + b*(d*e*(m + 1) - c*f*(m + n + p + 1)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

Rule 206

Int[((a_) + (b_.)*(x_)²)⁽⁻¹⁾, x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)²], x_Symbol] := Subst[Int[1/(1 - b*x²), x], x, x/Sqrt[a + b*x²]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 460

Int[((e_.)*(x_))^(m_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)(a1 + b1*x^(n/2))^(p + 1)(a2 + b2*x^(n/2))^(p + 1)/(b1*b2*e*(m + n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^m(a1 + b1*x^(n/2))^p(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (a + bx^2)}{(-c + dx)^{3/2} (c + dx)^{3/2}} dx &= \frac{bx^5}{4d^2 \sqrt{-c + dx} \sqrt{c + dx}} - \frac{1}{4} \left(-4a - \frac{5bc^2}{d^2} \right) \int \frac{x^4}{(-c + dx)^{3/2} (c + dx)^{3/2}} dx \\
&= -\frac{(5bc^2 + 4ad^2)x^3}{4d^4 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{bx^5}{4d^2 \sqrt{-c + dx} \sqrt{c + dx}} - \frac{\left(4a + \frac{5bc^2}{d^2}\right) \int \frac{x^2(-3c^2 - 3cdx)}{\sqrt{-c+dx}(c+dx)^{3/2}}}{4cd^2} \\
&= -\frac{(5bc^2 + 4ad^2)x^3}{4d^4 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{bx^5}{4d^2 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{(3(5bc^2 + 4ad^2)) \int \frac{x^2}{\sqrt{-c+dx}}}{4d^4} \\
&= -\frac{(5bc^2 + 4ad^2)x^3}{4d^4 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{bx^5}{4d^2 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{3(5bc^2 + 4ad^2)x\sqrt{-c + dx}}{8d^6} \\
&= -\frac{(5bc^2 + 4ad^2)x^3}{4d^4 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{bx^5}{4d^2 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{3(5bc^2 + 4ad^2)x\sqrt{-c + dx}}{8d^6} \\
&= -\frac{(5bc^2 + 4ad^2)x^3}{4d^4 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{bx^5}{4d^2 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{3(5bc^2 + 4ad^2)x\sqrt{-c + dx}}{8d^6} \\
&= -\frac{(5bc^2 + 4ad^2)x^3}{4d^4 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{bx^5}{4d^2 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{3(5bc^2 + 4ad^2)x\sqrt{-c + dx}}{8d^6} \\
&= -\frac{(5bc^2 + 4ad^2)x^3}{4d^4 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{bx^5}{4d^2 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{3(5bc^2 + 4ad^2)x\sqrt{-c + dx}}{8d^6}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 119, normalized size = 0.74

$$\frac{3c^3 \sqrt{1 - \frac{d^2 x^2}{c^2}} (4ad^2 + 5bc^2) \sin^{-1}\left(\frac{dx}{c}\right) + 4ad^3 x (d^2 x^2 - 3c^2) + bdx (-15c^4 + 5c^2 d^2 x^2 + 2d^4 x^4)}{8d^7 \sqrt{dx - c} \sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(a + b*x^2))/((-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] (4*a*d^3*x*(-3*c^2 + d^2*x^2) + b*d*x*(-15*c^4 + 5*c^2*d^2*x^2 + 2*d^4*x^4) + 3*c^3*(5*b*c^2 + 4*a*d^2)*Sqrt[1 - (d^2*x^2)/c^2]*ArcSin[(d*x)/c])/(8*d^7*Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [A] time = 0.26, size = 297, normalized size = 1.84

$$\frac{3(4ac^2d^2 + 5bc^4) \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right) - c^2 \sqrt{c+dx} \left(\frac{dx-c}{c+dx} + 1\right) \left(\frac{2ad^2(dx-c)^4}{(c+dx)^4} - \frac{12ad^2(dx-c)^3}{(c+dx)^3} + \frac{20ad^2(dx-c)^2}{(c+dx)^2} - \frac{12ad^2(dx-c)}{c+dx} + 2ad^2 + \frac{2bc^2(dx-c)^4}{(c+dx)^4} - \frac{17bc^2(dx-c)^3}{(c+dx)^3} + \frac{22bc^2(dx-c)^2}{(c+dx)^2} - \frac{17bc^2(dx-c)}{c+dx} + 2bc^2\right)}{4d^7 \sqrt{dx-c} \left(\frac{dx-c}{c+dx} - 1\right)^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^4*(a + b*x^2))/((-c + d*x)^(3/2)*(c + d*x)^(3/2)),x]

[Out]
$$-1/4*(c^2*\text{Sqrt}[c + d*x]*(1 + (-c + d*x)/(c + d*x))*(2*b*c^2 + 2*a*d^2 + (2*b*c^2*(-c + d*x)^4)/(c + d*x)^4 + (2*a*d^2*(-c + d*x)^4)/(c + d*x)^4 - (17*b*c^2*(-c + d*x)^3)/(c + d*x)^3 - (12*a*d^2*(-c + d*x)^3)/(c + d*x)^3 + (22*b*c^2*(-c + d*x)^2)/(c + d*x)^2 + (20*a*d^2*(-c + d*x)^2)/(c + d*x)^2 - (17*b*c^2*(-c + d*x))/(c + d*x) - (12*a*d^2*(-c + d*x))/(c + d*x)))/(d^7*\text{Sqrt}[-c + d*x]*(-1 + (-c + d*x)/(c + d*x))^4) + (3*(5*b*c^4 + 4*a*c^2*d^2)*\text{ArcTanh}[\text{Sqrt}[-c + d*x]/\text{Sqrt}[c + d*x]])/(4*d^7)$$

fricas [A] time = 0.86, size = 190, normalized size = 1.18

$$\frac{8bc^6 + 8ac^4d^2 - 8(bc^4d^2 + ac^2d^4)x^2 + (2bd^5x^5 + (5bc^2d^3 + 4ad^5)x^3 - 3(5bc^4d + 4ac^2d^3)x)\sqrt{dx+c}\sqrt{dx-c} + 3(5bc^6 + 4ac^4d^2 - (5bc^4d^2 + 4ac^2d^4)x^2)\log(-dx + \sqrt{dx+c}\sqrt{dx-c})}{8(d^9x^2 - c^2d^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="fricas")

[Out]
$$1/8*(8*b*c^6 + 8*a*c^4*d^2 - 8*(b*c^4*d^2 + a*c^2*d^4)*x^2 + (2*b*d^5*x^5 + (5*b*c^2*d^3 + 4*a*d^5)*x^3 - 3*(5*b*c^4*d + 4*a*c^2*d^3)*x)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c) + 3*(5*b*c^6 + 4*a*c^4*d^2 - (5*b*c^4*d^2 + 4*a*c^2*d^4)*x^2)*\log(-d*x + \text{sqrt}(d*x + c)*\text{sqrt}(d*x - c)))/(d^9*x^2 - c^2*d^7)$$

giac [A] time = 0.40, size = 214, normalized size = 1.33

$$\left(\frac{((dx+c)\left(2(dx+c)\left(\frac{(dx+c)b}{d^7} - \frac{5bc}{d^7}\right) + \frac{25bc^2d^{35} + 4ad^{37}}{d^{42}}\right) - \frac{35bc^2d^{35} + 12acd^{37}}{d^{42}})(dx+c) + \frac{2(7bc^4d^{25} + 2ac^2d^{37})}{d^{42}})\sqrt{dx+c}}{8\sqrt{dx-c}} - \frac{3(5bc^4 + 4ac^2d^2)\log\left(\frac{(\sqrt{dx+c} - \sqrt{dx-c})^2}{(\sqrt{dx+c} + \sqrt{dx-c})^2 + 2c}\right)}{8d^7} - \frac{2(bc^5 + ac^3d^2)}{((\sqrt{dx+c} - \sqrt{dx-c})^2 + 2c)d^7}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="giac")

[Out]
$$1/8*(((d*x + c)*(2*(d*x + c)*((d*x + c)*b/d^7 - 5*b*c/d^7) + (25*b*c^2*d^35 + 4*a*d^37)/d^42) - (35*b*c^3*d^35 + 12*a*c*d^37)/d^42)*(d*x + c) + 2*(7*b*c^4*d^35 + 2*a*c^2*d^37)/d^42)*\text{sqrt}(d*x + c)/\text{sqrt}(d*x - c) - 3/8*(5*b*c^4 + 4*a*c^2*d^2)*\log((\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^2)/d^7 - 2*(b*c^5 + a*c^3*d^2)/(((\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^2 + 2*c)*d^7)$$

maple [C] time = 0.09, size = 316, normalized size = 1.96

$$\frac{(2\sqrt{b^2d^2 - c^2}b^2d^2\text{csgn}(d) + 12a^2d^2\ln\left(\frac{dx + \sqrt{b^2d^2 - c^2}\text{csgn}(d)}{\text{csgn}(d)}\right) + 4\sqrt{b^2d^2 - c^2}a^2d^2\text{csgn}(d) + 15b^4d^2\ln\left(\frac{dx + \sqrt{b^2d^2 - c^2}\text{csgn}(d)}{\text{csgn}(d)}\right) + 5\sqrt{b^2d^2 - c^2}b^2d^2\text{csgn}(d) - 12a^2d^2\ln\left(\frac{dx + \sqrt{b^2d^2 - c^2}\text{csgn}(d)}{\text{csgn}(d)}\right) - 12\sqrt{b^2d^2 - c^2}a^2d^2\text{csgn}(d) - 15b^4d^2\ln\left(\frac{dx + \sqrt{b^2d^2 - c^2}\text{csgn}(d)}{\text{csgn}(d)}\right) - 15\sqrt{b^2d^2 - c^2}b^2d^2\text{csgn}(d))}{8\sqrt{b^2d^2 - c^2}\sqrt{dx+c}\sqrt{dx-c}d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x)

[Out] $\frac{1}{8}*(2*(d^2*x^2-c^2)^{(1/2)}*b*d^5*x^5*c\text{sgn}(d)+4*(d^2*x^2-c^2)^{(1/2)}*a*d^5*x^3*c\text{sgn}(d)+5*(d^2*x^2-c^2)^{(1/2)}*b*c^2*d^3*x^3*c\text{sgn}(d)+12*\ln((d*x+(d^2*x^2-c^2)^{(1/2)})*c\text{sgn}(d))*c\text{sgn}(d))*x^2*a*c^2*d^4+15*\ln((d*x+(d^2*x^2-c^2)^{(1/2)})*c\text{sgn}(d))*c\text{sgn}(d))*x^2*b*c^4*d^2-12*(d^2*x^2-c^2)^{(1/2)}*a*c^2*d^3*x*c\text{sgn}(d)-15*(d^2*x^2-c^2)^{(1/2)}*b*c^4*d*x*c\text{sgn}(d)-12*a*c^4*d^2*\ln((d*x+(d^2*x^2-c^2)^{(1/2)})*c\text{sgn}(d))*c\text{sgn}(d)-15*b*c^6*\ln((d*x+(d^2*x^2-c^2)^{(1/2)})*c\text{sgn}(d))*c\text{sgn}(d)))/((d^2*x^2-c^2)^{(1/2)}/d^7/(d*x+c)^{(1/2)}/(d*x-c)^{(1/2)})$

maxima [A] time = 0.49, size = 196, normalized size = 1.22

$$\frac{bx^5}{4\sqrt{d^2x^2-c^2}d^2} + \frac{5bc^2x^3}{8\sqrt{d^2x^2-c^2}d^4} + \frac{ax^3}{2\sqrt{d^2x^2-c^2}d^2} - \frac{15bc^4x}{8\sqrt{d^2x^2-c^2}d^6} - \frac{3ac^2x}{2\sqrt{d^2x^2-c^2}d^4} + \frac{15bc^4 \log(2d^2x+2\sqrt{d^2x^2-c^2}d)}{8d^7} + \frac{3ac^2 \log(2d^2x+2\sqrt{d^2x^2-c^2}d)}{2d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] $\frac{1}{4}*b*x^5/(\text{sqrt}(d^2*x^2 - c^2)*d^2) + \frac{5}{8}*b*c^2*x^3/(\text{sqrt}(d^2*x^2 - c^2)*d^4) + \frac{1}{2}*a*x^3/(\text{sqrt}(d^2*x^2 - c^2)*d^2) - \frac{15}{8}*b*c^4*x/(\text{sqrt}(d^2*x^2 - c^2)*d^6) - \frac{3}{2}*a*c^2*x/(\text{sqrt}(d^2*x^2 - c^2)*d^4) + \frac{15}{8}*b*c^4*\log(2*d^2*x + 2*\text{sqrt}(d^2*x^2 - c^2)*d)/d^7 + \frac{3}{2}*a*c^2*\log(2*d^2*x + 2*\text{sqrt}(d^2*x^2 - c^2)*d)/d^5$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4 (bx^2 + a)}{(c + dx)^{3/2} (dx - c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4*(a + b*x^2))/((c + d*x)^(3/2)*(d*x - c)^(3/2)),x)`

[Out] `int((x^4*(a + b*x^2))/((c + d*x)^(3/2)*(d*x - c)^(3/2)), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(b*x**2+a)/(d*x-c)**(3/2)/(d*x+c)**(3/2),x)`

[Out] Timed out

$$3.226 \quad \int \frac{x^3(a+bx^2)}{(-c+dx)^{3/2}(c+dx)^{3/2}} dx$$

Optimal. Leaf size=115

$$\frac{2\sqrt{dx-c}\sqrt{c+dx}(3ad^2+4bc^2)}{3d^6} - \frac{x^2(3ad^2+4bc^2)}{3d^4\sqrt{dx-c}\sqrt{c+dx}} + \frac{bx^4}{3d^2\sqrt{dx-c}\sqrt{c+dx}}$$

Rubi [A] time = 0.09, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {460, 98, 21, 74}

$$-\frac{x^2(3ad^2+4bc^2)}{3d^4\sqrt{dx-c}\sqrt{c+dx}} + \frac{2\sqrt{dx-c}\sqrt{c+dx}(3ad^2+4bc^2)}{3d^6} + \frac{bx^4}{3d^2\sqrt{dx-c}\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*x^2))/((-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] -((4*b*c^2 + 3*a*d^2)*x^2)/(3*d^4*Sqrt[-c + d*x]*Sqrt[c + d*x]) + (b*x^4)/(3*d^2*Sqrt[-c + d*x]*Sqrt[c + d*x]) + (2*(4*b*c^2 + 3*a*d^2)*Sqrt[-c + d*x]*Sqrt[c + d*x])/(3*d^6)

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 74

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]

Rule 98

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[((b*c - a*d)*(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^(p + 1))/(b*(b*e - a*f)*(m + 1)), x] + Dist[1/(b*(b*e - a*f)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 2)*(e + f*x)^p*Simp[a*d*(d*e*(n - 1) + c*f*(p + 1)) + b*c*(d*e*(m - n + 2) - c*f*(m + p + 2)) + d*(a*d*f*(n + p) + b*(d*e*(m + 1) - c*f*(m + n + p + 1)))*x, x], x] /; FreeQ[{a,

b, c, d, e, f, p}, x] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2*m, 2*n, 2*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

Rule 460

Int[((e_)*(x_))^(m_)*((a1_) + (b1_)*(x_)^(non2_))^(p_)*((a2_) + (b2_)*(x_)^(non2_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Simp[(d*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(b1*b2*e*(m + n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned} \int \frac{x^3 (a + bx^2)}{(-c + dx)^{3/2} (c + dx)^{3/2}} dx &= \frac{bx^4}{3d^2 \sqrt{-c + dx} \sqrt{c + dx}} - \frac{1}{3} \left(-3a - \frac{4bc^2}{d^2} \right) \int \frac{x^3}{(-c + dx)^{3/2} (c + dx)^{3/2}} dx \\ &= -\frac{(4bc^2 + 3ad^2)x^2}{3d^4 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{bx^4}{3d^2 \sqrt{-c + dx} \sqrt{c + dx}} - \frac{\left(3a + \frac{4bc^2}{d^2} \right) \int \frac{x(-2c^2 - 2cdx)}{\sqrt{-c + dx} (c + dx)^{3/2}}}{3cd^2} \\ &= -\frac{(4bc^2 + 3ad^2)x^2}{3d^4 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{bx^4}{3d^2 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{\left(2 \left(3a + \frac{4bc^2}{d^2} \right) \right) \int \frac{x}{\sqrt{-c + dx} \sqrt{c + dx}}}{3d^2} \\ &= -\frac{(4bc^2 + 3ad^2)x^2}{3d^4 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{bx^4}{3d^2 \sqrt{-c + dx} \sqrt{c + dx}} + \frac{2(4bc^2 + 3ad^2) \sqrt{-c + dx} \sqrt{c + dx}}{3d^6} \end{aligned}$$

Mathematica [A] time = 0.05, size = 72, normalized size = 0.63

$$\frac{-6ac^2d^2 + 3ad^4x^2 - 8bc^4 + 4bc^2d^2x^2 + bd^4x^4}{3d^6\sqrt{dx - c}\sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*x^2))/((-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] (-8*b*c^4 - 6*a*c^2*d^2 + 4*b*c^2*d^2*x^2 + 3*a*d^4*x^2 + b*d^4*x^4)/(3*d^6*Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [B] time = 0.16, size = 236, normalized size = 2.05

$$\frac{\sqrt{c+dx} \left(\frac{3acd^2(dx-c)^4}{(c+dx)^4} - \frac{24acd^2(dx-c)^3}{(c+dx)^3} + \frac{42acd^2(dx-c)^2}{(c+dx)^2} - \frac{24acd^2(dx-c)}{c+dx} + 3acd^2 + \frac{3bc^3(dx-c)^4}{(c+dx)^4} - \frac{36bc^3(dx-c)^3}{(c+dx)^3} + \frac{50bc^3(dx-c)^2}{(c+dx)^2} - \frac{36bc^3(dx-c)}{c+dx} + 3bc^3 \right)}{6d^6\sqrt{dx-c} \left(\frac{dx-c}{c+dx} - 1 \right)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3*(a + b*x^2))/((-c + d*x)^(3/2)*(c + d*x)^(3/2)),x]

[Out] (Sqrt[c + d*x]*(3*b*c^3 + 3*a*c*d^2 + (3*b*c^3*(-c + d*x)^4)/(c + d*x)^4 + (3*a*c*d^2*(-c + d*x)^4)/(c + d*x)^4 - (36*b*c^3*(-c + d*x)^3)/(c + d*x)^3 - (24*a*c*d^2*(-c + d*x)^3)/(c + d*x)^3 + (50*b*c^3*(-c + d*x)^2)/(c + d*x)^2 + (42*a*c*d^2*(-c + d*x)^2)/(c + d*x)^2 - (36*b*c^3*(-c + d*x))/(c + d*x) - (24*a*c*d^2*(-c + d*x))/(c + d*x))/(6*d^6*Sqrt[-c + d*x]*(-1 + (-c + d*x)/(c + d*x))^3)

fricas [A] time = 0.66, size = 80, normalized size = 0.70

$$\frac{(bd^4x^4 - 8bc^4 - 6ac^2d^2 + (4bc^2d^2 + 3ad^4)x^2)\sqrt{dx+c}\sqrt{dx-c}}{3(d^8x^2 - c^2d^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="fricas")

[Out] 1/3*(b*d^4*x^4 - 8*b*c^4 - 6*a*c^2*d^2 + (4*b*c^2*d^2 + 3*a*d^4)*x^2)*sqrt(d*x + c)*sqrt(d*x - c)/(d^8*x^2 - c^2*d^6)

giac [B] time = 0.43, size = 200, normalized size = 1.74

$$\frac{\left(2(dx+c) \left((dx+c) \left(\frac{(dx+c)b}{d^6} - \frac{4bc}{d^6} \right) + \frac{10bc^2d^{24}+3ad^{26}}{d^{30}} \right) - \frac{3(9bc^3d^{24}+5acd^{26})}{d^{30}} \right) \sqrt{dx+c}}{6\sqrt{dx-c}} + \frac{2(b^2c^8+2abc^6d^2+a^2c^4d^4)}{(bc^4(\sqrt{dx+c}-\sqrt{dx-c})^2+ac^2d^2(\sqrt{dx+c}-\sqrt{dx-c})^2+2bc^5+2ac^3d^2)d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="giac")

[Out] 1/6*(2*(d*x + c)*((d*x + c)*((d*x + c)*b/d^6 - 4*b*c/d^6) + (10*b*c^2*d^24 + 3*a*d^26)/d^30) - 3*(9*b*c^3*d^24 + 5*a*c*d^26)/d^30)*sqrt(d*x + c)/sqrt(d*x - c) + 2*(b^2*c^8 + 2*a*b*c^6*d^2 + a^2*c^4*d^4)/((b*c^4*(sqrt(d*x + c) - sqrt(d*x - c))^2 + a*c^2*d^2*(sqrt(d*x + c) - sqrt(d*x - c))^2 + 2*b*c^5 + 2*a*c^3*d^2)*d^6)

maple [A] time = 0.05, size = 68, normalized size = 0.59

$$\frac{-bd^4x^4 - 3ad^4x^2 - 4bc^2d^2x^2 + 6ac^2d^2 + 8bc^4}{3\sqrt{dx+c}\sqrt{dx-c}d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3*(b*x^2+a)/(d*x-c)^{(3/2)}/(d*x+c)^{(3/2)}, x)$

[Out] $-1/3*(-b*d^4*x^4-3*a*d^4*x^2-4*b*c^2*d^2*x^2+6*a*c^2*d^2+8*b*c^4)/(d*x+c)^{(1/2)}/d^6/(d*x-c)^{(1/2)}$

maxima [A] time = 0.46, size = 123, normalized size = 1.07

$$\frac{bx^4}{3\sqrt{d^2x^2 - c^2}d^2} + \frac{4bc^2x^2}{3\sqrt{d^2x^2 - c^2}d^4} + \frac{ax^2}{\sqrt{d^2x^2 - c^2}d^2} - \frac{8bc^4}{3\sqrt{d^2x^2 - c^2}d^6} - \frac{2ac^2}{\sqrt{d^2x^2 - c^2}d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3*(b*x^2+a)/(d*x-c)^{(3/2)}/(d*x+c)^{(3/2)}, x, \text{algorithm}="maxima")$

[Out] $1/3*b*x^4/(\text{sqrt}(d^2*x^2 - c^2)*d^2) + 4/3*b*c^2*x^2/(\text{sqrt}(d^2*x^2 - c^2)*d^4) + a*x^2/(\text{sqrt}(d^2*x^2 - c^2)*d^2) - 8/3*b*c^4/(\text{sqrt}(d^2*x^2 - c^2)*d^6) - 2*a*c^2/(\text{sqrt}(d^2*x^2 - c^2)*d^4)$

mupad [B] time = 2.80, size = 90, normalized size = 0.78

$$\frac{\sqrt{dx-c} \left(\frac{x^2(4bc^2d^2+3ad^4)}{3d^7} - \frac{8bc^4+6ac^2d^2}{3d^7} + \frac{bx^4}{3d^3} \right)}{x\sqrt{c+dx} - \frac{c\sqrt{c+dx}}{d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^3*(a + b*x^2))/((c + d*x)^{(3/2)}*(d*x - c)^{(3/2)}), x)$

[Out] $((d*x - c)^{(1/2)}*((x^2*(3*a*d^4 + 4*b*c^2*d^2))/(3*d^7) - (8*b*c^4 + 6*a*c^2*d^2)/(3*d^7) + (b*x^4)/(3*d^3)))/(x*(c + d*x)^{(1/2)} - (c*(c + d*x)^{(1/2)})/d)$

sympy [C] time = 177.26, size = 226, normalized size = 1.97

$$a \left(\frac{{}_2F_1\left(-\frac{3}{4}, -\frac{1}{4}, -1, 0, \frac{1}{2}, 1\right) \left(\frac{c^2}{d^2x^2}\right)}{2\pi^{\frac{3}{2}}d^4} - \frac{{}_2F_1\left(-2, -\frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, 1\right) \left(\frac{c^2x^{2m}}{d^2x^2}\right)}{2\pi^{\frac{3}{2}}d^4} \right) + b \left(\frac{{}_2F_1\left(-\frac{7}{4}, -\frac{5}{4}, -2, -1, -\frac{1}{2}, 1\right) \left(\frac{c^2}{d^2x^2}\right)}{2\pi^{\frac{3}{2}}d^6} - \frac{{}_2F_1\left(-3, -\frac{5}{2}, -\frac{9}{4}, -2, -\frac{7}{4}, 1\right) \left(\frac{c^2x^{2m}}{d^2x^2}\right)}{2\pi^{\frac{3}{2}}d^6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x**3*(b*x**2+a)/(d*x-c)**(3/2)/(d*x+c)**(3/2), x)$

[Out] $a*(c*\text{meijerg}(((-3/4, -1/4), (-1, 0, 1/2, 1)), ((-3/4, -1/2, -1/4, 0, 1/2, 0), ()), c**2/(d**2*x**2))/(2*pi**(3/2)*d**4) - I*c*\text{meijerg}((-2, -3/2, -5/4$

```
, -1, -3/4, 1), ()), ((-5/4, -3/4), (-2, -3/2, -1/2, 0)), c**2*exp_polar(2*
I*pi)/(d**2*x**2))/(2*pi**(3/2)*d**4)) + b*(c**3*meijerg((( -7/4, -5/4), (-2
, -1, -1/2, 1)), ((-7/4, -3/2, -5/4, -1, -1/2, 0), ()), c**2/(d**2*x**2))/(
2*pi**(3/2)*d**6) - I*c**3*meijerg((( -3, -5/2, -9/4, -2, -7/4, 1), ()), ((-
9/4, -7/4), (-3, -5/2, -3/2, 0)), c**2*exp_polar(2*I*pi)/(d**2*x**2))/(2*pi
**(3/2)*d**6))
```

$$3.227 \quad \int \frac{x^2(a+bx^2)}{(-c+dx)^{3/2}(c+dx)^{3/2}} dx$$

Optimal. Leaf size=152

$$-\frac{\sqrt{dx-c}(2ad^2+3bc^2)}{2d^5\sqrt{c+dx}} - \frac{c(2ad^2+3bc^2)}{2d^5\sqrt{dx-c}\sqrt{c+dx}} + \frac{(2ad^2+3bc^2)\tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{d^5} + \frac{bx^3}{2d^2\sqrt{dx-c}\sqrt{c+dx}}$$

Rubi [A] time = 0.11, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {460, 89, 12, 78, 63, 217, 206}

$$-\frac{\sqrt{dx-c}(2ad^2+3bc^2)}{2d^5\sqrt{c+dx}} - \frac{c(2ad^2+3bc^2)}{2d^5\sqrt{dx-c}\sqrt{c+dx}} + \frac{(2ad^2+3bc^2)\tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{d^5} + \frac{bx^3}{2d^2\sqrt{dx-c}\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(a + b*x^2))/((-c + d*x)^(3/2)*(c + d*x)^(3/2)),x]

[Out] -(c*(3*b*c^2 + 2*a*d^2))/(2*d^5*Sqrt[-c + d*x]*Sqrt[c + d*x]) + (b*x^3)/(2*d^2*Sqrt[-c + d*x]*Sqrt[c + d*x]) - ((3*b*c^2 + 2*a*d^2)*Sqrt[-c + d*x])/(2*d^5*Sqrt[c + d*x]) + ((3*b*c^2 + 2*a*d^2)*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/d^5

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 78

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)], Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int

egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))

Rule 89

Int[((a_.) + (b_.)*(x_))²*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[((b*c - a*d)²*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d²*(d*e - c*f)*(n + 1)), x] - Dist[1/(d²*(d*e - c*f)*(n + 1)), Int[(c + d*x)^(n + 1)*(e + f*x)^p*Simp[a²*d²*f*(n + p + 2) + b²*c*(d*e*(n + 1) + c*f*(p + 1)) - 2*a*b*d*(d*e*(n + 1) + c*f*(p + 1)) - b²*d*(d*e - c*f)*(n + 1)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && (LtQ[n, -1] || (EqQ[n + p + 3, 0] && NeQ[n, -1] && (SumSimplerQ[n, 1] || !SumSimplerQ[p, 1])))

Rule 206

Int[((a_) + (b_.)*(x_)²)⁽⁻¹⁾, x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)²], x_Symbol] := Subst[Int[1/(1 - b*x²), x], x, x/Sqrt[a + b*x²]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 460

Int[((e_.)*(x_))^(m_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1)/(b1*b2*e*(m + n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + bx^2)}{(-c + dx)^{3/2}(c + dx)^{3/2}} dx &= \frac{bx^3}{2d^2\sqrt{-c + dx}\sqrt{c + dx}} - \frac{1}{2} \left(-2a - \frac{3bc^2}{d^2} \right) \int \frac{x^2}{(-c + dx)^{3/2}(c + dx)^{3/2}} dx \\
&= -\frac{c(3bc^2 + 2ad^2)}{2d^5\sqrt{-c + dx}\sqrt{c + dx}} + \frac{bx^3}{2d^2\sqrt{-c + dx}\sqrt{c + dx}} - \frac{\left(-2a - \frac{3bc^2}{d^2} \right) \int \frac{cd^2x}{\sqrt{-c+dx}(c+dx)^{3/2}}}{2cd^3} \\
&= -\frac{c(3bc^2 + 2ad^2)}{2d^5\sqrt{-c + dx}\sqrt{c + dx}} + \frac{bx^3}{2d^2\sqrt{-c + dx}\sqrt{c + dx}} + \frac{(3bc^2 + 2ad^2) \int \frac{x}{\sqrt{-c+dx}(c+dx)^{3/2}}}{2d^3} \\
&= -\frac{c(3bc^2 + 2ad^2)}{2d^5\sqrt{-c + dx}\sqrt{c + dx}} + \frac{bx^3}{2d^2\sqrt{-c + dx}\sqrt{c + dx}} - \frac{(3bc^2 + 2ad^2)\sqrt{-c + dx}}{2d^5\sqrt{c + dx}} + \dots \\
&= -\frac{c(3bc^2 + 2ad^2)}{2d^5\sqrt{-c + dx}\sqrt{c + dx}} + \frac{bx^3}{2d^2\sqrt{-c + dx}\sqrt{c + dx}} - \frac{(3bc^2 + 2ad^2)\sqrt{-c + dx}}{2d^5\sqrt{c + dx}} + \dots \\
&= -\frac{c(3bc^2 + 2ad^2)}{2d^5\sqrt{-c + dx}\sqrt{c + dx}} + \frac{bx^3}{2d^2\sqrt{-c + dx}\sqrt{c + dx}} - \frac{(3bc^2 + 2ad^2)\sqrt{-c + dx}}{2d^5\sqrt{c + dx}} + \dots \\
&= -\frac{c(3bc^2 + 2ad^2)}{2d^5\sqrt{-c + dx}\sqrt{c + dx}} + \frac{bx^3}{2d^2\sqrt{-c + dx}\sqrt{c + dx}} - \frac{(3bc^2 + 2ad^2)\sqrt{-c + dx}}{2d^5\sqrt{c + dx}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.12, size = 90, normalized size = 0.59

$$\frac{c\sqrt{1 - \frac{d^2x^2}{c^2}} (2ad^2 + 3bc^2) \sin^{-1}\left(\frac{dx}{c}\right) - 2ad^3x - 3bc^2dx + bd^3x^3}{2d^5\sqrt{dx - c}\sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(a + b*x^2))/((-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] (-3*b*c^2*d*x - 2*a*d^3*x + b*d^3*x^3 + c*(3*b*c^2 + 2*a*d^2)*Sqrt[1 - (d^2*x^2)/c^2]*ArcSin[(d*x)/c])/(2*d^5*Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [A] time = 0.19, size = 196, normalized size = 1.29

$$\frac{(2ad^2 + 3bc^2) \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right) \sqrt{c + dx} \left(\frac{dx-c}{c+dx} + 1\right) \left(-\frac{2ad^2(dx-c)}{c+dx} + \frac{ad^2(dx-c)^2}{(c+dx)^2} + ad^2 - \frac{4bc^2(dx-c)}{c+dx} + \frac{bc^2(dx-c)^2}{(c+dx)^2} + bc^2\right)}{d^5} - \frac{\sqrt{c + dx} \left(\frac{dx-c}{c+dx} + 1\right) \left(-\frac{2ad^2(dx-c)}{c+dx} + \frac{ad^2(dx-c)^2}{(c+dx)^2} + ad^2 - \frac{4bc^2(dx-c)}{c+dx} + \frac{bc^2(dx-c)^2}{(c+dx)^2} + bc^2\right)}{2d^5\sqrt{dx - c} \left(\frac{dx-c}{c+dx} - 1\right)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2*(a + b*x^2))/((-c + d*x)^(3/2)*(c + d*x)^(3/2)),x]

[Out]
$$-1/2*(\text{Sqrt}[c + d*x]*(1 + (-c + d*x)/(c + d*x))*(b*c^2 + a*d^2 + (b*c^2*(-c + d*x)^2)/(c + d*x)^2 + (a*d^2*(-c + d*x)^2)/(c + d*x)^2 - (4*b*c^2*(-c + d*x))/(c + d*x) - (2*a*d^2*(-c + d*x))/(c + d*x)))/(d^5*\text{Sqrt}[-c + d*x]*(-1 + (-c + d*x)/(c + d*x))^2) + ((3*b*c^2 + 2*a*d^2)*\text{ArcTanh}[\text{Sqrt}[-c + d*x]/\text{Sqrt}[c + d*x]])/d^5$$

fricas [A] time = 0.67, size = 159, normalized size = 1.05

$$\frac{2bc^4 + 2ac^2d^2 - 2(bc^2d^2 + ad^4)x^2 + (bd^3x^3 - (3bc^2d + 2ad^3)x)\sqrt{dx+c}\sqrt{dx-c} + (3bc^4 + 2ac^2d^2 - (3bc^2d^2 + 2ad^4)x^2)\log(-dx + \sqrt{dx+c}\sqrt{dx-c})}{2(d^7x^2 - c^2d^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="fricas")

[Out]
$$1/2*(2*b*c^4 + 2*a*c^2*d^2 - 2*(b*c^2*d^2 + a*d^4)*x^2 + (b*d^3*x^3 - (3*b*c^2*d + 2*a*d^3)*x)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c) + (3*b*c^4 + 2*a*c^2*d^2 - (3*b*c^2*d^2 + 2*a*d^4)*x^2)*\log(-d*x + \text{sqrt}(d*x + c)*\text{sqrt}(d*x - c)))/(d^7*x^2 - c^2*d^5)$$

giac [A] time = 0.32, size = 147, normalized size = 0.97

$$\frac{\sqrt{dx+c} \left((dx+c) \left(\frac{(dx+c)b}{d^5} - \frac{3bc}{d^5} \right) + \frac{bc^2d^{15}-ad^{17}}{d^{20}} \right)}{2\sqrt{dx-c}} - \frac{(3bc^2 + 2ad^2)\log\left(\left(\sqrt{dx+c} - \sqrt{dx-c}\right)^2\right)}{2d^5} - \frac{2(bc^3 + acd^2)}{\left(\left(\sqrt{dx+c} - \sqrt{dx-c}\right)^2 + 2c\right)d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="giac")

[Out]
$$1/2*\text{sqrt}(d*x + c)*((d*x + c)*((d*x + c)*b/d^5 - 3*b*c/d^5) + (b*c^2*d^{15} - a*d^{17})/d^{20})/\text{sqrt}(d*x - c) - 1/2*(3*b*c^2 + 2*a*d^2)*\log((\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^2)/d^5 - 2*(b*c^3 + a*c*d^2)/(((\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^2 + 2*c)*d^5)$$

maple [C] time = 0.08, size = 254, normalized size = 1.67

$$\frac{(2a d^4 \ln\left(\left(dx + \sqrt{\beta^2 - c^2} \operatorname{csgn}(d)\right) \operatorname{csgn}(d)\right) + 3b c^2 d^2 \ln\left(\left(dx + \sqrt{\beta^2 - c^2} \operatorname{csgn}(d)\right) \operatorname{csgn}(d)\right) + \sqrt{\beta^2 - c^2} b d^3 \operatorname{csgn}(d) - 2a c^2 d^2 \ln\left(\left(dx + \sqrt{\beta^2 - c^2} \operatorname{csgn}(d)\right) \operatorname{csgn}(d)\right) - 2\sqrt{\beta^2 - c^2} a d^3 \operatorname{csgn}(d) - 3b c^4 \ln\left(\left(dx + \sqrt{\beta^2 - c^2} \operatorname{csgn}(d)\right) \operatorname{csgn}(d)\right) - 3\sqrt{\beta^2 - c^2} b c^2 d \operatorname{csgn}(d)\right) \operatorname{csgn}(d)}{2\sqrt{\beta^2 - c^2} \sqrt{dx+c} \sqrt{dx-c} d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x)

[Out]
$$1/2*((d^2*x^2-c^2)^{(1/2)}*b*d^3*x^3*\operatorname{csgn}(d)+2*\ln((d*x+(d^2*x^2-c^2)^{(1/2)})*\operatorname{csgn}(d))*\operatorname{csgn}(d))*x^2*a*d^4+3*\ln((d*x+(d^2*x^2-c^2)^{(1/2)})*\operatorname{csgn}(d))*\operatorname{csgn}(d))*x^2*b*c^2*d^2-2*(d^2*x^2-c^2)^{(1/2)}*a*d^3*x*\operatorname{csgn}(d)-3*(d^2*x^2-c^2)^{(1/2)}*b*$$

$c^2 d x \operatorname{csgn}(d) - 2 a c^2 d^2 \ln((d x + (d^2 x^2 - c^2)^{1/2}) \operatorname{csgn}(d)) \operatorname{csgn}(d) - 3 b c^4 \ln((d x + (d^2 x^2 - c^2)^{1/2}) \operatorname{csgn}(d)) \operatorname{csgn}(d) / (d^2 x^2 - c^2)^{1/2} / d^5 / (d x + c)^{1/2} / (d x - c)^{1/2}$

maxima [A] time = 0.50, size = 138, normalized size = 0.91

$$\frac{b x^3}{2 \sqrt{d^2 x^2 - c^2} d^2} - \frac{3 b c^2 x}{2 \sqrt{d^2 x^2 - c^2} d^4} - \frac{a x}{\sqrt{d^2 x^2 - c^2} d^2} + \frac{3 b c^2 \log(2 d^2 x + 2 \sqrt{d^2 x^2 - c^2} d)}{2 d^5} + \frac{a \log(2 d^2 x + 2 \sqrt{d^2 x^2 - c^2} d)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="maxima")

[Out] 1/2*b*x^3/(sqrt(d^2*x^2 - c^2)*d^2) - 3/2*b*c^2*x/(sqrt(d^2*x^2 - c^2)*d^4) - a*x/(sqrt(d^2*x^2 - c^2)*d^2) + 3/2*b*c^2*log(2*d^2*x + 2*sqrt(d^2*x^2 - c^2)*d)/d^5 + a*log(2*d^2*x + 2*sqrt(d^2*x^2 - c^2)*d)/d^3

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 (b x^2 + a)}{(c + d x)^{3/2} (d x - c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(a + b*x^2))/((c + d*x)^(3/2)*(d*x - c)^(3/2)),x)

[Out] int((x^2*(a + b*x^2))/((c + d*x)^(3/2)*(d*x - c)^(3/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(b*x**2+a)/(d*x-c)**(3/2)/(d*x+c)**(3/2),x)

[Out] Timed out

$$3.228 \quad \int \frac{x(a+bx^2)}{(-c+dx)^{3/2}(c+dx)^{3/2}} dx$$

Optimal. Leaf size=76

$$\frac{\sqrt{dx-c} \sqrt{c+dx} (ad^2 + 2bc^2)}{c^2 d^4} - \frac{x^2 \left(\frac{a}{c^2} + \frac{b}{d^2} \right)}{\sqrt{dx-c} \sqrt{c+dx}}$$

Rubi [A] time = 0.05, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$, Rules used = {458, 74}

$$\frac{\sqrt{dx-c} \sqrt{c+dx} (ad^2 + 2bc^2)}{c^2 d^4} - \frac{x^2 \left(\frac{a}{c^2} + \frac{b}{d^2} \right)}{\sqrt{dx-c} \sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*x^2))/((-c + d*x)^(3/2)*(c + d*x)^(3/2)),x]

[Out] -(((a/c^2 + b/d^2)*x^2)/(Sqrt[-c + d*x]*Sqrt[c + d*x])) + ((2*b*c^2 + a*d^2)*Sqrt[-c + d*x]*Sqrt[c + d*x])/(c^2*d^4)

Rule 74

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]

Rule 458

Int[((e_.)*(x_))^(m_.)*((a1_.) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_.) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> -Simp[((b1*b2*c - a1*a2*d)*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(a1*a2*b1*b2*e*n*(p + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*b1*b2*n*(p + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1), x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && LtQ[p, -1] && ((!IntegerQ[p + 1/2] && NeQ[p, -5/4]) || !RationalQ[m] || (IGtQ[n, 0] && ILtQ[p + 1/2, 0] && LeQ[-1, m, -(n*(p + 1))]))

Rubi steps

$$\int \frac{x(a+bx^2)}{(-c+dx)^{3/2}(c+dx)^{3/2}} dx = -\frac{\left(\frac{a}{c^2} + \frac{b}{d^2}\right)x^2}{\sqrt{-c+dx}\sqrt{c+dx}} - \left(-\frac{a}{c^2} - \frac{2b}{d^2}\right) \int \frac{x}{\sqrt{-c+dx}\sqrt{c+dx}} dx$$

$$= -\frac{\left(\frac{a}{c^2} + \frac{b}{d^2}\right)x^2}{\sqrt{-c+dx}\sqrt{c+dx}} + \frac{\left(\frac{a}{c^2} + \frac{2b}{d^2}\right)\sqrt{-c+dx}\sqrt{c+dx}}{d^2}$$

Mathematica [A] time = 0.07, size = 45, normalized size = 0.59

$$\frac{-ad^2 - 2bc^2 + bd^2x^2}{d^4\sqrt{dx-c}\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*x^2))/((-c + d*x)^(3/2)*(c + d*x)^(3/2)),x]

[Out] (-2*b*c^2 - a*d^2 + b*d^2*x^2)/(d^4*Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [B] time = 0.14, size = 173, normalized size = 2.28

$$\frac{\sqrt{c+dx} \left(-\frac{2ad^2(dx-c)}{c+dx} + \frac{ad^2(dx-c)^2}{(c+dx)^2} + ad^2 - \frac{6bc^2(dx-c)}{c+dx} + \frac{bc^2(dx-c)^2}{(c+dx)^2} + bc^2 \right)}{2cd^4\sqrt{dx-c} \left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}} - 1 \right) \left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}} + 1 \right)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x*(a + b*x^2))/((-c + d*x)^(3/2)*(c + d*x)^(3/2)),x]

[Out] (Sqrt[c + d*x]*(b*c^2 + a*d^2 + (b*c^2*(-c + d*x)^2)/(c + d*x)^2 + (a*d^2*(-c + d*x)^2)/(c + d*x)^2 - (6*b*c^2*(-c + d*x))/(c + d*x) - (2*a*d^2*(-c + d*x))/(c + d*x)))/(2*c*d^4*Sqrt[-c + d*x]*(-1 + Sqrt[-c + d*x]/Sqrt[c + d*x])*(1 + Sqrt[-c + d*x]/Sqrt[c + d*x]))

fricas [A] time = 0.77, size = 56, normalized size = 0.74

$$\frac{(bd^2x^2 - 2bc^2 - ad^2)\sqrt{dx+c}\sqrt{dx-c}}{d^6x^2 - c^2d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="fricas")

[Out] $(b*d^2*x^2 - 2*b*c^2 - a*d^2)*\sqrt{d*x + c}*\sqrt{d*x - c}/(d^6*x^2 - c^2*d^4)$

giac [B] time = 0.28, size = 152, normalized size = 2.00

$$\frac{\sqrt{dx+c} \left(\frac{2(dx+c)b}{d^4} - \frac{5bc^2d^8+ad^{10}}{cd^{12}} \right)}{2\sqrt{dx-c}} + \frac{2(b^2c^4 + 2abc^2d^2 + a^2d^4)}{\left(bc^2(\sqrt{dx+c} - \sqrt{dx-c})^2 + ad^2(\sqrt{dx+c} - \sqrt{dx-c})^2 + 2bc^3 + 2acd^2 \right) d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="giac")`

[Out] $1/2*\sqrt{d*x + c}*(2*(d*x + c)*b/d^4 - (5*b*c^2*d^8 + a*d^{10})/(c*d^{12}))/\sqrt{d*x - c} + 2*(b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/((b*c^2*(\sqrt{d*x + c} - \sqrt{d*x - c})^2 + a*d^2*(\sqrt{d*x + c} - \sqrt{d*x - c})^2 + 2*b*c^3 + 2*a*c*d^2)*d^4)$

maple [A] time = 0.04, size = 43, normalized size = 0.57

$$\frac{-b d^2 x^2 + a d^2 + 2 b c^2}{\sqrt{d x + c} \sqrt{d x - c} d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x)`

[Out] $-(-b*d^2*x^2+a*d^2+2*b*c^2)/(d*x+c)^(1/2)/d^4/(d*x-c)^(1/2)$

maxima [A] time = 0.58, size = 69, normalized size = 0.91

$$\frac{bx^2}{\sqrt{d^2x^2 - c^2}d^2} - \frac{2bc^2}{\sqrt{d^2x^2 - c^2}d^4} - \frac{a}{\sqrt{d^2x^2 - c^2}d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] $b*x^2/(\sqrt{d^2*x^2 - c^2})*d^2 - 2*b*c^2/(\sqrt{d^2*x^2 - c^2})*d^4 - a/(\sqrt{d^2*x^2 - c^2})*d^2$

mupad [B] time = 2.75, size = 67, normalized size = 0.88

$$\frac{a d^2 \sqrt{d x - c} + 2 b c^2 \sqrt{d x - c} - b d^2 x^2 \sqrt{d x - c}}{d^4 \sqrt{c + d x} (c - d x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(a + b*x^2))/((c + d*x)^(3/2)*(d*x - c)^(3/2)),x)`

[Out] $(a*d^2*(d*x - c)^{(1/2)} + 2*b*c^2*(d*x - c)^{(1/2)} - b*d^2*x^2*(d*x - c)^{(1/2)})/(d^4*(c + d*x)^{(1/2)}*(c - d*x))$

sympy [C] time = 136.30, size = 201, normalized size = 2.64

$$a \left(\frac{{}_6G_{6,6}^{5,3} \left(\begin{matrix} \frac{1}{4}, \frac{3}{4}, 1 \\ \frac{1}{4}, \frac{3}{2}, \frac{3}{4}, 1, \frac{3}{2} \end{matrix} \middle| \frac{c^2}{d^2 x^2} \right)}{2\pi^{\frac{3}{2}} c d^2} - \frac{{}_6G_{6,6}^{2,6} \left(\begin{matrix} -1, -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, 1 \\ -\frac{1}{4}, \frac{1}{4} \end{matrix} \middle| \frac{c^2 e^{2i\pi}}{d^2 x^2} \right)}{2\pi^{\frac{3}{2}} c d^2} \right) + b \left(\frac{{}_6G_{6,6}^{6,2} \left(\begin{matrix} -\frac{3}{4}, -\frac{1}{4} \\ -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{2}, 0 \end{matrix} \middle| \frac{c^2}{d^2 x^2} \right)}{2\pi^{\frac{3}{2}} d^4} - \frac{{}_6G_{6,6}^{2,6} \left(\begin{matrix} -2, -\frac{3}{2}, \frac{5}{4}, -1, -\frac{3}{4}, 1 \\ -\frac{5}{4}, -\frac{3}{4} \end{matrix} \middle| \frac{c^2 e^{2i\pi}}{d^2 x^2} \right)}{2\pi^{\frac{3}{2}} d^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(b*x**2+a)/(d*x-c)**(3/2)/(d*x+c)**(3/2),x)`

[Out] $a*(-\text{meijerg}(((1/4, 3/4, 1), (0, 1, 3/2)), ((1/4, 1/2, 3/4, 1, 3/2), (0,)), c**2/(d**2*x**2))/(2*pi**(3/2)*c*d**2) - I*\text{meijerg}((-1, -1/2, -1/4, 0, 1/4, 1), (), ((-1/4, 1/4), (-1, -1/2, 1/2, 0)), c**2*\text{exp_polar}(2*I*pi)/(d**2*x**2))/(2*pi**(3/2)*c*d**2) + b*(c*\text{meijerg}((-3/4, -1/4), (-1, 0, 1/2, 1), ((-3/4, -1/2, -1/4, 0, 1/2, 0), ()), c**2/(d**2*x**2))/(2*pi**(3/2)*d**4) - I*c*\text{meijerg}((-2, -3/2, -5/4, -1, -3/4, 1), ()), ((-5/4, -3/4), (-2, -3/2, -1/2, 0)), c**2*\text{exp_polar}(2*I*pi)/(d**2*x**2))/(2*pi**(3/2)*d**4))$

$$3.229 \quad \int \frac{a+bx^2}{(-c+dx)^{3/2}(c+dx)^{3/2}} dx$$

Optimal. Leaf size=63

$$\frac{2b \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{d^3} - \frac{x\left(\frac{a}{c^2} + \frac{b}{d^2}\right)}{\sqrt{dx-c}\sqrt{c+dx}}$$

Rubi [A] time = 0.03, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {386, 63, 217, 206}

$$\frac{2b \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{d^3} - \frac{x\left(\frac{a}{c^2} + \frac{b}{d^2}\right)}{\sqrt{dx-c}\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/((-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] -(((a/c^2 + b/d^2)*x)/(Sqrt[-c + d*x]*Sqrt[c + d*x])) + (2*b*ArcTanh[Sqrt[-c + d*x]/Sqrt[c + d*x]])/d^3

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 386

Int[((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b1*b2*c - a1*a2*d)*x*(a1

+ b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(a1*a2*b1*b2*n*(p + 1)), x
] - Dist[(a1*a2*d - b1*b2*c*(n*(p + 1) + 1))/(a1*a2*b1*b2*n*(p + 1)), Int[(
 a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1), x], x] /; FreeQ[{a1, b1
 , a2, b2, c, d, n}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (LtQ[p
 , -1] || ILtQ[1/n + p, 0])

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2}{(-c + dx)^{3/2}(c + dx)^{3/2}} dx &= -\frac{\left(\frac{a}{c^2} + \frac{b}{d^2}\right)x}{\sqrt{-c + dx}\sqrt{c + dx}} + \frac{b \int \frac{1}{\sqrt{-c+dx}\sqrt{c+dx}} dx}{d^2} \\ &= -\frac{\left(\frac{a}{c^2} + \frac{b}{d^2}\right)x}{\sqrt{-c + dx}\sqrt{c + dx}} + \frac{(2b) \text{Subst}\left(\int \frac{1}{\sqrt{2c+x^2}} dx, x, \sqrt{-c + dx}\right)}{d^3} \\ &= -\frac{\left(\frac{a}{c^2} + \frac{b}{d^2}\right)x}{\sqrt{-c + dx}\sqrt{c + dx}} + \frac{(2b) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \frac{\sqrt{-c+dx}}{\sqrt{c+dx}}\right)}{d^3} \\ &= -\frac{\left(\frac{a}{c^2} + \frac{b}{d^2}\right)x}{\sqrt{-c + dx}\sqrt{c + dx}} + \frac{2b \tanh^{-1}\left(\frac{\sqrt{-c+dx}}{\sqrt{c+dx}}\right)}{d^3} \end{aligned}$$

Mathematica [A] time = 0.24, size = 86, normalized size = 1.37

$$\frac{2bc^{5/2}\sqrt{\frac{dx}{c} + 1} \sinh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{2}\sqrt{c}}\right) - \frac{dx(ad^2+bc^2)}{\sqrt{dx-c}}}{c^2d^3\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/((-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] (-((d*(b*c^2 + a*d^2)*x)/Sqrt[-c + d*x]) + 2*b*c^(5/2)*Sqrt[1 + (d*x)/c]*ArcSinh[Sqrt[-c + d*x]/(Sqrt[2]*Sqrt[c])])/(c^2*d^3*Sqrt[c + d*x])

IntegrateAlgebraic [A] time = 0.15, size = 87, normalized size = 1.38

$$\frac{2b \tanh^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{d^3} - \frac{\sqrt{c+dx} \left(\frac{dx-c}{c+dx} + 1\right) (ad^2 + bc^2)}{2c^2d^3\sqrt{dx-c}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/((-c + d*x)^(3/2)*(c + d*x)^(3/2)),x]

[Out] $-1/2*((b*c^2 + a*d^2)*\text{Sqrt}[c + d*x]*(1 + (-c + d*x)/(c + d*x)))/(c^2*d^3*\text{Sqrt}[-c + d*x]) + (2*b*\text{ArcTanh}[\text{Sqrt}[-c + d*x]/\text{Sqrt}[c + d*x]])/d^3$

fricas [B] time = 0.84, size = 129, normalized size = 2.05

$$\frac{bc^4 + ac^2d^2 - (bc^2d + ad^3)\sqrt{dx+c}\sqrt{dx-c}x - (bc^2d^2 + ad^4)x^2 - (bc^2d^2x^2 - bc^4)\log(-dx + \sqrt{dx+c}\sqrt{dx-c})}{c^2d^5x^2 - c^4d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="fricas")

[Out] $(b*c^4 + a*c^2*d^2 - (b*c^2*d + a*d^3)*\text{sqrt}(d*x + c)*\text{sqrt}(d*x - c)*x - (b*c^2*d^2 + a*d^4)*x^2 - (b*c^2*d^2*x^2 - b*c^4)*\log(-d*x + \text{sqrt}(d*x + c)*\text{sqrt}(d*x - c)))/(c^2*d^5*x^2 - c^4*d^3)$

giac [B] time = 0.28, size = 113, normalized size = 1.79

$$-\frac{b \log\left(\left(\sqrt{dx+c} - \sqrt{dx-c}\right)^2\right)}{d^3} - \frac{2(bc^2 + ad^2)}{\left(\left(\sqrt{dx+c} - \sqrt{dx-c}\right)^2 + 2c\right)cd^3} - \frac{(bc^2d^3 + ad^5)\sqrt{dx+c}}{2\sqrt{dx-c}c^2d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="giac")

[Out] $-b*\log((\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^2)/d^3 - 2*(b*c^2 + a*d^2)/(((\text{sqrt}(d*x + c) - \text{sqrt}(d*x - c))^2 + 2*c)*c*d^3) - 1/2*(b*c^2*d^3 + a*d^5)*\text{sqrt}(d*x + c)/(\text{sqrt}(d*x - c)*c^2*d^6)$

maple [C] time = 0.07, size = 160, normalized size = 2.54

$$\frac{(b*c^2*d^2*x^2*\ln((dx + \sqrt{(dx-c)(dx+c)})*\text{csign}(d))\text{csign}(d) - \sqrt{d^2x^2 - c^2} * a*d^3*\text{csign}(d) - b*c^4*\ln((dx + \sqrt{(dx-c)(dx+c)})*\text{csign}(d))\text{csign}(d) - \sqrt{d^2x^2 - c^2} * b*c^2*d*x*\text{csign}(d))\text{csign}(d)}{\sqrt{d^2x^2 - c^2} \sqrt{dx+c} \sqrt{dx-c} c^2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x)

[Out] $(\ln((\text{csign}(d)*((d*x-c)*(d*x+c))^(1/2)+d*x)*\text{csign}(d))*x^2*b*c^2*d^2-(d^2*x^2-c^2)^(1/2)*a*d^3*x*\text{csign}(d)-(d^2*x^2-c^2)^(1/2)*b*c^2*d*x*\text{csign}(d)-\ln((\text{csign}(d)*((d*x-c)*(d*x+c))^(1/2)+d*x)*\text{csign}(d))*b*c^4)*\text{csign}(d)/(d^2*x^2-c^2)^(1/2)/c^2/d^3/(d*x+c)^(1/2)/(d*x-c)^(1/2)$

maxima [A] time = 0.55, size = 76, normalized size = 1.21

$$-\frac{ax}{\sqrt{d^2x^2 - c^2}c^2} - \frac{bx}{\sqrt{d^2x^2 - c^2}d^2} + \frac{b \log\left(2d^2x + 2\sqrt{d^2x^2 - c^2}d\right)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="maxima")

[Out] -a*x/(sqrt(d^2*x^2 - c^2)*c^2) - b*x/(sqrt(d^2*x^2 - c^2)*d^2) + b*log(2*d^2*x + 2*sqrt(d^2*x^2 - c^2)*d)/d^3

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{bx^2 + a}{(c + dx)^{3/2}(dx - c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)/((c + d*x)^(3/2)*(d*x - c)^(3/2)),x)

[Out] int((a + b*x^2)/((c + d*x)^(3/2)*(d*x - c)^(3/2)), x)

sympy [C] time = 112.36, size = 182, normalized size = 2.89

$$a \left(\frac{G_{6,6}^{5,3} \left(\begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{3}{4}, 1, \frac{5}{4}, 2 \end{matrix} \middle| \frac{c^2}{d^2x^2} \right) + iG_{6,6}^{2,6} \left(\begin{matrix} -\frac{1}{2}, 0, \frac{1}{4}, \frac{3}{4}, 1 \\ \frac{1}{4}, \frac{3}{4} \end{matrix} \middle| \frac{c^2, 2i\pi}{d^2x^2} \right)}{2\pi^{\frac{3}{2}}c^2d} \right) + b \left(\frac{G_{6,6}^{6,2} \left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{4}, 0, \frac{1}{4}, 1, 0 \end{matrix} \middle| \frac{c^2}{d^2x^2} \right) + iG_{6,6}^{2,6} \left(\begin{matrix} -\frac{3}{2}, -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 1 \\ -\frac{3}{4}, -\frac{1}{4} \end{matrix} \middle| \frac{c^2, 2i\pi}{d^2x^2} \right)}{2\pi^{\frac{3}{2}}d^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)/(d*x-c)**(3/2)/(d*x+c)**(3/2),x)

[Out] a*(-meijerg(((3/4, 5/4, 1), (1/2, 3/2, 2)), ((3/4, 1, 5/4, 3/2, 2), (0,)), c**2/(d**2*x**2))/(2*pi**(3/2)*c**2*d) + I*meijerg(((-1/2, 0, 1/4, 1/2, 3/4, 1), ()), ((1/4, 3/4), (-1/2, 0, 1, 0)), c**2*exp_polar(2*I*pi)/(d**2*x**2))/(2*pi**(3/2)*c**2*d) + b*(meijerg(((-1/4, 1/4), (-1/2, 1/2, 1, 1)), ((-1/4, 0, 1/4, 1/2, 1, 0), ()), c**2/(d**2*x**2))/(2*pi**(3/2)*d**3) + I*meijerg(((-3/2, -1, -3/4, -1/2, -1/4, 1), ()), ((-3/4, -1/4), (-3/2, -1, 0, 0)), c**2*exp_polar(2*I*pi)/(d**2*x**2))/(2*pi**(3/2)*d**3))

$$3.230 \quad \int \frac{a+bx^2}{x(-c+dx)^{3/2}(c+dx)^{3/2}} dx$$

Optimal. Leaf size=65

$$-\frac{\frac{a}{c^2} + \frac{b}{d^2}}{\sqrt{dx-c}\sqrt{c+dx}} - \frac{a \tan^{-1}\left(\frac{\sqrt{dx-c}\sqrt{c+dx}}{c}\right)}{c^3}$$

Rubi [A] time = 0.08, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {458, 92, 205}

$$-\frac{\frac{a}{c^2} + \frac{b}{d^2}}{\sqrt{dx-c}\sqrt{c+dx}} - \frac{a \tan^{-1}\left(\frac{\sqrt{dx-c}\sqrt{c+dx}}{c}\right)}{c^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(x*(-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] -((a/c^2 + b/d^2)/(Sqrt[-c + d*x]*Sqrt[c + d*x])) - (a*ArcTan[(Sqrt[-c + d*x]*Sqrt[c + d*x])/c])/c^3

Rule 92

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x_Symbol] :> Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 205

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 458

Int[((e_.)*(x_)^(m_.))*((a1_.) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_.) + (b2_.)*(x_)^(non2_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> -Simp[((b1*b2*c - a1*a2*d)*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(a1*a2*b1*b2*e*n*(p + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*b1*b2*n*(p + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1), x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && LtQ[p, -1] && (!IntegerQ[p + 1/2] && NeQ[p, -5/4]) || !RationalQ[m] || (IGtQ[n, 0] && ILtQ[p +

1/2, 0] && LeQ[-1, m, -(n*(p + 1))]))

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2}{x(-c + dx)^{3/2}(c + dx)^{3/2}} dx &= -\frac{\frac{a}{c^2} + \frac{b}{d^2}}{\sqrt{-c + dx} \sqrt{c + dx}} - \frac{a \int \frac{1}{x\sqrt{-c+dx} \sqrt{c+dx}} dx}{c^2} \\ &= -\frac{\frac{a}{c^2} + \frac{b}{d^2}}{\sqrt{-c + dx} \sqrt{c + dx}} - \frac{(ad) \operatorname{Subst}\left(\int \frac{1}{c^2 d + dx^2} dx, x, \sqrt{-c + dx} \sqrt{c + dx}\right)}{c^2} \\ &= -\frac{\frac{a}{c^2} + \frac{b}{d^2}}{\sqrt{-c + dx} \sqrt{c + dx}} - \frac{a \tan^{-1}\left(\frac{\sqrt{-c+dx} \sqrt{c+dx}}{c}\right)}{c^3} \end{aligned}$$

Mathematica [A] time = 0.04, size = 84, normalized size = 1.29

$$\frac{ad^2 \sqrt{d^2 x^2 - c^2} \tan^{-1}\left(\frac{\sqrt{d^2 x^2 - c^2}}{c}\right) + acd^2 + bc^3}{c^3 d^2 \sqrt{dx - c} \sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(x*(-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] -((b*c^3 + a*c*d^2 + a*d^2*Sqrt[-c^2 + d^2*x^2]*ArcTan[Sqrt[-c^2 + d^2*x^2]/c])/(c^3*d^2*Sqrt[-c + d*x]*Sqrt[c + d*x]))

IntegrateAlgebraic [A] time = 0.11, size = 87, normalized size = 1.34

$$\frac{\sqrt{c + dx} \left(\frac{dx-c}{c+dx} - 1\right) (ad^2 + bc^2)}{2c^3 d^2 \sqrt{dx - c}} - \frac{2a \tan^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{c^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(x*(-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] ((b*c^2 + a*d^2)*Sqrt[c + d*x]*(-1 + (-c + d*x)/(c + d*x)))/(2*c^3*d^2*Sqrt[-c + d*x]) - (2*a*ArcTan[Sqrt[-c + d*x]/Sqrt[c + d*x]])/c^3

fricas [A] time = 0.81, size = 101, normalized size = 1.55

$$\frac{(bc^3 + acd^2)\sqrt{dx + c} \sqrt{dx - c} + 2(ad^4 x^2 - ac^2 d^2) \arctan\left(-\frac{dx - \sqrt{dx+c} \sqrt{dx-c}}{c}\right)}{c^3 d^4 x^2 - c^5 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="fricas")

[Out] -((b*c^3 + a*c*d^2)*sqrt(d*x + c)*sqrt(d*x - c) + 2*(a*d^4*x^2 - a*c^2*d^2)*arctan(-(d*x - sqrt(d*x + c)*sqrt(d*x - c))/c))/(c^3*d^4*x^2 - c^5*d^2)

giac [B] time = 0.36, size = 115, normalized size = 1.77

$$\frac{2 a \arctan\left(\frac{(\sqrt{dx+c}-\sqrt{dx-c})^2}{2 c}\right)}{c^3} - \frac{(bc^2 + ad^2)\sqrt{dx+c}}{2 \sqrt{dx-c} c^3 d^2} + \frac{2(bc^2 + ad^2)}{\left((\sqrt{dx+c}-\sqrt{dx-c})^2 + 2c\right) c^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="giac")

[Out] 2*a*arctan(1/2*(sqrt(d*x + c) - sqrt(d*x - c))^2/c)/c^3 - 1/2*(b*c^2 + a*d^2)*sqrt(d*x + c)/(sqrt(d*x - c)*c^3*d^2) + 2*(b*c^2 + a*d^2)/(((sqrt(d*x + c) - sqrt(d*x - c))^2 + 2*c)*c^2*d^2)

maple [B] time = 0.08, size = 188, normalized size = 2.89

$$\frac{a d^4 x^2 \ln\left(-\frac{2(c^2 - \sqrt{-c^2} \sqrt{d^2 x^2 - c^2})}{x}\right) - a c^2 d^2 \ln\left(-\frac{2(c^2 - \sqrt{-c^2} \sqrt{d^2 x^2 - c^2})}{x}\right) - \sqrt{-c^2} \sqrt{d^2 x^2 - c^2} a d^2 - \sqrt{-c^2} \sqrt{d^2 x^2 - c^2} b c^2}{\sqrt{-c^2} \sqrt{d^2 x^2 - c^2} \sqrt{dx+c} \sqrt{dx-c} c^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/x/(d*x-c)^(3/2)/(d*x+c)^(3/2),x)

[Out] 1/c^2*(ln(-2*(c^2-(-c^2)^(1/2)*(d^2*x^2-c^2)^(1/2))/x)*x^2*a*d^4-ln(-2*(c^2-(-c^2)^(1/2)*(d^2*x^2-c^2)^(1/2))/x)*a*c^2*d^2-(-c^2)^(1/2)*(d^2*x^2-c^2)^(1/2)*a*d^2-b*c^2*(-c^2)^(1/2)*(d^2*x^2-c^2)^(1/2))/(-c^2)^(1/2)/(d^2*x^2-c^2)^(1/2)/d^2/(d*x+c)^(1/2)/(d*x-c)^(1/2)

maxima [A] time = 1.46, size = 58, normalized size = 0.89

$$\frac{a \arcsin\left(\frac{c}{d|x|}\right)}{c^3} - \frac{a}{\sqrt{d^2 x^2 - c^2} c^2} - \frac{b}{\sqrt{d^2 x^2 - c^2} d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="maxima")

[Out] $a \arcsin(c/(d \cdot \text{abs}(x)))/c^3 - a/(\sqrt{d^2 x^2 - c^2}) \cdot c^2 - b/(\sqrt{d^2 x^2 - c^2}) \cdot d^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{b x^2 + a}{x (c + d x)^{3/2} (d x - c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2)/(x*(c + d*x)^(3/2)*(d*x - c)^(3/2)), x)`

[Out] `int((a + b*x^2)/(x*(c + d*x)^(3/2)*(d*x - c)^(3/2)), x)`

sympy [C] time = 136.44, size = 172, normalized size = 2.65

$$a \left(\frac{{}_6G_{6,6}^{5,3} \left(\begin{matrix} \frac{5}{4}, \frac{7}{4}, 1 \\ \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2, \frac{5}{2} \end{matrix} \middle| \frac{c^2}{d^2 x^2} \right)}{2\pi^{\frac{3}{2}} c^3} - \frac{{}_6G_{6,6}^{2,6} \left(\begin{matrix} 0, \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, 1 \\ \frac{3}{4}, \frac{5}{4} \end{matrix} \middle| \frac{c^2 2i\pi}{d^2 x^2} \right)}{2\pi^{\frac{3}{2}} c^3} \right) + b \left(\frac{{}_6G_{6,6}^{5,3} \left(\begin{matrix} \frac{1}{4}, \frac{3}{4}, 1 \\ \frac{1}{4}, \frac{3}{2}, \frac{7}{4}, 1, \frac{3}{2} \end{matrix} \middle| \frac{c^2}{d^2 x^2} \right)}{2\pi^{\frac{3}{2}} c d^2} - \frac{{}_6G_{6,6}^{2,6} \left(\begin{matrix} -1, -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, 1 \\ -\frac{1}{4}, \frac{1}{4} \end{matrix} \middle| \frac{c^2 2i\pi}{d^2 x^2} \right)}{2\pi^{\frac{3}{2}} c d^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**2+a)/x/(d*x-c)**(3/2)/(d*x+c)**(3/2), x)`

[Out] $a \cdot (-\text{meijerg}(((5/4, 7/4, 1), (1, 2, 5/2)), ((5/4, 3/2, 7/4, 2, 5/2), (0,)), c**2/(d**2*x**2))/(2*pi**(3/2)*c**3) - I \cdot \text{meijerg}(((0, 1/2, 3/4, 1, 5/4, 1), ()), ((3/4, 5/4), (0, 1/2, 3/2, 0)), c**2 * \exp_polar(2*I*pi)/(d**2*x**2))/(2*pi**(3/2)*c**3) + b \cdot (-\text{meijerg}(((1/4, 3/4, 1), (0, 1, 3/2)), ((1/4, 1/2, 3/4, 1, 3/2), (0,)), c**2/(d**2*x**2))/(2*pi**(3/2)*c*d**2) - I \cdot \text{meijerg}((-1, -1/2, -1/4, 0, 1/4, 1), ()), ((-1/4, 1/4), (-1, -1/2, 1/2, 0)), c**2 * \exp_polar(2*I*pi)/(d**2*x**2))/(2*pi**(3/2)*c*d**2)$

$$3.231 \quad \int \frac{a+bx^2}{x^2(-c+dx)^{3/2}(c+dx)^{3/2}} dx$$

Optimal. Leaf size=67

$$\frac{a}{c^2x\sqrt{dx-c}\sqrt{c+dx}} - \frac{x(2ad^2+bc^2)}{c^4\sqrt{dx-c}\sqrt{c+dx}}$$

Rubi [A] time = 0.08, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$, Rules used = {454, 39}

$$\frac{a}{c^2x\sqrt{dx-c}\sqrt{c+dx}} - \frac{x(2ad^2+bc^2)}{c^4\sqrt{dx-c}\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(x^2*(-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] a/(c^2*x*Sqrt[-c + d*x]*Sqrt[c + d*x]) - ((b*c^2 + 2*a*d^2)*x)/(c^4*Sqrt[-c + d*x]*Sqrt[c + d*x])

Rule 39

Int[1/(((a_) + (b_)*(x_))^(3/2)*((c_) + (d_)*(x_))^(3/2)), x_Symbol] := Simp[x/(a*c*Sqrt[a + b*x]*Sqrt[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0]

Rule 454

Int[((e_)*(x_))^(m_)*((a1_) + (b1_)*(x_)^(non2_))^(p_)*((a2_) + (b2_)*(x_)^(non2_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(a1*a2*e^(m + 1)), x] + Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*e^n*(m + 1)), Int[(e*x)^(m + n)*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

Rubi steps

$$\int \frac{a + bx^2}{x^2(-c + dx)^{3/2}(c + dx)^{3/2}} dx = \frac{a}{c^2x\sqrt{-c + dx}\sqrt{c + dx}} + \left(b + \frac{2ad^2}{c^2}\right) \int \frac{1}{(-c + dx)^{3/2}(c + dx)^{3/2}} dx$$

$$= \frac{a}{c^2x\sqrt{-c + dx}\sqrt{c + dx}} - \frac{(bc^2 + 2ad^2)x}{c^4\sqrt{-c + dx}\sqrt{c + dx}}$$

Mathematica [A] time = 0.03, size = 51, normalized size = 0.76

$$\frac{a(c^2 - 2d^2x^2) - bc^2x^2}{c^4x\sqrt{dx - c}\sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(x^2*(-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] (-(b*c^2*x^2) + a*(c^2 - 2*d^2*x^2))/(c^4*x*Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [B] time = 0.15, size = 146, normalized size = 2.18

$$\frac{\sqrt{c + dx} \left(-\frac{6ad^2(dx-c)}{c+dx} - \frac{ad^2(dx-c)^2}{(c+dx)^2} - ad^2 - \frac{2bc^2(dx-c)}{c+dx} - \frac{bc^2(dx-c)^2}{(c+dx)^2} - bc^2 \right)}{2c^4d\sqrt{dx - c} \left(\frac{dx-c}{c+dx} + 1 \right)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(x^2*(-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] (Sqrt[c + d*x]*(-(b*c^2) - a*d^2 - (b*c^2*(-c + d*x)^2)/(c + d*x)^2 - (a*d^2*(-c + d*x)^2)/(c + d*x)^2 - (2*b*c^2*(-c + d*x))/(c + d*x) - (6*a*d^2*(-c + d*x))/(c + d*x)))/(2*c^4*d*Sqrt[-c + d*x]*(1 + (-c + d*x)/(c + d*x)))

fricas [A] time = 0.78, size = 103, normalized size = 1.54

$$\frac{(bc^2d^2 + 2ad^4)x^3 - (ac^2d - (bc^2d + 2ad^3)x^2)\sqrt{dx + c}\sqrt{dx - c} - (bc^4 + 2ac^2d^2)x}{c^4d^3x^3 - c^6dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^2/(d*x-c)^(3/2)/(d*x+c)^(3/2), x, algorithm="fricas")

[Out] -((b*c^2*d^2 + 2*a*d^4)*x^3 - (a*c^2*d - (b*c^2*d + 2*a*d^3)*x^2)*sqrt(d*x + c)*sqrt(d*x - c) - (b*c^4 + 2*a*c^2*d^2)*x)/(c^4*d^3*x^3 - c^6*d*x)

giac [B] time = 0.46, size = 219, normalized size = 3.27

$$\frac{(bc^2 + ad^2)\sqrt{dx+c}}{2\sqrt{dx-c}c^4d} - \frac{2(bc^2(\sqrt{dx+c} - \sqrt{dx-c})^4 + ad^2(\sqrt{dx+c} - \sqrt{dx-c})^4 + 4acd^2(\sqrt{dx+c} - \sqrt{dx-c})^2 + 4bc^4 + 12ac^2d^2)}{((\sqrt{dx+c} - \sqrt{dx-c})^6 + 2c(\sqrt{dx+c} - \sqrt{dx-c})^4 + 4c^2(\sqrt{dx+c} - \sqrt{dx-c})^2 + 8c^3)c^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^2/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="giac")

[Out] -1/2*(b*c^2 + a*d^2)*sqrt(d*x + c)/(sqrt(d*x - c)*c^4*d) - 2*(b*c^2*(sqrt(d*x + c) - sqrt(d*x - c))^4 + a*d^2*(sqrt(d*x + c) - sqrt(d*x - c))^4 + 4*a*c*d^2*(sqrt(d*x + c) - sqrt(d*x - c))^2 + 4*b*c^4 + 12*a*c^2*d^2)/(((sqrt(d*x + c) - sqrt(d*x - c))^6 + 2*c*(sqrt(d*x + c) - sqrt(d*x - c))^4 + 4*c^2*(sqrt(d*x + c) - sqrt(d*x - c))^2 + 8*c^3)*c^3*d)

maple [A] time = 0.05, size = 48, normalized size = 0.72

$$\frac{-2ad^2x^2 - bc^2x^2 + ac^2}{\sqrt{dx+c}\sqrt{dx-c}c^4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/x^2/(d*x-c)^(3/2)/(d*x+c)^(3/2),x)

[Out] (-2*a*d^2*x^2-b*c^2*x^2+a*c^2)/(d*x+c)^(1/2)/x/c^4/(d*x-c)^(1/2)

maxima [A] time = 1.36, size = 71, normalized size = 1.06

$$-\frac{bx}{\sqrt{d^2x^2 - c^2}c^2} - \frac{2ad^2x}{\sqrt{d^2x^2 - c^2}c^4} + \frac{a}{\sqrt{d^2x^2 - c^2}c^2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^2/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="maxima")

[Out] -b*x/(sqrt(d^2*x^2 - c^2)*c^2) - 2*a*d^2*x/(sqrt(d^2*x^2 - c^2)*c^4) + a/(sqrt(d^2*x^2 - c^2)*c^2*x)

mupad [B] time = 2.87, size = 73, normalized size = 1.09

$$\frac{2ad^2x^2\sqrt{dx-c} - ac^2\sqrt{dx-c} + bc^2x^2\sqrt{dx-c}}{c^4x\sqrt{c+dx}(c-dx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)/(x^2*(c + d*x)^(3/2)*(d*x - c)^(3/2)),x)

[Out] $(2*a*d^2*x^2*(d*x - c)^{(1/2)} - a*c^2*(d*x - c)^{(1/2)} + b*c^2*x^2*(d*x - c)^{(1/2)})/(c^4*x*(c + d*x)^{(1/2)}*(c - d*x))$

sympy [C] time = 136.13, size = 165, normalized size = 2.46

$$a \left(\frac{{}_dG_{6,6}^{5,3} \left(\begin{matrix} \frac{7}{4}, \frac{9}{4}, 1 \\ \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2}, 3 \\ 0 \end{matrix} \middle| \frac{c^2}{d^2x^2} \right) + {}_{id}G_{6,6}^{2,6} \left(\begin{matrix} \frac{1}{2}, 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 1 \\ \frac{5}{4}, \frac{7}{4} \\ \frac{1}{2}, 1, 2, 0 \end{matrix} \middle| \frac{c^2 e^{2i\pi}}{d^2x^2} \right)}{2\pi^{\frac{3}{2}}c^4} \right) + b \left(\frac{{}_G_{6,6}^{5,3} \left(\begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 2 \\ 0 \end{matrix} \middle| \frac{c^2}{d^2x^2} \right) + {}_{i}G_{6,6}^{2,6} \left(\begin{matrix} -\frac{1}{2}, 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1 \\ \frac{1}{4}, \frac{3}{4} \\ -\frac{1}{2}, 0, 1, 0 \end{matrix} \middle| \frac{c^2 e^{2i\pi}}{d^2x^2} \right)}{2\pi^{\frac{3}{2}}c^2d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)/x**2/(d*x-c)**(3/2)/(d*x+c)**(3/2),x)

[Out] $a*(-d*\text{meijerg}(((7/4, 9/4, 1), (3/2, 5/2, 3)), ((7/4, 2, 9/4, 5/2, 3), (0,)), c**2/(d**2*x**2))/(2*pi**(3/2)*c**4) + I*d*\text{meijerg}(((1/2, 1, 5/4, 3/2, 7/4, 1), ()), ((5/4, 7/4), (1/2, 1, 2, 0)), c**2*\text{exp_polar}(2*I*pi)/(d**2*x**2))/(2*pi**(3/2)*c**4) + b*(-\text{meijerg}(((3/4, 5/4, 1), (1/2, 3/2, 2)), ((3/4, 1, 5/4, 3/2, 2), (0,)), c**2/(d**2*x**2))/(2*pi**(3/2)*c**2*d) + I*\text{meijerg}(((-1/2, 0, 1/4, 1/2, 3/4, 1), ()), ((1/4, 3/4), (-1/2, 0, 1, 0)), c**2*\text{exp_polar}(2*I*pi)/(d**2*x**2))/(2*pi**(3/2)*c**2*d))$

$$3.232 \quad \int \frac{a+bx^2}{x^3(-c+dx)^{3/2}(c+dx)^{3/2}} dx$$

Optimal. Leaf size=117

$$-\frac{(3ad^2 + 2bc^2) \tan^{-1}\left(\frac{\sqrt{dx-c} \sqrt{c+dx}}{c}\right)}{2c^5} - \frac{3ad^2 + 2bc^2}{2c^4 \sqrt{dx-c} \sqrt{c+dx}} + \frac{a}{2c^2 x^2 \sqrt{dx-c} \sqrt{c+dx}}$$

Rubi [A] time = 0.10, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.161, Rules used = {454, 104, 21, 92, 205}

$$-\frac{3ad^2 + 2bc^2}{2c^4 \sqrt{dx-c} \sqrt{c+dx}} - \frac{(3ad^2 + 2bc^2) \tan^{-1}\left(\frac{\sqrt{dx-c} \sqrt{c+dx}}{c}\right)}{2c^5} + \frac{a}{2c^2 x^2 \sqrt{dx-c} \sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(x^3*(-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] -(2*b*c^2 + 3*a*d^2)/(2*c^4*Sqrt[-c + d*x]*Sqrt[c + d*x]) + a/(2*c^2*x^2*Sqrt[-c + d*x]*Sqrt[c + d*x]) - ((2*b*c^2 + 3*a*d^2)*ArcTan[(Sqrt[-c + d*x]*Sqrt[c + d*x])/c])/(2*c^5)

Rule 21

```
Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :>
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])
```

Rule 92

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x_Symbol] :>
Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]
```

Rule 104

```
Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] :>
Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x,
```

$x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n, p\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{IntegersQ}[2*m, 2*n, 2*p]$

Rule 205

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

Rule 454

$\text{Int}[(e_ \cdot)(x_)^{(m_)} \cdot ((a1_) + (b1_ \cdot)(x_)^{(non2_)})^{(p_)} \cdot ((a2_) + (b2_ \cdot)(x_)^{(non2_)})^{(p_)} \cdot ((c_) + (d_ \cdot)(x_)^{(n_)}), x_Symbol] \rightarrow \text{Simp}[(c \cdot (e \cdot x)^{(m+1}) \cdot (a1 + b1 \cdot x^{(n/2)})^{(p+1)} \cdot (a2 + b2 \cdot x^{(n/2)})^{(p+1)}) / (a1 \cdot a2 \cdot e^{(m+1)})], x] + \text{Dist}[(a1 \cdot a2 \cdot d \cdot (m+1) - b1 \cdot b2 \cdot c \cdot (m+n \cdot (p+1) + 1)) / (a1 \cdot a2 \cdot e^{(m+1)})], \text{Int}[(e \cdot x)^{(m+n)} \cdot (a1 + b1 \cdot x^{(n/2)})^p \cdot (a2 + b2 \cdot x^{(n/2)})^p, x], x] /; \text{FreeQ}\{a1, b1, a2, b2, c, d, e, p\}, x] \&\& \text{EqQ}[non2, n/2] \&\& \text{EqQ}[a2 \cdot b1 + a1 \cdot b2, 0] \&\& (\text{IntegerQ}[n] \parallel \text{GtQ}[e, 0]) \&\& ((\text{GtQ}[n, 0] \&\& \text{LtQ}[m, -1]) \parallel (\text{LtQ}[n, 0] \&\& \text{GtQ}[m+n, -1])) \&\& !\text{LtQ}[p, -1]$

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2}{x^3(-c + dx)^{3/2}(c + dx)^{3/2}} dx &= \frac{a}{2c^2x^2\sqrt{-c + dx}\sqrt{c + dx}} + \frac{1}{2} \left(2b + \frac{3ad^2}{c^2} \right) \int \frac{1}{x(-c + dx)^{3/2}(c + dx)^{3/2}} dx \\ &= -\frac{2bc^2 + 3ad^2}{2c^4\sqrt{-c + dx}\sqrt{c + dx}} + \frac{a}{2c^2x^2\sqrt{-c + dx}\sqrt{c + dx}} + \frac{\left(-2b - \frac{3ad^2}{c^2}\right) \int \frac{cd+d^2}{x\sqrt{-c+dx}(c+dx)} dx}{2c^2d} \\ &= -\frac{2bc^2 + 3ad^2}{2c^4\sqrt{-c + dx}\sqrt{c + dx}} + \frac{a}{2c^2x^2\sqrt{-c + dx}\sqrt{c + dx}} - \frac{(2bc^2 + 3ad^2) \int \frac{1}{x\sqrt{-c+dx}} dx}{2c^4} \\ &= -\frac{2bc^2 + 3ad^2}{2c^4\sqrt{-c + dx}\sqrt{c + dx}} + \frac{a}{2c^2x^2\sqrt{-c + dx}\sqrt{c + dx}} - \frac{(d(2bc^2 + 3ad^2)) \text{Subst}}{2c^4} \\ &= -\frac{2bc^2 + 3ad^2}{2c^4\sqrt{-c + dx}\sqrt{c + dx}} + \frac{a}{2c^2x^2\sqrt{-c + dx}\sqrt{c + dx}} - \frac{(2bc^2 + 3ad^2) \tan^{-1} \left(\frac{\sqrt{-c+dx}}{c+dx} \right)}{2c^5} \end{aligned}$$

Mathematica [C] time = 0.03, size = 75, normalized size = 0.64

$$\frac{ac^2 - x^2(3ad^2 + 2bc^2) {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; 1 - \frac{d^2x^2}{c^2}\right)}{2c^4x^2\sqrt{dx - c}\sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(x^3*(-c + d*x)^(3/2)*(c + d*x)^(3/2)),x]

[Out] (a*c^2 - (2*b*c^2 + 3*a*d^2)*x^2*Hypergeometric2F1[-1/2, 1, 1/2, 1 - (d^2*x^2)/c^2])/(2*c^4*x^2*Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [A] time = 0.18, size = 196, normalized size = 1.68

$$\frac{\sqrt{c+dx} \left(\frac{dx-c}{c+dx} - 1 \right) \left(\frac{4ad^2(dx-c)}{c+dx} + \frac{ad^2(dx-c)^2}{(c+dx)^2} + ad^2 + \frac{2bc^2(dx-c)}{c+dx} + \frac{bc^2(dx-c)^2}{(c+dx)^2} + bc^2 \right)}{2c^5 \sqrt{dx-c} \left(\frac{dx-c}{c+dx} + 1 \right)^2} + \frac{(-3ad^2 - 2bc^2) \tan^{-1} \left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}} \right)}{c^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(x^3*(-c + d*x)^(3/2)*(c + d*x)^(3/2)),x]

[Out] (Sqrt[c + d*x]*(-1 + (-c + d*x)/(c + d*x))*(b*c^2 + a*d^2 + (b*c^2*(-c + d*x)^2)/(c + d*x)^2 + (a*d^2*(-c + d*x)^2)/(c + d*x)^2 + (2*b*c^2*(-c + d*x))/(c + d*x) + (4*a*d^2*(-c + d*x))/(c + d*x)))/(2*c^5*Sqrt[-c + d*x]*(1 + (-c + d*x)/(c + d*x))^2) + ((-2*b*c^2 - 3*a*d^2)*ArcTan[Sqrt[-c + d*x]/Sqrt[c + d*x]])/c^5

fricas [A] time = 0.72, size = 138, normalized size = 1.18

$$\frac{(ac^3 - (2bc^3 + 3acd^2)x^2)\sqrt{dx+c}\sqrt{dx-c} - 2((2bc^2d^2 + 3ad^4)x^4 - (2bc^4 + 3ac^2d^2)x^2) \arctan\left(\frac{dx-\sqrt{dx+c}\sqrt{dx-c}}{c}\right)}{2(c^5d^2x^4 - c^7x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^3/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="fricas")

[Out] 1/2*((a*c^3 - (2*b*c^3 + 3*a*c*d^2)*x^2)*sqrt(d*x + c)*sqrt(d*x - c) - 2*((2*b*c^2*d^2 + 3*a*d^4)*x^4 - (2*b*c^4 + 3*a*c^2*d^2)*x^2)*arctan(-(d*x - sqrt(d*x + c)*sqrt(d*x - c))/c))/(c^5*d^2*x^4 - c^7*x^2)

giac [B] time = 0.54, size = 211, normalized size = 1.80

$$\frac{(2bc^2 + 3ad^2) \arctan\left(\frac{(\sqrt{dx+c}-\sqrt{dx-c})^2}{2c}\right)}{c^5} - \frac{(bc^2 + ad^2)\sqrt{dx+c}}{2\sqrt{dx-c}c^5} + \frac{2(bc^2 + ad^2)}{((\sqrt{dx+c}-\sqrt{dx-c})^2 + 2c)c^4} + \frac{2(ad^2(\sqrt{dx+c}-\sqrt{dx-c})^6 - 4ac^2d^2(\sqrt{dx+c}-\sqrt{dx-c})^2)}{((\sqrt{dx+c}-\sqrt{dx-c})^4 + 4c^2)c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^3/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="giac")

[Out] (2*b*c^2 + 3*a*d^2)*arctan(1/2*(sqrt(d*x + c) - sqrt(d*x - c))^2/c)/c^5 - 1/2*(b*c^2 + a*d^2)*sqrt(d*x + c)/(sqrt(d*x - c)*c^5) + 2*(b*c^2 + a*d^2)/((

$(\sqrt{d*x + c} - \sqrt{d*x - c})^2 + 2*c)*c^4 + 2*(a*d^2*(\sqrt{d*x + c} - \sqrt{d*x - c})^6 - 4*a*c^2*d^2*(\sqrt{d*x + c} - \sqrt{d*x - c})^2)/(((\sqrt{d*x + c} - \sqrt{d*x - c})^4 + 4*c^2)^2*c^4)$

maple [B] time = 0.09, size = 315, normalized size = 2.69

$$\frac{3ad^4x^4 \ln\left(-\frac{2(\sqrt{d^2x^2 - c^2} \sqrt{d^2x^2 - c^2})}{x}\right) + 2bc^2d^2x^4 \ln\left(-\frac{2(\sqrt{d^2x^2 - c^2} \sqrt{d^2x^2 - c^2})}{x}\right) - 3ad^2d^2x^2 \ln\left(-\frac{2(\sqrt{d^2x^2 - c^2} \sqrt{d^2x^2 - c^2})}{x}\right) - 2bc^2x^2 \ln\left(-\frac{2(\sqrt{d^2x^2 - c^2} \sqrt{d^2x^2 - c^2})}{x}\right) - 3\sqrt{-c^2} \sqrt{d^2x^2 - c^2} ad^2x^2 - 2\sqrt{-c^2} \sqrt{d^2x^2 - c^2} bc^2x^2 + \sqrt{-c^2} \sqrt{d^2x^2 - c^2} ac^2}{2\sqrt{-c^2} \sqrt{d^2x^2 - c^2} \sqrt{dx + c} \sqrt{dx - c} c^4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/x^3/(d*x-c)^(3/2)/(d*x+c)^(3/2), x)

[Out] $\frac{1}{2}c^4*(3*a*d^4*x^4*\ln(-2*(c^2-(-c^2)^{(1/2)}*(d^2*x^2-c^2)^{(1/2)})/x)+2*b*c^2*d^2*x^4*\ln(-2*(c^2-(-c^2)^{(1/2)}*(d^2*x^2-c^2)^{(1/2)})/x)-3*\ln(-2*(c^2-(-c^2)^{(1/2)}*(d^2*x^2-c^2)^{(1/2)})/x)*x^2*a*c^2*d^2-2*\ln(-2*(c^2-(-c^2)^{(1/2)}*(d^2*x^2-c^2)^{(1/2)})/x)*x^2*b*c^4-3*(-c^2)^{(1/2)}*(d^2*x^2-c^2)^{(1/2)}*a*d^2*x^2-2*(-c^2)^{(1/2)}*(d^2*x^2-c^2)^{(1/2)}*b*c^2*x^2+(-c^2)^{(1/2)}*(d^2*x^2-c^2)^{(1/2)}*a*c^2)/(-c^2)^{(1/2)}/x^2/(d^2*x^2-c^2)^{(1/2)}/(d*x+c)^{(1/2)}/(d*x-c)^{(1/2)}$

maxima [A] time = 1.26, size = 104, normalized size = 0.89

$$\frac{b \arcsin\left(\frac{c}{d|x|}\right)}{c^3} + \frac{3ad^2 \arcsin\left(\frac{c}{d|x|}\right)}{2c^5} - \frac{b}{\sqrt{d^2x^2 - c^2}c^2} - \frac{3ad^2}{2\sqrt{d^2x^2 - c^2}c^4} + \frac{a}{2\sqrt{d^2x^2 - c^2}c^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^3/(d*x-c)^(3/2)/(d*x+c)^(3/2), x, algorithm="maxima")

[Out] $b*\arcsin(c/(d*\text{abs}(x)))/c^3 + 3/2*a*d^2*\arcsin(c/(d*\text{abs}(x)))/c^5 - b/(\sqrt{d^2*x^2 - c^2})*c^2 - 3/2*a*d^2/(\sqrt{d^2*x^2 - c^2})*c^4 + 1/2*a/(\sqrt{d^2*x^2 - c^2})*c^2*x^2)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{bx^2 + a}{x^3 (c + dx)^{3/2} (dx - c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)/(x^3*(c + d*x)^(3/2)*(d*x - c)^(3/2)), x)

[Out] int((a + b*x^2)/(x^3*(c + d*x)^(3/2)*(d*x - c)^(3/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**2+a)/x**3/(d*x-c)**(3/2)/(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

$$3.233 \quad \int \frac{a+bx^2}{x^4(-c+dx)^{3/2}(c+dx)^{3/2}} dx$$

Optimal. Leaf size=119

$$\frac{2d^2x(4ad^2 + 3bc^2)}{3c^6\sqrt{dx-c}\sqrt{c+dx}} + \frac{4ad^2 + 3bc^2}{3c^4x\sqrt{dx-c}\sqrt{c+dx}} + \frac{a}{3c^2x^3\sqrt{dx-c}\sqrt{c+dx}}$$

Rubi [A] time = 0.10, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.129, Rules used = {454, 103, 12, 39}

$$\frac{2d^2x(4ad^2 + 3bc^2)}{3c^6\sqrt{dx-c}\sqrt{c+dx}} + \frac{4ad^2 + 3bc^2}{3c^4x\sqrt{dx-c}\sqrt{c+dx}} + \frac{a}{3c^2x^3\sqrt{dx-c}\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(x^4*(-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] a/(3*c^2*x^3*Sqrt[-c + d*x]*Sqrt[c + d*x]) + (3*b*c^2 + 4*a*d^2)/(3*c^4*x*Sqrt[-c + d*x]*Sqrt[c + d*x]) - (2*d^2*(3*b*c^2 + 4*a*d^2)*x)/(3*c^6*Sqrt[-c + d*x]*Sqrt[c + d*x])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 39

Int[1/(((a_) + (b_.)*(x_))^(3/2)*((c_) + (d_.)*(x_))^(3/2)), x_Symbol] := Simp[x/(a*c*Sqrt[a + b*x]*Sqrt[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[b*c + a*d, 0]

Rule 103

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[m] && (IntegerQ[n] || IntegersQ[2*n, 2*p])

Rule 454

```

Int[((e._)*(x_))^(m._)*((a1_) + (b1._)*(x_)^(non2._))^(p._)*((a2_) + (b2._)
*(x_)^(non2._))^(p._)*((c_) + (d._)*(x_)^(n._)), x_Symbol] := Simp[(c*(e*x)^(
(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(a1*a2*e*(m +
1)), x] + Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*e^n*(
m + 1)), Int[(e*x)^(m + n)*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x]
/; FreeQ[{a1, b1, a2, b2, c, d, e, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 +
a1*b2, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (L
tQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2}{x^4(-c + dx)^{3/2}(c + dx)^{3/2}} dx &= \frac{a}{3c^2x^3\sqrt{-c + dx}\sqrt{c + dx}} + \frac{1}{3} \left(3b + \frac{4ad^2}{c^2} \right) \int \frac{1}{x^2(-c + dx)^{3/2}(c + dx)^{3/2}} dx \\
&= \frac{a}{3c^2x^3\sqrt{-c + dx}\sqrt{c + dx}} + \frac{3bc^2 + 4ad^2}{3c^4x\sqrt{-c + dx}\sqrt{c + dx}} + \frac{\left(3b + \frac{4ad^2}{c^2} \right) \int \frac{2d^2}{(-c + dx)^{3/2}(c + dx)^{3/2}} dx}{3c^2} \\
&= \frac{a}{3c^2x^3\sqrt{-c + dx}\sqrt{c + dx}} + \frac{3bc^2 + 4ad^2}{3c^4x\sqrt{-c + dx}\sqrt{c + dx}} + \frac{\left(2d^2 \left(3b + \frac{4ad^2}{c^2} \right) \right) \int \frac{1}{(-c + dx)^{3/2}(c + dx)^{3/2}} dx}{3c^2} \\
&= \frac{a}{3c^2x^3\sqrt{-c + dx}\sqrt{c + dx}} + \frac{3bc^2 + 4ad^2}{3c^4x\sqrt{-c + dx}\sqrt{c + dx}} - \frac{2d^2(3bc^2 + 4ad^2)x}{3c^6\sqrt{-c + dx}\sqrt{c + dx}}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 77, normalized size = 0.65

$$\frac{a(c^4 + 4c^2d^2x^2 - 8d^4x^4) + 3bc^2x^2(c^2 - 2d^2x^2)}{3c^6x^3\sqrt{dx - c}\sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(x^4*(-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] (3*b*c^2*x^2*(c^2 - 2*d^2*x^2) + a*(c^4 + 4*c^2*d^2*x^2 - 8*d^4*x^4))/(3*c^6*x^3*Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [A] time = 0.18, size = 236, normalized size = 1.98

$$\frac{\sqrt{c + dx} \left(-\frac{3ad^3(dx-c)^4}{(c+dx)^4} - \frac{36ad^3(dx-c)^3}{(c+dx)^3} - \frac{50ad^3(dx-c)^2}{(c+dx)^2} - \frac{36ad^3(dx-c)}{c+dx} - 3ad^3 - \frac{3bc^2d(dx-c)^4}{(c+dx)^4} - \frac{24bc^2d(dx-c)^3}{(c+dx)^3} - \frac{42bc^2d(dx-c)^2}{(c+dx)^2} - \frac{24bc^2d(dx-c)}{c+dx} - 3bc^2d \right)}{6c^6\sqrt{dx - c} \left(\frac{dx-c}{c+dx} + 1 \right)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(x^4*(-c + d*x)^(3/2)*(c + d*x)^(3/2)),x]

[Out] (Sqrt[c + d*x]*(-3*b*c^2*d - 3*a*d^3 - (3*b*c^2*d*(-c + d*x)^4)/(c + d*x)^4 - (3*a*d^3*(-c + d*x)^4)/(c + d*x)^4 - (24*b*c^2*d*(-c + d*x)^3)/(c + d*x)^3 - (36*a*d^3*(-c + d*x)^3)/(c + d*x)^3 - (42*b*c^2*d*(-c + d*x)^2)/(c + d*x)^2 - (50*a*d^3*(-c + d*x)^2)/(c + d*x)^2 - (24*b*c^2*d*(-c + d*x))/(c + d*x) - (36*a*d^3*(-c + d*x))/(c + d*x))/(6*c^6*Sqrt[-c + d*x]*(1 + (-c + d*x)/(c + d*x))^3)

fricas [A] time = 0.80, size = 132, normalized size = 1.11

$$\frac{2(3bc^2d^3 + 4ad^5)x^5 - 2(3bc^4d + 4ac^2d^3)x^3 - (ac^4 - 2(3bc^2d^2 + 4ad^4)x^4 + (3bc^4 + 4ac^2d^2)x^2)\sqrt{dx+c}\sqrt{dx-c}}{3(c^6d^2x^5 - c^8x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^4/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="fricas")

[Out] -1/3*(2*(3*b*c^2*d^3 + 4*a*d^5)*x^5 - 2*(3*b*c^4*d + 4*a*c^2*d^3)*x^3 - (a*c^4 - 2*(3*b*c^2*d^2 + 4*a*d^4)*x^4 + (3*b*c^4 + 4*a*c^2*d^2)*x^2)*sqrt(d*x + c)*sqrt(d*x - c)/(c^6*d^2*x^5 - c^8*x^3)

giac [B] time = 0.73, size = 242, normalized size = 2.03

$$\frac{(bc^2d + ad^3)\sqrt{dx+c}}{2\sqrt{dx-c}c^6} - \frac{2(bc^2d + ad^3)}{((\sqrt{dx+c} - \sqrt{dx-c})^2 + 2c)^c} - \frac{8(3bc^2d(\sqrt{dx+c} - \sqrt{dx-c})^8 + 3ad^3(\sqrt{dx+c} - \sqrt{dx-c})^8 + 24bc^4d(\sqrt{dx+c} - \sqrt{dx-c})^4 + 48ac^2d^3(\sqrt{dx+c} - \sqrt{dx-c})^4 + 48bc^6d + 80ac^4d^3)}{3((\sqrt{dx+c} - \sqrt{dx-c})^4 + 4c^2)^3c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/x^4/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="giac")

[Out] -1/2*(b*c^2*d + a*d^3)*sqrt(d*x + c)/(sqrt(d*x - c)*c^6) - 2*(b*c^2*d + a*d^3)/(((sqrt(d*x + c) - sqrt(d*x - c))^2 + 2*c)*c^5) - 8/3*(3*b*c^2*d*(sqrt(d*x + c) - sqrt(d*x - c))^8 + 3*a*d^3*(sqrt(d*x + c) - sqrt(d*x - c))^8 + 2*4*b*c^4*d*(sqrt(d*x + c) - sqrt(d*x - c))^4 + 48*a*c^2*d^3*(sqrt(d*x + c) - sqrt(d*x - c))^4 + 48*b*c^6*d + 80*a*c^4*d^3)/(((sqrt(d*x + c) - sqrt(d*x - c))^4 + 4*c^2)^3*c^4)

maple [A] time = 0.05, size = 73, normalized size = 0.61

$$\frac{-8ad^4x^4 - 6bc^2d^2x^4 + 4ac^2d^2x^2 + 3bc^4x^2 + ac^4}{3\sqrt{dx+c}\sqrt{dx-c}c^6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/x^4/(d*x-c)^(3/2)/(d*x+c)^(3/2),x)

[Out] $1/3*(-8*a*d^4*x^4-6*b*c^2*d^2*x^4+4*a*c^2*d^2*x^2+3*b*c^4*x^2+a*c^4)/(d*x+c)^{(1/2)}/x^3/c^6/(d*x-c)^{(1/2)}$

maxima [A] time = 1.34, size = 125, normalized size = 1.05

$$-\frac{2bd^2x}{\sqrt{d^2x^2-c^2}c^4} - \frac{8ad^4x}{3\sqrt{d^2x^2-c^2}c^6} + \frac{b}{\sqrt{d^2x^2-c^2}c^2x} + \frac{4ad^2}{3\sqrt{d^2x^2-c^2}c^4x} + \frac{a}{3\sqrt{d^2x^2-c^2}c^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^2+a)/x^4/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] $-2*b*d^2*x/(\sqrt{d^2*x^2-c^2}*c^4) - 8/3*a*d^4*x/(\sqrt{d^2*x^2-c^2}*c^6) + b/(\sqrt{d^2*x^2-c^2}*c^2*x) + 4/3*a*d^2/(\sqrt{d^2*x^2-c^2}*c^4*x) + 1/3*a/(\sqrt{d^2*x^2-c^2}*c^2*x^3)$

mupad [B] time = 2.90, size = 104, normalized size = 0.87

$$\frac{\sqrt{dx-c} \left(\frac{a}{3c^2d} + \frac{x^2(3bc^4+4ac^2d^2)}{3c^6d} - \frac{x^4(6bc^2d^2+8ad^4)}{3c^6d} \right)}{x^4\sqrt{c+dx} - \frac{cx^3\sqrt{c+dx}}{d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*x^2)/(x^4*(c+d*x)^(3/2)*(d*x-c)^(3/2)),x)`

[Out] $((d*x-c)^{(1/2)}*(a/(3*c^2*d) + (x^2*(3*b*c^4 + 4*a*c^2*d^2))/(3*c^6*d) - (x^4*(8*a*d^4 + 6*b*c^2*d^2))/(3*c^6*d)))/(x^4*(c+d*x)^{(1/2)} - (c*x^3*(c+d*x)^{(1/2)})/d)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**2+a)/x**4/(d*x-c)**(3/2)/(d*x+c)**(3/2),x)`

[Out] Timed out

$$3.234 \quad \int \frac{a+bx^2}{x^5(-c+dx)^{3/2}(c+dx)^{3/2}} dx$$

Optimal. Leaf size=166

$$-\frac{3d^2(5ad^2+4bc^2)\tan^{-1}\left(\frac{\sqrt{dx-c}\sqrt{c+dx}}{c}\right)}{8c^7} - \frac{3d^2(5ad^2+4bc^2)}{8c^6\sqrt{dx-c}\sqrt{c+dx}} + \frac{5ad^2+4bc^2}{8c^4x^2\sqrt{dx-c}\sqrt{c+dx}} + \frac{a}{4c^2x^4\sqrt{dx-c}\sqrt{c+dx}}$$

Rubi [A] time = 0.12, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {454, 103, 12, 104, 21, 92, 205}

$$\frac{5ad^2+4bc^2}{8c^4x^2\sqrt{dx-c}\sqrt{c+dx}} - \frac{3d^2(5ad^2+4bc^2)}{8c^6\sqrt{dx-c}\sqrt{c+dx}} - \frac{3d^2(5ad^2+4bc^2)\tan^{-1}\left(\frac{\sqrt{dx-c}\sqrt{c+dx}}{c}\right)}{8c^7} + \frac{a}{4c^2x^4\sqrt{dx-c}\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(x^5*(-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] (-3*d^2*(4*b*c^2 + 5*a*d^2))/(8*c^6*Sqrt[-c + d*x]*Sqrt[c + d*x]) + a/(4*c^2*x^4*Sqrt[-c + d*x]*Sqrt[c + d*x]) + (4*b*c^2 + 5*a*d^2)/(8*c^4*x^2*Sqrt[-c + d*x]*Sqrt[c + d*x]) - (3*d^2*(4*b*c^2 + 5*a*d^2)*ArcTan[(Sqrt[-c + d*x]*Sqrt[c + d*x])/c])/(8*c^7)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 92

Int[1/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 103

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[m] && (IntegerQ[n] || IntegersQ[2*n, 2*p])

```

Rule 104

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]

```

Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

Rule 454

```

Int[((e_.)*(x_))^(m_)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(p + 1))/(a1*a2*e*(m + 1)), x] + Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(a1*a2*e^n*(m + 1)), Int[(e*x)^(m + n)*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^p, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2}{x^5(-c + dx)^{3/2}(c + dx)^{3/2}} dx &= \frac{a}{4c^2x^4\sqrt{-c + dx}\sqrt{c + dx}} + \frac{1}{4} \left(4b + \frac{5ad^2}{c^2}\right) \int \frac{1}{x^3(-c + dx)^{3/2}(c + dx)^{3/2}} dx \\
&= \frac{a}{4c^2x^4\sqrt{-c + dx}\sqrt{c + dx}} + \frac{4bc^2 + 5ad^2}{8c^4x^2\sqrt{-c + dx}\sqrt{c + dx}} + \frac{(4bc^2 + 5ad^2) \int \frac{1}{x(-c + dx)^{3/2}(c + dx)^{3/2}} dx}{8c^4} \\
&= \frac{a}{4c^2x^4\sqrt{-c + dx}\sqrt{c + dx}} + \frac{4bc^2 + 5ad^2}{8c^4x^2\sqrt{-c + dx}\sqrt{c + dx}} + \frac{(3d^2(4bc^2 + 5ad^2)) \int \frac{1}{x} dx}{8c^4} \\
&= -\frac{3d^2(4bc^2 + 5ad^2)}{8c^6\sqrt{-c + dx}\sqrt{c + dx}} + \frac{a}{4c^2x^4\sqrt{-c + dx}\sqrt{c + dx}} + \frac{4bc^2 + 5ad^2}{8c^4x^2\sqrt{-c + dx}\sqrt{c + dx}} \\
&= -\frac{3d^2(4bc^2 + 5ad^2)}{8c^6\sqrt{-c + dx}\sqrt{c + dx}} + \frac{a}{4c^2x^4\sqrt{-c + dx}\sqrt{c + dx}} + \frac{4bc^2 + 5ad^2}{8c^4x^2\sqrt{-c + dx}\sqrt{c + dx}} \\
&= -\frac{3d^2(4bc^2 + 5ad^2)}{8c^6\sqrt{-c + dx}\sqrt{c + dx}} + \frac{a}{4c^2x^4\sqrt{-c + dx}\sqrt{c + dx}} + \frac{4bc^2 + 5ad^2}{8c^4x^2\sqrt{-c + dx}\sqrt{c + dx}} \\
&= -\frac{3d^2(4bc^2 + 5ad^2)}{8c^6\sqrt{-c + dx}\sqrt{c + dx}} + \frac{a}{4c^2x^4\sqrt{-c + dx}\sqrt{c + dx}} + \frac{4bc^2 + 5ad^2}{8c^4x^2\sqrt{-c + dx}\sqrt{c + dx}}
\end{aligned}$$

Mathematica [C] time = 0.03, size = 78, normalized size = 0.47

$$\frac{ac^4 - d^2x^4(5ad^2 + 4bc^2) {}_2F_1\left(-\frac{1}{2}, 2; \frac{1}{2}; 1 - \frac{d^2x^2}{c^2}\right)}{4c^6x^4\sqrt{dx - c}\sqrt{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(x^5*(-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] (a*c^4 - d^2*(4*b*c^2 + 5*a*d^2)*x^4*Hypergeometric2F1[-1/2, 2, 1/2, 1 - (d^2*x^2)/c^2])/(4*c^6*x^4*Sqrt[-c + d*x]*Sqrt[c + d*x])

IntegrateAlgebraic [A] time = 0.25, size = 297, normalized size = 1.79

$$\frac{d^2\sqrt{c + dx} \left(\frac{dx-c}{c+dx} - 1\right) \left(\frac{2ad^2(dx-c)^4}{(c+dx)^4} + \frac{17ad^2(dx-c)^3}{(c+dx)^3} + \frac{22ad^2(dx-c)^2}{(c+dx)^2} + \frac{17ad^2(dx-c)}{c+dx} + 2ad^2 + \frac{2bc^2(dx-c)^4}{(c+dx)^4} + \frac{12bc^2(dx-c)^3}{(c+dx)^3} + \frac{20bc^2(dx-c)^2}{(c+dx)^2} + \frac{12bc^2(dx-c)}{c+dx} + 2bc^2\right) - 3(5ad^4 + 4bc^2d^2) \tan^{-1}\left(\frac{\sqrt{dx-c}}{\sqrt{c+dx}}\right)}{4c^7\sqrt{dx-c} \left(\frac{dx-c}{c+dx} + 1\right)^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b*x^2)/(x^5*(-c + d*x)^(3/2)*(c + d*x)^(3/2)), x]

[Out] $(d^2 \sqrt{c+dx}) * (-1 + (-c+dx)/(c+dx)) * (2bc^2 + 2ad^2 + (2b^2c^2 * (-c+dx)^4)/(c+dx)^4 + (2ad^2 * (-c+dx)^4)/(c+dx)^4 + (12b^2c^2 * (-c+dx)^3)/(c+dx)^3 + (17ad^2 * (-c+dx)^3)/(c+dx)^3 + (20b^2c^2 * (-c+dx)^2)/(c+dx)^2 + (22ad^2 * (-c+dx)^2)/(c+dx)^2 + (12b^2c^2 * (-c+dx))/(c+dx) + (17ad^2 * (-c+dx))/(c+dx)) / (4c^7 \sqrt{-c+dx} * (1 + (-c+dx)/(c+dx))^4 - (3(4b^2c^2d^2 + 5ad^4) \operatorname{ArcTan}[\sqrt{-c+dx}/\sqrt{c+dx}]]) / (4c^7)$

fricas [A] time = 0.88, size = 165, normalized size = 0.99

$$\frac{(2ac^5 - 3(4bc^3d^2 + 5acd^4)x^4 + (4bc^5 + 5ac^3d^2)x^2)\sqrt{dx+c}\sqrt{dx-c} - 6((4bc^2d^4 + 5ad^6)x^6 - (4bc^4d^2 + 5ac^2d^4)x^4) \arctan\left(-\frac{dx-\sqrt{dx+c}\sqrt{dx-c}}{c}\right)}{8(c^7d^2x^6 - c^9x^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^2+a)/x^5/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="fricas")`

[Out] $1/8 * ((2a^2c^5 - 3(4b^2c^3d^2 + 5a^2c^4d^2)x^4 + (4b^2c^5 + 5a^2c^3d^2)x^2) * \sqrt{dx+c} * \sqrt{dx-c} - 6((4b^2c^2d^4 + 5a^2d^6)x^6 - (4b^2c^4d^2 + 5a^2c^2d^4)x^4) * \arctan(-(dx - \sqrt{dx+c}) * \sqrt{dx-c})/c) / (c^7d^2x^6 - c^9x^4)$

giac [B] time = 0.79, size = 402, normalized size = 2.42

$$\frac{3(4bc^2d^2 + 5ad^4) \arctan\left(\frac{\sqrt{dx+c}\sqrt{dx-c}}{c}\right) + \frac{(b^2c^2 + ad^4)\sqrt{dx+c}}{2\sqrt{dx-c}c^2} + \frac{2(b^2c^2 + ad^4)}{((\sqrt{dx+c} - \sqrt{dx-c})^2 + 2c)^2} + \frac{4bc^2d^2(\sqrt{dx+c} - \sqrt{dx-c})^4 + 7ad^4(\sqrt{dx+c} - \sqrt{dx-c})^4 + 16bc^2d^2(\sqrt{dx+c} - \sqrt{dx-c})^4 + 60ad^4(\sqrt{dx+c} - \sqrt{dx-c})^4 - 64bc^2d^2(\sqrt{dx+c} - \sqrt{dx-c})^4 - 240ad^4(\sqrt{dx+c} - \sqrt{dx-c})^4 - 256bc^2d^2(\sqrt{dx+c} - \sqrt{dx-c})^4 - 448ad^4(\sqrt{dx+c} - \sqrt{dx-c})^4}{2((\sqrt{dx+c} - \sqrt{dx-c})^2 + 4c)^2}}{8\sqrt{dx+c}\sqrt{dx-c}c^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^2+a)/x^5/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="giac")`

[Out] $3/4 * (4b^2c^2d^2 + 5ad^4) * \arctan(1/2 * (\sqrt{dx+c} - \sqrt{dx-c})^2/c) / c^7 - 1/2 * (b^2c^2d^2 + ad^4) * \sqrt{dx+c} / (\sqrt{dx-c} * c^7) + 2 * (b^2c^2d^2 + ad^4) / (((\sqrt{dx+c} - \sqrt{dx-c})^2 + 2c) * c^6) + 1/2 * (4b^2c^2d^2 * (\sqrt{dx+c} - \sqrt{dx-c})^14 + 7ad^4 * (\sqrt{dx+c} - \sqrt{dx-c})^14 + 16b^2c^2d^2 * (\sqrt{dx+c} - \sqrt{dx-c})^10 + 60ad^4 * (\sqrt{dx+c} - \sqrt{dx-c})^10 - 64b^2c^2d^2 * (\sqrt{dx+c} - \sqrt{dx-c})^6 - 240ad^4 * (\sqrt{dx+c} - \sqrt{dx-c})^6 - 256b^2c^2d^2 * (\sqrt{dx+c} - \sqrt{dx-c})^2 - 448ad^4 * (\sqrt{dx+c} - \sqrt{dx-c})^2) / (((\sqrt{dx+c} - \sqrt{dx-c})^4 + 4c^2)^4 * c^6)$

maple [B] time = 0.08, size = 387, normalized size = 2.33

$$\frac{15ad^4x^4 \ln\left(\frac{\sqrt{dx+c}\sqrt{dx-c}}{c}\right) + 12b^2d^4x^4 \ln\left(\frac{\sqrt{dx+c}\sqrt{dx-c}}{c}\right) - 15ad^4x^4 \ln\left(\frac{\sqrt{dx+c}\sqrt{dx-c}}{c}\right) - 12b^2d^4x^4 \ln\left(\frac{\sqrt{dx+c}\sqrt{dx-c}}{c}\right) - 15\sqrt{-c}\sqrt{dx+c}\sqrt{dx-c}ad^4x^4 - 12\sqrt{-c}\sqrt{dx+c}\sqrt{dx-c}b^2d^4x^4 + 5\sqrt{dx+c}\sqrt{dx-c}ad^4x^4 + 4\sqrt{dx+c}\sqrt{dx-c}b^2d^4x^4 + 2\sqrt{dx+c}\sqrt{dx-c}ad^4x^4}{8\sqrt{-c}\sqrt{dx+c}\sqrt{dx-c}c^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^2+a)/x^5/(d*x-c)^(3/2)/(d*x+c)^(3/2),x)`

[Out] $\frac{1}{8}c^6(15\ln(-2(c^2-(-c^2)^{1/2})(d^2x^2-c^2)^{1/2})/x)x^6+a*d^6+12\ln(-2(c^2-(-c^2)^{1/2})(d^2x^2-c^2)^{1/2})/x)x^6*b*c^2*d^4-15\ln(-2(c^2-(-c^2)^{1/2})(d^2x^2-c^2)^{1/2})/x)x^4*a*c^2*d^4-12\ln(-2(c^2-(-c^2)^{1/2})(d^2x^2-c^2)^{1/2})/x)x^4*b*c^4*d^2-15*(-c^2)^{1/2}(d^2x^2-c^2)^{1/2}x^4*a*d^4-12*(-c^2)^{1/2}(d^2x^2-c^2)^{1/2}x^4*b*c^2*d^2+5x^2*a*c^2*d^2*(d^2x^2-c^2)^{1/2}*(-c^2)^{1/2}+4x^2*b*c^4*(d^2x^2-c^2)^{1/2}*(-c^2)^{1/2}+2*a*c^4*(d^2x^2-c^2)^{1/2}*(-c^2)^{1/2})/(-c^2)^{1/2}/x^4/(d^2x^2-c^2)^{1/2}/(d*x+c)^{1/2}/(d*x-c)^{1/2}$

maxima [A] time = 1.48, size = 162, normalized size = 0.98

$$\frac{3bd^2 \arcsin\left(\frac{c}{d|x|}\right)}{2c^5} + \frac{15ad^4 \arcsin\left(\frac{c}{d|x|}\right)}{8c^7} - \frac{3bd^2}{2\sqrt{d^2x^2 - c^2}c^4} - \frac{15ad^4}{8\sqrt{d^2x^2 - c^2}c^6} + \frac{b}{2\sqrt{d^2x^2 - c^2}c^2x^2} + \frac{5ad^2}{8\sqrt{d^2x^2 - c^2}c^4x^2} + \frac{a}{4\sqrt{d^2x^2 - c^2}c^2x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^2+a)/x^5/(d*x-c)^(3/2)/(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] $\frac{3}{2}b*d^2*\arcsin(c/(d*abs(x)))/c^5 + \frac{15}{8}a*d^4*\arcsin(c/(d*abs(x)))/c^7 - \frac{3}{2}b*d^2/(\sqrt{d^2*x^2 - c^2})*c^4 - \frac{15}{8}a*d^4/(\sqrt{d^2*x^2 - c^2})*c^6 + \frac{1}{2}b/(\sqrt{d^2*x^2 - c^2})*c^2*x^2 + \frac{5}{8}a*d^2/(\sqrt{d^2*x^2 - c^2})*c^4*x^2 + \frac{1}{4}a/(\sqrt{d^2*x^2 - c^2})*c^2*x^4$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{bx^2 + a}{x^5(c + dx)^{3/2}(dx - c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2)/(x^5*(c + d*x)^(3/2)*(d*x - c)^(3/2)),x)`

[Out] `int((a + b*x^2)/(x^5*(c + d*x)^(3/2)*(d*x - c)^(3/2)), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**2+a)/x**5/(d*x-c)**(3/2)/(d*x+c)**(3/2),x)`

[Out] Timed out

$$3.235 \quad \int \frac{1+c^2x^2}{x\sqrt{-1+cx}\sqrt{1+cx}} dx$$

Optimal. Leaf size=40

$$\sqrt{cx-1}\sqrt{cx+1} + \tan^{-1}\left(\sqrt{cx-1}\sqrt{cx+1}\right)$$

Rubi [A] time = 0.05, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {460, 92, 205}

$$\sqrt{cx-1}\sqrt{cx+1} + \tan^{-1}\left(\sqrt{cx-1}\sqrt{cx+1}\right)$$

Antiderivative was successfully verified.

[In] Int[(1 + c^2*x^2)/(x*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] Sqrt[-1 + c*x]*Sqrt[1 + c*x] + ArcTan[Sqrt[-1 + c*x]*Sqrt[1 + c*x]]

Rule 92

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x_Symbol] :> Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 205

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 460

Int[((e_.)*(x_)^(m_.))*((a1_.) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_.) + (b2_.)*(x_)^(non2_.))^(q_.)*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> Simp[(d*(e*x)^(m + 1)*(a1 + b1*x^(n/2))^(p + 1)*(a2 + b2*x^(n/2))^(q + 1))/(b1*b2*e*(m + n*(p + 1) + 1)), x] - Dist[(a1*a2*d*(m + 1) - b1*b2*c*(m + n*(p + 1) + 1))/(b1*b2*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a1 + b1*x^(n/2))^p*(a2 + b2*x^(n/2))^q, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1 + c^2 x^2}{x \sqrt{-1 + cx} \sqrt{1 + cx}} dx &= \sqrt{-1 + cx} \sqrt{1 + cx} + \int \frac{1}{x \sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
&= \sqrt{-1 + cx} \sqrt{1 + cx} + c \operatorname{Subst} \left(\int \frac{1}{c + cx^2} dx, x, \sqrt{-1 + cx} \sqrt{1 + cx} \right) \\
&= \sqrt{-1 + cx} \sqrt{1 + cx} + \tan^{-1} \left(\sqrt{-1 + cx} \sqrt{1 + cx} \right)
\end{aligned}$$

Mathematica [A] time = 0.03, size = 56, normalized size = 1.40

$$\frac{c^2 x^2 + \sqrt{c^2 x^2 - 1} \tan^{-1} \left(\sqrt{c^2 x^2 - 1} \right) - 1}{\sqrt{cx - 1} \sqrt{cx + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + c^2*x^2)/(x*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (-1 + c^2*x^2 + Sqrt[-1 + c^2*x^2]*ArcTan[Sqrt[-1 + c^2*x^2]])/(Sqrt[-1 + c*x]*Sqrt[1 + c*x])

IntegrateAlgebraic [A] time = 0.07, size = 60, normalized size = 1.50

$$2 \tan^{-1} \left(\frac{\sqrt{cx - 1}}{\sqrt{cx + 1}} \right) - \frac{2\sqrt{cx - 1}}{\sqrt{cx + 1} \left(\frac{cx - 1}{cx + 1} - 1 \right)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1 + c^2*x^2)/(x*Sqrt[-1 + c*x]*Sqrt[1 + c*x]),x]

[Out] (-2*Sqrt[-1 + c*x])/(Sqrt[1 + c*x]*(-1 + (-1 + c*x)/(1 + c*x))) + 2*ArcTan[Sqrt[-1 + c*x]/Sqrt[1 + c*x]]

fricas [A] time = 0.89, size = 39, normalized size = 0.98

$$\sqrt{cx + 1} \sqrt{cx - 1} + 2 \arctan \left(-cx + \sqrt{cx + 1} \sqrt{cx - 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c^2*x^2+1)/x/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="fricas")

[Out] sqrt(c*x + 1)*sqrt(c*x - 1) + 2*arctan(-c*x + sqrt(c*x + 1)*sqrt(c*x - 1))

giac [A] time = 0.17, size = 40, normalized size = 1.00

$$\sqrt{cx+1} \sqrt{cx-1} - 2 \arctan\left(\frac{1}{2}(\sqrt{cx+1} - \sqrt{cx-1})^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c^2*x^2+1)/x/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="giac")

[Out] sqrt(c*x + 1)*sqrt(c*x - 1) - 2*arctan(1/2*(sqrt(c*x + 1) - sqrt(c*x - 1))^2)

maple [A] time = 0.07, size = 53, normalized size = 1.32

$$\frac{\sqrt{cx-1} \sqrt{cx+1} \left(-\arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right) + \sqrt{c^2x^2-1}\right)}{\sqrt{c^2x^2-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c^2*x^2+1)/x/(c*x-1)^(1/2)/(c*x+1)^(1/2),x)

[Out] (c*x-1)^(1/2)*(c*x+1)^(1/2)/(c^2*x^2-1)^(1/2)*((c^2*x^2-1)^(1/2)-arctan(1/(c^2*x^2-1)^(1/2)))

maxima [A] time = 1.35, size = 23, normalized size = 0.58

$$\sqrt{c^2x^2-1} - \arcsin\left(\frac{1}{c|x|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c^2*x^2+1)/x/(c*x-1)^(1/2)/(c*x+1)^(1/2),x, algorithm="maxima")

[Out] sqrt(c^2*x^2 - 1) - arcsin(1/(c*abs(x)))

mupad [B] time = 3.65, size = 72, normalized size = 1.80

$$\sqrt{cx-1} \sqrt{cx+1} - \ln\left(\frac{(\sqrt{cx-1} - i)^2}{(\sqrt{cx+1} - i)^2} + 1\right) 1i + \ln\left(\frac{\sqrt{cx-1} - i}{\sqrt{cx+1} - i}\right) 1i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c^2*x^2 + 1)/(x*(c*x - 1)^(1/2)*(c*x + 1)^(1/2)),x)

[Out] log(((c*x - 1)^(1/2) - 1i)/((c*x + 1)^(1/2) - 1))*1i - log(((c*x - 1)^(1/2) - 1i)^2/((c*x + 1)^(1/2) - 1)^2 + 1))*1i + (c*x - 1)^(1/2)*(c*x + 1)^(1/2)

sympy [C] time = 30.11, size = 148, normalized size = 3.70

$$\frac{G_{6,6}^{6,2} \left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \middle| \frac{1}{c^2 x^2} \right)}{4\pi^{\frac{3}{2}}} - \frac{G_{6,6}^{5,3} \left(\begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} \end{matrix} \middle| \frac{1}{c^2 x^2} \right)}{4\pi^{\frac{3}{2}}} + \frac{iG_{6,6}^{2,6} \left(\begin{matrix} -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1 \\ -\frac{3}{4}, -\frac{1}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{c^2 x^2} \right)}{4\pi^{\frac{3}{2}}} + \frac{iG_{6,6}^{2,6} \left(\begin{matrix} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4} \end{matrix} \middle| \frac{e^{2i\pi}}{c^2 x^2} \right)}{4\pi^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c**2*x**2+1)/x/(c*x-1)**(1/2)/(c*x+1)**(1/2),x)

[Out] meijerg(((−1/4, 1/4), (0, 0, 1/2, 1)), ((−1/2, −1/4, 0, 1/4, 1/2, 0), ()), 1/(c**2*x**2))/(4*pi**(3/2)) - meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), 1/(c**2*x**2))/(4*pi**(3/2)) + I*meijerg(((−1, −3/4, −1/2, −1/4, 0, 1), ()), ((−3/4, −1/4), (−1, −1/2, −1/2, 0)), exp_polar(2*I*pi)/(c**2*x**2))/(4*pi**(3/2)) + I*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), exp_polar(2*I*pi)/(c**2*x**2))/(4*pi**(3/2))

$$3.236 \quad \int x \frac{\frac{2b^2c+a^2d}{b^2c+a^2d} (c+dx^2)}{\sqrt{-a+bx} \sqrt{a+bx}} dx$$

Optimal. Leaf size=53

$$\sqrt{bx-a} \sqrt{a+bx} \left(\frac{c}{a^2} + \frac{d}{b^2} \right) x^{-\frac{b^2c}{a^2d+b^2c}}$$

Rubi [A] time = 0.09, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 57, $\frac{\text{number of rules}}{\text{integrand size}} = 0.018$, Rules used = {450}

$$\sqrt{bx-a} \sqrt{a+bx} \left(\frac{c}{a^2} + \frac{d}{b^2} \right) x^{-\frac{b^2c}{a^2d+b^2c}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^2)/(x^((2*b^2*c + a^2*d)/(b^2*c + a^2*d)))*Sqrt[-a + b*x]*Sqrt[a + b*x]), x]

[Out] ((c/a^2 + d/b^2)*Sqrt[-a + b*x]*Sqrt[a + b*x])/x^((b^2*c)/(b^2*c + a^2*d))

Rule 450

Int[((e_.)*(x_))^(m_.)*((a1_.) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_.) + (b2_.)*(x_)^(non2_.))^(q_.)*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> Simp[(c*(e*x)^(m+1)*(a1+b1*x^(n/2))^(p+1)*(a2+b2*x^(n/2))^(q+1))/(a1*a2*e*(m+1)), x] /; FreeQ[{a1, b1, a2, b2, c, d, e, m, n, p}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && EqQ[a1*a2*d*(m+1) - b1*b2*c*(m+n*(p+1)+1), 0] && NeQ[m, -1]

Rubi steps

$$\int x \frac{\frac{2b^2c+a^2d}{b^2c+a^2d} (c+dx^2)}{\sqrt{-a+bx} \sqrt{a+bx}} dx = \left(\frac{c}{a^2} + \frac{d}{b^2} \right) x^{-\frac{b^2c}{b^2c+a^2d}} \sqrt{-a+bx} \sqrt{a+bx}$$

Mathematica [C] time = 0.31, size = 244, normalized size = 4.60

$$\frac{\sqrt{1-\frac{b^2x^2}{a^2}} (a^2d+b^2c) x^{-\frac{b^2c}{a^2d+b^2c}} \left(b^2dx^2 {}_2F_1\left(\frac{1}{2}, \frac{2da^2+b^2c}{2da^2+2b^2c}, \frac{4da^2+3b^2c}{2da^2+2b^2c}, \frac{b^2x^2}{a^2}\right) - (2a^2d+b^2c) {}_2F_1\left(\frac{1}{2}, -\frac{b^2c}{2(da^2+b^2c)}, \frac{2da^2+b^2c}{2da^2+2b^2c}, \frac{b^2x^2}{a^2}\right) \right)}{b^2\sqrt{bx-a}\sqrt{a+bx}(2a^2d+b^2c)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x^2)/(x^((2*b^2*c + a^2*d)/(b^2*c + a^2*d))*Sqrt[-a + b*x]
*Sqrt[a + b*x]),x]
```

```
[Out] ((b^2*c + a^2*d)*Sqrt[1 - (b^2*x^2)/a^2]*(-(b^2*c + 2*a^2*d)*Hypergeometri
c2F1[1/2, -1/2*(b^2*c)/(b^2*c + a^2*d), (b^2*c + 2*a^2*d)/(2*b^2*c + 2*a^2*
d), (b^2*x^2)/a^2]) + b^2*d*x^2*Hypergeometric2F1[1/2, (b^2*c + 2*a^2*d)/(2
*b^2*c + 2*a^2*d), (3*b^2*c + 4*a^2*d)/(2*b^2*c + 2*a^2*d), (b^2*x^2)/a^2])
)/(b^2*(b^2*c + 2*a^2*d)*x^((b^2*c)/(b^2*c + a^2*d))*Sqrt[-a + b*x]*Sqrt[a
+ b*x])
```

IntegrateAlgebraic [F] time = 24.09, size = 0, normalized size = 0.00

$$\int \frac{x^{-\frac{2b^2c+a^2d}{b^2c+a^2d}} (c + dx^2)}{\sqrt{-a + bx} \sqrt{a + bx}} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(c + d*x^2)/(x^((2*b^2*c + a^2*d)/(b^2*c + a^2*d))*Sqrt[
-a + b*x]*Sqrt[a + b*x]),x]
```

```
[Out] Defer[IntegrateAlgebraic] [(c + d*x^2)/(x^((2*b^2*c + a^2*d)/(b^2*c + a^2*d)
)*Sqrt[-a + b*x]*Sqrt[a + b*x]), x]
```

fricas [A] time = 0.86, size = 65, normalized size = 1.23

$$\frac{(b^2c + a^2d)\sqrt{bx + a}\sqrt{bx - a}x}{a^2b^2x^{\frac{2b^2c+a^2d}{b^2c+a^2d}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x^2+c)/(x^((a^2*d+2*b^2*c)/(a^2*d+b^2*c)))/(b*x-a)^(1/2)/(b*x+
a)^(1/2),x, algorithm="fricas")
```

```
[Out] (b^2*c + a^2*d)*sqrt(b*x + a)*sqrt(b*x - a)*x/(a^2*b^2*x^((2*b^2*c + a^2*d)
/(b^2*c + a^2*d)))
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx^2 + c}{\sqrt{bx + a}\sqrt{bx - a}x^{\frac{2b^2c+a^2d}{b^2c+a^2d}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)/(x^((a^2*d+2*b^2*c)/(a^2*d+b^2*c)))/(b*x-a)^(1/2)/(b*x+a)^(1/2),x, algorithm="giac")

[Out] integrate((d*x^2 + c)/(sqrt(b*x + a)*sqrt(b*x - a)*x^((2*b^2*c + a^2*d)/(b^2*c + a^2*d))), x)

maple [A] time = 0.05, size = 66, normalized size = 1.25

$$\frac{(a^2d + b^2c) \sqrt{bx + a} \sqrt{bx - a} x x^{-\frac{a^2d+2b^2c}{a^2d+b^2c}}}{a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^2+c)/(x^((a^2*d+2*b^2*c)/(a^2*d+b^2*c)))/(b*x-a)^(1/2)/(b*x+a)^(1/2),x)

[Out] x*(a^2*d+b^2*c)*(b*x+a)^(1/2)/b^2/a^2/(x^((a^2*d+2*b^2*c)/(a^2*d+b^2*c)))*(b*x-a)^(1/2)

maxima [A] time = 1.24, size = 79, normalized size = 1.49

$$\frac{(b^2c + a^2d) \sqrt{bx + a} \sqrt{bx - a} x e^{\left(-\frac{2b^2c \log(x)}{b^2c+a^2d} - \frac{a^2d \log(x)}{b^2c+a^2d}\right)}}{a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)/(x^((a^2*d+2*b^2*c)/(a^2*d+b^2*c)))/(b*x-a)^(1/2)/(b*x+a)^(1/2),x, algorithm="maxima")

[Out] (b^2*c + a^2*d)*sqrt(b*x + a)*sqrt(b*x - a)*x*e^(-2*b^2*c*log(x)/(b^2*c + a^2*d) - a^2*d*log(x)/(b^2*c + a^2*d))/(a^2*b^2)

mupad [B] time = 3.27, size = 96, normalized size = 1.81

$$\frac{x \frac{(d a^4 + c a^2 b^2)}{a^2 b^2} - x^3 \frac{(d a^2 b^2 + c b^4)}{a^2 b^2}}{x \frac{d a^2 + c b^2}{d a^2 + c b^2} \sqrt{a + b x} \sqrt{b x - a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^2)/(x^((a^2*d + 2*b^2*c)/(a^2*d + b^2*c)))*(a + b*x)^(1/2)*(b*x - a)^(1/2)),x)

[Out] -((x*(a^4*d + a^2*b^2*c))/(a^2*b^2) - (x^3*(b^4*c + a^2*b^2*d))/(a^2*b^2))/(x^((a^2*d + 2*b^2*c)/(a^2*d + b^2*c))*(a + b*x)^(1/2)*(b*x - a)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x**2+c)/(x**((a**2*d+2*b**2*c)/(a**2*d+b**2*c)))/(b*x-a)**(1/2)
)/(b*x+a)**(1/2),x)
```

```
[Out] Timed out
```

$$3.237 \quad \int \frac{1}{\sqrt{-1-\sqrt{x}} \sqrt{-1+\sqrt{x}} \sqrt{1+x}} dx$$

Optimal. Leaf size=36

$$\frac{\sqrt{1-x} \sin^{-1}(x)}{\sqrt{-\sqrt{x}-1} \sqrt{\sqrt{x}-1}}$$

Rubi [A] time = 0.02, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$, Rules used = {519, 41, 216}

$$\frac{\sqrt{1-x} \sin^{-1}(x)}{\sqrt{-\sqrt{x}-1} \sqrt{\sqrt{x}-1}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[-1 - Sqrt[x]]*Sqrt[-1 + Sqrt[x]]*Sqrt[1 + x]),x]

[Out] (Sqrt[1 - x]*ArcSin[x])/(Sqrt[-1 - Sqrt[x]]*Sqrt[-1 + Sqrt[x]])

Rule 41

Int[((a_) + (b_.)*(x_))^(m_.)*((c_) + (d_.)*(x_))^(m_.), x_Symbol] := Int[(a*c + b*d*x^2)^m, x] /; FreeQ[{a, b, c, d, m}, x] && EqQ[b*c + a*d, 0] && (IntegerQ[m] || (GtQ[a, 0] && GtQ[c, 0]))

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 519

Int[(u_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_) * ((a2_) + (b2_.)*(x_)^(non2_.))^(p_), x_Symbol] := Dist[((a1 + b1*x^(n/2))^(FracPart[p])*(a2 + b2*x^(n/2))^(FracPart[p]))/(a1*a2 + b1*b2*x^n)^(FracPart[p]), Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p, q}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && !(EqQ[n, 2] && IGtQ[q, 0])

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{-1-\sqrt{x}} \sqrt{-1+\sqrt{x}} \sqrt{1+x}} dx &= \frac{\sqrt{1-x} \int \frac{1}{\sqrt{1-x} \sqrt{1+x}} dx}{\sqrt{-1-\sqrt{x}} \sqrt{-1+\sqrt{x}}} \\ &= \frac{\sqrt{1-x} \int \frac{1}{\sqrt{1-x^2}} dx}{\sqrt{-1-\sqrt{x}} \sqrt{-1+\sqrt{x}}} \\ &= \frac{\sqrt{1-x} \sin^{-1}(x)}{\sqrt{-1-\sqrt{x}} \sqrt{-1+\sqrt{x}}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 36, normalized size = 1.00

$$\frac{\sqrt{1-x} \sin^{-1}(x)}{\sqrt{-\sqrt{x}-1} \sqrt{\sqrt{x}-1}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[-1 - Sqrt[x]]*Sqrt[-1 + Sqrt[x]]*Sqrt[1 + x]),x]

[Out] (Sqrt[1 - x]*ArcSin[x])/(Sqrt[-1 - Sqrt[x]]*Sqrt[-1 + Sqrt[x]])

IntegrateAlgebraic [C] time = 7.62, size = 44, normalized size = 1.22

$$-i \log \left(-x + i \sqrt{-\sqrt{x}-1} \sqrt{\sqrt{x}-1} \sqrt{x+1} \right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(Sqrt[-1 - Sqrt[x]]*Sqrt[-1 + Sqrt[x]]*Sqrt[1 + x]),x]

[Out] (-I)*Log[-x + I*Sqrt[-1 - Sqrt[x]]*Sqrt[-1 + Sqrt[x]]*Sqrt[1 + x]]

fricas [C] time = 0.87, size = 69, normalized size = 1.92

$$-i \log \left(\frac{\sqrt{x+1} \sqrt{\sqrt{x}-1} \sqrt{-\sqrt{x}-1} + ix - 1}{x} \right) + i \log \left(\frac{\sqrt{x+1} \sqrt{\sqrt{x}-1} \sqrt{-\sqrt{x}-1} - ix - 1}{x} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+x)^(1/2)/(-1-x^(1/2))^(1/2)/(-1+x^(1/2))^(1/2),x, algorithm="fricas")

[Out] -I*log((sqrt(x + 1)*sqrt(sqrt(x) - 1)*sqrt(-sqrt(x) - 1) + I*x - 1)/x) + I*log((sqrt(x + 1)*sqrt(sqrt(x) - 1)*sqrt(-sqrt(x) - 1) - I*x - 1)/x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x+1} \sqrt{\sqrt{x}-1} \sqrt{-\sqrt{x}-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+x)^(1/2)/(-1-x^(1/2))^(1/2)/(-1+x^(1/2))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(x + 1)*sqrt(sqrt(x) - 1)*sqrt(-sqrt(x) - 1)), x)

maple [F] time = 0.86, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x+1} \sqrt{-\sqrt{x}-1} \sqrt{\sqrt{x}-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x+1)^(1/2)/(-1-x^(1/2))^(1/2)/(-1+x^(1/2))^(1/2),x)

[Out] int(1/(x+1)^(1/2)/(-1-x^(1/2))^(1/2)/(-1+x^(1/2))^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x+1} \sqrt{\sqrt{x}-1} \sqrt{-\sqrt{x}-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+x)^(1/2)/(-1-x^(1/2))^(1/2)/(-1+x^(1/2))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(x + 1)*sqrt(sqrt(x) - 1)*sqrt(-sqrt(x) - 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{\sqrt{\sqrt{x}-1} \sqrt{-\sqrt{x}-1} \sqrt{x+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((x^(1/2) - 1)^(1/2)*(- x^(1/2) - 1)^(1/2)*(x + 1)^(1/2)),x)`

[Out] `int(1/((x^(1/2) - 1)^(1/2)*(- x^(1/2) - 1)^(1/2)*(x + 1)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\sqrt{x}-1} \sqrt{\sqrt{x}-1} \sqrt{x+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(1+x)**(1/2)/(-1-x**(1/2))**(1/2)/(-1+x**(1/2))**(1/2),x)`

[Out] `Integral(1/(sqrt(-sqrt(x) - 1)*sqrt(sqrt(x) - 1)*sqrt(x + 1)), x)`

$$3.238 \quad \int \frac{1}{\sqrt{a-b\sqrt{x}} \sqrt{a+b\sqrt{x}} \sqrt{a^2+b^2x}} dx$$

Optimal. Leaf size=75

$$\frac{2\sqrt{a^2-b^2x} \tan^{-1}\left(\frac{\sqrt{a^2-b^2x}}{\sqrt{a^2+b^2x}}\right)}{b^2\sqrt{a-b\sqrt{x}} \sqrt{a+b\sqrt{x}}}$$

Rubi [A] time = 0.05, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {519, 63, 217, 203}

$$\frac{2\sqrt{a^2-b^2x} \tan^{-1}\left(\frac{\sqrt{a^2-b^2x}}{\sqrt{a^2+b^2x}}\right)}{b^2\sqrt{a-b\sqrt{x}} \sqrt{a+b\sqrt{x}}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[a - b*Sqrt[x]]*Sqrt[a + b*Sqrt[x]]*Sqrt[a^2 + b^2*x]),x]

[Out] (-2*Sqrt[a^2 - b^2*x]*ArcTan[Sqrt[a^2 - b^2*x]/Sqrt[a^2 + b^2*x]])/(b^2*Sqrt[a - b*Sqrt[x]]*Sqrt[a + b*Sqrt[x]])

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 519

```
Int[(u_)*((c_) + (d_)*(x_)^(n_))^(q_)*((a1_) + (b1_)*(x_)^(non2_))^(p_)*((a2_) + (b2_)*(x_)^(non2_))^(p_), x_Symbol] :> Dist[((a1 + b1*x^(n/2))^FracPart[p]*(a2 + b2*x^(n/2))^FracPart[p])/(a1*a2 + b1*b2*x^n)^FracPart[p], Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p, q}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && !(EqQ[n, 2] && IGtQ[q, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{a-b\sqrt{x}} \sqrt{a+b\sqrt{x}} \sqrt{a^2+b^2x}} dx &= \frac{\sqrt{a^2-b^2x} \int \frac{1}{\sqrt{a^2-b^2x} \sqrt{a^2+b^2x}} dx}{\sqrt{a-b\sqrt{x}} \sqrt{a+b\sqrt{x}}} \\ &= -\frac{(2\sqrt{a^2-b^2x}) \operatorname{Subst}\left(\int \frac{1}{\sqrt{2a^2-x^2}} dx, x, \sqrt{a^2-b^2x}\right)}{b^2 \sqrt{a-b\sqrt{x}} \sqrt{a+b\sqrt{x}}} \\ &= -\frac{(2\sqrt{a^2-b^2x}) \operatorname{Subst}\left(\int \frac{1}{1+x^2} dx, x, \frac{\sqrt{a^2-b^2x}}{\sqrt{a^2+b^2x}}\right)}{b^2 \sqrt{a-b\sqrt{x}} \sqrt{a+b\sqrt{x}}} \\ &= -\frac{2\sqrt{a^2-b^2x} \tan^{-1}\left(\frac{\sqrt{a^2-b^2x}}{\sqrt{a^2+b^2x}}\right)}{b^2 \sqrt{a-b\sqrt{x}} \sqrt{a+b\sqrt{x}}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 75, normalized size = 1.00

$$-\frac{2\sqrt{a^2-b^2x} \tan^{-1}\left(\frac{\sqrt{a^2-b^2x}}{\sqrt{a^2+b^2x}}\right)}{b^2 \sqrt{a-b\sqrt{x}} \sqrt{a+b\sqrt{x}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(Sqrt[a - b*Sqrt[x]]*Sqrt[a + b*Sqrt[x]]*Sqrt[a^2 + b^2*x]),x]
```

```
[Out] (-2*Sqrt[a^2 - b^2*x]*ArcTan[Sqrt[a^2 - b^2*x]/Sqrt[a^2 + b^2*x]])/(b^2*Sqrt[a - b*Sqrt[x]]*Sqrt[a + b*Sqrt[x]])
```

IntegrateAlgebraic [C] time = 10.95, size = 58, normalized size = 0.77

$$\frac{i \log \left(\sqrt{a - b\sqrt{x}} \sqrt{a + b\sqrt{x}} \sqrt{a^2 + b^2x} + ib^2x \right)}{b^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(Sqrt[a - b*Sqrt[x]]*Sqrt[a + b*Sqrt[x]]*Sqrt[a^2 + b^2*x]), x]

[Out] ((-I)*Log[I*b^2*x + Sqrt[a - b*Sqrt[x]]*Sqrt[a + b*Sqrt[x]]*Sqrt[a^2 + b^2*x]])/b^2

fricas [A] time = 0.72, size = 50, normalized size = 0.67

$$\frac{2 \arctan \left(-\frac{a^2 - \sqrt{b^2x + a^2} \sqrt{b\sqrt{x} + a} \sqrt{-b\sqrt{x} + a}}{b^2x} \right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b^2*x+a^2)^(1/2)/(a-b*x^(1/2))^(1/2)/(a+b*x^(1/2))^(1/2), x, algorithm="fricas")

[Out] -2*arctan(-(a^2 - sqrt(b^2*x + a^2)*sqrt(b*sqrt(x) + a)*sqrt(-b*sqrt(x) + a))/(b^2*x))/b^2

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b^2x + a^2} \sqrt{b\sqrt{x} + a} \sqrt{-b\sqrt{x} + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b^2*x+a^2)^(1/2)/(a-b*x^(1/2))^(1/2)/(a+b*x^(1/2))^(1/2), x, algorithm="giac")

[Out] integrate(1/(sqrt(b^2*x + a^2)*sqrt(b*sqrt(x) + a)*sqrt(-b*sqrt(x) + a)), x)

maple [F] time = 0.88, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b^2x + a^2} \sqrt{-b\sqrt{x} + a} \sqrt{b\sqrt{x} + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(b^2*x+a^2)^(1/2)/(a-b*x^(1/2))^(1/2)/(b*x^(1/2)+a)^(1/2),x)`

[Out] `int(1/(b^2*x+a^2)^(1/2)/(a-b*x^(1/2))^(1/2)/(b*x^(1/2)+a)^(1/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b^2x + a^2} \sqrt{b\sqrt{x} + a} \sqrt{-b\sqrt{x} + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b^2*x+a^2)^(1/2)/(a-b*x^(1/2))^(1/2)/(a+b*x^(1/2))^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/(sqrt(b^2*x + a^2)*sqrt(b*sqrt(x) + a)*sqrt(-b*sqrt(x) + a)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{a + b\sqrt{x}} \sqrt{a - b\sqrt{x}} \sqrt{a^2 + x b^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b*x^(1/2))^(1/2)*(a - b*x^(1/2))^(1/2)*(b^2*x + a^2)^(1/2)),x)`

[Out] `int(1/((a + b*x^(1/2))^(1/2)*(a - b*x^(1/2))^(1/2)*(b^2*x + a^2)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a - b\sqrt{x}} \sqrt{a + b\sqrt{x}} \sqrt{a^2 + b^2x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b**2*x+a**2)**(1/2)/(a-b*x**(1/2))**(1/2)/(a+b*x**(1/2))**(1/2),x)`

[Out] `Integral(1/(sqrt(a - b*sqrt(x))*sqrt(a + b*sqrt(x))*sqrt(a**2 + b**2*x)), x)`

3.239

$$\int (a - bx^{n/2})^p (a + bx^{n/2})^p \left(\frac{a^2 d(1+p)}{b^2 \left(1 + \frac{-1-2n-np}{n}\right)} + dx^n \right)^{\frac{-1-2n-np}{n}} dx$$

Optimal. Leaf size=96

$$\frac{b^2 x(np + n + 1) (a - bx^{n/2})^{p+1} (a + bx^{n/2})^{p+1} \left(dx^n - \frac{a^2 dn(p+1)}{b^2(np+n+1)} \right)^{-\frac{np+n+1}{n}}}{a^4 dn(p+1)}$$

Rubi [A] time = 0.12, antiderivative size = 104, normalized size of antiderivative = 1.08, number of steps used = 2, number of rules used = 2, integrand size = 76, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {519, 381}

$$\frac{b^2 x(np + n + 1) (a^2 - b^2 x^n) (a - bx^{n/2})^p (a + bx^{n/2})^p \left(dx^n - \frac{a^2 dn(p+1)}{b^2(np+n+1)} \right)^{-\frac{np+n+1}{n}}}{a^4 dn(p+1)}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^(n/2))^p*(a + b*x^(n/2))^p*((a^2*d*(1 + p))/(b^2*(1 + (-1 - 2*n - n*p)/n)) + d*x^n)^((-1 - 2*n - n*p)/n), x]

[Out] -((b^2*(1 + n + n*p)*x*(a - b*x^(n/2))^p*(a + b*x^(n/2))^p*(a^2 - b^2*x^n))/(a^4*d*n*(1 + p)*(-((a^2*d*n*(1 + p))/(b^2*(1 + n + n*p)))) + d*x^n)^((1 + n + n*p)/n))

Rule 381

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(x*(a + b*x^n)^(p+1)*(c + d*x^n)^(q+1))/(a*c), x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && EqQ[a*d*(p + 1) + b*c*(q + 1), 0]

Rule 519

Int[(u_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_) * ((a2_) + (b2_.)*(x_)^(non2_.))^(p_), x_Symbol] :> Dist[((a1 + b1*x^(n/2))^(FracPart[p])*(a2 + b2*x^(n/2))^(FracPart[p]))/(a1*a2 + b1*b2*x^n)^(FracPart[p]), Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n)^q, x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p, q}, x] && EqQ[non2, n/2] && EqQ[a2*b1 + a1*b2, 0] && !(EqQ[n, 2] && IGtQ[q, 0])

Rubi steps

$$\int (a - bx^{n/2})^p (a + bx^{n/2})^p \left(\frac{a^2 d(1+p)}{b^2 \left(1 + \frac{-1-2n-np}{n}\right)} + dx^n \right)^{\frac{-1-2n-np}{n}} dx = \left((a - bx^{n/2})^p (a + bx^{n/2})^p (a^2 - b^2 x^n)^{-p} \right) \int (a - bx^{n/2})^p (a + bx^{n/2})^p (a^2 - b^2 x^n)^{-p} dx$$

$$= -\frac{b^2(1+n+np)x (a - bx^{n/2})^p (a + bx^{n/2})^p (a^2 - b^2 x^n)^{-p}}{a^4 d n(1+p)}$$

Mathematica [A] time = 0.39, size = 103, normalized size = 1.07

$$\frac{b^2 x (np + n + 1) (a^2 - b^2 x^n) (a - bx^{n/2})^p (a + bx^{n/2})^p \left(d \left(x^n - \frac{a^2 n(p+1)}{b^2 (np+n+1)} \right) \right)^{-\frac{np+n+1}{n}}}{a^4 d n(p+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^(n/2))^p*(a + b*x^(n/2))^p*((a^2*d*(1 + p))/(b^2*(1 + (-1 - 2*n - n*p)/n)) + d*x^n)^((-1 - 2*n - n*p)/n), x]

[Out] -((b^2*(1 + n + n*p)*x*(a - b*x^(n/2))^p*(a + b*x^(n/2))^p*(a^2 - b^2*x^n))/(a^4*d*n*(1 + p)*(d*(-(a^2*n*(1 + p))/(b^2*(1 + n + n*p))) + x^n)^((1 + n + n*p)/n))

IntegrateAlgebraic [F] time = 1.41, size = 0, normalized size = 0.00

$$\int (a - bx^{n/2})^p (a + bx^{n/2})^p \left(\frac{a^2 d(1+p)}{b^2 \left(1 + \frac{-1-2n-np}{n}\right)} + dx^n \right)^{\frac{-1-2n-np}{n}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a - b*x^(n/2))^p*(a + b*x^(n/2))^p*((a^2*d*(1 + p))/(b^2*(1 + (-1 - 2*n - n*p)/n)) + d*x^n)^((-1 - 2*n - n*p)/n), x]

[Out] Defer[IntegrateAlgebraic] [(a - b*x^(n/2))^p*(a + b*x^(n/2))^p*((a^2*d*(1 + p))/(b^2*(1 + (-1 - 2*n - n*p)/n)) + d*x^n)^((-1 - 2*n - n*p)/n), x]

fricas [A] time = 0.85, size = 180, normalized size = 1.88

$$\frac{\left((b^4np + b^4n + b^4)xx^{2n} - (2a^2b^2np + 2a^2b^2n + a^2b^2)xx^n + (a^4np + a^4n)x\right)\left(bx^{\frac{1}{2}n} + a\right)^p\left(-bx^{\frac{1}{2}n} + a\right)^p}{(a^4np + a^4n)\left(-\frac{a^2dnp + a^2dn - (b^2dnp + b^2dn + b^2d)x^n}{b^2np + b^2n + b^2}\right)^{\frac{np+2n+1}{n}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-b*x^(1/2*n))^p*(a+b*x^(1/2*n))^p*(a^2*d*(1+p)/b^2/(1+(-n*p-2*n-1)/n)+d*x^n)^(((-n*p-2*n-1)/n),x, algorithm="fricas")

[Out] ((b^4*n*p + b^4*n + b^4)*x*x^(2*n) - (2*a^2*b^2*n*p + 2*a^2*b^2*n + a^2*b^2)*x*x^n + (a^4*n*p + a^4*n)*x)*(b*x^(1/2*n) + a)^p*(-b*x^(1/2*n) + a)^p/((a^4*n*p + a^4*n)*(-a^2*d*n*p + a^2*d*n - (b^2*d*n*p + b^2*d*n + b^2*d)*x^n)/(b^2*n*p + b^2*n + b^2))^((n*p + 2*n + 1)/n))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(bx^{\frac{1}{2}n} + a\right)^p\left(-bx^{\frac{1}{2}n} + a\right)^p}{\left(dx^n - \frac{a^2d(p+1)}{b^2\left(\frac{np+2n+1}{n}-1\right)}\right)^{\frac{np+2n+1}{n}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-b*x^(1/2*n))^p*(a+b*x^(1/2*n))^p*(a^2*d*(1+p)/b^2/(1+(-n*p-2*n-1)/n)+d*x^n)^(((-n*p-2*n-1)/n),x, algorithm="giac")

[Out] integrate((b*x^(1/2*n) + a)^p*(-b*x^(1/2*n) + a)^p/(d*x^n - a^2*d*(p + 1)/(b^2*((n*p + 2*n + 1)/n - 1))))^((n*p + 2*n + 1)/n), x)

maple [F] time = 2.17, size = 0, normalized size = 0.00

$$\int \left(-bx^{\frac{n}{2}} + a\right)^p\left(bx^{\frac{n}{2}} + a\right)^p\left(dx^n + \frac{(p+1)a^2d}{\left(\frac{-np-2n-1}{n} + 1\right)b^2}\right)^{\frac{-np-2n-1}{n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a-b*x^(1/2*n))^p*(a+b*x^(1/2*n))^p*(a^2*d*(p+1)/b^2/(1+(-n*p-2*n-1)/n)+d*x^n)^(((-n*p-2*n-1)/n),x)

[Out] int((a-b*x^(1/2*n))^p*(a+b*x^(1/2*n))^p*(a^2*d*(p+1)/b^2/(1+(-n*p-2*n-1)/n)+d*x^n)^(((-n*p-2*n-1)/n),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^{\frac{1}{2}n} + a)^p (-bx^{\frac{1}{2}n} + a)^p}{\left(dx^n - \frac{a^2 d(p+1)}{b^2 \left(\frac{np+2n+1}{n} - 1\right)}\right)^{\frac{np+2n+1}{n}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-b*x^(1/2*n))^p*(a+b*x^(1/2*n))^p*(a^2*d*(1+p)/b^2/(1+(-n*p-2*n-1)/n)+d*x^n)^((-n*p-2*n-1)/n),x, algorithm="maxima")

[Out] integrate((b*x^(1/2*n) + a)^p*(-b*x^(1/2*n) + a)^p/(d*x^n - a^2*d*(p + 1)/(b^2*((n*p + 2*n + 1)/n - 1)))^((n*p + 2*n + 1)/n), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + bx^{n/2})^p (a - bx^{n/2})^p}{\left(dx^n - \frac{a^2 d(p+1)}{b^2 \left(\frac{2n+np+1}{n} - 1\right)}\right)^{\frac{2n+np+1}{n}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^(n/2))^p*(a - b*x^(n/2))^p)/(d*x^n - (a^2*d*(p + 1))/(b^2*((2*n + n*p + 1)/n - 1)))^((2*n + n*p + 1)/n),x)

[Out] int(((a + b*x^(n/2))^p*(a - b*x^(n/2))^p)/(d*x^n - (a^2*d*(p + 1))/(b^2*((2*n + n*p + 1)/n - 1)))^((2*n + n*p + 1)/n), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-b*x**(1/2*n))**p*(a+b*x**(1/2*n))**p*(a**2*d*(1+p)/b**2/(1+(-n*p-2*n-1)/n)+d*x**n)**((-n*p-2*n-1)/n),x)

[Out] Timed out

Chapter 4

Appendix

Local contents

- 4.1 Download section1372
- 4.2 Listing of Grading functions1372

4.1 Download section

The following zip files contain the raw integrals used in this test.

This is a subset of Rubi test suite thanks to Albert Rich, which includes only the algebraic integrals with elementray optimal antiderivatives. It also includes a subset of a test file provided thanks to Sam Blake.

Mathematica format Mathematica_syntax_CAS_integration_elementary_version.zip

Maple and Mupad format Maple_syntax_CAS_integration_elementary_version.zip

Sympy format SYMPY_syntax_CAS_integration_elementary_version.zip

Sage math format SAGE_syntax_CAS_integration_elementary_version.zip

4.2 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.2.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
```

```

If[ExpnType[result]<=ExpnType[optimal],
  If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
    If[LeafCount[result]<=2*LeafCount[optimal],
      "A",
      "B"],
    "C"],
If[FreeQ[result,Integrate] && FreeQ[result,Int],
  "C",
"F"]]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]==Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]==Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]==Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]]],
  If[Head[expn]==Plus || Head[expn]==Times,
    Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
  If[ElementaryFunctionQ[Head[expn]],
    Max[3,ExpnType[expn[[1]]]],
  If[SpecialFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
  If[HypergeometricFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
  If[AppellFunctionQ[Head[expn]],

```

```

    Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
    If[Head[expn]===RootSum,
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
    If[Head[expn]===Integrate || Head[expn]===Int,
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
    9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
  MemberQ[{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

SpecialFunctionQ[func_] :=
  MemberQ[{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

AppellFunctionQ[func_] :=
  MemberQ[{AppellF1}, func]

```

4.2.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000

```

```

#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;

    leaf_count_result:=leafcount(result);
    #do NOT call ExpnType() if leaf size is too large. Recursion problem
    if leaf_count_result > 500000 then
        return "B";
    fi;

    leaf_count_optimal:=leafcount(optimal);

    ExpnType_result:=ExpnType(result);
    ExpnType_optimal:=ExpnType(optimal);

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
            ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;

```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do not
as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false

```



```

#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'`+`') or type(expn,'`*`') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  end if
end proc:

```

```

elif HypergeometricFunctionQ(op(0,expn)) then
  max(5,apply(max,map(ExpnType,[op(expn)])))
elif AppellFunctionQ(op(0,expn)) then
  max(6,apply(max,map(ExpnType,[op(expn)])))
elif op(0,expn)='int' then
  max(8,apply(max,map(ExpnType,[op(expn)]))) else
  9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

```

```
#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:
```

4.2.3 Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
                 asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
                 asinh,acosh,atanh,acoth,asech,acsch
                 ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
                 fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
                 gamma,loggamma,digamma,zeta,polylog,LambertW,
                 elliptic_f,elliptic_e,elliptic_pi,exp_polar
                 ]

def is_hypergeometric_function(func):
  return func in [hyper]

def is_appell_function(func):
  return func in [appellf1]
```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn))    #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
    ))
    else:
        return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+`') or type
(expn,'*`')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))

```

```

elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

4.2.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fracas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:

```

```

        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print(">>>>Enter expnType, expn=", expn)
        print(">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))

```



```

        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
        return max(3,expnType(expn.operands()[0]))
    elif is_special_function(expn.operator()): #is_special_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(4,m1) #max(4,m1)
    elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(5,m1) #max(5,m1)
    elif is_appell_function(expn.operator()):
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(6,m1) #max(6,m1)
    elif str(expn).find("Integral") != -1: #this will never happen, since it
        #is checked before calling the grading function that is passed.
        #but kept it here.
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

#main function
def grade_antiderivative(result,optimal):

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex

```

```
        if leaf_count_result <= 2*leaf_count_optimal:
            return "A"
        else:
            return "B"
    else: #result contains complex but optimal is not
        return "C"
else: # result do not contain complex, this assumes optimal do not as
well
    if leaf_count_result <= 2*leaf_count_optimal:
        return "A"
    else:
        return "B"
else:
    return "C"
```