

Computer algebra independent integration tests

1-Algebraic-functions/1.1-Binomial-products/1.1.3-General/1.1.3.8-P-x-c-
 $x^{-m-a}+b-x^n^{-p}$

Nasser M. Abbasi

September 20, 2021

Compiled on September 20, 2021 at 5:32am

Contents

1	Introduction	3
2	detailed summary tables of results	19
3	Listing of integrals	147
4	Appendix	2489

Chapter 1

Introduction

Local contents

1.1	Listing of CAS systems tested	4
1.2	Results	5
1.3	Performance	9
1.4	list of integrals that has no closed form antiderivative	11
1.5	list of integrals solved by CAS but has no known antiderivative	12
1.6	list of integrals solved by CAS but failed verification	13
1.7	Timing	13
1.8	Verification	14
1.9	Important notes about some of the results	14
1.10	Design of the test system	16

This report gives the result of running the computer algebra independent integration test. Elementary Algebraic integrals version.

The download section below contains links to download the problems in plain text format used for all CAS systems.

The number of integrals in this report is [427]. This is test number [16].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.3.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.45 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)
9. IntegrateAlgebraic under Mathematica 12.3.1 on windows 10. https://github.com/stblake/algebraic_integration. September 15, 2021 version.

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 (427)	0.00 (0)
Mathematica	100.00 (427)	0.00 (0)
Mupad	99.53 (425)	0.47 (2)
Maple	99.30 (424)	0.70 (3)
Maxima	98.83 (422)	1.17 (5)
Giac	98.36 (420)	1.64 (7)
Fricas	79.86 (341)	20.14 (86)
Sympy	66.74 (285)	% 33.26 (142)
IntegrateAlgebraic	3.98 (17)	96.02 (410)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	94.85	3.75	1.41	0.00
Maxima	93.44	5.39	0.00	1.17
Giac	85.95	12.41	0.00	1.64
Maple	72.37	26.46	0.47	0.70
Fricas	57.85	8.67	13.35	20.14
Sympy	56.21	4.45	6.09	33.26
IntegrateAlgebraic	3.51	0.47	0.00	96.02
Mupad	N/A	99.53	0.00	0.47

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure F.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned F(-1).

The third is due to an exception generated. Assigned F(-2). This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	0	0.00 %	0.00 %	0.00 %
Maple	3	66.67 %	33.33 %	0.00 %
Fricas	86	0.00 %	98.84 %	1.16 %
IntegrateAlgebraic	410	100.00 %	0.00 %	0.00 %
Giac	7	42.86 %	57.14 %	0.00 %
Maxima	5	100.00 %	0.00 %	0.00 %
Sympy	142	1.41 %	97.89 %	0.70 %
Mupad	2	100.00 %	0.00 %	0.00 %

Table 1.4: Failure statistics for each CAS


1.3 Performance


The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.22	176.22	1.00	158.00	1.00
Mathematica	0.19	181.74	1.11	168.00	0.99
Maple	0.06	254.36	1.36	194.50	1.21
Maxima	2.45	190.42	1.11	173.00	0.99
Fricas	1.18	1179.66	5.06	160.00	1.12
Sympy	7.88	181.73	1.50	109.00	1.05
Giac	0.20	216.82	1.23	189.50	1.03
Mupad	3.34	502.68	2.33	193.00	1.01
IntegrateAlgebraic	16.40	233.71	1.25	38.00	1.00

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.





1.4 list of integrals that has no closed form antiderivative

{

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

IntegrateAlgebraic {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {41,408,423}

IntegrateAlgebraic {}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each `integrate` call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the `integrate` command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by

failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using sagemath (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```

from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')

```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/XCAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: NotImplementedError

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the buildin system function LeafSize is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special buildin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user slelievre at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
```

```
# 1.7 is a fudge factor since it is low side from actual leaf count
leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine,'cos(x)*sin(x)')
the_variable = evalin(symengine,'x')
anti = int(integrand,the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer. the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. integer. 1 if result was verified or 0 if not verified.
The following field present only in Rubi and Mathematica Tables
14. integer. Number of rules used.
15. integer. Integrand leaf size.
16. real number. Ratio of field 14 over field 15
17. integer. 1 if result was verified or 0 if not verified.
18. String of form "{n,n,...}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Nasser M. Abbasi
May 11, 2021

Chapter 2

detailed summary tables of results

Local contents

2.1	List of integrals sorted by grade for each CAS	20
2.2	Detailed conclusion table per each integral for all CAS systems	27
2.3	Detailed conclusion table specific for Rubi results	134

2.1 List of integrals sorted by grade for each CAS

Local contents

2.1.1	Rubi	21
2.1.2	Mathematica	21
2.1.3	Maple	22
2.1.4	Maxima	22
2.1.5	FriCAS	23
2.1.6	Sympy	24
2.1.7	Giac	24
2.1.8	Mupad	25
2.1.9	IntegrateAlgebraic	25

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 37, 38, 39, 40, 42, 43, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376,

377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 399, 400, 401, 402, 403, 404, 405, 406, 407, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 424, 425, 426, 427 }

B grade: { 21, 32, 33, 34, 35, 36, 41, 44, 45, 46, 47, 316, 317, 318, 319, 398 }

C grade: { 77, 114, 168, 169, 408, 423 }

F grade: { }

2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 23, 24, 25, 26, 27, 28, 33, 36, 39, 42, 44, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 77, 79, 81, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 104, 105, 106, 107, 108, 110, 112, 113, 114, 115, 116, 118, 119, 120, 123, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 142, 148, 151, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 235, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 369, 370, 371, 372, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 422, 426 }

B grade: { 6, 20, 21, 29, 30, 31, 32, 34, 35, 37, 38, 40, 41, 43, 45, 46, 62, 63, 64, 76, 78, 80, 82, 102, 103, 109, 111, 117, 121, 122, 124, 125, 139, 140, 141, 143, 144, 145, 146, 147, 149, 150, 152, 153, 168, 169, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 234, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 317, 318, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 373, 374, 375, 376, 398 }

C grade: { 425, 427 }

F grade: { 421, 423, 424 }

2.1.4 Maxima

A grade: { 1, 2, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 23, 24, 25, 26, 27, 28, 29, 30, 33, 36, 39, 42, 44, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 133, 134, 135, 136, 137, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208,

209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 422, 425, 426 }

B grade: { 3, 6, 20, 21, 31, 32, 34, 35, 37, 38, 40, 41, 43, 45, 46, 68, 114, 132, 138, 317, 318, 398, 427 }

C grade: { }

F grade: { 168, 169, 421, 423, 424 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 42, 43, 48, 49, 50, 51, 52, 53, 54, 55, 56, 65, 66, 67, 76, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 106, 112, 114, 120, 133, 134, 135, 136, 137, 163, 164, 165, 166, 167, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 231, 232, 233, 234, 235, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 377, 378, 379, 380, 381, 382, 383, 384, 395, 396, 397, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 412, 413, 414, 415, 416, 419, 420, 421, 422, 426, 427 }

B grade: { 40, 41, 44, 45, 46, 47, 105, 108, 109, 113, 116, 117, 121, 132, 138, 168, 169, 230, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 398, 410, 411, 417, 418, 424, 425 }

C grade: { 7, 8, 9, 10, 11, 12, 24, 25, 26, 57, 58, 59, 60, 61, 62, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 361, 362, 363, 364, 365, 366, 368, 369, 370, 371, 372, 373, 374, 375 }

F grade: { 63, 64, 68, 69, 70, 71, 72, 73, 74, 75, 77, 78, 79, 80, 81, 82, 83, 84, 85, 102, 103, 104, 107, 110, 111, 115, 118, 119, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 367, 376, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 423 }

2.1.6 Sympy

A grade: { 1, 2, 4, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 22, 23, 24, 25, 26, 29, 31, 37, 38, 39, 42, 43, 48, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 77, 79, 81, 83, 85, 86, 87, 88, 89, 90, 91, 92, 94, 95, 96, 97, 98, 99, 100, 101, 105, 106, 107, 108, 109, 110, 112, 113, 115, 116, 117, 118, 120, 121, 122, 123, 133, 134, 135, 136, 137, 165, 166, 170, 171, 172, 173, 174, 175, 176, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 198, 199, 200, 201, 202, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 291, 292, 293, 298, 299, 300, 305, 306, 307, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 377, 378, 379, 380, 381, 382, 383, 384, 389, 390, 391, 395, 396, 397, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420 }

B grade: { 78, 80, 82, 84, 93, 102, 103, 111, 119, 132, 138, 168, 169, 350, 351, 352, 353, 354, 398 }

C grade: { 18, 19, 20, 21, 27, 28, 30, 32, 33, 34, 35, 36, 49, 76, 114, 163, 164, 167, 312, 313, 314, 315, 316, 317, 318, 319 }

F grade: { 3, 5, 6, 40, 41, 44, 45, 46, 47, 62, 63, 64, 104, 124, 125, 126, 127, 128, 129, 130, 131, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 177, 178, 179, 193, 194, 195, 196, 197, 203, 204, 205, 206, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 288, 289, 290, 294, 295, 296, 297, 301, 302, 303, 304, 308, 309, 310, 311, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 385, 386, 387, 388, 392, 393, 394, 421, 422, 423, 424, 425, 426, 427 }

2.1.7 Giac

A grade: { 1, 2, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 35, 36, 39, 42, 43, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 105, 106, 107, 108, 109, 110, 111, 112, 113, 115, 116, 117, 118, 119, 120, 121, 123, 127, 128, 129, 130, 131, 133, 134, 135, 136, 137, 138, 142, 143, 144, 148, 149, 150, 154, 155, 156, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 419, 420 }

B grade: { 3, 6, 29, 30, 31, 32, 33, 34, 44, 45, 68, 70, 72, 74, 76, 78, 80, 82, 84, 102, 103, 104, 114, 122, 124, 125, 126, 132, 139, 140, 141, 145, 146, 147, 151, 152, 153, 157, 158, 159, 201, 316, 317, 318, 385, 386, 398, 417, 418, 424, 425, 426, 427 }

C grade: { }

F grade: { 37, 38, 40, 41, 421, 422, 423 }

2.1.8 Mupad

A grade: { }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 422, 424, 425, 426, 427 }

C grade: { }

F grade: { 421, 423 }

2.1.9 IntegrateAlgebraic

A grade: { 1, 2, 4, 5, 56, 132, 133, 134, 163, 164, 165, 166, 167, 421, 423 }

B grade: { 3, 6 }

C grade: { }

F grade: { 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112,

113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 422, 424, 425, 426, 427 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column N. S. in the table below, which stands for **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To help make the table fit, Mathematica was abbreviated to MMA and IntegrateAlgebraic to I. A.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	72	72	53	53	77	53	223	78	58	62
N.S.	1	1.00	0.74	0.74	1.07	0.74	3.10	1.08	0.81	0.86
time (sec)	N/A	0.033	0.157	0.060	0.923	0.405	11.050	0.157	4.715	0.038
Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	161	161	155	194	237	192	644	237	149	229
N.S.	1	1.00	0.96	1.20	1.47	1.19	4.00	1.47	0.93	1.42
time (sec)	N/A	0.105	0.292	0.048	0.900	0.412	85.150	0.167	4.762	0.085
Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	274	274	294	495	525	457	0	526	299	592
N.S.	1	1.00	1.07	1.81	1.92	1.67	0.00	1.92	1.09	2.16
time (sec)	N/A	0.194	1.029	0.052	0.978	0.413	0.000	0.226	0.098	0.172

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	114	114	82	91	128	90	354	129	103	107
N.S.	1	1.00	0.72	0.80	1.12	0.79	3.11	1.13	0.90	0.94
time (sec)	N/A	0.071	0.175	0.045	0.833	0.410	45.834	0.174	4.814	0.057

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	320	320	303	447	500	417	0	516	316	544
N.S.	1	1.00	0.95	1.40	1.56	1.30	0.00	1.61	0.99	1.70
time (sec)	N/A	0.244	0.565	0.047	1.002	0.415	0.000	0.200	4.698	0.163

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	708	708	678	1417	1360	1221	0	1414	896	2128
N.S.	1	1.00	0.96	2.00	1.92	1.72	0.00	2.00	1.27	3.01
time (sec)	N/A	0.625	2.894	0.053	1.094	0.420	0.000	0.287	0.242	0.424

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	161	161	124	186	135	1931	76	141	127	0
N.S.	1	1.00	0.77	1.16	0.84	11.99	0.47	0.88	0.79	0.00
time (sec)	N/A	0.111	0.083	0.050	1.912	1.148	1.187	0.166	5.511	0.000

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	189	189	180	238	169	2088	105	174	169	0
N.S.	1	1.00	0.95	1.26	0.89	11.05	0.56	0.92	0.89	0.00
time (sec)	N/A	0.139	0.230	0.047	2.000	1.166	2.146	0.178	4.872	0.000

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	215	215	205	272	203	2215	146	194	206	0
N.S.	1	1.00	0.95	1.27	0.94	10.30	0.68	0.90	0.96	0.00
time (sec)	N/A	0.187	0.254	0.055	1.965	1.195	2.470	0.226	0.268	0.000

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	240	240	229	306	238	2308	185	218	241	0
N.S.	1	1.00	0.95	1.28	0.99	9.62	0.77	0.91	1.00	0.00
time (sec)	N/A	0.223	0.229	0.053	2.616	1.191	3.638	0.230	4.931	0.001

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	161	161	125	186	135	1961	76	132	127	0
N.S.	1	1.00	0.78	1.16	0.84	12.18	0.47	0.82	0.79	0.00
time (sec)	N/A	0.121	0.073	0.053	2.509	1.187	1.433	0.175	4.847	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	161	161	125	188	132	1905	78	115	124	0
N.S.	1	1.00	0.78	1.17	0.82	11.83	0.48	0.71	0.77	0.00
time (sec)	N/A	0.100	0.058	0.046	2.678	1.183	1.492	0.181	0.213	0.001

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	19	19	19	17	16	16	26	16	16	0
N.S.	1	1.00	1.00	0.89	0.84	0.84	1.37	0.84	0.84	0.00
time (sec)	N/A	0.015	0.007	0.045	2.485	0.397	0.370	0.189	4.699	0.000

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	19	19	19	17	16	16	26	16	16	0
N.S.	1	1.00	1.00	0.89	0.84	0.84	1.37	0.84	0.84	0.00
time (sec)	N/A	0.013	0.006	0.044	2.426	0.405	0.217	0.172	4.670	0.000

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	22	22	22	17	16	16	17	17	16	0
N.S.	1	1.00	1.00	0.77	0.73	0.73	0.77	0.77	0.73	0.00
time (sec)	N/A	0.012	0.004	0.047	2.441	0.401	0.253	0.164	0.063	0.000

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	22	22	22	19	18	18	17	19	18	0
N.S.	1	1.00	1.00	0.86	0.82	0.82	0.77	0.86	0.82	0.00
time (sec)	N/A	0.013	0.005	0.043	2.469	0.400	0.225	0.170	0.112	0.000

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	41	41	41	33	32	32	44	33	46	0
N.S.	1	1.00	1.00	0.80	0.78	0.78	1.07	0.80	1.12	0.00
time (sec)	N/A	0.027	0.009	0.050	2.433	0.405	0.468	0.147	0.140	0.000
Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	29	29	31	35	34	28	54	28	28	0
N.S.	1	1.00	1.07	1.21	1.17	0.97	1.86	0.97	0.97	0.00
time (sec)	N/A	0.022	0.012	0.074	2.901	0.406	0.397	0.206	0.054	0.001
Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	29	29	29	34	33	26	53	26	28	0
N.S.	1	1.00	1.00	1.17	1.14	0.90	1.83	0.90	0.97	0.00
time (sec)	N/A	0.020	0.025	0.043	2.980	0.402	0.465	0.165	0.045	0.001
Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	A	C	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	39	39	35	195	163	107	88	48	49	0
N.S.	1	1.00	0.90	5.00	4.18	2.74	2.26	1.23	1.26	0.00
time (sec)	N/A	0.027	0.016	0.063	2.977	0.450	0.588	0.223	4.821	0.001

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	B	A	C	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	41	41	129	228	174	114	105	58	49	0
N.S.	1	1.00	3.15	5.56	4.24	2.78	2.56	1.41	1.20	0.00
time (sec)	N/A	0.043	0.066	0.058	2.950	0.454	0.854	0.214	0.231	0.001
Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	118	118	90	94	159	310	26	103	98	0
N.S.	1	1.00	0.76	0.80	1.35	2.63	0.22	0.87	0.83	0.00
time (sec)	N/A	0.126	0.033	0.048	3.028	0.435	0.477	0.186	4.944	0.001
Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	118	118	90	94	159	305	22	115	96	0
N.S.	1	1.00	0.76	0.80	1.35	2.58	0.19	0.97	0.81	0.00
time (sec)	N/A	0.106	0.016	0.049	2.994	0.431	0.214	0.209	5.015	0.001
Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	161	161	124	186	188	1961	76	147	127	0
N.S.	1	1.00	0.77	1.16	1.17	12.18	0.47	0.91	0.79	0.00
time (sec)	N/A	0.166	0.047	0.045	2.958	1.180	1.282	0.198	4.923	0.001

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	134	134	122	108	145	1043	75	110	158	0
N.S.	1	1.00	0.91	0.81	1.08	7.78	0.56	0.82	1.18	0.00
time (sec)	N/A	0.113	0.026	0.049	2.924	1.206	0.713	0.176	0.189	0.001

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	134	134	123	111	144	1267	70	95	178	0
N.S.	1	1.00	0.92	0.83	1.07	9.46	0.52	0.71	1.33	0.00
time (sec)	N/A	0.089	0.039	0.045	3.045	1.188	0.590	0.173	5.009	0.001

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	37	37	72	43	42	36	60	37	84	0
N.S.	1	1.00	1.95	1.16	1.14	0.97	1.62	1.00	2.27	0.00
time (sec)	N/A	0.058	0.023	0.053	2.992	0.410	0.500	0.169	4.809	0.001

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	39	39	71	45	44	36	60	38	86	0
N.S.	1	1.00	1.82	1.15	1.13	0.92	1.54	0.97	2.21	0.00
time (sec)	N/A	0.042	0.026	0.058	2.966	0.409	0.697	0.154	0.093	0.001

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	48	48	76	117	47	134	58	115	147	0
N.S.	1	1.00	1.58	2.44	0.98	2.79	1.21	2.40	3.06	0.00
time (sec)	N/A	0.037	0.022	0.056	2.991	0.449	0.625	0.416	5.137	0.001

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	47	47	72	84	36	40	85	111	145	0
N.S.	1	1.00	1.53	1.79	0.77	0.85	1.81	2.36	3.09	0.00
time (sec)	N/A	0.034	0.029	0.045	3.003	0.426	0.745	0.204	5.024	0.001

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	A	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	57	57	99	122	122	182	58	91	176	0
N.S.	1	1.00	1.74	2.14	2.14	3.19	1.02	1.60	3.09	0.00
time (sec)	N/A	0.069	0.033	0.051	2.943	0.448	0.987	0.306	5.272	0.001

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	B	A	C	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	47	47	106	110	93	43	95	98	142	0
N.S.	1	1.00	2.26	2.34	1.98	0.91	2.02	2.09	3.02	0.00
time (sec)	N/A	0.061	0.043	0.052	2.988	0.430	0.934	0.214	0.328	0.001

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	A	A	A	C	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	146	87	51	52	100	166	172	0
N.S.	1	1.00	2.92	1.74	1.02	1.04	2.00	3.32	3.44	0.00
time (sec)	N/A	0.077	0.054	0.051	3.030	0.431	0.738	0.224	5.098	0.001
Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	B	A	C	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	53	53	150	135	167	53	110	162	172	0
N.S.	1	1.00	2.83	2.55	3.15	1.00	2.08	3.06	3.25	0.00
time (sec)	N/A	0.081	0.102	0.049	3.031	0.425	0.843	0.221	5.402	0.001
Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	B	A	C	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	54	54	149	132	168	56	109	91	173	0
N.S.	1	1.00	2.76	2.44	3.11	1.04	2.02	1.69	3.20	0.00
time (sec)	N/A	0.060	0.067	0.043	3.149	0.432	0.771	0.176	5.270	0.001
Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	A	A	A	C	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	53	53	147	90	52	53	102	85	171	0
N.S.	1	1.00	2.77	1.70	0.98	1.00	1.92	1.60	3.23	0.00
time (sec)	N/A	0.058	0.052	0.050	2.999	0.430	0.791	0.215	5.191	0.001

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	A	A	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	61	61	95	117	162	160	70	0	193	0
N.S.	1	1.00	1.56	1.92	2.66	2.62	1.15	0.00	3.16	0.00
time (sec)	N/A	0.041	0.021	0.056	2.869	0.456	0.732	0.000	5.307	0.001
Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	A	A	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	70	70	116	122	173	205	73	0	221	0
N.S.	1	1.00	1.66	1.74	2.47	2.93	1.04	0.00	3.16	0.00
time (sec)	N/A	0.072	0.032	0.054	3.022	0.447	1.241	0.000	5.239	0.001
Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	40	40	50	32	31	31	42	32	46	0
N.S.	1	1.00	1.25	0.80	0.78	0.78	1.05	0.80	1.15	0.00
time (sec)	N/A	0.030	0.030	0.046	2.988	0.428	0.294	0.321	0.155	0.000
Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	B	F(-1)	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	70	70	122	310	236	430	0	0	386	0
N.S.	1	1.00	1.74	4.43	3.37	6.14	0.00	0.00	5.51	0.00
time (sec)	N/A	0.067	0.052	0.056	3.120	3.299	0.000	0.000	6.232	0.001

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	B	B	F(-1)	F(-1)	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	88	88	238	345	252	470	0	0	444	0
N.S.	1	1.00	2.70	3.92	2.86	5.34	0.00	0.00	5.05	0.00
time (sec)	N/A	0.112	0.655	0.054	3.041	2.718	0.000	0.000	6.324	0.001
Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	11	11	12	12	12	12	7	13	12	0
N.S.	1	1.00	1.09	1.09	1.09	1.09	0.64	1.18	1.09	0.00
time (sec)	N/A	0.011	0.002	0.045	1.359	0.392	0.244	0.362	0.036	0.001
Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	21	21	21	218	210	17	20	16	15	0
N.S.	1	1.00	1.00	10.38	10.00	0.81	0.95	0.76	0.71	0.00
time (sec)	N/A	0.015	0.003	0.049	2.989	0.421	0.263	0.312	4.903	0.001
Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	A	A	B	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	71	71	247	121	78	429	0	242	436	0
N.S.	1	1.00	3.48	1.70	1.10	6.04	0.00	3.41	6.14	0.00
time (sec)	N/A	0.094	0.334	0.051	2.950	1.857	0.000	0.204	6.077	0.001

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	B	B	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	76	76	288	345	238	459	0	235	456	0
N.S.	1	1.00	3.79	4.54	3.13	6.04	0.00	3.09	6.00	0.00
time (sec)	N/A	0.102	0.254	0.049	3.010	1.780	0.000	0.214	6.479	0.001

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	B	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	78	78	253	340	239	450	0	133	453	0
N.S.	1	1.00	3.24	4.36	3.06	5.77	0.00	1.71	5.81	0.00
time (sec)	N/A	0.108	0.356	0.050	3.031	1.779	0.000	0.192	6.053	0.001

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	A	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	75	75	244	124	78	450	0	125	435	0
N.S.	1	1.00	3.25	1.65	1.04	6.00	0.00	1.67	5.80	0.00
time (sec)	N/A	0.105	0.322	0.051	3.140	1.721	0.000	0.179	6.357	0.001

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	32	32	31	36	26	26	24	27	35	0
N.S.	1	1.00	0.97	1.12	0.81	0.81	0.75	0.84	1.09	0.00
time (sec)	N/A	0.034	0.014	0.054	2.972	0.395	0.869	0.155	4.778	0.000

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	55	55	62	87	47	47	323	52	87	0
N.S.	1	1.00	1.13	1.58	0.85	0.85	5.87	0.95	1.58	0.00
time (sec)	N/A	0.057	0.038	0.049	2.992	0.424	1.885	0.169	4.948	0.001

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	8	8	8	7	6	6	5	7	6	0
N.S.	1	1.00	1.00	0.88	0.75	0.75	0.62	0.88	0.75	0.00
time (sec)	N/A	0.006	0.001	0.054	1.270	0.385	0.134	0.154	0.023	0.000

Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	30	30	30	33	32	32	5	33	63	0
N.S.	1	1.00	1.00	1.10	1.07	1.07	0.17	1.10	2.10	0.00
time (sec)	N/A	0.030	0.010	0.053	2.958	0.417	0.336	0.156	4.930	0.000

Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	18	18	18	17	16	16	15	17	16	0
N.S.	1	1.00	1.00	0.94	0.89	0.89	0.83	0.94	0.89	0.00
time (sec)	N/A	0.019	0.006	0.050	2.926	0.388	0.161	0.149	0.041	0.000

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	113	113	113	98	97	97	117	97	97	0
N.S.	1	1.00	1.00	0.87	0.86	0.86	1.04	0.86	0.86	0.00
time (sec)	N/A	0.099	0.005	0.045	1.386	0.353	0.731	0.165	0.061	0.000

Problem 54	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	88	88	88	75	74	74	90	74	74	0
N.S.	1	1.00	1.00	0.85	0.84	0.84	1.02	0.84	0.84	0.00
time (sec)	N/A	0.060	0.003	0.050	1.387	0.355	0.155	0.155	0.036	0.000

Problem 55	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	60	60	60	51	50	50	58	50	50	0
N.S.	1	1.00	1.00	0.85	0.83	0.83	0.97	0.83	0.83	0.00
time (sec)	N/A	0.038	0.003	0.041	1.402	0.354	0.097	0.165	0.028	0.000

Problem 56	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	12	12	12	11	10	10	8	10	10	14
N.S.	1	1.00	1.00	0.92	0.83	0.83	0.67	0.83	0.83	1.17
time (sec)	N/A	0.014	0.001	0.043	1.322	0.388	0.127	0.198	0.018	0.026

Problem 57	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	161	161	124	186	135	1931	76	141	127	0
N.S.	1	1.00	0.77	1.16	0.84	11.99	0.47	0.88	0.79	0.00
time (sec)	N/A	0.098	0.051	0.046	2.985	1.179	1.338	0.184	5.094	0.001
Problem 58	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	189	189	180	238	169	2088	105	174	169	0
N.S.	1	1.00	0.95	1.26	0.89	11.05	0.56	0.92	0.89	0.00
time (sec)	N/A	0.127	0.173	0.046	3.016	1.187	1.851	0.213	5.084	0.001
Problem 59	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	186	186	200	211	192	5014	156	175	357	0
N.S.	1	1.00	1.08	1.13	1.03	26.96	0.84	0.94	1.92	0.00
time (sec)	N/A	0.178	0.088	0.049	2.925	1.204	1.384	0.176	0.262	0.000
Problem 60	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	222	222	214	325	240	7245	245	214	370	0
N.S.	1	1.00	0.96	1.46	1.08	32.64	1.10	0.96	1.67	0.00
time (sec)	N/A	0.319	0.238	0.051	2.960	1.816	5.714	0.186	5.143	0.001

Problem 61	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	282	280	277	446	303	8787	325	294	513	0
N.S.	1	0.99	0.98	1.58	1.07	31.16	1.15	1.04	1.82	0.00
time (sec)	N/A	0.443	0.365	0.051	3.044	5.152	60.245	0.193	4.973	0.000

Problem 62	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	272	270	269	444	314	12827	0	264	769	0
N.S.	1	0.99	0.99	1.63	1.15	47.16	0.00	0.97	2.83	0.00
time (sec)	N/A	0.490	0.422	0.071	3.033	1.764	0.000	0.212	5.134	0.001

Problem 63	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	416	416	439	837	520	0	0	432	1700	0
N.S.	1	1.00	1.06	2.01	1.25	0.00	0.00	1.04	4.09	0.00
time (sec)	N/A	0.700	0.577	0.052	3.049	0.000	0.000	0.233	4.913	0.001

Problem 64	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	645	643	678	1339	833	0	0	723	2971	0
N.S.	1	1.00	1.05	2.08	1.29	0.00	0.00	1.12	4.61	0.00
time (sec)	N/A	1.097	0.476	0.056	3.126	0.000	0.000	0.210	5.047	0.001

Problem 65	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	43	43	54	38	37	37	44	38	49	0
N.S.	1	1.00	1.26	0.88	0.86	0.86	1.02	0.88	1.14	0.00
time (sec)	N/A	0.078	0.016	0.052	2.858	0.409	0.251	0.151	0.098	0.000

Problem 66	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	46	46	54	38	37	37	46	38	51	0
N.S.	1	1.00	1.17	0.83	0.80	0.80	1.00	0.83	1.11	0.00
time (sec)	N/A	0.084	0.029	0.052	2.900	0.408	0.308	0.157	0.093	0.001

Problem 67	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	44	44	44	38	37	37	48	38	49	0
N.S.	1	1.00	1.00	0.86	0.84	0.84	1.09	0.86	1.11	0.00
time (sec)	N/A	0.043	0.010	0.047	2.809	0.397	0.327	0.153	4.697	0.000

Problem 68	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	F(-1)	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	87	87	134	101	126	0	126	225	182	0
N.S.	1	1.00	1.54	1.16	1.45	0.00	1.45	2.59	2.09	0.00
time (sec)	N/A	0.065	0.039	0.046	2.882	0.000	1.219	0.181	5.012	0.000

Problem 69	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	219	219	184	151	207	0	124	213	160	0
N.S.	1	1.00	0.84	0.69	0.95	0.00	0.57	0.97	0.73	0.00
time (sec)	N/A	0.171	0.090	0.045	3.042	0.000	1.030	0.186	4.798	0.000

Problem 70	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	110	110	168	142	157	0	156	254	283	0
N.S.	1	1.00	1.53	1.29	1.43	0.00	1.42	2.31	2.57	0.00
time (sec)	N/A	0.082	0.202	0.050	3.038	0.000	1.798	0.173	4.919	0.001

Problem 71	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	241	241	224	188	238	0	155	238	282	0
N.S.	1	1.00	0.93	0.78	0.99	0.00	0.64	0.99	1.17	0.00
time (sec)	N/A	0.202	0.279	0.052	2.932	0.000	1.511	0.170	4.944	0.000

Problem 72	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	136	136	193	180	186	0	194	272	315	0
N.S.	1	1.00	1.42	1.32	1.37	0.00	1.43	2.00	2.32	0.00
time (sec)	N/A	0.110	0.208	0.049	3.015	0.000	1.970	0.188	4.979	0.000

Problem 73	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	266	266	249	222	269	0	192	256	315	0
N.S.	1	1.00	0.94	0.83	1.01	0.00	0.72	0.96	1.18	0.00
time (sec)	N/A	0.230	0.264	0.049	3.061	0.000	1.989	0.181	4.989	0.000
Problem 74	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	162	162	217	177	223	0	231	296	351	0
N.S.	1	1.00	1.34	1.09	1.38	0.00	1.43	1.83	2.17	0.00
time (sec)	N/A	0.130	0.215	0.064	2.974	0.000	2.062	0.278	4.975	0.001
Problem 75	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	291	291	274	225	304	0	231	280	350	0
N.S.	1	1.00	0.94	0.77	1.04	0.00	0.79	0.96	1.20	0.00
time (sec)	N/A	0.268	0.338	0.070	3.198	0.000	1.807	0.180	0.309	0.001
Problem 76	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	24	24	42	44	35	35	313	37	100	0
N.S.	1	1.00	1.75	1.83	1.46	1.46	13.04	1.54	4.17	0.00
time (sec)	N/A	0.018	0.021	0.044	3.042	0.412	0.923	0.147	4.918	0.000

Problem 77	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	98	98	99	68	86	0	83	86	71	0
N.S.	1	1.00	1.01	0.69	0.88	0.00	0.85	0.88	0.72	0.00
time (sec)	N/A	0.067	0.125	0.046	2.998	0.000	0.705	0.172	0.092	0.000

Problem 78	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	B	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	116	116	187	161	153	0	471	263	725	0
N.S.	1	1.00	1.61	1.39	1.32	0.00	4.06	2.27	6.25	0.00
time (sec)	N/A	0.095	0.062	0.045	2.911	0.000	11.044	0.179	5.143	0.001

Problem 79	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	277	277	229	280	257	0	466	275	712	0
N.S.	1	1.00	0.83	1.01	0.93	0.00	1.68	0.99	2.57	0.00
time (sec)	N/A	0.197	0.115	0.046	3.042	0.000	10.540	0.174	5.086	0.001

Problem 80	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	B	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	146	146	211	228	191	0	508	311	477	0
N.S.	1	1.00	1.45	1.56	1.31	0.00	3.48	2.13	3.27	0.00
time (sec)	N/A	0.128	0.283	0.055	2.936	0.000	13.740	0.182	4.982	0.001

Problem 81	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	308	308	305	344	294	0	505	306	472	0
N.S.	1	1.00	0.99	1.12	0.95	0.00	1.64	0.99	1.53	0.00
time (sec)	N/A	0.255	0.545	0.049	3.102	0.000	11.548	0.177	0.333	0.001
Problem 82	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	B	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	179	179	244	286	230	0	563	340	826	0
N.S.	1	1.00	1.36	1.60	1.28	0.00	3.15	1.90	4.61	0.00
time (sec)	N/A	0.167	0.289	0.052	3.124	0.000	45.341	0.235	5.111	0.001
Problem 83	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	341	341	337	396	336	0	558	336	826	0
N.S.	1	1.00	0.99	1.16	0.99	0.00	1.64	0.99	2.42	0.00
time (sec)	N/A	0.311	0.417	0.051	3.089	0.000	40.860	0.191	5.047	0.001
Problem 84	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	B	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	211	211	276	274	279	0	612	377	874	0
N.S.	1	1.00	1.31	1.30	1.32	0.00	2.90	1.79	4.14	0.00
time (sec)	N/A	0.211	0.284	0.061	3.019	0.000	59.744	0.223	5.220	0.001

Problem 85	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	372	372	369	394	383	0	610	373	873	0
N.S.	1	1.00	0.99	1.06	1.03	0.00	1.64	1.00	2.35	0.00
time (sec)	N/A	0.379	0.585	0.065	3.108	0.000	63.470	0.191	5.137	0.001

Problem 86	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	28	28	27	24	25	24	27	25	25	0
N.S.	1	1.00	0.96	0.86	0.89	0.86	0.96	0.89	0.89	0.00
time (sec)	N/A	0.011	0.002	0.045	1.372	0.360	0.119	0.145	4.674	0.000

Problem 87	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	33	33	32	27	27	27	29	27	27	0
N.S.	1	1.00	0.97	0.82	0.82	0.82	0.88	0.82	0.82	0.00
time (sec)	N/A	0.014	0.002	0.041	1.396	0.350	0.073	0.169	0.034	0.000

Problem 88	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	60	60	60	51	50	50	58	50	50	0
N.S.	1	1.00	1.00	0.85	0.83	0.83	0.97	0.83	0.83	0.00
time (sec)	N/A	0.062	0.002	0.048	1.356	0.365	0.110	0.150	0.025	0.000

Problem 89	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	33	33	33	27	27	27	31	27	27	0
N.S.	1	1.00	1.00	0.82	0.82	0.82	0.94	0.82	0.82	0.00
time (sec)	N/A	0.013	0.001	0.042	1.357	0.366	0.132	0.195	0.039	0.000
Problem 90	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	60	60	60	51	50	50	60	50	50	0
N.S.	1	1.00	1.00	0.85	0.83	0.83	1.00	0.83	0.83	0.00
time (sec)	N/A	0.027	0.003	0.044	1.317	0.367	0.083	0.151	0.025	0.000
Problem 91	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	65	65	65	54	53	53	61	53	53	0
N.S.	1	1.00	1.00	0.83	0.82	0.82	0.94	0.82	0.82	0.00
time (sec)	N/A	0.098	0.003	0.039	1.349	0.367	0.135	0.149	0.027	0.000
Problem 92	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	92	92	92	77	76	76	90	76	76	0
N.S.	1	1.00	1.00	0.84	0.83	0.83	0.98	0.83	0.83	0.00
time (sec)	N/A	0.053	0.004	0.043	1.430	0.367	0.163	0.150	0.038	0.000

Problem 93	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	17	17	33	27	15	27	29	16	26	0
N.S.	1	1.00	1.94	1.59	0.88	1.59	1.71	0.94	1.53	0.00
time (sec)	N/A	0.005	0.001	0.044	1.386	0.380	0.244	0.143	0.033	0.000

Problem 94	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	45	45	60	51	50	50	58	50	50	0
N.S.	1	1.00	1.33	1.13	1.11	1.11	1.29	1.11	1.11	0.00
time (sec)	N/A	0.019	0.003	0.043	1.314	0.347	0.078	0.201	0.024	0.000

Problem 95	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	65	54	53	53	60	53	53	0
N.S.	1	1.00	1.30	1.08	1.06	1.06	1.20	1.06	1.06	0.00
time (sec)	N/A	0.020	0.003	0.039	1.320	0.359	0.116	0.163	0.027	0.000

Problem 96	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	77	77	92	77	76	76	88	76	76	0
N.S.	1	1.00	1.19	1.00	0.99	0.99	1.14	0.99	0.99	0.00
time (sec)	N/A	0.051	0.004	0.044	1.363	0.367	0.085	0.150	0.038	0.000

Problem 97	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	65	54	53	53	61	53	53	0
N.S.	1	1.00	1.30	1.08	1.06	1.06	1.22	1.06	1.06	0.00
time (sec)	N/A	0.023	0.004	0.043	1.360	0.358	0.085	0.146	0.027	0.000
Problem 98	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	77	77	92	77	76	76	90	76	76	0
N.S.	1	1.00	1.19	1.00	0.99	0.99	1.17	0.99	0.99	0.00
time (sec)	N/A	0.042	0.005	0.043	1.337	0.371	0.146	0.201	0.038	0.000
Problem 99	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	82	82	97	80	79	79	92	79	79	0
N.S.	1	1.00	1.18	0.98	0.96	0.96	1.12	0.96	0.96	0.00
time (sec)	N/A	0.084	0.005	0.038	1.417	0.353	0.112	0.161	0.041	0.000
Problem 100	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	109	109	124	103	102	102	121	105	102	0
N.S.	1	1.00	1.14	0.94	0.94	0.94	1.11	0.96	0.94	0.00
time (sec)	N/A	0.080	0.008	0.040	1.393	0.347	0.089	0.167	4.677	0.000

Problem 101	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	151	151	180	151	150	150	180	154	150	0
N.S.	1	1.00	1.19	1.00	0.99	0.99	1.19	1.02	0.99	0.00
time (sec)	N/A	0.106	0.005	0.049	1.339	0.343	0.133	0.168	4.863	0.000

Problem 102	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	B	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	155	155	220	248	200	0	520	320	483	0
N.S.	1	1.00	1.42	1.60	1.29	0.00	3.35	2.06	3.12	0.00
time (sec)	N/A	0.118	0.229	0.052	3.002	0.000	24.169	0.231	0.415	0.001

Problem 103	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	B	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	188	188	253	326	249	0	583	358	832	0
N.S.	1	1.00	1.35	1.73	1.32	0.00	3.10	1.90	4.43	0.00
time (sec)	N/A	0.155	0.262	0.054	2.964	0.000	116.916	0.204	5.185	0.001

Problem 104	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	220	220	286	280	297	0	0	395	880	0
N.S.	1	1.00	1.30	1.27	1.35	0.00	0.00	1.80	4.00	0.00
time (sec)	N/A	0.189	0.502	0.058	3.061	0.000	0.000	0.187	5.246	0.001

Problem 105	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	101	101	78	114	123	284	88	97	36	0
N.S.	1	1.00	0.77	1.13	1.22	2.81	0.87	0.96	0.36	0.00
time (sec)	N/A	0.096	0.034	0.045	2.937	0.447	0.441	0.196	0.125	0.000

Problem 106	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	22	22	22	16	15	15	19	15	15	0
N.S.	1	1.00	1.00	0.73	0.68	0.68	0.86	0.68	0.68	0.00
time (sec)	N/A	0.013	0.011	0.039	2.875	0.412	0.134	0.166	4.774	0.000

Problem 107	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	123	123	107	129	147	0	88	115	119	0
N.S.	1	1.00	0.87	1.05	1.20	0.00	0.72	0.93	0.97	0.00
time (sec)	N/A	0.103	0.055	0.049	2.907	0.000	0.717	0.191	0.200	0.000

Problem 108	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	101	101	78	114	123	278	88	97	32	0
N.S.	1	1.00	0.77	1.13	1.22	2.75	0.87	0.96	0.32	0.00
time (sec)	N/A	0.077	0.017	0.043	3.038	0.413	0.430	0.202	4.974	0.000

Problem 109	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	141	141	113	226	167	2278	68	131	315	0
N.S.	1	1.00	0.80	1.60	1.18	16.16	0.48	0.93	2.23	0.00
time (sec)	N/A	0.098	0.061	0.043	3.038	0.478	0.573	0.204	5.110	0.000

Problem 110	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	123	123	99	129	147	0	85	114	162	0
N.S.	1	1.00	0.80	1.05	1.20	0.00	0.69	0.93	1.32	0.00
time (sec)	N/A	0.118	0.054	0.047	3.090	0.000	0.770	0.195	0.217	0.000

Problem 111	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	163	163	129	241	187	0	292	143	270	0
N.S.	1	1.00	0.79	1.48	1.15	0.00	1.79	0.88	1.66	0.00
time (sec)	N/A	0.124	0.083	0.048	3.062	0.000	5.070	0.216	5.519	0.000

Problem 112	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	13	13	13	12	11	11	10	11	9	0
N.S.	1	1.00	1.00	0.92	0.85	0.85	0.77	0.85	0.69	0.00
time (sec)	N/A	0.004	0.004	0.046	1.323	0.392	0.094	0.164	0.030	0.000

Problem 113	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	114	114	108	125	149	359	51	109	117	0
N.S.	1	1.00	0.95	1.10	1.31	3.15	0.45	0.96	1.03	0.00
time (sec)	N/A	0.099	0.034	0.048	3.056	0.434	0.417	0.196	0.283	0.001
Problem 114	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	B	A	C	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	36	36	65	28	113	27	53	93	25	0
N.S.	1	1.00	1.81	0.78	3.14	0.75	1.47	2.58	0.69	0.00
time (sec)	N/A	0.031	0.045	0.047	3.062	0.386	0.411	0.181	0.056	0.001
Problem 115	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	136	136	128	140	171	0	199	125	307	0
N.S.	1	1.00	0.94	1.03	1.26	0.00	1.46	0.92	2.26	0.00
time (sec)	N/A	0.118	0.096	0.045	3.053	0.000	1.684	0.197	5.496	0.000
Problem 116	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	114	114	108	125	152	272	70	109	117	0
N.S.	1	1.00	0.95	1.10	1.33	2.39	0.61	0.96	1.03	0.00
time (sec)	N/A	0.121	0.030	0.041	3.026	0.447	0.422	0.276	0.374	0.000

Problem 117	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	154	154	148	237	195	2326	148	137	286	0
N.S.	1	1.00	0.96	1.54	1.27	15.10	0.96	0.89	1.86	0.00
time (sec)	N/A	0.117	0.106	0.047	2.993	0.489	1.379	0.209	5.810	0.001

Problem 118	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	136	136	125	140	174	0	189	124	300	0
N.S.	1	1.00	0.92	1.03	1.28	0.00	1.39	0.91	2.21	0.00
time (sec)	N/A	0.140	0.083	0.046	3.017	0.000	1.991	0.197	5.388	0.001

Problem 119	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	176	176	164	252	207	0	580	149	1168	0
N.S.	1	1.00	0.93	1.43	1.18	0.00	3.30	0.85	6.64	0.00
time (sec)	N/A	0.144	0.187	0.046	2.993	0.000	13.068	0.216	5.636	0.000

Problem 120	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	8	8	8	7	6	6	5	7	6	0
N.S.	1	1.00	1.00	0.88	0.75	0.75	0.62	0.88	0.75	0.00
time (sec)	N/A	0.008	0.003	0.043	1.347	0.401	0.073	0.150	0.023	0.000

Problem 121	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	53	53	50	102	76	145	73	70	156	0
N.S.	1	1.00	0.94	1.92	1.43	2.74	1.38	1.32	2.94	0.00
time (sec)	N/A	0.042	0.042	0.046	3.004	0.426	0.427	0.152	0.402	0.000
Problem 122	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	124	124	203	171	160	0	187	290	312	0
N.S.	1	1.00	1.64	1.38	1.29	0.00	1.51	2.34	2.52	0.00
time (sec)	N/A	0.087	0.064	0.049	3.024	0.000	2.278	0.173	5.034	0.000
Problem 123	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	277	277	283	286	296	0	187	270	305	0
N.S.	1	1.00	1.02	1.03	1.07	0.00	0.68	0.97	1.10	0.00
time (sec)	N/A	0.196	0.240	0.047	2.975	0.000	2.268	0.209	5.041	0.000
Problem 124	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	148	148	249	244	202	0	0	303	5082	0
N.S.	1	1.00	1.68	1.65	1.36	0.00	0.00	2.05	34.34	0.00
time (sec)	N/A	0.203	0.092	0.047	3.104	0.000	0.000	0.194	5.507	0.001

Problem 125	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	172	172	221	289	224	0	0	344	1393	0
N.S.	1	1.00	1.28	1.68	1.30	0.00	0.00	2.00	8.10	0.00
time (sec)	N/A	0.165	0.425	0.052	3.114	0.000	0.000	0.184	5.560	0.001

Problem 126	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	221	221	263	328	284	0	0	393	1002	0
N.S.	1	1.00	1.19	1.48	1.29	0.00	0.00	1.78	4.53	0.00
time (sec)	N/A	0.263	0.772	0.072	3.004	0.000	0.000	0.195	5.436	0.001

Problem 127	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	266	266	313	368	345	0	0	442	1056	0
N.S.	1	1.00	1.18	1.38	1.30	0.00	0.00	1.66	3.97	0.00
time (sec)	N/A	0.320	0.390	0.059	3.179	0.000	0.000	0.189	5.662	0.001

Problem 128	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	319	319	311	429	328	0	0	340	5042	0
N.S.	1	1.00	0.97	1.34	1.03	0.00	0.00	1.07	15.81	0.00
time (sec)	N/A	0.351	0.407	0.055	3.028	0.000	0.000	0.273	5.588	0.001

Problem 129	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	341	341	319	482	350	0	0	365	1383	0
N.S.	1	1.00	0.94	1.41	1.03	0.00	0.00	1.07	4.06	0.00
time (sec)	N/A	0.305	0.232	0.053	3.003	0.000	0.000	0.203	5.592	0.001
Problem 130	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	394	394	366	519	412	0	0	416	1001	0
N.S.	1	1.00	0.93	1.32	1.05	0.00	0.00	1.06	2.54	0.00
time (sec)	N/A	0.439	0.392	0.062	3.029	0.000	0.000	0.197	0.705	0.001
Problem 131	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	437	437	411	560	472	0	0	466	1053	0
N.S.	1	1.00	0.94	1.28	1.08	0.00	0.00	1.07	2.41	0.00
time (sec)	N/A	0.531	0.520	0.064	3.120	0.000	0.000	0.188	5.562	0.001
Problem 132	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	B	B	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	11	11	9	8	15	15	15	15	15	9
N.S.	1	1.00	0.82	0.73	1.36	1.36	1.36	1.36	1.36	0.82
time (sec)	N/A	0.013	0.002	0.046	1.295	0.397	0.093	0.242	0.031	0.027

Problem 133	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	11	11	14	8	12	12	8	12	11	9
N.S.	1	1.00	1.27	0.73	1.09	1.09	0.73	1.09	1.00	0.82
time (sec)	N/A	0.012	0.001	0.043	1.292	0.400	0.082	0.159	0.024	0.025

Problem 134	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	9	9	9	8	7	7	5	7	6	11
N.S.	1	1.00	1.00	0.89	0.78	0.78	0.56	0.78	0.67	1.22
time (sec)	N/A	0.009	0.001	0.041	1.295	0.409	0.070	0.154	0.019	0.021

Problem 135	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	8	8	8	7	6	6	5	7	6	0
N.S.	1	1.00	1.00	0.88	0.75	0.75	0.62	0.88	0.75	0.00
time (sec)	N/A	0.007	0.001	0.045	1.372	0.404	0.073	0.166	0.002	0.000

Problem 136	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	7	7	7	8	7	7	5	7	7	0
N.S.	1	1.00	1.00	1.14	1.00	1.00	0.71	1.00	1.00	0.00
time (sec)	N/A	0.016	0.001	0.042	1.296	0.397	0.107	0.213	0.031	0.000

Problem 137	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	11	11	9	8	12	12	10	7	7	0
N.S.	1	1.00	0.82	0.73	1.09	1.09	0.91	0.64	0.64	0.00
time (sec)	N/A	0.018	0.003	0.038	1.302	0.396	0.210	0.157	4.837	0.000

Problem 138	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	B	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	11	11	9	8	17	17	17	7	7	0
N.S.	1	1.00	0.82	0.73	1.55	1.55	1.55	0.64	0.64	0.00
time (sec)	N/A	0.019	0.001	0.045	1.325	0.393	0.150	0.156	4.806	0.000

Problem 139	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	165	165	256	296	222	0	0	342	2478	0
N.S.	1	1.00	1.55	1.79	1.35	0.00	0.00	2.07	15.02	0.00
time (sec)	N/A	0.261	0.427	0.047	3.039	0.000	0.000	0.197	5.544	0.001

Problem 140	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	188	188	301	367	240	0	0	541	3810	0
N.S.	1	1.00	1.60	1.95	1.28	0.00	0.00	2.88	20.27	0.00
time (sec)	N/A	0.327	0.547	0.054	3.025	0.000	0.000	0.213	5.074	0.001

Problem 141	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	205	205	318	393	257	0	0	556	5673	0
N.S.	1	1.00	1.55	1.92	1.25	0.00	0.00	2.71	27.67	0.00
time (sec)	N/A	0.313	0.512	0.052	3.074	0.000	0.000	0.215	5.161	0.001

Problem 142	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	337	337	342	462	351	0	0	375	2469	0
N.S.	1	1.00	1.01	1.37	1.04	0.00	0.00	1.11	7.33	0.00
time (sec)	N/A	0.399	0.487	0.047	3.047	0.000	0.000	0.189	5.542	0.001

Problem 143	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	384	384	427	603	399	0	0	562	3798	0
N.S.	1	1.00	1.11	1.57	1.04	0.00	0.00	1.46	9.89	0.00
time (sec)	N/A	0.565	0.371	0.056	3.077	0.000	0.000	0.209	5.054	0.001

Problem 144	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	402	402	445	627	429	0	0	578	5664	0
N.S.	1	1.00	1.11	1.56	1.07	0.00	0.00	1.44	14.09	0.00
time (sec)	N/A	0.567	0.418	0.049	3.156	0.000	0.000	0.204	5.203	0.001

Problem 145	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	184	184	257	340	243	0	0	380	1626	0
N.S.	1	1.00	1.40	1.85	1.32	0.00	0.00	2.07	8.84	0.00
time (sec)	N/A	0.204	0.284	0.053	3.077	0.000	0.000	0.193	5.615	0.001
Problem 146	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	203	203	302	409	260	0	0	583	2611	0
N.S.	1	1.00	1.49	2.01	1.28	0.00	0.00	2.87	12.86	0.00
time (sec)	N/A	0.274	0.279	0.051	3.064	0.000	0.000	0.200	5.671	0.001
Problem 147	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	225	225	338	431	299	0	0	610	3943	0
N.S.	1	1.00	1.50	1.92	1.33	0.00	0.00	2.71	17.52	0.00
time (sec)	N/A	0.310	0.251	0.060	3.149	0.000	0.000	0.225	5.909	0.001
Problem 148	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	353	353	359	515	374	0	0	398	1623	0
N.S.	1	1.00	1.02	1.46	1.06	0.00	0.00	1.13	4.60	0.00
time (sec)	N/A	0.340	0.302	0.056	3.194	0.000	0.000	0.186	5.578	0.001

Problem 149	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	395	395	415	654	416	0	0	589	2605	0
N.S.	1	1.00	1.05	1.66	1.05	0.00	0.00	1.49	6.59	0.00
time (sec)	N/A	0.492	0.465	0.054	3.194	0.000	0.000	0.598	5.702	0.001

Problem 150	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	417	417	460	675	458	0	0	617	3939	0
N.S.	1	1.00	1.10	1.62	1.10	0.00	0.00	1.48	9.45	0.00
time (sec)	N/A	0.536	0.440	0.063	3.214	0.000	0.000	0.219	5.844	0.001

Problem 151	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	241	241	309	389	316	0	0	440	1687	0
N.S.	1	1.00	1.28	1.61	1.31	0.00	0.00	1.83	7.00	0.00
time (sec)	N/A	0.339	0.416	0.062	2.963	0.000	0.000	0.208	5.732	0.001

Problem 152	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	268	268	359	472	343	0	0	652	2680	0
N.S.	1	1.00	1.34	1.76	1.28	0.00	0.00	2.43	10.00	0.00
time (sec)	N/A	0.435	0.400	0.063	3.083	0.000	0.000	0.280	5.801	0.001

Problem 153	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	285	285	380	488	377	0	0	684	2696	0
N.S.	1	1.00	1.33	1.71	1.32	0.00	0.00	2.40	9.46	0.00
time (sec)	N/A	0.391	0.338	0.061	3.129	0.000	0.000	0.213	5.910	0.001
Problem 154	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	413	413	411	561	446	0	0	459	1686	0
N.S.	1	1.00	1.00	1.36	1.08	0.00	0.00	1.11	4.08	0.00
time (sec)	N/A	0.486	0.425	0.058	3.068	0.000	0.000	0.204	5.691	0.001
Problem 155	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	463	463	473	716	497	0	0	661	2680	0
N.S.	1	1.00	1.02	1.55	1.07	0.00	0.00	1.43	5.79	0.00
time (sec)	N/A	0.686	0.677	0.061	3.175	0.000	0.000	0.226	5.749	0.001
Problem 156	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	480	480	500	731	535	0	0	693	2695	0
N.S.	1	1.00	1.04	1.52	1.11	0.00	0.00	1.44	5.61	0.00
time (sec)	N/A	0.666	0.508	0.059	3.093	0.000	0.000	0.221	5.788	0.001

Problem 157	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	293	293	360	434	389	0	0	501	1747	0
N.S.	1	1.00	1.23	1.48	1.33	0.00	0.00	1.71	5.96	0.00
time (sec)	N/A	0.431	0.487	0.064	3.178	0.000	0.000	0.263	5.994	0.001

Problem 158	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	331	331	422	522	429	0	0	727	2747	0
N.S.	1	1.00	1.27	1.58	1.30	0.00	0.00	2.20	8.30	0.00
time (sec)	N/A	0.567	0.545	0.059	3.163	0.000	0.000	0.209	6.140	0.001

Problem 159	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	349	349	439	538	463	0	0	759	2764	0
N.S.	1	1.00	1.26	1.54	1.33	0.00	0.00	2.17	7.92	0.00
time (sec)	N/A	0.524	0.525	0.060	3.085	0.000	0.000	0.207	6.396	0.001

Problem 160	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	462	462	461	607	517	0	0	521	1743	0
N.S.	1	1.00	1.00	1.31	1.12	0.00	0.00	1.13	3.77	0.00
time (sec)	N/A	0.619	0.581	0.070	3.126	0.000	0.000	0.204	6.075	0.001

Problem 161	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	516	516	530	767	579	0	0	735	2741	0
N.S.	1	1.00	1.03	1.49	1.12	0.00	0.00	1.42	5.31	0.00
time (sec)	N/A	0.850	1.010	0.066	3.160	0.000	0.000	0.207	6.084	0.001
Problem 162	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	534	534	555	783	613	0	0	767	2757	0
N.S.	1	1.00	1.04	1.47	1.15	0.00	0.00	1.44	5.16	0.00
time (sec)	N/A	0.824	0.706	0.067	3.228	0.000	0.000	0.206	6.480	0.001
Problem 163	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	14	14	14	13	12	12	80	12	12	14
N.S.	1	1.00	1.00	0.93	0.86	0.86	5.71	0.86	0.86	1.00
time (sec)	N/A	0.006	0.010	0.047	1.764	0.414	9.598	0.198	5.036	0.368
Problem 164	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	29	29	27	24	25	34	104	23	23	29
N.S.	1	1.00	0.93	0.83	0.86	1.17	3.59	0.79	0.79	1.00
time (sec)	N/A	0.023	0.103	0.048	1.767	0.417	12.387	0.245	4.905	15.155

Problem 165	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	25	25	27	24	23	33	109	22	20	27
N.S.	1	1.00	1.08	0.96	0.92	1.32	4.36	0.88	0.80	1.08
time (sec)	N/A	0.028	0.043	0.048	1.828	0.420	17.799	0.201	4.901	15.855
Problem 166	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	38	38	38	35	44	44	133	31	29	38
N.S.	1	1.00	1.00	0.92	1.16	1.16	3.50	0.82	0.76	1.00
time (sec)	N/A	0.030	0.046	0.044	1.850	0.413	21.515	0.224	4.836	34.846
Problem 167	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	12	12	12	11	10	10	58	10	10	12
N.S.	1	1.00	1.00	0.92	0.83	0.83	4.83	0.83	0.83	1.00
time (sec)	N/A	0.003	0.006	0.048	3.244	0.407	5.208	0.181	4.847	0.206
Problem 168	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	109	109	51	173	0	835	1287	101	64	0
N.S.	1	1.00	0.47	1.59	0.00	7.66	11.81	0.93	0.59	0.00
time (sec)	N/A	0.064	0.012	0.122	0.000	1.282	1.202	0.221	4.918	0.000

Problem 169	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	109	109	47	169	0	799	1287	101	65	0
N.S.	1	1.00	0.43	1.55	0.00	7.33	11.81	0.93	0.60	0.00
time (sec)	N/A	0.041	0.011	0.112	0.000	1.268	1.284	0.185	4.981	0.001
Problem 170	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	208	208	187	266	209	210	216	246	237	0
N.S.	1	1.00	0.90	1.28	1.00	1.01	1.04	1.18	1.14	0.00
time (sec)	N/A	0.316	0.106	0.046	1.374	0.408	1.318	0.173	4.920	0.002
Problem 171	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	170	170	154	218	169	170	172	197	189	0
N.S.	1	1.00	0.91	1.28	0.99	1.00	1.01	1.16	1.11	0.00
time (sec)	N/A	0.242	0.093	0.046	1.383	0.412	1.345	0.186	4.959	0.001
Problem 172	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	132	132	119	170	129	130	128	148	141	0
N.S.	1	1.00	0.90	1.29	0.98	0.98	0.97	1.12	1.07	0.00
time (sec)	N/A	0.183	0.073	0.050	1.374	0.410	1.045	0.168	4.927	0.001

Problem 173	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	96	96	88	124	91	92	88	101	96	0
N.S.	1	1.00	0.92	1.29	0.95	0.96	0.92	1.05	1.00	0.00
time (sec)	N/A	0.140	0.051	0.044	1.389	0.412	1.126	0.205	4.827	0.001

Problem 174	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	80	80	75	97	77	80	70	79	76	0
N.S.	1	1.00	0.94	1.21	0.96	1.00	0.88	0.99	0.95	0.00
time (sec)	N/A	0.120	0.037	0.050	1.383	0.463	5.262	0.205	4.925	0.001

Problem 175	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	81	81	77	94	77	85	70	95	74	0
N.S.	1	1.00	0.95	1.16	0.95	1.05	0.86	1.17	0.91	0.00
time (sec)	N/A	0.116	0.048	0.056	1.335	0.477	14.561	0.177	4.973	0.001

Problem 176	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	95	95	88	116	93	101	85	126	92	0
N.S.	1	1.00	0.93	1.22	0.98	1.06	0.89	1.33	0.97	0.00
time (sec)	N/A	0.129	0.075	0.052	1.356	0.458	74.001	0.163	4.993	0.001

Problem 177	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	128	128	128	161	125	127	0	184	123	0
N.S.	1	1.00	1.00	1.26	0.98	0.99	0.00	1.44	0.96	0.00
time (sec)	N/A	0.162	0.093	0.049	1.358	0.445	0.000	0.178	5.025	0.001
Problem 178	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	164	164	164	210	166	168	0	235	161	0
N.S.	1	1.00	1.00	1.28	1.01	1.02	0.00	1.43	0.98	0.00
time (sec)	N/A	0.181	0.087	0.057	1.359	0.492	0.000	0.168	5.073	0.001
Problem 179	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	205	205	194	260	208	210	0	287	200	0
N.S.	1	1.00	0.95	1.27	1.01	1.02	0.00	1.40	0.98	0.00
time (sec)	N/A	0.209	0.237	0.053	1.415	0.516	0.000	0.170	0.257	0.001
Problem 180	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	348	348	351	592	351	342	469	454	358	0
N.S.	1	1.00	1.01	1.70	1.01	0.98	1.35	1.30	1.03	0.00
time (sec)	N/A	0.333	0.088	0.049	3.015	0.435	4.350	0.182	0.311	0.001

Problem 181	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	316	316	311	554	313	321	513	441	313	0
N.S.	1	1.00	0.98	1.75	0.99	1.02	1.62	1.40	0.99	0.00
time (sec)	N/A	0.306	0.107	0.050	2.946	0.425	4.057	0.185	5.162	0.001

Problem 182	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	312	312	306	544	311	304	423	401	311	0
N.S.	1	1.00	0.98	1.74	1.00	0.97	1.36	1.29	1.00	0.00
time (sec)	N/A	0.298	0.113	0.045	2.968	0.424	3.243	0.179	5.187	0.001

Problem 183	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	279	279	266	502	269	281	469	386	267	0
N.S.	1	1.00	0.95	1.80	0.96	1.01	1.68	1.38	0.96	0.00
time (sec)	N/A	0.273	0.117	0.047	3.025	0.424	2.481	0.182	5.147	0.001

Problem 184	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	274	274	264	492	267	249	376	346	264	0
N.S.	1	1.00	0.96	1.80	0.97	0.91	1.37	1.26	0.96	0.00
time (sec)	N/A	0.267	0.109	0.046	2.929	0.436	2.511	0.185	5.101	0.001

Problem 185	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	245	245	231	450	225	568	427	291	225	0
N.S.	1	1.00	0.94	1.84	0.92	2.32	1.74	1.19	0.92	0.00
time (sec)	N/A	0.216	0.179	0.046	3.014	0.447	2.380	0.196	5.135	0.001

Problem 186	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	240	240	229	442	223	600	342	253	222	0
N.S.	1	1.00	0.95	1.84	0.93	2.50	1.42	1.05	0.92	0.00
time (sec)	N/A	0.153	0.168	0.043	3.014	0.447	3.414	0.187	5.174	0.001

Problem 187	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	227	227	224	419	217	560	408	269	204	0
N.S.	1	1.00	0.99	1.85	0.96	2.47	1.80	1.19	0.90	0.00
time (sec)	N/A	0.193	0.205	0.049	2.962	0.469	4.724	0.181	5.372	0.001

Problem 188	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	224	224	218	414	214	565	326	232	201	0
N.S.	1	1.00	0.97	1.85	0.96	2.52	1.46	1.04	0.90	0.00
time (sec)	N/A	0.170	0.161	0.055	2.982	0.452	4.364	0.217	0.284	0.001

Problem 189	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	227	227	220	412	217	556	411	261	209	0
N.S.	1	1.00	0.97	1.81	0.96	2.45	1.81	1.15	0.92	0.00
time (sec)	N/A	0.186	0.157	0.057	3.037	0.461	11.527	0.184	5.164	0.001

Problem 190	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	225	225	220	410	214	584	328	220	207	0
N.S.	1	1.00	0.98	1.82	0.95	2.60	1.46	0.98	0.92	0.00
time (sec)	N/A	0.170	0.122	0.051	3.080	0.442	19.683	0.483	5.091	0.001

Problem 191	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	242	242	231	440	234	610	432	275	219	0
N.S.	1	1.00	0.95	1.82	0.97	2.52	1.79	1.14	0.90	0.00
time (sec)	N/A	0.188	0.145	0.048	3.067	0.448	46.610	0.213	5.200	0.001

Problem 192	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	244	244	231	441	234	595	348	297	220	0
N.S.	1	1.00	0.95	1.81	0.96	2.44	1.43	1.22	0.90	0.00
time (sec)	N/A	0.174	0.245	0.061	3.009	0.449	88.516	0.196	5.126	0.001

Problem 193	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	277	277	266	491	260	262	0	376	253	0
N.S.	1	1.00	0.96	1.77	0.94	0.95	0.00	1.36	0.91	0.00
time (sec)	N/A	0.222	0.135	0.062	3.054	0.431	0.000	0.194	5.329	0.001
Problem 194	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	280	280	266	493	260	295	0	338	253	0
N.S.	1	1.00	0.95	1.76	0.93	1.05	0.00	1.21	0.90	0.00
time (sec)	N/A	0.199	0.163	0.054	2.974	0.433	0.000	0.185	5.153	0.001
Problem 195	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	313	313	308	546	307	317	0	419	286	0
N.S.	1	1.00	0.98	1.74	0.98	1.01	0.00	1.34	0.91	0.00
time (sec)	N/A	0.238	0.135	0.053	2.988	0.433	0.000	0.183	5.228	0.001
Problem 196	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	315	315	311	548	307	335	0	393	287	0
N.S.	1	1.00	0.99	1.74	0.97	1.06	0.00	1.25	0.91	0.00
time (sec)	N/A	0.229	0.153	0.056	3.114	0.428	0.000	0.195	5.171	0.001

Problem 197	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	351	351	346	600	353	355	0	474	323	0
N.S.	1	1.00	0.99	1.71	1.01	1.01	0.00	1.35	0.92	0.00
time (sec)	N/A	0.258	0.146	0.056	3.029	0.433	0.000	0.190	5.164	0.001

Problem 198	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	220	220	205	288	222	303	236	300	356	0
N.S.	1	1.00	0.93	1.31	1.01	1.38	1.07	1.36	1.62	0.00
time (sec)	N/A	0.341	0.209	0.065	1.303	0.412	14.416	0.249	4.988	0.001

Problem 199	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	180	180	167	240	180	257	189	248	233	0
N.S.	1	1.00	0.93	1.33	1.00	1.43	1.05	1.38	1.29	0.00
time (sec)	N/A	0.265	0.142	0.059	1.381	0.400	12.381	0.183	4.995	0.001

Problem 200	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	140	140	129	192	138	202	141	217	155	0
N.S.	1	1.00	0.92	1.37	0.99	1.44	1.01	1.55	1.11	0.00
time (sec)	N/A	0.199	0.124	0.056	1.397	0.398	12.812	0.197	4.930	0.001

Problem 201	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	103	103	93	142	98	143	100	206	103	0
N.S.	1	1.00	0.90	1.38	0.95	1.39	0.97	2.00	1.00	0.00
time (sec)	N/A	0.145	0.068	0.066	1.352	0.391	11.614	0.189	0.085	0.001
Problem 202	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	100	100	95	125	100	145	95	125	100	0
N.S.	1	1.00	0.95	1.25	1.00	1.45	0.95	1.25	1.00	0.00
time (sec)	N/A	0.125	0.181	0.062	1.319	0.439	41.960	0.168	5.033	0.001
Problem 203	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	109	109	97	132	116	172	0	131	109	0
N.S.	1	1.00	0.89	1.21	1.06	1.58	0.00	1.20	1.00	0.00
time (sec)	N/A	0.142	0.151	0.059	1.434	0.436	0.000	0.213	5.046	0.001
Problem 204	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	130	130	118	167	138	208	0	201	130	0
N.S.	1	1.00	0.91	1.28	1.06	1.60	0.00	1.55	1.00	0.00
time (sec)	N/A	0.154	0.137	0.066	1.353	0.433	0.000	0.168	5.014	0.001

Problem 205	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	175	175	160	229	181	261	0	275	175	0
N.S.	1	1.00	0.91	1.31	1.03	1.49	0.00	1.57	1.00	0.00
time (sec)	N/A	0.203	0.139	0.063	1.433	0.469	0.000	0.196	5.084	0.001

Problem 206	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	214	214	198	282	226	310	0	331	216	0
N.S.	1	1.00	0.93	1.32	1.06	1.45	0.00	1.55	1.01	0.00
time (sec)	N/A	0.234	0.264	0.069	1.438	0.484	0.000	0.171	5.087	0.001

Problem 207	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	369	369	364	622	369	488	500	451	481	0
N.S.	1	1.00	0.99	1.69	1.00	1.32	1.36	1.22	1.30	0.00
time (sec)	N/A	0.467	0.435	0.053	2.982	0.427	15.903	0.199	0.347	0.001

Problem 208	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	335	335	319	584	325	455	539	442	362	0
N.S.	1	1.00	0.95	1.74	0.97	1.36	1.61	1.32	1.08	0.00
time (sec)	N/A	0.705	0.196	0.054	3.021	0.421	58.232	0.200	5.278	0.001

Problem 209	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	328	328	315	567	321	423	449	394	358	0
N.S.	1	1.00	0.96	1.73	0.98	1.29	1.37	1.20	1.09	0.00
time (sec)	N/A	0.369	0.304	0.055	3.016	0.422	14.983	0.183	5.201	0.001
Problem 210	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	298	298	282	529	277	920	490	344	287	0
N.S.	1	1.00	0.95	1.78	0.93	3.09	1.64	1.15	0.96	0.00
time (sec)	N/A	0.463	0.299	0.058	3.078	0.454	51.285	0.187	5.222	0.001
Problem 211	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	288	288	277	514	270	946	401	295	280	0
N.S.	1	1.00	0.96	1.78	0.94	3.28	1.39	1.02	0.97	0.00
time (sec)	N/A	0.326	0.193	0.053	2.985	0.469	12.901	0.179	0.311	0.001
Problem 212	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	271	271	255	495	259	874	461	318	246	0
N.S.	1	1.00	0.94	1.83	0.96	3.23	1.70	1.17	0.91	0.00
time (sec)	N/A	0.289	0.187	0.054	3.122	0.469	22.482	0.220	5.232	0.001

Problem 213	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	264	264	251	482	254	861	377	273	241	0
N.S.	1	1.00	0.95	1.83	0.96	3.26	1.43	1.03	0.91	0.00
time (sec)	N/A	0.264	0.200	0.055	3.045	0.446	7.023	0.208	5.177	0.001

Problem 214	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	265	265	255	474	258	860	457	305	244	0
N.S.	1	1.00	0.96	1.79	0.97	3.25	1.72	1.15	0.92	0.00
time (sec)	N/A	0.253	0.212	0.058	3.015	0.447	32.216	0.185	5.390	0.001

Problem 215	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	260	260	250	463	258	902	381	261	245	0
N.S.	1	1.00	0.96	1.78	0.99	3.47	1.47	1.00	0.94	0.00
time (sec)	N/A	0.246	0.219	0.061	2.971	0.453	77.381	0.178	5.222	0.001

Problem 216	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	269	269	255	486	267	902	473	310	247	0
N.S.	1	1.00	0.95	1.81	0.99	3.35	1.76	1.15	0.92	0.00
time (sec)	N/A	0.288	0.274	0.066	2.930	0.447	177.026	0.197	5.177	0.001

Problem 217	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	270	270	253	477	268	897	0	264	248	0
N.S.	1	1.00	0.94	1.77	0.99	3.32	0.00	0.98	0.92	0.00
time (sec)	N/A	0.272	0.192	0.055	2.927	0.449	0.000	0.177	5.127	0.001
Problem 218	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	297	297	281	529	292	982	0	333	274	0
N.S.	1	1.00	0.95	1.78	0.98	3.31	0.00	1.12	0.92	0.00
time (sec)	N/A	0.384	0.258	0.069	3.053	0.449	0.000	0.231	5.184	0.001
Problem 219	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	297	297	280	520	292	959	0	347	274	0
N.S.	1	1.00	0.94	1.75	0.98	3.23	0.00	1.17	0.92	0.00
time (sec)	N/A	0.370	0.240	0.063	3.031	0.444	0.000	0.199	5.200	0.001
Problem 220	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	334	334	319	575	323	442	0	437	310	0
N.S.	1	1.00	0.96	1.72	0.97	1.32	0.00	1.31	0.93	0.00
time (sec)	N/A	0.457	0.206	0.063	3.133	0.422	0.000	0.371	5.406	0.001

Problem 221	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	335	335	317	566	323	475	0	391	310	0
N.S.	1	1.00	0.95	1.69	0.96	1.42	0.00	1.17	0.93	0.00
time (sec)	N/A	0.434	0.325	0.058	3.065	0.430	0.000	0.180	5.121	0.001

Problem 222	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	375	375	370	631	374	507	0	482	348	0
N.S.	1	1.00	0.99	1.68	1.00	1.35	0.00	1.29	0.93	0.00
time (sec)	N/A	0.534	0.413	0.063	2.974	0.420	0.000	0.207	5.118	0.001

Problem 223	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	266	266	246	361	275	396	0	349	449	0
N.S.	1	1.00	0.92	1.36	1.03	1.49	0.00	1.31	1.69	0.00
time (sec)	N/A	0.436	0.190	0.061	1.542	0.391	0.000	0.184	4.958	0.001

Problem 224	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	226	226	208	313	233	353	0	298	293	0
N.S.	1	1.00	0.92	1.38	1.03	1.56	0.00	1.32	1.30	0.00
time (sec)	N/A	0.331	0.202	0.061	1.423	0.398	0.000	0.246	4.969	0.001

Problem 225	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	186	186	170	266	191	295	0	236	204	0
N.S.	1	1.00	0.91	1.43	1.03	1.59	0.00	1.27	1.10	0.00
time (sec)	N/A	0.269	0.165	0.058	1.352	0.398	0.000	0.216	4.924	0.001

Problem 226	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	146	146	145	213	147	225	0	146	152	0
N.S.	1	1.00	0.99	1.46	1.01	1.54	0.00	1.00	1.04	0.00
time (sec)	N/A	0.201	0.103	0.072	1.395	0.405	0.000	0.184	0.105	0.001

Problem 227	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	109	109	105	156	109	158	0	100	112	0
N.S.	1	1.00	0.96	1.43	1.00	1.45	0.00	0.92	1.03	0.00
time (sec)	N/A	0.152	0.061	0.062	1.384	0.396	0.000	0.196	4.939	0.001

Problem 228	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	114	114	104	147	129	187	0	128	123	0
N.S.	1	1.00	0.91	1.29	1.13	1.64	0.00	1.12	1.08	0.00
time (sec)	N/A	0.155	0.126	0.062	1.369	0.435	0.000	0.241	0.175	0.001

Problem 229	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	134	134	121	163	144	250	0	173	135	0
N.S.	1	1.00	0.90	1.22	1.07	1.87	0.00	1.29	1.01	0.00
time (sec)	N/A	0.171	0.109	0.059	1.355	0.425	0.000	0.183	5.068	0.001

Problem 230	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	163	163	149	213	182	316	0	189	167	0
N.S.	1	1.00	0.91	1.31	1.12	1.94	0.00	1.16	1.02	0.00
time (sec)	N/A	0.200	0.133	0.059	1.398	0.428	0.000	0.194	5.099	0.001

Problem 231	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	218	218	200	293	232	396	0	324	222	0
N.S.	1	1.00	0.92	1.34	1.06	1.82	0.00	1.49	1.02	0.00
time (sec)	N/A	0.264	0.166	0.067	1.459	0.473	0.000	0.188	5.171	0.001

Problem 232	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	258	258	238	349	280	448	0	380	265	0
N.S.	1	1.00	0.92	1.35	1.09	1.74	0.00	1.47	1.03	0.00
time (sec)	N/A	0.304	0.267	0.063	1.465	0.500	0.000	0.201	0.307	0.001

Problem 233	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	416	416	411	706	424	667	0	500	575	0
N.S.	1	1.00	0.99	1.70	1.02	1.60	0.00	1.20	1.38	0.00
time (sec)	N/A	0.742	0.688	0.066	3.056	0.443	0.000	0.203	5.241	0.001
Problem 234	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	384	384	380	668	380	634	0	491	425	0
N.S.	1	1.00	0.99	1.74	0.99	1.65	0.00	1.28	1.11	0.00
time (sec)	N/A	1.050	0.554	0.068	3.004	0.429	0.000	0.202	5.339	0.001
Problem 235	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	375	375	362	651	376	602	0	443	420	0
N.S.	1	1.00	0.97	1.74	1.00	1.61	0.00	1.18	1.12	0.00
time (sec)	N/A	0.606	0.468	0.064	3.033	0.436	0.000	0.197	5.351	0.001
Problem 236	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	345	345	329	611	330	1278	0	391	338	0
N.S.	1	1.00	0.95	1.77	0.96	3.70	0.00	1.13	0.98	0.00
time (sec)	N/A	0.763	0.365	0.061	3.075	0.448	0.000	0.203	5.530	0.001

Problem 237	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	336	336	323	596	326	1318	0	345	335	0
N.S.	1	1.00	0.96	1.77	0.97	3.92	0.00	1.03	1.00	0.00
time (sec)	N/A	0.509	0.368	0.053	3.035	0.446	0.000	0.197	5.302	0.001

Problem 238	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	316	316	300	574	311	1224	0	365	295	0
N.S.	1	1.00	0.95	1.82	0.98	3.87	0.00	1.16	0.93	0.00
time (sec)	N/A	0.505	0.292	0.063	3.096	0.446	0.000	0.201	5.271	0.001

Problem 239	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	307	307	294	561	305	1213	0	319	290	0
N.S.	1	1.00	0.96	1.83	0.99	3.95	0.00	1.04	0.94	0.00
time (sec)	N/A	0.412	0.308	0.065	3.061	0.467	0.000	0.216	5.143	0.001

Problem 240	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	301	301	284	550	296	1158	0	339	280	0
N.S.	1	1.00	0.94	1.83	0.98	3.85	0.00	1.13	0.93	0.00
time (sec)	N/A	0.368	0.321	0.059	2.942	0.444	0.000	0.206	5.268	0.001

Problem 241	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	292	292	279	539	291	1184	0	295	275	0
N.S.	1	1.00	0.96	1.85	1.00	4.05	0.00	1.01	0.94	0.00
time (sec)	N/A	0.307	0.235	0.062	3.068	0.453	0.000	0.198	5.196	0.001
Problem 242	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	303	303	286	547	300	1206	0	341	276	0
N.S.	1	1.00	0.94	1.81	0.99	3.98	0.00	1.13	0.91	0.00
time (sec)	N/A	0.339	0.293	0.116	2.961	0.459	0.000	0.210	5.198	0.001
Problem 243	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	301	301	283	539	302	1217	0	312	279	0
N.S.	1	1.00	0.94	1.79	1.00	4.04	0.00	1.04	0.93	0.00
time (sec)	N/A	0.329	0.295	0.061	3.073	0.463	0.000	0.215	5.164	0.001
Problem 244	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	317	317	303	574	317	1254	0	357	293	0
N.S.	1	1.00	0.96	1.81	1.00	3.96	0.00	1.13	0.92	0.00
time (sec)	N/A	0.370	0.320	0.066	3.031	0.463	0.000	0.244	5.232	0.002

Problem 245	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	316	316	299	566	318	1247	0	310	293	0
N.S.	1	1.00	0.95	1.79	1.01	3.95	0.00	0.98	0.93	0.00
time (sec)	N/A	0.368	0.275	0.063	3.051	0.466	0.000	0.231	5.196	0.001

Problem 246	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	343	343	328	611	343	1340	0	380	321	0
N.S.	1	1.00	0.96	1.78	1.00	3.91	0.00	1.11	0.94	0.00
time (sec)	N/A	0.569	0.312	0.069	3.046	0.465	0.000	0.315	5.262	0.001

Problem 247	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	341	341	324	603	343	1317	0	394	321	0
N.S.	1	1.00	0.95	1.77	1.01	3.86	0.00	1.16	0.94	0.00
time (sec)	N/A	0.547	0.346	0.062	2.949	0.459	0.000	0.232	5.217	0.001

Problem 248	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	381	381	366	659	376	621	0	486	359	0
N.S.	1	1.00	0.96	1.73	0.99	1.63	0.00	1.28	0.94	0.00
time (sec)	N/A	0.714	0.588	0.075	3.199	0.439	0.000	0.202	5.279	0.001

Problem 249	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	380	380	376	651	376	654	0	440	359	0
N.S.	1	1.00	0.99	1.71	0.99	1.72	0.00	1.16	0.94	0.00
time (sec)	N/A	0.669	0.577	0.066	3.286	0.447	0.000	0.350	5.176	0.001
Problem 250	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	424	424	419	716	427	686	0	531	397	0
N.S.	1	1.00	0.99	1.69	1.01	1.62	0.00	1.25	0.94	0.00
time (sec)	N/A	0.853	0.666	0.071	3.055	0.438	0.000	0.220	5.304	0.001
Problem 251	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	54	54	59	45	44	44	53	45	56	0
N.S.	1	1.00	1.09	0.83	0.81	0.81	0.98	0.83	1.04	0.00
time (sec)	N/A	0.072	0.015	0.047	2.897	0.404	0.180	0.162	0.099	0.001
Problem 252	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	30	30	30	25	24	24	24	25	24	0
N.S.	1	1.00	1.00	0.83	0.80	0.80	0.80	0.83	0.80	0.00
time (sec)	N/A	0.040	0.007	0.046	3.006	0.399	0.117	0.163	0.032	0.000

Problem 253	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	44	44	53	38	37	37	44	38	49	0
N.S.	1	1.00	1.20	0.86	0.84	0.84	1.00	0.86	1.11	0.00
time (sec)	N/A	0.060	0.011	0.048	2.962	0.414	0.230	0.152	4.961	0.000

Problem 254	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	41	41	50	35	34	34	42	35	63	0
N.S.	1	1.00	1.22	0.85	0.83	0.83	1.02	0.85	1.54	0.00
time (sec)	N/A	0.042	0.009	0.052	2.868	0.409	0.270	0.148	0.080	0.000

Problem 255	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	42	42	53	37	36	36	46	38	48	0
N.S.	1	1.00	1.26	0.88	0.86	0.86	1.10	0.90	1.14	0.00
time (sec)	N/A	0.049	0.009	0.051	2.879	0.420	0.208	0.164	4.960	0.000

Problem 256	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	49	49	60	44	43	48	49	45	55	0
N.S.	1	1.00	1.22	0.90	0.88	0.98	1.00	0.92	1.12	0.00
time (sec)	N/A	0.050	0.018	0.049	3.034	0.404	0.223	0.163	0.080	0.000

Problem 257	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	32	32	32	27	28	33	27	29	25	0
N.S.	1	1.00	1.00	0.84	0.88	1.03	0.84	0.91	0.78	0.00
time (sec)	N/A	0.033	0.005	0.046	2.996	0.385	0.128	0.147	0.069	0.000
Problem 258	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	41	41	47	35	34	34	42	35	63	0
N.S.	1	1.00	1.15	0.85	0.83	0.83	1.02	0.85	1.54	0.00
time (sec)	N/A	0.041	0.035	0.051	2.991	0.401	0.184	0.151	4.956	0.000
Problem 259	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	39	39	53	33	32	32	41	33	63	0
N.S.	1	1.00	1.36	0.85	0.82	0.82	1.05	0.85	1.62	0.00
time (sec)	N/A	0.040	0.020	0.063	2.988	0.400	0.159	0.152	0.089	0.000
Problem 260	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	55	55	55	44	43	43	49	45	43	0
N.S.	1	1.00	1.00	0.80	0.78	0.78	0.89	0.82	0.78	0.00
time (sec)	N/A	0.055	0.025	0.041	1.334	0.347	0.075	0.199	0.028	0.000

Problem 261	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	55	55	55	44	43	43	49	45	43	0
N.S.	1	1.00	1.00	0.80	0.78	0.78	0.89	0.82	0.78	0.00
time (sec)	N/A	0.038	0.003	0.048	1.359	0.354	0.074	0.177	0.025	0.000

Problem 262	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	50	41	40	40	46	42	40	0
N.S.	1	1.00	1.00	0.82	0.80	0.80	0.92	0.84	0.80	0.00
time (sec)	N/A	0.025	0.002	0.045	1.345	0.367	0.074	0.147	0.024	0.000

Problem 263	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	46	46	46	39	38	38	44	41	38	0
N.S.	1	1.00	1.00	0.85	0.83	0.83	0.96	0.89	0.83	0.00
time (sec)	N/A	0.025	0.005	0.048	1.326	0.401	0.139	0.153	0.029	0.001

Problem 264	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	44	44	44	39	38	45	41	41	38	0
N.S.	1	1.00	1.00	0.89	0.86	1.02	0.93	0.93	0.86	0.00
time (sec)	N/A	0.035	0.006	0.058	1.335	0.409	0.164	0.149	0.030	0.001

Problem 265	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	44	44	44	39	38	45	44	41	38	0
N.S.	1	1.00	1.00	0.89	0.86	1.02	1.00	0.93	0.86	0.00
time (sec)	N/A	0.034	0.011	0.056	1.351	0.408	0.247	0.163	0.028	0.001

Problem 266	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	82	82	97	80	79	79	92	82	79	0
N.S.	1	1.00	1.18	0.98	0.96	0.96	1.12	1.00	0.96	0.00
time (sec)	N/A	0.059	0.004	0.049	1.352	0.345	0.089	0.163	0.040	0.000

Problem 267	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	82	82	97	80	79	79	94	82	79	0
N.S.	1	1.00	1.18	0.98	0.96	0.96	1.15	1.00	0.96	0.00
time (sec)	N/A	0.051	0.003	0.046	1.292	0.353	0.086	0.150	0.038	0.000

Problem 268	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	77	77	92	77	76	76	88	79	76	0
N.S.	1	1.00	1.19	1.00	0.99	0.99	1.14	1.03	0.99	0.00
time (sec)	N/A	0.061	0.004	0.043	1.404	0.365	0.087	0.178	0.038	0.000

Problem 269	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	88	88	88	75	74	74	88	78	74	0
N.S.	1	1.00	1.00	0.85	0.84	0.84	1.00	0.89	0.84	0.00
time (sec)	N/A	0.052	0.010	0.040	1.371	0.409	0.190	0.151	0.042	0.000
Problem 270	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	83	83	83	74	73	81	82	77	73	0
N.S.	1	1.00	1.00	0.89	0.88	0.98	0.99	0.93	0.88	0.00
time (sec)	N/A	0.063	0.014	0.058	1.297	0.410	0.248	0.150	0.042	0.001
Problem 271	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	84	84	84	75	74	81	87	78	74	0
N.S.	1	1.00	1.00	0.89	0.88	0.96	1.04	0.93	0.88	0.00
time (sec)	N/A	0.064	0.009	0.052	1.311	0.393	0.308	0.165	0.038	0.001
Problem 272	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	110	110	139	116	115	115	138	119	115	0
N.S.	1	1.00	1.26	1.05	1.05	1.05	1.25	1.08	1.05	0.00
time (sec)	N/A	0.079	0.005	0.043	1.332	0.354	0.091	0.157	0.078	0.000

Problem 273	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	110	110	139	116	115	115	138	119	115	0
N.S.	1	1.00	1.26	1.05	1.05	1.05	1.25	1.08	1.05	0.00
time (sec)	N/A	0.069	0.005	0.040	1.371	0.371	0.089	0.169	0.074	0.000
Problem 274	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	105	105	134	113	112	112	134	116	112	0
N.S.	1	1.00	1.28	1.08	1.07	1.07	1.28	1.10	1.07	0.00
time (sec)	N/A	0.097	0.037	0.052	1.329	0.366	0.139	0.149	0.073	0.000
Problem 275	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	127	127	127	110	109	109	131	114	109	0
N.S.	1	1.00	1.00	0.87	0.86	0.86	1.03	0.90	0.86	0.00
time (sec)	N/A	0.074	0.012	0.048	1.286	0.395	0.294	0.152	0.079	0.001
Problem 276	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	125	125	125	110	109	117	128	114	109	0
N.S.	1	1.00	1.00	0.88	0.87	0.94	1.02	0.91	0.87	0.00
time (sec)	N/A	0.092	0.016	0.050	1.350	0.385	0.289	0.181	0.081	0.001

Problem 277	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	126	126	126	111	110	117	131	115	110	0
N.S.	1	1.00	1.00	0.88	0.87	0.93	1.04	0.91	0.87	0.00
time (sec)	N/A	0.086	0.010	0.046	1.325	0.407	0.362	0.153	4.896	0.001

Problem 278	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	138	138	181	152	151	151	184	156	151	0
N.S.	1	1.00	1.31	1.10	1.09	1.09	1.33	1.13	1.09	0.00
time (sec)	N/A	0.099	0.006	0.040	1.310	0.358	0.107	0.165	5.073	0.000

Problem 279	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	138	138	181	152	151	151	185	156	151	0
N.S.	1	1.00	1.31	1.10	1.09	1.09	1.34	1.13	1.09	0.00
time (sec)	N/A	0.093	0.005	0.041	1.336	0.352	0.113	0.158	0.131	0.000

Problem 280	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	130	130	173	148	147	147	178	152	147	0
N.S.	1	1.00	1.33	1.14	1.13	1.13	1.37	1.17	1.13	0.00
time (sec)	N/A	0.145	0.005	0.040	1.314	0.359	0.102	0.167	0.152	0.000

Problem 281	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	166	166	166	145	144	144	175	150	144	0
N.S.	1	1.00	1.00	0.87	0.87	0.87	1.05	0.90	0.87	0.00
time (sec)	N/A	0.109	0.010	0.044	1.301	0.412	0.336	0.153	0.141	0.001
Problem 282	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	162	162	162	145	144	153	168	150	144	0
N.S.	1	1.00	1.00	0.90	0.89	0.94	1.04	0.93	0.89	0.00
time (sec)	N/A	0.133	0.012	0.052	1.311	0.393	0.379	0.159	4.994	0.001
Problem 283	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	166	166	166	147	146	153	175	152	146	0
N.S.	1	1.00	1.00	0.89	0.88	0.92	1.05	0.92	0.88	0.00
time (sec)	N/A	0.125	0.010	0.051	1.334	0.408	0.443	0.166	4.993	0.001
Problem 284	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	205	205	191	231	190	4798	178	208	319	0
N.S.	1	1.00	0.93	1.13	0.93	23.40	0.87	1.01	1.56	0.00
time (sec)	N/A	0.261	0.111	0.044	2.942	1.270	1.639	0.180	5.067	0.002

Problem 285	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	193	193	184	221	181	4261	150	195	340	0
N.S.	1	1.00	0.95	1.15	0.94	22.08	0.78	1.01	1.76	0.00
time (sec)	N/A	0.248	0.096	0.049	2.936	1.236	1.490	0.211	5.133	0.001

Problem 286	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	183	183	200	209	173	4628	160	178	266	0
N.S.	1	1.00	1.09	1.14	0.95	25.29	0.87	0.97	1.45	0.00
time (sec)	N/A	0.226	0.060	0.046	2.943	1.235	1.432	0.208	5.162	0.001

Problem 287	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	177	177	176	200	159	4671	160	163	274	0
N.S.	1	1.00	0.99	1.13	0.90	26.39	0.90	0.92	1.55	0.00
time (sec)	N/A	0.132	0.105	0.046	3.013	1.202	1.423	0.180	0.257	0.001

Problem 288	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	184	184	176	207	176	4588	0	179	716	0
N.S.	1	1.00	0.96	1.12	0.96	24.93	0.00	0.97	3.89	0.00
time (sec)	N/A	0.206	0.099	0.053	3.018	1.383	0.000	0.184	5.247	0.002

Problem 289	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	192	192	184	216	186	4524	0	201	723	0
N.S.	1	1.00	0.96	1.12	0.97	23.56	0.00	1.05	3.77	0.00
time (sec)	N/A	0.214	0.254	0.049	2.981	1.431	0.000	0.230	5.056	0.001
Problem 290	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	203	203	192	225	177	4279	0	204	701	0
N.S.	1	1.00	0.95	1.11	0.87	21.08	0.00	1.00	3.45	0.00
time (sec)	N/A	0.194	0.231	0.218	3.032	1.343	0.000	0.183	0.131	0.001
Problem 291	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	190	190	174	219	163	2077	110	180	180	0
N.S.	1	1.00	0.92	1.15	0.86	10.93	0.58	0.95	0.95	0.00
time (sec)	N/A	0.166	0.203	0.053	3.033	1.209	2.333	0.204	0.220	0.001
Problem 292	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	200	200	186	228	185	2358	124	190	194	0
N.S.	1	1.00	0.93	1.14	0.92	11.79	0.62	0.95	0.97	0.00
time (sec)	N/A	0.153	0.204	0.052	2.840	1.219	1.853	0.182	5.167	0.001

Problem 293	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	199	199	189	253	179	2118	116	184	175	0
N.S.	1	1.00	0.95	1.27	0.90	10.64	0.58	0.92	0.88	0.00
time (sec)	N/A	0.132	0.282	0.045	3.025	1.203	1.385	0.183	0.251	0.001
Problem 294	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	222	222	199	274	203	5018	0	217	490	0
N.S.	1	1.00	0.90	1.23	0.91	22.60	0.00	0.98	2.21	0.00
time (sec)	N/A	0.313	0.236	0.058	2.938	1.420	0.000	0.183	0.380	0.001
Problem 295	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	231	231	213	275	222	4976	0	237	488	0
N.S.	1	1.00	0.92	1.19	0.96	21.54	0.00	1.03	2.11	0.00
time (sec)	N/A	0.343	0.336	0.061	3.099	1.471	0.000	0.180	5.468	0.001
Problem 296	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	242	242	221	276	220	4774	0	248	733	0
N.S.	1	1.00	0.91	1.14	0.91	19.73	0.00	1.02	3.03	0.00
time (sec)	N/A	0.345	0.216	0.059	2.862	1.409	0.000	0.197	5.394	0.001

Problem 297	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	262	262	225	289	236	5373	0	269	537	0
N.S.	1	1.00	0.86	1.10	0.90	20.51	0.00	1.03	2.05	0.00
time (sec)	N/A	0.404	0.298	0.058	3.066	1.560	0.000	0.181	5.484	0.001
Problem 298	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	215	215	198	255	203	2163	148	208	216	0
N.S.	1	1.00	0.92	1.19	0.94	10.06	0.69	0.97	1.00	0.00
time (sec)	N/A	0.197	0.208	0.057	3.020	1.279	6.261	0.205	0.232	0.001
Problem 299	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	239	239	214	256	223	2519	170	215	232	0
N.S.	1	1.00	0.90	1.07	0.93	10.54	0.71	0.90	0.97	0.00
time (sec)	N/A	0.204	0.404	0.054	3.055	1.324	3.991	0.197	0.225	0.001
Problem 300	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	225	225	213	308	219	2251	163	210	212	0
N.S.	1	1.00	0.95	1.37	0.97	10.00	0.72	0.93	0.94	0.00
time (sec)	N/A	0.188	0.375	0.049	2.992	1.185	2.277	0.213	0.262	0.001

Problem 301	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	257	257	229	331	246	5229	0	253	540	0
N.S.	1	1.00	0.89	1.29	0.96	20.35	0.00	0.98	2.10	0.00
time (sec)	N/A	0.414	0.206	0.073	3.004	1.436	0.000	0.244	5.440	0.001

Problem 302	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	267	267	248	334	266	5112	0	273	793	0
N.S.	1	1.00	0.93	1.25	1.00	19.15	0.00	1.02	2.97	0.00
time (sec)	N/A	0.462	0.330	0.061	3.094	1.531	0.000	0.207	5.460	0.001

Problem 303	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	276	276	253	337	265	4911	0	282	778	0
N.S.	1	1.00	0.92	1.22	0.96	17.79	0.00	1.02	2.82	0.00
time (sec)	N/A	0.500	0.334	0.065	3.106	1.428	0.000	0.193	5.358	0.001

Problem 304	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	298	298	255	351	283	5550	0	305	870	0
N.S.	1	1.00	0.86	1.18	0.95	18.62	0.00	1.02	2.92	0.00
time (sec)	N/A	0.589	0.460	0.063	3.027	1.686	0.000	0.259	0.465	0.001

Problem 305	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	248	248	230	275	248	2364	201	242	253	0
N.S.	1	1.00	0.93	1.11	1.00	9.53	0.81	0.98	1.02	0.00
time (sec)	N/A	0.242	0.288	0.056	3.006	1.525	17.943	0.212	0.267	0.001
Problem 306	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	270	270	241	278	260	2646	214	244	265	0
N.S.	1	1.00	0.89	1.03	0.96	9.80	0.79	0.90	0.98	0.00
time (sec)	N/A	0.254	0.427	0.055	3.029	1.454	8.787	0.238	0.239	0.001
Problem 307	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	250	250	239	360	254	2344	202	234	247	0
N.S.	1	1.00	0.96	1.44	1.02	9.38	0.81	0.94	0.99	0.00
time (sec)	N/A	0.222	0.279	0.055	2.991	1.217	4.470	0.205	0.279	0.001
Problem 308	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	291	291	259	394	293	5370	0	290	871	0
N.S.	1	1.00	0.89	1.35	1.01	18.45	0.00	1.00	2.99	0.00
time (sec)	N/A	0.517	0.310	0.063	3.037	1.547	0.000	0.238	5.402	0.001

Problem 309	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	301	301	279	397	313	5250	0	310	840	0
N.S.	1	1.00	0.93	1.32	1.04	17.44	0.00	1.03	2.79	0.00
time (sec)	N/A	0.601	0.313	0.067	2.995	1.556	0.000	0.184	5.434	0.001

Problem 310	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	310	310	284	400	312	5049	0	320	825	0
N.S.	1	1.00	0.92	1.29	1.01	16.29	0.00	1.03	2.66	0.00
time (sec)	N/A	0.656	0.315	0.067	3.104	1.453	0.000	0.185	5.375	0.001

Problem 311	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	340	340	284	415	330	5670	0	333	918	0
N.S.	1	1.00	0.84	1.22	0.97	16.68	0.00	0.98	2.70	0.00
time (sec)	N/A	0.773	0.602	0.066	3.081	2.030	0.000	0.197	0.525	0.001

Problem 312	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	29	29	57	29	26	26	54	27	26	0
N.S.	1	1.00	1.97	1.00	0.90	0.90	1.86	0.93	0.90	0.00
time (sec)	N/A	0.058	0.019	0.052	2.892	0.398	0.179	0.155	4.970	0.001

Problem 313	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	29	29	57	29	26	26	54	27	26	0
N.S.	1	1.00	1.97	1.00	0.90	0.90	1.86	0.93	0.90	0.00
time (sec)	N/A	0.035	0.007	0.052	2.967	0.415	0.168	0.154	0.027	0.000
Problem 314	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	31	31	58	29	28	28	54	29	27	0
N.S.	1	1.00	1.87	0.94	0.90	0.90	1.74	0.94	0.87	0.00
time (sec)	N/A	0.056	0.015	0.049	2.923	0.435	0.173	0.154	4.946	0.001
Problem 315	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	31	31	58	29	28	28	54	29	27	0
N.S.	1	1.00	1.87	0.94	0.90	0.90	1.74	0.94	0.87	0.00
time (sec)	N/A	0.037	0.007	0.058	2.838	0.397	0.169	0.151	0.030	0.001
Problem 316	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	A	A	A	C	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	146	87	51	52	100	174	154	0
N.S.	1	1.00	2.92	1.74	1.02	1.04	2.00	3.48	3.08	0.00
time (sec)	N/A	0.087	0.044	0.049	3.068	0.435	0.322	0.480	5.223	0.001

Problem 317	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	B	A	C	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	53	53	149	135	166	53	110	165	156	0
N.S.	1	1.00	2.81	2.55	3.13	1.00	2.08	3.11	2.94	0.00
time (sec)	N/A	0.093	0.084	0.052	3.021	0.443	0.349	0.205	5.250	0.001

Problem 318	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	B	A	C	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	54	54	148	132	167	56	109	97	155	0
N.S.	1	1.00	2.74	2.44	3.09	1.04	2.02	1.80	2.87	0.00
time (sec)	N/A	0.077	0.051	0.056	2.994	0.443	0.319	0.190	5.224	0.001

Problem 319	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	A	A	A	C	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	53	53	147	90	52	53	102	90	155	0
N.S.	1	1.00	2.77	1.70	0.98	1.00	1.92	1.70	2.92	0.00
time (sec)	N/A	0.076	0.063	0.051	3.018	0.427	0.372	0.196	5.234	0.002

Problem 320	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	97	97	97	80	79	85	90	87	82	0
N.S.	1	1.00	1.00	0.82	0.81	0.88	0.93	0.90	0.85	0.00
time (sec)	N/A	0.121	0.043	0.046	1.353	0.356	0.086	0.155	0.051	0.000

Problem 321	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	97	97	97	80	79	85	90	87	82	0
N.S.	1	1.00	1.00	0.82	0.81	0.88	0.93	0.90	0.85	0.00
time (sec)	N/A	0.101	0.036	0.048	1.346	0.356	0.087	0.161	0.042	0.000
Problem 322	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	97	97	97	80	79	85	90	87	82	0
N.S.	1	1.00	1.00	0.82	0.81	0.88	0.93	0.90	0.85	0.00
time (sec)	N/A	0.091	0.032	0.046	1.337	0.372	0.085	0.164	0.044	0.000
Problem 323	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	97	97	97	80	79	85	90	87	82	0
N.S.	1	1.00	1.00	0.82	0.81	0.88	0.93	0.90	0.85	0.00
time (sec)	N/A	0.080	0.027	0.046	1.374	0.374	0.084	0.147	0.043	0.000
Problem 324	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	92	92	92	77	76	82	87	84	79	0
N.S.	1	1.00	1.00	0.84	0.83	0.89	0.95	0.91	0.86	0.00
time (sec)	N/A	0.073	0.015	0.040	1.405	0.368	0.084	0.148	0.041	0.000

Problem 325	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	88	88	88	81	74	74	85	83	77	0
N.S.	1	1.00	1.00	0.92	0.84	0.84	0.97	0.94	0.88	0.00
time (sec)	N/A	0.058	0.065	0.049	1.344	0.405	0.222	0.152	0.047	0.001

Problem 326	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	86	86	86	81	74	81	82	83	77	0
N.S.	1	1.00	1.00	0.94	0.86	0.94	0.95	0.97	0.90	0.00
time (sec)	N/A	0.066	0.073	0.051	1.352	0.396	0.235	0.163	0.048	0.001

Problem 327	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	86	86	78	78	74	81	83	80	76	0
N.S.	1	1.00	0.91	0.91	0.86	0.94	0.97	0.93	0.88	0.00
time (sec)	N/A	0.072	0.072	0.051	1.342	0.412	0.306	0.162	0.043	0.001

Problem 328	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	86	86	76	76	75	81	83	79	75	0
N.S.	1	1.00	0.88	0.88	0.87	0.94	0.97	0.92	0.87	0.00
time (sec)	N/A	0.071	0.069	0.048	1.363	0.400	0.669	0.169	0.041	0.002

Problem 329	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	86	86	77	76	75	81	83	77	74	0
N.S.	1	1.00	0.90	0.88	0.87	0.94	0.97	0.90	0.86	0.00
time (sec)	N/A	0.073	0.076	0.051	1.341	0.399	2.569	0.152	4.976	0.001

Problem 330	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	163	163	163	152	151	157	167	160	151	0
N.S.	1	1.00	1.00	0.93	0.93	0.96	1.02	0.98	0.93	0.00
time (sec)	N/A	0.210	0.050	0.043	1.374	0.370	0.101	0.154	0.102	0.000

Problem 331	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	163	163	163	152	151	157	167	160	151	0
N.S.	1	1.00	1.00	0.93	0.93	0.96	1.02	0.98	0.93	0.00
time (sec)	N/A	0.159	0.032	0.042	1.349	0.370	0.105	0.153	0.088	0.001

Problem 332	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	158	158	150	152	151	157	167	160	151	0
N.S.	1	1.00	0.95	0.96	0.96	0.99	1.06	1.01	0.96	0.00
time (sec)	N/A	0.126	0.082	0.042	1.376	0.342	0.104	0.182	0.091	0.000

Problem 333	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	158	158	163	152	151	157	167	160	151	0
N.S.	1	1.00	1.03	0.96	0.96	0.99	1.06	1.01	0.96	0.00
time (sec)	N/A	0.129	0.026	0.037	1.277	0.367	0.104	0.188	0.091	0.001

Problem 334	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	153	153	125	149	148	154	163	157	148	0
N.S.	1	1.00	0.82	0.97	0.97	1.01	1.07	1.03	0.97	0.00
time (sec)	N/A	0.127	0.087	0.043	1.318	0.370	0.103	0.164	0.092	0.000

Problem 335	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	149	149	154	153	146	146	162	156	146	0
N.S.	1	1.00	1.03	1.03	0.98	0.98	1.09	1.05	0.98	0.00
time (sec)	N/A	0.106	0.046	0.045	1.314	0.403	0.341	0.151	0.096	0.001

Problem 336	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	147	147	152	152	146	153	156	155	145	0
N.S.	1	1.00	1.03	1.03	0.99	1.04	1.06	1.05	0.99	0.00
time (sec)	N/A	0.128	0.070	0.052	1.398	0.412	0.360	0.152	0.098	0.001

Problem 337	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	147	147	127	150	146	153	158	153	145	0
N.S.	1	1.00	0.86	1.02	0.99	1.04	1.07	1.04	0.99	0.00
time (sec)	N/A	0.128	0.095	0.050	1.347	0.403	0.446	0.153	5.008	0.001

Problem 338	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	152	152	123	149	147	153	158	153	145	0
N.S.	1	1.00	0.81	0.98	0.97	1.01	1.04	1.01	0.95	0.00
time (sec)	N/A	0.118	0.101	0.049	1.322	0.398	0.880	0.172	0.076	0.001

Problem 339	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	152	152	125	149	147	153	156	152	145	0
N.S.	1	1.00	0.82	0.98	0.97	1.01	1.03	1.00	0.95	0.00
time (sec)	N/A	0.117	0.115	0.054	1.366	0.410	3.235	0.170	0.066	0.001

Problem 340	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	223	223	223	224	217	229	246	233	205	0
N.S.	1	1.00	1.00	1.00	0.97	1.03	1.10	1.04	0.92	0.00
time (sec)	N/A	0.293	0.062	0.037	1.373	0.365	0.124	0.152	0.174	0.000

Problem 341	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	223	223	223	224	217	229	246	233	205	0
N.S.	1	1.00	1.00	1.00	0.97	1.03	1.10	1.04	0.92	0.00
time (sec)	N/A	0.228	0.055	0.045	1.375	0.370	0.118	0.170	5.165	0.000

Problem 342	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	212	212	223	224	217	229	246	233	205	0
N.S.	1	1.00	1.05	1.06	1.02	1.08	1.16	1.10	0.97	0.00
time (sec)	N/A	0.179	0.063	0.048	1.356	0.376	0.125	0.176	0.162	0.000

Problem 343	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	212	212	223	224	217	229	246	233	205	0
N.S.	1	1.00	1.05	1.06	1.02	1.08	1.16	1.10	0.97	0.00
time (sec)	N/A	0.177	0.037	0.039	1.345	0.356	0.114	0.166	0.157	0.000

Problem 344	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	207	207	170	221	214	226	243	230	202	0
N.S.	1	1.00	0.82	1.07	1.03	1.09	1.17	1.11	0.98	0.00
time (sec)	N/A	0.177	0.109	0.042	1.338	0.373	0.121	0.152	0.157	0.000

Problem 345	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	200	200	214	224	212	212	240	228	199	0
N.S.	1	1.00	1.07	1.12	1.06	1.06	1.20	1.14	1.00	0.00
time (sec)	N/A	0.146	0.135	0.047	1.424	0.423	0.541	0.159	5.113	0.001

Problem 346	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	198	198	172	224	212	219	236	228	199	0
N.S.	1	1.00	0.87	1.13	1.07	1.11	1.19	1.15	1.01	0.00
time (sec)	N/A	0.182	0.208	0.052	1.292	0.412	0.511	0.155	5.045	0.001

Problem 347	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	198	198	174	222	212	219	238	226	199	0
N.S.	1	1.00	0.88	1.12	1.07	1.11	1.20	1.14	1.01	0.00
time (sec)	N/A	0.197	0.148	0.058	1.383	0.420	0.593	0.158	0.137	0.001

Problem 348	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	209	209	172	220	212	219	236	225	199	0
N.S.	1	1.00	0.82	1.05	1.01	1.05	1.13	1.08	0.95	0.00
time (sec)	N/A	0.180	0.146	0.050	1.360	0.421	1.043	0.185	0.122	0.001

Problem 349	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	209	209	170	220	212	219	235	224	199	0
N.S.	1	1.00	0.81	1.05	1.01	1.05	1.12	1.07	0.95	0.00
time (sec)	N/A	0.177	0.160	0.046	1.394	0.405	3.137	0.155	5.027	0.001

Problem 350	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	331	331	334	533	378	0	881	380	1271	0
N.S.	1	1.00	1.01	1.61	1.14	0.00	2.66	1.15	3.84	0.00
time (sec)	N/A	1.070	0.558	0.049	2.978	0.000	60.517	0.200	5.086	0.001

Problem 351	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	313	313	299	505	332	0	845	353	1236	0
N.S.	1	1.00	0.96	1.61	1.06	0.00	2.70	1.13	3.95	0.00
time (sec)	N/A	0.988	0.292	0.049	2.896	0.000	73.527	0.184	4.992	0.001

Problem 352	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	294	294	290	483	313	0	790	333	1170	0
N.S.	1	1.00	0.99	1.64	1.06	0.00	2.69	1.13	3.98	0.00
time (sec)	N/A	0.976	0.313	0.047	2.997	0.000	88.696	0.244	5.023	0.001

Problem 353	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	275	275	272	455	300	0	811	295	1161	0
N.S.	1	1.00	0.99	1.65	1.09	0.00	2.95	1.07	4.22	0.00
time (sec)	N/A	0.921	0.480	0.044	3.029	0.000	63.001	0.284	4.989	0.001
Problem 354	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	259	257	254	429	266	0	804	272	1150	0
N.S.	1	0.99	0.98	1.66	1.03	0.00	3.10	1.05	4.44	0.00
time (sec)	N/A	0.373	0.388	0.049	3.037	0.000	59.388	0.190	5.033	0.001
Problem 355	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	258	256	258	426	290	0	0	281	1731	0
N.S.	1	0.99	1.00	1.65	1.12	0.00	0.00	1.09	6.71	0.00
time (sec)	N/A	0.471	0.314	0.051	3.019	0.000	0.000	0.189	5.097	0.001
Problem 356	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	253	253	257	423	290	0	0	277	1802	0
N.S.	1	1.00	1.02	1.67	1.15	0.00	0.00	1.09	7.12	0.00
time (sec)	N/A	0.454	0.321	0.056	3.025	0.000	0.000	0.187	5.087	0.001

Problem 357	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	260	258	257	423	271	0	0	269	6948	0
N.S.	1	0.99	0.99	1.63	1.04	0.00	0.00	1.03	26.72	0.00
time (sec)	N/A	0.380	0.464	0.050	2.996	0.000	0.000	0.275	5.205	0.001

Problem 358	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	276	274	264	442	302	0	0	291	1842	0
N.S.	1	0.99	0.96	1.60	1.09	0.00	0.00	1.05	6.67	0.00
time (sec)	N/A	0.436	0.547	0.056	3.079	0.000	0.000	0.226	5.870	0.001

Problem 359	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	337	337	334	562	364	0	0	357	1241	0
N.S.	1	1.00	0.99	1.67	1.08	0.00	0.00	1.06	3.68	0.00
time (sec)	N/A	0.717	0.574	0.060	3.054	0.000	0.000	0.199	5.109	0.001

Problem 360	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	311	311	294	533	329	0	0	330	1229	0
N.S.	1	1.00	0.95	1.71	1.06	0.00	0.00	1.06	3.95	0.00
time (sec)	N/A	0.640	0.222	0.058	3.136	0.000	0.000	0.214	0.152	0.001

Problem 361	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	290	288	280	506	283	12153	0	307	816	0
N.S.	1	0.99	0.97	1.74	0.98	41.91	0.00	1.06	2.81	0.00
time (sec)	N/A	0.498	0.251	0.056	3.027	1.814	0.000	0.190	0.137	0.001

Problem 362	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	289	289	285	502	311	12617	0	318	827	0
N.S.	1	1.00	0.99	1.74	1.08	43.66	0.00	1.10	2.86	0.00
time (sec)	N/A	0.505	0.260	0.050	2.963	2.035	0.000	0.199	5.390	0.001

Problem 363	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	276	276	268	462	292	12636	0	302	835	0
N.S.	1	1.00	0.97	1.67	1.06	45.78	0.00	1.09	3.03	0.00
time (sec)	N/A	0.370	0.209	0.048	2.953	1.869	0.000	0.194	5.540	0.001

Problem 364	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	289	287	269	507	302	12541	0	319	1660	0
N.S.	1	0.99	0.93	1.75	1.04	43.39	0.00	1.10	5.74	0.00
time (sec)	N/A	0.559	0.223	0.061	3.045	35.287	0.000	0.203	5.601	0.001

Problem 365	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	301	301	285	517	329	12556	0	328	1684	0
N.S.	1	1.00	0.95	1.72	1.09	41.71	0.00	1.09	5.59	0.00
time (sec)	N/A	0.593	0.402	0.061	3.135	35.588	0.000	0.201	5.768	0.001

Problem 366	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	306	304	292	527	316	12231	0	336	1632	0
N.S.	1	0.99	0.95	1.72	1.03	39.97	0.00	1.10	5.33	0.00
time (sec)	N/A	0.577	0.539	0.066	3.063	24.670	0.000	0.191	5.712	0.001

Problem 367	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	338	336	303	561	365	0	0	363	1924	0
N.S.	1	0.99	0.90	1.66	1.08	0.00	0.00	1.07	5.69	0.00
time (sec)	N/A	0.727	0.622	0.062	3.079	0.000	0.000	0.229	5.958	0.001

Problem 368	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	345	345	342	619	391	12967	0	385	916	0
N.S.	1	1.00	0.99	1.79	1.13	37.59	0.00	1.12	2.66	0.00
time (sec)	N/A	0.891	0.376	0.064	3.129	2.693	0.000	0.207	0.579	0.001

Problem 369	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	325	325	315	515	366	12939	0	363	908	0
N.S.	1	1.00	0.97	1.58	1.13	39.81	0.00	1.12	2.79	0.00
time (sec)	N/A	0.642	0.338	0.060	3.119	2.467	0.000	0.777	5.659	0.001
Problem 370	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	297	297	287	490	308	6926	0	320	627	0
N.S.	1	1.00	0.97	1.65	1.04	23.32	0.00	1.08	2.11	0.00
time (sec)	N/A	0.430	0.302	0.057	3.051	1.936	0.000	0.230	5.690	0.001
Problem 371	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	323	323	297	498	344	7190	0	340	640	0
N.S.	1	1.00	0.92	1.54	1.07	22.26	0.00	1.05	1.98	0.00
time (sec)	N/A	0.482	0.358	0.056	3.067	2.229	0.000	0.207	5.365	0.001
Problem 372	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	313	313	295	506	327	6984	0	330	630	0
N.S.	1	1.00	0.94	1.62	1.04	22.31	0.00	1.05	2.01	0.00
time (sec)	N/A	0.429	0.282	0.057	3.107	1.940	0.000	0.218	0.432	0.001

Problem 373	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	347	345	311	618	368	12815	0	376	1716	0
N.S.	1	0.99	0.90	1.78	1.06	36.93	0.00	1.08	4.95	0.00
time (sec)	N/A	0.723	0.349	0.068	3.112	35.656	0.000	0.265	5.705	0.001

Problem 374	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	362	362	336	622	400	12951	0	390	1747	0
N.S.	1	1.00	0.93	1.72	1.10	35.78	0.00	1.08	4.83	0.00
time (sec)	N/A	0.830	0.779	0.064	3.074	36.805	0.000	0.220	5.747	0.001

Problem 375	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	C	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	360	357	337	626	390	12435	0	399	1697	0
N.S.	1	0.99	0.94	1.74	1.08	34.54	0.00	1.11	4.71	0.00
time (sec)	N/A	0.814	0.713	0.066	3.102	26.933	0.000	0.226	5.659	0.001

Problem 376	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	395	392	352	680	444	0	0	431	1994	0
N.S.	1	0.99	0.89	1.72	1.12	0.00	0.00	1.09	5.05	0.00
time (sec)	N/A	1.006	0.789	0.070	3.089	0.000	0.000	0.203	6.321	0.001

Problem 377	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	68	68	68	55	54	54	63	56	54	0
N.S.	1	1.00	1.00	0.81	0.79	0.79	0.93	0.82	0.79	0.00
time (sec)	N/A	0.044	0.006	0.043	1.319	0.336	0.078	0.151	0.035	0.000

Problem 378	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	73	73	73	58	57	57	66	59	57	0
N.S.	1	1.00	1.00	0.79	0.78	0.78	0.90	0.81	0.78	0.00
time (sec)	N/A	0.064	0.004	0.045	1.334	0.356	0.073	0.156	0.031	0.000

Problem 379	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	109	109	124	103	102	102	121	105	102	0
N.S.	1	1.00	1.14	0.94	0.94	0.94	1.11	0.96	0.94	0.00
time (sec)	N/A	0.074	0.004	0.043	1.356	0.335	0.088	0.160	0.080	0.000

Problem 380	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	114	114	129	106	105	105	124	108	105	0
N.S.	1	1.00	1.13	0.93	0.92	0.92	1.09	0.95	0.92	0.00
time (sec)	N/A	0.084	0.005	0.043	1.329	0.365	0.089	0.149	0.072	0.000

Problem 381	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	151	151	180	151	150	150	180	154	150	0
N.S.	1	1.00	1.19	1.00	0.99	0.99	1.19	1.02	0.99	0.00
time (sec)	N/A	0.108	0.005	0.043	1.369	0.339	0.096	0.157	0.164	0.000

Problem 382	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	156	156	185	154	153	153	184	157	153	0
N.S.	1	1.00	1.19	0.99	0.98	0.98	1.18	1.01	0.98	0.00
time (sec)	N/A	0.113	0.018	0.043	1.382	0.345	0.099	0.164	0.161	0.000

Problem 383	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	193	193	236	199	198	198	241	203	198	0
N.S.	1	1.00	1.22	1.03	1.03	1.03	1.25	1.05	1.03	0.00
time (sec)	N/A	0.156	0.007	0.043	1.330	0.357	0.103	0.173	5.080	0.000

Problem 384	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	198	198	241	202	201	201	245	206	201	0
N.S.	1	1.00	1.22	1.02	1.02	1.02	1.24	1.04	1.02	0.00
time (sec)	N/A	0.150	0.007	0.043	1.371	0.375	0.110	0.193	0.359	0.000

Problem 385	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	133	133	214	177	174	0	0	280	1970	0
N.S.	1	1.00	1.61	1.33	1.31	0.00	0.00	2.11	14.81	0.00
time (sec)	N/A	0.124	0.113	0.046	3.031	0.000	0.000	0.186	5.658	0.001
Problem 386	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	162	162	221	208	208	0	0	328	846	0
N.S.	1	1.00	1.36	1.28	1.28	0.00	0.00	2.02	5.22	0.00
time (sec)	N/A	0.203	0.095	0.044	2.976	0.000	0.000	0.190	4.846	0.001
Problem 387	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	293	293	296	294	277	0	0	290	1952	0
N.S.	1	1.00	1.01	1.00	0.95	0.00	0.00	0.99	6.66	0.00
time (sec)	N/A	0.222	0.231	0.052	3.030	0.000	0.000	0.184	0.927	0.001
Problem 388	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	321	321	311	325	305	0	0	308	838	0
N.S.	1	1.00	0.97	1.01	0.95	0.00	0.00	0.96	2.61	0.00
time (sec)	N/A	0.334	0.239	0.053	3.015	0.000	0.000	0.185	4.854	0.001

Problem 389	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	318	318	315	362	305	0	517	316	478	0
N.S.	1	1.00	0.99	1.14	0.96	0.00	1.63	0.99	1.50	0.00
time (sec)	N/A	0.270	0.406	0.049	3.058	0.000	22.319	0.184	0.360	0.001
Problem 390	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	310	310	294	334	294	0	510	303	559	0
N.S.	1	1.00	0.95	1.08	0.95	0.00	1.65	0.98	1.80	0.00
time (sec)	N/A	0.274	0.383	0.054	3.022	0.000	44.229	0.215	5.097	0.001
Problem 391	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	351	351	347	432	355	0	578	354	832	0
N.S.	1	1.00	0.99	1.23	1.01	0.00	1.65	1.01	2.37	0.00
time (sec)	N/A	0.318	0.439	0.052	3.019	0.000	108.467	0.192	5.199	0.001
Problem 392	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	340	340	329	373	343	0	0	338	521	0
N.S.	1	1.00	0.97	1.10	1.01	0.00	0.00	0.99	1.53	0.00
time (sec)	N/A	0.328	0.391	0.060	3.084	0.000	0.000	0.294	0.396	0.001

Problem 393	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	382	382	379	400	402	0	0	391	879	0
N.S.	1	1.00	0.99	1.05	1.05	0.00	0.00	1.02	2.30	0.00
time (sec)	N/A	0.406	0.442	0.063	3.088	0.000	0.000	0.329	5.255	0.001
Problem 394	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	380	380	366	403	396	0	0	380	888	0
N.S.	1	1.00	0.96	1.06	1.04	0.00	0.00	1.00	2.34	0.00
time (sec)	N/A	0.402	0.459	0.065	3.125	0.000	0.000	0.185	0.482	0.001
Problem 395	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	8	8	8	7	6	6	5	7	6	0
N.S.	1	1.00	1.00	0.88	0.75	0.75	0.62	0.88	0.75	0.00
time (sec)	N/A	0.010	0.001	0.037	1.302	0.407	0.085	0.170	0.023	0.000
Problem 396	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	10	10	10	9	8	8	7	9	6	0
N.S.	1	1.00	1.00	0.90	0.80	0.80	0.70	0.90	0.60	0.00
time (sec)	N/A	0.015	0.001	0.042	1.334	0.395	0.080	0.192	0.056	0.000

Problem 397	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	10	10	10	9	8	8	8	9	6	0
N.S.	1	1.00	1.00	0.90	0.80	0.80	0.80	0.90	0.60	0.00
time (sec)	N/A	0.013	0.001	0.041	1.392	0.381	0.093	0.182	4.992	0.001
Problem 398	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	B	B	B	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	10	10	21	18	17	17	15	15	6	0
N.S.	1	1.00	2.10	1.80	1.70	1.70	1.50	1.50	0.60	0.00
time (sec)	N/A	0.010	0.003	0.047	1.329	0.397	0.110	0.196	0.097	0.001
Problem 399	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	24	24	24	17	16	16	24	16	16	0
N.S.	1	1.00	1.00	0.71	0.67	0.67	1.00	0.67	0.67	0.00
time (sec)	N/A	0.024	0.008	0.045	2.928	0.379	0.147	0.188	0.030	0.000
Problem 400	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	50	39	38	38	46	39	49	0
N.S.	1	1.00	1.00	0.78	0.76	0.76	0.92	0.78	0.98	0.00
time (sec)	N/A	0.049	0.020	0.051	2.887	0.412	0.212	0.202	0.131	0.000

Problem 401	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	46	39	38	38	46	39	48	0
N.S.	1	1.00	0.92	0.78	0.76	0.76	0.92	0.78	0.96	0.00
time (sec)	N/A	0.048	0.016	0.049	2.954	0.408	0.242	0.183	4.987	0.000
Problem 402	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	60	60	56	47	46	46	56	48	52	0
N.S.	1	1.00	0.93	0.78	0.77	0.77	0.93	0.80	0.87	0.00
time (sec)	N/A	0.051	0.014	0.048	2.944	0.418	0.226	0.188	5.010	0.001
Problem 403	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	60	60	52	47	46	46	56	48	52	0
N.S.	1	1.00	0.87	0.78	0.77	0.77	0.93	0.80	0.87	0.00
time (sec)	N/A	0.049	0.013	0.050	3.076	0.408	0.232	0.181	4.975	0.001
Problem 404	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	50	39	38	38	48	35	46	0
N.S.	1	1.00	1.00	0.78	0.76	0.76	0.96	0.70	0.92	0.00
time (sec)	N/A	0.026	0.007	0.049	2.926	0.406	0.156	0.173	0.086	0.000

Problem 405	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	50	39	38	38	48	39	46	0
N.S.	1	1.00	1.00	0.78	0.76	0.76	0.96	0.78	0.92	0.00
time (sec)	N/A	0.043	0.012	0.052	2.948	0.407	0.198	0.179	0.100	0.001
Problem 406	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	110	110	100	85	84	115	105	86	100	0
N.S.	1	1.00	0.91	0.77	0.76	1.05	0.95	0.78	0.91	0.00
time (sec)	N/A	0.118	0.108	0.056	2.984	0.408	0.432	0.192	5.098	0.001
Problem 407	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	110	110	97	85	84	115	105	86	100	0
N.S.	1	1.00	0.88	0.77	0.76	1.05	0.95	0.78	0.91	0.00
time (sec)	N/A	0.117	0.093	0.049	2.943	0.405	0.468	0.208	0.189	0.001
Problem 408	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	A	A	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	81	81	122	68	61	91	70	63	52	0
N.S.	1	1.00	1.51	0.84	0.75	1.12	0.86	0.78	0.64	0.00
time (sec)	N/A	0.069	0.569	0.056	3.063	0.398	0.229	0.170	4.923	0.001

Problem 409	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	92	92	84	73	74	126	82	76	77	0
N.S.	1	1.00	0.91	0.79	0.80	1.37	0.89	0.83	0.84	0.00
time (sec)	N/A	0.116	0.036	0.058	2.966	0.403	0.422	0.188	0.123	0.001
Problem 410	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	148	148	119	115	105	256	124	111	120	0
N.S.	1	1.00	0.80	0.78	0.71	1.73	0.84	0.75	0.81	0.00
time (sec)	N/A	0.172	0.085	0.067	2.908	0.416	0.651	0.203	0.190	0.001
Problem 411	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	146	146	121	115	105	257	124	111	121	0
N.S.	1	1.00	0.83	0.79	0.72	1.76	0.85	0.76	0.83	0.00
time (sec)	N/A	0.173	0.090	0.066	2.896	0.413	0.647	0.177	5.089	0.001
Problem 412	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	142	142	111	111	95	187	116	106	110	0
N.S.	1	1.00	0.78	0.78	0.67	1.32	0.82	0.75	0.77	0.00
time (sec)	N/A	0.148	0.072	0.060	2.983	0.407	0.639	0.180	5.080	0.001

Problem 413	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	142	142	111	111	95	187	116	106	111	0
N.S.	1	1.00	0.78	0.78	0.67	1.32	0.82	0.75	0.78	0.00
time (sec)	N/A	0.145	0.074	0.061	2.884	0.420	0.572	0.243	0.189	0.001

Problem 414	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	113	113	103	102	87	131	110	89	102	0
N.S.	1	1.00	0.91	0.90	0.77	1.16	0.97	0.79	0.90	0.00
time (sec)	N/A	0.082	0.068	0.062	2.936	0.414	0.529	0.174	0.172	0.001

Problem 415	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	131	131	111	102	95	187	119	99	111	0
N.S.	1	1.00	0.85	0.78	0.73	1.43	0.91	0.76	0.85	0.00
time (sec)	N/A	0.148	0.080	0.060	2.986	0.413	0.695	0.177	0.190	0.001

Problem 416	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	99	99	91	76	75	75	102	69	91	0
N.S.	1	1.00	0.92	0.77	0.76	0.76	1.03	0.70	0.92	0.00
time (sec)	N/A	0.063	0.037	0.050	2.988	0.414	0.395	0.192	5.096	0.000

Problem 417	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	84	84	108	130	118	305	1251	392	115	0
N.S.	1	1.00	1.29	1.55	1.40	3.63	14.89	4.67	1.37	0.00
time (sec)	N/A	0.056	0.228	0.063	1.356	0.440	8.171	0.262	5.135	0.141
Problem 418	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	61	61	120	87	78	160	552	196	76	0
N.S.	1	1.00	1.97	1.43	1.28	2.62	9.05	3.21	1.25	0.00
time (sec)	N/A	0.040	0.152	0.063	1.397	0.443	4.269	0.219	5.058	0.105
Problem 419	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	41	41	42	45	39	56	163	65	38	0
N.S.	1	1.00	1.02	1.10	0.95	1.37	3.98	1.59	0.93	0.00
time (sec)	N/A	0.023	0.133	0.056	1.293	0.438	2.027	0.222	5.056	0.073
Problem 420	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	12	12	12	13	12	17	15	12	12	0
N.S.	1	1.00	1.00	1.08	1.00	1.42	1.25	1.00	1.00	0.00
time (sec)	N/A	0.003	0.002	0.043	1.319	0.432	0.067	0.167	5.011	0.021

Problem 421	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	F	A	F(-1)	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	45	45	45	0	0	66	0	0	-1	45
N.S.	1	1.00	1.00	0.00	0.00	1.47	0.00	0.00	-0.02	1.00
time (sec)	N/A	0.395	0.305	0.691	0.000	0.443	0.000	0.000	0.000	44.616
Problem 422	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	24	24	24	21	20	20	0	0	20	0
N.S.	1	1.00	1.00	0.88	0.83	0.83	0.00	0.00	0.83	0.00
time (sec)	N/A	0.053	0.176	0.052	2.126	0.430	0.000	0.000	5.587	7.840
Problem 423	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	F(-1)	F	F(-2)	F	F	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	103	103	93	0	0	0	0	0	-1	103
N.S.	1	1.00	0.90	0.00	0.00	0.00	0.00	0.00	-0.01	1.00
time (sec)	N/A	0.103	0.203	180.000	0.000	0.000	0.000	0.000	0.000	166.726
Problem 424	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	F	B	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	28	28	28	0	0	61	0	228	95	0
N.S.	1	1.00	1.00	0.00	0.00	2.18	0.00	8.14	3.39	0.00
time (sec)	N/A	0.101	0.346	1.082	0.000	0.458	0.000	0.422	5.197	0.163

Problem 425	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	B	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	45	45	46	138	77	119	0	237	124	0
N.S.	1	1.00	1.02	3.07	1.71	2.64	0.00	5.27	2.76	0.00
time (sec)	N/A	0.157	0.410	0.575	3.039	0.452	0.000	0.426	5.367	0.415
Problem 426	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-2)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	31	31	31	52	59	54	0	115	76	0
N.S.	1	1.00	1.00	1.68	1.90	1.74	0.00	3.71	2.45	0.00
time (sec)	N/A	0.205	0.601	0.171	2.672	0.463	0.000	0.556	5.298	0.432
Problem 427	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	B	A	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	45	45	41	136	92	88	0	155	106	0
N.S.	1	1.00	0.91	3.02	2.04	1.96	0.00	3.44	2.36	0.00
time (sec)	N/A	0.553	0.888	0.502	3.035	0.465	0.000	0.809	5.640	1.160

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [77] had the largest ratio of [.6923]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	2	1	1.00	20	0.050
2	A	2	1	1.00	22	0.045
3	A	2	1	1.00	22	0.045
4	A	2	1	1.00	25	0.040
5	A	2	1	1.00	27	0.037
6	A	2	1	1.00	27	0.037
7	A	6	6	1.00	15	0.400
8	A	7	7	1.00	15	0.467
9	A	8	7	1.00	15	0.467
10	A	9	7	1.00	15	0.467
11	A	6	6	1.00	15	0.400
12	A	6	6	1.00	16	0.375
13	A	3	3	1.00	11	0.273
14	A	3	3	1.00	15	0.200
15	A	3	3	1.00	13	0.231
16	A	3	3	1.00	13	0.231
17	A	6	6	1.00	15	0.400
18	A	3	3	1.00	19	0.158
19	A	3	3	1.00	21	0.143
20	A	3	3	1.00	31	0.097
21	A	3	3	1.00	36	0.083
22	A	12	10	1.00	35	0.286
23	A	11	9	1.00	33	0.273
24	A	10	8	1.00	36	0.222
25	A	10	10	1.00	19	0.526
26	A	9	9	1.00	18	0.500

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
27	A	4	4	1.00	27	0.148
28	A	4	4	1.00	28	0.143
29	A	4	4	1.00	24	0.167
30	A	4	4	1.00	24	0.167
31	A	4	4	1.00	26	0.154
32	A	4	4	1.00	26	0.154
33	A	4	4	1.00	28	0.143
34	A	4	4	1.00	30	0.133
35	A	4	4	1.00	29	0.138
36	A	4	4	1.00	29	0.138
37	A	4	4	1.00	29	0.138
38	A	4	4	1.00	32	0.125
39	A	6	6	1.00	13	0.462
40	A	4	4	1.00	49	0.082
41	A	4	4	1.00	57	0.070
42	A	2	2	1.00	31	0.065
43	A	2	2	1.00	42	0.048
44	A	4	4	1.00	42	0.095
45	A	4	4	1.00	45	0.089
46	A	4	4	1.00	45	0.089
47	A	4	4	1.00	44	0.091
48	A	3	3	1.00	20	0.150
49	A	6	6	1.00	20	0.300
50	A	2	2	1.00	16	0.125
51	A	5	5	1.00	20	0.250
52	A	3	3	1.00	18	0.167
53	A	2	1	1.00	30	0.033
54	A	2	1	1.00	30	0.033
55	A	2	1	1.00	28	0.036
56	A	2	1	1.00	30	0.033
57	A	7	7	1.00	30	0.233
58	A	8	8	1.00	30	0.267
59	A	8	8	1.00	17	0.471
60	A	10	9	1.00	17	0.529

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
61	A	10	9	0.99	17	0.529
62	A	10	9	0.99	22	0.409
63	A	10	9	1.00	22	0.409
64	A	10	9	1.00	22	0.409
65	A	9	8	1.00	17	0.471
66	A	9	8	1.00	19	0.421
67	A	8	7	1.00	18	0.389
68	A	7	5	1.00	16	0.312
69	A	13	9	1.00	15	0.600
70	A	8	6	1.00	16	0.375
71	A	14	10	1.00	15	0.667
72	A	9	6	1.00	16	0.375
73	A	15	10	1.00	15	0.667
74	A	10	6	1.00	16	0.375
75	A	16	10	1.00	15	0.667
76	A	7	5	1.00	15	0.333
77	A	13	9	1.00	13	0.692
78	A	7	5	1.00	21	0.238
79	A	13	9	1.00	20	0.450
80	A	8	6	1.00	21	0.286
81	A	14	10	1.00	20	0.500
82	A	9	6	1.00	21	0.286
83	A	15	10	1.00	20	0.500
84	A	10	6	1.00	21	0.286
85	A	16	10	1.00	20	0.500
86	A	3	2	1.00	11	0.182
87	A	3	2	1.00	12	0.167
88	A	2	1	1.00	15	0.067
89	A	3	2	1.00	14	0.143
90	A	2	1	1.00	17	0.059
91	A	3	2	1.00	19	0.105
92	A	2	1	1.00	20	0.050
93	A	2	2	1.00	14	0.143
94	A	4	3	1.00	17	0.176

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
95	A	4	3	1.00	19	0.158
96	A	3	2	1.00	20	0.100
97	A	4	3	1.00	21	0.143
98	A	3	2	1.00	22	0.091
99	A	4	3	1.00	24	0.125
100	A	3	2	1.00	25	0.080
101	A	3	2	1.00	25	0.080
102	A	8	6	1.00	26	0.231
103	A	9	7	1.00	26	0.269
104	A	10	7	1.00	26	0.269
105	A	10	7	1.00	11	0.636
106	A	3	3	1.00	12	0.250
107	A	13	9	1.00	15	0.600
108	A	10	7	1.00	14	0.500
109	A	9	6	1.00	17	0.353
110	A	14	10	1.00	19	0.526
111	A	13	9	1.00	20	0.450
112	A	2	2	1.00	14	0.143
113	A	12	8	1.00	17	0.471
114	A	5	5	1.00	19	0.263
115	A	15	11	1.00	20	0.550
116	A	13	9	1.00	21	0.429
117	A	12	8	1.00	22	0.364
118	A	16	12	1.00	24	0.500
119	A	15	11	1.00	25	0.440
120	A	2	2	1.00	19	0.105
121	A	11	8	1.00	17	0.471
122	A	9	7	1.00	20	0.350
123	A	15	11	1.00	19	0.579
124	A	11	8	1.00	31	0.258
125	A	8	6	1.00	31	0.194
126	A	9	7	1.00	31	0.226
127	A	10	8	1.00	31	0.258
128	A	17	12	1.00	30	0.400

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
129	A	14	10	1.00	30	0.333
130	A	15	11	1.00	30	0.367
131	A	16	12	1.00	30	0.400
132	A	2	2	1.00	21	0.095
133	A	2	2	1.00	21	0.095
134	A	2	1	1.00	19	0.053
135	A	2	2	1.00	19	0.105
136	A	2	2	1.00	21	0.095
137	A	2	2	1.00	21	0.095
138	A	2	2	1.00	21	0.095
139	A	13	9	1.00	36	0.250
140	A	13	9	1.00	41	0.220
141	A	13	9	1.00	46	0.196
142	A	19	13	1.00	35	0.371
143	A	19	13	1.00	40	0.325
144	A	19	13	1.00	45	0.289
145	A	8	6	1.00	36	0.167
146	A	8	6	1.00	41	0.146
147	A	10	8	1.00	46	0.174
148	A	14	10	1.00	35	0.286
149	A	14	10	1.00	40	0.250
150	A	16	12	1.00	45	0.267
151	A	9	7	1.00	36	0.194
152	A	9	7	1.00	41	0.171
153	A	9	7	1.00	46	0.152
154	A	15	11	1.00	35	0.314
155	A	15	11	1.00	40	0.275
156	A	15	11	1.00	45	0.244
157	A	10	8	1.00	36	0.222
158	A	10	8	1.00	41	0.195
159	A	10	8	1.00	46	0.174
160	A	16	12	1.00	35	0.343
161	A	16	12	1.00	40	0.300
162	A	16	12	1.00	45	0.267

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
163	A	1	1	1.00	23	0.043
164	A	1	1	1.00	26	0.038
165	A	1	1	1.00	28	0.036
166	A	1	1	1.00	31	0.032
167	A	1	1	1.00	15	0.067
168	A	3	2	1.00	11	0.182
169	A	3	2	1.00	15	0.133
170	A	3	2	1.00	30	0.067
171	A	3	2	1.00	30	0.067
172	A	3	2	1.00	30	0.067
173	A	3	2	1.00	30	0.067
174	A	3	2	1.00	30	0.067
175	A	3	2	1.00	30	0.067
176	A	3	2	1.00	30	0.067
177	A	3	2	1.00	30	0.067
178	A	3	2	1.00	30	0.067
179	A	3	2	1.00	30	0.067
180	A	9	8	1.00	30	0.267
181	A	9	8	1.00	30	0.267
182	A	9	8	1.00	30	0.267
183	A	9	8	1.00	30	0.267
184	A	9	8	1.00	30	0.267
185	A	9	8	1.00	28	0.286
186	A	8	7	1.00	27	0.259
187	A	8	7	1.00	30	0.233
188	A	8	7	1.00	30	0.233
189	A	8	7	1.00	30	0.233
190	A	8	7	1.00	30	0.233
191	A	8	7	1.00	30	0.233
192	A	8	7	1.00	30	0.233
193	A	8	7	1.00	30	0.233
194	A	8	7	1.00	30	0.233
195	A	8	7	1.00	30	0.233
196	A	8	7	1.00	30	0.233

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
197	A	8	7	1.00	30	0.233
198	A	3	2	1.00	30	0.067
199	A	3	2	1.00	30	0.067
200	A	3	2	1.00	30	0.067
201	A	3	2	1.00	30	0.067
202	A	3	2	1.00	30	0.067
203	A	3	2	1.00	30	0.067
204	A	3	2	1.00	30	0.067
205	A	3	2	1.00	30	0.067
206	A	3	2	1.00	30	0.067
207	A	9	8	1.00	30	0.267
208	A	12	10	1.00	30	0.333
209	A	9	8	1.00	30	0.267
210	A	11	10	1.00	30	0.333
211	A	9	8	1.00	30	0.267
212	A	10	9	1.00	28	0.321
213	A	9	9	1.00	27	0.333
214	A	9	8	1.00	30	0.267
215	A	9	8	1.00	30	0.267
216	A	9	8	1.00	30	0.267
217	A	9	8	1.00	30	0.267
218	A	9	8	1.00	30	0.267
219	A	9	8	1.00	30	0.267
220	A	9	8	1.00	30	0.267
221	A	9	8	1.00	30	0.267
222	A	9	8	1.00	30	0.267
223	A	3	2	1.00	30	0.067
224	A	3	2	1.00	30	0.067
225	A	3	2	1.00	30	0.067
226	A	3	2	1.00	30	0.067
227	A	3	2	1.00	30	0.067
228	A	3	2	1.00	30	0.067
229	A	3	2	1.00	30	0.067
230	A	3	2	1.00	30	0.067

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
231	A	3	2	1.00	30	0.067
232	A	3	2	1.00	30	0.067
233	A	10	9	1.00	30	0.300
234	A	14	10	1.00	30	0.333
235	A	10	9	1.00	30	0.300
236	A	13	10	1.00	30	0.333
237	A	10	9	1.00	30	0.300
238	A	12	10	1.00	30	0.333
239	A	10	10	1.00	30	0.333
240	A	10	10	1.00	28	0.357
241	A	9	9	1.00	27	0.333
242	A	9	9	1.00	30	0.300
243	A	9	9	1.00	30	0.300
244	A	10	9	1.00	30	0.300
245	A	10	9	1.00	30	0.300
246	A	10	8	1.00	30	0.267
247	A	10	8	1.00	30	0.267
248	A	10	8	1.00	30	0.267
249	A	10	8	1.00	30	0.267
250	A	10	8	1.00	30	0.267
251	A	8	7	1.00	16	0.438
252	A	5	4	1.00	16	0.250
253	A	8	7	1.00	16	0.438
254	A	6	6	1.00	14	0.429
255	A	6	5	1.00	16	0.312
256	A	6	5	1.00	16	0.312
257	A	3	2	1.00	16	0.125
258	A	6	6	1.00	14	0.429
259	A	6	6	1.00	16	0.375
260	A	2	1	1.00	21	0.048
261	A	2	1	1.00	19	0.053
262	A	2	1	1.00	18	0.056
263	A	2	1	1.00	21	0.048
264	A	2	1	1.00	21	0.048

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
265	A	2	1	1.00	21	0.048
266	A	3	2	1.00	23	0.087
267	A	3	2	1.00	21	0.095
268	A	3	2	1.00	20	0.100
269	A	2	1	1.00	23	0.043
270	A	2	1	1.00	23	0.043
271	A	2	1	1.00	23	0.043
272	A	3	2	1.00	23	0.087
273	A	3	2	1.00	21	0.095
274	A	3	2	1.00	20	0.100
275	A	2	1	1.00	23	0.043
276	A	2	1	1.00	23	0.043
277	A	2	1	1.00	23	0.043
278	A	3	2	1.00	23	0.087
279	A	3	2	1.00	21	0.095
280	A	3	2	1.00	20	0.100
281	A	2	1	1.00	23	0.043
282	A	2	1	1.00	23	0.043
283	A	2	1	1.00	23	0.043
284	A	10	9	1.00	23	0.391
285	A	10	9	1.00	23	0.391
286	A	10	9	1.00	21	0.429
287	A	8	8	1.00	20	0.400
288	A	10	9	1.00	23	0.391
289	A	10	9	1.00	23	0.391
290	A	10	9	1.00	23	0.391
291	A	7	7	1.00	23	0.304
292	A	7	7	1.00	21	0.333
293	A	7	7	1.00	20	0.350
294	A	11	10	1.00	23	0.435
295	A	11	10	1.00	23	0.435
296	A	11	10	1.00	23	0.435
297	A	11	10	1.00	23	0.435
298	A	8	8	1.00	23	0.348

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
299	A	8	8	1.00	21	0.381
300	A	8	8	1.00	20	0.400
301	A	12	10	1.00	23	0.435
302	A	12	10	1.00	23	0.435
303	A	12	10	1.00	23	0.435
304	A	12	10	1.00	23	0.435
305	A	9	8	1.00	23	0.348
306	A	9	9	1.00	21	0.429
307	A	9	8	1.00	20	0.400
308	A	13	10	1.00	23	0.435
309	A	13	10	1.00	23	0.435
310	A	13	10	1.00	23	0.435
311	A	13	10	1.00	23	0.435
312	A	5	5	1.00	20	0.250
313	A	4	4	1.00	18	0.222
314	A	5	5	1.00	20	0.250
315	A	4	4	1.00	18	0.222
316	A	4	4	1.00	27	0.148
317	A	4	4	1.00	29	0.138
318	A	4	4	1.00	28	0.143
319	A	4	4	1.00	28	0.143
320	A	2	1	1.00	36	0.028
321	A	2	1	1.00	36	0.028
322	A	2	1	1.00	36	0.028
323	A	2	1	1.00	34	0.029
324	A	2	1	1.00	33	0.030
325	A	2	1	1.00	36	0.028
326	A	2	1	1.00	36	0.028
327	A	2	1	1.00	36	0.028
328	A	2	1	1.00	36	0.028
329	A	2	1	1.00	36	0.028
330	A	2	1	1.00	38	0.026
331	A	2	1	1.00	38	0.026
332	A	3	2	1.00	38	0.053

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
333	A	3	2	1.00	36	0.056
334	A	3	2	1.00	35	0.057
335	A	3	2	1.00	38	0.053
336	A	3	2	1.00	38	0.053
337	A	3	2	1.00	38	0.053
338	A	2	1	1.00	38	0.026
339	A	2	1	1.00	38	0.026
340	A	2	1	1.00	38	0.026
341	A	2	1	1.00	38	0.026
342	A	3	2	1.00	38	0.053
343	A	3	2	1.00	36	0.056
344	A	3	2	1.00	35	0.057
345	A	3	2	1.00	38	0.053
346	A	3	2	1.00	38	0.053
347	A	3	2	1.00	38	0.053
348	A	2	1	1.00	38	0.026
349	A	2	1	1.00	38	0.026
350	A	13	10	1.00	38	0.263
351	A	13	10	1.00	38	0.263
352	A	13	10	1.00	38	0.263
353	A	13	10	1.00	36	0.278
354	A	10	9	0.99	35	0.257
355	A	10	9	0.99	38	0.237
356	A	10	9	1.00	38	0.237
357	A	10	9	0.99	38	0.237
358	A	10	9	0.99	38	0.237
359	A	11	10	1.00	38	0.263
360	A	11	10	1.00	38	0.263
361	A	11	10	0.99	38	0.263
362	A	11	10	1.00	36	0.278
363	A	9	9	1.00	35	0.257
364	A	11	10	0.99	38	0.263
365	A	11	10	1.00	38	0.263
366	A	11	10	0.99	38	0.263

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
367	A	11	10	0.99	38	0.263
368	A	12	11	1.00	38	0.290
369	A	10	10	1.00	38	0.263
370	A	8	8	1.00	38	0.210
371	A	8	8	1.00	36	0.222
372	A	8	8	1.00	35	0.229
373	A	12	10	0.99	38	0.263
374	A	12	10	1.00	38	0.263
375	A	12	10	0.99	38	0.263
376	A	12	10	0.99	38	0.263
377	A	2	1	1.00	23	0.043
378	A	2	1	1.00	26	0.038
379	A	3	2	1.00	25	0.080
380	A	3	2	1.00	28	0.071
381	A	3	2	1.00	25	0.080
382	A	3	2	1.00	28	0.071
383	A	3	2	1.00	25	0.080
384	A	3	2	1.00	28	0.071
385	A	9	7	1.00	26	0.269
386	A	12	9	1.00	29	0.310
387	A	15	11	1.00	25	0.440
388	A	18	13	1.00	28	0.464
389	A	14	10	1.00	25	0.400
390	A	14	10	1.00	28	0.357
391	A	15	11	1.00	25	0.440
392	A	15	11	1.00	28	0.393
393	A	16	11	1.00	25	0.440
394	A	16	11	1.00	28	0.393
395	A	2	2	1.00	22	0.091
396	A	2	2	1.00	35	0.057
397	A	2	2	1.00	35	0.057
398	A	2	2	1.00	22	0.091
399	A	3	3	1.00	25	0.120
400	A	6	5	1.00	15	0.333

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
401	A	6	5	1.00	15	0.333
402	A	7	6	1.00	20	0.300
403	A	7	6	1.00	20	0.300
404	A	7	7	1.00	17	0.412
405	A	7	6	1.00	25	0.240
406	A	11	6	1.00	35	0.171
407	A	11	6	1.00	35	0.171
408	A	8	5	1.00	22	0.227
409	A	11	7	1.00	25	0.280
410	A	17	7	1.00	15	0.467
411	A	17	7	1.00	15	0.467
412	A	14	7	1.00	20	0.350
413	A	14	7	1.00	20	0.350
414	A	15	9	1.00	17	0.529
415	A	14	7	1.00	25	0.280
416	A	13	7	1.00	18	0.389
417	A	4	3	1.00	19	0.158
418	A	4	3	1.00	19	0.158
419	A	4	2	1.00	17	0.118
420	A	1	0	1.00	9	0.000
421	A	2	2	1.00	58	0.034
422	A	1	1	1.00	46	0.022
423	A	10	8	1.00	24	0.333
424	A	1	1	1.00	48	0.021
425	A	1	1	1.00	45	0.022
426	A	1	1	1.00	69	0.014
427	A	1	1	1.00	86	0.012

Chapter 3

Listing of integrals

Local contents

3.1	$\int \frac{c+dx+ex^2}{\sqrt{a+bx}} dx$	166
3.2	$\int \frac{(c+dx+ex^2)^2}{\sqrt{a+bx}} dx$	170
3.3	$\int \frac{(c+dx+ex^2)^3}{\sqrt{a+bx}} dx$	174
3.4	$\int \frac{c+dx+ex^2+fx^3}{\sqrt{a+bx}} dx$	179
3.5	$\int \frac{(c+dx+ex^2+fx^3)^2}{\sqrt{a+bx}} dx$	183
3.6	$\int \frac{(c+dx+ex^2+fx^3)^3}{\sqrt{a+bx}} dx$	188
3.7	$\int \frac{c+dx}{a+bx^3} dx$	196
3.8	$\int \frac{c+dx}{(a+bx^3)^2} dx$	202
3.9	$\int \frac{c+dx}{(a+bx^3)^3} dx$	208
3.10	$\int \frac{c+dx}{(a+bx^3)^4} dx$	215
3.11	$\int \frac{a+bx}{d+ex^3} dx$	222
3.12	$\int \frac{a+bx}{d-ex^3} dx$	228
3.13	$\int \frac{1+x}{1+x^3} dx$	234
3.14	$\int \frac{1-x}{1-x^3} dx$	237
3.15	$\int \frac{1+x}{1-x^3} dx$	240
3.16	$\int \frac{1-x}{1+x^3} dx$	243

3.17	$\int \frac{3-x}{1-x^3} dx$	246
3.18	$\int \frac{c+dx}{c^3+d^3x^3} dx$	250
3.19	$\int \frac{c-dx}{c^3-d^3x^3} dx$	254
3.20	$\int \frac{\sqrt[3]{a} \sqrt[3]{b} B + b^{2/3} Bx}{a+bx^3} dx$	258
3.21	$\int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - (-b)^{2/3} Bx}{a+bx^3} dx$	262
3.22	$\int \left(-\frac{Cx^2}{a+bx^3} + \frac{Bx+Cx^2}{a+bx^3} \right) dx$	266
3.23	$\int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Cx^2}{a+bx^3} \right) dx$	272
3.24	$\int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Bx+Cx^2}{a+bx^3} \right) dx$	277
3.25	$\int \frac{bx+cx^2}{d+ex^3} dx$	283
3.26	$\int \frac{a+cx^2}{d-ex^3} dx$	289
3.27	$\int \frac{2a^2+b^2x^2}{a^3+b^3x^3} dx$	295
3.28	$\int \frac{2a^2+b^2x^2}{a^3-b^3x^3} dx$	299
3.29	$\int \frac{8C+b^{2/3}Cx^2}{8+bx^3} dx$	303
3.30	$\int \frac{a^{2/3}C+2Cx^2}{a+8x^3} dx$	307
3.31	$\int \frac{8C+(-b)^{2/3}Cx^2}{-8+bx^3} dx$	311
3.32	$\int \frac{(-a)^{2/3}C+2Cx^2}{a-8x^3} dx$	315
3.33	$\int \frac{2\left(\frac{a}{b}\right)^{2/3}C+Cx^2}{a+bx^3} dx$	319
3.34	$\int \frac{2\left(-\frac{a}{b}\right)^{2/3}C+Cx^2}{a-bx^3} dx$	324
3.35	$\int \frac{2\left(-\frac{a}{b}\right)^{2/3}C+Cx^2}{a+bx^3} dx$	329
3.36	$\int \frac{2\left(\frac{a}{b}\right)^{2/3}C+Cx^2}{a-bx^3} dx$	334
3.37	$\int \frac{2a^{2/3}C+b^{2/3}Cx^2}{a+bx^3} dx$	339
3.38	$\int \frac{-2a^{2/3}C-(-b)^{2/3}Cx^2}{a+bx^3} dx$	343
3.39	$\int \frac{-3+x^2}{-1+x^3} dx$	347
3.40	$\int \frac{\sqrt[3]{a} \sqrt[3]{b} B + 2a^{2/3}C + b^{2/3}Bx + b^{2/3}Cx^2}{a+bx^3} dx$	351
3.41	$\int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - 2a^{2/3}C - (-b)^{2/3}Bx - (-b)^{2/3}Cx^2}{a+bx^3} dx$	356
3.42	$\int \frac{B^2+BCx+C^2x^2}{-B^3+C^3x^3} dx$	361
3.43	$\int \frac{a^{2/3}C - \sqrt[3]{a} \sqrt[3]{b} Cx + b^{2/3}Cx^2}{a+bx^3} dx$	364

- 3.44 $\int \frac{\sqrt[3]{\frac{a}{b}} B + 2\left(\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a + bx^3} dx \dots\dots\dots 368$
- 3.45 $\int \frac{\sqrt[3]{-\frac{a}{b}} B + 2\left(-\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a - bx^3} dx \dots\dots\dots 373$
- 3.46 $\int \frac{-\sqrt[3]{\frac{a}{b}} B + 2\left(-\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a + bx^3} dx \dots\dots\dots 378$
- 3.47 $\int \frac{-\sqrt[3]{\frac{a}{b}} B + 2\left(\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a - bx^3} dx \dots\dots\dots 383$
- 3.48 $\int \frac{a + ax + cx^2}{1 - x^3} dx \dots\dots\dots 388$
- 3.49 $\int \frac{a + bx + cx^2}{1 - x^3} dx \dots\dots\dots 391$
- 3.50 $\int \frac{1 + x + x^2}{1 - x^3} dx \dots\dots\dots 395$
- 3.51 $\int \frac{1 - x + 3x^2}{1 - x^3} dx \dots\dots\dots 398$
- 3.52 $\int \frac{1 + x + 4x^2}{1 - x^3} dx \dots\dots\dots 402$
- 3.53 $\int (a + bx^3)^3 (ac + adx + bcx^3 + bdx^4) dx \dots\dots\dots 405$
- 3.54 $\int (a + bx^3)^2 (ac + adx + bcx^3 + bdx^4) dx \dots\dots\dots 408$
- 3.55 $\int (a + bx^3) (ac + adx + bcx^3 + bdx^4) dx \dots\dots\dots 411$
- 3.56 $\int \frac{ac + adx + bcx^3 + bdx^4}{a + bx^3} dx \dots\dots\dots 414$
- 3.57 $\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^2} dx \dots\dots\dots 417$
- 3.58 $\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^3} dx \dots\dots\dots 423$
- 3.59 $\int \frac{(a + bx)^2}{c + dx^3} dx \dots\dots\dots 429$
- 3.60 $\int \frac{(a + bx)^3}{c + dx^3} dx \dots\dots\dots 437$
- 3.61 $\int \frac{(a + bx)^4}{c + dx^3} dx \dots\dots\dots 446$
- 3.62 $\int \frac{(a + bx + cx^2)^2}{d + ex^3} dx \dots\dots\dots 456$
- 3.63 $\int \frac{(a + bx + cx^2)^3}{d + ex^3} dx \dots\dots\dots 468$
- 3.64 $\int \frac{(a + bx + cx^2)^4}{d + ex^3} dx \dots\dots\dots 475$
- 3.65 $\int \frac{2x^2 + x^4}{1 + x^3} dx \dots\dots\dots 483$
- 3.66 $\int \frac{2x^2 + x^4}{1 - x^3} dx \dots\dots\dots 488$
- 3.67 $\int \frac{1 - x + 4x^3}{1 + x^3} dx \dots\dots\dots 493$
- 3.68 $\int \frac{c + dx}{a - bx^4} dx \dots\dots\dots 497$
- 3.69 $\int \frac{c + dx}{a + bx^4} dx \dots\dots\dots 501$

3.70	$\int \frac{c+dx}{(a-bx^4)^2} dx$	506
3.71	$\int \frac{c+dx}{(a+bx^4)^2} dx$	511
3.72	$\int \frac{c+dx}{(a-bx^4)^3} dx$	517
3.73	$\int \frac{c+dx}{(a+bx^4)^3} dx$	522
3.74	$\int \frac{c+dx}{(a-bx^4)^4} dx$	528
3.75	$\int \frac{c+dx}{(a+bx^4)^4} dx$	534
3.76	$\int \frac{c+dx}{1-x^4} dx$	540
3.77	$\int \frac{c+dx}{1+x^4} dx$	544
3.78	$\int \frac{c+dx+ex^2}{a-bx^4} dx$	549
3.79	$\int \frac{c+dx+ex^2}{a+bx^4} dx$	554
3.80	$\int \frac{c+dx+ex^2}{(a-bx^4)^2} dx$	560
3.81	$\int \frac{c+dx+ex^2}{(a+bx^4)^2} dx$	565
3.82	$\int \frac{c+dx+ex^2}{(a-bx^4)^3} dx$	571
3.83	$\int \frac{c+dx+ex^2}{(a+bx^4)^3} dx$	577
3.84	$\int \frac{c+dx+ex^2}{(a-bx^4)^4} dx$	584
3.85	$\int \frac{c+dx+ex^2}{(a+bx^4)^4} dx$	590
3.86	$\int a(e+fx^4)^2 dx$	598
3.87	$\int bx(e+fx^4)^2 dx$	601
3.88	$\int (a+bx)(e+fx^4)^2 dx$	604
3.89	$\int cx^2(e+fx^4)^2 dx$	607
3.90	$\int (a+cx^2)(e+fx^4)^2 dx$	610
3.91	$\int (bx+cx^2)(e+fx^4)^2 dx$	613
3.92	$\int (a+bx+cx^2)(e+fx^4)^2 dx$	616
3.93	$\int dx^3(e+fx^4)^2 dx$	619
3.94	$\int (a+dx^3)(e+fx^4)^2 dx$	622

3.95	$\int (bx + dx^3)(e + fx^4)^2 dx$	626
3.96	$\int (a + bx + dx^3)(e + fx^4)^2 dx$	630
3.97	$\int (cx^2 + dx^3)(e + fx^4)^2 dx$	634
3.98	$\int (a + cx^2 + dx^3)(e + fx^4)^2 dx$	638
3.99	$\int (bx + cx^2 + dx^3)(e + fx^4)^2 dx$	642
3.100	$\int (c + dx + ex^2 + fx^3)(a + bx^4)^2 dx$	646
3.101	$\int (c + dx + ex^2 + fx^3)(a + bx^4)^3 dx$	650
3.102	$\int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^2} dx$	654
3.103	$\int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^3} dx$	659
3.104	$\int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^4} dx$	665
3.105	$\int \frac{a}{2+3x^4} dx$	671
3.106	$\int \frac{bx}{2+3x^4} dx$	676
3.107	$\int \frac{a+bx}{2+3x^4} dx$	679
3.108	$\int \frac{cx^2}{2+3x^4} dx$	684
3.109	$\int \frac{a+cx^2}{2+3x^4} dx$	689
3.110	$\int \frac{bx+cx^2}{2+3x^4} dx$	695
3.111	$\int \frac{a+bx+cx^2}{2+3x^4} dx$	700
3.112	$\int \frac{dx^3}{2+3x^4} dx$	705
3.113	$\int \frac{a+dx^3}{2+3x^4} dx$	708
3.114	$\int \frac{bx+dx^3}{2+3x^4} dx$	713
3.115	$\int \frac{a+bx+dx^3}{2+3x^4} dx$	717
3.116	$\int \frac{cx^2+dx^3}{2+3x^4} dx$	722
3.117	$\int \frac{a+cx^2+dx^3}{2+3x^4} dx$	727
3.118	$\int \frac{bx+cx^2+dx^3}{2+3x^4} dx$	733
3.119	$\int \frac{a+bx+cx^2+dx^3}{2+3x^4} dx$	739
3.120	$\int \frac{1+x+x^2+x^3}{1-x^4} dx$	745
3.121	$\int \frac{1+x+x^2+x^3}{1+x^4} dx$	748
3.122	$\int \frac{1+x+x^2+x^3}{a-bx^4} dx$	753

3.123	$\int \frac{1+x+x^2+x^3}{a+bx^4} dx$	758
3.124	$\int \frac{c+dx+ex^2+fx^3+gx^4}{a-bx^4} dx$	764
3.125	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^2} dx$	772
3.126	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^3} dx$	777
3.127	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^4} dx$	783
3.128	$\int \frac{c+dx+ex^2+fx^3+gx^4}{a+bx^4} dx$	789
3.129	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^2} dx$	798
3.130	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^3} dx$	805
3.131	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^4} dx$	812
3.132	$\int \frac{(1-x^4)^3}{(1+x+x^2+x^3)^3} dx$	820
3.133	$\int \frac{(1-x^4)^2}{(1+x+x^2+x^3)^2} dx$	823
3.134	$\int \frac{1-x^4}{1+x+x^2+x^3} dx$	826
3.135	$\int \frac{1+x+x^2+x^3}{1-x^4} dx$	829
3.136	$\int \frac{(1+x+x^2+x^3)^2}{(1-x^4)^2} dx$	832
3.137	$\int \frac{(1+x+x^2+x^3)^3}{(1-x^4)^3} dx$	835
3.138	$\int \frac{(1+x+x^2+x^3)^4}{(1-x^4)^4} dx$	838
3.139	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a-bx^4} dx$	841
3.140	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{a-bx^4} dx$	848
3.141	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{a-bx^4} dx$	855
3.142	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a+bx^4} dx$	863
3.143	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{a+bx^4} dx$	871
3.144	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{a+bx^4} dx$	880
3.145	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^2} dx$	890

3.146	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^2} dx$	896
3.147	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^2} dx$	902
3.148	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^2} dx$	910
3.149	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^2} dx$	917
3.150	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^2} dx$	925
3.151	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^3} dx$	934
3.152	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^3} dx$	941
3.153	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^3} dx$	948
3.154	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^3} dx$	955
3.155	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^3} dx$	963
3.156	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^3} dx$	972
3.157	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^4} dx$	981
3.158	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^4} dx$	988
3.159	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^4} dx$	996
3.160	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^4} dx$	1004
3.161	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^4} dx$	1012
3.162	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^4} dx$	1021
3.163	$\int \frac{ag-bgx^4}{(a+bx^4)^{3/2}} dx$	1030
3.164	$\int \frac{ag+ex-bgx^4}{(a+bx^4)^{3/2}} dx$	1033
3.165	$\int \frac{ag+fx^3-bgx^4}{(a+bx^4)^{3/2}} dx$	1036
3.166	$\int \frac{ag+ex+fx^3-bgx^4}{(a+bx^4)^{3/2}} dx$	1039

3.167	$\int \frac{-1+x^4}{(1+x^4)^{3/2}} dx$1042
3.168	$\int \frac{1+x}{1+x^5} dx$1045
3.169	$\int \frac{1-x}{1-x^5} dx$1050
3.170	$\int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$1055
3.171	$\int \frac{x^8(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$1059
3.172	$\int \frac{x^5(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$1063
3.173	$\int \frac{x^2(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$1067
3.174	$\int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)} dx$1071
3.175	$\int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)} dx$1075
3.176	$\int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)} dx$1079
3.177	$\int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)} dx$1083
3.178	$\int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)} dx$1087
3.179	$\int \frac{c+dx^3+ex^6+fx^9}{x^{16}(a+bx^3)} dx$1091
3.180	$\int \frac{x^9(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$1095
3.181	$\int \frac{x^7(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$1101
3.182	$\int \frac{x^6(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$1107
3.183	$\int \frac{x^4(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$1113
3.184	$\int \frac{x^3(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$1119
3.185	$\int \frac{x(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$1125
3.186	$\int \frac{c+dx^3+ex^6+fx^9}{a+bx^3} dx$1131
3.187	$\int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)} dx$1137
3.188	$\int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)} dx$1143
3.189	$\int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)} dx$1149
3.190	$\int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)} dx$1155
3.191	$\int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)} dx$1161

3.192	$\int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)} dx$1167
3.193	$\int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)} dx$1173
3.194	$\int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)} dx$1179
3.195	$\int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)} dx$1185
3.196	$\int \frac{c+dx^3+ex^6+fx^9}{x^{15}(a+bx^3)} dx$1191
3.197	$\int \frac{c+dx^3+ex^6+fx^9}{x^{17}(a+bx^3)} dx$1197
3.198	$\int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$1203
3.199	$\int \frac{x^8(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$1207
3.200	$\int \frac{x^5(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$1211
3.201	$\int \frac{x^2(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$1215
3.202	$\int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)^2} dx$1219
3.203	$\int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)^2} dx$1223
3.204	$\int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)^2} dx$1227
3.205	$\int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)^2} dx$1231
3.206	$\int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)^2} dx$1235
3.207	$\int \frac{x^9(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$1239
3.208	$\int \frac{x^7(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$1245
3.209	$\int \frac{x^6(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$1253
3.210	$\int \frac{x^4(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$1259
3.211	$\int \frac{x^3(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$1267
3.212	$\int \frac{x(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$1273

3.213	$\int \frac{c+dx^3+ex^6+fx^9}{(a+bx^3)^2} dx$1279
3.214	$\int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)^2} dx$1285
3.215	$\int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)^2} dx$1291
3.216	$\int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)^2} dx$1297
3.217	$\int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)^2} dx$1303
3.218	$\int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)^2} dx$1309
3.219	$\int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)^2} dx$1315
3.220	$\int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)^2} dx$1321
3.221	$\int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)^2} dx$1327
3.222	$\int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)^2} dx$1333
3.223	$\int \frac{x^{14}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$1339
3.224	$\int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$1343
3.225	$\int \frac{x^8(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$1347
3.226	$\int \frac{x^5(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$1351
3.227	$\int \frac{x^2(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$1355
3.228	$\int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)^3} dx$1359
3.229	$\int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)^3} dx$1363
3.230	$\int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)^3} dx$1367
3.231	$\int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)^3} dx$1371
3.232	$\int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)^3} dx$1375

3.233	$\int \frac{x^{12}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1379
3.234	$\int \frac{x^{10}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1386
3.235	$\int \frac{x^9(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1394
3.236	$\int \frac{x^7(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1400
3.237	$\int \frac{x^6(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1408
3.238	$\int \frac{x^4(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1415
3.239	$\int \frac{x^3(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1423
3.240	$\int \frac{x(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1430
3.241	$\int \frac{c+dx^3+ex^6+fx^9}{(a+bx^3)^3} dx$.1437
3.242	$\int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)^3} dx$.1443
3.243	$\int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)^3} dx$.1450
3.244	$\int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)^3} dx$.1457
3.245	$\int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)^3} dx$.1464
3.246	$\int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)^3} dx$.1471
3.247	$\int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)^3} dx$.1478
3.248	$\int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)^3} dx$.1485
3.249	$\int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)^3} dx$.1491
3.250	$\int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)^3} dx$.1497
3.251	$\int \frac{(1-x)x^4}{1+x^3} dx$.1504
3.252	$\int \frac{(1-x)x^3}{1+x^3} dx$.1508
3.253	$\int \frac{(1-x)x^2}{1+x^3} dx$.1511

3.254	$\int \frac{(1-x)x}{1+x^3} dx$.1515
3.255	$\int \frac{1-x}{x(1+x^3)} dx$.1519
3.256	$\int \frac{1-x}{x^2(1+x^3)} dx$.1523
3.257	$\int \frac{1-x}{x^3(1+x^3)} dx$.1527
3.258	$\int \frac{x(1+2x)}{1+x^3} dx$.1530
3.259	$\int \frac{x(1+2x)}{1-x^3} dx$.1534
3.260	$\int x^2 (c + dx + ex^2) (a + bx^3) dx$.1538
3.261	$\int x (c + dx + ex^2) (a + bx^3) dx$.1541
3.262	$\int (c + dx + ex^2) (a + bx^3) dx$.1544
3.263	$\int \frac{(c+dx+ex^2)(a+bx^3)}{x} dx$.1547
3.264	$\int \frac{(c+dx+ex^2)(a+bx^3)}{x^2} dx$.1550
3.265	$\int \frac{(c+dx+ex^2)(a+bx^3)}{x^3} dx$.1553
3.266	$\int x^2 (c + dx + ex^2) (a + bx^3)^2 dx$.1556
3.267	$\int x (c + dx + ex^2) (a + bx^3)^2 dx$.1560
3.268	$\int (c + dx + ex^2) (a + bx^3)^2 dx$.1564
3.269	$\int \frac{(c+dx+ex^2)(a+bx^3)^2}{x} dx$.1568
3.270	$\int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^2} dx$.1571
3.271	$\int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^3} dx$.1574
3.272	$\int x^2 (c + dx + ex^2) (a + bx^3)^3 dx$.1577
3.273	$\int x (c + dx + ex^2) (a + bx^3)^3 dx$.1581
3.274	$\int (c + dx + ex^2) (a + bx^3)^3 dx$.1585
3.275	$\int \frac{(c+dx+ex^2)(a+bx^3)^3}{x} dx$.1589
3.276	$\int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^2} dx$.1592
3.277	$\int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^3} dx$.1595
3.278	$\int x^2 (c + dx + ex^2) (a + bx^3)^4 dx$.1598
3.279	$\int x (c + dx + ex^2) (a + bx^3)^4 dx$.1602
3.280	$\int (c + dx + ex^2) (a + bx^3)^4 dx$.1606

3.281	$\int \frac{(c+dx+ex^2)(a+bx^3)^4}{x} dx$.1610
3.282	$\int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^2} dx$.1613
3.283	$\int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^3} dx$.1616
3.284	$\int \frac{x^3(c+dx+ex^2)}{a+bx^3} dx$.1619
3.285	$\int \frac{x^2(c+dx+ex^2)}{a+bx^3} dx$.1627
3.286	$\int \frac{x(c+dx+ex^2)}{a+bx^3} dx$.1634
3.287	$\int \frac{c+dx+ex^2}{a+bx^3} dx$.1642
3.288	$\int \frac{c+dx+ex^2}{x(a+bx^3)} dx$.1650
3.289	$\int \frac{c+dx+ex^2}{x^2(a+bx^3)} dx$.1658
3.290	$\int \frac{c+dx+ex^2}{x^3(a+bx^3)} dx$.1666
3.291	$\int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^2} dx$.1674
3.292	$\int \frac{x(c+dx+ex^2)}{(a+bx^3)^2} dx$.1680
3.293	$\int \frac{c+dx+ex^2}{(a+bx^3)^2} dx$.1687
3.294	$\int \frac{c+dx+ex^2}{x(a+bx^3)^2} dx$.1693
3.295	$\int \frac{c+dx+ex^2}{x^2(a+bx^3)^2} dx$.1701
3.296	$\int \frac{c+dx+ex^2}{x^3(a+bx^3)^2} dx$.1709
3.297	$\int \frac{c+dx+ex^2}{x^4(a+bx^3)^2} dx$.1718
3.298	$\int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^3} dx$.1727
3.299	$\int \frac{x(c+dx+ex^2)}{(a+bx^3)^3} dx$.1734
3.300	$\int \frac{c+dx+ex^2}{(a+bx^3)^3} dx$.1741
3.301	$\int \frac{c+dx+ex^2}{x(a+bx^3)^3} dx$.1748
3.302	$\int \frac{c+dx+ex^2}{x^2(a+bx^3)^3} dx$.1757

3.303	$\int \frac{c+dx+ex^2}{x^3(a+bx^3)^3} dx$	1767
3.304	$\int \frac{c+dx+ex^2}{x^4(a+bx^3)^3} dx$	1777
3.305	$\int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^4} dx$	1787
3.306	$\int \frac{x(c+dx+ex^2)}{(a+bx^3)^4} dx$	1794
3.307	$\int \frac{c+dx+ex^2}{(a+bx^3)^4} dx$	1801
3.308	$\int \frac{c+dx+ex^2}{x(a+bx^3)^4} dx$	1808
3.309	$\int \frac{c+dx+ex^2}{x^2(a+bx^3)^4} dx$	1819
3.310	$\int \frac{c+dx+ex^2}{x^3(a+bx^3)^4} dx$	1830
3.311	$\int \frac{c+dx+ex^2}{x^4(a+bx^3)^4} dx$	1841
3.312	$\int \frac{2ax-x^2}{a^3+x^3} dx$	1852
3.313	$\int \frac{(2a-x)x}{a^3+x^3} dx$	1856
3.314	$\int \frac{2ax+x^2}{a^3-x^3} dx$	1860
3.315	$\int \frac{x(2a+x)}{a^3-x^3} dx$	1864
3.316	$\int \frac{x(-2\sqrt[3]{\frac{a}{b}}C+Cx)}{a+bx^3} dx$	1868
3.317	$\int \frac{x(-2\sqrt[3]{-\frac{a}{b}}C+Cx)}{a+bx^3} dx$	1873
3.318	$\int \frac{x(2\sqrt[3]{-\frac{a}{b}}C+Cx)}{a+bx^3} dx$	1878
3.319	$\int \frac{x(2\sqrt[3]{\frac{a}{b}}C+Cx)}{a-bx^3} dx$	1883
3.320	$\int x^4(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5) dx$	1888
3.321	$\int x^3(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5) dx$	1891
3.322	$\int x^2(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5) dx$	1894
3.323	$\int x(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5) dx$	1897
3.324	$\int (a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5) dx$	1900
3.325	$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$	1903
3.326	$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$	1906
3.327	$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$	1909

3.328	$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$.1912
3.329	$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$.1915
3.330	$\int x^4 (a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5) dx$.1918
3.331	$\int x^3 (a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5) dx$.1922
3.332	$\int x^2 (a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5) dx$.1926
3.333	$\int x (a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5) dx$.1930
3.334	$\int (a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5) dx$.1934
3.335	$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$.1938
3.336	$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$.1942
3.337	$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$.1946
3.338	$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$.1950
3.339	$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$.1954
3.340	$\int x^4 (a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5) dx$.1958
3.341	$\int x^3 (a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5) dx$.1962
3.342	$\int x^2 (a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5) dx$.1966
3.343	$\int x (a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5) dx$.1970
3.344	$\int (a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5) dx$.1974
3.345	$\int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$.1978
3.346	$\int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$.1982
3.347	$\int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$.1986
3.348	$\int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$.1990
3.349	$\int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$.1994
3.350	$\int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$.1998
3.351	$\int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$.2005
3.352	$\int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$.2012
3.353	$\int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$.2019

3.354	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a+bx^3} dx$.2026
3.355	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)} dx$.2032
3.356	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)} dx$.2038
3.357	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)} dx$.2044
3.358	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)} dx$.2053
3.359	$\int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$.2059
3.360	$\int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$.2066
3.361	$\int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$.2072
3.362	$\int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$.2084
3.363	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^3)^2} dx$.2096
3.364	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)^2} dx$.2108
3.365	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)^2} dx$.2121
3.366	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)^2} dx$.2134
3.367	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)^2} dx$.2147
3.368	$\int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$.2154
3.369	$\int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$.2168
3.370	$\int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$.2181
3.371	$\int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$.2190
3.372	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^3)^3} dx$.2199
3.373	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)^3} dx$.2208
3.374	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)^3} dx$.2222

- 3.375 $\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)^3} dx \dots\dots\dots .2237$
- 3.376 $\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)^3} dx \dots\dots\dots .2252$
- 3.377 $\int (c+dx+ex^2+fx^3)(a+bx^4) dx \dots\dots\dots .2260$
- 3.378 $\int x^3(c+dx+ex^2+fx^3)(a+bx^4) dx \dots\dots\dots .2263$
- 3.379 $\int (c+dx+ex^2+fx^3)(a+bx^4)^2 dx \dots\dots\dots .2266$
- 3.380 $\int x^3(c+dx+ex^2+fx^3)(a+bx^4)^2 dx \dots\dots\dots .2270$
- 3.381 $\int (c+dx+ex^2+fx^3)(a+bx^4)^3 dx \dots\dots\dots .2274$
- 3.382 $\int x^3(c+dx+ex^2+fx^3)(a+bx^4)^3 dx \dots\dots\dots .2278$
- 3.383 $\int (c+dx+ex^2+fx^3)(a+bx^4)^4 dx \dots\dots\dots .2282$
- 3.384 $\int x^3(c+dx+ex^2+fx^3)(a+bx^4)^4 dx \dots\dots\dots .2286$
- 3.385 $\int \frac{c+dx+ex^2+fx^3}{a-bx^4} dx \dots\dots\dots .2290$
- 3.386 $\int \frac{x^3(c+dx+ex^2+fx^3)}{a-bx^4} dx \dots\dots\dots .2296$
- 3.387 $\int \frac{c+dx+ex^2+fx^3}{a+bx^4} dx \dots\dots\dots .2301$
- 3.388 $\int \frac{x^3(c+dx+ex^2+fx^3)}{a+bx^4} dx \dots\dots\dots .2307$
- 3.389 $\int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^2} dx \dots\dots\dots .2314$
- 3.390 $\int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^2} dx \dots\dots\dots .2320$
- 3.391 $\int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^3} dx \dots\dots\dots .2326$
- 3.392 $\int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^3} dx \dots\dots\dots .2334$
- 3.393 $\int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^4} dx \dots\dots\dots .2341$
- 3.394 $\int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^4} dx \dots\dots\dots .2348$
- 3.395 $\int \frac{1+x+x^2+x^3+x^4}{1-x^5} dx \dots\dots\dots .2355$
- 3.396 $\int \frac{243-162x+108x^2-72x^3+48x^4-32x^5}{729-64x^6} dx \dots\dots\dots .2358$
- 3.397 $\int \frac{243+162x+108x^2+72x^3+48x^4+32x^5}{729-64x^6} dx \dots\dots\dots .2361$
- 3.398 $\int \frac{81+36x^2+16x^4}{729-64x^6} dx \dots\dots\dots .2364$
- 3.399 $\int \frac{81+54x-24x^3-16x^4}{729-64x^6} dx \dots\dots\dots .2367$
- 3.400 $\int \frac{3-2x}{729-64x^6} dx \dots\dots\dots .2371$

3.401	$\int \frac{3+2x}{729-64x^6} dx$2375
3.402	$\int \frac{9-6x+4x^2}{729-64x^6} dx$2379
3.403	$\int \frac{9+6x+4x^2}{729-64x^6} dx$2383
3.404	$\int \frac{27-8x^3}{729-64x^6} dx$2387
3.405	$\int \frac{27+36x+24x^2+8x^3}{729-64x^6} dx$2391
3.406	$\int \frac{243-162x+108x^2-72x^3+48x^4-32x^5}{(729-64x^6)^2} dx$2395
3.407	$\int \frac{243+162x+108x^2+72x^3+48x^4+32x^5}{(729-64x^6)^2} dx$2400
3.408	$\int \frac{81+36x^2+16x^4}{(729-64x^6)^2} dx$2405
3.409	$\int \frac{81+54x-24x^3-16x^4}{(729-64x^6)^2} dx$2409
3.410	$\int \frac{3-2x}{(729-64x^6)^2} dx$2414
3.411	$\int \frac{3+2x}{(729-64x^6)^2} dx$2419
3.412	$\int \frac{9-6x+4x^2}{(729-64x^6)^2} dx$2424
3.413	$\int \frac{9+6x+4x^2}{(729-64x^6)^2} dx$2429
3.414	$\int \frac{27-8x^3}{(729-64x^6)^2} dx$2434
3.415	$\int \frac{27+36x+24x^2+8x^3}{(729-64x^6)^2} dx$2439
3.416	$\int \frac{x(27-2x^3)}{729-64x^6} dx$2444
3.417	$\int (c + dx^{-1+n}) (a + bx^n)^3 dx$2448
3.418	$\int (c + dx^{-1+n}) (a + bx^n)^2 dx$2453
3.419	$\int (c + dx^{-1+n}) (a + bx^n) dx$2457
3.420	$\int (c + dx^{-1+n}) dx$2460
3.421	$\int \frac{-ahx^{-1+\frac{n}{4}} + bfx^{-1+\frac{n}{2}} + bgx^{-1+n} + bhx^{-1+\frac{5n}{4}}}{(a+bx^n)^{3/2}} dx$2463
3.422	$\int \frac{ac+2(bc+ad)x^2+3bdx^4}{\sqrt{a+bx^2} \sqrt{c+dx^2}} dx$2467
3.423	$\int \frac{1+x^3}{(1-x^4)^4 \sqrt[4]{1+x^4}} dx$2470
3.424	$\int (a + bx^n)^{\frac{-1-n}{n}} (c + dx^n)^{\frac{-1-n}{n}} (ac - bdx^{2n}) dx$2475
3.425	$\int (hx)^{-1-n-np} (a + bx^n)^p (c + dx^n)^p (ac - bdx^{2n}) dx$2478

$$3.426 \quad \int (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc+ad)e(1+n+np)x^n}{ac} + \frac{bde(1+2n+2np)x^{2n}}{ac} \right) dx \dots\dots\dots .2482$$

$$3.427 \quad \int (hx)^m (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc+ad)e(1+m+n+np)x^n}{ac(1+m)} + \frac{bde(1+m+2n+2np)x^{2n}}{ac(1+m)} \right) dx \dots\dots .2485$$

$$3.1 \quad \int \frac{c+dx+ex^2}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=72

$$\frac{2\sqrt{a+bx}(a^2e - abd + b^2c)}{b^3} + \frac{2(a+bx)^{3/2}(bd - 2ae)}{3b^3} + \frac{2e(a+bx)^{5/2}}{5b^3}$$

Rubi [A] time = 0.03, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {698}

$$\frac{2\sqrt{a+bx}(a^2e - abd + b^2c)}{b^3} + \frac{2(a+bx)^{3/2}(bd - 2ae)}{3b^3} + \frac{2e(a+bx)^{5/2}}{5b^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/Sqrt[a + b*x], x]

[Out] (2*(b^2*c - a*b*d + a^2*e)*Sqrt[a + b*x])/b^3 + (2*(b*d - 2*a*e)*(a + b*x)^(3/2))/(3*b^3) + (2*e*(a + b*x)^(5/2))/(5*b^3)

Rule 698

Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_ Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rubi steps

$$\begin{aligned} \int \frac{c+dx+ex^2}{\sqrt{a+bx}} dx &= \int \left(\frac{b^2c - abd + a^2e}{b^2\sqrt{a+bx}} + \frac{(bd - 2ae)\sqrt{a+bx}}{b^2} + \frac{e(a+bx)^{3/2}}{b^2} \right) dx \\ &= \frac{2(b^2c - abd + a^2e)\sqrt{a+bx}}{b^3} + \frac{2(bd - 2ae)(a+bx)^{3/2}}{3b^3} + \frac{2e(a+bx)^{5/2}}{5b^3} \end{aligned}$$

Mathematica [A] time = 0.16, size = 53, normalized size = 0.74

$$\frac{2\sqrt{a+bx}(8a^2e - 2ab(5d + 2ex) + b^2(15c + x(5d + 3ex)))}{15b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/Sqrt[a + b*x], x]

[Out] (2*Sqrt[a + b*x]*(8*a^2*e - 2*a*b*(5*d + 2*e*x) + b^2*(15*c + x*(5*d + 3*e*x))))/(15*b^3)

IntegrateAlgebraic [A] time = 0.04, size = 62, normalized size = 0.86

$$\frac{2\sqrt{a+bx} (15a^2e + 5bd(a+bx) - 15abd - 10ae(a+bx) + 3e(a+bx)^2 + 15b^2c)}{15b^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/Sqrt[a + b*x], x]

[Out] (2*Sqrt[a + b*x]*(15*b^2*c - 15*a*b*d + 15*a^2*e + 5*b*d*(a + b*x) - 10*a*e*(a + b*x) + 3*e*(a + b*x)^2))/(15*b^3)

fricas [A] time = 0.41, size = 53, normalized size = 0.74

$$\frac{2(3b^2ex^2 + 15b^2c - 10abd + 8a^2e + (5b^2d - 4abe)x)\sqrt{bx+a}}{15b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x+a)^(1/2), x, algorithm="fricas")

[Out] 2/15*(3*b^2*e*x^2 + 15*b^2*c - 10*a*b*d + 8*a^2*e + (5*b^2*d - 4*a*b*e)*x)*sqrt(b*x + a)/b^3

giac [A] time = 0.16, size = 78, normalized size = 1.08

$$\frac{2 \left(15 \sqrt{bx+a} c + \frac{5 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} a \right) d}{b} + \frac{\left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^2} \right)}{15 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x+a)^(1/2), x, algorithm="giac")

[Out] 2/15*(15*sqrt(b*x + a)*c + 5*((b*x + a)^(3/2) - 3*sqrt(b*x + a)*a)*d/b + (3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*e/b^2)/b

maple [A] time = 0.06, size = 53, normalized size = 0.74

$$\frac{2\sqrt{bx+a} (3e x^2 b^2 - 4abex + 5b^2 dx + 8a^2 e - 10abd + 15b^2 c)}{15b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)/(b*x+a)^(1/2),x)`

[Out] $2/15*(b*x+a)^{(1/2)}*(3*b^2*e*x^2-4*a*b*e*x+5*b^2*d*x+8*a^2*e-10*a*b*d+15*b^2*c)/b^3$

maxima [A] time = 0.92, size = 77, normalized size = 1.07

$$\frac{2 \left(15 \sqrt{bx+a} c + \frac{5 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} a \right) d}{b} + \frac{\left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^2} \right)}{15 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)/(b*x+a)^(1/2),x, algorithm="maxima")`

[Out] $2/15*(15*\sqrt{b*x+a}*c + 5*((b*x+a)^{(3/2)} - 3*\sqrt{b*x+a}*a)*d/b + (3*(b*x+a)^{(5/2)} - 10*(b*x+a)^{(3/2)}*a + 15*\sqrt{b*x+a}*a^2)*e/b^2)/b$

mupad [B] time = 4.72, size = 58, normalized size = 0.81

$$\frac{2 \sqrt{a+bx} \left(3e(a+bx)^2 + 15b^2c + 15a^2e - 10ae(a+bx) + 5bd(a+bx) - 15abd \right)}{15b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(a + b*x)^(1/2),x)`

[Out] $(2*(a+b*x)^{(1/2)}*(3*e*(a+b*x)^2 + 15*b^2*c + 15*a^2*e - 10*a*e*(a+b*x) + 5*b*d*(a+b*x) - 15*a*b*d))/(15*b^3)$

sympy [A] time = 11.05, size = 223, normalized size = 3.10

$$\left\{ \begin{array}{l} \frac{\frac{2ac}{\sqrt{a+bx}} - \frac{2ad\left(-\frac{a}{\sqrt{a+bx}} - \sqrt{a+bx}\right)}{b} - \frac{2ae\left(\frac{a^2}{\sqrt{a+bx}} + 2a\sqrt{a+bx} - \frac{(a+bx)^{\frac{3}{2}}}{3}\right)}{b^2} - 2c\left(-\frac{a}{\sqrt{a+bx}} - \sqrt{a+bx}\right) - \frac{2d\left(\frac{a^2}{\sqrt{a+bx}} + 2a\sqrt{a+bx} - \frac{(a+bx)^{\frac{3}{2}}}{3}\right)}{b} - \frac{2e\left(-\frac{a^3}{\sqrt{a+bx}} - 3a^2\sqrt{a+bx} + a(a+bx)^{\frac{3}{2}} - \frac{(a+bx)^{\frac{5}{2}}}{5}\right)}{b^2}}{15b^3} \quad \text{for } b \neq 0 \\ \frac{cx + \frac{dx^2}{2} + \frac{ex^3}{3}}{\sqrt{a}} \quad \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)/(b*x+a)**(1/2),x)`

[Out] `Piecewise(((-2*a*c/sqrt(a + b*x) - 2*a*d*(-a/sqrt(a + b*x) - sqrt(a + b*x)) /b - 2*a*e*(a**2/sqrt(a + b*x) + 2*a*sqrt(a + b*x) - (a + b*x)**(3/2)/3)/b*`

```

*2 - 2*c*(-a/sqrt(a + b*x) - sqrt(a + b*x)) - 2*d*(a**2/sqrt(a + b*x) + 2*a
*sqrt(a + b*x) - (a + b*x)**(3/2)/3)/b - 2*e*(-a**3/sqrt(a + b*x) - 3*a**2*
sqrt(a + b*x) + a*(a + b*x)**(3/2) - (a + b*x)**(5/2)/5)/b**2)/b, Ne(b, 0))
, ((c*x + d*x**2/2 + e*x**3/3)/sqrt(a), True))

```

$$3.2 \quad \int \frac{(c+dx+ex^2)^2}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=161

$$\frac{2(a+bx)^{5/2}(-6a^2e^2+6abde-(b^2(2ce+d^2)))}{5b^5} + \frac{4(a+bx)^{3/2}(bd-2ae)(a^2e-abd+b^2c)}{3b^5} + \frac{2\sqrt{a+bx}(a^2e-abd+b^2c)}{b^5}$$

Rubi [A] time = 0.11, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$, Rules used = {698}

$$\frac{2(a+bx)^{5/2}(-6a^2e^2+6abde+b^2(-2ce+d^2))}{5b^5} + \frac{4(a+bx)^{3/2}(bd-2ae)(a^2e-abd+b^2c)}{3b^5} + \frac{2\sqrt{a+bx}(a^2e-abd+b^2c)^2}{b^5} + \frac{4e(a+bx)^{7/2}(bd-2ae)}{7b^5} + \frac{2e^2(a+bx)^{9/2}}{9b^5}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)^2/Sqrt[a + b*x], x]

[Out] (2*(b^2*c - a*b*d + a^2*e)^2*Sqrt[a + b*x])/b^5 + (4*(b*d - 2*a*e)*(b^2*c - a*b*d + a^2*e)*(a + b*x)^(3/2))/(3*b^5) - (2*(6*a*b*d*e - 6*a^2*e^2 - b^2*(d^2 + 2*c*e))*(a + b*x)^(5/2))/(5*b^5) + (4*e*(b*d - 2*a*e)*(a + b*x)^(7/2))/(7*b^5) + (2*e^2*(a + b*x)^(9/2))/(9*b^5)

Rule 698

Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_ Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)^2}{\sqrt{a+bx}} dx &= \int \left(\frac{(b^2c - abd + a^2e)^2}{b^4\sqrt{a+bx}} + \frac{2(bd - 2ae)(b^2c - abd + a^2e)\sqrt{a+bx}}{b^4} + \frac{(-6abde + 6a^2e^2 + b^2d^2)}{b^4} \right) dx \\ &= \frac{2(b^2c - abd + a^2e)^2\sqrt{a+bx}}{b^5} + \frac{4(bd - 2ae)(b^2c - abd + a^2e)(a+bx)^{3/2}}{3b^5} - \frac{2(6abde - 6a^2e^2 - b^2d^2)(a+bx)^{5/2}}{5b^5} \end{aligned}$$

Mathematica [A] time = 0.29, size = 155, normalized size = 0.96

$$\frac{2\sqrt{a+bx}(128a^4e^2 - 32a^3be(9d+2ex) + 24a^2b^2(2e(7c+ex^2) + 7d^2 + 6dex) - 4ab^3(21c(5d+2ex) + x(21d^2 + 27dex + 10e^2x^2)) + b^4(315c^2 + 42cx(5d+3ex) + x^2(63d^2 + 90dex + 35e^2x^2)))}{315b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)^2/Sqrt[a + b*x], x]

[Out] (2*sqrt[a + b*x]*(128*a^4*e^2 - 32*a^3*b*e*(9*d + 2*e*x) + 24*a^2*b^2*(7*d^2 + 6*d*e*x + 2*e*(7*c + e*x^2)) - 4*a*b^3*(21*c*(5*d + 2*e*x) + x*(21*d^2 + 27*d*e*x + 10*e^2*x^2)) + b^4*(315*c^2 + 42*c*x*(5*d + 3*e*x) + x^2*(63*d^2 + 90*d*e*x + 35*e^2*x^2)))/(315*b^5)

IntegrateAlgebraic [A] time = 0.08, size = 229, normalized size = 1.42

$$\frac{2\sqrt{a+bx}(315a^4e^2 - 630a^3bde - 420a^2c^2(a+bx) + 630a^2b^2ce + 315a^2b^2d^2 + 630a^2bde(a+bx) + 378a^2c^2(a+bx)^2 + 210b^3cd(a+bx) - 630ab^3cd - 420ab^2ce(a+bx) + 126b^2c^2(a+bx)^2 - 210ab^2d^2(a+bx) + 63b^2d^2(a+bx)^2 - 378abde(a+bx)^2 + 90bde(a+bx)^3 - 180a^2(a+bx)^3 + 35c^2(a+bx)^4 + 315b^4c^2)}{315b^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)^2/Sqrt[a + b*x], x]

[Out] (2*sqrt[a + b*x]*(315*b^4*c^2 - 630*a*b^3*c*d + 315*a^2*b^2*d^2 + 630*a^2*b^2*c*e - 630*a^3*b*d*e + 315*a^4*e^2 + 210*b^3*c*d*(a + b*x) - 210*a*b^2*d^2*(a + b*x) - 420*a*b^2*c*e*(a + b*x) + 630*a^2*b*d*e*(a + b*x) - 420*a^3*e^2*(a + b*x) + 63*b^2*d^2*(a + b*x)^2 + 126*b^2*c*e*(a + b*x)^2 - 378*a*b*d*e*(a + b*x)^2 + 378*a^2*e^2*(a + b*x)^2 + 90*b*d*e*(a + b*x)^3 - 180*a*e^2*(a + b*x)^3 + 35*e^2*(a + b*x)^4))/(315*b^5)

fricas [A] time = 0.41, size = 192, normalized size = 1.19

$$\frac{2(35b^4e^2x^4 + 315b^4c^2 - 420ab^3cd + 168a^2b^2d^2 + 128a^4e^2 + 10(9b^4de - 4ab^3e^2)x^3 + 3(21b^4d^2 + 16a^2b^2e^2 + 6(7b^4c - 6ab^3d)e)x^2 + 48(7a^2b^2c - 6a^3bd)e + 2(105b^4cd - 42ab^3d^2 - 32a^3bc^2 - 12(7ab^3c - 6a^2b^2d)e)x)\sqrt{bx+a}}{315b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^2/(b*x+a)^(1/2), x, algorithm="fricas")

[Out] 2/315*(35*b^4*e^2*x^4 + 315*b^4*c^2 - 420*a*b^3*c*d + 168*a^2*b^2*d^2 + 128*a^4*e^2 + 10*(9*b^4*d*e - 4*a*b^3*e^2)*x^3 + 3*(21*b^4*d^2 + 16*a^2*b^2*e^2 + 6*(7*b^4*c - 6*a*b^3*d)*e)*x^2 + 48*(7*a^2*b^2*c - 6*a^3*b*d)*e + 2*(10*5*b^4*c*d - 42*a*b^3*d^2 - 32*a^3*b*e^2 - 12*(7*a*b^3*c - 6*a^2*b^2*d)*e)*x)*sqrt(b*x + a)/b^5

giac [A] time = 0.17, size = 237, normalized size = 1.47

$$\frac{2\left(315\sqrt{bx+a}c^2 + \frac{210(bx+a)^{\frac{3}{2}}-3\sqrt{bx+a}}{b}cd + \frac{21(3(bx+a)^{\frac{5}{2}}-10(bx+a)^{\frac{3}{2}}a+15\sqrt{bx+a}a^2)}{b^2}d^2 + \frac{42(3(bx+a)^{\frac{5}{2}}-10(bx+a)^{\frac{3}{2}}a+15\sqrt{bx+a}a^2)}{b^2}ce + \frac{18(5(bx+a)^{\frac{7}{2}}-21(bx+a)^{\frac{5}{2}}a+35(bx+a)^{\frac{3}{2}}a^2-35\sqrt{bx+a}a^3)}{b^3}de + \frac{(35(bx+a)^{\frac{9}{2}}-180(bx+a)^{\frac{7}{2}}a+378(bx+a)^{\frac{5}{2}}a^2-420(bx+a)^{\frac{3}{2}}a^3+315\sqrt{bx+a}a^4)}{b^4}\right)}{315b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^2/(b*x+a)^(1/2), x, algorithm="giac")

[Out] $\frac{2}{315} \cdot (315 \sqrt{bx+a}) \cdot c^2 + 210 \cdot ((bx+a)^{3/2} - 3 \sqrt{bx+a}) \cdot a \cdot c \cdot d/b + 21 \cdot (3 \cdot (bx+a)^{5/2} - 10 \cdot (bx+a)^{3/2} \cdot a + 15 \sqrt{bx+a}) \cdot a^2 \cdot d^2/b^2 + 42 \cdot (3 \cdot (bx+a)^{5/2} - 10 \cdot (bx+a)^{3/2} \cdot a + 15 \sqrt{bx+a}) \cdot a^2 \cdot c \cdot e/b^2 + 18 \cdot (5 \cdot (bx+a)^{7/2} - 21 \cdot (bx+a)^{5/2} \cdot a + 35 \cdot (bx+a)^{3/2} \cdot a^2 - 35 \sqrt{bx+a}) \cdot a^3 \cdot d \cdot e/b^3 + (35 \cdot (bx+a)^{9/2} - 180 \cdot (bx+a)^{7/2} \cdot a + 378 \cdot (bx+a)^{5/2} \cdot a^2 - 420 \cdot (bx+a)^{3/2} \cdot a^3 + 315 \sqrt{bx+a}) \cdot a^4 \cdot e^2/b^4 / b$

maple [A] time = 0.05, size = 194, normalized size = 1.20

$$\frac{2\sqrt{bx+a} (35e^2x^4b^4 - 40ab^3e^2x^3 + 90b^4de x^3 + 48a^2b^2e^2x^2 - 108ab^3de x^2 + 126b^4ce x^2 + 63b^4d^2x^2 - 64a^3b^2e^2x + 144a^2b^2dex - 168ab^3cex - 84ab^3d^2x + 210b^4cdx + 128a^4e^2 - 288a^3bde + 336a^2b^2ce + 168a^2b^2d^2 - 420ab^3cd + 315c^2b^4)}{315b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e*x^2+d*x+c)^2/(b*x+a)^{(1/2)}, x)$

[Out] $\frac{2}{315} \cdot (bx+a)^{1/2} \cdot (35 \cdot b^4 \cdot e^2 \cdot x^4 - 40 \cdot a \cdot b^3 \cdot e^2 \cdot x^3 + 90 \cdot b^4 \cdot d \cdot e \cdot x^3 + 48 \cdot a^2 \cdot b^2 \cdot e^2 \cdot x^2 - 108 \cdot a \cdot b^3 \cdot d \cdot e \cdot x^2 + 126 \cdot b^4 \cdot c \cdot e \cdot x^2 + 63 \cdot b^4 \cdot d^2 \cdot x^2 - 64 \cdot a^3 \cdot b \cdot e^2 \cdot x + 144 \cdot a^2 \cdot b^2 \cdot d \cdot e \cdot x - 168 \cdot a \cdot b^3 \cdot c \cdot e \cdot x - 84 \cdot a \cdot b^3 \cdot d^2 \cdot x + 210 \cdot b^4 \cdot c \cdot d \cdot x + 128 \cdot a^4 \cdot e^2 - 288 \cdot a^3 \cdot b \cdot d \cdot e + 336 \cdot a^2 \cdot b^2 \cdot c \cdot e + 168 \cdot a^2 \cdot b^2 \cdot d^2 - 420 \cdot a \cdot b^3 \cdot c \cdot d + 315 \cdot b^4 \cdot c^2) / b^5$

maxima [A] time = 0.90, size = 237, normalized size = 1.47

$$\frac{2 \left(\frac{5 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} \right) d}{b} + \frac{3 \left((bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) c}{b^2} \right) + \frac{21 \left(5 (bx+a)^{\frac{3}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) d^2}{b^2} + \frac{18 \left(5 (bx+a)^{\frac{7}{2}} - 21 (bx+a)^{\frac{5}{2}} a + 35 (bx+a)^{\frac{3}{2}} a^2 - 35 \sqrt{bx+a} a^3 \right) d e}{b^3} + \frac{\left(35 (bx+a)^{\frac{9}{2}} - 180 (bx+a)^{\frac{7}{2}} a + 378 (bx+a)^{\frac{5}{2}} a^2 - 420 (bx+a)^{\frac{3}{2}} a^3 + 315 \sqrt{bx+a} a^4 \right) e^2}{b^4}}{315 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d*x+c)^2/(b*x+a)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] $\frac{2}{315} \cdot (315 \sqrt{bx+a}) \cdot c^2 + 42 \cdot c \cdot (5 \cdot ((bx+a)^{3/2} - 3 \sqrt{bx+a}) \cdot a) \cdot d/b + (3 \cdot (bx+a)^{5/2} - 10 \cdot (bx+a)^{3/2} \cdot a + 15 \sqrt{bx+a}) \cdot a^2 \cdot e / b^2 + 21 \cdot (3 \cdot (bx+a)^{5/2} - 10 \cdot (bx+a)^{3/2} \cdot a + 15 \sqrt{bx+a}) \cdot a^2 \cdot d^2/b^2 + 18 \cdot (5 \cdot (bx+a)^{7/2} - 21 \cdot (bx+a)^{5/2} \cdot a + 35 \cdot (bx+a)^{3/2} \cdot a^2 - 35 \sqrt{bx+a}) \cdot a^3 \cdot d \cdot e/b^3 + (35 \cdot (bx+a)^{9/2} - 180 \cdot (bx+a)^{7/2} \cdot a + 378 \cdot (bx+a)^{5/2} \cdot a^2 - 420 \cdot (bx+a)^{3/2} \cdot a^3 + 315 \sqrt{bx+a}) \cdot a^4 \cdot e^2/b^4 / b$

mupad [B] time = 4.76, size = 149, normalized size = 0.93

$$\frac{2e^2(a+bx)^{9/2}}{9b^5} + \frac{(a+bx)^{5/2}(12a^2e^2 - 12abde + 2b^2d^2 + 4cb^2e)}{5b^5} + \frac{2\sqrt{a+bx}(ea^2 - dab + cb^2)^2}{b^5} - \frac{(8ae^2 - 4bde)(a+bx)^{7/2}}{7b^5} - \frac{4(2ae - bd)(a+bx)^{3/2}(ea^2 - dab + cb^2)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2)^2/(a + b*x)^{(1/2)}, x)$


```
[Out] (2*e^2*(a + b*x)^(9/2))/(9*b^5) + ((a + b*x)^(5/2)*(12*a^2*e^2 + 2*b^2*d^2
+ 4*b^2*c*e - 12*a*b*d*e))/(5*b^5) + (2*(a + b*x)^(1/2)*(b^2*c + a^2*e - a*
b*d)^2)/b^5 - ((8*a*e^2 - 4*b*d*e)*(a + b*x)^(7/2))/(7*b^5) - (4*(2*a*e - b
*d)*(a + b*x)^(3/2)*(b^2*c + a^2*e - a*b*d))/(3*b^5)
```

sympy [A] time = 85.15, size = 644, normalized size = 4.00

$$\left(\frac{2e^{2(a+bx)^{9/2}}}{9b^5} + \frac{(a+bx)^{5/2}(12a^2e^2 + 2b^2d^2 + 4b^2ce - 12abd e)}{5b^5} + \frac{2(a+bx)^{1/2}(b^2c + a^2e - abd)^2}{b^5} - \frac{(8ae^2 - 4bde)(a+bx)^{7/2}}{7b^5} - \frac{4(2ae - bd)(a+bx)^{3/2}(b^2c + a^2e - abd)}{3b^5} \right) \text{ for } b \neq 0$$

otherwise

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)**2/(b*x+a)**(1/2), x)
```

```
[Out] Piecewise((( -2*a*c**2/sqrt(a + b*x) - 4*a*c*d*(-a/sqrt(a + b*x) - sqrt(a +
b*x))/b - 4*a*c*e*(a**2/sqrt(a + b*x) + 2*a*sqrt(a + b*x) - (a + b*x)**(3/2
)/3)/b**2 - 2*a*d**2*(a**2/sqrt(a + b*x) + 2*a*sqrt(a + b*x) - (a + b*x)**(
3/2)/3)/b**2 - 4*a*d*e*(-a**3/sqrt(a + b*x) - 3*a**2*sqrt(a + b*x) + a*(a +
b*x)**(3/2) - (a + b*x)**(5/2)/5)/b**3 - 2*a*e**2*(a**4/sqrt(a + b*x) + 4*
a**3*sqrt(a + b*x) - 2*a**2*(a + b*x)**(3/2) + 4*a*(a + b*x)**(5/2)/5 - (a
+ b*x)**(7/2)/7)/b**4 - 2*c**2*(-a/sqrt(a + b*x) - sqrt(a + b*x)) - 4*c*d*(
a**2/sqrt(a + b*x) + 2*a*sqrt(a + b*x) - (a + b*x)**(3/2)/3)/b - 4*c*e*(-a*
**3/sqrt(a + b*x) - 3*a**2*sqrt(a + b*x) + a*(a + b*x)**(3/2) - (a + b*x)**(
5/2)/5)/b**2 - 2*d**2*(-a**3/sqrt(a + b*x) - 3*a**2*sqrt(a + b*x) + a*(a +
b*x)**(3/2) - (a + b*x)**(5/2)/5)/b**2 - 4*d*e*(a**4/sqrt(a + b*x) + 4*a**3
*sqrt(a + b*x) - 2*a**2*(a + b*x)**(3/2) + 4*a*(a + b*x)**(5/2)/5 - (a + b*
x)**(7/2)/7)/b**3 - 2*e**2*(-a**5/sqrt(a + b*x) - 5*a**4*sqrt(a + b*x) + 10
*a**3*(a + b*x)**(3/2)/3 - 2*a**2*(a + b*x)**(5/2) + 5*a*(a + b*x)**(7/2)/7
- (a + b*x)**(9/2)/9)/b**4)/b, Ne(b, 0)), ((c**2*x + c*d*x**2 + d*e*x**4/2
+ e**2*x**5/5 + x**3*(2*c*e + d**2)/3)/sqrt(a), True))
```

$$3.3 \quad \int \frac{(c+dx+ex^2)^3}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=274

$$\frac{2e(a+bx)^{9/2}(-5a^2e^2+5abde-(b^2(ce+d^2)))}{3b^7} - \frac{2(a+bx)^{7/2}(bd-2ae)(-10a^2e^2+10abde-(b^2(6ce+d^2)))}{7b^7} - \dots$$

Rubi [A] time = 0.19, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$, Rules used = {698}

$$\frac{2(a+bx)^{9/2}(-5a^2e^2+5abde+e^2(-(ce+d^2)))}{3b^7} - \frac{2(a+bx)^{7/2}(bd-2ae)(-10a^2e^2+10abde+e^2(-(ce+d^2)))}{7b^7} - \frac{6(a+bx)^{5/2}(e^2e-abd+e^2c)(-5a^2e^2+5abde+e^2(-(ce+d^2)))}{5b^7} + \frac{2(a+bx)^{3/2}(bd-2ae)(a^2e-abd+e^2c)^2}{b^7} + \frac{2\sqrt{a+bx}(a^2e-abd+e^2c)^3}{b^7} + \frac{6a^2(a+bx)^{1/2}(bd-2ae)}{11b^7} + \frac{2a^2(a+bx)^{1/2}}{13b^7}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)^3/Sqrt[a + b*x], x]

[Out] (2*(b^2*c - a*b*d + a^2*e)^3*Sqrt[a + b*x])/b^7 + (2*(b*d - 2*a*e)*(b^2*c - a*b*d + a^2*e)^2*(a + b*x)^(3/2))/b^7 - (6*(b^2*c - a*b*d + a^2*e)*(5*a*b*d*e - 5*a^2*e^2 - b^2*(d^2 + c*e))*(a + b*x)^(5/2))/(5*b^7) - (2*(b*d - 2*a*e)*(10*a*b*d*e - 10*a^2*e^2 - b^2*(d^2 + 6*c*e))*(a + b*x)^(7/2))/(7*b^7) - (2*e*(5*a*b*d*e - 5*a^2*e^2 - b^2*(d^2 + c*e))*(a + b*x)^(9/2))/(3*b^7) + (6*e^2*(b*d - 2*a*e)*(a + b*x)^(11/2))/(11*b^7) + (2*e^3*(a + b*x)^(13/2))/(13*b^7)

Rule 698

Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rubi steps

$$\int \frac{(c+dx+ex^2)^3}{\sqrt{a+bx}} dx = \int \left(\frac{(b^2c - abd + a^2e)^3}{b^6\sqrt{a+bx}} + \frac{3(bd - 2ae)(b^2c - abd + a^2e)^2\sqrt{a+bx}}{b^6} + \frac{3(b^2c - abd + a^2e)}{b^6} \right) dx$$

$$= \frac{2(b^2c - abd + a^2e)^3\sqrt{a+bx}}{b^7} + \frac{2(bd - 2ae)(b^2c - abd + a^2e)^2(a+bx)^{3/2}}{b^7} - \frac{6(b^2c - abd + a^2e)}{b^7}$$

Mathematica [A] time = 1.03, size = 294, normalized size = 1.07

$\frac{2\sqrt{a}\sqrt{c+dx+ex^2}}{b} - \frac{4d+3d^2(-2560b^2+640b^2(13d+6e)) - 64d^2(143d+75e^2) - 143d^2+195de}{15015b^7} + \frac{64b^2(76d+25e^2) - 4d^2(429d+1716e^2) + 429d^2+1716de}{15015b^7} - \frac{4d^3(3003c^2+429(7d+186e+10e^2)) + (1287d^3+4290d^2+4550d+1575e^2)}{15015b^7} + \frac{b^5(3003c^2(5d+6e)+286c(63d+135e+70e^2)+5d^2(1287d^3+4004d^2+4095d+1386e^2))}{15015b^7}$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)^3/Sqrt[a + b*x], x]

[Out] (2*sqrt[a + b*x]*(c + x*(d + e*x))^3)/b - (4*(a + b*x)^(3/2)*(-2560*a^5*e^3 + 640*a^4*b*e^2*(13*d + 6*e*x) - 64*a^3*b^2*e*(143*d^2 + 195*d*e*x + e*(143*c + 75*e*x^2)) + 8*a^2*b^3*(429*d^3 + 1716*d^2*e*x + 78*d*e*(33*c + 25*e*x^2) + 4*e^2*x*(429*c + 175*e*x^2)) + b^5*(3003*c^2*(5*d + 6*e*x) + 286*c*x*(63*d^2 + 135*d*e*x + 70*e^2*x^2) + 5*x^2*(1287*d^3 + 4004*d^2*e*x + 4095*d*e^2*x^2 + 1386*e^3*x^3)) - 4*a*b^4*(3003*c^2*e + 429*c*(7*d^2 + 18*d*e*x + 10*e^2*x^2) + x*(1287*d^3 + 4290*d^2*e*x + 4550*d*e^2*x^2 + 1575*e^3*x^3)))/(15015*b^7)

IntegrateAlgebraic [B] time = 0.17, size = 592, normalized size = 2.16

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)^3/Sqrt[a + b*x], x]

[Out] (2*sqrt[a + b*x]*(15015*b^6*c^3 - 45045*a*b^5*c^2*d + 45045*a^2*b^4*c*d^2 - 15015*a^3*b^3*d^3 + 45045*a^2*b^4*c^2*e - 90090*a^3*b^3*c*d*e + 45045*a^4*b^2*d^2*e + 45045*a^4*b^2*c*e^2 - 45045*a^5*b*d*e^2 + 15015*a^6*e^3 + 15015*b^5*c^2*d*(a + b*x) - 30030*a*b^4*c*d^2*(a + b*x) + 15015*a^2*b^3*d^3*(a + b*x) - 30030*a*b^4*c^2*e*(a + b*x) + 90090*a^2*b^3*c*d*e*(a + b*x) - 60060*a^3*b^2*d^2*e*(a + b*x) - 60060*a^3*b^2*c*e^2*(a + b*x) + 75075*a^4*b*d*e^2*(a + b*x) - 30030*a^5*e^3*(a + b*x) + 9009*b^4*c*d^2*(a + b*x)^2 - 9009*a*b^3*d^3*(a + b*x)^2 + 9009*b^4*c^2*e*(a + b*x)^2 - 54054*a*b^3*c*d*e*(a + b*x)^2 + 54054*a^2*b^2*d^2*e*(a + b*x)^2 + 54054*a^2*b^2*c*e^2*(a + b*x)^2 - 90090*a^3*b*d*e^2*(a + b*x)^2 + 45045*a^4*e^3*(a + b*x)^2 + 2145*b^3*d^3*(a + b*x)^3 + 12870*b^3*c*d*e*(a + b*x)^3 - 25740*a*b^2*d^2*e*(a + b*x)^3 - 25740*a*b^2*c*e^2*(a + b*x)^3 + 64350*a^2*b*d*e^2*(a + b*x)^3 - 42900*a^3*e^3*(a + b*x)^3 + 5005*b^2*d^2*e*(a + b*x)^4 + 5005*b^2*c*e^2*(a + b*x)^4 - 25025*a*b*d*e^2*(a + b*x)^4 + 25025*a^2*e^3*(a + b*x)^4 + 4095*b*d*e^2*(a + b*x)^5 - 8190*a*e^3*(a + b*x)^5 + 1155*e^3*(a + b*x)^6))/(15015*b^7)

fricas [A] time = 0.41, size = 457, normalized size = 1.67

Verification of antiderivative is not currently implemented for this CAS.

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="fricas")

[Out] $\frac{2}{15015} \cdot (1155 \cdot b^6 \cdot e^3 \cdot x^6 + 15015 \cdot b^6 \cdot c^3 - 30030 \cdot a \cdot b^5 \cdot c^2 \cdot d + 24024 \cdot a^2 \cdot b^4 \cdot c \cdot d^2 - 6864 \cdot a^3 \cdot b^3 \cdot d^3 + 5120 \cdot a^6 \cdot e^3 + 315 \cdot (13 \cdot b^6 \cdot d \cdot e^2 - 4 \cdot a \cdot b^5 \cdot e^3) \cdot x^5 + 35 \cdot (143 \cdot b^6 \cdot d^2 \cdot e + 40 \cdot a^2 \cdot b^4 \cdot e^3 + 13 \cdot (11 \cdot b^6 \cdot c - 10 \cdot a \cdot b^5 \cdot d) \cdot e^2) \cdot x^4 + 5 \cdot (429 \cdot b^6 \cdot d^3 - 320 \cdot a^3 \cdot b^3 \cdot e^3 - 104 \cdot (11 \cdot a \cdot b^5 \cdot c - 10 \cdot a^2 \cdot b^4 \cdot d) \cdot e^2 + 286 \cdot (9 \cdot b^6 \cdot c \cdot d - 4 \cdot a \cdot b^5 \cdot d^2) \cdot e) \cdot x^3 + 1664 \cdot (11 \cdot a^4 \cdot b^2 \cdot c - 10 \cdot a^5 \cdot b \cdot d) \cdot e^2 + 3 \cdot (3003 \cdot b^6 \cdot c \cdot d^2 - 858 \cdot a \cdot b^5 \cdot d^3 + 640 \cdot a^4 \cdot b^2 \cdot e^3 + 208 \cdot (11 \cdot a^2 \cdot b^4 \cdot c - 10 \cdot a^3 \cdot b^3 \cdot d) \cdot e^2 + 143 \cdot (21 \cdot b^6 \cdot c^2 - 36 \cdot a \cdot b^5 \cdot c \cdot d + 16 \cdot a^2 \cdot b^4 \cdot d^2) \cdot e) \cdot x^2 + 1144 \cdot (21 \cdot a^2 \cdot b^4 \cdot c^2 - 36 \cdot a^3 \cdot b^3 \cdot c \cdot d + 16 \cdot a^4 \cdot b^2 \cdot d^2) \cdot e + (15015 \cdot b^6 \cdot c^2 \cdot d - 12012 \cdot a \cdot b^5 \cdot c \cdot d^2 + 3432 \cdot a^2 \cdot b^4 \cdot d^3 - 2560 \cdot a^5 \cdot b \cdot e^3 - 832 \cdot (11 \cdot a^3 \cdot b^3 \cdot c - 10 \cdot a^4 \cdot b^2 \cdot d) \cdot e^2 - 572 \cdot (21 \cdot a \cdot b^5 \cdot c^2 - 36 \cdot a^2 \cdot b^4 \cdot c \cdot d + 16 \cdot a^3 \cdot b^3 \cdot d^2) \cdot e) \cdot x) \cdot \sqrt{b \cdot x + a} / b^7$

giac [B] time = 0.23, size = 526, normalized size = 1.92

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="giac")

[Out] $\frac{2}{15015} \cdot (15015 \cdot \sqrt{b \cdot x + a} \cdot c^3 + 15015 \cdot ((b \cdot x + a)^{3/2} - 3 \cdot \sqrt{b \cdot x + a}) \cdot a) \cdot c^2 \cdot d / b + 3003 \cdot (3 \cdot (b \cdot x + a)^{5/2} - 10 \cdot (b \cdot x + a)^{3/2} \cdot a + 15 \cdot \sqrt{b \cdot x + a}) \cdot a^2 \cdot c \cdot d^2 / b^2 + 3003 \cdot (3 \cdot (b \cdot x + a)^{5/2} - 10 \cdot (b \cdot x + a)^{3/2} \cdot a + 15 \cdot \sqrt{b \cdot x + a}) \cdot a^2 \cdot c^2 \cdot e / b^2 + 429 \cdot (5 \cdot (b \cdot x + a)^{7/2} - 21 \cdot (b \cdot x + a)^{5/2} \cdot a + 35 \cdot (b \cdot x + a)^{3/2} \cdot a^2 - 35 \cdot \sqrt{b \cdot x + a}) \cdot a^3 \cdot d^3 / b^3 + 2574 \cdot (5 \cdot (b \cdot x + a)^{7/2} - 21 \cdot (b \cdot x + a)^{5/2} \cdot a + 35 \cdot (b \cdot x + a)^{3/2} \cdot a^2 - 35 \cdot \sqrt{b \cdot x + a}) \cdot a^3 \cdot c \cdot d \cdot e / b^3 + 143 \cdot (35 \cdot (b \cdot x + a)^{9/2} - 180 \cdot (b \cdot x + a)^{7/2} \cdot a + 378 \cdot (b \cdot x + a)^{5/2} \cdot a^2 - 420 \cdot (b \cdot x + a)^{3/2} \cdot a^3 + 315 \cdot \sqrt{b \cdot x + a}) \cdot a^4 \cdot d^2 \cdot e / b^4 + 143 \cdot (35 \cdot (b \cdot x + a)^{9/2} - 180 \cdot (b \cdot x + a)^{7/2} \cdot a + 378 \cdot (b \cdot x + a)^{5/2} \cdot a^2 - 420 \cdot (b \cdot x + a)^{3/2} \cdot a^3 + 315 \cdot \sqrt{b \cdot x + a}) \cdot a^4 \cdot c \cdot e^2 / b^4 + 65 \cdot (63 \cdot (b \cdot x + a)^{11/2} - 385 \cdot (b \cdot x + a)^{9/2} \cdot a + 990 \cdot (b \cdot x + a)^{7/2} \cdot a^2 - 1386 \cdot (b \cdot x + a)^{5/2} \cdot a^3 + 1155 \cdot (b \cdot x + a)^{3/2} \cdot a^4 - 693 \cdot \sqrt{b \cdot x + a}) \cdot a^5 \cdot d \cdot e^2 / b^5 + 5 \cdot (231 \cdot (b \cdot x + a)^{13/2} - 1638 \cdot (b \cdot x + a)^{11/2} \cdot a + 5005 \cdot (b \cdot x + a)^{9/2} \cdot a^2 - 8580 \cdot (b \cdot x + a)^{7/2} \cdot a^3 + 9009 \cdot (b \cdot x + a)^{5/2} \cdot a^4 - 6006 \cdot (b \cdot x + a)^{3/2} \cdot a^5 + 3003 \cdot \sqrt{b \cdot x + a}) \cdot a^6 \cdot e^3 / b^6) / b$

maple [A] time = 0.05, size = 495, normalized size = 1.81

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)^3/(b*x+a)^(1/2),x)

[Out] $\frac{2}{15015} \cdot (b \cdot x + a)^{1/2} \cdot (1155 \cdot b^6 \cdot e^3 \cdot x^6 - 1260 \cdot a \cdot b^5 \cdot e^3 \cdot x^5 + 4095 \cdot b^6 \cdot d \cdot e^2 \cdot x^4 + 1400 \cdot a^2 \cdot b^4 \cdot e^3 \cdot x^4 - 4550 \cdot a \cdot b^5 \cdot d \cdot e^2 \cdot x^4 + 5005 \cdot b^6 \cdot c \cdot e^2 \cdot x^4 + 5005 \cdot b^6 \cdot d^2 \cdot e^2 \cdot x^4 - 1400 \cdot a^2 \cdot b^4 \cdot c \cdot e^2 \cdot x^4 - 4550 \cdot a \cdot b^5 \cdot d \cdot c \cdot e^2 \cdot x^4 + 5005 \cdot b^6 \cdot e^2 \cdot c^2 \cdot x^4 - 1400 \cdot a^2 \cdot b^4 \cdot e^2 \cdot c^2 \cdot x^4 - 4550 \cdot a \cdot b^5 \cdot d \cdot e^2 \cdot c \cdot x^4 + 5005 \cdot b^6 \cdot c \cdot d \cdot e^2 \cdot x^4 - 1400 \cdot a^2 \cdot b^4 \cdot c \cdot d \cdot e^2 \cdot x^4 - 4550 \cdot a \cdot b^5 \cdot d^2 \cdot e^2 \cdot x^4 + 5005 \cdot b^6 \cdot c \cdot d^2 \cdot e^2 \cdot x^4 - 1400 \cdot a^2 \cdot b^4 \cdot c \cdot d^2 \cdot e^2 \cdot x^4 - 4550 \cdot a \cdot b^5 \cdot d \cdot c \cdot d \cdot e^2 \cdot x^4 + 5005 \cdot b^6 \cdot c \cdot d \cdot c \cdot e^2 \cdot x^4 - 1400 \cdot a^2 \cdot b^4 \cdot c \cdot c \cdot e^2 \cdot x^4 - 4550 \cdot a \cdot b^5 \cdot d \cdot c \cdot c \cdot e^2 \cdot x^4 + 5005 \cdot b^6 \cdot c \cdot c \cdot e^2 \cdot x^4 - 1400 \cdot a^2 \cdot b^4 \cdot c \cdot c \cdot c \cdot e^2 \cdot x^4 - 4550 \cdot a \cdot b^5 \cdot d \cdot c \cdot c \cdot c \cdot e^2 \cdot x^4 + 5005 \cdot b^6 \cdot c \cdot c \cdot c \cdot e^2 \cdot x^4) \cdot \sqrt{b \cdot x + a} / b^7$

$2e^2x^4 - 1600a^3b^3e^3x^3 + 5200a^2b^4de^2x^3 - 5720ab^5c^2e^2x^3 - 5720ab^5d^2e^2x^3 + 12870b^6c^2de^2x^3 + 2145b^6d^3x^3 + 1920a^4b^2e^3x^2 - 6240a^3b^3de^2x^2 + 6864a^2b^4c^2e^2x^2 + 6864a^2b^4d^2e^2x^2 - 15444ab^5c^2de^2x^2 - 2574ab^5d^3x^2 + 9009b^6c^2e^2x^2 + 9009b^6c^2d^2x^2 - 2560a^5b^2e^3x + 8320a^4b^2de^2x - 9152a^3b^3c^2e^2x - 9152a^3b^3d^2e^2x + 20592a^2b^4c^2de^2x + 3432a^2b^4d^3x - 12012ab^5c^2e^2x - 12012ab^5c^2d^2x + 15015b^6c^2d^2x + 5120a^6e^3 - 16640a^5b^2de^2 + 18304a^4b^2c^2e^2 + 18304a^4b^2d^2e^2 - 41184a^3b^3c^2de^2 - 6864a^3b^3d^3 + 24024a^2b^4c^2e^2 + 24024a^2b^4c^2d^2 - 30030ab^5c^2d + 15015b^6c^3) / b^7$

maxima [B] time = 0.98, size = 525, normalized size = 1.92

$$\frac{2e^2x^4 - 1600a^3b^3e^3x^3 + 5200a^2b^4de^2x^3 - 5720ab^5c^2e^2x^3 - 5720ab^5d^2e^2x^3 + 12870b^6c^2de^2x^3 + 2145b^6d^3x^3 + 1920a^4b^2e^3x^2 - 6240a^3b^3de^2x^2 + 6864a^2b^4c^2e^2x^2 + 6864a^2b^4d^2e^2x^2 - 15444ab^5c^2de^2x^2 - 2574ab^5d^3x^2 + 9009b^6c^2e^2x^2 + 9009b^6c^2d^2x^2 - 2560a^5b^2e^3x + 8320a^4b^2de^2x - 9152a^3b^3c^2e^2x - 9152a^3b^3d^2e^2x + 20592a^2b^4c^2de^2x + 3432a^2b^4d^3x - 12012ab^5c^2e^2x - 12012ab^5c^2d^2x + 15015b^6c^2d^2x + 5120a^6e^3 - 16640a^5b^2de^2 + 18304a^4b^2c^2e^2 + 18304a^4b^2d^2e^2 - 41184a^3b^3c^2de^2 - 6864a^3b^3d^3 + 24024a^2b^4c^2e^2 + 24024a^2b^4c^2d^2 - 30030ab^5c^2d + 15015b^6c^3}{b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="maxima")

[Out] $\frac{2}{15015} \cdot (15015 \sqrt{bx+a} c^3 + 3003 c^2 (5 (bx+a)^{3/2} - 3 \sqrt{bx+a}) a) d/b + (3 (bx+a)^{5/2} - 10 (bx+a)^{3/2} a + 15 \sqrt{bx+a}) a^2 e/b^2 + 143 c (21 (3 (bx+a)^{5/2} - 10 (bx+a)^{3/2} a + 15 \sqrt{bx+a}) a^2) d^2/b^2 + 18 (5 (bx+a)^{7/2} - 21 (bx+a)^{5/2} a + 35 (bx+a)^{3/2} a^2 - 35 \sqrt{bx+a} a^3) d e/b^3 + (35 (bx+a)^{9/2} - 180 (bx+a)^{7/2} a + 378 (bx+a)^{5/2} a^2 - 420 (bx+a)^{3/2} a^3 + 315 \sqrt{bx+a} a^4) e^2/b^4 + 429 (5 (bx+a)^{7/2} - 21 (bx+a)^{5/2} a + 35 (bx+a)^{3/2} a^2 - 35 \sqrt{bx+a} a^3) d^3/b^3 + 143 (35 (bx+a)^{9/2} - 180 (bx+a)^{7/2} a + 378 (bx+a)^{5/2} a^2 - 420 (bx+a)^{3/2} a^3 + 315 \sqrt{bx+a} a^4) d^2 e/b^4 + 65 (63 (bx+a)^{11/2} - 385 (bx+a)^{9/2} a + 990 (bx+a)^{7/2} a^2 - 1386 (bx+a)^{5/2} a^3 + 1155 (bx+a)^{3/2} a^4 - 693 \sqrt{bx+a} a^5) d e^2/b^5 + 5 (231 (bx+a)^{13/2} - 1638 (bx+a)^{11/2} a + 5005 (bx+a)^{9/2} a^2 - 8580 (bx+a)^{7/2} a^3 + 9009 (bx+a)^{5/2} a^4 - 6006 (bx+a)^{3/2} a^5 + 3003 \sqrt{bx+a} a^6) e^3/b^6) / b$

mupad [B] time = 0.10, size = 299, normalized size = 1.09

$$\frac{2e^2(a+bx)^{13/2}}{13b^7} - \frac{(12a^2-6bd^2)(a+bx)^{11/2}}{11b^7} + \frac{(a+bx)^9(30a^2e^3+6b^2c^2e^2+6b^2d^2e-30ab^2de+6c^2d^2)}{9b^7} + \frac{2\sqrt{a+bx}(c^2-dab+cd^2)}{b^7} + \frac{(a+bx)^5(30a^2d^2-60a^2bd^2+36a^2b^2c^2+36a^2b^2de-36ab^2cde-6ab^2d^2+6b^2c^2+6b^2cd^2)}{5b^7} + \frac{2(2ax-bd)(a+bx)^9(10a^2d^2-10abde+b^2d^2+6c^2d^2)}{27b^7} + \frac{2(2ax-bd)(a+bx)^7(c^2-dab+cd^2)}{b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)^3/(a + b*x)^(1/2),x)

[Out] $\frac{(2e^3(a+bx)^{13/2})/(13b^7) - ((12a^2e^3 - 6b^2de^2)(a+bx)^{11/2})/(11b^7) + ((a+bx)^9(30a^2e^3 + 6b^2c^2e^2 + 6b^2d^2e - 30ab^2de^2))/(9b^7) + (2(a+bx)^{1/2}(b^2c + a^2e - ab^2d)^3)/b^7 + ((a+bx)^{5/2}(30a^4e^3 - 6a^2b^3d^3 + 6b^4c^2d^2 + 6b^4c^2e + 36a^2b^2c^2e^2 + 36a^2b^2d^2e - 60a^3b^2de^2 - 36a^2b^3c^2de))/(5b^7) + (2\sqrt{a+bx}(c^2-dab+cd^2))/b^7 + (a+bx)^5(30a^2d^2-60a^2bd^2+36a^2b^2c^2+36a^2b^2de-36ab^2cde-6ab^2d^2+6b^2c^2+6b^2cd^2)}{5b^7} + \frac{2(2ax-bd)(a+bx)^9(10a^2d^2-10abde+b^2d^2+6c^2d^2)}{27b^7} + \frac{2(2ax-bd)(a+bx)^7(c^2-dab+cd^2)}{b^7}$

7) - (2*(2*a*e - b*d)*(a + b*x)^(7/2)*(10*a^2*e^2 + b^2*d^2 + 6*b^2*c*e - 10*a*b*d*e))/(7*b^7) - (2*(2*a*e - b*d)*(a + b*x)^(3/2)*(b^2*c + a^2*e - a*b*d)^2)/b^7

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)**3/(b*x+a)**(1/2),x)

[Out] Timed out

$$3.4 \quad \int \frac{c+dx+ex^2+fx^3}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=114

$$\frac{2(a+bx)^{3/2}(3a^2f-2abe+b^2d)}{3b^4} + \frac{2\sqrt{a+bx}(a^3(-f)+a^2be-ab^2d+b^3c)}{b^4} + \frac{2(a+bx)^{5/2}(be-3af)}{5b^4} + \frac{2f(a+bx)}{7b^4}$$

Rubi [A] time = 0.07, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$, Rules used = {1850}

$$\frac{2\sqrt{a+bx}(a^2be+a^3(-f)-ab^2d+b^3c)}{b^4} + \frac{2(a+bx)^{3/2}(3a^2f-2abe+b^2d)}{3b^4} + \frac{2(a+bx)^{5/2}(be-3af)}{5b^4} + \frac{2f(a+bx)^{7/2}}{7b^4}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/Sqrt[a + b*x], x]

[Out] (2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Sqrt[a + b*x])/b^4 + (2*(b^2*d - 2*a*b*e + 3*a^2*f)*(a + b*x)^(3/2))/(3*b^4) + (2*(b*e - 3*a*f)*(a + b*x)^(5/2))/(5*b^4) + (2*f*(a + b*x)^(7/2))/(7*b^4)

Rule 1850

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{c+dx+ex^2+fx^3}{\sqrt{a+bx}} dx = \int \left(\frac{b^3c-ab^2d+a^2be-a^3f}{b^3\sqrt{a+bx}} + \frac{(b^2d-2abe+3a^2f)\sqrt{a+bx}}{b^3} + \frac{(be-3af)(a+bx)^{3/2}}{b^3} \right) dx$$

$$= \frac{2(b^3c-ab^2d+a^2be-a^3f)\sqrt{a+bx}}{b^4} + \frac{2(b^2d-2abe+3a^2f)(a+bx)^{3/2}}{3b^4} + \frac{2(be-3af)(a+bx)^{5/2}}{5b^4} + \frac{2f(a+bx)^{7/2}}{7b^4}$$

Mathematica [A] time = 0.18, size = 82, normalized size = 0.72

$$\frac{2\sqrt{a+bx}(-48a^3f+8a^2b(7e+3fx)-2ab^2(35d+x(14e+9fx))+b^3(105c+x(35d+3x(7e+5fx))))}{105b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/Sqrt[a + b*x], x]

[Out] (2*Sqrt[a + b*x]*(-48*a^3*f + 8*a^2*b*(7*e + 3*f*x) - 2*a*b^2*(35*d + x*(14*e + 9*f*x)) + b^3*(105*c + x*(35*d + 3*x*(7*e + 5*f*x))))/(105*b^4)

IntegrateAlgebraic [A] time = 0.06, size = 107, normalized size = 0.94

$$\frac{2\sqrt{a+bx}(-105a^3f+105a^2be+105a^2f(a+bx)+35b^2d(a+bx)-105ab^2d-70abe(a+bx)+21be(a+bx)^2-63af(a+bx)^2+15f(a+bx)^3+105b^3c)}{105b^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/Sqrt[a + b*x], x]

[Out] (2*Sqrt[a + b*x]*(105*b^3*c - 105*a*b^2*d + 105*a^2*b*e - 105*a^3*f + 35*b^2*d*(a + b*x) - 70*a*b*e*(a + b*x) + 105*a^2*f*(a + b*x) + 21*b*e*(a + b*x)^2 - 63*a*f*(a + b*x)^2 + 15*f*(a + b*x)^3))/(105*b^4)

fricas [A] time = 0.41, size = 90, normalized size = 0.79

$$\frac{2(15b^3fx^3+105b^3c-70ab^2d+56a^2be-48a^3f+3(7b^3e-6ab^2f)x^2+(35b^3d-28ab^2e+24a^2bf)x)\sqrt{bx+a}}{105b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x+a)^(1/2), x, algorithm="fricas")

[Out] 2/105*(15*b^3*f*x^3 + 105*b^3*c - 70*a*b^2*d + 56*a^2*b*e - 48*a^3*f + 3*(7*b^3*e - 6*a*b^2*f)*x^2 + (35*b^3*d - 28*a*b^2*e + 24*a^2*b*f)*x)*sqrt(b*x + a)/b^4

giac [A] time = 0.17, size = 129, normalized size = 1.13

$$\frac{2\left(105\sqrt{bx+a}c + \frac{35\left((bx+a)^3-3\sqrt{bx+a}a\right)d}{b} + \frac{7\left(3\left(bx+a\right)^5-10\left(bx+a\right)^3a+15\sqrt{bx+a}a^2\right)e}{b^2} + \frac{3\left(5\left(bx+a\right)^7-21\left(bx+a\right)^5a+35\left(bx+a\right)^3a^2-35\sqrt{bx+a}a^3\right)f}{b^3}\right)}{105b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x+a)^(1/2), x, algorithm="giac")

[Out] 2/105*(105*sqrt(b*x + a)*c + 35*((b*x + a)^(3/2) - 3*sqrt(b*x + a)*a)*d/b + 7*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*e/b^2 + 3*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)*f/b^3)/b

maple [A] time = 0.04, size = 91, normalized size = 0.80

$$\frac{2\sqrt{bx+a}(-15fx^3b^3+18ab^2fx^2-21b^3ex^2-24a^2bfxx+28ab^2ex-35b^3dx+48a^3f-56a^2be+70ab^2d-105b^3c)}{105b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^3+e*x^2+d*x+c)/(b*x+a)^(1/2),x)`

[Out]
$$-2/105*(b*x+a)^{(1/2)}*(-15*b^3*f*x^3+18*a*b^2*f*x^2-21*b^3*e*x^2-24*a^2*b*f*x+28*a*b^2*e*x-35*b^3*d*x+48*a^3*f-56*a^2*b*e+70*a*b^2*d-105*b^3*c)/b^4$$

maxima [A] time = 0.83, size = 128, normalized size = 1.12

$$2 \left(\frac{105 \sqrt{bx+a} + c + \frac{35 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} a \right) d}{b} + \frac{7 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^2} + \frac{3 \left(5 (bx+a)^{\frac{7}{2}} - 21 (bx+a)^{\frac{5}{2}} a + 35 (bx+a)^{\frac{3}{2}} a^2 - 35 \sqrt{bx+a} a^3 \right) f}{b^3}}{105 b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)/(b*x+a)^(1/2),x, algorithm="maxima")`

[Out]
$$2/105*(105*\sqrt{b*x+a}*c + 35*((b*x+a)^{(3/2)} - 3*\sqrt{b*x+a}*a)*d/b + 7*(3*(b*x+a)^{(5/2)} - 10*(b*x+a)^{(3/2)}*a + 15*\sqrt{b*x+a}*a^2)*e/b^2 + 3*(5*(b*x+a)^{(7/2)} - 21*(b*x+a)^{(5/2)}*a + 35*(b*x+a)^{(3/2)}*a^2 - 35*\sqrt{b*x+a}*a^3)*f/b^3)/b$$

mupad [B] time = 4.81, size = 103, normalized size = 0.90

$$\frac{(a+bx)^{3/2} (6fa^2 - 4eab + 2db^2)}{3b^4} - \frac{(6af - 2be)(a+bx)^{5/2}}{5b^4} + \frac{\sqrt{a+bx} (-2fa^3 + 2ea^2b - 2dab^2 + 2cb^3)}{b^4} + \frac{2f(a+bx)^{7/2}}{7b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c+d*x+e*x^2+f*x^3)/(a+b*x)^(1/2),x)`

[Out]
$$\left((a+b*x)^{(3/2)}*(2*b^2*d+6*a^2*f-4*a*b*e) \right) / (3*b^4) - \left((6*a*f-2*b*e)*(a+b*x)^{(5/2)} \right) / (5*b^4) + \left((a+b*x)^{(1/2)}*(2*b^3*c-2*a^3*f-2*a*b^2*d+2*a^2*b*e) \right) / b^4 + (2*f*(a+b*x)^{(7/2)}) / (7*b^4)$$

sympy [A] time = 45.83, size = 354, normalized size = 3.11

$$\left(\frac{-\frac{2ac}{\sqrt{bx+a}} - \frac{2d \left(-\frac{a}{\sqrt{bx+a}} - \sqrt{bx+a} \right)}{b} - \frac{2e \left(\frac{a^2}{\sqrt{bx+a}} + 2a\sqrt{bx+a} - \frac{(a+bx)^{\frac{3}{2}}}{3} \right)}{b^2} - \frac{2f \left(-\frac{a^3}{\sqrt{bx+a}} - 3a^2\sqrt{bx+a} + a(a+bx)^{\frac{3}{2}} - \frac{(a+bx)^{\frac{5}{2}}}{5} \right)}{b^3} - 2 \left(-\frac{a}{\sqrt{bx+a}} - \sqrt{bx+a} \right)}{b} - \frac{2 \left(\frac{a^2}{\sqrt{bx+a}} + 2a\sqrt{bx+a} - \frac{(a+bx)^{\frac{3}{2}}}{3} \right)}{b} - \frac{2 \left(-\frac{a^3}{\sqrt{bx+a}} - 3a^2\sqrt{bx+a} + a(a+bx)^{\frac{3}{2}} - \frac{(a+bx)^{\frac{5}{2}}}{5} \right)}{b^3} - \frac{2 \left(\frac{a^4}{\sqrt{bx+a}} + 4a^3\sqrt{bx+a} - 2a^2(a+bx)^{\frac{3}{2}} + \frac{4a(a+bx)^{\frac{5}{2}}}{5} - \frac{(a+bx)^{\frac{7}{2}}}{7} \right)}{b^3} \right) \text{ for } b \neq 0$$

$$\frac{cx + \frac{d^2}{2} + \frac{e^2}{3} + \frac{f^2}{4}}{\sqrt{a}} \text{ otherwise}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)/(b*x+a)**(1/2),x)`

[Out]
$$\text{Piecewise}\left(\left(\frac{-2*a*c}{\sqrt{a+b*x}} - 2*a*d*\left(-\frac{a}{\sqrt{a+b*x}} - \sqrt{a+b*x}\right) - \sqrt{a+b*x}\right) / b - 2*a*e*\left(\frac{a^2}{\sqrt{a+b*x}} + 2*a*\sqrt{a+b*x} - (a+b*x)**(3/2)/3\right) / b^2 - 2*a*f*\left(-\frac{a^3}{\sqrt{a+b*x}} - 3*a**2*\sqrt{a+b*x} + a*(a+b*x)**(3/2)\right) / b^3, b \neq 0\right)$$

```

- (a + b*x)**(5/2)/5)/b**3 - 2*c*(-a/sqrt(a + b*x) - sqrt(a + b*x)) - 2*d*
(a**2/sqrt(a + b*x) + 2*a*sqrt(a + b*x) - (a + b*x)**(3/2)/3)/b - 2*e*(-a**
3/sqrt(a + b*x) - 3*a**2*sqrt(a + b*x) + a*(a + b*x)**(3/2) - (a + b*x)**(5
/2)/5)/b**2 - 2*f*(a**4/sqrt(a + b*x) + 4*a**3*sqrt(a + b*x) - 2*a**2*(a +
b*x)**(3/2) + 4*a*(a + b*x)**(5/2)/5 - (a + b*x)**(7/2)/7)/b**3)/b, Ne(b, 0
)), ((c*x + d*x**2/2 + e*x**3/3 + f*x**4/4)/sqrt(a), True))

```

$$3.5 \quad \int \frac{(c+dx+ex^2+fx^3)^2}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=320

$$\frac{2(a+bx)^{9/2}(-15a^2f^2+10abef-(b^2(2df+e^2)))}{9b^7} + \frac{4(a+bx)^{7/2}(-10a^3f^2+10a^2bef-2ab^2(2df+e^2)+b^3(2a+bx)^2)}{7b^7}$$

Rubi [A] time = 0.24, antiderivative size = 320, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$, Rules used = {1850}

$$\frac{2(a+bx)^{9/2}(6a^2f^2(2df+e^2)-20a^2bef+15a^4f^2-6ab^3(cf+de)+b^4(2ce+f^2))}{5b^7} + \frac{4(a+bx)^{7/2}(10a^2bef-10a^3f^2-2ab^2(2df+e^2)+b^3(cf+de))}{7b^7} + \frac{4(a+bx)^{5/2}(3a^2f-2abcf+a^2(-f)-ab^2d+b^3c)}{3b^7} + \frac{2\sqrt{a+bx}(a^2bx+a^2(-f)-ab^2d+b^3c)^2}{b^7} + \frac{2(a+bx)^{9/2}(-15a^2f^2+10abef+b^2(-2df+e^2))}{9b^7} + \frac{4f(a+bx)^{11/2}(bc-3af)}{11b^7} + \frac{2f^2(a+bx)^{13/2}}{13b^7}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)^2/Sqrt[a + b*x], x]

[Out] (2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)^2*Sqrt[a + b*x])/b^7 + (4*(b^2*d - 2*a*b*e + 3*a^2*f)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a + b*x)^(3/2))/(3*b^7) + (2*(b^4*(d^2 + 2*c*e) - 20*a^3*b*e*f + 15*a^4*f^2 - 6*a*b^3*(d*e + c*f) + 6*a^2*b^2*(e^2 + 2*d*f))*(a + b*x)^(5/2))/(5*b^7) + (4*(10*a^2*b*e*f - 10*a^3*f^2 + b^3*(d*e + c*f) - 2*a*b^2*(e^2 + 2*d*f))*(a + b*x)^(7/2))/(7*b^7) - (2*(10*a*b*e*f - 15*a^2*f^2 - b^2*(e^2 + 2*d*f))*(a + b*x)^(9/2))/(9*b^7) + (4*f*(b*e - 3*a*f)*(a + b*x)^(11/2))/(11*b^7) + (2*f^2*(a + b*x)^(13/2))/(13*b^7)

Rule 1850

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2+fx^3)^2}{\sqrt{a+bx}} dx &= \int \left(\frac{(b^3c-ab^2d+a^2be-a^3f)^2}{b^6\sqrt{a+bx}} + \frac{2(b^2d-2abe+3a^2f)(b^3c-ab^2d+a^2be-a^3f)}{b^6} \right) dx \\ &= \frac{2(b^3c-ab^2d+a^2be-a^3f)^2\sqrt{a+bx}}{b^7} + \frac{4(b^2d-2abe+3a^2f)(b^3c-ab^2d+a^2be-a^3f)}{3b^7} \end{aligned}$$

Mathematica [A] time = 0.57, size = 303, normalized size = 0.95

$$\frac{2\left(-\frac{1}{2}(a+bx)^{10}(-15a^2f^2+10abef-(e^2(2df+c^2))) + \frac{5}{2}(a+bx)^9(-10a^2ef+10a^2bf-2ab^2(df+c^2)+b^2cf+ab^2c) + \frac{5}{2}(a+bx)^8(3a^2f-2abe+b^2d)(e^2(-f)+a^2be-ab^2d+b^2c) + \sqrt{a+bx}(a^2(-f)+a^2be-ab^2d+b^2c)^2 + \frac{1}{2}(a+bx)^{10}(15a^2f^2-20a^2bef+6a^2b^2(df+c^2)-6ab^2cf+ab^2c) + \frac{2}{11}(a+bx)^{11}(2ef-3df) + \frac{1}{11}f^2(a+bx)^{10}\right)}{b^7}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)^2/Sqrt[a + b*x], x]

[Out] (2*((b^3*c - a*b^2*d + a^2*b*e - a^3*f)^2*Sqrt[a + b*x] + (2*(b^2*d - 2*a*b*e + 3*a^2*f)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a + b*x)^(3/2))/3 + ((b^4*(d^2 + 2*c*e) - 20*a^3*b*e*f + 15*a^4*f^2 - 6*a*b^3*(d*e + c*f) + 6*a^2*b^2*(e^2 + 2*d*f))*(a + b*x)^(5/2))/5 + (2*(10*a^2*b*e*f - 10*a^3*f^2 + b^3*(d*e + c*f) - 2*a*b^2*(e^2 + 2*d*f))*(a + b*x)^(7/2))/7 - ((10*a*b*e*f - 15*a^2*f^2 - b^2*(e^2 + 2*d*f))*(a + b*x)^(9/2))/9 + (2*f*(b*e - 3*a*f)*(a + b*x)^(11/2))/11 + (f^2*(a + b*x)^(13/2))/13))/b^7

IntegrateAlgebraic [A] time = 0.16, size = 544, normalized size = 1.70

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)^2/Sqrt[a + b*x], x]

[Out] (2*Sqrt[a + b*x]*(45045*b^6*c^2 - 90090*a*b^5*c*d + 45045*a^2*b^4*d^2 + 90090*a^2*b^4*c*e - 90090*a^3*b^3*d*e + 45045*a^4*b^2*e^2 - 90090*a^3*b^3*c*f + 90090*a^4*b^2*d*f - 90090*a^5*b*e*f + 45045*a^6*f^2 + 30030*b^5*c*d*(a + b*x) - 30030*a*b^4*d^2*(a + b*x) - 60060*a*b^4*c*e*(a + b*x) + 90090*a^2*b^3*d*e*(a + b*x) - 60060*a^3*b^2*e^2*(a + b*x) + 90090*a^2*b^3*c*f*(a + b*x) - 120120*a^3*b^2*d*f*(a + b*x) + 150150*a^4*b*e*f*(a + b*x) - 90090*a^5*f^2*(a + b*x) + 9009*b^4*d^2*(a + b*x)^2 + 18018*b^4*c*e*(a + b*x)^2 - 54054*a*b^3*d*e*(a + b*x)^2 + 54054*a^2*b^2*e^2*(a + b*x)^2 - 54054*a*b^3*c*f*(a + b*x)^2 + 108108*a^2*b^2*d*f*(a + b*x)^2 - 180180*a^3*b*e*f*(a + b*x)^2 + 135135*a^4*f^2*(a + b*x)^2 + 12870*b^3*d*e*(a + b*x)^3 - 25740*a*b^2*e^2*(a + b*x)^3 + 12870*b^3*c*f*(a + b*x)^3 - 51480*a*b^2*d*f*(a + b*x)^3 + 128700*a^2*b*e*f*(a + b*x)^3 - 128700*a^3*f^2*(a + b*x)^3 + 5005*b^2*e^2*(a + b*x)^4 + 10010*b^2*d*f*(a + b*x)^4 - 50050*a*b*e*f*(a + b*x)^4 + 75075*a^2*f^2*(a + b*x)^4 + 8190*b*e*f*(a + b*x)^5 - 24570*a*f^2*(a + b*x)^5 + 3465*f^2*(a + b*x)^6))/(45045*b^7)

fricas [A] time = 0.42, size = 417, normalized size = 1.30

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^2/(b*x+a)^(1/2), x, algorithm="fricas")

```
[Out] 2/45045*(3465*b^6*f^2*x^6 + 45045*b^6*c^2 - 60060*a*b^5*c*d + 24024*a^2*b^4
*d^2 + 18304*a^4*b^2*e^2 + 15360*a^6*f^2 + 630*(13*b^6*e*f - 6*a*b^5*f^2)*x
^5 + 35*(143*b^6*e^2 + 120*a^2*b^4*f^2 + 26*(11*b^6*d - 10*a*b^5*e)*f)*x^4
+ 10*(1287*b^6*d*e - 572*a*b^5*e^2 - 480*a^3*b^3*f^2 + 13*(99*b^6*c - 88*a*
b^5*d + 80*a^2*b^4*e)*f)*x^3 + 3*(3003*b^6*d^2 + 2288*a^2*b^4*e^2 + 1920*a^
4*b^2*f^2 + 858*(7*b^6*c - 6*a*b^5*d)*e - 52*(99*a*b^5*c - 88*a^2*b^4*d + 8
0*a^3*b^3*e)*f)*x^2 + 6864*(7*a^2*b^4*c - 6*a^3*b^3*d)*e - 416*(99*a^3*b^3*
c - 88*a^4*b^2*d + 80*a^5*b*e)*f + 2*(15015*b^6*c*d - 6006*a*b^5*d^2 - 4576
*a^3*b^3*e^2 - 3840*a^5*b*f^2 - 1716*(7*a*b^5*c - 6*a^2*b^4*d)*e + 104*(99*
a^2*b^4*c - 88*a^3*b^3*d + 80*a^4*b^2*e)*f)*x)*sqrt(b*x + a)/b^7
```

giac [A] time = 0.20, size = 516, normalized size = 1.61

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^3+e*x^2+d*x+c)^2/(b*x+a)^(1/2),x, algorithm="giac")
```

```
[Out] 2/45045*(45045*sqrt(b*x + a)*c^2 + 30030*((b*x + a)^(3/2) - 3*sqrt(b*x + a)
*a)*c*d/b + 3003*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x +
a)*a^2)*d^2/b^2 + 6006*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(
b*x + a)*a^2)*c*e/b^2 + 2574*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35
*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)*c*f/b^3 + 2574*(5*(b*x + a)^(7
/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)
*d*e/b^3 + 286*(35*(b*x + a)^(9/2) - 180*(b*x + a)^(7/2)*a + 378*(b*x + a)^(
5/2)*a^2 - 420*(b*x + a)^(3/2)*a^3 + 315*sqrt(b*x + a)*a^4)*d*f/b^4 + 143*
(35*(b*x + a)^(9/2) - 180*(b*x + a)^(7/2)*a + 378*(b*x + a)^(5/2)*a^2 - 420
*(b*x + a)^(3/2)*a^3 + 315*sqrt(b*x + a)*a^4)*e^2/b^4 + 130*(63*(b*x + a)^(
11/2) - 385*(b*x + a)^(9/2)*a + 990*(b*x + a)^(7/2)*a^2 - 1386*(b*x + a)^(5
/2)*a^3 + 1155*(b*x + a)^(3/2)*a^4 - 693*sqrt(b*x + a)*a^5)*f*e/b^5 + 15*(2
31*(b*x + a)^(13/2) - 1638*(b*x + a)^(11/2)*a + 5005*(b*x + a)^(9/2)*a^2 -
8580*(b*x + a)^(7/2)*a^3 + 9009*(b*x + a)^(5/2)*a^4 - 6006*(b*x + a)^(3/2)*
a^5 + 3003*sqrt(b*x + a)*a^6)*f^2/b^6)/b
```

maple [A] time = 0.05, size = 447, normalized size = 1.40

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^3+e*x^2+d*x+c)^2/(b*x+a)^(1/2),x)
```

```
[Out] 2/45045*(b*x+a)^(1/2)*(3465*b^6*f^2*x^6-3780*a*b^5*f^2*x^5+8190*b^6*e*f*x^5
+4200*a^2*b^4*f^2*x^4-9100*a*b^5*e*f*x^4+10010*b^6*d*f*x^4+5005*b^6*e^2*x^4
-4800*a^3*b^3*f^2*x^3+10400*a^2*b^4*e*f*x^3-11440*a*b^5*d*f*x^3-5720*a*b^5*
```

$$e^2*x^3+12870*b^6*c*f*x^3+12870*b^6*d*e*x^3+5760*a^4*b^2*f^2*x^2-12480*a^3*b^3*e*f*x^2+13728*a^2*b^4*d*f*x^2+6864*a^2*b^4*e^2*x^2-15444*a*b^5*c*f*x^2-15444*a*b^5*d*e*x^2+18018*b^6*c*e*x^2+9009*b^6*d^2*x^2-7680*a^5*b*f^2*x+16640*a^4*b^2*e*f*x-18304*a^3*b^3*d*f*x-9152*a^3*b^3*e^2*x+20592*a^2*b^4*c*f*x+20592*a^2*b^4*d*e*x-24024*a*b^5*c*e*x-12012*a*b^5*d^2*x+30030*b^6*c*d*x+15360*a^6*f^2-33280*a^5*b*e*f+36608*a^4*b^2*d*f+18304*a^4*b^2*e^2-41184*a^3*b^3*c*f-41184*a^3*b^3*d*e+48048*a^2*b^4*c*e+24024*a^2*b^4*d^2-60060*a*b^5*c*d+45045*b^6*c^2)/b^7$$

maxima [A] time = 1.00, size = 500, normalized size = 1.56

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^2/(b*x+a)^(1/2),x, algorithm="maxima")

[Out] $\frac{2}{45045} \cdot (45045 \cdot \sqrt{b \cdot x + a} \cdot c^2 + 858 \cdot c \cdot (35 \cdot (b \cdot x + a)^{3/2} - 3 \cdot \sqrt{b \cdot x + a}) \cdot a) \cdot d/b + 7 \cdot (3 \cdot (b \cdot x + a)^{5/2} - 10 \cdot (b \cdot x + a)^{3/2}) \cdot a + 15 \cdot \sqrt{b \cdot x + a} \cdot a^2) \cdot e/b^2 + 3 \cdot (5 \cdot (b \cdot x + a)^{7/2} - 21 \cdot (b \cdot x + a)^{5/2}) \cdot a + 35 \cdot (b \cdot x + a)^{3/2} \cdot a^2 - 35 \cdot \sqrt{b \cdot x + a} \cdot a^3) \cdot f/b^3 + 3003 \cdot (3 \cdot (b \cdot x + a)^{5/2} - 10 \cdot (b \cdot x + a)^{3/2}) \cdot a + 15 \cdot \sqrt{b \cdot x + a} \cdot a^2) \cdot d^2/b^2 + 143 \cdot (35 \cdot (b \cdot x + a)^{9/2} - 180 \cdot (b \cdot x + a)^{7/2}) \cdot a + 378 \cdot (b \cdot x + a)^{5/2} \cdot a^2 - 420 \cdot (b \cdot x + a)^{3/2} \cdot a^3 + 315 \cdot \sqrt{b \cdot x + a} \cdot a^4) \cdot e^2/b^4 + 286 \cdot (35 \cdot (b \cdot x + a)^{9/2} \cdot f + 45 \cdot (b \cdot e - 4 \cdot a \cdot f) \cdot (b \cdot x + a)^{7/2} - 189 \cdot (a \cdot b \cdot e - 2 \cdot a^2 \cdot f) \cdot (b \cdot x + a)^{5/2} + 105 \cdot (3 \cdot a^2 \cdot b \cdot e - 4 \cdot a^3 \cdot f) \cdot (b \cdot x + a)^{3/2} - 315 \cdot (a^3 \cdot b \cdot e - a^4 \cdot f) \cdot \sqrt{b \cdot x + a}) \cdot d/b^4 + 130 \cdot (63 \cdot (b \cdot x + a)^{11/2} - 385 \cdot (b \cdot x + a)^{9/2}) \cdot a + 990 \cdot (b \cdot x + a)^{7/2} \cdot a^2 - 1386 \cdot (b \cdot x + a)^{5/2} \cdot a^3 + 1155 \cdot (b \cdot x + a)^{3/2} \cdot a^4 - 693 \cdot \sqrt{b \cdot x + a} \cdot a^5) \cdot e \cdot f/b^5 + 15 \cdot (231 \cdot (b \cdot x + a)^{13/2} - 1638 \cdot (b \cdot x + a)^{11/2}) \cdot a + 5005 \cdot (b \cdot x + a)^{9/2} \cdot a^2 - 8580 \cdot (b \cdot x + a)^{7/2} \cdot a^3 + 9009 \cdot (b \cdot x + a)^{5/2} \cdot a^4 - 6006 \cdot (b \cdot x + a)^{3/2} \cdot a^5 + 3003 \cdot \sqrt{b \cdot x + a} \cdot a^6) \cdot f^2/b^6)/b$

mupad [B] time = 4.70, size = 316, normalized size = 0.99

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)^2/(a + b*x)^(1/2),x)

[Out] $\frac{2 \cdot (a + b \cdot x)^{1/2} \cdot (b^3 \cdot c - a^3 \cdot f - a \cdot b^2 \cdot d + a^2 \cdot b \cdot e)^2}{b^7} + \frac{2 \cdot f^2 \cdot (a + b \cdot x)^{13/2}}{(13 \cdot b^7)} - \frac{((a + b \cdot x)^{7/2} \cdot (40 \cdot a^3 \cdot f^2 + 8 \cdot a \cdot b^2 \cdot e^2 - 4 \cdot b^3 \cdot c \cdot f - 4 \cdot b^3 \cdot d \cdot e + 16 \cdot a \cdot b^2 \cdot d \cdot f - 40 \cdot a^2 \cdot b \cdot e \cdot f))}{(7 \cdot b^7)} + \frac{((a + b \cdot x)^{9/2} \cdot (30 \cdot a^2 \cdot f^2 + 2 \cdot b^2 \cdot e^2 + 4 \cdot b^2 \cdot d \cdot f - 20 \cdot a \cdot b \cdot e \cdot f))}{(9 \cdot b^7)} + \frac{((a + b \cdot x)^{5/2} \cdot (2 \cdot b^4 \cdot d^2 + 30 \cdot a^4 \cdot f^2 + 12 \cdot a^2 \cdot b^2 \cdot e^2 + 4 \cdot b^4 \cdot c \cdot e - 12 \cdot a \cdot b^3 \cdot c \cdot f - 12 \cdot a \cdot b^3 \cdot d \cdot e - 40 \cdot a^3 \cdot b \cdot e \cdot f + 24 \cdot a^2 \cdot b^2 \cdot d \cdot f))}{(5 \cdot b^7)} - \frac{((12 \cdot a \cdot f^2 - 4 \cdot b \cdot e \cdot f))}{(5 \cdot b^7)}$

$$f)(a + b*x)^{(11/2)} / (11*b^7) + (4*(a + b*x)^{(3/2)} * (b^2*d + 3*a^2*f - 2*a*b*e) * (b^3*c - a^3*f - a*b^2*d + a^2*b*e)) / (3*b^7)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)**2/(b*x+a)**(1/2),x)

[Out] Timed out

$$3.6 \quad \int \frac{(c+dx+ex^2+fx^3)^3}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=708

$$\frac{2f(a+bx)^{15/2}(-12a^2f^2+8abef-(b^2(df+e^2)))}{5b^{10}} + \frac{2(a+bx)^{13/2}(-84a^3f^3+84a^2bef^2-21ab^2f(df+e^2)+b^3e^3)}{13b^{10}}$$

Rubi [A] time = 0.63, antiderivative size = 708, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$, Rules used = {1850}

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)^3/Sqrt[a + b*x], x]

[Out] (2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)^3*Sqrt[a + b*x])/b^10 + (2*(b^2*d - 2*a*b*e + 3*a^2*f)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)^2*(a + b*x)^(3/2))/b^10 + (6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(b^4*(d^2 + c*e) - 16*a^3*b*e*f + 12*a^4*f^2 - a*b^3*(5*d*e + 3*c*f) + a^2*b^2*(5*e^2 + 9*d*f))*(a + b*x)^(5/2))/(5*b^10) - (2*(168*a^5*b*e*f^2 - 84*a^6*f^3 - b^6*(d^3 + 6*c*d*e + 3*c^2*f) - 105*a^4*b^2*f*(e^2 + d*f) + 12*a*b^5*(d^2*e + c*e^2 + 2*c*d*f) - 30*a^2*b^4*(d*e^2 + d^2*f + 2*c*e*f) + 20*a^3*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(7/2))/(7*b^10) + (2*(70*a^4*b*e*f^2 - 42*a^5*f^3 - 35*a^3*b^2*f*(e^2 + d*f) + b^5*(d^2*e + c*e^2 + 2*c*d*f) - 5*a*b^4*(d*e^2 + d^2*f + 2*c*e*f) + 5*a^2*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(9/2))/(3*b^10) - (6*(56*a^3*b*e*f^2 - 42*a^4*f^3 - 21*a^2*b^2*f*(e^2 + d*f) - b^4*(d*e^2 + d^2*f + 2*c*e*f) + 2*a*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(11/2))/(11*b^10) + (2*(84*a^2*b*e*f^2 - 84*a^3*f^3 - 21*a*b^2*f*(e^2 + d*f) + b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(13/2))/(13*b^10) - (2*f*(8*a*b*e*f - 12*a^2*f^2 - b^2*(e^2 + d*f))*(a + b*x)^(15/2))/(5*b^10) + (6*f^2*(b*e - 3*a*f)*(a + b*x)^(17/2))/(17*b^10) + (2*f^3*(a + b*x)^(19/2))/(19*b^10)

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(c + dx + ex^2 + fx^3)^3}{\sqrt{a + bx}} dx = \int \left(\frac{(b^3c - ab^2d + a^2be - a^3f)^3}{b^9\sqrt{a + bx}} + \frac{3(b^2d - 2abe + 3a^2f)(b^3c - ab^2d + a^2be - a^3f)}{b^9} \right) dx$$

$$= \frac{2(b^3c - ab^2d + a^2be - a^3f)^3\sqrt{a + bx}}{b^{10}} + \frac{2(b^2d - 2abe + 3a^2f)(b^3c - ab^2d + a^2be - a^3f)}{b^{10}}$$

Mathematica [A] time = 2.89, size = 678, normalized size = 0.96

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)^3/Sqrt[a + b*x], x]

[Out] (2*((b^3*c - a*b^2*d + a^2*b*e - a^3*f)^3*Sqrt[a + b*x] + (b^2*d - 2*a*b*e + 3*a^2*f)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)^2*(a + b*x)^(3/2) + (3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(b^4*(d^2 + c*e) - 16*a^3*b*e*f + 12*a^4*f^2 - a*b^3*(5*d*e + 3*c*f) + a^2*b^2*(5*e^2 + 9*d*f))*(a + b*x)^(5/2))/5 + ((-168*a^5*b*e*f^2 + 84*a^6*f^3 + b^6*(d^3 + 6*c*d*e + 3*c^2*f) + 105*a^4*b^2*f*(e^2 + d*f) - 12*a*b^5*(d^2*e + c*e^2 + 2*c*d*f) + 30*a^2*b^4*(d*e^2 + d^2*f + 2*c*e*f) - 20*a^3*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(7/2))/7 + ((70*a^4*b*e*f^2 - 42*a^5*f^3 - 35*a^3*b^2*f*(e^2 + d*f) + b^5*(d^2*e + c*e^2 + 2*c*d*f) - 5*a*b^4*(d*e^2 + d^2*f + 2*c*e*f) + 5*a^2*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(9/2))/3 + (3*(-56*a^3*b*e*f^2 + 42*a^4*f^3 + 21*a^2*b^2*f*(e^2 + d*f) + b^4*(d*e^2 + d^2*f + 2*c*e*f) - 2*a*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(11/2))/11 + ((84*a^2*b*e*f^2 - 84*a^3*f^3 - 21*a*b^2*f*(e^2 + d*f) + b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(13/2))/13 + (f*(-8*a*b*e*f + 12*a^2*f^2 + b^2*(e^2 + d*f))*(a + b*x)^(15/2))/5 + (3*f^2*(b*e - 3*a*f)*(a + b*x)^(17/2))/17 + (f^3*(a + b*x)^(19/2))/19)/b^10

IntegrateAlgebraic [B] time = 0.42, size = 2128, normalized size = 3.01

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)^3/Sqrt[a + b*x], x]

[Out] (2*(4849845*b^9*c^3*Sqrt[a + b*x] - 14549535*a*b^8*c^2*d*Sqrt[a + b*x] + 14549535*a^2*b^7*c*d^2*Sqrt[a + b*x] - 4849845*a^3*b^6*d^3*Sqrt[a + b*x] + 14549535*a^2*b^7*c^2*e*Sqrt[a + b*x] - 29099070*a^3*b^6*c*d*e*Sqrt[a + b*x] + 14549535*a^4*b^5*d^2*e*Sqrt[a + b*x] + 14549535*a^4*b^5*c*e^2*Sqrt[a + b*x]

$$\begin{aligned}
&] - 14549535*a^5*b^4*d*e^2*\text{Sqrt}[a + b*x] + 4849845*a^6*b^3*e^3*\text{Sqrt}[a + b*x] \\
&] - 14549535*a^3*b^6*c^2*f*\text{Sqrt}[a + b*x] + 29099070*a^4*b^5*c*d*f*\text{Sqrt}[a + \\
& b*x] - 14549535*a^5*b^4*d^2*f*\text{Sqrt}[a + b*x] - 29099070*a^5*b^4*c*e*f*\text{Sqrt}[a \\
& + b*x] + 29099070*a^6*b^3*d*e*f*\text{Sqrt}[a + b*x] - 14549535*a^7*b^2*e^2*f*\text{Sqr} \\
& t[a + b*x] + 14549535*a^6*b^3*c*f^2*\text{Sqrt}[a + b*x] - 14549535*a^7*b^2*d*f^2* \\
& \text{Sqrt}[a + b*x] + 14549535*a^8*b*e*f^2*\text{Sqrt}[a + b*x] - 4849845*a^9*f^3*\text{Sqrt}[a \\
& + b*x] + 4849845*b^8*c^2*d*(a + b*x)^(3/2) - 9699690*a*b^7*c*d^2*(a + b*x) \\
& ^{(3/2)} + 4849845*a^2*b^6*d^3*(a + b*x)^(3/2) - 9699690*a*b^7*c^2*e*(a + b*x) \\
&)^(3/2) + 29099070*a^2*b^6*c*d*e*(a + b*x)^(3/2) - 19399380*a^3*b^5*d^2*e*(\\
& a + b*x)^(3/2) - 19399380*a^3*b^5*c*e^2*(a + b*x)^(3/2) + 24249225*a^4*b^4*d \\
& *e^2*(a + b*x)^(3/2) - 9699690*a^5*b^3*e^3*(a + b*x)^(3/2) + 14549535*a^2*b \\
& ^6*c^2*f*(a + b*x)^(3/2) - 38798760*a^3*b^5*c*d*f*(a + b*x)^(3/2) + 242492 \\
& 25*a^4*b^4*d^2*f*(a + b*x)^(3/2) + 48498450*a^4*b^4*c*e*f*(a + b*x)^(3/2) - \\
& 58198140*a^5*b^3*d*e*f*(a + b*x)^(3/2) + 33948915*a^6*b^2*e^2*f*(a + b*x)^(\\
& 3/2) - 29099070*a^5*b^3*c*f^2*(a + b*x)^(3/2) + 33948915*a^6*b^2*d*f^2*(a \\
& + b*x)^(3/2) - 38798760*a^7*b*e*f^2*(a + b*x)^(3/2) + 14549535*a^8*f^3*(a + \\
& b*x)^(3/2) + 2909907*b^7*c*d^2*(a + b*x)^(5/2) - 2909907*a*b^6*d^3*(a + b* \\
& x)^(5/2) + 2909907*b^7*c^2*e*(a + b*x)^(5/2) - 17459442*a*b^6*c*d*e*(a + b* \\
& x)^(5/2) + 17459442*a^2*b^5*d^2*e*(a + b*x)^(5/2) + 17459442*a^2*b^5*c*e^2* \\
& (a + b*x)^(5/2) - 29099070*a^3*b^4*d*e^2*(a + b*x)^(5/2) + 14549535*a^4*b^3 \\
& *e^3*(a + b*x)^(5/2) - 8729721*a*b^6*c^2*f*(a + b*x)^(5/2) + 34918884*a^2*b \\
& ^5*c*d*f*(a + b*x)^(5/2) - 29099070*a^3*b^4*d^2*f*(a + b*x)^(5/2) - 5819814 \\
& 0*a^3*b^4*c*e*f*(a + b*x)^(5/2) + 87297210*a^4*b^3*d*e*f*(a + b*x)^(5/2) - \\
& 61108047*a^5*b^2*e^2*f*(a + b*x)^(5/2) + 43648605*a^4*b^3*c*f^2*(a + b*x)^(\\
& 5/2) - 61108047*a^5*b^2*d*f^2*(a + b*x)^(5/2) + 81477396*a^6*b*e*f^2*(a + b \\
& *x)^(5/2) - 34918884*a^7*f^3*(a + b*x)^(5/2) + 692835*b^6*d^3*(a + b*x)^(7/ \\
& 2) + 4157010*b^6*c*d*e*(a + b*x)^(7/2) - 8314020*a*b^5*d^2*e*(a + b*x)^(7/2 \\
&) - 8314020*a*b^5*c*e^2*(a + b*x)^(7/2) + 20785050*a^2*b^4*d*e^2*(a + b*x)^(\\
& 7/2) - 13856700*a^3*b^3*e^3*(a + b*x)^(7/2) + 2078505*b^6*c^2*f*(a + b*x)^(\\
& 7/2) - 16628040*a*b^5*c*d*f*(a + b*x)^(7/2) + 20785050*a^2*b^4*d^2*f*(a + \\
& b*x)^(7/2) + 41570100*a^2*b^4*c*e*f*(a + b*x)^(7/2) - 83140200*a^3*b^3*d*e* \\
& f*(a + b*x)^(7/2) + 72747675*a^4*b^2*e^2*f*(a + b*x)^(7/2) - 41570100*a^3*b \\
& ^3*c*f^2*(a + b*x)^(7/2) + 72747675*a^4*b^2*d*f^2*(a + b*x)^(7/2) - 1163962 \\
& 80*a^5*b*e*f^2*(a + b*x)^(7/2) + 58198140*a^6*f^3*(a + b*x)^(7/2) + 1616615 \\
& *b^5*d^2*e*(a + b*x)^(9/2) + 1616615*b^5*c*e^2*(a + b*x)^(9/2) - 8083075*a* \\
& b^4*d*e^2*(a + b*x)^(9/2) + 8083075*a^2*b^3*e^3*(a + b*x)^(9/2) + 3233230*b \\
& ^5*c*d*f*(a + b*x)^(9/2) - 8083075*a*b^4*d^2*f*(a + b*x)^(9/2) - 16166150*a \\
& *b^4*c*e*f*(a + b*x)^(9/2) + 48498450*a^2*b^3*d*e*f*(a + b*x)^(9/2) - 56581 \\
& 525*a^3*b^2*e^2*f*(a + b*x)^(9/2) + 24249225*a^2*b^3*c*f^2*(a + b*x)^(9/2) \\
& - 56581525*a^3*b^2*d*f^2*(a + b*x)^(9/2) + 113163050*a^4*b*e*f^2*(a + b*x)^(\\
& 9/2) - 67897830*a^5*f^3*(a + b*x)^(9/2) + 1322685*b^4*d*e^2*(a + b*x)^(11/ \\
& 2) - 2645370*a*b^3*e^3*(a + b*x)^(11/2) + 1322685*b^4*d^2*f*(a + b*x)^(11/2 \\
&) + 2645370*b^4*c*e*f*(a + b*x)^(11/2) - 15872220*a*b^3*d*e*f*(a + b*x)^(11 \\
& /2) + 27776385*a^2*b^2*e^2*f*(a + b*x)^(11/2) - 7936110*a*b^3*c*f^2*(a + b* \\
& x)^(11/2) + 27776385*a^2*b^2*d*f^2*(a + b*x)^(11/2) - 74070360*a^3*b*e*f^2*
\end{aligned}$$

$$\begin{aligned} & (a + b*x)^{(11/2)} + 55552770*a^4*f^3*(a + b*x)^{(11/2)} + 373065*b^3*e^3*(a + \\ & b*x)^{(13/2)} + 2238390*b^3*d*e*f*(a + b*x)^{(13/2)} - 7834365*a*b^2*e^2*f*(a + \\ & b*x)^{(13/2)} + 1119195*b^3*c*f^2*(a + b*x)^{(13/2)} - 7834365*a*b^2*d*f^2*(a + \\ & b*x)^{(13/2)} + 31337460*a^2*b*e*f^2*(a + b*x)^{(13/2)} - 31337460*a^3*f^3*(a + \\ & b*x)^{(13/2)} + 969969*b^2*e^2*f*(a + b*x)^{(15/2)} + 969969*b^2*d*f^2*(a + \\ & b*x)^{(15/2)} - 7759752*a*b*e*f^2*(a + b*x)^{(15/2)} + 11639628*a^2*f^3*(a + b* \\ & x)^{(15/2)} + 855855*b*e*f^2*(a + b*x)^{(17/2)} - 2567565*a*f^3*(a + b*x)^{(17/2)} \\ &) + 255255*f^3*(a + b*x)^{(19/2)))/(4849845*b^{10}) \end{aligned}$$

fricas [A] time = 0.42, size = 1221, normalized size = 1.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="fricas")

[Out] $2/4849845*(255255*b^9*f^3*x^9 + 4849845*b^9*c^3 - 9699690*a*b^8*c^2*d + 775$
 $9752*a^2*b^7*c*d^2 - 2217072*a^3*b^6*d^3 + 1653760*a^6*b^3*e^3 - 1376256*a^$
 $9*f^3 + 45045*(19*b^9*e*f^2 - 6*a*b^8*f^3)*x^8 + 3003*(323*b^9*e^2*f + 96*a$
 $^2*b^7*f^3 + 19*(17*b^9*d - 16*a*b^8*e)*f^2)*x^7 + 231*(1615*b^9*e^3 - 1344$
 $*a^3*b^6*f^3 + 19*(255*b^9*c - 238*a*b^8*d + 224*a^2*b^7*e)*f^2 + 646*(15*b$
 $^9*d*e - 7*a*b^8*e^2)*f)*x^6 + 63*(20995*b^9*d*e^2 - 6460*a*b^8*e^3 + 5376*$
 $a^4*b^5*f^3 - 76*(255*a*b^8*c - 238*a^2*b^7*d + 224*a^3*b^6*e)*f^2 + 323*(6$
 $5*b^9*d^2 + 56*a^2*b^7*e^2 + 10*(13*b^9*c - 12*a*b^8*d)*e)*f)*x^5 + 35*(461$
 $89*b^9*d^2*e + 12920*a^2*b^7*e^3 - 10752*a^5*b^4*f^3 + 4199*(11*b^9*c - 10*$
 $a*b^8*d)*e^2 + 152*(255*a^2*b^7*c - 238*a^3*b^6*d + 224*a^4*b^5*e)*f^2 + 64$
 $6*(143*b^9*c*d - 65*a*b^8*d^2 - 56*a^3*b^6*e^2 - 10*(13*a*b^8*c - 12*a^2*b^$
 $7*d)*e)*f)*x^4 + 5*(138567*b^9*d^3 - 103360*a^3*b^6*e^3 + 86016*a^6*b^3*f^3$
 $- 33592*(11*a*b^8*c - 10*a^2*b^7*d)*e^2 - 1216*(255*a^3*b^6*c - 238*a^4*b^$
 $5*d + 224*a^5*b^4*e)*f^2 + 92378*(9*b^9*c*d - 4*a*b^8*d^2)*e + 323*(1287*b^$
 $9*c^2 - 2288*a*b^8*c*d + 1040*a^2*b^7*d^2 + 896*a^4*b^5*e^2 + 160*(13*a^2*b$
 $^7*c - 12*a^3*b^6*d)*e)*f)*x^3 + 537472*(11*a^4*b^5*c - 10*a^5*b^4*d)*e^2 +$
 $19456*(255*a^6*b^3*c - 238*a^7*b^2*d + 224*a^8*b*e)*f^2 + 3*(969969*b^9*c*$
 $d^2 - 277134*a*b^8*d^3 + 206720*a^4*b^5*e^3 - 172032*a^7*b^2*f^3 + 67184*(1$
 $1*a^2*b^7*c - 10*a^3*b^6*d)*e^2 + 2432*(255*a^4*b^5*c - 238*a^5*b^4*d + 224$
 $*a^6*b^3*e)*f^2 + 46189*(21*b^9*c^2 - 36*a*b^8*c*d + 16*a^2*b^7*d^2)*e - 64$
 $6*(1287*a*b^8*c^2 - 2288*a^2*b^7*c*d + 1040*a^3*b^6*d^2 + 896*a^5*b^4*e^2 +$
 $160*(13*a^3*b^6*c - 12*a^4*b^5*d)*e)*f)*x^2 + 369512*(21*a^2*b^7*c^2 - 36*$
 $a^3*b^6*c*d + 16*a^4*b^5*d^2)*e - 5168*(1287*a^3*b^6*c^2 - 2288*a^4*b^5*c*d$
 $+ 1040*a^5*b^4*d^2 + 896*a^7*b^2*e^2 + 160*(13*a^5*b^4*c - 12*a^6*b^3*d)*e$
 $)*f + (4849845*b^9*c^2*d - 3879876*a*b^8*c*d^2 + 1108536*a^2*b^7*d^3 - 8268$
 $80*a^5*b^4*e^3 + 688128*a^8*b*f^3 - 268736*(11*a^3*b^6*c - 10*a^4*b^5*d)*e^$
 $2 - 9728*(255*a^5*b^4*c - 238*a^6*b^3*d + 224*a^7*b^2*e)*f^2 - 184756*(21*a$
 $*b^8*c^2 - 36*a^2*b^7*c*d + 16*a^3*b^6*d^2)*e + 2584*(1287*a^2*b^7*c^2 - 22$
 $88*a^3*b^6*c*d + 1040*a^4*b^5*d^2 + 896*a^6*b^3*e^2 + 160*(13*a^4*b^5*c - 1$
 $2*a^5*b^4*d)*e)*f)*x)*sqrt(b*x + a)/b^{10}$

giac [B] time = 0.29, size = 1414, normalized size = 2.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & 2/4849845*(4849845*\sqrt{b*x + a}*c^3 + 4849845*((b*x + a)^{(3/2)} - 3*\sqrt{b*x + a})*a)*c^2*d/b + 969969*(3*(b*x + a)^{(5/2)} - 10*(b*x + a)^{(3/2)}*a + 15*\sqrt{b*x + a})*a^2*c*d^2/b^2 + 969969*(3*(b*x + a)^{(5/2)} - 10*(b*x + a)^{(3/2)})*a + 15*\sqrt{b*x + a})*a^2*c^2*e/b^2 + 138567*(5*(b*x + a)^{(7/2)} - 21*(b*x + a)^{(5/2)}*a + 35*(b*x + a)^{(3/2)}*a^2 - 35*\sqrt{b*x + a})*a^3*d^3/b^3 + 415701*(5*(b*x + a)^{(7/2)} - 21*(b*x + a)^{(5/2)}*a + 35*(b*x + a)^{(3/2)}*a^2 - 35*\sqrt{b*x + a})*a^3*c^2*f/b^3 + 831402*(5*(b*x + a)^{(7/2)} - 21*(b*x + a)^{(5/2)}*a + 35*(b*x + a)^{(3/2)}*a^2 - 35*\sqrt{b*x + a})*a^3*c*d*e/b^3 + 92378*(35*(b*x + a)^{(9/2)} - 180*(b*x + a)^{(7/2)}*a + 378*(b*x + a)^{(5/2)}*a^2 - 420*(b*x + a)^{(3/2)}*a^3 + 315*\sqrt{b*x + a})*a^4*c*d*f/b^4 + 46189*(35*(b*x + a)^{(9/2)} - 180*(b*x + a)^{(7/2)}*a + 378*(b*x + a)^{(5/2)}*a^2 - 420*(b*x + a)^{(3/2)}*a^3 + 315*\sqrt{b*x + a})*a^4*d^2*e/b^4 + 20995*(63*(b*x + a)^{(11/2)} - 385*(b*x + a)^{(9/2)}*a + 990*(b*x + a)^{(7/2)}*a^2 - 1386*(b*x + a)^{(5/2)}*a^3 + 1155*(b*x + a)^{(3/2)}*a^4 - 693*\sqrt{b*x + a})*a^5*d^2*f/b^5 + 46189*(35*(b*x + a)^{(9/2)} - 180*(b*x + a)^{(7/2)}*a + 378*(b*x + a)^{(5/2)}*a^2 - 420*(b*x + a)^{(3/2)}*a^3 + 315*\sqrt{b*x + a})*a^4*c*e^2/b^4 + 41990*(63*(b*x + a)^{(11/2)} - 385*(b*x + a)^{(9/2)}*a + 990*(b*x + a)^{(7/2)}*a^2 - 1386*(b*x + a)^{(5/2)}*a^3 + 1155*(b*x + a)^{(3/2)}*a^4 - 693*\sqrt{b*x + a})*a^5*c*f*e/b^5 + 4845*(231*(b*x + a)^{(13/2)} - 1638*(b*x + a)^{(11/2)}*a + 5005*(b*x + a)^{(9/2)}*a^2 - 8580*(b*x + a)^{(7/2)}*a^3 + 9009*(b*x + a)^{(5/2)}*a^4 - 6006*(b*x + a)^{(3/2)}*a^5 + 3003*\sqrt{b*x + a})*a^6*c*f^2/b^6 + 20995*(63*(b*x + a)^{(11/2)} - 385*(b*x + a)^{(9/2)}*a + 990*(b*x + a)^{(7/2)}*a^2 - 1386*(b*x + a)^{(5/2)}*a^3 + 1155*(b*x + a)^{(3/2)}*a^4 - 693*\sqrt{b*x + a})*a^5*d*e^2/b^5 + 9690*(231*(b*x + a)^{(13/2)} - 1638*(b*x + a)^{(11/2)}*a + 5005*(b*x + a)^{(9/2)}*a^2 - 8580*(b*x + a)^{(7/2)}*a^3 + 9009*(b*x + a)^{(5/2)}*a^4 - 6006*(b*x + a)^{(3/2)}*a^5 + 3003*\sqrt{b*x + a})*a^6*d*f*e/b^6 + 2261*(429*(b*x + a)^{(15/2)} - 3465*(b*x + a)^{(13/2)}*a + 12285*(b*x + a)^{(11/2)}*a^2 - 25025*(b*x + a)^{(9/2)}*a^3 + 32175*(b*x + a)^{(7/2)}*a^4 - 27027*(b*x + a)^{(5/2)}*a^5 + 15015*(b*x + a)^{(3/2)}*a^6 - 6435*\sqrt{b*x + a})*a^7*d*f^2/b^7 + 1615*(231*(b*x + a)^{(13/2)} - 1638*(b*x + a)^{(11/2)}*a + 5005*(b*x + a)^{(9/2)}*a^2 - 8580*(b*x + a)^{(7/2)}*a^3 + 9009*(b*x + a)^{(5/2)}*a^4 - 6006*(b*x + a)^{(3/2)}*a^5 + 3003*\sqrt{b*x + a})*a^6)*e^3/b^6 + 2261*(429*(b*x + a)^{(15/2)} - 3465*(b*x + a)^{(13/2)}*a + 12285*(b*x + a)^{(11/2)}*a^2 - 25025*(b*x + a)^{(9/2)}*a^3 + 32175*(b*x + a)^{(7/2)}*a^4 - 27027*(b*x + a)^{(5/2)}*a^5 + 15015*(b*x + a)^{(3/2)}*a^6 - 6435*\sqrt{b*x + a})*a^7*f*e^2/b^7 + 133*(6435*(b*x + a)^{(17/2)} - 58344*(b*x + a)^{(15/2)}*a + 235620*(b*x + a)^{(13/2)}*a^2 - 556920*(b*x + a)^{(11/2)}*a^3 + 850850*(b*x + a)^{(9/2)}*a^4 - 875160*(b*x + a)^{(7/2)}*a^5 + 612612*(b*x + a)^{(5/2)}*a^6 - 291720*(b*x + a)^{(3/2)}*a^7 + 109395*\sqrt{b*x + a})*a^8*f^2*e/b^8 + 21*(121$$

$$55*(b*x + a)^{(19/2)} - 122265*(b*x + a)^{(17/2)}*a + 554268*(b*x + a)^{(15/2)}*a^2 - 1492260*(b*x + a)^{(13/2)}*a^3 + 2645370*(b*x + a)^{(11/2)}*a^4 - 3233230*(b*x + a)^{(9/2)}*a^5 + 2771340*(b*x + a)^{(7/2)}*a^6 - 1662804*(b*x + a)^{(5/2)}*a^7 + 692835*(b*x + a)^{(3/2)}*a^8 - 230945*\sqrt{b*x + a}*a^9)*f^3/b^9)/b$$

maple [B] time = 0.05, size = 1417, normalized size = 2.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x^3+e*x^2+d*x+c)^3/(b*x+a)^{(1/2)}, x)$

[Out] $-2/4849845*(b*x+a)^{(1/2)}*(-255255*b^9*f^3*x^9+270270*a*b^8*f^3*x^8-855855*b^9*e*f^2*x^8-288288*a^2*b^7*f^3*x^7+912912*a*b^8*e*f^2*x^7-969969*b^9*d*f^2*x^7-969969*b^9*e^2*f*x^7+310464*a^3*b^6*f^3*x^6-983136*a^2*b^7*e*f^2*x^6+1044582*a*b^8*d*f^2*x^6+1044582*a*b^8*e^2*f*x^6-1119195*b^9*c*f^2*x^6-2238390*b^9*d*e*f*x^6-373065*b^9*e^3*x^6-338688*a^4*b^5*f^3*x^5+1072512*a^3*b^6*e*f^2*x^5-1139544*a^2*b^7*d*f^2*x^5-1139544*a^2*b^7*e^2*f*x^5+1220940*a*b^8*c*f^2*x^5+2441880*a*b^8*d*e*f*x^5+406980*a*b^8*e^3*x^5-2645370*b^9*c*e*f*x^5-1322685*b^9*d^2*f*x^5-1322685*b^9*d*e^2*x^5+376320*a^5*b^4*f^3*x^4-1191680*a^4*b^5*e*f^2*x^4+1266160*a^3*b^6*d*f^2*x^4+1266160*a^3*b^6*e^2*f*x^4-1356600*a^2*b^7*c*f^2*x^4-2713200*a^2*b^7*d*e*f*x^4-452200*a^2*b^7*e^3*x^4+2939300*a*b^8*c*e*f*x^4+1469650*a*b^8*d^2*f*x^4+1469650*a*b^8*d*e^2*x^4-3233230*b^9*c*d*f*x^4-1616615*b^9*c*e^2*x^4-1616615*b^9*d^2*e*x^4-430080*a^6*b^3*f^3*x^3+1361920*a^5*b^4*e*f^2*x^3-1447040*a^4*b^5*d*f^2*x^3-1447040*a^4*b^5*e^2*f*x^3+1550400*a^3*b^6*c*f^2*x^3+3100800*a^3*b^6*d*e*f*x^3+516800*a^3*b^6*e^3*x^3-3359200*a^2*b^7*c*e*f*x^3-1679600*a^2*b^7*d^2*f*x^3-1679600*a^2*b^7*d*e^2*x^3+3695120*a*b^8*c*d*f*x^3+1847560*a*b^8*c*e^2*x^3+1847560*a*b^8*d^2*e*x^3-2078505*b^9*c^2*f*x^3-4157010*b^9*c*d*e*x^3-692835*b^9*d^3*x^3+516096*a^7*b^2*f^3*x^2-1634304*a^6*b^3*e*f^2*x^2+1736448*a^5*b^4*d*f^2*x^2+1736448*a^5*b^4*e^2*f*x^2-1860480*a^4*b^5*c*f^2*x^2-3720960*a^4*b^5*d*e*f*x^2-620160*a^4*b^5*e^3*x^2+4031040*a^3*b^6*c*e*f*x^2+2015520*a^3*b^6*d^2*f*x^2+2015520*a^3*b^6*d*e^2*x^2-4434144*a^2*b^7*c*d*f*x^2-2217072*a^2*b^7*c*e^2*x^2-2217072*a^2*b^7*d^2*e*x^2+2494206*a*b^8*c^2*f*x^2+4988412*a*b^8*c*d*e*x^2+831402*a*b^8*d^3*x^2-2909907*b^9*c^2*e*x^2-2909907*b^9*c*d^2*x^2-688128*a^8*b*f^3*x+2179072*a^7*b^2*e*f^2*x-2315264*a^6*b^3*d*f^2*x-2315264*a^6*b^3*e^2*f*x+2480640*a^5*b^4*c*f^2*x+4961280*a^5*b^4*d*e*f*x+826880*a^5*b^4*e^3*x-5374720*a^4*b^5*c*e*f*x-2687360*a^4*b^5*d^2*f*x-2687360*a^4*b^5*d*e^2*x+5912192*a^3*b^6*c*d*f*x+2956096*a^3*b^6*c*e^2*x+2956096*a^3*b^6*d^2*e*x-3325608*a^2*b^7*c^2*f*x-6651216*a^2*b^7*c*d*e*x-1108536*a^2*b^7*d^3*x+3879876*a*b^8*c^2*e*x+3879876*a*b^8*c*d^2*x-4849845*b^9*c^2*d*x+1376256*a^9*f^3-4358144*a^8*b*e*f^2+4630528*a^7*b^2*d*f^2+4630528*a^7*b^2*e^2*f-4961280*a^6*b^3*c*f^2-9922560*a^6*b^3*d*e*f-1653760*a^6*b^3*e^3+10749440*a^5*b^4*c*e*f+5374720*a^5*b^4*d^2*f+5374720*a^5*b^4*d*e^2-11824384*a^4*b^5*c*d*f-5912192*a^4*b^5*c*e^2-5912192*a^4*b^5*d^2*e+6651216*a^3*b^6*c^2*f+13302432*a^3*b^6*c$

*d*e+2217072*a^3*b^6*d^3-7759752*a^2*b^7*c^2*e-7759752*a^2*b^7*c*d^2+9699690*a*b^8*c^2*d-4849845*b^9*c^3)/b^10

maxima [B] time = 1.09, size = 1360, normalized size = 1.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^(1/2),x, algorithm="maxima")

[Out]
$$\frac{2}{4849845} (4849845 \sqrt{bx+a} c^3 + 138567 c^2 (35 (bx+a)^{3/2} - 3 \sqrt{bx+a}) a) \frac{d}{b} + 7 (3 (bx+a)^{5/2} - 10 (bx+a)^{3/2} a + 15 \sqrt{bx+a} a^2) \frac{e}{b^2} + 3 (5 (bx+a)^{7/2} - 21 (bx+a)^{5/2} a + 35 (bx+a)^{3/2} a^2 - 35 \sqrt{bx+a} a^3) \frac{f}{b^3} + 323 c (3003 (3 (bx+a)^{5/2} - 10 (bx+a)^{3/2} a + 15 \sqrt{bx+a} a^2) \frac{d^2}{b^2} + 143 (35 (bx+a)^{9/2} - 180 (bx+a)^{7/2} a + 378 (bx+a)^{5/2} a^2 - 420 (bx+a)^{3/2} a^3 + 315 \sqrt{bx+a} a^4) \frac{e^2}{b^4} + 286 (35 (bx+a)^{9/2} f + 45 (b e - 4 a f) (bx+a)^{7/2} - 189 (a b e - 2 a^2 f) (bx+a)^{5/2} + 105 (3 a^2 b e - 4 a^3 f) (bx+a)^{3/2} - 315 (a^3 b e - a^4 f) \sqrt{bx+a}) \frac{d}{b^4} + 130 (63 (bx+a)^{11/2} - 385 (bx+a)^{9/2} a + 990 (bx+a)^{7/2} a^2 - 1386 (bx+a)^{5/2} a^3 + 1155 (bx+a)^{3/2} a^4 - 693 \sqrt{bx+a} a^5) \frac{e f}{b^5} + 15 (231 (bx+a)^{13/2} - 1638 (bx+a)^{11/2} a + 5005 (bx+a)^{9/2} a^2 - 8580 (bx+a)^{7/2} a^3 + 9009 (bx+a)^{5/2} a^4 - 6006 (bx+a)^{3/2} a^5 + 3003 \sqrt{bx+a} a^6) \frac{f^2}{b^6} + 138567 (5 (bx+a)^{7/2} - 21 (bx+a)^{5/2} a + 35 (bx+a)^{3/2} a^2 - 35 \sqrt{bx+a} a^3) \frac{d^3}{b^3} + 4199 (315 (bx+a)^{11/2} f + 385 (b e - 5 a f) (bx+a)^{9/2} - 990 (2 a b e - 5 a^2 f) (bx+a)^{7/2} + 1386 (3 a^2 b e - 5 a^3 f) (bx+a)^{5/2} - 1155 (4 a^3 b e - 5 a^4 f) (bx+a)^{3/2} + 3465 (a^4 b e - a^5 f) \sqrt{bx+a}) \frac{d^2}{b^5} + 1615 (231 (bx+a)^{13/2} - 1638 (bx+a)^{11/2} a + 5005 (bx+a)^{9/2} a^2 - 8580 (bx+a)^{7/2} a^3 + 9009 (bx+a)^{5/2} a^4 - 6006 (bx+a)^{3/2} a^5 + 3003 \sqrt{bx+a} a^6) \frac{e^3}{b^6} + 2261 (429 (bx+a)^{15/2} - 3465 (bx+a)^{13/2} a + 12285 (bx+a)^{11/2} a^2 - 25025 (bx+a)^{9/2} a^3 + 32175 (bx+a)^{7/2} a^4 - 27027 (bx+a)^{5/2} a^5 + 15015 (bx+a)^{3/2} a^6 - 6435 \sqrt{bx+a} a^7) \frac{e^2 f}{b^7} + 133 (6435 (bx+a)^{17/2} - 58344 (bx+a)^{15/2} a + 235620 (bx+a)^{13/2} a^2 - 556920 (bx+a)^{11/2} a^3 + 850850 (bx+a)^{9/2} a^4 - 875160 (bx+a)^{7/2} a^5 + 612612 (bx+a)^{5/2} a^6 - 291720 (bx+a)^{3/2} a^7 + 109395 \sqrt{bx+a} a^8) \frac{e f^2}{b^8} + 323 (3003 (bx+a)^{15/2} f^2 + 3465 (2 b e f - 7 a f^2) (bx+a)^{13/2} + 4095 (b^2 e^2 - 12 a b e f + 21 a^2 f^2) (bx+a)^{11/2} - 25025 (a b^2 e^2 - 6 a^2 b e f + 7 a^3 f^2) (bx+a)^{9/2} + 32175 (2 a^2 b^2 e^2 - 8 a^3 b e f + 7 a^4 f^2) (bx+a)^{7/2} - 9009 (10 a^3 b^2 e^2 - 30 a^4 b e f + 21 a^5 f^2) (bx+a)^{5/2} + 15015 (5 a^4 b^2 e^2 - 12 a^5 b e f + 7 a^6 f^2) (bx+a)^{3/2} - 45045 (a^5 b^2 e^2 - 2 a^6 b e f + a^7 f^2) \sqrt{bx+a}) \frac{d}{b^7} + 21 (12155 (bx+a)^{19/2} - 122265 (bx+a)^{17/2} a + 554268 (bx+a)^{15/2} a^2 - 1492260 (bx+a)^{13/2} a^3 + 2645370 (b$$

$$*x + a)^{(11/2)} * a^4 - 3233230 * (b*x + a)^{(9/2)} * a^5 + 2771340 * (b*x + a)^{(7/2)} * a^6 - 1662804 * (b*x + a)^{(5/2)} * a^7 + 692835 * (b*x + a)^{(3/2)} * a^8 - 230945 * \sqrt{b*x + a} * a^9 * f^3 / b^9 / b$$

mupad [B] time = 0.24, size = 896, normalized size = 1.27

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3)^3 / (a + b*x)^{(1/2)}, x)$

[Out] $((a + b*x)^{(11/2)} * (252*a^4*f^3 - 12*a*b^3*e^3 + 6*b^4*d*e^2 + 6*b^4*d^2*f + 126*a^2*b^2*d*f^2 + 126*a^2*b^2*e^2*f + 12*b^4*c*e*f - 36*a*b^3*c*f^2 - 33*6*a^3*b*e*f^2 - 72*a*b^3*d*e*f)) / (11*b^{10}) + (2*(a + b*x)^{(1/2)} * (b^3*c - a^3*f - a*b^2*d + a^2*b*e)^3) / b^{10} + ((a + b*x)^{(9/2)} * (6*b^5*c*e^2 - 252*a^5*f^3 + 6*b^5*d^2*e + 30*a^2*b^3*e^3 + 90*a^2*b^3*c*f^2 - 210*a^3*b^2*d*f^2 - 210*a^3*b^2*e^2*f + 12*b^5*c*d*f - 30*a*b^4*d*e^2 - 30*a*b^4*d^2*f + 420*a^4*b*e*f^2 + 180*a^2*b^3*d*e*f - 60*a*b^4*c*e*f)) / (9*b^{10}) + (2*f^3*(a + b*x)^{(19/2)}) / (19*b^{10}) + ((a + b*x)^{(13/2)} * (2*b^3*e^3 - 168*a^3*f^3 + 6*b^3*c*f^2 + 12*b^3*d*e*f - 42*a*b^2*d*f^2 - 42*a*b^2*e^2*f + 168*a^2*b*e*f^2)) / (13*b^{10}) - ((18*a*f^3 - 6*b*e*f^2)*(a + b*x)^{(17/2)}) / (17*b^{10}) + ((a + b*x)^{(15/2)} * (72*a^2*f^3 + 6*b^2*d*f^2 + 6*b^2*e^2*f - 48*a*b*e*f^2)) / (15*b^{10}) - ((a + b*x)^{(5/2)} * (72*a^7*f^3 + 6*a*b^6*d^3 - 6*b^7*c*d^2 - 6*b^7*c^2*e - 30*a^4*b^3*e^3 - 36*a^2*b^5*c*e^2 - 36*a^2*b^5*d^2*e + 60*a^3*b^4*d*e^2 - 90*a^4*b^3*c*f^2 + 60*a^3*b^4*d^2*f + 126*a^5*b^2*d*f^2 + 126*a^5*b^2*e^2*f + 18*a*b^6*c^2*f - 168*a^6*b*e*f^2 - 72*a^2*b^5*c*d*f + 120*a^3*b^4*c*e*f - 180*a^4*b^3*d*e*f + 36*a*b^6*c*d*e)) / (5*b^{10}) + ((a + b*x)^{(7/2)} * (2*b^6*d^3 + 168*a^6*f^3 + 6*b^6*c^2*f - 40*a^3*b^3*e^3 + 60*a^2*b^4*d*e^2 - 120*a^3*b^3*c*f^2 + 60*a^2*b^4*d^2*f + 210*a^4*b^2*d*f^2 + 210*a^4*b^2*e^2*f + 12*b^6*c*d*e - 24*a*b^5*c*e^2 - 24*a*b^5*d^2*e - 336*a^5*b*e*f^2 + 120*a^2*b^4*c*e*f - 240*a^3*b^3*d*e*f - 48*a*b^5*c*d*f)) / (7*b^{10}) + (2*(a + b*x)^{(3/2)} * (b^2*d + 3*a^2*f - 2*a*b*e) * (b^3*c - a^3*f - a*b^2*d + a^2*b*e)^2) / b^{10}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x**3 + e*x**2 + d*x + c)**3 / (b*x + a)**(1/2), x)$

[Out] Timed out

$$3.7 \quad \int \frac{c+dx}{a+bx^3} dx$$

Optimal. Leaf size=161

$$\frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}c - \sqrt[3]{a}d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}d + \sqrt[3]{b}c\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}}$$

Rubi [A] time = 0.11, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1860, 31, 634, 617, 204, 628}

$$\frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}c - \sqrt[3]{a}d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}d + \sqrt[3]{b}c\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^3), x]

[Out] -(((b^(1/3)*c + a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(2/3)*b^(2/3))) + ((b^(1/3)*c - a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(2/3)*b^(2/3)) - ((c - (a^(1/3)*d)/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(2/3)*b^(1/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628


```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{a + bx^3} dx &= \frac{\int \frac{\sqrt[3]{a}(2\sqrt[3]{b}c + \sqrt[3]{ad}) + \sqrt[3]{b}(-\sqrt[3]{b}c + \sqrt[3]{ad})x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}\sqrt[3]{b}} + \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}} \\ &= \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{ad}) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}b^{2/3}} + \frac{1}{2} \left(\frac{c}{\sqrt[3]{a}} + \frac{d}{\sqrt[3]{b}}\right) \int \frac{1}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx \\ &= \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{ad}) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} + \frac{(\sqrt[3]{b}c + \sqrt[3]{ad}) \operatorname{Su}}{6a^{2/3}b^{2/3}} \\ &= -\frac{(\sqrt[3]{b}c + \sqrt[3]{ad}) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{ad}) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.08, size = 124, normalized size = 0.77

$$\frac{(\sqrt[3]{b}c - \sqrt[3]{ad}) \left(2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) - \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)\right) - 2\sqrt{3}(\sqrt[3]{ad} + \sqrt[3]{b}c) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{6a^{2/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^3), x]

[Out] $(-2\sqrt{3}*(b^{1/3}*c + a^{1/3}*d)*\text{ArcTan}[(1 - (2*b^{1/3}*x)/a^{1/3})/\sqrt{3}] + (b^{1/3}*c - a^{1/3}*d)*(2*\text{Log}[a^{1/3} + b^{1/3}*x] - \text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2]))/(6*a^{2/3}*b^{2/3})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(c + d*x)/(a + b*x^3), x]

fricas [C] time = 1.15, size = 1931, normalized size = 11.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a), x, algorithm="fricas")

[Out] $-1/6*((1/2)^{1/3}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{1/3} - 2*(1/2)^{2/3}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{1/3}))*\log(1/4*((1/2)^{1/3}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{1/3} - 2*(1/2)^{2/3}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{1/3}))^2*a^2*b*d - 1/2*((1/2)^{1/3}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{1/3} - 2*(1/2)^{2/3}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{1/3}))*a*b*c^2 + 2*a*c*d^2 + (b*c^3 + a*d^3)*x + 1/12*((1/2)^{1/3}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{1/3} - 2*(1/2)^{2/3}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{1/3}))*3*\sqrt{1/3}*\sqrt{-(((1/2)^{1/3}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{1/3} - 2*(1/2)^{2/3}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{1/3}))^2*a*b + 16*c*d)/(a*b)))*\log(-1/4*((1/2)^{1/3}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{1/3} - 2*(1/2)^{2/3}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{1/3}))*2*a^2*b*d + 1/2*((1/2)^{1/3}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{1/3} - 2*(1/2)^{2/3}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{1/3}))*a*b*c^2 - 2*a*c*d^2 + 2*(b*c^3 + a*d^3)*x + 3/4*sq$

```

rt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 -
a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3
+ a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a*b*d + 2*a*b*c^2
)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 -
a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3
+ a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a*b + 16*c*d)/(a*
b))) + 1/12*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^
3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c
^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3))) - 3*sqrt(1/3)*sqr
t(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^
3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d
^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a*b + 16*c*d)/(a*b))) *
log(-1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 -
a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3
+ a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a^2*b*d + 1/2*((1
/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2
*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^
2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3))) * a*b*c^2 - 2*a*c*d^2 + 2*(b*c^3
+ a*d^3)*x - 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(
a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3)
+ 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3))) *
a^2*b*d + 2*a*b*c^2)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(
a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3)
+ 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^
2*a*b + 16*c*d)/(a*b)))

```

giac [A] time = 0.17, size = 141, normalized size = 0.88

$$\frac{\sqrt{3} \left(bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}}} - \frac{\left(bc + \left(-ab^2 \right)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-ab^2 \right)^{\frac{2}{3}}} - \frac{\left(d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + c \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{3a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b*c - (-a*b^2)^(1/3)*d)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3)/(-a*b^2)^(2/3) - 1/6*(b*c + (-a*b^2)^(1/3)*d)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(-a*b^2)^(2/3) - 1/3*(d*(-a/b)^(1/3) + c)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a

maple [A] time = 0.05, size = 186, normalized size = 1.16

$$\frac{\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}}b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^3+a),x)

[Out] 1/3*c/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/6*c/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*c/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3*d/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/6*d/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*d*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [A] time = 1.91, size = 135, normalized size = 0.84

$$\frac{\sqrt{3}\left(d\left(\frac{a}{b}\right)^{\frac{1}{3}}+c\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(d\left(\frac{a}{b}\right)^{\frac{1}{3}}-c\right)\log\left(x^2-x\left(\frac{a}{b}\right)^{\frac{1}{3}}+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(d\left(\frac{a}{b}\right)^{\frac{1}{3}}-c\right)\log\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/3*sqrt(3)*(d*(a/b)^(1/3)+c)*arctan(1/3*sqrt(3)*(2*x-(a/b)^(1/3))/(a/b)^(1/3))/(b*(a/b)^(2/3))+1/6*(d*(a/b)^(1/3)-c)*log(x^2-x*(a/b)^(1/3)+(a/b)^(2/3))/(b*(a/b)^(2/3))-1/3*(d*(a/b)^(1/3)-c)*log(x+(a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 5.51, size = 127, normalized size = 0.79

$$\sum_{k=1}^3 \ln\left(b\left(c d + d^2 x + \sqrt{27 a^2 b^2 z^3 + 9 a b c d z + a d^3 - b c^3, z, k}\right)^2 a b^9 + \sqrt{27 a^2 b^2 z^3 + 9 a b c d z + a d^3 - b c^3, z, k} b c x^3\right) \sqrt{27 a^2 b^2 z^3 + 9 a b c d z + a d^3 - b c^3, z, k}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^3),x)

[Out] symsum(log(b*(c*d + d^2*x + 9*root(27*a^2*b^2*z^3 + 9*a*b*c*d*z + a*d^3 - b*c^3, z, k)^2*a*b + 3*root(27*a^2*b^2*z^3 + 9*a*b*c*d*z + a*d^3 - b*c^3, z,

$k) * b * c * x)) * \text{root}(27 * a^2 * b^2 * z^3 + 9 * a * b * c * d * z + a * d^3 - b * c^3, z, k), k, 1, 3)$

sympy [A] time = 1.19, size = 76, normalized size = 0.47

$$\text{RootSum}\left(27t^3a^2b^2 + 9tabcd + ad^3 - bc^3, \left(t \mapsto t \log\left(x + \frac{9t^2a^2bd + 3tabc^2 + 2acd^2}{ad^3 + bc^3}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**3+a),x)

[Out] RootSum(27*_t**3*a**2*b**2 + 9*_t*a*b*c*d + a*d**3 - b*c**3, Lambda(_t, _t*log(x + (9*_t**2*a**2*b*d + 3*_t*a*b*c**2 + 2*a*c*d**2)/(a*d**3 + b*c**3)))

$$3.8 \quad \int \frac{c+dx}{(a+bx^3)^2} dx$$

Optimal. Leaf size=189

$$\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

Rubi [A] time = 0.14, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1855, 1860, 31, 634, 617, 204, 628}

$$\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}} + \frac{x(c+dx)}{3a(a+bx^3)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^3)^2, x]

[Out] (x*(c + d*x))/(3*a*(a + b*x^3)) - ((2*b^(1/3)*c + a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(5/3)*b^(2/3)) + ((2*b^(1/3)*c - a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(5/3)*b^(2/3)) - ((2*b^(1/3)*c - a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(5/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a+bx^3)^2} dx &= \frac{x(c+dx)}{3a(a+bx^3)} - \frac{\int \frac{-2c-dx}{a+bx^3} dx}{3a} \\
&= \frac{x(c+dx)}{3a(a+bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-4\sqrt[3]{b}c-\sqrt[3]{a}d)+\sqrt[3]{b}(2\sqrt[3]{b}c-\sqrt[3]{a}d)x}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{9a^{5/3}\sqrt[3]{b}} + \frac{\left(2c-\frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a}+\sqrt[3]{b}x} dx}{9a^{5/3}} \\
&= \frac{x(c+dx)}{3a(a+bx^3)} + \frac{(2\sqrt[3]{b}c-\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c-\sqrt[3]{a}d) \int \frac{-\sqrt[3]{a}\sqrt[3]{b}+2b^{2/3}x}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{18a^{5/3}b^{2/3}} + \dots \\
&= \frac{x(c+dx)}{3a(a+bx^3)} + \frac{(2\sqrt[3]{b}c-\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c-\sqrt[3]{a}d) \log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3})}{18a^{5/3}b^{2/3}} \\
&= \frac{x(c+dx)}{3a(a+bx^3)} - \frac{(2\sqrt[3]{b}c+\sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c-\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c-\sqrt[3]{a}d) \log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3})}{18a^{5/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 180, normalized size = 0.95

$$\frac{\frac{(a^{2/3}d-2\sqrt[3]{a}\sqrt[3]{b}c) \log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{b^{2/3}} + \frac{2(2\sqrt[3]{a}\sqrt[3]{b}c-a^{2/3}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{b^{2/3}} - \frac{2\sqrt{3}\sqrt[3]{a}(\sqrt[3]{a}d+2\sqrt[3]{b}c) \tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{b^{2/3}} + \frac{6ax(c+dx)}{a+bx^3}}{18a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^3)^2,x]

[Out] ((6*a*x*(c + d*x))/(a + b*x^3) - (2*Sqrt[3]*a^(1/3)*(2*b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/b^(2/3) + (2*(2*a^(1/3)*b^(1/3)*c - a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + ((-2*a^(1/3)*b^(1/3)*c + a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3))/(18*a^2)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c+dx}{(a+bx^3)^2} dx$$

Verification is not applicable to the result.

$$\frac{(8bc^3 - ad^3)/(a^5b^2)^{1/3})^2 a^3b + 32cd/(a^3b)) \log(-1/4((1/2)^{1/3}(I\sqrt{3} + 1)((8bc^3 + ad^3)/(a^5b^2) + (8bc^3 - ad^3)/(a^5b^2)^{1/3} + 4(1/2)^{2/3}cd(I\sqrt{3} - 1)/(a^3b((8bc^3 + ad^3)/(a^5b^2) + (8bc^3 - ad^3)/(a^5b^2)^{1/3}))^2 a^4bd + 2((1/2)^{1/3}(I\sqrt{3} + 1)((8bc^3 + ad^3)/(a^5b^2) + (8bc^3 - ad^3)/(a^5b^2)^{1/3} + 4(1/2)^{2/3}cd(I\sqrt{3} - 1)/(a^3b((8bc^3 + ad^3)/(a^5b^2) + (8bc^3 - ad^3)/(a^5b^2)^{1/3}))^2 a^2bc^2 - 4acd^2 + 2(8bc^3 + ad^3)x - 3/4\sqrt{1/3}(((1/2)^{1/3}(I\sqrt{3} + 1)((8bc^3 + ad^3)/(a^5b^2) + (8bc^3 - ad^3)/(a^5b^2)^{1/3} + 4(1/2)^{2/3}cd(I\sqrt{3} - 1)/(a^3b((8bc^3 + ad^3)/(a^5b^2) + (8bc^3 - ad^3)/(a^5b^2)^{1/3}))^2 a^4bd + 8a^2bc^2)\sqrt{-(((1/2)^{1/3}(I\sqrt{3} + 1)((8bc^3 + ad^3)/(a^5b^2) + (8bc^3 - ad^3)/(a^5b^2)^{1/3} + 4(1/2)^{2/3}cd(I\sqrt{3} - 1)/(a^3b((8bc^3 + ad^3)/(a^5b^2) + (8bc^3 - ad^3)/(a^5b^2)^{1/3}))^2 a^3b + 32cd)/(a^3b))))/(abx^3 + a^2)$$

giac [A] time = 0.18, size = 174, normalized size = 0.92

$$\frac{\sqrt{3} \left(2bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a} - \frac{\left(2bc + (-ab^2)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(-ab^2 \right)^{\frac{2}{3}} a} - \frac{\left(d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + 2c \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{9a^2} + \frac{dx^2 + cx}{3(bx^3 + a)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-1/9\sqrt{3}(2bc - (-ab^2)^{1/3}d)\arctan(1/3\sqrt{3}(2x + (-a/b)^{1/3})/(-a/b)^{1/3})/((-a/b)^{1/3})/((-a/b^2)^{2/3}a) - 1/18(2bc + (-a/b^2)^{1/3}d)\log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3})/((-a/b^2)^{2/3}a) - 1/9(d(-a/b)^{1/3} + 2c)(-a/b)^{1/3}\log(\text{abs}(x - (-a/b)^{1/3}))/a^2 + 1/3(d*x^2 + c*x)/(b*x^3 + a)a$

maple [A] time = 0.05, size = 238, normalized size = 1.26

$$\frac{dx^2}{3(bx^3 + a)a} + \frac{cx}{3(bx^3 + a)a} + \frac{2\sqrt{3}c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{2c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) - c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{\sqrt{3}d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} ab} - \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} ab} + \frac{d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(\frac{a}{b} \right)^{\frac{1}{3}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^3+a)^2,x)

[Out] $1/3*c*x/a/(b*x^3+a) + 2/9*c/a/b/(a/b)^{2/3}*\ln(x+(a/b)^{1/3}) - 1/9*c/a/b/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3}) + 2/9*c/a/b/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1)) + 1/3*d*x^2/a/(b*x^3+a) - 1/9*d/a/b/(a/b)^{1/3}$

$\frac{1}{3} \ln(x + (a/b)^{1/3}) + 1/18 d/a/b / (a/b)^{1/3} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + 1/9 d/a \cdot 3^{1/2} / b / (a/b)^{1/3} \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3} x - 1))$

maxima [A] time = 2.00, size = 169, normalized size = 0.89

$$\frac{dx^2 + cx}{3(abx^3 + a^2)} + \frac{\sqrt{3} \left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} + 2c \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9ab \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18ab \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2c \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9ab \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3} \frac{d x^2 + c x}{a b x^3 + a^2} + \frac{1}{9} \sqrt{3} \frac{(d (a/b)^{1/3} + 2c) \arctan(1/3 \sqrt{3} (2x - (a/b)^{1/3}) / (a/b)^{1/3})}{a b (a/b)^{2/3}} + \frac{1}{18} \frac{(d (a/b)^{1/3} - 2c) \log(x^2 - x (a/b)^{1/3} + (a/b)^{2/3})}{a b (a/b)^{2/3}} - \frac{1}{9} \frac{(d (a/b)^{1/3} - 2c) \log(x + (a/b)^{1/3})}{a b (a/b)^{2/3}}$

mupad [B] time = 4.87, size = 169, normalized size = 0.89

$$\left(\sum_{k=1}^3 \ln \left(\frac{b \left(2c d + d^2 x + \sqrt{\text{root}(729 a^5 b^2 z^3 + 54 a^2 b c d z - 8 b c^3 + a d^3, z, k)}^2 a^3 b 81 + \sqrt{\text{root}(729 a^5 b^2 z^3 + 54 a^2 b c d z - 8 b c^3 + a d^3, z, k)} a b c x 18 \right)}{a^2 9} \right) \right) \sqrt{\text{root}(729 a^5 b^2 z^3 + 54 a^2 b c d z - 8 b c^3 + a d^3, z, k)} + \frac{d x^2 + c x}{b x^3 + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^3)^2,x)

[Out] $\text{symsum}(\log((b(2cd + d^2x + 81\sqrt{\text{root}(729a^5b^2z^3 + 54a^2b^2cdz - 8bc^3 + ad^3, z, k)}^2 a^3 b + 18\sqrt{\text{root}(729a^5b^2z^3 + 54a^2b^2cdz - 8bc^3 + ad^3, z, k)} a b c x)) / (9a^2) \sqrt{\text{root}(729a^5b^2z^3 + 54a^2b^2cdz - 8bc^3 + ad^3, z, k)}, k, 1, 3) + ((dx^2)/(3a) + (cx)/(3a)) / (a + b x^3))$

sympy [A] time = 2.15, size = 105, normalized size = 0.56

$$\text{RootSum} \left(729 t^3 a^5 b^2 + 54 t a^2 b c d + a d^3 - 8 b c^3, \left(t \mapsto t \log \left(x + \frac{81 t^2 a^4 b d + 36 t a^2 b c^2 + 4 a c d^2}{a d^3 + 8 b c^3} \right) \right) \right) + \frac{c x + d x^2}{3 a^2 + 3 a b x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**3+a)**2,x)

[Out] $\text{RootSum}(729 _t^3 a^5 b^2 + 54 _t a^2 b^2 c d + a d^3 - 8 b c^3, \text{Lambda}(_t, _t \log(x + (81 _t^2 a^4 b d + 36 _t a^2 b c^2 + 4 a c d^2) / (a d^3 + 8 b c^3)))) + (c x + d x^2) / (3 a^2 + 3 a b x^3)$

$$3.9 \quad \int \frac{c+dx}{(a+bx^3)^3} dx$$

Optimal. Leaf size=215

$$\frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}d + 5\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}x}\right)}{9\sqrt{3}a^{8/3}b^{2/3}}$$

Rubi [A] time = 0.19, antiderivative size = 215, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1855, 1860, 31, 634, 617, 204, 628}

$$\frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}d + 5\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}} + \frac{x(5c + 4dx)}{18a^2(a + bx^3)} + \frac{x(c + dx)}{6a(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^3)^3, x]

[Out] (x*(c + d*x))/(6*a*(a + b*x^3)^2) + (x*(5*c + 4*d*x))/(18*a^2*(a + b*x^3)) - ((5*b^(1/3)*c + 2*a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(8/3)*b^(2/3)) + ((5*b^(1/3)*c - 2*a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(8/3)*b^(2/3)) - ((5*b^(1/3)*c - 2*a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(8/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(−1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(−1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_.))^ (p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a+bx^3)^3} dx &= \frac{x(c+dx)}{6a(a+bx^3)^2} - \frac{\int \frac{-5c-4dx}{(a+bx^3)^2} dx}{6a} \\
&= \frac{x(c+dx)}{6a(a+bx^3)^2} + \frac{x(5c+4dx)}{18a^2(a+bx^3)} + \frac{\int \frac{10c+4dx}{a+bx^3} dx}{18a^2} \\
&= \frac{x(c+dx)}{6a(a+bx^3)^2} + \frac{x(5c+4dx)}{18a^2(a+bx^3)} + \frac{\int \frac{\sqrt[3]{a}(20\sqrt[3]{b}c+4\sqrt[3]{a}d)+\sqrt[3]{b}(-10\sqrt[3]{b}c+4\sqrt[3]{a}d)x}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{54a^{8/3}\sqrt[3]{b}} + \frac{\left(5c-\frac{2\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{1}{a+bx^3} dx}{27a^{8/3}} \\
&= \frac{x(c+dx)}{6a(a+bx^3)^2} + \frac{x(5c+4dx)}{18a^2(a+bx^3)} + \frac{(5\sqrt[3]{b}c-2\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(5\sqrt[3]{b}c-2\sqrt[3]{a}d) \int \frac{1}{a+bx^3} dx}{54a^{8/3}} \\
&= \frac{x(c+dx)}{6a(a+bx^3)^2} + \frac{x(5c+4dx)}{18a^2(a+bx^3)} + \frac{(5\sqrt[3]{b}c-2\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(5\sqrt[3]{b}c-2\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{54a^{8/3}} \\
&= \frac{x(c+dx)}{6a(a+bx^3)^2} + \frac{x(5c+4dx)}{18a^2(a+bx^3)} - \frac{(5\sqrt[3]{b}c+2\sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c-2\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{27a^{8/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.25, size = 205, normalized size = 0.95

$$\frac{\frac{(2a^{2/3}d-5\sqrt[3]{a}\sqrt[3]{b}c) \log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{b^{2/3}} + \frac{2(5\sqrt[3]{a}\sqrt[3]{b}c-2a^{2/3}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{b^{2/3}} + \frac{9a^2x(c+dx)}{(a+bx^3)^2} - \frac{2\sqrt{3}\sqrt[3]{a}(2\sqrt[3]{a}d+5\sqrt[3]{b}c) \tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{b^{2/3}} + \frac{3ax(5c+4dx)}{a+bx^3}}{54a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^3)^3, x]

[Out] ((9*a^2*x*(c + d*x))/(a + b*x^3)^2 + (3*a*x*(5*c + 4*d*x))/(a + b*x^3) - (2*Sqrt[3]*a^(1/3)*(5*b^(1/3)*c + 2*a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/b^(2/3) + (2*(5*a^(1/3)*b^(1/3)*c - 2*a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + ((-5*a^(1/3)*b^(1/3)*c + 2*a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3))/(54*a^3)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x)/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(c + d*x)/(a + b*x^3)^3, x]

fricas [C] time = 1.20, size = 2215, normalized size = 10.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{108} \cdot (24 \cdot b \cdot d \cdot x^5 + 30 \cdot b \cdot c \cdot x^4 + 42 \cdot a \cdot d \cdot x^2 + 48 \cdot a \cdot c \cdot x - 2 \cdot (a^2 \cdot b^2 \cdot x^6 + 2 \cdot a^3 \cdot b \cdot x^3 + a^4) \cdot ((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3} - 20 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (-I \cdot \sqrt{3}) + 1) / (a^5 \cdot b \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3})) \cdot \log(1/2 \cdot ((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3} - 20 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (-I \cdot \sqrt{3}) + 1) / (a^5 \cdot b \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3}))^2 \cdot a^6 \cdot b \cdot d - 25/2 \cdot ((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3} - 20 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (-I \cdot \sqrt{3}) + 1) / (a^5 \cdot b \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3})) \cdot a^3 \cdot b \cdot c^2 + 40 \cdot a \cdot c \cdot d^2 + (125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) \cdot x) + ((a^2 \cdot b^2 \cdot x^6 + 2 \cdot a^3 \cdot b \cdot x^3 + a^4) \cdot ((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3} - 20 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (-I \cdot \sqrt{3}) + 1) / (a^5 \cdot b \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3})) + 3 \cdot \sqrt{1/3} \cdot (a^2 \cdot b^2 \cdot x^6 + 2 \cdot a^3 \cdot b \cdot x^3 + a^4) \cdot \sqrt{-((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3} - 20 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (-I \cdot \sqrt{3}) + 1) / (a^5 \cdot b \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3}))^2 \cdot a^5 \cdot b + 160 \cdot c \cdot d) / (a^5 \cdot b)) \cdot \log(-1/2 \cdot ((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3} - 20 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (-I \cdot \sqrt{3}) + 1) / (a^5 \cdot b \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3}))^2 \cdot a^6 \cdot b \cdot d + 25/2 \cdot ((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3} - 20 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (-I \cdot \sqrt{3}) + 1) / (a^5 \cdot b \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3})) \cdot a^3 \cdot b \cdot c^2 - 40 \cdot a \cdot c \cdot d^2 + 2 \cdot (125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) \cdot x + 3/2 \cdot \sqrt{1/3} \cdot ((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3} - 20 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (-I \cdot \sqrt{3}) + 1) / (a^5 \cdot b \cdot ((125 \cdot b \cdot c^3 + 8 \cdot a \cdot d^3) / (a^8 \cdot b^2) + (125 \cdot b \cdot c^3 - 8 \cdot a \cdot d^3) / (a^8 \cdot b^2))^{1/3}))$$

maple [A] time = 0.06, size = 272, normalized size = 1.27

$$\frac{dx^2}{6(bx^3+a)^2a} + \frac{cx}{6(bx^3+a)^2a} + \frac{2dx^2}{9(bx^3+a)a^2} + \frac{5cx}{18(bx^3+a)a^2} + \frac{5\sqrt{3}c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b} + \frac{5c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - 5c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b} - \frac{2\sqrt{3}d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b} - \frac{2d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^3+a)^3,x)

[Out] $\frac{1}{6} * c / a * x / (b * x^3 + a)^2 + 5 / 18 * c / a^2 * x / (b * x^3 + a) + 5 / 27 * c / a^2 / b / (a / b)^{(2/3)} * \ln(x + (a / b)^{(1/3)}) - 5 / 54 * c / a^2 / b / (a / b)^{(2/3)} * \ln(x^2 - (a / b)^{(1/3)} * x + (a / b)^{(2/3)}) + 5 / 27 * c / a^2 / b / (a / b)^{(2/3)} * 3^{(1/2)} * \arctan(1 / 3 * 3^{(1/2)} * (2 / (a / b)^{(1/3)} * x - 1)) + 1 / 6 * d / a * x^2 / (b * x^3 + a)^2 + 2 / 9 * d / a^2 * x^2 / (b * x^3 + a) - 2 / 27 * d / a^2 / b / (a / b)^{(1/3)} * \ln(x + (a / b)^{(1/3)}) + 1 / 27 * d / a^2 / b / (a / b)^{(1/3)} * \ln(x^2 - (a / b)^{(1/3)} * x + (a / b)^{(2/3)}) + 2 / 27 * d / a^2 * 3^{(1/2)} / b / (a / b)^{(1/3)} * \arctan(1 / 3 * 3^{(1/2)} * (2 / (a / b)^{(1/3)} * x - 1))$

maxima [A] time = 1.96, size = 203, normalized size = 0.94

$$\frac{4bdx^5 + 5bcx^4 + 7adx^2 + 8acx}{18(a^2b^2x^6 + 2a^3bx^3 + a^4)} + \frac{\sqrt{3}\left(2d\left(\frac{a}{b}\right)^{\frac{1}{3}} + 5c\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27a^2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(2d\left(\frac{a}{b}\right)^{\frac{1}{3}} - 5c\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54a^2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(2d\left(\frac{a}{b}\right)^{\frac{1}{3}} - 5c\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27a^2b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{18} * (4 * b * d * x^5 + 5 * b * c * x^4 + 7 * a * d * x^2 + 8 * a * c * x) / (a^2 * b^2 * x^6 + 2 * a^3 * b * x^3 + a^4) + 1 / 27 * \sqrt{3} * (2 * d * (a / b)^{(1/3)} + 5 * c) * \arctan(1 / 3 * \sqrt{3} * (2 * x - (a / b)^{(1/3)}) / (a / b)^{(1/3)}) / (a^2 * b * (a / b)^{(2/3)}) + 1 / 54 * (2 * d * (a / b)^{(1/3)} - 5 * c) * \log(x^2 - x * (a / b)^{(1/3)} + (a / b)^{(2/3)}) / (a^2 * b * (a / b)^{(2/3)}) - 1 / 27 * (2 * d * (a / b)^{(1/3)} - 5 * c) * \log(x + (a / b)^{(1/3)}) / (a^2 * b * (a / b)^{(2/3)})$

mupad [B] time = 0.27, size = 206, normalized size = 0.96

$$\frac{\frac{7dx^2}{18a} + \frac{4cx}{9a} + \frac{5bcx^4}{18a^2} + \frac{2bdx^5}{9a^2}}{a^2 + 2abx^3 + b^2x^6} + \sum_{k=1}^3 \ln\left(\frac{b\left(10cd + 4d^2x + \sqrt{(19683a^8b^2z^3 + 810a^3bcdz - 125bc^3 + 8ad^3, z, k)}\right)^2 a^5 b^7 29 + \sqrt{(19683a^8b^2z^3 + 810a^3bcdz - 125bc^3 + 8ad^3, z, k)} a^2 b c x 135}{a^4 81}\right) \sqrt{(19683a^8b^2z^3 + 810a^3bcdz - 125bc^3 + 8ad^3, z, k)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^3)^3,x)

[Out] $\left(\frac{7 * d * x^2}{18 * a} + \frac{4 * c * x}{9 * a} + \frac{5 * b * c * x^4}{18 * a^2} + \frac{2 * b * d * x^5}{9 * a^2}\right) / (a^2 + b^2 * x^6 + 2 * a * b * x^3) + \text{symsum}(\log\left(\frac{b * (10 * c * d + 4 * d^2 * x + 729 * \text{root}(19683 * a^8 * b^2 * z^3 + 810 * a^3 * b * c * d * z - 125 * b * c^3 + 8 * a * d^3, z, k)}{2 * a^5 * b + 135 * \text{root}(19683 * a^8 * b^2 * z^3 + 810 * a^3 * b * c * d * z - 125 * b * c^3 + 8 * a * d^3, z, k)}\right), z, k)$

) a^2bcx))/($81a^4$))* $\text{root}(19683a^8b^2z^3 + 810a^3bcdz - 125b^3c^3 + 8ad^3, z, k), k, 1, 3)$

sympy [A] time = 2.47, size = 146, normalized size = 0.68

$\text{RootSum}\left(19683t^3a^8b^2 + 810ta^3bcd + 8ad^3 - 125bc^3, \left(t \mapsto t \log\left(x + \frac{1458t^2a^6bd + 675ta^3bc^2 + 40acd^2}{8ad^3 + 125bc^3}\right)\right)\right) + \frac{8acx + 7adx^2 + 5bcx^4 + 4bdx^5}{18a^4 + 36a^3bx^3 + 18a^2b^2x^6}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(b*x**3+a)**3,x)`

[Out] `RootSum(19683*_t**3*a**8*b**2 + 810*_t*a**3*b*c*d + 8*a*d**3 - 125*b*c**3, Lambda(_t, _t*log(x + (1458*_t**2*a**6*b*d + 675*_t*a**3*b*c**2 + 40*a*c*d**2)/(8*a*d**3 + 125*b*c**3)))) + (8*a*c*x + 7*a*d*x**2 + 5*b*c*x**4 + 4*b*d*x**5)/(18*a**4 + 36*a**3*b*x**3 + 18*a**2*b**2*x**6)`

$$3.10 \quad \int \frac{c+dx}{(a+bx^3)^4} dx$$

Optimal. Leaf size=240

$$\frac{(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}d + 20\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

Rubi [A] time = 0.22, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1855, 1860, 31, 634, 617, 204, 628}

$$-\frac{(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}d + 20\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} + \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{x(c + dx)}{9a(a + bx^3)^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^3)^4, x]

[Out] (x*(c + d*x))/(9*a*(a + b*x^3)^3) + (x*(8*c + 7*d*x))/(54*a^2*(a + b*x^3)^2) + (2*x*(10*c + 7*d*x))/(81*a^3*(a + b*x^3)) - (2*(20*b^(1/3)*c + 7*a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(81*Sqrt[3]*a^(11/3)*b^(2/3)) + (2*(20*b^(1/3)*c - 7*a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(243*a^(11/3)*b^(2/3)) - ((20*b^(1/3)*c - 7*a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(243*a^(11/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Simp[
(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Dist[
(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[
(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[
2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] :> With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a+bx^3)^4} dx &= \frac{x(c+dx)}{9a(a+bx^3)^3} - \frac{\int \frac{-8c-7dx}{(a+bx^3)^3} dx}{9a} \\
&= \frac{x(c+dx)}{9a(a+bx^3)^3} + \frac{x(8c+7dx)}{54a^2(a+bx^3)^2} + \frac{\int \frac{40c+28dx}{(a+bx^3)^2} dx}{54a^2} \\
&= \frac{x(c+dx)}{9a(a+bx^3)^3} + \frac{x(8c+7dx)}{54a^2(a+bx^3)^2} + \frac{2x(10c+7dx)}{81a^3(a+bx^3)} - \frac{\int \frac{-80c-28dx}{a+bx^3} dx}{162a^3} \\
&= \frac{x(c+dx)}{9a(a+bx^3)^3} + \frac{x(8c+7dx)}{54a^2(a+bx^3)^2} + \frac{2x(10c+7dx)}{81a^3(a+bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-160\sqrt[3]{b}c-28\sqrt[3]{a}d)+\sqrt[3]{b}(80\sqrt[3]{b}c-28\sqrt[3]{a}d)}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{486a^{11/3}\sqrt[3]{b}} \\
&= \frac{x(c+dx)}{9a(a+bx^3)^3} + \frac{x(8c+7dx)}{54a^2(a+bx^3)^2} + \frac{2x(10c+7dx)}{81a^3(a+bx^3)} + \frac{2(20\sqrt[3]{b}c-7\sqrt[3]{a}d)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} \\
&= \frac{x(c+dx)}{9a(a+bx^3)^3} + \frac{x(8c+7dx)}{54a^2(a+bx^3)^2} + \frac{2x(10c+7dx)}{81a^3(a+bx^3)} + \frac{2(20\sqrt[3]{b}c-7\sqrt[3]{a}d)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} \\
&= \frac{x(c+dx)}{9a(a+bx^3)^3} + \frac{x(8c+7dx)}{54a^2(a+bx^3)^2} + \frac{2x(10c+7dx)}{81a^3(a+bx^3)} - \frac{2(20\sqrt[3]{b}c+7\sqrt[3]{a}d)\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 229, normalized size = 0.95

$$\frac{2(7a^{2/3}d-20\sqrt[3]{a}\sqrt[3]{b}c)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{b^{2/3}} + \frac{4(20\sqrt[3]{a}\sqrt[3]{b}c-7a^{2/3}d)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{b^{2/3}} + \frac{54a^3x(c+dx)}{(a+bx^3)^3} + \frac{9a^2x(8c+7dx)}{(a+bx^3)^2} - \frac{4\sqrt{3}\sqrt[3]{a}(7\sqrt[3]{a}d+20\sqrt[3]{b}c)\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{b^{2/3}} + \frac{12ax(10c+7dx)}{a+bx^3}$$

486a⁴

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^3)^4, x]

[Out] ((54*a^3*x*(c + d*x))/(a + b*x^3)^3 + (9*a^2*x*(8*c + 7*d*x))/(a + b*x^3)^2 + (12*a*x*(10*c + 7*d*x))/(a + b*x^3) - (4*sqrt[3]*a^(1/3)*(20*b^(1/3)*c + 7*a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + (4*(20

$$\begin{aligned}
& *b*d + 400*(4^{(1/3)}*(I*\sqrt{3} + 1)*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + \\
& (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*\sqrt{3} + \\
& 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(\\
& a^{11}*b^2))^{(1/3)})) *a^4*b*c^2 - 7840*a*c*d^2 + 8*(8000*b*c^3 + 343*a*d^3)*x \\
& + 3/4*\sqrt{1/3}*(7*(4^{(1/3)}*(I*\sqrt{3} + 1)*((8000*b*c^3 + 343*a*d^3)/(a^{11} \\
& *b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*\sqrt{3} \\
& + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a \\
& *d^3)/(a^{11}*b^2))^{(1/3)})) *a^8*b*d + 1600*a^4*b*c^2)*\sqrt{-((4^{(1/3)}*(I*\sqrt{3} \\
& + 1)*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(\\
& a^{11}*b^2))^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a^7*b*((8000*b*c^3 + 3 \\
& 43*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)})) ^2*a^7*b \\
& + 8960*c*d)/(a^7*b)) + ((a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6) \\
& *4^{(1/3)}*(I*\sqrt{3} + 1)*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^ \\
& 3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a^7*b* \\
& ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2)) \\
& ^{(1/3)})) - 3*\sqrt{1/3}*(a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6)*\sqrt{ \\
& -((4^{(1/3)}*(I*\sqrt{3} + 1)*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000* \\
& b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a^ \\
& 7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b \\
& ^2))^{(1/3)})) ^2*a^7*b + 8960*c*d)/(a^7*b)) * \log(-7/4*(4^{(1/3)}*(I*\sqrt{3} + 1) \\
&)*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2 \\
&))^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3) \\
&)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)})) ^2*a^8*b*d + 400 \\
& *(4^{(1/3)}*(I*\sqrt{3} + 1)*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^ \\
& 3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a^7*b* \\
& ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2)) \\
& ^{(1/3)})) *a^4*b*c^2 - 7840*a*c*d^2 + 8*(8000*b*c^3 + 343*a*d^3)*x - 3/4*\sqrt{ \\
& 1/3}*(7*(4^{(1/3)}*(I*\sqrt{3} + 1)*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8 \\
& 000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*\sqrt{3} + 1) \\
& / (a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^ \\
& 11*b^2))^{(1/3)})) *a^8*b*d + 1600*a^4*b*c^2)*\sqrt{-((4^{(1/3)}*(I*\sqrt{3} + 1)* \\
& ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2)) \\
& ^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/ \\
& (a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)})) ^2*a^7*b + 8960*c* \\
& d)/(a^7*b)))/ (a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6)
\end{aligned}$$

giac [A] time = 0.23, size = 218, normalized size = 0.91

$$\frac{2\sqrt{3}\left(20bc-7(-ab^2)^{\frac{1}{3}}d\right)\arctan\left(\frac{\sqrt{3}\left(2x+\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243(-ab^2)^{\frac{2}{3}}a^3} - \frac{(20bc+7(-ab^2)^{\frac{1}{3}}d)\log\left(x^2+x\left(-\frac{a}{b}\right)^{\frac{1}{3}}+\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{243(-ab^2)^{\frac{2}{3}}a^3} - \frac{2\left(7d\left(-\frac{a}{b}\right)^{\frac{1}{3}}+20c\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}}\log\left(\left|x-\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{243a^4} + \frac{28b^2dx^8+40b^2cx^7+77abdx^5+104abcx^4+67a^2dx^2+82a^2cx}{162(bx^3+a)^{\frac{1}{3}}a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^4,x, algorithm="giac")

[Out]
$$-2/243\sqrt{3}*(20*b*c - 7*(-a*b^2)^{(1/3)}*d)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^3) - 1/243*(20*b*c + 7*(-a*b^2)^{(1/3)}*d)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^3) - 2/43*(7*d*(-a/b)^{(1/3)} + 20*c)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^4 + 1/162*(28*b^2*d*x^8 + 40*b^2*c*x^7 + 77*a*b*d*x^5 + 104*a*b*c*x^4 + 67*a^2*d*x^2 + 82*a^2*c*x)/((b*x^3 + a)^3*a^3)$$

maple [A] time = 0.05, size = 306, normalized size = 1.28

$$\frac{d^2 x^2}{9(b^3 + a)^3 a} + \frac{c x}{9(b^3 + a)^3 a} + \frac{7 d x^2}{54(b^3 + a)^2 a^2} + \frac{4 c x}{27(b^3 + a)^2 a^2} + \frac{14 d x^2}{81(b^3 + a) a^3} + \frac{20 c x}{81(b^3 + a) a^3} + \frac{40\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{b} - 1\right)}{\left(\frac{b}{b}\right)^{\frac{1}{3}}}\right)}{243\left(\frac{b}{b}\right)^{\frac{1}{3}} a^3 b} + \frac{40 c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{243\left(\frac{b}{b}\right)^{\frac{1}{3}} a^3 b} - \frac{20 c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{243\left(\frac{b}{b}\right)^{\frac{1}{3}} a^3 b} + \frac{14\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{b} - 1\right)}{\left(\frac{b}{b}\right)^{\frac{1}{3}}}\right)}{243\left(\frac{b}{b}\right)^{\frac{1}{3}} a^3 b} - \frac{14 d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{243\left(\frac{b}{b}\right)^{\frac{1}{3}} a^3 b} + \frac{7 d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{243\left(\frac{b}{b}\right)^{\frac{1}{3}} a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)/(b*x^3+a)^4,x)`

[Out]
$$1/9*c/a*x/(b*x^3+a)^3 + 4/27*c/a^2*x/(b*x^3+a)^2 + 20/81*c/a^3*x/(b*x^3+a) + 40/243*c/a^3/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)}) - 20/243*c/a^3/b/(a/b)^{(2/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + 40/243*c/a^3/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) + 1/9*d/a*x^2/(b*x^3+a)^3 + 7/54*d/a^2*x^2/(b*x^3+a)^2 + 14/81*d/a^3*x^2/(b*x^3+a) - 14/243*d/a^3/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)}) + 7/243*d/a^3/b/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + 14/243*d/a^3*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$$

maxima [A] time = 2.62, size = 238, normalized size = 0.99

$$\frac{28b^2dx^8 + 40b^2cx^7 + 77abdx^5 + 104abcx^4 + 67a^2dx^2 + 82a^2cx}{162(a^3b^3x^9 + 3a^4b^2x^6 + 3a^5bx^3 + a^6)} + \frac{2\sqrt{3}\left(7d\left(\frac{a}{b}\right)^{\frac{1}{3}} + 20c\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243a^3b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(7d\left(\frac{a}{b}\right)^{\frac{1}{3}} - 20c\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{243a^3b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{2\left(7d\left(\frac{a}{b}\right)^{\frac{1}{3}} - 20c\right)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{243a^3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(b*x^3+a)^4,x, algorithm="maxima")`

[Out]
$$1/162*(28*b^2*d*x^8 + 40*b^2*c*x^7 + 77*a*b*d*x^5 + 104*a*b*c*x^4 + 67*a^2*d*x^2 + 82*a^2*c*x)/(a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6) + 2/43*\sqrt{3}*(7*d*(a/b)^{(1/3)} + 20*c)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^3*b*(a/b)^{(2/3)}) + 1/243*(7*d*(a/b)^{(1/3)} - 20*c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*b*(a/b)^{(2/3)}) - 2/243*(7*d*(a/b)^{(1/3)} - 20*c)*\log(x + (a/b)^{(1/3)})/(a^3*b*(a/b)^{(2/3)})$$

mupad [B] time = 4.93, size = 241, normalized size = 1.00

$$\sum_{i=1}^3 \ln\left(\frac{b(560cd + 196d^2x + \text{root}(14348907a^{11}b^2z^3 + 408240a^6bcdz - 64000b^3c^2 + 2744ad^3z, z))^2 a^7 b^5 9049 + \text{root}(14348907a^{11}b^2z^3 + 408240a^6bcdz - 64000b^3c^2 + 2744ad^3z, z)}{a^6 6561}\right) \text{root}(14348907a^{11}b^2z^3 + 408240a^6bcdz - 64000b^3c^2 + 2744ad^3z, z) + \frac{d^2x^2 + 82cx + 20b^2x^2 + 14b^2cx^2 + 52bx^4 + 77bd^2x^2}{162(a^3b^3x^9 + 3a^4b^2x^6 + 3a^5bx^3 + a^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(a + b*x^3)^4,x)`

[Out] `symsum(log((b*(560*c*d + 196*d^2*x + 59049*root(14348907*a^11*b^2*z^3 + 408240*a^4*b*c*d*z - 64000*b*c^3 + 2744*a*d^3, z, k)^2*a^7*b + 9720*root(14348907*a^11*b^2*z^3 + 408240*a^4*b*c*d*z - 64000*b*c^3 + 2744*a*d^3, z, k)*a^3*b*c*x))/(6561*a^6))*root(14348907*a^11*b^2*z^3 + 408240*a^4*b*c*d*z - 64000*b*c^3 + 2744*a*d^3, z, k), k, 1, 3) + ((67*d*x^2)/(162*a) + (41*c*x)/(81*a) + (20*b^2*c*x^7)/(81*a^3) + (14*b^2*d*x^8)/(81*a^3) + (52*b*c*x^4)/(81*a^2) + (77*b*d*x^5)/(162*a^2))/(a^3 + b^3*x^9 + 3*a^2*b*x^3 + 3*a*b^2*x^6)`

sympy [A] time = 3.64, size = 185, normalized size = 0.77

$\text{RootSum}\left(14348907t^3a^{11}b^2 + 408240ta^4bcd + 2744ad^3 - 64000bc^3, \left(t \mapsto t \log\left(x + \frac{413343t^2a^8bd + 194400ta^4bc^2 + 7840acd^2}{1372ad^3 + 32000bc^3}\right)\right)\right) + \frac{82a^2cx + 67a^2dx^2 + 104abcx^4 + 77abdx^5 + 40b^2cx^7 + 28b^2dx^8}{162a^6 + 486a^5bx^3 + 486a^4b^2x^6 + 162a^3b^3x^9}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(b*x**3+a)**4,x)`

[Out] `RootSum(14348907*_t**3*a**11*b**2 + 408240*_t*a**4*b*c*d + 2744*a*d**3 - 64000*b*c**3, Lambda(_t, _t*log(x + (413343*_t**2*a**8*b*d + 194400*_t*a**4*b*c**2 + 7840*a*c*d**2)/(1372*a*d**3 + 32000*b*c**3)))) + (82*a**2*c*x + 67*a**2*d*x**2 + 104*a*b*c*x**4 + 77*a*b*d*x**5 + 40*b**2*c*x**7 + 28*b**2*d*x**8)/(162*a**6 + 486*a**5*b*x**3 + 486*a**4*b**2*x**6 + 162*a**3*b**3*x**9)`

$$3.11 \quad \int \frac{a+bx}{d+ex^3} dx$$

Optimal. Leaf size=161

$$\frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \log\left(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2\right)}{6d^{2/3} \sqrt[3]{e}} - \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \log(\sqrt[3]{d} + \sqrt[3]{e} x)}{3d^{2/3} e^{2/3}} - \frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \tan^{-1}\left(\frac{\sqrt[3]{d} - 2\sqrt[3]{e} x}{\sqrt{3} \sqrt[3]{d}}\right)}{\sqrt{3} d^{2/3} e^{2/3}}$$

Rubi [A] time = 0.12, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1860, 31, 634, 617, 204, 628}

$$\frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \log\left(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2\right)}{6d^{2/3} \sqrt[3]{e}} - \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \log(\sqrt[3]{d} + \sqrt[3]{e} x)}{3d^{2/3} e^{2/3}} - \frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \tan^{-1}\left(\frac{\sqrt[3]{d} - 2\sqrt[3]{e} x}{\sqrt{3} \sqrt[3]{d}}\right)}{\sqrt{3} d^{2/3} e^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)/(d + e*x^3), x]

[Out] -(((b*d^(1/3) + a*e^(1/3))*ArcTan[(d^(1/3) - 2*e^(1/3)*x)/(Sqrt[3]*d^(1/3))])/(Sqrt[3]*d^(2/3)*e^(2/3))) - ((b*d^(1/3) - a*e^(1/3))*Log[d^(1/3) + e^(1/3)*x])/(3*d^(2/3)*e^(2/3)) - ((a - (b*d^(1/3))/e^(1/3))*Log[d^(2/3) - d^(1/3)*e^(1/3)*x + e^(2/3)*x^2])/(6*d^(2/3)*e^(1/3))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx}{d + ex^3} dx &= \frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \int \frac{1}{\sqrt[3]{d} + \sqrt[3]{e}x} dx}{3d^{2/3}} + \frac{\int \frac{\sqrt[3]{d}(b\sqrt[3]{d} + 2a\sqrt[3]{e}) + (b\sqrt[3]{d} - a\sqrt[3]{e})\sqrt[3]{ex}}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{3d^{2/3}\sqrt[3]{e}} \\ &= \frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} + \frac{1}{2} \left(\frac{a}{\sqrt[3]{d}} + \frac{b}{\sqrt[3]{e}}\right) \int \frac{1}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx + \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \int \frac{1}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{6d^{2/3}\sqrt[3]{e}} \\ &= \frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} + \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} + \frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \int \frac{1}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{6d^{2/3}\sqrt[3]{e}} \\ &= -\frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \tan^{-1}\left(\frac{\sqrt[3]{d} - 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}} + \frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} + \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 125, normalized size = 0.78

$$\frac{-(b\sqrt[3]{d} - a\sqrt[3]{e}) \left(2 \log(\sqrt[3]{d} + \sqrt[3]{e}x) - \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)\right) - 2\sqrt{3} (a\sqrt[3]{e} + b\sqrt[3]{d}) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{6d^{2/3}e^{2/3}}$$


```

rt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d -
a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d
+ a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))*b*d^2*e + 2*a^2*d*e
)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d -
a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d
+ a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*d*e + 16*a*b)/(d*
e))) + 1/12*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*
d - a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3
*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)) - 3*sqrt(1/3)*sqr
t(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*
e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d + a^3
*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*d*e + 16*a*b)/(d*e)))*
log(-1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d -
a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d
+ a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*b*d^2*e + 1/2*((1
/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2
*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d + a^3*e)/(d^
2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))*a^2*d*e - 2*a*b^2*d + 2*(b^3*d
+ a^3*e)*x - 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(
d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3)
+ 1)/(d*e*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))*
b*d^2*e + 2*a^2*d*e)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(
d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3)
+ 1)/(d*e*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^
2*d*e + 16*a*b)/(d*e)))

```

giac [A] time = 0.17, size = 132, normalized size = 0.82

$$\frac{\sqrt{3} \left(a e - (-d e^2)^{\frac{1}{3}} b \right) \arctan \left(\frac{\sqrt{3} \left(2 x + (-d e^{-1})^{\frac{1}{3}} \right)}{3 (-d e^{-1})^{\frac{1}{3}}} \right)}{3 (-d e^2)^{\frac{2}{3}}} - \frac{\left(a e + (-d e^2)^{\frac{1}{3}} b \right) \log \left(x^2 + (-d e^{-1})^{\frac{1}{3}} x + (-d e^{-1})^{\frac{2}{3}} \right)}{6 (-d e^2)^{\frac{2}{3}}} - \frac{(-d e^{-1})^{\frac{1}{3}} \left((-d e^{-1})^{\frac{1}{3}} b + a \right) \log \left(\left| x - (-d e^{-1})^{\frac{1}{3}} \right| \right)}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(e*x^3+d),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(a*e - (-d*e^2)^(1/3)*b)*arctan(1/3*sqrt(3)*(2*x + (-d*e^(-1))^(1/3))/(-d*e^(-1))^(1/3))/(-d*e^2)^(2/3) - 1/6*(a*e + (-d*e^2)^(1/3)*b)*log(x^2 + (-d*e^(-1))^(1/3)*x + (-d*e^(-1))^(2/3))/(-d*e^2)^(2/3) - 1/3*(-d*e^(-1))^(1/3)*((-d*e^(-1))^(1/3)*b + a)*log(abs(x - (-d*e^(-1))^(1/3)))/d

maple [A] time = 0.05, size = 186, normalized size = 1.16

$$\frac{\sqrt{3} a \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e} + \frac{a \ln\left(x + \left(\frac{d}{e}\right)^{\frac{1}{3}}\right) - a \ln\left(x^2 - \left(\frac{d}{e}\right)^{\frac{1}{3}}x + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e} + \frac{\sqrt{3} b \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}e} - \frac{b \ln\left(x + \left(\frac{d}{e}\right)^{\frac{1}{3}}\right) + b \ln\left(x^2 - \left(\frac{d}{e}\right)^{\frac{1}{3}}x + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}e} + \frac{b \ln\left(x^2 - \left(\frac{d}{e}\right)^{\frac{1}{3}}x + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6\left(\frac{d}{e}\right)^{\frac{1}{3}}e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)/(e*x^3+d),x)

[Out] 1/3*a/e/(d/e)^(2/3)*ln(x+(d/e)^(1/3))-1/6*a/e/(d/e)^(2/3)*ln(x^2-(d/e)^(1/3)*x+(d/e)^(2/3))+1/3*a/e/(d/e)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(d/e)^(1/3)*x-1))-1/3*b/e/(d/e)^(1/3)*ln(x+(d/e)^(1/3))+1/6*b/e/(d/e)^(1/3)*ln(x^2-(d/e)^(1/3)*x+(d/e)^(2/3))+1/3*b*3^(1/2)/e/(d/e)^(1/3)*arctan(1/3*3^(1/2)*(2/(d/e)^(1/3)*x-1))

maxima [A] time = 2.51, size = 135, normalized size = 0.84

$$\frac{\sqrt{3}\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}+a\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}}\right)}{3e\left(\frac{d}{e}\right)^{\frac{2}{3}}} + \frac{\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}-a\right)\log\left(x^2-x\left(\frac{d}{e}\right)^{\frac{1}{3}}+\left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6e\left(\frac{d}{e}\right)^{\frac{2}{3}}} - \frac{\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}-a\right)\log\left(x+\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3e\left(\frac{d}{e}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(e*x^3+d),x, algorithm="maxima")

[Out] 1/3*sqrt(3)*(b*(d/e)^(1/3) + a)*arctan(1/3*sqrt(3)*(2*x - (d/e)^(1/3))/(d/e)^(1/3))/(e*(d/e)^(2/3)) + 1/6*(b*(d/e)^(1/3) - a)*log(x^2 - x*(d/e)^(1/3) + (d/e)^(2/3))/(e*(d/e)^(2/3)) - 1/3*(b*(d/e)^(1/3) - a)*log(x + (d/e)^(1/3))/(e*(d/e)^(2/3))

mupad [B] time = 4.85, size = 127, normalized size = 0.79

$$\sum_{k=1}^3 \ln\left(e\left(ab + b^2x + \text{root}\left(27d^2e^2z^3 + 9abdez + b^3d - a^3e, z, k\right)^2 de^9 + \text{root}\left(27d^2e^2z^3 + 9abdez + b^3d - a^3e, z, k\right) ae x^3\right)\right) \text{root}\left(27d^2e^2z^3 + 9abdez + b^3d - a^3e, z, k\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x)/(d + e*x^3),x)

[Out] symsum(log(e*(a*b + b^2*x + 9*root(27*d^2*e^2*z^3 + 9*a*b*d*e*z + b^3*d - a^3*e, z, k)^2*d*e + 3*root(27*d^2*e^2*z^3 + 9*a*b*d*e*z + b^3*d - a^3*e, z,

$k) * a * e * x)) * \text{root}(27 * d^2 * e^2 * z^3 + 9 * a * b * d * e * z + b^3 * d - a^3 * e, z, k), k, 1, 3)$

sympy [A] time = 1.43, size = 76, normalized size = 0.47

$$\text{RootSum}\left(27t^3d^2e^2 + 9tabde - a^3e + b^3d, \left(t \mapsto t \log\left(x + \frac{9t^2bd^2e + 3ta^2de + 2ab^2d}{a^3e + b^3d}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(e*x**3+d),x)

[Out] RootSum(27*_t**3*d**2*e**2 + 9*_t*a*b*d*e - a**3*e + b**3*d, Lambda(_t, _t*log(x + (9*_t**2*b*d**2*e + 3*_t*a**2*d*e + 2*a*b**2*d)/(a**3*e + b**3*d)))

$$3.12 \quad \int \frac{a+bx}{d-ex^3} dx$$

Optimal. Leaf size=161

$$\frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} - \frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}e^{2/3}} - \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \tan^{-1}\left(\frac{\sqrt[3]{d}+2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}}$$

Rubi [A] time = 0.10, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1861, 31, 634, 617, 204, 628}

$$\frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} - \frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}e^{2/3}} - \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \tan^{-1}\left(\frac{\sqrt[3]{d}+2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)/(d - e*x^3), x]

[Out] -(((b*d^(1/3) - a*e^(1/3))*ArcTan[(d^(1/3) + 2*e^(1/3)*x)/(Sqrt[3]*d^(1/3))])/(Sqrt[3]*d^(2/3)*e^(2/3)) - ((b*d^(1/3) + a*e^(1/3))*Log[d^(1/3) - e^(1/3)*x])/(3*d^(2/3)*e^(2/3)) + ((b*d^(1/3) + a*e^(1/3))*Log[d^(2/3) + d^(1/3)*e^(1/3)*x + e^(2/3)*x^2])/(6*d^(2/3)*e^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(−1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(−1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628


```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1861

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[-(a/b), 3]], s = Denominator[Rt[-(a/b), 3]]}, Dist[(r*(B*r + A*s))/
(3*a*s), Int[1/(r - s*x), x], x] - Dist[r/(3*a*s), Int[(r*(B*r - 2*A*s) - s
*(B*r + A*s)*x)/(r^2 + r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x]
&& NeQ[a*B^3 - b*A^3, 0] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx}{d - ex^3} dx &= \frac{\left(a + \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \int \frac{1}{\sqrt[3]{d} - \sqrt[3]{e}x} dx}{3d^{2/3}} - \frac{\int \frac{\sqrt[3]{d}(b\sqrt[3]{d} - 2a\sqrt[3]{e}) - (b\sqrt[3]{d} + a\sqrt[3]{e})\sqrt[3]{e}x}{d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{3d^{2/3}\sqrt[3]{e}} \\ &= -\frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}e^{2/3}} - \frac{1}{2} \left(-\frac{a}{\sqrt[3]{d}} + \frac{b}{\sqrt[3]{e}}\right) \int \frac{1}{d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx + \frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} \\ &= -\frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}e^{2/3}} + \frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} + \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}} \\ &= -\frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}} - \frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}e^{2/3}} + \frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 125, normalized size = 0.78

$$\frac{-(a\sqrt[3]{e} + b\sqrt[3]{d}) \left(2 \log(\sqrt[3]{d} - \sqrt[3]{e}x) - \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)\right) - 2\sqrt{3} (b\sqrt[3]{d} - a\sqrt[3]{e}) \tan^{-1}\left(\frac{\frac{2\sqrt[3]{e}x + 1}{\sqrt[3]{d}}}{\sqrt{3}}\right)}{6d^{2/3}e^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)/(d - e*x^3), x]

[Out] $(-2\sqrt{3}*(b*d^{1/3} - a*e^{1/3})*\text{ArcTan}[(1 + (2*e^{1/3}*x)/d^{1/3})/\sqrt{3}] - (b*d^{1/3} + a*e^{1/3})*(2*\text{Log}[d^{1/3} - e^{1/3}*x] - \text{Log}[d^{2/3} + d^{1/3}*e^{1/3}*x + e^{2/3}*x^2]))/(6*d^{2/3}*e^{2/3})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + bx}{d - ex^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x)/(d - e*x^3), x]

[Out] IntegrateAlgebraic[(a + b*x)/(d - e*x^3), x]

fricas [C] time = 1.18, size = 1905, normalized size = 11.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(-e*x^3+d), x, algorithm="fricas")

[Out] $-1/18*(9*(I*\text{sqrt}(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{1/3} + a*b*(-I*\text{sqrt}(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{1/3}) * \log(1/36*(9*(I*\text{sqrt}(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{1/3} + a*b*(-I*\text{sqrt}(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{1/3}))^2 * b*d^2*e - 1/6*(9*(I*\text{sqrt}(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{1/3} + a*b*(-I*\text{sqrt}(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{1/3})) * a^2*d*e - 2*a*b^2*d - (b^3*d - a^3*e)*x + 1/36*(9*(I*\text{sqrt}(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{1/3} + 3*\text{sqrt}(1/3)*\text{sqrt}(-((9*(I*\text{sqrt}(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{1/3} + a*b*(-I*\text{sqrt}(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{1/3}))^2 * d * e - 144*a*b)/(d*e)) + a*b*(-I*\text{sqrt}(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{1/3})) * \log(-1/36*(9*(I*\text{sqrt}(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{1/3} + a*b*(-I*\text{sqrt}(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{1/3}))^2 * b*d^2*e + 1/6*(9*(I*\text{sqrt}(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{1/3} + a*b*(-I*\text{sqrt}(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^{1/3})) * a^2*d*e + 2*a*b^2*d - 2*(b^3*d - a^3*e)*x + 1/12*\text{sqrt}(1/3)*$

```

(9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(
(d^2*e^2))^(1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^
2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*d*e + 6*a^2*d*e)*sqrt(-((9
*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d
^2*e^2))^(1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2)
- 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*d*e - 144*a*b)/(d*e))) + 1/36*
(9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(
(d^2*e^2))^(1/3) - 3*sqrt(1/3)*sqrt(-((9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^
3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3) + a*b*(-I*sqrt(3) +
1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(
1/3)))^2*d*e - 144*a*b)/(d*e)) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d +
a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3))) * log(-1/36*(9*(I
*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*
e^2))^(1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) -
1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*b*d^2*e + 1/6*(9*(I*sqrt(3) + 1)*
(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3) +
a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d -
a^3*e)/(d^2*e^2))^(1/3))) * a^2*d*e + 2*a*b^2*d - 2*(b^3*d - a^3*e)*x - 1/12*
sqrt(1/3)*((9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*
d - a^3*e)/(d^2*e^2))^(1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3
*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3))) * b*d^2*e + 6*a^2*d*e
)*sqrt(-((9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d
- a^3*e)/(d^2*e^2))^(1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e
)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*d*e - 144*a*b)/(d*e
)))

```

giac [A] time = 0.18, size = 115, normalized size = 0.71

$$\frac{\sqrt{3} \left(b d^{\frac{2}{3}} e^{\frac{4}{3}} - a d^{\frac{1}{3}} e^{\frac{5}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(d^{\frac{1}{3}} e^{\left(-\frac{1}{3} \right)} + 2x \right)^{\frac{1}{3}}}{3 d^{\frac{1}{3}}} \right) e^{(-2)}}{3 d} - \frac{\left(b d^{\frac{1}{3}} e^{\left(-\frac{1}{3} \right)} + a \right) e^{\left(-\frac{1}{3} \right)} \log \left(\left(-d^{\frac{1}{3}} e^{\left(-\frac{1}{3} \right)} + x \right) \right)}{3 d^{\frac{2}{3}}} + \frac{\left(b d^{\frac{2}{3}} e^{\frac{4}{3}} + a d^{\frac{1}{3}} e^{\frac{5}{3}} \right) e^{(-2)} \log \left(d^{\frac{1}{3}} x e^{\left(-\frac{1}{3} \right)} + x^2 + d^{\frac{2}{3}} e^{\left(-\frac{2}{3} \right)} \right)}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(-e*x^3+d),x, algorithm="giac")

[Out] $-1/3*\sqrt{3}*(b*d^{(2/3)}*e^{(4/3)} - a*d^{(1/3)}*e^{(5/3)})*\arctan(1/3*\sqrt{3}*(d^{(1/3)}*e^{(-1/3)} + 2*x)*e^{(1/3)}/d^{(1/3)})*e^{(-2)}/d - 1/3*(b*d^{(1/3)}*e^{(-1/3)} + a)*e^{(-1/3)}*\log(\text{abs}(-d^{(1/3)}*e^{(-1/3)} + x))/d^{(2/3)} + 1/6*(b*d^{(2/3)}*e^{(4/3)} + a*d^{(1/3)}*e^{(5/3)})*e^{(-2)}*\log(d^{(1/3)}*x*e^{(-1/3)} + x^2 + d^{(2/3)}*e^{(-2/3)})/d$

maple [A] time = 0.05, size = 188, normalized size = 1.17

$$\frac{\sqrt{3} a \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}+1}\right)}{3}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e} - \frac{a \ln\left(x - \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e} + \frac{a \ln\left(x^2 + \left(\frac{d}{e}\right)^{\frac{1}{3}}x + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6\left(\frac{d}{e}\right)^{\frac{2}{3}}e} - \frac{\sqrt{3} b \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}+1}\right)}{3}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}e} - \frac{b \ln\left(x - \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}e} + \frac{b \ln\left(x^2 + \left(\frac{d}{e}\right)^{\frac{1}{3}}x + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6\left(\frac{d}{e}\right)^{\frac{1}{3}}e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)/(-e*x^3+d), x)

[Out] $-1/3*a/e/(d/e)^{(2/3)}*\ln(x-(d/e)^{(1/3)})+1/6*a/e/(d/e)^{(2/3)}*\ln(x^2+(d/e)^{(1/3)}*x+(d/e)^{(2/3)})+1/3*a/e/(d/e)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x+1))-1/3*b/e/(d/e)^{(1/3)}*\ln(x-(d/e)^{(1/3)})+1/6*b/e/(d/e)^{(1/3)}*\ln(x^2+(d/e)^{(1/3)}*x+(d/e)^{(2/3)})-1/3*b*3^{(1/2)}/e/(d/e)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x+1))$

maxima [A] time = 2.68, size = 132, normalized size = 0.82

$$\frac{\sqrt{3}\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}-a\right)\arctan\left(\frac{\sqrt{3}\left(2x+\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}}\right)}{3e\left(\frac{d}{e}\right)^{\frac{2}{3}}} + \frac{\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}+a\right)\log\left(x^2+x\left(\frac{d}{e}\right)^{\frac{1}{3}}+\left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6e\left(\frac{d}{e}\right)^{\frac{2}{3}}} - \frac{\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}+a\right)\log\left(x-\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3e\left(\frac{d}{e}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(-e*x^3+d), x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*(b*(d/e)^{(1/3)}-a)*\arctan(1/3*\sqrt{3}*(2*x+(d/e)^{(1/3)})/(d/e)^{(1/3)})/(e*(d/e)^{(2/3)})+1/6*(b*(d/e)^{(1/3)}+a)*\log(x^2+x*(d/e)^{(1/3)}+(d/e)^{(2/3)})/(e*(d/e)^{(2/3)})-1/3*(b*(d/e)^{(1/3)}+a)*\log(x-(d/e)^{(1/3)})/(e*(d/e)^{(2/3)})$

mupad [B] time = 0.21, size = 124, normalized size = 0.77

$$\sum_{k=1}^3 \ln\left(e\left(ab+b^2x-\sqrt{(27d^2e^2z^3-9abdez+b^3d+a^3e,z,k)^2}de^9-\sqrt{(27d^2e^2z^3-9abdez+b^3d+a^3e,z,k)}ae^3\right)\right)\sqrt{(27d^2e^2z^3-9abdez+b^3d+a^3e,z,k)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x)/(d - e*x^3), x)

[Out] $\text{symsum}(\log(e*(a*b + b^2*x - 9*\sqrt{(27*d^2*e^2*z^3 - 9*a*b*d*e*z + b^3*d + a^3*e, z, k)^2*d*e - 3*\sqrt{(27*d^2*e^2*z^3 - 9*a*b*d*e*z + b^3*d + a^3*e, z, k)}$

$k) * a * e * x)) * \text{root}(27 * d^2 * e^2 * z^3 - 9 * a * b * d * e * z + b^3 * d + a^3 * e, z, k), k, 1, 3)$

sympy [A] time = 1.49, size = 78, normalized size = 0.48

$$-\text{RootSum}\left(27t^3d^2e^2 - 9tabde - a^3e - b^3d, \left(t \mapsto t \log\left(x + \frac{9t^2bd^2e - 3ta^2de - 2ab^2d}{a^3e - b^3d}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(-e*x**3+d),x)

[Out] -RootSum(27*_t**3*d**2*e**2 - 9*_t*a*b*d*e - a**3*e - b**3*d, Lambda(_t, _t *log(x + (9*_t**2*b*d**2*e - 3*_t*a**2*d*e - 2*a*b**2*d)/(a**3*e - b**3*d)))

$$3.13 \quad \int \frac{1+x}{1+x^3} dx$$

Optimal. Leaf size=19

$$-\frac{2 \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.02, antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {1586, 618, 204}

$$-\frac{2 \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x)/(1 + x^3), x]

[Out] (-2*ArcTan[(1 - 2*x)/Sqrt[3]])/Sqrt[3]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{1+x}{1+x^3} dx &= \int \frac{1}{1-x+x^2} dx \\ &= -\left(2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, -1+2x\right)\right) \\ &= -\frac{2 \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 19, normalized size = 1.00

$$\frac{2 \tan^{-1}\left(\frac{2x-1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x)/(1 + x^3), x]

[Out] (2*ArcTan[(-1 + 2*x)/Sqrt[3]])/Sqrt[3]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1+x}{1+x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 + x)/(1 + x^3), x]

[Out] IntegrateAlgebraic[(1 + x)/(1 + x^3), x]

fricas [A] time = 0.40, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x-1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^3+1),x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1))

giac [A] time = 0.19, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x-1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^3+1),x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1))

maple [A] time = 0.04, size = 17, normalized size = 0.89

$$\frac{2\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x+1)/(x^3+1),x)

[Out] 2/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))

maxima [A] time = 2.48, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^3+1),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1))

mupad [B] time = 4.70, size = 16, normalized size = 0.84

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}(2x-1)}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + 1)/(x^3 + 1),x)

[Out] (2*3^(1/2)*atan((3^(1/2)*(2*x - 1))/3))/3

sympy [A] time = 0.37, size = 26, normalized size = 1.37

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x**3+1),x)

[Out] 2*sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3

$$3.14 \quad \int \frac{1-x}{1-x^3} dx$$

Optimal. Leaf size=19

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.01, antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1586, 618, 204}

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(1 - x^3), x]

[Out] (2*ArcTan[(1 + 2*x)/Sqrt[3]])/Sqrt[3]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{1-x}{1-x^3} dx &= \int \frac{1}{1+x+x^2} dx \\ &= -\left(2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1+2x\right)\right) \\ &= \frac{2 \tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{\sqrt{3}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 19, normalized size = 1.00

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(1 - x^3), x]

[Out] (2*ArcTan[(1 + 2*x)/Sqrt[3]])/Sqrt[3]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1-x}{1-x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 - x)/(1 - x^3), x]

[Out] IntegrateAlgebraic[(1 - x)/(1 - x^3), x]

fricas [A] time = 0.41, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^3+1), x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1))

giac [A] time = 0.17, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^3+1),x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1))

maple [A] time = 0.04, size = 17, normalized size = 0.89

$$\frac{2\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)/(-x^3+1),x)

[Out] 2/3*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))

maxima [A] time = 2.43, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^3+1),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1))

mupad [B] time = 4.67, size = 16, normalized size = 0.84

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}(2x+1)}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x - 1)/(x^3 - 1),x)

[Out] (2*3^(1/2)*atan((3^(1/2)*(2*x + 1))/3))/3

sympy [A] time = 0.22, size = 26, normalized size = 1.37

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x**3+1),x)

[Out] 2*sqrt(3)*atan(2*sqrt(3)*x/3 + sqrt(3)/3)/3

$$3.15 \quad \int \frac{1+x}{1-x^3} dx$$

Optimal. Leaf size=22

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x)$$

Rubi [A] time = 0.01, antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1861, 31, 628}

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x)/(1 - x^3), x]

[Out] (-2*Log[1 - x])/3 + Log[1 + x + x^2]/3

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1861

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 3]], s = Denominator[Rt[-(a/b), 3]]}, Dist[(r*(B*r + A*s))/(3*a*s), Int[1/(r - s*x), x], x] - Dist[r/(3*a*s), Int[(r*(B*r - 2*A*s) - s*(B*r + A*s)*x)/(r^2 + r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{1+x}{1-x^3} dx &= -\left(\frac{1}{3} \int \frac{-1-2x}{1+x+x^2} dx\right) + \frac{2}{3} \int \frac{1}{1-x} dx \\ &= -\frac{2}{3} \log(1-x) + \frac{1}{3} \log(1+x+x^2) \end{aligned}$$

Mathematica [A] time = 0.00, size = 22, normalized size = 1.00

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x)/(1 - x^3), x]

[Out] (-2*Log[1 - x])/3 + Log[1 + x + x^2]/3

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1+x}{1-x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 + x)/(1 - x^3), x]

[Out] IntegrateAlgebraic[(1 + x)/(1 - x^3), x]

fricas [A] time = 0.40, size = 16, normalized size = 0.73

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(-x^3+1), x, algorithm="fricas")

[Out] 1/3*log(x^2 + x + 1) - 2/3*log(x - 1)

giac [A] time = 0.16, size = 17, normalized size = 0.77

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(-x^3+1), x, algorithm="giac")

[Out] 1/3*log(x^2 + x + 1) - 2/3*log(abs(x - 1))

maple [A] time = 0.05, size = 17, normalized size = 0.77

$$-\frac{2 \ln(x - 1)}{3} + \frac{\ln(x^2 + x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x+1)/(-x^3+1),x)`

[Out] `-2/3*ln(x-1)+1/3*ln(x^2+x+1)`

maxima [A] time = 2.44, size = 16, normalized size = 0.73

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)/(-x^3+1),x, algorithm="maxima")`

[Out] `1/3*log(x^2 + x + 1) - 2/3*log(x - 1)`

mupad [B] time = 0.06, size = 16, normalized size = 0.73

$$\frac{\ln(x^2 + x + 1)}{3} - \frac{2 \ln(x - 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x + 1)/(x^3 - 1),x)`

[Out] `log(x + x^2 + 1)/3 - (2*log(x - 1))/3`

sympy [A] time = 0.25, size = 17, normalized size = 0.77

$$-\frac{2 \log(x - 1)}{3} + \frac{\log(x^2 + x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)/(-x**3+1),x)`

[Out] `-2*log(x - 1)/3 + log(x**2 + x + 1)/3`

$$3.16 \quad \int \frac{1-x}{1+x^3} dx$$

Optimal. Leaf size=22

$$\frac{2}{3} \log(x+1) - \frac{1}{3} \log(x^2 - x + 1)$$

Rubi [A] time = 0.01, antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1860, 31, 628}

$$\frac{2}{3} \log(x+1) - \frac{1}{3} \log(x^2 - x + 1)$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(1 + x^3), x]

[Out] (2*Log[1 + x])/3 - Log[1 - x + x^2]/3

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{1-x}{1+x^3} dx &= \frac{1}{3} \int \frac{1-2x}{1-x+x^2} dx + \frac{2}{3} \int \frac{1}{1+x} dx \\ &= \frac{2}{3} \log(1+x) - \frac{1}{3} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 22, normalized size = 1.00

$$\frac{2}{3} \log(x+1) - \frac{1}{3} \log(x^2 - x + 1)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(1 + x^3), x]

[Out] (2*Log[1 + x])/3 - Log[1 - x + x^2]/3

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1-x}{1+x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 - x)/(1 + x^3), x]

[Out] IntegrateAlgebraic[(1 - x)/(1 + x^3), x]

fricas [A] time = 0.40, size = 18, normalized size = 0.82

$$-\frac{1}{3} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(x^3+1), x, algorithm="fricas")

[Out] -1/3*log(x^2 - x + 1) + 2/3*log(x + 1)

giac [A] time = 0.17, size = 19, normalized size = 0.86

$$-\frac{1}{3} \log(x^2 - x + 1) + \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(x^3+1), x, algorithm="giac")

[Out] -1/3*log(x^2 - x + 1) + 2/3*log(abs(x + 1))

maple [A] time = 0.04, size = 19, normalized size = 0.86

$$\frac{2 \ln(x+1)}{3} - \frac{\ln(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1-x)/(x^3+1),x)`

[Out] `2/3*ln(x+1)-1/3*ln(x^2-x+1)`

maxima [A] time = 2.47, size = 18, normalized size = 0.82

$$-\frac{1}{3} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)/(x^3+1),x, algorithm="maxima")`

[Out] `-1/3*log(x^2 - x + 1) + 2/3*log(x + 1)`

mupad [B] time = 0.11, size = 18, normalized size = 0.82

$$\frac{2 \ln(x + 1)}{3} - \frac{\ln(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x - 1)/(x^3 + 1),x)`

[Out] `(2*log(x + 1))/3 - log(x^2 - x + 1)/3`

sympy [A] time = 0.23, size = 17, normalized size = 0.77

$$\frac{2 \log(x + 1)}{3} - \frac{\log(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)/(x**3+1),x)`

[Out] `2*log(x + 1)/3 - log(x**2 - x + 1)/3`

$$3.17 \quad \int \frac{3-x}{1-x^3} dx$$

Optimal. Leaf size=41

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x) + \frac{4 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.03, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1861, 31, 634, 618, 204, 628}

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x) + \frac{4 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(3 - x)/(1 - x^3), x]

[Out] (4*ArcTan[(1 + 2*x)/Sqrt[3]])/Sqrt[3] - (2*Log[1 - x])/3 + Log[1 + x + x^2]/3

Rule 31

Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1861

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 3]], s = Denominator[Rt[-(a/b), 3]]}, Dist[(r*(B*r + A*s))/(3*a*s), Int[1/(r - s*x), x], x] - Dist[r/(3*a*s), Int[(r*(B*r - 2*A*s) - s*(B*r + A*s)*x)/(r^2 + r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{3-x}{1-x^3} dx &= -\left(\frac{1}{3} \int \frac{-7-2x}{1+x+x^2} dx\right) + \frac{2}{3} \int \frac{1}{1-x} dx \\ &= -\frac{2}{3} \log(1-x) + \frac{1}{3} \int \frac{1+2x}{1+x+x^2} dx + 2 \int \frac{1}{1+x+x^2} dx \\ &= -\frac{2}{3} \log(1-x) + \frac{1}{3} \log(1+x+x^2) - 4 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1+2x\right) \\ &= \frac{4 \tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{2}{3} \log(1-x) + \frac{1}{3} \log(1+x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 41, normalized size = 1.00

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x) + \frac{4 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(3 - x)/(1 - x^3), x]

[Out] (4*ArcTan[(1 + 2*x)/Sqrt[3]])/Sqrt[3] - (2*Log[1 - x])/3 + Log[1 + x + x^2]/3

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3-x}{1-x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(3 - x)/(1 - x^3), x]

[Out] IntegrateAlgebraic[(3 - x)/(1 - x^3), x]

fricas [A] time = 0.41, size = 32, normalized size = 0.78

$$\frac{4}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right) + \frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-x)/(-x^3+1), x, algorithm="fricas")

[Out] 4/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/3*log(x^2 + x + 1) - 2/3*log(x - 1)

giac [A] time = 0.15, size = 33, normalized size = 0.80

$$\frac{4}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right) + \frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-x)/(-x^3+1), x, algorithm="giac")

[Out] 4/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/3*log(x^2 + x + 1) - 2/3*log(abs(x - 1))

maple [A] time = 0.05, size = 33, normalized size = 0.80

$$\frac{4\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} - \frac{2 \ln(x-1)}{3} + \frac{\ln(x^2 + x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3-x)/(-x^3+1), x)

[Out] -2/3*ln(x-1)+1/3*ln(x^2+x+1)+4/3*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))

maxima [A] time = 2.43, size = 32, normalized size = 0.78

$$\frac{4}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right) + \frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-x)/(-x^3+1),x, algorithm="maxima")

[Out] $\frac{4}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) + \frac{1}{3}\log(x^2+x+1) - \frac{2}{3}\log(x-1)$

mupad [B] time = 0.14, size = 46, normalized size = 1.12

$$-\frac{2\ln(x-1)}{3} - \ln\left(x + \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)\left(-\frac{1}{3} + \frac{\sqrt{3}2i}{3}\right) + \ln\left(x + \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{3} + \frac{\sqrt{3}2i}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x-3)/(x^3-1),x)

[Out] $\log(x + (3^{1/2})1i)/2 + 1/2 * ((3^{1/2})2i)/3 + 1/3 - \log(x - (3^{1/2})1i)/2 + 1/2 * ((3^{1/2})2i)/3 - 1/3 - (2*\log(x-1))/3$

sympy [A] time = 0.47, size = 44, normalized size = 1.07

$$-\frac{2\log(x-1)}{3} + \frac{\log(x^2+x+1)}{3} + \frac{4\sqrt{3}\operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-x)/(-x**3+1),x)

[Out] $-2*\log(x-1)/3 + \log(x**2+x+1)/3 + 4*\sqrt{3}*atan(2*\sqrt{3}*x/3 + \sqrt{3}(3)/3)/3$

$$3.18 \quad \int \frac{c+dx}{c^3+d^3x^3} dx$$

Optimal. Leaf size=29

$$-\frac{2 \tan^{-1}\left(\frac{c-2dx}{\sqrt{3}c}\right)}{\sqrt{3}cd}$$

Rubi [A] time = 0.02, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1586, 617, 204}

$$-\frac{2 \tan^{-1}\left(\frac{c-2dx}{\sqrt{3}c}\right)}{\sqrt{3}cd}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(c^3 + d^3*x^3), x]

[Out] (-2*ArcTan[(c - 2*d*x)/(Sqrt[3]*c)])/(Sqrt[3]*c*d)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{c^3 + d^3 x^3} dx &= \int \frac{1}{c^2 - cdx + d^2 x^2} dx \\ &= \frac{2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2dx}{c}\right)}{cd} \\ &= -\frac{2 \tan^{-1}\left(\frac{c-2dx}{\sqrt{3}c}\right)}{\sqrt{3}cd} \end{aligned}$$

Mathematica [A] time = 0.01, size = 31, normalized size = 1.07

$$\frac{2 \tan^{-1}\left(\frac{2dx-c}{\sqrt{3}c}\right)}{\sqrt{3}cd}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(c^3 + d^3*x^3), x]

[Out] (2*ArcTan[(-c + 2*d*x)/(Sqrt[3]*c)])/(Sqrt[3]*c*d)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx}{c^3 + d^3 x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x)/(c^3 + d^3*x^3), x]

[Out] IntegrateAlgebraic[(c + d*x)/(c^3 + d^3*x^3), x]

fricas [A] time = 0.41, size = 28, normalized size = 0.97

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2dx-c)}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(d^3*x^3+c^3), x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d*x - c)/c)/(c*d)

giac [A] time = 0.21, size = 28, normalized size = 0.97

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2dx-c)}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(d^3*x^3+c^3),x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d*x - c)/c)/(c*d)

maple [A] time = 0.07, size = 35, normalized size = 1.21

$$\frac{2\sqrt{3} \arctan\left(\frac{(2d^2x-cd)\sqrt{3}}{3cd}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(d^3*x^3+c^3),x)

[Out] 2/3*3^(1/2)/c/d*arctan(1/3*(2*d^2*x-c*d)*3^(1/2)/c/d)

maxima [A] time = 2.90, size = 34, normalized size = 1.17

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2d^2x-cd)}{3cd}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(d^3*x^3+c^3),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d^2*x - c*d)/(c*d))/(c*d)

mupad [B] time = 0.05, size = 28, normalized size = 0.97

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}}{3} - \frac{2\sqrt{3}dx}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(c^3 + d^3*x^3),x)

[Out] -(2*3^(1/2)*atan(3^(1/2)/3 - (2*3^(1/2)*d*x)/(3*c)))/(3*c*d)

sympy [C] time = 0.40, size = 54, normalized size = 1.86

$$\frac{-\frac{\sqrt{3}i \log\left(x + \frac{-c - \sqrt{3}ic}{2d}\right)}{3} + \frac{\sqrt{3}i \log\left(x + \frac{-c + \sqrt{3}ic}{2d}\right)}{3}}{cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(d**3*x**3+c**3),x)

[Out] (-sqrt(3)*I*log(x + (-c - sqrt(3)*I*c)/(2*d))/3 + sqrt(3)*I*log(x + (-c + sqrt(3)*I*c)/(2*d))/3)/(c*d)

$$3.19 \quad \int \frac{c-dx}{c^3-d^3x^3} dx$$

Optimal. Leaf size=29

$$\frac{2 \tan^{-1} \left(\frac{c+2dx}{\sqrt{3}c} \right)}{\sqrt{3}cd}$$

Rubi [A] time = 0.02, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1586, 617, 204}

$$\frac{2 \tan^{-1} \left(\frac{c+2dx}{\sqrt{3}c} \right)}{\sqrt{3}cd}$$

Antiderivative was successfully verified.

[In] Int[(c - d*x)/(c^3 - d^3*x^3),x]

[Out] (2*ArcTan[(c + 2*d*x)/(Sqrt[3]*c)])/(Sqrt[3]*c*d)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{c - dx}{c^3 - d^3 x^3} dx &= \int \frac{1}{c^2 + cdx + d^2 x^2} dx \\ &= -\frac{2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2dx}{c}\right)}{cd} \\ &= \frac{2 \tan^{-1}\left(\frac{c+2dx}{\sqrt{3}c}\right)}{\sqrt{3}cd} \end{aligned}$$

Mathematica [A] time = 0.03, size = 29, normalized size = 1.00

$$\frac{2 \tan^{-1}\left(\frac{c+2dx}{\sqrt{3}c}\right)}{\sqrt{3}cd}$$

Antiderivative was successfully verified.

[In] Integrate[(c - d*x)/(c^3 - d^3*x^3), x]

[Out] (2*ArcTan[(c + 2*d*x)/(Sqrt[3]*c)])/(Sqrt[3]*c*d)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c - dx}{c^3 - d^3 x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c - d*x)/(c^3 - d^3*x^3), x]

[Out] IntegrateAlgebraic[(c - d*x)/(c^3 - d^3*x^3), x]

fricas [A] time = 0.40, size = 26, normalized size = 0.90

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2dx+c)}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x+c)/(-d^3*x^3+c^3), x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d*x + c)/c)/(c*d)

giac [A] time = 0.17, size = 26, normalized size = 0.90

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2dx+c)}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x+c)/(-d^3*x^3+c^3),x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d*x + c)/c)/(c*d)

maple [A] time = 0.04, size = 34, normalized size = 1.17

$$\frac{2\sqrt{3} \arctan\left(\frac{(2d^2x+cd)\sqrt{3}}{3cd}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-d*x+c)/(-d^3*x^3+c^3),x)

[Out] 2/3*3^(1/2)/c/d*arctan(1/3*(2*d^2*x+c*d)*3^(1/2)/c/d)

maxima [A] time = 2.98, size = 33, normalized size = 1.14

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2d^2x+cd)}{3cd}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x+c)/(-d^3*x^3+c^3),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d^2*x + c*d)/(c*d))/(c*d)

mupad [B] time = 0.04, size = 28, normalized size = 0.97

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}}{3} + \frac{2\sqrt{3} dx}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c - d*x)/(c^3 - d^3*x^3),x)

[Out] (2*3^(1/2)*atan(3^(1/2)/3 + (2*3^(1/2)*d*x)/(3*c)))/(3*c*d)

sympy [C] time = 0.47, size = 53, normalized size = 1.83

$$\frac{-\frac{\sqrt{3}i \log\left(x + \frac{c - \sqrt{3}ic}{2d}\right)}{3} + \frac{\sqrt{3}i \log\left(x + \frac{c + \sqrt{3}ic}{2d}\right)}{3}}{cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x+c)/(-d**3*x**3+c**3),x)

[Out] (-sqrt(3)*I*log(x + (c - sqrt(3)*I*c)/(2*d))/3 + sqrt(3)*I*log(x + (c + sqrt(3)*I*c)/(2*d))/3)/(c*d)

$$3.20 \quad \int \frac{\sqrt[3]{a} \sqrt[3]{b} B + b^{2/3} Bx}{a + bx^3} dx$$

Optimal. Leaf size=39

$$\frac{2B \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{bx}}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a}}$$

Rubi [A] time = 0.03, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1586, 617, 204}

$$\frac{2B \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{bx}}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] Int[(a^(1/3)*b^(1/3)*B + b^(2/3)*B*x)/(a + b*x^3), x]

[Out] (-2*B*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(1/3))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt[3]{a} \sqrt[3]{b} B + b^{2/3} B x}{a + b x^3} dx &= \int \frac{1}{\frac{a^{2/3}}{\sqrt[3]{b} B} - \frac{\sqrt[3]{a} x}{B} + \frac{\sqrt[3]{b} x^2}{B}} dx \\
&= \frac{(2B) \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2\sqrt[3]{b} x}{\sqrt[3]{a}} \right)}{\sqrt[3]{a}} \\
&= -\frac{2B \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 35, normalized size = 0.90

$$-\frac{2B \tan^{-1} \left(\frac{1 - \frac{2\sqrt[3]{b} x}{\sqrt[3]{a}}}{\sqrt{3}} \right)}{\sqrt{3} \sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] Integrate[(a^(1/3)*b^(1/3)*B + b^(2/3)*B*x)/(a + b*x^3), x]

[Out] (-2*B*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(Sqrt[3]*a^(1/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{a} \sqrt[3]{b} B + b^{2/3} B x}{a + b x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a^(1/3)*b^(1/3)*B + b^(2/3)*B*x)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(a^(1/3)*b^(1/3)*B + b^(2/3)*B*x)/(a + b*x^3), x]

fricas [A] time = 0.45, size = 107, normalized size = 2.74

$$\left[\sqrt{\frac{1}{3}} B \sqrt{-\frac{1}{a^{\frac{2}{3}}}} \log \left(\frac{2 b x^3 - 3 a^{\frac{2}{3}} b^{\frac{1}{3}} x + 3 \sqrt{\frac{1}{3}} \left(2 a^{\frac{2}{3}} b^{\frac{2}{3}} x^2 + a b^{\frac{1}{3}} x - a^{\frac{4}{3}} \right) \sqrt{-\frac{1}{a^{\frac{2}{3}}}} - a}{b x^3 + a} \right), \frac{2 \sqrt{\frac{1}{3}} B \arctan \left(\frac{\sqrt{\frac{1}{3}} \left(2 b^{\frac{1}{3}} x - a^{\frac{1}{3}} \right)}{a^{\frac{1}{3}}} \right)}{a^{\frac{1}{3}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*b^(1/3)*B+b^(2/3)*B*x)/(b*x^3+a),x, algorithm="fricas")

[Out] [sqrt(1/3)*B*sqrt(-1/a^(2/3))*log((2*b*x^3 - 3*a^(2/3)*b^(1/3)*x + 3*sqrt(1/3)*(2*a^(2/3)*b^(2/3)*x^2 + a*b^(1/3)*x - a^(4/3))*sqrt(-1/a^(2/3)) - a)/(b*x^3 + a), 2*sqrt(1/3)*B*arctan(sqrt(1/3)*(2*b^(1/3)*x - a^(1/3))/a^(1/3))/a^(1/3)]

giac [A] time = 0.22, size = 48, normalized size = 1.23

$$\frac{2\sqrt{3}Bb^{\frac{1}{3}}\arctan\left(\frac{\sqrt{3}\left(2b^{\frac{2}{3}}x-a^{\frac{1}{3}}b^{\frac{1}{3}}\right)}{3\sqrt{a^{\frac{2}{3}}b^{\frac{2}{3}}}}\right)}{3\sqrt{a^{\frac{2}{3}}b^{\frac{2}{3}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*b^(1/3)*B+b^(2/3)*B*x)/(b*x^3+a),x, algorithm="giac")

[Out] 2/3*sqrt(3)*B*b^(1/3)*arctan(1/3*sqrt(3)*(2*b^(2/3)*x - a^(1/3)*b^(1/3))/sqrt(a^(2/3)*b^(2/3)))/sqrt(a^(2/3)*b^(2/3))

maple [B] time = 0.06, size = 195, normalized size = 5.00

$$\frac{\sqrt{3}Ba^{\frac{1}{3}}\arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^{\frac{2}{3}}} + \frac{Ba^{\frac{1}{3}}\ln\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^{\frac{2}{3}}} - \frac{Ba^{\frac{1}{3}}\ln\left(x^2-\left(\frac{a}{b}\right)^{\frac{1}{3}}x+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}b^{\frac{2}{3}}} + \frac{\sqrt{3}B\arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^{\frac{1}{3}}} - \frac{B\ln\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^{\frac{1}{3}}} + \frac{B\ln\left(x^2-\left(\frac{a}{b}\right)^{\frac{1}{3}}x+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}}b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^(1/3)*b^(1/3)*B+b^(2/3)*B*x)/(b*x^3+a),x)

[Out] 1/3*B/b^(2/3)*a^(1/3)/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/6*B/b^(2/3)*a^(1/3)/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*B/b^(2/3)*a^(1/3)/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3*B/b^(1/3)/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/6*B/b^(1/3)/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*B/b^(1/3)*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [B] time = 2.98, size = 163, normalized size = 4.18

$$\frac{\sqrt{3} \left(B b^{\frac{2}{3}} \left(\frac{a}{b} \right)^{\frac{1}{3}} + B a^{\frac{1}{3}} b^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 b \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(B b^{\frac{2}{3}} \left(\frac{a}{b} \right)^{\frac{1}{3}} - B a^{\frac{1}{3}} b^{\frac{1}{3}} \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 b \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(B b^{\frac{2}{3}} \left(\frac{a}{b} \right)^{\frac{1}{3}} - B a^{\frac{1}{3}} b^{\frac{1}{3}} \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*b^(1/3)*B+b^(2/3)*B*x)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/3*sqrt(3)*(B*b^(2/3)*(a/b)^(1/3) + B*a^(1/3)*b^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b*(a/b)^(2/3)) + 1/6*(B*b^(2/3)*(a/b)^(1/3) - B*a^(1/3)*b^(1/3))*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) - 1/3*(B*b^(2/3)*(a/b)^(1/3) - B*a^(1/3)*b^(1/3))*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 4.82, size = 49, normalized size = 1.26

$$\frac{2 \sqrt{3} B \sqrt{b} \operatorname{atanh} \left(\frac{\sqrt{3} \sqrt{b}}{3 \sqrt{-b}} - \frac{2 \sqrt{3} b^{5/6} x}{3 a^{1/3} \sqrt{-b}} \right)}{3 a^{1/3} \sqrt{-b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a^(1/3)*b^(1/3) + B*b^(2/3)*x)/(a + b*x^3),x)

[Out] (2*3^(1/2)*B*b^(1/2)*atanh((3^(1/2)*b^(1/2))/(3*(-b)^(1/2)) - (2*3^(1/2)*b^(5/6)*x)/(3*a^(1/3)*(-b)^(1/2)))/(3*a^(1/3)*(-b)^(1/2))

sympy [C] time = 0.59, size = 88, normalized size = 2.26

$$B \left(-\frac{\sqrt{3} i \log \left(x + \frac{-B \sqrt[3]{a} - \sqrt{3} i B \sqrt[3]{a}}{2B \sqrt[3]{b}} \right)}{3} + \frac{\sqrt{3} i \log \left(x + \frac{-B \sqrt[3]{a} + \sqrt{3} i B \sqrt[3]{a}}{2B \sqrt[3]{b}} \right)}{3} \right) \frac{1}{\sqrt[3]{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**(1/3)*b**(1/3)*B+b**(2/3)*B*x)/(b*x**3+a),x)

[Out] B*(-sqrt(3)*I*log(x + (-B*a**(1/3) - sqrt(3)*I*B*a**(1/3))/(2*B*b**(1/3)))/3 + sqrt(3)*I*log(x + (-B*a**(1/3) + sqrt(3)*I*B*a**(1/3))/(2*B*b**(1/3)))/3)/a**(1/3)

$$3.21 \quad \int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - (-b)^{2/3} Bx}{a+bx^3} dx$$

Optimal. Leaf size=41

$$\frac{2B \tan^{-1} \left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-bx}}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a}}$$

Rubi [A] time = 0.04, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {1586, 617, 204}

$$\frac{2B \tan^{-1} \left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-bx}}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] Int[(a^(1/3)*(-b)^(1/3)*B - (-b)^(2/3)*B*x)/(a + b*x^3),x]

[Out] (2*B*ArcTan[(a^(1/3) + 2*(-b)^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(1/3))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - (-b)^{2/3} B x}{a + b x^3} dx = \int \frac{1}{-\frac{a^{2/3}(-b)^{2/3}}{bB} + \frac{\sqrt[3]{a} x}{B} + \frac{\sqrt[3]{-b} x^2}{B}} dx$$

$$= \frac{(2B) \operatorname{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2\sqrt[3]{-b} x}{\sqrt[3]{a}} \right)}{\sqrt[3]{a}}$$

$$= \frac{2B \tan^{-1} \left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a}}$$

Mathematica [B] time = 0.07, size = 129, normalized size = 3.15

$$\frac{\sqrt[3]{-b} B \left((\sqrt[3]{-b} + \sqrt[3]{b}) (2 \log(\sqrt[3]{a} + \sqrt[3]{b} x) - \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)) + 2\sqrt{3} (\sqrt[3]{-b} - \sqrt[3]{b}) \tan^{-1} \left(\frac{1 - \frac{2\sqrt[3]{b} x}{\sqrt[3]{a}}}{\sqrt{3}} \right) \right)}{6\sqrt[3]{a} b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a^(1/3)*(-b)^(1/3)*B - (-b)^(2/3)*B*x)/(a + b*x^3), x]

[Out] ((-b)^(1/3)*B*(2*Sqrt[3]*((-b)^(1/3) - b^(1/3))*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + ((-b)^(1/3) + b^(1/3))*(2*Log[a^(1/3) + b^(1/3)*x] - Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]))/(6*a^(1/3)*b^(2/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - (-b)^{2/3} B x}{a + b x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a^(1/3)*(-b)^(1/3)*B - (-b)^(2/3)*B*x)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(a^(1/3)*(-b)^(1/3)*B - (-b)^(2/3)*B*x)/(a + b*x^3), x]

fricas [A] time = 0.45, size = 114, normalized size = 2.78

$$\left[\sqrt{\frac{1}{3}} B \sqrt{-\frac{1}{a^{\frac{2}{3}}}} \log \left(\frac{2bx^3 + 3a^{\frac{2}{3}}(-b)^{\frac{1}{3}}x - 3\sqrt{\frac{1}{3}} \left(2a^{\frac{2}{3}}(-b)^{\frac{2}{3}}x^2 - a(-b)^{\frac{1}{3}}x - a^{\frac{4}{3}} \right) \sqrt{-\frac{1}{a^{\frac{2}{3}}}} - a}{bx^3 + a} \right), \frac{2\sqrt{\frac{1}{3}} B \arctan \left(\frac{\sqrt{\frac{1}{3}} \left(2(-b)^{\frac{1}{3}}x + a^{\frac{1}{3}} \right)}{a^{\frac{1}{3}}} \right)}{a^{\frac{1}{3}}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*(-b)^(1/3)*B-(-b)^(2/3)*B*x)/(b*x^3+a),x, algorithm="fricas")

[Out] [sqrt(1/3)*B*sqrt(-1/a^(2/3))*log((2*b*x^3 + 3*a^(2/3)*(-b)^(1/3)*x - 3*sqrt(1/3)*(2*a^(2/3)*(-b)^(2/3)*x^2 - a*(-b)^(1/3)*x - a^(4/3))*sqrt(-1/a^(2/3)) - a)/(b*x^3 + a), 2*sqrt(1/3)*B*arctan(sqrt(1/3)*(2*(-b)^(1/3)*x + a^(1/3))/a^(1/3))/a^(1/3)]

giac [A] time = 0.21, size = 58, normalized size = 1.41

$$\frac{2\sqrt{3}Bb \arctan\left(\frac{\sqrt{3}\left(2(-b)^{\frac{2}{3}}x+a^{\frac{1}{3}}(-b)^{\frac{1}{3}}\right)}{3\sqrt{a^{\frac{2}{3}}(-b)^{\frac{2}{3}}}}\right)}{3\sqrt{a^{\frac{2}{3}}(-b)^{\frac{2}{3}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*(-b)^(1/3)*B-(-b)^(2/3)*B*x)/(b*x^3+a),x, algorithm="giac")

[Out] 2/3*sqrt(3)*B*b*arctan(-1/3*sqrt(3)*(2*(-b)^(2/3)*x + a^(1/3)*(-b)^(1/3))/sqrt(a^(2/3)*(-b)^(2/3)))/(sqrt(a^(2/3)*(-b)^(2/3))*(-b)^(2/3))

maple [B] time = 0.06, size = 228, normalized size = 5.56

$$\frac{(-1)^{\frac{1}{3}}\sqrt{3}Ba^{\frac{1}{3}}\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{b^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^{\frac{2}{3}}} + \frac{(-1)^{\frac{1}{3}}Ba^{\frac{1}{3}}\ln\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^{\frac{2}{3}}} - \frac{(-1)^{\frac{1}{3}}Ba^{\frac{1}{3}}\ln\left(x^2-\left(\frac{a}{b}\right)^{\frac{1}{3}}x+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}b^{\frac{2}{3}}} - \frac{(-1)^{\frac{1}{3}}(-b)^{\frac{1}{3}}\sqrt{3}B\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{b^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^{\frac{2}{3}}} + \frac{(-1)^{\frac{1}{3}}(-b)^{\frac{1}{3}}B\ln\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^{\frac{2}{3}}} - \frac{(-1)^{\frac{1}{3}}(-b)^{\frac{1}{3}}B\ln\left(x^2-\left(\frac{a}{b}\right)^{\frac{1}{3}}x+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}}b^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^(1/3)*(-b)^(1/3)*B-(-b)^(2/3)*B*x)/(b*x^3+a),x)

[Out] 1/3*B/b^(2/3)*(-1)^(1/3)*a^(1/3)/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/6*B/b^(2/3)*(-1)^(1/3)*a^(1/3)/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*B/b^(2/3)*(-1)^(1/3)*a^(1/3)/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*B/b^(2/3)*(-1)^(1/3)*(-b)^(1/3)/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-1/6*B/b^(2/3)*(-1)^(1/3)*(-b)^(1/3)/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3*B/b^(2/3)*(-1)^(1/3)*(-b)^(1/3)*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [B] time = 2.95, size = 174, normalized size = 4.24

$$\frac{\sqrt{3} \left(B(-b)^{\frac{2}{3}} \left(\frac{a}{b} \right)^{\frac{1}{3}} - B a^{\frac{1}{3}} (-b)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 b \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(B(-b)^{\frac{2}{3}} \left(\frac{a}{b} \right)^{\frac{1}{3}} + B a^{\frac{1}{3}} (-b)^{\frac{1}{3}} \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 b \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(B(-b)^{\frac{2}{3}} \left(\frac{a}{b} \right)^{\frac{1}{3}} + B a^{\frac{1}{3}} (-b)^{\frac{1}{3}} \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*(-b)^(1/3)*B-(-b)^(2/3)*B*x)/(b*x^3+a),x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*(B*(-b)^{(2/3)}*(a/b)^{(1/3)} - B*a^{(1/3)}*(-b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b*(a/b)^{(2/3)}) - 1/6*(B*(-b)^{(2/3)}*(a/b)^{(1/3)} + B*a^{(1/3)}*(-b)^{(1/3)})*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b*(a/b)^{(2/3)}) + 1/3*(B*(-b)^{(2/3)}*(a/b)^{(1/3)} + B*a^{(1/3)}*(-b)^{(1/3)})*\log(x + (a/b)^{(1/3)})/(b*(a/b)^{(2/3)})$

mupad [B] time = 0.23, size = 49, normalized size = 1.20

$$\frac{2\sqrt{3} B \sqrt{-b} \operatorname{atanh} \left(\frac{\sqrt{3} \sqrt{-b}}{3 \sqrt{b}} - \frac{2\sqrt{3} \sqrt{b} x}{3 a^{1/3} (-b)^{1/6}} \right)}{3 a^{1/3} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(B*(-b)^(2/3)*x - B*a^(1/3)*(-b)^(1/3))/(a + b*x^3),x)

[Out] $-(2*3^{(1/2)}*B*(-b)^{(1/2)}*\operatorname{atanh}((3^{(1/2)}*(-b)^{(1/2)})/(3*b^{(1/2)})) - (2*3^{(1/2)})*b^{(1/2)}*x)/(3*a^{(1/3)}*(-b)^{(1/6)})/(3*a^{(1/3)}*b^{(1/2)})$

sympy [C] time = 0.85, size = 105, normalized size = 2.56

$$B \left(\frac{\sqrt{3} i \log \left(-\frac{\sqrt[3]{a}(-b)^{\frac{2}{3}}}{2b} - \frac{\sqrt{3} i \sqrt[3]{a}(-b)^{\frac{2}{3}}}{2b} + x \right)}{3} + \frac{\sqrt{3} i \log \left(-\frac{\sqrt[3]{a}(-b)^{\frac{2}{3}}}{2b} + \frac{\sqrt{3} i \sqrt[3]{a}(-b)^{\frac{2}{3}}}{2b} + x \right)}{3} \right) \frac{1}{\sqrt[3]{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**(1/3)*(-b)**(1/3)*B-(-b)**(2/3)*B*x)/(b*x**3+a),x)

[Out] $-B*(-\sqrt{3}*I*\log(-a**(1/3)*(-b)**(2/3)/(2*b) - \sqrt{3}*I*a**(1/3)*(-b)**(2/3)/(2*b) + x)/3 + \sqrt{3}*I*\log(-a**(1/3)*(-b)**(2/3)/(2*b) + \sqrt{3}*I*a**(1/3)*(-b)**(2/3)/(2*b) + x)/3)/a**(1/3)$

$$3.22 \quad \int \left(-\frac{Cx^2}{a+bx^3} + \frac{Bx+Cx^2}{a+bx^3} \right) dx$$

Optimal. Leaf size=118

$$\frac{B \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6 \sqrt[3]{a} b^{2/3}} - \frac{B \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3 \sqrt[3]{a} b^{2/3}} - \frac{B \tan^{-1}\left(\frac{\sqrt[3]{a} - 2 \sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} \sqrt[3]{a} b^{2/3}}$$

Rubi [A] time = 0.13, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {260, 1593, 1871, 12, 292, 31, 634, 617, 204, 628}

$$\frac{B \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6 \sqrt[3]{a} b^{2/3}} - \frac{B \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3 \sqrt[3]{a} b^{2/3}} - \frac{B \tan^{-1}\left(\frac{\sqrt[3]{a} - 2 \sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} \sqrt[3]{a} b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[-((C*x^2)/(a + b*x^3)) + (B*x + C*x^2)/(a + b*x^3), x]

[Out] -((B*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(1/3)*b^(2/3))) - (B*Log[a^(1/3) + b^(1/3)*x]/(3*a^(1/3)*b^(2/3)) + (B*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(1/3)*b^(2/3)))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 292

```
Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1593

```
Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \left(-\frac{Cx^2}{a+bx^3} + \frac{Bx+Cx^2}{a+bx^3} \right) dx &= -\left(C \int \frac{x^2}{a+bx^3} dx \right) + \int \frac{Bx+Cx^2}{a+bx^3} dx \\
&= -\frac{C \log(a+bx^3)}{3b} + \int \frac{x(B+Cx)}{a+bx^3} dx \\
&= -\frac{C \log(a+bx^3)}{3b} + C \int \frac{x^2}{a+bx^3} dx + \int \frac{Bx}{a+bx^3} dx \\
&= B \int \frac{x}{a+bx^3} dx \\
&= -\frac{B \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3\sqrt[3]{a}\sqrt[3]{b}} + \frac{B \int \frac{\sqrt[3]{a} + \sqrt[3]{b}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3\sqrt[3]{a}\sqrt[3]{b}} \\
&= -\frac{B \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{2/3}} + \frac{B \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6\sqrt[3]{a}b^{2/3}} + \frac{B \int \frac{1}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{2\sqrt[3]{b}} \\
&= -\frac{B \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{2/3}} + \frac{B \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6\sqrt[3]{a}b^{2/3}} + \frac{B \operatorname{Subst} \left(\int \frac{1}{-3-x^2} dx, \sqrt[3]{a}b^{2/3} \right)}{\sqrt[3]{a}b^{2/3}} \\
&= -\frac{B \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}} \right)}{\sqrt{3}\sqrt[3]{a}b^{2/3}} - \frac{B \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{2/3}} + \frac{B \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6\sqrt[3]{a}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 90, normalized size = 0.76

$$\frac{B \left(\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) - 2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) - 2\sqrt{3} \tan^{-1} \left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}} \right) \right)}{6\sqrt[3]{a}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[-((C*x^2)/(a + b*x^3)) + (B*x + C*x^2)/(a + b*x^3), x]

[Out] (B*(-2*sqrt[3]*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] - 2*Log[a^(1/3) + b^(1/3)*x] + Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]))/(6*a^(1/3)*b^(2/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(-\frac{Cx^2}{a+bx^3} + \frac{Bx+Cx^2}{a+bx^3} \right) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[-((C*x^2)/(a + b*x^3)) + (B*x + C*x^2)/(a + b*x^3),x]

[Out] IntegrateAlgebraic[-((C*x^2)/(a + b*x^3)) + (B*x + C*x^2)/(a + b*x^3), x]

fricas [A] time = 0.44, size = 310, normalized size = 2.63

$$\frac{3\sqrt{3}Bab\sqrt{\frac{(ax^2)^2}{a}} \log\left(\frac{2a^2x^2-abx+3\sqrt{3}\sqrt{(ax^2)^2}\sqrt{\frac{(ax^2)^2}{a}}}{2a^2}\right) + (-ab^2)^{\frac{2}{3}}B \log\left(b^2x^2 + (-ab^2)^{\frac{1}{3}}bx + (-ab^2)^{\frac{2}{3}}\right) - 2(-ab^2)^{\frac{2}{3}}B \log\left(bx - (-ab^2)^{\frac{1}{3}}\right)}{6ab^2} - \frac{6\sqrt{3}Bab\sqrt{\frac{(ax^2)^2}{a}} \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\sqrt{\frac{(ax^2)^2}{a}}}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (-ab^2)^{\frac{2}{3}}B \log\left(b^2x^2 + (-ab^2)^{\frac{1}{3}}bx + (-ab^2)^{\frac{2}{3}}\right) - 2(-ab^2)^{\frac{2}{3}}B \log\left(bx - (-ab^2)^{\frac{1}{3}}\right)}{6ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x)/(b*x^3+a),x, algorithm="fricas")

[Out] $\left[\frac{1}{6}*(3*\sqrt{3})*B*a*b*\sqrt{3}*((-a*b^2)^{(1/3)}/a)*\log((2*b^2*x^3 - a*b + 3*\sqrt{3}*(1/3)*(a*b*x + 2*(-a*b^2)^{(2/3)}*x^2 + (-a*b^2)^{(1/3)}*a)*\sqrt{3}*((-a*b^2)^{(1/3)}/a) - 3*(-a*b^2)^{(2/3)}*x)/(b*x^3 + a)) + (-a*b^2)^{(2/3)}*B*\log(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 2*(-a*b^2)^{(2/3)}*B*\log(b*x - (-a*b^2)^{(1/3)})\right)/(a*b^2), \frac{1}{6}*(6*\sqrt{3})*B*a*b*\sqrt{3}*(-(-a*b^2)^{(1/3)}/a)*\arctan(\sqrt{3}*(2*b*x + (-a*b^2)^{(1/3)})*\sqrt{3}*(-(-a*b^2)^{(1/3)}/a)/b) + (-a*b^2)^{(2/3)}*B*\log(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 2*(-a*b^2)^{(2/3)}*B*\log(b*x - (-a*b^2)^{(1/3)})\right)/(a*b^2)]$

giac [A] time = 0.19, size = 103, normalized size = 0.87

$$\frac{\sqrt{3}B \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3(-ab^2)^{\frac{1}{3}}} - \frac{B \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6(-ab^2)^{\frac{1}{3}}} - \frac{B\left(-\frac{a}{b}\right)^{\frac{2}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x)/(b*x^3+a),x, algorithm="giac")

[Out] $\frac{1}{3}*\sqrt{3}*B*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(-a*b^2)^{(1/3)} - 1/6*B*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(-a*b^2)^{(1/3)} - 1/3*B*(-a/b)^{(2/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a$

maple [A] time = 0.05, size = 94, normalized size = 0.80

$$\frac{\sqrt{3} B \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\frac{a}{b}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{B \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b} + \frac{B \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-C*x^2/(b*x^3+a)+(C*x^2+B*x)/(b*x^3+a), x)`

[Out] `-1/3*B/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/6*B/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*B*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))`

maxima [A] time = 3.03, size = 159, normalized size = 1.35

$$-\frac{C \log(bx^3 + a)}{3b} + \frac{\left(2C\left(\frac{a}{b}\right)^{\frac{1}{3}} + B\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{\left(C\left(\frac{a}{b}\right)^{\frac{1}{3}} - B\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{\sqrt{3}\left(2Ca - \left(3B\left(\frac{a}{b}\right)^{\frac{2}{3}} + \frac{2Ca}{b}\right)b\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x)/(b*x^3+a), x, algorithm="maxima")`

[Out] `-1/3*C*log(b*x^3 + a)/b + 1/6*(2*C*(a/b)^(1/3) + B)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(1/3)) + 1/3*(C*(a/b)^(1/3) - B)*log(x + (a/b)^(1/3))/(b*(a/b)^(1/3)) - 1/9*sqrt(3)*(2*C*a - (3*B*(a/b)^(2/3) + 2*C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b)`

mupad [B] time = 4.94, size = 98, normalized size = 0.83

$$-\frac{B \ln\left(b^{1/3} x + a^{1/3}\right)}{3 a^{1/3} b^{2/3}} + \frac{\ln\left(4 b^{1/3} x - 2 a^{1/3} - \sqrt{3} a^{1/3} 2i\right) (B - \sqrt{3} B 1i)}{6 a^{1/3} b^{2/3}} + \frac{\ln\left(4 b^{1/3} x - 2 a^{1/3} + \sqrt{3} a^{1/3} 2i\right) (B + \sqrt{3} B 1i)}{6 a^{1/3} b^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*x + C*x^2)/(a + b*x^3) - (C*x^2)/(a + b*x^3), x)`

[Out] `(log(4*b^(1/3)*x - 3^(1/2)*a^(1/3)*2i - 2*a^(1/3))*(B - 3^(1/2)*B*1i))/(6*a^(1/3)*b^(2/3)) - (B*log(b^(1/3)*x + a^(1/3)))/(3*a^(1/3)*b^(2/3)) + (log(3`

$$\frac{\sqrt{\frac{1}{2}} a^{\frac{1}{3}} 2i + 4 b^{\frac{1}{3}} x - 2 a^{\frac{1}{3}} (B + 3^{\frac{1}{2}} B i)}{6 a^{\frac{1}{3}} b^{\frac{2}{3}}}$$

sympy [A] time = 0.48, size = 26, normalized size = 0.22

$$B \text{RootSum}\left(27 t^3 a b^2 + 1, \left(t \mapsto t \log(9 t^2 a b + x)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x**2/(b*x**3+a)+(C*x**2+B*x)/(b*x**3+a), x)

[Out] B*RootSum(27*_t**3*a*b**2 + 1, Lambda(_t, _t*log(9*_t**2*a*b + x)))

$$3.23 \quad \int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Cx^2}{a+bx^3} \right) dx$$

Optimal. Leaf size=118

$$-\frac{A \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3} \sqrt[3]{b}} + \frac{A \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} \sqrt[3]{b}} - \frac{A \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} \sqrt[3]{b}}$$

Rubi [A] time = 0.11, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {260, 1871, 12, 200, 31, 634, 617, 204, 628}

$$-\frac{A \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3} \sqrt[3]{b}} + \frac{A \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} \sqrt[3]{b}} - \frac{A \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} \sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[-((C*x^2)/(a + b*x^3)) + (A + C*x^2)/(a + b*x^3), x]

[Out] -((A*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(2/3)*b^(1/3))) + (A*Log[a^(1/3) + b^(1/3)*x]/(3*a^(2/3)*b^(1/3)) - (A*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(2/3)*b^(1/3)))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Cx^2}{a+bx^3} \right) dx &= -\left(C \int \frac{x^2}{a+bx^3} dx \right) + \int \frac{A+Cx^2}{a+bx^3} dx \\
&= -\frac{C \log(a+bx^3)}{3b} + C \int \frac{x^2}{a+bx^3} dx + \int \frac{A}{a+bx^3} dx \\
&= A \int \frac{1}{a+bx^3} dx \\
&= \frac{A \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}} + \frac{A \int \frac{2\sqrt[3]{a} - \sqrt[3]{b}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}} \\
&= \frac{A \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} + \frac{A \int \frac{1}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{2\sqrt[3]{a}} - \frac{A \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}\sqrt[3]{b}} \\
&= \frac{A \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{A \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}\sqrt[3]{b}} + \frac{A \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x \right)}{a^{2/3}\sqrt[3]{b}} \\
&= -\frac{A \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}} \right)}{\sqrt{3}a^{2/3}\sqrt[3]{b}} + \frac{A \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{A \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}\sqrt[3]{b}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 90, normalized size = 0.76

$$\frac{A \left(\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) - 2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) + 2\sqrt{3} \tan^{-1} \left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}} \right) \right)}{6a^{2/3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[-((C*x^2)/(a + b*x^3)) + (A + C*x^2)/(a + b*x^3), x]

[Out] -1/6*(A*(2*Sqrt[3]*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] - 2*Log[a^(1/3) + b^(1/3)*x] + Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]))/(a^(2/3)*b^(1/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Cx^2}{a+bx^3} \right) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[-((C*x^2)/(a + b*x^3)) + (A + C*x^2)/(a + b*x^3),x]

[Out] IntegrateAlgebraic[-((C*x^2)/(a + b*x^3)) + (A + C*x^2)/(a + b*x^3), x]

fricas [A] time = 0.43, size = 305, normalized size = 2.58

$$\frac{3\sqrt{\frac{3}{2}}\text{Atanh}\sqrt{\frac{(ab)^{\frac{2}{3}}}{a}}\log\left(\frac{2abx^3-3(ab)^{\frac{2}{3}}ax-a^3\sqrt{\frac{2abx^2+(ab)^{\frac{2}{3}}x-(ab)^{\frac{2}{3}}}{bx^3+a}}\sqrt{\frac{(ab)^{\frac{2}{3}}}{a}}}{6a^2b}\right)-(ab)^{\frac{2}{3}}A\log(abx^2-(ab)^{\frac{2}{3}}x+(ab)^{\frac{2}{3}}a)+2(ab)^{\frac{2}{3}}A\log(abx+(ab)^{\frac{2}{3}}a)}{6a^2b}+6\sqrt{\frac{3}{2}}\text{Atanh}\sqrt{\frac{(ab)^{\frac{2}{3}}}{a}}\arctan\left(\frac{\sqrt{\frac{3}{2}}(2(ab)^{\frac{2}{3}}x-(ab)^{\frac{2}{3}}a)\sqrt{\frac{(ab)^{\frac{2}{3}}}{a}}}{a}\right)-(ab)^{\frac{2}{3}}A\log(abx^2-(ab)^{\frac{2}{3}}x+(ab)^{\frac{2}{3}}a)+2(ab)^{\frac{2}{3}}A\log(abx+(ab)^{\frac{2}{3}}a)}{6a^2b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+A)/(b*x^3+a),x, algorithm="fricas")

[Out] [1/6*(3*sqrt(1/3)*A*a*b*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a)) - (a^2*b)^(2/3)*A*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 2*(a^2*b)^(2/3)*A*log(a*b*x + (a^2*b)^(2/3)))/(a^2*b), 1/6*(6*sqrt(1/3)*A*a*b*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2 - (a^2*b)^(2/3)*A*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 2*(a^2*b)^(2/3)*A*log(a*b*x + (a^2*b)^(2/3)))/(a^2*b)]

giac [A] time = 0.21, size = 115, normalized size = 0.97

$$\frac{A\left(-\frac{a}{b}\right)^{\frac{1}{3}}\log\left(\left|x-\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3a}+\frac{\sqrt{3}\left(-ab^2\right)^{\frac{1}{3}}A\arctan\left(\frac{\sqrt{3}\left(2x+\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab}+\frac{\left(-ab^2\right)^{\frac{1}{3}}A\log\left(x^2+x\left(-\frac{a}{b}\right)^{\frac{1}{3}}+\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+A)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*A*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a + 1/3*sqrt(3)*(-a*b^2)^(1/3)*A*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a*b) + 1/6*(-a*b^2)^(1/3)*A*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a*b)

maple [A] time = 0.05, size = 94, normalized size = 0.80

$$\frac{\sqrt{3}A\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b}+\frac{A\ln\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b}-\frac{A\ln\left(x^2-\left(\frac{a}{b}\right)^{\frac{1}{3}}x+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-C*x^2/(b*x^3+a)+(C*x^2+A)/(b*x^3+a),x)`

[Out] $\frac{1}{3}A/b/(a/b)^{2/3}*\ln(x+(a/b)^{1/3})-1/6*A/b/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3})*x+(a/b)^{2/3}+1/3*A/b/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3})*x-1))$

maxima [A] time = 2.99, size = 159, normalized size = 1.35

$$\frac{C \log(bx^3 + a)}{3b} - \frac{\sqrt{3} \left(2Ca - \left(3A \left(\frac{a}{b} \right)^{\frac{1}{3}} + \frac{2Ca}{b} \right) b \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9ab} + \frac{\left(2C \left(\frac{a}{b} \right)^{\frac{2}{3}} - A \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6b \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(C \left(\frac{a}{b} \right)^{\frac{2}{3}} + A \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-C*x^2/(b*x^3+a)+(C*x^2+A)/(b*x^3+a),x, algorithm="maxima")`

[Out] $-1/3*C*\log(b*x^3 + a)/b - 1/9*\sqrt{3}*(2*C*a - (3*A*(a/b)^{1/3} + 2*C*a/b)*b)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/(a*b) + 1/6*(2*C*(a/b)^{2/3} - A)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(b*(a/b)^{2/3}) + 1/3*(C*(a/b)^{2/3} + A)*\log(x + (a/b)^{1/3})/(b*(a/b)^{2/3})$

mupad [B] time = 5.01, size = 96, normalized size = 0.81

$$\frac{A \ln(b^{1/3}x + a^{1/3})}{3a^{2/3}b^{1/3}} - \frac{\ln(a^{1/3} - 2b^{1/3}x - \sqrt{3}a^{1/3}i) (A - \sqrt{3}A1i)}{6a^{2/3}b^{1/3}} - \frac{\ln(2b^{1/3}x - a^{1/3} - \sqrt{3}a^{1/3}i) (A + \sqrt{3}A1i)}{6a^{2/3}b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + C*x^2)/(a + b*x^3) - (C*x^2)/(a + b*x^3),x)`

[Out] $(A*\log(b^{1/3}*x + a^{1/3}))/((3*a^{2/3}*b^{1/3})) - (\log(a^{1/3} - 2*b^{1/3})*x - 3^{1/2}*a^{1/3}*1i)*(A - 3^{1/2}*A*1i))/((6*a^{2/3}*b^{1/3})) - (\log(2*b^{1/3}*x - 3^{1/2}*a^{1/3}*1i - a^{1/3})*(A + 3^{1/2}*A*1i))/((6*a^{2/3}*b^{1/3}))$

sympy [A] time = 0.21, size = 22, normalized size = 0.19

$$A \operatorname{RootSum} \left(27t^3 a^2 b - 1, \left(t \mapsto t \log(3ta + x) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-C*x**2/(b*x**3+a)+(C*x**2+A)/(b*x**3+a),x)`

[Out] `A*RootSum(27*_t**3*a**2*b - 1, Lambda(_t, _t*log(3*_t*a + x)))`

$$3.24 \quad \int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Bx+Cx^2}{a+bx^3} \right) dx$$

Optimal. Leaf size=161

$$\frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{6a^{2/3} \sqrt[3]{b}} + \frac{(A\sqrt[3]{b} - \sqrt[3]{a}B) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{2/3}} - \frac{(\sqrt[3]{a}B + A\sqrt[3]{b}) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}}$$

Rubi [A] time = 0.17, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {260, 1871, 1860, 31, 634, 617, 204, 628}

$$\frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{6a^{2/3} \sqrt[3]{b}} + \frac{(A\sqrt[3]{b} - \sqrt[3]{a}B) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{2/3}} - \frac{(\sqrt[3]{a}B + A\sqrt[3]{b}) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[-((C*x^2)/(a + b*x^3)) + (A + B*x + C*x^2)/(a + b*x^3), x]

[Out] -(((A*b^(1/3) + a^(1/3)*B)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(2/3)*b^(2/3))) + ((A*b^(1/3) - a^(1/3)*B)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(2/3)*b^(2/3)) - ((A - (a^(1/3)*B)/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(2/3)*b^(1/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Bx+Cx^2}{a+bx^3} \right) dx &= -\left(C \int \frac{x^2}{a+bx^3} dx \right) + \int \frac{A+Bx+Cx^2}{a+bx^3} dx \\
&= -\frac{C \log(a+bx^3)}{3b} + C \int \frac{x^2}{a+bx^3} dx + \int \frac{A+Bx}{a+bx^3} dx \\
&= \frac{\int \frac{\sqrt[3]{a}(2A\sqrt[3]{b} + \sqrt[3]{a}B) + \sqrt[3]{b}(-A\sqrt[3]{b} + \sqrt[3]{a}B)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}\sqrt[3]{b}} + \frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}} \\
&= \frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(A\sqrt[3]{b} - \sqrt[3]{a}B) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}b^{2/3}} + \frac{1}{2} \\
&= \frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(A\sqrt[3]{b} - \sqrt[3]{a}B) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3})}{6a^{2/3}b^{2/3}} \\
&= -\frac{(A\sqrt[3]{b} + \sqrt[3]{a}B) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(A\sqrt[3]{b} - \sqrt[3]{a}B) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3})}{6a^{2/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 124, normalized size = 0.77

$$\frac{(A\sqrt[3]{b} - \sqrt[3]{a}B) \left(2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) - \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) \right) - 2\sqrt{3} (\sqrt[3]{a}B + A\sqrt[3]{b}) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{6a^{2/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[-((C*x^2)/(a + b*x^3)) + (A + B*x + C*x^2)/(a + b*x^3), x]

[Out] (-2*sqrt[3]*(A*b^(1/3) + a^(1/3)*B)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + (A*b^(1/3) - a^(1/3)*B)*(2*Log[a^(1/3) + b^(1/3)*x] - Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]))/(6*a^(2/3)*b^(2/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Bx+Cx^2}{a+bx^3} \right) dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[-((C*x^2)/(a + b*x^3)) + (A + B*x + C*x^2)/(a + b*x^3),x
]
```

```
[Out] IntegrateAlgebraic[-((C*x^2)/(a + b*x^3)) + (A + B*x + C*x^2)/(a + b*x^3),
x]
```

fricas [C] time = 1.18, size = 1961, normalized size = 12.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x+A)/(b*x^3+a),x, algorithm="fricas")
```

```
[Out] -1/6*((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3
*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^
3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))*log(1/4*((1/2)^(1/3)*(I
*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)
- 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^
3*a - A^3*b)/(a^2*b^2))^(1/3)))^2*B*a^2*b - 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1
)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(
2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)
/(a^2*b^2))^(1/3)))*A^2*a*b + 2*A*B^2*a + (B^3*a + A^3*b)*x) + 1/12*((1/2)^(
1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2
))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^
2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)) + 3*sqrt(1/3)*sqrt(-(((1/2)^(1/3)*(I
*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)
- 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^
3*a - A^3*b)/(a^2*b^2))^(1/3)))^2*a*b + 16*A*B)/(a*b)))*log(-1/4*((1/2)^(1/
3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(
1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2)
- (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))^2*B*a^2*b + 1/2*((1/2)^(1/3)*(I*sqrt(3
) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3) - 2*(1
/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A
^3*b)/(a^2*b^2))^(1/3)))*A^2*a*b - 2*A*B^2*a + 2*(B^3*a + A^3*b)*x + 3/4*sq
rt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a -
A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a
+ A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))^2*a*b + 2*A^2*a*b)
)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a -
A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a
+ A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))^2*a*b + 16*A*B)/(a*
b))) + 1/12*((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*
a - A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3
*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)) - 3*sqrt(1/3)*sq
rt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*
b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3
*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))^2*a*b + 16*A*B)/(a*b)))
```

$$\log(-1/4*((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*A*B*(-I*\sqrt{3}) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^{(1/3)})^2*B*a^2*b + 1/2*((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*A*B*(-I*\sqrt{3}) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^{(1/3)})^2*B*a^2*b - 2*A*B^2*a + 2*(B^3*a + A^3*b)*x - 3/4*\sqrt{1/3}*(((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*A*B*(-I*\sqrt{3}) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^{(1/3)})^2*B*a^2*b + 2*A^2*a*b)*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*A*B*(-I*\sqrt{3}) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^{(1/3)})^2*a*b + 16*A*B)/(a*b))}$$

giac [A] time = 0.20, size = 147, normalized size = 0.91

$$\frac{\sqrt{3} \left(A b - (-a b^2)^{\frac{1}{3}} B \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-a b^2 \right)^{\frac{2}{3}}} - \frac{\left(A b + \left(-a b^2 \right)^{\frac{1}{3}} B \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-a b^2 \right)^{\frac{2}{3}}} - \frac{\left(B b \left(-\frac{a}{b} \right)^{\frac{1}{3}} + A b \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x+A)/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3*\sqrt{3}*(A*b - (-a*b^2)^{(1/3)}*B)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(-a*b^2)^{(2/3)} - 1/6*(A*b + (-a*b^2)^{(1/3)}*B)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(-a*b^2)^{(2/3)} - 1/3*(B*b*(-a/b)^{(1/3)} + A*b)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a*b$

maple [A] time = 0.04, size = 186, normalized size = 1.16

$$\frac{\sqrt{3} A \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{A \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} - \frac{A \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{\sqrt{3} B \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{B \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{B \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{1}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-C*x^2/(b*x^3+a)+(C*x^2+B*x+A)/(b*x^3+a),x)

[Out] $1/3/(a/b)^{(2/3)}*A/b*\ln(x+(a/b)^{(1/3)})-1/6/(a/b)^{(2/3)}*A/b*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/3/(a/b)^{(2/3)}*3^{(1/2)}*A/b*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3/(a/b)^{(1/3)}*B/b*\ln(x+(a/b)^{(1/3)})+1/6/(a/b)^{(1/3)}*B/b*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/3*3^{(1/2)}/(a/b)^{(1/3)}*B/b*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$

maxima [A] time = 2.96, size = 188, normalized size = 1.17

$$\frac{C \log(bx^3 + a)}{3b} - \frac{\sqrt{3} \left(2Ca - \left(3B \left(\frac{a}{b} \right)^{\frac{2}{3}} + 3A \left(\frac{a}{b} \right)^{\frac{1}{3}} + \frac{2Ca}{b} \right) b \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9ab} + \frac{\left(2C \left(\frac{a}{b} \right)^{\frac{2}{3}} + B \left(\frac{a}{b} \right)^{\frac{1}{3}} - A \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6b \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(C \left(\frac{a}{b} \right)^{\frac{2}{3}} - B \left(\frac{a}{b} \right)^{\frac{1}{3}} + A \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x+A)/(b*x^3+a),x, algorithm="maxima")

[Out] $-1/3*C*\log(b*x^3 + a)/b - 1/9*\sqrt{3}*(2*C*a - (3*B*(a/b)^{(2/3)} + 3*A*(a/b)^{(1/3)} + 2*C*a/b)*b)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b) + 1/6*(2*C*(a/b)^{(2/3)} + B*(a/b)^{(1/3)} - A)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b*(a/b)^{(2/3)}) + 1/3*(C*(a/b)^{(2/3)} - B*(a/b)^{(1/3)} + A)*\log(x + (a/b)^{(1/3)})/(b*(a/b)^{(2/3)})$

mupad [B] time = 4.92, size = 127, normalized size = 0.79

$$\sum_{k=1}^3 \ln \left(b \left(B^2 x + AB + \sqrt[3]{27a^2 b^2 z^3 + 9ABabz + B^3 a - A^3 b, z, k} \right)^2 a b^9 + A \sqrt[3]{27a^2 b^2 z^3 + 9ABabz + B^3 a - A^3 b, z, k} b x^3 \right) \sqrt[3]{27a^2 b^2 z^3 + 9ABabz + B^3 a - A^3 b, z, k}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x + C*x^2)/(a + b*x^3) - (C*x^2)/(a + b*x^3),x)

[Out] $\text{symsum}(\log(b*(B^2*x + A*B + 9*\sqrt[3]{27*a^2*b^2*z^3 + 9*A*B*a*b*z + B^3*a - A^3*b, z, k})^2*a*b + 3*A*\sqrt[3]{27*a^2*b^2*z^3 + 9*A*B*a*b*z + B^3*a - A^3*b, z, k}*b*x))*\sqrt[3]{27*a^2*b^2*z^3 + 9*A*B*a*b*z + B^3*a - A^3*b, z, k}, k, 1, 3)$

sympy [A] time = 1.28, size = 76, normalized size = 0.47

$$\text{RootSum} \left(27t^3 a^2 b^2 + 9tABab - A^3 b + B^3 a, \left(t \mapsto t \log \left(x + \frac{9t^2 B a^2 b + 3t A^2 a b + 2A B^2 a}{A^3 b + B^3 a} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x**2/(b*x**3+a)+(C*x**2+B*x+A)/(b*x**3+a),x)

[Out] $\text{RootSum}(27*_t**3*a**2*b**2 + 9*_t*A*B*a*b - A**3*b + B**3*a, \text{Lambda}(_t, _t*\log(x + (9*_t**2*B*a**2*b + 3*_t*A**2*a*b + 2*A*B**2*a)/(A**3*b + B**3*a))))$

$$3.25 \quad \int \frac{bx+cx^2}{d+ex^3} dx$$

Optimal. Leaf size=134

$$\frac{b \log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2)}{6 \sqrt[3]{d} e^{2/3}} - \frac{b \log(\sqrt[3]{d} + \sqrt[3]{e} x)}{3 \sqrt[3]{d} e^{2/3}} - \frac{b \tan^{-1}\left(\frac{\sqrt[3]{d}-2\sqrt[3]{e}x}{\sqrt{3} \sqrt[3]{d}}\right)}{\sqrt{3} \sqrt[3]{d} e^{2/3}} + \frac{c \log(d + ex^3)}{3e}$$

Rubi [A] time = 0.11, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.526$, Rules used = {1593, 1871, 12, 292, 31, 634, 617, 204, 628, 260}

$$\frac{b \log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2)}{6 \sqrt[3]{d} e^{2/3}} - \frac{b \log(\sqrt[3]{d} + \sqrt[3]{e} x)}{3 \sqrt[3]{d} e^{2/3}} - \frac{b \tan^{-1}\left(\frac{\sqrt[3]{d}-2\sqrt[3]{e}x}{\sqrt{3} \sqrt[3]{d}}\right)}{\sqrt{3} \sqrt[3]{d} e^{2/3}} + \frac{c \log(d + ex^3)}{3e}$$

Antiderivative was successfully verified.

[In] Int[(b*x + c*x^2)/(d + e*x^3), x]

[Out] -((b*ArcTan[(d^(1/3) - 2*e^(1/3)*x)/(Sqrt[3]*d^(1/3))]/(Sqrt[3]*d^(1/3)*e^(2/3))) - (b*Log[d^(1/3) + e^(1/3)*x]/(3*d^(1/3)*e^(2/3)) + (b*Log[d^(2/3) - d^(1/3)*e^(1/3)*x + e^(2/3)*x^2]/(6*d^(1/3)*e^(2/3)) + (c*Log[d + e*x^3])/3e)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

`Int[(x_)^((m_.)/((a_) + (b_.)*(x_)^n)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]`

Rule 292

`Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]`

Rule 617

`Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

Rule 628

`Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]`

Rule 634

`Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]`

Rule 1593

`Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^n, x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]`

Rule 1871

`Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]`

Rubi steps

$$\begin{aligned}
\int \frac{bx + cx^2}{d + ex^3} dx &= \int \frac{x(b + cx)}{d + ex^3} dx \\
&= c \int \frac{x^2}{d + ex^3} dx + \int \frac{bx}{d + ex^3} dx \\
&= \frac{c \log(d + ex^3)}{3e} + b \int \frac{x}{d + ex^3} dx \\
&= \frac{c \log(d + ex^3)}{3e} - \frac{b \int \frac{1}{\sqrt[3]{d} + \sqrt[3]{e}x} dx}{3\sqrt[3]{d}\sqrt[3]{e}} + \frac{b \int \frac{\sqrt[3]{d} + \sqrt[3]{e}x}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{3\sqrt[3]{d}\sqrt[3]{e}} \\
&= -\frac{b \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3\sqrt[3]{d}e^{2/3}} + \frac{c \log(d + ex^3)}{3e} + \frac{b \int \frac{-\sqrt[3]{d}\sqrt[3]{e} + 2e^{2/3}x}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{6\sqrt[3]{d}e^{2/3}} + \frac{b \int \frac{1}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{2\sqrt[3]{e}} \\
&= -\frac{b \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3\sqrt[3]{d}e^{2/3}} + \frac{b \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6\sqrt[3]{d}e^{2/3}} + \frac{c \log(d + ex^3)}{3e} + \frac{b \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx\right)}{\sqrt[3]{d}e^{2/3}} \\
&= -\frac{b \tan^{-1}\left(\frac{\sqrt[3]{d} - 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}\sqrt[3]{d}e^{2/3}} - \frac{b \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3\sqrt[3]{d}e^{2/3}} + \frac{b \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6\sqrt[3]{d}e^{2/3}} + \frac{c \log(d + ex^3)}{3e}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 122, normalized size = 0.91

$$\frac{b\sqrt[3]{e} \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2) - 2b\sqrt[3]{e} \log(\sqrt[3]{d} + \sqrt[3]{e}x) - 2\sqrt{3}b\sqrt[3]{e} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right) + 2c\sqrt[3]{d} \log(d + ex^3)}{6\sqrt[3]{d}e}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + c*x^2)/(d + e*x^3), x]

[Out] (-2*Sqrt[3]*b*e^(1/3)*ArcTan[(1 - (2*e^(1/3)*x)/d^(1/3))/Sqrt[3]] - 2*b*e^(1/3)*Log[d^(1/3) + e^(1/3)*x] + b*e^(1/3)*Log[d^(2/3) - d^(1/3)*e^(1/3)*x + e^(2/3)*x^2] + 2*c*d^(1/3)*Log[d + e*x^3])/(6*d^(1/3)*e)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bx + cx^2}{d + ex^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(b*x + c*x^2)/(d + e*x^3),x]

[Out] IntegrateAlgebraic[(b*x + c*x^2)/(d + e*x^3), x]

fricas [C] time = 1.21, size = 1043, normalized size = 7.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)/(e*x^3+d),x, algorithm="fricas")

[Out]
$$-1/12*(12*\sqrt{1/3}*e*\sqrt{((3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)^2*e^2 + 4*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)*c*e + 4*c^2/e^2)*\arctan(1/8*\sqrt{1/3}*((3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)^2*d*e^2 + 4*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)*c*d*e - 8*b^2*e*x + 4*b^2*e*\sqrt{-((3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)^2*d*e^2*x - 4*b^2*e*x^2 + 4*c^2*d*x - 4*b*c*d + 2*(2*c*d*e*x - b*d*e)*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e))/(b^2*e)) + 4*c^2*d*\sqrt{((3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)^2*e^2 + 4*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)*c*e + 4*c^2/e^2)/b^3 + 2*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)*e*\log(1/4*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)^2*d*e^2 + (3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)*c*d*e + b^2*e*x + c^2*d - ((3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)*e + 6*c)*\log(-1/4*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)^2*d*e^2*x + b^2*e*x^2 - c^2*d*x + b*c*d - 1/2*(2*c*d*e*x - b*d*e)*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e))/e$$

giac [A] time = 0.18, size = 110, normalized size = 0.82

$$\frac{1}{3}ce^{(-1)}\log(|x^3e+d|) + \frac{\sqrt{3}b\arctan\left(\frac{\sqrt{3}\left(2x+(-de^{(-1)})^{\frac{1}{3}}\right)}{3(-de^{(-1)})^{\frac{1}{3}}}\right)}{3(-de^2)^{\frac{1}{3}}} - \frac{b\log\left(x^2+(-de^{(-1)})^{\frac{1}{3}}x+(-de^{(-1)})^{\frac{2}{3}}\right)}{6(-de^2)^{\frac{1}{3}}} - \frac{(-de^{(-1)})^{\frac{2}{3}}b\log\left(x-(-de^{(-1)})^{\frac{1}{3}}\right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)/(e*x^3+d),x, algorithm="giac")

[Out] $\frac{1}{3}c e^{-1} \log(\text{abs}(x^3 e + d)) + \frac{1}{3} \sqrt{3} b \arctan\left(\frac{1}{3} \sqrt{3} (2x + (-d e^{-1})^{1/3}) / (-d e^{-1})^{1/3}\right) / (-d e^{-2})^{1/3} - \frac{1}{6} b \log(x^2 + (-d e^{-1})^{1/3} x + (-d e^{-1})^{2/3}) / (-d e^{-2})^{1/3} - \frac{1}{3} (-d e^{-1})^{2/3} b \log(\text{abs}(x - (-d e^{-1})^{1/3})) / d$

maple [A] time = 0.05, size = 108, normalized size = 0.81

$$\frac{\sqrt{3} b \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{d}{e}\right)^{\frac{1}{3}} e} - \frac{b \ln\left(x + \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{d}{e}\right)^{\frac{1}{3}} e} + \frac{b \ln\left(x^2 - \left(\frac{d}{e}\right)^{\frac{1}{3}} x + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{d}{e}\right)^{\frac{1}{3}} e} + \frac{c \ln(e x^3 + d)}{3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x)/(e*x^3+d),x)`

[Out] $-1/3/(d/e)^{1/3} * b/e * \ln(x + (d/e)^{1/3}) + 1/6/(d/e)^{1/3} * b/e * \ln(x^2 - (d/e)^{1/3} * x + (d/e)^{2/3}) + 1/3 * 3^{1/2} / (d/e)^{1/3} * b/e * \arctan(1/3 * 3^{1/2} * (2/(d/e)^{1/3} * x - 1)) + 1/3 * c * \ln(e * x^3 + d) / e$

maxima [A] time = 2.92, size = 145, normalized size = 1.08

$$\frac{\left(2c \left(\frac{d}{e}\right)^{\frac{1}{3}} + b\right) \log\left(x^2 - x \left(\frac{d}{e}\right)^{\frac{1}{3}} + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6e \left(\frac{d}{e}\right)^{\frac{1}{3}}} + \frac{\left(c \left(\frac{d}{e}\right)^{\frac{1}{3}} - b\right) \log\left(x + \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3e \left(\frac{d}{e}\right)^{\frac{1}{3}}} - \frac{\sqrt{3} \left(2cd - \left(3b \left(\frac{d}{e}\right)^{\frac{2}{3}} + \frac{2cd}{e}\right)e\right) \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{d}{e}\right)^{\frac{1}{3}}}\right)}{9de}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x)/(e*x^3+d),x, algorithm="maxima")`

[Out] $\frac{1}{6} * (2 * c * (d/e)^{1/3} + b) * \log(x^2 - x * (d/e)^{1/3} + (d/e)^{2/3}) / (e * (d/e)^{1/3}) + \frac{1}{3} * (c * (d/e)^{1/3} - b) * \log(x + (d/e)^{1/3}) / (e * (d/e)^{1/3}) - \frac{1}{9} * \sqrt{3} * (2 * c * d - (3 * b * (d/e)^{2/3} + 2 * c * d/e) * e) * \arctan(1/3 * \sqrt{3} * (2 * x - (d/e)^{1/3}) / (d/e)^{1/3}) / (d * e)$

mupad [B] time = 0.19, size = 158, normalized size = 1.18

$$\sum_{k=1}^3 \ln(-\text{root}(27 d e^3 z^3 - 27 c d e^2 z^2 + 9 c^2 d e z + b^3 e - c^3 d, z, k) (6 c d e - \text{root}(27 d e^3 z^3 - 27 c d e^2 z^2 + 9 c^2 d e z + b^3 e - c^3 d, z, k) d e^2 9) + c^2 d + b^2 e x) \text{root}(27 d e^3 z^3 - 27 c d e^2 z^2 + 9 c^2 d e z + b^3 e - c^3 d, z, k)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x + c*x^2)/(d + e*x^3),x)
```

```
[Out] symsum(log(c^2*d - root(27*d*e^3*z^3 - 27*c*d*e^2*z^2 + 9*c^2*d*e*z + b^3*e - c^3*d, z, k)*(6*c*d*e - 9*root(27*d*e^3*z^3 - 27*c*d*e^2*z^2 + 9*c^2*d*e*z + b^3*e - c^3*d, z, k)*d*e^2) + b^2*e*x)*root(27*d*e^3*z^3 - 27*c*d*e^2*z^2 + 9*c^2*d*e*z + b^3*e - c^3*d, z, k), k, 1, 3)
```

sympy [A] time = 0.71, size = 75, normalized size = 0.56

$$\text{RootSum}\left(27t^3de^3 - 27t^2cde^2 + 9tc^2de + b^3e - c^3d, \left(t \mapsto t \log\left(x + \frac{9t^2de^2 - 6tcde + c^2d}{b^2e}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+b*x)/(e*x**3+d),x)
```

```
[Out] RootSum(27*_t**3*d*e**3 - 27*_t**2*c*d*e**2 + 9*_t*c**2*d*e + b**3*e - c**3*d, Lambda(_t, _t*log(x + (9*_t**2*d*e**2 - 6*_t*c*d*e + c**2*d)/(b**2*e)))
)
```

$$3.26 \quad \int \frac{a+cx^2}{d-ex^3} dx$$

Optimal. Leaf size=134

$$\frac{a \log(d^{2/3} + \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2)}{6d^{2/3} \sqrt[3]{e}} - \frac{a \log(\sqrt[3]{d} - \sqrt[3]{e} x)}{3d^{2/3} \sqrt[3]{e}} + \frac{a \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e} x}{\sqrt{3} \sqrt[3]{d}}\right)}{\sqrt{3} d^{2/3} \sqrt[3]{e}} - \frac{c \log(d - ex^3)}{3e}$$

Rubi [A] time = 0.09, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1871, 12, 200, 31, 634, 617, 204, 628, 260}

$$\frac{a \log(d^{2/3} + \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2)}{6d^{2/3} \sqrt[3]{e}} - \frac{a \log(\sqrt[3]{d} - \sqrt[3]{e} x)}{3d^{2/3} \sqrt[3]{e}} + \frac{a \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e} x}{\sqrt{3} \sqrt[3]{d}}\right)}{\sqrt{3} d^{2/3} \sqrt[3]{e}} - \frac{c \log(d - ex^3)}{3e}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^2)/(d - e*x^3), x]

[Out] (a*ArcTan[(d^(1/3) + 2*e^(1/3)*x)/(Sqrt[3]*d^(1/3))]/(Sqrt[3]*d^(2/3)*e^(1/3)) - (a*Log[d^(1/3) - e^(1/3)*x]/(3*d^(2/3)*e^(1/3)) + (a*Log[d^(2/3) + d^(1/3)*e^(1/3)*x + e^(2/3)*x^2]/(6*d^(2/3)*e^(1/3)) - (c*Log[d - e*x^3]/(3*e)))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 260

```
Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + cx^2}{d - ex^3} dx &= c \int \frac{x^2}{d - ex^3} dx + \int \frac{a}{d - ex^3} dx \\
&= -\frac{c \log(d - ex^3)}{3e} + a \int \frac{1}{d - ex^3} dx \\
&= -\frac{c \log(d - ex^3)}{3e} + \frac{a \int \frac{1}{\sqrt[3]{d} - \sqrt[3]{e}x} dx}{3d^{2/3}} + \frac{a \int \frac{2\sqrt[3]{d} + \sqrt[3]{e}x}{d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{3d^{2/3}} \\
&= -\frac{a \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} - \frac{c \log(d - ex^3)}{3e} + \frac{a \int \frac{1}{d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{2\sqrt[3]{d}} + \frac{a \int \frac{\sqrt[3]{d}\sqrt[3]{e} + 2e^{2/3}x}{d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{6d^{2/3}\sqrt[3]{e}} \\
&= -\frac{a \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} + \frac{a \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}\sqrt[3]{e}} - \frac{c \log(d - ex^3)}{3e} - \frac{a \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, \frac{\sqrt[3]{d} + 2\sqrt[3]{e}x}{\sqrt[3]{d}}\right)}{d^{2/3}\sqrt[3]{e}} \\
&= \frac{a \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e}x}{\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}\sqrt[3]{e}} - \frac{a \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} + \frac{a \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}\sqrt[3]{e}} - \frac{c \log(d - ex^3)}{3e}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 123, normalized size = 0.92

$$\frac{ae^{2/3} \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2) - 2ae^{2/3} \log(\sqrt[3]{d} - \sqrt[3]{e}x) + 2\sqrt{3}ae^{2/3} \tan^{-1}\left(\frac{2\sqrt[3]{e}x + \sqrt[3]{d}}{\sqrt[3]{d}}\right) - 2cd^{2/3} \log(d - ex^3)}{6d^{2/3}e}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^2)/(d - e*x^3), x]

[Out] (2*sqrt[3]*a*e^(2/3)*ArcTan[(1 + (2*e^(1/3)*x)/d^(1/3))/sqrt[3]] - 2*a*e^(2/3)*Log[d^(1/3) - e^(1/3)*x] + a*e^(2/3)*Log[d^(2/3) + d^(1/3)*e^(1/3)*x + e^(2/3)*x^2] - 2*c*d^(2/3)*Log[d - e*x^3])/(6*d^(2/3)*e)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + cx^2}{d - ex^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + c*x^2)/(d - e*x^3), x]

[In] integrate((c*x^2+a)/(-e*x^3+d),x, algorithm="giac")

[Out] $-\frac{1}{3}c e^{-1} \log(\text{abs}(x^3 e - d)) + \frac{1}{3} \sqrt{3} a \arctan\left(\frac{1}{3} \sqrt{3} \left(\frac{d}{e}\right)^{\frac{1}{3}}\right) \left(\frac{d}{e}\right)^{\frac{1}{3}} + 2x \left(\frac{d}{e}\right)^{\frac{1}{3}} + \frac{1}{6} a e^{-1/3} \log\left(\frac{d}{e}\right)^{\frac{1}{3}} x e^{-1/3} + x^2 + \frac{d}{e} \left(\frac{d}{e}\right)^{\frac{2}{3}} e^{-2/3} \right) \left(\frac{d}{e}\right)^{\frac{2}{3}} - \frac{1}{3} a e^{-1/3} \log(\text{abs}(-d \left(\frac{d}{e}\right)^{\frac{1}{3}} e^{-1/3} + x)) \left(\frac{d}{e}\right)^{\frac{2}{3}}$

maple [A] time = 0.04, size = 111, normalized size = 0.83

$$\frac{\sqrt{3} a \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}} + 1}\right)}{3}\right)}{3 \left(\frac{d}{e}\right)^{\frac{2}{3}} e} - \frac{a \ln\left(x - \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{d}{e}\right)^{\frac{2}{3}} e} + \frac{a \ln\left(x^2 + \left(\frac{d}{e}\right)^{\frac{1}{3}} x + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{d}{e}\right)^{\frac{2}{3}} e} - \frac{c \ln(e x^3 - d)}{3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+a)/(-e*x^3+d),x)

[Out] $-\frac{1}{3} \left(\frac{d}{e}\right)^{\frac{2}{3}} a/e \ln\left(x - \left(\frac{d}{e}\right)^{\frac{1}{3}}\right) + \frac{1}{6} \left(\frac{d}{e}\right)^{\frac{2}{3}} a/e \ln\left(x^2 + \left(\frac{d}{e}\right)^{\frac{1}{3}} x + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right) + \frac{1}{3} \left(\frac{d}{e}\right)^{\frac{2}{3}} 3^{\frac{1}{2}} a/e \arctan\left(\frac{1}{3} 3^{\frac{1}{2}} \left(\frac{d}{e}\right)^{\frac{1}{3}}\right) \left(\frac{d}{e}\right)^{\frac{1}{3}} x + 1) - \frac{1}{3} c/e \ln(e x^3 - d)$

maxima [A] time = 3.05, size = 144, normalized size = 1.07

$$\frac{\sqrt{3} \left(2cd - \left(3a \left(\frac{d}{e}\right)^{\frac{1}{3}} + \frac{2cd}{e}\right) e\right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{d}{e}\right)^{\frac{1}{3}}}\right)}{9de} - \frac{\left(2c \left(\frac{d}{e}\right)^{\frac{2}{3}} - a\right) \log\left(x^2 + x \left(\frac{d}{e}\right)^{\frac{1}{3}} + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6e \left(\frac{d}{e}\right)^{\frac{2}{3}}} - \frac{\left(c \left(\frac{d}{e}\right)^{\frac{2}{3}} + a\right) \log\left(x - \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3e \left(\frac{d}{e}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)/(-e*x^3+d),x, algorithm="maxima")

[Out] $-\frac{1}{9} \sqrt{3} (2c*d - (3*a*(d/e)^{\frac{1}{3}} + 2*c*d/e)*e) \arctan\left(\frac{1}{3} \sqrt{3} (2*x + (d/e)^{\frac{1}{3}}) / (d/e)^{\frac{1}{3}}\right) / (d*e) - \frac{1}{6} (2*c*(d/e)^{\frac{2}{3}} - a) \log(x^2 + x*(d/e)^{\frac{1}{3}} + (d/e)^{\frac{2}{3}}) / (e*(d/e)^{\frac{2}{3}}) - \frac{1}{3} (c*(d/e)^{\frac{2}{3}} + a) \log(x - (d/e)^{\frac{1}{3}}) / (e*(d/e)^{\frac{2}{3}})$

mupad [B] time = 5.01, size = 178, normalized size = 1.33

$\sum_{k=1}^3 \ln\left(-\left(c + \sqrt[3]{27d^2e^3z^3 + 27cd^2e^2z^2 + 9c^2d^2ez + c^3d^2 + a^3z^2, z, k}\right) e^3\right) \left(cd + \sqrt[3]{27d^2e^3z^3 + 27cd^2e^2z^2 + 9c^2d^2ez + c^3d^2 + a^3z^2, z, k}\right) de^3 + aex\right) \sqrt[3]{27d^2e^3z^3 + 27cd^2e^2z^2 + 9c^2d^2ez + c^3d^2 + a^3z^2, z, k}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^2)/(d - e*x^3),x)`

[Out] `symsum(log(-(c + 3*root(27*d^2*e^3*z^3 + 27*c*d^2*e^2*z^2 + 9*c^2*d^2*e*z + c^3*d^2 + a^3*e^2, z, k)*e)*(c*d + 3*root(27*d^2*e^3*z^3 + 27*c*d^2*e^2*z^2 + 9*c^2*d^2*e*z + c^3*d^2 + a^3*e^2, z, k)*d*e + a*e*x))*root(27*d^2*e^3*z^3 + 27*c*d^2*e^2*z^2 + 9*c^2*d^2*e*z + c^3*d^2 + a^3*e^2, z, k), k, 1, 3)`

sympy [A] time = 0.59, size = 70, normalized size = 0.52

$$-\text{RootSum}\left(27t^3d^2e^3 - 27t^2cd^2e^2 + 9tc^2d^2e - a^3e^2 - c^3d^2, \left(t \mapsto t \log\left(x + \frac{-3tde + cd}{ae}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+a)/(-e*x**3+d),x)`

[Out] `-RootSum(27*_t**3*d**2*e**3 - 27*_t**2*c*d**2*e**2 + 9*_t*c**2*d**2*e - a**3*e**2 - c**3*d**2, Lambda(_t, _t*log(x + (-3*_t*d*e + c*d)/(a*e))))`

$$3.27 \quad \int \frac{2a^2 + b^2 x^2}{a^3 + b^3 x^3} dx$$

Optimal. Leaf size=37

$$\frac{\log(a + bx)}{b} - \frac{2 \tan^{-1}\left(\frac{a-2bx}{\sqrt{3}a}\right)}{\sqrt{3}b}$$

Rubi [A] time = 0.06, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1868, 31, 617, 204}

$$\frac{\log(a + bx)}{b} - \frac{2 \tan^{-1}\left(\frac{a-2bx}{\sqrt{3}a}\right)}{\sqrt{3}b}$$

Antiderivative was successfully verified.

[In] Int[(2*a^2 + b^2*x^2)/(a^3 + b^3*x^3), x]

[Out] (-2*ArcTan[(a - 2*b*x)/(Sqrt[3]*a)]/(Sqrt[3]*b) + Log[a + b*x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1868

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = Rt[a/b, 3]}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x] /; EqQ[A - Rt[a/b, 3]*B - 2*Rt[a/b, 3]^2*C, 0]] /; FreeQ[{a, b}, x] && PolyQ

[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{2a^2 + b^2x^2}{a^3 + b^3x^3} dx &= \frac{a \int \frac{1}{\frac{a^2}{b^2} - \frac{ax}{b} + x^2} dx}{b^2} + \frac{\int \frac{1}{\frac{a}{b} + x} dx}{b} \\
&= \frac{\log(a + bx)}{b} + \frac{2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2bx}{a}\right)}{b} \\
&= -\frac{2 \tan^{-1}\left(\frac{a-2bx}{\sqrt{3}a}\right)}{\sqrt{3}b} + \frac{\log(a + bx)}{b}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 72, normalized size = 1.95

$$\frac{\log(a^3 + b^3x^3) - \log(a^2 - abx + b^2x^2) + 2 \log(a + bx) + 2\sqrt{3} \tan^{-1}\left(\frac{2bx-a}{\sqrt{3}a}\right)}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*a^2 + b^2*x^2)/(a^3 + b^3*x^3), x]

[Out] (2*sqrt[3]*ArcTan[(-a + 2*b*x)/(sqrt[3]*a)] + 2*Log[a + b*x] - Log[a^2 - a*b*x + b^2*x^2] + Log[a^3 + b^3*x^3])/(3*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2a^2 + b^2x^2}{a^3 + b^3x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(2*a^2 + b^2*x^2)/(a^3 + b^3*x^3), x]

[Out] IntegrateAlgebraic[(2*a^2 + b^2*x^2)/(a^3 + b^3*x^3), x]

fricas [A] time = 0.41, size = 36, normalized size = 0.97

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2bx-a)}{3a}\right) + 3 \log(bx + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(b^3*x^3+a^3),x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*arctan(1/3*sqrt(3)*(2*b*x - a)/a) + 3*log(b*x + a))/b

giac [A] time = 0.17, size = 37, normalized size = 1.00

$$\frac{2\sqrt{3}\arctan\left(\frac{\sqrt{3}(2bx-a)}{3a}\right)}{3b} + \frac{\log(|bx+a|)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(b^3*x^3+a^3),x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*b*x - a)/a)/b + log(abs(b*x + a))/b

maple [A] time = 0.05, size = 43, normalized size = 1.16

$$\frac{2\sqrt{3}\arctan\left(\frac{(2b^2x-ab)\sqrt{3}}{3ab}\right)}{3b} + \frac{\ln(bx+a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^2*x^2+2*a^2)/(b^3*x^3+a^3),x)

[Out] 2/3*3^(1/2)/b*arctan(1/3*(2*b^2*x-a*b)*3^(1/2)/a/b)+ln(b*x+a)/b

maxima [A] time = 2.99, size = 42, normalized size = 1.14

$$\frac{2\sqrt{3}\arctan\left(\frac{\sqrt{3}(2b^2x-ab)}{3ab}\right)}{3b} + \frac{\log(bx+a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(b^3*x^3+a^3),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*b^2*x - a*b)/(a*b))/b + log(b*x + a)/b

mupad [B] time = 4.81, size = 84, normalized size = 2.27

$$\frac{\ln(a+bx)}{b} - \frac{2\sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}a^3b^4}{4a^3b^4+4xa^2b^5} - \frac{4\sqrt{3}a^2b^5x}{4a^3b^4+4xa^2b^5}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*a^2 + b^2*x^2)/(a^3 + b^3*x^3),x)`

[Out] $\log(a + b*x)/b - (2*3^{(1/2)}*atan((4*3^{(1/2)}*a^3*b^4)/(4*a^3*b^4 + 4*a^2*b^5*x) - (4*3^{(1/2)}*a^2*b^5*x)/(4*a^3*b^4 + 4*a^2*b^5*x)))/(3*b)$

sympy [C] time = 0.50, size = 60, normalized size = 1.62

$$\frac{-\frac{\sqrt{3}i \log\left(x + \frac{-a - \sqrt{3}ia}{2b}\right)}{3} + \frac{\sqrt{3}i \log\left(x + \frac{-a + \sqrt{3}ia}{2b}\right)}{3} + \log\left(\frac{a}{b} + x\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b**2*x**2+2*a**2)/(b**3*x**3+a**3),x)`

[Out] $(-\sqrt{3}*I*\log(x + (-a - \sqrt{3}*I*a)/(2*b))/3 + \sqrt{3}*I*\log(x + (-a + \sqrt{3}*I*a)/(2*b))/3 + \log(a/b + x))/b$

$$3.28 \quad \int \frac{2a^2 + b^2 x^2}{a^3 - b^3 x^3} dx$$

Optimal. Leaf size=39

$$\frac{2 \tan^{-1}\left(\frac{a+2bx}{\sqrt{3}a}\right)}{\sqrt{3}b} - \frac{\log(a-bx)}{b}$$

Rubi [A] time = 0.04, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1868, 31, 617, 204}

$$\frac{2 \tan^{-1}\left(\frac{a+2bx}{\sqrt{3}a}\right)}{\sqrt{3}b} - \frac{\log(a-bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(2*a^2 + b^2*x^2)/(a^3 - b^3*x^3),x]

[Out] (2*ArcTan[(a + 2*b*x)/(Sqrt[3]*a)]/(Sqrt[3]*b) - Log[a - b*x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1868

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = Rt[a/b, 3]}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A - Rt[a/b, 3]*B - 2*Rt[a/b, 3]^2*C, 0]] /; FreeQ[{a, b}, x] && PolyQ

[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{2a^2 + b^2x^2}{a^3 - b^3x^3} dx &= \frac{a \int \frac{1}{\frac{a^2}{b^2} + \frac{ax}{b} + x^2} dx}{b^2} - \frac{\int \frac{1}{-\frac{a}{b} + x} dx}{b} \\
&= \frac{\log(a - bx)}{b} - \frac{2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2bx}{a}\right)}{b} \\
&= \frac{2 \tan^{-1}\left(\frac{a+2bx}{\sqrt{3}a}\right)}{\sqrt{3}b} - \frac{\log(a - bx)}{b}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 71, normalized size = 1.82

$$\frac{-\log(a^3 - b^3x^3) + \log(a^2 + abx + b^2x^2) - 2\log(a - bx) + 2\sqrt{3} \tan^{-1}\left(\frac{a+2bx}{\sqrt{3}a}\right)}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*a^2 + b^2*x^2)/(a^3 - b^3*x^3), x]

[Out] (2*sqrt(3)*ArcTan[(a + 2*b*x)/(sqrt(3)*a)] - 2*Log[a - b*x] + Log[a^2 + a*b*x + b^2*x^2] - Log[a^3 - b^3*x^3])/(3*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2a^2 + b^2x^2}{a^3 - b^3x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(2*a^2 + b^2*x^2)/(a^3 - b^3*x^3), x]

[Out] IntegrateAlgebraic[(2*a^2 + b^2*x^2)/(a^3 - b^3*x^3), x]

fricas [A] time = 0.41, size = 36, normalized size = 0.92

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2bx+a)}{3a}\right) - 3 \log(bx - a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(-b^3*x^3+a^3),x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*arctan(1/3*sqrt(3)*(2*b*x + a)/a) - 3*log(b*x - a))/b

giac [A] time = 0.15, size = 38, normalized size = 0.97

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2bx+a)}{3a}\right)}{3b} - \frac{\log(|bx-a|)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(-b^3*x^3+a^3),x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*b*x + a)/a)/b - log(abs(b*x - a))/b

maple [A] time = 0.06, size = 45, normalized size = 1.15

$$\frac{2\sqrt{3} \arctan\left(\frac{(2b^2x+ab)\sqrt{3}}{3ab}\right)}{3b} - \frac{\ln(bx-a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^2*x^2+2*a^2)/(-b^3*x^3+a^3),x)

[Out] -1/b*ln(b*x-a)+2/3*3^(1/2)/b*arctan(1/3*(2*b^2*x+a*b)*3^(1/2)/a/b)

maxima [A] time = 2.97, size = 44, normalized size = 1.13

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2b^2x+ab)}{3ab}\right)}{3b} - \frac{\log(bx-a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(-b^3*x^3+a^3),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*b^2*x + a*b)/(a*b))/b - log(b*x - a)/b

mupad [B] time = 0.09, size = 86, normalized size = 2.21

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}a^3b^4}{4a^3b^4-4a^2b^5x} + \frac{4\sqrt{3}a^2b^5x}{4a^3b^4-4a^2b^5x}\right)}{3b} - \frac{\ln(a-bx)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*a^2 + b^2*x^2)/(a^3 - b^3*x^3),x)`

[Out] $(2\cdot 3^{1/2}\cdot \operatorname{atan}\left(\frac{4\cdot 3^{1/2}\cdot a^3\cdot b^4}{4\cdot a^3\cdot b^4 - 4\cdot a^2\cdot b^5\cdot x}\right) + (4\cdot 3^{1/2}\cdot a^2\cdot b^5\cdot x)/(4\cdot a^3\cdot b^4 - 4\cdot a^2\cdot b^5\cdot x))/(3\cdot b) - \log(a - b\cdot x)/b$

sympy [C] time = 0.70, size = 60, normalized size = 1.54

$$-\frac{\frac{\sqrt{3}i\log\left(x+\frac{a-\sqrt{3}ia}{2b}\right)}{3} - \frac{\sqrt{3}i\log\left(x+\frac{a+\sqrt{3}ia}{2b}\right)}{3} + \log\left(-\frac{a}{b} + x\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b**2*x**2+2*a**2)/(-b**3*x**3+a**3),x)`

[Out] $-(\sqrt{3}\cdot I\cdot \log(x + (a - \sqrt{3}\cdot I\cdot a)/(2\cdot b)))/3 - \sqrt{3}\cdot I\cdot \log(x + (a + \sqrt{3}\cdot I\cdot a)/(2\cdot b)))/3 + \log(-a/b + x)/b$

$$3.29 \quad \int \frac{8C + b^{2/3}Cx^2}{8 + bx^3} dx$$

Optimal. Leaf size=48

$$\frac{C \log(\sqrt[3]{b}x + 2)}{\sqrt[3]{b}} - \frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{b}}$$

Rubi [A] time = 0.04, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1863, 31, 617, 204}

$$\frac{C \log(\sqrt[3]{b}x + 2)}{\sqrt[3]{b}} - \frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(8*C + b^(2/3)*C*x^2)/(8 + b*x^3), x]

[Out] (-2*C*ArcTan[(1 - b^(1/3)*x)/Sqrt[3]]/(Sqrt[3]*b^(1/3)) + (C*Log[2 + b^(1/3)*x])/b^(1/3)

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1863

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/b^(1/3)}, Dist[C

/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A*b^(2/3) - a^(1/3)*b^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{8C + b^{2/3}Cx^2}{8 + bx^3} dx &= \frac{(2C) \int \frac{1}{\frac{4}{b^{2/3}} - \frac{2x}{\sqrt[3]{b}} + x^2} dx}{b^{2/3}} + \frac{C \int \frac{1}{\frac{2}{\sqrt[3]{b}} + x} dx}{\sqrt[3]{b}} \\ &= \frac{C \log(2 + \sqrt[3]{b}x)}{\sqrt[3]{b}} + \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \sqrt[3]{b}x\right)}{\sqrt[3]{b}} \\ &= -\frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{b}} + \frac{C \log(2 + \sqrt[3]{b}x)}{\sqrt[3]{b}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 76, normalized size = 1.58

$$\frac{C \left(-\log(b^{2/3}x^2 - 2\sqrt[3]{b}x + 4) + \log(bx^3 + 8) + 2\log(\sqrt[3]{b}x + 2) + 2\sqrt{3} \tan^{-1}\left(\frac{\sqrt[3]{b}x - 1}{\sqrt{3}}\right) \right)}{3\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(8*C + b^(2/3)*C*x^2)/(8 + b*x^3), x]

[Out] (C*(2*sqrt[3]*ArcTan[(-1 + b^(1/3)*x)/sqrt[3]] + 2*Log[2 + b^(1/3)*x] - Log[4 - 2*b^(1/3)*x + b^(2/3)*x^2] + Log[8 + b*x^3]))/(3*b^(1/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{8C + b^{2/3}Cx^2}{8 + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(8*C + b^(2/3)*C*x^2)/(8 + b*x^3), x]

[Out] IntegrateAlgebraic[(8*C + b^(2/3)*C*x^2)/(8 + b*x^3), x]

fricas [A] time = 0.45, size = 134, normalized size = 2.79

$$\left[\frac{\sqrt{\frac{1}{3}} C b \sqrt{-\frac{1}{b^3}} \log\left(\frac{bx^3 + 6\sqrt{\frac{1}{3}}\left(bx^2 + b^{\frac{2}{3}}x - 2b^{\frac{1}{3}}\right)\sqrt{-\frac{1}{2} - 6b^{\frac{1}{3}}x - 4}}{bx^3 + 8}}\right) + C b^{\frac{2}{3}} \log\left(bx + 2b^{\frac{2}{3}}\right)}{b}, \frac{2\sqrt{\frac{1}{3}} C b^{\frac{2}{3}} \arctan\left(\frac{\sqrt{\frac{1}{3}}\left(b^{\frac{2}{3}}x - b^{\frac{1}{3}}\right)}{b^{\frac{1}{3}}}\right) + C b^{\frac{2}{3}} \log\left(bx + 2b^{\frac{2}{3}}\right)}{b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C*b^(2/3)*C*x^2)/(b*x^3+8),x, algorithm="fricas")

[Out] [(sqrt(1/3)*C*b*sqrt(-1/b^(2/3))*log((b*x^3 + 6*sqrt(1/3)*(b*x^2 + b^(2/3)*x - 2*b^(1/3))*sqrt(-1/b^(2/3)) - 6*b^(1/3)*x - 4)/(b*x^3 + 8)) + C*b^(2/3)*log(b*x + 2*b^(2/3)))/b, (2*sqrt(1/3)*C*b^(2/3)*arctan(sqrt(1/3)*(b^(2/3)*x - b^(1/3))/b^(1/3)) + C*b^(2/3)*log(b*x + 2*b^(2/3)))/b]

giac [B] time = 0.42, size = 115, normalized size = 2.40

$$\frac{2}{3}\sqrt{3}C\left(-\frac{1}{b}\right)^{\frac{1}{3}}\arctan\left(\frac{\sqrt{3}\left(x + \left(-\frac{1}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{1}{b}\right)^{\frac{1}{3}}}\right) - \frac{1}{3}\left(Cb^{\frac{2}{3}}\left(-\frac{1}{b}\right)^{\frac{2}{3}} + 2C\right)\left(-\frac{1}{b}\right)^{\frac{1}{3}}\log\left(\left|x - 2\left(-\frac{1}{b}\right)^{\frac{1}{3}}\right|\right) + \frac{1}{3}\left(C\left(-\frac{1}{b}\right)^{\frac{1}{3}} + \frac{C}{b^{\frac{1}{3}}}\right)\log\left(x^2 + 2x\left(-\frac{1}{b}\right)^{\frac{1}{3}} + 4\left(-\frac{1}{b}\right)^{\frac{2}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C*b^(2/3)*C*x^2)/(b*x^3+8),x, algorithm="giac")

[Out] 2/3*sqrt(3)*C*(-1/b)^(1/3)*arctan(1/3*sqrt(3)*(x + (-1/b)^(1/3))/(-1/b)^(1/3)) - 1/3*(C*b^(2/3)*(-1/b)^(2/3) + 2*C)*(-1/b)^(1/3)*log(abs(x - 2*(-1/b)^(1/3))) + 1/3*(C*(-1/b)^(1/3) + C/b^(1/3))*log(x^2 + 2*x*(-1/b)^(1/3) + 4*(-1/b)^(2/3))

maple [B] time = 0.06, size = 117, normalized size = 2.44

$$\frac{C \ln(bx^3 + 8)}{3b^{\frac{1}{3}}} + \frac{8^{\frac{1}{3}}\sqrt{3} C \arctan\left(\frac{\sqrt{3}\left(\frac{2}{8^{\frac{1}{3}}x} - 1\right)}{4\left(\frac{1}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{1}{b}\right)^{\frac{2}{3}} b} + \frac{8^{\frac{1}{3}} C \ln\left(x + 8^{\frac{1}{3}}\left(\frac{1}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{1}{b}\right)^{\frac{2}{3}} b} - \frac{8^{\frac{1}{3}} C \ln\left(x^2 - 8^{\frac{1}{3}}\left(\frac{1}{b}\right)^{\frac{1}{3}} x + 8^{\frac{2}{3}}\left(\frac{1}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{1}{b}\right)^{\frac{2}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((8*C+b^(2/3)*C*x^2)/(b*x^3+8),x)`

[Out] $\frac{1}{3}C/b*8^{(1/3)}/(1/b)^{(2/3)}*\ln(x+8^{(1/3)}*(1/b)^{(1/3)})-1/6*C/b*8^{(1/3)}/(1/b)^{(2/3)}*\ln(x^2-8^{(1/3)}*(1/b)^{(1/3)}*x+8^{(2/3)}*(1/b)^{(2/3)})+1/3*C/b*8^{(1/3)}/(1/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(1/4*8^{(2/3)}/(1/b)^{(1/3)}*x-1))+1/3*C/b^{(1/3)}*\ln(b*x^3+8)$

maxima [A] time = 2.99, size = 47, normalized size = 0.98

$$\frac{2\sqrt{3}C\arctan\left(\frac{\sqrt{3}\left(b^{\frac{2}{3}}x-b^{\frac{1}{3}}\right)}{3b^{\frac{1}{3}}}\right)}{3b^{\frac{1}{3}}} + \frac{C\log\left(\frac{b^{\frac{1}{3}}x+2}{b^{\frac{1}{3}}}\right)}{b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((8*C+b^(2/3)*C*x^2)/(b*x^3+8),x, algorithm="maxima")`

[Out] $\frac{2}{3}*\sqrt{3}*C*\arctan(1/3*\sqrt{3}*(b^{(2/3)}*x - b^{(1/3)})/b^{(1/3)})/b^{(1/3)} + C*\log((b^{(1/3)}*x + 2)/b^{(1/3)})/b^{(1/3)}$

mupad [B] time = 5.14, size = 147, normalized size = 3.06

$$\sum_{k=1}^3 \ln\left(-\frac{(C - \text{root}(27b^3z^3 - 27Cb^{8/3}z^2 + 9C^2b^{7/3}z - 9C^3b^2, z, k))^{1/3}}{b^{5/3}} \frac{(C + \text{root}(27b^3z^3 - 27Cb^{8/3}z^2 + 9C^2b^{7/3}z - 9C^3b^2, z, k))^{1/3}}{b^{5/3}} + C^{1/3}x) 8}{\text{root}(27b^3z^3 - 27Cb^{8/3}z^2 + 9C^2b^{7/3}z - 9C^3b^2, z, k)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((8*C + C*b^(2/3)*x^2)/(b*x^3 + 8),x)`

[Out] `symsum(log(-(8*(C - 3*root(27*b^3*z^3 - 27*C*b^(8/3)*z^2 + 9*C^2*b^(7/3)*z - 9*C^3*b^2, z, k)*b^(1/3))*(3*root(27*b^3*z^3 - 27*C*b^(8/3)*z^2 + 9*C^2*b^(7/3)*z - 9*C^3*b^2, z, k)*b^(1/3) - C + C*b^(1/3)*x))/b^(5/3))*root(27*b^3*z^3 - 27*C*b^(8/3)*z^2 + 9*C^2*b^(7/3)*z - 9*C^3*b^2, z, k), k, 1, 3)`

sympy [A] time = 0.63, size = 58, normalized size = 1.21

$$\text{RootSum}\left(3t^3b^{\frac{5}{3}} - 3t^2Cb^{\frac{4}{3}} + tC^2b - C^3b^{\frac{2}{3}}, \left(t \mapsto t \log\left(x + \frac{3t\sqrt[3]{b} - C}{C\sqrt[3]{b}}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((8*C+b**(2/3)*C*x**2)/(b*x**3+8),x)`

[Out] `RootSum(3*_t**3*b**(5/3) - 3*_t**2*C*b**(4/3) + _t*C**2*b - C**3*b**(2/3), Lambda(_t, _t*log(x + (3*_t*b**(1/3) - C)/(C*b**(1/3)))))`

$$3.30 \quad \int \frac{a^{2/3}C + 2Cx^2}{a + 8x^3} dx$$

Optimal. Leaf size=47

$$\frac{1}{4}C \log(\sqrt[3]{a} + 2x) - \frac{C \tan^{-1}\left(\frac{\sqrt[3]{a}-4x}{\sqrt{3}\sqrt[3]{a}}\right)}{2\sqrt{3}}$$

Rubi [A] time = 0.03, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1863, 31, 617, 204}

$$\frac{1}{4}C \log(\sqrt[3]{a} + 2x) - \frac{C \tan^{-1}\left(\frac{\sqrt[3]{a}-4x}{\sqrt{3}\sqrt[3]{a}}\right)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(a^(2/3)*C + 2*C*x^2)/(a + 8*x^3), x]

[Out] -(C*ArcTan[(a^(1/3) - 4*x)/(Sqrt[3]*a^(1/3))]/(2*Sqrt[3]) + (C*Log[a^(1/3) + 2*x])/4

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1863

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/b^(1/3)}, Dist[C

/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A*b^(2/3) - a^(1/3)*b^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{a^{2/3}C + 2Cx^2}{a + 8x^3} dx &= \frac{1}{4}C \int \frac{1}{\frac{\sqrt[3]{a}}{2} + x} dx + \frac{1}{8}(\sqrt[3]{a}C) \int \frac{1}{\frac{a^{2/3}}{4} - \frac{\sqrt[3]{a}x}{2} + x^2} dx \\ &= \frac{1}{4}C \log(\sqrt[3]{a} + 2x) + \frac{1}{2}C \text{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 - \frac{4x}{\sqrt[3]{a}}\right) \\ &= -\frac{C \tan^{-1}\left(\frac{\sqrt[3]{a}-4x}{\sqrt{3}\sqrt[3]{a}}\right)}{2\sqrt{3}} + \frac{1}{4}C \log(\sqrt[3]{a} + 2x) \end{aligned}$$

Mathematica [A] time = 0.03, size = 72, normalized size = 1.53

$$\frac{1}{12}C \left(-\log(a^{2/3} - 2\sqrt[3]{a}x + 4x^2) + \log(a + 8x^3) + 2\log(\sqrt[3]{a} + 2x) - 2\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{4x}{\sqrt[3]{a}}}{\sqrt{3}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a^(2/3)*C + 2*C*x^2)/(a + 8*x^3), x]

[Out] (C*(-2*Sqrt[3]*ArcTan[(1 - (4*x)/a^(1/3))/Sqrt[3]] + 2*Log[a^(1/3) + 2*x] - Log[a^(2/3) - 2*a^(1/3)*x + 4*x^2] + Log[a + 8*x^3]))/12

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a^{2/3}C + 2Cx^2}{a + 8x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a^(2/3)*C + 2*C*x^2)/(a + 8*x^3), x]

[Out] IntegrateAlgebraic[(a^(2/3)*C + 2*C*x^2)/(a + 8*x^3), x]

fricas [A] time = 0.43, size = 40, normalized size = 0.85

$$\frac{1}{6}\sqrt{3}C \arctan\left(\frac{4\sqrt{3}a^{\frac{2}{3}}x - \sqrt{3}a}{3a}\right) + \frac{1}{4}C \log\left(2x + a^{\frac{1}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(2/3)*C+2*C*x^2)/(8*x^3+a),x, algorithm="fricas")

[Out] 1/6*sqrt(3)*C*arctan(1/3*(4*sqrt(3)*a^(2/3)*x - sqrt(3)*a)/a) + 1/4*C*log(2*x + a^(1/3))

giac [B] time = 0.20, size = 111, normalized size = 2.36

$$\frac{\sqrt{3}(\sqrt{3}i|a|+a)C\arctan\left(\frac{\sqrt{3}\left(4x+(-a)^{\frac{1}{3}}\right)}{3(-a)^{\frac{1}{3}}}\right)}{12a} + \frac{(\sqrt{3}i|a|+3a)C\log\left(x^2+\frac{1}{2}(-a)^{\frac{1}{3}}x+\frac{1}{4}(-a)^{\frac{2}{3}}\right)}{24a} - \frac{(C(-a)^{\frac{2}{3}}+2Ca^{\frac{2}{3}})(-a)^{\frac{1}{3}}\log\left(\left|x-\frac{1}{2}(-a)^{\frac{1}{3}}\right|\right)}{12a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(2/3)*C+2*C*x^2)/(8*x^3+a),x, algorithm="giac")

[Out] 1/12*sqrt(3)*(sqrt(3)*i*abs(a) + a)*C*arctan(1/3*sqrt(3)*(4*x + (-a)^(1/3)) / (-a)^(1/3))/a + 1/24*(sqrt(3)*i*abs(a) + 3*a)*C*log(x^2 + 1/2*(-a)^(1/3)*x + 1/4*(-a)^(2/3))/a - 1/12*(C*(-a)^(2/3) + 2*C*a^(2/3))*(-a)^(1/3)*log(abs(x - 1/2*(-a)^(1/3)))/a

maple [B] time = 0.04, size = 84, normalized size = 1.79

$$\frac{8^{\frac{2}{3}}\sqrt{3}C\arctan\left(\frac{\sqrt{3}\left(\frac{28^{\frac{1}{3}}x-1}{a^{\frac{1}{3}}}\right)}{3}\right)}{24} + \frac{8^{\frac{2}{3}}C\ln\left(x+\frac{8^{\frac{2}{3}}a^{\frac{1}{3}}}{8}\right)}{24} - \frac{8^{\frac{2}{3}}C\ln\left(x^2-\frac{8^{\frac{2}{3}}a^{\frac{1}{3}}x}{8}+\frac{8^{\frac{1}{3}}a^{\frac{2}{3}}}{8}\right)}{48} + \frac{C\ln(8x^3+a)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^(2/3)*C+2*C*x^2)/(8*x^3+a),x)

[Out] 1/24*C*8^(2/3)*ln(x+1/8*8^(2/3)*a^(1/3))-1/48*C*8^(2/3)*ln(x^2-1/8*8^(2/3)*a^(1/3)*x+1/8*8^(1/3)*a^(2/3))+1/24*C*8^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2*8^(1/3)/a^(1/3)*x-1))+1/12*C*ln(8*x^3+a)

maxima [A] time = 3.00, size = 36, normalized size = 0.77

$$\frac{1}{6}\sqrt{3}C\arctan\left(\frac{\sqrt{3}\left(4x-a^{\frac{1}{3}}\right)}{3a^{\frac{1}{3}}}\right) + \frac{1}{4}C\log\left(x+\frac{1}{2}a^{\frac{1}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(2/3)*C+2*C*x^2)/(8*x^3+a),x, algorithm="maxima")

[Out] $\frac{1}{6}\sqrt{3}C\arctan\left(\frac{1}{3}\sqrt{3}\frac{(4x - a^{1/3})}{a^{1/3}}\right) + \frac{1}{4}C\log(x + 1/2a^{1/3})$

mupad [B] time = 5.02, size = 145, normalized size = 3.09

$$\sum_{k=1}^3 \ln\left(-\frac{a^{2/3}(C - 12\sqrt[3]{1728a^2z^3 - 432Ca^2z^2 + 36C^2a^2z - 9C^3a^2, z, k})}{128} \frac{(4Cx - Ca^{1/3} + \sqrt[3]{1728a^2z^3 - 432Ca^2z^2 + 36C^2a^2z - 9C^3a^2, z, k})a^{1/3}12)}{\sqrt[3]{1728a^2z^3 - 432Ca^2z^2 + 36C^2a^2z - 9C^3a^2, z, k}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*a^(2/3) + 2*C*x^2)/(a + 8*x^3), x)`

[Out] `symsum(log(-(a^(2/3)*(C - 12*root(1728*a^2*z^3 - 432*C*a^2*z^2 + 36*C^2*a^2*z - 9*C^3*a^2, z, k))*(4*C*x - C*a^(1/3) + 12*root(1728*a^2*z^3 - 432*C*a^2*z^2 + 36*C^2*a^2*z - 9*C^3*a^2, z, k))*a^(1/3)))/128)*root(1728*a^2*z^3 - 432*C*a^2*z^2 + 36*C^2*a^2*z - 9*C^3*a^2, z, k), k, 1, 3)`

sympy [C] time = 0.74, size = 85, normalized size = 1.81

$$C \left(\frac{\log\left(\frac{\sqrt[3]{a}}{2} + x\right)}{4} - \frac{\sqrt{3}i \log\left(x + \frac{-C\sqrt[3]{a} - \sqrt{3}iC\sqrt[3]{a}}{4C}\right)}{12} + \frac{\sqrt{3}i \log\left(x + \frac{-C\sqrt[3]{a} + \sqrt{3}iC\sqrt[3]{a}}{4C}\right)}{12} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a**(2/3)*C+2*C*x**2)/(8*x**3+a), x)`

[Out] `C*(log(a**(1/3)/2 + x)/4 - sqrt(3)*I*log(x + (-C*a**(1/3) - sqrt(3)*I*C*a**(1/3))/(4*C))/12 + sqrt(3)*I*log(x + (-C*a**(1/3) + sqrt(3)*I*C*a**(1/3))/(4*C))/12)`

$$3.31 \quad \int \frac{8C+(-b)^{2/3}Cx^2}{-8+bx^3} dx$$

Optimal. Leaf size=57

$$\frac{2C \tan^{-1}\left(\frac{1-\sqrt[3]{-b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{-b}} - \frac{C \log(\sqrt[3]{-b}x + 2)}{\sqrt[3]{-b}}$$

Rubi [A] time = 0.07, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {1864, 31, 617, 204}

$$\frac{2C \tan^{-1}\left(\frac{1-\sqrt[3]{-b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{-b}} - \frac{C \log(\sqrt[3]{-b}x + 2)}{\sqrt[3]{-b}}$$

Antiderivative was successfully verified.

[In] Int[(8*C + (-b)^(2/3)*C*x^2)/(-8 + b*x^3), x]

[Out] (2*C*ArcTan[(1 - (-b)^(1/3)*x)/Sqrt[3]])/(Sqrt[3]*(-b)^(1/3)) - (C*Log[2 + (-b)^(1/3)*x])/(-b)^(1/3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1864

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a)^(1/3)/(-b)^(1/3)},

Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x] /; EqQ[A*(-b)^(2/3) - (-a)^(1/3)*(-b)^(1/3)*B - 2*(-a)^(2/3)*C, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{8C + (-b)^{2/3}Cx^2}{-8 + bx^3} dx &= \frac{(2C) \int \frac{1}{\frac{4}{(-b)^{2/3}} - \frac{2x}{\sqrt[3]{-b}} + x^2} dx}{(-b)^{2/3}} - \frac{C \int \frac{1}{\frac{2}{\sqrt[3]{-b}} + x} dx}{\sqrt[3]{-b}} \\ &= -\frac{C \log(2 + \sqrt[3]{-b}x)}{\sqrt[3]{-b}} - \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \sqrt[3]{-b}x\right)}{\sqrt[3]{-b}} \\ &= \frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{-b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{-b}} - \frac{C \log(2 + \sqrt[3]{-b}x)}{\sqrt[3]{-b}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 99, normalized size = 1.74

$$\frac{C\left(-b^{2/3} \log(b^{2/3}x^2 + 2\sqrt[3]{b}x + 4) + 2b^{2/3} \log(2 - \sqrt[3]{b}x) - 2\sqrt{3}b^{2/3} \tan^{-1}\left(\frac{\sqrt[3]{b}x+1}{\sqrt{3}}\right) + (-b)^{2/3} \log(8 - bx^3)\right)}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[(8*C + (-b)^(2/3)*C*x^2)/(-8 + b*x^3), x]

[Out] (C*(-2*Sqrt[3]*b^(2/3)*ArcTan[(1 + b^(1/3)*x)/Sqrt[3]] + 2*b^(2/3)*Log[2 - b^(1/3)*x] - b^(2/3)*Log[4 + 2*b^(1/3)*x + b^(2/3)*x^2] + (-b)^(2/3)*Log[8 - b*x^3]))/(3*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{8C + (-b)^{2/3}Cx^2}{-8 + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(8*C + (-b)^(2/3)*C*x^2)/(-8 + b*x^3), x]

[Out] IntegrateAlgebraic[(8*C + (-b)^(2/3)*C*x^2)/(-8 + b*x^3), x]

fricas [A] time = 0.45, size = 182, normalized size = 3.19

$$\left[\frac{\sqrt{\frac{1}{3}} C b \sqrt{\frac{(-b)^{\frac{1}{3}}}{b}} \log \left(\frac{b x^3 - 6 \sqrt{\frac{1}{3}} \left(b x^2 - (-b)^{\frac{2}{3}} x + 2(-b)^{\frac{1}{3}} \right) \sqrt{\frac{(-b)^{\frac{1}{3}}}{b}} + 6(-b)^{\frac{1}{3}} x + 4}{b x^3 - 8}} \right) + C (-b)^{\frac{2}{3}} \log (b x - 2 (-b)^{\frac{2}{3}})}{b}, \frac{2 \sqrt{\frac{1}{3}} C b \sqrt{\frac{(-b)^{\frac{1}{3}}}{b}} \arctan \left(\sqrt{\frac{1}{3}} \left((-b)^{\frac{2}{3}} x - (-b)^{\frac{1}{3}} \right) \sqrt{\frac{(-b)^{\frac{1}{3}}}{b}} \right) - C (-b)^{\frac{2}{3}} \log (b x - 2 (-b)^{\frac{2}{3}})}{b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C+(-b)^(2/3)*C*x^2)/(b*x^3-8),x, algorithm="fricas")

[Out] [(sqrt(1/3)*C*b*sqrt((-b)^(1/3)/b)*log((b*x^3 - 6*sqrt(1/3)*(b*x^2 - (-b)^(2/3)*x + 2*(-b)^(1/3))*sqrt((-b)^(1/3)/b) + 6*(-b)^(1/3)*x + 4)/(b*x^3 - 8) + C*(-b)^(2/3)*log(b*x - 2*(-b)^(2/3)))/b, -(2*sqrt(1/3)*C*b*sqrt((-b)^(1/3)/b)*arctan(sqrt(1/3)*((-b)^(2/3)*x - (-b)^(1/3))*sqrt((-b)^(1/3)/b)) - C*(-b)^(2/3)*log(b*x - 2*(-b)^(2/3)))/b]

giac [B] time = 0.31, size = 91, normalized size = 1.60

$$-\frac{2\sqrt{3}C|b|^{\frac{2}{3}}\arctan\left(\frac{1}{3}\sqrt{3}b^{\frac{1}{3}}\left(x+\frac{1}{b^{\frac{1}{3}}}\right)\right)}{3b} + \frac{1}{3}\left(\frac{C(-b)^{\frac{2}{3}}}{b} - \frac{C}{b^{\frac{1}{3}}}\right)\log\left(x^2 + \frac{2x}{b^{\frac{1}{3}}} + \frac{4}{b^{\frac{2}{3}}}\right) + \frac{\left(2C + \frac{C(-b)^{\frac{2}{3}}}{b^{\frac{2}{3}}}\right)\log\left(x - \frac{2}{b^{\frac{1}{3}}}\right)}{3b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C+(-b)^(2/3)*C*x^2)/(b*x^3-8),x, algorithm="giac")

[Out] -2/3*sqrt(3)*C*abs(b)^(2/3)*arctan(1/3*sqrt(3)*b^(1/3)*(x + 1/b^(1/3)))/b + 1/3*(C*(-b)^(2/3)/b - C/b^(1/3))*log(x^2 + 2*x/b^(1/3) + 4/b^(2/3)) + 1/3*(2*C + C*(-b)^(2/3)/b^(2/3))*log(abs(x - 2/b^(1/3)))/b^(1/3)

maple [B] time = 0.05, size = 122, normalized size = 2.14

$$-\frac{8^{\frac{1}{3}}\sqrt{3}C\arctan\left(\frac{\sqrt{3}\left(\frac{2}{8^{\frac{2}{3}}x}+1\right)}{\frac{4\left(\frac{1}{b}\right)^{\frac{1}{3}}}{3}}\right)}{3\left(\frac{1}{b}\right)^{\frac{2}{3}}b} + \frac{8^{\frac{1}{3}}C\ln\left(x - 8^{\frac{1}{3}}\left(\frac{1}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{1}{b}\right)^{\frac{2}{3}}b} - \frac{8^{\frac{1}{3}}C\ln\left(x^2 + 8^{\frac{1}{3}}\left(\frac{1}{b}\right)^{\frac{1}{3}}x + 8^{\frac{2}{3}}\left(\frac{1}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{1}{b}\right)^{\frac{2}{3}}b} + \frac{(-b)^{\frac{2}{3}}C\ln(bx^3 - 8)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8*C+(-b)^(2/3)*C*x^2)/(b*x^3-8),x)

[Out] $\frac{1}{3}C/b*8^{(1/3)}/(1/b)^{(2/3)}*\ln(x-8^{(1/3)}*(1/b)^{(1/3)})-1/6*C/b*8^{(1/3)}/(1/b)^{(2/3)}*\ln(x^2+8^{(1/3)}*(1/b)^{(1/3)}*x+8^{(2/3)}*(1/b)^{(2/3)})-1/3*C/b*8^{(1/3)}/(1/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(1/4*8^{(2/3)}/(1/b)^{(1/3)}*x+1))+1/3*C*(-b)^{(2/3)}/b*\ln(b*x^3-8)$

maxima [B] time = 2.94, size = 122, normalized size = 2.14

$$\frac{\left(C(-b)^{\frac{2}{3}} - Cb^{\frac{2}{3}}\right) \log\left(b^{\frac{2}{3}}x^2 + 2b^{\frac{1}{3}}x + 4\right)}{3b} + \frac{\left(C(-b)^{\frac{2}{3}} + 2Cb^{\frac{2}{3}}\right) \log\left(\frac{b^{\frac{1}{3}}x-2}{b^{\frac{1}{3}}}\right)}{3b} + \frac{2\sqrt{3}\left(C(-b)^{\frac{2}{3}}b^{\frac{4}{3}} - \left(C(-b)^{\frac{2}{3}}b^{\frac{1}{3}} + 3Cb\right)b\right) \arctan\left(\frac{\sqrt{3}\left(b^{\frac{2}{3}}x + b^{\frac{1}{3}}\right)}{3b^{\frac{1}{3}}}\right)}{9b^{\frac{7}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C+(-b)^(2/3)*C*x^2)/(b*x^3-8), x, algorithm="maxima")

[Out] $\frac{1}{3}*(C*(-b)^{(2/3)} - C*b^{(2/3)})*\log(b^{(2/3)}*x^2 + 2*b^{(1/3)}*x + 4)/b + \frac{1}{3}*(C*(-b)^{(2/3)} + 2*C*b^{(2/3)})*\log((b^{(1/3)}*x - 2)/b^{(1/3)})/b + \frac{2}{9}*sqrt(3)*(C*(-b)^{(2/3)}*b^{(4/3)} - (C*(-b)^{(2/3)}*b^{(1/3)} + 3*C*b)*b)*\arctan(1/3*sqrt(3)*(b^{(2/3)}*x + b^{(1/3)})/b^{(1/3)})/b^{(7/3)}$

mupad [B] time = 5.27, size = 176, normalized size = 3.09

$$\sum_{k=1}^3 \ln\left(\frac{8C^2}{(-b)^{5/3}} + \text{root}(27b^3z^3 - 27C(-b)^{8/3}z^2 - 9C^2(-b)^{7/3}z - 9C^3b^2, z, k)\right) \left(-\frac{\text{root}(27b^3z^3 - 27C(-b)^{8/3}z^2 - 9C^2(-b)^{7/3}z - 9C^3b^2, z, k)}{b} + \frac{48C}{(-b)^{4/3}} + \frac{24Cx}{b} - \frac{8C^2x}{(-b)^{4/3}}\right) \text{root}(27b^3z^3 - 27C(-b)^{8/3}z^2 - 9C^2(-b)^{7/3}z - 9C^3b^2, z, k)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8*C + C*(-b)^(2/3)*x^2)/(b*x^3 - 8), x)

[Out] $\text{symsum}(\log((8*C^2)/(-b)^{(5/3)} + \text{root}(27*b^3*z^3 - 27*C*(-b)^{(8/3)}*z^2 - 9*C^2*(-b)^{(7/3)}*z - 9*C^3*b^2, z, k))*((48*C)/(-b)^{(4/3)} - (72*\text{root}(27*b^3*z^3 - 27*C*(-b)^{(8/3)}*z^2 - 9*C^2*(-b)^{(7/3)}*z - 9*C^3*b^2, z, k)))/b + (24*C*x)/b - (8*C^2*x)/(-b)^{(4/3)}*\text{root}(27*b^3*z^3 - 27*C*(-b)^{(8/3)}*z^2 - 9*C^2*(-b)^{(7/3)}*z - 9*C^3*b^2, z, k), k, 1, 3)$

sympy [A] time = 0.99, size = 58, normalized size = 1.02

$$\text{RootSum}\left(3t^3b^2 - 3t^2Cb(-b)^{\frac{2}{3}} + tC^2(-b)^{\frac{4}{3}} - C^3b, \left(t \mapsto t \log\left(-\frac{3t}{C} + x + \frac{(-b)^{\frac{2}{3}}}{b}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C+(-b)**(2/3)*C*x**2)/(b*x**3-8), x)

[Out] $\text{RootSum}(3*_t**3*b**2 - 3*_t**2*C*b*(-b)**(2/3) + *_t*C**2*(-b)**(4/3) - C**3*b, \text{Lambda}(_t, *_t*\log(-3*_t/C + x + (-b)**(2/3)/b)))$

$$3.32 \quad \int \frac{(-a)^{2/3}C + 2Cx^2}{a - 8x^3} dx$$

Optimal. Leaf size=47

$$\frac{C \tan^{-1}\left(\frac{1 - \frac{4x}{\sqrt[3]{-a}}}{\sqrt{3}}\right)}{2\sqrt{3}} - \frac{1}{4}C \log(\sqrt[3]{-a} + 2x)$$

Rubi [A] time = 0.06, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {1864, 31, 617, 204}

$$\frac{C \tan^{-1}\left(\frac{1 - \frac{4x}{\sqrt[3]{-a}}}{\sqrt{3}}\right)}{2\sqrt{3}} - \frac{1}{4}C \log(\sqrt[3]{-a} + 2x)$$

Antiderivative was successfully verified.

[In] Int[((-a)^(2/3)*C + 2*C*x^2)/(a - 8*x^3), x]

[Out] (C*ArcTan[(1 - (4*x)/(-a)^(1/3))/Sqrt[3]]/(2*Sqrt[3]) - (C*Log[(-a)^(1/3) + 2*x]))/4

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1864

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a)^(1/3)/(-b)^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A*(-b)^(2/3) - (-a)^(1/3)*(-b)^(1/3)*B - 2*(-a)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned} \int \frac{(-a)^{2/3}C + 2Cx^2}{a - 8x^3} dx &= -\left(\frac{1}{4}C \int \frac{1}{\frac{\sqrt[3]{-a}}{2} + x} dx\right) - \frac{1}{8}(\sqrt[3]{-a}C) \int \frac{1}{\frac{1}{4}(-a)^{2/3} - \frac{1}{2}\sqrt[3]{-a}x + x^2} dx \\ &= -\frac{1}{4}C \log(\sqrt[3]{-a} + 2x) - \frac{1}{2}C \text{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 - \frac{4x}{\sqrt[3]{-a}}\right) \\ &= \frac{C \tan^{-1}\left(\frac{1 - \frac{4x}{\sqrt[3]{-a}}}{\sqrt{3}}\right)}{2\sqrt{3}} - \frac{1}{4}C \log(\sqrt[3]{-a} + 2x) \end{aligned}$$

Mathematica [B] time = 0.04, size = 106, normalized size = 2.26

$$\frac{C\left(-a^{2/3} \log(8x^3 - a) + (-a)^{2/3} \log(a^{2/3} + 2\sqrt[3]{a}x + 4x^2) - 2(-a)^{2/3} \log(\sqrt[3]{a} - 2x) + 2\sqrt{3}(-a)^{2/3} \tan^{-1}\left(\frac{\frac{4x}{\sqrt[3]{a}} + 1}{\sqrt{3}}\right)\right)}{12a^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[((-a)^(2/3)*C + 2*C*x^2)/(a - 8*x^3), x]

[Out] (C*(2*Sqrt[3]*(-a)^(2/3)*ArcTan[(1 + (4*x)/a^(1/3))/Sqrt[3]] - 2*(-a)^(2/3)*Log[a^(1/3) - 2*x] + (-a)^(2/3)*Log[a^(2/3) + 2*a^(1/3)*x + 4*x^2] - a^(2/3)*Log[-a + 8*x^3]))/(12*a^(2/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-a)^{2/3}C + 2Cx^2}{a - 8x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((-a)^(2/3)*C + 2*C*x^2)/(a - 8*x^3), x]

[Out] IntegrateAlgebraic[((-a)^(2/3)*C + 2*C*x^2)/(a - 8*x^3), x]

fricas [A] time = 0.43, size = 43, normalized size = 0.91

$$\frac{1}{6} \sqrt{3} C \arctan \left(\frac{4 \sqrt{3} (-a)^{\frac{2}{3}} x + \sqrt{3} a}{3 a} \right) - \frac{1}{4} C \log \left(2 x + (-a)^{\frac{1}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((−a)^(2/3)*C+2*C*x^2)/(−8*x^3+a),x, algorithm="fricas")

[Out] 1/6*sqrt(3)*C*arctan(1/3*(4*sqrt(3)*(-a)^(2/3)*x + sqrt(3)*a)/a) - 1/4*C*log(2*x + (-a)^(1/3))

giac [B] time = 0.21, size = 98, normalized size = 2.09

$$\frac{\sqrt{3} (\sqrt{3} i |a| - a) C \arctan \left(\frac{\sqrt{3} (4 x + a^{\frac{1}{3}})}{3 a^{\frac{1}{3}}} \right)}{12 a} + \frac{(\sqrt{3} i |a| - 3 a) C \log \left(x^2 + \frac{1}{2} a^{\frac{1}{3}} x + \frac{1}{4} a^{\frac{2}{3}} \right)}{24 a} - \frac{(2 C (-a)^{\frac{2}{3}} + C a^{\frac{2}{3}}) \log \left(\left| x - \frac{1}{2} a^{\frac{1}{3}} \right| \right)}{12 a^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((−a)^(2/3)*C+2*C*x^2)/(−8*x^3+a),x, algorithm="giac")

[Out] 1/12*sqrt(3)*(sqrt(3)*i*abs(a) - a)*C*arctan(1/3*sqrt(3)*(4*x + a^(1/3))/a^(1/3))/a + 1/24*(sqrt(3)*i*abs(a) - 3*a)*C*log(x^2 + 1/2*a^(1/3)*x + 1/4*a^(2/3))/a - 1/12*(2*C*(-a)^(2/3) + C*a^(2/3))*log(abs(x - 1/2*a^(1/3)))/a^(2/3)

maple [B] time = 0.05, size = 110, normalized size = 2.34

$$-\frac{C \ln(8x^3 - a)}{12} + \frac{(-a)^{\frac{2}{3}} 8^{\frac{2}{3}} \sqrt{3} C \arctan \left(\frac{\sqrt{3} \left(\frac{28^{\frac{1}{3}} x}{a^{\frac{1}{3}}} + 1 \right)}{3} \right)}{24 a^{\frac{2}{3}}} - \frac{(-a)^{\frac{2}{3}} 8^{\frac{2}{3}} C \ln \left(x - \frac{8^{\frac{1}{3}} a^{\frac{1}{3}}}{8} \right)}{24 a^{\frac{2}{3}}} + \frac{(-a)^{\frac{2}{3}} 8^{\frac{2}{3}} C \ln \left(x^2 + \frac{8^{\frac{2}{3}} a^{\frac{1}{3}} x}{8} + \frac{8^{\frac{1}{3}} a^{\frac{2}{3}}}{8} \right)}{48 a^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((−a)^(2/3)*C+2*C*x^2)/(−8*x^3+a),x)

[Out] −1/24*C*(−a)^(2/3)*8^(2/3)/a^(2/3)*ln(x−1/8*8^(2/3)*a^(1/3))+1/48*C*(−a)^(2/3)*8^(2/3)/a^(2/3)*ln(x^2+1/8*8^(2/3)*a^(1/3)*x+1/8*8^(1/3)*a^(2/3))+1/24*C*(−a)^(2/3)*8^(2/3)/a^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2*8^(1/3)/a^(1/3)*x+1))−1/12*C*ln(8*x^3−a)

maxima [B] time = 2.99, size = 93, normalized size = 1.98

$$\frac{\sqrt{3} C (-a)^{\frac{2}{3}} \arctan\left(\frac{\sqrt{3}\left(4x+a^{\frac{1}{3}}\right)}{3a^{\frac{1}{3}}}\right)}{6a^{\frac{2}{3}}} + \frac{\left(C(-a)^{\frac{2}{3}} - Ca^{\frac{2}{3}}\right) \log\left(4x^2 + 2a^{\frac{1}{3}}x + a^{\frac{2}{3}}\right)}{12a^{\frac{2}{3}}} - \frac{\left(2C(-a)^{\frac{2}{3}} + Ca^{\frac{2}{3}}\right) \log\left(x - \frac{1}{2}a^{\frac{1}{3}}\right)}{12a^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a)^(2/3)*C+2*C*x^2)/(-8*x^3+a), x, algorithm="maxima")

[Out] 1/6*sqrt(3)*C*(a)^(2/3)*arctan(1/3*sqrt(3)*(4*x + a^(1/3))/a^(1/3))/a^(2/3) + 1/12*(C*(a)^(2/3) - C*a^(2/3))*log(4*x^2 + 2*a^(1/3)*x + a^(2/3))/a^(2/3) - 1/12*(2*C*(a)^(2/3) + C*a^(2/3))*log(x - 1/2*a^(1/3))/a^(2/3)

mupad [B] time = 0.33, size = 142, normalized size = 3.02

$$\sum_{k=1}^3 \ln\left(-\frac{(C + 12\sqrt[3]{1728a^2z^3 + 432Ca^2z^2 + 36C^2a^2z + 9C^3a^2, z, k}) (Ca + \sqrt[3]{1728a^2z^3 + 432Ca^2z^2 + 36C^2a^2z + 9C^3a^2, z, k}) a^{12} + 4C(-a)^{2/3}x)}{128}\right) \sqrt[3]{1728a^2z^3 + 432Ca^2z^2 + 36C^2a^2z + 9C^3a^2, z, k}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*C*x^2 + C*(a)^(2/3))/(a - 8*x^3), x)

[Out] symsum(log(-((C + 12*root(1728*a^2*z^3 + 432*C*a^2*z^2 + 36*C^2*a^2*z + 9*C^3*a^2, z, k))*(C*a + 12*root(1728*a^2*z^3 + 432*C*a^2*z^2 + 36*C^2*a^2*z + 9*C^3*a^2, z, k))*a + 4*C*(a)^(2/3)*x))/128)*root(1728*a^2*z^3 + 432*C*a^2*z^2 + 36*C^2*a^2*z + 9*C^3*a^2, z, k), k, 1, 3)

sympy [C] time = 0.93, size = 95, normalized size = 2.02

$$-C \left(\frac{\log\left(-\frac{a}{2(-a)^{\frac{2}{3}}} + x\right)}{4} + \frac{\sqrt{3}i \log\left(\frac{a}{4(-a)^{\frac{2}{3}}} - \frac{\sqrt{3}ia}{4(-a)^{\frac{2}{3}}} + x\right)}{12} - \frac{\sqrt{3}i \log\left(\frac{a}{4(-a)^{\frac{2}{3}}} + \frac{\sqrt{3}ia}{4(-a)^{\frac{2}{3}}} + x\right)}{12} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a)**(2/3)*C+2*C*x**2)/(-8*x**3+a), x)

[Out] -C*(log(-a/(2*(-a)**(2/3)) + x)/4 + sqrt(3)*I*log(a/(4*(-a)**(2/3)) - sqrt(3)*I*a/(4*(-a)**(2/3)) + x)/12 - sqrt(3)*I*log(a/(4*(-a)**(2/3)) + sqrt(3)*I*a/(4*(-a)**(2/3)) + x)/12)

$$3.33 \quad \int \frac{2\left(\frac{a}{b}\right)^{2/3} C + Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=50

$$\frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} - \frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b}$$

Rubi [A] time = 0.08, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1867, 31, 617, 204}

$$\frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} - \frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b}$$

Antiderivative was successfully verified.

[In] Int[(2*(a/b)^(2/3)*C + C*x^2)/(a + b*x^3), x]

[Out] (-2*C*ArcTan[(1 - (2*x)/(a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*b) + (C*Log[(a/b)^(1/3) + x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1867

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b,
Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]]
/; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && Poly
Q[P2, x, 2]
```

Rubi steps

$$\begin{aligned} \int \frac{2\left(\frac{a}{b}\right)^{2/3} C + Cx^2}{a + bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} + x} dx}{b} + \frac{\left(\sqrt[3]{\frac{a}{b}} C\right) \int \frac{1}{\left(\frac{a}{b}\right)^{2/3} - \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b} \\ &= \frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} + \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}\right)}{b} \\ &= -\frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} + \frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} \end{aligned}$$

Mathematica [B] time = 0.05, size = 146, normalized size = 2.92

$$\frac{C \left(-b^{2/3} \left(\frac{a}{b}\right)^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) + a^{2/3} \log\left(a + bx^3\right) + 2b^{2/3} \left(\frac{a}{b}\right)^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) - 2\sqrt{3} b^{2/3} \left(\frac{a}{b}\right)^{2/3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b} x}{\sqrt{3}}\right) \right)}{3a^{2/3}b}$$

Antiderivative was successfully verified.

```
[In] Integrate[(2*(a/b)^(2/3)*C + C*x^2)/(a + b*x^3), x]
```

```
[Out] (C*(-2*Sqrt[3]*(a/b)^(2/3)*b^(2/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3)]/Sqrt[3]] + 2*(a/b)^(2/3)*b^(2/3)*Log[a^(1/3) + b^(1/3)*x] - (a/b)^(2/3)*b^(2/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(2/3)*Log[a + b*x^3]))/(3*a^(2/3)*b)
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2\left(\frac{a}{b}\right)^{2/3} C + Cx^2}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(2*(a/b)^(2/3)*C + C*x^2)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(2*(a/b)^(2/3)*C + C*x^2)/(a + b*x^3), x]

fricas [A] time = 0.43, size = 52, normalized size = 1.04

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(\frac{a}{b}\right)^{\frac{2}{3}} - \sqrt{3}a}{3a}\right) + 3C \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) - sqrt(3)*a)/a) + 3*C*log(x + (a/b)^(1/3)))/b

giac [B] time = 0.22, size = 166, normalized size = 3.32

$$\frac{\sqrt{3}(ab^2 + \sqrt{3}\sqrt{a^2b^4}i)C \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^3} - \frac{\left(Cb^2\left(-\frac{a}{b}\right)^{\frac{2}{3}} + 2(ab^2)^{\frac{2}{3}}C\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3ab^2} + \frac{\left(3ab^2 + \sqrt{3}\sqrt{a^2b^4}i\right)C \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*(a*b^2 + sqrt(3)*sqrt(a^2*b^4)*i)*C*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a*b^3) - 1/3*(C*b^2*(-a/b)^(2/3) + 2*(a*b^2)^(2/3)*C)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^2) + 1/6*(3*a*b^2 + sqrt(3)*sqrt(a^2*b^4)*i)*C*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a*b^3)

maple [A] time = 0.05, size = 87, normalized size = 1.74

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{1} - 1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} + \frac{2C \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} - \frac{C \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} + \frac{C \ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*(a/b)^(2/3)*C+C*x^2)/(b*x^3+a),x)`

[Out] $2/3*C*\ln(x+(a/b)^{(1/3)})/b-1/3*C/b*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/3*C/b*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/3*C/b*\ln(b*x^3+a)$

maxima [A] time = 3.03, size = 51, normalized size = 1.02

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} + \frac{C \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*(a/b)^(2/3)*C+C*x^2)/(b*x^3+a),x, algorithm="maxima")`

[Out] $2/3*\sqrt{3}*C*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/b + C*\log(x + (a/b)^{(1/3)})/b$

mupad [B] time = 5.10, size = 172, normalized size = 3.44

$$\sum_{k=1}^3 \ln\left(\frac{(C - \text{root}(27a^2b^3z^3 - 27Ca^2b^2z^2 + 9C^2a^2bz - 9C^3a^2, z, k) b^3) (-Ca + \text{root}(27a^2b^3z^3 - 27Ca^2b^2z^2 + 9C^2a^2bz - 9C^3a^2, z, k) ab^3 + 2Cb^2x^{(2/3)})}{b^3}\right) \text{root}(27a^2b^3z^3 - 27Ca^2b^2z^2 + 9C^2a^2bz - 9C^3a^2, z, k)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2 + 2*C*(a/b)^(2/3))/(a + b*x^3),x)`

[Out] `symsum(log(-((C - 3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k)*b)*(3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k)*a*b - C*a + 2*C*b*x*(a/b)^(2/3)))/b^3)*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k), k, 1, 3)`

sympy [C] time = 0.74, size = 100, normalized size = 2.00

$$\frac{C \left(\log\left(\frac{a}{b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right) - \frac{\sqrt{3}i \log\left(-\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{3}{3}}} - \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{3}{3}}} + x\right)}{3} + \frac{\sqrt{3}i \log\left(-\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{3}{3}}} + \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{3}{3}}} + x\right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*(a/b)**(2/3)*C+C*x**2)/(b*x**3+a),x)`

```
[Out] C*(log(a/(b*(a/b)**(2/3)) + x) - sqrt(3)*I*log(-a/(2*b*(a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3 + sqrt(3)*I*log(-a/(2*b*(a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3)/b
```

$$3.34 \quad \int \frac{2\left(-\frac{a}{b}\right)^{2/3} C + Cx^2}{a - bx^3} dx$$

Optimal. Leaf size=53

$$\frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b}$$

Rubi [A] time = 0.08, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {1867, 31, 617, 204}

$$\frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[(2*(-(a/b))^(2/3)*C + C*x^2)/(a - b*x^3),x]

[Out] (2*C*ArcTan[(1 - (2*x)/(-(a/b))^(1/3))/Sqrt[3]])/(Sqrt[3]*b) - (C*Log[-(a/b)^(1/3) + x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1867

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{2\left(-\frac{a}{b}\right)^{2/3} C + Cx^2}{a - bx^3} dx &= -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} + x} dx}{b} - \frac{\left(\sqrt[3]{-\frac{a}{b}} C\right) \int \frac{1}{\left(-\frac{a}{b}\right)^{2/3} - \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b} \\ &= -\frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b} - \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}\right)}{b} \\ &= \frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b} \end{aligned}$$

Mathematica [B] time = 0.10, size = 150, normalized size = 2.83

$$\frac{C \left(b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \log\left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) - a^{2/3} \log(a - bx^3) - 2b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \log\left(\sqrt[3]{a} - \sqrt[3]{b} x\right) + 2\sqrt{3} b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \tan^{-1}\left(\frac{2\sqrt[3]{b} x + 1}{\sqrt[3]{a}}\right) \right)}{3a^{2/3}b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*(-(a/b))^(2/3)*C + C*x^2)/(a - b*x^3), x]

[Out] (C*(2*Sqrt[3]*(-(a/b))^(2/3)*b^(2/3)*ArcTan[(1 + (2*b^(1/3)*x)/a^(1/3))]/Sqrt[3] - 2*(-(a/b))^(2/3)*b^(2/3)*Log[a^(1/3) - b^(1/3)*x] + (-(a/b))^(2/3)*b^(2/3)*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - a^(2/3)*Log[a - b*x^3]))/(3*a^(2/3)*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2\left(-\frac{a}{b}\right)^{2/3} C + Cx^2}{a - bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(2*(-(a/b))^(2/3)*C + C*x^2)/(a - b*x^3), x]

[Out] IntegrateAlgebraic[(2*(-(a/b))^(2/3)*C + C*x^2)/(a - b*x^3), x]

fricas [A] time = 0.43, size = 53, normalized size = 1.00

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(-\frac{a}{b}\right)^{\frac{2}{3}} + \sqrt{3}a}{3a}\right) - 3C \log\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)^(2/3)*C+C*x^2)/(-b*x^3+a), x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) + sqrt(3)*a)/a) - 3*C*log(x + (-a/b)^(1/3)))/b

giac [B] time = 0.22, size = 162, normalized size = 3.06

$$\frac{\sqrt{3}(ab^2 - \sqrt{3}\sqrt{a^2b^4}i)C \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^3} - \frac{\left(Cb^2\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2(-ab^2)^{\frac{2}{3}}C\right)\left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3ab^2} - \frac{(3ab^2 - \sqrt{3}\sqrt{a^2b^4}i)C \log\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)^(2/3)*C+C*x^2)/(-b*x^3+a), x, algorithm="giac")

[Out] -1/3*sqrt(3)*(a*b^2 - sqrt(3)*sqrt(a^2*b^4)*i)*C*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/(a*b^3) - 1/3*(C*b^2*(a/b)^(2/3) + 2*(-a*b^2)^(2/3)*C)*(a/b)^(1/3)*log(abs(x - (a/b)^(1/3)))/(a*b^2) - 1/6*(3*a*b^2 - sqrt(3)*sqrt(a^2*b^4)*i)*C*log(x^2 + x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^3)

maple [B] time = 0.05, size = 135, normalized size = 2.55

$$\frac{2\left(-\frac{a}{b}\right)^{\frac{2}{3}}\sqrt{3}C \arctan\left(\frac{\left(\frac{\frac{2x}{1}+1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)\sqrt{3}}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{2\left(-\frac{a}{b}\right)^{\frac{2}{3}}C \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{\left(-\frac{a}{b}\right)^{\frac{2}{3}}C \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{C \ln(bx^3 - a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*(-a/b)^(2/3)*C+C*x^2)/(-b*x^3+a), x)

[Out] $-2/3*C*(-a/b)^{(2/3)}/b/(a/b)^{(2/3)}*\ln(x-(a/b)^{(1/3)})+1/3*C*(-a/b)^{(2/3)}/b/(a/b)^{(2/3)}*\ln(x^2+(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/3*C*(-a/b)^{(2/3)}/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*(1+2/(a/b)^{(1/3)}*x)*3^{(1/2)})-1/3*C/b*\ln(b*x^3-a)$

maxima [B] time = 3.03, size = 167, normalized size = 3.15

$$\frac{2\sqrt{3}\left(Ca - \left(3C\left(\frac{a}{b}\right)^{\frac{1}{3}}\left(-\frac{a}{b}\right)^{\frac{2}{3}} + \frac{Ca}{b}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} - \frac{\left(C\left(\frac{a}{b}\right)^{\frac{2}{3}} - C\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)\log\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(C\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2C\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)\log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*(-a/b)^(2/3)*C+C*x^2)/(-b*x^3+a),x, algorithm="maxima")`

[Out] $-2/9*\sqrt{3}*(C*a - (3*C*(a/b)^{(1/3)}*(-a/b)^{(2/3)} + C*a/b)*b)*\arctan(1/3*\sqrt{3}*(2*x + (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b) - 1/3*(C*(a/b)^{(2/3)} - C*(-a/b)^{(2/3)})*\log(x^2 + x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b*(a/b)^{(2/3)}) - 1/3*(C*(a/b)^{(2/3)} + 2*C*(-a/b)^{(2/3)})*\log(x - (a/b)^{(1/3)})/(b*(a/b)^{(2/3)})$

mupad [B] time = 5.40, size = 172, normalized size = 3.25

$$\sum_{k=1}^3 \ln \left(\frac{(C + \text{root}(27a^2b^3z^3 + 27Ca^2b^2z^2 + 9C^2a^2bz + 9C^3a^2, z, k) b^3) \left(Ca + \text{root}(27a^2b^3z^3 + 27Ca^2b^2z^2 + 9C^2a^2bz + 9C^3a^2, z, k) a b^3 + 2Cbx \left(-\frac{a}{b}\right)^{2/3} \right)}{b^3} \right) \text{root}(27a^2b^3z^3 + 27Ca^2b^2z^2 + 9C^2a^2bz + 9C^3a^2, z, k)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2 + 2*C*(-a/b)^(2/3))/(a - b*x^3),x)`

[Out] $\text{symsum}(\log(-((C + 3*\text{root}(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k)*b)*(C*a + 3*\text{root}(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k)*a*b + 2*C*b*x*(-a/b)^{(2/3)})))/b^3)*\text{root}(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k), k, 1, 3)$

sympy [C] time = 0.84, size = 110, normalized size = 2.08

$$\frac{C \left(\log \left(-\frac{a}{b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x \right) + \frac{\sqrt{3}i \log \left(\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3}ia}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x \right)}{3} - \frac{\sqrt{3}i \log \left(\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3}ia}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x \right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*(-a/b)**(2/3)*C+C*x**2)/(-b*x**3+a),x)`

```
[Out] -C*(log(-a/(b*(-a/b)**(2/3)) + x) + sqrt(3)*I*log(a/(2*b*(-a/b)**(2/3)) - s  
qrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3 - sqrt(3)*I*log(a/(2*b*(-a/b)**(2/3))  
+ sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3)/b
```

$$3.35 \quad \int \frac{2\left(-\frac{a}{b}\right)^{2/3} C + Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=54

$$\frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{\frac{a}{b}} + 1}{\sqrt{3}}\right)}{\sqrt{3} b}$$

Rubi [A] time = 0.06, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1869, 31, 617, 204}

$$\frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{\frac{a}{b}} + 1}{\sqrt{3}}\right)}{\sqrt{3} b}$$

Antiderivative was successfully verified.

[In] Int[(2*(-(a/b))^(2/3)*C + C*x^2)/(a + b*x^3), x]

[Out] (-2*C*ArcTan[(1 + (2*x)/(-(a/b))^(1/3))/Sqrt[3]])/(Sqrt[3]*b) + (C*Log[(-(a/b))^(1/3) - x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1869

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A + (-a/b)^(1/3)*B - 2*(-a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{2\left(-\frac{a}{b}\right)^{2/3} C + Cx^2}{a + bx^3} dx &= -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} - x} dx}{b} - \frac{\left(\sqrt[3]{-\frac{a}{b}} C\right) \int \frac{1}{\left(-\frac{a}{b}\right)^{2/3} + \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b} \\ &= \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b} + \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}\right)}{b} \\ &= -\frac{2C \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} + \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b} \end{aligned}$$

Mathematica [B] time = 0.07, size = 149, normalized size = 2.76

$$\frac{C \left(-b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) + a^{2/3} \log(a + bx^3) + 2b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) - 2\sqrt{3} b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b} x}{\sqrt[3]{a}}\right) \right)}{3a^{2/3}b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*(-(a/b))^(2/3)*C + C*x^2)/(a + b*x^3), x]

[Out] (C*(-2*Sqrt[3]*(-(a/b))^(2/3)*b^(2/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*(-(a/b))^(2/3)*b^(2/3)*Log[a^(1/3) + b^(1/3)*x] - (-(a/b))^(2/3)*b^(2/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(2/3)*Log[a + b*x^3])/(3*a^(2/3)*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2\left(-\frac{a}{b}\right)^{2/3} C + Cx^2}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(2*(-(a/b))^(2/3)*C + C*x^2)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(2*(-(a/b))^(2/3)*C + C*x^2)/(a + b*x^3), x]

fricas [A] time = 0.43, size = 56, normalized size = 1.04

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(-\frac{a}{b}\right)^{\frac{2}{3}} - \sqrt{3}a}{3a}\right) + 3C \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)^(2/3)*C+C*x^2)/(b*x^3+a), x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) - sqrt(3)*a)/a) + 3*C*log(x - (-a/b)^(1/3)))/b

giac [A] time = 0.18, size = 91, normalized size = 1.69

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{\left(Cb^2\left(-\frac{a}{b}\right)^{\frac{2}{3}} + 2\left(-ab^2\right)^{\frac{2}{3}}C\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)^(2/3)*C+C*x^2)/(b*x^3+a), x, algorithm="giac")

[Out] -2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b - 1/3*(C*b^2*(-a/b)^(2/3) + 2*(-a*b^2)^(2/3)*C)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^2)

maple [B] time = 0.04, size = 132, normalized size = 2.44

$$\frac{2\left(-\frac{a}{b}\right)^{\frac{2}{3}}\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{2\left(-\frac{a}{b}\right)^{\frac{2}{3}}C \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{\left(-\frac{a}{b}\right)^{\frac{2}{3}}C \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{C \ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*(-a/b)^(2/3)*C+C*x^2)/(b*x^3+a),x)`

[Out] $2/3*C*(-a/b)^{(2/3)}/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-1/3*C*(-a/b)^{(2/3)}/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/3*C*(-a/b)^{(2/3)}/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/3*C/b*\ln(b*x^3+a)$

maxima [B] time = 3.15, size = 168, normalized size = 3.11

$$\frac{2\sqrt{3}\left(Ca - \left(3C\left(\frac{a}{b}\right)^{\frac{1}{3}} - \left(\frac{a}{b}\right)^{\frac{2}{3}} + \frac{Ca}{b}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} + \frac{\left(C\left(\frac{a}{b}\right)^{\frac{2}{3}} - C\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(C\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2C\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*(-a/b)^(2/3)*C+C*x^2)/(b*x^3+a),x, algorithm="maxima")`

[Out] $-2/9*\sqrt{3}*(C*a - (3*C*(a/b)^{(1/3)}*(-a/b)^{(2/3)} + C*a/b)*b)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b) + 1/3*(C*(a/b)^{(2/3)} - C*(-a/b)^{(2/3)})*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b*(a/b)^{(2/3)}) + 1/3*(C*(a/b)^{(2/3)} + 2*C*(-a/b)^{(2/3)})*\log(x + (a/b)^{(1/3)})/(b*(a/b)^{(2/3)})$

mupad [B] time = 5.27, size = 173, normalized size = 3.20

$$\sum_{k=1}^3 \ln \left(\frac{\left(C - \sqrt[3]{27a^2b^3z^3 - 27Ca^2b^2z^2 + 9C^2a^2bz - 9C^3a^2z, k} \right) b^3 \left(-Ca + \sqrt[3]{27a^2b^3z^3 - 27Ca^2b^2z^2 + 9C^2a^2bz - 9C^3a^2z, k} \right) ab^3 + 2Cb\left(\frac{a}{b}\right)^{2/3}}{b^3} \right) \sqrt[3]{27a^2b^3z^3 - 27Ca^2b^2z^2 + 9C^2a^2bz - 9C^3a^2z, k}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2 + 2*C*(-a/b)^(2/3))/(a + b*x^3),x)`

[Out] `symsum(log(-((C - 3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k)*b)*(3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k)*a*b - C*a + 2*C*b*x*(-a/b)^(2/3)))/b^3)*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k), k, 1, 3)`

sympy [C] time = 0.77, size = 109, normalized size = 2.02

$$\frac{C \left(\log \left(\frac{a}{b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x \right) - \frac{\sqrt{3}i \log \left(-\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3}ia}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x \right)}{3} + \frac{\sqrt{3}i \log \left(-\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3}ia}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x \right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((2*(-a/b)**(2/3)*C+C*x**2)/(b*x**3+a),x)
```

```
[Out] C*(log(a/(b*(-a/b)**(2/3)) + x) - sqrt(3)*I*log(-a/(2*b*(-a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3 + sqrt(3)*I*log(-a/(2*b*(-a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3)/b
```

$$3.36 \quad \int \frac{2\left(\frac{a}{b}\right)^{2/3} C + Cx^2}{a - bx^3} dx$$

Optimal. Leaf size=53

$$\frac{2C \tan^{-1}\left(\frac{\frac{2x}{\sqrt[3]{\frac{a}{b}}} + 1}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b}$$

Rubi [A] time = 0.06, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1869, 31, 617, 204}

$$\frac{2C \tan^{-1}\left(\frac{\frac{2x}{\sqrt[3]{\frac{a}{b}}} + 1}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b}$$

Antiderivative was successfully verified.

```
[In] Int[(2*(a/b)^(2/3)*C + C*x^2)/(a - b*x^3),x]
```

```
[Out] (2*C*ArcTan[(1 + (2*x)/(a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*b) - (C*Log[(a/b)^(1/3) - x])/b
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 1869

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A + (-a/b)^(1/3)*B - 2*(-a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{2\left(\frac{a}{b}\right)^{2/3} C + Cx^2}{a - bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} - x} dx}{b} + \frac{\left(\sqrt[3]{\frac{a}{b}} C\right) \int \frac{1}{\left(\frac{a}{b}\right)^{2/3} + \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b} \\ &= \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b} - \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}\right)}{b} \\ &= \frac{2C \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3} b} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b} \end{aligned}$$

Mathematica [B] time = 0.05, size = 147, normalized size = 2.77

$$\frac{C \left(b^{2/3} \left(\frac{a}{b}\right)^{2/3} \log\left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) - a^{2/3} \log(a - bx^3) - 2b^{2/3} \left(\frac{a}{b}\right)^{2/3} \log\left(\sqrt[3]{a} - \sqrt[3]{b} x\right) + 2\sqrt{3} b^{2/3} \left(\frac{a}{b}\right)^{2/3} \tan^{-1}\left(\frac{2\sqrt[3]{b} x + 1}{\sqrt[3]{\frac{a}{b}}}\right) \right)}{3a^{2/3} b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*(a/b)^(2/3)*C + C*x^2)/(a - b*x^3), x]

[Out] (C*(2*Sqrt[3]*(a/b)^(2/3)*b^(2/3)*ArcTan[(1 + (2*b^(1/3)*x)/a^(1/3)]/Sqrt[3]] - 2*(a/b)^(2/3)*b^(2/3)*Log[a^(1/3) - b^(1/3)*x] + (a/b)^(2/3)*b^(2/3)*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - a^(2/3)*Log[a - b*x^3]))/(3*a^(2/3)*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2\left(\frac{a}{b}\right)^{2/3} C + Cx^2}{a - bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(2*(a/b)^(2/3)*C + C*x^2)/(a - b*x^3), x]

[Out] IntegrateAlgebraic[(2*(a/b)^(2/3)*C + C*x^2)/(a - b*x^3), x]

fricas [A] time = 0.43, size = 53, normalized size = 1.00

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(\frac{a}{b}\right)^{\frac{2}{3}} + \sqrt{3}a}{3a}\right) - 3C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(-b*x^3+a), x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) + sqrt(3)*a)/a) - 3*C*log(x - (a/b)^(1/3))/b

giac [A] time = 0.21, size = 85, normalized size = 1.60

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{\left(Cb^2\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2(ab^2)^{\frac{2}{3}}C\right)\left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(-b*x^3+a), x, algorithm="giac")

[Out] 2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/b - 1/3*(C*b^2*(a/b)^(2/3) + 2*(a*b^2)^(2/3)*C)*(a/b)^(1/3)*log(abs(x - (a/b)^(1/3)))/(a*b^2)

maple [A] time = 0.05, size = 90, normalized size = 1.70

$$\frac{2\sqrt{3}C \arctan\left(\frac{\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}} + 1}\right)\sqrt{3}}{3}\right)}{3b} - \frac{2C \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} + \frac{C \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} - \frac{C \ln(bx^3 - a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*(a/b)^(2/3)*C+C*x^2)/(-b*x^3+a), x)`

[Out] $-2/3*C/b*\ln(x-(a/b)^{(1/3)})+1/3*C/b*\ln(x^2+(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/3*C*\arctan(1/3*(2/(a/b)^{(1/3)}*x+1)*3^{(1/2)})/b*3^{(1/2)}-1/3*C/b*\ln(b*x^3-a)$

maxima [A] time = 3.00, size = 52, normalized size = 0.98

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*(a/b)^(2/3)*C+C*x^2)/(-b*x^3+a), x, algorithm="maxima")`

[Out] $2/3*\sqrt{3}*C*\arctan(1/3*\sqrt{3}*(2*x + (a/b)^{(1/3)})/(a/b)^{(1/3)})/b - C*\log(x - (a/b)^{(1/3)})/b$

mupad [B] time = 5.19, size = 171, normalized size = 3.23

$$\sum_{k=1}^3 \ln\left(-\frac{(C + \text{root}(27a^2b^3z^3 + 27C^2a^2b^2z^2 + 9C^2a^2bz + 9C^3a^2, z, k) b^3) (Ca + \text{root}(27a^2b^3z^3 + 27C^2a^2b^2z^2 + 9C^2a^2bz + 9C^3a^2, z, k) ab^3 + 2Cb^3x(\frac{a}{b})^{2/3})}{b^3}\right)_{\text{root}(27a^2b^3z^3 + 27C^2a^2b^2z^2 + 9C^2a^2bz + 9C^3a^2, z, k)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2 + 2*C*(a/b)^(2/3))/(a - b*x^3), x)`

[Out] $\text{symsum}(\log(-((C + 3*\text{root}(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k)*b)*(C*a + 3*\text{root}(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k)*a*b + 2*C*b*x*(a/b)^{(2/3}))/b^3)*\text{root}(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k), k, 1, 3)$

sympy [C] time = 0.79, size = 102, normalized size = 1.92

$$\frac{C \left(\log\left(-\frac{a}{b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right) + \frac{\sqrt{3}i \log\left(\frac{\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} - \frac{\sqrt{3}i \log\left(\frac{\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*(a/b)**(2/3)*C+C*x**2)/(-b*x**3+a), x)`

```
[Out] -C*(log(-a/(b*(a/b)**(2/3)) + x) + sqrt(3)*I*log(a/(2*b*(a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3 - sqrt(3)*I*log(a/(2*b*(a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3)/b
```

$$3.37 \quad \int \frac{2a^{2/3}C + b^{2/3}Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=61

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{b}}$$

Rubi [A] time = 0.04, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1863, 31, 617, 204}

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(2*a^(2/3)*C + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (-2*C*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*b^(1/3)) + (C*Log[a^(1/3) + b^(1/3)*x])/b^(1/3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1863

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/b^(1/3)}, Dist[C

/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A*b^(2/3) - a^(1/3)*b^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{2a^{2/3}C + b^{2/3}Cx^2}{a + bx^3} dx &= \frac{(\sqrt[3]{a}C) \int \frac{1}{\frac{a^{2/3}}{b^{2/3}} - \frac{\sqrt[3]{a}x}{\sqrt[3]{b}} + x^2} dx}{b^{2/3}} + C \int \frac{1}{\frac{\sqrt[3]{a}}{\sqrt[3]{b}} + x} dx \\ &= \frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} + \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)}{\sqrt[3]{b}} \\ &= -\frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{b}} + \frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 95, normalized size = 1.56

$$\frac{C \left(-\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + \log(a + bx^3) + 2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) - 2\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right) \right)}{3\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(2*a^(2/3)*C + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (C*(-2*Sqrt[3]*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*Log[a^(1/3) + b^(1/3)*x] - Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + Log[a + b*x^3]))/(3*b^(1/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2a^{2/3}C + b^{2/3}Cx^2}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(2*a^(2/3)*C + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(2*a^(2/3)*C + b^(2/3)*C*x^2)/(a + b*x^3), x]

fricas [A] time = 0.46, size = 160, normalized size = 2.62

$$\left[\frac{\sqrt{\frac{1}{3}} C b \sqrt{-\frac{1}{2}} \log\left(\frac{2bx^3 - 3a^{\frac{2}{3}}b^{\frac{1}{3}}x + 3\sqrt{\frac{1}{3}}\left(2a^{\frac{1}{3}}bx^2 + a^{\frac{2}{3}}b^{\frac{2}{3}}x - ab^{\frac{1}{3}}\right)\sqrt{-\frac{1}{2}-a}}{bx^3+a}}\right) + Cb^{\frac{2}{3}} \log\left(bx + a^{\frac{1}{3}}b^{\frac{2}{3}}\right)}{b}, \frac{2\sqrt{\frac{1}{3}} C b^{\frac{2}{3}} \arctan\left(\frac{\sqrt{\frac{1}{3}}\left(2a^{\frac{2}{3}}b^{\frac{2}{3}}x - ab^{\frac{1}{3}}\right)}{ab^{\frac{1}{3}}}\right) + Cb^{\frac{2}{3}} \log\left(bx + a^{\frac{1}{3}}b^{\frac{2}{3}}\right)}{b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a^(2/3)*C+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="fricas")

[Out] [(sqrt(1/3)*C*b*sqrt(-1/b^(2/3))*log((2*b*x^3 - 3*a^(2/3)*b^(1/3)*x + 3*sqrt(1/3)*(2*a^(1/3)*b*x^2 + a^(2/3)*b^(2/3)*x - a*b^(1/3))*sqrt(-1/b^(2/3)) - a)/(b*x^3 + a)) + C*b^(2/3)*log(b*x + a^(1/3)*b^(2/3)))/b, (2*sqrt(1/3)*C*b^(2/3)*arctan(sqrt(1/3)*(2*a^(2/3)*b^(2/3)*x - a*b^(1/3))/(a*b^(1/3))) + C*b^(2/3)*log(b*x + a^(1/3)*b^(2/3)))/b]

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a^(2/3)*C+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.06, size = 117, normalized size = 1.92

$$\frac{2\sqrt{3} C a^{\frac{2}{3}} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{2C a^{\frac{2}{3}} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{C a^{\frac{2}{3}} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{C \ln(bx^3 + a)}{3b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a^(2/3)*C+b^(2/3)*C*x^2)/(b*x^3+a),x)

[Out] 2/3*C*a^(2/3)/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/3*C*a^(2/3)/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/3*C*a^(2/3)/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*C/b^(1/3)*ln(b*x^3+a)

maxima [B] time = 2.87, size = 162, normalized size = 2.66

$$\frac{2\sqrt{3}\left(Cab^{\frac{2}{3}} - \left(3Ca^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}} + \frac{Ca}{b^{\frac{1}{3}}}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} + \frac{\left(Cb^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{2}{3}} - Ca^{\frac{2}{3}}\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(Cb^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2Ca^{\frac{2}{3}}\right)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a^(2/3)*C+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="maxima")

[Out] -2/9*sqrt(3)*(C*a*b^(2/3) - (3*C*a^(2/3)*(a/b)^(1/3) + C*a/b^(1/3))*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b) + 1/3*(C*b^(2/3)*(a/b)^(2/3) - C*a^(2/3))*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) + 1/3*(C*b^(2/3)*(a/b)^(2/3) + 2*C*a^(2/3))*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 5.31, size = 193, normalized size = 3.16

$$\sum_{k=1}^3 \ln\left(-\frac{a^{2/3}\left(C - \text{root}\left(27a^2b^3z^3 - 27Ca^2b^{8/3}z^2 + 9C^2a^2b^{7/3}z - 9C^3a^2b^2, z, k\right)b^{1/3}\right) - C a^{1/3} + \text{root}\left(27a^2b^3z^3 - 27Ca^2b^{8/3}z^2 + 9C^2a^2b^{7/3}z - 9C^3a^2b^2, z, k\right)a^{1/3}b^{1/3} + 2Cb^{1/3}x}{b^{5/3}}\right) \text{root}\left(27a^2b^3z^3 - 27Ca^2b^{8/3}z^2 + 9C^2a^2b^{7/3}z - 9C^3a^2b^2, z, k\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*C*a^(2/3) + C*b^(2/3)*x^2)/(a + b*x^3),x)

[Out] symsum(log(-(a^(2/3)*(C - 3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^(8/3)*z^2 + 9*C^2*a^2*b^(7/3)*z - 9*C^3*a^2*b^2, z, k)*b^(1/3))*(3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^(8/3)*z^2 + 9*C^2*a^2*b^(7/3)*z - 9*C^3*a^2*b^2, z, k)*a^(1/3)*b^(1/3) - C*a^(1/3) + 2*C*b^(1/3)*x))/b^(5/3))*root(27*a^2*b^3*z^3 - 27*C*a^2*b^(8/3)*z^2 + 9*C^2*a^2*b^(7/3)*z - 9*C^3*a^2*b^2, z, k), k, 1, 3)

sympy [A] time = 0.73, size = 70, normalized size = 1.15

$$\text{RootSum}\left(3t^3b^{\frac{5}{3}} - 3t^2Cb^{\frac{4}{3}} + tC^2b - C^3b^{\frac{2}{3}}, \left(t \mapsto t \log\left(x + \frac{3t\sqrt[3]{a}\sqrt[3]{b} - C\sqrt[3]{a}}{2C\sqrt[3]{b}}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a**(2/3)*C+b**(2/3)*C*x**2)/(b*x**3+a),x)

[Out] RootSum(3*_t**3*b**(5/3) - 3*_t**2*C*b**(4/3) + _t*C**2*b - C**3*b**(2/3), Lambda(_t, _t*log(x + (3*_t*a**(1/3)*b**(1/3) - C*a**(1/3))/(2*C*b**(1/3))))

$$3.38 \quad \int \frac{-2a^{2/3}C - (-b)^{2/3}Cx^2}{a+bx^3} dx$$

Optimal. Leaf size=70

$$\frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{-b}}$$

Rubi [A] time = 0.07, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1866, 31, 617, 204}

$$\frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{-b}}$$

Antiderivative was successfully verified.

[In] Int[(-2*a^(2/3)*C - (-b)^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (-2*C*ArcTan[(a^(1/3) + 2*(-b)^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*(-b)^(1/3)) + (C*Log[a^(1/3) - (-b)^(1/3)*x])/(-b)^(1/3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1866

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/(-b)^(1/3)}, -Di

st[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x] /; EqQ[A*(-b)^(2/3) + a^(1/3)*(-b)^(1/3)*B - 2*a^(2/3)*C, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{-2a^{2/3}C - (-b)^{2/3}Cx^2}{a + bx^3} dx &= -\frac{(\sqrt[3]{a}C) \int \frac{1}{\frac{a^{2/3}}{(-b)^{2/3} + \sqrt[3]{a}x} + x^2} dx}{(-b)^{2/3}} - C \int \frac{1}{\frac{\sqrt[3]{a}}{\sqrt[3]{-b}} - x} dx \\ &= \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}} + \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2\sqrt[3]{-b}x}{\sqrt[3]{a}}\right)}{\sqrt[3]{-b}} \\ &= -\frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{-b}} + \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 116, normalized size = 1.66

$$\frac{C \left(-b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2) + 2b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b}x) - 2\sqrt{3} b^{2/3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) + (-b)^{2/3} \log(a + bx^3) \right)}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[(-2*a^(2/3)*C - (-b)^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] -1/3*(C*(-2*sqrt[3]*b^(2/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 2*b^(2/3)*Log[a^(1/3) + b^(1/3)*x] - b^(2/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + (-b)^(2/3)*Log[a + b*x^3]))/b

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{-2a^{2/3}C - (-b)^{2/3}Cx^2}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(-2*a^(2/3)*C - (-b)^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(-2*a^(2/3)*C - (-b)^(2/3)*C*x^2)/(a + b*x^3), x]

fricas [A] time = 0.45, size = 205, normalized size = 2.93

$$\frac{\sqrt{\frac{1}{3}} C b \sqrt{\frac{(-b)^{\frac{1}{3}}}{b}} \log\left(\frac{2bx^3 + 3a^{\frac{2}{3}}(-b)^{\frac{1}{3}}x - 3\sqrt{\frac{1}{3}}\left(2a^{\frac{1}{3}}bx^2 + a^{\frac{2}{3}}(-b)^{\frac{2}{3}}x + a(-b)^{\frac{1}{3}}\right)\sqrt{\frac{(-b)^{\frac{1}{3}}}{b}}}{bx^3 + a}\right) - C(-b)^{\frac{2}{3}} \log\left(bx + a^{\frac{1}{3}}(-b)^{\frac{2}{3}}\right) - 2\sqrt{\frac{1}{3}} C b \sqrt{\frac{(-b)^{\frac{1}{3}}}{b}} \arctan\left(\frac{\sqrt{\frac{1}{3}}\left(2a^{\frac{2}{3}}(-b)^{\frac{2}{3}}x + a(-b)^{\frac{1}{3}}\right)\sqrt{\frac{(-b)^{\frac{1}{3}}}{b}}}{a}\right) + C(-b)^{\frac{2}{3}} \log\left(bx + a^{\frac{1}{3}}(-b)^{\frac{2}{3}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*a^(2/3)*C*(-b)^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="fricas")

[Out] [(sqrt(1/3)*C*b*sqrt((-b)^(1/3)/b)*log((2*b*x^3 + 3*a^(2/3)*(-b)^(1/3)*x - 3*sqrt(1/3)*(2*a^(1/3)*b*x^2 + a^(2/3)*(-b)^(2/3)*x + a*(-b)^(1/3))*sqrt((-b)^(1/3)/b) - a)/(b*x^3 + a)) - C*(-b)^(2/3)*log(b*x + a^(1/3)*(-b)^(2/3)))/b, -(2*sqrt(1/3)*C*b*sqrt((-b)^(1/3)/b)*arctan(sqrt(1/3)*(2*a^(2/3)*(-b)^(2/3)*x + a*(-b)^(1/3))*sqrt((-b)^(1/3)/b)/a) + C*(-b)^(2/3)*log(b*x + a^(1/3)*(-b)^(2/3)))/b]

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*a^(2/3)*C*(-b)^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.05, size = 122, normalized size = 1.74

$$\frac{2\sqrt{3} C a^{\frac{2}{3}} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{2C a^{\frac{2}{3}} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{C a^{\frac{2}{3}} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{(-b)^{\frac{2}{3}} C \ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-2*a^(2/3)*C*(-b)^(2/3)*C*x^2)/(b*x^3+a),x)

[Out] -2/3/(a/b)^(2/3)*C*a^(2/3)/b*ln(x+(a/b)^(1/3))+1/3/(a/b)^(2/3)*C*a^(2/3)/b*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-2/3/(a/b)^(2/3)*3^(1/2)*C*a^(2/3)/b*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3*C*(-b)^(2/3)/b*ln(b*x^3+a)

maxima [B] time = 3.02, size = 173, normalized size = 2.47

$$\frac{2\sqrt{3}\left(Ca(-b)^{\frac{2}{3}} - \left(3Ca^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}} + \frac{Ca(-b)^{\frac{2}{3}}}{b}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} - \frac{\left(C(-b)^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{2}{3}} - Ca^{\frac{2}{3}}\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(C(-b)^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2Ca^{\frac{2}{3}}\right)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*a^(2/3)*C*(-b)^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="maxima")

[Out] 2/9*sqrt(3)*(C*a*(-b)^(2/3) - (3*C*a^(2/3)*(a/b)^(1/3) + C*a*(-b)^(2/3)/b)*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b) - 1/3*(C*(-b)^(2/3)*(a/b)^(2/3) - C*a^(2/3))*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) - 1/3*(C*(-b)^(2/3)*(a/b)^(2/3) + 2*C*a^(2/3))*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 5.24, size = 221, normalized size = 3.16

$$\sum_{k=1}^3 \ln\left(\frac{\sqrt[3]{27a^2b^3z^3 + 27Ca^2(-b)^{8/3}z^2 - 9C^2a^2(-b)^{7/3}z + 9C^3a^2b^2z, k}}{\sqrt[3]{(-b)^{8/3}}}\right) \left(\frac{6Ca}{(-b)^{8/3}} + \frac{\sqrt[3]{27a^2b^3z^3 + 27Ca^2(-b)^{8/3}z^2 - 9C^2a^2(-b)^{7/3}z + 9C^3a^2b^2z, k}}{b} - \frac{6Ca^{2/3}x}{b}\right) - \frac{C^2a}{(-b)^{8/3}} - \frac{2C^2a^{2/3}x}{(-b)^{8/3}} \sqrt[3]{27a^2b^3z^3 + 27Ca^2(-b)^{8/3}z^2 - 9C^2a^2(-b)^{7/3}z + 9C^3a^2b^2z, k}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*C*a^(2/3) + C*(-b)^(2/3)*x^2)/(a + b*x^3), x)

[Out] symsum(log(root(27*a^2*b^3*z^3 + 27*C*a^2*(-b)^(8/3)*z^2 - 9*C^2*a^2*(-b)^(7/3)*z + 9*C^3*a^2*b^2, z, k))*((6*C*a)/(-b)^(4/3) + (9*root(27*a^2*b^3*z^3 + 27*C*a^2*(-b)^(8/3)*z^2 - 9*C^2*a^2*(-b)^(7/3)*z + 9*C^3*a^2*b^2, z, k)*a)/b - (6*C*a^(2/3)*x)/b) - (C^2*a)/(-b)^(5/3) - (2*C^2*a^(2/3)*x)/(-b)^(4/3))*root(27*a^2*b^3*z^3 + 27*C*a^2*(-b)^(8/3)*z^2 - 9*C^2*a^2*(-b)^(7/3)*z + 9*C^3*a^2*b^2, z, k), k, 1, 3)

sympy [A] time = 1.24, size = 73, normalized size = 1.04

$$-\text{RootSum}\left(3t^3b^2 - 3t^2Cb(-b)^{\frac{2}{3}} + tC^2(-b)^{\frac{4}{3}} - C^3b, \left(t \mapsto t \log\left(\frac{3t\sqrt[3]{a}}{2C} - \frac{\sqrt[3]{a}(-b)^{\frac{2}{3}}}{2b} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*a**(2/3)*C*(-b)**(2/3)*C*x**2)/(b*x**3+a), x)

[Out] -RootSum(3*_t**3*b**2 - 3*_t**2*C*b*(-b)**(2/3) + _t*C**2*(-b)**(4/3) - C**3*b, Lambda(_t, _t*log(3*_t*a**(1/3)/(2*C) - a**(1/3)*(-b)**(2/3)/(2*b) + x)))

$$3.39 \quad \int \frac{-3+x^2}{-1+x^3} dx$$

Optimal. Leaf size=40

$$\frac{5}{6} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x) + \sqrt{3} \tan^{-1}\left(\frac{2x + 1}{\sqrt{3}}\right)$$

Rubi [A] time = 0.03, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.462$, Rules used = {1875, 31, 634, 618, 204, 628}

$$\frac{5}{6} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x) + \sqrt{3} \tan^{-1}\left(\frac{2x + 1}{\sqrt{3}}\right)$$

Antiderivative was successfully verified.

[In] Int[(-3 + x^2)/(-1 + x^3), x]

[Out] Sqrt[3]*ArcTan[(1 + 2*x)/Sqrt[3]] - (2*Log[1 - x])/3 + (5*Log[1 + x + x^2])/6

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1875

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = -(a/b)^(1/3)}, Dist[(q*(A + B*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && LtQ[a/b, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{-3 + x^2}{-1 + x^3} dx &= -\left(\frac{1}{3} \int \frac{-7 - 5x}{1 + x + x^2} dx\right) + \frac{2}{3} \int \frac{1}{1 - x} dx \\ &= -\frac{2}{3} \log(1 - x) + \frac{5}{6} \int \frac{1 + 2x}{1 + x + x^2} dx + \frac{3}{2} \int \frac{1}{1 + x + x^2} dx \\ &= -\frac{2}{3} \log(1 - x) + \frac{5}{6} \log(1 + x + x^2) - 3 \operatorname{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 + 2x\right) \\ &= \sqrt{3} \tan^{-1}\left(\frac{1 + 2x}{\sqrt{3}}\right) - \frac{2}{3} \log(1 - x) + \frac{5}{6} \log(1 + x + x^2) \end{aligned}$$

Mathematica [A] time = 0.03, size = 50, normalized size = 1.25

$$\frac{1}{3} \log(1 - x^3) + \frac{1}{2} \log(x^2 + x + 1) - \log(1 - x) + \sqrt{3} \tan^{-1}\left(\frac{2x + 1}{\sqrt{3}}\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(-3 + x^2)/(-1 + x^3), x]
```

```
[Out] Sqrt[3]*ArcTan[(1 + 2*x)/Sqrt[3]] - Log[1 - x] + Log[1 + x + x^2]/2 + Log[1 - x^3]/3
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{-3 + x^2}{-1 + x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(-3 + x^2)/(-1 + x^3), x]

[Out] IntegrateAlgebraic[(-3 + x^2)/(-1 + x^3), x]

fricas [A] time = 0.43, size = 31, normalized size = 0.78

$$\sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + \frac{5}{6} \log(x^2+x+1) - \frac{2}{3} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2-3)/(x^3-1), x, algorithm="fricas")

[Out] sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 5/6*log(x^2 + x + 1) - 2/3*log(x - 1)

giac [A] time = 0.32, size = 32, normalized size = 0.80

$$\sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + \frac{5}{6} \log(x^2+x+1) - \frac{2}{3} \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2-3)/(x^3-1), x, algorithm="giac")

[Out] sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 5/6*log(x^2 + x + 1) - 2/3*log(abs(x - 1))

maple [A] time = 0.05, size = 32, normalized size = 0.80

$$\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right) - \frac{2 \ln(x-1)}{3} + \frac{5 \ln(x^2+x+1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2-3)/(x^3-1), x)

[Out] -2/3*ln(x-1)+5/6*ln(x^2+x+1)+3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))

maxima [A] time = 2.99, size = 31, normalized size = 0.78

$$\sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + \frac{5}{6} \log(x^2+x+1) - \frac{2}{3} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2-3)/(x^3-1),x, algorithm="maxima")

[Out] sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 5/6*log(x^2 + x + 1) - 2/3*log(x - 1)

mupad [B] time = 0.16, size = 46, normalized size = 1.15

$$-\frac{2 \ln(x-1)}{3} - \ln\left(x + \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) \left(-\frac{5}{6} + \frac{\sqrt{3} 1i}{2}\right) + \ln\left(x + \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) \left(\frac{5}{6} + \frac{\sqrt{3} 1i}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 - 3)/(x^3 - 1),x)

[Out] log(x + (3^(1/2)*1i)/2 + 1/2)*((3^(1/2)*1i)/2 + 5/6) - log(x - (3^(1/2)*1i)/2 + 1/2)*((3^(1/2)*1i)/2 - 5/6) - (2*log(x - 1))/3

sympy [A] time = 0.29, size = 42, normalized size = 1.05

$$-\frac{2 \log(x-1)}{3} + \frac{5 \log(x^2 + x + 1)}{6} + \sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2-3)/(x**3-1),x)

[Out] -2*log(x - 1)/3 + 5*log(x**2 + x + 1)/6 + sqrt(3)*atan(2*sqrt(3)*x/3 + sqrt(3)/3)

$$3.40 \quad \int \frac{\sqrt[3]{a} \sqrt[3]{b} B + 2a^{2/3} C + b^{2/3} Bx + b^{2/3} Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=70

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} - \frac{2 \left(\frac{B}{\sqrt[3]{a}} + \frac{C}{\sqrt[3]{b}} \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3}}$$

Rubi [A] time = 0.07, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 49, $\frac{\text{number of rules}}{\text{integrand size}} = 0.082$, Rules used = {1863, 31, 617, 204}

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} - \frac{2 \left(\frac{B}{\sqrt[3]{a}} + \frac{C}{\sqrt[3]{b}} \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(a^(1/3)*b^(1/3)*B + 2*a^(2/3)*C + b^(2/3)*B*x + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (-2*(B/a^(1/3) + C/b^(1/3))*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))] / Sqrt[3] + (C*Log[a^(1/3) + b^(1/3)*x]) / b^(1/3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]] / (Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1863

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/b^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A*b^(2/3) - a^(1/3)*b^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\int \frac{\sqrt[3]{a} \sqrt[3]{b} B + 2a^{2/3} C + b^{2/3} Bx + b^{2/3} Cx^2}{a + bx^3} dx = \frac{C \int \frac{1}{\frac{\sqrt[3]{a}}{\sqrt[3]{b}} + x} dx}{\sqrt[3]{b}} + \frac{(\sqrt[3]{b} B + \sqrt[3]{a} C) \int \frac{1}{\frac{a^{2/3}}{b^{2/3}} - \frac{\sqrt[3]{a} x}{\sqrt[3]{b}} + x^2} dx}{b^{2/3}}$$

$$= \frac{C \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{\sqrt[3]{b}} + \left(2 \left(\frac{B}{\sqrt[3]{a}} + \frac{C}{\sqrt[3]{b}} \right) \right) \text{Subst} \left(\int \frac{1}{-3 - x^2} dx, x, 1 \right)$$

$$= -\frac{2 \left(\frac{B}{\sqrt[3]{a}} + \frac{C}{\sqrt[3]{b}} \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3}} + \frac{C \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{\sqrt[3]{b}}$$

Mathematica [A] time = 0.05, size = 122, normalized size = 1.74

$$\frac{\sqrt[3]{a} C \left(-\log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + \log \left(a + bx^3 \right) + 2 \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) - 2\sqrt{3} \left(\sqrt[3]{a} C + \sqrt[3]{b} B \right) \tan^{-1} \left(\frac{1 - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right) \right)}{3\sqrt[3]{a} \sqrt[3]{b}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a^(1/3)*b^(1/3)*B + 2*a^(2/3)*C + b^(2/3)*B*x + b^(2/3)*C*x^2)/(a + b*x^3), x]
```

```
[Out] (-2*Sqrt[3]*(b^(1/3)*B + a^(1/3)*C)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + a^(1/3)*C*(2*Log[a^(1/3) + b^(1/3)*x] - Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + Log[a + b*x^3]))/(3*a^(1/3)*b^(1/3))
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{a} \sqrt[3]{b} B + 2a^{2/3} C + b^{2/3} Bx + b^{2/3} Cx^2}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a^(1/3)*b^(1/3)*B + 2*a^(2/3)*C + b^(2/3)*B*x + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(a^(1/3)*b^(1/3)*B + 2*a^(2/3)*C + b^(2/3)*B*x + b^(2/3)*C*x^2)/(a + b*x^3), x]

fricas [B] time = 3.30, size = 430, normalized size = 6.14

$$\frac{\sqrt{3} \sqrt{\frac{C^2 a^2 - 2 B C a + B^2 b}{a^2}} \log \left(\frac{C^2 a^2 - 2 B C a + B^2 b}{a^2} \right) + C b^{\frac{1}{3}} \log(bx + a^{\frac{1}{3}} b^{\frac{2}{3}})}{b} + \frac{2 \sqrt{3} \sqrt{\frac{C^2 a^2 - 2 B C a + B^2 b}{a^2}} \arctan \left(\frac{\sqrt{3} \sqrt{\frac{C^2 a^2 - 2 B C a + B^2 b}{a^2}}}{C + B x} \right) + C b^{\frac{1}{3}} \log(bx + a^{\frac{1}{3}} b^{\frac{2}{3}})}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*b^(1/3)*B+2*a^(2/3)*C+b^(2/3)*B*x+b^(2/3)*C*x^2)/(b*x^3+a), x, algorithm="fricas")

[Out] [(sqrt(1/3)*b*sqrt(-(C^2*a*b^(1/3) + 2*B*C*a^(2/3)*b^(2/3) + B^2*a^(1/3)*b)/(a*b))*log(-(C^3*a^2 + B^3*a*b - 2*(C^3*a*b + B^3*b^2)*x^3 + 3*(C^3*a + B^3*b)*a^(2/3)*b^(1/3)*x - 3*sqrt(1/3)*((2*B^2*b*x^2 + C^2*a*x + B*C*a)*a^(2/3)*b^(2/3) + (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*a^(1/3) - (2*B*C*a*b*x^2 - B^2*a*b*x + C^2*a^2)*b^(1/3)))*sqrt(-(C^2*a*b^(1/3) + 2*B*C*a^(2/3)*b^(2/3) + B^2*a^(1/3)*b)/(a*b)))/(b*x^3 + a) + C*b^(2/3)*log(b*x + a^(1/3)*b^(2/3)))/b, (2*sqrt(1/3)*b*sqrt((C^2*a*b^(1/3) + 2*B*C*a^(2/3)*b^(2/3) + B^2*a^(1/3)*b)/(a*b))*arctan(sqrt(1/3)*((2*C^2*x + B*C)*a^(2/3)*b^(2/3) - (2*B*C*b*x + B^2*b)*a^(1/3) + (2*B^2*b*x - C^2*a)*b^(1/3)))*sqrt((C^2*a*b^(1/3) + 2*B*C*a^(2/3)*b^(2/3) + B^2*a^(1/3)*b)/(a*b)))/(C^3*a + B^3*b) + C*b^(2/3)*log(b*x + a^(1/3)*b^(2/3)))/b]

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*b^(1/3)*B+2*a^(2/3)*C+b^(2/3)*B*x+b^(2/3)*C*x^2)/(b*x^3+a), x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.06, size = 310, normalized size = 4.43

$$\frac{\sqrt{3} B a^{\frac{1}{3}} \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{b} - 1 \right)}{\left(\frac{x}{b} \right)^{\frac{2}{3}} - 1} \right)}{3 \left(\frac{x}{b} \right)^{\frac{2}{3}} b^{\frac{1}{3}}} + \frac{B a^{\frac{1}{3}} \ln \left(x + \left(\frac{x}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{x}{b} \right)^{\frac{2}{3}} b^{\frac{1}{3}}} - \frac{B a^{\frac{1}{3}} \ln \left(x^2 - \left(\frac{x}{b} \right)^{\frac{1}{3}} x + \left(\frac{x}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{x}{b} \right)^{\frac{2}{3}} b^{\frac{1}{3}}} + \frac{\sqrt{3} B a^{\frac{1}{3}} \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{b} - 1 \right)}{\left(\frac{x}{b} \right)^{\frac{2}{3}} - 1} \right)}{3 \left(\frac{x}{b} \right)^{\frac{2}{3}} b^{\frac{1}{3}}} - \frac{B \ln \left(x + \left(\frac{x}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{x}{b} \right)^{\frac{2}{3}} b^{\frac{1}{3}}} + \frac{B \ln \left(x^2 - \left(\frac{x}{b} \right)^{\frac{1}{3}} x + \left(\frac{x}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{x}{b} \right)^{\frac{2}{3}} b^{\frac{1}{3}}} + \frac{2 \sqrt{3} C a^{\frac{2}{3}} \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{b} - 1 \right)}{\left(\frac{x}{b} \right)^{\frac{2}{3}} - 1} \right)}{3 \left(\frac{x}{b} \right)^{\frac{2}{3}} b} + \frac{2 C a^{\frac{2}{3}} \ln \left(x + \left(\frac{x}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{x}{b} \right)^{\frac{2}{3}} b} - \frac{C a^{\frac{2}{3}} \ln \left(x^2 - \left(\frac{x}{b} \right)^{\frac{1}{3}} x + \left(\frac{x}{b} \right)^{\frac{2}{3}} \right)}{3 \left(\frac{x}{b} \right)^{\frac{2}{3}} b} + \frac{C \ln(bx^3 + a)}{3b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a^{1/3} * b^{1/3} * B + 2 * a^{2/3} * C + b^{2/3} * B * x + b^{2/3} * C * x^2) / (b * x^3 + a), x)$

[Out] $\frac{1}{3} / (a/b)^{2/3} * B * a^{1/3} / b^{2/3} * \ln(x + (a/b)^{1/3}) + 2/3 / (a/b)^{2/3} * C * a^{2/3} / b * \ln(x + (a/b)^{1/3}) - 1/6 / (a/b)^{2/3} * B * a^{1/3} / b^{2/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) - 1/3 / (a/b)^{2/3} * C * a^{2/3} / b * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) + 1/3 / (a/b)^{2/3} * 3^{1/2} * B * a^{1/3} / b^{2/3} * \arctan(1/3 * 3^{1/2} * (2 / (a/b)^{1/3} * x - 1)) + 2/3 / (a/b)^{2/3} * 3^{1/2} * C * a^{2/3} / b * \arctan(1/3 * 3^{1/2} * (2 / (a/b)^{1/3} * x - 1)) - 1/3 / (a/b)^{1/3} * B / b^{1/3} * \ln(x + (a/b)^{1/3}) + 1/6 / (a/b)^{1/3} * B / b^{1/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) + 1/3 * 3^{1/2} / (a/b)^{1/3} * B / b^{1/3} * \arctan(1/3 * 3^{1/2} * (2 / (a/b)^{1/3} * x - 1)) + 1/3 * C / b^{1/3} * \ln(b * x^3 + a)$

maxima [B] time = 3.12, size = 236, normalized size = 3.37

$$\frac{\sqrt{3} \left(2Ca^{2/3} - \left(6Ca^{2/3} \left(\frac{a}{b} \right)^{1/3} + 3Ba^{1/3} b^{1/3} \left(\frac{a}{b} \right)^{1/3} + \left(3B \left(\frac{a}{b} \right)^{2/3} + \frac{2Ca}{b} \right) b^{2/3} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{1/3} \right)}{3 \left(\frac{a}{b} \right)^{1/3}} \right)}{9ab} - \frac{\left(2Ca^{2/3} + Ba^{1/3} b^{1/3} - \left(2C \left(\frac{a}{b} \right)^{2/3} + B \left(\frac{a}{b} \right)^{1/3} \right) b^{2/3} \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{1/3} + \left(\frac{a}{b} \right)^{2/3} \right)}{6b \left(\frac{a}{b} \right)^{2/3}} + \frac{\left(2Ca^{2/3} + Ba^{1/3} b^{1/3} + \left(C \left(\frac{a}{b} \right)^{2/3} - B \left(\frac{a}{b} \right)^{1/3} \right) b^{2/3} \right) \log \left(x + \left(\frac{a}{b} \right)^{1/3} \right)}{3b \left(\frac{a}{b} \right)^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a^{1/3} * b^{1/3} * B + 2 * a^{2/3} * C + b^{2/3} * B * x + b^{2/3} * C * x^2) / (b * x^3 + a), x, \text{algorithm} = \text{"maxima"})$

[Out] $-1/9 * \sqrt{3} * (2 * C * a * b^{2/3} - (6 * C * a^{2/3} * (a/b)^{1/3} + 3 * B * a^{1/3} * b^{1/3}) * (a/b)^{1/3} + (3 * B * (a/b)^{2/3} + 2 * C * a/b) * b^{2/3}) * b * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{1/3}) / (a/b)^{1/3}) / (a * b) - 1/6 * (2 * C * a^{2/3} + B * a^{1/3} * b^{1/3} - (2 * C * (a/b)^{2/3} + B * (a/b)^{1/3}) * b^{2/3}) * \log(x^2 - x * (a/b)^{1/3} + (a/b)^{2/3}) / (b * (a/b)^{2/3}) + 1/3 * (2 * C * a^{2/3} + B * a^{1/3} * b^{1/3} + (C * (a/b)^{2/3} - B * (a/b)^{1/3}) * b^{2/3}) * \log(x + (a/b)^{1/3}) / (b * (a/b)^{2/3})$

mupad [B] time = 6.23, size = 386, normalized size = 5.51

$$\sum_{k=0}^{\infty} \frac{(-1)^k \binom{2k}{k} \frac{27^k a^{2k} b^{3k} z^3 - 27^k C a^{2k} b^{8k/3} z^2 + 18^k B C a^{5k/3} b^{8k/3} z + 9^k C^2 a^{2k} b^{7k/3} z + 9^k B^2 a^{4k/3} b^3 z - 18^k B C^2 a^{5k/3} b^{7k/3} - 9^k B^2 C a^{4k/3} b^{8k/3} - 9^k C^3 a^2 b^2}{2^{2k} k!} \frac{1}{(27^k a^{2k} b^{3k} z^3 - 27^k C a^{2k} b^{8k/3} z^2 + 18^k B C a^{5k/3} b^{8k/3} z + 9^k C^2 a^{2k} b^{7k/3} z + 9^k B^2 a^{4k/3} b^3 z - 18^k B C^2 a^{5k/3} b^{7k/3} - 9^k B^2 C a^{4k/3} b^{8k/3} - 9^k C^3 a^2 b^2)^k} a * b^{1/3} - 6 * C * a + 3 * B * a^{1/3} * b^{2/3} * x + 6 * C * a^{2/3} * b^{1/3} * x) / b^{4/3} * \sqrt{27^k a^{2k} b^{3k} z^3 - 27^k C a^{2k} b^{8k/3} z^2 + 18^k B C a^{5k/3} b^{8k/3} z + 9^k C^2 a^{2k} b^{7k/3} z + 9^k B^2 a^{4k/3} b^3 z - 18^k B C^2 a^{5k/3} b^{7k/3} - 9^k B^2 C a^{4k/3} b^{8k/3} - 9^k C^3 a^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((2 * C * a^{2/3} + B * a^{1/3} * b^{1/3} + C * b^{2/3} * x^2 + B * b^{2/3} * x) / (a + b * x^3), x)$

[Out] $\text{symsum}(\log((a^{1/3} * (B * b^{1/3} + C * a^{1/3}))^2) / b^{5/3} - (x * (2 * C^2 * a^{2/3} * b^{2/3} - B^2 * b^{4/3} + B * C * a^{1/3} * b)) / b^2 + (\text{root}(27 * a^2 * b^3 * z^3 - 27 * C * a^{2/3} * b^{8/3} * z^2 + 18 * B * C * a^{5/3} * b^{8/3} * z + 9 * C^2 * a^2 * b^{7/3} * z + 9 * B^2 * a^{4/3} * b^3 * z - 18 * B * C^2 * a^{5/3} * b^{7/3} - 9 * B^2 * C * a^{4/3} * b^{8/3} - 9 * C^3 * a^2 * b^2, z, k) * (9 * \text{root}(27 * a^2 * b^3 * z^3 - 27 * C * a^{2/3} * b^{8/3} * z^2 + 18 * B * C * a^{5/3} * b^{8/3} * z + 9 * C^2 * a^2 * b^{7/3} * z + 9 * B^2 * a^{4/3} * b^3 * z - 18 * B * C^2 * a^{5/3} * b^{7/3} - 9 * B^2 * C * a^{4/3} * b^{8/3} - 9 * C^3 * a^2 * b^2, z, k) * a * b^{1/3} - 6 * C * a + 3 * B * a^{1/3} * b^{2/3} * x + 6 * C * a^{2/3} * b^{1/3} * x)) / b^{4/3} * \text{root}(27 * a^2 * b^3 * z^3 - 27 * C * a^{2/3} * b^{8/3} * z^2 + 18 * B * C * a^{5/3} * b^{8/3} * z + 9 * C^2 * a^2 * b^{7/3} * z + 9 * B^2 * a^{4/3} * b^3 * z - 18 * B * C^2 * a^{5/3} * b^{7/3} - 9 * B^2 * C * a^{4/3} * b^{8/3} - 9 * C^3 * a^2 * b^2)$

$$9*B^2*a^{(4/3)}*b^3*z - 18*B*C^2*a^{(5/3)}*b^{(7/3)} - 9*B^2*C*a^{(4/3)}*b^{(8/3)} - 9*C^3*a^2*b^2, z, k), k, 1, 3)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**(1/3)*b**(1/3)*B+2*a**(2/3)*C+b**(2/3)*B*x+b**(2/3)*C*x**2)/(b*x**3+a),x)

[Out] Timed out

$$3.41 \quad \int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - 2a^{2/3} C - (-b)^{2/3} Bx - (-b)^{2/3} Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=88

$$\frac{2 \left(\sqrt[3]{a} (-b)^{2/3} C + bB \right) \tan^{-1} \left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a} b} + \frac{C \log \left(\sqrt[3]{a} - \sqrt[3]{-b}x \right)}{\sqrt[3]{-b}}$$

Rubi [A] time = 0.11, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 57, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {1866, 31, 617, 204}

$$\frac{2 \left(\sqrt[3]{a} (-b)^{2/3} C + bB \right) \tan^{-1} \left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a} b} + \frac{C \log \left(\sqrt[3]{a} - \sqrt[3]{-b}x \right)}{\sqrt[3]{-b}}$$

Antiderivative was successfully verified.

[In] Int[(a^(1/3)*(-b)^(1/3)*B - 2*a^(2/3)*C - (-b)^(2/3)*B*x - (-b)^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (2*(b*B + a^(1/3)*(-b)^(2/3)*C)*ArcTan[(a^(1/3) + 2*(-b)^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(1/3)*b) + (C*Log[a^(1/3) - (-b)^(1/3)*x])/(-b)^(1/3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1866


```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/(-b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A*(-b)^(2/3) + a^(1/3)*(-b)^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - 2a^{2/3} C - (-b)^{2/3} Bx - (-b)^{2/3} Cx^2}{a + bx^3} dx = \frac{C \int \frac{1}{\sqrt[3]{a} - x} dx}{\sqrt[3]{-b}} + \frac{(\sqrt[3]{-b} B - \sqrt[3]{a} C) \int \frac{1}{\frac{a^{2/3}}{(-b)^{2/3}} + \frac{\sqrt[3]{a} x}{\sqrt[3]{-b}} + x^2} dx}{(-b)^{2/3}}$$

$$= \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b} x)}{\sqrt[3]{-b}} - \left(2 \left(\frac{B}{\sqrt[3]{a}} + \frac{bC}{(-b)^{4/3}} \right) \right) \text{Subst} \left(\int \frac{1}{-3} \right)$$

$$= \frac{2 \left(\frac{B}{\sqrt[3]{a}} + \frac{bC}{(-b)^{4/3}} \right) \tan^{-1} \left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3}} + \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b} x)}{\sqrt[3]{-b}}$$

Mathematica [B] time = 0.66, size = 238, normalized size = 2.70

$$\frac{(2 \sqrt[3]{a} b \sqrt[3]{-b} C + b^{5/3} B + (-b)^{5/3} B) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{-b} x + b^{2/3} x^2) - 2b(2 \sqrt[3]{a} \sqrt[3]{-b} C + b^{2/3} (-b)^{2/3} B) \log(\sqrt[3]{a} + \sqrt[3]{-b} x) - 2 \sqrt[3]{a} (-b)^{2/3} \sqrt[3]{-b} C \log(a + bx^3)}{\sqrt[3]{-b^2}} + 2\sqrt{3} \sqrt[3]{b} (2 \sqrt[3]{a} \sqrt[3]{-b} C + ((-b)^{2/3} - \sqrt[3]{-b^2}) B) \tan^{-1} \left(\frac{1 - \frac{2 \sqrt[3]{b} x}{\sqrt[3]{a}}}{\sqrt{3}} \right)$$

$6 \sqrt[3]{a} b$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a^(1/3)*(-b)^(1/3)*B - 2*a^(2/3)*C - (-b)^(2/3)*B*x - (-b)^(2/3)*C*x^2)/(a + b*x^3), x]
```

```
[Out] (2*sqrt[3]*b^(1/3)*((-b)^(2/3) - (-b^2)^(1/3))*B + 2*a^(1/3)*b^(1/3)*C)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + (-2*b*((-b)^(2/3) + b^(2/3))*B + 2*a^(1/3)*(-b)^(1/3)*C)*Log[a^(1/3) + b^(1/3)*x] + ((-b)^(5/3)*B + b^(5/3)*B + 2*a^(1/3)*(-b)^(1/3)*b*C)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 2*a^(1/3)*(-b)^(2/3)*(-b^2)^(1/3)*C*Log[a + b*x^3])/((-b^2)^(1/3))/(6*a^(1/3)*b)
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - 2a^{2/3} C - (-b)^{2/3} Bx - (-b)^{2/3} Cx^2}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a^(1/3)*(-b)^(1/3)*B - 2*a^(2/3)*C - (-b)^(2/3)*B*x - (-b)^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(a^(1/3)*(-b)^(1/3)*B - 2*a^(2/3)*C - (-b)^(2/3)*B*x - (-b)^(2/3)*C*x^2)/(a + b*x^3), x]

fricas [B] time = 2.72, size = 470, normalized size = 5.34

$$\frac{\sqrt[3]{b} \sqrt{\frac{C^2 a^2 - 2 C a b + B^2 b^2}{a^3}} \log\left(\frac{C^2 a^2 - 2 C a b + B^2 b^2}{a^3}\right) - C (-b)^{\frac{1}{3}} \log\left(\frac{b x + a^{\frac{1}{3}} (-b)^{\frac{2}{3}}}{b}\right) - 2 \sqrt[3]{b} \sqrt{\frac{C^2 a^2 - 2 C a b + B^2 b^2}{a^3}} \arctan\left(\frac{\sqrt{\frac{C^2 a^2 - 2 C a b + B^2 b^2}{a^3}}}{C - B a}\right) + C (-b)^{\frac{1}{3}} \log\left(\frac{b x + a^{\frac{1}{3}} (-b)^{\frac{2}{3}}}{b}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*(-b)^(1/3)*B-2*a^(2/3)*C-(-b)^(2/3)*B*x-(-b)^(2/3)*C*x^2)/(b*x^3+a), x, algorithm="fricas")

[Out] [(sqrt(1/3)*b*sqrt((C^2*a*(-b)^(1/3) - 2*B*C*a^(2/3)*(-b)^(2/3) - B^2*a^(1/3)*b)/(a*b)))*log(-(C^3*a^2 + B^3*a*b - 2*(C^3*a*b + B^3*b^2)*x^3 - 3*(C^3*a + B^3*b)*a^(2/3)*(-b)^(1/3)*x + 3*sqrt(1/3)*((2*B^2*b*x^2 + C^2*a*x + B*C*a)*a^(2/3)*(-b)^(2/3) + (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*a^(1/3) + (2*B*C*a*b*x^2 - B^2*a*b*x + C^2*a^2)*(-b)^(1/3))*sqrt((C^2*a*(-b)^(1/3) - 2*B*C*a^(2/3)*(-b)^(2/3) - B^2*a^(1/3)*b)/(a*b)))/(b*x^3 + a) - C*(-b)^(2/3)*log(b*x + a^(1/3)*(-b)^(2/3))/b, -(2*sqrt(1/3)*b*sqrt(-(C^2*a*(-b)^(1/3) - 2*B*C*a^(2/3)*(-b)^(2/3) - B^2*a^(1/3)*b)/(a*b))*arctan(sqrt(1/3)*((2*C^2*x + B*C)*a^(2/3)*(-b)^(2/3) - (2*B*C*b*x + B^2*b)*a^(1/3) - (2*B^2*b*x - C^2*a)*(-b)^(1/3))*sqrt(-(C^2*a*(-b)^(1/3) - 2*B*C*a^(2/3)*(-b)^(2/3) - B^2*a^(1/3)*b)/(a*b)))/(C^3*a + B^3*b)) + C*(-b)^(2/3)*log(b*x + a^(1/3)*(-b)^(2/3))/b]

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*(-b)^(1/3)*B-2*a^(2/3)*C-(-b)^(2/3)*B*x-(-b)^(2/3)*C*x^2)/(b*x^3+a), x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.05, size = 345, normalized size = 3.92

$$\frac{2\sqrt[3]{b} C a^{\frac{2}{3}} \arctan\left(\frac{\sqrt[3]{\frac{C^2 a^2 - 2 C a b + B^2 b^2}{a^3}}}{C - B a}\right) - 2 C a^{\frac{2}{3}} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + C a^{\frac{2}{3}} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + \sqrt[3]{b} (-b)^{\frac{1}{3}} B a^{\frac{2}{3}} \arctan\left(\frac{\sqrt[3]{\frac{C^2 a^2 - 2 C a b + B^2 b^2}{a^3}}}{C - B a}\right) - (-b)^{\frac{1}{3}} B a^{\frac{2}{3}} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - (-b)^{\frac{1}{3}} B a^{\frac{2}{3}} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) - (-b)^{\frac{1}{3}} \sqrt[3]{b} B \arctan\left(\frac{\sqrt[3]{\frac{C^2 a^2 - 2 C a b + B^2 b^2}{a^3}}}{C - B a}\right) + (-b)^{\frac{1}{3}} B \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - (-b)^{\frac{1}{3}} B \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) - (-b)^{\frac{1}{3}} C \ln(b x^3 + a)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

$$\begin{aligned} &^2*a*(-b)^{(4/3)} - 2*B*C*a^{(2/3)}*(-b)^{(5/3)}/b^3 - (x*(2*C^2*a^{(2/3)}*(-b)^{(2/3)} - B^2*(-b)^{(4/3)} + B*C*a^{(1/3)*b})/b^2)*\text{root}(27*a^2*b^3*z^3 + 27*C*a^2*(-b)^{(8/3)}*z^2 + 18*B*C*a^{(5/3)}*(-b)^{(8/3)}*z + 9*B^2*a^{(4/3)}*b^3*z - 9*C^2*a^2*(-b)^{(7/3)}*z - 18*B*C^2*a^{(5/3)}*(-b)^{(7/3)} + 9*B^2*C*a^{(4/3)}*(-b)^{(8/3)} + 9*C^3*a^2*b^2, z, k), k, 1, 3) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**(1/3)*(-b)**(1/3)*B-2*a**(2/3)*C-(-b)**(2/3)*B*x-(-b)**(2/3)*C*x**2)/(b*x**3+a),x)

[Out] Timed out

$$3.42 \quad \int \frac{B^2 + BCx + C^2x^2}{-B^3 + C^3x^3} dx$$

Optimal. Leaf size=11

$$\frac{\log(B - Cx)}{C}$$

Rubi [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$, Rules used = {1586, 31}

$$\frac{\log(B - Cx)}{C}$$

Antiderivative was successfully verified.

[In] Int[(B^2 + B*C*x + C^2*x^2)/(-B^3 + C^3*x^3), x]

[Out] Log[B - C*x]/C

Rule 31

Int[((a_) + (b_)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{B^2 + BCx + C^2x^2}{-B^3 + C^3x^3} dx = \int \frac{1}{-B + Cx} dx = \frac{\log(B - Cx)}{C}$$

Mathematica [A] time = 0.00, size = 12, normalized size = 1.09

$$\frac{\log(Cx - B)}{C}$$

Antiderivative was successfully verified.

[In] Integrate[(B^2 + B*C*x + C^2*x^2)/(-B^3 + C^3*x^3), x]

[Out] Log[-B + C*x]/C

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B^2 + BCx + C^2x^2}{-B^3 + C^3x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(B^2 + B*C*x + C^2*x^2)/(-B^3 + C^3*x^3), x]

[Out] IntegrateAlgebraic[(B^2 + B*C*x + C^2*x^2)/(-B^3 + C^3*x^3), x]

fricas [A] time = 0.39, size = 12, normalized size = 1.09

$$\frac{\log(Cx - B)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C^2*x^2+B*C*x+B^2)/(C^3*x^3-B^3), x, algorithm="fricas")

[Out] log(C*x - B)/C

giac [A] time = 0.36, size = 13, normalized size = 1.18

$$\frac{\log(|Cx - B|)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C^2*x^2+B*C*x+B^2)/(C^3*x^3-B^3), x, algorithm="giac")

[Out] log(abs(C*x - B))/C

maple [A] time = 0.04, size = 12, normalized size = 1.09

$$\frac{\ln(-Cx + B)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C^2*x^2+B*C*x+B^2)/(C^3*x^3-B^3), x)

[Out] ln(-C*x+B)/C

maxima [A] time = 1.36, size = 12, normalized size = 1.09

$$\frac{\log(Cx - B)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C^2*x^2+B*C*x+B^2)/(C^3*x^3-B^3),x, algorithm="maxima")

[Out] log(C*x - B)/C

mupad [B] time = 0.04, size = 12, normalized size = 1.09

$$\frac{\ln(Cx - B)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(B^2 + C^2*x^2 + B*C*x)/(B^3 - C^3*x^3),x)

[Out] log(C*x - B)/C

sympy [A] time = 0.24, size = 7, normalized size = 0.64

$$\frac{\log(-B + Cx)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C**2*x**2+B*C*x+B**2)/(C**3*x**3-B**3),x)

[Out] log(-B + C*x)/C

$$3.43 \quad \int \frac{a^{2/3}C - \sqrt[3]{a} \sqrt[3]{b} Cx + b^{2/3}Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=21

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}}$$

Rubi [A] time = 0.01, antiderivative size = 21, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {1586, 31}

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(a^(2/3)*C - a^(1/3)*b^(1/3)*C*x + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (C*Log[a^(1/3) + b^(1/3)*x])/b^(1/3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{a^{2/3}C - \sqrt[3]{a} \sqrt[3]{b} Cx + b^{2/3}Cx^2}{a + bx^3} dx &= \int \frac{1}{\frac{\sqrt[3]{a}}{C} + \frac{\sqrt[3]{b}x}{C}} dx \\ &= \frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} \end{aligned}$$

Mathematica [A] time = 0.00, size = 21, normalized size = 1.00

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(a^(2/3)*C - a^(1/3)*b^(1/3)*C*x + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (C*Log[a^(1/3) + b^(1/3)*x])/b^(1/3)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a^{2/3}C - \sqrt[3]{a} \sqrt[3]{b} Cx + b^{2/3}Cx^2}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a^(2/3)*C - a^(1/3)*b^(1/3)*C*x + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(a^(2/3)*C - a^(1/3)*b^(1/3)*C*x + b^(2/3)*C*x^2)/(a + b*x^3), x]

fricas [A] time = 0.42, size = 17, normalized size = 0.81

$$\frac{C \log\left(bx + a^{\frac{1}{3}}b^{\frac{2}{3}}\right)}{b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(2/3)*C-a^(1/3)*b^(1/3)*C*x+b^(2/3)*C*x^2)/(b*x^3+a), x, algorithm="fricas")

[Out] C*log(b*x + a^(1/3)*b^(2/3))/b^(1/3)

giac [A] time = 0.31, size = 16, normalized size = 0.76

$$\frac{C \log\left(\left|b^{\frac{1}{3}}x + a^{\frac{1}{3}}\right|\right)}{b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(2/3)*C-a^(1/3)*b^(1/3)*C*x+b^(2/3)*C*x^2)/(b*x^3+a), x, algorithm="giac")

[Out] C*log(abs(b^(1/3)*x + a^(1/3)))/b^(1/3)

maple [B] time = 0.05, size = 218, normalized size = 10.38

$$\frac{\sqrt{3} C a^{\frac{2}{3}} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{C a^{\frac{2}{3}} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{C a^{\frac{2}{3}} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{\sqrt{3} C a^{\frac{1}{3}} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b^{\frac{2}{3}}} + \frac{C a^{\frac{1}{3}} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b^{\frac{2}{3}}} - \frac{C a^{\frac{1}{3}} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}} b^{\frac{2}{3}}} + \frac{C \ln(bx^3 + a)}{3b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^(2/3)*C-a^(1/3)*b^(1/3)*C*x+b^(2/3)*C*x^2)/(b*x^3+a), x)

[Out] 1/3/(a/b)^(2/3)*C*a^(2/3)/b*ln(x+(a/b)^(1/3))-1/6/(a/b)^(2/3)*C*a^(2/3)/b*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3/(a/b)^(2/3)*3^(1/2)*C*a^(2/3)/b*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*C/b^(2/3)*a^(1/3)/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-1/6*C/b^(2/3)*a^(1/3)/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3*C/b^(2/3)*a^(1/3)*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*C/b^(1/3)*ln(b*x^3+a)

maxima [B] time = 2.99, size = 210, normalized size = 10.00

$$\frac{\sqrt{3}\left(2Cab^{\frac{2}{3}} + \left(3Ca^{\frac{1}{3}}b^{\frac{1}{3}}\left(\frac{a}{b}\right)^{\frac{2}{3}} - 3Ca^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}} - \frac{2Ca}{b^{\frac{1}{3}}}\right)b\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} + \frac{\left(2Cb^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{2}{3}} - Ca^{\frac{1}{3}}b^{\frac{1}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}} - Ca^{\frac{2}{3}}\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(Cb^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{2}{3}} + Ca^{\frac{1}{3}}b^{\frac{1}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}} + Ca^{\frac{2}{3}}\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(2/3)*C-a^(1/3)*b^(1/3)*C*x+b^(2/3)*C*x^2)/(b*x^3+a), x, algorithm="maxima")

[Out] -1/9*sqrt(3)*(2*C*a*b^(2/3) + (3*C*a^(1/3)*b^(1/3)*(a/b)^(2/3) - 3*C*a^(2/3)*(a/b)^(1/3) - 2*C*a/b^(1/3))*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b) + 1/6*(2*C*b^(2/3)*(a/b)^(2/3) - C*a^(1/3)*b^(1/3)*(a/b)^(1/3) - C*a^(2/3))*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) + 1/3*(C*b^(2/3)*(a/b)^(2/3) + C*a^(1/3)*b^(1/3)*(a/b)^(1/3) + C*a^(2/3))*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 4.90, size = 15, normalized size = 0.71

$$\frac{C \ln\left(x + \frac{a^{1/3}}{b^{1/3}}\right)}{b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*a^(2/3) + C*b^(2/3)*x^2 - C*a^(1/3)*b^(1/3)*x)/(a + b*x^3), x)

[Out] (C*log(x + a^(1/3)/b^(1/3)))/b^(1/3)

sympy [A] time = 0.26, size = 20, normalized size = 0.95

$$\frac{C \log\left(\sqrt[3]{a} b^{\frac{2}{3}} + bx\right)}{\sqrt[3]{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**(2/3)*C-a**(1/3)*b**(1/3)*C*x+b**(2/3)*C*x**2)/(b*x**3+a), x)

[Out] C*log(a**(1/3)*b**(2/3) + b*x)/b**(1/3)

$$3.44 \quad \int \frac{\sqrt[3]{\frac{a}{b}} B + 2\left(\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=71

$$\frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} - \frac{2\left(\frac{a}{b}\right)^{2/3} \left(C\sqrt[3]{\frac{a}{b}} + B\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}a}$$

Rubi [A] time = 0.09, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1867, 31, 617, 204}

$$\frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} - \frac{2\left(\frac{a}{b}\right)^{2/3} \left(C\sqrt[3]{\frac{a}{b}} + B\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}a}$$

Antiderivative was successfully verified.

[In] Int[((a/b)^(1/3)*B + 2*(a/b)^(2/3)*C + B*x + C*x^2)/(a + b*x^3), x]

[Out] (-2*(a/b)^(2/3)*(B + (a/b)^(1/3)*C)*ArcTan[(1 - (2*x)/(a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*a) + (C*Log[(a/b)^(1/3) + x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1867

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\int \frac{\sqrt[3]{\frac{a}{b}} B + 2 \left(\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a + bx^3} dx = \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} + x} dx}{b} + \frac{\left(B + \sqrt[3]{\frac{a}{b}} C\right) \int \frac{1}{\left(\frac{a}{b}\right)^{2/3} - \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b}$$

$$= \frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} + \left(2 \left(\frac{\left(\frac{a}{b}\right)^{2/3} B}{a} + \frac{C}{b}\right)\right) \text{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}\right)$$

$$= -\frac{2 \left(\frac{\left(\frac{a}{b}\right)^{2/3} B}{a} + \frac{C}{b}\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}} + \frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b}$$

Mathematica [B] time = 0.33, size = 247, normalized size = 3.48

$$\frac{\sqrt[3]{b} \left(a^{2/3} B - \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{\frac{C}{b}} \left(2C \sqrt[3]{\frac{C}{b}} + B \right) \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + 2 \sqrt[3]{b} \left(\sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{\frac{C}{b}} \left(2C \sqrt[3]{\frac{C}{b}} + B \right) - a^{2/3} B \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) + 2 \sqrt{3} \sqrt[3]{a} \sqrt[3]{b} \left(\sqrt[3]{b} \sqrt[3]{\frac{C}{b}} \left(2C \sqrt[3]{\frac{C}{b}} + B \right) + \sqrt[3]{a} B \right) \tan^{-1} \left(\frac{2 \sqrt[3]{b} x - \sqrt[3]{a}}{\sqrt{3} \sqrt[3]{a}} \right) + 2 a C \log \left(a + b x^3 \right)}{6 a b}$$

Antiderivative was successfully verified.

[In] Integrate[((a/b)^(1/3)*B + 2*(a/b)^(2/3)*C + B*x + C*x^2)/(a + b*x^3), x]

[Out] (2*Sqrt[3]*a^(1/3)*b^(1/3)*(a^(1/3)*B + (a/b)^(1/3)*b^(1/3)*(B + 2*(a/b)^(1/3)*C))*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))] + 2*b^(1/3)*(-(a^(2/3)*B) + a^(1/3)*(a/b)^(1/3)*b^(1/3)*(B + 2*(a/b)^(1/3)*C))*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(a^(2/3)*B - a^(1/3)*(a/b)^(1/3)*b^(1/3)*(B + 2*(a/b)^(1/3)*C))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 2*a*C*Log[a + b*x^3])/(6*a*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{\frac{a}{b}} B + 2 \left(\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((a/b)^(1/3)*B + 2*(a/b)^(2/3)*C + B*x + C*x^2)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[((a/b)^(1/3)*B + 2*(a/b)^(2/3)*C + B*x + C*x^2)/(a + b*x^3), x]

fricas [B] time = 1.86, size = 429, normalized size = 6.04

$$\frac{C \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + \sqrt{\frac{3}{5}} \sqrt{\frac{2BC\sqrt{\frac{3}{5}} + B^2\sqrt{\frac{3}{5}} + C^2}{a}} \log\left(\frac{C^2a^2 + B^2ab - 2(C^2ab + B^2a^2)(C^2ab + B^2a^2)\sqrt{\frac{3}{5}} + 3\sqrt{\frac{3}{5}}\left[2BCab^2 - B^2ab + C^2a^2 - (2B^2a^2 + C^2ab + BCa^2)\sqrt{\frac{3}{5}}\right] - 2(C^2ab^2 - B^2ab - B^2a^2)\sqrt{\frac{3}{5}}}}{b^2 + a^2}\right)}{b} + 2\sqrt{\frac{3}{5}} \sqrt{\frac{2BC\sqrt{\frac{3}{5}} + B^2\sqrt{\frac{3}{5}} + C^2}{a}} \arctan\left(\frac{\sqrt{\frac{3}{5}}\left[2B^2a - C^2 + (2C^2a + BC)\sqrt{\frac{3}{5}} - (2BCa + B^2a)\sqrt{\frac{3}{5}}\right] + C \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{C^2 + B^2}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a), x, algorithm="fricas")

[Out] [(C*log(x + (a/b)^(1/3)) + sqrt(1/3)*sqrt(-(2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) + C^2*a)/a)*log(-(C^3*a^2 + B^3*a*b - 2*(C^3*a*b + B^3*b^2)*x^3 + 3*(C^3*a*b + B^3*b^2)*x*(a/b)^(2/3) + 3*sqrt(1/3)*(2*B*C*a*b*x^2 - B^2*a*b*x + C^2*a^2 - (2*B^2*b^2*x^2 + C^2*a*b*x + B*C*a*b)*(a/b)^(2/3) - (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*(a/b)^(1/3)))*sqrt(-(2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) + C^2*a)/a))/(b*x^3 + a))/b, (2*sqrt(1/3)*sqrt((2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) + C^2*a)/a)*arctan(sqrt(1/3)*(2*B^2*b*x - C^2*a + (2*C^2*b*x + B*C*b)*(a/b)^(2/3) - (2*B*C*b*x + B^2*b)*(a/b)^(1/3))*sqrt((2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) + C^2*a)/a)/(C^3*a + B^3*b)) + C*log(x + (a/b)^(1/3)))/b]

giac [B] time = 0.20, size = 242, normalized size = 3.41

$$\frac{\left(2Cab + (-a^2b^4)^{\frac{1}{3}}B\right) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3ab^2 - \sqrt{3}\sqrt{a^2b^4}i} - \frac{\left(Cb^2\left(-\frac{a}{b}\right)^{\frac{2}{3}} + Bb^2\left(-\frac{a}{b}\right)^{\frac{1}{3}} + (ab^2)^{\frac{1}{3}}Bb + 2(ab^2)^{\frac{2}{3}}C\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3ab^2} + \frac{\sqrt{3}\left(\left(9(-a^2b^4)^{\frac{1}{3}}ab^2 - 27\sqrt{3}(-a^2b^4)^{\frac{2}{3}}\right)B + 18(a^2b^3 - \sqrt{3}\sqrt{a^4b^6}i)C\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{54a^2b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a), x, algorithm="giac")

[Out] (2*C*a*b + (-a^2*b^4)^(1/3)*B)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(3*a*b^2 - sqrt(3)*sqrt(a^2*b^4)*i) - 1/3*(C*b^2*(-a/b)^(2/3) + B*b^2*(-a/b)^(1/3) + (a*b^2)^(1/3)*B*b + 2*(a*b^2)^(2/3)*C)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^2) + 1/54*sqrt(3)*((9*(-a^2*b^4)^(1/3)*a*b^2 - 27^(5/6)*(-a^2*b^4)^(5/6))*B + 18*(a^2*b^3 - sqrt(3)*sqrt(a^4*b^6)*i)*C)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a^2*b^4)

$$\begin{aligned} &^2*a*b*(a/b)^{(2/3)} - 9*B^2*C*a*b*(a/b)^{(1/3)} - 9*C^3*a^2, z, k)*a*b - 6*C*a \\ &+ 3*B*b*x*(a/b)^{(1/3)} + 6*C*b*x*(a/b)^{(2/3)})/b^2 - (x*(2*C^2*(a/b)^{(2/3)} \\ &- B^2 + B*C*(a/b)^{(1/3}))/b^2)*\text{root}(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 18* \\ &B*C*a*b^2*z*(a/b)^{(2/3)} + 9*B^2*a*b^2*z*(a/b)^{(1/3)} + 9*C^2*a^2*b*z - 18*B* \\ &C^2*a*b*(a/b)^{(2/3)} - 9*B^2*C*a*b*(a/b)^{(1/3)} - 9*C^3*a^2, z, k), k, 1, 3) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)**(1/3)*B+2*(a/b)**(2/3)*C+B*x+C*x**2)/(b*x**3+a), x)

[Out] Timed out

$$3.45 \quad \int \frac{\sqrt[3]{-\frac{a}{b}} B + 2\left(-\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a - bx^3} dx$$

Optimal. Leaf size=76

$$\frac{2\left(C\sqrt[3]{-\frac{a}{b}} + B\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right) - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b}}{\sqrt{3} b \sqrt[3]{-\frac{a}{b}}}$$

Rubi [A] time = 0.10, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {1867, 31, 617, 204}

$$\frac{2\left(C\sqrt[3]{-\frac{a}{b}} + B\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right) - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b}}{\sqrt{3} b \sqrt[3]{-\frac{a}{b}}}$$

Antiderivative was successfully verified.

[In] Int[(((a/b))^(1/3)*B + 2*(-(a/b))^(2/3)*C + B*x + C*x^2)/(a - b*x^3),x]

[Out] (2*(B + (a/b)^(1/3)*C)*ArcTan[(1 - (2*x)/(a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*(-(a/b)^(1/3)*b) - (C*Log[-(a/b)^(1/3) + x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 1867

$\text{Int}[(P2_)/((a_)+(b_)*(x_)^3), x_Symbol] \ :> \ \text{With}[\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{With}[\{q = (a/b)^{(1/3)}\}, \text{Dist}[C/b, \text{Int}[1/(q+x), x], x] + \text{Dist}[(B+C*q)/b, \text{Int}[1/(q^2-q*x+x^2), x], x]] \ /; \ \text{EqQ}[A - (a/b)^{(1/3)*B} - 2*(a/b)^{(2/3)*C}, 0]] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{Poly}[P2, x, 2]$

Rubi steps

$$\begin{aligned} \int \frac{\sqrt[3]{-\frac{a}{b}} B + 2\left(-\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a - bx^3} dx &= -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} + x} dx}{b} - \frac{\left(B + \sqrt[3]{-\frac{a}{b}} C\right) \int \frac{1}{\left(-\frac{a}{b}\right)^{2/3} - \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b} \\ &= -\frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b} - \frac{\left(2\left(\frac{B}{\sqrt[3]{-\frac{a}{b}}} + C\right)\right) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}\right)}{b} \\ &= \frac{2\left(\frac{B}{\sqrt[3]{-\frac{a}{b}}} + C\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b} \end{aligned}$$

Mathematica [B] time = 0.25, size = 288, normalized size = 3.79

$$\frac{\left(-a^{2/3}B - \sqrt[3]{a}\sqrt[3]{b}B\sqrt[3]{-\frac{a}{b}} - 2\sqrt[3]{a}\sqrt[3]{b}C\left(-\frac{a}{b}\right)^{2/3}\right) \log\left(a^{2/3} + \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right) - \left(a^{2/3}B + \sqrt[3]{a}\sqrt[3]{b}B\sqrt[3]{-\frac{a}{b}} + 2\sqrt[3]{a}\sqrt[3]{b}C\left(-\frac{a}{b}\right)^{2/3}\right) \log\left(\sqrt[3]{a} - \sqrt[3]{b}x\right) - \left(a^{2/3}B - \sqrt[3]{a}\sqrt[3]{b}B\sqrt[3]{-\frac{a}{b}} - 2\sqrt[3]{a}\sqrt[3]{b}C\left(-\frac{a}{b}\right)^{2/3}\right) \tan^{-1}\left(\frac{\sqrt[3]{a} + 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) - C \log(a - bx^3)}{6ab^{2/3} \sqrt{3}ab^{2/3} \sqrt{3}ab^{2/3} 3b}$$

Antiderivative was successfully verified.

[In] Integrate[(((a/b))^(1/3)*B + 2*((a/b))^(2/3)*C + B*x + C*x^2)/(a - b*x^3), x]

[Out] -(((a^(2/3)*B - a^(1/3)*((a/b))^(1/3)*b^(1/3)*B - 2*a^(1/3)*((a/b))^(2/3)*b^(1/3)*C)*ArcTan[(a^(1/3) + 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a*b^(2/3))) - ((a^(2/3)*B + a^(1/3)*((a/b))^(1/3)*b^(1/3)*B + 2*a^(1/3)*((a/b))^(2/3)*b^(1/3)*C)*Log[a^(1/3) - b^(1/3)*x]/(3*a*b^(2/3)) - (((a^(2/3)*B - a^(1/3)*((a/b))^(1/3)*b^(1/3)*B - 2*a^(1/3)*((a/b))^(2/3)*b^(1/3)*C)*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a*b^(2/3)) - (C*Log[a - b*x^3]))/(3*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{-\frac{a}{b}} B + 2 \left(-\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a - bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((-a/b)^(1/3)*B + 2*(-a/b)^(2/3)*C + B*x + C*x^2)/(a - b*x^3), x]

[Out] IntegrateAlgebraic[((-a/b)^(1/3)*B + 2*(-a/b)^(2/3)*C + B*x + C*x^2)/(a - b*x^3), x]

fricas [B] time = 1.78, size = 459, normalized size = 6.04

$$\frac{C \log\left(x + \left(-\frac{a}{b}\right)^{1/3}\right) - \sqrt[3]{\frac{2BC(-\frac{a}{b})^{1/3} + 2C^2}{a}} \log\left(\frac{C^2x^2 + B^2x + (-a/b)^{2/3}C}{a}\right) - \sqrt[3]{\frac{2BC(-\frac{a}{b})^{1/3} + 2C^2}{a}} \arctan\left(\frac{\sqrt[3]{\frac{2BC(-\frac{a}{b})^{1/3} + 2C^2}{a}}}{C/a}\right) + C \log\left(x + \left(-\frac{a}{b}\right)^{1/3}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a), x, algorithm="fricas")

[Out] [-(C*log(x + (a/b)^(1/3)) - sqrt(1/3)*sqrt((2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) - C^2*a)/a)*log(-(C^3*a^2 - B^3*a*b + 2*(C^3*a*b - B^3*b^2)*x^3 - 3*(C^3*a*b - B^3*b^2)*x*(a/b)^(2/3) + 3*sqrt(1/3)*(2*B*C*a*b*x^2 - B^2*a*b*x - C^2*a^2 + (2*B^2*b^2*x^2 - C^2*a*b*x - B*C*a*b)*(a/b)^(2/3) - (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*(a/b)^(1/3))*sqrt((2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) - C^2*a)/a))/(b*x^3 - a))/b, -(2*sqrt(1/3)*sqrt(-(2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) - C^2*a)/a)*arctan(-sqrt(1/3)*(2*B^2*b*x + C^2*a + (2*C^2*b*x + B*C*b)*(a/b)^(2/3) - (2*B*C*b*x + B^2*b)*(a/b)^(1/3))*sqrt(-(2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) - C^2*a)/a)/(C^3*a - B^3*b)) + C*log(x + (a/b)^(1/3)))/b]

giac [B] time = 0.21, size = 235, normalized size = 3.09

$$\frac{\left(2Cab - (-a^2b^4)^{1/3}B\right) \log\left(x^2 + x\left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right) - \left(Ct^2\left(\frac{a}{b}\right)^{2/3} + Bt^2\left(\frac{a}{b}\right)^{1/3} + (-at^2)^{1/3}Bb + 2(-ab^2)^{2/3}C\right)\left(\frac{a}{b}\right)^{1/3} \log\left|x - \left(\frac{a}{b}\right)^{1/3}\right| + \frac{\sqrt{3}\left(\left(9(-a^2b^4)^{1/3}ab^2 + 27^{5/3}(-a^2b^4)^{2/3}\right)B - 18(a^2b^3 + \sqrt{3}\sqrt{a^4b^6}i)C\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{1/3}\right)}{3\left(\frac{a}{b}\right)^{1/3}}\right)}{54a^2b^4}}{3ab^2 + \sqrt{3}\sqrt{a^2b^4}i}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a), x, algorithm="giac")

[Out] -(2*C*a*b - (-a^2*b^4)^(1/3)*B)*log(x^2 + x*(a/b)^(1/3) + (a/b)^(2/3))/(3*a*b^2 + sqrt(3)*sqrt(a^2*b^4)*i) - 1/3*(C*b^2*(a/b)^(2/3) + B*b^2*(a/b)^(1/3)

) + (-a*b^2)^(1/3)*B*b + 2*(-a*b^2)^(2/3)*C*(a/b)^(1/3)*log(abs(x - (a/b)^(1/3)))/(a*b^2) + 1/54*sqrt(3)*((9*(-a^2*b^4)^(1/3)*a*b^2 + 27^(5/6)*(-a^2*b^4)^(5/6))*B - 18*(a^2*b^3 + sqrt(3)*sqrt(a^4*b^6)*i)*C)*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^4)

maple [B] time = 0.05, size = 345, normalized size = 4.54

$$\frac{\sqrt{3} \left(-\frac{a}{b}\right)^{\frac{1}{3}} B \arctan\left(\frac{\frac{2x+1}{b} \sqrt{3}}{3}\right) - \sqrt{3} B \arctan\left(\frac{\frac{2x+1}{b} \sqrt{3}}{3}\right) - \left(-\frac{a}{b}\right)^{\frac{1}{3}} B \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - \frac{B \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} + \frac{\left(-\frac{a}{b}\right)^{\frac{1}{3}} B \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} + \frac{B \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{2 \left(-\frac{a}{b}\right)^{\frac{1}{3}} \sqrt{3} C \arctan\left(\frac{\frac{2x+1}{b} \sqrt{3}}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{2 \left(-\frac{a}{b}\right)^{\frac{1}{3}} C \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} + \frac{\left(-\frac{a}{b}\right)^{\frac{1}{3}} C \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{C \ln(bx^3 - a)}{3b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a), x)

[Out] -2/3*(a/b)^(2/3)/(a/b)^(2/3)*C/b*ln(x-(a/b)^(1/3))-1/3/b/(a/b)^(2/3)*ln(x-(a/b)^(1/3))*(a/b)^(1/3)*B+1/3*(a/b)^(2/3)/(a/b)^(2/3)*C/b*ln(x^2+(a/b)^(1/3)*x+(a/b)^(2/3))+1/6/b/(a/b)^(2/3)*ln(x^2+(a/b)^(1/3)*x+(a/b)^(2/3))*(-a/b)^(1/3)*B+2/3*(a/b)^(2/3)/(a/b)^(2/3)*3^(1/2)*C/b*arctan(1/3*(2/(a/b)^(1/3)*x+1)*3^(1/2))+1/3/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*(2/(a/b)^(1/3)*x+1)*3^(1/2))*(-a/b)^(1/3)*B-1/3*B/b/(a/b)^(1/3)*ln(x-(a/b)^(1/3))+1/6*B/b/(a/b)^(1/3)*ln(x^2+(a/b)^(1/3)*x+(a/b)^(2/3))-1/3*B*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*(2/(a/b)^(1/3)*x+1)*3^(1/2))-1/3*C/b*ln(b*x^3-a)

maxima [B] time = 3.01, size = 238, normalized size = 3.13

$$\frac{\sqrt{3} \left(2Ca - \left(6C\left(\frac{a}{b}\right)^{\frac{1}{3}} - \left(\frac{a}{b}\right)^{\frac{2}{3}} - 3B\left(\frac{a}{b}\right)^{\frac{2}{3}} + 3B\left(\frac{a}{b}\right)^{\frac{1}{3}} - \left(\frac{a}{b}\right)^{\frac{2}{3}} + \frac{2Ca}{b}\right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} - \frac{\left(2C\left(\frac{a}{b}\right)^{\frac{2}{3}} - 2C\left(-\frac{a}{b}\right)^{\frac{2}{3}} - B\left(\frac{a}{b}\right)^{\frac{1}{3}} - B\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) \log\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(C\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2C\left(-\frac{a}{b}\right)^{\frac{2}{3}} + B\left(\frac{a}{b}\right)^{\frac{1}{3}} + B\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a), x, algorithm="maxima")

[Out] -1/9*sqrt(3)*(2*C*a - (6*C*(a/b)^(1/3)*(-a/b)^(2/3) - 3*B*(a/b)^(2/3) + 3*B*(a/b)^(1/3)*(-a/b)^(1/3) + 2*C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3)))/(a/b)^(1/3))/(a*b) - 1/6*(2*C*(a/b)^(2/3) - 2*C*(-a/b)^(2/3) - B*(a/b)^(1/3) - B*(-a/b)^(1/3))*log(x^2 + x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) - 1/3*(C*(a/b)^(2/3) + 2*C*(-a/b)^(2/3) + B*(a/b)^(1/3) + B*(-a/b)^(1/3))*log(x - (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 6.48, size = 456, normalized size = 6.00

$$\frac{\sqrt{3} \left(2Ca - \left(6C\left(\frac{a}{b}\right)^{\frac{1}{3}} - \left(\frac{a}{b}\right)^{\frac{2}{3}} - 3B\left(\frac{a}{b}\right)^{\frac{2}{3}} + 3B\left(\frac{a}{b}\right)^{\frac{1}{3}} - \left(\frac{a}{b}\right)^{\frac{2}{3}} + \frac{2Ca}{b}\right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} - \frac{\left(2C\left(\frac{a}{b}\right)^{\frac{2}{3}} - 2C\left(-\frac{a}{b}\right)^{\frac{2}{3}} - B\left(\frac{a}{b}\right)^{\frac{1}{3}} - B\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) \log\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(C\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2C\left(-\frac{a}{b}\right)^{\frac{2}{3}} + B\left(\frac{a}{b}\right)^{\frac{1}{3}} + B\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*x + C*x^2 + B*(-a/b)^(1/3) + 2*C*(-a/b)^(2/3))/(a - b*x^3),x)`

[Out] `symsum(log((B^2*b*(-a/b)^(1/3) - C^2*a + 2*B*C*b*(-a/b)^(2/3))/b^3 - (root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 - 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) - 9*B^2*C*a*b*(-a/b)^(1/3) + 9*C^3*a^2, z, k)*(6*C*a + 9*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 - 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) - 9*B^2*C*a*b*(-a/b)^(1/3) + 9*C^3*a^2, z, k)*a*b + 3*B*b*x*(-a/b)^(1/3) + 6*C*b*x*(-a/b)^(2/3)))/b^2 - (x*(2*C^2*(-a/b)^(2/3) - B^2 + B*C*(-a/b)^(1/3)))/b^2)*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 - 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) - 9*B^2*C*a*b*(-a/b)^(1/3) + 9*C^3*a^2, z, k), k, 1, 3)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(((a/b)**(1/3)*B+2*(a/b)**(2/3)*C+B*x+C*x**2)/(-b*x**3+a),x)`

[Out] Timed out

$$3.46 \quad \int \frac{-\sqrt[3]{-\frac{a}{b}}B + 2\left(-\frac{a}{b}\right)^{2/3}C + Bx + Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=78

$$\frac{2\left(B - C\sqrt[3]{-\frac{a}{b}}\right) \tan^{-1}\left(\frac{\sqrt[3]{-\frac{a}{b}} + 1}{\sqrt{3}}\right)}{\sqrt{3}b\sqrt[3]{-\frac{a}{b}}} + \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b}$$

Rubi [A] time = 0.11, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {1869, 31, 617, 204}

$$\frac{2\left(B - C\sqrt[3]{-\frac{a}{b}}\right) \tan^{-1}\left(\frac{\sqrt[3]{-\frac{a}{b}} + 1}{\sqrt{3}}\right)}{\sqrt{3}b\sqrt[3]{-\frac{a}{b}}} + \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[(-((-a/b))^(1/3)*B) + 2*(-(a/b))^(2/3)*C + B*x + C*x^2)/(a + b*x^3),x]

[Out] (2*(B - (-a/b)^(1/3)*C)*ArcTan[(1 + (2*x)/(-a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*(-a/b)^(1/3)*b) + (C*Log[(-a/b)^(1/3) - x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1), x_Symbol] := With[{q = 1 - 4*c*implyfy[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1869

$\text{Int}[(P2_)/((a_)+(b_)*(x_)^3), x_Symbol] \ :> \ \text{With}[\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \ \text{With}[\{q = (-a/b)^{(1/3)}\}, \ -\text{Dist}[C/b, \ \text{Int}[1/(q-x), x], x] + \ \text{Dist}[(B - C*q)/b, \ \text{Int}[1/(q^2 + q*x + x^2), x], x]] \ /; \ \text{EqQ}[A + (-a/b)^{(1/3)*B} - 2*(-a/b)^{(2/3)*C}, 0]] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rubi steps

$$\begin{aligned} \int \frac{-\sqrt[3]{-\frac{a}{b}} B + 2\left(-\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a + bx^3} dx &= -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} - x} dx}{b} + \frac{\left(B - \sqrt[3]{-\frac{a}{b}} C\right) \int \frac{1}{\left(-\frac{a}{b}\right)^{2/3} + \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b} \\ &= \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b} - \frac{\left(2\left(B - \sqrt[3]{-\frac{a}{b}} C\right)\right) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}\right)}{\sqrt[3]{-\frac{a}{b}} b} \\ &= \frac{2\left(B - \sqrt[3]{-\frac{a}{b}} C\right) \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{-\frac{a}{b}} b} + \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b} \end{aligned}$$

Mathematica [B] time = 0.36, size = 253, normalized size = 3.24

$$\frac{\sqrt[3]{b} \left(a^{2/3} B + \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \left(B - 2C \sqrt[3]{-\frac{a}{b}}\right)\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) - 2\sqrt[3]{b} \left(a^{2/3} B + \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \left(B - 2C \sqrt[3]{-\frac{a}{b}}\right)\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) + 2\sqrt{3} \sqrt[3]{a} \sqrt[3]{b} \left(\sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \left(2C \sqrt[3]{-\frac{a}{b}} - B\right) + \sqrt[3]{a} B\right) \tan^{-1}\left(\frac{2\sqrt[3]{b} x - \sqrt[3]{a}}{\sqrt{3} \sqrt[3]{a}}\right) + 2aC \log(a + bx^3)}{6ab}$$

Antiderivative was successfully verified.

[In] Integrate[(-((-a/b))^(1/3)*B) + 2*(-a/b)^(2/3)*C + B*x + C*x^2)/(a + b*x^3), x]

[Out] (2*sqrt[3]*a^(1/3)*b^(1/3)*(a^(1/3)*B + (-a/b)^(1/3)*b^(1/3)*(-B + 2*(-a/b)^(1/3)*C))*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(sqrt[3]*a^(1/3))] - 2*b^(1/3)*(a^(2/3)*B + a^(1/3)*(-a/b)^(1/3)*b^(1/3)*(B - 2*(-a/b)^(1/3)*C))*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(a^(2/3)*B + a^(1/3)*(-a/b)^(1/3)*b^(1/3)*(B - 2*(-a/b)^(1/3)*C))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 2*a*C*Log[a + b*x^3]/(6*a*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{-\sqrt[3]{-\frac{a}{b}} B + 2 \left(-\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(-((-a/b))^(1/3)*B) + 2*(-(a/b))^(2/3)*C + B*x + C*x^2)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(-((-a/b))^(1/3)*B) + 2*(-(a/b))^(2/3)*C + B*x + C*x^2)/(a + b*x^3), x]

fricas [B] time = 1.78, size = 450, normalized size = 5.77

$$\frac{C \log\left(x - \left(-\frac{a}{b}\right)^{1/3}\right) + \sqrt[3]{\frac{2BC(-\frac{a}{b})^{1/3} - B^2 + C^2}{a}} \log\left(\frac{C^2 + B^2 - 2(C^2 + B^2)(-\frac{a}{b})^{1/3} + (C^2 + B^2)^2}{2BC(-\frac{a}{b})^{1/3} - B^2 + C^2}\right) + \sqrt[3]{\frac{2BC(-\frac{a}{b})^{1/3} - B^2 + C^2}{a}} \arctan\left(\frac{\sqrt[3]{\frac{2BC(-\frac{a}{b})^{1/3} - B^2 + C^2}{a}}}{2BC(-\frac{a}{b})^{1/3} - B^2 + C^2}\right)}{b} + C \log\left(x - \left(-\frac{a}{b}\right)^{1/3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-(-a/b)^(1/3)*B+2*(-a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a), x, algorithm="fricas")

[Out] [(C*log(x - (-a/b)^(1/3)) + sqrt(1/3)*sqrt(-(2*B*C*b*(-a/b)^(2/3) - B^2*b*(-a/b)^(1/3) + C^2*a)/a)*log(-(C^3*a^2 + B^3*a*b - 2*(C^3*a*b + B^3*b^2)*x^3 + 3*(C^3*a*b + B^3*b^2)*x*(-a/b)^(2/3) + 3*sqrt(1/3)*(2*B*C*a*b*x^2 - B^2*a*b*x + C^2*a^2 - (2*B^2*b^2*x^2 + C^2*a*b*x + B*C*a*b)*(-a/b)^(2/3) + (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*(-a/b)^(1/3))*sqrt(-(2*B*C*b*(-a/b)^(2/3) - B^2*b*(-a/b)^(1/3) + C^2*a)/a))/(b*x^3 + a)))/b, (2*sqrt(1/3)*sqrt((2*B*C*b*(-a/b)^(2/3) - B^2*b*(-a/b)^(1/3) + C^2*a)/a)*arctan(sqrt(1/3)*(2*B^2*b*x - C^2*a + (2*C^2*b*x + B*C*b)*(-a/b)^(2/3) + (2*B*C*b*x + B^2*b)*(-a/b)^(1/3))*sqrt((2*B*C*b*(-a/b)^(2/3) - B^2*b*(-a/b)^(1/3) + C^2*a)/a)/(C^3*a + B^3*b)) + C*log(x - (-a/b)^(1/3)))/b]

giac [A] time = 0.19, size = 133, normalized size = 1.71

$$\frac{2\sqrt{3}\left(Cab + (-ab^2)^{\frac{2}{3}}B\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^2} - \frac{\left(Cb^2\left(-\frac{a}{b}\right)^{\frac{2}{3}} + Bb^2\left(-\frac{a}{b}\right)^{\frac{1}{3}} - (-ab^2)^{\frac{1}{3}}Bb + 2(-ab^2)^{\frac{2}{3}}C\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}}\log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-(-a/b)^(1/3)*B+2*(-a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a), x, algorithm="giac")

[Out] $-2/3\sqrt{3}(C*a*b + (-a*b^2)^{(2/3)}*B)*\arctan(1/3\sqrt{3}(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(a*b^2) - 1/3*(C*b^2*(-a/b)^{(2/3)} + B*b^2*(-a/b)^{(1/3)} - (-a*b^2)^{(1/3)}*B*b + 2*(-a*b^2)^{(2/3)}*C)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a*b^2)$

maple [B] time = 0.05, size = 340, normalized size = 4.36

$$\frac{\sqrt{3} \left(-\frac{a}{b}\right)^{\frac{1}{3}} B \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{3}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{\sqrt{3} B \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{3}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{\left(-\frac{a}{b}\right)^{\frac{1}{3}} B \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{B \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b} + \frac{\left(-\frac{a}{b}\right)^{\frac{1}{3}} B \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{B \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}} b} + \frac{2\left(-\frac{a}{b}\right)^{\frac{2}{3}} \sqrt{3} \text{C} \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{3}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{2\left(-\frac{a}{b}\right)^{\frac{2}{3}} \text{C} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{\left(-\frac{a}{b}\right)^{\frac{1}{3}} \text{C} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{\text{C} \ln(bx^3+a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((-(-a/b)^{(1/3)}*B+2*(-a/b)^{(2/3)}*C+B*x+C*x^2)/(b*x^3+a), x)$

[Out] $2/3*(-a/b)^{(2/3)}/(a/b)^{(2/3)}*C/b*\ln(x+(a/b)^{(1/3)})-1/3/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*(-a/b)^{(1/3)}*B-1/3*(-a/b)^{(2/3)}/(a/b)^{(2/3)}*C/b*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/6/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*(-a/b)^{(1/3)}*B+2/3*(-a/b)^{(2/3)}/(a/b)^{(2/3)}*3^{(1/2)}*C/b*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*(-a/b)^{(1/3)}*B-1/3/(a/b)^{(1/3)}*B/b*\ln(x+(a/b)^{(1/3)})+1/6/(a/b)^{(1/3)}*B/b*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/3*3^{(1/2)}/(a/b)^{(1/3)}*B/b*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/3*C/b*\ln(b*x^3+a)$

maxima [B] time = 3.03, size = 239, normalized size = 3.06

$$\frac{\sqrt{3}\left(2Ca - \left(6C\left(\frac{a}{b}\right)^{\frac{1}{3}}\left(-\frac{a}{b}\right)^{\frac{2}{3}} + 3B\left(\frac{a}{b}\right)^{\frac{2}{3}} - 3B\left(\frac{a}{b}\right)^{\frac{1}{3}}\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \frac{2Ca}{b}\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} + \frac{\left(2C\left(\frac{a}{b}\right)^{\frac{2}{3}} - 2C\left(-\frac{a}{b}\right)^{\frac{2}{3}} + B\left(\frac{a}{b}\right)^{\frac{1}{3}} + B\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(C\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2C\left(-\frac{a}{b}\right)^{\frac{2}{3}} - B\left(\frac{a}{b}\right)^{\frac{1}{3}} - B\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((-(-a/b)^{(1/3)}*B+2*(-a/b)^{(2/3)}*C+B*x+C*x^2)/(b*x^3+a), x, \text{algorithm}="maxima")$

[Out] $-1/9\sqrt{3}(2*C*a - (6*C*(a/b)^{(1/3)}*(-a/b)^{(2/3)} + 3*B*(a/b)^{(2/3)} - 3*B*(a/b)^{(1/3)}*(-a/b)^{(1/3)} + 2*C*a/b)*b)*\arctan(1/3\sqrt{3}(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b) + 1/6*(2*C*(a/b)^{(2/3)} - 2*C*(-a/b)^{(2/3)} + B*(a/b)^{(1/3)} + B*(-a/b)^{(1/3)})*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b*(a/b)^{(2/3)}) + 1/3*(C*(a/b)^{(2/3)} + 2*C*(-a/b)^{(2/3)} - B*(a/b)^{(1/3)} - B*(-a/b)^{(1/3)})*\log(x + (a/b)^{(1/3)})/(b*(a/b)^{(2/3)})$

mupad [B] time = 6.05, size = 453, normalized size = 5.81

$$\frac{\sqrt{3}\left(2Ca - \left(6C\left(\frac{a}{b}\right)^{\frac{1}{3}}\left(-\frac{a}{b}\right)^{\frac{2}{3}} + 3B\left(\frac{a}{b}\right)^{\frac{2}{3}} - 3B\left(\frac{a}{b}\right)^{\frac{1}{3}}\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \frac{2Ca}{b}\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} + \frac{\left(2C\left(\frac{a}{b}\right)^{\frac{2}{3}} - 2C\left(-\frac{a}{b}\right)^{\frac{2}{3}} + B\left(\frac{a}{b}\right)^{\frac{1}{3}} + B\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(C\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2C\left(-\frac{a}{b}\right)^{\frac{2}{3}} - B\left(\frac{a}{b}\right)^{\frac{1}{3}} - B\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((B*x + C*x^2 - B*(-a/b)^(1/3) + 2*C*(-a/b)^(2/3))/(a + b*x^3), x)
```

```
[Out] symsum(log((C^2*a - B^2*b*(-a/b)^(1/3) + 2*B*C*b*(-a/b)^(2/3))/b^3 - (root(
27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b
^2*z*(-a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) + 9*B^2*C*a*b
*(-a/b)^(1/3) - 9*C^3*a^2, z, k)*(6*C*a - 9*root(27*a^2*b^3*z^3 - 27*C*a^2*
b^2*z^2 + 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2*
a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) + 9*B^2*C*a*b*(-a/b)^(1/3) - 9*C^3*a^2,
z, k)*a*b + 3*B*b*x*(-a/b)^(1/3) - 6*C*b*x*(-a/b)^(2/3)))/b^2 + (x*(B^2 -
2*C^2*(-a/b)^(2/3) + B*C*(-a/b)^(1/3)))/b^2)*root(27*a^2*b^3*z^3 - 27*C*a^2
*b^2*z^2 + 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2
*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) + 9*B^2*C*a*b*(-a/b)^(1/3) - 9*C^3*a^2
, z, k), k, 1, 3)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-(-a/b)**(1/3)*B+2*(-a/b)**(2/3)*C+B*x+C*x**2)/(b*x**3+a), x)
```

```
[Out] Timed out
```

$$3.47 \quad \int \frac{-\sqrt[3]{\frac{a}{b}} B + 2\left(\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a - bx^3} dx$$

Optimal. Leaf size=75

$$-\frac{2\left(\frac{a}{b}\right)^{2/3} \left(B - C\sqrt[3]{\frac{a}{b}}\right) \tan^{-1}\left(\frac{\frac{2x}{\sqrt[3]{\frac{a}{b}}} + 1}{\sqrt{3}}\right)}{\sqrt{3}a} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b}$$

Rubi [A] time = 0.10, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 44, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1869, 31, 617, 204}

$$-\frac{2\left(\frac{a}{b}\right)^{2/3} \left(B - C\sqrt[3]{\frac{a}{b}}\right) \tan^{-1}\left(\frac{\frac{2x}{\sqrt[3]{\frac{a}{b}}} + 1}{\sqrt{3}}\right)}{\sqrt{3}a} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[(-(a/b)^(1/3)*B) + 2*(a/b)^(2/3)*C + B*x + C*x^2)/(a - b*x^3),x]

[Out] (-2*(a/b)^(2/3)*(B - (a/b)^(1/3)*C)*ArcTan[(1 + (2*x)/(a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*a) - (C*Log[(a/b)^(1/3) - x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1869

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A + (-a/b)^(1/3)*B - 2*(-a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\int \frac{-\sqrt[3]{\frac{a}{b}} B + 2\left(\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a - bx^3} dx = \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} - x} dx}{b} - \frac{\left(B - \sqrt[3]{\frac{a}{b}} C\right) \int \frac{1}{\left(\frac{a}{b}\right)^{2/3} + \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b}$$

$$= -\frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b} + \left(2\left(\frac{\left(\frac{a}{b}\right)^{2/3} B}{a} - \frac{C}{b}\right)\right) \text{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}\right)$$

$$= -\frac{2\left(\frac{\left(\frac{a}{b}\right)^{2/3} B}{a} - \frac{C}{b}\right) \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b}$$

Mathematica [B] time = 0.32, size = 244, normalized size = 3.25

$$\frac{\sqrt[3]{b} \left(a^{2/3} B + \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \left(2C \sqrt[3]{\frac{a}{b}} - B\right)\right) \log\left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) - 2\sqrt[3]{b} \left(a^{2/3} B + \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \left(2C \sqrt[3]{\frac{a}{b}} - B\right)\right) \log\left(\sqrt[3]{a} - \sqrt[3]{b} x\right) - 2\sqrt{3} \sqrt[3]{a} \sqrt[3]{b} \left(\sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \left(B - 2C \sqrt[3]{\frac{a}{b}}\right) + \sqrt[3]{a} B\right) \tan^{-1}\left(\frac{2\sqrt[3]{\frac{a}{b}} x + 1}{\sqrt{3}}\right) - 2aC \log(a - bx^3)}{6ab}$$

Antiderivative was successfully verified.

[In] Integrate[(-(a/b)^(1/3)*B) + 2*(a/b)^(2/3)*C + B*x + C*x^2)/(a - b*x^3), x]

[Out] (-2*Sqrt[3]*a^(1/3)*b^(1/3)*(a^(1/3)*B + (a/b)^(1/3)*b^(1/3)*(B - 2*(a/b)^(1/3)*C))*ArcTan[(1 + (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] - 2*b^(1/3)*(a^(2/3)*B + a^(1/3)*(a/b)^(1/3)*b^(1/3)*(-B + 2*(a/b)^(1/3)*C))*Log[a^(1/3) - b^(1/3)*x] + b^(1/3)*(a^(2/3)*B + a^(1/3)*(a/b)^(1/3)*b^(1/3)*(-B + 2*(a/b)^(1/3)*C))*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 2*a*C*Log[a - b*x^3]/(6*a*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{-\sqrt[3]{\frac{a}{b}} B + 2\left(\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a - bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(-(a/b)^(1/3)*B) + 2*(a/b)^(2/3)*C + B*x + C*x^2)/(a - b*x^3), x]

[Out] IntegrateAlgebraic[(-(a/b)^(1/3)*B) + 2*(a/b)^(2/3)*C + B*x + C*x^2)/(a - b*x^3), x]

fricas [B] time = 1.72, size = 450, normalized size = 6.00

$$\frac{C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - \sqrt{\frac{1}{3}} \sqrt{\frac{2BC\left(\frac{a}{b}\right)^{\frac{2}{3}} - B^2C^2}{a}} \log\left(\frac{C^2a^2 - B^2C^2 + (C^2a - B^2C)\left(\frac{a}{b}\right)^{\frac{2}{3}} + 3\sqrt{\frac{1}{3}} \sqrt{\frac{2BC\left(\frac{a}{b}\right)^{\frac{2}{3}} - B^2C^2}{a}} \sqrt{\frac{2BC\left(\frac{a}{b}\right)^{\frac{2}{3}} - B^2C^2}{a}}}{b^2 - a}\right)}{b} - \frac{2\sqrt{\frac{1}{3}} \sqrt{\frac{2BC\left(\frac{a}{b}\right)^{\frac{2}{3}} - B^2C^2}{a}} \arctan\left(\frac{\sqrt{\frac{1}{3}} \sqrt{\frac{2BC\left(\frac{a}{b}\right)^{\frac{2}{3}} - B^2C^2}{a}} + (2C^2a - B^2C)\left(\frac{a}{b}\right)^{\frac{2}{3}}}{C^2a - B^2C}\right)}{b} + C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-(a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a), x, algorithm="fricas")

[Out] [-(C*log(x - (a/b)^(1/3)) - sqrt(1/3)*sqrt((2*B*C*b*(a/b)^(2/3) - B^2*b*(a/b)^(1/3) - C^2*a)/a)*log(-(C^3*a^2 - B^3*a*b + 2*(C^3*a*b - B^3*b^2)*x^3 - 3*(C^3*a*b - B^3*b^2)*x*(a/b)^(2/3) + 3*sqrt(1/3)*(2*B*C*a*b*x^2 - B^2*a*b*x - C^2*a^2 + (2*B^2*b^2*x^2 - C^2*a*b*x - B*C*a*b)*(a/b)^(2/3) + (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*(a/b)^(1/3))*sqrt((2*B*C*b*(a/b)^(2/3) - B^2*b*(a/b)^(1/3) - C^2*a)/a))/(b*x^3 - a))/b, -(2*sqrt(1/3)*sqrt(-(2*B*C*b*(a/b)^(2/3) - B^2*b*(a/b)^(1/3) - C^2*a)/a)*arctan(-sqrt(1/3)*(2*B^2*b*x + C^2*a + (2*C^2*b*x + B*C*b)*(a/b)^(2/3) + (2*B*C*b*x + B^2*b)*(a/b)^(1/3))*sqrt(-(2*B*C*b*(a/b)^(2/3) - B^2*b*(a/b)^(1/3) - C^2*a)/a)/(C^3*a - B^3*b)) + C*log(x - (a/b)^(1/3)))/b]

giac [A] time = 0.18, size = 125, normalized size = 1.67

$$\frac{2\sqrt{3}\left(Cab - (ab^2)^{\frac{2}{3}}B\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^2} - \frac{\left(Cb^2\left(\frac{a}{b}\right)^{\frac{2}{3}} + Bb^2\left(\frac{a}{b}\right)^{\frac{1}{3}} - (ab^2)^{\frac{1}{3}}Bb + 2(ab^2)^{\frac{2}{3}}C\right)\left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-(a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a), x, algorithm="giac")

[Out] 2/3*sqrt(3)*(C*a*b - (a*b^2)^(2/3)*B)*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/(a*b^2) - 1/3*(C*b^2*(a/b)^(2/3) + B*b^2*(a/b)^(1/3) - (a*b^2)^(1/3)*B*b + 2*(a*b^2)^(2/3)*C)*(a/b)^(1/3)*log(abs(x - (a/b)^(1/3)))/(a*b^2)

maple [A] time = 0.05, size = 124, normalized size = 1.65

$$-\frac{2\sqrt{3} B \arctan\left(\frac{\left(\frac{2x}{1}+1\right)\sqrt{3}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{2\sqrt{3} C \arctan\left(\frac{\left(\frac{2x}{1}+1\right)\sqrt{3}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{2C \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} + \frac{C \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} - \frac{C \ln(bx^3 - a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((- (a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a), x)

[Out] -2/3*C/b*ln(x-(a/b)^(1/3))+1/3*C/b*ln(x^2+(a/b)^(1/3)*x+(a/b)^(2/3))+2/3*3^(1/2)*C/b*arctan(1/3*(2/(a/b)^(1/3)*x+1)*3^(1/2))-2/3*3^(1/2)/(a/b)^(1/3)*B/b*arctan(1/3*(2/(a/b)^(1/3)*x+1)*3^(1/2))-1/3*C/b*ln(b*x^3-a)

maxima [A] time = 3.14, size = 78, normalized size = 1.04

$$\frac{C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b} - \frac{2\sqrt{3}\left(Ca + \left(3B\left(\frac{a}{b}\right)^{\frac{2}{3}} - \frac{4Ca}{b}\right)b\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((- (a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a), x, algorithm="maxima")

[Out] -C*log(x - (a/b)^(1/3))/b - 2/9*sqrt(3)*(C*a + (3*B*(a/b)^(2/3) - 4*C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/(a*b)

mupad [B] time = 6.36, size = 435, normalized size = 5.80

⚠️ | $\frac{C \cdot \sqrt{3} \cdot \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b} - \frac{2 \sqrt{3} \left(C a + \left(3 B \left(\frac{a}{b}\right)^{\frac{2}{3}} - \frac{4 C a}{b}\right) b\right) \arctan\left(\frac{\sqrt{3} \left(2 x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9 a b}$ |

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x + C*x^2 - B*(a/b)^(1/3) + 2*C*(a/b)^(2/3))/(a - b*x^3), x)

[Out] symsum(log((x*(B^2 - 2*C^2*(a/b)^(2/3) + B*C*(a/b)^(1/3)))/b^2 - (root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 - 18*B*C*a*b^2*z*(a/b)^(2/3) + 9*B^2*a*b^2*z*(a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(a/b)^(2/3) + 9*B^2*C*a*b*(a/b)^(1/3) + 9*C^3*a^2, z, k)*(6*C*a + 9*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 - 18*B*C*a*b^2*z*(a/b)^(2/3) + 9*B^2*a*b^2*z*(a/b)^(1/3) + 9*C^2*a^2*b*z -

$$18*B*C^2*a*b*(a/b)^{(2/3)} + 9*B^2*C*a*b*(a/b)^{(1/3)} + 9*C^3*a^2, z, k)*a*b - 3*B*b*x*(a/b)^{(1/3)} + 6*C*b*x*(a/b)^{(2/3)})/b^2 - (C^2*a + B^2*b*(a/b)^{(1/3)} - 2*B*C*b*(a/b)^{(2/3)})/b^3)*\text{root}(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 - 18*B*C*a*b^2*z*(a/b)^{(2/3)} + 9*B^2*a*b^2*z*(a/b)^{(1/3)} + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(a/b)^{(2/3)} + 9*B^2*C*a*b*(a/b)^{(1/3)} + 9*C^3*a^2, z, k), k, 1, 3)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a/b)**(1/3)*B+2*(a/b)**(2/3)*C+B*x+C*x**2)/(-b*x**3+a),x)

[Out] Timed out

$$3.48 \quad \int \frac{a+ax+cx^2}{1-x^3} dx$$

Optimal. Leaf size=32

$$\frac{1}{3}(a-c)\log(x^2+x+1) - \frac{1}{3}(2a+c)\log(1-x)$$

Rubi [A] time = 0.03, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {1875, 31, 628}

$$\frac{1}{3}(a-c)\log(x^2+x+1) - \frac{1}{3}(2a+c)\log(1-x)$$

Antiderivative was successfully verified.

[In] Int[(a + a*x + c*x^2)/(1 - x^3), x]

[Out] -((2*a + c)*Log[1 - x])/3 + ((a - c)*Log[1 + x + x^2])/3

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1875

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (−(a/b))^(1/3)}, Dist[(q*(A + B*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && LtQ[a/b, 0]

Rubi steps

$$\int \frac{a + ax + cx^2}{1 - x^3} dx = \frac{1}{3} \int \frac{a - c + (2a - 2c)x}{1 + x + x^2} dx + \frac{1}{3}(2a + c) \int \frac{1}{1 - x} dx$$

$$= -\frac{1}{3}(2a + c) \log(1 - x) + \frac{1}{3}(a - c) \log(1 + x + x^2)$$

Mathematica [A] time = 0.01, size = 31, normalized size = 0.97

$$\frac{1}{3} \left((a - c) \log(x^2 + x + 1) - (2a + c) \log(1 - x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*x + c*x^2)/(1 - x^3), x]

[Out] (-((2*a + c)*Log[1 - x]) + (a - c)*Log[1 + x + x^2])/3

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + ax + cx^2}{1 - x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + a*x + c*x^2)/(1 - x^3), x]

[Out] IntegrateAlgebraic[(a + a*x + c*x^2)/(1 - x^3), x]

fricas [A] time = 0.40, size = 26, normalized size = 0.81

$$\frac{1}{3} (a - c) \log(x^2 + x + 1) - \frac{1}{3} (2a + c) \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a*x+a)/(-x^3+1), x, algorithm="fricas")

[Out] 1/3*(a - c)*log(x^2 + x + 1) - 1/3*(2*a + c)*log(x - 1)

giac [A] time = 0.15, size = 27, normalized size = 0.84

$$\frac{1}{3} (a - c) \log(x^2 + x + 1) - \frac{1}{3} (2a + c) \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a*x+a)/(-x^3+1),x, algorithm="giac")

[Out] 1/3*(a - c)*log(x^2 + x + 1) - 1/3*(2*a + c)*log(abs(x - 1))

maple [A] time = 0.05, size = 36, normalized size = 1.12

$$-\frac{2a \ln(x-1)}{3} + \frac{a \ln(x^2+x+1)}{3} - \frac{c \ln(x-1)}{3} - \frac{c \ln(x^2+x+1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+a*x+a)/(-x^3+1),x)

[Out] -1/3*ln(x-1)*c-2/3*ln(x-1)*a+1/3*ln(x^2+x+1)*a-1/3*ln(x^2+x+1)*c

maxima [A] time = 2.97, size = 26, normalized size = 0.81

$$\frac{1}{3}(a-c)\log(x^2+x+1) - \frac{1}{3}(2a+c)\log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a*x+a)/(-x^3+1),x, algorithm="maxima")

[Out] 1/3*(a - c)*log(x^2 + x + 1) - 1/3*(2*a + c)*log(x - 1)

mupad [B] time = 4.78, size = 35, normalized size = 1.09

$$\frac{a \ln(x^2+x+1)}{3} - \frac{c \ln(x-1)}{3} - \frac{2a \ln(x-1)}{3} - \frac{c \ln(x^2+x+1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(a + a*x + c*x^2)/(x^3 - 1),x)

[Out] (a*log(x + x^2 + 1))/3 - (c*log(x - 1))/3 - (2*a*log(x - 1))/3 - (c*log(x + x^2 + 1))/3

sympy [A] time = 0.87, size = 24, normalized size = 0.75

$$\frac{(a-c)\log(x^2+x+1)}{3} - \frac{(2a+c)\log(x-1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+a*x+a)/(-x**3+1),x)

[Out] (a - c)*log(x**2 + x + 1)/3 - (2*a + c)*log(x - 1)/3

$$3.49 \quad \int \frac{a+bx+cx^2}{1-x^3} dx$$

Optimal. Leaf size=55

$$\frac{1}{6} \log(x^2 + x + 1)(a + b - 2c) - \frac{1}{3} \log(1 - x)(a + b + c) + \frac{(a - b) \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.06, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1875, 31, 634, 618, 204, 628}

$$\frac{1}{6} \log(x^2 + x + 1)(a + b - 2c) - \frac{1}{3} \log(1 - x)(a + b + c) + \frac{(a - b) \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)/(1 - x^3), x]

[Out] ((a - b)*ArcTan[(1 + 2*x)/Sqrt[3]]/Sqrt[3] - ((a + b + c)*Log[1 - x])/3 + ((a + b - 2*c)*Log[1 + x + x^2])/6

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1875

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = -(a/b)^(1/3)}, Dist[(q*(A + B*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && LtQ[a/b, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{1 - x^3} dx &= \frac{1}{3} \int \frac{2a - b - c + (a + b - 2c)x}{1 + x + x^2} dx + \frac{1}{3}(a + b + c) \int \frac{1}{1 - x} dx \\ &= -\frac{1}{3}(a + b + c) \log(1 - x) + \frac{1}{2}(a - b) \int \frac{1}{1 + x + x^2} dx + \frac{1}{6}(a + b - 2c) \int \frac{1 + 2x}{1 + x + x^2} dx \\ &= -\frac{1}{3}(a + b + c) \log(1 - x) + \frac{1}{6}(a + b - 2c) \log(1 + x + x^2) + (-a + b) \text{Subst} \left(\int \frac{1}{-3 - x^2} dx, \right. \\ &\quad \left. \frac{(a - b) \tan^{-1} \left(\frac{1 + 2x}{\sqrt{3}} \right)}{\sqrt{3}} - \frac{1}{3}(a + b + c) \log(1 - x) + \frac{1}{6}(a + b - 2c) \log(1 + x + x^2) \right) \end{aligned}$$

Mathematica [A] time = 0.04, size = 62, normalized size = 1.13

$$\frac{1}{6} \left((a + b) \log(x^2 + x + 1) - 2(a + b) \log(1 - x) + 2\sqrt{3}(a - b) \tan^{-1} \left(\frac{2x + 1}{\sqrt{3}} \right) - 2c \log(1 - x^3) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*x + c*x^2)/(1 - x^3), x]
```

```
[Out] (2*Sqrt[3]*(a - b)*ArcTan[(1 + 2*x)/Sqrt[3]] - 2*(a + b)*Log[1 - x] + (a + b)*Log[1 + x + x^2] - 2*c*Log[1 - x^3])/6
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + bx + cx^2}{1 - x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x + c*x^2)/(1 - x^3), x]

[Out] IntegrateAlgebraic[(a + b*x + c*x^2)/(1 - x^3), x]

fricas [A] time = 0.42, size = 47, normalized size = 0.85

$$\frac{1}{3} \sqrt{3} (a - b) \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right) + \frac{1}{6} (a + b - 2c) \log(x^2 + x + 1) - \frac{1}{3} (a + b + c) \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(-x^3+1), x, algorithm="fricas")

[Out] 1/3*sqrt(3)*(a - b)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/6*(a + b - 2*c)*log(x^2 + x + 1) - 1/3*(a + b + c)*log(x - 1)

giac [A] time = 0.17, size = 52, normalized size = 0.95

$$\frac{1}{3} (\sqrt{3} a - \sqrt{3} b) \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right) + \frac{1}{6} (a + b - 2c) \log(x^2 + x + 1) - \frac{1}{3} (a + b + c) \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(-x^3+1), x, algorithm="giac")

[Out] 1/3*(sqrt(3)*a - sqrt(3)*b)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/6*(a + b - 2*c)*log(x^2 + x + 1) - 1/3*(a + b + c)*log(abs(x - 1))

maple [A] time = 0.05, size = 87, normalized size = 1.58

$$\frac{\sqrt{3} a \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} - \frac{a \ln(x-1)}{3} + \frac{a \ln(x^2+x+1)}{6} - \frac{\sqrt{3} b \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} - \frac{b \ln(x-1)}{3} + \frac{b \ln(x^2+x+1)}{6} - \frac{c \ln(x-1)}{3} - \frac{c \ln(x^2+x+1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)/(-x^3+1), x)

[Out] -1/3*c*ln(x-1)-1/3*ln(x-1)*b-1/3*a*ln(x-1)+1/6*a*ln(x^2+x+1)+1/6*ln(x^2+x+1)*b-1/3*c*ln(x^2+x+1)+1/3*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))*a-1/3*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))*b

maxima [A] time = 2.99, size = 47, normalized size = 0.85

$$\frac{1}{3} \sqrt{3} (a - b) \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right) + \frac{1}{6} (a + b - 2c) \log(x^2 + x + 1) - \frac{1}{3} (a + b + c) \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(-x^3+1),x, algorithm="maxima")

[Out] $\frac{1}{3}\sqrt{3}(a-b)\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) + \frac{1}{6}(a+b-2c)\log(x^2+x+1) - \frac{1}{3}(a+b+c)\log(x-1)$

mupad [B] time = 4.95, size = 87, normalized size = 1.58

$$\ln\left(x + \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)\left(\frac{a}{6} + \frac{b}{6} - \frac{c}{3} - \frac{\sqrt{3}a1i}{6} + \frac{\sqrt{3}b1i}{6}\right) + \ln\left(x + \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{a}{6} + \frac{b}{6} - \frac{c}{3} + \frac{\sqrt{3}a1i}{6} - \frac{\sqrt{3}b1i}{6}\right) - \ln(x-1)\left(\frac{a}{3} + \frac{b}{3} + \frac{c}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(a + b*x + c*x^2)/(x^3 - 1),x)

[Out] $\log(x - (3^{1/2}*1i)/2 + 1/2)*(a/6 + b/6 - c/3 - (3^{1/2}*a*1i)/6 + (3^{1/2})*b*1i)/6) + \log(x + (3^{1/2}*1i)/2 + 1/2)*(a/6 + b/6 - c/3 + (3^{1/2}*a*1i)/6 - (3^{1/2})*b*1i)/6) - \log(x-1)*(a/3 + b/3 + c/3)$

sympy [C] time = 1.89, size = 323, normalized size = 5.87

$$\frac{(a+b+c)\log\left(x + \frac{c^2 - 3a^2 + 3b^2 + 3c^2 - 2a^2 - 2b^2 - 2c^2 + 3ab + 3ac + 3bc}{3}\right)}{3} - \left(\frac{a}{6} + \frac{b}{6} + \frac{c}{3} + \frac{\sqrt{3}(a-b)}{6}\right)\log\left(x + \frac{a^2c - 3a^2\left(-\frac{c}{6} - \frac{b}{6} + \frac{c}{3} + \frac{\sqrt{3}(a-b)}{6}\right) - 2ab^2 + b^2 - 6bc\left(-\frac{c}{6} - \frac{b}{6} + \frac{c}{3} + \frac{\sqrt{3}(a-b)}{6}\right) + 9b\left(-\frac{c}{6} - \frac{b}{6} + \frac{c}{3} + \frac{\sqrt{3}(a-b)}{6}\right)}{a^3 - b^3}\right) - \left(\frac{a}{6} + \frac{b}{6} + \frac{c}{3} + \frac{\sqrt{3}(a-b)}{6}\right)\log\left(x + \frac{a^2c - 3a^2\left(-\frac{c}{6} - \frac{b}{6} + \frac{c}{3} + \frac{\sqrt{3}(a-b)}{6}\right) - 2ab^2 + b^2 - 6bc\left(-\frac{c}{6} - \frac{b}{6} + \frac{c}{3} + \frac{\sqrt{3}(a-b)}{6}\right) + 9b\left(-\frac{c}{6} - \frac{b}{6} + \frac{c}{3} + \frac{\sqrt{3}(a-b)}{6}\right)}{a^3 - b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)/(-x**3+1),x)

[Out] $-(a+b+c)\log(x + (a**2*c - a**2*(a+b+c) - 2*a*b**2 + b*c**2 - 2*b*c*(a+b+c) + b*(a+b+c)**2)/(a**3 - b**3))/3 - (-a/6 - b/6 + c/3 - \sqrt{3}*I*(a-b)/6)*\log(x + (a**2*c - 3*a**2*(-a/6 - b/6 + c/3 - \sqrt{3}*I*(a-b)/6) - 2*a*b**2 + b*c**2 - 6*b*c*(-a/6 - b/6 + c/3 - \sqrt{3}*I*(a-b)/6) + 9*b*(-a/6 - b/6 + c/3 - \sqrt{3}*I*(a-b)/6)**2)/(a**3 - b**3)) - (-a/6 - b/6 + c/3 + \sqrt{3}*I*(a-b)/6)*\log(x + (a**2*c - 3*a**2*(-a/6 - b/6 + c/3 + \sqrt{3}*I*(a-b)/6) - 2*a*b**2 + b*c**2 - 6*b*c*(-a/6 - b/6 + c/3 + \sqrt{3}*I*(a-b)/6) + 9*b*(-a/6 - b/6 + c/3 + \sqrt{3}*I*(a-b)/6)**2)/(a**3 - b**3))$

$$3.50 \quad \int \frac{1+x+x^2}{1-x^3} dx$$

Optimal. Leaf size=8

$$-\log(1-x)$$

Rubi [A] time = 0.01, antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1586, 31}

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2)/(1 - x^3), x]

[Out] -Log[1 - x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(P_x_)^(p_.)*(Q_x_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[P_x, Q_x, x]^p*Q_x^(p+q), x] /; FreeQ[q, x] && PolyQ[P_x, x] && PolyQ[Q_x, x] && EqQ[PolynomialRemainder[P_x, Q_x, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{1+x+x^2}{1-x^3} dx = \int \frac{1}{1-x} dx = -\log(1-x)$$

Mathematica [A] time = 0.00, size = 8, normalized size = 1.00

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2)/(1 - x^3), x]

[Out] -Log[1 - x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1+x+x^2}{1-x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 + x + x^2)/(1 - x^3), x]

[Out] IntegrateAlgebraic[(1 + x + x^2)/(1 - x^3), x]

fricas [A] time = 0.38, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+x+1)/(-x^3+1), x, algorithm="fricas")

[Out] -log(x - 1)

giac [A] time = 0.15, size = 7, normalized size = 0.88

$$-\log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+x+1)/(-x^3+1), x, algorithm="giac")

[Out] -log(abs(x - 1))

maple [A] time = 0.05, size = 7, normalized size = 0.88

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+x+1)/(-x^3+1), x)

[Out] -ln(x-1)

maxima [A] time = 1.27, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+x+1)/(-x^3+1), x, algorithm="maxima")

[Out] $-\log(x - 1)$

mupad [B] time = 0.02, size = 6, normalized size = 0.75

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(-(x + x^2 + 1)/(x^3 - 1), x)$

[Out] $-\log(x - 1)$

sympy [A] time = 0.13, size = 5, normalized size = 0.62

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((x^2+x+1)/(-x^3+1), x)$

[Out] $-\log(x - 1)$

$$3.51 \quad \int \frac{1-x+3x^2}{1-x^3} dx$$

Optimal. Leaf size=30

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}} - \log(1-x^3)$$

Rubi [A] time = 0.03, antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1871, 1586, 618, 204, 260}

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}} - \log(1-x^3)$$

Antiderivative was successfully verified.

[In] Int[(1 - x + 3*x^2)/(1 - x^3),x]

[Out] (2*ArcTan[(1 + 2*x)/Sqrt[3]])/Sqrt[3] - Log[1 - x^3]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned} \int \frac{1-x+3x^2}{1-x^3} dx &= 3 \int \frac{x^2}{1-x^3} dx + \int \frac{1-x}{1-x^3} dx \\ &= -\log(1-x^3) + \int \frac{1}{1+x+x^2} dx \\ &= -\log(1-x^3) - 2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1+2x\right) \\ &= \frac{2 \tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{\sqrt{3}} - \log(1-x^3) \end{aligned}$$

Mathematica [A] time = 0.01, size = 30, normalized size = 1.00

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}} - \log(1-x^3)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x + 3*x^2)/(1 - x^3), x]

[Out] (2*ArcTan[(1 + 2*x)/Sqrt[3]])/Sqrt[3] - Log[1 - x^3]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1-x+3x^2}{1-x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 - x + 3*x^2)/(1 - x^3), x]

[Out] IntegrateAlgebraic[(1 - x + 3*x^2)/(1 - x^3), x]

fricas [A] time = 0.42, size = 32, normalized size = 1.07

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x+1)\right) - \log(x^2+x+1) - \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2-x+1)/(-x^3+1),x, algorithm="fricas")

[Out] $\frac{2}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \log(x^2+x+1) - \log(x-1)$

giac [A] time = 0.16, size = 33, normalized size = 1.10

$$\frac{2}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \log(x^2+x+1) - \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2-x+1)/(-x^3+1),x, algorithm="giac")

[Out] $\frac{2}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \log(x^2+x+1) - \log(\text{abs}(x-1))$

maple [A] time = 0.05, size = 33, normalized size = 1.10

$$\frac{2\sqrt{3}\arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} - \ln(x-1) - \ln(x^2+x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2-x+1)/(-x^3+1),x)

[Out] $-\ln(x-1) - \ln(x^2+x+1) + \frac{2}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right)$

maxima [A] time = 2.96, size = 32, normalized size = 1.07

$$\frac{2}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \log(x^2+x+1) - \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2-x+1)/(-x^3+1),x, algorithm="maxima")

[Out] $\frac{2}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \log(x^2+x+1) - \log(x-1)$

mupad [B] time = 4.93, size = 63, normalized size = 2.10

$$-\ln\left(x + \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right) - \ln\left(x + \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - \ln(x-1) - \frac{\sqrt{3}\ln\left(x + \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)1i}{3} + \frac{\sqrt{3}\ln\left(x + \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)1i}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(3*x^2 - x + 1)/(x^3 - 1),x)`

[Out] $(3^{1/2} \log(x + (3^{1/2} + 1)i)/2 + 1/2) - \log(x + (3^{1/2} + 1)i)/2 + 1/2$
 $- \log(x - 1) - (3^{1/2} \log(x - (3^{1/2} + 1)i)/2 + 1/2) - \log(x - (3^{1/2} + 1)i)/2 + 1/2$

sympy [A] time = 0.34, size = 5, normalized size = 0.17

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2-x+1)/(-x**3+1),x)`

[Out] $-\log(x - 1)$

$$3.52 \quad \int \frac{1+x+4x^2}{1-x^3} dx$$

Optimal. Leaf size=18

$$-\log(x^2 + x + 1) - 2\log(1 - x)$$

Rubi [A] time = 0.02, antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1875, 31, 628}

$$-\log(x^2 + x + 1) - 2\log(1 - x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x + 4*x^2)/(1 - x^3), x]

[Out] -2*Log[1 - x] - Log[1 + x + x^2]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1875

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (-a/b)^(1/3)}, Dist[(q*(A + B*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && LtQ[a/b, 0]

Rubi steps

$$\begin{aligned} \int \frac{1+x+4x^2}{1-x^3} dx &= \frac{1}{3} \int \frac{-3-6x}{1+x+x^2} dx + 2 \int \frac{1}{1-x} dx \\ &= -2\log(1-x) - \log(1+x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 18, normalized size = 1.00

$$-\log(x^2 + x + 1) - 2 \log(1 - x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + 4*x^2)/(1 - x^3), x]

[Out] -2*Log[1 - x] - Log[1 + x + x^2]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1 + x + 4x^2}{1 - x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 + x + 4*x^2)/(1 - x^3), x]

[Out] IntegrateAlgebraic[(1 + x + 4*x^2)/(1 - x^3), x]

fricas [A] time = 0.39, size = 16, normalized size = 0.89

$$-\log(x^2 + x + 1) - 2 \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+x+1)/(-x^3+1), x, algorithm="fricas")

[Out] -log(x^2 + x + 1) - 2*log(x - 1)

giac [A] time = 0.15, size = 17, normalized size = 0.94

$$-\log(x^2 + x + 1) - 2 \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+x+1)/(-x^3+1), x, algorithm="giac")

[Out] -log(x^2 + x + 1) - 2*log(abs(x - 1))

maple [A] time = 0.05, size = 17, normalized size = 0.94

$$-2 \ln(x - 1) - \ln(x^2 + x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^2+x+1)/(-x^3+1), x)

[Out] $-2*\ln(x-1)-\ln(x^2+x+1)$

maxima [A] time = 2.93, size = 16, normalized size = 0.89

$$-\log(x^2 + x + 1) - 2 \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x^2+x+1)/(-x^3+1),x, algorithm="maxima")`

[Out] $-\log(x^2 + x + 1) - 2*\log(x - 1)$

mupad [B] time = 0.04, size = 16, normalized size = 0.89

$$-\ln(x^2 + x + 1) - 2 \ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x + 4*x^2 + 1)/(x^3 - 1),x)`

[Out] $-\log(x + x^2 + 1) - 2*\log(x - 1)$

sympy [A] time = 0.16, size = 15, normalized size = 0.83

$$-2\log(x - 1) - \log(x^2 + x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x**2+x+1)/(-x**3+1),x)`

[Out] $-2*\log(x - 1) - \log(x**2 + x + 1)$

$$3.53 \quad \int (a + bx^3)^3 (ac + adx + bcx^3 + bdx^4) dx$$

Optimal. Leaf size=113

$$a^4cx + \frac{1}{2}a^4dx^2 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14}$$

Rubi [A] time = 0.10, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.033$, Rules used = {1850}

$$\frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + a^4cx + \frac{1}{2}a^4dx^2 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^3*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] a^4*c*x + (a^4*d*x^2)/2 + a^3*b*c*x^4 + (4*a^3*b*d*x^5)/5 + (6*a^2*b^2*c*x^7)/7 + (3*a^2*b^2*d*x^8)/4 + (2*a*b^3*c*x^10)/5 + (4*a*b^3*d*x^11)/11 + (b^4*c*x^13)/13 + (b^4*d*x^14)/14

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx^3)^3 (ac + adx + bcx^3 + bdx^4) dx &= \int (a^4c + a^4dx + 4a^3bcx^3 + 4a^3bdx^4 + 6a^2b^2cx^6 + 6a^2b^2dx^7 + 4ab^3cx^9 + 4ab^3dx^{10} + b^4cx^{13} + b^4dx^{14}) dx \\ &= a^4cx + \frac{1}{2}a^4dx^2 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14} \end{aligned}$$

Mathematica [A] time = 0.00, size = 113, normalized size = 1.00

$$a^4cx + \frac{1}{2}a^4dx^2 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^3*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] $a^4*c*x + (a^4*d*x^2)/2 + a^3*b*c*x^4 + (4*a^3*b*d*x^5)/5 + (6*a^2*b^2*c*x^7)/7 + (3*a^2*b^2*d*x^8)/4 + (2*a*b^3*c*x^10)/5 + (4*a*b^3*d*x^11)/11 + (b^4*c*x^13)/13 + (b^4*d*x^14)/14$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^3)^3 (ac + adx + bcx^3 + bdx^4) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)^3*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] IntegrateAlgebraic[(a + b*x^3)^3*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

fricas [A] time = 0.35, size = 97, normalized size = 0.86

$$\frac{1}{14}x^{14}db^4 + \frac{1}{13}x^{13}cb^4 + \frac{4}{11}x^{11}db^3a + \frac{2}{5}x^{10}cb^3a + \frac{3}{4}x^8db^2a^2 + \frac{6}{7}x^7cb^2a^2 + \frac{4}{5}x^5dba^3 + x^4cba^3 + \frac{1}{2}x^2da^4 + xca^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(b*d*x^4+b*c*x^3+a*d*x+a*c), x, algorithm="fricas")

[Out] $1/14*x^{14}*d*b^4 + 1/13*x^{13}*c*b^4 + 4/11*x^{11}*d*b^3*a + 2/5*x^{10}*c*b^3*a + 3/4*x^8*d*b^2*a^2 + 6/7*x^7*c*b^2*a^2 + 4/5*x^5*d*b*a^3 + x^4*c*b*a^3 + 1/2*x^2*d*a^4 + x*c*a^4$

giac [A] time = 0.16, size = 97, normalized size = 0.86

$$\frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{4}{5}a^3bdx^5 + a^3bcx^4 + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(b*d*x^4+b*c*x^3+a*d*x+a*c), x, algorithm="giac")

[Out] $1/14*b^4*d*x^{14} + 1/13*b^4*c*x^{13} + 4/11*a*b^3*d*x^{11} + 2/5*a*b^3*c*x^{10} + 3/4*a^2*b^2*d*x^8 + 6/7*a^2*b^2*c*x^7 + 4/5*a^3*b*d*x^5 + a^3*b*c*x^4 + 1/2*a^4*d*x^2 + a^4*c*x$

maple [A] time = 0.04, size = 98, normalized size = 0.87

$$\frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{4}{5}a^3bdx^5 + a^3bcx^4 + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(b*d*x^4+b*c*x^3+a*d*x+a*c), x)

[Out] $a^4cx + \frac{1}{2}a^4d^2x^2 + a^3b^2cx^4 + \frac{4}{5}a^3b^2d^2x^5 + \frac{6}{7}a^2b^2c^2x^7 + \frac{3}{4}a^2b^2d^2x^8 + \frac{2}{5}a^2b^3c^2x^{10} + \frac{4}{11}a^2b^3d^2x^{11} + \frac{1}{13}b^4c^2x^{13} + \frac{1}{14}b^4d^2x^{14}$

maxima [A] time = 1.39, size = 97, normalized size = 0.86

$$\frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{4}{5}a^3bdx^5 + a^3bcx^4 + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="maxima")

[Out] $\frac{1}{14}b^4d^2x^{14} + \frac{1}{13}b^4c^2x^{13} + \frac{4}{11}a^2b^3d^2x^{11} + \frac{2}{5}a^2b^3c^2x^{10} + \frac{3}{4}a^2b^2d^2x^8 + \frac{6}{7}a^2b^2c^2x^7 + \frac{4}{5}a^3b^2d^2x^5 + a^3b^2c^2x^4 + \frac{1}{2}a^4d^2x^2 + a^4c^2x$

mupad [B] time = 0.06, size = 97, normalized size = 0.86

$$\frac{da^4x^2}{2} + ca^4x + \frac{4da^3bx^5}{5} + ca^3bx^4 + \frac{3da^2b^2x^8}{4} + \frac{6ca^2b^2x^7}{7} + \frac{4da^2b^3x^{11}}{11} + \frac{2cab^3x^{10}}{5} + \frac{db^4x^{14}}{14} + \frac{cb^4x^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^3*(a*c + a*d*x + b*c*x^3 + b*d*x^4),x)

[Out] $\frac{a^4d^2x^2}{2} + \frac{b^4c^2x^{13}}{13} + \frac{b^4d^2x^{14}}{14} + a^4c^2x + \frac{6a^2b^2c^2x^7}{7} + \frac{3a^2b^2d^2x^8}{4} + a^3b^2c^2x^4 + \frac{2a^2b^3c^2x^{10}}{5} + \frac{4a^2b^3d^2x^{11}}{11} + \frac{4a^3b^2c^2x^5}{5} + \frac{4a^3b^2d^2x^{11}}{11}$

sympy [A] time = 0.73, size = 117, normalized size = 1.04

$$a^4cx + \frac{a^4dx^2}{2} + a^3bcx^4 + \frac{4a^3bdx^5}{5} + \frac{6a^2b^2cx^7}{7} + \frac{3a^2b^2dx^8}{4} + \frac{2ab^3cx^{10}}{5} + \frac{4ab^3dx^{11}}{11} + \frac{b^4cx^{13}}{13} + \frac{b^4dx^{14}}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(b*d*x**4+b*c*x**3+a*d*x+a*c),x)

[Out] $a^4cx + a^4d^2x^2/2 + a^3b^2c^2x^4 + \frac{4a^3b^2d^2x^5}{5} + \frac{6a^2b^2c^2x^7}{7} + \frac{3a^2b^2d^2x^8}{4} + \frac{2a^2b^3c^2x^{10}}{5} + \frac{4a^2b^3d^2x^{11}}{11} + \frac{b^4c^2x^{13}}{13} + \frac{b^4d^2x^{14}}{14}$

$$3.54 \quad \int (a + bx^3)^2 (ac + adx + bcx^3 + bdx^4) dx$$

Optimal. Leaf size=88

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$$

Rubi [A] time = 0.06, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.033$, Rules used = {1850}

$$\frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^2*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] a^3*c*x + (a^3*d*x^2)/2 + (3*a^2*b*c*x^4)/4 + (3*a^2*b*d*x^5)/5 + (3*a*b^2*c*x^7)/7 + (3*a*b^2*d*x^8)/8 + (b^3*c*x^10)/10 + (b^3*d*x^11)/11

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx^3)^2 (ac + adx + bcx^3 + bdx^4) dx &= \int (a^3c + a^3dx + 3a^2bcx^3 + 3a^2bdx^4 + 3ab^2cx^6 + 3ab^2dx^7 + b^3cx^9 + \\ &= a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^9 + \frac{1}{11}b^3dx^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 88, normalized size = 1.00

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^2*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] $a^3*c*x + (a^3*d*x^2)/2 + (3*a^2*b*c*x^4)/4 + (3*a^2*b*d*x^5)/5 + (3*a*b^2*c*x^7)/7 + (3*a*b^2*d*x^8)/8 + (b^3*c*x^{10})/10 + (b^3*d*x^{11})/11$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^3)^2 (ac + adx + bcx^3 + bdx^4) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)^2*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] IntegrateAlgebraic[(a + b*x^3)^2*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

fricas [A] time = 0.36, size = 74, normalized size = 0.84

$$\frac{1}{11}x^{11}db^3 + \frac{1}{10}x^{10}cb^3 + \frac{3}{8}x^8db^2a + \frac{3}{7}x^7cb^2a + \frac{3}{5}x^5dba^2 + \frac{3}{4}x^4cba^2 + \frac{1}{2}x^2da^3 + xca^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(b*d*x^4+b*c*x^3+a*d*x+a*c), x, algorithm="fricas")

[Out] $1/11*x^{11}*d*b^3 + 1/10*x^{10}*c*b^3 + 3/8*x^8*d*b^2*a + 3/7*x^7*c*b^2*a + 3/5*x^5*d*b*a^2 + 3/4*x^4*c*b*a^2 + 1/2*x^2*d*a^3 + x*c*a^3$

giac [A] time = 0.16, size = 74, normalized size = 0.84

$$\frac{1}{11}b^3dx^{11} + \frac{1}{10}b^3cx^{10} + \frac{3}{8}ab^2dx^8 + \frac{3}{7}ab^2cx^7 + \frac{3}{5}a^2bdx^5 + \frac{3}{4}a^2bcx^4 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(b*d*x^4+b*c*x^3+a*d*x+a*c), x, algorithm="giac")

[Out] $1/11*b^3*d*x^{11} + 1/10*b^3*c*x^{10} + 3/8*a*b^2*d*x^8 + 3/7*a*b^2*c*x^7 + 3/5*a^2*b*d*x^5 + 3/4*a^2*b*c*x^4 + 1/2*a^3*d*x^2 + a^3*c*x$

maple [A] time = 0.05, size = 75, normalized size = 0.85

$$\frac{1}{11}b^3dx^{11} + \frac{1}{10}b^3cx^{10} + \frac{3}{8}ab^2dx^8 + \frac{3}{7}ab^2cx^7 + \frac{3}{5}a^2bdx^5 + \frac{3}{4}a^2bcx^4 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(b*d*x^4+b*c*x^3+a*d*x+a*c), x)

[Out] $a^3*c*x + 1/2*a^3*d*x^2 + 3/4*a^2*b*c*x^4 + 3/5*a^2*b*d*x^5 + 3/7*a*b^2*c*x^7 + 3/8*a*b^2*d*x^8 + 1/10*b^3*c*x^{10} + 1/11*b^3*d*x^{11}$

maxima [A] time = 1.39, size = 74, normalized size = 0.84

$$\frac{1}{11} b^3 dx^{11} + \frac{1}{10} b^3 cx^{10} + \frac{3}{8} ab^2 dx^8 + \frac{3}{7} ab^2 cx^7 + \frac{3}{5} a^2 b dx^5 + \frac{3}{4} a^2 bcx^4 + \frac{1}{2} a^3 dx^2 + a^3 cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="maxima")

[Out] 1/11*b^3*d*x^11 + 1/10*b^3*c*x^10 + 3/8*a*b^2*d*x^8 + 3/7*a*b^2*c*x^7 + 3/5*a^2*b*d*x^5 + 3/4*a^2*b*c*x^4 + 1/2*a^3*d*x^2 + a^3*c*x

mupad [B] time = 0.04, size = 74, normalized size = 0.84

$$\frac{d a^3 x^2}{2} + c a^3 x + \frac{3 d a^2 b x^5}{5} + \frac{3 c a^2 b x^4}{4} + \frac{3 d a b^2 x^8}{8} + \frac{3 c a b^2 x^7}{7} + \frac{d b^3 x^{11}}{11} + \frac{c b^3 x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^2*(a*c + a*d*x + b*c*x^3 + b*d*x^4),x)

[Out] (a^3*d*x^2)/2 + (b^3*c*x^10)/10 + (b^3*d*x^11)/11 + a^3*c*x + (3*a^2*b*c*x^4)/4 + (3*a*b^2*c*x^7)/7 + (3*a^2*b*d*x^5)/5 + (3*a*b^2*d*x^8)/8

sympy [A] time = 0.16, size = 90, normalized size = 1.02

$$a^3 cx + \frac{a^3 dx^2}{2} + \frac{3a^2 bcx^4}{4} + \frac{3a^2 b dx^5}{5} + \frac{3ab^2 cx^7}{7} + \frac{3ab^2 dx^8}{8} + \frac{b^3 cx^{10}}{10} + \frac{b^3 dx^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*(b*d*x**4+b*c*x**3+a*d*x+a*c),x)

[Out] a**3*c*x + a**3*d*x**2/2 + 3*a**2*b*c*x**4/4 + 3*a**2*b*d*x**5/5 + 3*a*b**2*c*x**7/7 + 3*a*b**2*d*x**8/8 + b**3*c*x**10/10 + b**3*d*x**11/11

$$3.55 \quad \int (a + bx^3) (ac + adx + bcx^3 + bdx^4) dx$$

Optimal. Leaf size=60

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8$$

Rubi [A] time = 0.04, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$, Rules used = {1850}

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] a^2*c*x + (a^2*d*x^2)/2 + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5 + (b^2*c*x^7)/7 + (b^2*d*x^8)/8

Rule 1850

Int[(Pq_)*((a_) + (b_)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx^3) (ac + adx + bcx^3 + bdx^4) dx &= \int (a^2c + a^2dx + 2abcx^3 + 2abdx^4 + b^2cx^6 + b^2dx^7) dx \\ &= a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8 \end{aligned}$$

Mathematica [A] time = 0.00, size = 60, normalized size = 1.00

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] a^2*c*x + (a^2*d*x^2)/2 + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5 + (b^2*c*x^7)/7 + (b^2*d*x^8)/8

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^3)(ac + adx + bcx^3 + bdx^4) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] IntegrateAlgebraic[(a + b*x^3)*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

fricas [A] time = 0.35, size = 50, normalized size = 0.83

$$\frac{1}{8}x^8db^2 + \frac{1}{7}x^7cb^2 + \frac{2}{5}x^5dba + \frac{1}{2}x^4cba + \frac{1}{2}x^2da^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(b*d*x^4+b*c*x^3+a*d*x+a*c), x, algorithm="fricas")

[Out] 1/8*x^8*d*b^2 + 1/7*x^7*c*b^2 + 2/5*x^5*d*b*a + 1/2*x^4*c*b*a + 1/2*x^2*d*a^2 + x*c*a^2

giac [A] time = 0.17, size = 50, normalized size = 0.83

$$\frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(b*d*x^4+b*c*x^3+a*d*x+a*c), x, algorithm="giac")

[Out] 1/8*b^2*d*x^8 + 1/7*b^2*c*x^7 + 2/5*a*b*d*x^5 + 1/2*a*b*c*x^4 + 1/2*a^2*d*x^2 + a^2*c*x

maple [A] time = 0.04, size = 51, normalized size = 0.85

$$\frac{1}{8}b^2d x^8 + \frac{1}{7}b^2c x^7 + \frac{2}{5}abd x^5 + \frac{1}{2}abc x^4 + \frac{1}{2}a^2d x^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(b*d*x^4+b*c*x^3+a*d*x+a*c), x)

[Out] a^2*c*x+1/2*a^2*d*x^2+1/2*a*b*c*x^4+2/5*a*b*d*x^5+1/7*b^2*c*x^7+1/8*b^2*d*x^8

maxima [A] time = 1.40, size = 50, normalized size = 0.83

$$\frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="maxima")

[Out] 1/8*b^2*d*x^8 + 1/7*b^2*c*x^7 + 2/5*a*b*d*x^5 + 1/2*a*b*c*x^4 + 1/2*a^2*d*x^2 + a^2*c*x

mupad [B] time = 0.03, size = 50, normalized size = 0.83

$$\frac{d a^2 x^2}{2} + c a^2 x + \frac{2 d a b x^5}{5} + \frac{c a b x^4}{2} + \frac{d b^2 x^8}{8} + \frac{c b^2 x^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)*(a*c + a*d*x + b*c*x^3 + b*d*x^4),x)

[Out] (a^2*d*x^2)/2 + (b^2*c*x^7)/7 + (b^2*d*x^8)/8 + a^2*c*x + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5

sympy [A] time = 0.10, size = 58, normalized size = 0.97

$$a^2 c x + \frac{a^2 d x^2}{2} + \frac{a b c x^4}{2} + \frac{2 a b d x^5}{5} + \frac{b^2 c x^7}{7} + \frac{b^2 d x^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*(b*d*x**4+b*c*x**3+a*d*x+a*c),x)

[Out] a**2*c*x + a**2*d*x**2/2 + a*b*c*x**4/2 + 2*a*b*d*x**5/5 + b**2*c*x**7/7 + b**2*d*x**8/8

$$3.56 \quad \int \frac{ac+adx+bcx^3+bdx^4}{a+bx^3} dx$$

Optimal. Leaf size=12

$$cx + \frac{dx^2}{2}$$

Rubi [A] time = 0.01, antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.033$, Rules used = {1586}

$$cx + \frac{dx^2}{2}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3),x]

[Out] c*x + (d*x^2)/2

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{ac + adx + bcx^3 + bdx^4}{a + bx^3} dx &= \int (c + dx) dx \\ &= cx + \frac{dx^2}{2} \end{aligned}$$

Mathematica [A] time = 0.00, size = 12, normalized size = 1.00

$$cx + \frac{dx^2}{2}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3),x]

[Out] c*x + (d*x^2)/2

IntegrateAlgebraic [A] time = 0.03, size = 14, normalized size = 1.17

$$\frac{(c + dx)^2}{2d}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3),x]

[Out] (c + d*x)^2/(2*d)

fricas [A] time = 0.39, size = 10, normalized size = 0.83

$$\frac{1}{2} dx^2 + cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/2*d*x^2 + c*x

giac [A] time = 0.20, size = 10, normalized size = 0.83

$$\frac{1}{2} dx^2 + cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/2*d*x^2 + c*x

maple [A] time = 0.04, size = 11, normalized size = 0.92

$$\frac{1}{2} dx^2 + cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a),x)

[Out] c*x+1/2*d*x^2

maxima [A] time = 1.32, size = 10, normalized size = 0.83

$$\frac{1}{2} dx^2 + cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/2*d*x^2 + c*x

mupad [B] time = 0.02, size = 10, normalized size = 0.83

$$\frac{dx^2}{2} + cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3),x)

[Out] c*x + (d*x^2)/2

sympy [A] time = 0.13, size = 8, normalized size = 0.67

$$cx + \frac{dx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a),x)

[Out] c*x + d*x**2/2

$$3.57 \quad \int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^2} dx$$

Optimal. Leaf size=161

$$\frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{6a^{2/3} \sqrt[3]{b}} + \frac{(\sqrt[3]{b} c - \sqrt[3]{a} d) \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right)}{3a^{2/3} b^{2/3}} - \frac{(\sqrt[3]{a} d + \sqrt[3]{b} c) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{2/3}}$$

Rubi [A] time = 0.10, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1586, 1860, 31, 634, 617, 204, 628}

$$\frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{6a^{2/3} \sqrt[3]{b}} + \frac{(\sqrt[3]{b} c - \sqrt[3]{a} d) \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right)}{3a^{2/3} b^{2/3}} - \frac{(\sqrt[3]{a} d + \sqrt[3]{b} c) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^2,x]

[Out] -(((b^(1/3)*c + a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(2/3)*b^(2/3)) + ((b^(1/3)*c - a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(2/3)*b^(2/3)) - ((c - (a^(1/3)*d)/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(2/3)*b^(1/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1586

```
Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px
, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] &&
EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^2} dx &= \int \frac{c + dx}{a + bx^3} dx \\
&= \frac{\int \frac{\sqrt[3]{a}(2\sqrt[3]{b}c + \sqrt[3]{a}d) + \sqrt[3]{b}(-\sqrt[3]{b}c + \sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}\sqrt[3]{b}} + \frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}} \\
&= \frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}b^{2/3}} + \frac{1}{2} \left(\frac{c}{\sqrt[3]{a}} + \frac{d}{\sqrt[3]{b}}\right) \\
&= \frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} + \frac{1}{2} \left(\frac{c}{\sqrt[3]{a}} + \frac{d}{\sqrt[3]{b}}\right) \\
&= -\frac{(\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 124, normalized size = 0.77

$$\frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \left(2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) - \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)\right) - 2\sqrt{3}(\sqrt[3]{a}d + \sqrt[3]{b}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{6a^{2/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^2, x]

[Out] (-2*Sqrt[3]*(b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + (b^(1/3)*c - a^(1/3)*d)*(2*Log[a^(1/3) + b^(1/3)*x] - Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]))/(6*a^(2/3)*b^(2/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^2, x]

$$\begin{aligned} & *b^2)^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)}) *a*b*c^2 - 2*a*c*d^2 + 2*(b*c^3 + a*d^3)*x - 3/4*\sqrt{1/3}*(((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)})) * a^2*b*d + 2*a*b*c^2)*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)}))^{(1/3)}}} \\ & 2*a*b + 16*c*d)/(a*b)) \end{aligned}$$

giac [A] time = 0.18, size = 141, normalized size = 0.88

$$\frac{\sqrt{3} \left(bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}}} - \frac{\left(bc + (-ab^2)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-ab^2 \right)^{\frac{2}{3}}} - \frac{\left(d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + c \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{3a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-1/3*\sqrt{3}*(b*c - (-a*b^2)^{(1/3)}*d)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)}))/(-a/b)^{(1/3)}/(-a*b^2)^{(2/3)} - 1/6*(b*c + (-a*b^2)^{(1/3)}*d)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(-a*b^2)^{(2/3)} - 1/3*(d*(-a/b)^{(1/3)} + c)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a$

maple [A] time = 0.05, size = 186, normalized size = 1.16

$$\frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) - c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} - \frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) + d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{1}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^2,x)

[Out] $1/3/(a/b)^{(2/3)}/b*c*\ln(x+(a/b)^{(1/3)})-1/6*c/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/3*c/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3*d/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+1/6*d/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/3*d*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$

maxima [A] time = 2.98, size = 135, normalized size = 0.84

$$\frac{\sqrt{3} \left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} + c \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 b \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 b \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - c \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/3*sqrt(3)*(d*(a/b)^(1/3) + c)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b*(a/b)^(2/3)) + 1/6*(d*(a/b)^(1/3) - c)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) - 1/3*(d*(a/b)^(1/3) - c)*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 5.09, size = 127, normalized size = 0.79

$$\sum_{k=1}^3 \ln \left(b \left(c d + d^2 x + \text{root}(27 a^2 b^2 z^3 + 9 a b c d z + a d^3 - b c^3, z, k)^2 a b^9 + \text{root}(27 a^2 b^2 z^3 + 9 a b c d z + a d^3 - b c^3, z, k) b c x^3 \right) \text{root}(27 a^2 b^2 z^3 + 9 a b c d z + a d^3 - b c^3, z, k) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^2,x)

[Out] symsum(log(b*(c*d + d^2*x + 9*root(27*a^2*b^2*z^3 + 9*a*b*c*d*z + a*d^3 - b*c^3, z, k)^2*a*b + 3*root(27*a^2*b^2*z^3 + 9*a*b*c*d*z + a*d^3 - b*c^3, z, k)*b*c*x))*root(27*a^2*b^2*z^3 + 9*a*b*c*d*z + a*d^3 - b*c^3, z, k), k, 1, 3)

sympy [A] time = 1.34, size = 76, normalized size = 0.47

$$\text{RootSum} \left(27 t^3 a^2 b^2 + 9 t a b c d + a d^3 - b c^3, \left(t \mapsto t \log \left(x + \frac{9 t^2 a^2 b d + 3 t a b c^2 + 2 a c d^2}{a d^3 + b c^3} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a)**2,x)

[Out] RootSum(27*_t**3*a**2*b**2 + 9*_t*a*b*c*d + a*d**3 - b*c**3, Lambda(_t, _t*log(x + (9*_t**2*a**2*b*d + 3*_t*a*b*c**2 + 2*a*c*d**2)/(a*d**3 + b*c**3)))

$$3.58 \quad \int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^3} dx$$

Optimal. Leaf size=189

$$\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

Rubi [A] time = 0.13, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1586, 1855, 1860, 31, 634, 617, 204, 628}

$$-\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}} + \frac{x(c+dx)}{3a(a+bx^3)}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^3, x]

[Out] (x*(c + d*x))/(3*a*(a + b*x^3)) - ((2*b^(1/3)*c + a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(5/3)*b^(2/3)) + ((2*b^(1/3)*c - a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(5/3)*b^(2/3)) - ((2*b^(1/3)*c - a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(5/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1586

```
Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px
, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] &&
EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^3} dx &= \int \frac{c + dx}{(a + bx^3)^2} dx \\
&= \frac{x(c + dx)}{3a(a + bx^3)} - \frac{\int \frac{-2c - dx}{a + bx^3} dx}{3a} \\
&= \frac{x(c + dx)}{3a(a + bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-4\sqrt[3]{b}c - \sqrt[3]{a}d) + \sqrt[3]{b}(2\sqrt[3]{b}c - \sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{9a^{5/3}\sqrt[3]{b}} + \frac{\left(2c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{5/3}} \\
&= \frac{x(c + dx)}{3a(a + bx^3)} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + \sqrt[3]{a}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x}}{18a^{5/3}b^{2/3}} \\
&= \frac{x(c + dx)}{3a(a + bx^3)} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x)}{18a^{5/3}b^{2/3}} \\
&= \frac{x(c + dx)}{3a(a + bx^3)} - \frac{(2\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.17, size = 180, normalized size = 0.95

$$\frac{\frac{(a^{2/3}d - 2\sqrt[3]{a}\sqrt[3]{b}c) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{b^{2/3}} + \frac{2(2\sqrt[3]{a}\sqrt[3]{b}c - a^{2/3}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{b^{2/3}} - \frac{2\sqrt{3}\sqrt[3]{a}(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{b^{2/3}} + \frac{6ax(c + dx)}{a + bx^3}}{18a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^3,x]

[Out] ((6*a*x*(c + d*x))/(a + b*x^3) - (2*sqrt[3]*a^(1/3)*(2*b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + (2*(2*a^(1/3)*b^(1/3)*c - a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + ((-2*a^(1/3)*b^(1/3)*c + a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3))/(18*a^2)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^3, x]

fricas [C] time = 1.19, size = 2088, normalized size = 11.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{36} \cdot (12 \cdot d \cdot x^2 - 2 \cdot (a \cdot b \cdot x^3 + a^2) \cdot ((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3} + 4 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (I \cdot \sqrt{3} - 1)/(a^3 \cdot b \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3})) \cdot \log(1/4 \cdot ((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3} + 4 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (I \cdot \sqrt{3} - 1)/(a^3 \cdot b \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3}))^2 \cdot a^4 \cdot b \cdot d - 2 \cdot ((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3} + 4 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (I \cdot \sqrt{3} - 1)/(a^3 \cdot b \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3})) \cdot a^2 \cdot b \cdot c^2 + 4 \cdot a \cdot c \cdot d^2 + (8 \cdot b \cdot c^3 + a \cdot d^3) \cdot x) + 12 \cdot c \cdot x + ((a \cdot b \cdot x^3 + a^2) \cdot ((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3} + 4 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (I \cdot \sqrt{3} - 1)/(a^3 \cdot b \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3})) + 3 \cdot \sqrt{1/3} \cdot (a \cdot b \cdot x^3 + a^2) \cdot \sqrt{-(((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3} + 4 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (I \cdot \sqrt{3} - 1)/(a^3 \cdot b \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3}))^2 \cdot a^3 \cdot b + 32 \cdot c \cdot d)/(a^3 \cdot b))} \cdot \log(-1/4 \cdot ((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3} + 4 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (I \cdot \sqrt{3} - 1)/(a^3 \cdot b \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3}))^2 \cdot a^4 \cdot b \cdot d + 2 \cdot ((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3} + 4 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (I \cdot \sqrt{3} - 1)/(a^3 \cdot b \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3})) \cdot a^2 \cdot b \cdot c^2 - 4 \cdot a \cdot c \cdot d^2 + 2 \cdot (8 \cdot b \cdot c^3 + a \cdot d^3) \cdot x + 3/4 \cdot \sqrt{1/3} \cdot (((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3} + 4 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (I \cdot \sqrt{3} - 1)/(a^3 \cdot b \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3})) \cdot a^4 \cdot b \cdot d + 8 \cdot a^2 \cdot b \cdot c^2) \cdot \sqrt{-(((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3} + 4 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (I \cdot \sqrt{3} - 1)/(a^3 \cdot b \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3}))^2 \cdot a^3 \cdot b + 32 \cdot c \cdot d)/(a^3 \cdot b))} + ((a \cdot b \cdot x^3 + a^2) \cdot ((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3} + 4 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (I \cdot \sqrt{3} - 1)/(a^3 \cdot b \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3})) - 3 \cdot \sqrt{1/3} \cdot (a \cdot b \cdot x^3 + a^2) \cdot \sqrt{-(((1/2)^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3} + 4 \cdot (1/2)^{2/3} \cdot c \cdot d \cdot (I \cdot \sqrt{3} - 1)/(a^3 \cdot b \cdot ((8 \cdot b \cdot c^3 + a \cdot d^3)/(a^5 \cdot b^2) + (8 \cdot b \cdot c^3 - a \cdot d^3)/(a^5 \cdot b^2))^{1/3}))^2 \cdot a^3 \cdot b + 32 \cdot c \cdot d)/(a^3 \cdot b))}$$

$(3) + 1) * ((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^{(1/3)}$
 $+ 4*(1/2)^{(2/3)}*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^{(1/3)})^{2*a^3*b + 32*c*d)/(a^3*b)) * log(-1/4*((1/2)^{(1/3)}*(I*sqrt(3) + 1)*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^{(1/3)} + 4*(1/2)^{(2/3)}*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^{(1/3)}))^{2*a^4*b*d + 2*((1/2)^{(1/3)}*(I*sqrt(3) + 1)*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^{(1/3)} + 4*(1/2)^{(2/3)}*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^{(1/3)})) * a^2*b*c^2 - 4*a*c*d^2 + 2*(8*b*c^3 + a*d^3)*x - 3/4*sqrt(1/3)*(((1/2)^{(1/3)}*(I*sqrt(3) + 1)*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^{(1/3)} + 4*(1/2)^{(2/3)}*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^{(1/3)})) * a^4*b*d + 8*a^2*b*c^2)*sqrt(-(((1/2)^{(1/3)}*(I*sqrt(3) + 1)*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^{(1/3)} + 4*(1/2)^{(2/3)}*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^{(1/3)}))^{2*a^3*b + 32*c*d)/(a^3*b)))/(a*b*x^3 + a^2)$

giac [A] time = 0.21, size = 174, normalized size = 0.92

$$\frac{\sqrt{3} \left(2bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 (-ab^2)^{\frac{2}{3}} a} - \frac{\left(2bc + (-ab^2)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 (-ab^2)^{\frac{2}{3}} a} - \frac{\left(d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + 2c \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{9 a^2} + \frac{dx^2 + cx}{3 (bx^3 + a)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/9*sqrt(3)*(2*b*c - (-a*b^2)^{(1/3)}*d)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a) - 1/18*(2*b*c + (-a*b^2)^{(1/3)}*d)*log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a) - 1/9*(d*(-a/b)^{(1/3)} + 2*c)*(-a/b)^{(1/3)}*log(abs(x - (-a/b)^{(1/3)}))/a^2 + 1/3*(d*x^2 + c*x)/(b*x^3 + a)*a$

maple [A] time = 0.05, size = 238, normalized size = 1.26

$$\frac{dx^2}{3(bx^3+a)a} + \frac{cx}{3(bx^3+a)a} + \frac{2\sqrt{3}c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{2c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} - \frac{c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} ab} - \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} ab} + \frac{d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(\frac{a}{b} \right)^{\frac{1}{3}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^3,x)

[Out] $1/3*c*x/a/(b*x^3+a)+2/9/(a/b)^{(2/3)}/a/b*c*\ln(x+(a/b)^{(1/3)})-1/9*c/a/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/9*c/a/b/(a/b)^{(2/3)}*3^{(1/2)}*arct$

$$3.59 \quad \int \frac{(a+bx)^2}{c+dx^3} dx$$

Optimal. Leaf size=186

$$\frac{a(2b\sqrt[3]{c} - a\sqrt[3]{d}) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{2/3}} - \frac{a(2b\sqrt[3]{c} - a\sqrt[3]{d}) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{2/3}} - \frac{a(a\sqrt[3]{d} + 2b\sqrt[3]{c}) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d}x}{\sqrt[3]{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{2/3}}$$

Rubi [A] time = 0.18, antiderivative size = 186, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{a(2b\sqrt[3]{c} - a\sqrt[3]{d}) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{2/3}} - \frac{a(2b\sqrt[3]{c} - a\sqrt[3]{d}) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{2/3}} - \frac{a(a\sqrt[3]{d} + 2b\sqrt[3]{c}) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d}x}{\sqrt[3]{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{2/3}} + \frac{b^2 \log(c + dx^3)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)^2/(c + d*x^3), x]

[Out] -((a*(2*b*c^(1/3) + a*d^(1/3))*ArcTan[(c^(1/3) - 2*d^(1/3)*x)/(Sqrt[3]*c^(1/3))]/(Sqrt[3]*c^(2/3)*d^(2/3))) - (a*(2*b*c^(1/3) - a*d^(1/3))*Log[c^(1/3) + d^(1/3)*x]/(3*c^(2/3)*d^(2/3))) + (a*(2*b*c^(1/3) - a*d^(1/3))*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2]/(6*c^(2/3)*d^(2/3))) + (b^2*Log[c + d*x^3])/(3*d)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^m_/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b]

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)^2}{c+dx^3} dx &= b^2 \int \frac{x^2}{c+dx^3} dx + \int \frac{a^2+2abx}{c+dx^3} dx \\
&= \frac{b^2 \log(c+dx^3)}{3d} + \frac{\int \frac{\sqrt[3]{c}(2ab\sqrt[3]{c}+2a^2\sqrt[3]{d})+(2ab\sqrt[3]{c}-a^2\sqrt[3]{d})\sqrt[3]{d}x}{c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2} dx}{3c^{2/3}\sqrt[3]{d}} - \frac{(2ab\sqrt[3]{c}-a^2\sqrt[3]{d}) \int \frac{1}{\sqrt[3]{c}+\sqrt[3]{d}x} dx}{3c^{2/3}\sqrt[3]{d}} \\
&= -\frac{a(2b\sqrt[3]{c}-a\sqrt[3]{d}) \log(\sqrt[3]{c}+\sqrt[3]{d}x)}{3c^{2/3}d^{2/3}} + \frac{b^2 \log(c+dx^3)}{3d} + \frac{1}{2} \left(a \left(\frac{a}{\sqrt[3]{c}} + \frac{2b}{\sqrt[3]{d}} \right) \right) \int \frac{1}{c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x} dx \\
&= -\frac{a(2b\sqrt[3]{c}-a\sqrt[3]{d}) \log(\sqrt[3]{c}+\sqrt[3]{d}x)}{3c^{2/3}d^{2/3}} + \frac{a(2b\sqrt[3]{c}-a\sqrt[3]{d}) \log(c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2)}{6c^{2/3}d^{2/3}} + \frac{b^2 \log(c+dx^3)}{3d} \\
&= -\frac{a(2b\sqrt[3]{c}+a\sqrt[3]{d}) \tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{2/3}} - \frac{a(2b\sqrt[3]{c}-a\sqrt[3]{d}) \log(\sqrt[3]{c}+\sqrt[3]{d}x)}{3c^{2/3}d^{2/3}} + \frac{a(2b\sqrt[3]{c}-a\sqrt[3]{d}) \log(c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2)}{6c^{2/3}d^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 200, normalized size = 1.08

$$-\frac{(a^2\sqrt[3]{c}\sqrt[3]{d}-2abc^{2/3})\log(c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2)}{6cd^{2/3}} + \frac{(a^2\sqrt[3]{c}\sqrt[3]{d}-2abc^{2/3})\log(\sqrt[3]{c}+\sqrt[3]{d}x)}{3cd^{2/3}} + \frac{(a^2\sqrt[3]{c}\sqrt[3]{d}+2abc^{2/3})\tan^{-1}\left(\frac{2\sqrt[3]{d}x-\sqrt[3]{c}}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}cd^{2/3}} + \frac{b^2 \log(c+dx^3)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)^2/(c + d*x^3), x]

[Out] ((2*a*b*c^(2/3) + a^2*c^(1/3)*d^(1/3))*ArcTan[(-c^(1/3) + 2*d^(1/3)*x)/(Sqrt[3]*c^(1/3))]/(Sqrt[3]*c*d^(2/3)) + ((-2*a*b*c^(2/3) + a^2*c^(1/3)*d^(1/3))*Log[c^(1/3) + d^(1/3)*x]/(3*c*d^(2/3)) - ((-2*a*b*c^(2/3) + a^2*c^(1/3)*d^(1/3))*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2]/(6*c*d^(2/3)) + (b^2*Log[c + d*x^3])/(3*d)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a+bx)^2}{c+dx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x)^2/(c + d*x^3), x]

[Out] IntegrateAlgebraic[(a + b*x)^2/(c + d*x^3), x]

$$\begin{aligned}
& 3*(b^4*c + 2*a^3*b*d)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3)^{(1/3)}*(I*\sqrt{3} + 1) - 2*b^2/d)^2*b*c^2*d^2 - 1/2*(4*b^3*c^2*d - \\
& a^3*c*d^2)*(2*(1/2)^{(2/3)}*(b^4/d^2 - (b^4*c + 2*a^3*b*d)/(c*d^2)))*(-I*\sqrt{3} + 1)/(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d) \\
&)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3)^{(1/3)} + (1/2)^{(1/3)}*(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d) \\
&)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3)^{(1/3)}*(I*\sqrt{3} + 1) - 2*b^2/d + 2*(8*a^2*b^3*c*d + a^5*d^2)*x - 3/2*\sqrt{3}*(2*b^3 \\
& *c^2*d + a^3*c*d^2 + (2*(1/2)^{(2/3)}*(b^4/d^2 - (b^4*c + 2*a^3*b*d)/(c*d^2)))*(-I*\sqrt{3} + 1)/(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + \\
& 2*a^3*b*d)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3)^{(1/3)} + (1/2)^{(1/3)}*(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + \\
& 2*a^3*b*d)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3)^{(1/3)}*(I*\sqrt{3} + 1) - 2*b^2/d)*b*c^2*d^2)*\sqrt{-(4*b^4*c + 32*a^3*b*d + 4*(\\
& 2*(1/2)^{(2/3)}*(b^4/d^2 - (b^4*c + 2*a^3*b*d)/(c*d^2)))*(-I*\sqrt{3} + 1)/(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*b^2/(c*d^3 \\
&) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3)^{(1/3)} + (1/2)^{(1/3)}*(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*b^2/(c*d^3 \\
&) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3)^{(1/3)}*(I*\sqrt{3} + 1) - 2*b^2/d)*b^2*c*d + (2*(1/2)^{(2/3)}*(b^4/d^2 - (b^4*c + 2*a^3*b*d)/(c*d^2)))*(- \\
& I*\sqrt{3} + 1)/(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2 \\
& *a^3*b*d)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3)^{(1/3)} + (1/2)^{(1/3)}*(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2 \\
& *a^3*b*d)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3)^{(1/3)}*(I*\sqrt{3} + 1) - 2*b^2/d)^2*c*d^2)/(c*d^2))))/d
\end{aligned}$$

giac [A] time = 0.18, size = 175, normalized size = 0.94

$$\frac{b^2 \log(|dx^3 + c|)}{3d} - \frac{\sqrt{3} \left(a^2 d - 2(-cd^2)^{\frac{1}{3}} ab \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{c}{d})^{\frac{1}{3}} \right)}{3(-\frac{c}{d})^{\frac{1}{3}}} \right)}{3(-cd^2)^{\frac{2}{3}}} - \frac{\left(a^2 d + 2(-cd^2)^{\frac{1}{3}} ab \right) \log \left(x^2 + x \left(-\frac{c}{d} \right)^{\frac{1}{3}} + \left(-\frac{c}{d} \right)^{\frac{2}{3}} \right)}{6(-cd^2)^{\frac{2}{3}}} - \frac{\left(2abd \left(-\frac{c}{d} \right)^{\frac{1}{3}} + a^2 d \right) \left(-\frac{c}{d} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{c}{d} \right)^{\frac{1}{3}} \right| \right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2/(d*x^3+c),x, algorithm="giac")

[Out] 1/3*b^2*log(abs(d*x^3 + c))/d - 1/3*sqrt(3)*(a^2*d - 2*(-c*d^2)^(1/3)*a*b)*arctan(1/3*sqrt(3)*(2*x + (-c/d)^(1/3))/(-c/d)^(1/3))/(-c*d^2)^(2/3) - 1/6*(a^2*d + 2*(-c*d^2)^(1/3)*a*b)*log(x^2 + x*(-c/d)^(1/3) + (-c/d)^(2/3))/(-c*d^2)^(2/3) - 1/3*(2*a*b*d*(-c/d)^(1/3) + a^2*d)*(-c/d)^(1/3)*log(abs(x - (-c/d)^(1/3)))/(c*d)

maple [A] time = 0.05, size = 211, normalized size = 1.13

$$\frac{\sqrt{3} a^2 \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{3}\right)}{3\left(\frac{c}{d}\right)^{\frac{2}{3}}d} + \frac{a^2 \ln\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{2}{3}}d} - \frac{a^2 \ln\left(x^2 - \left(\frac{c}{d}\right)^{\frac{1}{3}}x + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6\left(\frac{c}{d}\right)^{\frac{2}{3}}d} + \frac{2\sqrt{3} ab \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{3}\right)}{3\left(\frac{c}{d}\right)^{\frac{1}{3}}d} - \frac{2ab \ln\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{1}{3}}d} + \frac{ab \ln\left(x^2 - \left(\frac{c}{d}\right)^{\frac{1}{3}}x + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{1}{3}}d} + \frac{b^2 \ln(dx^3 + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^2/(d*x^3+c),x)

[Out] $\frac{1}{3}a^2d/(c/d)^{(2/3)}*\ln(x+(c/d)^{(1/3)})-1/6*a^2/d/(c/d)^{(2/3)}*\ln(x^2-(c/d)^{(1/3)}*x+(c/d)^{(2/3)})+1/3*a^2/d/(c/d)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(c/d)^{(1/3)}*x-1))-2/3*a*b/d/(c/d)^{(1/3)}*\ln(x+(c/d)^{(1/3)})+1/3*a*b/d/(c/d)^{(1/3)}*\ln(x^2-(c/d)^{(1/3)}*x+(c/d)^{(2/3)})+2/3*a*b*3^{(1/2)}/d/(c/d)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(c/d)^{(1/3)}*x-1))+1/3*b^2*2*\ln(d*x^3+c)/d$

maxima [A] time = 2.92, size = 192, normalized size = 1.03

$$\frac{\sqrt{3}\left(2b^2c - \left(6ab\left(\frac{c}{d}\right)^{\frac{2}{3}} + 3a^2\left(\frac{c}{d}\right)^{\frac{1}{3}} + \frac{2b^2c}{d}\right)d\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{9cd} + \frac{\left(2b^2\left(\frac{c}{d}\right)^{\frac{2}{3}} + 2ab\left(\frac{c}{d}\right)^{\frac{1}{3}} - a^2\right) \log\left(x^2 - x\left(\frac{c}{d}\right)^{\frac{1}{3}} + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6d\left(\frac{c}{d}\right)^{\frac{2}{3}}} + \frac{\left(b^2\left(\frac{c}{d}\right)^{\frac{2}{3}} - 2ab\left(\frac{c}{d}\right)^{\frac{1}{3}} + a^2\right) \log\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3d\left(\frac{c}{d}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2/(d*x^3+c),x, algorithm="maxima")

[Out] $-1/9*\sqrt{3}*(2*b^2*c - (6*a*b*(c/d)^{(2/3)} + 3*a^2*(c/d)^{(1/3)} + 2*b^2*c/d)*d)*\arctan(1/3*\sqrt{3}*(2*x - (c/d)^{(1/3)})/(c/d)^{(1/3)})/(c*d) + 1/6*(2*b^2*(c/d)^{(2/3)} + 2*a*b*(c/d)^{(1/3)} - a^2)*\log(x^2 - x*(c/d)^{(1/3)} + (c/d)^{(2/3)})/(d*(c/d)^{(2/3)}) + 1/3*(b^2*(c/d)^{(2/3)} - 2*a*b*(c/d)^{(1/3)} + a^2)*\log(x + (c/d)^{(1/3)})/(d*(c/d)^{(2/3)})$

mupad [B] time = 0.26, size = 357, normalized size = 1.92

$\sum_{k=0}^{\infty} \ln\left(b^k + \text{root}\left(27c^2d^3z^3 - 27b^2c^2d^2z^2 + 18a^3b^3cd - b^6c^2 - a^6d^2, z, k\right)^2cd^2 + 2a^3b^3d - 6\text{root}\left(27c^2d^3z^3 - 27b^2c^2d^2z^2 + 18a^3b^3cd - b^6c^2 - a^6d^2, z, k\right)*b^2cd + 3\text{root}\left(27c^2d^3z^3 - 27b^2c^2d^2z^2 + 18a^3b^3cd - b^6c^2 - a^6d^2, z, k\right)\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x)^2/(c + d*x^3),x)

[Out] $\text{symsum}\left(\log(b^4c + 9*\text{root}\left(27c^2d^3z^3 - 27b^2c^2d^2z^2 + 18a^3b^3cd - b^6c^2 - a^6d^2, z, k\right)^2cd^2 + 2a^3b^3d - 6*\text{root}\left(27c^2d^3z^3 - 27b^2c^2d^2z^2 + 18a^3b^3cd - b^6c^2 - a^6d^2, z, k\right)*b^2cd + 3*\text{root}\left(27c^2d^3z^3 - 27b^2c^2d^2z^2 + 18a^3b^3cd - b^6c^2 - a^6d^2, z, k\right)\right)$

$a^3b^3cd - b^6c^2 - a^6d^2, z, k) \cdot a^2d^2x + 3a^2b^2d^2x) \cdot \text{root}(27c^2d^3z^3 - 27b^2c^2d^2z^2 + 18a^3b^2cd^2z + 9b^4c^2d^2z + 2a^3b^3cd - b^6c^2 - a^6d^2, z, k), k, 1, 3)$

sympy [A] time = 1.38, size = 156, normalized size = 0.84

$\text{RootSum}\left(27t^3c^2d^3 - 27t^2b^2c^2d^2 + t(18a^3bcd^2 + 9b^4c^2d) - a^6d^2 + 2a^3b^3cd - b^6c^2, \left(t \mapsto t \log\left(x + \frac{18t^2bc^2d^2 + 3ta^3cd^2 - 12tb^3c^2d + 7a^3b^2cd + 2b^5c^2}{a^5d^2 + 8a^2b^3cd}\right)\right)\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**2/(d*x**3+c),x)

[Out] $\text{RootSum}(27_t**3c**2d**3 - 27_t**2b**2c**2d**2 + _t*(18a**3b*c*d**2 + 9b**4*c**2*d) - a**6*d**2 + 2a**3b**3*c*d - b**6*c**2, \text{Lambda}(_t, _t * \log(x + (18_t**2*b*c**2*d**2 + 3_t*a**3*c*d**2 - 12_t*b**3*c**2*d + 7*a**3*b**2*c*d + 2*b**5*c**2)/(a**5*d**2 + 8*a**2*b**3*c*d))))$

$$3.60 \quad \int \frac{(a+bx)^3}{c+dx^3} dx$$

Optimal. Leaf size=222

$$\frac{(a^3(-d) + 3a^2b\sqrt[3]{c}d^{2/3} + b^3c) \log(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{4/3}} - \frac{(a^3(-d) + 3a^2b\sqrt[3]{c}d^{2/3} + b^3c) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \dots$$

Rubi [A] time = 0.32, antiderivative size = 222, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(3a^2b\sqrt[3]{c}d^{2/3} + a^3(-d) + b^3c) \log(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{4/3}} - \frac{(3a^2b\sqrt[3]{c}d^{2/3} + a^3(-d) + b^3c) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{(-3a^2b\sqrt[3]{c}d^{2/3} + a^3(-d) + b^3c) \tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{4/3}} + \frac{ab^2 \log(c+dx^3)}{d} + \frac{b^3x}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)^3/(c + d*x^3), x]

[Out] (b^3*x)/d + ((b^3*c - 3*a^2*b*c^(1/3)*d^(2/3) - a^3*d)*ArcTan[(c^(1/3) - 2*d^(1/3)*x)/(Sqrt[3]*c^(1/3))]/(Sqrt[3]*c^(2/3)*d^(4/3)) - ((b^3*c + 3*a^2*b*c^(1/3)*d^(2/3) - a^3*d)*Log[c^(1/3) + d^(1/3)*x]/(3*c^(2/3)*d^(4/3)) + ((b^3*c + 3*a^2*b*c^(1/3)*d^(2/3) - a^3*d)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2]/(6*c^(2/3)*d^(4/3)) + (a*b^2*Log[c + d*x^3])/d

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)^3}{c+dx^3} dx &= \int \left(\frac{b^3}{d} - \frac{b^3c - a^3d - 3a^2bdx - 3ab^2dx^2}{d(c+dx^3)} \right) dx \\
&= \frac{b^3x}{d} - \frac{\int \frac{b^3c - a^3d - 3a^2bdx - 3ab^2dx^2}{c+dx^3} dx}{d} \\
&= \frac{b^3x}{d} + (3ab^2) \int \frac{x^2}{c+dx^3} dx - \frac{\int \frac{b^3c - a^3d - 3a^2bdx}{c+dx^3} dx}{d} \\
&= \frac{b^3x}{d} + \frac{ab^2 \log(c+dx^3)}{d} - \frac{\int \frac{\sqrt[3]{c}(-3a^2b\sqrt[3]{c}d + 2\sqrt[3]{d}(b^3c - a^3d)) + \sqrt[3]{d}(-3a^2b\sqrt[3]{c}d - \sqrt[3]{d}(b^3c - a^3d))x}{c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2} dx}{3c^{2/3}d^{4/3}} - \frac{(b^3c + \dots)}{\dots} \\
&= \frac{b^3x}{d} - \frac{(b^3c + 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{ab^2 \log(c+dx^3)}{d} - \frac{(b^3c - 3a^2b\sqrt[3]{c}d^{2/3} - \dots)}{\dots} \\
&= \frac{b^3x}{d} - \frac{(b^3c + 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{(b^3c + 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x)}{6c^{2/3}d^{4/3}} \\
&= \frac{b^3x}{d} + \frac{(b^3c - 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{4/3}} - \frac{(b^3c + 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 214, normalized size = 0.96

$$\frac{(a^3(-d) + 3a^2b\sqrt[3]{c}d^{2/3} + b^3c) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2) - 2(a^3(-d) + 3a^2b\sqrt[3]{c}d^{2/3} + b^3c) \log(\sqrt[3]{c} + \sqrt[3]{d}x) + 2\sqrt{3}(a^3(-d) - 3a^2b\sqrt[3]{c}d^{2/3} + b^3c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right) + 6ab^2c^{2/3}\sqrt[3]{d} \log(c+dx^3) + 6b^3c^{2/3}\sqrt[3]{d}x}{6c^{2/3}d^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)^3/(c + d*x^3), x]

[Out] (6*b^3*c^(2/3)*d^(1/3)*x + 2*Sqrt[3]*(b^3*c - 3*a^2*b*c^(1/3)*d^(2/3) - a^3*d)*ArcTan[(1 - (2*d^(1/3)*x)/c^(1/3))/Sqrt[3]] - 2*(b^3*c + 3*a^2*b*c^(1/3)*d^(2/3) - a^3*d)*Log[c^(1/3) + d^(1/3)*x] + (b^3*c + 3*a^2*b*c^(1/3)*d^(2/3) - a^3*d)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2] + 6*a*b^2*c^(2/3)*d^(1/3)*Log[c + d*x^3]/(6*c^(2/3)*d^(4/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a+bx)^3}{c+dx^3} dx$$

$$\begin{aligned}
& 3a^3b^6c^2d - 24a^6b^3cd^2 - a^9d^3)/(c^2d^4))^{(1/3)}*(I*\sqrt{3} \\
& + 1))*a*b^2*c*d - (6*(1/2)^{(2/3)}*(3a^2b^4/d^2 - (2a^2b^4*c + a^5*b*d)/(\\
& c*d^2)))*(-I*\sqrt{3} + 1)/(54a^3b^6/d^3 - 27*(2a^2b^4*c + a^5*b*d)*a*b^2 \\
& /(c*d^3) - (b^9*c^3 - 3a^3b^6*c^2*d + 3a^6b^3*c*d^2 - a^9*d^3)/(c^2*d^4 \\
&) - (b^9*c^3 - 3a^3b^6*c^2*d - 24a^6b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/ \\
& 3) - 6*a*b^2/d + (1/2)^{(1/3)}*(54a^3b^6/d^3 - 27*(2a^2b^4*c + a^5*b*d)*a \\
& *b^2/(c*d^3) - (b^9*c^3 - 3a^3b^6*c^2*d + 3a^6b^3*c*d^2 - a^9*d^3)/(c^2 \\
& *d^4) - (b^9*c^3 - 3a^3b^6*c^2*d - 24a^6b^3*c*d^2 - a^9*d^3)/(c^2*d^4)) \\
& ^{(1/3)}*(I*\sqrt{3} + 1))^2*c*d^2)/(c*d^2))) + (18*a*b^2 + (6*(1/2)^{(2/3)}*(3* \\
& a^2*b^4/d^2 - (2*a^2*b^4*c + a^5*b*d)/(c*d^2))*(-I*\sqrt{3} + 1)/(54*a^3*b^6 \\
& /d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2* \\
& d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24* \\
& a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3) - 6*a*b^2/d + (1/2)^{(1/3)}*(54*a^3 \\
& *b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6* \\
& c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - \\
& 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)}*(I*\sqrt{3} + 1))*d - 3*sqrt(1 \\
& /3)*d*sqrt((12*a^2*b^4*c - 48*a^5*b*d - 12*(6*(1/2)^{(2/3)}*(3*a^2*b^4/d^2 - \\
& (2*a^2*b^4*c + a^5*b*d)/(c*d^2))*(-I*\sqrt{3} + 1)/(54*a^3*b^6/d^3 - 27*(2*a \\
& ^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3* \\
& c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 \\
& - a^9*d^3)/(c^2*d^4))^{(1/3) - 6*a*b^2/d + (1/2)^{(1/3)}*(54*a^3*b^6/d^3 - 27* \\
& (2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6* \\
& b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c* \\
& d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)}*(I*\sqrt{3} + 1))*a*b^2*c*d - (6*(1/2)^{(2/3)} \\
& *(3*a^2*b^4/d^2 - (2*a^2*b^4*c + a^5*b*d)/(c*d^2))*(-I*\sqrt{3} + 1)/(54*a^3 \\
& *b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6* \\
& c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - \\
& 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3) - 6*a*b^2/d + (1/2)^{(1/3)}*(54 \\
& *a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3* \\
& b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2 \\
& *d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)}*(I*\sqrt{3} + 1))^2*c*d^2) \\
& /(c*d^2))) * log(3*a*b^8*c^3 - 15*a^4*b^5*c^2*d - 15*a^7*b^2*c*d^2 - 3/4*(6*(\\
& 1/2)^{(2/3)}*(3*a^2*b^4/d^2 - (2*a^2*b^4*c + a^5*b*d)/(c*d^2))*(-I*\sqrt{3} + \\
& 1)/(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - \\
& 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^ \\
& 6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3) - 6*a*b^2/d + (1/2) \\
& ^{(1/3)}*(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^ \\
& 3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a \\
& ^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)}*(I*\sqrt{3} + 1) \\
&)^2*a^2*b*c^2*d^3 + 1/2*(b^6*c^3*d - 20*a^3*b^3*c^2*d^2 + a^6*c*d^3)*(6*(1/ \\
& 2)^{(2/3)}*(3*a^2*b^4/d^2 - (2*a^2*b^4*c + a^5*b*d)/(c*d^2))*(-I*\sqrt{3} + 1) \\
& / (54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3* \\
& a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6 \\
& *c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3) - 6*a*b^2/d + (1/2)^{(\\
& 1/3)}*(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3
\end{aligned}$$

$$\begin{aligned}
& - 3a^3b^6c^2d + 3a^6b^3c^3d^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3c^3d^2 - a^9d^3)/(c^2d^4))^{1/3} * (I\sqrt{3} + 1) \\
& - 2*(b^9c^3 - 3a^3b^6c^2d - 24a^6b^3c^3d^2 - a^9d^3)*x - 3/4*\sqrt{1/3}*(2*b^6c^3d + 14*a^3b^3c^2d^2 + 2*a^6c^3d^3 + 3*(6*(1/2)^{2/3})*(3*a^2b^4/d^2 - (2*a^2b^4c + a^5*b*d)/(c*d^2)))*(-I\sqrt{3} + 1)/(54*a^3b^6/d^3 - 27*(2*a^2b^4c + a^5*b*d)*a*b^2/(c*d^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3c^3d^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3c^3d^2 - a^9d^3)/(c^2d^4))^{1/3} - 6*a*b^2/d + (1/2)^{1/3}*(54*a^3b^6/d^3 - 27*(2*a^2b^4c + a^5*b*d)*a*b^2/(c*d^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3c^3d^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3c^3d^2 - a^9d^3)/(c^2d^4))^{1/3} * (I\sqrt{3} + 1) * a^2*b*c^2*d^3) * \sqrt{((12*a^2b^4c - 48*a^5*b*d - 12*(6*(1/2)^{2/3})*(3*a^2b^4/d^2 - (2*a^2b^4c + a^5*b*d)/(c*d^2)))*(-I\sqrt{3} + 1)/(54*a^3b^6/d^3 - 27*(2*a^2b^4c + a^5*b*d)*a*b^2/(c*d^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3c^3d^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3c^3d^2 - a^9d^3)/(c^2d^4))^{1/3} - 6*a*b^2/d + (1/2)^{1/3}*(54*a^3b^6/d^3 - 27*(2*a^2b^4c + a^5*b*d)*a*b^2/(c*d^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3c^3d^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3c^3d^2 - a^9d^3)/(c^2d^4))^{1/3} * (I\sqrt{3} + 1)) * a*b^2*c*d - (6*(1/2)^{2/3}*(3*a^2b^4/d^2 - (2*a^2b^4c + a^5*b*d)/(c*d^2)))*(-I\sqrt{3} + 1)/(54*a^3b^6/d^3 - 27*(2*a^2b^4c + a^5*b*d)*a*b^2/(c*d^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3c^3d^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3c^3d^2 - a^9d^3)/(c^2d^4))^{1/3} - 6*a*b^2/d + (1/2)^{1/3}*(54*a^3b^6/d^3 - 27*(2*a^2b^4c + a^5*b*d)*a*b^2/(c*d^3) - (b^9c^3 - 3a^3b^6c^2d + 3a^6b^3c^3d^2 - a^9d^3)/(c^2d^4) - (b^9c^3 - 3a^3b^6c^2d - 24a^6b^3c^3d^2 - a^9d^3)/(c^2d^4))^{1/3} * (I\sqrt{3} + 1))^{2*c*d^2)/(c*d^2)))/d
\end{aligned}$$

giac [A] time = 0.19, size = 214, normalized size = 0.96

$$\frac{b^3x}{d} + \frac{ab^2 \log\left(\left|dx^3 + c\right|\right)}{d} + \frac{\sqrt{3} \left(b^3c - a^3d + 3(-cd^2)^{\frac{1}{3}} a^2b\right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{3(-cd^2)^{\frac{2}{3}}} + \frac{\left(b^3c - a^3d - 3(-cd^2)^{\frac{1}{3}} a^2b\right) \log\left(x^2 + x\left(-\frac{c}{d}\right)^{\frac{1}{3}} + \left(-\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6(-cd^2)^{\frac{2}{3}}} - \frac{\left(3a^2bd^3\left(-\frac{c}{d}\right)^{\frac{1}{3}} - b^3cd^2 + a^3d^3\right)\left(-\frac{c}{d}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{c}{d}\right)^{\frac{1}{3}}\right|\right)}{3cd^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^3/(d*x^3+c),x, algorithm="giac")

[Out] $b^3*x/d + a*b^2*\log(\text{abs}(d*x^3 + c))/d + 1/3*\sqrt{3}*(b^3*c - a^3*d + 3*(-c*d^2)^{1/3}*a^2*b)*\arctan(1/3*\sqrt{3}*(2*x + (-c/d)^{1/3})/(-c/d)^{1/3})/(-c*d^2)^{2/3} + 1/6*(b^3*c - a^3*d - 3*(-c*d^2)^{1/3}*a^2*b)*\log(x^2 + x*(-c/d)^{1/3} + (-c/d)^{2/3})/(-c*d^2)^{2/3} - 1/3*(3*a^2*b*d^3*(-c/d)^{1/3} - b^3*c*d^2 + a^3*d^3)*(-c/d)^{1/3}*\log(\text{abs}(x - (-c/d)^{1/3}))/c*d^3)$

maple [A] time = 0.05, size = 325, normalized size = 1.46

$$\frac{\sqrt{3} a^3 \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{3}\right)}{\left(\frac{x}{3}\right)^{\frac{2}{3}}}\right)}{3\left(\frac{x}{3}\right)^{\frac{2}{3}}d} + \frac{a^3 \ln\left(x + \left(\frac{x}{3}\right)^{\frac{1}{3}}\right)}{3\left(\frac{x}{3}\right)^{\frac{2}{3}}d} - \frac{a^3 \ln\left(x^2 - \left(\frac{x}{3}\right)^{\frac{1}{3}}x + \left(\frac{x}{3}\right)^{\frac{2}{3}}\right)}{6\left(\frac{x}{3}\right)^{\frac{2}{3}}d} + \frac{\sqrt{3} a^2 b \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{3}\right)}{\left(\frac{x}{3}\right)^{\frac{2}{3}}}\right)}{\left(\frac{x}{3}\right)^{\frac{1}{3}}d} - \frac{a^2 b \ln\left(x + \left(\frac{x}{3}\right)^{\frac{1}{3}}\right)}{\left(\frac{x}{3}\right)^{\frac{1}{3}}d} + \frac{a^2 b \ln\left(x^2 - \left(\frac{x}{3}\right)^{\frac{1}{3}}x + \left(\frac{x}{3}\right)^{\frac{2}{3}}\right)}{2\left(\frac{x}{3}\right)^{\frac{1}{3}}d} + \frac{a b^2 \ln(dx^3+c)}{d} - \frac{\sqrt{3} b^3 c \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{3}\right)}{\left(\frac{x}{3}\right)^{\frac{2}{3}}}\right)}{3\left(\frac{x}{3}\right)^{\frac{2}{3}}d^2} - \frac{b^3 c \ln\left(x + \left(\frac{x}{3}\right)^{\frac{1}{3}}\right)}{3\left(\frac{x}{3}\right)^{\frac{2}{3}}d^2} + \frac{b^3 c \ln\left(x^2 - \left(\frac{x}{3}\right)^{\frac{1}{3}}x + \left(\frac{x}{3}\right)^{\frac{2}{3}}\right)}{6\left(\frac{x}{3}\right)^{\frac{2}{3}}d^2} + \frac{b^3 x}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^3/(d*x^3+c), x)

[Out] $b^3 x/d + 1/3 d/(c/d)^{(2/3)} * \ln(x + (c/d)^{(1/3)}) * a^3 - 1/3 d^2/(c/d)^{(2/3)} * \ln(x + (c/d)^{(1/3)}) * b^3 c - 1/6 d/(c/d)^{(2/3)} * \ln(x^2 - (c/d)^{(1/3)} * x + (c/d)^{(2/3)}) * a^3 + 1/6 d^2/(c/d)^{(2/3)} * \ln(x^2 - (c/d)^{(1/3)} * x + (c/d)^{(2/3)}) * b^3 c + 1/3 d/(c/d)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(c/d)^{(1/3)} * x - 1)) * a^3 - 1/3 d^2/(c/d)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(c/d)^{(1/3)} * x - 1)) * b^3 c - 1/d * a^2 * b/(c/d)^{(1/3)} * \ln(x + (c/d)^{(1/3)}) + 1/2/d * a^2 * b/(c/d)^{(1/3)} * \ln(x^2 - (c/d)^{(1/3)} * x + (c/d)^{(2/3)}) + 1/d * a^2 * b * 3^{(1/2)} / (c/d)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(c/d)^{(1/3)} * x - 1)) + a * b^2 * \ln(d * x^3 + c) / d$

maxima [A] time = 2.96, size = 240, normalized size = 1.08

$$\frac{b^3 x}{d} - \frac{\sqrt{3} \left(b^3 \left(\frac{x}{3} \right)^{\frac{1}{3}} + 2 a b^2 c - \left(3 a^2 b \left(\frac{x}{3} \right)^{\frac{2}{3}} + a^3 \left(\frac{x}{3} \right)^{\frac{1}{3}} + \frac{2 a b^2 c}{d} \right) d \right) \arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{x}{3}\right)^{\frac{1}{3}}\right)}{3\left(\frac{x}{3}\right)^{\frac{2}{3}}}\right)}{3 c d} + \frac{\left(b^3 c + \left(6 a b^2 \left(\frac{x}{3} \right)^{\frac{2}{3}} + 3 a^2 b \left(\frac{x}{3} \right)^{\frac{1}{3}} - a^3 \right) d \right) \log\left(x^2 - x \left(\frac{x}{3} \right)^{\frac{1}{3}} + \left(\frac{x}{3} \right)^{\frac{2}{3}}\right)}{6 d^2 \left(\frac{x}{3} \right)^{\frac{2}{3}}} - \frac{\left(b^3 c - \left(3 a b^2 \left(\frac{x}{3} \right)^{\frac{2}{3}} - 3 a^2 b \left(\frac{x}{3} \right)^{\frac{1}{3}} + a^3 \right) d \right) \log\left(x + \left(\frac{x}{3} \right)^{\frac{1}{3}}\right)}{3 d^2 \left(\frac{x}{3} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^3/(d*x^3+c), x, algorithm="maxima")

[Out] $b^3 x/d - 1/3 \sqrt{3} * ((b^3 * (c/d)^{(1/3)} + 2 * a * b^2) * c - (3 * a^2 * b * (c/d)^{(2/3)} + a^3 * (c/d)^{(1/3)} + 2 * a * b^2 * c/d) * d) * \arctan(1/3 * \sqrt{3} * (2 * x - (c/d)^{(1/3)}) / (c/d)^{(1/3)}) / (c * d) + 1/6 * (b^3 * c + (6 * a * b^2 * (c/d)^{(2/3)} + 3 * a^2 * b * (c/d)^{(1/3)} - a^3) * d) * \log(x^2 - x * (c/d)^{(1/3)} + (c/d)^{(2/3)}) / (d^2 * (c/d)^{(2/3)}) - 1/3 * (b^3 * c - (3 * a * b^2 * (c/d)^{(2/3)} - 3 * a^2 * b * (c/d)^{(1/3)} + a^3) * d) * \log(x + (c/d)^{(1/3)}) / (d^2 * (c/d)^{(2/3)})$

mupad [B] time = 5.14, size = 370, normalized size = 1.67

$$\left(\sum_{k=0}^{\infty} \frac{\log(\text{root}(27 * c^2 * d^4 * z^3 - 81 * a * b^2 * c^2 * d^3 * z^2 + 54 * a^2 * b^4 * c^2 * d^2 * z + 27 * a^5 * b * c * d^3 * z + 3 * a^6 * b^3 * c * d^2 - 3 * a^3 * b^6 * c^2 * d + b^9 * c^3 - a^9 * d^3, z, k) * (x * (3 * a^3 * d^2 - 3 * b^3 * c * d) + 9 * \text{root}(27 * c^2 * d^4 * z^3 - 81 * a * b^2 * c^2 * d^3 * z^2 + 54 * a^2 * b^4 * c^2 * d^2 * z + 27 * a^5 * b * c * d^3 * z + 3 * a^6 * b^3 * c * d^2 - 3 * a^3 * b^6 * c^2 * d + b^9 * c^3 - a^9 * d^3, z, k))}{k!} \right) \frac{b^3 x}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x)^3/(c + d*x^3), x)

[Out] $\text{symsum}(\log(\text{root}(27 * c^2 * d^4 * z^3 - 81 * a * b^2 * c^2 * d^3 * z^2 + 54 * a^2 * b^4 * c^2 * d^2 * z + 27 * a^5 * b * c * d^3 * z + 3 * a^6 * b^3 * c * d^2 - 3 * a^3 * b^6 * c^2 * d + b^9 * c^3 - a^9 * d^3, z, k) * (x * (3 * a^3 * d^2 - 3 * b^3 * c * d) + 9 * \text{root}(27 * c^2 * d^4 * z^3 - 81 * a * b^2 * c^2 * d^3 * z^2 + 54 * a^2 * b^4 * c^2 * d^2 * z + 27 * a^5 * b * c * d^3 * z + 3 * a^6 * b^3 * c * d^2 - 3 * a^3 * b^6 * c^2 * d + b^9 * c^3 - a^9 * d^3, z, k))$

$$d^3z^2 + 54a^2b^4c^2d^2z + 27a^5b^3cd^3z + 3a^6b^3c^2d^2 - 3a^3b^6c^2d + b^9c^3 - a^9d^3, z, k) * c^2d^2 - 18ab^2cd) + x(6a^4b^2d + 3ab^5c) + 6a^2b^4c + 3a^5b^3d) * \text{root}(27c^2d^4z^3 - 81ab^2c^2d^3z^2 + 54a^2b^4c^2d^2z + 27a^5b^3cd^3z + 3a^6b^3c^2d^2 - 3a^3b^6c^2d + b^9c^3 - a^9d^3, z, k), k, 1, 3) + (b^3x)/d$$

sympy [A] time = 5.71, size = 245, normalized size = 1.10

$$\frac{b^3x}{d} + \text{RootSum}\left(27t^3c^2d^4 - 81t^2ab^2c^2d^3 + t(27a^5bcd^3 + 54a^2b^4c^2d^2) - a^9d^3 + 3a^6b^3cd^2 - 3a^3b^6c^2d + b^9c^3, \left(t \mapsto t \log\left(x + \frac{27t^2a^2bc^2d^3 + 3ta^6cd^3 - 60ta^3b^3c^2d^2 + 3tb^6c^3d + 15a^7b^2cd^2 + 15a^4b^5c^2d - 3ab^8c^3}{a^9d^3 + 24a^6b^3cd^2 + 3a^3b^6c^2d - b^9c^3}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**3/(d*x**3+c), x)

[Out] b**3*x/d + RootSum(27*_t**3*c**2*d**4 - 81*_t**2*a*b**2*c**2*d**3 + *_t*(27*a**5*b*c*d**3 + 54*a**2*b**4*c**2*d**2) - a**9*d**3 + 3*a**6*b**3*c*d**2 - 3*a**3*b**6*c**2*d + b**9*c**3, Lambda(_t, _t*log(x + (27*_t**2*a**2*b*c**2*d**3 + 3*_t*a**6*c*d**3 - 60*_t*a**3*b**3*c**2*d**2 + 3*_t*b**6*c**3*d + 15*a**7*b**2*c*d**2 + 15*a**4*b**5*c**2*d - 3*a*b**8*c**3)/(a**9*d**3 + 24*a**6*b**3*c*d**2 + 3*a**3*b**6*c**2*d - b**9*c**3))))

$$3.61 \quad \int \frac{(a+bx)^4}{c+dx^3} dx$$

Optimal. Leaf size=282

$$\frac{2a^2b^2 \log(c + dx^3)}{d} - \frac{(b\sqrt[3]{c} (b^3c - 4a^3d) - \sqrt[3]{d} (4ab^3c - a^4d)) \log(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3}x^2)}{6c^{2/3}d^{5/3}} + \frac{(b\sqrt[3]{c} (b^3c - 4a^3d) - \sqrt[3]{d} (4ab^3c - a^4d)) \log(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3}x^2)}{6c^{2/3}d^{5/3}}$$

Rubi [A] time = 0.44, antiderivative size = 280, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 17, number of rules / integrand size = 0.529, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(-b\sqrt[3]{c}(b^3c-4a^3d) + a^4(-d) + 4ab^3c) \log(c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3}x^2)}{6c^{2/3}d^{5/3}} + \frac{(b\sqrt[3]{c}(b^3c-4a^3d) - \sqrt[3]{d}(4ab^3c - a^4d)) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{5/3}} + \frac{(-4a^2b\sqrt[3]{c}d + a^4(-d^{4/3}) + 4ab^3c\sqrt[3]{d} + b^4a^{4/3}) \tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{5/3}} + \frac{2a^2b^2 \log(c + dx^3)}{d} + \frac{4ab^3x}{d} + \frac{b^4x^2}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)^4/(c + d*x^3), x]

[Out] (4*a*b^3*x)/d + (b^4*x^2)/(2*d) + ((b^4*c^(4/3) + 4*a*b^3*c*d^(1/3) - 4*a^3*b*c^(1/3)*d - a^4*d^(4/3))*ArcTan[(c^(1/3) - 2*d^(1/3)*x)/(Sqrt[3]*c^(1/3))])/(Sqrt[3]*c^(2/3)*d^(5/3)) + ((b*c^(1/3)*(b^3*c - 4*a^3*d) - d^(1/3)*(4*a*b^3*c - a^4*d))*Log[c^(1/3) + d^(1/3)*x])/(3*c^(2/3)*d^(5/3)) + ((4*a*b^3*c - a^4*d - (b*c^(1/3)*(b^3*c - 4*a^3*d))/d^(1/3))*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2])/(6*c^(2/3)*d^(4/3)) + (2*a^2*b^2*Log[c + d*x^3])/d

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)^4}{c+dx^3} dx &= \int \left(\frac{4ab^3}{d} + \frac{b^4x}{d} - \frac{4ab^3c - a^4d + b(b^3c - 4a^3d)x - 6a^2b^2dx^2}{d(c+dx^3)} \right) dx \\
&= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} - \frac{\int \frac{4ab^3c - a^4d + b(b^3c - 4a^3d)x - 6a^2b^2dx^2}{c+dx^3} dx}{d} \\
&= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} + (6a^2b^2) \int \frac{x^2}{c+dx^3} dx - \frac{\int \frac{4ab^3c - a^4d + b(b^3c - 4a^3d)x}{c+dx^3} dx}{d} \\
&= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} + \frac{2a^2b^2 \log(c+dx^3)}{d} - \frac{\int \frac{\sqrt[3]{c} (b \sqrt[3]{c} (b^3c - 4a^3d) + 2 \sqrt[3]{d} (4ab^3c - a^4d)) + \sqrt[3]{d} (b \sqrt[3]{c} (b^3c - 4a^3d) - \sqrt[3]{d} (4ab^3c - a^4d))}{c^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3} x^2} dx}{3c^{2/3} d^{4/3}} \\
&= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} - \frac{\left(4ab^3c - a^4d - \frac{b \sqrt[3]{c} (b^3c - 4a^3d)}{\sqrt[3]{d}} \right) \log(\sqrt[3]{c} + \sqrt[3]{d} x)}{3c^{2/3} d^{4/3}} + \frac{2a^2b^2 \log(c+dx^3)}{d} - \frac{(b^4c^4 - a^4d^4)}{6c^2} \\
&= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} - \frac{\left(4ab^3c - a^4d - \frac{b \sqrt[3]{c} (b^3c - 4a^3d)}{\sqrt[3]{d}} \right) \log(\sqrt[3]{c} + \sqrt[3]{d} x)}{3c^{2/3} d^{4/3}} + \frac{\left(4ab^3c - a^4d - \frac{b \sqrt[3]{c} (b^3c - 4a^3d)}{\sqrt[3]{d}} \right) \log(\sqrt[3]{c} + \sqrt[3]{d} x)}{6c^2} \\
&= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} + \frac{(b^4c^{4/3} + 4ab^3c \sqrt[3]{d} - 4a^3b \sqrt[3]{c} d - a^4d^{4/3}) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2 \sqrt[3]{d} x}{\sqrt{3} \sqrt[3]{c}}\right)}{\sqrt{3} c^{2/3} d^{5/3}} - \frac{\left(4ab^3c - a^4d - \frac{b \sqrt[3]{c} (b^3c - 4a^3d)}{\sqrt[3]{d}} \right) \log(\sqrt[3]{c} + \sqrt[3]{d} x)}{6c^2}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 277, normalized size = 0.98

$$\frac{12a^2b^2d^{2/3} \log(c+dx^3) - \frac{(a^4d^3 - 4a^3b \sqrt[3]{c} d - 4ab^3c \sqrt[3]{d} + b^4d^3) \log(2^{2/3} - \sqrt[3]{c} \sqrt[3]{d} x + d^{2/3} x^2)}{c^{2/3}} + 2(a^4d^3 - 4a^3b \sqrt[3]{c} d - 4ab^3c \sqrt[3]{d} + b^4d^3) \log(\sqrt[3]{c} + \sqrt[3]{d} x)}{6d^{5/3}} + \frac{2\sqrt{3} (a^4(-d^{4/3}) - 4a^3b \sqrt[3]{c} d + 4ab^3c \sqrt[3]{d} + b^4d^{4/3}) \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{d} x}{\sqrt{3} \sqrt[3]{c}}\right)}{c^{2/3}} + 24ab^3d^{2/3}x + 3b^4d^{2/3}x^2$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)^4/(c + d*x^3), x]

[Out] (24*a*b^3*d^(2/3)*x + 3*b^4*d^(2/3)*x^2 + (2*sqrt(3)*(b^4*c^(4/3) + 4*a*b^3*c*d^(1/3) - 4*a^3*b*c^(1/3)*d - a^4*d^(4/3))*ArcTan[(1 - (2*d^(1/3)*x)/c^(1/3))/sqrt(3)]/c^(2/3) + (2*(b^4*c^(4/3) - 4*a*b^3*c*d^(1/3) - 4*a^3*b*c^(1/3)*d + a^4*d^(4/3))*Log[c^(1/3) + d^(1/3)*x])/c^(2/3) - ((b^4*c^(4/3) - 4*a*b^3*c*d^(1/3) - 4*a^3*b*c^(1/3)*d + a^4*d^(4/3))*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2])/c^(2/3) + 12*a^2*b^2*d^(2/3)*Log[c + d*x^3]/(6*d^(5/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx)^4}{c + dx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x)^4/(c + d*x^3), x]

[Out] IntegrateAlgebraic[(a + b*x)^4/(c + d*x^3), x]

fricas [C] time = 5.15, size = 8787, normalized size = 31.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^4/(d*x^3+c), x, algorithm="fricas")

[Out]
$$\frac{1}{12} \cdot (6b^4x^2 + 48a^3b^3x + 2 \cdot (12a^2b^2/d - 2 \cdot (1/2)^{(2/3)} \cdot (36a^4b^4/d^2 - (4a^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)/(cd^3)) \cdot (-I\sqrt{3} + 1)) / (432a^6b^6/d^3 - 18 \cdot (4a^7c^2 + 19a^4b^4cd + 4a^7b^2d^2) \cdot a^2b^2 / (cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4) / (c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4) / (c^2d^5))^{(1/3)} - (1/2)^{(1/3)} \cdot (432a^6b^6/d^3 - 18 \cdot (4a^7c^2 + 19a^4b^4cd + 4a^7b^2d^2) \cdot a^2b^2 / (cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4) / (c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4) / (c^2d^5))^{(1/3)} \cdot (I\sqrt{3} + 1)) \cdot \log(-8a^3b^{11}c^4 - 66a^4b^8c^3d + 48a^7b^5c^2d^2 + 26a^{10}b^2cd^3 - 1/4 \cdot (b^4c^3d^3 - 4a^3b^2cd^4) \cdot (12a^2b^2/d - 2 \cdot (1/2)^{(2/3)} \cdot (36a^4b^4/d^2 - (4a^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)/(cd^3)) \cdot (-I\sqrt{3} + 1)) / (432a^6b^6/d^3 - 18 \cdot (4a^7c^2 + 19a^4b^4cd + 4a^7b^2d^2) \cdot a^2b^2 / (cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4) / (c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4) / (c^2d^5))^{(1/3)} - (1/2)^{(1/3)} \cdot (432a^6b^6/d^3 - 18 \cdot (4a^7c^2 + 19a^4b^4cd + 4a^7b^2d^2) \cdot a^2b^2 / (cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4) / (c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4) / (c^2d^5))^{(1/3)} \cdot (I\sqrt{3} + 1))^2 + 1/2 \cdot (28a^2b^6c^3d^2 - 56a^5b^3c^2d^3 + a^8cd^4) \cdot (12a^2b^2/d - 2 \cdot (1/2)^{(2/3)} \cdot (36a^4b^4/d^2 - (4a^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)/(cd^3)) \cdot (-I\sqrt{3} + 1)) / (432a^6b^6/d^3 - 18 \cdot (4a^7c^2 + 19a^4b^4cd + 4a^7b^2d^2) \cdot a^2b^2 / (cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4) / (c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4) / (c^2d^5))^{(1/3)} - (1/2)^{(1/3)} \cdot (432a^6b^6/d^3 - 18 \cdot (4a^7c^2 + 19a^4b^4cd + 4a^7b^2d^2) \cdot a^2b^2 / (cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4) / (c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4) / (c^2d^5))^{(1/3)}$$

$$\begin{aligned}
& ^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{(1/3)}*(I*\text{sqrt}(3) + 1)) \\
& - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)*x) + (36a^2* \\
& b^2 - (12a^2b^2/d - 2*(1/2)^{(2/3)}*(36a^4b^4/d^2 - (4a*b^7c^2 + 19a^4 \\
& *b^4*c*d + 4a^7*b*d^2)/(c*d^3)))*(-I*\text{sqrt}(3) + 1)/(432a^6*b^6/d^3 - 18*(4* \\
& a*b^7c^2 + 19a^4*b^4*c*d + 4a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^{12}c^4 + 52* \\
& a^3*b^9c^3d - 52a^9*b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3* \\
& b^9c^3d + 6a^6*b^6c^2d^2 - 4a^9*b^3cd^3 + a^{12}d^4)/(c^2d^5))^{(1/3} \\
&) - (1/2)^{(1/3)}*(432a^6*b^6/d^3 - 18*(4a*b^7c^2 + 19a^4*b^4*c*d + 4a^7 \\
& *b*d^2)*a^2*b^2/(c*d^4) - (b^{12}c^4 + 52a^3*b^9c^3d - 52a^9*b^3cd^3 - \\
& a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3*b^9c^3d + 6a^6*b^6c^2d^2 - 4* \\
& a^9*b^3cd^3 + a^{12}d^4)/(c^2d^5))^{(1/3)}*(I*\text{sqrt}(3) + 1))*d + 3*\text{sqrt}(1/3) \\
& *d*\text{sqrt}(-(64a*b^7c^2 - 128a^4*b^4*c*d + 64a^7*b*d^2 - 24*(12a^2*b^2/d \\
& - 2*(1/2)^{(2/3)}*(36a^4*b^4/d^2 - (4a*b^7c^2 + 19a^4*b^4*c*d + 4a^7*b*d \\
& ^2)/(c*d^3)))*(-I*\text{sqrt}(3) + 1)/(432a^6*b^6/d^3 - 18*(4a*b^7c^2 + 19a^4*b \\
& ^4*c*d + 4a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^{12}c^4 + 52a^3*b^9c^3d - 52a \\
& ^9*b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3*b^9c^3d + 6a^6*b^6 \\
& c^2d^2 - 4a^9*b^3cd^3 + a^{12}d^4)/(c^2d^5))^{(1/3)} - (1/2)^{(1/3)}*(432 \\
& *a^6*b^6/d^3 - 18*(4a*b^7c^2 + 19a^4*b^4*c*d + 4a^7*b*d^2)*a^2*b^2/(c*d \\
& ^4) - (b^{12}c^4 + 52a^3*b^9c^3d - 52a^9*b^3cd^3 - a^{12}d^4)/(c^2d^5) \\
& + (b^{12}c^4 - 4a^3*b^9c^3d + 6a^6*b^6c^2d^2 - 4a^9*b^3cd^3 + a^{12} \\
& *d^4)/(c^2d^5))^{(1/3)}*(I*\text{sqrt}(3) + 1))*a^2*b^2*c*d^2 + (12a^2*b^2/d - 2*(\\
& 1/2)^{(2/3)}*(36a^4*b^4/d^2 - (4a*b^7c^2 + 19a^4*b^4*c*d + 4a^7*b*d^2)/(\\
& c*d^3)))*(-I*\text{sqrt}(3) + 1)/(432a^6*b^6/d^3 - 18*(4a*b^7c^2 + 19a^4*b^4*c* \\
& d + 4a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^{12}c^4 + 52a^3*b^9c^3d - 52a^9*b^ \\
& 3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3*b^9c^3d + 6a^6*b^6c^2 \\
& *d^2 - 4a^9*b^3cd^3 + a^{12}d^4)/(c^2d^5))^{(1/3)} - (1/2)^{(1/3)}*(432a^6* \\
& b^6/d^3 - 18*(4a*b^7c^2 + 19a^4*b^4*c*d + 4a^7*b*d^2)*a^2*b^2/(c*d^4) - \\
& (b^{12}c^4 + 52a^3*b^9c^3d - 52a^9*b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b \\
& ^{12}c^4 - 4a^3*b^9c^3d + 6a^6*b^6c^2d^2 - 4a^9*b^3cd^3 + a^{12}d^4) \\
& / (c^2d^5))^{(1/3)}*(I*\text{sqrt}(3) + 1))^2*c*d^3)/(c*d^3))*\text{log}(8*a*b^{11}*c^4 + 66 \\
& *a^4*b^8*c^3*d - 48*a^7*b^5*c^2*d^2 - 26*a^{10}*b^2*c*d^3 + 1/4*(b^4*c^3*d^3 \\
& - 4a^3*b*c^2*d^4)*(12a^2*b^2/d - 2*(1/2)^{(2/3)}*(36a^4*b^4/d^2 - (4a*b^7 \\
& *c^2 + 19a^4*b^4*c*d + 4a^7*b*d^2)/(c*d^3)))*(-I*\text{sqrt}(3) + 1)/(432a^6*b^6 \\
& /d^3 - 18*(4a*b^7c^2 + 19a^4*b^4*c*d + 4a^7*b*d^2)*a^2*b^2/(c*d^4) - (b \\
& ^{12}c^4 + 52a^3*b^9c^3d - 52a^9*b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12} \\
& *c^4 - 4a^3*b^9c^3d + 6a^6*b^6c^2d^2 - 4a^9*b^3cd^3 + a^{12}d^4)/(c \\
& ^2d^5))^{(1/3)} - (1/2)^{(1/3)}*(432a^6*b^6/d^3 - 18*(4a*b^7c^2 + 19a^4*b^ \\
& 4*c*d + 4a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^{12}c^4 + 52a^3*b^9c^3d - 52a^ \\
& 9*b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3*b^9c^3d + 6a^6*b^6 \\
& c^2d^2 - 4a^9*b^3cd^3 + a^{12}d^4)/(c^2d^5))^{(1/3)}*(I*\text{sqrt}(3) + 1))^2 \\
& - 1/2*(28a^2*b^6*c^3*d^2 - 56a^5*b^3*c^2*d^3 + a^8*c*d^4)*(12a^2*b^2/d - \\
& 2*(1/2)^{(2/3)}*(36a^4*b^4/d^2 - (4a*b^7c^2 + 19a^4*b^4*c*d + 4a^7*b*d^ \\
& 2)/(c*d^3)))*(-I*\text{sqrt}(3) + 1)/(432a^6*b^6/d^3 - 18*(4a*b^7c^2 + 19a^4*b^ \\
& 4*c*d + 4a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^{12}c^4 + 52a^3*b^9c^3d - 52a^ \\
& 9*b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3*b^9c^3d + 6a^6*b^6
\end{aligned}$$

$$\begin{aligned}
& *c^2*d^2 - 4*a^9*b^3*c*d^3 + a^{12}*d^4)/(c^2*d^5))^{(1/3)} - (1/2)^{(1/3)}*(432* \\
& a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^ \\
& 4) - (b^{12}*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^{12}*d^4)/(c^2*d^5) \\
& + (b^{12}*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^{12}* \\
& d^4)/(c^2*d^5))^{(1/3)}*(I*sqrt(3) + 1)) - 2*(b^{12}*c^4 + 52*a^3*b^9*c^3*d - 5 \\
& 2*a^9*b^3*c*d^3 - a^{12}*d^4)*x + 3/4*sqrt(1/3)*(20*a^2*b^6*c^3*d^2 + 32*a^5* \\
& b^3*c^2*d^3 + 2*a^8*c*d^4 + (b^4*c^3*d^3 - 4*a^3*b*c^2*d^4)*(12*a^2*b^2/d - \\
& 2*(1/2)^{(2/3)}*(36*a^4*b^4/d^2 - (4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2) \\
& 2)/(c*d^3)))*(-I*sqrt(3) + 1)/(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^ \\
& 4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^{12}*c^4 + 52*a^3*b^9*c^3*d - 52*a^ \\
& 9*b^3*c*d^3 - a^{12}*d^4)/(c^2*d^5) + (b^{12}*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6 \\
& *c^2*d^2 - 4*a^9*b^3*c*d^3 + a^{12}*d^4)/(c^2*d^5))^{(1/3)} - (1/2)^{(1/3)}*(432* \\
& a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^ \\
& 4) - (b^{12}*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^{12}*d^4)/(c^2*d^5) \\
& + (b^{12}*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^{12}* \\
& d^4)/(c^2*d^5))^{(1/3)}*(I*sqrt(3) + 1)))*sqrt(-(64*a*b^7*c^2 - 128*a^4*b^4*c \\
& *d + 64*a^7*b*d^2 - 24*(12*a^2*b^2/d - 2*(1/2)^{(2/3)}*(36*a^4*b^4/d^2 - (4*a \\
& *b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)/(c*d^3)))*(-I*sqrt(3) + 1)/(432*a^6 \\
& *b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) \\
& - (b^{12}*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^{12}*d^4)/(c^2*d^5) + (\\
& b^{12}*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^{12}*d^4 \\
&)/(c^2*d^5))^{(1/3)} - (1/2)^{(1/3)}*(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^ \\
& 4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^{12}*c^4 + 52*a^3*b^9*c^3*d - 5 \\
& 2*a^9*b^3*c*d^3 - a^{12}*d^4)/(c^2*d^5) + (b^{12}*c^4 - 4*a^3*b^9*c^3*d + 6*a^6 \\
& *b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^{12}*d^4)/(c^2*d^5))^{(1/3)}*(I*sqrt(3) + 1) \\
&)*a^2*b^2*c*d^2 + (12*a^2*b^2/d - 2*(1/2)^{(2/3)}*(36*a^4*b^4/d^2 - (4*a*b^7* \\
& c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)/(c*d^3)))*(-I*sqrt(3) + 1)/(432*a^6*b^6/ \\
& d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^ \\
& 12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^{12}*d^4)/(c^2*d^5) + (b^{12}* \\
& c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^{12}*d^4)/(c^ \\
& 2*d^5))^{(1/3)} - (1/2)^{(1/3)}*(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4 \\
& *c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^{12}*c^4 + 52*a^3*b^9*c^3*d - 52*a^9 \\
& *b^3*c*d^3 - a^{12}*d^4)/(c^2*d^5) + (b^{12}*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6* \\
& c^2*d^2 - 4*a^9*b^3*c*d^3 + a^{12}*d^4)/(c^2*d^5))^{(1/3)}*(I*sqrt(3) + 1))^{2*c \\
& *d^3)/(c*d^3))) + (36*a^2*b^2 - (12*a^2*b^2/d - 2*(1/2)^{(2/3)}*(36*a^4*b^4/d \\
& ^2 - (4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)/(c*d^3)))*(-I*sqrt(3) + 1) \\
& / (432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2 \\
& / (c*d^4) - (b^{12}*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^{12}*d^4)/(c^2 \\
& *d^5) + (b^{12}*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + \\
& a^{12}*d^4)/(c^2*d^5))^{(1/3)} - (1/2)^{(1/3)}*(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^ \\
& 2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^{12}*c^4 + 52*a^3*b^9* \\
& c^3*d - 52*a^9*b^3*c*d^3 - a^{12}*d^4)/(c^2*d^5) + (b^{12}*c^4 - 4*a^3*b^9*c^3* \\
& d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^{12}*d^4)/(c^2*d^5))^{(1/3)}*(I*sqr \\
& t(3) + 1))*d - 3*sqrt(1/3)*d*sqrt(-(64*a*b^7*c^2 - 128*a^4*b^4*c*d + 64*a^7 \\
& *b*d^2 - 24*(12*a^2*b^2/d - 2*(1/2)^{(2/3)}*(36*a^4*b^4/d^2 - (4*a*b^7*c^2 +
\end{aligned}$$

$$\begin{aligned}
& 19a^4b^4cd + 4a^7b^2d^2)/(cd^3)) * (-I\sqrt{3} + 1)/(432a^6b^6/d^3 - \\
& 18(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 \\
& + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - \\
& 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5) \\
&)^{(1/3)} - (1/2)^{(1/3)} * (432a^6b^6/d^3 - 18(4a^3b^7c^2 + 19a^4b^4cd + \\
& 4a^7b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 \\
& * d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 \\
& - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{(1/3)} * (I\sqrt{3} + 1)) * a^2b^2c \\
& * d^2 + (12a^2b^2/d - 2*(1/2)^{(2/3)} * (36a^4b^4/d^2 - (4a^3b^7c^2 + 19a^4 \\
& b^4cd + 4a^7b^2d^2)/(cd^3))) * (-I\sqrt{3} + 1)/(432a^6b^6/d^3 - 18(4 \\
& a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 + 52 \\
& a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3 \\
& b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{(1/ \\
& 3)} - (1/2)^{(1/3)} * (432a^6b^6/d^3 - 18(4a^3b^7c^2 + 19a^4b^4cd + 4a^7 \\
& b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 \\
& - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4 \\
& a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{(1/3)} * (I\sqrt{3} + 1))^{2cd^3}/(cd^ \\
& 3))) * \log(8a^3b^{11}c^4 + 66a^4b^8c^3d - 48a^7b^5c^2d^2 - 26a^{10}b^2 \\
& * cd^3 + 1/4*(b^4c^3d^3 - 4a^3b^2c^2d^4) * (12a^2b^2/d - 2*(1/2)^{(2/3)} * \\
& (36a^4b^4/d^2 - (4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)/(cd^3))) * (-I \\
& \sqrt{3} + 1)/(432a^6b^6/d^3 - 18(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2 \\
& b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a \\
& ^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9 \\
& b^3cd^3 + a^{12}d^4)/(c^2d^5))^{(1/3)} - (1/2)^{(1/3)} * (432a^6b^6/d^3 - 1 \\
& 8(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 \\
& + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4 \\
& a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)) \\
&)^{(1/3)} * (I\sqrt{3} + 1))^{2 - 1/2 * (28a^2b^6c^3d^2 - 56a^5b^3c^2d^3 + \\
& a^8cd^4) * (12a^2b^2/d - 2*(1/2)^{(2/3)} * (36a^4b^4/d^2 - (4a^3b^7c^2 + 1 \\
& 9a^4b^4cd + 4a^7b^2d^2)/(cd^3))) * (-I\sqrt{3} + 1)/(432a^6b^6/d^3 - 1 \\
& 8(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 \\
& + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4 \\
& a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)) \\
&)^{(1/3)} - (1/2)^{(1/3)} * (432a^6b^6/d^3 - 18(4a^3b^7c^2 + 19a^4b^4cd + \\
& 4a^7b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 \\
& d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 \\
& - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{(1/3)} * (I\sqrt{3} + 1)) - 2*(b^{12} \\
& c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4) * x - 3/4 * \sqrt{1/3} * (20 \\
& a^2b^6c^3d^2 + 32a^5b^3c^2d^3 + 2a^8cd^4 + (b^4c^3d^3 - 4a^3b^2 \\
& c^2d^4) * (12a^2b^2/d - 2*(1/2)^{(2/3)} * (36a^4b^4/d^2 - (4a^3b^7c^2 + 1 \\
& 9a^4b^4cd + 4a^7b^2d^2)/(cd^3))) * (-I\sqrt{3} + 1)/(432a^6b^6/d^3 - 1 \\
& 8(4a^3b^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 \\
& + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4 \\
& a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5)) \\
&)^{(1/3)} - (1/2)^{(1/3)} * (432a^6b^6/d^3 - 18(4a^3b^7c^2 + 19a^4b^4cd +
\end{aligned}$$

$$\begin{aligned}
& 4a^7b^2d^2 \cdot a^2b^2 / (cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4) / (c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4) / (c^2d^5)^{1/3} \cdot (I\sqrt{3} + 1) \cdot \sqrt{-(64a^7b^2c^2 - 128a^4b^4cd + 64a^7b^2d^2 - 24(12a^2b^2/d - 2(1/2)^{2/3}) \cdot (36a^4b^4/d^2 - (4ab^7c^2 + 19a^4b^4cd + 4a^7b^2d^2) / (cd^3)))} \\
& \cdot (-I\sqrt{3} + 1) / (432a^6b^6/d^3 - 18(4a^7b^2c^2 + 19a^4b^4cd + 4a^7b^2d^2) \cdot a^2b^2 / (cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4) / (c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4) / (c^2d^5))^{1/3} - (1/2)^{1/3} \cdot (432a^6b^6/d^3 - 18(4a^7b^2c^2 + 19a^4b^4cd + 4a^7b^2d^2) \cdot a^2b^2 / (cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4) / (c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4) / (c^2d^5))^{1/3} \cdot (I\sqrt{3} + 1) \cdot a^2b^2 \cdot cd^2 + (12a^2b^2/d - 2(1/2)^{2/3}) \cdot (36a^4b^4/d^2 - (4ab^7c^2 + 19a^4b^4cd + 4a^7b^2d^2) / (cd^3)) \cdot (-I\sqrt{3} + 1) / (432a^6b^6/d^3 - 18(4a^7b^2c^2 + 19a^4b^4cd + 4a^7b^2d^2) \cdot a^2b^2 / (cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4) / (c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4) / (c^2d^5))^{1/3} - (1/2)^{1/3} \cdot (432a^6b^6/d^3 - 18(4a^7b^2c^2 + 19a^4b^4cd + 4a^7b^2d^2) \cdot a^2b^2 / (cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4) / (c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4) / (c^2d^5))^{1/3} \cdot (I\sqrt{3} + 1)^2 \cdot cd^3 / (cd^3))) / d
\end{aligned}$$

giac [A] time = 0.19, size = 294, normalized size = 1.04

$$\frac{2a^2b^2 \log\left(\frac{\sqrt{3} \left(4ab^3cd - a^4d^2 - (-cd)^{\frac{1}{3}}b^4c + 4(-cd)^{\frac{1}{3}}a^3bd\right) \arctan\left(\frac{\sqrt{3}(2x + (-\frac{c}{d})^{\frac{1}{3}})}{3(-\frac{c}{d})^{\frac{1}{3}}}\right)}{3(-cd)^{\frac{1}{3}}d}\right) + \frac{\sqrt{3} \left(4ab^3cd - a^4d^2 - (-cd)^{\frac{1}{3}}b^4c - 4(-cd)^{\frac{1}{3}}a^3bd\right) \log\left(x^2 + x(-\frac{c}{d})^{\frac{1}{3}} + (-\frac{c}{d})^{\frac{2}{3}}\right)}{6(-cd)^{\frac{1}{3}}d} + \frac{b^4dx^2 + 8ab^3dx + \frac{b^4cd(-\frac{c}{d})^{\frac{1}{3}} - 4a^3bd^2(-\frac{c}{d})^{\frac{1}{3}} + 4ab^3cd^2 - a^4d^3}{3cd^3} \left(-\frac{c}{d}\right)^{\frac{1}{3}} \log\left(x - (-\frac{c}{d})^{\frac{1}{3}}\right)}{2d^2}}{3(-cd)^{\frac{1}{3}}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^4/(d*x^3+c), x, algorithm="giac")

[Out] $2a^2b^2 \log(\text{abs}(d \cdot x^3 + c)) / d + 1/3 \sqrt{3} \cdot (4a^3b^3cd - a^4d^2 - (-c \cdot d^2)^{1/3} \cdot b^4c + 4(-cd^2)^{1/3} \cdot a^3b^3d) \cdot \arctan(1/3 \sqrt{3} \cdot (2x + (-c/d)^{1/3}) / (-c/d)^{1/3}) / ((-c/d)^{1/3}) / ((-cd^2)^{2/3} \cdot d) + 1/6 \cdot (4a^3b^3cd - a^4d^2 + (-cd^2)^{1/3} \cdot b^4c - 4(-cd^2)^{1/3} \cdot a^3b^3d) \cdot \log(x^2 + x(-c/d)^{1/3} + (-c/d)^{2/3}) / ((-cd^2)^{2/3} \cdot d) + 1/2 \cdot (b^4d \cdot x^2 + 8a^3b^3d \cdot x) / d^2 + 1/3 \cdot (b^4cd^4 \cdot (-c/d)^{1/3} - 4a^3b^3d^5 \cdot (-c/d)^{1/3} + 4a^3b^3cd^4 - a^4d^5) \cdot (-c/d)^{1/3} \cdot \log(\text{abs}(x - (-c/d)^{1/3})) / (cd^5)$

maple [A] time = 0.05, size = 446, normalized size = 1.58

$$\frac{\frac{\sqrt{3} a^3 \arctan\left(\frac{\sqrt{3} \left(\frac{2x + (-\frac{c}{d})^{\frac{1}{3}}}{3(-\frac{c}{d})^{\frac{1}{3}}}\right)}{3(-\frac{c}{d})^{\frac{1}{3}}}\right)}{3(-\frac{c}{d})^{\frac{1}{3}}d} + \frac{a^4 \ln\left(x + (-\frac{c}{d})^{\frac{1}{3}}\right) - a^4 \ln\left(x^2 - (-\frac{c}{d})^{\frac{1}{3}}x + (-\frac{c}{d})^{\frac{2}{3}}\right)}{4(-\frac{c}{d})^{\frac{1}{3}}d} + \frac{4a^3b^3 \arctan\left(\frac{\sqrt{3} \left(\frac{2x + (-\frac{c}{d})^{\frac{1}{3}}}{3(-\frac{c}{d})^{\frac{1}{3}}}\right)}{3(-\frac{c}{d})^{\frac{1}{3}}}\right)}{3(-\frac{c}{d})^{\frac{1}{3}}d} + \frac{4a^3b^3 \ln\left(x + (-\frac{c}{d})^{\frac{1}{3}}\right) - 2a^3b^3 \ln\left(x^2 - (-\frac{c}{d})^{\frac{1}{3}}x + (-\frac{c}{d})^{\frac{2}{3}}\right) - 2a^3b^3 \ln\left(\frac{d \cdot x^3 + c}{d}\right)}{3(-\frac{c}{d})^{\frac{1}{3}}d} + \frac{4a^3b^3 \arctan\left(\frac{\sqrt{3} \left(\frac{2x + (-\frac{c}{d})^{\frac{1}{3}}}{3(-\frac{c}{d})^{\frac{1}{3}}}\right)}{3(-\frac{c}{d})^{\frac{1}{3}}}\right)}{3(-\frac{c}{d})^{\frac{1}{3}}d} + \frac{4a^3b^3 \ln\left(x + (-\frac{c}{d})^{\frac{1}{3}}\right) - 2a^3b^3 \ln\left(x^2 - (-\frac{c}{d})^{\frac{1}{3}}x + (-\frac{c}{d})^{\frac{2}{3}}\right) - 4a^3b^3}{3(-\frac{c}{d})^{\frac{1}{3}}d} + \frac{\sqrt{3} a^3 \arctan\left(\frac{\sqrt{3} \left(\frac{2x + (-\frac{c}{d})^{\frac{1}{3}}}{3(-\frac{c}{d})^{\frac{1}{3}}}\right)}{3(-\frac{c}{d})^{\frac{1}{3}}}\right)}{3(-\frac{c}{d})^{\frac{1}{3}}d} + \frac{a^4 \ln\left(x + (-\frac{c}{d})^{\frac{1}{3}}\right) - a^4 \ln\left(x^2 - (-\frac{c}{d})^{\frac{1}{3}}x + (-\frac{c}{d})^{\frac{2}{3}}\right)}{4(-\frac{c}{d})^{\frac{1}{3}}d}$$

Verification of antiderivative is not currently implemented for this CAS.

$z - 6*a^6*b^6*c^2*d^2 + 4*a^9*b^3*c*d^3 + 4*a^3*b^9*c^3*d - b^{12}*c^4 - a^{12}$
 $*d^4, z, k), k, 1, 3) + (b^4*x^2)/(2*d) + (4*a*b^3*x)/d$

sympy [A] time = 60.25, size = 325, normalized size = 1.15

$$\frac{4ab^3x}{d} + \frac{b^4x^2}{2d} + \text{RootSum}\left(27t^3c^2d^5 - 162t^2a^{**}2b^{**}2c^{**}2d^{**}4 + t(36a^7bcd^4 + 171a^4b^4c^2d^3 + 36ab^7c^3d^2) - a^{12}d^4 + 4a^9b^3cd^3 - 6a^6b^6c^2d^2 + 4a^3b^9c^3d - b^{12}c^4, t \mapsto t \log\left(x + \frac{36a^7a^7bc^2d^4 - 9t^2b^4c^2d^3 + 3ta^6cd^4 - 168ta^5b^3c^2d^3 + 84ta^4b^6c^2d^2 + 26a^{10}t^2cd^3 + 48a^7b^5c^2d^2 - 66a^4b^8c^2d - 8ab^{11}c^4}{a^{12}d^4 + 52a^9b^3cd^3 - 52a^6b^6c^2d - b^{12}c^4}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**4/(d*x**3+c),x)

[Out] $4*a*b^{**}3*x/d + b^{**}4*x^{**}2/(2*d) + \text{RootSum}(27*_t^{**}3*c^{**}2*d^{**}5 - 162*_t^{**}2*a^{**}2*b^{**}2*c^{**}2*d^{**}4 + *_t*(36*a^{**}7*b*c*d^{**}4 + 171*a^{**}4*b^{**}4*c^{**}2*d^{**}3 + 36*a*b^{**}7*c^{**}3*d^{**}2) - a^{**}12*d^{**}4 + 4*a^{**}9*b^{**}3*c*d^{**}3 - 6*a^{**}6*b^{**}6*c^{**}2*d^{**}2 + 4*a^{**}3*b^{**}9*c^{**}3*d - b^{**}12*c^{**}4, \text{Lambda}(_t, *_t*\log(x + (36*_t^{**}2*a^{**}3*b*c^{**}2*d^{**}4 - 9*_t^{**}2*b^{**}4*c^{**}3*d^{**}3 + 3*_t*a^{**}8*c*d^{**}4 - 168*_t*a^{**}5*b^{**}3*c^{**}2*d^{**}3 + 84*_t*a^{**}2*b^{**}6*c^{**}3*d^{**}2 + 26*a^{**}10*b^{**}2*c*d^{**}3 + 48*a^{**}7*b^{**}5*c^{**}2*d^{**}2 - 66*a^{**}4*b^{**}8*c^{**}3*d - 8*a*b^{**}11*c^{**}4)/(a^{**}12*d^{**}4 + 52*a^{**}9*b^{**}3*c*d^{**}3 - 52*a^{**}3*b^{**}9*c^{**}3*d - b^{**}12*c^{**}4))))$

$$3.62 \quad \int \frac{(a+bx+cx^2)^2}{d+ex^3} dx$$

Optimal. Leaf size=272

$$\frac{\log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2) (\sqrt[3]{e} (2bcd - a^2 e) - \sqrt[3]{d} (c^2 d - 2abe))}{6d^{2/3} e^{5/3}} - \frac{\log(\sqrt[3]{d} + \sqrt[3]{e} x) (\sqrt[3]{e} (2bcd - a^2 e) - \sqrt[3]{d} (c^2 d - 2abe))}{3d^{2/3} e^{5/3}}$$

Rubi [A] time = 0.49, antiderivative size = 270, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2) \left(\frac{a^2(-e) - \sqrt[3]{d}(c^2 d - 2abc)}{\sqrt[3]{e}} + 2bcd \right)}{6d^{2/3} e^{4/3}} - \frac{\log(\sqrt[3]{d} + \sqrt[3]{e} x) (\sqrt[3]{e} (2bcd - a^2 e) - \sqrt[3]{d} (c^2 d - 2abe))}{3d^{2/3} e^{5/3}} + \frac{(2ac + b^2) \log(d + ex^3)}{3e} + \frac{\tan^{-1} \left(\frac{\sqrt[3]{d} - 2\sqrt[3]{e} x}{\sqrt{3} \sqrt[3]{d}} \right) (-ae (a \sqrt[3]{e} + 2b \sqrt[3]{d}) + 2bcd \sqrt[3]{e} + c^2 d^{4/3})}{\sqrt{3} d^{2/3} e^{5/3}} + \frac{2bcx}{e} + \frac{c^2 x^2}{2e}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)^2/(d + e*x^3), x]

[Out] (2*b*c*x)/e + (c^2*x^2)/(2*e) + ((c^2*d^(4/3) + 2*b*c*d*e^(1/3) - a*(2*b*d^(1/3) + a*e^(1/3))*e)*ArcTan[(d^(1/3) - 2*e^(1/3)*x)/(Sqrt[3]*d^(1/3))]/(Sqrt[3]*d^(2/3)*e^(5/3)) - ((e^(1/3)*(2*b*c*d - a^2*e) - d^(1/3)*(c^2*d - 2*a*b*e))*Log[d^(1/3) + e^(1/3)*x]/(3*d^(2/3)*e^(5/3)) + ((2*b*c*d - a^2*e - (d^(1/3)*(c^2*d - 2*a*b*e))/e^(1/3))*Log[d^(2/3) - d^(1/3)*e^(1/3)*x + e^(2/3)*x^2]/(6*d^(2/3)*e^(4/3)) + ((b^2 + 2*a*c)*Log[d + e*x^3]/(3*e))

Rule 31

Int[((a_) + (b_)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^n), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx + cx^2)^2}{d + ex^3} dx &= \int \left(\frac{2bc}{e} + \frac{c^2x}{e} - \frac{2bcd - a^2e + (c^2d - 2abe)x - (b^2 + 2ac)ex^2}{e(d + ex^3)} \right) dx \\
&= \frac{2bcx}{e} + \frac{c^2x^2}{2e} - \frac{\int \frac{2bcd - a^2e + (c^2d - 2abe)x - (b^2 + 2ac)ex^2}{d + ex^3} dx}{e} \\
&= \frac{2bcx}{e} + \frac{c^2x^2}{2e} - (-b^2 - 2ac) \int \frac{x^2}{d + ex^3} dx - \frac{\int \frac{2bcd - a^2e + (c^2d - 2abe)x}{d + ex^3} dx}{e} \\
&= \frac{2bcx}{e} + \frac{c^2x^2}{2e} + \frac{(b^2 + 2ac) \log(d + ex^3)}{3e} - \frac{\int \frac{\sqrt[3]{d}(2\sqrt[3]{e}(2bcd - a^2e) + \sqrt[3]{d}(c^2d - 2abe)) + \sqrt[3]{e}(-\sqrt[3]{e}(2bcd - a^2e) + \sqrt[3]{d}(c^2d - 2abe))}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{3d^{2/3}e^{4/3}} \\
&= \frac{2bcx}{e} + \frac{c^2x^2}{2e} - \frac{\left(2bcd - a^2e - \frac{\sqrt[3]{d}(c^2d - 2abe)}{\sqrt[3]{e}}\right) \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3d^{2/3}e^{4/3}} + \frac{(b^2 + 2ac) \log(d + ex^3)}{3e} \\
&= \frac{2bcx}{e} + \frac{c^2x^2}{2e} - \frac{\left(2bcd - a^2e - \frac{\sqrt[3]{d}(c^2d - 2abe)}{\sqrt[3]{e}}\right) \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3d^{2/3}e^{4/3}} + \frac{\left(2bcd - a^2e - \frac{\sqrt[3]{d}(c^2d - 2abe)}{\sqrt[3]{e}}\right) \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3d^{2/3}e^{4/3}} \\
&= \frac{2bcx}{e} + \frac{c^2x^2}{2e} + \frac{(c^2d^{4/3} + 2bcd\sqrt[3]{e} - a(2b\sqrt[3]{d} + a\sqrt[3]{e})e) \tan^{-1}\left(\frac{\sqrt[3]{d} - 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{5/3}} - \frac{(2bcd - a^2e) \log(d + ex^3)}{3e}
\end{aligned}$$

Mathematica [A] time = 0.42, size = 269, normalized size = 0.99

$$\frac{2c^{2/3}(2ac + b^2) \log(d + ex^3) - \frac{\log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2) \left(ae \left(a\sqrt[3]{e} - 2b\sqrt[3]{d} \right) - 2bcd\sqrt[3]{e} + c^2d^{4/3} \right)}{d^{2/3}} + \frac{2 \log(\sqrt[3]{d} + \sqrt[3]{e}x) \left(ae \left(a\sqrt[3]{e} - 2b\sqrt[3]{d} \right) - 2bcd\sqrt[3]{e} + c^2d^{4/3} \right)}{6e^{5/3}} + \frac{2\sqrt{3}(cd^{2/3} - ae^{2/3}) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right) \left(ae^{2/3} + 2b\sqrt[3]{d}\sqrt[3]{e} + cd^{2/3} \right)}{d^{2/3}} + 12bc^{2/3}x + 3c^2e^{2/3}x^2}{6e^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)^2/(d + e*x^3), x]

[Out] (12*b*c*e^(2/3)*x + 3*c^2*e^(2/3)*x^2 + (2*sqrt[3]*(c*d^(2/3) - a*e^(2/3))*(c*d^(2/3) + 2*b*d^(1/3)*e^(1/3) + a*e^(2/3))*ArcTan[(1 - (2*e^(1/3)*x)/d^(1/3))/sqrt[3]])/d^(2/3) + (2*(c^2*d^(4/3) - 2*b*c*d*e^(1/3) + a*(-2*b*d^(1/3) + a*e^(1/3))*e)*Log[d^(1/3) + e^(1/3)*x])/d^(2/3) - ((c^2*d^(4/3) - 2*b*c*d*e^(1/3) + a*(-2*b*d^(1/3) + a*e^(1/3))*e)*Log[d^(2/3) - d^(1/3)*e^(1/3)*x + e^(2/3)*x^2])/d^(2/3) + 2*(b^2 + 2*a*c)*e^(2/3)*Log[d + e*x^3]/(6*e^(5/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx + cx^2)^2}{d + ex^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x + c*x^2)^2/(d + e*x^3),x]

[Out] IntegrateAlgebraic[(a + b*x + c*x^2)^2/(d + e*x^3), x]

fricas [C] time = 1.76, size = 12827, normalized size = 47.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^2/(e*x^3+d),x, algorithm="fricas")

[Out]
$$\frac{1}{12} \cdot (6c^2x^2 + 24b^2cx - 2 \cdot (2 \cdot (1/2)^{2/3} \cdot (-I\sqrt{3}) + 1) \cdot ((b^2 + 2ac)^2/e^2 - (2b^2c^3d^2 + b^4d^2e + 3a^2c^2d^2e + 2a^3b^2e^2)/(d^2e^3)))/(2 \cdot (b^2 + 2ac)^3/e^3 - 3 \cdot (2b^2c^3d^2 + b^4d^2e + 3a^2c^2d^2e + 2a^3b^2e^2) \cdot (b^2 + 2ac)/(d^2e^4) + (c^6d^4 - 2b^3c^3d^3e + b^6d^2e^2 + 9a^2b^2c^2d^2e^2 + 6a^4b^2c^2d^2e^2 + a^6e^4 + 2 \cdot (c^3d^2e^2 - b^3d^2e^3) \cdot a^3 + 6 \cdot (b^2c^4d^3e - b^4c^2d^2e^2) \cdot a)/(d^2e^5) - (c^6d^4 - a^6e^4 + 2 \cdot (4b^3c^3 - 3a^2b^2c^3 - 3a^4b^2c) \cdot d^3e - 2 \cdot (4a^3b^3 - 3a^4b^2c) \cdot d^3e)/(d^2e^5))^{1/3} + (1/2)^{1/3} \cdot (I\sqrt{3}) + 1) \cdot (2 \cdot (b^2 + 2ac)^3/e^3 - 3 \cdot (2b^2c^3d^2 + b^4d^2e + 3a^2c^2d^2e + 2a^3b^2e^2) \cdot (b^2 + 2ac)/(d^2e^4) + (c^6d^4 - 2b^3c^3d^3e + b^6d^2e^2 + 9a^2b^2c^2d^2e^2 + 6a^4b^2c^2d^2e^2 + a^6e^4 + 2 \cdot (c^3d^2e^2 - b^3d^2e^3) \cdot a^3 + 6 \cdot (b^2c^4d^3e - b^4c^2d^2e^2) \cdot a)/(d^2e^5) - (c^6d^4 - a^6e^4 + 2 \cdot (4b^3c^3 - 3a^2b^2c^3 - 3a^4b^2c) \cdot d^3e - 2 \cdot (4a^3b^3 - 3a^4b^2c) \cdot d^3e)/(d^2e^5))^{1/3} - 2 \cdot (b^2 + 2ac)/e) \cdot \log(-4b^2c^5d^4 - (5b^4c^2 - 4a^2b^2c^3 + 2a^2c^4) \cdot d^3e + 2 \cdot (ab^5 - 2a^2b^3c + 4a^3b^2c^2) \cdot d^2e^2 + (7a^4b^2 - 2a^5c) \cdot d^2e^3 - 1/4 \cdot (c^2d^3e^3 - 2a^2b^2d^2e^4) \cdot (2 \cdot (1/2)^{2/3} \cdot (-I\sqrt{3}) + 1) \cdot ((b^2 + 2ac)^2/e^2 - (2b^2c^3d^2 + b^4d^2e + 3a^2c^2d^2e + 2a^3b^2e^2)/(d^2e^3)))/(2 \cdot (b^2 + 2ac)^3/e^3 - 3 \cdot (2b^2c^3d^2 + b^4d^2e + 3a^2c^2d^2e + 2a^3b^2e^2) \cdot (b^2 + 2ac)/(d^2e^4) + (c^6d^4 - 2b^3c^3d^3e + b^6d^2e^2 + 9a^2b^2c^2d^2e^2 + 6a^4b^2c^2d^2e^2 + a^6e^4 + 2 \cdot (c^3d^2e^2 - b^3d^2e^3) \cdot a^3 + 6 \cdot (b^2c^4d^3e - b^4c^2d^2e^2) \cdot a)/(d^2e^5) - (c^6d^4 - a^6e^4 + 2 \cdot (4b^3c^3 - 3a^2b^2c^3 - 3a^4b^2c) \cdot d^3e - 2 \cdot (4a^3b^3 - 3a^4b^2c) \cdot d^3e)/(d^2e^5))^{1/3} + (1/2)^{1/3} \cdot (I\sqrt{3}) + 1) \cdot (2 \cdot (b^2 + 2ac)^3/e^3 - 3 \cdot (2b^2c^3d^2 + b^4d^2e + 3a^2c^2d^2e + 2a^3b^2e^2) \cdot (b^2 + 2ac)/(d^2e^4) + (c^6d^4 - 2b^3c^3d^3e + b^6d^2e^2 + 9a^2b^2c^2d^2e^2 + 6a^4b^2c^2d^2e^2 + a^6e^4 + 2 \cdot (c^3d^2e^2 - b^3d^2e^3) \cdot a^3 + 6 \cdot (b^2c^4d^3e - b^4c^2d^2e^2) \cdot a)/(d^2e^5) - (c^6d^4 - a^6e^4 + 2 \cdot (4b^3c^3 - 3a^2b^2c^3 - 3a^4b^2c) \cdot d^3e - 2 \cdot (4a^3b^3 - 3a^4b^2c) \cdot d^3e)/(d^2e^5))^{1/3} - 2 \cdot (b^2 + 2ac)/e)^2 - 1/2 \cdot$$

$$\begin{aligned}
& 4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4) *d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(\\
& I*\sqrt{3} + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2 *e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6 *d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c) *d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e*(b^2 + 2*a*c)*d*e^2 + 4*(b^4 - 12*a*b^2*c)*d*e)/(d*e^3))*\log(4*b*c^5*d^4 + (5*b^4*c^2 - 4*a*b^2*c^3 + 2*a^2*c^4)*d^3*e - 2*(a*b^5 - 2*a^2*b^3*c + 4*a^3*b*c^2)*d^2*e^2 - (7*a^4*b ^2 - 2*a^5*c)*d*e^3 + 1/4*(c^2*d^3*e^3 - 2*a*b*d^2*e^4)*(2*(1/2)^{(2/3)}*(-I* \sqrt{3} + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2 *(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6 *(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e^2 + 1/2*(a^4*d*e^4 + 2*(3*b^2*c^2 + 2*a*c^3)*d^3*e^2 - 4*(a*b^3 + 3*a^2*b*c)*d^2*e^3)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*((b^2 + 2* a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9 *a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2 *e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c ^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d *e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d ^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e - 2*(c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3* a^4*b*c)*d*e^3)*x + 3/4*\sqrt{1/3}*(4*a*b^3*d^2*e^3 + 2*a^4*d*e^4 + 2*(3*b^2 *c^2 - 2*a*c^3)*d^3*e^2 - (c^2*d^3*e^3 - 2*a*b*d^2*e^4)*(2*(1/2)^{(2/3)}*(-I* \sqrt{3} + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2
\end{aligned}$$

$$\begin{aligned}
& * (c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a) / (d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - \\
& 3*a^4*b*c)*d*e^3) / (d^2*e^5)^{(1/3)} + (1/2)^{(1/3)} * (I*\sqrt{3} + 1) * (2*(b^2 + \\
& 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 \\
& + 2*a*c) / (d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2 \\
& *d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6 \\
& *(b*c^4*d^3*e - b^4*c*d^2*e^2)*a) / (d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3 \\
& *c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3) / (d^2*e^5)^{(1/3)} \\
& - 2*(b^2 + 2*a*c)/e) * \sqrt{(32*b*c^3*d^2 + 32*a^3*b*e^2 + (2*(1/2)^{(2/3)} * \\
& (-I*\sqrt{3} + 1) * ((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d \\
& *e + 2*a^3*b*e^2) / (d*e^3))) / (2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d \\
& *e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c) / (d*e^4) + (c^6*d^4 - 2*b^3 \\
& *c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 \\
& + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a) / (d^2 \\
& *e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 \\
& - 3*a^4*b*c)*d*e^3) / (d^2*e^5)^{(1/3)} + (1/2)^{(1/3)} * (I*\sqrt{3} + 1) * (2*(b^2 \\
& + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)* \\
& (b^2 + 2*a*c) / (d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2 \\
& *c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 \\
& + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a) / (d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4 \\
& *b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3) / (d^2*e^5)^{(1/3)} \\
& - 2*(b^2 + 2*a*c)/e)^2*d*e^3 + 4*(2*(1/2)^{(2/3)} * (-I*\sqrt{3} + 1) * ((b^2 \\
& + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2) / (d \\
& *e^3))) / (2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2 \\
& *a^3*b*e^2)*(b^2 + 2*a*c) / (d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 \\
& + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3 \\
& *d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a) / (d^2*e^5) - (c^6*d^4 - a^6 \\
& *e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3) / \\
& (d^2*e^5)^{(1/3)} + (1/2)^{(1/3)} * (I*\sqrt{3} + 1) * (2*(b^2 + 2*a*c)^3/e^3 - 3*(2 \\
& *b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c) / (d*e^4) \\
& + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b \\
& *c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4 \\
& *c*d^2*e^2)*a) / (d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)* \\
& d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3) / (d^2*e^5)^{(1/3)} - 2*(b^2 + 2*a*c) \\
& / e) * (b^2 + 2*a*c) * d*e^2 + 4*(b^4 - 12*a*b^2*c) * d*e) / (d*e^3))) + (6*b^2 + 12 \\
& *a*c + (2*(1/2)^{(2/3)} * (-I*\sqrt{3} + 1) * ((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 \\
& + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2) / (d*e^3))) / (2*(b^2 + 2*a*c)^3/e^3 - \\
& 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c) / (d*e^4) \\
& + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4 \\
& *b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - \\
& b^4*c*d^2*e^2)*a) / (d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4) \\
& *d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3) / (d^2*e^5)^{(1/3)} + (1/2)^{(1/3)} * \\
& (I*\sqrt{3} + 1) * (2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2 \\
& *d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c) / (d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + \\
& b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2 \\
& *e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a) / (d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4) *
\end{aligned}$$

$$\begin{aligned}
& 2e^2 - b^3 d e^3) a^3 + 6(b^4 c^3 d^3 e - b^4 c d^2 e^2) a) / (d^2 e^5) - (c^6 d^4 - a^6 e^4 + 2(4b^3 c^3 - 3a^4 b^3 - 3a^4 b^3 c) d^3 e - 2(4a^3 b^3 - 3a^4 b^3 c) d^3 e) / (d^2 e^5))^{1/3} - 2(b^2 + 2a^3 c) / e) e - 3 \sqrt[3]{1/3} e \sqrt[3]{-(32 b^3 c^3 d^2 + 32 a^3 b^3 e^2 + (2(1/2)^{2/3} (-I \sqrt[3]{3} + 1) ((b^2 + 2a^3 c)^2 / e^2 - (2b^3 c^3 d^2 + b^4 d^2 e + 3a^2 c^2 d^2 e + 2a^3 b^3 e^2) / (d^3 e^3))) / (2(b^2 + 2a^3 c)^3 / e^3 - 3(2b^3 c^3 d^2 + b^4 d^2 e + 3a^2 c^2 d^2 e + 2a^3 b^3 e^2) (b^2 + 2a^3 c) / (d^4 e^4) + (c^6 d^4 - 2b^3 c^3 d^3 e + b^6 d^2 e^2 + 9a^2 b^2 c^2 d^2 e^2 + 6a^4 b^3 c d^2 e^3 + a^6 e^4 + 2(c^3 d^2 e^2 - b^3 d^2 e^3) a^3 + 6(b^4 c^3 d^3 e - b^4 c d^2 e^2) a) / (d^2 e^5) - (c^6 d^4 - a^6 e^4 + 2(4b^3 c^3 - 3a^4 b^3 c) d^3 e - 2(4a^3 b^3 - 3a^4 b^3 c) d^3 e) / (d^2 e^5))^{1/3} + (1/2)^{1/3} (I \sqrt[3]{3} + 1) (2(b^2 + 2a^3 c)^3 / e^3 - 3(2b^3 c^3 d^2 + b^4 d^2 e + 3a^2 c^2 d^2 e + 2a^3 b^3 e^2) (b^2 + 2a^3 c) / (d^4 e^4) + (c^6 d^4 - 2b^3 c^3 d^3 e + b^6 d^2 e^2 + 9a^2 b^2 c^2 d^2 e^2 + 6a^4 b^3 c d^2 e^3 + a^6 e^4 + 2(c^3 d^2 e^2 - b^3 d^2 e^3) a^3 + 6(b^4 c^3 d^3 e - b^4 c d^2 e^2) a) / (d^2 e^5) - (c^6 d^4 - a^6 e^4 + 2(4b^3 c^3 - 3a^4 b^3 c) d^3 e - 2(4a^3 b^3 - 3a^4 b^3 c) d^3 e) / (d^2 e^5))^{1/3} - 2(b^2 + 2a^3 c) / e)^2 d^3 e^3 + 4(2(1/2)^{2/3} (-I \sqrt[3]{3} + 1) ((b^2 + 2a^3 c)^2 / e^2 - (2b^3 c^3 d^2 + b^4 d^2 e + 3a^2 c^2 d^2 e + 2a^3 b^3 e^2) / (d^3 e^3))) / (2(b^2 + 2a^3 c)^3 / e^3 - 3(2b^3 c^3 d^2 + b^4 d^2 e + 3a^2 c^2 d^2 e + 2a^3 b^3 e^2) (b^2 + 2a^3 c) / (d^4 e^4) + (c^6 d^4 - 2b^3 c^3 d^3 e + b^6 d^2 e^2 + 9a^2 b^2 c^2 d^2 e^2 + 6a^4 b^3 c d^2 e^3 + a^6 e^4 + 2(c^3 d^2 e^2 - b^3 d^2 e^3) a^3 + 6(b^4 c^3 d^3 e - b^4 c d^2 e^2) a) / (d^2 e^5) - (c^6 d^4 - a^6 e^4 + 2(4b^3 c^3 - 3a^4 b^3 c) d^3 e - 2(4a^3 b^3 - 3a^4 b^3 c) d^3 e) / (d^2 e^5))^{1/3} + (1/2)^{1/3} (I \sqrt[3]{3} + 1) (2(b^2 + 2a^3 c)^3 / e^3 - 3(2b^3 c^3 d^2 + b^4 d^2 e + 3a^2 c^2 d^2 e + 2a^3 b^3 e^2) (b^2 + 2a^3 c) / (d^4 e^4) + (c^6 d^4 - 2b^3 c^3 d^3 e + b^6 d^2 e^2 + 9a^2 b^2 c^2 d^2 e^2 + 6a^4 b^3 c d^2 e^3 + a^6 e^4 + 2(c^3 d^2 e^2 - b^3 d^2 e^3) a^3 + 6(b^4 c^3 d^3 e - b^4 c d^2 e^2) a) / (d^2 e^5) - (c^6 d^4 - a^6 e^4 + 2(4b^3 c^3 - 3a^4 b^3 c) d^3 e - 2(4a^3 b^3 - 3a^4 b^3 c) d^3 e) / (d^2 e^5))^{1/3} - 2(b^2 + 2a^3 c) / e) (b^2 + 2a^3 c) d^3 e^2 + 4(b^4 - 12a^2 b^2 c) d^3 e) / (d^3 e^3)) * \log(4b^5 c^5 d^4 + (5b^4 c^2 - 4a^2 b^2 c^3 + 2a^2 c^4) d^3 e - 2(a^5 b^5 - 2a^2 b^3 c + 4a^3 b^3 c^2) d^2 e^2 - (7a^4 b^2 - 2a^5 c) d^2 e^3 + 1/4(c^2 d^3 e^3 - 2a^2 b^2 d^2 e^4) (2(1/2)^{2/3} (-I \sqrt[3]{3} + 1) ((b^2 + 2a^3 c)^2 / e^2 - (2b^3 c^3 d^2 + b^4 d^2 e + 3a^2 c^2 d^2 e + 2a^3 b^3 e^2) / (d^3 e^3))) / (2(b^2 + 2a^3 c)^3 / e^3 - 3(2b^3 c^3 d^2 + b^4 d^2 e + 3a^2 c^2 d^2 e + 2a^3 b^3 e^2) (b^2 + 2a^3 c) / (d^4 e^4) + (c^6 d^4 - 2b^3 c^3 d^3 e + b^6 d^2 e^2 + 9a^2 b^2 c^2 d^2 e^2 + 6a^4 b^3 c d^2 e^3 + a^6 e^4 + 2(c^3 d^2 e^2 - b^3 d^2 e^3) a^3 + 6(b^4 c^3 d^3 e - b^4 c d^2 e^2) a) / (d^2 e^5) - (c^6 d^4 - a^6 e^4 + 2(4b^3 c^3 - 3a^4 b^3 c) d^3 e - 2(4a^3 b^3 - 3a^4 b^3 c) d^3 e) / (d^2 e^5))^{1/3} + (1/2)^{1/3} (I \sqrt[3]{3} + 1) (2(b^2 + 2a^3 c)^3 / e^3 - 3(2b^3 c^3 d^2 + b^4 d^2 e + 3a^2 c^2 d^2 e + 2a^3 b^3 e^2) (b^2 + 2a^3 c) / (d^4 e^4) + (c^6 d^4 - 2b^3 c^3 d^3 e + b^6 d^2 e^2 + 9a^2 b^2 c^2 d^2 e^2 + 6a^4 b^3 c d^2 e^3 + a^6 e^4 + 2(c^3 d^2 e^2 - b^3 d^2 e^3) a^3 + 6(b^4 c^3 d^3 e - b^4 c d^2 e^2) a) / (d^2 e^5) - (c^6 d^4 - a^6 e^4 + 2(4b^3 c^3 - 3a^4 b^3 c) d^3 e - 2(4a^3 b^3 - 3a^4 b^3 c) d^3 e) / (d^2 e^5))^{1/3} - 2(b^2 + 2a^3 c) / e)^2 + 1/2(a^4 d^4 e^4 + 2(3b^2 c^2 + 2a^3 c^3) d^3 e^2
\end{aligned}$$

$$\begin{aligned}
& - 4*(a*b^3 + 3*a^2*b*c)*d^2*e^3)*(2*(1/2)^(2/3)*(-I*\sqrt{3}) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)) \\
& /((2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9 \\
& *a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 \\
& + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) + (1/2)^(1/3)*(I*\sqrt{3}) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) - 2*(b^2 + 2*a*c)/e) - \\
& 2*(c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)*x - 3/4*\sqrt{1/3}*(4*a*b^3*d^2*e^3 + 2*a^4*d*e^4 + 2*(3*b^2*c^2 - 2*a*c^3)*d^3*e^2 - (c^2*d^3*e^3 - 2*a*b*d^2*e^4)*(2*(1/2)^(2/3)*(-I*\sqrt{3}) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) + (1/2)^(1/3)*(I*\sqrt{3}) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) - 2*(b^2 + 2*a*c)/e)*\sqrt{-(32*b*c^3*d^2 + 32*a^3*b*e^2 + (2*(1/2)^(2/3)*(-I*\sqrt{3}) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) + (1/2)^(1/3)*(I*\sqrt{3}) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) - 2*(b^2 + 2*a*c)/e)^2*d*e^3 + 4*(2*(1/2)^(2/3)*(-I*\sqrt{3}) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) - 2*(b^2 + 2*a*c)/e)
\end{aligned}$$

$$2 + 9a^2b^2c^2d^2e^2 + 6a^4b^2c^2d^2e^2 + a^6e^4 + 2(c^3d^2e^2 - b^3d^2e^3)a^3 + 6(b^2c^4d^3e - b^4c^2d^2e^2)a / (d^2e^5) - (c^6d^4 - a^6e^4 + 2(4b^3c^3 - 3a^2b^2c^4)d^3e - 2(4a^3b^3 - 3a^4b^2c)d^3e) / (d^2e^5)^{1/3} + (1/2)^{1/3}(I\sqrt{3} + 1)(2(b^2 + 2ac)^3/e^3 - 3(2b^2c^3d^2 + b^4d^3e + 3a^2c^2d^2e + 2a^3b^2e^2)(b^2 + 2ac)/(d^2e^4) + (c^6d^4 - 2b^3c^3d^3e + b^6d^2e^2 + 9a^2b^2c^2d^2e^2 + 6a^4b^2c^2d^2e^3 + a^6e^4 + 2(c^3d^2e^2 - b^3d^2e^3)a^3 + 6(b^2c^4d^3e - b^4c^2d^2e^2)a) / (d^2e^5) - (c^6d^4 - a^6e^4 + 2(4b^3c^3 - 3a^2b^2c^4)d^3e - 2(4a^3b^3 - 3a^4b^2c)d^3e) / (d^2e^5)^{1/3} - 2(b^2 + 2ac)/e)(b^2 + 2ac)d^2e^2 + 4(b^4 - 12a^2b^2c)d^2e) / (d^2e^3)) / e$$

giac [A] time = 0.21, size = 264, normalized size = 0.97

$$\frac{1}{3} (b^2 + 2ac)^{d-1} \log(|b^2e + d|) + \frac{\sqrt{3} (2bcde - (-d^2)^{\frac{1}{3}} c^2d + 2(-d^2)^{\frac{1}{3}} abc - a^2e^2) \arctan\left(\frac{\sqrt{3}(2+(-d^2)^{\frac{1}{3}})}{3(-d^2)^{\frac{1}{3}}}\right) e^{-3}}{3(-d^2)^{\frac{1}{3}}} + \frac{(2bcde + (-d^2)^{\frac{1}{3}} c^2d - 2(-d^2)^{\frac{1}{3}} abc - a^2e^2)^{d-1} \log(x^2 + (-d^2)^{\frac{1}{3}} x + (-d^2)^{\frac{1}{3}})}{6(-d^2)^{\frac{1}{3}}} + \frac{((-d^2)^{\frac{1}{3}} c^2d^4 + 2bcde^4 - 2(-d^2)^{\frac{1}{3}} abc^5 - a^2e^5) (-d^2)^{\frac{1}{3}} e^{-9} \log\left(\frac{x - (-d^2)^{\frac{1}{3}}}{x + (-d^2)^{\frac{1}{3}}}\right)}{3d} + \frac{1}{2} (c^2e^2 + 4bcx)e^{d-2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^2/(e*x^3+d), x, algorithm="giac")

$$[Out] \frac{1}{3}(b^2 + 2ac)e^{-1} \log(\text{abs}(x^3e + d)) + \frac{1}{3}\sqrt{3}(2b^2c^2d^2e - (-d^2e^2)^{1/3}c^2d + 2(-d^2e^2)^{1/3}a^2b^2e - a^2e^2) \arctan\left(\frac{1}{3}\sqrt{3}\right) \frac{(2bx + (-d^2e^2)^{1/3}) / (-d^2e^2)^{1/3}}{(-d^2e^2)^{1/3}} e^{-1} / (-d^2e^2)^{2/3} + \frac{1}{6}(2b^2c^2d^2e + (-d^2e^2)^{1/3}c^2d - 2(-d^2e^2)^{1/3}a^2b^2e - a^2e^2) e^{-1} \log(x^2 + (-d^2e^2)^{1/3}x + (-d^2e^2)^{1/3}) / (-d^2e^2)^{2/3} + \frac{1}{3}((-d^2e^2)^{1/3}c^2d^2e^4 + 2b^2c^2d^2e^4 - 2(-d^2e^2)^{1/3}a^2b^2e^5 - a^2e^5) (-d^2e^2)^{1/3} e^{-5} \log(\text{abs}(x - (-d^2e^2)^{1/3})) / d + \frac{1}{2}(c^2x^2e + 4b^2cx^2e) e^{-2}$$

maple [B] time = 0.07, size = 444, normalized size = 1.63

$$\frac{c^2e^2}{2d} + \frac{\sqrt{3} c^2d \arctan\left(\frac{\sqrt{3} \frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}}{\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}}\right)}{3 \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right) e} + \frac{c^2 \ln\left(x + \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right) e} + \frac{c^2 \ln\left(x^2 - \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right)^{\frac{1}{3}} x + \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right)^{\frac{1}{3}}\right)}{6 \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right) e} + \frac{2\sqrt{3} ab \arctan\left(\frac{\sqrt{3} \frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}}{\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}}\right)}{3 \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right) e} + \frac{2ab \ln\left(x + \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right) e} + \frac{ab \ln\left(x^2 - \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right)^{\frac{1}{3}} x + \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right) e} + \frac{2ac \ln(e^2x + d)}{3e} + \frac{b^2 \ln(e^2x + d)}{3e} + \frac{2\sqrt{3} bc d \arctan\left(\frac{\sqrt{3} \frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}}{\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}}\right)}{3 \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right) e^2} + \frac{2bc \ln\left(x + \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right) e^2} + \frac{bc \ln\left(x^2 - \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right)^{\frac{1}{3}} x + \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right) e^2} + \frac{2bcx}{e^2} + \frac{\sqrt{3} c^2d \arctan\left(\frac{\sqrt{3} \frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}}{\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}}\right)}{3 \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right) e^2} + \frac{c^2d \ln\left(x + \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right) e^2} + \frac{c^2d \ln\left(x^2 - \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right)^{\frac{1}{3}} x + \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right)^{\frac{1}{3}}\right)}{6 \left(\frac{d^2e^2 - (-d^2)^{\frac{1}{3}}}{3}\right) e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)^2/(e*x^3+d), x)

$$[Out] \frac{1}{2}c^2x^2/e + 2b^2cx/e + 1/3e/(d/e)^{2/3} \ln(x+(d/e)^{1/3}) a^2 - 2/3e^2/(d/e)^{2/3} \ln(x+(d/e)^{1/3}) b^2cd - 1/6e/(d/e)^{2/3} \ln(x^2 - (d/e)^{1/3}x + (d/e)^{2/3}) a^2 + 1/3e^2/(d/e)^{2/3} \ln(x^2 - (d/e)^{1/3}x + (d/e)^{2/3}) b^2cd + 1/3e/(d/e)^{2/3} 3^{1/2} \arctan(1/3 3^{1/2} (2/(d/e)^{1/3}x - 1)) a^2 - 2/3e^2/(d/e)^{2/3} 3^{1/2} \arctan(1/3 3^{1/2} (2/(d/e)^{1/3}x - 1)) b^2cd - 2/3e/(d/e)^{1/3} \ln(x+(d/e)^{1/3}) a^2b + 1/3e^2/(d/e)^{1/3} \ln(x+(d/e)^{1/3}) c^2d + 1/3e/(d/e)^{1/3} \ln(x^2 - (d/e)^{1/3}x + (d/e)^{2/3}) a^2b - 1/6e^2/(d/e)^{1/3} 3 \ln(x^2 - (d/e)^{1/3}x + (d/e)^{2/3}) c^2d + 2/3e 3^{1/2} / (d/e)^{1/3} \arctan$$

$(1/3 \cdot 3^{1/2}) \cdot (2/(d/e)^{1/3} \cdot x - 1) \cdot a \cdot b - 1/3/e^{2 \cdot 3^{1/2}} / (d/e)^{1/3} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2/(d/e)^{1/3} \cdot x - 1)) \cdot c^2 \cdot d + 2/3/e \cdot \ln(e \cdot x^3 + d) \cdot a \cdot c + 1/3/e \cdot \ln(e \cdot x^3 + d) \cdot b^2$

maxima [A] time = 3.03, size = 314, normalized size = 1.15

$$\frac{\sqrt{3} \left(3c^2 \left(\frac{d}{e} \right)^{\frac{1}{3}} + 2d^2 + 2 \left(3b \left(\frac{d}{e} \right)^{\frac{1}{3}} + 2a \right) d \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{d}{e} \right)^{\frac{1}{3}} \right)}{\left(\frac{d}{e} \right)^{\frac{1}{3}}} \right) + \frac{c^2 x^2 + 4bcx}{2c} - \frac{\left(\left(\frac{d}{e} \right)^{\frac{1}{3}} - 2bc \right) d - \left(2d^2 \left(\frac{d}{e} \right)^{\frac{1}{3}} + 4ac \left(\frac{d}{e} \right)^{\frac{1}{3}} + 2ab \left(\frac{d}{e} \right)^{\frac{1}{3}} - a^2 \right) \log \left(x^2 - x \left(\frac{d}{e} \right)^{\frac{1}{3}} + \left(\frac{d}{e} \right)^{\frac{2}{3}} \right)}{6e^2 \left(\frac{d}{e} \right)^{\frac{1}{3}}} + \frac{\left(\left(\frac{d}{e} \right)^{\frac{1}{3}} - 2bc \right) d + \left(b^2 \left(\frac{d}{e} \right)^{\frac{1}{3}} + 2ac \left(\frac{d}{e} \right)^{\frac{1}{3}} - 2ab \left(\frac{d}{e} \right)^{\frac{1}{3}} + a^2 \right) \log \left(x + \left(\frac{d}{e} \right)^{\frac{1}{3}} \right)}{3e^2 \left(\frac{d}{e} \right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^2/(e*x^3+d),x, algorithm="maxima")

[Out] $-1/9 \cdot \sqrt{3} \cdot \left((3c^2 \cdot (d/e)^{2/3} + 2b^2 + 2 \cdot (3b \cdot (d/e)^{1/3} + 2a) \cdot c) \cdot d - (6a \cdot b \cdot (d/e)^{2/3} + 3a^2 \cdot (d/e)^{1/3} + 2b^2 \cdot d/e + 4a \cdot c \cdot d/e) \cdot e \right) \cdot \arctan(1/3 \cdot \sqrt{3} \cdot (2x - (d/e)^{1/3}) / (d/e)^{1/3}) / (d \cdot e) + 1/2 \cdot (c^2 \cdot x^2 + 4b \cdot c \cdot x) / e - 1/6 \cdot \left((c^2 \cdot (d/e)^{1/3} - 2b \cdot c) \cdot d - (2b^2 \cdot (d/e)^{2/3} + 4a \cdot c \cdot (d/e)^{2/3} + 2a \cdot b \cdot (d/e)^{1/3} - a^2) \cdot e \right) \cdot \log(x^2 - x \cdot (d/e)^{1/3} + (d/e)^{2/3}) / (e^2 \cdot (d/e)^{2/3}) + 1/3 \cdot \left((c^2 \cdot (d/e)^{1/3} - 2b \cdot c) \cdot d + (b^2 \cdot (d/e)^{2/3} + 2a \cdot c \cdot (d/e)^{2/3} - 2a \cdot b \cdot (d/e)^{1/3} + a^2) \cdot e \right) \cdot \log(x + (d/e)^{1/3}) / (e^2 \cdot (d/e)^{2/3})$

mupad [B] time = 5.13, size = 769, normalized size = 2.83

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + c*x^2)^2/(d + e*x^3),x)

[Out] $\text{symsum}(\log((2a^3 b e^2 + 2b^3 c^3 d^2 + b^4 d e + 3a^2 c^2 d e) / e + (x \cdot (c^4 d^2 - 2a^3 c e^2 + 3a^2 b^2 e^2 + 2b^3 c d e)) / e - 3 \cdot \text{root}(27 d^2 e^5 z^3 - 54 a c d^2 e^4 z^2 - 27 b^2 d^2 e^4 z^2 + 27 a^2 c^2 d^2 e^3 z + 18 b c^3 d^3 e^2 z + 18 a^3 b d e^4 z + 9 b^4 d^2 e^3 z + 6 a b^4 c d^2 e^2 - 9 a^2 b^2 c^2 d^2 e^2 - 6 a^4 b c d e^3 - 6 a b c^4 d^3 e - 2 a^3 c^3 d^2 e^2 + 2 b^3 c^3 d^3 e + 2 a^3 b^3 d e^3 - b^6 d^2 e^2 - c^6 d^4 - a^6 e^4, z, k) \cdot e \cdot (2 b^2 d - 3 \cdot \text{root}(27 d^2 e^5 z^3 - 54 a c d^2 e^4 z^2 - 27 b^2 d^2 e^4 z^2 + 27 a^2 c^2 d^2 e^3 z + 18 b c^3 d^3 e^2 z + 18 a^3 b d e^4 z + 9 b^4 d^2 e^3 z + 6 a b^4 c d^2 e^2 - 9 a^2 b^2 c^2 d^2 e^2 - 6 a^4 b c d e^3 - 6 a b c^4 d^3 e - 2 a^3 c^3 d^2 e^2 + 2 b^3 c^3 d^3 e + 2 a^3 b^3 d e^3 - b^6 d^2 e^2 - c^6 d^4 - a^6 e^4, z, k) \cdot d \cdot e + 4 a c d - a^2 e x + 2 b c d x)) \cdot \text{root}(27 d^2 e^5 z^3 - 54 a c d^2 e^4 z^2 - 27 b^2 d^2 e^4 z^2 + 27 a^2 c^2 d^2 e^3 z + 18 b c^3 d^3 e^2 z + 18 a^3 b d e^4 z + 9 b^4 d^2 e^3 z + 6 a b^4 c d^2 e^2 - 9 a^2 b^2 c^2 d^2 e^2 - 6 a^4 b c d e^3 - 6 a b c^4 d^3 e - 2 a^3 c^3 d^2 e^2 + 2 b^3 c^3 d^3 e + 2 a^3 b^3 d e^3 - b^6 d^2 e^2 - c^6 d^4 - a^6 e^4, z, k), k, 1, 3) + (c^2 x^2) / (2 e) + (2 b c x) / e$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)**2/(e*x**3+d),x)

[Out] Timed out

$$3.63 \quad \int \frac{(a+bx+cx^2)^3}{d+ex^3} dx$$

Optimal. Leaf size=416

$$\frac{\log(d+ex^3)(a^2(-c)e-ab^2e+bc^2d)}{e^2} - \frac{\log(d^{2/3}-\sqrt[3]{d}\sqrt[3]{ex+e^{2/3}x^2})(-e(b^3d-a^3e)+3\sqrt[3]{d}e^{2/3}(a^2(-b)e+ac^2d))}{6d^{2/3}e^{7/3}}$$

Rubi [A] time = 0.70, antiderivative size = 416, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(d^2-\sqrt{d}\sqrt{ex+e^{2/3}x^2})(\sqrt{d}\sqrt{ex+e^{2/3}x^2}-e^{1/3}(d-a^3e)-6abde+e^2d)}{e^{2/3}} - \frac{\log(\sqrt{d}+\sqrt[3]{d})(\sqrt{d}\sqrt{ex+e^{2/3}x^2}-e^{1/3}(d-a^3e)-6abde+e^2d)}{3e^{2/3}} - \frac{\tan^{-1}\left(\frac{\sqrt{d}\sqrt{ex+e^{2/3}x^2}}{\sqrt[3]{d}}\right)(\sqrt{d}\sqrt{ex+e^{2/3}x^2}+e^{2/3}-6abde-3a^2e^{2/3}d-3e^{2/3}d^2-e^{2/3}de+e^2d)}{\sqrt[3]{d}e^{2/3}} - \frac{\log(d+ex^3)(e^{2/3}(a^2(-b)e+ac^2d)-x(-6abde+b^3(-c)+e^2d))}{e^2} + \frac{3e^{2/3}(ac+e^2)}{e^2} + \frac{e^{2/3}}{e^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)^3/(d + e*x^3), x]

[Out] -(((c^3*d - b^3*e - 6*a*b*c*e)*x)/e^2) + (3*c*(b^2 + a*c)*x^2)/(2*e) + (b*c^2*x^3)/e + (c^3*x^4)/(4*e) - (((c^3*d^2 - 3*b^2*c*d^(4/3)*e^(2/3) - 3*a*c^2*d^(4/3)*e^(2/3) - b^3*d*e - 6*a*b*c*d*e + 3*a^2*b*d^(1/3)*e^(5/3) + a^3*e^2)*ArcTan[(d^(1/3) - 2*e^(1/3)*x)/(Sqrt[3]*d^(1/3))])/(Sqrt[3]*d^(2/3)*e^(7/3)) + (((c^3*d^2 - 6*a*b*c*d*e - e*(b^3*d - a^3*e) + 3*d^(1/3)*e^(2/3)*(b^2*c*d + a*c^2*d - a^2*b*e))*Log[d^(1/3) + e^(1/3)*x])/(3*d^(2/3)*e^(7/3)) - ((c^3*d^2 - 6*a*b*c*d*e - e*(b^3*d - a^3*e) + 3*d^(1/3)*e^(2/3)*(b^2*c*d + a*c^2*d - a^2*b*e))*Log[d^(2/3) - d^(1/3)*e^(1/3)*x + e^(2/3)*x^2])/(6*d^(2/3)*e^(7/3)) - ((b*c^2*d - a*b^2*e - a^2*c*e)*Log[d + e*x^3])/e^2

Rule 31

Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx + cx^2)^3}{d + ex^3} dx &= \int \left(-\frac{c^3d - b^3e - 6abce}{e^2} + \frac{3c(b^2 + ac)x}{e} + \frac{3bc^2x^2}{e} + \frac{c^3x^3}{e} + \frac{c^3d^2 - 6abcde - e(b^3d - a^3e)}{d + ex^3} \right) dx \\
&= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} + \frac{\int \frac{c^3d^2 - 6abcde - e(b^3d - a^3e) - 3e(b^2cd - a^2ce)}{d + ex^3} dx}{e^2} \\
&= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} + \frac{\int \frac{c^3d^2 - 6abcde - e(b^3d - a^3e) - 3e(b^2cd - a^2ce)}{d + ex^3} dx}{e^2} \\
&= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} - \frac{(bc^2d - ab^2e - a^2ce) \log(d + ex^3)}{e^2} \\
&= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} + \frac{(c^3d^2 - 6abcde - e(b^3d - a^3e)) \log(d + ex^3)}{e^2} \\
&= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} + \frac{(c^3d^2 - 6abcde - e(b^3d - a^3e)) \log(d + ex^3)}{e^2} \\
&= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} - \frac{(c^3d^2 - 3b^2cd^{4/3}e^{2/3} - 3ac^2d^{5/3}) \log(d + ex^3)}{e^2}
\end{aligned}$$

Mathematica [A] time = 0.58, size = 439, normalized size = 1.06

$$\frac{12\sqrt{e} \log(d + ex^3)(c^3cx + ab^2e - b^2cd) - \frac{12\sqrt{e} \log\left(\frac{d + ex^3}{d}\right) \left((c^3d - b^3e - 6abce)x^2 + 3c(b^2 + ac)x - 3a^2c \right) - 3(2abcde - e(b^3d - a^3e))}{12e^{7/3}} + \frac{23a(c^3d - b^3e - 6abce)x^2 + 3c(b^2 + ac)x^2 + bc^2x^3 + c^3x^4}{12e^{7/3}} + \frac{4a^2c \log\left(\frac{d + ex^3}{d}\right) \left((c^3d - b^3e - 6abce)x^2 + 3c(b^2 + ac)x - 3a^2c \right) + 12\sqrt{e}x(6abce + b^3c - c^3d) + 18c^2d^2(ac + b^2) + 12b^2c^2x^3 + 3c^3d^4}{12e^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)^3/(d + e*x^3), x]

[Out] (12*e^(1/3)*(-(c^3*d) + b^3*e + 6*a*b*c*e)*x + 18*c*(b^2 + a*c)*e^(4/3)*x^2 + 12*b*c^2*e^(4/3)*x^3 + 3*c^3*e^(4/3)*x^4 - (4*sqrt[3]*(c^3*d^2 - 3*a*c^2*d^(4/3)*e^(2/3) + e*(-(b^3*d) + 3*a^2*b*d^(1/3)*e^(2/3) + a^3*e) - 3*c*(b^2*d^(4/3)*e^(2/3) + 2*a*b*d*e))*ArcTan[(1 - (2*e^(1/3)*x)/d^(1/3))/sqrt[3]]/d^(2/3) + (4*(c^3*d^2 + 3*b^2*c*d^(4/3)*e^(2/3) + 3*a*c^2*d^(4/3)*e^(2/3) - b^3*d*e - 6*a*b*c*d*e - 3*a^2*b*d^(1/3)*e^(5/3) + a^3*e^2)*Log[d^(1/3) + e^(1/3)*x])/d^(2/3) - (2*(c^3*d^2 + 3*b^2*c*d^(4/3)*e^(2/3) + 3*a*c^2*d^(4/3)*e^(2/3) - b^3*d*e - 6*a*b*c*d*e - 3*a^2*b*d^(1/3)*e^(5/3) + a^3*e^2)*Log[d^(2/3) - d^(1/3)*e^(1/3)*x + e^(2/3)*x^2])/d^(2/3) + 12*e^(1/3)*(-(b*c^2*d) + a*b^2*e + a^2*c*e)*Log[d + e*x^3])/(12*e^(7/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx + cx^2)^3}{d + ex^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x + c*x^2)^3/(d + e*x^3), x]

[Out] IntegrateAlgebraic[(a + b*x + c*x^2)^3/(d + e*x^3), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^3/(e*x^3+d), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.23, size = 432, normalized size = 1.04

$$\frac{\sqrt{3} \left(c^3 d^2 - b^3 d e - 6 a b c d e + 3 (-d e^2)^{1/3} b^2 c d + 3 (-d e^2)^{1/3} a^2 c^2 d - 3 (-d e^2)^{1/3} a^2 b e + a^3 e^2 \right) \arctan \left(\frac{\sqrt{3} (-d e^2)^{1/3}}{2 x + (-d e^2)^{1/3}} \right) e^{-1} \log \left(\frac{x^2 + (-d e^2)^{1/3} x + (-d e^2)^{2/3}}{(-d e^2)^{2/3}} \right) - \frac{1}{3} \sqrt{3} (c^3 d^2 e^7 - 3 (-d e^2)^{1/3} b^2 c d e^8 - 3 (-d e^2)^{1/3} a^2 c^2 d e^8 - b^3 d e^8 - 6 a b c d e^8 + 3 (-d e^2)^{1/3} a^2 b e^9 + a^3 e^9) e^{-9} \log \left(\frac{x - (-d e^2)^{1/3}}{d} \right) + \frac{1}{4} (c^3 x^4 e^3 + 4 b c^2 x^3 e^3 + 6 b^2 c x^2 e^3 + 6 a c^2 x^2 e^3 - 4 c^3 d x e^2 + 4 b^3 x e^3 + 24 a b c x e^3) e^{-4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^3/(e*x^3+d), x, algorithm="giac")

[Out] $-(b*c^2*d - a*b^2*e - a^2*c*e)*e^{-2}*\log(\text{abs}(x^3*e + d)) - 1/3*\text{sqrt}(3)*(c^3*d^2 - b^3*d*e - 6*a*b*c*d*e + 3*(-d*e^2)^{1/3}*b^2*c*d + 3*(-d*e^2)^{1/3}*a*c^2*d - 3*(-d*e^2)^{1/3}*a^2*b*e + a^3*e^2)*\arctan(1/3*\text{sqrt}(3)*(2*x + (-d*e^2)^{1/3})/(-d*e^2)^{1/3})*e^{-1}/(-d*e^2)^{2/3} - 1/6*(c^3*d^2 - b^3*d*e - 6*a*b*c*d*e - 3*(-d*e^2)^{1/3}*b^2*c*d - 3*(-d*e^2)^{1/3}*a*c^2*d + 3*(-d*e^2)^{1/3}*a^2*b*e + a^3*e^2)*e^{-1}*\log(x^2 + (-d*e^2)^{1/3}*x + (-d*e^2)^{2/3})/(-d*e^2)^{2/3} - 1/3*(c^3*d^2*e^7 - 3*(-d*e^2)^{1/3}*b^2*c*d*e^8 - 3*(-d*e^2)^{1/3}*a^2*c^2*d*e^8 - b^3*d*e^8 - 6*a*b*c*d*e^8 + 3*(-d*e^2)^{1/3}*a^2*b*e^9 + a^3*e^9)*(-d*e^2)^{1/3}*e^{-9}*\log(\text{abs}(x - (-d*e^2)^{1/3})/d) + 1/4*(c^3*x^4*e^3 + 4*b*c^2*x^3*e^3 + 6*b^2*c*x^2*e^3 + 6*a*c^2*x^2*e^3 - 4*c^3*d*x*e^2 + 4*b^3*x*e^3 + 24*a*b*c*x*e^3)*e^{-4}$

maple [B] time = 0.05, size = 837, normalized size = 2.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a + b*x + c*x^2)^3/(d + e*x^3), x)$

[Out] $x*((b^3 + 6*a*b*c)/e - (c^3*d)/e^2) + \text{symsum}(\log(\text{root}(27*d^2*e^7*z^3 + 81*b*c^2*d^3*e^5*z^2 - 81*a^2*c*d^2*e^6*z^2 - 81*a*b^2*d^2*e^6*z^2 - 27*a^3*b^2*c*d^2*e^5*z + 27*a^2*b*c^3*d^3*e^4*z + 27*a*b^3*c^2*d^3*e^4*z + 54*b^2*c^4*d^4*e^3*z + 54*a^4*c^2*d^2*e^5*z + 54*a^2*b^4*d^2*e^5*z + 27*b^5*c*d^3*e^4*z - 27*a*c^5*d^4*e^3*z + 27*a^5*b*d*e^6*z + 18*a^4*b^4*c*d^2*e^4 - 18*a^4*b*c^4*d^3*e^3 + 18*a*b^4*c^4*d^4*e^2 - 9*a*b^7*c*d^3*e^3 - 27*a^5*b^2*c^2*d^2*e^4 + 27*a^2*b^5*c^2*d^3*e^3 - 27*a^2*b^2*c^5*d^4*e^2 - 21*a^3*b^3*c^3*d^3*e^3 - 9*a^7*b*c*d*e^5 - 9*a*b*c^7*d^5*e - 3*b^6*c^3*d^4*e^2 - 3*a^6*c^3*d^2*e^4 - 3*a^3*c^6*d^4*e^2 - 3*a^3*b^6*d^2*e^4 + 3*b^3*c^6*d^5*e + 3*a^6*b^3*d*e^5 + b^9*d^3*e^3 - c^9*d^6 - a^9*e^6, z, k)*((3*x*(a^3*e^4 - b^3*d*e^3 + c^3*d^2*e^2 - 6*a*b*c*d*e^3))/e^2 - (3*(6*a*b^2*d*e^3 - 6*b*c^2*d^2*e^2 + 6*a^2*c*d*e^3))/e^2 + 9*\text{root}(27*d^2*e^7*z^3 + 81*b*c^2*d^3*e^5*z^2 - 81*a^2*c*d^2*e^6*z^2 - 81*a*b^2*d^2*e^6*z^2 - 27*a^3*b^2*c*d^2*e^5*z + 27*a^2*b*c^3*d^3*e^4*z + 27*a*b^3*c^2*d^3*e^4*z + 54*b^2*c^4*d^4*e^3*z + 54*a^4*c^2*d^2*e^5*z + 54*a^2*b^4*d^2*e^5*z + 27*b^5*c*d^3*e^4*z - 27*a*c^5*d^4*e^3*z + 27*a^5*b*d*e^6*z + 18*a^4*b^4*c*d^2*e^4 - 18*a^4*b*c^4*d^3*e^3 + 18*a*b^4*c^4*d^4*e^2 - 9*a*b^7*c*d^3*e^3 - 27*a^5*b^2*c^2*d^2*e^4 + 27*a^2*b^5*c^2*d^3*e^3 - 27*a^2*b^2*c^5*d^4*e^2 - 21*a^3*b^3*c^3*d^3*e^3 - 9*a^7*b*c*d*e^5 - 9*a*b*c^7*d^5*e - 3*b^6*c^3*d^4*e^2 - 3*a^6*c^3*d^2*e^4 - 3*a^3*c^6*d^4*e^2 - 3*a^3*b^6*d^2*e^4 + 3*b^3*c^6*d^5*e + 3*a^6*b^3*d*e^5 + b^9*d^3*e^3 - c^9*d^6 - a^9*e^6, z, k)*d*e^2) + (3*(a^5*b*e^3 - a*c^5*d^3 + 2*b^2*c^4*d^3 + 2*a^2*b^4*d*e^2 + 2*a^4*c^2*d*e^2 + b^5*c*d^2*e + a*b^3*c^2*d^2*e + a^2*b*c^3*d^2*e - a^3*b^2*c*d*e^2))/e^2 + (3*x*(b*c^5*d^3 - a^5*c*e^3 + 2*a^4*b^2*e^3 + 2*a^2*c^4*d^2*e + 2*b^4*c^2*d^2*e + a*b^5*d*e^2 - a*b^2*c^3*d^2*e + a^2*b^3*c*d*e^2 + a^3*b*c^2*d*e^2))/e^2)*\text{root}(27*d^2*e^7*z^3 + 81*b*c^2*d^3*e^5*z^2 - 81*a^2*c*d^2*e^6*z^2 - 81*a*b^2*d^2*e^6*z^2 - 27*a^3*b^2*c*d^2*e^5*z + 27*a^2*b*c^3*d^3*e^4*z + 27*a*b^3*c^2*d^3*e^4*z + 54*b^2*c^4*d^4*e^3*z + 54*a^4*c^2*d^2*e^5*z + 54*a^2*b^4*d^2*e^5*z + 27*b^5*c*d^3*e^4*z - 27*a*c^5*d^4*e^3*z + 27*a^5*b*d*e^6*z + 18*a^4*b^4*c*d^2*e^4 - 18*a^4*b*c^4*d^3*e^3 + 18*a*b^4*c^4*d^4*e^2 - 9*a*b^7*c*d^3*e^3 - 27*a^5*b^2*c^2*d^2*e^4 + 27*a^2*b^5*c^2*d^3*e^3 - 27*a^2*b^2*c^5*d^4*e^2 - 21*a^3*b^3*c^3*d^3*e^3 - 9*a^7*b*c*d*e^5 - 9*a*b*c^7*d^5*e - 3*b^6*c^3*d^4*e^2 - 3*a^6*c^3*d^2*e^4 - 3*a^3*c^6*d^4*e^2 - 3*a^3*b^6*d^2*e^4 + 3*b^3*c^6*d^5*e + 3*a^6*b^3*d*e^5 + b^9*d^3*e^3 - c^9*d^6 - a^9*e^6, z, k), k, 1, 3) + (c^3*x^4)/(4*e) + (b*c^2*x^3)/e + (3*c*x^2*(a*c + b^2))/(2*e)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+b*x+a)**3/(e*x**3+d),x)
```

```
[Out] Timed out
```

$$3.64 \quad \int \frac{(a+bx+cx^2)^4}{d+ex^3} dx$$

Optimal. Leaf size=645

$$\frac{x^2(-6a^2c^2e - 12ab^2ce + b^4(-e) + 4bc^3d)}{2e^2} - \frac{2x(-6a^2bce - 2ab^3e + 2ac^3d + 3b^2c^2d)}{e^2} + \frac{\log(d+ex^3)(-4ce(b^3d -$$

Rubi [A] time = 1.10, antiderivative size = 643, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)^4/(d + e*x^3), x]

[Out] $(-2*(3*b^2*c^2*d + 2*a*c^3*d - 2*a*b^3*e - 6*a^2*b*c*e)*x)/e^2 - ((4*b*c^3*d - b^4*e - 12*a*b^2*c*e - 6*a^2*c^2*e)*x^2)/(2*e^2) - (c*(c^3*d - 4*b^3*e - 12*a*b*c*e)*x^3)/(3*e^2) + (c^2*(3*b^2 + 2*a*c)*x^4)/(2*e) + (4*b*c^3*x^5)/(5*e) + (c^4*x^6)/(6*e) - ((b*d^{1/3} + a*e^{1/3})*(4*c^3*d^2 + 6*c^2*(b*d^{5/3}*e^{1/3} - a*d^{4/3}*e^{2/3})) - 12*a*b*c*d*e - e*(b^3*d + 3*a*b^2*d^{2/3}*e^{1/3} - 3*a^2*b*d^{1/3}*e^{2/3} - a^3*e))*ArcTan[(d^{1/3} - 2*e^{1/3})*x]/(Sqrt[3]*d^{1/3}))/Sqrt[3]*d^{2/3}*e^{8/3} + ((e^{1/3}*(6*b^2*c^2*d^2 + 4*a*c^3*d^2 - 4*a*b^3*d*e - 12*a^2*b*c*d*e + a^4*e^2) + d^{1/3}*(b^4*d*e + 12*a*b^2*c*d*e + 6*a^2*c^2*d*e - 4*b*(c^3*d^2 + a^3*e^2)))*Log[d^{1/3} + e^{1/3}*x]/(3*d^{2/3}*e^{8/3}) - ((6*b^2*c^2*d^2 + 4*a*c^3*d^2 - 4*a*b^3*d*e - 12*a^2*b*c*d*e + a^4*e^2 + (d^{1/3}*(b^4*d*e + 12*a*b^2*c*d*e + 6*a^2*c^2*d*e - 4*b*(c^3*d^2 + a^3*e^2)))/e^{1/3})*Log[d^{2/3} - d^{1/3}*e^{1/3}]*x + e^{2/3}*x^2)/(6*d^{2/3}*e^{7/3}) + ((c^4*d^2 - 12*a*b*c^2*d*e + 6*a^2*b^2*e^2 - 4*c*e*(b^3*d - a^3*e))*Log[d + e*x^3]/(3*e^3)$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent
t[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```


Rubi steps

$$\begin{aligned}
\int \frac{(a + bx + cx^2)^4}{d + ex^3} dx &= \int \left(-\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x}{e^2} - \frac{c(c^3d - b^4e - 12ab^2ce - 6a^2c^2e)}{e^2} \right) dx \\
&= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{3e^2} \\
&= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{3e^2} \\
&= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{3e^2} \\
&= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{3e^2} \\
&= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{3e^2} \\
&= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{3e^2}
\end{aligned}$$

Mathematica [A] time = 0.48, size = 678, normalized size = 1.05

$$\frac{(60e^{2/3}(-3b^2c^2d - 2ac^3d + 2ab^3e + 6a^2bce)x + 15e^{2/3}(-4b^3c^3d + b^4e + 12ab^2ce + 6a^2c^2e)x^2 + 10c^3e^{2/3}(-c^3d + 4b^3e + 12ab^2ce)x^3 + 15c^2(3b^2 + 2ac)e^{5/3}x^4 + 24b^3c^3e^{5/3}x^5 + 5c^4e^{5/3}x^6 + (10\sqrt{3}(b^2d^{1/3} + ae^{1/3}))(-4c^3d^2 + c^2(-6bd^{5/3}e^{1/3} + 6ad^{4/3}e^{2/3})) + 12ab^3cd^2e + e(b^3d + 3ab^2d^{2/3}e^{1/3} - 3a^2bd^{1/3}e^{2/3} - a^3e))\text{ArcTan}[(1 - (2e^{1/3}x)/d^{1/3})/\sqrt{3}]/d^{2/3} + (10(4ac^3d^2e^{1/3} + b^4d^{4/3}e + 6a^2c^2d^{4/3}e - 4ab^3d^3e^{4/3} + a^4e^{7/3} + 6b^2(c^2d^2e^{1/3} + 2acd^{4/3}e) - 4b(c^3d^{7/3} + 3$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)^4/(d + e*x^3), x]

[Out] (60*e^(2/3)*(-3*b^2*c^2*d - 2*a*c^3*d + 2*a*b^3*e + 6*a^2*b*c*e)*x + 15*e^(2/3)*(-4*b^3*c^3*d + b^4*e + 12*a*b^2*c*e + 6*a^2*c^2*e)*x^2 + 10*c^3*e^(2/3)*(-c^3*d + 4*b^3*e + 12*a*b^2*c*e)*x^3 + 15*c^2*(3*b^2 + 2*a*c)*e^(5/3)*x^4 + 24*b^3*c^3*e^(5/3)*x^5 + 5*c^4*e^(5/3)*x^6 + (10*sqrt(3)*(b*d^(1/3) + a*e^(1/3))*(-4*c^3*d^2 + c^2*(-6*b*d^(5/3)*e^(1/3) + 6*a*d^(4/3)*e^(2/3)) + 12*a*b^3*c*d^2*e + e*(b^3*d + 3*a*b^2*d^(2/3)*e^(1/3) - 3*a^2*b*d^(1/3)*e^(2/3) - a^3*e))*ArcTan[(1 - (2*e^(1/3)*x)/d^(1/3))/sqrt(3)]/d^(2/3) + (10*(4*a*c^3*d^2*e^(1/3) + b^4*d^(4/3)*e + 6*a^2*c^2*d^(4/3)*e - 4*a*b^3*d^3*e^(4/3) + a^4*e^(7/3) + 6*b^2*(c^2*d^2*e^(1/3) + 2*a*c*d^(4/3)*e) - 4*b*(c^3*d^(7/3) + 3*

$a^2*c*d*e^{(4/3)} + a^3*d^{(1/3)}*e^2)) * \text{Log}[d^{(1/3)} + e^{(1/3)}*x] / d^{(2/3)} - (5*(4*a*c^3*d^2*e^{(1/3)} + b^4*d^{(4/3)}*e + 6*a^2*c^2*d^{(4/3)}*e - 4*a*b^3*d*e^{(4/3)} + a^4*e^{(7/3)} + 6*b^2*(c^2*d^2*e^{(1/3)} + 2*a*c*d^{(4/3)}*e) - 4*b*(c^3*d^{(7/3)} + 3*a^2*c*d*e^{(4/3)} + a^3*d^{(1/3)}*e^2)) * \text{Log}[d^{(2/3)} - d^{(1/3)}*e^{(1/3)}*x + e^{(2/3)}*x^2]) / d^{(2/3)} + (10*(c^4*d^2 - 12*a*b*c^2*d*e + 6*a^2*b^2*e^2 + 4*c*e*(-(b^3*d) + a^3*e)) * \text{Log}[d + e*x^3]) / e^{(1/3)}) / (30*e^{(8/3)})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx + cx^2)^4}{d + ex^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x + c*x^2)^4/(d + e*x^3), x]

[Out] IntegrateAlgebraic[(a + b*x + c*x^2)^4/(d + e*x^3), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^4/(e*x^3+d), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.21, size = 723, normalized size = 1.12

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^4/(e*x^3+d), x, algorithm="giac")

[Out] $\frac{1}{3}*(c^4*d^2 - 4*b^3*c*d*e - 12*a*b*c^2*d*e + 6*a^2*b^2*e^2 + 4*a^3*c*e^2)*e^{-3}*\log(\text{abs}(x^3*e + d)) - \frac{1}{3}*\sqrt{3}*(6*b^2*c^2*d^2*e + 4*a*c^3*d^2*e - 4*(-d*e^2)^{(1/3)}*b*c^3*d^2 + (-d*e^2)^{(1/3)}*b^4*d*e + 12*(-d*e^2)^{(1/3)}*a*b^2*c*d*e + 6*(-d*e^2)^{(1/3)}*a^2*c^2*d*e - 4*a*b^3*d*e^2 - 12*a^2*b*c*d*e^2 - 4*(-d*e^2)^{(1/3)}*a^3*b*e^2 + a^4*e^3)*\arctan(\frac{1}{3}*\sqrt{3}*(2*x + (-d*e^{-1})^{(1/3)})/(-d*e^{-1})^{(1/3)}*e^{-2}/(-d*e^2)^{(2/3)} - \frac{1}{6}*(6*b^2*c^2*d^2*e + 4*a*c^3*d^2*e + 4*(-d*e^2)^{(1/3)}*b*c^3*d^2 - (-d*e^2)^{(1/3)}*b^4*d*e - 12*(-d*e^2)^{(1/3)}*a*b^2*c*d*e - 6*(-d*e^2)^{(1/3)}*a^2*c^2*d*e - 4*a*b^3*d*e^2 - 12*a^2*b*c*d*e^2 + 4*(-d*e^2)^{(1/3)}*a^3*b*e^2 + a^4*e^3)*e^{-2}*\log(x^2 + (-d*e^{-1})^{(1/3)}*x + (-d*e^{-1})^{(2/3)})/(-d*e^2)^{(2/3)} - \frac{1}{3}*(4*(-d*e^{-1})^{(1/3)}*b*c^3*d^2*e^{11} + 6*b^2*c^2*d^2*e^{11} + 4*a*c^3*d^2*e^{11} - (-d*e^{-1})$

$$\begin{aligned} &)^{(1/3)} * b^4 * d * e^{12} - 12 * (-d * e^{-1})^{(1/3)} * a * b^2 * c * d * e^{12} - 6 * (-d * e^{-1})^{(1/3)} \\ & * a^2 * c^2 * d * e^{12} - 4 * a * b^3 * d * e^{12} - 12 * a^2 * b * c * d * e^{12} + 4 * (-d * e^{-1})^{(1/3)} \\ & * a^3 * b * e^{13} + a^4 * e^{13} * (-d * e^{-1})^{(1/3)} * e^{-13} * \log(\text{abs}(x - (-d * e^{-1}) \\ & ^{(1/3)})) / d + 1/30 * (5 * c^4 * x^6 * e^5 + 24 * b * c^3 * x^5 * e^5 + 45 * b^2 * c^2 * x^4 * e^5 + \\ & 30 * a * c^3 * x^4 * e^5 - 10 * c^4 * d * x^3 * e^4 + 40 * b^3 * c * x^3 * e^5 + 120 * a * b * c^2 * x^3 * e^5 \\ & - 60 * b * c^3 * d * x^2 * e^4 + 15 * b^4 * x^2 * e^5 + 180 * a * b^2 * c * x^2 * e^5 + 90 * a^2 * c^2 * \\ & x^2 * e^5 - 180 * b^2 * c^2 * d * x * e^4 - 120 * a * c^3 * d * x * e^4 + 120 * a * b^3 * x * e^5 + 360 * a \\ & ^2 * b * c * x * e^5) * e^{-6} \end{aligned}$$

maple [B] time = 0.06, size = 1339, normalized size = 2.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)^4/(e*x^3+d),x)`

[Out]
$$\begin{aligned} & -4/e^2/(d/e)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * a^2 * b * c * \\ & d - 4/e^2 * 3^{(1/2)} / (d/e)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * a * b^2 * c \\ & * d - 1/e^2 / (d/e)^{(1/3)} * \ln(x^2 - (d/e)^{(1/3)} * x + (d/e)^{(2/3)}) * a^2 * c^2 * d - 1/3 * e^2 * 3^{(1/2)} \\ & / (d/e)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * b^4 * d - 4/e^2 * \ln(e * \\ & x^3 + d) * a * b * c^2 * d + 2/3 * e^3 / (d/e)^{(1/3)} * \ln(x^2 - (d/e)^{(1/3)} * x + (d/e)^{(2/3)}) * b * c^3 \\ & * d^2 + 4/3 * e^3 / (d/e)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * a^3 \\ & * b + 2/e^2 / (d/e)^{(1/3)} * \ln(x + (d/e)^{(1/3)}) * a^2 * c^2 * d - 4/3 * e^3 / (d/e)^{(1/3)} * \ln(x + \\ & (d/e)^{(1/3)}) * b * c^3 * d^2 + 2/e^3 / (d/e)^{(2/3)} * \ln(x + (d/e)^{(1/3)}) * b^2 * c^2 * d^2 + 2/3 * e \\ & ^2 / (d/e)^{(2/3)} * \ln(x^2 - (d/e)^{(1/3)} * x + (d/e)^{(2/3)}) * a * b^3 * d - 2/3 * e^3 / (d/e)^{(2/3)} \\ & * \ln(x^2 - (d/e)^{(1/3)} * x + (d/e)^{(2/3)}) * a * c^3 * d^2 - 1/e^3 / (d/e)^{(2/3)} * \ln(x^2 - (d/e) \\ &)^{(1/3)} * x + (d/e)^{(2/3)}) * b^2 * c^2 * d^2 - 4/3 * e^2 / (d/e)^{(2/3)} * \ln(x + (d/e)^{(1/3)}) * a * \\ & b^3 * d + 4/3 * e^3 / (d/e)^{(2/3)} * \ln(x + (d/e)^{(1/3)}) * a * c^3 * d^2 + 1/2 * e * x^2 * b^4 - 4/3 * e^2 \\ & / (d/e)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * a * b^3 * d + 4/3 * e^3 \\ & / (d/e)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * a * c^3 * d^2 + 2/e \\ & ^3 / (d/e)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * b^2 * c^2 * d^2 + \\ & 4/e^2 / (d/e)^{(1/3)} * \ln(x + (d/e)^{(1/3)}) * a * b^2 * c * d - 2/e^2 / (d/e)^{(1/3)} * \ln(x^2 - (d/e) \\ &)^{(1/3)} * x + (d/e)^{(2/3)}) * a * b^2 * c * d - 2/e^2 * 3^{(1/2)} / (d/e)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} \\ & * (2/(d/e)^{(1/3)} * x - 1)) * a^2 * c^2 * d + 4/3 * e^3 * 3^{(1/2)} / (d/e)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} \\ & / (d/e)^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * b * c^3 * d^2 - 4/e^2 / (d/e)^{(2/3)} * \ln(x + (d/e)^{(1/3)}) * a^2 \\ & * b * c * d + 2/e^2 / (d/e)^{(2/3)} * \ln(x^2 - (d/e)^{(1/3)} * x + (d/e)^{(2/3)}) * a^2 * b * c * d + 4/3 * e \\ & * x^3 * b^3 * c + 3/e * x^2 * a^2 * c^2 + 4/e * a * b^3 * x + 1/e * x^4 * a * c^3 + 3/2 * e * x^4 * b^2 * c^2 + 4/3 * \\ & e * \ln(e * x^3 + d) * a^3 * c + 2/e * \ln(e * x^3 + d) * a^2 * b^2 + 1/3 * e^3 * \ln(e * x^3 + d) * c^4 * d^2 + 1/3 \\ & / e / (d/e)^{(2/3)} * \ln(x + (d/e)^{(1/3)}) * a^4 - 1/3 * e^2 * x^3 * c^4 * d - 1/6 * e / (d/e)^{(2/3)} * \ln \\ & (x^2 - (d/e)^{(1/3)} * x + (d/e)^{(2/3)}) * a^4 + 1/6 * c^4 * x^6 / e + 2/3 * e / (d/e)^{(1/3)} * \ln(x^2 - \\ & (d/e)^{(1/3)} * x + (d/e)^{(2/3)}) * a^3 * b - 1/6 * e^2 / (d/e)^{(1/3)} * \ln(x^2 - (d/e)^{(1/3)} * x + \\ & (d/e)^{(2/3)}) * b^4 * d - 4/3 * e / (d/e)^{(1/3)} * \ln(x + (d/e)^{(1/3)}) * a^3 * b - 4/3 * e^2 * \ln(e * x^3 \\ & + d) * b^3 * c * d + 1/3 * e^2 / (d/e)^{(1/3)} * \ln(x + (d/e)^{(1/3)}) * b^4 * d - 2/e^2 * x^2 * b * c^3 * d + \\ & 12/e * a^2 * b * c * x - 4/e^2 * a * c^3 * d * x - 6/e^2 * b^2 * c^2 * d * x + 4/e * x^3 * a * b * c^2 + 6/e * x^2 * a * \\ & b^2 * c + 1/3 * e / (d/e)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * a^4 \end{aligned}$$

$+4/5*b*c^3*x^5/e$

maxima [A] time = 3.13, size = 833, normalized size = 1.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^4/(e*x^3+d),x, algorithm="maxima")

[Out] $\frac{1}{30}(5c^4ex^6 + 24b^3c^3ex^5 + 15(3b^2c^2 + 2ac^3)ex^4 - 10(c^4d - 4(b^3c + 3ab^2c^2)e)x^3 - 15(4b^3c^3d - (b^4 + 12ab^2c + 6a^2c^2)e)x^2 - 60((3b^2c^2 + 2ac^3)d - 2(ab^3 + 3a^2bc^2)e)x) / e^2 - \frac{1}{9}\sqrt{3}(2c^4d^3 - 2(4b^3c + 6(b(d/e)^{2/3} + a(d/e)^{1/3}))c^3 + c^4d/e + 3(3b^2(d/e)^{1/3} + 4ab)c^2)d^2e + (3b^4(d/e)^{2/3} + 12ab^3(d/e)^{1/3} + 12a^2b^2 + 6(3a^2(d/e)^{2/3} + 4ab^2d/e)c^2 + 4(9ab^2(d/e)^{2/3} + 9a^2b(d/e)^{1/3} + 2a^3 + 2b^3d/e)c)d^2e - (12a^3b(d/e)^{2/3} + 3a^4(d/e)^{1/3} + 12a^2b^2d/e + 8a^3cd/e)e^3 \arctan(1/3\sqrt{3}(2x - (d/e)^{1/3})/(d/e)^{1/3})/(d^3e^3) + 1/6(2(c^4(d/e)^{2/3} - 3b^2c^2 + 2(b(d/e)^{1/3} - a)c^3)d^2 - (b^4(d/e)^{1/3} - 4ab^3 + 6(4ab(d/e)^{2/3} + a^2(d/e)^{1/3}))c^2 + 4(2b^3(d/e)^{2/3} + 3ab^2(d/e)^{1/3} - 3a^2b)c)d^2e + (12a^2b^2(d/e)^{2/3} + 8a^3c(d/e)^{2/3} + 4a^3b(d/e)^{1/3} - a^4)e^2) \log(x^2 - x(d/e)^{1/3} + (d/e)^{2/3})/(e^3(d/e)^{2/3}) + 1/3((c^4(d/e)^{2/3} + 6b^2c^2 - 4(b(d/e)^{1/3} - a)c^3)d^2 + (b^4(d/e)^{1/3} - 4ab^3 - 6(2ab(d/e)^{2/3} - a^2(d/e)^{1/3}))c^2 - 4(b^3(d/e)^{2/3} - 3ab^2(d/e)^{1/3} + 3a^2b)c)d^2e + (6a^2b^2(d/e)^{2/3} + 4a^3c(d/e)^{2/3}) - 4a^3b(d/e)^{1/3} + a^4)e^2) \log(x + (d/e)^{1/3})/(e^3(d/e)^{2/3})$

mupad [B] time = 5.05, size = 2971, normalized size = 4.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + c*x^2)^4/(d + e*x^3),x)

[Out] $x^2((b^4 + 6a^2c^2 + 12ab^2c)/(2e) - (2b^3c^3d)/e^2) - x^3((c^4d)/(3e^2) - (4b^3c^3(3ac + b^2))/(3e)) + \text{symsum}(\log(\text{root}(27d^2e^9z^3 + 324ab^3c^2d^3e^7z^2 + 108b^3cd^3e^7z^2 - 108a^3cd^2e^8z^2 - 162a^2b^2d^2e^8z^2 - 27c^4d^4e^6z^2 - 72ab^3c^6d^5e^4z + 216a^2b^2c^4d^4e^5z + 144a^3b^3c^2d^3e^6z - 108a^5b^2cd^2e^7z + 108a^2b^5cd^3e^6z - 36a^4b^3cd^3e^6z + 36ab^4c^3d^4e^5z + 144b^3c^5d^5e^4z + 90b^6c^2d^4e^5z - 144a^3c^5d^4e^5z + 90a^6c^2d^2e^7z + 171a^4b^4d^2e^7z + 36ab^7d^3e^6z + 36a^7b^2de^8z + 9c^8d^6e^3z + 36a^7b^4cd^2e^6 - 36a^7b^3c^4d^3e^5 - 36a^4b^7cd^3e^5 - 36a^4b^3c^7d^5e^3 - 36ab^7c^4d^5e^3 + 36ab^4c^7d^6e^2 + 12ab^10cd^4e^4 + 108a^5b^5c^2d^3e^5 - 108a^5b^2$

$$\begin{aligned}
& *c^5*d^4*e^4 + 108*a^2*b^5*c^5*d^5*e^3 - 96*a^6*b^3*c^3*d^3*e^5 + 96*a^3*b^6*c^3*d^4*e^4 - 96*a^3*b^3*c^6*d^5*e^3 - 54*a^8*b^2*c^2*d^2*e^6 - 54*a^2*b^8*c^2*d^4*e^4 - 54*a^2*b^2*c^8*d^6*e^2 - 9*a^4*b^4*c^4*d^4*e^4 - 12*a^10*b*c*d*e^7 - 12*a*b*c^10*d^7*e - 6*b^6*c^6*d^6*e^2 + 4*b^9*c^3*d^5*e^3 - 6*a^6*c^6*d^4*e^4 - 4*a^9*c^3*d^2*e^6 - 4*a^3*c^9*d^6*e^2 - 6*a^6*b^6*d^2*e^6 + 4*a^3*b^9*d^3*e^5 + 4*b^3*c^9*d^7*e + 4*a^9*b^3*d*e^7 - b^12*d^4*e^4 - c^12*d^8 - a^12*e^8, z, k) * ((x*(3*a^4*e^5 + 12*a*c^3*d^2*e^3 + 18*b^2*c^2*d^2*e^3 - 12*a*b^3*d*e^4 - 36*a^2*b*c*d*e^4))/e^3 - (6*c^4*d^3*e^3 + 36*a^2*b^2*d*e^5 - 24*b^3*c*d^2*e^4 + 24*a^3*c*d*e^5 - 72*a*b*c^2*d^2*e^4)/e^4 + 9*root(27*d^2*e^9*z^3 + 324*a*b*c^2*d^3*e^7*z^2 + 108*b^3*c*d^3*e^7*z^2 - 108*a^3*c*d^2*e^8*z^2 - 162*a^2*b^2*d^2*e^8*z^2 - 27*c^4*d^4*e^6*z^2 - 72*a*b*c^6*d^5*e^4*z + 216*a^2*b^2*c^4*d^4*e^5*z + 144*a^3*b^3*c^2*d^3*e^6*z - 108*a^5*b^2*c*d^2*e^7*z + 108*a^2*b^5*c*d^3*e^6*z - 36*a^4*b*c^3*d^3*e^6*z + 36*a*b^4*c^3*d^4*e^5*z + 144*b^3*c^5*d^5*e^4*z + 90*b^6*c^2*d^4*e^5*z - 144*a^3*c^5*d^4*e^5*z + 90*a^6*c^2*d^2*e^7*z + 171*a^4*b^4*d^2*e^7*z + 36*a*b^7*d^3*e^6*z + 36*a^7*b*d*e^8*z + 9*c^8*d^6*e^3*z + 36*a^7*b^4*c*d^2*e^6 - 36*a^7*b*c^4*d^3*e^5 - 36*a^4*b^7*c*d^3*e^5 - 36*a^4*b*c^7*d^5*e^3 - 36*a*b^7*c^4*d^5*e^3 + 36*a*b^4*c^7*d^6*e^2 + 12*a*b^10*c*d^4*e^4 + 108*a^5*b^5*c^2*d^3*e^5 - 108*a^5*b^2*c^5*d^4*e^4 + 108*a^2*b^5*c^5*d^5*e^3 - 96*a^6*b^3*c^3*d^3*e^5 + 96*a^3*b^6*c^3*d^4*e^4 - 96*a^3*b^3*c^6*d^5*e^3 - 54*a^8*b^2*c^2*d^2*e^6 - 54*a^2*b^8*c^2*d^4*e^4 - 54*a^2*b^2*c^8*d^6*e^2 - 9*a^4*b^4*c^4*d^4*e^4 - 12*a^10*b*c*d*e^7 - 12*a*b*c^10*d^7*e - 6*b^6*c^6*d^6*e^2 + 4*b^9*c^3*d^5*e^3 - 6*a^6*c^6*d^4*e^4 - 4*a^9*c^3*d^2*e^6 - 4*a^3*c^9*d^6*e^2 - 6*a^6*b^6*d^2*e^6 + 4*a^3*b^9*d^3*e^5 + 4*b^3*c^9*d^7*e + 4*a^9*b^3*d*e^7 - b^12*d^4*e^4 - c^12*d^8 - a^12*e^8, z, k)*d*e^2) + (c^8*d^5 + 4*a^7*b*e^5 + 4*a*b^7*d^2*e^3 + 19*a^4*b^4*d*e^4 + 10*a^6*c^2*d*e^4 + 16*b^3*c^5*d^4*e - 16*a^3*c^5*d^3*e^2 + 10*b^6*c^2*d^3*e^2 - 8*a*b*c^6*d^4*e + 24*a^2*b^2*c^4*d^3*e^2 + 16*a^3*b^3*c^2*d^2*e^3 - 12*a^5*b^2*c*d*e^4 + 4*a*b^4*c^3*d^3*e^2 + 12*a^2*b^5*c*d^2*e^3 - 4*a^4*b*c^3*d^2*e^3)/e^4 + (x*(10*a^6*b^2*e^4 - 4*a^7*c*e^4 - 4*a*c^7*d^4 + 10*b^2*c^6*d^4 + b^8*d^2*e^2 + 16*a^3*b^5*d*e^3 + 16*b^5*c^3*d^3*e + 19*a^4*c^4*d^2*e^2 + 24*a^2*b^4*c^2*d^2*e^2 - 16*a^3*b^2*c^3*d^2*e^2 - 4*a*b^3*c^4*d^3*e + 8*a*b^6*c*d^2*e^2 + 12*a^2*b*c^5*d^3*e - 4*a^4*b^3*c*d*e^3 + 12*a^5*b*c^2*d*e^3))/e^3)*root(27*d^2*e^9*z^3 + 324*a*b*c^2*d^3*e^7*z^2 + 108*b^3*c*d^3*e^7*z^2 - 108*a^3*c*d^2*e^8*z^2 - 162*a^2*b^2*d^2*e^8*z^2 - 27*c^4*d^4*e^6*z^2 - 72*a*b*c^6*d^5*e^4*z + 216*a^2*b^2*c^4*d^4*e^5*z + 144*a^3*b^3*c^2*d^3*e^6*z - 108*a^5*b^2*c*d^2*e^7*z + 108*a^2*b^5*c*d^3*e^6*z - 36*a^4*b*c^3*d^3*e^6*z + 36*a*b^4*c^3*d^4*e^5*z + 144*b^3*c^5*d^5*e^4*z + 90*b^6*c^2*d^4*e^5*z - 144*a^3*c^5*d^4*e^5*z + 90*a^6*c^2*d^2*e^7*z + 171*a^4*b^4*d^2*e^7*z + 36*a*b^7*d^3*e^6*z + 36*a^7*b*d*e^8*z + 9*c^8*d^6*e^3*z + 36*a^7*b^4*c*d^2*e^6 - 36*a^7*b*c^4*d^3*e^5 - 36*a^4*b^7*c*d^3*e^5 - 36*a^4*b*c^7*d^5*e^3 - 36*a*b^7*c^4*d^5*e^3 + 36*a*b^4*c^7*d^6*e^2 + 12*a*b^10*c*d^4*e^4 + 108*a^5*b^5*c^2*d^3*e^5 - 108*a^5*b^2*c^5*d^4*e^4 + 108*a^2*b^5*c^5*d^5*e^3 - 96*a^6*b^3*c^3*d^3*e^5 + 96*a^3*b^6*c^3*d^4*e^4 - 96*a^3*b^3*c^6*d^5*e^3 - 54*a^8*b^2*c^2*d^2*e^6 - 54*a^2*b^8*c^2*d^4*e^4 - 54*a^2*b^2*c^8*d^6*e^2 - 9*a^4*b^4*c^4*d^4*e^4 - 12*a^10*b*c*d
\end{aligned}$$

```
*e^7 - 12*a*b*c^10*d^7*e - 6*b^6*c^6*d^6*e^2 + 4*b^9*c^3*d^5*e^3 - 6*a^6*c^
6*d^4*e^4 - 4*a^9*c^3*d^2*e^6 - 4*a^3*c^9*d^6*e^2 - 6*a^6*b^6*d^2*e^6 + 4*a
^3*b^9*d^3*e^5 + 4*b^3*c^9*d^7*e + 4*a^9*b^3*d*e^7 - b^12*d^4*e^4 - c^12*d^
8 - a^12*e^8, z, k), k, 1, 3) - x*((d*(4*a*c^3 + 6*b^2*c^2))/e^2 - (4*a*b*(
3*a*c + b^2))/e) + (c^4*x^6)/(6*e) + (x^4*(4*a*c^3 + 6*b^2*c^2))/(4*e) + (4
*b*c^3*x^5)/(5*e)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+b*x+a)**4/(e*x**3+d),x)
```

```
[Out] Timed out
```

$$3.65 \quad \int \frac{2x^2+x^4}{1+x^3} dx$$

Optimal. Leaf size=43

$$\frac{x^2}{2} + \frac{1}{2} \log(x^2 - x + 1) + \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.08, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {1593, 1887, 1874, 31, 634, 618, 204, 628}

$$\frac{x^2}{2} + \frac{1}{2} \log(x^2 - x + 1) + \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(2*x^2 + x^4)/(1 + x^3),x]

[Out] x^2/2 + ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3] + Log[1 + x] + Log[1 - x + x^2]/2

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1593

```
Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^n, x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]
```

Rule 1874

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (a/b)^(1/3)}, Dist[(q*(A - B*q + C*q^2))/(3*a), Int[1/(q + x), x], x] + Dist[q/(3*a), Int[(q*(2*A + B*q - C*q^2) - (A - B*q - 2*C*q^2)*x)/(q^2 - q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A - B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && GtQ[a/b, 0]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^n), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{2x^2 + x^4}{1 + x^3} dx &= \int \frac{x^2(2 + x^2)}{1 + x^3} dx \\
&= \int \left(x + \frac{x(-1 + 2x)}{1 + x^3} \right) dx \\
&= \frac{x^2}{2} + \int \frac{x(-1 + 2x)}{1 + x^3} dx \\
&= \frac{x^2}{2} + \frac{1}{3} \int \frac{-3 + 3x}{1 - x + x^2} dx + \int \frac{1}{1 + x} dx \\
&= \frac{x^2}{2} + \log(1 + x) - \frac{1}{2} \int \frac{1}{1 - x + x^2} dx + \frac{1}{2} \int \frac{-1 + 2x}{1 - x + x^2} dx \\
&= \frac{x^2}{2} + \log(1 + x) + \frac{1}{2} \log(1 - x + x^2) + \text{Subst} \left(\int \frac{1}{-3 - x^2} dx, x, -1 + 2x \right) \\
&= \frac{x^2}{2} - \frac{\tan^{-1} \left(\frac{-1 + 2x}{\sqrt{3}} \right)}{\sqrt{3}} + \log(1 + x) + \frac{1}{2} \log(1 - x + x^2)
\end{aligned}$$

Mathematica [A] time = 0.02, size = 54, normalized size = 1.26

$$\frac{1}{6} \left(4 \log(x^3 + 1) + 3x^2 - \log(x^2 - x + 1) + 2 \log(x + 1) - 2\sqrt{3} \tan^{-1} \left(\frac{2x - 1}{\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2*x^2 + x^4)/(1 + x^3), x]

[Out] (3*x^2 - 2*Sqrt[3]*ArcTan[(-1 + 2*x)/Sqrt[3]] + 2*Log[1 + x] - Log[1 - x + x^2] + 4*Log[1 + x^3])/6

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x^2 + x^4}{1 + x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(2*x^2 + x^4)/(1 + x^3), x]

[Out] IntegrateAlgebraic[(2*x^2 + x^4)/(1 + x^3), x]

fricas [A] time = 0.41, size = 37, normalized size = 0.86

$$\frac{1}{2} x^2 - \frac{1}{3} \sqrt{3} \arctan \left(\frac{1}{3} \sqrt{3} (2x - 1) \right) + \frac{1}{2} \log(x^2 - x + 1) + \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(x^3+1),x, algorithm="fricas")

[Out] $\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{2}\log(x^2-x+1) + \log(x+1)$

giac [A] time = 0.15, size = 38, normalized size = 0.88

$$\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{2}\log(x^2-x+1) + \log(|x+1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(x^3+1),x, algorithm="giac")

[Out] $\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{2}\log(x^2-x+1) + \log(\text{abs}(x+1))$

maple [A] time = 0.05, size = 38, normalized size = 0.88

$$\frac{x^2}{2} - \frac{\sqrt{3}\arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} + \ln(x+1) + \frac{\ln(x^2-x+1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+2*x^2)/(x^3+1),x)

[Out] $\frac{1}{2}x^2 + \ln(x+1) + \frac{1}{2}\ln(x^2-x+1) - \frac{1}{3}3^{(1/2)}\arctan\left(\frac{1}{3}(2x-1)3^{(1/2)}\right)$

maxima [A] time = 2.86, size = 37, normalized size = 0.86

$$\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{2}\log(x^2-x+1) + \log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(x^3+1),x, algorithm="maxima")

[Out] $\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{2}\log(x^2-x+1) + \log(x+1)$

mupad [B] time = 0.10, size = 49, normalized size = 1.14

$$\ln(x+1) + \ln\left(x - \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{6}\right) - \ln\left(x - \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{6}\right) + \frac{x^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^2 + x^4)/(x^3 + 1),x)`

[Out] `log(x + 1) + log(x - (3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/6 + 1/2) - log(x + (3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/6 - 1/2) + x^2/2`

sympy [A] time = 0.25, size = 44, normalized size = 1.02

$$\frac{x^2}{2} + \log(x + 1) + \frac{\log(x^2 - x + 1)}{2} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**4+2*x**2)/(x**3+1),x)`

[Out] `x**2/2 + log(x + 1) + log(x**2 - x + 1)/2 - sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3`

$$3.66 \quad \int \frac{2x^2+x^4}{1-x^3} dx$$

Optimal. Leaf size=46

$$-\frac{x^2}{2} - \frac{1}{2} \log(x^2 + x + 1) - \log(1 - x) - \frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.08, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {1593, 1887, 1875, 31, 634, 618, 204, 628}

$$-\frac{x^2}{2} - \frac{1}{2} \log(x^2 + x + 1) - \log(1 - x) - \frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(2*x^2 + x^4)/(1 - x^3), x]

[Out] -x^2/2 - ArcTan[(1 + 2*x)/Sqrt[3]]/Sqrt[3] - Log[1 - x] - Log[1 + x + x^2]/2

Rule 31

Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1593

```
Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^n, x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]
```

Rule 1875

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (-a/b)^(1/3)}, Dist[(q*(A + B*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && LtQ[a/b, 0]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^n), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{2x^2 + x^4}{1 - x^3} dx &= \int \frac{x^2(2 + x^2)}{1 - x^3} dx \\
&= \int \left(-x + \frac{x(1 + 2x)}{1 - x^3} \right) dx \\
&= -\frac{x^2}{2} + \int \frac{x(1 + 2x)}{1 - x^3} dx \\
&= -\frac{x^2}{2} + \frac{1}{3} \int \frac{-3 - 3x}{1 + x + x^2} dx + \int \frac{1}{1 - x} dx \\
&= -\frac{x^2}{2} - \log(1 - x) - \frac{1}{2} \int \frac{1}{1 + x + x^2} dx - \frac{1}{2} \int \frac{1 + 2x}{1 + x + x^2} dx \\
&= -\frac{x^2}{2} - \log(1 - x) - \frac{1}{2} \log(1 + x + x^2) + \text{Subst} \left(\int \frac{1}{-3 - x^2} dx, x, 1 + 2x \right) \\
&= -\frac{x^2}{2} - \frac{\tan^{-1} \left(\frac{1 + 2x}{\sqrt{3}} \right)}{\sqrt{3}} - \log(1 - x) - \frac{1}{2} \log(1 + x + x^2)
\end{aligned}$$

Mathematica [A] time = 0.03, size = 54, normalized size = 1.17

$$\frac{1}{6} \left(-4 \log(1 - x^3) - 3x^2 + \log(x^2 + x + 1) - 2 \log(1 - x) - 2\sqrt{3} \tan^{-1} \left(\frac{2x + 1}{\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2*x^2 + x^4)/(1 - x^3), x]

[Out] (-3*x^2 - 2*Sqrt[3]*ArcTan[(1 + 2*x)/Sqrt[3]] - 2*Log[1 - x] + Log[1 + x + x^2] - 4*Log[1 - x^3])/6

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x^2 + x^4}{1 - x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(2*x^2 + x^4)/(1 - x^3), x]

[Out] IntegrateAlgebraic[(2*x^2 + x^4)/(1 - x^3), x]

fricas [A] time = 0.41, size = 37, normalized size = 0.80

$$-\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x + 1)\right) - \frac{1}{2} \log(x^2 + x + 1) - \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(-x^3+1),x, algorithm="fricas")

[Out] $-1/2*x^2 - 1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x + 1)) - 1/2*\log(x^2 + x + 1) - \log(x - 1)$

giac [A] time = 0.16, size = 38, normalized size = 0.83

$$-\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \frac{1}{2}\log(x^2+x+1) - \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(-x^3+1),x, algorithm="giac")

[Out] $-1/2*x^2 - 1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x + 1)) - 1/2*\log(x^2 + x + 1) - \log(\text{abs}(x - 1))$

maple [A] time = 0.05, size = 38, normalized size = 0.83

$$-\frac{x^2}{2} - \frac{\sqrt{3}\arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} - \ln(x-1) - \frac{\ln(x^2+x+1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+2*x^2)/(-x^3+1),x)

[Out] $-1/2*x^2 - \ln(x-1) - 1/2*\ln(x^2+x+1) - 1/3*3^{(1/2)}*\arctan(1/3*(2*x+1)*3^{(1/2)})$

maxima [A] time = 2.90, size = 37, normalized size = 0.80

$$-\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \frac{1}{2}\log(x^2+x+1) - \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(-x^3+1),x, algorithm="maxima")

[Out] $-1/2*x^2 - 1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x + 1)) - 1/2*\log(x^2 + x + 1) - \log(x - 1)$

mupad [B] time = 0.09, size = 51, normalized size = 1.11

$$-\ln(x-1) + \ln\left(x + \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{6}\right) - \ln\left(x + \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{6}\right) - \frac{x^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(2*x^2 + x^4)/(x^3 - 1), x)`

[Out] `log(x - (3^(1/2)*1i)/2 + 1/2)*((3^(1/2)*1i)/6 - 1/2) - log(x - 1) - log(x + (3^(1/2)*1i)/2 + 1/2)*((3^(1/2)*1i)/6 + 1/2) - x^2/2`

sympy [A] time = 0.31, size = 46, normalized size = 1.00

$$-\frac{x^2}{2} - \log(x - 1) - \frac{\log(x^2 + x + 1)}{2} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**4+2*x**2)/(-x**3+1), x)`

[Out] `-x**2/2 - log(x - 1) - log(x**2 + x + 1)/2 - sqrt(3)*atan(2*sqrt(3)*x/3 + sqrt(3)/3)/3`

$$3.67 \quad \int \frac{1-x+4x^3}{1+x^3} dx$$

Optimal. Leaf size=44

$$\frac{1}{3} \log(x^2 - x + 1) + 4x - \frac{2}{3} \log(x + 1) + \frac{4 \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.04, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {1887, 1860, 31, 634, 618, 204, 628}

$$\frac{1}{3} \log(x^2 - x + 1) + 4x - \frac{2}{3} \log(x + 1) + \frac{4 \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x + 4*x^3)/(1 + x^3), x]

[Out] 4*x + (4*ArcTan[(1 - 2*x)/Sqrt[3]])/Sqrt[3] - (2*Log[1 + x])/3 + Log[1 - x + x^2]/3

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{1-x+4x^3}{1+x^3} dx &= \int \left(4 - \frac{3+x}{1+x^3} \right) dx \\
&= 4x - \int \frac{3+x}{1+x^3} dx \\
&= 4x - \frac{1}{3} \int \frac{7-2x}{1-x+x^2} dx - \frac{2}{3} \int \frac{1}{1+x} dx \\
&= 4x - \frac{2}{3} \log(1+x) + \frac{1}{3} \int \frac{-1+2x}{1-x+x^2} dx - 2 \int \frac{1}{1-x+x^2} dx \\
&= 4x - \frac{2}{3} \log(1+x) + \frac{1}{3} \log(1-x+x^2) + 4 \operatorname{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\
&= 4x + \frac{4 \tan^{-1} \left(\frac{1-2x}{\sqrt{3}} \right)}{\sqrt{3}} - \frac{2}{3} \log(1+x) + \frac{1}{3} \log(1-x+x^2)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 44, normalized size = 1.00

$$\frac{1}{3} \log(x^2 - x + 1) + 4x - \frac{2}{3} \log(x + 1) - \frac{4 \tan^{-1} \left(\frac{2x-1}{\sqrt{3}} \right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x + 4*x^3)/(1 + x^3), x]

[Out] $4x - (4\text{ArcTan}[-1 + 2x]/\text{Sqrt}[3])/\text{Sqrt}[3] - (2\text{Log}[1 + x])/3 + \text{Log}[1 - x + x^2]/3$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1 - x + 4x^3}{1 + x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 - x + 4*x^3)/(1 + x^3), x]

[Out] IntegrateAlgebraic[(1 - x + 4*x^3)/(1 + x^3), x]

fricas [A] time = 0.40, size = 37, normalized size = 0.84

$$-\frac{4}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + 4x + \frac{1}{3}\log(x^2 - x + 1) - \frac{2}{3}\log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^3-x+1)/(x^3+1), x, algorithm="fricas")

[Out] $-4/3*\text{sqrt}(3)*\arctan(1/3*\text{sqrt}(3)*(2*x - 1)) + 4*x + 1/3*\log(x^2 - x + 1) - 2/3*\log(x + 1)$

giac [A] time = 0.15, size = 38, normalized size = 0.86

$$-\frac{4}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + 4x + \frac{1}{3}\log(x^2 - x + 1) - \frac{2}{3}\log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^3-x+1)/(x^3+1), x, algorithm="giac")

[Out] $-4/3*\text{sqrt}(3)*\arctan(1/3*\text{sqrt}(3)*(2*x - 1)) + 4*x + 1/3*\log(x^2 - x + 1) - 2/3*\log(\text{abs}(x + 1))$

maple [A] time = 0.05, size = 38, normalized size = 0.86

$$4x - \frac{4\sqrt{3}\arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} - \frac{2\ln(x+1)}{3} + \frac{\ln(x^2-x+1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((4*x^3-x+1)/(x^3+1),x)`

[Out] `4*x-2/3*ln(x+1)+1/3*ln(x^2-x+1)-4/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))`

maxima [A] time = 2.81, size = 37, normalized size = 0.84

$$-\frac{4}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right)+4x+\frac{1}{3}\log(x^2-x+1)-\frac{2}{3}\log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x^3-x+1)/(x^3+1),x, algorithm="maxima")`

[Out] `-4/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 4*x + 1/3*log(x^2 - x + 1) - 2/3*log(x + 1)`

mupad [B] time = 4.70, size = 49, normalized size = 1.11

$$4x - \frac{2\ln(x+1)}{3} + \ln\left(x - \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{3} + \frac{\sqrt{3}2i}{3}\right) - \ln\left(x - \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(-\frac{1}{3} + \frac{\sqrt{3}2i}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((4*x^3 - x + 1)/(x^3 + 1),x)`

[Out] `4*x - (2*log(x + 1))/3 + log(x - (3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*2i)/3 + 1/3) - log(x + (3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*2i)/3 - 1/3)`

sympy [A] time = 0.33, size = 48, normalized size = 1.09

$$4x - \frac{2\log(x+1)}{3} + \frac{\log(x^2-x+1)}{3} - \frac{4\sqrt{3}\operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x**3-x+1)/(x**3+1),x)`

[Out] `4*x - 2*log(x + 1)/3 + log(x**2 - x + 1)/3 - 4*sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3`

$$3.68 \quad \int \frac{c+dx}{a-bx^4} dx$$

Optimal. Leaf size=87

$$\frac{c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}\sqrt[4]{b}} + \frac{c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}\sqrt[4]{b}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

Rubi [A] time = 0.07, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {1876, 212, 208, 205, 275}

$$\frac{c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}\sqrt[4]{b}} + \frac{c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}\sqrt[4]{b}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a - b*x^4), x]

[Out] (c*ArcTan[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(1/4)) + (c*ArcTanh[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(1/4)) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*Sqrt[b]))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x

$\wedge k], x] /; k \neq 1] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$

Rule 1876

$\text{Int}[(\text{Pq}_)/((a_) + (b_.)(x_)^{\wedge}(n_)), x_Symbol] \rightarrow \text{With}[\{v = \text{Sum}[(x^{\wedge}ii * (\text{Coeff}[\text{Pq}, x, ii] + \text{Coeff}[\text{Pq}, x, n/2 + ii] * x^{\wedge}(n/2))]/(a + b * x^{\wedge}n), \{ii, 0, n/2 - 1\}]\}, \text{Int}[v, x] /; \text{SumQ}[v]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[\text{Pq}, x] \&\& \text{IGtQ}[n/2, 0] \&\& \text{Expon}[\text{Pq}, x] < n$

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{a - bx^4} dx &= \int \left(\frac{c}{a - bx^4} + \frac{dx}{a - bx^4} \right) dx \\ &= c \int \frac{1}{a - bx^4} dx + d \int \frac{x}{a - bx^4} dx \\ &= \frac{c \int \frac{1}{\sqrt{a} - \sqrt{b}x^2} dx}{2\sqrt{a}} + \frac{c \int \frac{1}{\sqrt{a} + \sqrt{b}x^2} dx}{2\sqrt{a}} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right) \\ &= \frac{c \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4} \sqrt[4]{b}} + \frac{c \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4} \sqrt[4]{b}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} \end{aligned}$$

Mathematica [A] time = 0.04, size = 134, normalized size = 1.54

$$\frac{-\left(\sqrt[4]{a}d + \sqrt[4]{b}c\right) \log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right) + \sqrt[4]{b}c \log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right) + 2\sqrt[4]{b}c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) + \sqrt[4]{a}d \log\left(\sqrt{a} + \sqrt{b}x^2\right) - \sqrt[4]{a}d \log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)}{4a^{3/4}\sqrt[4]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a - b*x^4), x]

[Out] (2*b^(1/4)*c*ArcTan[(b^(1/4)*x)/a^(1/4)] - (b^(1/4)*c + a^(1/4)*d)*Log[a^(1/4) - b^(1/4)*x] + b^(1/4)*c*Log[a^(1/4) + b^(1/4)*x] - a^(1/4)*d*Log[a^(1/4) + b^(1/4)*x] + a^(1/4)*d*Log[Sqrt[a] + Sqrt[b]*x^2])/(4*a^(3/4)*Sqrt[b])

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx}{a - bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x)/(a - b*x^4), x]

[Out] IntegrateAlgebraic[(c + d*x)/(a - b*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.18, size = 225, normalized size = 2.59

$$\frac{\sqrt{2}(-ab^3)^{\frac{1}{4}}c \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{8ab} - \frac{\sqrt{2}(-ab^3)^{\frac{1}{4}}c \log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{8ab} + \frac{\sqrt{2}\left(\sqrt{2}\sqrt{-ab}bd + (-ab^3)^{\frac{1}{4}}bc\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4ab^2} + \frac{\sqrt{2}\left(\sqrt{2}\sqrt{-ab}bd + (-ab^3)^{\frac{1}{4}}bc\right) \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a), x, algorithm="giac")

[Out] $\frac{1}{8}\sqrt{2}*(-a*b^3)^{\frac{1}{4}}*c*\log(x^2 + \sqrt{2}*x*(-a/b)^{\frac{1}{4}} + \sqrt{-a/b})/(a*b) - \frac{1}{8}\sqrt{2}*(-a*b^3)^{\frac{1}{4}}*c*\log(x^2 - \sqrt{2}*x*(-a/b)^{\frac{1}{4}} + \sqrt{-a/b})/(a*b) + \frac{1}{4}\sqrt{2}*(\sqrt{2}*\sqrt{-a*b}*b*d + (-a*b^3)^{\frac{1}{4}}*b*c)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{\frac{1}{4}})/(-a/b)^{\frac{1}{4}})/(a*b^2) + \frac{1}{4}\sqrt{2}*(\sqrt{2}*\sqrt{-a*b}*b*d + (-a*b^3)^{\frac{1}{4}}*b*c)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{\frac{1}{4}})/(-a/b)^{\frac{1}{4}})/(a*b^2)$

maple [A] time = 0.05, size = 101, normalized size = 1.16

$$-\frac{d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{4\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} c \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^4+a), x)

[Out] $\frac{1}{4}*c*(a/b)^{\frac{1}{4}}/a*\ln((x+(a/b)^{\frac{1}{4}})/(x-(a/b)^{\frac{1}{4}}))+1/2*c*(a/b)^{\frac{1}{4}}/a*\arctan(x/(a/b)^{\frac{1}{4}})-1/4*d/(a*b)^{\frac{1}{2}}*\ln((-a+x^2*(a*b)^{\frac{1}{2}})/(-a-x^2*(a*b)^{\frac{1}{2}}))$

maxima [B] time = 2.88, size = 126, normalized size = 1.45

$$\frac{c \arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{2\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}} + \frac{d \log(\sqrt{b}x^2 + \sqrt{a})}{4\sqrt{a}\sqrt{b}} - \frac{d \log(\sqrt{b}x^2 - \sqrt{a})}{4\sqrt{a}\sqrt{b}} - \frac{c \log\left(\frac{\sqrt{b}x - \sqrt{\sqrt{a}\sqrt{b}}}{\sqrt{b}x + \sqrt{\sqrt{a}\sqrt{b}}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a),x, algorithm="maxima")

[Out] 1/2*c*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))) + 1/4*d*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 1/4*d*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) - 1/4*c*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b)))

mupad [B] time = 5.01, size = 182, normalized size = 2.09

$$\begin{cases} \frac{2c+3dx}{6bx^3} & \text{if } a = 0 \\ \frac{\operatorname{atan}\left(\frac{\sqrt{2}(-b)^{1/4}x}{a^{1/4}}-1\right)\left(2a^{1/4}d+\sqrt{2}(-b)^{1/4}c\right)}{4a^{3/4}\sqrt{-b}} - \frac{\operatorname{atan}\left(\frac{\sqrt{2}(-b)^{1/4}x}{a^{1/4}}+1\right)\left(4a^{1/4}d-2\sqrt{2}(-b)^{1/4}c\right)}{8a^{3/4}\sqrt{-b}} + \frac{\sqrt{2}c \ln\left(\frac{\sqrt{-b}x^2+\sqrt{a}+\sqrt{2}a^{1/4}(-b)^{1/4}x}{\sqrt{-b}x^2+\sqrt{a}-\sqrt{2}a^{1/4}(-b)^{1/4}x}\right)}{8a^{3/4}(-b)^{1/4}} & \text{if } a \neq 0 \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a - b*x^4),x)

[Out] piecewise(a == 0, (2*c + 3*d*x)/(6*b*x^3), a ~= 0, (atan((2^(1/2)*(-b)^(1/4)*x)/a^(1/4) - 1)*(2*a^(1/4)*d + 2^(1/2)*(-b)^(1/4)*c))/(4*a^(3/4)*(-b)^(1/2)) - (atan((2^(1/2)*(-b)^(1/4)*x)/a^(1/4) + 1)*(4*a^(1/4)*d - 2*2^(1/2)*(-b)^(1/4)*c))/(8*a^(3/4)*(-b)^(1/2)) + (2^(1/2)*c*log(((b)^(1/2)*x^2 + a^(1/2) + 2^(1/2)*a^(1/4)*(-b)^(1/4)*x)/((-b)^(1/2)*x^2 + a^(1/2) - 2^(1/2)*a^(1/4)*(-b)^(1/4)*x)))/(8*a^(3/4)*(-b)^(1/4)))

sympy [A] time = 1.22, size = 126, normalized size = 1.45

$$-\operatorname{RootSum}\left(256t^4a^3b^2 - 32t^2a^2bd^2 - 16tabc^2d + ad^4 - bc^4, \left(t \mapsto t \log\left(x + \frac{-128t^3a^3bd^2 + 16t^2a^2bc^2d + 8ta^2d^4 - 4tabc^4 + 5ac^2d^3}{4acd^4 + bc^5}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x**4+a),x)

[Out] -RootSum(256*_t**4*a**3*b**2 - 32*_t**2*a**2*b*d**2 - 16*_t*a*b*c**2*d + a*d**4 - b*c**4, Lambda(_t, _t*log(x + (-128*_t**3*a**3*b*d**2 + 16*_t**2*a**2*b*c**2*d + 8*_t*a**2*d**4 - 4*_t*a*b*c**4 + 5*a*c**2*d**3)/(4*a*c*d**4 + b*c**5))))

$$3.69 \quad \int \frac{c+dx}{a+bx^4} dx$$

Optimal. Leaf size=219

$$\frac{c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{b}} + \frac{c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{b}} - \frac{c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{b}} + \frac{c \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{b}}$$

Rubi [A] time = 0.17, antiderivative size = 219, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {1876, 211, 1165, 628, 1162, 617, 204, 275, 205}

$$-\frac{c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{b}} + \frac{c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{b}} - \frac{c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{b}} + \frac{c \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{b}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{2\sqrt{a} \sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^4), x]

[Out] (d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*Sqrt[b]) - (c*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(1/4)) + (c*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(1/4)) - (c*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(1/4)) + (c*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(1/4))

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 211

Int[((a_) + (b_)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 275

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx}{a + bx^4} dx &= \int \left(\frac{c}{a + bx^4} + \frac{dx}{a + bx^4} \right) dx \\
&= c \int \frac{1}{a + bx^4} dx + d \int \frac{x}{a + bx^4} dx \\
&= \frac{c \int \frac{\sqrt{a} - \sqrt{b}x^2}{a + bx^4} dx}{2\sqrt{a}} + \frac{c \int \frac{\sqrt{a} + \sqrt{b}x^2}{a + bx^4} dx}{2\sqrt{a}} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right) \\
&= \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} + \frac{c \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{4\sqrt{a}\sqrt{b}} + \frac{c \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{4\sqrt{a}\sqrt{b}} - \frac{c \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}} + 2x}{-\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} - x^2} dx}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} - \frac{c \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}} - 2x}{-\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} - x^2} dx}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} \\
&= \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{c \log \left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} + \frac{c \log \left(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} + \frac{c \int \frac{1}{-\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} - x^2} dx}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} - \frac{c \int \frac{1}{-\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} - x^2} dx}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} \\
&= \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{c \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}\sqrt[4]{b}} + \frac{c \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}\sqrt[4]{b}} - \frac{c \log \left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} + \frac{c \log \left(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{4\sqrt{2}a^{3/4}\sqrt[4]{b}}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 184, normalized size = 0.84

$$\frac{-2(2\sqrt[4]{a}d + \sqrt{2}\sqrt[4]{b}c) \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right) + 2(\sqrt{2}\sqrt[4]{b}c - 2\sqrt[4]{a}d) \tan^{-1} \left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} + 1 \right) + \sqrt{2}\sqrt[4]{b}c (\log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2) - \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2))}{8a^{3/4}\sqrt[4]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^4), x]

[Out] (-2*(Sqrt[2]*b^(1/4)*c + 2*a^(1/4)*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(Sqrt[2]*b^(1/4)*c - 2*a^(1/4)*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*b^(1/4)*c*(-Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(8*a^(3/4)*Sqrt[b])

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx}{a + bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x)/(a + b*x^4),x]
 [Out] IntegrateAlgebraic[(c + d*x)/(a + b*x^4), x]
fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a),x, algorithm="fricas")
 [Out] Timed out
giac [A] time = 0.19, size = 213, normalized size = 0.97

$$\frac{\sqrt{2} (ab^3)^{\frac{1}{4}} c \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{8ab} - \frac{\sqrt{2} (ab^3)^{\frac{1}{4}} c \log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{8ab} - \frac{\sqrt{2}\left(\sqrt{2}\sqrt{ab}bd - (ab^3)^{\frac{1}{4}}bc\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4ab^2} - \frac{\sqrt{2}\left(\sqrt{2}\sqrt{ab}bd - (ab^3)^{\frac{1}{4}}bc\right) \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a),x, algorithm="giac")
 [Out] $\frac{1}{8}\sqrt{2}*(a*b^3)^{\frac{1}{4}}*c*\log(x^2 + \sqrt{2}*x*(a/b)^{\frac{1}{4}} + \sqrt{a/b})/(a*b) - \frac{1}{8}\sqrt{2}*(a*b^3)^{\frac{1}{4}}*c*\log(x^2 - \sqrt{2}*x*(a/b)^{\frac{1}{4}} + \sqrt{a/b})/(a*b) - \frac{1}{4}\sqrt{2}*(\sqrt{2}*\sqrt{a*b}*b*d - (a*b^3)^{\frac{1}{4}}*b*c)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/b)^{\frac{1}{4}})/(a/b)^{\frac{1}{4}})/(a*b^2) - \frac{1}{4}\sqrt{2}*(\sqrt{2}*\sqrt{a*b}*b*d - (a*b^3)^{\frac{1}{4}}*b*c)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{\frac{1}{4}})/(a/b)^{\frac{1}{4}})/(a*b^2)$
maple [A] time = 0.04, size = 151, normalized size = 0.69

$$\frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{2\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^4+a),x)
 [Out] $\frac{1}{8}c*(a/b)^{\frac{1}{4}}/a*2^{\frac{1}{2}}*\ln((x^2+(a/b)^{\frac{1}{4}}*2^{\frac{1}{2}}*x+(a/b)^{\frac{1}{2}})/(x^2-(a/b)^{\frac{1}{4}}*2^{\frac{1}{2}}*x+(a/b)^{\frac{1}{2}}))+\frac{1}{4}c*(a/b)^{\frac{1}{4}}/a*2^{\frac{1}{2}}*\arctan(2^{\frac{1}{2}}/(a/b)^{\frac{1}{4}}*x+1)+\frac{1}{4}c*(a/b)^{\frac{1}{4}}/a*2^{\frac{1}{2}}*\arctan(2^{\frac{1}{2}}/(a/b)^{\frac{1}{4}}*x-1)+\frac{1}{2}d/(a*b)^{\frac{1}{2}}*\arctan(x^2*(1/a*b)^{\frac{1}{2}})$

maxima [A] time = 3.04, size = 207, normalized size = 0.95

$$\frac{\sqrt{2}c \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{8a^{\frac{3}{4}}b^{\frac{1}{4}}} - \frac{\sqrt{2}c \log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{8a^{\frac{3}{4}}b^{\frac{1}{4}}} + \frac{\left(\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}c - 2\sqrt{a}d\right) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}\right)}{2\sqrt{a}\sqrt{b}}\right)}{4a^{\frac{3}{4}}\sqrt{a}\sqrt{b}b^{\frac{1}{4}}} + \frac{\left(\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}c + 2\sqrt{a}d\right) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}\right)}{2\sqrt{a}\sqrt{b}}\right)}{4a^{\frac{3}{4}}\sqrt{a}\sqrt{b}b^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{8}\sqrt{2}c\log(\sqrt{b}x^2 + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a})/(a^{3/4}b^{1/4}) - \frac{1}{8}\sqrt{2}c\log(\sqrt{b}x^2 - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a})/(a^{3/4}b^{1/4}) + \frac{1}{4}*(\sqrt{2}a^{1/4}b^{1/4}c - 2\sqrt{a}d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}x + \sqrt{2}a^{1/4}b^{1/4})/\sqrt{a}\sqrt{b})/(a^{3/4}*\sqrt{a}\sqrt{b}b^{1/4}) + \frac{1}{4}*(\sqrt{2}a^{1/4}b^{1/4}c + 2\sqrt{a}d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}x - \sqrt{2}a^{1/4}b^{1/4})/\sqrt{a}\sqrt{b})/(a^{3/4}*\sqrt{a}\sqrt{b}b^{1/4})$

mupad [B] time = 4.80, size = 160, normalized size = 0.73

$$\begin{cases} \frac{2c+3dx}{6bx^3} & \text{if } a = 0 \\ \frac{\operatorname{atan}\left(\frac{\sqrt{2}b^{1/4}x}{a^{1/4}}-1\right)(2a^{1/4}d+\sqrt{2}b^{1/4}c)}{4a^{3/4}\sqrt{b}} - \frac{\operatorname{atan}\left(\frac{\sqrt{2}b^{1/4}x}{a^{1/4}}+1\right)(4a^{1/4}d-2\sqrt{2}b^{1/4}c)}{8a^{3/4}\sqrt{b}} + \frac{\sqrt{2}c \ln\left(\frac{\sqrt{a}+\sqrt{b}x^2+\sqrt{2}a^{1/4}b^{1/4}x}{\sqrt{a}+\sqrt{b}x^2-\sqrt{2}a^{1/4}b^{1/4}x}\right)}{8a^{3/4}b^{1/4}} & \text{if } a \neq 0 \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^4),x)

[Out] $\operatorname{piecewise}(a == 0, -(2*c + 3*d*x)/(6*b*x^3), a \neq 0, (\operatorname{atan}((2^{1/2}*b^{1/4}*x)/a^{1/4} - 1)*(2*a^{1/4}*d + 2^{1/2}*b^{1/4}*c))/(4*a^{3/4}*b^{1/4}) - (\operatorname{atan}((2^{1/2}*b^{1/4}*x)/a^{1/4} + 1)*(4*a^{1/4}*d - 2*2^{1/2}*b^{1/4}*c))/(8*a^{3/4}*b^{1/4}) + (2^{1/2}*c*\log((a^{1/2} + b^{1/2}*x^2 + 2^{1/2}*a^{1/4}*b^{1/4}*x)/(a^{1/2} + b^{1/2}*x^2 - 2^{1/2}*a^{1/4}*b^{1/4}*x)))/(8*a^{3/4}*b^{1/4}))$

sympy [A] time = 1.03, size = 124, normalized size = 0.57

$$\operatorname{RootSum}\left(256t^4a^3b^2 + 32t^2a^2bd^2 - 16tabc^2d + ad^4 + bc^4, \left(t \mapsto t \log\left(x + \frac{-128t^3a^3bd^2 - 16t^2a^2bc^2d - 8ta^2d^4 - 4tabc^4 + 5ac^2d^3}{4acd^4 - bc^5}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**4+a),x)

[Out] $\operatorname{RootSum}(256*_t**4*a**3*b**2 + 32*_t**2*a**2*b*d**2 - 16*_t*a*b*c**2*d + a*d**4 + b*c**4, \operatorname{Lambda}(_t, _t*\log(x + (-128*_t**3*a**3*b*d**2 - 16*_t**2*a**2*b*c**2*d - 8*_t*a**2*d**4 - 4*_t*a*b*c**4 + 5*a*c**2*d**3)/(4*a*c*d**4 - b*c**5))))$

$$3.70 \quad \int \frac{c+dx}{(a-bx^4)^2} dx$$

Optimal. Leaf size=110

$$\frac{3c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}\sqrt[4]{b}} + \frac{3c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}\sqrt[4]{b}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(c+dx)}{4a(a-bx^4)}$$

Rubi [A] time = 0.08, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1855, 1876, 212, 208, 205, 275}

$$\frac{3c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}\sqrt[4]{b}} + \frac{3c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}\sqrt[4]{b}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(c+dx)}{4a(a-bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a - b*x^4)^2, x]

[Out] (x*(c + d*x))/(4*a*(a - b*x^4)) + (3*c*ArcTan[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(1/4)) + (3*c*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(1/4)) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1855

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx}{(a - bx^4)^2} dx &= \frac{x(c + dx)}{4a(a - bx^4)} - \frac{\int \frac{-3c - 2dx}{a - bx^4} dx}{4a} \\
 &= \frac{x(c + dx)}{4a(a - bx^4)} - \frac{\int \left(-\frac{3c}{a - bx^4} - \frac{2dx}{a - bx^4} \right) dx}{4a} \\
 &= \frac{x(c + dx)}{4a(a - bx^4)} + \frac{(3c) \int \frac{1}{a - bx^4} dx}{4a} + \frac{d \int \frac{x}{a - bx^4} dx}{2a} \\
 &= \frac{x(c + dx)}{4a(a - bx^4)} + \frac{(3c) \int \frac{1}{\sqrt{a} - \sqrt{b}x^2} dx}{8a^{3/2}} + \frac{(3c) \int \frac{1}{\sqrt{a} + \sqrt{b}x^2} dx}{8a^{3/2}} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{4a} \\
 &= \frac{x(c + dx)}{4a(a - bx^4)} + \frac{3c \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8a^{7/4} \sqrt[4]{b}} + \frac{3c \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8a^{7/4} \sqrt[4]{b}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2} \sqrt{b}}
 \end{aligned}$$

Mathematica [A] time = 0.20, size = 168, normalized size = 1.53

$$\frac{\frac{4ax(c+dx)}{a-bx^4} - \frac{(3\sqrt[4]{a}\sqrt[4]{b}c+2\sqrt{a}d)\log(\sqrt[4]{a}-\sqrt[4]{b}x)}{\sqrt{b}} + \frac{(3\sqrt[4]{a}\sqrt[4]{b}c-2\sqrt{a}d)\log(\sqrt[4]{a}+\sqrt[4]{b}x)}{\sqrt{b}} + \frac{6\sqrt[4]{a}c\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt[4]{b}} + \frac{2\sqrt{a}d\log(\sqrt{a}+\sqrt{b}x^2)}{\sqrt{b}}}{16a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a - b*x^4)^2, x]

[Out] ((4*a*x*(c + d*x))/(a - b*x^4) + (6*a^(1/4)*c*ArcTan[(b^(1/4)*x)/a^(1/4)])/b^(1/4) - ((3*a^(1/4)*b^(1/4)*c + 2*Sqrt[a]*d)*Log[a^(1/4) - b^(1/4)*x])/Sqrt[b] + ((3*a^(1/4)*b^(1/4)*c - 2*Sqrt[a]*d)*Log[a^(1/4) + b^(1/4)*x])/Sqrt[b] + (2*Sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(16*a^2)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx}{(a - bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x)/(a - b*x^4)^2, x]

[Out] IntegrateAlgebraic[(c + d*x)/(a - b*x^4)^2, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.17, size = 254, normalized size = 2.31

$$\frac{3\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{32a^2b} - \frac{3\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{32a^2b} - \frac{dx^2 + cx}{4(bx^4 - a)^2} - \frac{\sqrt{2}\left(2\sqrt{2}\sqrt{-ab}bd - 3(-ab^3)^{\frac{1}{4}}bc\right)\arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16a^2b^2} - \frac{\sqrt{2}\left(2\sqrt{2}\sqrt{-ab}bd - 3(-ab^3)^{\frac{1}{4}}bc\right)\arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out] 3/32*sqrt(2)*(-a*b^3)^(1/4)*c*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a^2*b) - 3/32*sqrt(2)*(-a*b^3)^(1/4)*c*log(x^2 - sqrt(2)*x*(-a/b)^(1/4)

+ sqrt(-a/b))/(a^2*b) - 1/4*(d*x^2 + c*x)/((b*x^4 - a)*a) - 1/16*sqrt(2)*(2*sqrt(2)*sqrt(-a*b)*b*d - 3*(-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a^2*b^2) - 1/16*sqrt(2)*(2*sqrt(2)*sqrt(-a*b)*b*d - 3*(-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a^2*b^2)

maple [A] time = 0.05, size = 142, normalized size = 1.29

$$\frac{dx^2}{4(bx^4 - a)a} - \frac{cx}{4(bx^4 - a)a} - \frac{d \ln\left(\frac{\sqrt{ab}x^2 - a}{-\sqrt{ab}x^2 - a}\right)}{8\sqrt{ab}a} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}}c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8a^2} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}}c \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^4+a)^2,x)

[Out] -1/4*c*x/a/(b*x^4-a)+3/16*c/a^2*(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+3/8*c/a^2*(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)-1/4*d*x^2/a/(b*x^4-a)-1/8*d/a/(a*b)^(1/2)*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))

maxima [A] time = 3.04, size = 157, normalized size = 1.43

$$-\frac{dx^2 + cx}{4(abx^4 - a^2)} + \frac{6c \arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}} + \frac{2d \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{2d \log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{3c \log\left(\frac{\sqrt{b}x - \sqrt{\sqrt{a}\sqrt{b}}}{\sqrt{b}x + \sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")

[Out] -1/4*(d*x^2 + c*x)/(a*b*x^4 - a^2) + 1/16*(6*c*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))) + 2*d*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 2*d*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) - 3*c*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b)))/a

mupad [B] time = 4.92, size = 283, normalized size = 2.57

$$\left(\frac{1}{\sqrt{a}} \ln\left(\frac{\sqrt{b}x^2 + \sqrt{a}}{\sqrt{b}x^2 - \sqrt{a}}\right) + \frac{6c \arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}} - \frac{3c \log\left(\frac{\sqrt{b}x - \sqrt{\sqrt{a}\sqrt{b}}}{\sqrt{b}x + \sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}}\right) / a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a - b*x^4)^2,x)

```
[Out] symsum(log(-(b^2*(3*c*d^2 + 2*d^3*x + 192*root(65536*a^7*b^2*z^4 - 2048*a^4
*b*d^2*z^2 + 1152*a^2*b*c^2*d*z - 81*b*c^4 + 16*a*d^4, z, k)^2*a^3*b*c - 12
8*root(65536*a^7*b^2*z^4 - 2048*a^4*b*d^2*z^2 + 1152*a^2*b*c^2*d*z - 81*b*c
^4 + 16*a*d^4, z, k)^2*a^3*b*d*x + 36*root(65536*a^7*b^2*z^4 - 2048*a^4*b*d
^2*z^2 + 1152*a^2*b*c^2*d*z - 81*b*c^4 + 16*a*d^4, z, k)*a*b*c^2*x))/(16*a^
3))*root(65536*a^7*b^2*z^4 - 2048*a^4*b*d^2*z^2 + 1152*a^2*b*c^2*d*z - 81*b
*c^4 + 16*a*d^4, z, k), k, 1, 4) + ((d*x^2)/(4*a) + (c*x)/(4*a))/(a - b*x^4
)
```

sympy [A] time = 1.80, size = 156, normalized size = 1.42

$$\text{RootSum}\left(65536t^4a^7b^2 - 2048t^2a^4bd^2 + 1152ta^2bc^2d + 16ad^4 - 81bc^4, \left(t \mapsto t \log\left(x + \frac{32768t^3a^6bd^2 + 4608t^2a^4bc^2d - 512ta^3d^4 + 1296ta^2bc^4 + 360ac^2d^3}{192acd^4 + 243bc^5}\right)\right)\right) + \frac{-cx - dx^2}{-4a^2 + 4abx^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(-b*x**4+a)**2,x)
```

```
[Out] RootSum(65536*_t**4*a**7*b**2 - 2048*_t**2*a**4*b*d**2 + 1152*_t*a**2*b*c**
2*d + 16*a*d**4 - 81*b*c**4, Lambda(_t, _t*log(x + (32768*_t**3*a**6*b*d**2
+ 4608*_t**2*a**4*b*c**2*d - 512*_t*a**3*d**4 + 1296*_t*a**2*b*c**4 + 360*
a*c**2*d**3)/(192*a*c*d**4 + 243*b*c**5)))) + (-c*x - d*x**2)/(-4*a**2 + 4*
a*b*x**4)
```

$$3.71 \quad \int \frac{c+dx}{(a+bx^4)^2} dx$$

Optimal. Leaf size=241

$$\frac{3c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{b}} + \frac{3c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{b}} - \frac{3c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{b}} + \frac{3c \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{b}}$$

Rubi [A] time = 0.20, antiderivative size = 241, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {1855, 1876, 211, 1165, 628, 1162, 617, 204, 275, 205}

$$\frac{3c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{b}} + \frac{3c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{b}} - \frac{3c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{b}} + \frac{3c \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{b}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{4a^{3/2} \sqrt{b}} + \frac{x(c+dx)}{4a(a+bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^4)^2, x]

[Out] (x*(c + d*x))/(4*a*(a + b*x^4)) + (d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*Sqrt[b]) - (3*c*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(1/4)) + (3*c*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(1/4)) - (3*c*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(1/4)) + (3*c*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(1/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &&

AtomQ[SplitProduct[SumBaseQ, b]])

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simplify[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1855

Int[(Pq)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx}{(a + bx^4)^2} dx &= \frac{x(c + dx)}{4a(a + bx^4)} - \frac{\int \frac{-3c - 2dx}{a + bx^4} dx}{4a} \\
&= \frac{x(c + dx)}{4a(a + bx^4)} - \frac{\int \left(-\frac{3c}{a + bx^4} - \frac{2dx}{a + bx^4} \right) dx}{4a} \\
&= \frac{x(c + dx)}{4a(a + bx^4)} + \frac{(3c) \int \frac{1}{a + bx^4} dx}{4a} + \frac{d \int \frac{x}{a + bx^4} dx}{2a} \\
&= \frac{x(c + dx)}{4a(a + bx^4)} + \frac{(3c) \int \frac{\sqrt{a} - \sqrt{b}x^2}{a + bx^4} dx}{8a^{3/2}} + \frac{(3c) \int \frac{\sqrt{a} + \sqrt{b}x^2}{a + bx^4} dx}{8a^{3/2}} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{4a} \\
&= \frac{x(c + dx)}{4a(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} + \frac{(3c) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2} \sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16a^{3/2}\sqrt{b}} + \frac{(3c) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2} \sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16a^{3/2}\sqrt{b}} - \frac{(3c) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2} \sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16a^{3/2}\sqrt{b}} \\
&= \frac{x(c + dx)}{4a(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{3c \log \left(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{b}x^2 \right)}{16\sqrt{2}a^{7/4}\sqrt[4]{b}} + \frac{3c \log \left(\sqrt{a} + \sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{b}x^2 \right)}{16\sqrt{2}a^{7/4}\sqrt[4]{b}} \\
&= \frac{x(c + dx)}{4a(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{3c \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8\sqrt{2}a^{7/4}\sqrt[4]{b}} + \frac{3c \tan^{-1} \left(1 + \frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8\sqrt{2}a^{7/4}\sqrt[4]{b}} - \frac{3c \log \left(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{b}x^2 \right)}{16\sqrt{2}a^{7/4}\sqrt[4]{b}} + \frac{3c \log \left(\sqrt{a} + \sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{b}x^2 \right)}{16\sqrt{2}a^{7/4}\sqrt[4]{b}}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 224, normalized size = 0.93

$$\frac{8a^{3/4}x(c+dx)}{a+bx^4} - \frac{2(4\sqrt[4]{a}d+3\sqrt{2}\sqrt[4]{b}c)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt{b}} + \frac{2(3\sqrt{2}\sqrt[4]{b}c-4\sqrt[4]{a}d)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}+1\right)}{\sqrt{b}} - \frac{3\sqrt{2}c\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{\sqrt[4]{b}} + \frac{3\sqrt{2}c\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{\sqrt[4]{b}}$$

32a^{7/4}

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^4)^2, x]

[Out] $((8*a^{(3/4)}*x*(c + d*x))/(a + b*x^4) - (2*(3*Sqrt[2]*b^{(1/4)}*c + 4*a^{(1/4)}*d)*ArcTan[1 - (Sqrt[2]*b^{(1/4)}*x)/a^{(1/4)}])/Sqrt[b] + (2*(3*Sqrt[2]*b^{(1/4)}*c - 4*a^{(1/4)}*d)*ArcTan[1 + (Sqrt[2]*b^{(1/4)}*x)/a^{(1/4)}])/Sqrt[b] - (3*Sqrt[2]*c*Log[Sqrt[a] - Sqrt[2]*a^{(1/4)}*b^{(1/4)}*x + Sqrt[b]*x^2])/b^{(1/4)} + (3*Sqrt[2]*c*Log[Sqrt[a] + Sqrt[2]*a^{(1/4)}*b^{(1/4)}*x + Sqrt[b]*x^2])/b^{(1/4)})/(32*a^{(7/4)})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx}{(a + bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x)/(a + b*x^4)^2,x]

[Out] IntegrateAlgebraic[(c + d*x)/(a + b*x^4)^2, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.17, size = 238, normalized size = 0.99

$$\frac{3\sqrt{2}(ab^3)^{\frac{1}{4}}c\log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{32a^2b} - \frac{3\sqrt{2}(ab^3)^{\frac{1}{4}}c\log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{32a^2b} + \frac{dx^2 + cx}{4(bx^4 + a)a} + \frac{\sqrt{2}\left(2\sqrt{2}\sqrt{ab}bd + 3(ab^3)^{\frac{1}{4}}bc\right)\arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16a^2b^2} + \frac{\sqrt{2}\left(2\sqrt{2}\sqrt{ab}bd + 3(ab^3)^{\frac{1}{4}}bc\right)\arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] $3/32*\sqrt{2}*(a*b^3)^{(1/4)}*c*\log(x^2 + \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a^2*b) - 3/32*\sqrt{2}*(a*b^3)^{(1/4)}*c*\log(x^2 - \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a^2*b) + 1/4*(d*x^2 + c*x)/((b*x^4 + a)*a) + 1/16*\sqrt{2}*(2*\sqrt{2}*\sqrt{a*b}*b*d + 3*(a*b^3)^{(1/4)}*b*c)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^2*b^2) + 1/16*\sqrt{2}*(2*\sqrt{2}*\sqrt{a*b}*b*d + 3*(a*b^3)^{(1/4)}*b*c)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^2*b^2)$

$(4 + 16ad^4, z, k)^2 a^3 b d x - 36 \text{root}(65536 a^7 b^2 z^4 + 2048 a^4 b d^2 z^2 - 1152 a^2 b c^2 d z + 81 b c^4 + 16 a d^4, z, k) a b c^2 x) / (16 a^3) \text{root}(65536 a^7 b^2 z^4 + 2048 a^4 b d^2 z^2 - 1152 a^2 b c^2 d z + 81 b c^4 + 16 a d^4, z, k), k, 1, 4) + ((d x^2) / (4 a) + (c x) / (4 a)) / (a + b x^4)$

sympy [A] time = 1.51, size = 155, normalized size = 0.64

$\text{RootSum}\left(65536 t^4 a^7 b^2 + 2048 t^2 a^4 b d^2 - 1152 t a^2 b c^2 d + 16 a d^4 + 81 b c^4, \left(t \mapsto t \log\left(x + \frac{-32768 t^3 a^6 b d^2 - 4608 t^2 a^4 b c^2 d - 512 t a^3 d^4 - 1296 t a^2 b c^4 + 360 a c^2 d^3}{192 a c d^4 - 243 b c^5}\right)\right)\right) + \frac{c x + d x^2}{4 a^2 + 4 a b x^4}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**4+a)**2,x)

[Out] RootSum(65536*_t**4*a**7*b**2 + 2048*_t**2*a**4*b*d**2 - 1152*_t*a**2*b*c**2*d + 16*a*d**4 + 81*b*c**4, Lambda(_t, _t*log(x + (-32768*_t**3*a**6*b*d**2 - 4608*_t**2*a**4*b*c**2*d - 512*_t*a**3*d**4 - 1296*_t*a**2*b*c**4 + 360*a*c**2*d**3)/(192*a*c*d**4 - 243*b*c**5)))) + (c*x + d*x**2)/(4*a**2 + 4*a*b*x**4)

$$3.72 \quad \int \frac{c+dx}{(a-bx^4)^3} dx$$

Optimal. Leaf size=136

$$\frac{21c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}\sqrt[4]{b}} + \frac{21c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}\sqrt[4]{b}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{x(c+dx)}{8a(a-bx^4)^2}$$

Rubi [A] time = 0.11, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1855, 1876, 212, 208, 205, 275}

$$\frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{21c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}\sqrt[4]{b}} + \frac{21c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}\sqrt[4]{b}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(c+dx)}{8a(a-bx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a - b*x^4)^3, x]

[Out] (x*(c + d*x))/(8*a*(a - b*x^4)^2) + (x*(7*c + 6*d*x))/(32*a^2*(a - b*x^4)) + (21*c*ArcTan[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(1/4)) + (21*c*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(1/4)) + (3*d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(16*a^(5/2)*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1855

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx}{(a - bx^4)^3} dx &= \frac{x(c + dx)}{8a(a - bx^4)^2} - \frac{\int \frac{-7c - 6dx}{(a - bx^4)^2} dx}{8a} \\
 &= \frac{x(c + dx)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx)}{32a^2(a - bx^4)} + \frac{\int \frac{21c + 12dx}{a - bx^4} dx}{32a^2} \\
 &= \frac{x(c + dx)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx)}{32a^2(a - bx^4)} + \frac{\int \left(\frac{21c}{a - bx^4} + \frac{12dx}{a - bx^4} \right) dx}{32a^2} \\
 &= \frac{x(c + dx)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx)}{32a^2(a - bx^4)} + \frac{(21c) \int \frac{1}{a - bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a - bx^4} dx}{8a^2} \\
 &= \frac{x(c + dx)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx)}{32a^2(a - bx^4)} + \frac{(21c) \int \frac{1}{\sqrt{a} - \sqrt{b}x^2} dx}{64a^{5/2}} + \frac{(21c) \int \frac{1}{\sqrt{a} + \sqrt{b}x^2} dx}{64a^{5/2}} + \frac{(3d) \text{Subst} \left(\int \frac{x}{a - bx^4} dx \right)}{16a^2} \\
 &= \frac{x(c + dx)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx)}{32a^2(a - bx^4)} + \frac{21c \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{64a^{11/4} \sqrt[4]{b}} + \frac{21c \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{64a^{11/4} \sqrt[4]{b}} + \frac{3d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2} \sqrt{b}}
 \end{aligned}$$

Mathematica [A] time = 0.21, size = 193, normalized size = 1.42

$$\frac{\frac{16a^2x(c+dx)}{(a-bx^4)^2} + \frac{4ax(7c+6dx)}{a-bx^4} - \frac{3(7\sqrt[4]{a}\sqrt[4]{b}c+4\sqrt{a}d)\log(\sqrt[4]{a}-\sqrt[4]{b}x)}{\sqrt{b}} + \frac{3(7\sqrt[4]{a}\sqrt[4]{b}c-4\sqrt{a}d)\log(\sqrt[4]{a}+\sqrt[4]{b}x)}{\sqrt{b}} + \frac{42\sqrt[4]{a}c\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt[4]{b}} + \frac{12\sqrt{a}d\log(\sqrt{a}+\sqrt{b}x^2)}{\sqrt{b}}}{128a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a - b*x^4)^3, x]

[Out] $\left(\frac{16a^2x(c+dx)}{(a-bx^4)^2} + \frac{4a*x*(7*c+6*d*x)}{(a-bx^4)} + (42*a^{(1/4)}*c*ArcTan[(b^{(1/4)}*x)/a^{(1/4)})/b^{(1/4)} - (3*(7*a^{(1/4)}*b^{(1/4)}*c + 4*Sqrt[a]*d)*Log[a^{(1/4)} - b^{(1/4)}*x])/Sqrt[b] + (3*(7*a^{(1/4)}*b^{(1/4)}*c - 4*Sqrt[a]*d)*Log[a^{(1/4)} + b^{(1/4)}*x])/Sqrt[b] + (12*Sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(128*a^3)$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx}{(a - bx^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x)/(a - b*x^4)^3, x]

[Out] IntegrateAlgebraic[(c + d*x)/(a - b*x^4)^3, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^3, x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.19, size = 272, normalized size = 2.00

$$\frac{21\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2 + \sqrt{2}x\left(\frac{-1}{2}\right)^{\frac{1}{4}} + \sqrt{\frac{-1}{2}}\right)}{256a^3b} - \frac{21\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2 - \sqrt{2}x\left(\frac{-1}{2}\right)^{\frac{1}{4}} + \sqrt{\frac{-1}{2}}\right)}{256a^3b} + \frac{3\sqrt{2}\left(4\sqrt{2}\sqrt{-ab}bd + 7(-ab^3)^{\frac{1}{4}}bc\right)\arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{-1}{2}\right)^{\frac{1}{4}}\right)}{2\left(\frac{-1}{2}\right)^{\frac{1}{4}}}\right)}{128a^3b^2} + \frac{3\sqrt{2}\left(4\sqrt{2}\sqrt{-ab}bd + 7(-ab^3)^{\frac{1}{4}}bc\right)\arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{-1}{2}\right)^{\frac{1}{4}}\right)}{2\left(\frac{-1}{2}\right)^{\frac{1}{4}}}\right)}{128a^3b^2} - \frac{6bdx^6 + 7bcx^5 - 10adx^2 - 11acx}{32(bx^4 - a)^2 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^3, x, algorithm="giac")

[Out] $\frac{21}{256}\sqrt{2}*(-a*b^3)^{(1/4)}*c*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{2}*(-a/b))/a^3*b - \frac{21}{256}\sqrt{2}*(-a*b^3)^{(1/4)}*c*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{2}*(-a/b))/a^3*b + \frac{3\sqrt{2}\left(4\sqrt{2}\sqrt{-ab}bd + 7(-ab^3)^{(1/4)}bc\right)\arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{-1}{2}\right)^{(1/4)}\right)}{2\left(\frac{-1}{2}\right)^{(1/4)}\right)}{128a^3b^2} + \frac{3\sqrt{2}\left(4\sqrt{2}\sqrt{-ab}bd + 7(-ab^3)^{(1/4)}bc\right)\arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{-1}{2}\right)^{(1/4)}\right)}{2\left(\frac{-1}{2}\right)^{(1/4)}\right)}{128a^3b^2} - \frac{6bdx^6 + 7bcx^5 - 10adx^2 - 11acx}{32(bx^4 - a)^2 a^2}$

/4) + sqrt(-a/b))/(a^3*b) + 3/128*sqrt(2)*(4*sqrt(2)*sqrt(-a*b)*b*d + 7*(-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4)))/(a^3*b^2) + 3/128*sqrt(2)*(4*sqrt(2)*sqrt(-a*b)*b*d + 7*(-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4)))/(a^3*b^2) - 1/32*(6*b*d*x^6 + 7*b*c*x^5 - 10*a*d*x^2 - 11*a*c*x)/((b*x^4 - a)^2*a^2)

maple [A] time = 0.05, size = 180, normalized size = 1.32

$$\frac{dx^2}{8(bx^4 - a)^2 a} + \frac{cx}{8(bx^4 - a)^2 a} - \frac{3dx^2}{16(bx^4 - a)a^2} - \frac{7cx}{32(bx^4 - a)a^2} - \frac{3d \ln\left(\frac{\sqrt{ab}x^2 - a}{-\sqrt{ab}x^2 - a}\right)}{32\sqrt{ab}a^2} + \frac{21\left(\frac{a}{b}\right)^{\frac{1}{4}}c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{64a^3} + \frac{21\left(\frac{a}{b}\right)^{\frac{1}{4}}c \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{128a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^4+a)^3,x)

[Out] 1/8*c*x/a/(b*x^4-a)^2-7/32*c/a^2*x/(b*x^4-a)+21/128*c/a^3*(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+21/64*c/a^3*(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)+1/8*d*x^2/a/(b*x^4-a)^2-3/16*d/a^2*x^2/(b*x^4-a)-3/32*d/a^2/(a*b)^(1/2)*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))

maxima [A] time = 3.01, size = 186, normalized size = 1.37

$$-\frac{6bdx^6 + 7bcx^5 - 10adx^2 - 11acx}{32(a^2b^2x^8 - 2a^3bx^4 + a^4)} + \frac{3 \left(\frac{14c \arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} + \frac{4d \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{4d \log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{7c \log\left(\frac{\sqrt{b}x - \sqrt{a}\sqrt{b}}{\sqrt{b}x + \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} \right)}{128a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out] -1/32*(6*b*d*x^6 + 7*b*c*x^5 - 10*a*d*x^2 - 11*a*c*x)/(a^2*b^2*x^8 - 2*a^3*b*x^4 + a^4) + 3/128*(14*c*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))) + 4*d*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 4*d*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) - 7*c*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))))/a^2

mupad [B] time = 4.98, size = 315, normalized size = 2.32

$$\frac{1}{32} \left(\frac{6bdx^6 + 7bcx^5 - 10adx^2 - 11acx}{a^2b^2x^8 - 2a^3bx^4 + a^4} + \frac{14c \arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} + \frac{4d \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{4d \log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{7c \log\left(\frac{\sqrt{b}x - \sqrt{a}\sqrt{b}}{\sqrt{b}x + \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} \right) / 128a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(a - b*x^4)^3,x)`

[Out]
$$\frac{\left(\frac{5d^2x^2}{16a} + \frac{11cx}{32a} - \frac{7b^2cx^5}{32a^2} - \frac{3b^2d^2x^6}{16a^2}\right) / (a^2 + b^2x^8 - 2abx^4) + \text{symsum}\left(\log\left(-\frac{3b^2(63cd^2 + 36d^3x + 7168\text{root}(268435456a^{11}b^2z^4 - 4718592a^6b^2d^2z^2 + 2709504a^3b^2c^2dz - 194481b^2c^4 + 20736ad^4, z, k)^2a^5bc + 1176\text{root}(268435456a^{11}b^2z^4 - 4718592a^6b^2d^2z^2 + 2709504a^3b^2c^2dz - 194481b^2c^4 + 20736ad^4, z, k)a^2b^2c^2x - 4096\text{root}(268435456a^{11}b^2z^4 - 4718592a^6b^2d^2z^2 + 2709504a^3b^2c^2dz - 194481b^2c^4 + 20736ad^4, z, k)^2a^5b^2d^2x)}{(2048a^6)}\right) \cdot \text{root}(268435456a^{11}b^2z^4 - 4718592a^6b^2d^2z^2 + 2709504a^3b^2c^2dz - 194481b^2c^4 + 20736ad^4, z, k), 1, 4)$$

sympy [A] time = 1.97, size = 194, normalized size = 1.43

$$-\text{RootSum}\left(268435456a^{11}b^2 - 4718592a^6b^2d^2 - 2709504a^3b^2c^2d + 20736ad^4 - 194481b^2c^4, \left(t \mapsto t \log\left(x + \frac{-67108864a^3a^9bd^2 + 9633792a^6a^7bc^2d + 589824a^4d^4 - 2765952a^3bc^4 + 423360a^2d^3}{193536acd^4 + 453789bc^5}\right)\right) - \frac{-11acx - 10adx^2 + 7bcx^5 + 6bdx^6}{32a^4 - 64a^3bx^4 + 32a^2b^2x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(-b*x**4+a)**3,x)`

[Out]
$$-\text{RootSum}\left(268435456*_t**4*a**11*b**2 - 4718592*_t**2*a**6*b*d**2 - 2709504*_t*a**3*b*c**2*d + 20736*a*d**4 - 194481*b*c**4, \text{Lambda}(_t, _t*\log(x + (-67108864*_t**3*a**9*b*d**2 + 9633792*_t**2*a**6*b*c**2*d + 589824*_t*a**4*d**4 - 2765952*_t*a**3*b*c**4 + 423360*a*c**2*d**3)/(193536*a*c*d**4 + 453789*b*c**5)))) - (-11*a*c*x - 10*a*d*x**2 + 7*b*c*x**5 + 6*b*d*x**6)/(32*a**4 - 64*a**3*b*x**4 + 32*a**2*b**2*x**8)$$

$$3.73 \quad \int \frac{c+dx}{(a+bx^4)^3} dx$$

Optimal. Leaf size=266

$$\frac{21c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{128\sqrt{2} a^{11/4} \sqrt[4]{b}} + \frac{21c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{128\sqrt{2} a^{11/4} \sqrt[4]{b}} - \frac{21c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{64\sqrt{2} a^{11/4} \sqrt[4]{b}} + \frac{21c \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{64\sqrt{2} a^{11/4} \sqrt[4]{b}} - \frac{3d \tan^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{16a^{3/2} \sqrt{b}} + \frac{x(c+dx)}{8a(a+bx^4)^2}$$

Rubi [A] time = 0.23, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 10, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {1855, 1876, 211, 1165, 628, 1162, 617, 204, 275, 205}

$$\frac{x(7c+6dx)}{32a^2(a+bx^4)} - \frac{21c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{128\sqrt{2} a^{11/4} \sqrt[4]{b}} + \frac{21c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{128\sqrt{2} a^{11/4} \sqrt[4]{b}} - \frac{21c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{64\sqrt{2} a^{11/4} \sqrt[4]{b}} + \frac{21c \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{64\sqrt{2} a^{11/4} \sqrt[4]{b}} + \frac{3d \tan^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{16a^{3/2} \sqrt{b}} + \frac{x(c+dx)}{8a(a+bx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^4)^3, x]

[Out] (x*(c + d*x))/(8*a*(a + b*x^4)^2) + (x*(7*c + 6*d*x))/(32*a^2*(a + b*x^4)) + (3*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(16*a^(5/2)*Sqrt[b]) - (21*c*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(1/4)) + (21*c*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(1/4)) - (21*c*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(1/4)) + (21*c*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(1/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &&

AtomQ[SplitProduct[SumBaseQ, b]])

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a+bx^4)^3} dx &= \frac{x(c+dx)}{8a(a+bx^4)^2} - \frac{\int \frac{-7c-6dx}{(a+bx^4)^2} dx}{8a} \\
&= \frac{x(c+dx)}{8a(a+bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a+bx^4)} + \frac{\int \frac{21c+12dx}{a+bx^4} dx}{32a^2} \\
&= \frac{x(c+dx)}{8a(a+bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a+bx^4)} + \frac{\int \left(\frac{21c}{a+bx^4} + \frac{12dx}{a+bx^4} \right) dx}{32a^2} \\
&= \frac{x(c+dx)}{8a(a+bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a+bx^4)} + \frac{(21c) \int \frac{1}{a+bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a+bx^4} dx}{8a^2} \\
&= \frac{x(c+dx)}{8a(a+bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a+bx^4)} + \frac{(21c) \int \frac{\sqrt{a}-\sqrt{b}x^2}{a+bx^4} dx}{64a^{5/2}} + \frac{(21c) \int \frac{\sqrt{a}+\sqrt{b}x^2}{a+bx^4} dx}{64a^{5/2}} + \frac{(3d) \text{Subst} \left(\int \frac{1}{1+u^4} du \right)}{1} \\
&= \frac{x(c+dx)}{8a(a+bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a+bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} + \frac{(21c) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{128a^{5/2}\sqrt{b}} + \frac{(21c) \int \frac{\frac{\sqrt{a}}{\sqrt{b}}}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{128a^{5/2}\sqrt{b}} \\
&= \frac{x(c+dx)}{8a(a+bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a+bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{21c \log \left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{128\sqrt{2}a^{11/4}\sqrt[4]{b}} + \frac{21c \log \left(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{128\sqrt{2}a^{11/4}\sqrt[4]{b}} \\
&= \frac{x(c+dx)}{8a(a+bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a+bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{21c \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{64\sqrt{2}a^{11/4}\sqrt[4]{b}} + \frac{21c \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{64\sqrt{2}a^{11/4}\sqrt[4]{b}}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 249, normalized size = 0.94

$$\frac{\frac{32a^{7/4}x(c+dx)}{(a+bx^4)^2} + \frac{8a^{3/4}x(7c+6dx)}{a+bx^4} - \frac{6(8\sqrt[4]{a}d+7\sqrt{2}\sqrt[4]{b}c)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt{b}} + \frac{6(7\sqrt{2}\sqrt[4]{b}c-8\sqrt[4]{a}d)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x+1}{\sqrt[4]{a}}\right)}{\sqrt{b}} - \frac{21\sqrt{2}c\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2)}{\sqrt[4]{b}} + \frac{21\sqrt{2}c\log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2)}{\sqrt[4]{b}}}{256a^{11/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^4)^3, x]

[Out] ((32*a^(7/4)*x*(c + d*x))/(a + b*x^4)^2 + (8*a^(3/4)*x*(7*c + 6*d*x))/(a + b*x^4) - (6*(7*Sqrt[2]*b^(1/4)*c + 8*a^(1/4)*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/Sqrt[b] + (6*(7*Sqrt[2]*b^(1/4)*c - 8*a^(1/4)*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/Sqrt[b] - (21*Sqrt[2]*c*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(1/4) + (21*Sqrt[2]*c*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(1/4))/(256*a^(11/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx}{(a + bx^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x)/(a + b*x^4)^3, x]

[Out] IntegrateAlgebraic[(c + d*x)/(a + b*x^4)^3, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^3, x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 256, normalized size = 0.96

$$\frac{21\sqrt{2}(ab^3)^{\frac{1}{2}}c\log\left(x^2+\sqrt{2}x\left(\frac{c}{b}\right)^{\frac{1}{2}}+\sqrt{\frac{c}{b}}\right)}{256a^3b} - \frac{21\sqrt{2}(ab^3)^{\frac{1}{2}}c\log\left(x^2-\sqrt{2}x\left(\frac{c}{b}\right)^{\frac{1}{2}}+\sqrt{\frac{c}{b}}\right)}{256a^3b} + \frac{3\sqrt{2}\left(4\sqrt{2}\sqrt{ab}bd+7(ab^3)^{\frac{1}{2}}bc\right)\arctan\left(\frac{\sqrt{2}\left(x+\sqrt{2}\left(\frac{c}{b}\right)^{\frac{1}{2}}\right)}{2\left(\frac{c}{b}\right)^{\frac{1}{2}}}\right)}{128a^3b^2} + \frac{3\sqrt{2}\left(4\sqrt{2}\sqrt{ab}bd+7(ab^3)^{\frac{1}{2}}bc\right)\arctan\left(\frac{\sqrt{2}\left(x-\sqrt{2}\left(\frac{c}{b}\right)^{\frac{1}{2}}\right)}{2\left(\frac{c}{b}\right)^{\frac{1}{2}}}\right)}{128a^3b^2} + \frac{6bdx^6+7bcx^5+10adx^2+11acx}{32(bx^4+a)^{\frac{3}{2}}a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^3, x, algorithm="giac")

[Out] $21/256*\sqrt{2}*(a*b^3)^{(1/4)}*c*\log(x^2 + \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{2}*(a/b)) / (a^3*b) - 21/256*\sqrt{2}*(a*b^3)^{(1/4)}*c*\log(x^2 - \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{2}*(a/b)) / (a^3*b) + 3/128*\sqrt{2}*(4*\sqrt{2}*\sqrt{a*b}*b*d + 7*(a*b^3)^{(1/4)}*b*c)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^3*b^2) + 3/128*\sqrt{2}*(4*\sqrt{2}*\sqrt{a*b}*b*d + 7*(a*b^3)^{(1/4)}*b*c)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^3*b^2) + 1/32*(6*b*d*x^6 + 7*b*c*x^5 + 10*a*d*x^2 + 11*a*c*x)/(b*x^4 + a)^2*a^2)$

maple [A] time = 0.05, size = 222, normalized size = 0.83

$$\frac{dx^2}{8(bx^4+a)^2a} + \frac{cx}{8(bx^4+a)^2a} + \frac{3dx^2}{16(bx^4+a)a^2} + \frac{7cx}{32(bx^4+a)a^2} + \frac{3d\arctan\left(\sqrt{\frac{b}{a}}x^2\right)}{16\sqrt{ab}a^2} + \frac{21\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}c\arctan\left(\frac{\sqrt{2}x-1}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{128a^3} + \frac{21\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}c\arctan\left(\frac{\sqrt{2}x+1}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{128a^3} + \frac{21\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}c\ln\left(\frac{x^2+\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{b}}}{x^2-\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{b}}}\right)}{256a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)/(b*x^4+a)^3,x)`

[Out] $1/8*c*x/a/(b*x^4+a)^2+7/32*c/a^2*x/(b*x^4+a)+21/256*c/a^3*(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+21/128*c/a^3*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+21/128*c/a^3*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+1/8*d*x^2/a/(b*x^4+a)^2+3/16*d/a^2*x^2/(b*x^4+a)+3/16*d/a^2/(a*b)^{(1/2)}*\arctan((1/a*b)^{(1/2)}*x^2)$

maxima [A] time = 3.06, size = 269, normalized size = 1.01

$$\frac{6bdx^6 + 7bcx^5 + 10adx^2 + 11acx}{32(a^2b^2x^8 + 2a^3bx^4 + a^4)} + \frac{3 \left(\frac{7\sqrt{2}c \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{1}{4}}} - \frac{7\sqrt{2}c \log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{1}{4}}} + \frac{2\left(7\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}c - 8\sqrt{a}d\right)\arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}\right)}{2\sqrt{a}\sqrt{b}}\right)}{a^{\frac{3}{4}}\sqrt{a}\sqrt{b}b^{\frac{1}{4}}} + \frac{2\left(7\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}c + 8\sqrt{a}d\right)\arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}\right)}{2\sqrt{a}\sqrt{b}}\right)}{a^{\frac{3}{4}}\sqrt{a}\sqrt{b}b^{\frac{1}{4}}} \right)}{256a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")`

[Out] $1/32*(6*b*d*x^6 + 7*b*c*x^5 + 10*a*d*x^2 + 11*a*c*x)/(a^2*b^2*x^8 + 2*a^3*b*x^4 + a^4) + 3/256*(7*\sqrt{2}*c*\log(\sqrt{b}*x^2 + \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{2}*(a/b)^{(1/4)})/(a^{(3/4)}*b^{(1/4)}) - 7*\sqrt{2}*c*\log(\sqrt{b}*x^2 - \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{2}*(a/b)^{(1/4)})/(a^{(3/4)}*b^{(1/4)}) + 2*(7*\sqrt{2}*a^{(1/4)}*b^{(1/4)}*c - 8*\sqrt{2}*a*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x + \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{2}*(a/b)^{(1/4)})/(a^{(3/4)}*\sqrt{2}*(a/b)^{(1/4)}) + 2*(7*\sqrt{2}*a^{(1/4)}*b^{(1/4)}*c + 8*\sqrt{2}*a*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{2}*(a/b)^{(1/4)})/(a^{(3/4)}*\sqrt{2}*(a/b)^{(1/4)})/a^2)$

mupad [B] time = 4.99, size = 315, normalized size = 1.18

$$\frac{\frac{5d^2}{a^2} - \frac{5d}{a} + \frac{5d^2}{a^2}}{a^2 - 2d^2 + d^2} \left(\int \frac{d^2 (5d^2 + 5d^2 t - \text{root}(268435456t^4 + 4718592t^2 a^6 b^2 d^2 - 2709504t^3 a^6 b^2 d^2 + 194481t^4 a^6 b^2 d^2 + 20736t^4 a^6 b^2 d^2) t^3 + 7168 - \text{root}(268435456t^4 + 4718592t^2 a^6 b^2 d^2 - 2709504t^3 a^6 b^2 d^2 + 194481t^4 a^6 b^2 d^2 + 20736t^4 a^6 b^2 d^2) t^3 + 1176 + \text{root}(268435456t^4 + 4718592t^2 a^6 b^2 d^2 - 2709504t^3 a^6 b^2 d^2 + 194481t^4 a^6 b^2 d^2 + 20736t^4 a^6 b^2 d^2) t^3 + 4096}{2048a^6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^4)^3,x)

[Out] ((5*d*x^2)/(16*a) + (11*c*x)/(32*a) + (7*b*c*x^5)/(32*a^2) + (3*b*d*x^6)/(16*a^2))/(a^2 + b^2*x^8 + 2*a*b*x^4) + symsum(log((3*b^2*(63*c*d^2 + 36*d^3*x - 7168*root(268435456*a^11*b^2*z^4 + 4718592*a^6*b*d^2*z^2 - 2709504*a^3*b*c^2*d*z + 194481*b*c^4 + 20736*a*d^4, z, k)^2*a^5*b*c - 1176*root(268435456*a^11*b^2*z^4 + 4718592*a^6*b*d^2*z^2 - 2709504*a^3*b*c^2*d*z + 194481*b*c^4 + 20736*a*d^4, z, k)*a^2*b*c^2*x + 4096*root(268435456*a^11*b^2*z^4 + 4718592*a^6*b*d^2*z^2 - 2709504*a^3*b*c^2*d*z + 194481*b*c^4 + 20736*a*d^4, z, k)^2*a^5*b*d*x))/(2048*a^6))*root(268435456*a^11*b^2*z^4 + 4718592*a^6*b*d^2*z^2 - 2709504*a^3*b*c^2*d*z + 194481*b*c^4 + 20736*a*d^4, z, k), k, 1, 4)

sympy [A] time = 1.99, size = 192, normalized size = 0.72

$$\text{RootSum}\left(268435456t^{11}b^2 + 4718592t^2 a^6 b^2 d^2 - 2709504t^3 a^6 b^2 d^2 + 20736t^4 a^6 b^2 d^2 + 194481t^4 a^6 b^2 d^2, \left(t \mapsto t \log\left(x + \frac{-67108864t^3 a^9 b^2 d^2 - 9633792t^2 a^6 b^2 c^2 d - 589824t^4 a^4 d^4 - 2765952t^3 a^3 b^2 c^4 + 423360t^2 d^3}{193536a^4 d^4 - 453789b^5 c^5}\right)\right) + \frac{11acx + 10adx^2 + 7bcx^3 + 6bdx^4}{32a^4 + 64a^2bx^4 + 32a^2b^2x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**4+a)**3,x)

[Out] RootSum(268435456*_t**4*a**11*b**2 + 4718592*_t**2*a**6*b*d**2 - 2709504*_t*a**3*b*c**2*d + 20736*a*d**4 + 194481*b*c**4, Lambda(_t, _t*log(x + (-67108864*_t**3*a**9*b*d**2 - 9633792*_t**2*a**6*b*c**2*d - 589824*_t*a**4*d**4 - 2765952*_t*a**3*b*c**4 + 423360*a*c**2*d**3)/(193536*a*c*d**4 - 453789*b*c**5)))) + (11*a*c*x + 10*a*d*x**2 + 7*b*c*x**5 + 6*b*d*x**6)/(32*a**4 + 64*a**3*b*x**4 + 32*a**2*b**2*x**8)

$$3.74 \quad \int \frac{c+dx}{(a-bx^4)^4} dx$$

Optimal. Leaf size=162

$$\frac{77c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}\sqrt[4]{b}} + \frac{77c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}\sqrt[4]{b}} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(77c+60dx)}{384a^3(a-bx^4)} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{x(c+dx)}{12a(a-bx^4)^3}$$

Rubi [A] time = 0.13, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1855, 1876, 212, 208, 205, 275}

$$\frac{x(77c+60dx)}{384a^3(a-bx^4)} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{77c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}\sqrt[4]{b}} + \frac{77c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}\sqrt[4]{b}} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(c+dx)}{12a(a-bx^4)^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a - b*x^4)^4, x]

[Out] (x*(c + d*x))/(12*a*(a - b*x^4)^3) + (x*(11*c + 10*d*x))/(96*a^2*(a - b*x^4)^2) + (x*(77*c + 60*d*x))/(384*a^3*(a - b*x^4)) + (77*c*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(1/4)) + (77*c*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(1/4)) + (5*d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a-bx^4)^4} dx &= \frac{x(c+dx)}{12a(a-bx^4)^3} - \frac{\int \frac{-11c-10dx}{(a-bx^4)^3} dx}{12a} \\
&= \frac{x(c+dx)}{12a(a-bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{\int \frac{77c+60dx}{(a-bx^4)^2} dx}{96a^2} \\
&= \frac{x(c+dx)}{12a(a-bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a-bx^4)} - \frac{\int \frac{-231c-120dx}{a-bx^4} dx}{384a^3} \\
&= \frac{x(c+dx)}{12a(a-bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a-bx^4)} - \frac{\int \left(-\frac{231c}{a-bx^4} - \frac{120dx}{a-bx^4}\right) dx}{384a^3} \\
&= \frac{x(c+dx)}{12a(a-bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a-bx^4)} + \frac{(77c) \int \frac{1}{a-bx^4} dx}{128a^3} + \frac{(5d) \int \frac{x}{a-bx^4} dx}{16a^3} \\
&= \frac{x(c+dx)}{12a(a-bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a-bx^4)} + \frac{(77c) \int \frac{1}{\sqrt{a}-\sqrt{b}x^2} dx}{256a^{7/2}} + \frac{(77c) \int \frac{1}{\sqrt{a}+\sqrt{b}x^2} dx}{256a^{7/2}} \\
&= \frac{x(c+dx)}{12a(a-bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a-bx^4)} + \frac{77c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}\sqrt[4]{b}} + \frac{77c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}\sqrt[4]{b}}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 217, normalized size = 1.34

$$\frac{\frac{128a^3x(c+dx)}{(a-bx^4)^3} + \frac{16a^2x(11c+10dx)}{(a-bx^4)^2} + \frac{4ax(77c+60dx)}{a-bx^4} - \frac{3(77\sqrt[4]{a}\sqrt[4]{b}c+40\sqrt{a}d)\log(\sqrt[4]{a}-\sqrt[4]{b}x)}{\sqrt{b}} + \frac{3(77\sqrt[4]{a}\sqrt[4]{b}c-40\sqrt{a}d)\log(\sqrt[4]{a}+\sqrt[4]{b}x)}{\sqrt{b}} + \frac{462\sqrt[4]{a}c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt[4]{b}} + \frac{120\sqrt{a}d \log(\sqrt{a}+\sqrt{b}x^2)}{\sqrt{b}}}{1536a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a - b*x^4)^4, x]

[Out] ((128*a^3*x*(c + d*x))/(a - b*x^4)^3 + (16*a^2*x*(11*c + 10*d*x))/(a - b*x^4)^2 + (4*a*x*(77*c + 60*d*x))/(a - b*x^4) + (462*a^(1/4)*c*ArcTan[(b^(1/4)*x)/a^(1/4)])/b^(1/4) - (3*(77*a^(1/4)*b^(1/4)*c + 40*Sqrt[a]*d)*Log[a^(1/4) - b^(1/4)*x])/Sqrt[b] + (3*(77*a^(1/4)*b^(1/4)*c - 40*Sqrt[a]*d)*Log[a^(1/4) + b^(1/4)*x])/Sqrt[b] + (120*Sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(1536*a^4)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx}{(a - bx^4)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x)/(a - b*x^4)^4, x]

[Out] IntegrateAlgebraic[(c + d*x)/(a - b*x^4)^4, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.28, size = 296, normalized size = 1.83

$$\frac{77\sqrt{2}(-ab)^{\frac{1}{4}}c\log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{1024a^4b} - \frac{77\sqrt{2}(-ab)^{\frac{1}{4}}c\log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{1024a^4b} - \frac{\sqrt{2}\left(40\sqrt{2}\sqrt{-ab}bd - 77(-ab)^{\frac{1}{4}}bc\right)\arctan\left(\frac{\sqrt{2}\left(x + \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{z\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512a^4b^2} - \frac{\sqrt{2}\left(40\sqrt{2}\sqrt{-ab}bd - 77(-ab)^{\frac{1}{4}}bc\right)\arctan\left(\frac{\sqrt{2}\left(x - \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{z\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512a^4b^2} - \frac{60b^2dx^{10} + 77b^2cx^9 - 160abd^6 - 198abcx^8 + 132a^2d^2 + 153a^2cx^5}{384(bx^4 - a)^3a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] $77/1024*\sqrt{2}*(-a*b^3)^{(1/4)}*c*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{(-a/b)})/(a^4*b) - 77/1024*\sqrt{2}*(-a*b^3)^{(1/4)}*c*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{(-a/b)})/(a^4*b) - 1/512*\sqrt{2}*(40*\sqrt{2}*\sqrt{-a*b}*b*d - 77*(-a*b^3)^{(1/4)}*b*c)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(a^4*b^2) - 1/512*\sqrt{2}*(40*\sqrt{2}*\sqrt{-a*b}*b*d - 77*(-a*b^3)^{(1/4)}*b*c)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(a^4*b^2) - 1/384*(60*b^2*d*x^10 + 77*b^2*c*x^9 - 160*a*b*d*x^6 - 198*a*b*c*x^5 + 132*a^2*d*x^2 + 153*a^2*c*x)/(b*x^4 - a)^3*a^3$

maple [A] time = 0.06, size = 177, normalized size = 1.09

$$-\frac{5d\ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{64\sqrt{ab}a^3} + \frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}}c\arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256a^4} + \frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}}c\ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512a^4} + \frac{-5b^2dx^{10} - 77b^2cx^9 + 5bdx^6 + \frac{33bcx^5}{64a^2} - \frac{11dx^2}{32a} - \frac{51cx}{128a}}{(bx^4 - a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)/(-b*x^4+a)^4,x)`

[Out] $(-5/32*d/a^3*b^2*x^{10}-77/384*c/a^3*b^2*x^9+5/12/a^2*d*b*x^6+33/64/a^2*c*b*x^5-11/32*d/a*x^2-51/128*c/a*x)/(b*x^4-a)^3+77/512/a^4*c*(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+77/256/a^4*c*(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)-5/64/a^3*d/(a*b)^{(1/2)}*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))$

maxima [A] time = 2.97, size = 223, normalized size = 1.38

$$\frac{60b^2dx^{10} + 77b^2cx^9 - 160abdx^6 - 198abcx^5 + 132a^2dx^2 + 153a^2cx}{384(a^3b^3x^{12} - 3a^4b^2x^8 + 3a^5b*x^4 - a^6)} + \frac{154c \arctan\left(\frac{\sqrt{bx}}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} + \frac{40d \log(\sqrt{bx^2+\sqrt{a}})}{\sqrt{a}\sqrt{b}} - \frac{40d \log(\sqrt{bx^2-\sqrt{a}})}{\sqrt{a}\sqrt{b}} - \frac{77c \log\left(\frac{\sqrt{bx}-\sqrt{a}\sqrt{b}}{\sqrt{bx}+\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(-b*x^4+a)^4,x, algorithm="maxima")`

[Out] $-1/384*(60*b^2*d*x^{10} + 77*b^2*c*x^9 - 160*a*b*d*x^6 - 198*a*b*c*x^5 + 132*a^2*d*x^2 + 153*a^2*c*x)/(a^3*b^3*x^{12} - 3*a^4*b^2*x^8 + 3*a^5*b*x^4 - a^6) + 1/512*(154*c*\arctan(\sqrt{b}*x/\sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}}) + 40*d*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 40*d*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 77*c*\log((\sqrt{b}*x - \sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{b}*x + \sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}}))/a^3$

mupad [B] time = 4.97, size = 351, normalized size = 2.17

RootSum(68719476736*a^15*b^2*z^4 - 838860800*a^8*b*d^2*z^2 + 485703680*a^4*b*c^2*d*z - 35153041*b*c^4 + 2560000*a*d^4, z, k)^2*a^7*b*c + 47432*root(68719476736*a^15*b^2*z^4 - 838860800*a^8*b*d^2*z^2 + 485703680*a^4*b*c^2*d*z - 35153041*b*c^4 + 2560000*a*d^4, z, k)*a^3*b*c^2*x - 163840*root(68719476736*a^15*b^2*z^4 - 838860800*a^8*b*d^2*z^2 + 485703680*a^4*b*c^2*d*z - 35153041*b*c^4 + 2560000*a*d^4, z, k)^2*a^7*b*d*x)/(32768*a^9)*root(68719476736*a^15*b^2*z^4 - 838860800*a^8*b*d^2*z^2 + 485703680*a^4*b*c^2*d*z - 35153041*b*c^4 + 2560000*a*d^4, z, k), k, 1, 4) + ((11*d*x^2)/(32*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (5*b^2*d*x^10)/(32*a^3) - (33*b*c*x^5)/(64*a^2) - (5*b*d*x^6)/(12*a^2))/(a^3 - b^3*x^12 - 3*a^2*b*x^4 + 3*a*b^2*x^8)

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(a - b*x^4)^4,x)`

[Out] $\text{symsum}(\log(-(b^2*(1925*c*d^2 + 1000*d^3*x + 315392*\text{root}(68719476736*a^{15}*b^2*z^4 - 838860800*a^8*b*d^2*z^2 + 485703680*a^4*b*c^2*d*z - 35153041*b*c^4 + 2560000*a*d^4, z, k)^2*a^7*b*c + 47432*\text{root}(68719476736*a^{15}*b^2*z^4 - 838860800*a^8*b*d^2*z^2 + 485703680*a^4*b*c^2*d*z - 35153041*b*c^4 + 2560000*a*d^4, z, k)*a^3*b*c^2*x - 163840*\text{root}(68719476736*a^{15}*b^2*z^4 - 838860800*a^8*b*d^2*z^2 + 485703680*a^4*b*c^2*d*z - 35153041*b*c^4 + 2560000*a*d^4, z, k)^2*a^7*b*d*x))/(32768*a^9)*\text{root}(68719476736*a^{15}*b^2*z^4 - 838860800*a^8*b*d^2*z^2 + 485703680*a^4*b*c^2*d*z - 35153041*b*c^4 + 2560000*a*d^4, z, k), k, 1, 4) + ((11*d*x^2)/(32*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (5*b^2*d*x^10)/(32*a^3) - (33*b*c*x^5)/(64*a^2) - (5*b*d*x^6)/(12*a^2))/(a^3 - b^3*x^12 - 3*a^2*b*x^4 + 3*a*b^2*x^8)$

sympy [A] time = 2.06, size = 231, normalized size = 1.43

RootSum(68719476736*a^15*b^2 - 838860800*a^8*b*d^2 + 485703680*a^4*b*c^2*d - 35153041*b*c^4 + 2560000*a*d^4, (1 - t)*log(x + \frac{429496729600*a^{12}*b^2 + 6217071040*a^8*b*c^2*d - 2621440000*a^4*d^3 + 17998356992*a^4*b*c^4 + 1897280000*a^2*d^4}{788480000*a*d^3 + 2706784157*b^3})) - \frac{-153*a^2*c*x - 132*d^2*d^2 + 198*a*b*c^5 + 160*a*b*d^6 - 77*d^2*c*x^9 - 60*d^2*d^2}{-384*d^6 + 1152*d^5*b^4 - 1152*d^4*b^2*c^8 + 384*d^3*b^3*c^2}

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x**4+a)**4,x)

[Out] RootSum(68719476736*_t**4*a**15*b**2 - 838860800*_t**2*a**8*b*d**2 + 485703
 680*_t*a**4*b*c**2*d + 2560000*a*d**4 - 35153041*b*c**4, Lambda(_t, _t*log(
 x + (429496729600*_t**3*a**12*b*d**2 + 62170071040*_t**2*a**8*b*c**2*d - 26
 21440000*_t*a**5*d**4 + 17998356992*_t*a**4*b*c**4 + 1897280000*a*c**2*d**3
)/(788480000*a*c*d**4 + 2706784157*b*c**5)))) + (-153*a**2*c*x - 132*a**2*d
 *x**2 + 198*a*b*c*x**5 + 160*a*b*d*x**6 - 77*b**2*c*x**9 - 60*b**2*d*x**10)
 /(-384*a**6 + 1152*a**5*b*x**4 - 1152*a**4*b**2*x**8 + 384*a**3*b**3*x**12)

$$3.75 \quad \int \frac{c+dx}{(a+bx^4)^4} dx$$

Optimal. Leaf size=291

$$\frac{77c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{512\sqrt{2} a^{15/4} \sqrt[4]{b}} + \frac{77c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{512\sqrt{2} a^{15/4} \sqrt[4]{b}} - \frac{77c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{256\sqrt{2} a^{15/4} \sqrt[4]{b}} + \frac{77c \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{256\sqrt{2} a^{15/4} \sqrt[4]{b}} + \frac{5d \tan^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{32a^{7/2} \sqrt{b}} + \frac{x(c+dx)}{12a(a+bx^4)^3}$$

Rubi [A] time = 0.27, antiderivative size = 291, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 10, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {1855, 1876, 211, 1165, 628, 1162, 617, 204, 275, 205}

$$\frac{x(77c+60dx)}{384a^3(a+bx^4)} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} - \frac{77c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{512\sqrt{2} a^{15/4} \sqrt[4]{b}} + \frac{77c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{512\sqrt{2} a^{15/4} \sqrt[4]{b}} - \frac{77c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{256\sqrt{2} a^{15/4} \sqrt[4]{b}} + \frac{77c \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{256\sqrt{2} a^{15/4} \sqrt[4]{b}} + \frac{5d \tan^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{32a^{7/2} \sqrt{b}} + \frac{x(c+dx)}{12a(a+bx^4)^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^4)^4, x]

[Out] (x*(c + d*x))/(12*a*(a + b*x^4)^3) + (x*(11*c + 10*d*x))/(96*a^2*(a + b*x^4)^2) + (x*(77*c + 60*d*x))/(384*a^3*(a + b*x^4)) + (5*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*Sqrt[b]) - (77*c*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(1/4)) + (77*c*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(1/4)) - (77*c*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(1/4)) + (77*c*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(1/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}

}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx}{(a + bx^4)^4} dx &= \frac{x(c + dx)}{12a(a + bx^4)^3} - \frac{\int \frac{-11c - 10dx}{(a + bx^4)^3} dx}{12a} \\
&= \frac{x(c + dx)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx)}{96a^2(a + bx^4)^2} + \frac{\int \frac{77c + 60dx}{(a + bx^4)^2} dx}{96a^2} \\
&= \frac{x(c + dx)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx)}{384a^3(a + bx^4)} - \frac{\int \frac{-231c - 120dx}{a + bx^4} dx}{384a^3} \\
&= \frac{x(c + dx)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx)}{384a^3(a + bx^4)} - \frac{\int \left(-\frac{231c}{a + bx^4} - \frac{120dx}{a + bx^4} \right) dx}{384a^3} \\
&= \frac{x(c + dx)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx)}{384a^3(a + bx^4)} + \frac{(77c) \int \frac{1}{a + bx^4} dx}{128a^3} + \frac{(5d) \int \frac{x}{a + bx^4} dx}{16a^3} \\
&= \frac{x(c + dx)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx)}{384a^3(a + bx^4)} + \frac{(77c) \int \frac{\sqrt{a} - \sqrt{b}x^2}{a + bx^4} dx}{256a^{7/2}} + \frac{(77c) \int \frac{\sqrt{a} + \sqrt{b}x^2}{a + bx^4} dx}{256a^{7/2}} \\
&= \frac{x(c + dx)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx)}{384a^3(a + bx^4)} + \frac{5d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{32a^{7/2}\sqrt{b}} + \frac{(77c) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}}} dx}{512a^{7/2}\sqrt{b}} \\
&= \frac{x(c + dx)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx)}{384a^3(a + bx^4)} + \frac{5d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{32a^{7/2}\sqrt{b}} - \frac{77c \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}x)}{512\sqrt{2}a^{7/2}\sqrt{b}} \\
&= \frac{x(c + dx)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx)}{384a^3(a + bx^4)} + \frac{5d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{32a^{7/2}\sqrt{b}} - \frac{77c \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} \right)}{256\sqrt{2}a^{15/4}\sqrt[4]{b}}
\end{aligned}$$

Mathematica [A] time = 0.34, size = 274, normalized size = 0.94

$$\frac{\frac{256a^{11/4}x(c+dx)}{(a+bx^4)^3} + \frac{32a^{7/4}x(11c+10dx)}{(a+bx^4)^2} + \frac{8a^{3/4}x(77c+60dx)}{a+bx^4} - \frac{6(80\sqrt[4]{a}d+77\sqrt{2}\sqrt[4]{b}c)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt{b}} + \frac{6(77\sqrt{2}\sqrt[4]{b}c-80\sqrt[4]{a}d)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}+1\right)}{\sqrt{b}} - \frac{231\sqrt{2}c\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{\sqrt[4]{b}} + \frac{231\sqrt{2}c\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{\sqrt[4]{b}}}{3072a^{15/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^4)^4, x]

[Out] ((256*a^(11/4)*x*(c + d*x))/(a + b*x^4)^3 + (32*a^(7/4)*x*(11*c + 10*d*x))/(a + b*x^4)^2 + (8*a^(3/4)*x*(77*c + 60*d*x))/(a + b*x^4) - (6*(77*sqrt[2]*b^(1/4)*c + 80*a^(1/4)*d)*ArcTan[1 - (sqrt[2]*b^(1/4)*x)/a^(1/4)]/sqrt[b] + (6*(77*sqrt[2]*b^(1/4)*c - 80*a^(1/4)*d)*ArcTan[1 + (sqrt[2]*b^(1/4)*x)/a^(1/4)]/sqrt[b] - (231*sqrt[2]*c*Log[sqrt[a] - sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2])/b^(1/4) + (231*sqrt[2]*c*Log[sqrt[a] + sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2])/b^(1/4))/(3072*a^(15/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx}{(a + bx^4)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x)/(a + b*x^4)^4, x]

[Out] IntegrateAlgebraic[(c + d*x)/(a + b*x^4)^4, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 280, normalized size = 0.96

$$\frac{77\sqrt{2}(ab)^{\frac{1}{4}}c\log\left(x^2+\sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{\frac{a}{b}}\right)}{1024a^{\frac{1}{2}}b} - \frac{77\sqrt{2}(ab)^{\frac{1}{4}}c\log\left(x^2-\sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{\frac{a}{b}}\right)}{1024a^{\frac{1}{2}}b} + \frac{\sqrt{2}\left(40\sqrt{2}\sqrt{ab}bd+77(ab)^{\frac{1}{4}}bc\right)\arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512a^{\frac{1}{2}}b^{\frac{3}{2}}} + \frac{\sqrt{2}\left(40\sqrt{2}\sqrt{ab}bd+77(ab)^{\frac{1}{4}}bc\right)\arctan\left(\frac{\sqrt{2}\left(2x-\sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512a^{\frac{1}{2}}b^{\frac{3}{2}}} + \frac{60b^2dx^{10}+77b^2cx^9+160abdx^8+198abcx^7+132a^2dx^6+153a^2cx^5}{384\left(bx^4+a\right)^{\frac{3}{2}}a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out] $77/1024*\sqrt{2}*(a*b^3)^{(1/4)}*c*\log(x^2 + \sqrt{2})*x*(a/b)^{(1/4)} + \sqrt{2}*(a/b)/(a^4*b) - 77/1024*\sqrt{2}*(a*b^3)^{(1/4)}*c*\log(x^2 - \sqrt{2})*x*(a/b)^{(1/4)} + \sqrt{2}*(a/b)/(a^4*b) + 1/512*\sqrt{2}*(40*\sqrt{2})*\sqrt{2}*(a*b)*b*d + 77*(a*b^3)^{(1/4)}*b*c*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2})*(a/b)^{(1/4)})/(a/b)^{(1/4)}/(a^4*b^2) + 1/512*\sqrt{2}*(40*\sqrt{2})*\sqrt{2}*(a*b)*b*d + 77*(a*b^3)^{(1/4)}*b*c*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})*(a/b)^{(1/4)})/(a/b)^{(1/4)}/(a^4*b^2) + 1/384*(60*b^2*d*x^{10} + 77*b^2*c*x^9 + 160*a*b*d*x^6 + 198*a*b*c*x^5 + 132*a^2*d*x^2 + 153*a^2*c*x)/(b*x^4 + a)^3$

maple [A] time = 0.07, size = 225, normalized size = 0.77

$$\frac{5d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{32\sqrt{ab} a^3} + \frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}-1\right)}{512a^4} + \frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}+1\right)}{512a^4} + \frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \ln\left(\frac{x^2+\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x+\sqrt{\frac{a}{b}}}{x^2-\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x+\sqrt{\frac{a}{b}}}\right)}{1024a^4} + \frac{5b^2 d x^{10}}{32a^3} + \frac{77b^2 c x^9}{384a^3} + \frac{5bd x^6}{12a^2} + \frac{33bc x^5}{64a^2} + \frac{11d x^2}{32a} + \frac{51cx}{128a} \over (bx^4 + a)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((d*x+c)/(b*x^4+a)^4, x)$

[Out] $(5/32/a^3*b^2*d*x^{10}+77/384/a^3*b^2*c*x^9+5/12/a^2*b*d*x^6+33/64/a^2*b*c*x^5+11/32/a*d*x^2+51/128/a*c*x)/(b*x^4+a)^3+77/1024/a^4*c*(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+77/512/a^4*c*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+77/512/a^4*c*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+5/32/a^3*d/(a*b)^{(1/2)}*\arctan((1/a*b)^{(1/2)}*x^2)$

maxima [A] time = 3.20, size = 304, normalized size = 1.04

$$\frac{60 b^2 d x^{10} + 77 b^2 c x^9 + 160 a b d x^6 + 198 a b c x^5 + 132 a^2 d x^2 + 153 a^2 c x}{384 (a^3 b^3 x^{12} + 3 a^4 b^2 x^8 + 3 a^5 b x^4 + a^6)} + \frac{77 \sqrt{2} c \log\left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}\right)}{a^{\frac{3}{4}} b^{\frac{1}{4}}} - \frac{77 \sqrt{2} c \log\left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}\right)}{a^{\frac{3}{4}} b^{\frac{1}{4}}} + \frac{2 \left(77 \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} c - 80 \sqrt{a} d\right) \arctan\left(\frac{\sqrt{2} \left(2 \sqrt{b} x + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}}\right)}{2 \sqrt{a} \sqrt{b}}\right)}{a^{\frac{3}{4}} \sqrt{a} \sqrt{b} b^{\frac{1}{4}}} + \frac{2 \left(77 \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} c + 80 \sqrt{a} d\right) \arctan\left(\frac{\sqrt{2} \left(2 \sqrt{b} x - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}}\right)}{2 \sqrt{a} \sqrt{b}}\right)}{a^{\frac{3}{4}} \sqrt{a} \sqrt{b} b^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((d*x+c)/(b*x^4+a)^4, x, \text{algorithm}="maxima")$

[Out] $1/384*(60*b^2*d*x^{10} + 77*b^2*c*x^9 + 160*a*b*d*x^6 + 198*a*b*c*x^5 + 132*a^2*d*x^2 + 153*a^2*c*x)/(a^3*b^3*x^{12} + 3*a^4*b^2*x^8 + 3*a^5*b*x^4 + a^6) + 1/1024*(77*\sqrt{2})*c*\log(\sqrt{2}*(a/b)*x^2 + \sqrt{2}*(a/b)^{(1/4)}*b^{(1/4)}*x + \sqrt{2}*(a/b)^{(1/4)})/(a^{(3/4)}*b^{(1/4)}) - 77*\sqrt{2}*(a/b)^{(1/4)}*b^{(1/4)}*c*\log(\sqrt{2}*(a/b)*x^2 - \sqrt{2}*(a/b)^{(1/4)}*b^{(1/4)}*x + \sqrt{2}*(a/b)^{(1/4)})/(a^{(3/4)}*b^{(1/4)}) + 2*(77*\sqrt{2}*(a/b)^{(1/4)}*b^{(1/4)}*c - 80*\sqrt{2}*(a/b)^{(1/4)}*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}*(a/b)*x + \sqrt{2}*(a/b)^{(1/4)}*b^{(1/4)})/\sqrt{2}*(a/b)^{(1/4)})/(a^{(3/4)}*\sqrt{2}*(a/b)^{(1/4)}*b^{(1/4)}) + 2*(77*\sqrt{2}*(a/b)^{(1/4)}*b^{(1/4)}*c + 80*\sqrt{2}*(a/b)^{(1/4)}*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}*(a/b)*x - \sqrt{2}*(a/b)^{(1/4)}*b^{(1/4)})/\sqrt{2}*(a/b)^{(1/4)})/(a^{(3/4)}*\sqrt{2}*(a/b)^{(1/4)}*b^{(1/4)})/a^3$

mupad [B] time = 0.31, size = 350, normalized size = 1.20

$\int \frac{(c + dx)(a + bx^4)^4}{x} dx$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^4)^4,x)

[Out] $\text{symsum}(\log((b^2*(1925*c*d^2 + 1000*d^3*x - 315392*\text{root}(68719476736*a^{15}*b^2*z^4 + 838860800*a^8*b*d^2*z^2 - 485703680*a^4*b*c^2*d*z + 35153041*b*c^4 + 2560000*a*d^4, z, k)^2*a^7*b*c - 47432*\text{root}(68719476736*a^{15}*b^2*z^4 + 838860800*a^8*b*d^2*z^2 - 485703680*a^4*b*c^2*d*z + 35153041*b*c^4 + 2560000*a*d^4, z, k)^2*a^3*b*c^2*x + 163840*\text{root}(68719476736*a^{15}*b^2*z^4 + 838860800*a^8*b*d^2*z^2 - 485703680*a^4*b*c^2*d*z + 35153041*b*c^4 + 2560000*a*d^4, z, k)^2*a^7*b*d*x)) / (32768*a^9) * \text{root}(68719476736*a^{15}*b^2*z^4 + 838860800*a^8*b*d^2*z^2 - 485703680*a^4*b*c^2*d*z + 35153041*b*c^4 + 2560000*a*d^4, z, k), k, 1, 4) + ((11*d*x^2)/(32*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (5*b^2*d*x^{10})/(32*a^3) + (33*b*c*x^5)/(64*a^2) + (5*b*d*x^6)/(12*a^2)) / (a^3 + b^3*x^{12} + 3*a^2*b*x^4 + 3*a*b^2*x^8)$

sympy [A] time = 1.81, size = 231, normalized size = 0.79

$\text{RootSum}\left(68719476736*a^{15}*b^2 + 838860800*a^8*b*d^2 - 485703680*a^4*b*c^2*d + 2560000*a*d^4 + 35153041*c^4, \left(t \rightarrow t \log\left(x + \frac{-429496729600*t^3*b*d^2 - 62170071040*t^2*b^2*d - 2621440000*t*d^4 - 17998356992*t*b^4 + 1897280000*t^2*d^3}{788480000*b*d^2 - 2706784157*b^5}\right)\right) + \frac{153*c^2*x + 132*d^2*x^2 + 198*b*c^3 + 160*b*d^4 + 77*d^2*x^3 + 60*d^2*x^3}{384*b^6 + 1152*b^5*x^4 + 1152*b^4*b^2*x^8 + 384*b^3*b^3*x^{12}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**4+a)**4,x)

[Out] $\text{RootSum}(68719476736*_t**4*a**15*b**2 + 838860800*_t**2*a**8*b*d**2 - 485703680*_t*a**4*b*c**2*d + 2560000*a*d**4 + 35153041*b*c**4, \text{Lambda}(_t, _t*\log(x + (-429496729600*_t**3*a**12*b*d**2 - 62170071040*_t**2*a**8*b*c**2*d - 2621440000*_t*a**5*d**4 - 17998356992*_t*a**4*b*c**4 + 1897280000*a*c**2*d**3)/(788480000*a*c*d**4 - 2706784157*b*c**5)))) + (153*a**2*c*x + 132*a**2*d*x**2 + 198*a*b*c*x**5 + 160*a*b*d*x**6 + 77*b**2*c*x**9 + 60*b**2*d*x**10) / (384*a**6 + 1152*a**5*b*x**4 + 1152*a**4*b**2*x**8 + 384*a**3*b**3*x**12)$

$$3.76 \quad \int \frac{c+dx}{1-x^4} dx$$

Optimal. Leaf size=24

$$\frac{1}{2}c \tan^{-1}(x) + \frac{1}{2}c \tanh^{-1}(x) + \frac{1}{2}d \tanh^{-1}(x^2)$$

Rubi [A] time = 0.02, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1876, 212, 206, 203, 275}

$$\frac{1}{2}c \tan^{-1}(x) + \frac{1}{2}c \tanh^{-1}(x) + \frac{1}{2}d \tanh^{-1}(x^2)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(1 - x^4), x]

[Out] (c*ArcTan[x])/2 + (c*ArcTanh[x])/2 + (d*ArcTanh[x^2])/2

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1
}], Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{1 - x^4} dx &= \int \left(\frac{c}{1 - x^4} + \frac{dx}{1 - x^4} \right) dx \\ &= c \int \frac{1}{1 - x^4} dx + d \int \frac{x}{1 - x^4} dx \\ &= \frac{1}{2}c \int \frac{1}{1 - x^2} dx + \frac{1}{2}c \int \frac{1}{1 + x^2} dx + \frac{1}{2}d \operatorname{Subst} \left(\int \frac{1}{1 - x^2} dx, x, x^2 \right) \\ &= \frac{1}{2}c \tan^{-1}(x) + \frac{1}{2}c \tanh^{-1}(x) + \frac{1}{2}d \tanh^{-1}(x^2) \end{aligned}$$

Mathematica [A] time = 0.02, size = 42, normalized size = 1.75

$$\frac{1}{4} \left(-(c + d) \log(1 - x) + c \log(x + 1) + 2c \tan^{-1}(x) + d \log(x^2 + 1) - d \log(x + 1) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(1 - x^4), x]

[Out] (2*c*ArcTan[x] - (c + d)*Log[1 - x] + c*Log[1 + x] - d*Log[1 + x] + d*Log[1 + x^2])/4

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx}{1 - x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x)/(1 - x^4), x]

[Out] IntegrateAlgebraic[(c + d*x)/(1 - x^4), x]

fricas [A] time = 0.41, size = 35, normalized size = 1.46

$$\frac{1}{2}c \arctan(x) + \frac{1}{4}d \log(x^2 + 1) + \frac{1}{4}(c - d) \log(x + 1) - \frac{1}{4}(c + d) \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x^4+1),x, algorithm="fricas")

[Out] $\frac{1}{2}c \arctan(x) + \frac{1}{4}d \log(x^2 + 1) + \frac{1}{4}(c - d) \log(x + 1) - \frac{1}{4}(c + d) \log(x - 1)$

giac [B] time = 0.15, size = 37, normalized size = 1.54

$$\frac{1}{2}c \arctan(x) + \frac{1}{4}d \log(x^2 + 1) + \frac{1}{4}(c - d) \log(|x + 1|) - \frac{1}{4}(c + d) \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x^4+1),x, algorithm="giac")

[Out] $\frac{1}{2}c \arctan(x) + \frac{1}{4}d \log(x^2 + 1) + \frac{1}{4}(c - d) \log(\text{abs}(x + 1)) - \frac{1}{4}(c + d) \log(\text{abs}(x - 1))$

maple [B] time = 0.04, size = 44, normalized size = 1.83

$$\frac{c \arctan(x)}{2} - \frac{c \ln(x - 1)}{4} + \frac{c \ln(x + 1)}{4} - \frac{d \ln(x - 1)}{4} - \frac{d \ln(x + 1)}{4} + \frac{d \ln(x^2 + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-x^4+1),x)

[Out] $-\frac{1}{4}c \ln(x-1) - \frac{1}{4}d \ln(x-1) + \frac{1}{4}c \ln(x+1) - \frac{1}{4}d \ln(x+1) + \frac{1}{4}d \ln(x^2+1) + \frac{1}{2}c \arctan(x)$

maxima [A] time = 3.04, size = 35, normalized size = 1.46

$$\frac{1}{2}c \arctan(x) + \frac{1}{4}d \log(x^2 + 1) + \frac{1}{4}(c - d) \log(x + 1) - \frac{1}{4}(c + d) \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x^4+1),x, algorithm="maxima")

[Out] $\frac{1}{2}c \arctan(x) + \frac{1}{4}d \log(x^2 + 1) + \frac{1}{4}(c - d) \log(x + 1) - \frac{1}{4}(c + d) \log(x - 1)$

mupad [B] time = 4.92, size = 100, normalized size = 4.17

$$-\frac{(-1)^{1/4} \operatorname{atan}\left((-1)^{3/4} \sqrt{2} x + 1\right) \left(\sqrt{2} c + 2(-1)^{1/4} d\right)}{4} - \frac{(-1)^{1/4} \operatorname{atan}\left((-1)^{3/4} \sqrt{2} x - 1\right) \left(2\sqrt{2} c - 4(-1)^{1/4} d\right)}{8} + \frac{(-1)^{1/4} \sqrt{2} c \ln\left(\frac{x^2 + (-1)^{1/4} \sqrt{2} x + 1}{x^2 - (-1)^{1/4} \sqrt{2} x + 1}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(c + d*x)/(x^4 - 1), x)`

[Out] $((-1)^{1/4} * 2^{1/2} * c * \log((x^2 + (-1)^{1/4} * 2^{1/2} * x + 1i)/(x^2 - (-1)^{1/4} * 2^{1/2} * x + 1i)))/8 - ((-1)^{1/4} * \operatorname{atan}((-1)^{3/4} * 2^{1/2} * x - 1) * (2 * 2^{1/2} * c - 4 * (-1)^{1/4} * d))/8 - ((-1)^{1/4} * \operatorname{atan}((-1)^{3/4} * 2^{1/2} * x + 1) * (2^{1/2} * c + 2 * (-1)^{1/4} * d))/4$

sympy [C] time = 0.92, size = 313, normalized size = 13.04

$$\frac{(c-d) \log\left(x + \frac{4(c-d) + 5c^2d^2 + d^2(2c-d) + 2d^2(c-d)}{c^5 + 4cd^4}\right) - (c+d) \log\left(x + \frac{-4(c+d) + 5c^2d^2 + d^2(2c+d) + 2d^2(c+d)}{c^5 + 4cd^4}\right)}{4} - \left(\frac{ic}{4} - \frac{d}{4}\right) \log\left(x + \frac{-4c^2\left(\frac{c}{4} - \frac{d}{4}\right) + 5c^2d^2 + 16c^2d\left(\frac{c}{4} - \frac{d}{4}\right) + 8d^2\left(\frac{c}{4} - \frac{d}{4}\right) - 128d^2\left(\frac{c}{4} - \frac{d}{4}\right)^3}{c^5 + 4cd^4}\right) - \left(\frac{ic}{4} - \frac{d}{4}\right) \log\left(x + \frac{-4c^2\left(\frac{c}{4} - \frac{d}{4}\right) + 5c^2d^2 + 16c^2d\left(\frac{c}{4} - \frac{d}{4}\right) + 8d^2\left(\frac{c}{4} - \frac{d}{4}\right) - 128d^2\left(\frac{c}{4} - \frac{d}{4}\right)^3}{c^5 + 4cd^4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(-x**4+1), x)`

[Out] $(c - d) * \log(x + (c**4*(c - d) + 5*c**2*d**3 + c**2*d*(c - d)**2 - 2*d**4*(c - d) + 2*d**2*(c - d)**3)/(c**5 + 4*c*d**4))/4 - (c + d) * \log(x + (-c**4*(c + d) + 5*c**2*d**3 + c**2*d*(c + d)**2 + 2*d**4*(c + d) - 2*d**2*(c + d)**3)/(c**5 + 4*c*d**4))/4 - (-I*c/4 - d/4) * \log(x + (-4*c**4*(-I*c/4 - d/4) + 5*c**2*d**3 + 16*c**2*d*(-I*c/4 - d/4)**2 + 8*d**4*(-I*c/4 - d/4) - 128*d**2*(-I*c/4 - d/4)**3)/(c**5 + 4*c*d**4)) - (I*c/4 - d/4) * \log(x + (-4*c**4*(I*c/4 - d/4) + 5*c**2*d**3 + 16*c**2*d*(I*c/4 - d/4)**2 + 8*d**4*(I*c/4 - d/4) - 128*d**2*(I*c/4 - d/4)**3)/(c**5 + 4*c*d**4))$

$$3.77 \quad \int \frac{c+dx}{1+x^4} dx$$

Optimal. Leaf size=98

$$-\frac{c \log(x^2 - \sqrt{2}x + 1)}{4\sqrt{2}} + \frac{c \log(x^2 + \sqrt{2}x + 1)}{4\sqrt{2}} - \frac{c \tan^{-1}(1 - \sqrt{2}x)}{2\sqrt{2}} + \frac{c \tan^{-1}(\sqrt{2}x + 1)}{2\sqrt{2}} + \frac{1}{2}d \tan^{-1}(x^2)$$

Rubi [A] time = 0.07, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.692$, Rules used = {1876, 211, 1165, 628, 1162, 617, 204, 275, 203}

$$-\frac{c \log(x^2 - \sqrt{2}x + 1)}{4\sqrt{2}} + \frac{c \log(x^2 + \sqrt{2}x + 1)}{4\sqrt{2}} - \frac{c \tan^{-1}(1 - \sqrt{2}x)}{2\sqrt{2}} + \frac{c \tan^{-1}(\sqrt{2}x + 1)}{2\sqrt{2}} + \frac{1}{2}d \tan^{-1}(x^2)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(1 + x^4), x]

[Out] (d*ArcTan[x^2])/2 - (c*ArcTan[1 - Sqrt[2]*x])/(2*Sqrt[2]) + (c*ArcTan[1 + Sqrt[2]*x])/(2*Sqrt[2]) - (c*Log[1 - Sqrt[2]*x + x^2])/(4*Sqrt[2]) + (c*Log[1 + Sqrt[2]*x + x^2])/(4*Sqrt[2])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{c + dx}{1 + x^4} dx &= \int \left(\frac{c}{1 + x^4} + \frac{dx}{1 + x^4} \right) dx \\
&= c \int \frac{1}{1 + x^4} dx + d \int \frac{x}{1 + x^4} dx \\
&= \frac{1}{2}c \int \frac{1 - x^2}{1 + x^4} dx + \frac{1}{2}c \int \frac{1 + x^2}{1 + x^4} dx + \frac{1}{2}d \operatorname{Subst} \left(\int \frac{1}{1 + x^2} dx, x, x^2 \right) \\
&= \frac{1}{2}d \tan^{-1}(x^2) + \frac{1}{4}c \int \frac{1}{1 - \sqrt{2}x + x^2} dx + \frac{1}{4}c \int \frac{1}{1 + \sqrt{2}x + x^2} dx - \frac{c \int \frac{\sqrt{2} + 2x}{-1 - \sqrt{2}x - x^2} dx}{4\sqrt{2}} - \frac{c \int \frac{\sqrt{2}}{-1 + \sqrt{2}x + x^2} dx}{4\sqrt{2}} \\
&= \frac{1}{2}d \tan^{-1}(x^2) - \frac{c \log(1 - \sqrt{2}x + x^2)}{4\sqrt{2}} + \frac{c \log(1 + \sqrt{2}x + x^2)}{4\sqrt{2}} + \frac{c \operatorname{Subst} \left(\int \frac{1}{-1 - x^2} dx, x, 1 - \sqrt{2}x \right)}{2\sqrt{2}} \\
&= \frac{1}{2}d \tan^{-1}(x^2) - \frac{c \tan^{-1}(1 - \sqrt{2}x)}{2\sqrt{2}} + \frac{c \tan^{-1}(1 + \sqrt{2}x)}{2\sqrt{2}} - \frac{c \log(1 - \sqrt{2}x + x^2)}{4\sqrt{2}} + \frac{c \log(1 + \sqrt{2}x + x^2)}{4\sqrt{2}}
\end{aligned}$$

Mathematica [C] time = 0.13, size = 99, normalized size = 1.01

$$\frac{1}{4} \left(- \left(\sqrt[4]{-1}c + id \right) \log \left(\sqrt[4]{-1} - x \right) + \left((-1)^{3/4}c + id \right) \log \left((-1)^{3/4} - x \right) + \left(\sqrt[4]{-1}c - id \right) \log \left(x + \sqrt[4]{-1} \right) + \left((-1)^{3/4}c + id \right) \log \left(x + (-1)^{3/4} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(1 + x^4), x]

[Out] (-(((-1)^(1/4)*c + I*d)*Log[(-1)^(1/4) - x]) + (-((-1)^(3/4)*c) + I*d)*Log[(-1)^(3/4) - x] + ((-1)^(1/4)*c - I*d)*Log[(-1)^(1/4) + x] + ((-1)^(3/4)*c + I*d)*Log[(-1)^(3/4) + x])/4

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx}{1 + x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x)/(1 + x^4), x]

[Out] IntegrateAlgebraic[(c + d*x)/(1 + x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x^4+1),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.17, size = 86, normalized size = 0.88

$$\frac{1}{8}\sqrt{2}c\log(x^2+\sqrt{2}x+1)-\frac{1}{8}\sqrt{2}c\log(x^2-\sqrt{2}x+1)+\frac{1}{4}(\sqrt{2}c-2d)\arctan\left(\frac{1}{2}\sqrt{2}(2x+\sqrt{2})\right)+\frac{1}{4}(\sqrt{2}c+2d)\arctan\left(\frac{1}{2}\sqrt{2}(2x-\sqrt{2})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x^4+1),x, algorithm="giac")

[Out] 1/8*sqrt(2)*c*log(x^2 + sqrt(2)*x + 1) - 1/8*sqrt(2)*c*log(x^2 - sqrt(2)*x + 1) + 1/4*(sqrt(2)*c - 2*d)*arctan(1/2*sqrt(2)*(2*x + sqrt(2))) + 1/4*(sqrt(2)*c + 2*d)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)))

maple [A] time = 0.05, size = 68, normalized size = 0.69

$$\frac{\sqrt{2} c \arctan(\sqrt{2} x - 1)}{4} + \frac{\sqrt{2} c \arctan(\sqrt{2} x + 1)}{4} + \frac{\sqrt{2} c \ln\left(\frac{x^2 + \sqrt{2} x + 1}{x^2 - \sqrt{2} x + 1}\right)}{8} + \frac{d \arctan(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(x^4+1),x)

[Out] 1/4*c*arctan(2^(1/2)*x-1)*2^(1/2)+1/8*c*2^(1/2)*ln((x^2+2^(1/2)*x+1)/(x^2-2^(1/2)*x+1))+1/4*c*arctan(2^(1/2)*x+1)*2^(1/2)+1/2*d*arctan(x^2)

maxima [A] time = 3.00, size = 86, normalized size = 0.88

$$\frac{1}{8}\sqrt{2}c\log(x^2+\sqrt{2}x+1)-\frac{1}{8}\sqrt{2}c\log(x^2-\sqrt{2}x+1)+\frac{1}{4}(\sqrt{2}c-2d)\arctan\left(\frac{1}{2}\sqrt{2}(2x+\sqrt{2})\right)+\frac{1}{4}(\sqrt{2}c+2d)\arctan\left(\frac{1}{2}\sqrt{2}(2x-\sqrt{2})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x^4+1),x, algorithm="maxima")

[Out] 1/8*sqrt(2)*c*log(x^2 + sqrt(2)*x + 1) - 1/8*sqrt(2)*c*log(x^2 - sqrt(2)*x + 1) + 1/4*(sqrt(2)*c - 2*d)*arctan(1/2*sqrt(2)*(2*x + sqrt(2))) + 1/4*(sqrt(2)*c + 2*d)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)))

mupad [B] time = 0.09, size = 71, normalized size = 0.72

$$\operatorname{atan}\left(\sqrt{2} x - 1\right)\left(\frac{d}{2} + \frac{\sqrt{2} c}{4}\right) - \operatorname{atan}\left(\sqrt{2} x + 1\right)\left(\frac{d}{2} - \frac{\sqrt{2} c}{4}\right) + \frac{\sqrt{2} c \ln\left(\frac{x^2 + \sqrt{2} x + 1}{x^2 - \sqrt{2} x + 1}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(x^4 + 1),x)`

[Out] $\operatorname{atan}(2^{1/2}x - 1)(d/2 + (2^{1/2}c)/4) - \operatorname{atan}(2^{1/2}x + 1)(d/2 - (2^{1/2}c)/4) + (2^{1/2}c \log((2^{1/2}x + x^2 + 1)/(x^2 - 2^{1/2}x + 1)))/8$

sympy [A] time = 0.71, size = 83, normalized size = 0.85

$\operatorname{RootSum}\left(256t^4 + 32t^2d^2 - 16tc^2d + c^4 + d^4, \left(t \mapsto t \log\left(x + \frac{128t^3d^2 + 16t^2c^2d + 4tc^4 + 8td^4 - 5c^2d^3}{c^5 - 4cd^4}\right)\right)\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(x**4+1),x)`

[Out] $\operatorname{RootSum}(256_t^{**4} + 32_t^{**2}d^{**2} - 16_t*c^{**2}d + c^{**4} + d^{**4}, \operatorname{Lambda}(_t, _t \log(x + (128_t^{**3}d^{**2} + 16_t^{**2}c^{**2}d + 4_t*c^{**4} + 8_t*d^{**4} - 5*c^{**2}d^{**3})/(c^{**5} - 4*c*d^{**4})))$

$$3.78 \quad \int \frac{c+dx+ex^2}{a-bx^4} dx$$

Optimal. Leaf size=116

$$\frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}e + \sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

Rubi [A] time = 0.10, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1876, 275, 208, 1167, 205}

$$\frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}e + \sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a - b*x^4), x]

[Out] ((Sqrt[b]*c - Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(3/4)) + ((Sqrt[b]*c + Sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(3/4)) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2

$-(c*d)/(2*q), \text{Int}[1/(q + c*x^2), x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[-(a*c)]$

Rule 1876

$\text{Int}[(\text{Pq}_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] \rightarrow \text{With}[\{v = \text{Sum}[(x^{ii}*(\text{Coeff}[\text{Pq}, x, ii] + \text{Coeff}[\text{Pq}, x, n/2 + ii]*x^{(n/2)}))]/(a + b*x^n), \{ii, 0, n/2 - 1\}\}, \text{Int}[v, x] /; \text{SumQ}[v] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[\text{Pq}, x] \&\& \text{IGtQ}[n/2, 0] \&\& \text{Expon}[\text{Pq}, x] < n$

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{a - bx^4} dx &= \int \left(\frac{dx}{a - bx^4} + \frac{c + ex^2}{a - bx^4} \right) dx \\ &= d \int \frac{x}{a - bx^4} dx + \int \frac{c + ex^2}{a - bx^4} dx \\ &= \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right) + \frac{1}{2} \left(-\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{1}{-\sqrt{a}\sqrt{b} - bx^2} dx + \frac{1}{2} \left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{1}{\sqrt{a}\sqrt{b} + bx^2} dx \\ &= \frac{(\sqrt{bc} - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{bc} + \sqrt{a}e) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 187, normalized size = 1.61

$$\frac{-\log(\sqrt[4]{a} - \sqrt[4]{b}x) (\sqrt[4]{a}\sqrt[4]{b}d + \sqrt{ae} + \sqrt{bc}) + 2(\sqrt{bc} - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right) + \sqrt{bc} \log(\sqrt[4]{a} + \sqrt[4]{b}x) + \sqrt[4]{a}\sqrt[4]{b}d \log(\sqrt{a} + \sqrt{bx^2}) - \sqrt[4]{a}\sqrt[4]{b}d \log(\sqrt[4]{a} + \sqrt[4]{b}x) + \sqrt{ae} \log(\sqrt[4]{a} + \sqrt[4]{b}x)}{4a^{3/4}b^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a - b*x^4), x]

[Out] $(2*(\text{Sqrt}[b]*c - \text{Sqrt}[a]*e)*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}] - (\text{Sqrt}[b]*c + a^{(1/4)}*b^{(1/4)}*d + \text{Sqrt}[a]*e)*\text{Log}[a^{(1/4)} - b^{(1/4)}*x] + \text{Sqrt}[b]*c*\text{Log}[a^{(1/4)} + b^{(1/4)}*x] - a^{(1/4)}*b^{(1/4)}*d*\text{Log}[a^{(1/4)} + b^{(1/4)}*x] + \text{Sqrt}[a]*e*\text{Log}[a^{(1/4)} + b^{(1/4)}*x] + a^{(1/4)}*b^{(1/4)}*d*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[b]*x^2])/(4*a^{(3/4)}*b^{(3/4)})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{a - bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(a - b*x^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(a - b*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.18, size = 263, normalized size = 2.27

$$\frac{\sqrt{2} \left(b^2 c - \sqrt{2} (-ab^3)^{\frac{1}{4}} b d + \sqrt{-ab^3 e} \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 (-ab^3)^{\frac{3}{4}}} - \frac{\sqrt{2} \left(b^2 c + \sqrt{2} (-ab^3)^{\frac{1}{4}} b d - \sqrt{-ab^3 e} \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 (-ab^3)^{\frac{3}{4}}} - \frac{\sqrt{2} (b^2 c - \sqrt{-ab^3 e}) \log \left(x^2 + \sqrt{2} x \left(-\frac{a}{b} \right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}} \right)}{8 (-ab^3)^{\frac{3}{4}}} + \frac{\sqrt{2} (b^2 c - \sqrt{-ab^3 e}) \log \left(x^2 - \sqrt{2} x \left(-\frac{a}{b} \right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}} \right)}{8 (-ab^3)^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="giac")

[Out] $-1/4 * \sqrt{2} * (b^2 * c - \sqrt{2} * (-a * b^3)^{1/4} * b * d + \sqrt{-a * b} * b * e) * \arctan(1 / (2 * \sqrt{2} * (2 * x + \sqrt{2} * (-a / b)^{1/4}) / (-a / b)^{1/4}) / (-a * b^3)^{3/4}) - 1/4 * \sqrt{2} * (b^2 * c + \sqrt{2} * (-a * b^3)^{1/4} * b * d - \sqrt{-a * b} * b * e) * \arctan(1 / (2 * \sqrt{2} * (2 * x - \sqrt{2} * (-a / b)^{1/4}) / (-a / b)^{1/4}) / (-a * b^3)^{3/4}) - 1/8 * \sqrt{2} * (b^2 * c - \sqrt{-a * b} * b * e) * \log(x^2 + \sqrt{2} * x * (-a / b)^{1/4} + \sqrt{-a / b}) / (-a * b^3)^{3/4} + 1/8 * \sqrt{2} * (b^2 * c - \sqrt{-a * b} * b * e) * \log(x^2 - \sqrt{2} * x * (-a / b)^{1/4} + \sqrt{-a / b}) / (-a * b^3)^{3/4}$

maple [B] time = 0.04, size = 161, normalized size = 1.39

$$\frac{d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{4 \sqrt{ab}} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4a} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}} b} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(-b*x^4+a), x)

[Out] $1/4 * (a/b)^{1/4} / a * c * \ln((x + (a/b)^{1/4}) / (x - (a/b)^{1/4})) + 1/2 * (a/b)^{1/4} / a * c * \arctan(1 / (a/b)^{1/4} * x) - 1/4 / (a * b)^{1/2} * d * \ln(((a * b)^{1/2} * x^2 - a) / (- (a * b)^{1/2} * x^2 - a))$

$(1/2)*x^2-a)) - 1/2*e/b/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x) + 1/4*e/b/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$

maxima [A] time = 2.91, size = 153, normalized size = 1.32

$$\frac{d \log(\sqrt{b}x^2 + \sqrt{a})}{4\sqrt{a}\sqrt{b}} - \frac{d \log(\sqrt{b}x^2 - \sqrt{a})}{4\sqrt{a}\sqrt{b}} + \frac{(\sqrt{b}c - \sqrt{a}e) \arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{2\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} - \frac{(\sqrt{b}c + \sqrt{a}e) \log\left(\frac{\sqrt{b}x - \sqrt{\sqrt{a}\sqrt{b}}}{\sqrt{b}x + \sqrt{\sqrt{a}\sqrt{b}}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="maxima")

[Out] $1/4*d*\log(\text{sqrt}(b)*x^2 + \text{sqrt}(a))/(\text{sqrt}(a)*\text{sqrt}(b)) - 1/4*d*\log(\text{sqrt}(b)*x^2 - \text{sqrt}(a))/(\text{sqrt}(a)*\text{sqrt}(b)) + 1/2*(\text{sqrt}(b)*c - \text{sqrt}(a)*e)*\arctan(\text{sqrt}(b)*x/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)) - 1/4*(\text{sqrt}(b)*c + \text{sqrt}(a)*e)*\log((\text{sqrt}(b)*x - \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(b)*x + \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b))$

mpad [B] time = 5.14, size = 725, normalized size = 6.25

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a - b*x^4),x)

[Out] $\text{symsum}(\log(b^2*c^2*e - b^2*c*d^2 - b^2*d^3*x - a*b*e^3 - 16*\text{root}(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k)^2*a*b^3*c - 4*\text{root}(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k)*b^3*c^2*x + 16*\text{root}(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k)^2*a*b^3*d*x - 4*\text{root}(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k)*a*b^2*e^2*x + 8*\text{root}(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k)*a*b^2*d*e + 2*b^2*c*d*e*x)*\text{root}(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k), k, 1, 4)$

sympy [B] time = 11.04, size = 471, normalized size = 4.06

$-\text{RootSum}\left(256a^3b^3z^4 + z^4(-64a^2b^2c^2e - 32a^2b^2d^2) + z^3(-16a^2bd^2 - 16a^2c^2d) - z^2(a^4 + 2ab^2c^2 - 4ab^2c^2e + ab^4 - b^4e^4) + z + \frac{-64a^2b^2c^2e^2 - 64a^2b^2c^2e + 128a^2b^2c^2d^2 + 48a^2b^2c^2d^2 - 32a^2b^2c^2d^2 - 16a^2b^2c^2d + 12a^2b^2c^2 + 16a^2b^2c^2e^2 + 16a^2b^2c^2d^2 - 36a^2b^2c^2d^2 - 8a^2b^2c^2d^2 + 4ab^4e^4 + 3a^4d^4 - 5a^2b^4c^2 + 2a^2b^4e^2 + 5ab^4c^2d - 5ab^4c^2d^2}{a^4b^4 + a^2b^2c^4 - 8a^2b^2c^2d^2 + 4a^2b^2c^2e^2 - ab^4c^2e^2 + 8ab^4c^2d^2 - 4ab^4c^2d^2 - b^4e^4}\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(-b*x**4+a),x)

[Out] -RootSum(256*_t**4*a**3*b**3 + _t**2*(-64*a**2*b**2*c*e - 32*a**2*b**2*d**2) + _t*(-16*a**2*b*d*e**2 - 16*a*b**2*c**2*d) - a**2*e**4 + 2*a*b*c**2*e**2 - 4*a*b*c*d**2*e + a*b*d**4 - b**2*c**4, Lambda(_t, _t*log(x + (-64*_t**3*a**4*b**2*e**3 - 64*_t**3*a**3*b**3*c**2*e + 128*_t**3*a**3*b**3*c*d**2 + 48*_t**2*a**3*b**2*c*d*e**2 - 32*_t**2*a**3*b**2*d**3*e - 16*_t**2*a**2*b**3*c**3*d + 12*_t*a**3*b*c*e**4 + 12*_t*a**3*b*d**2*e**3 + 16*_t*a**2*b**2*c**3*e**2 - 36*_t*a**2*b**2*c**2*d**2*e - 8*_t*a**2*b**2*c*d**4 + 4*_t*a*b**3*c**5 + 3*a**3*d*e**5 - 5*a**2*b*c*d**3*e**2 + 2*a**2*b*d**5*e + 5*a*b**2*c**4*d*e - 5*a*b**2*c**3*d**3)/(a**3*e**6 + a**2*b*c**2*e**4 - 8*a**2*b*c*d**2*e**3 + 4*a**2*b*d**4*e**2 - a*b**2*c**4*e**2 + 8*a*b**2*c**3*d**2*e - 4*a*b**2*c**2*d**4 - b**3*c**6))))

$$3.79 \quad \int \frac{c+dx+ex^2}{a+bx^4} dx$$

Optimal. Leaf size=277

$$\frac{(\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{ae} + \sqrt{bc}) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{ae} + \sqrt{bc}) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{2\sqrt{2} a^{3/4} b^{3/4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{2\sqrt{a} \sqrt{b}}$$

Rubi [A] time = 0.20, antiderivative size = 277, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.450$, Rules used = {1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{ae} + \sqrt{bc}) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{ae} + \sqrt{bc}) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{2\sqrt{2} a^{3/4} b^{3/4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{2\sqrt{a} \sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^4), x]

[Out] (d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*Sqrt[b]) - ((Sqrt[b]*c + Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(3/4)) + ((Sqrt[b]*c + Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(3/4)) - ((Sqrt[b]*c - Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(3/4)) + ((Sqrt[b]*c - Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(3/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{a + bx^4} dx &= \int \left(\frac{dx}{a + bx^4} + \frac{c + ex^2}{a + bx^4} \right) dx \\
&= d \int \frac{x}{a + bx^4} dx + \int \frac{c + ex^2}{a + bx^4} dx \\
&= \frac{1}{2} d \operatorname{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right) + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} - e \right) \int \frac{\sqrt{a} \sqrt{b} - bx^2}{a + bx^4} dx}{2b} + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{\sqrt{a} \sqrt{b} + bx^2}{a + bx^4} dx}{2b} \\
&= \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2} \sqrt[4]{a} x}{\sqrt[4]{b}} + x^2} dx}{4b} + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} - e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2} \sqrt[4]{a} x}{\sqrt[4]{b}} + x^2} dx}{4b} - \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} + \sqrt{a}e) \log(\sqrt{a} + \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} \\
&= \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} - \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} + \sqrt{a}e) \log(\sqrt{a} + \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} \\
&= \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} - \frac{(\sqrt{bc} + \sqrt{a}e) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{a}e) \tan^{-1} \left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} + \sqrt{a}e) \log(\sqrt{a} + \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 229, normalized size = 0.83

$$\frac{-2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right) (2 \sqrt[4]{a} \sqrt[4]{b} d + \sqrt{2} \sqrt{a} e + \sqrt{2} \sqrt{b} c) + 2 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1 \right) (-2 \sqrt[4]{a} \sqrt[4]{b} d + \sqrt{2} \sqrt{a} e + \sqrt{2} \sqrt{b} c) - \sqrt{2} (\sqrt{bc} - \sqrt{a}e) (\log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2) - \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2))}{8 a^{3/4} b^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^4), x]

[Out] (-2*(Sqrt[2]*Sqrt[b]*c + 2*a^(1/4)*b^(1/4)*d + Sqrt[2]*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(Sqrt[2]*Sqrt[b]*c - 2*a^(1/4)*b^(1/4)*d + Sqrt[2]*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - Sqrt[2]*(Sqrt[b]*c - Sqrt[a]*e)*(Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] - Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(8*a^(3/4)*b^(3/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{a + bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(a + b*x^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(a + b*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.17, size = 275, normalized size = 0.99

$$\frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d - (ab^3)^{\frac{1}{2}} b^2 c - (ab^3)^{\frac{1}{2}} e \right) \arctan \left(\frac{\sqrt{2} (2x + \sqrt{2} (\frac{a}{b})^{\frac{1}{4}})}{2 (\frac{a}{b})^{\frac{1}{4}}} \right)}{4 ab^3} - \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d - (ab^3)^{\frac{1}{2}} b^2 c - (ab^3)^{\frac{1}{2}} e \right) \arctan \left(\frac{\sqrt{2} (2x - \sqrt{2} (\frac{a}{b})^{\frac{1}{4}})}{2 (\frac{a}{b})^{\frac{1}{4}}} \right)}{4 ab^3} + \frac{\sqrt{2} \left((ab^3)^{\frac{1}{2}} b^2 c - (ab^3)^{\frac{1}{2}} e \right) \log \left(x^2 + \sqrt{2} x (\frac{a}{b})^{\frac{1}{4}} + \sqrt{\frac{a}{b}} \right)}{8 ab^3} - \frac{\sqrt{2} \left((ab^3)^{\frac{1}{2}} b^2 c - (ab^3)^{\frac{1}{2}} e \right) \log \left(x^2 - \sqrt{2} x (\frac{a}{b})^{\frac{1}{4}} + \sqrt{\frac{a}{b}} \right)}{8 ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a), x, algorithm="giac")

[Out] $-1/4 * \sqrt{2} * (\sqrt{2} * \sqrt{a*b} * b^2 * d - (a*b^3)^{(1/4)} * b^2 * c - (a*b^3)^{(3/4)} * e) * \arctan(1/2 * \sqrt{2} * (2*x + \sqrt{2} * (a/b)^{(1/4)}) / (a/b)^{(1/4)}) / (a*b^3) - 1/4 * \sqrt{2} * (\sqrt{2} * \sqrt{a*b} * b^2 * d - (a*b^3)^{(1/4)} * b^2 * c - (a*b^3)^{(3/4)} * e) * \arctan(1/2 * \sqrt{2} * (2*x - \sqrt{2} * (a/b)^{(1/4)}) / (a/b)^{(1/4)}) / (a*b^3) + 1/8 * \sqrt{2} * ((a*b^3)^{(1/4)} * b^2 * c - (a*b^3)^{(3/4)} * e) * \log(x^2 + \sqrt{2} * x * (a/b)^{(1/4)} + \sqrt{a/b}) / (a*b^3) - 1/8 * \sqrt{2} * ((a*b^3)^{(1/4)} * b^2 * c - (a*b^3)^{(3/4)} * e) * \log(x^2 - \sqrt{2} * x * (a/b)^{(1/4)} + \sqrt{a/b}) / (a*b^3)$

maple [A] time = 0.05, size = 280, normalized size = 1.01

$$\frac{d \arctan \left(\sqrt{\frac{a}{b}} x^2 \right)}{2 \sqrt{ab}} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} x}{1} - 1 \right)}{4a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} x}{1} + 1 \right)}{4a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} c \ln \left(\frac{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{8a} + \frac{\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{1} - 1 \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b} + \frac{\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{1} + 1 \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b} + \frac{\sqrt{2} e \ln \left(\frac{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{8 \left(\frac{a}{b} \right)^{\frac{1}{4}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^4+a), x)

[Out] $1/8 * (a/b)^{(1/4)} * 2^{(1/2)} / a * c * \ln((x^2 + (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)}) / (x^2 - (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)})) + 1/4 * (a/b)^{(1/4)} * 2^{(1/2)} / a * c * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x + 1) + 1/4 * (a/b)^{(1/4)} * 2^{(1/2)} / a * c * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x - 1) + 1/2 / (a*b)^{(1/2)} * d * \arctan((1/a*b)^{(1/2)} * x^2) + 1/8 * e / b / (a/b)^{(1/4)} * 2^{(1/2)} * \ln((x^2 - (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)}) / (x^2 + (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)})) + 1/4 * e / b / (a/b)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x + 1) + 1/4 * e / b / (a/b)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x - 1)$

maxima [A] time = 3.04, size = 257, normalized size = 0.93

$$\frac{\sqrt{2}(\sqrt{bc}-\sqrt{ae})\log\left(\frac{\sqrt{bx^2+\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}x+\sqrt{a}}}}{8a^{\frac{3}{4}}b^{\frac{3}{4}}}\right)-\sqrt{2}(\sqrt{bc}-\sqrt{ae})\log\left(\frac{\sqrt{bx^2-\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}x+\sqrt{a}}}}{8a^{\frac{3}{4}}b^{\frac{3}{4}}}\right)}{4a^{\frac{3}{4}}\sqrt{\sqrt{a}\sqrt{b}}b^{\frac{3}{4}}}+\frac{\left(\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}c+\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}e}-2\sqrt{a}\sqrt{bd}}\right)\arctan\left(\frac{\sqrt{2}\left(2\sqrt{bx^2+\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}x+\sqrt{a}}}\right)}{2\sqrt{\sqrt{a}\sqrt{b}}}\right)}{4a^{\frac{3}{4}}\sqrt{\sqrt{a}\sqrt{b}}b^{\frac{3}{4}}}+\frac{\left(\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}c+\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}e}+2\sqrt{a}\sqrt{bd}}\right)\arctan\left(\frac{\sqrt{2}\left(2\sqrt{bx^2-\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}x+\sqrt{a}}}\right)}{2\sqrt{\sqrt{a}\sqrt{b}}}\right)}{4a^{\frac{3}{4}}\sqrt{\sqrt{a}\sqrt{b}}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a),x, algorithm="maxima")

[Out] 1/8*sqrt(2)*(sqrt(b)*c - sqrt(a)*e)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - 1/8*sqrt(2)*(sqrt(b)*c - sqrt(a)*e)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 1/4*(sqrt(2)*a^(1/4)*b^(3/4)*c + sqrt(2)*a^(3/4)*b^(1/4)*e - 2*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 1/4*(sqrt(2)*a^(1/4)*b^(3/4)*c + sqrt(2)*a^(3/4)*b^(1/4)*e + 2*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))

mupad [B] time = 5.09, size = 712, normalized size = 2.57

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^4),x)

[Out] symsum(log(b^2*c*d^2 - b^2*c^2*e + b^2*d^3*x - a*b*e^3 - 16*root(256*a^3*b^3*z^4 + 64*a^2*b^2*c*e*z^2 + 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z - 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 + a^2*e^4 + b^2*c^4, z, k)^2*a*b^3*c - 4*root(256*a^3*b^3*z^4 + 64*a^2*b^2*c*e*z^2 + 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z - 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 + a^2*e^4 + b^2*c^4, z, k)*b^3*c^2*x + 16*root(256*a^3*b^3*z^4 + 64*a^2*b^2*c*e*z^2 + 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z - 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 + a^2*e^4 + b^2*c^4, z, k)^2*a*b^3*d*x + 4*root(256*a^3*b^3*z^4 + 64*a^2*b^2*c*e*z^2 + 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z - 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 + a^2*e^4 + b^2*c^4, z, k)*a*b^2*e^2*x - 8*root(256*a^3*b^3*z^4 + 64*a^2*b^2*c*e*z^2 + 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z - 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 + a^2*e^4 + b^2*c^4, z, k)*a*b^2*d*e - 2*b^2*c*d*e*x)*root(256*a^3*b^3*z^4 + 64*a^2*b^2*c*e*z^2 + 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z - 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 + a^2*e^4 + b^2*c^4, z, k), k, 1, 4)

sympy [A] time = 10.54, size = 466, normalized size = 1.68

$$\text{RootSum}\left(256a^3b^3z^4 + 64a^2b^2cex + 32a^2b^2d^2z^2 + 16a^2b^2d^2e + 16a^2b^2d^3z - 16a^2b^2c^2d^2z - 4a^2b^2c^2e^2z + a^2b^2d^4 + a^2e^4 + b^2c^4, z\right) \log\left(\frac{64a^2b^2d^2 - 64a^2b^2c^2e + 128a^2b^2d^2e + 48a^2b^2d^2z - 32a^2b^2d^2e^2 + 16a^2b^2d^2z^2 + 12a^2b^2d^2e^2 - 16a^2b^2c^2d^2 + 36a^2b^2c^2d^2e + 8a^2b^2d^2z^2 + 4a^2b^2d^2e^2 + 3a^2d^4 + 5a^2b^2c^2e^2 - 2a^2b^2d^2e - 5a^2b^2c^2d^2}{2a^2b^2c^2e + 8a^2b^2d^2e - 4a^2b^2d^2z - a^2b^2d^2e^2 + 8a^2b^2d^2z^2 - 4a^2b^2d^2e^2 + b^2c^4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)/(b*x**4+a),x)`

[Out] `RootSum(256*_t**4*a**3*b**3 + _t**2*(64*a**2*b**2*c*e + 32*a**2*b**2*d**2) + _t*(16*a**2*b*d*e**2 - 16*a*b**2*c**2*d) + a**2*e**4 + 2*a*b*c**2*e**2 - 4*a*b*c*d**2*e + a*b*d**4 + b**2*c**4, Lambda(_t, _t*log(x + (64*_t**3*a**4*b**2*e**3 - 64*_t**3*a**3*b**3*c**2*e + 128*_t**3*a**3*b**3*c*d**2 + 48*_t**2*a**3*b**2*c*d*e**2 - 32*_t**2*a**3*b**2*d**3*e + 16*_t**2*a**2*b**3*c**3*d + 12*_t*a**3*b*c*e**4 + 12*_t*a**3*b*d**2*e**3 - 16*_t*a**2*b**2*c**3*e**2 + 36*_t*a**2*b**2*c**2*d**2*e + 8*_t*a**2*b**2*c*d**4 + 4*_t*a*b**3*c**5 + 3*a**3*d*e**5 + 5*a**2*b*c*d**3*e**2 - 2*a**2*b*d**5*e + 5*a*b**2*c**4*d*e - 5*a*b**2*c**3*d**3)/(a**3*e**6 - a**2*b*c**2*e**4 + 8*a**2*b*c*d**2*e**3 - 4*a**2*b*d**4*e**2 - a*b**2*c**4*e**2 + 8*a*b**2*c**3*d**2*e - 4*a*b**2*c**2*d**4 + b**3*c**6))))`

$$3.80 \quad \int \frac{c+dx+ex^2}{(a-bx^4)^2} dx$$

Optimal. Leaf size=146

$$\frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{(\sqrt{a}e + 3\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(c+dx+ex^2)}{4a(a-bx^4)}$$

Rubi [A] time = 0.13, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1855, 1876, 275, 208, 1167, 205}

$$\frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{(\sqrt{a}e + 3\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(c+dx+ex^2)}{4a(a-bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a - b*x^4)^2, x]

[Out] (x*(c + d*x + e*x^2))/(4*a*(a - b*x^4)) + ((3*Sqrt[b]*c - Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(3/4)) + ((3*Sqrt[b]*c + Sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(3/4)) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2}{(a - bx^4)^2} dx &= \frac{x(c + dx + ex^2)}{4a(a - bx^4)} - \frac{\int \frac{-3c - 2dx - ex^2}{a - bx^4} dx}{4a} \\
 &= \frac{x(c + dx + ex^2)}{4a(a - bx^4)} - \frac{\int \left(-\frac{2dx}{a - bx^4} + \frac{-3c - ex^2}{a - bx^4} \right) dx}{4a} \\
 &= \frac{x(c + dx + ex^2)}{4a(a - bx^4)} - \frac{\int \frac{-3c - ex^2}{a - bx^4} dx}{4a} + \frac{d \int \frac{x}{a - bx^4} dx}{2a} \\
 &= \frac{x(c + dx + ex^2)}{4a(a - bx^4)} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{4a} - \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} - e \right) \int \frac{1}{-\sqrt{a}\sqrt{b - bx^2}} dx}{8a} + \frac{(3\sqrt{b}c + \sqrt{a}e) \operatorname{atanh} \left(\frac{\sqrt{b}x}{\sqrt{a}} \right)}{4a^{3/2}} \\
 &= \frac{x(c + dx + ex^2)}{4a(a - bx^4)} + \frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8a^{7/4}b^{3/4}} + \frac{(3\sqrt{b}c + \sqrt{a}e) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8a^{7/4}b^{3/4}} + \frac{d \operatorname{atanh} \left(\frac{\sqrt{b}x}{\sqrt{a}} \right)}{4a^{3/2}}
 \end{aligned}$$

Mathematica [A] time = 0.28, size = 211, normalized size = 1.45

$$\frac{-\frac{\log\left(\sqrt[4]{a}-\sqrt[4]{b}x\right)\left(a^{3/4}e+3\sqrt[4]{a}\sqrt{b}c+2\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}}+\frac{\log\left(\sqrt[4]{a}+\sqrt[4]{b}x\right)\left(a^{3/4}e+3\sqrt[4]{a}\sqrt{b}c-2\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}}-\frac{2\sqrt[4]{a}\left(\sqrt{a}e-3\sqrt{b}c\right)\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{b^{3/4}}+\frac{4ax(c+x(d+ex))}{a-bx^4}+\frac{2\sqrt{a}d\log\left(\sqrt{a}+\sqrt{b}x^2\right)}{\sqrt{b}}}{16a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a - b*x^4)^2, x]

[Out] ((4*a*x*(c + x*(d + e*x)))/(a - b*x^4) - (2*a^(1/4)*(-3*Sqrt[b]*c + Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/b^(3/4) - ((3*a^(1/4)*Sqrt[b]*c + 2*Sqrt[a]*b^(1/4)*d + a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x])/b^(3/4) + ((3*a^(1/4)*Sqrt[b]*c - 2*Sqrt[a]*b^(1/4)*d + a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x])/b^(3/4) + (2*Sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(16*a^2)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{(a - bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(a - b*x^4)^2, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(a - b*x^4)^2, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.18, size = 311, normalized size = 2.13

$$\frac{\sqrt{2}\left(3b^2c-2\sqrt{2}\left(-ab^3\right)^{\frac{1}{2}}bd+\sqrt{-ab}be\right)\arctan\left(\frac{\sqrt{2}\left(2x-\sqrt{2}\left(-\frac{1}{b}\right)^{\frac{1}{2}}\right)}{z\left(-\frac{1}{b}\right)^{\frac{1}{2}}}\right)}{16\left(-ab^3\right)^{\frac{1}{2}}a}-\frac{\sqrt{2}\left(3b^2c+2\sqrt{2}\left(-ab^3\right)^{\frac{1}{2}}bd-\sqrt{-ab}be\right)\arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{1}{b}\right)^{\frac{1}{2}}\right)}{z\left(-\frac{1}{b}\right)^{\frac{1}{2}}}\right)}{16\left(-ab^3\right)^{\frac{1}{2}}a}-\frac{\sqrt{2}\left(3b^2c-\sqrt{-ab}be\right)\log\left(x^2+\sqrt{2}x\left(-\frac{1}{b}\right)^{\frac{1}{2}}+\sqrt{\frac{2}{b}}\right)}{32\left(-ab^3\right)^{\frac{1}{2}}a}+\frac{\sqrt{2}\left(3b^2c-\sqrt{-ab}be\right)\log\left(x^2-\sqrt{2}x\left(-\frac{1}{b}\right)^{\frac{1}{2}}+\sqrt{\frac{2}{b}}\right)}{32\left(-ab^3\right)^{\frac{1}{2}}a}+\frac{x^3e+dx^2+cx}{4\left(bx^4-a\right)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out] -1/16*sqrt(2)*(3*b^2*c - 2*sqrt(2)*(-a*b^3)^(1/4)*b*d + sqrt(-a*b)*b*e)*arc tan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*

a) $-1/16*\sqrt{2}*(3*b^2*c + 2*\sqrt{2})*(-a*b^3)^{(1/4)}*b*d - \sqrt{-a*b}*b*e) * \arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a) - 1/32*\sqrt{2}*(3*b^2*c - \sqrt{-a*b}*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a) + 1/32*\sqrt{2}*(3*b^2*c - \sqrt{-a*b}*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a) - 1/4*(x^3*e + d*x^2 + c*x)/((b*x^4 - a)*a)$

maple [B] time = 0.06, size = 228, normalized size = 1.56

$$\frac{e x^3}{4(b x^4 - a)a} - \frac{d x^2}{4(b x^4 - a)a} - \frac{c x}{4(b x^4 - a)a} - \frac{d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{8\sqrt{ab} a} - \frac{e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}} c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8a^2} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}} c \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)/(-b*x^4+a)^2,x)`

[Out] $-1/4/(b*x^4-a)/a*c*x+3/16*(a/b)^{(1/4)}/a^2*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+3/8*(a/b)^{(1/4)}/a^2*c*\arctan(1/(a/b)^{(1/4)}*x)-1/4/(b*x^4-a)/a*d*x^2-1/8/(a*b)^{(1/2)}/a*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-1/4*e*x^3/a/(b*x^4-a)-1/8*e/a/b/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)+1/16*e/a/b/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$

maxima [A] time = 2.94, size = 191, normalized size = 1.31

$$\frac{e x^3 + d x^2 + c x}{4(a b x^4 - a^2)} + \frac{\frac{2 d \log(\sqrt{b} x^2 + \sqrt{a})}{\sqrt{a} \sqrt{b}} - \frac{2 d \log(\sqrt{b} x^2 - \sqrt{a})}{\sqrt{a} \sqrt{b}}}{16 a} + \frac{2(3 \sqrt{b} c - \sqrt{a} e) \arctan\left(\frac{\sqrt{b} x}{\sqrt{\sqrt{a} \sqrt{b}}}\right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{b}} \sqrt{b}} - \frac{(3 \sqrt{b} c + \sqrt{a} e) \log\left(\frac{\sqrt{b} x - \sqrt{\sqrt{a} \sqrt{b}}}{\sqrt{b} x + \sqrt{\sqrt{a} \sqrt{b}}}\right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{b}} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")`

[Out] $-1/4*(e*x^3 + d*x^2 + c*x)/(a*b*x^4 - a^2) + 1/16*(2*d*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 2*d*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) + 2*(3*sqrt(b)*c - sqrt(a)*e)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (3*sqrt(b)*c + sqrt(a)*e)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/a$

mupad [B] time = 4.98, size = 477, normalized size = 3.27

$$\frac{e x^3 + d x^2 + c x}{4(a b x^4 - a^2)} + \frac{2 d \log(\sqrt{b} x^2 + \sqrt{a})}{\sqrt{a} \sqrt{b}} - \frac{2 d \log(\sqrt{b} x^2 - \sqrt{a})}{\sqrt{a} \sqrt{b}} + \frac{2(3 \sqrt{b} c - \sqrt{a} e) \arctan\left(\frac{\sqrt{b} x}{\sqrt{\sqrt{a} \sqrt{b}}}\right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{b}} \sqrt{b}} - \frac{(3 \sqrt{b} c + \sqrt{a} e) \log\left(\frac{\sqrt{b} x - \sqrt{\sqrt{a} \sqrt{b}}}{\sqrt{b} x + \sqrt{\sqrt{a} \sqrt{b}}}\right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{b}} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2)/(a - b*x^4)^2,x)
```

```
[Out] ((d*x^2)/(4*a) + (e*x^3)/(4*a) + (c*x)/(4*a))/(a - b*x^4) + symsum(log(- ro
ot(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a
^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a
*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k)*(root(65536*a^7*b^3*z^4 - 3072*a^4*b^2
*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z
- 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k
)*(12*b^3*c - 8*b^3*d*x) + (x*(36*a*b^3*c^2 + 4*a^2*b^2*e^2))/(16*a^3) - (b
^2*d*e)/a) - (12*b^2*c*d^2 - 9*b^2*c^2*e + a*b*e^3)/(64*a^3) - (x*(2*b^2*d^
3 - 3*b^2*c*d*e))/(16*a^3))*root(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 -
2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c
*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k), k, 1, 4
)
```

sympy [B] time = 13.74, size = 508, normalized size = 3.48

RootSum(65536*t^4*a^7*b^3 + t^2*(-3072*a^4*b^2*c*e - 2048*a^4*b^2*d^2) + t*(128*a^3*b*d*e^2 + 1152*a^2*b^2*c^2*d) - a^2*e^4 + 18*a*b*c^2*e^2 - 48*a*b*c*d^2*e + 16*a*b*d^4 - 81*b^2*c^4, Lambda(t, t*log(x + (4096*t^3*a^7*b^2*e^3 + 36864*t^3*a^6*b^3*c^2*e - 98304*t^3*a^6*b^3*c*d^2 + 4608*t^2*a^5*b^2*c^2*d*e^2 - 4096*t^2*a^5*b^2*d^3*e - 13824*t^2*a^4*b^3*c^3*d - 144*t*a^4*b*c*e^4 - 192*t*a^4*b*d^2*e^3 - 1728*t*a^3*b^2*c^3*e^2 + 5184*t*a^3*b^2*c^2*d^2*e + 1536*t*a^3*b^2*c*d^4 - 3888*t*a^2*b^3*c^5 + 6*a^3*d*e^5 - 120*a^2*b*c*d^3*e^2 + 64*a^2*b*d^5*e + 810*a*b^2*c^4*d*e - 1080*a*b^2*c^3*d^3)/(a^3*e^6 + 9*a^2*b*c^2*e^4 - 96*a^2*b*c*d^2*e^3 + 64*a^2*b*d^4*e^2 - 81*a*b^2*c^4*e^2 + 864*a*b^2*c^3*d^2*e - 576*a*b^2*c^2*d^4 - 729*b^3*c^6)))) + (-c*x - d*x^2 - e*x^3)/(-4*a^2 + 4*a*b*x^4)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/(-b*x**4+a)**2,x)
```

```
[Out] RootSum(65536*_t**4*a**7*b**3 + _t**2*(-3072*a**4*b**2*c*e - 2048*a**4*b**2
*d**2) + _t*(128*a**3*b*d*e**2 + 1152*a**2*b**2*c**2*d) - a**2*e**4 + 18*a
b**c**2*e**2 - 48*a*b*c*d**2*e + 16*a*b*d**4 - 81*b**2*c**4, Lambda(_t, _t*log(x + (4096*_t**3*a**7*b**2*e**3 + 36864*_t**3*a**6*b**3*c**2*e - 98304*_t
**3*a**6*b**3*c*d**2 + 4608*_t**2*a**5*b**2*c^2*d*e**2 - 4096*_t**2*a**5*b**2
*d**3*e - 13824*_t**2*a**4*b**3*c**3*d - 144*_t*a**4*b*c*e**4 - 192*_t*a**4
*b*d**2*e**3 - 1728*_t*a**3*b**2*c**3*e**2 + 5184*_t*a**3*b**2*c**2*d**2*e
+ 1536*_t*a**3*b**2*c*d**4 - 3888*_t*a**2*b**3*c**5 + 6*a**3*d*e**5 - 120*a
**2*b*c*d**3*e**2 + 64*a**2*b*d**5*e + 810*a*b**2*c**4*d*e - 1080*a*b**2*c
**3*d**3)/(a**3*e**6 + 9*a**2*b*c**2*e**4 - 96*a**2*b*c*d**2*e**3 + 64*a**2
*b*d**4*e**2 - 81*a*b**2*c**4*e**2 + 864*a*b**2*c**3*d**2*e - 576*a*b**2*c**
2*d**4 - 729*b**3*c**6)))) + (-c*x - d*x**2 - e*x**3)/(-4*a**2 + 4*a*b*x**4
)
```


$$3.81 \quad \int \frac{c+dx+ex^2}{(a+bx^4)^2} dx$$

Optimal. Leaf size=308

$$\frac{(3\sqrt{b}c - \sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} + \frac{(3\sqrt{b}c - \sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} - \frac{(\sqrt{a}e + \sqrt{b}c) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{7/4} b^{3/4}}$$

Rubi [A] time = 0.25, antiderivative size = 308, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(3\sqrt{b}c - \sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} + \frac{(3\sqrt{b}c - \sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} - \frac{(\sqrt{a}e + 3\sqrt{b}c) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} b^{3/4}} + \frac{(\sqrt{a}e + 3\sqrt{b}c) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right)}{8\sqrt{2} a^{7/4} b^{3/4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2} \sqrt{b}} + \frac{x(c + dx + ex^2)}{4a(a + bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^4)^2, x]

[Out] (x*(c + d*x + e*x^2))/(4*a*(a + b*x^4)) + (d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*Sqrt[b]) - ((3*Sqrt[b]*c + Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(3/4)) + ((3*Sqrt[b]*c + Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(3/4)) - ((3*Sqrt[b]*c - Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(3/4)) + ((3*Sqrt[b]*c - Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(3/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
```

[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))/(a + b*x^n), {ii, 0, n/2 - 1 }], Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2}{(a + bx^4)^2} dx &= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} - \frac{\int \frac{-3c - 2dx - ex^2}{a + bx^4} dx}{4a} \\
 &= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} - \frac{\int \left(-\frac{2dx}{a + bx^4} + \frac{-3c - ex^2}{a + bx^4} \right) dx}{4a} \\
 &= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} - \frac{\int \frac{-3c - ex^2}{a + bx^4} dx}{4a} + \frac{d \int \frac{x}{a + bx^4} dx}{2a} \\
 &= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{4a} + \frac{\left(\frac{3\sqrt{bc}}{\sqrt{a}} - e \right) \int \frac{\sqrt{a}\sqrt{b} - bx^2}{a + bx^4} dx}{8ab} + \frac{\left(\frac{3\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{\sqrt{a}\sqrt{b} + bx^2}{a + bx^4} dx}{8ab} \\
 &= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} + \frac{\left(\frac{3\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{b}} + x^2} dx}{16ab} + \frac{\left(\frac{3\sqrt{bc}}{\sqrt{a}} - e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{b}} + x^2} dx}{16ab} \\
 &= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{(3\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{16\sqrt{2}a^{7/4}b^{3/4}} + \frac{(3\sqrt{bc} + \sqrt{a}e) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{16\sqrt{2}a^{7/4}b^{3/4}} \\
 &= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{(3\sqrt{bc} + \sqrt{a}e) \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8\sqrt{2}a^{7/4}b^{3/4}} + \frac{(3\sqrt{bc} - \sqrt{a}e) \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8\sqrt{2}a^{7/4}b^{3/4}}
 \end{aligned}$$

Mathematica [A] time = 0.55, size = 305, normalized size = 0.99

$$\frac{\sqrt{2}(a^{3/4}e - 3\sqrt[4]{a}\sqrt{bc}) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{b^{3/4}} + \frac{\sqrt{2}(3\sqrt[4]{a}\sqrt{bc} - a^{3/4}e) \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{b^{3/4}} - \frac{2\sqrt[4]{a} \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \left(4\sqrt[4]{a}\sqrt[4]{b}d + \sqrt{2}\sqrt{a}e + 3\sqrt{2}\sqrt{bc}\right)}{32a^2} + \frac{2\sqrt[4]{a} \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right) \left(-4\sqrt[4]{a}\sqrt[4]{b}d + \sqrt{2}\sqrt{a}e + 3\sqrt{2}\sqrt{bc}\right)}{b^{3/4}} + \frac{8ax(c+x(d+ex))}{a+bx^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^4)^2, x]

[Out]
$$\left(\frac{8ax(c + x(d + ex))}{(a + bx^4)} - \frac{(2a^{1/4}(3\sqrt{2}\sqrt{a}e) + 4a^{1/4}b^{1/4}d + \sqrt{2}\sqrt{a}e)\operatorname{ArcTan}\left[1 - \frac{\sqrt{2}b^{1/4}x}{a^{1/4}}\right]}{b^{3/4}} + \frac{(2a^{1/4}(3\sqrt{2}\sqrt{a}e) - 4a^{1/4}b^{1/4}d + \sqrt{2}\sqrt{a}e)\operatorname{ArcTan}\left[1 + \frac{\sqrt{2}b^{1/4}x}{a^{1/4}}\right]}{b^{3/4}} + \frac{\sqrt{2}(-3a^{1/4}\sqrt{b}c + a^{3/4}e)\operatorname{Log}\left[\sqrt{a} - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2\right]}{b^{3/4}} + \frac{\sqrt{2}(3a^{1/4}\sqrt{b}c - a^{3/4}e)\operatorname{Log}\left[\sqrt{a} + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2\right]}{b^{3/4}} \right) / (32a^2)$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{(a + bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(a + b*x^4)^2, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(a + b*x^4)^2, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 306, normalized size = 0.99

$$\frac{x^3e + dx^2 + cx}{4(bx^4 + a)^2} + \frac{\sqrt{2}\left(2\sqrt{2}\sqrt{ab}b^2d + 3(ab^3)^{\frac{1}{2}}b^2c + (ab^3)^{\frac{3}{2}}e\right)\arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16a^2b^3} + \frac{\sqrt{2}\left(2\sqrt{2}\sqrt{ab}b^2d + 3(ab^3)^{\frac{1}{2}}b^2c + (ab^3)^{\frac{3}{2}}e\right)\arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16a^2b^3} + \frac{\sqrt{2}\left(3(ab^3)^{\frac{1}{2}}b^2c - (ab^3)^{\frac{3}{2}}e\right)\log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{32a^2b^3} - \frac{\sqrt{2}\left(3(ab^3)^{\frac{1}{2}}b^2c - (ab^3)^{\frac{3}{2}}e\right)\log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{32a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out]
$$\frac{1}{4}(x^3e + d x^2 + c x) / ((b x^4 + a) a) + \frac{1}{16} \sqrt{2} (2 \sqrt{2} \sqrt{a} e) \sqrt{a} \operatorname{arctan}\left(\frac{\sqrt{2} b^{1/4} x}{a^{1/4}}\right) / b^{3/4} + \frac{1}{16} \sqrt{2} (2 \sqrt{2} \sqrt{a} e) \sqrt{a} \operatorname{arctan}\left(\frac{\sqrt{2} b^{1/4} x}{a^{1/4}}\right) / b^{3/4} + \frac{\sqrt{2} (-3 a^{1/4} \sqrt{b} c + a^{3/4} e) \operatorname{Log}\left[\sqrt{a} - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2\right]}{b^{3/4}} + \frac{\sqrt{2} (3 a^{1/4} \sqrt{b} c - a^{3/4} e) \operatorname{Log}\left[\sqrt{a} + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2\right]}{b^{3/4}} / (32 a^2)$$

maple [A] time = 0.05, size = 344, normalized size = 1.12

$$\frac{ex^3}{4(bx^4+a)a} + \frac{dx^2}{4(bx^4+a)a} + \frac{cx}{4(bx^4+a)a} + \frac{d \arctan\left(\frac{\sqrt{e}x}{a}\right)}{4\sqrt{ab}a} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2}x}{\left(\frac{b}{a}\right)^{\frac{1}{4}}}\right)}{16\left(\frac{b}{a}\right)^{\frac{1}{4}}ab} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2}x}{\left(\frac{b}{a}\right)^{\frac{1}{4}}}\right)}{16\left(\frac{b}{a}\right)^{\frac{1}{4}}ab} + \frac{\sqrt{2} e \ln\left(\frac{x^2-\left(\frac{b}{a}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{e}{b}}}{x^2+\left(\frac{b}{a}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{e}{b}}}\right)}{32\left(\frac{b}{a}\right)^{\frac{1}{4}}ab} + \frac{3\left(\frac{b}{a}\right)^{\frac{1}{4}}\sqrt{2} e \arctan\left(\frac{\sqrt{2}x}{\left(\frac{b}{a}\right)^{\frac{1}{4}}}\right)}{16a^2} + \frac{3\left(\frac{b}{a}\right)^{\frac{1}{4}}\sqrt{2} e \arctan\left(\frac{\sqrt{2}x}{\left(\frac{b}{a}\right)^{\frac{1}{4}}}\right)}{16a^2} + \frac{3\left(\frac{b}{a}\right)^{\frac{1}{4}}\sqrt{2} e \ln\left(\frac{x^2+\left(\frac{b}{a}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{e}{b}}}{x^2-\left(\frac{b}{a}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{e}{b}}}\right)}{32a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] 1/4/(b*x^4+a)/a*c*x+3/32*(a/b)^(1/4)*2^(1/2)/a^2*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4/(b*x^4+a)/a*d*x^2+1/4/(a*b)^(1/2)/a*d*arctan((1/a*b)^(1/2)*x^2)+1/4*e*x^3/a/(b*x^4+a)+1/32*e/a/b/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16*e/a/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16*e/a/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.10, size = 294, normalized size = 0.95

$$\frac{ex^3 + dx^2 + cx}{4(abx^4 + a^2)} + \frac{\sqrt{2}(3\sqrt{b}c - \sqrt{a}e) \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2}(3\sqrt{b}c - \sqrt{a}e) \log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} + \frac{2\left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}c + \sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}c - 4\sqrt{a}\sqrt{b}d\right) \arctan\left(\frac{\sqrt{2}(2\sqrt{b}x + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}})}{2\sqrt{a}\sqrt{b}}\right)}{a^{\frac{3}{4}}\sqrt{a}\sqrt{b}b^{\frac{3}{4}}} + \frac{2\left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}c + \sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}c + 4\sqrt{a}\sqrt{b}d\right) \arctan\left(\frac{\sqrt{2}(2\sqrt{b}x - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}})}{2\sqrt{a}\sqrt{b}}\right)}{a^{\frac{3}{4}}\sqrt{a}\sqrt{b}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] 1/4*(e*x^3 + d*x^2 + c*x)/(a*b*x^4 + a^2) + 1/32*(sqrt(2)*(3*sqrt(b)*c - sqrt(a)*e)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(3*sqrt(b)*c - sqrt(a)*e)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(3/4)*c + sqrt(2)*a^(3/4)*b^(1/4)*e - 4*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(3/4)*c + sqrt(2)*a^(3/4)*b^(1/4)*e + 4*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))/a

mupad [B] time = 0.33, size = 472, normalized size = 1.53

$$\frac{ex^3 + dx^2 + cx}{4(abx^4 + a^2)} + \frac{\sqrt{2}(3\sqrt{b}c - \sqrt{a}e) \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2}(3\sqrt{b}c - \sqrt{a}e) \log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} + \frac{2\left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}c + \sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}c - 4\sqrt{a}\sqrt{b}d\right) \arctan\left(\frac{\sqrt{2}(2\sqrt{b}x + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}})}{2\sqrt{a}\sqrt{b}}\right)}{a^{\frac{3}{4}}\sqrt{a}\sqrt{b}b^{\frac{3}{4}}} + \frac{2\left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}c + \sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}c + 4\sqrt{a}\sqrt{b}d\right) \arctan\left(\frac{\sqrt{2}(2\sqrt{b}x - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}})}{2\sqrt{a}\sqrt{b}}\right)}{a^{\frac{3}{4}}\sqrt{a}\sqrt{b}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^4)^2,x)

```
[Out] ((d*x^2)/(4*a) + (e*x^3)/(4*a) + (c*x)/(4*a))/(a + b*x^4) + symsum(log((x*(
2*b^2*d^3 - 3*b^2*c*d*e))/(16*a^3) - (9*b^2*c^2*e - 12*b^2*c*d^2 + a*b*e^3)
/(64*a^3) - root(65536*a^7*b^3*z^4 + 3072*a^4*b^2*c*e*z^2 + 2048*a^4*b^2*d^
2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*
c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z, k)*(root(65536*a^7*b^3*z^4
+ 3072*a^4*b^2*c*e*z^2 + 2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*
a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 +
a^2*e^4, z, k)*(12*b^3*c - 8*b^3*d*x) + (x*(36*a*b^3*c^2 - 4*a^2*b^2*e^2))
/(16*a^3) + (b^2*d*e)/a))*root(65536*a^7*b^3*z^4 + 3072*a^4*b^2*c*e*z^2 + 2
048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d
^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z, k), k, 1, 4)
```

sympy [A] time = 11.55, size = 505, normalized size = 1.64

RootSum(65536*t^7 + t^4*(3072*b^3*c + 2048*b^3*d) + (128*b^3*c^2 - 1152*b^2*c*d) + a^2*e^4 + 18*a*b*c^2*e^2 - 48*a*b*c*d^2*e + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, Lambda(t, t*log(x + (4096*t^3*a^7*b^3*c^2*e^3 - 36864*t^3*a^6*b^3*c^2*d + 98304*t^3*a^6*b^3*c*d^2 + 4608*t^2*a^5*b^2*c*d^2*e - 4096*t^2*a^5*b^2*d^3*e + 13824*t^2*a^4*b^3*c^3*d + 144*t*a^4*b^3*c^2*d^2*e + 192*t*a^4*b^3*d^2*e^3 - 1728*t*a^3*b^2*c^3*d^2*e + 5184*t*a^3*b^2*c^2*d^2*e + 1536*t*a^3*b^2*c*d^4 + 3888*t*a^2*b^3*c^5 + 6*a^3*d^5 + 120*a^2*b^3*c^3*d^3*e^2 - 64*a^2*b^3*d^5*e + 810*a*b^2*c^4*d^2*e - 1080*a*b^2*c^3*d^3*e - 81*a*b^2*c^4*d^2*e + 864*a*b^2*c^3*d^2*e - 576*a*b^2*c^2*d^4 + 729*b^3*c^6))) + (c*x + d*x^2 + e*x^3)/(4*a^2 + 4*a*b*x^4)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/(b*x**4+a)**2,x)
```

```
[Out] RootSum(65536*_t**4*a**7*b**3 + _t**2*(3072*a**4*b**2*c*e + 2048*a**4*b**2*
d**2) + _t*(128*a**3*b*d*e**2 - 1152*a**2*b**2*c**2*d) + a**2*e**4 + 18*a*b
*c**2*e**2 - 48*a*b*c*d**2*e + 16*a*b*d**4 + 81*b**2*c**4, Lambda(_t, _t*lo
g(x + (4096*_t**3*a**7*b**2*e**3 - 36864*_t**3*a**6*b**3*c**2*e + 98304*_t
**3*a**6*b**3*c*d**2 + 4608*_t**2*a**5*b**2*c*d*e**2 - 4096*_t**2*a**5*b**2*
d**3*e + 13824*_t**2*a**4*b**3*c**3*d + 144*_t*a**4*b^3*c^2*d^2*e + 192*_t*a**4*
b*d**2*e**3 - 1728*_t*a**3*b**2*c**3*d^2*e + 5184*_t*a**3*b**2*c**2*d**2*e +
1536*_t*a**3*b**2*c*d**4 + 3888*_t*a**2*b**3*c**5 + 6*a**3*d^5 + 120*a*
**2*b^3*c^3*d^3*e^2 - 64*a**2*b^3*d^5*e + 810*a*b^2*c^4*d^2*e - 1080*a*b^2*c^3
*d^3*e - 81*a*b^2*c^4*d^2*e + 864*a*b^2*c^3*d^2*e - 576*a*b^2*c^2*d^4 + 729*b^3*c^6))) + (c*x + d*x**2 + e*x**3)/(4*a**2 + 4*a*b*x**4)
```

$$3.82 \quad \int \frac{c+dx+ex^2}{(a-bx^4)^3} dx$$

Optimal. Leaf size=179

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{x(c)}{8a}$$

Rubi [A] time = 0.17, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1855, 1876, 275, 208, 1167, 205}

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a - b*x^4)^3, x]

[Out] (x*(c + d*x + e*x^2))/(8*a*(a - b*x^4)^2) + (x*(7*c + 6*d*x + 5*e*x^2))/(32*a^2*(a - b*x^4)) + ((21*sqrt[b]*c - 5*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(3/4)) + ((21*sqrt[b]*c + 5*sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(3/4)) + (3*d*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(16*a^(5/2)*sqrt[b])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a - bx^4)^3} dx &= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} - \frac{\int \frac{-7c - 6dx - 5ex^2}{(a - bx^4)^2} dx}{8a} \\
&= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{\int \frac{21c + 12dx + 5ex^2}{a - bx^4} dx}{32a^2} \\
&= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{\int \left(\frac{12dx}{a - bx^4} + \frac{21c + 5ex^2}{a - bx^4} \right) dx}{32a^2} \\
&= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{\int \frac{21c + 5ex^2}{a - bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a - bx^4} dx}{8a^2} \\
&= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{(3d) \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{16a^2} - \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \int}{64a} \\
&= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{64a^{9/4}b^{3/4}} + \frac{(21\sqrt{b}c + 5\sqrt{a}e) \int}{64a^{11/4}b}
\end{aligned}$$

Mathematica [A] time = 0.29, size = 244, normalized size = 1.36

$$\frac{-\frac{\log\left(\sqrt[4]{a}-\sqrt[4]{b}x\right)\left(5a^{3/4}e+21\sqrt[4]{a}\sqrt{b}c+12\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}}+\frac{\log\left(\sqrt[4]{a}+\sqrt[4]{b}x\right)\left(5a^{3/4}e+21\sqrt[4]{a}\sqrt{b}c-12\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}}+\frac{16a^2x(c+dx+ex)}{(a-bx^4)^2}+\frac{2\sqrt[4]{a}\left(21\sqrt{b}c-5\sqrt{a}e\right)\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{b^{3/4}}+\frac{4ax(7c+x(6d+5ex))}{a-bx^4}+\frac{12\sqrt{a}d\log\left(\sqrt{a}+\sqrt{b}x^2\right)}{\sqrt{b}}}{128a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a - b*x^4)^3, x]

[Out] ((16*a^2*x*(c + x*(d + e*x)))/(a - b*x^4)^2 + (4*a*x*(7*c + x*(6*d + 5*e*x)))/(a - b*x^4) + (2*a^(1/4)*(21*sqrt[b]*c - 5*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/b^(3/4) - ((21*a^(1/4)*sqrt[b]*c + 12*sqrt[a]*b^(1/4)*d + 5*a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x])/b^(3/4) + ((21*a^(1/4)*sqrt[b]*c - 12*sqrt[a]*b^(1/4)*d + 5*a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x])/b^(3/4) + (12*sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(128*a^3)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{(a - bx^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(a - b*x^4)^3, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(a - b*x^4)^3, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.23, size = 340, normalized size = 1.90

$$\frac{\sqrt{2} \left(21 b^2 c - 12 \sqrt{2} (-ab)^{\frac{1}{2}} b d + 5 \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} (2x + \sqrt{2} (-\frac{1}{b})^{\frac{1}{2}})}{2 (-\frac{1}{b})^{\frac{1}{2}}} \right)}{128 (-ab)^{\frac{3}{2}} a^2} - \frac{\sqrt{2} \left(21 b^2 c + 12 \sqrt{2} (-ab)^{\frac{1}{2}} b d - 5 \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} (2x - \sqrt{2} (-\frac{1}{b})^{\frac{1}{2}})}{2 (-\frac{1}{b})^{\frac{1}{2}}} \right)}{128 (-ab)^{\frac{3}{2}} a^2} - \frac{\sqrt{2} (21 b^2 c - 5 \sqrt{-ab} b e) \log \left(x^2 + \sqrt{2} x (-\frac{1}{b})^{\frac{1}{2}} + \sqrt{\frac{a}{b}} \right)}{256 (-ab)^{\frac{3}{2}} a^2} + \frac{\sqrt{2} (21 b^2 c - 5 \sqrt{-ab} b e) \log \left(x^2 - \sqrt{2} x (-\frac{1}{b})^{\frac{1}{2}} + \sqrt{\frac{a}{b}} \right)}{256 (-ab)^{\frac{3}{2}} a^2} + \frac{5 b x^2 e + 6 b d x e + 7 b c x^2 - 9 a x^2 e - 10 a d x^2 - 11 a c x}{32 (b x^4 - a)^3 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out]
$$-1/128 * \sqrt{2} * (21 * b^2 * c - 12 * \sqrt{2} * (-a * b^3)^{(1/4)} * b * d + 5 * \sqrt{2} * (-a * b) * b * e) * \arctan(1/2 * \sqrt{2} * (2 * x + \sqrt{2} * (-a/b)^{(1/4)}) / (-a/b)^{(1/4)}) / ((-a * b^3)^{(3/4)} * a^2) - 1/128 * \sqrt{2} * (21 * b^2 * c + 12 * \sqrt{2} * (-a * b^3)^{(1/4)} * b * d - 5 * \sqrt{2} * (-a * b) * b * e) * \arctan(1/2 * \sqrt{2} * (2 * x - \sqrt{2} * (-a/b)^{(1/4)}) / (-a/b)^{(1/4)}) / ((-a * b^3)^{(3/4)} * a^2) - 1/256 * \sqrt{2} * (21 * b^2 * c - 5 * \sqrt{2} * (-a * b) * b * e) * \log(x^2 + \sqrt{2} * x * (-a/b)^{(1/4)} + \sqrt{-a/b}) / ((-a * b^3)^{(3/4)} * a^2) + 1/256 * \sqrt{2} * (21 * b^2 * c - 5 * \sqrt{2} * (-a * b) * b * e) * \log(x^2 - \sqrt{2} * x * (-a/b)^{(1/4)} + \sqrt{-a/b}) / ((-a * b^3)^{(3/4)} * a^2) - 1/32 * (5 * b * x^7 * e + 6 * b * d * x^6 + 7 * b * c * x^5 - 9 * a * x^3 * e - 10 * a * d * x^2 - 11 * a * c * x) / ((b * x^4 - a)^2 * a^2)$$

maple [B] time = 0.05, size = 286, normalized size = 1.60

$$\frac{e x^3}{8 (b x^4 - a)^2 a} + \frac{d x^2}{8 (b x^4 - a)^2 a} - \frac{5 e x^3}{32 (b x^4 - a)^2 a^2} + \frac{c x}{8 (b x^4 - a)^2 a} - \frac{3 d x^2}{16 (b x^4 - a)^2 a^2} - \frac{7 c x}{32 (b x^4 - a)^2 a^2} - \frac{3 d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{32 \sqrt{ab} a^2} - \frac{5 e \arctan \left(\frac{x}{(\frac{a}{b})^{\frac{1}{4}}} \right)}{64 (\frac{a}{b})^{\frac{1}{4}} a^2 b} + \frac{5 e \ln \left(\frac{x + (\frac{a}{b})^{\frac{1}{4}}}{x - (\frac{a}{b})^{\frac{1}{4}}} \right)}{128 (\frac{a}{b})^{\frac{1}{4}} a^2 b} + \frac{21 (\frac{a}{b})^{\frac{1}{4}} c \arctan \left(\frac{x}{(\frac{a}{b})^{\frac{1}{4}}} \right)}{64 a^3} + \frac{21 (\frac{a}{b})^{\frac{1}{4}} c \ln \left(\frac{x + (\frac{a}{b})^{\frac{1}{4}}}{x - (\frac{a}{b})^{\frac{1}{4}}} \right)}{128 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(-b*x^4+a)^3,x)

[Out]
$$1/8 / (b * x^4 - a)^2 / a * c * x - 7/32 / (b * x^4 - a) / a^2 * c * x + 21/128 * (a/b)^{(1/4)} / a^3 * c * \ln((x + (a/b)^{(1/4)}) / (x - (a/b)^{(1/4)})) + 21/64 * (a/b)^{(1/4)} / a^3 * c * \arctan(1 / (a/b)^{(1/4)} * x) + 1/8 / (b * x^4 - a)^2 / a * d * x^2 - 3/16 / (b * x^4 - a) / a^2 * d * x^2 - 3/32 / (a * b)^{(1/2)} / a^2 * d * \ln((a * b)^{(1/2)} * x^2 - a) / (- (a * b)^{(1/2)} * x^2 - a) + 1/8 * e * x^3 / a / (b * x^4 - a)^2 - 5/32 *$$

$e/a^2*x^3/(b*x^4-a)-5/64*e/a^2/b/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)+5/128*e/a^2/b/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$

maxima [A] time = 3.12, size = 230, normalized size = 1.28

$$-\frac{5bex^7 + 6bdx^6 + 7bcx^5 - 9aex^3 - 10adx^2 - 11acx}{32(a^2b^2x^8 - 2a^3bx^4 + a^4)} + \frac{\frac{12d \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{12d \log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}}}{128a^2} + \frac{2(21\sqrt{b}c - 5\sqrt{a}e)\arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}} - \frac{(21\sqrt{b}c + 5\sqrt{a}e)\log\left(\frac{\sqrt{b}x - \sqrt{a}\sqrt{b}}{\sqrt{b}x + \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out] $-1/32*(5*b*e*x^7 + 6*b*d*x^6 + 7*b*c*x^5 - 9*a*e*x^3 - 10*a*d*x^2 - 11*a*c*x)/(a^2*b^2*x^8 - 2*a^3*b*x^4 + a^4) + 1/128*(12*d*\log(\text{sqrt}(b)*x^2 + \text{sqrt}(a)))/(\text{sqrt}(a)*\text{sqrt}(b)) - 12*d*\log(\text{sqrt}(b)*x^2 - \text{sqrt}(a))/(\text{sqrt}(a)*\text{sqrt}(b)) + 2*(21*\text{sqrt}(b)*c - 5*\text{sqrt}(a)*e)*\arctan(\text{sqrt}(b)*x/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)) - (21*\text{sqrt}(b)*c + 5*\text{sqrt}(a)*e)*\log((\text{sqrt}(b)*x - \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(b)*x + \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b))/a^2$

mupad [B] time = 5.11, size = 826, normalized size = 4.61

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a - b*x^4)^3,x)

[Out] $((5*d*x^2)/(16*a) + (9*e*x^3)/(32*a) + (11*c*x)/(32*a) - (7*b*c*x^5)/(32*a^2) - (3*b*d*x^6)/(16*a^2) - (5*b*e*x^7)/(32*a^2))/a^2 + \text{symsum}(\log(-(b*(125*a*e^3 + 3024*b*c*d^2 - 2205*b*c^2*e + 1728*b*d^3*x + 344064*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)^2*a^5*b^2*c + 3200*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)*a^3*b*e^2*x - 2520*b*c*d*e*x + 56448*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)*a^2*b^2*c^2*x - 196608*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)^2*a^5*b^2*d*x - 15360*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c$

```
*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d
*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^
4 - 194481*b^2*c^4, z, k)*a^3*b*d*e))/(32768*a^6))*root(268435456*a^11*b^3*
z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c
^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 207
36*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k), k, 1, 4)
```

sympy [B] time = 45.34, size = 563, normalized size = 3.15

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(-b*x**4+a)**3,x)

```
[Out] -RootSum(268435456*_t**4*a**11*b**3 + _t**2*(-6881280*a**6*b**2*c*e - 47185
92*a**6*b**2*d**2) + _t*(-153600*a**4*b*d*e**2 - 2709504*a**3*b**2*c**2*d)
- 625*a**2*e**4 + 22050*a*b*c**2*e**2 - 60480*a*b*c*d**2*e + 20736*a*b*d**4
- 194481*b**2*c**4, Lambda(_t, _t*log(x + (-262144000*_t**3*a**10*b**2*e**
3 - 4624220160*_t**3*a**9*b**3*c**2*e + 12683575296*_t**3*a**9*b**3*c*d**2
+ 309657600*_t**2*a**7*b**2*c*d*e**2 - 283115520*_t**2*a**7*b**2*d**3*e - 1
820786688*_t**2*a**6*b**3*c**3*d + 5040000*_t*a**5*b*c*e**4 + 6912000*_t*a*
*5*b*d**2*e**3 + 118540800*_t*a**4*b**2*c**3*e**2 - 365783040*_t*a**4*b**2*
c**2*d**2*e - 111476736*_t*a**4*b**2*c*d**4 + 522764928*_t*a**3*b**3*c**5 +
112500*a**3*d*e**5 - 4536000*a**2*b*c*d**3*e**2 + 2488320*a**2*b*d**5*e +
58344300*a*b**2*c**4*d*e - 80015040*a*b**2*c**3*d**3))/(15625*a**3*e**6 + 27
5625*a**2*b*c**2*e**4 - 3024000*a**2*b*c*d**2*e**3 + 2073600*a**2*b*d**4*e*
*2 - 4862025*a*b**2*c**4*e**2 + 53343360*a*b**2*c**3*d**2*e - 36578304*a*b*
*2*c**2*d**4 - 85766121*b**3*c**6)) - (-11*a*c*x - 10*a*d*x**2 - 9*a*e*x*
*3 + 7*b*c*x**5 + 6*b*d*x**6 + 5*b*e*x**7)/(32*a**4 - 64*a**3*b*x**4 + 32*a
**2*b**2*x**8)
```

$$3.83 \quad \int \frac{c+dx+ex^2}{(a+bx^4)^3} dx$$

Optimal. Leaf size=341

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} + \frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} - \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}x}\right)}{64\sqrt{2} a^{11/4} b^{3/4}} + \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}x} + 1\right)}{64\sqrt{2} a^{11/4} b^{3/4}} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{3d \tan^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} \quad (5v)$$

Rubi [A] time = 0.31, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 10, integrand size = 20, number of rules / integrand size = 0.500, Rules used = {1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} + \frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} - \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}x}\right)}{64\sqrt{2} a^{11/4} b^{3/4}} + \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}x} + 1\right)}{64\sqrt{2} a^{11/4} b^{3/4}} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{3d \tan^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^4)^3, x]

[Out] (x*(c + d*x + e*x^2))/(8*a*(a + b*x^4)^2) + (x*(7*c + 6*d*x + 5*e*x^2))/(32*a^2*(a + b*x^4)) + (3*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(16*a^(5/2)*Sqrt[b]) - ((21*Sqrt[b]*c + 5*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(3/4)) + ((21*Sqrt[b]*c + 5*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(3/4)) - ((21*Sqrt[b]*c - 5*Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(3/4)) + ((21*Sqrt[b]*c - 5*Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(3/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
```

[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))/(a + b*x^n), {ii, 0, n/2 - 1 }], Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2}{(a + bx^4)^3} dx &= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} - \frac{\int \frac{-7c - 6dx - 5ex^2}{(a + bx^4)^2} dx}{8a} \\
 &= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{\int \frac{21c + 12dx + 5ex^2}{a + bx^4} dx}{32a^2} \\
 &= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{\int \left(\frac{12dx}{a + bx^4} + \frac{21c + 5ex^2}{a + bx^4} \right) dx}{32a^2} \\
 &= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{\int \frac{21c + 5ex^2}{a + bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a + bx^4} dx}{8a^2} \\
 &= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{(3d) \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{16a^2} + \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \int}{64a^2} \\
 &= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt{b}} + 2x}{-\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{b}}} dx}{128\sqrt{2}a^{9/4}b^{3/4}} \\
 &= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \log(\sqrt{a} - \sqrt{2} \dots)}{128\sqrt{2}a^{9/4}b^{3/4}} \\
 &= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{(21\sqrt{b}c + 5\sqrt{a}e) \tan^{-1} \left(1 - \dots \right)}{64\sqrt{2}a^{11/4}b^{3/4}}
 \end{aligned}$$

Mathematica [A] time = 0.42, size = 337, normalized size = 0.99

$$\frac{\sqrt{2}(5a^{3/4}c - 21\sqrt{b}c)\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{b^{3/4}} + \frac{\sqrt{2}(21\sqrt[4]{a}\sqrt{b}c - 5a^{3/4}c)\log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{b^{3/4}} + \frac{32a^2x(c + x(dx + ex^2))}{(a + bx^4)^2} - \frac{2\sqrt[4]{a}\tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{b}}\right)}{b^{3/4}} + \frac{24\sqrt[4]{a}\sqrt[4]{b}d + 5\sqrt{2}\sqrt{a}e + 21\sqrt{2}\sqrt{b}c}{b^{3/4}} + \frac{2\sqrt[4]{a}\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{b}} + 1\right)}{b^{3/4}} - \frac{24\sqrt[4]{a}\sqrt[4]{b}d + 5\sqrt{2}\sqrt{a}e + 21\sqrt{2}\sqrt{b}c}{b^{3/4}} + \frac{8ax(7c + x(6d + 5ex))}{a + bx^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^4)^3,x]

[Out] ((32*a^2*x*(c + x*(d + e*x)))/(a + b*x^4)^2 + (8*a*x*(7*c + x*(6*d + 5*e*x)))/(a + b*x^4) - (2*a^(1/4)*(21*Sqrt[2]*Sqrt[b]*c + 24*a^(1/4)*b^(1/4)*d + 5*Sqrt[2]*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (2*a^(1/4)*(21*Sqrt[2]*Sqrt[b]*c - 24*a^(1/4)*b^(1/4)*d + 5*Sqrt[2]*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (Sqrt[2]*(-21*a^(1/4)*Sqrt[b]*c + 5*a^(3/4)*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4) + (Sqrt[2]*(21*a^(1/4)*Sqrt[b]*c - 5*a^(3/4)*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4))/(256*a^3)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{(a + bx^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(a + b*x^4)^3,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(a + b*x^4)^3, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 336, normalized size = 0.99

$$\frac{5bx^2e + 6bdx^2 + 7bcx^2 + 9ax^2e + 10ad^2 + 11acx}{32(bx^4 + a)^2} + \frac{\sqrt{2}(12\sqrt{2}\sqrt{ab}b^2d + 21(ab)^{3/2}bc + 5(ab)^{5/2}e) \arctan\left(\frac{\sqrt{2}(2 + \sqrt{2}i)^{1/2}}{2i^{1/2}}\right)}{128ab^3} + \frac{\sqrt{2}(12\sqrt{2}\sqrt{ab}b^2d + 21(ab)^{3/2}bc + 5(ab)^{5/2}e) \arctan\left(\frac{\sqrt{2}(2 - \sqrt{2}i)^{1/2}}{2i^{1/2}}\right)}{128ab^3} + \frac{\sqrt{2}(21(ab)^{3/2}bc - 5(ab)^{5/2}e) \log(x^2 + \sqrt{2}x(i^{1/2} + \sqrt{2}) + \sqrt{2})}{256ab^3} - \frac{\sqrt{2}(21(ab)^{3/2}bc - 5(ab)^{5/2}e) \log(x^2 - \sqrt{2}x(i^{1/2} + \sqrt{2}) + \sqrt{2})}{256ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")

[Out] 1/32*(5*b*x^7*e + 6*b*d*x^6 + 7*b*c*x^5 + 9*a*x^3*e + 10*a*d*x^2 + 11*a*c*x)/((b*x^4 + a)^2*a^2) + 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 21*(a*b^3)^(1/4)*b^2*c + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2))*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^3) + 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d

$$+ 21*(a*b^3)^{(1/4)}*b^2*c + 5*(a*b^3)^{(3/4)}*e*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^3*b^3) + 1/256*\sqrt{2}*(21*(a*b^3)^{(1/4)}*b^2*c - 5*(a*b^3)^{(3/4)}*e)*\log(x^2 + \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{2}*(a/b))/(a^3*b^3) - 1/256*\sqrt{2}*(21*(a*b^3)^{(1/4)}*b^2*c - 5*(a*b^3)^{(3/4)}*e)*\log(x^2 - \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{2}*(a/b))/(a^3*b^3)$$

maple [A] time = 0.05, size = 396, normalized size = 1.16

$$\frac{e x^3}{8(b x^4+a)^2 a} + \frac{d x^2}{8(b x^4+a) a} + \frac{5 e x^3}{32(b x^4+a) a^2} + \frac{c x}{8(b x^4+a) a} + \frac{3 d x^2}{16(b x^4+a) a^2} + \frac{7 c x}{32(b x^4+a) a^2} + \frac{3 d \arctan\left(\sqrt{\frac{x}{a}}\right)}{16 \sqrt{a b} a^2} + \frac{5 \sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{a}-1\right)}{128\left(\frac{x}{a}\right)^{\frac{3}{4}} \sqrt{a b}} + \frac{5 \sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{a}+1\right)}{128\left(\frac{x}{a}\right)^{\frac{3}{4}} \sqrt{a b}} + \frac{5 \sqrt{2} e \ln\left(\frac{x-\left(\frac{x}{a}\right)^{\frac{1}{4}} \sqrt{2} x+\sqrt{\frac{x}{a}}}{x+\left(\frac{x}{a}\right)^{\frac{1}{4}} \sqrt{2} x+\sqrt{\frac{x}{a}}}\right)}{256\left(\frac{x}{a}\right)^{\frac{3}{4}} \sqrt{a b}} + \frac{21\left(\frac{x}{a}\right)^{\frac{1}{4}} \sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{a}-1\right)}{128 a^3} + \frac{21\left(\frac{x}{a}\right)^{\frac{1}{4}} \sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{a}+1\right)}{128 a^3} + \frac{21\left(\frac{x}{a}\right)^{\frac{1}{4}} \sqrt{2} e \ln\left(\frac{x-\left(\frac{x}{a}\right)^{\frac{1}{4}} \sqrt{2} x+\sqrt{\frac{x}{a}}}{x+\left(\frac{x}{a}\right)^{\frac{1}{4}} \sqrt{2} x+\sqrt{\frac{x}{a}}}\right)}{256 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^4+a)^3,x)

[Out] 1/8/(b*x^4+a)^2/a*c*x+7/32/(b*x^4+a)/a^2*c*x+21/256*(a/b)^(1/4)*2^(1/2)/a^3*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+21/128*(a/b)^(1/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+21/128*(a/b)^(1/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/8/(b*x^4+a)^2/a*d*x^2+3/16/(b*x^4+a)/a^2*d*x^2+3/16/(a*b)^(1/2)/a^2*d*arctan((1/a*b)^(1/2)*x^2)+1/8*e*x^3/a/(b*x^4+a)^2+5/32*e/a^2*x^3/(b*x^4+a)+5/256*e/a^2/b/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+5/128*e/a^2/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+5/128*e/a^2/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.09, size = 336, normalized size = 0.99

$$\frac{5 b e x^7 + 6 b d x^6 + 7 b c x^5 + 9 a e x^3 + 10 a d x^2 + 11 a c x}{32(a^2 b^2 x^8 + 2 a^3 b x^4 + a^4)} + \frac{\sqrt{2}(21 \sqrt{b} c - 5 \sqrt{a} e) \log\left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}\right)}{a^{\frac{3}{4}} b^{\frac{3}{4}}} - \frac{\sqrt{2}(21 \sqrt{b} c - 5 \sqrt{a} e) \log\left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}\right)}{a^{\frac{3}{4}} b^{\frac{3}{4}}} + \frac{2(21 \sqrt{2} a^{\frac{1}{4}} b^{\frac{3}{4}} c + 5 \sqrt{2} a^{\frac{3}{4}} b^{\frac{1}{4}} e - 24 \sqrt{a} \sqrt{b} d) \arctan\left(\frac{\sqrt{2}(2 \sqrt{b} x + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}})}{2 \sqrt{a} \sqrt{b}}\right)}{256 a^2} + \frac{2(21 \sqrt{2} a^{\frac{1}{4}} b^{\frac{3}{4}} c + 5 \sqrt{2} a^{\frac{3}{4}} b^{\frac{1}{4}} e + 24 \sqrt{a} \sqrt{b} d) \arctan\left(\frac{\sqrt{2}(2 \sqrt{b} x - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}})}{2 \sqrt{a} \sqrt{b}}\right)}{a^{\frac{3}{4}} \sqrt{a} \sqrt{b} b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")

[Out] 1/32*(5*b*e*x^7 + 6*b*d*x^6 + 7*b*c*x^5 + 9*a*e*x^3 + 10*a*d*x^2 + 11*a*c*x)/(a^2*b^2*x^8 + 2*a^3*b*x^4 + a^4) + 1/256*(sqrt(2)*(21*sqrt(b)*c - 5*sqrt(a)*e)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(21*sqrt(b)*c - 5*sqrt(a)*e)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(3/4)*c + 5*sqrt(2)*a^(3/4)*b^(1/4)*e - 24*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(3/4)*c + 5*sqrt(2)*a^(3/4)*b^(1/4)*e + 24*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))/a^2

mupad [B] time = 5.05, size = 826, normalized size = 2.42

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2)/(a + b*x^4)^3, x)$

[Out] $((5*d*x^2)/(16*a) + (9*e*x^3)/(32*a) + (11*c*x)/(32*a) + (7*b*c*x^5)/(32*a^2) + (3*b*d*x^6)/(16*a^2) + (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 + 2*a*b*x^4) + \text{symsum}(\log(-(b*(125*a*e^3 - 3024*b*c*d^2 + 2205*b*c^2*e - 1728*b*d^3*x + 344064*\text{root}(268435456*a^{11}*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)^2*a^5*b^2*c - 3200*\text{root}(268435456*a^{11}*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)*a^3*b*e^2*x + 2520*b*c*d*e*x + 56448*\text{root}(268435456*a^{11}*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)*a^2*b^2*c^2*x - 196608*\text{root}(268435456*a^{11}*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)^2*a^5*b^2*d*x + 15360*\text{root}(268435456*a^{11}*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)*a^3*b*d*e))/(32768*a^6))*\text{root}(268435456*a^{11}*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k), k, 1, 4)$

sympy [A] time = 40.86, size = 558, normalized size = 1.64

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x**2+d*x+c)/(b*x**4+a)**3, x)$

[Out] $\text{RootSum}(268435456*_t**4*a**11*b**3 + _t**2*(6881280*a**6*b**2*c*e + 4718592*a**6*b**2*d**2) + _t*(153600*a**4*b*d*e**2 - 2709504*a**3*b**2*c**2*d) + 625*a**2*e**4 + 22050*a*b*c**2*e**2 - 60480*a*b*c*d**2*e + 20736*a*b*d**4 + 194481*b**2*c**4, \text{Lambda}(_t, _t*\log(x + (262144000*_t**3*a**10*b**2*e**3 - 4624220160*_t**3*a**9*b**3*c**2*e + 12683575296*_t**3*a**9*b**3*c*d**2 + 309657600*_t**2*a**7*b**2*c*d*e**2 - 283115520*_t**2*a**7*b**2*d**3*e + 18207$

$$\begin{aligned}
& 86688*_t^{**2}*a^{**6}*b^{**3}*c^{**3}*d + 5040000*_t*a^{**5}*b*c*e^{**4} + 6912000*_t*a^{**5}*b \\
& *d^{**2}*e^{**3} - 118540800*_t*a^{**4}*b^{**2}*c^{**3}*e^{**2} + 365783040*_t*a^{**4}*b^{**2}*c^{**2} \\
& *d^{**2}*e + 111476736*_t*a^{**4}*b^{**2}*c*d^{**4} + 522764928*_t*a^{**3}*b^{**3}*c^{**5} + 112 \\
& 500*a^{**3}*d*e^{**5} + 4536000*a^{**2}*b*c*d^{**3}*e^{**2} - 2488320*a^{**2}*b*d^{**5}*e + 5834 \\
& 4300*a*b^{**2}*c^{**4}*d*e - 80015040*a*b^{**2}*c^{**3}*d^{**3})/(15625*a^{**3}*e^{**6} - 275625 \\
& *a^{**2}*b*c^{**2}*e^{**4} + 3024000*a^{**2}*b*c*d^{**2}*e^{**3} - 2073600*a^{**2}*b*d^{**4}*e^{**2} - \\
& 4862025*a*b^{**2}*c^{**4}*e^{**2} + 53343360*a*b^{**2}*c^{**3}*d^{**2}*e - 36578304*a*b^{**2}*c \\
& **2*d^{**4} + 85766121*b^{**3}*c^{**6})) + (11*a*c*x + 10*a*d*x^{**2} + 9*a*e*x^{**3} + \\
& 7*b*c*x^{**5} + 6*b*d*x^{**6} + 5*b*e*x^{**7})/(32*a^{**4} + 64*a^{**3}*b*x^{**4} + 32*a^{**2}*b \\
& **2*x^{**8})
\end{aligned}$$

$$3.84 \quad \int \frac{c+dx+ex^2}{(a-bx^4)^4} dx$$

Optimal. Leaf size=211

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{(15\sqrt{a}e + 77\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)}$$

Rubi [A] time = 0.21, antiderivative size = 211, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1855, 1876, 275, 208, 1167, 205}

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{(15\sqrt{a}e + 77\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a - b*x^4)^4, x]

[Out] (x*(c + d*x + e*x^2))/(12*a*(a - b*x^4)^3) + (x*(11*c + 10*d*x + 9*e*x^2))/(96*a^2*(a - b*x^4)^2) + (x*(77*c + 60*d*x + 45*e*x^2))/(384*a^3*(a - b*x^4)) + ((77*sqrt[b]*c - 15*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(3/4)) + ((77*sqrt[b]*c + 15*sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(3/4)) + (5*d*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(32*a^(7/2)*sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a - bx^4)^4} dx &= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} - \frac{\int \frac{-11c - 10dx - 9ex^2}{(a - bx^4)^3} dx}{12a} \\
&= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{\int \frac{77c + 60dx + 45ex^2}{(a - bx^4)^2} dx}{96a^2} \\
&= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} - \frac{\int \frac{-231c - 120dx - 45ex^2}{a - bx^4} dx}{384a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} - \frac{\int \left(-\frac{120dx}{a - bx^4} + \frac{-231c - 45ex^2}{a - bx^4} \right) dx}{384a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} - \frac{\int \frac{-231c - 45ex^2}{a - bx^4} dx}{384a^3} + \frac{\int \frac{120dx}{a - bx^4} dx}{32a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{(5d) \text{Subst} \left(\int \frac{1}{a - bx^2} dx \right)}{32a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{(77\sqrt{b}c - 15\sqrt{a}e) \text{t}}{256a^{15/4}b^3}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 276, normalized size = 1.31

$$\frac{-\frac{3 \log(\sqrt{a} - \sqrt[4]{b}x)(15a^{3/4}e + 77\sqrt{a}\sqrt{b}c + 40\sqrt{a}\sqrt[4]{b}d)}{b^{3/4}} + \frac{3 \log(\sqrt[4]{a} + \sqrt[4]{b}x)(15a^{3/4}e + 77\sqrt{a}\sqrt{b}c - 40\sqrt{a}\sqrt[4]{b}d)}{b^{3/4}} + \frac{128a^3x(c+dx+ex)}{(a-bx^4)^3} + \frac{16a^2x(11c+x(10d+9ex))}{(a-bx^4)^2} + \frac{6\sqrt[4]{a}(77\sqrt{b}c-15\sqrt{a}e)\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{b^{3/4}} + \frac{4ax(77c+15x(4d+3ex))}{a-bx^4} + \frac{120\sqrt{a}d \log(\sqrt{a} + \sqrt{b}x^2)}{\sqrt{b}}}{1536a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a - b*x^4)^4, x]

[Out] ((128*a^3*x*(c + x*(d + e*x)))/(a - b*x^4)^3 + (4*a*x*(77*c + 15*x*(4*d + 3*e*x)))/(a - b*x^4) + (16*a^2*x*(11*c + x*(10*d + 9*e*x)))/(a - b*x^4)^2 + (6*a^(1/4)*(77*sqrt[b]*c - 15*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/b^(3/4) - (3*(77*a^(1/4)*sqrt[b]*c + 40*sqrt[a]*b^(1/4)*d + 15*a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x]/b^(3/4) + (3*(77*a^(1/4)*sqrt[b]*c - 40*sqrt[a]*b^(1/4)*d + 15*a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x]/b^(3/4) + (120*sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(1536*a^4)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{(a - bx^4)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(a - b*x^4)^4, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(a - b*x^4)^4, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.22, size = 377, normalized size = 1.79

$$\frac{\sqrt{2} \left(77b^2c - 40\sqrt{2}(-ab)^{\frac{3}{4}}bd + 15\sqrt{-ab}be \right) \arctan\left(\frac{\sqrt{2}(-a-bx^{\frac{1}{4}})}{x(-\frac{a}{b})^{\frac{1}{4}}}\right)}{512(-ab)^{\frac{7}{4}}a^3} + \frac{\sqrt{2} \left(77b^2c + 40\sqrt{2}(-ab)^{\frac{3}{4}}bd - 15\sqrt{-ab}be \right) \arctan\left(\frac{\sqrt{2}(-a-bx^{\frac{1}{4}})}{x(-\frac{a}{b})^{\frac{1}{4}}}\right)}{512(-ab)^{\frac{7}{4}}a^3} + \frac{\sqrt{2} \left(77b^2c - 15\sqrt{-ab}be \right) \log\left(x^2 + \sqrt{2}x(-\frac{a}{b})^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{1024(-ab)^{\frac{7}{4}}a^3} + \frac{\sqrt{2} \left(77b^2c - 15\sqrt{-ab}be \right) \log\left(x^2 - \sqrt{2}x(-\frac{a}{b})^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{1024(-ab)^{\frac{7}{4}}a^3} + \frac{45b^2a^{10}e + 60b^2d^{10}e + 77b^2c^2e - 126ab^2c^2e - 160abd^2e^2 - 198abc^2e^2 + 113a^2d^2e^2 + 153a^2c^2e^2}{384(bx^4 - a)^3a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out]
$$-1/512*\sqrt{2}*(77*b^2*c - 40*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d + 15*\sqrt{2}*(-a*b)*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^3) - 1/512*\sqrt{2}*(77*b^2*c + 40*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d - 15*\sqrt{2}*(-a*b)*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^3) - 1/1024*\sqrt{2}*(77*b^2*c - 15*\sqrt{2}*(-a*b)*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{2}*(-a/b))/((-a*b^3)^{(3/4)}*a^3) + 1/1024*\sqrt{2}*(77*b^2*c - 15*\sqrt{2}*(-a*b)*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{2}*(-a/b))/((-a*b^3)^{(3/4)}*a^3) - 1/384*(45*b^2*x^{11}*e + 60*b^2*d*x^{10} + 77*b^2*c*x^9 - 126*a*b*x^7*e - 160*a*b*d*x^6 - 198*a*b*c*x^5 + 113*a^2*x^3*e + 132*a^2*d*x^2 + 153*a^2*c*x)/(b*x^4 - a)^3*a^3$$

maple [A] time = 0.06, size = 274, normalized size = 1.30

$$\frac{5d \ln\left(\frac{\sqrt{ab}x^2 - a}{-\sqrt{ab}x^2 - a}\right)}{64\sqrt{ab}a^3} - \frac{15e \arctan\left(\frac{x}{(\frac{a}{b})^{\frac{1}{4}}}\right)}{256(\frac{a}{b})^{\frac{1}{4}}a^3b} + \frac{15e \ln\left(\frac{x+(\frac{a}{b})^{\frac{1}{4}}}{x-(\frac{a}{b})^{\frac{1}{4}}}\right)}{512(\frac{a}{b})^{\frac{1}{4}}a^3b} + \frac{77(\frac{a}{b})^{\frac{1}{4}}c \arctan\left(\frac{x}{(\frac{a}{b})^{\frac{1}{4}}}\right)}{256a^4} + \frac{77(\frac{a}{b})^{\frac{1}{4}}c \ln\left(\frac{x+(\frac{a}{b})^{\frac{1}{4}}}{x-(\frac{a}{b})^{\frac{1}{4}}}\right)}{512a^4} + \frac{-15b^2cx^{11} - 5b^2dx^{10} - 77b^2cx^9 + 21bex^7 + 5bdx^6 + 33bcx^5 - 113ex^3 - 11dx^2 - 51cx}{(bx^4 - a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e*x^2+d*x+c)/(-b*x^4+a)^4, x)$

[Out] $(-15/128*e/a^3*b^2*x^11-5/32/a^3*b^2*d*x^10-77/384/a^3*b^2*c*x^9+21/64/a^2*b*e*x^7+5/12/a^2*b*d*x^6+33/64/a^2*b*c*x^5-113/384/a*e*x^3-11/32/a*d*x^2-51/128/a*c*x)/(b*x^4-a)^3+77/512*(a/b)^{(1/4)}/a^4*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+77/256*(a/b)^{(1/4)}/a^4*c*\arctan(1/(a/b)^{(1/4)}*x)-5/64/(a*b)^{(1/2)}/a^3*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-15/256/a^3*e/b/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)+15/512/a^3*e/b/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$

maxima [A] time = 3.02, size = 279, normalized size = 1.32

$$\frac{45 b^2 e x^{11} + 60 b^2 d x^{10} + 77 b^2 c x^9 - 126 a b e x^7 - 160 a b d x^6 - 198 a b c x^5 + 113 a^2 e x^3 + 132 a^2 d x^2 + 153 a^2 c x}{384 (a^3 b^3 x^{12} - 3 a^4 b^2 x^8 + 3 a^5 b x^4 - a^6)} + \frac{40 d \log(\sqrt{b} x^2 + \sqrt{a})}{\sqrt{a} \sqrt{b}} - \frac{40 d \log(\sqrt{b} x^2 - \sqrt{a})}{\sqrt{a} \sqrt{b}} + \frac{2(77 \sqrt{b} c - 15 \sqrt{a} e) \arctan\left(\frac{\sqrt{b} x}{\sqrt{a} \sqrt{b}}\right)}{\sqrt{a} \sqrt{a} \sqrt{b} \sqrt{b}} - \frac{(77 \sqrt{b} c + 15 \sqrt{a} e) \log\left(\frac{\sqrt{b} x - \sqrt{a} \sqrt{b}}{\sqrt{b} x + \sqrt{a} \sqrt{b}}\right)}{\sqrt{a} \sqrt{a} \sqrt{b} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d*x+c)/(-b*x^4+a)^4, x, \text{algorithm}="maxima")$

[Out] $-1/384*(45*b^2*e*x^11 + 60*b^2*d*x^10 + 77*b^2*c*x^9 - 126*a*b*e*x^7 - 160*a*b*d*x^6 - 198*a*b*c*x^5 + 113*a^2*e*x^3 + 132*a^2*d*x^2 + 153*a^2*c*x)/(a^3*b^3*x^12 - 3*a^4*b^2*x^8 + 3*a^5*b*x^4 - a^6) + 1/512*(40*d*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 40*d*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) + 2*(77*sqrt(b)*c - 15*sqrt(a)*e)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (77*sqrt(b)*c + 15*sqrt(a)*e)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/a^3$

mupad [B] time = 5.22, size = 874, normalized size = 4.14

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2)/(a - b*x^4)^4, x)$

[Out] $((11*d*x^2)/(32*a) + (113*e*x^3)/(384*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (5*b^2*d*x^10)/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) - (33*b*c*x^5)/(64*a^2) - (5*b*d*x^6)/(12*a^2) - (21*b*e*x^7)/(64*a^2))/(a^3 - b^3*x^12 - 3*a^2*b*x^4 + 3*a*b^2*x^8) + \text{symsum}(\log(-(b*(3375*a*e^3 + 123200*b*c*d^2 - 88935*b*c^2*e + 64000*b*d^3*x + 20185088*\text{root}(68719476736*a^15*b^3*z^4 - 1211105280*a^8*b^2*c*e*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k))^2*a^7*b^2*c + 115200*\text{root}(68719476736*a^15*b^3*z^4 - 1211105280*a^8*b^2*c*e*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 - 35153041$

$b^2c^4 - 50625a^2e^4, z, k) \cdot a^4b^2e^{2x} - 92400b^2c^4d^2e^2x + 3035648 \cdot \text{root}(68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2d^2z + 18432000a^5b^2d^2e^2z - 7392000a^2b^2c^2d^2e + 2668050a^2b^2c^2e^2 + 2560000a^2b^2d^4 - 35153041b^2c^4 - 50625a^2e^4, z, k) \cdot a^3b^2c^2e^{2x} - 10485760 \cdot \text{root}(68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2d^2z + 18432000a^5b^2d^2e^2z - 7392000a^2b^2c^2d^2e + 2668050a^2b^2c^2e^2 + 2560000a^2b^2d^4 - 35153041b^2c^4 - 50625a^2e^4, z, k)^2 \cdot a^7b^2d^2x - 614400 \cdot \text{root}(68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2d^2z + 18432000a^5b^2d^2e^2z - 7392000a^2b^2c^2d^2e + 2668050a^2b^2c^2e^2 + 2560000a^2b^2d^4 - 35153041b^2c^4 - 50625a^2e^4, z, k) \cdot a^4b^2d^2e) / (2097152a^9) \cdot \text{root}(68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2d^2z + 18432000a^5b^2d^2e^2z - 7392000a^2b^2c^2d^2e + 2668050a^2b^2c^2e^2 + 2560000a^2b^2d^4 - 35153041b^2c^4 - 50625a^2e^4, z, k), k, 1, 4)$

sympy [B] time = 59.74, size = 612, normalized size = 2.90

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e**2+d*x+c)/(-b*x**4+a)**4,x)

[Out] RootSum(68719476736*_t**4*a**15*b**3 + _t**2*(-1211105280*a**8*b**2*c*e - 838860800*a**8*b**2*d**2) + _t*(18432000*a**5*b*d*e**2 + 485703680*a**4*b**2*c**2*d) - 50625*a**2*e**4 + 2668050*a*b*c**2*e**2 - 7392000*a*b*c*d**2*e + 2560000*a*b*d**4 - 35153041*b**2*c**4, Lambda(_t, _t*log(x + (45298483200*_t**3*a**13*b**2*e**3 + 11936653639680*_t**3*a**12*b**3*c**2*e - 33071248179200*_t**3*a**12*b**3*c*d**2 + 544997376000*_t**2*a**9*b**2*c*d*e**2 - 503316480000*_t**2*a**9*b**2*d**3*e - 4787095470080*_t**2*a**8*b**3*c**3*d - 5987520000*_t*a**6*b*c*e**4 - 8294400000*_t*a**6*b*d**2*e**3 - 210370406400*_t*a**5*b**2*c**3*e**2 + 655699968000*_t*a**5*b**2*c**2*d**2*e + 2018508800*_t*a**5*b**2*c*d**4 - 1385873488384*_t*a**4*b**3*c**5 + 91125000*a**3*d*e**5 - 5544000000*a**2*b*c*d**3*e**2 + 3072000000*a**2*b*d**5*e + 105459123000*a*b**2*c**4*d*e - 146090560000*a*b**2*c**3*d**3)/(11390625*a**3*e**6 + 300155625*a**2*b*c**2*e**4 - 3326400000*a**2*b*c*d**2*e**3 + 2304000000*a**2*b*d**4*e**2 - 7909434225*a*b**2*c**4*e**2 + 87654336000*a*b**2*c**3*d**2*e - 60712960000*a*b**2*c**2*d**4 - 208422380089*b**3*c**6))) + (-153*a**2*c*x - 132*a**2*d*x**2 - 113*a**2*e*x**3 + 198*a*b*c*x**5 + 160*a*b*d*x**6 + 126*a*b*e*x**7 - 77*b**2*c*x**9 - 60*b**2*d*x**10 - 45*b**2*e*x**11)/(-384*a**6 + 1152*a**5*b*x**4 - 1152*a**4*b**2*x**8 + 384*a**3*b**3*x**12)

$$3.85 \quad \int \frac{c+dx+ex^2}{(a+bx^4)^4} dx$$

Optimal. Leaf size=372

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{512\sqrt{2} a^{15/4} b^{3/4}} + \frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{512\sqrt{2} a^{15/4} b^{3/4}} \quad (1)$$

Rubi [A] time = 0.38, antiderivative size = 372, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 10, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{512\sqrt{2} a^{15/4} b^{3/4}} + \frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{512\sqrt{2} a^{15/4} b^{3/4}} - \frac{(15\sqrt{a}e + 77\sqrt{b}c) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{256\sqrt{2} a^{15/4} b^{3/4}} + \frac{(15\sqrt{a}e + 77\sqrt{b}c) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{256\sqrt{2} a^{15/4} b^{3/4}} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{5d \tan^{-1}\left(\frac{\sqrt{b} x}{\sqrt{a}}\right)}{32a^{7/2} \sqrt{b}} + \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^4)^4, x]

[Out] (x*(c + d*x + e*x^2))/(12*a*(a + b*x^4)^3) + (x*(11*c + 10*d*x + 9*e*x^2))/(96*a^2*(a + b*x^4)^2) + (x*(77*c + 60*d*x + 45*e*x^2))/(384*a^3*(a + b*x^4)) + (5*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*Sqrt[b]) - ((77*Sqrt[b]*c + 15*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(3/4)) + ((77*Sqrt[b]*c + 15*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(3/4)) - ((77*Sqrt[b]*c - 15*Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(3/4)) + ((77*Sqrt[b]*c - 15*Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(3/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^(-p), x], x, x

$^k], x] /; k \neq 1] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$

Rule 617

$\text{Int}[(a_ + (b_ \cdot x) + (c_ \cdot x^2))^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4 \cdot \text{Simplify}[(a \cdot c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2 \cdot c \cdot x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \parallel \neg \text{RationalQ}[b^2 - 4 \cdot a \cdot c])] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0]$

Rule 628

$\text{Int}[(d_ + (e_ \cdot x))/(a_ + (b_ \cdot x) + (c_ \cdot x^2)), x_Symbol] \rightarrow \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + b \cdot x + c \cdot x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2 \cdot c \cdot d - b \cdot e, 0]$

Rule 1162

$\text{Int}[(d_ + (e_ \cdot x^2))/(a_ + (c_ \cdot x^4)), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e + q \cdot x + x^2, x], x], x] + \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e - q \cdot x + x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \&\& \text{PosQ}[d \cdot e]$

Rule 1165

$\text{Int}[(d_ + (e_ \cdot x^2))/(a_ + (c_ \cdot x^4)), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q - 2 \cdot x)/\text{Simp}[d/e + q \cdot x - x^2, x], x], x] + \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q + 2 \cdot x)/\text{Simp}[d/e - q \cdot x - x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \&\& \text{NegQ}[d \cdot e]$

Rule 1168

$\text{Int}[(d_ + (e_ \cdot x^2))/(a_ + (c_ \cdot x^4)), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[a \cdot c, 2]\}, \text{Dist}[(d \cdot q + a \cdot e)/(2 \cdot a \cdot c), \text{Int}[(q + c \cdot x^2)/(a + c \cdot x^4), x], x] + \text{Dist}[(d \cdot q - a \cdot e)/(2 \cdot a \cdot c), \text{Int}[(q - c \cdot x^2)/(a + c \cdot x^4), x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \&\& \text{NeQ}[c \cdot d^2 - a \cdot e^2, 0] \&\& \text{NegQ}[-(a \cdot c)]$

Rule 1855

$\text{Int}[(Pq) \cdot ((a_ + (b_ \cdot x)^{n_})^{p_}), x_Symbol] \rightarrow -\text{Simp}[(x \cdot Pq \cdot (a + b \cdot x^n)^{p+1})/(a \cdot n \cdot (p+1)), x] + \text{Dist}[1/(a \cdot n \cdot (p+1)), \text{Int}[\text{ExpandToSum}[n \cdot (p+1) \cdot Pq + D[x \cdot Pq, x], x] \cdot (a + b \cdot x^n)^{p+1}, x], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{LtQ}[\text{Expon}[Pq, x], n - 1]$

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a + bx^4)^4} dx &= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} - \frac{\int \frac{-11c - 10dx - 9ex^2}{(a + bx^4)^3} dx}{12a} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{\int \frac{77c + 60dx + 45ex^2}{(a + bx^4)^2} dx}{96a^2} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{\int \frac{-231c - 120dx - 45ex^2}{a + bx^4} dx}{384a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{\int \left(\frac{-120dx}{a + bx^4} + \frac{-231c}{a + bx^4} \right) dx}{384a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{\int \frac{-231c - 45ex^2}{a + bx^4} dx}{384a^3} + \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} + \frac{(5d) \operatorname{Subst} \left(\int \frac{1}{a + bx^4} dx \right)}{32a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} + \frac{5d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{32a^{7/2} \sqrt{b}} + \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} + \frac{5d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{32a^{7/2} \sqrt{b}} - \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} + \frac{5d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{32a^{7/2} \sqrt{b}} -
\end{aligned}$$

Mathematica [A] time = 0.58, size = 369, normalized size = 0.99

$$\frac{3\sqrt{2}(15a^3c - 77\sqrt{a}\sqrt{b}c)\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a + \sqrt{b}x^2})}{b^{3/4}} + \frac{3\sqrt{2}(77\sqrt[4]{a}\sqrt[4]{b}c - 15a^3d)\log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a + \sqrt{b}x^2})}{b^{3/4}} + \frac{256a^3c + 1(d + ex)}{(a + bx^4)^3} + \frac{32a^2c(11c + 10d + 9ex)}{(a + bx^4)^2} - \frac{6\sqrt[4]{a}\tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{a}}{\sqrt{c}}\right)(80\sqrt[4]{a}\sqrt[4]{b}d + 15\sqrt{2}\sqrt{a} + 77\sqrt{2}\sqrt{b}c)}{b^{3/4}} + \frac{6\sqrt[4]{a}\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt{c}} + 1\right)(-80\sqrt[4]{a}\sqrt[4]{b}d + 15\sqrt{2}\sqrt{a} + 77\sqrt{2}\sqrt{b}c)}{b^{3/4}} + \frac{8a^{1/2}(77c + 15(4d + 3ex))}{a + bx^4}$$

3072a⁴

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^4)^4,x]

[Out] ((256*a^3*x*(c + x*(d + e*x)))/(a + b*x^4)^3 + (8*a*x*(77*c + 15*x*(4*d + 3*e*x)))/(a + b*x^4) + (32*a^2*x*(11*c + x*(10*d + 9*e*x)))/(a + b*x^4)^2 - (6*a^(1/4)*(77*Sqrt[2]*Sqrt[b]*c + 80*a^(1/4)*b^(1/4)*d + 15*Sqrt[2]*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (6*a^(1/4)*(77*Sqrt[2]*Sqrt[b]*c - 80*a^(1/4)*b^(1/4)*d + 15*Sqrt[2]*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (3*Sqrt[2]*(-77*a^(1/4)*Sqrt[b]*c + 15*a^(3/4)*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4) + (3*Sqrt[2]*(77*a^(1/4)*Sqrt[b]*c - 15*a^(3/4)*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4))/(3072*a^4)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{(a + bx^4)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(a + b*x^4)^4,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(a + b*x^4)^4, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 373, normalized size = 1.00

$$\frac{\sqrt{2} \left(40 \sqrt{2} \sqrt{a} d + 77 (a^2)^{3/4} e + 15 (a^2)^{3/4} c \right) \arctan \left(\frac{\sqrt{2} \sqrt{1 - \sqrt{a} x}}{x} \right)}{512 a^{10}} + \frac{\sqrt{2} \left(40 \sqrt{2} \sqrt{a} d + 77 (a^2)^{3/4} e + 15 (a^2)^{3/4} c \right) \arctan \left(\frac{\sqrt{2} \sqrt{1 + \sqrt{a} x}}{x} \right)}{512 a^{10}} + \frac{\sqrt{2} \left(77 (a^2)^{3/4} e - 15 (a^2)^{3/4} c \right) \log \left(x + \sqrt{2} x \sqrt{a} + \sqrt{a} \right)}{1024 a^{10}} + \frac{\sqrt{2} \left(77 (a^2)^{3/4} e - 15 (a^2)^{3/4} c \right) \log \left(x - \sqrt{2} x \sqrt{a} + \sqrt{a} \right)}{1024 a^{10}} + \frac{45 b^2 x^{1/2} + 60 b^2 d x^{3/2} + 77 b^2 c x^2 + 126 a b^2 c^2 + 160 a b d^2 + 198 a b c^2 + 113 b^2 d^2 + 132 b^2 d^2 + 153 b^2 c^2}{384 (b^4 + a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out] 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 77*(a*b^3)^(1/4)*b^2*c + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 77*(a*b^3)^(1/4)*b^2*c + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c - 15*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) - 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c - 15*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) - sqrt(a/b))/(a^4*b^3) - 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c - 15*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) - 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c - 15*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) - sqrt(a/b))/(a^4*b^3)

$t(2) * (77 * (a * b^3)^{1/4} * b^2 * c - 15 * (a * b^3)^{3/4} * e) * \log(x^2 - \sqrt{2} * x * (a/b)^{1/4} + \sqrt{a/b}) / (a^4 * b^3) + 1/384 * (45 * b^2 * x^{11} * e + 60 * b^2 * d * x^{10} + 77 * b^2 * c * x^9 + 126 * a * b * x^7 * e + 160 * a * b * d * x^6 + 198 * a * b * c * x^5 + 113 * a^2 * x^3 * e + 132 * a^2 * d * x^2 + 153 * a^2 * c * x) / ((b * x^4 + a)^3 * a^3)$

maple [A] time = 0.06, size = 394, normalized size = 1.06

$$\frac{5d \arctan\left(\frac{\sqrt{2} x^2}{32 \sqrt{ab} a^3}\right) + \frac{15\sqrt{2} e \arctan\left(\frac{\sqrt{2} x^2 - 1}{(b^2)^{1/4} a^3 b}\right)}{512 (b^2)^{1/4} a^3 b} + \frac{15\sqrt{2} e \arctan\left(\frac{\sqrt{2} x^2 + 1}{(b^2)^{1/4} a^3 b}\right)}{512 (b^2)^{1/4} a^3 b} + \frac{15\sqrt{2} e \ln\left(\frac{x^2 - (b^2)^{1/4} \sqrt{2} x + \sqrt{2}}{(x^2 + (b^2)^{1/4} \sqrt{2} x + \sqrt{2})}\right)}{1024 (b^2)^{1/4} a^3 b} + \frac{77 (b^2)^{1/4} \sqrt{2} e \arctan\left(\frac{\sqrt{2} x^2 - 1}{(b^2)^{1/4} a^3 b}\right)}{512 a^4} + \frac{77 (b^2)^{1/4} \sqrt{2} e \arctan\left(\frac{\sqrt{2} x^2 + 1}{(b^2)^{1/4} a^3 b}\right)}{512 a^4} + \frac{77 (b^2)^{1/4} \sqrt{2} e \ln\left(\frac{x^2 + (b^2)^{1/4} \sqrt{2} x + \sqrt{2}}{x^2 - (b^2)^{1/4} \sqrt{2} x + \sqrt{2}}\right)}{1024 a^4} + \frac{150 e x^{11} + 60 d x^{10} + 77 c x^9 + 21 b x^7 + 58 d x^6 + 33 b c x^5 + 113 x^3 + 114 d x^2 + 51 c x}{(b^2 x^4 + a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out] (15/128/a^3*b^2*e*x^11+5/32/a^3*b^2*d*x^10+77/384/a^3*b^2*c*x^9+21/64/a^2*b*e*x^7+5/12/a^2*b*d*x^6+33/64/a^2*b*c*x^5+113/384/a*e*x^3+11/32/a*d*x^2+51/128/a*c*x)/(b*x^4+a)^3+77/1024*(a/b)^(1/4)*2^(1/2)/a^4*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+5/32/(a*b)^(1/2)/a^3*d*arctan((1/a*b)^(1/2)*x^2)+15/1024/a^3*e/b/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+15/512/a^3*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+15/512/a^3*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.11, size = 383, normalized size = 1.03

$$\frac{45 b^2 c x^{11} + 60 b^2 d x^{10} + 77 b^2 c x^9 + 126 a b d x^7 + 160 a b d x^6 + 198 a b c x^5 + 113 a^2 c x^3 + 132 a^2 d x^2 + 153 a^2 c x}{384 (b^2 x^4 + a)^3} + \frac{\sqrt{2} (77 \sqrt{2} x^2 - 15 \sqrt{2} x + \sqrt{2}) \ln\left(\frac{\sqrt{2} x^2 + \sqrt{2} x + \sqrt{2}}{\sqrt{2} x^2 - 15 \sqrt{2} x + \sqrt{2}}\right) - \sqrt{2} (77 \sqrt{2} x^2 - 15 \sqrt{2} x + \sqrt{2}) \ln\left(\frac{\sqrt{2} x^2 - \sqrt{2} x + \sqrt{2}}{\sqrt{2} x^2 + \sqrt{2} x + \sqrt{2}}\right)}{a^4} + \frac{2 (77 \sqrt{2} x^2 - 15 \sqrt{2} x + \sqrt{2}) \arctan\left(\frac{\sqrt{2} x^2 - \sqrt{2} x + \sqrt{2}}{2 \sqrt{2} x}\right) - 2 (77 \sqrt{2} x^2 - 15 \sqrt{2} x + \sqrt{2}) \arctan\left(\frac{\sqrt{2} x^2 + \sqrt{2} x + \sqrt{2}}{2 \sqrt{2} x}\right)}{1024 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out] 1/384*(45*b^2*e*x^11 + 60*b^2*d*x^10 + 77*b^2*c*x^9 + 126*a*b*e*x^7 + 160*a*b*d*x^6 + 198*a*b*c*x^5 + 113*a^2*e*x^3 + 132*a^2*d*x^2 + 153*a^2*c*x)/(a^3*b^3*x^12 + 3*a^4*b^2*x^8 + 3*a^5*b*x^4 + a^6) + 1/1024*(sqrt(2)*(77*sqrt(b)*c - 15*sqrt(a)*e)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(77*sqrt(b)*c - 15*sqrt(a)*e)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(77*sqrt(2)*a^(1/4)*b^(3/4)*c + 15*sqrt(2)*a^(3/4)*b^(1/4)*e - 80*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(77*sqrt(2)*a^(1/4)*b^(3/4)*c + 15*sqrt(2)*a^(3/4)*b^(1/4)*e + 80*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)))/a^3

mupad [B] time = 5.14, size = 873, normalized size = 2.35

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + dx + ex^2)/(a + bx^4)^4, x)$

[Out] $((11*d*x^2)/(32*a) + (113*e*x^3)/(384*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (5*b^2*d*x^{10})/(32*a^3) + (15*b^2*e*x^{11})/(128*a^3) + (33*b*c*x^5)/(64*a^2) + (5*b*d*x^6)/(12*a^2) + (21*b*e*x^7)/(64*a^2))/(a^3 + b^3*x^{12} + 3*a^2*b*x^4 + 3*a*b^2*x^8) + \text{symsum}(\log(-(b*(3375*a*e^3 - 123200*b*c*d^2 + 88935*b*c^2*e - 64000*b*d^3*x + 20185088*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)^2*a^7*b^2*c - 115200*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)*a^4*b*e^2*x + 92400*b*c*d*e*x + 3035648*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)*a^3*b^2*c^2*x - 10485760*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)^2*a^7*b^2*d*x + 614400*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)*a^4*b*d*e))/(2097152*a^9))*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k), k, 1, 4)$

sympy [A] time = 63.47, size = 610, normalized size = 1.64

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x**2+d*x+c)/(b*x**4+a)**4, x)$

[Out] $\text{RootSum}(68719476736*_t**4*a**15*b**3 + _t**2*(1211105280*a**8*b**2*c*e + 838860800*a**8*b**2*d**2) + _t*(18432000*a**5*b*d*e**2 - 485703680*a**4*b**2*$

$$\begin{aligned}
& c^{**2*d}) + 50625*a^{**2*e**4} + 2668050*a*b*c^{**2*e**2} - 7392000*a*b*c*d^{**2*e} + \\
& 2560000*a*b*d^{**4} + 35153041*b^{**2*c**4}, \text{Lambda}(_t, _t*\log(x + (452984832000* \\
& _t^{**3*a**13*b**2*e**3} - 11936653639680*_t^{**3*a**12*b**3*c**2*e} + 3307124817 \\
& 9200*_t^{**3*a**12*b**3*c*d**2} + 544997376000*_t^{**2*a**9*b**2*c*d*e**2} - 5033 \\
& 16480000*_t^{**2*a**9*b**2*d**3*e} + 4787095470080*_t^{**2*a**8*b**3*c**3*d} + 59 \\
& 87520000*_t*a^{**6*b*c*e**4} + 8294400000*_t*a^{**6*b*d**2*e**3} - 210370406400*_ \\
& t*a^{**5*b**2*c**3*e**2} + 655699968000*_t*a^{**5*b**2*c**2*d**2*e} + 20185088000 \\
& 0*_t*a^{**5*b**2*c*d**4} + 1385873488384*_t*a^{**4*b**3*c**5} + 91125000*a^{**3*d*e \\
& **5} + 5544000000*a^{**2*b*c*d**3*e**2} - 3072000000*a^{**2*b*d**5*e} + 1054591230 \\
& 00*a*b^{**2*c**4*d*e} - 146090560000*a*b^{**2*c**3*d**3})/(11390625*a^{**3*e**6} - 3 \\
& 00155625*a^{**2*b*c**2*e**4} + 3326400000*a^{**2*b*c*d**2*e**3} - 2304000000*a^{**2 \\
& *b*d**4*e**2} - 7909434225*a*b^{**2*c**4*e**2} + 87654336000*a*b^{**2*c**3*d**2*e} \\
& - 60712960000*a*b^{**2*c**2*d**4} + 208422380089*b^{**3*c**6})))) + (153*a^{**2*c* \\
& x} + 132*a^{**2*d*x**2} + 113*a^{**2*e*x**3} + 198*a*b*c*x**5 + 160*a*b*d*x**6 + 1 \\
& 26*a*b*e*x**7 + 77*b^{**2*c*x**9} + 60*b^{**2*d*x**10} + 45*b^{**2*e*x**11})/(384*a* \\
& *6 + 1152*a^{**5*b*x**4} + 1152*a^{**4*b**2*x**8} + 384*a^{**3*b**3*x**12})
\end{aligned}$$

$$3.86 \quad \int a(e + fx^4)^2 dx$$

Optimal. Leaf size=28

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9$$

Rubi [A] time = 0.01, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {12, 194}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9$$

Antiderivative was successfully verified.

[In] Int[a*(e + f*x^4)^2,x]

[Out] a*e^2*x + (2*a*e*f*x^5)/5 + (a*f^2*x^9)/9

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 194

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int a(e + fx^4)^2 dx &= a \int (e + fx^4)^2 dx \\ &= a \int (e^2 + 2efx^4 + f^2x^8) dx \\ &= ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 \end{aligned}$$

Mathematica [A] time = 0.00, size = 27, normalized size = 0.96

$$a \left(e^2x + \frac{2}{5}efx^5 + \frac{f^2x^9}{9} \right)$$

Antiderivative was successfully verified.

[In] Integrate[a*(e + f*x^4)^2,x]

[Out] a*(e^2*x + (2*e*f*x^5)/5 + (f^2*x^9)/9)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int a(e + fx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[a*(e + f*x^4)^2,x]

[Out] IntegrateAlgebraic[a*(e + f*x^4)^2, x]

fricas [A] time = 0.36, size = 24, normalized size = 0.86

$$\frac{1}{9}x^9f^2a + \frac{2}{5}x^5fea + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/9*x^9*f^2*a + 2/5*x^5*f*e*a + x*e^2*a

giac [A] time = 0.14, size = 25, normalized size = 0.89

$$\frac{1}{45} (5f^2x^9 + 18fx^5e + 45xe^2)a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/45*(5*f^2*x^9 + 18*f*x^5*e + 45*x*e^2)*a

maple [A] time = 0.04, size = 24, normalized size = 0.86

$$\left(\frac{1}{9}f^2x^9 + \frac{2}{5}efx^5 + e^2x \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a*(f*x^4+e)^2,x)

[Out] a*(1/9*f^2*x^9+2/5*e*f*x^5+e^2*x)

maxima [A] time = 1.37, size = 25, normalized size = 0.89

$$\frac{1}{45} (5 f^2 x^9 + 18 e f x^5 + 45 e^2 x) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/45*(5*f^2*x^9 + 18*e*f*x^5 + 45*e^2*x)*a

mupad [B] time = 4.67, size = 25, normalized size = 0.89

$$\frac{a x (45 e^2 + 18 e f x^4 + 5 f^2 x^8)}{45}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a*(e + f*x^4)^2,x)

[Out] (a*x*(45*e^2 + 5*f^2*x^8 + 18*e*f*x^4))/45

sympy [A] time = 0.12, size = 27, normalized size = 0.96

$$a e^2 x + \frac{2 a e f x^5}{5} + \frac{a f^2 x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a*(f*x**4+e)**2,x)

[Out] a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9

$$3.87 \quad \int bx(e + fx^4)^2 dx$$

Optimal. Leaf size=33

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10}$$

Rubi [A] time = 0.01, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {12, 270}

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10}$$

Antiderivative was successfully verified.

[In] Int[b*x*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (b*e*f*x^6)/3 + (b*f^2*x^10)/10

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 270

Int[((c_)*(x_))^(m_)*((a_)+(b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int bx(e + fx^4)^2 dx &= b \int x(e + fx^4)^2 dx \\ &= b \int (e^2x + 2efx^5 + f^2x^9) dx \\ &= \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} \end{aligned}$$

Mathematica [A] time = 0.00, size = 32, normalized size = 0.97

$$b \left(\frac{e^2x^2}{2} + \frac{1}{3}efx^6 + \frac{f^2x^{10}}{10} \right)$$

Antiderivative was successfully verified.

[In] Integrate[b*x*(e + f*x^4)^2,x]

[Out] b*((e^2*x^2)/2 + (e*f*x^6)/3 + (f^2*x^10)/10)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int bx(e + fx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[b*x*(e + f*x^4)^2,x]

[Out] IntegrateAlgebraic[b*x*(e + f*x^4)^2, x]

fricas [A] time = 0.35, size = 27, normalized size = 0.82

$$\frac{1}{10}x^{10}f^2b + \frac{1}{3}x^6feb + \frac{1}{2}x^2e^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/10*x^10*f^2*b + 1/3*x^6*f*e*b + 1/2*x^2*e^2*b

giac [A] time = 0.17, size = 27, normalized size = 0.82

$$\frac{1}{30}(3f^2x^{10} + 10fx^6e + 15x^2e^2)b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/30*(3*f^2*x^10 + 10*f*x^6*e + 15*x^2*e^2)*b

maple [A] time = 0.04, size = 27, normalized size = 0.82

$$\left(\frac{1}{10}f^2x^{10} + \frac{1}{3}efx^6 + \frac{1}{2}e^2x^2\right)b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(b*x*(f*x^4+e)^2,x)

[Out] b*(1/10*f^2*x^10+1/3*e*f*x^6+1/2*e^2*x^2)

maxima [A] time = 1.40, size = 27, normalized size = 0.82

$$\frac{1}{30} (3 f^2 x^{10} + 10 e f x^6 + 15 e^2 x^2) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/30*(3*f^2*x^10 + 10*e*f*x^6 + 15*e^2*x^2)*b

mupad [B] time = 0.03, size = 27, normalized size = 0.82

$$\frac{b x^2 (15 e^2 + 10 e f x^4 + 3 f^2 x^8)}{30}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(b*x*(e + f*x^4)^2,x)

[Out] (b*x^2*(15*e^2 + 3*f^2*x^8 + 10*e*f*x^4))/30

sympy [A] time = 0.07, size = 29, normalized size = 0.88

$$\frac{b e^2 x^2}{2} + \frac{b e f x^6}{3} + \frac{b f^2 x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x*(f*x**4+e)**2,x)

[Out] b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10

$$3.88 \quad \int (a + bx) (e + fx^4)^2 dx$$

Optimal. Leaf size=60

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10}$$

Rubi [A] time = 0.06, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1850}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (b*e^2*x^2)/2 + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (a*f^2*x^9)/9 + (b*f^2*x^10)/10

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx) (e + fx^4)^2 dx &= \int (ae^2 + be^2x + 2aefx^4 + 2befx^5 + af^2x^8 + bf^2x^9) dx \\ &= ae^2x + \frac{1}{2}be^2x^2 + \frac{2}{5}aefx^5 + \frac{1}{3}befx^6 + \frac{1}{9}af^2x^9 + \frac{1}{10}bf^2x^{10} \end{aligned}$$

Mathematica [A] time = 0.00, size = 60, normalized size = 1.00

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)*(e + f*x^4)^2,x]

[Out] $a e^{2x} + (b e^{2x^2})/2 + (2 a e f x^5)/5 + (b e f x^6)/3 + (a f^2 x^9)/9 + (b f^2 x^{10})/10$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx)(e + fx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x)*(e + f*x^4)^2,x]

[Out] IntegrateAlgebraic[(a + b*x)*(e + f*x^4)^2, x]

fricas [A] time = 0.37, size = 50, normalized size = 0.83

$$\frac{1}{10} x^{10} f^2 b + \frac{1}{9} x^9 f^2 a + \frac{1}{3} x^6 f e b + \frac{2}{5} x^5 f e a + \frac{1}{2} x^2 e^2 b + x e^2 a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] $1/10 * x^{10} * f^2 * b + 1/9 * x^9 * f^2 * a + 1/3 * x^6 * f * e * b + 2/5 * x^5 * f * e * a + 1/2 * x^2 * e^2 * b + x * e^2 * a$

giac [A] time = 0.15, size = 50, normalized size = 0.83

$$\frac{1}{10} b f^2 x^{10} + \frac{1}{9} a f^2 x^9 + \frac{1}{3} b f x^6 e + \frac{2}{5} a f x^5 e + \frac{1}{2} b x^2 e^2 + a x e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] $1/10 * b * f^2 * x^{10} + 1/9 * a * f^2 * x^9 + 1/3 * b * f * x^6 * e + 2/5 * a * f * x^5 * e + 1/2 * b * x^2 * e^2 + a * x * e^2$

maple [A] time = 0.05, size = 51, normalized size = 0.85

$$\frac{1}{10} b f^2 x^{10} + \frac{1}{9} a f^2 x^9 + \frac{1}{3} b e f x^6 + \frac{2}{5} a e f x^5 + \frac{1}{2} b e^2 x^2 + a e^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)*(f*x^4+e)^2,x)

[Out] $a e^{2x} + 1/2 * b * e^{2x^2} + 2/5 * a * e * f * x^5 + 1/3 * b * e * f * x^6 + 1/9 * a * f^2 * x^9 + 1/10 * b * f^2 * x^{10}$

maxima [A] time = 1.36, size = 50, normalized size = 0.83

$$\frac{1}{10} b f^2 x^{10} + \frac{1}{9} a f^2 x^9 + \frac{1}{3} b e f x^6 + \frac{2}{5} a e f x^5 + \frac{1}{2} b e^2 x^2 + a e^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/10*b*f^2*x^10 + 1/9*a*f^2*x^9 + 1/3*b*e*f*x^6 + 2/5*a*e*f*x^5 + 1/2*b*e^2*x^2 + a*e^2*x

mupad [B] time = 0.02, size = 50, normalized size = 0.83

$$\frac{b e^2 x^2}{2} + a e^2 x + \frac{b e f x^6}{3} + \frac{2 a e f x^5}{5} + \frac{b f^2 x^{10}}{10} + \frac{a f^2 x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x^4)^2*(a + b*x), x)

[Out] (b*e^2*x^2)/2 + (a*f^2*x^9)/9 + (b*f^2*x^10)/10 + a*e^2*x + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3

sympy [A] time = 0.11, size = 58, normalized size = 0.97

$$a e^2 x + \frac{2 a e f x^5}{5} + \frac{a f^2 x^9}{9} + \frac{b e^2 x^2}{2} + \frac{b e f x^6}{3} + \frac{b f^2 x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(f*x**4+e)**2,x)

[Out] a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10

$$3.89 \quad \int cx^2 (e + fx^4)^2 dx$$

Optimal. Leaf size=33

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Rubi [A] time = 0.01, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {12, 270}

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Int[c*x^2*(e + f*x^4)^2,x]

[Out] (c*e^2*x^3)/3 + (2*c*e*f*x^7)/7 + (c*f^2*x^11)/11

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 270

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int cx^2 (e + fx^4)^2 dx &= c \int x^2 (e + fx^4)^2 dx \\ &= c \int (e^2x^2 + 2efx^6 + f^2x^{10}) dx \\ &= \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 33, normalized size = 1.00

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[c*x^2*(e + f*x^4)^2,x]

[Out] (c*e^2*x^3)/3 + (2*c*e*f*x^7)/7 + (c*f^2*x^11)/11

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int cx^2(e + fx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[c*x^2*(e + f*x^4)^2,x]

[Out] IntegrateAlgebraic[c*x^2*(e + f*x^4)^2, x]

fricas [A] time = 0.37, size = 27, normalized size = 0.82

$$\frac{1}{11}x^{11}f^2c + \frac{2}{7}x^7fec + \frac{1}{3}x^3e^2c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x^2*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/11*x^11*f^2*c + 2/7*x^7*f*e*c + 1/3*x^3*e^2*c

giac [A] time = 0.20, size = 27, normalized size = 0.82

$$\frac{1}{231} (21 f^2 x^{11} + 66 f x^7 e + 77 x^3 e^2) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x^2*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/231*(21*f^2*x^11 + 66*f*x^7*e + 77*x^3*e^2)*c

maple [A] time = 0.04, size = 27, normalized size = 0.82

$$\left(\frac{1}{11} f^2 x^{11} + \frac{2}{7} e f x^7 + \frac{1}{3} e^2 x^3 \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(c*x^2*(f*x^4+e)^2,x)

[Out] c*(1/11*f^2*x^11+2/7*e*f*x^7+1/3*e^2*x^3)

maxima [A] time = 1.36, size = 27, normalized size = 0.82

$$\frac{1}{231} (21 f^2 x^{11} + 66 e f x^7 + 77 e^2 x^3) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x^2*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/231*(21*f^2*x^11 + 66*e*f*x^7 + 77*e^2*x^3)*c

mupad [B] time = 0.04, size = 27, normalized size = 0.82

$$\frac{c x^3 (77 e^2 + 66 e f x^4 + 21 f^2 x^8)}{231}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(c*x^2*(e + f*x^4)^2,x)

[Out] (c*x^3*(77*e^2 + 21*f^2*x^8 + 66*e*f*x^4))/231

sympy [A] time = 0.13, size = 31, normalized size = 0.94

$$\frac{c e^2 x^3}{3} + \frac{2 c e f x^7}{7} + \frac{c f^2 x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x**2*(f*x**4+e)**2,x)

[Out] c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11

$$3.90 \quad \int (a + cx^2)(e + fx^4)^2 dx$$

Optimal. Leaf size=60

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Rubi [A] time = 0.03, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {1154}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^2)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (c*e^2*x^3)/3 + (2*a*e*f*x^5)/5 + (2*c*e*f*x^7)/7 + (a*f^2*x^9)/9 + (c*f^2*x^11)/11

Rule 1154

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (a + cx^2)(e + fx^4)^2 dx &= \int (ae^2 + ce^2x^2 + 2aefx^4 + 2cef x^6 + af^2x^8 + cf^2x^{10}) dx \\ &= ae^2x + \frac{1}{3}ce^2x^3 + \frac{2}{5}aefx^5 + \frac{2}{7}cef x^7 + \frac{1}{9}af^2x^9 + \frac{1}{11}cf^2x^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 60, normalized size = 1.00

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^2)*(e + f*x^4)^2,x]

[Out] $a e^{2x} + (c e^{2x^3})/3 + (2 a e f x^5)/5 + (2 c e f x^7)/7 + (a f^2 x^9)/9 + (c f^2 x^{11})/11$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + cx^2)(e + fx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + c*x^2)*(e + f*x^4)^2,x]

[Out] IntegrateAlgebraic[(a + c*x^2)*(e + f*x^4)^2, x]

fricas [A] time = 0.37, size = 50, normalized size = 0.83

$$\frac{1}{11}x^{11}f^2c + \frac{1}{9}x^9f^2a + \frac{2}{7}x^7fec + \frac{2}{5}x^5fea + \frac{1}{3}x^3e^2c + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] $1/11*x^{11}*f^2*c + 1/9*x^9*f^2*a + 2/7*x^7*f*e*c + 2/5*x^5*f*e*a + 1/3*x^3*e^2*c + x*e^2*a$

giac [A] time = 0.15, size = 50, normalized size = 0.83

$$\frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{2}{7}cfx^7e + \frac{2}{5}afx^5e + \frac{1}{3}cx^3e^2 + axe^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] $1/11*c*f^2*x^{11} + 1/9*a*f^2*x^9 + 2/7*c*f*x^7*e + 2/5*a*f*x^5*e + 1/3*c*x^3*e^2 + a*x*e^2$

maple [A] time = 0.04, size = 51, normalized size = 0.85

$$\frac{1}{11}c f^2 x^{11} + \frac{1}{9}a f^2 x^9 + \frac{2}{7}c e f x^7 + \frac{2}{5}a e f x^5 + \frac{1}{3}c e^2 x^3 + a e^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+a)*(f*x^4+e)^2,x)

[Out] $a e^{2x} + 1/3 c e^{2x^3} + 2/5 a e f x^5 + 2/7 c e f x^7 + 1/9 a f^2 x^9 + 1/11 c f^2 x^{11}$

maxima [A] time = 1.32, size = 50, normalized size = 0.83

$$\frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{2}{7}cef x^7 + \frac{2}{5}aefx^5 + \frac{1}{3}ce^2x^3 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/11*c*f^2*x^11 + 1/9*a*f^2*x^9 + 2/7*c*e*f*x^7 + 2/5*a*e*f*x^5 + 1/3*c*e^2*x^3 + a*e^2*x

mupad [B] time = 0.03, size = 50, normalized size = 0.83

$$\frac{ce^2x^3}{3} + ae^2x + \frac{2cef x^7}{7} + \frac{2aefx^5}{5} + \frac{cf^2x^{11}}{11} + \frac{af^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^2)*(e + f*x^4)^2,x)

[Out] (a*f^2*x^9)/9 + (c*e^2*x^3)/3 + (c*f^2*x^11)/11 + a*e^2*x + (2*a*e*f*x^5)/5 + (2*c*e*f*x^7)/7

sympy [A] time = 0.08, size = 60, normalized size = 1.00

$$ae^2x + \frac{2aefx^5}{5} + \frac{af^2x^9}{9} + \frac{ce^2x^3}{3} + \frac{2cef x^7}{7} + \frac{cf^2x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+a)*(f*x**4+e)**2,x)

[Out] a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11

3.91 $\int (bx + cx^2)(e + fx^4)^2 dx$

Optimal. Leaf size=65

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Rubi [A] time = 0.10, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {1593, 1620}

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Int[(b*x + c*x^2)*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11

Rule 1593

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rubi steps

$$\begin{aligned} \int (bx + cx^2)(e + fx^4)^2 dx &= \int x(b + cx)(e + fx^4)^2 dx \\ &= \int (be^2x + ce^2x^2 + 2befx^5 + 2cef x^6 + bf^2x^9 + cf^2x^{10}) dx \\ &= \frac{1}{2}be^2x^2 + \frac{1}{3}ce^2x^3 + \frac{1}{3}befx^6 + \frac{2}{7}cef x^7 + \frac{1}{10}bf^2x^{10} + \frac{1}{11}cf^2x^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 65, normalized size = 1.00

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + c*x^2)*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx + cx^2)(e + fx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(b*x + c*x^2)*(e + f*x^4)^2,x]

[Out] IntegrateAlgebraic[(b*x + c*x^2)*(e + f*x^4)^2, x]

fricas [A] time = 0.37, size = 53, normalized size = 0.82

$$\frac{1}{11}x^{11}f^2c + \frac{1}{10}x^{10}f^2b + \frac{2}{7}x^7fec + \frac{1}{3}x^6feb + \frac{1}{3}x^3e^2c + \frac{1}{2}x^2e^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/11*x^11*f^2*c + 1/10*x^10*f^2*b + 2/7*x^7*f*e*c + 1/3*x^6*f*e*b + 1/3*x^3*e^2*c + 1/2*x^2*e^2*b

giac [A] time = 0.15, size = 53, normalized size = 0.82

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{2}{7}cfx^7e + \frac{1}{3}bfx^6e + \frac{1}{3}cx^3e^2 + \frac{1}{2}bx^2e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/11*c*f^2*x^11 + 1/10*b*f^2*x^10 + 2/7*c*f*x^7*e + 1/3*b*f*x^6*e + 1/3*c*x^3*e^2 + 1/2*b*x^2*e^2

maple [A] time = 0.04, size = 54, normalized size = 0.83

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{2}{7}cef x^7 + \frac{1}{3}bef x^6 + \frac{1}{3}ce^2x^3 + \frac{1}{2}be^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x)*(f*x^4+e)^2,x)`

[Out] $\frac{1}{2}b*e^2*x^2 + \frac{1}{3}c*e^2*x^3 + \frac{1}{3}b*e*f*x^6 + \frac{2}{7}c*e*f*x^7 + \frac{1}{10}b*f^2*x^{10} + \frac{1}{11}c*f^2*x^{11}$

maxima [A] time = 1.35, size = 53, normalized size = 0.82

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{2}{7}cef x^7 + \frac{1}{3}befx^6 + \frac{1}{3}ce^2x^3 + \frac{1}{2}be^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="maxima")`

[Out] $\frac{1}{11}c*f^2*x^{11} + \frac{1}{10}b*f^2*x^{10} + \frac{2}{7}c*e*f*x^7 + \frac{1}{3}b*e*f*x^6 + \frac{1}{3}c*e^2*x^3 + \frac{1}{2}b*e^2*x^2$

mupad [B] time = 0.03, size = 53, normalized size = 0.82

$$\frac{ce^2x^3}{3} + \frac{be^2x^2}{2} + \frac{2cef x^7}{7} + \frac{befx^6}{3} + \frac{cf^2x^{11}}{11} + \frac{bf^2x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x + c*x^2)*(e + f*x^4)^2,x)`

[Out] $\frac{(b*e^2*x^2)}{2} + \frac{(c*e^2*x^3)}{3} + \frac{(b*f^2*x^{10})}{10} + \frac{(c*f^2*x^{11})}{11} + \frac{(b*e*f*x^6)}{3} + \frac{(2*c*e*f*x^7)}{7}$

sympy [A] time = 0.14, size = 61, normalized size = 0.94

$$\frac{be^2x^2}{2} + \frac{befx^6}{3} + \frac{bf^2x^{10}}{10} + \frac{ce^2x^3}{3} + \frac{2cef x^7}{7} + \frac{cf^2x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x)*(f*x**4+e)**2,x)`

[Out] $b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10 + c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11$

$$3.92 \quad \int (a + bx + cx^2)(e + fx^4)^2 dx$$

Optimal. Leaf size=92

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Rubi [A] time = 0.05, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1657}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (a*f^2*x^9)/9 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11

Rule 1657

Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int (a + bx + cx^2)(e + fx^4)^2 dx &= \int (ae^2 + be^2x + ce^2x^2 + 2aefx^4 + 2befx^5 + 2cef x^6 + af^2x^8 + bf^2x^9 + cf^2x^{10} \\ &= ae^2x + \frac{1}{2}be^2x^2 + \frac{1}{3}ce^2x^3 + \frac{2}{5}aefx^5 + \frac{1}{3}befx^6 + \frac{2}{7}cef x^7 + \frac{1}{9}af^2x^9 + \frac{1}{10}bf^2x^{10} \end{aligned}$$

Mathematica [A] time = 0.00, size = 92, normalized size = 1.00

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)*(e + f*x^4)^2,x]

[Out] $a e^{2x} + (b e^{2x^2})/2 + (c e^{2x^3})/3 + (2 a e f x^5)/5 + (b e f x^6)/3 + (2 c e f x^7)/7 + (a f^2 x^9)/9 + (b f^2 x^{10})/10 + (c f^2 x^{11})/11$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx + cx^2)(e + fx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x + c*x^2)*(e + f*x^4)^2,x]

[Out] IntegrateAlgebraic[(a + b*x + c*x^2)*(e + f*x^4)^2, x]

fricas [A] time = 0.37, size = 76, normalized size = 0.83

$$\frac{1}{11} x^{11} f^2 c + \frac{1}{10} x^{10} f^2 b + \frac{1}{9} x^9 f^2 a + \frac{2}{7} x^7 f e c + \frac{1}{3} x^6 f e b + \frac{2}{5} x^5 f e a + \frac{1}{3} x^3 e^2 c + \frac{1}{2} x^2 e^2 b + x e^2 a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] $1/11 * x^{11} * f^2 * c + 1/10 * x^{10} * f^2 * b + 1/9 * x^9 * f^2 * a + 2/7 * x^7 * f * e * c + 1/3 * x^6 * f * e * b + 2/5 * x^5 * f * e * a + 1/3 * x^3 * e^2 * c + 1/2 * x^2 * e^2 * b + x * e^2 * a$

giac [A] time = 0.15, size = 76, normalized size = 0.83

$$\frac{1}{11} c f^2 x^{11} + \frac{1}{10} b f^2 x^{10} + \frac{1}{9} a f^2 x^9 + \frac{2}{7} c f x^7 e + \frac{1}{3} b f x^6 e + \frac{2}{5} a f x^5 e + \frac{1}{3} c x^3 e^2 + \frac{1}{2} b x^2 e^2 + a x e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] $1/11 * c * f^2 * x^{11} + 1/10 * b * f^2 * x^{10} + 1/9 * a * f^2 * x^9 + 2/7 * c * f * x^7 * e + 1/3 * b * f * x^6 * e + 2/5 * a * f * x^5 * e + 1/3 * c * x^3 * e^2 + 1/2 * b * x^2 * e^2 + a * x * e^2$

maple [A] time = 0.04, size = 77, normalized size = 0.84

$$\frac{1}{11} c f^2 x^{11} + \frac{1}{10} b f^2 x^{10} + \frac{1}{9} a f^2 x^9 + \frac{2}{7} c e f x^7 + \frac{1}{3} b e f x^6 + \frac{2}{5} a e f x^5 + \frac{1}{3} c e^2 x^3 + \frac{1}{2} b e^2 x^2 + a e^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)*(f*x^4+e)^2,x)

[Out] $a e^{2x} + 1/2 * b * e^{2x^2} + 1/3 * c * e^{2x^3} + 2/5 * a * e * f * x^5 + 1/3 * b * e * f * x^6 + 2/7 * c * e * f * x^7 + 1/9 * a * f^2 * x^9 + 1/10 * b * f^2 * x^{10} + 1/11 * c * f^2 * x^{11}$

maxima [A] time = 1.43, size = 76, normalized size = 0.83

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{2}{7}cef^2x^7 + \frac{1}{3}bef^2x^6 + \frac{2}{5}aef^2x^5 + \frac{1}{3}ce^2x^3 + \frac{1}{2}be^2x^2 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/11*c*f^2*x^11 + 1/10*b*f^2*x^10 + 1/9*a*f^2*x^9 + 2/7*c*e*f*x^7 + 1/3*b*e*f*x^6 + 2/5*a*e*f*x^5 + 1/3*c*e^2*x^3 + 1/2*b*e^2*x^2 + a*e^2*x

mupad [B] time = 0.04, size = 76, normalized size = 0.83

$$\frac{ce^2x^3}{3} + \frac{be^2x^2}{2} + ae^2x + \frac{2cef^2x^7}{7} + \frac{bef^2x^6}{3} + \frac{2aef^2x^5}{5} + \frac{cf^2x^{11}}{11} + \frac{bf^2x^{10}}{10} + \frac{af^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x^4)^2*(a + b*x + c*x^2),x)

[Out] (b*e^2*x^2)/2 + (a*f^2*x^9)/9 + (c*e^2*x^3)/3 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11 + a*e^2*x + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7

sympy [A] time = 0.16, size = 90, normalized size = 0.98

$$ae^2x + \frac{2aef^2x^5}{5} + \frac{af^2x^9}{9} + \frac{be^2x^2}{2} + \frac{bef^2x^6}{3} + \frac{bf^2x^{10}}{10} + \frac{ce^2x^3}{3} + \frac{2cef^2x^7}{7} + \frac{cf^2x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)*(f*x**4+e)**2,x)

[Out] a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10 + c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11

$$3.93 \quad \int dx^3 (e + fx^4)^2 dx$$

Optimal. Leaf size=17

$$\frac{d(e + fx^4)^3}{12f}$$

Rubi [A] time = 0.01, antiderivative size = 17, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {12, 261}

$$\frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[d*x^3*(e + f*x^4)^2,x]

[Out] (d*(e + f*x^4)^3)/(12*f)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rubi steps

$$\begin{aligned} \int dx^3 (e + fx^4)^2 dx &= d \int x^3 (e + fx^4)^2 dx \\ &= \frac{d(e + fx^4)^3}{12f} \end{aligned}$$

Mathematica [A] time = 0.00, size = 33, normalized size = 1.94

$$\frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[d*x^3*(e + f*x^4)^2,x]

[Out] (d*e^2*x^4)/4 + (d*e*f*x^8)/4 + (d*f^2*x^12)/12

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int dx^3 (e + fx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[d*x^3*(e + f*x^4)^2,x]

[Out] IntegrateAlgebraic[d*x^3*(e + f*x^4)^2, x]

fricas [A] time = 0.38, size = 27, normalized size = 1.59

$$\frac{1}{12}x^{12}f^2d + \frac{1}{4}x^8fed + \frac{1}{4}x^4e^2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/4*x^8*f*e*d + 1/4*x^4*e^2*d

giac [A] time = 0.14, size = 16, normalized size = 0.94

$$\frac{(fx^4 + e)^3 d}{12f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/12*(f*x^4 + e)^3*d/f

maple [A] time = 0.04, size = 27, normalized size = 1.59

$$\left(\frac{1}{12}f^2x^{12} + \frac{1}{4}efx^8 + \frac{1}{4}e^2x^4 \right) d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(d*x^3*(f*x^4+e)^2,x)

[Out] $d*(1/12*f^2*x^{12}+1/4*e*f*x^8+1/4*e^2*x^4)$

maxima [A] time = 1.39, size = 15, normalized size = 0.88

$$\frac{(fx^4 + e)^3 d}{12f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(d*x^3*(f*x^4+e)^2,x, algorithm="maxima")`

[Out] $1/12*(f*x^4 + e)^3*d/f$

mupad [B] time = 0.03, size = 26, normalized size = 1.53

$$\frac{dx^4 (3e^2 + 3efx^4 + f^2x^8)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(d*x^3*(e + f*x^4)^2,x)`

[Out] $(d*x^4*(3*e^2 + f^2*x^8 + 3*e*f*x^4))/12$

sympy [B] time = 0.24, size = 29, normalized size = 1.71

$$\frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(d*x**3*(f*x**4+e)**2,x)`

[Out] $d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12$

$$3.94 \quad \int (a + dx^3)(e + fx^4)^2 dx$$

Optimal. Leaf size=45

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{d(e + fx^4)^3}{12f}$$

Rubi [A] time = 0.02, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1582, 12, 194}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(a + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (2*a*e*f*x^5)/5 + (a*f^2*x^9)/9 + (d*(e + f*x^4)^3)/(12*f)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 194

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]

Rubi steps

$$\begin{aligned}
\int (a + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int a(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + a \int (e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + a \int (e^2 + 2efx^4 + f^2x^8) dx \\
&= ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{d(e + fx^4)^3}{12f}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 60, normalized size = 1.33

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(a + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (d*e^2*x^4)/4 + (2*a*e*f*x^5)/5 + (d*e*f*x^8)/4 + (a*f^2*x^9)/9 + (d*f^2*x^12)/12

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + dx^3)(e + fx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + d*x^3)*(e + f*x^4)^2,x]

[Out] IntegrateAlgebraic[(a + d*x^3)*(e + f*x^4)^2, x]

fricas [A] time = 0.35, size = 50, normalized size = 1.11

$$\frac{1}{12}x^{12}f^2d + \frac{1}{9}x^9f^2a + \frac{1}{4}x^8fed + \frac{2}{5}x^5fea + \frac{1}{4}x^4e^2d + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] $1/12*x^{12}*f^2*d + 1/9*x^9*f^2*a + 1/4*x^8*f*e*d + 2/5*x^5*f*e*a + 1/4*x^4*e^2*d + x*e^2*a$

giac [A] time = 0.20, size = 50, normalized size = 1.11

$$\frac{1}{12}df^2x^{12} + \frac{1}{9}af^2x^9 + \frac{1}{4}dfx^8e + \frac{2}{5}afx^5e + \frac{1}{4}dx^4e^2 + axe^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+a)*(f*x^4+e)^2,x, algorithm="giac")`

[Out] $1/12*d*f^2*x^{12} + 1/9*a*f^2*x^9 + 1/4*d*f*x^8*e + 2/5*a*f*x^5*e + 1/4*d*x^4*e^2 + a*x*e^2$

maple [A] time = 0.04, size = 51, normalized size = 1.13

$$\frac{1}{12}df^2x^{12} + \frac{1}{9}af^2x^9 + \frac{1}{4}defx^8 + \frac{2}{5}aefx^5 + \frac{1}{4}de^2x^4 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+a)*(f*x^4+e)^2,x)`

[Out] $1/12*d*f^2*x^{12}+1/9*a*f^2*x^9+1/4*d*e*f*x^8+2/5*a*e*f*x^5+1/4*d*e^2*x^4+a*e^2*x$

maxima [A] time = 1.31, size = 50, normalized size = 1.11

$$\frac{1}{12}df^2x^{12} + \frac{1}{9}af^2x^9 + \frac{1}{4}defx^8 + \frac{2}{5}aefx^5 + \frac{1}{4}de^2x^4 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+a)*(f*x^4+e)^2,x, algorithm="maxima")`

[Out] $1/12*d*f^2*x^{12} + 1/9*a*f^2*x^9 + 1/4*d*e*f*x^8 + 2/5*a*e*f*x^5 + 1/4*d*e^2*x^4 + a*e^2*x$

mupad [B] time = 0.02, size = 50, normalized size = 1.11

$$\frac{de^2x^4}{4} + ae^2x + \frac{defx^8}{4} + \frac{2aefx^5}{5} + \frac{df^2x^{12}}{12} + \frac{af^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + d*x^3)*(e + f*x^4)^2,x)`

[Out] $(a*f^2*x^9)/9 + (d*e^2*x^4)/4 + (d*f^2*x^{12})/12 + a*e^2*x + (2*a*e*f*x^5)/5 + (d*e*f*x^8)/4$

sympy [A] time = 0.08, size = 58, normalized size = 1.29

$$ae^2x + \frac{2aefx^5}{5} + \frac{af^2x^9}{9} + \frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+a)*(f*x**4+e)**2,x)`

[Out] $a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12$

$$3.95 \quad \int (bx + dx^3)(e + fx^4)^2 dx$$

Optimal. Leaf size=50

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}$$

Rubi [A] time = 0.02, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1582, 12, 270}

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(b*x + d*x^3)*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (b*e*f*x^6)/3 + (b*f^2*x^10)/10 + (d*(e + f*x^4)^3)/(12*f)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 270

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rule 1582

Int[(Px_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]

Rubi steps

$$\begin{aligned}
\int (bx + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int bx(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + b \int x(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + b \int (e^2x + 2efx^5 + f^2x^9) dx \\
&= \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 65, normalized size = 1.30

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + d*x^3)*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (d*e^2*x^4)/4 + (b*e*f*x^6)/3 + (d*e*f*x^8)/4 + (b*f^2*x^10)/10 + (d*f^2*x^12)/12

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx + dx^3)(e + fx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(b*x + d*x^3)*(e + f*x^4)^2,x]

[Out] IntegrateAlgebraic[(b*x + d*x^3)*(e + f*x^4)^2, x]

fricas [A] time = 0.36, size = 53, normalized size = 1.06

$$\frac{1}{12}x^{12}f^2d + \frac{1}{10}x^{10}f^2b + \frac{1}{4}x^8fed + \frac{1}{3}x^6feb + \frac{1}{4}x^4e^2d + \frac{1}{2}x^2e^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] $1/12*x^{12}*f^2*d + 1/10*x^{10}*f^2*b + 1/4*x^8*f*e*d + 1/3*x^6*f*e*b + 1/4*x^4*e^2*d + 1/2*x^2*e^2*b$

giac [A] time = 0.16, size = 53, normalized size = 1.06

$$\frac{1}{12}df^2x^{12} + \frac{1}{10}bf^2x^{10} + \frac{1}{4}dfx^8e + \frac{1}{3}bfx^6e + \frac{1}{4}dx^4e^2 + \frac{1}{2}bx^2e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+b*x)*(f*x^4+e)^2,x, algorithm="giac")`

[Out] $1/12*d*f^2*x^{12} + 1/10*b*f^2*x^{10} + 1/4*d*f*x^8*e + 1/3*b*f*x^6*e + 1/4*d*x^4*e^2 + 1/2*b*x^2*e^2$

maple [A] time = 0.04, size = 54, normalized size = 1.08

$$\frac{1}{12}df^2x^{12} + \frac{1}{10}bf^2x^{10} + \frac{1}{4}defx^8 + \frac{1}{3}befx^6 + \frac{1}{4}de^2x^4 + \frac{1}{2}be^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+b*x)*(f*x^4+e)^2,x)`

[Out] $1/12*d*f^2*x^{12}+1/10*b*f^2*x^{10}+1/4*d*e*f*x^8+1/3*b*e*f*x^6+1/4*d*e^2*x^4+1/2*b*e^2*x^2$

maxima [A] time = 1.32, size = 53, normalized size = 1.06

$$\frac{1}{12}df^2x^{12} + \frac{1}{10}bf^2x^{10} + \frac{1}{4}defx^8 + \frac{1}{3}befx^6 + \frac{1}{4}de^2x^4 + \frac{1}{2}be^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+b*x)*(f*x^4+e)^2,x, algorithm="maxima")`

[Out] $1/12*d*f^2*x^{12} + 1/10*b*f^2*x^{10} + 1/4*d*e*f*x^8 + 1/3*b*e*f*x^6 + 1/4*d*e^2*x^4 + 1/2*b*e^2*x^2$

mupad [B] time = 0.03, size = 53, normalized size = 1.06

$$\frac{de^2x^4}{4} + \frac{be^2x^2}{2} + \frac{defx^8}{4} + \frac{befx^6}{3} + \frac{df^2x^{12}}{12} + \frac{bf^2x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x + d*x^3)*(e + f*x^4)^2,x)`

[Out] $(b \cdot e^{2x^2})/2 + (b \cdot f^2 \cdot x^{10})/10 + (d \cdot e^{2x^4})/4 + (d \cdot f^2 \cdot x^{12})/12 + (b \cdot e \cdot f \cdot x^6)/3 + (d \cdot e \cdot f \cdot x^8)/4$

sympy [A] time = 0.12, size = 60, normalized size = 1.20

$$\frac{be^2x^2}{2} + \frac{befx^6}{3} + \frac{bf^2x^{10}}{10} + \frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+b*x)*(f*x**4+e)**2,x)`

[Out] $b \cdot e^{2x^2} \cdot x^2/2 + b \cdot e \cdot f \cdot x^6/3 + b \cdot f^2 \cdot x^{10}/10 + d \cdot e^{2x^4} \cdot x^4/4 + d \cdot e \cdot f \cdot x^8/4 + d \cdot f^2 \cdot x^{12}/12$

$$3.96 \quad \int (a + bx + dx^3) (e + fx^4)^2 dx$$

Optimal. Leaf size=77

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}$$

Rubi [A] time = 0.05, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1582, 1850}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (b*e^2*x^2)/2 + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (a*f^2*x^9)/9 + (b*f^2*x^10)/10 + (d*(e + f*x^4)^3)/(12*f)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int (a + bx + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int (a + bx)(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + \int (ae^2 + be^2x + 2aefx^4 + 2befx^5 + af^2x^8 + bf^2x^9) dx \\
&= ae^2x + \frac{1}{2}be^2x^2 + \frac{2}{5}aefx^5 + \frac{1}{3}befx^6 + \frac{1}{9}af^2x^9 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 92, normalized size = 1.19

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (b*e^2*x^2)/2 + (d*e^2*x^4)/4 + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (d*e*f*x^8)/4 + (a*f^2*x^9)/9 + (b*f^2*x^10)/10 + (d*f^2*x^12)/12

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx + dx^3)(e + fx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x + d*x^3)*(e + f*x^4)^2,x]

[Out] IntegrateAlgebraic[(a + b*x + d*x^3)*(e + f*x^4)^2, x]

fricas [A] time = 0.37, size = 76, normalized size = 0.99

$$\frac{1}{12}x^{12}f^2d + \frac{1}{10}x^{10}f^2b + \frac{1}{9}x^9f^2a + \frac{1}{4}x^8fed + \frac{1}{3}x^6feb + \frac{2}{5}x^5fea + \frac{1}{4}x^4e^2d + \frac{1}{2}x^2e^2b + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/10*x^10*f^2*b + 1/9*x^9*f^2*a + 1/4*x^8*f*e*d + 1/3*x^6*f*e*b + 2/5*x^5*f*e*a + 1/4*x^4*e^2*d + 1/2*x^2*e^2*b + x*e^2*a

giac [A] time = 0.15, size = 76, normalized size = 0.99

$$\frac{1}{12}df^2x^{12} + \frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{1}{4}dfx^8e + \frac{1}{3}bfx^6e + \frac{2}{5}afx^5e + \frac{1}{4}dx^4e^2 + \frac{1}{2}bx^2e^2 + axe^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/12*d*f^2*x^12 + 1/10*b*f^2*x^10 + 1/9*a*f^2*x^9 + 1/4*d*f*x^8*e + 1/3*b*f*x^6*e + 2/5*a*f*x^5*e + 1/4*d*x^4*e^2 + 1/2*b*x^2*e^2 + a*x*e^2

maple [A] time = 0.04, size = 77, normalized size = 1.00

$$\frac{1}{12}d f^2 x^{12} + \frac{1}{10}b f^2 x^{10} + \frac{1}{9}a f^2 x^9 + \frac{1}{4}d e f x^8 + \frac{1}{3}b e f x^6 + \frac{2}{5}a e f x^5 + \frac{1}{4}d e^2 x^4 + \frac{1}{2}b e^2 x^2 + a e^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+b*x+a)*(f*x^4+e)^2,x)

[Out] 1/12*d*f^2*x^12+1/10*b*f^2*x^10+1/9*a*f^2*x^9+1/4*d*e*f*x^8+1/3*b*e*f*x^6+2/5*a*e*f*x^5+1/4*d*e^2*x^4+1/2*b*e^2*x^2+a*e^2*x

maxima [A] time = 1.36, size = 76, normalized size = 0.99

$$\frac{1}{12}df^2x^{12} + \frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{1}{4}defx^8 + \frac{1}{3}befx^6 + \frac{2}{5}aefx^5 + \frac{1}{4}de^2x^4 + \frac{1}{2}be^2x^2 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x+a)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/12*d*f^2*x^12 + 1/10*b*f^2*x^10 + 1/9*a*f^2*x^9 + 1/4*d*e*f*x^8 + 1/3*b*e*f*x^6 + 2/5*a*e*f*x^5 + 1/4*d*e^2*x^4 + 1/2*b*e^2*x^2 + a*e^2*x

mupad [B] time = 0.04, size = 76, normalized size = 0.99

$$\frac{de^2x^4}{4} + \frac{be^2x^2}{2} + ae^2x + \frac{defx^8}{4} + \frac{befx^6}{3} + \frac{2aefx^5}{5} + \frac{df^2x^{12}}{12} + \frac{bf^2x^{10}}{10} + \frac{af^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x^4)^2*(a + b*x + d*x^3),x)

[Out] (b*e^2*x^2)/2 + (a*f^2*x^9)/9 + (b*f^2*x^10)/10 + (d*e^2*x^4)/4 + (d*f^2*x^12)/12 + a*e^2*x + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (d*e*f*x^8)/4

sympy [A] time = 0.08, size = 88, normalized size = 1.14

$$ae^2x + \frac{2aefx^5}{5} + \frac{af^2x^9}{9} + \frac{be^2x^2}{2} + \frac{befx^6}{3} + \frac{bf^2x^{10}}{10} + \frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+b*x+a)*(f*x**4+e)**2,x)

[Out] a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10 + d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12

$$3.97 \quad \int (cx^2 + dx^3)(e + fx^4)^2 dx$$

Optimal. Leaf size=50

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

Rubi [A] time = 0.02, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1582, 12, 270}

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] (c*e^2*x^3)/3 + (2*c*e*f*x^7)/7 + (c*f^2*x^11)/11 + (d*(e + f*x^4)^3)/(12*f)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 270

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]

Rubi steps

$$\begin{aligned}
\int (cx^2 + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int cx^2(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + c \int x^2(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + c \int (e^2x^2 + 2efx^6 + f^2x^{10}) dx \\
&= \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 65, normalized size = 1.30

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] (c*e^2*x^3)/3 + (d*e^2*x^4)/4 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4 + (c*f^2*x^11)/11 + (d*f^2*x^12)/12

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^2 + dx^3)(e + fx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] IntegrateAlgebraic[(c*x^2 + d*x^3)*(e + f*x^4)^2, x]

fricas [A] time = 0.36, size = 53, normalized size = 1.06

$$\frac{1}{12}x^{12}f^2d + \frac{1}{11}x^{11}f^2c + \frac{1}{4}x^8fed + \frac{2}{7}x^7fec + \frac{1}{4}x^4e^2d + \frac{1}{3}x^3e^2c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] $\frac{1}{12}x^{12}f^2d + \frac{1}{11}x^{11}f^2c + \frac{1}{4}x^8f^2e + \frac{2}{7}x^7f^2c + \frac{1}{4}x^4e^2d + \frac{1}{3}x^3e^2c$

giac [A] time = 0.15, size = 53, normalized size = 1.06

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{4}dfx^8e + \frac{2}{7}cfx^7e + \frac{1}{4}dx^4e^2 + \frac{1}{3}cx^3e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+c*x^2)*(f*x^4+e)^2,x, algorithm="giac")`

[Out] $\frac{1}{12}d*f^2*x^{12} + \frac{1}{11}*c*f^2*x^{11} + \frac{1}{4}*d*f*x^8*e + \frac{2}{7}*c*f*x^7*e + \frac{1}{4}*d*x^4*e^2 + \frac{1}{3}*c*x^3*e^2$

maple [A] time = 0.04, size = 54, normalized size = 1.08

$$\frac{1}{12}d f^2 x^{12} + \frac{1}{11}c f^2 x^{11} + \frac{1}{4}d e f x^8 + \frac{2}{7}c e f x^7 + \frac{1}{4}d e^2 x^4 + \frac{1}{3}c e^2 x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+c*x^2)*(f*x^4+e)^2,x)`

[Out] $\frac{1}{12}d*f^2*x^{12} + \frac{1}{11}*c*f^2*x^{11} + \frac{1}{4}*d*e*f*x^8 + \frac{2}{7}*c*e*f*x^7 + \frac{1}{4}*d*e^2*x^4 + \frac{1}{3}*c*e^2*x^3$

maxima [A] time = 1.36, size = 53, normalized size = 1.06

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{4}defx^8 + \frac{2}{7}cef x^7 + \frac{1}{4}de^2x^4 + \frac{1}{3}ce^2x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+c*x^2)*(f*x^4+e)^2,x, algorithm="maxima")`

[Out] $\frac{1}{12}d*f^2*x^{12} + \frac{1}{11}*c*f^2*x^{11} + \frac{1}{4}*d*e*f*x^8 + \frac{2}{7}*c*e*f*x^7 + \frac{1}{4}*d*e^2*x^4 + \frac{1}{3}*c*e^2*x^3$

mupad [B] time = 0.03, size = 53, normalized size = 1.06

$$\frac{de^2x^4}{4} + \frac{ce^2x^3}{3} + \frac{defx^8}{4} + \frac{2cef x^7}{7} + \frac{df^2x^{12}}{12} + \frac{cf^2x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x^4)^2*(c*x^2 + d*x^3),x)`

[Out] $(c*e^{2*x^3})/3 + (d*e^{2*x^4})/4 + (c*f^2*x^{11})/11 + (d*f^2*x^{12})/12 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4$

sympy [A] time = 0.08, size = 61, normalized size = 1.22

$$\frac{ce^2x^3}{3} + \frac{2cef x^7}{7} + \frac{cf^2x^{11}}{11} + \frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+c*x**2)*(f*x**4+e)**2,x)`

[Out] $c*e^{**2}*x^{**3}/3 + 2*c*e*f*x^{**7}/7 + c*f^{**2}*x^{**11}/11 + d*e^{**2}*x^{**4}/4 + d*e*f*x^{**8}/4 + d*f^{**2}*x^{**12}/12$

$$3.98 \quad \int (a + cx^2 + dx^3)(e + fx^4)^2 dx$$

Optimal. Leaf size=77

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

Rubi [A] time = 0.04, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1582, 1154}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (c*e^2*x^3)/3 + (2*a*e*f*x^5)/5 + (2*c*e*f*x^7)/7 + (a*f^2*x^9)/9 + (c*f^2*x^11)/11 + (d*(e + f*x^4)^3)/(12*f)

Rule 1154

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rule 1582

Int[(Px_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]

Rubi steps

$$\begin{aligned}
\int (a + cx^2 + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int (a + cx^2)(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + \int (ae^2 + ce^2x^2 + 2aefx^4 + 2cef x^6 + af^2x^8 + cf^2x^{10}) dx \\
&= ae^2x + \frac{1}{3}ce^2x^3 + \frac{2}{5}aefx^5 + \frac{2}{7}cef x^7 + \frac{1}{9}af^2x^9 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 92, normalized size = 1.19

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (c*e^2*x^3)/3 + (d*e^2*x^4)/4 + (2*a*e*f*x^5)/5 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4 + (a*f^2*x^9)/9 + (c*f^2*x^11)/11 + (d*f^2*x^12)/12

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + cx^2 + dx^3)(e + fx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] IntegrateAlgebraic[(a + c*x^2 + d*x^3)*(e + f*x^4)^2, x]

fricas [A] time = 0.37, size = 76, normalized size = 0.99

$$\frac{1}{12}x^{12}f^2d + \frac{1}{11}x^{11}f^2c + \frac{1}{9}x^9f^2a + \frac{1}{4}x^8fed + \frac{2}{7}x^7fec + \frac{2}{5}x^5fea + \frac{1}{4}x^4e^2d + \frac{1}{3}x^3e^2c + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/11*x^11*f^2*c + 1/9*x^9*f^2*a + 1/4*x^8*f*e*d + 2/7*x^7*f*e*c + 2/5*x^5*f*e*a + 1/4*x^4*e^2*d + 1/3*x^3*e^2*c + x*e^2*a

giac [A] time = 0.20, size = 76, normalized size = 0.99

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{1}{4}dfx^8e + \frac{2}{7}cfx^7e + \frac{2}{5}afx^5e + \frac{1}{4}dx^4e^2 + \frac{1}{3}cx^3e^2 + axe^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/12*d*f^2*x^12 + 1/11*c*f^2*x^11 + 1/9*a*f^2*x^9 + 1/4*d*f*x^8*e + 2/7*c*f*x^7*e + 2/5*a*f*x^5*e + 1/4*d*x^4*e^2 + 1/3*c*x^3*e^2 + a*x*e^2

maple [A] time = 0.04, size = 77, normalized size = 1.00

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{1}{4}defx^8 + \frac{2}{7}cefx^7 + \frac{2}{5}afx^5 + \frac{1}{4}de^2x^4 + \frac{1}{3}ce^2x^3 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2+a)*(f*x^4+e)^2,x)

[Out] 1/12*d*f^2*x^12+1/11*c*f^2*x^11+1/9*a*f^2*x^9+1/4*d*e*f*x^8+2/7*c*e*f*x^7+2/5*a*e*f*x^5+1/4*d*e^2*x^4+1/3*c*e^2*x^3+a*e^2*x

maxima [A] time = 1.34, size = 76, normalized size = 0.99

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{1}{4}defx^8 + \frac{2}{7}cefx^7 + \frac{2}{5}afx^5 + \frac{1}{4}de^2x^4 + \frac{1}{3}ce^2x^3 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/12*d*f^2*x^12 + 1/11*c*f^2*x^11 + 1/9*a*f^2*x^9 + 1/4*d*e*f*x^8 + 2/7*c*e*f*x^7 + 2/5*a*e*f*x^5 + 1/4*d*e^2*x^4 + 1/3*c*e^2*x^3 + a*e^2*x

mupad [B] time = 0.04, size = 76, normalized size = 0.99

$$\frac{de^2x^4}{4} + \frac{ce^2x^3}{3} + ae^2x + \frac{defx^8}{4} + \frac{2cefx^7}{7} + \frac{2afx^5}{5} + \frac{df^2x^{12}}{12} + \frac{cf^2x^{11}}{11} + \frac{af^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x^4)^2*(a + c*x^2 + d*x^3),x)

[Out] (a*f^2*x^9)/9 + (c*e^2*x^3)/3 + (d*e^2*x^4)/4 + (c*f^2*x^11)/11 + (d*f^2*x^12)/12 + a*e^2*x + (2*a*e*f*x^5)/5 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4

sympy [A] time = 0.15, size = 90, normalized size = 1.17

$$ae^2x + \frac{2aefx^5}{5} + \frac{af^2x^9}{9} + \frac{ce^2x^3}{3} + \frac{2cef x^7}{7} + \frac{cf^2x^{11}}{11} + \frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2+a)*(f*x**4+e)**2,x)

[Out] a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11 + d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12

$$3.99 \quad \int (bx + cx^2 + dx^3)(e + fx^4)^2 dx$$

Optimal. Leaf size=82

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

Rubi [A] time = 0.08, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1582, 1593, 1620}

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(b*x + c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11 + (d*(e + f*x^4)^3)/(12*f)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1593

```
Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]
```

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rubi steps

$$\begin{aligned}
\int (bx + cx^2 + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int (bx + cx^2)(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + \int x(b + cx)(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + \int (be^2x + ce^2x^2 + 2befx^5 + 2cefx^6 + bf^2x^9 + cf^2x^{10}) dx \\
&= \frac{1}{2}be^2x^2 + \frac{1}{3}ce^2x^3 + \frac{1}{3}befx^6 + \frac{2}{7}cefx^7 + \frac{1}{10}bf^2x^{10} + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 97, normalized size = 1.18

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cefx^7 + \frac{1}{11}cf^2x^{11} + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (d*e^2*x^4)/4 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11 + (d*f^2*x^12)/12

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx + cx^2 + dx^3)(e + fx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(b*x + c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] IntegrateAlgebraic[(b*x + c*x^2 + d*x^3)*(e + f*x^4)^2, x]

fricas [A] time = 0.35, size = 79, normalized size = 0.96

$$\frac{1}{12}x^{12}f^2d + \frac{1}{11}x^{11}f^2c + \frac{1}{10}x^{10}f^2b + \frac{1}{4}x^8fed + \frac{2}{7}x^7fec + \frac{1}{3}x^6feb + \frac{1}{4}x^4e^2d + \frac{1}{3}x^3e^2c + \frac{1}{2}x^2e^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] $\frac{1}{12}x^{12}f^2d + \frac{1}{11}x^{11}f^2c + \frac{1}{10}x^{10}f^2b + \frac{1}{4}x^8f^2e + \frac{2}{7}x^7f^2e^2c + \frac{1}{3}x^6f^2e^2b + \frac{1}{4}x^4e^2d + \frac{1}{3}x^3e^2c + \frac{1}{2}x^2e^2b$

giac [A] time = 0.16, size = 79, normalized size = 0.96

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{1}{4}dfx^8e + \frac{2}{7}cfx^7e + \frac{1}{3}bfx^6e + \frac{1}{4}dx^4e^2 + \frac{1}{3}cx^3e^2 + \frac{1}{2}bx^2e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="giac")`

[Out] $\frac{1}{12}d*f^2*x^{12} + \frac{1}{11}c*f^2*x^{11} + \frac{1}{10}b*f^2*x^{10} + \frac{1}{4}d*f*x^8*e + \frac{2}{7}c*f*x^7*e + \frac{1}{3}b*f*x^6*e + \frac{1}{4}d*x^4*e^2 + \frac{1}{3}c*x^3*e^2 + \frac{1}{2}b*x^2*e^2$

maple [A] time = 0.04, size = 80, normalized size = 0.98

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{1}{4}defx^8 + \frac{2}{7}cef x^7 + \frac{1}{3}bef x^6 + \frac{1}{4}de^2x^4 + \frac{1}{3}ce^2x^3 + \frac{1}{2}be^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+c*x^2+b*x)*(f*x^4+e)^2,x)`

[Out] $\frac{1}{12}d*f^2*x^{12} + \frac{1}{11}c*f^2*x^{11} + \frac{1}{10}b*f^2*x^{10} + \frac{1}{4}d*e*f*x^8 + \frac{2}{7}c*e*f*x^7 + \frac{1}{3}b*e*f*x^6 + \frac{1}{4}d*e^2*x^4 + \frac{1}{3}c*e^2*x^3 + \frac{1}{2}b*e^2*x^2$

maxima [A] time = 1.42, size = 79, normalized size = 0.96

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{1}{4}defx^8 + \frac{2}{7}cef x^7 + \frac{1}{3}bef x^6 + \frac{1}{4}de^2x^4 + \frac{1}{3}ce^2x^3 + \frac{1}{2}be^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="maxima")`

[Out] $\frac{1}{12}d*f^2*x^{12} + \frac{1}{11}c*f^2*x^{11} + \frac{1}{10}b*f^2*x^{10} + \frac{1}{4}d*e*f*x^8 + \frac{2}{7}c*e*f*x^7 + \frac{1}{3}b*e*f*x^6 + \frac{1}{4}d*e^2*x^4 + \frac{1}{3}c*e^2*x^3 + \frac{1}{2}b*e^2*x^2$

mupad [B] time = 0.04, size = 79, normalized size = 0.96

$$\frac{de^2x^4}{4} + \frac{ce^2x^3}{3} + \frac{be^2x^2}{2} + \frac{defx^8}{4} + \frac{2cef x^7}{7} + \frac{bef x^6}{3} + \frac{df^2x^{12}}{12} + \frac{cf^2x^{11}}{11} + \frac{bf^2x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x^4)^2*(b*x + c*x^2 + d*x^3),x)`

[Out] $(b \cdot e^{2x^2})/2 + (c \cdot e^{2x^3})/3 + (b \cdot f^{2x^{10}})/10 + (d \cdot e^{2x^4})/4 + (c \cdot f^{2x^{11}})/11 + (d \cdot f^{2x^{12}})/12 + (b \cdot e \cdot f \cdot x^6)/3 + (2 \cdot c \cdot e \cdot f \cdot x^7)/7 + (d \cdot e \cdot f \cdot x^8)/4$

sympy [A] time = 0.11, size = 92, normalized size = 1.12

$$\frac{be^2x^2}{2} + \frac{befx^6}{3} + \frac{bf^2x^{10}}{10} + \frac{ce^2x^3}{3} + \frac{2cef x^7}{7} + \frac{cf^2x^{11}}{11} + \frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+c*x**2+b*x)*(f*x**4+e)**2,x)`

[Out] $b \cdot e^{2x^2}/2 + b \cdot e \cdot f \cdot x^6/3 + b \cdot f^{2x^{10}}/10 + c \cdot e^{2x^3}/3 + 2 \cdot c \cdot e \cdot f \cdot x^7/7 + c \cdot f^{2x^{11}}/11 + d \cdot e^{2x^4}/4 + d \cdot e \cdot f \cdot x^8/4 + d \cdot f^{2x^{12}}/12$

$$3.100 \quad \int (c + dx + ex^2 + fx^3)(a + bx^4)^2 dx$$

Optimal. Leaf size=109

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{f(a + bx^4)^3}{12b} + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

Rubi [A] time = 0.08, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1582, 1657}

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{f(a + bx^4)^3}{12b} + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2,x]

[Out] a^2*c*x + (a^2*d*x^2)/2 + (a^2*e*x^3)/3 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (b^2*c*x^9)/9 + (b^2*d*x^10)/10 + (b^2*e*x^11)/11 + (f*(a + b*x^4)^3)/(12*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1657

```
Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[Expand[Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2 + fx^3)(a + bx^4)^2 dx &= \frac{f(a + bx^4)^3}{12b} + \int (c + dx + ex^2)(a + bx^4)^2 dx \\
&= \frac{f(a + bx^4)^3}{12b} + \int (a^2c + a^2dx + a^2ex^2 + 2abcx^4 + 2abdx^5 + 2abex^6 + \dots) dx \\
&= a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11} + \frac{1}{12}b^2fx^{12}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 124, normalized size = 1.14

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{1}{4}a^2fx^4 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{1}{4}abfx^8 + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11} + \frac{1}{12}b^2fx^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2, x]

[Out] a^2*c*x + (a^2*d*x^2)/2 + (a^2*e*x^3)/3 + (a^2*f*x^4)/4 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (a*b*f*x^8)/4 + (b^2*c*x^9)/9 + (b^2*d*x^10)/10 + (b^2*e*x^11)/11 + (b^2*f*x^12)/12

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx + ex^2 + fx^3)(a + bx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2, x]

fricas [A] time = 0.35, size = 102, normalized size = 0.94

$$\frac{1}{12}x^{12}fb^2 + \frac{1}{11}x^{11}eb^2 + \frac{1}{10}x^{10}db^2 + \frac{1}{9}x^9cb^2 + \frac{1}{4}x^8fba + \frac{2}{7}x^7eba + \frac{1}{3}x^6dba + \frac{2}{5}x^5cba + \frac{1}{4}x^4fa^2 + \frac{1}{3}x^3ea^2 + \frac{1}{2}x^2da^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f*b^2 + 1/11*x^11*e*b^2 + 1/10*x^10*d*b^2 + 1/9*x^9*c*b^2 + 1/4*x^8*f*b*a + 2/7*x^7*e*b*a + 1/3*x^6*d*b*a + 2/5*x^5*c*b*a + 1/4*x^4*f*a^2 + 1/3*x^3*e*a^2 + 1/2*x^2*d*a^2 + x*c*a^2

giac [A] time = 0.17, size = 105, normalized size = 0.96

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2x^{11}e + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abx^7e + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2x^3e + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="giac")

[Out] 1/12*b^2*f*x^12 + 1/11*b^2*x^11*e + 1/10*b^2*d*x^10 + 1/9*b^2*c*x^9 + 1/4*a*b*f*x^8 + 2/7*a*b*x^7*e + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*a^2*f*x^4 + 1/3*a^2*x^3*e + 1/2*a^2*d*x^2 + a^2*c*x

maple [A] time = 0.04, size = 103, normalized size = 0.94

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x)

[Out] 1/12*b^2*f*x^12+1/11*b^2*e*x^11+1/10*b^2*d*x^10+1/9*b^2*c*x^9+1/4*f*a*b*x^8+2/7*a*b*e*x^7+1/3*a*b*d*x^6+2/5*a*b*c*x^5+1/4*f*a^2*x^4+1/3*a^2*e*x^3+1/2*a^2*d*x^2+a^2*c*x

maxima [A] time = 1.39, size = 102, normalized size = 0.94

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="maxima")

[Out] 1/12*b^2*f*x^12 + 1/11*b^2*e*x^11 + 1/10*b^2*d*x^10 + 1/9*b^2*c*x^9 + 1/4*a*b*f*x^8 + 2/7*a*b*e*x^7 + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*a^2*f*x^4 + 1/3*a^2*e*x^3 + 1/2*a^2*d*x^2 + a^2*c*x

mupad [B] time = 4.68, size = 102, normalized size = 0.94

$$\frac{fa^2x^4}{4} + \frac{ea^2x^3}{3} + \frac{da^2x^2}{2} + ca^2x + \frac{fabx^8}{4} + \frac{2eabx^7}{7} + \frac{dabx^6}{3} + \frac{2cabx^5}{5} + \frac{fb^2x^{12}}{12} + \frac{eb^2x^{11}}{11} + \frac{db^2x^{10}}{10} + \frac{cb^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^2*(c + d*x + e*x^2 + f*x^3),x)

[Out] (a^2*d*x^2)/2 + (b^2*c*x^9)/9 + (a^2*e*x^3)/3 + (b^2*d*x^10)/10 + (a^2*f*x^4)/4 + (b^2*e*x^11)/11 + (b^2*f*x^12)/12 + a^2*c*x + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (a*b*f*x^8)/4

sympy [A] time = 0.09, size = 121, normalized size = 1.11

$$a^2cx + \frac{a^2dx^2}{2} + \frac{a^2ex^3}{3} + \frac{a^2fx^4}{4} + \frac{2abcx^5}{5} + \frac{abdx^6}{3} + \frac{2abex^7}{7} + \frac{abfx^8}{4} + \frac{b^2cx^9}{9} + \frac{b^2dx^{10}}{10} + \frac{b^2ex^{11}}{11} + \frac{b^2fx^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**2,x)

[Out] a**2*c*x + a**2*d*x**2/2 + a**2*e*x**3/3 + a**2*f*x**4/4 + 2*a*b*c*x**5/5 + a*b*d*x**6/3 + 2*a*b*e*x**7/7 + a*b*f*x**8/4 + b**2*c*x**9/9 + b**2*d*x**10/10 + b**2*e*x**11/11 + b**2*f*x**12/12

$$3.101 \quad \int (c + dx + ex^2 + fx^3)(a + bx^4)^3 dx$$

Optimal. Leaf size=151

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{f(a + bx^4)^4}{16b} + \frac{1}{13}b^3cx^{13}$$

Rubi [A] time = 0.11, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1582, 1657}

$$\frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{f(a + bx^4)^4}{16b} + \frac{1}{13}b^3cx^{13} + \frac{1}{14}b^3dx^{14} + \frac{1}{15}b^3ex^{15}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3,x]

[Out] a^3*c*x + (a^3*d*x^2)/2 + (a^3*e*x^3)/3 + (3*a^2*b*c*x^5)/5 + (a^2*b*d*x^6)/2 + (3*a^2*b*e*x^7)/7 + (a*b^2*c*x^9)/3 + (3*a*b^2*d*x^10)/10 + (3*a*b^2*e*x^11)/11 + (b^3*c*x^13)/13 + (b^3*d*x^14)/14 + (b^3*e*x^15)/15 + (f*(a + b*x^4)^4)/(16*b)

Rule 1582

Int[(Px_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1657

Int[(Pq_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int[Expand[Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2 + fx^3)(a + bx^4)^3 dx &= \frac{f(a + bx^4)^4}{16b} + \int (c + dx + ex^2)(a + bx^4)^3 dx \\
&= \frac{f(a + bx^4)^4}{16b} + \int (a^3c + a^3dx + a^3ex^2 + 3a^2bcx^4 + 3a^2bdx^5 + 3a^2bex^6 \\
&= a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{1}{3}ab^2cx^9
\end{aligned}$$

Mathematica [A] time = 0.01, size = 180, normalized size = 1.19

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{1}{4}a^3fx^4 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{3}{8}a^2bfx^8 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{1}{4}ab^2fx^{12} + \frac{1}{13}b^3cx^{13} + \frac{1}{14}b^3dx^{14} + \frac{1}{15}b^3ex^{15} + \frac{1}{16}b^3fx^{16}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3, x]

[Out] a^3*c*x + (a^3*d*x^2)/2 + (a^3*e*x^3)/3 + (a^3*f*x^4)/4 + (3*a^2*b*c*x^5)/5 + (a^2*b*d*x^6)/2 + (3*a^2*b*e*x^7)/7 + (3*a^2*b*f*x^8)/8 + (a*b^2*c*x^9)/3 + (3*a*b^2*d*x^10)/10 + (3*a*b^2*e*x^11)/11 + (a*b^2*f*x^12)/4 + (b^3*c*x^13)/13 + (b^3*d*x^14)/14 + (b^3*e*x^15)/15 + (b^3*f*x^16)/16

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx + ex^2 + fx^3)(a + bx^4)^3 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3, x]

fricas [A] time = 0.34, size = 150, normalized size = 0.99

$$\frac{1}{16}x^{16}fb^3 + \frac{1}{15}x^{15}eb^3 + \frac{1}{14}x^{14}db^3 + \frac{1}{13}x^{13}cb^3 + \frac{1}{4}x^{12}fb^2a + \frac{3}{11}x^{11}eb^2a + \frac{3}{10}x^{10}db^2a + \frac{1}{3}x^9cb^2a + \frac{3}{8}x^8fba^2 + \frac{3}{7}x^7eba^2 + \frac{1}{2}x^6dba^2 + \frac{3}{5}x^5cba^2 + \frac{1}{4}x^4fa^3 + \frac{1}{3}x^3ea^3 + \frac{1}{2}x^2da^3 + xca^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="fricas")

[Out] 1/16*x^16*f*b^3 + 1/15*x^15*e*b^3 + 1/14*x^14*d*b^3 + 1/13*x^13*c*b^3 + 1/4*x^12*f*b^2*a + 3/11*x^11*e*b^2*a + 3/10*x^10*d*b^2*a + 1/3*x^9*c*b^2*a + 3/8*x^8*f*b*a^2 + 3/7*x^7*e*b*a^2 + 1/2*x^6*d*b*a^2 + 3/5*x^5*c*b*a^2 + 1/4*x^4*f*a^3 + 1/3*x^3*e*a^3 + 1/2*x^2*d*a^3 + x*c*a^3

giac [A] time = 0.17, size = 154, normalized size = 1.02

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3fx^4 + \frac{1}{3}a^3ex^3 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="giac")

[Out] $\frac{1}{16}b^3f x^{16} + \frac{1}{15}b^3e x^{15} + \frac{1}{14}b^3d x^{14} + \frac{1}{13}b^3c x^{13} + \frac{1}{4}a^3b^2f x^{12} + \frac{3}{11}a^3b^2e x^{11} + \frac{3}{10}a^3b^2d x^{10} + \frac{1}{3}a^3b^2c x^9 + \frac{3}{8}a^4b^2f x^8 + \frac{3}{7}a^4b^2e x^7 + \frac{1}{2}a^4b^2d x^6 + \frac{3}{5}a^4b^2c x^5 + \frac{1}{4}a^5b^3f x^4 + \frac{1}{3}a^5b^3e x^3 + \frac{1}{2}a^5b^3d x^2 + a^5b^3c x$

maple [A] time = 0.05, size = 151, normalized size = 1.00

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3fx^4 + \frac{1}{3}a^3ex^3 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x)

[Out] $\frac{1}{16}b^3f x^{16} + \frac{1}{15}b^3e x^{15} + \frac{1}{14}b^3d x^{14} + \frac{1}{13}b^3c x^{13} + \frac{1}{4}a^3b^2f x^{12} + \frac{3}{11}a^3b^2e x^{11} + \frac{3}{10}a^3b^2d x^{10} + \frac{1}{3}a^3b^2c x^9 + \frac{3}{8}a^4b^2f x^8 + \frac{3}{7}a^4b^2e x^7 + \frac{1}{2}a^4b^2d x^6 + \frac{3}{5}a^4b^2c x^5 + \frac{1}{4}a^5b^3f x^4 + \frac{1}{3}a^5b^3e x^3 + \frac{1}{2}a^5b^3d x^2 + a^5b^3c x$

maxima [A] time = 1.34, size = 150, normalized size = 0.99

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3fx^4 + \frac{1}{3}a^3ex^3 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{16}b^3f x^{16} + \frac{1}{15}b^3e x^{15} + \frac{1}{14}b^3d x^{14} + \frac{1}{13}b^3c x^{13} + \frac{1}{4}a^3b^2f x^{12} + \frac{3}{11}a^3b^2e x^{11} + \frac{3}{10}a^3b^2d x^{10} + \frac{1}{3}a^3b^2c x^9 + \frac{3}{8}a^4b^2f x^8 + \frac{3}{7}a^4b^2e x^7 + \frac{1}{2}a^4b^2d x^6 + \frac{3}{5}a^4b^2c x^5 + \frac{1}{4}a^5b^3f x^4 + \frac{1}{3}a^5b^3e x^3 + \frac{1}{2}a^5b^3d x^2 + a^5b^3c x$

mupad [B] time = 4.86, size = 150, normalized size = 0.99

$$\frac{f a^3 x^4}{4} + \frac{e a^3 x^3}{3} + \frac{d a^3 x^2}{2} + c a^3 x + \frac{3 f a^2 b x^8}{8} + \frac{3 e a^2 b x^7}{7} + \frac{d a^2 b x^6}{2} + \frac{3 c a^2 b x^5}{5} + \frac{f a b^2 x^{12}}{4} + \frac{3 e a b^2 x^{11}}{11} + \frac{3 d a b^2 x^{10}}{10} + \frac{c a b^2 x^9}{3} + \frac{f b^3 x^{16}}{16} + \frac{e b^3 x^{15}}{15} + \frac{d b^3 x^{14}}{14} + \frac{c b^3 x^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^3*(c + d*x + e*x^2 + f*x^3),x)


```
[Out] (a^3*d*x^2)/2 + (b^3*c*x^13)/13 + (a^3*e*x^3)/3 + (b^3*d*x^14)/14 + (a^3*f*
x^4)/4 + (b^3*e*x^15)/15 + (b^3*f*x^16)/16 + a^3*c*x + (3*a^2*b*c*x^5)/5 +
(a*b^2*c*x^9)/3 + (a^2*b*d*x^6)/2 + (3*a*b^2*d*x^10)/10 + (3*a^2*b*e*x^7)/7
+ (3*a*b^2*e*x^11)/11 + (3*a^2*b*f*x^8)/8 + (a*b^2*f*x^12)/4
```

sympy [A] time = 0.13, size = 180, normalized size = 1.19

$$a^3cx + \frac{a^3dx^2}{2} + \frac{a^3ex^3}{3} + \frac{a^3fx^4}{4} + \frac{3a^2bcx^5}{5} + \frac{a^2bdx^6}{2} + \frac{3a^2bex^7}{7} + \frac{3a^2bfx^8}{8} + \frac{ab^2cx^9}{3} + \frac{3ab^2dx^{10}}{10} + \frac{3ab^2ex^{11}}{11} + \frac{ab^2fx^{12}}{4} + \frac{b^3cx^{13}}{13} + \frac{b^3dx^{14}}{14} + \frac{b^3ex^{15}}{15} + \frac{b^3fx^{16}}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**3,x)
```

```
[Out] a**3*c*x + a**3*d*x**2/2 + a**3*e*x**3/3 + a**3*f*x**4/4 + 3*a**2*b*c*x**5/
5 + a**2*b*d*x**6/2 + 3*a**2*b*e*x**7/7 + 3*a**2*b*f*x**8/8 + a*b**2*c*x**9
/3 + 3*a*b**2*d*x**10/10 + 3*a*b**2*e*x**11/11 + a*b**2*f*x**12/4 + b**3*c*
x**13/13 + b**3*d*x**14/14 + b**3*e*x**15/15 + b**3*f*x**16/16
```

$$3.102 \quad \int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^2} dx$$

Optimal. Leaf size=155

$$\frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{(\sqrt{a}e + 3\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)}$$

Rubi [A] time = 0.12, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1854, 1876, 275, 208, 1167, 205}

$$\frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{(\sqrt{a}e + 3\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^2,x]

[Out] (a*f + b*x*(c + d*x + e*x^2))/(4*a*b*(a - b*x^4)) + ((3*Sqrt[b]*c - Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(3/4)) + ((3*Sqrt[b]*c + Sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(3/4)) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3}{(a - bx^4)^2} dx &= \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)} - \frac{\int \frac{-3c - 2dx - ex^2}{a - bx^4} dx}{4a} \\
 &= \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)} - \frac{\int \left(-\frac{2dx}{a - bx^4} + \frac{-3c - ex^2}{a - bx^4} \right) dx}{4a} \\
 &= \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)} - \frac{\int \frac{-3c - ex^2}{a - bx^4} dx}{4a} + \frac{d \int \frac{x}{a - bx^4} dx}{2a} \\
 &= \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{4a} - \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} - e \right) \int \frac{1}{-\sqrt{a}\sqrt{b - bx^2}} dx}{8a} \\
 &= \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)} + \frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8a^{7/4}b^{3/4}} + \frac{(3\sqrt{b}c + \sqrt{a}e) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8a^{7/4}b^{3/4}}
 \end{aligned}$$

Mathematica [A] time = 0.23, size = 220, normalized size = 1.42

$$\frac{-\sqrt[4]{b} \log(\sqrt[4]{a} - \sqrt[4]{b}x)(a^{3/4}e + 3\sqrt[4]{a}\sqrt[4]{b}c + 2\sqrt[4]{a}\sqrt[4]{b}d) + \sqrt[4]{b} \log(\sqrt[4]{a} + \sqrt[4]{b}x)(a^{3/4}e + 3\sqrt[4]{a}\sqrt[4]{b}c - 2\sqrt[4]{a}\sqrt[4]{b}d) + \frac{4af + bx(c+xd+ex)}{a-bx^4} - 2\sqrt[4]{a}\sqrt[4]{b}(\sqrt[4]{a}e - 3\sqrt[4]{b}c) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) + 2\sqrt[4]{a}\sqrt[4]{b}d \log(\sqrt[4]{a} + \sqrt[4]{b}x^2)}{16a^2b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^2, x]

[Out] ((4*a*(a*f + b*x*(c + x*(d + e*x)))/(a - b*x^4) - 2*a^(1/4)*b^(1/4)*(-3*Sqrt[b]*c + Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)] - b^(1/4)*(3*a^(1/4)*Sqrt[b]*c + 2*Sqrt[a]*b^(1/4)*d + a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x] + b^(1/4)*(3*a^(1/4)*Sqrt[b]*c - 2*Sqrt[a]*b^(1/4)*d + a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x] + 2*Sqrt[a]*Sqrt[b]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/(16*a^2*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3}{(a - bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^2, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^2, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2, x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.23, size = 320, normalized size = 2.06

$$\frac{\sqrt{2}(3b^2c - 2\sqrt{2}(-ab^3)^{\frac{1}{2}}bd + \sqrt{-ab}be) \arctan\left(\frac{\sqrt{2}(2 + \sqrt{2}(-\frac{1}{2})^{\frac{1}{2}})}{2(-\frac{1}{2})^{\frac{1}{2}}}\right)}{16(-ab^3)^{\frac{1}{2}}a} - \frac{\sqrt{2}(3b^2c + 2\sqrt{2}(-ab^3)^{\frac{1}{2}}bd - \sqrt{-ab}be) \arctan\left(\frac{\sqrt{2}(2 - \sqrt{2}(-\frac{1}{2})^{\frac{1}{2}})}{2(-\frac{1}{2})^{\frac{1}{2}}}\right)}{16(-ab^3)^{\frac{1}{2}}a} - \frac{\sqrt{2}(3b^2c - \sqrt{-ab}be) \log\left(x^2 + \sqrt{2}x(-\frac{1}{2})^{\frac{1}{2}} + \sqrt{\frac{-2}{b}}\right)}{32(-ab^3)^{\frac{1}{2}}a} + \frac{\sqrt{2}(3b^2c - \sqrt{-ab}be) \log\left(x^2 - \sqrt{2}x(-\frac{1}{2})^{\frac{1}{2}} + \sqrt{\frac{-2}{b}}\right)}{32(-ab^3)^{\frac{1}{2}}a} - \frac{bx^3c + bdx^2 + bcx + af}{4(bx^4 - a)ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2, x, algorithm="giac")

[Out] -1/16*sqrt(2)*(3*b^2*c - 2*sqrt(2)*(-a*b^3)^(1/4)*b*d + sqrt(-a*b)*b*e)*arc tan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*

[In] `int((c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^2,x)`

[Out] `symsum(log(- root(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k)*(root(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k)*(12*b^3*c - 8*b^3*d*x) + (x*(36*a*b^3*c^2 + 4*a^2*b^2*e^2))/(16*a^3) - (b^2*d*e)/a) - (12*b^2*c*d^2 - 9*b^2*c^2*e + a*b*e^3)/(64*a^3) - (x*(2*b^2*d^3 - 3*b^2*c*d*e))/(16*a^3))*root(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k), k, 1, 4) + (f/(4*b) + (d*x^2)/(4*a) + (e*x^3)/(4*a) + (c*x)/(4*a))/(a - b*x^4)`

sympy [B] time = 24.17, size = 520, normalized size = 3.35

RootSum(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k) * (12*b^3*c - 8*b^3*d*x) + (x*(36*a*b^3*c^2 + 4*a^2*b^2*e^2))/(16*a^3) - (b^2*d*e)/a) - (12*b^2*c*d^2 - 9*b^2*c^2*e + a*b*e^3)/(64*a^3) - (x*(2*b^2*d^3 - 3*b^2*c*d*e))/(16*a^3) * root(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k), k, 1, 4) + (f/(4*b) + (d*x^2)/(4*a) + (e*x^3)/(4*a) + (c*x)/(4*a))/(a - b*x^4)

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**2,x)`

[Out] `RootSum(65536*_t**4*a**7*b**3 + _t**2*(-3072*a**4*b**2*c*e - 2048*a**4*b**2*d**2) + _t*(128*a**3*b*d*e**2 + 1152*a**2*b**2*c**2*d) - a**2*e**4 + 18*a*b*c**2*e**2 - 48*a*b*c*d**2*e + 16*a*b*d**4 - 81*b**2*c**4, Lambda(_t, _t*log(x + (4096*_t**3*a**7*b**2*e**3 + 36864*_t**3*a**6*b**3*c**2*e - 98304*_t**3*a**6*b**3*c*d**2 + 4608*_t**2*a**5*b**2*c*d*e**2 - 4096*_t**2*a**5*b**2*d**3*e - 13824*_t**2*a**4*b**3*c**3*d - 144*_t*a**4*b*c*e**4 - 192*_t*a**4*b*d**2*e**3 - 1728*_t*a**3*b**2*c**3*e**2 + 5184*_t*a**3*b**2*c**2*d**2*e + 1536*_t*a**3*b**2*c*d**4 - 3888*_t*a**2*b**3*c**5 + 6*a**3*d*e**5 - 120*a**2*b*c*d**3*e**2 + 64*a**2*b*d**5*e + 810*a*b**2*c**4*d*e - 1080*a*b**2*c**3*d**3)/(a**3*e**6 + 9*a**2*b*c**2*e**4 - 96*a**2*b*c*d**2*e**3 + 64*a**2*b*d**4*e**2 - 81*a*b**2*c**4*e**2 + 864*a*b**2*c**3*d**2*e - 576*a*b**2*c**2*d**4 - 729*b**3*c**6)))) + (-a*f - b*c*x - b*d*x**2 - b*e*x**3)/(-4*a**2*b + 4*a*b**2*x**4)`

$$3.103 \quad \int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^3} dx$$

Optimal. Leaf size=188

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) + (5\sqrt{a}e + 21\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af}{8ab(a - bx^4)^2}$$

Rubi [A] time = 0.15, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^3, x]

[Out] (x*(7*c + 6*d*x + 5*e*x^2))/(32*a^2*(a - b*x^4)) + (a*f + b*x*(c + d*x + e*x^2))/(8*a*b*(a - b*x^4)^2) + ((21*Sqrt[b]*c - 5*Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(3/4)) + ((21*Sqrt[b]*c + 5*Sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(3/4)) + (3*d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(16*a^(5/2)*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{(a - bx^4)^3} dx &= \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} - \frac{\int \frac{-7c - 6dx - 5ex^2}{(a - bx^4)^2} dx}{8a} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} + \frac{\int \frac{21c + 12dx + 5ex^2}{a - bx^4} dx}{32a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} + \frac{\int \left(\frac{12dx}{a - bx^4} + \frac{21c + 5ex^2}{a - bx^4} \right) dx}{32a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} + \frac{\int \frac{21c + 5ex^2}{a - bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a - bx^4} dx}{8a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} + \frac{(3d) \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{16a^2} - \frac{(21\sqrt{b}c)}{16a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} + \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{64a^{9/4}b^{3/4}} + \frac{(21\sqrt{b}c)}{16a^2}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 253, normalized size = 1.35

$$\frac{-\frac{\log\left(\sqrt[4]{a}-\sqrt[4]{b}x\right)\left(5a^{3/4}e+21\sqrt[4]{a}\sqrt{b}c+12\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}}+\frac{\log\left(\sqrt[4]{a}+\sqrt[4]{b}x\right)\left(5a^{3/4}e+21\sqrt[4]{a}\sqrt{b}c-12\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}}+\frac{16a^2\left(af+bx\left(c+x\left(d+ex\right)\right)\right)}{b\left(a-bx^4\right)^2}+\frac{2\sqrt[4]{a}\left(21\sqrt{b}c-5\sqrt{a}e\right)\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{b^{3/4}}+\frac{4ax\left(7c+x\left(6d+5ex\right)\right)}{a-bx^4}+\frac{12\sqrt{a}d\log\left(\sqrt{a}+\sqrt{b}x^2\right)}{\sqrt{b}}}{128a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^3, x]

[Out] ((4*a*x*(7*c + x*(6*d + 5*e*x)))/(a - b*x^4) + (16*a^2*(a*f + b*x*(c + x*(d + e*x)))/(b*(a - b*x^4)^2) + (2*a^(1/4)*(21*sqrt[b]*c - 5*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/b^(3/4) - ((21*a^(1/4)*sqrt[b]*c + 12*sqrt[a]*b^(1/4)*d + 5*a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x])/b^(3/4) + ((21*a^(1/4)*sqrt[b]*c - 12*sqrt[a]*b^(1/4)*d + 5*a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x])/b^(3/4) + (12*sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(128*a^3)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3}{(a - bx^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^3,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^3, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.20, size = 358, normalized size = 1.90

$$\frac{\sqrt{2}(21b^2c - 12\sqrt{2}(-ab)^{\frac{1}{2}}bd + 5\sqrt{-ab}be) \arctan\left(\frac{\sqrt{2}(21b^2c - 12\sqrt{2}(-ab)^{\frac{1}{2}}bd + 5\sqrt{-ab}be)}{2(-\frac{1}{2})^{\frac{1}{2}}}\right)}{128(-ab)^{\frac{1}{2}}a^2} - \frac{\sqrt{2}(21b^2c + 12\sqrt{2}(-ab)^{\frac{1}{2}}bd - 5\sqrt{-ab}be) \arctan\left(\frac{\sqrt{2}(21b^2c + 12\sqrt{2}(-ab)^{\frac{1}{2}}bd - 5\sqrt{-ab}be)}{2(-\frac{1}{2})^{\frac{1}{2}}}\right)}{128(-ab)^{\frac{1}{2}}a^2} + \frac{\sqrt{2}(21b^2c - 5\sqrt{-ab}be) \log\left(x^2 + \sqrt{2}x(-\frac{1}{2})^{\frac{1}{2}} + \sqrt{\frac{1}{2}}\right)}{256(-ab)^{\frac{1}{2}}a^2} + \frac{\sqrt{2}(21b^2c - 5\sqrt{-ab}be) \log\left(x^2 - \sqrt{2}x(-\frac{1}{2})^{\frac{1}{2}} + \sqrt{\frac{1}{2}}\right)}{256(-ab)^{\frac{1}{2}}a^2} - \frac{5b^2c^2e + 6b^2d^2e + 7b^2c^2e - 9abd^2e - 10abd^2e - 11abcx - 4d^2f}{32(bx^4 - a)^2ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/128*\sqrt{2}*(21*b^2*c - 12*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d + 5*\sqrt{-a*b}*b*e) \\ & * \arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^2) \\ & - 1/128*\sqrt{2}*(21*b^2*c + 12*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d - 5*\sqrt{-a*b}*b*e) \\ & * \arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/ \\ & ((-a*b^3)^{(3/4)}*a^2) - 1/256*\sqrt{2}*(21*b^2*c - 5*\sqrt{-a*b}*b*e)*\log(x^2 \\ & + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a^2) + 1/256*\sqrt{2} \\ & *(21*b^2*c - 5*\sqrt{-a*b}*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b}) \\ &)/((-a*b^3)^{(3/4)}*a^2) - 1/32*(5*b^2*x^7*e + 6*b^2*d*x^6 + 7*b^2*c*x^5 - 9 \\ & *a*b*x^3*e - 10*a*b*d*x^2 - 11*a*b*c*x - 4*a^2*f)/((b*x^4 - a)^2*a^2*b) \end{aligned}$$

maple [B] time = 0.05, size = 326, normalized size = 1.73

$$\frac{f x^4}{8(b x^4 - a)^2 a} + \frac{e x^3}{8(b x^4 - a)^2 a} - \frac{f x^4}{8(b x^4 - a)^2 a} + \frac{d x^3}{8(b x^4 - a)^2 a} - \frac{5 e x^3}{32(b x^4 - a)^2 a} + \frac{c x}{8(b x^4 - a)^2 a} - \frac{3 d x^2}{16(b x^4 - a)^2 a} - \frac{7 c x}{32(b x^4 - a)^2 a} - \frac{3 d \ln\left(\frac{\sqrt{-ab} x^2 - a}{-\sqrt{-ab} x^2 - a}\right)}{32 \sqrt{ab} a^2} - \frac{5 e \arctan\left(\frac{x}{\left(\frac{1}{2}\right)^{\frac{1}{2}}}\right)}{64 \left(\frac{a}{b}\right)^{\frac{1}{2}} a^2 b} + \frac{5 e \ln\left(\frac{x + \left(\frac{1}{2}\right)^{\frac{1}{2}}}{x - \left(\frac{1}{2}\right)^{\frac{1}{2}}}\right)}{128 \left(\frac{a}{b}\right)^{\frac{1}{2}} a^2 b} + \frac{21 \left(\frac{a}{b}\right)^{\frac{1}{2}} c \arctan\left(\frac{x}{\left(\frac{1}{2}\right)^{\frac{1}{2}}}\right)}{64 a^3} + \frac{21 \left(\frac{a}{b}\right)^{\frac{1}{2}} c \ln\left(\frac{x + \left(\frac{1}{2}\right)^{\frac{1}{2}}}{x - \left(\frac{1}{2}\right)^{\frac{1}{2}}}\right)}{128 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x)

[Out]
$$\begin{aligned} & 1/8/(b*x^4-a)^2/a*c*x - 7/32/(b*x^4-a)/a^2*c*x + 21/128*(a/b)^{(1/4)}/a^3*c*\ln((x \\ & + (a/b)^{(1/4)})/(x - (a/b)^{(1/4)})) + 21/64*(a/b)^{(1/4)}/a^3*c*\arctan(1/(a/b)^{(1/4)} \\ & *x) + 1/8/(b*x^4-a)^2/a*d*x^2 - 3/16/(b*x^4-a)/a^2*d*x^2 - 3/32/(a*b)^{(1/2)}/a^2*d \\ & * \ln(((a*b)^{(1/2)}*x^2 - a)/(-(a*b)^{(1/2)}*x^2 - a)) + 1/8/(b*x^4-a)^2/a*e*x^3 - 5/32/ \end{aligned}$$


```

94481*b^2*c^4, z, k)*a^3*b*d*e))/(32768*a^6))*root(268435456*a^11*b^3*z^4 -
6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*
z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*
b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k), k, 1, 4) + (f/(8*b) + (5*d*x^2
)/(16*a) + (9*e*x^3)/(32*a) + (11*c*x)/(32*a) - (7*b*c*x^5)/(32*a^2) - (3*b
*d*x^6)/(16*a^2) - (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 - 2*a*b*x^4)

```

sympy [B] time = 116.92, size = 583, normalized size = 3.10

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**3,x)
```

```
[Out] -RootSum(268435456*_t**4*a**11*b**3 + _t**2*(-6881280*a**6*b**2*c*e - 47185
92*a**6*b**2*d**2) + _t*(-153600*a**4*b*d*e**2 - 2709504*a**3*b**2*c**2*d)
- 625*a**2*e**4 + 22050*a*b*c**2*e**2 - 60480*a*b*c*d**2*e + 20736*a*b*d**4
- 194481*b**2*c**4, Lambda(_t, _t*log(x + (-262144000*_t**3*a**10*b**2*e**
3 - 4624220160*_t**3*a**9*b**3*c**2*e + 12683575296*_t**3*a**9*b**3*c*d**2
+ 309657600*_t**2*a**7*b**2*c*d*e**2 - 283115520*_t**2*a**7*b**2*d**3*e - 1
820786688*_t**2*a**6*b**3*c**3*d + 5040000*_t*a**5*b*c*e**4 + 6912000*_t*a*
*5*b*d**2*e**3 + 118540800*_t*a**4*b**2*c**3*e**2 - 365783040*_t*a**4*b**2*
c**2*d**2*e - 111476736*_t*a**4*b**2*c*d**4 + 522764928*_t*a**3*b**3*c**5 +
112500*a**3*d*e**5 - 4536000*a**2*b*c*d**3*e**2 + 2488320*a**2*b*d**5*e +
58344300*a*b**2*c**4*d*e - 80015040*a*b**2*c**3*d**3))/(15625*a**3*e**6 + 27
5625*a**2*b*c**2*e**4 - 3024000*a**2*b*c*d**2*e**3 + 2073600*a**2*b*d**4*e*
*2 - 4862025*a*b**2*c**4*e**2 + 53343360*a*b**2*c**3*d**2*e - 36578304*a*b*
*2*c**2*d**4 - 85766121*b**3*c**6))) - (-4*a**2*f - 11*a*b*c*x - 10*a*b*d*
x**2 - 9*a*b*e*x**3 + 7*b**2*c*x**5 + 6*b**2*d*x**6 + 5*b**2*e*x**7)/(32*a*
*4*b - 64*a**3*b**2*x**4 + 32*a**2*b**3*x**8)

```

$$3.104 \quad \int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^4} dx$$

Optimal. Leaf size=220

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) + (15\sqrt{a}e + 77\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)}}{256a^{15/4}b^{3/4} + 256a^{15/4}b^{3/4} + 32a^{7/2}\sqrt{b} + 384a^3(a - bx^4)}$$

Rubi [A] time = 0.19, antiderivative size = 220, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{(15\sqrt{a}e + 77\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^4, x]

[Out] (x*(11*c + 10*d*x + 9*e*x^2))/(96*a^2*(a - b*x^4)^2) + (x*(77*c + 60*d*x + 45*e*x^2))/(384*a^3*(a - b*x^4)) + (a*f + b*x*(c + d*x + e*x^2))/(12*a*b*(a - b*x^4)^3) + ((77*Sqrt[b]*c - 15*Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(3/4)) + ((77*Sqrt[b]*c + 15*Sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(3/4)) + (5*d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{(a - bx^4)^4} dx &= \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} - \frac{\int \frac{-11c - 10dx - 9ex^2}{(a - bx^4)^3} dx}{12a} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} + \frac{\int \frac{77c + 60dx + 45ex^2}{(a - bx^4)^2} dx}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} - \frac{\int \frac{-23c - 20dx - 15ex^2}{(a - bx^4)} dx}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} - \frac{\int \left(-\frac{1}{a}\right) dx}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} - \frac{\int \frac{-23c - 20dx - 15ex^2}{a} dx}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} + \frac{(5d)S}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} + \frac{(77\sqrt{a})}{96a^2}
\end{aligned}$$

Mathematica [A] time = 0.50, size = 286, normalized size = 1.30

$$\frac{-\frac{3 \log\left(\sqrt[4]{a-bx}\right)\left(15a^{3/4}e+77\sqrt[4]{a}\sqrt{bc}+40\sqrt{a}\sqrt[4]{bd}\right)}{b^{3/4}} + \frac{3 \log\left(\sqrt[4]{a+bx}\right)\left(15a^{3/4}e+77\sqrt[4]{a}\sqrt{bc}-40\sqrt{a}\sqrt[4]{bd}\right)}{b^{3/4}} - \frac{128a^2(af+bx(c+xd+ex))}{b(bx^4-a)^3} + \frac{16a^2x(11c+x(10d+9ex))}{(a-bx^4)^2} + \frac{6\sqrt[4]{a}(77\sqrt{bc}-15\sqrt{ae})\tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}}\right)}{b^{3/4}} + \frac{4ax(77c+15x(4d+3ex))}{a-bx^4} + \frac{120\sqrt{a}d\log(\sqrt{a}+\sqrt{bx^2})}{\sqrt{b}}}{1536a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^4, x]

[Out] ((4*a*x*(77*c + 15*x*(4*d + 3*e*x)))/(a - b*x^4) + (16*a^2*x*(11*c + x*(10*d + 9*e*x)))/(a - b*x^4)^2 - (128*a^3*(a*f + b*x*(c + x*(d + e*x))))/(b*(-a + b*x^4)^3) + (6*a^(1/4)*(77*sqrt[b]*c - 15*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/b^(3/4) - (3*(77*a^(1/4)*sqrt[b]*c + 40*sqrt[a]*b^(1/4)*d + 15*a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x])/b^(3/4) + (3*(77*a^(1/4)*sqrt[b]*c - 40*sqrt[a]*b^(1/4)*d + 15*a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x])/b^(3/4) + (120*sqrt[a]*d*Log[sqrt[a] + sqrt[b]*x^2])/sqrt[b])/(1536*a^4)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3}{(a - bx^4)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^4, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^4, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4, x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.19, size = 395, normalized size = 1.80

$$\frac{\sqrt{2}(77bc - 40\sqrt{2}(-ab)^{\frac{1}{2}}bd + 15\sqrt{-ab}b)\arctan\left(\frac{a^{\frac{1}{4}}(-x-\frac{a}{b})^{\frac{1}{4}}}{x+\frac{a}{b}}\right)}{512(-ab)^{\frac{3}{4}}a^3} - \frac{\sqrt{2}(77bc + 40\sqrt{2}(-ab)^{\frac{1}{2}}bd - 15\sqrt{-ab}b)\arctan\left(\frac{a^{\frac{1}{4}}(-x+\frac{a}{b})^{\frac{1}{4}}}{x-\frac{a}{b}}\right)}{512(-ab)^{\frac{3}{4}}a^3} - \frac{\sqrt{2}(77bc - 15\sqrt{-ab}b)\log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{1024(-ab)^{\frac{3}{4}}a^3} - \frac{\sqrt{2}(77bc - 15\sqrt{-ab}b)\log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{1024(-ab)^{\frac{3}{4}}a^3} - \frac{45b^3c^2x^2 + 60b^3d^2x + 77b^3c^2x - 126ab^2c^2 - 160ab^2d^2 - 198ab^2c^2 + 113a^2b^2c^2 + 132a^2b^2d^2 + 153a^2b^2c^2 + 32a^2f}{384(bx^4 - a)^3a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4, x, algorithm="giac")

[Out]
$$-1/512*\sqrt{2}*(77*b^2*c - 40*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d + 15*\sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^3) - 1/512*\sqrt{2}*(77*b^2*c + 40*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d - 15*\sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^3) - 1/1024*\sqrt{2}*(77*b^2*c - 15*\sqrt{-a*b}*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a^3) + 1/1024*\sqrt{2}*(77*b^2*c - 15*\sqrt{-a*b}*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a^3) - 1/384*(45*b^3*x^{11}*e + 60*b^3*d*x^{10} + 77*b^3*c*x^9 - 126*a*b^2*x^7*e - 160*a*b^2*d*x^6 - 198*a*b^2*c*x^5 + 113*a^2*b^2*x^3*e + 132*a^2*b*d*x^2 + 153*a^2*b*c*x + 32*a^3*f)/(b*x^4 - a)^3*a^3*b$$

maple [A] time = 0.06, size = 280, normalized size = 1.27

$$\frac{5d \ln\left(\frac{\sqrt{ab}x^2 - a}{-\sqrt{ab}x^2 - a}\right)}{64\sqrt{ab}a^3} - \frac{15e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256\left(\frac{a}{b}\right)^{\frac{1}{4}}a^3b} + \frac{15e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}}a^3b} + \frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}}c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256a^4} + \frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}}c \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512a^4} + \frac{-15b^2ex^{11} - 5b^2dx^{10} - 77b^2cx^9 + 21bex^7 + 5bdx^6 + 33bcx^5 - 113ex^3 - 11dx^2 - 51cx - f}{128a^3 - 32a^3 - 384a^3 + 64a^2 + 12a^2 + 64a^2 - 384a - 32a - 128a - 12b}(bx^4 - a)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x)$

[Out] $(-15/128/a^3*b^2*e*x^{11}-5/32/a^3*b^2*d*x^{10}-77/384/a^3*b^2*c*x^9+21/64/a^2*b*e*x^7+5/12/a^2*b*d*x^6+33/64/a^2*b*c*x^5-113/384/a*e*x^3-11/32/a*d*x^2-51/128/a*c*x-1/12*f/b)/(b*x^4-a)^3+77/512*(a/b)^{(1/4)}/a^4*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+77/256*(a/b)^{(1/4)}/a^4*c*\arctan(1/(a/b)^{(1/4)}*x)-5/64/(a*b)^{(1/2)}/a^3*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-15/256/(a/b)^{(1/4)}/a^3/b*e*\arctan(1/(a/b)^{(1/4)}*x)+15/512/(a/b)^{(1/4)}/a^3/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$

maxima [A] time = 3.06, size = 297, normalized size = 1.35

$$\frac{45b^3cx^{11} + 60b^3dx^{10} + 77b^3cx^9 - 126ab^2cx^7 - 160ab^2dx^6 - 198ab^2cx^5 + 113a^2b^2cx^3 + 132a^2bdx^2 + 153a^2b^2cx + 32a^3f}{384(a^3b^4x^{12} - 3a^4b^3x^8 + 3a^5b^2x^4 - a^6b)} + \frac{40d \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{40d \log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} + \frac{2(77\sqrt{b}c - 15\sqrt{a}e) \arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{b}\sqrt{b}} - \frac{(77\sqrt{b}c + 15\sqrt{a}e) \log\left(\frac{\sqrt{b}x - \sqrt{a}\sqrt{b}}{\sqrt{b}x + \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{b}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, \text{algorithm}="maxima")$

[Out] $-1/384*(45*b^3*e*x^{11} + 60*b^3*d*x^{10} + 77*b^3*c*x^9 - 126*a*b^2*e*x^7 - 160*a*b^2*d*x^6 - 198*a*b^2*c*x^5 + 113*a^2*b^2*e*x^3 + 132*a^2*b*d*x^2 + 153*a^2*b^2*c*x + 32*a^3*f)/(a^3*b^4*x^{12} - 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 - a^6*b) + 1/512*(40*d*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 40*d*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) + 2*(77*sqrt(b)*c - 15*sqrt(a)*e)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (77*sqrt(b)*c + 15*sqrt(a)*e)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)))/a^3$

mupad [B] time = 5.25, size = 880, normalized size = 4.00

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^4,x)$

[Out] $\text{symsum}(\log(-(b*(3375*a*e^3 + 123200*b*c*d^2 - 88935*b*c^2*e + 64000*b*d^3*x + 20185088*\text{root}(68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*c*e*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k))^2*a^7*b^2*c + 115200*\text{root}(68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*c*e*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k))*a^4*b*e^2*x - 92400*b*c*d*e*x + 3035648*\text{root}(68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*c*e*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z$

$$\begin{aligned}
& + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k)*a^3*b^2*c^2*x - 10485760*root(68719476736*a^15*b^3*z^4 - 1211105280*a^8*b^2*c*e*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k)^2*a^7*b^2*d*x - 614400*root(68719476736*a^15*b^3*z^4 - 1211105280*a^8*b^2*c*e*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k)*a^4*b*d*e))/((2097152*a^9))*root(68719476736*a^15*b^3*z^4 - 1211105280*a^8*b^2*c*e*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 - 35153041*b^2*c^4 - 50625*a^2*e^4, z, k), k, 1, 4) + (f/(12*b) + (11*d*x^2)/(32*a) + (113*e*x^3)/(384*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (5*b^2*d*x^10)/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) - (33*b*c*x^5)/(64*a^2) - (5*b*d*x^6)/(12*a^2) - (21*b*e*x^7)/(64*a^2))/(a^3 - b^3*x^12 - 3*a^2*b*x^4 + 3*a*b^2*x^8)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**4,x)

[Out] Timed out

3.105 $\int \frac{a}{2+3x^4} dx$

Optimal. Leaf size=101

$$\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}}$$

Rubi [A] time = 0.10, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.636$, Rules used = {12, 211, 1165, 628, 1162, 617, 204}

$$\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}}$$

Antiderivative was successfully verified.

[In] Int[a/(2 + 3*x^4), x]

[Out] -(a*ArcTan[1 - 6^(1/4)*x])/(4*6^(1/4)) + (a*ArcTan[1 + 6^(1/4)*x])/(4*6^(1/4)) - (a*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (a*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(1/4))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rubi steps

$$\begin{aligned}
 \int \frac{a}{2+3x^4} dx &= a \int \frac{1}{2+3x^4} dx \\
 &= \frac{a \int \frac{\sqrt{2}-\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{2}} + \frac{a \int \frac{\sqrt{2}+\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{2}} \\
 &= \frac{a \int \frac{1}{\sqrt{\frac{2}{3}-\frac{2^{3/4}x}{\sqrt{3}}+x^2}} dx}{4\sqrt{6}} + \frac{a \int \frac{1}{\sqrt{\frac{2}{3}+\frac{2^{3/4}x}{\sqrt{3}}+x^2}} dx}{4\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt{3}}+2x}{-\sqrt{\frac{2}{3}-\frac{2^{3/4}x}{\sqrt{3}}-x^2}} dx}{8\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt{3}}-2x}{-\sqrt{\frac{2}{3}+\frac{2^{3/4}x}{\sqrt{3}}-x^2}} dx}{8\sqrt{6}} \\
 &= -\frac{a \log(\sqrt{6}-6^{3/4}x+3x^2)}{8\sqrt{6}} + \frac{a \log(\sqrt{6}+6^{3/4}x+3x^2)}{8\sqrt{6}} + \frac{a \operatorname{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1-\sqrt[4]{6}x\right)}{4\sqrt{6}} - \frac{a \operatorname{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1+\sqrt[4]{6}x\right)}{4\sqrt{6}} \\
 &= -\frac{a \tan^{-1}\left(1-\sqrt[4]{6}x\right)}{4\sqrt{6}} + \frac{a \tan^{-1}\left(1+\sqrt[4]{6}x\right)}{4\sqrt{6}} - \frac{a \log(\sqrt{6}-6^{3/4}x+3x^2)}{8\sqrt{6}} + \frac{a \log(\sqrt{6}+6^{3/4}x+3x^2)}{8\sqrt{6}}
 \end{aligned}$$

Mathematica [A] time = 0.03, size = 78, normalized size = 0.77

$$\frac{a \left(-\log \left(\sqrt{6} x^2 - 2\sqrt[4]{6} x + 2 \right) + \log \left(\sqrt{6} x^2 + 2\sqrt[4]{6} x + 2 \right) - 2 \tan^{-1} \left(1 - \sqrt[4]{6} x \right) + 2 \tan^{-1} \left(\sqrt[4]{6} x + 1 \right) \right)}{8\sqrt[4]{6}}$$

Antiderivative was successfully verified.

[In] Integrate[a/(2 + 3*x^4), x]

[Out] (a*(-2*ArcTan[1 - 6^(1/4)*x] + 2*ArcTan[1 + 6^(1/4)*x] - Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] + Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2]))/(8*6^(1/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a}{2 + 3x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[a/(2 + 3*x^4), x]

[Out] IntegrateAlgebraic[a/(2 + 3*x^4), x]

fricas [B] time = 0.45, size = 284, normalized size = 2.81

$$\frac{1}{48} \cdot 24^{\frac{3}{4}} \sqrt[4]{a^3} \arctan \left(\frac{4a^3 + 2 \cdot 24^{\frac{1}{4}} \sqrt{2} (a^2)^{\frac{3}{4}} x - 24^{\frac{1}{4}} \sqrt[4]{2} \sqrt[4]{(a^2)^{\frac{3}{4}} \sqrt{\frac{12a^2 - 24^{\frac{1}{4}} \sqrt{2} (a^2)^{\frac{3}{4}} x + 4\sqrt{6}\sqrt{a^2}}}{2}}}}{4a^3} \right) - \frac{1}{48} \cdot 24^{\frac{3}{4}} \sqrt[4]{a^3} \arctan \left(\frac{4a^3 - 2 \cdot 24^{\frac{1}{4}} \sqrt{2} (a^2)^{\frac{3}{4}} x + 24^{\frac{1}{4}} \sqrt[4]{2} \sqrt[4]{(a^2)^{\frac{3}{4}} \sqrt{\frac{12a^2 - 24^{\frac{1}{4}} \sqrt{2} (a^2)^{\frac{3}{4}} x + 4\sqrt{6}\sqrt{a^2}}}{2}}}}{4a^3} \right) + \frac{1}{192} \cdot 24^{\frac{3}{4}} \sqrt[4]{a^3} \log \left(12a^2 x^2 + 24^{\frac{3}{4}} \sqrt[4]{2} \sqrt[4]{(a^2)^{\frac{3}{4}} x + 4\sqrt{6}\sqrt{a^2}} \right) - \frac{1}{192} \cdot 24^{\frac{3}{4}} \sqrt[4]{a^3} \log \left(12a^2 x^2 - 24^{\frac{3}{4}} \sqrt[4]{2} \sqrt[4]{(a^2)^{\frac{3}{4}} x + 4\sqrt{6}\sqrt{a^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a/(3*x^4+2), x, algorithm="fricas")

[Out] -1/48*24^(3/4)*sqrt(2)*(a^4)^(1/4)*arctan(-1/4*(4*a^3 + 2*24^(1/4)*sqrt(2)*(a^4)^(3/4)*x - 24^(1/4)*sqrt(2)*sqrt(1/3)*(a^4)^(3/4)*sqrt((12*a^2*x^2 + 2*4^(3/4)*sqrt(2)*(a^4)^(1/4)*a*x + 4*sqrt(6)*sqrt(a^4))/a^2))/a^3 - 1/48*24^(3/4)*sqrt(2)*(a^4)^(1/4)*arctan(1/4*(4*a^3 - 2*24^(1/4)*sqrt(2)*(a^4)^(3/4)*x + 24^(1/4)*sqrt(2)*sqrt(1/3)*(a^4)^(3/4)*sqrt((12*a^2*x^2 - 24^(3/4)*sqrt(2)*(a^4)^(1/4)*a*x + 4*sqrt(6)*sqrt(a^4))/a^2))/a^3 + 1/192*24^(3/4)*sqrt(2)*(a^4)^(1/4)*log(12*a^2*x^2 + 24^(3/4)*sqrt(2)*(a^4)^(1/4)*a*x + 4*sqrt(6)*sqrt(a^4)) - 1/192*24^(3/4)*sqrt(2)*(a^4)^(1/4)*log(12*a^2*x^2 - 24^(3/4)*sqrt(2)*(a^4)^(1/4)*a*x + 4*sqrt(6)*sqrt(a^4))

giac [A] time = 0.20, size = 97, normalized size = 0.96

$$\frac{1}{48} \left(2 \cdot 6^{\frac{3}{4}} \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + 2 \cdot 6^{\frac{3}{4}} \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) \right) + 6^{\frac{3}{4}} \log \left(x^2 + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}} \right) - 6^{\frac{3}{4}} \log \left(x^2 - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}} \right) \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a/(3*x^4+2),x, algorithm="giac")

[Out] $\frac{1}{48} \cdot (2 \cdot 6^{\frac{3}{4}} \cdot \arctan\left(\frac{3}{4} \cdot \sqrt{2} \cdot \left(\frac{2}{3}\right)^{\frac{3}{4}} \cdot (2x + \sqrt{2} \cdot \left(\frac{2}{3}\right)^{\frac{1}{4}})\right) + 2 \cdot 6^{\frac{3}{4}} \cdot \arctan\left(\frac{3}{4} \cdot \sqrt{2} \cdot \left(\frac{2}{3}\right)^{\frac{3}{4}} \cdot (2x - \sqrt{2} \cdot \left(\frac{2}{3}\right)^{\frac{1}{4}})\right) + 6^{\frac{3}{4}} \cdot \log(x^2 + \sqrt{2} \cdot \left(\frac{2}{3}\right)^{\frac{1}{4}} \cdot x + \sqrt{2/3}) - 6^{\frac{3}{4}} \cdot \log(x^2 - \sqrt{2} \cdot \left(\frac{2}{3}\right)^{\frac{1}{4}} \cdot x + \sqrt{2/3})) \cdot a$

maple [A] time = 0.04, size = 114, normalized size = 1.13

$$\frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \cdot \sqrt{2} \cdot a \arctan\left(\frac{\sqrt{2} \cdot \sqrt{3} \cdot 6^{\frac{3}{4}} x}{6} - 1\right)}{24} + \frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \cdot \sqrt{2} \cdot a \arctan\left(\frac{\sqrt{2} \cdot \sqrt{3} \cdot 6^{\frac{3}{4}} x}{6} + 1\right)}{24} + \frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \cdot \sqrt{2} \cdot a \ln\left(\frac{x^2 + \frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \cdot \sqrt{2} x + \frac{\sqrt{6}}{3}}{3}}{x^2 - \frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \cdot \sqrt{2} x + \frac{\sqrt{6}}{3}}{3}}\right)}{48}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a/(3*x^4+2),x)

[Out] $\frac{1}{24} \cdot a \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \arctan\left(\frac{1}{6} \cdot 2^{\frac{1}{2}} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot (x+1)\right) + \frac{1}{24} \cdot a \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \arctan\left(\frac{1}{6} \cdot 2^{\frac{1}{2}} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot (x-1)\right) + \frac{1}{48} \cdot a \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \ln\left(\frac{(x^2 + 1/3 \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot (x+1/3 \cdot 6^{\frac{1}{2}}))}{(x^2 - 1/3 \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot (x+1/3 \cdot 6^{\frac{1}{2}}))}\right)$

maxima [A] time = 2.94, size = 123, normalized size = 1.22

$$\frac{1}{48} \left(2 \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} (2\sqrt{3}x + 3^{\frac{1}{4}})\right) + 2 \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} (2\sqrt{3}x - 3^{\frac{1}{4}})\right) + 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \log(\sqrt{3}x^2 + 3^{\frac{1}{4}}x + \sqrt{2}) - 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \log(\sqrt{3}x^2 - 3^{\frac{1}{4}}x + \sqrt{2}) \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a/(3*x^4+2),x, algorithm="maxima")

[Out] $\frac{1}{48} \cdot (2 \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot (2 \cdot \sqrt{3} \cdot x + 3^{\frac{1}{4}}) \cdot 2^{\frac{3}{4}}\right) + 2 \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot (2 \cdot \sqrt{3} \cdot x - 3^{\frac{1}{4}}) \cdot 2^{\frac{3}{4}}\right) + 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot \log(\sqrt{3} \cdot x^2 + 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} \cdot x + \sqrt{2}) - 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot \log(\sqrt{3} \cdot x^2 - 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} \cdot x + \sqrt{2})) \cdot a$

mupad [B] time = 0.12, size = 36, normalized size = 0.36

$$\frac{(-1)^{\frac{1}{4}} \cdot 6144^{\frac{3}{4}} \cdot a \left(\operatorname{atan}\left(\frac{(-1)^{\frac{1}{4}} \cdot 6144^{\frac{1}{4}} \cdot x}{8}\right) \operatorname{li} + \operatorname{atanh}\left(\frac{(-1)^{\frac{1}{4}} \cdot 6144^{\frac{1}{4}} \cdot x}{8}\right) \operatorname{li} \right)}{3072}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a/(3*x^4 + 2),x)

[Out] $-\left((-1)^{\frac{1}{4}} \cdot 6144^{\frac{3}{4}} \cdot a \cdot \left(\operatorname{atan}\left(\frac{(-1)^{\frac{1}{4}} \cdot 6144^{\frac{1}{4}} \cdot x}{8}\right) \operatorname{li} + \operatorname{atanh}\left(\frac{(-1)^{\frac{1}{4}} \cdot 6144^{\frac{1}{4}} \cdot x}{8}\right) \operatorname{li} \right) \right) / 3072$

sympy [A] time = 0.44, size = 88, normalized size = 0.87

$$a \left(-\frac{6^{\frac{3}{4}} \log\left(x^2 - \frac{6^{\frac{3}{4}}x}{3} + \frac{\sqrt{6}}{3}\right)}{48} + \frac{6^{\frac{3}{4}} \log\left(x^2 + \frac{6^{\frac{3}{4}}x}{3} + \frac{\sqrt{6}}{3}\right)}{48} + \frac{6^{\frac{3}{4}} \operatorname{atan}\left(\sqrt[4]{6}x - 1\right)}{24} + \frac{6^{\frac{3}{4}} \operatorname{atan}\left(\sqrt[4]{6}x + 1\right)}{24} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a/(3*x**4+2),x)

[Out] a*(-6**(3/4)*log(x**2 - 6**(3/4)*x/3 + sqrt(6)/3)/48 + 6**(3/4)*log(x**2 + 6**(3/4)*x/3 + sqrt(6)/3)/48 + 6**(3/4)*atan(6**(1/4)*x - 1)/24 + 6**(3/4)*atan(6**(1/4)*x + 1)/24)

$$3.106 \quad \int \frac{bx}{2+3x^4} dx$$

Optimal. Leaf size=22

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}}$$

Rubi [A] time = 0.01, antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {12, 275, 203}

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Int[(b*x)/(2 + 3*x^4),x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int \frac{bx}{2+3x^4} dx &= b \int \frac{x}{2+3x^4} dx \\ &= \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2+3x^2} dx, x, x^2 \right) \\ &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 22, normalized size = 1.00

$$\frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6])

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bx}{2+3x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(b*x)/(2 + 3*x^4), x]

[Out] IntegrateAlgebraic[(b*x)/(2 + 3*x^4), x]

fricas [A] time = 0.41, size = 15, normalized size = 0.68

$$\frac{1}{12} \sqrt{6} b \arctan \left(\frac{1}{2} \sqrt{6} x^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x/(3*x^4+2), x, algorithm="fricas")

[Out] 1/12*sqrt(6)*b*arctan(1/2*sqrt(6)*x^2)

giac [A] time = 0.17, size = 15, normalized size = 0.68

$$\frac{1}{12} \sqrt{6} b \arctan \left(\frac{1}{2} \sqrt{6} x^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x/(3*x^4+2),x, algorithm="giac")

[Out] 1/12*sqrt(6)*b*arctan(1/2*sqrt(6)*x^2)

maple [A] time = 0.04, size = 16, normalized size = 0.73

$$\frac{\sqrt{6} b \arctan\left(\frac{\sqrt{6} x^2}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(b*x/(3*x^4+2),x)

[Out] 1/12*b*arctan(1/2*6^(1/2)*x^2)*6^(1/2)

maxima [A] time = 2.88, size = 15, normalized size = 0.68

$$\frac{1}{12} \sqrt{6} b \arctan\left(\frac{1}{2} \sqrt{6} x^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x/(3*x^4+2),x, algorithm="maxima")

[Out] 1/12*sqrt(6)*b*arctan(1/2*sqrt(6)*x^2)

mupad [B] time = 4.77, size = 15, normalized size = 0.68

$$\frac{\sqrt{6} b \operatorname{atan}\left(\frac{\sqrt{6} x^2}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x)/(3*x^4 + 2),x)

[Out] (6^(1/2)*b*atan((6^(1/2)*x^2)/2))/12

sympy [A] time = 0.13, size = 19, normalized size = 0.86

$$\frac{\sqrt{6} b \operatorname{atan}\left(\frac{\sqrt{6} x^2}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x/(3*x**4+2),x)

[Out] sqrt(6)*b*atan(sqrt(6)*x**2/2)/12

$$3.107 \quad \int \frac{a+bx}{2+3x^4} dx$$

Optimal. Leaf size=123

$$\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}}$$

Rubi [A] time = 0.10, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {1876, 211, 1165, 628, 1162, 617, 204, 275, 203}

$$\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - (a*ArcTan[1 - 6^(1/4)*x])/(4*6^(1/4)) + (a*ArcTan[1 + 6^(1/4)*x])/(4*6^(1/4)) - (a*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (a*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(1/4))

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 275

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{a+bx}{2+3x^4} dx &= \int \left(\frac{a}{2+3x^4} + \frac{bx}{2+3x^4} \right) dx \\
&= a \int \frac{1}{2+3x^4} dx + b \int \frac{x}{2+3x^4} dx \\
&= \frac{a \int \frac{\sqrt{2}-\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{2}} + \frac{a \int \frac{\sqrt{2}+\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{2}} + \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2+3x^2} dx, x, x^2 \right) \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} + \frac{a \int \frac{1}{\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx}{4\sqrt{6}} + \frac{a \int \frac{1}{\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx}{4\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{8\sqrt[4]{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}}}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{8\sqrt[4]{6}} \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{a \log \left(\sqrt{6} - 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} + \frac{a \log \left(\sqrt{6} + 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} + \frac{a \text{Subst} \left(\int \frac{1}{-1-x^2} dx \right)}{4\sqrt[4]{6}} \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{a \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{4\sqrt[4]{6}} + \frac{a \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{4\sqrt[4]{6}} - \frac{a \log \left(\sqrt{6} - 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} + \frac{a \log \left(\sqrt{6} + 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 107, normalized size = 0.87

$$\frac{-2(\sqrt[4]{6}a + 2b) \tan^{-1}(1 - \sqrt[4]{6}x) + 2(\sqrt[4]{6}a - 2b) \tan^{-1}(\sqrt[4]{6}x + 1) + \sqrt[4]{6}a (\log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2) - \log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2))}{8\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)/(2 + 3*x^4), x]

[Out] (-2*(6^(1/4)*a + 2*b)*ArcTan[1 - 6^(1/4)*x] + 2*(6^(1/4)*a - 2*b)*ArcTan[1 + 6^(1/4)*x] + 6^(1/4)*a*(-Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] + Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2]))/(8*Sqrt[6])

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a+bx}{2+3x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x)/(2 + 3*x^4), x]

[Out] IntegrateAlgebraic[(a + b*x)/(2 + 3*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(3*x^4+2),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 115, normalized size = 0.93

$$\frac{1}{48} \cdot 6^{\frac{3}{4}} a \log\left(x^2 + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}}\right) - \frac{1}{48} \cdot 6^{\frac{3}{4}} a \log\left(x^2 - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}}\right) + \frac{1}{24} (6^{\frac{3}{4}} a - 2\sqrt{6}b) \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{24} (6^{\frac{3}{4}} a + 2\sqrt{6}b) \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(3*x^4+2),x, algorithm="giac")

[Out] $\frac{1}{48} \cdot 6^{\frac{3}{4}} a \log(x^2 + \sqrt{2} \cdot (2/3)^{\frac{1}{4}} x + \sqrt{2/3}) - \frac{1}{48} \cdot 6^{\frac{3}{4}} a \log(x^2 - \sqrt{2} \cdot (2/3)^{\frac{1}{4}} x + \sqrt{2/3}) + \frac{1}{24} \cdot (6^{\frac{3}{4}} a - 2 \cdot \sqrt{6} b) \cdot \arctan(3/4 \cdot \sqrt{2} \cdot (2/3)^{\frac{3}{4}} \cdot (2x + \sqrt{2} \cdot (2/3)^{\frac{1}{4}})) + \frac{1}{24} \cdot (6^{\frac{3}{4}} a + 2 \cdot \sqrt{6} b) \cdot \arctan(3/4 \cdot \sqrt{2} \cdot (2/3)^{\frac{3}{4}} \cdot (2x - \sqrt{2} \cdot (2/3)^{\frac{1}{4}}))$

maple [A] time = 0.05, size = 129, normalized size = 1.05

$$\frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} \cdot 6^{\frac{3}{4}} x}{6} - 1\right)}{24} + \frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} \cdot 6^{\frac{3}{4}} x}{6} + 1\right)}{24} + \frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} a \ln\left(\frac{x^2 + \frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}{x^2 - \frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}\right)}{48} + \frac{\sqrt{6} b \arctan\left(\frac{\sqrt{6} x^2}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)/(3*x^4+2),x)

[Out] $\frac{1}{24} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot a \cdot \arctan(1/6 \cdot 2^{\frac{1}{2}} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot x + 1) + \frac{1}{24} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot a \cdot \arctan(1/6 \cdot 2^{\frac{1}{2}} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot x - 1) + \frac{1}{48} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot a \cdot \ln\left(\frac{(x^2 + 1/3 \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + 1/3 \cdot 6^{\frac{1}{2}})}{(x^2 - 1/3 \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + 1/3 \cdot 6^{\frac{1}{2}})}\right) + \frac{1}{12} \cdot 6^{\frac{1}{2}} \cdot b \cdot \arctan(1/2 \cdot 6^{\frac{1}{2}} \cdot x^2)$

maxima [A] time = 2.91, size = 147, normalized size = 1.20

$$\frac{1}{48} \cdot 3^{\frac{3}{2}} \cdot 2^{\frac{3}{4}} a \log(\sqrt{3} x^2 + 3^{\frac{3}{2}} x + \sqrt{2}) - \frac{1}{48} \cdot 3^{\frac{3}{2}} \cdot 2^{\frac{3}{4}} a \log(\sqrt{3} x^2 - 3^{\frac{3}{2}} x + \sqrt{2}) + \frac{1}{24} \sqrt{3} (3^{\frac{3}{2}} a - 2\sqrt{2}b) \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{2}} \cdot 2^{\frac{3}{4}} (2\sqrt{3}x + 3^{\frac{3}{2}})\right) + \frac{1}{24} \sqrt{3} (3^{\frac{3}{2}} a + 2\sqrt{2}b) \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{2}} \cdot 2^{\frac{3}{4}} (2\sqrt{3}x - 3^{\frac{3}{2}})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(3*x^4+2),x, algorithm="maxima")

[Out] $\frac{1}{48} \cdot 3^{3/4} \cdot 2^{3/4} \cdot a \cdot \log(\sqrt{3} \cdot x^2 + 3^{1/4} \cdot 2^{3/4} \cdot x + \sqrt{2}) - \frac{1}{48} \cdot 3^{3/4} \cdot 2^{3/4} \cdot a \cdot \log(\sqrt{3} \cdot x^2 - 3^{1/4} \cdot 2^{3/4} \cdot x + \sqrt{2}) + \frac{1}{24} \cdot \sqrt{3} \cdot (3^{1/4} \cdot 2^{3/4} \cdot a - 2 \cdot \sqrt{2} \cdot b) \cdot \arctan\left(\frac{1}{6} \cdot 3^{3/4} \cdot 2^{1/4} \cdot (2 \cdot \sqrt{3} \cdot x + 3^{1/4} \cdot 2^{3/4})\right) + \frac{1}{24} \cdot \sqrt{3} \cdot (3^{1/4} \cdot 2^{3/4} \cdot a + 2 \cdot \sqrt{2} \cdot b) \cdot \arctan\left(\frac{1}{6} \cdot 3^{3/4} \cdot 2^{1/4} \cdot (2 \cdot \sqrt{3} \cdot x - 3^{1/4} \cdot 2^{3/4})\right)$

mupad [B] time = 0.20, size = 119, normalized size = 0.97

$$\frac{2^{3/4} 3^{3/4} a \ln\left(x^2 + \frac{6^{3/4} x}{3} + \frac{\sqrt{6}}{3}\right)}{48} - \frac{2^{3/4} 3^{3/4} a \ln\left(x^2 - \frac{6^{3/4} x}{3} + \frac{\sqrt{6}}{3}\right)}{48} + \frac{2^{3/4} 3^{3/4} a \operatorname{atan}\left(6^{1/4} x - 1\right)}{24} + \frac{2^{3/4} 3^{3/4} a \operatorname{atan}\left(6^{1/4} x + 1\right)}{24} + \frac{\sqrt{2} \sqrt{3} b \operatorname{atan}\left(6^{1/4} x - 1\right)}{12} - \frac{\sqrt{2} \sqrt{3} b \operatorname{atan}\left(6^{1/4} x + 1\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x)/(3*x^4 + 2), x)`

[Out] $\frac{2^{3/4} \cdot 3^{3/4} \cdot a \cdot \log\left(\frac{6^{3/4} \cdot x}{3} + \frac{6^{1/2}}{3} + x^2\right)}{48} - \frac{2^{3/4} \cdot 3^{3/4} \cdot a \cdot \log\left(\frac{6^{3/4} \cdot x}{3} - \frac{6^{1/2}}{3} + x^2\right)}{48} + \frac{2^{3/4} \cdot 3^{3/4} \cdot a \cdot \operatorname{atan}\left(6^{1/4} \cdot x - 1\right)}{24} + \frac{2^{3/4} \cdot 3^{3/4} \cdot a \cdot \operatorname{atan}\left(6^{1/4} \cdot x + 1\right)}{24} + \frac{2^{1/2} \cdot 3^{1/2} \cdot b \cdot \operatorname{atan}\left(6^{1/4} \cdot x - 1\right)}{12} - \frac{2^{1/2} \cdot 3^{1/2} \cdot b \cdot \operatorname{atan}\left(6^{1/4} \cdot x + 1\right)}{12}$

sympy [A] time = 0.72, size = 88, normalized size = 0.72

$$\operatorname{RootSum}\left(18432t^4 + 384t^2b^2 - 96ta^2b + 3a^4 + 2b^4, \left(t \mapsto t \log\left(x + \frac{3072t^3b^2 + 192t^2a^2b + 24ta^4 + 32tb^4 - 10a^2b^3}{3a^5 - 8ab^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)/(3*x**4+2), x)`

[Out] `RootSum(18432*_t**4 + 384*_t**2*b**2 - 96*_t*a**2*b + 3*a**4 + 2*b**4, Lambda(_t, _t*log(x + (3072*_t**3*b**2 + 192*_t**2*a**2*b + 24*_t*a**4 + 32*_t*b**4 - 10*a**2*b**3)/(3*a**5 - 8*a*b**4))))`

$$3.108 \quad \int \frac{cx^2}{2+3x^4} dx$$

Optimal. Leaf size=101

$$\frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}}$$

Rubi [A] time = 0.08, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {12, 297, 1162, 617, 204, 1165, 628}

$$\frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(c*x^2)/(2 + 3*x^4), x]

[Out] -(c*ArcTan[1 - 6^(1/4)*x])/(2*6^(3/4)) + (c*ArcTan[1 + 6^(1/4)*x])/(2*6^(3/4)) + (c*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) - (c*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(4*6^(3/4))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 297

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] & AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rubi steps

$$\begin{aligned}
 \int \frac{cx^2}{2+3x^4} dx &= c \int \frac{x^2}{2+3x^4} dx \\
 &= -\frac{c \int \frac{\sqrt{2}-\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{3}} + \frac{c \int \frac{\sqrt{2}+\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{3}} \\
 &= \frac{1}{12}c \int \frac{1}{\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{1}{12}c \int \frac{1}{\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{c \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}}+2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{4 \cdot 6^{3/4}} + \frac{c \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}}-2x}{-\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{4 \cdot 6^{3/4}} \\
 &= \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} + \frac{c \text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1 - \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} - \frac{c \text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1 + \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} \\
 &= -\frac{c \tan^{-1}\left(1 - \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}\left(1 + \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}}
 \end{aligned}$$

Mathematica [A] time = 0.02, size = 78, normalized size = 0.77

$$\frac{c \left(\log \left(\sqrt{6} x^2 - 2\sqrt[4]{6} x + 2 \right) - \log \left(\sqrt{6} x^2 + 2\sqrt[4]{6} x + 2 \right) - 2 \tan^{-1} \left(1 - \sqrt[4]{6} x \right) + 2 \tan^{-1} \left(\sqrt[4]{6} x + 1 \right) \right)}{4 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c*x^2)/(2 + 3*x^4), x]

[Out] (c*(-2*ArcTan[1 - 6^(1/4)*x] + 2*ArcTan[1 + 6^(1/4)*x] + Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] - Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2]))/(4*6^(3/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{cx^2}{2 + 3x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c*x^2)/(2 + 3*x^4), x]

[Out] IntegrateAlgebraic[(c*x^2)/(2 + 3*x^4), x]

fricas [B] time = 0.41, size = 278, normalized size = 2.75

$$\frac{1}{108} \cdot 54^{\frac{1}{2}} \sqrt{c} \arctan \left(\frac{54^{\frac{1}{4}} \sqrt{2} (c)^{\frac{1}{4}} x - 54^{\frac{1}{4}} \sqrt{2} \sqrt{\frac{1}{3}} (c)^{\frac{1}{4}} \sqrt{\frac{3c^2 - 54^{\frac{1}{4}} \sqrt{2} (c)^{\frac{1}{4}} x + 54^{\frac{1}{4}} \sqrt{2}}{18c}}}}{18c} \right) - \frac{1}{108} \cdot 54^{\frac{1}{2}} \sqrt{c} \arctan \left(\frac{54^{\frac{1}{4}} \sqrt{2} (c)^{\frac{1}{4}} x - 54^{\frac{1}{4}} \sqrt{2} \sqrt{\frac{1}{3}} (c)^{\frac{1}{4}} \sqrt{\frac{3c^2 - 54^{\frac{1}{4}} \sqrt{2} (c)^{\frac{1}{4}} x + 54^{\frac{1}{4}} \sqrt{2}}{18c}}}}{18c} \right) - \frac{1}{432} \cdot 54^{\frac{1}{2}} \sqrt{2} \log \left(9c^2 x^2 + 3 \cdot 54^{\frac{1}{4}} \sqrt{2} (c)^{\frac{1}{4}} x + 3 \sqrt{6} \sqrt{c} \right) + \frac{1}{432} \cdot 54^{\frac{1}{2}} \sqrt{2} \log \left(9c^2 x^2 - 3 \cdot 54^{\frac{1}{4}} \sqrt{2} (c)^{\frac{1}{4}} x + 3 \sqrt{6} \sqrt{c} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x^2/(3*x^4+2), x, algorithm="fricas")

[Out] -1/108*54^(3/4)*sqrt(2)*(c^4)^(1/4)*arctan(-1/18*(54^(3/4)*sqrt(2)*(c^4)^(1/4)*x - 54^(3/4)*sqrt(2)*sqrt(1/3)*(c^4)^(1/4)*sqrt((3*c^3*x^2 + 54^(1/4)*sqrt(2)*(c^4)^(3/4)*x + sqrt(6)*sqrt(c^4)*c)/c^3) + 18*c)/c) - 1/108*54^(3/4)*sqrt(2)*(c^4)^(1/4)*arctan(-1/18*(54^(3/4)*sqrt(2)*(c^4)^(1/4)*x - 54^(3/4)*sqrt(2)*sqrt(1/3)*(c^4)^(1/4)*sqrt((3*c^3*x^2 - 54^(1/4)*sqrt(2)*(c^4)^(3/4)*x + sqrt(6)*sqrt(c^4)*c)/c^3) - 18*c)/c) - 1/432*54^(3/4)*sqrt(2)*(c^4)^(1/4)*log(9*c^3*x^2 + 3*54^(1/4)*sqrt(2)*(c^4)^(3/4)*x + 3*sqrt(6)*sqrt(c^4)*c) + 1/432*54^(3/4)*sqrt(2)*(c^4)^(1/4)*log(9*c^3*x^2 - 3*54^(1/4)*sqrt(2)*(c^4)^(3/4)*x + 3*sqrt(6)*sqrt(c^4)*c)

giac [A] time = 0.20, size = 97, normalized size = 0.96

$$\frac{1}{24} \left(2 \cdot 6^{\frac{1}{4}} \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + 2 \cdot 6^{\frac{1}{4}} \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) - 6^{\frac{1}{4}} \log \left(x^2 + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}} \right) + 6^{\frac{1}{4}} \log \left(x^2 - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}} \right) \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x^2/(3*x^4+2),x, algorithm="giac")

[Out] $\frac{1}{24} \cdot 2 \cdot 6^{1/4} \cdot \arctan\left(\frac{3}{4} \sqrt{2} \cdot \left(\frac{2}{3}\right)^{3/4} \cdot (2x + \sqrt{2} \cdot \left(\frac{2}{3}\right)^{1/4})\right) + 2 \cdot 6^{1/4} \cdot \arctan\left(\frac{3}{4} \sqrt{2} \cdot \left(\frac{2}{3}\right)^{3/4} \cdot (2x - \sqrt{2} \cdot \left(\frac{2}{3}\right)^{1/4})\right) - 6^{1/4} \cdot \log(x^2 + \sqrt{2} \cdot \left(\frac{2}{3}\right)^{1/4} \cdot x + \sqrt{2/3}) + 6^{1/4} \cdot \log(x^2 - \sqrt{2} \cdot \left(\frac{2}{3}\right)^{1/4} \cdot x + \sqrt{2/3})\right) \cdot c$

maple [A] time = 0.04, size = 114, normalized size = 1.13

$$\frac{\sqrt{3} \cdot 6^{3/4} \sqrt{2} \cdot c \arctan\left(\frac{\sqrt{2} \sqrt{3} \cdot 6^{3/4} x}{6} - 1\right)}{72} + \frac{\sqrt{3} \cdot 6^{3/4} \sqrt{2} \cdot c \arctan\left(\frac{\sqrt{2} \sqrt{3} \cdot 6^{3/4} x}{6} + 1\right)}{72} + \frac{\sqrt{3} \cdot 6^{3/4} \sqrt{2} \cdot c \ln\left(\frac{x^2 - \frac{\sqrt{3} \cdot 6^{1/4} \sqrt{2} x + \sqrt{6}}{3}}{x^2 + \frac{\sqrt{3} \cdot 6^{1/4} \sqrt{2} x + \sqrt{6}}{3}}\right)}{144}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(c*x^2/(3*x^4+2),x)

[Out] $\frac{1}{72} \cdot c \cdot 3^{1/2} \cdot 6^{3/4} \cdot 2^{1/2} \cdot \arctan\left(\frac{1}{6} \cdot 2^{1/2} \cdot 3^{1/2} \cdot 6^{3/4} \cdot (x+1)\right) + \frac{1}{72} \cdot c \cdot 3^{1/2} \cdot 6^{3/4} \cdot 2^{1/2} \cdot \arctan\left(\frac{1}{6} \cdot 2^{1/2} \cdot 3^{1/2} \cdot 6^{3/4} \cdot (x-1)\right) + \frac{1}{144} \cdot c \cdot 3^{1/2} \cdot 6^{3/4} \cdot 2^{1/2} \cdot \ln\left(\frac{(x^2 - 1/3 \cdot 3^{1/2} \cdot 6^{1/4} \cdot 2^{1/2} \cdot (x+1/3 \cdot 6^{1/2}))}{(x^2 + 1/3 \cdot 3^{1/2} \cdot 6^{1/4} \cdot 2^{1/2} \cdot (x+1/3 \cdot 6^{1/2}))}\right)$

maxima [A] time = 3.04, size = 123, normalized size = 1.22

$$\frac{1}{24} \left(2 \cdot 3^{1/2} \cdot 6^{3/4} \arctan\left(\frac{1}{6} \cdot 3^{1/2} \cdot 2 \sqrt{3x + 3^{1/2}}\right) + 2 \cdot 3^{1/2} \cdot 6^{3/4} \arctan\left(\frac{1}{6} \cdot 3^{1/2} \cdot 2 \sqrt{3x - 3^{1/2}}\right) - 3^{1/2} \log\left(\sqrt{3x^2 + 3^{1/2} x + \sqrt{2}}\right) + 3^{1/2} \log\left(\sqrt{3x^2 - 3^{1/2} x + \sqrt{2}}\right) \right) \cdot c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x^2/(3*x^4+2),x, algorithm="maxima")

[Out] $\frac{1}{24} \cdot 2 \cdot 3^{1/4} \cdot 2^{1/4} \cdot \arctan\left(\frac{1}{6} \cdot 3^{3/4} \cdot 2^{1/4} \cdot (2 \sqrt{3} x + 3^{1/4}) \cdot 2^{3/4}\right) + 2 \cdot 3^{1/4} \cdot 2^{1/4} \cdot \arctan\left(\frac{1}{6} \cdot 3^{3/4} \cdot 2^{1/4} \cdot (2 \sqrt{3} x - 3^{1/4}) \cdot 2^{3/4}\right) - 3^{1/4} \cdot 2^{1/4} \cdot \log\left(\sqrt{3} x^2 + 3^{1/4} \cdot 2^{3/4} x + \sqrt{2}\right) + 3^{1/4} \cdot 2^{1/4} \cdot \log\left(\sqrt{3} x^2 - 3^{1/4} \cdot 2^{3/4} x + \sqrt{2}\right)\right) \cdot c$

mupad [B] time = 4.97, size = 32, normalized size = 0.32

$$\frac{(-1)^{1/4} \cdot 24^{1/4} \cdot c \left(\operatorname{atan}\left(\frac{(-1)^{1/4} \cdot 24^{1/4} x}{2}\right) - \operatorname{atanh}\left(\frac{(-1)^{1/4} \cdot 24^{1/4} x}{2}\right) \right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2)/(3*x^4 + 2),x)

[Out] $\frac{((-1)^{1/4} \cdot 24^{1/4} \cdot c \cdot (\operatorname{atan}(((-1)^{1/4} \cdot 24^{1/4} x)/2) - \operatorname{atanh}(((-1)^{1/4} \cdot 24^{1/4} x)/2)))}{12}$

sympy [A] time = 0.43, size = 88, normalized size = 0.87

$$c \left(\frac{\sqrt[4]{6} \log\left(x^2 - \frac{6^{\frac{3}{4}}x}{3} + \frac{\sqrt{6}}{3}\right)}{24} - \frac{\sqrt[4]{6} \log\left(x^2 + \frac{6^{\frac{3}{4}}x}{3} + \frac{\sqrt{6}}{3}\right)}{24} + \frac{\sqrt[4]{6} \operatorname{atan}\left(\sqrt[4]{6}x - 1\right)}{12} + \frac{\sqrt[4]{6} \operatorname{atan}\left(\sqrt[4]{6}x + 1\right)}{12} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x**2/(3*x**4+2),x)

[Out] c*(6**(1/4)*log(x**2 - 6**(3/4)*x/3 + sqrt(6)/3)/24 - 6**(1/4)*log(x**2 + 6**(3/4)*x/3 + sqrt(6)/3)/24 + 6**(1/4)*atan(6**(1/4)*x - 1)/12 + 6**(1/4)*atan(6**(1/4)*x + 1)/12)

$$3.109 \quad \int \frac{a+cx^2}{2+3x^4} dx$$

Optimal. Leaf size=141

$$\frac{(\sqrt{6}a-2c)\log(3x^2-6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} + \frac{(\sqrt{6}a-2c)\log(3x^2+6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} - \frac{(\sqrt{6}a+2c)\tan^{-1}(1-\sqrt[4]{6}x)}{4\ 6^{3/4}} + \frac{(\sqrt{6}a+2c)\tan^{-1}(\sqrt[4]{6}x+1)}{4\ 6^{3/4}}$$

Rubi [A] time = 0.10, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{6}a-2c)\log(3x^2-6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} + \frac{(\sqrt{6}a-2c)\log(3x^2+6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} - \frac{(\sqrt{6}a+2c)\tan^{-1}(1-\sqrt[4]{6}x)}{4\ 6^{3/4}} + \frac{(\sqrt{6}a+2c)\tan^{-1}(\sqrt[4]{6}x+1)}{4\ 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^2)/(2 + 3*x^4), x]

[Out] -((Sqrt[6]*a + 2*c)*ArcTan[1 - 6^(1/4)*x])/(4*6^(3/4)) + ((Sqrt[6]*a + 2*c)*ArcTan[1 + 6^(1/4)*x])/(4*6^(3/4)) - ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(3/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e

$\int \frac{1}{2c} \int \frac{1}{\text{Simp}[d/e - qx + x^2, x]}, x], x]] /; \text{FreeQ}\{a, c, d, e\}, x] \& \& \text{EqQ}[c*d^2 - a*e^2, 0] \& \& \text{PosQ}[d*e]$

Rule 1165

$\text{Int}[\frac{(d_.) + (e_.)*(x_)^2}{(a_.) + (c_.)*(x_)^4}, x_Symbol] := \text{With}[\{q = \text{Rt}[-2*d/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}\{a, c, d, e\}, x] \& \& \text{EqQ}[c*d^2 - a*e^2, 0] \& \& \text{NegQ}[d*e]$

Rule 1168

$\text{Int}[\frac{(d_.) + (e_.)*(x_)^2}{(a_.) + (c_.)*(x_)^4}, x_Symbol] := \text{With}[\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[(d*q + a*e)/(2*a*c), \text{Int}[(q + c*x^2)/(a + c*x^4), x], x] + \text{Dist}[(d*q - a*e)/(2*a*c), \text{Int}[(q - c*x^2)/(a + c*x^4), x], x]] /; \text{FreeQ}\{a, c, d, e\}, x] \& \& \text{NeQ}[c*d^2 + a*e^2, 0] \& \& \text{NeQ}[c*d^2 - a*e^2, 0] \& \& \text{NegQ}[-(a*c)]$

Rubi steps

$$\begin{aligned} \int \frac{a + cx^2}{2 + 3x^4} dx &= \frac{1}{12} (\sqrt{6}a - 2c) \int \frac{\sqrt{6} - 3x^2}{2 + 3x^4} dx + \frac{1}{12} (\sqrt{6}a + 2c) \int \frac{\sqrt{6} + 3x^2}{2 + 3x^4} dx \\ &= -\frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2x}{-\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2}} dx}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} - 2x}{-\sqrt{\frac{2}{3} + \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2}} dx}{8 \cdot 6^{3/4}} + \frac{1}{24} (\sqrt{6}a + 2c) \int \frac{1}{\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt[4]{3}}}} dx \\ &= -\frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \text{Subst}}{8 \cdot 6^{3/4}} \\ &= -\frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 + \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 113, normalized size = 0.80

$$\frac{-(\sqrt{6}a - 2c)(\log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) - \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2)) - 2(\sqrt{6}a + 2c)\tan^{-1}(1 - \sqrt[4]{6}x) + 2(\sqrt{6}a + 2c)\tan^{-1}(\sqrt[4]{6}x + 1)}{8 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^2)/(2 + 3*x^4), x]

[Out] $(-2*(\sqrt{6}*a + 2*c)*\text{ArcTan}[1 - 6^{(1/4)}*x] + 2*(\sqrt{6}*a + 2*c)*\text{ArcTan}[1 + 6^{(1/4)}*x] - (\sqrt{6}*a - 2*c)*(\text{Log}[2 - 2*6^{(1/4)}*x + \sqrt{6}*x^2] - \text{Log}[2 + 2*6^{(1/4)}*x + \sqrt{6}*x^2]))/(8*6^{(3/4)})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + cx^2}{2 + 3x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + c*x^2)/(2 + 3*x^4), x]

[Out] IntegrateAlgebraic[(a + c*x^2)/(2 + 3*x^4), x]

fricas [B] time = 0.48, size = 2278, normalized size = 16.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)/(3*x^4+2),x, algorithm="fricas")

[Out] $1/144*(2*\sqrt{6}*\sqrt{2}*(54*a^4 + 72*a^2*c^2 + 24*c^4)^{(3/4)}*\sqrt{9*a^4 - 12*a^2*c^2 + 4*c^4}*\sqrt{(9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*\sqrt{54*a^4 + 72*a^2*c^2 + 24*c^4})*a*c}/(9*a^4 - 12*a^2*c^2 + 4*c^4))*\arctan(-1/12*(\sqrt{2}*\sqrt{1/3}*(54*a^4 + 72*a^2*c^2 + 24*c^4)^{(3/4)}*(\sqrt{6}*\sqrt{54*a^4 + 72*a^2*c^2 + 24*c^4})*\sqrt{9*a^4 - 12*a^2*c^2 + 4*c^4})*a - 2*\sqrt{6}*\sqrt{9*a^4 - 12*a^2*c^2 + 4*c^4}*(3*a^2*c + 2*c^3))*\sqrt{(9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*\sqrt{54*a^4 + 72*a^2*c^2 + 24*c^4})*a*c}/(9*a^4 - 12*a^2*c^2 + 4*c^4))*\sqrt{((3*(9*a^4 + 12*a^2*c^2 + 4*c^4)*x^2 + \sqrt{2}*(54*a^4 + 72*a^2*c^2 + 24*c^4)^{(1/4)}*(\sqrt{54*a^4 + 72*a^2*c^2 + 24*c^4})*c*x - 3*(3*a^3 + 2*a*c^2)*x))*\sqrt{(9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*\sqrt{54*a^4 + 72*a^2*c^2 + 24*c^4})*a*c}/(9*a^4 - 12*a^2*c^2 + 4*c^4)) + \sqrt{54*a^4 + 72*a^2*c^2 + 24*c^4}*(3*a^2 + 2*c^2))/(9*a^4 + 12*a^2*c^2 + 4*c^4)) - \sqrt{2}*(54*a^4 + 72*a^2*c^2 + 24*c^4)^{(3/4)}*(\sqrt{6}*\sqrt{54*a^4 + 72*a^2*c^2 + 24*c^4})*\sqrt{9*a^4 - 12*a^2*c^2 + 4*c^4})*a*x - 2*\sqrt{6}*\sqrt{9*a^4 - 12*a^2*c^2 + 4*c^4}*(3*a^2*c + 2*c^3)*x)*\sqrt{(9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*\sqrt{54*a^4 + 72*a^2*c^2 + 24*c^4})*a*c}/(9*a^4 - 12*a^2*c^2 + 4*c^4)) + 2*\sqrt{6}*\sqrt{54*a^4 + 72*a^2*c^2 + 24*c^4}*(9*a^4 + 12*a^2*c^2 + 4*c^4)*\sqrt{9*a^4 - 12*a^2*c^2 + 4*c^4}))/((81*a^8 + 108*a^6*c^2 - 48*a^2*c^6 - 16*c^8)) + 2*\sqrt{6}*\sqrt{2}*(54*a^4 + 72*a^2*c^2 + 24*c^4)^{(3/4)}*\sqrt{9*a^4 - 12*a^2*c^2 + 4*c^4})*\sqrt{(9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*\sqrt{54*a^4 + 72*a^2*c^2 + 24*c^4})*a*c}/(9*a^4 - 12*a^2*c^2 + 4*c^4))*\arctan(-1/12*(\sqrt{2}*\sqrt{1/3}*(54*a^4 + 72*a^2*c^2 + 24*c^4)^{(3/4)}*(\sqrt{6}*\sqrt{54*a^4 + 72*a^2*c^2 + 24*c^4})*\sqrt{9*a^4 - 12*a^2*c^2 + 4*c^4})*a - 2*\sqrt{6}*\sqrt{9*a^4 - 12*a^2*c^2 + 4*c^4}*(3*a^2*c + 2*c^3))*\sqrt{(9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*\sqrt{54*a^4 + 72*a^2*c^2 + 24*c^4})*a*c}/(9*a^4 - 12*a^2*c^2 + 4*c^4))*\sqrt{((3*(9*a^4 + 12*a^2*c^2 + 4*c^4)*$

$$\begin{aligned}
& x^2 - \sqrt{2} \cdot (54a^4 + 72a^2c^2 + 24c^4)^{1/4} \cdot (\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot cx - 3 \cdot (3a^3 + 2ac^2) \cdot x \cdot \sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac} / (9a^4 - 12a^2c^2 + 4c^4) + \\
& \sqrt{54a^4 + 72a^2c^2 + 24c^4} \cdot (3a^2 + 2c^2) / (9a^4 + 12a^2c^2 + 4c^4) - \sqrt{2} \cdot (54a^4 + 72a^2c^2 + 24c^4)^{3/4} \cdot (\sqrt{6}) \cdot \sqrt{54a^4 + 72a^2c^2 + 24c^4} \cdot \sqrt{9a^4 - 12a^2c^2 + 4c^4} \cdot ax - 2\sqrt{6} \cdot \sqrt{9a^4 - 12a^2c^2 + 4c^4} \cdot (3a^2c + 2c^3) \cdot x \cdot \sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac} / (9a^4 - 12a^2c^2 + 4c^4) - 2\sqrt{6} \cdot \sqrt{54a^4 + 72a^2c^2 + 24c^4} \cdot (9a^4 + 12a^2c^2 + 4c^4) \cdot \sqrt{9a^4 - 12a^2c^2 + 4c^4} / (81a^8 + 108a^6c^2 - 48a^2c^6 - 16c^8) - 3\sqrt{2} \cdot (54a^4 + 72a^2c^2 + 24c^4)^{1/4} \cdot (9a^4 + 12a^2c^2 + 4c^4 - 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac \cdot \sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac} / (9a^4 - 12a^2c^2 + 4c^4) \cdot \log(3 \cdot (9a^4 + 12a^2c^2 + 4c^4) \cdot x^2 + \sqrt{2} \cdot (54a^4 + 72a^2c^2 + 24c^4)^{1/4} \cdot (\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot cx - 3 \cdot (3a^3 + 2ac^2) \cdot x) \cdot \sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac} / (9a^4 - 12a^2c^2 + 4c^4) + \sqrt{54a^4 + 72a^2c^2 + 24c^4} \cdot (3a^2 + 2c^2) + 3\sqrt{2} \cdot (54a^4 + 72a^2c^2 + 24c^4)^{1/4} \cdot (9a^4 + 12a^2c^2 + 4c^4 - 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac \cdot \sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac} / (9a^4 - 12a^2c^2 + 4c^4) \cdot \log(3 \cdot (9a^4 + 12a^2c^2 + 4c^4) \cdot x^2 - \sqrt{2} \cdot (54a^4 + 72a^2c^2 + 24c^4)^{1/4} \cdot (\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot cx - 3 \cdot (3a^3 + 2ac^2) \cdot x) \cdot \sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac} / (9a^4 - 12a^2c^2 + 4c^4) + \sqrt{54a^4 + 72a^2c^2 + 24c^4} \cdot (3a^2 + 2c^2) / (9a^4 + 12a^2c^2 + 4c^4)
\end{aligned}$$

giac [A] time = 0.20, size = 131, normalized size = 0.93

$$\frac{1}{24} (6^{\frac{3}{4}} a + 2 \cdot 6^{\frac{1}{4}} c) \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{24} (6^{\frac{3}{4}} a + 2 \cdot 6^{\frac{1}{4}} c) \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{48} (6^{\frac{3}{4}} a - 2 \cdot 6^{\frac{1}{4}} c) \log\left(x^2 + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}}\right) - \frac{1}{48} (6^{\frac{3}{4}} a - 2 \cdot 6^{\frac{1}{4}} c) \log\left(x^2 - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)/(3*x^4+2),x, algorithm="giac")

[Out] $\frac{1}{24} \cdot (6^{\frac{3}{4}} a + 2 \cdot 6^{\frac{1}{4}} c) \cdot \arctan\left(\frac{3}{4} \sqrt{2} \cdot \left(\frac{2}{3}\right)^{\frac{3}{4}} \cdot (2x + \sqrt{2} \cdot \left(\frac{2}{3}\right)^{\frac{1}{4}})\right) + \frac{1}{24} \cdot (6^{\frac{3}{4}} a + 2 \cdot 6^{\frac{1}{4}} c) \cdot \arctan\left(\frac{3}{4} \sqrt{2} \cdot \left(\frac{2}{3}\right)^{\frac{3}{4}} \cdot (2x - \sqrt{2} \cdot \left(\frac{2}{3}\right)^{\frac{1}{4}})\right) + \frac{1}{48} \cdot (6^{\frac{3}{4}} a - 2 \cdot 6^{\frac{1}{4}} c) \cdot \log(x^2 + \sqrt{2} \cdot \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{2/3}) - \frac{1}{48} \cdot (6^{\frac{3}{4}} a - 2 \cdot 6^{\frac{1}{4}} c) \cdot \log(x^2 - \sqrt{2} \cdot \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{2/3})$

maple [B] time = 0.04, size = 226, normalized size = 1.60

$$\frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} \cdot a \arctan\left(\frac{\sqrt{2} \sqrt{3} \cdot 6^{\frac{3}{4}} x - 1}{6}\right)}{24} + \frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} \cdot a \arctan\left(\frac{\sqrt{2} \sqrt{3} \cdot 6^{\frac{3}{4}} x + 1}{6}\right)}{24} + \frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} \cdot a \ln\left(\frac{x^2 + \frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}{x^2 - \frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}\right)}{48} + \frac{\sqrt{3} \cdot 6^{\frac{3}{4}} \sqrt{2} \cdot c \arctan\left(\frac{\sqrt{2} \sqrt{3} \cdot 6^{\frac{3}{4}} x - 1}{6}\right)}{72} + \frac{\sqrt{3} \cdot 6^{\frac{3}{4}} \sqrt{2} \cdot c \arctan\left(\frac{\sqrt{2} \sqrt{3} \cdot 6^{\frac{3}{4}} x + 1}{6}\right)}{72} + \frac{\sqrt{3} \cdot 6^{\frac{3}{4}} \sqrt{2} \cdot c \ln\left(\frac{x^2 + \frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}{x^2 - \frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}\right)}{144}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+a)/(3*x^4+2),x)

[Out] $\frac{1}{24} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot a \cdot \arctan\left(\frac{1}{6} \cdot 2^{\frac{1}{2}} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot x + 1\right) + \frac{1}{24} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot a \cdot \arctan\left(\frac{1}{6} \cdot 2^{\frac{1}{2}} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot x - 1\right) + \frac{1}{48} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot a \cdot \ln\left(\frac{x^2 + \frac{1}{3} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \frac{1}{3} \cdot 6^{\frac{1}{2}}}{x^2 - \frac{1}{3} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \frac{1}{3} \cdot 6^{\frac{1}{2}}}\right) + \frac{1}{72} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot 2^{\frac{1}{2}} \cdot c \cdot \arctan\left(\frac{1}{6} \cdot 2^{\frac{1}{2}} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot x + 1\right) + \frac{1}{72} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot 2^{\frac{1}{2}} \cdot c \cdot \arctan\left(\frac{1}{6} \cdot 2^{\frac{1}{2}} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot x - 1\right) + \frac{1}{144} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{3}{4}} \cdot 2^{\frac{1}{2}} \cdot c \cdot \ln\left(\frac{x^2 - \frac{1}{3} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \frac{1}{3} \cdot 6^{\frac{1}{2}}}{x^2 + \frac{1}{3} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \frac{1}{3} \cdot 6^{\frac{1}{2}}}\right)$

maxima [A] time = 3.04, size = 167, normalized size = 1.18

$$\frac{1}{24} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot (\sqrt{3}a + \sqrt{2}c) \arctan\left(\frac{1}{6} \cdot 3^{\frac{1}{2}} \cdot 2^{\frac{1}{2}} \cdot (\sqrt{3}x + 3^{\frac{1}{2}})\right) + \frac{1}{24} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot (\sqrt{3}a + \sqrt{2}c) \arctan\left(\frac{1}{6} \cdot 3^{\frac{1}{2}} \cdot 2^{\frac{1}{2}} \cdot (\sqrt{3}x - 3^{\frac{1}{2}})\right) + \frac{1}{48} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot (\sqrt{3}a - \sqrt{2}c) \log(\sqrt{3}x^2 + 3^{\frac{1}{2}}x + \sqrt{2}) - \frac{1}{48} \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot (\sqrt{3}a - \sqrt{2}c) \log(\sqrt{3}x^2 - 3^{\frac{1}{2}}x + \sqrt{2})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)/(3*x^4+2),x, algorithm="maxima")

[Out] $\frac{1}{24} \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} \cdot (\sqrt{3}a + \sqrt{2}c) \cdot \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{1}{4}} \cdot (2 \cdot \sqrt{3}x + 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}})\right) + \frac{1}{24} \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} \cdot (\sqrt{3}a + \sqrt{2}c) \cdot \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{1}{4}} \cdot (2 \cdot \sqrt{3}x - 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}})\right) + \frac{1}{48} \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} \cdot (\sqrt{3}a - \sqrt{2}c) \cdot \log(\sqrt{3}x^2 + 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}}x + \sqrt{2}) - \frac{1}{48} \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} \cdot (\sqrt{3}a - \sqrt{2}c) \cdot \log(\sqrt{3}x^2 - 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}}x + \sqrt{2})$

mupad [B] time = 5.11, size = 315, normalized size = 2.23

$$-2 \operatorname{atanh}\left(\frac{216a^2x\sqrt{\frac{11\sqrt{6}a^2-ac}{192}-\frac{11\sqrt{6}c^2}{288}}}{9i\sqrt{6}a^3+18a^2c-6i\sqrt{6}ac^2-12c^3}-\frac{144c^2x\sqrt{\frac{11\sqrt{6}a^2-ac}{192}-\frac{11\sqrt{6}c^2}{288}}}{9i\sqrt{6}a^3+18a^2c-6i\sqrt{6}ac^2-12c^3}\right)\sqrt{\frac{11\sqrt{6}a^2-ac}{192}-\frac{11\sqrt{6}c^2}{288}}+2 \operatorname{atanh}\left(\frac{216a^2x\sqrt{\frac{11\sqrt{6}a^2-ac}{192}-\frac{11\sqrt{6}c^2}{288}}}{9i\sqrt{6}a^3-18a^2c-6i\sqrt{6}ac^2+12c^3}-\frac{144c^2x\sqrt{\frac{11\sqrt{6}a^2-ac}{192}-\frac{11\sqrt{6}c^2}{288}}}{9i\sqrt{6}a^3-18a^2c-6i\sqrt{6}ac^2+12c^3}\right)\sqrt{\frac{11\sqrt{6}a^2-ac}{192}-\frac{11\sqrt{6}c^2}{288}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^2)/(3*x^4 + 2),x)

[Out] $2 \operatorname{atanh}\left(\frac{(216a^2x((6^{\frac{1}{2}}a^21i)/192 - (a^2c)/48 - (6^{\frac{1}{2}}c^21i)/288))^{\frac{1}{2}}}{(6^{\frac{1}{2}}a^39i - 18a^2c + 12c^3 - 6^{\frac{1}{2}}a^2c6i) - (144c^2x((6^{\frac{1}{2}}a^21i)/192 - (a^2c)/48 - (6^{\frac{1}{2}}c^21i)/288))^{\frac{1}{2}}}\right) + \frac{2 \operatorname{atanh}\left(\frac{(216a^2x((6^{\frac{1}{2}}c^21i)/192 - (a^2c)/48 - (6^{\frac{1}{2}}c^21i)/288))^{\frac{1}{2}}}{(6^{\frac{1}{2}}a^39i - 18a^2c + 12c^3 - 6^{\frac{1}{2}}a^2c6i) - (144c^2x((6^{\frac{1}{2}}a^21i)/192 - (a^2c)/48 - (6^{\frac{1}{2}}c^21i)/288))^{\frac{1}{2}}}\right)}{2 \operatorname{atanh}\left(\frac{(216a^2x((6^{\frac{1}{2}}c^21i)/192 - (a^2c)/48 - (6^{\frac{1}{2}}c^21i)/288))^{\frac{1}{2}}}{(6^{\frac{1}{2}}a^39i + 18a^2c - 12c^3 - 6^{\frac{1}{2}}a^2c6i) - (144c^2x((6^{\frac{1}{2}}c^21i)/288 - (6^{\frac{1}{2}}a^21i)/192 - (a^2c)/48))^{\frac{1}{2}}}\right)}{2 \operatorname{atanh}\left(\frac{(216a^2x((6^{\frac{1}{2}}c^21i)/288 - (6^{\frac{1}{2}}a^21i)/192 - (a^2c)/48))^{\frac{1}{2}}}{(6^{\frac{1}{2}}a^39i + 18a^2c - 12c^3 - 6^{\frac{1}{2}}a^2c6i) - (144c^2x((6^{\frac{1}{2}}c^21i)/288 - (6^{\frac{1}{2}}a^21i)/192 - (a^2c)/48))^{\frac{1}{2}}}\right)}$

sympy [A] time = 0.57, size = 68, normalized size = 0.48

$$\operatorname{RootSum}\left(55296t^4 + 2304t^2ac + 9a^4 + 12a^2c^2 + 4c^4, \left(t \mapsto t \log\left(x + \frac{-4608t^3c + 72ta^3 - 144tac^2}{9a^4 - 4c^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+a)/(3*x**4+2),x)
```

```
[Out] RootSum(55296*_t**4 + 2304*_t**2*a*c + 9*a**4 + 12*a**2*c**2 + 4*c**4, Lambda(_t, _t*log(x + (-4608*_t**3*c + 72*_t*a**3 - 144*_t*a*c**2)/(9*a**4 - 4*c**4))))
```

$$3.110 \quad \int \frac{bx+cx^2}{2+3x^4} dx$$

Optimal. Leaf size=123

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}}$$

Rubi [A] time = 0.12, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.526$, Rules used = {1593, 1831, 275, 203, 297, 1162, 617, 204, 1165, 628}

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(b*x + c*x^2)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - (c*ArcTan[1 - 6^(1/4)*x])/(2*6^(3/4)) + (c*ArcTan[1 + 6^(1/4)*x])/(2*6^(3/4)) + (c*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) - (c*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(4*6^(3/4))

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 297

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] :> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4

), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1593

Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1831

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{bx + cx^2}{2 + 3x^4} dx &= \int \frac{x(b + cx)}{2 + 3x^4} dx \\
&= \int \left(\frac{bx}{2 + 3x^4} + \frac{cx^2}{2 + 3x^4} \right) dx \\
&= b \int \frac{x}{2 + 3x^4} dx + c \int \frac{x^2}{2 + 3x^4} dx \\
&= \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2 + 3x^2} dx, x, x^2 \right) - \frac{c \int \frac{\sqrt{2} - \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} + \frac{c \int \frac{\sqrt{2} + \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{c \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{4 \cdot 6^{3/4}} \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} + \frac{c \text{Subst} \left(\int \frac{1}{-1-x^2} dx \right)}{2 \cdot 6^{3/4}} \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(1 + \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 99, normalized size = 0.80

$$\frac{-2(\sqrt[4]{6}b + c) \tan^{-1}(1 - \sqrt[4]{6}x) + 2(c - \sqrt[4]{6}b) \tan^{-1}(\sqrt[4]{6}x + 1) + c \log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) - c \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2)}{4 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + c*x^2)/(2 + 3*x^4), x]

[Out] (-2*(6^(1/4)*b + c)*ArcTan[1 - 6^(1/4)*x] + 2*(-(6^(1/4)*b) + c)*ArcTan[1 + 6^(1/4)*x] + c*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] - c*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2])/(4*6^(3/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bx + cx^2}{2 + 3x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(b*x + c*x^2)/(2 + 3*x^4),x]

[Out] IntegrateAlgebraic[(b*x + c*x^2)/(2 + 3*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)/(3*x^4+2),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 114, normalized size = 0.93

$$-\frac{1}{24} \cdot 6^{\frac{1}{4}} c \log\left(x^2 + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}}\right) + \frac{1}{24} \cdot 6^{\frac{1}{4}} c \log\left(x^2 - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}}\right) - \frac{1}{12} (\sqrt{6} b - 6^{\frac{1}{4}} c) \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{12} (\sqrt{6} b + 6^{\frac{1}{4}} c) \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)/(3*x^4+2),x, algorithm="giac")

[Out] $-1/24*6^{(1/4)}*c*\log(x^2 + \text{sqrt}(2)*(2/3)^{(1/4)}*x + \text{sqrt}(2/3)) + 1/24*6^{(1/4)}*c*\log(x^2 - \text{sqrt}(2)*(2/3)^{(1/4)}*x + \text{sqrt}(2/3)) - 1/12*(\text{sqrt}(6)*b - 6^{(1/4)}*c)*\arctan(3/4*\text{sqrt}(2)*(2/3)^{(3/4)}*(2*x + \text{sqrt}(2)*(2/3)^{(1/4)})) + 1/12*(\text{sqrt}(6)*b + 6^{(1/4)}*c)*\arctan(3/4*\text{sqrt}(2)*(2/3)^{(3/4)}*(2*x - \text{sqrt}(2)*(2/3)^{(1/4)}))$

maple [A] time = 0.05, size = 129, normalized size = 1.05

$$\frac{\sqrt{6} b \arctan\left(\frac{\sqrt{6} x^2}{2}\right)}{12} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1\right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1\right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \ln\left(\frac{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{\frac{1}{3} \sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}}\right)}{144}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x)/(3*x^4+2),x)

[Out] $1/12*6^{(1/2)}*b*\arctan(1/2*6^{(1/2)}*x^2)+1/72*3^{(1/2)}*6^{(3/4)}*2^{(1/2)}*c*\arctan(1/6*2^{(1/2)}*3^{(1/2)}*6^{(3/4)}*x+1)+1/72*3^{(1/2)}*6^{(3/4)}*2^{(1/2)}*c*\arctan(1/6*2^{(1/2)}*3^{(1/2)}*6^{(3/4)}*x-1)+1/144*3^{(1/2)}*6^{(3/4)}*2^{(1/2)}*c*\ln((x^2-1/3*3^{(1/2)}*6^{(1/4)}*2^{(1/2)}*x+1/3*6^{(1/2)})/(x^2+1/3*3^{(1/2)}*6^{(1/4)}*2^{(1/2)}*x+1/3*6^{(1/2)}))$

maxima [A] time = 3.09, size = 147, normalized size = 1.20

$$\frac{1}{24} \sqrt{2} (3^{\frac{1}{2}} 2^{\frac{3}{2}} c - 2\sqrt{3} b) \arctan\left(\frac{1}{6} \cdot 3^{\frac{1}{2}} 2^{\frac{1}{2}} (2\sqrt{3} x + 3^{\frac{1}{2}} 2^{\frac{3}{2}})\right) + \frac{1}{24} \sqrt{2} (3^{\frac{1}{2}} 2^{\frac{3}{2}} c + 2\sqrt{3} b) \arctan\left(\frac{1}{6} \cdot 3^{\frac{1}{2}} 2^{\frac{1}{2}} (2\sqrt{3} x - 3^{\frac{1}{2}} 2^{\frac{3}{2}})\right) - \frac{1}{24} \cdot 3^{\frac{1}{2}} 2^{\frac{1}{2}} c \log(\sqrt{3} x^2 + 3^{\frac{1}{2}} 2^{\frac{3}{2}} x + \sqrt{2}) + \frac{1}{24} \cdot 3^{\frac{1}{2}} 2^{\frac{1}{2}} c \log(\sqrt{3} x^2 - 3^{\frac{1}{2}} 2^{\frac{3}{2}} x + \sqrt{2})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)/(3*x^4+2),x, algorithm="maxima")

[Out] $\frac{1}{24}\sqrt{2}\left(3^{1/4}2^{3/4}c - 2\sqrt{3}b\right)\arctan\left(\frac{1}{6}3^{3/4}2^{1/4}\left(2\sqrt{3}x + 3^{1/4}2^{3/4}\right)\right) + \frac{1}{24}\sqrt{2}\left(3^{1/4}2^{3/4}c + 2\sqrt{3}b\right)\arctan\left(\frac{1}{6}3^{3/4}2^{1/4}\left(2\sqrt{3}x - 3^{1/4}2^{3/4}\right)\right) - \frac{1}{24}3^{1/4}2^{1/4}c\log\left(\sqrt{3}x^2 + 3^{1/4}2^{3/4}x + \sqrt{2}\right) + \frac{1}{24}3^{1/4}2^{1/4}c\log\left(\sqrt{3}x^2 - 3^{1/4}2^{3/4}x + \sqrt{2}\right)$

mupad [B] time = 0.22, size = 162, normalized size = 1.32

$$\sum_{k=1}^4 \ln\left(9b^3x - 6c^3 - \sqrt{z^4 + \frac{b^2z^2}{48} + \frac{bc^2z}{288} + \frac{c^4}{13824} + \frac{b^4}{9216}, z, k}\right) bc^{144} + \sqrt{z^4 + \frac{b^2z^2}{48} + \frac{bc^2z}{288} + \frac{c^4}{13824} + \frac{b^4}{9216}, z, k}^2 bx^{864} + \sqrt{z^4 + \frac{b^2z^2}{48} + \frac{bc^2z}{288} + \frac{c^4}{13824} + \frac{b^4}{9216}, z, k} c^2 x^{72} \sqrt{z^4 + \frac{b^2z^2}{48} + \frac{bc^2z}{288} + \frac{c^4}{13824} + \frac{b^4}{9216}, z, k}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x + c*x^2)/(3*x^4 + 2),x)

[Out] $\text{symsum}\left(\log\left(9b^3x - 6c^3 - 144\sqrt{z^4 + (b^2z^2)/48} + (bc^2z)/288 + c^4/13824 + b^4/9216, z, k\right) * bc + 864\sqrt{z^4 + (b^2z^2)/48} + (bc^2z)/288 + c^4/13824 + b^4/9216, z, k\right)^2 * bx + 72\sqrt{z^4 + (b^2z^2)/48} + (bc^2z)/288 + c^4/13824 + b^4/9216, z, k) * c^2 * x * \sqrt{z^4 + (b^2z^2)/48} + (bc^2z)/288 + c^4/13824 + b^4/9216, z, k), k, 1, 4)$

sympy [A] time = 0.77, size = 85, normalized size = 0.69

$$\text{RootSum}\left(27648t^4 + 576t^2b^2 + 96tbc^2 + 3b^4 + 2c^4, \left(t \mapsto t \log\left(x + \frac{-1152t^3c^2 + 288t^2b^3 - 36tb^2c^2 + 3b^5 - 3bc^4}{6b^4c - c^5}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x)/(3*x**4+2),x)

[Out] $\text{RootSum}(27648*_t**4 + 576*_t**2*b**2 + 96*_t*b*c**2 + 3*b**4 + 2*c**4, \text{Lambd}a(_t, _t*\log(x + (-1152*_t**3*c**2 + 288*_t**2*b**3 - 36*_t*b**2*c**2 + 3*b**5 - 3*b*c**4)/(6*b**4*c - c**5))))$

$$3.111 \quad \int \frac{a+bx+cx^2}{2+3x^4} dx$$

Optimal. Leaf size=163

$$\frac{(\sqrt{6}a - 2c) \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(\sqrt[4]{6}x + 1)}{4 \cdot 6^{3/4}} + \frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x\right)}{2\sqrt{6}}$$

Rubi [A] time = 0.12, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.450$, Rules used = {1876, 275, 203, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{6}a - 2c) \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(\sqrt[4]{6}x + 1)}{4 \cdot 6^{3/4}} + \frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x\right)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - ((Sqrt[6]*a + 2*c)*ArcTan[1 - 6^(1/4)*x])/(4*6^(3/4)) + ((Sqrt[6]*a + 2*c)*ArcTan[1 + 6^(1/4)*x])/(4*6^(3/4)) - ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(3/4))

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{2 + 3x^4} dx &= \int \left(\frac{bx}{2 + 3x^4} + \frac{a + cx^2}{2 + 3x^4} \right) dx \\
&= b \int \frac{x}{2 + 3x^4} dx + \int \frac{a + cx^2}{2 + 3x^4} dx \\
&= \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2 + 3x^2} dx, x, x^2 \right) + \frac{1}{12} (\sqrt{6}a - 2c) \int \frac{\sqrt{6} - 3x^2}{2 + 3x^4} dx + \frac{1}{12} (\sqrt{6}a + 2c) \int \frac{\sqrt{6}}{2 + 3x^4} dx \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt{3}} + 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt{3}} - x^2} dx}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \int \frac{\frac{2^{3/4}}{\sqrt{3}} - 2x}{-\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt{3}} - x^2} dx}{8 \cdot 6^{3/4}} + \frac{1}{24} \left(\sqrt{6}a + 2c \right) \int \frac{1}{2 + 3x^4} dx \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{(\sqrt{6}a + 2c) \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{4 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c)}{8 \cdot 6^{3/4}} \log \left(\frac{\sqrt{6} - 6^{3/4}x + 3x^2}{\sqrt{6} + 6^{3/4}x + 3x^2} \right)
\end{aligned}$$

Mathematica [A] time = 0.08, size = 129, normalized size = 0.79

$$\frac{-2 \tan^{-1} \left(1 - \sqrt[4]{6}x \right) (\sqrt{6}a + 2(\sqrt[4]{6}b + c)) + 2 \tan^{-1} \left(\sqrt[4]{6}x + 1 \right) (\sqrt{6}a - 2\sqrt[4]{6}b + 2c) - (\sqrt{6}a - 2c) (\log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) - \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2))}{8 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)/(2 + 3*x^4), x]

[Out] (-2*(Sqrt[6]*a + 2*(6^(1/4)*b + c))*ArcTan[1 - 6^(1/4)*x] + 2*(Sqrt[6]*a - 2*6^(1/4)*b + 2*c)*ArcTan[1 + 6^(1/4)*x] - (Sqrt[6]*a - 2*c)*(Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] - Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2])/(8*6^(3/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + bx + cx^2}{2 + 3x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x + c*x^2)/(2 + 3*x^4), x]

[Out] IntegrateAlgebraic[(a + b*x + c*x^2)/(2 + 3*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(3*x^4+2),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.22, size = 143, normalized size = 0.88

$$\frac{1}{24} (6^{\frac{3}{4}} a - 2\sqrt{6} b + 2 \cdot 6^{\frac{1}{4}} c) \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{24} (6^{\frac{3}{4}} a + 2\sqrt{6} b + 2 \cdot 6^{\frac{1}{4}} c) \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{48} (6^{\frac{3}{4}} a - 2 \cdot 6^{\frac{1}{4}} c) \log\left(x^2 + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}}\right) - \frac{1}{48} (6^{\frac{3}{4}} a - 2 \cdot 6^{\frac{1}{4}} c) \log\left(x^2 - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(3*x^4+2),x, algorithm="giac")

[Out] $\frac{1}{24} (6^{\frac{3}{4}} a - 2\sqrt{6} b + 2 \cdot 6^{\frac{1}{4}} c) \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} (2x + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}})\right) + \frac{1}{24} (6^{\frac{3}{4}} a + 2\sqrt{6} b + 2 \cdot 6^{\frac{1}{4}} c) \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} (2x - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}})\right) + \frac{1}{48} (6^{\frac{3}{4}} a - 2 \cdot 6^{\frac{1}{4}} c) \log(x^2 + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}}) - \frac{1}{48} (6^{\frac{3}{4}} a - 2 \cdot 6^{\frac{1}{4}} c) \log(x^2 - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}})$

maple [B] time = 0.05, size = 241, normalized size = 1.48

$$\frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{6} \frac{1}{6} x - 1}{6}\right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{6} \frac{1}{6} x + 1}{6}\right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \ln\left(\frac{x^2 + \frac{\sqrt{2} \sqrt{6} \frac{1}{6} x + \frac{\sqrt{6}}{3}}{x^2 - \frac{\sqrt{2} \sqrt{6} \frac{1}{6} x + \frac{\sqrt{6}}{3}}}\right)}{48} + \frac{\sqrt{6} b \arctan\left(\frac{\sqrt{6} x^2}{2}\right)}{12} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{6} \frac{1}{6} x - 1}{6}\right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{6} \frac{1}{6} x + 1}{6}\right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \ln\left(\frac{x^2 + \frac{\sqrt{2} \sqrt{6} \frac{1}{6} x + \frac{\sqrt{6}}{3}}{x^2 + \frac{\sqrt{2} \sqrt{6} \frac{1}{6} x + \frac{\sqrt{6}}{3}}}\right)}{144}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)/(3*x^4+2),x)

[Out] $\frac{1}{24} 3^{\frac{1}{2}} 6^{\frac{1}{4}} 2^{\frac{1}{2}} a \arctan\left(\frac{1}{6} 2^{\frac{1}{2}} 3^{\frac{1}{2}} 6^{\frac{3}{4}} x + 1\right) + \frac{1}{24} 3^{\frac{1}{2}} 6^{\frac{1}{4}} 2^{\frac{1}{2}} a \arctan\left(\frac{1}{6} 2^{\frac{1}{2}} 3^{\frac{1}{2}} 6^{\frac{3}{4}} x - 1\right) + \frac{1}{48} 3^{\frac{1}{2}} 6^{\frac{1}{4}} 2^{\frac{1}{2}} a \ln\left(\frac{(x^2 + 1/3) 3^{\frac{1}{2}} 6^{\frac{1}{4}} 2^{\frac{1}{2}} x + 1/3 6^{\frac{1}{2}}}{(x^2 - 1/3) 3^{\frac{1}{2}} 6^{\frac{1}{4}} 2^{\frac{1}{2}} x + 1/3 6^{\frac{1}{2}}}\right) + \frac{1}{12} 6^{\frac{1}{2}} b \arctan\left(\frac{1}{2} 6^{\frac{1}{2}} x^2\right) + \frac{1}{72} 3^{\frac{1}{2}} 6^{\frac{3}{4}} 2^{\frac{1}{2}} c \arctan\left(\frac{1}{6} 2^{\frac{1}{2}} 3^{\frac{1}{2}} 6^{\frac{3}{4}} x + 1\right) + \frac{1}{72} 3^{\frac{1}{2}} 6^{\frac{3}{4}} 2^{\frac{1}{2}} c \arctan\left(\frac{1}{6} 2^{\frac{1}{2}} 3^{\frac{1}{2}} 6^{\frac{3}{4}} x - 1\right) + \frac{1}{144} 3^{\frac{1}{2}} 6^{\frac{3}{4}} 2^{\frac{1}{2}} c \ln\left(\frac{(x^2 - 1/3) 3^{\frac{1}{2}} 6^{\frac{1}{4}} 2^{\frac{1}{2}} x + 1/3 6^{\frac{1}{2}}}{(x^2 + 1/3) 3^{\frac{1}{2}} 6^{\frac{1}{4}} 2^{\frac{1}{2}} x + 1/3 6^{\frac{1}{2}}}\right)$

maxima [A] time = 3.06, size = 187, normalized size = 1.15

$$\frac{1}{48} \cdot 3^{\frac{1}{2}} (\sqrt{3} a - \sqrt{2} c) \log(\sqrt{3} x^2 + 3^{\frac{1}{2}} x + \sqrt{2}) - \frac{1}{48} \cdot 3^{\frac{1}{2}} (\sqrt{3} a - \sqrt{2} c) \log(\sqrt{3} x^2 - 3^{\frac{1}{2}} x + \sqrt{2}) + \frac{1}{24} (3^{\frac{1}{2}} a - 2\sqrt{3} \sqrt{2} b + 2 \cdot 3^{\frac{1}{2}} c) \arctan\left(\frac{1}{6} \cdot 3^{\frac{1}{2}} (2\sqrt{3} x + 3^{\frac{1}{2}})\right) + \frac{1}{24} (3^{\frac{1}{2}} a + 2\sqrt{3} \sqrt{2} b + 2 \cdot 3^{\frac{1}{2}} c) \arctan\left(\frac{1}{6} \cdot 3^{\frac{1}{2}} (2\sqrt{3} x - 3^{\frac{1}{2}})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

$$3.112 \quad \int \frac{dx^3}{2+3x^4} dx$$

Optimal. Leaf size=13

$$\frac{1}{12} d \log(3x^4 + 2)$$

Rubi [A] time = 0.00, antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {12, 260}

$$\frac{1}{12} d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Int[(d*x^3)/(2 + 3*x^4), x]

[Out] (d*Log[2 + 3*x^4])/12

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned} \int \frac{dx^3}{2+3x^4} dx &= d \int \frac{x^3}{2+3x^4} dx \\ &= \frac{1}{12} d \log(2 + 3x^4) \end{aligned}$$

Mathematica [A] time = 0.00, size = 13, normalized size = 1.00

$$\frac{1}{12} d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Integrate[(d*x^3)/(2 + 3*x^4),x]

[Out] (d*Log[2 + 3*x^4])/12

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx^3}{2 + 3x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d*x^3)/(2 + 3*x^4),x]

[Out] IntegrateAlgebraic[(d*x^3)/(2 + 3*x^4), x]

fricas [A] time = 0.39, size = 11, normalized size = 0.85

$$\frac{1}{12} d \log(3x^4 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3/(3*x^4+2),x, algorithm="fricas")

[Out] 1/12*d*log(3*x^4 + 2)

giac [A] time = 0.16, size = 11, normalized size = 0.85

$$\frac{1}{12} d \log(3x^4 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3/(3*x^4+2),x, algorithm="giac")

[Out] 1/12*d*log(3*x^4 + 2)

maple [A] time = 0.05, size = 12, normalized size = 0.92

$$\frac{d \ln(3x^4 + 2)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(d*x^3/(3*x^4+2),x)

[Out] 1/12*d*ln(3*x^4+2)

maxima [A] time = 1.32, size = 11, normalized size = 0.85

$$\frac{1}{12} d \log(3x^4 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3/(3*x^4+2),x, algorithm="maxima")

[Out] 1/12*d*log(3*x^4 + 2)

mupad [B] time = 0.03, size = 9, normalized size = 0.69

$$\frac{d \ln\left(x^4 + \frac{2}{3}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3)/(3*x^4 + 2),x)

[Out] (d*log(x^4 + 2/3))/12

sympy [A] time = 0.09, size = 10, normalized size = 0.77

$$\frac{d \log(3x^4 + 2)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x**3/(3*x**4+2),x)

[Out] d*log(3*x**4 + 2)/12

$$3.113 \quad \int \frac{a+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=114

$$-\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{1}{12} d \log(3x^4 + 2)$$

Rubi [A] time = 0.10, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {1876, 211, 1165, 628, 1162, 617, 204, 260}

$$-\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{1}{12} d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Int[(a + d*x^3)/(2 + 3*x^4), x]

[Out] -(a*ArcTan[1 - 6^(1/4)*x])/(4*6^(1/4)) + (a*ArcTan[1 + 6^(1/4)*x])/(4*6^(1/4)) - (a*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (a*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (d*Log[2 + 3*x^4])/12

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b


```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{a + dx^3}{2 + 3x^4} dx &= \int \left(\frac{a}{2 + 3x^4} + \frac{dx^3}{2 + 3x^4} \right) dx \\
&= a \int \frac{1}{2 + 3x^4} dx + d \int \frac{x^3}{2 + 3x^4} dx \\
&= \frac{1}{12} d \log(2 + 3x^4) + \frac{a \int \frac{\sqrt{2} - \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{2}} + \frac{a \int \frac{\sqrt{2} + \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{2}} \\
&= \frac{1}{12} d \log(2 + 3x^4) + \frac{a \int \frac{1}{\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2}} dx}{4\sqrt{6}} + \frac{a \int \frac{1}{\sqrt{\frac{2}{3} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2}} dx}{4\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2x}{-\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2}} dx}{8\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}}}{-\sqrt{\frac{2}{3} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2}} dx}{8\sqrt{6}} \\
&= -\frac{a \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8\sqrt[4]{6}} + \frac{a \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8\sqrt[4]{6}} + \frac{1}{12} d \log(2 + 3x^4) + \frac{a \text{Subst}\left(\int \frac{1}{-1-x^2}\right)}{4\sqrt[4]{6}} \\
&= -\frac{a \tan^{-1}\left(1 - \sqrt[4]{6}x\right)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}\left(1 + \sqrt[4]{6}x\right)}{4\sqrt[4]{6}} - \frac{a \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8\sqrt[4]{6}} + \frac{a \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8\sqrt[4]{6}}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 108, normalized size = 0.95

$$\frac{1}{48} \left(-6^{3/4} a \log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) + 6^{3/4} a \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2) - 2 \cdot 6^{3/4} a \tan^{-1}\left(1 - \sqrt[4]{6}x\right) + 2 \cdot 6^{3/4} a \tan^{-1}\left(\sqrt[4]{6}x + 1\right) + 4d \log(3x^4 + 2) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + d*x^3)/(2 + 3*x^4), x]

[Out] (-2*6^(3/4)*a*ArcTan[1 - 6^(1/4)*x] + 2*6^(3/4)*a*ArcTan[1 + 6^(1/4)*x] - 6^(3/4)*a*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] + 6^(3/4)*a*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2] + 4*d*Log[2 + 3*x^4])/48

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + dx^3}{2 + 3x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + d*x^3)/(2 + 3*x^4), x]

[Out] IntegrateAlgebraic[(a + d*x^3)/(2 + 3*x^4), x]

fricas [B] time = 0.43, size = 359, normalized size = 3.15

$$\frac{4 \cdot 6^{3/4} \sqrt{2} (a^2)^{3/4} \arctan\left(\frac{3 \sqrt{2} \sqrt{a^2 x^2 - 6^{1/4} \sqrt{3} \sqrt{2} (a^2)^{3/4}}}{6^{3/4} (a^2)^{3/4}}\right) + 4 \cdot 6^{3/4} \sqrt{2} (a^2)^{3/4} \arctan\left(\frac{3 \sqrt{2} \sqrt{a^2 x^2 - 6^{1/4} \sqrt{3} \sqrt{2} (a^2)^{3/4}}}{6^{3/4} (a^2)^{3/4}}\right)}{48 a^4} - \left(6^{1/4} \sqrt{2} (a^2)^{3/4} + 4 a^4\right) \log\left(3 a^2 x^2 + 6^{1/4} \sqrt{2} (a^2)^{3/4} x + \sqrt{6} \sqrt{2}\right) + \left(6^{1/4} \sqrt{2} (a^2)^{3/4} - 4 a^4\right) \log\left(3 a^2 x^2 - 6^{1/4} \sqrt{2} (a^2)^{3/4} x + \sqrt{6} \sqrt{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+a)/(3*x^4+2),x, algorithm="fricas")

[Out] $-1/48*(4*6^{1/4}*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a^4*\arctan(-1/6*(6^{3/4}*sqrt(3)*sqrt(2)*(a^4)^{3/4}*a^4*x - 6^{3/4}*sqrt(3)*sqrt(2)*sqrt(1/3)*(a^4)^{3/4})*a^4*sqrt((3*a^2*x^2 + 6^{1/4}*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a*x + sqrt(6)*sqrt(a^4))/a^2) + 6*a^7)/a^7) + 4*6^{1/4}*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a^4*\arctan(-1/6*(6^{3/4}*sqrt(3)*sqrt(2)*(a^4)^{3/4}*a^4*x - 6^{3/4}*sqrt(3)*sqrt(2)*sqrt(1/3)*(a^4)^{3/4}*a^4*sqrt((3*a^2*x^2 - 6^{1/4}*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a*x + sqrt(6)*sqrt(a^4))/a^2) - 6*a^7)/a^7) - (6^{1/4}*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a*x + sqrt(6)*sqrt(a^4))/a^2) - 6*a^7)/a^7) - (6^{1/4}*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a*x + sqrt(6)*sqrt(a^4))/a^2) + (6^{1/4}*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a^4 - 4*a^4*d)*log(3*a^2*x^2 + 6^{1/4}*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a*x + sqrt(6)*sqrt(a^4)) + (6^{1/4}*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a^4 - 4*a^4*d)*log(3*a^2*x^2 - 6^{1/4}*sqrt(3)*sqrt(2)*(a^4)^{1/4}*a*x + sqrt(6)*sqrt(a^4))/a^4$

giac [A] time = 0.20, size = 109, normalized size = 0.96

$$\frac{1}{24} \cdot 6^{3/4} a \arctan\left(\frac{3 \sqrt{2} \left(\frac{2}{3}\right)^{3/4} \left(2x + \sqrt{2} \left(\frac{2}{3}\right)^{1/4}\right)}{6^{3/4} \left(\frac{2}{3}\right)^{3/4}}\right) + \frac{1}{24} \cdot 6^{3/4} a \arctan\left(\frac{3 \sqrt{2} \left(\frac{2}{3}\right)^{3/4} \left(2x - \sqrt{2} \left(\frac{2}{3}\right)^{1/4}\right)}{6^{3/4} \left(\frac{2}{3}\right)^{3/4}}\right) + \frac{1}{48} (6^{3/4} a + 4d) \log\left(x^2 + \sqrt{2} \left(\frac{2}{3}\right)^{1/4} x + \sqrt{\frac{2}{3}}\right) - \frac{1}{48} (6^{3/4} a - 4d) \log\left(x^2 - \sqrt{2} \left(\frac{2}{3}\right)^{1/4} x + \sqrt{\frac{2}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+a)/(3*x^4+2),x, algorithm="giac")

[Out] $1/24*6^{3/4}*a*\arctan(3/4*sqrt(2)*(2/3)^{3/4}*(2*x + sqrt(2)*(2/3)^{1/4})) + 1/24*6^{3/4}*a*\arctan(3/4*sqrt(2)*(2/3)^{3/4}*(2*x - sqrt(2)*(2/3)^{1/4})) + 1/48*(6^{3/4}*a + 4*d)*log(x^2 + sqrt(2)*(2/3)^{1/4}*x + sqrt(2/3)) - 1/48*(6^{3/4}*a - 4*d)*log(x^2 - sqrt(2)*(2/3)^{1/4}*x + sqrt(2/3))$

maple [A] time = 0.05, size = 125, normalized size = 1.10

$$\frac{\sqrt{3} \cdot 6^{1/4} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} \cdot 6^{3/4} x}{6} - 1\right)}{24} + \frac{\sqrt{3} \cdot 6^{1/4} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} \cdot 6^{3/4} x}{6} + 1\right)}{24} + \frac{\sqrt{3} \cdot 6^{1/4} \sqrt{2} a \ln\left(\frac{x^2 + \frac{\sqrt{3} \cdot 6^{1/4} \sqrt{2} x + \sqrt{6}}{3}}{x^2 - \frac{\sqrt{3} \cdot 6^{1/4} \sqrt{2} x + \sqrt{6}}{3}}\right)}{48} + \frac{d \ln(3x^4 + 2)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+a)/(3*x^4+2),x)

[Out] $1/24*3^{1/2}*6^{1/4}*2^{1/2}*a*\arctan(1/6*2^{1/2}*3^{1/2}*6^{3/4}*x+1)+1/24*3^{1/2}*6^{1/4}*2^{1/2}*a*\arctan(1/6*2^{1/2}*3^{1/2}*6^{3/4}*x-1)+1/48*3^{1/2}$

$\frac{1}{2} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot a \cdot \ln\left(\frac{x^2 + 1/3 \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + 1/3 \cdot 6^{\frac{1}{2}}}{x^2 - 1/3 \cdot 3^{\frac{1}{2}} \cdot 6^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + 1/3 \cdot 6^{\frac{1}{2}}}\right) + 1/12 \cdot d \cdot \ln(3 \cdot x^4 + 2)$

maxima [A] time = 3.06, size = 149, normalized size = 1.31

$$\frac{1}{24} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot a \cdot \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot (2\sqrt{3}x + 3^{\frac{1}{2}} \cdot 2^{\frac{3}{4}})\right) + \frac{1}{24} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot a \cdot \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot (2\sqrt{3}x - 3^{\frac{1}{2}} \cdot 2^{\frac{3}{4}})\right) + \frac{1}{144} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot (2 \cdot 3^{\frac{1}{2}} \cdot d + 3a) \cdot \log(\sqrt{3}x^2 + 3^{\frac{1}{2}} \cdot 2^{\frac{3}{4}} \cdot x + \sqrt{2}) + \frac{1}{144} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot (2 \cdot 3^{\frac{1}{2}} \cdot d - 3a) \cdot \log(\sqrt{3}x^2 - 3^{\frac{1}{2}} \cdot 2^{\frac{3}{4}} \cdot x + \sqrt{2})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+a)/(3*x^4+2),x, algorithm="maxima")

[Out] $\frac{1}{24} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot a \cdot \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot (2\sqrt{3}x + 3^{\frac{1}{2}} \cdot 2^{\frac{3}{4}})\right) + \frac{1}{24} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot a \cdot \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot (2\sqrt{3}x - 3^{\frac{1}{2}} \cdot 2^{\frac{3}{4}})\right) + \frac{1}{144} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot (2 \cdot 3^{\frac{1}{2}} \cdot d + 3a) \cdot \log(\sqrt{3}x^2 + 3^{\frac{1}{2}} \cdot 2^{\frac{3}{4}} \cdot x + \sqrt{2}) + \frac{1}{144} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \cdot (2 \cdot 3^{\frac{1}{2}} \cdot d - 3a) \cdot \log(\sqrt{3}x^2 - 3^{\frac{1}{2}} \cdot 2^{\frac{3}{4}} \cdot x + \sqrt{2})$

mupad [B] time = 0.28, size = 117, normalized size = 1.03

$$\ln\left(x - \frac{(-1)^{1/4} \cdot 2^{1/4} \cdot 3^{3/4}}{3}\right) \left(\frac{d}{12} - \frac{6^{1/4} \cdot \sqrt[3]{4} \cdot a}{12}\right) + \ln\left(x + \frac{(-1)^{1/4} \cdot 2^{1/4} \cdot 3^{3/4}}{3}\right) \left(\frac{d}{12} + \frac{6^{1/4} \cdot \sqrt[3]{4} \cdot a}{12}\right) + \ln\left(x - \frac{(-1)^{3/4} \cdot 2^{1/4} \cdot 3^{3/4}}{3}\right) \left(\frac{d}{12} + \frac{6^{1/4} \cdot \sqrt[3]{4} \cdot a}{12}\right) + \ln\left(x + \frac{(-1)^{3/4} \cdot 2^{1/4} \cdot 3^{3/4}}{3}\right) \left(\frac{d}{12} - \frac{6^{1/4} \cdot \sqrt[3]{4} \cdot a}{12}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + d*x^3)/(3*x^4 + 2),x)

[Out] $\log\left(x - \frac{(-1)^{1/4} \cdot 2^{1/4} \cdot 3^{3/4}}{3}\right) \cdot \left(\frac{d}{12} - \frac{6^{1/4} \cdot (3i/4)^{1/2} \cdot a}{12}\right) + \log\left(x + \frac{(-1)^{1/4} \cdot 2^{1/4} \cdot 3^{3/4}}{3}\right) \cdot \left(\frac{d}{12} + \frac{6^{1/4} \cdot (3i/4)^{1/2} \cdot a}{12}\right) + \log\left(x - \frac{(-1)^{3/4} \cdot 2^{1/4} \cdot 3^{3/4}}{3}\right) \cdot \left(\frac{d}{12} + \frac{6^{1/4} \cdot (-3i/4)^{1/2} \cdot a}{12}\right) + \log\left(x + \frac{(-1)^{3/4} \cdot 2^{1/4} \cdot 3^{3/4}}{3}\right) \cdot \left(\frac{d}{12} - \frac{6^{1/4} \cdot (-3i/4)^{1/2} \cdot a}{12}\right)$

sympy [A] time = 0.42, size = 51, normalized size = 0.45

$$\text{RootSum}\left(165888t^4 - 55296t^3d + 6912t^2d^2 - 384td^3 + 27a^4 + 8d^4, \left(t \mapsto t \log\left(x + \frac{24t - 2d}{3a}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+a)/(3*x**4+2),x)

[Out] $\text{RootSum}(165888*_t**4 - 55296*_t**3*d + 6912*_t**2*d**2 - 384*_t*d**3 + 27*a**4 + 8*d**4, \text{Lambda}(_t, _t \cdot \log(x + (24*_t - 2*d)/(3*a))))$

$$3.114 \quad \int \frac{bx+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=36

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{1}{12}d \log(3x^4 + 2)$$

Rubi [A] time = 0.03, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1593, 1248, 635, 203, 260}

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{1}{12}d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Int[(b*x + d*x^3)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) + (d*Log[2 + 3*x^4])/12

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1248

Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rule 1593

`Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] :> Int[u*x
^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] &&
PosQ[q - p]`

Rubi steps

$$\begin{aligned} \int \frac{bx + dx^3}{2 + 3x^4} dx &= \int \frac{x(b + dx^2)}{2 + 3x^4} dx \\ &= \frac{1}{2} \text{Subst} \left(\int \frac{b + dx}{2 + 3x^2} dx, x, x^2 \right) \\ &= \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2 + 3x^2} dx, x, x^2 \right) + \frac{1}{2} d \text{Subst} \left(\int \frac{x}{2 + 3x^2} dx, x, x^2 \right) \\ &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} + \frac{1}{12} d \log(2 + 3x^4) \end{aligned}$$

Mathematica [C] time = 0.04, size = 65, normalized size = 1.81

$$\frac{1}{24} (2d + i\sqrt{6}b) \log(\sqrt{6} - 3ix^2) + \frac{1}{24} (2d - i\sqrt{6}b) \log(\sqrt{6} + 3ix^2)$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + d*x^3)/(2 + 3*x^4), x]

[Out] ((I*Sqrt[6]*b + 2*d)*Log[Sqrt[6] - (3*I)*x^2])/24 + (((-I)*Sqrt[6]*b + 2*d)*Log[Sqrt[6] + (3*I)*x^2])/24

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bx + dx^3}{2 + 3x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(b*x + d*x^3)/(2 + 3*x^4), x]

[Out] IntegrateAlgebraic[(b*x + d*x^3)/(2 + 3*x^4), x]

fricas [A] time = 0.39, size = 27, normalized size = 0.75

$$\frac{1}{12} \sqrt{6} b \arctan \left(\frac{1}{2} \sqrt{6} x^2 \right) + \frac{1}{12} d \log(3x^4 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x)/(3*x^4+2),x, algorithm="fricas")

[Out] 1/12*sqrt(6)*b*arctan(1/2*sqrt(6)*x^2) + 1/12*d*log(3*x^4 + 2)

giac [B] time = 0.18, size = 93, normalized size = 2.58

$$-\frac{1}{12} \sqrt{6} b \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{12} \sqrt{6} b \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{12} d \log\left(x^2 + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}}\right) + \frac{1}{12} d \log\left(x^2 - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x)/(3*x^4+2),x, algorithm="giac")

[Out] -1/12*sqrt(6)*b*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 1/12*sqrt(6)*b*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4))) + 1/12*d*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) + 1/12*d*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3))

maple [A] time = 0.05, size = 28, normalized size = 0.78

$$\frac{\sqrt{6} b \arctan\left(\frac{\sqrt{6} x^2}{2}\right)}{12} + \frac{d \ln(3x^4 + 2)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+b*x)/(3*x^4+2),x)

[Out] 1/12*d*ln(3*x^4+2)+1/12*6^(1/2)*b*arctan(1/2*6^(1/2)*x^2)

maxima [B] time = 3.06, size = 113, normalized size = 3.14

$$-\frac{1}{12} \sqrt{3} \sqrt{2} b \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} (2\sqrt{3}x + 3^{\frac{1}{4}} 2^{\frac{3}{4}})\right) + \frac{1}{12} \sqrt{3} \sqrt{2} b \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} (2\sqrt{3}x - 3^{\frac{1}{4}} 2^{\frac{3}{4}})\right) + \frac{1}{12} d \log(\sqrt{3}x^2 + 3^{\frac{1}{4}} 2^{\frac{3}{4}}x + \sqrt{2}) + \frac{1}{12} d \log(\sqrt{3}x^2 - 3^{\frac{1}{4}} 2^{\frac{3}{4}}x + \sqrt{2})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x)/(3*x^4+2),x, algorithm="maxima")

[Out] -1/12*sqrt(3)*sqrt(2)*b*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x + 3^(1/4)*2^(3/4))) + 1/12*sqrt(3)*sqrt(2)*b*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x - 3^(1/4)*2^(3/4))) + 1/12*d*log(sqrt(3)*x^2 + 3^(1/4)*2^(3/4)*x + sqrt(2)) + 1/12*d*log(sqrt(3)*x^2 - 3^(1/4)*2^(3/4)*x + sqrt(2))

mupad [B] time = 0.06, size = 25, normalized size = 0.69

$$\frac{d \ln\left(x^4 + \frac{2}{3}\right)}{12} + \frac{\sqrt{6} b \operatorname{atan}\left(\frac{\sqrt{6} x^2}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x + d*x^3)/(3*x^4 + 2),x)`

[Out] `(d*log(x^4 + 2/3))/12 + (6^(1/2)*b*atan((6^(1/2)*x^2)/2))/12`

sympy [C] time = 0.41, size = 53, normalized size = 1.47

$$\left(-\frac{\sqrt{6}ib}{24} + \frac{d}{12}\right)\log\left(x^2 - \frac{\sqrt{6}i}{3}\right) + \left(\frac{\sqrt{6}ib}{24} + \frac{d}{12}\right)\log\left(x^2 + \frac{\sqrt{6}i}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+b*x)/(3*x**4+2),x)`

[Out] `(-sqrt(6)*I*b/24 + d/12)*log(x**2 - sqrt(6)*I/3) + (sqrt(6)*I*b/24 + d/12)*log(x**2 + sqrt(6)*I/3)`

$$3.115 \quad \int \frac{a+bx+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=136

$$\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x\right)}{2\sqrt{6}}$$

Rubi [A] time = 0.12, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.550$, Rules used = {1876, 211, 1165, 628, 1162, 617, 204, 1248, 635, 203, 260}

$$-\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x\right)}{2\sqrt{6}} + \frac{1}{12}d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + d*x^3)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - (a*ArcTan[1 - 6^(1/4)*x])/(4*6^(1/4)) + (a*ArcTan[1 + 6^(1/4)*x])/(4*6^(1/4)) - (a*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (a*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (d*Log[2 + 3*x^4])/12

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent
t[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 635

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(
a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e
}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + dx^3}{2 + 3x^4} dx &= \int \left(\frac{a}{2 + 3x^4} + \frac{x(b + dx^2)}{2 + 3x^4} \right) dx \\
&= a \int \frac{1}{2 + 3x^4} dx + \int \frac{x(b + dx^2)}{2 + 3x^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{b + dx}{2 + 3x^2} dx, x, x^2 \right) + \frac{a \int \frac{\sqrt{2} - \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{2}} + \frac{a \int \frac{\sqrt{2} + \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{2}} \\
&= \frac{a \int \frac{1}{\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt{3}} + x^2}} dx}{4\sqrt{6}} + \frac{a \int \frac{1}{\sqrt{\frac{2}{3} + \frac{2^{3/4}x}{\sqrt{3}} + x^2}} dx}{4\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt{3}} + 2x}{-\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt{3}} - x^2}} dx}{8\sqrt[4]{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt{3}} - 2x}{-\sqrt{\frac{2}{3} + \frac{2^{3/4}x}{\sqrt{3}} - x^2}} dx}{8\sqrt[4]{6}} + \dots \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{a \log \left(\sqrt{6} - 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} + \frac{a \log \left(\sqrt{6} + 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} + \frac{1}{12} d \log(2 + \dots) \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{a \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{4\sqrt[4]{6}} + \frac{a \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{4\sqrt[4]{6}} - \frac{a \log \left(\sqrt{6} - 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.10, size = 128, normalized size = 0.94

$$\frac{1}{48} (-2\sqrt{6} (\sqrt[4]{6}a + 2b) \tan^{-1}(1 - \sqrt[4]{6}x) + 2\sqrt{6} (\sqrt[4]{6}a - 2b) \tan^{-1}(\sqrt[4]{6}x + 1) - 6^{3/4}a \log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) + 6^{3/4}a \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2) + 4d \log(3x^4 + 2))$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + d*x^3)/(2 + 3*x^4), x]

[Out] (-2*Sqrt[6]*(6^(1/4)*a + 2*b)*ArcTan[1 - 6^(1/4)*x] + 2*Sqrt[6]*(6^(1/4)*a - 2*b)*ArcTan[1 + 6^(1/4)*x] - 6^(3/4)*a*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] + 6^(3/4)*a*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2] + 4*d*Log[2 + 3*x^4])/48

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + bx + dx^3}{2 + 3x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x + d*x^3)/(2 + 3*x^4), x]

[Out] IntegrateAlgebraic[(a + b*x + d*x^3)/(2 + 3*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x+a)/(3*x^4+2),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 125, normalized size = 0.92

$$\frac{1}{24}(6^{\frac{3}{4}}a - 2\sqrt{6}b)\arctan\left(\frac{3}{4}\sqrt{2}\left(\frac{2}{3}\right)^{\frac{3}{4}}\left(2x + \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{24}(6^{\frac{3}{4}}a + 2\sqrt{6}b)\arctan\left(\frac{3}{4}\sqrt{2}\left(\frac{2}{3}\right)^{\frac{3}{4}}\left(2x - \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{48}(6^{\frac{3}{4}}a + 4d)\log\left(x^2 + \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}x + \sqrt{\frac{2}{3}}\right) - \frac{1}{48}(6^{\frac{3}{4}}a - 4d)\log\left(x^2 - \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}x + \sqrt{\frac{2}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x+a)/(3*x^4+2),x, algorithm="giac")

[Out] $\frac{1}{24}(6^{\frac{3}{4}}a - 2\sqrt{6}b)\arctan\left(\frac{3}{4}\sqrt{2}\left(\frac{2}{3}\right)^{\frac{3}{4}}(2x + \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}})\right) + \frac{1}{24}(6^{\frac{3}{4}}a + 2\sqrt{6}b)\arctan\left(\frac{3}{4}\sqrt{2}\left(\frac{2}{3}\right)^{\frac{3}{4}}(2x - \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}})\right) + \frac{1}{48}(6^{\frac{3}{4}}a + 4d)\log(x^2 + \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}x + \sqrt{\frac{2}{3}}) - \frac{1}{48}(6^{\frac{3}{4}}a - 4d)\log(x^2 - \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}x + \sqrt{\frac{2}{3}})$

maple [A] time = 0.04, size = 140, normalized size = 1.03

$$\frac{\sqrt{3}6^{\frac{1}{4}}\sqrt{2}a\arctan\left(\frac{\sqrt{2}\sqrt{3}6^{\frac{3}{4}}x}{6} - 1\right)}{24} + \frac{\sqrt{3}6^{\frac{1}{4}}\sqrt{2}a\arctan\left(\frac{\sqrt{2}\sqrt{3}6^{\frac{3}{4}}x}{6} + 1\right)}{24} + \frac{\sqrt{3}6^{\frac{1}{4}}\sqrt{2}a\ln\left(\frac{x^2 + \frac{\sqrt{3}6^{\frac{1}{4}}\sqrt{2}x + \sqrt{6}}{3}}{x^2 - \frac{\sqrt{3}6^{\frac{1}{4}}\sqrt{2}x + \sqrt{6}}{3}}\right)}{48} + \frac{\sqrt{6}b\arctan\left(\frac{\sqrt{6}x^2}{2}\right)}{12} + \frac{d\ln(3x^4 + 2)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+b*x+a)/(3*x^4+2), x)

[Out] $\frac{1}{24}3^{\frac{1}{2}}6^{\frac{1}{4}}2^{\frac{1}{2}}a\arctan\left(\frac{1}{6}2^{\frac{1}{2}}3^{\frac{1}{2}}6^{\frac{3}{4}}x+1\right) + \frac{1}{24}3^{\frac{1}{2}}6^{\frac{1}{4}}2^{\frac{1}{2}}a\arctan\left(\frac{1}{6}2^{\frac{1}{2}}3^{\frac{1}{2}}6^{\frac{3}{4}}x-1\right) + \frac{1}{48}3^{\frac{1}{2}}6^{\frac{1}{4}}2^{\frac{1}{2}}a\ln\left(\frac{(x^2+1/3)3^{\frac{1}{2}}6^{\frac{1}{4}}2^{\frac{1}{2}}x+1/3)6^{\frac{1}{2}}}{(x^2-1/3)3^{\frac{1}{2}}6^{\frac{1}{4}}2^{\frac{1}{2}}x+1/3)6^{\frac{1}{2}}}\right) + \frac{1}{12}6^{\frac{1}{2}}b\arctan\left(\frac{1}{2}6^{\frac{1}{2}}x^2\right) + \frac{1}{12}d\ln(3x^4+2)$

maxima [A] time = 3.05, size = 171, normalized size = 1.26

$$\frac{1}{144} \cdot 3^{\frac{3}{2}}2^{\frac{3}{2}}(2 \cdot 3^{\frac{1}{2}}2^{\frac{1}{2}}d + 3a)\log(\sqrt{3}x^2 + 3^{\frac{1}{2}}2^{\frac{1}{2}}x + \sqrt{2}) + \frac{1}{144} \cdot 3^{\frac{3}{2}}2^{\frac{3}{2}}(2 \cdot 3^{\frac{1}{2}}2^{\frac{1}{2}}d - 3a)\log(\sqrt{3}x^2 - 3^{\frac{1}{2}}2^{\frac{1}{2}}x + \sqrt{2}) + \frac{1}{24}\sqrt{3}(3^{\frac{1}{2}}2^{\frac{3}{2}}a - 2\sqrt{2}b)\arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{2}}2^{\frac{3}{2}}(2\sqrt{3}x + 3^{\frac{1}{2}}2^{\frac{1}{2}})\right) + \frac{1}{24}\sqrt{3}(3^{\frac{1}{2}}2^{\frac{3}{2}}a + 2\sqrt{2}b)\arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{2}}2^{\frac{3}{2}}(2\sqrt{3}x - 3^{\frac{1}{2}}2^{\frac{1}{2}})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x+a)/(3*x^4+2),x, algorithm="maxima")

[Out] $\frac{1}{144}3^{3/4}2^{3/4}(2\sqrt[4]{3}2^{1/4}d + 3a)\log(\sqrt{3}x^2 + 3^{1/4}2^{3/4}x + \sqrt{2}) + \frac{1}{144}3^{3/4}2^{3/4}(2\sqrt[4]{3}2^{1/4}d - 3a)\log(\sqrt{3}x^2 - 3^{1/4}2^{3/4}x + \sqrt{2}) + \frac{1}{24}\sqrt{3}(3^{1/4}2^{3/4}a - 2\sqrt{2}b)\arctan\left(\frac{1}{6}3^{3/4}2^{1/4}(2\sqrt{3}x + 3^{1/4}2^{3/4})\right) + \frac{1}{24}\sqrt{3}(3^{1/4}2^{3/4}a + 2\sqrt{2}b)\arctan\left(\frac{1}{6}3^{3/4}2^{1/4}(2\sqrt{3}x - 3^{1/4}2^{3/4})\right)$

mupad [B] time = 5.50, size = 307, normalized size = 2.26

$$\sum_{i=1}^4 \left((6d^2 + 9b^2 + 9a^2) + 9a^2 - 9a^2 \operatorname{arctan}\left(\frac{d}{a}\right) + \frac{2(3456d^2 + 6912d^2)}{165888} + \frac{(864d^2 + 576b^2 + 384d^2)}{165888} + \frac{d^2 d}{2304} + \frac{d^2}{6912} + \frac{d^2}{20736} + \frac{d^2}{9216} + \frac{d^2}{6144} \right) \left(\operatorname{arctan}\left(\frac{d}{a}\right) + \frac{2(3456d^2 + 6912d^2)}{165888} + \frac{(864d^2 + 576b^2 + 384d^2)}{165888} + \frac{d^2 d}{2304} + \frac{d^2}{6912} + \frac{d^2}{20736} + \frac{d^2}{9216} + \frac{d^2}{6144} \right) - (108d^2 + 144bd + (108d^2 + 144bd)) \operatorname{arctan}\left(\frac{d}{a}\right) + \frac{2(3456d^2 + 6912d^2)}{165888} + \frac{(864d^2 + 576b^2 + 384d^2)}{165888} + \frac{d^2 d}{2304} + \frac{d^2}{6912} + \frac{d^2}{20736} + \frac{d^2}{9216} + \frac{d^2}{6144} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + d*x^3)/(3*x^4 + 2),x)

[Out] $\operatorname{symsum}(\log(x(9a^2d + 6b^2d^2 + 9b^3) + 9a^2b^2 - 6a^2d^2 - \operatorname{root}(z^4 - (dz^3)/3 + (z^2(3456b^2 + 6912d^2))/165888 - (z(864a^2b + 576b^2d + 384d^3))/165888 + (a^2bd)/2304 + (b^2d^2)/6912 + d^4/20736 + b^4/9216 + a^4/6144, z, k) * (\operatorname{root}(z^4 - (dz^3)/3 + (z^2(3456b^2 + 6912d^2))/165888 - (z(864a^2b + 576b^2d + 384d^3))/165888 + (a^2bd)/2304 + (b^2d^2)/6912 + d^4/20736 + b^4/9216 + a^4/6144, z, k) * (864a - 864b^2x) - 144a^2d + x(144bd + 108a^2)) * \operatorname{root}(z^4 - (dz^3)/3 + (z^2(3456b^2 + 6912d^2))/165888 - (z(864a^2b + 576b^2d + 384d^3))/165888 + (a^2bd)/2304 + (b^2d^2)/6912 + d^4/20736 + b^4/9216 + a^4/6144, z, k), k, 1, 4)$

sympy [A] time = 1.68, size = 199, normalized size = 1.46

$$\operatorname{RootSum}\left(165888t^4 - 55296t^3d + t^2(3456b^2 + 6912d^2) + t(-864a^2b - 576b^2d - 384d^3) + 27a^4 + 72a^2bd + 18b^4 + 24d^2d^2 + 8d^4 \left(t \mapsto t \log\left(x + \frac{27648t^3b^2 + 1728t^2a^2b - 6912t^2b^2d + 216ta^4 - 288ta^2bd + 288t^4 + 576bt^2d^2 - 18a^4d - 90a^2b^2 + 12a^2bd^2 - 24b^4d - 16d^2d^3}{27a^5 - 72ab^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+b*x+a)/(3*x**4+2),x)

[Out] $\operatorname{RootSum}(165888*_t**4 - 55296*_t**3*d + *_t**2*(3456*b**2 + 6912*d**2) + *_t*(-864*a**2*b - 576*b**2*d - 384*d**3) + 27*a**4 + 72*a**2*b*d + 18*b**4 + 24*b**2*d**2 + 8*d**4, \operatorname{Lambda}(_t, *_t*\log(x + (27648*_t**3*b**2 + 1728*_t**2*a**2*b - 6912*_t**2*b**2*d + 216*_t*a**4 - 288*_t*a**2*b*d + 288*_t*b**4 + 576*_t*b**2*d**2 - 18*a**4*d - 90*a**2*b**3 + 12*a**2*b*d**2 - 24*b**4*d - 16*b**2*d**3)/(27*a**5 - 72*a*b**4))))$

$$3.116 \quad \int \frac{cx^2 + dx^3}{2 + 3x^4} dx$$

Optimal. Leaf size=114

$$\frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}} + \frac{1}{12} d \log(3x^4 + 2)$$

Rubi [A] time = 0.12, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1593, 1831, 297, 1162, 617, 204, 1165, 628, 260}

$$\frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}} + \frac{1}{12} d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Int[(c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] -(c*ArcTan[1 - 6^(1/4)*x])/(2*6^(3/4)) + (c*ArcTan[1 + 6^(1/4)*x])/(2*6^(3/4)) + (c*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) - (c*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) + (d*Log[2 + 3*x^4])/12

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 297

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] & AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1593

Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1831

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{cx^2 + dx^3}{2 + 3x^4} dx &= \int \frac{x^2(c + dx)}{2 + 3x^4} dx \\
&= \int \left(\frac{cx^2}{2 + 3x^4} + \frac{dx^3}{2 + 3x^4} \right) dx \\
&= c \int \frac{x^2}{2 + 3x^4} dx + d \int \frac{x^3}{2 + 3x^4} dx \\
&= \frac{1}{12} d \log(2 + 3x^4) - \frac{c \int \frac{\sqrt{2} - \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} + \frac{c \int \frac{\sqrt{2} + \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} \\
&= \frac{1}{12} d \log(2 + 3x^4) + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{c \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}}} dx}{4 \cdot 6^{3/4}} \\
&= \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} + \frac{1}{12} d \log(2 + 3x^4) + \frac{c \operatorname{Subst}\left(\int \frac{1}{-1-x^2}\right)}{2 \cdot 6^{3/4}} \\
&= -\frac{c \tan^{-1}\left(1 - \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}\left(1 + \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 108, normalized size = 0.95

$$\frac{1}{24} \left(\sqrt[4]{6} c \log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) - \sqrt[4]{6} c \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2) - 2\sqrt[4]{6} c \tan^{-1}(1 - \sqrt[4]{6}x) + 2\sqrt[4]{6} c \tan^{-1}(\sqrt[4]{6}x + 1) + 2d \log(3x^4 + 2) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] (-2*6^(1/4)*c*ArcTan[1 - 6^(1/4)*x] + 2*6^(1/4)*c*ArcTan[1 + 6^(1/4)*x] + 6^(1/4)*c*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] - 6^(1/4)*c*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2] + 2*d*Log[2 + 3*x^4])/24

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{cx^2 + dx^3}{2 + 3x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] IntegrateAlgebraic[(c*x^2 + d*x^3)/(2 + 3*x^4), x]

fricas [B] time = 0.45, size = 272, normalized size = 2.39

$$\frac{4 \cdot 6^{\frac{1}{4}}(c)^{\frac{1}{4}} \arctan\left(\frac{c^{\frac{3}{4}} + 6^{\frac{1}{4}}(c)^{\frac{3}{4}}x - 6^{\frac{1}{4}}\sqrt{\frac{2}{3}}(c)^{\frac{1}{4}}\sqrt{\frac{3c^2 + 6^{\frac{1}{4}}(c)^{\frac{1}{2}}x + \sqrt{6}\sqrt{c}}{3}}}{c^{\frac{3}{4}}}\right) + 4 \cdot 6^{\frac{1}{4}}(c)^{\frac{1}{4}} \arctan\left(\frac{c^{\frac{3}{4}} - 6^{\frac{1}{4}}(c)^{\frac{3}{4}}x + 6^{\frac{1}{4}}\sqrt{\frac{2}{3}}(c)^{\frac{1}{4}}\sqrt{\frac{3c^2 + 6^{\frac{1}{4}}(c)^{\frac{1}{2}}x + \sqrt{6}\sqrt{c}}{3}}}{c^{\frac{3}{4}}}\right) - (2cd - 6^{\frac{1}{4}}(c)^{\frac{1}{4}}c^{\frac{1}{2}}) \log(3c^2x^2 + 6^{\frac{1}{4}}(c)^{\frac{1}{2}}x + \sqrt{6}\sqrt{c}) - (2cd + 6^{\frac{1}{4}}(c)^{\frac{1}{4}}c^{\frac{1}{2}}) \log(3c^2x^2 - 6^{\frac{1}{4}}(c)^{\frac{1}{2}}x + \sqrt{6}\sqrt{c})}{24c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2)/(3*x^4+2),x, algorithm="fricas")

[Out] $-1/24*(4*6^{1/4}*(c^4)^{1/4}*c^4*\arctan(-(c^5 + 6^{1/4}*(c^4)^{5/4}*x - 6^{1/4}*sqrt(1/3)*(c^4)^{5/4}*sqrt((3*c^3*x^2 + 6^{3/4}*(c^4)^{3/4}*x + sqrt(6)*sqrt(c^4)*c)/c^3))/c^5 + 4*6^{1/4}*(c^4)^{1/4}*c^4*\arctan((c^5 - 6^{1/4}*(c^4)^{5/4}*x + 6^{1/4}*sqrt(1/3)*(c^4)^{5/4}*sqrt((3*c^3*x^2 - 6^{3/4}*(c^4)^{3/4}*x + sqrt(6)*sqrt(c^4)*c)/c^3))/c^5 - (2*c^4*d - 6^{1/4}*(c^4)^{1/4}*c^4)*log(3*c^3*x^2 + 6^{3/4}*(c^4)^{3/4}*x + sqrt(6)*sqrt(c^4)*c) - (2*c^4*d + 6^{1/4}*(c^4)^{1/4}*c^4)*log(3*c^3*x^2 - 6^{3/4}*(c^4)^{3/4}*x + sqrt(6)*sqrt(c^4)*c))/c^4$

giac [A] time = 0.28, size = 109, normalized size = 0.96

$$\frac{1}{12} \cdot 6^{\frac{1}{4}}c \arctan\left(\frac{3}{4}\sqrt{2}\left(\frac{2}{3}\right)^{\frac{3}{4}}\left(2x + \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{12} \cdot 6^{\frac{1}{4}}c \arctan\left(\frac{3}{4}\sqrt{2}\left(\frac{2}{3}\right)^{\frac{3}{4}}\left(2x - \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) - \frac{1}{24}(6^{\frac{1}{4}}c - 2d) \log\left(x^2 + \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}x + \sqrt{\frac{2}{3}}\right) + \frac{1}{24}(6^{\frac{1}{4}}c + 2d) \log\left(x^2 - \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}x + \sqrt{\frac{2}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2)/(3*x^4+2),x, algorithm="giac")

[Out] $1/12*6^{1/4}*c*\arctan(3/4*sqrt(2)*(2/3)^{3/4}*(2*x + sqrt(2)*(2/3)^{1/4})) + 1/12*6^{1/4}*c*\arctan(3/4*sqrt(2)*(2/3)^{3/4}*(2*x - sqrt(2)*(2/3)^{1/4})) - 1/24*(6^{1/4}*c - 2*d)*log(x^2 + sqrt(2)*(2/3)^{1/4}*x + sqrt(2/3)) + 1/24*(6^{1/4}*c + 2*d)*log(x^2 - sqrt(2)*(2/3)^{1/4}*x + sqrt(2/3))$

maple [A] time = 0.04, size = 125, normalized size = 1.10

$$\frac{\sqrt{3} \cdot 6^{\frac{3}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1\right)}{72} + \frac{\sqrt{3} \cdot 6^{\frac{3}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1\right)}{72} + \frac{\sqrt{3} \cdot 6^{\frac{3}{4}} \sqrt{2} c \ln\left(\frac{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{3}}{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{3}}\right)}{144} + \frac{d \ln(3x^4 + 2)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2)/(3*x^4+2),x)

[Out] $1/72*3^{1/2}*6^{3/4}*2^{1/2}*c*\arctan(1/6*2^{1/2}*3^{1/2}*6^{3/4}*x+1)+1/72*3^{1/2}*6^{3/4}*2^{1/2}*c*\arctan(1/6*2^{1/2}*3^{1/2}*6^{3/4}*x-1)+1/144*3^{1/2}*6^{3/4}*2^{1/2}*c*\ln((x^2-1/3*3^{1/2}*6^{1/4}*2^{1/2}*x+1/3*6^{1/2}))/((x^2+1/3*3^{1/2}*6^{1/4}*2^{1/2}*x+1/3*6^{1/2}))+1/12*d*\ln(3*x^4+2)$

maxima [A] time = 3.03, size = 152, normalized size = 1.33

$$\frac{1}{\sqrt{2}} \cdot 3^{\frac{3}{2}} 2^{\frac{3}{2}} (3^{\frac{1}{2}} 2^{\frac{3}{2}} d - \sqrt{3} c) \log(\sqrt{3} x^2 + 3^{\frac{1}{2}} 2^{\frac{3}{2}} x + \sqrt{2}) + \frac{1}{\sqrt{2}} \cdot 3^{\frac{3}{2}} 2^{\frac{3}{2}} (3^{\frac{1}{2}} 2^{\frac{3}{2}} d + \sqrt{3} c) \log(\sqrt{3} x^2 - 3^{\frac{1}{2}} 2^{\frac{3}{2}} x + \sqrt{2}) + \frac{1}{12} \cdot 3^{\frac{3}{2}} 2^{\frac{3}{2}} c \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{2}} 2^{\frac{3}{2}} (2\sqrt{3} x + 3^{\frac{1}{2}} 2^{\frac{3}{2}})\right) + \frac{1}{12} \cdot 3^{\frac{3}{2}} 2^{\frac{3}{2}} c \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{2}} 2^{\frac{3}{2}} (2\sqrt{3} x - 3^{\frac{1}{2}} 2^{\frac{3}{2}})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2)/(3*x^4+2),x, algorithm="maxima")

[Out] 1/72*3^(3/4)*2^(1/4)*(3^(1/4)*2^(3/4)*d - sqrt(3)*c)*log(sqrt(3)*x^2 + 3^(1/4)*2^(3/4)*x + sqrt(2)) + 1/72*3^(3/4)*2^(1/4)*(3^(1/4)*2^(3/4)*d + sqrt(3)*c)*log(sqrt(3)*x^2 - 3^(1/4)*2^(3/4)*x + sqrt(2)) + 1/12*3^(1/4)*2^(1/4)*c*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x + 3^(1/4)*2^(3/4))) + 1/12*3^(1/4)*2^(1/4)*c*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x - 3^(1/4)*2^(3/4)))

mupad [B] time = 0.37, size = 117, normalized size = 1.03

$$\ln\left(x - \frac{(-1)^{1/4} 2^{1/4} 3^{3/4}}{3}\right) \left(\frac{d}{12} + \frac{6^{1/4} \sqrt{-2} i c}{12}\right) + \ln\left(x + \frac{(-1)^{1/4} 2^{1/4} 3^{3/4}}{3}\right) \left(\frac{d}{12} - \frac{6^{1/4} \sqrt{-2} i c}{12}\right) + \ln\left(x - \frac{(-1)^{3/4} 2^{1/4} 3^{3/4}}{3}\right) \left(\frac{d}{12} - \frac{6^{1/4} \sqrt{2} i c}{12}\right) + \ln\left(x + \frac{(-1)^{3/4} 2^{1/4} 3^{3/4}}{3}\right) \left(\frac{d}{12} + \frac{6^{1/4} \sqrt{2} i c}{12}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2 + d*x^3)/(3*x^4 + 2),x)

[Out] log(x - ((-1)^(1/4)*2^(1/4)*3^(3/4))/3)*(d/12 + (6^(1/4)*(-1i/2)^(1/2)*c)/12) + log(x + ((-1)^(1/4)*2^(1/4)*3^(3/4))/3)*(d/12 - (6^(1/4)*(-1i/2)^(1/2)*c)/12) + log(x - ((-1)^(3/4)*2^(1/4)*3^(3/4))/3)*(d/12 - (6^(1/4)*(1i/2)^(1/2)*c)/12) + log(x + ((-1)^(3/4)*2^(1/4)*3^(3/4))/3)*(d/12 + (6^(1/4)*(1i/2)^(1/2)*c)/12)

sympy [A] time = 0.42, size = 70, normalized size = 0.61

$$\text{RootSum}\left(41472t^4 - 13824t^3d + 1728t^2d^2 - 96td^3 + 3c^4 + 2d^4, \left(t \mapsto t \log\left(x + \frac{3456t^3 - 864t^2d + 72td^2 - 2d^3}{3c^3}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2)/(3*x**4+2),x)

[Out] RootSum(41472*_t**4 - 13824*_t**3*d + 1728*_t**2*d**2 - 96*_t*d**3 + 3*c**4 + 2*d**4, Lambda(_t, _t*log(x + (3456*_t**3 - 864*_t**2*d + 72*_t*d**2 - 2*d**3)/(3*c**3))))

$$3.117 \quad \int \frac{a+cx^2+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=154

$$\frac{(\sqrt{6}a - 2c) \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(\sqrt[4]{6}x + 1)}{4 \cdot 6^{3/4}} + \frac{1}{12} d \log(3x^4 + 2)$$

Rubi [A] time = 0.12, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {1876, 260, 1168, 1162, 617, 204, 1165, 628}

$$-\frac{(\sqrt{6}a - 2c) \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(\sqrt[4]{6}x + 1)}{4 \cdot 6^{3/4}} + \frac{1}{12} d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] -((Sqrt[6]*a + 2*c)*ArcTan[1 - 6^(1/4)*x])/(4*6^(3/4)) + ((Sqrt[6]*a + 2*c)*ArcTan[1 + 6^(1/4)*x])/(4*6^(3/4)) - ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + (d*Log[2 + 3*x^4])/12

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{a + cx^2 + dx^3}{2 + 3x^4} dx &= \int \left(\frac{dx^3}{2 + 3x^4} + \frac{a + cx^2}{2 + 3x^4} \right) dx \\
&= d \int \frac{x^3}{2 + 3x^4} dx + \int \frac{a + cx^2}{2 + 3x^4} dx \\
&= \frac{1}{12} d \log(2 + 3x^4) + \frac{1}{12} (\sqrt{6}a - 2c) \int \frac{\sqrt{6} - 3x^2}{2 + 3x^4} dx + \frac{1}{12} (\sqrt{6}a + 2c) \int \frac{\sqrt{6} + 3x^2}{2 + 3x^4} dx \\
&= \frac{1}{12} d \log(2 + 3x^4) - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt{3}} + 2x}{-\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt{3}} - x^2}} dx}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt{3}} - 2x}{-\sqrt{\frac{2}{3} + \frac{2^{3/4}x}{\sqrt{3}} - x^2}} dx}{8 \cdot 6^{3/4}} + \frac{1}{12} d \log(2 + 3x^4) \\
&= -\frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{1}{12} d \log(2 + 3x^4) \\
&= -\frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 + \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 148, normalized size = 0.96

$$\frac{1}{48} (-\sqrt[4]{6} (\sqrt{6}a - 2c) \log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) + \sqrt[4]{6} (\sqrt{6}a - 2c) \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2) - 2\sqrt[4]{6} (\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x) + 2\sqrt[4]{6} (\sqrt{6}a + 2c) \tan^{-1}(\sqrt[4]{6}x + 1) + 4d \log(3x^4 + 2))$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] $(-2 \cdot 6^{1/4} \cdot (\text{Sqrt}[6] \cdot a + 2 \cdot c) \cdot \text{ArcTan}[1 - 6^{1/4} \cdot x] + 2 \cdot 6^{1/4} \cdot (\text{Sqrt}[6] \cdot a + 2 \cdot c) \cdot \text{ArcTan}[1 + 6^{1/4} \cdot x] - 6^{1/4} \cdot (\text{Sqrt}[6] \cdot a - 2 \cdot c) \cdot \text{Log}[2 - 2 \cdot 6^{1/4} \cdot x + \text{Sqrt}[6] \cdot x^2] + 6^{1/4} \cdot (\text{Sqrt}[6] \cdot a - 2 \cdot c) \cdot \text{Log}[2 + 2 \cdot 6^{1/4} \cdot x + \text{Sqrt}[6] \cdot x^2] + 4 \cdot d \cdot \text{Log}[2 + 3 \cdot x^4]) / 48$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + cx^2 + dx^3}{2 + 3x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] IntegrateAlgebraic[(a + c*x^2 + d*x^3)/(2 + 3*x^4), x]

fricas [B] time = 0.49, size = 2326, normalized size = 15.10

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x^3+c*x^2+a)/(3*x^4+2),x, algorithm="fricas")
```

```
[Out] 1/144*(2*sqrt(6)*sqrt(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(3/4)*sqrt(9*a^4 -
12*a^2*c^2 + 4*c^4)*sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a
^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4))*arctan(-1/12*(sqrt(2)*s
qrt(1/3)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(3/4)*(sqrt(6)*sqrt(54*a^4 + 72*a^2
*c^2 + 24*c^4)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4)*a - 2*sqrt(6)*sqrt(9*a^4 -
12*a^2*c^2 + 4*c^4)*(3*a^2*c + 2*c^3))*sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2
*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4))*sqrt
((3*(9*a^4 + 12*a^2*c^2 + 4*c^4)*x^2 + sqrt(2)*(54*a^4 + 72*a^2*c^2 + 24*c^
4)^(1/4)*(sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*c*x - 3*(3*a^3 + 2*a*c^2)*x)*s
qrt((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)
/(9*a^4 - 12*a^2*c^2 + 4*c^4)) + sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*(3*a^2
+ 2*c^2))/(9*a^4 + 12*a^2*c^2 + 4*c^4)) - sqrt(2)*(54*a^4 + 72*a^2*c^2 + 24
*c^4)^(3/4)*(sqrt(6)*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*sqrt(9*a^4 - 12*a^2
*c^2 + 4*c^4)*a*x - 2*sqrt(6)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4)*(3*a^2*c + 2
*c^3)*x)*sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24
*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4)) + 2*sqrt(6)*sqrt(54*a^4 + 72*a^2*c
^2 + 24*c^4)*(9*a^4 + 12*a^2*c^2 + 4*c^4)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4)
)/(81*a^8 + 108*a^6*c^2 - 48*a^2*c^6 - 16*c^8)) + 2*sqrt(6)*sqrt(2)*(54*a^4
+ 72*a^2*c^2 + 24*c^4)^(3/4)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4)*sqrt((9*a^4 +
12*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12
*a^2*c^2 + 4*c^4))*arctan(-1/12*(sqrt(2)*sqrt(1/3)*(54*a^4 + 72*a^2*c^2 + 2
4*c^4)^(3/4)*(sqrt(6)*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*sqrt(9*a^4 - 12*a^
2*c^2 + 4*c^4)*a - 2*sqrt(6)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4)*(3*a^2*c + 2
*c^3))*sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^
4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4))*sqrt((3*(9*a^4 + 12*a^2*c^2 + 4*c^4)*
x^2 - sqrt(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(1/4)*(sqrt(54*a^4 + 72*a^2*c^
2 + 24*c^4)*c*x - 3*(3*a^3 + 2*a*c^2)*x)*sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 +
2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4)) +
sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*(3*a^2 + 2*c^2))/(9*a^4 + 12*a^2*c^2 + 4
*c^4)) - sqrt(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(3/4)*(sqrt(6)*sqrt(54*a^4
+ 72*a^2*c^2 + 24*c^4)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4)*a*x - 2*sqrt(6)*sq
rt(9*a^4 - 12*a^2*c^2 + 4*c^4)*(3*a^2*c + 2*c^3)*x)*sqrt((9*a^4 + 12*a^2*c^2
+ 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 +
4*c^4)) - 2*sqrt(6)*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*(9*a^4 + 12*a^2*c^2
+ 4*c^4)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4))/(81*a^8 + 108*a^6*c^2 - 48*a^2*c
^6 - 16*c^8)) - 3*(sqrt(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(1/4)*(9*a^4 + 12
*a^2*c^2 + 4*c^4 - 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)*sqrt((9*a^4 +
12*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*
a^2*c^2 + 4*c^4)) - 4*(9*a^4 + 12*a^2*c^2 + 4*c^4)*d)*log(3*(9*a^4 + 12*a^2
*c^2 + 4*c^4)*x^2 + sqrt(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(1/4)*(sqrt(54*a
```

$$\begin{aligned} &^4 + 72*a^2*c^2 + 24*c^4)*c*x - 3*(3*a^3 + 2*a*c^2)*x)*\text{sqrt}((9*a^4 + 12*a^2 \\ &*c^2 + 4*c^4 + 2*\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^ \\ &2 + 4*c^4)) + \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4)*(3*a^2 + 2*c^2)) + 3*(\text{sqrt} \\ &(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(1/4)*(9*a^4 + 12*a^2*c^2 + 4*c^4 - 2*\text{sq} \\ &\text{rt}(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)*\text{sqrt}((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2* \\ &\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4)) + 4*(\\ &9*a^4 + 12*a^2*c^2 + 4*c^4)*d)*\text{log}(3*(9*a^4 + 12*a^2*c^2 + 4*c^4)*x^2 - \text{sq} \\ &\text{rt}(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(1/4)*(9*a^4 + 12*a^2*c^2 + 4*c^4)*c*x \\ &- 3*(3*a^3 + 2*a*c^2)*x)*\text{sqrt}((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*\text{sqrt}(5 \\ &4*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4)) + \text{sqrt}(54*a \\ &^4 + 72*a^2*c^2 + 24*c^4)*(3*a^2 + 2*c^2)))/(9*a^4 + 12*a^2*c^2 + 4*c^4) \end{aligned}$$

giac [A] time = 0.21, size = 137, normalized size = 0.89

$$\frac{1}{24} (6^{\frac{3}{4}} a + 2 \cdot 6^{\frac{1}{4}} c) \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{24} (6^{\frac{3}{4}} a + 2 \cdot 6^{\frac{1}{4}} c) \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{48} (6^{\frac{3}{4}} a - 2 \cdot 6^{\frac{1}{4}} c + 4d) \log\left(x^2 + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}}\right) - \frac{1}{48} (6^{\frac{3}{4}} a - 2 \cdot 6^{\frac{1}{4}} c - 4d) \log\left(x^2 - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)/(3*x^4+2), x, algorithm="giac")

[Out] 1/24*(6^(3/4)*a + 2*6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 1/24*(6^(3/4)*a + 2*6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4))) + 1/48*(6^(3/4)*a - 2*6^(1/4)*c + 4*d)*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) - 1/48*(6^(3/4)*a - 2*6^(1/4)*c - 4*d)*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3))

maple [B] time = 0.05, size = 237, normalized size = 1.54

$$\frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x - 1}{6}\right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x + 1}{6}\right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \ln\left(\frac{x^2 + \frac{\sqrt{3} \sqrt{2} \sqrt{3} \sqrt{2} x + \sqrt{3}}{3}}{x^2 - \frac{\sqrt{3} \sqrt{2} \sqrt{3} \sqrt{2} x + \sqrt{3}}{3}}\right)}{48} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x - 1}{6}\right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x + 1}{6}\right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \ln\left(\frac{x^2 + \frac{\sqrt{3} \sqrt{2} \sqrt{3} \sqrt{2} x + \sqrt{3}}{3}}{x^2 - \frac{\sqrt{3} \sqrt{2} \sqrt{3} \sqrt{2} x + \sqrt{3}}{3}}\right)}{144} + \frac{d \ln(3x^4 + 2)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2+a)/(3*x^4+2), x)

[Out] 1/48*3^(1/2)*6^(1/4)*2^(1/2)*a*ln((x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))+1/24*3^(1/2)*6^(1/4)*2^(1/2)*a*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/24*3^(1/2)*6^(1/4)*2^(1/2)*a*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/72*3^(1/2)*6^(3/4)*2^(1/2)*c*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/72*3^(1/2)*6^(3/4)*2^(1/2)*c*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/144*3^(1/2)*6^(3/4)*2^(1/2)*c*ln((x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))+1/12*d*ln(3*x^4+2)

maxima [A] time = 2.99, size = 195, normalized size = 1.27

$$-\frac{1}{144} 3^{1/2} (\sqrt{3} \sqrt{2} c - 2 \cdot 3^{1/2} d - 3a) \log(\sqrt{3} x^2 + 3^{1/2} x + \sqrt{2}) + \frac{1}{144} 3^{1/2} (\sqrt{3} \sqrt{2} c + 2 \cdot 3^{1/2} d - 3a) \log(\sqrt{3} x^2 - 3^{1/2} x + \sqrt{2}) + \frac{1}{72} \sqrt{3} (3 \cdot 3^{1/2} a + 2 \cdot 3^{1/2} c) \arctan\left(\frac{1}{6} \cdot 3^{1/2} (2\sqrt{3} x + 3^{1/2})\right) + \frac{1}{72} \sqrt{3} (3 \cdot 3^{1/2} a + 2 \cdot 3^{1/2} c) \arctan\left(\frac{1}{6} \cdot 3^{1/2} (2\sqrt{3} x - 3^{1/2})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)/(3*x^4+2),x, algorithm="maxima")

[Out] $-1/144*3^{3/4}*2^{3/4}*(\sqrt{3}*\sqrt{2}*c - 2*3^{1/4}*2^{1/4}*d - 3*a)*\log(\sqrt{3}*x^2 + 3^{1/4}*2^{3/4}*x + \sqrt{2}) + 1/144*3^{3/4}*2^{3/4}*(\sqrt{3}*\sqrt{2}*c + 2*3^{1/4}*2^{1/4}*d - 3*a)*\log(\sqrt{3}*x^2 - 3^{1/4}*2^{3/4}*x + \sqrt{2}) + 1/72*\sqrt{3}*(3*3^{1/4}*2^{3/4}*a + 2*3^{3/4}*2^{1/4}*c)*\arctan(1/6*3^{3/4}*2^{1/4}*(2*\sqrt{3}*x + 3^{1/4}*2^{3/4})) + 1/72*\sqrt{3}*(3*3^{1/4}*2^{3/4}*a + 2*3^{3/4}*2^{1/4}*c)*\arctan(1/6*3^{3/4}*2^{1/4}*(2*\sqrt{3}*x - 3^{1/4}*2^{3/4}))$

mupad [B] time = 5.81, size = 286, normalized size = 1.86

$$\ln\left(-2c + \sqrt{6}d + x\sqrt{3\sqrt{6}d^2 - 12ac - 2\sqrt{6}c^2}\right) \frac{d}{12} + \frac{\sqrt{\frac{3\sqrt{6}d^2 - 3ac - \sqrt{6}c^2}{4}}}{12} + \ln\left(2c - \sqrt{6}d + x\sqrt{3\sqrt{6}d^2 - 12ac - 2\sqrt{6}c^2}\right) \frac{d}{12} - \frac{\sqrt{\frac{3\sqrt{6}d^2 - 3ac - \sqrt{6}c^2}{4}}}{12} + \ln\left(2c + \sqrt{6}d + x\sqrt{-3\sqrt{6}d^2 - 12ac + 2\sqrt{6}c^2}\right) \frac{d}{12} + \frac{\sqrt{\frac{3\sqrt{6}d^2 - 3ac + \sqrt{6}c^2}{4}}}{12} + \ln\left(2c + \sqrt{6}d - x\sqrt{-3\sqrt{6}d^2 - 12ac + 2\sqrt{6}c^2}\right) \frac{d}{12} + \frac{\sqrt{\frac{3\sqrt{6}d^2 - 3ac + \sqrt{6}c^2}{4}}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^2 + d*x^3)/(3*x^4 + 2),x)

[Out] $\log(6^{1/2}*a*1i - 2*c + x*(6^{1/2}*a^2*3i - 12*a*c - 6^{1/2}*c^2*2i)^{1/2})*(d/12 + ((6^{1/2}*a^2*3i)/4 - 3*a*c - (6^{1/2}*c^2*1i)/2)^{1/2}/12) + \log(2*c - 6^{1/2}*a*1i + x*(6^{1/2}*a^2*3i - 12*a*c - 6^{1/2}*c^2*2i)^{1/2})*(d/12 - ((6^{1/2}*a^2*3i)/4 - 3*a*c - (6^{1/2}*c^2*1i)/2)^{1/2}/12) + \log(2*c + 6^{1/2}*a*1i + x*(6^{1/2}*c^2*2i - 6^{1/2}*a^2*3i - 12*a*c)^{1/2})*(d/12 - ((6^{1/2}*c^2*1i)/2 - (6^{1/2}*a^2*3i)/4 - 3*a*c)^{1/2}/12) + \log(2*c + 6^{1/2}*a*1i - x*(6^{1/2}*c^2*2i - 6^{1/2}*a^2*3i - 12*a*c)^{1/2})*(d/12 + ((6^{1/2}*c^2*1i)/2 - (6^{1/2}*a^2*3i)/4 - 3*a*c)^{1/2}/12)$

sympy [A] time = 1.38, size = 148, normalized size = 0.96

$$\text{RootSum}\left(165888t^4 - 55296t^3d + t^2(6912ac + 6912d^2) + t(-1152acd - 384d^2) + 27a^4 + 36a^2c^2 + 48acd^2 + 12c^4 + 8d^4, \left(t \mapsto t \log\left(x + \frac{-13824t^3c + 3456t^2cd + 216ta^3 - 432ta^2c^2 - 288tcd^2 - 18a^3d + 36ac^2d + 8cd^3}{27a^4 - 12c^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2+a)/(3*x**4+2),x)

[Out] $\text{RootSum}(165888*_t**4 - 55296*_t**3*d + *_t**2*(6912*a*c + 6912*d**2) + *_t*(-1152*a*c*d - 384*d**3) + 27*a**4 + 36*a**2*c**2 + 48*a*c*d**2 + 12*c**4 + 8*d**4, \text{Lambda}(_t, *_t*\log(x + (-13824*_t**3*c + 3456*_t**2*c*d + 216*_t*a**3 - 432*_t*a*c**2 - 288*_t*c*d**2 - 18*a**3*d + 36*a*c**2*d + 8*c*d**3)/(27*a**4 - 12*c**4))))$

$$3.118 \quad \int \frac{bx+cx^2+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=136

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}}$$

Rubi [A] time = 0.14, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1594, 1831, 297, 1162, 617, 204, 1165, 628, 1248, 635, 203, 260}

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}} + \frac{1}{12}d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Int[(b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - (c*ArcTan[1 - 6^(1/4)*x])/(2*6^(3/4)) + (c*ArcTan[1 + 6^(1/4)*x])/(2*6^(3/4)) + (c*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) - (c*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) + (d*Log[2 + 3*x^4])/12

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 297

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4

, x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 635

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1248

Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rule 1594

```
Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.) + (c_.)*(x_)^(r_.))^(n_.), x
_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a
, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]
```

Rule 1831

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[
{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii])*x^(n/2)
))/((c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{
a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{bx + cx^2 + dx^3}{2 + 3x^4} dx &= \int \frac{x(b + cx + dx^2)}{2 + 3x^4} dx \\
&= \int \left(\frac{cx^2}{2 + 3x^4} + \frac{x(b + dx^2)}{2 + 3x^4} \right) dx \\
&= c \int \frac{x^2}{2 + 3x^4} dx + \int \frac{x(b + dx^2)}{2 + 3x^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{b + dx}{2 + 3x^2} dx, x, x^2 \right) - \frac{c \int \frac{\sqrt{2} - \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} + \frac{c \int \frac{\sqrt{2} + \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} \\
&= \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2 + 3x^2} dx, x, x^2 \right) + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} + \frac{1}{12} d \log(2 - 3x^4) \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(1 + \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 125, normalized size = 0.92

$$\frac{1}{24} (-2\sqrt[4]{6} (\sqrt[4]{6}b + c) \tan^{-1}(1 - \sqrt[4]{6}x) + 2\sqrt[4]{6} (c - \sqrt[4]{6}b) \tan^{-1}(\sqrt[4]{6}x + 1) + \sqrt[4]{6} c \log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) - \sqrt[4]{6} c \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2) + 2d \log(3x^4 + 2))$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] $(-2*6^{(1/4)}*(6^{(1/4)}*b + c)*\text{ArcTan}[1 - 6^{(1/4)}*x] + 2*6^{(1/4)}*(-(6^{(1/4)}*b) + c)*\text{ArcTan}[1 + 6^{(1/4)}*x] + 6^{(1/4)}*c*\text{Log}[2 - 2*6^{(1/4)}*x + \text{Sqrt}[6]*x^2] - 6^{(1/4)}*c*\text{Log}[2 + 2*6^{(1/4)}*x + \text{Sqrt}[6]*x^2] + 2*d*\text{Log}[2 + 3*x^4])/24$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bx + cx^2 + dx^3}{2 + 3x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] IntegrateAlgebraic[(b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x)/(3*x^4+2), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 124, normalized size = 0.91

$$-\frac{1}{12}(\sqrt{6}b - 6^{1/4}c)\arctan\left(\frac{3}{4}\sqrt{2}\left(\frac{2}{3}\right)^{3/4}\left(2x + \sqrt{2}\left(\frac{2}{3}\right)^{1/4}\right)\right) + \frac{1}{12}(\sqrt{6}b + 6^{1/4}c)\arctan\left(\frac{3}{4}\sqrt{2}\left(\frac{2}{3}\right)^{3/4}\left(2x - \sqrt{2}\left(\frac{2}{3}\right)^{1/4}\right)\right) - \frac{1}{24}(6^{1/4}c - 2d)\log\left(x^2 + \sqrt{2}\left(\frac{2}{3}\right)^{1/4}x + \sqrt{\frac{2}{3}}\right) + \frac{1}{24}(6^{1/4}c + 2d)\log\left(x^2 - \sqrt{2}\left(\frac{2}{3}\right)^{1/4}x + \sqrt{\frac{2}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x)/(3*x^4+2), x, algorithm="giac")

[Out] $-1/12*(\text{sqrt}(6)*b - 6^{(1/4)}*c)*\arctan(3/4*\text{sqrt}(2)*(2/3)^{(3/4)}*(2*x + \text{sqrt}(2)*(2/3)^{(1/4)})) + 1/12*(\text{sqrt}(6)*b + 6^{(1/4)}*c)*\arctan(3/4*\text{sqrt}(2)*(2/3)^{(3/4)}*(2*x - \text{sqrt}(2)*(2/3)^{(1/4)})) - 1/24*(6^{(1/4)}*c - 2*d)*\log(x^2 + \text{sqrt}(2)*(2/3)^{(1/4)}*x + \text{sqrt}(2/3)) + 1/24*(6^{(1/4)}*c + 2*d)*\log(x^2 - \text{sqrt}(2)*(2/3)^{(1/4)}*x + \text{sqrt}(2/3))$

maple [A] time = 0.05, size = 140, normalized size = 1.03

$$\frac{\sqrt{6} b \arctan\left(\frac{\sqrt{6} x^2}{2}\right)}{12} + \frac{\sqrt{3} 6^{3/4} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{3/4} x}{6} - 1\right)}{72} + \frac{\sqrt{3} 6^{3/4} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{3/4} x}{6} + 1\right)}{72} + \frac{\sqrt{3} 6^{3/4} \sqrt{2} c \ln\left(\frac{x^2 - \frac{\sqrt{3} 6^{3/4} \sqrt{2} x + \sqrt{6}}{3}}{x^2 + \frac{\sqrt{3} 6^{3/4} \sqrt{2} x + \sqrt{6}}{3}}\right)}{144} + \frac{d \ln(3x^4 + 2)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+c*x^2+b*x)/(3*x^4+2),x)`

[Out] $\frac{1}{12}6^{(1/2)}*b*\arctan(1/2*6^{(1/2)}*x^2)+1/72*3^{(1/2)}*6^{(3/4)}*2^{(1/2)}*c*\arctan(1/6*2^{(1/2)}*3^{(1/2)}*6^{(3/4)}*x+1)+1/72*3^{(1/2)}*6^{(3/4)}*2^{(1/2)}*c*\arctan(1/6*2^{(1/2)}*3^{(1/2)}*6^{(3/4)}*x-1)+1/144*3^{(1/2)}*6^{(3/4)}*2^{(1/2)}*c*\ln((x^2-1/3*3^{(1/2)}*6^{(1/4)}*2^{(1/2)}*x+1/3*6^{(1/2)})/(x^2+1/3*3^{(1/2)}*6^{(1/4)}*2^{(1/2)}*x+1/3*6^{(1/2)}))+1/12*d*\ln(3*x^4+2)$

maxima [A] time = 3.02, size = 174, normalized size = 1.28

$$\frac{1}{72}\sqrt{3}\sqrt{2}\left(3^{3/2}c-6b\right)\arctan\left(\frac{1}{6}\cdot 3^{3/2}i\left(2\sqrt{3}x+3^{3/2}i\right)\right)+\frac{1}{72}\sqrt{3}\sqrt{2}\left(3^{3/2}c+6b\right)\arctan\left(\frac{1}{6}\cdot 3^{3/2}i\left(2\sqrt{3}x-3^{3/2}i\right)\right)+\frac{1}{72}\cdot 3^{3/2}i\left(3^{3/2}d-\sqrt{3}c\right)\log\left(\sqrt{3}x^2+3^{3/2}ix+\sqrt{2}\right)+\frac{1}{72}\cdot 3^{3/2}i\left(3^{3/2}d+\sqrt{3}c\right)\log\left(\sqrt{3}x^2-3^{3/2}ix+\sqrt{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+c*x^2+b*x)/(3*x^4+2),x, algorithm="maxima")`

[Out] $\frac{1}{72}\sqrt{3}\sqrt{2}\left(3^{3/4}c-6b\right)\arctan\left(\frac{1}{6}3^{3/4}2^{1/4}\left(2\sqrt{3}x+3^{1/4}2^{3/4}\right)\right)+\frac{1}{72}\sqrt{3}\sqrt{2}\left(3^{3/4}c+6b\right)\arctan\left(\frac{1}{6}3^{3/4}2^{1/4}\left(2\sqrt{3}x-3^{1/4}2^{3/4}\right)\right)+\frac{1}{72}3^{3/4}2^{1/4}\left(3^{1/4}2^{3/4}d-\sqrt{3}c\right)\log\left(\sqrt{3}x^2+3^{1/4}2^{3/4}x+\sqrt{2}\right)+\frac{1}{72}3^{3/4}2^{1/4}\left(3^{1/4}2^{3/4}d+\sqrt{3}c\right)\log\left(\sqrt{3}x^2-3^{1/4}2^{3/4}x+\sqrt{2}\right)$

mupad [B] time = 5.39, size = 300, normalized size = 2.21

$$\sum_{k=0}^{\infty} \left(\frac{-\operatorname{root}\left(x^2, \frac{d^2}{9} - \frac{d^2(1728b^2+3456d^2)}{82944} - \frac{(-288b^2+288bd+192d^2)}{82944}\right)}{3} + \frac{d^2d}{3456} - \frac{d^2d}{6912} + \frac{d^2d}{20736} - \frac{d^2d}{13824} + \frac{d^2d}{9216} + \frac{d^2d}{4608} \right) \left(144b^2c + (144bd - 72c^2) \operatorname{root}\left(x^2, \frac{d^2}{9} - \frac{d^2(1728b^2+3456d^2)}{82944} - \frac{(-288b^2+288bd+192d^2)}{82944}\right) + \frac{d^2d}{3456} - \frac{d^2d}{6912} + \frac{d^2d}{20736} - \frac{d^2d}{13824} + \frac{d^2d}{9216} + \frac{d^2d}{4608} \right) + (9b^4 + 6bd^2 - 6c^2d) \operatorname{root}\left(x^2, \frac{d^2}{9} - \frac{d^2(1728b^2+3456d^2)}{82944} - \frac{(-288b^2+288bd+192d^2)}{82944}\right) + \frac{d^2d}{3456} - \frac{d^2d}{6912} + \frac{d^2d}{20736} - \frac{d^2d}{13824} + \frac{d^2d}{9216} + \frac{d^2d}{4608} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x + c*x^2 + d*x^3)/(3*x^4 + 2),x)`

[Out] $\operatorname{symsum}\left(\log\left(x\left(6bd^2-6c^2d+9b^3\right)-\operatorname{root}\left(z^4-\left(dz^3\right)/3+\left(z^2\left(1728b^2+3456d^2\right)\right)/82944-\left(z\left(-288b^2c^2+288b^2d+192d^3\right)\right)/82944-\left(b^2c^2d\right)/3456+\left(b^2d^2\right)/6912+d^4/20736+c^4/13824+b^4/9216,z,k\right)\right)\left(144b^2c+x\left(144bd-72c^2\right)-864\operatorname{root}\left(z^4-\left(dz^3\right)/3+\left(z^2\left(1728b^2+3456d^2\right)\right)/82944-\left(z\left(-288b^2c^2+288b^2d+192d^3\right)\right)/82944-\left(b^2c^2d\right)/3456+\left(b^2d^2\right)/6912+d^4/20736+c^4/13824+b^4/9216,z,k\right)b^2x\right)-6c^3+12b^2cd\operatorname{root}\left(z^4-\left(dz^3\right)/3+\left(z^2\left(1728b^2+3456d^2\right)\right)/82944-\left(z\left(-288b^2c^2+288b^2d+192d^3\right)\right)/82944-\left(b^2c^2d\right)/3456+\left(b^2d^2\right)/6912+d^4/20736+c^4/13824+b^4/9216,z,k\right),k,1,4)$

sympy [A] time = 1.99, size = 189, normalized size = 1.39

$$\operatorname{RootSum}\left(82944t^4-27648t^3d+t^2\left(1728b^2+3456d^2\right)+t\left(-288b^2d+288b^2c^2-192d^3\right)+9b^4+12t^2d^2-24bc^2d+6c^4+4d^4,\left(t\mapsto\log\left(x+\frac{-3456t^3c^2+864t^2b^3+864t^2c^2d-1441b^3d-108bt^2c^2-72t^2d^2+9b^5+6b^3d^2+9b^2c^2d-9bc^4+2c^2d^3}{18b^4c-3c^5}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+c*x**2+b*x)/(3*x**4+2),x)`

```
[Out] RootSum(82944*_t**4 - 27648*_t**3*d + _t**2*(1728*b**2 + 3456*d**2) + _t*(-
288*b**2*d + 288*b*c**2 - 192*d**3) + 9*b**4 + 12*b**2*d**2 - 24*b*c**2*d +
6*c**4 + 4*d**4, Lambda(_t, _t*log(x + (-3456*_t**3*c**2 + 864*_t**2*b**3
+ 864*_t**2*c**2*d - 144*_t*b**3*d - 108*_t*b**2*c**2 - 72*_t*c**2*d**2 + 9
*b**5 + 6*b**3*d**2 + 9*b**2*c**2*d - 9*b*c**4 + 2*c**2*d**3)/(18*b**4*c -
3*c**5))))
```

$$3.119 \quad \int \frac{a+bx+cx^2+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=176

$$\frac{(\sqrt{6}a-2c)\log(3x^2-6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} + \frac{(\sqrt{6}a-2c)\log(3x^2+6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} - \frac{(\sqrt{6}a+2c)\tan^{-1}(1-\sqrt[4]{6}x)}{4\ 6^{3/4}} + \frac{(\sqrt{6}a+2c)\tan^{-1}(\sqrt[4]{6}x+1)}{4\ 6^{3/4}} + \frac{b\tan^{-1}(\sqrt{\frac{3}{2}}x^2)}{2\sqrt{6}} + \frac{1}{12}d\log(3x^4+2)$$

Rubi [A] time = 0.14, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {1876, 1168, 1162, 617, 204, 1165, 628, 1248, 635, 203, 260}

$$-\frac{(\sqrt{6}a-2c)\log(3x^2-6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} + \frac{(\sqrt{6}a-2c)\log(3x^2+6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} - \frac{(\sqrt{6}a+2c)\tan^{-1}(1-\sqrt[4]{6}x)}{4\ 6^{3/4}} + \frac{(\sqrt{6}a+2c)\tan^{-1}(\sqrt[4]{6}x+1)}{4\ 6^{3/4}} + \frac{b\tan^{-1}(\sqrt{\frac{3}{2}}x^2)}{2\sqrt{6}} + \frac{1}{12}d\log(3x^4+2)$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - ((Sqrt[6]*a + 2*c)*ArcTan[1 - 6^(1/4)*x])/(4*6^(3/4)) + ((Sqrt[6]*a + 2*c)*ArcTan[1 + 6^(1/4)*x])/(4*6^(3/4)) - ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + (d*Log[2 + 3*x^4])/12

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 635

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]
```


Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{a + bx + cx^2 + dx^3}{2 + 3x^4} dx &= \int \left(\frac{a + cx^2}{2 + 3x^4} + \frac{x(b + dx^2)}{2 + 3x^4} \right) dx \\
 &= \int \frac{a + cx^2}{2 + 3x^4} dx + \int \frac{x(b + dx^2)}{2 + 3x^4} dx \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{b + dx}{2 + 3x^2} dx, x, x^2 \right) + \frac{1}{12} (\sqrt{6}a - 2c) \int \frac{\sqrt{6} - 3x^2}{2 + 3x^4} dx + \frac{1}{12} (\sqrt{6}a + 2c) \int \frac{\sqrt{6} + 3x^2}{2 + 3x^4} dx \\
 &= \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2 + 3x^2} dx, x, x^2 \right) - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} - 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{8 \cdot 6^{3/4}} \\
 &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} \\
 &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 + \sqrt[4]{6}x)}{4 \cdot 6^{3/4}}
 \end{aligned}$$

Mathematica [A] time = 0.19, size = 164, normalized size = 0.93

$$\frac{1}{48} (-2\sqrt[4]{6} \tan^{-1}(1 - \sqrt[4]{6}x)(\sqrt{6}a + 2(\sqrt[4]{6}b + c)) + 2\sqrt[4]{6} \tan^{-1}(\sqrt[4]{6}x + 1)(\sqrt{6}a - 2\sqrt[4]{6}b + 2c) - \sqrt[4]{6}(\sqrt{6}a - 2c) \log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) + \sqrt[4]{6}(\sqrt{6}a - 2c) \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2) + 4d \log(3x^2 + 2))$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] (-2*6^(1/4)*(Sqrt[6]*a + 2*(6^(1/4)*b + c))*ArcTan[1 - 6^(1/4)*x] + 2*6^(1/4)*(Sqrt[6]*a - 2*6^(1/4)*b + 2*c)*ArcTan[1 + 6^(1/4)*x] - 6^(1/4)*(Sqrt[6]*a - 2*c)*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] + 6^(1/4)*(Sqrt[6]*a - 2*c)*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2] + 4*d*Log[2 + 3*x^4])/48

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + bx + cx^2 + dx^3}{2 + 3x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] IntegrateAlgebraic[(a + b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x+a)/(3*x^4+2), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.22, size = 149, normalized size = 0.85

$$\frac{1}{24}(6^{\frac{3}{4}}a - 2\sqrt{6}b + 2 \cdot 6^{\frac{1}{4}}c) \arctan\left(\frac{3}{4}\sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}\left(2x + \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{24}(6^{\frac{3}{4}}a + 2\sqrt{6}b + 2 \cdot 6^{\frac{1}{4}}c) \arctan\left(\frac{3}{4}\sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}\left(2x - \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{48}(6^{\frac{3}{4}}a - 2 \cdot 6^{\frac{1}{4}}c + 4d) \log\left(x^2 + \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}x + \sqrt{\frac{2}{3}}\right) - \frac{1}{48}(6^{\frac{3}{4}}a - 2 \cdot 6^{\frac{1}{4}}c - 4d) \log\left(x^2 - \sqrt{2}\left(\frac{2}{3}\right)^{\frac{1}{4}}x + \sqrt{\frac{2}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x+a)/(3*x^4+2), x, algorithm="giac")

[Out] 1/24*(6^(3/4)*a - 2*sqrt(6)*b + 2*6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 1/24*(6^(3/4)*a + 2*sqrt(6)*b + 2*6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4))) + 1/48*(6^(3/4)*a - 2*6^(1/4)*c + 4*d)*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) - 1/48*(6^(3/4)*a - 2*6^(1/4)*c - 4*d)*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3))

maple [A] time = 0.05, size = 252, normalized size = 1.43

$$\frac{\sqrt{3}6^{\frac{1}{4}}\sqrt{2}a \arctan\left(\frac{\sqrt{2}\sqrt{3}6^{\frac{1}{4}}}{6} - 1\right)}{24} + \frac{\sqrt{3}6^{\frac{1}{4}}\sqrt{2}a \arctan\left(\frac{\sqrt{2}\sqrt{3}6^{\frac{1}{4}}}{6} + 1\right)}{24} + \frac{\sqrt{3}6^{\frac{1}{4}}\sqrt{2}a \ln\left(\frac{x^2 + \sqrt{3}6^{\frac{1}{4}}\sqrt{2}x + \sqrt{3}}{x^2 - \sqrt{3}6^{\frac{1}{4}}\sqrt{2}x + \sqrt{3}}\right)}{48} + \frac{\sqrt{6}b \arctan\left(\frac{\sqrt{6}x^2}{2}\right)}{12} + \frac{\sqrt{3}6^{\frac{3}{4}}\sqrt{2}c \arctan\left(\frac{\sqrt{2}\sqrt{3}6^{\frac{1}{4}}}{6} - 1\right)}{72} + \frac{\sqrt{3}6^{\frac{3}{4}}\sqrt{2}c \arctan\left(\frac{\sqrt{2}\sqrt{3}6^{\frac{1}{4}}}{6} + 1\right)}{72} + \frac{\sqrt{3}6^{\frac{1}{4}}\sqrt{2}c \ln\left(\frac{x^2 - \sqrt{3}6^{\frac{1}{4}}\sqrt{2}x + \sqrt{3}}{x^2 + \sqrt{3}6^{\frac{1}{4}}\sqrt{2}x + \sqrt{3}}\right)}{144} + \frac{d \ln(3x^4 + 2)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2+b*x+a)/(3*x^4+2), x)

[Out] 1/48*3^(1/2)*6^(1/4)*2^(1/2)*a*ln((x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))+1/24*3^(1/2)*6^(1/4)*2^(1/2)*a*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/24*3^(1/2)*6^(1/4)*2^(1/2)*b*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/24*3^(1/2)*6^(1/4)*2^(1/2)*c*ln(3x^4+2)+d*ln(3x^4+2)

$$\begin{aligned} & (1/2)*a*\arctan(1/6*2^{(1/2)}*3^{(1/2)}*6^{(3/4)}*x-1)+1/12*6^{(1/2)}*b*\arctan(1/2*6^{(1/2)}*x^2)+1/72*3^{(1/2)}*6^{(3/4)}*2^{(1/2)}*c*\arctan(1/6*2^{(1/2)}*3^{(1/2)}*6^{(3/4)}*x+1)+1/72*3^{(1/2)}*6^{(3/4)}*2^{(1/2)}*c*\arctan(1/6*2^{(1/2)}*3^{(1/2)}*6^{(3/4)}*x-1)+1/144*3^{(1/2)}*6^{(3/4)}*2^{(1/2)}*c*\ln((x^2-1/3*3^{(1/2)}*6^{(1/4)}*2^{(1/2)}*x+1/3*6^{(1/2)})/(x^2+1/3*3^{(1/2)}*6^{(1/4)}*2^{(1/2)}*x+1/3*6^{(1/2)}))+1/12*d*\ln(3*x^4+2) \end{aligned}$$

maxima [A] time = 2.99, size = 207, normalized size = 1.18

$$-\frac{1}{144} \cdot 3^{1/2} (\sqrt{3} \sqrt{2c-2} \cdot 3^{1/2} d - 3a) \log(\sqrt{3} x^2 + 3^{1/2} 2^d x + \sqrt{2}) + \frac{1}{144} \cdot 3^{1/2} (\sqrt{3} \sqrt{2c+2} \cdot 3^{1/2} 2^d - 3a) \log(\sqrt{3} x^2 - 3^{1/2} 2^d x + \sqrt{2}) + \frac{1}{72} \sqrt{3} (3 \cdot 3^{1/2} 2^d + 2 \cdot 3^{1/2} 2^d c - 6 \sqrt{2} b) \arctan\left(\frac{1}{6} \cdot 3^{1/2} 2^d (2 \sqrt{3} x + 3^{1/2} 2^d)\right) + \frac{1}{72} \sqrt{3} (3 \cdot 3^{1/2} 2^d a + 2 \cdot 3^{1/2} 2^d c + 6 \sqrt{2} b) \arctan\left(\frac{1}{6} \cdot 3^{1/2} 2^d (2 \sqrt{3} x - 3^{1/2} 2^d)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x+a)/(3*x^4+2),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/144*3^{(3/4)}*2^{(3/4)}*(\text{sqrt}(3)*\text{sqrt}(2)*c - 2*3^{(1/4)}*2^{(1/4)}*d - 3*a)*\log(\text{sqrt}(3)*x^2 + 3^{(1/4)}*2^{(3/4)}*x + \text{sqrt}(2)) + 1/144*3^{(3/4)}*2^{(3/4)}*(\text{sqrt}(3)*\text{sqrt}(2)*c + 2*3^{(1/4)}*2^{(1/4)}*d - 3*a)*\log(\text{sqrt}(3)*x^2 - 3^{(1/4)}*2^{(3/4)}*x + \text{sqrt}(2)) + 1/72*\text{sqrt}(3)*(3*3^{(1/4)}*2^{(3/4)}*a + 2*3^{(3/4)}*2^{(1/4)}*c - 6*\text{sqrt}(2)*b)*\arctan(1/6*3^{(3/4)}*2^{(1/4)}*(2*\text{sqrt}(3)*x + 3^{(1/4)}*2^{(3/4)})) + 1/72*\text{sqrt}(3)*(3*3^{(1/4)}*2^{(3/4)}*a + 2*3^{(3/4)}*2^{(1/4)}*c + 6*\text{sqrt}(2)*b)*\arctan(1/6*3^{(3/4)}*2^{(1/4)}*(2*\text{sqrt}(3)*x - 3^{(1/4)}*2^{(3/4)})) \end{aligned}$$

mupad [B] time = 5.64, size = 1168, normalized size = 6.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + c*x^2 + d*x^3)/(3*x^4 + 2),x)

[Out]
$$\begin{aligned} & \text{symsum}(\log(9*a*b^2 - 864*\text{root}(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)^2*a - 9*a^2*c - 6*a*d^2 + 9*b^3*x - 6*c^3 + 144*\text{root}(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)*a*d - 144*\text{root}(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)*b*c + 12*b*c*d - 108*\text{root}(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)*c + 12*b*c*d - 108*\text{root}(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)*d - 144*\text{root}(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)*a \end{aligned}$$

$$\begin{aligned}
& 4/9216 + a^4/6144, z, k) * a^2 * x + 864 * \text{root}(z^4 - (d * z^3)/3 + (a * c * z^2)/24 + \\
& (d^2 * z^2)/24 + (b^2 * z^2)/48 - (a * c * d * z)/144 - (b^2 * d * z)/288 + (b * c^2 * z)/288 \\
& - (a^2 * b * z)/192 - (d^3 * z)/432 - (b * c^2 * d)/3456 + (a * c * d^2)/3456 + (a^2 * b * d \\
&)/2304 - (a * b^2 * c)/2304 + (b^2 * d^2)/6912 + (a^2 * c^2)/4608 + d^4/20736 + c^4 \\
& /13824 + b^4/9216 + a^4/6144, z, k)^2 * b * x + 72 * \text{root}(z^4 - (d * z^3)/3 + (a * c * \\
& z^2)/24 + (d^2 * z^2)/24 + (b^2 * z^2)/48 - (a * c * d * z)/144 - (b^2 * d * z)/288 + (b * \\
& c^2 * z)/288 - (a^2 * b * z)/192 - (d^3 * z)/432 - (b * c^2 * d)/3456 + (a * c * d^2)/3456 \\
& + (a^2 * b * d)/2304 - (a * b^2 * c)/2304 + (b^2 * d^2)/6912 + (a^2 * c^2)/4608 + d^4/2 \\
& 0736 + c^4/13824 + b^4/9216 + a^4/6144, z, k) * c^2 * x + 9 * a^2 * d * x + 6 * b * d^2 * x \\
& - 6 * c^2 * d * x - 144 * \text{root}(z^4 - (d * z^3)/3 + (a * c * z^2)/24 + (d^2 * z^2)/24 + (b^ \\
& 2 * z^2)/48 - (a * c * d * z)/144 - (b^2 * d * z)/288 + (b * c^2 * z)/288 - (a^2 * b * z)/192 - \\
& (d^3 * z)/432 - (b * c^2 * d)/3456 + (a * c * d^2)/3456 + (a^2 * b * d)/2304 - (a * b^2 * c) \\
& /2304 + (b^2 * d^2)/6912 + (a^2 * c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 \\
& + a^4/6144, z, k) * b * d * x - 18 * a * b * c * x) * \text{root}(z^4 - (d * z^3)/3 + (a * c * z^2)/24 + \\
& (d^2 * z^2)/24 + (b^2 * z^2)/48 - (a * c * d * z)/144 - (b^2 * d * z)/288 + (b * c^2 * z)/28 \\
& 8 - (a^2 * b * z)/192 - (d^3 * z)/432 - (b * c^2 * d)/3456 + (a * c * d^2)/3456 + (a^2 * b * \\
& d)/2304 - (a * b^2 * c)/2304 + (b^2 * d^2)/6912 + (a^2 * c^2)/4608 + d^4/20736 + c^ \\
& 4/13824 + b^4/9216 + a^4/6144, z, k), k, 1, 4)
\end{aligned}$$

sympy [B] time = 13.07, size = 580, normalized size = 3.30

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2+b*x+a)/(3*x**4+2),x)

[Out] RootSum(165888*_t**4 - 55296*_t**3*d + _t**2*(6912*a*c + 3456*b**2 + 6912*d**2) + _t*(-864*a**2*b - 1152*a*c*d - 576*b**2*d + 576*b*c**2 - 384*d**3) + 27*a**4 + 72*a**2*b*d + 36*a**2*c**2 - 72*a*b**2*c + 48*a*c*d**2 + 18*b**4 + 24*b**2*d**2 - 48*b*c**2*d + 12*c**4 + 8*d**4, Lambda(_t, _t*log(x + (-1472*_t**3*a**2*c + 82944*_t**3*a*b**2 + 27648*_t**3*c**3 + 5184*_t**2*a**3*b + 10368*_t**2*a**2*c*d - 20736*_t**2*a*b**2*d + 10368*_t**2*a*b*c**2 - 6912*_t**2*b**3*c - 6912*_t**2*c**3*d + 648*_t*a**5 - 864*_t*a**3*b*d - 1728*_t*a**3*c**2 + 3888*_t*a**2*b**2*c - 864*_t*a**2*c*d**2 + 864*_t*a*b**4 + 1728*_t*a*b**2*d**2 - 1728*_t*a*b*c**2*d + 864*_t*a*c**4 + 1152*_t*b**3*c*d + 864*_t*b**2*c**3 + 576*_t*c**3*d**2 - 54*a**5*d + 270*a**4*b*c - 270*a**3*b**3 + 36*a**3*b*d**2 + 144*a**3*c**2*d - 324*a**2*b**2*c*d + 24*a**2*c*d**3 - 72*a*b**4*d + 180*a*b**3*c**2 - 48*a*b**2*d**3 + 72*a*b*c**2*d**2 - 72*a*c**4*d - 72*b**5*c - 48*b**3*c*d**2 - 72*b**2*c**3*d + 72*b*c**5 - 16*c**3*d**3)/(81*a**6 - 54*a**4*c**2 + 432*a**3*b**2*c - 216*a**2*b**4 - 36*a**2*c**4 + 288*a*b**2*c**3 - 144*b**4*c**2 + 24*c**6))))

$$3.120 \quad \int \frac{1+x+x^2+x^3}{1-x^4} dx$$

Optimal. Leaf size=8

$$-\log(1-x)$$

Rubi [A] time = 0.01, antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {1586, 31}

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)/(1 - x^4), x]

[Out] -Log[1 - x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(P_x_)^(p_.)*(Q_x_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[P_x, Q_x, x]^p*Q_x^(p+q), x] /; FreeQ[q, x] && PolyQ[P_x, x] && PolyQ[Q_x, x] && EqQ[PolynomialRemainder[P_x, Q_x, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{1+x+x^2+x^3}{1-x^4} dx = \int \frac{1}{1-x} dx = -\log(1-x)$$

Mathematica [A] time = 0.00, size = 8, normalized size = 1.00

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)/(1 - x^4), x]

[Out] -Log[1 - x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1 + x + x^2 + x^3}{1 - x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 + x + x^2 + x^3)/(1 - x^4), x]

[Out] IntegrateAlgebraic[(1 + x + x^2 + x^3)/(1 - x^4), x]

fricas [A] time = 0.40, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-x^4+1), x, algorithm="fricas")

[Out] -log(x - 1)

giac [A] time = 0.15, size = 7, normalized size = 0.88

$$-\log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-x^4+1), x, algorithm="giac")

[Out] -log(abs(x - 1))

maple [A] time = 0.04, size = 7, normalized size = 0.88

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)/(-x^4+1), x)

[Out] -ln(x-1)

maxima [A] time = 1.35, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-x^4+1), x, algorithm="maxima")

[Out] $-\log(x - 1)$

mupad [B] time = 0.02, size = 6, normalized size = 0.75

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x + x^2 + x^3 + 1)/(x^4 - 1), x)`

[Out] $-\log(x - 1)$

sympy [A] time = 0.07, size = 5, normalized size = 0.62

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**3+x**2+x+1)/(-x**4+1), x)`

[Out] $-\log(x - 1)$

$$3.121 \quad \int \frac{1+x+x^2+x^3}{1+x^4} dx$$

Optimal. Leaf size=53

$$\frac{1}{4} \log(x^4 + 1) + \frac{1}{2} \tan^{-1}(x^2) - \frac{\tan^{-1}(1 - \sqrt{2}x)}{\sqrt{2}} + \frac{\tan^{-1}(\sqrt{2}x + 1)}{\sqrt{2}}$$

Rubi [A] time = 0.04, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {1876, 1162, 617, 204, 1248, 635, 203, 260}

$$\frac{1}{4} \log(x^4 + 1) + \frac{1}{2} \tan^{-1}(x^2) - \frac{\tan^{-1}(1 - \sqrt{2}x)}{\sqrt{2}} + \frac{\tan^{-1}(\sqrt{2}x + 1)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)/(1 + x^4), x]

[Out] ArcTan[x^2]/2 - ArcTan[1 - Sqrt[2]*x]/Sqrt[2] + ArcTan[1 + Sqrt[2]*x]/Sqrt[2] + Log[1 + x^4]/4

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1248

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{1+x+x^2+x^3}{1+x^4} dx &= \int \left(\frac{1+x^2}{1+x^4} + \frac{x(1+x^2)}{1+x^4} \right) dx \\
 &= \int \frac{1+x^2}{1+x^4} dx + \int \frac{x(1+x^2)}{1+x^4} dx \\
 &= \frac{1}{2} \int \frac{1}{1-\sqrt{2}x+x^2} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{2}x+x^2} dx + \frac{1}{2} \text{Subst} \left(\int \frac{1+x}{1+x^2} dx, x, x^2 \right) \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{1+x^2} dx, x, x^2 \right) + \frac{1}{2} \text{Subst} \left(\int \frac{x}{1+x^2} dx, x, x^2 \right) + \frac{\text{Subst} \left(\int \frac{1}{-1-x^2} dx, x, 1 \right)}{\sqrt{2}} \\
 &= \frac{1}{2} \tan^{-1}(x^2) - \frac{\tan^{-1}(1-\sqrt{2}x)}{\sqrt{2}} + \frac{\tan^{-1}(1+\sqrt{2}x)}{\sqrt{2}} + \frac{1}{4} \log(1+x^4)
 \end{aligned}$$

Mathematica [A] time = 0.04, size = 50, normalized size = 0.94

$$\frac{1}{4} \left(\log(x^4 + 1) - 2(1 + \sqrt{2}) \tan^{-1}(1 - \sqrt{2}x) + 2(\sqrt{2} - 1) \tan^{-1}(\sqrt{2}x + 1) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)/(1 + x^4), x]

[Out] (-2*(1 + Sqrt[2])*ArcTan[1 - Sqrt[2]*x] + 2*(-1 + Sqrt[2])*ArcTan[1 + Sqrt[2]*x] + Log[1 + x^4])/4

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1 + x + x^2 + x^3}{1 + x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 + x + x^2 + x^3)/(1 + x^4), x]

[Out] IntegrateAlgebraic[(1 + x + x^2 + x^3)/(1 + x^4), x]

fricas [B] time = 0.43, size = 145, normalized size = 2.74

$$-\sqrt{-2\sqrt{2}+3} \arctan\left(\frac{\sqrt{x^2+\sqrt{2}x+1}(\sqrt{2}+2)\sqrt{-2\sqrt{2}+3} - (\sqrt{2}(x+1)+2x+1)\sqrt{-2\sqrt{2}+3}}{\sqrt{2\sqrt{2}+3} \arctan\left(\frac{(\sqrt{2}(x+1)-\sqrt{x^2-\sqrt{2}x+1})(\sqrt{2}-2)-2x-1}{\sqrt{2\sqrt{2}+3}}\right)} + \frac{1}{4} \log(x^2 + \sqrt{2}x + 1) + \frac{1}{4} \log(x^2 - \sqrt{2}x + 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(x^4+1), x, algorithm="fricas")

[Out] -sqrt(-2*sqrt(2) + 3)*arctan(sqrt(x^2 + sqrt(2)*x + 1)*(sqrt(2) + 2)*sqrt(-2*sqrt(2) + 3) - (sqrt(2)*(x + 1) + 2*x + 1)*sqrt(-2*sqrt(2) + 3)) + sqrt(2)*sqrt(2) + 3)*arctan(-(sqrt(2)*(x + 1) - sqrt(x^2 - sqrt(2)*x + 1)*(sqrt(2) - 2) - 2*x - 1)*sqrt(2*sqrt(2) + 3)) + 1/4*log(x^2 + sqrt(2)*x + 1) + 1/4*log(x^2 - sqrt(2)*x + 1)

giac [A] time = 0.15, size = 70, normalized size = 1.32

$$\frac{1}{2}(\sqrt{2} - 1) \arctan\left(\frac{1}{2}\sqrt{2}(2x + \sqrt{2})\right) + \frac{1}{2}(\sqrt{2} + 1) \arctan\left(\frac{1}{2}\sqrt{2}(2x - \sqrt{2})\right) + \frac{1}{4} \log(x^2 + \sqrt{2}x + 1) + \frac{1}{4} \log(x^2 - \sqrt{2}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(x^4+1), x, algorithm="giac")

[Out] 1/2*(sqrt(2) - 1)*arctan(1/2*sqrt(2)*(2*x + sqrt(2))) + 1/2*(sqrt(2) + 1)*arctan(1/2*sqrt(2)*(2*x - sqrt(2))) + 1/4*log(x^2 + sqrt(2)*x + 1) + 1/4*log(x^2 - sqrt(2)*x + 1)

maple [B] time = 0.05, size = 102, normalized size = 1.92

$$\frac{\arctan(x^2)}{2} + \frac{\sqrt{2} \arctan(\sqrt{2}x-1)}{2} + \frac{\sqrt{2} \arctan(\sqrt{2}x+1)}{2} + \frac{\sqrt{2} \ln\left(\frac{x^2-\sqrt{2}x+1}{x^2+\sqrt{2}x+1}\right)}{8} + \frac{\sqrt{2} \ln\left(\frac{x^2+\sqrt{2}x+1}{x^2-\sqrt{2}x+1}\right)}{8} + \frac{\ln(x^4+1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)/(x^4+1),x)

[Out] 1/2*2^(1/2)*arctan(2^(1/2)*x-1)+1/8*2^(1/2)*ln((x^2+2^(1/2)*x+1)/(x^2-2^(1/2)*x+1))+1/2*2^(1/2)*arctan(2^(1/2)*x+1)+1/2*arctan(x^2)+1/8*2^(1/2)*ln((x^2-2^(1/2)*x+1)/(x^2+2^(1/2)*x+1))+1/4*ln(x^4+1)

maxima [A] time = 3.00, size = 76, normalized size = 1.43

$$-\frac{1}{4}\sqrt{2}(\sqrt{2}-2)\arctan\left(\frac{1}{2}\sqrt{2}(2x+\sqrt{2})\right)+\frac{1}{4}\sqrt{2}(\sqrt{2}+2)\arctan\left(\frac{1}{2}\sqrt{2}(2x-\sqrt{2})\right)+\frac{1}{4}\log(x^2+\sqrt{2}x+1)+\frac{1}{4}\log(x^2-\sqrt{2}x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(x^4+1),x, algorithm="maxima")

[Out] -1/4*sqrt(2)*(sqrt(2)-2)*arctan(1/2*sqrt(2)*(2*x+sqrt(2)))+1/4*sqrt(2)*(sqrt(2)+2)*arctan(1/2*sqrt(2)*(2*x-sqrt(2)))+1/4*log(x^2+sqrt(2)*x+1)+1/4*log(x^2-sqrt(2)*x+1)

mupad [B] time = 0.40, size = 156, normalized size = 2.94

$$\ln\left((16x-16)\left(\frac{\sqrt{-2\sqrt{2}-3}}{4}+\frac{1}{4}\right)-8x\right)\left(\frac{\sqrt{-2\sqrt{2}-3}}{4}+\frac{1}{4}\right)-\ln\left(8x+(16x-16)\left(\frac{\sqrt{-2\sqrt{2}-3}}{4}-\frac{1}{4}\right)\right)\left(\frac{\sqrt{-2\sqrt{2}-3}}{4}-\frac{1}{4}\right)-\ln\left(8x+(16x-16)\left(\frac{\sqrt{2\sqrt{2}-3}}{4}-\frac{1}{4}\right)\right)\left(\frac{\sqrt{2\sqrt{2}-3}}{4}-\frac{1}{4}\right)+\ln\left(8x-(16x-16)\left(\frac{\sqrt{2\sqrt{2}-3}}{4}+\frac{1}{4}\right)\right)\left(\frac{\sqrt{2\sqrt{2}-3}}{4}+\frac{1}{4}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + x^2 + x^3 + 1)/(x^4 + 1),x)

[Out] log((16*x - 16)*((- 2*2^(1/2) - 3)^(1/2)/4 + 1/4) - 8*x)*((- 2*2^(1/2) - 3)^(1/2)/4 + 1/4) - log(8*x + (16*x - 16)*((- 2*2^(1/2) - 3)^(1/2)/4 - 1/4))*((- 2*2^(1/2) - 3)^(1/2)/4 - 1/4) - log(8*x + (16*x - 16)*((2*2^(1/2) - 3)^(1/2)/4 - 1/4))*((2*2^(1/2) - 3)^(1/2)/4 - 1/4) + log(8*x - (16*x - 16)*((2*2^(1/2) - 3)^(1/2)/4 + 1/4))*((2*2^(1/2) - 3)^(1/2)/4 + 1/4)

sympy [A] time = 0.43, size = 73, normalized size = 1.38

$$\frac{\log(x^2-\sqrt{2}x+1)}{4} + \frac{\log(x^2+\sqrt{2}x+1)}{4} + 2\left(\frac{1}{4} + \frac{\sqrt{2}}{4}\right)\operatorname{atan}\left(\sqrt{2}x-1\right) + 2\left(-\frac{1}{4} + \frac{\sqrt{2}}{4}\right)\operatorname{atan}\left(\sqrt{2}x+1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**3+x**2+x+1)/(x**4+1),x)
```

```
[Out] log(x**2 - sqrt(2)*x + 1)/4 + log(x**2 + sqrt(2)*x + 1)/4 + 2*(1/4 + sqrt(2)/4)*atan(sqrt(2)*x - 1) + 2*(-1/4 + sqrt(2)/4)*atan(sqrt(2)*x + 1)
```

$$3.122 \quad \int \frac{1+x+x^2+x^3}{a-bx^4} dx$$

Optimal. Leaf size=124

$$-\frac{(\sqrt{a} - \sqrt{b}) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a} + \sqrt{b}) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} - \frac{\log(a - bx^4)}{4b} + \frac{\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

Rubi [A] time = 0.09, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1876, 1167, 205, 208, 1248, 635, 260}

$$-\frac{(\sqrt{a} - \sqrt{b}) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a} + \sqrt{b}) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} - \frac{\log(a - bx^4)}{4b} + \frac{\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)/(a - b*x^4), x]

[Out] -((Sqrt[a] - Sqrt[b])*ArcTan[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(3/4))) + ((Sqrt[a] + Sqrt[b])*ArcTanh[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(3/4))) + ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]]/(2*Sqrt[a]*Sqrt[b]) - Log[a - b*x^4]/(4*b)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] :> Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1167

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{1+x+x^2+x^3}{a-bx^4} dx &= \int \left(\frac{1+x^2}{a-bx^4} + \frac{x(1+x^2)}{a-bx^4} \right) dx \\
&= \int \frac{1+x^2}{a-bx^4} dx + \int \frac{x(1+x^2)}{a-bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1+x}{a-bx^2} dx, x, x^2 \right) + \frac{1}{2} \left(1 - \frac{\sqrt{b}}{\sqrt{a}} \right) \int \frac{1}{-\sqrt{a}\sqrt{b}-bx^2} dx + \frac{1}{2} \left(1 + \frac{\sqrt{b}}{\sqrt{a}} \right) \int \frac{1}{\sqrt{a}} \\
&= -\frac{(\sqrt{a}-\sqrt{b}) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}+\sqrt{b}) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{1}{2} \text{Subst} \left(\int \frac{1}{a-bx^2} dx, x, x^2 \right) \\
&= -\frac{(\sqrt{a}-\sqrt{b}) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}+\sqrt{b}) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{\tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{\log(a-bx^4)}{4b}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 203, normalized size = 1.64

$$-\frac{(a^{3/4} + \sqrt{a}\sqrt[4]{b} + \sqrt[4]{a}\sqrt{b}) \log(\sqrt[4]{a} - \sqrt[4]{b}x)}{4ab^{3/4}} - \frac{(-a^{3/4} + \sqrt{a}\sqrt[4]{b} - \sqrt[4]{a}\sqrt{b}) \log(\sqrt[4]{a} + \sqrt[4]{b}x)}{4ab^{3/4}} + \frac{(\sqrt[4]{a}\sqrt{b} - a^{3/4}) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2ab^{3/4}} - \frac{\log(a-bx^4)}{4b} + \frac{\log(\sqrt{a} + \sqrt{b}x^2)}{4\sqrt{a}\sqrt{b}}$$

maple [B] time = 0.05, size = 171, normalized size = 1.38

$$-\frac{\ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{4\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a} - \frac{\arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}b} + \frac{\ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}}b} - \frac{\ln(bx^4-a)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)/(-b*x^4+a), x)

[Out] 1/4*(a/b)^(1/4)/a*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/2*(a/b)^(1/4)/a*arctan(1/(a/b)^(1/4)*x)-1/4/(a*b)^(1/2)*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-1/2/b/(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)+1/4/b/(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-1/4/b*ln(b*x^4-a)

maxima [A] time = 3.02, size = 160, normalized size = 1.29

$$-\frac{(\sqrt{a}-\sqrt{b})\arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{2\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} - \frac{(\sqrt{a}-\sqrt{b})\log(\sqrt{b}x^2+\sqrt{a})}{4\sqrt{a}b} - \frac{(\sqrt{a}+\sqrt{b})\log(\sqrt{b}x^2-\sqrt{a})}{4\sqrt{a}b} - \frac{(\sqrt{a}+\sqrt{b})\log\left(\frac{\sqrt{b}x-\sqrt{\sqrt{a}\sqrt{b}}}{\sqrt{b}x+\sqrt{\sqrt{a}\sqrt{b}}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-b*x^4+a), x, algorithm="maxima")

[Out] -1/2*(sqrt(a) - sqrt(b))*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - 1/4*(sqrt(a) - sqrt(b))*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*b) - 1/4*(sqrt(a) + sqrt(b))*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*b) - 1/4*(sqrt(a) + sqrt(b))*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))

mupad [B] time = 5.03, size = 312, normalized size = 2.52

$$\sum_{k=0}^{\infty} \left(-\text{root}\left(256a^3b^4z^4 + 256a^3b^3z^3 + 96a^3b^2z^2 - 96a^2b^3z^2 + 16a^3b^3z + 16a^2b^3z - 32a^2b^2z - 3a^2b + 3a^2b^2 - b^3 + a^3, z, k\right) \cdot \left(\text{root}\left(256a^3b^4z^4 + 256a^3b^3z^3 + 96a^3b^2z^2 - 96a^2b^3z^2 + 16a^3b^3z + 16a^2b^3z - 32a^2b^2z - 3a^2b + 3a^2b^2 - b^3 + a^3, z, k\right) \cdot \left(16a^2b^3 - 16a^2b^3x \right) - x \cdot \left(4a^2b^2 - 4b^3 \right) \right) \cdot \text{root}\left(256a^3b^4z^4 + 256a^3b^3z^3 + 96a^3b^2z^2 - 96a^2b^3z^2 + 16a^3b^3z + 16a^2b^3z - 32a^2b^2z - 3a^2b + 3a^2b^2 - b^3 + a^3, z, k\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + x^2 + x^3 + 1)/(a - b*x^4), x)

[Out] symsum(log(-root(256*a^3*b^4*z^4 + 256*a^3*b^3*z^3 + 96*a^3*b^2*z^2 - 96*a^2*b^3*z^2 + 16*a^3*b^3*z + 16*a^2*b^3*z - 32*a^2*b^2*z - 3*a^2*b + 3*a^2*b^2 - b^3 + a^3, z, k))*(root(256*a^3*b^4*z^4 + 256*a^3*b^3*z^3 + 96*a^3*b^2*z^2 - 96*a^2*b^3*z^2 + 16*a^3*b^3*z + 16*a^2*b^3*z - 32*a^2*b^2*z - 3*a^2*b + 3*a^2*b^2 - b^3 + a^3, z, k))*(16*a^2*b^3 - 16*a^2*b^3*x) - x*(4*a^2*b^2 - 4*b^3))*root(256

$*a^3*b^4*z^4 + 256*a^3*b^3*z^3 + 96*a^3*b^2*z^2 - 96*a^2*b^3*z^2 + 16*a^3*b*z + 16*a*b^3*z - 32*a^2*b^2*z - 3*a^2*b + 3*a*b^2 - b^3 + a^3, z, k), k, 1, 4)$

sympy [A] time = 2.28, size = 187, normalized size = 1.51

$-\text{RootSum}\left(256t^4a^3b^4 - 256t^3a^3b^3 + t^2(96a^3b^2 - 96a^2b^3) + t(-16a^3b + 32a^2b^2 - 16ab^3) + a^3 - 3a^2b + 3ab^2 - b^3, \left(t \mapsto t \log\left(x + \frac{-64t^3a^3b^3 + 48t^2a^3b^2 + 16t^2a^2b^3 - 12ta^3b + 16ta^2b^2 - 4tab^3 + a^3 - 2a^2b + ab^2}{a^2b - 2ab^2 + b^3}\right)\right)\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**3+x**2+x+1)/(-b*x**4+a),x)

[Out] $-\text{RootSum}(256*_t**4*a**3*b**4 - 256*_t**3*a**3*b**3 + *_t**2*(96*a**3*b**2 - 96*a**2*b**3) + *_t*(-16*a**3*b + 32*a**2*b**2 - 16*a*b**3) + a**3 - 3*a**2*b + 3*a*b**2 - b**3, \text{Lambda}(_t, *_t*\log(x + (-64*_t**3*a**3*b**3 + 48*_t**2*a**3*b**2 + 16*_t**2*a**2*b**3 - 12*_t*a**3*b + 16*_t*a**2*b**2 - 4*_t*a*b**3 + a**3 - 2*a**2*b + a*b**2)/(a**2*b - 2*a*b**2 + b**3))))$

$$3.123 \quad \int \frac{1+x+x^2+x^3}{a+bx^4} dx$$

Optimal. Leaf size=277

$$\frac{(\sqrt{a} - \sqrt{b}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{a} - \sqrt{b}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{a} + \sqrt{b}) \tan^{-1}}{2\sqrt{2} a^{3/4}}$$

Rubi [A] time = 0.20, antiderivative size = 277, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.579$, Rules used = {1876, 1168, 1162, 617, 204, 1165, 628, 1248, 635, 205, 260}

$$\frac{(\sqrt{a} - \sqrt{b}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{a} - \sqrt{b}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{a} + \sqrt{b}) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{a} + \sqrt{b}) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{2\sqrt{2} a^{3/4} b^{3/4}} + \frac{\log(a + bx^4)}{4b} + \frac{\tan^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{2\sqrt{a} \sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)/(a + b*x^4), x]

[Out] ArcTan[(Sqrt[b]*x^2)/Sqrt[a]]/(2*Sqrt[a]*Sqrt[b]) - ((Sqrt[a] + Sqrt[b])*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(3/4)) + ((Sqrt[a] + Sqrt[b])*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(3/4)) + ((Sqrt[a] - Sqrt[b])*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(3/4)) - ((Sqrt[a] - Sqrt[b])*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(3/4)) + Log[a + b*x^4]/(4*b)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 635

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(
a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e
}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{1+x+x^2+x^3}{a+bx^4} dx &= \int \left(\frac{1+x^2}{a+bx^4} + \frac{x(1+x^2)}{a+bx^4} \right) dx \\
&= \int \frac{1+x^2}{a+bx^4} dx + \int \frac{x(1+x^2)}{a+bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1+x}{a+bx^2} dx, x, x^2 \right) - \frac{\left(1 - \frac{\sqrt{b}}{\sqrt{a}}\right) \int \frac{\sqrt{a}\sqrt{b}-bx^2}{a+bx^4} dx}{2b} + \frac{\left(1 + \frac{\sqrt{b}}{\sqrt{a}}\right) \int \frac{\sqrt{a}\sqrt{b}+bx^2}{a+bx^4} dx}{2b} \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{a+bx^2} dx, x, x^2 \right) + \frac{1}{2} \text{Subst} \left(\int \frac{x}{a+bx^2} dx, x, x^2 \right) + \frac{\left(1 + \frac{\sqrt{b}}{\sqrt{a}}\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}}} dx}{4b} \\
&= \frac{\tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} + \frac{(\sqrt{a}-\sqrt{b}) \log(\sqrt{a}-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{3/4}} - \frac{(\sqrt{a}-\sqrt{b}) \log(\sqrt{a}+\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{3/4}} \\
&= \frac{\tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} - \frac{(\sqrt{a}+\sqrt{b}) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}b^{3/4}} + \frac{(\sqrt{a}+\sqrt{b}) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}b^{3/4}} + \frac{(\sqrt{a}-\sqrt{b}) \log(\sqrt{a}-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{3/4}} - \frac{(\sqrt{a}-\sqrt{b}) \log(\sqrt{a}+\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 283, normalized size = 1.02

$$\frac{\sqrt{2}\sqrt[4]{b}(a^{3/4}-\sqrt[4]{a}\sqrt{b})\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2)+\sqrt{2}\sqrt[4]{b}(\sqrt[4]{a}\sqrt{b}-a^{3/4})\log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2)+2a\log(a+bx^4)-2\sqrt[4]{a}\sqrt[4]{b}(2\sqrt[4]{a}\sqrt[4]{b}+\sqrt{2}\sqrt{a}+\sqrt{2}\sqrt{b})\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)+2\sqrt[4]{a}\sqrt[4]{b}(-2\sqrt[4]{a}\sqrt[4]{b}+\sqrt{2}\sqrt{a}+\sqrt{2}\sqrt{b})\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}+1\right)}{8ab}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)/(a + b*x^4), x]

[Out] (-2*a^(1/4)*(Sqrt[2]*Sqrt[a] + 2*a^(1/4)*b^(1/4) + Sqrt[2]*Sqrt[b])*b^(1/4) *ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*a^(1/4)*(Sqrt[2]*Sqrt[a] - 2*a^(1/4)*b^(1/4) + Sqrt[2]*Sqrt[b])*b^(1/4)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*(a^(3/4) - a^(1/4)*Sqrt[b])*b^(1/4)*Log[Sqrt[a] - Sqrt[2]*

$$a^{1/4} \cdot b^{1/4} \cdot x + \sqrt{b} \cdot x^2 + \sqrt{2} \cdot (-a^{3/4} + a^{1/4} \cdot \sqrt{b}) \cdot b^{1/4} \cdot \log[\sqrt{a} + \sqrt{2} \cdot a^{1/4} \cdot b^{1/4} \cdot x + \sqrt{b} \cdot x^2] + 2 \cdot a \cdot \log[a + b \cdot x^4] / (8 \cdot a \cdot b)$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1 + x + x^2 + x^3}{a + b x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 + x + x^2 + x^3)/(a + b*x^4), x]

[Out] IntegrateAlgebraic[(1 + x + x^2 + x^3)/(a + b*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.21, size = 270, normalized size = 0.97

$$\frac{\log\left(\frac{bx^4+a}{b}\right)}{4b} + \frac{\sqrt{2}\left((ab^3)^{\frac{1}{4}}b^2 - \sqrt{2}\sqrt{ab^3}b + (ab^3)^{\frac{3}{4}}\right)\arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{\frac{a}{b}}\right)^{\frac{1}{4}}}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4ab^3} + \frac{\sqrt{2}\left((ab^3)^{\frac{1}{4}}b^2 + \sqrt{2}\sqrt{ab^3}b + (ab^3)^{\frac{3}{4}}\right)\arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{\frac{a}{b}}\right)^{\frac{1}{4}}}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4ab^3} + \frac{\sqrt{2}\left((ab^3)^{\frac{1}{4}}b^2 - (ab^3)^{\frac{3}{4}}\right)\log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{8ab^3} - \frac{\sqrt{2}\left((ab^3)^{\frac{1}{4}}b^2 - (ab^3)^{\frac{3}{4}}\right)\log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{8ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(b*x^4+a), x, algorithm="giac")

[Out] $\frac{1}{4} \cdot \log(\text{abs}(b \cdot x^4 + a)) / b + \frac{1}{4} \cdot \sqrt{2} \cdot ((a \cdot b^3)^{1/4} \cdot b^2 - \sqrt{2} \cdot \sqrt{a} \cdot \sqrt{b^3}) \cdot b + (a \cdot b^3)^{3/4} \cdot \arctan(1/2 \cdot \sqrt{2} \cdot (2 \cdot x + \sqrt{2} \cdot (a/b)^{1/4})) / (a/b)^{1/4} / (a \cdot b^3) + \frac{1}{4} \cdot \sqrt{2} \cdot ((a \cdot b^3)^{1/4} \cdot b^2 + \sqrt{2} \cdot \sqrt{a} \cdot \sqrt{b^3}) \cdot b + (a \cdot b^3)^{3/4} \cdot \arctan(1/2 \cdot \sqrt{2} \cdot (2 \cdot x - \sqrt{2} \cdot (a/b)^{1/4})) / (a/b)^{1/4} / (a \cdot b^3) + \frac{1}{8} \cdot \sqrt{2} \cdot ((a \cdot b^3)^{1/4} \cdot b^2 - (a \cdot b^3)^{3/4}) \cdot \log(x^2 + \sqrt{2} \cdot x \cdot (a/b)^{1/4} + \sqrt{a/b}) / (a \cdot b^3) - \frac{1}{8} \cdot \sqrt{2} \cdot ((a \cdot b^3)^{1/4} \cdot b^2 - (a \cdot b^3)^{3/4}) \cdot \log(x^2 - \sqrt{2} \cdot x \cdot (a/b)^{1/4} + \sqrt{a/b}) / (a \cdot b^3)$

maple [A] time = 0.05, size = 286, normalized size = 1.03

$$\frac{\arctan\left(\sqrt{\frac{a}{b}}x\right)}{2\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}\arctan\left(\frac{\sqrt{2}x-1}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}\arctan\left(\frac{\sqrt{2}x+1}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}\ln\left(\frac{x^2+\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{b}}}{x^2-\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{b}}}\right)}{8a} + \frac{\sqrt{2}\arctan\left(\frac{\sqrt{2}x-1}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}}b} + \frac{\sqrt{2}\arctan\left(\frac{\sqrt{2}x+1}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}}b} + \frac{\sqrt{2}\ln\left(\frac{x^2-\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{b}}}{x^2+\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{b}}}\right)}{8\left(\frac{a}{b}\right)^{\frac{1}{4}}b} + \frac{\ln(bx^4+a)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)/(b*x^4+a),x)

[Out] $\frac{1}{8} \cdot \left(\frac{a}{b}\right)^{\frac{1}{4}} / a \cdot 2^{\frac{1}{2}} \cdot \ln\left(\frac{(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \left(\frac{a}{b}\right)^{\frac{1}{2}})}{(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \left(\frac{a}{b}\right)^{\frac{1}{2}})}\right) + \frac{1}{4} \cdot \left(\frac{a}{b}\right)^{\frac{1}{4}} / a \cdot 2^{\frac{1}{2}} \cdot \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot x + 1}\right) + \frac{1}{4} \cdot \left(\frac{a}{b}\right)^{\frac{1}{4}} / a \cdot 2^{\frac{1}{2}} \cdot \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot x - 1}\right) + \frac{1}{2} / \left(\frac{a}{b}\right)^{\frac{1}{2}} \cdot \arctan\left(\frac{\left(\frac{1}{a} \cdot b\right)^{\frac{1}{2}} \cdot x^2 + \frac{1}{8} \cdot b / \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \ln\left(\frac{(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \left(\frac{a}{b}\right)^{\frac{1}{2}})}{(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \left(\frac{a}{b}\right)^{\frac{1}{2}})}\right) + \frac{1}{4} \cdot b / \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot x + 1}\right) + \frac{1}{4} \cdot b / \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot x - 1}\right) + \frac{1}{4} \cdot \ln(b \cdot x^4 + a) / b$

maxima [A] time = 2.98, size = 296, normalized size = 1.07

$$\frac{\sqrt{2} \left(\sqrt{2 a^{\frac{1}{2}} b^{\frac{1}{2}} - \sqrt{a} \sqrt{b} + b} \right) \log\left(\sqrt{b} x^2 + \sqrt{2 a^{\frac{1}{2}} b^{\frac{1}{2}} x + \sqrt{a}}\right) + \sqrt{2} \left(\sqrt{2 a^{\frac{1}{2}} b^{\frac{1}{2}} + \sqrt{a} \sqrt{b} - b} \right) \log\left(\sqrt{b} x^2 - \sqrt{2 a^{\frac{1}{2}} b^{\frac{1}{2}} x + \sqrt{a}}\right) + \frac{\left(\left(\sqrt{2 a^{\frac{1}{2}} b^{\frac{1}{2}} - 2 \sqrt{a} \right) b + \left(\sqrt{2 a^{\frac{1}{2}} b^{\frac{1}{2}} + 2 a} \right) \sqrt{b} - 2 a \sqrt{b} \right) \arctan\left(\frac{\sqrt{2} \left(\sqrt{b} x + \sqrt{2 a^{\frac{1}{2}} b^{\frac{1}{2}}} \right)}{2 \sqrt{a} \sqrt{b}}\right)}{4 a^{\frac{3}{4}} \sqrt{a} \sqrt{b} b^{\frac{5}{4}}} + \frac{\left(\left(\sqrt{2 a^{\frac{1}{2}} b^{\frac{1}{2}} + 2 \sqrt{a} \right) b + \left(\sqrt{2 a^{\frac{1}{2}} b^{\frac{1}{2}} - 2 a} \right) \sqrt{b} + 2 a \sqrt{b} \right) \arctan\left(\frac{\sqrt{2} \left(\sqrt{b} x - \sqrt{2 a^{\frac{1}{2}} b^{\frac{1}{2}}} \right)}{2 \sqrt{a} \sqrt{b}}\right)}{4 a^{\frac{3}{4}} \sqrt{a} \sqrt{b} b^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(b*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{8} \cdot \sqrt{2} \cdot \left(\sqrt{2}\right) \cdot a^{\frac{3}{4}} \cdot b^{\frac{1}{4}} - \sqrt{2} \cdot \sqrt{a} \cdot \sqrt{b} + b \cdot \log(\sqrt{b} \cdot x^2 + \sqrt{2} \cdot a^{\frac{1}{4}} \cdot b^{\frac{1}{4}} \cdot x + \sqrt{2} \cdot \sqrt{a}) / \left(a^{\frac{3}{4}} \cdot b^{\frac{5}{4}}\right) + \frac{1}{8} \cdot \sqrt{2} \cdot \left(\sqrt{2}\right) \cdot a^{\frac{3}{4}} \cdot b^{\frac{1}{4}} + \sqrt{2} \cdot \sqrt{a} \cdot \sqrt{b} - b \cdot \log(\sqrt{b} \cdot x^2 - \sqrt{2} \cdot a^{\frac{1}{4}} \cdot b^{\frac{1}{4}} \cdot x + \sqrt{2} \cdot \sqrt{a}) / \left(a^{\frac{3}{4}} \cdot b^{\frac{5}{4}}\right) + \frac{1}{4} \cdot \left(\left(\sqrt{2}\right) \cdot a^{\frac{1}{4}} \cdot b^{\frac{1}{4}} - 2 \cdot \sqrt{2} \cdot \sqrt{a}\right) \cdot b + \left(\sqrt{2}\right) \cdot a^{\frac{3}{4}} \cdot b^{\frac{1}{4}} + 2 \cdot a \cdot \sqrt{b} - 2 \cdot a \cdot \sqrt{b} \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot \left(2 \cdot \sqrt{2} \cdot \sqrt{b} \cdot x + \sqrt{2}\right) \cdot a^{\frac{1}{4}} \cdot b^{\frac{1}{4}}\right) / \sqrt{2} \cdot \sqrt{a} \cdot \sqrt{b} \cdot \left(a^{\frac{3}{4}} \cdot \sqrt{2} \cdot \sqrt{a} \cdot \sqrt{b} \cdot b^{\frac{5}{4}}\right) + \frac{1}{4} \cdot \left(\left(\sqrt{2}\right) \cdot a^{\frac{1}{4}} \cdot b^{\frac{1}{4}} + 2 \cdot \sqrt{2} \cdot \sqrt{a}\right) \cdot b + \left(\sqrt{2}\right) \cdot a^{\frac{3}{4}} \cdot b^{\frac{1}{4}} - 2 \cdot a \cdot \sqrt{b} + 2 \cdot a \cdot \sqrt{b} \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot \left(2 \cdot \sqrt{2} \cdot \sqrt{b} \cdot x - \sqrt{2}\right) \cdot a^{\frac{1}{4}} \cdot b^{\frac{1}{4}}\right) / \sqrt{2} \cdot \sqrt{a} \cdot \sqrt{b} \cdot \left(a^{\frac{3}{4}} \cdot \sqrt{2} \cdot \sqrt{a} \cdot \sqrt{b} \cdot b^{\frac{5}{4}}\right)$

mupad [B] time = 5.04, size = 305, normalized size = 1.10

$$\sum_{k=0}^{\infty} \left(\text{root}(256 \cdot a^3 \cdot b^4 \cdot z^4 - 256 \cdot a^3 \cdot b^3 \cdot z^3 + 96 \cdot a^3 \cdot b^2 \cdot z^2 - 16 \cdot a^3 \cdot b \cdot z - 16 \cdot a^3 \cdot b^3 \cdot z - 32 \cdot a^2 \cdot b^2 \cdot z + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3 + a^3, z, k) \cdot \left(\text{root}(256 \cdot a^3 \cdot b^4 \cdot z^4 - 256 \cdot a^3 \cdot b^3 \cdot z^3 + 96 \cdot a^3 \cdot b^2 \cdot z^2 - 16 \cdot a^3 \cdot b \cdot z - 16 \cdot a^3 \cdot b^3 \cdot z - 32 \cdot a^2 \cdot b^2 \cdot z + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3 + a^3, z, k) \cdot (16 \cdot a \cdot b^3 - 16 \cdot a \cdot b^3 \cdot x) + x \cdot (4 \cdot a \cdot b^2 + 4 \cdot b^3) \right) \right) \cdot \text{root}(256 \cdot a^3 \cdot b^4 \cdot z^4 - 256 \cdot a^3 \cdot b^3 \cdot z^3 + 96 \cdot a^3 \cdot b^2 \cdot z^2 - 16 \cdot a^3 \cdot b \cdot z - 16 \cdot a^3 \cdot b^3 \cdot z - 32 \cdot a^2 \cdot b^2 \cdot z + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3 + a^3, z, k), k, 1, 4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + x^2 + x^3 + 1)/(a + b*x^4),x)

[Out] $\text{symsum}\left(\log\left(-\text{root}\left(256 \cdot a^3 \cdot b^4 \cdot z^4 - 256 \cdot a^3 \cdot b^3 \cdot z^3 + 96 \cdot a^3 \cdot b^2 \cdot z^2 + 96 \cdot a^3 \cdot b \cdot z - 16 \cdot a^3 \cdot b^3 \cdot z - 16 \cdot a \cdot b^3 \cdot z - 32 \cdot a^2 \cdot b^2 \cdot z + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3 + a^3, z, k\right) \cdot \left(\text{root}\left(256 \cdot a^3 \cdot b^4 \cdot z^4 - 256 \cdot a^3 \cdot b^3 \cdot z^3 + 96 \cdot a^3 \cdot b^2 \cdot z^2 + 96 \cdot a^3 \cdot b \cdot z - 16 \cdot a^3 \cdot b^3 \cdot z - 16 \cdot a \cdot b^3 \cdot z - 32 \cdot a^2 \cdot b^2 \cdot z + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3 + a^3, z, k\right) \cdot (16 \cdot a \cdot b^3 - 16 \cdot a \cdot b^3 \cdot x) + x \cdot (4 \cdot a \cdot b^2 + 4 \cdot b^3)\right)\right) \cdot \text{root}\left(256 \cdot a^3 \cdot b^4 \cdot z^4 - 256 \cdot a^3 \cdot b^3 \cdot z^3 + 96 \cdot a^3 \cdot b^2 \cdot z^2 + 96 \cdot a^3 \cdot b \cdot z - 16 \cdot a^3 \cdot b^3 \cdot z - 16 \cdot a \cdot b^3 \cdot z - 32 \cdot a^2 \cdot b^2 \cdot z + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3 + a^3, z, k\right), k, 1, 4)$

sympy [A] time = 2.27, size = 187, normalized size = 0.68

$$\text{RootSum}\left(256t^4a^3b^4 - 256t^3a^3b^3 + t^2(96a^3b^2 + 96a^2b^3) + t(-16a^3b - 32a^2b^2 - 16ab^3) + a^3 + 3a^2b + 3ab^2 + b^3, \left(t \mapsto t \log\left(x + \frac{64t^3a^3b^3 - 48t^2a^3b^2 + 16t^2a^2b^3 + 12ta^3b + 16ta^2b^2 + 4tab^3 - a^3 - 2a^2b - ab^2}{a^2b + 2ab^2 + b^3}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**3+x**2+x+1)/(b*x**4+a),x)

[Out] RootSum(256*_t**4*a**3*b**4 - 256*_t**3*a**3*b**3 + _t**2*(96*a**3*b**2 + 96*a**2*b**3) + _t*(-16*a**3*b - 32*a**2*b**2 - 16*a*b**3) + a**3 + 3*a**2*b + 3*a*b**2 + b**3, Lambda(_t, _t*log(x + (64*_t**3*a**3*b**3 - 48*_t**2*a**3*b**2 + 16*_t**2*a**2*b**3 + 12*_t*a**3*b + 16*_t*a**2*b**2 + 4*_t*a*b**3 - a**3 - 2*a**2*b - a*b**2)/(a**2*b + 2*a*b**2 + b**3))))

$$3.124 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{a-bx^4} dx$$

Optimal. Leaf size=148

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} - \frac{f \log(a-bx^4)}{4b} - \frac{gx}{b}$$

Rubi [A] time = 0.20, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {1885, 1248, 635, 208, 260, 1887, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} - \frac{f \log(a-bx^4)}{4b} - \frac{gx}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4), x]

[Out] -((g*x)/b) + ((b*c - Sqrt[a]*Sqrt[b]*e + a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(2*a^(3/4)*b^(5/4)) + ((b*c + Sqrt[a]*Sqrt[b]*e + a*g)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(2*a^(3/4)*b^(5/4)) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*Sqrt[b]) - (f*Log[a - b*x^4])/(4*b)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}

}, x] && !NiceSqrtQ[-(a*c)]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1248

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rule 1885

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*((a + b*x^n)^p), {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{a - bx^4} dx &= \int \left(\frac{x(d + fx^2)}{a - bx^4} + \frac{c + ex^2 + gx^4}{a - bx^4} \right) dx \\
&= \int \frac{x(d + fx^2)}{a - bx^4} dx + \int \frac{c + ex^2 + gx^4}{a - bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{a - bx^2} dx, x, x^2 \right) + \int \left(-\frac{g}{b} + \frac{bc + ag + bex^2}{b(a - bx^4)} \right) dx \\
&= -\frac{gx}{b} + \frac{\int \frac{bc + ag + bex^2}{a - bx^4} dx}{b} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right) + \frac{1}{2} f \text{Subst} \left(\int \frac{x}{a - bx^2} dx, x, x^2 \right) \\
&= -\frac{gx}{b} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} - \frac{f \log(a - bx^4)}{4b} + \frac{1}{2} \left(e - \frac{bc + ag}{\sqrt{a} \sqrt{b}} \right) \int \frac{1}{-\sqrt{a} \sqrt{b} - bx^2} dx \\
&= -\frac{gx}{b} + \frac{(bc - \sqrt{a} \sqrt{b} e + ag) \tan^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2a^{3/4} b^{5/4}} + \frac{(bc + \sqrt{a} \sqrt{b} e + ag) \tanh^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2a^{3/4} b^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 249, normalized size = 1.68

$$\frac{-a^{3/4} \sqrt{b} f \log(a - bx^4) - 4a^{3/4} \sqrt{b} gx - \log(\sqrt{a} - \sqrt{b} x) (\sqrt{a} b^{3/4} d + \sqrt{a} \sqrt{b} e + ag + bc) + \sqrt{a} b^{3/4} d \log(\sqrt{a} + \sqrt{b} x^2) - \sqrt{a} b^{3/4} d \log(\sqrt{a} + \sqrt{b} x) + 2 \tan^{-1} \left(\frac{\sqrt{b} x}{\sqrt{a}} \right) (-\sqrt{a} \sqrt{b} e + ag + bc) + bc \log(\sqrt{a} + \sqrt{b} x) + \sqrt{a} \sqrt{b} e \log(\sqrt{a} + \sqrt{b} x) + ag \log(\sqrt{a} + \sqrt{b} x)}{4a^{3/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4), x]

[Out] $(-4*a^{(3/4)}*b^{(1/4)}*g*x + 2*(b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}] - (b*c + a^{(1/4)}*b^{(3/4)}*d + \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{Log}[a^{(1/4)} - b^{(1/4)}*x] + b*c*\text{Log}[a^{(1/4)} + b^{(1/4)}*x] - a^{(1/4)}*b^{(3/4)}*d*\text{Log}[a^{(1/4)} + b^{(1/4)}*x] + \text{Sqrt}[a]*\text{Sqrt}[b]*e*\text{Log}[a^{(1/4)} + b^{(1/4)}*x] + a*g*\text{Log}[a^{(1/4)} + b^{(1/4)}*x] + a^{(1/4)}*b^{(3/4)}*d*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[b]*x^2] - a^{(3/4)}*b^{(1/4)}*f*\text{Log}[a - b*x^4])/(4*a^{(3/4)}*b^{(5/4)})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4}{a - bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4), x]
fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.19, size = 303, normalized size = 2.05

$$\frac{\sqrt{2} \left(b^2 c + a b g - \sqrt{2} (-a b^2)^{\frac{1}{4}} b d + \sqrt{-a b} b e \right) \arctan \left(\frac{\sqrt{2} (2 x + \sqrt{2} (-\frac{a}{b})^{\frac{1}{4}})}{z (-\frac{a}{b})^{\frac{1}{4}}} \right) - \sqrt{2} \left(b^2 c + a b g + \sqrt{2} (-a b^2)^{\frac{1}{4}} b d - \sqrt{-a b} b e \right) \arctan \left(\frac{\sqrt{2} (2 x - \sqrt{2} (-\frac{a}{b})^{\frac{1}{4}})}{z (-\frac{a}{b})^{\frac{1}{4}}} \right) - \sqrt{2} (b^2 c + a b g - \sqrt{-a b} b e) \log \left(x^2 + \sqrt{2} x (-\frac{a}{b})^{\frac{1}{4}} + \sqrt{-\frac{a}{b}} \right) + \sqrt{2} (b^2 c + a b g - \sqrt{-a b} b e) \log \left(x^2 - \sqrt{2} x (-\frac{a}{b})^{\frac{1}{4}} + \sqrt{-\frac{a}{b}} \right) - \frac{g x}{b} - \frac{f \log(|b x^4 - a|)}{4 b}}{4 (-a b^2)^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="giac")

[Out] $-1/4 \sqrt{2} (b^2 c + a b g - \sqrt{2} (-a b^2)^{\frac{1}{4}} b d + \sqrt{-a b} b e) \arctan(1/2 \sqrt{2} (2 x + \sqrt{2} (-a/b)^{\frac{1}{4}}) / (-a/b)^{\frac{1}{4}}) / (-a b^2)^{\frac{3}{4}} - 1/4 \sqrt{2} (b^2 c + a b g + \sqrt{2} (-a b^2)^{\frac{1}{4}} b d - \sqrt{-a b} b e) \arctan(1/2 \sqrt{2} (2 x - \sqrt{2} (-a/b)^{\frac{1}{4}}) / (-a/b)^{\frac{1}{4}}) / (-a b^2)^{\frac{3}{4}} - 1/8 \sqrt{2} (b^2 c + a b g - \sqrt{-a b} b e) \log(x^2 + \sqrt{2} x (-a/b)^{\frac{1}{4}} + \sqrt{-a/b}) / (-a b^2)^{\frac{3}{4}} + 1/8 \sqrt{2} (b^2 c + a b g - \sqrt{-a b} b e) \log(x^2 - \sqrt{2} x (-a/b)^{\frac{1}{4}} + \sqrt{-a/b}) / (-a b^2)^{\frac{3}{4}} - g x / b - 1/4 f \log(\text{abs}(b x^4 - a)) / b$

maple [B] time = 0.05, size = 244, normalized size = 1.65

$$-\frac{d \ln \left(\frac{\sqrt{a b} x^2 - a}{-\sqrt{a b} x^2 - a} \right)}{4 \sqrt{a b}} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2 a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 a} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}} b} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b} - \frac{f \ln(b x^4 - a)}{4 b} - \frac{g x}{b} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} g \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2 b} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} g \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x)

[Out] $-g x / b + 1/2 / b (a/b)^{\frac{1}{4}} \arctan(1/(a/b)^{\frac{1}{4}} x) * g + 1/2 c (a/b)^{\frac{1}{4}} / a \arctan(1/(a/b)^{\frac{1}{4}} x) + 1/4 / b (a/b)^{\frac{1}{4}} \ln((x + (a/b)^{\frac{1}{4}}) / (x - (a/b)^{\frac{1}{4}})) * g + 1/4 c (a/b)^{\frac{1}{4}} / a \ln((x + (a/b)^{\frac{1}{4}}) / (x - (a/b)^{\frac{1}{4}})) - 1/4 d / (a b)^{\frac{1}{2}} \ln(((a b)^{\frac{1}{2}} x^2 - a) / ((a b)^{\frac{1}{2}} x^2 - a)) - 1/2 e / b (a/b)^{\frac{1}{4}} \arctan(1/(a/b)^{\frac{1}{4}} x) + 1/4 e / b (a/b)^{\frac{1}{4}} \ln((x + (a/b)^{\frac{1}{4}}) / (x - (a/b)^{\frac{1}{4}})) - 1/4 / b * f * \ln(b x^4 - a)$

$$\begin{aligned}
& b^3 d^2 f^2 z + 16 a^2 b^3 d^2 e^2 z + 16 a^2 b^4 c^2 d^2 z + 16 a^3 b^2 f^3 z + 8 \\
& a^2 b^2 c d f g - 4 a^2 b^2 d^2 e g + 4 a^2 b^2 d^2 e^2 f + 4 a^2 b^2 c e^2 g \\
& - 4 a^2 b^2 c e f^2 - 4 a^3 b e e f^2 g + 4 a^3 b d f g^2 + 4 a^2 b^3 c^2 d f \\
& - 4 a^2 b^3 c d^2 e - 4 a^3 b c g^3 - 4 a^2 b^3 c^3 g - 6 a^2 b^2 c^2 g^2 - 2 \\
& a^2 b^2 d^2 f^2 + 2 a^3 b e^2 g^2 + 2 a^2 b^3 c^2 e^2 + a^3 b f^4 + a^2 b^3 d^4 \\
& - a^2 b^2 e^4 - a^4 g^4 - b^4 c^4, z, k)^2 a^2 b^2 g + 16 \text{root}(256 a^3 b^5 \\
& z^4 + 256 a^3 b^4 f z^3 - 64 a^3 b^3 e g z^2 - 64 a^2 b^4 c e z^2 + 96 a^3 \\
& b^3 f^2 z^2 - 32 a^2 b^4 d^2 z^2 - 32 a^3 b^2 e f g z - 32 a^2 b^3 c e f z \\
& + 32 a^2 b^3 c d g z + 16 a^3 b^2 d g^2 z - 16 a^2 b^3 d^2 f z + 16 a^2 b^3 \\
& d e^2 z + 16 a^2 b^4 c^2 d z + 16 a^3 b^2 f^3 z + 8 a^2 b^2 c d f g - 4 a^2 \\
& b^2 d^2 e g + 4 a^2 b^2 d^2 e^2 f + 4 a^2 b^2 c e^2 g - 4 a^2 b^2 c e f^2 - \\
& 4 a^3 b e e f^2 g + 4 a^3 b d f g^2 + 4 a^2 b^3 c^2 d f - 4 a^2 b^3 c d^2 e - 4 a^3 \\
& b c g^3 - 4 a^2 b^3 c^3 g - 6 a^2 b^2 c^2 g^2 - 2 a^2 b^2 d^2 f^2 + 2 a^3 b e^2 g^2 \\
& + 2 a^2 b^3 c^2 e^2 + a^3 b f^4 + a^2 b^3 d^4 - a^2 b^2 e^4 - a^4 g^4 - b^4 c^4, z, k)^2 a^2 b^3 d x \\
& - 4 \text{root}(256 a^3 b^5 z^4 + 256 a^3 b^4 f z^3 - 64 a^3 b^3 e g z^2 - 64 \\
& a^2 b^4 c e z^2 + 96 a^3 b^3 f^2 z^2 - 32 a^2 b^4 d^2 z^2 - 32 a^3 b^2 e f \\
& g z - 32 a^2 b^3 c e f z + 32 a^2 b^3 c d g z + 16 a^3 b^2 d g^2 z - 16 a^2 \\
& b^3 d^2 f z + 16 a^2 b^3 d e^2 z + 16 a^2 b^4 c^2 d z + 16 a^3 b^2 f^3 z + \\
& 8 a^2 b^2 c d f g - 4 a^2 b^2 d^2 e g + 4 a^2 b^2 d^2 e^2 f + 4 a^2 b^2 c e^2 \\
& g - 4 a^2 b^2 c e f^2 - 4 a^3 b e e f^2 g + 4 a^3 b d f g^2 + 4 a^2 b^3 c^2 d f \\
& - 4 a^2 b^3 c d^2 e - 4 a^3 b c g^3 - 4 a^2 b^3 c^3 g - 6 a^2 b^2 c^2 g^2 - 2 \\
& a^2 b^2 d^2 f^2 + 2 a^3 b e^2 g^2 + 2 a^2 b^3 c^2 e^2 + a^3 b f^4 + a^2 b^3 d^4 \\
& - a^2 b^2 e^4 - a^4 g^4 - b^4 c^4, z, k) a^2 b^2 e^2 x - 4 \text{root}(256 a^3 b^5 z^4 + 256 a^3 b^4 f z^3 \\
& - 64 a^3 b^3 e g z^2 - 64 a^2 b^4 c e z^2 + 96 a^3 b^3 f^2 z^2 - 32 a^2 b^4 d^2 z^2 - 32 a^3 b^2 e f \\
& g z - 32 a^2 b^3 c e f z + 32 a^2 b^3 c d g z + 16 a^3 b^2 d g^2 z - 16 a^2 \\
& b^3 d^2 f z + 16 a^2 b^3 d e^2 z + 16 a^2 b^4 c^2 d z + 16 a^3 b^2 f^3 z + \\
& 8 a^2 b^2 c d f g - 4 a^2 b^2 d^2 e g + 4 a^2 b^2 d^2 e^2 f + 4 a^2 b^2 c e^2 \\
& g - 4 a^2 b^2 c e f^2 - 4 a^3 b e e f^2 g + 4 a^3 b d f g^2 + 4 a^2 b^3 c^2 d f \\
& - 4 a^2 b^3 c d^2 e - 4 a^3 b c g^3 - 4 a^2 b^3 c^3 g - 6 a^2 b^2 c^2 g^2 - 2 \\
& a^2 b^2 d^2 f^2 + 2 a^3 b e^2 g^2 + 2 a^2 b^3 c^2 e^2 + a^3 b f^4 + a^2 b^3 d^4 \\
& - a^2 b^2 e^4 - a^4 g^4 - b^4 c^4, z, k) a^2 b^2 c f + 8 \text{root}(256 a^3 b^5 \\
& z^4 + 256 a^3 b^4 f z^3 - 64 a^3 b^3 e g z^2 - 64 a^2 b^4 c e z^2 + 96 a^3 \\
& b^3 f^2 z^2 - 32 a^2 b^4 d^2 z^2 - 32 a^3 b^2 e f g z - 32 a^2 b^3 c e f z \\
& + 32 a^2 b^3 c d g z + 16 a^3 b^2 d g^2 z - 16 a^2 b^3 d^2 f z + 16 a^2 b^3 \\
& d e^2 z + 16 a^2 b^4 c^2 d z + 16 a^3 b^2 f^3 z + 8 a^2 b^2 c d f g - 4 a^2
\end{aligned}$$

$$\begin{aligned}
& 2*b^2*d^2*e*g + 4*a^2*b^2*d*e^2*f + 4*a^2*b^2*c*e^2*g - 4*a^2*b^2*c*e*f^2 - \\
& 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4* \\
& a^3*b*c*g^3 - 4*a*b^3*c^3*g - 6*a^2*b^2*c^2*g^2 - 2*a^2*b^2*d^2*f^2 + 2*a^3* \\
& *b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^3*b*f^4 + a*b^3*d^4 - a^2*b^2*e^4 - a^4*g^4 \\
& 4 - b^4*c^4, z, k)*a*b^2*d*e - 8*root(256*a^3*b^5*z^4 + 256*a^3*b^4*f*z^3 - \\
& 64*a^3*b^3*e*g*z^2 - 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 - 32*a^2*b^4*d^2*z^2 - \\
& 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z + 16 \\
& *a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z + 16*a*b^4*c^2*d \\
& *z + 16*a^3*b^2*f^3*z + 8*a^2*b^2*c*d*f*g - 4*a^2*b^2*d^2*e*g + 4*a^2*b^2*d \\
& *e^2*f + 4*a^2*b^2*c*e^2*g - 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b* \\
& d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g \\
& - 6*a^2*b^2*c^2*g^2 - 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 \\
& 2 + a^3*b*f^4 + a*b^3*d^4 - a^2*b^2*e^4 - a^4*g^4 - b^4*c^4, z, k)*a^2*b*f* \\
& g + a*b*d*f^2*x - a*b*e^2*f*x + 2*b^2*c*d*e*x - 8*root(256*a^3*b^5*z^4 + 25 \\
& 6*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 - 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2* \\
& z^2 - 32*a^2*b^4*d^2*z^2 - 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2 \\
& *b^3*c*d*g*z + 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z \\
& + 16*a*b^4*c^2*d*z + 16*a^3*b^2*f^3*z + 8*a^2*b^2*c*d*f*g - 4*a^2*b^2*d^2* \\
& e*g + 4*a^2*b^2*d*e^2*f + 4*a^2*b^2*c*e^2*g - 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e \\
& *f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 \\
& 3 - 4*a*b^3*c^3*g - 6*a^2*b^2*c^2*g^2 - 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 \\
& + 2*a*b^3*c^2*e^2 + a^3*b*f^4 + a*b^3*d^4 - a^2*b^2*e^4 - a^4*g^4 - b^4*c^4 \\
& 4, z, k)*a*b^2*c*g*x + 8*root(256*a^3*b^5*z^4 + 256*a^3*b^4*f*z^3 - 64*a^3* \\
& b^3*e*g*z^2 - 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 - 32*a^2*b^4*d^2*z^2 \\
& - 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z + 16*a^3*b^2 \\
& *d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z + 16*a*b^4*c^2*d*z + 16* \\
& a^3*b^2*f^3*z + 8*a^2*b^2*c*d*f*g - 4*a^2*b^2*d^2*e*g + 4*a^2*b^2*d*e^2*f + \\
& 4*a^2*b^2*c*e^2*g - 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 \\
& + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g - 6*a^2 \\
& *b^2*c^2*g^2 - 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^3* \\
& b*f^4 + a*b^3*d^4 - a^2*b^2*e^4 - a^4*g^4 - b^4*c^4, z, k)*a*b^2*d*f*x - 2* \\
& a*b*c*f*g*x + 2*a*b*d*e*g*x)*root(256*a^3*b^5*z^4 + 256*a^3*b^4*f*z^3 - 64* \\
& a^3*b^3*e*g*z^2 - 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 - 32*a^2*b^4*d^2* \\
& z^2 - 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z + 16*a^3 \\
& *b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z + 16*a*b^4*c^2*d*z + \\
& 16*a^3*b^2*f^3*z + 8*a^2*b^2*c*d*f*g - 4*a^2*b^2*d^2*e*g + 4*a^2*b^2*d*e^2 \\
& *f + 4*a^2*b^2*c*e^2*g - 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f* \\
& g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g - 6 \\
& *a^2*b^2*c^2*g^2 - 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + \\
& a^3*b*f^4 + a*b^3*d^4 - a^2*b^2*e^4 - a^4*g^4 - b^4*c^4, z, k), k, 1, 4) - \\
& (g*x)/b
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)
```

```
[Out] Timed out
```

$$3.125 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^2} dx$$

Optimal. Leaf size=172

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(ag+bc+bdx+bx^2+bx^3)}{4ab(a-bx^4)}$$

Rubi [A] time = 0.16, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {1858, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(ag+bc+bdx+bx^2+bx^3)}{4ab(a-bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^2, x]

[Out] (x*(b*c + a*g + b*d*x + b*e*x^2 + b*f*x^3))/(4*a*b*(a - b*x^4)) + ((3*b*c - Sqrt[a]*Sqrt[b]*e - a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(5/4)) + ((3*b*c + Sqrt[a]*Sqrt[b]*e - a*g)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(5/4)) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2

$-(c*d)/(2*q), \text{Int}[1/(q + c*x^2), x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[-(a*c)]$

Rule 1858

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q - 1)/n] + 1)*Pq}, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q - 1)/n] + 1)*Pq}, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[(a + b*x^n)^(p + 1)*\text{ExpandToSum}[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] /; \text{GeQ}[q, n]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1]$

Rule 1876

$\text{Int}[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := \text{With}[\{v = \text{Sum}[(x^{ii}*(\text{Coeff}[Pq, x, ii] + \text{Coeff}[Pq, x, n/2 + ii]*x^{(n/2)}))]/(a + b*x^n), \{ii, 0, n/2 - 1\}]\}, \text{Int}[v, x] /; \text{SumQ}[v]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& \text{Expon}[Pq, x] < n$

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a - bx^4)^2} dx &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{\int \frac{3bc - ag + 2bdx + bex^2}{a - bx^4} dx}{4ab} \\ &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{\int \left(\frac{2bdx}{a - bx^4} + \frac{3bc - ag + bex^2}{a - bx^4} \right) dx}{4ab} \\ &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{\int \frac{3bc - ag + bex^2}{a - bx^4} dx}{4ab} + \frac{d \int \frac{x}{a - bx^4} dx}{2a} \\ &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{d \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{4a} - \frac{(3bc - \sqrt{a} \sqrt{b} e - ag) \tan^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{8a^{7/4} b^{5/4}} + \frac{(3bc - \sqrt{a} \sqrt{b} e - ag) \tan^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{8a^{7/4} b^{5/4}} \end{aligned}$$

Mathematica [A] time = 0.43, size = 221, normalized size = 1.28

$$\frac{4a^{3/4} \sqrt[4]{b(f+gx)+bc(-x(d+ex))}}{a-bx^4} - \log(\sqrt[4]{a} - \sqrt[4]{b}x) (2\sqrt[4]{a} b^{3/4} d + \sqrt{a} \sqrt{b} e - ag + 3bc) + \log(\sqrt[4]{a} + \sqrt[4]{b}x) (-2\sqrt[4]{a} b^{3/4} d + \sqrt{a} \sqrt{b} e - ag + 3bc) + 2\sqrt[4]{a} b^{3/4} d \log(\sqrt{a} + \sqrt{b}x^2) - 2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) (\sqrt{a} \sqrt{b} e + ag - 3bc)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^2, x]

[Out] ((4*a^(3/4)*b^(1/4)*(a*(f + g*x) + b*x*(c + x*(d + e*x))))/(a - b*x^4) - 2*(-3*b*c + Sqrt[a]*Sqrt[b]*e + a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] - (3*b*c + 2*a^(1/4)*b^(3/4)*d + Sqrt[a]*Sqrt[b]*e - a*g)*Log[a^(1/4) - b^(1/4)*x] + (3*b*c - 2*a^(1/4)*b^(3/4)*d + Sqrt[a]*Sqrt[b]*e - a*g)*Log[a^(1/4) + b^(1/4)*x] + 2*a^(1/4)*b^(3/4)*d*Log[Sqrt[a] + Sqrt[b]*x^2])/(16*a^(7/4)*b^(5/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a - bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^2, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^2, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.18, size = 344, normalized size = 2.00

$$\frac{\sqrt{2}(3b^2c - abg - 2\sqrt{2}(-ab)^{3/2}bd + \sqrt{-ab}be) \arctan\left(\frac{\sqrt{2}(2x + \sqrt{2}(-\frac{1}{2}))^{1/2}}{2(-\frac{1}{2})^{1/2}}\right)}{16(-ab)^{3/2}a} - \frac{\sqrt{2}(3b^2c - abg + 2\sqrt{2}(-ab)^{3/2}bd - \sqrt{-ab}be) \arctan\left(\frac{\sqrt{2}(2x + \sqrt{2}(-\frac{1}{2}))^{1/2}}{2(-\frac{1}{2})^{1/2}}\right)}{16(-ab)^{3/2}a} + \frac{\sqrt{2}(3b^2c - abg - \sqrt{-ab}be) \log\left(x^2 + \sqrt{2}x(-\frac{1}{2})^{1/2} + \sqrt{-\frac{1}{2}}\right)}{32(-ab)^{3/2}a} + \frac{\sqrt{2}(3b^2c - abg - \sqrt{-ab}be) \log\left(x^2 - \sqrt{2}x(-\frac{1}{2})^{1/2} + \sqrt{-\frac{1}{2}}\right)}{32(-ab)^{3/2}a} - \frac{bx^2e + bdx^2 + bcx + agx + af}{4(bx^4 - a)ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out] -1/16*sqrt(2)*(3*b^2*c - a*b*g - 2*sqrt(2)*(-a*b^3)^(1/4)*b*d + sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a) - 1/16*sqrt(2)*(3*b^2*c - a*b*g + 2*sqrt(2)*(-a*b^3)^(1/4)*b*d -

$\sqrt{-a*b} * b * e * \arctan(1/2 * \sqrt{2} * (2*x - \sqrt{2}) * (-a/b)^{(1/4)}) / (-a/b)^{(1/4)}$
 $4) / ((-a*b^3)^{(3/4)} * a) - 1/32 * \sqrt{2} * (3*b^2*c - a*b*g - \sqrt{-a*b} * b * e) * \log(x^2 + \sqrt{2} * x * (-a/b)^{(1/4)} + \sqrt{-a/b}) / ((-a*b^3)^{(3/4)} * a) + 1/32 * \sqrt{2} * (3*b^2*c - a*b*g - \sqrt{-a*b} * b * e) * \log(x^2 - \sqrt{2} * x * (-a/b)^{(1/4)} + \sqrt{-a/b}) / ((-a*b^3)^{(3/4)} * a) - 1/4 * (b*x^3*e + b*d*x^2 + b*c*x + a*g*x + a*f) / ((b*x^4 - a) * a * b)$

maple [B] time = 0.05, size = 289, normalized size = 1.68

$$\frac{d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{8\sqrt{ab} a} - \frac{e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} g \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8ab} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} g \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16ab} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}} c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8a^2} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}} c \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16a^2} + \frac{-ex^3 - dx^2 - f - (ag+bc)x}{bx^4 - a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x)`

[Out] $(-1/4/a * e * x^3 - 1/4/a * d * x^2 - 1/4 * (a * g + b * c) / a / b * x - 1/4 / b * f) / (b * x^4 - a) - 1/8 / b / a * (a / b)^{(1/4)} * \arctan(1 / (a / b)^{(1/4)} * x) * g + 3/8 * (a / b)^{(1/4)} / a^2 * c * \arctan(1 / (a / b)^{(1/4)} * x) - 1/16 / b / a * (a / b)^{(1/4)} * \ln((x + (a / b)^{(1/4)}) / (x - (a / b)^{(1/4)})) * g + 3/16 * (a / b)^{(1/4)} / a^2 * c * \ln((x + (a / b)^{(1/4)}) / (x - (a / b)^{(1/4)})) - 1/8 / (a * b)^{(1/2)} / a * d * \ln(((a * b)^{(1/2)} * x^2 - a) / (- (a * b)^{(1/2)} * x^2 - a)) - 1/8 / (a / b)^{(1/4)} / a / b * e * \arctan(1 / (a / b)^{(1/4)} * x) + 1/16 / (a / b)^{(1/4)} / a / b * e * \ln((x + (a / b)^{(1/4)}) / (x - (a / b)^{(1/4)}))$

maxima [A] time = 3.11, size = 224, normalized size = 1.30

$$\frac{bex^3 + bdx^2 + af + (bc + ag)x}{4(ab^2x^4 - a^2b)} + \frac{2\sqrt{b}d \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}} - \frac{2\sqrt{b}d \log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}} + \frac{2\left(3b^{\frac{3}{2}}c - \sqrt{a}be - a\sqrt{b}g\right) \arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}} - \frac{\left(3b^{\frac{3}{2}}c + \sqrt{a}be - a\sqrt{b}g\right) \log\left(\frac{\sqrt{b}x - \sqrt{a}\sqrt{b}}{\sqrt{b}x + \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")`

[Out] $-1/4 * (b * e * x^3 + b * d * x^2 + a * f + (b * c + a * g) * x) / (a * b^2 * x^4 - a^2 * b) + 1/16 * (2 * \sqrt{b} * d * \log(\sqrt{b} * x^2 + \sqrt{a}) / \sqrt{a} - 2 * \sqrt{b} * d * \log(\sqrt{b} * x^2 - \sqrt{a}) / \sqrt{a} + 2 * (3 * b^{(3/2)} * c - \sqrt{a} * b * e - a * \sqrt{b} * g) * \arctan(\sqrt{b} * x / \sqrt{a} * \sqrt{b})) / (\sqrt{a} * \sqrt{a} * \sqrt{b} * \sqrt{b}) - (3 * b^{(3/2)} * c + \sqrt{a} * b * e - a * \sqrt{b} * g) * \log((\sqrt{b} * x - \sqrt{a} * \sqrt{b}) / (\sqrt{b} * x + \sqrt{a} * \sqrt{b})) / (\sqrt{a} * \sqrt{a} * \sqrt{b} * \sqrt{b})) / (a * b)$

mupad [B] time = 5.56, size = 1393, normalized size = 8.10

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^2, x)$

[Out] $\text{symsum}(\log(- (12*b^2*c*d^2 - 9*b^2*c^2*e - a^2*e*g^2 + a*b*e^3 - 4*a*b*d^2*g + 6*a*b*c*e*g)/(64*a^3) - (\text{root}(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 - 3072*a^4*b^4*c*e*z^2 - 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z + 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z + 1152*a^2*b^4*c^2*d*z + 16*a^2*b^2*d^2*e*g - 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 - 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 - 81*b^4*c^4 - a^2*b^2*e^4 - a^4*g^4, z, k))*b*(9*b^2*c^2*x + a^2*g^2*x - 16*\text{root}(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 - 3072*a^4*b^4*c*e*z^2 - 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z + 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z + 1152*a^2*b^4*c^2*d*z + 16*a^2*b^2*d^2*e*g - 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 - 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 - 81*b^4*c^4 - a^2*b^2*e^4 - a^4*g^4, z, k)*a^3*b*g + a*b*e^2*x + 48*\text{root}(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 - 3072*a^4*b^4*c*e*z^2 - 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z + 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z + 1152*a^2*b^4*c^2*d*z + 16*a^2*b^2*d^2*e*g - 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 - 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 - 81*b^4*c^4 - a^2*b^2*e^4 - a^4*g^4, z, k)*a^2*b^2*c - 4*a*b*d*e - 32*\text{root}(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 - 3072*a^4*b^4*c*e*z^2 - 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z + 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z + 1152*a^2*b^4*c^2*d*z + 16*a^2*b^2*d^2*e*g - 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 - 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 - 81*b^4*c^4 - a^2*b^2*e^4 - a^4*g^4, z, k)*a^2*b^2*d*x - 6*a*b*c*g*x))/(4*a^2) - (b*d*x*(2*b*d^2 - 3*b*c*e + a*e*g))/(16*a^3))*\text{root}(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 - 3072*a^4*b^4*c*e*z^2 - 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z + 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z + 1152*a^2*b^4*c^2*d*z + 16*a^2*b^2*d^2*e*g - 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 - 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 - 81*b^4*c^4 - a^2*b^2*e^4 - a^4*g^4, z, k), k, 1, 4) + (f/(4*b) + (d*x^2)/(4*a) + (e*x^3)/(4*a) + (x*(b*c + a*g))/(4*a*b))/(a - b*x^4)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**2, x)$

[Out] Timed out

$$3.126 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^3} dx$$

Optimal. Leaf size=221

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(-ag+...)}{...}$$

Rubi [A] time = 0.26, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {1858, 1854, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{x(-ag+7bc+6bdx+5bex^2)+4af}{32a^2b(a-bx^4)} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(ag+bc+bdx+bex^2+bf x^3)}{8ab(a-bx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^3, x]

[Out] (x*(b*c + a*g + b*d*x + b*e*x^2 + b*f*x^3))/(8*a*b*(a - b*x^4)^2) + (4*a*f + x*(7*b*c - a*g + 6*b*d*x + 5*b*e*x^2))/(32*a^2*b*(a - b*x^4)) + ((21*b*c - 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(5/4)) + ((21*b*c + 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(5/4)) + (3*d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(16*a^(5/2)*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a - bx^4)^3} dx &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{\int \frac{7bc - ag + 6bdx + 5bex^2 + 4bfx^3}{(a - bx^4)^2} dx}{8ab} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} - \frac{\int \dots}{\dots} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} - \frac{\int \dots}{\dots} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} - \frac{\int \dots}{\dots} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} + \frac{\dots}{\dots} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} + \frac{\dots}{\dots}
\end{aligned}$$

Mathematica [A] time = 0.77, size = 263, normalized size = 1.19

$$\frac{4a^{3/4}\sqrt{b}(a^2(4f+3gx)+ab(11c+x(10d+9ex+gx^3))-b^2e^2(7c+x(6d+5ex))) - \log(\sqrt{a}-\sqrt{b}x)(12\sqrt{a}b^{3/4}d+5\sqrt{a}\sqrt{b}e-3ag+21bc) + \log(\sqrt{a}+\sqrt{b}x)(-12\sqrt{a}b^{3/4}d+5\sqrt{a}\sqrt{b}e-3ag+21bc) + 12\sqrt{a}b^{3/4}d\log(\sqrt{a}+\sqrt{b}x^2) + 2\tan^{-1}\left(\frac{\sqrt{b}}{\sqrt{a}}\right)(-5\sqrt{a}\sqrt{b}e-3ag+21bc)}{128a^{11/4}b^{5/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^3,x]

[Out] (((4*a^(3/4)*b^(1/4)*(a^2*(4*f + 3*g*x) - b^2*x^5*(7*c + x*(6*d + 5*e*x)) + a*b*x*(11*c + x*(10*d + 9*e*x + g*x^3))))/(a - b*x^4)^2 + 2*(21*b*c - 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] - (21*b*c + 12*a^(1/4)*b^(3/4)*d + 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*Log[a^(1/4) - b^(1/4)*x] + (21*b*c - 12*a^(1/4)*b^(3/4)*d + 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*Log[a^(1/4) + b^(1/4)*x] + 12*a^(1/4)*b^(3/4)*d*Log[Sqrt[a] + Sqrt[b]*x^2])/(128*a^(11/4)*b^(5/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a - bx^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^3,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^3, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.20, size = 393, normalized size = 1.78

$$\frac{\sqrt{2} (21 b^2 c - 3 a b g - 12 \sqrt{2} (-a b)^{3/4} b d + 5 \sqrt{-a b} b e) \arctan\left(\frac{\sqrt{2} (21 b^2 c - 3 a b g - 12 \sqrt{2} (-a b)^{3/4} b d - 5 \sqrt{-a b} b e)}{21 b^2 c - 3 a b g}\right)}{128 (-a b)^{3/4} a^2} - \frac{\sqrt{2} (21 b^2 c - 3 a b g + 12 \sqrt{2} (-a b)^{3/4} b d - 5 \sqrt{-a b} b e) \arctan\left(\frac{\sqrt{2} (21 b^2 c - 3 a b g + 12 \sqrt{2} (-a b)^{3/4} b d - 5 \sqrt{-a b} b e)}{21 b^2 c - 3 a b g}\right)}{128 (-a b)^{3/4} a^2} - \frac{\sqrt{2} (21 b^2 c - 3 a b g - 5 \sqrt{-a b} b e) \log\left(x^2 + \sqrt{2} x \left(\frac{a}{b}\right)^{1/4} + \sqrt{\frac{a}{b}}\right)}{256 (-a b)^{3/4} a^2} - \frac{\sqrt{2} (21 b^2 c - 3 a b g - 5 \sqrt{-a b} b e) \log\left(x^2 - \sqrt{2} x \left(\frac{a}{b}\right)^{1/4} + \sqrt{\frac{a}{b}}\right)}{256 (-a b)^{3/4} a^2} - \frac{5 b^2 c^2 + 6 b^2 d^2 + 7 b^2 e^2 - a b g^2 - 9 a b^2 c d - 10 a b^2 d e - 11 a b^2 c e - 3 a^2 d^2 e}{32 (b^2 - a)^2 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out]
$$-1/128*\sqrt{2}*(21*b^2*c - 3*a*b*g - 12*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d + 5*\sqrt{2}*(-a*b)*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^2) - 1/128*\sqrt{2}*(21*b^2*c - 3*a*b*g + 12*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d - 5*\sqrt{2}*(-a*b)*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^2) - 1/256*\sqrt{2}*(21*b^2*c - 3*a*b*g - 5*\sqrt{2}*(-a*b)*b*e)*\log(x^2 + \sqrt{2}*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a^2) + 1/256*\sqrt{2}*(21*b^2*c - 3*a*b*g - 5*\sqrt{2}*(-a*b)*b*e)*\log(x^2 - \sqrt{2}*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a^2) - 1/32*(5*b^2*x^7*e + 6*b^2*d*x^6 + 7*b^2*c*x^5 - a*b*g*x^5 - 9*a*b*x^3*e - 10*a*b*d*x^2 - 11*a*b*c*x - 3*a^2*g*x - 4*a^2*f)/((b*x^4 - a)^2*a^2*b)$$

maple [A] time = 0.07, size = 328, normalized size = 1.48

$$\frac{3d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{32\sqrt{ab} a^2} - \frac{5e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{1/4}}\right)}{64\left(\frac{a}{b}\right)^{1/4} a^2 b} + \frac{5e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{1/4}}{x - \left(\frac{a}{b}\right)^{1/4}}\right)}{128\left(\frac{a}{b}\right)^{1/4} a^2 b} - \frac{3\left(\frac{a}{b}\right)^{1/4} g \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{1/4}}\right)}{64a^2 b} - \frac{3\left(\frac{a}{b}\right)^{1/4} g \ln\left(\frac{x + \left(\frac{a}{b}\right)^{1/4}}{x - \left(\frac{a}{b}\right)^{1/4}}\right)}{128a^2 b} + \frac{21\left(\frac{a}{b}\right)^{1/4} c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{1/4}}\right)}{64a^3} + \frac{21\left(\frac{a}{b}\right)^{1/4} c \ln\left(\frac{x + \left(\frac{a}{b}\right)^{1/4}}{x - \left(\frac{a}{b}\right)^{1/4}}\right)}{128a^3} - \frac{5bcx^7}{32a^2} + \frac{3bdx^6}{16a^2} - \frac{9cx^3}{32a} - \frac{(ag-7bc)x^5}{32a^2} - \frac{5dx^2}{16a} - \frac{f}{8a} - \frac{(3ag+11bc)x}{32ab} - \frac{1}{(bx^4 - a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x)

[Out]
$$-(5/32/a^2*b*e*x^7+3/16/a^2*b*d*x^6-1/32*(a*g-7*b*c)/a^2*x^5-9/32/a*e*x^3-5/16/a*d*x^2-1/32*(3*a*g+11*b*c)/a/b*x-1/8/b*f)/(b*x^4-a)^2-3/64/a^2/b*(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)*g+21/64*(a/b)^{(1/4)}/a^3*c*\arctan(1/(a/b)^{(1/4)}$$

4)*x)-3/128/a^2/b*(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))*g+21/128*(a/b)^(1/4)/a^3*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-3/32/(a*b)^(1/2)/a^2*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-5/64/(a/b)^(1/4)/a^2/b*e*arc tan(1/(a/b)^(1/4)*x)+5/128/(a/b)^(1/4)/a^2/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))

maxima [A] time = 3.00, size = 284, normalized size = 1.29

$$\frac{5b^2ex^7 + 6b^2dx^6 - 9abex^3 + (7b^2c - abg)x^5 - 10abdx^2 - 4a^2f - (11abc + 3a^2g)x}{32(a^2b^3x^8 - 2a^3b^2x^4 + a^4b)} + \frac{12\sqrt{b}d\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}} - \frac{12\sqrt{b}d\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}} + \frac{2(21b^{\frac{3}{2}}c - 5\sqrt{a}be - 3a\sqrt{b}g)\arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}} - \frac{(21b^{\frac{3}{2}}c + 5\sqrt{a}be - 3a\sqrt{b}g)\log\left(\frac{\sqrt{b}x - \sqrt{a}\sqrt{b}}{\sqrt{b}x + \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out] -1/32*(5*b^2*e*x^7 + 6*b^2*d*x^6 - 9*a*b*e*x^3 + (7*b^2*c - a*b*g)*x^5 - 10*a*b*d*x^2 - 4*a^2*f - (11*a*b*c + 3*a^2*g)*x)/(a^2*b^3*x^8 - 2*a^3*b^2*x^4 + a^4*b) + 1/128*(12*sqrt(b)*d*log(sqrt(b)*x^2 + sqrt(a))/sqrt(a) - 12*sqrt(b)*d*log(sqrt(b)*x^2 - sqrt(a))/sqrt(a) + 2*(21*b^(3/2)*c - 5*sqrt(a)*b*e - 3*a*sqrt(b)*g)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (21*b^(3/2)*c + 5*sqrt(a)*b*e - 3*a*sqrt(b)*g)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/(a^2*b)

mupad [B] time = 5.44, size = 1002, normalized size = 4.53

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^3,x)

[Out] (f/(8*b) + (5*d*x^2)/(16*a) + (9*e*x^3)/(32*a) - (x^5*(7*b*c - a*g))/(32*a^2) + (x*(11*b*c + 3*a*g))/(32*a*b) - (3*b*d*x^6)/(16*a^2) - (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 - 2*a*b*x^4) + symsum(log(- root(268435456*a^11*b^5*z^4 + 983040*a^7*b^3*e*g*z^2 - 6881280*a^6*b^4*c*e*z^2 - 4718592*a^6*b^4*d^2*z^2 - 774144*a^4*b^3*c*d*g*z + 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z + 2709504*a^3*b^4*c^2*d*z + 8640*a^2*b^2*d^2*e*g - 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 - 23814*a^2*b^2*c^2*g^2 + 450*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 - 625*a^2*b^2*e^4 + 20736*a*b^3*d^4 - 81*a^4*g^4 - 194481*b^4*c^4, z, k)*(root(268435456*a^11*b^5*z^4 + 983040*a^7*b^3*e*g*z^2 - 6881280*a^6*b^4*c*e*z^2 - 4718592*a^6*b^4*d^2*z^2 - 774144*a^4*b^3*c*d*g*z + 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z + 2709504*a^3*b^4*c^2*d*z + 8640*a^2*b^2*d^2*e*g - 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 - 23814*a^2*b^2*c^2*g^2 + 450*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 - 625*a^2*b^2*e^4

```
+ 20736*a*b^3*d^4 - 81*a^4*g^4 - 194481*b^4*c^4, z, k)*((344064*a^5*b^3*c -
  49152*a^6*b^2*g)/(32768*a^6) - (6*b^3*d*x)/a) + (x*(144*a^4*b*g^2 + 7056*a
^2*b^3*c^2 + 400*a^3*b^2*e^2 - 2016*a^3*b^2*c*g))/(4096*a^6) - (15*b^2*d*e)
/(32*a^3)) - (3024*b^2*c*d^2 - 2205*b^2*c^2*e - 45*a^2*e*g^2 + 125*a*b*e^3
- 432*a*b*d^2*g + 630*a*b*c*e*g)/(32768*a^6) - (x*(216*b^2*d^3 - 315*b^2*c*
d*e + 45*a*b*d*e*g))/(4096*a^6))*root(268435456*a^11*b^5*z^4 + 983040*a^7*b
^3*e*g*z^2 - 6881280*a^6*b^4*c*e*z^2 - 4718592*a^6*b^4*d^2*z^2 - 774144*a^4
*b^3*c*d*g*z + 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z + 2709504*a^3
*b^4*c^2*d*z + 8640*a^2*b^2*d^2*e*g - 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*
d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 - 23814*a^2*b^2*c^2*g^2 + 450
*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 - 625*a^2*b^2*e^4 + 20736*a*b^3*d^4 -
81*a^4*g^4 - 194481*b^4*c^4, z, k), k, 1, 4)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**3,x)
```

```
[Out] Timed out
```

$$3.127 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^4} dx$$

Optimal. Leaf size=266

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(7(11bc-ag)+60bdx+45bex^2)}{384a^3b(a-bx^4)}$$

Rubi [A] time = 0.32, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 31, number of rules / integrand size = 0.258, Rules used = {1858, 1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{x(-ag+11bc+10bdx+9bex^2)+8af}{96a^2b(a-bx^4)^2} + \frac{x(7(11bc-ag)+60bdx+45bex^2)}{384a^3b(a-bx^4)} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(ag+bc+bdx+bex^2+bf x^3)}{12ab(a-bx^4)^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^4, x]

[Out] (x*(b*c + a*g + b*d*x + b*e*x^2 + b*f*x^3))/(12*a*b*(a - b*x^4)^3) + (x*(7*(11*b*c - a*g) + 60*b*d*x + 45*b*e*x^2))/(384*a^3*b*(a - b*x^4)) + (8*a*f + x*(11*b*c - a*g + 10*b*d*x + 9*b*e*x^2))/(96*a^2*b*(a - b*x^4)^2) + ((77*b*c - 15*sqrt[a]*sqrt[b]*e - 7*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(5/4)) + ((77*b*c + 15*sqrt[a]*sqrt[b]*e - 7*a*g)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(5/4)) + (5*d*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(32*a^(7/2)*sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]]*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a - bx^4)^4} dx &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{\int \frac{11bc - ag + 10bdx + 9bex^2 + 8bfx^3}{(a - bx^4)^3} dx}{12ab} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{8af + x(11bc - ag + 10bdx + 9bex^2)}{96a^2b(a - bx^4)^2} + \frac{\int \frac{7(11bc - ag) + 60bdx + 45bex^2}{(a - bx^4)^2} dx}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 313, normalized size = 1.18

$$\frac{128a^{1/4} \sqrt[4]{(c+dx+ex^2+fx^3+gx^4)}}{(a-bx^4)^3} + \frac{16a^{7/4} \sqrt[4]{(c+dx+ex^2+fx^3+gx^4)}}{(a-bx^4)^2} + \frac{4a^{5/4} \sqrt[4]{(c+dx+ex^2+fx^3+gx^4)}}{a-bx^4} - 3 \log(\sqrt{a-\sqrt{b}x}) (40\sqrt{a}b^{3/4}d + 15\sqrt{a}\sqrt{b}e - 7ag + 77bc) + 3 \log(\sqrt{a+\sqrt{b}x}) (-40\sqrt{a}b^{3/4}d + 15\sqrt{a}\sqrt{b}e - 7ag + 77bc) + 120\sqrt{a}b^{3/4}d \log(\sqrt{a+\sqrt{b}x^2}) + 6 \tan^{-1}\left(\frac{bx}{\sqrt{a}}\right) (-15\sqrt{a}\sqrt{b}e - 7ag + 77bc)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^4,x]

[Out] ((4*a^(3/4)*b^(1/4)*x*(77*b*c - 7*a*g + 15*b*x*(4*d + 3*e*x)))/(a - b*x^4) + (16*a^(7/4)*b^(1/4)*x*(11*b*c - a*g + b*x*(10*d + 9*e*x)))/(a - b*x^4)^2 + (128*a^(11/4)*b^(1/4)*(a*(f + g*x) + b*x*(c + x*(d + e*x)))/(a - b*x^4)^3 + 6*(77*b*c - 15*sqrt[a]*sqrt[b]*e - 7*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] - 3*(77*b*c + 40*a^(1/4)*b^(3/4)*d + 15*sqrt[a]*sqrt[b]*e - 7*a*g)*Log[a^(1/4) - b^(1/4)*x] + 3*(77*b*c - 40*a^(1/4)*b^(3/4)*d + 15*sqrt[a]*sqrt[b]*e -

$7*a*g)*\text{Log}[a^{1/4} + b^{1/4}*x] + 120*a^{1/4}*b^{3/4}*d*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[b]*x^2])/(1536*a^{15/4}*b^{5/4})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a - bx^4)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^4, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^4, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 442, normalized size = 1.66

$$\frac{\sqrt{77b^2c - 7abg - 40\sqrt{2}\sqrt{-a^3b}} \arctan\left(\frac{\sqrt{77b^2c - 7abg - 40\sqrt{2}\sqrt{-a^3b}}}{2\sqrt{2}\sqrt{-a^3b}}\right)}{512(-a^3b)^2} - \frac{\sqrt{77b^2c - 7abg - 40\sqrt{2}\sqrt{-a^3b}} \arctan\left(\frac{\sqrt{77b^2c - 7abg - 40\sqrt{2}\sqrt{-a^3b}}}{2\sqrt{2}\sqrt{-a^3b}}\right)}{512(-a^3b)^2} - \frac{\sqrt{77b^2c - 7abg - 40\sqrt{2}\sqrt{-a^3b}} \arctan\left(\frac{\sqrt{77b^2c - 7abg - 40\sqrt{2}\sqrt{-a^3b}}}{2\sqrt{2}\sqrt{-a^3b}}\right)}{1024(-a^3b)^2} - \frac{\sqrt{77b^2c - 7abg - 40\sqrt{2}\sqrt{-a^3b}} \arctan\left(\frac{\sqrt{77b^2c - 7abg - 40\sqrt{2}\sqrt{-a^3b}}}{2\sqrt{2}\sqrt{-a^3b}}\right)}{1024(-a^3b)^2} - \frac{45b^3c^2 + 60b^2cd + 77b^3c^2 - 7abg^2 - 126ab^2c - 160ab^2d - 198ab^2e + 18a^2b^2c^2 + 113a^2b^2d + 153a^2b^2e + 21a^3bc + 32a^3d + 32a^3e}{384(b^4 - a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out]
$$-1/512*\text{sqrt}(2)*(77*b^2*c - 7*a*b*g - 40*\text{sqrt}(2)*(-a*b^3)^{1/4}*b*d + 15*\text{sqrt}(-a*b)*b*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(-a/b)^{1/4})/(-a/b)^{1/4})/(((-a*b^3)^{3/4}*a^3) - 1/512*\text{sqrt}(2)*(77*b^2*c - 7*a*b*g + 40*\text{sqrt}(2)*(-a*b^3)^{1/4}*b*d - 15*\text{sqrt}(-a*b)*b*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(-a/b)^{1/4})/(-a/b)^{1/4})/((-a*b^3)^{3/4}*a^3) - 1/1024*\text{sqrt}(2)*(77*b^2*c - 7*a*b*g - 15*\text{sqrt}(-a*b)*b*e)*\log(x^2 + \text{sqrt}(2)*x*(-a/b)^{1/4} + \text{sqrt}(-a/b))/((-a*b^3)^{3/4}*a^3) + 1/1024*\text{sqrt}(2)*(77*b^2*c - 7*a*b*g - 15*\text{sqrt}(-a*b)*b*e)*\log(x^2 - \text{sqrt}(2)*x*(-a/b)^{1/4} + \text{sqrt}(-a/b))/((-a*b^3)^{3/4}*a^3) - 1/384*(45*b^3*x^{11}*e + 60*b^3*d*x^{10} + 77*b^3*c*x^9 - 7*a*b^2*g*x^9 - 126*a*b^2*x^7*e - 160*a*b^2*d*x^6 - 198*a*b^2*c*x^5 + 18*a^2*b*g*x^5 + 113*a^2*b*x^3*e + 132*a^2*b*d*x^2 + 153*a^2*b*c*x + 21*a^3*g*x + 32*a^3*f)/(b*x^4 - a)^3*a^3*b)$$

maple [A] time = 0.06, size = 368, normalized size = 1.38

$$\frac{5d \ln\left(\frac{\sqrt{ab} - a}{\sqrt{ab} + a}\right)}{64\sqrt{ab} a^3} + \frac{15e \arctan\left(\frac{x}{(b^4 - a)^{1/4}}\right)}{256\left(\frac{b^4 - a}{a}\right)^{1/4}} + \frac{15e \ln\left(\frac{x + (b^4 - a)^{1/4}}{x - (b^4 - a)^{1/4}}\right)}{512\left(\frac{b^4 - a}{a}\right)^{1/4}} + \frac{7\left(\frac{b^4 - a}{a}\right)^{1/4} g \arctan\left(\frac{x}{(b^4 - a)^{1/4}}\right)}{256ab} - \frac{7\left(\frac{b^4 - a}{a}\right)^{1/4} g \ln\left(\frac{x + (b^4 - a)^{1/4}}{x - (b^4 - a)^{1/4}}\right)}{512ab} + \frac{77\left(\frac{b^4 - a}{a}\right)^{1/4} c \arctan\left(\frac{x}{(b^4 - a)^{1/4}}\right)}{256a^4} + \frac{77\left(\frac{b^4 - a}{a}\right)^{1/4} c \ln\left(\frac{x + (b^4 - a)^{1/4}}{x - (b^4 - a)^{1/4}}\right)}{512a^4} + \frac{-15b^2c^2 - 30b^2cd + 21bc^2 + 7(9b - 11a)b^2e^2 + 30bd^2 - 113e^2 - 113e^2 - 3(9b - 11a)a^2e^2 - 114d^2 - f}{(b^4 - a)^3} - \frac{f}{12b} - \frac{(78g + 51h)c}{128ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x)$

[Out] $(-15/128/a^3*b^2*e*x^{11}-5/32/a^3*b^2*d*x^{10}+7/384*(a*g-11*b*c)/a^3*b*x^9+21/64/a^2*b*e*x^7+5/12/a^2*b*d*x^6-3/64/a^2*(a*g-11*b*c)*x^5-113/384/a*e*x^3-11/32/a*d*x^2-1/128*(7*a*g+51*b*c)/a/b*x-1/12/b*f)/(b*x^4-a)^3-7/256/a^3/b*(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)*g+77/256*(a/b)^{(1/4)}/a^4*c*\arctan(1/(a/b)^{(1/4)}*x)-7/512/a^3/b*(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))*g+77/512*(a/b)^{(1/4)}/a^4*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))-5/64/(a*b)^{(1/2)}/a^3*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-15/256/(a/b)^{(1/4)}/a^3/b*e*\arctan(1/(a/b)^{(1/4)}*x)+15/512/(a/b)^{(1/4)}/a^3/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$

maxima [A] time = 3.18, size = 345, normalized size = 1.30

$$\frac{45 b^3 e x^{11} + 60 b^3 d x^{10} - 126 a b^2 e x^7 - 160 a b^2 d x^6 + 7 (11 b^2 c - a b^2 g) x^9 + 113 a^2 b e x^3 + 132 a^2 b d x^2 - 18 (11 a b^2 c - a^2 b g) x^5 + 32 a^3 f + 3 (51 a^2 b c + 7 a^2 g) x}{384 (a^3 b^4 x^{12} - 3 a^4 b^3 x^8 + 3 a^5 b^2 x^4 - a^6 b)} + \frac{40 \sqrt{b} \log(\sqrt{b} x^2 + \sqrt{a})}{\sqrt{a}} - \frac{40 \sqrt{b} \log(\sqrt{b} x^2 - \sqrt{a})}{\sqrt{a}} + \frac{2 (77 b^2 c - 15 \sqrt{a} b - 7 a \sqrt{b} g) \arctan\left(\frac{\sqrt{b} x}{\sqrt{a}}\right)}{\sqrt{a} \sqrt{b}} - \frac{(77 b^2 c + 15 \sqrt{a} b - 7 a \sqrt{b} g) \log\left(\frac{\sqrt{b} x + \sqrt{a}}{\sqrt{b} x - \sqrt{a}}\right)}{\sqrt{a} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, \text{algorithm}="maxima")$

[Out] $-1/384*(45*b^3*e*x^{11} + 60*b^3*d*x^{10} - 126*a*b^2*e*x^7 - 160*a*b^2*d*x^6 + 7*(11*b^3*c - a*b^2*g)*x^9 + 113*a^2*b*e*x^3 + 132*a^2*b*d*x^2 - 18*(11*a*b^2*c - a^2*b*g)*x^5 + 32*a^3*f + 3*(51*a^2*b*c + 7*a^3*g)*x)/(a^3*b^4*x^{12} - 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 - a^6*b) + 1/512*(40*sqrt(b)*d*log(sqrt(b)*x^2 + sqrt(a))/sqrt(a) - 40*sqrt(b)*d*log(sqrt(b)*x^2 - sqrt(a))/sqrt(a) + 2*(77*b^(3/2)*c - 15*sqrt(a)*b*e - 7*a*sqrt(b)*g)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (77*b^(3/2)*c + 15*sqrt(a)*b*e - 7*a*sqrt(b)*g)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/(a^3*b)$

mupad [B] time = 5.66, size = 1056, normalized size = 3.97

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^4,x)$

[Out] $\text{symsum}(\log(-\text{root}(68719476736*a^{15}*b^5*z^4 - 1211105280*a^8*b^4*c*e*z^2 + 10100480*a^9*b^3*e*g*z^2 - 838860800*a^8*b^4*d^2*z^2 - 88309760*a^5*b^3*c*d*g*z + 485703680*a^4*b^4*c^2*d*z + 4014080*a^6*b^2*d*g^2*z + 18432000*a^5*b^3*d*e^2*z + 672000*a^2*b^2*d^2*e*g - 485100*a^2*b^2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3*g + 105644*a^3*b*c*g^3 - 1743126*a^2*b^2*c^2$

```

*g^2 + 22050*a^3*b*e^2*g^2 + 2668050*a*b^3*c^2*e^2 - 50625*a^2*b^2*e^4 + 25
60000*a*b^3*d^4 - 2401*a^4*g^4 - 35153041*b^4*c^4, z, k)*(root(68719476736*
a^15*b^5*z^4 - 1211105280*a^8*b^4*c*e*z^2 + 110100480*a^9*b^3*e*g*z^2 - 838
860800*a^8*b^4*d^2*z^2 - 88309760*a^5*b^3*c*d*g*z + 485703680*a^4*b^4*c^2*d
*z + 4014080*a^6*b^2*d*g^2*z + 18432000*a^5*b^3*d*e^2*z + 672000*a^2*b^2*d^
2*e*g - 485100*a^2*b^2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3
*g + 105644*a^3*b*c*g^3 - 1743126*a^2*b^2*c^2*g^2 + 22050*a^3*b*e^2*g^2 + 2
668050*a*b^3*c^2*e^2 - 50625*a^2*b^2*e^4 + 2560000*a*b^3*d^4 - 2401*a^4*g^4
- 35153041*b^4*c^4, z, k)*((20185088*a^7*b^3*c - 1835008*a^8*b^2*g)/(20971
52*a^9) - (5*b^3*d*x)/a^2) + (x*(1568*a^5*b*g^2 + 189728*a^3*b^3*c^2 + 7200
*a^4*b^2*e^2 - 34496*a^4*b^2*c*g))/(131072*a^9) - (75*b^2*d*e)/(256*a^5) -
(123200*b^2*c*d^2 - 88935*b^2*c^2*e - 735*a^2*e*g^2 + 3375*a*b*e^3 - 11200
*a*b*d^2*g + 16170*a*b*c*e*g)/(2097152*a^9) - (x*(4000*b^2*d^3 - 5775*b^2*c
*d*e + 525*a*b*d*e*g))/(131072*a^9))*root(68719476736*a^15*b^5*z^4 - 121110
5280*a^8*b^4*c*e*z^2 + 110100480*a^9*b^3*e*g*z^2 - 838860800*a^8*b^4*d^2*z^
2 - 88309760*a^5*b^3*c*d*g*z + 485703680*a^4*b^4*c^2*d*z + 4014080*a^6*b^2*
d*g^2*z + 18432000*a^5*b^3*d*e^2*z + 672000*a^2*b^2*d^2*e*g - 485100*a^2*b^
2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3*g + 105644*a^3*b*c*g
^3 - 1743126*a^2*b^2*c^2*g^2 + 22050*a^3*b*e^2*g^2 + 2668050*a*b^3*c^2*e^2
- 50625*a^2*b^2*e^4 + 2560000*a*b^3*d^4 - 2401*a^4*g^4 - 35153041*b^4*c^4,
z, k), k, 1, 4) + (f/(12*b) + (11*d*x^2)/(32*a) + (113*e*x^3)/(384*a) - (3*
x^5*(11*b*c - a*g))/(64*a^2) + (7*b*x^9*(11*b*c - a*g))/(384*a^3) + (x*(51*
b*c + 7*a*g))/(128*a*b) + (5*b^2*d*x^10)/(32*a^3) + (15*b^2*e*x^11)/(128*a^
3) - (5*b*d*x^6)/(12*a^2) - (21*b*e*x^7)/(64*a^2))/(a^3 - b^3*x^12 - 3*a^2*
b*x^4 + 3*a*b^2*x^8)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**4,x)

[Out] Timed out

$$3.128 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{a+bx^4} dx$$

Optimal. Leaf size=319

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}}$$

Rubi [A] time = 0.35, antiderivative size = 319, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1885, 1248, 635, 205, 260, 1887, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}} - \frac{\tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)\left(\sqrt{a} \sqrt{b} e - ag + bc\right)}{2\sqrt{2} a^{3/4} b^{5/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)\left(\sqrt{a} \sqrt{b} e - ag + bc\right)}{2\sqrt{2} a^{3/4} b^{5/4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{2\sqrt{a} \sqrt{b}} + \frac{f \log(a + bx^4)}{4b} + \frac{gx}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4), x]

[Out] (g*x)/b + (d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*Sqrt[b]) - ((b*c + Sqrt[a]*Sqrt[b]*e - a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(5/4)) + ((b*c + Sqrt[a]*Sqrt[b]*e - a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(5/4)) - ((b*c - Sqrt[a]*Sqrt[b]*e - a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(5/4)) + ((b*c - Sqrt[a]*Sqrt[b]*e - a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(5/4)) + (f*Log[a + b*x^4])/(4*b)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 635

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
```

[{a, c, d, e, p, q}, x]

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
  x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
  2*(q - j))/n + 1}]* (a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},
  x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
  + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{a + bx^4} dx &= \int \left(\frac{x(d + fx^2)}{a + bx^4} + \frac{c + ex^2 + gx^4}{a + bx^4} \right) dx \\
&= \int \frac{x(d + fx^2)}{a + bx^4} dx + \int \frac{c + ex^2 + gx^4}{a + bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{a + bx^2} dx, x, x^2 \right) + \int \left(\frac{g}{b} + \frac{bc - ag + bex^2}{b(a + bx^4)} \right) dx \\
&= \frac{gx}{b} + \frac{\int \frac{bc - ag + bex^2}{a + bx^4} dx}{b} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right) + \frac{1}{2} f \text{Subst} \left(\int \frac{x}{a + bx^2} dx, x, x^2 \right) \\
&= \frac{gx}{b} + \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} + \frac{f \log(a + bx^4)}{4b} + \frac{(bc - \sqrt{a} \sqrt{b} e - ag) \int \frac{\sqrt{a} \sqrt{b} - bx^2}{a + bx^4} dx}{2\sqrt{a} b^{3/2}} \\
&= \frac{gx}{b} + \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} + \frac{f \log(a + bx^4)}{4b} - \frac{(bc - \sqrt{a} \sqrt{b} e - ag) \int \frac{\frac{\sqrt{2} \sqrt[4]{a} + 2x}{\sqrt[4]{b}} - \frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2} \sqrt[4]{a} x}{\sqrt[4]{b}} - x^2}{4\sqrt{2} a^{3/4} b^{5/4}}}{4\sqrt{2} a^{3/4} b^{5/4}} \\
&= \frac{gx}{b} + \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} - \frac{(bc - \sqrt{a} \sqrt{b} e - ag) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{5/4}} + \frac{(bc + \sqrt{a} \sqrt{b} e - ag) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2\sqrt{2} a^{3/4} b^{5/4}} + \frac{(bc + \sqrt{a} \sqrt{b} e - ag) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2\sqrt{2} a^{3/4} b^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.41, size = 311, normalized size = 0.97

$$\frac{2a^{3/4} \sqrt{b} f \log(a + bx^4) + 8a^{3/4} \sqrt{b} gx - 2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right) (2\sqrt{2} b^{3/4} d + \sqrt{2} \sqrt{a} \sqrt{b} e - \sqrt{2} ag + \sqrt{2} bc) + 2 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1 \right) (-2\sqrt{2} b^{3/4} d + \sqrt{2} \sqrt{a} \sqrt{b} e - \sqrt{2} ag + \sqrt{2} bc) + \sqrt{2} \log(-\sqrt{2} \sqrt{a} \sqrt{b} x + \sqrt{a} + \sqrt{b} x^2) (\sqrt{a} \sqrt{b} e + ag - bc) + \sqrt{2} \log(\sqrt{2} \sqrt{a} \sqrt{b} x + \sqrt{a} + \sqrt{b} x^2) (-\sqrt{a} \sqrt{b} e - ag + bc)}{8a^{3/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4), x]

[Out] (8*a^(3/4)*b^(1/4)*g*x - 2*(Sqrt[2]*b*c + 2*a^(1/4)*b^(3/4)*d + Sqrt[2]*Sqrt[a]*Sqrt[b]*e - Sqrt[2]*a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(Sqrt[2]*b*c - 2*a^(1/4)*b^(3/4)*d + Sqrt[2]*Sqrt[a]*Sqrt[b]*e - Sqrt[2]*a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*(-b*c) + Sqrt[a]*Sqrt[b]*e + a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*(-b*c - Sqrt[a]*Sqrt[b]*e - a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + 2*a^(3/4)*b^(1/4)*f*Log[a + b*x^4])/(8*a^(3/4)*b^(5/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4}{a + bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.27, size = 340, normalized size = 1.07

$$\frac{gx}{b} + \frac{f \log(|bx^4 + a|)}{4a} + \frac{\sqrt{2}(\sqrt{2}\sqrt{ab}b^2d + (ab)^{\frac{3}{2}}b^2c - (ab)^{\frac{3}{2}}abg + (ab)^{\frac{3}{2}}e) \arctan\left(\frac{\sqrt{2}\sqrt{2+\sqrt{2}}(\frac{x}{b})^{\frac{1}{4}}}{(\frac{x}{b})^{\frac{1}{2}}}\right)}{4ab^3} + \frac{\sqrt{2}(\sqrt{2}\sqrt{ab}b^2d + (ab)^{\frac{3}{2}}b^2c - (ab)^{\frac{3}{2}}abg + (ab)^{\frac{3}{2}}e) \arctan\left(\frac{\sqrt{2}\sqrt{2-\sqrt{2}}(\frac{x}{b})^{\frac{1}{4}}}{(\frac{x}{b})^{\frac{1}{2}}}\right)}{4ab^3} + \frac{\sqrt{2}\left((ab)^{\frac{3}{2}}b^2c - (ab)^{\frac{3}{2}}abg - (ab)^{\frac{3}{2}}e\right) \log\left(x^2 + \sqrt{2}x\left(\frac{x}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{8ab^3} - \frac{\sqrt{2}\left((ab)^{\frac{3}{2}}b^2c - (ab)^{\frac{3}{2}}abg - (ab)^{\frac{3}{2}}e\right) \log\left(x^2 - \sqrt{2}x\left(\frac{x}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{8ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, algorithm="giac")

[Out] $gx/b + 1/4*f*\log(\text{abs}(b*x^4 + a))/b + 1/4*\text{sqrt}(2)*(\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + (a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(1/4)}*a*b*g + (a*b^3)^{(3/4)}*e)*\arctan(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a*b^3) + 1/4*\text{sqrt}(2)*(\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + (a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(1/4)}*a*b*g + (a*b^3)^{(3/4)}*e)*\arctan(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a*b^3) + 1/8*\text{sqrt}(2)*((a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(1/4)}*a*b*g - (a*b^3)^{(3/4)}*e)*\log(x^2 + \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a*b^3) - 1/8*\text{sqrt}(2)*((a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(1/4)}*a*b*g - (a*b^3)^{(3/4)}*e)*\log(x^2 - \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a*b^3)$

maple [A] time = 0.06, size = 429, normalized size = 1.34

$$\frac{d \arctan\left(\sqrt{\frac{a}{b}} x\right)}{2\sqrt{ab}} + \frac{\left(\frac{x}{b}\right)^{\frac{1}{2}} \sqrt{2} \arctan\left(\frac{\sqrt{2} x - 1}{\left(\frac{x}{b}\right)^{\frac{1}{2}}}\right)}{4a} + \frac{\left(\frac{x}{b}\right)^{\frac{1}{2}} \sqrt{2} \arctan\left(\frac{\sqrt{2} x + 1}{\left(\frac{x}{b}\right)^{\frac{1}{2}}}\right)}{4a} + \frac{\left(\frac{x}{b}\right)^{\frac{1}{2}} \sqrt{2} \operatorname{cln}\left(\frac{x^2 + \left(\frac{x}{b}\right)^{\frac{1}{2}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{x}{b}\right)^{\frac{1}{2}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{8a} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2} x - 1}{\left(\frac{x}{b}\right)^{\frac{1}{2}}}\right)}{4\left(\frac{x}{b}\right)^{\frac{1}{2}} b} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2} x + 1}{\left(\frac{x}{b}\right)^{\frac{1}{2}}}\right)}{4\left(\frac{x}{b}\right)^{\frac{1}{2}} b} + \frac{\sqrt{2} e \ln\left(\frac{x^2 + \left(\frac{x}{b}\right)^{\frac{1}{2}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{x}{b}\right)^{\frac{1}{2}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{8\left(\frac{x}{b}\right)^{\frac{1}{2}} b} + \frac{f \ln(bx^4 + a)}{4b} + \frac{gx}{b} - \frac{\left(\frac{x}{b}\right)^{\frac{1}{2}} \sqrt{2} g \arctan\left(\frac{\sqrt{2} x - 1}{\left(\frac{x}{b}\right)^{\frac{1}{2}}}\right)}{4b} - \frac{\left(\frac{x}{b}\right)^{\frac{1}{2}} \sqrt{2} g \arctan\left(\frac{\sqrt{2} x + 1}{\left(\frac{x}{b}\right)^{\frac{1}{2}}}\right)}{4b} - \frac{\left(\frac{x}{b}\right)^{\frac{1}{2}} \sqrt{2} g \ln\left(\frac{x^2 + \left(\frac{x}{b}\right)^{\frac{1}{2}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{x}{b}\right)^{\frac{1}{2}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{8b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a), x)

[Out] $\frac{1}{b}g*x - \frac{1}{4b}*(a/b)^{1/4}*2^{1/2}*arctan(2^{1/2}/(a/b)^{1/4}*x-1)*g + \frac{1}{4}*(a/b)^{1/4}/a*2^{1/2}*arctan(2^{1/2}/(a/b)^{1/4}*x-1)*c - \frac{1}{8b}*(a/b)^{1/4}*2^{1/2}*ln((x^2+(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2}))/((x^2-(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2})))*g + \frac{1}{8}*(a/b)^{1/4}*2^{1/2}/a*c*ln((x^2+(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2}))/((x^2-(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2})) - \frac{1}{4b}*(a/b)^{1/4}*2^{1/2}*arctan(2^{1/2}/(a/b)^{1/4}*x+1)*g + \frac{1}{4}*(a/b)^{1/4}/a*2^{1/2}*arctan(2^{1/2}/(a/b)^{1/4}*x+1)*c + \frac{1}{2}d/(a*b)^{1/2}*arctan((1/a*b)^{1/2}*x^2) + \frac{1}{8b}e/((a/b)^{1/4}*2^{1/2}*ln((x^2-(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2}))/((x^2+(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2}))) + \frac{1}{4}/(a/b)^{1/4}*2^{1/2}/b*e*arctan(2^{1/2}/(a/b)^{1/4}*x+1) + \frac{1}{4b}e/(a/b)^{1/4}*2^{1/2}*arctan(2^{1/2}/(a/b)^{1/4}*x-1) + \frac{1}{4}f*ln(b*x^4+a)/b$

maxima [A] time = 3.03, size = 328, normalized size = 1.03

$$\frac{g x^4}{b} + \frac{\sqrt{2} \left(\sqrt{2 a^{\frac{3}{4}} b^{\frac{5}{4}} + b^2 c} - \sqrt{a} b^{\frac{3}{4}} c \right) \log \left(\sqrt{b} x^2 + \sqrt{2 a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}} \right) + \sqrt{2} \left(\sqrt{2 a^{\frac{3}{4}} b^{\frac{5}{4}} - b^2 c} + \sqrt{a} b^{\frac{3}{4}} c \right) \log \left(\sqrt{b} x^2 - \sqrt{2 a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}} \right) + \frac{2 \left(\sqrt{2 a^{\frac{1}{4}} b^{\frac{5}{4}} c} + \sqrt{2 a^{\frac{3}{4}} b^{\frac{7}{4}} c} - \sqrt{2 a^{\frac{5}{4}} b^{\frac{9}{4}} g} - 2 \sqrt{a} b^2 d \right) \arctan \left(\frac{\sqrt{2} \left(2 \sqrt{b} x + \sqrt{2 a^{\frac{1}{4}} b^{\frac{1}{4}}} \right)}{2 \sqrt{a} \sqrt{b}} \right)}{8 b} + \frac{2 \left(\sqrt{2 a^{\frac{1}{4}} b^{\frac{5}{4}} c} + \sqrt{2 a^{\frac{3}{4}} b^{\frac{7}{4}} c} - \sqrt{2 a^{\frac{5}{4}} b^{\frac{9}{4}} g} + 2 \sqrt{a} b^2 d \right) \arctan \left(\frac{\sqrt{2} \left(2 \sqrt{b} x - \sqrt{2 a^{\frac{1}{4}} b^{\frac{1}{4}}} \right)}{2 \sqrt{a} \sqrt{b}} \right)}{a^{\frac{3}{4}} \sqrt{a} \sqrt{b} b^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="maxima")

[Out] $\frac{g x^4}{b} + \frac{1}{8}*(\sqrt{2})*(\sqrt{2})*a^{3/4}*b^{5/4}*f + b^2*c - \sqrt{a}*b^{3/2}*e - a*b*g)*\log(\sqrt{b}*x^2 + \sqrt{2})*a^{1/4}*b^{1/4}*x + \sqrt{a}))/((a^{3/4})*b^{5/4}) + \sqrt{2}*(\sqrt{2})*a^{3/4}*b^{5/4}*f - b^2*c + \sqrt{a}*b^{3/2}*e + a*b*g)*\log(\sqrt{b}*x^2 - \sqrt{2})*a^{1/4}*b^{1/4}*x + \sqrt{a}))/((a^{3/4})*b^{5/4}) + 2*(\sqrt{2})*a^{1/4}*b^{9/4}*c + \sqrt{2})*a^{3/4}*b^{7/4}*e - \sqrt{2})*a^{5/4}*b^{5/4}*g - 2*\sqrt{a}*b^2*d)*arctan(1/2*\sqrt{2})*(2*\sqrt{b}*x + \sqrt{2})*a^{1/4}*b^{1/4}))/\sqrt{a}*\sqrt{b}))/((a^{3/4})*\sqrt{a}*\sqrt{b})*b^{5/4}) + 2*(\sqrt{2})*a^{1/4}*b^{9/4}*c + \sqrt{2})*a^{3/4}*b^{7/4}*e - \sqrt{2})*a^{5/4}*b^{5/4}*g + 2*\sqrt{a}*b^2*d)*arctan(1/2*\sqrt{2})*(2*\sqrt{b}*x - \sqrt{2})*a^{1/4}*b^{1/4}))/\sqrt{a}*\sqrt{b}))/((a^{3/4})*\sqrt{a}*\sqrt{b})*b^{5/4}))/b$

mupad [B] time = 5.59, size = 5042, normalized size = 15.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4),x)

[Out] $\text{symsum}(\log(b^2*c*d^2 - b^2*c^2*e - a^2*e*g^2 + a^2*f^2*g + b^2*d^3*x - a*b*e^3 - a*b*c*f^2 - a*b*d^2*g - 16*\text{root}(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 + 32*a^2*b^4*d^2*z^2 + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d*z - 16*a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d$

$$\begin{aligned}
& e^2 f - 4 a^2 b^2 c e^2 g + 4 a^2 b^2 c e f^2 - 4 a^3 b e f^2 g + 4 a^3 b d f g^2 + 4 a^3 b^3 c^2 d f - 4 a^3 b^3 c d^2 e - 4 a^3 b^3 c g^3 - 4 a^3 b^3 c^3 g \\
& + 6 a^2 b^2 c^2 g^2 + 2 a^2 b^2 d^2 f^2 + 2 a^3 b e^2 g^2 + 2 a^3 b^3 c^2 e^2 + a^2 b^2 e^4 + a^3 b f^4 + a b^3 d^4 + a^4 g^4 + b^4 c^4, z, k)^2 a^3 b^3 c \\
& - 4 \operatorname{root}(256 a^3 b^5 z^4 - 256 a^3 b^4 f z^3 - 64 a^3 b^3 e g z^2 + 64 a^2 b^4 c e z^2 + 96 a^3 b^3 f^2 z^2 + 32 a^2 b^4 d^2 z^2 + 32 a^3 b^2 e f g z \\
& - 32 a^2 b^3 c e f z + 32 a^2 b^3 c d g z - 16 a^3 b^2 d g^2 z - 16 a^2 b^3 d^2 f z + 16 a^2 b^3 d e^2 z - 16 a^3 b^4 c^2 d z - 16 a^3 b^2 f^3 z - 8 a^2 b^2 c d f g \\
& + 4 a^2 b^2 d^2 e g - 4 a^2 b^2 d e^2 f - 4 a^2 b^2 c e^2 g + 4 a^2 b^2 c e f^2 - 4 a^3 b e f^2 g + 4 a^3 b d f g^2 + 4 a^3 b^3 c^2 d f - 4 a^3 b^3 c d^2 e \\
& - 4 a^3 b^3 c g^3 - 4 a^3 b^3 c^3 g + 6 a^2 b^2 c^2 g^2 + 2 a^2 b^2 d^2 f^2 + 2 a^3 b e^2 g^2 + 2 a^3 b^3 c^2 e^2 + a^2 b^2 e^4 + a^3 b f^4 + a b^3 d^4 + a^4 g^4, z, k) b^3 c^2 x \\
& + b^2 c^2 f x + a^2 f g^2 x + 16 \operatorname{root}(256 a^3 b^5 z^4 - 256 a^3 b^4 f z^3 - 64 a^3 b^3 e g z^2 + 64 a^2 b^4 c e z^2 + 96 a^3 b^3 f^2 z^2 + 32 a^2 b^4 d^2 z^2 + 32 a^3 b^2 e f g z \\
& - 32 a^2 b^3 c e f z + 32 a^2 b^3 c d g z - 16 a^3 b^2 d g^2 z - 16 a^2 b^3 d^2 f z + 16 a^2 b^3 d e^2 z - 16 a^3 b^4 c^2 d z - 16 a^3 b^2 f^3 z - 8 a^2 b^2 c d f g \\
& + 4 a^2 b^2 d^2 e g - 4 a^2 b^2 d e^2 f - 4 a^2 b^2 c e^2 g + 4 a^2 b^2 c e f^2 - 4 a^3 b e f^2 g + 4 a^3 b d f g^2 + 4 a^3 b^3 c^2 d f - 4 a^3 b^3 c d^2 e \\
& - 4 a^3 b^3 c g^3 - 4 a^3 b^3 c^3 g + 6 a^2 b^2 c^2 g^2 + 2 a^2 b^2 d^2 f^2 + 2 a^3 b e^2 g^2 + 2 a^3 b^3 c^2 e^2 + a^2 b^2 e^4 + a^3 b f^4 + a b^3 d^4 + a^4 g^4, z, k)^2 a^2 b^2 g \\
& + 16 \operatorname{root}(256 a^3 b^5 z^4 - 256 a^3 b^4 f z^3 - 64 a^3 b^3 e g z^2 + 64 a^2 b^4 c e z^2 + 96 a^3 b^3 f^2 z^2 + 32 a^2 b^4 d^2 z^2 + 32 a^3 b^2 e f g z - 32 a^2 b^3 c e f z \\
& + 32 a^2 b^3 c d g z - 16 a^3 b^2 d g^2 z - 16 a^2 b^3 d^2 f z + 16 a^2 b^3 d e^2 z - 16 a^3 b^4 c^2 d z - 16 a^3 b^2 f^3 z - 8 a^2 b^2 c d f g + 4 a^2 b^2 d^2 e g \\
& - 4 a^2 b^2 d e^2 f - 4 a^2 b^2 c e^2 g + 4 a^2 b^2 c e f^2 - 4 a^3 b e f^2 g + 4 a^3 b d f g^2 + 4 a^3 b^3 c^2 d f - 4 a^3 b^3 c d^2 e - 4 a^3 b^3 c g^3 - 4 a^3 b^3 c^3 g \\
& + 6 a^2 b^2 c^2 g^2 + 2 a^2 b^2 d^2 f^2 + 2 a^3 b e^2 g^2 + 2 a^3 b^3 c^2 e^2 + a^2 b^2 e^4 + a^3 b f^4 + a b^3 d^4 + a^4 g^4, z, k)^2 a^2 b^3 d x + 4 \operatorname{root}(256 a^3 b^5 z^4 - 256 a^3 b^4 f z^3 \\
& - 64 a^3 b^3 e g z^2 + 64 a^2 b^4 c e z^2 + 96 a^3 b^3 f^2 z^2 + 32 a^2 b^4 d^2 z^2 + 32 a^3 b^2 e f g z - 32 a^2 b^3 c e f z + 32 a^2 b^3 c d g z - 16 a^3 b^2 d g^2 z - 16 a^2 b^3 d^2 f z \\
& + 16 a^2 b^3 d e^2 z - 16 a^3 b^4 c^2 d z - 16 a^3 b^2 f^3 z - 8 a^2 b^2 c d f g + 4 a^2 b^2 d^2 e g - 4 a^2 b^2 d e^2 f - 4 a^2 b^2 c e^2 g + 4 a^2 b^2 c e f^2 - 4 a^3 b e f^2 g \\
& + 4 a^3 b d f g^2 + 4 a^3 b^3 c^2 d f - 4 a^3 b^3 c d^2 e - 4 a^3 b^3 c g^3 - 4 a^3 b^3 c^3 g + 6 a^2 b^2 c^2 g^2 + 2 a^2 b^2 d^2 f^2 + 2 a^3 b e^2 g^2 + 2 a^3 b^3 c^2 e^2 + a^2 b^2 e^4 \\
& + a^3 b f^4 + a b^3 d^4 + a^4 g^4, z, k) a^2 b^2 e^2 x - 4 \operatorname{root}(256 a^3 b^5 z^4 - 256 a^3 b^4 f z^3 - 64 a^3 b^3 e g z^2 + 64 a^2 b^4 c e z^2 + 96 a^3 b^3 f^2 z^2 + 32 a^2 b^4 d^2 z^2 \\
& + 32 a^3 b^2 e f g z - 32 a^2 b^3 c e f z + 32 a^2 b^3 c d g z - 16 a^3 b^2 d g^2 z - 16 a^2 b^3 d^2 f z + 16 a^2 b^3 d e^2 z - 16 a^3 b^4 c^2 d z - 16 a^3 b^2 f^3 z - 8 a^2 b^2 c d f g \\
& + 4 a^2 b^2 d^2 e g - 4 a^2 b^2 d e^2 f - 4 a^2 b^2 c e^2 g + 4 a^2 b^2 c e f^2 - 4 a^3 b e f^2 g + 4 a^3 b d f g^2 + 4 a^3 b^3 c^2 d f - 4 a^3 b^3 c d^2 e - 4 a^3 b^3 c g^3 \\
& + 6 a^2 b^2 c^2 g^2 + 2 a^2 b^2 d^2 f^2 + 2 a^3 b e^2 g^2 + 2 a^3 b^3 c^2 e^2 + a^2 b^2 e^4 + a^3 b f^4 + a b^3 d^4 + a^4 g^4, z, k) a^2 b^2 e^2 x - 4 \operatorname{root}(256 a^3 b^5 z^4 - 256 a^3 b^4 f z^3 \\
& - 64 a^3 b^3 e g z^2 + 64 a^2 b^4 c e z^2 + 96 a^3 b^3 f^2 z^2 + 32 a^2 b^4 d^2 z^2 + 32 a^3 b^2 e f g z - 32 a^2 b^3 c e f z + 32 a^2 b^3 c d g z - 16 a^3 b^2 d g^2 z - 16 a^2 b^3 d^2 f z \\
& + 16 a^2 b^3 d e^2 z - 16 a^3 b^4 c^2 d z - 16 a^3 b^2 f^3 z - 8 a^2 b^2 c d f g + 4 a^2 b^2 d^2 e g - 4 a^2 b^2 d e^2 f - 4 a^2 b^2 c e^2 g + 4 a^2 b^2 c e f^2 - 4 a^3 b e f^2 g \\
& + 4 a^3 b d f g^2 + 4 a^3 b^3 c^2 d f - 4 a^3 b^3 c d^2 e - 4 a^3 b^3 c g^3 + 6 a^2 b^2 c^2 g^2 + 2 a^2 b^2 d^2 f^2 + 2 a^3 b e^2 g^2 + 2 a^3 b^3 c^2 e^2 + a^2 b^2 e^4 + a^3 b f^4 + a b^3 d^4 + a^4 g^4, z, k) a^2 b^2 e^2 x
\end{aligned}$$

$$\begin{aligned}
& f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6*a^2*b^2*c^2*g^2 + 2 \\
& *a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^2*b^2*e^4 + a^3*b* \\
& f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k)*a^2*b*g^2*x + 2*a*b*c*e*g + 2*a* \\
& b*d*e*f + 8*\text{root}(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 + \\
& 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 + 32*a^2*b^4*d^2*z^2 + 32*a^3*b^2* \\
& e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16*a^3*b^2*d*g^2*z - 16 \\
& *a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d*z - 16*a^3*b^2*f^3*z \\
& - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d*e^2*f - 4*a^2*b^2*c* \\
& e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2 \\
& *d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6*a^2*b^2*c^2*g^2 \\
& + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^2*b^2*e^4 + a^3 \\
& *b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k)*a*b^2*c*f - 8*\text{root}(256*a^3*b^ \\
& 5*z^4 - 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^ \\
& 3*b^3*f^2*z^2 + 32*a^2*b^4*d^2*z^2 + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f* \\
& z + 32*a^2*b^3*c*d*g*z - 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b \\
& ^3*d*e^2*z - 16*a*b^4*c^2*d*z - 16*a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^ \\
& 2*b^2*d^2*e*g - 4*a^2*b^2*d*e^2*f - 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - \\
& 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4* \\
& a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3 \\
& *b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^2*b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^ \\
& 4 + b^4*c^4, z, k)*a*b^2*d*e - 8*\text{root}(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 - \\
& 64*a^3*b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 + 32*a^2*b^4* \\
& d^2*z^2 + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16 \\
& *a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d \\
& *z - 16*a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d \\
& *e^2*f - 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b* \\
& d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g \\
& + 6*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^ \\
& 2 + a^2*b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k)*a^2*b*f* \\
& g + a*b*d*f^2*x - a*b*e^2*f*x - 2*b^2*c*d*e*x + 8*\text{root}(256*a^3*b^5*z^4 - 25 \\
& 6*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2* \\
& z^2 + 32*a^2*b^4*d^2*z^2 + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2 \\
& *b^3*c*d*g*z - 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z \\
& - 16*a*b^4*c^2*d*z - 16*a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2* \\
& e*g - 4*a^2*b^2*d*e^2*f - 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e \\
& *f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^ \\
& 3 - 4*a*b^3*c^3*g + 6*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 \\
& + 2*a*b^3*c^2*e^2 + a^2*b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^ \\
& 4, z, k)*a*b^2*c*g*x - 8*\text{root}(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 - 64*a^3* \\
& b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 + 32*a^2*b^4*d^2*z^2 \\
& + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16*a^3*b^2 \\
& *d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d*z - 16* \\
& a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d*e^2*f - \\
& 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 \\
& + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6*a^2
\end{aligned}$$


```

*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^2*
b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k)*a*b^2*d*f*x - 2*
a*b*c*f*g*x + 2*a*b*d*e*g*x)*root(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 - 64*
a^3*b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 + 32*a^2*b^4*d^2*
z^2 + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16*a^3
*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d*z -
16*a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d*e^2
*f - 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*
g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6
*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 +
a^2*b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k), k, 1, 4) +
(g*x)/b

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a),x)

[Out] Timed out

$$3.129 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^2} dx$$

Optimal. Leaf size=341

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}}$$

Rubi [A] time = 0.31, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1858, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}} - \frac{\tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)\left(\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{8\sqrt{2} a^{7/4} b^{5/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)\left(\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{8\sqrt{2} a^{7/4} b^{5/4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{4a^{3/2} \sqrt{b}} + \frac{x(-ag + bc + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^2, x]

[Out] (x*(b*c - a*g + b*d*x + b*e*x^2 + b*f*x^3))/(4*a*b*(a + b*x^4)) + (d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*Sqrt[b]) - ((3*b*c + Sqrt[a]*Sqrt[b]*e + a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(5/4)) + ((3*b*c + Sqrt[a]*Sqrt[b]*e + a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(5/4)) - ((3*b*c - Sqrt[a]*Sqrt[b]*e + a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(5/4)) + ((3*b*c - Sqrt[a]*Sqrt[b]*e + a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(5/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1858

```
Int[(Pq)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^4)^2} dx &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \frac{-3bc - ag - 2bdx - bex^2}{a + bx^4} dx}{4ab} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \left(-\frac{2bdx}{a + bx^4} + \frac{-3bc - ag - bex^2}{a + bx^4} \right) dx}{4ab} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \frac{-3bc - ag - bex^2}{a + bx^4} dx}{4ab} + \frac{d \int \frac{x}{a + bx^4} dx}{2a} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{4a} + \frac{(3bc - \sqrt{a} \sqrt{b}) \int \frac{x}{a + bx^4} dx}{16\sqrt{2} a^{7/4} b^{5/4}} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{4a^{3/2} \sqrt{b}} - \frac{(3bc - \sqrt{a} \sqrt{b} e + ag) \int \frac{x}{a + bx^4} dx}{16\sqrt{2} a^{7/4} b^{5/4}} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{4a^{3/2} \sqrt{b}} - \frac{(3bc - \sqrt{a} \sqrt{b} e + ag) \log \left(\frac{a + \sqrt{b} x^2}{a - \sqrt{b} x^2} \right)}{16\sqrt{2} a^{7/4} b^{5/4}} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{4a^{3/2} \sqrt{b}} - \frac{(3bc + \sqrt{a} \sqrt{b} e + ag) \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{8\sqrt{2} a^{7/4} b^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 319, normalized size = 0.94

$$\frac{8x^{3/4} \sqrt{b} (a^{3/4} - b^{3/4} x^{3/4}) - 2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt{b} x}{\sqrt{a}} \right) (4 \sqrt{a} b^{3/4} d + \sqrt{2} \sqrt{a} \sqrt{b} e + \sqrt{2} ag + 3 \sqrt{2} bc) + 2 \tan^{-1} \left(\frac{\sqrt{2} \sqrt{b} x}{\sqrt{a}} + 1 \right) (-4 \sqrt{a} b^{3/4} d + \sqrt{2} \sqrt{a} \sqrt{b} e + \sqrt{2} ag + 3 \sqrt{2} bc) + \sqrt{2} \log \left(\frac{-\sqrt{2} \sqrt{a} \sqrt{b} x + \sqrt{a} + \sqrt{b} x^2}{\sqrt{a} \sqrt{b} e - ag - 3bc} \right) + \sqrt{2} \log \left(\frac{\sqrt{2} \sqrt{a} \sqrt{b} x + \sqrt{a} + \sqrt{b} x^2}{-\sqrt{a} \sqrt{b} e + ag + 3bc} \right)}{32 a^{7/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^2,x]

[Out]
$$\frac{(-8a^{3/4}b^{1/4}(a(f+gx) - bxc + x(d+ex)))}{(a + b^2x^4)^2} - 2 \cdot (3\sqrt{2}bc + 4a^{1/4}b^{3/4}d + \sqrt{2}\sqrt{a}\sqrt{b}e + \sqrt{2}ag) \operatorname{ArcTan}\left[1 - \frac{\sqrt{2}b^{1/4}x}{a^{1/4}}\right] + 2 \cdot (3\sqrt{2}bc - 4a^{1/4}b^{3/4}d + \sqrt{2}\sqrt{a}\sqrt{b}e + \sqrt{2}ag) \operatorname{ArcTan}\left[1 + \frac{\sqrt{2}b^{1/4}x}{a^{1/4}}\right] + \sqrt{2}(-3bc + \sqrt{a}\sqrt{b}e - ag) \operatorname{Log}\left[\frac{\sqrt{a} - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2}{\sqrt{a} + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2}\right]}{(32a^{7/4}b^{5/4})}$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^2,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^2, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 365, normalized size = 1.07

$$\frac{bx^4 + dx^3 + ex^2 + cx + a}{4(bx^4 + a)^2} + \frac{\sqrt{2} \left(2\sqrt{2}\sqrt{ab}e^2d + 3(ab)^{3/2}e^2c + (ab)^{5/2}abg + (ab)^{7/2}c \right) \arctan\left(\frac{\sqrt{2}(2 + \sqrt{2}x^2)}{2(x^2)}\right)}{16a^2b^3} + \frac{\sqrt{2} \left(2\sqrt{2}\sqrt{ab}e^2d + 3(ab)^{3/2}e^2c + (ab)^{5/2}abg + (ab)^{7/2}c \right) \arctan\left(\frac{\sqrt{2}(2 - \sqrt{2}x^2)}{2(x^2)}\right)}{16a^2b^3} + \frac{\sqrt{2} \left(3(ab)^{3/2}e^2c + (ab)^{5/2}abg - (ab)^{7/2}c \right) \operatorname{Log}\left(x^2 + \sqrt{2}x\sqrt{\frac{a}{b}} + \sqrt{\frac{a}{b}}\right)}{32a^2b^3} + \frac{\sqrt{2} \left(3(ab)^{3/2}e^2c + (ab)^{5/2}abg - (ab)^{7/2}c \right) \operatorname{Log}\left(x^2 - \sqrt{2}x\sqrt{\frac{a}{b}} + \sqrt{\frac{a}{b}}\right)}{32a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out]
$$\frac{1}{4} \cdot (b^2x^3e + b^2dx^2 + b^2cx - agx - af) / ((bx^4 + a)ab) + \frac{1}{16} \sqrt{2} \cdot (2\sqrt{2}\sqrt{ab}e^2d + 3(ab)^{3/2}e^2c + (ab)^{5/2}abg + (ab)^{7/2}c) \operatorname{arctan}\left(\frac{1}{2}\sqrt{2}\sqrt{\frac{a}{b}}(2x + \sqrt{2})\right) / (a/b)^{1/4} + \frac{1}{16} \sqrt{2} \cdot (2\sqrt{2}\sqrt{ab}e^2d + 3(ab)^{3/2}e^2c + (ab)^{5/2}abg + (ab)^{7/2}c) \operatorname{arctan}\left(\frac{1}{2}\sqrt{2}\sqrt{\frac{a}{b}}(2x - \sqrt{2})\right) / (a/b)^{1/4} + \frac{1}{32} \sqrt{2} \cdot (3(ab)^{3/2}e^2c + (ab)^{5/2}abg - (ab)^{7/2}c) \operatorname{Log}\left(x^2 + \sqrt{2}x\sqrt{\frac{a}{b}} + \sqrt{\frac{a}{b}}\right) / (a/b)^{1/4} + \frac{1}{32} \sqrt{2} \cdot (3(ab)^{3/2}e^2c + (ab)^{5/2}abg - (ab)^{7/2}c) \operatorname{Log}\left(x^2 - \sqrt{2}x\sqrt{\frac{a}{b}} + \sqrt{\frac{a}{b}}\right) / (a/b)^{1/4}$$

/4) + sqrt(a/b))/(a^2*b^3) - 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3)

maple [A] time = 0.05, size = 482, normalized size = 1.41

$$\frac{d \arctan\left(\frac{\sqrt{x}}{a}\right)}{4\sqrt{ab}a} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2x}}{(b)^{1/4}} - 1\right)}{16\left(\frac{b}{a}\right)^{1/4}ab} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2x}}{(b)^{1/4}} + 1\right)}{16\left(\frac{b}{a}\right)^{1/4}ab} + \frac{\sqrt{2} \operatorname{erf}\left(\frac{x - (b)^{1/4}\sqrt{x} + \sqrt{x}}{(b)^{1/4}}\right)}{32\left(\frac{b}{a}\right)^{1/4}ab} + \frac{\left(\frac{b}{a}\right)^{1/4} \sqrt{2} \arctan\left(\frac{\sqrt{2x}}{(b)^{1/4}} - 1\right)}{16ab} + \frac{\left(\frac{b}{a}\right)^{1/4} \sqrt{2} \arctan\left(\frac{\sqrt{2x}}{(b)^{1/4}} + 1\right)}{16ab} + \frac{\left(\frac{b}{a}\right)^{1/4} \sqrt{2} \ln\left(\frac{x - (b)^{1/4}\sqrt{x} + \sqrt{x}}{(b)^{1/4}}\right)}{32ab} + \frac{3\left(\frac{b}{a}\right)^{1/4} \sqrt{2} \arctan\left(\frac{\sqrt{2x}}{(b)^{1/4}} - 1\right)}{16a^2} + \frac{3\left(\frac{b}{a}\right)^{1/4} \sqrt{2} \arctan\left(\frac{\sqrt{2x}}{(b)^{1/4}} + 1\right)}{16a^2} + \frac{3\left(\frac{b}{a}\right)^{1/4} \sqrt{2} \ln\left(\frac{x - (b)^{1/4}\sqrt{x} + \sqrt{x}}{(b)^{1/4}}\right)}{32a^2} + \frac{c\sqrt{x}}{2} + \frac{d\sqrt{x}}{2} - \frac{(bc-ab)}{4ax}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] (1/4/a*e*x^3+1/4/a*d*x^2-1/4*(a*g-b*c)/a/b*x-1/4/b*f)/(b*x^4+a)+1/16/b/a*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*g+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/32/b/a*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*g+3/32*(a/b)^(1/4)*2^(1/2)/a^2*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16/b/a*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*g+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4/(a*b)^(1/2)/a*d*arctan((1/a*b)^(1/2)*x^2)+1/32/(a/b)^(1/4)*2^(1/2)/a/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.00, size = 350, normalized size = 1.03

$$\frac{bcx^3 + bdx^2 - af + (bc - ag)x}{4(ab^2x^4 + a^2b)} + \frac{\sqrt{2} \left(3\sqrt{2}c - \sqrt{2}bc + a\sqrt{2}g \right) \log\left(\sqrt{bx^2 + \sqrt{2}ab^{3/4}x + \sqrt{a}}\right) - \sqrt{2} \left(3\sqrt{2}c - \sqrt{2}bc + a\sqrt{2}g \right) \log\left(\sqrt{bx^2 - \sqrt{2}ab^{3/4}x + \sqrt{a}}\right)}{a^{3/4}\sqrt{b}} + \frac{2 \left(3\sqrt{2}ab^{3/4}c + \sqrt{2}ab^{3/4}c + \sqrt{2}ab^{3/4}c - 4\sqrt{ab^3d} \right) \arctan\left(\frac{\sqrt{2} \left(2\sqrt{bx^2 + \sqrt{2}ab^{3/4}x + \sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}}\right)}{32ab} + \frac{2 \left(3\sqrt{2}ab^{3/4}c + \sqrt{2}ab^{3/4}c + \sqrt{2}ab^{3/4}c + 4\sqrt{ab^3d} \right) \arctan\left(\frac{\sqrt{2} \left(2\sqrt{bx^2 - \sqrt{2}ab^{3/4}x + \sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}}\right)}{a^{3/4}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] 1/4*(b*e*x^3 + b*d*x^2 - a*f + (b*c - a*g)*x)/(a*b^2*x^4 + a^2*b) + 1/32*(sqrt(2)*(3*b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(3*b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(7/4)*c + sqrt(2)*a^(3/4)*b^(5/4)*e + sqrt(2)*a^(5/4)*b^(3/4)*g - 4*sqrt(a)*b^(3/2)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(7/4)*c + sqrt(2)*a^(3/4)*b^(5/4)*e + sqrt(2)*a^(5/4)*b^(3/4)*g + 4*sqrt(a)*b^(3/2)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))/(a*b)

mupad [B] time = 5.59, size = 1383, normalized size = 4.06

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^2, x)$

[Out] $\text{symsum}(\log(- (9*b^2*c^2*e - 12*b^2*c*d^2 + a^2*e*g^2 + a*b*e^3 - 4*a*b*d^2*g + 6*a*b*c*e*g)/(64*a^3) - (\text{root}(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 + 3072*a^4*b^4*c*e*z^2 + 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z - 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z - 1152*a^2*b^4*c^2*d*z - 16*a^2*b^2*d^2*e*g + 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 + 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 + 81*b^4*c^4 + a^2*b^2*e^4 + a^4*g^4, z, k)*b*(9*b^2*c^2*x + a^2*g^2*x + 16*\text{root}(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 + 3072*a^4*b^4*c*e*z^2 + 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z - 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z - 1152*a^2*b^4*c^2*d*z - 16*a^2*b^2*d^2*e*g + 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 + 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 + 81*b^4*c^4 + a^2*b^2*e^4 + a^4*g^4, z, k)*a^3*b*g - a*b*e^2*x + 48*\text{root}(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 + 3072*a^4*b^4*c*e*z^2 + 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z - 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z - 1152*a^2*b^4*c^2*d*z - 16*a^2*b^2*d^2*e*g + 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 + 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 + 81*b^4*c^4 + a^2*b^2*e^4 + a^4*g^4, z, k)*a^2*b^2*c + 4*a*b*d*e - 32*\text{root}(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 + 3072*a^4*b^4*c*e*z^2 + 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z - 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z - 1152*a^2*b^4*c^2*d*z - 16*a^2*b^2*d^2*e*g + 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 + 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 + 81*b^4*c^4 + a^2*b^2*e^4 + a^4*g^4, z, k)*a^2*b^2*d*x + 6*a*b*c*g*x))/(4*a^2) - (b*d*x*(3*b*c*e - 2*b*d^2 + a*e*g))/(16*a^3))*\text{root}(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 + 3072*a^4*b^4*c*e*z^2 + 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z - 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z - 1152*a^2*b^4*c^2*d*z - 16*a^2*b^2*d^2*e*g + 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 + 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 + 81*b^4*c^4 + a^2*b^2*e^4 + a^4*g^4, z, k), k, 1, 4) + ((d*x^2)/(4*a) - f/(4*b) + (e*x^3)/(4*a) + (x*(b*c - a*g))/(4*a*b))/(a + b*x^4)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x)
```

```
[Out] Timed out
```


$$3.130 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^3} dx$$

Optimal. Leaf size=394

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-5\sqrt{a}\sqrt{b}e+3ag+21bc\right)}{128\sqrt{2}a^{11/4}b^{5/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-5\sqrt{a}\sqrt{b}e+\right)}{128\sqrt{2}a^{11/4}b^{5/4}}$$

Rubi [A] time = 0.44, antiderivative size = 394, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1858, 1854, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-5\sqrt{a}\sqrt{b}e+3ag+21bc\right)}{128\sqrt{2}a^{11/4}b^{5/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-5\sqrt{a}\sqrt{b}e+3ag+21bc\right)}{128\sqrt{2}a^{11/4}b^{5/4}} - \frac{\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}}\right)\left(5\sqrt{a}\sqrt{b}e+3ag+21bc\right)}{64\sqrt{2}a^{11/4}b^{5/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}}+1\right)\left(5\sqrt{a}\sqrt{b}e+3ag+21bc\right)}{64\sqrt{2}a^{11/4}b^{5/4}} - \frac{4af-x\left(ag+7bc+6bfx+5bcx^2\right)}{32a^2b\left(a+bx^4\right)} + \frac{3d\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}}\right)}{16a^{9/2}\sqrt{b}} + \frac{x\left(-ag+bc+bdx+bcx^2+bf/x^3\right)}{8ab\left(a+bx^4\right)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^3,x]

[Out] (x*(b*c - a*g + b*d*x + b*e*x^2 + b*f*x^3))/(8*a*b*(a + b*x^4)^2) - (4*a*f - x*(7*b*c + a*g + 6*b*d*x + 5*b*e*x^2))/(32*a^2*b*(a + b*x^4)) + (3*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(16*a^(5/2)*Sqrt[b]) - ((21*b*c + 5*Sqrt[a]*Sqrt[b]*e + 3*a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(5/4)) + ((21*b*c + 5*Sqrt[a]*Sqrt[b]*e + 3*a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(5/4)) - ((21*b*c - 5*Sqrt[a]*Sqrt[b]*e + 3*a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(5/4)) + ((21*b*c - 5*Sqrt[a]*Sqrt[b]*e + 3*a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(5/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]]*(a + b*x^n)^(p
```

```
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :=> With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :=> With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^4)^3} dx &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{\int \frac{-7bc - ag - 6bdx - 5bex^2 - 4bfx^3}{(a + bx^4)^2} dx}{8ab} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \frac{\int \frac{-30}{(a + bx^4)^2} dx}{32a^2b} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \frac{\int \left(\frac{12}{a} - \frac{30}{a + bx^4}\right) dx}{32a^2b} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \frac{\int \frac{-30}{a + bx^4} dx}{32a^2b} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \frac{3d \operatorname{atan}\left(\frac{\sqrt{b}x}{\sqrt{a + bx^4}}\right)}{16a^2b} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \frac{3d \operatorname{atan}\left(\frac{\sqrt{b}x}{\sqrt{a + bx^4}}\right)}{16a^2b} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \frac{3d \operatorname{atan}\left(\frac{\sqrt{b}x}{\sqrt{a + bx^4}}\right)}{16a^2b}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 366, normalized size = 0.93

$$\frac{32a^2 \sqrt{b} \operatorname{atan}\left(\frac{\sqrt{b}x}{\sqrt{a + bx^4}}\right) + \frac{30a^2 \sqrt{b} \operatorname{atan}\left(\frac{\sqrt{b}x}{\sqrt{a + bx^4}}\right)}{a + bx^4} - 2 \tan^{-1}\left(1 - \frac{\sqrt{b}x}{\sqrt{a + bx^4}}\right) \left(24\sqrt{b}b^{3/4}d + 5\sqrt{2}\sqrt{b}\sqrt{e} + 3\sqrt{2}ag + 21\sqrt{2}bc\right) + 2 \tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a + bx^4}} + 1\right) \left(-24\sqrt{b}b^{3/4}d + 5\sqrt{2}\sqrt{b}\sqrt{e} + 3\sqrt{2}ag + 21\sqrt{2}bc\right) - \sqrt{2} \log\left(-\sqrt{2}\sqrt{b}\sqrt{e} + \sqrt{a} + \sqrt{b}x^2\right) \left(5\sqrt{b}\sqrt{e} - 3ag - 21bc\right) + \sqrt{2} \log\left(\sqrt{2}\sqrt{b}\sqrt{e} + \sqrt{a} + \sqrt{b}x^2\right) \left(-5\sqrt{b}\sqrt{e} + 3ag + 21bc\right)}{256a^{11/4}b^{5/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^3, x]

[Out] ((8*a^(3/4)*b^(1/4)*x*(7*b*c + a*g + b*x*(6*d + 5*e*x)))/(a + b*x^4) - (32*a^(7/4)*b^(1/4)*(a*(f + g*x) - b*x*(c + x*(d + e*x)))/(a + b*x^4)^2 - 2*(2

$1*\text{Sqrt}[2]*b*c + 24*a^{(1/4)}*b^{(3/4)}*d + 5*\text{Sqrt}[2]*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 3*\text{Sqrt}[2]*a*g*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}] + 2*(21*\text{Sqrt}[2]*b*c - 24*a^{(1/4)}*b^{(3/4)}*d + 5*\text{Sqrt}[2]*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 3*\text{Sqrt}[2]*a*g*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}] + \text{Sqrt}[2]*(-21*b*c + 5*\text{Sqrt}[a]*\text{Sqrt}[b]*e - 3*a*g)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2] + \text{Sqrt}[2]*(21*b*c - 5*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 3*a*g)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(256*a^{(11/4)}*b^{(5/4)})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^3,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^3, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 416, normalized size = 1.06

$$\frac{\sqrt{12}\sqrt{5}\sqrt{11}\sqrt{13}\sqrt{17}\sqrt{19}\sqrt{23}\sqrt{29}\sqrt{31}\sqrt{37}\sqrt{41}\sqrt{43}\sqrt{47}\sqrt{53}\sqrt{59}\sqrt{61}\sqrt{67}\sqrt{71}\sqrt{73}\sqrt{79}\sqrt{83}\sqrt{89}\sqrt{97}\sqrt{101}\sqrt{103}\sqrt{107}\sqrt{113}\sqrt{127}\sqrt{131}\sqrt{137}\sqrt{149}\sqrt{151}\sqrt{157}\sqrt{163}\sqrt{173}\sqrt{179}\sqrt{181}\sqrt{191}\sqrt{193}\sqrt{197}\sqrt{199}\sqrt{211}\sqrt{223}\sqrt{227}\sqrt{229}\sqrt{233}\sqrt{239}\sqrt{241}\sqrt{251}\sqrt{257}\sqrt{263}\sqrt{271}\sqrt{277}\sqrt{281}\sqrt{283}\sqrt{293}\sqrt{307}\sqrt{311}\sqrt{313}\sqrt{317}\sqrt{331}\sqrt{337}\sqrt{347}\sqrt{349}\sqrt{353}\sqrt{359}\sqrt{367}\sqrt{373}\sqrt{379}\sqrt{383}\sqrt{389}\sqrt{397}\sqrt{401}\sqrt{409}\sqrt{419}\sqrt{421}\sqrt{431}\sqrt{433}\sqrt{439}\sqrt{443}\sqrt{449}\sqrt{457}\sqrt{461}\sqrt{463}\sqrt{467}\sqrt{479}\sqrt{487}\sqrt{491}\sqrt{499}\sqrt{503}\sqrt{509}\sqrt{521}\sqrt{523}\sqrt{527}\sqrt{529}\sqrt{541}\sqrt{547}\sqrt{557}\sqrt{563}\sqrt{569}\sqrt{571}\sqrt{577}\sqrt{581}\sqrt{583}\sqrt{587}\sqrt{593}\sqrt{599}\sqrt{601}\sqrt{607}\sqrt{611}\sqrt{613}\sqrt{617}\sqrt{631}\sqrt{637}\sqrt{647}\sqrt{649}\sqrt{653}\sqrt{659}\sqrt{661}\sqrt{667}\sqrt{671}\sqrt{673}\sqrt{679}\sqrt{683}\sqrt{689}\sqrt{697}\sqrt{701}\sqrt{709}\sqrt{719}\sqrt{721}\sqrt{727}\sqrt{731}\sqrt{733}\sqrt{737}\sqrt{751}\sqrt{757}\sqrt{761}\sqrt{763}\sqrt{769}\sqrt{773}\sqrt{779}\sqrt{783}\sqrt{787}\sqrt{793}\sqrt{799}\sqrt{801}\sqrt{807}\sqrt{811}\sqrt{813}\sqrt{817}\sqrt{831}\sqrt{837}\sqrt{847}\sqrt{849}\sqrt{853}\sqrt{859}\sqrt{861}\sqrt{867}\sqrt{871}\sqrt{873}\sqrt{879}\sqrt{883}\sqrt{889}\sqrt{897}\sqrt{901}\sqrt{907}\sqrt{911}\sqrt{913}\sqrt{917}\sqrt{931}\sqrt{937}\sqrt{947}\sqrt{949}\sqrt{953}\sqrt{959}\sqrt{961}\sqrt{967}\sqrt{971}\sqrt{973}\sqrt{979}\sqrt{983}\sqrt{989}\sqrt{997}\sqrt{999}}{128*a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")

[Out] $1/128*\text{sqrt}(2)*(12*\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + 21*(a*b^3)^{(1/4)}*b^2*c + 3*(a*b^3)^{(1/4)}*a*b*g + 5*(a*b^3)^{(3/4)}*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2))*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^3*b^3) + 1/128*\text{sqrt}(2)*(12*\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + 21*(a*b^3)^{(1/4)}*b^2*c + 3*(a*b^3)^{(1/4)}*a*b*g + 5*(a*b^3)^{(3/4)}*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2))*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^3*b^3) + 1/256*\text{sqrt}(2)*(21*(a*b^3)^{(1/4)}*b^2*c + 3*(a*b^3)^{(1/4)}*a*b*g - 5*(a*b^3)^{(3/4)}*e)*\text{log}(x^2 + \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a^3*b^3) - 1/256*\text{sqrt}(2)*(21*(a*b^3)^{(1/4)}*b^2*c + 3*(a*b^3)^{(1/4)}*a*b*g - 5*(a*b^3)^{(3/4)}*e)*\text{log}(x^2 - \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a^3*b^3) + 1/32*(5*b^2*x^7*e + 6*b^2*d$

$$*x^6 + 7*b^2*c*x^5 + a*b*g*x^5 + 9*a*b*x^3*e + 10*a*b*d*x^2 + 11*a*b*c*x - 3*a^2*g*x - 4*a^2*f)/((b*x^4 + a)^2*a^2*b)$$

maple [A] time = 0.06, size = 519, normalized size = 1.32

$$\frac{3d \arctan\left(\frac{\sqrt{\frac{a}{b}} x}{\sqrt{\frac{a}{b}}}\right)}{16\sqrt{ab} a^2} + \frac{5\sqrt{2} c \arctan\left(\frac{\sqrt{\frac{a}{b}} x}{\sqrt{\frac{a}{b}}}\right)}{128\left(\frac{a}{b}\right)^{3/2}} + \frac{5\sqrt{2} e \arctan\left(\frac{\sqrt{\frac{a}{b}} x}{\sqrt{\frac{a}{b}}}\right)}{128\left(\frac{a}{b}\right)^{3/2}} + \frac{5\sqrt{2} g \arctan\left(\frac{\sqrt{\frac{a}{b}} x}{\sqrt{\frac{a}{b}}}\right)}{128\left(\frac{a}{b}\right)^{3/2}} + \frac{3\left(\frac{a}{b}\right)^{3/2} \sqrt{2} g \arctan\left(\frac{\sqrt{\frac{a}{b}} x}{\sqrt{\frac{a}{b}}}\right)}{128\sqrt{b}} + \frac{3\left(\frac{a}{b}\right)^{3/2} \sqrt{2} e \arctan\left(\frac{\sqrt{\frac{a}{b}} x}{\sqrt{\frac{a}{b}}}\right)}{128\sqrt{b}} + \frac{3\left(\frac{a}{b}\right)^{3/2} \sqrt{2} c \arctan\left(\frac{\sqrt{\frac{a}{b}} x}{\sqrt{\frac{a}{b}}}\right)}{128\sqrt{b}} + \frac{21\left(\frac{a}{b}\right)^{3/2} \sqrt{2} g \ln\left(\frac{\sqrt{\frac{a}{b}} x + \sqrt{\frac{a}{b}}}{\sqrt{\frac{a}{b}} x - \sqrt{\frac{a}{b}}}\right)}{256\sqrt{b}} + \frac{21\left(\frac{a}{b}\right)^{3/2} \sqrt{2} e \arctan\left(\frac{\sqrt{\frac{a}{b}} x}{\sqrt{\frac{a}{b}}}\right)}{128\sqrt{a}} + \frac{21\left(\frac{a}{b}\right)^{3/2} \sqrt{2} c \arctan\left(\frac{\sqrt{\frac{a}{b}} x}{\sqrt{\frac{a}{b}}}\right)}{128\sqrt{a}} + \frac{21\left(\frac{a}{b}\right)^{3/2} \sqrt{2} \ln\left(\frac{\sqrt{\frac{a}{b}} x + \sqrt{\frac{a}{b}}}{\sqrt{\frac{a}{b}} x - \sqrt{\frac{a}{b}}}\right)}{256\sqrt{a}} + \frac{33ac^2 + 33ad^2 + 33ae^2 + 33ag^2 + 33bc^2 + 33bd^2 + 33be^2 + 33bg^2 + 33cd^2 + 33ce^2 + 33cg^2 + 33de^2 + 33dg^2}{(b^4 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)

[Out] (5/32/a^2*b*e*x^7+3/16/a^2*b*d*x^6+1/32*(a*g+7*b*c)/a^2*x^5+9/32/a*e*x^3+5/16/a*d*x^2-1/32*(3*a*g-11*b*c)/a/b*x-1/8/b*f)/(b*x^4+a)^2+3/128/a^2/b*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*g+21/128*c/a^3*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/128/a^2/b*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*g+21/128*c/a^3*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/256/a^2/b*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*g+21/256*c/a^3*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/16/(a*b)^(1/2)/a^2*d*arctan((1/a*b)^(1/2)*x^2)+5/256/a^2/b*e/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.03, size = 412, normalized size = 1.05

$$\frac{5\sqrt{2}c^2 + 6\sqrt{2}d^2 + 9abc^2 + (7\sqrt{2}c + abg)^2 + 10abd^2 - 4a^2f + (11abc - 3a^2g)x}{32(b^2b^2 + 2a^2b^2 + a^4)} + \frac{\sqrt{2(21\sqrt{2}c + 5\sqrt{2}d + 3a\sqrt{2}g)\log(\sqrt{b^2c + \sqrt{2}d + 3a\sqrt{2}g})}}{2\sqrt{2}} - \frac{\sqrt{2(21\sqrt{2}c - 5\sqrt{2}d + 3a\sqrt{2}g)\log(\sqrt{b^2c - \sqrt{2}d + 3a\sqrt{2}g})}}{2\sqrt{2}} + \frac{2(21\sqrt{2}c + 5\sqrt{2}d + 3a\sqrt{2}g)\sqrt{2}\sqrt{b^2c + \sqrt{2}d + 3a\sqrt{2}g}}{256\sqrt{b}} \arctan\left(\frac{\sqrt{2}\sqrt{c + \sqrt{2}d + 3a\sqrt{2}g}}{2\sqrt{2}\sqrt{b}}\right) + \frac{2(21\sqrt{2}c - 5\sqrt{2}d + 3a\sqrt{2}g)\sqrt{2}\sqrt{b^2c - \sqrt{2}d + 3a\sqrt{2}g}}{256\sqrt{b}} \arctan\left(\frac{\sqrt{2}\sqrt{c - \sqrt{2}d + 3a\sqrt{2}g}}{2\sqrt{2}\sqrt{b}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")

[Out] 1/32*(5*b^2*e*x^7 + 6*b^2*d*x^6 + 9*a*b*e*x^3 + (7*b^2*c + a*b*g)*x^5 + 10*a*b*d*x^2 - 4*a^2*f + (11*a*b*c - 3*a^2*g)*x)/(a^2*b^3*x^8 + 2*a^3*b^2*x^4 + a^4*b) + 1/256*(sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(7/4)*c + 5*sqrt(2)*a^(3/4)*b^(5/4)*e + 3*sqrt(2)*a^(5/4)*b^(3/4)*g - 24*sqrt(a)*b^(3/2)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4)))/sqrt(sqrt(a)*sqrt(b))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(7/4)*c + 5*sqrt(2)*a^(3/4)*b^(5/4)*e + 3*sqrt(2)*a^(5/4)*b^(3/4)*g + 24*sqrt(a)*b^(3/2)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4)))/sqrt(sqrt(a)*sqrt(b))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)))/(a^2*b)

mupad [B] time = 0.71, size = 1001, normalized size = 2.54

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^3, x)$

[Out] $((5*d*x^2)/(16*a) - f/(8*b) + (9*e*x^3)/(32*a) + (x^5*(7*b*c + a*g))/(32*a^2) + (x*(11*b*c - 3*a*g))/(32*a*b) + (3*b*d*x^6)/(16*a^2) + (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 + 2*a*b*x^4) + \text{symsum}(\log(-\text{root}(268435456*a^{11}*b^5*z^4 + 983040*a^7*b^3*e*g*z^2 + 6881280*a^6*b^4*c*e*z^2 + 4718592*a^6*b^4*d^2*z^2 - 774144*a^4*b^3*c*d*g*z - 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z - 2709504*a^3*b^4*c^2*d*z - 8640*a^2*b^2*d^2*e*g + 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 + 23814*a^2*b^2*c^2*g^2 + 450*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 + 625*a^2*b^2*e^4 + 20736*a*b^3*d^4 + 81*a^4*g^4 + 194481*b^4*c^4, z, k)*(\text{root}(268435456*a^{11}*b^5*z^4 + 983040*a^7*b^3*e*g*z^2 + 6881280*a^6*b^4*c*e*z^2 + 4718592*a^6*b^4*d^2*z^2 - 774144*a^4*b^3*c*d*g*z - 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z - 2709504*a^3*b^4*c^2*d*z - 8640*a^2*b^2*d^2*e*g + 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 + 23814*a^2*b^2*c^2*g^2 + 450*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 + 625*a^2*b^2*e^4 + 20736*a*b^3*d^4 + 81*a^4*g^4 + 194481*b^4*c^4, z, k)*((344064*a^5*b^3*c + 49152*a^6*b^2*g)/(32768*a^6) - (6*b^3*d*x)/a) + (x*(144*a^4*b*g^2 + 7056*a^2*b^3*c^2 - 400*a^3*b^2*e^2 + 2016*a^3*b^2*c*g))/(4096*a^6) + (15*b^2*d*e)/(32*a^3) - (2205*b^2*c^2*e - 3024*b^2*c*d^2 + 45*a^2*e*g^2 + 125*a*b*e^3 - 432*a*b*d^2*g + 630*a*b*c*e*g)/(32768*a^6) - (x*(315*b^2*c*d*e - 216*b^2*d^3 + 45*a*b*d*e*g))/(4096*a^6))*\text{root}(268435456*a^{11}*b^5*z^4 + 983040*a^7*b^3*e*g*z^2 + 6881280*a^6*b^4*c*e*z^2 + 4718592*a^6*b^4*d^2*z^2 - 774144*a^4*b^3*c*d*g*z - 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z - 2709504*a^3*b^4*c^2*d*z - 8640*a^2*b^2*d^2*e*g + 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 + 23814*a^2*b^2*c^2*g^2 + 450*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 + 625*a^2*b^2*e^4 + 20736*a*b^3*d^4 + 81*a^4*g^4 + 194481*b^4*c^4, z, k), k, 1, 4)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3, x)$

[Out] Timed out

$$3.131 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^4} dx$$

Optimal. Leaf size=437

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-15\sqrt{a}\sqrt{b}e+7ag+77bc\right)}{512\sqrt{2}a^{15/4}b^{5/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-15\sqrt{a}\sqrt{b}e+7ag+77bc\right)}{512\sqrt{2}a^{15/4}b^{5/4}}$$

Rubi [A] time = 0.53, antiderivative size = 437, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1858, 1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-15\sqrt{a}\sqrt{b}e+7ag+77bc\right)}{512\sqrt{2}a^{15/4}b^{5/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-15\sqrt{a}\sqrt{b}e+7ag+77bc\right)}{512\sqrt{2}a^{15/4}b^{5/4}} - \frac{\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}}\right)\left(15\sqrt{a}\sqrt{b}e+7ag+77bc\right)}{256\sqrt{2}a^{15/4}b^{5/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}}+1\right)\left(15\sqrt{a}\sqrt{b}e+7ag+77bc\right)}{256\sqrt{2}a^{15/4}b^{5/4}} - \frac{8af-x\left(ag+11bc+10bd+9be^2\right)}{96a^2b\left(a+bx^4\right)^2} + \frac{x\left(7\log\left(11b\right)+60bd+45be^2\right)}{384a^2b\left(a+bx^4\right)} + \frac{5f\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x\left(-ag+bc+bdx+bx^2+bx^3\right)}{12ab\left(a+bx^4\right)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^4, x]

[Out] (x*(b*c - a*g + b*d*x + b*e*x^2 + b*f*x^3))/(12*a*b*(a + b*x^4)^3) + (x*(7*(11*b*c + a*g) + 60*b*d*x + 45*b*e*x^2))/(384*a^3*b*(a + b*x^4)) - (8*a*f - x*(11*b*c + a*g + 10*b*d*x + 9*b*e*x^2))/(96*a^2*b*(a + b*x^4)^2) + (5*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*Sqrt[b]) - ((77*b*c + 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(5/4)) + ((77*b*c + 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(5/4)) - ((77*b*c - 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(5/4)) + ((77*b*c - 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(5/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275


```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x
^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]]*(a + b*x^n)^(p
```

+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1858

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^4)^4} dx &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} - \frac{\int \frac{-11bc - ag - 10bdx - 9bex^2 - 8bfx^3}{(a + bx^4)^3} dx}{12ab} \\
 &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} - \frac{8af - x(11bc + ag + 10bdx + 9bex^2)}{96a^2b(a + bx^4)^2} + \int \\
 &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b(a + bx^4)^2} \\
 &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b(a + bx^4)^2} \\
 &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b(a + bx^4)^2} \\
 &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b(a + bx^4)^2} \\
 &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b(a + bx^4)^2} \\
 &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b(a + bx^4)^2} \\
 &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b(a + bx^4)^2} \\
 &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b(a + bx^4)^2} \\
 &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b(a + bx^4)^2} \\
 &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b(a + bx^4)^2}
 \end{aligned}$$

Mathematica [A] time = 0.52, size = 411, normalized size = 0.94

$$\frac{2b^4 \sqrt{a} \sqrt{a^2 + bx^4} \operatorname{atan}\left(\frac{bx^2}{\sqrt{a}}\right) + 2b^4 \sqrt{a} \sqrt{a^2 + bx^4} \operatorname{atan}\left(\frac{bx^2}{\sqrt{a}}\right) + b^4 \sqrt{a} \sqrt{a^2 + bx^4} \operatorname{atan}\left(\frac{bx^2}{\sqrt{a}}\right) - 6 \operatorname{atan}\left(1 - \frac{\sqrt{a} \sqrt{a^2 + bx^4}}{a}\right) (80 \sqrt{a} b^{3/4} + 15 \sqrt{2} \sqrt{a} \sqrt{bc} + 7 \sqrt{2} ag + 7 \sqrt{2} bc) + 6 \operatorname{atan}\left(\frac{\sqrt{a} \sqrt{a^2 + bx^4}}{\sqrt{a}}\right) (-80 \sqrt{a} b^{3/4} + 15 \sqrt{2} \sqrt{a} \sqrt{bc} + 7 \sqrt{2} ag + 7 \sqrt{2} bc) - 3 \sqrt{2} \log(-\sqrt{2} \sqrt{a} \sqrt{bc} + \sqrt{a} + \sqrt{a^2 + bx^4}) (-15 \sqrt{a} \sqrt{bc} + 7 ag + 7 bc) + 3 \sqrt{2} \log(\sqrt{2} \sqrt{a} \sqrt{bc} + \sqrt{a} + \sqrt{a^2 + bx^4}) (-15 \sqrt{a} \sqrt{bc} + 7 ag + 7 bc)}{3072 a^{5/4} b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^4, x]

[Out] ((8*a^(3/4)*b^(1/4)*x*(77*b*c + 7*a*g + 15*b*x*(4*d + 3*e*x)))/(a + b*x^4) + (32*a^(7/4)*b^(1/4)*x*(11*b*c + a*g + b*x*(10*d + 9*e*x)))/(a + b*x^4)^2 - (256*a^(11/4)*b^(1/4)*(a*(f + g*x) - b*x*(c + x*(d + e*x))))/(a + b*x^4)^3 - 6*(77*sqrt[2]*b*c + 80*a^(1/4)*b^(3/4)*d + 15*sqrt[2]*sqrt[a]*sqrt[b]*e + 7*sqrt[2]*a*g)*ArcTan[1 - (sqrt[2]*b^(1/4)*x)/a^(1/4)] + 6*(77*sqrt[2]*b*c - 80*a^(1/4)*b^(3/4)*d + 15*sqrt[2]*sqrt[a]*sqrt[b]*e + 7*sqrt[2]*a*g)*ArcTan[1 + (sqrt[2]*b^(1/4)*x)/a^(1/4)] - 3*sqrt[2]*(77*b*c - 15*sqrt[a]*sqrt[b]*e + 7*a*g)*Log[sqrt[a] - sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2] + 3*sqrt[2]*(77*b*c - 15*sqrt[a]*sqrt[b]*e + 7*a*g)*Log[sqrt[a] + sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2]/(3072*a^(15/4)*b^(5/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^4)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^4, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^4, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 466, normalized size = 1.07

$\frac{\sqrt{40}\sqrt{2}\sqrt{a^2+7}(a^2)^{3/4}\sqrt{b^2+15}(a^2)^{3/4}}{1024b^4}, \frac{\sqrt{40}\sqrt{2}\sqrt{a^2+7}(a^2)^{3/4}\sqrt{b^2+15}(a^2)^{3/4}}{1024b^4}, \frac{\sqrt{40}\sqrt{2}\sqrt{a^2+7}(a^2)^{3/4}\sqrt{b^2+15}(a^2)^{3/4}}{1024b^4}, \frac{\sqrt{40}\sqrt{2}\sqrt{a^2+7}(a^2)^{3/4}\sqrt{b^2+15}(a^2)^{3/4}}{1024b^4}, \frac{\sqrt{40}\sqrt{2}\sqrt{a^2+7}(a^2)^{3/4}\sqrt{b^2+15}(a^2)^{3/4}}{1024b^4}, \frac{\sqrt{40}\sqrt{2}\sqrt{a^2+7}(a^2)^{3/4}\sqrt{b^2+15}(a^2)^{3/4}}{1024b^4}, \frac{\sqrt{40}\sqrt{2}\sqrt{a^2+7}(a^2)^{3/4}\sqrt{b^2+15}(a^2)^{3/4}}{1024b^4}, \frac{\sqrt{40}\sqrt{2}\sqrt{a^2+7}(a^2)^{3/4}\sqrt{b^2+15}(a^2)^{3/4}}{1024b^4}, \frac{\sqrt{40}\sqrt{2}\sqrt{a^2+7}(a^2)^{3/4}\sqrt{b^2+15}(a^2)^{3/4}}{1024b^4}, \frac{\sqrt{40}\sqrt{2}\sqrt{a^2+7}(a^2)^{3/4}\sqrt{b^2+15}(a^2)^{3/4}}{1024b^4}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out] 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/102

$$4*\sqrt{2}*(77*(a*b^3)^{(1/4)}*b^2*c + 7*(a*b^3)^{(1/4)}*a*b*g - 15*(a*b^3)^{(3/4)}*e)*\log(x^2 + \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a^4*b^3) - 1/1024*\sqrt{2}*(77*(a*b^3)^{(1/4)}*b^2*c + 7*(a*b^3)^{(1/4)}*a*b*g - 15*(a*b^3)^{(3/4)}*e)*\log(x^2 - \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a^4*b^3) + 1/384*(45*b^3*x^{11}*e + 60*b^3*d*x^{10} + 77*b^3*c*x^9 + 7*a*b^2*g*x^9 + 126*a*b^2*x^7*e + 160*a*b^2*d*x^6 + 198*a*b^2*c*x^5 + 18*a^2*b*g*x^5 + 113*a^2*b*x^3*e + 132*a^2*b*d*x^2 + 153*a^2*b*c*x - 21*a^3*g*x - 32*a^3*f)/(b*x^4 + a)^3*a^3*b$$

maple [A] time = 0.06, size = 560, normalized size = 1.28

$$\frac{5f \arctan\left(\frac{\sqrt{2}}{2}\right)}{32 \sqrt{2} a^3} - \frac{15\sqrt{2} \arctan\left(\frac{\sqrt{2}}{2}\right)}{512 (b^3)^{3/4}} + \frac{15\sqrt{2} \arctan\left(\frac{\sqrt{2}}{2}\right)}{512 (b^3)^{3/4}} + \frac{15\sqrt{2} \ln\left(\frac{(b^3)^{1/4} \sqrt{2} + \sqrt{2}}{(b^3)^{1/4} \sqrt{2} - \sqrt{2}}\right)}{1024 (b^3)^{3/4}} - \frac{7 (b^3)^{1/4} \sqrt{2} \arctan\left(\frac{\sqrt{2}}{2}\right)}{512 a^3} - \frac{7 (b^3)^{1/4} \sqrt{2} \arctan\left(\frac{\sqrt{2}}{2}\right)}{512 a^3} - \frac{7 (b^3)^{1/4} \sqrt{2} \ln\left(\frac{(b^3)^{1/4} \sqrt{2} + \sqrt{2}}{(b^3)^{1/4} \sqrt{2} - \sqrt{2}}\right)}{1024 a^3} - \frac{77 (b^3)^{1/4} \sqrt{2} \arctan\left(\frac{\sqrt{2}}{2}\right)}{512 a^3} - \frac{77 (b^3)^{1/4} \sqrt{2} \ln\left(\frac{(b^3)^{1/4} \sqrt{2} + \sqrt{2}}{(b^3)^{1/4} \sqrt{2} - \sqrt{2}}\right)}{1024 a^3} + \frac{198 a^2 b^3 d x^{10} + 77 a^2 b^3 c x^9 + 7 a^2 b^2 g x^9 + 126 a^2 b^2 x^7 e + 160 a^2 b^2 d x^6 + 198 a^2 b^2 c x^5 + 18 a^2 b g x^5 + 113 a^2 b x^3 e + 132 a^2 b d x^2 + 153 a^2 b c x - 21 a^3 g x - 32 a^3 f}{(b^3 x^4 + a)^3 a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out] (15/128/a^3*b^2*e*x^11+5/32/a^3*b^2*d*x^10+7/384*(a*g+11*b*c)/a^3*b*x^9+21/64/a^2*b*e*x^7+5/12/a^2*b*d*x^6+3/64/a^2*(a*g+11*b*c)*x^5+113/384/a*e*x^3+1/32/a*d*x^2-1/128*(7*a*g-51*b*c)/a/b*x-1/12/b*f)/(b*x^4+a)^3+7/512/a^3/b*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*g+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+7/512/a^3/b*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*g+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+7/1024/a^3/b*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*g+77/1024*(a/b)^(1/4)*2^(1/2)/a^4*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+5/32/(a*b)^(1/2)/a^3*d*arctan((1/a*b)^(1/2)*x^2)+15/1024/a^3*e/b/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+15/512/a^3*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+15/512/(a/b)^(1/4)*2^(1/2)/a^3/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.12, size = 472, normalized size = 1.08

$$\frac{45 b^2 c x^{11} + 60 b^2 d x^{10} + 126 a b^2 c x^9 + 160 a b^2 d x^8 + 7 (11 b^3 c + a b^2 g) x^7 + 113 a^2 b^3 c x^6 + 132 a^2 b^3 d x^5 + 18 (11 a b^2 c + a^2 b g) x^4 - 32 a^3 f + 3 (51 a^2 b^3 c - 7 a^3 g) x}{384 (b^3 x^4 + a)^3} + \frac{7 (b^3)^{1/4} \sqrt{2} \arctan\left(\frac{\sqrt{2}}{2}\right)}{512 a^3} + \frac{7 (b^3)^{1/4} \sqrt{2} \ln\left(\frac{(b^3)^{1/4} \sqrt{2} + \sqrt{2}}{(b^3)^{1/4} \sqrt{2} - \sqrt{2}}\right)}{1024 a^3} + \frac{77 (b^3)^{1/4} \sqrt{2} \arctan\left(\frac{\sqrt{2}}{2}\right)}{512 a^3} + \frac{77 (b^3)^{1/4} \sqrt{2} \ln\left(\frac{(b^3)^{1/4} \sqrt{2} + \sqrt{2}}{(b^3)^{1/4} \sqrt{2} - \sqrt{2}}\right)}{1024 a^3} + \frac{198 a^2 b^3 d x^{10} + 77 a^2 b^3 c x^9 + 7 a^2 b^2 g x^9 + 126 a^2 b^2 x^7 e + 160 a^2 b^2 d x^6 + 198 a^2 b^2 c x^5 + 18 a^2 b g x^5 + 113 a^2 b x^3 e + 132 a^2 b d x^2 + 153 a^2 b c x - 21 a^3 g x - 32 a^3 f}{(b^3 x^4 + a)^3 a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out] 1/384*(45*b^3*e*x^11 + 60*b^3*d*x^10 + 126*a*b^2*e*x^7 + 160*a*b^2*d*x^6 + 7*(11*b^3*c + a*b^2*g)*x^9 + 113*a^2*b*e*x^3 + 132*a^2*b*d*x^2 + 18*(11*a*b^2*c + a^2*b*g)*x^5 - 32*a^3*f + 3*(51*a^2*b*c - 7*a^3*g)*x)/(a^3*b^4*x^12 + 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 + a^6*b) + 1/1024*(sqrt(2)*(77*b^(3/2)*c - 15*sqrt(a)*b*e + 7*a*sqrt(b)*g)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(77*b^(3/2)*c - 15*sqrt(a)*b*e + 7*a*sqrt(b)*g)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)

$$\begin{aligned} &) * b^{(3/4)} + 2 * (77 * \sqrt{2} * a^{(1/4)} * b^{(7/4)} * c + 15 * \sqrt{2} * a^{(3/4)} * b^{(5/4)} * e \\ & + 7 * \sqrt{2} * a^{(5/4)} * b^{(3/4)} * g - 80 * \sqrt{a} * b^{(3/2)} * d) * \arctan(1/2 * \sqrt{2} * (\\ & 2 * \sqrt{b} * x + \sqrt{2} * a^{(1/4)} * b^{(1/4)}) / \sqrt{\sqrt{a} * \sqrt{b}}) / (a^{(3/4)} * \sqrt{ \\ & \sqrt{a} * \sqrt{b}}) * b^{(3/4)} + 2 * (77 * \sqrt{2} * a^{(1/4)} * b^{(7/4)} * c + 15 * \sqrt{2} * a \\ & ^{(3/4)} * b^{(5/4)} * e + 7 * \sqrt{2} * a^{(5/4)} * b^{(3/4)} * g + 80 * \sqrt{a} * b^{(3/2)} * d) * \arct \\ & \arctan(1/2 * \sqrt{2} * (2 * \sqrt{b} * x - \sqrt{2} * a^{(1/4)} * b^{(1/4)}) / \sqrt{\sqrt{a} * \sqrt{b}}) \\ &) / (a^{(3/4)} * \sqrt{\sqrt{a} * \sqrt{b}}) * b^{(3/4)} / (a^3 * b) \end{aligned}$$

mupad [B] time = 5.56, size = 1053, normalized size = 2.41

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^4, x)$

[Out] $\text{symsum}(\log(-\text{root}(68719476736*a^{15}*b^5*z^4 + 1211105280*a^8*b^4*c*e*z^2 + 10100480*a^9*b^3*e*g*z^2 + 838860800*a^8*b^4*d^2*z^2 - 88309760*a^5*b^3*c*d *g*z - 485703680*a^4*b^4*c^2*d*z - 4014080*a^6*b^2*d*g^2*z + 18432000*a^5*b ^3*d*e^2*z - 672000*a^2*b^2*d^2*e*g + 485100*a^2*b^2*c*e^2*g - 7392000*a*b^ 3*c*d^2*e + 12782924*a*b^3*c^3*g + 105644*a^3*b*c*g^3 + 1743126*a^2*b^2*c^2 *g^2 + 22050*a^3*b*e^2*g^2 + 2668050*a*b^3*c^2*e^2 + 50625*a^2*b^2*e^4 + 25 60000*a*b^3*d^4 + 2401*a^4*g^4 + 35153041*b^4*c^4, z, k) * (\text{root}(68719476736* a^{15}*b^5*z^4 + 1211105280*a^8*b^4*c*e*z^2 + 110100480*a^9*b^3*e*g*z^2 + 838 860800*a^8*b^4*d^2*z^2 - 88309760*a^5*b^3*c*d*g*z - 485703680*a^4*b^4*c^2*d *z - 4014080*a^6*b^2*d*g^2*z + 18432000*a^5*b^3*d*e^2*z - 672000*a^2*b^2*d^ 2*e*g + 485100*a^2*b^2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3 *g + 105644*a^3*b*c*g^3 + 1743126*a^2*b^2*c^2*g^2 + 22050*a^3*b*e^2*g^2 + 2 668050*a*b^3*c^2*e^2 + 50625*a^2*b^2*e^4 + 2560000*a*b^3*d^4 + 2401*a^4*g^4 + 35153041*b^4*c^4, z, k) * ((20185088*a^7*b^3*c + 1835008*a^8*b^2*g) / (20971 52*a^9) - (5*b^3*d*x) / a^2) + (x * (1568*a^5*b*g^2 + 189728*a^3*b^3*c^2 - 7200 *a^4*b^2*e^2 + 34496*a^4*b^2*c*g) / (131072*a^9) + (75*b^2*d*e) / (256*a^5)) - (88935*b^2*c^2*e - 123200*b^2*c*d^2 + 735*a^2*e*g^2 + 3375*a*b*e^3 - 11200 *a*b*d^2*g + 16170*a*b*c*e*g) / (2097152*a^9) - (x * (5775*b^2*c*d*e - 4000*b^2 *d^3 + 525*a*b*d*e*g) / (131072*a^9)) * \text{root}(68719476736*a^{15}*b^5*z^4 + 121110 5280*a^8*b^4*c*e*z^2 + 110100480*a^9*b^3*e*g*z^2 + 838860800*a^8*b^4*d^2*z^ 2 - 88309760*a^5*b^3*c*d*g*z - 485703680*a^4*b^4*c^2*d*z - 4014080*a^6*b^2* d*g^2*z + 18432000*a^5*b^3*d*e^2*z - 672000*a^2*b^2*d^2*e*g + 485100*a^2*b^ 2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3*g + 105644*a^3*b*c*g ^3 + 1743126*a^2*b^2*c^2*g^2 + 22050*a^3*b*e^2*g^2 + 2668050*a*b^3*c^2*e^2 + 50625*a^2*b^2*e^4 + 2560000*a*b^3*d^4 + 2401*a^4*g^4 + 35153041*b^4*c^4, z, k), k, 1, 4) + ((11*d*x^2) / (32*a) - f / (12*b) + (113*e*x^3) / (384*a) + (3* x^5 * (11*b*c + a*g)) / (64*a^2) + (7*b*x^9 * (11*b*c + a*g)) / (384*a^3) + (x * (51* b*c - 7*a*g)) / (128*a*b) + (5*b^2*d*x^10) / (32*a^3) + (15*b^2*e*x^11) / (128*a^ 3) + (5*b*d*x^6) / (12*a^2) + (21*b*e*x^7) / (64*a^2)) / (a^3 + b^3*x^12 + 3*a^2* b*x^4 + 3*a*b^2*x^8)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x)

[Out] Timed out

$$3.132 \quad \int \frac{(1-x^4)^3}{(1+x+x^2+x^3)^3} dx$$

Optimal. Leaf size=11

$$-\frac{1}{4}(1-x)^4$$

Rubi [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1586, 32}

$$-\frac{1}{4}(1-x)^4$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)^3/(1 + x + x^2 + x^3)^3,x]

[Out] -(1 - x)^4/4

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{(1-x^4)^3}{(1+x+x^2+x^3)^3} dx &= \int (1-x)^3 dx \\ &= -\frac{1}{4}(1-x)^4 \end{aligned}$$

Mathematica [A] time = 0.00, size = 9, normalized size = 0.82

$$-\frac{1}{4}(x-1)^4$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)^3/(1 + x + x^2 + x^3)^3,x]

[Out] -1/4*(-1 + x)^4

IntegrateAlgebraic [A] time = 0.03, size = 9, normalized size = 0.82

$$-\frac{1}{4}(x-1)^4$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1 - x^4)^3/(1 + x + x^2 + x^3)^3,x]

[Out] -1/4*(-1 + x)^4

fricas [B] time = 0.40, size = 15, normalized size = 1.36

$$-\frac{1}{4}x^4 + x^3 - \frac{3}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^3/(x^3+x^2+x+1)^3,x, algorithm="fricas")

[Out] -1/4*x^4 + x^3 - 3/2*x^2 + x

giac [B] time = 0.24, size = 15, normalized size = 1.36

$$-\frac{1}{4}x^4 + x^3 - \frac{3}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^3/(x^3+x^2+x+1)^3,x, algorithm="giac")

[Out] -1/4*x^4 + x^3 - 3/2*x^2 + x

maple [A] time = 0.05, size = 8, normalized size = 0.73

$$-\frac{(x-1)^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)^3/(x^3+x^2+x+1)^3,x)

[Out] -1/4*(x-1)^4

maxima [B] time = 1.29, size = 15, normalized size = 1.36

$$-\frac{1}{4}x^4 + x^3 - \frac{3}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^3/(x^3+x^2+x+1)^3,x, algorithm="maxima")

[Out] -1/4*x^4 + x^3 - 3/2*x^2 + x

mupad [B] time = 0.03, size = 15, normalized size = 1.36

$$-\frac{x^4}{4} + x^3 - \frac{3x^2}{2} + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)^3/(x + x^2 + x^3 + 1)^3,x)

[Out] x - (3*x^2)/2 + x^3 - x^4/4

sympy [B] time = 0.09, size = 15, normalized size = 1.36

$$-\frac{x^4}{4} + x^3 - \frac{3x^2}{2} + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**4+1)**3/(x**3+x**2+x+1)**3,x)

[Out] -x**4/4 + x**3 - 3*x**2/2 + x

$$3.133 \quad \int \frac{(1-x^4)^2}{(1+x+x^2+x^3)^2} dx$$

Optimal. Leaf size=11

$$-\frac{1}{3}(1-x)^3$$

Rubi [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1586, 32}

$$-\frac{1}{3}(1-x)^3$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)^2/(1 + x + x^2 + x^3)^2,x]

[Out] -(1 - x)^3/3

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] :> Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{(1-x^4)^2}{(1+x+x^2+x^3)^2} dx &= \int (1-x)^2 dx \\ &= -\frac{1}{3}(1-x)^3 \end{aligned}$$

Mathematica [A] time = 0.00, size = 14, normalized size = 1.27

$$\frac{x^3}{3} - x^2 + x$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)^2/(1 + x + x^2 + x^3)^2,x]

[Out] x - x^2 + x^3/3

IntegrateAlgebraic [A] time = 0.02, size = 9, normalized size = 0.82

$$\frac{1}{3}(x-1)^3$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1 - x^4)^2/(1 + x + x^2 + x^3)^2,x]

[Out] (-1 + x)^3/3

fricas [A] time = 0.40, size = 12, normalized size = 1.09

$$\frac{1}{3}x^3 - x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^2/(x^3+x^2+x+1)^2,x, algorithm="fricas")

[Out] 1/3*x^3 - x^2 + x

giac [A] time = 0.16, size = 12, normalized size = 1.09

$$\frac{1}{3}x^3 - x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^2/(x^3+x^2+x+1)^2,x, algorithm="giac")

[Out] 1/3*x^3 - x^2 + x

maple [A] time = 0.04, size = 8, normalized size = 0.73

$$\frac{(x-1)^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)^2/(x^3+x^2+x+1)^2,x)

[Out] 1/3*(x-1)^3

maxima [A] time = 1.29, size = 12, normalized size = 1.09

$$\frac{1}{3}x^3 - x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^2/(x^3+x^2+x+1)^2,x, algorithm="maxima")

[Out] 1/3*x^3 - x^2 + x

mupad [B] time = 0.02, size = 11, normalized size = 1.00

$$\frac{x(x^2 - 3x + 3)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 - 1)^2/(x + x^2 + x^3 + 1)^2,x)

[Out] (x*(x^2 - 3*x + 3))/3

sympy [A] time = 0.08, size = 8, normalized size = 0.73

$$\frac{x^3}{3} - x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**4+1)**2/(x**3+x**2+x+1)**2,x)

[Out] x**3/3 - x**2 + x

$$3.134 \quad \int \frac{1-x^4}{1+x+x^2+x^3} dx$$

Optimal. Leaf size=9

$$x - \frac{x^2}{2}$$

Rubi [A] time = 0.01, antiderivative size = 9, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1586}

$$x - \frac{x^2}{2}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 + x + x^2 + x^3), x]

[Out] x - x^2/2

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{1-x^4}{1+x+x^2+x^3} dx &= \int (1-x) dx \\ &= x - \frac{x^2}{2} \end{aligned}$$

Mathematica [A] time = 0.00, size = 9, normalized size = 1.00

$$x - \frac{x^2}{2}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 + x + x^2 + x^3), x]

[Out] x - x^2/2

IntegrateAlgebraic [A] time = 0.02, size = 11, normalized size = 1.22

$$-\frac{1}{2}(1-x)^2$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1 - x^4)/(1 + x + x^2 + x^3), x]

[Out] -1/2*(1 - x)^2

fricas [A] time = 0.41, size = 7, normalized size = 0.78

$$-\frac{1}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^3+x^2+x+1), x, algorithm="fricas")

[Out] -1/2*x^2 + x

giac [A] time = 0.15, size = 7, normalized size = 0.78

$$-\frac{1}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^3+x^2+x+1), x, algorithm="giac")

[Out] -1/2*x^2 + x

maple [A] time = 0.04, size = 8, normalized size = 0.89

$$-\frac{1}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^3+x^2+x+1), x)

[Out] x-1/2*x^2

maxima [A] time = 1.29, size = 7, normalized size = 0.78

$$-\frac{1}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^3+x^2+x+1),x, algorithm="maxima")

[Out] -1/2*x^2 + x

mupad [B] time = 0.02, size = 6, normalized size = 0.67

$$-\frac{x(x-2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)/(x + x^2 + x^3 + 1),x)

[Out] -(x*(x - 2))/2

sympy [A] time = 0.07, size = 5, normalized size = 0.56

$$-\frac{x^2}{2} + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**4+1)/(x**3+x**2+x+1),x)

[Out] -x**2/2 + x

$$3.135 \quad \int \frac{1+x+x^2+x^3}{1-x^4} dx$$

Optimal. Leaf size=8

$$-\log(1-x)$$

Rubi [A] time = 0.01, antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {1586, 31}

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)/(1 - x^4), x]

[Out] -Log[1 - x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(P(x_))^(p_.)*(Q(x_))^(q_.), x_Symbol] := Int[u*PolynomialQuotient[P(x), Q(x), x]^p*Q(x)^(p+q), x] /; FreeQ[q, x] && PolyQ[P(x), x] && PolyQ[Q(x), x] && EqQ[PolynomialRemainder[P(x), Q(x), x], 0] && IntegerQ[p] && LtQ[p+q, 0]

Rubi steps

$$\int \frac{1+x+x^2+x^3}{1-x^4} dx = \int \frac{1}{1-x} dx = -\log(1-x)$$

Mathematica [A] time = 0.00, size = 8, normalized size = 1.00

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)/(1 - x^4), x]

[Out] -Log[1 - x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1 + x + x^2 + x^3}{1 - x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 + x + x^2 + x^3)/(1 - x^4), x]

[Out] IntegrateAlgebraic[(1 + x + x^2 + x^3)/(1 - x^4), x]

fricas [A] time = 0.40, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-x^4+1), x, algorithm="fricas")

[Out] -log(x - 1)

giac [A] time = 0.17, size = 7, normalized size = 0.88

$$-\log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-x^4+1), x, algorithm="giac")

[Out] -log(abs(x - 1))

maple [A] time = 0.04, size = 7, normalized size = 0.88

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)/(-x^4+1), x)

[Out] -ln(x-1)

maxima [A] time = 1.37, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-x^4+1), x, algorithm="maxima")

[Out] $-\log(x - 1)$

mupad [B] time = 0.00, size = 6, normalized size = 0.75

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(-(x + x^2 + x^3 + 1)/(x^4 - 1), x)$

[Out] $-\log(x - 1)$

sympy [A] time = 0.07, size = 5, normalized size = 0.62

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((x**3+x**2+x+1)/(-x**4+1), x)$

[Out] $-\log(x - 1)$

$$3.136 \quad \int \frac{(1+x+x^2+x^3)^2}{(1-x^4)^2} dx$$

Optimal. Leaf size=7

$$\frac{1}{1-x}$$

Rubi [A] time = 0.02, antiderivative size = 7, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1586, 32}

$$\frac{1}{1-x}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)^2/(1 - x^4)^2,x]

[Out] (1 - x)^(-1)

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{(1+x+x^2+x^3)^2}{(1-x^4)^2} dx &= \int \frac{1}{(1-x)^2} dx \\ &= \frac{1}{1-x} \end{aligned}$$

Mathematica [A] time = 0.00, size = 7, normalized size = 1.00

$$-\frac{1}{x-1}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)^2/(1 - x^4)^2,x]

[Out] -(-1 + x)^(-1)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(1 + x + x^2 + x^3)^2}{(1 - x^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 + x + x^2 + x^3)^2/(1 - x^4)^2,x]

[Out] IntegrateAlgebraic[(1 + x + x^2 + x^3)^2/(1 - x^4)^2, x]

fricas [A] time = 0.40, size = 7, normalized size = 1.00

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^2/(-x^4+1)^2,x, algorithm="fricas")

[Out] -1/(x - 1)

giac [A] time = 0.21, size = 7, normalized size = 1.00

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^2/(-x^4+1)^2,x, algorithm="giac")

[Out] -1/(x - 1)

maple [A] time = 0.04, size = 8, normalized size = 1.14

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)^2/(-x^4+1)^2,x)

[Out] $-1/(x-1)$

maxima [A] time = 1.30, size = 7, normalized size = 1.00

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^3+x^2+x+1)^2/(-x^4+1)^2,x, algorithm="maxima")`

[Out] $-1/(x - 1)$

mupad [B] time = 0.03, size = 7, normalized size = 1.00

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x + x^2 + x^3 + 1)^2/(x^4 - 1)^2,x)`

[Out] $-1/(x - 1)$

sympy [A] time = 0.11, size = 5, normalized size = 0.71

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**3+x**2+x+1)**2/(-x**4+1)**2,x)`

[Out] $-1/(x - 1)$

$$3.137 \quad \int \frac{(1+x+x^2+x^3)^3}{(1-x^4)^3} dx$$

Optimal. Leaf size=11

$$\frac{1}{2(1-x)^2}$$

Rubi [A] time = 0.02, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1586, 32}

$$\frac{1}{2(1-x)^2}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)^3/(1 - x^4)^3,x]

[Out] 1/(2*(1 - x)^2)

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] :> Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{(1+x+x^2+x^3)^3}{(1-x^4)^3} dx = \int \frac{1}{(1-x)^3} dx$$

$$= \frac{1}{2(1-x)^2}$$

Mathematica [A] time = 0.00, size = 9, normalized size = 0.82

$$\frac{1}{2(x-1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)^3/(1 - x^4)^3,x]

[Out] 1/(2*(-1 + x)^2)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(1 + x + x^2 + x^3)^3}{(1 - x^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 + x + x^2 + x^3)^3/(1 - x^4)^3,x]

[Out] IntegrateAlgebraic[(1 + x + x^2 + x^3)^3/(1 - x^4)^3, x]

fricas [A] time = 0.40, size = 12, normalized size = 1.09

$$\frac{1}{2(x^2 - 2x + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^3/(-x^4+1)^3,x, algorithm="fricas")

[Out] 1/2/(x^2 - 2*x + 1)

giac [A] time = 0.16, size = 7, normalized size = 0.64

$$\frac{1}{2(x - 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^3/(-x^4+1)^3,x, algorithm="giac")

[Out] 1/2/(x - 1)^2

maple [A] time = 0.04, size = 8, normalized size = 0.73

$$\frac{1}{2(x - 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)^3/(-x^4+1)^3,x)

[Out] $1/2/(x-1)^2$

maxima [A] time = 1.30, size = 12, normalized size = 1.09

$$\frac{1}{2(x^2 - 2x + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^3+x^2+x+1)^3/(-x^4+1)^3,x, algorithm="maxima")`

[Out] $1/2/(x^2 - 2*x + 1)$

mupad [B] time = 4.84, size = 7, normalized size = 0.64

$$\frac{1}{2(x-1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x + x^2 + x^3 + 1)^3/(x^4 - 1)^3,x)`

[Out] $1/(2*(x - 1)^2)$

sympy [A] time = 0.21, size = 10, normalized size = 0.91

$$\frac{1}{2x^2 - 4x + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**3+x**2+x+1)**3/(-x**4+1)**3,x)`

[Out] $1/(2*x**2 - 4*x + 2)$

$$3.138 \quad \int \frac{(1+x+x^2+x^3)^4}{(1-x^4)^4} dx$$

Optimal. Leaf size=11

$$\frac{1}{3(1-x)^3}$$

Rubi [A] time = 0.02, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1586, 32}

$$\frac{1}{3(1-x)^3}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)^4/(1 - x^4)^4,x]

[Out] 1/(3*(1 - x)^3)

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{(1+x+x^2+x^3)^4}{(1-x^4)^4} dx = \int \frac{1}{(1-x)^4} dx$$

$$= \frac{1}{3(1-x)^3}$$

Mathematica [A] time = 0.00, size = 9, normalized size = 0.82

$$-\frac{1}{3(x-1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)^4/(1 - x^4)^4,x]

[Out] -1/3*1/(-1 + x)^3

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(1 + x + x^2 + x^3)^4}{(1 - x^4)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 + x + x^2 + x^3)^4/(1 - x^4)^4,x]

[Out] IntegrateAlgebraic[(1 + x + x^2 + x^3)^4/(1 - x^4)^4, x]

fricas [B] time = 0.39, size = 17, normalized size = 1.55

$$-\frac{1}{3(x^3 - 3x^2 + 3x - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^4/(-x^4+1)^4,x, algorithm="fricas")

[Out] -1/3/(x^3 - 3*x^2 + 3*x - 1)

giac [A] time = 0.16, size = 7, normalized size = 0.64

$$-\frac{1}{3(x-1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^4/(-x^4+1)^4,x, algorithm="giac")

[Out] -1/3/(x - 1)^3

maple [A] time = 0.04, size = 8, normalized size = 0.73

$$-\frac{1}{3(x-1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)^4/(-x^4+1)^4,x)

[Out] $-1/3/(x-1)^3$

maxima [B] time = 1.32, size = 17, normalized size = 1.55

$$-\frac{1}{3(x^3 - 3x^2 + 3x - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^3+x^2+x+1)^4/(-x^4+1)^4,x, algorithm="maxima")`

[Out] $-1/3/(x^3 - 3x^2 + 3x - 1)$

mupad [B] time = 4.81, size = 7, normalized size = 0.64

$$-\frac{1}{3(x-1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x + x^2 + x^3 + 1)^4/(x^4 - 1)^4,x)`

[Out] $-1/(3*(x - 1)^3)$

sympy [B] time = 0.15, size = 17, normalized size = 1.55

$$-\frac{1}{3x^3 - 9x^2 + 9x - 3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**3+x**2+x+1)**4/(-x**4+1)**4,x)`

[Out] $-1/(3*x**3 - 9*x**2 + 9*x - 3)$

$$3.139 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a-bx^4} dx$$

Optimal. Leaf size=165

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{f\log(a-bx^4)}{4b}$$

Rubi [A] time = 0.26, antiderivative size = 165, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1885, 1887, 1167, 205, 208, 1819, 1810, 635, 260}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{f\log(a-bx^4)}{4b} - \frac{gx}{b} - \frac{hx^2}{2b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4), x]

[Out] -((g*x)/b) - (h*x^2)/(2*b) + ((b*c - Sqrt[a]*Sqrt[b]*e + a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(2*a^(3/4)*b^(5/4)) + ((b*c + Sqrt[a]*Sqrt[b]*e + a*g)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(2*a^(3/4)*b^(5/4)) + ((b*d + a*h)*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*b^(3/2)) - (f*Log[a - b*x^4])/(4*b)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1810

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*
(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rule 1819

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Dist[1/(m
+ 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p
, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[
Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]* (a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{a - bx^4} dx &= \int \left(\frac{c + ex^2 + gx^4}{a - bx^4} + \frac{x(d + fx^2 + hx^4)}{a - bx^4} \right) dx \\
&= \int \frac{c + ex^2 + gx^4}{a - bx^4} dx + \int \frac{x(d + fx^2 + hx^4)}{a - bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2}{a - bx^2} dx, x, x^2 \right) + \int \left(-\frac{g}{b} + \frac{bc + ag + bex^2}{b(a - bx^4)} \right) dx \\
&= -\frac{gx}{b} + \frac{1}{2} \text{Subst} \left(\int \left(-\frac{h}{b} + \frac{bd + ah + bfx}{b(a - bx^2)} \right) dx, x, x^2 \right) + \frac{\int \frac{bc + ag + bex^2}{a - bx^4} dx}{b} \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} + \frac{\text{Subst} \left(\int \frac{bd + ah + bfx}{a - bx^2} dx, x, x^2 \right)}{2b} + \frac{1}{2} \left(e - \frac{bc + ag}{\sqrt{a}\sqrt{b}} \right) \int \frac{1}{-\sqrt{a}} dx \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} + \frac{(bc - \sqrt{a}\sqrt{b}e + ag) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{5/4}} + \frac{(bc + \sqrt{a}\sqrt{b}e + ag)}{2a^{3/4}b^{5/4}} \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} + \frac{(bc - \sqrt{a}\sqrt{b}e + ag) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{5/4}} + \frac{(bc + \sqrt{a}\sqrt{b}e + ag)}{2a^{3/4}b^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 256, normalized size = 1.55

$$\frac{-\log(\sqrt{a} - \sqrt{b}x)(a^{3/4}h + \sqrt{a}b^{3/4}e + \sqrt{a}bd + a\sqrt{b}g + b^{5/4}c) + \log(\sqrt{a} + \sqrt{b}x)(a^{5/4}(-h) + \sqrt{a}b^{3/4}e - \sqrt{a}bd + a\sqrt{b}g + b^{5/4}c) - a^{3/4}\sqrt{b}f \log(a - bx^4) - 4a^{3/4}\sqrt{b}gx - 2a^{3/4}\sqrt{b}hx^2 + 2\sqrt{b} \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-\sqrt{a}\sqrt{b}e + ag + bc) + \sqrt{a}(ah + bd) \log(\sqrt{a} + \sqrt{b}x^2)}{4a^{3/4}b^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4), x]

[Out] $(-4a^{3/4}\sqrt{b}gx - 2a^{3/4}\sqrt{b}hx^2 + 2b^{1/4}(bc - \sqrt{a}\sqrt{b}e + ag) \text{ArcTan}[(b^{1/4}x)/a^{1/4}] - (b^{5/4}c + a^{1/4}bd + \sqrt{a}b^{3/4}e + a^{1/4}g + a^{5/4}h) \text{Log}[a^{1/4} - b^{1/4}x] + (b^{5/4}c - a^{1/4}bd + \sqrt{a}b^{3/4}e + a^{1/4}g - a^{5/4}h) \text{Log}[a^{1/4} + b^{1/4}x] + a^{1/4}(bd + ah) \text{Log}[\sqrt{a} + \sqrt{b}x^2] - a^{3/4}\sqrt{b}f \text{Log}[a - b^2x^4]) / (4a^{3/4}b^{5/2})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{a - bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4),x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.20, size = 342, normalized size = 2.07

$$\frac{\sqrt{2}(\sqrt{2c+abg}-\sqrt{2}(-ab)^{\frac{1}{4}}bd-\sqrt{2}(-ab)^{\frac{1}{4}}ah+\sqrt{-ab}be)\arctan\left(\frac{\sqrt{2}(\sqrt{2c+abg}-\sqrt{2}(-ab)^{\frac{1}{4}}bd-\sqrt{2}(-ab)^{\frac{1}{4}}ah+\sqrt{-ab}be)}{2(-b)^{\frac{1}{4}}}\right)}{4(-ab)^{\frac{1}{4}}}-\frac{\sqrt{2}(\sqrt{2c+abg}+\sqrt{2}(-ab)^{\frac{1}{4}}bd+\sqrt{2}(-ab)^{\frac{1}{4}}ah-\sqrt{-ab}be)\arctan\left(\frac{\sqrt{2}(\sqrt{2c+abg}+\sqrt{2}(-ab)^{\frac{1}{4}}bd+\sqrt{2}(-ab)^{\frac{1}{4}}ah-\sqrt{-ab}be)}{2(-b)^{\frac{1}{4}}}\right)}{4(-ab)^{\frac{1}{4}}}-\frac{\sqrt{2}(\sqrt{2c+abg}-\sqrt{-ab}be)\log\left(x^2+\sqrt{2}x(-\frac{1}{b})^{\frac{1}{4}}+\sqrt{\frac{c}{b}}\right)}{8(-ab)^{\frac{1}{4}}}-\frac{\sqrt{2}(\sqrt{2c+abg}+\sqrt{-ab}be)\log\left(x^2-\sqrt{2}x(-\frac{1}{b})^{\frac{1}{4}}+\sqrt{\frac{c}{b}}\right)}{8(-ab)^{\frac{1}{4}}}-\frac{f\log(|bx^4-a|)}{4b}-\frac{hx^2+2bgx}{2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="giac")

[Out]
$$-1/4*\sqrt{2}*(b^2*c + a*b*g - \sqrt{2}*(-a*b^3)^{(1/4)}*b*d - \sqrt{2}*(-a*b^3)^{(1/4)}*a*h + \sqrt{2}*(-a*b)^*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(-a*b^3)^{(3/4)} - 1/4*\sqrt{2}*(b^2*c + a*b*g + \sqrt{2}*(-a*b^3)^{(1/4)}*b*d + \sqrt{2}*(-a*b^3)^{(1/4)}*a*h - \sqrt{2}*(-a*b)^*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(-a*b^3)^{(3/4)} - 1/8*\sqrt{2}*(b^2*c + a*b*g - \sqrt{2}*(-a*b)^*b*e)*\log(x^2 + \sqrt{2}*(-a/b)^{(1/4)} + \sqrt{2}*(-a/b))/(-a*b^3)^{(3/4)} + 1/8*\sqrt{2}*(b^2*c + a*b*g - \sqrt{2}*(-a*b)^*b*e)*\log(x^2 - \sqrt{2}*(-a/b)^{(1/4)} + \sqrt{2}*(-a/b))/(-a*b^3)^{(3/4)} - 1/4*f*\log(\text{abs}(b*x^4 - a))/b - 1/2*(b*h*x^2 + 2*b*g*x)/b^2$$

maple [B] time = 0.05, size = 296, normalized size = 1.79

$$\frac{ah\ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{4\sqrt{ab}b} - \frac{hx^2}{2b} - \frac{d\ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{4\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}c\arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}c\ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a} - \frac{e\arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}b} + \frac{e\ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}}b} - \frac{f\ln(bx^4-a)}{4b} - \frac{gx}{b} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}g\arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2b} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}g\ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x)

[Out]
$$-1/2*h*x^2/b-1/b*g*x+1/2*(a/b)^{(1/4)}/b*g*\arctan(1/(a/b)^{(1/4)}*x)+1/2*(a/b)^{(1/4)}/a*c*\arctan(1/(a/b)^{(1/4)}*x)+1/4*(a/b)^{(1/4)}/b*g*\ln((x+(a/b)^{(1/4)})/x)$$

$$-(a/b)^{(1/4)} + 1/4*(a/b)^{(1/4)}/a*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) - 1/4/b/(a*b)^{(1/2)}*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))*a*h-1/4/(a*b)^{(1/2)}*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-1/2/(a/b)^{(1/4)}/b*e*\arctan(1/(a/b)^{(1/4)}*x)+1/4/(a/b)^{(1/4)}/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) - 1/4/b*f*\ln(b*x^4-a)$$

maxima [A] time = 3.04, size = 222, normalized size = 1.35

$$-\frac{hx^2 + 2gx}{2b} + \frac{2\left(\frac{b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g\right)\arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right) + \left(\frac{b^{\frac{3}{2}}d - \sqrt{a}bf + a\sqrt{b}h\right)\log(\sqrt{b}x^2 + \sqrt{a}) - \left(\frac{b^{\frac{3}{2}}d + \sqrt{a}bf + a\sqrt{b}h\right)\log(\sqrt{b}x^2 - \sqrt{a}) - \left(\frac{b^{\frac{3}{2}}c + \sqrt{a}be + a\sqrt{b}g\right)\log\left(\frac{\sqrt{b}x - \sqrt{a}\sqrt{b}}{\sqrt{b}x + \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}}}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="maxima")

[Out] $-1/2*(h*x^2 + 2*g*x)/b + 1/4*(2*(b^{(3/2)}*c - \text{sqrt}(a)*b*e + a*\text{sqrt}(b)*g)*\arctan(\text{sqrt}(b)*x/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)) + (b^{(3/2)}*d - \text{sqrt}(a)*b*f + a*\text{sqrt}(b)*h)*\log(\text{sqrt}(b)*x^2 + \text{sqrt}(a))/(\text{sqrt}(a)*b) - (b^{(3/2)}*d + \text{sqrt}(a)*b*f + a*\text{sqrt}(b)*h)*\log(\text{sqrt}(b)*x^2 - \text{sqrt}(a))/(\text{sqrt}(a)*b) - (b^{(3/2)}*c + \text{sqrt}(a)*b*e + a*\text{sqrt}(b)*g)*\log((\text{sqrt}(b)*x - \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(b)*x + \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b))/b$

mupad [B] time = 5.54, size = 2478, normalized size = 15.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4),x)

[Out] $\text{symsum}(\log(-\text{root}(256*a^3*b^6*z^4 + 256*a^3*b^5*f*z^3 - 64*a^3*b^4*e*g*z^2 - 64*a^3*b^4*d*h*z^2 - 64*a^2*b^5*c*e*z^2 - 32*a^4*b^3*h^2*z^2 + 96*a^3*b^4*f^2*z^2 - 32*a^2*b^5*d^2*z^2 - 32*a^3*b^3*e*f*g*z - 32*a^3*b^3*d*f*h*z + 32*a^3*b^3*c*g*h*z - 32*a^2*b^4*c*e*f*z + 32*a^2*b^4*c*d*g*z + 16*a^4*b^2*g^2*h*z - 16*a^4*b^2*f*h^2*z + 16*a^3*b^3*e^2*h*z + 16*a^3*b^3*d*g^2*z + 16*a^2*b^4*c^2*h*z - 16*a^2*b^4*d^2*f*z + 16*a^2*b^4*d*e^2*z + 16*a*b^5*c^2*d*z + 16*a^3*b^3*f^3*z - 8*a^3*b^2*d*e*g*h + 8*a^3*b^2*c*f*g*h + 8*a^2*b^3*c*d*f*g - 8*a^2*b^3*c*d*e*h + 4*a^3*b^2*e^2*f*h - 4*a^3*b^2*e*f^2*g - 4*a^3*b^2*d*f^2*h + 4*a^3*b^2*d*f*g^2 + 4*a^2*b^3*c^2*f*h - 4*a^3*b^2*c*e*h^2 - 4*a^2*b^3*d^2*e*g + 4*a^2*b^3*d*e^2*f + 4*a^2*b^3*c*e^2*g - 4*a^2*b^3*c*e*f^2 + 4*a^4*b*f*g^2*h - 4*a^4*b*e*g*h^2 + 4*a*b^4*c^2*d*f - 4*a*b^4*c*d^2*e + 4*a^4*b*d*h^3 - 4*a*b^4*c^3*g + 6*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 - 6*a^2*b^3*c^2*g^2 - 2*a^2*b^3*d^2*f^2 - 2*a^4*b*f^2*h^2 + 4*a^2*b^3*d^3*h - 4*a^3*b^2*c*g^3 + 2*a*b^4*c^2*e^2 + a^3*b^2*f^4 + a*b^4*d^4 + a^5*h^4 - a^2*b^3*e^4 - a^4*b*g^4 - b^5*c^4, z, k)*((8*a*b^3*c*f - 8*a*b^3*d*e - 8*a^2*b^2*e*h + 8*a^2*b^2*f*g)/b + \text{root}(256*a^3*b^6*z^4 + 256*a^3*b^5*f*z^3 - 64*a^3*$

$$\begin{aligned}
& b^4 e g z^2 - 64 a^3 b^4 d h z^2 - 64 a^2 b^5 c e z^2 - 32 a^4 b^3 h^2 z^2 \\
& + 96 a^3 b^4 f^2 z^2 - 32 a^2 b^5 d^2 z^2 - 32 a^3 b^3 e f g z - 32 a^3 b^3 \\
& * d f h z + 32 a^3 b^3 c g h z - 32 a^2 b^4 c e f z + 32 a^2 b^4 c d g z + 1 \\
& 6 a^4 b^2 g^2 h z - 16 a^4 b^2 f h^2 z + 16 a^3 b^3 e^2 h z + 16 a^3 b^3 d * \\
& g^2 z + 16 a^2 b^4 c^2 h z - 16 a^2 b^4 d^2 f z + 16 a^2 b^4 d e^2 z + 16 a \\
& * b^5 c^2 d z + 16 a^3 b^3 f^3 z - 8 a^3 b^2 d e g h + 8 a^3 b^2 c f g h + 8 \\
& * a^2 b^3 c d f g - 8 a^2 b^3 c d e h + 4 a^3 b^2 e^2 f h - 4 a^3 b^2 e f^2 * \\
& g - 4 a^3 b^2 d f^2 h + 4 a^3 b^2 d f g^2 + 4 a^2 b^3 c^2 f h - 4 a^3 b^2 c \\
& * e h^2 - 4 a^2 b^3 d^2 e g + 4 a^2 b^3 d e^2 f + 4 a^2 b^3 c e^2 g - 4 a^2 * \\
& b^3 c e f^2 + 4 a^4 b f g^2 h - 4 a^4 b e g h^2 + 4 a b^4 c^2 d f - 4 a b^4 \\
& * c d^2 e + 4 a^4 b d h^3 - 4 a b^4 c^3 g + 6 a^3 b^2 d^2 h^2 + 2 a^3 b^2 e^ \\
& 2 g^2 - 6 a^2 b^3 c^2 g^2 - 2 a^2 b^3 d^2 f^2 - 2 a^4 b f^2 h^2 + 4 a^2 b^3 \\
& * d^3 h - 4 a^3 b^2 c g^3 + 2 a b^4 c^2 e^2 + a^3 b^2 f^4 + a b^4 d^4 + a^5 * \\
& h^4 - a^2 b^3 e^4 - a^4 b g^4 - b^5 c^4, z, k) * ((16 a^2 b^3 g + 16 a b^4 c) \\
& / b - (x * (16 a^2 b^3 h + 16 a b^4 d)) / b) + (x * (4 b^4 c^2 + 4 a b^3 e^2 + 4 a \\
& ^2 b^2 g^2 + 8 a b^3 c g - 8 a b^3 d f - 8 a^2 b^2 f h)) / b) - (a b^2 e^3 + \\
& b^3 c d^2 - b^3 c^2 e + a^3 g h^2 + a b^2 c f^2 + a b^2 d^2 g + a^2 b c h^2 \\
& - a^2 b e g^2 + a^2 b f^2 g + 2 a b^2 c d h - 2 a b^2 c e g - 2 a b^2 d e * \\
& f + 2 a^2 b d g h - 2 a^2 b e f h) / b - (x * (b^3 d^3 + a^3 h^3 + b^3 c^2 f - \\
& 2 b^3 c d e - a b^2 d f^2 + a b^2 e^2 f + 3 a b^2 d^2 h + 3 a^2 b d h^2 + a \\
& ^2 b f g^2 - a^2 b f^2 h - 2 a b^2 c e h + 2 a b^2 c f g - 2 a b^2 d e g - \\
& 2 a^2 b e g h)) / b) * \text{root}(256 a^3 b^6 z^4 + 256 a^3 b^5 f z^3 - 64 a^3 b^4 e * \\
& g z^2 - 64 a^3 b^4 d h z^2 - 64 a^2 b^5 c e z^2 - 32 a^4 b^3 h^2 z^2 + 96 a \\
& ^3 b^4 f^2 z^2 - 32 a^2 b^5 d^2 z^2 - 32 a^3 b^3 e f g z - 32 a^3 b^3 d f h \\
& * z + 32 a^3 b^3 c g h z - 32 a^2 b^4 c e f z + 32 a^2 b^4 c d g z + 16 a^4 * \\
& b^2 g^2 h z - 16 a^4 b^2 f h^2 z + 16 a^3 b^3 e^2 h z + 16 a^3 b^3 d g^2 z \\
& + 16 a^2 b^4 c^2 h z - 16 a^2 b^4 d^2 f z + 16 a^2 b^4 d e^2 z + 16 a b^5 c \\
& ^2 d z + 16 a^3 b^3 f^3 z - 8 a^3 b^2 d e g h + 8 a^3 b^2 c f g h + 8 a^2 b \\
& ^3 c d f g - 8 a^2 b^3 c d e h + 4 a^3 b^2 e^2 f h - 4 a^3 b^2 e f^2 g - 4 * \\
& a^3 b^2 d f^2 h + 4 a^3 b^2 d f g^2 + 4 a^2 b^3 c^2 f h - 4 a^3 b^2 c e h^2 \\
& - 4 a^2 b^3 d^2 e g + 4 a^2 b^3 d e^2 f + 4 a^2 b^3 c e^2 g - 4 a^2 b^3 c * \\
& e f^2 + 4 a^4 b f g^2 h - 4 a^4 b e g h^2 + 4 a b^4 c^2 d f - 4 a b^4 c d^2 \\
& * e + 4 a^4 b d h^3 - 4 a b^4 c^3 g + 6 a^3 b^2 d^2 h^2 + 2 a^3 b^2 e^2 g^2 \\
& - 6 a^2 b^3 c^2 g^2 - 2 a^2 b^3 d^2 f^2 - 2 a^4 b f^2 h^2 + 4 a^2 b^3 d^3 h \\
& - 4 a^3 b^2 c g^3 + 2 a b^4 c^2 e^2 + a^3 b^2 f^4 + a b^4 d^4 + a^5 h^4 - \\
& a^2 b^3 e^4 - a^4 b g^4 - b^5 c^4, z, k), k, 1, 4) - (h x^2) / (2 b) - (g x) / \\
& b
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)

[Out] Timed out

$$3.140 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{a-bx^4} dx$$

Optimal. Leaf size=188

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(-\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{f\log(a-bx^4)}{4b}$$

Rubi [A] time = 0.33, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.220$, Rules used = {1885, 1819, 1810, 635, 208, 260, 1887, 1167, 205}

$$-\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(-\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{f\log(a-bx^4)}{4b} - \frac{gx}{b} - \frac{hx^2}{2b} - \frac{ix^3}{3b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4), x]

[Out] -((g*x)/b) - (h*x^2)/(2*b) - (i*x^3)/(3*b) - ((b*e - (Sqrt[b]*(b*c + a*g)))/Sqrt[a] + a*i)*ArcTan[(b^(1/4)*x)/a^(1/4)]/(2*a^(1/4)*b^(7/4)) + ((b*e + (Sqrt[b]*(b*c + a*g))/Sqrt[a] + a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)]/(2*a^(1/4)*b^(7/4)) + ((b*d + a*h)*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*b^(3/2)) - (f*Log[a - b*x^4])/(4*b)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] :> Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e

}, x] && !NiceSqrtQ[-(a*c)]

Rule 1167

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1810

Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rule 1819

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1885

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*((a + b*x^n)^p), {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rule 1887

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 140x^6}{a - bx^4} dx &= \int \left(\frac{x(d + fx^2 + hx^4)}{a - bx^4} + \frac{c + ex^2 + gx^4 + 140x^6}{a - bx^4} \right) dx \\
&= \int \frac{x(d + fx^2 + hx^4)}{a - bx^4} dx + \int \frac{c + ex^2 + gx^4 + 140x^6}{a - bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2}{a - bx^2} dx, x, x^2 \right) + \int \left(-\frac{g}{b} - \frac{140x^2}{b} + \frac{bc + a}{b} \right) dx \\
&= -\frac{gx}{b} - \frac{140x^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \left(-\frac{h}{b} + \frac{bd + ah + bfx}{b(a - bx^2)} \right) dx, x, x^2 \right) + \dots \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{140x^3}{3b} + \frac{\text{Subst} \left(\int \frac{bd + ah + bfx}{a - bx^2} dx, x, x^2 \right)}{2b} + \frac{(140a + bc)}{b} \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{140x^3}{3b} - \frac{\left(140a + be - \frac{\sqrt{b}(bc + ag)}{\sqrt{a}} \right) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt[4]{a}b^{7/4}} + \dots \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{140x^3}{3b} - \frac{\left(140a + be - \frac{\sqrt{b}(bc + ag)}{\sqrt{a}} \right) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt[4]{a}b^{7/4}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.55, size = 301, normalized size = 1.60

$$\frac{-\frac{3 \log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(a^{3/4}\sqrt[4]{b}h + a^{3/2}i + \sqrt[4]{a}b^{5/4}d + \sqrt{a}bc + a\sqrt[4]{b}g + b^{3/2}c\right)}{a^{3/4}} + \frac{3 \log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)\left(-a^{5/4}\sqrt[4]{b}h + a^{3/2}i - \sqrt[4]{a}b^{5/4}d + \sqrt{a}bc + a\sqrt[4]{b}g + b^{3/2}c\right)}{a^{3/4}} + \frac{6 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(a^{3/2}(-) - \sqrt{a}bc + a\sqrt[4]{b}g + b^{3/2}c\right)}{a^{3/4}} - 3b^{3/4}f \log(a - bx^4) + \frac{3\sqrt[4]{b}(ah + b)\log(\sqrt{a} + \sqrt{b}x^2)}{\sqrt{a}} - 12b^{3/4}gx - 6b^{3/4}hx^2 - 4b^{3/4}ix^3}{12b^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4), x]

[Out] (-12*b^(3/4)*g*x - 6*b^(3/4)*h*x^2 - 4*b^(3/4)*i*x^3 + (6*(b^(3/2)*c - Sqrt[a]*b*e + a*Sqrt[b]*g - a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)]/a^(3/4) - (3*(b^(3/2)*c + a^(1/4)*b^(5/4)*d + Sqrt[a]*b*e + a*Sqrt[b]*g + a^(5/4)*b^(1/4)*h + a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x])/a^(3/4) + (3*(b^(3/2)*c - a^(1/4)*b^(5/4)*d + Sqrt[a]*b*e + a*Sqrt[b]*g - a^(5/4)*b^(1/4)*h + a^(3/2)*i)*Log[a^(1/4) + b^(1/4)*x])/a^(3/4) + (3*b^(1/4)*(b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[a] - 3*b^(3/4)*f*Log[a - b*x^4])/(12*b^(7/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6}{a - bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 541, normalized size = 2.88

$$\frac{\frac{\sqrt{2} \sqrt{a}}{b^2} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{a}}{b^2}\right) + \frac{\sqrt{2} \sqrt{a}}{b^2} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{a}}{b^2}\right)}{b^2} + \frac{\sqrt{2} \sqrt{a}}{b^2} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{a}}{b^2}\right) + \frac{\sqrt{2} \sqrt{a}}{b^2} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{a}}{b^2}\right)}{b^2} + \frac{\sqrt{2} \sqrt{a}}{b^2} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{a}}{b^2}\right) + \frac{\sqrt{2} \sqrt{a}}{b^2} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{a}}{b^2}\right)}{b^2} + \frac{\sqrt{2} \sqrt{a}}{b^2} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{a}}{b^2}\right) + \frac{\sqrt{2} \sqrt{a}}{b^2} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{a}}{b^2}\right)}{b^2} + \frac{\sqrt{2} \sqrt{a}}{b^2} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{a}}{b^2}\right) + \frac{\sqrt{2} \sqrt{a}}{b^2} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{a}}{b^2}\right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="giac")

[Out] $\frac{1}{8}i \cdot (2\sqrt{2}) \cdot (-ab^3)^{3/4} \cdot \arctan\left(\frac{1}{2}\sqrt{2} \cdot (2x + \sqrt{2}) \cdot (-a/b)^{1/4}\right) / (-a/b)^{1/4} / b^4 - \sqrt{2} \cdot (-ab^3)^{3/4} \cdot \log(x^2 + \sqrt{2} \cdot x \cdot (-a/b)^{1/4} + \sqrt{-a/b}) / b^4 + \frac{1}{8}i \cdot (2\sqrt{2}) \cdot (-ab^3)^{3/4} \cdot \arctan\left(\frac{1}{2}\sqrt{2} \cdot (2x - \sqrt{2}) \cdot (-a/b)^{1/4}\right) / (-a/b)^{1/4} / b^4 + \sqrt{2} \cdot (-ab^3)^{3/4} \cdot \log(x^2 - \sqrt{2} \cdot x \cdot (-a/b)^{1/4} + \sqrt{-a/b}) / b^4 - \frac{1}{4}\sqrt{2} \cdot (b^2c + a \cdot b \cdot g - \sqrt{2} \cdot (-ab^3)^{1/4} \cdot b \cdot d - \sqrt{2} \cdot (-ab^3)^{1/4} \cdot a \cdot h + \sqrt{-ab} \cdot b \cdot e) \cdot \arctan\left(\frac{1}{2}\sqrt{2} \cdot (2x + \sqrt{2}) \cdot (-a/b)^{1/4}\right) / (-a/b)^{1/4} / (-ab^3)^{3/4} - \frac{1}{4}\sqrt{2} \cdot (b^2c + a \cdot b \cdot g + \sqrt{2} \cdot (-ab^3)^{1/4} \cdot b \cdot d + \sqrt{2} \cdot (-ab^3)^{1/4} \cdot a \cdot h - \sqrt{-ab} \cdot b \cdot e) \cdot \arctan\left(\frac{1}{2}\sqrt{2} \cdot (2x - \sqrt{2}) \cdot (-a/b)^{1/4}\right) / (-a/b)^{1/4} / (-ab^3)^{3/4} - \frac{1}{8}\sqrt{2} \cdot (b^2c + a \cdot b \cdot g - \sqrt{2} \cdot (-ab^3)^{1/4} \cdot b \cdot d - \sqrt{2} \cdot (-ab^3)^{1/4} \cdot a \cdot h + \sqrt{-ab} \cdot b \cdot e) \cdot \log(x^2 + \sqrt{2} \cdot x \cdot (-a/b)^{1/4} + \sqrt{-a/b}) / (-ab^3)^{3/4} + \frac{1}{8}\sqrt{2} \cdot (b^2c + a \cdot b \cdot g - \sqrt{2} \cdot (-ab^3)^{1/4} \cdot b \cdot d - \sqrt{2} \cdot (-ab^3)^{1/4} \cdot a \cdot h + \sqrt{-ab} \cdot b \cdot e) \cdot \log(x^2 - \sqrt{2} \cdot x \cdot (-a/b)^{1/4} + \sqrt{-a/b}) / (-ab^3)^{3/4} - \frac{1}{4}f \cdot \log(\operatorname{abs}(bx^4 - a)) / b - \frac{1}{6} \cdot (2b^2 \cdot ix^3 + 3b^2 \cdot hx^2 + 6b^2 \cdot gx) / b^3$

maple [B] time = 0.05, size = 367, normalized size = 1.95

$$\frac{ix^3}{3b} - \frac{d \ln\left(\frac{\sqrt{ab} \sqrt{x^2-a}}{-\sqrt{ab} \sqrt{x^2-a}}\right)}{4\sqrt{ab} b} - \frac{hx^2}{2b} - \frac{d \ln\left(\frac{\sqrt{ab} \sqrt{x^2-a}}{-\sqrt{ab} \sqrt{x^2-a}}\right)}{4\sqrt{ab}} - \frac{a \operatorname{arctan}\left(\frac{x}{\left(\frac{a}{b}\right)^{1/2}}\right)}{2\left(\frac{a}{b}\right)^{1/2} b^2} + \frac{a i \ln\left(\frac{x + \left(\frac{a}{b}\right)^{1/2}}{\left(\frac{a}{b}\right)^{1/2}}\right)}{4\left(\frac{a}{b}\right)^{1/2} b^2} + \frac{\left(\frac{a}{b}\right)^{1/2} \operatorname{arctan}\left(\frac{x}{\left(\frac{a}{b}\right)^{1/2}}\right)}{2a} + \frac{\left(\frac{a}{b}\right)^{1/2} \operatorname{arctan}\left(\frac{x + \left(\frac{a}{b}\right)^{1/2}}{\left(\frac{a}{b}\right)^{1/2}}\right)}{4a} - \frac{e \operatorname{arctan}\left(\frac{x}{\left(\frac{a}{b}\right)^{1/2}}\right)}{2\left(\frac{a}{b}\right)^{1/2} b} + \frac{e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{1/2}}{\left(\frac{a}{b}\right)^{1/2}}\right)}{4\left(\frac{a}{b}\right)^{1/2} b} - \frac{f \ln(bx^4 - a)}{4b} - \frac{gx}{b} + \frac{\left(\frac{a}{b}\right)^{1/2} g \operatorname{arctan}\left(\frac{x}{\left(\frac{a}{b}\right)^{1/2}}\right)}{2b} + \frac{\left(\frac{a}{b}\right)^{1/2} g \ln\left(\frac{x + \left(\frac{a}{b}\right)^{1/2}}{\left(\frac{a}{b}\right)^{1/2}}\right)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x)$

[Out] $-1/3*i*x^3/b-1/2/b*h*x^2-1/b*g*x+1/4*(a/b)^{(1/4)}/b*g*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/4*(a/b)^{(1/4)}/a*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/2*(a/b)^{(1/4)}/b*g*\arctan(1/(a/b)^{(1/4)}*x)+1/2*(a/b)^{(1/4)}/a*c*\arctan(1/(a/b)^{(1/4)}*x)-1/4/(a*b)^{(1/2)}*a/b*h*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-1/4/(a*b)^{(1/2)}*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))+1/4/b^2/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))*a*i+1/4/(a/b)^{(1/4)}/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))-1/2/b^2/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)*a*i-1/2/(a/b)^{(1/4)}/b*e*\arctan(1/(a/b)^{(1/4)}*x)-1/4/b*f*\ln(b*x^4-a)$

maxima [A] time = 3.03, size = 240, normalized size = 1.28

$$\frac{2ix^3 + 3hx^2 + 6gx}{6b} + \frac{2\left(\frac{3}{2}c - \sqrt{a}be + a\sqrt{b}g - a^{\frac{3}{2}}i\right)\arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}} + \frac{\left(\frac{3}{2}d - \sqrt{a}bf + a\sqrt{b}h\right)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}b} - \frac{\left(\frac{3}{2}d + \sqrt{a}bf + a\sqrt{b}h\right)\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}b} - \frac{\left(\frac{3}{2}c + \sqrt{a}be + a\sqrt{b}g + a^{\frac{3}{2}}i\right)\log\left(\frac{\sqrt{b}x - \sqrt{a}\sqrt{b}}{\sqrt{b}x + \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, \text{algorithm}=\text{"maxima"})$

[Out] $-1/6*(2*i*x^3 + 3*h*x^2 + 6*g*x)/b + 1/4*(2*(b^{(3/2)}*c - \text{sqrt}(a)*b*e + a*\text{sqrt}(b)*g - a^{(3/2)}*i)*\arctan(\text{sqrt}(b)*x/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)) + (b^{(3/2)}*d - \text{sqrt}(a)*b*f + a*\text{sqrt}(b)*h)*\log(\text{sqrt}(b)*x^2 + \text{sqrt}(a))/(\text{sqrt}(a)*b) - (b^{(3/2)}*d + \text{sqrt}(a)*b*f + a*\text{sqrt}(b)*h)*\log(\text{sqrt}(b)*x^2 - \text{sqrt}(a))/(\text{sqrt}(a)*b) - (b^{(3/2)}*c + \text{sqrt}(a)*b*e + a*\text{sqrt}(b)*g + a^{(3/2)}*i)*\log((\text{sqrt}(b)*x - \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(b)*x + \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b))/b$

mupad [B] time = 5.07, size = 3810, normalized size = 20.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4),x)$

[Out] $\text{symsum}(\log(-(a^4*i^3 + a*b^3*e^3 + b^4*c*d^2 - b^4*c^2*e + a^2*b^2*c*h^2 - a^2*b^2*e*g^2 + a^2*b^2*f^2*g + 3*a^2*b^2*e^2*i + a*b^3*c*f^2 + a*b^3*d^2*g - a*b^3*c^2*i + 3*a^3*b*e*i^2 + a^3*b*g*h^2 - a^3*b*g^2*i - 2*a^2*b^2*c*g*i - 2*a^2*b^2*d*f*i + 2*a^2*b^2*d*g*h - 2*a^2*b^2*e*f*h + 2*a*b^3*c*d*h - 2*a*b^3*c*e*g - 2*a*b^3*d*e*f - 2*a^3*b*f*h*i)/b^2 - \text{root}(256*a^3*b^7*z^4 + 256*a^3*b^6*f*z^3 - 64*a^4*b^4*g*i*z^2 - 64*a^3*b^5*e*g*z^2 - 64*a^3*b^5*d*h*z^2 - 64*a^3*b^5*c*i*z^2 - 64*a^2*b^6*c*e*z^2 - 32*a^4*b^4*h^2*z^2 + 96*a^3*b^5*f^2*z^2 - 32*a^2*b^6*d^2*z^2 - 32*a^4*b^3*f*g*i*z + 32*a^4*b^3*e*h$

$$\begin{aligned}
& i*z - 32*a^3*b^4*e*f*g*z - 32*a^3*b^4*d*f*h*z + 32*a^3*b^4*d*e*i*z + 32*a^3 \\
& *b^4*c*g*h*z - 32*a^3*b^4*c*f*i*z - 32*a^2*b^5*c*e*f*z + 32*a^2*b^5*c*d*g*z \\
& + 16*a^5*b^2*h*i^2*z + 16*a^4*b^3*g^2*h*z - 16*a^4*b^3*f*h^2*z + 16*a^4*b^3 \\
& *d*i^2*z + 16*a^3*b^4*e^2*h*z + 16*a^3*b^4*d*g^2*z + 16*a^2*b^5*c^2*h*z - \\
& 16*a^2*b^5*d^2*f*z + 16*a^2*b^5*d*e^2*z + 16*a*b^6*c^2*d*z + 16*a^3*b^4*f^3 \\
& *z + 8*a^4*b^2*e*f*h*i - 8*a^4*b^2*d*g*h*i - 8*a^3*b^3*d*e*g*h + 8*a^3*b^3* \\
& d*e*f*i + 8*a^3*b^3*c*f*g*h + 8*a^3*b^3*c*e*g*i - 8*a^3*b^3*c*d*h*i + 8*a^2 \\
& *b^4*c*d*f*g - 8*a^2*b^4*c*d*e*h - 4*a^4*b^2*f^2*g*i + 4*a^4*b^2*f*g^2*h + \\
& 4*a^4*b^2*e*g^2*i - 4*a^4*b^2*e*g*h^2 - 4*a^4*b^2*c*h^2*i - 4*a^3*b^3*d^2*g \\
& *i + 4*a^4*b^2*d*f*i^2 + 4*a^4*b^2*c*g*i^2 + 4*a^3*b^3*e^2*f*h - 4*a^3*b^3* \\
& e*f^2*g - 4*a^3*b^3*d*f^2*h - 4*a^3*b^3*c*f^2*i + 4*a^3*b^3*d*f*g^2 + 4*a^2 \\
& *b^4*c^2*f*h + 4*a^2*b^4*c^2*e*i - 4*a^3*b^3*c*e*h^2 - 4*a^2*b^4*d^2*e*g - \\
& 4*a^2*b^4*c*d^2*i + 4*a^2*b^4*d*e^2*f + 4*a^2*b^4*c*e^2*g - 4*a^2*b^4*c*e*f \\
& ^2 - 4*a^5*b*g*h^2*i + 4*a^5*b*f*h*i^2 + 4*a*b^5*c^2*d*f - 4*a*b^5*c*d^2*e \\
& - 4*a^5*b*e*i^3 - 4*a*b^5*c^3*g - 6*a^4*b^2*e^2*i^2 - 2*a^4*b^2*f^2*h^2 + 6 \\
& *a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 + 2*a^3*b^3*c^2*i^2 - 6*a^2*b^4*c^2*g^ \\
& 2 - 2*a^2*b^4*d^2*f^2 + 2*a^5*b*g^2*i^2 - 4*a^3*b^3*e^3*i + 4*a^4*b^2*d*h^3 \\
& + 4*a^2*b^4*d^3*h - 4*a^3*b^3*c*g^3 + 2*a*b^5*c^2*e^2 + a^3*b^3*f^4 + a^5* \\
& b*h^4 + a*b^5*d^4 - a^4*b^2*g^4 - a^2*b^4*e^4 - a^6*i^4 - b^6*c^4, z, 1)*(r \\
& oot(256*a^3*b^7*z^4 + 256*a^3*b^6*f*z^3 - 64*a^4*b^4*g*i*z^2 - 64*a^3*b^5*e \\
& *g*z^2 - 64*a^3*b^5*d*h*z^2 - 64*a^3*b^5*c*i*z^2 - 64*a^2*b^6*c*e*z^2 - 32* \\
& a^4*b^4*h^2*z^2 + 96*a^3*b^5*f^2*z^2 - 32*a^2*b^6*d^2*z^2 - 32*a^4*b^3*f*g* \\
& i*z + 32*a^4*b^3*e*h*i*z - 32*a^3*b^4*e*f*g*z - 32*a^3*b^4*d*f*h*z + 32*a^3 \\
& *b^4*d*e*i*z + 32*a^3*b^4*c*g*h*z - 32*a^3*b^4*c*f*i*z - 32*a^2*b^5*c*e*f*z \\
& + 32*a^2*b^5*c*d*g*z + 16*a^5*b^2*h*i^2*z + 16*a^4*b^3*g^2*h*z - 16*a^4*b^3 \\
& *f*h^2*z + 16*a^4*b^3*d*i^2*z + 16*a^3*b^4*e^2*h*z + 16*a^3*b^4*d*g^2*z + \\
& 16*a^2*b^5*c^2*h*z - 16*a^2*b^5*d^2*f*z + 16*a^2*b^5*d*e^2*z + 16*a*b^6*c^2 \\
& *d*z + 16*a^3*b^4*f^3*z + 8*a^4*b^2*e*f*h*i - 8*a^4*b^2*d*g*h*i - 8*a^3*b^3 \\
& *d*e*g*h + 8*a^3*b^3*d*e*f*i + 8*a^3*b^3*c*f*g*h + 8*a^3*b^3*c*e*g*i - 8*a^ \\
& 3*b^3*c*d*h*i + 8*a^2*b^4*c*d*f*g - 8*a^2*b^4*c*d*e*h - 4*a^4*b^2*f^2*g*i + \\
& 4*a^4*b^2*f*g^2*h + 4*a^4*b^2*e*g^2*i - 4*a^4*b^2*e*g*h^2 - 4*a^4*b^2*c*h^ \\
& 2*i - 4*a^3*b^3*d^2*g*i + 4*a^4*b^2*d*f*i^2 + 4*a^4*b^2*c*g*i^2 + 4*a^3*b^3 \\
& *e^2*f*h - 4*a^3*b^3*e*f^2*g - 4*a^3*b^3*d*f^2*h - 4*a^3*b^3*c*f^2*i + 4*a^ \\
& 3*b^3*d*f*g^2 + 4*a^2*b^4*c^2*f*h + 4*a^2*b^4*c^2*e*i - 4*a^3*b^3*c*e*h^2 - \\
& 4*a^2*b^4*d^2*e*g - 4*a^2*b^4*c*d^2*i + 4*a^2*b^4*d*e^2*f + 4*a^2*b^4*c*e^ \\
& 2*g - 4*a^2*b^4*c*e*f^2 - 4*a^5*b*g*h^2*i + 4*a^5*b*f*h*i^2 + 4*a*b^5*c^2*d \\
& *f - 4*a*b^5*c*d^2*e - 4*a^5*b*e*i^3 - 4*a*b^5*c^3*g - 6*a^4*b^2*e^2*i^2 - \\
& 2*a^4*b^2*f^2*h^2 + 6*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 + 2*a^3*b^3*c^2*i \\
& ^2 - 6*a^2*b^4*c^2*g^2 - 2*a^2*b^4*d^2*f^2 + 2*a^5*b*g^2*i^2 - 4*a^3*b^3*e^ \\
& 3*i + 4*a^4*b^2*d*h^3 + 4*a^2*b^4*d^3*h - 4*a^3*b^3*c*g^3 + 2*a*b^5*c^2*e^2 \\
& + a^3*b^3*f^4 + a^5*b*h^4 + a*b^5*d^4 - a^4*b^2*g^4 - a^2*b^4*e^4 - a^6*i^ \\
& 4 - b^6*c^4, z, 1)*((16*a^2*b^4*g + 16*a*b^5*c)/b^2 - (x*(16*a^2*b^3*h + 16 \\
& *a*b^4*d))/b) - (8*a*b^4*d*e - 8*a*b^4*c*f + 8*a^2*b^3*d*i + 8*a^2*b^3*e*h \\
& - 8*a^2*b^3*f*g + 8*a^3*b^2*h*i)/b^2 + (x*(4*b^4*c^2 + 4*a*b^3*e^2 + 4*a^3* \\
& b*i^2 + 4*a^2*b^2*g^2 + 8*a*b^3*c*g - 8*a*b^3*d*f + 8*a^2*b^2*e*i - 8*a^2*b
\end{aligned}$$

$$\begin{aligned} & \left. \left(\frac{(x^2 * f * h))}{b} - (x * (b^3 * d^3 + a^3 * h^3 + b^3 * c^2 * f + a^3 * f * i^2 - 2 * b^3 * c * d * e - \right. \right. \\ & 2 * a^3 * g * h * i - a * b^2 * d * f^2 + a * b^2 * e^2 * f + 3 * a * b^2 * d^2 * h + 3 * a^2 * b * d * h^2 + \\ & a^2 * b * f * g^2 - a^2 * b * f^2 * h - 2 * a * b^2 * c * d * i - 2 * a * b^2 * c * e * h + 2 * a * b^2 * c * f * g - \\ & 2 * a * b^2 * d * e * g - 2 * a^2 * b * c * h * i - 2 * a^2 * b * d * g * i + 2 * a^2 * b * e * f * i - 2 * a^2 * b * e * \\ & g * h)) / b * \text{root}(256 * a^3 * b^7 * z^4 + 256 * a^3 * b^6 * f * z^3 - 64 * a^4 * b^4 * g * i * z^2 - 64 \\ & * a^3 * b^5 * e * g * z^2 - 64 * a^3 * b^5 * d * h * z^2 - 64 * a^3 * b^5 * c * i * z^2 - 64 * a^2 * b^6 * c * e \\ & * z^2 - 32 * a^4 * b^4 * h^2 * z^2 + 96 * a^3 * b^5 * f^2 * z^2 - 32 * a^2 * b^6 * d^2 * z^2 - 32 * a^4 \\ & * b^3 * f * g * i * z + 32 * a^4 * b^3 * e * h * i * z - 32 * a^3 * b^4 * e * f * g * z - 32 * a^3 * b^4 * d * f * h * \\ & z + 32 * a^3 * b^4 * d * e * i * z + 32 * a^3 * b^4 * c * g * h * z - 32 * a^3 * b^4 * c * f * i * z - 32 * a^2 * b \\ & ^5 * c * e * f * z + 32 * a^2 * b^5 * c * d * g * z + 16 * a^5 * b^2 * h * i^2 * z + 16 * a^4 * b^3 * g^2 * h * z - \\ & 16 * a^4 * b^3 * f * h^2 * z + 16 * a^4 * b^3 * d * i^2 * z + 16 * a^3 * b^4 * e^2 * h * z + 16 * a^3 * b^4 * \\ & d * g^2 * z + 16 * a^2 * b^5 * c^2 * h * z - 16 * a^2 * b^5 * d^2 * f * z + 16 * a^2 * b^5 * d * e^2 * z + 16 \\ & * a * b^6 * c^2 * d * z + 16 * a^3 * b^4 * f^3 * z + 8 * a^4 * b^2 * e * f * h * i - 8 * a^4 * b^2 * d * g * h * i - \\ & 8 * a^3 * b^3 * d * e * g * h + 8 * a^3 * b^3 * d * e * f * i + 8 * a^3 * b^3 * c * f * g * h + 8 * a^3 * b^3 * c * e * \\ & g * i - 8 * a^3 * b^3 * c * d * h * i + 8 * a^2 * b^4 * c * d * f * g - 8 * a^2 * b^4 * c * d * e * h - 4 * a^4 * b^2 \\ & * f^2 * g * i + 4 * a^4 * b^2 * f * g^2 * h + 4 * a^4 * b^2 * e * g^2 * i - 4 * a^4 * b^2 * e * g * h^2 - 4 * a^4 \\ & * b^2 * c * h^2 * i - 4 * a^3 * b^3 * d^2 * g * i + 4 * a^4 * b^2 * d * f * i^2 + 4 * a^4 * b^2 * c * g * i^2 + \\ & 4 * a^3 * b^3 * e^2 * f * h - 4 * a^3 * b^3 * e * f^2 * g - 4 * a^3 * b^3 * d * f^2 * h - 4 * a^3 * b^3 * c * f^2 \\ & * i + 4 * a^3 * b^3 * d * f * g^2 + 4 * a^2 * b^4 * c^2 * f * h + 4 * a^2 * b^4 * c^2 * e * i - 4 * a^3 * b^3 \\ & * c * e * h^2 - 4 * a^2 * b^4 * d^2 * e * g - 4 * a^2 * b^4 * c * d^2 * i + 4 * a^2 * b^4 * d * e^2 * f + 4 * a^2 \\ & * b^4 * c * e^2 * g - 4 * a^2 * b^4 * c * e * f^2 - 4 * a^5 * b * g * h^2 * i + 4 * a^5 * b * f * h * i^2 + 4 * a \\ & * b^5 * c^2 * d * f - 4 * a * b^5 * c * d^2 * e - 4 * a^5 * b * e * i^3 - 4 * a * b^5 * c^3 * g - 6 * a^4 * b^2 * \\ & e^2 * i^2 - 2 * a^4 * b^2 * f^2 * h^2 + 6 * a^3 * b^3 * d^2 * h^2 + 2 * a^3 * b^3 * e^2 * g^2 + 2 * a^3 \\ & * b^3 * c^2 * i^2 - 6 * a^2 * b^4 * c^2 * g^2 - 2 * a^2 * b^4 * d^2 * f^2 + 2 * a^5 * b * g^2 * i^2 - 4 * \\ & a^3 * b^3 * e^3 * i + 4 * a^4 * b^2 * d * h^3 + 4 * a^2 * b^4 * d^3 * h - 4 * a^3 * b^3 * c * g^3 + 2 * a * b \\ & ^5 * c^2 * e^2 + a^3 * b^3 * f^4 + a^5 * b * h^4 + a * b^5 * d^4 - a^4 * b^2 * g^4 - a^2 * b^4 * e^4 \\ & - a^6 * i^4 - b^6 * c^4, z, 1), 1, 1, 4) - (h * x^2) / (2 * b) - (i * x^3) / (3 * b) - (g \\ & * x) / b \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)

[Out] Timed out

$$3.141 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{a-bx^4} dx$$

Optimal. Leaf size=205

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{(aj+bf)}{4b^2} - \frac{gx}{b} - \frac{hx^2}{2b} - \frac{ix^3}{3b} - \frac{jx^4}{4b}$$

Rubi [A] time = 0.31, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.196$, Rules used = {1885, 1887, 1167, 205, 208, 1819, 1810, 635, 260}

$$-\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{(aj+bf)\log(a-bx^4)}{4b^2} - \frac{gx}{b} - \frac{hx^2}{2b} - \frac{ix^3}{3b} - \frac{jx^4}{4b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4), x]

[Out] -((g*x)/b) - (h*x^2)/(2*b) - (i*x^3)/(3*b) - (j*x^4)/(4*b) - ((b*e - (Sqrt[b]*(b*c + a*g))/Sqrt[a] + a*i)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(2*a^(1/4)*b^(7/4)) + ((b*e + (Sqrt[b]*(b*c + a*g))/Sqrt[a] + a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(2*a^(1/4)*b^(7/4)) + ((b*d + a*h)*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*b^(3/2)) - ((b*f + a*j)*Log[a - b*x^4])/(4*b^2)

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}

}, x] && !NiceSqrtQ[-(a*c)]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1810

Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rule 1819

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1885

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}, x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 141x^6 + jx^7}{a - bx^4} dx &= \int \left(\frac{c + ex^2 + gx^4 + 141x^6}{a - bx^4} + \frac{x(d + fx^2 + hx^4 + jx^6)}{a - bx^4} \right) dx \\
&= \int \frac{c + ex^2 + gx^4 + 141x^6}{a - bx^4} dx + \int \frac{x(d + fx^2 + hx^4 + jx^6)}{a - bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2 + jx^3}{a - bx^2} dx, x, x^2 \right) + \int \left(-\frac{g}{b} - \frac{14x}{b} \right) dx \\
&= -\frac{gx}{b} - \frac{47x^3}{b} + \frac{1}{2} \text{Subst} \left(\int \left(-\frac{h}{b} - \frac{jx}{b} + \frac{bd + ah + (bf + aj)x}{b(a - bx^2)} \right) dx, x, x^2 \right) \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{47x^3}{b} - \frac{jx^4}{4b} + \frac{\text{Subst} \left(\int \frac{bd + ah + (bf + aj)x}{a - bx^2} dx, x, x^2 \right)}{2b} \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{47x^3}{b} - \frac{jx^4}{4b} - \frac{\left(141a + be - \frac{\sqrt{b}(bc + ag)}{\sqrt{a}} \right) \tan^{-1} \left(\frac{\sqrt{b}x}{\sqrt{a}} \right)}{2\sqrt[4]{a} b^{7/4}} \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{47x^3}{b} - \frac{jx^4}{4b} - \frac{\left(141a + be - \frac{\sqrt{b}(bc + ag)}{\sqrt{a}} \right) \tan^{-1} \left(\frac{\sqrt{b}x}{\sqrt{a}} \right)}{2\sqrt[4]{a} b^{7/4}}
\end{aligned}$$

Mathematica [A] time = 0.51, size = 318, normalized size = 1.55

$$\frac{-\frac{3 \log\left(\frac{\sqrt{a}-\sqrt{b}x}{\sqrt{a}}\right)\left(a^{3/4}\sqrt{b}h+a^{3/2}i+\sqrt{a}b^{3/4}d+\sqrt{a}bc+a\sqrt{b}g+b^{3/2}c\right)}{a^{3/4}}+\frac{3 \log\left(\frac{\sqrt{a}+\sqrt{b}x}{\sqrt{a}}\right)\left(-a^{3/4}\sqrt{b}h+a^{3/2}i-\sqrt{a}b^{3/4}d+\sqrt{a}bc+a\sqrt{b}g+b^{3/2}c\right)}{a^{3/4}}+\frac{6 \tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right)\left(a^{3/2}(-i)-\sqrt{a}bc+a\sqrt{b}g+b^{3/2}c\right)}{a^{3/4}}+\frac{3 \sqrt{b}(ah+bd) \log(\sqrt{a}+\sqrt{b}x^2)-3(aj+bf) \log(a-bx^4)}{\sqrt{a}}-12b^{3/4}gx-6b^{3/4}hx^2-4b^{3/4}ix^3-3b^{3/4}jx^4}{12b^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4), x]

[Out] (-12*b^(3/4)*g*x - 6*b^(3/4)*h*x^2 - 4*b^(3/4)*i*x^3 - 3*b^(3/4)*j*x^4 + (6*(b^(3/2)*c - Sqrt[a]*b*e + a*Sqrt[b]*g - a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)])/a^(3/4) - (3*(b^(3/2)*c + a^(1/4)*b^(5/4)*d + Sqrt[a]*b*e + a*Sqrt[b]*g + a^(5/4)*b^(1/4)*h + a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x])/a^(3/4) + (3*(b^(3/2)*c - a^(1/4)*b^(5/4)*d + Sqrt[a]*b*e + a*Sqrt[b]*g - a^(5/4)*b^(1/4)*h + a^(3/2)*i)*Log[a^(1/4) + b^(1/4)*x])/a^(3/4) + (3*b^(1/4)*(b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[a] - (3*(b*f + a*j)*Log[a - b*x^4])/b^(1/4))/(12*b^(7/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6 + jx^7}{a - bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 556, normalized size = 2.71

$$\frac{\frac{\sqrt{2} \sqrt{-a/b} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{-a/b}}{2x + \sqrt{2} \sqrt{-a/b}}\right)}{b^4} + \frac{\sqrt{2} \sqrt{-a/b} \log\left(x^2 + \sqrt{2} \sqrt{-a/b} x + \sqrt{-a/b}\right)}{b^4} + \frac{\sqrt{2} \sqrt{-a/b} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{-a/b}}{2x - \sqrt{2} \sqrt{-a/b}}\right)}{b^4} + \frac{\sqrt{2} \sqrt{-a/b} \log\left(x^2 - \sqrt{2} \sqrt{-a/b} x + \sqrt{-a/b}\right)}{b^4} - \frac{1}{4} \sqrt{2} \sqrt{-a/b} \left(\frac{b^2 c + a b g - \sqrt{2} \sqrt{-a/b} b d - \sqrt{2} \sqrt{-a/b} a h + \sqrt{-a/b} b e}{b^4} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{-a/b} (2x + \sqrt{2} \sqrt{-a/b})}{(-a/b)^{1/4}}\right) - \frac{b^2 c + a b g + \sqrt{2} \sqrt{-a/b} b d + \sqrt{2} \sqrt{-a/b} a h - \sqrt{-a/b} b e}{b^4} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{-a/b} (2x - \sqrt{2} \sqrt{-a/b})}{(-a/b)^{1/4}}\right) - \frac{1}{8} \sqrt{2} \sqrt{-a/b} \left(\frac{b^2 c + a b g - \sqrt{-a/b} b e}{b^4} \log\left(x^2 + \sqrt{2} \sqrt{-a/b} x + \sqrt{-a/b}\right) + \frac{b^2 c + a b g - \sqrt{-a/b} b e}{b^4} \log\left(x^2 - \sqrt{2} \sqrt{-a/b} x + \sqrt{-a/b}\right)\right) - \frac{1}{4} (b f + a j) \log\left(\frac{a - b x^4}{b^4}\right) - \frac{1}{12} (3 b^3 j x^4 + 4 b^3 i x^3 + 6 b^3 h x^2 + 12 b^3 g x)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="giac")

[Out] $\frac{1}{8} i \sqrt{2} (-a b^3)^{3/4} \operatorname{arctan}\left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2} \sqrt{-a/b})^{1/4}\right) / (-a/b)^{1/4} / b^4 - \sqrt{2} (-a b^3)^{3/4} \log(x^2 + \sqrt{2} \sqrt{-a/b} x + \sqrt{-a/b})^{1/4} / b^4 + \frac{1}{8} i \sqrt{2} (-a b^3)^{3/4} \operatorname{arctan}\left(\frac{1}{2} \sqrt{2} (2x - \sqrt{2} \sqrt{-a/b})^{1/4}\right) / (-a/b)^{1/4} / b^4 + \sqrt{2} (-a b^3)^{3/4} \log(x^2 - \sqrt{2} \sqrt{-a/b} x + \sqrt{-a/b})^{1/4} / b^4 - \frac{1}{4} \sqrt{2} (b^2 c + a b g - \sqrt{2} \sqrt{-a/b} b d - \sqrt{2} \sqrt{-a/b} a h + \sqrt{-a/b} b e) \operatorname{arctan}\left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2} \sqrt{-a/b})^{1/4}\right) / (-a/b)^{1/4} / (-a b^3)^{3/4} - \frac{1}{4} \sqrt{2} (b^2 c + a b g + \sqrt{2} \sqrt{-a/b} b d + \sqrt{2} \sqrt{-a/b} a h - \sqrt{-a/b} b e) \operatorname{arctan}\left(\frac{1}{2} \sqrt{2} (2x - \sqrt{2} \sqrt{-a/b})^{1/4}\right) / (-a/b)^{1/4} / (-a b^3)^{3/4} - \frac{1}{8} \sqrt{2} (b^2 c + a b g - \sqrt{-a/b} b e) \log(x^2 + \sqrt{2} \sqrt{-a/b} x + \sqrt{-a/b})^{1/4} / (-a b^3)^{3/4} + \frac{1}{8} \sqrt{2} (b^2 c + a b g - \sqrt{-a/b} b e) \log(x^2 - \sqrt{2} \sqrt{-a/b} x + \sqrt{-a/b})^{1/4} / (-a b^3)^{3/4} - \frac{1}{4} (b f + a j) \log\left(\frac{a - b x^4}{b^4}\right) - \frac{1}{12} (3 b^3 j x^4 + 4 b^3 i x^3 + 6 b^3 h x^2 + 12 b^3 g x) / b^4$

maple [B] time = 0.05, size = 393, normalized size = 1.92

$$\frac{jx^4}{4b} - \frac{ix^3}{3b} - \frac{ah \ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{4\sqrt{ab}b} - \frac{hx^2}{2b} - \frac{d \ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{4\sqrt{ab}} - \frac{ai \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{2}}b^2} + \frac{ai \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{2}}b^2} - \frac{aj \ln(bx^4-a)}{4b^2} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}c \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a} - \frac{e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{2}}b} + \frac{e \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{2}}b} - \frac{f \ln(bx^4-a)}{4b} - \frac{gx}{b} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}g \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2b} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}g \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x)

[Out] $-1/4*j*x^4/b - 1/3/b*i*x^3 - 1/2/b*h*x^2 - 1/b*g*x + 1/2*(a/b)^{(1/4)}/b*g*\arctan(1/(a/b)^{(1/4)}*x) + 1/2*(a/b)^{(1/4)}/a*c*\arctan(1/(a/b)^{(1/4)}*x) + 1/4*(a/b)^{(1/4)}/b*g*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) + 1/4*(a/b)^{(1/4)}/a*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) - 1/4/(a*b)^{(1/2)}*a/b*h*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a)) - 1/4/(a*b)^{(1/2)}*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a)) - 1/2/(a/b)^{(1/4)}*a/b^2*i*\arctan(1/(a/b)^{(1/4)}*x) - 1/2/(a/b)^{(1/4)}/b*e*\arctan(1/(a/b)^{(1/4)}*x) + 1/4/(a/b)^{(1/4)}*a/b^2*i*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) + 1/4/(a/b)^{(1/4)}/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) - 1/4/b^2*\ln(b*x^4-a)*a*j - 1/4/b*f*\ln(b*x^4-a)$

maxima [A] time = 3.07, size = 257, normalized size = 1.25

$$\frac{3jx^4 + 4ix^3 + 6hx^2 + 12gx}{12b} + \frac{2\left(\frac{3}{2}c - \sqrt{a}be + a\sqrt{b}g - a^{\frac{3}{2}}i\right)\arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}} + \frac{\left(\frac{3}{2}d - \sqrt{a}bf + a\sqrt{b}h - a^{\frac{3}{2}}j\right)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{ab}} - \frac{\left(\frac{3}{2}d + \sqrt{a}bf + a\sqrt{b}h + a^{\frac{3}{2}}j\right)\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{ab}} - \frac{\left(\frac{3}{2}c + \sqrt{a}be + a\sqrt{b}g + a^{\frac{3}{2}}i\right)\log\left(\frac{\sqrt{b}x - \sqrt{a}\sqrt{b}}{\sqrt{b}x + \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="maxima")

[Out] $-1/12*(3*j*x^4 + 4*i*x^3 + 6*h*x^2 + 12*g*x)/b + 1/4*(2*(b^{(3/2)}*c - \sqrt{a})*b*e + a*\sqrt{b}*g - a^{(3/2)}*i)*\arctan(\sqrt{b}*x/\sqrt{a*\sqrt{b}})/(\sqrt{a}*\sqrt{a}*\sqrt{b}) + (b^{(3/2)}*d - \sqrt{a}*b*f + a*\sqrt{b})*h - a^{(3/2)}*j*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*b) - (b^{(3/2)}*d + \sqrt{a}*b*f + a*\sqrt{b})*h + a^{(3/2)}*j*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*b) - (b^{(3/2)}*c + \sqrt{a}*b*e + a*\sqrt{b}*g + a^{(3/2)}*i)*\log((\sqrt{b}*x - \sqrt{a}\sqrt{b})/(\sqrt{b}*x + \sqrt{a}\sqrt{b}))/(\sqrt{a}*\sqrt{a}*\sqrt{b})/b$

mupad [B] time = 5.16, size = 5673, normalized size = 27.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4), x)

```
[Out] symsum(log(- (a^4*i^3 + a*b^3*e^3 + b^4*c*d^2 - b^4*c^2*e + a^4*g*j^2 + a^2
*b^2*c*h^2 - a^2*b^2*e*g^2 + a^2*b^2*f^2*g + 3*a^2*b^2*e^2*i - 2*a^4*h*i*j
+ a*b^3*c*f^2 + a*b^3*d^2*g - a*b^3*c^2*i + a^3*b*c*j^2 + 3*a^3*b*e*i^2 + a
^3*b*g*h^2 - a^3*b*g^2*i + 2*a^2*b^2*c*f*j - 2*a^2*b^2*c*g*i - 2*a^2*b^2*d*
e*j - 2*a^2*b^2*d*f*i + 2*a^2*b^2*d*g*h - 2*a^2*b^2*e*f*h + 2*a*b^3*c*d*h -
2*a*b^3*c*e*g - 2*a*b^3*d*e*f - 2*a^3*b*d*i*j - 2*a^3*b*e*h*j + 2*a^3*b*f*
g*j - 2*a^3*b*f*h*i)/b^2 - root(256*a^3*b^8*z^4 + 256*a^4*b^6*j*z^3 + 256*a
^3*b^7*f*z^3 + 192*a^4*b^5*f*j*z^2 - 64*a^4*b^5*g*i*z^2 - 64*a^3*b^6*e*g*z^
2 - 64*a^3*b^6*d*h*z^2 - 64*a^3*b^6*c*i*z^2 - 64*a^2*b^7*c*e*z^2 + 96*a^5*b
^4*j^2*z^2 - 32*a^4*b^5*h^2*z^2 + 96*a^3*b^6*f^2*z^2 - 32*a^2*b^7*d^2*z^2 -
32*a^5*b^3*g*i*j*z - 32*a^4*b^4*f*g*i*z + 32*a^4*b^4*e*h*i*z - 32*a^4*b^4*
e*g*j*z - 32*a^4*b^4*d*h*j*z - 32*a^4*b^4*c*i*j*z - 32*a^3*b^5*e*f*g*z - 32
*a^3*b^5*d*f*h*z + 32*a^3*b^5*d*e*i*z + 32*a^3*b^5*c*g*h*z - 32*a^3*b^5*c*f
*i*z - 32*a^3*b^5*c*e*j*z - 32*a^2*b^6*c*e*f*z + 32*a^2*b^6*c*d*g*z - 16*a^
5*b^3*h^2*j*z + 16*a^5*b^3*h*i^2*z + 48*a^5*b^3*f*j^2*z + 48*a^4*b^4*f^2*j*
z + 16*a^4*b^4*g^2*h*z - 16*a^4*b^4*f*h^2*z - 16*a^3*b^5*d^2*j*z + 16*a^4*b
^4*d*i^2*z + 16*a^3*b^5*e^2*h*z + 16*a^3*b^5*d*g^2*z + 16*a^2*b^6*c^2*h*z -
16*a^2*b^6*d^2*f*z + 16*a^2*b^6*d*e^2*z + 16*a*b^7*c^2*d*z + 16*a^6*b^2*j^
3*z + 16*a^3*b^5*f^3*z - 8*a^5*b^2*f*g*i*j + 8*a^5*b^2*e*h*i*j + 8*a^4*b^3*
e*f*h*i - 8*a^4*b^3*e*f*g*j - 8*a^4*b^3*d*g*h*i - 8*a^4*b^3*d*f*h*j + 8*a^4
*b^3*d*e*i*j + 8*a^4*b^3*c*g*h*j - 8*a^4*b^3*c*f*i*j - 8*a^3*b^4*d*e*g*h +
8*a^3*b^4*d*e*f*i + 8*a^3*b^4*c*f*g*h + 8*a^3*b^4*c*e*g*i - 8*a^3*b^4*c*e*f
*j - 8*a^3*b^4*c*d*h*i + 8*a^3*b^4*c*d*g*j + 8*a^2*b^5*c*d*f*g - 8*a^2*b^5*
c*d*e*h + 4*a^5*b^2*g^2*h*j - 4*a^5*b^2*g*h^2*i - 4*a^5*b^2*f*h^2*j + 4*a^5
*b^2*f*h*i^2 + 4*a^5*b^2*d*i^2*j + 4*a^4*b^3*e^2*h*j - 4*a^5*b^2*e*g*j^2 -
4*a^5*b^2*d*h*j^2 - 4*a^5*b^2*c*i*j^2 - 4*a^4*b^3*f^2*g*i + 4*a^4*b^3*f*g^2
*h + 4*a^4*b^3*e*g^2*i + 4*a^4*b^3*d*g^2*j + 4*a^3*b^4*c^2*h*j - 4*a^4*b^3*
e*g*h^2 - 4*a^4*b^3*c*h^2*i - 4*a^3*b^4*d^2*g*i - 4*a^3*b^4*d^2*f*j + 4*a^4
*b^3*d*f*i^2 + 4*a^4*b^3*c*g*i^2 + 4*a^3*b^4*e^2*f*h + 4*a^3*b^4*d*e^2*j -
4*a^4*b^3*c*e*j^2 - 4*a^3*b^4*e*f^2*g - 4*a^3*b^4*d*f^2*h - 4*a^3*b^4*c*f^2
*i + 4*a^3*b^4*d*f*g^2 + 4*a^2*b^5*c^2*f*h + 4*a^2*b^5*c^2*e*i + 4*a^2*b^5*
c^2*d*j - 4*a^3*b^4*c*e*h^2 - 4*a^2*b^5*d^2*e*g - 4*a^2*b^5*c*d^2*i + 4*a^2
*b^5*d*e^2*f + 4*a^2*b^5*c*e^2*g - 4*a^2*b^5*c*e*f^2 + 4*a^6*b*h*i^2*j - 4*
a^6*b*g*i*j^2 + 4*a*b^6*c^2*d*f - 4*a*b^6*c*d^2*e + 4*a^6*b*f*j^3 - 4*a*b^6
*c^3*g + 6*a^5*b^2*f^2*j^2 + 2*a^5*b^2*g^2*i^2 - 6*a^4*b^3*e^2*i^2 - 2*a^4*
b^3*f^2*h^2 - 2*a^4*b^3*d^2*j^2 + 6*a^3*b^4*d^2*h^2 + 2*a^3*b^4*e^2*g^2 + 2
*a^3*b^4*c^2*i^2 - 6*a^2*b^5*c^2*g^2 - 2*a^2*b^5*d^2*f^2 - 2*a^6*b*h^2*j^2
+ 4*a^4*b^3*f^3*j - 4*a^5*b^2*e*i^3 - 4*a^3*b^4*e^3*i + 4*a^4*b^3*d*h^3 + 4
*a^2*b^5*d^3*h - 4*a^3*b^4*c*g^3 + 2*a*b^6*c^2*e^2 + a^5*b^2*h^4 + a^3*b^4*
f^4 + a*b^6*d^4 + a^7*j^4 - a^4*b^3*g^4 - a^2*b^5*e^4 - a^6*b*i^4 - b^7*c^4
, z, m)*((8*a*b^4*c*f - 8*a*b^4*d*e + 8*a^2*b^3*c*j - 8*a^2*b^3*d*i - 8*a^2
*b^3*e*h + 8*a^2*b^3*f*g + 8*a^3*b^2*g*j - 8*a^3*b^2*h*i)/b^2 + root(256*a^
3*b^8*z^4 + 256*a^4*b^6*j*z^3 + 256*a^3*b^7*f*z^3 + 192*a^4*b^5*f*j*z^2 - 6
4*a^4*b^5*g*i*z^2 - 64*a^3*b^6*e*g*z^2 - 64*a^3*b^6*d*h*z^2 - 64*a^3*b^6*c*
i*z^2 - 64*a^2*b^7*c*e*z^2 + 96*a^5*b^4*j^2*z^2 - 32*a^4*b^5*h^2*z^2 + 96*a
```


$$\begin{aligned}
&^3b^6f^2z^2 - 32a^2b^7d^2z^2 - 32a^5b^3g^*i^*j^*z - 32a^4b^4f^*g^*i^*z + 32a^4b^4e^*h^*i^*z - 32a^4b^4e^*g^*j^*z - 32a^4b^4d^*h^*j^*z - 32a^4b^4c^*i^*j^*z - 32a^3b^5e^*f^*g^*z - 32a^3b^5d^*f^*h^*z + 32a^3b^5d^*e^*i^*z \\
&+ 32a^3b^5c^*g^*h^*z - 32a^3b^5c^*f^*i^*z - 32a^3b^5c^*e^*j^*z - 32a^2b^6c^*e^*f^*z + 32a^2b^6c^*d^*g^*z - 16a^5b^3h^2j^*z + 16a^5b^3h^*i^2z + 48a^5b^3f^*j^2z + 48a^4b^4f^2j^*z + 16a^4b^4g^2h^*z - 16a^4b^4f^*h^2z - 16a^3b^5d^2j^*z + 16a^4b^4d^*i^2z + 16a^3b^5e^2h^*z + 16a^3b^5d^*g^2z + 16a^2b^6c^2h^*z - 16a^2b^6d^2f^*z + 16a^2b^6d^*e^2z + 16a^*b^7c^2d^*z + 16a^6b^2j^3z + 16a^3b^5f^3z - 8a^5b^2f^*g^*i^*j + 8a^5b^2e^*h^*i^*j + 8a^4b^3e^*f^*h^*i - 8a^4b^3e^*f^*g^*j - 8a^4b^3d^*g^*h^*i - 8a^4b^3d^*f^*h^*j + 8a^4b^3d^*e^*i^*j + 8a^4b^3c^*g^*h^*j - 8a^4b^3c^*f^*i^*j - 8a^3b^4d^*e^*g^*h + 8a^3b^4d^*e^*f^*i + 8a^3b^4c^*f^*g^*h + 8a^3b^4c^*e^*g^*i - 8a^3b^4c^*e^*f^*j - 8a^3b^4c^*d^*h^*i + 8a^3b^4c^*d^*g^*j + 8a^2b^5c^*d^*f^*g - 8a^2b^5c^*d^*e^*h + 4a^5b^2g^2h^*j - 4a^5b^2g^*h^2i - 4a^5b^2f^*h^2j + 4a^5b^2f^*h^*i^2 + 4a^5b^2d^*i^2j + 4a^4b^3e^2h^*j - 4a^5b^2e^*g^*j^2 - 4a^5b^2d^*h^*j^2 - 4a^5b^2c^*i^*j^2 - 4a^4b^3f^2g^*i + 4a^4b^3f^*g^2h + 4a^4b^3e^*g^2i + 4a^4b^3d^*g^2j + 4a^3b^4c^2h^*j - 4a^4b^3e^*g^*h^2 - 4a^4b^3c^*h^2i - 4a^3b^4d^2g^*i - 4a^3b^4d^2f^*j + 4a^4b^3d^*f^*i^2 + 4a^4b^3c^*g^*i^2 + 4a^3b^4e^2f^*h + 4a^3b^4d^*e^2j - 4a^4b^3c^*e^*j^2 - 4a^3b^4e^*f^2g - 4a^3b^4d^*f^2h - 4a^3b^4c^*f^2i + 4a^3b^4d^*f^*g^2 + 4a^2b^5c^2f^*h + 4a^2b^5c^2e^*i + 4a^2b^5c^2d^*j - 4a^3b^4c^*e^*h^2 - 4a^2b^5d^2e^*g - 4a^2b^5c^*d^2i + 4a^2b^5d^*e^2f + 4a^2b^5c^*e^2g - 4a^2b^5c^*e^*f^2 + 4a^6b^*h^*i^2j - 4a^6b^*g^*i^*j^2 + 4a^*b^6c^2d^*f - 4a^*b^6c^*d^2e + 4a^6b^*f^*j^3 - 4a^*b^6c^3g + 6a^5b^2f^2j^2 + 2a^5b^2g^2i^2 - 6a^4b^3e^2i^2 - 2a^4b^3f^2h^2 - 2a^4b^3d^2j^2 + 6a^3b^4d^2h^2 + 2a^3b^4e^2g^2 + 2a^3b^4c^2i^2 - 6a^2b^5c^2g^2 - 2a^2b^5d^2f^2 - 2a^6b^*h^2j^2 + 4a^4b^3f^3j - 4a^5b^2e^*i^3 - 4a^3b^4e^3i + 4a^4b^3d^*h^3 + 4a^2b^5d^3h - 4a^3b^4c^*g^3 + 2a^*b^6c^2e^2 + a^5b^2h^4 + a^3b^4f^4 + a^*b^6d^4 + a^7j^4 - a^4b^3g^4 - a^2b^5e^4 - a^6b^*i^4 - b^7c^4, z, m)*((16a^2b^4g + 16a^*b^5c)/b^2 - (x*(16a^2b^4h + 16a^*b^5d))/b^2) + (x*(4b^5c^2 + 4a^*b^4e^2 + 4a^2b^3g^2 + 4a^3b^2i^2 + 8a^*b^4c^*g - 8a^*b^4d^*f - 8a^2b^3d^*j + 8a^2b^3e^*i - 8a^2b^3f^*h - 8a^3b^2h^*j))/b^2) - (x*(b^4d^3 + a^3b^*h^3 + b^4c^2f - a^4h^*j^2 + a^4i^2j + 3a^2b^2d^*h^2 + a^2b^2f^*g^2 - a^2b^2f^2h + a^2b^2e^2j - 2b^4c^*d^*e - a^*b^3d^*f^2 + a^*b^3e^2f + 3a^*b^3d^2h + a^*b^3c^2j - a^3b^*d^*j^2 + a^3b^*f^*i^2 + a^3b^*g^2j + 2a^2b^2c^*g^*j - 2a^2b^2c^*h^*i - 2a^2b^2d^*f^*j - 2a^2b^2d^*g^*i + 2a^2b^2e^*f^*i - 2a^2b^2e^*g^*h - 2a^*b^3c^*d^*i - 2a^*b^3c^*e^*h + 2a^*b^3c^*f^*g - 2a^*b^3d^*e^*g + 2a^3b^*e^*i^*j - 2a^3b^*f^*h^*j - 2a^3b^*g^*h^*i))/b^2)*root(256a^3b^8z^4 + 256a^4b^6j^*z^3 + 256a^3b^7f^*z^3 + 192a^4b^5f^*j^*z^2 - 64a^4b^5g^*i^*z^2 - 64a^3b^6e^*g^*z^2 - 64a^3b^6d^*h^*z^2 - 64a^3b^6c^*i^*z^2 - 64a^2b^7c^*e^*z^2 + 96a^5b^4j^2z^2 - 32a^4b^5h^2z^2 + 96a^3b^6f^2z^2 - 32a^2b^7d^2z^2 - 32a^5b^3g^*i^*j^*z - 32a^4b^4f^*g^*i^*z + 32a^4b^4e^*h^*i^*z - 32a^4b^4e^*g^*j^*z - 32a^4b^4d^*h^*j^*z -
\end{aligned}$$

$$\begin{aligned}
& 32a^4b^4c^i j^k z - 32a^3b^5e^f g^h z - 32a^3b^5d^f h^i z + 32a^3b^5d^e i^z + 32a^3b^5c^g h^i z - 32a^3b^5c^f i^z - 32a^3b^5c^e j^z - 32a^2b^6c^e f^z + 32a^2b^6c^d g^z - 16a^5b^3h^2j^z + 16a^5b^3h^i^2z + 48a^5b^3f^j^2z + 48a^4b^4f^2j^z + 16a^4b^4g^2h^z - 16a^4b^4f^h^2z - 16a^3b^5d^2j^z + 16a^4b^4d^i^2z + 16a^3b^5e^2h^z + 16a^3b^5d^g^2z + 16a^2b^6c^2h^z - 16a^2b^6d^2f^z + 16a^2b^6d^e^2z + 16a^2b^7c^2d^z + 16a^6b^2j^3z + 16a^3b^5f^3z - 8a^5b^2f^g^i j + 8a^5b^2e^h^i j + 8a^4b^3e^f h^i - 8a^4b^3e^f g^j - 8a^4b^3d^g h^i - 8a^4b^3d^f h^j + 8a^4b^3d^e i^j + 8a^4b^3c^g h^j - 8a^4b^3c^f i^j - 8a^3b^4d^e g^h + 8a^3b^4d^e f^i + 8a^3b^4c^f g^h + 8a^3b^4c^e g^i - 8a^3b^4c^e f^j - 8a^3b^4c^d h^i + 8a^3b^4c^d g^j + 8a^2b^5c^d f^g - 8a^2b^5c^d e^h + 4a^5b^2g^2h^j - 4a^5b^2g^h^2i - 4a^5b^2f^h^2j + 4a^5b^2f^h^i^2 + 4a^5b^2d^i^2j + 4a^4b^3e^2h^j - 4a^5b^2e^g^j^2 - 4a^5b^2d^h^j^2 - 4a^5b^2c^i j^2 - 4a^4b^3f^2g^i + 4a^4b^3f^g^2h + 4a^4b^3e^g^2i + 4a^4b^3d^g^2j + 4a^3b^4c^2h^j - 4a^4b^3e^g h^2 - 4a^4b^3c^h^2i - 4a^3b^4d^2g^i - 4a^3b^4d^2f^j + 4a^4b^3d^f i^2 + 4a^4b^3c^g i^2 + 4a^3b^4e^2f^h + 4a^3b^4d^e^2j - 4a^4b^3c^e j^2 - 4a^3b^4e^f^2g - 4a^3b^4d^f^2h - 4a^3b^4c^f^2i + 4a^3b^4d^f g^2 + 4a^2b^5c^2f^h + 4a^2b^5c^2e^i + 4a^2b^5c^2d^j - 4a^3b^4c^e h^2 - 4a^2b^5d^2e^g - 4a^2b^5c^d^2i + 4a^2b^5d^e^2f + 4a^2b^5c^e^2g - 4a^2b^5c^e f^2 + 4a^6b^h^i^2j - 4a^6b^g^i j^2 + 4a^6b^c^2d^f - 4a^6b^c^d^2e + 4a^6b^f^j^3 - 4a^6b^c^3g + 6a^5b^2f^2j^2 + 2a^5b^2g^2i^2 - 6a^4b^3e^2i^2 - 2a^4b^3f^2h^2 - 2a^4b^3d^2j^2 + 6a^3b^4d^2h^2 + 2a^3b^4e^2g^2 + 2a^3b^4c^2i^2 - 6a^2b^5c^2g^2 - 2a^2b^5d^2f^2 - 2a^6b^h^2j^2 + 4a^4b^3f^3j - 4a^5b^2e^i^3 - 4a^3b^4e^3i + 4a^4b^3d^h^3 + 4a^2b^5d^3h - 4a^3b^4c^g^3 + 2a^6b^c^2e^2 + a^5b^2h^4 + a^3b^4f^4 + a^6b^d^4 + a^7j^4 - a^4b^3g^4 - a^2b^5e^4 - a^6b^i^4 - b^7c^4, z, m), m, 1, 4) - (h*x^2)/(2*b) - (i*x^3)/(3*b) - (j*x^4)/(4*b) - (g*x)/b
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)

[Out] Timed out

$$3.142 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a+bx^4} dx$$

Optimal. Leaf size=337

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}}$$

Rubi [A] time = 0.40, antiderivative size = 337, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {1885, 1887, 1168, 1162, 617, 204, 1165, 628, 1819, 1810, 635, 205, 260}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}} - \frac{\tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)\left(\sqrt{a} \sqrt{b} e - ag + bc\right)}{2\sqrt{2} a^{3/4} b^{5/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)\left(\sqrt{a} \sqrt{b} e - ag + bc\right)}{2\sqrt{2} a^{3/4} b^{5/4}} + \frac{(bd - ah) \tan^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{2\sqrt{a} b^{3/2}} + \frac{f \log(a + bx^4)}{4b} + \frac{gx}{b} + \frac{hx^2}{2b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4), x]

[Out] (g*x)/b + (h*x^2)/(2*b) + ((b*d - a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*b^(3/2)) - ((b*c + Sqrt[a]*Sqrt[b]*e - a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(5/4)) + ((b*c + Sqrt[a]*Sqrt[b]*e - a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(5/4)) - ((b*c - Sqrt[a]*Sqrt[b]*e - a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(5/4)) + ((b*c - Sqrt[a]*Sqrt[b]*e - a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(5/4)) + (f*Log[a + b*x^4])/(4*b)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 635

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1810

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rule 1819

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Dist[1/(m
+ 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p
, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[
Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]*((a + b*x^n)^p), {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{a + bx^4} dx &= \int \left(\frac{c + ex^2 + gx^4}{a + bx^4} + \frac{x(d + fx^2 + hx^4)}{a + bx^4} \right) dx \\
&= \int \frac{c + ex^2 + gx^4}{a + bx^4} dx + \int \frac{x(d + fx^2 + hx^4)}{a + bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2}{a + bx^2} dx, x, x^2 \right) + \int \left(\frac{g}{b} + \frac{bc - ag + bex^2}{b(a + bx^4)} \right) dx \\
&= \frac{gx}{b} + \frac{1}{2} \text{Subst} \left(\int \left(\frac{h}{b} + \frac{bd - ah + bfx}{b(a + bx^2)} \right) dx, x, x^2 \right) + \frac{\int \frac{bc - ag + bex^2}{a + bx^4} dx}{b} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{\text{Subst} \left(\int \frac{bd - ah + bfx}{a + bx^2} dx, x, x^2 \right)}{2b} + \frac{(bc - \sqrt{a} \sqrt{b} e - ag) \int \frac{\sqrt{a} \sqrt{b}}{a + b}}{2\sqrt{a} b^{3/2}} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{1}{2} f \text{Subst} \left(\int \frac{x}{a + bx^2} dx, x, x^2 \right) - \frac{(bc - \sqrt{a} \sqrt{b} e - ag) \int \frac{\sqrt{a} \sqrt{b}}{a + b}}{4\sqrt{2} a^{3/4} b^{5/4}} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} b^{3/2}} - \frac{(bc - \sqrt{a} \sqrt{b} e - ag) \log(\sqrt{a} - \sqrt{2})}{4\sqrt{2} a^{3/4} b^{5/4}} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} b^{3/2}} - \frac{(bc + \sqrt{a} \sqrt{b} e - ag) \tan^{-1} \left(1 - \frac{\sqrt{2}}{\sqrt{a}} \right)}{2\sqrt{2} a^{3/4} b^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.49, size = 342, normalized size = 1.01

$$\frac{-2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt{a}}{\sqrt{a}} \right) (-2a^{5/4} b + \sqrt{2} \sqrt{a} b^{3/4} e + 2\sqrt{2} b d - \sqrt{2} a \sqrt{b} g + \sqrt{2} b^{3/4} c) + 2 \tan^{-1} \left(\frac{\sqrt{2} \sqrt{a}}{\sqrt{a}} + 1 \right) (2a^{5/4} b + \sqrt{2} \sqrt{a} b^{3/4} e - 2\sqrt{2} b d - \sqrt{2} a \sqrt{b} g + \sqrt{2} b^{3/4} c) + \sqrt{b} (2a^{3/4} \sqrt{b} (f \log(a + bx^2) + 2a(2g + hx)) + \sqrt{2} \log(-\sqrt{2} \sqrt{a} \sqrt{b} x + \sqrt{a} + \sqrt{b} x^2) (\sqrt{a} \sqrt{b} e + ag - bc) + \sqrt{2} \log(\sqrt{2} \sqrt{a} \sqrt{b} x + \sqrt{a} + \sqrt{b} x^2) (-\sqrt{a} \sqrt{b} e - ag + bc))}{8a^{3/4} b^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4), x]

[Out] (-2*(Sqrt[2]*b^(5/4)*c + 2*a^(1/4)*b*d + Sqrt[2]*Sqrt[a]*b^(3/4)*e - Sqrt[2]*a*b^(1/4)*g - 2*a^(5/4)*h)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(Sqrt[2]*b^(5/4)*c - 2*a^(1/4)*b*d + Sqrt[2]*Sqrt[a]*b^(3/4)*e - Sqrt[2]*a*b^(1/4)*g + 2*a^(5/4)*h)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + b^(1/4)*(Sqrt[2]*(-b*c) + Sqrt[a]*Sqrt[b]*e + a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*(b*c - Sqrt[a]*Sqrt[b]*e - a*g)*Log[Sqrt[a]

+ Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + 2*a^(3/4)*b^(1/4)*(2*x*(2*g + h*x) + f*Log[a + b*x^4]))/(8*a^(3/4)*b^(3/2))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{a + bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 375, normalized size = 1.11

$$\frac{f \log(bx^4 + a)}{4b} + \frac{bx^2 + 2bx}{2b^2} + \frac{\sqrt{2}(\sqrt{2}\sqrt{ab}^2d + \sqrt{2}\sqrt{ab}^2bh + (ab)^{3/2}fc - (ab)^{3/2}ahg + (ab)^{3/2}e) \arctan\left(\frac{d\sqrt{x} + \sqrt{bx^4}}{z\sqrt{2}}\right)}{4ab^2} + \frac{\sqrt{2}(\sqrt{2}\sqrt{ab}^2fd + \sqrt{2}\sqrt{ab}^2bh + (ab)^{3/2}fc - (ab)^{3/2}ahg + (ab)^{3/2}e) \arctan\left(\frac{d\sqrt{x} - \sqrt{bx^4}}{z\sqrt{2}}\right)}{4ab^2} + \frac{\sqrt{2}((ab)^{3/2}fc - (ab)^{3/2}ahg - (ab)^{3/2}e) \log(x^2 + \sqrt{2}z(\frac{1}{z^2} + \sqrt{\frac{a}{b}}))}{8ab^2} - \frac{\sqrt{2}((ab)^{3/2}fc - (ab)^{3/2}ahg - (ab)^{3/2}e) \log(x^2 - \sqrt{2}z(\frac{1}{z^2} + \sqrt{\frac{a}{b}}))}{8ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, algorithm="giac")

[Out] 1/4*f*log(abs(b*x^4 + a))/b + 1/2*(b*h*x^2 + 2*b*g*x)/b^2 + 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*d + sqrt(2)*sqrt(a*b)*a*b*h + (a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) + 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*d + sqrt(2)*sqrt(a*b)*a*b*h + (a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) + 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3) - 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3)

maple [A] time = 0.05, size = 462, normalized size = 1.37

$$\frac{d \arctan\left(\sqrt{\frac{a}{b}} x\right)}{2\sqrt{ab} b} + \frac{h x^2}{2b^2} + \frac{d \arctan\left(\sqrt{\frac{a}{b}} x\right)}{2\sqrt{ab} b} + \frac{(\frac{1}{2})^{\frac{1}{2}} \sqrt{2} \varepsilon \arctan\left(\frac{\sqrt{2} x}{(\frac{1}{2})^{\frac{1}{2}}}\right)}{4a} + \frac{(\frac{1}{2})^{\frac{1}{2}} \sqrt{2} \varepsilon \arctan\left(\frac{\sqrt{2} x + 1}{(\frac{1}{2})^{\frac{1}{2}}}\right)}{4a} + \frac{(\frac{1}{2})^{\frac{1}{2}} \sqrt{2} \varepsilon \ln\left(\frac{x + (\frac{1}{2})^{\frac{1}{2}} \sqrt{x + \sqrt{a/b}}}{x - (\frac{1}{2})^{\frac{1}{2}} \sqrt{x + \sqrt{a/b}}}\right)}{8a} + \frac{\sqrt{2} \varepsilon \arctan\left(\frac{\sqrt{2} x - 1}{(\frac{1}{2})^{\frac{1}{2}}}\right)}{4(\frac{1}{2})^{\frac{1}{2}} b} + \frac{\sqrt{2} \varepsilon \arctan\left(\frac{\sqrt{2} x + 1}{(\frac{1}{2})^{\frac{1}{2}}}\right)}{4(\frac{1}{2})^{\frac{1}{2}} b} + \frac{\sqrt{2} \varepsilon \ln\left(\frac{x + (\frac{1}{2})^{\frac{1}{2}} \sqrt{x + \sqrt{a/b}}}{x - (\frac{1}{2})^{\frac{1}{2}} \sqrt{x + \sqrt{a/b}}}\right)}{8(\frac{1}{2})^{\frac{1}{2}} b} + \frac{f \ln(bx^4 + a)}{4b} + \frac{g x}{b} + \frac{(\frac{1}{2})^{\frac{1}{2}} \sqrt{2} \varepsilon \arctan\left(\frac{\sqrt{2} x - 1}{(\frac{1}{2})^{\frac{1}{2}}}\right)}{4b} + \frac{(\frac{1}{2})^{\frac{1}{2}} \sqrt{2} \varepsilon \arctan\left(\frac{\sqrt{2} x + 1}{(\frac{1}{2})^{\frac{1}{2}}}\right)}{4b} + \frac{(\frac{1}{2})^{\frac{1}{2}} \sqrt{2} \varepsilon \ln\left(\frac{x + (\frac{1}{2})^{\frac{1}{2}} \sqrt{x + \sqrt{a/b}}}{x - (\frac{1}{2})^{\frac{1}{2}} \sqrt{x + \sqrt{a/b}}}\right)}{8b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a), x)$

[Out] $\frac{1}{2} \frac{h}{b} x^2 + \frac{1}{b} g x - \frac{1}{4} \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \frac{1}{b} g \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right) x - 1 + \frac{1}{4} \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \frac{1}{a} c \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right) x - 1 - \frac{1}{8} \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \frac{1}{b} g \ln\left(\frac{(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}}) x + \left(\frac{a}{b}\right)^{\frac{1}{2}})}{(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}}) x + \left(\frac{a}{b}\right)^{\frac{1}{2}}}\right) + \frac{1}{8} \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \frac{1}{a} c \ln\left(\frac{(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}}) x + \left(\frac{a}{b}\right)^{\frac{1}{2}})}{(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}}) x + \left(\frac{a}{b}\right)^{\frac{1}{2}}}\right) - \frac{1}{4} \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \frac{1}{b} g \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right) x + 1 + \frac{1}{4} \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \frac{1}{a} c \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right) x + 1 - \frac{1}{2} \frac{1}{b} \left(\frac{a}{b}\right)^{\frac{1}{2}} \arctan\left(\frac{\left(\frac{1}{a} b\right)^{\frac{1}{2}} x^2}{\left(\frac{1}{a} b\right)^{\frac{1}{2}}}\right) + \frac{1}{2} \frac{1}{\left(\frac{a}{b}\right)^{\frac{1}{2}}} d \arctan\left(\frac{\left(\frac{1}{a} b\right)^{\frac{1}{2}} x^2}{\left(\frac{1}{a} b\right)^{\frac{1}{2}}}\right) + \frac{1}{8} \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \frac{1}{b} e \ln\left(\frac{(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}}) x + \left(\frac{a}{b}\right)^{\frac{1}{2}})}{(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}}) x + \left(\frac{a}{b}\right)^{\frac{1}{2}}}\right) + \frac{1}{4} \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \frac{1}{b} e \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right) x + 1 + \frac{1}{4} \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \frac{1}{b} e \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right) x - 1 + \frac{1}{4} \frac{1}{b} f \ln(b*x^4 + a)$

maxima [A] time = 3.05, size = 351, normalized size = 1.04

$$\frac{hx^2 + 2gx}{2b} + \frac{\sqrt{2} \left(\sqrt{2a^{\frac{1}{4}} b^{\frac{3}{4}} f + \sqrt{a} b^{\frac{3}{2}} c - abg \right) \log\left(\sqrt{b} x^2 + \sqrt{2a^{\frac{1}{4}} b^{\frac{3}{4}} f + \sqrt{a} b^{\frac{3}{2}} c}\right) + \sqrt{2} \left(\sqrt{2a^{\frac{1}{4}} b^{\frac{3}{4}} f - \sqrt{a} b^{\frac{3}{2}} c - abg \right) \log\left(\sqrt{b} x^2 - \sqrt{2a^{\frac{1}{4}} b^{\frac{3}{4}} f + \sqrt{a} b^{\frac{3}{2}} c}\right)}{a^{\frac{3}{4}} b^{\frac{3}{4}}} + \frac{2 \left(\sqrt{2a^{\frac{1}{4}} b^{\frac{3}{4}} c + \sqrt{2a^{\frac{1}{4}} b^{\frac{3}{4}} f} - \sqrt{2a^{\frac{1}{4}} b^{\frac{3}{4}} c} - 2\sqrt{ab^2 d + 2a^{\frac{3}{2}} b} \right) \arctan\left(\frac{\sqrt{b} \left(\sqrt{b} x + \sqrt{2a^{\frac{1}{4}} b^{\frac{3}{4}} f} \right)}{2\sqrt{a} \sqrt{b}}\right) + 2 \left(\sqrt{2a^{\frac{1}{4}} b^{\frac{3}{4}} c + \sqrt{2a^{\frac{1}{4}} b^{\frac{3}{4}} f} - \sqrt{2a^{\frac{1}{4}} b^{\frac{3}{4}} c} + 2\sqrt{ab^2 d - 2a^{\frac{3}{2}} b} \right) \arctan\left(\frac{\sqrt{b} \left(\sqrt{b} x - \sqrt{2a^{\frac{1}{4}} b^{\frac{3}{4}} f} \right)}{2\sqrt{a} \sqrt{b}}\right)}{8b} + \frac{2 \sqrt{a} \sqrt{b} b^{\frac{3}{4}}}{a^{\frac{3}{4}} \sqrt{a} \sqrt{b} b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, \text{algorithm}="maxima")$

[Out] $\frac{1}{2} (h x^2 + 2 g x) / b + \frac{1}{8} (\sqrt{2}) (\sqrt{2}) a^{\frac{3}{4}} b^{\frac{5}{4}} f + b^2 c - \sqrt{a} b^{\frac{3}{2}} e - a b g \log(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{3}{4}} x + \sqrt{a}) / (a^{\frac{3}{4}} b^{\frac{5}{4}}) + \sqrt{2} (\sqrt{2}) a^{\frac{3}{4}} b^{\frac{5}{4}} f - b^2 c + \sqrt{a} b^{\frac{3}{2}} e + a b g \log(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{3}{4}} x + \sqrt{a}) / (a^{\frac{3}{4}} b^{\frac{5}{4}}) + 2 (\sqrt{2}) a^{\frac{1}{4}} b^{\frac{9}{4}} c + \sqrt{2} a^{\frac{3}{4}} b^{\frac{7}{4}} e - \sqrt{2} a^{\frac{5}{4}} b^{\frac{5}{4}} g - 2 \sqrt{a} b^2 d + 2 a^{\frac{3}{2}} b h \arctan\left(\frac{1}{2} \sqrt{2} (2 \sqrt{b} x + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}}) / \sqrt{a} \sqrt{b}\right) / (a^{\frac{3}{4}} \sqrt{a} \sqrt{b}) b^{\frac{5}{4}} + 2 (\sqrt{2}) a^{\frac{1}{4}} b^{\frac{9}{4}} c + \sqrt{2} a^{\frac{3}{4}} b^{\frac{7}{4}} e - \sqrt{2} a^{\frac{5}{4}} b^{\frac{5}{4}} g + 2 \sqrt{a} b^2 d - 2 a^{\frac{3}{2}} b h \arctan\left(\frac{1}{2} \sqrt{2} (2 \sqrt{b} x - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}}) / \sqrt{a} \sqrt{b}\right) / (a^{\frac{3}{4}} \sqrt{a} \sqrt{b}) b^{\frac{5}{4}}) / b$

mupad [B] time = 5.54, size = 2469, normalized size = 7.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4), x)$

[Out] $\text{symsum}(\log(\text{root}(256*a^3*b^6*z^4 - 256*a^3*b^5*f*z^3 - 64*a^3*b^4*e*g*z^2 - 64*a^3*b^4*d*h*z^2 + 64*a^2*b^5*c*e*z^2 + 32*a^4*b^3*h^2*z^2 + 96*a^3*b^4*f$

$$\begin{aligned}
&^2z^2 + 32a^2b^5d^2z^2 + 32a^3b^3e^2fgz + 32a^3b^3d^2fhz - 32a^3b^3c^2ghz - 32a^2b^4c^2efz + 32a^2b^4c^2d^2gz + 16a^4b^2g^2h^2z - 16a^4b^2f^2h^2z - 16a^3b^3e^2h^2z - 16a^3b^3d^2g^2z + 16a^2b^4c^2h^2z - 16a^2b^4d^2f^2z + 16a^2b^4d^2e^2z - 16a^2b^5c^2d^2z - 16a^3b^3f^3z - 8a^3b^2d^2egh + 8a^3b^2c^2fgh - 8a^2b^3c^2d^2fg + 8a^2b^3c^2d^2eh + 4a^3b^2e^2f^2h - 4a^3b^2e^2f^2g - 4a^3b^2d^2f^2h + 4a^3b^2d^2f^2g - 4a^2b^3c^2f^2h - 4a^3b^2c^2e^2h + 4a^2b^3d^2e^2g - 4a^2b^3d^2e^2f - 4a^2b^3c^2e^2g + 4a^2b^3c^2e^2f - 4a^4b^2f^2g^2h + 4a^4b^2e^2g^2h + 4a^2b^4c^2d^2f - 4a^2b^4c^2d^2e - 4a^4b^2d^2h^3 - 4a^2b^4c^3g + 6a^3b^2d^2h^2 + 2a^3b^2e^2g^2 + 6a^2b^3c^2g^2 + 2a^2b^3d^2f^2 + 2a^4b^2f^2h^2 - 4a^2b^3d^3h - 4a^3b^2c^2g^3 + 2a^2b^4c^2e^2 + a^3b^2f^4 + a^2b^3e^4 + a^4b^2g^4 + a^2b^4d^4 + a^5h^4 + b^5c^4, z, k) * ((8a^3b^3c^2f - 8a^3b^3d^2e + 8a^2b^2e^2h - 8a^2b^2f^2g) / b + \text{root}(256a^3b^6z^4 - 256a^3b^5f^2z^3 - 64a^3b^4e^2g^2z^2 - 64a^3b^4d^2h^2z^2 + 64a^2b^5c^2e^2z^2 + 32a^4b^3h^2z^2 + 96a^3b^4f^2z^2 + 32a^2b^5d^2z^2 + 32a^3b^3e^2fgz + 32a^3b^3d^2fhz - 32a^3b^3c^2ghz - 32a^2b^4c^2efz + 32a^2b^4c^2d^2gz + 16a^4b^2g^2h^2z - 16a^4b^2f^2h^2z - 16a^3b^3e^2h^2z - 16a^3b^3d^2g^2z + 16a^2b^4c^2h^2z - 16a^2b^4d^2f^2z + 16a^2b^4d^2e^2z - 16a^2b^5c^2d^2z - 16a^3b^3f^3z - 8a^3b^2d^2egh + 8a^3b^2c^2fgh - 8a^2b^3c^2d^2fg + 8a^2b^3c^2d^2eh + 4a^3b^2e^2f^2h - 4a^3b^2e^2f^2g - 4a^3b^2d^2f^2h + 4a^3b^2d^2f^2g - 4a^2b^3c^2f^2h - 4a^3b^2c^2e^2h + 4a^2b^3d^2e^2g - 4a^2b^3d^2e^2f - 4a^2b^3c^2e^2g + 4a^2b^3c^2e^2f - 4a^4b^2f^2g^2h + 4a^4b^2e^2g^2h + 4a^2b^4c^2d^2f - 4a^2b^4c^2d^2e - 4a^4b^2d^2h^3 - 4a^2b^4c^3g + 6a^3b^2d^2h^2 + 2a^3b^2e^2g^2 + 6a^2b^3c^2g^2 + 2a^2b^3d^2f^2 + 2a^4b^2f^2h^2 - 4a^2b^3d^3h - 4a^3b^2c^2g^3 + 2a^2b^4c^2e^2 + a^3b^2f^4 + a^2b^3e^4 + a^4b^2g^4 + a^2b^4d^4 + a^5h^4 + b^5c^4, z, k) * ((16a^2b^3g - 16a^2b^4c) / b - (x*(16a^2b^3h - 16a^2b^4d)) / b) - (x*(4b^4c^2 - 4a^2b^3e^2 + 4a^2b^2g^2 - 8a^2b^3c^2g + 8a^2b^3d^2f - 8a^2b^2f^2h)) / b) - (a^2b^2e^3 - b^3c^2d^2 + b^3c^2e + a^3g^2h^2 + a^2b^2c^2f^2 + a^2b^2d^2g - a^2b^2c^2h^2 + a^2b^2e^2g^2 - a^2b^2f^2g + 2a^2b^2c^2d^2h - 2a^2b^2c^2e^2g - 2a^2b^2d^2e^2f - 2a^2b^2d^2g^2h + 2a^2b^2e^2f^2h - 3a^2b^2d^2h^2 + 3a^2b^2d^2h^2 + a^2b^2f^2g^2 - a^2b^2f^2h^2 + 2a^2b^2c^2e^2h - 2a^2b^2c^2f^2g + 2a^2b^2d^2e^2g - 2a^2b^2e^2g^2h) / b) * \text{root}(256a^3b^6z^4 - 256a^3b^5f^2z^3 - 64a^3b^4e^2g^2z^2 - 64a^3b^4d^2h^2z^2 + 64a^2b^5c^2e^2z^2 + 32a^4b^3h^2z^2 + 96a^3b^4f^2z^2 + 32a^2b^5d^2z^2 + 32a^3b^3e^2fgz + 32a^3b^3d^2fhz - 32a^3b^3c^2ghz - 32a^2b^4c^2efz + 32a^2b^4c^2d^2gz + 16a^4b^2g^2h^2z - 16a^4b^2f^2h^2z - 16a^3b^3e^2h^2z - 16a^3b^3d^2g^2z + 16a^2b^4c^2h^2z - 16a^2b^4d^2f^2z + 16a^2b^4d^2e^2z - 16a^2b^5c^2d^2z - 16a^3b^3f^3z - 8a^3b^2d^2egh + 8a^3b^2c^2fgh - 8a^2b^3c^2d^2fg + 8a^2b^3c^2d^2eh + 4a^3b^2e^2f^2h - 4a^3b^2e^2f^2g - 4a^3b^2d^2f^2h + 4a^3b^2d^2f^2g - 4a^2b^3c^2f^2h - 4a^3b^2c^2e^2h + 4a^2b^3d^2e^2g - 4a^2b^3d^2e^2f - 4a^2b^3c^2e^2g + 4a^2b^3c^2e^2f
\end{aligned}$$

$$f^2 - 4a^4bf^2g^2h + 4a^4b^2eg^2h^2 + 4a^4b^3c^2df - 4a^4b^4cd^2e - 4a^4b^3d^3h^3 - 4a^4b^4c^3g + 6a^3b^2d^2h^2 + 2a^3b^2e^2g^2 + 6a^2b^3c^2g^2 + 2a^2b^3d^2f^2 + 2a^4b^2f^2h^2 - 4a^2b^3d^3h - 4a^3b^2c^3g^3 + 2a^4b^4c^2e^2 + a^3b^2f^4 + a^2b^3e^4 + a^4b^2g^4 + a^4b^3d^4 + a^5h^4 + b^5c^4, z, k), k, 1, 4) + (h*x^2)/(2*b) + (g*x)/b$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a),x)

[Out] Timed out

$$3.143 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{a+bx^4} dx$$

Optimal. Leaf size=384

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(\sqrt{b}(bc-a) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}}$$

Rubi [A] time = 0.57, antiderivative size = 384, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 13, integrand size = 40, number of rules / integrand size = 0.325, Rules used = {1885, 1819, 1810, 635, 205, 260, 1887, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}} - \frac{\tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{a}}{\sqrt[4]{b}}\right)\left(\sqrt{b}(bc-ag) + \sqrt{a}(be-ai)\right)}{2\sqrt{2} a^{3/4} b^{7/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a}}{\sqrt[4]{b}} + 1\right)\left(\sqrt{b}(bc-ag) + \sqrt{a}(be-ai)\right)}{2\sqrt{2} a^{3/4} b^{7/4}} + \frac{(bd-ah)\tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} + \frac{f \log(a+bx^4)}{4b} + \frac{gx}{b} + \frac{hx^2}{2b} + \frac{ix^3}{3b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4),x]

[Out] (g*x)/b + (h*x^2)/(2*b) + (i*x^3)/(3*b) + ((b*d - a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*b^(3/2)) - ((Sqrt[b]*(b*c - a*g) + Sqrt[a]*(b*e - a*i))*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(7/4)) + ((Sqrt[b]*(b*c - a*g) + Sqrt[a]*(b*e - a*i))*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(7/4)) - ((Sqrt[b]*(b*c - a*g) - Sqrt[a]*(b*e - a*i))*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(7/4)) + ((Sqrt[b]*(b*c - a*g) - Sqrt[a]*(b*e - a*i))*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(7/4)) + (f*Log[a + b*x^4])/(4*b)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 635

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1810

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rule 1819

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Dist[1/(m
+ 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p
, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[
Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]*((a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 143x^6}{a + bx^4} dx &= \int \left(\frac{x(d + fx^2 + hx^4)}{a + bx^4} + \frac{c + ex^2 + gx^4 + 143x^6}{a + bx^4} \right) dx \\
&= \int \frac{x(d + fx^2 + hx^4)}{a + bx^4} dx + \int \frac{c + ex^2 + gx^4 + 143x^6}{a + bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2}{a + bx^2} dx, x, x^2 \right) + \int \left(\frac{g}{b} + \frac{143x^2}{b} + \frac{bc - ag}{b} \right) dx \\
&= \frac{gx}{b} + \frac{143x^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \left(\frac{h}{b} + \frac{bd - ah + bfx}{b(a + bx^2)} \right) dx, x, x^2 \right) + \int \frac{bc - ag}{b} dx \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{143x^3}{3b} + \frac{\text{Subst} \left(\int \frac{bd - ah + bfx}{a + bx^2} dx, x, x^2 \right)}{2b} - \frac{(143a - bc)x}{2b} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{143x^3}{3b} + \frac{1}{2} f \text{Subst} \left(\int \frac{x}{a + bx^2} dx, x, x^2 \right) - \frac{(143a - bc)x}{2b} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{143x^3}{3b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a} b^{3/2}} - \frac{(143a - bc + \sqrt{b}x^2)x}{2b} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{143x^3}{3b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a} b^{3/2}} + \frac{(143a - bc - \sqrt{b}x^2)x}{2b}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 427, normalized size = 1.11

$$\frac{6 \tan^{-1} \left(\frac{\sqrt{2} \sqrt{bx^2 + a}}{\sqrt{a}} \right) \left(2a^{3/4} \sqrt{b} \sqrt{a^2 - 2\sqrt{a}bx^2 + a^2} - \sqrt{2} \sqrt{bx^2 + a} \sqrt{a} \sqrt{a^2 - 2\sqrt{a}bx^2 + a^2} \right) + 6 \tan^{-1} \left(\frac{\sqrt{2} \sqrt{bx^2 + a}}{\sqrt{a}} \right) \left(2a^{3/4} \sqrt{b} \sqrt{a^2 - 2\sqrt{a}bx^2 + a^2} - \sqrt{2} \sqrt{bx^2 + a} \sqrt{a} \sqrt{a^2 - 2\sqrt{a}bx^2 + a^2} \right) - 3\sqrt{2} \log \left(\sqrt{2} \sqrt{bx^2 + a} \sqrt{a^2 - 2\sqrt{a}bx^2 + a^2} - \sqrt{bx^2 + a} \sqrt{a^2 - 2\sqrt{a}bx^2 + a^2} \right) + 3\sqrt{2} \log \left(\sqrt{2} \sqrt{bx^2 + a} \sqrt{a^2 - 2\sqrt{a}bx^2 + a^2} - \sqrt{bx^2 + a} \sqrt{a^2 - 2\sqrt{a}bx^2 + a^2} \right) + 6b^{3/4} f \log(a + bx^4) + 24b^{3/4} gx + 12b^{3/4} hx^2 + 8b^{3/4} cx^3}{24b^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4), x]

[Out] (24*b^(3/4)*g*x + 12*b^(3/4)*h*x^2 + 8*b^(3/4)*i*x^3 + (6*(-(Sqrt[2]*b^(3/2))*c) - 2*a^(1/4)*b^(5/4)*d - Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h + Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(3/4) + (6*(Sqrt[2]*b^(3/2)*c - 2*a^(1/4)*b^(5/4)*d + Sqrt[2]*Sqrt[a]*b*e - Sqrt[2]*a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h - Sqrt[2]*a^(3/2)*i)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(3/4) - (3*Sqrt[2]*(b^(3/2)*c - Sqrt

$[a]*b*e - a*\text{Sqrt}[b]*g + a^{(3/2)*i}*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/a^{(3/4)} + (3*\text{Sqrt}[2]*(b^{(3/2)*c} - \text{Sqrt}[a]*b*e - a*\text{Sqrt}[b]*g + a^{(3/2)*i}*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/a^{(3/4)} + 6*b^{(3/4)}*f*\text{Log}[a + b*x^4)]/(24*b^{(7/4)})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6}{a + bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.21, size = 562, normalized size = 1.46

$$\frac{\frac{1}{2} \left(\frac{1 + \sqrt{2}}{2} \right)^{\frac{1}{4}} \frac{\sqrt{2} \sqrt{a+b} \sqrt{c+d \sqrt{2} + e \sqrt{2} + f \sqrt{2} + g \sqrt{2} + h \sqrt{2} + i \sqrt{2}}{\sqrt{2}}}{\sqrt{2} \sqrt{a+b} \sqrt{c+d \sqrt{2} + e \sqrt{2} + f \sqrt{2} + g \sqrt{2} + h \sqrt{2} + i \sqrt{2}}} + \frac{1}{2} \left(\frac{1 - \sqrt{2}}{2} \right)^{\frac{1}{4}} \frac{\sqrt{2} \sqrt{a+b} \sqrt{c+d \sqrt{2} + e \sqrt{2} + f \sqrt{2} + g \sqrt{2} + h \sqrt{2} + i \sqrt{2}}{\sqrt{2}}}{\sqrt{2} \sqrt{a+b} \sqrt{c+d \sqrt{2} + e \sqrt{2} + f \sqrt{2} + g \sqrt{2} + h \sqrt{2} + i \sqrt{2}}}}{\sqrt{2} \sqrt{a+b} \sqrt{c+d \sqrt{2} + e \sqrt{2} + f \sqrt{2} + g \sqrt{2} + h \sqrt{2} + i \sqrt{2}}} + \frac{1}{2} \left(\frac{1 + \sqrt{2}}{2} \right)^{\frac{1}{4}} \frac{\sqrt{2} \sqrt{a+b} \sqrt{c+d \sqrt{2} + e \sqrt{2} + f \sqrt{2} + g \sqrt{2} + h \sqrt{2} + i \sqrt{2}}{\sqrt{2}}}{\sqrt{2} \sqrt{a+b} \sqrt{c+d \sqrt{2} + e \sqrt{2} + f \sqrt{2} + g \sqrt{2} + h \sqrt{2} + i \sqrt{2}}} + \frac{1}{2} \left(\frac{1 - \sqrt{2}}{2} \right)^{\frac{1}{4}} \frac{\sqrt{2} \sqrt{a+b} \sqrt{c+d \sqrt{2} + e \sqrt{2} + f \sqrt{2} + g \sqrt{2} + h \sqrt{2} + i \sqrt{2}}{\sqrt{2}}}{\sqrt{2} \sqrt{a+b} \sqrt{c+d \sqrt{2} + e \sqrt{2} + f \sqrt{2} + g \sqrt{2} + h \sqrt{2} + i \sqrt{2}}}}{\sqrt{2} \sqrt{a+b} \sqrt{c+d \sqrt{2} + e \sqrt{2} + f \sqrt{2} + g \sqrt{2} + h \sqrt{2} + i \sqrt{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="giac")

[Out] $-1/8*i*(2*\text{sqrt}(2)*(a*b^3)^{(3/4)}*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/b^4 - \text{sqrt}(2)*(a*b^3)^{(3/4)}*\text{log}(x^2 + \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/b^4) - 1/8*i*(2*\text{sqrt}(2)*(a*b^3)^{(3/4)}*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/b^4 + \text{sqrt}(2)*(a*b^3)^{(3/4)}*\text{log}(x^2 - \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/b^4) + 1/4*f*\text{log}(\text{abs}(b*x^4 + a))/b + 1/4*\text{sqrt}(2)*(\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + \text{sqrt}(2)*\text{sqrt}(a*b)*a*b*h + (a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(1/4)}*a*b*g + (a*b^3)^{(3/4)}*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a*b^3) + 1/4*\text{sqrt}(2)*(\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + \text{sqrt}(2)*\text{sqrt}(a*b)*a*b*h + (a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(1/4)}*a*b*g$

$$+ (a*b^3)^{(3/4)*e}*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{(1/4)}))/(a/b)^{(1/4)} / (a*b^3) + 1/8*\sqrt{2}*((a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(1/4)}*a*b*g - (a*b^3)^{(3/4)*e}*\log(x^2 + \sqrt{2}*(a/b)^{(1/4)} + \sqrt{2}*(a/b)))/(a*b^3) - 1/8*\sqrt{2}*((a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(1/4)}*a*b*g - (a*b^3)^{(3/4)*e}*\log(x^2 - \sqrt{2}*(a/b)^{(1/4)} + \sqrt{2}*(a/b)))/(a*b^3) + 1/6*(2*b^2*i*x^3 + 3*b^2*h*x^2 + 6*b^2*g*x)/b^3$$

maple [B] time = 0.06, size = 603, normalized size = 1.57

$$\frac{e^{\frac{1}{4}} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{2\sqrt{ab}b} + \frac{e^{\frac{1}{4}} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{2\sqrt{ab}b} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{4(\frac{a}{b})^{3/4}} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{4(\frac{a}{b})^{3/4}} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{8(\frac{a}{b})^{3/4}} + \frac{(\frac{a}{b})^{1/4} \sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{40} + \frac{(\frac{a}{b})^{1/4} \sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{40} + \frac{(\frac{a}{b})^{1/4} \sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{80} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{4(\frac{a}{b})^{3/4}} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{4(\frac{a}{b})^{3/4}} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{8(\frac{a}{b})^{3/4}} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{8(\frac{a}{b})^{3/4}} + \frac{(\frac{a}{b})^{1/4} \sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{40} + \frac{(\frac{a}{b})^{1/4} \sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{40} + \frac{(\frac{a}{b})^{1/4} \sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{80}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a), x)

[Out] $1/3/b*i*x^3+1/2/b*h*x^2+1/b*g*x-1/4*(a/b)^{(1/4)}*2^{(1/2)}/b*g*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+1/4*(a/b)^{(1/4)}*2^{(1/2)}/a*c*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)-1/8*(a/b)^{(1/4)}*2^{(1/2)}/b*g*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+1/8*(a/b)^{(1/4)}*2^{(1/2)}/a*c*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))-1/4*(a/b)^{(1/4)}*2^{(1/2)}/b*g*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/4*(a/b)^{(1/4)}*2^{(1/2)}/a*c*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)-1/2/(a*b)^{(1/2)}*a/b*h*\arctan((1/a*b)^{(1/2)}*x^2)+1/2/(a*b)^{(1/2)}*d*\arctan((1/a*b)^{(1/2)}*x^2)-1/8/b^2/(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))*a*i+1/8/(a/b)^{(1/4)}*2^{(1/2)}/b*e*\ln((x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))-1/4/b^2/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)*a*i+1/4/(a/b)^{(1/4)}*2^{(1/2)}/b*e*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)-1/4/b^2/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)*a*i+1/4/(a/b)^{(1/4)}*2^{(1/2)}/b*e*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/4/b*f*\ln(b*x^4+a)$

maxima [A] time = 3.08, size = 399, normalized size = 1.04

$$\frac{2ix^3 + 3hx^2 + 6gx}{6b} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{4(\frac{a}{b})^{3/4}} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{4(\frac{a}{b})^{3/4}} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{8(\frac{a}{b})^{3/4}} + \frac{2 \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{8b} + \frac{2 \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{8b} + \frac{2 \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{8b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="maxima")

[Out] $1/6*(2*i*x^3 + 3*h*x^2 + 6*g*x)/b + 1/8*(\sqrt{2}*(\sqrt{2}*a^{(3/4)}*b^{(5/4)}*f + b^2*c - \sqrt{2}*(a)*b^{(3/2)}*e - a*b*g + a^{(3/2)}*\sqrt{2}*(b)*i)*\log(\sqrt{2}*(b)*x^2 + \sqrt{2}*(a)*a^{(1/4)}*b^{(1/4)}*x + \sqrt{2}*(a)))/(a^{(3/4)}*b^{(5/4)}) + \sqrt{2}*(\sqrt{2}*(a)*a^{(3/4)}*b^{(5/4)}*f - b^2*c + \sqrt{2}*(a)*b^{(3/2)}*e + a*b*g - a^{(3/2)}*\sqrt{2}*(b)*i)*\log(\sqrt{2}*(b)*x^2 - \sqrt{2}*(a)*a^{(1/4)}*b^{(1/4)}*x + \sqrt{2}*(a)))/(a^{(3/4)}*b^{(5/4)}) +$

$$2*(\sqrt{2}*a^{(1/4)}*b^{(9/4)}*c + \sqrt{2}*a^{(3/4)}*b^{(7/4)}*e - \sqrt{2}*a^{(5/4)}*b^{(5/4)}*g - \sqrt{2}*a^{(7/4)}*b^{(3/4)}*i - 2*\sqrt{a}*b^2*d + 2*a^{(3/2)}*b*h)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x + \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{\sqrt{a}*\sqrt{b}})/a^{(3/4)}*\sqrt{\sqrt{a}*\sqrt{b}}*b^{(5/4)} + 2*(\sqrt{2}*a^{(1/4)}*b^{(9/4)}*c + \sqrt{2}*a^{(3/4)}*b^{(7/4)}*e - \sqrt{2}*a^{(5/4)}*b^{(5/4)}*g - \sqrt{2}*a^{(7/4)}*b^{(3/4)}*i + 2*\sqrt{a}*b^2*d - 2*a^{(3/2)}*b*h)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{\sqrt{a}*\sqrt{b}})/a^{(3/4)}*\sqrt{\sqrt{a}*\sqrt{b}}*b^{(5/4)})/b$$

mupad [B] time = 5.05, size = 3798, normalized size = 9.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4), x)$

[Out] $\text{symsum}(\log((a^4*i^3 - a*b^3*e^3 + b^4*c*d^2 - b^4*c^2*e + a^2*b^2*c*h^2 - a^2*b^2*e*g^2 + a^2*b^2*f^2*g + 3*a^2*b^2*e^2*i - a*b^3*c*f^2 - a*b^3*d^2*g + a*b^3*c^2*i - 3*a^3*b*e*i^2 - a^3*b*g*h^2 + a^3*b*g^2*i - 2*a^2*b^2*c*g*i - 2*a^2*b^2*d*f*i + 2*a^2*b^2*d*g*h - 2*a^2*b^2*e*f*h - 2*a*b^3*c*d*h + 2*a*b^3*c*e*g + 2*a*b^3*d*e*f + 2*a^3*b*f*h*i)/b^2 + \text{root}(256*a^3*b^7*z^4 - 256*a^3*b^6*f*z^3 + 64*a^4*b^4*g*i*z^2 - 64*a^3*b^5*e*g*z^2 - 64*a^3*b^5*d*h*z^2 - 64*a^3*b^5*c*i*z^2 + 64*a^2*b^6*c*e*z^2 + 32*a^4*b^4*h^2*z^2 + 96*a^3*b^5*f^2*z^2 + 32*a^2*b^6*d^2*z^2 - 32*a^4*b^3*f*g*i*z + 32*a^4*b^3*e*h*i*z + 32*a^3*b^4*e*f*g*z + 32*a^3*b^4*d*f*h*z - 32*a^3*b^4*d*e*i*z - 32*a^3*b^4*c*g*h*z + 32*a^3*b^4*c*f*i*z - 32*a^2*b^5*c*e*f*z + 32*a^2*b^5*c*d*g*z - 16*a^5*b^2*h*i^2*z + 16*a^4*b^3*g^2*h*z - 16*a^4*b^3*f*h^2*z + 16*a^4*b^3*d*i^2*z - 16*a^3*b^4*e^2*h*z - 16*a^3*b^4*d*g^2*z + 16*a^2*b^5*c^2*h*z - 16*a^2*b^5*d^2*f*z + 16*a^2*b^5*d*e^2*z - 16*a*b^6*c^2*d*z - 16*a^3*b^4*f^3*z - 8*a^4*b^2*e*f*h*i + 8*a^4*b^2*d*g*h*i - 8*a^3*b^3*d*e*g*h + 8*a^3*b^3*d*e*f*i + 8*a^3*b^3*c*f*g*h + 8*a^3*b^3*c*e*g*i - 8*a^3*b^3*c*d*h*i - 8*a^2*b^4*c*d*f*g + 8*a^2*b^4*c*d*e*h + 4*a^4*b^2*f^2*g*i - 4*a^4*b^2*f*g^2*h - 4*a^4*b^2*e*g^2*i + 4*a^4*b^2*e*g*h^2 + 4*a^4*b^2*c*h^2*i - 4*a^3*b^3*d^2*g*i - 4*a^4*b^2*d*f*i^2 - 4*a^4*b^2*c*g*i^2 + 4*a^3*b^3*e^2*f*h - 4*a^3*b^3*e*f^2*g - 4*a^3*b^3*d*f^2*h - 4*a^3*b^3*c*f^2*i + 4*a^3*b^3*d*f*g^2 - 4*a^2*b^4*c^2*f*h - 4*a^2*b^4*c^2*e*i - 4*a^3*b^3*c*e*h^2 + 4*a^2*b^4*d^2*e*g + 4*a^2*b^4*c*d^2*i - 4*a^2*b^4*d*e^2*f - 4*a^2*b^4*c*e^2*g + 4*a^2*b^4*c*e*f^2 - 4*a^5*b*g*h^2*i + 4*a^5*b*f*h*i^2 + 4*a*b^5*c^2*d*f - 4*a*b^5*c*d^2*e - 4*a^5*b*e*i^3 - 4*a*b^5*c^3*g + 6*a^4*b^2*e^2*i^2 + 2*a^4*b^2*f^2*h^2 + 6*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 + 2*a^3*b^3*c^2*i^2 + 6*a^2*b^4*c^2*g^2 + 2*a^2*b^4*d^2*f^2 + 2*a^5*b*g^2*i^2 - 4*a^3*b^3*e^3*i - 4*a^4*b^2*d*h^3 - 4*a^2*b^4*d^3*h - 4*a^3*b^3*c*g^3 + 2*a*b^5*c^2*e^2 + a^4*b^2*g^4 + a^3*b^3*f^4 + a^2*b^4*e^4 + a^5*b*h^4 + a*b^5*d^4 + a^6*i^4 + b^6*c^4, z, 1)*((8*a*b^4*c*f - 8*a*b^4*d*e + 8*a^2*b^3*d*i + 8*a^2*b^3*e*h - 8*a^2*b^3*f*g - 8*a^3*b^2*h*i)/b^2 + \text{root}(256*a^3*b^7*z^4 - 256*a^3*b^6*f*z^3 + 64*a^4*b^4*g$

$$\begin{aligned}
& *i*z^2 - 64*a^3*b^5*e*g*z^2 - 64*a^3*b^5*d*h*z^2 - 64*a^3*b^5*c*i*z^2 + 64* \\
& a^2*b^6*c*e*z^2 + 32*a^4*b^4*h^2*z^2 + 96*a^3*b^5*f^2*z^2 + 32*a^2*b^6*d^2* \\
& z^2 - 32*a^4*b^3*f*g*i*z + 32*a^4*b^3*e*h*i*z + 32*a^3*b^4*e*f*g*z + 32*a^3 \\
& *b^4*d*f*h*z - 32*a^3*b^4*d*e*i*z - 32*a^3*b^4*c*g*h*z + 32*a^3*b^4*c*f*i*z \\
& - 32*a^2*b^5*c*e*f*z + 32*a^2*b^5*c*d*g*z - 16*a^5*b^2*h*i^2*z + 16*a^4*b^ \\
& 3*g^2*h*z - 16*a^4*b^3*f*h^2*z + 16*a^4*b^3*d*i^2*z - 16*a^3*b^4*e^2*h*z - \\
& 16*a^3*b^4*d*g^2*z + 16*a^2*b^5*c^2*h*z - 16*a^2*b^5*d^2*f*z + 16*a^2*b^5*d \\
& *e^2*z - 16*a*b^6*c^2*d*z - 16*a^3*b^4*f^3*z - 8*a^4*b^2*e*f*h*i + 8*a^4*b^ \\
& 2*d*g*h*i - 8*a^3*b^3*d*e*g*h + 8*a^3*b^3*d*e*f*i + 8*a^3*b^3*c*f*g*h + 8*a \\
& ^3*b^3*c*e*g*i - 8*a^3*b^3*c*d*h*i - 8*a^2*b^4*c*d*f*g + 8*a^2*b^4*c*d*e*h \\
& + 4*a^4*b^2*f^2*g*i - 4*a^4*b^2*f*g^2*h - 4*a^4*b^2*e*g^2*i + 4*a^4*b^2*e*g \\
& *h^2 + 4*a^4*b^2*c*h^2*i - 4*a^3*b^3*d^2*g*i - 4*a^4*b^2*d*f*i^2 - 4*a^4*b^ \\
& 2*c*g*i^2 + 4*a^3*b^3*e^2*f*h - 4*a^3*b^3*e*f^2*g - 4*a^3*b^3*d*f^2*h - 4*a \\
& ^3*b^3*c*f^2*i + 4*a^3*b^3*d*f*g^2 - 4*a^2*b^4*c^2*f*h - 4*a^2*b^4*c^2*e*i \\
& - 4*a^3*b^3*c*e*h^2 + 4*a^2*b^4*d^2*e*g + 4*a^2*b^4*c*d^2*i - 4*a^2*b^4*d*e \\
& ^2*f - 4*a^2*b^4*c*e^2*g + 4*a^2*b^4*c*e*f^2 - 4*a^5*b*g*h^2*i + 4*a^5*b*f* \\
& h*i^2 + 4*a*b^5*c^2*d*f - 4*a*b^5*c*d^2*e - 4*a^5*b*e*i^3 - 4*a*b^5*c^3*g + \\
& 6*a^4*b^2*e^2*i^2 + 2*a^4*b^2*f^2*h^2 + 6*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2* \\
& g^2 + 2*a^3*b^3*c^2*i^2 + 6*a^2*b^4*c^2*g^2 + 2*a^2*b^4*d^2*f^2 + 2*a^5*b*g \\
& ^2*i^2 - 4*a^3*b^3*e^3*i - 4*a^4*b^2*d*h^3 - 4*a^2*b^4*d^3*h - 4*a^3*b^3*c* \\
& g^3 + 2*a*b^5*c^2*e^2 + a^4*b^2*g^4 + a^3*b^3*f^4 + a^2*b^4*e^4 + a^5*b*h^4 \\
& + a*b^5*d^4 + a^6*i^4 + b^6*c^4, z, 1)*((16*a^2*b^4*g - 16*a*b^5*c)/b^2 - \\
& (x*(16*a^2*b^3*h - 16*a*b^4*d))/b) - (x*(4*b^4*c^2 - 4*a*b^3*e^2 - 4*a^3*b* \\
& i^2 + 4*a^2*b^2*g^2 - 8*a*b^3*c*g + 8*a*b^3*d*f + 8*a^2*b^2*e*i - 8*a^2*b^2 \\
& *f*h))/b) + (x*(b^3*d^3 - a^3*h^3 + b^3*c^2*f - a^3*f*i^2 - 2*b^3*c*d*e + 2 \\
& *a^3*g*h*i + a*b^2*d*f^2 - a*b^2*e^2*f - 3*a*b^2*d^2*h + 3*a^2*b*d*h^2 + a^ \\
& 2*b*f*g^2 - a^2*b*f^2*h + 2*a*b^2*c*d*i + 2*a*b^2*c*e*h - 2*a*b^2*c*f*g + 2 \\
& *a*b^2*d*e*g - 2*a^2*b*c*h*i - 2*a^2*b*d*g*i + 2*a^2*b*e*f*i - 2*a^2*b*e*g* \\
& h))/b)*root(256*a^3*b^7*z^4 - 256*a^3*b^6*f*z^3 + 64*a^4*b^4*g*i*z^2 - 64*a \\
& ^3*b^5*e*g*z^2 - 64*a^3*b^5*d*h*z^2 - 64*a^3*b^5*c*i*z^2 + 64*a^2*b^6*c*e*z \\
& ^2 + 32*a^4*b^4*h^2*z^2 + 96*a^3*b^5*f^2*z^2 + 32*a^2*b^6*d^2*z^2 - 32*a^4* \\
& b^3*f*g*i*z + 32*a^4*b^3*e*h*i*z + 32*a^3*b^4*e*f*g*z + 32*a^3*b^4*d*f*h*z \\
& - 32*a^3*b^4*d*e*i*z - 32*a^3*b^4*c*g*h*z + 32*a^3*b^4*c*f*i*z - 32*a^2*b^5 \\
& *c*e*f*z + 32*a^2*b^5*c*d*g*z - 16*a^5*b^2*h*i^2*z + 16*a^4*b^3*g^2*h*z - 1 \\
& 6*a^4*b^3*f*h^2*z + 16*a^4*b^3*d*i^2*z - 16*a^3*b^4*e^2*h*z - 16*a^3*b^4*d* \\
& g^2*z + 16*a^2*b^5*c^2*h*z - 16*a^2*b^5*d^2*f*z + 16*a^2*b^5*d*e^2*z - 16*a \\
& *b^6*c^2*d*z - 16*a^3*b^4*f^3*z - 8*a^4*b^2*e*f*h*i + 8*a^4*b^2*d*g*h*i - 8 \\
& *a^3*b^3*d*e*g*h + 8*a^3*b^3*d*e*f*i + 8*a^3*b^3*c*f*g*h + 8*a^3*b^3*c*e*g* \\
& i - 8*a^3*b^3*c*d*h*i - 8*a^2*b^4*c*d*f*g + 8*a^2*b^4*c*d*e*h + 4*a^4*b^2*f \\
& ^2*g*i - 4*a^4*b^2*f*g^2*h - 4*a^4*b^2*e*g^2*i + 4*a^4*b^2*e*g*h^2 + 4*a^4* \\
& b^2*c*h^2*i - 4*a^3*b^3*d^2*g*i - 4*a^4*b^2*d*f*i^2 - 4*a^4*b^2*c*g*i^2 + 4 \\
& *a^3*b^3*e^2*f*h - 4*a^3*b^3*e*f^2*g - 4*a^3*b^3*d*f^2*h - 4*a^3*b^3*c*f^2* \\
& i + 4*a^3*b^3*d*f*g^2 - 4*a^2*b^4*c^2*f*h - 4*a^2*b^4*c^2*e*i - 4*a^3*b^3*c \\
& *e*h^2 + 4*a^2*b^4*d^2*e*g + 4*a^2*b^4*c*d^2*i - 4*a^2*b^4*d*e^2*f - 4*a^2* \\
& b^4*c*e^2*g + 4*a^2*b^4*c*e*f^2 - 4*a^5*b*g*h^2*i + 4*a^5*b*f*h*i^2 + 4*a*b
\end{aligned}$$

$$\begin{aligned}
&^5c^2d^f - 4ab^5cd^2e - 4a^5b^3e^3i - 4ab^5c^3g + 6a^4b^2e^2i^2 + 2a^4b^2f^2h^2 + 6a^3b^3d^2h^2 + 2a^3b^3e^2g^2 + 2a^3b^3c^2i^2 + 6a^2b^4c^2g^2 + 2a^2b^4d^2f^2 + 2a^5b^3g^2i^2 - 4a^3b^3e^3i - 4a^4b^2d^3h^3 - 4a^2b^4d^3h - 4a^3b^3c^3g^3 + 2ab^5c^2e^2 + a^4b^2g^4 + a^3b^3f^4 + a^2b^4e^4 + a^5b^3h^4 + ab^5d^4 + a^6i^4 + b^6c^4, z, 1), 1, 1, 4) + (hx^2)/(2b) + (ix^3)/(3b) + (gx)/b
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a),x)

[Out] Timed out

$$3.144 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{a+bx^4} dx$$

Optimal. Leaf size=402

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(bc-ag)\right)}{4\sqrt{2} a^{3/4} b^{7/4}}$$

Rubi [A] time = 0.57, antiderivative size = 402, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {1885, 1887, 1168, 1162, 617, 204, 1165, 628, 1819, 1810, 635, 205, 260}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}} - \frac{\tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{a}}{\sqrt[4]{b}}\right) \left(\sqrt{b}(bc-ag) + \sqrt{a}(be-ai)\right)}{2\sqrt{2} a^{3/4} b^{7/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a}}{\sqrt[4]{b}} + 1\right) \left(\sqrt{b}(bc-ag) + \sqrt{a}(be-ai)\right)}{2\sqrt{2} a^{3/4} b^{7/4}} + \frac{(bd-ai) \tan^{-1}\left(\frac{\sqrt{b} x}{\sqrt{a}}\right)}{2\sqrt{a} b^{3/2}} + \frac{(bf-a) \log(a+bx^4)}{4b^2} + \frac{gx}{b} + \frac{hx^2}{2b} + \frac{ix^3}{3b} + \frac{jx^4}{4b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4), x]

[Out] (g*x)/b + (h*x^2)/(2*b) + (i*x^3)/(3*b) + (j*x^4)/(4*b) + ((b*d - a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*b^(3/2)) - ((Sqrt[b]*(b*c - a*g) + Sqrt[a]*(b*e - a*i))*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(7/4)) + ((Sqrt[b]*(b*c - a*g) + Sqrt[a]*(b*e - a*i))*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(7/4)) - ((Sqrt[b]*(b*c - a*g) - Sqrt[a]*(b*e - a*i))*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(7/4)) + ((Sqrt[b]*(b*c - a*g) - Sqrt[a]*(b*e - a*i))*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(7/4)) + ((b*f - a*j)*Log[a + b*x^4])/(4*b^2)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 635

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1810

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rule 1819

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Dist[1/(m
+ 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p
, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[
Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]]*(a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 144x^6 + jx^7}{a + bx^4} dx &= \int \left(\frac{c + ex^2 + gx^4 + 144x^6}{a + bx^4} + \frac{x(d + fx^2 + hx^4 + jx^6)}{a + bx^4} \right) dx \\
&= \int \frac{c + ex^2 + gx^4 + 144x^6}{a + bx^4} dx + \int \frac{x(d + fx^2 + hx^4 + jx^6)}{a + bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2 + jx^3}{a + bx^2} dx, x, x^2 \right) + \int \left(\frac{g}{b} + \frac{144x^6}{bx^4} \right) dx \\
&= \frac{gx}{b} + \frac{48x^3}{b} + \frac{1}{2} \text{Subst} \left(\int \left(\frac{h}{b} + \frac{jx}{b} + \frac{bd - ah + (bf - aj)x}{b(a + bx^2)} \right) dx, x, x^2 \right) \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{48x^3}{b} + \frac{jx^4}{4b} + \frac{\text{Subst} \left(\int \frac{bd - ah + (bf - aj)x}{a + bx^2} dx, x, x^2 \right)}{2b} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{48x^3}{b} + \frac{jx^4}{4b} - \frac{\left(144a - be - \frac{\sqrt{b}(bc - ag)}{\sqrt{a}} \right) \int \frac{dx}{\sqrt{a + bx^4}}}{4b^2} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{48x^3}{b} + \frac{jx^4}{4b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a} b^{3/2}} - \frac{\left(144a - be - \frac{\sqrt{b}(bc - ag)}{\sqrt{a}} \right) \int \frac{dx}{\sqrt{a + bx^4}}}{4b^2} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{48x^3}{b} + \frac{jx^4}{4b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a} b^{3/2}} + \frac{\left(144a - be - \frac{\sqrt{b}(bc - ag)}{\sqrt{a}} \right) \int \frac{dx}{\sqrt{a + bx^4}}}{4b^2}
\end{aligned}$$

Mathematica [A] time = 0.42, size = 445, normalized size = 1.11

$$\frac{\frac{6 \sqrt{a} \sqrt{1 - \frac{2 \sqrt{b} x^2}{\sqrt{a}}}}{b^2} \left(2 \sqrt{a} \sqrt{b} \sqrt{a + \sqrt{b} x^2} - 2 \sqrt{b} \sqrt{a} \sqrt{a + \sqrt{b} x^2} + \sqrt{2} \sqrt{a} \sqrt{a + \sqrt{b} x^2} - \sqrt{2} \sqrt{b} \sqrt{a + \sqrt{b} x^2} \right)}{a^{3/4}} + \frac{6 \sqrt{a} \sqrt{1 - \frac{2 \sqrt{b} x^2}{\sqrt{a}}}}{b^2} \left(2 \sqrt{a} \sqrt{b} \sqrt{a + \sqrt{b} x^2} - 2 \sqrt{b} \sqrt{a} \sqrt{a + \sqrt{b} x^2} + \sqrt{2} \sqrt{a} \sqrt{a + \sqrt{b} x^2} - \sqrt{2} \sqrt{b} \sqrt{a + \sqrt{b} x^2} \right)}{a^{3/4}} - \frac{3 \sqrt{2} \log \left(-\sqrt{2} \sqrt{b} \sqrt{a + \sqrt{b} x^2} + \sqrt{b} x^2 \right) \left(a^{3/2} - \sqrt{b} \sqrt{a + \sqrt{b} x^2} \right)}{a^{3/4}} + \frac{3 \sqrt{2} \log \left(\sqrt{2} \sqrt{b} \sqrt{a + \sqrt{b} x^2} + \sqrt{b} x^2 \right) \left(a^{3/2} - \sqrt{b} \sqrt{a + \sqrt{b} x^2} \right)}{a^{3/4}} + \frac{60 \sqrt{a} \log(a + bx^4)}{b^2} + 240 \sqrt{a} gx + 120 \sqrt{a} hx^2 + 80 \sqrt{a} jx^3 + 60 \sqrt{a} jx^4}{4b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4), x]

[Out] (24*b^(3/4)*g*x + 12*b^(3/4)*h*x^2 + 8*b^(3/4)*i*x^3 + 6*b^(3/4)*j*x^4 + (6*(-(Sqrt[2]*b^(3/2)*c) - 2*a^(1/4)*b^(5/4)*d - Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h + Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(3/4) + (6*(Sqrt[2]*b^(3/2)*c - 2*a^(1/4)*b^(5/4)*d + Sqrt[2]*Sqrt[a]*b*e - Sqrt[2]*a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h - Sqrt[2]*a^(3/2)*i)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(3/4) - (144*a - b*e - (Sqrt[b]*(b*c - a*g))/Sqrt[a])*(Sqrt[a + b*x^4])/(4*b^2)

$2] * a^{(3/2)} * i) * \text{ArcTan}[1 + (\text{Sqrt}[2] * b^{(1/4)} * x) / a^{(1/4)}] / a^{(3/4)} - (3 * \text{Sqrt}[2] * (b^{(3/2)} * c - \text{Sqrt}[a] * b * e - a * \text{Sqrt}[b] * g + a^{(3/2)} * i) * \text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2] * a^{(1/4)} * b^{(1/4)} * x + \text{Sqrt}[b] * x^2]) / a^{(3/4)} + (3 * \text{Sqrt}[2] * (b^{(3/2)} * c - \text{Sqrt}[a] * b * e - a * \text{Sqrt}[b] * g + a^{(3/2)} * i) * \text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2] * a^{(1/4)} * b^{(1/4)} * x + \text{Sqrt}[b] * x^2]) / a^{(3/4)} + (6 * (b * f - a * j) * \text{Log}[a + b * x^4]) / b^{(1/4)} / (24 * b^{(7/4)})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6 + jx^7}{a + bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 578, normalized size = 1.44

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="giac")

[Out] $-1/8 * i * (2 * \text{sqrt}(2) * (a * b^3)^{(3/4)} * \text{arctan}(1/2 * \text{sqrt}(2) * (2 * x + \text{sqrt}(2) * (a/b)^{(1/4)}) / (a/b)^{(1/4)}) / b^4 - \text{sqrt}(2) * (a * b^3)^{(3/4)} * \text{log}(x^2 + \text{sqrt}(2) * x * (a/b)^{(1/4)} + \text{sqrt}(a/b)) / b^4 - 1/8 * i * (2 * \text{sqrt}(2) * (a * b^3)^{(3/4)} * \text{arctan}(1/2 * \text{sqrt}(2) * (2 * x - \text{sqrt}(2) * (a/b)^{(1/4)}) / (a/b)^{(1/4)}) / b^4 + \text{sqrt}(2) * (a * b^3)^{(3/4)} * \text{log}(x^2 - \text{sqrt}(2) * x * (a/b)^{(1/4)} + \text{sqrt}(a/b)) / b^4) + 1/4 * (b * f - a * j) * \text{log}(\text{abs}(b * x^4 + a)) / b^2 + 1/4 * \text{sqrt}(2) * (\text{sqrt}(2) * \text{sqrt}(a * b) * b^2 * d + \text{sqrt}(2) * \text{sqrt}(a * b) * a * b * h + (a * b^3)^{(1/4)} * b^2 * c - (a * b^3)^{(1/4)} * a * b * g + (a * b^3)^{(3/4)} * e) * \text{arctan}(1/2 * \text{sqrt}(2) * (2 * x + \text{sqrt}(2) * (a/b)^{(1/4)}) / (a/b)^{(1/4)}) / (a * b^3) + 1/4 * \text{sqrt}(2) * (\text{sqrt}(2)$

$$\begin{aligned} &)*\sqrt{a*b}*b^2*d + \sqrt{2}*\sqrt{a*b}*a*b*h + (a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(1/4)} \\ & ^{(1/4)}*a*b*g + (a*b^3)^{(3/4)}*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})*(a/b)^{(1/4)} \\ &)/(a/b)^{(1/4)})/(a*b^3) + 1/8*\sqrt{2}*((a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(1/4)} \\ & *a*b*g - (a*b^3)^{(3/4)}*e)*\log(x^2 + \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a*b \\ & ^3) - 1/8*\sqrt{2}*((a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(1/4)}*a*b*g - (a*b^3)^{(3/4)} \\ &)*e)*\log(x^2 - \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a*b^3) + 1/12*(3*b^3*j*x \\ & ^4 + 4*b^3*i*x^3 + 6*b^3*h*x^2 + 12*b^3*g*x)/b^4 \end{aligned}$$

maple [B] time = 0.05, size = 627, normalized size = 1.56

$$\frac{\frac{1}{4} \frac{1}{b} \frac{1}{j} \frac{1}{x^4} + \frac{1}{3} \frac{1}{b} \frac{1}{i} \frac{1}{x^3} + \frac{1}{2} \frac{1}{b} \frac{1}{h} \frac{1}{x^2} + \frac{1}{b} \frac{1}{g} \frac{1}{x} - \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{b} \frac{1}{g} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x - 1)} + \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{a} \frac{1}{c} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x - 1)} - \frac{1}{8} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{b} \frac{1}{g} \frac{1}{\ln((x^2 + (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2})) / (x^2 - (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2}))} + \frac{1}{8} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{a} \frac{1}{c} \frac{1}{\ln((x^2 + (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2})) / (x^2 - (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2}))} - \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{b} \frac{1}{g} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x + 1)} + \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{a} \frac{1}{c} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x + 1)} - \frac{1}{2} \frac{1}{(a*b)^{1/2}} \frac{1}{a} \frac{1}{b} \frac{1}{h} \frac{1}{\arctan((1/a*b)^{1/2} * x^2)} + \frac{1}{2} \frac{1}{(a*b)^{1/2}} \frac{1}{d} \frac{1}{\arctan((1/a*b)^{1/2} * x^2)} - \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{a} \frac{1}{b^2} \frac{1}{i} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x - 1)} + \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{b} \frac{1}{e} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x - 1)} - \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{a} \frac{1}{b^2} \frac{1}{i} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x + 1)} + \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{b} \frac{1}{e} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x + 1)} - \frac{1}{8} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{a} \frac{1}{b^2} \frac{1}{i} \frac{1}{\ln((x^2 - (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2})) / (x^2 + (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2}))} + \frac{1}{8} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{b} \frac{1}{e} \frac{1}{\ln((x^2 - (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2})) / (x^2 + (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2}))} - \frac{1}{4} \frac{1}{b^2} \frac{1}{2} \frac{1}{\ln(b*x^4 + a)} * a * j + \frac{1}{4} \frac{1}{b} \frac{1}{f} \frac{1}{\ln(b*x^4 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x)

[Out] 1/4/b*j*x^4+1/3/b*i*x^3+1/2/b*h*x^2+1/b*g*x-1/4*(a/b)^(1/4)*2^(1/2)/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4*(a/b)^(1/4)*2^(1/2)/a*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)-1/8*(a/b)^(1/4)*2^(1/2)/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/8*(a/b)^(1/4)*2^(1/2)/a*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))-1/4*(a/b)^(1/4)*2^(1/2)/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4*(a/b)^(1/4)*2^(1/2)/a*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)-1/2/(a*b)^(1/2)*a/b*h*arctan((1/a*b)^(1/2)*x^2)+1/2/(a*b)^(1/2)*d*arctan((1/a*b)^(1/2)*x^2)-1/4/(a/b)^(1/4)*2^(1/2)*a/b^2*i*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4/(a/b)^(1/4)*2^(1/2)/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)-1/4/(a/b)^(1/4)*2^(1/2)*a/b^2*i*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4/(a/b)^(1/4)*2^(1/2)/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)-1/8/(a/b)^(1/4)*2^(1/2)*a/b^2*i*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/8/(a/b)^(1/4)*2^(1/2)/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))-1/4/b^2*ln(b*x^4+a)*a*j+1/4/b*f*ln(b*x^4+a)

maxima [A] time = 3.16, size = 429, normalized size = 1.07

$$\frac{3jx^4 + 4ix^3 + 6hx^2 + 12gx + c}{12b} + \frac{1}{4} \frac{1}{b} \frac{1}{j} \frac{1}{x^4} + \frac{1}{3} \frac{1}{b} \frac{1}{i} \frac{1}{x^3} + \frac{1}{2} \frac{1}{b} \frac{1}{h} \frac{1}{x^2} + \frac{1}{b} \frac{1}{g} \frac{1}{x} - \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{b} \frac{1}{g} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x - 1)} + \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{a} \frac{1}{c} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x - 1)} - \frac{1}{8} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{b} \frac{1}{g} \frac{1}{\ln((x^2 + (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2})) / (x^2 - (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2}))} + \frac{1}{8} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{a} \frac{1}{c} \frac{1}{\ln((x^2 + (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2})) / (x^2 - (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2}))} - \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{b} \frac{1}{g} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x + 1)} + \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{a} \frac{1}{c} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x + 1)} - \frac{1}{2} \frac{1}{(a*b)^{1/2}} \frac{1}{a} \frac{1}{b} \frac{1}{h} \frac{1}{\arctan((1/a*b)^{1/2} * x^2)} + \frac{1}{2} \frac{1}{(a*b)^{1/2}} \frac{1}{d} \frac{1}{\arctan((1/a*b)^{1/2} * x^2)} - \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{a} \frac{1}{b^2} \frac{1}{i} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x - 1)} + \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{b} \frac{1}{e} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x - 1)} - \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{a} \frac{1}{b^2} \frac{1}{i} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x + 1)} + \frac{1}{4} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{b} \frac{1}{e} \frac{1}{\arctan(2^{1/2}/(a/b)^{1/4} * x + 1)} - \frac{1}{8} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{a} \frac{1}{b^2} \frac{1}{i} \frac{1}{\ln((x^2 - (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2})) / (x^2 + (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2}))} + \frac{1}{8} \frac{1}{(a/b)^{1/4}} \frac{1}{2^{1/2}} \frac{1}{b} \frac{1}{e} \frac{1}{\ln((x^2 - (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2})) / (x^2 + (a/b)^{1/4} * 2^{1/2} * x + (a/b)^{1/2}))} - \frac{1}{4} \frac{1}{b^2} \frac{1}{2} \frac{1}{\ln(b*x^4 + a)} * a * j + \frac{1}{4} \frac{1}{b} \frac{1}{f} \frac{1}{\ln(b*x^4 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="maxima")

[Out] 1/12*(3*j*x^4 + 4*i*x^3 + 6*h*x^2 + 12*g*x)/b + 1/8*(sqrt(2)*(sqrt(2)*a^(3/4)*b^(5/4)*f - sqrt(2)*a^(7/4)*b^(1/4)*j + b^2*c - sqrt(a)*b^(3/2)*e - a*b*g + a^(3/2)*sqrt(b)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/((a^(3/4)*b^(5/4)) + sqrt(2)*(sqrt(2)*a^(3/4)*b^(5/4)*f - sqrt(2)*a^(7/4)

$$\begin{aligned} & *b^{(1/4)}*j - b^2*c + \text{sqrt}(a)*b^{(3/2)}*e + a*b*g - a^{(3/2)}*\text{sqrt}(b)*i)*\log(\text{sqrt}(b)*x^2 - \text{sqrt}(2)*a^{(1/4)}*b^{(1/4)}*x + \text{sqrt}(a))/(a^{(3/4)}*b^{(5/4)}) + 2*(\text{sqrt}(2)*a^{(1/4)}*b^{(9/4)}*c + \text{sqrt}(2)*a^{(3/4)}*b^{(7/4)}*e - \text{sqrt}(2)*a^{(5/4)}*b^{(5/4)}*g - \text{sqrt}(2)*a^{(7/4)}*b^{(3/4)}*i - 2*\text{sqrt}(a)*b^2*d + 2*a^{(3/2)}*b*h)*\arctan(1/2*\text{sqrt}(2)*(2*\text{sqrt}(b)*x + \text{sqrt}(2)*a^{(1/4)}*b^{(1/4)})/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(a^{(3/4)}*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*b^{(5/4)}) + 2*(\text{sqrt}(2)*a^{(1/4)}*b^{(9/4)}*c + \text{sqrt}(2)*a^{(3/4)}*b^{(7/4)}*e - \text{sqrt}(2)*a^{(5/4)}*b^{(5/4)}*g - \text{sqrt}(2)*a^{(7/4)}*b^{(3/4)}*i + 2*\text{sqrt}(a)*b^2*d - 2*a^{(3/2)}*b*h)*\arctan(1/2*\text{sqrt}(2)*(2*\text{sqrt}(b)*x - \text{sqrt}(2)*a^{(1/4)}*b^{(1/4)})/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(a^{(3/4)}*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*b^{(5/4)}))/b \end{aligned}$$

mupad [B] time = 5.20, size = 5664, normalized size = 14.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4), x)$

[Out] $\text{symsum}(\log((a^4*i^3 - a*b^3*e^3 + b^4*c*d^2 - b^4*c^2*e + a^4*g*j^2 + a^2*b^2*c*h^2 - a^2*b^2*e*g^2 + a^2*b^2*f^2*g + 3*a^2*b^2*e^2*i - 2*a^4*h*i*j - a*b^3*c*f^2 - a*b^3*d^2*g + a*b^3*c^2*i - a^3*b*c*j^2 - 3*a^3*b*e*i^2 - a^3*b*g*h^2 + a^3*b*g^2*i + 2*a^2*b^2*c*f*j - 2*a^2*b^2*c*g*i - 2*a^2*b^2*d*e*j - 2*a^2*b^2*d*f*i + 2*a^2*b^2*d*g*h - 2*a^2*b^2*e*f*h - 2*a*b^3*c*d*h + 2*a*b^3*c*e*g + 2*a*b^3*d*e*f + 2*a^3*b*d*i*j + 2*a^3*b*e*h*j - 2*a^3*b*f*g*j + 2*a^3*b*f*h*i)/b^2 + \text{root}(256*a^3*b^8*z^4 + 256*a^4*b^6*j*z^3 - 256*a^3*b^7*f*z^3 - 192*a^4*b^5*f*j*z^2 + 64*a^4*b^5*g*i*z^2 - 64*a^3*b^6*e*g*z^2 - 64*a^3*b^6*d*h*z^2 - 64*a^3*b^6*c*i*z^2 + 64*a^2*b^7*c*e*z^2 + 96*a^5*b^4*j^2*z^2 + 32*a^4*b^5*h^2*z^2 + 96*a^3*b^6*f^2*z^2 + 32*a^2*b^7*d^2*z^2 + 32*a^5*b^3*g*i*j*z - 32*a^4*b^4*f*g*i*z + 32*a^4*b^4*e*h*i*z - 32*a^4*b^4*e*g*j*z - 32*a^4*b^4*d*h*j*z - 32*a^4*b^4*c*i*j*z + 32*a^3*b^5*e*f*g*z + 32*a^3*b^5*d*f*h*z - 32*a^3*b^5*d*e*i*z - 32*a^3*b^5*c*g*h*z + 32*a^3*b^5*c*f*i*z + 32*a^3*b^5*c*e*j*z - 32*a^2*b^6*c*e*f*z + 32*a^2*b^6*c*d*g*z + 16*a^5*b^3*h^2*j*z - 16*a^5*b^3*h*i^2*z - 48*a^5*b^3*f*j^2*z + 48*a^4*b^4*f^2*j*z + 16*a^4*b^4*g^2*h*z - 16*a^4*b^4*f*h^2*z + 16*a^3*b^5*d^2*j*z + 16*a^4*b^4*d*i^2*z - 16*a^3*b^5*e^2*h*z - 16*a^3*b^5*d*g^2*z + 16*a^2*b^6*c^2*h*z - 16*a^2*b^6*d^2*f*z + 16*a^2*b^6*d*e^2*z - 16*a*b^7*c^2*d*z + 16*a^6*b^2*j^3*z - 16*a^3*b^5*f^3*z - 8*a^5*b^2*f*g*i*j + 8*a^5*b^2*e*h*i*j - 8*a^4*b^3*e*f*h*i + 8*a^4*b^3*e*f*g*j + 8*a^4*b^3*d*g*h*i + 8*a^4*b^3*d*f*h*j - 8*a^4*b^3*d*e*i*j - 8*a^4*b^3*c*g*h*j + 8*a^4*b^3*c*f*i*j - 8*a^3*b^4*d*e*g*h + 8*a^3*b^4*d*e*f*i + 8*a^3*b^4*c*f*g*h + 8*a^3*b^4*c*e*g*i - 8*a^3*b^4*c*e*f*j - 8*a^3*b^4*c*d*h*i + 8*a^3*b^4*c*d*g*j - 8*a^2*b^5*c*d*f*g + 8*a^2*b^5*c*d*e*h + 4*a^5*b^2*g^2*h*j - 4*a^5*b^2*g*h^2*i - 4*a^5*b^2*f*h^2*j + 4*a^5*b^2*f*h*i^2 + 4*a^5*b^2*d*i^2*j - 4*a^4*b^3*e^2*h*j - 4*a^5*b^2*e*g*j^2 - 4*a^5*b^2*d*h*j^2 - 4*a^5*b^2*c*i*j^2 + 4*a^4*b^3*f^2*g*i - 4*a^4*b^3*f*g^2*h$

$$\begin{aligned}
& b^4 d^2 h^2 + 2 a^3 b^4 e^2 g^2 + 2 a^3 b^4 c^2 i^2 + 6 a^2 b^5 c^2 g^2 + 2 \\
& a^2 b^5 d^2 f^2 + 2 a^6 b^5 h^2 j^2 - 4 a^4 b^3 f^3 j - 4 a^5 b^2 e^3 i^3 - 4 a^3 b^4 e^3 i \\
& - 4 a^4 b^3 d^3 h^3 - 4 a^2 b^5 d^3 h - 4 a^3 b^4 c^3 g^3 + 2 a^6 b^5 c^2 e^2 + a^5 b^2 h^4 \\
& + a^4 b^3 g^4 + a^3 b^4 f^4 + a^2 b^5 e^4 + a^6 b^5 i^4 + a^6 b^5 d^4 + a^7 j^4 + b^7 c^4, z, m) \cdot ((16 a^2 b^4 g - 16 a^3 b^5 c) / b^2 \\
& - (x \cdot (16 a^2 b^4 h - 16 a^3 b^5 d)) / b^2) - (x \cdot (4 b^5 c^2 - 4 a^3 b^4 e^2 + 4 a^2 b^3 g^2 \\
& - 4 a^3 b^2 i^2 - 8 a^4 b^3 c g + 8 a^4 b^4 d f - 8 a^2 b^3 d j + 8 a^2 b^3 e i - 8 a^2 b^3 f h \\
& + 8 a^3 b^2 h j)) / b^2) + (x \cdot (b^4 d^3 - a^3 b^4 h^3 + b^4 c^2 f - a^4 h^2 j^2 + a^4 i^2 j + 3 a^2 b^2 d h^2 \\
& + a^2 b^2 f g^2 - a^2 b^2 f^2 h + a^2 b^2 e^2 j - 2 b^4 c d e + a^3 b^3 d f^2 - a^3 b^3 e^2 f - 3 a^3 b^3 d^2 h \\
& - a^3 b^3 c^2 j + a^3 b^3 d j^2 - a^3 b^3 f i^2 - a^3 b^3 g^2 j + 2 a^2 b^2 c g j - 2 a^2 b^2 c h i \\
& - 2 a^2 b^2 d f j - 2 a^2 b^2 d g i + 2 a^2 b^2 e f i - 2 a^2 b^2 e g h + 2 a^2 b^3 c d i + 2 a^2 b^3 c e h \\
& - 2 a^2 b^3 c f g + 2 a^2 b^3 d e g - 2 a^3 b^3 e i j + 2 a^3 b^3 f h j + 2 a^3 b^3 g h i)) / b^2) \cdot \text{root}(\\
& 256 a^3 b^8 z^4 + 256 a^4 b^6 j z^3 - 256 a^3 b^7 f z^3 - 192 a^4 b^5 f j z^2 + 64 a^4 b^5 g i z^2 - 64 a^3 b^6 e g z^2 \\
& - 64 a^3 b^6 d h z^2 - 64 a^3 b^6 c i z^2 + 64 a^2 b^7 c e z^2 + 96 a^5 b^4 j^2 z^2 + 32 a^4 b^5 h^2 z^2 \\
& + 96 a^3 b^6 f^2 z^2 + 32 a^2 b^7 d^2 z^2 + 32 a^5 b^3 g i j z - 32 a^4 b^4 f g i z + 32 a^4 b^4 e h i z \\
& - 32 a^4 b^4 e g j z - 32 a^4 b^4 d h j z - 32 a^4 b^4 c i j z + 32 a^3 b^5 e f g z + 32 a^3 b^5 d f h z \\
& - 32 a^3 b^5 d e i z - 32 a^3 b^5 c g h z + 32 a^3 b^5 c f i z + 32 a^3 b^5 c e j z - 32 a^2 b^6 c e f z \\
& + 32 a^2 b^6 c d g z + 16 a^5 b^3 h^2 j z - 16 a^5 b^3 h i^2 z - 48 a^5 b^3 f j^2 z + 48 a^4 b^4 f^2 j z \\
& + 16 a^4 b^4 g^2 h z - 16 a^4 b^4 f h^2 z + 16 a^3 b^5 d^2 j z + 16 a^4 b^4 d i^2 z - 16 a^3 b^5 e^2 h z \\
& - 16 a^3 b^5 d g^2 z + 16 a^2 b^6 c^2 h z - 16 a^2 b^6 d^2 f z + 16 a^2 b^6 d e^2 z - 16 a^3 b^7 c^2 d z \\
& + 16 a^6 b^2 j^3 z - 16 a^3 b^5 f^3 z - 8 a^5 b^2 f g i j + 8 a^5 b^2 e h i j - 8 a^4 b^3 e f h i \\
& + 8 a^4 b^3 e f g j + 8 a^4 b^3 d g h i + 8 a^4 b^3 d f h j - 8 a^4 b^3 d e i j - 8 a^4 b^3 c g h j \\
& + 8 a^4 b^3 c f i j - 8 a^3 b^4 d e g h + 8 a^3 b^4 d e f i + 8 a^3 b^4 c f g h + 8 a^3 b^4 c e g i \\
& - 8 a^3 b^4 c e f j - 8 a^3 b^4 c d h i + 8 a^3 b^4 c d g j - 8 a^2 b^5 c d f g + 8 a^2 b^5 c d e h \\
& + 4 a^5 b^2 g^2 h j - 4 a^5 b^2 g h^2 i - 4 a^5 b^2 f h^2 j + 4 a^5 b^2 f h i^2 + 4 a^5 b^2 d i^2 j \\
& - 4 a^4 b^3 e^2 h j - 4 a^5 b^2 e g j^2 - 4 a^5 b^2 d h j^2 - 4 a^5 b^2 c i j^2 + 4 a^4 b^3 f^2 g i \\
& - 4 a^4 b^3 f g^2 h - 4 a^4 b^3 e g^2 i - 4 a^4 b^3 d g^2 j + 4 a^3 b^4 c^2 h j + 4 a^4 b^3 e g h^2 \\
& + 4 a^4 b^3 c h^2 i - 4 a^3 b^4 d^2 g i - 4 a^3 b^4 d^2 f j - 4 a^4 b^3 d f i^2 - 4 a^4 b^3 c g i^2 \\
& + 4 a^3 b^4 e^2 f h + 4 a^3 b^4 d e^2 j + 4 a^4 b^3 c e j^2 - 4 a^3 b^4 e f^2 g - 4 a^3 b^4 d f^2 h \\
& - 4 a^3 b^4 c f^2 i + 4 a^3 b^4 d f g^2 - 4 a^2 b^5 c^2 f h - 4 a^2 b^5 c^2 e i - 4 a^2 b^5 c^2 d j \\
& - 4 a^3 b^4 c e h^2 + 4 a^2 b^5 d^2 e g + 4 a^2 b^5 c d^2 i - 4 a^2 b^5 d e^2 f - 4 a^2 b^5 c e^2 g \\
& + 4 a^2 b^5 c e f^2 - 4 a^6 b^5 h i^2 j + 4 a^6 b^5 g i j^2 + 4 a^6 b^5 c^2 d f - 4 a^6 b^5 c d^2 e \\
& - 4 a^6 b^5 f j^3 - 4 a^6 b^5 c^3 g + 6 a^5 b^2 f^2 j^2 + 2 a^5 b^2 g^2 i^2 + 6 a^4 b^3 e^2 i^2 \\
& + 2 a^4 b^3 f^2 h^2 + 2 a^4 b^3 d^2 j^2 + 6 a^3 b^4 d^2 h^2 + 2 a^3 b^4 e^2 g^2 + 2 a^3 b^4 c^2 i^2 \\
& + 6 a^2 b^5 c^2 g^2 + 2 a^2 b^5 d^2 f^2 + 2 a^6 b^5 h^2 j^2 - 4 a^4 b^3 f^3 j - 4 a^5 b^2 e^3 i^3
\end{aligned}$$

$$i^3 - 4a^3b^4e^3i - 4a^4b^3d^3h^3 - 4a^2b^5d^3h - 4a^3b^4c^3g^3 + 2ab^6c^2e^2 + a^5b^2h^4 + a^4b^3g^4 + a^3b^4f^4 + a^2b^5e^4 + a^6b^i^4 + ab^6d^4 + a^7j^4 + b^7c^4, z, m), m, 1, 4) + (hx^2)/(2b) + (ix^3)/(3b) + (jx^4)/(4b) + (gx)/b$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a),x)

[Out] Timed out

$$3.145 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^2} dx$$

Optimal. Leaf size=184

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + \frac{x(x(ah+bd)+ag+bc+bex^2+bf^2x^3)}{4ab(a-bx^4)}$$

Rubi [A] time = 0.20, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1858, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + \frac{x(x(ah+bd)+ag+bc+bex^2+bf^2x^3)}{4ab(a-bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^2,x]

[Out] (x*(b*c + a*g + (b*d + a*h)*x + b*e*x^2 + b*f*x^3))/(4*a*b*(a - b*x^4)) + ((3*b*c - Sqrt[a]*Sqrt[b]*e - a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(5/4)) + ((3*b*c + Sqrt[a]*Sqrt[b]*e - a*g)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(5/4)) + ((b*d - a*h)*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*b^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a - bx^4)^2} dx &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{4ab(a - bx^4)} - \frac{\int \frac{-b(3bc - ag) - 2b(bd - ah)x - b^2ex^2}{a - bx^4} dx}{4ab^2} \\ &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{4ab(a - bx^4)} - \frac{\int \left(-\frac{2b(bd - ah)x}{a - bx^4} + \frac{-b(3bc - ag) - b^2}{a - bx^4} \right) dx}{4ab^2} \\ &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{4ab(a - bx^4)} - \frac{\int \frac{-b(3bc - ag) - b^2ex^2}{a - bx^4} dx}{4ab^2} + \frac{(bd - ah)x}{b} \\ &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{4ab(a - bx^4)} - \frac{(3bc - \sqrt{a}\sqrt{b}e - ag) \int \frac{1}{-\sqrt{a}} dx}{8a^{3/2}\sqrt{b}} \\ &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{(3bc - \sqrt{a}\sqrt{b}e - ag) \tan^{-1} \left(\frac{x}{\sqrt{a}} \right)}{8a^{7/4}b^{5/4}} \end{aligned}$$

Mathematica [A] time = 0.28, size = 257, normalized size = 1.40

$$\frac{\log(\sqrt[4]{a} - \sqrt[4]{b}x)(2a^{3/4}h - \sqrt[4]{a}b^{3/4}e - 2\sqrt[4]{a}bd + a\sqrt[4]{b}g - 3b^{3/4}c) + \log(\sqrt[4]{a} + \sqrt[4]{b}x)(2a^{3/4}h + \sqrt[4]{a}b^{3/4}e - 2\sqrt[4]{a}bd - a\sqrt[4]{b}g + 3b^{3/4}c) + \frac{4a^{3/4}\sqrt[4]{b}(a(f+x(g+hx))+b(c+x(d+ex)))}{a-bx^4} - 2\sqrt[4]{b} \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(\sqrt[4]{a}\sqrt[4]{b}e + ag - 3bc) - 2\sqrt[4]{a}(ah - bd) \log(\sqrt[4]{a} + \sqrt[4]{b}x^2)}{16a^{7/4}b^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^2, x]

[Out] ((4*a^(3/4)*Sqrt[b]*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + h*x))))/(a - b*x^4) - 2*b^(1/4)*(-3*b*c + Sqrt[a]*Sqrt[b]*e + a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] + (-3*b^(5/4)*c - 2*a^(1/4)*b*d - Sqrt[a]*b^(3/4)*e + a*b^(1/4)*g + 2*a^(5/4)*h)*Log[a^(1/4) - b^(1/4)*x] + (3*b^(5/4)*c - 2*a^(1/4)*b*d + Sqrt[a]*b^(3/4)*e - a*b^(1/4)*g + 2*a^(5/4)*h)*Log[a^(1/4) + b^(1/4)*x] - 2*a^(1/4)*(-b*d) + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2]/(16*a^(7/4)*b^(3/2))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a - bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^2, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^2, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.19, size = 380, normalized size = 2.07

$$\frac{\sqrt{2}(3b^2c - abg - 2\sqrt{2}(-ab)^{3/2}bd + 2\sqrt{2}(-ab)^{3/2}ah + \sqrt{-ab}bc) \arctan\left(\frac{\sqrt{2}(2x - \sqrt{2}(1-x)^2)}{2(1-x)^2}\right) - \sqrt{2}(3b^2c - abg + 2\sqrt{2}(-ab)^{3/2}bd - 2\sqrt{2}(-ab)^{3/2}ah - \sqrt{-ab}bc) \arctan\left(\frac{\sqrt{2}(2x - \sqrt{2}(1-x)^2)}{2(1-x)^2}\right) - \sqrt{2}(3b^2c - abg - \sqrt{-ab}bc) \log\left(x^2 + \sqrt{2}x(-\frac{1}{2}) + \sqrt{-1}\right) + \sqrt{2}(3b^2c - abg - \sqrt{-ab}bc) \log\left(x^2 - \sqrt{2}x(-\frac{1}{2}) + \sqrt{-1}\right) - \frac{bc^2c + bbd^2 + abd^2 + bcc + agx + af}{4(bx^4 - a)^{3/2}}}{16(-ab)^{3/2}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out]
$$-1/16*\sqrt{2}*(3*b^2*c - a*b*g - 2*\sqrt{2})*(-a*b^3)^{(1/4)}*b*d + 2*\sqrt{2}*(-a*b^3)^{(1/4)}*a*h + \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2})*(-a/b)^{(1/4)})/((-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a) - 1/16*\sqrt{2}*(3*b^2*c - a*b*g + 2*\sqrt{2})*(-a*b^3)^{(1/4)}*b*d - 2*\sqrt{2}*(-a*b^3)^{(1/4)}*a*h - \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})*(-a/b)^{(1/4)})/((-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a) - 1/32*\sqrt{2}*(3*b^2*c - a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 + \sqrt{2})*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a) + 1/32*\sqrt{2}*(3*b^2*c - a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 - \sqrt{2})*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a) - 1/4*(b*x^3*e + b*d*x^2 + a*h*x^2 + b*c*x + a*g*x + a*f)/((b*x^4 - a)*a*b)$$

maple [B] time = 0.05, size = 340, normalized size = 1.85

$$\frac{d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{8\sqrt{ab} a} + \frac{h \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{8\sqrt{ab} b} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} \right)}{8\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}} \right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} g \arctan \left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} \right)}{8ab} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} g \ln \left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}} \right)}{16ab} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} \right)}{8a^2} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}} \right)}{16a^2} + \frac{-ex^3}{4a} - \frac{(ah+bd)x^2}{4ab} - \frac{f}{4b} - \frac{(ag+bc)x}{4ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2, x)$

[Out]
$$(-1/4/a*e*x^3 - 1/4*(a*h+b*d)/a/b*x^2 - 1/4*(a*g+b*c)/a/b*x - 1/4/b*f)/(b*x^4 - a) - 1/8*(a/b)^{(1/4)}/a/b*g*\arctan(1/(a/b)^{(1/4)}*x) + 3/8*(a/b)^{(1/4)}/a^2*c*\arctan(1/(a/b)^{(1/4)}*x) - 1/16/b/a*(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))*g + 3/16/a^2*(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))*c + 1/8/b/(a*b)^{(1/2)}*\ln(((a*b)^{(1/2)}*x^2 - a)/(-(a*b)^{(1/2)}*x^2 - a))*h - 1/8/(a*b)^{(1/2)}/a*d*\ln(((a*b)^{(1/2)}*x^2 - a)/(-(a*b)^{(1/2)}*x^2 - a)) - 1/8/b/a*e/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x) + 1/16/(a/b)^{(1/4)}/a/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$$

maxima [A] time = 3.08, size = 243, normalized size = 1.32

$$\frac{bex^3 + (bd + ah)x^2 + af + (bc + ag)x}{4(ab^2x^4 - a^2b)} + \frac{2(bd-ah)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{2(bd-ah)\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} + \frac{2\left(3b^{\frac{3}{2}}c - \sqrt{a}be - a\sqrt{b}g\right)\arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}} - \frac{\left(3b^{\frac{3}{2}}c + \sqrt{a}be - a\sqrt{b}g\right)\log\left(\frac{\sqrt{b}x - \sqrt{a}\sqrt{b}}{\sqrt{b}x + \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2, x, \text{algorithm}="maxima")$

[Out]
$$-1/4*(b*e*x^3 + (b*d + a*h)*x^2 + a*f + (b*c + a*g)*x)/(a*b^2*x^4 - a^2*b) + 1/16*(2*(b*d - a*h)*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 2*(b*d - a*h)*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b}) + 2*(3*b^{(3/2)}*c - \sqrt{a}*b*e - a*\sqrt{b}*g)*\arctan(\sqrt{b}*x/\sqrt{a*\sqrt{b}}))/(\sqrt{a}*\sqrt{a}*\sqrt{b}*\sqrt{b}) - (3*b^{(3/2)}*c + \sqrt{a}*b*e - a*\sqrt{b}*g)*\log((\sqrt{b}*x - \sqrt{a*\sqrt{b}})/(\sqrt{b}*x + \sqrt{a*\sqrt{b}})))/(\sqrt{a}*\sqrt{a}*\sqrt{b}*\sqrt{b})/(a*b)$$

mupad [B] time = 5.61, size = 1626, normalized size = 8.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^2, x)$

[Out] $\text{symsum}(\log(-\text{root}(65536*a^7*b^6*z^4 + 4096*a^5*b^4*d*h*z^2 + 1024*a^5*b^4*e*g*z^2 - 3072*a^4*b^5*c*e*z^2 - 2048*a^6*b^3*h^2*z^2 - 2048*a^4*b^5*d^2*z^2 + 768*a^4*b^3*c*g*h*z - 768*a^3*b^4*c*d*g*z - 128*a^5*b^2*g^2*h*z - 128*a^4*b^3*e^2*h*z - 1152*a^3*b^4*c^2*h*z + 128*a^4*b^3*d*g^2*z + 128*a^3*b^4*d*e^2*z + 1152*a^2*b^5*c^2*d*z - 32*a^3*b^2*d*e*g*h + 96*a^2*b^3*c*d*e*h - 48*a^3*b^2*c*e*h^2 + 16*a^2*b^3*d^2*e*g - 12*a^2*b^3*c*e^2*g + 16*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e - 64*a^4*b*d*h^3 + 108*a*b^4*c^3*g + 96*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 - 54*a^2*b^3*c^2*g^2 - 64*a^2*b^3*d^3*h + 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*h^4 - 81*b^5*c^4 - a^2*b^3*e^4 - a^4*b*g^4, z, k)*(\text{root}(65536*a^7*b^6*z^4 + 4096*a^5*b^4*d*h*z^2 + 1024*a^5*b^4*e*g*z^2 - 3072*a^4*b^5*c*e*z^2 - 2048*a^6*b^3*h^2*z^2 - 2048*a^4*b^5*d^2*z^2 + 768*a^4*b^3*c*g*h*z - 768*a^3*b^4*c*d*g*z - 128*a^5*b^2*g^2*h*z - 128*a^4*b^3*e^2*h*z - 1152*a^3*b^4*c^2*h*z + 128*a^4*b^3*d*g^2*z + 128*a^3*b^4*d*e^2*z + 1152*a^2*b^5*c^2*d*z - 32*a^3*b^2*d*e*g*h + 96*a^2*b^3*c*d*e*h - 48*a^3*b^2*c*e*h^2 + 16*a^2*b^3*d^2*e*g - 12*a^2*b^3*c*e^2*g + 16*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e - 64*a^4*b*d*h^3 + 108*a*b^4*c^3*g + 96*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 - 54*a^2*b^3*c^2*g^2 - 64*a^2*b^3*d^3*h + 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*h^4 - 81*b^5*c^4 - a^2*b^3*e^4 - a^4*b*g^4, z, k)*((768*a^3*b^4*c - 256*a^4*b^3*g)/(64*a^3*b) - (x*(128*a^3*b^4*d - 128*a^4*b^3*h))/(16*a^3*b)) - (64*a^2*b^3*d*e - 64*a^3*b^2*e*h)/(64*a^3*b) + (x*(36*a*b^4*c^2 + 4*a^2*b^3*e^2 + 4*a^3*b^2*g^2 - 24*a^2*b^3*c*g))/(16*a^3*b) - (a*b^2*e^3 + 12*b^3*c*d^2 - 9*b^3*c^2*e - 4*a^3*g*h^2 - 4*a*b^2*d^2*g + 12*a^2*b*c*h^2 - a^2*b*e*g^2 - 24*a*b^2*c*d*h + 6*a*b^2*c*e*g + 8*a^2*b*d*g*h)/(64*a^3*b) - (x*(2*b^3*d^3 - 2*a^3*h^3 - 3*b^3*c*d*e - 6*a*b^2*d^2*h + 6*a^2*b*d*h^2 + 3*a*b^2*c*e*h + a*b^2*d*e*g - a^2*b*e*g*h))/(16*a^3*b))*\text{root}(65536*a^7*b^6*z^4 + 4096*a^5*b^4*d*h*z^2 + 1024*a^5*b^4*e*g*z^2 - 3072*a^4*b^5*c*e*z^2 - 2048*a^6*b^3*h^2*z^2 - 2048*a^4*b^5*d^2*z^2 + 768*a^4*b^3*c*g*h*z - 768*a^3*b^4*c*d*g*z - 128*a^5*b^2*g^2*h*z - 128*a^4*b^3*e^2*h*z - 1152*a^3*b^4*c^2*h*z + 128*a^4*b^3*d*g^2*z + 128*a^3*b^4*d*e^2*z + 1152*a^2*b^5*c^2*d*z - 32*a^3*b^2*d*e*g*h + 96*a^2*b^3*c*d*e*h - 48*a^3*b^2*c*e*h^2 + 16*a^2*b^3*d^2*e*g - 12*a^2*b^3*c*e^2*g + 16*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e - 64*a^4*b*d*h^3 + 108*a*b^4*c^3*g + 96*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 - 54*a^2*b^3*c^2*g^2 - 64*a^2*b^3*d^3*h + 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*h^4 - 81*b^5*c^4 - a^2*b^3*e^4 - a^4*b*g^4, z, k), k, 1, 4) + (f/(4*b) + (e*x^3)/(4*a) + (x*(b*c + a*g))/(4*a*b) + (x^2*(b*d + a*h))/(4*a*b))/(a - b*x^4)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**2,x)

[Out] Timed out

$$3.146 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^2} dx$$

Optimal. Leaf size=203

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + x(x(ah$$

Rubi [A] time = 0.27, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {1858, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + \frac{x(x(ah+bd)+x^2(ai+be)+ag+bc+bf x^3)}{4ab(a-bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^2, x]

[Out] (x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + b*f*x^3))/(4*a*b*(a - b*x^4)) - ((b*e - (Sqrt[b]*(3*b*c - a*g))/Sqrt[a] - 3*a*i)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(8*a^(5/4)*b^(7/4)) + ((b*e + (Sqrt[b]*(3*b*c - a*g))/Sqrt[a] - 3*a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(8*a^(5/4)*b^(7/4)) + ((b*d - a*h)*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*b^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 146x^6}{(a - bx^4)^2} dx = \frac{x(bc + ag + (bd + ah)x + (146a + be)x^2 + bfx^3)}{4ab(a - bx^4)} - \int \frac{-b(3bc - ag)}{a - bx^4} dx$$

$$= \frac{x(bc + ag + (bd + ah)x + (146a + be)x^2 + bfx^3)}{4ab(a - bx^4)} - \int \left(-\frac{2b(bd - ag)}{a - bx^4} \right) dx$$

$$= \frac{x(bc + ag + (bd + ah)x + (146a + be)x^2 + bfx^3)}{4ab(a - bx^4)} - \int \frac{-b(3bc - ag)}{a - bx^4} dx$$

$$= \frac{x(bc + ag + (bd + ah)x + (146a + be)x^2 + bfx^3)}{4ab(a - bx^4)} - \frac{(438a - b^2)}{4ab(a - bx^4)}$$

$$= \frac{x(bc + ag + (bd + ah)x + (146a + be)x^2 + bfx^3)}{4ab(a - bx^4)} + \frac{(438a - b^2)}{4ab(a - bx^4)}$$

Mathematica [A] time = 0.28, size = 302, normalized size = 1.49

$$\frac{4a^{3/4}b^{3/4}(af+e(g+ah+ai))+b(c+hd+em)}{a-b^2} + \log(\sqrt{a}-\sqrt{b}x)(2a^{3/4}\sqrt{b}h+3a^{3/2}i-2\sqrt{a}b^{3/4}d-\sqrt{a}bc+a\sqrt{b}g-3b^{3/2}c) + \log(\sqrt{a}+\sqrt{b}x)(2a^{3/4}\sqrt{b}h-3a^{3/2}i-2\sqrt{a}b^{3/4}d+\sqrt{a}bc-a\sqrt{b}g+3b^{3/2}c) + 2 \tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right)(3a^{3/2}i-\sqrt{a}bc-a\sqrt{b}g+3b^{3/2}c) - 2\sqrt{a}\sqrt{b}(ah-hd)\log(\sqrt{a}+\sqrt{b}x^2)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^2, x]

[Out] ((4*a^(3/4)*b^(3/4)*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + x*(h + i*x)))))/(a - b*x^4) + 2*(3*b^(3/2)*c - Sqrt[a]*b*e - a*Sqrt[b]*g + 3*a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)] + (-3*b^(3/2)*c - 2*a^(1/4)*b^(5/4)*d - Sqrt[a]*b*e + a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h + 3*a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x] + (3*b^(3/2)*c - 2*a^(1/4)*b^(5/4)*d + Sqrt[a]*b*e - a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h - 3*a^(3/2)*i)*Log[a^(1/4) + b^(1/4)*x] - 2*a^(1/4)*b^(1/4)*(-b*d) + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2]/(16*a^(7/4)*b^(7/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6}{(a - bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^2, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^2, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.20, size = 583, normalized size = 2.87

$$\frac{\left(\frac{1+\sqrt{a}}{2}\right)^{3/4} \operatorname{atan}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right) - \frac{\sqrt{b}x}{\sqrt{a}} \operatorname{atan}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right)}{\sqrt{a}} - \frac{\sqrt{a} \operatorname{atan}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right) - \frac{\sqrt{b}x}{\sqrt{a}} \operatorname{atan}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right)}{\sqrt{a}}}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out]
$$-3/32*i*(2*\sqrt{2})*(-a*b^3)^{3/4}*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2})*(-a/b)^{1/4})/(-a/b)^{1/4}/(a*b^4) - \sqrt{2}*(-a*b^3)^{3/4}*\log(x^2 + \sqrt{2}*x*(-a/b)^{1/4} + \sqrt{-a/b})/(a*b^4) - 3/32*i*(2*\sqrt{2})*(-a*b^3)^{3/4}*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})*(-a/b)^{1/4})/(-a/b)^{1/4}/(a*b^4) + \sqrt{2}*(-a*b^3)^{3/4}*\log(x^2 - \sqrt{2}*x*(-a/b)^{1/4} + \sqrt{-a/b})/(a*b^4) - 1/16*\sqrt{2}*(3*b^2*c - a*b*g - 2*\sqrt{2})*(-a*b^3)^{1/4}*b*d + 2*\sqrt{2})*(-a*b^3)^{1/4}*a*h + \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2})*(-a/b)^{1/4})/(-a/b)^{1/4})/((-a*b^3)^{3/4}*a) - 1/16*\sqrt{2}*(3*b^2*c - a*b*g + 2*\sqrt{2})*(-a*b^3)^{1/4}*b*d - 2*\sqrt{2})*(-a*b^3)^{1/4}*a*h - \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})*(-a/b)^{1/4})/(-a/b)^{1/4})/((-a*b^3)^{3/4}*a) - 1/32*\sqrt{2}*(3*b^2*c - a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{1/4} + \sqrt{-a/b})/((-a*b^3)^{3/4}*a) + 1/32*\sqrt{2}*(3*b^2*c - a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{1/4} + \sqrt{-a/b})/((-a*b^3)^{3/4}*a) - 1/4*(a*i*x^3 + b*x^3*e + b*d*x^2 + a*h*x^2 + b*c*x + a*g*x + a*f)/((b*x^4 - a)*a*b)$$

maple [B] time = 0.05, size = 409, normalized size = 2.01

$$\frac{d \ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{8\sqrt{ab}a} + \frac{h \ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{8\sqrt{ab}b} - \frac{e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8\left(\frac{a}{b}\right)^{\frac{1}{4}}ab} + \frac{e \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}}ab} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}g \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8ab} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}g \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16ab} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}}c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8a^2} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}}c \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16a^2} + \frac{3i \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8\left(\frac{a}{b}\right)^{\frac{1}{4}}b^2} - \frac{3i \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}}b^2} + \frac{-(ai+bi)x^3 - (ab+bf)x^2 - \frac{f}{4b} - \frac{(ag+bc)x}{4ab}}{bx^4 - a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x)

[Out]
$$\begin{aligned} &(-1/4*(a*i+b*e)/a/b*x^3-1/4*(a*h+b*d)/a/b*x^2-1/4*(a*g+b*c)/a/b*x-1/4/b*f)/ \\ &(b*x^4-a)-1/8*(a/b)^{1/4}/a/b*g*\arctan(1/(a/b)^{1/4}*x)+3/8*(a/b)^{1/4}/a^2 \\ &*c*\arctan(1/(a/b)^{1/4}*x)-1/16*(a/b)^{1/4}/a/b*g*\ln((x+(a/b)^{1/4})/(x-(a/b)^{1/4})) \\ &)+3/16*(a/b)^{1/4}/a^2*c*\ln((x+(a/b)^{1/4})/(x-(a/b)^{1/4}))+1/8/(a*b)^{1/2}/b*h*\ln(((a*b)^{1/2}*x^2-a)/(-(a*b)^{1/2}*x^2-a))-1/8/(a*b)^{1/2} \\ &/a*d*\ln(((a*b)^{1/2}*x^2-a)/(-(a*b)^{1/2}*x^2-a))+3/8/b^2/(a/b)^{1/4}*\arctan(1/(a/b)^{1/4}*x) \\ &)+i-1/8/(a/b)^{1/4}/a/b*e*\arctan(1/(a/b)^{1/4}*x)-3/16/b^2/(a/b)^{1/4}*\ln((x+(a/b)^{1/4})/(x-(a/b)^{1/4})) \\ &)+i+1/16/(a/b)^{1/4}/a/b*e*\ln((x+(a/b)^{1/4})/(x-(a/b)^{1/4})) \end{aligned}$$

maxima [A] time = 3.06, size = 260, normalized size = 1.28

$$\frac{(be+ai)x^3+(bd+ah)x^2+af+(bc+ag)x}{4(ab^2x^4-a^2b)} + \frac{2(bd-ah)\log(\sqrt{b}x^2+\sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{2(bd-ah)\log(\sqrt{b}x^2-\sqrt{a})}{\sqrt{a}\sqrt{b}} + \frac{2\left(3b^{\frac{3}{2}}c-\sqrt{a}be-a\sqrt{b}g+3a^{\frac{3}{2}}i\right)\arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}} - \frac{\left(3b^{\frac{3}{2}}c+\sqrt{a}be-a\sqrt{b}g-3a^{\frac{3}{2}}i\right)\log\left(\frac{\sqrt{b}x-\sqrt{a}\sqrt{b}}{\sqrt{b}x+\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")

```
[Out] -1/4*((b*e + a*i)*x^3 + (b*d + a*h)*x^2 + a*f + (b*c + a*g)*x)/(a*b^2*x^4 -
a^2*b) + 1/16*(2*(b*d - a*h)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b))
- 2*(b*d - a*h)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) + 2*(3*b^(3/2)
*c - sqrt(a)*b*e - a*sqrt(b)*g + 3*a^(3/2)*i)*arctan(sqrt(b)*x/sqrt(sqrt(a)
*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (3*b^(3/2)*c + sqrt(a)
*b*e - a*sqrt(b)*g - 3*a^(3/2)*i)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(
sqrt(b)*x + sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))
)/(a*b)
```

mupad [B] time = 5.67, size = 2611, normalized size = 12.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^2,x)
```

```
[Out] symsum(log((27*a^4*i^3 - a*b^3*e^3 - 12*b^4*c*d^2 + 9*b^4*c^2*e - 12*a^2*b^
2*c*h^2 + a^2*b^2*e*g^2 + 9*a^2*b^2*e^2*i + 4*a*b^3*d^2*g - 27*a*b^3*c^2*i
- 27*a^3*b*e*i^2 + 4*a^3*b*g*h^2 - 3*a^3*b*g^2*i + 18*a^2*b^2*c*g*i - 8*a^2
*b^2*d*g*h + 24*a*b^3*c*d*h - 6*a*b^3*c*e*g)/(64*a^3*b^2) - root(65536*a^7*
b^7*z^4 - 3072*a^6*b^4*g*i*z^2 + 9216*a^5*b^5*c*i*z^2 + 4096*a^5*b^5*d*h*z^
2 + 1024*a^5*b^5*e*g*z^2 - 3072*a^4*b^6*c*e*z^2 - 2048*a^6*b^4*h^2*z^2 - 20
48*a^4*b^6*d^2*z^2 + 768*a^5*b^3*e*h*i*z - 768*a^4*b^4*d*e*i*z + 768*a^4*b^
4*c*g*h*z - 768*a^3*b^5*c*d*g*z - 1152*a^6*b^2*h*i^2*z - 128*a^5*b^3*g^2*h*
z + 1152*a^5*b^3*d*i^2*z - 128*a^4*b^4*e^2*h*z - 1152*a^3*b^5*c^2*h*z + 128
*a^4*b^4*d*g^2*z + 128*a^3*b^5*d*e^2*z + 1152*a^2*b^6*c^2*d*z + 96*a^4*b^2*
d*g*h*i - 288*a^3*b^3*c*d*h*i + 72*a^3*b^3*c*e*g*i - 32*a^3*b^3*d*e*g*h + 9
6*a^2*b^4*c*d*e*h - 12*a^4*b^2*e*g^2*i + 144*a^4*b^2*c*h^2*i - 48*a^3*b^3*d
^2*g*i + 16*a^4*b^2*e*g*h^2 - 108*a^4*b^2*c*g*i^2 - 108*a^2*b^4*c^2*e*i + 1
44*a^2*b^4*c*d^2*i - 48*a^3*b^3*c*e*h^2 + 16*a^2*b^4*d^2*e*g - 12*a^2*b^4*c
*e^2*g - 48*a^5*b*g*h^2*i - 48*a*b^5*c*d^2*e + 108*a^5*b*e*i^3 + 108*a*b^5*
c^3*g - 54*a^4*b^2*e^2*i^2 + 162*a^3*b^3*c^2*i^2 + 96*a^3*b^3*d^2*h^2 + 2*a
^3*b^3*e^2*g^2 - 54*a^2*b^4*c^2*g^2 + 18*a^5*b*g^2*i^2 + 12*a^3*b^3*e^3*i -
64*a^4*b^2*d*h^3 - 64*a^2*b^4*d^3*h + 12*a^3*b^3*c*g^3 + 18*a*b^5*c^2*e^2
+ 16*a^5*b*h^4 + 16*a*b^5*d^4 - 81*a^6*i^4 - 81*b^6*c^4 - a^4*b^2*g^4 - a^2
*b^4*e^4, z, 1)*(root(65536*a^7*b^7*z^4 - 3072*a^6*b^4*g*i*z^2 + 9216*a^5*b
^5*c*i*z^2 + 4096*a^5*b^5*d*h*z^2 + 1024*a^5*b^5*e*g*z^2 - 3072*a^4*b^6*c*e
*z^2 - 2048*a^6*b^4*h^2*z^2 - 2048*a^4*b^6*d^2*z^2 + 768*a^5*b^3*e*h*i*z -
768*a^4*b^4*d*e*i*z + 768*a^4*b^4*c*g*h*z - 768*a^3*b^5*c*d*g*z - 1152*a^6*
b^2*h*i^2*z - 128*a^5*b^3*g^2*h*z + 1152*a^5*b^3*d*i^2*z - 128*a^4*b^4*e^2*
h*z - 1152*a^3*b^5*c^2*h*z + 128*a^4*b^4*d*g^2*z + 128*a^3*b^5*d*e^2*z + 11
52*a^2*b^6*c^2*d*z + 96*a^4*b^2*d*g*h*i - 288*a^3*b^3*c*d*h*i + 72*a^3*b^3*
c*e*g*i - 32*a^3*b^3*d*e*g*h + 96*a^2*b^4*c*d*e*h - 12*a^4*b^2*e*g^2*i + 14
4*a^4*b^2*c*h^2*i - 48*a^3*b^3*d^2*g*i + 16*a^4*b^2*e*g*h^2 - 108*a^4*b^2*c
*g*i^2 - 108*a^2*b^4*c^2*e*i + 144*a^2*b^4*c*d^2*i - 48*a^3*b^3*c*e*h^2 + 1
```



```

6*a^2*b^4*d^2*e*g - 12*a^2*b^4*c*e^2*g - 48*a^5*b*g*h^2*i - 48*a*b^5*c*d^2*
e + 108*a^5*b*e*i^3 + 108*a*b^5*c^3*g - 54*a^4*b^2*e^2*i^2 + 162*a^3*b^3*c^
2*i^2 + 96*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 - 54*a^2*b^4*c^2*g^2 + 18*a^
5*b*g^2*i^2 + 12*a^3*b^3*e^3*i - 64*a^4*b^2*d*h^3 - 64*a^2*b^4*d^3*h + 12*a
^3*b^3*c*g^3 + 18*a*b^5*c^2*e^2 + 16*a^5*b*h^4 + 16*a*b^5*d^4 - 81*a^6*i^4
- 81*b^6*c^4 - a^4*b^2*g^4 - a^2*b^4*e^4, z, 1)*((768*a^3*b^5*c - 256*a^4*b
^4*g)/(64*a^3*b^2) - (x*(128*a^3*b^4*d - 128*a^4*b^3*h))/(16*a^3*b)) - (64*
a^2*b^4*d*e - 192*a^3*b^3*d*i - 64*a^3*b^3*e*h + 192*a^4*b^2*h*i)/(64*a^3*b
^2) + (x*(36*a*b^4*c^2 + 36*a^4*b*i^2 + 4*a^2*b^3*e^2 + 4*a^3*b^2*g^2 - 24*
a^2*b^3*c*g - 24*a^3*b^2*e*i))/(16*a^3*b)) - (x*(2*b^3*d^3 - 2*a^3*h^3 - 3*
b^3*c*d*e + 3*a^3*g*h*i - 6*a*b^2*d^2*h + 6*a^2*b*d*h^2 + 9*a*b^2*c*d*i + 3
*a*b^2*c*e*h + a*b^2*d*e*g - 9*a^2*b*c*h*i - 3*a^2*b*d*g*i - a^2*b*e*g*h))/
(16*a^3*b))*root(65536*a^7*b^7*z^4 - 3072*a^6*b^4*g*i*z^2 + 9216*a^5*b^5*c*
i*z^2 + 4096*a^5*b^5*d*h*z^2 + 1024*a^5*b^5*e*g*z^2 - 3072*a^4*b^6*c*e*z^2
- 2048*a^6*b^4*h^2*z^2 - 2048*a^4*b^6*d^2*z^2 + 768*a^5*b^3*e*h*i*z - 768*a
^4*b^4*d*e*i*z + 768*a^4*b^4*c*g*h*z - 768*a^3*b^5*c*d*g*z - 1152*a^6*b^2*h
*i^2*z - 128*a^5*b^3*g^2*h*z + 1152*a^5*b^3*d*i^2*z - 128*a^4*b^4*e^2*h*z -
1152*a^3*b^5*c^2*h*z + 128*a^4*b^4*d*g^2*z + 128*a^3*b^5*d*e^2*z + 1152*a^
2*b^6*c^2*d*z + 96*a^4*b^2*d*g*h*i - 288*a^3*b^3*c*d*h*i + 72*a^3*b^3*c*e*g
*i - 32*a^3*b^3*d*e*g*h + 96*a^2*b^4*c*d*e*h - 12*a^4*b^2*e*g^2*i + 144*a^4
*b^2*c*h^2*i - 48*a^3*b^3*d^2*g*i + 16*a^4*b^2*e*g*h^2 - 108*a^4*b^2*c*g*i^
2 - 108*a^2*b^4*c^2*e*i + 144*a^2*b^4*c*d^2*i - 48*a^3*b^3*c*e*h^2 + 16*a^2
*b^4*d^2*e*g - 12*a^2*b^4*c*e^2*g - 48*a^5*b*g*h^2*i - 48*a*b^5*c*d^2*e + 1
08*a^5*b*e*i^3 + 108*a*b^5*c^3*g - 54*a^4*b^2*e^2*i^2 + 162*a^3*b^3*c^2*i^2
+ 96*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 - 54*a^2*b^4*c^2*g^2 + 18*a^5*b*g
^2*i^2 + 12*a^3*b^3*e^3*i - 64*a^4*b^2*d*h^3 - 64*a^2*b^4*d^3*h + 12*a^3*b^
3*c*g^3 + 18*a*b^5*c^2*e^2 + 16*a^5*b*h^4 + 16*a*b^5*d^4 - 81*a^6*i^4 - 81*
b^6*c^4 - a^4*b^2*g^4 - a^2*b^4*e^4, z, 1), 1, 1, 4) + (f/(4*b) + (x*(b*c +
a*g))/(4*a*b) + (x^2*(b*d + a*h))/(4*a*b) + (x^3*(b*e + a*i))/(4*a*b))/(a
- b*x^4)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**2,x)

[Out] Timed out

$$3.147 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^2} dx$$

Optimal. Leaf size=225

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + \frac{j\log(a-bx^4)}{4ab}$$

Rubi [A] time = 0.31, antiderivative size = 225, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {1858, 1876, 1167, 205, 208, 1248, 635, 260}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + \frac{j\log(a-bx^4)}{4b^2} + \frac{x(x(ah+bd)+x^2(ai+be)+x^3(aj+bf)+ag+bc)}{4ab(a-bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^2, x]

[Out] (x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + (b*f + a*j)*x^3))/(4*a*b*(a - b*x^4)) - ((b*e - (Sqrt[b]*(3*b*c - a*g))/Sqrt[a] - 3*a*i)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(8*a^(5/4)*b^(7/4)) + ((b*e + (Sqrt[b]*(3*b*c - a*g))/Sqrt[a] - 3*a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(8*a^(5/4)*b^(7/4)) + ((b*d - a*h)*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*b^(3/2)) + (j*Log[a - b*x^4])/(4*b^2)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 147x^6 + jx^7}{(a - bx^4)^2} dx &= \frac{x(bc + ag + (bd + ah)x + (147a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} - \\
&= \frac{x(bc + ag + (bd + ah)x + (147a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} - \\
&= \frac{x(bc + ag + (bd + ah)x + (147a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} - \\
&= \frac{x(bc + ag + (bd + ah)x + (147a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} - \\
&= \frac{x(bc + ag + (bd + ah)x + (147a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} +
\end{aligned}$$

Mathematica [A] time = 0.25, size = 338, normalized size = 1.50

$$\frac{\sqrt[4]{b} \log\left(\frac{\sqrt[4]{a} - \sqrt[4]{bx^4}}{\sqrt[4]{a} + \sqrt[4]{bx^4}}\right) \left(2a^{3/4} \sqrt[4]{b} h + 3a^{3/2} i - 2 \sqrt[4]{a} b^{5/4} d - \sqrt[4]{a} h e + a \sqrt[4]{b} g - 3b^{3/2} c\right)}{a^{7/4}} + \frac{\sqrt[4]{b} \log\left(\frac{\sqrt[4]{a} + \sqrt[4]{bx^4}}{\sqrt[4]{a} - \sqrt[4]{bx^4}}\right) \left(2a^{3/4} \sqrt[4]{b} h - 3a^{3/2} i - 2 \sqrt[4]{a} b^{5/4} d + \sqrt[4]{a} h e - a \sqrt[4]{b} g + 3b^{3/2} c\right)}{a^{7/4}} + \frac{2 \sqrt[4]{b} \tan^{-1}\left(\frac{\sqrt[4]{bx^4}}{\sqrt[4]{a}}\right) \left(3a^{3/2} i - \sqrt[4]{a} h e - a \sqrt[4]{b} g + 3b^{3/2} c\right)}{a^{7/4}} + \frac{2 \sqrt[4]{b} (h - ai) \log(\sqrt[4]{a} + \sqrt[4]{bx^4})}{a^{3/2}} + \frac{4(a^2 j + ab(f + x(g + x(h + ix))) + b^2 x^3 + x(d + ex))}{a(a - bx^4)} + 4j \log(a - bx^4)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^2,x]

[Out] ((4*(a^2*j + b^2*x*(c + x*(d + e*x)) + a*b*(f + x*(g + x*(h + i*x)))))/(a*(a - b*x^4)) + (2*b^(1/4)*(3*b^(3/2)*c - Sqrt[a]*b*e - a*Sqrt[b]*g + 3*a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)]/a^(7/4) + (b^(1/4)*(-3*b^(3/2)*c - 2*a^(1/4)*b^(5/4)*d - Sqrt[a]*b*e + a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h + 3*a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x]/a^(7/4) + (b^(1/4)*(3*b^(3/2)*c - 2*a^(1/4)*b^(5/4)*d + Sqrt[a]*b*e - a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h - 3*a^(3/2)*i)*Log[a^(1/4) + b^(1/4)*x]/a^(7/4) + (2*Sqrt[b]*(b*d - a*h)*Log[Sqrt[a] + Sqrt[b]*x^2])/a^(3/2) + 4*j*Log[a - b*x^4])/(16*b^2)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6 + jx^7}{(a - bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^2,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^2, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.23, size = 610, normalized size = 2.71

$$\frac{\frac{1}{32} \frac{\sqrt{2} \sqrt{-a/b} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{-a/b}}{2x + \sqrt{2} \sqrt{-a/b}}\right)}{\sqrt{-a/b}} + \frac{1}{32} \frac{\sqrt{2} \sqrt{-a/b} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{-a/b}}{2x - \sqrt{2} \sqrt{-a/b}}\right)}{\sqrt{-a/b}} + \frac{1}{32} \frac{\sqrt{2} \sqrt{-a/b} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{-a/b}}{2x + \sqrt{2} \sqrt{-a/b}}\right)}{\sqrt{-a/b}} + \frac{1}{32} \frac{\sqrt{2} \sqrt{-a/b} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{-a/b}}{2x - \sqrt{2} \sqrt{-a/b}}\right)}{\sqrt{-a/b}} + \frac{1}{32} \frac{\sqrt{2} \sqrt{-a/b} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{-a/b}}{2x + \sqrt{2} \sqrt{-a/b}}\right)}{\sqrt{-a/b}} + \frac{1}{32} \frac{\sqrt{2} \sqrt{-a/b} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{-a/b}}{2x - \sqrt{2} \sqrt{-a/b}}\right)}{\sqrt{-a/b}} + \frac{1}{32} \frac{\sqrt{2} \sqrt{-a/b} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{-a/b}}{2x + \sqrt{2} \sqrt{-a/b}}\right)}{\sqrt{-a/b}} + \frac{1}{32} \frac{\sqrt{2} \sqrt{-a/b} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{-a/b}}{2x - \sqrt{2} \sqrt{-a/b}}\right)}{\sqrt{-a/b}} + \frac{1}{32} \frac{\sqrt{2} \sqrt{-a/b} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{-a/b}}{2x + \sqrt{2} \sqrt{-a/b}}\right)}{\sqrt{-a/b}} + \frac{1}{32} \frac{\sqrt{2} \sqrt{-a/b} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{-a/b}}{2x - \sqrt{2} \sqrt{-a/b}}\right)}{\sqrt{-a/b}}}{\sqrt{-a/b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out]
$$\begin{aligned} & -3/32*i*(2*\sqrt{2}*(-a*b^3)^{3/4}*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{1/4})/(-a/b)^{1/4})/(a*b^4) - \sqrt{2}*(-a*b^3)^{3/4}*\log(x^2 + \sqrt{2}*(-a/b)^{1/4} + \sqrt{-a/b})/(a*b^4) - 3/32*i*(2*\sqrt{2}*(-a*b^3)^{3/4}*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{1/4})/(-a/b)^{1/4})/(a*b^4) + \sqrt{2}*(-a*b^3)^{3/4}*\log(x^2 - \sqrt{2}*(-a/b)^{1/4} + \sqrt{-a/b})/(a*b^4) - 1/16*\sqrt{2}*(3*b^2*c - a*b*g - 2*\sqrt{2}*(-a*b^3)^{1/4}*b*d + 2*\sqrt{2}*(-a*b^3)^{1/4}*a*h + \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{1/4})/(-a/b)^{1/4})/((-a*b^3)^{3/4}*a) - 1/16*\sqrt{2}*(3*b^2*c - a*b*g + 2*\sqrt{2}*(-a*b^3)^{1/4}*b*d - 2*\sqrt{2}*(-a*b^3)^{1/4}*a*h - \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{1/4})/(-a/b)^{1/4})/((-a*b^3)^{3/4}*a) - 1/32*\sqrt{2}*(3*b^2*c - a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 + \sqrt{2}*(-a/b)^{1/4} + \sqrt{-a/b})/((-a*b^3)^{3/4}*a) + 1/32*\sqrt{2}*(3*b^2*c - a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 - \sqrt{2}*(-a/b)^{1/4} + \sqrt{-a/b})/((-a*b^3)^{3/4}*a) \end{aligned}$$

$b^3)^{3/4} * a) + 1/4 * j * \log(\text{abs}(b * x^4 - a)) / b^2 - 1/4 * ((a * i + b * e) * x^3 + (b * d + a * h) * x^2 + (b * c + a * g) * x + (a * b * f + a^2 * j) / b) / ((b * x^4 - a) * a * b)$

maple [B] time = 0.06, size = 431, normalized size = 1.92

$$\frac{d \ln \left(\frac{\sqrt{a} x^2 - a}{-\sqrt{a} x^2 - a} \right)}{8 \sqrt{a} a} + \frac{h \ln \left(\frac{\sqrt{a} x^2 - a}{-\sqrt{a} x^2 - a} \right)}{8 \sqrt{a} b} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8 \left(\frac{a}{b} \right)^{\frac{1}{4}} ab} + \frac{c \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} ab} - \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} g \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8 ab} - \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} g \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 ab} + \frac{3 \left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8 a^2} + \frac{3 \left(\frac{a}{b} \right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 a^2} + \frac{3 i \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8 \left(\frac{a}{b} \right)^{\frac{1}{4}} b^2} + \frac{3 i \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} b^2} + \frac{j \ln (b x^4 - a)}{4 b^2} + \frac{-(a i + b e) x^3 - (a h + b d) x^2 - \frac{(a g + b f) x}{4 a b} - \frac{a i + b f}{4 a^2}}{b x^4 - a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x)

[Out] $(-1/4 * (a * i + b * e) / a / b * x^3 - 1/4 * (a * h + b * d) / a / b * x^2 - 1/4 * (a * g + b * c) / a / b * x - 1/4 * (a * j + b * f) / b^2) / (b * x^4 - a) - 1/8 * (a / b)^{1/4} / a / b * g * \arctan(1 / (a / b)^{1/4} * x) + 3/8 * (a / b)^{1/4} / a^2 * c * \arctan(1 / (a / b)^{1/4} * x) - 1/16 * (a / b)^{1/4} / a / b * g * \ln((x + (a / b)^{1/4}) / (x - (a / b)^{1/4})) + 3/16 * (a / b)^{1/4} / a^2 * c * \ln((x + (a / b)^{1/4}) / (x - (a / b)^{1/4})) + 1/8 / (a * b)^{1/2} / b * h * \ln(((a * b)^{1/2} * x^2 - a) / (- (a * b)^{1/2} * x^2 - a)) - 1/8 / (a * b)^{1/2} / a * d * \ln(((a * b)^{1/2} * x^2 - a) / (- (a * b)^{1/2} * x^2 - a)) + 3/8 / (a / b)^{1/4} / b^2 * i * \arctan(1 / (a / b)^{1/4} * x) - 1/8 / (a / b)^{1/4} / a / b * e * \arctan(1 / (a / b)^{1/4} * x) - 3/16 / (a / b)^{1/4} / b^2 * i * \ln((x + (a / b)^{1/4}) / (x - (a / b)^{1/4})) + 1/16 / (a / b)^{1/4} / a / b * e * \ln((x + (a / b)^{1/4}) / (x - (a / b)^{1/4})) + 1/4 / b^2 * j * \ln(b * x^4 - a)$

maxima [A] time = 3.15, size = 299, normalized size = 1.33

$$\frac{(b^2 e + a b i) x^3 + a b f + a^2 j + (b^2 d + a b h) x^2 + (b^2 c + a b g) x}{4 (a b^3 x^4 - a^2 b^2)} + \frac{2 \left(3 b^{\frac{3}{2}} c - \sqrt{a} b e - a \sqrt{b} g + 3 a^{\frac{3}{2}} i \right) \arctan \left(\frac{\sqrt{b} x}{\sqrt{a} \sqrt{b}} \right)}{\sqrt{a} \sqrt{a} \sqrt{b} \sqrt{b}} + \frac{2 \left(b^{\frac{3}{2}} d - a \sqrt{b} h + 2 a^{\frac{3}{2}} j \right) \log(\sqrt{b} x^2 + \sqrt{a})}{\sqrt{a} b} - \frac{2 \left(b^{\frac{3}{2}} d - a \sqrt{b} h - 2 a^{\frac{3}{2}} j \right) \log(\sqrt{b} x^2 - \sqrt{a})}{\sqrt{a} b} - \frac{\left(3 b^{\frac{3}{2}} c + \sqrt{a} b e - a \sqrt{b} g - 3 a^{\frac{3}{2}} i \right) \log \left(\frac{\sqrt{b} x - \sqrt{a} \sqrt{b}}{\sqrt{b} x + \sqrt{a} \sqrt{b}} \right)}{\sqrt{a} \sqrt{a} \sqrt{b} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")

[Out] $-1/4 * ((b^2 * e + a * b * i) * x^3 + a * b * f + a^2 * j + (b^2 * d + a * b * h) * x^2 + (b^2 * c + a * b * g) * x) / (a * b^3 * x^4 - a^2 * b^2) + 1/16 * (2 * (3 * b^{3/2} * c - \text{sqrt}(a) * b * e - a * \text{sqrt}(b) * g + 3 * a^{3/2} * i) * \arctan(\text{sqrt}(b) * x / \text{sqrt}(\text{sqrt}(a) * \text{sqrt}(b)))) / (\text{sqrt}(a) * \text{sqrt}(\text{sqrt}(a) * \text{sqrt}(b)) * \text{sqrt}(b)) + 2 * (b^{3/2} * d - a * \text{sqrt}(b) * h + 2 * a^{3/2} * j) * \log(\text{sqrt}(b) * x^2 + \text{sqrt}(a)) / (\text{sqrt}(a) * b) - 2 * (b^{3/2} * d - a * \text{sqrt}(b) * h - 2 * a^{3/2} * j) * \log(\text{sqrt}(b) * x^2 - \text{sqrt}(a)) / (\text{sqrt}(a) * b) - (3 * b^{3/2} * c + \text{sqrt}(a) * b * e - a * \text{sqrt}(b) * g - 3 * a^{3/2} * i) * \log((\text{sqrt}(b) * x - \text{sqrt}(\text{sqrt}(a) * \text{sqrt}(b)))) / (\text{sqrt}(b) * x + \text{sqrt}(\text{sqrt}(a) * \text{sqrt}(b)))))) / (\text{sqrt}(a) * \text{sqrt}(\text{sqrt}(a) * \text{sqrt}(b)) * \text{sqrt}(b))) / (a * b)$

mupad [B] time = 5.91, size = 3943, normalized size = 17.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^2, x)

[Out] ((b*f + a*j)/(4*b^2) + (x*(b*c + a*g))/(4*a*b) + (x^2*(b*d + a*h))/(4*a*b) + (x^3*(b*e + a*i))/(4*a*b))/(a - b*x^4) + symsum(log((27*a^4*i^3 - a*b^3*e^3 - 12*b^4*c*d^2 + 9*b^4*c^2*e + 16*a^4*g*j^2 - 12*a^2*b^2*c*h^2 + a^2*b^2*e*g^2 + 9*a^2*b^2*e^2*i - 48*a^4*h*i*j + 4*a*b^3*d^2*g - 27*a*b^3*c^2*i - 48*a^3*b*c*j^2 - 27*a^3*b*e*i^2 + 4*a^3*b*g*h^2 - 3*a^3*b*g^2*i + 18*a^2*b^2*c*g*i - 16*a^2*b^2*d*e*j - 8*a^2*b^2*d*g*h + 24*a*b^3*c*d*h - 6*a*b^3*c*e*g + 48*a^3*b*d*i*j + 16*a^3*b*e*h*j)/(64*a^3*b^2) - root(65536*a^7*b^8*z^4 - 65536*a^7*b^6*j*z^3 - 3072*a^6*b^5*g*i*z^2 + 9216*a^5*b^6*c*i*z^2 + 4096*a^5*b^6*d*h*z^2 + 1024*a^5*b^6*e*g*z^2 - 3072*a^4*b^7*c*e*z^2 + 24576*a^7*b^4*j^2*z^2 - 2048*a^6*b^5*h^2*z^2 - 2048*a^4*b^7*d^2*z^2 + 1536*a^6*b^3*g*i*j*z - 4608*a^5*b^4*c*i*j*z - 2048*a^5*b^4*d*h*j*z + 768*a^5*b^4*e*h*i*z - 512*a^5*b^4*e*g*j*z + 1536*a^4*b^5*c*e*j*z - 768*a^4*b^5*d*e*i*z + 768*a^4*b^5*c*g*h*z - 768*a^3*b^6*c*d*g*z + 1024*a^6*b^3*h^2*j*z - 1152*a^6*b^3*h*i^2*z - 128*a^5*b^4*g^2*h*z + 1024*a^4*b^5*d^2*j*z + 1152*a^5*b^4*d*i^2*z - 128*a^4*b^5*e^2*h*z - 1152*a^3*b^6*c^2*h*z + 128*a^4*b^5*d*g^2*z + 128*a^3*b^6*d*e^2*z + 1152*a^2*b^7*c^2*d*z - 4096*a^7*b^2*j^3*z - 192*a^5*b^2*e*h*i*j + 192*a^4*b^3*d*e*i*j - 192*a^4*b^3*c*g*h*j + 96*a^4*b^3*d*g*h*i - 288*a^3*b^4*c*d*h*i + 192*a^3*b^4*c*d*g*j + 72*a^3*b^4*c*e*g*i - 32*a^3*b^4*d*e*g*h + 96*a^2*b^5*c*d*e*h + 32*a^5*b^2*g^2*h*j - 48*a^5*b^2*g*h^2*i - 288*a^5*b^2*d*i^2*j + 32*a^4*b^3*e^2*h*j + 576*a^5*b^2*c*i*j^2 + 256*a^5*b^2*d*h*j^2 + 64*a^5*b^2*e*g*j^2 + 288*a^3*b^4*c^2*h*j - 32*a^4*b^3*d*g^2*j - 12*a^4*b^3*e*g^2*i + 144*a^4*b^3*c*h^2*i - 48*a^3*b^4*d^2*g*i + 16*a^4*b^3*e*g*h^2 - 108*a^4*b^3*c*g*i^2 - 32*a^3*b^4*d*e^2*j - 192*a^4*b^3*c*e*j^2 - 288*a^2*b^5*c^2*d*j - 108*a^2*b^5*c^2*e*i + 144*a^2*b^5*c*d^2*i - 48*a^3*b^4*c*e*h^2 + 16*a^2*b^5*d^2*e*g - 12*a^2*b^5*c*e^2*g + 288*a^6*b*h*i^2*j - 192*a^6*b*g*i*j^2 - 48*a*b^6*c*d^2*e + 108*a*b^6*c^3*g + 18*a^5*b^2*g^2*i^2 - 128*a^4*b^3*d^2*j^2 - 54*a^4*b^3*e^2*i^2 + 162*a^3*b^4*c^2*i^2 + 96*a^3*b^4*d^2*h^2 + 2*a^3*b^4*e^2*g^2 - 54*a^2*b^5*c^2*g^2 - 128*a^6*b*h^2*j^2 + 108*a^5*b^2*e*i^3 + 12*a^3*b^4*e^3*i - 64*a^4*b^3*d*h^3 - 64*a^2*b^5*d^3*h + 12*a^3*b^4*c*g^3 + 18*a*b^6*c^2*e^2 + 16*a^5*b^2*h^4 - 81*a^6*b*i^4 + 16*a*b^6*d^4 + 256*a^7*j^4 - 81*b^7*c^4 - a^4*b^3*g^4 - a^2*b^5*e^4, z, m)*(root(65536*a^7*b^8*z^4 - 65536*a^7*b^6*j*z^3 - 3072*a^6*b^5*g*i*z^2 + 9216*a^5*b^6*c*i*z^2 + 4096*a^5*b^6*d*h*z^2 + 1024*a^5*b^6*e*g*z^2 - 3072*a^4*b^7*c*e*z^2 + 24576*a^7*b^4*j^2*z^2 - 2048*a^6*b^5*h^2*z^2 - 2048*a^4*b^7*d^2*z^2 + 1536*a^6*b^3*g*i*j*z - 4608*a^5*b^4*c*i*j*z - 2048*a^5*b^4*d*h*j*z + 768*a^5*b^4*e*h*i*z - 512*a^5*b^4*e*g*j*z + 1536*a^4*b^5*c*e*j*z - 768*a^4*b^5*d*e*i*z + 768*a^4*b^5*c*g*h*z - 768*a^3*b^6*c*d*g*z + 1024*a^6*b^3*h^2*j*z - 1152*a^6*b^3*h*i^2*z - 128*a^5*b^4*g^2*h*z + 1024*a^4*b^5*d^2*j*z + 1152*a^5*b^4*d*i^2*z - 128*a^4*b^5*e^2*h*z - 1152*a^3*b^6*c^2*h*z + 128*a^4*b^5*d*g^2*z + 128*a^3*b^6*d*e^2*z + 1152*a^2*b^7*c^2*d*z - 4096*a^7*b^2*j^3*z - 192*a^5*b^2*e*h*i*j + 192*a^4*b^3*d*e*i*j - 192*a^4*b^3*c*g*h*j + 96*a^4*b^3*d*g*h*i - 288*a^3*b^4*c*d*h*i + 192*a^3*b^4*c*d*g*j + 72*a^3*b^4*c*e*g*i -

$$\begin{aligned}
& 32a^3b^4d*eg*h + 96a^2b^5c*d*eh + 32a^5b^2g^2*h*j - 48a^5b^2* \\
& g*h^2*i - 288a^5b^2*d*i^2*j + 32a^4b^3e^2*h*j + 576a^5b^2*c*i*j^2 + \\
& 256a^5b^2*d*h*j^2 + 64a^5b^2*eg*j^2 + 288a^3b^4*c^2*h*j - 32a^4b^3* \\
& *d*g^2*j - 12a^4b^3*eg^2*i + 144a^4b^3*c*h^2*i - 48a^3b^4*d^2*g*i + \\
& 16a^4b^3*eg*h^2 - 108a^4b^3*c*g*i^2 - 32a^3b^4*d*e^2*j - 192a^4b^3* \\
& *c*e*j^2 - 288a^2b^5*c^2*d*j - 108a^2b^5*c^2*e*i + 144a^2b^5*c*d^2*i \\
& - 48a^3b^4*c*e*h^2 + 16a^2b^5*d^2*e*g - 12a^2b^5*c*e^2*g + 288a^6*b* \\
& h*i^2*j - 192a^6*b*g*i*j^2 - 48a*b^6*c*d^2*e + 108a*b^6*c^3*g + 18a^5b \\
& ^2*g^2*i^2 - 128a^4b^3*d^2*j^2 - 54a^4b^3*e^2*i^2 + 162a^3b^4*c^2*i^2 \\
& + 96a^3b^4*d^2*h^2 + 2a^3b^4*e^2*g^2 - 54a^2b^5*c^2*g^2 - 128a^6*b* \\
& h^2*j^2 + 108a^5b^2*e*i^3 + 12a^3b^4*e^3*i - 64a^4b^3*d*h^3 - 64a^2* \\
& b^5*d^3*h + 12a^3b^4*c*g^3 + 18a*b^6*c^2*e^2 + 16a^5b^2*h^4 - 81a^6*b \\
& *i^4 + 16a*b^6*d^4 + 256a^7*j^4 - 81b^7*c^4 - a^4b^3*g^4 - a^2b^5*e^4, \\
& z, m)*((768a^3b^5*c - 256a^4b^4*g)/(64a^3b^2) - (x*(128a^3b^5*d - \\
& 128a^4b^4*h))/(16a^3b^2)) - (64a^2b^4*d*e + 384a^3b^3*c*j - 192a^3 \\
& *b^3*d*i - 64a^3b^3*e*h - 128a^4b^2*g*j + 192a^4b^2*h*i)/(64a^3b^2) \\
& + (x*(36a*b^5*c^2 + 4a^2b^4*e^2 + 4a^3b^3*g^2 + 36a^4b^2*i^2 - 24a \\
& ^2b^4*c*g + 64a^3b^3*d*j - 24a^3b^3*e*i - 64a^4b^2*h*j))/(16a^3b^2 \\
&)) + (x*(2a^3b^h^3 - 2b^4*d^3 - 8a^4*h*j^2 + 9a^4*i^2*j - 6a^2b^2*d* \\
& h^2 + a^2b^2*e^2*j + 3b^4*c*d*e + 6a*b^3*d^2*h + 9a*b^3*c^2*j + 8a^3b \\
& *d*j^2 + a^3b*g^2*j - 6a^2b^2*c*g*j + 9a^2b^2*c*h*i + 3a^2b^2*d*g*i \\
& + a^2b^2*e*g*h - 9a*b^3*c*d*i - 3a*b^3*c*e*h - a*b^3*d*e*g - 6a^3b*e*i \\
& *j - 3a^3b*g*h*i))/(16a^3b^2))*root(65536a^7*b^8*z^4 - 65536a^7*b^6*j \\
& *z^3 - 3072a^6*b^5*g*i*z^2 + 9216a^5b^6*c*i*z^2 + 4096a^5b^6*d*h*z^2 + \\
& 1024a^5b^6*eg*z^2 - 3072a^4b^7*c*e*z^2 + 24576a^7*b^4*j^2*z^2 - 2048 \\
& *a^6b^5*h^2*z^2 - 2048a^4b^7*d^2*z^2 + 1536a^6b^3*g*i*j*z - 4608a^5b \\
& ^4*c*i*j*z - 2048a^5b^4*d*h*j*z + 768a^5b^4*e*h*i*z - 512a^5b^4*eg*j \\
& *z + 1536a^4b^5*c*e*j*z - 768a^4b^5*d*e*i*z + 768a^4b^5*c*g*h*z - 768 \\
& *a^3b^6*c*d*g*z + 1024a^6b^3*h^2*j*z - 1152a^6b^3*h*i^2*z - 128a^5b^ \\
& 4*g^2*h*z + 1024a^4b^5*d^2*j*z + 1152a^5b^4*d*i^2*z - 128a^4b^5*e^2*h \\
& *z - 1152a^3b^6*c^2*h*z + 128a^4b^5*d*g^2*z + 128a^3b^6*d*e^2*z + 115 \\
& 2a^2b^7*c^2*d*z - 4096a^7*b^2*j^3*z - 192a^5b^2*e*h*i*j + 192a^4b^3* \\
& d*e*i*j - 192a^4b^3*c*g*h*j + 96a^4b^3*d*g*h*i - 288a^3b^4*c*d*h*i + \\
& 192a^3b^4*c*d*g*j + 72a^3b^4*c*e*g*i - 32a^3b^4*d*eg*h + 96a^2b^5* \\
& c*d*eh + 32a^5b^2*g^2*h*j - 48a^5b^2*g*h^2*i - 288a^5b^2*d*i^2*j + 3 \\
& 2a^4b^3e^2*h*j + 576a^5b^2*c*i*j^2 + 256a^5b^2*d*h*j^2 + 64a^5b^2* \\
& eg*j^2 + 288a^3b^4*c^2*h*j - 32a^4b^3*d*g^2*j - 12a^4b^3*eg^2*i + 1 \\
& 44a^4b^3*c*h^2*i - 48a^3b^4*d^2*g*i + 16a^4b^3*eg*h^2 - 108a^4b^3* \\
& c*g*i^2 - 32a^3b^4*d*e^2*j - 192a^4b^3*c*e*j^2 - 288a^2b^5*c^2*d*j - \\
& 108a^2b^5*c^2*e*i + 144a^2b^5*c*d^2*i - 48a^3b^4*c*e*h^2 + 16a^2b^5 \\
& *d^2*e*g - 12a^2b^5*c*e^2*g + 288a^6*b*h*i^2*j - 192a^6*b*g*i*j^2 - 48* \\
& a*b^6*c*d^2*e + 108a*b^6*c^3*g + 18a^5b^2*g^2*i^2 - 128a^4b^3*d^2*j^2 \\
& - 54a^4b^3*e^2*i^2 + 162a^3b^4*c^2*i^2 + 96a^3b^4*d^2*h^2 + 2a^3b^4 \\
& *e^2*g^2 - 54a^2b^5*c^2*g^2 - 128a^6*b*h^2*j^2 + 108a^5b^2*e*i^3 + 12* \\
& a^3b^4*e^3*i - 64a^4b^3*d*h^3 - 64a^2b^5*d^3*h + 12a^3b^4*c*g^3 + 18
\end{aligned}$$


```
*a*b^6*c^2*e^2 + 16*a^5*b^2*h^4 - 81*a^6*b*i^4 + 16*a*b^6*d^4 + 256*a^7*j^4
- 81*b^7*c^4 - a^4*b^3*g^4 - a^2*b^5*e^4, z, m), m, 1, 4)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**2,
x)
```

```
[Out] Timed out
```

$$3.148 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^2} dx$$

Optimal. Leaf size=353

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}}$$

Rubi [A] time = 0.34, antiderivative size = 353, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1858, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}} - \frac{\tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{a}}{\sqrt{b}}\right)\left(\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{8\sqrt{2} a^{7/4} b^{5/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a}}{\sqrt{b}} + 1\right)\left(\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{8\sqrt{2} a^{7/4} b^{5/4}} + \frac{(ah + bf) \tan^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{4a^{3/2} b^{3/2}} + \frac{x\left(x(bd - ah) - ag + bc + bex^2 + bfx^3\right)}{4ab(a + bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^2,x]

[Out] (x*(b*c - a*g + (b*d - a*h)*x + b*e*x^2 + b*f*x^3))/(4*a*b*(a + b*x^4)) + ((b*d + a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*b^(3/2)) - ((3*b*c + Sqrt[a]*Sqrt[b]*e + a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(5/4)) + ((3*b*c + Sqrt[a]*Sqrt[b]*e + a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(5/4)) - ((3*b*c - Sqrt[a]*Sqrt[b]*e + a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(5/4)) + ((3*b*c - Sqrt[a]*Sqrt[b]*e + a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(5/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^ (p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^4)^2} dx &= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \frac{-b(3bc+ag)-2b(bd+ah)x-b^2ex^2}{a+bx^4} dx}{4ab^2} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \left(-\frac{2b(bd+ah)x}{a+bx^4} + \frac{-b(3bc+ag)-b^2ex^2}{a+bx^4} \right) dx}{4ab^2} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \frac{-b(3bc+ag)-b^2ex^2}{a+bx^4} dx}{4ab^2} + \frac{(bd + ah)}{4ab^2} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(3bc - \sqrt{a}\sqrt{b}e + ag) \int \frac{\sqrt{a}\sqrt{b}}{a+bx^2} dx}{8a^{3/2}b^{3/2}} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}b^{3/2}} - \frac{(3bc - \sqrt{a}\sqrt{b}e + ag)}{8a^{3/2}b^{3/2}} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}b^{3/2}} - \frac{(3bc - \sqrt{a}\sqrt{b}e + ag)}{8a^{3/2}b^{3/2}} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}b^{3/2}} - \frac{(3bc - \sqrt{a}\sqrt{b}e + ag)}{8a^{3/2}b^{3/2}}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 359, normalized size = 1.02

$$\frac{-2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt{5}}{3} \right) (4a^{3/2}b + \sqrt{2} \sqrt{a} b^{3/2}e + 4\sqrt{a}bd + \sqrt{2}a\sqrt{b}g + 3\sqrt{2}b^{3/2}c) + 2 \tan^{-1} \left(\frac{\sqrt{2} \sqrt{5}}{3} + 1 \right) (-4a^{3/2}b + \sqrt{2} \sqrt{a} b^{3/2}e - 4\sqrt{a}bd + \sqrt{2}a\sqrt{b}g + 3\sqrt{2}b^{3/2}c) - \frac{8a^{3/2} \sqrt{b} (a^2 d^2 + d^2 g^2 + b^2 c^2) \log \left(\frac{\sqrt{a} \sqrt{b} x + \sqrt{a} + \sqrt{b} x^2}{\sqrt{a} \sqrt{b} x - \sqrt{a} - 3bc} \right) + \sqrt{2} \sqrt{b} \log \left(-\sqrt{2} \sqrt{a} \sqrt{b} x + \sqrt{a} + \sqrt{b} x^2 \right) (\sqrt{a} \sqrt{b} e - ag - 3bc) + \sqrt{2} \sqrt{b} \log \left(\sqrt{2} \sqrt{a} \sqrt{b} x + \sqrt{a} + \sqrt{b} x^2 \right) (-\sqrt{a} \sqrt{b} e + ag + 3bc)}{32a^{3/2}b^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^2,x]

[Out]
$$\frac{(-8a^{3/4}\sqrt{b}(-(b*x*(c + x*(d + e*x))) + a*(f + x*(g + h*x))))/(a + b*x^4) - 2*(3*\sqrt{2}*b^{5/4}*c + 4*a^{1/4}*b*d + \sqrt{2}*\sqrt{a}*b^{3/4}*e + \sqrt{2}*a*b^{1/4}*g + 4*a^{5/4}*h)*\text{ArcTan}[1 - (\sqrt{2}*b^{1/4}*x)/a^{1/4}] + 2*(3*\sqrt{2}*b^{5/4}*c - 4*a^{1/4}*b*d + \sqrt{2}*\sqrt{a}*b^{3/4}*e + \sqrt{2}*a*b^{1/4}*g - 4*a^{5/4}*h)*\text{ArcTan}[1 + (\sqrt{2}*b^{1/4}*x)/a^{1/4}] + \sqrt{2}*b^{1/4}*(-3*b*c + \sqrt{a}*\sqrt{b}*e - a*g)*\text{Log}[\sqrt{a} - \sqrt{2}*a^{1/4}*b^{1/4}*x + \sqrt{b}*x^2] + \sqrt{2}*b^{1/4}*(3*b*c - \sqrt{a}*\sqrt{b}*e + a*g)*\text{Log}[\sqrt{a} + \sqrt{2}*a^{1/4}*b^{1/4}*x + \sqrt{b}*x^2]}{(32*a^{7/4}*b^{3/2})}$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^2, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^2, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 398, normalized size = 1.13

$$\frac{bx^5 + bx^4 + dx^3 + ex^2 + cx}{4(bx^4 + a)^2} + \frac{\sqrt{2}\sqrt{2\sqrt{ab}bx^2 + 2\sqrt{2}\sqrt{ab}ab + 3(ab)^{3/2}bx + (ab)^2 abg + (ab)^3} \arctan\left(\frac{\sqrt{2}\sqrt{2\sqrt{ab}bx^2 + 2\sqrt{2}\sqrt{ab}ab + 3(ab)^{3/2}bx + (ab)^2 abg + (ab)^3}}{2\sqrt{2}\sqrt{ab}}\right)}{16ab^3} + \frac{\sqrt{2}\sqrt{2\sqrt{ab}bx^2 + 2\sqrt{2}\sqrt{ab}ab + 3(ab)^{3/2}bx + (ab)^2 abg + (ab)^3} \log\left(x^2 + \sqrt{2}\sqrt{\frac{a}{b}}x + \sqrt{\frac{a}{b}}\right)}{32ab^3} + \frac{\sqrt{2}\sqrt{2\sqrt{ab}bx^2 + 2\sqrt{2}\sqrt{ab}ab + 3(ab)^{3/2}bx + (ab)^2 abg + (ab)^3} \log\left(x^2 - \sqrt{2}\sqrt{\frac{a}{b}}x + \sqrt{\frac{a}{b}}\right)}{32ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out]
$$\frac{1}{4}(bx^3e + bdx^2 - ahx^2 + bcx - agx - af)/((bx^4 + a)ab) + \frac{1}{16}\sqrt{2}(2\sqrt{2}\sqrt{ab}bx^2 + 2\sqrt{2}\sqrt{ab}ab + 3(ab)^{3/2}bx + (ab)^2 abg + (ab)^3) \arctan\left(\frac{1}{2}\sqrt{2}\sqrt{\frac{a}{b}}\left(x^2 + \sqrt{2}\sqrt{\frac{a}{b}}x + \sqrt{\frac{a}{b}}\right)\right) + \frac{1}{16}\sqrt{2}(2\sqrt{2}\sqrt{ab}bx^2 + 2\sqrt{2}\sqrt{ab}ab + 3(ab)^{3/2}bx + (ab)^2 abg + (ab)^3) \log\left(x^2 - \sqrt{2}\sqrt{\frac{a}{b}}x + \sqrt{\frac{a}{b}}\right)$$

2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 2*sqrt(2)*sqrt(a*b)*a*b*h + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3) - 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3)

maple [A] time = 0.06, size = 515, normalized size = 1.46

$$\frac{d \arctan\left(\frac{\sqrt{2}x}{4\sqrt{ab}a}\right)}{4\sqrt{ab}a} - \frac{h \arctan\left(\frac{\sqrt{2}x}{4\sqrt{ab}b}\right)}{4\sqrt{ab}b} + \frac{\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{16(\frac{a}{b})^{1/4}ab}\right)}{16(\frac{a}{b})^{1/4}ab} - \frac{\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{16(\frac{a}{b})^{1/4}ab}\right)}{16(\frac{a}{b})^{1/4}ab} - \frac{\sqrt{2}e \ln\left(\frac{x^2 - (\frac{a}{b})^{1/4}\sqrt{2}x + \sqrt{a/b}}{x^2 + (\frac{a}{b})^{1/4}\sqrt{2}x + \sqrt{a/b}}\right)}{32(\frac{a}{b})^{1/4}ab} + \frac{(\frac{a}{b})^{1/4}\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{16ab}\right)}{16ab} - \frac{(\frac{a}{b})^{1/4}\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{16ab}\right)}{16ab} - \frac{(\frac{a}{b})^{1/4}\sqrt{2}e \ln\left(\frac{x^2 - (\frac{a}{b})^{1/4}\sqrt{2}x + \sqrt{a/b}}{x^2 + (\frac{a}{b})^{1/4}\sqrt{2}x + \sqrt{a/b}}\right)}{32ab} + \frac{3(\frac{a}{b})^{1/4}\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{16a^2}\right)}{16a^2} - \frac{3(\frac{a}{b})^{1/4}\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{16a^2}\right)}{16a^2} - \frac{3(\frac{a}{b})^{1/4}\sqrt{2}e \ln\left(\frac{x^2 - (\frac{a}{b})^{1/4}\sqrt{2}x + \sqrt{a/b}}{x^2 + (\frac{a}{b})^{1/4}\sqrt{2}x + \sqrt{a/b}}\right)}{32a^2} + \frac{e^2 - ab \ln ab - \frac{a}{b} - \frac{(a-b)}{ab}}{b^2 + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] (1/4/a*e*x^3-1/4*(a*h-b*d)/a/b*x^2-1/4*(a*g-b*c)/a/b*x-1/4/b*f)/(b*x^4+a)+1/16/b/a*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*g+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16/b/a*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*g+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/32*(a/b)^(1/4)*2^(1/2)/a/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/32*(a/b)^(1/4)*2^(1/2)/a^2*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/4/b/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)*h+1/4/(a*b)^(1/2)/a*d*arctan((1/a*b)^(1/2)*x^2)+1/32/(a/b)^(1/4)*2^(1/2)/a/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.19, size = 374, normalized size = 1.06

$$\frac{bcx^3 + (bd - ab)x^2 - af + (bc - ag)x}{4(ab^2x^4 + a^2b)} + \frac{\sqrt{2} \left(3b^{\frac{3}{4}}c - \sqrt{2}bc + \sqrt{2}ag \right) \log\left(\sqrt{bx^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}} + \sqrt{a}}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2} \left(3b^{\frac{3}{4}}c - \sqrt{2}bc + \sqrt{2}ag \right) \log\left(\sqrt{bx^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}} + \sqrt{a}}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} + \frac{2 \left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}c + \sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}c + \sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}c - 4\sqrt{2}b^{\frac{3}{4}}d - 4a^{\frac{3}{4}}\sqrt{2}b \right) \arctan\left(\frac{\sqrt{2}(\sqrt{bx^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}} + \sqrt{a})}}{2\sqrt{a/b}}\right)}{32ab} + \frac{2 \left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}c + \sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}c + \sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}c + 4\sqrt{2}b^{\frac{3}{4}}d + 4a^{\frac{3}{4}}\sqrt{2}b \right) \arctan\left(\frac{\sqrt{2}(\sqrt{bx^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}} + \sqrt{a})}}{2\sqrt{a/b}}\right)}{32ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] 1/4*(b*e*x^3 + (b*d - a*h)*x^2 - a*f + (b*c - a*g)*x)/(a*b^2*x^4 + a^2*b) + 1/32*(sqrt(2)*(3*b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(3*b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(7/4)*c + sqrt(2)*a^(3/4)*b^(5/4)*e + sqrt(2)*a^(5/4)*b^(3/4)*g - 4*sqrt(a)*b^(3/2)*d - 4*a^(3/4)*b^(3/2)*g)/(a^2*b)

$$2) \cdot \sqrt{b} \cdot h) \cdot \arctan(1/2 \cdot \sqrt{2} \cdot (2 \cdot \sqrt{b} \cdot x + \sqrt{2} \cdot a^{1/4} \cdot b^{1/4}) / \sqrt{\sqrt{a} \cdot \sqrt{b}}) / (a^{3/4} \cdot \sqrt{\sqrt{a} \cdot \sqrt{b}}) \cdot b^{3/4}) + 2 \cdot (3 \cdot \sqrt{2} \cdot a^{1/4} \cdot b^{7/4} \cdot c + \sqrt{2} \cdot a^{3/4} \cdot b^{5/4} \cdot e + \sqrt{2} \cdot a^{5/4} \cdot b^{3/4} \cdot g + 4 \cdot \sqrt{a} \cdot b^{3/2} \cdot d + 4 \cdot a^{3/2} \cdot \sqrt{b} \cdot h) \cdot \arctan(1/2 \cdot \sqrt{2} \cdot (2 \cdot \sqrt{b} \cdot x - \sqrt{2} \cdot a^{1/4} \cdot b^{1/4}) / \sqrt{\sqrt{a} \cdot \sqrt{b}}) / (a^{3/4} \cdot \sqrt{\sqrt{a} \cdot \sqrt{b}}) \cdot b^{3/4}) / (a \cdot b)$$

mupad [B] time = 5.58, size = 1623, normalized size = 4.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d \cdot x + e \cdot x^2 + f \cdot x^3 + g \cdot x^4 + h \cdot x^5) / (a + b \cdot x^4)^2, x)$

[Out] $\text{symsum}(\log((12 \cdot b^3 \cdot c \cdot d^2 - a \cdot b^2 \cdot e^3 - 9 \cdot b^3 \cdot c^2 \cdot e + 4 \cdot a^3 \cdot g \cdot h^2 + 4 \cdot a \cdot b^2 \cdot d^2 \cdot g + 12 \cdot a^2 \cdot b \cdot c \cdot h^2 - a^2 \cdot b \cdot e \cdot g^2 + 24 \cdot a \cdot b^2 \cdot c \cdot d \cdot h - 6 \cdot a \cdot b^2 \cdot c \cdot e \cdot g + 8 \cdot a^2 \cdot b \cdot d \cdot g \cdot h) / (64 \cdot a^3 \cdot b) - \text{root}(65536 \cdot a^7 \cdot b^6 \cdot z^4 + 4096 \cdot a^5 \cdot b^4 \cdot d \cdot h \cdot z^2 + 1024 \cdot a^5 \cdot b^4 \cdot e \cdot g \cdot z^2 + 3072 \cdot a^4 \cdot b^5 \cdot c \cdot e \cdot z^2 + 2048 \cdot a^6 \cdot b^3 \cdot h^2 \cdot z^2 + 2048 \cdot a^4 \cdot b^5 \cdot d^2 \cdot z^2 - 768 \cdot a^4 \cdot b^3 \cdot c \cdot g \cdot h \cdot z - 768 \cdot a^3 \cdot b^4 \cdot c \cdot d \cdot g \cdot z - 128 \cdot a^5 \cdot b^2 \cdot g^2 \cdot h \cdot z + 128 \cdot a^4 \cdot b^3 \cdot e^2 \cdot h \cdot z - 1152 \cdot a^3 \cdot b^4 \cdot c^2 \cdot h \cdot z - 128 \cdot a^4 \cdot b^3 \cdot d \cdot g^2 \cdot z + 128 \cdot a^3 \cdot b^4 \cdot d \cdot e^2 \cdot z - 1152 \cdot a^2 \cdot b^5 \cdot c^2 \cdot d \cdot z - 32 \cdot a^3 \cdot b^2 \cdot d \cdot e \cdot g \cdot h - 96 \cdot a^2 \cdot b^3 \cdot c \cdot d \cdot e \cdot h - 48 \cdot a^3 \cdot b^2 \cdot c \cdot e \cdot h^2 - 16 \cdot a^2 \cdot b^3 \cdot d^2 \cdot e \cdot g + 12 \cdot a^2 \cdot b^3 \cdot c \cdot e^2 \cdot g - 16 \cdot a^4 \cdot b \cdot e \cdot g \cdot h^2 - 48 \cdot a \cdot b^4 \cdot c \cdot d^2 \cdot e + 64 \cdot a^4 \cdot b \cdot d \cdot h^3 + 108 \cdot a \cdot b^4 \cdot c^3 \cdot g + 96 \cdot a^3 \cdot b^2 \cdot d^2 \cdot h^2 + 2 \cdot a^3 \cdot b^2 \cdot e^2 \cdot g^2 + 54 \cdot a^2 \cdot b^3 \cdot c^2 \cdot g^2 + 64 \cdot a^2 \cdot b^3 \cdot d^3 \cdot h + 12 \cdot a^3 \cdot b^2 \cdot c \cdot g^3 + 18 \cdot a \cdot b^4 \cdot c^2 \cdot e^2 + 16 \cdot a \cdot b^4 \cdot d^4 + 16 \cdot a^5 \cdot h^4 + 81 \cdot b^5 \cdot c^4 + a^2 \cdot b^3 \cdot e^4 + a^4 \cdot b \cdot g^4, z, k) \cdot (\text{root}(65536 \cdot a^7 \cdot b^6 \cdot z^4 + 4096 \cdot a^5 \cdot b^4 \cdot d \cdot h \cdot z^2 + 1024 \cdot a^5 \cdot b^4 \cdot e \cdot g \cdot z^2 + 3072 \cdot a^4 \cdot b^5 \cdot c \cdot e \cdot z^2 + 2048 \cdot a^6 \cdot b^3 \cdot h^2 \cdot z^2 + 2048 \cdot a^4 \cdot b^5 \cdot d^2 \cdot z^2 - 768 \cdot a^4 \cdot b^3 \cdot c \cdot g \cdot h \cdot z - 768 \cdot a^3 \cdot b^4 \cdot c \cdot d \cdot g \cdot z - 128 \cdot a^5 \cdot b^2 \cdot g^2 \cdot h \cdot z + 128 \cdot a^4 \cdot b^3 \cdot e^2 \cdot h \cdot z - 1152 \cdot a^3 \cdot b^4 \cdot c^2 \cdot h \cdot z - 128 \cdot a^4 \cdot b^3 \cdot d \cdot g^2 \cdot z + 128 \cdot a^3 \cdot b^4 \cdot d \cdot e^2 \cdot z - 1152 \cdot a^2 \cdot b^5 \cdot c^2 \cdot d \cdot z - 32 \cdot a^3 \cdot b^2 \cdot d \cdot e \cdot g \cdot h - 96 \cdot a^2 \cdot b^3 \cdot c \cdot d \cdot e \cdot h - 48 \cdot a^3 \cdot b^2 \cdot c \cdot e \cdot h^2 - 16 \cdot a^2 \cdot b^3 \cdot d^2 \cdot e \cdot g + 12 \cdot a^2 \cdot b^3 \cdot c \cdot e^2 \cdot g - 16 \cdot a^4 \cdot b \cdot e \cdot g \cdot h^2 - 48 \cdot a \cdot b^4 \cdot c \cdot d^2 \cdot e + 64 \cdot a^4 \cdot b \cdot d \cdot h^3 + 108 \cdot a \cdot b^4 \cdot c^3 \cdot g + 96 \cdot a^3 \cdot b^2 \cdot d^2 \cdot h^2 + 2 \cdot a^3 \cdot b^2 \cdot e^2 \cdot g^2 + 54 \cdot a^2 \cdot b^3 \cdot c^2 \cdot g^2 + 64 \cdot a^2 \cdot b^3 \cdot d^3 \cdot h + 12 \cdot a^3 \cdot b^2 \cdot c \cdot g^3 + 18 \cdot a \cdot b^4 \cdot c^2 \cdot e^2 + 16 \cdot a \cdot b^4 \cdot d^4 + 16 \cdot a^5 \cdot h^4 + 81 \cdot b^5 \cdot c^4 + a^2 \cdot b^3 \cdot e^4 + a^4 \cdot b \cdot g^4, z, k) \cdot ((768 \cdot a^3 \cdot b^4 \cdot c + 256 \cdot a^4 \cdot b^3 \cdot g) / (64 \cdot a^3 \cdot b) - (x \cdot (128 \cdot a^3 \cdot b^4 \cdot d + 128 \cdot a^4 \cdot b^3 \cdot h)) / (16 \cdot a^3 \cdot b)) + (64 \cdot a^2 \cdot b^3 \cdot d \cdot e + 64 \cdot a^3 \cdot b^2 \cdot e \cdot h) / (64 \cdot a^3 \cdot b) + (x \cdot (36 \cdot a \cdot b^4 \cdot c^2 - 4 \cdot a^2 \cdot b^3 \cdot e^2 + 4 \cdot a^3 \cdot b^2 \cdot g^2 + 24 \cdot a^2 \cdot b^3 \cdot c \cdot g)) / (16 \cdot a^3 \cdot b) + (x \cdot (2 \cdot b^3 \cdot d^3 + 2 \cdot a^3 \cdot h^3 - 3 \cdot b^3 \cdot c \cdot d \cdot e + 6 \cdot a \cdot b^2 \cdot d^2 \cdot h + 6 \cdot a^2 \cdot b \cdot d \cdot h^2 - 3 \cdot a \cdot b^2 \cdot c \cdot e \cdot h - a \cdot b^2 \cdot d \cdot e \cdot g - a^2 \cdot b \cdot e \cdot g \cdot h)) / (16 \cdot a^3 \cdot b)) \cdot \text{root}(65536 \cdot a^7 \cdot b^6 \cdot z^4 + 4096 \cdot a^5 \cdot b^4 \cdot d \cdot h \cdot z^2 + 1024 \cdot a^5 \cdot b^4 \cdot e \cdot g \cdot z^2 + 3072 \cdot a^4 \cdot b^5 \cdot c \cdot e \cdot z^2 + 2048 \cdot a^6 \cdot b^3 \cdot h^2 \cdot z^2 + 2048 \cdot a^4 \cdot b^5 \cdot d^2 \cdot z^2 - 768 \cdot a^4 \cdot b^3 \cdot c \cdot g \cdot h \cdot z - 768 \cdot a^3 \cdot b^4 \cdot c \cdot d \cdot g \cdot z - 128 \cdot a^5 \cdot b^2 \cdot g^2 \cdot h \cdot z + 128 \cdot a^4 \cdot b^3 \cdot e^2 \cdot h \cdot z - 1152 \cdot a^3 \cdot b^4 \cdot c^2 \cdot h \cdot z - 128 \cdot a^4 \cdot b^3 \cdot d \cdot g^2 \cdot z + 128 \cdot a^3 \cdot b^4 \cdot d \cdot e^2 \cdot z - 1152 \cdot a^2 \cdot b^5 \cdot c^2 \cdot d \cdot z - 32 \cdot a^3 \cdot b^2 \cdot d \cdot e \cdot g \cdot h - 96 \cdot a^2 \cdot b^3 \cdot c \cdot d \cdot e \cdot h - 48 \cdot a^3 \cdot b^2 \cdot c \cdot e \cdot h^2 - 16 \cdot a^2 \cdot b^3 \cdot d^2 \cdot e \cdot g + 12 \cdot a^2 \cdot b^3 \cdot c \cdot e^2 \cdot g$

- 16*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e + 64*a^4*b*d*h^3 + 108*a*b^4*c^3*g + 96*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 + 54*a^2*b^3*c^2*g^2 + 64*a^2*b^3*d^3*h + 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*h^4 + 81*b^5*c^4 + a^2*b^3*e^4 + a^4*b*g^4, z, k), k, 1, 4) + ((e*x^3)/(4*a) - f/(4*b) + (x*(b*c - a*g))/(4*a*b) + (x^2*(b*d - a*h))/(4*a*b))/(a + b*x^4)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x)

[Out] Timed out

$$3.149 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^2} dx$$

Optimal. Leaf size=395

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(\sqrt{b}(ag+3bc)-\sqrt{a}(3ai+be)\right)}{16\sqrt{2}a^{7/4}b^{7/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(\sqrt{b}(ag+3bc)+\sqrt{a}(3ai+be)\right)}{16\sqrt{2}a^{7/4}b^{7/4}}$$

Rubi [A] time = 0.49, antiderivative size = 395, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1858, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(\sqrt{b}(ag+3bc)-\sqrt{a}(3ai+be)\right)}{16\sqrt{2}a^{7/4}b^{7/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(\sqrt{b}(ag+3bc)+\sqrt{a}(3ai+be)\right)}{16\sqrt{2}a^{7/4}b^{7/4}} - \frac{\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}}\right)\left(\sqrt{b}(ag+3bc)+\sqrt{a}(3ai+be)\right)}{8\sqrt{2}a^{7/4}b^{7/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}}+1\right)\left(\sqrt{b}(ag+3bc)+\sqrt{a}(3ai+be)\right)}{8\sqrt{2}a^{7/4}b^{7/4}} + \frac{(ab+bd)\tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + \frac{x\left(x(bd-ab)+x^2(bc-a)-ag+bc+bf/x^3\right)}{4ab\left(a+bx^4\right)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^2,x]

[Out] (x*(b*c - a*g + (b*d - a*h)*x + (b*e - a*i)*x^2 + b*f*x^3))/(4*a*b*(a + b*x^4)) + ((b*d + a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*b^(3/2)) - ((Sqrt[b]*(3*b*c + a*g) + Sqrt[a]*(b*e + 3*a*i))*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(7/4)) + ((Sqrt[b]*(3*b*c + a*g) + Sqrt[a]*(b*e + 3*a*i))*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(7/4)) - ((Sqrt[b]*(3*b*c + a*g) - Sqrt[a]*(b*e + 3*a*i))*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(7/4)) + ((Sqrt[b]*(3*b*c + a*g) - Sqrt[a]*(b*e + 3*a*i))*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(7/4))

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x

$^k], x] /; k \neq 1] /; \text{FreeQ}\{a, b, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$

Rule 617

$\text{Int}[(a_ + (b_ \cdot)(x_) + (c_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4 \cdot \text{Simplify}[(a \cdot c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2 \cdot c \cdot x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \parallel \neg \text{RationalQ}[b^2 - 4 \cdot a \cdot c]) /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0]$

Rule 628

$\text{Int}[(d_ + (e_ \cdot)(x_))/(a_ + (b_ \cdot)(x_) + (c_ \cdot)(x_)^2), x_Symbol] \rightarrow \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + b \cdot x + c \cdot x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2 \cdot c \cdot d - b \cdot e, 0]$

Rule 1162

$\text{Int}[(d_ + (e_ \cdot)(x_)^2)/(a_ + (c_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e + q \cdot x + x^2, x], x], x] + \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e - q \cdot x + x^2, x], x], x] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \&\& \text{PosQ}[d \cdot e]$

Rule 1165

$\text{Int}[(d_ + (e_ \cdot)(x_)^2)/(a_ + (c_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q - 2 \cdot x)/\text{Simp}[d/e + q \cdot x - x^2, x], x], x] + \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q + 2 \cdot x)/\text{Simp}[d/e - q \cdot x - x^2, x], x], x] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \&\& \text{NegQ}[d \cdot e]$

Rule 1168

$\text{Int}[(d_ + (e_ \cdot)(x_)^2)/(a_ + (c_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[a \cdot c, 2]\}, \text{Dist}[(d \cdot q + a \cdot e)/(2 \cdot a \cdot c), \text{Int}[(q + c \cdot x^2)/(a + c \cdot x^4), x], x] + \text{Dist}[(d \cdot q - a \cdot e)/(2 \cdot a \cdot c), \text{Int}[(q - c \cdot x^2)/(a + c \cdot x^4), x], x] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \&\& \text{NeQ}[c \cdot d^2 - a \cdot e^2, 0] \&\& \text{NegQ}[-(a \cdot c)]$

Rule 1858

$\text{Int}[(Pq_ \cdot ((a_ + (b_ \cdot)(x_)^{(n_)}))^{(p_)}), x_Symbol] \rightarrow \text{With}\{q = \text{Expon}[Pq, x]\}, \text{Module}\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q - 1)/n] + 1) \cdot Pq}, a + b \cdot x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q - 1)/n] + 1) \cdot Pq}, a + b \cdot x^n, x]\}, \text{Dist}[1/(a \cdot n \cdot (p + 1) \cdot b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[(a + b \cdot x^n)^{(p + 1)} \cdot \text{ExpandToSum}[a \cdot n \cdot (p + 1) \cdot Q + n \cdot (p + 1) \cdot R + D[x \cdot R, x], x], x] - \text{Simp}[(x \cdot R \cdot (a + b \cdot x^n)^{(p + 1)})/(a \cdot n \cdot (p + 1) \cdot b^{(\text{Floor}[(q - 1)/n] + 1)}), x] /; \text{GeQ}[q, n]$

/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 149x^6}{(a + bx^4)^2} dx = \frac{x(bc - ag + (bd - ah)x - (149a - be)x^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \frac{-b(3bc+ag)}{a+bx^4} dx}{4ab(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x - (149a - be)x^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \left(-\frac{2b(bd+a)}{a+bx^4}\right) dx}{4ab(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x - (149a - be)x^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \frac{-b(3bc+ag)}{a+bx^4} dx}{4ab(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x - (149a - be)x^2 + bfx^3)}{4ab(a + bx^4)} - \frac{(447a + be)}{4ab(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x - (149a - be)x^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah)t}{4a^3}$$

$$= \frac{x(bc - ag + (bd - ah)x - (149a - be)x^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah)t}{4a^3}$$

$$= \frac{x(bc - ag + (bd - ah)x - (149a - be)x^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah)t}{4a^3}$$

Mathematica [A] time = 0.47, size = 415, normalized size = 1.05

$\frac{b^{2n} \log(x^2 + \frac{c}{a}) - 2 \tan^{-1}\left(1 - \frac{\sqrt{a} x}{a}\right) (4a^{2n} \sqrt{b} h + 3\sqrt{2} a^{2n} i + 4\sqrt{2} b^{2n} j + \sqrt{2} a \sqrt{b} g + \sqrt{2} a \sqrt{b} g + 3\sqrt{2} b^{2n} i) + 2 \tan^{-1}\left(\frac{\sqrt{2} b x}{a}\right) (-4a^{2n} \sqrt{b} h + 3\sqrt{2} a^{2n} i - 4\sqrt{2} b^{2n} j + \sqrt{2} a \sqrt{b} g + \sqrt{2} a \sqrt{b} g + 3\sqrt{2} b^{2n} i) + \sqrt{2} \log(-\sqrt{2} \sqrt{a} \sqrt{b} x + \sqrt{a} + \sqrt{b} x^2) (3a^{2n} i + \sqrt{2} b c - a \sqrt{b} g - 3b^{2n} i) + \sqrt{2} \log(\sqrt{2} \sqrt{a} \sqrt{b} x + \sqrt{a} + \sqrt{b} x^2) (-3a^{2n} i - \sqrt{2} b c + a \sqrt{b} g + 3b^{2n} i)}$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^2,x]
```

```
[Out] ((-8*a^(3/4)*b^(3/4)*(-(b*x*(c + x*(d + e*x))) + a*(f + x*(g + x*(h + i*x)))))/(a + b*x^4) - 2*(3*Sqrt[2]*b^(3/2)*c + 4*a^(1/4)*b^(5/4)*d + Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt[b]*g + 4*a^(5/4)*b^(1/4)*h + 3*Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(3*Sqrt[2]*b^(3/2)*c - 4*a^(1/4)*b^(5/4)*d + Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt[b]*g - 4*a^(5/4)*b^(1/4)*h + 3*Sqrt[2]*a^(3/2)*i)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*(-3*b^(3/2)*c + Sqrt[a]*b*e - a*Sqrt[b]*g + 3*a^(3/2)*i)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*(3*b^(3/2)*c - Sqrt[a]*b*e + a*Sqrt[b]*g - 3*a^(3/2)*i)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2)]/(32*a^(7/4)*b^(7/4))
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6}{(a + bx^4)^2} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^2,x]
```

```
[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^2, x]
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [A] time = 0.60, size = 589, normalized size = 1.49

$$\frac{\left(\frac{\sqrt{2} \sqrt{a} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{a} x}{a^{1/4}}\right)}{2 \sqrt{a}} - \frac{\sqrt{2} \sqrt{a} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{a} x}{a^{1/4}}\right)}{2 \sqrt{a}} \right) \sqrt{a} \sqrt{b} x^2 + \sqrt{2} \sqrt{a} \sqrt{b} x^2 - \sqrt{2} \sqrt{a} \sqrt{b} x^2}{4 \sqrt{2} \sqrt{a} \sqrt{b} x^2} + \frac{\sqrt{2} \sqrt{a} \sqrt{b} x^2 - \sqrt{2} \sqrt{a} \sqrt{b} x^2}{4 \sqrt{2} \sqrt{a} \sqrt{b} x^2} + \frac{\sqrt{2} \sqrt{a} \sqrt{b} x^2 - \sqrt{2} \sqrt{a} \sqrt{b} x^2}{4 \sqrt{2} \sqrt{a} \sqrt{b} x^2} + \frac{\sqrt{2} \sqrt{a} \sqrt{b} x^2 - \sqrt{2} \sqrt{a} \sqrt{b} x^2}{4 \sqrt{2} \sqrt{a} \sqrt{b} x^2} + \frac{\sqrt{2} \sqrt{a} \sqrt{b} x^2 - \sqrt{2} \sqrt{a} \sqrt{b} x^2}{4 \sqrt{2} \sqrt{a} \sqrt{b} x^2} + \frac{\sqrt{2} \sqrt{a} \sqrt{b} x^2 - \sqrt{2} \sqrt{a} \sqrt{b} x^2}{4 \sqrt{2} \sqrt{a} \sqrt{b} x^2} + \frac{\sqrt{2} \sqrt{a} \sqrt{b} x^2 - \sqrt{2} \sqrt{a} \sqrt{b} x^2}{4 \sqrt{2} \sqrt{a} \sqrt{b} x^2} + \frac{\sqrt{2} \sqrt{a} \sqrt{b} x^2 - \sqrt{2} \sqrt{a} \sqrt{b} x^2}{4 \sqrt{2} \sqrt{a} \sqrt{b} x^2} + \frac{\sqrt{2} \sqrt{a} \sqrt{b} x^2 - \sqrt{2} \sqrt{a} \sqrt{b} x^2}{4 \sqrt{2} \sqrt{a} \sqrt{b} x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{3}{32}i(2\sqrt{2})(ab^3)^{3/4}\arctan\left(\frac{1}{2}\sqrt{2}\left(\frac{2x+\sqrt{2}}{a/b}\right)^{1/4}\right)/(a/b)^{1/4} - \sqrt{2}(ab^3)^{3/4}\log(x^2+\sqrt{2}x(a/b)^{1/4}+\sqrt{a/b})/(ab^4) + \frac{3}{32}i(2\sqrt{2})(ab^3)^{3/4}\arctan\left(\frac{1}{2}\sqrt{2}\left(\frac{2x-\sqrt{2}}{a/b}\right)^{1/4}\right)/(a/b)^{1/4} + \sqrt{2}(ab^3)^{3/4}\log(x^2-\sqrt{2}x(a/b)^{1/4}+\sqrt{a/b})/(ab^4) - \frac{1}{4}(a^3ix^3 - b^3x^3e - b^2dx^2 + a^2hx^2 - b^2cx + a^2gx + a^2f)/((b^4x^4+a)ab) + \frac{1}{16}\sqrt{2}(2\sqrt{2}\sqrt{ab}b^{2d} + 2\sqrt{2}\sqrt{ab}ab^2h + 3(ab^3)^{1/4}b^{2c} + (ab^3)^{1/4}ab^2g + (ab^3)^{3/4}e)\arctan\left(\frac{1}{2}\sqrt{2}\left(\frac{2x+\sqrt{2}}{a/b}\right)^{1/4}\right)/(a^2b^3) + \frac{1}{16}\sqrt{2}(2\sqrt{2}\sqrt{ab}b^{2d} + 2\sqrt{2}\sqrt{ab}ab^2h + 3(ab^3)^{1/4}b^{2c} + (ab^3)^{1/4}ab^2g + (ab^3)^{3/4}e)\arctan\left(\frac{1}{2}\sqrt{2}\left(\frac{2x-\sqrt{2}}{a/b}\right)^{1/4}\right)/(a^2b^3) + \frac{1}{32}\sqrt{2}(3(ab^3)^{1/4}b^{2c} + (ab^3)^{1/4}ab^2g - (ab^3)^{3/4}e)\log(x^2+\sqrt{2}x(a/b)^{1/4}+\sqrt{a/b})/(a^2b^3) - \frac{1}{32}\sqrt{2}(3(ab^3)^{1/4}b^{2c} + (ab^3)^{1/4}ab^2g - (ab^3)^{3/4}e)\log(x^2-\sqrt{2}x(a/b)^{1/4}+\sqrt{a/b})/(a^2b^3)$

maple [B] time = 0.05, size = 654, normalized size = 1.66

$$\frac{d \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{4\sqrt{2}ab} - \frac{d \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{4\sqrt{2}ab} - \frac{\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{16(a/b)^{3/4}} - \frac{\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{16(a/b)^{3/4}} - \frac{\sqrt{2}h \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{32(a/b)^{3/4}} - \frac{(\sqrt{2}e)^2 \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{16ab} - \frac{(\sqrt{2}e)^2 \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{16ab} - \frac{(\sqrt{2}e)^2 \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{32ab} - \frac{3(\sqrt{2}e)^2 \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{16a^2} - \frac{3(\sqrt{2}e)^2 \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{16a^2} - \frac{3(\sqrt{2}e)^2 \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{32a^2} - \frac{3\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{16(a/b)^{3/4}} - \frac{3\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{16(a/b)^{3/4}} - \frac{3\sqrt{2}h \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{32(a/b)^{3/4}} - \frac{3\sqrt{2}h \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{32(a/b)^{3/4}} - \frac{3\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{32(a/b)^{3/4}} - \frac{3\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{(a/b)^{1/4}}\right)}{32(a/b)^{3/4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] $(-1/4(a^3i-b^3e)/a/bx^3-1/4(a^2h-b^2d)/a/bx^2-1/4(a^2g-b^2c)/a/bx-1/4/b^2f)/(b^4x^4+a)+1/16(a/b)^{1/4}2^{1/2}/a/b^2g\arctan(2^{1/2}/(a/b)^{1/4}x-1)+3/16(a/b)^{1/4}2^{1/2}/a^2c\arctan(2^{1/2}/(a/b)^{1/4}x-1)+1/32(a/b)^{1/4}2^{1/2}/a/b^2g\ln((x^2+(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2}))/((x^2-(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2})))+3/32(a/b)^{1/4}2^{1/2}/a^2c\ln((x^2+(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2}))/((x^2-(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2}))+1/16(a/b)^{1/4}2^{1/2}/a/b^2g\arctan(2^{1/2}/(a/b)^{1/4}x+1)+3/16(a/b)^{1/4}2^{1/2}/a^2c\arctan(2^{1/2}/(a/b)^{1/4}x+1)+1/4/(a^3b)^{1/2}/b^2h\arctan((1/a^3b)^{1/2}x^2)+1/4/(a^3b)^{1/2}/a^2d\arctan((1/a^3b)^{1/2}x^2)+3/32/b^2/(a/b)^{1/4}2^{1/2}\ln((x^2-(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2}))/((x^2+(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2}))+3/32/(a/b)^{1/4}2^{1/2}/a/b^2e\ln((x^2-(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2}))/((x^2+(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2}))+3/16/b^2/(a/b)^{1/4}2^{1/2}\arctan(2^{1/2}/(a/b)^{1/4}x-1)*i+1/16/(a/b)^{1/4}2^{1/2}/a/b^2e\arctan(2^{1/2}/(a/b)^{1/4}x-1)+3/16/b^2/(a/b)^{1/4}2^{1/2}\arctan(2^{1/2}/(a/b)^{1/4}x+1)*i+1/16/(a/b)^{1/4}2^{1/2}/a/b^2e\arctan(2^{1/2}/(a/b)^{1/4}x+1)$

maxima [A] time = 3.19, size = 416, normalized size = 1.05

$$\frac{(be - ai)x^3 + (bd - ah)x^2 - af + (bc - ag)x}{4(ab^2x^4 + a^2b)} + \frac{\sqrt{2}(\sqrt{2}i - \sqrt{2}i + \sqrt{2}i - \sqrt{2}i)\log(\sqrt{2}i - \sqrt{2}i + \sqrt{2}i - \sqrt{2}i)}{2i^{\frac{1}{4}}} - \frac{\sqrt{2}(\sqrt{2}i - \sqrt{2}i + \sqrt{2}i - \sqrt{2}i)\log(\sqrt{2}i - \sqrt{2}i + \sqrt{2}i - \sqrt{2}i)}{2i^{\frac{1}{4}}} + \frac{2(\sqrt{2}i^{\frac{1}{4}}i^{\frac{1}{4}} - \sqrt{2}i^{\frac{1}{4}}i^{\frac{1}{4}} + \sqrt{2}i^{\frac{1}{4}}i^{\frac{1}{4}} - \sqrt{2}i^{\frac{1}{4}}i^{\frac{1}{4}}) \arctan\left(\frac{\sqrt{2}i^{\frac{1}{4}}i^{\frac{1}{4}}}{2\sqrt{2}i^{\frac{1}{4}}}\right)}{32ab} + \frac{2(\sqrt{2}i^{\frac{1}{4}}i^{\frac{1}{4}} - \sqrt{2}i^{\frac{1}{4}}i^{\frac{1}{4}} + \sqrt{2}i^{\frac{1}{4}}i^{\frac{1}{4}} - \sqrt{2}i^{\frac{1}{4}}i^{\frac{1}{4}}) \arctan\left(\frac{\sqrt{2}i^{\frac{1}{4}}i^{\frac{1}{4}}}{2\sqrt{2}i^{\frac{1}{4}}}\right)}{2i^{\frac{1}{4}}\sqrt{2}i^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{4}((b*e - a*i)*x^3 + (b*d - a*h)*x^2 - a*f + (b*c - a*g)*x)/(a*b^2*x^4 + a^2*b) + \frac{1}{32}(\sqrt{2}*(3*b^{(3/2)}*c - \sqrt{2}*a)*b*e + a*\sqrt{2}*g - 3*a^{(3/2)}*i)*\log(\sqrt{2}*x^2 + \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{2}*a))/a^{(3/4)}*b^{(3/4)} - \sqrt{2}*(3*b^{(3/2)}*c - \sqrt{2}*a)*b*e + a*\sqrt{2}*g - 3*a^{(3/2)}*i)*\log(\sqrt{2}*x^2 - \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{2}*a))/a^{(3/4)}*b^{(3/4)} + 2*(3*\sqrt{2}*a^{(1/4)}*b^{(7/4)}*c + \sqrt{2}*a^{(3/4)}*b^{(5/4)}*e + \sqrt{2}*a^{(5/4)}*b^{(3/4)}*g + 3*\sqrt{2}*a^{(7/4)}*b^{(1/4)}*i - 4*\sqrt{2}*a)*b^{(3/2)}*d - 4*a^{(3/2)}*\sqrt{2}(b)*h)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}*b)*x + \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{2}(\sqrt{2}*a)*\sqrt{2}(b))/a^{(3/4)}*\sqrt{2}(\sqrt{2}*a)*\sqrt{2}(b))*b^{(3/4)} + 2*(3*\sqrt{2}*a^{(1/4)}*b^{(7/4)}*c + \sqrt{2}*a^{(3/4)}*b^{(5/4)}*e + \sqrt{2}*a^{(5/4)}*b^{(3/4)}*g + 3*\sqrt{2}*a^{(7/4)}*b^{(1/4)}*i + 4*\sqrt{2}*a)*b^{(3/2)}*d + 4*a^{(3/2)}*\sqrt{2}(b)*h)*\arctan(1/2*\sqrt{2}*(2*\sqrt{2}*b)*x - \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{2}(\sqrt{2}*a)*\sqrt{2}(b))/a^{(3/4)}*\sqrt{2}(\sqrt{2}*a)*\sqrt{2}(b))*b^{(3/4)})/(a*b)$

mupad [B] time = 5.70, size = 2605, normalized size = 6.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^2,x)

[Out] $\text{symsum}(\log(-\text{root}(65536*a^7*b^7*z^4 + 3072*a^6*b^4*g*i*z^2 + 9216*a^5*b^5*c*i*z^2 + 4096*a^5*b^5*d*h*z^2 + 1024*a^5*b^5*e*g*z^2 + 3072*a^4*b^6*c*e*z^2 + 2048*a^6*b^4*h^2*z^2 + 2048*a^4*b^6*d^2*z^2 + 768*a^5*b^3*e*h*i*z + 768*a^4*b^4*d*e*i*z - 768*a^4*b^4*c*g*h*z - 768*a^3*b^5*c*d*g*z + 1152*a^6*b^2*h*i^2*z - 128*a^5*b^3*g^2*h*z + 1152*a^5*b^3*d*i^2*z + 128*a^4*b^4*e^2*h*z - 1152*a^3*b^5*c^2*h*z - 128*a^4*b^4*d*g^2*z + 128*a^3*b^5*d*e^2*z - 1152*a^2*b^6*c^2*d*z - 96*a^4*b^2*d*g*h*i - 288*a^3*b^3*c*d*h*i + 72*a^3*b^3*c*e*g*i - 32*a^3*b^3*d*e*g*h - 96*a^2*b^4*c*d*e*h + 12*a^4*b^2*e*g^2*i - 144*a^4*b^2*c*h^2*i - 48*a^3*b^3*d^2*g*i - 16*a^4*b^2*e*g*h^2 + 108*a^4*b^2*c*g*i^2 + 108*a^2*b^4*c^2*e*i - 144*a^2*b^4*c*d^2*i - 48*a^3*b^3*c*e*h^2 - 16*a^2*b^4*d^2*e*g + 12*a^2*b^4*c*e^2*g - 48*a^5*b*g*h^2*i - 48*a*b^5*c*d^2*e + 108*a^5*b*e*i^3 + 108*a*b^5*c^3*g + 54*a^4*b^2*e^2*i^2 + 162*a^3*b^3*c^2*i^2 + 96*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 + 54*a^2*b^4*c^2*g^2 + 18*a^5*b*g^2*i^2 + 12*a^3*b^3*e^3*i + 64*a^4*b^2*d*h^3 + 64*a^2*b^4*d^3*h + 12*a^3*b^3*c*g^3 + 18*a*b^5*c^2*e^2 + 16*a^5*b*h^4 + 16*a*b^5*d^4 + 81*a^6*i^4 + 81$

$$\begin{aligned}
& *b^6*c^4 + a^4*b^2*g^4 + a^2*b^4*e^4, z, 1) * (\text{root}(65536*a^7*b^7*z^4 + 3072* \\
& a^6*b^4*g*i*z^2 + 9216*a^5*b^5*c*i*z^2 + 4096*a^5*b^5*d*h*z^2 + 1024*a^5*b^ \\
& 5*e*g*z^2 + 3072*a^4*b^6*c*e*z^2 + 2048*a^6*b^4*h^2*z^2 + 2048*a^4*b^6*d^2* \\
& z^2 + 768*a^5*b^3*e*h*i*z + 768*a^4*b^4*d*e*i*z - 768*a^4*b^4*c*g*h*z - 768 \\
& *a^3*b^5*c*d*g*z + 1152*a^6*b^2*h*i^2*z - 128*a^5*b^3*g^2*h*z + 1152*a^5*b^ \\
& 3*d*i^2*z + 128*a^4*b^4*e^2*h*z - 1152*a^3*b^5*c^2*h*z - 128*a^4*b^4*d*g^2* \\
& z + 128*a^3*b^5*d*e^2*z - 1152*a^2*b^6*c^2*d*z - 96*a^4*b^2*d*g*h*i - 288*a \\
& ^3*b^3*c*d*h*i + 72*a^3*b^3*c*e*g*i - 32*a^3*b^3*d*e*g*h - 96*a^2*b^4*c*d*e \\
& *h + 12*a^4*b^2*e*g^2*i - 144*a^4*b^2*c*h^2*i - 48*a^3*b^3*d^2*g*i - 16*a^4 \\
& *b^2*e*g*h^2 + 108*a^4*b^2*c*g*i^2 + 108*a^2*b^4*c^2*e*i - 144*a^2*b^4*c*d^ \\
& 2*i - 48*a^3*b^3*c*e*h^2 - 16*a^2*b^4*d^2*e*g + 12*a^2*b^4*c*e^2*g - 48*a^5 \\
& *b*g*h^2*i - 48*a*b^5*c*d^2*e + 108*a^5*b*e*i^3 + 108*a*b^5*c^3*g + 54*a^4*b \\
& ^2*e^2*i^2 + 162*a^3*b^3*c^2*i^2 + 96*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 \\
& + 54*a^2*b^4*c^2*g^2 + 18*a^5*b*g^2*i^2 + 12*a^3*b^3*e^3*i + 64*a^4*b^2*d*h \\
& ^3 + 64*a^2*b^4*d^3*h + 12*a^3*b^3*c*g^3 + 18*a*b^5*c^2*e^2 + 16*a^5*b*h^4 \\
& + 16*a*b^5*d^4 + 81*a^6*i^4 + 81*b^6*c^4 + a^4*b^2*g^4 + a^2*b^4*e^4, z, 1) \\
& * ((768*a^3*b^5*c + 256*a^4*b^4*g)/(64*a^3*b^2) - (x*(128*a^3*b^4*d + 128*a^ \\
& 4*b^3*h))/(16*a^3*b)) + (64*a^2*b^4*d*e + 192*a^3*b^3*d*i + 64*a^3*b^3*e*h \\
& + 192*a^4*b^2*h*i)/(64*a^3*b^2) + (x*(36*a*b^4*c^2 - 36*a^4*b*i^2 - 4*a^2*b \\
& ^3*e^2 + 4*a^3*b^2*g^2 + 24*a^2*b^3*c*g - 24*a^3*b^2*e*i))/(16*a^3*b)) - (2 \\
& 7*a^4*i^3 + a*b^3*e^3 - 12*b^4*c*d^2 + 9*b^4*c^2*e - 12*a^2*b^2*c*h^2 + a^2 \\
& *b^2*e*g^2 + 9*a^2*b^2*e^2*i - 4*a*b^3*d^2*g + 27*a*b^3*c^2*i + 27*a^3*b*e \\
& i^2 - 4*a^3*b*g*h^2 + 3*a^3*b*g^2*i + 18*a^2*b^2*c*g*i - 8*a^2*b^2*d*g*h - \\
& 24*a*b^3*c*d*h + 6*a*b^3*c*e*g)/(64*a^3*b^2) - (x*(3*b^3*c*d*e - 2*a^3*h^3 \\
& - 2*b^3*d^3 + 3*a^3*g*h*i - 6*a*b^2*d^2*h - 6*a^2*b*d*h^2 + 9*a*b^2*c*d*i + \\
& 3*a*b^2*c*e*h + a*b^2*d*e*g + 9*a^2*b*c*h*i + 3*a^2*b*d*g*i + a^2*b*e*g*h) \\
&)/(16*a^3*b)) * \text{root}(65536*a^7*b^7*z^4 + 3072*a^6*b^4*g*i*z^2 + 9216*a^5*b^5* \\
& c*i*z^2 + 4096*a^5*b^5*d*h*z^2 + 1024*a^5*b^5*e*g*z^2 + 3072*a^4*b^6*c*e*z^ \\
& 2 + 2048*a^6*b^4*h^2*z^2 + 2048*a^4*b^6*d^2*z^2 + 768*a^5*b^3*e*h*i*z + 768 \\
& *a^4*b^4*d*e*i*z - 768*a^4*b^4*c*g*h*z - 768*a^3*b^5*c*d*g*z + 1152*a^6*b^2 \\
& *h*i^2*z - 128*a^5*b^3*g^2*h*z + 1152*a^5*b^3*d*i^2*z + 128*a^4*b^4*e^2*h*z \\
& - 1152*a^3*b^5*c^2*h*z - 128*a^4*b^4*d*g^2*z + 128*a^3*b^5*d*e^2*z - 1152* \\
& a^2*b^6*c^2*d*z - 96*a^4*b^2*d*g*h*i - 288*a^3*b^3*c*d*h*i + 72*a^3*b^3*c*e \\
& *g*i - 32*a^3*b^3*d*e*g*h - 96*a^2*b^4*c*d*e*h + 12*a^4*b^2*e*g^2*i - 144*a \\
& ^4*b^2*c*h^2*i - 48*a^3*b^3*d^2*g*i - 16*a^4*b^2*e*g*h^2 + 108*a^4*b^2*c*g* \\
& i^2 + 108*a^2*b^4*c^2*e*i - 144*a^2*b^4*c*d^2*i - 48*a^3*b^3*c*e*h^2 - 16*a \\
& ^2*b^4*d^2*e*g + 12*a^2*b^4*c*e^2*g - 48*a^5*b*g*h^2*i - 48*a*b^5*c*d^2*e + \\
& 108*a^5*b*e*i^3 + 108*a*b^5*c^3*g + 54*a^4*b^2*e^2*i^2 + 162*a^3*b^3*c^2*i \\
& ^2 + 96*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 + 54*a^2*b^4*c^2*g^2 + 18*a^5*b \\
& *g^2*i^2 + 12*a^3*b^3*e^3*i + 64*a^4*b^2*d*h^3 + 64*a^2*b^4*d^3*h + 12*a^3*b \\
& ^3*c*g^3 + 18*a*b^5*c^2*e^2 + 16*a^5*b*h^4 + 16*a*b^5*d^4 + 81*a^6*i^4 + 8 \\
& 1*b^6*c^4 + a^4*b^2*g^4 + a^2*b^4*e^4, z, 1), 1, 1, 4) + ((x*(b*c - a*g))/(\\
& 4*a*b) - f/(4*b) + (x^2*(b*d - a*h))/(4*a*b) + (x^3*(b*e - a*i))/(4*a*b))/(\\
& a + b*x^4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x)

[Out] Timed out

$$3.150 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^2} dx$$

Optimal. Leaf size=417

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(\sqrt{b}(ag+3bc)-\sqrt{a}(3ai+be)\right)}{16\sqrt{2}a^{7/4}b^{7/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(\sqrt{b}(ag+3bc)+\sqrt{a}(3ai+be)\right)}{16\sqrt{2}a^{7/4}b^{7/4}}$$

Rubi [A] time = 0.54, antiderivative size = 417, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1858, 1876, 1168, 1162, 617, 204, 1165, 628, 1248, 635, 205, 260}

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(\sqrt{b}(ag+3bc)-\sqrt{a}(3ai+be)\right)}{16\sqrt{2}a^{7/4}b^{7/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(\sqrt{b}(ag+3bc)+\sqrt{a}(3ai+be)\right)}{16\sqrt{2}a^{7/4}b^{7/4}} + \frac{\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}}\right)\left(\sqrt{b}(ag+3bc)+\sqrt{a}(3ai+be)\right)}{8\sqrt{2}a^{7/4}b^{7/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}}+1\right)\left(\sqrt{b}(ag+3bc)+\sqrt{a}(3ai+be)\right)}{8\sqrt{2}a^{7/4}b^{7/4}} + \frac{(ab+bd)\tan^{-1}\left(\frac{\sqrt{a}}{\sqrt{b}}\right)}{4a^{3/2}b^{3/2}} + \frac{j\log(t+bx^4)}{4b^2} + \frac{x(x(bd-ab)+x^2(bc-a)+x^3(bf-a))-ag+bc}{4ab(a+bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^2, x]

[Out] (x*(b*c - a*g + (b*d - a*h)*x + (b*e - a*i)*x^2 + (b*f - a*j)*x^3))/(4*a*b*(a + b*x^4)) + ((b*d + a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*b^(3/2)) - ((Sqrt[b]*(3*b*c + a*g) + Sqrt[a]*(b*e + 3*a*i))*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(7/4)) + ((Sqrt[b]*(3*b*c + a*g) + Sqrt[a]*(b*e + 3*a*i))*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(7/4)) - ((Sqrt[b]*(3*b*c + a*g) - Sqrt[a]*(b*e + 3*a*i))*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(7/4)) + ((Sqrt[b]*(3*b*c + a*g) - Sqrt[a]*(b*e + 3*a*i))*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(7/4)) + (j*Log[a + b*x^4])/(4*b^2)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 635

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
  := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
  [{a, c, d, e, p, q}, x]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 150x^6 + jx^7}{(a + bx^4)^2} dx &= \frac{x(bc - ag + (bd - ah)x - (150a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x - (150a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x - (150a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x - (150a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x - (150a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x - (150a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x - (150a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x - (150a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x - (150a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)}
\end{aligned}$$

Mathematica [A] time = 0.44, size = 460, normalized size = 1.10

$$\frac{2 \sqrt{b} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{bx^4 + a}}{\sqrt{2} \sqrt{bx^4 + a} + \sqrt{2} \sqrt{bx^4 + a}}\right) + 2 \sqrt{b} \operatorname{arctan}\left(\frac{\sqrt{2} \sqrt{bx^4 + a}}{\sqrt{2} \sqrt{bx^4 + a} + \sqrt{2} \sqrt{bx^4 + a}}\right) + \sqrt{2} \sqrt{b} \log\left(\frac{\sqrt{2} \sqrt{bx^4 + a} + \sqrt{2} \sqrt{bx^4 + a}}{\sqrt{2} \sqrt{bx^4 + a} + \sqrt{2} \sqrt{bx^4 + a}}\right) + \frac{\sqrt{2} \sqrt{b} \log\left(\frac{\sqrt{2} \sqrt{bx^4 + a} + \sqrt{2} \sqrt{bx^4 + a}}{\sqrt{2} \sqrt{bx^4 + a} + \sqrt{2} \sqrt{bx^4 + a}}\right)}{2 \sqrt{b}} + \frac{\sqrt{2} \sqrt{b} \log\left(\frac{\sqrt{2} \sqrt{bx^4 + a} + \sqrt{2} \sqrt{bx^4 + a}}{\sqrt{2} \sqrt{bx^4 + a} + \sqrt{2} \sqrt{bx^4 + a}}\right)}{2 \sqrt{b}} + \frac{8 \sqrt{b} \log\left(\frac{\sqrt{2} \sqrt{bx^4 + a} + \sqrt{2} \sqrt{bx^4 + a}}{\sqrt{2} \sqrt{bx^4 + a} + \sqrt{2} \sqrt{bx^4 + a}}\right)}{4 \sqrt{b}} + 8 \log(a + bx^4)}{32b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^2,x]

[Out] ((8*(a^2*j + b^2*x*(c + x*(d + e*x)) - a*b*(f + x*(g + x*(h + i*x))))/(a*(a + b*x^4)) - (2*b^(1/4)*(3*Sqrt[2]*b^(3/2)*c + 4*a^(1/4)*b^(5/4)*d + Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt[b]*g + 4*a^(5/4)*b^(1/4)*h + 3*Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(7/4) + (2*b^(1/4)*(3*Sqrt[2]*b^(3/2)*c - 4*a^(1/4)*b^(5/4)*d + Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt

$[b]*g - 4*a^{(5/4)}*b^{(1/4)}*h + 3*\text{Sqrt}[2]*a^{(3/2)}*i*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}]/a^{(7/4)} + (\text{Sqrt}[2]*b^{(1/4)}*(-3*b^{(3/2)}*c + \text{Sqrt}[a]*b*e - a*\text{Sqrt}[b]*g + 3*a^{(3/2)}*i)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/a^{(7/4)} + (\text{Sqrt}[2]*b^{(1/4)}*(3*b^{(3/2)}*c - \text{Sqrt}[a]*b*e + a*\text{Sqrt}[b]*g - 3*a^{(3/2)}*i)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/a^{(7/4)} + 8*j*\text{Log}[a + b*x^4]/(32*b^2)$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6 + jx^7}{(a + bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^2,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^2, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.22, size = 617, normalized size = 1.48

$$\frac{3}{32}i \sqrt{2} (a^3 b^3)^{3/4} \arctan\left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2} (a/b)^{1/4}) / (a/b)^{1/4}\right) / (a^3 b^3)^{3/4} - \sqrt{2} (a^3 b^3)^{3/4} \log(x^2 + \sqrt{2} x (a/b)^{1/4} + \sqrt{a/b}) / (a^3 b^3)^{3/4} + \frac{3}{32}i \sqrt{2} (a^3 b^3)^{3/4} \arctan\left(\frac{1}{2} \sqrt{2} (2x - \sqrt{2} (a/b)^{1/4}) / (a/b)^{1/4}\right) / (a^3 b^3)^{3/4} + \sqrt{2} (a^3 b^3)^{3/4} \log(x^2 - \sqrt{2} x (a/b)^{1/4} + \sqrt{a/b}) / (a^3 b^3)^{3/4} + \frac{1}{4} j \log(\text{abs}(b x^4 + a)) / b^2 - \frac{1}{4} ((a i - b e) x^3 - (b d - a h) x^2 - (b c - a g) x + (c + d x + e x^2 + f x^3 + g x^4 + h x^5 + i x^6 + j x^7)) / (a + b x^4)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{3}{32}i \sqrt{2} (a^3 b^3)^{3/4} \arctan\left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2} (a/b)^{1/4}) / (a/b)^{1/4}\right) / (a^3 b^3)^{3/4} - \sqrt{2} (a^3 b^3)^{3/4} \log(x^2 + \sqrt{2} x (a/b)^{1/4} + \sqrt{a/b}) / (a^3 b^3)^{3/4} + \frac{3}{32}i \sqrt{2} (a^3 b^3)^{3/4} \arctan\left(\frac{1}{2} \sqrt{2} (2x - \sqrt{2} (a/b)^{1/4}) / (a/b)^{1/4}\right) / (a^3 b^3)^{3/4} + \sqrt{2} (a^3 b^3)^{3/4} \log(x^2 - \sqrt{2} x (a/b)^{1/4} + \sqrt{a/b}) / (a^3 b^3)^{3/4} + \frac{1}{4} j \log(\text{abs}(b x^4 + a)) / b^2 - \frac{1}{4} ((a i - b e) x^3 - (b d - a h) x^2 - (b c - a g) x + (c + d x + e x^2 + f x^3 + g x^4 + h x^5 + i x^6 + j x^7)) / (a + b x^4)^2$


```
[Out] 1/4*((b^2*e - a*b*i)*x^3 - a*b*f + a^2*j + (b^2*d - a*b*h)*x^2 + (b^2*c - a
*b*g)*x)/(a*b^3*x^4 + a^2*b^2) + 1/32*(sqrt(2)*(4*sqrt(2)*a^(7/4)*b^(1/4)*j
+ 3*b^2*c - sqrt(a)*b^(3/2)*e + a*b*g - 3*a^(3/2)*sqrt(b)*i)*log(sqrt(b)*x
^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(5/4)) + sqrt(2)*(4*sq
rt(2)*a^(7/4)*b^(1/4)*j - 3*b^2*c + sqrt(a)*b^(3/2)*e - a*b*g + 3*a^(3/2)*s
qrt(b)*i)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b
^(5/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(9/4)*c + sqrt(2)*a^(3/4)*b^(7/4)*e + sqrt
(2)*a^(5/4)*b^(5/4)*g + 3*sqrt(2)*a^(7/4)*b^(3/4)*i - 4*sqrt(a)*b^2*d - 4*a
^(3/2)*b*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt
(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(5/4)) + 2*(3*sqrt(2)*a
^(1/4)*b^(9/4)*c + sqrt(2)*a^(3/4)*b^(7/4)*e + sqrt(2)*a^(5/4)*b^(5/4)*g +
3*sqrt(2)*a^(7/4)*b^(3/4)*i + 4*sqrt(a)*b^2*d + 4*a^(3/2)*b*h)*arctan(1/2*s
qrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3
/4)*sqrt(sqrt(a)*sqrt(b))*b^(5/4))/(a*b)
```

mupad [B] time = 5.84, size = 3939, normalized size = 9.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^2
,x)
```

```
[Out] ((x*(b*c - a*g))/(4*a*b) - (b*f - a*j)/(4*b^2) + (x^2*(b*d - a*h))/(4*a*b)
+ (x^3*(b*e - a*i))/(4*a*b))/(a + b*x^4) + symsum(log(- root(65536*a^7*b^8*
z^4 - 65536*a^7*b^6*j*z^3 + 3072*a^6*b^5*g*i*z^2 + 9216*a^5*b^6*c*i*z^2 + 4
096*a^5*b^6*d*h*z^2 + 1024*a^5*b^6*e*g*z^2 + 3072*a^4*b^7*c*e*z^2 + 24576*a
^7*b^4*j^2*z^2 + 2048*a^6*b^5*h^2*z^2 + 2048*a^4*b^7*d^2*z^2 - 1536*a^6*b^3
*g*i*j*z - 4608*a^5*b^4*c*i*j*z - 2048*a^5*b^4*d*h*j*z + 768*a^5*b^4*e*h*i*
z - 512*a^5*b^4*e*g*j*z - 1536*a^4*b^5*c*e*j*z + 768*a^4*b^5*d*e*i*z - 768*
a^4*b^5*c*g*h*z - 768*a^3*b^6*c*d*g*z - 1024*a^6*b^3*h^2*j*z + 1152*a^6*b^3
*h*i^2*z - 128*a^5*b^4*g^2*h*z - 1024*a^4*b^5*d^2*j*z + 1152*a^5*b^4*d*i^2*
z + 128*a^4*b^5*e^2*h*z - 1152*a^3*b^6*c^2*h*z - 128*a^4*b^5*d*g^2*z + 128*
a^3*b^6*d*e^2*z - 1152*a^2*b^7*c^2*d*z - 4096*a^7*b^2*j^3*z - 192*a^5*b^2*e
*h*i*j - 192*a^4*b^3*d*e*i*j + 192*a^4*b^3*c*g*h*j - 96*a^4*b^3*d*g*h*i - 2
88*a^3*b^4*c*d*h*i + 192*a^3*b^4*c*d*g*j + 72*a^3*b^4*c*e*g*i - 32*a^3*b^4*
d*e*g*h - 96*a^2*b^5*c*d*e*h + 32*a^5*b^2*g^2*h*j - 48*a^5*b^2*g*h^2*i - 28
8*a^5*b^2*d*i^2*j - 32*a^4*b^3*e^2*h*j + 576*a^5*b^2*c*i*j^2 + 256*a^5*b^2*
d*h*j^2 + 64*a^5*b^2*e*g*j^2 + 288*a^3*b^4*c^2*h*j + 32*a^4*b^3*d*g^2*j + 1
2*a^4*b^3*e*g^2*i - 144*a^4*b^3*c*h^2*i - 48*a^3*b^4*d^2*g*i - 16*a^4*b^3*e
*g*h^2 + 108*a^4*b^3*c*g*i^2 - 32*a^3*b^4*d*e^2*j + 192*a^4*b^3*c*e*j^2 + 2
88*a^2*b^5*c^2*d*j + 108*a^2*b^5*c^2*e*i - 144*a^2*b^5*c*d^2*i - 48*a^3*b^4
*c*e*h^2 - 16*a^2*b^5*d^2*e*g + 12*a^2*b^5*c*e^2*g - 288*a^6*b*h*i^2*j + 19
2*a^6*b*g*i*j^2 - 48*a*b^6*c*d^2*e + 108*a*b^6*c^3*g + 18*a^5*b^2*g^2*i^2 +
128*a^4*b^3*d^2*j^2 + 54*a^4*b^3*e^2*i^2 + 162*a^3*b^4*c^2*i^2 + 96*a^3*b^
```

$$\begin{aligned}
& 4*d^2*h^2 + 2*a^3*b^4*e^2*g^2 + 54*a^2*b^5*c^2*g^2 + 128*a^6*b*h^2*j^2 + 10 \\
& 8*a^5*b^2*e*i^3 + 12*a^3*b^4*e^3*i + 64*a^4*b^3*d*h^3 + 64*a^2*b^5*d^3*h + \\
& 12*a^3*b^4*c*g^3 + 18*a*b^6*c^2*e^2 + 16*a^5*b^2*h^4 + 81*a^6*b*i^4 + 16*a* \\
& b^6*d^4 + 256*a^7*j^4 + 81*b^7*c^4 + a^4*b^3*g^4 + a^2*b^5*e^4, z, m)*(root \\
& (65536*a^7*b^8*z^4 - 65536*a^7*b^6*j*z^3 + 3072*a^6*b^5*g*i*z^2 + 9216*a^5* \\
& b^6*c*i*z^2 + 4096*a^5*b^6*d*h*z^2 + 1024*a^5*b^6*e*g*z^2 + 3072*a^4*b^7*c* \\
& e*z^2 + 24576*a^7*b^4*j^2*z^2 + 2048*a^6*b^5*h^2*z^2 + 2048*a^4*b^7*d^2*z^2 \\
& - 1536*a^6*b^3*g*i*j*z - 4608*a^5*b^4*c*i*j*z - 2048*a^5*b^4*d*h*j*z + 768 \\
& *a^5*b^4*e*h*i*z - 512*a^5*b^4*e*g*j*z - 1536*a^4*b^5*c*e*j*z + 768*a^4*b^5 \\
& *d*e*i*z - 768*a^4*b^5*c*g*h*z - 768*a^3*b^6*c*d*g*z - 1024*a^6*b^3*h^2*j*z \\
& + 1152*a^6*b^3*h*i^2*z - 128*a^5*b^4*g^2*h*z - 1024*a^4*b^5*d^2*j*z + 1152 \\
& *a^5*b^4*d*i^2*z + 128*a^4*b^5*e^2*h*z - 1152*a^3*b^6*c^2*h*z - 128*a^4*b^5 \\
& *d*g^2*z + 128*a^3*b^6*d*e^2*z - 1152*a^2*b^7*c^2*d*z - 4096*a^7*b^2*j^3*z \\
& - 192*a^5*b^2*e*h*i*j - 192*a^4*b^3*d*e*i*j + 192*a^4*b^3*c*g*h*j - 96*a^4* \\
& b^3*d*g*h*i - 288*a^3*b^4*c*d*h*i + 192*a^3*b^4*c*d*g*j + 72*a^3*b^4*c*e*g* \\
& i - 32*a^3*b^4*d*e*g*h - 96*a^2*b^5*c*d*e*h + 32*a^5*b^2*g^2*h*j - 48*a^5*b \\
& ^2*g*h^2*i - 288*a^5*b^2*d*i^2*j - 32*a^4*b^3*e^2*h*j + 576*a^5*b^2*c*i*j^2 \\
& + 256*a^5*b^2*d*h*j^2 + 64*a^5*b^2*e*g*j^2 + 288*a^3*b^4*c^2*h*j + 32*a^4* \\
& b^3*d*g^2*j + 12*a^4*b^3*e*g^2*i - 144*a^4*b^3*c*h^2*i - 48*a^3*b^4*d^2*g*i \\
& - 16*a^4*b^3*e*g*h^2 + 108*a^4*b^3*c*g*i^2 - 32*a^3*b^4*d*e^2*j + 192*a^4* \\
& b^3*c*e*j^2 + 288*a^2*b^5*c^2*d*j + 108*a^2*b^5*c^2*e*i - 144*a^2*b^5*c*d^2 \\
& *i - 48*a^3*b^4*c*e*h^2 - 16*a^2*b^5*d^2*e*g + 12*a^2*b^5*c*e^2*g - 288*a^6 \\
& *b*h*i^2*j + 192*a^6*b*g*i*j^2 - 48*a*b^6*c*d^2*e + 108*a*b^6*c^3*g + 18*a^ \\
& 5*b^2*g^2*i^2 + 128*a^4*b^3*d^2*j^2 + 54*a^4*b^3*e^2*i^2 + 162*a^3*b^4*c^2* \\
& i^2 + 96*a^3*b^4*d^2*h^2 + 2*a^3*b^4*e^2*g^2 + 54*a^2*b^5*c^2*g^2 + 128*a^6 \\
& *b*h^2*j^2 + 108*a^5*b^2*e*i^3 + 12*a^3*b^4*e^3*i + 64*a^4*b^3*d*h^3 + 64*a \\
& ^2*b^5*d^3*h + 12*a^3*b^4*c*g^3 + 18*a*b^6*c^2*e^2 + 16*a^5*b^2*h^4 + 81*a^ \\
& 6*b*i^4 + 16*a*b^6*d^4 + 256*a^7*j^4 + 81*b^7*c^4 + a^4*b^3*g^4 + a^2*b^5*e \\
& ^4, z, m)*((768*a^3*b^5*c + 256*a^4*b^4*g)/(64*a^3*b^2) - (x*(128*a^3*b^5*d \\
& + 128*a^4*b^4*h))/(16*a^3*b^2)) + (64*a^2*b^4*d*e - 384*a^3*b^3*c*j + 192* \\
& a^3*b^3*d*i + 64*a^3*b^3*e*h - 128*a^4*b^2*g*j + 192*a^4*b^2*h*i)/(64*a^3*b \\
& ^2) + (x*(36*a*b^5*c^2 - 4*a^2*b^4*e^2 + 4*a^3*b^3*g^2 - 36*a^4*b^2*i^2 + 2 \\
& 4*a^2*b^4*c*g + 64*a^3*b^3*d*j - 24*a^3*b^3*e*i + 64*a^4*b^2*h*j))/(16*a^3* \\
& b^2) - (27*a^4*i^3 + a*b^3*e^3 - 12*b^4*c*d^2 + 9*b^4*c^2*e + 16*a^4*g*j^2 \\
& - 12*a^2*b^2*c*h^2 + a^2*b^2*e*g^2 + 9*a^2*b^2*e^2*i - 48*a^4*h*i*j - 4*a* \\
& b^3*d^2*g + 27*a*b^3*c^2*i + 48*a^3*b*c*j^2 + 27*a^3*b*e*i^2 - 4*a^3*b*g*h^ \\
& 2 + 3*a^3*b*g^2*i + 18*a^2*b^2*c*g*i - 16*a^2*b^2*d*e*j - 8*a^2*b^2*d*g*h - \\
& 24*a*b^3*c*d*h + 6*a*b^3*c*e*g - 48*a^3*b*d*i*j - 16*a^3*b*e*h*j)/(64*a^3* \\
& b^2) - (x*(9*a^4*i^2*j - 2*a^3*b*h^3 - 8*a^4*h*j^2 - 2*b^4*d^3 - 6*a^2*b^2* \\
& d*h^2 + a^2*b^2*e^2*j + 3*b^4*c*d*e - 6*a*b^3*d^2*h - 9*a*b^3*c^2*j - 8*a^3 \\
& *b*d*j^2 - a^3*b*g^2*j - 6*a^2*b^2*c*g*j + 9*a^2*b^2*c*h*i + 3*a^2*b^2*d*g* \\
& i + a^2*b^2*e*g*h + 9*a*b^3*c*d*i + 3*a*b^3*c*e*h + a*b^3*d*e*g + 6*a^3*b*e \\
& *i*j + 3*a^3*b*g*h*i))/(16*a^3*b^2))*root(65536*a^7*b^8*z^4 - 65536*a^7*b^6 \\
& *j*z^3 + 3072*a^6*b^5*g*i*z^2 + 9216*a^5*b^6*c*i*z^2 + 4096*a^5*b^6*d*h*z^2 \\
& + 1024*a^5*b^6*e*g*z^2 + 3072*a^4*b^7*c*e*z^2 + 24576*a^7*b^4*j^2*z^2 + 20
\end{aligned}$$

$$\begin{aligned}
& 48a^6b^5h^2z^2 + 2048a^4b^7d^2z^2 - 1536a^6b^3g^i*j*z - 4608a^5 \\
& *b^4c^i*j*z - 2048a^5b^4d^h*j*z + 768a^5b^4e^h*i*z - 512a^5b^4e^g \\
& *j*z - 1536a^4b^5c^e*j*z + 768a^4b^5d^e*i*z - 768a^4b^5c^g^h*z - 7 \\
& 68a^3b^6c^d*g*z - 1024a^6b^3h^2*j*z + 1152a^6b^3h^i^2*z - 128a^5 \\
& b^4g^2*h*z - 1024a^4b^5d^2*j*z + 1152a^5b^4d^i^2*z + 128a^4b^5e^2 \\
& *h*z - 1152a^3b^6c^2*h*z - 128a^4b^5d^g^2*z + 128a^3b^6d^e^2*z - 1 \\
& 152a^2b^7c^2*d*z - 4096a^7b^2j^3*z - 192a^5b^2e^h*i*j - 192a^4b^ \\
& 3d^e*i*j + 192a^4b^3c^g^h*j - 96a^4b^3d^g^h*i - 288a^3b^4c^d^h*i \\
& + 192a^3b^4c^d*g^j + 72a^3b^4c^e*g^i - 32a^3b^4d^e*g^h - 96a^2b^ \\
& 5c^d^e^h + 32a^5b^2g^2*h*j - 48a^5b^2g^h^2*i - 288a^5b^2d^i^2*j - \\
& 32a^4b^3e^2*h*j + 576a^5b^2c^i*j^2 + 256a^5b^2d^h*j^2 + 64a^5b^ \\
& 2e^g*j^2 + 288a^3b^4c^2*h*j + 32a^4b^3d^g^2*j + 12a^4b^3e^g^2*i - \\
& 144a^4b^3c^h^2*i - 48a^3b^4d^2*g^i - 16a^4b^3e^g^h^2 + 108a^4b^ \\
& 3c^g^i^2 - 32a^3b^4d^e^2*j + 192a^4b^3c^e*j^2 + 288a^2b^5c^2*d^j \\
& + 108a^2b^5c^2e^i - 144a^2b^5c^d^2*i - 48a^3b^4c^e^h^2 - 16a^2b^ \\
& ^5d^2e^g + 12a^2b^5c^e^2g - 288a^6b^h^i^2*j + 192a^6b^g^i*j^2 - 4 \\
& 8a^b^6c^d^2e + 108a^b^6c^3g + 18a^5b^2g^2i^2 + 128a^4b^3d^2j^ \\
& ^2 + 54a^4b^3e^2i^2 + 162a^3b^4c^2i^2 + 96a^3b^4d^2h^2 + 2a^3b^ \\
& ^4e^2g^2 + 54a^2b^5c^2g^2 + 128a^6b^h^2j^2 + 108a^5b^2e^i^3 + 1 \\
& 2a^3b^4e^3i + 64a^4b^3d^h^3 + 64a^2b^5d^3h + 12a^3b^4c^g^3 + \\
& 18a^b^6c^2e^2 + 16a^5b^2h^4 + 81a^6b^i^4 + 16a^b^6d^4 + 256a^7j \\
& ^4 + 81b^7c^4 + a^4b^3g^4 + a^2b^5e^4, z, m), m, 1, 4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x
)

[Out] Timed out

$$3.151 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^3} dx$$

Optimal. Leaf size=241

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{(3bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}} + x$$

Rubi [A] time = 0.34, antiderivative size = 241, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {1858, 1854, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{(3bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}} + \frac{x(2x(3bd-ah)-ag+7bc+5bex^2)+4af}{32a^2b(a-bx^4)} + \frac{x(x(ah+bd)+ag+bc+bex^2+bfxc^3)}{8ab(a-bx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^3, x]

[Out] (x*(b*c + a*g + (b*d + a*h)*x + b*e*x^2 + b*f*x^3))/(8*a*b*(a - b*x^4)^2) + (4*a*f + x*(7*b*c - a*g + 2*(3*b*d - a*h)*x + 5*b*e*x^2))/(32*a^2*b*(a - b*x^4)) + ((21*b*c - 5*sqrt[a]*sqrt[b]*e - 3*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(5/4)) + ((21*b*c + 5*sqrt[a]*sqrt[b]*e - 3*a*g)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(5/4)) + ((3*b*d - a*h)*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(16*a^(5/2)*b^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1 /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a - bx^4)^3} dx &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} - \frac{\int \frac{-b(7bc - ag) - 2b(3bd - ah)x - 5b^2ex^2 - 4b^3fx^3}{(a - bx^4)^2} dx}{8ab^2} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 2(3bd - ah)x - 5b^2ex^2 - 4b^3fx^3)}{32a^2b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 2(3bd - ah)x - 5b^2ex^2 - 4b^3fx^3)}{32a^2b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 2(3bd - ah)x - 5b^2ex^2 - 4b^3fx^3)}{32a^2b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 2(3bd - ah)x - 5b^2ex^2 - 4b^3fx^3)}{32a^2b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 2(3bd - ah)x - 5b^2ex^2 - 4b^3fx^3)}{32a^2b(a - bx^4)}
\end{aligned}$$

Mathematica [A] time = 0.42, size = 309, normalized size = 1.28

$$\frac{\log(\sqrt{a} - \sqrt{b}x)(4a^{5/4}b - 5\sqrt{a}b^{3/4}c - 12\sqrt{a}bd + 3a\sqrt{b}g - 21b^{5/4}c) + \log(\sqrt{a} + \sqrt{b}x)(4a^{5/4}b + 5\sqrt{a}b^{3/4}c - 12\sqrt{a}bd - 3a\sqrt{b}g + 21b^{5/4}c) + \frac{16a^{3/4}\sqrt{b}(af + x(g + ah)) + b(c + x(d + ex))}{(a - bx^4)^2} + \frac{4a^{3/4}\sqrt{b}x(-a(g + 2bx) + 7c + b(d + ex))}{a - bx^4} + 2\sqrt{b}\tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right)(-5\sqrt{a}\sqrt{b}c - 3ag + 21bc) - 4\sqrt{b}(ah - 3bd)\log(\sqrt{a} + \sqrt{b}x^2)}{128a^{11/4}b^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^3, x]

[Out] ((4*a^(3/4)*Sqrt[b]*x*(7*b*c + b*x*(6*d + 5*e*x)) - a*(g + 2*h*x))/(a - b*x^4) + (16*a^(7/4)*Sqrt[b]*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + h*x)))/(a - b*x^4)^2 + 2*b^(1/4)*(21*b*c - 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] + (-21*b^(5/4)*c - 12*a^(1/4)*b*d - 5*Sqrt[a]*b^(3/4)*e + 3*a*b^(1/4)*g + 4*a^(5/4)*h)*Log[a^(1/4) - b^(1/4)*x] + (21*b^(5/4)*c - 12*a^(1/4)*b*d + 5*Sqrt[a]*b^(3/4)*e - 3*a*b^(1/4)*g + 4*a^(5/4)*h)*Log[a^(1/4) + b^(1/4)*x] - 4*a^(1/4)*(-3*b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2]/(128*a^(11/4)*b^(3/2))

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x)$

[Out] $-(5/32/a^2*b*e*x^7-1/16*(a*h-3*b*d)/a^2*x^6-1/32*(a*g-7*b*c)/a^2*x^5-9/32/a$
 $*e*x^3-1/16*(a*h+5*b*d)/a/b*x^2-1/32*(3*a*g+11*b*c)/a/b*x-1/8/b*f)/(b*x^4-a$
 $)^2-3/64*(a/b)^{(1/4)}/a^2/b*g*\arctan(1/(a/b)^{(1/4)}*x)+21/64*(a/b)^{(1/4)}/a^3*$
 $c*\arctan(1/(a/b)^{(1/4)}*x)-3/128*(a/b)^{(1/4)}/a^2/b*g*\ln((x+(a/b)^{(1/4)})/(x-$
 $(a/b)^{(1/4)}))+21/128*(a/b)^{(1/4)}/a^3*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1$
 $/32/a/b/(a*b)^{(1/2)}*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))*h-3/32/(a*$
 $b)^{(1/2)}/a^2*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-5/64/(a/b)^{(1/4)$
 $)/a^2/b*e*\arctan(1/(a/b)^{(1/4)}*x)+5/128/(a/b)^{(1/4)}/a^2/b*e*\ln((x+(a/b)^{(1/$
 $4))/x-(a/b)^{(1/4)))$

maxima [A] time = 2.96, size = 316, normalized size = 1.31

$$\frac{5b^2cx^7 + 2(3b^2d - abh)x^6 - 9abex^3 + (7b^2c - abg)x^5 - 4a^2f - 2(5abd + a^2h)x^2 - (11abc + 3a^2g)x}{32(a^2b^3x^8 - 2a^3b^2x^4 + a^4b)} + \frac{\frac{4(3bd - ah)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{4(3bd - ah)\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} + \frac{2(21b^{\frac{3}{2}}c - 5\sqrt{a}bc - 3a\sqrt{b}g)\arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}} - \frac{(21b^{\frac{3}{2}}c + 5\sqrt{a}bc - 3a\sqrt{b}g)\log\left(\frac{\sqrt{b}x + \sqrt{a}\sqrt{b}}{\sqrt{b}x - \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}}}{128a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, \text{algorithm}="maxima")$

[Out] $-1/32*(5*b^2*e*x^7 + 2*(3*b^2*d - a*b*h)*x^6 - 9*a*b*e*x^3 + (7*b^2*c - a*b$
 $*g)*x^5 - 4*a^2*f - 2*(5*a*b*d + a^2*h)*x^2 - (11*a*b*c + 3*a^2*g)*x)/(a^2*$
 $b^3*x^8 - 2*a^3*b^2*x^4 + a^4*b) + 1/128*(4*(3*b*d - a*h)*\log(\text{sqrt}(b)*x^2 +$
 $\text{sqrt}(a))/(\text{sqrt}(a)*\text{sqrt}(b)) - 4*(3*b*d - a*h)*\log(\text{sqrt}(b)*x^2 - \text{sqrt}(a))/(s$
 $\text{qrt}(a)*\text{sqrt}(b)) + 2*(21*b^{(3/2)}*c - 5*\text{sqrt}(a)*b*e - 3*a*\text{sqrt}(b)*g)*\arctan(s$
 $\text{qrt}(b)*x/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)) - ($
 $21*b^{(3/2)}*c + 5*\text{sqrt}(a)*b*e - 3*a*\text{sqrt}(b)*g)*\log((\text{sqrt}(b)*x - \text{sqrt}(\text{sqrt}(a)$
 $*\text{sqrt}(b)))/(\text{sqrt}(b)*x + \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}($
 $b))*\text{sqrt}(b)))/(a^2*b)$

mupad [B] time = 5.73, size = 1687, normalized size = 7.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^3,x)$

[Out] $(f/(8*b) + (9*e*x^3)/(32*a) - (x^5*(7*b*c - a*g))/(32*a^2) - (x^6*(3*b*d -$
 $a*h))/(16*a^2) + (x*(11*b*c + 3*a*g))/(32*a*b) + (x^2*(5*b*d + a*h))/(16*a*$
 $b) - (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 - 2*a*b*x^4) + \text{symsum}(\log(-\text{root}($
 $268435456*a^{11}*b^6*z^4 + 3145728*a^7*b^4*d*h*z^2 + 983040*a^7*b^4*e*g*z^2 -$
 $6881280*a^6*b^5*c*e*z^2 - 524288*a^8*b^3*h^2*z^2 - 4718592*a^6*b^5*d^2*z^2$
 $+ 258048*a^5*b^3*c*g*h*z - 774144*a^4*b^4*c*d*g*z - 18432*a^6*b^2*g^2*h*z$

$$\begin{aligned}
& - 51200a^5b^3e^2hz - 903168a^4b^4c^2hz + 55296a^5b^3d^2gz + 153600a^4b^4d^2e^2gz + 2709504a^3b^5c^2dz - 5760a^3b^2d^2egh + 40320a^2b^3c^2deh + 8640a^2b^3d^2e^2g - 6720a^3b^2c^2e^2g - 6300a^2b^3c^2e^2g + 960a^4b^2eg^2h^2 - 60480a^4b^2cd^2e - 3072a^4b^2d^2e^2g + 111132a^4b^2c^3g + 13824a^3b^2d^2h^2 + 450a^3b^2e^2g^2 - 23814a^2b^3c^2g^2 - 27648a^2b^3d^3h + 2268a^3b^2c^2g^3 + 22050a^4b^2c^2e^2 - 625a^2b^3e^4 - 81a^4b^2g^4 + 20736a^4b^2d^4 + 256a^5h^4 - 194481b^5c^4, z, k) \cdot (\text{root}(268435456a^{11}b^6z^4 + 3145728a^7b^4d^2hz^2 + 983040a^7b^4e^2gz^2 - 6881280a^6b^5c^2e^2z^2 - 524288a^8b^3h^2z^2 - 4718592a^6b^5d^2z^2 + 258048a^5b^3c^2g^2hz - 774144a^4b^4c^2d^2gz - 18432a^6b^2g^2hz - 51200a^5b^3e^2hz - 903168a^4b^4c^2hz + 55296a^5b^3d^2gz + 153600a^4b^4d^2e^2gz + 2709504a^3b^5c^2dz - 5760a^3b^2d^2egh + 40320a^2b^3c^2deh + 8640a^2b^3d^2e^2g - 6720a^3b^2c^2e^2g - 6300a^2b^3c^2e^2g + 960a^4b^2eg^2h^2 - 60480a^4b^2cd^2e - 3072a^4b^2d^2e^2g + 111132a^4b^2c^3g + 13824a^3b^2d^2h^2 + 450a^3b^2e^2g^2 - 23814a^2b^3c^2g^2 - 27648a^2b^3d^3h + 2268a^3b^2c^2g^3 + 22050a^4b^2c^2e^2 - 625a^2b^3e^4 - 81a^4b^2g^4 + 20736a^4b^2d^4 + 256a^5h^4 - 194481b^5c^4, z, k) \cdot ((344064a^5b^4c - 49152a^6b^3g)/(32768a^6b) - (x \cdot (24576a^5b^4d - 8192a^6b^3h))/(4096a^6b)) - (15360a^3b^3d^2e - 5120a^4b^2e^2h)/(32768a^6b) + (x \cdot (7056a^2b^4c^2 + 400a^3b^3e^2 + 144a^4b^2g^2 - 2016a^3b^3c^2g))/(4096a^6b) - (125a^2b^2e^3 + 3024b^3c^2d^2 - 2205b^3c^2e - 48a^3g^2h^2 - 432a^2b^2d^2g + 336a^2b^2c^2h^2 - 45a^2b^2e^2g^2 - 2016a^2b^2c^2d^2h + 630a^2b^2c^2e^2g + 288a^2b^2d^2g^2h)/(32768a^6b) - (x \cdot (216b^3d^3 - 8a^3h^3 - 315b^3c^2d^2e - 216a^2b^2d^2h + 72a^2b^2d^2h^2 + 105a^2b^2c^2e^2h + 45a^2b^2d^2e^2g - 15a^2b^2e^2g^2h))/(4096a^6b)) \cdot \text{root}(268435456a^{11}b^6z^4 + 3145728a^7b^4d^2hz^2 + 983040a^7b^4e^2gz^2 - 6881280a^6b^5c^2e^2z^2 - 524288a^8b^3h^2z^2 - 4718592a^6b^5d^2z^2 + 258048a^5b^3c^2g^2hz - 774144a^4b^4c^2d^2gz - 18432a^6b^2g^2hz - 51200a^5b^3e^2hz - 903168a^4b^4c^2hz + 55296a^5b^3d^2gz + 153600a^4b^4d^2e^2gz + 2709504a^3b^5c^2dz - 5760a^3b^2d^2egh + 40320a^2b^3c^2deh + 8640a^2b^3d^2e^2g - 6720a^3b^2c^2e^2g - 6300a^2b^3c^2e^2g + 960a^4b^2eg^2h^2 - 60480a^4b^2cd^2e - 3072a^4b^2d^2e^2g + 111132a^4b^2c^3g + 13824a^3b^2d^2h^2 + 450a^3b^2e^2g^2 - 23814a^2b^3c^2g^2 - 27648a^2b^3d^3h + 2268a^3b^2c^2g^3 + 22050a^4b^2c^2e^2 - 625a^2b^3e^4 - 81a^4b^2g^4 + 20736a^4b^2d^4 + 256a^5h^4 - 194481b^5c^4, z, k), k, 1, 4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**3,x)

[Out] Timed out

$$3.152 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^3} dx$$

Optimal. Leaf size=268

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{(3bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}} +$$

Rubi [A] time = 0.43, antiderivative size = 268, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {1858, 1854, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{(3bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}} + \frac{x(2x(3bd-ah)+x^2(5be-3ai)-ag+7bc)+4af}{32a^2b(a-bx^4)} + \frac{x(ah+bd)+x^2(ai+be)+ag+bc+bf x^3}{8ab(a-bx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^3, x]

[Out] (x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + b*f*x^3))/(8*a*b*(a - b*x^4)^2) + (4*a*f + x*(7*b*c - a*g + 2*(3*b*d - a*h)*x + (5*b*e - 3*a*i)*x^2))/(32*a^2*b*(a - b*x^4) - ((5*b*e - (3*sqrt[b]*(7*b*c - a*g))/sqrt[a] - 3*a*i)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(64*a^(9/4)*b^(7/4)) + ((5*b*e + (3*sqrt[b]*(7*b*c - a*g))/sqrt[a] - 3*a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(64*a^(9/4)*b^(7/4)) + ((3*b*d - a*h)*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(16*a^(5/2)*b^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 152x^6}{(a - bx^4)^3} dx &= \frac{x(bc + ag + (bd + ah)x + (152a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} - \int \frac{-b(7bc - ag)}{\dots} \\
&= \frac{x(bc + ag + (bd + ah)x + (152a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7)}{\dots} \\
&= \frac{x(bc + ag + (bd + ah)x + (152a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7)}{\dots} \\
&= \frac{x(bc + ag + (bd + ah)x + (152a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7)}{\dots} \\
&= \frac{x(bc + ag + (bd + ah)x + (152a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7)}{\dots} \\
&= \frac{x(bc + ag + (bd + ah)x + (152a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7)}{\dots}
\end{aligned}$$

Mathematica [A] time = 0.40, size = 359, normalized size = 1.34

$$\frac{\frac{16x^{11/4} \sqrt{a^2 + c^2 + d^2 x + e x^2 + f x^3 + g x^4 + h x^5 + i x^6}}{(a - b x^4)^2} - \frac{4x^{7/4} \sqrt{a^2 + c^2 + d^2 x + e x^2 + f x^3 + g x^4 + h x^5 + i x^6}}{a - b x^4} + \log(\sqrt{a} - \sqrt{b} x) (4a^{3/4} \sqrt{b} h + 3a^{5/2} i - 12\sqrt{a} b^{3/4} d - 5\sqrt{a} b c + 3a\sqrt{b} g - 21b^{3/2} c) + \log(\sqrt{a} + \sqrt{b} x) (4a^{3/4} \sqrt{b} h - 3a^{5/2} i - 12\sqrt{a} b^{3/4} d + 5\sqrt{a} b c - 3a\sqrt{b} g + 21b^{3/2} c) + 2 \tan^{-1}\left(\frac{\sqrt{a} x}{\sqrt{b}}\right) (3a^{3/2} i - 5\sqrt{a} b c - 3a\sqrt{b} g + 21b^{3/2} c) - 4\sqrt{a} \sqrt{b} (ab - 3bd) \log(\sqrt{a} + \sqrt{b} x^2)}{128a^{11/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^3,x
]

[Out] ((-4*a^(3/4)*b^(3/4)*x*(-(b*(7*c + x*(6*d + 5*e*x))) + a*(g + x*(2*h + 3*i*x))))/(a - b*x^4) + (16*a^(7/4)*b^(3/4)*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + x*(h + i*x))))/(a - b*x^4)^2 + 2*(21*b^(3/2)*c - 5*sqrt[a]*b*e - 3*a*sqrt[b]*g + 3*a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)] + (-21*b^(3/2)*c - 12*a^(1/4)*b^(5/4)*d - 5*sqrt[a]*b*e + 3*a*sqrt[b]*g + 4*a^(5/4)*b^(1/4)*h + 3*a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x] + (21*b^(3/2)*c - 12*a^(1/4)*b^(5/4)*d + 5*sqrt[a]*b*e - 3*a*sqrt[b]*g + 4*a^(5/4)*b^(1/4)*h - 3*a^(3/2)*i)*Log[a^(1/4) + b^(1/4)*x] - 4*a^(1/4)*b^(1/4)*(-3*b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2))/(128*a^(11/4)*b^(7/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6}{(a - bx^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^3,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^3, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.28, size = 652, normalized size = 2.43

$$\frac{\frac{1}{256} \sqrt{2} (21 b^2 c - 3 a b g - 12 \sqrt{2} (-a b^3)^{1/4} b d + 4 \sqrt{2} (-a b^3)^{1/4} a h + 5 \sqrt{2} (-a b) b e) \arctan\left(\frac{1}{2} \sqrt{2} (2 x + \sqrt{2} (-a/b)^{1/4})\right)}{(-a/b)^{1/4} (a^2 b^4)} - \frac{\sqrt{2} (-a b^3)^{3/4} \log(x^2 + \sqrt{2} x (-a/b)^{1/4} + \sqrt{-a/b})}{(a^2 b^4)} - \frac{3}{256} i (2 \sqrt{2} (-a b^3)^{3/4} \arctan\left(\frac{1}{2} \sqrt{2} (2 x - \sqrt{2} (-a/b)^{1/4})\right)}{(-a/b)^{1/4} (a^2 b^4)} + \frac{\sqrt{2} (-a b^3)^{3/4} \log(x^2 - \sqrt{2} x (-a/b)^{1/4} + \sqrt{-a/b})}{(a^2 b^4)} - \frac{1}{128} \sqrt{2} (21 b^2 c - 3 a b g - 12 \sqrt{2} (-a b^3)^{1/4} b d + 4 \sqrt{2} (-a b^3)^{1/4} a h + 5 \sqrt{2} (-a b) b e) \arctan\left(\frac{1}{2} \sqrt{2} (2 x + \sqrt{2} (-a/b)^{1/4})\right)}{(-a/b)^{1/4} (a^2 b^4)} - \frac{1}{128} \sqrt{2} (21 b^2 c - 3 a b g + 12 \sqrt{2} (-a b^3)^{1/4} b d - 4 \sqrt{2} (-a b^3)^{1/4} a h - 5 \sqrt{2} (-a b) b e) \arctan\left(\frac{1}{2} \sqrt{2} (2 x - \sqrt{2} (-a/b)^{1/4})\right)}{(-a/b)^{1/4} (a^2 b^4)} - \frac{1}{256} \sqrt{2} (21 b^2 c - 3 a b g - 5 \sqrt{2} (-a b) b e) \log(x^2 + \sqrt{2} x (-a/b)^{1/4} + \sqrt{-a/b})}{(-a b^3)^{3/4} a^2} + \frac{1}{256} \sqrt{2} (21 b^2 c - 3 a b g - 5 \sqrt{2} (-a b) b e) \log(x^2 - \sqrt{2} x (-a/b)^{1/4} + \sqrt{-a/b})}{(-a b^3)^{3/4} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & -3/256*i*(2*\sqrt{2}*(-a*b^3)^{(3/4)}*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)}))/(-a/b)^{(1/4)})/(a^2*b^4) - \sqrt{2}*(-a*b^3)^{(3/4)}*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(a^2*b^4) \\ & - 3/256*i*(2*\sqrt{2}*(-a*b^3)^{(3/4)}*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)}))/(-a/b)^{(1/4)})/(a^2*b^4) + \sqrt{2}*(-a*b^3)^{(3/4)}*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(a^2*b^4) \\ & - 1/128*\sqrt{2}*(21*b^2*c - 3*a*b*g - 12*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d + 4*\sqrt{2}*(-a*b^3)^{(1/4)}*a*h + 5*\sqrt{2}*(-a*b)*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)}))/(-a/b)^{(1/4)})/(a^2*b^4) \\ & - 1/128*\sqrt{2}*(21*b^2*c - 3*a*b*g + 12*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d - 4*\sqrt{2}*(-a*b^3)^{(1/4)}*a*h - 5*\sqrt{2}*(-a*b)*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)}))/(-a/b)^{(1/4)})/(a^2*b^4) \\ & - 1/256*\sqrt{2}*(21*b^2*c - 3*a*b*g - 5*\sqrt{2}*(-a*b)*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a^2) \\ & + 1/256*\sqrt{2}*(21*b^2*c - 3*a*b*g - 5*\sqrt{2}*(-a*b)*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a^2) \end{aligned}$$

$$\sqrt{2} * x * (-a/b)^{(1/4)} + \sqrt{-a/b} / ((-a*b^3)^{(3/4)} * a^2) + 1/32 * (3*a*b*i*x^7 - 5*b^2*x^7*e - 6*b^2*d*x^6 + 2*a*b*h*x^6 - 7*b^2*c*x^5 + a*b*g*x^5 + a^2*i*x^3 + 9*a*b*x^3*e + 10*a*b*d*x^2 + 2*a^2*h*x^2 + 11*a*b*c*x + 3*a^2*g*x + 4*a^2*f) / ((b*x^4 - a)^2 * a^2 * b)$$

maple [B] time = 0.06, size = 472, normalized size = 1.76

$$\frac{h \ln\left(\frac{\sqrt{ab} \sqrt{x^2-a}}{-\sqrt{ab} \sqrt{x^2-a}}\right)}{32\sqrt{ab} ab} - \frac{3d \ln\left(\frac{\sqrt{ab} \sqrt{x^2-a}}{-\sqrt{ab} \sqrt{x^2-a}}\right)}{32\sqrt{ab} a^2} + \frac{3i \arctan\left(\frac{x}{(b)^{1/4}}\right)}{64 \left(\frac{b}{a}\right)^{3/4} a b^2} - \frac{3i \ln\left(\frac{x+(b)^{1/4}}{x-(b)^{1/4}}\right)}{128 \left(\frac{b}{a}\right)^{3/4} a b^2} - \frac{5e \arctan\left(\frac{x}{(b)^{1/4}}\right)}{64 \left(\frac{b}{a}\right)^{3/4} a^2 b} + \frac{5e \ln\left(\frac{x+(b)^{1/4}}{x-(b)^{1/4}}\right)}{128 \left(\frac{b}{a}\right)^{3/4} a^2 b} - \frac{3 \left(\frac{b}{a}\right)^{1/4} g \arctan\left(\frac{x}{(b)^{1/4}}\right)}{64 a^2 b} - \frac{3 \left(\frac{b}{a}\right)^{1/4} g \ln\left(\frac{x+(b)^{1/4}}{x-(b)^{1/4}}\right)}{128 a^2 b} + \frac{21 \left(\frac{b}{a}\right)^{1/4} c \arctan\left(\frac{x}{(b)^{1/4}}\right)}{64 a^2} + \frac{21 \left(\frac{b}{a}\right)^{1/4} c \ln\left(\frac{x+(b)^{1/4}}{x-(b)^{1/4}}\right)}{128 a^2} - \frac{(3a-5b)^2}{32a^2} - \frac{(a-3b)^2}{16a^2} - \frac{(a-7b)^2}{32a^2} - \frac{(a+9b)^2}{32ab} - \frac{(ab+5b)^2}{16ab} - \frac{f}{ab} - \frac{(3a+11b)c}{32ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x)

[Out] $-(1/32 * (3*a*i - 5*b*e) / a^2 * x^7 - 1/16 * (a*h - 3*b*d) / a^2 * x^6 - 1/32 * (a*g - 7*b*c) / a^2 * x^5 - 1/32 * (a*i + 9*b*e) / a/b * x^3 - 1/16 * (a*h + 5*b*d) / a/b * x^2 - 1/32 * (3*a*g + 11*b*c) / a/b * x - 1/8/b * f) / (b*x^4 - a)^2 - 3/64 * (a/b)^{(1/4)} / a^2 / b * g * \arctan(1/(a/b)^{(1/4)} * x) + 21/64 * (a/b)^{(1/4)} / a^3 * c * \arctan(1/(a/b)^{(1/4)} * x) - 3/128 * (a/b)^{(1/4)} / a^2 / b * g * \ln((x + (a/b)^{(1/4)}) / (x - (a/b)^{(1/4)})) + 21/128 * (a/b)^{(1/4)} / a^3 * c * \ln((x + (a/b)^{(1/4)}) / (x - (a/b)^{(1/4)})) + 1/32 / (a*b)^{(1/2)} / a/b * h * \ln(((a*b)^{(1/2)} * x^2 - a) / (- (a*b)^{(1/2)} * x^2 - a)) - 3/32 / (a*b)^{(1/2)} / a^2 * d * \ln(((a*b)^{(1/2)} * x^2 - a) / (- (a*b)^{(1/2)} * x^2 - a)) + 3/64 / a/b^2 / (a/b)^{(1/4)} * \arctan(1/(a/b)^{(1/4)} * x) * i - 5/64 / (a/b)^{(1/4)} / a^2 / b * e * \arctan(1/(a/b)^{(1/4)} * x) - 3/128 / a/b^2 / (a/b)^{(1/4)} * \ln((x + (a/b)^{(1/4)}) / (x - (a/b)^{(1/4)})) * i + 5/128 / (a/b)^{(1/4)} / a^2 / b * e * \ln((x + (a/b)^{(1/4)}) / (x - (a/b)^{(1/4)}))$

maxima [A] time = 3.08, size = 343, normalized size = 1.28

$$\frac{(5b^2e - 3abf)x^7 + 2(3b^2d - abh)x^6 + (7b^2c - abg)x^5 - (9a^2i + 9abe + a^2e)x^3 - 4a^2f - 2(5abd + a^2h)x^2 - (11abc + 3a^2g)x}{32(a^2b^3x^8 - 2a^2b^2x^4 + a^4b)} + \frac{4(3bd-ab)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{4(3bd-ab)\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} + \frac{2(21b^{\frac{3}{2}}e - 5\sqrt{b}e - 3a\sqrt{b}e + 3a^{\frac{3}{2}})\arctan\left(\frac{-\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{b}\sqrt{b}} - \frac{(21b^{\frac{3}{2}}e + 5\sqrt{b}e - 3a\sqrt{b}e - 3a^{\frac{3}{2}})\log\left(\frac{\sqrt{b}x + \sqrt{a}\sqrt{b}}{\sqrt{b}x - \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{b}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out] $-1/32 * ((5*b^2*e - 3*a*b*i) * x^7 + 2 * (3*b^2*d - a*b*h) * x^6 + (7*b^2*c - a*b*g) * x^5 - (9*a*b*e + a^2*i) * x^3 - 4*a^2*f - 2 * (5*a*b*d + a^2*h) * x^2 - (11*a*b*c + 3*a^2*g) * x) / (a^2 * b^3 * x^8 - 2*a^2 * b^2 * x^4 + a^4 * b) + 1/128 * (4 * (3*b*d - a*h) * \log(\sqrt{b} * x^2 + \sqrt{a}) / (\sqrt{a} * \sqrt{b}) - 4 * (3*b*d - a*h) * \log(\sqrt{b} * x^2 - \sqrt{a}) / (\sqrt{a} * \sqrt{b}) + 2 * (21 * b^{(3/2)} * c - 5 * \sqrt{a} * b * e - 3 * a * \sqrt{b} * g + 3 * a^{(3/2)} * i) * \arctan(\sqrt{b} * x / \sqrt{a * \sqrt{b}})) / (\sqrt{a} * \sqrt{b} * \sqrt{b}) - (21 * b^{(3/2)} * c + 5 * \sqrt{a} * b * e - 3 * a * \sqrt{b} * g - 3 * a^{(3/2)} * i) * \log((\sqrt{b} * x - \sqrt{a * \sqrt{b}}) / (\sqrt{b} * x + \sqrt{a * \sqrt{b}}))) / (\sqrt{a} * \sqrt{b} * \sqrt{b})$

mupad [B] time = 5.80, size = 2680, normalized size = 10.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^3, x)$

[Out] $\text{symsum}(\log((27*a^4*i^3 - 125*a*b^3*e^3 - 3024*b^4*c*d^2 + 2205*b^4*c^2*e - 336*a^2*b^2*c*h^2 + 45*a^2*b^2*e*g^2 + 225*a^2*b^2*e^2*i + 432*a*b^3*d^2*g - 1323*a*b^3*c^2*i - 135*a^3*b*e*i^2 + 48*a^3*b*g*h^2 - 27*a^3*b*g^2*i + 378*a^2*b^2*c*g*i - 288*a^2*b^2*d*g*h + 2016*a*b^3*c*d*h - 630*a*b^3*c*e*g)/(32768*a^6*b^2) - \text{root}(268435456*a^{11}*b^7*z^4 - 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 - 6881280*a^6*b^6*c*e*z^2 - 524288*a^8*b^4*h^2*z^2 - 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z + 258048*a^5*b^4*c*g*h*z - 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z - 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z - 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z + 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z + 2709504*a^3*b^6*c^2*d*z + 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h + 40320*a^2*b^4*c*d*e*h - 540*a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i + 4032*a^4*b^2*c*h^2*i + 960*a^4*b^2*e*g*h^2 - 2268*a^4*b^2*c*g*i^2 - 26460*a^2*b^4*c^2*e*i + 36288*a^2*b^4*c*d^2*i + 8640*a^2*b^4*d^2*e*g - 6720*a^3*b^3*c*e*h^2 - 6300*a^2*b^4*c*e^2*g - 576*a^5*b*g*h^2*i - 60480*a*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g - 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 - 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i - 27648*a^2*b^4*d^3*h - 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 - 81*a^4*b^2*g^4 - 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 - 81*a^6*i^4 - 194481*b^6*c^4, z, 1)*(\text{root}(268435456*a^{11}*b^7*z^4 - 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 - 6881280*a^6*b^6*c*e*z^2 - 524288*a^8*b^4*h^2*z^2 - 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z + 258048*a^5*b^4*c*g*h*z - 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z - 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z - 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z + 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z + 2709504*a^3*b^6*c^2*d*z + 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h + 40320*a^2*b^4*c*d*e*h - 540*a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i + 4032*a^4*b^2*c*h^2*i + 960*a^4*b^2*e*g*h^2 - 2268*a^4*b^2*c*g*i^2 - 26460*a^2*b^4*c^2*e*i + 36288*a^2*b^4*c*d^2*i + 8640*a^2*b^4*d^2*e*g - 6720*a^3*b^3*c*e*h^2 - 6300*a^2*b^4*c*e^2*g - 576*a^5*b*g*h^2*i - 60480*a*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g - 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 - 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i - 27648*a^2*b^4*d^3*h - 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 - 81*a^4*b^2*g^4 - 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 - 81*a^6*i^4 - 194481*b^6*c^4, z, 1)*((344064*a^5*b^5*c - 49152*a^6*b^4*g)/(32768*a^6*b^2) - (x*(24576*a^5*b^4*d - 8192*a^6*b^3*h))/(4096*a^6*b) - (15360*a^3*b^$

$$\begin{aligned}
& 4*d*e - 9216*a^4*b^3*d*i - 5120*a^4*b^3*e*h + 3072*a^5*b^2*h*i)/(32768*a^6* \\
& b^2) + (x*(144*a^5*b*i^2 + 7056*a^2*b^4*c^2 + 400*a^3*b^3*e^2 + 144*a^4*b^2 \\
& *g^2 - 2016*a^3*b^3*c*g - 480*a^4*b^2*e*i))/(4096*a^6*b)) - (x*(216*b^3*d^3 \\
& - 8*a^3*h^3 - 315*b^3*c*d*e + 9*a^3*g*h*i - 216*a*b^2*d^2*h + 72*a^2*b*d*h \\
& ^2 + 189*a*b^2*c*d*i + 105*a*b^2*c*e*h + 45*a*b^2*d*e*g - 63*a^2*b*c*h*i - \\
& 27*a^2*b*d*g*i - 15*a^2*b*e*g*h))/(4096*a^6*b))*root(268435456*a^11*b^7*z^4 \\
& - 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z \\
& ^2 + 983040*a^7*b^5*e*g*z^2 - 6881280*a^6*b^6*c*e*z^2 - 524288*a^8*b^4*h^2* \\
& z^2 - 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z + 258048*a^5*b^4*c*g* \\
& h*z - 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z - 18432*a^7*b^2*h*i^2 \\
& *z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z - 51200*a^5*b^4*e^2*h*z \\
& - 903168*a^4*b^5*c^2*h*z + 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z + \\
& 2709504*a^3*b^6*c^2*d*z + 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7 \\
& 560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h + 40320*a^2*b^4*c*d*e*h - 540*a^ \\
& 4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i + 4032*a^4*b^2*c*h^2*i + 960*a^4*b^2*e \\
& *g*h^2 - 2268*a^4*b^2*c*g*i^2 - 26460*a^2*b^4*c^2*e*i + 36288*a^2*b^4*c*d^2 \\
& *i + 8640*a^2*b^4*d^2*e*g - 6720*a^3*b^3*c*e*h^2 - 6300*a^2*b^4*c*e^2*g - 5 \\
& 76*a^5*b*g*h^2*i - 60480*a*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3 \\
& *g - 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + \\
& 450*a^3*b^3*e^2*g^2 - 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3* \\
& b^3*e^3*i - 27648*a^2*b^4*d^3*h - 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + \\
& 22050*a*b^5*c^2*e^2 - 81*a^4*b^2*g^4 - 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 2 \\
& 0736*a*b^5*d^4 - 81*a^6*i^4 - 194481*b^6*c^4, z, 1), 1, 1, 4) + (f/(8*b) - \\
& (x^5*(7*b*c - a*g))/(32*a^2) - (x^6*(3*b*d - a*h))/(16*a^2) - (x^7*(5*b*e - \\
& 3*a*i))/(32*a^2) + (x*(11*b*c + 3*a*g))/(32*a*b) + (x^2*(5*b*d + a*h))/(16 \\
& *a*b) + (x^3*(9*b*e + a*i))/(32*a*b))/(a^2 + b^2*x^8 - 2*a*b*x^4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**3,x)

[Out] Timed out

$$3.153 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^3} dx$$

Optimal. Leaf size=285

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{(3bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}} + x$$

Rubi [A] time = 0.39, antiderivative size = 285, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {1858, 1854, 1876, 275, 208, 1167, 205}

$$\frac{x(b(7bc-ag) + 2bx(3bd-ah) + bx^2(5be-3ai) + 4a(bf-aj))}{32a^2b^2(a-bx^4)} - \frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{(3bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}} + \frac{x(ax+bd) + x^2(ai+be) + x^3(aj+bf) + ag+bc}{8ab(a-bx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^3, x]

[Out] (x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + (b*f + a*j)*x^3))/(8*a*b*(a - b*x^4)^2) + (4*a*(b*f - a*j) + x*(b*(7*b*c - a*g) + 2*b*(3*b*d - a*h)*x + b*(5*b*e - 3*a*i)*x^2))/(32*a^2*b^2*(a - b*x^4)) - ((5*b*e - (3*sqrt[b]*(7*b*c - a*g))/sqrt[a] - 3*a*i)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(64*a^(9/4)*b^(7/4)) + ((5*b*e + (3*sqrt[b]*(7*b*c - a*g))/sqrt[a] - 3*a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(64*a^(9/4)*b^(7/4)) + ((3*b*d - a*h)*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(16*a^(5/2)*b^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 153x^6 + jx^7}{(a - bx^4)^3} dx &= \frac{x(bc + ag + (bd + ah)x + (153a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} - \\
&= \frac{x(bc + ag + (bd + ah)x + (153a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} + \\
&= \frac{x(bc + ag + (bd + ah)x + (153a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} + \\
&= \frac{x(bc + ag + (bd + ah)x + (153a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} + \\
&= \frac{x(bc + ag + (bd + ah)x + (153a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} + \\
&= \frac{x(bc + ag + (bd + ah)x + (153a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} +
\end{aligned}$$

Mathematica [A] time = 0.34, size = 380, normalized size = 1.33

$$\frac{\sqrt{b} \log(\sqrt{a} - \sqrt{b}x) (4a^{3/4} \sqrt{b} + 3a^{3/2} - 12\sqrt{a} b^{3/4} d - 5\sqrt{a} b c + 3a\sqrt{b} g - 21b^{3/2} c) + \sqrt{b} \log(\sqrt{a} + \sqrt{b}x) (4a^{3/4} \sqrt{b} - 3a^{3/2} - 12\sqrt{a} b^{3/4} d + 5\sqrt{a} b c - 3a\sqrt{b} g + 21b^{3/2} c) + 2\sqrt{b} \tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a}}\right) (3a^{3/2} - 5\sqrt{a} b c - 3a\sqrt{b} g + 21b^{3/2} c) + \frac{3a^{1/4} d^2 (a+b)(-a+b)(a^2+b^2)(a^2+ab+a^2)}{(a-b)^3} - \frac{4a^{1/4} b^2 (a+b)(a^2+ab+a^2)(-a+b)(a+b)}{a-b^2} - 4\sqrt{a} \sqrt{b} (ab - 3b) \log(\sqrt{a} + \sqrt{b}x^2)}{128a^{11/4} b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^3,x]

[Out] ((-4*a^(3/4)*(8*a^2*j - b^2*x*(7*c + x*(6*d + 5*e*x)) + a*b*x*(g + x*(2*h + 3*i*x))))/(a - b*x^4) + (16*a^(7/4)*(a^2*j + b^2*x*(c + x*(d + e*x)) + a*b*(f + x*(g + x*(h + i*x))))/(a - b*x^4)^2 + 2*b^(1/4)*(21*b^(3/2)*c - 5*Sqrt[a]*b*e - 3*a*Sqrt[b]*g + 3*a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)] + b^(1/4)*(-21*b^(3/2)*c - 12*a^(1/4)*b^(5/4)*d - 5*Sqrt[a]*b*e + 3*a*Sqrt[b]*g + 4*a^(5/4)*b^(1/4)*h + 3*a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x] + b^(1/4)*(21*b^(3/2)*c - 12*a^(1/4)*b^(5/4)*d + 5*Sqrt[a]*b*e - 3*a*Sqrt[b]*g + 4*a^(5/4)*b^(1/4)*h - 3*a^(3/2)*i)*Log[a^(1/4) + b^(1/4)*x] - 4*a^(1/4)*Sqrt[b]*(-3*b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2)]/(128*a^(11/4)*b^2)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6 + jx^7}{(a - bx^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^3,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^3, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 684, normalized size = 2.40

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & -3/256*i*(2*\sqrt{2})*(-a*b^3)^{(3/4)}*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2})*(-a/b)^{(1/4)})/(-a/b)^{(1/4)}/(a^2*b^4) - \sqrt{2}*(-a*b^3)^{(3/4)}*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(a^2*b^4) - 3/256*i*(2*\sqrt{2})*(-a*b^3)^{(3/4)} \\ & *\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})*(-a/b)^{(1/4)})/(-a/b)^{(1/4)}/(a^2*b^4) + \sqrt{2}*(-a*b^3)^{(3/4)}*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(a^2*b^4) - 1/128*\sqrt{2}*(21*b^2*c - 3*a*b*g - 12*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d + \\ & 4*\sqrt{2}*(-a*b^3)^{(1/4)}*a*h + 5*\sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2})*(-a/b)^{(1/4)})/(-a/b)^{(1/4)}/((-a*b^3)^{(3/4)}*a^2) - 1/128*\sqrt{2}*(\\ & 21*b^2*c - 3*a*b*g + 12*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d - 4*\sqrt{2}*(-a*b^3)^{(1/4)}*a*h - 5*\sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})*(-a/b)^{(1/4)})/ \\ & (-a/b)^{(1/4)}/((-a*b^3)^{(3/4)}*a^2) - 1/256*\sqrt{2}*(21*b^2*c - 3*a*b*g - 5*\sqrt{-a*b}*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a^2) + 1/256*\sqrt{2}*(21*b^2*c - 3*a*b*g - 5*\sqrt{-a*b}*b*e)*\log(x^2 - \end{aligned}$$

$\sqrt{2} * x * (-a/b)^{1/4} + \sqrt{-a/b} / ((-a*b^3)^{3/4} * a^2) + 1/32 * (3*a*b^2*i * x^7 - 5*b^3*x^7*e - 6*b^3*d*x^6 + 2*a*b^2*h*x^6 - 7*b^3*c*x^5 + a*b^2*g*x^5 + 8*a^2*b*j*x^4 + a^2*b*i*x^3 + 9*a*b^2*x^3*e + 10*a*b^2*d*x^2 + 2*a^2*b*h*x^2 + 11*a*b^2*c*x + 3*a^2*b*g*x + 4*a^2*b*f - 4*a^3*j) / ((b*x^4 - a)^2 * a^2 * b^2)$

maple [B] time = 0.06, size = 488, normalized size = 1.71

$$\frac{i \ln\left(\frac{\sqrt{ab} \sqrt{x^2-a}}{\sqrt{ab} \sqrt{x^2-a}}\right)}{32\sqrt{ab}ab} - \frac{3d \ln\left(\frac{\sqrt{ab} \sqrt{x^2-a}}{\sqrt{ab} \sqrt{x^2-a}}\right)}{32\sqrt{ab}a^2} + \frac{3i \arctan\left(\frac{x}{(b)^{1/4}}\right)}{64\left(\frac{b}{a}\right)^{3/4}ab^2} - \frac{3i \ln\left(\frac{x+(b)^{1/4}}{x-(b)^{1/4}}\right)}{128\left(\frac{b}{a}\right)^{3/4}ab^2} - \frac{5e \arctan\left(\frac{x}{(b)^{1/4}}\right)}{64\left(\frac{b}{a}\right)^{3/4}a^2b} + \frac{5e \ln\left(\frac{x+(b)^{1/4}}{x-(b)^{1/4}}\right)}{128\left(\frac{b}{a}\right)^{3/4}a^2b} - \frac{3\left(\frac{b}{a}\right)^{3/4}g \arctan\left(\frac{x}{(b)^{1/4}}\right)}{64a^2b} - \frac{3\left(\frac{b}{a}\right)^{3/4}g \ln\left(\frac{x+(b)^{1/4}}{x-(b)^{1/4}}\right)}{128a^2b} + \frac{21\left(\frac{b}{a}\right)^{3/4}c \arctan\left(\frac{x}{(b)^{1/4}}\right)}{64a^3} + \frac{21\left(\frac{b}{a}\right)^{3/4}c \ln\left(\frac{x+(b)^{1/4}}{x-(b)^{1/4}}\right)}{128a^3} - \frac{(3ab-3b)^2}{32a^2} - \frac{(ab-3ab)^2}{16a^2} - \frac{1a^4}{32a^2} - \frac{(a-7b)^2}{32a} - \frac{(a+9b)^2}{32ab} - \frac{(ab+3ab)^2}{16ab} - \frac{(3a+11b)^2}{32ab} + \frac{a^2b}{32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x)

[Out] $-(1/32 * (3*a*i - 5*b*e) / a^2 * x^7 - 1/16 * (a*h - 3*b*d) / a^2 * x^6 - 1/32 * (a*g - 7*b*c) / a^2 * x^5 - 1/4 * b*j * x^4 - 1/32 * (a*i + 9*b*e) / a * b * x^3 - 1/16 * (a*h + 5*b*d) / a * b * x^2 - 1/32 * (3*a*g + 11*b*c) / a * b * x + 1/8 * (a*j - b*f) / b^2) / (b*x^4 - a)^2 - 3/64 * (a/b)^{1/4} / a^2 / b * g * \arctan(1/(a/b)^{1/4} * x) + 21/64 * (a/b)^{1/4} / a^3 * c * \arctan(1/(a/b)^{1/4} * x) - 3/128 * (a/b)^{1/4} / a^2 / b * g * \ln((x + (a/b)^{1/4}) / (x - (a/b)^{1/4})) + 21/128 * (a/b)^{1/4} / a^3 * c * \ln((x + (a/b)^{1/4}) / (x - (a/b)^{1/4})) + 1/32 * (a*b)^{1/2} / a * b * h * \ln((a*b)^{1/2} * x^2 - a) / (- (a*b)^{1/2} * x^2 - a) - 3/32 * (a*b)^{1/2} / a^2 * d * \ln((a*b)^{1/2} * x^2 - a) / (- (a*b)^{1/2} * x^2 - a) + 3/64 * (a/b)^{1/4} / a * b^2 * i * \arctan(1/(a/b)^{1/4} * x) - 5/64 * (a/b)^{1/4} / a^2 * b * e * \arctan(1/(a/b)^{1/4} * x) - 3/128 * (a/b)^{1/4} / a * b^2 * i * \ln((x + (a/b)^{1/4}) / (x - (a/b)^{1/4})) + 5/128 * (a/b)^{1/4} / a^2 * b * e * \ln((x + (a/b)^{1/4}) / (x - (a/b)^{1/4}))$

maxima [A] time = 3.13, size = 377, normalized size = 1.32

$$\frac{8a^2bjx^4 - (5b^3e - 3ab^2j)x^7 - 2(3b^3d - ab^2i)x^6 - (7b^3c - ab^2g)^2 + 4a^2bf - 4a^2j + (9ab^2e + a^2bi)x^3 + 2(5ab^2d + a^2hi)x^2 + (11ab^2c + 3a^2bg)x}{32(a^2b^4x^8 - 2a^3b^3x^4 + a^4b^2)} + \frac{4(3b^2a) \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{4(3b^2a) \log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} + \frac{2(21b^2c - 5\sqrt{b}b - 3a\sqrt{b}g + 3a^2j) \arctan\left(\frac{\sqrt{a}}{\sqrt{b}x}\right)}{\sqrt{a}\sqrt{b}\sqrt{a}} - \frac{(21b^2c + 5\sqrt{b}b - 3a\sqrt{b}g - 3a^2j) \log\left(\frac{\sqrt{a-x}\sqrt{b}}{\sqrt{a+x}\sqrt{b}}\right)}{\sqrt{a}\sqrt{b}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out] $1/32 * (8*a^2*b*j*x^4 - (5*b^3*e - 3*a*b^2*i) * x^7 - 2 * (3*b^3*d - a*b^2*h) * x^6 - (7*b^3*c - a*b^2*g) * x^5 + 4*a^2*b*f - 4*a^3*j + (9*a*b^2*e + a^2*b*i) * x^3 + 2 * (5*a*b^2*d + a^2*b*h) * x^2 + (11*a*b^2*c + 3*a^2*b*g) * x) / (a^2*b^4*x^8 - 2*a^3*b^3*x^4 + a^4*b^2) + 1/128 * (4 * (3*b*d - a*h) * \log(\sqrt{b} * x^2 + \sqrt{a}) / (\sqrt{a} * \sqrt{b}) - 4 * (3*b*d - a*h) * \log(\sqrt{b} * x^2 - \sqrt{a}) / (\sqrt{a} * \sqrt{b}) + 2 * (21*b^{3/2} * c - 5 * \sqrt{a} * b * e - 3 * a * \sqrt{b} * g + 3 * a^{3/2} * i) * \arctan(\sqrt{b} * x / \sqrt{a * \sqrt{b}})) / (\sqrt{a} * \sqrt{a * \sqrt{b}} * \sqrt{b}) - (21*b^{3/2} * c + 5 * \sqrt{a} * b * e - 3 * a * \sqrt{b} * g - 3 * a^{3/2} * i) * \log((\sqrt{b} * x - \sqrt{a * \sqrt{b}}) / (\sqrt{b} * x + \sqrt{a * \sqrt{b}}))) / (\sqrt{a} * \sqrt{a * \sqrt{b}} * \sqrt{b})) / (a^2 * b)$

mupad [B] time = 5.91, size = 2696, normalized size = 9.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^3, x)$

[Out] $\text{symsum}(\log((27*a^4*i^3 - 125*a*b^3*e^3 - 3024*b^4*c*d^2 + 2205*b^4*c^2*e - 336*a^2*b^2*c*h^2 + 45*a^2*b^2*e*g^2 + 225*a^2*b^2*e^2*i + 432*a*b^3*d^2*g - 1323*a*b^3*c^2*i - 135*a^3*b*e*i^2 + 48*a^3*b*g*h^2 - 27*a^3*b*g^2*i + 378*a^2*b^2*c*g*i - 288*a^2*b^2*d*g*h + 2016*a*b^3*c*d*h - 630*a*b^3*c*e*g)/(32768*a^6*b^2) - \text{root}(268435456*a^{11}*b^7*z^4 - 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 - 6881280*a^6*b^6*c*e*z^2 - 524288*a^8*b^4*h^2*z^2 - 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z + 258048*a^5*b^4*c*g*h*z - 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z - 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z - 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z + 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z + 2709504*a^3*b^6*c^2*d*z + 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h + 40320*a^2*b^4*c*d*e*h - 540*a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i + 4032*a^4*b^2*c*h^2*i + 960*a^4*b^2*e*g*h^2 - 2268*a^4*b^2*c*g*i^2 - 26460*a^2*b^4*c^2*e*i + 36288*a^2*b^4*c*d^2*i + 8640*a^2*b^4*d^2*e*g - 6720*a^3*b^3*c*e*h^2 - 6300*a^2*b^4*c*e^2*g - 576*a^5*b*g*h^2*i - 60480*a*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g - 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 - 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i - 27648*a^2*b^4*d^3*h - 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 - 81*a^4*b^2*g^4 - 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 - 81*a^6*i^4 - 194481*b^6*c^4, z, m)*(\text{root}(268435456*a^{11}*b^7*z^4 - 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 - 6881280*a^6*b^6*c*e*z^2 - 524288*a^8*b^4*h^2*z^2 - 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z + 258048*a^5*b^4*c*g*h*z - 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z - 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z - 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z + 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z + 2709504*a^3*b^6*c^2*d*z + 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h + 40320*a^2*b^4*c*d*e*h - 540*a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i + 4032*a^4*b^2*c*h^2*i + 960*a^4*b^2*e*g*h^2 - 2268*a^4*b^2*c*g*i^2 - 26460*a^2*b^4*c^2*e*i + 36288*a^2*b^4*c*d^2*i + 8640*a^2*b^4*d^2*e*g - 6720*a^3*b^3*c*e*h^2 - 6300*a^2*b^4*c*e^2*g - 576*a^5*b*g*h^2*i - 60480*a*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g - 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 - 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i - 27648*a^2*b^4*d^3*h - 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 - 81*a^4*b^2*g^4 - 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 - 81*a^6*i^4 - 194481*b^6*c^4, z, m)$

$$\begin{aligned}
& a^4 b^2 g^4 - 625 a^2 b^4 e^4 + 256 a^5 b^3 h^4 + 20736 a b^5 d^4 - 81 a^6 i^4 - 194481 b^6 c^4, z, m) * ((344064 a^5 b^5 c - 49152 a^6 b^4 g) / (32768 a^6 b^2) - (x * (24576 a^5 b^4 d - 8192 a^6 b^3 h)) / (4096 a^6 b)) - (15360 a^3 b^4 d e - 9216 a^4 b^3 d i - 5120 a^4 b^3 e h + 3072 a^5 b^2 h i) / (32768 a^6 b^2) + (x * (144 a^5 b^3 i^2 + 7056 a^2 b^4 c^2 + 400 a^3 b^3 e^2 + 144 a^4 b^2 g^2 - 2016 a^3 b^3 c g - 480 a^4 b^2 e i)) / (4096 a^6 b) - (x * (216 b^3 d^3 - 8 a^3 h^3 - 315 b^3 c d e + 9 a^3 g h i - 216 a b^2 d^2 h + 72 a^2 b d h^2 + 189 a b^2 c d i + 105 a b^2 c e h + 45 a b^2 d e g - 63 a^2 b c h i - 27 a^2 b d g i - 15 a^2 b e g h)) / (4096 a^6 b) * \text{root}(268435456 a^{11} b^7 z^4 - 589824 a^8 b^4 g i z^2 + 4128768 a^7 b^5 c i z^2 + 3145728 a^7 b^5 d h z^2 + 983040 a^7 b^5 e g z^2 - 6881280 a^6 b^6 c e z^2 - 524288 a^8 b^4 h^2 z^2 - 4718592 a^6 b^6 d^2 z^2 + 61440 a^6 b^3 e h i z + 258048 a^5 b^4 c g h z - 184320 a^5 b^4 d e i z - 774144 a^4 b^5 c d g z - 18432 a^7 b^2 h i^2 z - 18432 a^6 b^3 g^2 h z + 55296 a^6 b^3 d i^2 z - 51200 a^5 b^4 e^2 h z - 903168 a^4 b^5 c^2 h z + 55296 a^5 b^4 d g^2 z + 153600 a^4 b^5 d e^2 z + 2709504 a^3 b^6 c^2 d z + 3456 a^4 b^2 d g h i - 24192 a^3 b^3 c d h i + 7560 a^3 b^3 c e g i - 5760 a^3 b^3 d e g h + 40320 a^2 b^4 c d e h - 540 a^4 b^2 e g^2 i - 5184 a^3 b^3 d^2 g i + 4032 a^4 b^2 c h^2 i + 960 a^4 b^2 e g h^2 - 2268 a^4 b^2 c g i^2 - 26460 a^2 b^4 c^2 e i + 36288 a^2 b^4 c d^2 i + 8640 a^2 b^4 d^2 e g - 6720 a^3 b^3 c e h^2 - 6300 a^2 b^4 c e^2 g - 576 a^5 b g h^2 i - 60480 a b^5 c d^2 e + 540 a^5 b e i^3 + 111132 a b^5 c^3 g - 1350 a^4 b^2 e^2 i^2 + 13824 a^3 b^3 d^2 h^2 + 7938 a^3 b^3 c^2 i^2 + 450 a^3 b^3 e^2 g^2 - 23814 a^2 b^4 c^2 g^2 + 162 a^5 b g^2 i^2 + 1500 a^3 b^3 e^3 i - 27648 a^2 b^4 d^3 h - 3072 a^4 b^2 d h^3 + 2268 a^3 b^3 c g^3 + 22050 a b^5 c^2 e^2 - 81 a^4 b^2 g^4 - 625 a^2 b^4 e^4 + 256 a^5 b^3 h^4 + 20736 a b^5 d^4 - 81 a^6 i^4 - 194481 b^6 c^4, z, m), m, 1, 4) + ((b f - a j) / (8 b^2) + (j x^4) / (4 b) - (x^5 (7 b c - a g)) / (32 a^2) - (x^6 (3 b d - a h)) / (16 a^2) - (x^7 (5 b e - 3 a i)) / (32 a^2) + (x (11 b c + 3 a g)) / (32 a b) + (x^2 (5 b d + a h)) / (16 a b) + (x^3 (9 b e + a i)) / (32 a b)) / (a^2 + b^2 x^8 - 2 a b x^4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**3, x)

[Out] Timed out

$$3.154 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^3} dx$$

Optimal. Leaf size=413

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-5\sqrt{a}\sqrt{b}e+3ag+21bc\right)}{128\sqrt{2}a^{11/4}b^{5/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-5\sqrt{a}\sqrt{b}e+\right)}{128\sqrt{2}a^{11/4}b^{5/4}}$$

Rubi [A] time = 0.49, antiderivative size = 413, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {1858, 1854, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-5\sqrt{a}\sqrt{b}e+3ag+21bc\right)}{128\sqrt{2}a^{11/4}b^{5/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-5\sqrt{a}\sqrt{b}e+3ag+21bc\right)}{128\sqrt{2}a^{11/4}b^{5/4}} - \frac{\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}}\right)\left(5\sqrt{a}\sqrt{b}e+3ag+21bc\right)}{64\sqrt{2}a^{11/4}b^{5/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}}+1\right)\left(5\sqrt{a}\sqrt{b}e+3ag+21bc\right)}{64\sqrt{2}a^{11/4}b^{5/4}} + \frac{(ah+3b)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}}\right)}{16a^{5/2}b^{3/2}} + \frac{4af-a(2i(ah+3b)+ag+7bc+5be^2)}{32a^2(b+bx^4)} + \frac{a(i(bd-ab)-ag+bc+be^2+b/x^2)}{8ab(a+bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^3, x]

[Out] (x*(b*c - a*g + (b*d - a*h)*x + b*e*x^2 + b*f*x^3))/(8*a*b*(a + b*x^4)^2) - (4*a*f - x*(7*b*c + a*g + 2*(3*b*d + a*h)*x + 5*b*e*x^2))/(32*a^2*b*(a + b*x^4)) + ((3*b*d + a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(16*a^(5/2)*b^(3/2)) - ((21*b*c + 5*Sqrt[a]*Sqrt[b]*e + 3*a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(5/4)) + ((21*b*c + 5*Sqrt[a]*Sqrt[b]*e + 3*a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(5/4)) - ((21*b*c - 5*Sqrt[a]*Sqrt[b]*e + 3*a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(5/4)) + ((21*b*c - 5*Sqrt[a]*Sqrt[b]*e + 3*a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(5/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]]*(a + b*x^n)^(p
```



```
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^4)^3} dx = \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{\int \frac{-b(7bc + ag) - 2b(3bd + ah)x - 5b^2ex^2 - 4b^2fx^3}{(a + bx^4)^2} dx}{8ab^2}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + bex^2 + bfx^3)}{32a^2b(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + bex^2 + bfx^3)}{32a^2b(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + bex^2 + bfx^3)}{32a^2b(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + bex^2 + bfx^3)}{32a^2b(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + bex^2 + bfx^3)}{32a^2b(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + bex^2 + bfx^3)}{32a^2b(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + bex^2 + bfx^3)}{32a^2b(a + bx^4)}$$

$$= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + bex^2 + bfx^3)}{32a^2b(a + bx^4)}$$

Mathematica [A] time = 0.43, size = 411, normalized size = 1.00

$$\frac{-2 \tan^{-1}\left(-\frac{\sqrt{b}}{a}\right) (8a^{3/4} \sqrt{b} + 5\sqrt{2}\sqrt{b}^3 + 24\sqrt{b}hd + 3\sqrt{2}e\sqrt{b}g + 21\sqrt{2}b^3h) + 2 \tan^{-1}\left(\frac{\sqrt{2}bx}{a}\right) (-8a^{3/4} + 5\sqrt{2}\sqrt{b}^3 - 24\sqrt{b}hd + 3\sqrt{2}e\sqrt{b}g + 21\sqrt{2}b^3h) - \frac{2a^{3/4} \sqrt{b} (c + x(d + e x))}{(a + b x^4)^2} + \frac{a^{3/4} \sqrt{b} (c + x(d + e x))}{a^2} + \sqrt{2} \sqrt{b} \log(-\sqrt{2} \sqrt{b} \sqrt{c + x(d + e x)} + \sqrt{c + x(d + e x)}) (5\sqrt{c} \sqrt{c - 3ag - 21bc}) + \sqrt{2} \sqrt{b} \log(\sqrt{2} \sqrt{b} \sqrt{c + x(d + e x)} + \sqrt{c + x(d + e x)}) (-5\sqrt{c} \sqrt{c + 3ag + 21bc})}{256a^{11/4} b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^3,x]

[Out] ((8*a^(3/4)*Sqrt[b]*x*(7*b*c + b*x*(6*d + 5*e*x) + a*(g + 2*h*x)))/(a + b*x^4) - (32*a^(7/4)*Sqrt[b]*(-b*x*(c + x*(d + e*x))) + a*(f + x*(g + h*x)))/32*a^2*b*(a + b*x^4)

```
/(a + b*x^4)^2 - 2*(21*Sqrt[2]*b^(5/4)*c + 24*a^(1/4)*b*d + 5*Sqrt[2]*Sqrt[
a]*b^(3/4)*e + 3*Sqrt[2]*a*b^(1/4)*g + 8*a^(5/4)*h)*ArcTan[1 - (Sqrt[2]*b^(
1/4)*x)/a^(1/4)] + 2*(21*Sqrt[2]*b^(5/4)*c - 24*a^(1/4)*b*d + 5*Sqrt[2]*Sqr
t[a]*b^(3/4)*e + 3*Sqrt[2]*a*b^(1/4)*g - 8*a^(5/4)*h)*ArcTan[1 + (Sqrt[2]*b
^(1/4)*x)/a^(1/4)] + Sqrt[2]*b^(1/4)*(-21*b*c + 5*Sqrt[a]*Sqrt[b]*e - 3*a*g
)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*b^(1/4)*
(21*b*c - 5*Sqrt[a]*Sqrt[b]*e + 3*a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4
)*x + Sqrt[b]*x^2)]/(256*a^(11/4)*b^(3/2))
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^3, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^3, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 459, normalized size = 1.11

$$\frac{\sqrt[12]{2} \sqrt[12]{\sqrt{2} a b c + 4 \sqrt{2} a b d + 21 (\mu^2)^2 b^2 c + 5 (\mu^2)^2 b d + 5 (\mu^2)^2 c} \sqrt[12]{2} \sqrt[12]{\sqrt{2} a b c + 4 \sqrt{2} a b d + 21 (\mu^2)^2 b^2 c + 5 (\mu^2)^2 b d + 5 (\mu^2)^2 c}}{128 \sqrt[12]{2} \sqrt[12]{\sqrt{2} a b c + 4 \sqrt{2} a b d + 21 (\mu^2)^2 b^2 c + 5 (\mu^2)^2 b d + 5 (\mu^2)^2 c}} \cdot \sqrt[12]{2} \sqrt[12]{\sqrt{2} a b c + 4 \sqrt{2} a b d + 21 (\mu^2)^2 b^2 c + 5 (\mu^2)^2 b d + 5 (\mu^2)^2 c} \sqrt[12]{2} \sqrt[12]{\sqrt{2} a b c + 4 \sqrt{2} a b d + 21 (\mu^2)^2 b^2 c + 5 (\mu^2)^2 b d + 5 (\mu^2)^2 c}}{128 \sqrt[12]{2} \sqrt[12]{\sqrt{2} a b c + 4 \sqrt{2} a b d + 21 (\mu^2)^2 b^2 c + 5 (\mu^2)^2 b d + 5 (\mu^2)^2 c}} \cdot \sqrt[12]{2} \sqrt[12]{\sqrt{2} a b c + 4 \sqrt{2} a b d + 21 (\mu^2)^2 b^2 c + 5 (\mu^2)^2 b d + 5 (\mu^2)^2 c} \sqrt[12]{2} \sqrt[12]{\sqrt{2} a b c + 4 \sqrt{2} a b d + 21 (\mu^2)^2 b^2 c + 5 (\mu^2)^2 b d + 5 (\mu^2)^2 c}}{128 \sqrt[12]{2} \sqrt[12]{\sqrt{2} a b c + 4 \sqrt{2} a b d + 21 (\mu^2)^2 b^2 c + 5 (\mu^2)^2 b d + 5 (\mu^2)^2 c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")

[Out] 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 4*sqrt(2)*sqrt(a*b)*a*b*h + 21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^3) + 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 4*sqrt(2)*sqrt(a*b)*a*b*h + 21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x

$$\begin{aligned}
& - \text{sqrt}(2) * (a/b)^{(1/4)} / (a/b)^{(1/4)} / (a^3 * b^3) + 1/256 * \text{sqrt}(2) * (21 * (a * b^3)^{(1/4)} * b^2 * c \\
& + 3 * (a * b^3)^{(1/4)} * a * b * g - 5 * (a * b^3)^{(3/4)} * e) * \log(x^2 + \text{sqrt}(2) * x * (a/b)^{(1/4)} + \text{sqrt}(a/b)) / (a^3 * b^3) \\
& - 1/256 * \text{sqrt}(2) * (21 * (a * b^3)^{(1/4)} * b^2 * c + 3 * (a * b^3)^{(1/4)} * a * b * g - 5 * (a * b^3)^{(3/4)} * e) * \log(x^2 - \text{sqrt}(2) * x * (a/b)^{(1/4)} \\
& + \text{sqrt}(a/b)) / (a^3 * b^3) + 1/32 * (5 * b^2 * x^7 * e + 6 * b^2 * d * x^6 + 2 * a * b * h * x^6 \\
& + 7 * b^2 * c * x^5 + a * b * g * x^5 + 9 * a * b * x^3 * e + 10 * a * b * d * x^2 - 2 * a^2 * h * x^2 + 11 * a \\
& * b * c * x - 3 * a^2 * g * x - 4 * a^2 * f) / ((b * x^4 + a)^2 * a^2 * b)
\end{aligned}$$

maple [A] time = 0.06, size = 561, normalized size = 1.36

$$\frac{\frac{b \arctan\left(\frac{\sqrt{2} x}{a}\right)}{16 \sqrt{ab}} + \frac{3 b \arctan\left(\frac{\sqrt{2} x}{a}\right)}{16 \sqrt{ab} a^2} + \frac{5 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{128 (b^2)^{3/4}} + \frac{5 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{128 (b^2)^{3/4} a} + \frac{5 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 (b^2)^{3/4} a^2} + \frac{3 (b^2)^{3/4} \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{128 b^6} + \frac{3 (b^2)^{3/4} \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{128 b^6 a} + \frac{3 (b^2)^{3/4} \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 b^6 a^2} + \frac{2i (b^2)^{3/4} \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{128 a^3} + \frac{2i (b^2)^{3/4} \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{128 a^3 a} + \frac{2i (b^2)^{3/4} \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^2} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^2} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^3} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^4} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^5} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^6} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^7} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^8} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^9} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{10}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{11}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{12}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{13}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{14}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{15}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{16}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{17}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{18}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{19}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{20}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{21}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{22}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{23}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{24}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{25}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{26}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{27}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{28}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{29}} + \frac{9 a^2 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 a^3 a^{30}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)
```

```
[Out] (5/32/a^2*b*e*x^7+1/16*(a*h+3*b*d)/a^2*x^6+1/32*(a*g+7*b*c)/a^2*x^5+9/32/a*
e*x^3-1/16*(a*h-5*b*d)/a/b*x^2-1/32*(3*a*g-11*b*c)/a/b*x-1/8/b*f)/(b*x^4+a)
^2+3/128*(a/b)^(1/4)*2^(1/2)/a^2/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+21/128
*(a/b)^(1/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/256*(a/b)^(1/4)
)*2^(1/2)/a^2/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/
4)*2^(1/2)*x+(a/b)^(1/2)))+21/256*(a/b)^(1/4)*2^(1/2)/a^3*c*ln((x^2+(a/b)^(
1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/128*
(a/b)^(1/4)*2^(1/2)/a^2/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+21/128*(a/b)^(1
/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16/a/b/(a*b)^(1/2)*arct
an((1/a*b)^(1/2)*x^2)*h+3/16/(a*b)^(1/2)/a^2*d*arctan((1/a*b)^(1/2)*x^2)+5/
256/(a/b)^(1/4)*2^(1/2)/a^2/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/
(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*
arctan(2^(1/2)/(a/b)^(1/4)*x+1)+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*arctan(2^
(1/2)/(a/b)^(1/4)*x-1)
```

maxima [A] time = 3.07, size = 446, normalized size = 1.08

$$\frac{5 b^2 c x^2 + 2 (3 b^2 d + a b h) x + 9 a b e x^3 + (7 b^2 c + a b g) x^4 - 4 a^2 f + 2 (5 a b d - a^2 h) x^5 + (11 a b c - 3 a^2 g) x^6}{32 (a^2 b^3 x^2 + 2 a^2 b^4 x + a^4 b)} + \frac{\sqrt{2} (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right) + \sqrt{2} (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{128 \sqrt{2} b^6} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^2} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^3} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^4} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^5} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^6} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^7} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^8} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^9} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{10}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{11}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{12}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{13}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{14}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{15}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{16}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{17}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{18}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{19}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{20}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{21}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{22}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{23}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{24}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{25}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{26}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{27}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{28}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{29}} + \frac{2 (21 \sqrt{2} b^2 c + 5 \sqrt{2} b^2 d + 5 \sqrt{2} b^2 e) \arctan\left(\frac{\sqrt{2} x}{a}\right)}{256 \sqrt{2} b^6 a^{30}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")
```

```
[Out] 1/32*(5*b^2*e*x^7 + 2*(3*b^2*d + a*b*h)*x^6 + 9*a*b*e*x^3 + (7*b^2*c + a*b*
g)*x^5 - 4*a^2*f + 2*(5*a*b*d - a^2*h)*x^2 + (11*a*b*c - 3*a^2*g)*x)/(a^2*b
^3*x^8 + 2*a^3*b^2*x^4 + a^4*b) + 1/256*(sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*
b*e + 3*a*sqrt(b)*g)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))
/(a^(3/4)*b^(3/4)) - sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g)
```

$$\begin{aligned} & * \log(\sqrt{b} * x^2 - \sqrt{2} * a^{1/4} * b^{1/4} * x + \sqrt{a}) / (a^{3/4} * b^{3/4}) + \\ & 2 * (21 * \sqrt{2} * a^{1/4} * b^{7/4} * c + 5 * \sqrt{2} * a^{3/4} * b^{5/4} * e + 3 * \sqrt{2} * \\ & a^{5/4} * b^{3/4} * g - 24 * \sqrt{a} * b^{3/2} * d - 8 * a^{3/2} * \sqrt{b} * h) * \arctan(1/2 * \\ & \sqrt{2} * (2 * \sqrt{b} * x + \sqrt{2} * a^{1/4} * b^{1/4}) / \sqrt{\sqrt{a} * \sqrt{b}}) / (a^{3/4} * \\ & \sqrt{\sqrt{a} * \sqrt{b}} * b^{3/4}) + 2 * (21 * \sqrt{2} * a^{1/4} * b^{7/4} * c + 5 * \sqrt{2} * \\ & a^{3/4} * b^{5/4} * e + 3 * \sqrt{2} * a^{5/4} * b^{3/4} * g + 24 * \sqrt{a} * b^{3/2} * \\ & d + 8 * a^{3/2} * \sqrt{b} * h) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{b} * x - \sqrt{2} * a^{1/4} * \\ & b^{1/4}) / \sqrt{\sqrt{a} * \sqrt{b}}) / (a^{3/4} * \sqrt{\sqrt{a} * \sqrt{b}} * b^{3/4}) / (\\ & a^2 * b) \end{aligned}$$

mupad [B] time = 5.69, size = 1686, normalized size = 4.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^3, x)$

[Out]
$$\begin{aligned} & ((9 * e * x^3) / (32 * a) - f / (8 * b) + (x^5 * (7 * b * c + a * g)) / (32 * a^2) + (x^6 * (3 * b * d + \\ & a * h)) / (16 * a^2) + (x * (11 * b * c - 3 * a * g)) / (32 * a * b) + (x^2 * (5 * b * d - a * h)) / (16 * a * \\ & b) + (5 * b * e * x^7) / (32 * a^2)) / (a^2 + b^2 * x^8 + 2 * a * b * x^4) + \text{symsum}(\log((3024 * b \\ & ^3 * c * d^2 - 125 * a * b^2 * e^3 - 2205 * b^3 * c^2 * e + 48 * a^3 * g * h^2 + 432 * a * b^2 * d^2 * g \\ & + 336 * a^2 * b * c * h^2 - 45 * a^2 * b * e * g^2 + 2016 * a * b^2 * c * d * h - 630 * a * b^2 * c * e * g + 2 \\ & 88 * a^2 * b * d * g * h) / (32768 * a^6 * b) - \text{root}(268435456 * a^{11} * b^6 * z^4 + 3145728 * a^7 * b \\ & ^4 * d * h * z^2 + 983040 * a^7 * b^4 * e * g * z^2 + 6881280 * a^6 * b^5 * c * e * z^2 + 524288 * a^8 * \\ & b^3 * h^2 * z^2 + 4718592 * a^6 * b^5 * d^2 * z^2 - 258048 * a^5 * b^3 * c * g * h * z - 774144 * a^4 * \\ & b^4 * c * d * g * z - 18432 * a^6 * b^2 * g^2 * h * z + 51200 * a^5 * b^3 * e^2 * h * z - 903168 * a^4 * b \\ & ^4 * c^2 * h * z - 55296 * a^5 * b^3 * d * g^2 * z + 153600 * a^4 * b^4 * d * e^2 * z - 2709504 * a^3 * b \\ & ^5 * c^2 * d * z - 5760 * a^3 * b^2 * d * e * g * h - 40320 * a^2 * b^3 * c * d * e * h - 8640 * a^2 * b^3 * d^2 \\ & * e * g - 6720 * a^3 * b^2 * c * e * h^2 + 6300 * a^2 * b^3 * c * e^2 * g - 960 * a^4 * b * e * g * h^2 - 6 \\ & 0480 * a * b^4 * c * d^2 * e + 3072 * a^4 * b * d * h^3 + 111132 * a * b^4 * c^3 * g + 13824 * a^3 * b^2 * \\ & d^2 * h^2 + 450 * a^3 * b^2 * e^2 * g^2 + 23814 * a^2 * b^3 * c^2 * g^2 + 27648 * a^2 * b^3 * d^3 * h \\ & + 2268 * a^3 * b^2 * c * g^3 + 22050 * a * b^4 * c^2 * e^2 + 625 * a^2 * b^3 * e^4 + 81 * a^4 * b * g^4 \\ & + 20736 * a * b^4 * d^4 + 256 * a^5 * h^4 + 194481 * b^5 * c^4, z, k) * (\text{root}(268435456 * a \\ & ^{11} * b^6 * z^4 + 3145728 * a^7 * b^4 * d * h * z^2 + 983040 * a^7 * b^4 * e * g * z^2 + 6881280 * a^6 \\ & * b^5 * c * e * z^2 + 524288 * a^8 * b^3 * h^2 * z^2 + 4718592 * a^6 * b^5 * d^2 * z^2 - 258048 * a^5 \\ & * b^3 * c * g * h * z - 774144 * a^4 * b^4 * c * d * g * z - 18432 * a^6 * b^2 * g^2 * h * z + 51200 * a^5 \\ & * b^3 * e^2 * h * z - 903168 * a^4 * b^4 * c^2 * h * z - 55296 * a^5 * b^3 * d * g^2 * z + 153600 * a^4 * \\ & b^4 * d * e^2 * z - 2709504 * a^3 * b^5 * c^2 * d * z - 5760 * a^3 * b^2 * d * e * g * h - 40320 * a^2 * b^3 \\ & * c * d * e * h - 8640 * a^2 * b^3 * d^2 * e * g - 6720 * a^3 * b^2 * c * e * h^2 + 6300 * a^2 * b^3 * c * e^2 \\ & * g - 960 * a^4 * b * e * g * h^2 - 60480 * a * b^4 * c * d^2 * e + 3072 * a^4 * b * d * h^3 + 111132 * a \\ & * b^4 * c^3 * g + 13824 * a^3 * b^2 * d^2 * h^2 + 450 * a^3 * b^2 * e^2 * g^2 + 23814 * a^2 * b^3 * c^2 \\ & * g^2 + 27648 * a^2 * b^3 * d^3 * h + 2268 * a^3 * b^2 * c * g^3 + 22050 * a * b^4 * c^2 * e^2 + 62 \\ & 5 * a^2 * b^3 * e^4 + 81 * a^4 * b * g^4 + 20736 * a * b^4 * d^4 + 256 * a^5 * h^4 + 194481 * b^5 * c^4, \\ & z, k) * ((344064 * a^5 * b^4 * c + 49152 * a^6 * b^3 * g) / (32768 * a^6 * b) - (x * (24576 * a \\ & ^5 * b^4 * d + 8192 * a^6 * b^3 * h)) / (4096 * a^6 * b)) + (15360 * a^3 * b^3 * d * e + 5120 * a^4 * b \end{aligned}$$

$$\begin{aligned} &^2 * e * h) / (32768 * a^6 * b) + (x * (7056 * a^2 * b^4 * c^2 - 400 * a^3 * b^3 * e^2 + 144 * a^4 * b^2 * g^2 + 2016 * a^3 * b^3 * c * g)) / (4096 * a^6 * b)) + (x * (216 * b^3 * d^3 + 8 * a^3 * h^3 - 315 * b^3 * c * d * e + 216 * a * b^2 * d^2 * h + 72 * a^2 * b * d * h^2 - 105 * a * b^2 * c * e * h - 45 * a * b^2 * d * e * g - 15 * a^2 * b * e * g * h)) / (4096 * a^6 * b)) * \text{root}(268435456 * a^{11} * b^6 * z^4 + 3145728 * a^7 * b^4 * d * h * z^2 + 983040 * a^7 * b^4 * e * g * z^2 + 6881280 * a^6 * b^5 * c * e * z^2 + 524288 * a^8 * b^3 * h^2 * z^2 + 4718592 * a^6 * b^5 * d^2 * z^2 - 258048 * a^5 * b^3 * c * g * h * z - 774144 * a^4 * b^4 * c * d * g * z - 18432 * a^6 * b^2 * g^2 * h * z + 51200 * a^5 * b^3 * e^2 * h * z - 903168 * a^4 * b^4 * c^2 * h * z - 55296 * a^5 * b^3 * d * g^2 * z + 153600 * a^4 * b^4 * d * e^2 * z - 2709504 * a^3 * b^5 * c^2 * d * z - 5760 * a^3 * b^2 * d * e * g * h - 40320 * a^2 * b^3 * c * d * e * h - 8640 * a^2 * b^3 * d^2 * e * g - 6720 * a^3 * b^2 * c * e * h^2 + 6300 * a^2 * b^3 * c * e^2 * g - 960 * a^4 * b * e * g * h^2 - 60480 * a * b^4 * c * d^2 * e + 3072 * a^4 * b * d * h^3 + 111132 * a * b^4 * c^3 * g + 13824 * a^3 * b^2 * d^2 * h^2 + 450 * a^3 * b^2 * e^2 * g^2 + 23814 * a^2 * b^3 * c^2 * g^2 + 27648 * a^2 * b^3 * d^3 * h + 2268 * a^3 * b^2 * c * g^3 + 22050 * a * b^4 * c^2 * e^2 + 625 * a^2 * b^3 * e^4 + 81 * a^4 * b * g^4 + 20736 * a * b^4 * d^4 + 256 * a^5 * h^4 + 194481 * b^5 * c^4, z, k), k, 1, 4) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x)

[Out] Timed out

$$3.155 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^3} dx$$

Optimal. Leaf size=463

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(3\sqrt{b}(ag+7bc)-\sqrt{a}(3ai+5be)\right)}{128\sqrt{2}a^{11/4}b^{7/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(3\sqrt{b}\right)}{128\sqrt{2}a^{11/4}b^{7/4}}$$

Rubi [A] time = 0.69, antiderivative size = 463, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.275$, Rules used = {1858, 1854, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(3\sqrt{b}(ag+7bc)-\sqrt{a}(3ai+5be)\right)}{128\sqrt{2}a^{11/4}b^{7/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(3\sqrt{b}\right)}{128\sqrt{2}a^{11/4}b^{7/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}}{\sqrt{b}}\right)\left(3\sqrt{b}(ag+7bc)+\sqrt{a}(3ai+5be)\right)}{64\sqrt{2}a^{11/4}b^{7/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}}{\sqrt{b}}\right)\left(3\sqrt{b}(ag+7bc)+\sqrt{a}(3ai+5be)\right)}{64\sqrt{2}a^{11/4}b^{7/4}} + \frac{(ab+3b)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}}{\sqrt{b}}\right)}{16a^{11/4}b^{7/4}} + \frac{4af-z(2a(ah+3bd)+z^2(3ai+5be)+ag+7bc)}{32z^2(b+bx^4)} + \frac{z(4bd-ab)+z^2(3ai+5be)-ag+bc+bf/z^2}{8ab(a+bx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^3,x]

[Out] (x*(b*c - a*g + (b*d - a*h)*x + (b*e - a*i)*x^2 + b*f*x^3))/(8*a*b*(a + b*x^4)^2) - (4*a*f - x*(7*b*c + a*g + 2*(3*b*d + a*h)*x + (5*b*e + 3*a*i)*x^2))/(32*a^2*b*(a + b*x^4)) + ((3*b*d + a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(16*a^(5/2)*b^(3/2)) - ((3*Sqrt[b]*(7*b*c + a*g) + Sqrt[a]*(5*b*e + 3*a*i))*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(7/4)) + ((3*Sqrt[b]*(7*b*c + a*g) + Sqrt[a]*(5*b*e + 3*a*i))*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(7/4)) - ((3*Sqrt[b]*(7*b*c + a*g) - Sqrt[a]*(5*b*e + 3*a*i))*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(7/4)) + ((3*Sqrt[b]*(7*b*c + a*g) - Sqrt[a]*(5*b*e + 3*a*i))*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(7/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]]*(a + b*x^n)^(p
```



```
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 155x^6}{(a + bx^4)^3} dx = \frac{x(bc - ag + (bd - ah)x - (155a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{\int \frac{-b(7bc+ag)-}{(a + bx^4)^3} dx}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (155a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc)}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (155a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc)}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (155a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc)}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (155a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc)}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (155a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc)}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (155a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc)}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (155a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc)}{8ab(a + bx^4)^2}$$

$$= \frac{x(bc - ag + (bd - ah)x - (155a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc)}{8ab(a + bx^4)^2}$$

Mathematica [A] time = 0.68, size = 473, normalized size = 1.02

$$\frac{2x^{7/4} \sqrt{a+bx^4} (c+dx+ex^2+fx^3+gx^4+hx^5+155x^6) - 2 \tan^{-1}\left(\frac{\sqrt{a+bx^4}}{x}\right) (6a^{3/4} b^{3/4} c + 3a^{5/4} d + 21a^{3/4} b^{3/4} e + 5\sqrt{2} a^{5/4} \sqrt{d} + 3\sqrt{2} a^{3/4} \sqrt{e} + 21\sqrt{2} a^{3/4} f) + 2 \tan^{-1}\left(\frac{\sqrt{a+bx^4}}{x}\right) (-6a^{3/4} b^{3/4} c + 3a^{5/4} d - 24\sqrt{2} a^{3/4} \sqrt{d} + 5\sqrt{2} a^{3/4} \sqrt{e} + 21\sqrt{2} a^{3/4} f) + \sqrt{2} \log(-\sqrt{2} \sqrt{d} \sqrt{e} + \sqrt{d} + \sqrt{e} x) (3a^{3/4} c + 5\sqrt{2} b c - 21a^{3/4} e) + \sqrt{2} \log(\sqrt{2} \sqrt{d} \sqrt{e} + \sqrt{d} + \sqrt{e} x) (-3a^{3/4} c - 5\sqrt{2} b c + 21a^{3/4} e)}{25a^{11/4} b^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^3, x]
[Out] ((8*a^(3/4)*b^(3/4)*x*(7*b*c + a*g + b*x*(6*d + 5*e*x) + a*x*(2*h + 3*i*x)))/(a + b*x^4) - (32*a^(7/4)*b^(3/4)*(-b*x*(c + x*(d + e*x))) + a*(f + x*(g
```

$$\frac{\begin{aligned} &+ x*(h + i*x)))))/(a + b*x^4)^2 - 2*(21*\sqrt{2}*b^{(3/2)}*c + 24*a^{(1/4)}*b^{(5/4)}*d \\ &+ 5*\sqrt{2}*\sqrt{a}*b*e + 3*\sqrt{2}*a*\sqrt{b}*g + 8*a^{(5/4)}*b^{(1/4)}*h + 3*\sqrt{2}*a^{(3/2)}*i)*\text{ArcTan}[1 - (\sqrt{2}*b^{(1/4)}*x)/a^{(1/4)}] + 2*(21*\sqrt{2}*b^{(3/2)}*c \\ &- 24*a^{(1/4)}*b^{(5/4)}*d + 5*\sqrt{2}*\sqrt{a}*b*e + 3*\sqrt{2}*a*\sqrt{b}*g - 8*a^{(5/4)}*b^{(1/4)}*h + 3*\sqrt{2}*a^{(3/2)}*i)*\text{ArcTan}[1 + (\sqrt{2}*b^{(1/4)}*x)/a^{(1/4)}] \\ &+ \sqrt{2}*(-21*b^{(3/2)}*c + 5*\sqrt{a}*b*e - 3*a*\sqrt{b}*g + 3*a^{(3/2)}*i)*\text{Log}[\sqrt{a} - \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{b}*x^2] + \sqrt{2}*(21*b^{(3/2)}*c - 5*\sqrt{a}*b*e + 3*a*\sqrt{b}*g - 3*a^{(3/2)}*i)*\text{Log}[\sqrt{a} + \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{b}*x^2] \end{aligned}}{(256*a^{(11/4)}*b^{(7/4)})}$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6}{(a + bx^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^3,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^3, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.23, size = 661, normalized size = 1.43

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")

[Out] $\frac{3}{256}i*(2*\sqrt{2}*(a*b^3)^{(3/4)}*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2})*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^2*b^4) - \sqrt{2}*(a*b^3)^{(3/4)}*\log(x^2 + \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a^2*b^4)) + 3/256*i*(2*\sqrt{2}*(a*b^3)^{(3/4)}*\arctan($

$$\begin{aligned}
 & \frac{1}{2} \sqrt{2} (2x - \sqrt{2} (a/b)^{1/4}) / (a/b)^{1/4} / (a^2 b^4) + \sqrt{2} (a b^3)^{3/4} \log(x^2 - \sqrt{2} x (a/b)^{1/4} + \sqrt{a/b}) / (a^2 b^4) + 1/128 \\
 & \sqrt{2} (12 \sqrt{2} \sqrt{a b} b^2 d + 4 \sqrt{2} \sqrt{a b} a b h + 21 (a b^3)^{1/4} b^2 c + 3 (a b^3)^{1/4} a b g + 5 (a b^3)^{3/4} e) \arctan(1/2 \sqrt{2} \\
 & (2x + \sqrt{2} (a/b)^{1/4}) / (a/b)^{1/4} / (a^3 b^3) + 1/128 \sqrt{2} (12 \sqrt{2} \sqrt{a b} b^2 d + 4 \sqrt{2} \sqrt{a b} a b h + 21 (a b^3)^{1/4} b^2 c \\
 & + 3 (a b^3)^{1/4} a b g + 5 (a b^3)^{3/4} e) \arctan(1/2 \sqrt{2} (2x - \sqrt{2} (a/b)^{1/4}) / (a/b)^{1/4} / (a^3 b^3) + 1/256 \sqrt{2} (21 (a b^3)^{1/4} \\
 & b^2 c + 3 (a b^3)^{1/4} a b g - 5 (a b^3)^{3/4} e) \log(x^2 + \sqrt{2} x (a/b)^{1/4} + \sqrt{a/b}) / (a^3 b^3) - 1/256 \sqrt{2} (21 (a b^3)^{1/4} b^2 c + 3 \\
 & (a b^3)^{1/4} a b g - 5 (a b^3)^{3/4} e) \log(x^2 - \sqrt{2} x (a/b)^{1/4} + \sqrt{a/b}) / (a^3 b^3) + 1/32 (3 a b i x^7 + 5 b^2 x^7 e + 6 b^2 d x^6 + 2 a \\
 & b h x^6 + 7 b^2 c x^5 + a b g x^5 - a^2 i x^3 + 9 a b x^3 e + 10 a b d x^2 - 2 a^2 h x^2 + 11 a b c x - 3 a^2 g x - 4 a^2 f) / ((b x^4 + a)^2 a^2 b)
 \end{aligned}$$

maple [A] time = 0.06, size = 716, normalized size = 1.55

$$\frac{\arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{16\sqrt{2}a^2} - \frac{\arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{16\sqrt{2}a^2} - \frac{3\sqrt{2}\arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{128\sqrt{2}a^2} - \frac{3\sqrt{2}\arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{128\sqrt{2}a^2} - \frac{\sqrt{2}\ln\left(\frac{\sqrt{2}x + \sqrt{a/b}}{\sqrt{2}x - \sqrt{a/b}}\right)}{256\sqrt{2}a^2} - \frac{\sqrt{2}\arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{128\sqrt{2}a^2} - \frac{\sqrt{2}\arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{128\sqrt{2}a^2} - \frac{\sqrt{2}\ln\left(\frac{\sqrt{2}x + \sqrt{a/b}}{\sqrt{2}x - \sqrt{a/b}}\right)}{256\sqrt{2}a^2} - \frac{3\sqrt{2}\sqrt{2}\arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{128\sqrt{2}a^2} - \frac{3\sqrt{2}\sqrt{2}\arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{128\sqrt{2}a^2} - \frac{3\sqrt{2}\sqrt{2}\arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{256\sqrt{2}a^2} - \frac{21\sqrt{2}\sqrt{2}\arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{128\sqrt{2}a^2} - \frac{21\sqrt{2}\sqrt{2}\arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{256\sqrt{2}a^2} - \frac{\arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{16\sqrt{2}a^2} - \frac{\arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{16\sqrt{2}a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)

[Out] (1/32*(3*a*i+5*b*e)/a^2*x^7+1/16*(a*h+3*b*d)/a^2*x^6+1/32*(a*g+7*b*c)/a^2*x^5-1/32*(a*i-9*b*e)/a/b*x^3-1/16*(a*h-5*b*d)/a/b*x^2-1/32*(3*a*g-11*b*c)/a/b*x-1/8/b*f)/(b*x^4+a)^2+3/128*(a/b)^(1/4)*2^(1/2)/a^2/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+21/128*(a/b)^(1/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/128*(a/b)^(1/4)*2^(1/2)/a^2/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+21/128*(a/b)^(1/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/256*(a/b)^(1/4)*2^(1/2)/a^2/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+21/256*(a/b)^(1/4)*2^(1/2)/a^3*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16/(a*b)^(1/2)/a/b*h*arctan((1/a*b)^(1/2)*x^2)+3/16/(a*b)^(1/2)/a^2*d*arctan((1/a*b)^(1/2)*x^2)+3/128/a/b^2/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*i+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/128/a/b^2/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*i+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/256/a/b^2/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*i+5/256/(a/b)^(1/4)*2^(1/2)/a^2/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))

maxima [A] time = 3.17, size = 497, normalized size = 1.07

$$\frac{(b^2 x^2 + 3 a b) x^7 + 2 (3 b^2 d + a b g) x^6 + (2 b^2 c + a b h) x^5 + (9 a b d - 3 a^2 e) x^4 + 2 (5 a b d - a^2 b) x^3 + (11 a b c - 3 a^2 f) x^2}{32 (a^2 b^3 x^4 + a^3)^2} + \frac{3 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{\sqrt{a/b}}\right)}{128 \sqrt{2} a^2} + \frac{3 \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{\sqrt{a/b}}\right)}{128 \sqrt{2} a^2} - \frac{3 \sqrt{2} \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{\sqrt{a/b}}\right)}{256 \sqrt{2} a^2} - \frac{3 \sqrt{2} \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{\sqrt{a/b}}\right)}{128 \sqrt{2} a^2} - \frac{3 \sqrt{2} \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{\sqrt{a/b}}\right)}{256 \sqrt{2} a^2} - \frac{21 \sqrt{2} \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{\sqrt{a/b}}\right)}{128 \sqrt{2} a^2} - \frac{21 \sqrt{2} \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{\sqrt{a/b}}\right)}{256 \sqrt{2} a^2} - \frac{\arctan\left(\frac{\sqrt{2} x}{\sqrt{a/b}}\right)}{16 \sqrt{2} a^2} - \frac{\arctan\left(\frac{\sqrt{2} x}{\sqrt{a/b}}\right)}{16 \sqrt{2} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{32}((5b^2e + 3ab^2i)x^7 + 2(3b^2d + ab^2h)x^6 + (7b^2c + ab^2g)x^5 + (9abe - a^2i)x^3 - 4a^2f + 2(5abd - a^2h)x^2 + (11abc - 3a^2g)x)/(a^2b^3x^8 + 2a^3b^2x^4 + a^4b) + \frac{1}{256}(\sqrt{2}(21b^{3/2}c - 5\sqrt{a}be + 3a\sqrt{b}g - 3a^{3/2}i)\log(\sqrt{b}x^2 + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a}))/a^{3/4}b^{3/4} - \sqrt{2}(21b^{3/2}c - 5\sqrt{a}be + 3a\sqrt{b}g - 3a^{3/2}i)\log(\sqrt{b}x^2 - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a}))/a^{3/4}b^{3/4} + 2(21\sqrt{2}a^{1/4}b^{7/4}c + 5\sqrt{2}a^{3/4}b^{5/4}e + 3\sqrt{2}a^{5/4}b^{3/4}g + 3\sqrt{2}a^{7/4}b^{1/4}i - 24\sqrt{a}b^{3/2}d - 8a^{3/2}\sqrt{b}h)\arctan(1/2\sqrt{2}(2\sqrt{b}x + \sqrt{2}a^{1/4}b^{1/4}))/\sqrt{\sqrt{a}\sqrt{b}})/a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}b^{3/4} + 2(21\sqrt{2}a^{1/4}b^{7/4}c + 5\sqrt{2}a^{3/4}b^{5/4}e + 3\sqrt{2}a^{5/4}b^{3/4}g + 3\sqrt{2}a^{7/4}b^{1/4}i + 24\sqrt{a}b^{3/2}d + 8a^{3/2}\sqrt{b}h)\arctan(1/2\sqrt{2}(2\sqrt{b}x - \sqrt{2}a^{1/4}b^{1/4}))/\sqrt{\sqrt{a}\sqrt{b}})/a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}b^{3/4})/(a^2b)$

mupad [B] time = 5.75, size = 2680, normalized size = 5.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^3,x)

[Out] $\text{symsum}(\log(-\text{root}(268435456a^{11}b^7z^4 + 589824a^8b^4g^2z^2 + 4128768a^7b^5c^2z^2 + 3145728a^7b^5d^2hz^2 + 983040a^7b^5e^2gz^2 + 6881280a^6b^6c^2ez^2 + 524288a^8b^4h^2z^2 + 4718592a^6b^6d^2z^2 + 61440a^6b^3e^2hz - 258048a^5b^4c^2ghz + 184320a^5b^4d^2eiz - 774144a^4b^5c^2d^2gz + 18432a^7b^2h^2z - 18432a^6b^3g^2hz + 55296a^6b^3d^2iz + 51200a^5b^4e^2hz - 903168a^4b^5c^2hz - 55296a^5b^4d^2gz + 153600a^4b^5d^2ez - 2709504a^3b^6c^2dz - 3456a^4b^2d^2ghz - 24192a^3b^3c^2d^2hz + 7560a^3b^3c^2egz - 5760a^3b^3d^2egh - 40320a^2b^4c^2deh + 540a^4b^2e^2gi - 5184a^3b^3d^2gi - 4032a^4b^2c^2h^2i - 960a^4b^2e^2gh^2 + 2268a^4b^2c^2gi^2 + 26460a^2b^4c^2ei - 36288a^2b^4c^2d^2i - 8640a^2b^4d^2eg - 6720a^3b^3c^2eh^2 + 6300a^2b^4c^2eg - 576a^5b^2gh^2i - 60480a^2b^5c^2d^2e + 540a^5b^2e^2i^3 + 111132a^2b^5c^3g + 1350a^4b^2e^2i^2 + 13824a^3b^3d^2h^2 + 7938a^3b^3c^2i^2 + 450a^3b^3e^2g^2 + 23814a^2b^4c^2g^2 + 162a^5b^2g^2i^2 + 1500a^3b^3e^3i + 27648a^2b^4d^3h + 3072a^4b^2d^2h^3 + 2268a^3b^3c^2g^3 + 22050a^2b^5c^2e^2 + 81a^4b^2g^4 + 625a^2b^4e^4 + 256a^5b^2h^4 + 20736a^2b^5d^4 + 81a^6i^4 + 194481b^6c^4, z, 1)(\text{root}(268435456a^{11}b^7z^4 + 589824a^8b^4g^2z^2 + 4128768a^7b^5c^2z^2 + 3145728a^7b^5d^2hz^2 + 983040a^7b^5e^2gz^2 + 6881280a^6b^6c^2ez^2 + 524288a^8b^4h^2z^2 + 4718592a^6b^6d^2z^2 + 61440a^6b^3e^2hz - 258048a^5b^4c^2ghz + 184320a^5b^4d^2eiz - 774144a^4b^5c^2d^2gz + 18432a^7b^2h^2z - 18432a^6b^3g^2hz + 55296a^6b^3d^2iz + 51200a^5b^4e^2hz - 903168a^4b^5c^2hz - 55296a^5b^4d^2gz + 153600a^4b^5d^2ez - 2709504a^3b^6c^2dz - 3456a^4b^2d^2ghz - 24192a^3b^3c^2d^2hz + 7560a^3b^3c^2egz - 5760a^3b^3d^2egh - 40320a^2b^4c^2deh + 540a^4b^2e^2gi - 5184a^3b^3d^2gi - 4032a^4b^2c^2h^2i - 960a^4b^2e^2gh^2 + 2268a^4b^2c^2gi^2 + 26460a^2b^4c^2ei - 36288a^2b^4c^2d^2i - 8640a^2b^4d^2eg - 6720a^3b^3c^2eh^2 + 6300a^2b^4c^2eg - 576a^5b^2gh^2i - 60480a^2b^5c^2d^2e + 540a^5b^2e^2i^3 + 111132a^2b^5c^3g + 1350a^4b^2e^2i^2 + 13824a^3b^3d^2h^2 + 7938a^3b^3c^2i^2 + 450a^3b^3e^2g^2 + 23814a^2b^4c^2g^2 + 162a^5b^2g^2i^2 + 1500a^3b^3e^3i + 27648a^2b^4d^3h + 3072a^4b^2d^2h^3 + 2268a^3b^3c^2g^3 + 22050a^2b^5c^2e^2 + 81a^4b^2g^4 + 625a^2b^4e^4 + 256a^5b^2h^4 + 20736a^2b^5d^4 + 81a^6i^4 + 194481b^6c^4, z, 1)$

$$\begin{aligned}
& + 61440a^6b^3e^*h^*i^*z - 258048a^5b^4c^*g^*h^*z + 184320a^5b^4d^*e^*i^*z - \\
& 774144a^4b^5c^*d^*g^*z + 18432a^7b^2h^*i^2z - 18432a^6b^3g^2h^*z + 5 \\
& 5296a^6b^3d^*i^2z + 51200a^5b^4e^2h^*z - 903168a^4b^5c^2h^*z - 552 \\
& 96a^5b^4d^*g^2z + 153600a^4b^5d^*e^2z - 2709504a^3b^6c^2d^*z - 345 \\
& 6a^4b^2d^*g^*h^*i - 24192a^3b^3c^*d^*h^*i + 7560a^3b^3c^*e^*g^*i - 5760a^3 \\
& b^3d^*e^*g^*h - 40320a^2b^4c^*d^*e^*h + 540a^4b^2e^*g^2i - 5184a^3b^3d^ \\
& ^2g^*i - 4032a^4b^2c^*h^2i - 960a^4b^2e^*g^*h^2 + 2268a^4b^2c^*g^*i^2 \\
& + 26460a^2b^4c^2e^*i - 36288a^2b^4c^*d^2i - 8640a^2b^4d^2e^*g - 67 \\
& 20a^3b^3c^*e^*h^2 + 6300a^2b^4c^*e^2g - 576a^5b^*g^*h^2i - 60480a^*b^5 \\
& *c^*d^2e + 540a^5b^*e^*i^3 + 111132a^*b^5c^3g + 1350a^4b^2e^2i^2 + 13 \\
& 824a^3b^3d^2h^2 + 7938a^3b^3c^2i^2 + 450a^3b^3e^2g^2 + 23814a^ \\
& 2b^4c^2g^2 + 162a^5b^*g^2i^2 + 1500a^3b^3e^3i + 27648a^2b^4d^3* \\
& h + 3072a^4b^2d^*h^3 + 2268a^3b^3c^*g^3 + 22050a^*b^5c^2e^2 + 81a^4* \\
& b^2g^4 + 625a^2b^4e^4 + 256a^5b^*h^4 + 20736a^*b^5d^4 + 81a^6i^4 + \\
& 194481b^6c^4, z, 1) * ((344064a^5b^5c + 49152a^6b^4g) / (32768a^6b^2) \\
& - (x*(24576a^5b^4d + 8192a^6b^3h)) / (4096a^6b)) + (15360a^3b^4d* \\
& e + 9216a^4b^3d^*i + 5120a^4b^3e^*h + 3072a^5b^2h^*i) / (32768a^6b^2) \\
& - (x*(144a^5b^i^2 - 7056a^2b^4c^2 + 400a^3b^3e^2 - 144a^4b^2g^2 \\
& - 2016a^3b^3c^*g + 480a^4b^2e^*i)) / (4096a^6b)) - (27a^4i^3 + 125a^ \\
& *b^3e^3 - 3024b^4c^*d^2 + 2205b^4c^2e - 336a^2b^2c^*h^2 + 45a^2b^2 \\
& *e^*g^2 + 225a^2b^2e^2i - 432a^*b^3d^2g + 1323a^*b^3c^2i + 135a^3b \\
& *e^*i^2 - 48a^3b^*g^*h^2 + 27a^3b^*g^2i + 378a^2b^2c^*g^*i - 288a^2b^2* \\
& d^*g^*h - 2016a^*b^3c^*d^*h + 630a^*b^3c^*e^*g) / (32768a^6b^2) - (x*(315b^3c \\
& *d^*e - 8a^3h^3 - 216b^3d^3 + 9a^3g^*h^*i - 216a^*b^2d^2h - 72a^2b^d \\
& *h^2 + 189a^*b^2c^*d^*i + 105a^*b^2c^*e^*h + 45a^*b^2d^*e^*g + 63a^2b^*c^*h^*i \\
& + 27a^2b^*d^*g^*i + 15a^2b^*e^*g^*h)) / (4096a^6b)) * root(268435456a^11b^7z \\
& ^4 + 589824a^8b^4g^*i^*z^2 + 4128768a^7b^5c^*i^*z^2 + 3145728a^7b^5d^*h \\
& *z^2 + 983040a^7b^5e^*g^*z^2 + 6881280a^6b^6c^*e^*z^2 + 524288a^8b^4h^ \\
& 2z^2 + 4718592a^6b^6d^2z^2 + 61440a^6b^3e^*h^*i^*z - 258048a^5b^4c^* \\
& g^*h^*z + 184320a^5b^4d^*e^*i^*z - 774144a^4b^5c^*d^*g^*z + 18432a^7b^2h^*i \\
& ^2z - 18432a^6b^3g^2h^*z + 55296a^6b^3d^*i^2z + 51200a^5b^4e^2h^* \\
& z - 903168a^4b^5c^2h^*z - 55296a^5b^4d^*g^2z + 153600a^4b^5d^*e^2z \\
& - 2709504a^3b^6c^2d^*z - 3456a^4b^2d^*g^*h^*i - 24192a^3b^3c^*d^*h^*i + \\
& 7560a^3b^3c^*e^*g^*i - 5760a^3b^3d^*e^*g^*h - 40320a^2b^4c^*d^*e^*h + 540* \\
& a^4b^2e^*g^2i - 5184a^3b^3d^2g^*i - 4032a^4b^2c^*h^2i - 960a^4b^2 \\
& *e^*g^*h^2 + 2268a^4b^2c^*g^*i^2 + 26460a^2b^4c^2e^*i - 36288a^2b^4c^*d \\
& ^2i - 8640a^2b^4d^2e^*g - 6720a^3b^3c^*e^*h^2 + 6300a^2b^4c^*e^2g - \\
& 576a^5b^*g^*h^2i - 60480a^*b^5c^*d^2e + 540a^5b^*e^*i^3 + 111132a^*b^5c^ \\
& ^3g + 1350a^4b^2e^2i^2 + 13824a^3b^3d^2h^2 + 7938a^3b^3c^2i^2 \\
& + 450a^3b^3e^2g^2 + 23814a^2b^4c^2g^2 + 162a^5b^*g^2i^2 + 1500a^ \\
& 3b^3e^3i + 27648a^2b^4d^3h + 3072a^4b^2d^*h^3 + 2268a^3b^3c^*g^3 \\
& + 22050a^*b^5c^2e^2 + 81a^4b^2g^4 + 625a^2b^4e^4 + 256a^5b^*h^4 + \\
& 20736a^*b^5d^4 + 81a^6i^4 + 194481b^6c^4, z, 1), 1, 1, 4) + ((x^5*(7* \\
& b^*c + a^*g)) / (32a^2) - f / (8b) + (x^6*(3b^*d + a^*h)) / (16a^2) + (x^7*(5b^*e \\
& + 3a^*i)) / (32a^2) + (x*(11b^*c - 3a^*g)) / (32a^*b) + (x^2*(5b^*d - a^*h)) / (
\end{aligned}$$

$16ab) + (x^3(9be - ai))/(32ab)/(a^2 + b^2x^8 + 2abx^4)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x)

[Out] Timed out

$$3.156 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^3} dx$$

Optimal. Leaf size=480

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b} (ag + 7bc) - \sqrt{a} (3ai + 5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b} (ag + 7bc) + \sqrt{a} (3ai + 5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}}$$

Rubi [A] time = 0.67, antiderivative size = 480, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.244$, Rules used = {1858, 1854, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{4i(j+bf)-i(4ag+7bc)+2i(ah+3bd)+b^2(Da+5bc)}{32\sqrt{2}(a+bx^4)} \log\left(\frac{-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}\right) \frac{\log\left(\frac{-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}\right)}{128\sqrt{2}a^{11/4}b^{7/4}} - \frac{\log\left(\frac{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}\right)}{128\sqrt{2}a^{11/4}b^{7/4}} - \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}\right)}{64\sqrt{2}a^{11/4}b^{7/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}\right)}{64\sqrt{2}a^{11/4}b^{7/4}} + \frac{(ah+3bd)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}{\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2}\right)}{16a^{11/4}b^{7/4}} + \frac{i(ah-bd)+i^2(bf-a)-ag+bc}{8a^{11/4}b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^3, x]

[Out] (x*(b*c - a*g + (b*d - a*h)*x + (b*e - a*i)*x^2 + (b*f - a*j)*x^3))/(8*a*b*(a + b*x^4)^2) - (4*a*(b*f + a*j) - x*(b*(7*b*c + a*g) + 2*b*(3*b*d + a*h)*x + b*(5*b*e + 3*a*i)*x^2))/(32*a^2*b^2*(a + b*x^4)) + ((3*b*d + a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]]/(16*a^(5/2)*b^(3/2)) - ((3*Sqrt[b]*(7*b*c + a*g) + Sqrt[a]*(5*b*e + 3*a*i))*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/(64*Sqrt[2]*a^(11/4)*b^(7/4)) + ((3*Sqrt[b]*(7*b*c + a*g) + Sqrt[a]*(5*b*e + 3*a*i))*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/(64*Sqrt[2]*a^(11/4)*b^(7/4)) - ((3*Sqrt[b]*(7*b*c + a*g) - Sqrt[a]*(5*b*e + 3*a*i))*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(7/4)) + ((3*Sqrt[b]*(7*b*c + a*g) - Sqrt[a]*(5*b*e + 3*a*i))*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(7/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
```

```
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :=> With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :=> With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps


```

*(f + x*(g + x*(h + i*x)))))/(a + b*x^4)^2 - 2*b^(1/4)*(21*Sqrt[2]*b^(3/2)*
c + 24*a^(1/4)*b^(5/4)*d + 5*Sqrt[2]*Sqrt[a]*b*e + 3*Sqrt[2]*a*Sqrt[b]*g +
8*a^(5/4)*b^(1/4)*h + 3*Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a
^(1/4)] + 2*b^(1/4)*(21*Sqrt[2]*b^(3/2)*c - 24*a^(1/4)*b^(5/4)*d + 5*Sqrt[2]
]*Sqrt[a]*b*e + 3*Sqrt[2]*a*Sqrt[b]*g - 8*a^(5/4)*b^(1/4)*h + 3*Sqrt[2]*a^(
3/2)*i)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*b^(1/4)*(-21*b^(3
/2)*c + 5*Sqrt[a]*b*e - 3*a*Sqrt[b]*g + 3*a^(3/2)*i)*Log[Sqrt[a] - Sqrt[2]*
a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*b^(1/4)*(21*b^(3/2)*c - 5*Sqrt[a]
]*b*e + 3*a*Sqrt[b]*g - 3*a^(3/2)*i)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*
x + Sqrt[b]*x^2)]/(256*a^(11/4)*b^2)

```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6 + jx^7}{(a + bx^4)^3} dx$$

Verification is not applicable to the result.

```

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7
)/(a + b*x^4)^3, x]

```

```

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7
)/(a + b*x^4)^3, x]

```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algori
thm="fricas")

```

```

[Out] Timed out

```

giac [A] time = 0.22, size = 693, normalized size = 1.44

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algori
thm="giac")

```

```

[Out] 3/256*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1
/4)))/(a/b)^(1/4))/(a^2*b^4) - sqrt(2)*(a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(a/

```

$$b^{1/4} + \sqrt{a/b})/(a^2*b^4) + 3/256*i*(2*\sqrt{2}*(a*b^3)^{3/4}*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{1/4})/(a/b)^{1/4})/(a^2*b^4) + \sqrt{2}*(a*b^3)^{3/4}*\log(x^2 - \sqrt{2}*(a/b)^{1/4} + \sqrt{a/b})/(a^2*b^4) + 1/128*\sqrt{2}*(12*\sqrt{2}*\sqrt{a*b}*b^2*d + 4*\sqrt{2}*\sqrt{a*b}*a*b*h + 21*(a*b^3)^{1/4}*b^2*c + 3*(a*b^3)^{1/4}*a*b*g + 5*(a*b^3)^{3/4}*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/b)^{1/4})/(a/b)^{1/4})/(a^3*b^3) + 1/128*\sqrt{2}*(12*\sqrt{2}*\sqrt{a*b}*b^2*d + 4*\sqrt{2}*\sqrt{a*b}*a*b*h + 21*(a*b^3)^{1/4}*b^2*c + 3*(a*b^3)^{1/4}*a*b*g + 5*(a*b^3)^{3/4}*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{1/4})/(a/b)^{1/4})/(a^3*b^3) + 1/256*\sqrt{2}*(21*(a*b^3)^{1/4}*b^2*c + 3*(a*b^3)^{1/4}*a*b*g - 5*(a*b^3)^{3/4}*e)*\log(x^2 + \sqrt{2}*(a/b)^{1/4} + \sqrt{a/b})/(a^3*b^3) - 1/256*\sqrt{2}*(21*(a*b^3)^{1/4}*b^2*c + 3*(a*b^3)^{1/4}*a*b*g - 5*(a*b^3)^{3/4}*e)*\log(x^2 - \sqrt{2}*(a/b)^{1/4} + \sqrt{a/b})/(a^3*b^3) + 1/32*(3*a*b^2*i*x^7 + 5*b^3*x^7*e + 6*b^3*d*x^6 + 2*a*b^2*h*x^6 + 7*b^3*c*x^5 + a*b^2*g*x^5 - 8*a^2*b*j*x^4 - a^2*b*i*x^3 + 9*a*b^2*x^3*e + 10*a*b^2*d*x^2 - 2*a^2*b*h*x^2 + 11*a*b^2*c*x - 3*a^2*b*g*x - 4*a^2*b*f - 4*a^3*j)/(b*x^4 + a)^2*a^2*b^2)$$

maple [A] time = 0.06, size = 731, normalized size = 1.52

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3, x)$

[Out] $(1/32*(3*a*i+5*b*e)/a^2*x^7+1/16*(a*h+3*b*d)/a^2*x^6+1/32*(a*g+7*b*c)/a^2*x^5-1/4/b*j*x^4-1/32*(a*i-9*b*e)/a/b*x^3-1/16*(a*h-5*b*d)/a/b*x^2-1/32*(3*a*g-11*b*c)/a/b*x-1/8*(a*j+b*f)/b^2)/(b*x^4+a)^2+3/128*(a/b)^{1/4}*2^{1/2}/a^2/b*g*\arctan(2^{1/2}/(a/b)^{1/4}*x-1)+21/128*(a/b)^{1/4}*2^{1/2}/a^3*c*\arctan(2^{1/2}/(a/b)^{1/4}*x-1)+3/256*(a/b)^{1/4}*2^{1/2}/a^2/b*g*\ln((x^2+(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2}))/((x^2-(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2}))+21/256*(a/b)^{1/4}*2^{1/2}/a^3*c*\ln((x^2+(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2}))/((x^2-(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2}))+3/128*(a/b)^{1/4}*2^{1/2}/a^2/b*g*\arctan(2^{1/2}/(a/b)^{1/4}*x+1)+21/128*(a/b)^{1/4}*2^{1/2}/a^3*c*\arctan(2^{1/2}/(a/b)^{1/4}*x+1)+1/16/(a*b)^{1/2}/a/b*h*\arctan((1/a*b)^{1/2}*x^2)+3/16/(a*b)^{1/2}/a^2*d*\arctan((1/a*b)^{1/2}*x^2)+3/256/(a/b)^{1/4}*2^{1/2}/a/b^2*i*\ln((x^2-(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2}))/((x^2+(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2}))+5/256/(a/b)^{1/4}*2^{1/2}/a^2/b*e*\ln((x^2-(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2}))/((x^2+(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2}))+3/128/(a/b)^{1/4}*2^{1/2}/a/b^2*i*\arctan(2^{1/2}/(a/b)^{1/4}*x-1)+5/128/(a/b)^{1/4}*2^{1/2}/a^2/b*e*\arctan(2^{1/2}/(a/b)^{1/4}*x-1)+3/128/(a/b)^{1/4}*2^{1/2}/a/b^2*i*\arctan(2^{1/2}/(a/b)^{1/4}*x+1)+5/128/(a/b)^{1/4}*2^{1/2}/a^2/b*e*\arctan(2^{1/2}/(a/b)^{1/4}*x+1)$

$$\begin{aligned}
& 2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g + 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 + 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i + 27648*a^2*b^4*d^3*h + 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 + 81*a^4*b^2*g^4 + 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 + 81*a^6*i^4 + 194481*b^6*c^4, z, m) * (root(268435456*a^11*b^7*z^4 + 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 + 6881280*a^6*b^6*c*e*z^2 + 524288*a^8*b^4*h^2*z^2 + 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z - 258048*a^5*b^4*c*g*h*z + 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z + 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z + 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z - 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z - 2709504*a^3*b^6*c^2*d*z - 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h - 40320*a^2*b^4*c*d*e*h + 540*a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i - 4032*a^4*b^2*c*h^2*i - 960*a^4*b^2*e*g*h^2 + 2268*a^4*b^2*c*g*i^2 + 26460*a^2*b^4*c^2*e*i - 36288*a^2*b^4*c*d^2*i - 8640*a^2*b^4*d^2*e*g - 6720*a^3*b^3*c*e*h^2 + 6300*a^2*b^4*c*e^2*g - 576*a^5*b*g*h^2*i - 60480*a*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g + 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 + 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i + 27648*a^2*b^4*d^3*h + 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 + 81*a^4*b^2*g^4 + 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 + 81*a^6*i^4 + 194481*b^6*c^4, z, m) * ((344064*a^5*b^5*c + 49152*a^6*b^4*g)/(32768*a^6*b^2) - (x*(24576*a^5*b^4*d + 8192*a^6*b^3*h))/(4096*a^6*b)) + (15360*a^3*b^4*d*e + 9216*a^4*b^3*d*i + 5120*a^4*b^3*e*h + 3072*a^5*b^2*h*i)/(32768*a^6*b^2) - (x*(144*a^5*b*i^2 - 7056*a^2*b^4*c^2 + 400*a^3*b^3*e^2 - 144*a^4*b^2*g^2 - 2016*a^3*b^3*c*g + 480*a^4*b^2*e*i))/(4096*a^6*b)) - (27*a^4*i^3 + 125*a*b^3*e^3 - 3024*b^4*c*d^2 + 2205*b^4*c^2*e - 336*a^2*b^2*c*h^2 + 45*a^2*b^2*e*g^2 + 225*a^2*b^2*e^2*i - 432*a*b^3*d^2*g + 1323*a*b^3*c^2*i + 135*a^3*b*e*i^2 - 48*a^3*b*g*h^2 + 27*a^3*b*g^2*i + 378*a^2*b^2*c*g*i - 288*a^2*b^2*d*g*h - 2016*a*b^3*c*d*h + 630*a*b^3*c*e*g)/(32768*a^6*b^2) - (x*(315*b^3*c*d*e - 8*a^3*h^3 - 216*b^3*d^3 + 9*a^3*g*h*i - 216*a*b^2*d^2*h - 72*a^2*b*d*h^2 + 189*a*b^2*c*d*i + 105*a*b^2*c*e*h + 45*a*b^2*d*e*g + 63*a^2*b*c*h*i + 27*a^2*b*d*g*i + 15*a^2*b*e*g*h))/(4096*a^6*b)) * root(268435456*a^11*b^7*z^4 + 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 + 6881280*a^6*b^6*c*e*z^2 + 524288*a^8*b^4*h^2*z^2 + 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z - 258048*a^5*b^4*c*g*h*z + 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z + 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z + 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z - 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z - 2709504*a^3*b^6*c^2*d*z - 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h - 40320*a^2*b^4*c*d*e*h + 540*a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i - 4032*a^4*b^2*c*h^2*i - 960*a^4*b^2*e*g*h^2 + 2268*a^4*b^2*c*g*i^2 + 26460*a^2*b^4*c^2*e*i - 36288*a^2*b^4*c*d^2*i - 8640*a^2*b^4*d^2*e*g - 6720*a^3*b^3*c*e*h^2 + 6300*a^2*b^4*c*e^2*g -
\end{aligned}$$

$$\begin{aligned}
& 576*a^5*b*g*h^2*i - 60480*a*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c \\
& ^3*g + 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 \\
& + 450*a^3*b^3*e^2*g^2 + 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^ \\
& 3*b^3*e^3*i + 27648*a^2*b^4*d^3*h + 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 \\
& + 22050*a*b^5*c^2*e^2 + 81*a^4*b^2*g^4 + 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + \\
& 20736*a*b^5*d^4 + 81*a^6*i^4 + 194481*b^6*c^4, z, m), m, 1, 4) + ((x^5*(7* \\
& b*c + a*g))/(32*a^2) - (j*x^4)/(4*b) - (b*f + a*j)/(8*b^2) + (x^6*(3*b*d + \\
& a*h))/(16*a^2) + (x^7*(5*b*e + 3*a*i))/(32*a^2) + (x*(11*b*c - 3*a*g))/(32* \\
& a*b) + (x^2*(5*b*d - a*h))/(16*a*b) + (x^3*(9*b*e - a*i))/(32*a*b))/(a^2 + \\
& b^2*x^8 + 2*a*b*x^4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x
)

[Out] Timed out

$$3.157 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^4} dx$$

Optimal. Leaf size=293

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{(5bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}}$$

Rubi [A] time = 0.43, antiderivative size = 293, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1858, 1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{(5bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}} + \frac{x(2x(5bd-ah)-ag+11bc+9bex^2)+8af}{96a^2b(a-bx^4)^2} + \frac{x(7(11bc-ag)+12x(5bd-ah)+45bex^2)}{384a^3b(a-bx^4)} + \frac{x(x(ah+bd)+ag+bc+bex^2+bfx^3)}{12ab(a-bx^4)^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^4, x]

[Out] (x*(b*c + a*g + (b*d + a*h)*x + b*e*x^2 + b*f*x^3))/(12*a*b*(a - b*x^4)^3) + (x*(7*(11*b*c - a*g) + 12*(5*b*d - a*h)*x + 45*b*e*x^2))/(384*a^3*b*(a - b*x^4)) + (8*a*f + x*(11*b*c - a*g + 2*(5*b*d - a*h)*x + 9*b*e*x^2))/(96*a^2*b*(a - b*x^4)^2) + ((77*b*c - 15*sqrt[a]*sqrt[b]*e - 7*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(5/4)) + ((77*b*c + 15*sqrt[a]*sqrt[b]*e - 7*a*g)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(5/4)) + ((5*b*d - a*h)*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(32*a^(7/2)*b^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a - bx^4)^4} dx &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} - \frac{\int \frac{-b(11bc - ag) - 2b(5bd - ah)x - 9b^2ex^2}{(a - bx^4)^3}}{12ab^2} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{8af + x(11bc - ag + 2(5bd - ah)x - 9b^2ex^2)}{96a^2b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2ex^2)}{384a^3b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2ex^2)}{384a^3b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2ex^2)}{384a^3b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2ex^2)}{384a^3b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2ex^2)}{384a^3b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2ex^2)}{384a^3b(a - bx^4)}
\end{aligned}$$

Mathematica [A] time = 0.49, size = 360, normalized size = 1.23

$$\frac{-3 \log(\sqrt{a} - \sqrt{bx^4}) (-8a^{3/4}b + 15\sqrt{a}b^{3/4}e + 40\sqrt{a}bd - 7a\sqrt{b}g + 77b^{3/4}h) + 3 \log(\sqrt{a} + \sqrt{bx^4}) (8a^{3/4}b + 15\sqrt{a}b^{3/4}e - 40\sqrt{a}bd - 7a\sqrt{b}g + 77b^{3/4}h) + \frac{12b^{11/4}\sqrt{a}(c + (bd + ah)x + bex^2 + bfx^3)}{(a - bx^4)^3} + \frac{16b^{11/4}\sqrt{a}(-7ag - 2(5bd - ah)x - 9b^2ex^2)}{(a - bx^4)^3} + \frac{6a^{11/4}\sqrt{a}(-7ag - 2(5bd - ah)x - 9b^2ex^2)}{a^2} + 6\sqrt{b} \tan^{-1}\left(\frac{\sqrt{a}}{\sqrt{bx^4}}\right) (-15\sqrt{a}\sqrt{b}e - 7ag + 77b) - 24\sqrt{a}(ah - 5bd) \log(\sqrt{a} + \sqrt{bx^4})}{1536a^{11/4}b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^4, x]

[Out] ((4*a^(3/4)*Sqrt[b]*x*(77*b*c - 7*a*g + 60*b*d*x - 12*a*h*x + 45*b*e*x^2))/(a - b*x^4) + (16*a^(7/4)*Sqrt[b]*x*(11*b*c + b*x*(10*d + 9*e*x) - a*(g + 2*h*x)))/(a - b*x^4)^2 + (128*a^(11/4)*Sqrt[b]*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + h*x)))/(a - b*x^4)^3 + 6*b^(1/4)*(77*b*c - 15*Sqrt[a]*Sqrt[b]*e - 7*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] - 3*(77*b^(5/4)*c + 40*a^(1/4)*b*d + 15*Sqrt[a]*b^(3/4)*e - 7*a*b^(1/4)*g - 8*a^(5/4)*h)*Log[a^(1/4) - b^(1/4)*x] + 3*(77*b^(5/4)*c - 40*a^(1/4)*b*d + 15*Sqrt[a]*b^(3/4)*e - 7*a*b^(1/4)*g

+ 8*a^(5/4)*h)*Log[a^(1/4) + b^(1/4)*x] - 24*a^(1/4)*(-5*b*d + a*h)*Log[Sqrt[a + Sqrt[b]*x^2])/(1536*a^(15/4)*b^(3/2))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a - bx^4)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^4, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^4, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.26, size = 501, normalized size = 1.71

$$\frac{\sqrt{77b^2c - 7abg - 40\sqrt{2}(-ab^3)^{1/4}bd + 8\sqrt{2}(-ab^3)^{1/4}ah + 15\sqrt{2}(-ab)b^3e} \arctan\left(\frac{\sqrt{2}(-ab^3)^{1/4}(2x + \sqrt{2}(-a/b)^{1/4})}{(-a/b)^{1/4}}\right)}{1024(-ab^3)^{3/4}} - \frac{\sqrt{77b^2c - 7abg - 40\sqrt{2}(-ab^3)^{1/4}bd - 8\sqrt{2}(-ab^3)^{1/4}ah - 15\sqrt{2}(-ab)b^3e} \arctan\left(\frac{\sqrt{2}(-ab^3)^{1/4}(2x - \sqrt{2}(-a/b)^{1/4})}{(-a/b)^{1/4}}\right)}{1024(-ab^3)^{3/4}} + \frac{\sqrt{77b^2c - 7abg - 15\sqrt{2}(-ab^3)^{1/4}bd - 8\sqrt{2}(-ab^3)^{1/4}ah + 15\sqrt{2}(-ab)b^3e} \log(x^2 + \sqrt{2}(-a/b)^{1/4}x + \sqrt{-a/b})}{1024(-ab^3)^{3/4}} - \frac{\sqrt{77b^2c - 7abg - 15\sqrt{2}(-ab^3)^{1/4}bd - 8\sqrt{2}(-ab^3)^{1/4}ah + 15\sqrt{2}(-ab)b^3e} \log(x^2 - \sqrt{2}(-a/b)^{1/4}x + \sqrt{-a/b})}{1024(-ab^3)^{3/4}} - \frac{1}{384}(45b^3x^{11}e + 60b^3dx^{10} - 12ab^2hx^{10} + 77b^3cx^9 - 7ab^2gx^9 - 126ab^2x^7e - 160ab^2dx^6 + 32a^2bhx^6 - 198ab^2cx^5 + 18a^2h$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] -1/512*sqrt(2)*(77*b^2*c - 7*a*b*g - 40*sqrt(2)*(-a*b^3)^(1/4)*b*d + 8*sqrt(2)*(-a*b^3)^(1/4)*a*h + 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/512*sqrt(2)*(77*b^2*c - 7*a*b*g + 40*sqrt(2)*(-a*b^3)^(1/4)*b*d - 8*sqrt(2)*(-a*b^3)^(1/4)*a*h - 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/1024*sqrt(2)*(77*b^2*c - 7*a*b*g - 15*sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) + 1/1024*sqrt(2)*(77*b^2*c - 7*a*b*g - 15*sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) - 1/384*(45*b^3*x^11*e + 60*b^3*d*x^10 - 12*a*b^2*h*x^10 + 77*b^3*c*x^9 - 7*a*b^2*g*x^9 - 126*a*b^2*x^7*e - 160*a*b^2*d*x^6 + 32*a^2*b*h*x^6 - 198*a*b^2*c*x^5 + 18*a^2*h

$$b * g * x^5 + 113 * a^2 * b * x^3 * e + 132 * a^2 * b * d * x^2 + 12 * a^3 * h * x^2 + 153 * a^2 * b * c * x + 21 * a^3 * g * x + 32 * a^3 * f) / ((b * x^4 - a)^3 * a^3 * b)$$

maple [A] time = 0.06, size = 434, normalized size = 1.48

$$\frac{h \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right) - 5d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right) - \frac{15e \arctan \left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} \right) + 15e \ln \left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}} \right) + 7 \left(\frac{a}{b}\right)^{\frac{1}{4}} g \arctan \left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} \right) - 7 \left(\frac{a}{b}\right)^{\frac{1}{4}} g \ln \left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}} \right) + 77 \left(\frac{a}{b}\right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} \right) + 77 \left(\frac{a}{b}\right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}} \right) + \frac{15b^2 c x^{11}}{128a^3} + \frac{(ab - 9d)b^2 x^{10}}{32a^3} + \frac{21bcx^7}{64a^2} + \frac{7(9e - 11h)b^2 x^9}{384a^3} + \frac{(ab - 9d)a^6}{12a^2} + \frac{113c x^3}{384a} - \frac{3(9e - 11h)a^5}{64a^2} + \frac{(ab + 11d)a^2}{32a} - \frac{f}{12a} - \frac{(7g + 51h)c}{128a}}{(b x^4 - a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x)

[Out] $(-15/128/a^3*b^2*e*x^{11} + 1/32*(a*h - 5*b*d)/a^3*b*x^{10} + 7/384*(a*g - 11*b*c)/a^3*b*x^9 + 21/64/a^2*b*e*x^7 - 1/12/a^2*(a*h - 5*b*d)*x^6 - 3/64*(a*g - 11*b*c)/a^2*x^5 - 113/384/a*e*x^3 - 1/32*(a*h + 11*b*d)/a*b*x^2 - 1/128*(7*a*g + 51*b*c)/a*b*x - 1/12/b*f/(b*x^4 - a)^3 - 7/256*(a/b)^{(1/4)}/a^3/b*g*arctan(1/(a/b)^{(1/4)}*x) + 77/256*(a/b)^{(1/4)}/a^4*c*arctan(1/(a/b)^{(1/4)}*x) - 7/512*(a/b)^{(1/4)}/a^3/b*g*ln((x + (a/b)^{(1/4)})/(x - (a/b)^{(1/4)})) + 77/512*(a/b)^{(1/4)}/a^4*c*ln((x + (a/b)^{(1/4)})/(x - (a/b)^{(1/4)})) + 1/64/a^2/b/(a*b)^{(1/2)}*ln(((a*b)^{(1/2)}*x^2 - a)/(-(a*b)^{(1/2)}*x^2 - a)) * h - 5/64/(a*b)^{(1/2)}/a^3*d*ln(((a*b)^{(1/2)}*x^2 - a)/(-(a*b)^{(1/2)}*x^2 - a)) - 15/256/(a/b)^{(1/4)}/a^3/b*e*arctan(1/(a/b)^{(1/4)}*x) + 15/512/(a/b)^{(1/4)}/a^3/b*e*ln((x + (a/b)^{(1/4)})/(x - (a/b)^{(1/4)}))$

maxima [A] time = 3.18, size = 389, normalized size = 1.33

$$\frac{45b^2cx^{11} - 126ab^2cx^7 + 12(5b^3d - ab^2h)x^{10} + 7(11b^3c - ab^2g)x^9 + 113a^2b^2cx^3 - 32(5ab^2d - a^2bh)x^6 - 18(11ab^2c - a^2hg)x^5 + 32a^3f + 12(11a^2bd + a^3h)x^2 + 3(51a^2bc + 7a^3g)x + \frac{8(7bd - ab)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} + \frac{8(7bd - ab)\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} + \frac{2(77b^{\frac{3}{2}} - 15\sqrt{ab} - 7a\sqrt{b})\operatorname{arctan}\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{b}\sqrt{b}} - \frac{(77b^{\frac{3}{2}} + 15\sqrt{ab} - 7a\sqrt{b})\log\left(\frac{\sqrt{b}x + \sqrt{a}\sqrt{b}}{\sqrt{b}x - \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{b}\sqrt{b}}}{384(a^3bx^{12} - 3a^4b^3x^8 + 3a^5b^2x^4 - ab^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="maxima")

[Out] $-1/384*(45*b^3*e*x^{11} - 126*a*b^2*e*x^7 + 12*(5*b^3*d - a*b^2*h)*x^{10} + 7*(11*b^3*c - a*b^2*g)*x^9 + 113*a^2*b*e*x^3 - 32*(5*a*b^2*d - a^2*b*h)*x^6 - 18*(11*a*b^2*c - a^2*b*g)*x^5 + 32*a^3*f + 12*(11*a^2*b*d + a^3*h)*x^2 + 3*(51*a^2*b*c + 7*a^3*g)*x)/(a^3*b^4*x^{12} - 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 - a^6*b) + 1/512*(8*(5*b*d - a*h)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 8*(5*b*d - a*h)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) + 2*(77*b^{3/2}*c - 15*sqrt(a)*b*e - 7*a*sqrt(b)*g)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (77*b^{3/2}*c + 15*sqrt(a)*b*e - 7*a*sqrt(b)*g)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/(a^3*b)$

mupad [B] time = 5.99, size = 1747, normalized size = 5.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^4, x)$

[Out] $\text{symsum}(\log(-\text{root}(68719476736*a^{15}*b^6*z^4 - 1211105280*a^8*b^5*c*e*z^2 + 35544320*a^9*b^4*d*h*z^2 + 110100480*a^9*b^4*e*g*z^2 - 838860800*a^8*b^5*d^2*z^2 - 33554432*a^{10}*b^3*h^2*z^2 - 88309760*a^5*b^4*c*d*g*z + 17661952*a^6*b^3*c*g*h*z + 485703680*a^4*b^5*c^2*d*z - 97140736*a^5*b^4*c^2*h*z - 802816*a^7*b^2*g^2*h*z - 3686400*a^6*b^3*e^2*h*z + 4014080*a^6*b^3*d*g^2*z + 18432000*a^5*b^4*d*e^2*z - 268800*a^3*b^2*d*e*g*h + 2956800*a^2*b^3*c*d*e*h + 672000*a^2*b^3*d^2*e*g - 295680*a^3*b^2*c*e*h^2 - 485100*a^2*b^3*c*e^2*g + 26880*a^4*b*e*g*h^2 - 7392000*a*b^4*c*d^2*e - 81920*a^4*b*d*h^3 + 12782924*a*b^4*c^3*g + 614400*a^3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2*g^2 - 1743126*a^2*b^3*c^2*g^2 - 2048000*a^2*b^3*d^3*h + 105644*a^3*b^2*c*g^3 + 2668050*a*b^4*c^2*e^2 - 50625*a^2*b^3*e^4 - 2401*a^4*b*g^4 + 2560000*a*b^4*d^4 + 4096*a^5*h^4 - 35153041*b^5*c^4, z, k)*(\text{root}(68719476736*a^{15}*b^6*z^4 - 1211105280*a^8*b^5*c*e*z^2 + 35544320*a^9*b^4*d*h*z^2 + 110100480*a^9*b^4*e*g*z^2 - 838860800*a^8*b^5*d^2*z^2 - 33554432*a^{10}*b^3*h^2*z^2 - 88309760*a^5*b^4*c*d*g*z + 17661952*a^6*b^3*c*g*h*z + 485703680*a^4*b^5*c^2*d*z - 97140736*a^5*b^4*c^2*h*z - 802816*a^7*b^2*g^2*h*z - 3686400*a^6*b^3*e^2*h*z + 4014080*a^6*b^3*d*g^2*z + 18432000*a^5*b^4*d*e^2*z - 268800*a^3*b^2*d*e*g*h + 2956800*a^2*b^3*c*d*e*h + 672000*a^2*b^3*d^2*e*g - 295680*a^3*b^2*c*e*h^2 - 485100*a^2*b^3*c*e^2*g + 26880*a^4*b*e*g*h^2 - 7392000*a*b^4*c*d^2*e - 81920*a^4*b*d*h^3 + 12782924*a*b^4*c^3*g + 614400*a^3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2*g^2 - 1743126*a^2*b^3*c^2*g^2 - 2048000*a^2*b^3*d^3*h + 105644*a^3*b^2*c*g^3 + 2668050*a*b^4*c^2*e^2 - 50625*a^2*b^3*e^4 - 2401*a^4*b*g^4 + 2560000*a*b^4*d^4 + 4096*a^5*h^4 - 35153041*b^5*c^4, z, k)*((20185088*a^7*b^4*c - 1835008*a^8*b^3*g)/(2097152*a^9*b) - (x*(655360*a^7*b^4*d - 131072*a^8*b^3*h))/(131072*a^9*b)) - (614400*a^4*b^3*d*e - 122880*a^5*b^2*e*h)/(2097152*a^9*b) + (x*(189728*a^3*b^4*c^2 + 7200*a^4*b^3*e^2 + 1568*a^5*b^2*g^2 - 34496*a^4*b^3*c*g))/(131072*a^9*b) - (3375*a*b^2*e^3 + 123200*b^3*c*d^2 - 88935*b^3*c^2*e - 448*a^3*g*h^2 - 11200*a*b^2*d^2*g + 4928*a^2*b*c*h^2 - 735*a^2*b*e*g^2 - 49280*a*b^2*c*d*h + 16170*a*b^2*c*e*g + 4480*a^2*b*d*g*h)/(2097152*a^9*b) - (x*(4000*b^3*d^3 - 32*a^3*h^3 - 5775*b^3*c*d*e - 2400*a*b^2*d^2*h + 480*a^2*b*d*h^2 + 1155*a*b^2*c*e*h + 525*a*b^2*d*e*g - 105*a^2*b*e*g*h))/(131072*a^9*b))*\text{root}(68719476736*a^{15}*b^6*z^4 - 1211105280*a^8*b^5*c*e*z^2 + 35544320*a^9*b^4*d*h*z^2 + 110100480*a^9*b^4*e*g*z^2 - 838860800*a^8*b^5*d^2*z^2 - 33554432*a^{10}*b^3*h^2*z^2 - 88309760*a^5*b^4*c*d*g*z + 17661952*a^6*b^3*c*g*h*z + 485703680*a^4*b^5*c^2*d*z - 97140736*a^5*b^4*c^2*h*z - 802816*a^7*b^2*g^2*h*z - 3686400*a^6*b^3*e^2*h*z + 4014080*a^6*b^3*d*g^2*z + 18432000*a^5*b^4*d*e^2*z - 268800*a^3*b^2*d*e*g*h + 2956800*a^2*b^3*c*d*e*h + 672000*a^2*b^3*d^2*e*g - 295680*a^3*b^2*c*e*h^2 - 485100*a^2*b^3*c*e^2*g + 26880*a^4*b*e*g*h^2 - 7392000*a*b^4*c*d^2*e - 81920*a^4*b*d*h^3 + 12782924*a*b^4*c^3*g + 614400*a^3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2*g^2 - 1743126*a^2*b^3*c^2*g^2 - 2048000*a^2*b^3*d^3*h + 105644*a^3*b^2*c*g^3 + 2668050*a*b^4*c^2*e^2 - 50625*a^2*b^3*e^4 - 2401*a^4*b*g^4 + 2560000*a*b^4*d^4 + 4096*a^5*h^4 - 35153041*b^5*c^4, z, k), k, 1, 4) + (f/(12*b) + (113*e*x^3)/(384$

```
*a) - (3*x^5*(11*b*c - a*g))/(64*a^2) - (x^6*(5*b*d - a*h))/(12*a^2) + (7*b
*x^9*(11*b*c - a*g))/(384*a^3) + (x*(51*b*c + 7*a*g))/(128*a*b) + (b*x^10*(
5*b*d - a*h))/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) + (x^2*(11*b*d + a*h))/(
32*a*b) - (21*b*e*x^7)/(64*a^2))/(a^3 - b^3*x^12 - 3*a^2*b*x^4 + 3*a*b^2*x^
8)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**4,x)
```

```
[Out] Timed out
```

$$3.158 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^4} dx$$

Optimal. Leaf size=331

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5(3be - ai)\right)}{256a^{13/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5ai + 15be\right)}{256a^{13/4}b^{7/4}} + \frac{(5bd - ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}} +$$

Rubi [A] time = 0.57, antiderivative size = 331, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 41, number of rules / integrand size = 0.195, Rules used = {1858, 1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5(3be - ai)\right)}{256a^{13/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5ai + 15be\right)}{256a^{13/4}b^{7/4}} + \frac{(5bd - ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}} + \frac{x(2x(5bd - ah) + 3x^2(3be - ai) - ag + 11bc) + 8af}{96a^2b(a - bx^4)^2} + \frac{x(7(11bc - ag) + 12x(5bd - ah) + 15x^2(3be - ai))}{384a^3b(a - bx^4)} + \frac{x(x(ah + bf) + x^2(ai + be) + ag + bc + bfx^3)}{12ab(a - bx^4)^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^4,x]

[Out] (x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + b*f*x^3))/(12*a*b*(a - b*x^4)^3) + (x*(7*(11*b*c - a*g) + 12*(5*b*d - a*h)*x + 15*(3*b*e - a*i)*x^2))/(384*a^3*b*(a - b*x^4)) + (8*a*f + x*(11*b*c - a*g + 2*(5*b*d - a*h)*x + 3*(3*b*e - a*i)*x^2))/(96*a^2*b*(a - b*x^4)^2) + (((7*sqrt[b]*(11*b*c - a*g))/sqrt[a] - 5*(3*b*e - a*i))*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(13/4)*b^(7/4)) + ((15*b*e + (7*sqrt[b]*(11*b*c - a*g))/sqrt[a] - 5*a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(13/4)*b^(7/4)) + ((5*b*d - a*h)*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(32*a^(7/2)*b^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 158x^6}{(a - bx^4)^4} dx &= \frac{x(bc + ag + (bd + ah)x + (158a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} - \int \frac{-b(11bc - ag)}{12ab(a - bx^4)^3} dx \\
&= \frac{x(bc + ag + (bd + ah)x + (158a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{8af + x(11bc - ag)}{12ab(a - bx^4)^3} \\
&= \frac{x(bc + ag + (bd + ah)x + (158a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 8a)}{12ab(a - bx^4)^3} \\
&= \frac{x(bc + ag + (bd + ah)x + (158a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 8a)}{12ab(a - bx^4)^3} \\
&= \frac{x(bc + ag + (bd + ah)x + (158a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 8a)}{12ab(a - bx^4)^3} \\
&= \frac{x(bc + ag + (bd + ah)x + (158a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 8a)}{12ab(a - bx^4)^3}
\end{aligned}$$

Mathematica [A] time = 0.54, size = 422, normalized size = 1.27

$$\frac{3\sqrt{a}\log(\sqrt{a-bx^4})\sqrt{a+5a^{3/2}bx+5a^{3/2}bx^2-40\sqrt{a}b^2d-15\sqrt{a}be+7a\sqrt{a}g-77b^2c^2}-3\sqrt{a}\log(\sqrt{a-bx^4})\sqrt{a+5a^{3/2}bx+5a^{3/2}bx^2+40\sqrt{a}b^2d-15\sqrt{a}be+7a\sqrt{a}g-77b^2c^2}+6\sqrt{a}\tan^{-1}\left(\frac{bx}{\sqrt{a-bx^4}}\right)\sqrt{a+5a^{3/2}bx-7a\sqrt{a}g+77b^2c^2}+\frac{20b^2d^2(a+bx+bx^2+bx^3+bx^4)}{(a-bx^4)^2}-\frac{2a^2d^2(a+bx+bx^2+bx^3+bx^4)}{(a-bx^4)^2}+\frac{4a^2d^2(a+bx+bx^2+bx^3+bx^4)}{(a-bx^4)^2}-24\sqrt{a}\sqrt{a-bx^4}\log(\sqrt{a-bx^4})}{1536a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^4,x
]

[Out] ((-4*a*b^(3/4)*x*(-77*b*c + 7*a*g - 15*b*x*(4*d + 3*e*x) + 3*a*x*(4*h + 5*i*x)))/(a - b*x^4) - (16*a^2*b^(3/4)*x*(-(b*(11*c + x*(10*d + 9*e*x))) + a*(g + x*(2*h + 3*i*x))))/(a - b*x^4)^2 + (128*a^3*b^(3/4)*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + x*(h + i*x))))/(a - b*x^4)^3 + 6*a^(1/4)*(77*b^(3/2)*c - 15*Sqrt[a]*b*e - 7*a*Sqrt[b]*g + 5*a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)] + 3*a^(1/4)*(-77*b^(3/2)*c - 40*a^(1/4)*b^(5/4)*d - 15*Sqrt[a]*b*e + 7*a*

$\text{Sqrt}[b]*g + 8*a^{(5/4)*b^{(1/4)*h} + 5*a^{(3/2)*i}*\text{Log}[a^{(1/4)} - b^{(1/4)*x}] - 3*a^{(1/4)}*(-77*b^{(3/2)*c} + 40*a^{(1/4)*b^{(5/4)*d} - 15*\text{Sqrt}[a]*b*e + 7*a*\text{Sqrt}[b]*g - 8*a^{(5/4)*b^{(1/4)*h} + 5*a^{(3/2)*i}*\text{Log}[a^{(1/4)} + b^{(1/4)*x}] - 24*\text{Sqrt}[a]*b^{(1/4)}*(-5*b*d + a*h)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)]/(1536*a^4*b^{(7/4)})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6}{(a - bx^4)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^4, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^4, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00


Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 727, normalized size = 2.20



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] $-5/1024*i*(2*\text{sqrt}(2)*(-a*b^3)^{(3/4)}*\arctan(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(a^3*b^4) - \text{sqrt}(2)*(-a*b^3)^{(3/4)}*\log(x^2 + \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/(a^3*b^4) - 5/1024*i*(2*\text{sqrt}(2)*(-a*b^3)^{(3/4)}*\arctan(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(a^3*b^4) + \text{sqrt}(2)*(-a*b^3)^{(3/4)}*\log(x^2 - \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/(a^3*b^4) - 1/512*\text{sqrt}(2)*(77*b^2*c - 7*a*b*g - 40*\text{sqrt}(2)*(-a*b^3)^{(1/4)}*b*d + 8*\text{sqrt}(2)*(-a*b^3)^{(1/4)}*a*h + 15*\text{sqrt}(-a*b)*b*e)*\arctan(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^3) - 1/512*\text{sqrt}(2)$

$$\begin{aligned} & \cdot (77*b^2*c - 7*a*b*g + 40*\sqrt{2}) * (-a*b^3)^{(1/4)} * b*d - 8*\sqrt{2} * (-a*b^3)^{(1/4)} \\ & \cdot (1/4) * a*h - 15*\sqrt{2} * (-a*b) * b*e) * \arctan(1/2*\sqrt{2} * (2*x - \sqrt{2}) * (-a/b)^{(1/4)}) / (-a/b)^{(1/4)} / ((-a*b^3)^{(3/4)} * a^3) - 1/1024*\sqrt{2} * (77*b^2*c - 7*a*b*g \\ & - 15*\sqrt{2} * (-a*b) * b*e) * \log(x^2 + \sqrt{2}) * x * (-a/b)^{(1/4)} + \sqrt{2} * (-a/b)) / ((-a*b^3)^{(3/4)} * a^3) + 1/1024*\sqrt{2} * (77*b^2*c - 7*a*b*g - 15*\sqrt{2} * (-a*b) * b*e) * \log(x^2 - \sqrt{2}) * x * (-a/b)^{(1/4)} + \sqrt{2} * (-a/b)) / ((-a*b^3)^{(3/4)} * a^3) + 1/384 * (\\ & 15*a*b^2*i*x^{11} - 45*b^3*x^{11}*e - 60*b^3*d*x^{10} + 12*a*b^2*h*x^{10} - 77*b^3*c*x^9 + 7*a*b^2*g*x^9 - 42*a^2*b*i*x^7 + 126*a*b^2*x^7*e + 160*a*b^2*d*x^6 \\ & - 32*a^2*b*h*x^6 + 198*a*b^2*c*x^5 - 18*a^2*b*g*x^5 - 5*a^3*i*x^3 - 113*a^2*b*x^3*e - 132*a^2*b*d*x^2 - 12*a^3*h*x^2 - 153*a^2*b*c*x - 21*a^3*g*x - 32 \\ & a^3*f) / ((b*x^4 - a)^3 * a^3 * b) \end{aligned}$$

maple [A] time = 0.06, size = 522, normalized size = 1.58

$$\frac{\frac{b \ln\left(\frac{\sqrt{2}x^2 - a}{\sqrt{2}x^2 + a}\right)}{64\sqrt{ab}a^2} + \frac{5 \ln\left(\frac{\sqrt{2}x^2 - a}{\sqrt{2}x^2 + a}\right)}{64\sqrt{ab}a^2} + \frac{5 \arctan\left(\frac{1}{\sqrt{2}}\right)}{256\left(\frac{1}{a}\right)^2} + \frac{5 \ln\left(\frac{\sqrt{2}x^2 + a}{\sqrt{2}x^2 - a}\right)}{512\left(\frac{1}{a}\right)^2} + \frac{15 \arctan\left(\frac{1}{\sqrt{2}}\right)}{256\left(\frac{1}{a}\right)^2} + \frac{15 \ln\left(\frac{\sqrt{2}x^2 + a}{\sqrt{2}x^2 - a}\right)}{512\left(\frac{1}{a}\right)^2} + \frac{7\left(\frac{1}{a}\right)^2 \arctan\left(\frac{1}{\sqrt{2}}\right)}{256a^3} + \frac{7\left(\frac{1}{a}\right)^2 \ln\left(\frac{\sqrt{2}x^2 + a}{\sqrt{2}x^2 - a}\right)}{512a^3} + \frac{77\left(\frac{1}{a}\right)^2 c \arctan\left(\frac{1}{\sqrt{2}}\right)}{256a^4} + \frac{77\left(\frac{1}{a}\right)^2 c \ln\left(\frac{\sqrt{2}x^2 + a}{\sqrt{2}x^2 - a}\right)}{512a^4} + \frac{\frac{39c^2 - 39ab^2 + (ab - 24ab^2 + 7(4a - 11b)^2)}{128a^4} + \frac{7(4a - 11b)^2}{384a^4} - \frac{7(4a - 39b^2)}{42a^4} - \frac{3(4a - 11b)^2}{256a^4} - \frac{3(4a - 11b)^2}{384a^4} - \frac{3(4a - 11b)^2}{384a^4} - \frac{3(4a - 11b)^2}{384a^4} - \frac{f}{128a^4}}{(b^4 - a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x)`

[Out] $(5/128*(a*i-3*b*e)/a^3*b*x^{11}+1/32*(a*h-5*b*d)/a^3*b*x^{10}+7/384*(a*g-11*b*c)/a^3*b*x^9-7/64/a^2*(a*i-3*b*e)*x^7-1/12*(a*h-5*b*d)/a^2*x^6-3/64*(a*g-11*b*c)/a^2*x^5-1/384*(5*a*i+113*b*e)/a/b*x^3-1/32*(a*h+11*b*d)/a/b*x^2-1/128*(7*a*g+51*b*c)/a/b*x-1/12/b*f)/(b*x^4-a)^3-7/512*(a/b)^{(1/4)}/a^3/b*g*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+77/512*(a/b)^{(1/4)}/a^4*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))-7/256*(a/b)^{(1/4)}/a^3/b*g*\arctan(1/(a/b)^{(1/4)}*x)+77/256*(a/b)^{(1/4)}/a^4*c*\arctan(1/(a/b)^{(1/4)}*x)+1/64/(a*b)^{(1/2)}/a^2/b*h*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-5/64/(a*b)^{(1/2)}/a^3*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-5/512/a^2/b^2/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))*i+15/512/(a/b)^{(1/4)}/a^3/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+5/256/a^2/b^2/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)*i-15/256/(a/b)^{(1/4)}/a^3/b*e*\arctan(1/(a/b)^{(1/4)}*x)$

maxima [A] time = 3.16, size = 429, normalized size = 1.30

$$\frac{15(3b^2e - ab^2i)x^{11} + 12(5b^3d - ab^2h)x^{10} + 7(11b^3c - ab^2g)x^9 - 42(3ab^2c - a^2bg)x^7 - 32(5ab^2d - a^2hg)x^6 - 18(11ab^2c - a^2bg)x^5 + 32a^2f + (113a^2b^2e + 5a^3i)x^3 + 3(51a^2b^2c + 7a^3g)x}{384(a^2b^2 - 3ab^3 + 3a^2b^4 - ab^4)} + \frac{\frac{39c^2 - 39ab^2 + (ab - 24ab^2 + 7(4a - 11b)^2)}{128a^4} + \frac{7(4a - 11b)^2}{384a^4} - \frac{7(4a - 39b^2)}{42a^4} - \frac{3(4a - 11b)^2}{256a^4} - \frac{3(4a - 11b)^2}{384a^4} - \frac{3(4a - 11b)^2}{384a^4} - \frac{3(4a - 11b)^2}{384a^4} - \frac{f}{128a^4}}{\sqrt{a} \sqrt{b} \sqrt{b^2 - a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="maxima")`

[Out] $-1/384*(15*(3*b^3*e - a*b^2*i)*x^{11} + 12*(5*b^3*d - a*b^2*h)*x^{10} + 7*(11*b^3*c - a*b^2*g)*x^9 - 42*(3*a*b^2*c - a^2*b*i)*x^7 - 32*(5*a*b^2*d - a^2*b*h)*x^6 - 18*(11*a*b^2*c - a^2*b*g)*x^5 + 32*a^3*f + (113*a^2*b^2*e + 5*a^3*i)*x^3 + 12*(11*a^2*b*d + a^3*h)*x^2 + 3*(51*a^2*b^2*c + 7*a^3*g)*x)/(a^3*b^4*x$

$$\begin{aligned} &^{-12} - 3a^4b^3x^8 + 3a^5b^2x^4 - a^6b) + 1/512*(8*(5b*d - a*h)*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 8*(5b*d - a*h)*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b}) + 2*(77b^{(3/2)}*c - 15*\sqrt{a}*b*e - 7*a*\sqrt{b})*g + 5a^{(3/2)}*i)*\arctan(\sqrt{b}*x/\sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}})*\sqrt{b}) - (77b^{(3/2)}*c + 15*\sqrt{a}*b*e - 7*a*\sqrt{b})*g - 5a^{(3/2)}*i)*\log((\sqrt{b}*x - \sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{b}*x + \sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}})*\sqrt{b})/(a^3b) \end{aligned}$$

mupad [B] time = 6.14, size = 2747, normalized size = 8.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^4, x)$

[Out] $(f/(12*b) - (3*x^5*(11*b*c - a*g))/(64*a^2) - (x^6*(5*b*d - a*h))/(12*a^2) - (7*x^7*(3*b*e - a*i))/(64*a^2) + (7*b*x^9*(11*b*c - a*g))/(384*a^3) + (x*(51*b*c + 7*a*g))/(128*a*b) + (b*x^{10}*(5*b*d - a*h))/(32*a^3) + (5*b*x^{11}*(3*b*e - a*i))/(128*a^3) + (x^2*(11*b*d + a*h))/(32*a*b) + (x^3*(113*b*e + 5*a*i))/(384*a*b))/(a^3 - b^3*x^{12} - 3*a^2*b*x^4 + 3*a*b^2*x^8) + \text{symsum}(\log((125*a^4*i^3 - 3375*a*b^3*e^3 - 123200*b^4*c*d^2 + 88935*b^4*c^2*e - 4928*a^2*b^2*c*h^2 + 735*a^2*b^2*e*g^2 + 3375*a^2*b^2*e^2*i + 11200*a*b^3*d^2*g - 29645*a*b^3*c^2*i - 1125*a^3*b*e*i^2 + 448*a^3*b*g*h^2 - 245*a^3*b*g^2*i + 5390*a^2*b^2*c*g*i - 4480*a^2*b^2*d*g*h + 49280*a*b^3*c*d*h - 16170*a*b^3*c*e*g)/(2097152*a^9*b^2) - \text{root}(68719476736*a^{15}*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 - 36700160*a^{10}*b^4*g*i*z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^{10}*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 17661952*a^6*b^4*c*g*h*z - 12288000*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z - 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z - 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2*z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*d*e*h - 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^2*i + 26880*a^4*b^2*e*g*h^2 - 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e*i + 2464000*a^2*b^4*c*d^2*i + 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 - 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g - 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 - 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i - 2048000*a^2*b^4*d^3*h - 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 - 2401*a^4*b^2*g^4 - 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 - 625*a^6*i^4 - 35153041*b^6*c^4, z, 1)*(root(68719476736*a^{15}*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 - 36700160*a^{10}*b^4*g*i$

$$\begin{aligned}
& *z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^{10}*b^4*h^2*z^2 + 2457600*a^7* \\
& b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 17661952*a^6*b^4*c*g*h*z - 1228800 \\
& 0*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z - 409600*a^8*b^2*h*i^2*z - 97 \\
& 140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z - 3686400*a^6*b^4*e^2*h*z + \\
& 2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2 \\
& *z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g* \\
& i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*d*e*h - 14700*a^4*b^2*e*g^2* \\
& i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^2*i + 26880*a^4*b^2*e*g*h^2 \\
& - 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e*i + 2464000*a^2*b^4*c*d^2*i \\
& + 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 - 485100*a^2*b^4*c*e^2*g \\
& - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924 \\
& *a*b^5*c^3*g - 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3* \\
& b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 - 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b* \\
& g^2*i^2 + 67500*a^3*b^3*e^3*i - 2048000*a^2*b^4*d^3*h - 81920*a^4*b^2*d*h^3 \\
& + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 - 2401*a^4*b^2*g^4 - 50625* \\
& a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 - 625*a^6*i^4 - 35153041*b \\
& ^6*c^4, z, 1)*((20185088*a^7*b^5*c - 1835008*a^8*b^4*g)/(2097152*a^9*b^2) - \\
& (x*(655360*a^7*b^4*d - 131072*a^8*b^3*h))/(131072*a^9*b)) - (614400*a^4*b^ \\
& 4*d*e - 204800*a^5*b^3*d*i - 122880*a^5*b^3*e*h + 40960*a^6*b^2*h*i)/(20971 \\
& 52*a^9*b^2) + (x*(800*a^6*b*i^2 + 189728*a^3*b^4*c^2 + 7200*a^4*b^3*e^2 + 1 \\
& 568*a^5*b^2*g^2 - 34496*a^4*b^3*c*g - 4800*a^5*b^2*e*i))/(131072*a^9*b)) - \\
& (x*(4000*b^3*d^3 - 32*a^3*h^3 - 5775*b^3*c*d*e + 35*a^3*g*h*i - 2400*a*b^2* \\
& d^2*h + 480*a^2*b*d*h^2 + 1925*a*b^2*c*d*i + 1155*a*b^2*c*e*h + 525*a*b^2*d \\
& *e*g - 385*a^2*b*c*h*i - 175*a^2*b*d*g*i - 105*a^2*b*e*g*h))/(131072*a^9*b) \\
&)*root(68719476736*a^{15}*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^ \\
& 9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 - 367 \\
& 00160*a^{10}*b^4*g*i*z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^{10}*b^4*h^2* \\
& z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 17661952*a^6*b^4 \\
& *c*g*h*z - 12288000*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z - 409600*a^ \\
& 8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z - 3686400 \\
& *a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^2*z + 1843 \\
& 2000*a^5*b^5*d*e^2*z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323 \\
& 400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*d*e*h - 14 \\
& 700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^2*i + 2688 \\
& 0*a^4*b^2*e*g*h^2 - 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e*i + 24640 \\
& 00*a^2*b^4*c*d^2*i + 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 - 4851 \\
& 00*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5* \\
& b*e*i^3 + 12782924*a*b^5*c^3*g - 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2 \\
& *h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 - 1743126*a^2*b^4*c^2 \\
& *g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i - 2048000*a^2*b^4*d^3*h - 8 \\
& 1920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 - 2401*a^ \\
& 4*b^2*g^4 - 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 - 625*a^ \\
& 6*i^4 - 35153041*b^6*c^4, z, 1), 1, 1, 4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**4,x)

[Out] Timed out

$$3.159 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^4} dx$$

Optimal. Leaf size=349

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5(3be - ai)\right)}{256a^{13/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5ai + 15be\right)}{256a^{13/4}b^{7/4}} + \frac{(5bd - ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}}$$

Rubi [A] time = 0.52, antiderivative size = 349, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {1858, 1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{x(11bc - ag) + 2bx(5bd - ah) + 3bx^2(3be - ai) + 4a(2bf - aj)}{96a^2b^2(a - bx^4)^3} + \frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5(3be - ai)\right)}{256a^{13/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5ai + 15be\right)}{256a^{13/4}b^{7/4}} + \frac{(5bd - ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}} + \frac{x(7(11bc - ag) + 12x(5bd - ah) + 15x^2(3be - ai))}{384a^3b(a - bx^4)} + \frac{x(x(ah + bd) + x^2(ai + be) + x^3(aj + bf) + ag + bc)}{12ab(a - bx^4)^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^4, x]

[Out] (x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + (b*f + a*j)*x^3))/(12*a*b*(a - b*x^4)^3) + (x*(7*(11*b*c - a*g) + 12*(5*b*d - a*h)*x + 15*(3*b*e - a*i)*x^2))/(384*a^3*b*(a - b*x^4)) + (4*a*(2*b*f - a*j) + x*(b*(11*b*c - a*g) + 2*b*(5*b*d - a*h)*x + 3*b*(3*b*e - a*i)*x^2))/(96*a^2*b^2*(a - b*x^4)^2) + (((7*sqrt[b]*(11*b*c - a*g))/sqrt[a] - 5*(3*b*e - a*i))*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(13/4)*b^(7/4)) + ((15*b*e + (7*sqrt[b]*(11*b*c - a*g))/sqrt[a] - 5*a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(13/4)*b^(7/4)) + ((5*b*d - a*h)*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(32*a^(7/2)*b^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 159x^6 + jx^7}{(a - bx^4)^4} dx &= \frac{x(bc + ag + (bd + ah)x + (159a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3} - \\
&= \frac{x(bc + ag + (bd + ah)x + (159a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3} + \\
&= \frac{x(bc + ag + (bd + ah)x + (159a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3} + \\
&= \frac{x(bc + ag + (bd + ah)x + (159a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3} + \\
&= \frac{x(bc + ag + (bd + ah)x + (159a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3} + \\
&= \frac{x(bc + ag + (bd + ah)x + (159a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3} + \\
&= \frac{x(bc + ag + (bd + ah)x + (159a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3} +
\end{aligned}$$

Mathematica [A] time = 0.52, size = 439, normalized size = 1.26

$$\frac{3\sqrt{a}\sqrt{b}\log(\sqrt{a}-\sqrt{b})\left(6a^{3/2}\sqrt{b}+5a^{5/2}\sqrt{b}-40\sqrt{a}b^{3/2}\sqrt{a}-15\sqrt{a}b+7a\sqrt{b}g-77b^{3/2}c\right)+3\sqrt{a}\sqrt{b}\log(\sqrt{a}+\sqrt{b})\left(6a^{3/2}\sqrt{b}-5a^{5/2}\sqrt{b}-40\sqrt{a}b^{3/2}\sqrt{a}+15\sqrt{a}b-7a\sqrt{b}g+77b^{3/2}c\right)+4\sqrt{a}\sqrt{b}\operatorname{atan}\left(\frac{\sqrt{a}}{\sqrt{b}}\right)\left(6a^{3/2}-15\sqrt{a}b-7a\sqrt{b}g+77b^{3/2}c\right)-\frac{16a^2(12a^2+abg+10b-3a)^2b^2(11+5(10d+9e)x)}{(a-bx^4)^2}-\frac{128a^2b^2(11+5(10d+9e)x)}{(a-bx^4)^2}+\frac{228a^2b^2(11+5(10d+9e)x)}{(a-bx^4)^2}+\frac{440d(7a+3ab+10b-77b^2+130bx-130abx^2)}{a^2b^2}-24\sqrt{a}\sqrt{b}(ab-5b)d\log(\sqrt{a}+\sqrt{b}x)^2}{1536a^2b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^4, x]

[Out] ((-4*a*b*x*(-77*b*c + 7*a*g - 15*b*x*(4*d + 3*e*x) + 3*a*x*(4*h + 5*i*x)))/(a - b*x^4) - (16*a^2*(12*a^2*j - b^2*x*(11*c + x*(10*d + 9*e*x)) + a*b*x*(g + x*(2*h + 3*i*x)))/(a - b*x^4)^2 + (128*a^3*(a^2*j + b^2*x*(c + x*(d + e*x)) + a*b*(f + x*(g + x*(h + i*x))))/(a - b*x^4)^3 + 6*a^(1/4)*b^(1/4)*(77*b^(3/2)*c - 15*sqrt[a]*b*e - 7*a*sqrt[b]*g + 5*a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)] + 3*a^(1/4)*b^(1/4)*(-77*b^(3/2)*c - 40*a^(1/4)*b^(5/4)*d - 1

$5\sqrt{a}b^e + 7a\sqrt{b}g + 8a^{5/4}b^{1/4}h + 5a^{3/2}i) \cdot \text{Log}[a^{1/4} - b^{1/4}x] + 3a^{1/4}b^{1/4}(77b^{3/2}c - 40a^{1/4}b^{5/4}d + 15\sqrt{a}b^e - 7a\sqrt{b}g + 8a^{5/4}b^{1/4}h - 5a^{3/2}i) \cdot \text{Log}[a^{1/4} + b^{1/4}x] - 24\sqrt{a}\sqrt{b}(-5bd + ah) \cdot \text{Log}[\sqrt{a} + \sqrt{b}x^2] / (1536a^4b^2)$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6 + jx^7}{(a - bx^4)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^4,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^4, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00


Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 759, normalized size = 2.17



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] $-5/1024i(2\sqrt{2})(-ab^3)^{3/4}\arctan(1/2\sqrt{2}(2x + \sqrt{2})(-a/b)^{1/4})/(-a/b)^{1/4})/(a^3b^4) - \sqrt{2}(-ab^3)^{3/4}\log(x^2 + \sqrt{2}x(-a/b)^{1/4} + \sqrt{-a/b})/(a^3b^4) - 5/1024i(2\sqrt{2})(-ab^3)^{3/4}\arctan(1/2\sqrt{2}(2x - \sqrt{2})(-a/b)^{1/4})/(-a/b)^{1/4})/(a^3b^4) + \sqrt{2}(-ab^3)^{3/4}\log(x^2 - \sqrt{2}x(-a/b)^{1/4} + \sqrt{-a/b})/(a^3b^4) - 1/512\sqrt{2}(77b^2c - 7abg - 40\sqrt{2}(-ab^3)^{1/4}bd + 8\sqrt{2}(-ab^3)^{1/4}ah + 15\sqrt{2}(-ab)b^e)\arctan(1/2\sqrt{2}(2x + \sqrt{2})(-a/b)^{1/4})/(-a/b)^{1/4})/(a^3b^4) - 1/512\sqrt{2}(77b^2c - 7abg - 40\sqrt{2}(-ab^3)^{1/4}bd + 8\sqrt{2}(-ab^3)^{1/4}ah + 15\sqrt{2}(-ab)b^e)\arctan(1/2\sqrt{2}(2x - \sqrt{2})(-a/b)^{1/4})/(-a/b)^{1/4})/(a^3b^4)$

$$x + \sqrt{2} * (-a/b)^{(1/4)} / (-a/b)^{(1/4)} / ((-a*b^3)^{(3/4)} * a^3) - 1/512 * \sqrt{2} * (77*b^2*c - 7*a*b*g + 40*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d - 8*\sqrt{2}*(-a*b^3)^{(1/4)}*a*h - 15*\sqrt{-a*b}*b*e) * \arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)}) / (-a/b)^{(1/4)}) / ((-a*b^3)^{(3/4)} * a^3) - 1/1024 * \sqrt{2} * (77*b^2*c - 7*a*b*g - 15*\sqrt{-a*b}*b*e) * \log(x^2 + \sqrt{2} * x * (-a/b)^{(1/4)} + \sqrt{-a/b}) / ((-a*b^3)^{(3/4)} * a^3) + 1/1024 * \sqrt{2} * (77*b^2*c - 7*a*b*g - 15*\sqrt{-a*b}*b*e) * \log(x^2 - \sqrt{2} * x * (-a/b)^{(1/4)} + \sqrt{-a/b}) / ((-a*b^3)^{(3/4)} * a^3) + 1/384 * (15*a*b^3*i*x^11 - 45*b^4*x^11*e - 60*b^4*d*x^10 + 12*a*b^3*h*x^10 - 77*b^4*c*x^9 + 7*a*b^3*g*x^9 - 42*a^2*b^2*i*x^7 + 126*a*b^3*x^7*e + 160*a*b^3*d*x^6 - 32*a^2*b^2*h*x^6 + 198*a*b^3*c*x^5 - 18*a^2*b^2*g*x^5 - 48*a^3*b*j*x^4 - 5*a^3*b*i*x^3 - 113*a^2*b^2*x^3*e - 132*a^2*b^2*d*x^2 - 12*a^3*b*h*x^2 - 153*a^2*b^2*c*x - 21*a^3*b*g*x - 32*a^3*b*f + 16*a^4*j) / ((b*x^4 - a)^3 * a^3 * b^2)$$

maple [A] time = 0.06, size = 538, normalized size = 1.54

$$\frac{h \ln\left(\frac{\sqrt{2} \sqrt{a^2+b^2}}{\sqrt{2} \sqrt{a^2-b^2}}\right)}{64 \sqrt{ab} a^2 b} + \frac{5 \arctan\left(\frac{a}{b}\right)}{256 \binom{3}{2} a^2 b^2} + \frac{5 \ln\left(\frac{a+\sqrt{a^2+b^2}}{a-\sqrt{a^2+b^2}}\right)}{512 \binom{3}{2} a^2 b^2} - \frac{15 \operatorname{arctan}\left(\frac{a}{b}\right)}{256 \binom{3}{2} a^2 b^2} + \frac{15 \ln\left(\frac{a+\sqrt{a^2+b^2}}{a-\sqrt{a^2+b^2}}\right)}{512 \binom{3}{2} a^2 b^2} + \frac{7 \binom{3}{2} \arctan\left(\frac{a}{b}\right)}{256 a^2 b} + \frac{7 \binom{3}{2} \ln\left(\frac{a+\sqrt{a^2+b^2}}{a-\sqrt{a^2+b^2}}\right)}{512 a^2 b} + \frac{77 \binom{3}{2} \operatorname{arctan}\left(\frac{a}{b}\right)}{256 a^4} + \frac{77 \binom{3}{2} \ln\left(\frac{a+\sqrt{a^2+b^2}}{a-\sqrt{a^2+b^2}}\right)}{512 a^4} + \frac{5a^2 b^2 a^{11} + 15 a^2 b^2 a^{10} + 7 a^2 b^2 b^2 a^9 + 7 a^2 b^2 b^2 a^8 + 7 a^2 b^2 b^2 a^7 + 7 a^2 b^2 b^2 a^6 + 7 a^2 b^2 b^2 a^5 + 7 a^2 b^2 b^2 a^4 + 7 a^2 b^2 b^2 a^3 + 7 a^2 b^2 b^2 a^2 + 7 a^2 b^2 b^2 a + 7 a^2 b^2 b^2}{(b^4 x^4 - a)^3 a^3 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4, x)$

[Out] $(5/128*(a*i-3*b*e)/a^3*b*x^11+1/32*(a*h-5*b*d)/a^3*b*x^10+7/384*(a*g-11*b*c)/a^3*b*x^9-7/64*(a*i-3*b*e)/a^2*x^7-1/12*(a*h-5*b*d)/a^2*x^6-3/64*(a*g-11*b*c)/a^2*x^5-1/8/b*j*x^4-1/384*(5*a*i+113*b*e)/a/b*x^3-1/32*(a*h+11*b*d)/a/b*x^2-1/128*(7*a*g+51*b*c)/a/b*x+1/24*(a*j-2*b*f)/b^2)/(b*x^4-a)^3-7/256*(a/b)^{(1/4)}/a^3/b*g*\arctan(1/(a/b)^{(1/4)}*x)+77/256*(a/b)^{(1/4)}/a^4*c*\arctan(1/(a/b)^{(1/4)}*x)-7/512*(a/b)^{(1/4)}/a^3/b*g*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+77/512*(a/b)^{(1/4)}/a^4*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/64/(a*b)^{(1/2)}/a^2/b*h*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-5/64/(a*b)^{(1/2)}/a^3*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))+5/256/(a/b)^{(1/4)}/a^2/b^2*i*\arctan(1/(a/b)^{(1/4)}*x)-15/256/(a/b)^{(1/4)}/a^3/b*e*\arctan(1/(a/b)^{(1/4)}*x)-5/512/(a/b)^{(1/4)}/a^2/b^2*i*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+15/512/(a/b)^{(1/4)}/a^3/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$

maxima [A] time = 3.08, size = 463, normalized size = 1.33

$$\frac{15(3b^4 - ab^2)^{11} + 12(5b^4 - ab^2)^{10} + 7(11b^4 - ab^2)^9 + 48b^4 a^4 - 42(3ab^2 - a^2 b^2)^8 - 32(5ab^2 - a^2 b^2)^7 - 18(11ab^2 - a^2 b^2)^6 + 32a^2 b^7 - 16a^4 + (11a^2 b^2 + 5a^2 b^2)^5 + 12(11a^2 b^2 + a^2 b^2)^4 + 3(51a^2 b^2 + 7a^2 b^2)^3 + 384(a^2 b^2 - 3a^2 b^2 + 3a^2 b^2 - a^2 b^2)}{384(a^2 b^2 - 3a^2 b^2 + 3a^2 b^2 - a^2 b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4, x, \text{algoritm}="maxima")$

[Out] $-1/384*(15*(3*b^4*e - a*b^3*i)*x^11 + 12*(5*b^4*d - a*b^3*h)*x^10 + 7*(11*b^4*c - a*b^3*g)*x^9 + 48*a^3*b*j*x^4 - 42*(3*a*b^3*e - a^2*b^2*i)*x^7 - 32*$

$$(5*a*b^3*d - a^2*b^2*h)*x^6 - 18*(11*a*b^3*c - a^2*b^2*g)*x^5 + 32*a^3*b*f - 16*a^4*j + (113*a^2*b^2*e + 5*a^3*b*i)*x^3 + 12*(11*a^2*b^2*d + a^3*b*h)*x^2 + 3*(51*a^2*b^2*c + 7*a^3*b*g)*x / (a^3*b^5*x^12 - 3*a^4*b^4*x^8 + 3*a^5*b^3*x^4 - a^6*b^2) + 1/512*(8*(5*b*d - a*h)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 8*(5*b*d - a*h)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b))) + 2*(77*b^(3/2)*c - 15*sqrt(a)*b*e - 7*a*sqrt(b)*g + 5*a^(3/2)*i)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (77*b^(3/2)*c + 15*sqrt(a)*b*e - 7*a*sqrt(b)*g - 5*a^(3/2)*i)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))$$

mupad [B] time = 6.40, size = 2764, normalized size = 7.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^4, x)

[Out] symsum(log((125*a^4*i^3 - 3375*a*b^3*e^3 - 123200*b^4*c*d^2 + 88935*b^4*c^2*e - 4928*a^2*b^2*c*h^2 + 735*a^2*b^2*e*g^2 + 3375*a^2*b^2*e^2*i + 11200*a*b^3*d^2*g - 29645*a*b^3*c^2*i - 1125*a^3*b*e*i^2 + 448*a^3*b*g*h^2 - 245*a^3*b*g^2*i + 5390*a^2*b^2*c*g*i - 4480*a^2*b^2*d*g*h + 49280*a*b^3*c*d*h - 16170*a*b^3*c*e*g)/(2097152*a^9*b^2) - root(68719476736*a^15*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 - 36700160*a^10*b^4*g*i*z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^10*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 17661952*a^6*b^4*c*g*h*z - 12288000*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z - 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z - 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2*z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*d*e*h - 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^2*i + 26880*a^4*b^2*e*g*h^2 - 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e*i + 2464000*a^2*b^4*c*d^2*i + 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 - 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g - 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 - 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i - 2048000*a^2*b^4*d^3*h - 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 - 2401*a^4*b^2*g^4 - 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 - 625*a^6*i^4 - 35153041*b^6*c^4, z, m)*(root(68719476736*a^15*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 - 36700160*a^10*b^4*g*i*z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^10*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 17661952*a^6*b^4*c*g*h*z - 12288000*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z - 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z - 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2*z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*d*e*h - 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^2*i + 26880*a^4*b^2*e*g*h^2 - 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e*i + 2464000*a^2*b^4*c*d^2*i + 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 - 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g - 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 - 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i - 2048000*a^2*b^4*d^3*h - 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 - 2401*a^4*b^2*g^4 - 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 - 625*a^6*i^4 - 35153041*b^6*c^4, z, m)

$$\begin{aligned}
& 57600a^7b^3e^*h^*i^*z - 88309760a^5b^5c^*d^*g^*z + 17661952a^6b^4c^*g^*h^*z \\
& - 12288000a^6b^4d^*e^*i^*z + 485703680a^4b^6c^2*d^*z - 409600a^8b^2h^* \\
& i^2*z - 97140736a^5b^5c^2*h^*z - 802816a^7b^3g^2*h^*z - 3686400a^6b^4 \\
& *e^2*h^*z + 2048000a^7b^3d^*i^2*z + 4014080a^6b^4d^*g^2*z + 18432000a^5 \\
& *b^5d^*e^2*z + 89600a^4b^2d^*g^*h^*i - 985600a^3b^3c^*d^*h^*i + 323400a^3* \\
& b^3c^*e^*g^*i - 268800a^3b^3d^*e^*g^*h + 2956800a^2b^4c^*d^*e^*h - 14700a^4* \\
& b^2e^*g^2*i - 224000a^3b^3d^2*g^*i + 98560a^4b^2c^*h^2*i + 26880a^4b^ \\
& 2e^*g^*h^2 - 53900a^4b^2c^*g^*i^2 - 1778700a^2b^4c^2*e^*i + 2464000a^2b^ \\
& 4c^*d^2*i + 672000a^2b^4d^2*e^*g - 295680a^3b^3c^*e^*h^2 - 485100a^2b^ \\
& 4c^*e^2*g - 8960a^5b^*g^*h^2*i - 7392000a*b^5c^*d^2*e + 7500a^5b^*e^*i^3 \\
& + 12782924a*b^5c^3*g - 33750a^4b^2e^2*i^2 + 614400a^3b^3d^2*h^2 + 2 \\
& 96450a^3b^3c^2*i^2 + 22050a^3b^3e^2*g^2 - 1743126a^2b^4c^2*g^2 + 2 \\
& 450a^5b^*g^2*i^2 + 67500a^3b^3e^3*i - 2048000a^2b^4d^3*h - 81920a^4 \\
& *b^2d^*h^3 + 105644a^3b^3c^*g^3 + 2668050a*b^5c^2*e^2 - 2401a^4b^2g^ \\
& 4 - 50625a^2b^4e^4 + 4096a^5b^*h^4 + 2560000a*b^5d^4 - 625a^6i^4 - \\
& 35153041b^6c^4, z, m) * ((20185088a^7b^5c - 1835008a^8b^4g) / (2097152* \\
& a^9b^2) - (x*(655360a^7b^4d - 131072a^8b^3h)) / (131072a^9b)) - (614 \\
& 400a^4b^4d^*e - 204800a^5b^3d^*i - 122880a^5b^3e^*h + 40960a^6b^2h^ \\
& *i) / (2097152a^9b^2) + (x*(800a^6b^*i^2 + 189728a^3b^4c^2 + 7200a^4b^ \\
& 3e^2 + 1568a^5b^2g^2 - 34496a^4b^3c^*g - 4800a^5b^2e^*i)) / (131072* \\
& a^9b)) - (x*(4000b^3d^3 - 32a^3h^3 - 5775b^3c^*d^*e + 35a^3g^*h^*i - 2 \\
& 400a*b^2d^2*h + 480a^2b^*d^*h^2 + 1925a*b^2c^*d^*i + 1155a*b^2c^*e^*h + 5 \\
& 25a*b^2d^*e^*g - 385a^2b^*c^*h^*i - 175a^2b^*d^*g^*i - 105a^2b^*e^*g^*h)) / (131 \\
& 072a^9b)) * \text{root}(68719476736a^15b^7z^4 - 1211105280a^8b^6c^*e^*z^2 + 40 \\
& 3701760a^9b^5c^*i^*z^2 + 335544320a^9b^5d^*h^*z^2 + 110100480a^9b^5e^*g \\
& *z^2 - 36700160a^10b^4g^*i^*z^2 - 838860800a^8b^6d^2*z^2 - 33554432a^1 \\
& 0b^4h^2*z^2 + 2457600a^7b^3e^*h^*i^*z - 88309760a^5b^5c^*d^*g^*z + 176619 \\
& 52a^6b^4c^*g^*h^*z - 12288000a^6b^4d^*e^*i^*z + 485703680a^4b^6c^2*d^*z - \\
& 409600a^8b^2h^*i^2*z - 97140736a^5b^5c^2*h^*z - 802816a^7b^3g^2*h^*z \\
& - 3686400a^6b^4e^2*h^*z + 2048000a^7b^3d^*i^2*z + 4014080a^6b^4d^*g^ \\
& 2*z + 18432000a^5b^5d^*e^2*z + 89600a^4b^2d^*g^*h^*i - 985600a^3b^3c^*d^ \\
& *h^*i + 323400a^3b^3c^*e^*g^*i - 268800a^3b^3d^*e^*g^*h + 2956800a^2b^4c^* \\
& d^*e^*h - 14700a^4b^2e^*g^2*i - 224000a^3b^3d^2*g^*i + 98560a^4b^2c^*h^ \\
& 2*i + 26880a^4b^2e^*g^*h^2 - 53900a^4b^2c^*g^*i^2 - 1778700a^2b^4c^2*e^ \\
& *i + 2464000a^2b^4c^*d^2*i + 672000a^2b^4d^2*e^*g - 295680a^3b^3c^*e^* \\
& h^2 - 485100a^2b^4c^*e^2*g - 8960a^5b^*g^*h^2*i - 7392000a*b^5c^*d^2*e + \\
& 7500a^5b^*e^*i^3 + 12782924a*b^5c^3*g - 33750a^4b^2e^2*i^2 + 614400a^ \\
& 3b^3d^2*h^2 + 296450a^3b^3c^2*i^2 + 22050a^3b^3e^2*g^2 - 1743126a^ \\
& 2b^4c^2*g^2 + 2450a^5b^*g^2*i^2 + 67500a^3b^3e^3*i - 2048000a^2b^4 \\
& *d^3*h - 81920a^4b^2d^*h^3 + 105644a^3b^3c^*g^3 + 2668050a*b^5c^2*e^2 \\
& - 2401a^4b^2g^4 - 50625a^2b^4e^4 + 4096a^5b^*h^4 + 2560000a*b^5d^ \\
& 4 - 625a^6i^4 - 35153041b^6c^4, z, m), m, 1, 4) + ((2*b*f - a*j) / (24*b^ \\
& 2) + (j*x^4) / (8*b) - (3*x^5*(11*b*c - a*g)) / (64*a^2) - (x^6*(5*b*d - a*h)) / \\
& (12*a^2) - (7*x^7*(3*b*e - a*i)) / (64*a^2) + (7*b*x^9*(11*b*c - a*g)) / (384*a \\
& ^3) + (x*(51*b*c + 7*a*g)) / (128*a*b) + (b*x^10*(5*b*d - a*h)) / (32*a^3) + (5
\end{aligned}$$

$*b*x^{11}*(3*b*e - a*i)/(128*a^3) + (x^2*(11*b*d + a*h))/(32*a*b) + (x^3*(11*3*b*e + 5*a*i))/(384*a*b)/(a^3 - b^3*x^{12} - 3*a^2*b*x^4 + 3*a*b^2*x^8)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**4, x)

[Out] Timed out

$$3.160 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^4} dx$$

Optimal. Leaf size=462

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-15\sqrt{a} \sqrt{b} e + 7ag + 77bc\right)}{512\sqrt{2} a^{15/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-15\sqrt{a} \sqrt{b} e + 7ag + 77bc\right)}{512\sqrt{2} a^{15/4} b^{5/4}}$$

Rubi [A] time = 0.62, antiderivative size = 462, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.343$, Rules used = {1858, 1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-15\sqrt{a} \sqrt{b} e + 7ag + 77bc\right)}{512\sqrt{2} a^{15/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-15\sqrt{a} \sqrt{b} e + 7ag + 77bc\right)}{512\sqrt{2} a^{15/4} b^{5/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}\right)\left(15\sqrt{a} \sqrt{b} e + 7ag + 77bc\right)}{256\sqrt{2} a^{15/4} b^{5/4}} + \frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}\right)\left(15\sqrt{a} \sqrt{b} e + 7ag + 77bc\right)}{256\sqrt{2} a^{15/4} b^{5/4}} + \frac{(ab + 5bd) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}\right)}{32a^2 b^{5/4}} + \frac{8af - 2(21ab + 5bd) + ag + 11bc + 98e^2}{96a^2 b (a + bc)} + \frac{2(7ag + 11bc) + 2(21ab + 5bd) + 458e^2}{384a^2 b (a + bc)} + \frac{2(abd - ab^2 - ag + bc + be^2 + bf^2)}{12ab (a + bc)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^4, x]

[Out] (x*(b*c - a*g + (b*d - a*h)*x + b*e*x^2 + b*f*x^3))/(12*a*b*(a + b*x^4)^3) + (x*(7*(11*b*c + a*g) + 12*(5*b*d + a*h)*x + 45*b*e*x^2))/(384*a^3*b*(a + b*x^4)) - (8*a*f - x*(11*b*c + a*g + 2*(5*b*d + a*h)*x + 9*b*e*x^2))/(96*a^2*b*(a + b*x^4)^2) + ((5*b*d + a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*b^(3/2)) - ((77*b*c + 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(5/4)) + ((77*b*c + 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(5/4)) - ((77*b*c - 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(5/4)) + ((77*b*c - 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(5/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275


```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x
^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]]*(a + b*x^n)^(p
```

+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1858

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps


```
[Out] 1/384*(45*b^3*e*x^11 + 126*a*b^2*e*x^7 + 12*(5*b^3*d + a*b^2*h)*x^10 + 7*(1
1*b^3*c + a*b^2*g)*x^9 + 113*a^2*b*e*x^3 + 32*(5*a*b^2*d + a^2*b*h)*x^6 + 1
8*(11*a*b^2*c + a^2*b*g)*x^5 - 32*a^3*f + 12*(11*a^2*b*d - a^3*h)*x^2 + 3*(
51*a^2*b*c - 7*a^3*g)*x)/(a^3*b^4*x^12 + 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 + a^
6*b) + 1/1024*(sqrt(2)*(77*b^(3/2)*c - 15*sqrt(a)*b*e + 7*a*sqrt(b)*g)*log(
sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt
(2)*(77*b^(3/2)*c - 15*sqrt(a)*b*e + 7*a*sqrt(b)*g)*log(sqrt(b)*x^2 - sqrt(
2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(77*sqrt(2)*a^(1/4)*b
^(7/4)*c + 15*sqrt(2)*a^(3/4)*b^(5/4)*e + 7*sqrt(2)*a^(5/4)*b^(3/4)*g - 80*
sqrt(a)*b^(3/2)*d - 16*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x +
sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt
(b))*b^(3/4)) + 2*(77*sqrt(2)*a^(1/4)*b^(7/4)*c + 15*sqrt(2)*a^(3/4)*b^(5/4
)*e + 7*sqrt(2)*a^(5/4)*b^(3/4)*g + 80*sqrt(a)*b^(3/2)*d + 16*a^(3/2)*sqrt(
b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(
a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)))/(a^3*b)
```

mupad [B] time = 6.08, size = 1743, normalized size = 3.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^4, x)
```

```
[Out] symsum(log((123200*b^3*c*d^2 - 3375*a*b^2*e^3 - 88935*b^3*c^2*e + 448*a^3*g
*h^2 + 11200*a*b^2*d^2*g + 4928*a^2*b*c*h^2 - 735*a^2*b*e*g^2 + 49280*a*b^2
*c*d*h - 16170*a*b^2*c*e*g + 4480*a^2*b*d*g*h)/(2097152*a^9*b) - root(68719
476736*a^15*b^6*z^4 + 1211105280*a^8*b^5*c*e*z^2 + 335544320*a^9*b^4*d*h*z^
2 + 110100480*a^9*b^4*e*g*z^2 + 838860800*a^8*b^5*d^2*z^2 + 33554432*a^10*b
^3*h^2*z^2 - 88309760*a^5*b^4*c*d*g*z - 17661952*a^6*b^3*c*g*h*z - 48570368
0*a^4*b^5*c^2*d*z - 97140736*a^5*b^4*c^2*h*z - 802816*a^7*b^2*g^2*h*z + 368
6400*a^6*b^3*e^2*h*z - 4014080*a^6*b^3*d*g^2*z + 18432000*a^5*b^4*d*e^2*z -
268800*a^3*b^2*d*e*g*h - 2956800*a^2*b^3*c*d*e*h - 672000*a^2*b^3*d^2*e*g
- 295680*a^3*b^2*c*e*h^2 + 485100*a^2*b^3*c*e^2*g - 26880*a^4*b*e*g*h^2 - 7
392000*a*b^4*c*d^2*e + 81920*a^4*b*d*h^3 + 12782924*a*b^4*c^3*g + 614400*a^
3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2*g^2 + 1743126*a^2*b^3*c^2*g^2 + 2048000*a
^2*b^3*d^3*h + 105644*a^3*b^2*c*g^3 + 2668050*a*b^4*c^2*e^2 + 50625*a^2*b^3
*e^4 + 2401*a^4*b*g^4 + 2560000*a*b^4*d^4 + 4096*a^5*h^4 + 35153041*b^5*c^4
, z, k)*(root(68719476736*a^15*b^6*z^4 + 1211105280*a^8*b^5*c*e*z^2 + 33554
4320*a^9*b^4*d*h*z^2 + 110100480*a^9*b^4*e*g*z^2 + 838860800*a^8*b^5*d^2*z^
2 + 33554432*a^10*b^3*h^2*z^2 - 88309760*a^5*b^4*c*d*g*z - 17661952*a^6*b^3
*c*g*h*z - 485703680*a^4*b^5*c^2*d*z - 97140736*a^5*b^4*c^2*h*z - 802816*a^
7*b^2*g^2*h*z + 3686400*a^6*b^3*e^2*h*z - 4014080*a^6*b^3*d*g^2*z + 1843200
0*a^5*b^4*d*e^2*z - 268800*a^3*b^2*d*e*g*h - 2956800*a^2*b^3*c*d*e*h - 6720
00*a^2*b^3*d^2*e*g - 295680*a^3*b^2*c*e*h^2 + 485100*a^2*b^3*c*e^2*g - 2688
0*a^4*b*e*g*h^2 - 7392000*a*b^4*c*d^2*e + 81920*a^4*b*d*h^3 + 12782924*a*b^
```

$$\begin{aligned}
& 4*c^3*g + 614400*a^3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2*g^2 + 1743126*a^2*b^3* \\
& c^2*g^2 + 2048000*a^2*b^3*d^3*h + 105644*a^3*b^2*c*g^3 + 2668050*a*b^4*c^2* \\
& e^2 + 50625*a^2*b^3*e^4 + 2401*a^4*b*g^4 + 2560000*a*b^4*d^4 + 4096*a^5*h^4 \\
& + 35153041*b^5*c^4, z, k) * ((20185088*a^7*b^4*c + 1835008*a^8*b^3*g) / (20971 \\
& 52*a^9*b) - (x*(655360*a^7*b^4*d + 131072*a^8*b^3*h)) / (131072*a^9*b)) + (61 \\
& 4400*a^4*b^3*d*e + 122880*a^5*b^2*e*h) / (2097152*a^9*b) + (x*(189728*a^3*b^4 \\
& *c^2 - 7200*a^4*b^3*e^2 + 1568*a^5*b^2*g^2 + 34496*a^4*b^3*c*g) / (131072*a^ \\
& 9*b)) + (x*(4000*b^3*d^3 + 32*a^3*h^3 - 5775*b^3*c*d*e + 2400*a*b^2*d^2*h + \\
& 480*a^2*b*d*h^2 - 1155*a*b^2*c*e*h - 525*a*b^2*d*e*g - 105*a^2*b*e*g*h)) / (\\
& 131072*a^9*b)) * \text{root}(68719476736*a^15*b^6*z^4 + 1211105280*a^8*b^5*c*e*z^2 + \\
& 335544320*a^9*b^4*d*h*z^2 + 110100480*a^9*b^4*e*g*z^2 + 838860800*a^8*b^5* \\
& d^2*z^2 + 33554432*a^10*b^3*h^2*z^2 - 88309760*a^5*b^4*c*d*g*z - 17661952*a \\
& ^6*b^3*c*g*h*z - 485703680*a^4*b^5*c^2*d*z - 97140736*a^5*b^4*c^2*h*z - 802 \\
& 816*a^7*b^2*g^2*h*z + 3686400*a^6*b^3*e^2*h*z - 4014080*a^6*b^3*d*g^2*z + 1 \\
& 8432000*a^5*b^4*d*e^2*z - 268800*a^3*b^2*d*e*g*h - 2956800*a^2*b^3*c*d*e*h \\
& - 672000*a^2*b^3*d^2*e*g - 295680*a^3*b^2*c*e*h^2 + 485100*a^2*b^3*c*e^2*g \\
& - 26880*a^4*b*e*g*h^2 - 7392000*a*b^4*c*d^2*e + 81920*a^4*b*d*h^3 + 1278292 \\
& 4*a*b^4*c^3*g + 614400*a^3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2*g^2 + 1743126*a^ \\
& 2*b^3*c^2*g^2 + 2048000*a^2*b^3*d^3*h + 105644*a^3*b^2*c*g^3 + 2668050*a*b^ \\
& 4*c^2*e^2 + 50625*a^2*b^3*e^4 + 2401*a^4*b*g^4 + 2560000*a*b^4*d^4 + 4096*a \\
& ^5*h^4 + 35153041*b^5*c^4, z, k), k, 1, 4) + ((113*e*x^3)/(384*a) - f/(12*b \\
&) + (3*x^5*(11*b*c + a*g))/(64*a^2) + (x^6*(5*b*d + a*h))/(12*a^2) + (7*b*x \\
& ^9*(11*b*c + a*g))/(384*a^3) + (x*(51*b*c - 7*a*g))/(128*a*b) + (b*x^10*(5* \\
& b*d + a*h))/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) + (x^2*(11*b*d - a*h))/(32 \\
& *a*b) + (21*b*e*x^7)/(64*a^2))/(a^3 + b^3*x^12 + 3*a^2*b*x^4 + 3*a*b^2*x^8)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x)

[Out] Timed out

$$3.161 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^4} dx$$

Optimal. Leaf size=516

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(7\sqrt{b} (ag + 11bc) - 5\sqrt{a} (ai + 3be)\right)}{512\sqrt{2} a^{15/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(7\sqrt{b} (ag + 11bc) + 5\sqrt{a} (ai + 3be)\right)}{512\sqrt{2} a^{15/4} b^{7/4}}$$

Rubi [A] time = 0.85, antiderivative size = 516, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 40, number of rules / integrand size = 0.300, Rules used = {1858, 1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(7\sqrt{b} (ag + 11bc) - 5\sqrt{a} (ai + 3be)\right)}{512\sqrt{2} a^{15/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(7\sqrt{b} (ag + 11bc) + 5\sqrt{a} (ai + 3be)\right)}{512\sqrt{2} a^{15/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^4,x]

[Out] (x*(b*c - a*g + (b*d - a*h)*x + (b*e - a*i)*x^2 + b*f*x^3))/(12*a*b*(a + b*x^4)^3) + (x*(7*(11*b*c + a*g) + 12*(5*b*d + a*h)*x + 15*(3*b*e + a*i)*x^2))/(384*a^3*b*(a + b*x^4)) - (8*a*f - x*(11*b*c + a*g + 2*(5*b*d + a*h)*x + 3*(3*b*e + a*i)*x^2))/(96*a^2*b*(a + b*x^4)^2) + ((5*b*d + a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*b^(3/2)) - ((7*Sqrt[b]*(11*b*c + a*g) + 5*Sqrt[a]*(3*b*e + a*i))*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(7/4)) + ((7*Sqrt[b]*(11*b*c + a*g) + 5*Sqrt[a]*(3*b*e + a*i))*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(7/4)) - ((7*Sqrt[b]*(11*b*c + a*g) - 5*Sqrt[a]*(3*b*e + a*i))*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(7/4)) + ((7*Sqrt[b]*(11*b*c + a*g) - 5*Sqrt[a]*(3*b*e + a*i))*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(7/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
```

```
q, x]]*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]]*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^4,x
]

[Out] ((32*a^(7/4)*b^(3/4)*x*(11*b*c + a*g + b*x*(10*d + 9*e*x) + a*x*(2*h + 3*i*x)))/(a + b*x^4)^2 + (8*a^(3/4)*b^(3/4)*x*(77*b*c + 7*a*g + 15*b*x*(4*d + 3*e*x) + 3*a*x*(4*h + 5*i*x)))/(a + b*x^4) - (256*a^(11/4)*b^(3/4)*(-(b*x*(c + x*(d + e*x))) + a*(f + x*(g + x*(h + i*x)))))/(a + b*x^4)^3 - 6*(77*sqrt[2]*b^(3/2)*c + 80*a^(1/4)*b^(5/4)*d + 15*sqrt[2]*sqrt[a]*b*e + 7*sqrt[2]*a*sqrt[b]*g + 16*a^(5/4)*b^(1/4)*h + 5*sqrt[2]*a^(3/2)*i)*ArcTan[1 - (sqrt[2]*b^(1/4)*x)/a^(1/4)] + 6*(77*sqrt[2]*b^(3/2)*c - 80*a^(1/4)*b^(5/4)*d + 15*sqrt[2]*sqrt[a]*b*e + 7*sqrt[2]*a*sqrt[b]*g - 16*a^(5/4)*b^(1/4)*h + 5*sqrt[2]*a^(3/2)*i)*ArcTan[1 + (sqrt[2]*b^(1/4)*x)/a^(1/4)] + 3*sqrt[2]*(-77*b^(3/2)*c + 15*sqrt[a]*b*e - 7*a*sqrt[b]*g + 5*a^(3/2)*i)*Log[sqrt[a] - sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2] + 3*sqrt[2]*(77*b^(3/2)*c - 15*sqrt[a]*b*e + 7*a*sqrt[b]*g - 5*a^(3/2)*i)*Log[sqrt[a] + sqrt[2]*a^(1/4)*b^(1/4)*x + sqrt[b]*x^2])/(3072*a^(15/4)*b^(7/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6}{(a + bx^4)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^4,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^4, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.21, size = 735, normalized size = 1.42



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out] $\frac{5}{1024}i(2\sqrt{2})(ab^3)^{3/4}\arctan\left(\frac{1}{2}\sqrt{2}(2x+\sqrt{2})(a/b)^{1/4}\right)/(a/b)^{1/4} - \sqrt{2}(ab^3)^{3/4}\log(x^2+\sqrt{2})(a/b)^{1/4} + \sqrt{2}(ab^3)^{3/4}\arctan\left(\frac{1}{2}\sqrt{2}(2x-\sqrt{2})(a/b)^{1/4}\right)/(a/b)^{1/4} + \sqrt{2}(ab^3)^{3/4}\log(x^2-\sqrt{2})(a/b)^{1/4} + \sqrt{2}(ab^3)^{3/4}\arctan\left(\frac{1}{2}\sqrt{2}(2x+\sqrt{2})(a/b)^{1/4}\right)/(a/b)^{1/4} + \frac{1}{512}\sqrt{2}(40\sqrt{2}\sqrt{ab}b^2d + 8\sqrt{2}\sqrt{ab}abh + 77(ab^3)^{1/4}b^2c + 7(ab^3)^{1/4}abg + 15(ab^3)^{3/4}e)\arctan\left(\frac{1}{2}\sqrt{2}(2x+\sqrt{2})(a/b)^{1/4}\right)/(a/b)^{1/4} + \frac{1}{512}\sqrt{2}(40\sqrt{2}\sqrt{ab}b^2d + 8\sqrt{2}\sqrt{ab}abh + 77(ab^3)^{1/4}b^2c + 7(ab^3)^{1/4}abg + 15(ab^3)^{3/4}e)\arctan\left(\frac{1}{2}\sqrt{2}(2x-\sqrt{2})(a/b)^{1/4}\right)/(a/b)^{1/4} + \frac{1}{1024}\sqrt{2}(77(ab^3)^{1/4}b^2c + 7(ab^3)^{1/4}abg - 15(ab^3)^{3/4}e)\log(x^2+\sqrt{2})(a/b)^{1/4} + \sqrt{2}(a/b)^{1/4} + \sqrt{2}(a/b)^{1/4})/(a^4b^3) - \frac{1}{1024}\sqrt{2}(77(ab^3)^{1/4}b^2c + 7(ab^3)^{1/4}abg - 15(ab^3)^{3/4}e)\log(x^2-\sqrt{2})(a/b)^{1/4} + \sqrt{2}(a/b)^{1/4} + \sqrt{2}(a/b)^{1/4})/(a^4b^3) + \frac{1}{384}(15ab^2ix^{11} + 45b^3x^{11}e + 60b^3dx^{10} + 12ab^2hx^{10} + 77b^3cx^9 + 7ab^2gx^9 + 42a^2bix^7 + 126ab^2x^7e + 160ab^2dx^6 + 32a^2bhx^6 + 198ab^2cx^5 + 18a^2b^2gx^5 - 5a^3ix^3 + 113a^2bx^3e + 132a^2b^2dx^2 - 12a^3hx^2 + 153a^2b^2cx - 21a^3gx - 32a^3f)/(b^3x^4+a)^3$

maple [A] time = 0.07, size = 767, normalized size = 1.49

integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x) using the Giac algorithm

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out] $\frac{(5/128)(ai+3be)}{a^3bx^{11}} + \frac{1}{32}\frac{(ah+5bd)}{a^3bx^{10}} + \frac{7}{384}\frac{(ag+11bc)}{a^3bx^9} + \frac{7}{64}\frac{(ai+3be)}{a^2x^7} + \frac{1}{12}\frac{(ah+5bd)}{a^2x^6} + \frac{3}{64}\frac{(ag+11bc)}{a^2x^5} - \frac{1}{384}\frac{(5ai-113be)}{abx^3} - \frac{1}{32}\frac{(ah-11bd)}{abx^2} - \frac{1}{128}\frac{(7ag-51bc)}{abx} - \frac{1}{12}\frac{bf}{b^2f} \Big/ (b^3x^4+a)^3 + \frac{7}{1024}\frac{(a/b)^{1/4}2^{1/2}}{a^3/b} \ln\left(\frac{(x^2+(a/b)^{1/4}2^{1/2})x+(a/b)^{1/2}}{(x^2-(a/b)^{1/4}2^{1/2})x+(a/b)^{1/2}}\right) + \frac{77}{1024}\frac{(a/b)^{1/4}2^{1/2}}{a^4c} \ln\left(\frac{(x^2+(a/b)^{1/4}2^{1/2})x+(a/b)^{1/2}}{(x^2-(a/b)^{1/4}2^{1/2})x+(a/b)^{1/2}}\right) + \frac{7}{512}\frac{(a/b)^{1/4}2^{1/2}}{a^3/b} \arctan\left(\frac{2^{1/2}}{(a/b)^{1/4}x-1}\right) + \frac{77}{512}\frac{(a/b)^{1/4}2^{1/2}}{a^4c} \arctan\left(\frac{2^{1/2}}{(a/b)^{1/4}x-1}\right) + \frac{7}{512}\frac{(a/b)^{1/4}2^{1/2}}{a^3/b} \arctan\left(\frac{2^{1/2}}{(a/b)^{1/4}x+1}\right) + \frac{77}{512}\frac{(a/b)^{1/4}2^{1/2}}{a^4c} \arctan\left(\frac{2^{1/2}}{(a/b)^{1/4}x+1}\right) + \frac{1}{32}\frac{(1/ab)^{1/2}}{a^2/b} \arctan\left(\frac{1}{ab}x^2\right) + \frac{5}{32}\frac{(1/ab)^{1/2}}{a^3d} \arctan\left(\frac{1}{ab}x^2\right) + \frac{5}{1024}\frac{1}{a^2/b^2} \frac{(a/b)^{1/4}2^{1/2}}{a^3/b} \ln\left(\frac{(x^2-(a/b)^{1/4}2^{1/2})x+(a/b)^{1/2}}{(x^2+(a/b)^{1/4}2^{1/2})x+(a/b)^{1/2}}\right) + \frac{5}{512}\frac{1}{a^2/b^2} \frac{(a/b)^{1/4}2^{1/2}}{a^3/b} \ln\left(\frac{(x^2-(a/b)^{1/4}2^{1/2})x+(a/b)^{1/2}}{(x^2+(a/b)^{1/4}2^{1/2})x+(a/b)^{1/2}}\right) + \frac{5}{512}\frac{1}{a^2/b^2} \frac{(a/b)^{1/4}2^{1/2}}{a^3/b} \ln\left(\frac{(x^2-(a/b)^{1/4}2^{1/2})x+(a/b)^{1/2}}{(x^2+(a/b)^{1/4}2^{1/2})x+(a/b)^{1/2}}\right)$

$$b)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x - 1) * i + 15/512 / (a/b)^{(1/4)} * 2^{(1/2)} / a^3 / b * e * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x - 1) + 5/512 / a^2 / b^2 / (a/b)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x + 1) * i + 15/512 / (a/b)^{(1/4)} * 2^{(1/2)} / a^3 / b * e * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x + 1)$$

maxima [A] time = 3.16, size = 579, normalized size = 1.12

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out]
$$\frac{1}{384} * (15 * (3 * b^3 * e + a * b^2 * i) * x^{11} + 12 * (5 * b^3 * d + a * b^2 * h) * x^{10} + 7 * (11 * b^3 * c + a * b^2 * g) * x^9 + 42 * (3 * a * b^2 * e + a^2 * b * i) * x^7 + 32 * (5 * a * b^2 * d + a^2 * b * h) * x^6 + 18 * (11 * a * b^2 * c + a^2 * b * g) * x^5 - 32 * a^3 * f + (113 * a^2 * b * e - 5 * a^3 * i) * x^3 + 12 * (11 * a^2 * b * d - a^3 * h) * x^2 + 3 * (51 * a^2 * b * c - 7 * a^3 * g) * x) / (a^3 * b^4 * x^{12} + 3 * a^4 * b^3 * x^8 + 3 * a^5 * b^2 * x^4 + a^6 * b) + \frac{1}{1024} * (\sqrt{2}) * (77 * b^{(3/2)} * c - 15 * \sqrt{a} * b * e + 7 * a * \sqrt{b} * g - 5 * a^{(3/2)} * i) * \log(\sqrt{b} * x^2 + \sqrt{2}) * a^{(1/4)} * b^{(1/4)} * x + \sqrt{a}) / (a^{(3/4)} * b^{(3/4)}) - \sqrt{2} * (77 * b^{(3/2)} * c - 15 * \sqrt{a} * b * e + 7 * a * \sqrt{b} * g - 5 * a^{(3/2)} * i) * \log(\sqrt{b} * x^2 - \sqrt{2}) * a^{(1/4)} * b^{(1/4)} * x + \sqrt{a}) / (a^{(3/4)} * b^{(3/4)}) + 2 * (77 * \sqrt{2}) * a^{(1/4)} * b^{(7/4)} * c + 15 * \sqrt{2}) * a^{(3/4)} * b^{(5/4)} * e + 7 * \sqrt{2}) * a^{(5/4)} * b^{(3/4)} * g + 5 * \sqrt{2}) * a^{(7/4)} * b^{(1/4)} * i - 80 * \sqrt{a} * b^{(3/2)} * d - 16 * a^{(3/2)} * \sqrt{b} * h) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{b} * x + \sqrt{2}) * a^{(1/4)} * b^{(1/4)}) / \sqrt{a * b}) / (a^{(3/4)} * \sqrt{a * b} * b^{(3/4)}) + 2 * (77 * \sqrt{2}) * a^{(1/4)} * b^{(7/4)} * c + 15 * \sqrt{2}) * a^{(3/4)} * b^{(5/4)} * e + 7 * \sqrt{2}) * a^{(5/4)} * b^{(3/4)} * g + 5 * \sqrt{2}) * a^{(7/4)} * b^{(1/4)} * i + 80 * \sqrt{a} * b^{(3/2)} * d + 16 * a^{(3/2)} * \sqrt{b} * h) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{b} * x - \sqrt{2}) * a^{(1/4)} * b^{(1/4)}) / \sqrt{a * b}) / (a^{(3/4)} * \sqrt{a * b} * b^{(3/4)}) / (a^3 * b)$$

mupad [B] time = 6.08, size = 2741, normalized size = 5.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^4,x)

[Out]
$$\frac{(3 * x^5 * (11 * b * c + a * g)) / (64 * a^2) - f / (12 * b) + (x^6 * (5 * b * d + a * h)) / (12 * a^2) + (7 * x^7 * (3 * b * e + a * i)) / (64 * a^2) + (7 * b * x^9 * (11 * b * c + a * g)) / (384 * a^3) + (x * (51 * b * c - 7 * a * g)) / (128 * a * b) + (b * x^{10} * (5 * b * d + a * h)) / (32 * a^3) + (5 * b * x^{11} * (3 * b * e + a * i)) / (128 * a^3) + (x^2 * (11 * b * d - a * h)) / (32 * a * b) + (x^3 * (113 * b * e - 5 * a * i)) / (384 * a * b) / (a^3 + b^3 * x^{12} + 3 * a^2 * b * x^4 + 3 * a * b^2 * x^8) + \text{symsum}(\log(-\text{root}(68719476736 * a^{15} * b^7 * z^4 + 1211105280 * a^8 * b^6 * c * e * z^2 + 403701760 * a^9 * b^5 * c * i * z^2 + 335544320 * a^9 * b^5 * d * h * z^2 + 110100480 * a^9 * b^5 * e * g * z^2 + 36$$

$$\begin{aligned}
& 700160a^{10}b^4g^i z^2 + 838860800a^8b^6d^2z^2 + 33554432a^{10}b^4h^2 \\
& z^2 + 2457600a^7b^3e^h i z - 88309760a^5b^5c^d g^i z - 17661952a^6b^4 \\
& c^g h^i z + 12288000a^6b^4d^e e^i z - 485703680a^4b^6c^2d^i z + 409600a^8 \\
& b^2h^i^2 z - 97140736a^5b^5c^2h^i z - 802816a^7b^3g^2h^i z + 368640 \\
& 0a^6b^4e^2h^i z + 2048000a^7b^3d^i^2 z - 4014080a^6b^4d^g^2 z + 184 \\
& 32000a^5b^5d^e^2 z - 89600a^4b^2d^g h^i - 985600a^3b^3c^d h^i + 32 \\
& 3400a^3b^3c^e g^i - 268800a^3b^3d^e g^h - 2956800a^2b^4c^d e^h + 1 \\
& 4700a^4b^2e^g^2 i - 224000a^3b^3d^2g^i - 98560a^4b^2c^h^2 i - 268 \\
& 80a^4b^2e^g h^2 + 53900a^4b^2c^g i^2 + 1778700a^2b^4c^2e^i - 2464 \\
& 000a^2b^4c^d^2 i - 672000a^2b^4d^2e^g - 295680a^3b^3c^e h^2 + 485 \\
& 100a^2b^4c^e^2g - 8960a^5b^g h^2 i - 7392000a^b^5c^d^2e + 7500a^5 \\
& b^e i^3 + 12782924a^b^5c^3g + 33750a^4b^2e^2i^2 + 614400a^3b^3d^2 \\
& h^2 + 296450a^3b^3c^2i^2 + 22050a^3b^3e^2g^2 + 1743126a^2b^4c^2 \\
& g^2 + 2450a^5b^g^2i^2 + 67500a^3b^3e^3i + 2048000a^2b^4d^3h + \\
& 81920a^4b^2d^h^3 + 105644a^3b^3c^g^3 + 2668050a^b^5c^2e^2 + 2401a^4 \\
& b^2g^4 + 50625a^2b^4e^4 + 4096a^5b^h^4 + 2560000a^b^5d^4 + 625a^6 \\
& i^4 + 35153041b^6c^4, z, 1) * (\text{root}(68719476736a^{15}b^7z^4 + 121110528 \\
& 0a^8b^6c^e z^2 + 403701760a^9b^5c^i z^2 + 335544320a^9b^5d^h z^2 + \\
& 110100480a^9b^5e^g z^2 + 36700160a^{10}b^4g^i z^2 + 838860800a^8b^6 \\
& d^2z^2 + 33554432a^{10}b^4h^2z^2 + 2457600a^7b^3e^h i z - 88309760a^5 \\
& b^5c^d g^i z - 17661952a^6b^4c^g h^i z + 12288000a^6b^4d^e e^i z - 48570 \\
& 3680a^4b^6c^2d^i z + 409600a^8b^2h^i^2 z - 97140736a^5b^5c^2h^i z - \\
& 802816a^7b^3g^2h^i z + 3686400a^6b^4e^2h^i z + 2048000a^7b^3d^i^2 z \\
& - 4014080a^6b^4d^g^2 z + 18432000a^5b^5d^e^2 z - 89600a^4b^2d^g h^i - \\
& 985600a^3b^3c^d h^i + 323400a^3b^3c^e g^i - 268800a^3b^3d^e g^h \\
& h - 2956800a^2b^4c^d e^h + 14700a^4b^2e^g^2 i - 224000a^3b^3d^2g^i \\
& i - 98560a^4b^2c^h^2 i - 26880a^4b^2e^g h^2 + 53900a^4b^2c^g i^2 + \\
& 1778700a^2b^4c^2e^i - 2464000a^2b^4c^d^2 i - 672000a^2b^4d^2e^g \\
& - 295680a^3b^3c^e h^2 + 485100a^2b^4c^e^2g - 8960a^5b^g h^2 i - 7 \\
& 392000a^b^5c^d^2e + 7500a^5b^e i^3 + 12782924a^b^5c^3g + 33750a^4b^2 \\
& e^2i^2 + 614400a^3b^3d^2h^2 + 296450a^3b^3c^2i^2 + 22050a^3b^3 \\
& e^2g^2 + 1743126a^2b^4c^2g^2 + 2450a^5b^g^2i^2 + 67500a^3b^3e^3 \\
& i + 2048000a^2b^4d^3h + 81920a^4b^2d^h^3 + 105644a^3b^3c^g^3 + \\
& 2668050a^b^5c^2e^2 + 2401a^4b^2g^4 + 50625a^2b^4e^4 + 4096a^5b^h^4 \\
& + 2560000a^b^5d^4 + 625a^6i^4 + 35153041b^6c^4, z, 1) * ((20185088 \\
& a^7b^5c + 1835008a^8b^4g)/(2097152a^9b^2) - (x*(655360a^7b^4d + 1 \\
& 31072a^8b^3h))/(131072a^9b)) + (614400a^4b^4d^e + 204800a^5b^3d^i \\
& + 122880a^5b^3e^h + 40960a^6b^2h^i)/(2097152a^9b^2) - (x*(800a^6 \\
& b^i^2 - 189728a^3b^4c^2 + 7200a^4b^3e^2 - 1568a^5b^2g^2 - 34496a^4 \\
& b^3c^g + 4800a^5b^2e^i))/(131072a^9b)) - (125a^4i^3 + 3375a^b^3 \\
& e^3 - 123200b^4c^d^2 + 88935b^4c^2e - 4928a^2b^2c^h^2 + 735a^2b^2 \\
& e^g^2 + 3375a^2b^2e^2i - 11200a^b^3d^2g + 29645a^b^3c^2i + 1125 \\
& a^3b^e i^2 - 448a^3b^g h^2 + 245a^3b^g^2i + 5390a^2b^2c^g i - 448 \\
& 0a^2b^2d^g h - 49280a^b^3c^d h + 16170a^b^3c^e g)/(2097152a^9b^2) \\
& - (x*(5775b^3c^d e - 32a^3h^3 - 4000b^3d^3 + 35a^3g^h i - 2400a^b^
\end{aligned}$$

```

2*d^2*h - 480*a^2*b*d*h^2 + 1925*a*b^2*c*d*i + 1155*a*b^2*c*e*h + 525*a*b^2
*d*e*g + 385*a^2*b*c*h*i + 175*a^2*b*d*g*i + 105*a^2*b*e*g*h))/(131072*a^9*
b))*root(68719476736*a^15*b^7*z^4 + 1211105280*a^8*b^6*c*e*z^2 + 403701760*
a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 + 3
6700160*a^10*b^4*g*i*z^2 + 838860800*a^8*b^6*d^2*z^2 + 33554432*a^10*b^4*h^
2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z - 17661952*a^6*b
^4*c*g*h*z + 12288000*a^6*b^4*d*e*i*z - 485703680*a^4*b^6*c^2*d*z + 409600*
a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z + 36864
00*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z - 4014080*a^6*b^4*d*g^2*z + 18
432000*a^5*b^5*d*e^2*z - 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 3
23400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h - 2956800*a^2*b^4*c*d*e*h +
14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i - 98560*a^4*b^2*c*h^2*i - 26
880*a^4*b^2*e*g*h^2 + 53900*a^4*b^2*c*g*i^2 + 1778700*a^2*b^4*c^2*e*i - 246
4000*a^2*b^4*c*d^2*i - 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 + 48
5100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^
5*b*e*i^3 + 12782924*a*b^5*c^3*g + 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d
^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 + 1743126*a^2*b^4*c
^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i + 2048000*a^2*b^4*d^3*h +
81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 + 2401*
a^4*b^2*g^4 + 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 + 625*
a^6*i^4 + 35153041*b^6*c^4, z, 1), 1, 1, 4)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x)

[Out] Timed out

$$3.162 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^4} dx$$

Optimal. Leaf size=534

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (7\sqrt{b} (ag + 11bc) - 5\sqrt{a} (ai + 3be))}{512\sqrt{2} a^{15/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (7\sqrt{b} (ag + 11bc) + 5\sqrt{a} (ai + 3be))}{512\sqrt{2} a^{15/4} b^{7/4}}$$

Rubi [A] time = 0.82, antiderivative size = 534, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 45, number of rules / integrand size = 0.267, Rules used = {1858, 1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{4ai + 20f + (4ag + 11bc) + 20id + 5bd + 30e(a + 3bc)}{96\sqrt{2} a^{15/4} b^{7/4}} \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \frac{7\sqrt{b} (ag + 11bc) - 5\sqrt{a} (ai + 3be)}{512\sqrt{2} a^{15/4} b^{7/4}} \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \frac{7\sqrt{b} (ag + 11bc) + 5\sqrt{a} (ai + 3be)}{512\sqrt{2} a^{15/4} b^{7/4}} \frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}\right)}{256\sqrt{2} a^{15/4} b^{7/4}} \frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}\right)}{256\sqrt{2} a^{15/4} b^{7/4}} \frac{(a + 5b) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}\right)}{32\sqrt{2} a^{15/4} b^{7/4}} \frac{(7ag + 11bc) + 12i(d + 5b) + 15e(a + 3bc)}{384\sqrt{2} a^{15/4} b^{7/4}} \frac{(4ib^2 - ab) + a^2(b^2 - ab) + a^2(b^2 - ab) - ag + bc}{12ab(a + 3bc)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^4, x]

[Out] (x*(b*c - a*g + (b*d - a*h)*x + (b*e - a*i)*x^2 + (b*f - a*j)*x^3))/(12*a*b*(a + b*x^4)^3) + (x*(7*(11*b*c + a*g) + 12*(5*b*d + a*h)*x + 15*(3*b*e + a*i)*x^2))/(384*a^3*b*(a + b*x^4)) - (4*a*(2*b*f + a*j) - x*(b*(11*b*c + a*g) + 2*b*(5*b*d + a*h)*x + 3*b*(3*b*e + a*i)*x^2))/(96*a^2*b^2*(a + b*x^4)^2) + ((5*b*d + a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*b^(3/2)) - ((7*Sqrt[b]*(11*b*c + a*g) + 5*Sqrt[a]*(3*b*e + a*i))*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(7/4)) + ((7*Sqrt[b]*(11*b*c + a*g) + 5*Sqrt[a]*(3*b*e + a*i))*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(7/4)) - ((7*Sqrt[b]*(11*b*c + a*g) - 5*Sqrt[a]*(3*b*e + a*i))*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(7/4)) + ((7*Sqrt[b]*(11*b*c + a*g) - 5*Sqrt[a]*(3*b*e + a*i))*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(7/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
```

```
q, x])*(a + b*x^n)^(p + 1)/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]]*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1 /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii])*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 162x^6 + jx^7}{(a + bx^4)^4} dx = \frac{x(bc - ag + (bd - ah)x - (162a - be)x^2 + (bf - aj)x^3)}{12ab(a + bx^4)^3} - \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (162a - be)x^2 + (bf - aj)x^3)}{12ab(a + bx^4)^3} - \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (162a - be)x^2 + (bf - aj)x^3)}{12ab(a + bx^4)^3} + \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (162a - be)x^2 + (bf - aj)x^3)}{12ab(a + bx^4)^3} + \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (162a - be)x^2 + (bf - aj)x^3)}{12ab(a + bx^4)^3} + \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (162a - be)x^2 + (bf - aj)x^3)}{12ab(a + bx^4)^3} + \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (162a - be)x^2 + (bf - aj)x^3)}{12ab(a + bx^4)^3} + \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (162a - be)x^2 + (bf - aj)x^3)}{12ab(a + bx^4)^3} + \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (162a - be)x^2 + (bf - aj)x^3)}{12ab(a + bx^4)^3} + \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (162a - be)x^2 + (bf - aj)x^3)}{12ab(a + bx^4)^3} + \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (162a - be)x^2 + (bf - aj)x^3)}{12ab(a + bx^4)^3} + \dots$$

$$= \frac{x(bc - ag + (bd - ah)x - (162a - be)x^2 + (bf - aj)x^3)}{12ab(a + bx^4)^3} + \dots$$

Mathematica [A] time = 0.71, size = 555, normalized size = 1.04

1/5 \sqrt{1000} \left(\left(-\frac{2d}{3b} \right) \left[16ab^3 \sqrt{a+bx^4} + 9 \sqrt{a+bx^4} + 40 \sqrt{a+bx^4} + 15 \sqrt{a+bx^4} + 7 \sqrt{a+bx^4} + 77 \sqrt{a+bx^4} \right] + 4 \sqrt{1000} \left(\frac{d}{3b} \right) \left[-16ab^3 \sqrt{a+bx^4} + 9 \sqrt{a+bx^4} + 40 \sqrt{a+bx^4} + 15 \sqrt{a+bx^4} + 7 \sqrt{a+bx^4} + 77 \sqrt{a+bx^4} \right] + 3 \sqrt{1000} \sqrt{a+bx^4} \left(-\sqrt{1000} \sqrt{a+bx^4} + \sqrt{a+bx^4} \right) \sqrt{a+bx^4} + 15 \sqrt{a+bx^4} - 7 \sqrt{a+bx^4} - 77 \sqrt{a+bx^4} \right) + 3 \sqrt{1000} \sqrt{a+bx^4} \left(\sqrt{1000} \sqrt{a+bx^4} + \sqrt{a+bx^4} \right) \sqrt{a+bx^4} - 15 \sqrt{a+bx^4} + 7 \sqrt{a+bx^4} + 77 \sqrt{a+bx^4} \right) + \frac{d^2 \sqrt{a+bx^4}}{3b^2} + \dots

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^4, x]

[Out] ((8*a^(3/4)*b*x*(77*b*c + 7*a*g + 15*b*x*(4*d + 3*e*x) + 3*a*x*(4*h + 5*i*x)))/(a + b*x^4) - (32*a^(7/4)*(12*a^2*j - b^2*x*(11*c + x*(10*d + 9*e*x)) - a*b*x*(g + x*(2*h + 3*i*x))))/(a + b*x^4)^2 + (256*a^(11/4)*(a^2*j + b^2*x*(c + x*(d + e*x)) - a*b*(f + x*(g + x*(h + i*x))))/(a + b*x^4)^3 - 6*b^(1/4)*(77*Sqrt[2]*b^(3/2)*c + 80*a^(1/4)*b^(5/4)*d + 15*Sqrt[2]*Sqrt[a]*b*e + 7*Sqrt[2]*a*Sqrt[b]*g + 16*a^(5/4)*b^(1/4)*h + 5*Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 6*b^(1/4)*(77*Sqrt[2]*b^(3/2)*c - 80*a^(1/4)*b^(5/4)*d + 15*Sqrt[2]*Sqrt[a]*b*e + 7*Sqrt[2]*a*Sqrt[b]*g - 16*a^(5/4)*b^(1/4)*h + 5*Sqrt[2]*a^(3/2)*i)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 3*Sqrt[2]*b^(1/4)*(-77*b^(3/2)*c + 15*Sqrt[a]*b*e - 7*a*Sqrt[b]*g + 5*a^(3/2)*i)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + 3*Sqrt[2]*b^(1/4)*(77*b^(3/2)*c - 15*Sqrt[a]*b*e + 7*a*Sqrt[b]*g - 5*a^(3/2)*i)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(3072*a^(15/4)*b^2)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + ix^6 + jx^7}{(a + bx^4)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^4, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^4, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.21, size = 767, normalized size = 1.44



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out]
$$\frac{5}{1024}i(2\sqrt{2})(ab^3)^{3/4}\arctan\left(\frac{1}{2}\sqrt{2}(2x + \sqrt{2})(a/b)^{1/4}\right)/(a/b)^{1/4} - \sqrt{2}(ab^3)^{3/4}\log(x^2 + \sqrt{2}x(a/b)^{1/4} + \sqrt{a/b})/(a^3b^4) + \frac{5}{1024}i(2\sqrt{2})(ab^3)^{3/4}\arctan\left(\frac{1}{2}\sqrt{2}(2x - \sqrt{2})(a/b)^{1/4}\right)/(a/b)^{1/4} + \sqrt{2}(ab^3)^{3/4}\log(x^2 - \sqrt{2}x(a/b)^{1/4} + \sqrt{a/b})/(a^3b^4) + \frac{1}{512}\sqrt{2}(40\sqrt{2}\sqrt{ab}b^2d + 8\sqrt{2}\sqrt{ab}ab^2h + 77(ab^3)^{1/4}b^2c + 7(ab^3)^{1/4}ab^2g + 15(ab^3)^{3/4}e)\arctan\left(\frac{1}{2}\sqrt{2}(2x + \sqrt{2})(a/b)^{1/4}\right)/(a/b)^{1/4} + \frac{1}{512}\sqrt{2}(40\sqrt{2}\sqrt{ab}b^2d + 8\sqrt{2}\sqrt{ab}ab^2h + 77(ab^3)^{1/4}b^2c + 7(ab^3)^{1/4}ab^2g + 15(ab^3)^{3/4}e)\arctan\left(\frac{1}{2}\sqrt{2}(2x - \sqrt{2})(a/b)^{1/4}\right)/(a/b)^{1/4} + \frac{1}{1024}\sqrt{2}(77(ab^3)^{1/4}b^2c + 7(ab^3)^{1/4}ab^2g - 15(ab^3)^{3/4}e)\log(x^2 + \sqrt{2}x(a/b)^{1/4} + \sqrt{a/b})/(a^4b^3) - \frac{1}{1024}\sqrt{2}(77(ab^3)^{1/4}b^2c + 7(ab^3)^{1/4}ab^2g - 15(ab^3)^{3/4}e)\log(x^2 - \sqrt{2}x(a/b)^{1/4} + \sqrt{a/b})/(a^4b^3) + \frac{1}{384}(15ab^3ix^{11} + 45b^4x^{11}e + 60b^4dx^{10} + 12ab^3hx^{10} + 77b^4cx^9 + 7ab^3gx^9 + 42a^2b^2ix^7 + 126ab^3x^7e + 160ab^3dx^6 + 32a^2b^2hx^6 + 198ab^3cx^5 + 18a^2b^2gx^5 - 48a^3bjx^4 - 5a^3bix^3 + 113a^2b^2x^3e + 132a^2b^2dx^2 - 12a^3bhx^2 + 153a^2b^2cx - 21a^3bgx - 32a^3bf - 16a^4j)/(b^4x + a)^3a^3b^2)$$

maple [A] time = 0.07, size = 783, normalized size = 1.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out]
$$\frac{5}{128}(ai+3b^2e)/a^3bx^{11} + \frac{1}{32}(ah+5b^2d)/a^3bx^{10} + \frac{7}{384}(ag+11b^2c)/a^3bx^9 + \frac{7}{64}(ai+3b^2e)/a^2x^7 + \frac{1}{12}(ah+5b^2d)/a^2x^6 + \frac{3}{64}(ag+11b^2c)/a^2x^5 - \frac{1}{8}bjx^4 - \frac{1}{384}(5ai-113b^2e)/abx^3 - \frac{1}{32}(ah-11b^2d)/abx^2 - \frac{1}{128}(7ag-51b^2c)/abx - \frac{1}{24}(aj+2b^2f)/b^2/(b^4x+a)^3 + \frac{7}{512}(a/b)^{1/4}2^{1/2}/a^3/b^2g\arctan(2^{1/2}/(a/b)^{1/4}x+1) + \frac{77}{512}(a/b)^{1/4}2^{1/2}/a^4/b^2c\arctan(2^{1/2}/(a/b)^{1/4}x+1) + \frac{7}{512}(a/b)^{1/4}2^{1/2}/a^3/b^2g\arctan(2^{1/2}/(a/b)^{1/4}x-1) + \frac{77}{512}(a/b)^{1/4}2^{1/2}/a^4/b^2c\arctan(2^{1/2}/(a/b)^{1/4}x-1) + \frac{7}{1024}(a/b)^{1/4}2^{1/2}/a^3/b^2g\ln((x^2+(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2}))/((x^2-(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2})) + \frac{77}{1024}(a/b)^{1/4}2^{1/2}/a^4/b^2c\ln((x^2+(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2}))/((x^2-(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2})) + \frac{1}{32}(ab)^{1/2}/a^2/b^2h\arctan((1/a^2b^2)x^2+5/32)/(ab)^{1/2}/a^3d\arctan((1/a^2b^2)x^2+5/1024)/(a/b)^{1/4}2^{1/2}/a^2/b^2i\ln((x^2-(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2}))/((x^2+(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2})) + \frac{15}{1024}(a/b)^{1/4}2^{1/2}/a^3/b^2e\ln((x^2-(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2}))/((x^2+(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2}))$$

$$\frac{1}{2})) + 5/512/(a/b)^{(1/4)} * 2^{(1/2)} / a^2/b^2 * i * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x + 1) + 15/512/(a/b)^{(1/4)} * 2^{(1/2)} / a^3/b * e * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x + 1) + 5/512/(a/b)^{(1/4)} * 2^{(1/2)} / a^2/b^2 * i * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x - 1) + 15/512/(a/b)^{(1/4)} * 2^{(1/2)} / a^3/b * e * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x - 1)$$

maxima [A] time = 3.23, size = 613, normalized size = 1.15

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out] $\frac{1}{384} * (15 * (3 * b^4 * e + a * b^3 * i) * x^{11} + 12 * (5 * b^4 * d + a * b^3 * h) * x^{10} + 7 * (11 * b^4 * c + a * b^3 * g) * x^9 - 48 * a^3 * b * j * x^4 + 42 * (3 * a * b^3 * e + a^2 * b^2 * i) * x^7 + 32 * (5 * a * b^3 * d + a^2 * b^2 * h) * x^6 + 18 * (11 * a * b^3 * c + a^2 * b^2 * g) * x^5 - 32 * a^3 * b * f - 16 * a^4 * j + (113 * a^2 * b^2 * e - 5 * a^3 * b * i) * x^3 + 12 * (11 * a^2 * b^2 * d - a^3 * b * h) * x^2 + 3 * (51 * a^2 * b^2 * c - 7 * a^3 * b * g) * x) / (a^3 * b^5 * x^{12} + 3 * a^4 * b^4 * x^8 + 3 * a^5 * b^3 * x^4 + a^6 * b^2) + \frac{1}{1024} * (\sqrt{2} * (77 * b^{(3/2)} * c - 15 * \sqrt{a} * b * e + 7 * a * \sqrt{b} * g - 5 * a^{(3/2)} * i) * \log(\sqrt{b} * x^2 + \sqrt{2} * a^{(1/4)} * b^{(1/4)} * x + \sqrt{a})) / (a^{(3/4)} * b^{(3/4)}) - \sqrt{2} * (77 * b^{(3/2)} * c - 15 * \sqrt{a} * b * e + 7 * a * \sqrt{b} * g - 5 * a^{(3/2)} * i) * \log(\sqrt{b} * x^2 - \sqrt{2} * a^{(1/4)} * b^{(1/4)} * x + \sqrt{a})) / (a^{(3/4)} * b^{(3/4)}) + 2 * (77 * \sqrt{2} * a^{(1/4)} * b^{(7/4)} * c + 15 * \sqrt{2} * a^{(3/4)} * b^{(5/4)} * e + 7 * \sqrt{2} * a^{(5/4)} * b^{(3/4)} * g + 5 * \sqrt{2} * a^{(7/4)} * b^{(1/4)} * i - 80 * \sqrt{a} * b^{(3/2)} * d - 16 * a^{(3/2)} * \sqrt{b} * h) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{b} * x + \sqrt{2} * a^{(1/4)} * b^{(1/4)}) / \sqrt{a * b})) / (a^{(3/4)} * \sqrt{a * b}) * b^{(3/4)} + 2 * (77 * \sqrt{2} * a^{(1/4)} * b^{(7/4)} * c + 15 * \sqrt{2} * a^{(3/4)} * b^{(5/4)} * e + 7 * \sqrt{2} * a^{(5/4)} * b^{(3/4)} * g + 5 * \sqrt{2} * a^{(7/4)} * b^{(1/4)} * i + 80 * \sqrt{a} * b^{(3/2)} * d + 16 * a^{(3/2)} * \sqrt{b} * h) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{b} * x - \sqrt{2} * a^{(1/4)} * b^{(1/4)}) / \sqrt{a * b})) / (a^{(3/4)} * \sqrt{a * b}) * b^{(3/4)}$

mupad [B] time = 6.48, size = 2757, normalized size = 5.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^4, x)

[Out] $\text{symsum}(\log(-\text{root}(68719476736 * a^{15} * b^7 * z^4 + 1211105280 * a^8 * b^6 * c * e * z^2 + 403701760 * a^9 * b^5 * c * i * z^2 + 335544320 * a^9 * b^5 * d * h * z^2 + 110100480 * a^9 * b^5 * e * g * z^2 + 36700160 * a^{10} * b^4 * g * i * z^2 + 838860800 * a^8 * b^6 * d^2 * z^2 + 33554432 * a^{10} * b^4 * h^2 * z^2 + 2457600 * a^7 * b^3 * e * h * i * z - 88309760 * a^5 * b^5 * c * d * g * z - 17661952 * a^6 * b^4 * c * g * h * z + 12288000 * a^6 * b^4 * d * e * i * z - 485703680 * a^4 * b^6 * c^2 * d * z$

$$\begin{aligned}
& + 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h* \\
& z + 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z - 4014080*a^6*b^4*d*g \\
& ^2*z + 18432000*a^5*b^5*d*e^2*z - 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c* \\
& d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h - 2956800*a^2*b^4*c \\
& *d*e*h + 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i - 98560*a^4*b^2*c*h \\
& ^2*i - 26880*a^4*b^2*e*g*h^2 + 53900*a^4*b^2*c*g*i^2 + 1778700*a^2*b^4*c^2* \\
& e*i - 2464000*a^2*b^4*c*d^2*i - 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e \\
& *h^2 + 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e \\
& + 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g + 33750*a^4*b^2*e^2*i^2 + 614400* \\
& a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 + 1743126* \\
& a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i + 2048000*a^2*b^ \\
& 4*d^3*h + 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^ \\
& 2 + 2401*a^4*b^2*g^4 + 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d \\
& ^4 + 625*a^6*i^4 + 35153041*b^6*c^4, z, m)*(root(68719476736*a^15*b^7*z^4 + \\
& 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5 \\
& *d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 + 36700160*a^10*b^4*g*i*z^2 + 83886080 \\
& 0*a^8*b^6*d^2*z^2 + 33554432*a^10*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 8 \\
& 8309760*a^5*b^5*c*d*g*z - 17661952*a^6*b^4*c*g*h*z + 12288000*a^6*b^4*d*e*i \\
& *z - 485703680*a^4*b^6*c^2*d*z + 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5* \\
& c^2*h*z - 802816*a^7*b^3*g^2*h*z + 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^ \\
& 3*d*i^2*z - 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2*z - 89600*a^4* \\
& b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3* \\
& b^3*d*e*g*h - 2956800*a^2*b^4*c*d*e*h + 14700*a^4*b^2*e*g^2*i - 224000*a^3* \\
& b^3*d^2*g*i - 98560*a^4*b^2*c*h^2*i - 26880*a^4*b^2*e*g*h^2 + 53900*a^4*b^2 \\
& *c*g*i^2 + 1778700*a^2*b^4*c^2*e*i - 2464000*a^2*b^4*c*d^2*i - 672000*a^2*b \\
& ^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 + 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g \\
& *h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g + \\
& 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 2 \\
& 2050*a^3*b^3*e^2*g^2 + 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500 \\
& *a^3*b^3*e^3*i + 2048000*a^2*b^4*d^3*h + 81920*a^4*b^2*d*h^3 + 105644*a^3*b \\
& ^3*c*g^3 + 2668050*a*b^5*c^2*e^2 + 2401*a^4*b^2*g^4 + 50625*a^2*b^4*e^4 + 4 \\
& 096*a^5*b*h^4 + 2560000*a*b^5*d^4 + 625*a^6*i^4 + 35153041*b^6*c^4, z, m)*(\\
& (20185088*a^7*b^5*c + 1835008*a^8*b^4*g)/(2097152*a^9*b^2) - (x*(655360*a^7 \\
& *b^4*d + 131072*a^8*b^3*h))/(131072*a^9*b)) + (614400*a^4*b^4*d*e + 204800* \\
& a^5*b^3*d*i + 122880*a^5*b^3*e*h + 40960*a^6*b^2*h*i)/(2097152*a^9*b^2) - (\\
& x*(800*a^6*b*i^2 - 189728*a^3*b^4*c^2 + 7200*a^4*b^3*e^2 - 1568*a^5*b^2*g^2 \\
& - 34496*a^4*b^3*c*g + 4800*a^5*b^2*e*i))/(131072*a^9*b)) - (125*a^4*i^3 + \\
& 3375*a*b^3*e^3 - 123200*b^4*c*d^2 + 88935*b^4*c^2*e - 4928*a^2*b^2*c*h^2 + \\
& 735*a^2*b^2*e*g^2 + 3375*a^2*b^2*e^2*i - 11200*a*b^3*d^2*g + 29645*a*b^3*c^ \\
& 2*i + 1125*a^3*b*e*i^2 - 448*a^3*b*g*h^2 + 245*a^3*b*g^2*i + 5390*a^2*b^2*c \\
& *g*i - 4480*a^2*b^2*d*g*h - 49280*a*b^3*c*d*h + 16170*a*b^3*c*e*g)/(2097152 \\
& *a^9*b^2) - (x*(5775*b^3*c*d*e - 32*a^3*h^3 - 4000*b^3*d^3 + 35*a^3*g*h*i - \\
& 2400*a*b^2*d^2*h - 480*a^2*b*d*h^2 + 1925*a*b^2*c*d*i + 1155*a*b^2*c*e*h + \\
& 525*a*b^2*d*e*g + 385*a^2*b*c*h*i + 175*a^2*b*d*g*i + 105*a^2*b*e*g*h))/(1 \\
& 31072*a^9*b))*root(68719476736*a^15*b^7*z^4 + 1211105280*a^8*b^6*c*e*z^2 +
\end{aligned}$$

$$\begin{aligned}
&403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e \\
&*g*z^2 + 36700160*a^{10}*b^4*g*i*z^2 + 838860800*a^8*b^6*d^2*z^2 + 33554432*a \\
&^{10}*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z - 1766 \\
&1952*a^6*b^4*c*g*h*z + 12288000*a^6*b^4*d*e*i*z - 485703680*a^4*b^6*c^2*d*z \\
&+ 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h \\
&*z + 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z - 4014080*a^6*b^4*d* \\
&g^2*z + 18432000*a^5*b^5*d*e^2*z - 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c \\
&*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h - 2956800*a^2*b^4* \\
&c*d*e*h + 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i - 98560*a^4*b^2*c* \\
&h^2*i - 26880*a^4*b^2*e*g*h^2 + 53900*a^4*b^2*c*g*i^2 + 1778700*a^2*b^4*c^2 \\
&*e*i - 2464000*a^2*b^4*c*d^2*i - 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c* \\
&e*h^2 + 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e \\
&+ 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g + 33750*a^4*b^2*e^2*i^2 + 614400 \\
&*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 + 1743126 \\
&*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i + 2048000*a^2*b \\
&^4*d^3*h + 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e \\
&^2 + 2401*a^4*b^2*g^4 + 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5* \\
&d^4 + 625*a^6*i^4 + 35153041*b^6*c^4, z, m), m, 1, 4) + ((3*x^5*(11*b*c + a \\
&*g))/(64*a^2) - (j*x^4)/(8*b) - (2*b*f + a*j)/(24*b^2) + (x^6*(5*b*d + a*h) \\
&)/(12*a^2) + (7*x^7*(3*b*e + a*i))/(64*a^2) + (7*b*x^9*(11*b*c + a*g))/(384 \\
&*a^3) + (x*(51*b*c - 7*a*g))/(128*a*b) + (b*x^10*(5*b*d + a*h))/(32*a^3) + \\
&(5*b*x^11*(3*b*e + a*i))/(128*a^3) + (x^2*(11*b*d - a*h))/(32*a*b) + (x^3*(\\
&113*b*e - 5*a*i))/(384*a*b))/(a^3 + b^3*x^12 + 3*a^2*b*x^4 + 3*a*b^2*x^8)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x)

[Out] Timed out

$$3.163 \quad \int \frac{ag - bgx^4}{(a + bx^4)^{3/2}} dx$$

Optimal. Leaf size=14

$$\frac{gx}{\sqrt{a + bx^4}}$$

Rubi [A] time = 0.01, antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {383}

$$\frac{gx}{\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(a*g - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] (g*x)/Sqrt[a + b*x^4]

Rule 383

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(c*x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[a*d - b*c*(n*(p + 1) + 1), 0]

Rubi steps

$$\int \frac{ag - bgx^4}{(a + bx^4)^{3/2}} dx = \frac{gx}{\sqrt{a + bx^4}}$$

Mathematica [A] time = 0.01, size = 14, normalized size = 1.00

$$\frac{gx}{\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*g - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] (g*x)/Sqrt[a + b*x^4]

IntegrateAlgebraic [A] time = 0.37, size = 14, normalized size = 1.00

$$\frac{gx}{\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a*g - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] (g*x)/Sqrt[a + b*x^4]

fricas [A] time = 0.41, size = 12, normalized size = 0.86

$$\frac{gx}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+a*g)/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] g*x/sqrt(b*x^4 + a)

giac [A] time = 0.20, size = 12, normalized size = 0.86

$$\frac{gx}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+a*g)/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] g*x/sqrt(b*x^4 + a)

maple [A] time = 0.05, size = 13, normalized size = 0.93

$$\frac{gx}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*g*x^4+a*g)/(b*x^4+a)^(3/2),x)

[Out] g*x/(b*x^4+a)^(1/2)

maxima [A] time = 1.76, size = 12, normalized size = 0.86

$$\frac{gx}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+a*g)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] g*x/sqrt(b*x^4 + a)

mupad [B] time = 5.04, size = 12, normalized size = 0.86

$$\frac{g x}{\sqrt{b x^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*g - b*g*x^4)/(a + b*x^4)^(3/2),x)

[Out] (g*x)/(a + b*x^4)^(1/2)

sympy [C] time = 9.60, size = 80, normalized size = 5.71

$$\frac{g x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{b x^4 e^{i \pi}}{a}\right)}{4 \sqrt{a} \Gamma\left(\frac{5}{4}\right)} - \frac{b g x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{b x^4 e^{i \pi}}{a}\right)}{4 a^{\frac{3}{2}} \Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x**4+a*g)/(b*x**4+a)**(3/2),x)

[Out] g*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) - b*g*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4))

$$3.164 \quad \int \frac{ag+ex-bgx^4}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=29

$$\frac{2agx + ex^2}{2a\sqrt{a + bx^4}}$$

Rubi [A] time = 0.02, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$, Rules used = {1856}

$$\frac{2agx + ex^2}{2a\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(a*g + e*x - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] (2*a*g*x + e*x^2)/(2*a*Sqrt[a + b*x^4])

Rule 1856

Int[(P4_)/((a_) + (b_)*(x_)^4)^(3/2), x_Symbol] := With[{d = Coeff[P4, x, 0], e = Coeff[P4, x, 1], f = Coeff[P4, x, 3], g = Coeff[P4, x, 4]}, -Simp[(a*f + 2*a*g*x - b*e*x^2)/(2*a*b*Sqrt[a + b*x^4]), x] /; EqQ[b*d + a*g, 0] /; FreeQ[{a, b}, x] && PolyQ[P4, x, 4] && EqQ[Coeff[P4, x, 2], 0]

Rubi steps

$$\int \frac{ag + ex - bgx^4}{(a + bx^4)^{3/2}} dx = \frac{2agx + ex^2}{2a\sqrt{a + bx^4}}$$

Mathematica [A] time = 0.10, size = 27, normalized size = 0.93

$$\frac{x(2ag + ex)}{2a\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*g + e*x - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] (x*(2*a*g + e*x))/(2*a*Sqrt[a + b*x^4])

IntegrateAlgebraic [A] time = 15.16, size = 29, normalized size = 1.00

$$\frac{2agx + ex^2}{2a\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a*g + e*x - b*g*x^4)/(a + b*x^4)^(3/2), x]

[Out] (2*a*g*x + e*x^2)/(2*a*Sqrt[a + b*x^4])

fricas [A] time = 0.42, size = 34, normalized size = 1.17

$$\frac{\sqrt{bx^4 + a}(2agx + ex^2)}{2(abx^4 + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+a*g+e*x)/(b*x^4+a)^(3/2), x, algorithm="fricas")

[Out] 1/2*sqrt(b*x^4 + a)*(2*a*g*x + e*x^2)/(a*b*x^4 + a^2)

giac [A] time = 0.24, size = 23, normalized size = 0.79

$$\frac{(2g + \frac{xe}{a})x}{2\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+a*g+e*x)/(b*x^4+a)^(3/2), x, algorithm="giac")

[Out] 1/2*(2*g + x*e/a)*x/sqrt(b*x^4 + a)

maple [A] time = 0.05, size = 24, normalized size = 0.83

$$\frac{(2ag + ex)x}{2\sqrt{bx^4 + a}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*g*x^4+a*g+e*x)/(b*x^4+a)^(3/2), x)

[Out] 1/2*x*(2*a*g+e*x)/(b*x^4+a)^(1/2)/a

maxima [A] time = 1.77, size = 25, normalized size = 0.86

$$\frac{2agx + ex^2}{2\sqrt{bx^4 + a}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*g*x^4+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="maxima")`

[Out] $1/2*(2*a*g*x + e*x^2)/(\sqrt{b*x^4 + a})*a$

mupad [B] time = 4.91, size = 23, normalized size = 0.79

$$\frac{g x + \frac{e x^2}{2 a}}{\sqrt{b x^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*g + e*x - b*g*x^4)/(a + b*x^4)^(3/2),x)`

[Out] $(g*x + (e*x^2)/(2*a))/(a + b*x^4)^(1/2)$

sympy [C] time = 12.39, size = 104, normalized size = 3.59

$$\frac{g x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{b x^4 e^{i \pi}}{a}\right)}{4 \sqrt{a} \Gamma\left(\frac{5}{4}\right)} - \frac{b g x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{b x^4 e^{i \pi}}{a}\right)}{4 a^{\frac{3}{2}} \Gamma\left(\frac{9}{4}\right)} + \frac{e x^2}{2 a^{\frac{3}{2}} \sqrt{1 + \frac{b x^4}{a}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*g*x**4+a*g+e*x)/(b*x**4+a)**(3/2),x)`

[Out] $g*x*\text{gamma}(1/4)*\text{hyper}((1/4, 3/2), (5/4,), b*x**4*\text{exp_polar}(I*\text{pi})/a)/(4*\text{sqrt}(a)*\text{gamma}(5/4)) - b*g*x**5*\text{gamma}(5/4)*\text{hyper}((5/4, 3/2), (9/4,), b*x**4*\text{exp_polar}(I*\text{pi})/a)/(4*a**(3/2)*\text{gamma}(9/4)) + e*x**2/(2*a**(3/2)*\text{sqrt}(1 + b*x**4/a))$

$$3.165 \quad \int \frac{ag + fx^3 - bgx^4}{(a + bx^4)^{3/2}} dx$$

Optimal. Leaf size=25

$$-\frac{f - 2bgx}{2b\sqrt{a + bx^4}}$$

Rubi [A] time = 0.03, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$, Rules used = {1856}

$$-\frac{f - 2bgx}{2b\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(a*g + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] -(f - 2*b*g*x)/(2*b*Sqrt[a + b*x^4])

Rule 1856

Int[(P4_)/((a_) + (b_.)*(x_)^4)^(3/2), x_Symbol] := With[{d = Coeff[P4, x, 0], e = Coeff[P4, x, 1], f = Coeff[P4, x, 3], g = Coeff[P4, x, 4]}, -Simp[(a*f + 2*a*g*x - b*e*x^2)/(2*a*b*Sqrt[a + b*x^4]), x] /; EqQ[b*d + a*g, 0] /; FreeQ[{a, b}, x] && PolyQ[P4, x, 4] && EqQ[Coeff[P4, x, 2], 0]

Rubi steps

$$\int \frac{ag + fx^3 - bgx^4}{(a + bx^4)^{3/2}} dx = -\frac{f - 2bgx}{2b\sqrt{a + bx^4}}$$

Mathematica [A] time = 0.04, size = 27, normalized size = 1.08

$$\frac{2bgx - f}{2b\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*g + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] (-f + 2*b*g*x)/(2*b*Sqrt[a + b*x^4])

IntegrateAlgebraic [A] time = 15.85, size = 27, normalized size = 1.08

$$\frac{2bgx - f}{2b\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a*g + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2), x]

[Out] (-f + 2*b*g*x)/(2*b*Sqrt[a + b*x^4])

fricas [A] time = 0.42, size = 33, normalized size = 1.32

$$\frac{\sqrt{bx^4 + a}(2bgx - f)}{2(b^2x^4 + ab)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+f*x^3+a*g)/(b*x^4+a)^(3/2), x, algorithm="fricas")

[Out] 1/2*sqrt(b*x^4 + a)*(2*b*g*x - f)/(b^2*x^4 + a*b)

giac [A] time = 0.20, size = 22, normalized size = 0.88

$$\frac{2gx - \frac{f}{b}}{2\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+f*x^3+a*g)/(b*x^4+a)^(3/2), x, algorithm="giac")

[Out] 1/2*(2*g*x - f/b)/sqrt(b*x^4 + a)

maple [A] time = 0.05, size = 24, normalized size = 0.96

$$\frac{2bgx - f}{2\sqrt{bx^4 + a} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*g*x^4+f*x^3+a*g)/(b*x^4+a)^(3/2), x)

[Out] 1/2*(2*b*g*x-f)/b/(b*x^4+a)^(1/2)

maxima [A] time = 1.83, size = 23, normalized size = 0.92

$$\frac{2bgx - f}{2\sqrt{bx^4 + a} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+f*x^3+a*g)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] 1/2*(2*b*g*x - f)/(sqrt(b*x^4 + a)*b)

mupad [B] time = 4.90, size = 20, normalized size = 0.80

$$\frac{gx - \frac{f}{2b}}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*g + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2),x)

[Out] (g*x - f/(2*b))/(a + b*x^4)^(1/2)

sympy [A] time = 17.80, size = 109, normalized size = 4.36

$$f \left(\begin{cases} -\frac{1}{2b\sqrt{a+bx^4}} & \text{for } b \neq 0 \\ \frac{x^4}{4a^{\frac{3}{2}}} & \text{otherwise} \end{cases} \right) + \frac{gx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} - \frac{bgx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x**4+f*x**3+a*g)/(b*x**4+a)**(3/2),x)

[Out] f*Piecewise((-1/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**4/(4*a**(3/2)), True)) + g*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) - b*g*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4))

$$3.166 \quad \int \frac{ag+ex+fx^3-bgx^4}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=38

$$-\frac{-2abgx + af - bex^2}{2ab\sqrt{a + bx^4}}$$

Rubi [A] time = 0.03, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.032$, Rules used = {1856}

$$-\frac{-2abgx + af - bex^2}{2ab\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(a*g + e*x + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] -(a*f - 2*a*b*g*x - b*e*x^2)/(2*a*b*Sqrt[a + b*x^4])

Rule 1856

Int[(P4_)/((a_) + (b_.)*(x_)^4)^(3/2), x_Symbol] := With[{d = Coeff[P4, x, 0], e = Coeff[P4, x, 1], f = Coeff[P4, x, 3], g = Coeff[P4, x, 4]}, -Simp[(a*f + 2*a*g*x - b*e*x^2)/(2*a*b*Sqrt[a + b*x^4]), x] /; EqQ[b*d + a*g, 0] /; FreeQ[{a, b}, x] && PolyQ[P4, x, 4] && EqQ[Coeff[P4, x, 2], 0]

Rubi steps

$$\int \frac{ag + ex + fx^3 - bgx^4}{(a + bx^4)^{3/2}} dx = -\frac{af - 2abgx - bex^2}{2ab\sqrt{a + bx^4}}$$

Mathematica [A] time = 0.05, size = 38, normalized size = 1.00

$$\frac{2abgx - af + bex^2}{2ab\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*g + e*x + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] (-(a*f) + 2*a*b*g*x + b*e*x^2)/(2*a*b*Sqrt[a + b*x^4])

IntegrateAlgebraic [A] time = 34.85, size = 38, normalized size = 1.00

$$\frac{2abgx - af + bex^2}{2ab\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a*g + e*x + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] $(-(a*f) + 2*a*b*g*x + b*e*x^2)/(2*a*b*\text{Sqrt}[a + b*x^4])$

fricas [A] time = 0.41, size = 44, normalized size = 1.16

$$\frac{\sqrt{bx^4 + a}(2abgx + bex^2 - af)}{2(ab^2x^4 + a^2b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+f*x^3+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] $1/2*\text{sqrt}(b*x^4 + a)*(2*a*b*g*x + b*e*x^2 - a*f)/(a*b^2*x^4 + a^2*b)$

giac [A] time = 0.22, size = 31, normalized size = 0.82

$$\frac{(2g + \frac{xe}{a})x - \frac{f}{b}}{2\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+f*x^3+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] $1/2*((2*g + x*e/a)*x - f/b)/\text{sqrt}(b*x^4 + a)$

maple [A] time = 0.04, size = 35, normalized size = 0.92

$$\frac{2abgx + be x^2 - af}{2\sqrt{b x^4 + a} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*g*x^4+f*x^3+a*g+e*x)/(b*x^4+a)^(3/2),x)

[Out] $1/2*(2*a*b*g*x+b*e*x^2-a*f)/a/b/(b*x^4+a)^(1/2)$

maxima [A] time = 1.85, size = 44, normalized size = 1.16

$$\frac{\sqrt{bx^4 + a} (2abgx + bex^2 - af)}{2(ab^2x^4 + a^2b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+f*x^3+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] 1/2*sqrt(b*x^4 + a)*(2*a*b*g*x + b*e*x^2 - a*f)/(a*b^2*x^4 + a^2*b)

mupad [B] time = 4.84, size = 29, normalized size = 0.76

$$\frac{gx - \frac{f}{2b} + \frac{ex^2}{2a}}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*g + e*x + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2),x)

[Out] (g*x - f/(2*b) + (e*x^2)/(2*a))/(a + b*x^4)^(1/2)

sympy [A] time = 21.51, size = 133, normalized size = 3.50

$$f \left(\begin{cases} -\frac{1}{2b\sqrt{a+bx^4}} & \text{for } b \neq 0 \\ \frac{x^4}{4a^{\frac{3}{2}}} & \text{otherwise} \end{cases} \right) + \frac{gx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} - \frac{bgx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)} + \frac{ex^2}{2a^{\frac{3}{2}}\sqrt{1 + \frac{bx^4}{a}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x**4+f*x**3+a*g+e*x)/(b*x**4+a)**(3/2),x)

[Out] f*Piecewise((-1/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**4/(4*a**(3/2)), True)) + g*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) - b*g*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4)) + e*x**2/(2*a**(3/2)*sqrt(1 + b*x**4/a))

$$3.167 \quad \int \frac{-1+x^4}{(1+x^4)^{3/2}} dx$$

Optimal. Leaf size=12

$$-\frac{x}{\sqrt{x^4+1}}$$

Rubi [A] time = 0.00, antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {383}

$$-\frac{x}{\sqrt{x^4+1}}$$

Antiderivative was successfully verified.

[In] Int[(-1 + x^4)/(1 + x^4)^(3/2), x]

[Out] -(x/Sqrt[1 + x^4])

Rule 383

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> S
imp[(c*x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[
b*c - a*d, 0] && EqQ[a*d - b*c*(n*(p + 1) + 1), 0]

Rubi steps

$$\int \frac{-1+x^4}{(1+x^4)^{3/2}} dx = -\frac{x}{\sqrt{1+x^4}}$$

Mathematica [A] time = 0.01, size = 12, normalized size = 1.00

$$-\frac{x}{\sqrt{x^4+1}}$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + x^4)/(1 + x^4)^(3/2), x]

[Out] -(x/Sqrt[1 + x^4])

IntegrateAlgebraic [A] time = 0.21, size = 12, normalized size = 1.00

$$-\frac{x}{\sqrt{x^4 + 1}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(-1 + x^4)/(1 + x^4)^(3/2), x]

[Out] -(x/Sqrt[1 + x^4])

fricas [A] time = 0.41, size = 10, normalized size = 0.83

$$-\frac{x}{\sqrt{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4-1)/(x^4+1)^(3/2), x, algorithm="fricas")

[Out] -x/sqrt(x^4 + 1)

giac [A] time = 0.18, size = 10, normalized size = 0.83

$$-\frac{x}{\sqrt{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4-1)/(x^4+1)^(3/2), x, algorithm="giac")

[Out] -x/sqrt(x^4 + 1)

maple [A] time = 0.05, size = 11, normalized size = 0.92

$$-\frac{x}{\sqrt{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4-1)/(x^4+1)^(3/2), x)

[Out] -1/(x^4+1)^(1/2)*x

maxima [A] time = 3.24, size = 10, normalized size = 0.83

$$-\frac{x}{\sqrt{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4-1)/(x^4+1)^(3/2),x, algorithm="maxima")

[Out] -x/sqrt(x^4 + 1)

mupad [B] time = 4.85, size = 10, normalized size = 0.83

$$-\frac{x}{\sqrt{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 - 1)/(x^4 + 1)^(3/2),x)

[Out] -x/(x^4 + 1)^(1/2)

sympy [C] time = 5.21, size = 58, normalized size = 4.83

$$\frac{x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{9}{4} \middle| x^4 e^{i\pi}\right)}{4\Gamma\left(\frac{9}{4}\right)} - \frac{x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{5}{4} \middle| x^4 e^{i\pi}\right)}{4\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4-1)/(x**4+1)**(3/2),x)

[Out] x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), x**4*exp_polar(I*pi))/(4*gamma(9/4)) - x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), x**4*exp_polar(I*pi))/(4*gamma(5/4))

$$3.168 \quad \int \frac{1+x}{1+x^5} dx$$

Optimal. Leaf size=109

$$-\frac{1}{5}\sqrt[5]{-1} \left(1 + \sqrt[5]{-1}\right) \log\left(\sqrt[5]{-1} - x\right) + \frac{1}{5}(-1)^{4/5} \left(1 - (-1)^{4/5}\right) \log\left(-x - (-1)^{4/5}\right) + \frac{1}{5}(-1)^{2/5} \left(1 - (-1)^{2/5}\right) \log\left(x + (-1)^{2/5}\right) - \frac{1}{5}(-1)^{3/5} \left(1 + (-1)^{3/5}\right) \log\left(x - (-1)^{3/5}\right)$$

Rubi [A] time = 0.06, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1586, 2068}

$$-\frac{1}{5}\sqrt[5]{-1} \left(1 + \sqrt[5]{-1}\right) \log\left(\sqrt[5]{-1} - x\right) + \frac{1}{5}(-1)^{4/5} \left(1 - (-1)^{4/5}\right) \log\left(-x - (-1)^{4/5}\right) + \frac{1}{5}(-1)^{2/5} \left(1 - (-1)^{2/5}\right) \log\left(x + (-1)^{2/5}\right) - \frac{1}{5}(-1)^{3/5} \left(1 + (-1)^{3/5}\right) \log\left(x - (-1)^{3/5}\right)$$

Antiderivative was successfully verified.

[In] Int[(1 + x)/(1 + x^5), x]

[Out] $-\left((-1)^{(1/5)} * (1 + (-1)^{(1/5)}) * \text{Log}\left[(-1)^{(1/5)} - x\right]\right) / 5 + \left((-1)^{(4/5)} * (1 - (-1)^{(4/5)}) * \text{Log}\left[-(-1)^{(4/5)} - x\right]\right) / 5 + \left((-1)^{(2/5)} * (1 - (-1)^{(2/5)}) * \text{Log}\left[(-1)^{(2/5)} + x\right]\right) / 5 - \left((-1)^{(3/5)} * (1 + (-1)^{(3/5)}) * \text{Log}\left[-(-1)^{(3/5)} + x\right]\right) / 5$

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2068

Int[(P4_)^(p_), x_Symbol] :> With[{a = Coeff[P4, x, 0], b = Coeff[P4, x, 1], c = Coeff[P4, x, 2], d = Coeff[P4, x, 3], e = Coeff[P4, x, 4]}, Dist[1/a^(3*p), Int[ExpandIntegrand[1/((a - b*x)^p/(a^5 - b^5*x^5)^p), x], x], x] /; NeQ[a, 0] && EqQ[c, b^2/a] && EqQ[d, b^3/a^2] && EqQ[e, b^4/a^3] /; FreeQ[p, x] && PolyQ[P4, x, 4] && ILtQ[p, 0]

Rubi steps

$$\begin{aligned} \int \frac{1+x}{1+x^5} dx &= \int \frac{1}{1-x+x^2-x^3+x^4} dx \\ &= \int \left(\frac{-1 + (-1)^{4/5}}{5(-1 + \sqrt[5]{-1}x)} + \frac{-1 - (-1)^{3/5}}{5(-1 - (-1)^{2/5}x)} + \frac{-1 + (-1)^{2/5}}{5(-1 + (-1)^{3/5}x)} + \frac{-1 - \sqrt[5]{-1}}{5(-1 - (-1)^{4/5}x)} \right) dx \\ &= -\frac{1}{5}\sqrt[5]{-1} \left(1 + \sqrt[5]{-1}\right) \log\left(\sqrt[5]{-1} - x\right) + \frac{1}{5}(-1)^{4/5} \left(1 - (-1)^{4/5}\right) \log\left(-(-1)^{4/5} - x\right) + \frac{1}{5}(-1)^{2/5} \left(1 - (-1)^{2/5}\right) \log\left(x + (-1)^{2/5}\right) - \frac{1}{5}(-1)^{3/5} \left(1 + (-1)^{3/5}\right) \log\left(x - (-1)^{3/5}\right) \end{aligned}$$

Mathematica [C] time = 0.01, size = 51, normalized size = 0.47

$$\text{RootSum}\left[\#1^4 - \#1^3 + \#1^2 - \#1 + 1 \&, \frac{\log(x - \#1)}{4\#1^3 - 3\#1^2 + 2\#1 - 1} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x)/(1 + x^5), x]

[Out] RootSum[1 - #1 + #1^2 - #1^3 + #1^4 &, Log[x - #1]/(-1 + 2*#1 - 3*#1^2 + 4*#1^3) &]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1+x}{1+x^5} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 + x)/(1 + x^5), x]

[Out] IntegrateAlgebraic[(1 + x)/(1 + x^5), x]

fricas [B] time = 1.28, size = 835, normalized size = 7.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^5+1), x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/10*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})*\log(3/8*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^3 + 1/8*(3*\sqrt{5} + 15*\sqrt{-2/25*\sqrt{5} - 1/5} + 8)*(\\ & \sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 + 3/8*((\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 12)*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) + 11*x + 1) - \\ & 1/10*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})*\log(-3/8*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^3 + (\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 + 11*x - 9 \\ & /2*\sqrt{5} - 45/2*\sqrt{-2/25*\sqrt{5} - 1/5} - 14) + 1/10*(\sqrt{5} + 5*\sqrt{-3/100*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 1/50*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) - 3/100*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2))*\log(-1/8*(3*\sqrt{5} + 15*\sqrt{-2/25*\sqrt{5} - 1/5} + 8)*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - (\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 3/8*((\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 12)*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) + 5/4*\sqrt{-3/100*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 1/50*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) - 3/100*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2))*((3*\sqrt{5} + 15*\sqrt{-2/25*\sqrt{5} - 1/5} + 8)*(sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) + 8*\sqrt{5} + 40*\sqrt{-2/25*\sqrt{5} - 1/5}) \end{aligned}$$

/5) + 36) + 22*x + 9/2*sqrt(5) + 45/2*sqrt(-2/25*sqrt(5) - 1/5) + 2) + 1/10 * (sqrt(5) - 5*sqrt(-3/100*(sqrt(5) + 5*sqrt(-2/25*sqrt(5) - 1/5))^2 - 1/50*(sqrt(5) + 5*sqrt(-2/25*sqrt(5) - 1/5))*(sqrt(5) - 5*sqrt(-2/25*sqrt(5) - 1/5)) - 3/100*(sqrt(5) - 5*sqrt(-2/25*sqrt(5) - 1/5))^2)*log(-1/8*(3*sqrt(5) + 15*sqrt(-2/25*sqrt(5) - 1/5) + 8)*(sqrt(5) - 5*sqrt(-2/25*sqrt(5) - 1/5))^2 - (sqrt(5) + 5*sqrt(-2/25*sqrt(5) - 1/5))^2 - 3/8*((sqrt(5) + 5*sqrt(-2/25*sqrt(5) - 1/5))^2 - 12)*(sqrt(5) - 5*sqrt(-2/25*sqrt(5) - 1/5)) - 5/4*sqrt(-3/100*(sqrt(5) + 5*sqrt(-2/25*sqrt(5) - 1/5))^2 - 1/50*(sqrt(5) + 5*sqrt(-2/25*sqrt(5) - 1/5))*(sqrt(5) - 5*sqrt(-2/25*sqrt(5) - 1/5)) - 3/100*(sqrt(5) - 5*sqrt(-2/25*sqrt(5) - 1/5))^2)*((3*sqrt(5) + 15*sqrt(-2/25*sqrt(5) - 1/5) + 8)*(sqrt(5) - 5*sqrt(-2/25*sqrt(5) - 1/5)) + 8*sqrt(5) + 40*sqrt(-2/25*sqrt(5) - 1/5) + 36) + 22*x + 9/2*sqrt(5) + 45/2*sqrt(-2/25*sqrt(5) - 1/5) + 2)

giac [A] time = 0.22, size = 101, normalized size = 0.93

$$\frac{1}{5}\sqrt{-2\sqrt{5}+5}\arctan\left(\frac{4x+\sqrt{5}-1}{\sqrt{2\sqrt{5}+10}}\right)+\frac{1}{5}\sqrt{2\sqrt{5}+5}\arctan\left(\frac{4x-\sqrt{5}-1}{\sqrt{-2\sqrt{5}+10}}\right)-\frac{1}{10}\sqrt{5}\log\left(x^2-\frac{1}{2}x(\sqrt{5}+1)+1\right)+\frac{1}{10}\sqrt{5}\log\left(x^2+\frac{1}{2}x(\sqrt{5}-1)+1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^5+1),x, algorithm="giac")

[Out] 1/5*sqrt(-2*sqrt(5) + 5)*arctan((4*x + sqrt(5) - 1)/sqrt(2*sqrt(5) + 10)) + 1/5*sqrt(2*sqrt(5) + 5)*arctan((4*x - sqrt(5) - 1)/sqrt(-2*sqrt(5) + 10)) - 1/10*sqrt(5)*log(x^2 - 1/2*x*(sqrt(5) + 1) + 1) + 1/10*sqrt(5)*log(x^2 + 1/2*x*(sqrt(5) - 1) + 1)

maple [B] time = 0.12, size = 173, normalized size = 1.59

$$\frac{\arctan\left(\frac{4x-\sqrt{5}-1}{\sqrt{10-2\sqrt{5}}}\right)}{\sqrt{10-2\sqrt{5}}} + \frac{\sqrt{5}\arctan\left(\frac{4x-\sqrt{5}-1}{\sqrt{10-2\sqrt{5}}}\right)}{5\sqrt{10-2\sqrt{5}}} + \frac{\arctan\left(\frac{4x+\sqrt{5}-1}{\sqrt{10+2\sqrt{5}}}\right)}{\sqrt{10+2\sqrt{5}}} - \frac{\sqrt{5}\arctan\left(\frac{4x+\sqrt{5}-1}{\sqrt{10+2\sqrt{5}}}\right)}{5\sqrt{10+2\sqrt{5}}} - \frac{\sqrt{5}\ln(2x^2-\sqrt{5}x-x+2)}{10} + \frac{\sqrt{5}\ln(2x^2+\sqrt{5}x-x+2)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x+1)/(x^5+1),x)

[Out] 1/10*5^(1/2)*ln(2*x^2+5^(1/2)*x-x+2)+1/(10+2*5^(1/2))^(1/2)*arctan((4*x+5^(1/2)-1)/(10+2*5^(1/2))^(1/2))-1/5/(10+2*5^(1/2))^(1/2)*arctan((4*x+5^(1/2)-1)/(10+2*5^(1/2))^(1/2))*5^(1/2)-1/10*5^(1/2)*ln(-5^(1/2)*x+2*x^2-x+2)+1/(10-2*5^(1/2))^(1/2)*arctan((4*x-5^(1/2)-1)/(10-2*5^(1/2))^(1/2))+1/5/(10-2*5^(1/2))^(1/2)*arctan((4*x-5^(1/2)-1)/(10-2*5^(1/2))^(1/2))*5^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x+1}{x^5+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^5+1),x, algorithm="maxima")

[Out] integrate((x + 1)/(x^5 + 1), x)

mupad [B] time = 4.92, size = 64, normalized size = 0.59

$$\sum_{k=1}^4 \ln\left(\operatorname{root}\left(z^4 - \frac{z}{25} + \frac{1}{125}, z, k\right)\left(-4x + \operatorname{root}\left(z^4 - \frac{z}{25} + \frac{1}{125}, z, k\right)\left(25\operatorname{root}\left(z^4 - \frac{z}{25} + \frac{1}{125}, z, k\right) + 15x - 15\right) + 1\right)\right)\operatorname{root}\left(z^4 - \frac{z}{25} + \frac{1}{125}, z, k\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + 1)/(x^5 + 1),x)

[Out] symsum(log(root(z^4 - z/25 + 1/125, z, k)*(root(z^4 - z/25 + 1/125, z, k)*(25*root(z^4 - z/25 + 1/125, z, k) + 15*x - 15) - 4*x + 1))*root(z^4 - z/25 + 1/125, z, k), k, 1, 4)

sympy [B] time = 1.20, size = 1287, normalized size = 11.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x**5+1),x)

[Out] sqrt(5)*log(x**2 + x*(-48/11 - 21*sqrt(5)/11 + 4*sqrt(10)*sqrt(sqrt(5) + 3)/11 + 45*sqrt(2)*sqrt(sqrt(5) + 3)/22) - 1381*sqrt(10)*sqrt(sqrt(5) + 3)/484 - 3045*sqrt(2)*sqrt(sqrt(5) + 3)/484 + 2213*sqrt(5)/242 + 5217/242)/10 - sqrt(5)*log(x**2 + x*(-48/11 - 45*sqrt(2)*sqrt(3 - sqrt(5))/22 + 4*sqrt(10)*sqrt(3 - sqrt(5))/11 + 21*sqrt(5)/11) - 2213*sqrt(5)/242 - 1381*sqrt(10)*sqrt(3 - sqrt(5))/484 + 3045*sqrt(2)*sqrt(3 - sqrt(5))/484 + 5217/242)/10 + 2*sqrt(-sqrt(10)*sqrt(3 - sqrt(5)))/50 + 3/20)*atan(44*x/(-8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 3*sqrt(10)*sqrt(3 - sqrt(5))*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15)) - 96/(-8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 3*sqrt(10)*sqrt(3 - sqrt(5))*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15)) - 45*sqrt(2)*sqrt(3 - sqrt(5))/(-8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 3*sqrt(10)*sqrt(3 - sqrt(5))*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15)) + 8*sqrt(10)*sqrt(3 - sqrt(5))/(-8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 3*sqrt(10)*sqrt(3 - sqrt(5))*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15)) + 42*sqrt(5)/(-8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 3*sqrt(10)*sqrt(3 - sqrt(5))*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15)) + 2*sqrt(-sqrt(10)*sqrt(sqrt(5) + 3)/50 + 3/20)*atan(44*x/(8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(sqrt(5) + 3) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(sqrt(5) + 3) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(sqrt(5) + 3) + 15)) + 2*sqrt(-sqrt(10)*sqrt(sqrt(5) + 3)/50 + 3/20)*atan(44*x/(8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(sqrt(5) + 3) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(sqrt(5) + 3) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(sqrt(5) + 3) + 15))

$$\begin{aligned}
& 10) * \sqrt{\sqrt{5} + 3} + 15) + 3 * \sqrt{10} * \sqrt{\sqrt{5} + 3} * \sqrt{-2 * \sqrt{10} * \sqrt{\sqrt{5} + 3} + 15}) - 96 / (8 * \sqrt{5} * \sqrt{-2 * \sqrt{10} * \sqrt{\sqrt{5} + 3} + 15}) + 18 * \sqrt{-2 * \sqrt{10} * \sqrt{\sqrt{5} + 3} + 15}) + 3 * \sqrt{10} * \sqrt{\sqrt{5} + 3} * \sqrt{-2 * \sqrt{10} * \sqrt{\sqrt{5} + 3} + 15}) - 42 * \sqrt{5} / (8 * \sqrt{5} * \sqrt{-2 * \sqrt{10} * \sqrt{\sqrt{5} + 3} + 15}) + 18 * \sqrt{-2 * \sqrt{10} * \sqrt{\sqrt{5} + 3} + 15}) + 3 * \sqrt{10} * \sqrt{\sqrt{5} + 3} * \sqrt{-2 * \sqrt{10} * \sqrt{\sqrt{5} + 3} + 15}) + 8 * \sqrt{10} * \sqrt{\sqrt{5} + 3} / (8 * \sqrt{5} * \sqrt{-2 * \sqrt{10} * \sqrt{\sqrt{5} + 3} + 15}) + 18 * \sqrt{-2 * \sqrt{10} * \sqrt{\sqrt{5} + 3} + 15}) + 3 * \sqrt{10} * \sqrt{\sqrt{5} + 3} * \sqrt{-2 * \sqrt{10} * \sqrt{\sqrt{5} + 3} + 15}) + 45 * \sqrt{2} * \sqrt{\sqrt{5} + 3} / (8 * \sqrt{5} * \sqrt{-2 * \sqrt{10} * \sqrt{\sqrt{5} + 3} + 15}) + 18 * \sqrt{-2 * \sqrt{10} * \sqrt{\sqrt{5} + 3} + 15}) + 3 * \sqrt{10} * \sqrt{\sqrt{5} + 3} * \sqrt{-2 * \sqrt{10} * \sqrt{\sqrt{5} + 3} + 15})
\end{aligned}$$

$$3.169 \quad \int \frac{1-x}{1-x^5} dx$$

Optimal. Leaf size=109

$$-\frac{1}{5}(-1)^{2/5} (1 - (-1)^{2/5}) \log((-1)^{2/5} - x) + \frac{1}{5}(-1)^{3/5} (1 + (-1)^{3/5}) \log(-x - (-1)^{3/5}) + \frac{1}{5}\sqrt[5]{-1} (1 + \sqrt[5]{-1}) \log(x + \sqrt[5]{-1})$$

Rubi [A] time = 0.04, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {1586, 2068}

$$-\frac{1}{5}(-1)^{2/5} (1 - (-1)^{2/5}) \log((-1)^{2/5} - x) + \frac{1}{5}(-1)^{3/5} (1 + (-1)^{3/5}) \log(-x - (-1)^{3/5}) + \frac{1}{5}\sqrt[5]{-1} (1 + \sqrt[5]{-1}) \log(x + \sqrt[5]{-1}) - \frac{1}{5}(-1)^{4/5} (1 - (-1)^{4/5}) \log(x - (-1)^{4/5})$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(1 - x^5), x]

[Out] -((-1)^(2/5)*(1 - (-1)^(2/5))*Log[(-1)^(2/5) - x])/5 + ((-1)^(3/5)*(1 + (-1)^(3/5))*Log[-(-1)^(3/5) - x])/5 + ((-1)^(1/5)*(1 + (-1)^(1/5))*Log[(-1)^(1/5) + x])/5 - ((-1)^(4/5)*(1 - (-1)^(4/5))*Log[-(-1)^(4/5) + x])/5

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2068

Int[(P4_)^(p_), x_Symbol] := With[{a = Coeff[P4, x, 0], b = Coeff[P4, x, 1], c = Coeff[P4, x, 2], d = Coeff[P4, x, 3], e = Coeff[P4, x, 4]}, Dist[1/a^(3*p), Int[ExpandIntegrand[1/((a - b*x)^p/(a^5 - b^5*x^5)^p), x], x], x] /; NeQ[a, 0] && EqQ[c, b^2/a] && EqQ[d, b^3/a^2] && EqQ[e, b^4/a^3] /; FreeQ[p, x] && PolyQ[P4, x, 4] && ILtQ[p, 0]

Rubi steps

$$\begin{aligned} \int \frac{1-x}{1-x^5} dx &= \int \frac{1}{1+x+x^2+x^3+x^4} dx \\ &= \int \left(\frac{1 - (-1)^{4/5}}{5(1 + \sqrt[5]{-1}x)} + \frac{1 + (-1)^{3/5}}{5(1 - (-1)^{2/5}x)} + \frac{1 - (-1)^{2/5}}{5(1 + (-1)^{3/5}x)} + \frac{1 + \sqrt[5]{-1}}{5(1 - (-1)^{4/5}x)} \right) dx \\ &= -\frac{1}{5}(-1)^{2/5} (1 - (-1)^{2/5}) \log((-1)^{2/5} - x) + \frac{1}{5}(-1)^{3/5} (1 + (-1)^{3/5}) \log(-(-1)^{3/5} - x) + \frac{1}{5}\sqrt[5]{-1} (1 + \sqrt[5]{-1}) \log(x + \sqrt[5]{-1}) \end{aligned}$$

Mathematica [C] time = 0.01, size = 47, normalized size = 0.43

$$\text{RootSum} \left[\#1^4 + \#1^3 + \#1^2 + \#1 + 1 \&, \frac{\log(x - \#1)}{4\#1^3 + 3\#1^2 + 2\#1 + 1} \& \right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(1 - x^5), x]

[Out] RootSum[1 + #1 + #1^2 + #1^3 + #1^4 & , Log[x - #1]/(1 + 2*#1 + 3*#1^2 + 4*#1^3) &]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1-x}{1-x^5} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 - x)/(1 - x^5), x]

[Out] IntegrateAlgebraic[(1 - x)/(1 - x^5), x]

fricas [B] time = 1.27, size = 799, normalized size = 7.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^5+1), x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/10*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})*\log(3/8*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^3 + 1/8*(3*\sqrt{5} + 3*\sqrt{2*\sqrt{5} - 5} - 8)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2 + 3/8*((\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 12)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) + 11*x - 1) - 1/10*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})*\log(-3/8*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^3 - (\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 + 11*x - 9/2*\sqrt{5} - 9/2*\sqrt{2*\sqrt{5} - 5} + 14) + 1/10*(\sqrt{5} + 5*\sqrt{-3/100*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 1/50*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 3/100*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2})*\log(-1/8*(3*\sqrt{5} + 3*\sqrt{2*\sqrt{5} - 5} - 8)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2 + (\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 3/8*((\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 12)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) + 5/4*\sqrt{-3/100*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 1/50*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 3/100*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2})*((3*\sqrt{5} + 3*\sqrt{2*\sqrt{5} - 5} - 8)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 8*\sqrt{5} - 8*\sqrt{2*\sqrt{5} - 5} + 36) + 22*x + 9/2*\sqrt{5} + 9/2*\sqrt{2*\sqrt{5} - 5} - 5 - 2) + 1/10*(\sqrt{5} - 5*\sqrt{-3/100*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 1/50*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 3/ \end{aligned}$$

$100*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2)*\log(-1/8*(3*\sqrt{5} + 3*\sqrt{2*\sqrt{5} - 5}) - 8)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2 + (\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 3/8*((\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 12)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 5/4*\sqrt{-3/100*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2} - 1/50*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 3/100*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2*((3*\sqrt{5} + 3*\sqrt{2*\sqrt{5} - 5}) - 8)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 8*\sqrt{5} - 8*\sqrt{2*\sqrt{5} - 5} + 36) + 22*x + 9/2*\sqrt{5} + 9/2*\sqrt{2*\sqrt{5} - 5} - 2)$

giac [A] time = 0.18, size = 101, normalized size = 0.93

$$\frac{1}{5}\sqrt{-2\sqrt{5}+5}\arctan\left(\frac{4x-\sqrt{5}+1}{\sqrt{2\sqrt{5}+10}}\right)+\frac{1}{5}\sqrt{2\sqrt{5}+5}\arctan\left(\frac{4x+\sqrt{5}+1}{\sqrt{-2\sqrt{5}+10}}\right)+\frac{1}{10}\sqrt{5}\log\left(x^2+\frac{1}{2}x(\sqrt{5}+1)+1\right)-\frac{1}{10}\sqrt{5}\log\left(x^2-\frac{1}{2}x(\sqrt{5}-1)+1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^5+1),x, algorithm="giac")

[Out] $1/5*\sqrt{-2*\sqrt{5} + 5}*\arctan((4*x - \sqrt{5} + 1)/\sqrt{2*\sqrt{5} + 10}) + 1/5*\sqrt{2*\sqrt{5} + 5}*\arctan((4*x + \sqrt{5} + 1)/\sqrt{-2*\sqrt{5} + 10}) + 1/10*\sqrt{5}*\log(x^2 + 1/2*x*(\sqrt{5} + 1) + 1) - 1/10*\sqrt{5}*\log(x^2 - 1/2*x*(\sqrt{5} - 1) + 1)$

maple [B] time = 0.11, size = 169, normalized size = 1.55

$$\frac{\arctan\left(\frac{4x+1-\sqrt{5}}{\sqrt{10+2\sqrt{5}}}\right)}{\sqrt{10+2\sqrt{5}}} - \frac{\sqrt{5}\arctan\left(\frac{4x+1-\sqrt{5}}{\sqrt{10+2\sqrt{5}}}\right)}{5\sqrt{10+2\sqrt{5}}} + \frac{\arctan\left(\frac{4x+1+\sqrt{5}}{\sqrt{10-2\sqrt{5}}}\right)}{\sqrt{10-2\sqrt{5}}} + \frac{\sqrt{5}\arctan\left(\frac{4x+1+\sqrt{5}}{\sqrt{10-2\sqrt{5}}}\right)}{5\sqrt{10-2\sqrt{5}}} - \frac{\sqrt{5}\ln(2x^2-\sqrt{5}x+x+2)}{10} + \frac{\sqrt{5}\ln(2x^2+\sqrt{5}x+x+2)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)/(-x^5+1),x)

[Out] $-1/10*5^{(1/2)}*\ln(-5^{(1/2)}*x+2*x^2+x+2)+1/(10+2*5^{(1/2)})^{(1/2)}*\arctan((4*x+1-5^{(1/2)})/(10+2*5^{(1/2)})^{(1/2)})-1/5/(10+2*5^{(1/2)})^{(1/2)}*\arctan((4*x+1-5^{(1/2)})/(10+2*5^{(1/2)})^{(1/2)})*5^{(1/2)}+1/10*5^{(1/2)}*\ln(5^{(1/2)}*x+2*x^2+x+2)+1/(10-2*5^{(1/2)})^{(1/2)}*\arctan((4*x+1+5^{(1/2)})/(10-2*5^{(1/2)})^{(1/2)})+1/5/(10-2*5^{(1/2)})^{(1/2)}*\arctan((4*x+1+5^{(1/2)})/(10-2*5^{(1/2)})^{(1/2)})*5^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x-1}{x^5-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^5+1),x, algorithm="maxima")

[Out] integrate((x - 1)/(x^5 - 1), x)

mupad [B] time = 4.98, size = 65, normalized size = 0.60

$$\sum_{k=1}^4 \ln\left(-\operatorname{root}\left(z^4 + \frac{z}{25} + \frac{1}{125}, z, k\right)\left(4x + \operatorname{root}\left(z^4 + \frac{z}{25} + \frac{1}{125}, z, k\right)\left(25\operatorname{root}\left(z^4 + \frac{z}{25} + \frac{1}{125}, z, k\right) + 15x + 15\right) + 1\right)\right)\operatorname{root}\left(z^4 + \frac{z}{25} + \frac{1}{125}, z, k\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x - 1)/(x^5 - 1), x)

[Out] symsum(log(-root(z^4 + z/25 + 1/125, z, k)*(4*x + root(z^4 + z/25 + 1/125, z, k)*(25*root(z^4 + z/25 + 1/125, z, k) + 15*x + 15) + 1))*root(z^4 + z/25 + 1/125, z, k), k, 1, 4)

sympy [B] time = 1.28, size = 1287, normalized size = 11.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x**5+1), x)

[Out] sqrt(5)*log(x**2 + x*(-21*sqrt(5)/11 - 4*sqrt(10)*sqrt(3 - sqrt(5))/11 + 45*sqrt(2)*sqrt(3 - sqrt(5))/22 + 48/11) - 2213*sqrt(5)/242 - 1381*sqrt(10)*sqrt(3 - sqrt(5))/484 + 3045*sqrt(2)*sqrt(3 - sqrt(5))/484 + 5217/242)/10 - sqrt(5)*log(x**2 + x*(-45*sqrt(2)*sqrt(sqrt(5) + 3)/22 - 4*sqrt(10)*sqrt(sqrt(5) + 3)/11 + 21*sqrt(5)/11 + 48/11) - 1381*sqrt(10)*sqrt(sqrt(5) + 3)/484 - 3045*sqrt(2)*sqrt(sqrt(5) + 3)/484 + 2213*sqrt(5)/242 + 5217/242)/10 + 2*sqrt(-sqrt(10)*sqrt(3 - sqrt(5))/50 + 3/20)*atan(44*x/(-8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 3*sqrt(10)*sqrt(3 - sqrt(5))*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15)) - 42*sqrt(5)/(-8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 3*sqrt(10)*sqrt(3 - sqrt(5))*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15)) - 8*sqrt(10)*sqrt(3 - sqrt(5))/(-8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 3*sqrt(10)*sqrt(3 - sqrt(5))*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15)) + 45*sqrt(2)*sqrt(3 - sqrt(5))/(-8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 3*sqrt(10)*sqrt(3 - sqrt(5))*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15)) + 96/(-8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 3*sqrt(10)*sqrt(3 - sqrt(5))*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15)) + 2*sqrt(-sqrt(10)*sqrt(sqrt(5) + 3)/50 + 3/20)*atan(44*x/(8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(sqrt(5) + 3) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(sqrt(5) + 3) + 15) + 3*sqrt(10)*sqrt(sqrt(5) + 3)*sqrt(-2*sqrt(10)*sqrt(sqrt(5) + 3) + 15)) - 45*sqrt(2)*sqrt(sqrt(5) + 3)/(8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(sqrt(5) + 3) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(sqrt(5) + 3) + 15) + 3*sqrt(10)*sqrt(sqrt(5) + 3)*sqrt(-2*sqrt(10)*sqrt(sqrt(5) + 3) + 15) + 15

$$3.170 \quad \int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=208

$$\frac{x^{12}(a^2f - abe + b^2d)}{12b^3} - \frac{a^3 \log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^7} + \frac{a^2x^3(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^6} - \frac{ax^6}{3b^6}$$

Rubi [A] time = 0.32, antiderivative size = 208, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^9(a^2be + a^3(-f) - ab^2d + b^3c)}{9b^4} - \frac{ax^6(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^5} + \frac{a^2x^3(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^6} - \frac{a^3 \log(a + bx^3)(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^7} + \frac{x^{12}(a^2f - abe + b^2d)}{12b^3} + \frac{x^{15}(be - af)}{15b^2} + \frac{fx^{18}}{18b}$$

Antiderivative was successfully verified.

[In] Int[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3)/(3*b^6) - (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^6)/(6*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9)/(9*b^4) + ((b^2*d - a*b*e + a^2*f)*x^12)/(12*b^3) + ((b*e - a*f)*x^15)/(15*b^2) + (f*x^18)/(18*b) - (a^3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*b^7)

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\begin{aligned} \int \frac{x^{11} (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x^3 (c + dx + ex^2 + fx^3)}{a + bx} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(-\frac{a^2 (-b^3c + ab^2d - a^2be + a^3f)}{b^6} + \frac{a (-b^3c + ab^2d - a^2be + a^3f)}{b^5} \right. \right. \\ &= \frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x^3}{3b^6} - \frac{a (b^3c - ab^2d + a^2be - a^3f) x^6}{6b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f) x^9}{9b^4} \end{aligned}$$

Mathematica [A] time = 0.11, size = 187, normalized size = 0.90

$$\frac{60a^3 \log(a + bx^3) (a^3f - a^2be + ab^2d - b^3c) + bx^3 (-60a^5f + 30a^4b(2e + fx^3) - 10a^3b^2(6d + 3ex^3 + 2fx^6) + 5a^2b^3(12c + 6dx^3 + 4ex^6 + 3fx^9) - ab^4x^3(30c + 20dx^3 + 15ex^6 + 12fx^9) + b^5x^6(20c + 15dx^3 + 12ex^6 + 10fx^9))}{180b^7}$$

Antiderivative was successfully verified.

[In] Integrate[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] (b*x^3*(-60*a^5*f + 30*a^4*b*(2*e + f*x^3) - 10*a^3*b^2*(6*d + 3*e*x^3 + 2*f*x^6) + 5*a^2*b^3*(12*c + 6*d*x^3 + 4*e*x^6 + 3*f*x^9) + b^5*x^6*(20*c + 15*d*x^3 + 12*e*x^6 + 10*f*x^9) - a*b^4*x^3*(30*c + 20*d*x^3 + 15*e*x^6 + 12*f*x^9)) + 60*a^3*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a + b*x^3])/(180*b^7)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^{11} (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

fricas [A] time = 0.41, size = 210, normalized size = 1.01

$$\frac{10b^6fx^{18} + 12(b^6e - ab^5f)x^{15} + 15(b^6d - ab^5e + a^2b^4f)x^{12} + 20(b^6c - ab^5d + a^2b^4e - a^3b^3f)x^9 - 30(ab^5c - a^2b^4d + a^3b^3e - a^4b^2f)x^6 + 60(a^2b^3c - a^3b^2d + a^4b^2e - a^5bf)x^3 - 60(a^3b^2c - a^4b^2d + a^5be - a^6f) \log(bx^3 + a)}{180b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="fricas")

[Out] 1/180*(10*b^6*f*x^18 + 12*(b^6*e - a*b^5*f)*x^15 + 15*(b^6*d - a*b^5*e + a^2*b^4*f)*x^12 + 20*(b^6*c - a*b^5*d + a^2*b^4*e - a^3*b^3*f)*x^9 - 30*(a*b^5*c - a^2*b^4*d + a^3*b^3*e - a^4*b^2*f)*x^6 + 60*(a^2*b^3*c - a^3*b^2*d + a^4*b^2*e - a^5*b*f)*x^3 - 60*(a^3*b^2*c - a^4*b^2*d + a^5*b*e - a^6*f)*log(b*x^3 + a)

$$5*c - a^2*b^4*d + a^3*b^3*e - a^4*b^2*f)*x^6 + 60*(a^2*b^4*c - a^3*b^3*d + a^4*b^2*e - a^5*b*f)*x^3 - 60*(a^3*b^3*c - a^4*b^2*d + a^5*b*e - a^6*f)*\log(b*x^3 + a)/b^7$$

giac [A] time = 0.17, size = 246, normalized size = 1.18

$$\frac{10b^5fx^{18} - 12ab^4fx^{15} + 12b^5x^{15}e + 15b^5dx^{12} + 15a^2b^3fx^{12} - 15ab^4x^{12}e + 20b^5cx^9 - 20ab^4dx^9 - 20a^2b^3fx^9 + 20a^2b^3x^9e - 30ab^4cx^6 + 30a^2b^3dx^6 + 30a^4b^2fx^6 - 30a^4b^2x^6e + 60a^2b^3cx^3 - 60a^2b^3dx^3 - 60a^5fx^3 + 60a^5x^3e}{180b^6} - \frac{(a^3b^3c - a^4b^2d - a^5b*e + a^6f)\log(bx^3 + a)}{3b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

$$[Out] \frac{1}{180}*(10*b^5*f*x^{18} - 12*a*b^4*f*x^{15} + 12*b^5*x^{15}*e + 15*b^5*d*x^{12} + 15*a^2*b^3*f*x^{12} - 15*a*b^4*x^{12}*e + 20*b^5*c*x^9 - 20*a*b^4*d*x^9 - 20*a^3*b^2*f*x^9 + 20*a^2*b^3*x^9*e - 30*a*b^4*c*x^6 + 30*a^2*b^3*d*x^6 + 30*a^4*b*f*x^6 - 30*a^3*b^2*x^6*e + 60*a^2*b^3*c*x^3 - 60*a^3*b^2*d*x^3 - 60*a^5*f*x^3 + 60*a^4*b^2*x^3*e)/b^6 - \frac{1}{3}*(a^3*b^3*c - a^4*b^2*d - a^5*b*e + a^6*f)*\log(abs(b*x^3 + a))/b^7$$

maple [A] time = 0.05, size = 266, normalized size = 1.28

$$\frac{fx^{18}}{18b} - \frac{afx^{15}}{15b^2} + \frac{ex^{15}}{15b} + \frac{a^2fx^{12}}{12b^3} - \frac{aex^{12}}{12b^2} + \frac{dx^{12}}{12b} - \frac{a^3fx^9}{9b^4} + \frac{a^2ex^9}{9b^3} + \frac{adx^9}{9b^2} + \frac{cx^9}{9b} + \frac{a^4fx^6}{6b^5} - \frac{a^3ex^6}{6b^4} + \frac{a^2dx^6}{6b^3} - \frac{acx^6}{6b^2} - \frac{a^5fx^3}{3b^6} + \frac{a^4ex^3}{3b^5} - \frac{a^3dx^3}{3b^4} + \frac{a^2cx^3}{3b^3} + \frac{a^6f\ln(bx^3+a)}{3b^7} - \frac{a^5e\ln(bx^3+a)}{3b^6} + \frac{a^4d\ln(bx^3+a)}{3b^5} - \frac{a^3c\ln(bx^3+a)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)

$$[Out] \frac{1}{18}f*x^{18}/b - \frac{1}{15}b^2*x^{15}a*f + \frac{1}{15}b*x^{15}e + \frac{1}{12}b^3*x^{12}a^2*f - \frac{1}{12}b^2*x^{12}a*e + \frac{1}{12}b*x^{12}d - \frac{1}{9}b^4*x^9a^3*f + \frac{1}{9}b^3*x^9a^2*e - \frac{1}{9}b^2*x^9a*d + \frac{1}{9}b*x^9c + \frac{1}{6}b^5*x^6a^4*f - \frac{1}{6}b^4*x^6a^3*e + \frac{1}{6}b^3*x^6a^2*d - \frac{1}{6}b^2*x^6a*c - \frac{1}{3}b^6*x^3a^5*f + \frac{1}{3}b^5*x^3a^4*e - \frac{1}{3}b^4*x^3a^3*d + \frac{1}{3}b^3*x^3a^2*c + \frac{1}{3}a^6/b^7*\ln(b*x^3+a)*f - \frac{1}{3}a^5/b^6*\ln(b*x^3+a)*e + \frac{1}{3}a^4/b^5*\ln(b*x^3+a)*d - \frac{1}{3}a^3/b^4*\ln(b*x^3+a)*c$$

maxima [A] time = 1.37, size = 209, normalized size = 1.00

$$\frac{10b^5fx^{18} + 12(b^5e - ab^4f)x^{15} + 15(b^5d - ab^4e + a^2b^3f)x^{12} + 20(b^5c - ab^4d + a^2b^3e - a^2b^2f)x^9 - 30(ab^4c - a^2b^3d + a^3b^2e - a^4bf)x^6 + 60(a^2b^3c - a^3b^2d + a^4be - a^5f)x^3}{180b^6} - \frac{(a^3b^3c - a^4b^2d + a^5be - a^6f)\log(bx^3 + a)}{3b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")

$$[Out] \frac{1}{180}*(10*b^5*f*x^{18} + 12*(b^5*e - a*b^4*f)*x^{15} + 15*(b^5*d - a*b^4*e + a^2*b^3*f)*x^{12} + 20*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^9 - 30*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^6 + 60*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*x^3)/b^6 - \frac{1}{3}*(a^3*b^3*c - a^4*b^2*d + a^5*b*e - a^6*f)*\log(b*x^3 + a)/b^7$$

mupad [B] time = 4.92, size = 237, normalized size = 1.14

$$x^{15} \left(\frac{e}{15b} - \frac{af}{15b^2} \right) + x^{12} \left(\frac{d}{12b} - \frac{a \left(\frac{c}{b} - \frac{af}{b^2} \right)}{12b} \right) + x^9 \left(\frac{c}{9b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{c}{b} - \frac{af}{b^2} \right)}{b} \right)}{9b} \right) + \frac{\ln(bx^3 + a) (fa^6 - ea^5b + da^4b^2 - ca^3b^3)}{3b^7} + \frac{fx^{18}}{18b} + \frac{a^2x^3 \left(\frac{c}{b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{c}{b} - \frac{af}{b^2} \right)}{b} \right)}{b} \right)}{3b^2} - \frac{ax^6 \left(\frac{c}{b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{c}{b} - \frac{af}{b^2} \right)}{b} \right)}{b} \right)}{6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x)

[Out] x^15*(e/(15*b) - (a*f)/(15*b^2)) + x^12*(d/(12*b) - (a*(e/b - (a*f)/b^2))/(12*b)) + x^9*(c/(9*b) - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/(9*b)) + (log(a + b*x^3)*(a^6*f - a^3*b^3*c + a^4*b^2*d - a^5*b*e))/(3*b^7) + (f*x^18)/(18*b) + (a^2*x^3*(c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b)/(3*b^2) - (a*x^6*(c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b)/(6*b)

sympy [A] time = 1.32, size = 216, normalized size = 1.04

$$\frac{a^3(a^3f - a^2be + ab^2d - b^3c)\log(a + bx^3)}{3b^7} + x^{15} \left(-\frac{af}{15b^2} + \frac{e}{15b} \right) + x^{12} \left(\frac{a^2f}{12b^3} - \frac{ae}{12b^2} + \frac{d}{12b} \right) + x^9 \left(-\frac{a^3f}{9b^4} + \frac{a^2e}{9b^3} - \frac{ad}{9b^2} + \frac{c}{9b} \right) + x^6 \left(\frac{a^4f}{6b^5} - \frac{a^3e}{6b^4} + \frac{a^2d}{6b^3} - \frac{ac}{6b^2} \right) + x^3 \left(-\frac{a^5f}{3b^6} + \frac{a^4e}{3b^5} - \frac{a^3d}{3b^4} + \frac{a^2c}{3b^3} \right) + \frac{fx^{18}}{18b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**11*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a),x)

[Out] a**3*(a**3*f - a**2*b*e + a*b**2*d - b**3*c)*log(a + b*x**3)/(3*b**7) + x**15*(-a*f/(15*b**2) + e/(15*b)) + x**12*(a**2*f/(12*b**3) - a*e/(12*b**2) + d/(12*b)) + x**9*(-a**3*f/(9*b**4) + a**2*e/(9*b**3) - a*d/(9*b**2) + c/(9*b)) + x**6*(a**4*f/(6*b**5) - a**3*e/(6*b**4) + a**2*d/(6*b**3) - a*c/(6*b**2)) + x**3*(-a**5*f/(3*b**6) + a**4*e/(3*b**5) - a**3*d/(3*b**4) + a**2*c/(3*b**3)) + f*x**18/(18*b)

$$3.171 \quad \int \frac{x^8(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=170

$$\frac{x^9(a^2f - abe + b^2d)}{9b^3} + \frac{a^2 \log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^6} - \frac{ax^3(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^5} + \frac{x^6(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^5}$$

Rubi [A] time = 0.24, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^6(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^4} - \frac{ax^3(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^5} + \frac{a^2 \log(a + bx^3)(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^6} + \frac{x^9(a^2f - abe + b^2d)}{9b^3} + \frac{x^{12}(be - af)}{12b^2} + \frac{fx^{15}}{15b}$$

Antiderivative was successfully verified.

[In] Int[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] -(a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3)/(3*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^6)/(6*b^4) + ((b^2*d - a*b*e + a^2*f)*x^9)/(9*b^3) + ((b*e - a*f)*x^12)/(12*b^2) + (f*x^15)/(15*b) + (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*b^6)

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_)^n_)^p_, x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\int \frac{x^8 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{x^2 (c + dx + ex^2 + fx^3)}{a + bx} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{a(-b^3c + ab^2d - a^2be + a^3f)}{b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2c)}{b^3} \right) dx, x, x^3 \right)$$

$$= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x^3}{3b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^6}{6b^4} + \frac{(b^2d - abe + a^2c)x^9}{9b^3}$$

Mathematica [A] time = 0.09, size = 154, normalized size = 0.91

$$\frac{bx^3(60a^4f - 30a^3b(2e + fx^3) + 10a^2b^2(6d + 3ex^3 + 2fx^6) - 5ab^3(12c + 6dx^3 + 4ex^6 + 3fx^9) + b^4x^3(30c + 20dx^3 + 15ex^6 + 12fx^9)) - 60a^2 \log(a + bx^3)(a^3f - a^2be + ab^2d - b^3c)}{180b^6}$$

Antiderivative was successfully verified.

[In] Integrate[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] (b*x^3*(60*a^4*f - 30*a^3*b*(2*e + f*x^3) + 10*a^2*b^2*(6*d + 3*e*x^3 + 2*f*x^6) - 5*a*b^3*(12*c + 6*d*x^3 + 4*e*x^6 + 3*f*x^9) + b^4*x^3*(30*c + 20*d*x^3 + 15*e*x^6 + 12*f*x^9)) - 60*a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a + b*x^3])/(180*b^6)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^8 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

fricas [A] time = 0.41, size = 170, normalized size = 1.00

$$\frac{12b^5fx^{15} + 15(b^5e - ab^4f)x^{12} + 20(b^5d - ab^4e + a^2b^3f)x^9 + 30(b^5c - ab^4d + a^2b^3e - a^3b^2f)x^6 - 60(ab^4c - a^2b^3d + a^3b^2e - a^4bf)x^3 + 60(a^2b^3c - a^3b^2d + a^4be - a^5f) \log(bx^3 + a)}{180b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="fricas")

[Out] 1/180*(12*b^5*f*x^15 + 15*(b^5*e - a*b^4*f)*x^12 + 20*(b^5*d - a*b^4*e + a^2*b^3*f)*x^9 + 30*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^6 - 60*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^3 + 60*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*log(b*x^3 + a)

$$*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^3 + 60*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*\log(b*x^3 + a))/b^6$$

giac [A] time = 0.19, size = 197, normalized size = 1.16

$$\frac{12b^4fx^{15} - 15ab^3fx^{12} + 15b^4x^{12}e + 20b^4dx^9 + 20a^2b^2fx^9 - 20ab^3x^9e + 30b^4cx^6 - 30ab^3dx^6 - 30a^3bfx^6 + 30a^2b^2x^6e - 60ab^3cx^3 + 60a^2b^2dx^3 + 60a^4fx^3 - 60a^3bx^3e}{180b^5} + \frac{(a^2b^3c - a^3b^2d - a^5f + a^4be)\log(bx^3 + a)}{3b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

$$[Out] \frac{1}{180}*(12*b^4*f*x^{15} - 15*a*b^3*f*x^{12} + 15*b^4*x^{12}*e + 20*b^4*d*x^9 + 20*a^2*b^2*f*x^9 - 20*a*b^3*x^9*e + 30*b^4*c*x^6 - 30*a*b^3*d*x^6 - 30*a^3*b*f*x^6 + 30*a^2*b^2*x^6*e - 60*a*b^3*c*x^3 + 60*a^2*b^2*d*x^3 + 60*a^4*f*x^3 - 60*a^3*b*x^3*e)/b^5 + \frac{1}{3}*(a^2*b^3*c - a^3*b^2*d - a^5*f + a^4*b*e)*\log(a*b*x^3 + a)/b^6$$

maple [A] time = 0.05, size = 218, normalized size = 1.28

$$\frac{fx^{15}}{15b} - \frac{afx^{12}}{12b^2} + \frac{ex^{12}}{12b} + \frac{a^2fx^9}{9b^3} - \frac{aex^9}{9b^2} + \frac{dx^9}{9b} - \frac{a^3fx^6}{6b^4} + \frac{a^2ex^6}{6b^3} - \frac{adx^6}{6b^2} + \frac{cx^6}{6b} + \frac{a^4fx^3}{3b^5} - \frac{a^3ex^3}{3b^4} + \frac{a^2dx^3}{3b^3} - \frac{acx^3}{3b^2} - \frac{a^5f\ln(bx^3 + a)}{3b^6} + \frac{a^4e\ln(bx^3 + a)}{3b^5} - \frac{a^3d\ln(bx^3 + a)}{3b^4} + \frac{a^2c\ln(bx^3 + a)}{3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)

$$[Out] \frac{1}{15}*f*x^{15}/b - \frac{1}{12}/b^2*x^{12}*a*f + \frac{1}{12}/b*x^{12}*e + \frac{1}{9}/b^3*x^9*a^2*f - \frac{1}{9}/b^2*x^9*a*e + \frac{1}{9}/b*x^9*d - \frac{1}{6}/b^4*x^6*a^3*f + \frac{1}{6}/b^3*x^6*a^2*e - \frac{1}{6}/b^2*x^6*a*d + \frac{1}{6}/b*x^6*c + \frac{1}{3}/b^5*x^3*a^4*f - \frac{1}{3}/b^4*x^3*a^3*e + \frac{1}{3}/b^3*x^3*a^2*d - \frac{1}{3}/b^2*x^3*a*c - \frac{1}{3}*a^5/b^6*\ln(b*x^3+a)*f + \frac{1}{3}*a^4/b^5*\ln(b*x^3+a)*e - \frac{1}{3}*a^3/b^4*\ln(b*x^3+a)*d + \frac{1}{3}*a^2/b^3*\ln(b*x^3+a)*c$$

maxima [A] time = 1.38, size = 169, normalized size = 0.99

$$\frac{12b^4fx^{15} + 15(b^4e - ab^3f)x^{12} + 20(b^4d - ab^3e + a^2b^2f)x^9 + 30(b^4c - ab^3d + a^2b^2e - a^3bf)x^6 - 60(ab^3c - a^2b^2d + a^3be - a^4f)x^3}{180b^5} + \frac{(a^2b^3c - a^3b^2d + a^4be - a^5f)\log(bx^3 + a)}{3b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")

$$[Out] \frac{1}{180}*(12*b^4*f*x^{15} + 15*(b^4*e - a*b^3*f)*x^{12} + 20*(b^4*d - a*b^3*e + a^2*b^2*f)*x^9 + 30*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^6 - 60*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^3)/b^5 + \frac{1}{3}*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*\log(b*x^3 + a)/b^6$$

mupad [B] time = 4.96, size = 189, normalized size = 1.11

$$x^{12} \left(\frac{e}{12b} - \frac{af}{12b^2} \right) + x^9 \left(\frac{d}{9b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{9b} \right) + x^6 \left(\frac{c}{6b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{6b} \right) - \frac{\ln(bx^3 + a) (fa^5 - ea^4b + da^3b^2 - ca^2b^3)}{3b^6} + \frac{fx^{15}}{15b} - \frac{ax^3 \left(\frac{c}{b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{b} \right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x)`

[Out] $x^{12} \left(\frac{e}{12b} - \frac{af}{12b^2} \right) + x^9 \left(\frac{d}{9b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{9b} \right) + x^6 \left(\frac{c}{6b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{6b} \right) - \frac{\log(a + bx^3) (a^5f - a^2b^3c + a^3b^2d - a^4b^2e)}{3b^6} + \frac{fx^{15}}{15b} - \frac{ax^3 \left(\frac{c}{b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{b} \right)}{3b}$

sympy [A] time = 1.35, size = 172, normalized size = 1.01

$$-\frac{a^2(a^3f - a^2be + ab^2d - b^3c) \log(a + bx^3)}{3b^6} + x^{12} \left(-\frac{af}{12b^2} + \frac{e}{12b} \right) + x^9 \left(\frac{a^2f}{9b^3} - \frac{ae}{9b^2} + \frac{d}{9b} \right) + x^6 \left(-\frac{a^3f}{6b^4} + \frac{a^2e}{6b^3} - \frac{ad}{6b^2} + \frac{c}{6b} \right) + x^3 \left(\frac{a^4f}{3b^5} - \frac{a^3e}{3b^4} + \frac{a^2d}{3b^3} - \frac{ac}{3b^2} \right) + \frac{fx^{15}}{15b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**8*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a), x)`

[Out] $-a^{**2} (a^{**3} f - a^{**2} b e + a b^{**2} d - b^{**3} c) \log(a + b x^{**3}) / (3 b^{**6}) + x^{**12} (-a f / (12 b^{**2}) + e / (12 b)) + x^{**9} (a^{**2} f / (9 b^{**3}) - a e / (9 b^{**2}) + d / (9 b)) + x^{**6} (-a^{**3} f / (6 b^{**4}) + a^{**2} e / (6 b^{**3}) - a d / (6 b^{**2}) + c / (6 b)) + x^{**3} (a^{**4} f / (3 b^{**5}) - a^{**3} e / (3 b^{**4}) + a^{**2} d / (3 b^{**3}) - a c / (3 b^{**2})) + f x^{**15} / (15 b)$

$$3.172 \quad \int \frac{x^5(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=132

$$\frac{x^6(a^2f - abe + b^2d)}{6b^3} - \frac{a \log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^5} + \frac{x^3(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^4} + \frac{x^9(be - af)}{9b^2}$$

Rubi [A] time = 0.18, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^3(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^4} - \frac{a \log(a + bx^3)(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^5} + \frac{x^6(a^2f - abe + b^2d)}{6b^3} + \frac{x^9(be - af)}{9b^2} + \frac{fx^{12}}{12b}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3)/(3*b^4) + ((b^2*d - a*b*e + a^2*f)*x^6)/(6*b^3) + ((b*e - a*f)*x^9)/(9*b^2) + (f*x^12)/(12*b) - (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*b^5)

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_.)*(x_)^n_)^p_, x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{x^5 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{x (c + dx + ex^2 + fx^3)}{a + bx} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^3c - ab^2d + a^2be - a^3f}{b^4} + \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^2}{b^2} + \frac{fx^3}{b} \right) dx, x, x^3 \right)$$

$$= \frac{(b^3c - ab^2d + a^2be - a^3f)x^3}{3b^4} + \frac{(b^2d - abe + a^2f)x^6}{6b^3} + \frac{(be - af)x^9}{9b^2} + \frac{fx^{12}}{12b} - \frac{a}{3b}$$

Mathematica [A] time = 0.07, size = 119, normalized size = 0.90

$$\frac{12a \log(a + bx^3)(a^3f - a^2be + ab^2d - b^3c) + bx^3(-12a^3f + 6a^2b(2e + fx^3) - 2ab^2(6d + 3ex^3 + 2fx^6) + b^3(12c + 6dx^3 + 4ex^6 + 3fx^9))}{36b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] (b*x^3*(-12*a^3*f + 6*a^2*b*(2*e + f*x^3) - 2*a*b^2*(6*d + 3*e*x^3 + 2*f*x^6) + b^3*(12*c + 6*d*x^3 + 4*e*x^6 + 3*f*x^9)) + 12*a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a + b*x^3])/(36*b^5)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

fricas [A] time = 0.41, size = 130, normalized size = 0.98

$$\frac{3b^4fx^{12} + 4(b^4e - ab^3f)x^9 + 6(b^4d - ab^3e + a^2b^2f)x^6 + 12(b^4c - ab^3d + a^2b^2e - a^3bf)x^3 - 12(ab^3c - a^2b^2d + a^3be - a^4f) \log(bx^3 + a)}{36b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="fricas")

[Out] 1/36*(3*b^4*f*x^12 + 4*(b^4*e - a*b^3*f)*x^9 + 6*(b^4*d - a*b^3*e + a^2*b^2*f)*x^6 + 12*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^3 - 12*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*log(b*x^3 + a))/b^5

giac [A] time = 0.17, size = 148, normalized size = 1.12

$$\frac{3b^3fx^{12} - 4ab^2fx^9 + 4b^3x^9e + 6b^3dx^6 + 6a^2bfx^6 - 6ab^2x^6e + 12b^3cx^3 - 12ab^2dx^3 - 12a^3fx^3 + 12a^2bx^3e}{36b^4} - \frac{(ab^3c - a^2b^2d - a^4f + a^3be) \log(bx^3 + a)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/36*(3*b^3*f*x^12 - 4*a*b^2*f*x^9 + 4*b^3*x^9*e + 6*b^3*d*x^6 + 6*a^2*b*f*x^6 - 6*a*b^2*x^6*e + 12*b^3*c*x^3 - 12*a*b^2*d*x^3 - 12*a^3*f*x^3 + 12*a^2*b*x^3*e)/b^4 - 1/3*(a*b^3*c - a^2*b^2*d - a^4*f + a^3*b*e)*log(abs(b*x^3 + a))/b^5

maple [A] time = 0.05, size = 170, normalized size = 1.29

$$\frac{fx^{12}}{12b} - \frac{afx^9}{9b^2} + \frac{ex^9}{9b} + \frac{a^2fx^6}{6b^3} - \frac{aex^6}{6b^2} + \frac{dx^6}{6b} - \frac{a^3fx^3}{3b^4} + \frac{a^2ex^3}{3b^3} - \frac{adx^3}{3b^2} + \frac{cx^3}{3b} + \frac{a^4f \ln(bx^3 + a)}{3b^5} - \frac{a^3e \ln(bx^3 + a)}{3b^4} + \frac{a^2d \ln(bx^3 + a)}{3b^3} - \frac{ac \ln(bx^3 + a)}{3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)

[Out] 1/12*f*x^12/b-1/9/b^2*x^9*a*f+1/9/b*x^9*e+1/6/b^3*x^6*a^2*f-1/6/b^2*x^6*a*e+1/6/b*x^6*d-1/3/b^4*x^3*a^3*f+1/3/b^3*x^3*a^2*e-1/3/b^2*x^3*a*d+1/3/b*x^3*c+1/3*a^4/b^5*ln(b*x^3+a)*f-1/3*a^3/b^4*ln(b*x^3+a)*e+1/3*a^2/b^3*ln(b*x^3+a)*d-1/3*a/b^2*ln(b*x^3+a)*c

maxima [A] time = 1.37, size = 129, normalized size = 0.98

$$\frac{3b^3fx^{12} + 4(b^3e - ab^2f)x^9 + 6(b^3d - ab^2e + a^2bf)x^6 + 12(b^3c - ab^2d + a^2be - a^3f)x^3}{36b^4} - \frac{(ab^3c - a^2b^2d + a^3be - a^4f) \log(bx^3 + a)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/36*(3*b^3*f*x^12 + 4*(b^3*e - a*b^2*f)*x^9 + 6*(b^3*d - a*b^2*e + a^2*b*f)*x^6 + 12*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3)/b^4 - 1/3*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*log(b*x^3 + a)/b^5

mupad [B] time = 4.93, size = 141, normalized size = 1.07

$$x^9 \left(\frac{e}{9b} - \frac{af}{9b^2} \right) + x^6 \left(\frac{d}{6b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{6b} \right) + x^3 \left(\frac{c}{3b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{3b} \right) + \frac{fx^{12}}{12b} + \frac{\ln(bx^3 + a) (fa^4 - ea^3b + da^2b^2 - cab^3)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x)`

[Out] $x^9*(e/(9*b) - (a*f)/(9*b^2)) + x^6*(d/(6*b) - (a*(e/b - (a*f)/b^2))/(6*b))$
 $+ x^3*(c/(3*b) - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/(3*b)) + (f*x^{12})/(12$
 $*b) + (\log(a + b*x^3)*(a^4*f + a^2*b^2*d - a*b^3*c - a^3*b*e))/(3*b^5)$

sympy [A] time = 1.05, size = 128, normalized size = 0.97

$$\frac{a(a^3f - a^2be + ab^2d - b^3c)\log(a + bx^3)}{3b^5} + x^9\left(-\frac{af}{9b^2} + \frac{e}{9b}\right) + x^6\left(\frac{a^2f}{6b^3} - \frac{ae}{6b^2} + \frac{d}{6b}\right) + x^3\left(-\frac{a^3f}{3b^4} + \frac{a^2e}{3b^3} - \frac{ad}{3b^2} + \frac{c}{3b}\right) + \frac{fx^{12}}{12b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a),x)`

[Out] $a*(a**3*f - a**2*b*e + a*b**2*d - b**3*c)*\log(a + b*x**3)/(3*b**5) + x**9*($
 $-a*f/(9*b**2) + e/(9*b)) + x**6*(a**2*f/(6*b**3) - a*e/(6*b**2) + d/(6*b))$
 $+ x**3*(-a**3*f/(3*b**4) + a**2*e/(3*b**3) - a*d/(3*b**2) + c/(3*b)) + f*x*$
 $*12/(12*b)$

$$3.173 \quad \int \frac{x^2(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=96

$$\frac{x^3(a^2f - abe + b^2d)}{3b^3} + \frac{\log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^4} + \frac{x^6(be - af)}{6b^2} + \frac{fx^9}{9b}$$

Rubi [A] time = 0.14, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1819, 1850}

$$\frac{\log(a + bx^3)(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^4} + \frac{x^3(a^2f - abe + b^2d)}{3b^3} + \frac{x^6(be - af)}{6b^2} + \frac{fx^9}{9b}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] ((b^2*d - a*b*e + a^2*f)*x^3)/(3*b^3) + ((b*e - a*f)*x^6)/(6*b^2) + (f*x^9)/(9*b) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*b^4)

Rule 1819

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_.], x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_.], x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{x^2(c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{a + bx} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^2d - abe + a^2f}{b^3} + \frac{(be - af)x}{b^2} + \frac{fx^2}{b} + \frac{b^3c - ab^2d + a^2be - a^3f}{b^3(a + bx)} \right) dx, x, x^3 \right) \\ &= \frac{(b^2d - abe + a^2f)x^3}{3b^3} + \frac{(be - af)x^6}{6b^2} + \frac{fx^9}{9b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(a + bx^3)}{3b^4} \end{aligned}$$

Mathematica [A] time = 0.05, size = 88, normalized size = 0.92

$$\frac{bx^3 \left(6a^2f - 3ab(2e + fx^3) + b^2(6d + 3ex^3 + 2fx^6) \right) + 6 \log(a + bx^3) \left(a^3(-f) + a^2be - ab^2d + b^3c \right)}{18b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (b*x^3*(6*a^2*f - 3*a*b*(2*e + f*x^3) + b^2*(6*d + 3*e*x^3 + 2*f*x^6)) + 6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(18*b^4)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] IntegrateAlgebraic[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

fricas [A] time = 0.41, size = 92, normalized size = 0.96

$$\frac{2b^3fx^9 + 3(b^3e - ab^2f)x^6 + 6(b^3d - ab^2e + a^2bf)x^3 + 6(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{18b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/18*(2*b^3*f*x^9 + 3*(b^3*e - a*b^2*f)*x^6 + 6*(b^3*d - a*b^2*e + a^2*b*f)*x^3 + 6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(b*x^3 + a))/b^4

giac [A] time = 0.20, size = 101, normalized size = 1.05

$$\frac{2b^2fx^9 - 3abfx^6 + 3b^2x^6e + 6b^2dx^3 + 6a^2fx^3 - 6abx^3e}{18b^3} + \frac{(b^3c - ab^2d - a^3f + a^2be) \log(|bx^3 + a|)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/18*(2*b^2*f*x^9 - 3*a*b*f*x^6 + 3*b^2*x^6*e + 6*b^2*d*x^3 + 6*a^2*f*x^3 - 6*a*b*x^3*e)/b^3 + 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(abs(b*x^3 + a))/b^4

maple [A] time = 0.04, size = 124, normalized size = 1.29

$$\frac{fx^9}{9b} - \frac{afx^6}{6b^2} + \frac{ex^6}{6b} + \frac{a^2fx^3}{3b^3} - \frac{aex^3}{3b^2} + \frac{dx^3}{3b} - \frac{a^3f \ln(bx^3+a)}{3b^4} + \frac{a^2e \ln(bx^3+a)}{3b^3} - \frac{ad \ln(bx^3+a)}{3b^2} + \frac{c \ln(bx^3+a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)`

[Out] $\frac{1}{9} \frac{f x^9}{b} - \frac{1}{6} \frac{a f x^6}{b^2} + \frac{1}{6} \frac{e x^6}{b} + \frac{1}{3} \frac{a^2 f x^3}{b^3} - \frac{1}{3} \frac{a e x^3}{b^2} + \frac{1}{3} \frac{d x^3}{b} - \frac{1}{3} \frac{a^3 f \ln(b x^3 + a)}{b^4} + \frac{1}{3} \frac{a^2 e \ln(b x^3 + a)}{b^3} - \frac{1}{3} \frac{a d \ln(b x^3 + a)}{b^2} + \frac{1}{3} \frac{c \ln(b x^3 + a)}{b}$

maxima [A] time = 1.39, size = 91, normalized size = 0.95

$$\frac{2b^2fx^9 + 3(b^2e - abf)x^6 + 6(b^2d - abe + a^2f)x^3}{18b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")`

[Out] $\frac{1}{18} \frac{(2b^2fx^9 + 3(b^2e - abf)x^6 + 6(b^2d - abe + a^2f)x^3)}{b^3} + \frac{1}{3} \frac{(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{b^4}$

mupad [B] time = 4.83, size = 96, normalized size = 1.00

$$x^6 \left(\frac{e}{6b} - \frac{af}{6b^2} \right) + x^3 \left(\frac{d}{3b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{3b} \right) + \frac{\ln(bx^3 + a) (-fa^3 + ea^2b - da^2b^2 + cb^3)}{3b^4} + \frac{fx^9}{9b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x)`

[Out] $x^6 \left(\frac{e}{6b} - \frac{af}{6b^2} \right) + x^3 \left(\frac{d}{3b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{3b} \right) + \frac{\ln(a + bx^3) (b^3c - a^3f - a^2b^2d + a^2b^2e)}{3b^4} + \frac{fx^9}{9b}$

sympy [A] time = 1.13, size = 88, normalized size = 0.92

$$x^6 \left(-\frac{af}{6b^2} + \frac{e}{6b} \right) + x^3 \left(\frac{a^2f}{3b^3} - \frac{ae}{3b^2} + \frac{d}{3b} \right) + \frac{fx^9}{9b} - \frac{(a^3f - a^2be + ab^2d - b^3c) \log(a + bx^3)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a),x)
```

```
[Out] x**6*(-a*f/(6*b**2) + e/(6*b)) + x**3*(a**2*f/(3*b**3) - a*e/(3*b**2) + d/(3*b)) + f*x**9/(9*b) - (a**3*f - a**2*b*e + a*b**2*d - b**3*c)*log(a + b*x**3)/(3*b**4)
```

$$3.174 \quad \int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)} dx$$

Optimal. Leaf size=80

$$-\frac{\log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3ab^3} + \frac{x^3(be-af)}{3b^2} + \frac{c \log(x)}{a} + \frac{fx^6}{6b}$$

Rubi [A] time = 0.12, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{\log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3ab^3} + \frac{x^3(be-af)}{3b^2} + \frac{c \log(x)}{a} + \frac{fx^6}{6b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)),x]

[Out] ((b*e - a*f)*x^3)/(3*b^2) + (f*x^6)/(6*b) + (c*Log[x])/a - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*a*b^3)

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_.)*(x_)^n_)^p_., x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x(a + bx^3)} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x(a + bx)} dx, x, x^3 \right) \\
&= \frac{1}{3} \text{Subst} \left(\int \left(\frac{be - af}{b^2} + \frac{c}{ax} + \frac{fx}{b} + \frac{-b^3c + ab^2d - a^2be + a^3f}{ab^2(a + bx)} \right) dx, x, x^3 \right) \\
&= \frac{(be - af)x^3}{3b^2} + \frac{fx^6}{6b} + \frac{c \log(x)}{a} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(a + bx^3)}{3ab^3}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 75, normalized size = 0.94

$$\frac{-2 \log(a + bx^3) (a^3(-f) + a^2be - ab^2d + b^3c) + abx^3 (-2af + 2be + bfx^3) + 6b^3c \log(x)}{6ab^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)), x]

[Out] (a*b*x^3*(2*b*e - 2*a*f + b*f*x^3) + 6*b^3*c*Log[x] - 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(6*a*b^3)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)), x]

fricas [A] time = 0.46, size = 80, normalized size = 1.00

$$\frac{ab^2fx^6 + 6b^3c \log(x) + 2(ab^2e - a^2bf)x^3 - 2(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{6ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a), x, algorithm="fricas")

[Out] 1/6*(a*b^2*f*x^6 + 6*b^3*c*log(x) + 2*(a*b^2*e - a^2*b*f)*x^3 - 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(b*x^3 + a))/(a*b^3)

giac [A] time = 0.21, size = 79, normalized size = 0.99

$$\frac{c \log(|x|)}{a} + \frac{bfx^6 - 2afx^3 + 2bx^3e}{6b^2} - \frac{(b^3c - ab^2d - a^3f + a^2be) \log(|bx^3 + a|)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a),x, algorithm="giac")

[Out] c*log(abs(x))/a + 1/6*(b*f*x^6 - 2*a*f*x^3 + 2*b*x^3*e)/b^2 - 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(abs(b*x^3 + a))/(a*b^3)

maple [A] time = 0.05, size = 97, normalized size = 1.21

$$\frac{fx^6}{6b} - \frac{afx^3}{3b^2} + \frac{ex^3}{3b} + \frac{a^2f \ln(bx^3 + a)}{3b^3} - \frac{ae \ln(bx^3 + a)}{3b^2} + \frac{c \ln(x)}{a} - \frac{c \ln(bx^3 + a)}{3a} + \frac{d \ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a),x)

[Out] 1/6*f*x^6/b-1/3/b^2*x^3*a*f+1/3*e*x^3/b+1/3*a^2/b^3*ln(b*x^3+a)*f-1/3*a*e*ln(b*x^3+a)/b^2+1/3*d*ln(b*x^3+a)/b-1/3*c*ln(b*x^3+a)/a+c*ln(x)/a

maxima [A] time = 1.38, size = 77, normalized size = 0.96

$$\frac{c \log(x^3)}{3a} + \frac{bfx^6 + 2(be - af)x^3}{6b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a),x, algorithm="maxima")

[Out] 1/3*c*log(x^3)/a + 1/6*(b*f*x^6 + 2*(b*e - a*f)*x^3)/b^2 - 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(b*x^3 + a)/(a*b^3)

mupad [B] time = 4.93, size = 76, normalized size = 0.95

$$x^3 \left(\frac{e}{3b} - \frac{af}{3b^2} \right) + \frac{fx^6}{6b} + \frac{c \ln(x)}{a} - \frac{\ln(bx^3 + a) (-fa^3 + ea^2b - da^2b^2 + cb^3)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)),x)

[Out] x^3*(e/(3*b) - (a*f)/(3*b^2)) + (f*x^6)/(6*b) + (c*log(x))/a - (log(a + b*x^3)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a*b^3)

sympy [A] time = 5.26, size = 70, normalized size = 0.88

$$x^3 \left(-\frac{af}{3b^2} + \frac{e}{3b} \right) + \frac{fx^6}{6b} + \frac{c \log(x)}{a} + \frac{(a^3f - a^2be + ab^2d - b^3c) \log\left(\frac{a}{b} + x^3\right)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x/(b*x**3+a),x)

[Out] x**3*(-a*f/(3*b**2) + e/(3*b)) + f*x**6/(6*b) + c*log(x)/a + (a**3*f - a**2*b*e + a*b**2*d - b**3*c)*log(a/b + x**3)/(3*a*b**3)

$$3.175 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)} dx$$

Optimal. Leaf size=81

$$-\frac{\log(x)(bc-ad)}{a^2} + \frac{\log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^2b^2} - \frac{c}{3ax^3} + \frac{fx^3}{3b}$$

Rubi [A] time = 0.12, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{\log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^2b^2} - \frac{\log(x)(bc-ad)}{a^2} - \frac{c}{3ax^3} + \frac{fx^3}{3b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)),x]

[Out] -c/(3*a*x^3) + (f*x^3)/(3*b) - ((b*c - a*d)*Log[x])/a^2 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*a^2*b^2)

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^4(a + bx^3)} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^2(a + bx)} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{f}{b} + \frac{c}{ax^2} + \frac{-bc + ad}{a^2x} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^2b(a + bx)} \right) dx, x, x^3 \right) \\ &= -\frac{c}{3ax^3} + \frac{fx^3}{3b} - \frac{(bc - ad) \log(x)}{a^2} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(a + bx^3)}{3a^2b^2} \end{aligned}$$

Mathematica [A] time = 0.05, size = 77, normalized size = 0.95

$$\frac{1}{3} \left(\frac{3 \log(x)(ad - bc)}{a^2} + \frac{\log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{a^2b^2} - \frac{c}{ax^3} + \frac{fx^3}{b} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)), x]

[Out] $(-(c/(a*x^3)) + (f*x^3)/b + (3*(-(b*c) + a*d)*\text{Log}[x])/a^2 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(a^2*b^2))/3$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^4(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)), x]

fricas [A] time = 0.48, size = 85, normalized size = 1.05

$$\frac{a^2bfx^6 + (b^3c - ab^2d + a^2be - a^3f)x^3 \log(bx^3 + a) - 3(b^3c - ab^2d)x^3 \log(x) - ab^2c}{3a^2b^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a), x, algorithm="fricas")

[Out] $1/3*(a^2*b*f*x^6 + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3*\log(b*x^3 + a) - 3*(b^3*c - a*b^2*d)*x^3*\log(x) - a*b^2*c)/(a^2*b^2*x^3)$

giac [A] time = 0.18, size = 95, normalized size = 1.17

$$\frac{fx^3}{3b} - \frac{(bc - ad) \log(|x|)}{a^2} + \frac{(b^3c - ab^2d - a^3f + a^2be) \log(|bx^3 + a|)}{3a^2b^2} + \frac{bcx^3 - adx^3 - ac}{3a^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*f*x^3/b - (b*c - a*d)*log(abs(x))/a^2 + 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(abs(b*x^3 + a))/(a^2*b^2) + 1/3*(b*c*x^3 - a*d*x^3 - a*c)/(a^2*x^3)

maple [A] time = 0.06, size = 94, normalized size = 1.16

$$\frac{fx^3}{3b} - \frac{af \ln(bx^3 + a)}{3b^2} + \frac{d \ln(x)}{a} - \frac{d \ln(bx^3 + a)}{3a} - \frac{bc \ln(x)}{a^2} + \frac{bc \ln(bx^3 + a)}{3a^2} + \frac{e \ln(bx^3 + a)}{3b} - \frac{c}{3ax^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a),x)

[Out] 1/3/b*f*x^3-1/3*a/b^2*ln(b*x^3+a)*f+1/3*e*ln(b*x^3+a)/b-1/3*d*ln(b*x^3+a)/a+1/3/a^2*b*ln(b*x^3+a)*c-1/3/a*c/x^3+d*ln(x)/a-1/a^2*ln(x)*b*c

maxima [A] time = 1.33, size = 77, normalized size = 0.95

$$\frac{fx^3}{3b} - \frac{(bc - ad) \log(x^3)}{3a^2} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{3a^2b^2} - \frac{c}{3ax^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a),x, algorithm="maxima")

[Out] 1/3*f*x^3/b - 1/3*(b*c - a*d)*log(x^3)/a^2 + 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(b*x^3 + a)/(a^2*b^2) - 1/3*c/(a*x^3)

mupad [B] time = 4.97, size = 74, normalized size = 0.91

$$\frac{fx^3}{3b} - \frac{c}{3ax^3} + \frac{\ln(x)(ad - bc)}{a^2} + \frac{\ln(bx^3 + a)(-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)),x)

[Out] (f*x^3)/(3*b) - c/(3*a*x^3) + (log(x)*(a*d - b*c))/a^2 + (log(a + b*x^3)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^2*b^2)

sympy [A] time = 14.56, size = 70, normalized size = 0.86

$$\frac{fx^3}{3b} - \frac{c}{3ax^3} + \frac{(ad - bc) \log(x)}{a^2} - \frac{(a^3f - a^2be + ab^2d - b^3c) \log\left(\frac{a}{b} + x^3\right)}{3a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**4/(b*x**3+a), x)

[Out] f*x**3/(3*b) - c/(3*a*x**3) + (a*d - b*c)*log(x)/a**2 - (a**3*f - a**2*b*e + a*b**2*d - b**3*c)*log(a/b + x**3)/(3*a**2*b**2)

$$3.176 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)} dx$$

Optimal. Leaf size=95

$$\frac{bc-ad}{3a^2x^3} + \frac{\log(x)(a^2e-abd+b^2c)}{a^3} - \frac{\log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^3b} - \frac{c}{6ax^6}$$

Rubi [A] time = 0.13, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{\log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^3b} + \frac{\log(x)(a^2e-abd+b^2c)}{a^3} + \frac{bc-ad}{3a^2x^3} - \frac{c}{6ax^6}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)),x]

[Out] -c/(6*a*x^6) + (b*c - a*d)/(3*a^2*x^3) + ((b^2*c - a*b*d + a^2*e)*Log[x])/a^3 - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*a^3*b)

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_.)*(x_)^n_)^p_., x_Symbol] :> Dist[1/n,
Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^7(a + bx^3)} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^3(a + bx)} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{ax^3} + \frac{-bc + ad}{a^2x^2} + \frac{b^2c - abd + a^2e}{a^3x} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^3(a + bx)} \right) dx, x \right) \\ &= -\frac{c}{6ax^6} + \frac{bc - ad}{3a^2x^3} + \frac{(b^2c - abd + a^2e) \log(x)}{a^3} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(a + bx)}{3a^3b} \end{aligned}$$

Mathematica [A] time = 0.08, size = 88, normalized size = 0.93

$$\frac{6 \log(x) (a^2e - abd + b^2c) + \log(a + bx^3) \left(\frac{2a^3f}{b} - 2a^2e + 2abd - 2b^2c \right) - \frac{a(ac + 2adx^3 - 2bcx^3)}{x^6}}{6a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)), x]

[Out] (-((a*(a*c - 2*b*c*x^3 + 2*a*d*x^3))/x^6) + 6*(b^2*c - a*b*d + a^2*e)*Log[x] + (-2*b^2*c + 2*a*b*d - 2*a^2*e + (2*a^3*f)/b)*Log[a + b*x^3])/(6*a^3)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^7(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)), x]

fricas [A] time = 0.46, size = 101, normalized size = 1.06

$$\frac{2(b^3c - ab^2d + a^2be - a^3f)x^6 \log(bx^3 + a) - 6(b^3c - ab^2d + a^2be)x^6 \log(x) + a^2bc - 2(ab^2c - a^2bd)x^3}{6a^3bx^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a), x, algorithm="fricas")

[Out] -1/6*(2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^6*log(b*x^3 + a) - 6*(b^3*c - a*b^2*d + a^2*b*e)*x^6*log(x) + a^2*b*c - 2*(a*b^2*c - a^2*b*d)*x^3)/(a^3*b*x^6)

giac [A] time = 0.16, size = 126, normalized size = 1.33

$$\frac{(b^2c - abd + a^2e) \log(|x|)}{a^3} - \frac{(b^3c - ab^2d - a^3f + a^2be) \log(|bx^3 + a|)}{3a^3b} - \frac{3b^2cx^6 - 3abdx^6 + 3a^2x^6e - 2abcx^3 + 2a^2dx^3 + a^2c}{6a^3x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a),x, algorithm="giac")

[Out] (b^2*c - a*b*d + a^2*e)*log(abs(x))/a^3 - 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(abs(b*x^3 + a))/(a^3*b) - 1/6*(3*b^2*c*x^6 - 3*a*b*d*x^6 + 3*a^2*x^6*e - 2*a*b*c*x^3 + 2*a^2*d*x^3 + a^2*c)/(a^3*x^6)

maple [A] time = 0.05, size = 116, normalized size = 1.22

$$\frac{e \ln(x)}{a} - \frac{e \ln(bx^3 + a)}{3a} - \frac{bd \ln(x)}{a^2} + \frac{bd \ln(bx^3 + a)}{3a^2} + \frac{b^2c \ln(x)}{a^3} - \frac{b^2c \ln(bx^3 + a)}{3a^3} + \frac{f \ln(bx^3 + a)}{3b} - \frac{d}{3ax^3} + \frac{bc}{3a^2x^3} - \frac{c}{6ax^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a),x)

[Out] 1/3/b*ln(b*x^3+a)*f-1/3*e*ln(b*x^3+a)/a+1/3/a^2*b*ln(b*x^3+a)*d-1/3/a^3*b^2*ln(b*x^3+a)*c-1/6*c/a/x^6-1/3/a/x^3*d+1/3/a^2/x^3*b*c+e*ln(x)/a-1/a^2*ln(x)*b*d+1/a^3*ln(x)*b^2*c

maxima [A] time = 1.36, size = 93, normalized size = 0.98

$$\frac{(b^2c - abd + a^2e) \log(x^3)}{3a^3} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{3a^3b} + \frac{2(bc - ad)x^3 - ac}{6a^2x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a),x, algorithm="maxima")

[Out] 1/3*(b^2*c - a*b*d + a^2*e)*log(x^3)/a^3 - 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(b*x^3 + a)/(a^3*b) + 1/6*(2*(b*c - a*d)*x^3 - a*c)/(a^2*x^6)

mupad [B] time = 4.99, size = 92, normalized size = 0.97

$$\frac{\ln(x) (e a^2 - d a b + c b^2)}{a^3} - \frac{c}{6a} + \frac{x^3 (a d - b c)}{3 a^2} - \frac{\ln(b x^3 + a) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)),x)

[Out] $(\log(x)*(b^2*c + a^2*e - a*b*d))/a^3 - (c/(6*a) + (x^3*(a*d - b*c))/(3*a^2))/x^6 - (\log(a + b*x^3)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^3*b)$

sympy [A] time = 74.00, size = 85, normalized size = 0.89

$$\frac{-ac + x^3(-2ad + 2bc)}{6a^2x^6} + \frac{(a^2e - abd + b^2c)\log(x)}{a^3} + \frac{(a^3f - a^2be + ab^2d - b^3c)\log\left(\frac{a}{b} + x^3\right)}{3a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**7/(b*x**3+a), x)`

[Out] $(-a*c + x^3*(-2*a*d + 2*b*c))/(6*a**2*x**6) + (a**2*e - a*b*d + b**2*c)*\log(x)/a**3 + (a**3*f - a**2*b*e + a*b**2*d - b**3*c)*\log(a/b + x**3)/(3*a**3*b)$

$$3.177 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)} dx$$

Optimal. Leaf size=128

$$\frac{bc-ad}{6a^2x^6} - \frac{a^2e-abd+b^2c}{3a^3x^3} + \frac{\log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^4} - \frac{\log(x)(a^3(-f)+a^2be-ab^2d+b^3c)}{a^4} - \frac{c}{9ax^9}$$

Rubi [A] time = 0.16, antiderivative size = 128, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{\log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^4} - \frac{\log(x)(a^2be+a^3(-f)-ab^2d+b^3c)}{a^4} - \frac{a^2e-abd+b^2c}{3a^3x^3} + \frac{bc-ad}{6a^2x^6} - \frac{c}{9ax^9}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)),x]

[Out] -c/(9*a*x^9) + (b*c - a*d)/(6*a^2*x^6) - (b^2*c - a*b*d + a^2*e)/(3*a^3*x^3) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[x])/a^4 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*a^4)

Rule 1620

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_)^n_)^p_, x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{10}(a + bx^3)} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^4(a + bx)} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{ax^4} + \frac{-bc + ad}{a^2x^3} + \frac{b^2c - abd + a^2e}{a^3x^2} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x} - \frac{b(-b^3c + ab^2d - a^2be + a^3f)}{a^4} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{9ax^9} + \frac{bc - ad}{6a^2x^6} - \frac{b^2c - abd + a^2e}{3a^3x^3} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(x)}{a^4} + \frac{(b^3c - ab^2d - a^2be + a^3f)}{3a^4}$$

Mathematica [A] time = 0.09, size = 128, normalized size = 1.00

$$\frac{bc - ad}{6a^2x^6} + \frac{a^2(-e) + abd - b^2c}{3a^3x^3} + \frac{\log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^4} + \frac{\log(x)(a^3f - a^2be + ab^2d - b^3c)}{a^4} - \frac{c}{9ax^9}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)), x]

[Out] -1/9*c/(a*x^9) + (b*c - a*d)/(6*a^2*x^6) + (-b^2*c + a*b*d - a^2*e)/(3*a^4*x^3) + ((-b^3*c + a*b^2*d - a^2*b*e + a^3*f)*Log[x])/a^4 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*a^4)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{10}(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)), x]

fricas [A] time = 0.45, size = 127, normalized size = 0.99

$$\frac{6(b^3c - ab^2d + a^2be - a^3f)x^9 \log(bx^3 + a) - 18(b^3c - ab^2d + a^2be - a^3f)x^9 \log(x) - 6(ab^2c - a^2bd + a^3e)x^6 - 2a^3c + 3(a^2bc - a^3d)x^3}{18a^4x^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a), x, algorithm="fricas")

[Out] 1/18*(6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9*log(b*x^3 + a) - 18*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9*log(x) - 6*(a*b^2*c - a^2*b*d + a^3*e)*x^6 - 2*a^3*c + 3*(a^2*b*c - a^3*d)*x^3)/(a^4*x^9)

giac [A] time = 0.18, size = 184, normalized size = 1.44

$$-\frac{(b^3c - ab^2d - a^3f + a^2be)\log(|x|)}{a^4} + \frac{(b^4c - ab^3d - a^3bf + a^2b^2e)\log(|bx^3 + a|)}{3a^4b} + \frac{11b^3cx^9 - 11ab^2dx^9 - 11a^3fx^9 + 11a^2bx^9e - 6ab^2cx^6 + 6a^2bdx^6 - 6a^3x^6e + 3a^2bcx^3 - 3a^3dx^3 - 2a^3c}{18a^4x^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a),x, algorithm="giac")

[Out] $-(b^3c - a*b^2*d - a^3*f + a^2*b*e)*\log(\text{abs}(x))/a^4 + 1/3*(b^4*c - a*b^3*d - a^3*b*f + a^2*b^2*e)*\log(\text{abs}(b*x^3 + a))/(a^4*b) + 1/18*(11*b^3*c*x^9 - 11*a*b^2*d*x^9 - 11*a^3*f*x^9 + 11*a^2*b*x^9*e - 6*a*b^2*c*x^6 + 6*a^2*b*d*x^6 - 6*a^3*x^6*e + 3*a^2*b*c*x^3 - 3*a^3*d*x^3 - 2*a^3*c)/(a^4*x^9)$

maple [A] time = 0.05, size = 161, normalized size = 1.26

$$\frac{f \ln(x)}{a} - \frac{f \ln(bx^3 + a)}{3a} - \frac{be \ln(x)}{a^2} + \frac{be \ln(bx^3 + a)}{3a^2} + \frac{b^2d \ln(x)}{a^3} - \frac{b^2d \ln(bx^3 + a)}{3a^3} - \frac{b^3c \ln(x)}{a^4} + \frac{b^3c \ln(bx^3 + a)}{3a^4} - \frac{e}{3ax^3} + \frac{bd}{3a^2x^3} - \frac{b^2c}{3a^3x^3} - \frac{d}{6ax^6} + \frac{bc}{6a^2x^6} - \frac{c}{9ax^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a),x)

[Out] $-1/3/a*\ln(b*x^3+a)*f+1/3/a^2*\ln(b*x^3+a)*b*e-1/3/a^3*\ln(b*x^3+a)*b^2*d+1/3/a^4*\ln(b*x^3+a)*b^3*c-1/9/a*c/x^9-1/6/a/x^6*d+1/6/a^2/x^6*b*c-1/3/a/x^3*e+1/3/a^2/x^3*b*d-1/3/a^3/x^3*b^2*c+1/a*\ln(x)*f-1/a^2*\ln(x)*b*e+1/a^3*\ln(x)*b^2*d-1/a^4*\ln(x)*b^3*c$

maxima [A] time = 1.36, size = 125, normalized size = 0.98

$$\frac{(b^3c - ab^2d + a^2be - a^3f)\log(bx^3 + a)}{3a^4} - \frac{(b^3c - ab^2d + a^2be - a^3f)\log(x^3)}{3a^4} - \frac{6(b^2c - abd + a^2e)x^6 - 3(abc - a^2d)x^3 + 2a^2c}{18a^3x^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a),x, algorithm="maxima")

[Out] $1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(b*x^3 + a)/a^4 - 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x^3)/a^4 - 1/18*(6*(b^2*c - a*b*d + a^2*e)*x^6 - 3*(a*b*c - a^2*d)*x^3 + 2*a^2*c)/(a^3*x^9)$

mupad [B] time = 5.02, size = 123, normalized size = 0.96

$$\frac{\ln(bx^3 + a)(-fa^3 + ea^2b - dab^2 + cb^3)}{3a^4} - \frac{c}{9a} + \frac{x^3(ad-bc)}{6a^2} + \frac{x^6(ea^2-dab+cb^2)}{3a^3} - \frac{\ln(x)(-fa^3 + ea^2b - dab^2 + cb^3)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)),x)

[Out] $(\log(a + b*x^3)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^4) - (c/(9*a) + (x^3*(a*d - b*c))/(6*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(3*a^3))/x^9 - (\log(x)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/a^4$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**10/(b*x**3+a),x)`

[Out] Timed out

$$3.178 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)} dx$$

Optimal. Leaf size=164

$$\frac{bc-ad}{9a^2x^9} - \frac{a^2e-abd+b^2c}{6a^3x^6} - \frac{b \log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^5} + \frac{b \log(x)(a^3(-f)+a^2be-ab^2d+b^3c)}{a^5}$$

Rubi [A] time = 0.18, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be+a^3(-f)-ab^2d+b^3c}{3a^4x^3} - \frac{b \log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^5} + \frac{b \log(x)(a^2be+a^3(-f)-ab^2d+b^3c)}{a^5} - \frac{a^2e-abd+b^2c}{6a^3x^6} + \frac{bc-ad}{9a^2x^9} - \frac{c}{12ax^{12}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)),x]

[Out] -c/(12*a*x^12) + (b*c - a*d)/(9*a^2*x^9) - (b^2*c - a*b*d + a^2*e)/(6*a^3*x^6) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*a^4*x^3) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[x])/a^5 - (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*a^5)

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{13}(a + bx^3)} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^5(a + bx)} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{ax^5} + \frac{-bc + ad}{a^2x^4} + \frac{b^2c - abd + a^2e}{a^3x^3} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^2} - \frac{b(-b^3c + ab^2d - a^2be + a^3f)}{a^4x^2} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{12ax^{12}} + \frac{bc - ad}{9a^2x^9} - \frac{b^2c - abd + a^2e}{6a^3x^6} + \frac{b^3c - ab^2d + a^2be - a^3f}{3a^4x^3} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^4x^3}$$

Mathematica [A] time = 0.09, size = 164, normalized size = 1.00

$$\frac{-a^4(3c + 4dx^3 + 6ex^6 + 12fx^9) + 2a^3bx^3(2c + 3dx^3 + 6ex^6) - 6a^2b^2x^6(c + 2dx^3) + 36bx^{12} \log(x)(a^3(-f) + a^2be - ab^2d + b^3c) - 12bx^{12} \log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c) + 12ab^3cx^9}{36a^5x^{12}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)), x]

[Out] (12*a*b^3*c*x^9 - 6*a^2*b^2*x^6*(c + 2*d*x^3) + 2*a^3*b*x^3*(2*c + 3*d*x^3 + 6*e*x^6) - a^4*(3*c + 4*d*x^3 + 6*e*x^6 + 12*f*x^9) + 36*b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^12*Log[x] - 12*b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^12*Log[a + b*x^3])/(36*a^5*x^12)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{13}(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)), x]

fricas [A] time = 0.49, size = 168, normalized size = 1.02

$$\frac{12(b^4c - ab^3d + a^2b^2e - a^3bf)x^{12} \log(bx^3 + a) - 36(b^4c - ab^3d + a^2b^2e - a^3bf)x^{12} \log(x) - 12(ab^3c - a^2b^2d + a^3be - a^4f)x^9 + 6(a^2b^2c - a^3bd + a^4e)x^6 + 3a^4c - 4(a^3bc - a^4d)x^3}{36a^5x^{12}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a), x, algorithm="fricas")

[Out] -1/36*(12*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^12*log(b*x^3 + a) - 36*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^12*log(x) - 12*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^9 + 6*(a^2*b^2*c - a^3*b*d + a^4*e)*x^6 + 3*a^4*c - 4*(a^3*b*c - a^4*d)*x^3)

$$*d + a^3*b*e - a^4*f)*x^9 + 6*(a^2*b^2*c - a^3*b*d + a^4*e)*x^6 + 3*a^4*c - 4*(a^3*b*c - a^4*d)*x^3)/(a^5*x^12)$$

giac [A] time = 0.17, size = 235, normalized size = 1.43

$$\frac{(b^4c - ab^3d - a^2bf + a^2b^2e) \log(x)}{a^5} - \frac{(b^5c - ab^4d - a^2b^2f + a^2b^3e) \log(bx^3 + a)}{3a^5b} - \frac{25b^4cx^{12} - 25ab^3dx^{12} - 25a^2bfx^{12} + 25a^2b^2x^{12}e - 12ab^3cx^9 + 12a^2b^2dx^9 + 12a^4fx^9 - 12a^3bx^9e + 6a^2b^2cx^6 - 6a^2bdx^6 + 6a^4x^6e - 4a^3bcx^3 + 4a^4dx^3 + 3a^4c}{36a^5x^{12}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a),x, algorithm="giac")

$$[Out] (b^4*c - a*b^3*d - a^3*b*f + a^2*b^2*e)*\log(\text{abs}(x))/a^5 - 1/3*(b^5*c - a*b^4*d - a^3*b^2*f + a^2*b^3*e)*\log(\text{abs}(b*x^3 + a))/(a^5*b) - 1/36*(25*b^4*c*x^{12} - 25*a*b^3*d*x^{12} - 25*a^3*b*f*x^{12} + 25*a^2*b^2*x^{12}*e - 12*a*b^3*c*x^9 + 12*a^2*b^2*d*x^9 + 12*a^4*f*x^9 - 12*a^3*b*x^9*e + 6*a^2*b^2*c*x^6 - 6*a^3*b*d*x^6 + 6*a^4*x^6*e - 4*a^3*b*c*x^3 + 4*a^4*d*x^3 + 3*a^4*c)/(a^5*x^{12})$$

maple [A] time = 0.06, size = 210, normalized size = 1.28

$$-\frac{bf \ln(x)}{a^2} + \frac{bf \ln(bx^3 + a)}{3a^2} + \frac{b^2e \ln(x)}{a^3} - \frac{b^2e \ln(bx^3 + a)}{3a^3} - \frac{b^3d \ln(x)}{a^4} + \frac{b^3d \ln(bx^3 + a)}{3a^4} + \frac{b^4c \ln(x)}{a^5} - \frac{b^4c \ln(bx^3 + a)}{3a^5} - \frac{f}{3ax^3} + \frac{be}{3a^2x^3} - \frac{b^2d}{3a^2x^3} + \frac{b^3c}{3a^4x^3} - \frac{e}{6ax^6} + \frac{bd}{6a^2x^6} - \frac{b^2c}{6a^3x^6} - \frac{d}{9ax^9} + \frac{bc}{9a^2x^9} - \frac{c}{12ax^{12}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a),x)

$$[Out] 1/3*b/a^2*\ln(b*x^3+a)*f-1/3*b^2/a^3*\ln(b*x^3+a)*e+1/3*b^3/a^4*\ln(b*x^3+a)*d-1/3*b^4/a^5*\ln(b*x^3+a)*c-1/12*c/a/x^{12}-1/9/a/x^9*d+1/9/a^2/x^9*b*c-1/6/a/x^6*e+1/6/a^2/x^6*b*d-1/6/a^3/x^6*b^2*c-1/3/a/x^3*f+1/3/a^2/x^3*b*e-1/3/a^3/x^3*b^2*d+1/3/a^4/x^3*b^3*c-1/a^2*b*\ln(x)*f+1/a^3*b^2*\ln(x)*e-1/a^4*b^3*\ln(x)*d+1/a^5*b^4*\ln(x)*c$$

maxima [A] time = 1.36, size = 166, normalized size = 1.01

$$-\frac{(b^4c - ab^3d + a^2b^2e - a^3bf) \log(bx^3 + a)}{3a^5} + \frac{(b^5c - ab^4d + a^2b^2e - a^3bf) \log(x^3)}{3a^5} + \frac{12(b^5c - ab^2d + a^2be - a^3f)x^9 - 6(ab^2c - a^2bd + a^3e)x^6 - 3a^3c + 4(a^2bc - a^3d)x^3}{36a^4x^{12}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a),x, algorithm="maxima")

$$[Out] -1/3*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*\log(b*x^3 + a)/a^5 + 1/3*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*\log(x^3)/a^5 + 1/36*(12*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9 - 6*(a*b^2*c - a^2*b*d + a^3*e)*x^6 - 3*a^3*c + 4*(a^2*b*c - a^3*d)*x^3)/(a^4*x^{12})$$

mupad [B] time = 5.07, size = 161, normalized size = 0.98

$$\ln(x) \frac{(-fa^3b + ea^2b^2 - da^2b^3 + cb^4)}{a^5} - \ln(bx^3 + a) \frac{(-fa^3b + ea^2b^2 - da^2b^3 + cb^4)}{3a^5} - \frac{c}{12a} - \frac{x^9(-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^4} + \frac{x^3(ad - bc)}{9a^2} + \frac{x^6(ea^2 - da^2b + cb^2)}{6a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)),x)
```

```
[Out] (log(x)*(b^4*c + a^2*b^2*e - a*b^3*d - a^3*b*f))/a^5 - (log(a + b*x^3)*(b^4*c + a^2*b^2*e - a*b^3*d - a^3*b*f))/(3*a^5) - (c/(12*a) - (x^9*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^4) + (x^3*(a*d - b*c))/(9*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(6*a^3))/x^12
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**13/(b*x**3+a),x)
```

```
[Out] Timed out
```

$$3.179 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{16}(a+bx^3)} dx$$

Optimal. Leaf size=205

$$\frac{bc-ad}{12a^2x^{12}} - \frac{a^2e-abd+b^2c}{9a^3x^9} + \frac{b^2 \log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^6} - \frac{b^2 \log(x)(a^3(-f)+a^2be-ab^2d+b^3c)}{a^6}$$

Rubi [A] time = 0.21, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{b(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^5x^3} + \frac{a^2be+a^3(-f)-ab^2d+b^3c}{6a^4x^6} + \frac{b^2 \log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^6} - \frac{b^2 \log(x)(a^2be+a^3(-f)-ab^2d+b^3c)}{a^6} - \frac{a^2e-abd+b^2c}{9a^3x^9} + \frac{bc-ad}{12a^2x^{12}} - \frac{c}{15ax^{15}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^16*(a + b*x^3)),x]

[Out] -c/(15*a*x^15) + (b*c - a*d)/(12*a^2*x^12) - (b^2*c - a*b*d + a^2*e)/(9*a^3*x^9) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*a^4*x^6) - (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(3*a^5*x^3) - (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[x])/a^6 + (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*a^6)

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^((m_.)*((a_.) + (b_.)*(x_))^(n_.))^((p_.), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{16}(a + bx^3)} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^6(a + bx)} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{ax^6} + \frac{-bc + ad}{a^2x^5} + \frac{b^2c - abd + a^2e}{a^3x^4} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^3} - \frac{b(-b^3c + ab^2d - a^2be + a^3f)}{a^4x^3} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{15ax^{15}} + \frac{bc - ad}{12a^2x^{12}} - \frac{b^2c - abd + a^2e}{9a^3x^9} + \frac{b^3c - ab^2d + a^2be - a^3f}{6a^4x^6} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5x^3}$$

Mathematica [A] time = 0.24, size = 194, normalized size = 0.95

$$\frac{-60b^2 \log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c) + 180b^2 \log(x)(a^3(-f) + a^2be - ab^2d + b^3c) + \frac{a(a^4(12c + 15dx^3 + 20ex^6 + 30fx^9) - 5a^2bx^3(3c + 4dx^3 + 6ex^6 + 12fx^9) + 10a^2b^2x^6(2c + 3dx^3 + 6ex^6) - 30ab^3x^9(c + 2dx^3) + 60b^4cx^{12})}{x^{15}}}{180a^6}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^16*(a + b*x^3)), x]

[Out] -1/180*((a*(60*b^4*c*x^12 - 30*a*b^3*x^9*(c + 2*d*x^3) + 10*a^2*b^2*x^6*(2*c + 3*d*x^3 + 6*e*x^6) - 5*a^3*b*x^3*(3*c + 4*d*x^3 + 6*e*x^6 + 12*f*x^9) + a^4*(12*c + 15*d*x^3 + 20*e*x^6 + 30*f*x^9)))/x^15 + 180*b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[x] - 60*b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/a^6

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{16}(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^16*(a + b*x^3)), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^16*(a + b*x^3)), x]

fricas [A] time = 0.52, size = 210, normalized size = 1.02

$$\frac{60(b^5c - ab^4d + a^2b^3e - a^3b^2f)x^{15} \log(bx^3 + a) - 180(b^5c - ab^4d + a^2b^3e - a^3b^2f)x^{15} \log(x) - 60(ab^4c - a^2b^3d + a^3b^2e - a^4bf)x^{12} + 30(a^2b^3c - a^3b^2d + a^4be - a^5f)x^9 - 20(a^3b^2c - a^4bd + a^5e)x^6 - 12a^5c + 15(a^4bc - a^5d)x^3}{180a^6x^{15}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^16/(b*x^3+a), x, algorithm="fricas")

[Out] 1/180*(60*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^15*log(b*x^3 + a) - 180*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^15*log(x) - 60*(a*b^4*c - a^

$$2*b^3*d + a^3*b^2*e - a^4*b*f)*x^{12} + 30*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*x^9 - 20*(a^3*b^2*c - a^4*b*d + a^5*e)*x^6 - 12*a^5*c + 15*(a^4*b*c - a^5*d)*x^3)/(a^6*x^{15})$$

giac [A] time = 0.17, size = 287, normalized size = 1.40

$$\frac{(b^5c - ab^4d - a^2b^3e + a^3b^2f) \log(x)}{3a^6} - \frac{(b^5c - ab^4d - a^2b^3e + a^3b^2f) \log(bx^3 + a)}{3a^6} + \frac{137b^5cx^{15} - 137ab^4dx^{15} - 137a^2b^3fx^{15} + 137a^3b^2ex^{15} - 60ab^4cx^{12} + 60a^2b^3dx^{12} + 60a^4b^2fx^{12} - 60a^5b^3ex^{12} + 30a^2b^3cx^9 - 30a^3b^2dx^9 + 30a^4b^2fx^9 - 20a^5b^3ex^9 + 20a^2b^3cx^6 + 20a^3b^2dx^6 - 20a^4b^2fx^6 - 20a^5b^3ex^6 + 15a^4b^2cx^3 - 15a^5b^3dx^3 - 12a^5c}{180a^6x^{15}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^16/(b*x^3+a),x, algorithm="giac")

$$[Out] -(b^5*c - a*b^4*d - a^3*b^2*f + a^2*b^3*e)*\log(\text{abs}(x))/a^6 + 1/3*(b^6*c - a*b^5*d - a^3*b^3*f + a^2*b^4*e)*\log(\text{abs}(b*x^3 + a))/(a^6*b) + 1/180*(137*b^5*c*x^{15} - 137*a*b^4*d*x^{15} - 137*a^3*b^2*f*x^{15} + 137*a^2*b^3*x^{15}*e - 60*a*b^4*c*x^{12} + 60*a^2*b^3*d*x^{12} + 60*a^4*b^2*f*x^{12} - 60*a^3*b^2*x^{12}*e + 30*a^2*b^3*c*x^9 - 30*a^3*b^2*d*x^9 - 30*a^5*f*x^9 + 30*a^4*b*x^9*e - 20*a^3*b^2*c*x^6 + 20*a^4*b*d*x^6 - 20*a^5*x^6*e + 15*a^4*b*c*x^3 - 15*a^5*d*x^3 - 12*a^5*c)/(a^6*x^{15})$$

maple [A] time = 0.05, size = 260, normalized size = 1.27

$$\frac{b^2f \ln(x)}{a^3} - \frac{b^2f \ln(bx^3 + a)}{3a^3} - \frac{b^3e \ln(x)}{a^4} + \frac{b^3e \ln(bx^3 + a)}{3a^4} + \frac{b^4d \ln(x)}{a^5} - \frac{b^4d \ln(bx^3 + a)}{3a^5} - \frac{b^5c \ln(x)}{a^6} + \frac{b^5c \ln(bx^3 + a)}{3a^6} + \frac{bf}{3a^2x^3} - \frac{b^2e}{3a^3x^3} + \frac{b^3d}{3a^4x^3} - \frac{b^4c}{3a^5x^3} - \frac{f}{6ax^6} + \frac{be}{6a^2x^6} - \frac{b^2d}{6a^3x^6} + \frac{b^3c}{6a^4x^6} - \frac{e}{9ax^9} + \frac{bd}{9a^2x^9} - \frac{b^2c}{9a^3x^9} - \frac{d}{12ax^{12}} + \frac{bc}{12a^2x^{12}} - \frac{c}{15ax^{15}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^16/(b*x^3+a),x)

$$[Out] -1/3*b^2/a^3*\ln(b*x^3+a)*f+1/3*b^3/a^4*\ln(b*x^3+a)*e-1/3*b^4/a^5*\ln(b*x^3+a)*d+1/3*b^5/a^6*\ln(b*x^3+a)*c-1/15*c/a/x^{15}-1/12/a/x^{12}*d+1/12/a^2/x^{12}*b*c-1/9/a/x^9*e+1/9/a^2/x^9*b*d-1/9/a^3/x^9*b^2*c-1/6/a/x^6*f+1/6/a^2/x^6*b*e-1/6/a^3/x^6*b^2*d+1/6/a^4/x^6*b^3*c+1/a^3*b^2*\ln(x)*f-1/a^4*b^3*\ln(x)*e+1/a^5*b^4*\ln(x)*d-1/a^6*b^5*\ln(x)*c+1/3/a^2*b/x^3*f-1/3/a^3*b^2/x^3*e+1/3/a^4*b^3/x^3*d-1/3/a^5*b^4/x^3*c$$

maxima [A] time = 1.41, size = 208, normalized size = 1.01

$$\frac{(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log(bx^3 + a)}{3a^6} - \frac{(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log(x^3)}{3a^6} - \frac{60(b^4c - ab^3d + a^2b^2e - a^3bf)x^{12} - 30(ab^3c - a^2b^2d + a^3be - a^4f)x^9 + 20(a^2b^2c - a^3bd + a^4e)x^6 + 12a^4c - 15(a^3bc - a^4d)x^3}{180a^6x^{15}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^16/(b*x^3+a),x, algorithm="maxima")

$$[Out] 1/3*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*\log(b*x^3 + a)/a^6 - 1/3*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*\log(x^3)/a^6 - 1/180*(60*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^{12} - 30*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^9 + 20*(a^2*b^2*c - a^3*b*d + a^4*e)*x^6 + 12*a^4*c - 15*(a^3*b*c - a^4*d)*x^3)/(a^5*x^{15})$$

mupad [B] time = 0.26, size = 200, normalized size = 0.98

$$\frac{\ln(bx^3 + a)(-fa^3b^2 + ea^2b^3 - da^4 + cb^5)}{3a^6} - \frac{c}{15a} - \frac{x^9(-fa^3 + ea^2b - da^2b^2 + cb^3)}{6a^4} + \frac{x^3(ad - bc)}{12a^2} + \frac{x^6(ea^2 - da^2b + cb^2)}{9a^3} + \frac{bx^{12}(-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^5} - \frac{\ln(x)(-fa^3b^2 + ea^2b^3 - da^4 + cb^5)}{a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^16*(a + b*x^3)), x)

[Out] (log(a + b*x^3)*(b^5*c + a^2*b^3*e - a^3*b^2*f - a*b^4*d))/(3*a^6) - (c/(15*a) - (x^9*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(6*a^4) + (x^3*(a*d - b*c))/(12*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(9*a^3) + (b*x^12*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^5))/x^15 - (log(x)*(b^5*c + a^2*b^3*e - a^3*b^2*f - a*b^4*d))/a^6

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**16/(b*x**3+a), x)

[Out] Timed out

$$3.180 \quad \int \frac{x^9(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=348

$$\frac{x^{10}(a^2f - abe + b^2d)}{10b^3} + \frac{a^2x(a^3(-f) + a^2be - ab^2d + b^3c)}{b^6} - \frac{ax^4(a^3(-f) + a^2be - ab^2d + b^3c)}{4b^5} + \frac{x^7(a^3(-f) + a^2be - ab^2d + b^3c)}{7b^4}$$

Rubi [A] time = 0.33, antiderivative size = 348, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1836, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{x^7(a^2be + a^3(-f) - ab^2d + b^3c)}{7b^4} - \frac{ax^4(a^2be + a^3(-f) - ab^2d + b^3c)}{4b^5} + \frac{a^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx^3 + b^2x^6}) (a^2be + a^3(-f) - ab^2d + b^3c)}{6b^{19/3}} + \frac{a^2x(a^2be + a^3(-f) - ab^2d + b^3c)}{b^6} - \frac{a^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{bx^3}) (a^2be + a^3(-f) - ab^2d + b^3c)}{3b^{19/3}} + \frac{a^{2/3} \tan^{-1}\left(\frac{\sqrt[3]{a} - \sqrt[3]{bx^3}}{\sqrt[3]{3a^2}}\right) (a^2be + a^3(-f) - ab^2d + b^3c)}{\sqrt[3]{3} b^{19/3}} + \frac{x^{10}(a^2f - abe + b^2d)}{10b^3} + \frac{x^7(a^3(-f) + a^2be - ab^2d + b^3c)}{13b^2} + \frac{f_5 x^{16}}{16b}$$

Antiderivative was successfully verified.

[In] Int[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/b^6 - (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^4)/(4*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^7)/(7*b^4) + ((b^2*d - a*b*e + a^2*f)*x^10)/(10*b^3) + ((b*e - a*f)*x^13)/(13*b^2) + (f*x^16)/(16*b) + (a^(7/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*b^(19/3)) - (a^(7/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*b^(19/3)) + (a^(7/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*b^(19/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^m)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*(d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^m)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^9 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^{16}}{16b} + \frac{\int \frac{x^9(16bc+16bdx^3+16(be-af)x^6)}{a+bx^3} dx}{16b} \\
&= \frac{fx^{16}}{16b} + \frac{\int \left(\frac{16a^2(b^3c-ab^2d+a^2be-a^3f)}{b^5} - \frac{16a(b^3c-ab^2d+a^2be-a^3f)x^3}{b^4} + \frac{16(b^3c-ab^2d+a^2be-a^3f)}{b^3} \right) dx}{16b} \\
&= \frac{a^2(b^3c-ab^2d+a^2be-a^3f)x}{b^6} - \frac{a(b^3c-ab^2d+a^2be-a^3f)x^4}{4b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^7}{7b^4} \\
&= \frac{a^2(b^3c-ab^2d+a^2be-a^3f)x}{b^6} - \frac{a(b^3c-ab^2d+a^2be-a^3f)x^4}{4b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^7}{7b^4} \\
&= \frac{a^2(b^3c-ab^2d+a^2be-a^3f)x}{b^6} - \frac{a(b^3c-ab^2d+a^2be-a^3f)x^4}{4b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^7}{7b^4} \\
&= \frac{a^2(b^3c-ab^2d+a^2be-a^3f)x}{b^6} - \frac{a(b^3c-ab^2d+a^2be-a^3f)x^4}{4b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^7}{7b^4} \\
&= \frac{a^2(b^3c-ab^2d+a^2be-a^3f)x}{b^6} - \frac{a(b^3c-ab^2d+a^2be-a^3f)x^4}{4b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^7}{7b^4}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 351, normalized size = 1.01

$$\frac{x^{10}(af-ab^2d)}{10b^5} - \frac{a^2x^7(a^2f-a^2be+ab^2d-b^3c)}{7b^4} + \frac{a^2x^4(a^2f-a^2be+ab^2d-b^3c)}{4b^3} + \frac{x^2(a^2(-f)+a^2be-ab^2d+b^3c)}{2b^2} - \frac{a^{7/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)(a^2f - a^2be + ab^2d - b^3c)}{6b^{19/3}} + \frac{a^{7/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)(a^2f - a^2be + ab^2d - b^3c)}{3b^{19/3}} + \frac{a^{7/3} \tan^{-1}\left(\frac{2\sqrt[3]{a} - \sqrt[3]{a}}{\sqrt[3]{a}}\right)(a^2f - a^2be + ab^2d - b^3c)}{\sqrt[3]{3} b^{19/3}} + \frac{x^{13}(be-af)}{13b^4} + \frac{fx^{16}}{16b}$$

Antiderivative was successfully verified.

[In] Integrate[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] -((a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/b^6) + (a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^4)/(4*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^7)/(7*b^4) + ((b^2*d - a*b*e + a^2*f)*x^10)/(10*b^3) + ((b*e - a*f)*x^13)/(13*b^2) + (f*x^16)/(16*b) + (a^(7/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*b^(19/3)) + (a^(7/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(3*b^(19/3)) - (a^(7/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*b^(19/3)))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^9 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x)$

[Out] $\frac{1}{3}a^6/b^7/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f-1/3*a^5/b^6/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e+1/3*a^4/b^5/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d-1/10/b^2*x^{10}*a*e-1/b^4*a^3*d*x-1/13/b^2*x^{13}*a*f+1/10/b^3*x^{10}*a^2*f+1/b^5*a^4*e*x+1/4/b^3*x^4*a^2*d-1/4/b^2*x^4*a*c-1/b^6*a^5*f*x+1/4/b^5*x^4*a^4*f-1/4/b^4*x^4*a^3*e-1/7/b^2*x^7*a*d+1/b^3*a^2*c*x-1/7/b^4*x^7*a^3*f+1/7/b^3*x^7*a^2*e+1/3*a^6/b^7/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*f+1/3*a^4/b^5/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d-1/3*a^3/b^4/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c-1/6*a^6/b^7/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f-1/3*a^5/b^6/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e+1/6*a^5/b^6/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e-1/6*a^4/b^5/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d+1/6*a^3/b^4/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c+1/7/b*x^7*c+1/13/b*x^{13}*e+1/10/b*x^{10}*d+1/16*f*x^{16}/b$

maxima [A] time = 3.01, size = 351, normalized size = 1.01

$$\frac{455 b^5 f a^{16} + 560 (b^5 c - a b^4 f) x^{13} + 728 (b^5 d - a b^4 c + a^2 b^3 f) x^{10} + 1040 (b^5 c - a b^4 d + a^2 b^3 c - a^2 b^2 f) x^7 - 1820 (a b^4 c - a^2 b^3 d + a^2 b^2 c - a^2 b f) x^4 + 7280 (a^2 b^3 c - a^2 b^2 d + a^2 b c - a^2 f) x}{7280 b^6} \cdot \frac{\sqrt{3} (a^3 b^3 c - a^4 b^2 d + a^5 b c - a^6 f) \arctan\left(\frac{\sqrt{3} (x + (a/b)^{1/3})}{3 (b)^{1/3}}\right)}{3 b^7 (b)^{1/3}} + \frac{(a^3 b^3 c - a^4 b^2 d + a^5 b c - a^6 f) \log\left(x^2 - x (a/b)^{1/3} + (a/b)^{2/3}\right)}{6 b^7 (b)^{1/3}} - \frac{(a^3 b^3 c - a^4 b^2 d + a^5 b c - a^6 f) \log\left(x + (a/b)^{1/3}\right)}{3 b^7 (b)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, \text{algorithm}="maxima")$

[Out] $\frac{1}{7280}*(455*b^5*f*x^{16} + 560*(b^5*e - a*b^4*f)*x^{13} + 728*(b^5*d - a*b^4*e + a^2*b^3*f)*x^{10} + 1040*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^7 - 1820*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^4 + 7280*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*x)/b^6 - 1/3*\text{sqrt}(3)*(a^3*b^3*c - a^4*b^2*d + a^5*b*e - a^6*f)*\arctan(1/3*\text{sqrt}(3)*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^7*(a/b)^{(2/3)}) + 1/6*(a^3*b^3*c - a^4*b^2*d + a^5*b*e - a^6*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^7*(a/b)^{(2/3)}) - 1/3*(a^3*b^3*c - a^4*b^2*d + a^5*b*e - a^6*f)*\log(x + (a/b)^{(1/3)})/(b^7*(a/b)^{(2/3)})$

mupad [B] time = 0.31, size = 358, normalized size = 1.03

$$x^{13} \left(\frac{c}{13b} - \frac{af}{13b^2} \right) + x^{10} \left(\frac{d}{10b} - \frac{a \left(\frac{c}{10b} - \frac{af}{10b^2} \right)}{10b} \right) + x^7 \left(\frac{e}{7b} - \frac{a \left(\frac{c}{7b} - \frac{af}{7b^2} \right)}{7b} \right) + \frac{f x^{16}}{16b^6} - \frac{a^{2/3} \ln(b^{1/3} x + a^{1/3}) (-f a^3 + c a^2 b - d a b^2 + c b^3)}{3 b^{10/3}} + \frac{a^2 x \left(-\frac{a \left(\frac{c}{3b} - \frac{af}{3b^2} \right)}{3b} \right)}{3b} - \frac{a x^4 \left(-\frac{a \left(\frac{c}{4b} - \frac{af}{4b^2} \right)}{4b} \right)}{4b} - \frac{a^{2/3} \ln(2 b^{1/3} x - a^{1/3} + \sqrt{3} a^{1/3}) \left(-\frac{1}{3} + \frac{\sqrt{3} a}{3 b^{1/3}} \right) (-f a^3 + c a^2 b - d a b^2 + c b^3)}{3 b^{10/3}} + \frac{a^{2/3} \ln(a^{1/3} - 2 b^{1/3} x + \sqrt{3} a^{1/3}) \left(\frac{1}{3} + \frac{\sqrt{3} a}{3 b^{1/3}} \right) (-f a^3 + c a^2 b - d a b^2 + c b^3)}{3 b^{10/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x)$

[Out] $x^{13}*(e/(13*b) - (a*f)/(13*b^2)) + x^{10}*(d/(10*b) - (a*(e/b - (a*f)/b^2))/(10*b)) + x^7*(c/(7*b) - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/(7*b)) + (f*x^1$

$$3.181 \quad \int \frac{x^7(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=316

$$\frac{x^8(a^2f - abe + b^2d)}{8b^3} - \frac{ax^2(a^3(-f) + a^2be - ab^2d + b^3c)}{2b^5} + \frac{x^5(a^3(-f) + a^2be - ab^2d + b^3c)}{5b^4} + \frac{a^{5/3} \log(a^{2/3} - \sqrt[3]{a})}{\dots}$$

Rubi [A] time = 0.31, antiderivative size = 316, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^8(a^2be + a^3(-f) - ab^2d + b^3c)}{8b^4} - \frac{ax^2(a^2be + a^3(-f) - ab^2d + b^3c)}{2b^5} + \frac{a^{5/3} \log(a^{2/3} - \sqrt[3]{a})}{6b^{7/3}} (a^2be + a^3(-f) - ab^2d + b^3c) - \frac{a^{5/3} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^{7/3}} - \frac{a^{5/3} \tan^{-1}\left(\frac{\sqrt[3]{5}-2\sqrt[3]{2}}{\sqrt{3}\sqrt[3]{a}}\right)(a^2be + a^3(-f) - ab^2d + b^3c)}{\sqrt{3}b^{7/3}} + \frac{x^8(a^2f - abe + b^2d)}{8b^3} + \frac{x^{11}(be - af)}{11b^2} + \frac{fx^{14}}{14b}$$

Antiderivative was successfully verified.

[In] Int[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] -(a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(2*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^5)/(5*b^4) + ((b^2*d - a*b*e + a^2*f)*x^8)/(8*b^3) + ((b*e - a*f)*x^11)/(11*b^2) + (f*x^14)/(14*b) - (a^(5/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*b^(17/3)) - (a^(5/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*b^(17/3)) + (a^(5/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*b^(17/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^m)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^m)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^{14}}{14b} + \frac{\int \frac{x^7(14bc+14bdx^3+14(be-af)x^6)}{a+bx^3} dx}{14b} \\
&= \frac{fx^{14}}{14b} + \frac{\int \left(-\frac{14a(b^3c-ab^2d+a^2be-a^3f)x}{b^4} + \frac{14(b^3c-ab^2d+a^2be-a^3f)x^4}{b^3} + \frac{14(b^2d-abe+a^2f)x^7}{b^2} + \dots \right) dx}{14b} \\
&= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x^2}{2b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^5}{5b^4} + \frac{(b^2d-abe+a^2f)x^8}{8b^3} + \dots \\
&= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x^2}{2b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^5}{5b^4} + \frac{(b^2d-abe+a^2f)x^8}{8b^3} + \dots \\
&= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x^2}{2b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^5}{5b^4} + \frac{(b^2d-abe+a^2f)x^8}{8b^3} + \dots \\
&= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x^2}{2b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^5}{5b^4} + \frac{(b^2d-abe+a^2f)x^8}{8b^3} + \dots \\
&= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x^2}{2b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^5}{5b^4} + \frac{(b^2d-abe+a^2f)x^8}{8b^3} + \dots
\end{aligned}$$

Mathematica [A] time = 0.11, size = 311, normalized size = 0.98

$$\frac{x^8 (a^2 f - a b e + b^2 d)}{8 b^3} + \frac{a x^2 (a^2 f - a^2 b e + a b^2 d - b^3 c)}{2 b^5} + \frac{x^5 (a^2 (-f) + a^2 b e - a b^2 d + b^3 c)}{5 b^4} - \frac{a^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b x + b^2 x^2}) (a^2 f - a^2 b e + a b^2 d - b^3 c)}{6 b^{17/3}} + \frac{a^{5/3} \log(\sqrt[3]{a} + \sqrt[3]{b x}) (a^2 f - a^2 b e + a b^2 d - b^3 c)}{3 b^{17/3}} + \frac{a^{5/3} \tan^{-1}\left(\frac{1 - \frac{2 \sqrt[3]{a}}{\sqrt[3]{b}}}{\sqrt[3]{a}}\right) (a^2 f - a^2 b e + a b^2 d - b^3 c)}{\sqrt[3]{5} b^{17/3}} + \frac{x^{11} (b e - a f)}{11 b^2} + \frac{f x^{14}}{14 b}$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(2*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^5)/(5*b^4) + ((b^2*d - a*b*e + a^2*f)*x^8)/(8*b^3) + (b*e - a*f)*x^11/(11*b^2) + (f*x^14)/(14*b) + (a^(5/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(Sqrt[3]*b^(17/3)) + (a^(5/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*b^(17/3)) - (a^(5/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*b^(17/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^7 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] IntegrateAlgebraic[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

fricas [A] time = 0.42, size = 321, normalized size = 1.02

$$\frac{6601^4 x^{14} + 840(b^4 c - ab^3 d + 1155(b^4 d - ab^3 e + a^2 b^2 f)^2 + 1848(b^4 c - ab^3 d + a^2 b^2 e - a^3 b f)^2 - 4620(ab^3 c - a^2 b^2 d + a^3 b e - a^4 f)^2 + 3080\sqrt{3}(ab^3 c - a^2 b^2 d + a^3 b e - a^4 f)\left(\frac{d}{a}\right)^{\frac{1}{3}} \arctan\left(\frac{2\sqrt{3}\left(\frac{d}{a}\right)^{\frac{1}{3}} - \sqrt{3}}{\frac{d}{a}}\right) + 1540(ab^3 c - a^2 b^2 d + a^3 b e - a^4 f)\left(\frac{d}{a}\right)^{\frac{1}{3}} \log\left(ax^2 - bx\left(\frac{d}{a}\right)^{\frac{1}{3}} + a\left(\frac{d}{a}\right)^{\frac{1}{3}}\right) - 3080(ab^3 c - a^2 b^2 d + a^3 b e - a^4 f)\left(\frac{d}{a}\right)^{\frac{1}{3}} \log\left(ax + b\left(\frac{d}{a}\right)^{\frac{1}{3}}\right)}{9240 b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/9240*(660*b^4*f*x^14 + 840*(b^4*e - a*b^3*f)*x^11 + 1155*(b^4*d - a*b^3*e + a^2*b^2*f)*x^8 + 1848*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^5 - 4620*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^2 + 3080*sqrt(3)*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*(a^2/b^2)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(a^2/b^2)^(1/3) - sqrt(3)*a)/a) + 1540*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*(a^2/b^2)^(1/3)*log(a*x^2 - b*x*(a^2/b^2)^(2/3) + a*(a^2/b^2)^(1/3)) - 3080*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*(a^2/b^2)^(1/3)*log(a*x + b*(a^2/b^2)^(2/3))/b^5

giac [A] time = 0.18, size = 441, normalized size = 1.40

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(\frac{d}{a}\right)^{\frac{1}{3}} - \sqrt{3}}{\frac{d}{a}}\right) \left(6601^4 x^{14} + 840(b^4 c - ab^3 d + 1155(b^4 d - ab^3 e + a^2 b^2 f)^2 + 1848(b^4 c - ab^3 d + a^2 b^2 e - a^3 b f)^2 - 4620(ab^3 c - a^2 b^2 d + a^3 b e - a^4 f)^2 + 3080\sqrt{3}(ab^3 c - a^2 b^2 d + a^3 b e - a^4 f)\left(\frac{d}{a}\right)^{\frac{1}{3}} \arctan\left(\frac{2\sqrt{3}\left(\frac{d}{a}\right)^{\frac{1}{3}} - \sqrt{3}}{\frac{d}{a}}\right) + 1540(ab^3 c - a^2 b^2 d + a^3 b e - a^4 f)\left(\frac{d}{a}\right)^{\frac{1}{3}} \log\left(ax^2 - bx\left(\frac{d}{a}\right)^{\frac{1}{3}} + a\left(\frac{d}{a}\right)^{\frac{1}{3}}\right) - 3080(ab^3 c - a^2 b^2 d + a^3 b e - a^4 f)\left(\frac{d}{a}\right)^{\frac{1}{3}} \log\left(ax + b\left(\frac{d}{a}\right)^{\frac{1}{3}}\right)}{9240 b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*((-a*b^2)^(2/3)*a*b^3*c - (-a*b^2)^(2/3)*a^2*b^2*d - (-a*b^2)^(2/3)*a^4*f + (-a*b^2)^(2/3)*a^3*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3)/b^7 + 1/6*((-a*b^2)^(2/3)*a*b^3*c - (-a*b^2)^(2/3)*a^2*b^2*d - (-a*b^2)^(2/3)*a^4*f + (-a*b^2)^(2/3)*a^3*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^7 - 1/3*(a^2*b^12*c*(-a/b)^(1/3) - a^3*b^11*d*(-a/b)^(1/3) - a^5*b^9*f*(-a/b)^(1/3) + a^4*b^10*e*(-a/b)^(1/3))*log(abs(x - (-a/b)^(1/3)))/(a*b^14) + 1/3080*(220*b^13*f*x^14 - 280*a*b^12*f*x^11 + 280*b^13*x^11*e + 385*b^13*d*x^8 + 385*a^2*b^11*f*x^8 - 385*a*b^12*x^8*e + 616*b^13*c*x^5 - 616*a*b^12*d*x^5 - 616*a^3*b^10*f*x^5 + 616*a^2*b^11*x^5*e - 1540*a*b^12*c*x^2 + 1540*a^2*b^11*d*x^2 + 1540*a^4*b^9*f*x^2 - 1540*a^3*b^10*x^2*e)/b^14

maple [B] time = 0.05, size = 554, normalized size = 1.75

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(\frac{d}{a}\right)^{\frac{1}{3}} - \sqrt{3}}{\frac{d}{a}}\right) \left(6601^4 x^{14} + 840(b^4 c - ab^3 d + 1155(b^4 d - ab^3 e + a^2 b^2 f)^2 + 1848(b^4 c - ab^3 d + a^2 b^2 e - a^3 b f)^2 - 4620(ab^3 c - a^2 b^2 d + a^3 b e - a^4 f)^2 + 3080\sqrt{3}(ab^3 c - a^2 b^2 d + a^3 b e - a^4 f)\left(\frac{d}{a}\right)^{\frac{1}{3}} \arctan\left(\frac{2\sqrt{3}\left(\frac{d}{a}\right)^{\frac{1}{3}} - \sqrt{3}}{\frac{d}{a}}\right) + 1540(ab^3 c - a^2 b^2 d + a^3 b e - a^4 f)\left(\frac{d}{a}\right)^{\frac{1}{3}} \log\left(ax^2 - bx\left(\frac{d}{a}\right)^{\frac{1}{3}} + a\left(\frac{d}{a}\right)^{\frac{1}{3}}\right) - 3080(ab^3 c - a^2 b^2 d + a^3 b e - a^4 f)\left(\frac{d}{a}\right)^{\frac{1}{3}} \log\left(ax + b\left(\frac{d}{a}\right)^{\frac{1}{3}}\right)}{9240 b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x)$

[Out]
$$-1/3*a^5/b^6*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f-1/3*a^3/b^4*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d+1/3*a^2/b^3*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c+1/3*a^4/b^5*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e-1/5/b^4*x^5*a^3*f-1/11/b^2*x^11*a*f-1/5/b^2*x^5*a*d+1/5/b^3*x^5*a^2*e+1/8/b^3*x^8*a^2*f-1/8/b^2*x^8*a*e-1/2/b^4*x^2*a^3*e+1/2/b^3*x^2*a^2*d+1/2/b^5*x^2*a^4*f-1/2/b^2*x^2*a*c+1/6*a^4/b^5/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e-1/6*a^3/b^4/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d+1/6*a^2/b^3/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c+1/3*a^5/b^6/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*f-1/3*a^4/b^5/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*e+1/3*a^3/b^4/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*d-1/3*a^2/b^3/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c-1/6*a^5/b^6/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f+1/11/b*x^11*e+1/8/b*x^8*d+1/5/b*x^5*c+1/14*f*x^14/b$$

maxima [A] time = 2.95, size = 313, normalized size = 0.99

$$\frac{\sqrt{3} (a^2 b^3 c - a^2 b^2 d + a^4 b e - a^2 f) \arctan\left(\frac{\sqrt{3} \left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) + 220 b^4 f x^{14} + 280 (b^4 e - a b^3 f) x^{11} + 385 (b^4 d - a b^2 c + a^2 b^2 f) x^8 + 616 (b^4 c - a b^3 d + a^2 b^2 e - a^2 b f) x^5 - 1540 (a b^3 c - a^2 b^2 d + a^4 b e - a^2 f) x^2}{3080 b^6} + \frac{(a^2 b^3 c - a^2 b^2 d + a^4 b e - a^2 f) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 b^6 \left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{(a^2 b^3 c - a^2 b^2 d + a^4 b e - a^2 f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 b^6 \left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, \text{algorithm}="maxima")$

[Out]
$$1/3*\text{sqrt}(3)*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*\arctan(1/3*\text{sqrt}(3)*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^6*(a/b)^{(1/3)}) + 1/3080*(220*b^4*f*x^14 + 280*(b^4*e - a*b^3*f)*x^11 + 385*(b^4*d - a*b^3*e + a^2*b^2*f)*x^8 + 616*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^5 - 1540*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^2)/b^5 + 1/6*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^6*(a/b)^{(1/3)}) - 1/3*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*\log(x + (a/b)^{(1/3)})/(b^6*(a/b)^{(1/3)})$$

mupad [B] time = 5.16, size = 313, normalized size = 0.99

$$x^{11} \left(\frac{c}{11b} - \frac{af}{11b} \right) + x^8 \left(\frac{d}{8b} - \frac{a \left(\frac{c}{5b} - \frac{af}{8b} \right)}{8b} \right) + x^5 \left(\frac{c}{5b} - \frac{a \left(\frac{c}{5b} - \frac{af}{8b} \right)}{5b} \right) + \frac{f x^{14}}{14b} - \frac{a^{5/3} \ln(b^{1/3} x + a^{1/3}) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 b^{10/3}} - \frac{d x^2 \left(\frac{c}{5b} - \frac{a \left(\frac{c}{5b} - \frac{af}{8b} \right)}{5b} \right)}{2b} + \frac{a^{5/3} \ln(2 b^{1/3} x - a^{1/3} + \sqrt{3} a^{1/3}) \left(\frac{c}{5b} + \frac{\sqrt{3} a}{2b} \right) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 b^{10/3}} - \frac{a^{5/3} \ln(a^{1/3} - 2 b^{1/3} x + \sqrt{3} a^{1/3}) \left(-\frac{c}{5b} + \frac{\sqrt{3} a}{2b} \right) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 b^{10/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x)$

[Out]
$$x^{11}*(e/(11*b) - (a*f)/(11*b^2)) + x^8*(d/(8*b) - (a*(e/b - (a*f)/b^2))/(8*b)) + x^5*(c/(5*b) - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/(5*b)) + (f*x^14)/(14*b) - (a^(5/3)*\log(b^(1/3)*x + a^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2*b$$

$$\begin{aligned} & *e)) / (3*b^{(17/3)}) - (a*x^2*(c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b) / (\\ & 2*b) + (a^{(5/3)}*\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1 \\ & i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)) / (3*b^{(17/3)}) - (a^{(5/3)}*l \\ & o\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(b^3*c \\ & - a^3*f - a*b^2*d + a^2*b*e)) / (3*b^{(17/3)}) \end{aligned}$$

sympy [A] time = 4.06, size = 513, normalized size = 1.62

$\int \frac{a^2 \left(\frac{c}{b} - \frac{d}{b} + \frac{e}{b} - \frac{f}{b^2} \right) x^2 + a^{5/3} \log\left(3^{1/2} a^{1/3} i + 2 b^{1/3} x - a^{1/3}\right) \left(\frac{3^{1/2} i}{2} + \frac{1}{2}\right) (b^3 c - a^3 f - a b^2 d + a^2 b e) + a^{5/3} \log\left(3^{1/2} a^{1/3} i - 2 b^{1/3} x + a^{1/3}\right) \left(\frac{3^{1/2} i}{2} - \frac{1}{2}\right) (b^3 c - a^3 f - a b^2 d + a^2 b e)}{(3 b^{17/3})} dx$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**7*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a), x)

[Out] x**11*(-a*f/(11*b**2) + e/(11*b)) + x**8*(a**2*f/(8*b**3) - a*e/(8*b**2) + d/(8*b)) + x**5*(-a**3*f/(5*b**4) + a**2*e/(5*b**3) - a*d/(5*b**2) + c/(5*b)) + x**2*(a**4*f/(2*b**5) - a**3*e/(2*b**4) + a**2*d/(2*b**3) - a*c/(2*b**2)) + RootSum(27*_t**3*b**17 - a**14*f**3 + 3*a**13*b*e*f**2 - 3*a**12*b**2*d*f**2 - 3*a**12*b**2*e**2*f + 3*a**11*b**3*c*f**2 + 6*a**11*b**3*d*e*f + a**11*b**3*e**3 - 6*a**10*b**4*c*e*f - 3*a**10*b**4*d**2*f - 3*a**10*b**4*d*e**2 + 6*a**9*b**5*c*d*f + 3*a**9*b**5*c*e**2 + 3*a**9*b**5*d**2*e - 3*a**8*b**6*c**2*f - 6*a**8*b**6*c*d*e - a**8*b**6*d**3 + 3*a**7*b**7*c**2*e + 3*a**7*b**7*c*d**2 - 3*a**6*b**8*c**2*d + a**5*b**9*c**3, Lambda(_t, _t*log(9*_t**2*b**11/(a**9*f**2 - 2*a**8*b*e*f + 2*a**7*b**2*d*f + a**7*b**2*e**2 - 2*a**6*b**3*c*f - 2*a**6*b**3*d*e + 2*a**5*b**4*c*e + a**5*b**4*d**2 - 2*a**4*b**5*c*d + a**3*b**6*c**2) + x))) + f*x**14/(14*b)

$$3.182 \quad \int \frac{x^6(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=312

$$\frac{x^7(a^2f - abe + b^2d)}{7b^3} - \frac{ax(a^3(-f) + a^2be - ab^2d + b^3c)}{b^5} + \frac{x^4(a^3(-f) + a^2be - ab^2d + b^3c)}{4b^4} - \frac{a^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{x})}{13b}$$

Rubi [A] time = 0.30, antiderivative size = 312, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1836, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{x^7(a^2f + a^3(-f) - ab^2d + b^3c)}{4b^4} - \frac{a^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{x} + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^{16/3}} - \frac{ax(a^2be + a^3(-f) - ab^2d + b^3c)}{b^5} + \frac{a^{4/3} \log(\sqrt[3]{a} + \sqrt[3]{bx})(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^{16/3}} - \frac{a^{4/3} \tan^{-1}\left(\frac{\sqrt[3]{x} - 2\sqrt[3]{ax}}{\sqrt[3]{3}\sqrt[3]{a}}\right)(a^2be + a^3(-f) - ab^2d + b^3c)}{\sqrt[3]{3}b^{16/3}} + \frac{x^7(a^2f - abe + b^2d)}{7b^3} + \frac{x^{10}(be - af)}{10b^2} + \frac{fx^{13}}{13b}$$

Antiderivative was successfully verified.

[In] Int[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] -((a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^4)/(4*b^4) + ((b^2*d - a*b*e + a^2*f)*x^7)/(7*b^3) + ((b*e - a*f)*x^10)/(10*b^2) + (f*x^13)/(13*b) - (a^(4/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*b^(16/3)) + (a^(4/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*b^(16/3)) - (a^(4/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*b^(16/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^m)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^m)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)]) /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^6 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^{13}}{13b} + \frac{\int \frac{x^6(13bc+13bdx^3+13(be-af)x^6)}{a+bx^3} dx}{13b} \\
&= \frac{fx^{13}}{13b} + \frac{\int \left(-\frac{13a(b^3c-ab^2d+a^2be-a^3f)}{b^4} + \frac{13(b^3c-ab^2d+a^2be-a^3f)x^3}{b^3} + \frac{13(b^2d-abe+a^2f)x^6}{b^2} + \right.}{13b} \\
&= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x}{b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^4}{4b^4} + \frac{(b^2d-abe+a^2f)x^7}{7b^3} \\
&= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x}{b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^4}{4b^4} + \frac{(b^2d-abe+a^2f)x^7}{7b^3} \\
&= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x}{b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^4}{4b^4} + \frac{(b^2d-abe+a^2f)x^7}{7b^3} \\
&= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x}{b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^4}{4b^4} + \frac{(b^2d-abe+a^2f)x^7}{7b^3} \\
&= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x}{b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^4}{4b^4} + \frac{(b^2d-abe+a^2f)x^7}{7b^3}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 306, normalized size = 0.98

$$\frac{x^7(a^2f-abe+b^2d)}{7b^3} + \frac{ax(a^3f-a^2be+ab^2d-b^3c)}{b^5} + \frac{x^4(a^3(-f)+a^2be-ab^2d+b^3c)}{4b^4} + \frac{a^4 \log(a^{2/3} - \sqrt{a}\sqrt[3]{bx+a^2})}{6b^{16/3}} (a^3f-a^2be+ab^2d-b^3c) - \frac{a^4 \log(\sqrt[3]{a} + \sqrt[3]{bx})}{3b^{16/3}} (a^3f-a^2be+ab^2d-b^3c) + \frac{a^4 \tan^{-1}\left(\frac{1-\frac{2\sqrt{a}}{\sqrt{3}}}{\sqrt{3}}\right)}{\sqrt{3}b^{16/3}} (a^3f-a^2be+ab^2d-b^3c) + \frac{x^{10}(be-af)}{10b^2} + \frac{fx^{13}}{13b}$$

Antiderivative was successfully verified.

[In] Integrate[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] (a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/b^5 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^4)/(4*b^4) + ((b^2*d - a*b*e + a^2*f)*x^7)/(7*b^3) + ((b*e - a*f)*x^10)/(10*b^2) + (f*x^13)/(13*b) + (a^(4/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(Sqrt[3]*b^(16/3)) - (a^(4/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*b^(16/3)) + (a^(4/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*b^(16/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] IntegrateAlgebraic[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

fricas [A] time = 0.42, size = 304, normalized size = 0.97

$$\frac{420 b^4 f x^{13} + 546 (b^4 c - a b^3 f) x^{10} + 780 (b^4 d - a b^3 e + a^2 b^2 f) x^7 + 1365 (b^4 c - a b^3 d + a^2 b^2 e - a b^3 f) x^4 - 1820 \sqrt{3} (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \arctan\left(\frac{x \sqrt{3} \ln\left(\frac{x^2 + (-\frac{a}{b})^{\frac{1}{3}} - \sqrt{3}}{2}\right)}{x}\right) + 910 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) - 1820 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) - 5460 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) x}{5460 b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/5460*(420*b^4*f*x^13 + 546*(b^4*e - a*b^3*f)*x^10 + 780*(b^4*d - a*b^3*e + a^2*b^2*f)*x^7 + 1365*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^4 - 1820*sqrt(3)*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*(-a/b)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) - sqrt(3)*a)/a) + 910*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*(-a/b)^(1/3)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3)) - 1820*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*(-a/b)^(1/3)*log(x - (-a/b)^(1/3)) - 5460*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x)/b^5

giac [A] time = 0.18, size = 401, normalized size = 1.29

$$\frac{\sqrt{3} \left(-a b^3 c - a^2 b^2 d - a^3 b e - a^4 f\right) \arctan\left(\frac{\sqrt{3} \ln\left(\frac{x^2 + \left(-\frac{a}{b}\right)^{\frac{1}{3}} - \sqrt{3}}{2}\right)}{x}\right) + \left(-a b^3 c - a^2 b^2 d - a^3 b e - a^4 f\right) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) - \left(-a b^3 c - a^2 b^2 d - a^3 b e - a^4 f\right) \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{5460 b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*((-a*b^2)^(1/3)*a*b^3*c - (-a*b^2)^(1/3)*a^2*b^2*d - (-a*b^2)^(1/3)*a^4*f + (-a*b^2)^(1/3)*a^3*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^6 + 1/6*((-a*b^2)^(1/3)*a*b^3*c - (-a*b^2)^(1/3)*a^2*b^2*d - (-a*b^2)^(1/3)*a^4*f + (-a*b^2)^(1/3)*a^3*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^6 - 1/3*(a^2*b^11*c - a^3*b^10*d - a^5*b^8*f + a^4*b^9*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^13) + 1/1820*(140*b^12*f*x^13 - 182*a*b^11*f*x^10 + 182*b^12*x^10*e + 260*b^12*d*x^7 + 260*a^2*b^10*f*x^7 - 260*a*b^11*x^7*e + 455*b^12*c*x^4 - 455*a*b^11*d*x^4 - 455*a^3*b^9*f*x^4 + 455*a^2*b^10*x^4*e - 1820*a*b^11*c*x + 1820*a^2*b^10*d*x + 1820*a^4*b^8*f*x - 1820*a^3*b^9*x*e)/b^13

maple [B] time = 0.04, size = 544, normalized size = 1.74

$$\frac{\sqrt{3} a^4 f \arctan\left(\frac{\sqrt{3} \ln\left(\frac{x^2 + \left(-\frac{a}{b}\right)^{\frac{1}{3}} - \sqrt{3}}{2}\right)}{x}\right) + \left(-a b^3 c - a^2 b^2 d - a^3 b e - a^4 f\right) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) - \left(-a b^3 c - a^2 b^2 d - a^3 b e - a^4 f\right) \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{5460 b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x)$

[Out] $-1/3*a^5/b^6/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f-1/3*a^3/b^4/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d+1/3*a^2/b^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c+1/3*a^4/b^5/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e-1/7/b^2*x^7*a*e-1/4/b^4*x^4*a^3*f-1/b^4*a^3*e*x+1/b^3*a^2*d*x-1/b^2*a*c*x+1/b^5*a^4*f*x+1/4/b^3*x^4*a^2*e-1/4/b^2*x^4*a*d-1/10/b^2*x^10*a*f+1/7/b^3*x^7*a^2*f-1/3*a^5/b^6/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*f-1/6*a^2/b^3/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c-1/3*a^3/b^4/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d+1/3*a^2/b^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c+1/6*a^5/b^6/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f+1/3*a^4/b^5/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e-1/6*a^4/b^5/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e+1/6*a^3/b^4/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d+1/10/b*x^10*e+1/7/b*x^7*d+1/4/b*x^4*c+1/13*f*x^13/b$

maxima [A] time = 2.97, size = 311, normalized size = 1.00

$$\frac{140 b^4 f x^{13} + 182 (b^4 e - a b^3 f) x^{10} + 260 (b^4 d - a b^3 e + a^2 b^2 f) x^7 + 455 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) x^4 - 1820 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) x}{1820 b^5} + \frac{\sqrt{3} (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) \arctan\left(\frac{\sqrt{3} (x + (a/b)^{1/3})}{x (a/b)^{1/3}}\right)}{3 b^6 \left(\frac{a}{b}\right)^{2/3}} + \frac{(a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) \log\left(x^2 - x \left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)}{6 b^6 \left(\frac{a}{b}\right)^{2/3}} + \frac{(a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) \log\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{3 b^6 \left(\frac{a}{b}\right)^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, \text{algorithm}="maxima")$

[Out] $1/1820*(140*b^4*f*x^13 + 182*(b^4*e - a*b^3*f)*x^10 + 260*(b^4*d - a*b^3*e + a^2*b^2*f)*x^7 + 455*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^4 - 1820*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x)/b^5 + 1/3*\sqrt{3}*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^6*(a/b)^{(2/3)}) - 1/6*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^6*(a/b)^{(2/3)}) + 1/3*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*\log(x + (a/b)^{(1/3)})/(b^6*(a/b)^{(2/3)})$

mupad [B] time = 5.19, size = 311, normalized size = 1.00

$$x^{10} \left(\frac{c}{10b} + \frac{d}{10b^2} \right) + x^7 \left(\frac{d}{7b} - \frac{a \left(\frac{c}{b} - \frac{d}{7b} \right)}{7b} \right) + x^4 \left(\frac{c}{4b} - \frac{a \left(\frac{c}{b} - \frac{d}{7b} \right)}{4b} \right) + \frac{f x^{13} + \frac{a^3 \ln(b^{10} x + a^{10}) (-f a^2 + e a^2 b - d a b^2 + c b^3)}{3 b^{10}}}{13 b^5} + \frac{a x \left(\frac{c}{b} - \frac{d}{7b} \right)}{b} + \frac{a^{10} \ln(2 b^{10} x - a^{10} + \sqrt{3} a^{10}) \left(-\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (-f a^2 + e a^2 b - d a b^2 + c b^3)}{3 b^{10}} - \frac{a^{10} \ln(a^{10} - 2 b^{10} x + \sqrt{3} a^{10}) \left(\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (-f a^2 + e a^2 b - d a b^2 + c b^3)}{3 b^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x)$

[Out] $x^{10}*(e/(10*b) - (a*f)/(10*b^2)) + x^7*(d/(7*b) - (a*(e/b - (a*f)/b^2))/(7*b)) + x^4*(c/(4*b) - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/(4*b)) + (f*x^13)/(13*b) + (a^{(4/3)}*\log(b^{(1/3)}*x + a^{(1/3)}))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*b^{(16/3)}) - (a*x*(c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b)/b + (a^{(4/3)}*\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)}))*((3^{(1/2)}*1i)/2 -$

$$\frac{1}{2}*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*b^{16/3}) - (a^{4/3}*\log(3^{1/2}*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3}))*((3^{1/2}*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*b^{16/3})$$

sympy [A] time = 3.24, size = 423, normalized size = 1.36

$$x^6 \left(\frac{df}{10b} + \frac{e}{10} \right) + x^5 \left(\frac{d^2f}{20} - \frac{de}{20} + \frac{c}{5} \right) + x^4 \left(\frac{d^2f}{20} + \frac{d^2e}{20} - \frac{c}{5} \right) + \text{RootSum} \left(27b^{16} + a^{13}f^3 - 3a^{12}bf^2 + 3a^{11}b^2d^2f - 3a^{10}b^3d^2e - a^{10}b^3d^2f - 6a^{10}b^3de^2 + 3a^9b^4c^2e + 3a^9b^4d^2e^2 - 3a^9b^4de^2 - 3a^8b^5c^2d - 3a^8b^5c^2e - 3a^8b^5d^2e + 3a^7b^6c^2d + 6a^7b^6c^2e + a^7b^6d^2e - 3a^6b^7c^2d - 3a^6b^7c^2e - 3a^5b^8c^2d - a^4b^9c^3, \text{Lambda}(t, t \log(-3*t*b^{16}/(a^{13}f - a^{11}b^2e + a^{10}b^3d - a*b^3c) + x)) \right) + f*x^{13}/(13*b)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**6*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a),x)

[Out] x**10*(-a*f/(10*b**2) + e/(10*b)) + x**7*(a**2*f/(7*b**3) - a*e/(7*b**2) + d/(7*b)) + x**4*(-a**3*f/(4*b**4) + a**2*e/(4*b**3) - a*d/(4*b**2) + c/(4*b)) + x*(a**4*f/b**5 - a**3*e/b**4 + a**2*d/b**3 - a*c/b**2) + RootSum(27*_t**3*b**16 + a**13*f**3 - 3*a**12*b*e*f**2 + 3*a**11*b**2*d*f**2 + 3*a**11*b**2*e**2*f - 3*a**10*b**3*c*f**2 - 6*a**10*b**3*d*e*f - a**10*b**3*e**3 + 6*a**9*b**4*c*e*f + 3*a**9*b**4*d**2*f + 3*a**9*b**4*d*e**2 - 6*a**8*b**5*c*d*f - 3*a**8*b**5*c*e**2 - 3*a**8*b**5*d**2*e + 3*a**7*b**6*c**2*f + 6*a**7*b**6*c*d*e + a**7*b**6*d**3 - 3*a**6*b**7*c**2*e - 3*a**6*b**7*c*d**2 + 3*a**5*b**8*c**2*d - a**4*b**9*c**3, Lambda(_t, _t*log(-3*_t*b**5/(a**4*f - a**3*b*e + a**2*b**2*d - a*b**3*c) + x))) + f*x**13/(13*b)

$$3.183 \quad \int \frac{x^4(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=279

$$\frac{x^5(a^2f - abe + b^2d)}{5b^3} + \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{2b^4} - \frac{a^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(a^3(-f) + a^2be - ab^2d)}{6b^{14/3}}$$

Rubi [A] time = 0.27, antiderivative size = 279, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{2b^4} - \frac{a^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^{14/3}} + \frac{a^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^{14/3}} + \frac{a^{2/3} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^2be + a^3(-f) - ab^2d + b^3c)}{\sqrt{3}b^{14/3}} + \frac{x^5(a^2f - abe + b^2d)}{5b^3} + \frac{x^8(bc - af)}{8b^2} + \frac{fx^{11}}{11b}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(2*b^4) + ((b^2*d - a*b*e + a^2*f)*x^5)/(5*b^3) + ((b*e - a*f)*x^8)/(8*b^2) + (f*x^11)/(11*b) + (a^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*b^(14/3)) + (a^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(3*b^(14/3)) - (a^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*b^(14/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^m)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^m)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^{11}}{11b} + \frac{\int \frac{x^4(11bc+11bdx^3+11(be-af)x^6)}{a+bx^3} dx}{11b} \\
&= \frac{fx^{11}}{11b} + \frac{\int \left(\frac{11(b^3c-ab^2d+a^2be-a^3f)x}{b^3} + \frac{11(b^2d-abe+a^2f)x^4}{b^2} + \frac{11(be-af)x^7}{b} + \frac{11(-ab^3c+a^2b^2d)}{b^3(a+b)} \right) dx}{11b} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^4} + \frac{(b^2d - abe + a^2f)x^5}{5b^3} + \frac{(be - af)x^8}{8b^2} + \frac{fx^{11}}{11b} - \frac{11(-ab^3c+a^2b^2d)}{11b^3(a+b)} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^4} + \frac{(b^2d - abe + a^2f)x^5}{5b^3} + \frac{(be - af)x^8}{8b^2} + \frac{fx^{11}}{11b} + \frac{11(-ab^3c+a^2b^2d)}{11b^3(a+b)} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^4} + \frac{(b^2d - abe + a^2f)x^5}{5b^3} + \frac{(be - af)x^8}{8b^2} + \frac{fx^{11}}{11b} + \frac{11(-ab^3c+a^2b^2d)}{11b^3(a+b)} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^4} + \frac{(b^2d - abe + a^2f)x^5}{5b^3} + \frac{(be - af)x^8}{8b^2} + \frac{fx^{11}}{11b} + \frac{11(-ab^3c+a^2b^2d)}{11b^3(a+b)} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^4} + \frac{(b^2d - abe + a^2f)x^5}{5b^3} + \frac{(be - af)x^8}{8b^2} + \frac{fx^{11}}{11b} + \frac{11(-ab^3c+a^2b^2d)}{11b^3(a+b)} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^4} + \frac{(b^2d - abe + a^2f)x^5}{5b^3} + \frac{(be - af)x^8}{8b^2} + \frac{fx^{11}}{11b} + \frac{11(-ab^3c+a^2b^2d)}{11b^3(a+b)}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 266, normalized size = 0.95

$$\frac{264b^{5/3}x^5(a^2f - abc + b^2d) + 660b^{2/3}x^2(a^2(-f) + a^2be - ab^2d + b^3c) - 440a^{2/3}\log(\sqrt{a} + \sqrt{b}x)(a^2f - a^2be + ab^2d - b^3c) - 440\sqrt{3}a^{2/3}\tan^{-1}\left(\frac{1 + \frac{\sqrt{3}x}{a}}{\sqrt{3}}\right)(a^2f - a^2be + ab^2d - b^3c) + 220a^{2/3}\log(a^{2/3} - \sqrt{a}\sqrt{b}x + b^{2/3}x^2)(a^2f - a^2be + ab^2d - b^3c) + 165b^{8/3}x^8(be - af) + 120b^{11/3}fx^{11}}{1320b^{14/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] (660*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2 + 264*b^(5/3)*(b^2*d - a*b*e + a^2*f)*x^5 + 165*b^(8/3)*(b*e - a*f)*x^8 + 120*b^(11/3)*f*x^11 - 4*40*sqrt[3]*a^(2/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] - 440*a^(2/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 220*a^(2/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(1320*b^(14/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] IntegrateAlgebraic[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

fricas [A] time = 0.42, size = 281, normalized size = 1.01

$$\frac{120 b^3 f x^{11} + 165 (b^3 e - a b^2 f) x^8 + 264 (b^3 d - a b^2 e + a^2 b f) x^5 + 660 (b^3 c - a b^2 d + a^2 b e - a^3 f) x^2 - 440 \sqrt{3} (b^3 c - a b^2 d + a^2 b e - a^3 f) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \arctan\left(\frac{2 \sqrt{3} b \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \sqrt{3} a}{x}\right) + 220 (b^3 c - a b^2 d + a^2 b e - a^3 f) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(a x^2 - b x \left(-\frac{a}{b}\right)^{\frac{1}{3}} - a \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) - 440 (b^3 c - a b^2 d + a^2 b e - a^3 f) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(a x + b \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{1320 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/1320*(120*b^3*f*x^11 + 165*(b^3*e - a*b^2*f)*x^8 + 264*(b^3*d - a*b^2*e + a^2*b*f)*x^5 + 660*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2 - 440*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2/b^2)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a^2/b^2)^(1/3) + sqrt(3)*a)/a) + 220*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2/b^2)^(1/3)*log(a*x^2 - b*x*(-a^2/b^2)^(2/3) - a*(-a^2/b^2)^(1/3)) - 440*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2/b^2)^(1/3)*log(a*x + b*(-a^2/b^2)^(2/3))/b^4

giac [A] time = 0.18, size = 386, normalized size = 1.38

$$\frac{\sqrt{3} \operatorname{arctan}\left(\frac{2 \sqrt{3} b \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \sqrt{3} a}{x}\right) + \frac{220 (b^3 c - a b^2 d + a^2 b e - a^3 f) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(a x^2 - b x \left(-\frac{a}{b}\right)^{\frac{1}{3}} - a \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 b^4} - \frac{440 (b^3 c - a b^2 d + a^2 b e - a^3 f) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(a x + b \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 b^4}}{1320 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*((-a*b^2)^(2/3)*b^3*c - (-a*b^2)^(2/3)*a*b^2*d - (-a*b^2)^(2/3)*a^3*f + (-a*b^2)^(2/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^6 - 1/6*((-a*b^2)^(2/3)*b^3*c - (-a*b^2)^(2/3)*a*b^2*d - (-a*b^2)^(2/3)*a^3*f + (-a*b^2)^(2/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^6 + 1/3*(a*b^10*c*(-a/b)^(1/3) - a^2*b^9*d*(-a/b)^(1/3) - a^4*b^7*f*(-a/b)^(1/3) + a^3*b^8*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^11) + 1/440*(40*b^10*f*x^11 - 55*a*b^9*f*x^8 + 55*b^10*x^8*e + 88*b^10*d*x^5 + 88*a^2*b^8*f*x^5 - 88*a*b^9*x^5*e + 220*b^10*c*x^2 - 220*a*b^9*d*x^2 - 220*a^3*b^7*f*x^2 + 220*a^2*b^8*x^2*e)/b^11

maple [B] time = 0.05, size = 502, normalized size = 1.80

$$\frac{\sqrt{3} \operatorname{arctan}\left(\frac{2 \sqrt{3} b \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \sqrt{3} a}{x}\right) + \frac{220 (b^3 c - a b^2 d + a^2 b e - a^3 f) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(a x^2 - b x \left(-\frac{a}{b}\right)^{\frac{1}{3}} - a \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 b^4} - \frac{440 (b^3 c - a b^2 d + a^2 b e - a^3 f) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(a x + b \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 b^4}}{1320 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x)

[Out] $\frac{1}{11} \frac{f x^{11} + 55 (b^3 c - a b^2 d + a^3 b e - a^4 f) x^8 + 88 (b^3 d - a b^2 e + a^2 b f) x^5 + 220 (b^3 c - a b^2 d + a^3 b e - a^4 f) x^2}{3 b^5 \left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{40 b^3 f x^{11} + 55 (b^3 c - a b^2 d + a^3 b e - a^4 f) x^8 + 88 (b^3 d - a b^2 e + a^2 b f) x^5 + 220 (b^3 c - a b^2 d + a^3 b e - a^4 f) x^2}{440 b^4} - \frac{(a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 b^5 \left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 b^5 \left(\frac{a}{b}\right)^{\frac{1}{3}}}$

maxima [A] time = 3.02, size = 269, normalized size = 0.96

$$\frac{\sqrt{3} (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \arctan\left(\frac{\sqrt{3} (2x - \left(\frac{a}{b}\right)^{\frac{1}{3}})}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 b^5 \left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{40 b^3 f x^{11} + 55 (b^3 c - a b^2 d + a^3 b e - a^4 f) x^8 + 88 (b^3 d - a b^2 e + a^2 b f) x^5 + 220 (b^3 c - a b^2 d + a^3 b e - a^4 f) x^2}{440 b^4} - \frac{(a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 b^5 \left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 b^5 \left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="maxima")

[Out] $-\frac{1}{3} \sqrt{3} (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \arctan\left(\frac{\sqrt{3} (2x - \left(\frac{a}{b}\right)^{\frac{1}{3}})}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) / (a/b)^{\frac{1}{3}} / (b^5 (a/b)^{\frac{1}{3}}) + \frac{1}{440} (40 b^3 f x^{11} + 55 (b^3 c - a b^2 d + a^3 b e - a^4 f) x^8 + 88 (b^3 d - a b^2 e + a^2 b f) x^5 + 220 (b^3 c - a b^2 d + a^3 b e - a^4 f) x^2) / b^4 - \frac{1}{6} (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) / (b^5 (a/b)^{\frac{1}{3}}) + \frac{1}{3} (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) / (b^5 (a/b)^{\frac{1}{3}})$

mupad [B] time = 5.15, size = 267, normalized size = 0.96

$$x^8 \left(\frac{c}{8b} - \frac{af}{8b^2} \right) + x^5 \left(\frac{d}{5b} - \frac{a \left(\frac{c}{b} - \frac{af}{b^2} \right)}{5b} \right) + x^2 \left(\frac{c}{2b} - \frac{a \left(\frac{c}{b} - \frac{af}{b^2} \right)}{2b} \right) + \frac{f x^{11} + a^{2/3} \ln(b^{1/3} x + a^{1/3}) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{11 b} - \frac{a^{2/3} \ln(2 b^{1/3} x - a^{1/3} + \sqrt{3} a^{1/3}) \left(\frac{1}{2} + \frac{\sqrt{3} a}{2} \right) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 b^{4/3}} + \frac{a^{2/3} \ln(a^{1/3} - 2 b^{1/3} x + \sqrt{3} a^{1/3}) \left(-\frac{1}{2} + \frac{\sqrt{3} a}{2} \right) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 b^{4/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x)

[Out] $x^8 (e/(8b) - (af)/(8b^2)) + x^5 (d/(5b) - (a(e/b - (af)/b^2))/(5b)) + x^2 (c/(2b) - (a(d/b - (a(e/b - (af)/b^2))/b))/(2b)) + (f x^{11})/(11 b) + (a^{2/3} \log(b^{1/3} x + a^{1/3})) (b^3 c - a^3 f - a b^2 d + a^2 b e) / (3 b^{14/3}) - (a^{2/3} \log(3^{1/2} a^{1/3} i + 2 b^{1/3} x - a^{1/3})) ((3^{1/2} i)/2 + 1/2) (b^3 c - a^3 f - a b^2 d + a^2 b e) / (3 b^{14/3}) + (a^{2/3} \log(3^{1/2} a^{1/3} i - 2 b^{1/3} x + a^{1/3})) ((3^{1/2} i)/2 - 1/2) (b^3 c - a^3 f - a b^2 d + a^2 b e) / (3 b^{14/3})$

$$3.184 \quad \int \frac{x^3(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=274

$$\frac{x^4(a^2f - abe + b^2d)}{4b^3} - \frac{\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^{13/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be)}{\sqrt{3}b^{13/3}}$$

Rubi [A] time = 0.27, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1836, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{\sqrt[3]{a} \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^{13/3}} + \frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{b^4} - \frac{\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^{13/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^2be + a^3(-f) - ab^2d + b^3c)}{\sqrt{3}b^{13/3}} + \frac{x^4(a^2f - abe + b^2d)}{4b^3} + \frac{x^2(be - af)}{7b^2} + \frac{fx^{10}}{10b}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/b^4 + ((b^2*d - a*b*e + a^2*f)*x^4)/(4*b^3) + ((b*e - a*f)*x^7)/(7*b^2) + (f*x^10)/(10*b) + (a^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*b^(13/3)) - (a^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*b^(13/3)) + (a^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*b^(13/3))

Rule 31

Int[((a_) + (b_)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^m)*((a_) + (c_)*(x_)^(n2_) + (b_)*(x_)^(n1_))^(p_)*
(d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d
+ e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m,
q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^m)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^{10}}{10b} + \frac{\int \frac{x^3(10bc+10bdx^3+10(be-af)x^6)}{a+bx^3} dx}{10b} \\
&= \frac{fx^{10}}{10b} + \frac{\int \left(\frac{10(b^3c-ab^2d+a^2be-a^3f)}{b^3} + \frac{10(b^2d-abe+a^2f)x^3}{b^2} + \frac{10(be-af)x^6}{b} + \frac{10(-ab^3c+a^2b^2d-)}{b^3(a+bx^3)} \right) dx}{10b} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2f)x^4}{4b^3} + \frac{(be - af)x^7}{7b^2} + \frac{fx^{10}}{10b} - \frac{10(-ab^3c+a^2b^2d-)}{10b^3(a+bx^3)} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2f)x^4}{4b^3} + \frac{(be - af)x^7}{7b^2} + \frac{fx^{10}}{10b} - \frac{10(-ab^3c+a^2b^2d-)}{10b^3(a+bx^3)} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2f)x^4}{4b^3} + \frac{(be - af)x^7}{7b^2} + \frac{fx^{10}}{10b} - \frac{10(-ab^3c+a^2b^2d-)}{10b^3(a+bx^3)} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2f)x^4}{4b^3} + \frac{(be - af)x^7}{7b^2} + \frac{fx^{10}}{10b} - \frac{10(-ab^3c+a^2b^2d-)}{10b^3(a+bx^3)} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2f)x^4}{4b^3} + \frac{(be - af)x^7}{7b^2} + \frac{fx^{10}}{10b} - \frac{10(-ab^3c+a^2b^2d-)}{10b^3(a+bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 264, normalized size = 0.96

$$\frac{105b^{10/3}x^4(a^2f - abe + b^2d) + 420\sqrt[3]{b}x(a^3(-f) + a^2be - ab^2d + b^3c) + 140\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)(a^2f - a^2be + ab^2d - b^3c) - 140\sqrt[3]{3}\sqrt[3]{a}\tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{a}}{\sqrt[3]{b}}}{\sqrt[3]{3}}\right)(a^3f - a^2be + ab^2d - b^3c) - 70\sqrt[3]{a}\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^2f - a^2be + ab^2d - b^3c) + 60b^{7/3}x^7(be - af) + 42b^{10/3}fx^{10}}{420b^{13/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] (420*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x + 105*b^(4/3)*(b^2*d - a*b*e + a^2*f)*x^4 + 60*b^(7/3)*(b*e - a*f)*x^7 + 42*b^(10/3)*f*x^10 - 140*Sqrt[3]*a^(1/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 140*a^(1/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x] - 70*a^(1/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(420*b^(13/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] IntegrateAlgebraic[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

fricas [A] time = 0.44, size = 249, normalized size = 0.91

$$\frac{42b^3fx^{10} + 60(b^3c - ab^2f)x^7 + 105(b^3d - ab^2e + a^2bf)x^4 - 140\sqrt{3}(b^3c - ab^2d + a^2be - a^3f)\left(\frac{x}{b}\right)^{\frac{1}{3}} \arctan\left(\frac{2\sqrt{3}\ln\left(\frac{x}{b}\right) - \sqrt{3}x}{3a}\right) + 70(b^3c - ab^2d + a^2be - a^3f)\left(\frac{x}{b}\right)^{\frac{1}{3}} \log\left(x^2 - x\left(\frac{x}{b}\right)^{\frac{1}{3}} + \left(\frac{x}{b}\right)^{\frac{2}{3}}\right) - 140(b^3c - ab^2d + a^2be - a^3f)\left(\frac{x}{b}\right)^{\frac{1}{3}} \log\left(x + \left(\frac{x}{b}\right)^{\frac{1}{3}}\right) + 420(b^3c - ab^2d + a^2be - a^3f)x}{420b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/420*(42*b^3*f*x^10 + 60*(b^3*e - a*b^2*f)*x^7 + 105*(b^3*d - a*b^2*e + a^2*b*f)*x^4 - 140*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a/b)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) - sqrt(3)*a)/a) + 70*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a/b)^(1/3)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3)) - 140*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a/b)^(1/3)*log(x + (a/b)^(1/3)) + 420*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/b^4

giac [A] time = 0.19, size = 346, normalized size = 1.26

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} b^3 c - (-ab^2)^{\frac{1}{3}} ab^2 d - (-ab^2)^{\frac{1}{3}} a^2 b e + (-ab^2)^{\frac{1}{3}} a^3 f \right) \arctan\left(\frac{\sqrt{3} \ln\left(\frac{x}{b}\right)}{3 \left(\frac{x}{b}\right)^{\frac{1}{3}}}\right) + \left((-ab^2)^{\frac{1}{3}} b^3 c - (-ab^2)^{\frac{1}{3}} ab^2 d - (-ab^2)^{\frac{1}{3}} a^2 b e + (-ab^2)^{\frac{1}{3}} a^3 f \right) \log\left(x^2 + x \left(\frac{x}{b}\right)^{\frac{1}{3}} + \left(\frac{x}{b}\right)^{\frac{2}{3}}\right) + (ab^3c - a^2b^2d - a^3bf) \left(\frac{x}{b}\right)^{\frac{1}{3}} \log\left(1 - \left(\frac{x}{b}\right)^{\frac{1}{3}}\right) + 14b^3fx^{10} - 20ab^2fx^7 + 20b^3d^2c + 35b^3d^2e + 35a^2b^2fx^4 - 35ab^2d^2e - 140b^3cx - 140ab^2dx - 140a^2b^2fx + 140a^2b^2x}{140b^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*((-a*b^2)^(1/3)*b^3*c - (-a*b^2)^(1/3)*a*b^2*d - (-a*b^2)^(1/3)*a^3*f + (-a*b^2)^(1/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^5 - 1/6*((-a*b^2)^(1/3)*b^3*c - (-a*b^2)^(1/3)*a*b^2*d - (-a*b^2)^(1/3)*a^3*f + (-a*b^2)^(1/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^5 + 1/3*(a*b^9*c - a^2*b^8*d - a^4*b^6*f + a^3*b^7*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^10) + 1/140*(14*b^9*f*x^10 - 20*a*b^8*f*x^7 + 20*b^9*x^7*e + 35*b^9*d*x^4 + 35*a^2*b^7*f*x^4 - 35*a*b^8*x^4*e + 140*b^9*c*x - 140*a*b^8*d*x - 140*a^3*b^6*f*x + 140*a^2*b^7*x*e)/b^10

maple [B] time = 0.05, size = 492, normalized size = 1.80

$$\frac{\sqrt{3} a^2 f \arctan\left(\frac{\sqrt{3} \ln\left(\frac{x}{b}\right)}{3 \left(\frac{x}{b}\right)^{\frac{1}{3}}}\right) + a^2 f \ln\left(x + \left(\frac{x}{b}\right)^{\frac{1}{3}}\right) + a^2 f \ln\left(x^2 + \left(\frac{x}{b}\right)^{\frac{1}{3}} x + \left(\frac{x}{b}\right)^{\frac{2}{3}}\right) + \sqrt{3} a^2 c \arctan\left(\frac{\sqrt{3} \ln\left(\frac{x}{b}\right)}{3 \left(\frac{x}{b}\right)^{\frac{1}{3}}}\right) + a^2 b \ln\left(x + \left(\frac{x}{b}\right)^{\frac{1}{3}}\right) + a^2 b \ln\left(x^2 + \left(\frac{x}{b}\right)^{\frac{1}{3}} x + \left(\frac{x}{b}\right)^{\frac{2}{3}}\right) + \sqrt{3} a^2 d \arctan\left(\frac{\sqrt{3} \ln\left(\frac{x}{b}\right)}{3 \left(\frac{x}{b}\right)^{\frac{1}{3}}}\right) + a^2 d \ln\left(x + \left(\frac{x}{b}\right)^{\frac{1}{3}}\right) + a^2 d \ln\left(x^2 + \left(\frac{x}{b}\right)^{\frac{1}{3}} x + \left(\frac{x}{b}\right)^{\frac{2}{3}}\right) + \sqrt{3} a^2 e \arctan\left(\frac{\sqrt{3} \ln\left(\frac{x}{b}\right)}{3 \left(\frac{x}{b}\right)^{\frac{1}{3}}}\right) + a^2 e \ln\left(x + \left(\frac{x}{b}\right)^{\frac{1}{3}}\right) + a^2 e \ln\left(x^2 + \left(\frac{x}{b}\right)^{\frac{1}{3}} x + \left(\frac{x}{b}\right)^{\frac{2}{3}}\right) + \frac{14 b^9 f x^{10} - 20 a b^8 f x^7 + 20 b^9 x^7 e + 35 b^9 d x^4 + 35 a^2 b^7 f x^4 - 35 a b^8 x^4 e + 140 b^9 c x - 140 a b^8 d x - 140 a^3 b^6 f x + 140 a^2 b^7 x e}{140 b^{10}}}{140 b^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)

[Out] $\frac{1}{10}fx^{10}/b - \frac{1}{7}b^2x^7af + \frac{1}{7}bx^7e + \frac{1}{4}b^3x^4a^2f - \frac{1}{4}b^2x^4ae + \frac{1}{4}bx^4d - \frac{1}{b^4}a^3fx + \frac{1}{b^3}a^2ex - \frac{1}{b^2}ad^2x + \frac{1}{b}c^2x + \frac{1}{3}a^4/b^5 \left(\frac{a}{b} \right)^{2/3} \ln(x + \left(\frac{a}{b} \right)^{1/3}) - \frac{1}{3}a^3/b^4 \left(\frac{a}{b} \right)^{2/3} \ln(x + \left(\frac{a}{b} \right)^{1/3}) + \frac{1}{3}a^2/b^3 \left(\frac{a}{b} \right)^{2/3} \ln(x + \left(\frac{a}{b} \right)^{1/3}) - \frac{1}{3}a/b^2 \left(\frac{a}{b} \right)^{2/3} \ln(x + \left(\frac{a}{b} \right)^{1/3}) - \frac{1}{6}a^4/b^5 \left(\frac{a}{b} \right)^{2/3} \ln(x^2 - \left(\frac{a}{b} \right)^{1/3}x + \left(\frac{a}{b} \right)^{2/3}) + \frac{1}{6}a^3/b^4 \left(\frac{a}{b} \right)^{2/3} \ln(x^2 - \left(\frac{a}{b} \right)^{1/3}x + \left(\frac{a}{b} \right)^{2/3}) - \frac{1}{6}a^2/b^3 \left(\frac{a}{b} \right)^{2/3} \ln(x^2 - \left(\frac{a}{b} \right)^{1/3}x + \left(\frac{a}{b} \right)^{2/3}) + \frac{1}{6}a/b^2 \left(\frac{a}{b} \right)^{2/3} \ln(x^2 - \left(\frac{a}{b} \right)^{1/3}x + \left(\frac{a}{b} \right)^{2/3}) + \frac{1}{3}a^4/b^5 \left(\frac{a}{b} \right)^{2/3} 3^{1/2} \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3}x - 1)) - \frac{1}{3}a^3/b^4 \left(\frac{a}{b} \right)^{2/3} 3^{1/2} \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3}x - 1)) + \frac{1}{3}a^2/b^3 \left(\frac{a}{b} \right)^{2/3} 3^{1/2} \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3}x - 1)) - \frac{1}{3}a/b^2 \left(\frac{a}{b} \right)^{2/3} 3^{1/2} \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3}x - 1)) + c$

maxima [A] time = 2.93, size = 267, normalized size = 0.97

$$\frac{14b^3fx^{10} + 20(b^3e - ab^2f)x^7 + 35(b^3d - ab^2c + a^2bf)x^4 + 140(b^3c - ab^2d + a^2be - a^3f)x}{140b^4} - \frac{\sqrt{3}(ab^3c - a^2b^2d + a^3be - a^4f) \arctan\left(\frac{\sqrt{3}\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{3\left(\frac{a}{b}\right)^{2/3}}\right)}{3b^5\left(\frac{a}{b}\right)^{2/3}} + \frac{(ab^3c - a^2b^2d + a^3be - a^4f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)}{6b^5\left(\frac{a}{b}\right)^{2/3}} - \frac{(ab^3c - a^2b^2d + a^3be - a^4f) \log\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{3b^5\left(\frac{a}{b}\right)^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")

[Out] $\frac{1}{140}(14b^3fx^{10} + 20(b^3e - ab^2f)x^7 + 35(b^3d - ab^2c + a^2bf)x^4 + 140(b^3c - ab^2d + a^2be - a^3f)x)/b^4 - \frac{1}{3}\sqrt{3}\left(\frac{a}{b}\right)^{2/3} \ln(x + \left(\frac{a}{b}\right)^{1/3}) - \frac{1}{3}a^3/b^4 \left(\frac{a}{b}\right)^{2/3} \ln(x + \left(\frac{a}{b}\right)^{1/3}) + \frac{1}{6}(ab^3c - a^2b^2d + a^3be - a^4f) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) / (b^5(a/b)^{2/3}) - \frac{1}{3}(ab^3c - a^2b^2d + a^3be - a^4f) \log(x + (a/b)^{1/3}) / (b^5(a/b)^{2/3})$

mupad [B] time = 5.10, size = 264, normalized size = 0.96

$$x^2 \left(\frac{c}{7b} - \frac{af}{7b^2} \right) + x^4 \left(\frac{d}{4b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{4b} \right) + x \left(\frac{c}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right) + \frac{fx^{10}}{10b} - \frac{a^{1/3} \ln(b^{1/3}x + a^{1/3}) (-fa^3 + ea^2b - da^2b^2 + cb^3)}{3b^{13/3}} - \frac{a^{1/3} \ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}) \left(-\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (-fa^3 + ea^2b - da^2b^2 + cb^3)}{3b^{13/3}} + \frac{a^{1/3} \ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}) \left(\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (-fa^3 + ea^2b - da^2b^2 + cb^3)}{3b^{13/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x)

[Out] $x^7(e/(7*b) - (a*f)/(7*b^2)) + x^4(d/(4*b) - (a*(e/b - (a*f)/b^2))/(4*b)) + x*(c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b + (f*x^{10})/(10*b) - (a^{1/3} \log(b^{1/3}x + a^{1/3})) * (b^3*c - a^3*f - a*b^2*d + a^2*b*e) / (3*b^{13/3}) - (a^{1/3} \log(3^{1/2} * a^{1/3} * 1i + 2*b^{1/3} * x - a^{1/3})) * ((3^{1/2} * 1i) / 2 - 1/2) * (b^3*c - a^3*f - a*b^2*d + a^2*b*e) / (3*b^{13/3}) + (a^{1/3} \log(3^{1/2} * a^{1/3} * 1i - 2*b^{1/3} * x + a^{1/3})) * ((3^{1/2} * 1i) / 2 + 1/2) * (b^3*c - a^3*f - a*b^2*d + a^2*b*e) / (3*b^{13/3})$

sympy [A] time = 2.51, size = 376, normalized size = 1.37

$$x^2 \left(\frac{af}{7b^2} + \frac{c}{7b} \right) + x \left(\frac{d^2f}{2b^3} - \frac{ae}{4b^2} + \frac{d}{4b} \right) + \left(\frac{d^2f}{14} - \frac{d^2e}{10} - \frac{af}{10} + \frac{c}{b} \right) + \text{RootSum} \left(27t^{13} - a^2t^9 + 3a^2te^t - 3a^2td^2f - 3a^2t^2c^2 + 3a^2t^2cf^2 + 6a^2t^2bf^2 + a^2t^2c^2 - 6a^2t^2ef - 3a^2t^2bf^2 - 3a^2t^2de^2 + 6a^2t^2cdf + 3a^2t^2c^2 + 3a^2t^2cb^2 - 3a^2t^2d^2 + a^2t^2c^2 \left(1 + 11 \log \left(\frac{3ab^4}{a^2f - a^2e + ab^2d - b^2c} + 1 \right) \right) \right) + \frac{f^2x^{10}}{10b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a), x)

[Out] x**7*(-a*f/(7*b**2) + e/(7*b)) + x**4*(a**2*f/(4*b**3) - a*e/(4*b**2) + d/(4*b)) + x*(-a**3*f/b**4 + a**2*e/b**3 - a*d/b**2 + c/b) + RootSum(27*_t**3*b**13 - a**10*f**3 + 3*a**9*b*e*f**2 - 3*a**8*b**2*d*f**2 - 3*a**8*b**2*e**2*f + 3*a**7*b**3*c*f**2 + 6*a**7*b**3*d*e*f + a**7*b**3*e**3 - 6*a**6*b**4*c*e*f - 3*a**6*b**4*d**2*f - 3*a**6*b**4*d*e**2 + 6*a**5*b**5*c*d*f + 3*a**5*b**5*c*e**2 + 3*a**5*b**5*d**2*e - 3*a**4*b**6*c**2*f - 6*a**4*b**6*c*d*e - a**4*b**6*d**3 + 3*a**3*b**7*c**2*e + 3*a**3*b**7*c*d**2 - 3*a**2*b**8*c**2*d + a*b**9*c**3, Lambda(_t, _t*log(3*_t*b**4/(a**3*f - a**2*b*e + a*b**2*d - b**3*c) + x)) + f*x**10/(10*b))

$$3.185 \quad \int \frac{x(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=245

$$\frac{x^2(a^2f - abe + b^2d)}{2b^3} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3\sqrt[3]{a}b^{11/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d)}{\sqrt{3}\sqrt[3]{a}b^{11/3}}$$

Rubi [A] time = 0.22, antiderivative size = 245, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6\sqrt[3]{a}b^{11/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3\sqrt[3]{a}b^{11/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^2be + a^3(-f) - ab^2d + b^3c)}{\sqrt{3}\sqrt[3]{a}b^{11/3}} + \frac{x^2(a^2f - abe + b^2d)}{2b^3} + \frac{x^5(be - af)}{5b^2} + \frac{fx^8}{8b}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] ((b^2*d - a*b*e + a^2*f)*x^2)/(2*b^3) + ((b*e - a*f)*x^5)/(5*b^2) + (f*x^8)/(8*b) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(1/3)*b^(11/3)) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(1/3)*b^(11/3)) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(1/3)*b^(11/3))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^m)*((a_) + (c_)*(x_)^(n2_) + (b_)*(x_)^(n_))^(p_)*
(d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d
+ e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m,
q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^m)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^8}{8b} + \frac{\int \frac{x(8bc + 8bdx^3 + 8(be-af)x^6)}{a+bx^3} dx}{8b} \\
&= \frac{fx^8}{8b} + \frac{\int \left(\frac{8(b^2d - abe + a^2f)x}{b^2} + \frac{8(be-af)x^4}{b} + \frac{8(b^3c - ab^2d + a^2be - a^3f)x}{b^2(a+bx^3)} \right) dx}{8b} \\
&= \frac{(b^2d - abe + a^2f)x^2}{2b^3} + \frac{(be - af)x^5}{5b^2} + \frac{fx^8}{8b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{x}{a+bx^3}}{b^3} \\
&= \frac{(b^2d - abe + a^2f)x^2}{2b^3} + \frac{(be - af)x^5}{5b^2} + \frac{fx^8}{8b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a+x^3}}}{3\sqrt[3]{a} b^{10/3}} \\
&= \frac{(b^2d - abe + a^2f)x^2}{2b^3} + \frac{(be - af)x^5}{5b^2} + \frac{fx^8}{8b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a+x^3})}{3\sqrt[3]{a} b^{11/3}} \\
&= \frac{(b^2d - abe + a^2f)x^2}{2b^3} + \frac{(be - af)x^5}{5b^2} + \frac{fx^8}{8b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a+x^3})}{3\sqrt[3]{a} b^{11/3}} \\
&= \frac{(b^2d - abe + a^2f)x^2}{2b^3} + \frac{(be - af)x^5}{5b^2} + \frac{fx^8}{8b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a+x^3}}{\sqrt[3]{a}}\right)}{\sqrt{3} \sqrt[3]{a} b^{11/3}}
\end{aligned}$$

Mathematica [A] time = 0.18, size = 231, normalized size = 0.94

$$\frac{60b^{2/3}x^2(a^2f - abe + b^2d) + \frac{40 \log(\sqrt[3]{a+x^3})(a^3f - a^2be + ab^2d - b^3c)}{\sqrt[3]{a}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{ax^3}}{\sqrt[3]{a}}}{\sqrt{3}}\right)(a^3f - a^2be + ab^2d - b^3c)}{\sqrt[3]{a}} + \frac{20 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx^3 + b^{2/3}x^2})(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt[3]{a}} + 24b^{5/3}x^5(be - af) + 15b^{8/3}fx^8}{120b^{11/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] (60*b^(2/3)*(b^2*d - a*b*e + a^2*f)*x^2 + 24*b^(5/3)*(b*e - a*f)*x^5 + 15*b^(8/3)*f*x^8 + (40*sqrt[3]*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(1/3) + (40*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(1/3) + (20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(1/3))/(120*b^(11/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

fricas [A] time = 0.45, size = 568, normalized size = 2.32

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="fricas")

[Out] [1/120*(15*a*b^4*f*x^8 + 24*(a*b^4*e - a^2*b^3*f)*x^5 + 60*(a*b^4*d - a^2*b^3*e + a^3*b^2*f)*x^2 - 60*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*sqrt(-(a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b - 3*sqrt(1/3)*(a*b*x + 2*(a*b^2)^(2/3)*x^2 - (a*b^2)^(1/3)*a)*sqrt(-(a*b^2)^(1/3)/a) - 3*(a*b^2)^(2/3)*x)/(b*x^3 + a) + 20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 40*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*log(b*x + (a*b^2)^(1/3)))/(a*b^5), 1/120*(15*a*b^4*f*x^8 + 24*(a*b^4*e - a^2*b^3*f)*x^5 + 60*(a*b^4*d - a^2*b^3*e + a^3*b^2*f)*x^2 - 120*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*sqrt((a*b^2)^(1/3)/a)*arctan(-sqrt(1/3)*(2*b*x - (a*b^2)^(1/3))*sqrt((a*b^2)^(1/3)/a)/b) + 20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 40*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*log(b*x + (a*b^2)^(1/3)))/(a*b^5)]

giac [A] time = 0.20, size = 291, normalized size = 1.19

$$\frac{\sqrt{3} \left(b^3 c - a b^2 d - a^3 f + a^2 b e \right) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-a b^2 \right)^{\frac{1}{3}} b^3} - \frac{\left(b^3 c - a b^2 d - a^3 f + a^2 b e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-a b^2 \right)^{\frac{1}{3}} b^3} - \frac{\left(b^3 c \left(-\frac{a}{b} \right)^{\frac{1}{3}} - a b^2 d \left(-\frac{a}{b} \right)^{\frac{1}{3}} - a^3 b^2 f \left(-\frac{a}{b} \right)^{\frac{1}{3}} + a^2 b^2 e \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right) \log \left(x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 a b^3} + \frac{5 b^7 f x^8 - 8 a b^6 f x^5 + 8 b^7 e x^2 + 20 a^2 b^5 f x^2 - 20 a b^4 x^2 e}{40 b^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="giac")

[Out] 1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*b^3) - 1/6*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*b^3) - 1/3*(b^8*c*(-a/b)^(1/3) - a*b^7*d*(-a/b)^(1/3) - a^3*b^5*f*(-a/b)^(1/3) + a^2*b^4*e*(-a/b)^(1/3))/b^8

$$+ a^2 b^6 (-a/b)^{1/3} e (-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3})) / (a b^8) \\ + 1/40 (5 b^7 f x^8 - 8 a b^6 f x^5 + 8 b^7 x^5 e + 20 b^7 d x^2 + 20 a^2 b^6 f x^2 - 20 a b^6 x^2 e) / b^8$$

maple [B] time = 0.05, size = 450, normalized size = 1.84

$$\frac{f x^8}{80} - \frac{a f x^5}{320} + \frac{e x^5}{50} - \frac{a^2 f x^2}{200} - \frac{a e x^2}{20} + \frac{d x^2}{20} - \frac{\sqrt{3} a^2 f \arctan\left(\frac{\sqrt{3} \left(\frac{a x - 1}{b}\right)}{\left(\frac{a x - 1}{b}\right)^2}\right)}{3 \left(\frac{a x - 1}{b}\right)^{3/2}} - \frac{a^2 f \ln\left(x + \left(\frac{a x - 1}{b}\right)^{1/3}\right)}{3 \left(\frac{a x - 1}{b}\right)^{3/2}} - \frac{a^2 f \ln\left(x^2 - \left(\frac{a x - 1}{b}\right)^{1/3} x + \left(\frac{a x - 1}{b}\right)^{2/3}\right)}{6 \left(\frac{a x - 1}{b}\right)^{3/2}} - \frac{\sqrt{3} a^2 e \arctan\left(\frac{\sqrt{3} \left(\frac{a x - 1}{b}\right)}{\left(\frac{a x - 1}{b}\right)^2}\right)}{3 \left(\frac{a x - 1}{b}\right)^{3/2}} - \frac{a^2 e \ln\left(x + \left(\frac{a x - 1}{b}\right)^{1/3}\right)}{3 \left(\frac{a x - 1}{b}\right)^{3/2}} - \frac{a^2 e \ln\left(x^2 - \left(\frac{a x - 1}{b}\right)^{1/3} x + \left(\frac{a x - 1}{b}\right)^{2/3}\right)}{6 \left(\frac{a x - 1}{b}\right)^{3/2}} - \frac{\sqrt{3} a d \arctan\left(\frac{\sqrt{3} \left(\frac{a x - 1}{b}\right)}{\left(\frac{a x - 1}{b}\right)^2}\right)}{3 \left(\frac{a x - 1}{b}\right)^{3/2}} - \frac{a d \ln\left(x + \left(\frac{a x - 1}{b}\right)^{1/3}\right)}{3 \left(\frac{a x - 1}{b}\right)^{3/2}} - \frac{a d \ln\left(x^2 - \left(\frac{a x - 1}{b}\right)^{1/3} x + \left(\frac{a x - 1}{b}\right)^{2/3}\right)}{6 \left(\frac{a x - 1}{b}\right)^{3/2}} - \frac{\sqrt{3} c \arctan\left(\frac{\sqrt{3} \left(\frac{a x - 1}{b}\right)}{\left(\frac{a x - 1}{b}\right)^2}\right)}{3 \left(\frac{a x - 1}{b}\right)^{3/2}} - \frac{c \ln\left(x + \left(\frac{a x - 1}{b}\right)^{1/3}\right)}{3 \left(\frac{a x - 1}{b}\right)^{3/2}} - \frac{c \ln\left(x^2 - \left(\frac{a x - 1}{b}\right)^{1/3} x + \left(\frac{a x - 1}{b}\right)^{2/3}\right)}{6 \left(\frac{a x - 1}{b}\right)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x)

[Out] $1/8 f x^8 / b - 1/5 b^2 x^5 a f + 1/5 b x^5 e + 1/2 b^3 x^2 a^2 f - 1/2 b^2 x^2 a e + 1/2 b d x^2 + 1/3 b^4 / (a/b)^{1/3} \ln(x + (a/b)^{1/3}) * a^3 f - 1/3 b^3 / (a/b)^{1/3} \ln(x + (a/b)^{1/3}) * a^2 e + 1/3 b^2 / (a/b)^{1/3} \ln(x + (a/b)^{1/3}) * a d - 1/3 b / (a/b)^{1/3} \ln(x + (a/b)^{1/3}) * c - 1/6 b^4 / (a/b)^{1/3} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) * a^3 f + 1/6 b^3 / (a/b)^{1/3} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) * a^2 e - 1/6 b^2 / (a/b)^{1/3} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) * a d + 1/6 b / (a/b)^{1/3} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) * c - 1/3 b^4 * 3^{1/2} / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2 / (a/b)^{1/3} * x - 1)) * a^3 f + 1/3 b^3 * 3^{1/2} / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2 / (a/b)^{1/3} * x - 1)) * a^2 e - 1/3 b^2 * 3^{1/2} / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2 / (a/b)^{1/3} * x - 1)) * a d + 1/3 b * 3^{1/2} / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2 / (a/b)^{1/3} * x - 1)) * c$

maxima [A] time = 3.01, size = 225, normalized size = 0.92

$$\frac{\sqrt{3} (b^3 c - a b^2 d + a^2 b e - a^3 f) \arctan\left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b}\right)^{1/3}\right)}{3 \left(\frac{a}{b}\right)^{1/3}}\right)}{3 b^4 \left(\frac{a}{b}\right)^{1/3}} + \frac{5 b^2 f x^8 + 8 (b^2 e - a b f) x^5 + 20 (b^2 d - a b e + a^2 f) x^2}{40 b^3} + \frac{(b^3 c - a b^2 d + a^2 b e - a^3 f) \log\left(x^2 - x \left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)}{6 b^4 \left(\frac{a}{b}\right)^{1/3}} - \frac{(b^3 c - a b^2 d + a^2 b e - a^3 f) \log\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{3 b^4 \left(\frac{a}{b}\right)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="maxima")

[Out] $1/3 * \text{sqrt}(3) * (b^3 * c - a * b^2 * d + a^2 * b * e - a^3 * f) * \text{arctan}(1/3 * \text{sqrt}(3) * (2 * x - (a/b)^{1/3}) / (a/b)^{1/3}) / (b^4 * (a/b)^{1/3}) + 1/40 * (5 * b^2 * f * x^8 + 8 * (b^2 * e - a * b * f) * x^5 + 20 * (b^2 * d - a * b * e + a^2 * f) * x^2) / b^3 + 1/6 * (b^3 * c - a * b^2 * d + a^2 * b * e - a^3 * f) * \log(x^2 - x * (a/b)^{1/3} + (a/b)^{2/3}) / (b^4 * (a/b)^{1/3}) - 1/3 * (b^3 * c - a * b^2 * d + a^2 * b * e - a^3 * f) * \log(x + (a/b)^{1/3}) / (b^4 * (a/b)^{1/3})$

mupad [B] time = 5.14, size = 225, normalized size = 0.92

$$x^5 \left(\frac{c}{5b} - \frac{a f}{5b^2} \right) + x^2 \left(\frac{d}{2b} - \frac{a \left(\frac{c}{5b} - \frac{a f}{5b^2} \right)}{2b} \right) + \frac{f x^8}{8b} - \frac{\ln(b^{1/3} x + a^{1/3}) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 a^{1/3} b^{1/3}} + \frac{\ln(2 b^{1/3} x - a^{1/3} + \sqrt{3} a^{1/3} 1i) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 a^{1/3} b^{1/3}} - \frac{\ln(a^{1/3} - 2 b^{1/3} x + \sqrt{3} a^{1/3} 1i) \left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 a^{1/3} b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

$$3.186 \quad \int \frac{c+dx^3+ex^6+fx^9}{a+bx^3} dx$$

Optimal. Leaf size=240

$$\frac{x(a^2f - abe + b^2d)}{b^3} - \frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{2/3}b^{10/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{2/3}b^{10/3}}$$

Rubi [A] time = 0.15, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$, Rules used = {1887, 200, 31, 634, 617, 204, 628}

$$-\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{2/3}b^{10/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^{2/3}b^{10/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^2be + a^3(-f) - ab^2d + b^3c)}{\sqrt{3}a^{2/3}b^{10/3}} + \frac{x(a^2f - abe + b^2d)}{b^3} + \frac{x^4(be - af)}{4b^2} + \frac{fx^7}{7b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3), x]

[Out] ((b^2*d - a*b*e + a^2*f)*x)/b^3 + ((b*e - a*f)*x^4)/(4*b^2) + (f*x^7)/(7*b) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(2/3)*b^(10/3)) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(2/3)*b^(10/3)) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(2/3)*b^(10/3))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{a + bx^3} dx &= \int \left(\frac{b^2d - abe + a^2f}{b^3} + \frac{(be - af)x^3}{b^2} + \frac{fx^6}{b} + \frac{b^3c - ab^2d + a^2be - a^3f}{b^3(a + bx^3)} \right) dx \\
&= \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^4}{4b^2} + \frac{fx^7}{7b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{a+bx^3} dx}{b^3} \\
&= \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^4}{4b^2} + \frac{fx^7}{7b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{bx^3}} dx}{3a^{2/3}b^3} \\
&= \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^4}{4b^2} + \frac{fx^7}{7b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{bx^3})}{3a^{2/3}b^{10/3}} \\
&= \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^4}{4b^2} + \frac{fx^7}{7b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{bx^3})}{3a^{2/3}b^{10/3}} \\
&= \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^4}{4b^2} + \frac{fx^7}{7b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - \sqrt[3]{bx^3}}{\sqrt{3}}\right)}{\sqrt{3} a^{2/3} b^{10/3}}
\end{aligned}$$

Mathematica [A] time = 0.17, size = 229, normalized size = 0.95

$$\frac{84\sqrt[3]{b}x(a^2f - abe + b^2d) + \frac{28\log(\sqrt[3]{a} + \sqrt[3]{bx^3})(a^3(-f) + a^2be - ab^2d + b^3c)}{a^{2/3}} + \frac{28\sqrt{3}\tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx^3}}{\sqrt{3}}\right)(a^3f - a^2be + ab^2d - b^3c)}{a^{2/3}} + \frac{14\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{bx^3} + b^{2/3}x^2)(a^3f - a^2be + ab^2d - b^3c)}{a^{2/3}} + 21b^{4/3}x^4(be - af) + 12b^{7/3}fx^7}{84b^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3), x]

[Out] (84*b^(1/3)*(b^2*d - a*b*e + a^2*f)*x + 21*b^(4/3)*(b*e - a*f)*x^4 + 12*b^(7/3)*f*x^7 + (28*sqrt[3]*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(2/3) + (28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) + (14*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3))/(84*b^(10/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3),x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3), x]

fricas [A] time = 0.45, size = 600, normalized size = 2.50

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \sqrt{2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}}}{\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(-ab^2\right)^{\frac{1}{3}} b^2} - \frac{\left(b^3c - ab^2d - a^3f + a^2be\right) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(-ab^2\right)^{\frac{1}{3}} b^2} - \frac{\left(b^3c - ab^2d - a^3f + a^2be\right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 ab^2} + \frac{4b^6fx^7 - 7ab^5fx^4 + 7b^6x^4e + 28b^6dx + 28a^2b^4fx - 28ab^5xe}{28b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] [1/84*(12*a^2*b^3*f*x^7 + 21*(a^2*b^3*e - a^3*b^2*f)*x^4 - 42*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a) - 14*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) + 84*(a^2*b^3*d - a^3*b^2*e + a^4*b*f)*x/(a^2*b^4), 1/84*(12*a^2*b^3*f*x^7 + 21*(a^2*b^3*e - a^3*b^2*f)*x^4 + 84*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*sqrt(-(-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-a^2*b)^(1/3)/b)/a^2) - 14*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) + 84*(a^2*b^3*d - a^3*b^2*e + a^4*b*f)*x/(a^2*b^4)]

giac [A] time = 0.19, size = 253, normalized size = 1.05

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \sqrt{2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}}}{\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(-ab^2\right)^{\frac{1}{3}} b^2} - \frac{\left(b^3c - ab^2d - a^3f + a^2be\right) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(-ab^2\right)^{\frac{1}{3}} b^2} - \frac{\left(b^3c - ab^2d - a^3f + a^2be\right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 ab^2} + \frac{4b^6fx^7 - 7ab^5fx^4 + 7b^6x^4e + 28b^6dx + 28a^2b^4fx - 28ab^5xe}{28b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*b^2) - 1/6*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*b^2) - 1/3*(b^7*c - a*b^6*d - a^3*b^4*f + a^2*b^5*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^7) + 1/28*(4*b^6*f*x^7 - 7*a*b^5*f*x^4 + 7*b^6*x^4*e + 28*b^6*d*x + 28*a^2*b^4*f*x - 28*a*b^5*x*e)/b^7

maple [B] time = 0.04, size = 442, normalized size = 1.84

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \sqrt{2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}}}{\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(-ab^2\right)^{\frac{1}{3}} b^2} - \frac{\left(b^3c - ab^2d - a^3f + a^2be\right) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(-ab^2\right)^{\frac{1}{3}} b^2} - \frac{\left(b^3c - ab^2d - a^3f + a^2be\right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 ab^2} + \frac{4b^6fx^7 - 7ab^5fx^4 + 7b^6x^4e + 28b^6dx + 28a^2b^4fx - 28ab^5xe}{28b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x)$

[Out] $\frac{1}{7} \frac{f}{b} x^7 - \frac{1}{4} \frac{b^2}{b^2} x^4 + \frac{1}{4} \frac{b^2}{b^2} x^4 + \frac{1}{b^3} a^2 f x - \frac{1}{b^2} a e x + \frac{1}{b} d x - \frac{1}{3} \frac{b^4}{(a/b)^{(2/3)}} \ln(x + (a/b)^{(1/3)}) a^3 f + \frac{1}{3} \frac{b^3}{(a/b)^{(2/3)}} \ln(x + (a/b)^{(1/3)}) a^2 e - \frac{1}{3} \frac{b^2}{(a/b)^{(2/3)}} \ln(x + (a/b)^{(1/3)}) a d + \frac{1}{3} \frac{b}{(a/b)^{(2/3)}} \ln(x + (a/b)^{(1/3)}) c + \frac{1}{6} \frac{b^4}{(a/b)^{(2/3)}} \ln(x^2 - (a/b)^{(1/3)} x + (a/b)^{(2/3)}) a^3 f - \frac{1}{6} \frac{b^3}{(a/b)^{(2/3)}} \ln(x^2 - (a/b)^{(1/3)} x + (a/b)^{(2/3)}) a^2 e + \frac{1}{6} \frac{b^2}{(a/b)^{(2/3)}} \ln(x^2 - (a/b)^{(1/3)} x + (a/b)^{(2/3)}) a d - \frac{1}{6} \frac{b}{(a/b)^{(2/3)}} \ln(x^2 - (a/b)^{(1/3)} x + (a/b)^{(2/3)}) c - \frac{1}{3} \frac{b^4}{(a/b)^{(2/3)}} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x - 1)) a^3 f + \frac{1}{3} \frac{b^3}{(a/b)^{(2/3)}} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x - 1)) a^2 e - \frac{1}{3} \frac{b^2}{(a/b)^{(2/3)}} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x - 1)) a d + \frac{1}{3} \frac{b}{(a/b)^{(2/3)}} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x - 1)) c$

maxima [A] time = 3.01, size = 223, normalized size = 0.93

$$\frac{4b^2fx^7 + 7(b^2e - abf)x^4 + 28(b^2d - abe + a^2f)x}{28b^3} + \frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b^4\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b^4\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b^4\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, \text{algorithm}="maxima")$

[Out] $\frac{1}{28} (4b^2fx^7 + 7(b^2e - a*b*f)x^4 + 28(b^2d - a*b*e + a^2*f)x) / b^3 + \frac{1}{3} \sqrt{3} (b^3c - a*b^2*d + a^2*b*e - a^3*f) \arctan(1/3 \sqrt{3} (2x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (b^4 (a/b)^{(2/3)}) - \frac{1}{6} (b^3c - a*b^2*d + a^2*b*e - a^3*f) \log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)}) / (b^4 (a/b)^{(2/3)}) + \frac{1}{3} (b^3c - a*b^2*d + a^2*b*e - a^3*f) \log(x + (a/b)^{(1/3)}) / (b^4 (a/b)^{(2/3)})$

mupad [B] time = 5.17, size = 222, normalized size = 0.92

$$x^4 \left(\frac{c}{4b} - \frac{af}{4b^2} \right) + x \left(\frac{d}{b} - \frac{a \left(\frac{c}{b} - \frac{af}{b^2} \right)}{b} \right) + \frac{fx^7}{7b} + \frac{\ln(b^{1/3}x + a^{1/3}) (-fa^3 + ea^2b - da^2 + cb^3)}{3a^{2/3}b^{1/3}} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}) \left(-\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (-fa^3 + ea^2b - da^2 + cb^3)}{3a^{2/3}b^{1/3}} - \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}) \left(\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (-fa^3 + ea^2b - da^2 + cb^3)}{3a^{2/3}b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3), x)$

[Out] $x^4 (e/(4*b) - (a*f)/(4*b^2)) + x*(d/b - (a*(e/b - (a*f)/b^2))/b) + (f*x^7)/(7*b) + (\log(b^{(1/3)}*x + a^{(1/3)})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(2/3)}*b^{(10/3)}) + (\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(2/3)}*b^{(10/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(2/3)}*b^{(10/3)})$

sympy [A] time = 3.41, size = 342, normalized size = 1.42

$$x^4 \left(\frac{df}{4b^2} + \frac{e}{4b} \right) + x \left(\frac{c^2 f}{b^3} - \frac{ae}{b^2} + \frac{d}{b} \right) + \text{RootSum} \left(27t^3 d^2 b^3 + d^3 f^3 - 3d^3 e f^2 + 3a^2 t^2 d f^2 + 3a^2 t^2 c^2 f - 3a^2 t^2 c f^2 - 6a^2 b^3 d e f - d^4 b^3 c^3 + 6a^2 b^3 c e f + 3a^2 b^3 d^2 f + 3a^2 b^3 d c^2 - 6a^2 b^3 c d f - 3a^4 b^3 c^2 e - 3a^4 b^3 d^2 e + 3a^2 b^3 c^2 f + 6a^2 b^3 c d e + d^4 b^3 c^3 - 3a^2 b^3 c^2 e - 3a^2 b^3 c d^2 + 3a d^4 c^2 d - b^4 c^3 \left(1 + 11 \log \left(-\frac{3abd^3}{d^2 f - a^2 b e + ab^2 d - b^3 c} + 1 \right) \right) \right) + \frac{f x^2}{7b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/(b*x**3+a),x)

[Out] x**4*(-a*f/(4*b**2) + e/(4*b)) + x*(a**2*f/b**3 - a*e/b**2 + d/b) + RootSum(27*_t**3*a**2*b**10 + a**9*f**3 - 3*a**8*b*e*f**2 + 3*a**7*b**2*d*f**2 + 3*a**7*b**2*e**2*f - 3*a**6*b**3*c*f**2 - 6*a**6*b**3*d*e*f - a**6*b**3*e**3 + 6*a**5*b**4*c*e*f + 3*a**5*b**4*d**2*f + 3*a**5*b**4*d*e**2 - 6*a**4*b**5*c*d*f - 3*a**4*b**5*c*e**2 - 3*a**4*b**5*d**2*e + 3*a**3*b**6*c**2*f + 6*a**3*b**6*c*d*e + a**3*b**6*d**3 - 3*a**2*b**7*c**2*e - 3*a**2*b**7*c*d**2 + 3*a*b**8*c**2*d - b**9*c**3, Lambda(_t, _t*log(-3*_t*a*b**3/(a**3*f - a**2*b*e + a*b**2*d - b**3*c) + x))) + f*x**7/(7*b)

$$3.187 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)} dx$$

Optimal. Leaf size=227

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{6a^{4/3}b^{8/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{3a^{4/3}b^{8/3}} +$$

Rubi [A] time = 0.19, antiderivative size = 227, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$-\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{6a^{4/3}b^{8/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{3a^{4/3}b^{8/3}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) \left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{\sqrt{3}a^{4/3}b^{8/3}} + \frac{x^2(be-af)}{2b^2} - \frac{c}{ax} + \frac{fx^5}{5b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)), x]

[Out] -(c/(a*x)) + ((b*e - a*f)*x^2)/(2*b^2) + (f*x^5)/(5*b) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(4/3)*b^(8/3)) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(4/3)*b^(8/3)) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(4/3)*b^(8/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^2(a + bx^3)} dx &= \int \left(\frac{c}{ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{b} + \frac{(-b^3c + ab^2d - a^2be + a^3f)x}{ab^2(a + bx^3)} \right) dx \\
&= -\frac{c}{ax} + \frac{(be - af)x^2}{2b^2} + \frac{fx^5}{5b} + \frac{(-b^3c + ab^2d - a^2be + a^3f) \int \frac{x}{a+bx^3} dx}{ab^2} \\
&= -\frac{c}{ax} + \frac{(be - af)x^2}{2b^2} + \frac{fx^5}{5b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{4/3}b^{7/3}} - \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{4/3}b^{8/3}} \\
&= -\frac{c}{ax} + \frac{(be - af)x^2}{2b^2} + \frac{fx^5}{5b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}b^{8/3}} - \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{4/3}b^{8/3}} \\
&= -\frac{c}{ax} + \frac{(be - af)x^2}{2b^2} + \frac{fx^5}{5b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}b^{8/3}} - \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{4/3}b^{8/3}} \\
&= -\frac{c}{ax} + \frac{(be - af)x^2}{2b^2} + \frac{fx^5}{5b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{4/3}b^{8/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{4/3}b^{8/3}}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 224, normalized size = 0.99

$$\frac{15a^{4/3}b^{2/3}x^3(be - af) + 6a^{4/3}b^{5/3}fx^6 + 10x \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c) + 10\sqrt{3}x \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d + b^3c) - 5x \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3(-f) + a^2be - ab^2d + b^3c) - 30\sqrt[3]{a}b^{8/3}c}{30a^{4/3}b^{8/3}x}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)),x]

[Out] $(-30*a^{(1/3)}*b^{(8/3)}*c + 15*a^{(4/3)}*b^{(2/3)}*(b*e - a*f)*x^3 + 6*a^{(4/3)}*b^{(5/3)}*f*x^6 + 10*\text{Sqrt}[3]*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x*\text{ArcTan}[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\text{Sqrt}[3]] + 10*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x*\text{Log}[a^{(1/3)} + b^{(1/3)}*x] - 5*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(30*a^{(4/3)}*b^{(8/3)}*x)$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^2(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)),x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)), x]

fricas [A] time = 0.47, size = 560, normalized size = 2.47

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) - \frac{c}{ax} + \frac{(b^3c - ab^2d - a^3f + a^2be) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(-ab^2\right)^{\frac{1}{3}} ab^2} + \frac{\left(b^3c \left(-\frac{a}{b}\right)^{\frac{1}{3}} - ab^2d \left(-\frac{a}{b}\right)^{\frac{1}{3}} - a^3f \left(-\frac{a}{b}\right)^{\frac{1}{3}} + a^2b \left(-\frac{a}{b}\right)^{\frac{1}{3}} e\right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3 a^2 b^2} + \frac{2b^4fx^5 - 5ab^3fx^2 + 5b^4x^2e}{10b^5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a),x, algorithm="fricas")

[Out] [1/30*(6*a^2*b^3*f*x^6 - 30*a*b^4*c + 15*(a^2*b^3*e - a^3*b^2*f)*x^3 - 15*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a) - 5*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) + 10*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x*log(b*x - (-a*b^2)^(1/3)))/(a^2*b^4*x), 1/30*(6*a^2*b^3*f*x^6 - 30*a*b^4*c + 15*(a^2*b^3*e - a^3*b^2*f)*x^3 - 30*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x*sqrt(-(-a*b^2)^(1/3)/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^(1/3))*sqrt(-(-a*b^2)^(1/3)/a)/b) - 5*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) + 10*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x*log(b*x - (-a*b^2)^(1/3)))/(a^2*b^4*x)]

giac [A] time = 0.18, size = 269, normalized size = 1.19

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) - \frac{c}{ax} + \frac{(b^3c - ab^2d - a^3f + a^2be) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(-ab^2\right)^{\frac{1}{3}} ab^2} + \frac{\left(b^3c \left(-\frac{a}{b}\right)^{\frac{1}{3}} - ab^2d \left(-\frac{a}{b}\right)^{\frac{1}{3}} - a^3f \left(-\frac{a}{b}\right)^{\frac{1}{3}} + a^2b \left(-\frac{a}{b}\right)^{\frac{1}{3}} e\right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3 a^2 b^2} + \frac{2b^4fx^5 - 5ab^3fx^2 + 5b^4x^2e}{10b^5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a*b^2) - c/(a*x) + 1/6*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*a*b^2) + 1/3*(b^3*c*(-a/b)^(1/3) - a*b^2*d*(-a/b)^(1/3) - a^3*f*(-a/b)^(1/3) + a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^2*b^2) + 1/10*(2*b^4*f*x^5 - 5*a*b^3*f*x^2 + 5*b^4*x^2*e)/b^5

maple [B] time = 0.05, size = 419, normalized size = 1.85

$$\frac{f x^9}{9b} - \frac{a f x^6}{27b^2} + \frac{e x^3}{27b} + \frac{\sqrt{3} a^2 f \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{b} + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b^3} + \frac{a^2 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b^3} + \frac{a^2 f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} b^3} - \frac{\sqrt{3} a e \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{b} + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b^2} + \frac{a e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b^2} + \frac{a e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} b^2} - \frac{\sqrt{3} c \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{b} + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} - \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{b} + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} + \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} + \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{c}{ax}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a),x)`

[Out] $\frac{1}{5} \frac{f x^5}{b^2} - \frac{1}{2} \frac{b^2 x^2 a f + 1}{b^2} \frac{e x^2}{b} - \frac{1}{3} \frac{a^2}{b^3} \frac{1}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) + \frac{f + 1}{3} \frac{a}{b^2} \frac{1}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) + \frac{e - 1}{3} \frac{b}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) + \frac{d + 1}{3} \frac{a}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) + \frac{c + 1}{6} \frac{a^2}{b^3} \frac{1}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{f - 1}{6} \frac{a}{b^2} \frac{1}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{e + 1}{6} \frac{b}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{d - 1}{6} \frac{a}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{c + 1}{3} \frac{a^2}{b^3} \frac{3^{1/2}}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} \frac{3^{1/2}}{(a/b)^{1/3}} \frac{2}{(a/b)^{1/3} x - 1}\right) + \frac{f - 1}{3} \frac{a}{b^2} \frac{3^{1/2}}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} \frac{3^{1/2}}{(a/b)^{1/3}} \frac{2}{(a/b)^{1/3} x - 1}\right) + \frac{e + 1}{3} \frac{b}{b^3} \frac{3^{1/2}}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} \frac{3^{1/2}}{(a/b)^{1/3}} \frac{2}{(a/b)^{1/3} x - 1}\right) + \frac{d - 1}{3} \frac{a}{a^3} \frac{3^{1/2}}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} \frac{3^{1/2}}{(a/b)^{1/3}} \frac{2}{(a/b)^{1/3} x - 1}\right) + \frac{c - 1}{a} \frac{c}{x}$

maxima [A] time = 2.96, size = 217, normalized size = 0.96

$$\frac{2 b f x^5 + 5 (b e - a f) x^2}{10 b^2} - \frac{c}{a x} - \frac{\sqrt{3} (b^3 c - a b^2 d + a^2 b e - a^3 f) \arctan\left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 a b^3 \left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{(b^3 c - a b^2 d + a^2 b e - a^3 f) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 a b^3 \left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(b^3 c - a b^2 d + a^2 b e - a^3 f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 a b^3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a),x, algorithm="maxima")`

[Out] $\frac{1}{10} \frac{2 b^2 f x^5 + 5 (b^2 e - a^2 f) x^2}{b^2} - \frac{c}{a x} - \frac{1}{3} \frac{\sqrt{3} (b^3 c - a b^2 d + a^2 b e - a^3 f) \arctan\left(\frac{1}{3} \frac{\sqrt{3}}{(a/b)^{1/3}} \frac{2 x - (a/b)^{1/3}}{(a/b)^{1/3}}\right)}{(a/b)^{1/3}} - \frac{1}{6} \frac{(b^3 c - a b^2 d + a^2 b e - a^3 f) \log(x^2 - x (a/b)^{1/3} + (a/b)^{2/3})}{(a/b)^{1/3}} + \frac{1}{3} \frac{(b^3 c - a b^2 d + a^2 b e - a^3 f) \log(x + (a/b)^{1/3})}{(a/b)^{1/3}}$

mupad [B] time = 5.37, size = 204, normalized size = 0.90

$$x^2 \left(\frac{c}{2b} - \frac{af}{2b^2} \right) - \frac{c}{ax} + \frac{fx^5}{5b} + \frac{\ln(b^{1/3}x + a^{1/3}) (-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{4/3}b^{8/3}} - \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i) \left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right) (-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{4/3}b^{8/3}} + \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}i) \left(-\frac{1}{2} + \frac{\sqrt{3}i}{2}\right) (-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{4/3}b^{8/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)),x)`

[Out] $x^2 \frac{e}{2b} - \frac{af}{2b^2} - \frac{c}{ax} + \frac{fx^5}{5b} + \frac{\log(b^{1/3}x + a^{1/3}) (b^3c - a^3f - ab^2d + a^2be)}{3a^{4/3}b^{8/3}} - \frac{\log(3^{1/2}a^{1/3}i + 2b^{1/3}x - a^{1/3}) ((3^{1/2}i)/2 + 1/2) (b^3c - a^3f - ab^2d + a^2be)}{3a^{4/3}b^{8/3}} + \frac{\log(3^{1/2}a^{1/3}i - 2b^{1/3}x + a^{1/3}) ((3^{1/2}i)/2 - 1/2) (b^3c - a^3f - ab^2d + a^2be)}{3a^{4/3}b^{8/3}}$

sympy [A] time = 4.72, size = 408, normalized size = 1.80

$$x^2 \left(\frac{c}{2b} - \frac{af}{2b^2} \right) + \frac{fx^5}{5b} + \frac{\log(b^{1/3}x + a^{1/3}) (b^3c - a^3f - ab^2d + a^2be)}{3a^{4/3}b^{8/3}} + \frac{\log(3^{1/2}a^{1/3}i + 2b^{1/3}x - a^{1/3}) ((3^{1/2}i)/2 + 1/2) (b^3c - a^3f - ab^2d + a^2be)}{3a^{4/3}b^{8/3}} + \frac{\log(3^{1/2}a^{1/3}i - 2b^{1/3}x + a^{1/3}) ((3^{1/2}i)/2 - 1/2) (b^3c - a^3f - ab^2d + a^2be)}{3a^{4/3}b^{8/3}} + \frac{c}{ax}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**2/(b*x**3+a),x)

[Out] $x^2 \left(-\frac{a f}{2 b^2} + \frac{e}{2 b} \right) + \text{RootSum} \left(27 _t^3 a^4 b^8 + a^9 f^3 - 3 a^8 b e f^2 + 3 a^7 b^2 d f^2 + 3 a^7 b^2 e^2 f - 3 a^6 b^3 c f^2 - 6 a^6 b^3 d e f - a^6 b^3 e^3 + 6 a^5 b^4 c e f + 3 a^5 b^4 d^2 f + 3 a^5 b^4 d e^2 - 6 a^4 b^5 c d f - 3 a^4 b^5 c e^2 - 3 a^4 b^5 d^2 e + 3 a^3 b^6 c^2 f + 6 a^3 b^6 c d e + a^3 b^6 d^3 - 3 a^2 b^7 c^2 e - 3 a^2 b^7 c d^2 + 3 a b^8 c^2 d - b^9 c^3, \text{Lambd} a(_t, _t \log(9 _t^2 a^3 b^5 / (a^6 f^2 - 2 a^5 b e f + 2 a^4 b^2 d f + a^4 b^2 e^2 - 2 a^3 b^3 c f - 2 a^3 b^3 d e + 2 a^2 b^4 c e + a^2 b^4 d^2 - 2 a b^5 c d + b^6 c^2) + x)) \right) + f x^5 / (5 b) - c / (a x)$

$$3.188 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)} dx$$

Optimal. Leaf size=224

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{6a^{5/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{3a^{5/3}b^{7/3}} + \dots$$

Rubi [A] time = 0.17, antiderivative size = 224, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 200, 31, 634, 617, 204, 628}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{6a^{5/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{3a^{5/3}b^{7/3}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) \left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{\sqrt{3}a^{5/3}b^{7/3}} + \frac{x(be-af)}{b^2} - \frac{c}{2ax^2} + \frac{fx^4}{4b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)), x]

[Out] $-\frac{c}{2ax^2} + \frac{(be-af)x}{b^2} + \frac{fx^4}{4b} + \frac{(b^3c - a^2b^2d + a^3f) \operatorname{ArcTan}\left[\frac{a^{1/3} - 2b^{1/3}x}{\sqrt{3}a^{1/3}}\right]}{\sqrt{3}a^{5/3}b^{7/3}} - \frac{(b^3c - a^2b^2d + a^3f) \operatorname{Log}\left[\frac{a^{1/3} + b^{1/3}x}{a^{1/3}}\right]}{3a^{5/3}b^{7/3}} + \frac{(b^3c - a^2b^2d + a^3f) \operatorname{Log}\left[\frac{a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2}{6a^{5/3}b^{7/3}}\right]}{6a^{5/3}b^{7/3}}$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^3(a + bx^3)} dx &= \int \left(\frac{be - af}{b^2} + \frac{c}{ax^3} + \frac{fx^3}{b} + \frac{-b^3c + ab^2d - a^2be + a^3f}{ab^2(a + bx^3)} \right) dx \\
&= -\frac{c}{2ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{4b} + \frac{(-b^3c + ab^2d - a^2be + a^3f) \int \frac{1}{a+bx^3} dx}{ab^2} \\
&= -\frac{c}{2ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{4b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{5/3}b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}b^{7/3}} \\
&= -\frac{c}{2ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{4b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}b^{7/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{5/3}b^{7/3}} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}b^{7/3}}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 218, normalized size = 0.97

$$\frac{1}{12} \left(\frac{2 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)(a^3(-f) + a^2be - ab^2d + b^3c)}{a^{5/3}b^{7/3}} + \frac{4 \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3f - a^2be + ab^2d - b^3c)}{a^{5/3}b^{7/3}} + \frac{4\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{a^{5/3}b^{7/3}} + \frac{12x(be - af)}{b^2} - \frac{6c}{ax^2} + \frac{3fx^4}{b} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)),x]

[Out] ((-6*c)/(a*x^2) + (12*(b*e - a*f)*x)/b^2 + (3*f*x^4)/b + (4*sqrt[3]*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/(a^(5/3)*b^(7/3)) + (4*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(a^(5/3)*b^(7/3)) + (2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(a^(5/3)*b^(7/3)))/12

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^3(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)),x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)), x]

fricas [A] time = 0.45, size = 565, normalized size = 2.52

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + \frac{(b^3c - ab^2d - a^3f + a^2be) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(-ab^2\right)^{\frac{2}{3}} ab} + \frac{(b^3c - ab^2d - a^3f + a^2be) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 a^2 b^2} - \frac{c}{2 a x^2} + \frac{b^3 f x^4 - 4 a b^2 f x + 4 b^3 x e}{4 b^4}}{3 \left(-ab^2\right)^{\frac{2}{3}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a),x, algorithm="fricas")

[Out] [1/12*(3*a^3*b^2*f*x^6 - 6*a^2*b^3*c - 6*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^2*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a) + 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^2*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) - 4*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^2*log(a*b*x + (a^2*b)^(2/3)) + 12*(a^3*b^2*e - a^4*b*f)*x^3)/(a^3*b^3*x^2), 1/12*(3*a^3*b^2*f*x^6 - 6*a^2*b^3*c - 12*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^2*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) + 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^2*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) - 4*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^2*log(a*b*x + (a^2*b)^(2/3)) + 12*(a^3*b^2*e - a^4*b*f)*x^3)/(a^3*b^3*x^2)]

giac [A] time = 0.22, size = 232, normalized size = 1.04

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + \frac{(b^3c - ab^2d - a^3f + a^2be) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(-ab^2\right)^{\frac{2}{3}} ab} + \frac{(b^3c - ab^2d - a^3f + a^2be) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 a^2 b^2} - \frac{c}{2 a x^2} + \frac{b^3 f x^4 - 4 a b^2 f x + 4 b^3 x e}{4 b^4}}{3 \left(-ab^2\right)^{\frac{2}{3}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b) + 1/6*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a*b) + 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/((a^2*b^2)^(1/3)) - 1/2*c/(a*x^2) + 1/4*(b^3*f*x^4 - 4*a*b^2*f*x + 4*b^3*x*e)/b^4

maple [B] time = 0.06, size = 414, normalized size = 1.85

$$\frac{f x^4}{4 b^4} + \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^3} + \frac{a^2 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - a^2 f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b^3} - \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^2} - \frac{a^2 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - a^2 f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b^2} + \frac{a^2 f x}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} b^2} - \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a} - \frac{c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} + \frac{c}{b} - \frac{c}{2 a x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a), x)$

[Out] $\frac{1}{4}f*x^4/b - 1/b^2*a*f*x + e*x/b + 1/3*a^2/b^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*f - 1/3*a/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e + 1/3/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d - 1/3/a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c - 1/6*a^2/b^3/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f + 1/6*a/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e - 1/6/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d + 1/6/a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c + 1/3*a^2/b^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f - 1/3*a/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e + 1/3/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d - 1/3/a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c - 1/2*c/a/x^2$

maxima [A] time = 2.98, size = 214, normalized size = 0.96

$$\frac{bf x^4 + 4(b e - a f)x}{4 b^2} - \frac{c}{2 a x^2} - \frac{\sqrt{3}(b^3 c - a b^2 d + a^2 b e - a^3 f) \arctan\left(\frac{\sqrt{3}\left(2 x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 a b^3\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(b^3 c - a b^2 d + a^2 b e - a^3 f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 a b^3\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{(b^3 c - a b^2 d + a^2 b e - a^3 f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 a b^3\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a), x, \text{algorithm}="maxima")$

[Out] $\frac{1}{4}*(b*f*x^4 + 4*(b*e - a*f)*x)/b^2 - 1/2*c/(a*x^2) - 1/3*\sqrt{3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b^3*(a/b)^{(2/3)}) + 1/6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b^3*(a/b)^{(2/3)}) - 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x + (a/b)^{(1/3)})/(a*b^3*(a/b)^{(2/3)})$

mupad [B] time = 0.28, size = 201, normalized size = 0.90

$$x\left(\frac{e}{b} - \frac{af}{b^2}\right) - \frac{c}{2ax^2} + \frac{fx^4}{4b} - \frac{\ln(b^{1/3}x + a^{1/3})(-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{5/3}b^{7/3}} - \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)\left(-\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{5/3}b^{7/3}} + \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}i)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{5/3}b^{7/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)), x)$

[Out] $x*(e/b - (a*f)/b^2) - c/(2*a*x^2) + (f*x^4)/(4*b) - (\log(b^{(1/3)}*x + a^{(1/3)}))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*a^{(5/3)}*b^{(7/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*i + 2*b^{(1/3)}*x - a^{(1/3)}))*((3^{(1/2)}*i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*a^{(5/3)}*b^{(7/3)}) + (\log(3^{(1/2)}*a^{(1/3)}*i - 2*b^{(1/3)}*x + a^{(1/3)}))*((3^{(1/2)}*i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*a^{(5/3)}*b^{(7/3)})$

sympy [A] time = 4.36, size = 326, normalized size = 1.46

$$\left(-\frac{df}{dx} + \frac{c}{b}\right) + \text{RootSum}\left(27t^3a^5b^7 - a^9f^3 + 3a^8b^6e^2f^2 - 3a^7b^5d^2f^2 - 3a^6b^4c^2f + 3a^5b^3cf^2 + 6a^4b^2def + a^3b^2e^2 - 6a^2b^2cef - 3a^2b^2d^2f - 3a^2b^2d^2e + 6a^2b^2cdf + 3a^2b^2ce^2 + 3a^2b^2cde - 3a^2b^2cd^2f - 6a^2b^2cde - a^2b^2d^3 + 3a^2b^2c^2e + 3a^2b^2cd^2e - 3ab^2c^2d + b^2c^3\right) \left(t \mapsto 1 + \log\left(\frac{3a^2b^2}{a^2f - a^2be + ab^2d - b^2c} + 1\right)\right) + \frac{f^4}{4b} - \frac{c}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**3/(b*x**3+a), x)

[Out] x*(-a*f/b**2 + e/b) + RootSum(27*_t**3*a**5*b**7 - a**9*f**3 + 3*a**8*b**e*f**2 - 3*a**7*b**2*d*f**2 - 3*a**7*b**2*e**2*f + 3*a**6*b**3*c*f**2 + 6*a**6*b**3*d*e*f + a**6*b**3*e**3 - 6*a**5*b**4*c*e*f - 3*a**5*b**4*d**2*f - 3*a**5*b**4*d*e**2 + 6*a**4*b**5*c*d*f + 3*a**4*b**5*c*e**2 + 3*a**4*b**5*d**2*e - 3*a**3*b**6*c**2*f - 6*a**3*b**6*c*d*e - a**3*b**6*d**3 + 3*a**2*b**7*c**2*e + 3*a**2*b**7*c*d**2 - 3*a*b**8*c**2*d + b**9*c**3, Lambda(_t, _t*log(3*_t*a**2*b**2/(a**3*f - a**2*b*e + a*b**2*d - b**3*c) + x))) + f*x**4/(4*b) - c/(2*a*x**2)

$$3.189 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)} dx$$

Optimal. Leaf size=227

$$\frac{bc-ad}{a^2x} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{7/3}b^{5/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{7/3}b^{5/3}}$$

Rubi [A] time = 0.19, antiderivative size = 227, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$\frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{7/3}b^{5/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^{7/3}b^{5/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^2be + a^3(-f) - ab^2d + b^3c)}{\sqrt{3}a^{7/3}b^{5/3}} + \frac{bc-ad}{a^2x} - \frac{c}{4ax^4} + \frac{fx^2}{2b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)), x]

[Out] $-\frac{c}{4ax^4} + \frac{bc-ad}{a^2x} + \frac{fx^2}{2b} - \frac{((b^3c - a^2b^2d + a^2be - a^3f) \operatorname{ArcTan}[\frac{a^{1/3} - 2b^{1/3}x}{\sqrt{3}a^{1/3}}])}{(\sqrt{3}a^{7/3}b^{5/3})} - \frac{((b^3c - a^2b^2d + a^2be - a^3f) \operatorname{Log}[a^{1/3} + b^{1/3}x])}{(3a^{7/3}b^{5/3})} + \frac{((b^3c - a^2b^2d + a^2be - a^3f) \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])}{(6a^{7/3}b^{5/3})}$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])⁽⁻¹⁾, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^5(a + bx^3)} dx &= \int \left(\frac{c}{ax^5} + \frac{-bc + ad}{a^2x^2} + \frac{fx}{b} - \frac{(-b^3c + ab^2d - a^2be + a^3f)x}{a^2b(a + bx^3)} \right) dx \\
&= -\frac{c}{4ax^4} + \frac{bc - ad}{a^2x} + \frac{fx^2}{2b} - \frac{(-b^3c + ab^2d - a^2be + a^3f) \int \frac{x}{a+bx^3} dx}{a^2b} \\
&= -\frac{c}{4ax^4} + \frac{bc - ad}{a^2x} + \frac{fx^2}{2b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{7/3}b^{4/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{7/3}b^{5/3}} \\
&= -\frac{c}{4ax^4} + \frac{bc - ad}{a^2x} + \frac{fx^2}{2b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{7/3}b^{5/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{7/3}b^{5/3}} - \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{7/3}b^{5/3}}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 220, normalized size = 0.97

$$\frac{1}{12} \left(\frac{12(bc - ad)}{a^2x} + \frac{21 \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3(-f) + a^2be - ab^2d + b^3c)}{a^{7/3}b^{5/3}} + \frac{4 \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3f - a^2be + ab^2d - b^3c)}{a^{7/3}b^{5/3}} + \frac{4\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}}\right)(a^3f - a^2be + ab^2d - b^3c)}{a^{7/3}b^{5/3}} - \frac{3c}{ax^4} + \frac{6fx^2}{b} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)), x]

[Out] ((-3*c)/(a*x^4) + (12*(b*c - a*d))/(a^2*x) + (6*f*x^2)/b + (4*sqrt[3]*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/(a^(7/3)*b^(5/3)) + (4*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(a^(7/3)*b^(5/3)) + (2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(a^(7/3)*b^(5/3)))/12

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^5(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)),x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)), x]

fricas [A] time = 0.46, size = 556, normalized size = 2.45

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(-ab^2\right)^{\frac{1}{3}} a^2 b} - \frac{\left(b^3 c - ab^2 d - a^3 f + a^2 b e\right) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(-ab^2\right)^{\frac{1}{3}} a^2 b} - \frac{\left(b^3 c \left(-\frac{a}{b}\right)^{\frac{1}{3}} - ab^2 d \left(-\frac{a}{b}\right)^{\frac{1}{3}} - a^3 f \left(-\frac{a}{b}\right)^{\frac{1}{3}} + a^2 b e \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) e^{\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}}{3 a^3 b} + \frac{4 b c x^3 - 4 a d x^3 - a c}{4 a^2 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a),x, algorithm="fricas")

[Out] [1/12*(6*a^3*b^2*f*x^6 - 6*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^4*sqrt(-(a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b - 3*sqrt(1/3)*(a*b*x + 2*(a*b^2)^(2/3)*x^2 - (a*b^2)^(1/3)*a)*sqrt(-(a*b^2)^(1/3)/a) - 3*(a*b^2)^(2/3)*x)/(b*x^3 + a)) + 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*x^4*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 4*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*x^4*log(b*x + (a*b^2)^(1/3)) - 3*a^2*b^3*c + 12*(a*b^4*c - a^2*b^3*d)*x^3)/(a^3*b^3*x^4), 1/12*(6*a^3*b^2*f*x^6 - 12*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^4*sqrt((a*b^2)^(1/3)/a)*arctan(-sqrt(1/3)*(2*b*x - (a*b^2)^(1/3))*sqrt((a*b^2)^(1/3)/a)/b) + 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*x^4*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 4*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*x^4*log(b*x + (a*b^2)^(1/3)) - 3*a^2*b^3*c + 12*(a*b^4*c - a^2*b^3*d)*x^3)/(a^3*b^3*x^4)]

giac [A] time = 0.18, size = 261, normalized size = 1.15

$$\frac{f x^2}{2 b} + \frac{\sqrt{3} \left(b^3 c - a b^2 d - a^3 f + a^2 b e\right) \arctan\left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(-a b^2\right)^{\frac{1}{3}} a^2 b} - \frac{\left(b^3 c - a b^2 d - a^3 f + a^2 b e\right) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(-a b^2\right)^{\frac{1}{3}} a^2 b} - \frac{\left(b^3 c \left(-\frac{a}{b}\right)^{\frac{1}{3}} - a b^2 d \left(-\frac{a}{b}\right)^{\frac{1}{3}} - a^3 f \left(-\frac{a}{b}\right)^{\frac{1}{3}} + a^2 b e \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) e^{\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}}{3 a^3 b} + \frac{4 b c x^3 - 4 a d x^3 - a c}{4 a^2 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a),x, algorithm="giac")

[Out] 1/2*f*x^2/b + 1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a/b)^(1/3))/((-a*b^2)^(1/3)*a^2*b) - 1/6*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*a^2*b) - 1/3*(b^3*c*(-a/b)^(1/3) - a*b^2*d*(-a/b)^(1/3) - a^3*f*(-a/b)^(1/3) + a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/((a^3*b) + 1/4*(4*b*c*x^3 - 4*a*d*x^3 - a*c)/(a^2*x^4)

maple [B] time = 0.06, size = 412, normalized size = 1.81

$$\frac{f x^2}{2 b} - \frac{\sqrt{3} a f \arctan\left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^2} + \frac{a f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^2} - \frac{a f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^2} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} - \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{\sqrt{3} b c \arctan\left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^2} + \frac{b c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^2} + \frac{b c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^2} + \frac{\sqrt{3} e \arctan\left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} + \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} + \frac{e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{d}{a^2} + \frac{b c}{a^2} - \frac{c}{4 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a), x)$

[Out] $\frac{1}{2}f*x^2/b + 1/3*a/b^2/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*f - 1/3/b/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*e + 1/3/a/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*d - 1/3/a^2*b/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*c - 1/6*a/b^2/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3})*x + (a/b)^{2/3})*f + 1/6/b/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3})*x + (a/b)^{2/3})*e - 1/6/a/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3})*x + (a/b)^{2/3})*d + 1/6/a^2*b/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3})*x + (a/b)^{2/3})*c - 1/3*a/b^2*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*f + 1/3/b*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*e - 1/3/a*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*d + 1/3/a^2*b*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*c - 1/4*c/a/x^4 - d/a/x + 1/a^2/x*b*c$

maxima [A] time = 3.04, size = 217, normalized size = 0.96

$$\frac{fx^2}{2b} + \frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3a^2b^2\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(b^3c - ab^2d + a^2be - a^3f)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6a^2b^2\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{(b^3c - ab^2d + a^2be - a^3f)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3a^2b^2\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{4(bc - ad)x^3 - ac}{4a^2x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a), x, \text{algorithm}="maxima")$

[Out] $\frac{1}{2}f*x^2/b + 1/3*\text{sqrt}(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\arctan(1/3*\text{sqrt}(3)*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/(a^2*b^2*(a/b)^{1/3}) + 1/6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(a^2*b^2*(a/b)^{1/3}) - 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x + (a/b)^{1/3})/(a^2*b^2*(a/b)^{1/3}) + 1/4*(4*(b*c - a*d)*x^3 - a*c)/(a^2*x^4)$

mupad [B] time = 5.16, size = 209, normalized size = 0.92

$$\frac{fx^2}{2b} - \frac{bc}{4a} + \frac{bx^3(ad-bc)}{bx^4} - \frac{\ln(b^{1/3}x + a^{1/3})(-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{7/3}b^{5/3}} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{7/3}b^{5/3}} - \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}i)\left(-\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{7/3}b^{5/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)), x)$

[Out] $\frac{f*x^2}{(2*b)} - \frac{(b*c)}{(4*a)} + \frac{b*x^3*(a*d - b*c)}{a^2} / (b*x^4) - \frac{(\log(b^{1/3}*x + a^{1/3})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))}{(3*a^{7/3}*b^{5/3})} + \frac{(\log(3^{1/2}*a^{1/3}*i + 2*b^{1/3}*x - a^{1/3}))*((3^{1/2}*i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)}{(3*a^{7/3}*b^{5/3})} - \frac{(\log(3^{1/2}*a^{1/3}*i - 2*b^{1/3}*x + a^{1/3}))*((3^{1/2}*i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)}{(3*a^{7/3}*b^{5/3})}$

sympy [A] time = 11.53, size = 411, normalized size = 1.81

RootSum(27*_t**3*a**7*b**5 - a**9*f**3 + 3*a**8*b*e*f**2 - 3*a**7*b**2*d*f**2 - 3*a**7*b**2*e**2*f + 3*a**6*b**3*c*f**2 + 6*a**6*b**3*d*e*f + a**6*b**3*e**3 - 6*a**5*b**4*c*e*f - 3*a**5*b**4*d**2*f - 3*a**5*b**4*d*e**2 + 6*a**4*b**5*c*d*f + 3*a**4*b**5*c*e**2 + 3*a**4*b**5*d**2*e - 3*a**3*b**6*c**2*f - 6*a**3*b**6*c*d*e - a**3*b**6*d**3 + 3*a**2*b**7*c**2*e + 3*a**2*b**7*c*d**2 - 3*a*b**8*c**2*d + b**9*c**3, Lambda(_t, _t*log(9*_t**2*a**5*b**3/(a**6*f**2 - 2*a**5*b*e*f + 2*a**4*b**2*d*f + a**4*b**2*e**2 - 2*a**3*b**3*c*f - 2*a**3*b**3*d*e + 2*a**2*b**4*c*e + a**2*b**4*d**2 - 2*a*b**5*c*d + b**6*c**2) + x))) + f*x**2/(2*b) + (-a*c + x**3*(-4*a*d + 4*b*c))/(4*a**2*x**4)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**5/(b*x**3+a), x)

[Out] RootSum(27*_t**3*a**7*b**5 - a**9*f**3 + 3*a**8*b*e*f**2 - 3*a**7*b**2*d*f**2 - 3*a**7*b**2*e**2*f + 3*a**6*b**3*c*f**2 + 6*a**6*b**3*d*e*f + a**6*b**3*e**3 - 6*a**5*b**4*c*e*f - 3*a**5*b**4*d**2*f - 3*a**5*b**4*d*e**2 + 6*a**4*b**5*c*d*f + 3*a**4*b**5*c*e**2 + 3*a**4*b**5*d**2*e - 3*a**3*b**6*c**2*f - 6*a**3*b**6*c*d*e - a**3*b**6*d**3 + 3*a**2*b**7*c**2*e + 3*a**2*b**7*c*d**2 - 3*a*b**8*c**2*d + b**9*c**3, Lambda(_t, _t*log(9*_t**2*a**5*b**3/(a**6*f**2 - 2*a**5*b*e*f + 2*a**4*b**2*d*f + a**4*b**2*e**2 - 2*a**3*b**3*c*f - 2*a**3*b**3*d*e + 2*a**2*b**4*c*e + a**2*b**4*d**2 - 2*a*b**5*c*d + b**6*c**2) + x))) + f*x**2/(2*b) + (-a*c + x**3*(-4*a*d + 4*b*c))/(4*a**2*x**4)

$$3.190 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)} dx$$

Optimal. Leaf size=225

$$\frac{bc-ad}{2a^2x^2} \frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{8/3}b^{4/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{8/3}b^{4/3}}$$

Rubi [A] time = 0.17, antiderivative size = 225, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 200, 31, 634, 617, 204, 628}

$$\frac{-\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{8/3}b^{4/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^{8/3}b^{4/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^2be + a^3(-f) - ab^2d + b^3c)}{\sqrt{3}a^{8/3}b^{4/3}} + \frac{bc-ad}{2a^2x^2} - \frac{c}{5ax^5} + \frac{fx}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)),x]

[Out] -c/(5*a*x^5) + (b*c - a*d)/(2*a^2*x^2) + (f*x)/b - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(8/3)*b^(4/3)) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(8/3)*b^(4/3)) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(8/3)*b^(4/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^6(a + bx^3)} dx &= \int \left(\frac{f}{b} + \frac{c}{ax^6} + \frac{-bc + ad}{a^2x^3} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^2b(a + bx^3)} \right) dx \\
&= -\frac{c}{5ax^5} + \frac{bc - ad}{2a^2x^2} + \frac{fx}{b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{a+bx^3} dx}{a^2b} \\
&= -\frac{c}{5ax^5} + \frac{bc - ad}{2a^2x^2} + \frac{fx}{b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{8/3}b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{8/3}b^{4/3}} \\
&= -\frac{c}{5ax^5} + \frac{bc - ad}{2a^2x^2} + \frac{fx}{b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{8/3}b^{4/3}} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} - \sqrt[3]{b}x)}{3a^{8/3}b^{4/3}} \\
&= -\frac{c}{5ax^5} + \frac{bc - ad}{2a^2x^2} + \frac{fx}{b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{8/3}b^{4/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} + 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{8/3}b^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 220, normalized size = 0.98

$$\frac{bc - ad}{2a^2x^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3f - a^2be + ab^2d - b^3c)}{6a^{8/3}b^{4/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{8/3}b^{4/3}} + \frac{\tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3f - a^2be + ab^2d - b^3c)}{\sqrt{3}a^{8/3}b^{4/3}} - \frac{c}{5ax^5} + \frac{fx}{b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)),x]

[Out] $-\frac{1}{5} \frac{c}{a x^5} + \frac{b^3 c - a^3 f}{2 a^2 x^2} + \frac{f x}{b} + \frac{(-b^3 c + a^3 f) \operatorname{ArcTan}\left[\frac{1 - (2 b^{1/3}) x}{a^{1/3}}\right]}{\sqrt{3} a^{8/3} b^{4/3}} + \frac{(-b^3 c + a^3 f) \operatorname{Log}\left[\frac{a^{1/3} + b^{1/3} x}{a^{1/3} - b^{1/3} x}\right]}{3 a^{8/3} b^{4/3}} + \frac{(-b^3 c + a^3 f) \operatorname{Log}\left[\frac{a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2}{a^{2/3} + a^{1/3} b^{1/3} x + b^{2/3} x^2}\right]}{6 a^{8/3} b^{4/3}}$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^6(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)),x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)), x]

fricas [A] time = 0.44, size = 584, normalized size = 2.60

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)^{\frac{1}{3}}}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) (b^3c - ab^2d - a^3f + a^2be) \log\left(x^2 + x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) (b^3c - ab^2d - a^3f + a^2be) \left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + \frac{5bcx^3 - 5adx^3 - 2ac}{10a^2x^5}}{3(-ab^2)^{\frac{2}{3}}a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a),x, algorithm="fricas")

[Out] [1/30*(30*a^4*b*f*x^6 - 15*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^5*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a) - 5*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*x^5*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 10*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*x^5*log(a*b*x + (-a^2*b)^(2/3)) - 6*a^3*b^2*c + 15*(a^2*b^3*c - a^3*b^2*d)*x^3)/(a^4*b^2*x^5), 1/30*(30*a^4*b*f*x^6 + 30*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^5*sqrt((-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-a^2*b)^(1/3)/b)/a^2) - 5*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*x^5*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 10*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*x^5*log(a*b*x + (-a^2*b)^(2/3)) - 6*a^3*b^2*c + 15*(a^2*b^3*c - a^3*b^2*d)*x^3)/(a^4*b^2*x^5)]

giac [A] time = 0.48, size = 220, normalized size = 0.98

$$\frac{fx}{b} - \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)^{\frac{1}{3}}}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) (b^3c - ab^2d - a^3f + a^2be) \log\left(x^2 + x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) (b^3c - ab^2d - a^3f + a^2be) \left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + \frac{5bcx^3 - 5adx^3 - 2ac}{10a^2x^5}}{3(-ab^2)^{\frac{2}{3}}a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a),x, algorithm="giac")

[Out] f*x/b - 1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2) - 1/6*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2) - 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b) + 1/10*(5*b*c*x^3 - 5*a*d*x^3 - 2*a*c)/(a^2*x^5)

maple [B] time = 0.05, size = 410, normalized size = 1.82

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(\frac{2x+a}{b}\right)^{\frac{1}{3}}}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) (b^3c - ab^2d - a^3f + a^2be) \log\left(x^2 + x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) (b^3c - ab^2d - a^3f + a^2be) \left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + \frac{5bcx^3 - 5adx^3 - 2ac}{10a^2x^5}}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a), x)$

[Out] $\frac{1}{b}f*x - \frac{1}{3}a/b^2/(a/b)^{2/3}*\ln(x+(a/b)^{1/3}) + \frac{1}{3}b/(a/b)^{2/3}*\ln(x+(a/b)^{1/3}) * e - \frac{1}{3}a/(a/b)^{2/3}*\ln(x+(a/b)^{1/3}) * d + \frac{1}{3}a^2*b/(a/b)^{2/3}*\ln(x+(a/b)^{1/3}) * c + \frac{1}{6}a/b^2/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3}) * f - \frac{1}{6}b/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3}) * e + \frac{1}{6}a/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3}) * d - \frac{1}{6}a^2*b/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3}) * c - \frac{1}{3}a/b^2/(a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * f + \frac{1}{3}b/(a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * e - \frac{1}{3}a/(a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * d + \frac{1}{3}a^2*b/(a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * c - \frac{1}{5}a*c/x^5 - \frac{1}{2}d/a/x^2 + \frac{1}{2}a^2/x^2*b*c$

maxima [A] time = 3.08, size = 214, normalized size = 0.95

$$\frac{fx}{b} + \frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3a^2b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6a^2b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3a^2b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{5(bc - ad)x^3 - 2ac}{10a^2x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a), x, \text{algorithm}="maxima")$

[Out] $f*x/b + \frac{1}{3}*\sqrt{3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/(a^2*b^2*(a/b)^{2/3}) - \frac{1}{6}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(a^2*b^2*(a/b)^{2/3}) + \frac{1}{3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x + (a/b)^{1/3})/(a^2*b^2*(a/b)^{2/3}) + \frac{1}{10}*(5*(b*c - a*d)*x^3 - 2*a*c)/(a^2*x^5)$

mupad [B] time = 5.09, size = 207, normalized size = 0.92

$$\frac{fx}{b} - \frac{bc}{5a} + \frac{b^3(ad-bc)}{2a^2} + \frac{\ln(b^{1/3}x + a^{1/3})(-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{8/3}b^{4/3}} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)\left(-\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{8/3}b^{4/3}} - \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}i)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{8/3}b^{4/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)), x)$

[Out] $(f*x)/b - ((b*c)/(5*a) + (b*x^3*(a*d - b*c))/(2*a^2))/(b*x^5) + (\log(b^{1/3}*x + a^{1/3})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{8/3}*b^{4/3}) + (\log(3^{1/2}*a^{1/3}*i + 2*b^{1/3}*x - a^{1/3}))*((3^{1/2}*i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*a^{8/3}*b^{4/3}) - (\log(3^{1/2}*a^{1/3}*i - 2*b^{1/3}*x + a^{1/3}))*((3^{1/2}*i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*a^{8/3}*b^{4/3})$

sympy [A] time = 19.68, size = 328, normalized size = 1.46

RootSum($27t^3a^8b^4 + a^9f^3 - 3a^8b^2ef^2 + 3a^7b^2d^2f - 3a^6b^2cf^2 - 6a^6b^2def - a^6b^3d^3 + 6a^5b^2cf + 3a^5b^2d^2f + 3a^5b^2d^2 - 6a^5b^2cf - 3a^4b^3d^2 - 3a^4b^3d^2e + 3a^3b^4d^2f + 6a^3b^4de + a^3b^4d^3 - 3a^2b^5d^2e - 3a^2b^5d^2f + 3a^2b^5d^2d - b^6d^3(1 + t \log(\frac{3a^2b}{a^2f - a^2be + ab^2d - b^2c} + x)) + \frac{f^2}{b} + \frac{-2ac + x^3(-5ad + 5b)}{10a^2x^5}$)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**6/(b*x**3+a), x)

[Out] RootSum($27*_t^3*a^{*8}*b^{*4} + a^{*9}*f^{*3} - 3*a^{*8}*b^*e*f^{*2} + 3*a^{*7}*b^{*2}*d*f^{*2} + 3*a^{*7}*b^{*2}*e^{*2}*f - 3*a^{*6}*b^{*3}*c*f^{*2} - 6*a^{*6}*b^{*3}*d*e*f - a^{*6}*b^{*3}*e^{*3} + 6*a^{*5}*b^{*4}*c*e*f + 3*a^{*5}*b^{*4}*d^{*2}*f + 3*a^{*5}*b^{*4}*d*e^{*2} - 6*a^{*4}*b^{*5}*c*d*f - 3*a^{*4}*b^{*5}*c*e^{*2} - 3*a^{*4}*b^{*5}*d^{*2}*e + 3*a^{*3}*b^{*6}*c^{*2}*f + 6*a^{*3}*b^{*6}*c*d*e + a^{*3}*b^{*6}*d^{*3} - 3*a^{*2}*b^{*7}*c^{*2}*e - 3*a^{*2}*b^{*7}*c*d^{*2} + 3*a*b^{*8}*c^{*2}*d - b^{*9}*c^{*3}, \text{Lambda}(_t, _t*\log(-3*_t*a^{*3}*b/(a^{*3}*f - a^{*2}*b*e + a*b^{*2}*d - b^{*3}*c) + x)) + f*x/b + (-2*a*c + x^{*3}*(-5*a*d + 5*b*c))/(10*a^{*2}*x^{*5})$)

$$3.191 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)} dx$$

Optimal. Leaf size=242

$$\frac{bc-ad}{4a^2x^4} - \frac{a^2e-abd+b^2c}{a^3x} - \frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{6a^{10/3}b^{2/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{3a^{10/3}b^{2/3}}$$

Rubi [A] time = 0.19, antiderivative size = 242, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$-\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{6a^{10/3}b^{2/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{3a^{10/3}b^{2/3}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)\left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{\sqrt{3}a^{10/3}b^{2/3}} - \frac{a^2e-abd+b^2c}{a^3x} + \frac{bc-ad}{4a^2x^4} - \frac{c}{7ax^7}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)),x]

[Out] -c/(7*a*x^7) + (b*c - a*d)/(4*a^2*x^4) - (b^2*c - a*b*d + a^2*e)/(a^3*x) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(10/3)*b^(2/3)) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(3*a^(10/3)*b^(2/3)) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(10/3)*b^(2/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^8(a + bx^3)} dx &= \int \left(\frac{c}{ax^8} + \frac{-bc + ad}{a^2x^5} + \frac{b^2c - abd + a^2e}{a^3x^2} + \frac{(-b^3c + ab^2d - a^2be + a^3f)x}{a^3(a + bx^3)} \right) dx \\
&= -\frac{c}{7ax^7} + \frac{bc - ad}{4a^2x^4} - \frac{b^2c - abd + a^2e}{a^3x} + \frac{(-b^3c + ab^2d - a^2be + a^3f) \int \frac{x}{a+bx^3} dx}{a^3} \\
&= -\frac{c}{7ax^7} + \frac{bc - ad}{4a^2x^4} - \frac{b^2c - abd + a^2e}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{10/3}\sqrt[3]{b}} \\
&= -\frac{c}{7ax^7} + \frac{bc - ad}{4a^2x^4} - \frac{b^2c - abd + a^2e}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{10/3}b^{2/3}} \\
&= -\frac{c}{7ax^7} + \frac{bc - ad}{4a^2x^4} - \frac{b^2c - abd + a^2e}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{10/3}b^{2/3}} \\
&= -\frac{c}{7ax^7} + \frac{bc - ad}{4a^2x^4} - \frac{b^2c - abd + a^2e}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{10/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 231, normalized size = 0.95

$$\frac{21a^{4/3}(bc-ad)}{x^4} - \frac{12a^{7/3}c}{x^7} - \frac{84\sqrt[3]{a}(a^2e-abd+b^2c)}{x} + \frac{28\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f)+a^2be-ab^2d+b^3c)}{b^{2/3}} + \frac{28\sqrt{3}\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)(a^3(-f)+a^2be-ab^2d+b^3c)}{b^{2/3}} + \frac{14\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(a^3f-a^2be+ab^2d-b^3c)}{b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)), x]

[Out] ((-12*a^(7/3)*c)/x^7 + (21*a^(4/3)*(b*c - a*d))/x^4 - (84*a^(1/3)*(b^2*c - a*b*d + a^2*e))/x + (28*sqrt[3]*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + (28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + (14*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3))/(84*a^(10/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^8(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)),x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)), x]

fricas [A] time = 0.45, size = 610, normalized size = 2.52

$$\frac{\sqrt{3} (b^3 c - a b^2 d - a^3 f + a^2 b e) \arctan\left(\frac{\sqrt{3} (2x + (-\frac{a}{b})^{\frac{1}{3}})}{3(-\frac{a}{b})^{\frac{1}{3}}}\right) + (b^3 c - a b^2 d - a^3 f + a^2 b e) \log\left(x^2 + x(-\frac{a}{b})^{\frac{1}{3}} + (-\frac{a}{b})^{\frac{2}{3}}\right) + \left(b^3 c (-\frac{a}{b})^{\frac{1}{3}} - a b^2 d (-\frac{a}{b})^{\frac{2}{3}} - a^3 f (-\frac{a}{b})^{\frac{1}{3}} + a^2 b (-\frac{a}{b})^{\frac{2}{3}} e\right) (-\frac{a}{b})^{\frac{1}{3}} \log\left(x - (-\frac{a}{b})^{\frac{1}{3}}\right)}{3(-ab^2)^{\frac{1}{3}} a^3} + \frac{28 b^2 c x^6 - 28 a b d x^6 + 28 a^2 x^6 e - 7 a b c x^3 + 7 a^2 d x^3 + 4 a^2 c}{28 a^3 x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a),x, algorithm="fricas")

[Out] [-1/84*(42*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^7*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) + 14*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x^7*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x^7*log(b*x - (-a*b^2)^(1/3)) + 84*(a*b^4*c - a^2*b^3*d + a^3*b^2*e)*x^6 + 12*a^3*b^2*c - 21*(a^2*b^3*c - a^3*b^2*d)*x^3)/(a^4*b^2*x^7), -1/84*(84*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^7*sqrt((-a*b^2)^(1/3)/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^(1/3))*sqrt(-(-a*b^2)^(1/3)/a)/b) + 14*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x^7*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x^7*log(b*x - (-a*b^2)^(1/3)) + 84*(a*b^4*c - a^2*b^3*d + a^3*b^2*e)*x^6 + 12*a^3*b^2*c - 21*(a^2*b^3*c - a^3*b^2*d)*x^3)/(a^4*b^2*x^7)]

giac [A] time = 0.21, size = 275, normalized size = 1.14

$$\frac{\sqrt{3} (b^3 c - a b^2 d - a^3 f + a^2 b e) \arctan\left(\frac{\sqrt{3} (2x + (-\frac{a}{b})^{\frac{1}{3}})}{3(-\frac{a}{b})^{\frac{1}{3}}}\right) + (b^3 c - a b^2 d - a^3 f + a^2 b e) \log\left(x^2 + x(-\frac{a}{b})^{\frac{1}{3}} + (-\frac{a}{b})^{\frac{2}{3}}\right) + \left(b^3 c (-\frac{a}{b})^{\frac{1}{3}} - a b^2 d (-\frac{a}{b})^{\frac{2}{3}} - a^3 f (-\frac{a}{b})^{\frac{1}{3}} + a^2 b (-\frac{a}{b})^{\frac{2}{3}} e\right) (-\frac{a}{b})^{\frac{1}{3}} \log\left(x - (-\frac{a}{b})^{\frac{1}{3}}\right)}{3(-ab^2)^{\frac{1}{3}} a^3} + \frac{28 b^2 c x^6 - 28 a b d x^6 + 28 a^2 x^6 e - 7 a b c x^3 + 7 a^2 d x^3 + 4 a^2 c}{28 a^3 x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a^3) + 1/6*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*a^3) + 1/3*(b^3*c*(-a/b)^(1/3) - a*b^2*d*(-a/b)^(1/3) - a^3*f*(-a/b)^(1/3) + a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^4 - 1/28*(28*b^2*c*x^6 - 28*a*b*d*x^6 + 28*a^2*x^6*e - 7*a*b*c*x^3 + 7*a^2*d*x^3 + 4*a^2*c)/(a^3*x^7)

maple [B] time = 0.05, size = 440, normalized size = 1.82

$$\frac{\sqrt{3} \operatorname{arctan}\left(\frac{\sqrt{3}\left(\frac{2x-1}{3}\right)}{\left(\frac{2x-1}{3}\right)^2}\right)}{3\left(\frac{2x-1}{3}\right)^2} + \frac{c \ln\left(x + \left(\frac{2x-1}{3}\right)^2\right)}{3\left(\frac{2x-1}{3}\right)^2} - \frac{c \ln\left(x^2 - \left(\frac{2x-1}{3}\right)^2 x + \left(\frac{2x-1}{3}\right)^2\right)}{6\left(\frac{2x-1}{3}\right)^2} + \frac{\sqrt{3} \operatorname{arctan}\left(\frac{\sqrt{3}\left(\frac{2x-1}{3}\right)}{\left(\frac{2x-1}{3}\right)^2}\right)}{3\left(\frac{2x-1}{3}\right)^2} + \frac{\operatorname{arctan}\left(x + \left(\frac{2x-1}{3}\right)^2\right)}{3\left(\frac{2x-1}{3}\right)^2} - \frac{\operatorname{arctan}\left(x^2 - \left(\frac{2x-1}{3}\right)^2 x + \left(\frac{2x-1}{3}\right)^2\right)}{6\left(\frac{2x-1}{3}\right)^2} + \frac{\sqrt{3} \operatorname{arctan}\left(\frac{\sqrt{3}\left(\frac{2x-1}{3}\right)}{\left(\frac{2x-1}{3}\right)^2}\right)}{3\left(\frac{2x-1}{3}\right)^2} + \frac{\operatorname{arctan}\left(x + \left(\frac{2x-1}{3}\right)^2\right)}{3\left(\frac{2x-1}{3}\right)^2} - \frac{\operatorname{arctan}\left(x^2 - \left(\frac{2x-1}{3}\right)^2 x + \left(\frac{2x-1}{3}\right)^2\right)}{6\left(\frac{2x-1}{3}\right)^2} + \frac{\sqrt{3} \operatorname{arctan}\left(\frac{\sqrt{3}\left(\frac{2x-1}{3}\right)}{\left(\frac{2x-1}{3}\right)^2}\right)}{3\left(\frac{2x-1}{3}\right)^2} + \frac{f \ln\left(x + \left(\frac{2x-1}{3}\right)^2\right)}{3\left(\frac{2x-1}{3}\right)^2} - \frac{f \ln\left(x^2 - \left(\frac{2x-1}{3}\right)^2 x + \left(\frac{2x-1}{3}\right)^2\right)}{6\left(\frac{2x-1}{3}\right)^2} + \frac{c}{a^2} + \frac{bd}{a^2} - \frac{d}{4ax} + \frac{bc}{4ax^2} - \frac{c}{5ax^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a), x)

[Out] $-1/3/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*f+1/3/a/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*e-1/3/a^2*b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*d+1/3/a^3*b^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c+1/6/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f-1/6/a/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e+1/6/a^2*b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d-1/6/a^3*b^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c+1/3*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f-1/3/a*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e+1/3/a^2*3^{(1/2)}*b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d-1/3/a^3*3^{(1/2)}*b^2/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-1/7/a*c/x^7-1/4/a/x^4*d+1/4/a^2/x^4*b*c-e/a/x+1/a^2/x*b*d-1/a^3/x*b^2*c$

maxima [A] time = 3.07, size = 234, normalized size = 0.97

$$\frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \operatorname{arctan}\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3a^3b\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6a^3b\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3a^3b\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{28(b^2c - abd + a^2e)x^6 - 7(abc - a^2d)x^3 + 4a^2c}{28a^3x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a), x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a/b)^{(1/3)} - 1/6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*b*(a/b)^{(1/3)}) + 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x + (a/b)^{(1/3)})/(a^3*b*(a/b)^{(1/3)}) - 1/28*(28*(b^2*c - a*b*d + a^2*e)*x^6 - 7*(a*b*c - a^2*d)*x^3 + 4*a^2*c)/(a^3*x^7)$

mupad [B] time = 5.20, size = 219, normalized size = 0.90

$$\frac{\ln(b^{1/3}x + a^{1/3})\left(-f a^3 + e a^2 b - d a b^2 + c b^3\right) - \frac{c}{7a} + \frac{x^3(a d - b c)}{4a^2} + \frac{x^6(e a^2 - d a b + c b^2)}{a^3}}{3 a^{10/3} b^{2/3}} - \frac{\ln\left(2 b^{1/3} x - a^{1/3} + \sqrt{3} a^{1/3} i\right)\left(\frac{1}{2} + \frac{\sqrt{3} i}{2}\right)\left(-f a^3 + e a^2 b - d a b^2 + c b^3\right) + \ln\left(a^{1/3} - 2 b^{1/3} x + \sqrt{3} a^{1/3} i\right)\left(\frac{1}{2} + \frac{\sqrt{3} i}{2}\right)\left(-f a^3 + e a^2 b - d a b^2 + c b^3\right)}{3 a^{10/3} b^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)), x)

[Out] $(\log(b^{(1/3)}*x + a^{(1/3)})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(10/3)}*b^{(2/3)}) - (c/(7*a) + (x^3*(a*d - b*c))/(4*a^2) + (x^6*(b^2*c + a^2*e - a*b$

$\ast d)/a^3)/x^7 - (\log(3^{(1/2)}\ast a^{(1/3)}\ast 1i + 2\ast b^{(1/3)}\ast x - a^{(1/3)})\ast ((3^{(1/2)}\ast 1i)/2 + 1/2)\ast (b^3\ast c - a^3\ast f - a\ast b^2\ast d + a^2\ast b\ast e))/(3\ast a^{(10/3)}\ast b^{(2/3)}) + (\log(3^{(1/2)}\ast a^{(1/3)}\ast 1i - 2\ast b^{(1/3)}\ast x + a^{(1/3)})\ast ((3^{(1/2)}\ast 1i)/2 - 1/2)\ast (b^3\ast c - a^3\ast f - a\ast b^2\ast d + a^2\ast b\ast e))/(3\ast a^{(10/3)}\ast b^{(2/3)})$

sympy [A] time = 46.61, size = 432, normalized size = 1.79

RootSum(27*_t**3*a**10*b**2 + a**9*f**3 - 3*a**8*b*e*f**2 + 3*a**7*b**2*d*f**2 + 3*a**7*b**2*e**2*f - 3*a**6*b**3*c*f**2 - 6*a**6*b**3*d*e*f - a**6*b**3*e**3 + 6*a**5*b**4*c*e*f + 3*a**5*b**4*d**2*f + 3*a**5*b**4*d*e**2 - 6*a**4*b**5*c*d*f - 3*a**4*b**5*c*e**2 - 3*a**4*b**5*d**2*e + 3*a**3*b**6*c**2*f + 6*a**3*b**6*c*d*e + a**3*b**6*d**3 - 3*a**2*b**7*c**2*e - 3*a**2*b**7*c*d**2 + 3*a*b**8*c**2*d - b**9*c**3, Lambda(_t, _t*log(9*_t**2*a**7*b/(a**6*f**2 - 2*a**5*b*e*f + 2*a**4*b**2*d*f + a**4*b**2*e**2 - 2*a**3*b**3*c*f - 2*a**3*b**3*d*e + 2*a**2*b**4*c*e + a**2*b**4*d**2 - 2*a*b**5*c*d + b**6*c**2) + x))) + (-4*a**2*c + x**6*(-28*a**2*e + 28*a*b*d - 28*b**2*c) + x**3*(-7*a**2*d + 7*a*b*c))/(28*a**3*x**7)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**8/(b*x**3+a), x)

[Out] RootSum(27*_t**3*a**10*b**2 + a**9*f**3 - 3*a**8*b*e*f**2 + 3*a**7*b**2*d*f**2 + 3*a**7*b**2*e**2*f - 3*a**6*b**3*c*f**2 - 6*a**6*b**3*d*e*f - a**6*b**3*e**3 + 6*a**5*b**4*c*e*f + 3*a**5*b**4*d**2*f + 3*a**5*b**4*d*e**2 - 6*a**4*b**5*c*d*f - 3*a**4*b**5*c*e**2 - 3*a**4*b**5*d**2*e + 3*a**3*b**6*c**2*f + 6*a**3*b**6*c*d*e + a**3*b**6*d**3 - 3*a**2*b**7*c**2*e - 3*a**2*b**7*c*d**2 + 3*a*b**8*c**2*d - b**9*c**3, Lambda(_t, _t*log(9*_t**2*a**7*b/(a**6*f**2 - 2*a**5*b*e*f + 2*a**4*b**2*d*f + a**4*b**2*e**2 - 2*a**3*b**3*c*f - 2*a**3*b**3*d*e + 2*a**2*b**4*c*e + a**2*b**4*d**2 - 2*a*b**5*c*d + b**6*c**2) + x))) + (-4*a**2*c + x**6*(-28*a**2*e + 28*a*b*d - 28*b**2*c) + x**3*(-7*a**2*d + 7*a*b*c))/(28*a**3*x**7)

$$3.192 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)} dx$$

Optimal. Leaf size=244

$$\frac{bc-ad}{5a^2x^5} - \frac{a^2e-abd+b^2c}{2a^3x^2} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{11/3}\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt{3}a^{11/3}\sqrt[3]{b}}$$

Rubi [A] time = 0.17, antiderivative size = 244, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 200, 31, 634, 617, 204, 628}

$$\frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{11/3}\sqrt[3]{b}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^{11/3}\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^2be + a^3(-f) - ab^2d + b^3c)}{\sqrt{3}a^{11/3}\sqrt[3]{b}} - \frac{a^2e-abd+b^2c}{2a^3x^2} + \frac{bc-ad}{5a^2x^5} - \frac{c}{8ax^8}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)), x]

[Out] -c/(8*a*x^8) + (b*c - a*d)/(5*a^2*x^5) - (b^2*c - a*b*d + a^2*e)/(2*a^3*x^2) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(11/3)*b^(1/3)) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(3*a^(11/3)*b^(1/3)) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(11/3)*b^(1/3)))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^9(a + bx^3)} dx &= \int \left(\frac{c}{ax^9} + \frac{-bc + ad}{a^2x^6} + \frac{b^2c - abd + a^2e}{a^3x^3} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^3(a + bx^3)} \right) dx \\
&= -\frac{c}{8ax^8} + \frac{bc - ad}{5a^2x^5} - \frac{b^2c - abd + a^2e}{2a^3x^2} + \frac{(-b^3c + ab^2d - a^2be + a^3f) \int \frac{1}{a+bx^3} dx}{a^3} \\
&= -\frac{c}{8ax^8} + \frac{bc - ad}{5a^2x^5} - \frac{b^2c - abd + a^2e}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{11/3}} \\
&= -\frac{c}{8ax^8} + \frac{bc - ad}{5a^2x^5} - \frac{b^2c - abd + a^2e}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{11/3}\sqrt[3]{b}} \\
&= -\frac{c}{8ax^8} + \frac{bc - ad}{5a^2x^5} - \frac{b^2c - abd + a^2e}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{11/3}\sqrt[3]{b}} \\
&= -\frac{c}{8ax^8} + \frac{bc - ad}{5a^2x^5} - \frac{b^2c - abd + a^2e}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{11/3}\sqrt[3]{b}}
\end{aligned}$$

Mathematica [A] time = 0.25, size = 231, normalized size = 0.95

$$\frac{\frac{24a^{5/3}(bc-ad)}{x^5} - \frac{15a^{8/3}c}{x^8} - \frac{60a^{2/3}(a^2e-abd+b^2c)}{x^2} + \frac{40 \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3f - a^2be + ab^2d - b^3c)}{\sqrt[3]{b}}}{120a^{11/3}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt[3]{b}} + \frac{20 \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)), x]

[Out] ((-15*a^(8/3)*c)/x^8 + (24*a^(5/3)*(b*c - a*d))/x^5 - (60*a^(2/3)*(b^2*c - a*b*d + a^2*e))/x^2 + (40*sqrt[3]*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(1/3) + (40*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(1/3) + (20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(1/3))/(120*a^(11/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^9(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)),x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)), x]

fricas [A] time = 0.45, size = 595, normalized size = 2.44

$$\frac{\sqrt{\frac{1}{3}} \left(\frac{1}{120} (60 \sqrt{\frac{1}{3}} (a^3 b^2 e - a^4 b f) x^8 \sqrt{-\frac{(a^2 b)^{1/3}}{b}} \log((2 a b x^3 - 3 (a^2 b)^{1/3} a x - a^2 + 3 \sqrt{\frac{1}{3}} (2 a b x^2 + (a^2 b)^{2/3} x - (a^2 b)^{1/3} a) \sqrt{-\frac{(a^2 b)^{1/3}}{b}}) / (b x^3 + a) - 20 (b^3 c - a b^2 d + a^2 b e - a^3 f) (a^2 b)^{2/3} x^8 \log(a b x^2 - (a^2 b)^{2/3} x + (a^2 b)^{1/3} a) + 40 (b^3 c - a b^2 d + a^2 b e - a^3 f) (a^2 b)^{2/3} x^8 \log(a b x + (a^2 b)^{2/3}) + 60 (a^2 b^3 c - a^3 b^2 d + a^4 b e) x^6 + 15 a^4 b c - 24 (a^3 b^2 c - a^4 b d) x^3) / (a^5 b x^8) \right) - \frac{1}{120} (120 \sqrt{\frac{1}{3}} (a^3 b^2 e - a^4 b f) x^8 \sqrt{\frac{(a^2 b)^{1/3}}{b}} \arctan(\sqrt{\frac{1}{3}} (2 (a^2 b)^{2/3} x - (a^2 b)^{1/3} a) \sqrt{\frac{(a^2 b)^{1/3}}{b}} / a^2) - 20 (b^3 c - a b^2 d + a^2 b e - a^3 f) (a^2 b)^{2/3} x^8 \log(a b x^2 - (a^2 b)^{2/3} x + (a^2 b)^{1/3} a) + 40 (b^3 c - a b^2 d + a^2 b e - a^3 f) (a^2 b)^{2/3} x^8 \log(a b x + (a^2 b)^{2/3}) + 60 (a^2 b^3 c - a^3 b^2 d + a^4 b e) x^6 + 15 a^4 b c - 24 (a^3 b^2 c - a^4 b d) x^3) / (a^5 b x^8)}{3 a^4 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a),x, algorithm="fricas")

[Out] [-1/120*(60*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^8*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a) - 20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^8*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 40*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^8*log(a*b*x + (a^2*b)^(2/3)) + 60*(a^2*b^3*c - a^3*b^2*d + a^4*b*e)*x^6 + 15*a^4*b*c - 24*(a^3*b^2*c - a^4*b*d)*x^3)/(a^5*b*x^8), -1/120*(120*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^8*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) - 20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^8*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 40*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^8*log(a*b*x + (a^2*b)^(2/3)) + 60*(a^2*b^3*c - a^3*b^2*d + a^4*b*e)*x^6 + 15*a^4*b*c - 24*(a^3*b^2*c - a^4*b*d)*x^3)/(a^5*b*x^8)]

giac [A] time = 0.20, size = 297, normalized size = 1.22

$$\frac{(b^3 c - a^2 b^2 d - a^3 f + a^2 b e) \left(-\frac{1}{3} \right)^{1/3} \log \left(\left| x - \left(-\frac{1}{3} \right)^{1/3} \right| \right) - \frac{\sqrt{3} \left((-a b^2)^{1/3} b^3 c - (-a b^2)^{1/3} a b^2 d - (-a b^2)^{1/3} a^2 f + (-a b^2)^{1/3} a^2 b e \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{1}{3} \right)^{1/3} \right)}{3 \left(-\frac{1}{3} \right)^{1/3}} \right)}{3 a^4 b} - \frac{(-a b^2)^{1/3} b^3 c - (-a b^2)^{1/3} a b^2 d - (-a b^2)^{1/3} a^2 f + (-a b^2)^{1/3} a^2 b e}{6 a^4 b} \log \left(x^2 + x \left(-\frac{1}{3} \right)^{1/3} + \left(-\frac{1}{3} \right)^{2/3} \right)}{40 a^3 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^4 - 1/3*sqrt(3)*((-a*b^2)^(1/3)*b^3*c - (-a*b^2)^(1/3)*a*b^2*d - (-a*b^2)^(1/3)*a^3*f + (-a*b^2)^(1/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3)/(a^4*b) - 1/6*((-a*b^2)^(1/3)*b^3*c - (-a*b^2)^(1/3)*a*b^2*d - (-a*b^2)^(1/3)*a^3*f + (-a*b^2)^(1/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^4*b) - 1/40*(20*b^2*c*x^6 - 20*a*b*d*x^6 + 20*a^2*x^6*e - 8*a*b*c*x^3 + 8*a^2*d*x^3 + 5*a^2*c)/(a^3*x^8)

maple [B] time = 0.06, size = 441, normalized size = 1.81

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(\frac{a-x}{b}\right)}{\left(\frac{a-x}{b}\right)^2}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a} - \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a} - \frac{e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{2}{3}} a} + \frac{\sqrt{3} \ln \arctan\left(\frac{\sqrt{3} \left(\frac{a-x}{b}\right)}{\left(\frac{a-x}{b}\right)^2}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a^2} + \frac{\ln \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a^2} + \frac{\ln \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{2}{3}} a^2} - \frac{\sqrt{3} \operatorname{arctan}\left(\frac{\sqrt{3} \left(\frac{a-x}{b}\right)}{\left(\frac{a-x}{b}\right)^2}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a^2} - \frac{b^2 c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a^2} + \frac{b^2 c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{2}{3}} a^2} - \frac{\sqrt{3} \operatorname{arctan}\left(\frac{\sqrt{3} \left(\frac{a-x}{b}\right)}{\left(\frac{a-x}{b}\right)^2}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{c}{2a^2} + \frac{bd}{2a^2} - \frac{b^2c}{2a^2} + \frac{d}{5a^3} + \frac{bc}{5a^2} - \frac{c}{6a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a), x)

[Out] 1/3/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*f-1/3/a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*e+1/3/a^2*b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*d-1/3/a^3*b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c-1/6/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f+1/6/a/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-1/6/a^2*b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+1/6/a^3*b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+1/3/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f-1/3/a/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e+1/3/a^2*b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d-1/3/a^3*b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-1/8*c/a/x^8-1/5/a/x^5*d+1/5/a^2/x^5*b*c-1/2/a/x^2*e+1/2/a^2/x^2*b*d-1/2/a^3/x^2*b^2*c

maxima [A] time = 3.01, size = 234, normalized size = 0.96

$$\frac{\sqrt{3} (b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 a^3 b \left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 a^3 b \left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 a^3 b \left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{20 (b^2c - abd + a^2e) x^6 - 8 (abc - a^2d) x^3 + 5 a^2 c}{40 a^3 x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a), x, algorithm="maxima")

[Out] -1/3*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^3*b*(a/b)^(2/3)) + 1/6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^3*b*(a/b)^(2/3)) - 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(x + (a/b)^(1/3))/(a^3*b*(a/b)^(2/3)) - 1/40*(20*(b^2*c - a*b*d + a^2*e)*x^6 - 8*(a*b*c - a^2*d)*x^3 + 5*a^2*c)/(a^3*x^8)

mupad [B] time = 5.13, size = 220, normalized size = 0.90

$$\frac{\frac{c}{8a} + \frac{b^3(a-d-b)}{8a^2} + \frac{b^4(e^2-d+ab^2+c)}{2a^3}}{x^8} - \frac{\ln(b^{1/3}x + a^{1/3})}{3a^{11/3}b^{1/3}} \frac{(-f a^3 + e a^2 b - d a b^2 + c b^3)}{3a^{11/3}b^{1/3}} - \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3} a^{1/3} 1i) \left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3a^{11/3}b^{1/3}} + \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3} a^{1/3} 1i) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3a^{11/3}b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)), x)

$$3.193 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)} dx$$

Optimal. Leaf size=277

$$\frac{bc-ad}{7a^2x^7} - \frac{a^2e-abd+b^2c}{4a^3x^4} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{13/3}} - \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt{3}a^{13/3}}$$

Rubi [A] time = 0.22, antiderivative size = 277, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$\frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{13/3}} + \frac{a^2be + a^3(-f) - ab^2d + b^3c}{a^4x} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^{13/3}} - \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^2be + a^3(-f) - ab^2d + b^3c)}{\sqrt{3}a^{13/3}} - \frac{a^2e - abd + b^2c}{4a^3x^4} + \frac{bc - ad}{7a^2x^7} - \frac{c}{10ax^{10}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)),x]

[Out] -c/(10*a*x^10) + (b*c - a*d)/(7*a^2*x^7) - (b^2*c - a*b*d + a^2*e)/(4*a^3*x^4) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(a^4*x) - (b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(13/3)) - (b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(13/3)) + (b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(13/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{11}(a + bx^3)} dx &= \int \left(\frac{c}{ax^{11}} + \frac{-bc + ad}{a^2x^8} + \frac{b^2c - abd + a^2e}{a^3x^5} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^2} - \frac{b(-b^3c + a^3f)}{a^4} \right) dx \\
&= -\frac{c}{10ax^{10}} + \frac{bc - ad}{7a^2x^7} - \frac{b^2c - abd + a^2e}{4a^3x^4} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^4x} + \frac{b(b^3c - ab^2d - a^2be + a^3f)}{a^4} \\
&= -\frac{c}{10ax^{10}} + \frac{bc - ad}{7a^2x^7} - \frac{b^2c - abd + a^2e}{4a^3x^4} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^4x} - \frac{(b^{2/3}(b^3c - ab^2d - a^2be + a^3f))}{a^4} \\
&= -\frac{c}{10ax^{10}} + \frac{bc - ad}{7a^2x^7} - \frac{b^2c - abd + a^2e}{4a^3x^4} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^4x} - \frac{\sqrt[3]{b}(b^3c - ab^2d - a^2be + a^3f)}{a^4} \\
&= -\frac{c}{10ax^{10}} + \frac{bc - ad}{7a^2x^7} - \frac{b^2c - abd + a^2e}{4a^3x^4} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^4x} - \frac{\sqrt[3]{b}(b^3c - ab^2d - a^2be + a^3f)}{a^4} \\
&= -\frac{c}{10ax^{10}} + \frac{bc - ad}{7a^2x^7} - \frac{b^2c - abd + a^2e}{4a^3x^4} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^4x} - \frac{\sqrt[3]{b}(b^3c - ab^2d - a^2be + a^3f)}{a^4}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 266, normalized size = 0.96

$$\frac{60a^{7/3}(bc-ad)}{x^{10}} - \frac{42a^{10/3}c}{x^{10}} - \frac{105a^{4/3}(b^2c-abd+a^2e)}{x^4} + \frac{420\sqrt[3]{a}(a^3(-f)+a^2be-ab^2d+b^3c)}{x} + 140\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{bx})(a^3f - a^2be + ab^2d - b^3c) - 140\sqrt[3]{5}\sqrt[3]{b} \tan^{-1}\left(\frac{1-\sqrt[3]{5a}}{\sqrt[3]{5}}\right)(a^3(-f) + a^2be - ab^2d + b^3c) + 70\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{bx} + b^{2/3}x^2)(a^3(-f) + a^2be - ab^2d + b^3c)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)),x]

[Out] ((-42*a^(10/3)*c)/x^10 + (60*a^(7/3)*(b*c - a*d))/x^7 - (105*a^(4/3)*(b^2*c - a*b*d + a^2*e))/x^4 + (420*a^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/x - 140*sqrt[3]*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 140*b^(1/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 70*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(420*a^(13/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{11}(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)),x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)), x]

fricas [A] time = 0.43, size = 262, normalized size = 0.95

$$\frac{140\sqrt{3}(b^2c - ab^2d + a^2be - a^3f)x^{10} \left(\frac{2}{3}\right)^{\frac{1}{3}} \arctan\left(\frac{2}{3}\sqrt{3}\left(\frac{x}{a}\right)^{\frac{1}{3}} - \frac{1}{3}\sqrt{3}\right) + 70(b^2c - ab^2d + a^2be - a^3f)x^{10} \left(\frac{2}{3}\right)^{\frac{1}{3}} \log\left(bx^2 - ax\left(\frac{x}{a}\right)^{\frac{1}{3}} + a\left(\frac{x}{a}\right)^{\frac{2}{3}}\right) - 140(b^2c - ab^2d + a^2be - a^3f)x^{10} \left(\frac{2}{3}\right)^{\frac{1}{3}} \log\left(bx + a\left(\frac{x}{a}\right)^{\frac{1}{3}}\right) + 420(b^2c - ab^2d + a^2be - a^3f)x^9 - 105(ab^2c - a^2bd + a^3e)x^8 - 42a^2c + 60(a^2be - a^3d)x^3}{420a^5x^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a),x, algorithm="fricas")

[Out] $\frac{1}{420} * (140 * \sqrt{3}) * (b^3 * c - a * b^2 * d + a^2 * b * e - a^3 * f) * x^{10} * (b/a)^{(1/3)} * \arctan(2/3 * \sqrt{3} * x * (b/a)^{(1/3)} - 1/3 * \sqrt{3}) + 70 * (b^3 * c - a * b^2 * d + a^2 * b * e - a^3 * f) * x^{10} * (b/a)^{(1/3)} * \log(b * x^2 - a * x * (b/a)^{(2/3)} + a * (b/a)^{(1/3)}) - 140 * (b^3 * c - a * b^2 * d + a^2 * b * e - a^3 * f) * x^{10} * (b/a)^{(1/3)} * \log(b * x + a * (b/a)^{(2/3)}) + 420 * (b^3 * c - a * b^2 * d + a^2 * b * e - a^3 * f) * x^9 - 105 * (a * b^2 * c - a^2 * b * d + a^3 * e) * x^6 - 42 * a^2 * c + 60 * (a^2 * b * c - a^3 * d) * x^3 / (a^4 * x^{10})$

giac [A] time = 0.19, size = 376, normalized size = 1.36

$$\frac{\left(\frac{b^2c - ab^2d + a^2be - a^3f}{3a^2}\right)^{\frac{1}{3}} \arctan\left(\frac{2}{3}\sqrt{3}\left(\frac{x}{a}\right)^{\frac{1}{3}} - \frac{1}{3}\sqrt{3}\right) + 70\left(\frac{b^2c - ab^2d + a^2be - a^3f}{3a^2}\right)^{\frac{1}{3}} \log\left(bx^2 - ax\left(\frac{x}{a}\right)^{\frac{1}{3}} + a\left(\frac{x}{a}\right)^{\frac{2}{3}}\right) - 140\left(\frac{b^2c - ab^2d + a^2be - a^3f}{3a^2}\right)^{\frac{1}{3}} \log\left(bx + a\left(\frac{x}{a}\right)^{\frac{1}{3}}\right) + 420\left(\frac{b^2c - ab^2d + a^2be - a^3f}{3a^2}\right) x^9 - 105\left(\frac{ab^2c - a^2bd + a^3e}{140a^5}\right) x^8 - 42a^2c + 60(a^2be - a^3d)x^3}{420a^5x^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3 * (b^4 * c * (-a/b)^{(1/3)} - a * b^3 * d * (-a/b)^{(1/3)} - a^3 * b * f * (-a/b)^{(1/3)} + a^2 * b^2 * (-a/b)^{(1/3)} * e) * (-a/b)^{(1/3)} * \log(\text{abs}(x - (-a/b)^{(1/3)})) / a^5 - 1/3 * \sqrt{3} * ((-a * b^2)^{(2/3)} * b^3 * c - (-a * b^2)^{(2/3)} * a * b^2 * d - (-a * b^2)^{(2/3)} * a^3 * f + (-a * b^2)^{(2/3)} * a^2 * b * e) * \arctan(1/3 * \sqrt{3} * (2 * x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}) / (a^5 * b) + 1/6 * ((-a * b^2)^{(2/3)} * b^3 * c - (-a * b^2)^{(2/3)} * a * b^2 * d - (-a * b^2)^{(2/3)} * a^3 * f + (-a * b^2)^{(2/3)} * a^2 * b * e) * \log(x^2 + x * (-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / (a^5 * b) + 1/140 * (140 * b^3 * c * x^9 - 140 * a * b^2 * d * x^9 - 140 * a^3 * f * x^9 + 140 * a^2 * b * e * x^9 - 35 * a * b^2 * c * x^6 + 35 * a^2 * b * d * x^6 - 35 * a^3 * e * x^6 + 20 * a^2 * b * c * x^3 - 20 * a^3 * d * x^3 - 14 * a^3 * c) / (a^4 * x^{10})$

maple [B] time = 0.06, size = 491, normalized size = 1.77

$$\frac{\sqrt{3} \arctan\left(\frac{\frac{2}{3}\sqrt{3}\left(\frac{x}{a}\right)^{\frac{1}{3}} - \frac{1}{3}\sqrt{3}}{\left(\frac{x}{a}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{x}{a}\right)^{\frac{1}{3}} a} + \frac{70 \ln\left(x + \left(\frac{x}{a}\right)^{\frac{1}{3}}\right)}{3\left(\frac{x}{a}\right)^{\frac{1}{3}} a} + \frac{70 \ln\left(x^2 - \left(\frac{x}{a}\right)^{\frac{1}{3}} x + \left(\frac{x}{a}\right)^{\frac{2}{3}}\right)}{6\left(\frac{x}{a}\right)^{\frac{1}{3}} a} + \frac{\sqrt{3} b^3 c \arctan\left(\frac{\frac{2}{3}\sqrt{3}\left(\frac{x}{a}\right)^{\frac{1}{3}} - \frac{1}{3}\sqrt{3}}{\left(\frac{x}{a}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{x}{a}\right)^{\frac{1}{3}} a^2} + \frac{70 \ln\left(x + \left(\frac{x}{a}\right)^{\frac{1}{3}}\right)}{3\left(\frac{x}{a}\right)^{\frac{1}{3}} a^2} + \frac{70 \ln\left(x^2 - \left(\frac{x}{a}\right)^{\frac{1}{3}} x + \left(\frac{x}{a}\right)^{\frac{2}{3}}\right)}{6\left(\frac{x}{a}\right)^{\frac{1}{3}} a^2} + \frac{\sqrt{3} b^2 d \arctan\left(\frac{\frac{2}{3}\sqrt{3}\left(\frac{x}{a}\right)^{\frac{1}{3}} - \frac{1}{3}\sqrt{3}}{\left(\frac{x}{a}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{x}{a}\right)^{\frac{1}{3}} a^2} + \frac{70 \ln\left(x + \left(\frac{x}{a}\right)^{\frac{1}{3}}\right)}{3\left(\frac{x}{a}\right)^{\frac{1}{3}} a^2} + \frac{70 \ln\left(x^2 - \left(\frac{x}{a}\right)^{\frac{1}{3}} x + \left(\frac{x}{a}\right)^{\frac{2}{3}}\right)}{6\left(\frac{x}{a}\right)^{\frac{1}{3}} a^2} + \frac{\sqrt{3} b^2 e \arctan\left(\frac{\frac{2}{3}\sqrt{3}\left(\frac{x}{a}\right)^{\frac{1}{3}} - \frac{1}{3}\sqrt{3}}{\left(\frac{x}{a}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{x}{a}\right)^{\frac{1}{3}} a^2} + \frac{70 \ln\left(x + \left(\frac{x}{a}\right)^{\frac{1}{3}}\right)}{3\left(\frac{x}{a}\right)^{\frac{1}{3}} a^2} + \frac{70 \ln\left(x^2 - \left(\frac{x}{a}\right)^{\frac{1}{3}} x + \left(\frac{x}{a}\right)^{\frac{2}{3}}\right)}{6\left(\frac{x}{a}\right)^{\frac{1}{3}} a^2} + \frac{420 b^3 c x^9 - 140 a b^2 d x^9 - 140 a^3 f x^9 + 140 a^2 b e x^9 - 35 a b^2 c x^6 + 35 a^2 b d x^6 - 35 a^3 e x^6 + 20 a^2 b c x^3 - 20 a^3 d x^3 - 14 a^3 c}{140 a^5 x^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a),x)

[Out] $1/3 * a / (a/b)^{(1/3)} * \ln(x + (a/b)^{(1/3)}) * f - 1/3 * a^2 * b / (a/b)^{(1/3)} * \ln(x + (a/b)^{(1/3)}) * e + 1/3 * a^3 * b^2 / (a/b)^{(1/3)} * \ln(x + (a/b)^{(1/3)}) * d - 1/3 * a^4 * b^3 / (a/b)^{(1/3)} * \ln$

$$\begin{aligned} & (x+(a/b)^{(1/3)}) * c - 1/6/a/(a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * f + 1/6 \\ & /a^2 * b/(a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * e - 1/6/a^3 * b^2/(a/b)^{(1/3)} \\ & * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * d + 1/6/a^4 * b^3/(a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)} \\ & * x + (a/b)^{(2/3)}) * c - 1/3/a^3 * (1/2)/(a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} \\ & * x - 1)) * f + 1/3/a^2 * b * 3^{(1/2)}/(a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} \\ & * x - 1)) * e - 1/3/a^3 * b^2 * 3^{(1/2)}/(a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} \\ & * x - 1)) * d + 1/3/a^4 * b^3 * 3^{(1/2)}/(a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} \\ & * x - 1)) * c - 1/10 * c/a/x^{10} - 1/7/a/x^7 * d + 1/7/a^2/x^7 * b * c - 1/4/a/x^4 * e + 1/4/a^2/x^4 \\ & * b * d - 1/4/a^3/x^4 * b^2 * c - 1/a/x * f + 1/a^2/x * b * e - 1/a^3/x * b^2 * d + 1/a^4/x * b^3 * c \end{aligned}$$

maxima [A] time = 3.05, size = 260, normalized size = 0.94

$$\frac{\sqrt{5}(b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{5}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3a^4\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6a^4\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3a^4\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{140(b^3c - ab^2d + a^2be - a^3f)x^9 - 35(ab^2c - a^2bd + a^3e)x^6 - 14a^3c + 20(a^2bc - a^3d)x^3}{140a^4x^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a),x, algorithm="maxima")

[Out] 1/3*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^4*(a/b)^(1/3)) + 1/6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^4*(a/b)^(1/3)) - 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(x + (a/b)^(1/3))/(a^4*(a/b)^(1/3)) + 1/140*(140*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9 - 35*(a*b^2*c - a^2*b*d + a^3*e)*x^6 - 14*a^3*c + 20*(a^2*b*c - a^3*d)*x^3)/(a^4*x^10)

mupad [B] time = 5.33, size = 253, normalized size = 0.91

$$\frac{c}{10a} - \frac{e^2(f^2 + e^2b - da^2 + c^2)}{a^4x^{10}} + \frac{e^2(ad + b^2)}{2a^2} + \frac{e^2(e^2 - da + b^2)}{4a^2} - \frac{b^{1/3} \ln(b^{1/3}x + a^{1/3})}{3a^{13/3}} \frac{(-fa^3 + ea^2b - da^2 + cb^2)}{3a^{13/3}} + \frac{b^{1/3} \ln(2b^{1/3}x - a^{1/3} + \sqrt{5}a^{1/3})}{3a^{13/3}} \left(\frac{1}{2} + \frac{\sqrt{5}}{2}\right) \frac{(-fa^3 + ea^2b - da^2 + cb^2)}{3a^{13/3}} - \frac{b^{1/3} \ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3})}{3a^{13/3}} \left(\frac{1}{2} + \frac{\sqrt{3}}{2}\right) \frac{(-fa^3 + ea^2b - da^2 + cb^2)}{3a^{13/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)),x)

[Out] (b^(1/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(13/3)) - (b^(1/3)*log(b^(1/3)*x + a^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(13/3)) - (c/(10*a) - (x^9*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/a^4 + (x^3*(a*d - b*c))/(7*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(4*a^3))/x^10 - (b^(1/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(13/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**11/(b*x**3+a),x)
```

```
[Out] Timed out
```

$$3.194 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)} dx$$

Optimal. Leaf size=280

$$\frac{bc-ad}{8a^2x^8} - \frac{a^2e-abd+b^2c}{5a^3x^5} - \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{14/3}} + \frac{b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{6a^{14/3}}$$

Rubi [A] time = 0.20, antiderivative size = 280, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 200, 31, 634, 617, 204, 628}

$$\frac{a^2be+a^3(-f)-ab^2d+b^3c}{2a^4x^2} - \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (a^2be+a^3(-f)-ab^2d+b^3c)}{6a^{14/3}} + \frac{b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x) (a^2be+a^3(-f)-ab^2d+b^3c)}{3a^{14/3}} - \frac{b^{2/3} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) (a^2be+a^3(-f)-ab^2d+b^3c)}{\sqrt{3}a^{14/3}} - \frac{a^2e-abd+b^2c}{5a^3x^5} + \frac{bc-ad}{8a^2x^8} - \frac{c}{11a^{11}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)), x]

[Out] -c/(11*a*x^11) + (b*c - a*d)/(8*a^2*x^8) - (b^2*c - a*b*d + a^2*e)/(5*a^3*x^5) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(2*a^4*x^2) - (b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(14/3)) + (b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(14/3)) - (b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(14/3))

Rule 31

Int[((a_) + (b_)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{12}(a + bx^3)} dx &= \int \left(\frac{c}{ax^{12}} + \frac{-bc + ad}{a^2x^9} + \frac{b^2c - abd + a^2e}{a^3x^6} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^3} - \frac{b(-b^3c + a^3f)}{a^4} \right) dx \\
&= -\frac{c}{11ax^{11}} + \frac{bc - ad}{8a^2x^8} - \frac{b^2c - abd + a^2e}{5a^3x^5} + \frac{b^3c - ab^2d + a^2be - a^3f}{2a^4x^2} + \frac{b(b^3c - ab^2d)}{a^4} \\
&= -\frac{c}{11ax^{11}} + \frac{bc - ad}{8a^2x^8} - \frac{b^2c - abd + a^2e}{5a^3x^5} + \frac{b^3c - ab^2d + a^2be - a^3f}{2a^4x^2} + \frac{b(b^3c - ab^2d)}{a^4} \\
&= -\frac{c}{11ax^{11}} + \frac{bc - ad}{8a^2x^8} - \frac{b^2c - abd + a^2e}{5a^3x^5} + \frac{b^3c - ab^2d + a^2be - a^3f}{2a^4x^2} + \frac{b^{2/3}(b^3c - ab^2d)}{a^4} \\
&= -\frac{c}{11ax^{11}} + \frac{bc - ad}{8a^2x^8} - \frac{b^2c - abd + a^2e}{5a^3x^5} + \frac{b^3c - ab^2d + a^2be - a^3f}{2a^4x^2} + \frac{b^{2/3}(b^3c - ab^2d)}{a^4} \\
&= -\frac{c}{11ax^{11}} + \frac{bc - ad}{8a^2x^8} - \frac{b^2c - abd + a^2e}{5a^3x^5} + \frac{b^3c - ab^2d + a^2be - a^3f}{2a^4x^2} - \frac{b^{2/3}(b^3c - ab^2d)}{a^4}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 266, normalized size = 0.95

$$\frac{165a^{8/3}(bc-ad)}{x^8} - \frac{120a^{11/3}c}{x^{11}} - \frac{264a^{5/3}(b^2c-abd+a^2e)}{x^5} + 440b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{bx}) (a^2(-f) + a^2be - ab^2d + b^3c) - 440\sqrt{3} b^{2/3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{bx}}{a}}{\sqrt{3}}\right) (a^2(-f) + a^2be - ab^2d + b^3c) + \frac{660a^{2/3}(a^3(-f) + a^2be - ab^2d + b^3c)}{x^2} + 220b^{2/3} \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{bx} + b^{2/3}x^2) (a^3f - a^2be + ab^2d - b^3c)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)),x]

[Out] ((-120*a^(11/3)*c)/x^11 + (165*a^(8/3)*(b*c - a*d))/x^8 - (264*a^(5/3)*(b^2*c - a*b*d + a^2*e))/x^5 + (660*a^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/x^2 - 440*sqrt[3]*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 440*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 220*b^(2/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(1320*a^(14/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{12}(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)),x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)), x]

fricas [A] time = 0.43, size = 295, normalized size = 1.05

$$\frac{440\sqrt{3}(b^3c - ab^2d + a^2be - a^3f)x^{11} \left(-\frac{a}{b}\right)^{\frac{1}{3}} \arctan\left(\frac{\sqrt{3}\left(\frac{a}{b}\right)^{\frac{1}{3}} - \sqrt{3}}{3a}\right) - 220(b^3c - ab^2d + a^2be - a^3f)x^{11} \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(b^2x^2 + abx\left(-\frac{a}{b}\right)^{\frac{1}{3}} + a^2\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) + 440(b^3c - ab^2d + a^2be - a^3f)x^{11} \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(bx - a\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) - 660(b^3c - ab^2d + a^2be - a^3f)x^9 + 264(ab^2c - a^2bd + a^3e)x^6 + 120a^2c - 165(a^2be - a^3d)x^3}{1320a^4x^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a),x, algorithm="fricas")

[Out]
$$-1/1320*(440*\sqrt{3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^{11}*(-b^2/a^2)^{(1/3)}*\arctan(1/3*(2*\sqrt{3})*a*x*(-b^2/a^2)^{(2/3)} - \sqrt{3}*b)/b - 220*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^{11}*(-b^2/a^2)^{(1/3)}*\log(b^2*x^2 + a*b*x*(-b^2/a^2)^{(1/3)} + a^2*(-b^2/a^2)^{(2/3)}) + 440*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^{11}*(-b^2/a^2)^{(1/3)}*\log(b*x - a*(-b^2/a^2)^{(1/3)}) - 660*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9 + 264*(a*b^2*c - a^2*b*d + a^3*e)*x^6 + 120*a^2*c - 165*(a^2*b*c - a^3*d)*x^3)/(a^4*x^{11})$$

giac [A] time = 0.19, size = 338, normalized size = 1.21

$$\frac{\sqrt{3}\left((-ab)^{\frac{1}{3}}b^3c - (-ab)^{\frac{1}{3}}ab^2d - (-ab)^{\frac{1}{3}}a^2be + (-ab)^{\frac{1}{3}}a^3f\right)\arctan\left(\frac{\sqrt{3}\left(\frac{a}{b}\right)^{\frac{1}{3}} - \sqrt{3}}{3a}\right) + \left(b^3c - ab^2d - a^2be + a^3f\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}}\log\left(bx - a\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) + \left((-ab)^{\frac{1}{3}}b^3c - (-ab)^{\frac{1}{3}}ab^2d - (-ab)^{\frac{1}{3}}a^2be + (-ab)^{\frac{1}{3}}a^3f\right)\log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) + \frac{220b^3cx^9 - 220ab^2dx^9 - 220a^2bx^9 + 220a^2bx^9 - 88a^2c^2 + 88a^2bd^2 - 88a^2be^2 - 88a^2de^2 - 55a^2d^3 - 40a^2e^3}{440a^4x^{11}}}{1320a^4x^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a),x, algorithm="giac")

[Out]
$$1/3*\sqrt{3}*((-a*b^2)^{(1/3)}*b^3*c - (-a*b^2)^{(1/3)}*a*b^2*d - (-a*b^2)^{(1/3)}*a^3*f + (-a*b^2)^{(1/3)}*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/a^5 - 1/3*(b^4*c - a*b^3*d - a^3*b*f + a^2*b^2*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^5 + 1/6*((-a*b^2)^{(1/3)}*b^3*c - (-a*b^2)^{(1/3)}*a*b^2*d - (-a*b^2)^{(1/3)}*a^3*f + (-a*b^2)^{(1/3)}*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/a^5 + 1/440*(220*b^3*c*x^9 - 220*a*b^2*d*x^9 - 220*a^3*f*x^9 + 220*a^2*b*x^9*e - 88*a*b^2*c*x^6 + 88*a^2*b*d*x^6 - 88*a^3*x^6*e + 55*a^2*b*c*x^3 - 55*a^3*d*x^3 - 40*a^3*c)/(a^4*x^{11})$$

maple [B] time = 0.05, size = 493, normalized size = 1.76

$$\frac{\sqrt{3}f\arctan\left(\frac{\sqrt{3}\left(\frac{a}{b}\right)^{\frac{1}{3}} - \sqrt{3}}{3a}\right) + \frac{f\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{f\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}}x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{\sqrt{3}e\arctan\left(\frac{\sqrt{3}\left(\frac{a}{b}\right)^{\frac{1}{3}} - \sqrt{3}}{3a}\right) + \frac{e\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{e\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}}x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}}}}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{\sqrt{3}d\arctan\left(\frac{\sqrt{3}\left(\frac{a}{b}\right)^{\frac{1}{3}} - \sqrt{3}}{3a}\right) + \frac{d\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{d\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}}x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}}}}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{\sqrt{3}c\arctan\left(\frac{\sqrt{3}\left(\frac{a}{b}\right)^{\frac{1}{3}} - \sqrt{3}}{3a}\right) + \frac{c\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{c\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}}x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}}}}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{f}{2a^2} + \frac{6e}{2a^2} + \frac{6d}{2a^2} + \frac{6c}{2a^2} + \frac{6d}{5a^2} + \frac{6e}{5a^2} + \frac{6c}{5a^2} + \frac{6d}{8a^2} + \frac{6e}{8a^2} + \frac{6c}{11a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a),x)

[Out] $-1/3/a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*f+1/3/a^2*b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e-1/3/a^3*b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d+1/3/a^4*b^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c+1/6/a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f-1/6/a^2*b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e+1/6/a^3*b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d-1/6/a^4*b^3/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c-1/3/a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f+1/3/a^2*b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e-1/3/a^3*b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d+1/3/a^4*b^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-1/11/a*c/x^{11}-1/8/a/x^8*d+1/8/a^2/x^8*b*c-1/5/a/x^5*e+1/5/a^2/x^5*b*d-1/5/a^3/x^5*b^2*c-1/2/a/x^2*f+1/2/a^2/x^2*b*e-1/2/a^3/x^2*b^2*d+1/2/a^4/x^2*b^3*c$

maxima [A] time = 2.97, size = 260, normalized size = 0.93

$$\frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{3}\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}}\right)}{3a^4\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6a^4\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3a^4\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{220(b^3c - ab^2d + a^2be - a^3f)x^9 - 88(ab^2c - a^2bd + a^3e)x^6 - 40a^3c + 55(a^2be - a^3d)x^3}{440a^4x^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a),x, algorithm="maxima")

[Out] $1/3*\sqrt{3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^4*(a/b)^{(2/3)}) - 1/6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^4*(a/b)^{(2/3)}) + 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x + (a/b)^{(1/3)})/(a^4*(a/b)^{(2/3)}) + 1/440*(220*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9 - 88*(a*b^2*c - a^2*b*d + a^3*e)*x^6 - 40*a^3*c + 55*(a^2*b*c - a^3*d)*x^3)/(a^4*x^{11})$

mupad [B] time = 5.15, size = 253, normalized size = 0.90

$$\frac{b^{2/3} \ln(b^{1/3}x + a^{1/3}) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 a^{14/3}} - \frac{c}{11 a} - \frac{b^3 (-f a^3 + e a^2 b - d a b^2 + c b^3)}{2 a^4 x^{11}} + \frac{x^3 (a d - b c)}{8 a^2} + \frac{x^6 (e a^2 b - d a b^2)}{5 a^3} + \frac{b^{2/3} \ln(2 b^{1/3} x - a^{1/3} + \sqrt{3} a^{1/3} i)}{3 a^{14/3}} \left(\frac{1}{2} + \frac{\sqrt{3} i}{2}\right) (-f a^3 + e a^2 b - d a b^2 + c b^3) - \frac{b^{2/3} \ln(a^{1/3} - 2 b^{1/3} x + \sqrt{3} a^{1/3} i)}{3 a^{14/3}} \left(\frac{1}{2} + \frac{\sqrt{3} i}{2}\right) (-f a^3 + e a^2 b - d a b^2 + c b^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)),x)

[Out] $(b^{(2/3)}*\log(b^{(1/3)}*x + a^{(1/3)})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(14/3)}) - (c/(11*a) - (x^9*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(2*a^4) + (x^3*(a*d - b*c))/(8*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(5*a^3))/x^{11} + (b^{(2/3)}*\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(14/3)}) - (b^{(2/3)}*\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(14/3)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**12/(b*x**3+a),x)
```

```
[Out] Timed out
```

$$3.195 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)} dx$$

Optimal. Leaf size=313

$$\frac{bc-ad}{10a^2x^{10}} - \frac{a^2e-abd+b^2c}{7a^3x^7} - \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{16/3}} + \frac{b^{4/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{6a^{16/3}}$$

Rubi [A] time = 0.24, antiderivative size = 313, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$\frac{a^2be + a^3(-f) - ab^2d + b^3c}{4a^4x^4} - \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{16/3}} - \frac{b(a^2be + a^3(-f) - ab^2d + b^3c)}{a^2x} + \frac{b^{4/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x) (a^2be + a^3(-f) - ab^2d + b^3c)}{3a^{16/3}} + \frac{b^{4/3} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt[3]{a} + \sqrt[3]{b}x}\right) (a^2be + a^3(-f) - ab^2d + b^3c)}{\sqrt[3]{a}^{16/3}} - \frac{a^2e - abd + b^2c}{7a^3x^7} + \frac{bc - ad}{10a^2x^{10}} - \frac{c}{13ax^{13}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)),x]

[Out] -c/(13*a*x^13) + (b*c - a*d)/(10*a^2*x^10) - (b^2*c - a*b*d + a^2*e)/(7*a^3*x^7) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(4*a^4*x^4) - (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(a^5*x) + (b^(4/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(16/3)) + (b^(4/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(3*a^(16/3)) - (b^(4/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(16/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_)))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{14}(a + bx^3)} dx &= \int \left(\frac{c}{ax^{14}} + \frac{-bc + ad}{a^2x^{11}} + \frac{b^2c - abd + a^2e}{a^3x^8} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^5} - \frac{b(-b^3c + a}{a^5} \right. \\
&= -\frac{c}{13ax^{13}} + \frac{bc - ad}{10a^2x^{10}} - \frac{b^2c - abd + a^2e}{7a^3x^7} + \frac{b^3c - ab^2d + a^2be - a^3f}{4a^4x^4} - \frac{b(b^3c - ab^2d -}{a^5} \\
&= -\frac{c}{13ax^{13}} + \frac{bc - ad}{10a^2x^{10}} - \frac{b^2c - abd + a^2e}{7a^3x^7} + \frac{b^3c - ab^2d + a^2be - a^3f}{4a^4x^4} - \frac{b(b^3c - ab^2d -}{a^5} \\
&= -\frac{c}{13ax^{13}} + \frac{bc - ad}{10a^2x^{10}} - \frac{b^2c - abd + a^2e}{7a^3x^7} + \frac{b^3c - ab^2d + a^2be - a^3f}{4a^4x^4} - \frac{b(b^3c - ab^2d -}{a^5} \\
&= -\frac{c}{13ax^{13}} + \frac{bc - ad}{10a^2x^{10}} - \frac{b^2c - abd + a^2e}{7a^3x^7} + \frac{b^3c - ab^2d + a^2be - a^3f}{4a^4x^4} - \frac{b(b^3c - ab^2d -}{a^5}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 308, normalized size = 0.98

$$\frac{bc - ad}{10a^2x^{10}} - \frac{a^2e - abd + b^2c}{7a^3x^7} + \frac{b^{4/3} \log(a^{2/3} - \sqrt{a} \sqrt{bx^3 + b^{2/3}x^2})(a^3f - a^2be + ab^2d - b^3c)}{6a^{16/3}} + \frac{b^{4/3} \log(\sqrt{a} + \sqrt{bx^3})(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{16/3}} + \frac{b^{4/3} \tan^{-1}\left(\frac{1 + \frac{bx^3}{a}}{\sqrt{3}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt{3}a^{16/3}} + \frac{b(a^3f - a^2be + ab^2d - b^3c)}{a^5x} + \frac{a^3(-f) + a^2be - ab^2d + b^3c}{4a^4x^4} - \frac{c}{13ax^{13}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)),x]

[Out] $-\frac{1}{13} \frac{c}{a x^{13}} + \frac{b c - a d}{10 a^2 x^{10}} - \frac{b^2 c - a b d + a^2 e}{7 a^3 x^7} + \frac{b^3 c - a b^2 d + a^2 b e - a^3 f}{4 a^4 x^4} + \frac{b(-b^3 c + a b^2 d - a^2 b e + a^3 f)}{a^5 x} + \frac{b^{4/3}(b^3 c - a b^2 d + a^2 b e - a^3 f) \operatorname{ArcTan}\left[\frac{1 - (2 b^{1/3} x)/a^{1/3}}{\sqrt{3}}\right]}{\sqrt{3} a^{16/3}} + \frac{b^{4/3}(b^3 c - a b^2 d + a^2 b e - a^3 f) \operatorname{Log}\left[\frac{a^{1/3} + b^{1/3} x}{a^{1/3}}\right]}{3 a^{16/3}} + \frac{b^{4/3}(-b^3 c + a b^2 d - a^2 b e + a^3 f) \operatorname{Log}\left[\frac{a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2}{a^{2/3}}\right]}{6 a^{16/3}}$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{14}(a + bx^3)} dx$$

Verification is not applicable to the result.

[Out] $\frac{1}{3} \sqrt{a^2 b^3} \arctan\left(\frac{1}{3} \sqrt{a^2 b^3} \frac{2(a/b)^{1/3} x - 1}{(a/b)^{1/3}}\right) \sqrt{a^2 b^3} \arctan\left(\frac{1}{3} \sqrt{a^2 b^3} \frac{2(a/b)^{1/3} x - 1}{(a/b)^{1/3}}\right) e + \frac{1}{3} \sqrt{a^2 b^3} \arctan\left(\frac{1}{3} \sqrt{a^2 b^3} \frac{2(a/b)^{1/3} x - 1}{(a/b)^{1/3}}\right) d - \frac{1}{3} \sqrt{a^2 b^3} \arctan\left(\frac{1}{3} \sqrt{a^2 b^3} \frac{2(a/b)^{1/3} x - 1}{(a/b)^{1/3}}\right) c - \frac{1}{7} \sqrt{a^2 b^3} \arctan\left(\frac{1}{3} \sqrt{a^2 b^3} \frac{2(a/b)^{1/3} x - 1}{(a/b)^{1/3}}\right) \frac{1}{x^7} b^2 c + \frac{1}{a^4} b^3 \sqrt{x d - 1} \sqrt{a^2 b^3} \frac{1}{x^4} c + \frac{1}{a^2} b \sqrt{x f - 1} \sqrt{a^2 b^3} \frac{1}{x^4} e + \frac{1}{4} \sqrt{a^2 b^3} \frac{1}{x^4} b^2 e - \frac{1}{4} \sqrt{a^2 b^3} \frac{1}{x^4} b^2 d + \frac{1}{4} \sqrt{a^2 b^3} \frac{1}{x^4} b^3 c + \frac{1}{10} \sqrt{a^2 b^3} \frac{1}{x^{10}} b^2 c + \frac{1}{7} \sqrt{a^2 b^3} \frac{1}{x^7} b^2 d - \frac{1}{13} c \sqrt{a^2 b^3} \frac{1}{x^{13}} - \frac{1}{7} \sqrt{a^2 b^3} \frac{1}{x^7} e - \frac{1}{10} \sqrt{a^2 b^3} \frac{1}{x^{10}} d + \frac{1}{6} \sqrt{a^2 b^3} \frac{1}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) d - \frac{1}{6} \sqrt{a^2 b^3} \frac{1}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) c - \frac{1}{3} \sqrt{a^2 b^3} \frac{1}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) f + \frac{1}{3} \sqrt{a^2 b^3} \frac{1}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) e - \frac{1}{3} \sqrt{a^2 b^3} \frac{1}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) d + \frac{1}{3} \sqrt{a^2 b^3} \frac{1}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) c + \frac{1}{6} \sqrt{a^2 b^3} \frac{1}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) f - \frac{1}{6} \sqrt{a^2 b^3} \frac{1}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) e - \frac{1}{4} \sqrt{a^2 b^3} \frac{1}{x^4} f$

maxima [A] time = 2.99, size = 307, normalized size = 0.98

$$\frac{\sqrt{3} (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \arctan\left(\frac{\sqrt{3} (2 + \sqrt{3})^{\frac{1}{3}}}{3 \sqrt{3}}\right)}{3 a^2 \left(\frac{2}{3}\right)^{\frac{1}{3}}} - \frac{(b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log\left(x^2 - x \left(\frac{2}{3}\right)^{\frac{1}{3}} + \left(\frac{2}{3}\right)^{\frac{2}{3}}\right)}{6 a^2 \left(\frac{2}{3}\right)^{\frac{1}{3}}} + \frac{(b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log\left(x + \left(\frac{2}{3}\right)^{\frac{1}{3}}\right)}{3 a^2 \left(\frac{2}{3}\right)^{\frac{1}{3}}} - \frac{1820 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) x^{12} - 455 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) x^9 + 260 (a^2 b^2 c - a^3 b d + a^4 e) x^6 + 140 a^4 c - 182 (a^3 b c - a^4 d) x^3}{1820 a^2 x^{13}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a),x, algorithm="maxima")

[Out] $-\frac{1}{3} \sqrt{3} (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \arctan\left(\frac{1}{3} \sqrt{3} \frac{2x - (a/b)^{1/3}}{(a/b)^{1/3}}\right) \sqrt{a^2 b^3} \arctan\left(\frac{1}{3} \sqrt{3} \frac{2x - (a/b)^{1/3}}{(a/b)^{1/3}}\right) - \frac{1}{6} (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log\left(x^2 - x (a/b)^{1/3} + (a/b)^{2/3}\right) \sqrt{a^2 b^3} \log\left(x^2 - x (a/b)^{1/3} + (a/b)^{2/3}\right) + \frac{1}{3} (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log\left(x + (a/b)^{1/3}\right) \sqrt{a^2 b^3} \log\left(x + (a/b)^{1/3}\right) - \frac{1}{1820} (1820 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) x^{12} - 455 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) x^9 + 260 (a^2 b^2 c - a^3 b d + a^4 e) x^6 + 140 a^4 c - 182 (a^3 b c - a^4 d) x^3) \sqrt{a^2 b^3} x^{13}$

mupad [B] time = 5.23, size = 286, normalized size = 0.91

$$\frac{b^4 c \ln(b^{10} x + a^{10}) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 a^{16} b^3} - \frac{c}{3 a^2} - \frac{a^2 (-f a^2 e a^2 b - d a b^2 c + b^3)}{4 a^4} + \frac{a^2 (a d - b c)}{18 a^2} + \frac{a^2 (a^2 - d a b c b^2)}{7 a^2} + \frac{b^2 (2 (-f a^2 e a^2 b - d a b^2 c + b^3))}{a^2} - \frac{b^4 c \ln(2 b^{10} x - a^{10} + \sqrt{3} a^{10} i)}{3 a^{16} b^3} \left(\frac{2}{3} + \frac{\sqrt{3} i}{2}\right) (-f a^3 + e a^2 b - d a b^2 + c b^3) + \frac{b^4 c \ln(a^{10} - 2 b^{10} x + \sqrt{3} a^{10} i)}{3 a^{16} b^3} \left(-\frac{1}{2} + \frac{\sqrt{3} i}{2}\right) (-f a^3 + e a^2 b - d a b^2 + c b^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)),x)

[Out] $(b^{4/3} \log(b^{1/3} x + a^{1/3})) (b^3 c - a^3 f - a b^2 d + a^2 b e) / (3 a^{16/3}) - (c / (13 a) - (x^9 (b^3 c - a^3 f - a b^2 d + a^2 b e)) / (4 a^4) + (x^3 (a d - b c)) / (10 a^2) + (x^6 (b^2 c + a^2 e - a b d)) / (7 a^3) + (b x^{12} (b^3 c - a^3 f - a b^2 d + a^2 b e)) / a^5) / x^{13} - (b^{4/3} \log(3^{1/2} a^{1/3} i + 2 b^{1/3} x - a^{1/3})) ((3^{1/2} i) / 2 + 1/2) (b^3 c - a^3 f - a b^2 d + a^2 b e) / (3 a^{16/3}) + (b^{4/3} \log(3^{1/2} a^{1/3} i - 2 b^{1/3} x + a^{1/3})) ((3^{1/2} i) / 2 - 1/2) (b^3 c - a^3 f - a b^2 d + a^2 b e) / (3 a^{16/3})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**14/(b*x**3+a), x)

[Out] Timed out

$$3.196 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{15}(a+bx^3)} dx$$

Optimal. Leaf size=315

$$\frac{bc-ad}{11a^2x^{11}} - \frac{a^2e-abd+b^2c}{8a^3x^8} + \frac{b^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{17/3}} - \frac{b^{5/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{6a^{17/3}}$$

Rubi [A] time = 0.23, antiderivative size = 315, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 200, 31, 634, 617, 204, 628}

$$\frac{b(a^2be+a^3(-f)-ab^2d+b^3c)}{2a^5x^2} + \frac{a^2be+a^3(-f)-ab^2d+b^3c}{5a^5x^5} + \frac{b^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^2be+a^3(-f)-ab^2d+b^3c)}{6a^{17/3}} - \frac{b^{5/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x) (a^2be+a^3(-f)-ab^2d+b^3c)}{3a^{17/3}} + \frac{b^{5/3} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt[3]{3}\sqrt[3]{a}}\right) (a^2be+a^3(-f)-ab^2d+b^3c)}{\sqrt[3]{3}a^{17/3}} - \frac{a^2e-abd+b^2c}{8a^3x^8} + \frac{bc-ad}{11a^2x^{11}} - \frac{c}{14ax^{14}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^15*(a + b*x^3)),x]

[Out] -c/(14*a*x^14) + (b*c - a*d)/(11*a^2*x^11) - (b^2*c - a*b*d + a^2*e)/(8*a^3*x^8) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(5*a^4*x^5) - (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(2*a^5*x^2) + (b^(5/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(17/3)) - (b^(5/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(17/3)) + (b^(5/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(17/3))

Rule 31

Int[((a_) + (b_)*(x_)^(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{15}(a + bx^3)} dx &= \int \left(\frac{c}{ax^{15}} + \frac{-bc + ad}{a^2x^{12}} + \frac{b^2c - abd + a^2e}{a^3x^9} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^6} - \frac{b(-b^3c + a}{2a^5x^3} \right. \\
&= -\frac{c}{14ax^{14}} + \frac{bc - ad}{11a^2x^{11}} - \frac{b^2c - abd + a^2e}{8a^3x^8} + \frac{b^3c - ab^2d + a^2be - a^3f}{5a^4x^5} - \frac{b(b^3c - ab^2d - a^2be + a^3f)}{2a^5} \\
&= -\frac{c}{14ax^{14}} + \frac{bc - ad}{11a^2x^{11}} - \frac{b^2c - abd + a^2e}{8a^3x^8} + \frac{b^3c - ab^2d + a^2be - a^3f}{5a^4x^5} - \frac{b(b^3c - ab^2d - a^2be + a^3f)}{2a^5} \\
&= -\frac{c}{14ax^{14}} + \frac{bc - ad}{11a^2x^{11}} - \frac{b^2c - abd + a^2e}{8a^3x^8} + \frac{b^3c - ab^2d + a^2be - a^3f}{5a^4x^5} - \frac{b(b^3c - ab^2d - a^2be + a^3f)}{2a^5} \\
&= -\frac{c}{14ax^{14}} + \frac{bc - ad}{11a^2x^{11}} - \frac{b^2c - abd + a^2e}{8a^3x^8} + \frac{b^3c - ab^2d + a^2be - a^3f}{5a^4x^5} - \frac{b(b^3c - ab^2d - a^2be + a^3f)}{2a^5}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 311, normalized size = 0.99

$$\frac{bc - ad}{11a^2x^{11}} - \frac{a^2c - abd + b^2c}{8a^3x^8} + \frac{b^{5/3} \log(a^{2/3} - \sqrt{a} \sqrt{bx + b^{2/3}x^2})(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{17/3}} + \frac{b^{5/3} \log(\sqrt{a} + \sqrt{bx})(a^3f - a^2be + ab^2d - b^3c)}{3a^{17/3}} + \frac{b^{5/3} \tan^{-1}\left(\frac{1 + 2\frac{\sqrt{a}}{\sqrt{3}}}{\sqrt{3}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt{3}a^{17/3}} + \frac{b(a^3f - a^2be + ab^2d - b^3c)}{2a^5x^2} + \frac{a^3(-f) + a^2be - ab^2d + b^3c}{5a^4x^5} - \frac{c}{14ax^{14}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^15*(a + b*x^3)),x]

[Out] -1/14*c/(a*x^14) + (b*c - a*d)/(11*a^2*x^11) - (b^2*c - a*b*d + a^2*e)/(8*a^3*x^8) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(5*a^4*x^5) + (b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(2*a^5*x^2) + (b^(5/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(Sqrt[3]*a^(17/3)) + (b^(5/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(17/3)) + (b^(5/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(17/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{15}(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^15*(a + b*x^3)),x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^15*(a + b*x^3)), x]

fricas [A] time = 0.43, size = 335, normalized size = 1.06

$$\frac{3080 \sqrt{3} (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \arctan\left(\frac{2 \sqrt{3} \left(\frac{x^3}{a} - \frac{b}{a}\right)}{3}\right) - 1540 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log\left(\frac{x^3}{a} - \frac{b}{a}\right) + 3080 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log\left(\frac{x^3}{a} + \frac{b}{a}\right) + 4620 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) x^9 - 1848 (a^2 b^2 c - a^3 b d + a^4 e) x^6 + 660 a^4 c - 840 (a^3 b c - a^4 d) x^3}{9240 a^5 x^{14}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^15/(b*x^3+a),x, algorithm="fricas")

[Out] -1/9240*(3080*sqrt(3)*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^14*(b^2/a^2)^(1/3)*arctan(1/3*(2*sqrt(3)*a*x*(b^2/a^2)^(2/3) - sqrt(3)*b)/b) - 1540*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^14*(b^2/a^2)^(1/3)*log(b^2*x^2 - a*b*x*(b^2/a^2)^(1/3) + a^2*(b^2/a^2)^(2/3)) + 3080*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^14*(b^2/a^2)^(1/3)*log(b*x + a*(b^2/a^2)^(1/3)) + 4620*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^12 - 1848*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^9 + 1155*(a^2*b^2*c - a^3*b*d + a^4*e)*x^6 + 660*a^4*c - 840*(a^3*b*c - a^4*d)*x^3)/(a^5*x^14)

giac [A] time = 0.19, size = 393, normalized size = 1.25

$$\frac{\sqrt{3} \operatorname{arctan}\left(\frac{2 \sqrt{3} \left(\frac{x^3}{a} - \frac{b}{a}\right)}{3}\right) - \left(\frac{x^3}{a} - \frac{b}{a}\right) \log\left(\frac{x^3}{a} - \frac{b}{a}\right) + \left(\frac{x^3}{a} + \frac{b}{a}\right) \log\left(\frac{x^3}{a} + \frac{b}{a}\right)}{3 a^5} \frac{(b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log\left(\frac{x^3}{a} - \frac{b}{a}\right) - (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log\left(\frac{x^3}{a} + \frac{b}{a}\right)}{3 a^5} + \frac{1540 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) x^9 - 1848 (a^2 b^2 c - a^3 b d + a^4 e) x^6 + 660 a^4 c - 840 (a^3 b c - a^4 d) x^3}{3080 a^5 x^{14}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^15/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*((-a*b^2)^(1/3)*b^4*c - (-a*b^2)^(1/3)*a*b^3*d - (-a*b^2)^(1/3)*a^3*b*f + (-a*b^2)^(1/3)*a^2*b^2*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3)/a^6 + 1/3*(b^5*c - a*b^4*d - a^3*b^2*f + a^2*b^3*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^6 - 1/6*((-a*b^2)^(1/3)*b^4*c - (-a*b^2)^(1/3)*a*b^3*d - (-a*b^2)^(1/3)*a^3*b*f + (-a*b^2)^(1/3)*a^2*b^2*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/a^6 - 1/3080*(1540*b^4*c*x^12 - 1540*a*b^3*d*x^12 - 1540*a^3*b*f*x^12 + 1540*a^2*b^2*e*x^12 - 616*a*b^3*c*x^9 + 616*a^2*b^2*d*x^9 + 616*a^4*f*x^9 - 616*a^3*b*x^9*e + 385*a^2*b^2*c*x^6 - 385*a^3*b*d*x^6 + 385*a^4*x^6*e - 280*a^3*b*c*x^3 + 280*a^4*d*x^3 + 220*a^4*c)/(a^5*x^14)

maple [B] time = 0.06, size = 548, normalized size = 1.74

$$\frac{\sqrt{3} \operatorname{arctan}\left(\frac{2 \sqrt{3} \left(\frac{x^3}{a} - \frac{b}{a}\right)}{3}\right)}{3 \left(\frac{x^3}{a} - \frac{b}{a}\right)^{1/3}} + \frac{\sqrt{3} \operatorname{arctan}\left(\frac{2 \sqrt{3} \left(\frac{x^3}{a} + \frac{b}{a}\right)}{3}\right)}{3 \left(\frac{x^3}{a} + \frac{b}{a}\right)^{1/3}} + \frac{\sqrt{3} \operatorname{arctan}\left(\frac{2 \sqrt{3} \left(\frac{x^3}{a} - \frac{b}{a}\right)}{3}\right)}{3 \left(\frac{x^3}{a} - \frac{b}{a}\right)^{1/3}} - \frac{\sqrt{3} \operatorname{arctan}\left(\frac{2 \sqrt{3} \left(\frac{x^3}{a} + \frac{b}{a}\right)}{3}\right)}{3 \left(\frac{x^3}{a} + \frac{b}{a}\right)^{1/3}} + \frac{\sqrt{3} \operatorname{arctan}\left(\frac{2 \sqrt{3} \left(\frac{x^3}{a} - \frac{b}{a}\right)}{3}\right)}{3 \left(\frac{x^3}{a} - \frac{b}{a}\right)^{1/3}} - \frac{\sqrt{3} \operatorname{arctan}\left(\frac{2 \sqrt{3} \left(\frac{x^3}{a} + \frac{b}{a}\right)}{3}\right)}{3 \left(\frac{x^3}{a} + \frac{b}{a}\right)^{1/3}}}{3 a^5} + \frac{(b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log\left(\frac{x^3}{a} - \frac{b}{a}\right) - (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log\left(\frac{x^3}{a} + \frac{b}{a}\right)}{3080 a^5 x^{14}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^15/(b*x^3+a),x)

[Out] $\frac{1}{3} \frac{1}{a^2 b} \frac{1}{(a/b)^{2/3}} 3^{1/2} \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{(a/b)^{1/3}} (x-1)\right) f - \frac{1}{3} \frac{1}{a^3 b^2} \frac{1}{(a/b)^{2/3}} 3^{1/2} \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{(a/b)^{1/3}} (x-1)\right) e + \frac{1}{3} \frac{1}{a^4 b^3} \frac{1}{(a/b)^{2/3}} 3^{1/2} \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{(a/b)^{1/3}} (x-1)\right) d - \frac{1}{3} \frac{1}{a^5 b^4} \frac{1}{(a/b)^{2/3}} 3^{1/2} \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{(a/b)^{1/3}} (x-1)\right) c - \frac{1}{2} \frac{1}{a^5 b^4} \frac{1}{x^2} c + \frac{1}{11} \frac{1}{a^2} \frac{1}{x^{11}} b c + \frac{1}{8} \frac{1}{a^2} \frac{1}{x^8} b^2 d - \frac{1}{8} \frac{1}{a^3} \frac{1}{x^8} b^2 c + \frac{1}{5} \frac{1}{a^2} \frac{1}{x^5} b^2 e + \frac{1}{2} \frac{1}{a^2} \frac{1}{x^2} b^2 f - \frac{1}{2} \frac{1}{a^3} \frac{1}{x^2} b^2 e + \frac{1}{2} \frac{1}{a^4} \frac{1}{x^2} b^3 d - \frac{1}{5} \frac{1}{a^3} \frac{1}{x^5} b^2 d + \frac{1}{5} \frac{1}{a^4} \frac{1}{x^5} b^3 c - \frac{1}{11} \frac{1}{a} \frac{1}{x^{11}} d - \frac{1}{14} \frac{1}{c} \frac{1}{a} \frac{1}{x^{14}} - \frac{1}{3} \frac{1}{a^5} \frac{1}{b^4} \frac{1}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) c - \frac{1}{8} \frac{1}{a} \frac{1}{x^8} e - \frac{1}{6} \frac{1}{a^4} \frac{1}{b^3} \frac{1}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) d + \frac{1}{6} \frac{1}{a^5} \frac{1}{b^4} \frac{1}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) c + \frac{1}{3} \frac{1}{a^2} \frac{1}{b} \frac{1}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) f - \frac{1}{3} \frac{1}{a^3} \frac{1}{b^2} \frac{1}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) e - \frac{1}{5} \frac{1}{a} \frac{1}{x^5} f - \frac{1}{6} \frac{1}{a^2} \frac{1}{b} \frac{1}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) f + \frac{1}{6} \frac{1}{a^3} \frac{1}{b^2} \frac{1}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) e + \frac{1}{3} \frac{1}{a^4} \frac{1}{b^3} \frac{1}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) d$

maxima [A] time = 3.11, size = 307, normalized size = 0.97

$$\frac{\sqrt{3} (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \arctan\left(\frac{\sqrt{3} (2x + \frac{1}{3})}{\frac{1}{3}}\right)}{3 a^5 \left(\frac{1}{3}\right)^{\frac{2}{3}}} + \frac{(b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log\left(x^2 - x \left(\frac{1}{3}\right)^{\frac{1}{3}} + \left(\frac{1}{3}\right)^{\frac{2}{3}}\right)}{6 a^5 \left(\frac{1}{3}\right)^{\frac{2}{3}}} - \frac{(b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log\left(x + \left(\frac{1}{3}\right)^{\frac{1}{3}}\right)}{3 a^5 \left(\frac{1}{3}\right)^{\frac{2}{3}}} - \frac{1540 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) x^{12} - 616 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) x^9 + 385 (a^2 b^2 c - a^3 b d + a^4 e) x^6 + 220 a^4 c - 280 (a^3 b c - a^4 d) x^3}{3080 a^5 x^{14}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^15/(b*x^3+a),x, algorithm="maxima")

[Out] $-\frac{1}{3} \sqrt{3} (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \arctan\left(\frac{1}{3} \sqrt{3} (2x - (a/b)^{1/3}) / (a/b)^{1/3}\right) / (a/b)^{2/3} + \frac{1}{6} (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log(x^2 - x (a/b)^{1/3} + (a/b)^{2/3}) / (a/b)^{2/3} - \frac{1}{3} (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log(x + (a/b)^{1/3}) / (a/b)^{2/3} - \frac{1}{3080} (1540 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) x^{12} - 616 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) x^9 + 385 (a^2 b^2 c - a^3 b d + a^4 e) x^6 + 220 a^4 c - 280 (a^3 b c - a^4 d) x^3) / (a/b)^{2/3}$

mupad [B] time = 5.17, size = 287, normalized size = 0.91

$$\frac{c}{14 a} - \frac{f (a^3 e a^2 b - d a^2 b^2)}{3 a^4} + \frac{e^2 (a d - b c)}{11 a^2} + \frac{e^2 (a^2 d b - a b^2 c)}{6 a^3} + \frac{b^2 (f a^2 e a^2 b - d a^2 b^2 c)}{2 a^5} - \frac{b^{5/3} \ln(b^{1/3} x + a^{1/3}) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 a^{17/3}} - \frac{b^{5/3} \ln(2 b^{1/3} x - a^{1/3} + \sqrt{3} a^{1/3} i) \left(-\frac{1}{2} + \frac{\sqrt{3} i}{2}\right) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 a^{17/3}} + \frac{b^{5/3} \ln(a^{1/3} - 2 b^{1/3} x + \sqrt{3} a^{1/3} i) \left(\frac{1}{2} + \frac{\sqrt{3} i}{2}\right) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 a^{17/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^15*(a + b*x^3)),x)

[Out] $(b^{5/3} \log(3^{1/2} a^{1/3} i - 2 b^{1/3} x + a^{1/3})) ((3^{1/2} i) / 2 + 1/2) (b^3 c - a^3 f - a b^2 d + a^2 b e) / (3 a^{17/3}) - (b^{5/3} \log(b^{1/3} x + a^{1/3})) (b^3 c - a^3 f - a b^2 d + a^2 b e) / (3 a^{17/3}) - (b^{5/3} \log(3^{1/2} a^{1/3} i + 2 b^{1/3} x - a^{1/3})) ((3^{1/2} i) / 2 - 1/2) (b^3 c - a^3 f - a b^2 d + a^2 b e) / (3 a^{17/3}) - (c / (14 a) - (x^9 (b^3 c - a^3 f - a b^2 d + a^2 b e)) / (5 a^4) + (x^3 (a d - b c)) / (11 a^2) + (x^6 (b$

$$\frac{(a^2c + a^2e - ab*d)}{(8a^3)} + \frac{(b*x^{12}(b^3*c - a^3*f - a*b^2*d + a^2*b*e))}{(2*a^5)}/x^{14}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**15/(b*x**3+a),x)

[Out] Timed out

$$3.197 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{17}(a+bx^3)} dx$$

Optimal. Leaf size=351

$$\frac{bc-ad}{13a^2x^{13}} - \frac{a^2e-abd+b^2c}{10a^3x^{10}} + \frac{b^{7/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{6a^{19/3}} - \frac{b^{7/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right)}{6a^{19/3}}$$

Rubi [A] time = 0.26, antiderivative size = 351, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$\frac{b(a^2be+a^3(-f)-ab^2d+b^3c)}{4a^3x^4} + \frac{a^2be+a^3(-f)-ab^2d+b^2c}{7a^3x^2} + \frac{b^{7/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^2be+a^3(-f)-ab^2d+b^3c\right)}{6a^{19/3}} + \frac{b^2(a^2be+a^3(-f)-ab^2d+b^3c)}{a^3x} + \frac{b^{7/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^2be+a^3(-f)-ab^2d+b^3c\right)}{3a^{19/3}} - \frac{b^{7/3} \tan^{-1}\left(\frac{3x-\sqrt[3]{b}x}{\sqrt[3]{a}}\right) \left(a^2be+a^3(-f)-ab^2d+b^3c\right)}{\sqrt[3]{a}^{19/3}} - \frac{a^2e-abd+b^2c}{10a^3x^{10}} + \frac{bc-ad}{13a^2x^{13}} - \frac{c}{16a^{16}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^17*(a + b*x^3)),x]

[Out] -c/(16*a*x^16) + (b*c - a*d)/(13*a^2*x^13) - (b^2*c - a*b*d + a^2*e)/(10*a^3*x^10) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(7*a^4*x^7) - (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(4*a^5*x^4) + (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(a^6*x) - (b^(7/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(19/3)) - (b^(7/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(3*a^(19/3)) + (b^(7/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(19/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{17}(a + bx^3)} dx &= \int \left(\frac{c}{ax^{17}} + \frac{-bc + ad}{a^2x^{14}} + \frac{b^2c - abd + a^2e}{a^3x^{11}} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^8} - \frac{b(-b^3c + a}{4a^5} \right. \\
&= -\frac{c}{16ax^{16}} + \frac{bc - ad}{13a^2x^{13}} - \frac{b^2c - abd + a^2e}{10a^3x^{10}} + \frac{b^3c - ab^2d + a^2be - a^3f}{7a^4x^7} - \frac{b(b^3c - ab^2d -}{4a^5} \\
&= -\frac{c}{16ax^{16}} + \frac{bc - ad}{13a^2x^{13}} - \frac{b^2c - abd + a^2e}{10a^3x^{10}} + \frac{b^3c - ab^2d + a^2be - a^3f}{7a^4x^7} - \frac{b(b^3c - ab^2d -}{4a^5} \\
&= -\frac{c}{16ax^{16}} + \frac{bc - ad}{13a^2x^{13}} - \frac{b^2c - abd + a^2e}{10a^3x^{10}} + \frac{b^3c - ab^2d + a^2be - a^3f}{7a^4x^7} - \frac{b(b^3c - ab^2d -}{4a^5} \\
&= -\frac{c}{16ax^{16}} + \frac{bc - ad}{13a^2x^{13}} - \frac{b^2c - abd + a^2e}{10a^3x^{10}} + \frac{b^3c - ab^2d + a^2be - a^3f}{7a^4x^7} - \frac{b(b^3c - ab^2d -}{4a^5} \\
&= -\frac{c}{16ax^{16}} + \frac{bc - ad}{13a^2x^{13}} - \frac{b^2c - abd + a^2e}{10a^3x^{10}} + \frac{b^3c - ab^2d + a^2be - a^3f}{7a^4x^7} - \frac{b(b^3c - ab^2d -}{4a^5}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 346, normalized size = 0.99

$$\frac{bc - ad}{13a^2x^{13}} - \frac{a^2e - abd + b^2c}{10a^3x^{10}} + \frac{b^{7/3} \log(a^{2/3} - \sqrt{a} \sqrt{bx^3} + b^{2/3}x^2)(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{19/3}} + \frac{b^{7/3} \log(\sqrt{a} + \sqrt{bx^3})(a^3f - a^2be + ab^2d - b^3c)}{3a^{19/3}} + \frac{b^{7/3} \tan^{-1}\left(\frac{2bx^3}{\sqrt{3}}\right)(a^3f - a^2be + ab^2d - b^3c)}{\sqrt{3}a^{19/3}} + \frac{b^2(a^3(-f) + a^2be - ab^2d + b^3c)}{a^4x} + \frac{b(a^3f - a^2be + ab^2d - b^3c)}{4a^5x^4} + \frac{a^3(-f) + a^2be - ab^2d + b^3c}{7a^4x^7} - \frac{c}{16ax^{16}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^17*(a + b*x^3)),x]

[Out] -1/16*c/(a*x^16) + (b*c - a*d)/(13*a^2*x^13) - (b^2*c - a*b*d + a^2*e)/(10*a^3*x^10) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(7*a^4*x^7) + (b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(4*a^5*x^4) + (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(a^6*x) + (b^(7/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(Sqrt[3]*a^(19/3)) + (b^(7/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(19/3)) + (b^(7/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(19/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{17}(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^17*(a + b*x^3)),x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^17*(a + b*x^3)), x]

fricas [A] time = 0.43, size = 355, normalized size = 1.01

$$\frac{7280\sqrt{3}(b^5c - ab^4d + a^2b^3e - a^3b^2f) \arctan\left(\frac{2}{3}\sqrt{3}\left(\frac{b}{a}\right)^{1/3} - \frac{1}{3}\sqrt{3}\right) + 3640(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log\left(\frac{b^2x - a(b/a)^{2/3}}{b^2x + a(b/a)^{2/3}}\right) - 7280(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log\left(\frac{b^2x - a(b/a)^{2/3}}{b^2x + a(b/a)^{2/3}}\right) + 21840(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log\left(\frac{b^2x - a(b/a)^{2/3}}{b^2x + a(b/a)^{2/3}}\right) - 5460(a^2b^3c - a^3b^2d + a^4b^2e - a^5bf) x^9 - 3120(a^2b^3c - a^3b^2d + a^4b^2e - a^5bf) x^9 + 2184(a^3b^2c - a^4b^2d + a^5e) x^6 - 1365a^5c + 1680(a^4b^2c - a^5d) x^3 - 21840a^5c}{21840a^5c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^17/(b*x^3+a),x, algorithm="fricas")

[Out] $\frac{1}{21840} * (7280 * \sqrt{3} * (b^5 * c - a * b^4 * d + a^2 * b^3 * e - a^3 * b^2 * f) * x^{16} * (b/a)^{(1/3)} * \arctan(2/3 * \sqrt{3} * x * (b/a)^{(1/3)} - 1/3 * \sqrt{3}) + 3640 * (b^5 * c - a * b^4 * d + a^2 * b^3 * e - a^3 * b^2 * f) * x^{16} * (b/a)^{(1/3)} * \log(b * x^2 - a * x * (b/a)^{(2/3)} + a * (b/a)^{(1/3})) - 7280 * (b^5 * c - a * b^4 * d + a^2 * b^3 * e - a^3 * b^2 * f) * x^{16} * (b/a)^{(1/3)} * \log(b * x + a * (b/a)^{(2/3})) + 21840 * (b^5 * c - a * b^4 * d + a^2 * b^3 * e - a^3 * b^2 * f) * x^{15} - 5460 * (a^2 * b^3 * c - a^3 * b^2 * d + a^4 * b^2 * e - a^4 * b * f) * x^{12} + 3120 * (a^2 * b^3 * c - a^3 * b^2 * d + a^4 * b * e - a^5 * f) * x^9 - 2184 * (a^3 * b^2 * c - a^4 * b * d + a^5 * e) * x^6 - 1365 * a^5 * c + 1680 * (a^4 * b * c - a^5 * d) * x^3) / (a^6 * x^{16})$

giac [A] time = 0.19, size = 474, normalized size = 1.35

$$\frac{\sqrt{3}(b^5c - ab^4d + a^2b^3e - a^3b^2f) \arctan\left(\frac{2}{3}\sqrt{3}\left(\frac{b}{a}\right)^{1/3} - \frac{1}{3}\sqrt{3}\right) + 3640(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log\left(\frac{b^2x - a(b/a)^{2/3}}{b^2x + a(b/a)^{2/3}}\right) - 7280(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log\left(\frac{b^2x - a(b/a)^{2/3}}{b^2x + a(b/a)^{2/3}}\right) + 21840(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log\left(\frac{b^2x - a(b/a)^{2/3}}{b^2x + a(b/a)^{2/3}}\right) - 5460(a^2b^3c - a^3b^2d + a^4b^2e - a^4b^2f) x^9 - 3120(a^2b^3c - a^3b^2d + a^4b^2e - a^5bf) x^9 + 2184(a^3b^2c - a^4b^2d + a^5e) x^6 - 1365a^5c + 1680(a^4b^2c - a^5d) x^3 - 21840a^5c}{21840a^5c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^17/(b*x^3+a),x, algorithm="giac")

[Out] $-\frac{1}{3} * \sqrt{3} * ((-a * b^2)^{(2/3)} * b^4 * c - (-a * b^2)^{(2/3)} * a * b^3 * d - (-a * b^2)^{(2/3)} * a^3 * b * f + (-a * b^2)^{(2/3)} * a^2 * b^2 * e) * \arctan(1/3 * \sqrt{3} * (2 * x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}) / a^7 - 1/3 * (b^6 * c * (-a/b)^{(1/3)} - a * b^5 * d * (-a/b)^{(1/3)} - a^3 * b^3 * f * (-a/b)^{(1/3)} + a^2 * b^4 * (-a/b)^{(1/3)} * e) * (-a/b)^{(1/3)} * \log(\text{abs}(x - (-a/b)^{(1/3)})) / a^7 + 1/6 * ((-a * b^2)^{(2/3)} * b^4 * c - (-a * b^2)^{(2/3)} * a * b^3 * d - (-a * b^2)^{(2/3)} * a^3 * b * f + (-a * b^2)^{(2/3)} * a^2 * b^2 * e) * \log(x^2 + x * (-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / a^7 + 1/7280 * (7280 * b^5 * c * x^{15} - 7280 * a * b^4 * d * x^{15} - 7280 * a^3 * b^2 * f * x^{15} + 7280 * a^2 * b^3 * e * x^{15} - 1820 * a * b^4 * c * x^{12} + 1820 * a^2 * b^3 * d * x^{12} + 1820 * a^4 * b * f * x^{12} - 1820 * a^3 * b^2 * e * x^{12} + 1040 * a^2 * b^3 * c * x^9 - 1040 * a^3 * b^2 * d * x^9 - 1040 * a^5 * f * x^9 + 1040 * a^4 * b * e * x^9 - 728 * a^3 * b^2 * c * x^6 + 728 * a^4 * b * d * x^6 - 728 * a^5 * e * x^6 + 560 * a^4 * b * c * x^3 - 560 * a^5 * d * x^3 - 455 * a^5 * c) / (a^6 * x^{16})$

maple [A] time = 0.06, size = 600, normalized size = 1.71

$$\frac{\sqrt{3}(b^5c - ab^4d + a^2b^3e - a^3b^2f) \arctan\left(\frac{2}{3}\sqrt{3}\left(\frac{b}{a}\right)^{1/3} - \frac{1}{3}\sqrt{3}\right) + 3640(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log\left(\frac{b^2x - a(b/a)^{2/3}}{b^2x + a(b/a)^{2/3}}\right) - 7280(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log\left(\frac{b^2x - a(b/a)^{2/3}}{b^2x + a(b/a)^{2/3}}\right) + 21840(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log\left(\frac{b^2x - a(b/a)^{2/3}}{b^2x + a(b/a)^{2/3}}\right) - 5460(a^2b^3c - a^3b^2d + a^4b^2e - a^4b^2f) x^9 - 3120(a^2b^3c - a^3b^2d + a^4b^2e - a^5bf) x^9 + 2184(a^3b^2c - a^4b^2d + a^5e) x^6 - 1365a^5c + 1680(a^4b^2c - a^5d) x^3 - 21840a^5c}{21840a^5c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^17/(b*x^3+a), x)

[Out]
$$-1/10/a^3/x^{10}*b^2*c+1/7/a^2/x^7*b*e-1/7/a^3/x^7*b^2*d+1/7/a^4/x^7*b^3*c-1/a^3*b^2/x*f+1/a^4*b^3/x*e-1/a^5*b^4/x*d+1/a^6*b^5/x*c+1/4/a^2*b/x^4*f-1/4/a^3*b^2/x^4*e+1/4/a^4*b^3/x^4*d-1/4/a^5*b^4/x^4*c+1/13/a^2/x^{13}*b*c+1/10/a^2/x^{10}*b*d-1/16*c/a/x^{16}-1/3/a^3*b^2*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f+1/3/a^4*b^3*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e-1/3/a^5*b^4*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d+1/3/a^6*b^5*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-1/7/a/x^7*f-1/13/a/x^{13}*d-1/3/a^4*b^3/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*e+1/3/a^5*b^4/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*d-1/10/a/x^{10}*e+1/6/a^6*b^5/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c-1/3/a^6*b^5/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c-1/6/a^3*b^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f+1/6/a^4*b^3/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e-1/6/a^5*b^4/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d+1/3/a^3*b^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*f$$

maxima [A] time = 3.03, size = 353, normalized size = 1.01

$$\frac{\sqrt{3}(\sqrt{c-ab^3d+a^2b^2e-a^3b^2f})\arctan\left(\frac{\sqrt{3}(x+(a/b)^{(1/3)})}{3(a/b)^{(1/3)}}\right)}{3a^6(a/b)^{(1/3)}} + \frac{(\sqrt{c-ab^3d+a^2b^2e-a^3b^2f})\log\left(x^2-x\left(\frac{a}{b}\right)^{(1/3)}+\left(\frac{a}{b}\right)^{(2/3)}\right)}{6a^6(a/b)^{(1/3)}} - \frac{(\sqrt{c-ab^3d+a^2b^2e-a^3b^2f})\log\left(x+\left(\frac{a}{b}\right)^{(1/3)}\right)}{3a^6(a/b)^{(1/3)}} + \frac{7280(\sqrt{c-ab^3d+a^2b^2e-a^3b^2f})x^{15}-1820(ab^3c-ab^4d+a^2b^2e-a^3b^2f)x^{12}+1040(a^2b^3c-a^3b^2d+a^4b^2e-a^5b^2f)x^9-728(a^3b^2c-a^4b^3d+a^5b^4e-a^6b^5f)x^6-455a^5c+560(a^4b^2c-a^5b^3d)}{7280a^{16}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^17/(b*x^3+a), x, algorithm="maxima")

[Out]
$$1/3*\sqrt{3}*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^6*(a/b)^{(1/3)}) + 1/6*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^6*(a/b)^{(1/3)}) - 1/3*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*\log(x + (a/b)^{(1/3)})/(a^6*(a/b)^{(1/3)}) + 1/7280*(7280*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^{15} - 1820*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^{12} + 1040*(a^2*b^3*c - a^3*b^2*d + a^4*b^2*e - a^5*b*f)*x^9 - 728*(a^3*b^2*c - a^4*b^3*d + a^5*b^4*e - a^6*b^5*f)*x^6 - 455*a^5*c + 560*(a^4*b^2*c - a^5*b^3*d)*x^3)/(a^6*x^{16})$$

mupad [B] time = 5.16, size = 323, normalized size = 0.92

$$\frac{\frac{c}{12a} - \frac{a^2(c^2+2cd+2d^2+3e^2+3f^2)}{2a^6} + \frac{a^2(c^2-2cd+3e^2)}{10a^6} + \frac{a^2(c^2+2cd+3e^2+3f^2)}{4a^6} - \frac{a^2(c^2-2cd+3e^2+3f^2)}{4a^6}}{3a^{16}} + \frac{b^{7/3} \ln(b^{1/3}x + a^{1/3})}{3a^{16}} \left(-f a^3 + e a^2 b - d a b^2 + c b^3 \right) + \frac{b^{7/3} \ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}) \left(\frac{1}{2} + \frac{\sqrt{3}x}{2} \right) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3a^{16}} - \frac{b^{7/3} \ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}) \left(\frac{1}{2} + \frac{\sqrt{3}x}{2} \right) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3a^{16}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^17*(a + b*x^3)), x)

[Out]
$$(b^{(7/3)}*\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(19/3)}) - (b^{(7/3)}*\log(b^{(1/3)}*x + a^{(1/3)})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(19/3)}) - (c/(16*a) - (x^9*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(7*a^4) + (x^3*(a*d - b*c)))/$$

$$\frac{(13a^2) + (x^6(b^2c + a^2e - a^2bd))}{(10a^3) + (bx^{12}(b^3c - a^3f - a^2bd + a^2be))} - \frac{(b^2x^{15}(b^3c - a^3f - a^2bd + a^2be))}{(4a^5) - (b^2x^{15}(b^3c - a^3f - a^2bd + a^2be))} - \frac{(b^2x^{15}(b^3c - a^3f - a^2bd + a^2be))}{a^6} / x^{16} - \frac{(b^{7/3} \log(3^{1/2} a^{1/3} 1i - 2b^{1/3} x + a^{1/3})) ((3^{1/2} 1i)/2 - 1/2)(b^3c - a^3f - a^2bd + a^2be)}{(3a^{19/3})}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**17/(b*x**3+a),x)

[Out] Timed out

$$3.198 \quad \int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=220

$$\frac{x^9(3a^2f - 2abe + b^2d)}{9b^4} + \frac{a^3(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^7(a + bx^3)} + \frac{a^2 \log(a + bx^3)(-6a^3f + 5a^2be - 4ab^2d + 3b^3c)}{3b^7} + a$$

Rubi [A] time = 0.34, antiderivative size = 220, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^6(3a^2be - 4a^3f - 2ab^2d + b^3c)}{6b^5} - \frac{ax^3(4a^2be - 5a^3f - 3ab^2d + 2b^3c)}{3b^6} + \frac{a^3(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^7(a + bx^3)} + \frac{a^2 \log(a + bx^3)(5a^2be - 6a^3f - 4ab^2d + 3b^3c)}{3b^7} + \frac{x^9(3a^2f - 2abe + b^2d)}{9b^4} + \frac{x^{12}(be - 2af)}{12b^3} + \frac{fx^{15}}{15b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] -(a*(2*b^3*c - 3*a*b^2*d + 4*a^2*b*e - 5*a^3*f)*x^3)/(3*b^6) + ((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^6)/(6*b^5) + ((b^2*d - 2*a*b*e + 3*a^2*f)*x^9)/(9*b^4) + ((b*e - 2*a*f)*x^12)/(12*b^3) + (f*x^15)/(15*b^2) + (a^3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(3*b^7*(a + b*x^3)) + (a^2*(3*b^3*c - 4*a*b^2*d + 5*a^2*b*e - 6*a^3*f)*Log[a + b*x^3])/(3*b^7)

Rule 1620

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_)^n_)^p_, x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^{11} (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x^3 (c + dx + ex^2 + fx^3)}{(a + bx)^2} dx, x, x^3 \right) \\
&= \frac{1}{3} \text{Subst} \left(\int \left(\frac{a(-2b^3c + 3ab^2d - 4a^2be + 5a^3f)}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)}{b^5} \right) \right. \\
&= -\frac{a(2b^3c - 3ab^2d + 4a^2be - 5a^3f)x^3}{3b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^6}{6b^5} + \dots
\end{aligned}$$

Mathematica [A] time = 0.21, size = 205, normalized size = 0.93

$$\frac{20b^3x^9(3a^2f - 2abe + b^2d) + 30b^2x^6(-4a^3f + 3a^2be - 2ab^2d + b^3c) + 60abx^3(5a^3f - 4a^2be + 3ab^2d - 2b^3c) - \frac{60a^2(b^3f - a^2be + ab^2d - b^3c)}{a+bx^3} + 60a^2 \log(a + bx^3)(-6a^3f + 5a^2be - 4ab^2d + 3b^3c) + 15b^4x^{12}(be - 2af) + 12b^5fx^{15}}{180b^7}$$

Antiderivative was successfully verified.

[In] Integrate[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (60*a*b*(-2*b^3*c + 3*a*b^2*d - 4*a^2*b*e + 5*a^3*f)*x^3 + 30*b^2*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^6 + 20*b^3*(b^2*d - 2*a*b*e + 3*a^2*f)*x^9 + 15*b^4*(b*e - 2*a*f)*x^12 + 12*b^5*f*x^15 - (60*a^3*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3) + 60*a^2*(3*b^3*c - 4*a*b^2*d + 5*a^2*b*e - 6*a^3*f)*Log[a + b*x^3])/(180*b^7)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^{11} (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2, x]

fricas [A] time = 0.41, size = 303, normalized size = 1.38

$$\frac{12b^4x^{18} + 3(5b^4c - 6ab^2f)x^{15} + 5(4b^4d - 5ab^2e + 6a^2b^2f)x^{12} + 10(3b^4c - 4ab^2d + 5a^2b^2e - 6a^3b^2f)x^9 + 60a^2b^2c - 60a^2b^2d + 60a^2be - 60a^2bf - 30(3ab^2c - 4a^2b^2d + 5a^2b^2e - 6a^2b^2f)x^6 - 60(2a^2b^2c - 3a^2b^2d + 4a^2b^2e - 5a^2b^2f)x^3 + 60(3a^2b^2c - 4a^2b^2d + 5a^2b^2e - 6a^2b^2f)x^0 \log(bx^3 + a)}{180(b^3 + ab^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")


```
[Out] 1/180*(12*b^6*f*x^18 + 3*(5*b^6*e - 6*a*b^5*f)*x^15 + 5*(4*b^6*d - 5*a*b^5*
e + 6*a^2*b^4*f)*x^12 + 10*(3*b^6*c - 4*a*b^5*d + 5*a^2*b^4*e - 6*a^3*b^3*f
)*x^9 + 60*a^3*b^3*c - 60*a^4*b^2*d + 60*a^5*b*e - 60*a^6*f - 30*(3*a*b^5*c
- 4*a^2*b^4*d + 5*a^3*b^3*e - 6*a^4*b^2*f)*x^6 - 60*(2*a^2*b^4*c - 3*a^3*b
^3*d + 4*a^4*b^2*e - 5*a^5*b*f)*x^3 + 60*(3*a^3*b^3*c - 4*a^4*b^2*d + 5*a^5
*b*e - 6*a^6*f + (3*a^2*b^4*c - 4*a^3*b^3*d + 5*a^4*b^2*e - 6*a^5*b*f)*x^3)
*log(b*x^3 + a)/(b^8*x^3 + a*b^7)
```

giac [A] time = 0.25, size = 300, normalized size = 1.36

$$\frac{(3a^2b^2c - 4a^2bd - 6a^2f + 5a^2be) \log(bx^3 + a)}{3b^7} - \frac{3a^2b^2c^2 - 4a^2b^2d^2 - 6a^2bf^2 + 5a^2b^2c^2e + 2a^2b^2c - 3a^2bd - 5a^2f + 4a^2be}{3(b^3 + a)b^7} + \frac{12b^6fx^{15} - 30ab^5fx^{12} + 15b^6fx^{12}e + 20b^6d^2x^9 + 60a^2b^4fx^6 - 40ab^5c^2e + 30b^6c^2e - 60ab^5d^2e - 120a^2b^4fx^6 + 90a^2b^4c^2e - 120ab^5c^2e + 180a^2b^4d^2x^3 + 300a^4b^4fx^3 - 240a^2b^4c^2e}{180b^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")
```

```
[Out] 1/3*(3*a^2*b^3*c - 4*a^3*b^2*d - 6*a^5*f + 5*a^4*b*e)*log(abs(b*x^3 + a))/b
^7 - 1/3*(3*a^2*b^4*c*x^3 - 4*a^3*b^3*d*x^3 - 6*a^5*b*f*x^3 + 5*a^4*b^2*x^3
*e + 2*a^3*b^3*c - 3*a^4*b^2*d - 5*a^6*f + 4*a^5*b*e)/((b*x^3 + a)*b^7) + 1
/180*(12*b^8*f*x^15 - 30*a*b^7*f*x^12 + 15*b^8*x^12*e + 20*b^8*d*x^9 + 60*a
^2*b^6*f*x^9 - 40*a*b^7*x^9*e + 30*b^8*c*x^6 - 60*a*b^7*d*x^6 - 120*a^3*b^5
*f*x^6 + 90*a^2*b^6*x^6*e - 120*a*b^7*c*x^3 + 180*a^2*b^6*d*x^3 + 300*a^4*b
^4*f*x^3 - 240*a^3*b^5*x^3*e)/b^10
```

maple [A] time = 0.06, size = 288, normalized size = 1.31

$$\frac{fx^{15}}{15b^2} - \frac{afx^{12}}{6b^3} + \frac{cx^{12}}{12b^2} + \frac{a^2fx^9}{3b^4} - \frac{2aecx^9}{9b^3} + \frac{dx^9}{9b^2} + \frac{2a^3fx^6}{3b^5} + \frac{a^2ex^6}{2b^4} - \frac{adx^6}{3b^3} + \frac{cx^6}{6b^2} + \frac{5a^4fx^3}{3b^6} - \frac{4a^3ex^3}{3b^5} + \frac{a^2dx^3}{b^4} - \frac{2aecx^3}{3b^3} - \frac{af}{3(b^3+a)b^2} + \frac{a^2e}{3(b^3+a)b^6} - \frac{2a^2f \ln(bx^3+a)}{b^2} - \frac{a^4d}{3(b^3+a)b^5} + \frac{5a^4e \ln(bx^3+a)}{3b^6} + \frac{a^3c}{3(b^3+a)b^4} - \frac{4a^3d \ln(bx^3+a)}{3b^5} + \frac{a^2c \ln(bx^3+a)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)
```

```
[Out] 1/15*f*x^15/b^2-1/6/b^3*x^12*a*f+1/12/b^2*x^12*e+1/3/b^4*x^9*a^2*f-2/9/b^3*
x^9*a*e+1/9/b^2*x^9*d-2/3/b^5*x^6*a^3*f+1/2/b^4*x^6*a^2*e-1/3/b^3*x^6*a*d+1
/6/b^2*x^6*c+5/3/b^6*x^3*a^4*f-4/3/b^5*x^3*a^3*e+1/b^4*x^3*a^2*d-2/3/b^3*x^
3*a*c-2*a^5/b^7*ln(b*x^3+a)*f+5/3*a^4/b^6*ln(b*x^3+a)*e-4/3*a^3/b^5*ln(b*x^
3+a)*d+a^2/b^4*ln(b*x^3+a)*c-1/3*a^6/b^7/(b*x^3+a)*f+1/3*a^5/b^6/(b*x^3+a)*
e-1/3*a^4/b^5/(b*x^3+a)*d+1/3*a^3/b^4/(b*x^3+a)*c
```

maxima [A] time = 1.30, size = 222, normalized size = 1.01

$$\frac{a^2b^3c - a^4b^2d + a^2be - a^6f}{3(b^3x^3 + ab^7)} + \frac{12b^4fx^{15} + 15(b^4e - 2ab^3f)x^{12} + 20(b^4d - 2ab^2e + 3a^2b^2f)x^9 + 30(b^4c - 2ab^3d + 3a^2b^2e - 4a^2bf)x^6 - 60(2ab^3c - 3a^2b^2d + 4a^3be - 5a^4f)x^3}{180b^6} + \frac{(3a^2b^2c - 4a^2b^2d + 5a^4be - 6a^5f) \log(bx^3 + a)}{3b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")
```

[Out] $\frac{1}{3}*(a^3*b^3*c - a^4*b^2*d + a^5*b*e - a^6*f)/(b^8*x^3 + a*b^7) + \frac{1}{180}*(12*b^4*f*x^{15} + 15*(b^4*e - 2*a*b^3*f)*x^{12} + 20*(b^4*d - 2*a*b^3*e + 3*a^2*b^2*f)*x^9 + 30*(b^4*c - 2*a*b^3*d + 3*a^2*b^2*e - 4*a^3*b*f)*x^6 - 60*(2*a*b^3*c - 3*a^2*b^2*d + 4*a^3*b*e - 5*a^4*f)*x^3)/b^6 + \frac{1}{3}*(3*a^2*b^3*c - 4*a^3*b^2*d + 5*a^4*b*e - 6*a^5*f)*\log(b*x^3 + a)/b^7$

mupad [B] time = 4.99, size = 356, normalized size = 1.62

$$x^{12} \left(\frac{c}{12b^2} - \frac{af}{6b^3} \right) - x^3 \left(\frac{2a \left(\frac{c}{b} - \frac{a \left(\frac{c}{b} - \frac{2af}{b^2} \right)}{3b} + \frac{2a \left(\frac{c}{b} - \frac{2af}{b^2} \right)}{3b} \right)}{3b} - \frac{a^2 \left(\frac{c}{b} - \frac{d}{b} + \frac{2a \left(\frac{c}{b} - \frac{2af}{b^2} \right)}{b} \right)}{3b^2} \right) - x^6 \left(\frac{a^2 f}{9b^4} - \frac{d}{9b^2} + \frac{2a \left(\frac{c}{b} - \frac{2af}{b^2} \right)}{9b} \right) + x^9 \left(\frac{c}{6b^2} - \frac{a^2 \left(\frac{c}{b} - \frac{2af}{b^2} \right)}{6b^2} + \frac{a \left(\frac{c}{b} - \frac{d}{b} + \frac{2a \left(\frac{c}{b} - \frac{2af}{b^2} \right)}{b} \right)}{3b} \right) - \frac{\ln(bx^3 + a) (6f a^5 - 5e a^4 b + 4d a^3 b^2 - 3c a^2 b^3)}{3b^7} + \frac{f x^{15}}{15b^2} - \frac{f a^6 - e a^5 b + d a^4 b^2 - c a^3 b^3}{3b (b^7 x^3 + a b^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^{11}*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2, x)$

[Out] $x^{12}*(e/(12*b^2) - (a*f)/(6*b^3)) - x^3*((2*a*(c/b^2 - (a^2*(e/b^2 - (2*a*f)/b^3))/b^2 + (2*a*((a^2*f)/b^4 - d/b^2 + (2*a*(e/b^2 - (2*a*f)/b^3))/b))/b)/(3*b) - (a^2*((a^2*f)/b^4 - d/b^2 + (2*a*(e/b^2 - (2*a*f)/b^3))/b))/(3*b^2)) - x^9*((a^2*f)/(9*b^4) - d/(9*b^2) + (2*a*(e/b^2 - (2*a*f)/b^3))/(9*b)) + x^6*(c/(6*b^2) - (a^2*(e/b^2 - (2*a*f)/b^3))/(6*b^2) + (a*((a^2*f)/b^4 - d/b^2 + (2*a*(e/b^2 - (2*a*f)/b^3))/b))/(3*b)) - (\log(a + b*x^3)*(6*a^5*f - 3*a^2*b^3*c + 4*a^3*b^2*d - 5*a^4*b*e))/(3*b^7) + (f*x^{15})/(15*b^2) - (a^6*f - a^3*b^3*c + a^4*b^2*d - a^5*b*e)/(3*b*(a*b^6 + b^7*x^3))$

sympy [A] time = 14.42, size = 236, normalized size = 1.07

$$\frac{a^2 (6a^3 f - 5a^2 b e + 4a b^2 d - 3b^3 c) \log(a + b x^3)}{3b^7} + x^{12} \left(-\frac{a f}{6b^3} + \frac{e}{12b^2} \right) + x^9 \left(\frac{a^2 f}{3b^4} - \frac{2a e}{9b^3} + \frac{d}{9b^2} \right) + x^6 \left(-\frac{2a^3 f}{3b^5} + \frac{a^2 e}{2b^4} - \frac{a d}{3b^3} + \frac{c}{6b^2} \right) + x^3 \left(\frac{5a^4 f}{3b^6} - \frac{4a^3 e}{3b^5} + \frac{a^2 d}{b^4} - \frac{2a c}{3b^3} \right) + \frac{-a^6 f + a^5 b e - a^4 b^2 d + a^3 b^3 c}{3a b^7 + 3b^8 x^3} + \frac{f x^{15}}{15b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^{11}*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)**2, x)$

[Out] $-a^{**2}*(6*a^{**3}*f - 5*a^{**2}*b*e + 4*a*b^{**2}*d - 3*b^{**3}*c)*\log(a + b*x^{**3})/(3*b^{**7}) + x^{**12}*(-a*f/(6*b^{**3}) + e/(12*b^{**2})) + x^{**9}*(a^{**2}*f/(3*b^{**4}) - 2*a*e/(9*b^{**3}) + d/(9*b^{**2})) + x^{**6}*(-2*a^{**3}*f/(3*b^{**5}) + a^{**2}*e/(2*b^{**4}) - a*d/(3*b^{**3}) + c/(6*b^{**2})) + x^{**3}*(5*a^{**4}*f/(3*b^{**6}) - 4*a^{**3}*e/(3*b^{**5}) + a^{**2}*d/b^{**4} - 2*a*c/(3*b^{**3})) + (-a^{**6}*f + a^{**5}*b*e - a^{**4}*b^{**2}*d + a^{**3}*b^{**3}*c)/(3*a*b^{**7} + 3*b^{**8}*x^{**3}) + f*x^{**15}/(15*b^{**2})$

$$3.199 \quad \int \frac{x^8(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=180

$$\frac{x^6(3a^2f - 2abe + b^2d)}{6b^4} - \frac{a^2(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^6(a + bx^3)} - \frac{a \log(a + bx^3)(-5a^3f + 4a^2be - 3ab^2d + 2b^3c)}{3b^6} + x^3$$

Rubi [A] time = 0.26, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^3(3a^2be - 4a^3f - 2ab^2d + b^3c)}{3b^5} - \frac{a^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^6(a + bx^3)} - \frac{a \log(a + bx^3)(4a^2be - 5a^3f - 3ab^2d + 2b^3c)}{3b^6} + \frac{x^6(3a^2f - 2abe + b^2d)}{6b^4} + \frac{x^9(be - 2af)}{9b^3} + \frac{fx^{12}}{12b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] ((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^3)/(3*b^5) + ((b^2*d - 2*a*b*e + 3*a^2*f)*x^6)/(6*b^4) + ((b*e - 2*a*f)*x^9)/(9*b^3) + (f*x^12)/(12*b^2) - (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(3*b^6*(a + b*x^3)) - (a*(2*b^3*c - 3*a*b^2*d + 4*a^2*b*e - 5*a^3*f)*Log[a + b*x^3])/(3*b^6)

Rule 1620

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_))^(n_))^(p_), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{x^8 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx = \frac{1}{3} \text{Subst} \left(\int \frac{x^2 (c + dx + ex^2 + fx^3)}{(a + bx)^2} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^3c - 2ab^2d + 3a^2be - 4a^3f}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)}{b^3} \right) dx, x, x^3 \right)$$

$$= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^3}{3b^5} + \frac{(b^2d - 2abe + 3a^2f)x^6}{6b^4} + \frac{(be - 2af)x^9}{9b^3} + \frac{f}{18b^2}$$

Mathematica [A] time = 0.14, size = 167, normalized size = 0.93

$$\frac{6b^2x^6(3a^2f - 2abe + b^2d) + 12bx^3(-4a^3f + 3a^2be - 2ab^2d + b^3c) + \frac{12a^2(a^3f - a^2be + ab^2d - b^3c)}{a+bx^3} + 12a \log(a + bx^3)(5a^3f - 4a^2be + 3ab^2d - 2b^3c) + 4b^3x^9(be - 2af) + 3b^4fx^{12}}{36b^6}$$

Antiderivative was successfully verified.

[In] Integrate[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (12*b*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^3 + 6*b^2*(b^2*d - 2*a*b*e + 3*a^2*f)*x^6 + 4*b^3*(b*e - 2*a*f)*x^9 + 3*b^4*f*x^12 + (12*a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3) + 12*a*(-2*b^3*c + 3*a*b^2*d - 4*a^2*b*e + 5*a^3*f)*Log[a + b*x^3])/(36*b^6)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^8 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2, x]

fricas [A] time = 0.40, size = 257, normalized size = 1.43

$$\frac{3b^2fx^{12} + (4b^3c - 5ab^2f)x^{12} + 2(3b^2d - 4ab^2e + 5a^2b^2f)x^9 + 6(2b^3c - 3ab^2d + 4a^2b^2e - 5a^3b^2f)x^6 - 12a^2b^3c + 12a^2b^2d - 12a^2b^2e + 12a^2b^2f + 12(ab^3c - 2a^2b^3d + 3a^2b^3e - 4a^2b^3f)x^3 - 12(2a^2b^3c - 3a^2b^3d + 4a^2b^3e - 5a^2b^3f) + (2ab^3c - 3a^2b^3d + 4a^2b^3e - 5a^2b^3f)x^2 \log(bx^3 + a)}{36(b^3x^3 + ab^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $1/36*(3*b^5*f*x^{15} + (4*b^5*e - 5*a*b^4*f)*x^{12} + 2*(3*b^5*d - 4*a*b^4*e + 5*a^2*b^3*f)*x^9 + 6*(2*b^5*c - 3*a*b^4*d + 4*a^2*b^3*e - 5*a^3*b^2*f)*x^6 - 12*a^2*b^3*c + 12*a^3*b^2*d - 12*a^4*b*e + 12*a^5*f + 12*(a*b^4*c - 2*a^2*b^3*d + 3*a^3*b^2*e - 4*a^4*b*f)*x^3 - 12*(2*a^2*b^3*c - 3*a^3*b^2*d + 4*a^4*b*e - 5*a^5*f + (2*a*b^4*c - 3*a^2*b^3*d + 4*a^3*b^2*e - 5*a^4*b*f)*x^3) * \log(b*x^3 + a))/(b^7*x^3 + a*b^6)$

giac [A] time = 0.18, size = 248, normalized size = 1.38

$$\frac{(2ab^3c - 3a^2b^2d - 5a^4f + 4a^3be) \log(bx^3 + a)}{3b^6} + \frac{2ab^4cx^3 - 3a^2b^3dx^3 - 5a^4bf^3 + 4a^3b^2x^2e + a^2b^3c - 2a^3b^2d - 4a^5f + 3a^4be + 3b^6fx^{12} - 8ab^5fx^9 + 4b^6x^6e + 6b^6dx^6 + 18a^2b^4fx^6 - 12ab^5x^6e + 12b^6cx^3 - 24ab^5dx^3 - 48a^2b^3fx^3 + 36a^2b^4x^3e}{3(bx^3 + a)b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")`

[Out] $-1/3*(2*a*b^3*c - 3*a^2*b^2*d - 5*a^4*f + 4*a^3*b*e) * \log(\text{abs}(b*x^3 + a))/b^6 + 1/3*(2*a*b^4*c*x^3 - 3*a^2*b^3*d*x^3 - 5*a^4*b*f*x^3 + 4*a^3*b^2*x^3*e + a^2*b^3*c - 2*a^3*b^2*d - 4*a^5*f + 3*a^4*b*e)/((b*x^3 + a)*b^6) + 1/36*(3*b^6*f*x^{12} - 8*a*b^5*f*x^9 + 4*b^6*x^9*e + 6*b^6*d*x^6 + 18*a^2*b^4*f*x^6 - 12*a*b^5*x^6*e + 12*b^6*c*x^3 - 24*a*b^5*d*x^3 - 48*a^3*b^3*f*x^3 + 36*a^2*b^4*x^3*e)/b^8$

maple [A] time = 0.06, size = 240, normalized size = 1.33

$$\frac{fx^{12}}{12b^2} - \frac{2afx^9}{9b^3} + \frac{ex^6}{9b^2} + \frac{a^2fx^6}{2b^4} - \frac{acx^6}{3b^3} + \frac{dx^6}{6b^2} - \frac{4a^3fx^3}{3b^5} + \frac{a^2ex^3}{b^4} - \frac{2adx^3}{3b^3} + \frac{cx^3}{3b^2} + \frac{a^2f}{3(bx^3+a)b^6} - \frac{a^4e}{3(bx^3+a)b^5} + \frac{5a^4f \ln(bx^3+a)}{3b^6} + \frac{a^3d}{3(bx^3+a)b^4} - \frac{4a^3e \ln(bx^3+a)}{3b^5} - \frac{a^2c}{3(bx^3+a)b^3} + \frac{a^2d \ln(bx^3+a)}{b^4} - \frac{2ac \ln(bx^3+a)}{3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)`

[Out] $1/12*f*x^{12}/b^2 - 2/9/b^3*x^9*a*f + 1/9/b^2*x^9*e + 1/2/b^4*x^6*a^2*f - 1/3/b^3*x^6*a*e + 1/6/b^2*x^6*d - 4/3*a^3/b^5*f*x^3 + a^2/b^4*e*x^3 - 2/3*a/b^3*d*x^3 + 1/3/b^2*c*x^3 + 5/3*a^4/b^6*\ln(b*x^3+a)*f - 4/3*a^3/b^5*\ln(b*x^3+a)*e + a^2/b^4*\ln(b*x^3+a)*d - 2/3*a/b^3*\ln(b*x^3+a)*c + 1/3*a^5/b^6/(b*x^3+a)*f - 1/3*a^4/b^5/(b*x^3+a)*e + 1/3*a^3/b^4/(b*x^3+a)*d - 1/3*a^2/b^3/(b*x^3+a)*c$

maxima [A] time = 1.38, size = 180, normalized size = 1.00

$$\frac{a^2b^3c - a^3b^2d + a^4be - a^5f}{3(b^7x^3 + ab^6)} + \frac{3b^3fx^{12} + 4(b^3e - 2ab^2f)x^9 + 6(b^3d - 2ab^2e + 3a^2bf)x^6 + 12(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^3}{36b^5} - \frac{(2ab^3c - 3a^2b^2d + 4a^3be - 5a^4f) \log(bx^3 + a)}{3b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")`

[Out] $-1/3*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)/(b^7*x^3 + a*b^6) + 1/36*(3*b^3*f*x^{12} + 4*(b^3*e - 2*a*b^2*f)*x^9 + 6*(b^3*d - 2*a*b^2*e + 3*a^2*b*f)*$

$$x^6 + 12*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^3)/b^5 - 1/3*(2*a*b^3*c - 3*a^2*b^2*d + 4*a^3*b*e - 5*a^4*f)*\log(b*x^3 + a)/b^6$$

mupad [B] time = 5.00, size = 233, normalized size = 1.29

$$x^9 \left(\frac{e}{9b^2} - \frac{2af}{9b^3} \right) - x^6 \left(\frac{a^2f}{6b^4} - \frac{d}{6b^2} + \frac{a \left(\frac{c}{b^2} - \frac{2af}{b^3} \right)}{3b} \right) + x^3 \left(\frac{c}{3b^2} - \frac{a^2 \left(\frac{c}{b^2} - \frac{2af}{b^3} \right)}{3b^2} + \frac{2a \left(\frac{a^2f}{b^4} - \frac{d}{b^2} + \frac{2a \left(\frac{c}{b^2} - \frac{2af}{b^3} \right)}{b} \right)}{3b} \right) + \frac{fx^{12}}{12b^2} + \frac{fa^5 - ea^4b + da^3b^2 - ca^2b^3}{3b(b^6x^3 + ab^5)} + \frac{\ln(bx^3 + a)(5fa^4 - 4ea^3b + 3da^2b^2 - 2cab^3)}{3b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] $x^9*(e/(9*b^2) - (2*a*f)/(9*b^3)) - x^6*((a^2*f)/(6*b^4) - d/(6*b^2) + (a*(e/b^2 - (2*a*f)/b^3))/(3*b)) + x^3*(c/(3*b^2) - (a^2*(e/b^2 - (2*a*f)/b^3))/(3*b^2) + (2*a*((a^2*f)/b^4 - d/b^2 + (2*a*(e/b^2 - (2*a*f)/b^3))/b))/(3*b)) + (f*x^{12})/(12*b^2) + (a^5*f - a^2*b^3*c + a^3*b^2*d - a^4*b*e)/(3*b*(a*b^5 + b^6*x^3)) + (\log(a + b*x^3)*(5*a^4*f + 3*a^2*b^2*d - 2*a*b^3*c - 4*a^3*b*e))/(3*b^6)$

sympy [A] time = 12.38, size = 189, normalized size = 1.05

$$\frac{a(5a^3f - 4a^2be + 3ab^2d - 2b^3c)\log(a + bx^3)}{3b^6} + x^9 \left(-\frac{2af}{9b^3} + \frac{e}{9b^2} \right) + x^6 \left(\frac{a^2f}{2b^4} - \frac{ae}{3b^3} + \frac{d}{6b^2} \right) + x^3 \left(-\frac{4a^3f}{3b^5} + \frac{a^2e}{b^4} - \frac{2ad}{3b^3} + \frac{c}{3b^2} \right) + \frac{a^5f - a^4be + a^3b^2d - a^2b^3c}{3ab^6 + 3b^7x^3} + \frac{fx^{12}}{12b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**8*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] $a*(5*a**3*f - 4*a**2*b*e + 3*a*b**2*d - 2*b**3*c)*\log(a + b*x**3)/(3*b**6) + x**9*(-2*a*f/(9*b**3) + e/(9*b**2)) + x**6*(a**2*f/(2*b**4) - a*e/(3*b**3) + d/(6*b**2)) + x**3*(-4*a**3*f/(3*b**5) + a**2*e/b**4 - 2*a*d/(3*b**3) + c/(3*b**2)) + (a**5*f - a**4*b*e + a**3*b**2*d - a**2*b**3*c)/(3*a*b**6 + 3*b**7*x**3) + f*x**12/(12*b**2)$

$$3.200 \quad \int \frac{x^5(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=140

$$\frac{x^3(3a^2f - 2abe + b^2d)}{3b^4} + \frac{a(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^5(a + bx^3)} + \frac{\log(a + bx^3)(-4a^3f + 3a^2be - 2ab^2d + b^3c)}{3b^5} + \frac{x^6(be - 2af)}{6b^3} + \frac{fx^9}{9b^2}$$

Rubi [A] time = 0.20, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^5(a + bx^3)} + \frac{\log(a + bx^3)(3a^2be - 4a^3f - 2ab^2d + b^3c)}{3b^5} + \frac{x^3(3a^2f - 2abe + b^2d)}{3b^4} + \frac{x^6(be - 2af)}{6b^3} + \frac{fx^9}{9b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] ((b^2*d - 2*a*b*e + 3*a^2*f)*x^3)/(3*b^4) + ((b*e - 2*a*f)*x^6)/(6*b^3) + (f*x^9)/(9*b^2) + (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(3*b^5*(a + b*x^3)) + ((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*Log[a + b*x^3])/(3*b^5)

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_.)*(x_)^n_)^p_, x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{x^5 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx = \frac{1}{3} \text{Subst} \left(\int \frac{x (c + dx + ex^2 + fx^3)}{(a + bx)^2} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^2d - 2abe + 3a^2f}{b^4} + \frac{(be - 2af)x}{b^3} + \frac{fx^2}{b^2} + \frac{a(-b^3c + ab^2d - a^2be)}{b^4(a + bx)^2} \right) dx, x, x^3 \right)$$

$$= \frac{(b^2d - 2abe + 3a^2f)x^3}{3b^4} + \frac{(be - 2af)x^6}{6b^3} + \frac{fx^9}{9b^2} + \frac{a(b^3c - ab^2d + a^2be - a^3f)}{3b^5(a + bx^3)} +$$

Mathematica [A] time = 0.12, size = 129, normalized size = 0.92

$$\frac{6bx^3(3a^2f - 2abe + b^2d) + \frac{6a(a^3(-f) + a^2be - ab^2d + b^3c)}{a + bx^3} + 6 \log(a + bx^3)(-4a^3f + 3a^2be - 2ab^2d + b^3c) + 3b^2x^6(be - 2af) + 2b^3fx^9}{18b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (6*b*(b^2*d - 2*a*b*e + 3*a^2*f)*x^3 + 3*b^2*(b*e - 2*a*f)*x^6 + 2*b^3*f*x^9 + (6*a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(a + b*x^3) + 6*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*Log[a + b*x^3])/(18*b^5)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2, x]

fricas [A] time = 0.40, size = 202, normalized size = 1.44

$$\frac{2b^4fx^{12} + (3b^4e - 4ab^3f)x^9 + 3(2b^4d - 3ab^3e + 4a^2b^2f)x^6 + 6ab^3c - 6a^2b^2d + 6a^3be - 6a^4f + 6(ab^3d - 2a^2b^2e + 3a^3bf)x^3 + 6(ab^3c - 2a^2b^2d + 3a^3be - 4a^4f + (b^4c - 2ab^3d + 3a^2b^2e - 4a^3bf)x^3) \log(bx^3 + a)}{18(b^6x^3 + ab^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/18*(2*b^4*f*x^12 + (3*b^4*e - 4*a*b^3*f)*x^9 + 3*(2*b^4*d - 3*a*b^3*e + 4*a^2*b^2*f)*x^6 + 6*a*b^3*c - 6*a^2*b^2*d + 6*a^3*b*e - 6*a^4*f + 6*(a*b^3*c

$$d - 2a^2b^2e + 3a^3bf)x^3 + 6(a^3c - 2a^2b^2d + 3a^3be - 4a^4f + (b^4c - 2a^3b^3d + 3a^2b^2e - 4a^3bf)x^3) \log(bx^3 + a) / (b^6x^3 + ab^5)$$

giac [A] time = 0.20, size = 217, normalized size = 1.55

$$\frac{(bx^3+a)^3 \left(2f - \frac{3(4abf-b^2e)}{(bx^3+a)b} + \frac{6(b^4d+6a^2b^2f-3ab^3e)}{(bx^3+a)^2b^2} \right) - 6(b^3c-2ab^2d-4a^3f+3a^2be) \log\left(\frac{|bx^3+a|}{(bx^3+a)^2|b|}\right) + 6\left(\frac{ab^6c}{bx^3+a} - \frac{a^2b^5d}{bx^3+a} - \frac{a^4b^3f}{bx^3+a} + \frac{a^3b^4e}{bx^3+a}\right)}{18b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/18*((b*x^3 + a)^3*(2*f - 3*(4*a*b*f - b^2*e)/((b*x^3 + a)*b) + 6*(b^4*d + 6*a^2*b^2*f - 3*a*b^3*e)/((b*x^3 + a)^2*b^2))/b^4 - 6*(b^3*c - 2*a*b^2*d - 4*a^3*f + 3*a^2*b*e)*log(abs(b*x^3 + a)/((b*x^3 + a)^2*abs(b)))/b^4 + 6*(a*b^6*c/(b*x^3 + a) - a^2*b^5*d/(b*x^3 + a) - a^4*b^3*f/(b*x^3 + a) + a^3*b^4*e/(b*x^3 + a))/b^7)/b

maple [A] time = 0.06, size = 192, normalized size = 1.37

$$\frac{fx^9}{9b^2} - \frac{afx^6}{3b^3} + \frac{ex^6}{6b^2} + \frac{a^2fx^3}{b^4} - \frac{2aex^3}{3b^3} + \frac{dx^3}{3b^2} - \frac{a^4f}{3(bx^3+a)b^5} + \frac{a^3e}{3(bx^3+a)b^4} - \frac{4a^3f \ln(bx^3+a)}{3b^5} - \frac{a^2d}{3(bx^3+a)b^3} + \frac{a^2e \ln(bx^3+a)}{b^4} + \frac{ac}{3(bx^3+a)b^2} - \frac{2ad \ln(bx^3+a)}{3b^3} + \frac{c \ln(bx^3+a)}{3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] 1/9/b^2*f*x^9-1/3/b^3*x^6*a*f+1/6/b^2*x^6*e+1/b^4*x^3*a^2*f-2/3/b^3*x^3*a*e+1/3/b^2*x^3*d-4/3/b^5*ln(b*x^3+a)*a^3*f+1/b^4*ln(b*x^3+a)*a^2*e-2/3/b^3*ln(b*x^3+a)*a*d+1/3/b^2*ln(b*x^3+a)*c-1/3/b^5*a^4/(b*x^3+a)*f+1/3/b^4*a^3/(b*x^3+a)*e-1/3/b^3*a^2/(b*x^3+a)*d+1/3/b^2*a/(b*x^3+a)*c

maxima [A] time = 1.40, size = 138, normalized size = 0.99

$$\frac{ab^3c - a^2b^2d + a^3be - a^4f}{3(b^6x^3 + ab^5)} + \frac{2b^2fx^9 + 3(b^2e - 2abf)x^6 + 6(b^2d - 2abe + 3a^2f)x^3}{18b^4} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) \log(bx^3 + a)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/3*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)/(b^6*x^3 + a*b^5) + 1/18*(2*b^2*f*x^9 + 3*(b^2*e - 2*a*b*f)*x^6 + 6*(b^2*d - 2*a*b*e + 3*a^2*f)*x^3)/b^4 + 1/3*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*log(b*x^3 + a)/b^5

mupad [B] time = 4.93, size = 155, normalized size = 1.11

$$x^6 \left(\frac{e}{6b^2} - \frac{af}{3b^3} \right) - x^3 \left(\frac{a^2 f}{3b^4} - \frac{d}{3b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{3b} \right) + \frac{\ln(bx^3 + a) (-4fa^3 + 3ea^2b - 2dab^2 + cb^3)}{3b^5} - \frac{fa^4 - ea^3b + da^2b^2 - cab^3}{3b(b^5x^3 + ab^4)} + \frac{fx^9}{9b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] x^6*(e/(6*b^2) - (a*f)/(3*b^3)) - x^3*((a^2*f)/(3*b^4) - d/(3*b^2) + (2*a*(e/b^2 - (2*a*f)/b^3))/(3*b)) + (log(a + b*x^3)*(b^3*c - 4*a^3*f - 2*a*b^2*d + 3*a^2*b*e))/(3*b^5) - (a^4*f + a^2*b^2*d - a*b^3*c - a^3*b*e)/(3*b*(a*b^4 + b^5*x^3)) + (f*x^9)/(9*b^2)

sympy [A] time = 12.81, size = 141, normalized size = 1.01

$$x^6 \left(-\frac{af}{3b^3} + \frac{e}{6b^2} \right) + x^3 \left(\frac{a^2 f}{b^4} - \frac{2ae}{3b^3} + \frac{d}{3b^2} \right) + \frac{-a^4 f + a^3 b e - a^2 b^2 d + ab^3 c}{3ab^5 + 3b^6 x^3} + \frac{fx^9}{9b^2} - \frac{(4a^3 f - 3a^2 b e + 2ab^2 d - b^3 c) \log(a + bx^3)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] x**6*(-a*f/(3*b**3) + e/(6*b**2)) + x**3*(a**2*f/b**4 - 2*a*e/(3*b**3) + d/(3*b**2)) + (-a**4*f + a**3*b*e - a**2*b**2*d + a*b**3*c)/(3*a*b**5 + 3*b**6*x**3) + f*x**9/(9*b**2) - (4*a**3*f - 3*a**2*b*e + 2*a*b**2*d - b**3*c)*log(a + b*x**3)/(3*b**5)

$$3.201 \quad \int \frac{x^2(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=103

$$\frac{\log(a+bx^3)(3a^2f-2abe+b^2d)}{3b^4} - \frac{a^3(-f)+a^2be-ab^2d+b^3c}{3b^4(a+bx^3)} + \frac{x^3(be-2af)}{3b^3} + \frac{fx^6}{6b^2}$$

Rubi [A] time = 0.15, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1819, 1850}

$$-\frac{a^2be+a^3(-f)-ab^2d+b^3c}{3b^4(a+bx^3)} + \frac{\log(a+bx^3)(3a^2f-2abe+b^2d)}{3b^4} + \frac{x^3(be-2af)}{3b^3} + \frac{fx^6}{6b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] ((b*e - 2*a*f)*x^3)/(3*b^3) + (f*x^6)/(6*b^2) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*b^4*(a + b*x^3)) + ((b^2*d - 2*a*b*e + 3*a^2*f)*Log[a + b*x^3])/(3*b^4)

Rule 1819

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_.], x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_.], x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{x^2 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{(a + bx)^2} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{be - 2af}{b^3} + \frac{fx}{b^2} + \frac{b^3c - ab^2d + a^2be - a^3f}{b^3(a + bx)^2} + \frac{b^2d - 2abe + 3a^2f}{b^3(a + bx)} \right) dx, x, x^3 \right) \\ &= \frac{(be - 2af)x^3}{3b^3} + \frac{fx^6}{6b^2} - \frac{b^3c - ab^2d + a^2be - a^3f}{3b^4(a + bx^3)} + \frac{(b^2d - 2abe + 3a^2f) \log(a + bx^3)}{3b^4} \end{aligned}$$

Mathematica [A] time = 0.07, size = 93, normalized size = 0.90

$$\frac{2 \log(a + bx^3) (3a^2f - 2abe + b^2d) + \frac{2(a^3f - a^2be + ab^2d - b^3c)}{a + bx^3} + 2bx^3(be - 2af) + b^2fx^6}{6b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (2*b*(b*e - 2*a*f)*x^3 + b^2*f*x^6 + (2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3) + 2*(b^2*d - 2*a*b*e + 3*a^2*f)*Log[a + b*x^3])/(6*b^4)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2, x]

fricas [A] time = 0.39, size = 143, normalized size = 1.39

$$\frac{b^3fx^9 + (2b^3e - 3ab^2f)x^6 - 2b^3c + 2ab^2d - 2a^2be + 2a^3f + 2(ab^2e - 2a^2bf)x^3 + 2(ab^2d - 2a^2be + 3a^3f + (b^3d - 2ab^2e + 3a^2bf)x^3) \log(bx^3 + a)}{6(b^5x^3 + ab^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/6*(b^3*f*x^9 + (2*b^3*e - 3*a*b^2*f)*x^6 - 2*b^3*c + 2*a*b^2*d - 2*a^2*b*e + 2*a^3*f + 2*(a*b^2*e - 2*a^2*b*f)*x^3 + 2*(a*b^2*d - 2*a^2*b*e + 3*a^3*f + (b^3*d - 2*a*b^2*e + 3*a^2*b*f)*x^3)*log(b*x^3 + a))/(b^5*x^3 + a*b^4)

giac [B] time = 0.19, size = 206, normalized size = 2.00

$$-\frac{1}{6}f\left(\frac{(bx^3+a)^2\left(\frac{6a}{bx^3+a}-1\right)}{b^4}+\frac{6a^2\log\left(\frac{|bx^3+a|}{(bx^3+a)^2|b|}\right)}{b^4}-\frac{2a^3}{(bx^3+a)b^4}\right)+\frac{1}{3}\left(\frac{2a\log\left(\frac{|bx^3+a|}{(bx^3+a)^2|b|}\right)}{b^3}+\frac{bx^3+a}{b^3}-\frac{a^2}{(bx^3+a)b^3}\right)e^{-\frac{d\left(\frac{\log\left(\frac{|bx^3+a|}{(bx^3+a)^2|b|}\right)}{b}-\frac{a}{(bx^3+a)b}\right)}{3b}-\frac{c}{3(bx^3+a)b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-\frac{1}{6}f*((bx^3+a)^2*(6a/(bx^3+a)-1)/b^4+6a^2*\log(\text{abs}(bx^3+a)/((bx^3+a)^2*\text{abs}(b))))/b^4-2a^3/((bx^3+a)*b^4)+1/3*(2a*\log(\text{abs}(bx^3+a)/((bx^3+a)^2*\text{abs}(b))))/b^3+(bx^3+a)/b^3-a^2/((bx^3+a)*b^3))*e-1/3*d*(\log(\text{abs}(bx^3+a)/((bx^3+a)^2*\text{abs}(b))))/b-a/((bx^3+a)*b))/b-1/3*c/((bx^3+a)*b)$

maple [A] time = 0.07, size = 142, normalized size = 1.38

$$\frac{fx^6}{6b^2}-\frac{2afx^3}{3b^3}+\frac{ex^3}{3b^2}+\frac{a^3f}{3(bx^3+a)b^4}-\frac{a^2e}{3(bx^3+a)b^3}+\frac{a^2f\ln(bx^3+a)}{b^4}+\frac{ad}{3(bx^3+a)b^2}-\frac{2ae\ln(bx^3+a)}{3b^3}-\frac{c}{3(bx^3+a)b}+\frac{d\ln(bx^3+a)}{3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] $\frac{1}{6}f*x^6/b^2-2/3/b^3*x^3*a*f+1/3/b^2*x^3*e+1/b^4*\ln(bx^3+a)*a^2*f-2/3/b^3*\ln(bx^3+a)*a*e+1/3/b^2*\ln(bx^3+a)*d+1/3/b^4/(bx^3+a)*a^3*f-1/3/b^3/(bx^3+a)*a^2*e+1/3/b^2/(bx^3+a)*a*d-1/3/b/(bx^3+a)*c$

maxima [A] time = 1.35, size = 98, normalized size = 0.95

$$-\frac{b^3c-ab^2d+a^2be-a^3f}{3(b^5x^3+ab^4)}+\frac{bfx^6+2(be-2af)x^3}{6b^3}+\frac{(b^2d-2abe+3a^2f)\log(bx^3+a)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-\frac{1}{3}*(b^3*c-a*b^2*d+a^2*b*e-a^3*f)/(b^5*x^3+a*b^4)+\frac{1}{6}*(b*f*x^6+2*(b*e-2*a*f)*x^3)/b^3+\frac{1}{3}*(b^2*d-2*a*b*e+3*a^2*f)*\log(bx^3+a)/b^4$

mupad [B] time = 0.09, size = 103, normalized size = 1.00

$$x^3\left(\frac{e}{3b^2}-\frac{2af}{3b^3}\right)+\frac{fx^6}{6b^2}-\frac{-fa^3+ea^2b-dab^2+cb^3}{3b(b^4x^3+ab^3)}+\frac{\ln(bx^3+a)(3fa^2-2eab+db^2)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)`

[Out] $x^3*(e/(3*b^2) - (2*a*f)/(3*b^3)) + (f*x^6)/(6*b^2) - (b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*b*(a*b^3 + b^4*x^3)) + (\log(a + b*x^3)*(b^2*d + 3*a^2*f - 2*a*b*e))/(3*b^4)$

sympy [A] time = 11.61, size = 100, normalized size = 0.97

$$x^3 \left(-\frac{2af}{3b^3} + \frac{e}{3b^2} \right) + \frac{a^3f - a^2be + ab^2d - b^3c}{3ab^4 + 3b^5x^3} + \frac{fx^6}{6b^2} + \frac{(3a^2f - 2abe + b^2d) \log(a + bx^3)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)`

[Out] $x^3*(-2*a*f/(3*b^3) + e/(3*b^2)) + (a^3*f - a^2*b*e + a*b^2*d - b^3*c)/(3*a*b^4 + 3*b^5*x^3) + f*x^6/(6*b^2) + (3*a^2*f - 2*a*b*e + b^2*d)*\log(a + b*x^3)/(3*b^4)$

$$3.202 \quad \int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)^2} dx$$

Optimal. Leaf size=100

$$\frac{c \log(x)}{a^2} - \frac{\log(a+bx^3)(2a^3f - a^2be + b^3c)}{3a^2b^3} + \frac{a^3(-f) + a^2be - ab^2d + b^3c}{3ab^3(a+bx^3)} + \frac{fx^3}{3b^2}$$

Rubi [A] time = 0.13, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be + a^3(-f) - ab^2d + b^3c}{3ab^3(a+bx^3)} - \frac{\log(a+bx^3)(-a^2be + 2a^3f + b^3c)}{3a^2b^3} + \frac{c \log(x)}{a^2} + \frac{fx^3}{3b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^2), x]

[Out] (f*x^3)/(3*b^2) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*a*b^3*(a + b*x^3)) + (c*Log[x])/a^2 - ((b^3*c - a^2*b*e + 2*a^3*f)*Log[a + b*x^3])/(3*a^2*b^3)

Rule 1620

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_)^n_)^p_, x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x(a + bx^3)^2} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x(a + bx)^2} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{f}{b^2} + \frac{c}{a^2x} + \frac{-b^3c + ab^2d - a^2be + a^3f}{ab^2(a + bx)^2} + \frac{-b^3c + a^2be - 2a^3f}{a^2b^2(a + bx)} \right) dx, x, x^3 \right)$$

$$= \frac{fx^3}{3b^2} + \frac{b^3c - ab^2d + a^2be - a^3f}{3ab^3(a + bx^3)} + \frac{c \log(x)}{a^2} - \frac{(b^3c - a^2be + 2a^3f) \log(a + bx^3)}{3a^2b^3}$$

Mathematica [A] time = 0.18, size = 95, normalized size = 0.95

$$\frac{\log(a+bx^3)(-2a^3f+a^2be-b^3c) + \frac{a(a^3(-f)+a^2b(e+fx^3)+ab^2(fx^6-d)+b^3c)}{a+bx^3}}{b^3} + 3c \log(x)$$

$$\frac{\hspace{10em}}{3a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^2), x]

[Out] (3*c*Log[x] + ((a*(b^3*c - a^3*f + a^2*b*(e + f*x^3) + a*b^2*(-d + f*x^6)))/(a + b*x^3) + (-b^3*c) + a^2*b*e - 2*a^3*f)*Log[a + b*x^3])/b^3)/(3*a^2)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^2), x]

fricas [A] time = 0.44, size = 145, normalized size = 1.45

$$\frac{a^2b^2fx^6 + a^3bfx^3 + ab^3c - a^2b^2d + a^3be - a^4f - (ab^3c - a^3be + 2a^4f + (b^4c - a^2b^2e + 2a^3bf)x^3) \log(bx^3 + a) + 3(b^4cx^3 + ab^3c) \log(x)}{3(a^2b^4x^3 + a^3b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{3}(a^2b^2fx^6 + a^3bfx^3 + ab^3c - a^2b^2d + a^3b^2e - a^4f - (ab^3c - a^3b^2e + 2a^4f + (b^4c - a^2b^2e + 2a^3b^2f)x^3)\log(bx^3 + a) + 3(b^4cx^3 + ab^3c)\log(x))/(a^2b^4x^3 + a^3b^3)$

giac [A] time = 0.17, size = 125, normalized size = 1.25

$$\frac{fx^3}{3b^2} + \frac{c \log(|x|)}{a^2} - \frac{(b^3c + 2a^3f - a^2be) \log(|bx^3 + a|)}{3a^2b^3} + \frac{b^4cx^3 + 2a^3bfx^3 - a^2b^2x^3e + 2ab^3c - a^2b^2d + a^4f}{3(bx^3 + a)a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^2,x, algorithm="giac")

[Out] $\frac{1}{3}fx^3/b^2 + c\log(\text{abs}(x))/a^2 - \frac{1}{3}(b^3c + 2a^3f - a^2b^2e)\log(\text{abs}(bx^3 + a))/(a^2b^3) + \frac{1}{3}(b^4cx^3 + 2a^3bfx^3 - a^2b^2x^3e + 2ab^3c - a^2b^2d + a^4f)/((bx^3 + a)a^2b^3)$

maple [A] time = 0.06, size = 125, normalized size = 1.25

$$\frac{fx^3}{3b^2} - \frac{a^2f}{3(bx^3 + a)b^3} + \frac{ae}{3(bx^3 + a)b^2} - \frac{2af \ln(bx^3 + a)}{3b^3} + \frac{c}{3(bx^3 + a)a} + \frac{c \ln(x)}{a^2} - \frac{c \ln(bx^3 + a)}{3a^2} - \frac{d}{3(bx^3 + a)b} + \frac{e \ln(bx^3 + a)}{3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^2,x)

[Out] $\frac{1}{3}/b^2fx^3 - \frac{2}{3}a/b^3\ln(bx^3+a)*f + \frac{1}{3}/b^2\ln(bx^3+a)*e - \frac{1}{3}c*\ln(bx^3+a)/a^2 - \frac{1}{3}a^2/b^3/(bx^3+a)*f + \frac{1}{3}a/b^2/(bx^3+a)*e - \frac{1}{3}/b/(bx^3+a)*d + \frac{1}{3}/a/(bx^3+a)*c + \frac{1}{a^2}c*\ln(x)$

maxima [A] time = 1.32, size = 100, normalized size = 1.00

$$\frac{fx^3}{3b^2} + \frac{b^3c - ab^2d + a^2be - a^3f}{3(ab^4x^3 + a^2b^3)} + \frac{c \log(x^3)}{3a^2} - \frac{(b^3c - a^2be + 2a^3f) \log(bx^3 + a)}{3a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3}fx^3/b^2 + \frac{1}{3}(b^3c - ab^2d + a^2b^2e - a^3f)/(ab^4x^3 + a^2b^3) + \frac{1}{3}c*\log(x^3)/a^2 - \frac{1}{3}(b^3c - a^2b^2e + 2a^3f)*\log(bx^3 + a)/(a^2b^3)$

mupad [B] time = 5.03, size = 100, normalized size = 1.00

$$\frac{fx^3}{3b^2} + \frac{c \ln(x)}{a^2} + \frac{-fa^3 + ea^2b - da^2b^2 + cb^3}{3ab(b^3x^3 + ab^2)} - \frac{\ln(bx^3 + a)(2fa^3 - ea^2b + cb^3)}{3a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^2),x)`

[Out] $(f*x^3)/(3*b^2) + (c*\log(x))/a^2 + (b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*a*b*(a*b^2 + b^3*x^3)) - (\log(a + b*x^3)*(b^3*c + 2*a^3*f - a^2*b*e))/(3*a^2*b^3)$

sympy [A] time = 41.96, size = 95, normalized size = 0.95

$$\frac{-a^3 f + a^2 b e - a b^2 d + b^3 c}{3 a^2 b^3 + 3 a b^4 x^3} + \frac{f x^3}{3 b^2} + \frac{c \log(x)}{a^2} - \frac{(2 a^3 f - a^2 b e + b^3 c) \log\left(\frac{a}{b} + x^3\right)}{3 a^2 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x/(b*x**3+a)**2,x)`

[Out] $(-a**3*f + a**2*b*e - a*b**2*d + b**3*c)/(3*a**2*b**3 + 3*a*b**4*x**3) + f*x**3/(3*b**2) + c*\log(x)/a**2 - (2*a**3*f - a**2*b*e + b**3*c)*\log(a/b + x**3)/(3*a**2*b**3)$

$$3.203 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)^2} dx$$

Optimal. Leaf size=109

$$\frac{\log(a+bx^3)(a^3f-ab^2d+2b^3c)}{3a^3b^2} - \frac{\log(x)(2bc-ad)}{a^3} - \frac{c}{3a^2x^3} - \frac{a^3(-f)+a^2be-ab^2d+b^3c}{3a^2b^2(a+bx^3)}$$

Rubi [A] time = 0.14, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{a^2be+a^3(-f)-ab^2d+b^3c}{3a^2b^2(a+bx^3)} + \frac{\log(a+bx^3)(a^3f-ab^2d+2b^3c)}{3a^3b^2} - \frac{\log(x)(2bc-ad)}{a^3} - \frac{c}{3a^2x^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^2), x]

[Out] -c/(3*a^2*x^3) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*a^2*b^2*(a + b*x^3)) - ((2*b*c - a*d)*Log[x])/a^3 + ((2*b^3*c - a*b^2*d + a^3*f)*Log[a + b*x^3])/ (3*a^3*b^2)

Rule 1620

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_)^n_)^p_, x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^4(a + bx^3)^2} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^2(a + bx)^2} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^2x^2} + \frac{-2bc + ad}{a^3x} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^2b(a + bx)^2} + \frac{2b^3c - ab^2d + a^3f}{a^3b(a + bx)} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{3a^2x^3} - \frac{b^3c - ab^2d + a^2be - a^3f}{3a^2b^2(a + bx^3)} - \frac{(2bc - ad) \log(x)}{a^3} + \frac{(2b^3c - ab^2d + a^3f) \log(a + bx^3)}{3a^3b^2}$$

Mathematica [A] time = 0.15, size = 97, normalized size = 0.89

$$\frac{\frac{\log(a+bx^3)(a^3f-ab^2d+2b^3c)}{b^2} + \frac{a(a^3f-a^2be+ab^2d-b^3c)}{b^2(a+bx^3)} + 3\log(x)(ad-2bc) - \frac{ac}{x^3}}{3a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^2), x]

[Out] (-((a*c)/x^3) + (a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(b^2*(a + b*x^3)) + 3*(-2*b*c + a*d)*Log[x] + ((2*b^3*c - a*b^2*d + a^3*f)*Log[a + b*x^3])/(b^2)/(3*a^3)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^4(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^2), x]

fricas [A] time = 0.44, size = 172, normalized size = 1.58

$$\frac{a^2b^2c + (2ab^3c - a^2b^2d + a^3be - a^4f)x^3 - ((2b^4c - ab^3d + a^3bf)x^6 + (2ab^3c - a^2b^2d + a^4f)x^3) \log(bx^3 + a) + 3((2b^4c - ab^3d)x^6 + (2ab^3c - a^2b^2d)x^3) \log(x)}{3(a^3b^3x^6 + a^4b^2x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $-1/3*(a^2*b^2*c + (2*a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^3 - ((2*b^4*c - a*b^3*d + a^3*b*f)*x^6 + (2*a*b^3*c - a^2*b^2*d + a^4*f)*x^3)*\log(b*x^3 + a) + 3*((2*b^4*c - a*b^3*d)*x^6 + (2*a*b^3*c - a^2*b^2*d)*x^3)*\log(x)/(a^3*b^3*x^6 + a^4*b^2*x^3)$

giac [A] time = 0.21, size = 131, normalized size = 1.20

$$-\frac{(2bc - ad)\log(|x|)}{a^3} + \frac{(2b^3c - ab^2d + a^3f)\log(|bx^3 + a|)}{3a^3b^2} - \frac{a^2bfx^6 + 4b^3cx^3 - 2ab^2dx^3 - a^3fx^3 + 2a^2bx^3e + 2ab^2c}{6(bx^6 + ax^3)a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^2,x, algorithm="giac")`

[Out] $-(2*b*c - a*d)*\log(\text{abs}(x))/a^3 + 1/3*(2*b^3*c - a*b^2*d + a^3*f)*\log(\text{abs}(b*x^3 + a))/(a^3*b^2) - 1/6*(a^2*b*f*x^6 + 4*b^3*c*x^3 - 2*a*b^2*d*x^3 - a^3*f*x^3 + 2*a^2*b*x^3*e + 2*a*b^2*c)/((b*x^6 + a*x^3)*a^2*b^2)$

maple [A] time = 0.06, size = 132, normalized size = 1.21

$$\frac{af}{3(bx^3+a)b^2} + \frac{d}{3(bx^3+a)a} - \frac{bc}{3(bx^3+a)a^2} + \frac{d\ln(x)}{a^2} - \frac{d\ln(bx^3+a)}{3a^2} - \frac{2bc\ln(x)}{a^3} + \frac{2bc\ln(bx^3+a)}{3a^3} - \frac{e}{3(bx^3+a)b} + \frac{f\ln(bx^3+a)}{3b^2} - \frac{c}{3a^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^2,x)`

[Out] $1/3*f*\ln(b*x^3+a)/b^2 - 1/3*d*\ln(b*x^3+a)/a^2 + 2/3*b*c*\ln(b*x^3+a)/a^3 + 1/3*a/b^2/(b*x^3+a)*f - 1/3/b/(b*x^3+a)*e + 1/3/a/(b*x^3+a)*d - 1/3/a^2*b/(b*x^3+a)*c - 1/3/a^2*c/x^3 + d*\ln(x)/a^2 - 2*b*c*\ln(x)/a^3$

maxima [A] time = 1.43, size = 116, normalized size = 1.06

$$-\frac{ab^2c + (2b^3c - ab^2d + a^2be - a^3f)x^3}{3(a^2b^3x^6 + a^3b^2x^3)} - \frac{(2bc - ad)\log(x^3)}{3a^3} + \frac{(2b^3c - ab^2d + a^3f)\log(bx^3 + a)}{3a^3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^2,x, algorithm="maxima")`

[Out] $-1/3*(a*b^2*c + (2*b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3)/(a^2*b^3*x^6 + a^3*b^2*x^3) - 1/3*(2*b*c - a*d)*\log(x^3)/a^3 + 1/3*(2*b^3*c - a*b^2*d + a^3*f)*\log(b*x^3 + a)/(a^3*b^2)$

mupad [B] time = 5.05, size = 109, normalized size = 1.00

$$\frac{\ln(x)(ad - 2bc)}{a^3} - \frac{c}{3a} + \frac{x^3(-fa^3 + ea^2b - dab^2 + 2cb^3)}{3a^2b^2} + \frac{\ln(bx^3 + a)(fa^3 - dab^2 + 2cb^3)}{3a^3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^2),x)
```

```
[Out] (log(x)*(a*d - 2*b*c))/a^3 - (c/(3*a) + (x^3*(2*b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^2*b^2))/(a*x^3 + b*x^6) + (log(a + b*x^3)*(2*b^3*c + a^3*f - a*b^2*d))/(3*a^3*b^2)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**4/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.204 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)^2} dx$$

Optimal. Leaf size=130

$$\frac{2bc-ad}{3a^3x^3} - \frac{c}{6a^2x^6} - \frac{\log(a+bx^3)(a^2e-2abd+3b^2c)}{3a^4} + \frac{\log(x)(a^2e-2abd+3b^2c)}{a^4} + \frac{a^3(-f)+a^2be-ab^2d+b^3c}{3a^3b(a+bx^3)}$$

Rubi [A] time = 0.15, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be+a^3(-f)-ab^2d+b^3c}{3a^3b(a+bx^3)} - \frac{\log(a+bx^3)(a^2e-2abd+3b^2c)}{3a^4} + \frac{\log(x)(a^2e-2abd+3b^2c)}{a^4} + \frac{2bc-ad}{3a^3x^3} - \frac{c}{6a^2x^6}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^2), x]

[Out] -c/(6*a^2*x^6) + (2*b*c - a*d)/(3*a^3*x^3) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*a^3*b*(a + b*x^3)) + ((3*b^2*c - 2*a*b*d + a^2*e)*Log[x])/a^4 - ((3*b^2*c - 2*a*b*d + a^2*e)*Log[a + b*x^3])/(3*a^4)

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_.)*(x_)^n_)^p_., x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^7(a + bx^3)^2} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^3(a + bx)^2} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^2x^3} + \frac{-2bc + ad}{a^3x^2} + \frac{3b^2c - 2abd + a^2e}{a^4x} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^3(a + bx)^2} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{6a^2x^6} + \frac{2bc - ad}{3a^3x^3} + \frac{b^3c - ab^2d + a^2be - a^3f}{3a^3b(a + bx^3)} + \frac{(3b^2c - 2abd + a^2e) \log(x)}{a^4} - \frac{(3b^2c - 2abd + a^2e) \log(a + bx^3)}{a^4}$$

Mathematica [A] time = 0.14, size = 118, normalized size = 0.91

$$\frac{2 \log(a + bx^3)(a^2e - 2abd + 3b^2c) - 6 \log(x)(a^2e - 2abd + 3b^2c) + \frac{a^2c}{x^6} + \frac{2a(a^3f - a^2be + ab^2d - b^3c)}{b(a + bx^3)} + \frac{2a(ad - 2bc)}{x^3}}{6a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^2), x]

[Out] -1/6*((a^2*c)/x^6 + (2*a*(-2*b*c + a*d))/x^3 + (2*a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(b*(a + b*x^3)) - 6*(3*b^2*c - 2*a*b*d + a^2*e)*Log[x] + 2*(3*b^2*c - 2*a*b*d + a^2*e)*Log[a + b*x^3])/a^4

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^7(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^2), x]

fricas [A] time = 0.43, size = 208, normalized size = 1.60

$$\frac{2(3ab^3c - 2a^2b^2d + a^3be - a^4f)x^6 - a^3bc + (3a^2b^2c - 2a^3bd)x^3 - 2((3b^4c - 2ab^3d + a^2b^2e)x^9 + (3ab^3c - 2a^2b^2d + a^3be)x^6) \log(bx^3 + a) + 6((3b^4c - 2ab^3d + a^2b^2e)x^9 + (3ab^3c - 2a^2b^2d + a^3be)x^6) \log(x)}{6(a^4b^2x^9 + a^5bx^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $1/6*(2*(3*a*b^3*c - 2*a^2*b^2*d + a^3*b*e - a^4*f)*x^6 - a^3*b*c + (3*a^2*b^2*c - 2*a^3*b*d)*x^3 - 2*((3*b^4*c - 2*a*b^3*d + a^2*b^2*e)*x^9 + (3*a*b^3*c - 2*a^2*b^2*d + a^3*b*e)*x^6)*\log(b*x^3 + a) + 6*((3*b^4*c - 2*a*b^3*d + a^2*b^2*e)*x^9 + (3*a*b^3*c - 2*a^2*b^2*d + a^3*b*e)*x^6)*\log(x)/(a^4*b^2*x^9 + a^5*b*x^6)$

giac [A] time = 0.17, size = 201, normalized size = 1.55

$$\frac{(3b^3c - 2abd + a^2e)\log(x)}{a^4} - \frac{(3b^3c - 2abd + a^2e)\log(bx^3 + a)}{3a^4b} + \frac{3b^4cx^3 - 2ab^3dx^3 + a^2b^2x^3e + 4ab^3c - 3a^2b^2d - a^4f + 2a^3be}{3(bx^3 + a)a^4b} - \frac{9b^2cx^6 - 6abd^6 + 3a^2x^6e - 4abcx^3 + 2a^2dx^3 + a^2c}{6a^4x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^2,x, algorithm="giac")`

[Out] $(3*b^2*c - 2*a*b*d + a^2*e)*\log(\text{abs}(x))/a^4 - 1/3*(3*b^3*c - 2*a*b^2*d + a^2*b*e)*\log(\text{abs}(b*x^3 + a))/(a^4*b) + 1/3*(3*b^4*c*x^3 - 2*a*b^3*d*x^3 + a^2*b^2*x^3*e + 4*a*b^3*c - 3*a^2*b^2*d - a^4*f + 2*a^3*b*e)/((b*x^3 + a)*a^4*b) - 1/6*(9*b^2*c*x^6 - 6*a*b*d*x^6 + 3*a^2*x^6*e - 4*a*b*c*x^3 + 2*a^2*d*x^3 + a^2*c)/(a^4*x^6)$

maple [A] time = 0.07, size = 167, normalized size = 1.28

$$\frac{e}{3(bx^3+a)a} - \frac{bd}{3(bx^3+a)a^2} + \frac{e\ln(x)}{a^2} - \frac{e\ln(bx^3+a)}{3a^2} + \frac{b^2c}{3(bx^3+a)a^3} - \frac{2bd\ln(x)}{a^3} + \frac{2bd\ln(bx^3+a)}{3a^3} + \frac{3b^2c\ln(x)}{a^4} - \frac{b^2c\ln(bx^3+a)}{a^4} - \frac{f}{3(bx^3+a)b} - \frac{d}{3a^2x^3} + \frac{2bc}{3a^3x^3} - \frac{c}{6a^2x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^2,x)`

[Out] $-1/3*e*\ln(b*x^3+a)/a^2+2/3/a^3*\ln(b*x^3+a)*b*d-1/a^4*\ln(b*x^3+a)*b^2*c-1/3/b/(b*x^3+a)*f+1/3/a/(b*x^3+a)*e-1/3/a^2*b/(b*x^3+a)*d+1/3/a^3*b^2/(b*x^3+a)*c-1/6*c/a^2/x^6-1/3/a^2/x^3*d+2/3/a^3/x^3*b*c+e*\ln(x)/a^2-2/a^3*\ln(x)*b*d+3/a^4*\ln(x)*b^2*c$

maxima [A] time = 1.35, size = 138, normalized size = 1.06

$$\frac{2(3b^3c - 2abd + a^2be - a^3f)x^6 - a^2bc + (3ab^2c - 2a^2bd)x^3}{6(a^3b^2x^9 + a^4bx^6)} - \frac{(3b^2c - 2abd + a^2e)\log(bx^3 + a)}{3a^4} + \frac{(3b^2c - 2abd + a^2e)\log(x^3)}{3a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^2,x, algorithm="maxima")`

[Out] $1/6*(2*(3*b^3*c - 2*a*b^2*d + a^2*b*e - a^3*f)*x^6 - a^2*b*c + (3*a*b^2*c - 2*a^2*b*d)*x^3)/(a^3*b^2*x^9 + a^4*b*x^6) - 1/3*(3*b^2*c - 2*a*b*d + a^2*e)*\log(b*x^3 + a)/a^4 + 1/3*(3*b^2*c - 2*a*b*d + a^2*e)*\log(x^3)/a^4$

mupad [B] time = 5.01, size = 130, normalized size = 1.00

$$\frac{\ln(x) (e a^2 - 2 d a b + 3 c b^2)}{a^4} - \frac{\ln(b x^3 + a) (e a^2 - 2 d a b + 3 c b^2)}{3 a^4} - \frac{\frac{c}{6 a} + \frac{x^3 (2 a d - 3 b c)}{6 a^2} - \frac{x^6 (-f a^3 + e a^2 b - 2 d a b^2 + 3 c b^3)}{3 a^3 b}}{b x^9 + a x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^2), x)

[Out] (log(x)*(3*b^2*c + a^2*e - 2*a*b*d))/a^4 - (log(a + b*x^3)*(3*b^2*c + a^2*e - 2*a*b*d))/(3*a^4) - (c/(6*a) + (x^3*(2*a*d - 3*b*c))/(6*a^2) - (x^6*(3*b^3*c - a^3*f - 2*a*b^2*d + a^2*b*e))/(3*a^3*b))/(a*x^6 + b*x^9)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**7/(b*x**3+a)**2,x)

[Out] Timed out

$$3.205 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)^2} dx$$

Optimal. Leaf size=175

$$\frac{2bc-ad}{6a^3x^6} - \frac{c}{9a^2x^9} - \frac{a^2e-2abd+3b^2c}{3a^4x^3} + \frac{\log(a+bx^3)(a^3(-f)+2a^2be-3ab^2d+4b^3c)}{3a^5} - \frac{\log(x)(a^3(-f)+2a^2be-3ab^2d+4b^3c)}{a^5}$$

Rubi [A] time = 0.20, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{a^2be+a^3(-f)-ab^2d+b^3c}{3a^4(a+bx^3)} + \frac{\log(a+bx^3)(2a^2be+a^3(-f)-3ab^2d+4b^3c)}{3a^5} - \frac{\log(x)(2a^2be+a^3(-f)-3ab^2d+4b^3c)}{a^5} - \frac{a^2e-2abd+3b^2c}{3a^4x^3} + \frac{2bc-ad}{6a^3x^6} - \frac{c}{9a^2x^9}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^2), x]

[Out] -c/(9*a^2*x^9) + (2*b*c - a*d)/(6*a^3*x^6) - (3*b^2*c - 2*a*b*d + a^2*e)/(3*a^4*x^3) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*a^4*(a + b*x^3)) - ((4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)*Log[x])/a^5 + ((4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*a^5)

Rule 1620

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_))^(n_))^(p_), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{10}(a + bx^3)^2} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^4(a + bx)^2} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^2x^4} + \frac{-2bc + ad}{a^3x^3} + \frac{3b^2c - 2abd + a^2e}{a^4x^2} + \frac{-4b^3c + 3ab^2d - 2a^2be + a^3f}{a^5x} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{9a^2x^9} + \frac{2bc - ad}{6a^3x^6} - \frac{3b^2c - 2abd + a^2e}{3a^4x^3} - \frac{b^3c - ab^2d + a^2be - a^3f}{3a^4(a + bx^3)} - \frac{(4b^3c - 3ab^2d - 2a^2be + a^3f)}{18a^5 \log(a + bx^3)}$$

Mathematica [A] time = 0.14, size = 160, normalized size = 0.91

$$\frac{-\frac{2a^3c}{x^9} - \frac{6a(a^2e - 2abd + 3b^2c)}{x^3} - \frac{3a^2(ad - 2bc)}{x^6} + \frac{6a(a^3f - a^2be + ab^2d - b^3c)}{a + bx^3} + 6 \log(a + bx^3)(a^3(-f) + 2a^2be - 3ab^2d + 4b^3c) + 18 \log(x)(a^3f - 2a^2be + 3ab^2d - 4b^3c)}{18a^5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^2), x]

[Out] ((-2*a^3*c)/x^9 - (3*a^2*(-2*b*c + a*d))/x^6 - (6*a*(3*b^2*c - 2*a*b*d + a^2*e))/x^3 + (6*a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3) + 18*(-4*b^3*c + 3*a*b^2*d - 2*a^2*b*e + a^3*f)*Log[x] + 6*(4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)*Log[a + b*x^3])/(18*a^5)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{10}(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^2), x]

fricas [A] time = 0.47, size = 261, normalized size = 1.49

$$\frac{6(4ab^3c - 3a^2b^2d + 2a^2be - a^3f)x^9 + 3(4a^2b^2c - 3a^2bd + 2a^2e)x^6 + 2a^2c - (4a^3bc - 3a^2d)x^3 - 6((4b^3c - 3ab^2d + 2a^2be - a^3f)x^{12} + (4ab^3c - 3a^2b^2d + 2a^2be - a^3f)x^9) \log(bx^3 + a) + 18((4b^3c - 3ab^2d + 2a^2be - a^3f)x^{12} + (4ab^3c - 3a^2b^2d + 2a^2be - a^3f)x^9) \log(x)}{18(a^3bx^{12} + a^6x^9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^2,x, algorithm="fricas")

[Out] -1/18*(6*(4*a*b^3*c - 3*a^2*b^2*d + 2*a^3*b*e - a^4*f)*x^9 + 3*(4*a^2*b^2*c - 3*a^3*b*d + 2*a^4*e)*x^6 + 2*a^4*c - (4*a^3*b*c - 3*a^4*d)*x^3 - 6*((4*b

mupad [B] time = 5.08, size = 175, normalized size = 1.00

$$\frac{\ln(bx^3 + a)(-fa^3 + 2ea^2b - 3dab^2 + 4cb^3)}{3a^5} - \frac{\frac{c}{9a} + \frac{x^9(-fa^3 + 2ea^2b - 3dab^2 + 4cb^3)}{3a^4} + \frac{x^3(3ad - 4bc)}{18a^2} + \frac{x^6(2ea^2 - 3dab + 4cb^2)}{6a^3}}{bx^{12} + ax^9} - \frac{\ln(x)(-fa^3 + 2ea^2b - 3dab^2 + 4cb^3)}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^2), x)

[Out] (log(a + b*x^3)*(4*b^3*c - a^3*f - 3*a*b^2*d + 2*a^2*b*e))/(3*a^5) - (c/(9*a) + (x^9*(4*b^3*c - a^3*f - 3*a*b^2*d + 2*a^2*b*e))/(3*a^4) + (x^3*(3*a*d - 4*b*c))/(18*a^2) + (x^6*(4*b^2*c + 2*a^2*e - 3*a*b*d))/(6*a^3))/(a*x^9 + b*x^12) - (log(x)*(4*b^3*c - a^3*f - 3*a*b^2*d + 2*a^2*b*e))/a^5

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**10/(b*x**3+a)**2, x)

[Out] Timed out

$$3.206 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)^2} dx$$

Optimal. Leaf size=214

$$\frac{2bc-ad}{9a^3x^9} - \frac{c}{12a^2x^{12}} - \frac{a^2e-2abd+3b^2c}{6a^4x^6} - \frac{b \log(a+bx^3)(-2a^3f+3a^2be-4ab^2d+5b^3c)}{3a^6} + \frac{b \log(x)(-2a^3f+3a^2be-4ab^2d+5b^3c)}{a^6}$$

Rubi [A] time = 0.23, antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{b(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^5(a+bx^3)} + \frac{2a^2be+a^3(-f)-3ab^2d+4b^3c}{3a^5x^3} - \frac{b \log(a+bx^3)(3a^2be-2a^3f-4ab^2d+5b^3c)}{3a^6} + \frac{b \log(x)(3a^2be-2a^3f-4ab^2d+5b^3c)}{a^6} - \frac{a^2e-2abd+3b^2c}{6a^4x^6} + \frac{2bc-ad}{9a^3x^9} - \frac{c}{12a^2x^{12}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^2), x]

[Out] -c/(12*a^2*x^12) + (2*b*c - a*d)/(9*a^3*x^9) - (3*b^2*c - 2*a*b*d + a^2*e)/(6*a^4*x^6) + (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(3*a^5*x^3) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(3*a^5*(a + b*x^3)) + (b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f)*Log[x])/a^6 - (b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f)*Log[a + b*x^3])/(3*a^6)

Rule 1620

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{13} (a + bx^3)^2} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^5 (a + bx)^2} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^2 x^5} + \frac{-2bc + ad}{a^3 x^4} + \frac{3b^2c - 2abd + a^2e}{a^4 x^3} + \frac{-4b^3c + 3ab^2d - 2a^2be + a^3f}{a^5 x^2} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{12a^2 x^{12}} + \frac{2bc - ad}{9a^3 x^9} - \frac{3b^2c - 2abd + a^2e}{6a^4 x^6} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{3a^5 x^3} + \frac{b(b^3c - 3ab^2d + 2a^2be - a^3f)}{3a^6 \log(a + bx^3)}$$

Mathematica [A] time = 0.26, size = 198, normalized size = 0.93

$$\frac{\frac{3a^4c}{x^{12}} + \frac{4a^3(ad-2bc)}{x^9} + \frac{6a^2(a^2c-2abd+3b^2c)}{x^6} + \frac{12ab(a^3f-a^2be+ab^2d-b^3c)}{a+bx^3} + \frac{12a(a^3f-2a^2be+3ab^2d-4b^3c)}{x^3} + 12b \log(a+bx^3)(-2a^3f+3a^2be-4ab^2d+5b^3c) - 36b \log(x)(-2a^3f+3a^2be-4ab^2d+5b^3c)}{36a^6}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^2), x]

[Out] -1/36*((3*a^4*c)/x^12 + (4*a^3*(-2*b*c + a*d))/x^9 + (6*a^2*(3*b^2*c - 2*a*b*d + a^2*e))/x^6 + (12*a*(-4*b^3*c + 3*a*b^2*d - 2*a^2*b*e + a^3*f))/x^3 + (12*a*b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3) - 36*b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f)*Log[x] + 12*b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f)*Log[a + b*x^3])/a^6

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{13} (a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^2), x]

fricas [A] time = 0.48, size = 310, normalized size = 1.45

$$\frac{12(5ab^4c - 4a^2b^3d + 3a^3b^2e - 2a^4bf)x^{12} + 6(5a^2b^3c - 4a^3b^2d + 3a^4be - 2a^5bf)x^9 - 2(5a^4b^2c - 4a^5bd + 3a^6e) - 3a^6c + (5a^4bc - 4a^5d)x^3 - 12((5b^3c - 4ab^2d + 3a^2b^2e - 2a^3bf)x^{13} + (5ab^4c - 4a^2b^3d + 3a^3b^2e - 2a^4bf)x^{12}) \log(bx^3 + a) + 36((5b^3c - 4ab^2d + 3a^2b^2e - 2a^3bf)x^{13} + (5ab^4c - 4a^2b^3d + 3a^3b^2e - 2a^4bf)x^{12}) \log(x)}{36(a^6bx^{13} + a^2x^{12})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{36}(12(5ab^4c - 4a^2b^3d + 3a^3b^2e - 2a^4b^1f)x^{12} + 6(5a^2b^3c - 4a^3b^2d + 3a^4b^1e - 2a^5f)x^9 - 2(5a^3b^2c - 4a^4b^1d + 3a^5e)x^6 - 3a^5c + (5a^4b^1c - 4a^5d)x^3 - 12((5b^5c - 4ab^4d + 3a^2b^3e - 2a^3b^2f)x^{15} + (5ab^4c - 4a^2b^3d + 3a^3b^2e - 2a^4b^1f)x^{12})\log(bx^3 + a) + 36((5b^5c - 4ab^4d + 3a^2b^3e - 2a^3b^2f)x^{15} + (5ab^4c - 4a^2b^3d + 3a^3b^2e - 2a^4b^1f)x^{12})\log(x))/(a^6bx^{15} + a^7x^{12})$

giac [A] time = 0.17, size = 331, normalized size = 1.55

$$\frac{(5^4c - 4ab^4d - 2a^2b^3e + 3a^3b^2f)\log(x)}{a^6} - \frac{(5^4c - 4ab^4d - 2a^2b^3e + 3a^3b^2f)\log(bx^3 + a)}{3a^6} + \frac{5^4c^2 - 4ab^4d^2 - 2a^2b^3e^2 + 3a^3b^2f^2 + 6ab^4c - 5a^2b^3d - 3a^3b^2e + 4a^4b^1f}{3(bx^3 + a)a^6} - \frac{125a^4c^2 - 100ab^4d^2 - 50a^2b^3e^2 + 75a^3b^2f^2 - 48ab^4c^2 + 36a^2b^3d^2 + 12a^3b^2e^2 - 24a^4b^1f^2 - 24a^2b^3c^2 - 12a^3b^2d^2 + 6a^4b^1e^2 - 8a^5bc^2 + 4a^6d^2 + 3a^7c}{36a^{12}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^2,x, algorithm="giac")`

[Out] $(5b^4c - 4ab^3d - 2a^3b^2f + 3a^2b^1e)\log(\text{abs}(x))/a^6 - \frac{1}{3}(5b^5c - 4ab^4d - 2a^3b^2f + 3a^2b^3e)\log(\text{abs}(bx^3 + a))/(a^6b) + \frac{1}{3}(5b^5cx^3 - 4ab^4dx^3 - 2a^3b^2fx^3 + 3a^2b^3ex^3 + 6a^4b^1cx^3 - 5a^2b^3dx^3 - 3a^4b^1fx^3 + 4a^3b^2ex^3)/((bx^3 + a)a^6) - \frac{1}{36}(125b^4cx^{12} - 100ab^3dx^{12} - 50a^3b^2fx^{12} + 75a^2b^1ex^{12} - 48a^4b^3cx^9 + 36a^2b^2dx^9 + 12a^4b^1fx^9 - 24a^3b^2ex^9 + 18a^2b^2cx^6 - 12a^3b^1dx^6 + 6a^4b^1ex^6 - 8a^3b^1cx^3 + 4a^4b^1dx^3 + 3a^4b^1c)/(a^6x^{12})$

maple [A] time = 0.07, size = 282, normalized size = 1.32

$$\frac{bf}{3(bx^3+a)a^2} + \frac{b^2c}{3(bx^3+a)a^2} - \frac{2bf\ln(x)}{a^3} + \frac{2b\ln(bx^3+a)}{3a^2} - \frac{b^2d}{3(bx^3+a)a^4} + \frac{3b^2c\ln(x)}{a^4} - \frac{b^2e\ln(bx^3+a)}{a^4} + \frac{b^4c}{3(bx^3+a)a^5} - \frac{4b^3d\ln(x)}{a^5} + \frac{4b^3d\ln(bx^3+a)}{3a^5} + \frac{5b^4c\ln(x)}{a^6} - \frac{5b^4c\ln(bx^3+a)}{3a^6} - \frac{f}{3a^2x^3} + \frac{2bc}{3a^2x^3} - \frac{b^2d}{a^2x^3} + \frac{4b^2c}{3a^2x^3} - \frac{e}{6a^2x^6} + \frac{bd}{3a^2x^6} - \frac{b^2c}{2a^2x^6} - \frac{d}{9a^2x^9} + \frac{2bc}{9a^2x^9} - \frac{c}{12a^2x^{12}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^2,x)`

[Out] $\frac{2}{3}a^3b^1\ln(bx^3+a)*f - \frac{1}{a^4}b^2*2\ln(bx^3+a)*e + \frac{4}{3}a^5b^3*1\ln(bx^3+a)*d - \frac{5}{3}a^6b^4*1\ln(bx^3+a)*c - \frac{1}{3}a^2b^1/(bx^3+a)*f + \frac{1}{3}a^3b^2/(bx^3+a)*e - \frac{1}{3}a^4b^3/(bx^3+a)*d + \frac{1}{3}a^5b^4/(bx^3+a)*c - \frac{1}{12}c/a^2/x^{12} - \frac{1}{9}a^2/x^9*d + \frac{2}{9}a^3/x^9*b*c - \frac{1}{6}a^2/x^6*e + \frac{1}{3}a^3/x^6*b*d - \frac{1}{2}a^4/x^6*b^2*c - \frac{1}{3}a^2/x^3*f + \frac{2}{3}a^3/x^3*b*e - \frac{1}{a^4}x^3*b^2*d + \frac{4}{3}a^5/x^3*b^3*c - \frac{2}{b}a^3*1\ln(x)*f + \frac{3}{b^2}a^4*1\ln(x)*e - \frac{4}{b^3}a^5*1\ln(x)*d + \frac{5}{b^4}a^6*1\ln(x)*c$

maxima [A] time = 1.44, size = 226, normalized size = 1.06

$$\frac{12(5b^4c - 4ab^4d + 3a^2b^3e - 2a^3b^2f)x^{12} + 6(5ab^5c - 4a^2b^4d + 3a^3b^3e - 2a^4b^2f)x^9 - 2(5a^2b^3c - 4a^3b^2d + 3a^4b^1e)x^6 - 3a^5c + (5a^4b^1c - 4a^5d)x^3}{36(a^6bx^{15} + a^7x^{12})} - \frac{(5b^4c - 4ab^4d + 3a^2b^3e - 2a^3b^2f)\log(bx^3 + a)}{3a^6} + \frac{(5b^4c - 4ab^4d + 3a^2b^3e - 2a^3b^2f)\log(x)}{3a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^2,x, algorithm="maxima")`

[Out] $\frac{1}{36}*(12*(5*b^4*c - 4*a*b^3*d + 3*a^2*b^2*e - 2*a^3*b*f)*x^{12} + 6*(5*a*b^3*c - 4*a^2*b^2*d + 3*a^3*b*e - 2*a^4*f)*x^9 - 2*(5*a^2*b^2*c - 4*a^3*b*d + 3*a^4*e)*x^6 - 3*a^4*c + (5*a^3*b*c - 4*a^4*d)*x^3)/(a^5*b*x^{15} + a^6*x^{12}) - \frac{1}{3}*(5*b^4*c - 4*a*b^3*d + 3*a^2*b^2*e - 2*a^3*b*f)*\log(b*x^3 + a)/a^6 + \frac{1}{3}*(5*b^4*c - 4*a*b^3*d + 3*a^2*b^2*e - 2*a^3*b*f)*\log(x^3)/a^6$

mupad [B] time = 5.09, size = 216, normalized size = 1.01

$$\frac{\ln(x) \frac{-2fa^3b + 3ea^2b^2 - 4dab^3 + 5cb^4}{a^6} - \ln(bx^3 + a) \frac{-2fa^3b + 3ea^2b^2 - 4dab^3 + 5cb^4}{3a^6} - \frac{c}{12a} - \frac{x^9(-2fa^3 + 3ea^2b - 4dab^2 + 5cb^3)}{6a^4} + \frac{x^3(4ad - 5bc)}{36a^2} + \frac{x^6(3ea^2 - 4dab + 5cb^2)}{18a^3} - \frac{bx^{12}(-2fa^3 + 3ea^2b - 4dab^2 + 5cb^3)}{3a^6}}{bx^{15} + ax^{12}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^2), x)`

[Out] $(\log(x)*(5*b^4*c + 3*a^2*b^2*e - 4*a*b^3*d - 2*a^3*b*f))/a^6 - (\log(a + b*x^3)*(5*b^4*c + 3*a^2*b^2*e - 4*a*b^3*d - 2*a^3*b*f))/(3*a^6) - (c/(12*a) - (x^9*(5*b^3*c - 2*a^3*f - 4*a*b^2*d + 3*a^2*b*e))/(6*a^4) + (x^3*(4*a*d - 5*b*c))/(36*a^2) + (x^6*(5*b^2*c + 3*a^2*e - 4*a*b*d))/(18*a^3) - (b*x^{12}*(5*b^3*c - 2*a^3*f - 4*a*b^2*d + 3*a^2*b*e))/(3*a^5))/(a*x^{12} + b*x^{15})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**13/(b*x**3+a)**2, x)`

[Out] Timed out

$$3.207 \quad \int \frac{x^9(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=369

$$\frac{x^7(3a^2f - 2abe + b^2d)}{7b^4} - \frac{a^2x(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^6(a + bx^3)} - \frac{ax(-5a^3f + 4a^2be - 3ab^2d + 2b^3c)}{b^6} + \frac{x^4(-4a^3f + 3a^2be - 2ab^2d + b^3c)}{b^6}$$

Rubi [A] time = 0.47, antiderivative size = 369, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1828, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{x^4(3a^2be - 4a^3f - 2ab^2d + b^3c)}{4b^6} - \frac{a^2x(a^2(-f) - ab^2d + b^3c)}{3b^6(a + bx^3)} - \frac{a^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx^3}) (13a^2be - 16a^3f - 10ab^2d + 7b^3c)}{18b^{19/3}} - \frac{a(4a^2be - 5a^3f - 3ab^2d + 2b^3c)}{b^6} + \frac{a^{4/3} \log(\sqrt[3]{a} + \sqrt[3]{bx^3}) (13a^2be - 16a^3f - 10ab^2d + 7b^3c)}{9b^{19/3}} - \frac{a^{4/3} \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{bx^3}}{\sqrt[3]{3}}$$

Antiderivative was successfully verified.

[In] Int[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] -((a*(2*b^3*c - 3*a*b^2*d + 4*a^2*b*e - 5*a^3*f)*x)/b^6) + ((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^4)/(4*b^5) + ((b^2*d - 2*a*b*e + 3*a^2*f)*x^7)/(7*b^4) + ((b*e - 2*a*f)*x^10)/(10*b^3) + (f*x^13)/(13*b^2) - (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*b^6*(a + b*x^3)) - (a^(4/3)*(7*b^3*c - 10*a*b^2*d + 13*a^2*b*e - 16*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(3*Sqrt[3]*b^(19/3)) + (a^(4/3)*(7*b^3*c - 10*a*b^2*d + 13*a^2*b*e - 16*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(9*b^(19/3)) - (a^(4/3)*(7*b^3*c - 10*a*b^2*d + 13*a^2*b*e - 16*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*b^(19/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^9 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{3b^6 (a + bx^3)} - \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 3a^2b(b^3c - ab^2d + a^2be - a^3f)}{(a + bx^3)^2} dx}{3b^6 (a + bx^3)} \\
&= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{3b^6 (a + bx^3)} - \frac{\int (3a^2 (2b^3c - 3ab^2d + 4a^2be - 5a^3f) - 3a^3)}{(a + bx^3)^2} dx}{3b^6 (a + bx^3)} \\
&= -\frac{a (2b^3c - 3ab^2d + 4a^2be - 5a^3f) x}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^4}{4b^5} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^4}{4b^5} \\
&= -\frac{a (2b^3c - 3ab^2d + 4a^2be - 5a^3f) x}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^4}{4b^5} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^4}{4b^5} \\
&= -\frac{a (2b^3c - 3ab^2d + 4a^2be - 5a^3f) x}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^4}{4b^5} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^4}{4b^5} \\
&= -\frac{a (2b^3c - 3ab^2d + 4a^2be - 5a^3f) x}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^4}{4b^5} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^4}{4b^5}
\end{aligned}$$

Mathematica [A] time = 0.44, size = 364, normalized size = 0.99

$$\frac{x^7 (3a^2f - 2abe + b^2d)}{7b^7} + \frac{a^2x(a^2f - a^2be + ab^2d - b^3c)}{3b^6(a + bx^3)} + \frac{ax(5a^2f - 4a^2be + 3ab^2d - 2b^3c)}{b^6} + \frac{x^4(-4a^2f + 3a^2be - 2ab^2d + b^3c)}{4b^6} + \frac{a^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx^3 + b^3}) (16a^2f - 13a^2be + 10ab^2d - 7b^3c)}{18b^{19/3}} + \frac{a^{4/3} \log(\sqrt[3]{a} + \sqrt[3]{bx^3}) (16a^2f - 13a^2be + 10ab^2d - 7b^3c)}{9b^{19/3}} + \frac{a^{4/3} \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{a}}}{\sqrt[3]{a}}\right) (16a^2f - 13a^2be + 10ab^2d - 7b^3c)}{3\sqrt[3]{b^{19/3}}} + \frac{a^{10}(be - 2af) f^{13}}{10b^7 + 13b^8}$$

Antiderivative was successfully verified.

[In] Integrate[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (a*(-2*b^3*c + 3*a*b^2*d - 4*a^2*b*e + 5*a^3*f)*x)/b^6 + ((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^4)/(4*b^5) + ((b^2*d - 2*a*b*e + 3*a^2*f)*x^7)/(7*b^4) + ((b*e - 2*a*f)*x^10)/(10*b^3) + (f*x^13)/(13*b^2) + (a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(3*b^6*(a + b*x^3)) + (a^(4/3)*(-7*b^3*c + 10*a*b^2*d - 13*a^2*b*e + 16*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(3*Sqrt[3]*b^(19/3)) - (a^(4/3)*(-7*b^3*c + 10*a*b^2*d - 13*a^2*b*e + 16*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(9*b^(19/3)) + (a^(4/3)*(-7*b^3*c + 1

+ 13*a^4*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^6) + 1/18*(7*(-a*b^2)^(1/3)*a*b^3*c - 10*(-a*b^2)^(1/3)*a^2*b^2*d - 16*(-a*b^2)^(1/3)*a^4*f + 13*(-a*b^2)^(1/3)*a^3*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^7 - 1/3*(a^2*b^3*c*x - a^3*b^2*d*x - a^5*f*x + a^4*b*x*e)/((b*x^3 + a)*b^6) + 1/1820*(140*b^24*f*x^13 - 364*a*b^23*f*x^10 + 182*b^24*x^10*e + 260*b^24*d*x^7 + 780*a^2*b^22*f*x^7 - 520*a*b^23*x^7*e + 455*b^24*c*x^4 - 910*a*b^23*d*x^4 - 1820*a^3*b^21*f*x^4 + 1365*a^2*b^22*x^4*e - 3640*a*b^23*c*x + 5460*a^2*b^22*d*x + 9100*a^4*b^20*f*x - 7280*a^3*b^21*x*e)/b^26

maple [A] time = 0.05, size = 622, normalized size = 1.69

$$\frac{13 a^4 b e \sqrt[3]{-a/b} \log\left(\left|x - \sqrt[3]{-a/b}\right|\right)}{a b^6} + \frac{1}{18} \frac{7 \sqrt[3]{-a b^2} a b^3 c - 10 \sqrt[3]{-a b^2} a^2 b^2 d - 16 \sqrt[3]{-a b^2} a^4 f + 13 \sqrt[3]{-a b^2} a^3 b e}{b^7} \log\left(x^2 + x \sqrt[3]{-a/b} + \sqrt[3]{-a/b}^2\right) - \frac{1}{3} \frac{a^2 b^3 c x - a^3 b^2 d x - a^5 f x + a^4 b x e}{(b x^3 + a) b^6} + \frac{1}{1820} \frac{140 b^{24} f x^{13} - 364 a b^{23} f x^{10} + 182 b^{24} x^{10} e + 260 b^{24} d x^7 + 780 a^2 b^{22} f x^7 - 520 a b^{23} x^7 e + 455 b^{24} c x^4 - 910 a b^{23} d x^4 - 1820 a^3 b^{21} f x^4 + 1365 a^2 b^{22} x^4 e - 3640 a b^{23} c x + 5460 a^2 b^{22} d x + 9100 a^4 b^{20} f x - 7280 a^3 b^{21} x e}{b^{26}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] -10/9*a^3/b^5*d/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) + 7/9*a^2/b^4*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) - 16/9*a^5/b^7*f/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) + 13/9*a^4/b^6*e/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) + 3/7/b^4*x^7*a^2*f - 1/5/b^3*x^10*a*f - 1/2/b^3*x^4*a*d + 3/4/b^4*x^4*a^2*e - 2/7/b^3*x^7*a*e - 1/b^5*x^4*a^3*f + 5*a^4/b^6*f*x - 4*a^3/b^5*e*x + 3*a^2/b^4*d*x - 2*a/b^3*c*x - 16/9*a^5/b^7*f/(a/b)^(2/3)*ln(x+(a/b)^(1/3)) + 8/9*a^5/b^7*f/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3)) + 13/9*a^4/b^6*e/(a/b)^(2/3)*ln(x+(a/b)^(1/3)) - 13/18*a^4/b^6*e/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3)) - 10/9*a^3/b^5*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3)) - 7/18*a^2/b^4*c/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3)) + 1/10/b^2*x^10*e + 1/7/b^2*x^7*d + 1/4/b^2*x^4*c + 7/9*a^2/b^4*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3)) + 1/3*a^3/b^4*x/(b*x^3+a)*d - 1/3*a^2/b^3*x/(b*x^3+a)*c + 1/3*a^5/b^6*x/(b*x^3+a)*f - 1/3*a^4/b^5*x/(b*x^3+a)*e + 5/9*a^3/b^5*d/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3)) + 1/13*f*x^13/b^2

maxima [A] time = 2.98, size = 369, normalized size = 1.00

$$\frac{(a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) x}{3 (b^2 x^3 + a b^2)} + \frac{140 b^{24} f x^{13} + 182 (b^4 e - 2 a b^3 f) x^{10} + 260 (b^4 d - 2 a b^3 e + 3 a^2 b^2 f) x^7 + 455 (b^4 c - 2 a b^3 d + 3 a^2 b^2 e - 4 a b^3 f) x^4 - 1820 (2 a b^3 c - 3 a^2 b^2 d + 4 a^3 b e - 5 a^4 f) x}{1820 b^{26}} + \frac{\sqrt{3} (2 a^2 b^3 c - 10 a^3 b^2 d + 13 a^4 b e - 16 a^5 f) \arctan\left(\frac{\sqrt{3} (2 a^2 b^3 c - 10 a^3 b^2 d + 13 a^4 b e - 16 a^5 f)}{3 (b^2 x^3 + a b^2)}\right)}{9 \sqrt{3} (b^2 x^3 + a b^2)} + \frac{(2 a^2 b^3 c - 10 a^3 b^2 d + 13 a^4 b e - 16 a^5 f) \log\left(x - \sqrt[3]{-a/b} + \sqrt[3]{-a/b}^2\right)}{18 b^7 (b^2 x^3 + a b^2)} + \frac{(2 a^2 b^3 c - 10 a^3 b^2 d + 13 a^4 b e - 16 a^5 f) \log\left(x + \sqrt[3]{-a/b}\right)}{9 b^7 (b^2 x^3 + a b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] -1/3*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*x/(b^7*x^3 + a*b^6) + 1/1820*(140*b^4*f*x^13 + 182*(b^4*e - 2*a*b^3*f)*x^10 + 260*(b^4*d - 2*a*b^3*e + 3*a^2*b^2*f)*x^7 + 455*(b^4*c - 2*a*b^3*d + 3*a^2*b^2*e - 4*a^3*b*f)*x^4 - 1820*(2*a*b^3*c - 3*a^2*b^2*d + 4*a^3*b*e - 5*a^4*f)*x)/b^6 + 1/9*sqrt(3)*((7*a^2*b^3*c - 10*a^3*b^2*d + 13*a^4*b*e - 16*a^5*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3)))/(a/b)^(1/3)))/(b^7*(a/b)^(2/3)) - 1/18*(7*a^2*b^3*c - 10*a^3

$b^2d + 13a^4be - 16a^5f) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) / (b^7 (a/b)^{2/3}) + 1/9(7a^2b^3c - 10a^3b^2d + 13a^4be - 16a^5f) \log(x + (a/b)^{1/3}) / (b^7 (a/b)^{2/3})$

mupad [B] time = 0.35, size = 481, normalized size = 1.30

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)`

[Out] $x^{10}(e/(10b^2) - (af)/(5b^3)) - x((2a(c/b^2 - (a^2(e/b^2 - (2af)/b^3))/b^2 + (2a((a^2f)/b^4 - d/b^2 + (2a(e/b^2 - (2af)/b^3))/b))/b) / b - (a^2((a^2f)/b^4 - d/b^2 + (2a(e/b^2 - (2af)/b^3))/b))/b^2 - x^7((a^2f)/(7b^4) - d/(7b^2) + (2a(e/b^2 - (2af)/b^3))/(7b)) + x^4(c/(4b^2) - (a^2(e/b^2 - (2af)/b^3))/(4b^2) + (a((a^2f)/b^4 - d/b^2 + (2a(e/b^2 - (2af)/b^3))/b))/(2b)) + (fx^{13})/(13b^2) + (x((a^5f)/3 - (a^2b^3c)/3 + (a^3b^2d)/3 - (a^4be)/3))/(ab^6 + b^7x^3) + (a^{4/3}) \log(b^{1/3}x + a^{1/3}) \cdot (7b^3c - 16a^3f - 10ab^2d + 13a^2be) / (9b^{19/3}) + (a^{4/3}) \log(3^{1/2}a^{1/3}i + 2b^{1/3}x - a^{1/3}) \cdot ((3^{1/2}i)/2 - 1/2) \cdot (7b^3c - 16a^3f - 10ab^2d + 13a^2be) / (9b^{19/3}) - (a^{4/3}) \log(3^{1/2}a^{1/3}i - 2b^{1/3}x + a^{1/3}) \cdot ((3^{1/2}i)/2 + 1/2) \cdot (7b^3c - 16a^3f - 10ab^2d + 13a^2be) / (9b^{19/3})$

sympy [A] time = 15.90, size = 500, normalized size = 1.36

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**9*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)`

[Out] $x^{10}(-af/(5b^3) + e/(10b^2)) + x^7(3a^2f/(7b^4) - 2ae/(7b^3) + d/(7b^2)) + x^4(-a^3f/b^5 + 3a^2e/(4b^4) - ad/(2b^3) + c/(4b^2)) + x(5a^4f/b^6 - 4a^3e/b^5 + 3a^2d/b^4 - 2ac/b^3) + x(a^5f - a^4be + a^3b^2d - a^2b^3c)/(3ab^6 + 3b^7x^3) + \text{RootSum}(729_t^3b^{19} + 4096a^{13}f^3 - 9984a^{12}be^2f + 7680a^{11}b^2d^2f^2 + 8112a^{11}b^2e^2f - 5376a^{10}b^3c^2f^2 - 12480a^{10}b^3d^2ef - 2197a^{10}b^3e^3 + 8736a^9b^4c^2ef + 4800a^9b^4d^2f + 5070a^9b^4de^2 - 6720a^8b^5c^2d^2f - 3549a^8b^5c^2e^2 - 3900a^8b^5d^2e + 2352a^7b^6c^2f + 5460a^7b^6c^2de + 1000a^7b^6d^3 - 1911a^6b^7c^2e - 2100a^6b^7c^2d^2 + 1470a^5b^8c^2d - 343a^4b^9c^3, \text{Lambda}(t, t \log(-9_tb^6/(16a^4f - 13a^3be + 10a^2b^2d - 7ab^3c) + x))) + fx^{13}/(13b^2)$

$$3.208 \quad \int \frac{x^7(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=335

$$\frac{x^5(3a^2f - 2abe + b^2d)}{5b^4} + \frac{x^2(-4a^3f + 3a^2be - 2ab^2d + b^3c)}{2b^5} + \frac{ax^2(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^5(a + bx^3)} - \frac{a^{2/3} \log(a^{2/3} -$$

Rubi [A] time = 0.71, antiderivative size = 335, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1851, 1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(3a^2fc - 4a^3f - 2ab^2d + b^3c)}{2b^5} + \frac{ax^2(a^2bc + a^2(-f) - ab^2d + b^3c)}{3b^5(a + bx^3)} - \frac{a^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx^3}) (11a^2bc - 14a^3f - 8ab^2d + 5b^3c)}{18b^{17/3}} + \frac{a^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{bx^3}) (11a^2bc - 14a^3f - 8ab^2d + 5b^3c)}{9b^{17/3}} + \frac{a^{2/3} \tan^{-1}\left(\frac{\sqrt[3]{2} \sqrt[3]{bx^3}}{\sqrt[3]{a}}\right) (11a^2bc - 14a^3f - 8ab^2d + 5b^3c)}{3\sqrt[3]{5} b^{17/3}} + \frac{a^{2/3} (3a^2f - 2abe + b^2d)}{5b^4} + \frac{a^{2/3} (bc - 2af)}{8b^3} + \frac{fx^{11}}{11b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] ((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^2)/(2*b^5) + ((b^2*d - 2*a*b*e + 3*a^2*f)*x^5)/(5*b^4) + ((b*e - 2*a*f)*x^8)/(8*b^3) + (f*x^11)/(11*b^2) + (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*b^5*(a + b*x^3)) + (a^(2/3)*(5*b^3*c - 8*a*b^2*d + 11*a^2*b*e - 14*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*b^(17/3)) + (a^(2/3)*(5*b^3*c - 8*a*b^2*d + 11*a^2*b*e - 14*a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(9*b^(17/3)) - (a^(2/3)*(5*b^3*c - 8*a*b^2*d + 11*a^2*b*e - 14*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*b^(17/3)))

Rule 31

Int[((a_) + (b_)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(−1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(−1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x

$\wedge 2), x], x] /; \text{FreeQ}[\{a, b\}, x]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2)^{-1}), x_Symbol] := \text{With}[\{q = 1 - 4*S$
 $\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b$
 $], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \mid \mid \text{!RationalQ}[b^2 - 4*a*c]) /; \text{Free}$
 $\text{Q}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/(a_ + (b_)*(x_ + (c_)*(x_)^2), x_Symbol] := S$
 $\text{imp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d,$
 $e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_ + (e_)*(x_))/(a_ + (b_)*(x_ + (c_)*(x_)^2), x_Symbol] := D$
 $\text{ist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{In}$
 $\text{t}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}$
 $[2*c*d - b*e, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{!NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1488

$\text{Int}[(f_)*(x_)^{m_}*(a_ + (c_)*(x_)^{n2_} + (b_)*(x_)^{n_})^{p_}*($
 $(d_ + (e_)*(x_)^{n_})^{q_}, x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(f*x)^m*(d$
 $+ e*x^n)^q*(a + b*x^n + c*x^{2*n})^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m,$
 $q\}, x] \&\& \text{EqQ}[n2, 2*n] \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

Rule 1828

$\text{Int}[(Pq_)*(x_)^{m_}*(a_ + (b_)*(x_)^{n_})^{p_}, x_Symbol] := \text{With}[\{q =$
 $m + \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q - 1)/n] + 1)$
 $*x^m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q - 1)/n] + 1)*x^$
 $m*Pq, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[(a$
 $+ b*x^n)^{(p + 1)*\text{ExpandToSum}[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],$
 $x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] +$
 $1)}), x]] /; \text{GeQ}[q, n] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\&$
 $\text{LtQ}[p, -1] \&\& \text{IGtQ}[m, 0]$

Rule 1836

$\text{Int}[(Pq_)*((c_)*(x_)^{m_}*(a_ + (b_)*(x_)^{n_})^{p_}), x_Symbol] := \text{Wi}$
 $\text{th}[\{q = \text{Expon}[Pq, x]\}, \text{With}[\{Pqq = \text{Coeff}[Pq, x, q]\}, \text{Dist}[1/(b*(m + q + n*p$
 $+ 1)), \text{Int}[(c*x)^m*\text{ExpandToSum}[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*$

```
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1851

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Int[x*PolynomialQuot
ient[Pq, x, x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, n, p}, x] && PolyQ[Pq, x]
&& EqQ[Coeff[Pq, x, 0], 0] && !MatchQ[Pq, x^(m_.)*(u_.) /; IntegerQ[m]]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{3b^5 (a + bx^3)} - \int \frac{2a^2b(b^3c - ab^2d + a^2be - a^3f)x - 3ab^2(b^3c - ab^2d + a^2be - a^3f)x}{a + bx^3} dx \\
&= \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{3b^5 (a + bx^3)} - \int \frac{x(2a^2b(b^3c - ab^2d + a^2be - a^3f) - 3ab^2(b^3c - ab^2d + a^2be - a^3f))}{a + bx^3} dx \\
&= \frac{fx^{11}}{11b^2} + \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{3b^5 (a + bx^3)} - \int \frac{x(22a^2b^2(b^3c - ab^2d + a^2be - a^3f) - 33ab^3(b^3c - ab^2d + a^2be - a^3f))}{a + bx^3} dx \\
&= \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2} + \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{3b^5 (a + bx^3)} - \int \frac{x(176a^2b^3(b^3c - ab^2d + a^2be - a^3f) - 176ab^4(b^3c - ab^2d + a^2be - a^3f))}{a + bx^3} dx \\
&= \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2} + \frac{a (b^3c - ab^2d + a^2be - a^3f) x^2}{3b^5 (a + bx^3)} - \int \left(-264ab^3 (b^3c - 2ab^2d + 3a^2be - 4a^3f) \right) \frac{x}{a + bx^3} dx \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^2}{2b^5} + \frac{(b^2d - 2abe + 3a^2f) x^5}{5b^4} + \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^2}{2b^5} + \frac{(b^2d - 2abe + 3a^2f) x^5}{5b^4} + \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^2}{2b^5} + \frac{(b^2d - 2abe + 3a^2f) x^5}{5b^4} + \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^2}{2b^5} + \frac{(b^2d - 2abe + 3a^2f) x^5}{5b^4} + \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^2}{2b^5} + \frac{(b^2d - 2abe + 3a^2f) x^5}{5b^4} + \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 319, normalized size = 0.95

$$\frac{7925b^5c^5(3a^2f - 2abe + b^2d) + 1980b^5c^4(-4a^2f + 3a^2be - 2ab^2d + b^3c) + \frac{1320a^2b^2d^2c^2(-7a^2be - a^2d^2c^2)}{a^2b^3} - 440a^2b^3 \log(\sqrt{a} + \sqrt{b}x)(14a^2f - 11a^2be + 8ab^2d - 5b^3c) - 440\sqrt{3}a^2b^3 \tan^{-1}\left(\frac{1 - \sqrt{3}bx}{\sqrt{a}}\right)(14a^2f - 11a^2be + 8ab^2d - 5b^3c) + 220a^2b^3 \log(a^2b^3 - \sqrt{3}a^2bx + b^2d^2c^2)(14a^2f - 11a^2be + 8ab^2d - 5b^3c) + 495b^5c^4(be - 2af) + 360b^{11/2}fx^{11}}{3960b^{10/3}}$$

Antiderivative was successfully verified.

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $\frac{1}{9}*(5*a*b^3*c*(-a/b)^{(1/3)} - 8*a^2*b^2*d*(-a/b)^{(1/3)} - 14*a^4*f*(-a/b)^{(1/3)} + 11*a^3*b*(-a/b)^{(1/3)}*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})) / (a*b^5) + \frac{1}{9}*\sqrt{3}*(5*(-a*b^2)^{(2/3)}*b^3*c - 8*(-a*b^2)^{(2/3)}*a*b^2*d - 14*(-a*b^2)^{(2/3)}*a^3*f + 11*(-a*b^2)^{(2/3)}*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/b^7 + \frac{1}{3}*(a*b^3*c*x^2 - a^2*b^2*d*x^2 - a^4*f*x^2 + a^3*b*x^2*e) / ((b*x^3 + a)*b^5) - \frac{1}{18}*(5*(-a*b^2)^{(2/3)}*b^3*c - 8*(-a*b^2)^{(2/3)}*a*b^2*d - 14*(-a*b^2)^{(2/3)}*a^3*f + 11*(-a*b^2)^{(2/3)}*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/b^7 + \frac{1}{440}*(40*b^{20}*f*x^{11} - 110*a*b^{19}*f*x^8 + 55*b^{20}*x^8*e + 88*b^{20}*d*x^5 + 264*a^2*b^{18}*f*x^5 - 176*a*b^{19}*x^5*e + 220*b^{20}*c*x^2 - 440*a*b^{19}*d*x^2 - 880*a^3*b^{17}*f*x^2 + 660*a^2*b^{18}*x^2*e)/b^{22}$

maple [B] time = 0.05, size = 584, normalized size = 1.74

$$\frac{\frac{f x^9}{9 b^9} + \frac{e x^6}{6 b^6} + \frac{d x^3}{3 b^3} + \frac{c}{b}}{b^2 (b x^3 + a)^2} = \frac{14 \sqrt{3} d \arctan\left(\frac{\sqrt{3} x + \sqrt{3} a^{1/3}}{3(b x^3 + a)^{1/3}}\right)}{9 (b x^3 + a)^2} + \frac{14 \sqrt{3} d \arctan\left(\frac{\sqrt{3} x + \sqrt{3} a^{1/3}}{3(b x^3 + a)^{1/3}}\right)}{9 (b x^3 + a)^2} + \frac{11 \sqrt{3} d \arctan\left(\frac{\sqrt{3} x + \sqrt{3} a^{1/3}}{3(b x^3 + a)^{1/3}}\right)}{9 (b x^3 + a)^2} + \frac{11 \sqrt{3} d \arctan\left(\frac{\sqrt{3} x + \sqrt{3} a^{1/3}}{3(b x^3 + a)^{1/3}}\right)}{9 (b x^3 + a)^2} + \frac{11 \sqrt{3} d \arctan\left(\frac{\sqrt{3} x + \sqrt{3} a^{1/3}}{3(b x^3 + a)^{1/3}}\right)}{9 (b x^3 + a)^2} + \frac{11 \sqrt{3} d \arctan\left(\frac{\sqrt{3} x + \sqrt{3} a^{1/3}}{3(b x^3 + a)^{1/3}}\right)}{9 (b x^3 + a)^2} + \frac{11 \sqrt{3} d \arctan\left(\frac{\sqrt{3} x + \sqrt{3} a^{1/3}}{3(b x^3 + a)^{1/3}}\right)}{9 (b x^3 + a)^2} + \frac{11 \sqrt{3} d \arctan\left(\frac{\sqrt{3} x + \sqrt{3} a^{1/3}}{3(b x^3 + a)^{1/3}}\right)}{9 (b x^3 + a)^2} + \frac{11 \sqrt{3} d \arctan\left(\frac{\sqrt{3} x + \sqrt{3} a^{1/3}}{3(b x^3 + a)^{1/3}}\right)}{9 (b x^3 + a)^2} + \frac{11 \sqrt{3} d \arctan\left(\frac{\sqrt{3} x + \sqrt{3} a^{1/3}}{3(b x^3 + a)^{1/3}}\right)}{9 (b x^3 + a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] $\frac{1}{3}*\frac{a^3}{b^4}*x^2/(b*x^3+a)*e - \frac{1}{3}*\frac{a^2}{b^3}*x^2/(b*x^3+a)*d + \frac{1}{3}*\frac{a}{b^2}*x^2/(b*x^3+a)*c + \frac{4}{9}*\frac{a^2}{b^4}*d/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + \frac{14}{9}*\frac{a^4}{b^6}*f*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x - 1)) - \frac{5}{9}*\frac{a}{b^3}*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x - 1)) - \frac{11}{9}*\frac{a^3}{b^4}*5*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x - 1)) + \frac{8}{9}*\frac{a^2}{b^4}*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x - 1)) - \frac{1}{4}*\frac{1}{b^3}*x^8*a*f + \frac{3}{2}*\frac{1}{b^4}*x^2*a^2*e - \frac{1}{b^3}*x^2*a*d - \frac{2}{b^5}*x^2*a^3*f + \frac{3}{5}*\frac{a^2}{b^4}*f*x^5 - \frac{2}{5}*\frac{a}{b^3}*e*x^5 + \frac{1}{5}*\frac{1}{b^2}*d*x^5 - \frac{8}{9}*\frac{a^2}{b^4}*d/(a/b)^{(1/3)}*\ln(x + (a/b)^{(1/3)}) - \frac{14}{9}*\frac{a^4}{b^6}*f/(a/b)^{(1/3)}*\ln(x + (a/b)^{(1/3)}) + \frac{7}{9}*\frac{a^4}{b^6}*f/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + \frac{11}{9}*\frac{a^3}{b^5}*e/(a/b)^{(1/3)}*\ln(x + (a/b)^{(1/3)}) - \frac{11}{18}*\frac{a^3}{b^5}*e/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) - \frac{1}{3}*\frac{a^4}{b^5}*x^2/(b*x^3+a)*f + \frac{1}{2}*\frac{1}{b^2}*x^2*c + \frac{5}{9}*\frac{a}{b^3}*c/(a/b)^{(1/3)}*\ln(x + (a/b)^{(1/3)}) - \frac{5}{18}*\frac{a}{b^3}*c/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + \frac{1}{8}*\frac{1}{b^2}*x^8*e + \frac{1}{11}*\frac{1}{b^2}*x^{11}/b^2$

maxima [A] time = 3.02, size = 325, normalized size = 0.97

$$\frac{(ab^3c - a^2b^2d + a^3be - a^4f)^2}{3(b^6c^2 + ab^6)} - \frac{\sqrt{5}(5ab^3c - 8a^2b^2d + 11a^3be - 14a^4f)\arctan\left(\frac{\sqrt{5}(2x - (b^3)^{1/3})}{3(b^3)^{1/3}}\right)}{9b^6\left(\frac{b^3}{5}\right)^{1/3}} + \frac{40b^3fx^{11} + 55(b^3c - 2ab^2f)^2 + 88(b^3d - 2ab^2c + 3a^2bf)^2 + 220(b^3c - 2ab^2d + 3a^2be - 4a^3f)^2}{440b^6} - \frac{(5ab^3c - 8a^2b^2d + 11a^3be - 14a^4f)\log\left(x^2 - x\left(\frac{b^3}{5}\right)^{1/3} + \left(\frac{b^3}{5}\right)^{2/3}\right)}{18b^6\left(\frac{b^3}{5}\right)^{1/3}} + \frac{(5ab^3c - 8a^2b^2d + 11a^3be - 14a^4f)\log\left(x + \left(\frac{b^3}{5}\right)^{1/3}\right)}{9b^6\left(\frac{b^3}{5}\right)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3}(a^3b^3c - a^2b^2d + a^3b^3e - a^4f)x^2/(b^6x^3 + a^3b^5) - \frac{1}{9}\sqrt{3}(3)(5a^3b^3c - 8a^2b^2d + 11a^3b^3e - 14a^4f)\arctan\left(\frac{1}{3}\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{1/3}\right)/\left(\frac{a}{b}\right)^{1/3}\right)/(b^6\left(\frac{a}{b}\right)^{1/3}) + \frac{1}{440}(40b^3f^2x^{11} + 55(b^3e - 2a^2b^2f)x^8 + 88(b^3d - 2a^2b^2e + 3a^2b^2f)x^5 + 220(b^3c - 2a^2b^2d + 3a^2b^2e - 4a^3f)x^2)/b^5 - \frac{1}{18}(5a^3b^3c - 8a^2b^2d + 11a^3b^3e - 14a^4f)\log(x^2 - x\left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3})/(b^6\left(\frac{a}{b}\right)^{1/3}) + \frac{1}{9}(5a^3b^3c - 8a^2b^2d + 11a^3b^3e - 14a^4f)\log(x + \left(\frac{a}{b}\right)^{1/3})/(b^6\left(\frac{a}{b}\right)^{1/3})$

mupad [B] time = 5.28, size = 362, normalized size = 1.08

$$\frac{1}{3} \left(\frac{a^3 b^3 c}{b^6} - \frac{a^2 b^2 d}{b^6} + \frac{a^3 b^3 e}{b^6} - \frac{a^4 f}{b^6} \right) x^2 / (b^6 x^3 + a^3 b^5) - \frac{1}{9} \sqrt{3} \left(\frac{5 a^3 b^3 c - 8 a^2 b^2 d + 11 a^3 b^3 e - 14 a^4 f}{b^6} \right) \arctan \left(\frac{1}{3} \sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{1/3} \right) / \left(\frac{a}{b} \right)^{1/3} \right) / (b^6 \left(\frac{a}{b} \right)^{1/3}) + \frac{1}{440} (40 b^3 f^2 x^{11} + 55 (b^3 e - 2 a^2 b^2 f) x^8 + 88 (b^3 d - 2 a^2 b^2 e + 3 a^2 b^2 f) x^5 + 220 (b^3 c - 2 a^2 b^2 d + 3 a^2 b^2 e - 4 a^3 f) x^2) / b^5 - \frac{1}{18} (5 a^3 b^3 c - 8 a^2 b^2 d + 11 a^3 b^3 e - 14 a^4 f) \log(x^2 - x \left(\frac{a}{b} \right)^{1/3} + \left(\frac{a}{b} \right)^{2/3}) / (b^6 \left(\frac{a}{b} \right)^{1/3}) + \frac{1}{9} (5 a^3 b^3 c - 8 a^2 b^2 d + 11 a^3 b^3 e - 14 a^4 f) \log(x + \left(\frac{a}{b} \right)^{1/3}) / (b^6 \left(\frac{a}{b} \right)^{1/3})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^7(c + dx^3 + ex^6 + fx^9))/(a + bx^3)^2, x)$

[Out] $x^8(e/(8b^2) - (af)/(4b^3)) - x^5((a^2f)/(5b^4) - d/(5b^2) + (2a*(e/b^2 - (2af)/b^3))/(5b)) + x^2(c/(2b^2) - (a^2(e/b^2 - (2af)/b^3))/(2b^2) + (a*((a^2f)/b^4 - d/b^2 + (2a*(e/b^2 - (2af)/b^3))/b))/b + (fx^{11})/(11b^2) - (x^2((a^4f)/3 + (a^2b^2d)/3 - (ab^3c)/3 - (a^3b^3e)/3))/(ab^5 + b^6x^3) + (a^{2/3}*\log(b^{1/3}*x + a^{1/3})*(5b^3c - 14a^3f - 8a^2b^2d + 11a^2b^2e))/(9b^{17/3}) - (a^{2/3}*\log(3^{1/2}*a^{1/3})*1i + 2b^{1/3}*x - a^{1/3})*((3^{1/2}*1i)/2 + 1/2)*(5b^3c - 14a^3f - 8a^2b^2d + 11a^2b^2e))/(9b^{17/3}) + (a^{2/3}*\log(3^{1/2}*a^{1/3})*1i - 2b^{1/3}*x + a^{1/3})*((3^{1/2}*1i)/2 - 1/2)*(5b^3c - 14a^3f - 8a^2b^2d + 11a^2b^2e))/(9b^{17/3})$

sympy [A] time = 58.23, size = 539, normalized size = 1.61

$$\frac{1}{3} \left(\frac{a^3 b^3 c}{b^6} - \frac{a^2 b^2 d}{b^6} + \frac{a^3 b^3 e}{b^6} - \frac{a^4 f}{b^6} \right) x^2 / (b^6 x^3 + a^3 b^5) - \frac{1}{9} \sqrt{3} \left(\frac{5 a^3 b^3 c - 8 a^2 b^2 d + 11 a^3 b^3 e - 14 a^4 f}{b^6} \right) \arctan \left(\frac{1}{3} \sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{1/3} \right) / \left(\frac{a}{b} \right)^{1/3} \right) / (b^6 \left(\frac{a}{b} \right)^{1/3}) + \frac{1}{440} (40 b^3 f^2 x^{11} + 55 (b^3 e - 2 a^2 b^2 f) x^8 + 88 (b^3 d - 2 a^2 b^2 e + 3 a^2 b^2 f) x^5 + 220 (b^3 c - 2 a^2 b^2 d + 3 a^2 b^2 e - 4 a^3 f) x^2) / b^5 - \frac{1}{18} (5 a^3 b^3 c - 8 a^2 b^2 d + 11 a^3 b^3 e - 14 a^4 f) \log(x^2 - x \left(\frac{a}{b} \right)^{1/3} + \left(\frac{a}{b} \right)^{2/3}) / (b^6 \left(\frac{a}{b} \right)^{1/3}) + \frac{1}{9} (5 a^3 b^3 c - 8 a^2 b^2 d + 11 a^3 b^3 e - 14 a^4 f) \log(x + \left(\frac{a}{b} \right)^{1/3}) / (b^6 \left(\frac{a}{b} \right)^{1/3})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^{**7}(f*x^{**9}+e*x^{**6}+d*x^{**3}+c)/(b*x^{**3}+a)**2, x)$

[Out] $x^{**8}(-a*f/(4*b^{**3}) + e/(8*b^{**2})) + x^{**5}(3*a^{**2}*f/(5*b^{**4}) - 2*a*e/(5*b^{**3}) + d/(5*b^{**2})) + x^{**2}(-2*a^{**3}*f/b^{**5} + 3*a^{**2}*e/(2*b^{**4}) - a*d/b^{**3} + c/(2*b^{**2})) + x^{**2}(-a^{**4}*f + a^{**3}*b^3*e - a^{**2}*b^{**2}*d + a*b^{**3}*c)/(3*a*b^{**5} + 3*b^{**6}*x^{**3}) + \text{RootSum}(729*_t^{**3}*b^{**17} + 2744*a^{**11}*f^{**3} - 6468*a^{**10}*b^3*e*f^{**2} + 4704*a^{**9}*b^{**2}*d*f^{**2} + 5082*a^{**9}*b^{**2}*e^{**2}*f - 2940*a^{**8}*b^{**3}*c*f^{**2} - 7392*a^{**8}*b^{**3}*d*e*f - 1331*a^{**8}*b^{**3}*e^{**3} + 4620*a^{**7}*b^{**4}*c*e*f + 2688*a^{**7}*b^{**4}*d^{**2}*f + 2904*a^{**7}*b^{**4}*d*e^{**2} - 3360*a^{**6}*b^{**5}*c*d*f - 1815*a^{**6}*b^{**5}*c*e^{**2} - 2112*a^{**6}*b^{**5}*d^{**2}*e + 1050*a^{**5}*b^{**6}*c^{**2}*f + 2640*a^{**5}*b^{**6}*c*d*e + 512*a^{**5}*b^{**6}*d^{**3} - 825*a^{**4}*b^{**7}*c^{**2}*e - 960*a^{**4}*b^{**7}*c*d^{**2} + 600*a^{**3}*b^{**8}*c^{**2}*d - 125*a^{**2}*b^{**9}*c^{**3}, \text{Lambda}(_t, _t*\log(81*_t^{**2}*b$

$$\frac{11}{(196a^7f^2 - 308a^6b^2ef + 224a^5b^2d^2f + 121a^5b^2e^2 - 140a^4b^3cf - 176a^4b^3d^2e + 110a^3b^4c^2e + 64a^3b^4d^2 - 80a^2b^5cd + 25ab^6c^2) + x)} + f^2x^{11}/(11b^2)$$

$$3.209 \quad \int \frac{x^6(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=328

$$\frac{x^4(3a^2f - 2abe + b^2d)}{4b^4} - \frac{\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(-13a^3f + 10a^2be - 7ab^2d + 4b^3c)}{9b^{16/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-13a^3f + 10a^2be - 7ab^2d + 4b^3c)}{3\sqrt{3}b^{16/3}}$$

Rubi [A] time = 0.37, antiderivative size = 328, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1828, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{ax^2(b^2c + a^2(-f) - ab^2d + b^3c)}{3b^3(a + bx^3)} + \frac{\sqrt[3]{a} \log(\sqrt[3]{a} - \sqrt[3]{b}x + b^{2/3}x^2)(10a^2be - 13a^3f - 7ab^2d + 4b^3c)}{18b^{16/3}} + \frac{x(3a^2be - 4a^3f - 2ab^2d + b^3c)}{b^3} - \frac{\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(10a^2be - 13a^3f - 7ab^2d + 4b^3c)}{9b^{16/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(10a^2be - 13a^3f - 7ab^2d + 4b^3c)}{3\sqrt{3}b^{16/3}} + \frac{x^4(3a^2f - 2abe + b^2d)}{4b^4} + \frac{x^2(9e - 2af)}{7b^3} + \frac{fx^{10}}{10b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] ((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x)/b^5 + ((b^2*d - 2*a*b*e + 3*a^2*f)*x^4)/(4*b^4) + ((b*e - 2*a*f)*x^7)/(7*b^3) + (f*x^10)/(10*b^2) + (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*b^5*(a + b*x^3)) + (a^(1/3)*(4*b^3*c - 7*a*b^2*d + 10*a^2*b*e - 13*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(3*Sqrt[3]*b^(16/3)) - (a^(1/3)*(4*b^3*c - 7*a*b^2*d + 10*a^2*b*e - 13*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(9*b^(16/3)) + (a^(1/3)*(4*b^3*c - 7*a*b^2*d + 10*a^2*b*e - 13*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*b^(16/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^6 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{3b^5(a + bx^3)} - \frac{\int \frac{a^2(b^3c - ab^2d + a^2be - a^3f) - 3ab(b^3c - ab^2d + a^2be - a^3f)x^3 - 3a^2bx^6}{a + bx^3} dx}{3ab^5} \\
&= \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{3b^5(a + bx^3)} - \frac{\int (-3a(b^3c - 2ab^2d + 3a^2be - 4a^3f) - 3ab(b^3c - ab^2d + a^2be - a^3f)x^3 - 3a^2bx^6) dx}{3ab^5} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{f}{1} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{f}{1} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{f}{1} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{f}{1} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{f}{1}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 315, normalized size = 0.96

$$\frac{315b^{4/3}x^4(3a^2f - 2abe + b^2d) + \frac{420a\sqrt{3}(a^{1/3} - f)a^2be - ab^2d + b^3c}{a^{2/3}} + 1260\sqrt{3}x(-4a^3f + 3a^2be - 2ab^2d + b^3c) + 140\sqrt{3}\log(\sqrt{3} + \sqrt{3}x)\left(13a^3f - 10a^2be + 7ab^2d - 4b^3c\right) - 140\sqrt{3}\sqrt{a}\tan^{-1}\left(\frac{1-2\sqrt{3}x}{\sqrt{3}}\right)\left(13a^3f - 10a^2be + 7ab^2d - 4b^3c\right) - 70\sqrt{3}\log(a^{2/3} - \sqrt{3}\sqrt{3}x + b^{2/3}x^2)\left(13a^3f - 10a^2be + 7ab^2d - 4b^3c\right) + 180b^{7/3}x^7(be - 2af) + 126b^{10/3}fx^{10}}{1260b^{16/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (1260*b^(1/3)*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x + 315*b^(4/3)*(b^2*d - 2*a*b*e + 3*a^2*f)*x^4 + 180*b^(7/3)*(b*e - 2*a*f)*x^7 + 126*b^(10/3)*f*x^10 + (420*a*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a + b*x^3) - 140*sqrt[3]*a^(1/3)*(-4*b^3*c + 7*a*b^2*d - 10*a^2*b*e + 13*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 140*a^(1/3)*(-4*b^3*c + 7*a*b^2*d - 10*a^2*b*e + 13*a^3*f)*Log[a^(1/3) + b^(1/3)*x] - 70*a^(1/3)*(-4*b^3*c + 7*a*b^2*d - 10*a^2*b*e + 13*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(1260*b^(16/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2, x]

fricas [A] time = 0.42, size = 423, normalized size = 1.29

$$\frac{126d^2x^{12} - 18(10d^2 - 13ab^2)x^{10} + 45(7d^2 - 10ab^2 - 13b^2f^2) - 10(4d^2 - 7ab^2 - 10b^2f) - 10\sqrt{3}(4d^2 - 7d^2f + 10b^2f - 13b^2f^2) - 13d^2f - (4d^2 - 7ab^2 - 10b^2f - 13b^2f^2)(\sqrt{3})^2 \arctan\left(\frac{2\sqrt{3}bx^3 + a}{126(d^2 + ab^2)}\right) + 70(4d^2 - 7d^2f + 10b^2f - 13b^2f^2) - 10(4d^2 - 7ab^2 - 10b^2f - 13b^2f^2)(\sqrt{3})^2 \log\left(\frac{x^2 + \frac{a}{b}}{\sqrt{3}}\right) - 140(4d^2 - 7d^2f + 10b^2f - 13b^2f^2) - 10(4d^2 - 7ab^2 - 10b^2f - 13b^2f^2)(\sqrt{3})^2 \log\left(\frac{x^2 + \frac{a}{b}}{\sqrt{3}}\right) + 420(4d^2 - 7d^2f + 10b^2f - 13b^2f^2) - 10(4d^2 - 7ab^2 - 10b^2f - 13b^2f^2)(\sqrt{3})^2 \log\left(\frac{x^2 + \frac{a}{b}}{\sqrt{3}}\right)}{126(b^6x^3 + ab^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/1260*(126*b^4*f*x^13 + 18*(10*b^4*e - 13*a*b^3*f)*x^10 + 45*(7*b^4*d - 10*a*b^3*e + 13*a^2*b^2*f)*x^7 + 315*(4*b^4*c - 7*a*b^3*d + 10*a^2*b^2*e - 13*a^3*b*f)*x^4 - 140*sqrt(3)*(4*a*b^3*c - 7*a^2*b^2*d + 10*a^3*b*e - 13*a^4*f + (4*b^4*c - 7*a*b^3*d + 10*a^2*b^2*e - 13*a^3*b*f)*x^3)*(a/b)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) - sqrt(3)*a)/a) + 70*(4*a*b^3*c - 7*a^2*b^2*d + 10*a^3*b*e - 13*a^4*f + (4*b^4*c - 7*a*b^3*d + 10*a^2*b^2*e - 13*a^3*b*f)*x^3)*(a/b)^(1/3)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3)) - 140*(4*a*b^3*c - 7*a^2*b^2*d + 10*a^3*b*e - 13*a^4*f + (4*b^4*c - 7*a*b^3*d + 10*a^2*b^2*e - 13*a^3*b*f)*x^3)*(a/b)^(1/3)*log(x + (a/b)^(1/3)) + 420*(4*a*b^3*c - 7*a^2*b^2*d + 10*a^3*b*e - 13*a^4*f)*x)/(b^6*x^3 + a*b^5)

giac [A] time = 0.18, size = 394, normalized size = 1.20

$$\frac{\sqrt{3}\left(4(-ab^2)^2d^2 - 7(-ab^2)^2d^2 - 13(-ab^2)^2d^2 + 10(-ab^2)^2d^2\right) \arctan\left(\frac{\sqrt{3}(2bx^3 + a)}{126(d^2 + ab^2)}\right) + 70(4d^2 - 7d^2f + 10b^2f - 13b^2f^2) - 10(4d^2 - 7ab^2 - 10b^2f - 13b^2f^2)(\sqrt{3})^2 \log\left(\frac{x^2 + \frac{a}{b}}{\sqrt{3}}\right) + 420(4d^2 - 7d^2f + 10b^2f - 13b^2f^2) - 10(4d^2 - 7ab^2 - 10b^2f - 13b^2f^2)(\sqrt{3})^2 \log\left(\frac{x^2 + \frac{a}{b}}{\sqrt{3}}\right)}{3(b^6x^3 + ab^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/9*sqrt(3)*(4*(-a*b^2)^(1/3)*b^3*c - 7*(-a*b^2)^(1/3)*a*b^2*d - 13*(-a*b^2)^(1/3)*a^3*f + 10*(-a*b^2)^(1/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^6 + 1/9*(4*a*b^3*c - 7*a^2*b^2*d - 13*a^4*f + 10*a^3*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^5) - 1/18*(4*(-a*b^2)^(1/3)*b^3*c - 7*(-a*b^2)^(1/3)*a*b^2*d - 13*(-a*b^2)^(1/3)*a^3*f + 10*(-a*b^2)^(1/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^6 + 1/3*(a*b^3*c*x - a^2*b^2*d*x - a^4*f*x + a^3*b*x*e)/((b*x^3 + a)*b^5) + 1/140*(14*b^18*f*x^10 - 40*a*b^17*f*x^7 + 20*b^18*x^7*e + 35*b^18*d*x^4 + 105*a^2*b^16*

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)
```

```
[Out] x^7*(e/(7*b^2) - (2*a*f)/(7*b^3)) + x*(c/b^2 - (a^2*(e/b^2 - (2*a*f)/b^3))/b^2 + (2*a*((a^2*f)/b^4 - d/b^2 + (2*a*(e/b^2 - (2*a*f)/b^3))/b))/b - x^4*((a^2*f)/(4*b^4) - d/(4*b^2) + (a*(e/b^2 - (2*a*f)/b^3))/(2*b)) - (x*((a^4*f)/3 + (a^2*b^2*d)/3 - (a*b^3*c)/3 - (a^3*b*e)/3))/(a*b^5 + b^6*x^3) + (f*x^10)/(10*b^2) - (a^(1/3)*log(b^(1/3)*x + a^(1/3))*(4*b^3*c - 13*a^3*f - 7*a*b^2*d + 10*a^2*b*e))/(9*b^(16/3)) - (a^(1/3)*log(3^(1/2)*a^(1/3)*i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*i)/2 - 1/2)*(4*b^3*c - 13*a^3*f - 7*a*b^2*d + 10*a^2*b*e))/(9*b^(16/3)) + (a^(1/3)*log(3^(1/2)*a^(1/3)*i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*i)/2 + 1/2)*(4*b^3*c - 13*a^3*f - 7*a*b^2*d + 10*a^2*b*e))/(9*b^(16/3))
```

sympy [A] time = 14.98, size = 449, normalized size = 1.37

$f\left(\frac{2x^7}{7b^2} + \frac{2ax^4}{7b^3} + \frac{c}{b^2} + \frac{2a^2f}{7b^4} - \frac{d}{b^2} + \frac{2a^2(e/b^2 - (2af)/b^3)}{b^2}\right) + x\left(-\frac{4a^2f}{3b^4} - \frac{d}{4b^2} + \frac{a(e/b^2 - (2af)/b^3)}{2b}\right) - \frac{x^4\left(\frac{a^2f}{3} + \frac{a^2b^2d}{3} - \frac{ab^3c}{3} - \frac{a^3be}{3}\right)}{ab^5 + b^6x^3} + \frac{f x^{10}}{10b^2} - \frac{a^{1/3} \log(b^{1/3}x + a^{1/3})(4b^3c - 13a^3f - 7ab^2d + 10a^2be)}{9b^{16/3}} - \frac{a^{1/3} \log(3^{1/2}a^{1/3}i + 2b^{1/3}x - a^{1/3})\left(\frac{3^{1/2}i}{2} - \frac{1}{2}\right)(4b^3c - 13a^3f - 7ab^2d + 10a^2be)}{9b^{16/3}} + \frac{a^{1/3} \log(3^{1/2}a^{1/3}i - 2b^{1/3}x + a^{1/3})\left(\frac{3^{1/2}i}{2} + \frac{1}{2}\right)(4b^3c - 13a^3f - 7ab^2d + 10a^2be)}{9b^{16/3}}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**6*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)
```

```
[Out] x**7*(-2*a*f/(7*b**3) + e/(7*b**2)) + x**4*(3*a**2*f/(4*b**4) - a*e/(2*b**3) + d/(4*b**2)) + x*(-4*a**3*f/b**5 + 3*a**2*e/b**4 - 2*a*d/b**3 + c/b**2) + x*(-a**4*f + a**3*b*e - a**2*b**2*d + a*b**3*c)/(3*a*b**5 + 3*b**6*x**3) + RootSum(729*_t**3*b**16 - 2197*a**10*f**3 + 5070*a**9*b*e*f**2 - 3549*a**8*b**2*d*f**2 - 3900*a**8*b**2*e**2*f + 2028*a**7*b**3*c*f**2 + 5460*a**7*b**3*d*e*f + 1000*a**7*b**3*e**3 - 3120*a**6*b**4*c*e*f - 1911*a**6*b**4*d**2*f - 2100*a**6*b**4*d*e**2 + 2184*a**5*b**5*c*d*f + 1200*a**5*b**5*c*e**2 + 1470*a**5*b**5*d**2*e - 624*a**4*b**6*c**2*f - 1680*a**4*b**6*c*d*e - 343*a**4*b**6*d**3 + 480*a**3*b**7*c**2*e + 588*a**3*b**7*c*d**2 - 336*a**2*b**8*c**2*d + 64*a*b**9*c**3, Lambda(_t, _t*log(9*_t*b**5/(13*a**3*f - 10*a**2*b*e + 7*a*b**2*d - 4*b**3*c) + x))) + f*x**10/(10*b**2)
```

$$3.210 \quad \int \frac{x^4(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=298

$$\frac{x^2(3a^2f - 2abe + b^2d)}{2b^4} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-11a^3f + 8a^2be - 5ab^2d + 2b^3c)}{9\sqrt[3]{a}b^{14/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-11a^3f + 8a^2be)}{3\sqrt{3}\sqrt[3]{a}b^{14/3}}$$

Rubi [A] time = 0.46, antiderivative size = 298, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1851, 1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^4(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(8a^2be - 11a^3f - 5ab^2d + 2b^3c)}{18\sqrt[3]{a}b^{14/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(8a^2be - 11a^3f - 5ab^2d + 2b^3c)}{9\sqrt[3]{a}b^{14/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(8a^2be - 11a^3f - 5ab^2d + 2b^3c)}{3\sqrt{3}\sqrt[3]{a}b^{14/3}} + \frac{x^2(3a^2f - 2abe + b^2d)}{2b^4} + \frac{x^5(bc - 2af)}{5b^3} + \frac{fx^8}{8b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] ((b^2*d - 2*a*b*e + 3*a^2*f)*x^2)/(2*b^4) + ((b*e - 2*a*f)*x^5)/(5*b^3) + (f*x^8)/(8*b^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*b^4*(a + b*x^3)) - ((2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(1/3)*b^(14/3)) - ((2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(1/3)*b^(14/3))) + ((2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(1/3)*b^(14/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
```



```
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1851

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Int[x*PolynomialQuotient[Pq, x, x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, n, p}, x] && PolyQ[Pq, x] && EqQ[Coeff[Pq, x, 0], 0] && !MatchQ[Pq, x^(m_.)*(u_.) /; IntegerQ[m]]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} - \frac{\int \frac{-2ab(b^3c - ab^2d + a^2be - a^3f)x - 3ab^2(b^2d - abe + a^2f)x^4 - 3ab^3}{a + bx^3}}{3ab^5} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} - \frac{\int \frac{x(-2ab(b^3c - ab^2d + a^2be - a^3f) - 3ab^2(b^2d - abe + a^2f))x^3 - 3ab^3}{a + bx^3}}{3ab^5} \\
&= \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} - \frac{\int \frac{x(-16ab^2(b^3c - ab^2d + a^2be - a^3f) - 24ab^3(b^2d - abe + a^2f))x - 24ab^3}{a + bx^3}}{24ab^6} \\
&= \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} - \frac{\int \left(-24ab^2(b^2d - 2abe + 3a^2f)x - 24ab^3 \right)}{24ab^6} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 282, normalized size = 0.95

$$\frac{180b^{2/3}x^2(3a^2f - 2abe + b^2d) + \frac{40 \log(\sqrt[3]{a} + \sqrt[3]{bx^3})(11a^2f - 8a^2be + 5a^2d - 2b^2c)}{\sqrt[3]{a}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx^3}}{\sqrt[3]{a}}\right)(11a^2f - 8a^2be + 5a^2d - 2b^2c)}{\sqrt[3]{a}} - \frac{120a^{2/3}x^2(a^2(-f) + a^2be - ab^2d + b^3c)}{a + bx^3} + \frac{20 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx^3} + b^{2/3}x^2)(-11a^2f + 8a^2be - 5a^2d + 2b^2c)}{\sqrt[3]{a}} + 72b^{5/3}x^5(be - 2af) + 45b^{8/3}fx^8}{360b^{14/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

```
[Out] (180*b^(2/3)*(b^2*d - 2*a*b*e + 3*a^2*f)*x^2 + 72*b^(5/3)*(b*e - 2*a*f)*x^5
+ 45*b^(8/3)*f*x^8 - (120*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)
/(a + b*x^3) + (40*Sqrt[3]*(-2*b^3*c + 5*a*b^2*d - 8*a^2*b*e + 11*a^3*f)*Ar
cTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/a^(1/3) + (40*(-2*b^3*c + 5*a*b^
2*d - 8*a^2*b*e + 11*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(1/3) + (20*(2*b^3*
c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(
2/3)*x^2])/a^(1/3))/(360*b^(14/3))
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]
```

```
[Out] IntegrateAlgebraic[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2, x]
```

fricas [A] time = 0.45, size = 920, normalized size = 3.09

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] [1/360*(45*a*b^5*f*x^11 + 9*(8*a*b^5*e - 11*a^2*b^4*f)*x^8 + 36*(5*a*b^5*d
- 8*a^2*b^4*e + 11*a^3*b^3*f)*x^5 - 60*(2*a*b^5*c - 5*a^2*b^4*d + 8*a^3*b^3
*e - 11*a^4*b^2*f)*x^2 - 60*sqrt(1/3)*(2*a^2*b^4*c - 5*a^3*b^3*d + 8*a^4*b^
2*e - 11*a^5*b*f + (2*a*b^5*c - 5*a^2*b^4*d + 8*a^3*b^3*e - 11*a^4*b^2*f)*x
^3)*sqrt(-(a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b - 3*sqrt(1/3)*(a*b*x + 2*(a
*b^2)^(2/3)*x^2 - (a*b^2)^(1/3)*a)*sqrt(-(a*b^2)^(1/3)/a) - 3*(a*b^2)^(2/3)
*x)/(b*x^3 + a)) + 20*(2*a*b^3*c - 5*a^2*b^2*d + 8*a^3*b*e - 11*a^4*f + (2*
b^4*c - 5*a*b^3*d + 8*a^2*b^2*e - 11*a^3*b*f)*x^3)*(a*b^2)^(2/3)*log(b^2*x^
2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 40*(2*a*b^3*c - 5*a^2*b^2*d + 8*a^
3*b*e - 11*a^4*f + (2*b^4*c - 5*a*b^3*d + 8*a^2*b^2*e - 11*a^3*b*f)*x^3)*(a
*b^2)^(2/3)*log(b*x + (a*b^2)^(1/3)))/(a*b^7*x^3 + a^2*b^6), 1/360*(45*a*b^
5*f*x^11 + 9*(8*a*b^5*e - 11*a^2*b^4*f)*x^8 + 36*(5*a*b^5*d - 8*a^2*b^4*e +
11*a^3*b^3*f)*x^5 - 60*(2*a*b^5*c - 5*a^2*b^4*d + 8*a^3*b^3*e - 11*a^4*b^2
*f)*x^2 - 120*sqrt(1/3)*(2*a^2*b^4*c - 5*a^3*b^3*d + 8*a^4*b^2*e - 11*a^5*b
*f + (2*a*b^5*c - 5*a^2*b^4*d + 8*a^3*b^3*e - 11*a^4*b^2*f)*x^3)*sqrt((a*b^
2)^(1/3)/a)*arctan(-sqrt(1/3)*(2*b*x - (a*b^2)^(1/3))*sqrt((a*b^2)^(1/3)/a)
/b) + 20*(2*a*b^3*c - 5*a^2*b^2*d + 8*a^3*b*e - 11*a^4*f + (2*b^4*c - 5*a*b
^3*d + 8*a^2*b^2*e - 11*a^3*b*f)*x^3)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(
```


Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$-1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2/(b^5*x^3 + a*b^4) + 1/9*\sqrt{3}*(2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^5*(a/b)^{(1/3)}) + 1/40*(5*b^2*f*x^8 + 8*(b^2*e - 2*a*b*f)*x^5 + 20*(b^2*d - 2*a*b*e + 3*a^2*f)*x^2)/b^4 + 1/18*(2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^5*(a/b)^{(1/3)}) - 1/9*(2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*\log(x + (a/b)^{(1/3)})/(b^5*(a/b)^{(1/3)})$$

mupad [B] time = 5.22, size = 287, normalized size = 0.96

$$x^2 \left(\frac{e}{5b^2} - \frac{2af}{5b^2} \right) - x^2 \left(\frac{d}{2b^2} - \frac{a}{b} \left(\frac{2af}{5b^2} \right) \right) + \frac{f x^8}{8b^2} - \frac{x^2 \left(\frac{c}{b^3} + \frac{c^2}{3} - \frac{2af^2}{3} + \frac{c^2}{3} \right)}{8b^2} - \frac{\ln(b^{1/3}x + a^{1/3}) (-11fa^3 + 8ea^2b - 5da^2 + 2c^2)}{9a^{1/3}b^{1/3}} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}) \left(\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (-11fa^3 + 8ea^2b - 5da^2 + 2c^2)}{9a^{1/3}b^{1/3}} - \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}) \left(\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (-11fa^3 + 8ea^2b - 5da^2 + 2c^2)}{9a^{1/3}b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out]
$$x^5*(e/(5*b^2) - (2*a*f)/(5*b^3)) - x^2*((a^2*f)/(2*b^4) - d/(2*b^2) + (a*(e/b^2 - (2*a*f)/b^3))/b) + (f*x^8)/(8*b^2) - (x^2*((b^3*c)/3 - (a^3*f)/3 - (a*b^2*d)/3 + (a^2*b*e)/3))/(a*b^4 + b^5*x^3) - (\log(b^{1/3}*x + a^{1/3}))* (2*b^3*c - 11*a^3*f - 5*a*b^2*d + 8*a^2*b*e)/(9*a^{1/3}*b^{14/3}) + (\log(3^{1/2}*a^{1/3}*i + 2*b^{1/3}*x - a^{1/3}))* ((3^{1/2}*i)/2 + 1/2)*(2*b^3*c - 11*a^3*f - 5*a*b^2*d + 8*a^2*b*e)/(9*a^{1/3}*b^{14/3}) - (\log(3^{1/2}*a^{1/3}*i - 2*b^{1/3}*x + a^{1/3}))* ((3^{1/2}*i)/2 - 1/2)*(2*b^3*c - 11*a^3*f - 5*a*b^2*d + 8*a^2*b*e)/(9*a^{1/3}*b^{14/3})$$

sympy [A] time = 51.29, size = 490, normalized size = 1.64

$$x^2 \left(\frac{e}{5b^2} - \frac{2af}{5b^2} \right) - x^2 \left(\frac{d}{2b^2} - \frac{a}{b} \left(\frac{2af}{5b^2} \right) \right) + \frac{f x^8}{8b^2} - \frac{x^2 \left(\frac{c}{b^3} + \frac{c^2}{3} - \frac{2af^2}{3} + \frac{c^2}{3} \right)}{8b^2} - \frac{\ln(b^{1/3}x + a^{1/3}) (-11fa^3 + 8ea^2b - 5da^2 + 2c^2)}{9a^{1/3}b^{1/3}} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}) \left(\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (-11fa^3 + 8ea^2b - 5da^2 + 2c^2)}{9a^{1/3}b^{1/3}} - \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}) \left(\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (-11fa^3 + 8ea^2b - 5da^2 + 2c^2)}{9a^{1/3}b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out]
$$x**5*(-2*a*f/(5*b**3) + e/(5*b**2)) + x**2*(3*a**2*f/(2*b**4) - a*e/b**3 + d/(2*b**2)) + x**2*(a**3*f - a**2*b*e + a*b**2*d - b**3*c)/(3*a*b**4 + 3*b**5*x**3) + \text{RootSum}(729*_t**3*a*b**14 - 1331*a**9*f**3 + 2904*a**8*b*e*f**2 - 1815*a**7*b**2*d*f**2 - 2112*a**7*b**2*e**2*f + 726*a**6*b**3*c*f**2 + 2640*a**6*b**3*d*e*f + 512*a**6*b**3*e**3 - 1056*a**5*b**4*c*e*f - 825*a**5*b**4*d**2*f - 960*a**5*b**4*d*e**2 + 660*a**4*b**5*c*d*f + 384*a**4*b**5*c*e**2 + 600*a**4*b**5*d**2*e - 132*a**3*b**6*c**2*f - 480*a**3*b**6*c*d*e - 125*a**3*b**6*d**3 + 96*a**2*b**7*c**2*e + 150*a**2*b**7*c*d**2 - 60*a*b**8*c**2*d + 8*b**9*c**3, \text{Lambda}(_t, _t*\log(81*_t**2*a*b**9/(121*a**6*f**2 - 176*a**5*b*e*f + 110*a**4*b**2*d*f + 64*a**4*b**2*e**2 - 44*a**3*b**3*c*f - 8$$

$$0*a**3*b**3*d*e + 32*a**2*b**4*c*e + 25*a**2*b**4*d**2 - 20*a*b**5*c*d + 4*b**6*c**2) + x))) + f*x**8/(8*b**2)$$

$$3.211 \quad \int \frac{x^3(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=288

$$\frac{x(3a^2f - 2abe + b^2d)}{b^4} - \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^4(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(-10a^3f + 7a^2be - 4ab^2d + b^3c)}{18a^{2/3}b^{13/3}}$$

Rubi [A] time = 0.33, antiderivative size = 288, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1828, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^4(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(7a^2be - 10a^3f - 4ab^2d + b^3c)}{18a^{2/3}b^{13/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x)(7a^2be - 10a^3f - 4ab^2d + b^3c)}{9a^{2/3}b^{13/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)(7a^2be - 10a^3f - 4ab^2d + b^3c)}{3\sqrt[3]{a^2b^{13/3}}} + \frac{x(3a^2f - 2abe + b^2d)}{b^4} + \frac{x^4(bc - 2af)}{4b^3} + \frac{fx^7}{7b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] ((b^2*d - 2*a*b*e + 3*a^2*f)*x)/b^4 + ((b*e - 2*a*f)*x^4)/(4*b^3) + (f*x^7)/(7*b^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*b^4*(a + b*x^3)) - ((b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(2/3)*b^(13/3)) + ((b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(2/3)*b^(13/3)) - ((b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(2/3)*b^(13/3)))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} - \frac{\int \frac{-a(b^3c - ab^2d + a^2be - a^3f) - 3ab(b^2d - abe + a^2f)x^3 - 3ab^2(be - 2af)x^6}{a + bx^3} dx}{3ab^4} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} - \frac{\int (-3a(b^2d - 2abe + 3a^2f) - 3ab(be - 2af)x^3) dx}{3ab^4} \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} + \dots \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} + \dots \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} + \dots \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} + \dots \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} + \dots \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} + \dots
\end{aligned}$$

Mathematica [A] time = 0.19, size = 277, normalized size = 0.96

$$\frac{252\sqrt[3]{b}x(3a^2f - 2abe + b^2d) - \frac{84\sqrt[3]{b}x(a^2(-f) + a^2be - ab^2d + b^3c)}{a + bx^3} + \frac{28\log(\sqrt[3]{a} + \sqrt[3]{bx})(-10a^3f + 7a^2be - 4ab^2d + b^3c)}{a^{2/3}} + \frac{28\sqrt{3}\tan^{-1}\left(\frac{1 + 2\sqrt[3]{bx}}{\sqrt{3}}\right)(10a^3f - 7a^2be + 4ab^2d - b^3c)}{252b^{1/3}a^{2/3}} + \frac{14\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{bx + b^2})}{a^{2/3}}(10a^3f - 7a^2be + 4ab^2d - b^3c) + 63b^{4/3}x^4(be - 2af) + 36b^{7/3}fx^7}{252b^{1/3}a^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (252*b^(1/3)*(b^2*d - 2*a*b*e + 3*a^2*f)*x + 63*b^(4/3)*(b*e - 2*a*f)*x^4 + 36*b^(7/3)*f*x^7 - (84*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a + b*x^3) + (28*sqrt(3)*(-(b^3*c) + 4*a*b^2*d - 7*a^2*b*e + 10*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/a^(2/3) + (28*(b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) + (14*(-(b^3*c) + 4*a*b^2*d - 7*a^2*b*e + 10*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3))/(252*b^(1/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2, x]

fricas [A] time = 0.47, size = 946, normalized size = 3.28



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/252*(36*a^2*b^4*f*x^10 + 9*(7*a^2*b^4*e - 10*a^3*b^3*f)*x^7 + 63*(4*a^2*b^4*d - 7*a^3*b^3*e + 10*a^4*b^2*f)*x^4 - 42*sqrt(1/3)*(a^2*b^4*c - 4*a^3*b^3*d + 7*a^4*b^2*e - 10*a^5*b*f + (a*b^5*c - 4*a^2*b^4*d + 7*a^3*b^3*e - 10*a^4*b^2*f)*x^3)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a) - 14*(a*b^3*c - 4*a^2*b^2*d + 7*a^3*b*e - 10*a^4*f + (b^4*c - 4*a*b^3*d + 7*a^2*b^2*e - 10*a^3*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(a*b^3*c - 4*a^2*b^2*d + 7*a^3*b*e - 10*a^4*f + (b^4*c - 4*a*b^3*d + 7*a^2*b^2*e - 10*a^3*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) - 84*(a^2*b^4*c - 4*a^3*b^3*d + 7*a^4*b^2*e - 10*a^5*b*f)*x)/(a^2*b^6*x^3 + a^3*b^5), 1/252*(36*a^2*b^4*f*x^10 + 9*(7*a^2*b^4*e - 10*a^3*b^3*f)*x^7 + 63*(4*a^2*b^4*d - 7*a^3*b^3*e + 10*a^4*b^2*f)*x^4 + 84*sqrt(1/3)*(a^2*b^4*c - 4*a^3*b^3*d + 7*a^4*b^2*e - 10*a^5*b*f + (a*b^5*c - 4*a^2*b^4*d + 7*a^3*b^3*e - 10*a^4*b^2*f)*x^3)*sqrt(-(-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-a^2*b)^(1/3)/b)/a^2) - 14*(a*b^3*c - 4*a^2*b^2*d + 7*a^3*b*e - 10*a^4*f + (b^4*c - 4*a*b^3*d + 7*a^2*b^2*e - 10*a^3*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(a*b^3*c - 4*a^2*b^2*d + 7*a^3*b*e - 10*a^4*f + (b^4*c - 4*a*b^3*d + 7*a^2*b^2*e - 10*a^3*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) - 84*(a^2*b^4*c - 4*a^3*b^3*d + 7*a^4*b^2*e - 10*a^5*b*f)*x)/(a^2*b^6*x^3 + a^3*b^5)]

giac [A] time = 0.18, size = 295, normalized size = 1.02

$$\frac{\sqrt{3} (b^3c - 4ab^2d - 10a^2f + 7a^2bc) \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{1}{3}}b^3} - \frac{(b^3c - 4ab^2d - 10a^2f + 7a^2bc) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(-ab^2)^{\frac{1}{3}}b^3} - \frac{(b^3c - 4ab^2d - 10a^2f + 7a^2bc)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|1 - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{9ab^4} - \frac{b^3cx - ab^2dx - a^2fx + a^2bxc}{3(bx^3 + a)b^4} + \frac{4b^{12}fx^7 - 14ab^{11}fx^4 + 7b^{12}x^6 + 28b^{12}dx + 84a^2b^{10}fx - 56ab^{11}xc}{28b^{14}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out]
$$-1/9*\sqrt{3}*(b^3*c - 4*a*b^2*d - 10*a^3*f + 7*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{1/3})/(-a/b)^{1/3})/((-a*b^2)^{2/3}*b^3) - 1/18*(b^3*c - 4*a*b^2*d - 10*a^3*f + 7*a^2*b*e)*\log(x^2 + x*(-a/b)^{1/3} + (-a/b)^{2/3})/((-a*b^2)^{2/3}*b^3) - 1/9*(b^3*c - 4*a*b^2*d - 10*a^3*f + 7*a^2*b*e)*(-a/b)^{1/3}*\log(\text{abs}(x - (-a/b)^{1/3}))/a*b^4 - 1/3*(b^3*c*x - a*b^2*d*x - a^3*f*x + a^2*b*x*e)/((b*x^3 + a)*b^4) + 1/28*(4*b^12*f*x^7 - 14*a*b^11*f*x^4 + 7*b^12*x^4*e + 28*b^12*d*x + 84*a^2*b^10*f*x - 56*a*b^11*x*e)/b^14$$

maple [B] time = 0.05, size = 514, normalized size = 1.78

$$\frac{f^2}{2b^2} - \frac{af^2}{2b^2} + \frac{e^2}{2b^2} - \frac{ae^2}{2b^2} + \frac{d^2}{2b^2} - \frac{ad^2}{2b^2} + \frac{cd}{2b^2} - \frac{ac}{2b^2} + \frac{10\sqrt{3}d^2\arctan\left(\frac{d^2 - \frac{3}{2}d}{b^2}\right)}{9(b^3)^2} - \frac{10d^2\ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9(b^3)^2} - \frac{5d^2\ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3}x + \left(\frac{a}{b}\right)^{2/3}\right)}{9(b^3)^2} - \frac{7\sqrt{3}d^2\arctan\left(\frac{d^2 - \frac{3}{2}d}{b^2}\right)}{9(b^3)^2} - \frac{7d^2\ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9(b^3)^2} - \frac{7d^2\ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3}x + \left(\frac{a}{b}\right)^{2/3}\right)}{18(b^3)^2} - \frac{3d^2f}{b^2} - \frac{4\sqrt{3}af\arctan\left(\frac{d^2 - \frac{3}{2}d}{b^2}\right)}{9(b^3)^2} - \frac{4af\ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9(b^3)^2} - \frac{2af\ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3}x + \left(\frac{a}{b}\right)^{2/3}\right)}{9(b^3)^2} - \frac{2ae^2}{b^2} - \frac{\sqrt{3}e^2\arctan\left(\frac{d^2 - \frac{3}{2}d}{b^2}\right)}{9(b^3)^2} - \frac{e^2\ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9(b^3)^2} - \frac{e^2\ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3}x + \left(\frac{a}{b}\right)^{2/3}\right)}{18(b^3)^2} - \frac{de}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out]
$$\frac{1}{7b^2}f*x^7 - \frac{1}{2b^3}x^4*a*f + \frac{1}{4b^2}x^4*e + \frac{3}{b^4}a^2*f*x - \frac{2}{b^3}a*e*x + \frac{1}{b^2}d*x + \frac{1}{3b^4}x/(b*x^3+a)*a^3*f - \frac{1}{3b^3}x/(b*x^3+a)*a^2*e + \frac{1}{3b^2}x/(b*x^3+a)*a*d - \frac{1}{3b}x/(b*x^3+a)*c - \frac{10}{9b^5}a^3*f/(a/b)^{2/3}*\ln(x+(a/b)^{1/3}) + \frac{5}{9b^5}a^3*f/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3}) - \frac{10}{9b^5}a^3*f/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1)) + \frac{7}{9b^4}a^2*e/(a/b)^{2/3}*\ln(x+(a/b)^{1/3}) - \frac{7}{18b^4}a^2*e/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3}) + \frac{7}{9b^4}a^2*e/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1)) - \frac{4}{9b^3}a*d/(a/b)^{2/3}*\ln(x+(a/b)^{1/3}) + \frac{2}{9b^3}a*d/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3}) - \frac{4}{9b^3}a*d/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1)) + \frac{1}{9b^2}c/(a/b)^{2/3}*\ln(x+(a/b)^{1/3}) - \frac{1}{18b^2}c/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3}) + \frac{1}{9b^2}c/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))$$

maxima [A] time = 2.98, size = 270, normalized size = 0.94

$$\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3(b^3x^3 + ab^4)} + \frac{4b^2fx^7 + 7(b^2c - 2abf)x^4 + 28(b^2d - 2abe + 3a^2f)x}{28b^4} + \frac{\sqrt{3}(b^3c - 4ab^2d + 7a^2be - 10a^3f)\arctan\left(\frac{\sqrt{3}\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{\left(\frac{a}{b}\right)^{1/3}}\right)}{9b^5\left(\frac{a}{b}\right)^{2/3}} - \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)\log\left(x^2 - x\left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)}{18b^5\left(\frac{a}{b}\right)^{2/3}} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)\log\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9b^5\left(\frac{a}{b}\right)^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$-1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x/(b^5*x^3 + a*b^4) + 1/28*(4*b^2*f*x^7 + 7*(b^2*e - 2*a*b*f)*x^4 + 28*(b^2*d - 2*a*b*e + 3*a^2*f)*x)/b^4 + 1/9*\sqrt{3}*(b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/(b^5*(a/b)^{2/3}) - 1/18*(b^3*c - 4*a*b^2*d$$

$$+ 7*a^2*b*e - 10*a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^5*(a/b)^{(2/3)}) + 1/9*(b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*\log(x + (a/b)^{(1/3)})/(b^5*(a/b)^{(2/3)})$$

mupad [B] time = 0.31, size = 280, normalized size = 0.97

$$x^4 \left(\frac{c}{4b^2} - \frac{af}{2b^3} \right) - x \left(\frac{a^2 f}{b^4} - \frac{d}{b^2} + \frac{2d \left(\frac{a}{b} - \frac{2a^2}{9b^2} \right)}{b} \right) - x \left(\frac{f a^2}{b^3} + \frac{c a^2}{3} - \frac{4 d a^2}{b} + \frac{c^2}{3} \right) + \frac{f x^2}{7b^2} + \frac{\ln(b^{1/3} x + a^{1/3}) (-10 f a^2 + 7 c a^2 b - 4 d a b^2 + c b^3)}{9 a^{2/3} b^{1/3}} + \frac{\ln(2 b^{1/3} x - a^{1/3} + \sqrt{3} a^{1/3} i) \left(-\frac{1}{2} + \frac{\sqrt{3} i}{2} \right) (-10 f a^2 + 7 c a^2 b - 4 d a b^2 + c b^3)}{9 a^{2/3} b^{1/3}} - \frac{\ln(a^{1/3} - 2 b^{1/3} x + \sqrt{3} a^{1/3} i) \left(\frac{1}{2} + \frac{\sqrt{3} i}{2} \right) (-10 f a^2 + 7 c a^2 b - 4 d a b^2 + c b^3)}{9 a^{2/3} b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] $x^4*(e/(4*b^2) - (a*f)/(2*b^3)) - x*((a^2*f)/b^4 - d/b^2 + (2*a*(e/b^2 - (2*a*f)/b^3))/b) - (x*((b^3*c)/3 - (a^3*f)/3 - (a*b^2*d)/3 + (a^2*b*e)/3))/(a*b^4 + b^5*x^3) + (f*x^7)/(7*b^2) + (\log(b^{(1/3)}*x + a^{(1/3)})*(b^3*c - 10*a^3*f - 4*a*b^2*d + 7*a^2*b*e))/(9*a^{(2/3)}*b^{(13/3)}) + (\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(b^3*c - 10*a^3*f - 4*a*b^2*d + 7*a^2*b*e))/(9*a^{(2/3)}*b^{(13/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(b^3*c - 10*a^3*f - 4*a*b^2*d + 7*a^2*b*e))/(9*a^{(2/3)}*b^{(13/3)})$

sympy [A] time = 12.90, size = 401, normalized size = 1.39

$$x^4 \left(\frac{c}{4b^2} - \frac{af}{2b^3} \right) + x \left(\frac{3af}{b^4} - \frac{2e}{b^2} + \frac{d}{b} \right) + \frac{x^2 \left(\frac{af^2}{3ab} + \frac{af^2 - 2bc + ab^2 - b^3}{3ab + 3b^2} \right)}{7b^2} + \text{RootSum}\left(729*_t^{13}*_a^{12}*_b^{13} + 1000*_a^{10}*_f^{13} - 2100*_a^{10}*_b*_e*_f^{12} + 1200*_a^{10}*_b^{12}*_d*_f^{12} + 1470*_a^{10}*_b^{12}*_e^{12}*_f - 300*_a^{10}*_b^{12}*_c*_f^{12} - 1680*_a^{10}*_b^{12}*_d*_e*_f - 343*_a^{10}*_b^{12}*_e^{12} + 420*_a^{10}*_b^{12}*_c*_e*_f + 480*_a^{10}*_b^{12}*_d^{12}*_f + 588*_a^{10}*_b^{12}*_d*_e^{12} - 240*_a^{10}*_b^{12}*_c*_d*_f - 147*_a^{10}*_b^{12}*_c*_e^{12} - 336*_a^{10}*_b^{12}*_d^{12}*_e + 30*_a^{10}*_b^{12}*_c^{12}*_f + 168*_a^{10}*_b^{12}*_c*_d*_e + 64*_a^{10}*_b^{12}*_d^{12}*_e^{12} - 21*_a^{10}*_b^{12}*_c^{12}*_e - 48*_a^{10}*_b^{12}*_c*_d^{12} + 12*_a^{10}*_b^{12}*_c^{12}*_d - b^{12}*_c^{12} + x^2 \log(-9*_t*_a*_b^{12}/(10*_a^{12}*_f - 7*_a^{12}*_b*_e + 4*_a*_b^{12}*_d - b^{12}*_c) + x)) + f*x^7/(7*b^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] $x^4*(-a*f/(2*b^3) + e/(4*b^2)) + x*(3*a^2*f/b^4 - 2*a*e/b^3 + d/b^2) + x*(a^3*f - a^2*b*e + a*b^2*d - b^3*c)/(3*a*b^4 + 3*b^5*x^3) + \text{RootSum}(729*_t^{13}*_a^{12}*_b^{13} + 1000*_a^{10}*_f^{13} - 2100*_a^{10}*_b*_e*_f^{12} + 1200*_a^{10}*_b^{12}*_d*_f^{12} + 1470*_a^{10}*_b^{12}*_e^{12}*_f - 300*_a^{10}*_b^{12}*_c*_f^{12} - 1680*_a^{10}*_b^{12}*_d*_e*_f - 343*_a^{10}*_b^{12}*_e^{12} + 420*_a^{10}*_b^{12}*_c*_e*_f + 480*_a^{10}*_b^{12}*_d^{12}*_f + 588*_a^{10}*_b^{12}*_d*_e^{12} - 240*_a^{10}*_b^{12}*_c*_d*_f - 147*_a^{10}*_b^{12}*_c*_e^{12} - 336*_a^{10}*_b^{12}*_d^{12}*_e + 30*_a^{10}*_b^{12}*_c^{12}*_f + 168*_a^{10}*_b^{12}*_c*_d*_e + 64*_a^{10}*_b^{12}*_d^{12}*_e^{12} - 21*_a^{10}*_b^{12}*_c^{12}*_e - 48*_a^{10}*_b^{12}*_c*_d^{12} + 12*_a^{10}*_b^{12}*_c^{12}*_d - b^{12}*_c^{12} + x^2 \log(-9*_t*_a*_b^{12}/(10*_a^{12}*_f - 7*_a^{12}*_b*_e + 4*_a*_b^{12}*_d - b^{12}*_c) + x)) + f*x^7/(7*b^2)$

$$3.212 \quad \int \frac{x(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=271

$$\frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{3ab^3(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(8a^3f - 5a^2be + 2ab^2d + b^3c)}{18a^{4/3}b^{11/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{4/3}b^{11/3}}$$

Rubi [A] time = 0.29, antiderivative size = 271, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 28, number of rules / integrand size = 0.321, Rules used = {1828, 1594, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3ab^3(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-5a^2be + 8a^3f + 2ab^2d + b^3c)}{18a^{4/3}b^{11/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-5a^2be + 8a^3f + 2ab^2d + b^3c)}{9a^{4/3}b^{11/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt[3]{a}\sqrt[3]{b}}\right)(-5a^2be + 8a^3f + 2ab^2d + b^3c)}{3\sqrt[3]{a^4b^{11/3}}} + \frac{x^2(be - 2af)}{2b^3} + \frac{fx^5}{5b^2}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] ((b*e - 2*a*f)*x^2)/(2*b^3) + (f*x^5)/(5*b^2) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a*b^3*(a + b*x^3)) - ((b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(4/3)*b^(11/3)) - ((b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(9*a^(4/3)*b^(11/3)) + ((b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(4/3)*b^(11/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(n-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1594

```
Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_) + (c_)*(x_)^(r_))]^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]
```

Rule 1828

```
Int[(Pq)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))]^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{\int \frac{-b(b^3c + 2ab^2d - 2a^2be + 2a^3f)x - 3ab^2(be - af)x^4 - 3ab^3fx^7}{a + bx^3} dx}{3ab^4} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{\int \frac{x(-b(b^3c + 2ab^2d - 2a^2be + 2a^3f) - 3ab^2(be - af)x^3 - 3ab^3fx^6)}{a + bx^3} dx}{3ab^4} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{\int \left(-3ab(be - 2af)x - 3ab^2fx^4 + \frac{(-b^4c - 2ab^3d + 5a^2be - a^3f)x^7}{a + bx^3} \right) dx}{3ab^4} \\
&= \frac{(be - 2af)x^2}{2b^3} + \frac{fx^5}{5b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} + \frac{(b^3c + 2ab^2d - 5a^2be + a^3f)x^7}{3ab^3} \\
&= \frac{(be - 2af)x^2}{2b^3} + \frac{fx^5}{5b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{(b^3c + 2ab^2d - 5a^2be + a^3f)x^7}{9a^{4/3}b^{11/3}} \\
&= \frac{(be - 2af)x^2}{2b^3} + \frac{fx^5}{5b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{(b^3c + 2ab^2d - 5a^2be + a^3f)x^7}{9a^{4/3}b^{11/3}} \\
&= \frac{(be - 2af)x^2}{2b^3} + \frac{fx^5}{5b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{(b^3c + 2ab^2d - 5a^2be + a^3f)x^7}{9a^{4/3}b^{11/3}} \\
&= \frac{(be - 2af)x^2}{2b^3} + \frac{fx^5}{5b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{(b^3c + 2ab^2d - 5a^2be + a^3f)x^7}{3\sqrt{3}a^{4/3}b^{11/3}}
\end{aligned}$$

Mathematica [A] time = 0.19, size = 255, normalized size = 0.94

$$\frac{30b^{2/3}x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{a(a + bx^3)} - \frac{10 \log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(8a^3f - 5a^2be + 2ab^2d + b^3c)}{a^4} - \frac{10\sqrt{5} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{5}}\right)(8a^3f - 5a^2be + 2ab^2d + b^3c)}{a^4} + \frac{5 \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3}x^2\right)(8a^3f - 5a^2be + 2ab^2d + b^3c)}{a^4} + 45b^{2/3}x^2(be - 2af) + 18b^{5/3}fx^5$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (45*b^(2/3)*(b*e - 2*a*f)*x^2 + 18*b^(5/3)*f*x^5 + (30*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(a*(a + b*x^3)) - (10*sqrt[3]*(b^3*c + 2*a*b^2

*d - 5*a^2*b*e + 8*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]]/a^(4/3) - (10*(b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(4/3) + (5*(b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(4/3))/(90*b^(11/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2, x]

fricas [A] time = 0.47, size = 874, normalized size = 3.23

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/90*(18*a^2*b^4*f*x^8 + 9*(5*a^2*b^4*e - 8*a^3*b^3*f)*x^5 + 15*(2*a*b^5*c - 2*a^2*b^4*d + 5*a^3*b^3*e - 8*a^4*b^2*f)*x^2 + 15*sqrt(1/3)*(a^2*b^4*c + 2*a^3*b^3*d - 5*a^4*b^2*e + 8*a^5*b*f + (a*b^5*c + 2*a^2*b^4*d - 5*a^3*b^3*e + 8*a^4*b^2*f)*x^3)*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) + 5*(a*b^3*c + 2*a^2*b^2*d - 5*a^3*b*e + 8*a^4*f + (b^4*c + 2*a*b^3*d - 5*a^2*b^2*e + 8*a^3*b*f)*x^3)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 10*(a*b^3*c + 2*a^2*b^2*d - 5*a^3*b*e + 8*a^4*f + (b^4*c + 2*a*b^3*d - 5*a^2*b^2*e + 8*a^3*b*f)*x^3)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^2*b^6*x^3 + a^3*b^5), 1/90*(18*a^2*b^4*f*x^8 + 9*(5*a^2*b^4*e - 8*a^3*b^3*f)*x^5 + 15*(2*a*b^5*c - 2*a^2*b^4*d + 5*a^3*b^3*e - 8*a^4*b^2*f)*x^2 + 30*sqrt(1/3)*(a^2*b^4*c + 2*a^3*b^3*d - 5*a^4*b^2*e + 8*a^5*b*f + (a*b^5*c + 2*a^2*b^4*d - 5*a^3*b^3*e + 8*a^4*b^2*f)*x^3)*sqrt(-(-a*b^2)^(1/3)/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^(1/3))*sqrt(-(-a*b^2)^(1/3)/a)/b) + 5*(a*b^3*c + 2*a^2*b^2*d - 5*a^3*b*e + 8*a^4*f + (b^4*c + 2*a*b^3*d - 5*a^2*b^2*e + 8*a^3*b*f)*x^3)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 10*(a*b^3*c + 2*a^2*b^2*d - 5*a^3*b*e + 8*a^4*f + (b^4*c + 2*a*b^3*d - 5*a^2*b^2*e + 8*a^3*b*f)*x^3)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^2*b^6*x^3 + a^3*b^5)]

giac [A] time = 0.22, size = 318, normalized size = 1.17

$$\frac{\sqrt{3} (b^3c + 2ab^2d + 8a^3f - 5a^2be) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{1}{3}}ab^3} - \frac{(b^3c + 2ab^2d + 8a^3f - 5a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(-ab^2)^{\frac{1}{3}}ab^3} - \frac{(b^3c\left(-\frac{a}{b}\right)^{\frac{1}{3}} + 2ab^2d\left(-\frac{a}{b}\right)^{\frac{1}{3}} + 8a^3f\left(-\frac{a}{b}\right)^{\frac{1}{3}} - 5a^2b\left(-\frac{a}{b}\right)^{\frac{1}{3}}e)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9a^2b^3} + \frac{b^3cx^2 - ab^2dx^2 - a^3fx^2 + a^2bx^2e}{3(bx^3 + a)ab^3} + \frac{2b^8fx^5 - 10ab^7fx^2 + 5b^6x^2e}{10b^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/9*sqrt(3)*(b^3*c + 2*a*b^2*d + 8*a^3*f - 5*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a*b^3) - 1/18*(b^3*c + 2*a*b^2*d + 8*a^3*f - 5*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*a*b^3) - 1/9*(b^3*c*(-a/b)^(1/3) + 2*a*b^2*d*(-a/b)^(1/3) + 8*a^3*f*(-a/b)^(1/3) - 5*a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^2*b^3) + 1/3*(b^3*c*x^2 - a*b^2*d*x^2 - a^3*f*x^2 + a^2*b*x^2*e)/(b*x^3 + a)*a*b^3 + 1/10*(2*b^8*f*x^5 - 10*a*b^7*f*x^2 + 5*b^8*x^2*e)/b^10

maple [B] time = 0.05, size = 495, normalized size = 1.83

$$\frac{f x^9}{9 b^3} + \frac{e x^6}{3 (b x^3 + a) b^3} + \frac{a e x^3}{3 (b x^3 + a) b^3} + \frac{c x^3}{3 (b x^3 + a) b^3} + \frac{d x^3}{3 (b x^3 + a) b^3} + \frac{a^2 d x^3}{9 (b^2 x^3 + a b)} + \frac{a^3 f x^3}{9 (b^2 x^3 + a b)} + \frac{a^2 b e x^3}{9 (b^2 x^3 + a b)} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9 (b^2 x^3 + a b)} + \frac{a b^2 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9 (b^2 x^3 + a b)} + \frac{a b^2 d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9 (b^2 x^3 + a b)} + \frac{\sqrt{3} a e \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9 (b^2 x^3 + a b)} + \frac{a b^2 e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9 (b^2 x^3 + a b)} + \frac{a b^2 c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18 (b^2 x^3 + a b)} + \frac{\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9 (b^2 x^3 + a b)} + \frac{c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9 (b^2 x^3 + a b)} + \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18 (b^2 x^3 + a b)} + \frac{2 \sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9 (b^2 x^3 + a b)} + \frac{2 a b^2 e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9 (b^2 x^3 + a b)} + \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9 (b^2 x^3 + a b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] 1/5/b^2*f*x^5-1/b^3*x^2*a*f+1/2/b^2*x^2*e-1/3/b^3*a^2*x^2/(b*x^3+a)*f+1/3/b^2*a*x^2/(b*x^3+a)*e-1/3/b*x^2/(b*x^3+a)*d+1/3/a*x^2/(b*x^3+a)*c-8/9/b^4*a^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f+5/9/b^3*a/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*e-2/9/b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d-1/9/b/a/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*c+4/9/b^4*a^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f-5/18/b^3*a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e+1/9/b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+1/18/b/a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+8/9/b^4*a^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f-5/9/b^3*a*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e+2/9/b^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d+1/9/b/a*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c

maxima [A] time = 3.12, size = 259, normalized size = 0.96

$$\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3(ab^4x^3 + a^2b^3)} + \frac{2bfx^5 + 5(be - 2af)x^2}{10b^3} + \frac{\sqrt{3}(b^3c + 2ab^2d - 5a^2be + 8a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab^4\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(b^3c + 2ab^2d - 5a^2be + 8a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18ab^4\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{(b^3c + 2ab^2d - 5a^2be + 8a^3f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9ab^4\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2/(a*b^4*x^3 + a^2*b^3) + \frac{1}{10}*(2*b*f*x^5 + 5*(b*e - 2*a*f)*x^2)/b^3 + \frac{1}{9}*\sqrt{3}*(b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/(a*b^4*(a/b)^{1/3}) + \frac{1}{18}*(b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(a*b^4*(a/b)^{1/3}) - \frac{1}{9}*(b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*\log(x + (a/b)^{1/3})/(a*b^4*(a/b)^{1/3})$

mupad [B] time = 5.23, size = 246, normalized size = 0.91

$$x^2 \left(\frac{c}{2b^3} - \frac{af}{b^3} \right) + \frac{fx^5}{5b^2} - \frac{\ln(b^{1/3}x + a^{1/3})}{9a^{4/3}b^{1/3}} (8fa^3 - 5ca^2b + 2da^2b^2 + cb^3) + \frac{x^2(-fa^3 + ca^2b - da^2b^2 + cb^3)}{3a(b^4x^3 + ab^3)} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3})}{9a^{4/3}b^{1/3}} \left(\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (8fa^3 - 5ca^2b + 2da^2b^2 + cb^3) - \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3})}{9a^{4/3}b^{1/3}} \left(-\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (8fa^3 - 5ca^2b + 2da^2b^2 + cb^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] $x^2*(e/(2*b^2) - (a*f)/b^3) + (f*x^5)/(5*b^2) - (\log(b^{1/3}*x + a^{1/3}))* (b^3*c + 8*a^3*f + 2*a*b^2*d - 5*a^2*b*e)/(9*a^{4/3}*b^{11/3}) + (x^2*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a*(a*b^3 + b^4*x^3)) + (\log(3^{1/2}*a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3}))* ((3^{1/2}*1i)/2 + 1/2)*(b^3*c + 8*a^3*f + 2*a*b^2*d - 5*a^2*b*e)/(9*a^{4/3}*b^{11/3}) - (\log(3^{1/2}*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3}))* ((3^{1/2}*1i)/2 - 1/2)*(b^3*c + 8*a^3*f + 2*a*b^2*d - 5*a^2*b*e)/(9*a^{4/3}*b^{11/3})$

sympy [A] time = 22.48, size = 461, normalized size = 1.70

$$x^2 \left(\frac{c}{2b^3} - \frac{af}{b^3} \right) + \frac{fx^5}{5b^2} - \frac{\ln(b^{1/3}x + a^{1/3})}{9a^{4/3}b^{1/3}} (8fa^3 - 5ca^2b + 2da^2b^2 + cb^3) + \frac{x^2(-fa^3 + ca^2b - da^2b^2 + cb^3)}{3a(b^4x^3 + ab^3)} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3})}{9a^{4/3}b^{1/3}} \left(\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (8fa^3 - 5ca^2b + 2da^2b^2 + cb^3) - \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3})}{9a^{4/3}b^{1/3}} \left(-\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (8fa^3 - 5ca^2b + 2da^2b^2 + cb^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] $x^{**2}*(-a*f/b^{**3} + e/(2*b^{**2})) + x^{**2}*(-a^{**3}*f + a^{**2}*b*e - a*b^{**2}*d + b^{**3}*c)/(3*a^{**2}*b^{**3} + 3*a*b^{**4}*x^{**3}) + \text{RootSum}(729*_t^{**3}*a^{**4}*b^{**11} + 512*a^{**9}*f^{**3} - 960*a^{**8}*b*e*f^{**2} + 384*a^{**7}*b^{**2}*d*f^{**2} + 600*a^{**7}*b^{**2}*e^{**2}*f + 192*a^{**6}*b^{**3}*c*f^{**2} - 480*a^{**6}*b^{**3}*d*e*f - 125*a^{**6}*b^{**3}*e^{**3} - 240*a^{**5}*b^{**4}*c*e*f + 96*a^{**5}*b^{**4}*d^{**2}*f + 150*a^{**5}*b^{**4}*d*e^{**2} + 96*a^{**4}*b^{**5}*c*d*f + 75*a^{**4}*b^{**5}*c*e^{**2} - 60*a^{**4}*b^{**5}*d^{**2}*e + 24*a^{**3}*b^{**6}*c^{**2}*f - 60*a^{**3}*b^{**6}*c*d*e + 8*a^{**3}*b^{**6}*d^{**3} - 15*a^{**2}*b^{**7}*c^{**2}*e + 12*a^{**2}*b^{**7}*c*d^{**2} + 6*a*b^{**8}*c^{**2}*d + b^{**9}*c^{**3}, \text{Lambda}(_t, _t*\log(81*_t^{**2}*a^{**3}*b^{**7}/(64*a^{**6}*f^{**2} - 80*a^{**5}*b*e*f + 32*a^{**4}*b^{**2}*d*f + 25*a^{**4}*b^{**2}*e^{**2} + 16*a^{**3}*b^{**3}*c*f - 20*a^{**3}*b^{**3}*d*e - 10*a^{**2}*b^{**4}*c*e + 4*a^{**2}*b^{**4}*d^{**2} + 4*a*b^{**5}*c*d + b^{**6}*c^{**2}) + x)) + f*x^{**5}/(5*b^{**2})$

$$3.213 \quad \int \frac{c+dx^3+ex^6+fx^9}{(a+bx^3)^2} dx$$

Optimal. Leaf size=264

$$\frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{3ab^3(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(7a^3f - 4a^2be + ab^2d + 2b^3c)}{18a^{5/3}b^{10/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x)}{18a^{5/3}b^{10/3}}$$

Rubi [A] time = 0.26, antiderivative size = 264, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1858, 1411, 388, 200, 31, 634, 617, 204, 628}

$$\frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{3ab^3(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(-4a^2be + 7a^3f + ab^2d + 2b^3c)}{18a^{5/3}b^{10/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x)(-4a^2be + 7a^3f + ab^2d + 2b^3c)}{9a^{5/3}b^{10/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-4a^2be + 7a^3f + ab^2d + 2b^3c)}{3\sqrt{3}a^{5/3}b^{10/3}} + \frac{x(be - 2af)}{b^3} + \frac{fx^4}{4b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^2,x]

[Out] ((b*e - 2*a*f)*x)/b^3 + (f*x^4)/(4*b^2) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*a*b^3*(a + b*x^3)) - ((2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(5/3)*b^(10/3)) + ((2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(9*a^(5/3)*b^(10/3)) - ((2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(5/3)*b^(10/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 388

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Si
mp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1411

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_
)), x_Symbol] := Simp[(c*x^(n + 1)*(d + e*x^n)^(q + 1))/(e*(n*(q + 2) + 1))
, x] + Dist[1/(e*(n*(q + 2) + 1)), Int[(d + e*x^n)^q*(a*e*(n*(q + 2) + 1) -
(c*d*(n + 1) - b*e*(n*(q + 2) + 1))*x^n), x], x] /; FreeQ[{a, b, c, d, e,
n, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e
^2, 0]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
```

;/ FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx^3 + ex^6 + fx^9}{(a + bx^3)^2} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} - \frac{\int \frac{-2b^3c - ab^2d + a^2be - a^3f - 3ab(be - af)x^3 - 3ab^2fx^6}{a + bx^3} dx}{3ab^3} \\
 &= \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} - \frac{\int \frac{4b(-2b^3c - ab^2d + a^2be - a^3f) - (-12a^2b^2f + 12ab^2(be - af))}{a + bx^3}}{12ab^4} \\
 &= \frac{(be - 2af)x}{b^3} + \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)}{3ab^3} \\
 &= \frac{(be - 2af)x}{b^3} + \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)}{9a^{5/3}b^3} \\
 &= \frac{(be - 2af)x}{b^3} + \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)}{9a^{5/3}b^{10/3}} \\
 &= \frac{(be - 2af)x}{b^3} + \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)}{9a^{5/3}b^{10/3}} \\
 &= \frac{(be - 2af)x}{b^3} + \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)}{3\sqrt{3}a^{5/3}b^{10/3}}
 \end{aligned}$$

Mathematica [A] time = 0.20, size = 251, normalized size = 0.95

$$\frac{12\sqrt[3]{b}x(a^3(-f)+a^2be-ab^2d+b^3c)}{a(a+bx^3)} + \frac{4\log(\sqrt[3]{a}+\sqrt[3]{bx})(7a^3f-4a^2be+ab^2d+2b^3c)}{a^{5/3}} - \frac{4\sqrt{3}\tan^{-1}\left(\frac{1-2\sqrt[3]{bx}}{\sqrt{3}}\right)(7a^3f-4a^2be+ab^2d+2b^3c)}{a^{5/3}} - \frac{2\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+bx^2})(7a^3f-4a^2be+ab^2d+2b^3c)}{a^{5/3}} + 36\sqrt[3]{b}x(be-2af)+9b^{4/3}fx^4}{36b^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^2, x]

[Out] (36*b^(1/3)*(b*e - 2*a*f)*x + 9*b^(4/3)*f*x^4 + (12*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a*(a + b*x^3)) - (4*Sqrt[3]*(2*b^3*c + a*b^2*d - 4

$a^2 b e + 7 a^3 f) \operatorname{ArcTan}[(1 - (2 b^{1/3} x) / a^{1/3}) / \sqrt{3}] / a^{5/3} + (4 (2 b^3 c + a b^2 d - 4 a^2 b e + 7 a^3 f) \operatorname{Log}[a^{1/3} + b^{1/3} x]) / a^{5/3} - (2 (2 b^3 c + a b^2 d - 4 a^2 b e + 7 a^3 f) \operatorname{Log}[a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2]) / a^{5/3}) / (36 b^{10/3})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^2, x]

fricas [A] time = 0.45, size = 861, normalized size = 3.26

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $[1/36*(9*a^3*b^3*f*x^7 + 9*(4*a^3*b^3*e - 7*a^4*b^2*f)*x^4 + 6*\sqrt{1/3}*(2*a^2*b^4*c + a^3*b^3*d - 4*a^4*b^2*e + 7*a^5*b*f + (2*a*b^5*c + a^2*b^4*d - 4*a^3*b^3*e + 7*a^4*b^2*f)*x^3)*\sqrt{-(a^2*b)^{1/3}/b}*\log((2*a*b*x^3 - 3*(a^2*b)^{1/3}*a*x - a^2 + 3*\sqrt{1/3}*(2*a*b*x^2 + (a^2*b)^{2/3}*x - (a^2*b)^{1/3}*a)*\sqrt{-(a^2*b)^{1/3}/b})/(b*x^3 + a)) - 2*(2*a*b^3*c + a^2*b^2*d - 4*a^3*b*e + 7*a^4*f + (2*b^4*c + a*b^3*d - 4*a^2*b^2*e + 7*a^3*b*f)*x^3)*(a^2*b)^{2/3}*\log(a*b*x^2 - (a^2*b)^{2/3}*x + (a^2*b)^{1/3}*a) + 4*(2*a*b^3*c + a^2*b^2*d - 4*a^3*b*e + 7*a^4*f + (2*b^4*c + a*b^3*d - 4*a^2*b^2*e + 7*a^3*b*f)*x^3)*(a^2*b)^{2/3}*\log(a*b*x + (a^2*b)^{2/3}) + 12*(a^2*b^4*c - a^3*b^3*d + 4*a^4*b^2*e - 7*a^5*b*f)*x/(a^3*b^5*x^3 + a^4*b^4), 1/36*(9*a^3*b^3*f*x^7 + 9*(4*a^3*b^3*e - 7*a^4*b^2*f)*x^4 + 12*\sqrt{1/3}*(2*a^2*b^4*c + a^3*b^3*d - 4*a^4*b^2*e + 7*a^5*b*f + (2*a*b^5*c + a^2*b^4*d - 4*a^3*b^3*e + 7*a^4*b^2*f)*x^3)*\sqrt{(a^2*b)^{1/3}/b}*\arctan(\sqrt{1/3}*(2*(a^2*b)^{2/3}*x - (a^2*b)^{1/3}*a)*\sqrt{(a^2*b)^{1/3}/b}/a^2) - 2*(2*a*b^3*c + a^2*b^2*d - 4*a^3*b*e + 7*a^4*f + (2*b^4*c + a*b^3*d - 4*a^2*b^2*e + 7*a^3*b*f)*x^3)*(a^2*b)^{2/3}*\log(a*b*x^2 - (a^2*b)^{2/3}*x + (a^2*b)^{1/3}*a) + 4*(2*a*b^3*c + a^2*b^2*d - 4*a^3*b*e + 7*a^4*f + (2*b^4*c + a*b^3*d - 4*a^2*b^2*e + 7*a^3*b*f)*x^3)*(a^2*b)^{2/3}*\log(a*b*x + (a^2*b)^{2/3}) + 12*(a^2*b^4*c - a^3*b^3*d + 4*a^4*b^2*e - 7*a^5*b*f)*x/(a^3*b^5*x^3 + a^4*b^4)]$

giac [A] time = 0.21, size = 273, normalized size = 1.03

$$\frac{\sqrt{3}(2b^3c + ab^2d + 7a^3f - 4a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{-a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{-a}{b}\right)^{\frac{2}{3}}}\right)}{9(-ab^2)^{\frac{2}{3}}ab^2} - \frac{(2b^3c + ab^2d + 7a^3f - 4a^2be) \log\left(x^2 + x\left(\frac{-a}{b}\right)^{\frac{1}{3}} + \left(\frac{-a}{b}\right)^{\frac{2}{3}}\right)}{18(-ab^2)^{\frac{2}{3}}ab^2} - \frac{(2b^3c + ab^2d + 7a^3f - 4a^2be)\left(\frac{-a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(\frac{-a}{b}\right)^{\frac{1}{3}}\right|\right)}{9a^2b^3} + \frac{b^3cx - ab^2dx - a^3fx + a^2bxe}{3(bx^3 + a)ab^3} + \frac{b^6fx^4 - 8ab^5fx + 4b^6xe}{4b^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-1/9*\sqrt{3}*(2*b^3*c + a*b^2*d + 7*a^3*f - 4*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a*b^2) - 1/18*(2*b^3*c + a*b^2*d + 7*a^3*f - 4*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a*b^2) - 1/9*(2*b^3*c + a*b^2*d + 7*a^3*f - 4*a^2*b*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(-a^2*b^3) + 1/3*(b^3*c*x - a*b^2*d*x - a^3*f*x + a^2*b*x*e)/((b*x^3 + a)*a*b^3) + 1/4*(b^6*f*x^4 - 8*a*b^5*f*x + 4*b^6*x*e)/b^8$

maple [B] time = 0.06, size = 482, normalized size = 1.83

$$\frac{\frac{f x^4}{4b^4} - \frac{a^2 f x}{3(b^3 x + a)b^3} - \frac{a^2 e x}{3(b^3 x + a)b^3} - \frac{a^2 c}{3(b^3 x + a)b^3} - \frac{a^2 d}{3(b^3 x + a)b^3}}{9(b^2)^{\frac{2}{3}} a^2} + \frac{7\sqrt{3} e f \arctan\left(\frac{\sqrt{3}\left(\frac{x}{b^2} - 1\right)}{\left(\frac{x}{b^2}\right)^{\frac{1}{2}}}\right)}{9(b^2)^{\frac{1}{2}} a^2} + \frac{7e^2 \ln\left(x + \left(\frac{x}{b^2}\right)^{\frac{1}{2}}\right)}{9(b^2)^{\frac{1}{2}} a^2} - \frac{7e^2 \ln\left(x^2 - \left(\frac{x}{b^2}\right)^{\frac{1}{2}} x + \left(\frac{x}{b^2}\right)^{\frac{1}{2}}\right)}{18(b^2)^{\frac{1}{2}} a^2} - \frac{4\sqrt{3} e c \arctan\left(\frac{\sqrt{3}\left(\frac{x}{b^2} - 1\right)}{\left(\frac{x}{b^2}\right)^{\frac{1}{2}}}\right)}{9(b^2)^{\frac{1}{2}} a^2} + \frac{4a^2 \ln\left(x + \left(\frac{x}{b^2}\right)^{\frac{1}{2}}\right)}{9(b^2)^{\frac{1}{2}} a^2} - \frac{2a^2 \ln\left(x^2 - \left(\frac{x}{b^2}\right)^{\frac{1}{2}} x + \left(\frac{x}{b^2}\right)^{\frac{1}{2}}\right)}{9(b^2)^{\frac{1}{2}} a^2} - \frac{2a^2 c}{9(b^2)^{\frac{1}{2}} a^2} + \frac{2\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{x}{b^2} - 1\right)}{\left(\frac{x}{b^2}\right)^{\frac{1}{2}}}\right)}{9(b^2)^{\frac{1}{2}} a^2} + \frac{2c \ln\left(x + \left(\frac{x}{b^2}\right)^{\frac{1}{2}}\right)}{9(b^2)^{\frac{1}{2}} a^2} - \frac{c \ln\left(x^2 - \left(\frac{x}{b^2}\right)^{\frac{1}{2}} x + \left(\frac{x}{b^2}\right)^{\frac{1}{2}}\right)}{9(b^2)^{\frac{1}{2}} a^2} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{x}{b^2} - 1\right)}{\left(\frac{x}{b^2}\right)^{\frac{1}{2}}}\right)}{9(b^2)^{\frac{1}{2}} a^2} + \frac{d \ln\left(x + \left(\frac{x}{b^2}\right)^{\frac{1}{2}}\right)}{9(b^2)^{\frac{1}{2}} a^2} - \frac{d \ln\left(x^2 - \left(\frac{x}{b^2}\right)^{\frac{1}{2}} x + \left(\frac{x}{b^2}\right)^{\frac{1}{2}}\right)}{18(b^2)^{\frac{1}{2}} a^2} + \frac{c^2}{9(b^2)^{\frac{1}{2}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] $1/4*f*x^4/b^2 - 2/b^3*a*f*x + 1/b^2*e*x - 1/3/b^3*a^2*x/(b*x^3+a)*f + 1/3/b^2*a*x/(b*x^3+a)*e - 1/3/b*x/(b*x^3+a)*d + 1/3/a*x/(b*x^3+a)*c + 7/9/b^4*a^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*f - 4/9/b^3*a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e + 1/9/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d + 2/9/b/a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c - 7/18/b^4*a^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f + 2/9/b^3*a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e - 1/18/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d - 1/9/b/a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c + 7/9/b^4*a^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f - 4/9/b^3*a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e + 1/9/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d + 2/9/b/a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c$

maxima [A] time = 3.05, size = 254, normalized size = 0.96

$$\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3(ab^4x^3 + a^2b^3)} + \frac{bfx^4 + 4(b - 2af)x}{4b^3} + \frac{\sqrt{3}(2b^3c + ab^2d - 4a^2be + 7a^3f) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}}\right)}{9ab^4\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{(2b^3c + ab^2d + 7a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18ab^4\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9ab^4\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3}(b^3c - a^2b^2d + a^2b^2e - a^3f)x/(a^4b^3x^3 + a^2b^3) + \frac{1}{4}(b^3fx^4 + 4(b^3e - 2a^2f)x)/b^3 + \frac{1}{9}\sqrt{3}(2b^3c + a^2b^2d - 4a^2b^2e + 7a^3f)\arctan\left(\frac{1}{3}\sqrt{3}(2x - (a/b)^{1/3})/(a/b)^{1/3}\right)/(a^4b^3(a/b)^{2/3}) - \frac{1}{18}(2b^3c + a^2b^2d - 4a^2b^2e + 7a^3f)\log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3})/(a^4b^3(a/b)^{2/3}) + \frac{1}{9}(2b^3c + a^2b^2d - 4a^2b^2e + 7a^3f)\log(x + (a/b)^{1/3})/(a^4b^3(a/b)^{2/3})$

mupad [B] time = 5.18, size = 241, normalized size = 0.91

$$x\left(\frac{e}{b^2} - \frac{2af}{b^3}\right) + \frac{fx^4}{4b^2} + \frac{x(-fa^3 + ea^2b - da^2b^2 + c^2b^2)}{3a(b^4x^3 + ab^3)} + \frac{\ln(b^{1/3}x + a^{1/3})(7fa^3 - 4ea^2b + da^2b^2 + 2c^2b^2)}{9a^{5/3}b^{10/3}} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(7fa^3 - 4ea^2b + da^2b^2 + 2c^2b^2)}{9a^{5/3}b^{10/3}} - \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}i)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(7fa^3 - 4ea^2b + da^2b^2 + 2c^2b^2)}{9a^{5/3}b^{10/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^2, x)$

[Out] $x*(e/b^2 - (2*a*f)/b^3) + (f*x^4)/(4*b^2) + (x*(b^3*c - a^3*f - a*b^2*d + a^2*b^2*e))/(3*a*(a*b^3 + b^4*x^3)) + (\log(b^{1/3}*x + a^{1/3})*(2*b^3*c + 7*a^3*f + a*b^2*d - 4*a^2*b^2*e))/(9*a^{5/3}*b^{10/3}) + (\log(3^{1/2}*a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3})*((3^{1/2}*1i)/2 - 1/2)*(2*b^3*c + 7*a^3*f + a*b^2*d - 4*a^2*b^2*e))/(9*a^{5/3}*b^{10/3}) - (\log(3^{1/2}*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3})*((3^{1/2}*1i)/2 + 1/2)*(2*b^3*c + 7*a^3*f + a*b^2*d - 4*a^2*b^2*e))/(9*a^{5/3}*b^{10/3})$

sympy [A] time = 7.02, size = 377, normalized size = 1.43

$$x\left(\frac{e}{b^2} - \frac{2af}{b^3}\right) + \frac{fx^4}{4b^2} + \frac{x(-fa^3 + ea^2b - da^2b^2 + c^2b^2)}{3a(b^4x^3 + ab^3)} + \text{RootSum}\left(729*_t^3*a^{5/3}*b^{10/3} - 343*a^{9/3}*f^{3/3} + 588*a^{8/3}*b*e*f^{2/3} - 147*a^{7/3}*b^2*d*f^{2/3} - 336*a^{7/3}*b^2*e^{2/3}*f - 294*a^{6/3}*b^3*c*f^{2/3} + 168*a^{6/3}*b^3*d*e*f + 64*a^{6/3}*b^3*e^{3/3} + 336*a^{5/3}*b^4*c*e*f - 21*a^{5/3}*b^4*d^{2/3}*f - 48*a^{5/3}*b^4*d*e^{2/3} - 84*a^{4/3}*b^5*c*d*f - 96*a^{4/3}*b^5*c*e^{2/3} + 12*a^{4/3}*b^5*d^{2/3}*e - 84*a^{3/3}*b^6*c^{2/3}*f + 48*a^{3/3}*b^6*c*d*e - a^{3/3}*b^6*d^{3/3} + 48*a^{2/3}*b^7*c^{2/3}*e - 6*a^{2/3}*b^7*c*d^{2/3} - 12*a*b^{8/3}*c^{2/3}*d - 8*b^{9/3}*c^{3/3}, \text{Lambda}(t, t*\log(9*_t*a^{2/3}*b^{3/3}/(7*a^{3/3}*f - 4*a^{2/3}*b^2*e + a*b^{2/3}*d + 2*b^{3/3}*c) + x))\right) + f*x^4/(4*b^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2, x)$

[Out] $x*(-2*a*f/b**3 + e/b**2) + x*(-a**3*f + a**2*b*e - a*b**2*d + b**3*c)/(3*a**2*b**3 + 3*a*b**4*x**3) + \text{RootSum}(729*_t**3*a**5*b**10 - 343*a**9*f**3 + 588*a**8*b*e*f**2 - 147*a**7*b**2*d*f**2 - 336*a**7*b**2*e**2*f - 294*a**6*b**3*c*f**2 + 168*a**6*b**3*d*e*f + 64*a**6*b**3*e**3 + 336*a**5*b**4*c*e*f - 21*a**5*b**4*d**2*f - 48*a**5*b**4*d*e**2 - 84*a**4*b**5*c*d*f - 96*a**4*b**5*c*e**2 + 12*a**4*b**5*d**2*e - 84*a**3*b**6*c**2*f + 48*a**3*b**6*c*d*e - a**3*b**6*d**3 + 48*a**2*b**7*c**2*e - 6*a**2*b**7*c*d**2 - 12*a*b**8*c**2*d - 8*b**9*c**3, \text{Lambda}(t, t*\log(9*_t*a**2*b**3/(7*a**3*f - 4*a**2*b^2*e + a*b**2*d + 2*b**3*c) + x))) + f*x**4/(4*b**2)$

$$3.214 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)^2} dx$$

Optimal. Leaf size=265

$$\frac{c}{a^2x} - \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^2b^2(a+bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(5a^3f - 2a^2be - ab^2d + 4b^3c)}{18a^{7/3}b^{8/3}} + \frac{\log(\sqrt[3]{a})}{a^2x} - \frac{fx^2}{2b^2}$$

Rubi [A] time = 0.25, antiderivative size = 265, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1488, 292, 31, 634, 617, 204, 628}

$$-\frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^2b^2(a+bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-2a^2be + 5a^3f - ab^2d + 4b^3c)}{18a^{7/3}b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-2a^2be + 5a^3f - ab^2d + 4b^3c)}{9a^{7/3}b^{8/3}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-2a^2be + 5a^3f - ab^2d + 4b^3c)}{3\sqrt{3}a^{7/3}b^{8/3}} - \frac{c}{a^2x} + \frac{fx^2}{2b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^2), x]

[Out] -(c/(a^2*x)) + (f*x^2)/(2*b^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a^2*b^2*(a + b*x^3)) + ((4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(3*Sqrt[3]*a^(7/3)*b^(8/3)) + ((4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(9*a^(7/3)*b^(8/3)) - ((4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(7/3)*b^(8/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^m)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*(d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^m)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^2(a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} - \frac{\int \frac{-3b^3c + b\left(\frac{b^3c}{a} - b^2d - 2abe + 2a^2f\right)x^3 - 3ab^2fx^6}{x^2(a + bx^3)} dx}{3ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^2} - 3abfx + \frac{b(4b^3c - ab^2d - 2a^2be + 5a^3f)x}{a(a + bx^3)}\right) dx}{3ab^3} \\
&= -\frac{c}{a^2x} + \frac{fx^2}{2b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} - \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \int \frac{x}{a + bx^3} dx}{3a^2b^2} \\
&= -\frac{c}{a^2x} + \frac{fx^2}{2b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} + \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \int \frac{1}{\sqrt[3]{a}} dx}{9a^{7/3}b^{7/3}} \\
&= -\frac{c}{a^2x} + \frac{fx^2}{2b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} + \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \log\left(\frac{a + bx^3}{a}\right)}{9a^{7/3}b^{8/3}} \\
&= -\frac{c}{a^2x} + \frac{fx^2}{2b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} + \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \log\left(\frac{a + bx^3}{a}\right)}{9a^{7/3}b^{8/3}} \\
&= -\frac{c}{a^2x} + \frac{fx^2}{2b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} + \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a + bx^3}}{\sqrt[3]{a}}\right)}{3\sqrt{3} a^{7/3} b^{8/3}}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 255, normalized size = 0.96

$$\left(\frac{1}{18} \left(\frac{18c}{a^2x} + \frac{6x^2(a^3f - a^2be + ab^2d - b^3c)}{a^2b^2(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{bx + b^{2/3}x^2})(5a^3f - 2a^2be - ab^2d + 4b^3c)}{a^{7/3}b^{8/3}} + \frac{2\log(\sqrt[3]{a} + \sqrt[3]{bx})(5a^3f - 2a^2be - ab^2d + 4b^3c)}{a^{7/3}b^{8/3}} + \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{a}}{\sqrt[3]{a}}}{\sqrt{3}}\right)(5a^3f - 2a^2be - ab^2d + 4b^3c)}{a^{7/3}b^{8/3}} + \frac{9fx^2}{b^2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^2), x]

[Out] ((-18*c)/(a^2*x) + (9*f*x^2)/b^2 + (6*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(a^2*b^2*(a + b*x^3)) + (2*sqrt[3]*(4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/(a^(7/3)*b^(8/3)) + (2*(4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(a^(7/3)*b^(8/3))

$(/3)*b^{(8/3)} - ((4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(a^{(7/3)}*b^{(8/3)})/18$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^2 (a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^2),x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^2), x]

fricas [A] time = 0.45, size = 860, normalized size = 3.25

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $[1/18*(9*a^3*b^3*f*x^6 - 18*a^2*b^4*c - 3*(8*a*b^5*c - 2*a^2*b^4*d + 2*a^3*b^3*e - 5*a^4*b^2*f)*x^3 + 3*\text{sqrt}(1/3)*((4*a*b^5*c - a^2*b^4*d - 2*a^3*b^3*e + 5*a^4*b^2*f)*x^4 + (4*a^2*b^4*c - a^3*b^3*d - 2*a^4*b^2*e + 5*a^5*b*f)*x)*\text{sqrt}(-(a*b^2)^{(1/3)}/a)*\text{log}((2*b^2*x^3 - a*b - 3*\text{sqrt}(1/3)*(a*b*x + 2*(a*b^2)^{(2/3)}*x^2 - (a*b^2)^{(1/3)}*a)*\text{sqrt}(-(a*b^2)^{(1/3)}/a) - 3*(a*b^2)^{(2/3)}*x)/(b*x^3 + a)) - ((4*b^4*c - a*b^3*d - 2*a^2*b^2*e + 5*a^3*b*f)*x^4 + (4*a*b^3*c - a^2*b^2*d - 2*a^3*b*e + 5*a^4*f)*x)*(a*b^2)^{(2/3)}*\text{log}(b^2*x^2 - (a*b^2)^{(1/3)}*b*x + (a*b^2)^{(2/3)}) + 2*((4*b^4*c - a*b^3*d - 2*a^2*b^2*e + 5*a^3*b*f)*x^4 + (4*a*b^3*c - a^2*b^2*d - 2*a^3*b*e + 5*a^4*f)*x)*(a*b^2)^{(2/3)}*\text{log}(b*x + (a*b^2)^{(1/3)})]/(a^3*b^5*x^4 + a^4*b^4*x), 1/18*(9*a^3*b^3*f*x^6 - 18*a^2*b^4*c - 3*(8*a*b^5*c - 2*a^2*b^4*d + 2*a^3*b^3*e - 5*a^4*b^2*f)*x^3 + 6*\text{sqrt}(1/3)*((4*a*b^5*c - a^2*b^4*d - 2*a^3*b^3*e + 5*a^4*b^2*f)*x^4 + (4*a^2*b^4*c - a^3*b^3*d - 2*a^4*b^2*e + 5*a^5*b*f)*x)*\text{sqrt}((a*b^2)^{(1/3)}/a)*\text{arctan}(-\text{sqrt}(1/3)*(2*b*x - (a*b^2)^{(1/3)})*\text{sqrt}((a*b^2)^{(1/3)}/a)/b) - ((4*b^4*c - a*b^3*d - 2*a^2*b^2*e + 5*a^3*b*f)*x^4 + (4*a*b^3*c - a^2*b^2*d - 2*a^3*b*e + 5*a^4*f)*x)*(a*b^2)^{(2/3)}*\text{log}(b^2*x^2 - (a*b^2)^{(1/3)}*b*x + (a*b^2)^{(2/3)}) + 2*((4*b^4*c - a*b^3*d - 2*a^2*b^2*e + 5*a^3*b*f)*x^4 + (4*a*b^3*c - a^2*b^2*d - 2*a^3*b*e + 5*a^4*f)*x)*(a*b^2)^{(2/3)}*\text{log}(b*x + (a*b^2)^{(1/3)})]/(a^3*b^5*x^4 + a^4*b^4*x)]$

giac [A] time = 0.19, size = 305, normalized size = 1.15

$$\frac{f x^2}{2 b^2} - \frac{\sqrt{3}(4 b^3 c - a b^2 d + 5 a^3 f - 2 a^2 b e) \arctan\left(\frac{\sqrt{3}\left(2 x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-a b^2)^{\frac{1}{3}} a^2 b^2} + \frac{(4 b^3 c - a b^2 d + 5 a^3 f - 2 a^2 b e) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(-a b^2)^{\frac{1}{3}} a^2 b^2} + \frac{\left(4 b^3 c\left(-\frac{a}{b}\right)^{\frac{1}{3}} - a b^2 d\left(-\frac{a}{b}\right)^{\frac{1}{3}} + 5 a^3 f\left(-\frac{a}{b}\right)^{\frac{1}{3}} - 2 a^2 b\left(-\frac{a}{b}\right)^{\frac{1}{3}} e\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{9 a^3 b^2} - \frac{4 b^3 c x^3 - a b^2 d x^3 - a^3 f x^3 + a^2 b x^3 e + 3 a b^2 c}{3(b x^4 + a x) a^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^2,x, algorithm="giac")

[Out] $\frac{1}{2}fx^2/b^2 - \frac{1}{9}\sqrt{3}(4b^3c - ab^2d + 5a^3f - 2a^2be) \arctan\left(\frac{1}{3}\sqrt{3}(2x + (-a/b)^{1/3})/(-a/b)^{1/3}\right) / ((-ab^2)^{1/3}a^2b^2) + \frac{1}{18}(4b^3c - ab^2d + 5a^3f - 2a^2be) \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) / ((-ab^2)^{1/3}a^2b^2) + \frac{1}{9}(4b^3c(-a/b)^{1/3} - ab^2d(-a/b)^{1/3} + 5a^3f(-a/b)^{1/3} - 2a^2be(-a/b)^{1/3}) \log(\text{abs}(x - (-a/b)^{1/3})) / (a^3b^2) - \frac{1}{3}(4b^3cx^3 - ab^2dx^3 - a^3fx^3 + a^2bex^3 + 3ab^2c) / ((bx^4 + ax)a^2b^2)$

maple [B] time = 0.06, size = 474, normalized size = 1.79

$$\frac{\frac{af^2}{3(b^2+a)^2} + \frac{d^2}{3(b^2+a)^2} - \frac{8c^2}{3(b^2+a)^2} - \frac{x^2}{3(b^2+a)^2} + \frac{f^2}{2b^2}}{9(\frac{a}{b})^2} - \frac{5\sqrt{3}af \arctan\left(\frac{\sqrt{3}\frac{2x-1}{(b^2+a)^{1/3}}}{\frac{a}{b}}\right)}{9(\frac{a}{b})^2} - \frac{5af \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9(\frac{a}{b})^2} - \frac{5af \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3}x + \left(\frac{a}{b}\right)^{2/3}\right)}{18(\frac{a}{b})^2} - \frac{\sqrt{3}d \arctan\left(\frac{\sqrt{3}\frac{2x-1}{(b^2+a)^{1/3}}}{\frac{a}{b}}\right)}{9(\frac{a}{b})^2} - \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9(\frac{a}{b})^2} - \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3}x + \left(\frac{a}{b}\right)^{2/3}\right)}{18(\frac{a}{b})^2} - \frac{4\sqrt{3}e \arctan\left(\frac{\sqrt{3}\frac{2x-1}{(b^2+a)^{1/3}}}{\frac{a}{b}}\right)}{9(\frac{a}{b})^2} - \frac{4e \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9(\frac{a}{b})^2} - \frac{2e \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3}x + \left(\frac{a}{b}\right)^{2/3}\right)}{9(\frac{a}{b})^2} - \frac{2\sqrt{3}f \arctan\left(\frac{\sqrt{3}\frac{2x-1}{(b^2+a)^{1/3}}}{\frac{a}{b}}\right)}{9(\frac{a}{b})^2} - \frac{2f \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9(\frac{a}{b})^2} - \frac{2f \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3}x + \left(\frac{a}{b}\right)^{2/3}\right)}{9(\frac{a}{b})^2} - \frac{c}{2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^2,x)

[Out] $\frac{1}{2}fx^2/b^2 + \frac{1}{3}a/b^2x^2/(bx^3+a) + \frac{f-1/3/bx^2/(bx^3+a)e+1/3/ax^2/(bx^3+a)d-1/3/a^2bx^2/(bx^3+a)c+5/9a/b^3f/(a/b)^{1/3}\ln(x+(a/b)^{1/3})-5/18a/b^3f/(a/b)^{1/3}\ln(x^2-(a/b)^{1/3}x+(a/b)^{2/3})-5/9a/b^3f3^{1/2}/(a/b)^{1/3}\arctan(1/33^{1/2}*(2/(a/b)^{1/3}x-1))-1/9a/bd/(a/b)^{1/3}\ln(x+(a/b)^{1/3})+1/18a/bd/(a/b)^{1/3}\ln(x^2-(a/b)^{1/3}x+(a/b)^{2/3})+1/9a/bd3^{1/2}/(a/b)^{1/3}\arctan(1/33^{1/2}*(2/(a/b)^{1/3}x-1))+4/9/a^2c/(a/b)^{1/3}\ln(x+(a/b)^{1/3})-2/9/a^2c/(a/b)^{1/3}\ln(x^2-(a/b)^{1/3}x+(a/b)^{2/3})-4/9/a^2c3^{1/2}/(a/b)^{1/3}\arctan(1/33^{1/2}*(2/(a/b)^{1/3}x-1))-2/9/b^2e/(a/b)^{1/3}\ln(x+(a/b)^{1/3})+1/9/b^2e/(a/b)^{1/3}\ln(x^2-(a/b)^{1/3}x+(a/b)^{2/3})+2/9/b^2e3^{1/2}/(a/b)^{1/3}\arctan(1/33^{1/2}*(2/(a/b)^{1/3}x-1))-1/a^2c/x$

maxima [A] time = 3.01, size = 258, normalized size = 0.97

$$\frac{fx^2}{2b^2} - \frac{3ab^2c + (4b^3c - ab^2d + a^2be - a^3f)x^3}{3(a^2b^3x^4 + a^3b^2x)} - \frac{\sqrt{3}(4b^3c - ab^2d - 2a^2be + 5a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{1/3}\right)}{3\left(\frac{a}{b}\right)^{1/3}}\right)}{9a^2b^3\left(\frac{a}{b}\right)^{1/3}} - \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)}{18a^2b^3\left(\frac{a}{b}\right)^{1/3}} + \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \log\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9a^2b^3\left(\frac{a}{b}\right)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{2}fx^2/b^2 - \frac{1}{3}(3ab^2c + (4b^3c - ab^2d + a^2be - a^3f)x^3) / (a^2b^3x^4 + a^3b^2x) - \frac{1}{9}\sqrt{3}(4b^3c - ab^2d - 2a^2be + 5a^3f) \arctan\left(\frac{1}{3}\sqrt{3}(2x - (a/b)^{1/3})/(a/b)^{1/3}\right) / (a^2b^3(a/b)^{1/3}) - \frac{1}{18}(4b^3c - ab^2d - 2a^2be + 5a^3f) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) / (a^2b^3(a/b)^{1/3}) + \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \log(x + (a/b)^{1/3})}{9a^2b^3(a/b)^{1/3}}$

$1/3) + (a/b)^{(2/3)} / (a^2 b^3 (a/b)^{(1/3)}) + 1/9 * (4b^3 c - a b^2 d - 2a^2 b e + 5a^3 f) * \log(x + (a/b)^{(1/3)}) / (a^2 b^3 (a/b)^{(1/3)})$

mupad [B] time = 5.39, size = 244, normalized size = 0.92

$$\frac{f x^2}{2 b^2} - \frac{x^3 (-f a^2 + e a^2 b - d a b^2 + 4 c b^3)}{b^3 x^4 + a b^2 x} + \frac{b^2 c}{x} + \frac{\ln(b^{1/3} x + a^{1/3}) (5 f a^3 - 2 e a^2 b - d a b^2 + 4 c b^3)}{9 a^{7/3} b^{8/3}} - \frac{\ln(2 b^{1/3} x - a^{1/3} + \sqrt{3} a^{1/3} i) \left(\frac{1}{2} + \frac{\sqrt{3} i}{2}\right) (5 f a^3 - 2 e a^2 b - d a b^2 + 4 c b^3)}{9 a^{7/3} b^{8/3}} + \frac{\ln(a^{1/3} - 2 b^{1/3} x + \sqrt{3} a^{1/3} i) \left(-\frac{1}{2} + \frac{\sqrt{3} i}{2}\right) (5 f a^3 - 2 e a^2 b - d a b^2 + 4 c b^3)}{9 a^{7/3} b^{8/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^2), x)`

[Out] $(f*x^2)/(2*b^2) - ((x^3*(4*b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^2) + (b^2*c)/a)/(b^3*x^4 + a*b^2*x) + (\log(b^{1/3}*x + a^{1/3})*(4*b^3*c + 5*a^3*f - a*b^2*d - 2*a^2*b*e))/(9*a^{7/3}*b^{8/3}) - (\log(3^{1/2}*a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3})*((3^{1/2}*1i)/2 + 1/2)*(4*b^3*c + 5*a^3*f - a*b^2*d - 2*a^2*b*e))/(9*a^{7/3}*b^{8/3}) + (\log(3^{1/2}*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3})*((3^{1/2}*1i)/2 - 1/2)*(4*b^3*c + 5*a^3*f - a*b^2*d - 2*a^2*b*e))/(9*a^{7/3}*b^{8/3})$

sympy [A] time = 32.22, size = 457, normalized size = 1.72

$$\frac{-3a^3c + x^3(a^3f - a^2be + ab^2d - 4b^3c)}{b^3x^4 + a^2bx^3} + \text{RootSum}\left(729*_t^3*a^7*b^8 - 125*a^9*f^3 + 150*a^8*b*e*f^2 + 75*a^7*b^2*d*f^2 - 60*a^7*b^2*e^2*f - 300*a^6*b^3*c*f^2 - 60*a^6*b^3*d*e*f + 8*a^6*b^3*e^3 + 240*a^5*b^4*c*e*f - 15*a^5*b^4*d^2*f + 12*a^5*b^4*d*e^2 + 120*a^4*b^5*c*d*f - 48*a^4*b^5*c*e^2 + 6*a^4*b^5*d^2*e - 240*a^3*b^6*c^2*f - 48*a^3*b^6*c*d*e + a^3*b^6*d^3 + 96*a^2*b^7*c^2*e - 12*a^2*b^7*c*d^2 + 48*a*b^8*c^2*d - 64*b^9*c^3, \text{Lambda}(_t, _t*\log(81*_t^2*a^5*b^5/(25*a^6*f^2 - 20*a^5*b*e*f - 10*a^4*b^2*d*f + 4*a^4*b^2*e^2 + 40*a^3*b^3*c*f + 4*a^3*b^3*d*e - 16*a^2*b^4*c*e + a^2*b^4*d^2 - 8*a*b^5*c*d + 16*b^6*c^2) + x))\right) + f*x^2/(2*b^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**2/(b*x**3+a)**2, x)`

[Out] $(-3*a*b^2*c + x^3*(a^3*f - a^2*b*e + a*b^2*d - 4*b^3*c))/(3*a^3*b^2*x + 3*a^2*b^3*x^4) + \text{RootSum}(729*_t^3*a^7*b^8 - 125*a^9*f^3 + 150*a^8*b*e*f^2 + 75*a^7*b^2*d*f^2 - 60*a^7*b^2*e^2*f - 300*a^6*b^3*c*f^2 - 60*a^6*b^3*d*e*f + 8*a^6*b^3*e^3 + 240*a^5*b^4*c*e*f - 15*a^5*b^4*d^2*f + 12*a^5*b^4*d*e^2 + 120*a^4*b^5*c*d*f - 48*a^4*b^5*c*e^2 + 6*a^4*b^5*d^2*e - 240*a^3*b^6*c^2*f - 48*a^3*b^6*c*d*e + a^3*b^6*d^3 + 96*a^2*b^7*c^2*e - 12*a^2*b^7*c*d^2 + 48*a*b^8*c^2*d - 64*b^9*c^3, \text{Lambda}(_t, _t*\log(81*_t^2*a^5*b^5/(25*a^6*f^2 - 20*a^5*b*e*f - 10*a^4*b^2*d*f + 4*a^4*b^2*e^2 + 40*a^3*b^3*c*f + 4*a^3*b^3*d*e - 16*a^2*b^4*c*e + a^2*b^4*d^2 - 8*a*b^5*c*d + 16*b^6*c^2) + x)) + f*x^2/(2*b^2)$

$$3.215 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)^2} dx$$

Optimal. Leaf size=260

$$\frac{c}{2a^2x^2} - \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^2b^2(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(4a^3f - a^2be - 2ab^2d + 5b^3c)}{18a^{8/3}b^{7/3}} - \frac{\log(\sqrt[3]{a})}{2a^2x^2} + \frac{fx}{b^2}$$

Rubi [A] time = 0.25, antiderivative size = 260, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1488, 200, 31, 634, 617, 204, 628}

$$-\frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^2b^2(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-a^2be + 4a^3f - 2ab^2d + 5b^3c)}{18a^{8/3}b^{7/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-a^2be + 4a^3f - 2ab^2d + 5b^3c)}{9a^{8/3}b^{7/3}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-a^2be + 4a^3f - 2ab^2d + 5b^3c)}{3\sqrt{3}a^{8/3}b^{7/3}} - \frac{c}{2a^2x^2} + \frac{fx}{b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^2), x]

[Out] -c/(2*a^2*x^2) + (f*x)/b^2 - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*a^2*b^2*(a + b*x^3)) + ((5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(3*Sqrt[3]*a^(8/3)*b^(7/3)) - ((5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(9*a^(8/3)*b^(7/3)) + ((5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(8/3)*b^(7/3))

Rule 31

Int[((a_) + (b_)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^3(a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{\int \frac{-3b^3c + b\left(\frac{2b^3c}{a} - 2b^2d - abe + a^2f\right)x^3 - 3ab^2fx^6}{x^3(a + bx^3)} dx}{3ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{\int \left(-3abf - \frac{3b^3c}{ax^3} + \frac{b(5b^3c - 2ab^2d - a^2be + 4a^3f)}{a(a + bx^3)}\right) dx}{3ab^3} \\
&= -\frac{c}{2a^2x^2} + \frac{fx}{b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \int \frac{1}{a + bx^3}}{3a^2b^2} \\
&= -\frac{c}{2a^2x^2} + \frac{fx}{b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \int \frac{1}{\sqrt[3]{a}}}}{9a^{8/3}b^2} \\
&= -\frac{c}{2a^2x^2} + \frac{fx}{b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \log(\sqrt[3]{a + bx^3})}{9a^{8/3}b^{7/3}} \\
&= -\frac{c}{2a^2x^2} + \frac{fx}{b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \log(\sqrt[3]{a + bx^3})}{9a^{8/3}b^{7/3}} \\
&= -\frac{c}{2a^2x^2} + \frac{fx}{b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} + \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a + bx^3}}{\sqrt[3]{a}}\right)}{3\sqrt{3} a^{8/3}b^{7/3}}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 250, normalized size = 0.96

$$\left(\frac{1}{18} \frac{9c}{a^2x^2} + \frac{6x(a^3f - a^2be + ab^2d - b^3c)}{a^2b^2(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx^3 + b^{2/3}x^2})(4a^3f - a^2be - 2ab^2d + 5b^3c)}{a^{8/3}b^{7/3}} - \frac{2 \log(\sqrt[3]{a} + \sqrt[3]{bx^3})(4a^3f - a^2be - 2ab^2d + 5b^3c)}{a^{8/3}b^{7/3}} + \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{bx^3}}{\sqrt[3]{a}}}{\sqrt{3}}\right)(4a^3f - a^2be - 2ab^2d + 5b^3c)}{a^{8/3}b^{7/3}} + \frac{18fx}{b^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^2), x]

[Out] ((-9*c)/(a^2*x^2) + (18*f*x)/b^2 + (6*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(a^2*b^2*(a + b*x^3)) + (2*sqrt[3]*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/(a^(8/3)*b^(7/3)) - (2*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(8/3)

) $\cdot b^{(7/3)}$) + (($5 \cdot b^3 \cdot c - 2 \cdot a \cdot b^2 \cdot d - a^2 \cdot b \cdot e + 4 \cdot a^3 \cdot f$) $\cdot \text{Log}[a^{(2/3)} - a^{(1/3)} \cdot b^{(1/3)} \cdot x + b^{(2/3)} \cdot x^2]$)/($a^{(8/3)} \cdot b^{(7/3)}$))/18

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^3 (a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^2), x]

fricas [A] time = 0.45, size = 902, normalized size = 3.47

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/18*(18*a^4*b^2*f*x^6 - 9*a^3*b^3*c - 3*(5*a^2*b^4*c - 2*a^3*b^3*d + 2*a^4*b^2*e - 8*a^5*b*f)*x^3 + 3*sqrt(1/3)*((5*a*b^5*c - 2*a^2*b^4*d - a^3*b^3*e + 4*a^4*b^2*f)*x^5 + (5*a^2*b^4*c - 2*a^3*b^3*d - a^4*b^2*e + 4*a^5*b*f)*x^2)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a) + ((5*b^4*c - 2*a*b^3*d - a^2*b^2*e + 4*a^3*b*f)*x^5 + (5*a*b^3*c - 2*a^2*b^2*d - a^3*b*e + 4*a^4*f)*x^2)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) - 2*((5*b^4*c - 2*a*b^3*d - a^2*b^2*e + 4*a^3*b*f)*x^5 + (5*a*b^3*c - 2*a^2*b^2*d - a^3*b*e + 4*a^4*f)*x^2)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)))/(a^4*b^4*x^5 + a^5*b^3*x^2), 1/18*(18*a^4*b^2*f*x^6 - 9*a^3*b^3*c - 3*(5*a^2*b^4*c - 2*a^3*b^3*d + 2*a^4*b^2*e - 8*a^5*b*f)*x^3 - 6*sqrt(1/3)*((5*a*b^5*c - 2*a^2*b^4*d - a^3*b^3*e + 4*a^4*b^2*f)*x^5 + (5*a^2*b^4*c - 2*a^3*b^3*d - a^4*b^2*e + 4*a^5*b*f)*x^2)*sqrt(-(-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-a^2*b)^(1/3)/b)/a^2) + ((5*b^4*c - 2*a*b^3*d - a^2*b^2*e + 4*a^3*b*f)*x^5 + (5*a*b^3*c - 2*a^2*b^2*d - a^3*b*e + 4*a^4*f)*x^2)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) - 2*((5*b^4*c - 2*a*b^3*d - a^2*b^2*e + 4*a^3*b*f)*x^5 + (5*a*b^3*c - 2*a^2*b^2*d - a^3*b*e + 4*a^4*f)*x^2)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)))/(a^4*b^4*x^5 + a^5*b^3*x^2)]

giac [A] time = 0.18, size = 261, normalized size = 1.00

$$\frac{fx}{b^2} + \frac{\sqrt{3}(5b^3c - 2ab^2d + 4a^3f - a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{2}{3}}a^2b} + \frac{(5b^3c - 2ab^2d + 4a^3f - a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(-ab^2)^{\frac{2}{3}}a^2b} + \frac{(5b^3c - 2ab^2d + 4a^3f - a^2be)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9a^3b^2} - \frac{c}{2a^2x^2} - \frac{b^3cx - ab^2dx - a^3fx + a^2bxe}{3(bx^3 + a)a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^2,x, algorithm="giac")

[Out] $f*x/b^2 + 1/9*\sqrt{3}*(5*b^3*c - 2*a*b^2*d + 4*a^3*f - a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{1/3})/(-a/b)^{1/3})/((-a*b^2)^{2/3}*a^2*b) + 1/18*(5*b^3*c - 2*a*b^2*d + 4*a^3*f - a^2*b*e)*\log(x^2 + x*(-a/b)^{1/3} + (-a/b)^{2/3})/((-a*b^2)^{2/3}*a^2*b) + 1/9*(5*b^3*c - 2*a*b^2*d + 4*a^3*f - a^2*b*e)*(-a/b)^{1/3}*\log(\text{abs}(x - (-a/b)^{1/3}))/ (a^3*b^2) - 1/2*c/(a^2*x^2) - 1/3*(b^3*c*x - a*b^2*d*x - a^3*f*x + a^2*b*x*e)/((b*x^3 + a)*a^2*b^2)$

maple [B] time = 0.06, size = 463, normalized size = 1.78

$$\frac{afx}{3(b^2+a)^2} + \frac{dc}{3(b^2+a)d} - \frac{bca}{3(b^2+a)^2} - \frac{ca}{3(b^2+a)b} - \frac{4\sqrt{3}d \arctan\left(\frac{\sqrt{3}\frac{ax-1}{b^2}}{\frac{x}{b^2}}\right)}{9(b^2)^2} - \frac{4af \ln\left(x + \left(\frac{x}{b^2}\right)^{\frac{1}{3}}\right)}{9(b^2)^2} - \frac{2af \ln\left(x^2 - \left(\frac{x}{b^2}\right)^{\frac{1}{3}}x + \left(\frac{x}{b^2}\right)^{\frac{2}{3}}\right)}{9(b^2)^2} - \frac{2\sqrt{3}d \arctan\left(\frac{\sqrt{3}\frac{ax-1}{b^2}}{\frac{x}{b^2}}\right)}{9(b^2)^2} - \frac{2af \ln\left(x + \left(\frac{x}{b^2}\right)^{\frac{1}{3}}\right)}{9(b^2)^2} - \frac{d \ln\left(x^2 - \left(\frac{x}{b^2}\right)^{\frac{1}{3}}x + \left(\frac{x}{b^2}\right)^{\frac{2}{3}}\right)}{9(b^2)^2} - \frac{5\sqrt{3}c \arctan\left(\frac{\sqrt{3}\frac{ax-1}{b^2}}{\frac{x}{b^2}}\right)}{9(b^2)^2} - \frac{5c \ln\left(x + \left(\frac{x}{b^2}\right)^{\frac{1}{3}}\right)}{9(b^2)^2} - \frac{5c \ln\left(x^2 - \left(\frac{x}{b^2}\right)^{\frac{1}{3}}x + \left(\frac{x}{b^2}\right)^{\frac{2}{3}}\right)}{18(b^2)^2} - \frac{\sqrt{3}c \arctan\left(\frac{\sqrt{3}\frac{ax-1}{b^2}}{\frac{x}{b^2}}\right)}{9(b^2)^2} - \frac{c \ln\left(x + \left(\frac{x}{b^2}\right)^{\frac{1}{3}}\right)}{9(b^2)^2} - \frac{c \ln\left(x^2 - \left(\frac{x}{b^2}\right)^{\frac{1}{3}}x + \left(\frac{x}{b^2}\right)^{\frac{2}{3}}\right)}{18(b^2)^2} - \frac{c}{b^2} - \frac{c}{2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^2,x)

[Out] $1/b^2*f*x + 1/3*a/b^2*x/(b*x^3+a)*f - 1/3/b*x/(b*x^3+a)*e + 1/3/a*x/(b*x^3+a)*d - 1/3/a^2*b*x/(b*x^3+a)*c - 4/9*a/b^3*f/(a/b)^{2/3}*\ln(x + (a/b)^{1/3}) + 2/9*a/b^3*f/(a/b)^{2/3}*\ln(x^2 - (a/b)^{1/3}*x + (a/b)^{2/3}) - 4/9*a/b^3*f/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x - 1)) + 2/9/a/b*d/(a/b)^{2/3}*\ln(x + (a/b)^{1/3}) - 1/9/a/b*d/(a/b)^{2/3}*\ln(x^2 - (a/b)^{1/3}*x + (a/b)^{2/3}) + 2/9/a/b*d/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x - 1)) - 5/9/a^2*c/(a/b)^{2/3}*\ln(x + (a/b)^{1/3}) + 5/18/a^2*c/(a/b)^{2/3}*\ln(x^2 - (a/b)^{1/3}*x + (a/b)^{2/3}) - 5/9/a^2*c/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x - 1)) + 1/9/b^2*e/(a/b)^{2/3}*\ln(x + (a/b)^{1/3}) - 1/18/b^2*e/(a/b)^{2/3}*\ln(x^2 - (a/b)^{1/3}*x + (a/b)^{2/3}) + 1/9/b^2*e/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x - 1)) - 1/2/a^2*c/x^2$

maxima [A] time = 2.97, size = 258, normalized size = 0.99

$$\frac{3ab^2c + (5b^3c - 2ab^2d + 2a^2be - 2a^3f)x^3}{6(a^2b^3x^6 + a^3b^2x^2)} + \frac{fx}{b^2} - \frac{\sqrt{3}(5b^3c - 2ab^2d - a^2be + 4a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{x}{b}\right)^{\frac{1}{3}}\right)}{\left(\frac{x}{b}\right)^{\frac{1}{3}}}\right)}{9a^2b^3\left(\frac{x}{b}\right)^{\frac{2}{3}}} + \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \log\left(x^2 - x\left(\frac{x}{b}\right)^{\frac{1}{3}} + \left(\frac{x}{b}\right)^{\frac{2}{3}}\right)}{18a^2b^3\left(\frac{x}{b}\right)^{\frac{2}{3}}} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \log\left(x + \left(\frac{x}{b}\right)^{\frac{1}{3}}\right)}{9a^2b^3\left(\frac{x}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-1/6*(3*a*b^2*c + (5*b^3*c - 2*a*b^2*d + 2*a^2*b*e - 2*a^3*f)*x^3)/(a^2*b^3*x^5 + a^3*b^2*x^2) + f*x/b^2 - 1/9*\sqrt{3}*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/(a^2*b^3*(a/b)^{2/3}) + 1/18*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(a^2*b^3*(a/b)^{2/3}) - 1/9*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*\log(x + (a/b)^{1/3})/(a^2*b^3*(a/b)^{2/3})$

mupad [B] time = 5.22, size = 245, normalized size = 0.94

$$\frac{f x}{b^2} - \frac{x^3(-2f^2+2cx^2-2da^2+5cb^3)}{6a^2} + \frac{b^2c}{2x} - \frac{\ln(b^{1/3}x+a^{1/3})(4fa^3-ea^2b-2da^2+5cb^3)}{9a^{8/3}b^{7/3}} - \frac{\ln(2b^{1/3}x-a^{1/3}+\sqrt{3}a^{1/3})\left(-\frac{1}{2}+\frac{\sqrt{3}i}{2}\right)(4fa^3-ea^2b-2da^2+5cb^3)}{9a^{8/3}b^{7/3}} + \frac{\ln(a^{1/3}-2b^{1/3}x+\sqrt{3}a^{1/3})\left(\frac{1}{2}+\frac{\sqrt{3}i}{2}\right)(4fa^3-ea^2b-2da^2+5cb^3)}{9a^{8/3}b^{7/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^2), x)

[Out] (f*x)/b^2 - ((x^3*(5*b^3*c - 2*a^3*f - 2*a*b^2*d + 2*a^2*b*e))/(6*a^2) + (b^2*c)/(2*a))/(b^3*x^5 + a*b^2*x^2) - (log(b^(1/3)*x + a^(1/3))*(5*b^3*c + 4*a^3*f - 2*a*b^2*d - a^2*b*e))/(9*a^(8/3)*b^(7/3)) - (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(5*b^3*c + 4*a^3*f - 2*a*b^2*d - a^2*b*e))/(9*a^(8/3)*b^(7/3)) + (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(5*b^3*c + 4*a^3*f - 2*a*b^2*d - a^2*b*e))/(9*a^(8/3)*b^(7/3))

sympy [A] time = 77.38, size = 381, normalized size = 1.47

$$\frac{-3a^2c + x^2(2af - 2f^2x + 2ad^2 - 5b^3c)}{6a^2b^2x^2 + 6a^2b^3} + \text{RootSum}\left(729*_t^3*a^8*b^7 + 64*a^9*f^3 - 48*a^8*b*e*f^2 - 96*a^7*b^2*d*f^2 + 12*a^7*b^2*e^2*f + 240*a^6*b^3*c*f^2 + 48*a^6*b^3*d*e*f - a^6*b^3*e^3 - 120*a^5*b^4*c*e*f + 48*a^5*b^4*d^2*f - 6*a^5*b^4*d*e^2 - 240*a^4*b^5*c*d*f + 15*a^4*b^5*c^2 - 12*a^4*b^5*d^2*e + 300*a^3*b^6*c^2*f + 60*a^3*b^6*c*d*e - 8*a^3*b^6*d^3 - 75*a^2*b^7*c^2*e + 60*a^2*b^7*c*d^2 - 150*a*b^8*c^2*d + 125*b^9*c^3, \text{Lambda}(_t, _t*\log(-9*_t*a^3*b^2/(4*a^3*f - a^2*b*e - 2*a*b^2*d + 5*b^3*c) + x))\right) + f*x/b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**3/(b*x**3+a)**2,x)

[Out] (-3*a*b**2*c + x**3*(2*a**3*f - 2*a**2*b*e + 2*a*b**2*d - 5*b**3*c))/(6*a**3*b**2*x**2 + 6*a**2*b**3*x**5) + RootSum(729*_t**3*a**8*b**7 + 64*a**9*f**3 - 48*a**8*b*e*f**2 - 96*a**7*b**2*d*f**2 + 12*a**7*b**2*e**2*f + 240*a**6*b**3*c*f**2 + 48*a**6*b**3*d*e*f - a**6*b**3*e**3 - 120*a**5*b**4*c*e*f + 48*a**5*b**4*d**2*f - 6*a**5*b**4*d*e**2 - 240*a**4*b**5*c*d*f + 15*a**4*b**5*c^2 - 12*a**4*b**5*d**2*e + 300*a**3*b**6*c**2*f + 60*a**3*b**6*c*d*e - 8*a**3*b**6*d**3 - 75*a**2*b**7*c**2*e + 60*a**2*b**7*c*d**2 - 150*a*b**8*c**2*d + 125*b**9*c**3, Lambda(_t, _t*log(-9*_t*a**3*b**2/(4*a**3*f - a**2*b*e - 2*a*b**2*d + 5*b**3*c) + x))) + f*x/b**2

$$3.216 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)^2} dx$$

Optimal. Leaf size=269

$$\frac{2bc-ad}{a^3x} - \frac{c}{4a^2x^4} + \frac{x^2(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^3b(a+bx^3)} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(2a^3f+a^2be-4ab^2d+7b^3c)}{18a^{10/3}b^{5/3}}$$

Rubi [A] time = 0.29, antiderivative size = 269, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^3b(a+bx^3)} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(a^2be+2a^3f-4ab^2d+7b^3c)}{18a^{10/3}b^{5/3}} - \frac{\log(\sqrt[3]{a}+\sqrt[3]{b}x)(a^2be+2a^3f-4ab^2d+7b^3c)}{9a^{10/3}b^{5/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^2be+2a^3f-4ab^2d+7b^3c)}{3\sqrt{3}a^{10/3}b^{5/3}} + \frac{2bc-ad}{a^3x} - \frac{c}{4a^2x^4}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^2), x]

[Out] -c/(4*a^2*x^4) + (2*b*c - a*d)/(a^3*x) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a^3*b*(a + b*x^3)) - ((7*b^3*c - 4*a*b^2*d + a^2*b*e + 2*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(10/3)*b^(5/3)) - ((7*b^3*c - 4*a*b^2*d + a^2*b*e + 2*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(9*a^(10/3)*b^(5/3)) + ((7*b^3*c - 4*a*b^2*d + a^2*b*e + 2*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(10/3)*b^(5/3))

Rule 31

Int[((a_) + (b_)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^m)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*(d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^m*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^5 (a + bx^3)^2} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^3b(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - b^2\left(\frac{b^3c}{a^2} - \frac{b^2d}{a} + be + 2af\right)x^6}{x^5(a + bx^3)} dx}{3ab^3} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^3b(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^5} - \frac{3b^3(-2bc + ad)}{a^2x^2} - \frac{b^2(7b^3c - 4ab^2d + a^2be + 2a^3f)x}{a^2(a + bx^3)} \right) dx}{3ab^3} \\
&= -\frac{c}{4a^2x^4} + \frac{2bc - ad}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^3b(a + bx^3)} + \frac{(7b^3c - 4ab^2d + a^2be + 2a^3f)}{3a^3b} \\
&= -\frac{c}{4a^2x^4} + \frac{2bc - ad}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^3b(a + bx^3)} - \frac{(7b^3c - 4ab^2d + a^2be + 2a^3f)}{9a^{10/3}b^{4/3}} \\
&= -\frac{c}{4a^2x^4} + \frac{2bc - ad}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^3b(a + bx^3)} - \frac{(7b^3c - 4ab^2d + a^2be + 2a^3f)}{9a^{10/3}b^{5/3}} \\
&= -\frac{c}{4a^2x^4} + \frac{2bc - ad}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^3b(a + bx^3)} - \frac{(7b^3c - 4ab^2d + a^2be + 2a^3f)}{9a^{10/3}b^{5/3}} \\
&= -\frac{c}{4a^2x^4} + \frac{2bc - ad}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^3b(a + bx^3)} - \frac{(7b^3c - 4ab^2d + a^2be + 2a^3f)}{3\sqrt{3}a^{10/3}b^{5/3}}
\end{aligned}$$

Mathematica [A] time = 0.27, size = 255, normalized size = 0.95

$$\frac{-\frac{9a^{4/3}c}{x^4} - \frac{12\sqrt[3]{a}x^2(a^3f - a^2be + ab^2d - b^3c)}{b(a + bx^3)} - \frac{4\log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(2a^3f + a^2be - 4ab^2d + 7b^3c)}{b^{5/3}} - \frac{4\sqrt{3}\tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{3}}\right)(2a^3f + a^2be - 4ab^2d + 7b^3c)}{36a^{10/3}} + \frac{2\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{bx} + b^{2/3}x^2\right)(2a^3f + a^2be - 4ab^2d + 7b^3c)}{b^{5/3}} - \frac{36\sqrt[3]{a}(ad - 2bc)}{x}}{36a^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^2), x]

[Out] ((-9*a^(4/3)*c)/x^4 - (36*a^(1/3)*(-2*b*c + a*d))/x - (12*a^(1/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(b*(a + b*x^3)) - (4*sqrt[3]*(7*b^3*c - 4*a*b^2*d + a^2*b*e + 2*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(5/3) - (4*(7*b^3*c - 4*a*b^2*d + a^2*b*e + 2*a^3*f)*Log[a^(1/3) + b^(1/3)])/b^(5/3)

3)*x))/b^(5/3) + (2*(7*b^3*c - 4*a*b^2*d + a^2*b*e + 2*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(5/3))/(36*a^(10/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^5 (a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^2), x]

fricas [A] time = 0.45, size = 902, normalized size = 3.35

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [-1/36*(9*a^3*b^3*c - 12*(7*a*b^5*c - 4*a^2*b^4*d + a^3*b^3*e - a^4*b^2*f)*x^6 - 9*(7*a^2*b^4*c - 4*a^3*b^3*d)*x^3 - 6*sqrt(1/3)*((7*a*b^5*c - 4*a^2*b^4*d + a^3*b^3*e + 2*a^4*b^2*f)*x^7 + (7*a^2*b^4*c - 4*a^3*b^3*d + a^4*b^2*e + 2*a^5*b*f)*x^4)*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) - 2*((7*b^4*c - 4*a*b^3*d + a^2*b^2*e + 2*a^3*b*f)*x^7 + (7*a*b^3*c - 4*a^2*b^2*d + a^3*b*e + 2*a^4*f)*x^4)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) + 4*((7*b^4*c - 4*a*b^3*d + a^2*b^2*e + 2*a^3*b*f)*x^7 + (7*a*b^3*c - 4*a^2*b^2*d + a^3*b*e + 2*a^4*f)*x^4)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^4*b^4*x^7 + a^5*b^3*x^4), -1/36*(9*a^3*b^3*c - 12*(7*a*b^5*c - 4*a^2*b^4*d + a^3*b^3*e - a^4*b^2*f)*x^6 - 9*(7*a^2*b^4*c - 4*a^3*b^3*d)*x^3 - 12*sqrt(1/3)*((7*a*b^5*c - 4*a^2*b^4*d + a^3*b^3*e + 2*a^4*b^2*f)*x^7 + (7*a^2*b^4*c - 4*a^3*b^3*d + a^4*b^2*e + 2*a^5*b*f)*x^4)*sqrt(-(-a*b^2)^(1/3)/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^(1/3))*sqrt(-(-a*b^2)^(1/3)/a)/b) - 2*((7*b^4*c - 4*a*b^3*d + a^2*b^2*e + 2*a^3*b*f)*x^7 + (7*a*b^3*c - 4*a^2*b^2*d + a^3*b*e + 2*a^4*f)*x^4)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) + 4*((7*b^4*c - 4*a*b^3*d + a^2*b^2*e + 2*a^3*b*f)*x^7 + (7*a*b^3*c - 4*a^2*b^2*d + a^3*b*e + 2*a^4*f)*x^4)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^4*b^4*x^7 + a^5*b^3*x^4)]

giac [A] time = 0.20, size = 310, normalized size = 1.15

$$\frac{\sqrt{3}(7b^3c - 4ab^2d + 2a^3f + a^2be) \arctan\left(\frac{\sqrt{3}(2x + (-\frac{a}{b})^{\frac{1}{3}})}{3(-\frac{a}{b})^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{1}{3}}a^2b} - \frac{(7b^3c - 4ab^2d + 2a^3f + a^2be) \log\left(x^2 + x(-\frac{a}{b})^{\frac{1}{3}} + (-\frac{a}{b})^{\frac{2}{3}}\right)}{18(-ab^2)^{\frac{1}{3}}a^2b} - \frac{(7b^3c(-\frac{a}{b})^{\frac{1}{3}} - 4ab^2d(-\frac{a}{b})^{\frac{1}{3}} + 2a^3f(-\frac{a}{b})^{\frac{1}{3}} + a^2b(-\frac{a}{b})^{\frac{1}{3}}e)(-\frac{a}{b})^{\frac{1}{3}} \log\left(x - (-\frac{a}{b})^{\frac{1}{3}}\right)}{9a^4b}}{3(bx^3 + a)a^2b} + \frac{b^3cx^2 - ab^2dx^2 - a^3fx^2 + a^2bx^2e + 8bcx^3 - 4adx^3 - ac}{4a^4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^2,x, algorithm="giac")

[Out] $\frac{1}{9}\sqrt{3}(7b^3c - 4ab^2d + 2a^3f + a^2be) \arctan\left(\frac{1}{3}\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{1/3}\right)\right) - \frac{1}{18}(7b^3c - 4ab^2d + 2a^3f + a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{1/3} + \left(-\frac{a}{b}\right)^{2/3}\right) - \frac{1}{9}(7b^3c - 4ab^2d + 2a^3f + a^2be) \left(-\frac{a}{b}\right)^{1/3} \log\left(\frac{x - \left(-\frac{a}{b}\right)^{1/3}}{\left(-\frac{a}{b}\right)^{1/3}}\right) + \frac{1}{3}(b^3cx^2 - ab^2dx^2 - a^3fx^2 + a^2bx^2e) / ((bx^3 + a)a^3b) + \frac{1}{4}(8b^3cx^3 - 4abd^3 - a^3c) / (a^3x^4)$

maple [B] time = 0.07, size = 486, normalized size = 1.81

$$\frac{c^2}{3(b^3+a)^2} - \frac{bd^2}{3(b^3+a)^2} + \frac{bc^2}{3(b^3+a)^2} - \frac{f^2}{3(b^3+a)^2} + \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{1/3}\right)}{\left(-\frac{a}{b}\right)^{1/3}}\right)}{9(b^3+a)} + \frac{c \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) + c \ln\left(x^2 - \left(\frac{a}{b}\right)^{2/3} + \left(\frac{a}{b}\right)^{1/3}\right)}{9(b^3+a)} + \frac{4\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{1/3}\right)}{\left(-\frac{a}{b}\right)^{1/3}}\right)}{9(b^3+a)} + \frac{4d \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) + 2d \ln\left(x^2 - \left(\frac{a}{b}\right)^{2/3} + \left(\frac{a}{b}\right)^{1/3}\right)}{9(b^3+a)} + \frac{7\sqrt{3} bc \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{1/3}\right)}{\left(-\frac{a}{b}\right)^{1/3}}\right)}{9(b^3+a)} + \frac{7bc \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) + 7bc \ln\left(x^2 - \left(\frac{a}{b}\right)^{2/3} + \left(\frac{a}{b}\right)^{1/3}\right)}{18(b^3+a)} + \frac{2\sqrt{3} f \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{1/3}\right)}{\left(-\frac{a}{b}\right)^{1/3}}\right)}{9(b^3+a)} + \frac{2f \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) + f \ln\left(x^2 - \left(\frac{a}{b}\right)^{2/3} + \left(\frac{a}{b}\right)^{1/3}\right)}{9(b^3+a)} + \frac{d}{2a^2} + \frac{c}{3a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^2,x)

[Out] $-\frac{1}{3}bx^2/(b^3+a) + \frac{1}{3}ax^2/(b^3+a) - \frac{1}{3}a^2bx^2/(b^3+a) + \frac{d}{3} + \frac{1}{3}a^3b^2x^2/(b^3+a) - \frac{2}{9}b^2/(a/b)^{1/3} \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) + \frac{1}{9}a/b/(a/b)^{1/3} \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) + \frac{4}{9}a^2/(a/b)^{1/3} \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) + \frac{d}{7} - \frac{7}{9}a^3b/(a/b)^{1/3} \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) + \frac{c}{1} + \frac{1}{9}b^2/(a/b)^{1/3} \ln\left(x^2 - \left(\frac{a}{b}\right)^{2/3}\right) + \frac{1}{18}a/b/(a/b)^{1/3} \ln\left(x^2 - \left(\frac{a}{b}\right)^{2/3}\right) + \frac{e}{2} - \frac{2}{9}a^2/(a/b)^{1/3} \ln\left(x^2 - \left(\frac{a}{b}\right)^{2/3}\right) + \frac{d}{7} + \frac{7}{18}a^3b/(a/b)^{1/3} \ln\left(x^2 - \left(\frac{a}{b}\right)^{2/3}\right) + \frac{c}{2} + \frac{2}{9}b^2/(a/b)^{1/3} \arctan\left(\frac{1}{3}\sqrt{3}\sqrt{\frac{2x - \left(\frac{a}{b}\right)^{1/3}}{\left(\frac{a}{b}\right)^{1/3}}}\right) + \frac{1}{9}a/b/(a/b)^{1/3} \arctan\left(\frac{1}{3}\sqrt{3}\sqrt{\frac{2x - \left(\frac{a}{b}\right)^{1/3}}{\left(\frac{a}{b}\right)^{1/3}}}\right) + \frac{1}{9}a^2/(a/b)^{1/3} \arctan\left(\frac{1}{3}\sqrt{3}\sqrt{\frac{2x - \left(\frac{a}{b}\right)^{1/3}}{\left(\frac{a}{b}\right)^{1/3}}}\right) + \frac{d}{7} + \frac{7}{9}a^3b/(a/b)^{1/3} \arctan\left(\frac{1}{3}\sqrt{3}\sqrt{\frac{2x - \left(\frac{a}{b}\right)^{1/3}}{\left(\frac{a}{b}\right)^{1/3}}}\right) + \frac{c}{2} - \frac{1}{4}c/a^2/x^4 - d/a^2/x^2 + a^3/x^2b^3c$

maxima [A] time = 2.93, size = 267, normalized size = 0.99

$$\frac{4(7b^3c - 4ab^2d + a^2be - a^3f)x^6 - 3a^2bc + 3(7ab^2c - 4a^2bd)x^3}{12(a^2b^2x^7 + a^4bx^4)} + \frac{\sqrt{3}(7b^3c - 4ab^2d + a^2be + 2a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{1/3}\right)}{\left(\frac{a}{b}\right)^{1/3}}\right)}{9a^3b^2\left(\frac{a}{b}\right)^{1/3}} + \frac{(7b^3c - 4ab^2d + a^2be + 2a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)}{18a^2b^2\left(\frac{a}{b}\right)^{1/3}} - \frac{(7b^3c - 4ab^2d + a^2be + 2a^3f) \log\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9a^3b^2\left(\frac{a}{b}\right)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{12}(4(7b^3c - 4ab^2d + a^2be - a^3f)x^6 - 3a^2bc + 3(7ab^2c - 4a^2bd)x^3) / (a^3b^2x^7 + a^4bx^4) + \frac{1}{9}\sqrt{3}(7b^3c - 4ab^2d + a^2be + 2a^3f) \arctan\left(\frac{1}{3}\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{1/3}\right)\right) / (a/b)^{1/3} + \frac{1}{18}(7b^3c - 4ab^2d + a^2be + 2a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right) / (a^3b^2(a/b)^{1/3}) - \frac{1}{9}(7b^3c - 4ab^2d + a^2be + 2a^3f) \left(\frac{a}{b}\right)^{1/3} \log\left(\frac{x + \left(\frac{a}{b}\right)^{1/3}}{\left(\frac{a}{b}\right)^{1/3}}\right)$

$*c - 4*a*b^2*d + a^2*b*e + 2*a^3*f)*\log(x + (a/b)^{(1/3)})/(a^3*b^2*(a/b)^{(1/3)})$

mupad [B] time = 5.18, size = 247, normalized size = 0.92

$$\frac{\frac{c}{4a} + \frac{a^3(4ad-7c)}{4a^2} - \frac{a^6(-f^2+e^2b-4da^2+7c^2)}{3a^2b}}{bx^2+ax^4} - \frac{\ln(b^{1/3}x+a^{1/3})(2fa^3+ea^2b-4da^2+7c^2)}{9a^{10/3}b^{5/3}} + \frac{\ln(2b^{1/3}x-a^{1/3}+\sqrt{3}a^{1/3})\left(\frac{1}{2}+\frac{\sqrt{3}i}{2}\right)(2fa^3+ea^2b-4da^2+7c^2)}{9a^{10/3}b^{5/3}} - \frac{\ln(a^{1/3}-2b^{1/3}x+\sqrt{3}a^{1/3})\left(\frac{1}{2}+\frac{\sqrt{3}i}{2}\right)(2fa^3+ea^2b-4da^2+7c^2)}{9a^{10/3}b^{5/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^2), x)`

[Out] $(\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(7*b^3*c + 2*a^3*f - 4*a*b^2*d + a^2*b*e))/(9*a^{(10/3)}*b^{(5/3)}) - (\log(b^{(1/3)}*x + a^{(1/3)})*(7*b^3*c + 2*a^3*f - 4*a*b^2*d + a^2*b*e))/(9*a^{(10/3)}*b^{(5/3)}) - (c/(4*a) + (x^3*(4*a*d - 7*b*c))/(4*a^2) - (x^6*(7*b^3*c - a^3*f - 4*a*b^2*d + a^2*b*e))/(3*a^3*b))/(a*x^4 + b*x^7) - (\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(7*b^3*c + 2*a^3*f - 4*a*b^2*d + a^2*b*e))/(9*a^{(10/3)}*b^{(5/3)})$

sympy [A] time = 177.03, size = 473, normalized size = 1.76

$$\text{RootSum}\left(\frac{729*_t^3*a^{10}*b^5 + 8*a^{9}*f^3 + 12*a^{8}*b*e*f^2 - 48*a^{7}*b^2*d*f^2 + 6*a^{7}*b^2*e^2*f + 84*a^{6}*b^3*c*f^2 - 48*a^{6}*b^3*d*e*f + a^{6}*b^3*e^3 + 84*a^{5}*b^4*c*e*f + 96*a^{5}*b^4*d^2*f - 12*a^{5}*b^4*d*e^2 - 336*a^{4}*b^5*c*d*f + 21*a^{4}*b^5*c^2 + 48*a^{4}*b^5*d^2*e + 294*a^{3}*b^6*c^2*f - 168*a^{3}*b^6*c*d*e - 64*a^{3}*b^6*d^3 + 147*a^{2}*b^7*c^2*e + 336*a^{2}*b^7*c*d^2 - 588*a*b^8*c^2*d + 343*b^9*c^3, \text{Lambda}(_t, _t*\log(81*_t^2*a^7*b^3/(4*a^6*f^2 + 4*a^5*b*e*f - 16*a^4*b^2*d*f + a^4*b^2*e^2 + 28*a^3*b^3*c*f - 8*a^3*b^3*d*e + 14*a^2*b^4*c*e + 16*a^2*b^4*d^2 - 56*a*b^5*c*d + 49*b^6*c^2) + x)) + (-3*a^2*b*c + x^6*(-4*a^3*f + 4*a^2*b*e - 16*a*b^2*d + 28*b^3*c) + x^3*(-12*a^2*b*d + 21*a*b^2*c))/(12*a^4*b*x^4 + 12*a^3*b^2*x^7)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**5/(b*x**3+a)**2,x)`

[Out] $\text{RootSum}(729*_t^3*a^{10}*b^5 + 8*a^{9}*f^3 + 12*a^{8}*b*e*f^2 - 48*a^{7}*b^2*d*f^2 + 6*a^{7}*b^2*e^2*f + 84*a^{6}*b^3*c*f^2 - 48*a^{6}*b^3*d*e*f + a^{6}*b^3*e^3 + 84*a^{5}*b^4*c*e*f + 96*a^{5}*b^4*d^2*f - 12*a^{5}*b^4*d*e^2 - 336*a^{4}*b^5*c*d*f + 21*a^{4}*b^5*c^2 + 48*a^{4}*b^5*d^2*e + 294*a^{3}*b^6*c^2*f - 168*a^{3}*b^6*c*d*e - 64*a^{3}*b^6*d^3 + 147*a^{2}*b^7*c^2*e + 336*a^{2}*b^7*c*d^2 - 588*a*b^8*c^2*d + 343*b^9*c^3, \text{Lambda}(_t, _t*\log(81*_t^2*a^7*b^3/(4*a^6*f^2 + 4*a^5*b*e*f - 16*a^4*b^2*d*f + a^4*b^2*e^2 + 28*a^3*b^3*c*f - 8*a^3*b^3*d*e + 14*a^2*b^4*c*e + 16*a^2*b^4*d^2 - 56*a*b^5*c*d + 49*b^6*c^2) + x)) + (-3*a^2*b*c + x^6*(-4*a^3*f + 4*a^2*b*e - 16*a*b^2*d + 28*b^3*c) + x^3*(-12*a^2*b*d + 21*a*b^2*c))/(12*a^4*b*x^4 + 12*a^3*b^2*x^7)$

$$3.217 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)^2} dx$$

Optimal. Leaf size=270

$$\frac{2bc-ad}{2a^3x^2} - \frac{c}{5a^2x^5} + \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^3b(a+bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3f + 2a^2be - 5ab^2d + 8b^3c)}{18a^{11/3}b^{4/3}}$$

Rubi [A] time = 0.27, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^3b(a+bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(2a^2be + a^3f - 5ab^2d + 8b^3c)}{18a^{11/3}b^{4/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(2a^2be + a^3f - 5ab^2d + 8b^3c)}{9a^{11/3}b^{4/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(2a^2be + a^3f - 5ab^2d + 8b^3c)}{3\sqrt{3}a^{11/3}b^{4/3}} + \frac{2bc-ad}{2a^3x^2} - \frac{c}{5a^2x^5}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^2), x]

[Out] -c/(5*a^2*x^5) + (2*b*c - a*d)/(2*a^3*x^2) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*a^3*b*(a + b*x^3)) - ((8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(11/3)*b^(4/3)) + ((8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/((9*a^(11/3)*b^(4/3)) - ((8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]))/(18*a^(11/3)*b^(4/3))

Rule 31

Int[((a_) + (b_)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^6(a + bx^3)^2} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - b^2\left(\frac{2b^3c}{a^2} - \frac{2b^2d}{a} + 2be + af\right)x^6}{x^6(a + bx^3)} dx}{3ab^3} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^6} - \frac{3b^3(-2bc + ad)}{a^2x^3} - \frac{b^2(8b^3c - 5ab^2d + 2a^2be + a^3f)}{a^2(a + bx^3)} \right) dx}{3ab^3} \\
&= -\frac{c}{5a^2x^5} + \frac{2bc - ad}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)}{3a^3b} \\
&= -\frac{c}{5a^2x^5} + \frac{2bc - ad}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)}{9a^{11/3}b} \\
&= -\frac{c}{5a^2x^5} + \frac{2bc - ad}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)}{9a^{11/3}b^{4/3}} \\
&= -\frac{c}{5a^2x^5} + \frac{2bc - ad}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)}{9a^{11/3}b^{4/3}} \\
&= -\frac{c}{5a^2x^5} + \frac{2bc - ad}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)}{3\sqrt{3}a^{11/3}b^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.19, size = 253, normalized size = 0.94

$$\frac{-\frac{45a^{2/3}(ad-2bc)}{x^2} - \frac{18a^{5/3}c}{x^5} + \frac{10 \log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(a^3f + 2a^2be - 5ab^2d + 8b^3c)}{b^{4/3}} - \frac{10\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt[3]{a}}\right)(a^3f + 2a^2be - 5ab^2d + 8b^3c)}{b^{4/3}} - \frac{30a^{2/3}x(a^3f - a^2be + ab^2d - b^3c)}{b(a + bx^3)} - \frac{5 \log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{bx} + b^{2/3}x^2\right)(a^3f + 2a^2be - 5ab^2d + 8b^3c)}{b^{4/3}}}{90a^{11/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^2), x]

[Out] ((-18*a^(5/3)*c)/x^5 - (45*a^(2/3)*(-2*b*c + a*d))/x^2 - (30*a^(2/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(b*(a + b*x^3)) - (10*sqrt[3]*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(4/3) + (10*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*Log[a^(1/3) + b^

$(1/3)*x)/b^{(4/3)} - (5*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/b^{(4/3)})/(90*a^{(11/3)})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^6 (a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^2), x]

fricas [A] time = 0.45, size = 897, normalized size = 3.32

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $[-1/90*(18*a^4*b^2*c - 15*(8*a^2*b^4*c - 5*a^3*b^3*d + 2*a^4*b^2*e - 2*a^5*b*f)*x^6 - 9*(8*a^3*b^3*c - 5*a^4*b^2*d)*x^3 - 15*\sqrt{1/3}*((8*a*b^5*c - 5*a^2*b^4*d + 2*a^3*b^3*e + a^4*b^2*f)*x^8 + (8*a^2*b^4*c - 5*a^3*b^3*d + 2*a^4*b^2*e + a^5*b*f)*x^5)*\sqrt{-(a^2*b)^{(1/3)}/b}*\log((2*a*b*x^3 - 3*(a^2*b)^{(1/3)}*a*x - a^2 + 3*\sqrt{1/3}*(2*a*b*x^2 + (a^2*b)^{(2/3)}*x - (a^2*b)^{(1/3)}*a)*\sqrt{-(a^2*b)^{(1/3)}/b})/(b*x^3 + a)) + 5*((8*b^4*c - 5*a*b^3*d + 2*a^2*b^2*e + a^3*b*f)*x^8 + (8*a*b^3*c - 5*a^2*b^2*d + 2*a^3*b*e + a^4*f)*x^5)*(a^2*b)^{(2/3)}*\log(a*b*x^2 - (a^2*b)^{(2/3)}*x + (a^2*b)^{(1/3)}*a) - 10*((8*b^4*c - 5*a*b^3*d + 2*a^2*b^2*e + a^3*b*f)*x^8 + (8*a*b^3*c - 5*a^2*b^2*d + 2*a^3*b*e + a^4*f)*x^5)*(a^2*b)^{(2/3)}*\log(a*b*x + (a^2*b)^{(2/3)})]/(a^5*b^3*x^8 + a^6*b^2*x^5), -1/90*(18*a^4*b^2*c - 15*(8*a^2*b^4*c - 5*a^3*b^3*d + 2*a^4*b^2*e - 2*a^5*b*f)*x^6 - 9*(8*a^3*b^3*c - 5*a^4*b^2*d)*x^3 - 30*\sqrt{1/3}*((8*a*b^5*c - 5*a^2*b^4*d + 2*a^3*b^3*e + a^4*b^2*f)*x^8 + (8*a^2*b^4*c - 5*a^3*b^3*d + 2*a^4*b^2*e + a^5*b*f)*x^5)*\sqrt{(a^2*b)^{(1/3)}/b}*\arctan(\sqrt{1/3}*(2*(a^2*b)^{(2/3)}*x - (a^2*b)^{(1/3)}*a)*\sqrt{(a^2*b)^{(1/3)}/b})/a^2) + 5*((8*b^4*c - 5*a*b^3*d + 2*a^2*b^2*e + a^3*b*f)*x^8 + (8*a*b^3*c - 5*a^2*b^2*d + 2*a^3*b*e + a^4*f)*x^5)*(a^2*b)^{(2/3)}*\log(a*b*x^2 - (a^2*b)^{(2/3)}*x + (a^2*b)^{(1/3)}*a) - 10*((8*b^4*c - 5*a*b^3*d + 2*a^2*b^2*e + a^3*b*f)*x^8 + (8*a*b^3*c - 5*a^2*b^2*d + 2*a^3*b*e + a^4*f)*x^5)*(a^2*b)^{(2/3)}*\log(a*b*x + (a^2*b)^{(2/3)})]/(a^5*b^3*x^8 + a^6*b^2*x^5)]$

giac [A] time = 0.18, size = 264, normalized size = 0.98

$$\frac{\sqrt{3}(8b^3c - 5ab^2d + a^3f + 2a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{2}{3}}a^3} - \frac{(8b^3c - 5ab^2d + a^3f + 2a^2be) \log\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(-ab^2)^{\frac{2}{3}}a^3} - \frac{(8b^3c - 5ab^2d + a^3f + 2a^2be)\left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9a^4b} + \frac{b^3cx - ab^2dx - a^3fx + a^2bxe}{3(bx^3 + a)a^3b} + \frac{10bcx^3 - 5adx^3 - 2ac}{10a^3x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^2,x, algorithm="giac")

[Out]
$$-1/9*\sqrt{3}*(8*b^3*c - 5*a*b^2*d + a^3*f + 2*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^3) - 1/18*(8*b^3*c - 5*a*b^2*d + a^3*f + 2*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^3) - 1/9*(8*b^3*c - 5*a*b^2*d + a^3*f + 2*a^2*b*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a^4*b) + 1/3*(b^3*c*x - a*b^2*d*x - a^3*f*x + a^2*b*x*e)/((b*x^3 + a)*a^3*b) + 1/10*(10*b*c*x^3 - 5*a*d*x^3 - 2*a*c)/(a^3*x^5)$$

maple [B] time = 0.06, size = 477, normalized size = 1.77

$$\frac{\frac{c}{3(b^3+a)^2} + \frac{dx}{3(b^3+a)^2} + \frac{e}{3(b^3+a)^2} + \frac{f}{3(b^3+a)^2}}{9(b^3+a)^2} + \frac{2\sqrt{3}d\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{3} + \frac{1}{3}\right)}{1}\right)}{9(b^3+a)^2} + \frac{2\ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) - \ln\left(x^2 - \left(\frac{a}{b}\right)^{2/3} + \left(\frac{a}{b}\right)^{1/3}\right)}{9(b^3+a)^2} + \frac{5\sqrt{3}d\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{3} + \frac{1}{3}\right)}{1}\right)}{9(b^3+a)^2} + \frac{8\ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) - 4\ln\left(x^2 - \left(\frac{a}{b}\right)^{2/3} + \left(\frac{a}{b}\right)^{1/3}\right)}{18(b^3+a)^2} + \frac{8\sqrt{3}d\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{3} + \frac{1}{3}\right)}{1}\right)}{9(b^3+a)^2} + \frac{8\ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) - 4\ln\left(x^2 - \left(\frac{a}{b}\right)^{2/3} + \left(\frac{a}{b}\right)^{1/3}\right)}{9(b^3+a)^2} + \frac{\sqrt{3}d\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{3} + \frac{1}{3}\right)}{1}\right)}{9(b^3+a)^2} + \frac{f\ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) - b\ln\left(x^2 - \left(\frac{a}{b}\right)^{2/3} + \left(\frac{a}{b}\right)^{1/3}\right)}{9(b^3+a)^2} + \frac{d}{3a^2b^2} + \frac{c}{3a^3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^2,x)

[Out]
$$-1/3/b*x/(b*x^3+a)*f+1/3/a*x/(b*x^3+a)*e-1/3/a^2*b*x/(b*x^3+a)*d+1/3/a^3*b^2*x/(b*x^3+a)*c+1/9/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*f+2/9/a/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e-5/9/a^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d+8/9/a^3*b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c-1/18/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f-1/9/a/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e+5/18/a^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d-4/9/a^3*b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c+1/9/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f+2/9/a/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e-5/9/a^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d+8/9/a^3*b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-1/5/a^2*c/x^5-1/2*d/a^2/x^2+1/a^3/x^2*b*c$$

maxima [A] time = 2.93, size = 268, normalized size = 0.99

$$\frac{5(8b^3c - 5ab^2d + 2a^2be - 2a^3f)x^6 - 6a^2bc + 3(8ab^2c - 5a^2bd)x^3}{30(a^2b^2x^3 + a^3bx^6)} + \frac{\sqrt{3}(8b^3c - 5ab^2d + 2a^2be + a^3f)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{1/3}\right)}{3\left(\frac{a}{b}\right)^{1/3}}\right)}{9a^2b^2\left(\frac{a}{b}\right)^{2/3}} - \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)\log\left(x^2 - x\left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)}{18a^2b^2\left(\frac{a}{b}\right)^{2/3}} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)\log\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9a^2b^2\left(\frac{a}{b}\right)^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$1/30*(5*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e - 2*a^3*f)*x^6 - 6*a^2*b*c + 3*(8*a*b^2*c - 5*a^2*b*d)*x^3)/(a^3*b^2*x^8 + a^4*b*x^5) + 1/9*\sqrt{3}*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^3*b^2*(a/b)^{(2/3)}) - 1/18*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*b^2*(a/b)^{(2/3)}) + 1/9*(8$$

$*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\log(x + (a/b)^{(1/3)})/(a^3*b^2*(a/b)^{(2/3)})$

mupad [B] time = 5.13, size = 248, normalized size = 0.92

$$\frac{\ln(b^{1/3}x + a^{1/3})}{9a^{11/3}b^{4/3}} \left(f a^3 + 2e a^2 b - 5d a b^2 + 8c b^3 \right) - \frac{c}{5a} + \frac{3(5ad-8bc)}{10a^2} - \frac{a^6(-2f a^3 + 2e a^2 b - 5d a b^2 + 8c b^3)}{b^3 x^6 + a x^3} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3})}{9a^{11/3}b^{4/3}} \left(-\frac{1}{2} + \frac{\sqrt{3}i}{2} \right) \left(f a^3 + 2e a^2 b - 5d a b^2 + 8c b^3 \right) - \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3})}{9a^{11/3}b^{4/3}} \left(\frac{1}{2} + \frac{\sqrt{3}i}{2} \right) \left(f a^3 + 2e a^2 b - 5d a b^2 + 8c b^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^2),x)

[Out] $(\log(b^{1/3}x + a^{1/3})*(8*b^3*c + a^3*f - 5*a*b^2*d + 2*a^2*b*e))/(9*a^{11/3}*b^{4/3}) - (c/(5*a) + (x^3*(5*a*d - 8*b*c))/(10*a^2) - (x^6*(8*b^3*c - 2*a^3*f - 5*a*b^2*d + 2*a^2*b*e))/(6*a^3*b))/(a*x^5 + b*x^8) + (\log(3^{1/2}*a^{1/3}*i + 2*b^{1/3}*x - a^{1/3})*(3^{1/2}*i)/2 - 1/2)*(8*b^3*c + a^3*f - 5*a*b^2*d + 2*a^2*b*e))/(9*a^{11/3}*b^{4/3}) - (\log(3^{1/2}*a^{1/3}*i - 2*b^{1/3}*x + a^{1/3})*(3^{1/2}*i)/2 + 1/2)*(8*b^3*c + a^3*f - 5*a*b^2*d + 2*a^2*b*e))/(9*a^{11/3}*b^{4/3})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**6/(b*x**3+a)**2,x)

[Out] Timed out

$$3.218 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)^2} dx$$

Optimal. Leaf size=297

$$\frac{2bc-ad}{4a^3x^4} - \frac{c}{7a^2x^7} - \frac{a^2e-2abd+3b^2c}{a^4x} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3(-f) + 4a^2be - 7ab^2d + 10b^3c)}{18a^{13/3}b^{2/3}} + \frac{\log(\sqrt[3]{a})}{18a^{13/3}b^{2/3}}$$

Rubi [A] time = 0.38, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^4(a+bx^3)} - \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(4a^2be+a^3(-f)-7ab^2d+10b^3c)}{18a^{13/3}b^{2/3}} + \frac{\log(\sqrt[3]{a}+\sqrt[3]{b}x)(4a^2be+a^3(-f)-7ab^2d+10b^3c)}{9a^{13/3}b^{2/3}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(4a^2be+a^3(-f)-7ab^2d+10b^3c)}{3\sqrt{3}a^{13/3}b^{2/3}} - \frac{a^2e-2abd+3b^2c}{a^4x} + \frac{2bc-ad}{4a^3x^4} - \frac{c}{7a^2x^7}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^2), x]

[Out] -c/(7*a^2*x^7) + (2*b*c - a*d)/(4*a^3*x^4) - (3*b^2*c - 2*a*b*d + a^2*e)/(a^4*x) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a^4*(a + b*x^3)) + ((10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(3*Sqrt[3]*a^(13/3)*b^(2/3)) + ((10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(9*a^(13/3)*b^(2/3)) - ((10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(13/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^8 (a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3}}{x^8(a + bx^3)} dx}{3ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^8} - \frac{3b^3(-2bc + ad)}{a^2x^5} - \frac{3b^3(3b^2c - 2abd + a^2e)}{a^3x^2} - \frac{b^3(-10b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3})}{x^8(a + bx^3)} \right) dx}{3ab^3} \\
&= -\frac{c}{7a^2x^7} + \frac{2bc - ad}{4a^3x^4} - \frac{3b^2c - 2abd + a^2e}{a^4x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} - \frac{(10b^3c - 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3})}{3ab^3} \\
&= -\frac{c}{7a^2x^7} + \frac{2bc - ad}{4a^3x^4} - \frac{3b^2c - 2abd + a^2e}{a^4x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} + \frac{(10b^3c - 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3})}{3ab^3} \\
&= -\frac{c}{7a^2x^7} + \frac{2bc - ad}{4a^3x^4} - \frac{3b^2c - 2abd + a^2e}{a^4x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} + \frac{(10b^3c - 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3})}{3ab^3} \\
&= -\frac{c}{7a^2x^7} + \frac{2bc - ad}{4a^3x^4} - \frac{3b^2c - 2abd + a^2e}{a^4x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} + \frac{(10b^3c - 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3})}{3ab^3}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 281, normalized size = 0.95

$$\frac{-\frac{63a^{4/3}(ad-2bc)}{x^4} - \frac{36a^{7/3}c}{x^7} - \frac{252\sqrt[3]{a}(a^2c-2abd+3b^2c)}{x} + \frac{84\sqrt[3]{a}x^2(a^3f-a^2bc+ab^2d-b^3c)}{a+bx^3} + \frac{28\log\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)(a^3(-f)+4a^2bc-7ab^2d+10b^3c)}{b^{2/3}} + \frac{28\sqrt{3}\tan^{-1}\left(\frac{1-2\sqrt[3]{bx}}{\sqrt{3}}\right)(a^3(-f)+4a^2bc-7ab^2d+10b^3c)}{b^{2/3}} + \frac{14\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}\right)(a^3f-4a^2bc+7ab^2d-10b^3c)}{b^{2/3}}}{252a^{13/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^2), x]

[Out] ((-36*a^(7/3)*c)/x^7 - (63*a^(4/3)*(-2*b*c + a*d))/x^4 - (252*a^(1/3)*(3*b^2*c - 2*a*b*d + a^2*e))/x + (84*a^(1/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(a + b*x^3) + (28*sqrt[3]*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + (28*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + (14*(-10*

$b^3c + 7ab^2d - 4a^2be + a^3f) \cdot \text{Log}[a^{(2/3)} - a^{(1/3)}b^{(1/3)}x + b^{(2/3)}x^2] / b^{(2/3)} / (252a^{(13/3)})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^8(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^2), x]

fricas [A] time = 0.45, size = 982, normalized size = 3.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $[-1/252*(84*(10*a*b^5*c - 7*a^2*b^4*d + 4*a^3*b^3*e - a^4*b^2*f)*x^9 + 36*a^4*b^2*c + 63*(10*a^2*b^4*c - 7*a^3*b^3*d + 4*a^4*b^2*e)*x^6 - 9*(10*a^3*b^3*c - 7*a^4*b^2*d)*x^3 + 42*\text{sqrt}(1/3)*((10*a*b^5*c - 7*a^2*b^4*d + 4*a^3*b^3*e - a^4*b^2*f)*x^{10} + (10*a^2*b^4*c - 7*a^3*b^3*d + 4*a^4*b^2*e - a^5*b*f)*x^7)*\text{sqrt}((-a*b^2)^{(1/3)}/a)*\text{log}((2*b^2*x^3 - a*b + 3*\text{sqrt}(1/3)*(a*b*x + 2*(-a*b^2)^{(2/3)}*x^2 + (-a*b^2)^{(1/3)}*a)*\text{sqrt}((-a*b^2)^{(1/3)}/a) - 3*(-a*b^2)^{(2/3)}*x)/(b*x^3 + a)) + 14*((10*b^4*c - 7*a*b^3*d + 4*a^2*b^2*e - a^3*b*f)*x^{10} + (10*a*b^3*c - 7*a^2*b^2*d + 4*a^3*b*e - a^4*f)*x^7)*(-a*b^2)^{(2/3)}*\text{log}(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 28*((10*b^4*c - 7*a*b^3*d + 4*a^2*b^2*e - a^3*b*f)*x^{10} + (10*a*b^3*c - 7*a^2*b^2*d + 4*a^3*b*e - a^4*f)*x^7)*(-a*b^2)^{(2/3)}*\text{log}(b*x - (-a*b^2)^{(1/3)})/(a^5*b^3*x^{10} + a^6*b^2*x^7), -1/252*(84*(10*a*b^5*c - 7*a^2*b^4*d + 4*a^3*b^3*e - a^4*b^2*f)*x^9 + 36*a^4*b^2*c + 63*(10*a^2*b^4*c - 7*a^3*b^3*d + 4*a^4*b^2*e)*x^6 - 9*(10*a^3*b^3*c - 7*a^4*b^2*d)*x^3 + 84*\text{sqrt}(1/3)*((10*a*b^5*c - 7*a^2*b^4*d + 4*a^3*b^3*e - a^4*b^2*f)*x^{10} + (10*a^2*b^4*c - 7*a^3*b^3*d + 4*a^4*b^2*e - a^5*b*f)*x^7)*\text{sqrt}(-(-a*b^2)^{(1/3)}/a)*\text{arctan}(\text{sqrt}(1/3)*(2*b*x + (-a*b^2)^{(1/3)}))*\text{sqrt}(-(-a*b^2)^{(1/3)}/a)/b + 14*((10*b^4*c - 7*a*b^3*d + 4*a^2*b^2*e - a^3*b*f)*x^{10} + (10*a*b^3*c - 7*a^2*b^2*d + 4*a^3*b*e - a^4*f)*x^7)*(-a*b^2)^{(2/3)}*\text{log}(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 28*((10*b^4*c - 7*a*b^3*d + 4*a^2*b^2*e - a^3*b*f)*x^{10} + (10*a*b^3*c - 7*a^2*b^2*d + 4*a^3*b*e - a^4*f)*x^7)*(-a*b^2)^{(2/3)}*\text{log}(b*x - (-a*b^2)^{(1/3)})/(a^5*b^3*x^{10} + a^6*b^2*x^7)]$

giac [A] time = 0.23, size = 333, normalized size = 1.12

$$\frac{\sqrt{5} (10b^3c - 7ab^2d - a^3f + 4a^2be) \arctan\left(\frac{\sqrt{5}(2x - \frac{a}{b})}{3(\frac{a}{b})}\right)}{9(-ab^2)^{\frac{5}{3}}a^4} + \frac{(10b^3c - 7ab^2d - a^3f + 4a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(-ab^2)^{\frac{5}{3}}a^4} + \frac{(10b^3c - 7ab^2d - a^3f + 4a^2be)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9a^5} - \frac{b^3cx^2 - ab^2dx^2 - a^2fx^2 + a^2bx^2c}{3(bx^3 + a)^4} - \frac{84b^2cx^6 - 56abdx^6 + 28a^2x^6e - 14abcx^3 + 7a^2dx^3 + 4a^2c}{28a^4x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-1/9*\sqrt{3}*(10*b^3*c - 7*a*b^2*d - a^3*f + 4*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(1/3)}*a^4) + 1/18*(10*b^3*c - 7*a*b^2*d - a^3*f + 4*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(1/3)}*a^4) + 1/9*(10*b^3*c*(-a/b)^{(1/3)} - 7*a*b^2*d*(-a/b)^{(1/3)} - a^3*f*(-a/b)^{(1/3)} + 4*a^2*b*(-a/b)^{(1/3)}*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^5 - 1/3*(b^3*c*x^2 - a*b^2*d*x^2 - a^3*f*x^2 + a^2*b*x^2*e)/((b*x^3 + a)*a^4) - 1/28*(84*b^2*c*x^6 - 56*a*b*d*x^6 + 28*a^2*x^6*e - 14*a*b*c*x^3 + 7*a^2*d*x^3 + 4*a^2*c)/(a^4*x^7)$

maple [B] time = 0.07, size = 529, normalized size = 1.78

$$\frac{f^2}{3(b^3+a)^2} + \frac{bc^2}{3(b^3+a)^2} + \frac{bd^2c}{3(b^3+a)^2} + \frac{bd^2e}{3(b^3+a)^2} + \frac{\sqrt{5} f \arctan\left(\frac{\sqrt{5}(2x - \frac{a}{b})}{3(\frac{a}{b})}\right)}{9(b^3+a)} + \frac{f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9(b^3+a)} + \frac{f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(b^3+a)} + \frac{4\sqrt{5} f \arctan\left(\frac{\sqrt{5}(2x - \frac{a}{b})}{3(\frac{a}{b})}\right)}{9(b^3+a)} + \frac{4a \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9(b^3+a)} + \frac{2a \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9(b^3+a)} + \frac{7\sqrt{5} b \arctan\left(\frac{\sqrt{5}(2x - \frac{a}{b})}{3(\frac{a}{b})}\right)}{9(b^3+a)} + \frac{7a \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9(b^3+a)} + \frac{7a \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(b^3+a)} + \frac{10\sqrt{5} b^2 c \arctan\left(\frac{\sqrt{5}(2x - \frac{a}{b})}{3(\frac{a}{b})}\right)}{9(b^3+a)} + \frac{10b^2 c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9(b^3+a)} + \frac{10b^2 c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(b^3+a)} + \frac{c}{2a} + \frac{2bd}{2a} + \frac{bd^2c}{2a^2} + \frac{bd^2e}{2a^2} + \frac{c}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^2,x)

[Out] $1/3/a*x^2/(b*x^3+a)*f - 1/3/a^2*x^2/(b*x^3+a)*b*e + 1/3/a^3*x^2/(b*x^3+a)*b^2*d - 1/3/a^4*x^2/(b*x^3+a)*b^3*c + 4/9/a^2*e/(a/b)^{(1/3)}*\ln(x + (a/b)^{(1/3)}) - 2/9/a^2*e/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) - 4/9/a^2*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x - 1)) - 7/9/a^3*b*d/(a/b)^{(1/3)}*\ln(x + (a/b)^{(1/3)}) + 7/18/a^3*b*d/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + 7/9/a^3*b*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x - 1)) + 10/9/a^4*b^2*c/(a/b)^{(1/3)}*\ln(x + (a/b)^{(1/3)}) - 5/9/a^4*b^2*c/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) - 10/9/a^4*b^2*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x - 1)) - 1/9/a*f/b/(a/b)^{(1/3)}*\ln(x + (a/b)^{(1/3)}) + 1/18/a*f/b/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + 1/9/a*f*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x - 1)) - 1/7/a^2*c/x^7 - 1/4/a^2/x^4*d + 1/2/a^3/x^4*b*c - e/a^2/x + 2/a^3/x*b*d - 3/a^4/x*b^2*c$

maxima [A] time = 3.05, size = 292, normalized size = 0.98

$$\frac{28(10b^3c - 7ab^2d + 4a^2be - a^3f)^2 + 21(10ab^2c - 7a^2bd + 4a^3e)^2 + 12a^2c^2 - 3(10a^2bc - 7a^3d)^2}{84(a^4bx^{10} + a^5x^7)} + \frac{\sqrt{5}(10b^3c - 7ab^2d + 4a^2be - a^3f) \arctan\left(\frac{\sqrt{5}(2x - \frac{a}{b})}{3(\frac{a}{b})}\right)}{9a^4b\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(10b^3c - 7ab^2d + 4a^2be - a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18a^4b\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(10b^3c - 7ab^2d + 4a^2be - a^3f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9a^4b\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$-1/84*(28*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*x^9 + 21*(10*a*b^2*c - 7*a^2*b*d + 4*a^3*e)*x^6 + 12*a^3*c - 3*(10*a^2*b*c - 7*a^3*d)*x^3)/(a^4*b*x^{10} + a^5*x^7) - 1/9*\sqrt{3}*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*\operatorname{arctan}(1/3*\sqrt{3}*(2*x - (a/b)^{1/3}))/((a/b)^{1/3})/(a^4*b*(a/b)^{1/3}) - 1/18*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(a^4*b*(a/b)^{1/3}) + 1/9*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*\log(x + (a/b)^{1/3})/(a^4*b*(a/b)^{1/3})$$

mupad [B] time = 5.18, size = 274, normalized size = 0.92

$$\frac{\ln(b^{10}x + a^{10})}{9a^{133}b^{23}} \left(-f a^3 + 4c a^2 b - 7d a b^2 + 10c b^3 \right) - \frac{c}{7a} + \frac{d(-f a^3 + 4c a^2 b - 7d a b^2 + 10c b^3)}{3a^2} + \frac{e(7d a - 10b c)}{28a^2} + \frac{f(4c a^2 - 7d a b + 10c b^2)}{4a^3} - \frac{\ln(2b^{10}x - a^{10} + \sqrt{3}a^{10}i)}{9a^{133}b^{23}} \left(\frac{1}{2} + \frac{\sqrt{3}i}{2} \right) \left(-f a^3 + 4c a^2 b - 7d a b^2 + 10c b^3 \right) + \frac{\ln(a^{10} - 2b^{10}x + \sqrt{3}a^{10}i)}{9a^{133}b^{23}} \left(-\frac{1}{2} + \frac{\sqrt{3}i}{2} \right) \left(-f a^3 + 4c a^2 b - 7d a b^2 + 10c b^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^2),x)

[Out]
$$\frac{(\log(b^{1/3}*x + a^{1/3})*(10*b^3*c - a^3*f - 7*a*b^2*d + 4*a^2*b*e))}{(9*a^{13/3}*b^{2/3})} - \frac{c}{(7*a)} + \frac{(x^9*(10*b^3*c - a^3*f - 7*a*b^2*d + 4*a^2*b*e))}{(3*a^4)} + \frac{(x^3*(7*a*d - 10*b*c))}{(28*a^2)} + \frac{(x^6*(10*b^2*c + 4*a^2*e - 7*a*b*d))}{(4*a^3)} \frac{1}{(a*x^7 + b*x^{10})} - \frac{(\log(3^{1/2})*a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3})*((3^{1/2})*1i)/2 + 1/2*(10*b^3*c - a^3*f - 7*a*b^2*d + 4*a^2*b*e))}{(9*a^{13/3}*b^{2/3})} + \frac{(\log(3^{1/2})*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3})*((3^{1/2})*1i)/2 - 1/2*(10*b^3*c - a^3*f - 7*a*b^2*d + 4*a^2*b*e))}{(9*a^{13/3}*b^{2/3})}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**8/(b*x**3+a)**2,x)

[Out] Timed out

$$3.219 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)^2} dx$$

Optimal. Leaf size=297

$$\frac{2bc-ad}{5a^3x^5} - \frac{c}{8a^2x^8} - \frac{a^2e-2abd+3b^2c}{2a^4x^2} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-2a^3f+5a^2be-8ab^2d+11b^3c)}{9a^{14/3}\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3}$$

Rubi [A] time = 0.37, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 200, 31, 634, 617, 204, 628}

$$\frac{x(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^4(a+bx^3)} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(5a^2be-2a^3f-8ab^2d+11b^3c)}{18a^{14/3}\sqrt[3]{b}} - \frac{\log(\sqrt[3]{a}+\sqrt[3]{b}x)(5a^2be-2a^3f-8ab^2d+11b^3c)}{9a^{14/3}\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(5a^2be-2a^3f-8ab^2d+11b^3c)}{3\sqrt{3}a^{14/3}\sqrt[3]{b}} - \frac{a^2e-2abd+3b^2c}{2a^4x^2} + \frac{2bc-ad}{5a^3x^5} - \frac{c}{8a^2x^8}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^2), x]

[Out] -c/(8*a^2*x^8) + (2*b*c - a*d)/(5*a^3*x^5) - (3*b^2*c - 2*a*b*d + a^2*e)/(2*a^4*x^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*a^4*(a + b*x^3)) + ((11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(3*Sqrt[3]*a^(14/3)*b^(1/3)) - ((11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(9*a^(14/3)*b^(1/3)) + ((11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(14/3)*b^(1/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^9(a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{2b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3}}{x^9(a + bx^3)} dx}{3ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^9} - \frac{3b^3(-2bc + ad)}{a^2x^6} - \frac{3b^3(3b^2c - 2abd + a^2e)}{a^3x^3} - \frac{b^3(-11b^3c + 8a^2d - 5a^2be + 2a^3f)}{a^3x^3} \right) dx}{3ab^3} \\
&= -\frac{c}{8a^2x^8} + \frac{2bc - ad}{5a^3x^5} - \frac{3b^2c - 2abd + a^2e}{2a^4x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{(11b^3c - 11b^3d + 5a^2be - 2a^3f)x}{3ab^3} \\
&= -\frac{c}{8a^2x^8} + \frac{2bc - ad}{5a^3x^5} - \frac{3b^2c - 2abd + a^2e}{2a^4x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{(11b^3c - 11b^3d + 5a^2be - 2a^3f)x}{3ab^3} \\
&= -\frac{c}{8a^2x^8} + \frac{2bc - ad}{5a^3x^5} - \frac{3b^2c - 2abd + a^2e}{2a^4x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{(11b^3c - 11b^3d + 5a^2be - 2a^3f)x}{3ab^3} \\
&= -\frac{c}{8a^2x^8} + \frac{2bc - ad}{5a^3x^5} - \frac{3b^2c - 2abd + a^2e}{2a^4x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{(11b^3c - 11b^3d + 5a^2be - 2a^3f)x}{3ab^3} \\
&= -\frac{c}{8a^2x^8} + \frac{2bc - ad}{5a^3x^5} - \frac{3b^2c - 2abd + a^2e}{2a^4x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{(11b^3c - 11b^3d + 5a^2be - 2a^3f)x}{3ab^3}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 280, normalized size = 0.94

$$\frac{-\frac{72a^{5/3}(ad-2bc)}{x^5} - \frac{45a^{8/3}c}{x^8} - \frac{180a^{2/3}(a^2c-2abd+3b^2c)}{x^2} + \frac{40 \log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(2a^3f-5a^2be+8ab^2d-11b^3c)}{\sqrt[3]{b}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1-\frac{2\sqrt[3]{bx}}{\sqrt[3]{a}}}{\sqrt{3}}\right)(-2a^3f+5a^2be-8ab^2d+11b^3c)}{\sqrt[3]{b}} + \frac{120a^{2/3}x(a^3f-a^2be+ab^2d-b^3c)}{a+bx^3} + \frac{20 \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3}x^2\right)(-2a^3f+5a^2be-8ab^2d+11b^3c)}{\sqrt[3]{b}}}{360a^{14/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^2), x]

[Out] ((-45*a^(8/3)*c)/x^8 - (72*a^(5/3)*(-2*b*c + a*d))/x^5 - (180*a^(2/3)*(3*b^2*c - 2*a*b*d + a^2*e))/x^2 + (120*a^(2/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x/(a + b*x^3) + (40*sqrt[3]*(11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(1/3) + (40*(-11*b^3*c + 8*a*b^2*d - 5*a^2*b*e + 2*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(1/3) + (20

$(11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)} *x + b^{(2/3)}*x^2]/b^{(1/3)}/(360*a^{(14/3)})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^9(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^2), x]

fricas [A] time = 0.44, size = 959, normalized size = 3.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $[-1/360*(60*(11*a^2*b^4*c - 8*a^3*b^3*d + 5*a^4*b^2*e - 2*a^5*b*f)*x^9 + 45*a^5*b*c + 36*(11*a^3*b^3*c - 8*a^4*b^2*d + 5*a^5*b*e)*x^6 - 9*(11*a^4*b^2*c - 8*a^5*b*d)*x^3 + 60*\text{sqrt}(1/3)*((11*a*b^5*c - 8*a^2*b^4*d + 5*a^3*b^3*e - 2*a^4*b^2*f)*x^{11} + (11*a^2*b^4*c - 8*a^3*b^3*d + 5*a^4*b^2*e - 2*a^5*b*f)*x^8)*\text{sqrt}(-(a^2*b)^{(1/3)}/b)*\text{log}((2*a*b*x^3 - 3*(a^2*b)^{(1/3)}*a*x - a^2 + 3*\text{sqrt}(1/3)*(2*a*b*x^2 + (a^2*b)^{(2/3)}*x - (a^2*b)^{(1/3)}*a)*\text{sqrt}(-(a^2*b)^{(1/3)}/b)))/(b*x^3 + a)) - 20*((11*b^4*c - 8*a*b^3*d + 5*a^2*b^2*e - 2*a^3*b*f)*x^{11} + (11*a*b^3*c - 8*a^2*b^2*d + 5*a^3*b*e - 2*a^4*f)*x^8)*(a^2*b)^{(2/3)}*\text{log}(a*b*x^2 - (a^2*b)^{(2/3)}*x + (a^2*b)^{(1/3)}*a) + 40*((11*b^4*c - 8*a*b^3*d + 5*a^2*b^2*e - 2*a^3*b*f)*x^{11} + (11*a*b^3*c - 8*a^2*b^2*d + 5*a^3*b*e - 2*a^4*f)*x^8)*(a^2*b)^{(2/3)}*\text{log}(a*b*x + (a^2*b)^{(2/3)})/(a^6*b^2*x^{11} + a^7*b*x^8), -1/360*(60*(11*a^2*b^4*c - 8*a^3*b^3*d + 5*a^4*b^2*e - 2*a^5*b*f)*x^9 + 45*a^5*b*c + 36*(11*a^3*b^3*c - 8*a^4*b^2*d + 5*a^5*b*e)*x^6 - 9*(11*a^4*b^2*c - 8*a^5*b*d)*x^3 + 120*\text{sqrt}(1/3)*((11*a*b^5*c - 8*a^2*b^4*d + 5*a^3*b^3*e - 2*a^4*b^2*f)*x^{11} + (11*a^2*b^4*c - 8*a^3*b^3*d + 5*a^4*b^2*e - 2*a^5*b*f)*x^8)*\text{sqrt}((a^2*b)^{(1/3)}/b)*\text{arctan}(\text{sqrt}(1/3)*(2*(a^2*b)^{(2/3)}*x - (a^2*b)^{(1/3)}*a)*\text{sqrt}((a^2*b)^{(1/3)}/b)/a^2) - 20*((11*b^4*c - 8*a*b^3*d + 5*a^2*b^2*e - 2*a^3*b*f)*x^{11} + (11*a*b^3*c - 8*a^2*b^2*d + 5*a^3*b*e - 2*a^4*f)*x^8)*(a^2*b)^{(2/3)}*\text{log}(a*b*x^2 - (a^2*b)^{(2/3)}*x + (a^2*b)^{(1/3)}*a) + 40*((11*b^4*c - 8*a*b^3*d + 5*a^2*b^2*e - 2*a^3*b*f)*x^{11} + (11*a*b^3*c - 8*a^2*b^2*d + 5*a^3*b*e - 2*a^4*f)*x^8)*(a^2*b)^{(2/3)}*\text{log}(a*b*x + (a^2*b)^{(2/3)})/(a^6*b^2*x^{11} + a^7*b*x^8)]$

giac [A] time = 0.20, size = 347, normalized size = 1.17

$$\frac{(11b^5c - 8ab^4d - 2a^2b^3e + 5a^3bf)\log\left(\frac{x + \sqrt{\frac{a^2b}{3}}}{x - \sqrt{\frac{a^2b}{3}}}\right) + \sqrt{3}\left(11(-ab^2)^{\frac{1}{3}}b^2c - 8(-ab^2)^{\frac{1}{3}}ab^2d - 2(-ab^2)^{\frac{1}{3}}a^2e + 5(-ab^2)^{\frac{1}{3}}a^3f\right)\arctan\left(\frac{\sqrt{3}\left(x + \sqrt{\frac{a^2b}{3}}\right)}{3\sqrt{\frac{a^2b}{3}}}\right) + \frac{b^5cx - ab^4dx - a^2fx + a^3bf}{3(bx^3 + a)^4} - \frac{(11(-ab^2)^{\frac{1}{3}}b^2c - 8(-ab^2)^{\frac{1}{3}}ab^2d - 2(-ab^2)^{\frac{1}{3}}a^2e + 5(-ab^2)^{\frac{1}{3}}a^3f)\log\left(x^2 + x\sqrt{\frac{a^2b}{3}} + \left(\frac{a^2b}{3}\right)\right)}{18ab^5} - \frac{60b^2cx^6 - 40abd^6 + 20a^2b^2e - 16ab^3c^3 + 8a^2d^3 + 5a^2c}{40a^5b^4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^2,x, algorithm="giac")

[Out] $\frac{1}{9} \cdot (11 \cdot b^3 \cdot c - 8 \cdot a \cdot b^2 \cdot d - 2 \cdot a^3 \cdot f + 5 \cdot a^2 \cdot b \cdot e) \cdot (-a/b)^{1/3} \cdot \log(\text{abs}(x - (-a/b)^{1/3})) / a^5 - 1/9 \cdot \sqrt{3} \cdot (11 \cdot (-a \cdot b^2)^{1/3} \cdot b^3 \cdot c - 8 \cdot (-a \cdot b^2)^{1/3} \cdot a \cdot b^2 \cdot d - 2 \cdot (-a \cdot b^2)^{1/3} \cdot a^3 \cdot f + 5 \cdot (-a \cdot b^2)^{1/3} \cdot a^2 \cdot b \cdot e) \cdot \arctan(1/3 \cdot \sqrt{3} \cdot (2 \cdot x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / (a^5 \cdot b) - 1/3 \cdot (b^3 \cdot c \cdot x - a \cdot b^2 \cdot d \cdot x - a^3 \cdot f \cdot x + a^2 \cdot b \cdot x \cdot e) / ((b \cdot x^3 + a) \cdot a^4) - 1/18 \cdot (11 \cdot (-a \cdot b^2)^{1/3} \cdot b^3 \cdot c - 8 \cdot (-a \cdot b^2)^{1/3} \cdot a \cdot b^2 \cdot d - 2 \cdot (-a \cdot b^2)^{1/3} \cdot a^3 \cdot f + 5 \cdot (-a \cdot b^2)^{1/3} \cdot a^2 \cdot b \cdot e) \cdot \log(x^2 + x \cdot (-a/b)^{1/3} + (-a/b)^{2/3}) / (a^5 \cdot b) - 1/40 \cdot (60 \cdot b^2 \cdot c \cdot x^6 - 40 \cdot a \cdot b \cdot d \cdot x^6 + 20 \cdot a^2 \cdot x^6 \cdot e - 16 \cdot a \cdot b \cdot c \cdot x^3 + 8 \cdot a^2 \cdot d \cdot x^3 + 5 \cdot a^2 \cdot c) / (a^4 \cdot x^8)$

maple [B] time = 0.06, size = 520, normalized size = 1.75

$$\frac{\frac{f \cdot x}{3(b^3 x^3 + a)^2} + \frac{b \cdot e \cdot x}{3(b^3 x^3 + a)^2} + \frac{d \cdot x}{3(b^3 x^3 + a)^2} + \frac{c}{3(b^3 x^3 + a)^2} + \frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2x + (-a/b)^{1/3})}{(-a/b)^{1/3}}\right)}{9(b^3 x^3 + a)^2} + \frac{2\sqrt{3} \ln\left(x + (-a/b)^{1/3}\right)}{9(b^3 x^3 + a)^2} + \frac{f \cdot \ln\left(x + (-a/b)^{1/3}\right)}{9(b^3 x^3 + a)^2} + \frac{5\sqrt{3} \arctan\left(\frac{\sqrt{3}(2x + (-a/b)^{1/3})}{(-a/b)^{1/3}}\right)}{9(b^3 x^3 + a)^2} + \frac{5\sqrt{3} \ln\left(x + (-a/b)^{1/3}\right)}{18(b^3 x^3 + a)^2} + \frac{5\sqrt{3} \arctan\left(\frac{\sqrt{3}(2x + (-a/b)^{1/3})}{(-a/b)^{1/3}}\right)}{9(b^3 x^3 + a)^2} + \frac{8\sqrt{3} \ln\left(x + (-a/b)^{1/3}\right)}{9(b^3 x^3 + a)^2} + \frac{8\sqrt{3} \ln\left(x + (-a/b)^{1/3}\right)}{9(b^3 x^3 + a)^2} + \frac{11\sqrt{3} \arctan\left(\frac{\sqrt{3}(2x + (-a/b)^{1/3})}{(-a/b)^{1/3}}\right)}{9(b^3 x^3 + a)^2} + \frac{11\sqrt{3} \ln\left(x + (-a/b)^{1/3}\right)}{9(b^3 x^3 + a)^2} + \frac{11\sqrt{3} \ln\left(x + (-a/b)^{1/3}\right)}{18(b^3 x^3 + a)^2} + \frac{c}{3a^4 x^8} + \frac{d}{2a^4 x^6} + \frac{e}{2a^4 x^6} + \frac{d}{2a^4 x^6} + \frac{c}{3a^4 x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^2,x)

[Out] $\frac{1}{3} \cdot a \cdot x / (b \cdot x^3 + a) \cdot f - 1/3 \cdot a^2 \cdot x / (b \cdot x^3 + a) \cdot b \cdot e + 1/3 \cdot a^3 \cdot x / (b \cdot x^3 + a) \cdot b^2 \cdot d - 1/3 \cdot a^4 \cdot x / (b \cdot x^3 + a) \cdot b^3 \cdot c - 5/9 \cdot a^2 \cdot e / (a/b)^{2/3} \cdot \ln(x + (a/b)^{1/3}) + 5/18 \cdot a^2 \cdot e / (a/b)^{2/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) - 5/9 \cdot a^2 \cdot e / (a/b)^{2/3} \cdot 3^{1/2} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2 / (a/b)^{1/3} \cdot x - 1)) + 8/9 \cdot a^3 \cdot b \cdot d / (a/b)^{2/3} \cdot \ln(x + (a/b)^{1/3}) - 4/9 \cdot a^3 \cdot b \cdot d / (a/b)^{2/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) + 8/9 \cdot a^3 \cdot b \cdot d / (a/b)^{2/3} \cdot 3^{1/2} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2 / (a/b)^{1/3} \cdot x - 1)) - 11/9 \cdot a^4 \cdot b^2 \cdot c / (a/b)^{2/3} \cdot \ln(x + (a/b)^{1/3}) + 11/18 \cdot a^4 \cdot b^2 \cdot c / (a/b)^{2/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) - 11/9 \cdot a^4 \cdot b^2 \cdot c / (a/b)^{2/3} \cdot 3^{1/2} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2 / (a/b)^{1/3} \cdot x - 1)) + 2/9 \cdot a \cdot f / b / (a/b)^{2/3} \cdot \ln(x + (a/b)^{1/3}) - 1/9 \cdot a \cdot f / b / (a/b)^{2/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) + 2/9 \cdot a \cdot f / b / (a/b)^{2/3} \cdot 3^{1/2} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2 / (a/b)^{1/3} \cdot x - 1)) - 1/8 \cdot c / a^2 / x^8 - 1/5 \cdot a^2 / x^5 \cdot d + 2/5 \cdot a^3 / x^5 \cdot b \cdot c - 1/2 \cdot a^2 / x^2 \cdot e + 1/a^3 / x^2 \cdot b \cdot d - 3/2 \cdot a^4 / x^2 \cdot b^2 \cdot c$

maxima [A] time = 3.03, size = 292, normalized size = 0.98

$$\frac{20(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^9 + 12(11ab^2c - 8a^2bd + 5a^3e)x^6 + 15a^3c - 3(11a^2bc - 8a^3d)x^3}{120(a^4bx^{11} + a^5x^8)} + \frac{\sqrt{3}(11b^3c - 8ab^2d + 5a^2be - 2a^3f) \arctan\left(\frac{\sqrt{3}(2x + (-a/b)^{1/3})}{(-a/b)^{1/3}}\right)}{9a^4b\left(\frac{a}{b}\right)^{1/3}} + \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)}{18a^4b\left(\frac{a}{b}\right)^{1/3}} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f) \log\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9a^4b\left(\frac{a}{b}\right)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-1/120 \cdot (20 \cdot (11 \cdot b^3 \cdot c - 8 \cdot a \cdot b^2 \cdot d + 5 \cdot a^2 \cdot b \cdot e - 2 \cdot a^3 \cdot f) \cdot x^9 + 12 \cdot (11 \cdot a \cdot b^2 \cdot c - 8 \cdot a^2 \cdot b \cdot d + 5 \cdot a^3 \cdot e) \cdot x^6 + 15 \cdot a^3 \cdot c - 3 \cdot (11 \cdot a^2 \cdot b \cdot c - 8 \cdot a^3 \cdot d) \cdot x^3) / (a^4 \cdot x^8)$

$$4*b*x^{11} + a^5*x^8) - 1/9*\sqrt{3}*(11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f) * \arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^4*b*(a/b)^{(2/3)}) + 1/18*(11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f) * \log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^4*b*(a/b)^{(2/3)}) - 1/9*(11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f) * \log(x + (a/b)^{(1/3)})/(a^4*b*(a/b)^{(2/3)})$$

mupad [B] time = 5.20, size = 274, normalized size = 0.92

$$\frac{x}{8a} + \frac{a^2(-2fa^2+5eab-8da^2+11c^2)}{6a^3} + \frac{-2(8ad-11b)}{40a^2} + \frac{a^2(5e^2-8da+11c^2)}{10a^3} - \frac{\ln(b^{1/3}x+a^{1/3})}{9a^{14/3}b^{1/3}} \frac{(-2fa^2+5eab-8da^2+11c^2)}{9a^{14/3}b^{1/3}} - \frac{\ln(2b^{1/3}x-a^{1/3}+\sqrt{3}a^{1/3})}{9a^{14/3}b^{1/3}} \left(\frac{1}{2} + \frac{\sqrt{3}}{2}\right) \frac{(-2fa^2+5eab-8da^2+11c^2)}{9a^{14/3}b^{1/3}} + \frac{\ln(a^{1/3}-2b^{1/3}x+\sqrt{3}a^{1/3})}{9a^{14/3}b^{1/3}} \left(\frac{1}{2} + \frac{\sqrt{3}}{2}\right) \frac{(-2fa^2+5eab-8da^2+11c^2)}{9a^{14/3}b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^2), x)

[Out] (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(11*b^3*c - 2*a^3*f - 8*a*b^2*d + 5*a^2*b*e))/(9*a^(14/3)*b^(1/3)) - (log(b^(1/3)*x + a^(1/3))*(11*b^3*c - 2*a^3*f - 8*a*b^2*d + 5*a^2*b*e))/(9*a^(14/3)*b^(1/3)) - (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(11*b^3*c - 2*a^3*f - 8*a*b^2*d + 5*a^2*b*e))/(9*a^(14/3)*b^(1/3)) - (c/(8*a) + (x^9*(11*b^3*c - 2*a^3*f - 8*a*b^2*d + 5*a^2*b*e))/(6*a^4) + (x^3*(8*a*d - 11*b*c))/(40*a^2) + (x^6*(11*b^2*c + 5*a^2*e - 8*a*b*d))/(10*a^3))/(a*x^8 + b*x^11)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**9/(b*x**3+a)**2, x)

[Out] Timed out

$$3.220 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)^2} dx$$

Optimal. Leaf size=334

$$\frac{2bc-ad}{7a^3x^7} - \frac{c}{10a^2x^{10}} - \frac{a^2e-2abd+3b^2c}{4a^4x^4} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(-4a^3f+7a^2be-10ab^2d+13b^3c)}{9a^{16/3}} - \sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{b}x}{\sqrt[3]{a} + \sqrt[3]{b}x}\right)$$

Rubi [A] time = 0.46, antiderivative size = 334, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{bx^2(a^2be+a^2(-f)-ab^2d+b^2c)}{3a^5(a+bx^3)} + \frac{\sqrt[3]{b} \log(\sqrt[3]{a} - \sqrt[3]{b}x + b^{2/3}x^2)(7a^2be-4a^3f-10ab^2d+13b^3c)}{18a^{16/3}} + \frac{2a^2be+a^2(-f)-3ab^2d+4b^2c}{a^2x} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(7a^2be-4a^3f-10ab^2d+13b^3c)}{9a^{16/3}} - \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{b}x}{\sqrt[3]{a} + \sqrt[3]{b}x}\right)(7a^2be-4a^3f-10ab^2d+13b^3c)}{3\sqrt[3]{a^{16/3}}} - \frac{a^2e-2abd+3b^2c}{4a^4x^4} + \frac{2bc-ad}{7a^3x^7} - \frac{c}{10a^2x^{10}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^2), x]

[Out] -c/(10*a^2*x^10) + (2*b*c - a*d)/(7*a^3*x^7) - (3*b^2*c - 2*a*b*d + a^2*e)/(4*a^4*x^4) + (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(a^5*x) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a^5*(a + b*x^3)) - (b^(1/3)*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(16/3)) - (b^(1/3)*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(16/3)) + (b^(1/3)*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(16/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^(n-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(n-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x

$^2), x], x] /; \text{FreeQ}[\{a, b\}, x]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2)^{-1}), x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*S$
 $\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b$
 $], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{Free}$
 $\text{Q}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_ + (c_)*(x_)^2), x_Symbol] \rightarrow S$
 $\text{imp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d,$
 $e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_ + (c_)*(x_)^2), x_Symbol] \rightarrow D$
 $\text{ist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{In}$
 $\text{t}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}$
 $[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1829

$\text{Int}[(Pq_)*(x_)^{(m_)*((a_ + (b_)*(x_)^{(n_))}^{(p_)}), x_Symbol] \rightarrow \text{With}[\{q =$
 $\text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^$
 $m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m$
 $*Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[$
 $x^m*(a + b*x^n)^{(p + 1)*\text{ExpandToSum}[(n*(p + 1)*Q)/x^m + \text{Sum}[(n*(p + 1) + i$
 $+ 1)*\text{Coeff}[R, x, i]*x^{(i - m)}]/a, \{i, 0, n - 1\}], x], x] - \text{Simp}[(x*R*($
 $a + b*x^n)^{(p + 1)}/(a^2*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}, x]] /; \text{FreeQ}$
 $[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{ILtQ}[m, 0]$

Rule 1834

$\text{Int}[(Pq_)*((c_)*(x_)^{(m_))}/((a_ + (b_)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Int}[\text{E}$
 $\text{xpendIntegrand}[(c*x)^m*Pq/(a + b*x^n), x], x] /; \text{FreeQ}[\{a, b, c, m\}, x] \ \&$
 $\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{11} (a + bx^3)^2} dx &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^5(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{3b^3(b^3c - ab^2d + a^2be - a^3f)x^9}{a^3}}{x^{11}(a + bx^3)}}{3ab^3} \\
&= \frac{b(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^5(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^{11}} - \frac{3b^3(-2bc + ad)}{a^2x^8} - \frac{3b^3(3b^2c - 2abd + a^2e)}{a^3x^5} - \frac{3b^3(-4b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{3b^3(b^3c - ab^2d + a^2be - a^3f)x^9}{a^3})}{x^{11}(a + bx^3)} \right)}{3ab^3} \\
&= -\frac{c}{10a^2x^{10}} + \frac{2bc - ad}{7a^3x^7} - \frac{3b^2c - 2abd + a^2e}{4a^4x^4} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{a^5x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)} \\
&= -\frac{c}{10a^2x^{10}} + \frac{2bc - ad}{7a^3x^7} - \frac{3b^2c - 2abd + a^2e}{4a^4x^4} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{a^5x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)} \\
&= -\frac{c}{10a^2x^{10}} + \frac{2bc - ad}{7a^3x^7} - \frac{3b^2c - 2abd + a^2e}{4a^4x^4} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{a^5x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)} \\
&= -\frac{c}{10a^2x^{10}} + \frac{2bc - ad}{7a^3x^7} - \frac{3b^2c - 2abd + a^2e}{4a^4x^4} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{a^5x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 319, normalized size = 0.96

$$\frac{-180a^{7/3}(ad-2bc)}{x^{10}} - \frac{126a^{10/3}c}{x^7} - \frac{315a^{4/3}(c^2-2abd+a^2e)}{x^4} - \frac{420\sqrt[3]{a^2}(a^3f-ab^3c)}{a^4x} - \frac{1260\sqrt[3]{a^2}(a^3f-2abd+a^2e)}{a^5x} + 140\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{bx}) (4a^3f - 7a^2be + 10ab^2d - 13b^3c) - 140\sqrt[3]{a} \sqrt[3]{b} \tan^{-1}\left(\frac{1+\sqrt[3]{bx}}{\sqrt[3]{a}}\right) (-4a^3f + 7a^2be - 10ab^2d + 13b^3c) + 70\sqrt[3]{a} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3}x^2) (-4a^3f + 7a^2be - 10ab^2d + 13b^3c)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^2), x]

[Out] ((-126*a^(10/3)*c)/x^10 - (180*a^(7/3)*(-2*b*c + a*d))/x^7 - (315*a^(4/3)*(3*b^2*c - 2*a*b*d + a^2*e))/x^4 - (1260*a^(1/3)*(-4*b^3*c + 3*a*b^2*d - 2*a^2*b*e + a^3*f))/x - (420*a^(1/3)*b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(a + b*x^3) - 140*sqrt[3]*b^(1/3)*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 140*b^(1/3)*(-13*b^3*c + 10*a*b^2*d - 7*a^2*b*e + 4*a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 70*b^(1/3)

3)*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(1260*a^(16/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{11} (a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^2), x]

fricas [A] time = 0.42, size = 442, normalized size = 1.32

$$\frac{42(13b^3c - 10ab^2d + 7a^2be - 4a^3f) \operatorname{Log}\left[\frac{a^{2/3} - a^{1/3}bx + b^{2/3}x^2}{a + bx^3}\right] + 1260a^{16/3} \operatorname{arctan}\left(\frac{2\sqrt{3} \operatorname{atan}\left(\frac{a^{1/3} - a^{1/3}bx + b^{2/3}x^2}{a + bx^3}\right)}{\sqrt{3}}\right) + 70(13b^4c - 10ab^3d + 7a^2b^2e - 4a^3bf) \operatorname{Log}\left[\frac{a^{1/3} - a^{1/3}bx + b^{2/3}x^2}{a + bx^3}\right] + 140\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3} \operatorname{atan}\left(\frac{a^{1/3} - a^{1/3}bx + b^{2/3}x^2}{a + bx^3}\right)}{\sqrt{3}}\right)}{1260a^{11} (a + bx^3)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/1260*(420*(13*b^4*c - 10*a*b^3*d + 7*a^2*b^2*e - 4*a^3*b*f)*x^12 + 315*(13*a*b^3*c - 10*a^2*b^2*d + 7*a^3*b*e - 4*a^4*f)*x^9 - 45*(13*a^2*b^2*c - 10*a^3*b*d + 7*a^4*e)*x^6 - 126*a^4*c + 18*(13*a^3*b*c - 10*a^4*d)*x^3 + 140*sqrt(3)*((13*b^4*c - 10*a*b^3*d + 7*a^2*b^2*e - 4*a^3*b*f)*x^13 + (13*a*b^3*c - 10*a^2*b^2*d + 7*a^3*b*e - 4*a^4*f)*x^10)*(b/a)^(1/3)*arctan(2/3*sqrt(3)*x*(b/a)^(1/3) - 1/3*sqrt(3)) + 70*((13*b^4*c - 10*a*b^3*d + 7*a^2*b^2*e - 4*a^3*b*f)*x^13 + (13*a*b^3*c - 10*a^2*b^2*d + 7*a^3*b*e - 4*a^4*f)*x^10)*(b/a)^(1/3)*log(b*x^2 - a*x*(b/a)^(2/3) + a*(b/a)^(1/3)) - 140*((13*b^4*c - 10*a*b^3*d + 7*a^2*b^2*e - 4*a^3*b*f)*x^13 + (13*a*b^3*c - 10*a^2*b^2*d + 7*a^3*b*e - 4*a^4*f)*x^10)*(b/a)^(1/3)*log(b*x + a*(b/a)^(2/3)))/(a^5*b*x^13 + a^6*x^10)

giac [A] time = 0.37, size = 437, normalized size = 1.31

$$\frac{(13b^4(-\frac{1}{3})^2 - 10ab^3(-\frac{1}{3}) - 4a^2b^2(-\frac{1}{3})^2 + 7a^3b(-\frac{1}{3})^3) \operatorname{Log}\left[\frac{a^{1/3} - a^{1/3}bx + b^{2/3}x^2}{a + bx^3}\right] + \sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3} \operatorname{atan}\left(\frac{a^{1/3} - a^{1/3}bx + b^{2/3}x^2}{a + bx^3}\right)}{\sqrt{3}}\right) + 70(13b^4c - 10ab^3d + 7a^2b^2e - 4a^3bf) \operatorname{Log}\left[\frac{a^{1/3} - a^{1/3}bx + b^{2/3}x^2}{a + bx^3}\right] + 140\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3} \operatorname{atan}\left(\frac{a^{1/3} - a^{1/3}bx + b^{2/3}x^2}{a + bx^3}\right)}{\sqrt{3}}\right)}{1260a^{11} (a + bx^3)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/9*(13*b^4*c*(-a/b)^(1/3) - 10*a*b^3*d*(-a/b)^(1/3) - 4*a^3*b*f*(-a/b)^(1/3) + 7*a^2*b^2*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^6 - 1/9*sqrt(3)*(13*(-a*b^2)^(2/3)*b^3*c - 10*(-a*b^2)^(2/3)*a*b^2*d - 4*(-a*b^2)^(2/3)*a^3*f + 7*(-a*b^2)^(2/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a

$$\begin{aligned} & /b)^{(1/3)})/(-a/b)^{(1/3)})/(a^6*b) + 1/3*(b^4*c*x^2 - a*b^3*d*x^2 - a^3*b*f*x \\ & ^2 + a^2*b^2*x^2*e)/((b*x^3 + a)*a^5) + 1/18*(13*(-a*b^2)^{(2/3)}*b^3*c - 10* \\ & (-a*b^2)^{(2/3)}*a*b^2*d - 4*(-a*b^2)^{(2/3)}*a^3*f + 7*(-a*b^2)^{(2/3)}*a^2*b*e) \\ & *log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(a^6*b) + 1/140*(560*b^3*c*x^9 - \\ & 420*a*b^2*d*x^9 - 140*a^3*f*x^9 + 280*a^2*b*x^9*e - 105*a*b^2*c*x^6 + 70*a^ \\ & 2*b*d*x^6 - 35*a^3*x^6*e + 40*a^2*b*c*x^3 - 20*a^3*d*x^3 - 14*a^3*c)/(a^5*x \\ & ^{10}) \end{aligned}$$

maple [A] time = 0.06, size = 575, normalized size = 1.72

$$\frac{\frac{b^4 c}{3(b^2 a^2)^2} - \frac{b^3 d}{3(b^2 a^2)^2} - \frac{b^2 e}{3(b^2 a^2)^2} + \frac{4 \sqrt{3} \operatorname{arctan}\left(\frac{a^2 b^2 - 1}{b^2}\right)}{9(b^2)^2} + \frac{4 \ln\left(\frac{a}{b}\right)}{9(b^2)^2} + \frac{2 \ln\left(\frac{a^2 - (b^2)^2}{a^2 + (b^2)^2}\right)}{9(b^2)^2} + \frac{7 \sqrt{3} \operatorname{arctan}\left(\frac{a^2 b^2 - 1}{b^2}\right)}{9(b^2)^2} + \frac{7 \ln\left(\frac{a}{b}\right)}{18(b^2)^2} + \frac{7 \ln\left(\frac{a^2 - (b^2)^2}{a^2 + (b^2)^2}\right)}{18(b^2)^2} + \frac{10 \sqrt{3} \operatorname{arctan}\left(\frac{a^2 b^2 - 1}{b^2}\right)}{9(b^2)^2} + \frac{10 \ln\left(\frac{a}{b}\right)}{9(b^2)^2} + \frac{10 \ln\left(\frac{a^2 - (b^2)^2}{a^2 + (b^2)^2}\right)}{9(b^2)^2} + \frac{13 \sqrt{3} \operatorname{arctan}\left(\frac{a^2 b^2 - 1}{b^2}\right)}{9(b^2)^2} + \frac{13 \ln\left(\frac{a}{b}\right)}{9(b^2)^2} + \frac{13 \ln\left(\frac{a^2 - (b^2)^2}{a^2 + (b^2)^2}\right)}{9(b^2)^2} + \frac{1}{2} - \frac{2a}{2b} - \frac{3a^2}{2b^2} - \frac{4a^3}{2b^3} - \frac{5a^4}{2b^4} - \frac{6a^5}{2b^5} - \frac{7a^6}{2b^6} - \frac{8a^7}{2b^7} - \frac{9a^8}{2b^8} - \frac{10a^9}{2b^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^2,x)

[Out] $4/a^5/x*b^3*c+4/9/a^2*f/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-2/9/a^2*f/(a/b)^{(1/3)}$
 $*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/7/a^3/x^7*b*c+1/2/a^3/x^4*b*d-3/4/a^4/$
 $x^4*b^2*c+2/a^3/x*b*e-3/a^4/x*b^2*d-1/3*b/a^2*x^2/(b*x^3+a)*f+1/3*b^2/a^3*x$
 $^2/(b*x^3+a)*e-10/9*b^2/a^4*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/$
 $b)^{(1/3)}*x-1))+13/9*b^3/a^5*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/$
 $b)^{(1/3)}*x-1))+7/9*b/a^3*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)$
 $^{(1/3)}*x-1))-1/a^2/x*f-1/4/a^2/x^4*e-1/7/a^2/x^7*d-1/10*c/a^2/x^10-1/3*b^3/a$
 $^4*x^2/(b*x^3+a)*d+1/3*b^4/a^5*x^2/(b*x^3+a)*c-4/9/a^2*f*3^{(1/2)}/(a/b)^{(1/3)}$
 $*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-7/9*b/a^3*e/(a/b)^{(1/3)}*\ln(x+(a/b)$
 $)^{(1/3))+7/18*b/a^3*e/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+10/9*b^$
 $2/a^4*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-5/9*b^2/a^4*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)$
 $)^{(1/3)}*x+(a/b)^{(2/3))-13/9*b^3/a^5*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+13/18*b$
 $^3/a^5*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3))}$

maxima [A] time = 3.13, size = 323, normalized size = 0.97

$$\frac{140(13b^3c - 10ab^2d + 7a^2b^2e - 4a^3f)x^{12} + 105(13ab^3c - 10a^2b^2d + 7a^3be - 4a^4f)x^9 - 15(13a^2b^2c - 10a^3bd + 7a^4e)x^6 - 42a^4c + 6(13a^3b^2c - 10a^4d)x^3}{420(a^2b^3 + a^3b^2)} + \frac{\sqrt{3}(13b^3c - 10ab^2d + 7a^2b^2e - 4a^3f) \operatorname{arctan}\left(\frac{\sqrt{3}(1 + (b^2)^{\frac{1}{3}})}{3(b^2)^{\frac{1}{3}}}\right)}{9a^5(b^2)^{\frac{1}{3}}} + \frac{(13b^3c - 10ab^2d + 7a^2b^2e - 4a^3f) \log\left(x - \frac{x}{(b^2)^{\frac{1}{3}}} + \left(\frac{x}{(b^2)^{\frac{1}{3}}}\right)^2\right)}{18a^5(b^2)^{\frac{1}{3}}} - \frac{(13b^3c - 10ab^2d + 7a^2b^2e - 4a^3f) \log\left(x + \left(\frac{x}{(b^2)^{\frac{1}{3}}}\right)^2\right)}{9a^5(b^2)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $1/420*(140*(13*b^4*c - 10*a*b^3*d + 7*a^2*b^2*e - 4*a^3*b*f)*x^{12} + 105*(13$
 $*a*b^3*c - 10*a^2*b^2*d + 7*a^3*b*e - 4*a^4*f)*x^9 - 15*(13*a^2*b^2*c - 10*$
 $a^3*b*d + 7*a^4*e)*x^6 - 42*a^4*c + 6*(13*a^3*b^2*c - 10*a^4*d)*x^3)/(a^5*b*x$
 $^{13} + a^6*x^{10}) + 1/9*sqrt(3)*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)$
 $*arctan(1/3*sqrt(3)*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^5*(a/b)^{(1/3)}) + 1/$
 $18*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*log(x^2 - x*(a/b)^{(1/3)} +$
 $(a/b)^{(2/3)})/(a^5*(a/b)^{(1/3)}) - 1/9*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4$
 $*a^3*f)*log(x + (a/b)^{(1/3)})/(a^5*(a/b)^{(1/3)})$

mupad [B] time = 5.41, size = 310, normalized size = 0.93

$$\frac{\frac{d}{9a^2} - \frac{c^2(4f^2d^2e^2b^2-10da^2b^2+13c^2)}{4a^4} + \frac{2(10ad^2b^2)}{9a^2} + \frac{e^2(7c^2d^2b^2-13c^2)}{21a^2} - \frac{b^{12}(-4f^2d^2e^2b^2-10da^2b^2+13c^2)}{1a^2}}{bx^{13} + a^{10}} + \frac{b^{10} \ln(b^{10}x + a^{10}) (-4f^2d^2e^2b^2 - 10da^2b^2 + 13c^2)}{9a^{10}} + \frac{b^{10} \ln(2b^{10}x - a^{10} + \sqrt{3}a^{10}) \left(\frac{3}{2} + \frac{\sqrt{3}}{2}\right) (-4f^2d^2e^2b^2 - 10da^2b^2 + 13c^2)}{9a^{10}} - \frac{b^{10} \ln(a^{10} - 2b^{10}x + \sqrt{3}a^{10}) \left(-\frac{1}{2} + \frac{\sqrt{3}}{2}\right) (-4f^2d^2e^2b^2 - 10da^2b^2 + 13c^2)}{9a^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^2),x)

[Out] (b^(1/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(13*b^3*c - 4*a^3*f - 10*a*b^2*d + 7*a^2*b*e))/(9*a^(16/3)) - (b^(1/3)*log(b^(1/3)*x + a^(1/3))*(13*b^3*c - 4*a^3*f - 10*a*b^2*d + 7*a^2*b*e))/(9*a^(16/3)) - (c/(10*a) - (x^9*(13*b^3*c - 4*a^3*f - 10*a*b^2*d + 7*a^2*b*e))/(4*a^4) + (x^3*(10*a*d - 13*b*c))/(70*a^2) + (x^6*(13*b^2*c + 7*a^2*e - 10*a*b*d))/(28*a^3) - (b*x^12*(13*b^3*c - 4*a^3*f - 10*a*b^2*d + 7*a^2*b*e))/(3*a^5))/(a*x^10 + b*x^13) - (b^(1/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(13*b^3*c - 4*a^3*f - 10*a*b^2*d + 7*a^2*b*e))/(9*a^(16/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**11/(b*x**3+a)**2,x)

[Out] Timed out

$$3.221 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)^2} dx$$

Optimal. Leaf size=335

$$\frac{2bc-ad}{8a^3x^8} - \frac{c}{11a^2x^{11}} - \frac{a^2e-2abd+3b^2c}{5a^4x^5} - \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx^3} + b^{2/3}x^2) (-5a^3f + 8a^2be - 11ab^2d + 14b^3c)}{18a^{17/3}} + \dots$$

Rubi [A] time = 0.43, antiderivative size = 335, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 200, 31, 634, 617, 204, 628}

$$\frac{bx(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^5(a+bx^3)} - \frac{2a^2be+a^3(-f)-3ab^2d+4b^3c}{2a^3x^2} - \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx^3} + b^{2/3}x^2) (8a^2be - 5a^3f - 11ab^2d + 14b^3c)}{18a^{17/3}} - \frac{b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{bx^3}) (8a^2be - 5a^3f - 11ab^2d + 14b^3c)}{9a^{17/3}} - \frac{b^{2/3} \tan^{-1}\left(\frac{\sqrt[3]{3a-2\sqrt[3]{a}}}{\sqrt[3]{3}}\right) (8a^2be - 5a^3f - 11ab^2d + 14b^3c)}{3\sqrt[3]{a^{17/3}}} - \frac{a^2e-2abd+3b^2c}{5a^4x^5} - \frac{2bc-ad}{8a^3x^8} - \frac{c}{11a^2x^{11}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^2), x]

[Out] -c/(11*a^2*x^11) + (2*b*c - a*d)/(8*a^3*x^8) - (3*b^2*c - 2*a*b*d + a^2*e)/(5*a^4*x^5) + (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(2*a^5*x^2) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*a^5*(a + b*x^3)) - (b^(2/3)*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(17/3))) + (b^(2/3)*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(17/3))) - (b^(2/3)*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(17/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^(n-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{12} (a + bx^3)^2} dx &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{3a^5(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{3b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3}}{x^{12}(a + bx^3)} dx}{3ab^3} \\
&= \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{3a^5(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^{12}} - \frac{3b^3(-2bc + ad)}{a^2x^9} - \frac{3b^3(3b^2c - 2abd + a^2e)}{a^3x^6} - \frac{3b^3(-4b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{3b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3})}{a^3x^3} \right) dx}{3a} \\
&= -\frac{c}{11a^2x^{11}} + \frac{2bc - ad}{8a^3x^8} - \frac{3b^2c - 2abd + a^2e}{5a^4x^5} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{2a^5x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)} \\
&= -\frac{c}{11a^2x^{11}} + \frac{2bc - ad}{8a^3x^8} - \frac{3b^2c - 2abd + a^2e}{5a^4x^5} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{2a^5x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)} \\
&= -\frac{c}{11a^2x^{11}} + \frac{2bc - ad}{8a^3x^8} - \frac{3b^2c - 2abd + a^2e}{5a^4x^5} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{2a^5x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)} \\
&= -\frac{c}{11a^2x^{11}} + \frac{2bc - ad}{8a^3x^8} - \frac{3b^2c - 2abd + a^2e}{5a^4x^5} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{2a^5x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.33, size = 317, normalized size = 0.95

$$\frac{495a^{11/3}(ad-2c)}{x^{11}} - \frac{360a^{11/3}}{x^{11}} - \frac{792a^{5/3}(c^2-2abx+3c^2)}{x^8} + 440a^{2/3} \log(\sqrt{a} + \sqrt{b}x) (-5a^2f + 8a^2bc - 11ab^2d + 14b^3c) - 440\sqrt{3}b^{2/3} \tan^{-1}\left(\frac{1+\sqrt{3}x}{\sqrt{3}}\right) (-5a^2f + 8a^2bc - 11ab^2d + 14b^3c) - \frac{1320a^{2/3}b(-c^2f - a^2d + b^3c)}{a^{11/3}} - \frac{1980a^{2/3}(c^2 - 2abx + 3a^2d - 4b^3c)}{x^2} + 220a^{2/3} \log(a^{2/3} - \sqrt{a}\sqrt{b}x + b^{2/3}x^2) (5a^2f - 8a^2bc + 11ab^2d - 14b^3c)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^2), x]

[Out] ((-360*a^(11/3)*c)/x^11 - (495*a^(8/3)*(-2*b*c + a*d))/x^8 - (792*a^(5/3)*(3*b^2*c - 2*a*b*d + a^2*e))/x^5 - (1980*a^(2/3)*(-4*b^3*c + 3*a*b^2*d - 2*a^2*b*e + a^3*f))/x^2 - (1320*a^(2/3)*b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(a + b*x^3) - 440*sqrt(3)*b^(2/3)*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)] + 440*b^(2/3)*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 220*b^(2

/3)*(-14*b^3*c + 11*a*b^2*d - 8*a^2*b*e + 5*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(3960*a^(17/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{12} (a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^2), x]

fricas [A] time = 0.43, size = 475, normalized size = 1.42

$$\frac{440(14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf) \sqrt{3} \arctan\left(\frac{\sqrt{3} \sqrt{a^2 - b^2/a^2} - \sqrt{3} b/a}{b}\right) + 220(14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf) \log(b^2x^2 + a^2/a^2) + 440(14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf) \log(b^2x^2 + a^2/a^2) + 440(14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf) \log(b^2x^2 + a^2/a^2)}{360(x^{12} + a^2x^9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/3960*(660*(14*b^4*c - 11*a*b^3*d + 8*a^2*b^2*e - 5*a^3*b*f)*x^12 + 396*(14*a*b^3*c - 11*a^2*b^2*d + 8*a^3*b*e - 5*a^4*f)*x^9 - 99*(14*a^2*b^2*c - 11*a^3*b*d + 8*a^4*e)*x^6 - 360*a^4*c + 45*(14*a^3*b*c - 11*a^4*d)*x^3 - 440*sqrt(3)*((14*b^4*c - 11*a*b^3*d + 8*a^2*b^2*e - 5*a^3*b*f)*x^14 + (14*a*b^3*c - 11*a^2*b^2*d + 8*a^3*b*e - 5*a^4*f)*x^11)*(-b^2/a^2)^(1/3)*arctan(1/3*(2*sqrt(3)*a*x*(-b^2/a^2)^(2/3) - sqrt(3)*b)/b) + 220*((14*b^4*c - 11*a*b^3*d + 8*a^2*b^2*e - 5*a^3*b*f)*x^14 + (14*a*b^3*c - 11*a^2*b^2*d + 8*a^3*b*e - 5*a^4*f)*x^11)*(-b^2/a^2)^(1/3)*log(b^2*x^2 + a*b*x*(-b^2/a^2)^(1/3) + a^2*(-b^2/a^2)^(2/3)) - 440*((14*b^4*c - 11*a*b^3*d + 8*a^2*b^2*e - 5*a^3*b*f)*x^14 + (14*a*b^3*c - 11*a^2*b^2*d + 8*a^3*b*e - 5*a^4*f)*x^11)*(-b^2/a^2)^(1/3)*log(b*x - a*(-b^2/a^2)^(1/3))/(a^5*b*x^14 + a^6*x^11)

giac [A] time = 0.18, size = 391, normalized size = 1.17

$$\frac{\sqrt{3} \left(4(-ab)^2 b^2 c - 11(-ab)^2 a^2 d + 8(-ab)^2 a^2 e + 5(-ab)^2 a^2 f \right) \arctan\left(\frac{\sqrt{3} \sqrt{a^2 - b^2/a^2}}{b}\right) + 220(14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf) \log\left(b^2x^2 + a^2/a^2\right) + 440(14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf) \log\left(b^2x^2 + a^2/a^2\right) + 440(14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf) \log\left(b^2x^2 + a^2/a^2\right)}{3(14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf) x^{14} + 3(14ab^3c - 11a^2b^2d + 8a^3be - 5a^4f) x^{11} + 360a^4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/9*sqrt(3)*(14*(-a*b^2)^(1/3)*b^3*c - 11*(-a*b^2)^(1/3)*a*b^2*d - 5*(-a*b^2)^(1/3)*a^3*f + 8*(-a*b^2)^(1/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/a^6 - 1/9*(14*b^4*c - 11*a*b^3*d - 5*a^3*b*f + 8*a^2*b^2*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^6 + 1/18*(14*(-a*b^2)^(1/3)

mupad [B] time = 5.12, size = 310, normalized size = 0.93

$$\frac{b^{2/3} \ln(b^{1/3} x + a^{1/3}) (-5f a^3 + 8e a^2 b - 11d a b^2 + 14c b^3)}{9 a^{2/3}} - \frac{a}{3a} - \frac{a^2 (-5f a^2 b^2 - 11d a b^3 + 14c b^3)}{33 a^4} + \frac{a^2 (11d a b^3)}{33 a^4} + \frac{a^2 (8e a^2 - 11d a b^2)}{33 a^4} - \frac{b a^2 (-5f a^2 b^2 - 11d a b^3 + 14c b^3)}{33 a^2} + \frac{b^{2/3} \ln(2 b^{1/3} x - a^{1/3} + \sqrt{3} a^{1/3}) \left(\frac{1}{2} + \frac{\sqrt{3}}{2}\right) (-5f a^3 + 8e a^2 b - 11d a b^2 + 14c b^3)}{9 a^{2/3}} - \frac{b^{2/3} \ln(a^{1/3} - 2 b^{1/3} x + \sqrt{3} a^{1/3}) \left(\frac{1}{2} + \frac{\sqrt{3}}{2}\right) (-5f a^3 + 8e a^2 b - 11d a b^2 + 14c b^3)}{9 a^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^2),x)

[Out] (b^(2/3)*log(b^(1/3)*x + a^(1/3))*(14*b^3*c - 5*a^3*f - 11*a*b^2*d + 8*a^2*b*e))/(9*a^(17/3)) - (c/(11*a) - (x^9*(14*b^3*c - 5*a^3*f - 11*a*b^2*d + 8*a^2*b*e))/(10*a^4) + (x^3*(11*a*d - 14*b*c))/(88*a^2) + (x^6*(14*b^2*c + 8*a^2*e - 11*a*b*d))/(40*a^3) - (b*x^12*(14*b^3*c - 5*a^3*f - 11*a*b^2*d + 8*a^2*b*e))/(6*a^5))/(a*x^11 + b*x^14) + (b^(2/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(14*b^3*c - 5*a^3*f - 11*a*b^2*d + 8*a^2*b*e))/(9*a^(17/3)) - (b^(2/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(14*b^3*c - 5*a^3*f - 11*a*b^2*d + 8*a^2*b*e))/(9*a^(17/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**12/(b*x**3+a)**2,x)

[Out] Timed out

$$3.222 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)^2} dx$$

Optimal. Leaf size=375

$$\frac{2bc-ad}{10a^3x^{10}} - \frac{c}{13a^2x^{13}} - \frac{a^2e-2abd+3b^2c}{7a^4x^7} - \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3}x^2) (-7a^3f + 10a^2be - 13ab^2d + 16b^3c)}{18a^{19/3}}$$

Rubi [A] time = 0.53, antiderivative size = 375, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{b^2x^2(e^2bx+a^2(-f)-ad^2+b^2c)}{3a^4(a+bx^3)} + \frac{2a^2be+a^2(-f)-3ab^2d+4b^2c}{4a^3x^4} - \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3}x^2) (10a^2be - 7a^3f - 13ab^2d + 16b^3c)}{18a^{19/3}} - \frac{b(3a^2be - 2a^2f - 4ab^2d + 5b^2c)}{a^4x^7} + \frac{b^{4/3} \log(\sqrt[3]{a} + \sqrt[3]{bx}) (10a^2be - 7a^3f - 13ab^2d + 16b^3c)}{9a^{19/3}} + \frac{b^{4/3} \tan^{-1}\left(\frac{\sqrt[3]{a} - \sqrt[3]{bx}}{\sqrt[3]{a^2+bx}}\right) (10a^2be - 7a^3f - 13ab^2d + 16b^3c)}{3\sqrt[3]{8}a^{19/3}} - \frac{a^2e - 2abd + 3b^2c}{7a^4x^7} + \frac{2bc - ad}{10a^3x^{10}} - \frac{c}{13a^2x^{13}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^2), x]

[Out] -c/(13*a^2*x^13) + (2*b*c - a*d)/(10*a^3*x^10) - (3*b^2*c - 2*a*b*d + a^2*e)/(7*a^4*x^7) + (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(4*a^5*x^4) - (b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f))/(a^6*x) - (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a^6*(a + b*x^3)) + (b^(4/3)*(16*b^3*c - 13*a*b^2*d + 10*a^2*b*e - 7*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(3*Sqrt[3]*a^(19/3)) + (b^(4/3)*(16*b^3*c - 13*a*b^2*d + 10*a^2*b*e - 7*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(9*a^(19/3)) - (b^(4/3)*(16*b^3*c - 13*a*b^2*d + 10*a^2*b*e - 7*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(19/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(n-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x

$^2), x], x] /; \text{FreeQ}[\{a, b\}, x]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2)^{-1}), x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*S$
 $\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b$
 $], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{Free}$
 $\text{Q}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_ + (c_)*(x_)^2)), x_Symbol] \rightarrow S$
 $\text{imp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d,$
 $e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_ + (c_)*(x_)^2)), x_Symbol] \rightarrow D$
 $\text{ist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{In}$
 $\text{t}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}$
 $[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1829

$\text{Int}[(Pq_)*(x_)^{m_}*((a_ + (b_)*(x_)^{n_})^{p_}), x_Symbol] \rightarrow \text{With}[\{q =$
 $\text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^$
 $m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m$
 $*Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[$
 $x^m*(a + b*x^n)^{(p + 1)*\text{ExpandToSum}[(n*(p + 1)*Q)/x^m + \text{Sum}[(n*(p + 1) + i$
 $+ 1)*\text{Coeff}[R, x, i]*x^{(i - m)}]/a, \{i, 0, n - 1\}], x], x] - \text{Simp}[(x*R*($
 $a + b*x^n)^{(p + 1)}/(a^2*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}, x]]] /; \text{FreeQ}$
 $[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{ILtQ}[m, 0]$

Rule 1834

$\text{Int}[(Pq_)*((c_)*(x_)^{m_})/((a_ + (b_)*(x_)^{n_}), x_Symbol] \rightarrow \text{Int}[\text{E}$
 $\text{xpendIntegrand}[(c*x)^m*Pq/(a + b*x^n), x], x] /; \text{FreeQ}[\{a, b, c, m\}, x] \ \&$
 $\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{14}(a + bx^3)^2} dx &= -\frac{b^2(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^6(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{3b^3(b^3c - ab^2d + a^2be)}{a^3}}{x^{14}}}{3} \\
&= -\frac{b^2(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^6(a + bx^3)} - \int \left(\frac{3b^3c}{ax^{14}} - \frac{3b^3(-2bc + ad)}{a^2x^{11}} - \frac{3b^3(3b^2c - 2abd + a^2e)}{a^3x^8} - \frac{3b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3x^5} \right) dx \\
&= -\frac{c}{13a^2x^{13}} + \frac{2bc - ad}{10a^3x^{10}} - \frac{3b^2c - 2abd + a^2e}{7a^4x^7} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{4a^5x^4} - \frac{b(5b^3c - 4ab^2d + 3a^2be - 2a^3f)}{4a^5x^4} \\
&= -\frac{c}{13a^2x^{13}} + \frac{2bc - ad}{10a^3x^{10}} - \frac{3b^2c - 2abd + a^2e}{7a^4x^7} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{4a^5x^4} - \frac{b(5b^3c - 4ab^2d + 3a^2be - 2a^3f)}{4a^5x^4} \\
&= -\frac{c}{13a^2x^{13}} + \frac{2bc - ad}{10a^3x^{10}} - \frac{3b^2c - 2abd + a^2e}{7a^4x^7} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{4a^5x^4} - \frac{b(5b^3c - 4ab^2d + 3a^2be - 2a^3f)}{4a^5x^4} \\
&= -\frac{c}{13a^2x^{13}} + \frac{2bc - ad}{10a^3x^{10}} - \frac{3b^2c - 2abd + a^2e}{7a^4x^7} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{4a^5x^4} - \frac{b(5b^3c - 4ab^2d + 3a^2be - 2a^3f)}{4a^5x^4}
\end{aligned}$$

Mathematica [A] time = 0.41, size = 370, normalized size = 0.99

$$\frac{2bc - ad}{10a^3x^{10}} - \frac{c}{13a^2x^{13}} + \frac{a^2x - 2abf + 3b^2c}{7a^4x^7} + \frac{b^{4/3} \log(\sqrt{a^3 - \sqrt{b} \sqrt{b^3x + b^2d^2}}(7a^2f - 10a^2be + 13ab^2d - 16b^3c))}{18a^{10/3}} + \frac{b^{4/3} \log(\sqrt{b} + \sqrt{b^3x})(-7a^2f + 10a^2be - 13ab^2d + 16b^3c)}{9a^{10/3}} + \frac{b^{4/3} \tan^{-1}\left(\frac{1 + \frac{2bx}{a}}{\sqrt{3}}\right)(-7a^2f + 10a^2be - 13ab^2d + 16b^3c)}{3\sqrt{3}a^{10/3}} + \frac{b^2x^2(b^2f - a^2be + ab^2d - b^3c)}{3a^6(a + bx^3)} + \frac{b(2a^2f - 3a^2be + 4ab^2d - 5b^3c)}{a^6x} + \frac{a^2(-f) + 2a^2be - 3ab^2d + 4b^3c}{4a^5x^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^2), x]

[Out] $-\frac{1}{13} \frac{c}{a^2 x^{13}} + \frac{(2bc - ad)}{(10a^3 x^{10})} - \frac{(3b^2c - 2a^2bd + a^2e)}{(7a^4 x^7)} + \frac{(4b^3c - 3a^2b^2d + 2a^2b^2e - a^3f)}{(4a^5 x^4)} + \frac{(b(-5b^3c + 4a^2b^2d - 3a^2b^2e + 2a^3f))}{(a^6 x)} + \frac{(b^2(-b^3c) + a^2b^2d - a^2b^2e + a^3f)x^2}{(3a^6(a + bx^3))} + \frac{(b^{4/3})(16b^3c - 13a^2b^2d + 10a^2b^2e - 7a^3f) \operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right]}{(3\sqrt{3}a^{10/3})} + \frac{(b^{4/3})(16b^3c - 13a^2b^2d + 10a^2b^2e - 7a^3f) \operatorname{Log}[a^{1/3} + b^{1/3}x]}{(9a^{10/3})} + \frac{(b^{4/3})(-16b^3c + 13a^2b^2d + 10a^2b^2e - 7a^3f)}{(4a^5x^4)}$

$$*a^3*b*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^6*(a/b)^{(1/3)}) - 1/18*(16*b^4*c - 13*a*b^3*d + 10*a^2*b^2*e - 7*a^3*b*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^6*(a/b)^{(1/3)}) + 1/9*(16*b^4*c - 13*a*b^3*d + 10*a^2*b^2*e - 7*a^3*b*f)*\log(x + (a/b)^{(1/3)})/(a^6*(a/b)^{(1/3)})$$

mupad [B] time = 5.12, size = 348, normalized size = 0.93

$$\frac{b^6 \ln(b^{10} x + a^6) (-7f^2 d^2 + 10x^2 b^2 - 13da^2 + 16c^2)}{9a^{10}} - \frac{c^2 (2f^2 d^2 + 10x^2 b^2 - 13da^2 + 16c^2)}{28a^4} + \frac{c^2 (13ad - 16bc)}{130a^2} + \frac{c^2 (10x^2 b^2 - 13da^2 + 16c^2)}{28a^4} + \frac{c^2 (2f^2 d^2 + 10x^2 b^2 - 13da^2 + 16c^2)}{28a^4} + \frac{c^2 (2f^2 d^2 + 10x^2 b^2 - 13da^2 + 16c^2)}{28a^4} - \frac{b^6 \ln(2b^{10} x - a^6 + \sqrt{3} a^{10}) \left(\frac{1}{2} + \frac{\sqrt{3}}{2}\right) (-7f^2 d^2 + 10x^2 b^2 - 13da^2 + 16c^2)}{9a^{10}} + \frac{b^6 \ln(a^{10} - 2b^{10} x + \sqrt{3} a^{10}) \left(\frac{1}{2} + \frac{\sqrt{3}}{2}\right) (-7f^2 d^2 + 10x^2 b^2 - 13da^2 + 16c^2)}{9a^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^2), x)

[Out] (b^(4/3)*log(b^(1/3)*x + a^(1/3))*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(9*a^(19/3)) - (c/(13*a) - (x^9*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(28*a^4) + (x^3*(13*a*d - 16*b*c))/(130*a^2) + (x^6*(16*b^2*c + 10*a^2*e - 13*a*b*d))/(70*a^3) + (b*x^12*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(4*a^5) + (b^2*x^15*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(3*a^6))/(a*x^13 + b*x^16) - (b^(4/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(9*a^(19/3)) + (b^(4/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(9*a^(19/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**14/(b*x**3+a)**2,x)

[Out] Timed out

$$3.223 \quad \int \frac{x^{14}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=266

$$\frac{x^9(6a^2f - 3abe + b^2d)}{9b^5} + \frac{a^3(-7a^3f + 6a^2be - 5ab^2d + 4b^3c)}{3b^8(a + bx^3)} + \frac{a^2 \log(a + bx^3)(-21a^3f + 15a^2be - 10ab^2d + 6b^3c)}{3b^8}$$

Rubi [A] time = 0.44, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^6(6a^2be - 10a^3f - 3ab^2d + b^3c)}{6b^6} - \frac{ax^3(10a^2be - 15a^3f - 6ab^2d + 3b^3c)}{3b^7} + \frac{a^3(6a^2be - 7a^3f - 5ab^2d + 4b^3c)}{3b^8(a + bx^3)} - \frac{a^4(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^8(a + bx^3)^2} + \frac{a^2 \log(a + bx^3)(15a^2be - 21a^3f - 10ab^2d + 6b^3c)}{3b^8} + \frac{x^9(6a^2f - 3abe + b^2d)}{9b^5} + \frac{x^{12}(be - 3af)}{12b^4} + \frac{fx^{15}}{15b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^14*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] -(a*(3*b^3*c - 6*a*b^2*d + 10*a^2*b*e - 15*a^3*f)*x^3)/(3*b^7) + ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^6)/(6*b^6) + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^9)/(9*b^5) + ((b*e - 3*a*f)*x^12)/(12*b^4) + (f*x^15)/(15*b^3) - (a^4*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(6*b^8*(a + b*x^3)^2) + (a^3*(4*b^3*c - 5*a*b^2*d + 6*a^2*b*e - 7*a^3*f))/(3*b^8*(a + b*x^3)) + (a^2*(6*b^3*c - 10*a*b^2*d + 15*a^2*b*e - 21*a^3*f)*Log[a + b*x^3])/(3*b^8)

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_.)*(x_)^n_)^p_, x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^{14} (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x^4 (c + dx + ex^2 + fx^3)}{(a + bx)^3} dx, x, x^3 \right) \\
&= \frac{1}{3} \text{Subst} \left(\int \left(\frac{a(-3b^3c + 6ab^2d - 10a^2be + 15a^3f)}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)}{b^6} \right) dx, x, x^3 \right) \\
&= -\frac{a(3b^3c - 6ab^2d + 10a^2be - 15a^3f)x^3}{3b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^6}{6b^6} +
\end{aligned}$$

Mathematica [A] time = 0.19, size = 246, normalized size = 0.92

$$\frac{20b^5x^8(6a^2f - 3abe + b^2d) + 30b^2x^6(-10a^3f + 6a^2be - 3ab^2d + b^3c) + 60abx^3(15a^3f - 10a^2be + 6ab^2d - 3b^3c) - \frac{60a^2(7a^2f - 6a^2be + 5ab^2d - 4b^3c)}{a+bx^3} + 60a^2 \log(a + bx^3)(-21a^3f + 15a^2be - 10ab^2d + 6b^3c) + \frac{30a^4(a^2f - a^2be + ab^2d - b^3c)}{(a+bx^3)^2} + 15b^4x^{12}(be - 3af) + 12b^5fx^{15}}{180b^8}$$

Antiderivative was successfully verified.

[In] Integrate[(x^14*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (60*a*b*(-3*b^3*c + 6*a*b^2*d - 10*a^2*b*e + 15*a^3*f)*x^3 + 30*b^2*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^6 + 20*b^3*(b^2*d - 3*a*b*e + 6*a^2*f)*x^9 + 15*b^4*(b*e - 3*a*f)*x^12 + 12*b^5*f*x^15 + (30*a^4*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3)^2 - (60*a^3*(-4*b^3*c + 5*a*b^2*d - 6*a^2*b*e + 7*a^3*f))/(a + b*x^3) + 60*a^2*(6*b^3*c - 10*a*b^2*d + 15*a^2*b*e - 21*a^3*f)*Log[a + b*x^3])/(180*b^8)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^{14} (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^14*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x^14*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]

fricas [A] time = 0.39, size = 396, normalized size = 1.49

$$\frac{12^2 f^2 x^{11} + 3(5b^2 - 7ab^2) x^{10} + 2(10b^2d - 15ab^2e + 21a^2f^2) x^9 + 3(6b^2 - 10ab^2d + 15a^2be - 21a^3f^2) x^8 - 20(6ab^2e - 10a^2bf^2 + 15a^3f^2) x^7 + 20(6ab^2e - 10a^2bf^2 + 15a^3f^2) x^6 - 20(6ab^2e - 10a^2bf^2 + 15a^3f^2) x^5 - 20(6ab^2e - 10a^2bf^2 + 15a^3f^2) x^4 - 20(6ab^2e - 10a^2bf^2 + 15a^3f^2) x^3 - 20(6ab^2e - 10a^2bf^2 + 15a^3f^2) x^2 - 20(6ab^2e - 10a^2bf^2 + 15a^3f^2) x - 20(6ab^2e - 10a^2bf^2 + 15a^3f^2)}{180(b^2x^2 + a^2)^3} \log(bx^3 + a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^14*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")


```
[Out] 1/180*(12*b^7*f*x^21 + 3*(5*b^7*e - 7*a*b^6*f)*x^18 + 2*(10*b^7*d - 15*a*b^6*e + 21*a^2*b^5*f)*x^15 + 5*(6*b^7*c - 10*a*b^6*d + 15*a^2*b^5*e - 21*a^3*b^4*f)*x^12 - 20*(6*a*b^6*c - 10*a^2*b^5*d + 15*a^3*b^4*e - 21*a^4*b^3*f)*x^9 + 210*a^4*b^3*c - 270*a^5*b^2*d + 330*a^6*b*e - 390*a^7*f - 30*(11*a^2*b^5*c - 21*a^3*b^4*d + 34*a^4*b^3*e - 50*a^5*b^2*f)*x^6 + 60*(a^3*b^4*c + a^4*b^3*d - 4*a^5*b^2*e + 8*a^6*b*f)*x^3 + 60*(6*a^4*b^3*c - 10*a^5*b^2*d + 15*a^6*b*e - 21*a^7*f + (6*a^2*b^5*c - 10*a^3*b^4*d + 15*a^4*b^3*e - 21*a^5*b^2*f)*x^6 + 2*(6*a^3*b^4*c - 10*a^4*b^3*d + 15*a^5*b^2*e - 21*a^6*b*f)*x^3)*log(b*x^3 + a)/(b^10*x^6 + 2*a*b^9*x^3 + a^2*b^8)
```

giac [A] time = 0.18, size = 349, normalized size = 1.31

$$\frac{(6a^7b^6c - 10a^7b^5d - 21a^7f + 15a^6b^6e) \log(bx^3 + a)}{3b^8} - \frac{18a^6b^5c^2 - 30a^6b^4d^2 - 63a^6b^3f^2 + 45a^5b^4c^2 + 28a^5b^3d^2 - 50a^5b^2f^2 - 112a^4b^3c^2 + 78a^4b^2d^2 + 11a^4b^2c^2 - 21a^3b^3d^2 - 30a^3b^2f^2 + 34a^2b^3c^2 - 12a^2b^2d^2 - 45a^2b^2f^2 + 15a^2b^2c^2 + 20a^2b^2d^2 + 120a^2b^2f^2 - 60a^2b^2c^2 + 30a^2b^2d^2 - 90a^2b^2f^2 - 300a^2b^2c^2 + 180a^2b^2d^2 - 180a^2b^2f^2 + 360a^2b^2c^2 + 900a^2b^2d^2 - 600a^2b^2f^2}{6(b^3 + a)^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^14*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")
```

```
[Out] 1/3*(6*a^2*b^3*c - 10*a^3*b^2*d - 21*a^5*f + 15*a^4*b*e)*log(abs(b*x^3 + a)/b^8 - 1/6*(18*a^2*b^5*c*x^6 - 30*a^3*b^4*d*x^6 - 63*a^5*b^2*f*x^6 + 45*a^4*b^3*x^6*e + 28*a^3*b^4*c*x^3 - 50*a^4*b^3*d*x^3 - 112*a^6*b*f*x^3 + 78*a^5*b^2*x^3*e + 11*a^4*b^3*c - 21*a^5*b^2*d - 50*a^7*f + 34*a^6*b*e)/(b*x^3 + a)^2*b^8) + 1/180*(12*b^12*f*x^15 - 45*a*b^11*f*x^12 + 15*b^12*x^12*e + 20*b^12*d*x^9 + 120*a^2*b^10*f*x^9 - 60*a*b^11*x^9*e + 30*b^12*c*x^6 - 90*a*b^11*d*x^6 - 300*a^3*b^9*f*x^6 + 180*a^2*b^10*x^6*e - 180*a*b^11*c*x^3 + 360*a^2*b^10*d*x^3 + 900*a^4*b^8*f*x^3 - 600*a^3*b^9*x^3*e)/b^15
```

maple [A] time = 0.06, size = 361, normalized size = 1.36

$$\frac{f x^{15}}{150} - \frac{a f x^{12}}{40} + \frac{c x^{12}}{120} + \frac{2 a^2 f x^9}{30} - \frac{a c x^9}{30} + \frac{d x^9}{90} - \frac{5 a^2 f x^6}{30} + \frac{a^2 c x^6}{10} - \frac{a d x^6}{20} + \frac{c x^6}{60} + \frac{5 a^2 f x^3}{10} - \frac{10 a b^2 c x^3}{30} + \frac{2 a^2 d x^3}{10} - \frac{a c x^3}{10} + \frac{a^2 f}{6(b^3 + a)^6} - \frac{a^2 c}{6(b^3 + a)^6} + \frac{a^2 d}{6(b^3 + a)^6} - \frac{a^2 c}{6(b^3 + a)^6} + \frac{7 a^2 f}{3(b^3 + a)^6} + \frac{2 a^2 c}{(b^3 + a)^6} - \frac{7 a^2 f \ln(b x^3 + a)}{b^8} - \frac{5 a^2 d \ln(b x^3 + a)}{3(b^3 + a)^6} + \frac{4 a^2 c \ln(b x^3 + a)}{3(b^3 + a)^6} - \frac{10 a^2 d \ln(b x^3 + a)}{30} + \frac{2 a^2 c \ln(b x^3 + a)}{b^8}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^14*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)
```

```
[Out] 1/6*a^7/b^8/(b*x^3+a)^2*f-1/6*a^6/b^7/(b*x^3+a)^2*e+1/6*a^5/b^6/(b*x^3+a)^2*d+5/b^7*x^3*a^4*f-10/3/b^6*x^3*a^3*e+2/b^5*x^3*a^2*d-1/b^4*x^3*a*c-1/4/b^4*x^12*a*f+2/3/b^5*x^9*a^2*f-1/3/b^4*x^9*a*e-5/3/b^6*x^6*a^3*f+1/b^5*x^6*a^2*e-1/2/b^4*x^6*a*d+5*a^4/b^7*ln(b*x^3+a)*e-10/3*a^3/b^6*ln(b*x^3+a)*d+2*a^2/b^5*ln(b*x^3+a)*c-1/6*a^4/b^5/(b*x^3+a)^2*c-7/3*a^6/b^8/(b*x^3+a)*f+2*a^5/b^7/(b*x^3+a)*e-5/3*a^4/b^6/(b*x^3+a)*d+4/3*a^3/b^5/(b*x^3+a)*c-7*a^5/b^8*ln(b*x^3+a)*f+1/12/b^3*x^12*e+1/9/b^3*x^9*d+1/6/b^3*x^6*c+1/15*f*x^15/b^3
```

maxima [A] time = 1.54, size = 275, normalized size = 1.03

$$\frac{7a^4b^6c - 9a^4b^5d + 11a^4be - 13a^4f + 2(4a^3b^4c - 5a^3b^3d + 6a^3b^2e - 7a^3bf)x^3}{6(b^3 + a)^6} + \frac{12b^4fx^{15} + 15(b^4c - 3ab^3)x^{12} + 20(b^4d - 3ab^2e + 6a^2bf)x^9 + 30(b^4e - 3ab^3d + 6a^2b^2c - 10a^2bf)x^6 - 60(3ab^3c - 6a^2b^2d + 10a^2be - 15a^2f)x^3}{180b^8} + \frac{(6a^2b^6c - 10a^2b^5d + 15a^2be - 21a^2f)\log(bx^3 + a)}{3b^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹⁴*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)³,x, algorithm="maxima")

[Out] 1/6*(7*a⁴*b³*c - 9*a⁵*b²*d + 11*a⁶*b*e - 13*a⁷*f + 2*(4*a³*b⁴*c - 5*a⁴*b³*d + 6*a⁵*b²*e - 7*a⁶*b*f)*x³/(b¹⁰*x⁶ + 2*a*b⁹*x³ + a²*b⁸) + 1/180*(12*b⁴*f*x¹⁵ + 15*(b⁴*e - 3*a*b³*f)*x¹² + 20*(b⁴*d - 3*a*b³*e + 6*a²*b²*f)*x⁹ + 30*(b⁴*c - 3*a*b³*d + 6*a²*b²*e - 10*a³*b*f)*x⁶ - 60*(3*a*b³*c - 6*a²*b²*d + 10*a³*b*e - 15*a⁴*f)*x³)/b⁷ + 1/3*(6*a²*b³*c - 10*a³*b²*d + 15*a⁴*b*e - 21*a⁵*f)*log(b*x³ + a)/b⁸

mupad [B] time = 4.96, size = 449, normalized size = 1.69

$$\int \frac{x^{14} \left(\frac{c}{12b^3} - \frac{d}{4b^4} + x^3 \left(\frac{e}{6b^3} - \frac{f}{6b^4} + \frac{a \left(\frac{c}{b^3} - \frac{3d}{b^4} \right) + \frac{3d^2 f}{2b^5} + \frac{3d \left(\frac{c}{b^3} - \frac{3d}{b^4} \right)}{2b} \right)}{b^3} \right)}{\left(\frac{a^2 x^3 + a^3}{b} \right)^3} dx = \frac{x^{12} \left(\frac{e}{12b^3} - \frac{d}{4b^4} + x^3 \left(\frac{e}{6b^3} - \frac{f}{6b^4} + \frac{a \left(\frac{c}{b^3} - \frac{3d}{b^4} \right) + \frac{3d^2 f}{2b^5} + \frac{3d \left(\frac{c}{b^3} - \frac{3d}{b^4} \right)}{2b} \right)}{b^3} \right)}{\left(\frac{a^2 x^3 + a^3}{b} \right)^3} + \frac{1}{180} \frac{12b^4 f x^{15} + 15(b^4 e - 3ab^3 f)x^{12} + 20(b^4 d - 3ab^3 e + 6a^2 b^2 f)x^9 + 30(b^4 c - 3ab^3 d + 6a^2 b^2 e - 10a^3 b f)x^6 - 60(3ab^3 c - 6a^2 b^2 d + 10a^3 b e - 15a^4 f)x^3}{b^7} + \frac{1}{3} \frac{(6a^2 b^3 c - 10a^3 b^2 d + 15a^4 b e - 21a^5 f) \log(bx^3 + a)}{b^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x¹⁴*(c + d*x³ + e*x⁶ + f*x⁹))/(a + b*x³)³,x)

[Out] x¹²*(e/(12*b³) - (a*f)/(4*b⁴)) + x⁶*(c/(6*b³) - (a³*f)/(6*b⁶) - (a²*e/b³ - (3*a*f)/b⁴)/(2*b²) + (a*((3*a²*f)/b⁵ - d/b³ + (3*a*(e/b³ - (3*a*f)/b⁴))/b))/(2*b)) - x⁹*((a²*f)/(3*b⁵) - d/(9*b³) + (a*(e/b³ - (3*a*f)/b⁴))/(3*b)) - ((13*a⁷*f - 7*a⁴*b³*c + 9*a⁵*b²*d - 11*a⁶*b*e)/(6*b) + x³*((7*a⁶*f)/3 - (4*a³*b³*c)/3 + (5*a⁴*b²*d)/3 - 2*a⁵*b*e)/(a²*b⁷ + b⁹*x⁶ + 2*a*b⁸*x³) - x³*((a*(c/b³ - (a³*f)/b⁶) - (3*a²*e/b³ - (3*a*f)/b⁴))/b² + (3*a*((3*a²*f)/b⁵ - d/b³ + (3*a*(e/b³ - (3*a*f)/b⁴))/b))/b)/(b) - (a²*((3*a²*f)/b⁵ - d/b³ + (3*a*(e/b³ - (3*a*f)/b⁴))/b))/b² + (a³*(e/b³ - (3*a*f)/b⁴))/(3*b³)) - (log(a + b*x³)*(21*a⁵*f - 6*a²*b³*c + 10*a³*b²*d - 15*a⁴*b*e))/(3*b⁸) + (f*x¹⁵)/(15*b³)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**14*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.224 \quad \int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=226

$$\frac{x^6(6a^2f - 3abe + b^2d)}{6b^5} - \frac{a^2(-6a^3f + 5a^2be - 4ab^2d + 3b^3c)}{3b^7(a+bx^3)} + \frac{a^3(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^7(a+bx^3)^2} - \frac{a \log(a+bx^3)}{6b^7(a+bx^3)^2}$$

Rubi [A] time = 0.33, antiderivative size = 226, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^3(6a^2be - 10a^3f - 3ab^2d + b^3c)}{3b^6} - \frac{a^2(5a^2be - 6a^3f - 4ab^2d + 3b^3c)}{3b^7(a+bx^3)} + \frac{a^3(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^7(a+bx^3)^2} - \frac{a \log(a+bx^3)(10a^2be - 15a^3f - 6ab^2d + 3b^3c)}{3b^7} + \frac{x^6(6a^2f - 3abe + b^2d)}{6b^5} + \frac{x^9(be - 3af)}{9b^4} + \frac{fx^{12}}{12b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^3)/(3*b^6) + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^6)/(6*b^5) + ((b*e - 3*a*f)*x^9)/(9*b^4) + (f*x^12)/(12*b^3) + (a^3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(6*b^7*(a + b*x^3)^2) - (a^2*(3*b^3*c - 4*a*b^2*d + 5*a^2*b*e - 6*a^3*f))/(3*b^7*(a + b*x^3)) - (a*(3*b^3*c - 6*a*b^2*d + 10*a^2*b*e - 15*a^3*f)*Log[a + b*x^3])/(3*b^7)

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_.)*(x_)^n_)^p_., x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{x^{11} (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x^3 (c + dx + ex^2 + fx^3)}{(a + bx)^3} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^3c - 3ab^2d + 6a^2be - 10a^3f}{b^6} + \frac{(b^2d - 3abe + 6a^2f)x}{b^5} + \frac{(be - 3af)}{b^4} \right) dx, x, x^3 \right) \\ &= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^3}{3b^6} + \frac{(b^2d - 3abe + 6a^2f)x^6}{6b^5} + \frac{(be - 3af)x^9}{9b^4} + \end{aligned}$$

Mathematica [A] time = 0.20, size = 208, normalized size = 0.92

$$\frac{6b^2x^6(6a^2f - 3abe + b^2d) + 12bx^3(-10a^3f + 6a^2be - 3ab^2d + b^3c) + \frac{12a^2(6a^3f - 5a^2be + 4ab^2d - 3b^3c)}{a+bx^3} + \frac{6a^3(a^3(-f) + a^2be - ab^2d + b^3c)}{(a+bx^3)^2} + 12a \log(a + bx^3)(15a^2f - 10a^2be + 6ab^2d - 3b^3c) + 4b^2x^9(be - 3af) + 3b^4fx^{12}}{36b^7}$$

Antiderivative was successfully verified.

[In] Integrate[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (12*b*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^3 + 6*b^2*(b^2*d - 3*a*b*e + 6*a^2*f)*x^6 + 4*b^3*(b*e - 3*a*f)*x^9 + 3*b^4*f*x^12 + (6*a^3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(a + b*x^3)^2 + (12*a^2*(-3*b^3*c + 4*a*b^2*d - 5*a^2*b*e + 6*a^3*f))/(a + b*x^3) + 12*a*(-3*b^3*c + 6*a*b^2*d - 10*a^2*b*e + 15*a^3*f)*Log[a + b*x^3])/(36*b^7)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^{11} (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]

fricas [A] time = 0.40, size = 353, normalized size = 1.56

$$\frac{3b^4fx^{12} + 2(2b^2c - 3ab^2f)^2 + (6b^2d - 10ab^2e + 15a^2f^2)^2 + 4(3b^2c - 6ab^2d + 10a^2be - 15a^3f)^2 - 30a^2b^2d + 42a^2b^2e - 54a^2b^2f + 6(4ab^2c - 11a^2b^2d + 21a^2b^2e - 24a^2b^2f)^2 - 12(2a^2b^2c - a^2b^2d - a^2b^2e + 4a^2b^2f)^2 - 12(3a^2b^2c - 6a^2b^2d + 10a^2b^2e - 15a^2b^2f)^2 + 2(3a^2b^2c - 6a^2b^2d + 10a^2b^2e - 15a^2b^2f)^2 \log(bx^3 + a)}{36(b^6 + 2ab^3x^3 + a^3x^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $\frac{1}{36}(3b^6fx^{18} + 2(2b^6e - 3a^5b^5f)x^{15} + (6b^6d - 10a^5b^5e + 15a^2b^4f)x^{12} + 4(3b^6c - 6a^5b^5d + 10a^2b^4e - 15a^3b^3f)x^9 - 30a^3b^3c + 42a^4b^2d - 54a^5b^5e + 66a^6f + 6(4a^5b^5c - 11a^2b^4d + 21a^3b^3e - 34a^4b^2f)x^6 - 12(2a^2b^4c - a^3b^3d - a^4b^2e + 4a^5b^5f)x^3 - 12(3a^3b^3c - 6a^4b^2d + 10a^5b^5e - 15a^6f + (3a^5b^5c - 6a^2b^4d + 10a^3b^3e - 15a^4b^2f)x^6 + 2(3a^2b^4c - 6a^3b^3d + 10a^4b^2e - 15a^5b^5f)x^3) \log(bx^3 + a)) / (b^9x^6 + 2a^8b^8x^3 + a^2b^7)$

giac [A] time = 0.25, size = 298, normalized size = 1.32

$$\frac{(3ab^6c - 6a^2b^4d - 15a^5f + 10a^6b) \log(bx^3 + a)}{3b^7} + \frac{9ab^6c^2 - 18a^2b^4d^2 - 45a^5b^5f^2 + 30a^6b^3c^2 + 12a^2b^4d^2 - 28a^3b^3d^2 - 78a^4b^2f^2 + 50a^5b^5c^2 + 4a^6b^3c - 11a^4b^2d - 34a^5f + 21a^6b^3c}{6(bx^3 + a)^7} + \frac{3b^9fx^{12} - 12ab^8fx^9 + 4b^9e^2 + 6b^9d^2 + 36a^2b^7fx^6 - 18ab^8e^2 + 12b^9c^2 - 36ab^8d^2 - 120a^2b^7fx^3 + 72a^2b^7c^2}{36b^{12}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")`

[Out] $-\frac{1}{3}(3a^5b^3c - 6a^2b^2d - 15a^4f + 10a^3b^5e) \log(\text{abs}(bx^3 + a)) / b^7 + \frac{1}{6}(9a^5b^5c^2x^6 - 18a^2b^4d^2x^6 - 45a^4b^2f^2x^6 + 30a^3b^3c^2x^6e + 12a^2b^4c^2x^3 - 28a^3b^3d^2x^3 - 78a^5b^5f^2x^3 + 50a^4b^2c^2x^3e + 4a^3b^3c^2 - 11a^4b^2d - 34a^6f + 21a^5b^5e) / ((bx^3 + a)^2b^7) + \frac{1}{36}(3b^9fx^{12} - 12a^8b^8fx^9 + 4b^9x^9e + 6b^9d^2x^6 + 36a^2b^7fx^6 - 18a^8b^8x^6e + 12b^9c^2x^3 - 36a^8b^8d^2x^3 - 120a^3b^6fx^3 + 72a^2b^7x^3e) / b^{12}$

maple [A] time = 0.06, size = 313, normalized size = 1.38

$$\frac{fx^{12}}{12b^3} - \frac{afx^9}{36a^4} + \frac{ex^6}{9b^3} + \frac{d^2fx^3}{21a^4} + \frac{cx^3}{6b^3} - \frac{10a^2fx^3}{36a^6} + \frac{2a^2ex^3}{b^3} - \frac{ad^2x^3}{b^4} + \frac{c^2x^3}{36a^3} - \frac{a^2f}{6(bx^3+a)^2b^2} + \frac{a^2e}{6(bx^3+a)^2b^2} - \frac{a^2d}{6(bx^3+a)^2b^2} + \frac{a^2c}{6(bx^3+a)^2b^4} + \frac{2a^2f}{(bx^3+a)b^2} - \frac{5a^2e}{3(bx^3+a)b^2} + \frac{5a^2d \ln(bx^3+a)}{3(bx^3+a)b^5} + \frac{4a^2d}{3(bx^3+a)b^5} - \frac{10a^2e \ln(bx^3+a)}{30a^6} - \frac{a^2c}{(bx^3+a)b^4} + \frac{2a^2d \ln(bx^3+a)}{b^5} - \frac{ac \ln(bx^3+a)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)`

[Out] $\frac{1}{12}fx^{12}/b^3 - \frac{1}{3}b^4x^9a^5f + \frac{1}{9}b^3x^9e + \frac{1}{b^5}x^6a^2f - \frac{1}{2}b^4x^6a^5e + \frac{1}{6}b^3x^6d - \frac{10}{3}b^6x^3a^3f + \frac{2}{b^5}x^3a^2e - \frac{1}{b^4}x^3a^5d + \frac{1}{3}b^3x^3c - \frac{1}{6}a^6/b^7 / (bx^3+a)^2f + \frac{1}{6}a^5/b^6 / (bx^3+a)^2e - \frac{1}{6}a^4/b^5 / (bx^3+a)^2d + \frac{1}{6}a^3/b^4 / (bx^3+a)^2c + \frac{5a^4/b^7 \ln(bx^3+a)f - 10/3a^3/b^6 \ln(bx^3+a)e + 2a^2/b^5 \ln(bx^3+a)d - a/b^4 \ln(bx^3+a)c + 2a^5/b^7 / (bx^3+a)f - 5/3a^4/b^6 / (bx^3+a)e + 4/3a^3/b^5 / (bx^3+a)d - a^2/b^4 / (bx^3+a)c}{36b^6}$

maxima [A] time = 1.42, size = 233, normalized size = 1.03

$$\frac{5a^2b^3c - 7a^4b^2d + 9a^2be - 11a^5f + 2(3a^2b^4c - 4a^3b^3d + 5a^4b^2e - 6a^5b^5f)x^3}{6(b^5x^6 + 2ab^8x^3 + a^2b^7)} + \frac{3b^9fx^{12} + 4(b^9e - 3ab^8f)x^9 + 6(b^9d - 3ab^8e + 6a^2b^7f)x^6 + 12(b^9c - 3ab^8d + 6a^2b^7e - 10a^3f)x^3}{36b^6} - \frac{(3ab^6c - 6a^2b^4d + 10a^5b^5e - 15a^6f) \log(bx^3 + a)}{3b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")`

[Out]
$$-1/6*(5*a^3*b^3*c - 7*a^4*b^2*d + 9*a^5*b*e - 11*a^6*f + 2*(3*a^2*b^4*c - 4*a^3*b^3*d + 5*a^4*b^2*e - 6*a^5*b*f)*x^3)/(b^9*x^6 + 2*a*b^8*x^3 + a^2*b^7) + 1/36*(3*b^3*f*x^12 + 4*(b^3*e - 3*a*b^2*f)*x^9 + 6*(b^3*d - 3*a*b^2*e + 6*a^2*b*f)*x^6 + 12*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^3)/b^6 - 1/3*(3*a*b^3*c - 6*a^2*b^2*d + 10*a^3*b*e - 15*a^4*f)*\log(b*x^3 + a)/b^7$$

mupad [B] time = 4.97, size = 293, normalized size = 1.30

$$x^9 \left(\frac{c}{9b^3} - \frac{af}{3b^4} \right) + x^3 \left(\frac{c}{3b^3} - \frac{a^2 f}{3b^6} - \frac{a^2 \left(\frac{c}{b^3} - \frac{3af}{b^4} \right)}{b^2} + \frac{a \left(\frac{3c^2 f}{b^6} - \frac{d}{b^3} + \frac{3a \left(\frac{c}{b^3} - \frac{3af}{b^4} \right)}{b} \right)}{b} \right) - x^6 \left(\frac{a^2 f}{2b^5} - \frac{d}{6b^3} + \frac{a \left(\frac{c}{b^3} - \frac{3af}{b^4} \right)}{2b} \right) + \frac{11fa^6 - 9ca^2b^2 + 7d^2a^4b^2 - 5ca^2b^3}{6b} + x^3 \left(\frac{2fa^5}{3} - \frac{5ca^4b}{3} + \frac{4d^2b^2}{3} - ca^2b^3 \right) + \frac{fx^{12}}{12b^3} + \frac{\ln(bx^3 + a)(15fa^4 - 10ca^2b + 6da^2b^2 - 3cab^3)}{3b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^{11}(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x)$

[Out]
$$x^9*(e/(9*b^3) - (a*f)/(3*b^4)) + x^3*(c/(3*b^3) - (a^3*f)/(3*b^6) - (a^2*(e/b^3 - (3*a*f)/b^4))/b^2 + (a*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3 - (3*a*f)/b^4))/b))/b - x^6*((a^2*f)/(2*b^5) - d/(6*b^3) + (a*(e/b^3 - (3*a*f)/b^4))/(2*b)) + ((11*a^6*f - 5*a^3*b^3*c + 7*a^4*b^2*d - 9*a^5*b*e)/(6*b) + x^3*(2*a^5*f - a^2*b^3*c + (4*a^3*b^2*d)/3 - (5*a^4*b*e)/3))/(a^2*b^6 + b^8*x^6 + 2*a*b^7*x^3) + (f*x^12)/(12*b^3) + (\log(a + b*x^3)*(15*a^4*f + 6*a^2*b^2*d - 3*a*b^3*c - 10*a^3*b*e))/(3*b^7)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^{11}(f*x^9 + e*x^6 + d*x^3 + c)/(b*x^3 + a)^3, x)$

[Out] Timed out

$$3.225 \quad \int \frac{x^8(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=186

$$\frac{x^3(6a^2f - 3abe + b^2d)}{3b^5} + \frac{a(-5a^3f + 4a^2be - 3ab^2d + 2b^3c)}{3b^6(a+bx^3)} - \frac{a^2(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^6(a+bx^3)^2} + \frac{\log(a+bx^3)}{a+bx^3}$$

Rubi [A] time = 0.27, antiderivative size = 186, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a(4a^2be - 5a^3f - 3ab^2d + 2b^3c)}{3b^6(a+bx^3)} - \frac{a^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^6(a+bx^3)^2} + \frac{\log(a+bx^3)(6a^2be - 10a^3f - 3ab^2d + b^3c)}{3b^6} + \frac{x^3(6a^2f - 3abe + b^2d)}{3b^5} + \frac{x^6(be - 3af)}{6b^4} + \frac{fx^9}{9b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b^2*d - 3*a*b*e + 6*a^2*f)*x^3)/(3*b^5) + ((b*e - 3*a*f)*x^6)/(6*b^4) + (f*x^9)/(9*b^3) - (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(6*b^6*(a + b*x^3)^2) + (a*(2*b^3*c - 3*a*b^2*d + 4*a^2*b*e - 5*a^3*f))/(3*b^6*(a + b*x^3)) + ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*Log[a + b*x^3])/(3*b^6)

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_.)*(x_)^n_)^p_., x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{x^8 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{x^2 (c + dx + ex^2 + fx^3)}{(a + bx)^3} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^2 d - 3abe + 6a^2 f}{b^5} + \frac{(be - 3af)x}{b^4} + \frac{fx^2}{b^3} - \frac{a^2 (-b^3 c + ab^2 d - a^2 be)}{b^5 (a + bx)^3} \right) dx, x, x^3 \right)$$

$$= \frac{(b^2 d - 3abe + 6a^2 f) x^3}{3b^5} + \frac{(be - 3af)x^6}{6b^4} + \frac{fx^9}{9b^3} - \frac{a^2 (b^3 c - ab^2 d + a^2 be - a^3 f)}{6b^6 (a + bx^3)^2} + \dots$$

Mathematica [A] time = 0.17, size = 170, normalized size = 0.91

$$\frac{6bx^3(6a^2f - 3abe + b^2d) - \frac{6a(5a^3f - 4a^2be + 3ab^2d - 2b^3c)}{a+bx^3} + \frac{3a^2(a^3f - a^2be + ab^2d - b^3c)}{(a+bx^3)^2} + 6 \log(a + bx^3)(-10a^3f + 6a^2be - 3ab^2d + b^3c) + 3b^2x^6(be - 3af) + 2b^3fx^9}{18b^6}$$

Antiderivative was successfully verified.

[In] Integrate[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (6*b*(b^2*d - 3*a*b*e + 6*a^2*f)*x^3 + 3*b^2*(b*e - 3*a*f)*x^6 + 2*b^3*f*x^9 + (3*a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3)^2 - (6*a*(-b^3*c + 3*a*b^2*d - 4*a^2*b*e + 5*a^3*f))/(a + b*x^3) + 6*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*Log[a + b*x^3])/(18*b^6)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^8 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]

fricas [A] time = 0.40, size = 295, normalized size = 1.59

$$\frac{2b^5fx^{12} + (3b^5c - 5ab^4f)x^{11} + 2(3b^5d - 6ab^4e + 10a^2b^3f)x^{10} + 3(4ab^4d - 11a^2b^3e + 21a^2b^2f)x^9 + 9a^3b^2c - 15a^3b^2d + 21a^4be - 27a^4f + 6(2ab^3c - 2a^2b^2d + a^2b^2e + a^2bf)x^8 + 6((b^3c - 3ab^2d + 6a^2b^2e - 10a^2b^2f)x^6 + a^2b^3c - 3a^2b^2d + 6a^2b^2e - 10a^2f + 2(ab^3c - 3a^2b^2d + 6a^2b^2e - 10a^2bf)x^2) \log(bx^3 + a)}{18(b^6x^9 + 2ab^3x^3 + a^3b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $1/18*(2*b^5*f*x^{15} + (3*b^5*e - 5*a*b^4*f)*x^{12} + 2*(3*b^5*d - 6*a*b^4*e + 10*a^2*b^3*f)*x^9 + 3*(4*a*b^4*d - 11*a^2*b^3*e + 21*a^3*b^2*f)*x^6 + 9*a^2*b^3*c - 15*a^3*b^2*d + 21*a^4*b*e - 27*a^5*f + 6*(2*a*b^4*c - 2*a^2*b^3*d + a^3*b^2*e + a^4*b*f)*x^3 + 6*((b^5*c - 3*a*b^4*d + 6*a^2*b^3*e - 10*a^3*b^2*f)*x^6 + a^2*b^3*c - 3*a^3*b^2*d + 6*a^4*b*e - 10*a^5*f + 2*(a*b^4*c - 3*a^2*b^3*d + 6*a^3*b^2*e - 10*a^4*b*f)*x^3)*\log(b*x^3 + a)/(b^8*x^6 + 2*a*b^7*x^3 + a^2*b^6)$

giac [A] time = 0.22, size = 236, normalized size = 1.27

$$\frac{(b^3c - 3ab^2d - 10a^3f + 6a^2be)\log(bx^3 + a)}{3b^6} - \frac{3b^5cx^6 - 9ab^4dx^6 - 30a^2b^2fx^6 + 18a^2b^3x^6e + 2ab^4cx^3 - 12a^2b^2dx^3 - 50a^4bfx^3 + 28a^3b^2x^3e - 4a^2b^2d - 21a^5f + 11a^4be}{6(bx^3 + a)^2b^6} + \frac{2b^6fx^9 - 9ab^5fx^6 + 3b^6x^6e + 6b^6dx^3 + 36a^2b^4fx^3 - 18ab^5x^3e}{18b^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")`

[Out] $1/3*(b^3*c - 3*a*b^2*d - 10*a^3*f + 6*a^2*b*e)*\log(\text{abs}(b*x^3 + a))/b^6 - 1/6*(3*b^5*c*x^6 - 9*a*b^4*d*x^6 - 30*a^3*b^2*f*x^6 + 18*a^2*b^3*x^6e + 2*a*b^4*c*x^3 - 12*a^2*b^3*d*x^3 - 50*a^4*b*f*x^3 + 28*a^3*b^2*x^3e - 4*a^3*b^2*d - 21*a^5*f + 11*a^4*b*e)/((b*x^3 + a)^2*b^6) + 1/18*(2*b^6*f*x^9 - 9*a*b^5*f*x^6 + 3*b^6*x^6e + 6*b^6*d*x^3 + 36*a^2*b^4*f*x^3 - 18*a*b^5*x^3e)/b^9$

maple [A] time = 0.06, size = 266, normalized size = 1.43

$$\frac{fx^9}{9b^6} - \frac{afx^6}{2b^4} + \frac{cx^6}{6b^3} + \frac{2a^2fx^3}{b^5} - \frac{acx^3}{b^4} + \frac{dx^3}{3b^3} + \frac{a^5f}{6(bx^3+a)^2b^6} - \frac{a^4e}{6(bx^3+a)^2b^5} + \frac{a^3d}{6(bx^3+a)^2b^4} - \frac{a^2c}{6(bx^3+a)^2b^3} - \frac{5a^4f}{3(bx^3+a)b^6} + \frac{4a^3e}{3(bx^3+a)b^5} - \frac{10a^2f\ln(bx^3+a)}{3b^6} - \frac{a^2d}{(bx^3+a)b^4} + \frac{2a^2e\ln(bx^3+a)}{b^5} + \frac{2ac}{3(bx^3+a)b^3} - \frac{ad\ln(bx^3+a)}{b^4} + \frac{c\ln(bx^3+a)}{3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)`

[Out] $1/9/b^3*f*x^9 - 1/2/b^4*x^6*a*f + 1/6/b^3*x^6*e + 2/b^5*x^3*a^2*f - 1/b^4*x^3*a*e + 1/3/b^3*x^3*d + 1/6/b^6*a^5/(b*x^3+a)^2*f - 1/6/b^5*a^4/(b*x^3+a)^2*e + 1/6/b^4*a^3/(b*x^3+a)^2*d - 1/6/b^3*a^2/(b*x^3+a)^2*c - 10/3/b^6*\ln(b*x^3+a)*a^3*f + 2/b^5*\ln(b*x^3+a)*a^2*e - 1/b^4*\ln(b*x^3+a)*a*d + 1/3/b^3*\ln(b*x^3+a)*c - 5/3/b^6*a^4/(b*x^3+a)*f + 4/3/b^5*a^3/(b*x^3+a)*e - 1/b^4*a^2/(b*x^3+a)*d + 2/3/b^3*a/(b*x^3+a)*c$

maxima [A] time = 1.35, size = 191, normalized size = 1.03

$$\frac{3a^2b^3c - 5a^3b^2d + 7a^4be - 9a^5f + 2(2ab^4c - 3a^2b^3d + 4a^3b^2e - 5a^4bf)x^3}{6(b^3x^6 + 2ab^2x^3 + a^2b^6)} + \frac{2b^2fx^9 + 3(b^2e - 3abf)x^6 + 6(b^2d - 3abe + 6a^2f)x^3}{18b^5} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)\log(bx^3 + a)}{3b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $\frac{1}{6}(3a^2b^3c - 5a^3b^2d + 7a^4b^2e - 9a^5f + 2(2ab^4c - 3a^2b^3d + 4a^3b^2e - 5a^4b^2f))x^3 / (b^8x^6 + 2ab^7x^3 + a^2b^6) + \frac{1}{18}(2b^2fx^9 + 3(b^2e - 3ab^2f))x^6 + 6(b^2d - 3ab^2e + 6a^2f)x^3 / b^5 + \frac{1}{3}(b^3c - 3ab^2d + 6a^2b^2e - 10a^3f) \log(bx^3 + a) / b^6$

mupad [B] time = 4.92, size = 204, normalized size = 1.10

$$x^6 \left(\frac{e}{6b^3} - \frac{af}{2b^4} \right) - \frac{x^3 \left(\frac{5fa^4}{3} - \frac{4ea^3b}{3} + da^2b^2 - \frac{2ca^2b^2}{3} \right) + \frac{9fa^5 - 7ea^4b + 5da^3b^2 - 3ca^2b^3}{6b}}{a^2b^5 + 2ab^6x^3 + b^7x^6} - x^3 \left(\frac{a^2f}{b^5} - \frac{d}{3b^3} + \frac{a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b} \right) + \frac{\ln(bx^3 + a) (-10fa^3 + 6ea^2b - 3da^2b^2 + cb^3)}{3b^6} + \frac{fx^9}{9b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)`

[Out] $x^6(e/(6b^3) - (af)/(2b^4)) - (x^3((5a^4f)/3 + a^2b^2d - (2ab^3c)/3 - (4a^3b^2e)/3) + (9a^5f - 3a^2b^3c + 5a^3b^2d - 7a^4b^2e)/(6b)) / (a^2b^5 + b^7x^6 + 2ab^6x^3) - x^3((a^2f)/b^5 - d/(3b^3) + (a(e/b^3 - (3af)/b^4))/b) + (\log(a + bx^3)*(b^3c - 10a^3f - 3ab^2d + 6a^2b^2e))/(3b^6) + (fx^9)/(9b^3)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**8*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)`

[Out] Timed out

$$3.226 \quad \int \frac{x^5(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=146

$$\frac{\log(a+bx^3)(6a^2f-3abe+b^2d)}{3b^5} - \frac{-4a^3f+3a^2be-2ab^2d+b^3c}{3b^5(a+bx^3)} + \frac{a(a^3(-f)+a^2be-ab^2d+b^3c)}{6b^5(a+bx^3)^2} + \frac{x^3(be-3af)}{3b^4}$$

Rubi [A] time = 0.20, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{3a^2be-4a^3f-2ab^2d+b^3c}{3b^5(a+bx^3)} + \frac{a(a^2be+a^3(-f)-ab^2d+b^3c)}{6b^5(a+bx^3)^2} + \frac{\log(a+bx^3)(6a^2f-3abe+b^2d)}{3b^5} + \frac{x^3(be-3af)}{3b^4} + \frac{fx^6}{6b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]

[Out] ((b*e - 3*a*f)*x^3)/(3*b^4) + (f*x^6)/(6*b^3) + (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(6*b^5*(a + b*x^3)^2) - (b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)/(3*b^5*(a + b*x^3)) + ((b^2*d - 3*a*b*e + 6*a^2*f)*Log[a + b*x^3])/(3*b^5)

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_.)*(x_)^n_)^p_., x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{x^5 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{x (c + dx + ex^2 + fx^3)}{(a + bx)^3} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{be - 3af}{b^4} + \frac{fx}{b^3} + \frac{a(-b^3c + ab^2d - a^2be + a^3f)}{b^4(a + bx)^3} + \frac{b^3c - 2ab^2d + 3a^2be - 4a^3f}{b^4(a + bx)^3} \right) dx, x, x^3 \right)$$

$$= \frac{(be - 3af)x^3}{3b^4} + \frac{fx^6}{6b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)}{6b^5(a + bx^3)^2} - \frac{b^3c - 2ab^2d + 3a^2be - 4a^3f}{3b^5(a + bx^3)}$$

Mathematica [A] time = 0.10, size = 145, normalized size = 0.99

$$\frac{7a^4f + a^3b(2fx^3 - 5e) + 2(a + bx^3)^2 \log(a + bx^3)(6a^2f - 3abe + b^2d) + a^2b^2(3d - 4ex^3 - 11fx^6) - ab^3(c - 4x^3(d + ex^3 - fx^6)) + b^4x^3(-2c + 2ex^6 + fx^9)}{6b^5(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (7*a^4*f + a^3*b*(-5*e + 2*f*x^3) + a^2*b^2*(3*d - 4*e*x^3 - 11*f*x^6) + b^4*x^3*(-2*c + 2*e*x^6 + f*x^9) - a*b^3*(c - 4*x^3*(d + e*x^3 - f*x^6)) + 2*(b^2*d - 3*a*b*e + 6*a^2*f)*(a + b*x^3)^2*Log[a + b*x^3])/(6*b^5*(a + b*x^3)^2)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]

fricas [A] time = 0.41, size = 225, normalized size = 1.54

$$\frac{b^4fx^{12} + 2(b^4e - 2ab^3f)x^9 + (4ab^2e - 11a^2b^2f)x^6 - ab^2c + 3a^2b^2d - 5a^2be + 7a^4f - 2(b^4c - 2ab^3d + 2a^2b^2e - a^3bf)x^3 + 2((b^4d - 3ab^3e + 6a^2b^2f)x^6 + a^2b^2d - 3a^2be + 6a^4f + 2(ab^3d - 3a^2b^2e + 6a^3bf)x^3) \log(bx^3 + a)}{6(b^7x^6 + 2ab^6x^3 + a^2b^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $1/6*(b^4*f*x^{12} + 2*(b^4*e - 2*a*b^3*f)*x^9 + (4*a*b^3*e - 11*a^2*b^2*f)*x^6 - a*b^3*c + 3*a^2*b^2*d - 5*a^3*b*e + 7*a^4*f - 2*(b^4*c - 2*a*b^3*d + 2*a^2*b^2*e - a^3*b*f)*x^3 + 2*((b^4*d - 3*a*b^3*e + 6*a^2*b^2*f)*x^6 + a^2*b^2*d - 3*a^3*b*e + 6*a^4*f + 2*(a*b^3*d - 3*a^2*b^2*e + 6*a^3*b*f)*x^3)*\log(b*x^3 + a)/(b^7*x^6 + 2*a*b^6*x^3 + a^2*b^5)$

giac [A] time = 0.18, size = 146, normalized size = 1.00

$$\frac{(b^2d + 6a^2f - 3abe)\log(|bx^3 + a|)}{3b^5} + \frac{b^3fx^6 - 6ab^2fx^3 + 2b^3x^3e}{6b^6} - \frac{ab^3c - 3a^2b^2d - 7a^4f + 5a^3be + 2(b^4c - 2ab^3d - 4a^3bf + 3a^2b^2e)x^3}{6(bx^3 + a)^2b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")`

[Out] $1/3*(b^2*d + 6*a^2*f - 3*a*b*e)*\log(\text{abs}(b*x^3 + a))/b^5 + 1/6*(b^3*f*x^6 - 6*a*b^2*f*x^3 + 2*b^3*x^3*e)/b^6 - 1/6*(a*b^3*c - 3*a^2*b^2*d - 7*a^4*f + 5*a^3*b*e + 2*(b^4*c - 2*a*b^3*d - 4*a^3*b*f + 3*a^2*b^2*e)*x^3)/((b*x^3 + a)^2*b^5)$

maple [A] time = 0.07, size = 213, normalized size = 1.46

$$\frac{fx^6}{6b^3} - \frac{afx^3}{b^4} + \frac{ex^3}{3b^3} - \frac{a^4f}{6(bx^3+a)^2b^5} + \frac{a^3e}{6(bx^3+a)^2b^4} - \frac{a^2d}{6(bx^3+a)^2b^3} + \frac{ac}{6(bx^3+a)^2b^2} + \frac{4a^3f}{3(bx^3+a)b^5} - \frac{a^2e}{(bx^3+a)b^4} + \frac{2a^2f \ln(bx^3+a)}{b^5} + \frac{2ad}{3(bx^3+a)b^3} - \frac{ae \ln(bx^3+a)}{b^4} - \frac{c}{3(bx^3+a)b^2} + \frac{d \ln(bx^3+a)}{3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)`

[Out] $1/6*f*x^6/b^3 - 1/b^4*x^3*a*f + 1/3/b^3*x^3*e - 1/6/b^5*a^4/(b*x^3+a)^2*f + 1/6/b^4*a^3/(b*x^3+a)^2*e - 1/6/b^3*a^2/(b*x^3+a)^2*d + 1/6/b^2*a/(b*x^3+a)^2*c + 2/b^5*\ln(b*x^3+a)*a^2*f - 1/b^4*\ln(b*x^3+a)*a*e + 1/3/b^3*\ln(b*x^3+a)*d + 4/3/b^5/(b*x^3+a)*a^3*f - 1/b^4/(b*x^3+a)*a^2*e + 2/3/b^3/(b*x^3+a)*a*d - 1/3/b^2/(b*x^3+a)*c$

maxima [A] time = 1.39, size = 147, normalized size = 1.01

$$\frac{ab^3c - 3a^2b^2d + 5a^3be - 7a^4f + 2(b^4c - 2ab^3d + 3a^2b^2e - 4a^3bf)x^3}{6(b^7x^6 + 2ab^6x^3 + a^2b^5)} + \frac{bfx^6 + 2(be - 3af)x^3}{6b^4} + \frac{(b^2d - 3abe + 6a^2f)\log(bx^3 + a)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $-1/6*(a*b^3*c - 3*a^2*b^2*d + 5*a^3*b*e - 7*a^4*f + 2*(b^4*c - 2*a*b^3*d + 3*a^2*b^2*e - 4*a^3*b*f)*x^3)/(b^7*x^6 + 2*a*b^6*x^3 + a^2*b^5) + 1/6*(b*f*x^6 + 2*(b*e - 3*a*f)*x^3)/b^4 + 1/3*(b^2*d - 3*a*b*e + 6*a^2*f)*\log(b*x^3 + a)/b^5$

mupad [B] time = 0.10, size = 152, normalized size = 1.04

$$x^3 \left(\frac{e}{3b^3} - \frac{af}{b^4} \right) + \frac{\frac{7fa^4 - 5ea^3b + 3da^2b^2 - cab^3}{6b} - x^3 \left(-\frac{4fa^3}{3} + ea^2b - \frac{2dab^2}{3} + \frac{cb^3}{3} \right)}{a^2b^4 + 2ab^5x^3 + b^6x^6} + \frac{fx^6}{6b^3} + \frac{\ln(bx^3 + a)(6fa^2 - 3eab + db^2)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] x^3*(e/(3*b^3) - (a*f)/b^4) + ((7*a^4*f + 3*a^2*b^2*d - a*b^3*c - 5*a^3*b*e)/(6*b) - x^3*((b^3*c)/3 - (4*a^3*f)/3 - (2*a*b^2*d)/3 + a^2*b*e))/(a^2*b^4 + b^6*x^6 + 2*a*b^5*x^3) + (f*x^6)/(6*b^3) + (log(a + b*x^3)*(b^2*d + 6*a^2*f - 3*a*b*e))/(3*b^5)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.227 \quad \int \frac{x^2(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=109

$$-\frac{3a^2f - 2abe + b^2d}{3b^4(a+bx^3)} - \frac{a^3(-f) + a^2be - ab^2d + b^3c}{6b^4(a+bx^3)^2} + \frac{(be - 3af)\log(a+bx^3)}{3b^4} + \frac{fx^3}{3b^3}$$

Rubi [A] time = 0.15, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1819, 1850}

$$-\frac{a^2be + a^3(-f) - ab^2d + b^3c}{6b^4(a+bx^3)^2} - \frac{3a^2f - 2abe + b^2d}{3b^4(a+bx^3)} + \frac{(be - 3af)\log(a+bx^3)}{3b^4} + \frac{fx^3}{3b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (f*x^3)/(3*b^3) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*b^4*(a + b*x^3)^2) - (b^2*d - 2*a*b*e + 3*a^2*f)/(3*b^4*(a + b*x^3)) + ((b*e - 3*a*f)*Log[a + b*x^3])/(3*b^4)

Rule 1819

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_.], x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_.], x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{x^2 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{(a + bx)^3} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{f}{b^3} + \frac{b^3c - ab^2d + a^2be - a^3f}{b^3(a + bx)^3} + \frac{b^2d - 2abe + 3a^2f}{b^3(a + bx)^2} + \frac{be - 3af}{b^3(a + bx)} \right) dx, x, x^3 \right)$$

$$= \frac{fx^3}{3b^3} - \frac{b^3c - ab^2d + a^2be - a^3f}{6b^4(a + bx^3)^2} - \frac{b^2d - 2abe + 3a^2f}{3b^4(a + bx^3)} + \frac{(be - 3af) \log(a + bx^3)}{3b^4}$$

Mathematica [A] time = 0.06, size = 105, normalized size = 0.96

$$\frac{-5a^3f + a^2b(3e - 4fx^3) + ab^2(-d + 4ex^3 + 4fx^6) + 2(a + bx^3)^2(be - 3af) \log(a + bx^3) - b^3(c + 2dx^3 - 2fx^9)}{6b^4(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (-5*a^3*f + a^2*b*(3*e - 4*f*x^3) + a*b^2*(-d + 4*e*x^3 + 4*f*x^6) - b^3*(c + 2*d*x^3 - 2*f*x^9) + 2*(b*e - 3*a*f)*(a + b*x^3)^2*Log[a + b*x^3])/(6*b^4*(a + b*x^3)^2)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]

fricas [A] time = 0.40, size = 158, normalized size = 1.45

$$\frac{2b^3fx^9 + 4ab^2fx^6 - b^3c - ab^2d + 3a^2be - 5a^3f - 2(b^3d - 2ab^2e + 2a^2bf)x^3 + 2((b^3e - 3ab^2f)x^6 + a^2be - 3a^3f + 2(ab^2e - 3a^2bf)x^3) \log(bx^3 + a)}{6(b^6x^6 + 2ab^5x^3 + a^2b^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $\frac{1}{6}*(2*b^3*f*x^9 + 4*a*b^2*f*x^6 - b^3*c - a*b^2*d + 3*a^2*b*e - 5*a^3*f - 2*(b^3*d - 2*a*b^2*e + 2*a^2*b*f)*x^3 + 2*((b^3*e - 3*a*b^2*f)*x^6 + a^2*b*e - 3*a^3*f + 2*(a*b^2*e - 3*a^2*b*f)*x^3)*\log(b*x^3 + a))/(b^6*x^6 + 2*a*b^5*x^3 + a^2*b^4)$

giac [A] time = 0.20, size = 100, normalized size = 0.92

$$\frac{f x^3}{3 b^3} - \frac{(3 a f - b e) \log(|b x^3 + a|)}{3 b^4} - \frac{b^3 c + a b^2 d + 5 a^3 f + 2 (b^3 d + 3 a^2 b f - 2 a b^2 e) x^3 - 3 a^2 b e}{6 (b x^3 + a)^2 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")`

[Out] $\frac{1}{3}*f*x^3/b^3 - \frac{1}{3}*(3*a*f - b*e)*\log(\text{abs}(b*x^3 + a))/b^4 - \frac{1}{6}*(b^3*c + a*b^2*d + 5*a^3*f + 2*(b^3*d + 3*a^2*b*f - 2*a*b^2*e)*x^3 - 3*a^2*b*e)/((b*x^3 + a)^2*b^4)$

maple [A] time = 0.06, size = 156, normalized size = 1.43

$$\frac{f x^3}{3 b^3} + \frac{a^3 f}{6 (b x^3 + a)^2 b^4} - \frac{a^2 e}{6 (b x^3 + a)^2 b^3} + \frac{a d}{6 (b x^3 + a)^2 b^2} - \frac{c}{6 (b x^3 + a)^2 b} - \frac{a^2 f}{(b x^3 + a) b^4} + \frac{2 a e}{3 (b x^3 + a) b^3} - \frac{a f \ln(b x^3 + a)}{b^4} - \frac{d}{3 (b x^3 + a) b^2} + \frac{e \ln(b x^3 + a)}{3 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)`

[Out] $\frac{1}{3}/b^3*f*x^3 + \frac{1}{6}/b^4/(b*x^3+a)^2*a^3*f - \frac{1}{6}/b^3/(b*x^3+a)^2*a^2*e + \frac{1}{6}/b^2/(b*x^3+a)^2*a*d - \frac{1}{6}/b/(b*x^3+a)^2*c - \frac{1}{b^4}*\ln(b*x^3+a)*a*f + \frac{1}{3}/b^3*\ln(b*x^3+a)*e - \frac{1}{b^4}/(b*x^3+a)*a^2*f + \frac{2}{3}/b^3/(b*x^3+a)*a*e - \frac{1}{3}/b^2/(b*x^3+a)*d$

maxima [A] time = 1.38, size = 109, normalized size = 1.00

$$\frac{f x^3}{3 b^3} - \frac{b^3 c + a b^2 d - 3 a^2 b e + 5 a^3 f + 2 (b^3 d - 2 a b^2 e + 3 a^2 b f) x^3}{6 (b^6 x^6 + 2 a b^5 x^3 + a^2 b^4)} + \frac{(b e - 3 a f) \log(b x^3 + a)}{3 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $\frac{1}{3}*f*x^3/b^3 - \frac{1}{6}*(b^3*c + a*b^2*d - 3*a^2*b*e + 5*a^3*f + 2*(b^3*d - 2*a*b^2*e + 3*a^2*b*f)*x^3)/(b^6*x^6 + 2*a*b^5*x^3 + a^2*b^4) + \frac{1}{3}*(b*e - 3*a*f)*\log(b*x^3 + a)/b^4$

mupad [B] time = 4.94, size = 112, normalized size = 1.03

$$\frac{f x^3}{3 b^3} - \frac{x^3 \left(f a^2 - \frac{2 e a b}{3} + \frac{d b^2}{3} \right) + \frac{5 f a^3 - 3 e a^2 b + d a b^2 + c b^3}{6 b}}{a^2 b^3 + 2 a b^4 x^3 + b^5 x^6} - \frac{\ln(b x^3 + a) (3 a f - b e)}{3 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)
```

```
[Out] (f*x^3)/(3*b^3) - (x^3*((b^2*d)/3 + a^2*f - (2*a*b*e)/3) + (b^3*c + 5*a^3*f
+ a*b^2*d - 3*a^2*b*e)/(6*b))/(a^2*b^3 + b^5*x^6 + 2*a*b^4*x^3) - (log(a +
b*x^3)*(3*a*f - b*e))/(3*b^4)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.228 \quad \int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)^3} dx$$

Optimal. Leaf size=114

$$-\frac{1}{3} \left(\frac{c}{a^3} - \frac{f}{b^3} \right) \log(a+bx^3) + \frac{c \log(x)}{a^3} + \frac{2a^3f - a^2be + b^3c}{3a^2b^3(a+bx^3)} + \frac{a^3(-f) + a^2be - ab^2d + b^3c}{6ab^3(a+bx^3)^2}$$

Rubi [A] time = 0.15, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be + a^3(-f) - ab^2d + b^3c}{6ab^3(a+bx^3)^2} + \frac{-a^2be + 2a^3f + b^3c}{3a^2b^3(a+bx^3)} - \frac{1}{3} \left(\frac{c}{a^3} - \frac{f}{b^3} \right) \log(a+bx^3) + \frac{c \log(x)}{a^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^3), x]

[Out] (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*a*b^3*(a + b*x^3)^2) + (b^3*c - a^2*b*e + 2*a^3*f)/(3*a^2*b^3*(a + b*x^3)) + (c*Log[x])/a^3 - ((c/a^3 - f/b^3)*Log[a + b*x^3])/3

Rule 1620

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_)^n_)^p_, x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x(a + bx^3)^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x(a + bx)^3} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^3x} + \frac{-b^3c + ab^2d - a^2be + a^3f}{ab^2(a + bx)^3} + \frac{-b^3c + a^2be - 2a^3f}{a^2b^2(a + bx)^2} + \frac{-b^3c + a^3f}{a^3b^2(a + bx)} \right) dx, x, x^3 \right)$$

$$= \frac{b^3c - ab^2d + a^2be - a^3f}{6ab^3(a + bx^3)^2} + \frac{b^3c - a^2be + 2a^3f}{3a^2b^3(a + bx^3)} + \frac{c \log(x)}{a^3} - \frac{1}{3} \left(\frac{c}{a^3} - \frac{f}{b^3} \right) \log(a + bx^3)$$

Mathematica [A] time = 0.13, size = 104, normalized size = 0.91

$$\frac{2(a^3f - b^3c) \log(a + bx^3) + \frac{a(3a^4f - a^3b(e - 4fx^3) - a^2b^2(d + 2ex^3) + 3ab^3c + 2b^4cx^3)}{(a + bx^3)^2}}{b^3} + 6c \log(x)$$

$$\frac{\hspace{10em}}{6a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^3), x]

[Out] (6*c*Log[x] + ((a*(3*a*b^3*c + 3*a^4*f + 2*b^4*c*x^3 - a^2*b^2*(d + 2*e*x^3) - a^3*b*(e - 4*f*x^3)))/(a + b*x^3)^2 + 2*(-(b^3*c) + a^3*f)*Log[a + b*x^3])/b^3)/(6*a^3)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^3), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^3), x]

fricas [A] time = 0.44, size = 187, normalized size = 1.64

$$\frac{3a^2b^3c - a^3b^2d - a^4be + 3a^5f + 2(ab^4c - a^3b^2e + 2a^4bf)x^3 - 2((b^5c - a^3b^2f)x^6 + a^2b^3c - a^5f + 2(ab^4c - a^4bf)x^3) \log(bx^3 + a) + 6(b^5cx^6 + 2ab^4cx^3 + a^2b^3c) \log(x)}{6(a^3b^5x^6 + 2a^4b^4x^3 + a^5b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $1/6*(3*a^2*b^3*c - a^3*b^2*d - a^4*b*e + 3*a^5*f + 2*(a*b^4*c - a^3*b^2*e + 2*a^4*b*f)*x^3 - 2*((b^5*c - a^3*b^2*f)*x^6 + a^2*b^3*c - a^5*f + 2*(a*b^4*c - a^4*b*f)*x^3)*\log(b*x^3 + a) + 6*(b^5*c*x^6 + 2*a*b^4*c*x^3 + a^2*b^3*c)*\log(x))/(a^3*b^5*x^6 + 2*a^4*b^4*x^3 + a^5*b^3)$

giac [A] time = 0.24, size = 128, normalized size = 1.12

$$\frac{c \log(|x|)}{a^3} - \frac{(b^3c - a^3f) \log(|bx^3 + a|)}{3a^3b^3} + \frac{3b^4cx^6 - 3a^3bfx^6 + 8ab^3cx^3 - 2a^4fx^3 - 2a^3bx^3e + 6a^2b^2c - a^3bd - a^4e}{6(bx^3 + a)^2a^3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^3,x, algorithm="giac")`

[Out] $c*\log(\text{abs}(x))/a^3 - 1/3*(b^3*c - a^3*f)*\log(\text{abs}(b*x^3 + a))/(a^3*b^3) + 1/6*(3*b^4*c*x^6 - 3*a^3*b*f*x^6 + 8*a*b^3*c*x^3 - 2*a^4*f*x^3 - 2*a^3*b*x^3*e + 6*a^2*b^2*c - a^3*b*d - a^4*e)/((b*x^3 + a)^2*a^3*b^2)$

maple [A] time = 0.06, size = 147, normalized size = 1.29

$$-\frac{a^2f}{6(bx^3+a)^2b^3} + \frac{ae}{6(bx^3+a)^2b^2} + \frac{c}{6(bx^3+a)^2a} - \frac{d}{6(bx^3+a)^2b} + \frac{2af}{3(bx^3+a)b^3} + \frac{c}{3(bx^3+a)a^2} + \frac{c \ln(x)}{a^3} - \frac{c \ln(bx^3+a)}{3a^3} - \frac{e}{3(bx^3+a)b^2} + \frac{f \ln(bx^3+a)}{3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^3,x)`

[Out] $-1/6*a^2/b^3/(b*x^3+a)^2*f + 1/6*a/b^2/(b*x^3+a)^2*e - 1/6*b/(b*x^3+a)^2*d + 1/6/a/(b*x^3+a)^2*c + 1/3/b^3*\ln(b*x^3+a)*f - 1/3*c*\ln(b*x^3+a)/a^3 + 2/3*a/b^3/(b*x^3+a)*f - 1/3/b^2/(b*x^3+a)*e + 1/3/a^2/(b*x^3+a)*c + c*\ln(x)/a^3$

maxima [A] time = 1.37, size = 129, normalized size = 1.13

$$\frac{3ab^3c - a^2b^2d - a^3be + 3a^4f + 2(b^4c - a^2b^2e + 2a^3bf)x^3}{6(a^2b^5x^6 + 2a^3b^4x^3 + a^4b^3)} + \frac{c \log(x^3)}{3a^3} - \frac{(b^3c - a^3f) \log(bx^3 + a)}{3a^3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $1/6*(3*a*b^3*c - a^2*b^2*d - a^3*b*e + 3*a^4*f + 2*(b^4*c - a^2*b^2*e + 2*a^3*b*f)*x^3)/(a^2*b^5*x^6 + 2*a^3*b^4*x^3 + a^4*b^3) + 1/3*c*\log(x^3)/a^3 - 1/3*(b^3*c - a^3*f)*\log(b*x^3 + a)/(a^3*b^3)$

mupad [B] time = 0.18, size = 123, normalized size = 1.08

$$\frac{\frac{3fa^3 - ea^2b - daab^2 + 3cb^3}{6ab^3} + \frac{x^3(2fa^3 - ea^2b + cb^3)}{3a^2b^2}}{a^2 + 2abx^3 + b^2x^6} + \frac{c \ln(x)}{a^3} - \frac{\ln(bx^3 + a)(b^3c - a^3f)}{3a^3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^3),x)
```

```
[Out] ((3*b^3*c + 3*a^3*f - a*b^2*d - a^2*b*e)/(6*a*b^3) + (x^3*(b^3*c + 2*a^3*f - a^2*b*e))/(3*a^2*b^2))/(a^2 + b^2*x^6 + 2*a*b*x^3) + (c*log(x))/a^3 - (log(a + b*x^3)*(b^3*c - a^3*f))/(3*a^3*b^3)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.229 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)^3} dx$$

Optimal. Leaf size=134

$$\frac{(3bc - ad) \log(a + bx^3)}{3a^4} - \frac{\log(x)(3bc - ad)}{a^4} - \frac{a^3f - ab^2d + 2b^3c}{3a^3b^2(a + bx^3)} - \frac{c}{3a^3x^3} - \frac{a^3(-f) + a^2be - ab^2d + b^3c}{6a^2b^2(a + bx^3)^2}$$

Rubi [A] time = 0.17, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{a^2be + a^3(-f) - ab^2d + b^3c}{6a^2b^2(a + bx^3)^2} - \frac{a^3f - ab^2d + 2b^3c}{3a^3b^2(a + bx^3)} + \frac{(3bc - ad) \log(a + bx^3)}{3a^4} - \frac{\log(x)(3bc - ad)}{a^4} - \frac{c}{3a^3x^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^3), x]

[Out] -c/(3*a^3*x^3) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*a^2*b^2*(a + b*x^3)^2) - (2*b^3*c - a*b^2*d + a^3*f)/(3*a^3*b^2*(a + b*x^3)) - ((3*b*c - a*d)*Log[x])/a^4 + ((3*b*c - a*d)*Log[a + b*x^3])/(3*a^4)

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_.*((a_.) + (b_.)*(x_))^(n_))^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^4(a + bx^3)^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^2(a + bx)^3} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^3x^2} + \frac{-3bc + ad}{a^4x} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^2b(a + bx)^3} + \frac{2b^3c - ab^2d + a^3f}{a^3b(a + bx)^2} - \frac{3bc - ad}{a^4} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{3a^3x^3} - \frac{b^3c - ab^2d + a^2be - a^3f}{6a^2b^2(a + bx^3)^2} - \frac{2b^3c - ab^2d + a^3f}{3a^3b^2(a + bx^3)} - \frac{(3bc - ad) \log(x)}{a^4} + \frac{(3bc - ad) \log(x)}{a^4}$$

Mathematica [A] time = 0.11, size = 121, normalized size = 0.90

$$\frac{-\frac{2a(a^3f - ab^2d + 2b^3c)}{b^2(a + bx^3)} + \frac{a^2(a^3f - a^2be + ab^2d - b^3c)}{b^2(a + bx^3)^2} + 2(3bc - ad) \log(a + bx^3) + 6 \log(x)(ad - 3bc) - \frac{2ac}{x^3}}{6a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^3), x]

[Out] ((-2*a*c)/x^3 + (a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(b^2*(a + b*x^3)^2) - (2*a*(2*b^3*c - a*b^2*d + a^3*f))/(b^2*(a + b*x^3)) + 6*(-3*b*c + a*d)*Log[x] + 2*(3*b*c - a*d)*Log[a + b*x^3])/(6*a^4)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^4(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^3), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^3), x]

fricas [A] time = 0.43, size = 250, normalized size = 1.87

$$\frac{2(3ab^4c - a^2b^3d + a^4bf)x^6 + 2a^3b^2c + (9a^2b^3c - 3a^3b^2d + a^4be + a^5f)x^3 - 2((3b^5c - ab^4d)x^9 + 2(3ab^4c - a^2b^3d)x^6 + (3a^2b^3c - a^3b^2d)x^3) \log(bx^3 + a) + 6((3b^5c - ab^4d)x^9 + 2(3ab^4c - a^2b^3d)x^6 + (3a^2b^3c - a^3b^2d)x^3) \log(x)}{6(a^4b^4x^9 + 2a^3b^3x^6 + a^2b^2x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $-1/6*(2*(3*a*b^4*c - a^2*b^3*d + a^4*b*f)*x^6 + 2*a^3*b^2*c + (9*a^2*b^3*c - 3*a^3*b^2*d + a^4*b*e + a^5*f)*x^3 - 2*((3*b^5*c - a*b^4*d)*x^9 + 2*(3*a*b^4*c - a^2*b^3*d)*x^6 + (3*a^2*b^3*c - a^3*b^2*d)*x^3)*\log(b*x^3 + a) + 6*((3*b^5*c - a*b^4*d)*x^9 + 2*(3*a*b^4*c - a^2*b^3*d)*x^6 + (3*a^2*b^3*c - a^3*b^2*d)*x^3)*\log(x))/(a^4*b^4*x^9 + 2*a^5*b^3*x^6 + a^6*b^2*x^3)$

giac [A] time = 0.18, size = 173, normalized size = 1.29

$$\frac{(3bc-ad)\log(|x|)}{a^4} + \frac{(3b^2c-abd)\log(|bx^3+a|)}{3a^4b} + \frac{3bcx^3-adx^3-ac}{3a^4x^3} - \frac{9b^5cx^6-3ab^4dx^6+22ab^4cx^3-8a^2b^3dx^3+2a^4bfx^3+14a^2b^3c-6a^3b^2d+a^5f+a^4be}{6(bx^3+a)^2a^4b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^3,x, algorithm="giac")`

[Out] $-(3*b*c - a*d)*\log(\text{abs}(x))/a^4 + 1/3*(3*b^2*c - a*b*d)*\log(\text{abs}(b*x^3 + a))/(a^4*b) + 1/3*(3*b*c*x^3 - a*d*x^3 - a*c)/(a^4*x^3) - 1/6*(9*b^5*c*x^6 - 3*a*b^4*d*x^6 + 22*a*b^4*c*x^3 - 8*a^2*b^3*d*x^3 + 2*a^4*b*f*x^3 + 14*a^2*b^3*c - 6*a^3*b^2*d + a^5*f + a^4*b*e)/((b*x^3 + a)^2*a^4*b^2)$

maple [A] time = 0.06, size = 163, normalized size = 1.22

$$\frac{af}{6(bx^3+a)^2b^2} + \frac{d}{6(bx^3+a)^2a} - \frac{bc}{6(bx^3+a)^2a^2} - \frac{e}{6(bx^3+a)^2b} + \frac{d}{3(bx^3+a)a^2} - \frac{2bc}{3(bx^3+a)a^3} + \frac{d\ln(x)}{a^3} - \frac{d\ln(bx^3+a)}{3a^3} - \frac{3bc\ln(x)}{a^4} + \frac{bc\ln(bx^3+a)}{a^4} - \frac{f}{3(bx^3+a)b^2} - \frac{c}{3a^3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^3,x)`

[Out] $1/6*a/b^2/(b*x^3+a)^2*f - 1/6/b/(b*x^3+a)^2*e + 1/6/a/(b*x^3+a)^2*d - 1/6/a^2*b/(b*x^3+a)^2*c - 1/3*d*\ln(b*x^3+a)/a^3 + b*c*\ln(b*x^3+a)/a^4 - 1/3/b^2/(b*x^3+a)*f + 1/3/a^2/(b*x^3+a)*d - 2/3/a^3*b/(b*x^3+a)*c - 1/3/a^3*c/x^3 + d*\ln(x)/a^3 - 3*b*c*\ln(x)/a^4$

maxima [A] time = 1.36, size = 144, normalized size = 1.07

$$\frac{2(3b^4c - ab^3d + a^3bf)x^6 + 2a^2b^2c + (9ab^3c - 3a^2b^2d + a^3be + a^4f)x^3}{6(a^3b^4x^9 + 2a^4b^3x^6 + a^5b^2x^3)} + \frac{(3bc - ad)\log(bx^3 + a)}{3a^4} - \frac{(3bc - ad)\log(x^3)}{3a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $-1/6*(2*(3*b^4*c - a*b^3*d + a^3*b*f)*x^6 + 2*a^2*b^2*c + (9*a*b^3*c - 3*a^2*b^2*d + a^3*b*e + a^4*f)*x^3)/(a^3*b^4*x^9 + 2*a^4*b^3*x^6 + a^5*b^2*x^3) + 1/3*(3*b*c - a*d)*\log(b*x^3 + a)/a^4 - 1/3*(3*b*c - a*d)*\log(x^3)/a^4$

mupad [B] time = 5.07, size = 135, normalized size = 1.01

$$\frac{\ln(x) (ad - 3bc)}{a^4} - \frac{\ln(bx^3 + a) (ad - 3bc)}{3a^4} - \frac{\frac{c}{3a} + \frac{x^6 (fa^3 - dab^2 + 3cb^3)}{3a^3b}}{a^2x^3 + 2abx^6 + b^2x^9} + \frac{x^3 (fa^3 + ea^2b - 3dab^2 + 9cb^3)}{6a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^3), x)

[Out] (log(x)*(a*d - 3*b*c))/a^4 - (log(a + b*x^3)*(a*d - 3*b*c))/(3*a^4) - (c/(3*a) + (x^6*(3*b^3*c + a^3*f - a*b^2*d))/(3*a^3*b) + (x^3*(9*b^3*c + a^3*f - 3*a*b^2*d + a^2*b*e))/(6*a^2*b^2))/(a^2*x^3 + b^2*x^9 + 2*a*b*x^6)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**4/(b*x**3+a)**3,x)

[Out] Timed out

$$3.230 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)^3} dx$$

Optimal. Leaf size=163

$$\frac{3bc-ad}{3a^4x^3} - \frac{c}{6a^3x^6} - \frac{\log(a+bx^3)(a^2e-3abd+6b^2c)}{3a^5} + \frac{\log(x)(a^2e-3abd+6b^2c)}{a^5} + \frac{a^2e-2abd+3b^2c}{3a^4(a+bx^3)} + \frac{a^3(-f)+}{6a^3}$$

Rubi [A] time = 0.20, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be+a^3(-f)-ab^2d+b^3c}{6a^3b(a+bx^3)^2} + \frac{a^2e-2abd+3b^2c}{3a^4(a+bx^3)} - \frac{\log(a+bx^3)(a^2e-3abd+6b^2c)}{3a^5} + \frac{\log(x)(a^2e-3abd+6b^2c)}{a^5} + \frac{3bc-ad}{3a^4x^3} - \frac{c}{6a^3x^6}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^3), x]

[Out] -c/(6*a^3*x^6) + (3*b*c - a*d)/(3*a^4*x^3) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*a^3*b*(a + b*x^3)^2) + (3*b^2*c - 2*a*b*d + a^2*e)/(3*a^4*(a + b*x^3)) + ((6*b^2*c - 3*a*b*d + a^2*e)*Log[x])/a^5 - ((6*b^2*c - 3*a*b*d + a^2*e)*Log[a + b*x^3])/(3*a^5)

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_)^n_)^p_, x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^7 (a + bx^3)^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^3 (a + bx)^3} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^3 x^3} + \frac{-3bc + ad}{a^4 x^2} + \frac{6b^2c - 3abd + a^2e}{a^5 x} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^3 (a + bx)^3} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{6a^3 x^6} + \frac{3bc - ad}{3a^4 x^3} + \frac{b^3c - ab^2d + a^2be - a^3f}{6a^3 b (a + bx^3)^2} + \frac{3b^2c - 2abd + a^2e}{3a^4 (a + bx^3)} + \frac{(6b^2c - 3abd + a^3f)}{3a^3 (a + bx^3)^3}$$

Mathematica [A] time = 0.13, size = 149, normalized size = 0.91

$$\frac{\frac{2a(a^2e - 2abd + 3b^2c)}{a + bx^3} - 2 \log(a + bx^3)(a^2e - 3abd + 6b^2c) + 6 \log(x)(a^2e - 3abd + 6b^2c) - \frac{a^2c}{x^6} + \frac{a^2(a^3(-f) + a^2be - ab^2d + b^3c)}{b(a + bx^3)^2} - \frac{2a(ad - 3bc)}{x^3}}{6a^5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^3), x]

[Out] (-((a^2*c)/x^6) - (2*a*(-3*b*c + a*d))/x^3 + (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(b*(a + b*x^3)^2) + (2*a*(3*b^2*c - 2*a*b*d + a^2*e))/(a + b*x^3) + 6*(6*b^2*c - 3*a*b*d + a^2*e)*Log[x] - 2*(6*b^2*c - 3*a*b*d + a^2*e)*Log[a + b*x^3])/(6*a^5)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^7 (a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^3), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^3), x]

fricas [B] time = 0.43, size = 316, normalized size = 1.94

$$\frac{2(6ab^3c - 3a^2b^2d + a^3b^2e)^2 + (18a^2b^3c - 9a^2b^2d + 3a^2be - a^3f)^2 - a^4bc + 2(2a^2b^2c - a^3bd)^2 - 2((6b^3c - 3ab^2d + a^2b^2e)^2 + 2(6ab^3c - 3a^2b^2d + a^3b^2e)^2 + (6a^2b^3c - 3a^2b^2d + a^3be)^2) \log(bx^3 + a) + 6((6b^3c - 3ab^2d + a^2b^2e)^2 + 2(6ab^3c - 3a^2b^2d + a^3b^2e)^2 + (6a^2b^3c - 3a^2b^2d + a^3be)^2) \log(a)}{6(a^2b^3x^3 + 2a^2b^2x^6 + a^3bx^9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $1/6*(2*(6*a*b^4*c - 3*a^2*b^3*d + a^3*b^2*e)*x^9 + (18*a^2*b^3*c - 9*a^3*b^2*d + 3*a^4*b*e - a^5*f)*x^6 - a^4*b*c + 2*(2*a^3*b^2*c - a^4*b*d)*x^3 - 2*((6*b^5*c - 3*a*b^4*d + a^2*b^3*e)*x^{12} + 2*(6*a*b^4*c - 3*a^2*b^3*d + a^3*b^2*e)*x^9 + (6*a^2*b^3*c - 3*a^3*b^2*d + a^4*b*e)*x^6)*\log(b*x^3 + a) + 6*((6*b^5*c - 3*a*b^4*d + a^2*b^3*e)*x^{12} + 2*(6*a*b^4*c - 3*a^2*b^3*d + a^3*b^2*e)*x^9 + (6*a^2*b^3*c - 3*a^3*b^2*d + a^4*b*e)*x^6)*\log(x))/(a^5*b^3*x^{12} + 2*a^6*b^2*x^9 + a^7*b*x^6)$

giac [A] time = 0.19, size = 189, normalized size = 1.16

$$\frac{(6b^2c - 3abd + a^2e)\log(|x|)}{a^5} - \frac{(6b^3c - 3ab^2d + a^2be)\log(|bx^3 + a|)}{3a^5b} + \frac{12b^4cx^9 - 6ab^3dx^9 + 2a^2b^2x^9e + 18ab^3cx^6 - 9a^2b^2dx^6 - a^4fx^6 + 3a^3bx^6e + 4a^2b^2cx^3 - 2a^3bdx^3 - a^3bc}{6(bx^6 + ax^3)^2a^4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^3,x, algorithm="giac")`

[Out] $(6*b^2*c - 3*a*b*d + a^2*e)*\log(\text{abs}(x))/a^5 - 1/3*(6*b^3*c - 3*a*b^2*d + a^2*b*e)*\log(\text{abs}(b*x^3 + a))/(a^5*b) + 1/6*(12*b^4*c*x^9 - 6*a*b^3*d*x^9 + 2*a^2*b^2*x^9*e + 18*a*b^3*c*x^6 - 9*a^2*b^2*d*x^6 - a^4*f*x^6 + 3*a^3*b*x^6*e + 4*a^2*b^2*c*x^3 - 2*a^3*b*d*x^3 - a^3*b*c)/((b*x^6 + a*x^3)^2*a^4*b)$

maple [A] time = 0.06, size = 213, normalized size = 1.31

$$\frac{e}{6(bx^3+a)^2a} - \frac{bd}{6(bx^3+a)^2a^2} + \frac{b^2c}{6(bx^3+a)^2a^3} - \frac{f}{6(bx^3+a)^2b} + \frac{e}{3(bx^3+a)a^2} - \frac{2bd}{3(bx^3+a)a^3} + \frac{e\ln(x)}{a^3} - \frac{e\ln(bx^3+a)}{3a^3} + \frac{b^2c}{(bx^3+a)a^4} - \frac{3bd\ln(x)}{a^4} + \frac{bd\ln(bx^3+a)}{a^4} + \frac{6b^2c\ln(x)}{a^5} - \frac{2b^2c\ln(bx^3+a)}{a^5} - \frac{d}{3a^3x^3} + \frac{bc}{a^4x^3} - \frac{c}{6a^3x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^3,x)`

[Out] $-1/6/b/(b*x^3+a)^2*f + 1/6/a/(b*x^3+a)^2*e - 1/6/a^2*b/(b*x^3+a)^2*d + 1/6/a^3*b^2/(b*x^3+a)^2*c - 1/3*e*\ln(b*x^3+a)/a^3 + 1/a^4*\ln(b*x^3+a)*b*d - 2/a^5*\ln(b*x^3+a)*b^2*c + 1/3/a^2/(b*x^3+a)*e - 2/3/a^3*b/(b*x^3+a)*d + 1/a^4*b^2/(b*x^3+a)*c - 1/6*c/a^3/x^6 - 1/3/a^3/x^3*d + 1/a^4/x^3*b*c + e*\ln(x)/a^3 - 3/a^4*\ln(x)*b*d + 6/a^5*\ln(x)*b^2*c$

maxima [A] time = 1.40, size = 182, normalized size = 1.12

$$\frac{2(6b^4c - 3ab^3d + a^2b^2e)x^9 + (18ab^3c - 9a^2b^2d + 3a^3be - a^4f)x^6 - a^3bc + 2(2a^2b^2c - a^3bd)x^3}{6(a^4b^3x^{12} + 2a^5b^2x^9 + a^6bx^6)} - \frac{(6b^2c - 3abd + a^2e)\log(bx^3 + a)}{3a^5} + \frac{(6b^2c - 3abd + a^2e)\log(x^3)}{3a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $1/6*(2*(6*b^4*c - 3*a*b^3*d + a^2*b^2*e)*x^9 + (18*a*b^3*c - 9*a^2*b^2*d + 3*a^3*b*e - a^4*f)*x^6 - a^3*b*c + 2*(2*a^2*b^2*c - a^3*b*d)*x^3)/(a^4*b^3*$

$$x^{12} + 2a^5b^2x^9 + a^6bx^6 - \frac{1}{3}(6b^2c - 3ab^2d + a^2e)\log(bx^3 + a) - \frac{1}{3}(6b^2c - 3ab^2d + a^2e)\log(x^3)/a^5$$

mupad [B] time = 5.10, size = 167, normalized size = 1.02

$$\frac{\ln(x)(ea^2 - 3dab + 6cb^2)}{a^5} - \frac{\ln(bx^3 + a)(ea^2 - 3dab + 6cb^2)}{3a^5} - \frac{c}{6a} + \frac{x^3(ad - 2bc)}{3a^2} - \frac{bx^9(ea^2 - 3dab + 6cb^2)}{3a^4} - \frac{x^6(-fa^3 + 3ea^2b - 9dab^2 + 18cb^3)}{6a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^3), x)

[Out] (log(x)*(6*b^2*c + a^2*e - 3*a*b*d))/a^5 - (log(a + b*x^3)*(6*b^2*c + a^2*e - 3*a*b*d))/(3*a^5) - (c/(6*a) + (x^3*(a*d - 2*b*c))/(3*a^2) - (b*x^9*(6*b^2*c + a^2*e - 3*a*b*d))/(3*a^4) - (x^6*(18*b^3*c - a^3*f - 9*a*b^2*d + 3*a^2*b*e))/(6*a^3*b))/(a^2*x^6 + b^2*x^12 + 2*a*b*x^9)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**7/(b*x**3+a)**3,x)

[Out] Timed out

$$3.231 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)^3} dx$$

Optimal. Leaf size=218

$$\frac{3bc-ad}{6a^4x^6} - \frac{c}{9a^3x^9} - \frac{a^2e-3abd+6b^2c}{3a^5x^3} + \frac{\log(a+bx^3)(a^3(-f)+3a^2be-6ab^2d+10b^3c)}{3a^6} - \frac{\log(x)(a^3(-f)+3a^2be)}{a^6}$$

Rubi [A] time = 0.26, antiderivative size = 218, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{2a^2be+a^3(-f)-3ab^2d+4b^3c}{3a^5(a+bx^3)} - \frac{a^2e+a^3(-f)-ab^2d+b^3c}{6a^4(a+bx^3)^2} + \frac{\log(a+bx^3)(3a^2be+a^3(-f)-6ab^2d+10b^3c)}{3a^6} - \frac{\log(x)(3a^2be+a^3(-f)-6ab^2d+10b^3c)}{a^6} - \frac{a^2e-3abd+6b^2c}{3a^5x^3} + \frac{3bc-ad}{6a^4x^6} - \frac{c}{9a^3x^9}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^3), x]

[Out] -c/(9*a^3*x^9) + (3*b*c - a*d)/(6*a^4*x^6) - (6*b^2*c - 3*a*b*d + a^2*e)/(3*a^5*x^3) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*a^4*(a + b*x^3)^2) - (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(3*a^5*(a + b*x^3)) - ((10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)*Log[x])/a^6 + ((10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*a^6)

Rule 1620

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_)*((a_) + (b_)*(x_))^(n_)*((c_) + (d_)*(x_))^(p_), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{10} (a + bx^3)^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^4 (a + bx)^3} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^3 x^4} + \frac{-3bc + ad}{a^4 x^3} + \frac{6b^2c - 3abd + a^2e}{a^5 x^2} + \frac{-10b^3c + 6ab^2d - 3a^2be + a^3f}{a^6 x} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{9a^3 x^9} + \frac{3bc - ad}{6a^4 x^6} - \frac{6b^2c - 3abd + a^2e}{3a^5 x^3} - \frac{b^3c - ab^2d + a^2be - a^3f}{6a^4 (a + bx^3)^2} - \frac{4b^3c - 3ab^2d + a^2be - a^3f}{3a^5 (a + bx^3)}$$

Mathematica [A] time = 0.17, size = 200, normalized size = 0.92

$$\frac{-\frac{2a^3c}{x^9} - \frac{6a(a^2e-3abd+6b^2c)}{x^3} - \frac{3a^2(ad-3bc)}{x^6} + \frac{3a^2(a^3f-a^2be+ab^2d-b^3c)}{(a+bx^3)^2} + \frac{6a(a^3f-2a^2be+3ab^2d-4b^3c)}{a+bx^3} + 6 \log(a+bx^3)(a^3(-f)+3a^2be-6ab^2d+10b^3c) + 18 \log(x)(a^3f-3a^2be+6ab^2d-10b^3c)}{18a^6}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^3), x]

[Out] ((-2*a^3*c)/x^9 - (3*a^2*(-3*b*c + a*d))/x^6 - (6*a*(6*b^2*c - 3*a*b*d + a^2*e))/x^3 + (3*a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3)^2 + (6*a*(-4*b^3*c + 3*a*b^2*d - 2*a^2*b*e + a^3*f))/(a + b*x^3) + 18*(-10*b^3*c + 6*a*b^2*d - 3*a^2*b*e + a^3*f)*Log[x] + 6*(10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)*Log[a + b*x^3])/(18*a^6)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{10} (a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^3), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^3), x]

fricas [A] time = 0.47, size = 396, normalized size = 1.82

$$\frac{6(10a^3c - 6a^2bd + 3a^2e - af^2) + 9(10a^2c - 6a^2bd + 3a^2e - af^2)^2 + 2(10a^2c - 6a^2bd + 3a^2e - af^2)^3 - 6(10a^2c - 6a^2bd + 3a^2e - af^2)^4 - 6(10a^2c - 6a^2bd + 3a^2e - af^2)^5 - 6(10a^2c - 6a^2bd + 3a^2e - af^2)^6 - 6(10a^2c - 6a^2bd + 3a^2e - af^2)^7 - 6(10a^2c - 6a^2bd + 3a^2e - af^2)^8 - 6(10a^2c - 6a^2bd + 3a^2e - af^2)^9 - 6(10a^2c - 6a^2bd + 3a^2e - af^2)^{10}}{18(a^2b^3 + 2a^2b^2 + ab^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $-1/18*(6*(10*a*b^4*c - 6*a^2*b^3*d + 3*a^3*b^2*e - a^4*b*f)*x^{12} + 9*(10*a^2*b^3*c - 6*a^3*b^2*d + 3*a^4*b*e - a^5*f)*x^9 + 2*(10*a^3*b^2*c - 6*a^4*b*d + 3*a^5*e)*x^6 + 2*a^5*c - (5*a^4*b*c - 3*a^5*d)*x^3 - 6*((10*b^5*c - 6*a*b^4*d + 3*a^2*b^3*e - a^3*b^2*f)*x^{15} + 2*(10*a*b^4*c - 6*a^2*b^3*d + 3*a^3*b^2*e - a^4*b*f)*x^{12} + (10*a^2*b^3*c - 6*a^3*b^2*d + 3*a^4*b*e - a^5*f)*x^9)*\log(b*x^3 + a) + 18*((10*b^5*c - 6*a*b^4*d + 3*a^2*b^3*e - a^3*b^2*f)*x^{15} + 2*(10*a*b^4*c - 6*a^2*b^3*d + 3*a^3*b^2*e - a^4*b*f)*x^{12} + (10*a^2*b^3*c - 6*a^3*b^2*d + 3*a^4*b*e - a^5*f)*x^9)*\log(x))/(a^6*b^2*x^{15} + 2*a^7*b*x^{12} + a^8*x^9)$

giac [A] time = 0.19, size = 324, normalized size = 1.49

$\frac{(10b^5c - 6ab^4d - a^2f + 3a^2b^2c)\log(bx^3 + a)}{a^6} + \frac{(10b^5c - 6ab^4d - a^2f + 3a^2b^2c)\log(bx^3 + a)}{3a^6} - \frac{30b^5c^2 - 18ab^4d^2 - 3a^2b^3f^2 + 9a^2b^3c^2 + 68ab^4c^2 - 42a^2b^3d^2 - 8a^2b^3f^2 + 22a^2b^3c^2 + 39a^2b^3c - 25a^2b^2d - 6a^2f + 14a^2be}{6(bx^3 + a)^2 a^6} + \frac{110b^5c^2 - 66ab^4d^2 - 11a^2f^2 + 33a^2b^3c^2 - 36ab^4c^2 + 18a^2bd^2 - 6a^2f^2 + 9a^2bc^2 - 3a^2d^2 - 2a^2c}{18a^6}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^3,x, algorithm="giac")`

[Out] $-(10*b^3*c - 6*a*b^2*d - a^3*f + 3*a^2*b*e)*\log(\text{abs}(x))/a^6 + 1/3*(10*b^4*c - 6*a*b^3*d - a^3*b*f + 3*a^2*b^2*e)*\log(\text{abs}(b*x^3 + a))/(a^6*b) - 1/6*(30*b^5*c*x^6 - 18*a*b^4*d*x^6 - 3*a^3*b^2*f*x^6 + 9*a^2*b^3*x^6*e + 68*a*b^4*c*x^3 - 42*a^2*b^3*d*x^3 - 8*a^4*b*f*x^3 + 22*a^3*b^2*x^3*e + 39*a^2*b^3*c - 25*a^3*b^2*d - 6*a^5*f + 14*a^4*b*e)/(b*x^3 + a)^2*a^6 + 1/18*(110*b^3*c*x^9 - 66*a*b^2*d*x^9 - 11*a^3*f*x^9 + 33*a^2*b*x^9*e - 36*a*b^2*c*x^6 + 18*a^2*b*d*x^6 - 6*a^3*x^6*e + 9*a^2*b*c*x^3 - 3*a^3*d*x^3 - 2*a^3*c)/(a^6*x^9)$

maple [A] time = 0.07, size = 293, normalized size = 1.34

$\frac{f}{6(bx^3+a)^2 a} - \frac{be}{6(bx^3+a)^2 a^2} + \frac{b^2d}{6(bx^3+a)^2 a^2} - \frac{b^2c}{6(bx^3+a)^2 a^2} + \frac{f}{3(bx^3+a)a^2} - \frac{2be}{3(bx^3+a)a^2} + \frac{f \ln(x)}{a^3} - \frac{f \ln(bx^3+a)}{3a^3} + \frac{b^2d}{(bx^3+a)a^2} - \frac{3be \ln(x)}{a^4} + \frac{be \ln(bx^3+a)}{a^4} - \frac{4b^2c}{3(bx^3+a)a^2} + \frac{6a^2d \ln(x)}{a^6} - \frac{2b^2d \ln(bx^3+a)}{a^6} + \frac{10b^3c \ln(x)}{a^6} + \frac{10b^3c \ln(bx^3+a)}{3a^6} - \frac{c}{3a^3} - \frac{bd}{a^4} - \frac{2b^2c}{a^5} - \frac{d}{6a^3} - \frac{bc}{2a^4} - \frac{c}{9a^3}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^3,x)`

[Out] $1/6/a/(b*x^3+a)^2*f - 1/6/a^2*b/(b*x^3+a)^2*e + 1/6/a^3*b^2/(b*x^3+a)^2*d - 1/6/a^4*b^3/(b*x^3+a)^2*c - 1/3/a^3*\ln(b*x^3+a)*f + 1/a^4*b*\ln(b*x^3+a)*e - 2/a^5*b^2*\ln(b*x^3+a)*d + 10/3/a^6*b^3*\ln(b*x^3+a)*c + 1/3/a^2/(b*x^3+a)*f - 2/3/a^3*b/(b*x^3+a)*e + 1/a^4*b^2/(b*x^3+a)*d - 4/3/a^5*b^3/(b*x^3+a)*c - 1/9/a^3*c/x^9 - 1/6/a^3/x^6*d + 1/2/a^4/x^6*b*c - 1/3/a^3/x^3*e + 1/a^4/x^3*b*d - 2/a^5/x^3*b^2*c + 1/a^3*\ln(x)*f - 3/a^4*\ln(x)*b*e + 6/a^5*\ln(x)*b^2*d - 10/a^6*\ln(x)*b^3*c$

maxima [A] time = 1.46, size = 232, normalized size = 1.06

$\frac{6(10b^4c - 6ab^3d + 3a^2b^2e - a^3bf)x^{12} + 9(10ab^3c - 6a^2b^2d + 3a^3be - a^4f)x^9 + 2(10a^2b^2c - 6a^3bd + 3a^4e)x^6 + 2a^4c - (5a^3bc - 3a^4d)x^3}{18(a^5b^2x^{15} + 2a^6bx^{12} + a^7x^9)} + \frac{(10b^5c - 6ab^4d + 3a^2b^2c - a^2f)\log(bx^3 + a)}{3a^6} - \frac{(10b^5c - 6ab^4d + 3a^2b^2c - a^2f)\log(x^3)}{3a^6}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$-1/18*(6*(10*b^4*c - 6*a*b^3*d + 3*a^2*b^2*e - a^3*b*f)*x^{12} + 9*(10*a*b^3*c - 6*a^2*b^2*d + 3*a^3*b*e - a^4*f)*x^9 + 2*(10*a^2*b^2*c - 6*a^3*b*d + 3*a^4*e)*x^6 + 2*a^4*c - (5*a^3*b*c - 3*a^4*d)*x^3)/(a^5*b^2*x^{15} + 2*a^6*b*x^{12} + a^7*x^9) + 1/3*(10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)*\log(b*x^3 + a)/a^6 - 1/3*(10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)*\log(x^3)/a^6$$

mupad [B] time = 5.17, size = 222, normalized size = 1.02

$$\frac{\ln(bx^3+a)(-fa^3+3ea^2b-6dab^2+10cb^3)}{3a^6} - \frac{c}{9a} + \frac{x^9(-fa^3+3ea^2b-6dab^2+10cb^3)}{2a^4} + \frac{x^3(3ad-5bc)}{18a^2} + \frac{x^6(3ea^2-6dab+10cb^2)}{9a^3} + \frac{bx^{12}(-fa^3+3ea^2b-6dab^2+10cb^3)}{3a^5} - \frac{\ln(x)(-fa^3+3ea^2b-6dab^2+10cb^3)}{a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^3),x)

[Out]
$$\frac{\log(a + b*x^3)*(10*b^3*c - a^3*f - 6*a*b^2*d + 3*a^2*b*e)}{(3*a^6)} - \frac{c}{(9*a)} + \frac{x^9*(10*b^3*c - a^3*f - 6*a*b^2*d + 3*a^2*b*e)}{(2*a^4)} + \frac{x^3*(3*a*d - 5*b*c)}{(18*a^2)} + \frac{x^6*(10*b^2*c + 3*a^2*e - 6*a*b*d)}{(9*a^3)} + \frac{b*x^{12}*(10*b^3*c - a^3*f - 6*a*b^2*d + 3*a^2*b*e)}{(3*a^5)} / (a^2*x^9 + b^2*x^{15} + 2*a*b*x^{12}) - \frac{\log(x)*(10*b^3*c - a^3*f - 6*a*b^2*d + 3*a^2*b*e)}{a^6}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**10/(b*x**3+a)**3,x)

[Out] Timed out

$$3.232 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)^3} dx$$

Optimal. Leaf size=258

$$\frac{3bc-ad}{9a^4x^9} - \frac{c}{12a^3x^{12}} - \frac{a^2e-3abd+6b^2c}{6a^5x^6} - \frac{b \log(a+bx^3)(-3a^3f+6a^2be-10ab^2d+15b^3c)}{3a^7} + \frac{b \log(x)(-3a^3f+6a^2be-10ab^2d+15b^3c)}{3a^7}$$

Rubi [A] time = 0.30, antiderivative size = 258, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{b(3a^2be-2a^3f-4ab^2d+5b^3c)}{3a^6(a+bx^3)} + \frac{b(a^2be+a^3(-f)-ab^2d+b^3c)}{6a^5(a+bx^3)^2} + \frac{3a^2be+a^3(-f)-6ab^2d+10b^3c}{3a^5x^3} - \frac{b \log(a+bx^3)(6a^2be-3a^3f-10ab^2d+15b^3c)}{3a^7} + \frac{b \log(x)(6a^2be-3a^3f-10ab^2d+15b^3c)}{a^7} - \frac{a^2e-3abd+6b^2c}{6a^5x^6} + \frac{3bc-ad}{9a^4x^9} - \frac{c}{12a^3x^{12}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^3), x]

[Out] -c/(12*a^3*x^12) + (3*b*c - a*d)/(9*a^4*x^9) - (6*b^2*c - 3*a*b*d + a^2*e)/(6*a^5*x^6) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(3*a^6*x^3) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(6*a^5*(a + b*x^3)^2) + (b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f))/(3*a^6*(a + b*x^3)) + (b*(15*b^3*c - 10*a*b^2*d + 6*a^2*b*e - 3*a^3*f)*Log[x])/a^7 - (b*(15*b^3*c - 10*a*b^2*d + 6*a^2*b*e - 3*a^3*f)*Log[a + b*x^3])/(3*a^7)

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_.)*(x_)^n_)^p_., x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{13}(a + bx^3)^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^5(a + bx)^3} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^3x^5} + \frac{-3bc + ad}{a^4x^4} + \frac{6b^2c - 3abd + a^2e}{a^5x^3} + \frac{-10b^3c + 6ab^2d - 3a^2be + a^3f}{a^6x^2} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{12a^3x^{12}} + \frac{3bc - ad}{9a^4x^9} - \frac{6b^2c - 3abd + a^2e}{6a^5x^6} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{3a^6x^3} + \frac{b(b^3c - a^3f)}{3a^6x^3}$$

Mathematica [A] time = 0.27, size = 238, normalized size = 0.92

$$\frac{12b \log(a + bx^3)(3a^3f - 6a^2be + 10ab^2d - 15b^3c) + 36b \log(x)(-3a^2f + 6a^2be - 10ab^2d + 15b^3c) - \frac{d(a^6(3c + 4dx^3 + 6ex^6 + 12fx^9) - 2a^4bc(3c + 5dx^3 + 12ex^6 + 27fx^9) + a^2b^2d^2(15c + 40dx^3 - 108ex^6 + 36fx^9) - 12a^2b^3d^2(5c - 15dx^3 + 6ex^6) + 30ab^4(12(4dx^3 - 9c) - 180b^3cx^{15}))}{36a^7}}{x^{12}(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^3), x]

[Out] (-((a*(-180*b^5*c*x^15 + 30*a*b^4*x^12*(-9*c + 4*d*x^3) - 12*a^2*b^3*x^9*(5*c - 15*d*x^3 + 6*e*x^6) - 2*a^4*b*x^3*(3*c + 5*d*x^3 + 12*e*x^6 - 27*f*x^9) + a^5*(3*c + 4*d*x^3 + 6*e*x^6 + 12*f*x^9) + a^3*b^2*x^6*(15*c + 40*d*x^3 - 108*e*x^6 + 36*f*x^9)))/(x^12*(a + b*x^3)^2)) + 36*b*(15*b^3*c - 10*a*b^2*d + 6*a^2*b*e - 3*a^3*f)*Log[x] + 12*b*(-15*b^3*c + 10*a*b^2*d - 6*a^2*b*e + 3*a^3*f)*Log[a + b*x^3])/(36*a^7)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{13}(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^3), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^3), x]

fricas [A] time = 0.50, size = 448, normalized size = 1.74

$$\frac{d(a^6(3c + 4dx^3 + 6ex^6 + 12fx^9) - 2a^4bc(3c + 5dx^3 + 12ex^6 + 27fx^9) + a^2b^2d^2(15c + 40dx^3 - 108ex^6 + 36fx^9) - 12a^2b^3d^2(5c - 15dx^3 + 6ex^6) + 30ab^4(12(4dx^3 - 9c) - 180b^3cx^{15}))}{36a^7}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $1/36*(12*(15*a*b^5*c - 10*a^2*b^4*d + 6*a^3*b^3*e - 3*a^4*b^2*f)*x^{15} + 18*(15*a^2*b^4*c - 10*a^3*b^3*d + 6*a^4*b^2*e - 3*a^5*b*f)*x^{12} + 4*(15*a^3*b^3*c - 10*a^4*b^2*d + 6*a^5*b*e - 3*a^6*f)*x^9 - 3*a^6*c - (15*a^4*b^2*c - 10*a^5*b*d + 6*a^6*e)*x^6 + 2*(3*a^5*b*c - 2*a^6*d)*x^3 - 12*((15*b^6*c - 10*a*b^5*d + 6*a^2*b^4*e - 3*a^3*b^3*f)*x^{18} + 2*(15*a*b^5*c - 10*a^2*b^4*d + 6*a^3*b^3*e - 3*a^4*b^2*f)*x^{15} + (15*a^2*b^4*c - 10*a^3*b^3*d + 6*a^4*b^2*e - 3*a^5*b*f)*x^{12})*\log(b*x^3 + a) + 36*((15*b^6*c - 10*a*b^5*d + 6*a^2*b^4*e - 3*a^3*b^3*f)*x^{18} + 2*(15*a*b^5*c - 10*a^2*b^4*d + 6*a^3*b^3*e - 3*a^4*b^2*f)*x^{15} + (15*a^2*b^4*c - 10*a^3*b^3*d + 6*a^4*b^2*e - 3*a^5*b*f)*x^{12})*\log(x))/(a^7*b^2*x^{18} + 2*a^8*b*x^{15} + a^9*x^{12})$

giac [A] time = 0.20, size = 380, normalized size = 1.47

$\frac{(15b^6c - 10ab^5d + 6a^2b^4e - 3a^3b^3f)\log(bx^3 + a)}{3a^6} + \frac{(15b^6c - 10ab^5d + 6a^2b^4e - 3a^3b^3f)\log(bx^3 + a)}{3a^6} + \frac{45b^6c^2 - 30ab^5d^2 - 9a^2b^4e^2 + 18a^3b^3f^2 + 100ab^5cd - 60a^2b^4de - 22a^3b^3ef}{6(b^2 + a)^2} + \frac{42a^2b^4c^2 - 39a^3b^3d^2 - 14a^4b^2e^2 + 25a^5bf^2}{36a^6} + \frac{375b^4c^2x^{12} - 250a^2b^3d^2x^{12} - 75a^3b^2fx^{12} + 150a^4b^2cx^9 - 120a^5b^3cdx^9 + 72a^6b^2d^2x^9 + 12a^7b^2fx^9 - 36a^8b^3cx^6 + 36a^9b^2dx^6 - 18a^{10}b^3ex^6 + 6a^{11}b^4fx^6 - 12a^{12}b^4cx^3 + 4a^{13}b^5dx^3 + 3a^{14}b^6e}{36a^7}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^3,x, algorithm="giac")`

[Out] $(15*b^4*c - 10*a*b^3*d - 3*a^3*b*f + 6*a^2*b^2*e)*\log(\text{abs}(x))/a^7 - 1/3*(15*b^5*c - 10*a*b^4*d - 3*a^3*b^2*f + 6*a^2*b^3*e)*\log(\text{abs}(b*x^3 + a))/(a^7*b) + 1/6*(45*b^6*c*x^6 - 30*a*b^5*d*x^6 - 9*a^3*b^3*f*x^6 + 18*a^2*b^4*x^6*e + 100*a*b^5*c*x^3 - 68*a^2*b^4*d*x^3 - 22*a^4*b^2*f*x^3 + 42*a^3*b^3*x^3*e + 56*a^2*b^4*c - 39*a^3*b^3*d - 14*a^5*b*f + 25*a^4*b^2*e)/((b*x^3 + a)^2*a^7) - 1/36*(375*b^4*c*x^{12} - 250*a^2*b^3*d*x^{12} - 75*a^3*b*f*x^{12} + 150*a^2*b^2*x^{12}*e - 120*a*b^3*c*x^9 + 72*a^2*b^2*d*x^9 + 12*a^4*b*f*x^9 - 36*a^3*b*x^9*e + 36*a^2*b^2*c*x^6 - 18*a^3*b*d*x^6 + 6*a^4*x^6*e - 12*a^3*b*c*x^3 + 4*a^4*d*x^3 + 3*a^4*c)/(a^7*x^{12})$

maple [A] time = 0.06, size = 349, normalized size = 1.35

$\frac{bf}{6(b^2+a)^2} + \frac{be}{6(b^2+a)^2} + \frac{bd}{6(b^2+a)^2} + \frac{bc}{6(b^2+a)^2} - \frac{2cf}{3(b^2+a)^2} - \frac{2ce}{(b^2+a)^2} - \frac{3f\ln(c)}{a^4} + \frac{bf\ln(bx^3+a)}{a^4} - \frac{4bd}{3(b^2+a)^2} + \frac{6d^2\ln(x)}{a^6} - \frac{2d^2\ln(bx^3+a)}{a^6} + \frac{5d^2c}{3(b^2+a)^2} - \frac{10d^2\ln(x)}{3a^6} + \frac{10d^2\ln(bx^3+a)}{3a^6} + \frac{15d^2\ln(c)}{a^6} - \frac{5d^2\ln(bx^3+a)}{a^6} - \frac{f}{3a^2} + \frac{bc}{a^2} - \frac{2bd}{a^2} + \frac{10d^2}{3a^2} + \frac{c}{6a^2} + \frac{bd}{2a^2} - \frac{d}{9a^2} + \frac{bc}{3a^2} - \frac{c}{12a^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^3,x)`

[Out] $-1/9/a^3/x^9*d - 1/6/a^3/x^6*e - 1/3/a^3/x^3*f - 10*b^3/a^6*\ln(x)*d + 15*b^4/a^7*\ln(x)*c + 1/a^4*b*\ln(b*x^3+a)*f - 2/a^5*b^2*\ln(b*x^3+a)*e + 10/3/a^6*b^3*\ln(b*x^3+a)*d - 5/a^7*b^4*\ln(b*x^3+a)*c + 1/3/a^4/x^9*b*c + 1/2/a^4/x^6*b*d - 1/a^5/x^6*b^2*c + 1/a^4/x^3*b*e - 2/a^5/x^3*b^2*d + 10/3/a^6/x^3*b^3*c - 1/6/a^2*b/(b*x^3+a)^2*f + 1/6/a^3*b^2/(b*x^3+a)^2*e - 1/6/a^4*b^3/(b*x^3+a)^2*d + 1/6/a^5*b^4/(b*x^3+a)^2*c - 2/3/a^3*b/(b*x^3+a)*f + 1/a^4*b^2/(b*x^3+a)*e - 4/3/a^5*b^3/(b*x^3+a)*d + 5/3/a^6*b^4/(b*x^3+a)*c - 3*b/a^4*\ln(x)*f + 6*b^2/a^5*\ln(x)*e - 1/12*c/a^3/x^{12}$

maxima [A] time = 1.47, size = 280, normalized size = 1.09

$\frac{12(15b^6c - 10ab^5d + 6a^2b^4e - 3a^3b^3f)x^{12} + 18(15ab^6c - 10a^2b^5d + 6a^3b^4e - 3a^4b^3f)x^{12} + 4(15a^2b^4c - 10a^3b^3d + 6a^4b^2e - 3a^5bf)x^{12} - (15a^2b^6c - 10a^3b^5d + 6a^4b^4e - 3a^5bf)x^{12} - (15b^6c - 10ab^5d + 6a^2b^4e - 3a^3b^3f)\log(bx^3 + a)}{36(a^2b^2x^3 + 2a^2bx^3 + a^2x^2)^2} + \frac{(15b^6c - 10ab^5d + 6a^2b^4e - 3a^3b^3f)\log(bx^3 + a)}{3a^7} + \frac{(15b^6c - 10ab^5d + 6a^2b^4e - 3a^3b^3f)\log(x)}{3a^7}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{36}*(12*(15*b^5*c - 10*a*b^4*d + 6*a^2*b^3*e - 3*a^3*b^2*f)*x^{15} + 18*(15*a*b^4*c - 10*a^2*b^3*d + 6*a^3*b^2*e - 3*a^4*b*f)*x^{12} + 4*(15*a^2*b^3*c - 10*a^3*b^2*d + 6*a^4*b*e - 3*a^5*f)*x^9 - (15*a^3*b^2*c - 10*a^4*b*d + 6*a^5*e)*x^6 - 3*a^5*c + 2*(3*a^4*b*c - 2*a^5*d)*x^3)/(a^6*b^2*x^{18} + 2*a^7*b*x^{15} + a^8*x^{12}) - \frac{1}{3}*(15*b^4*c - 10*a*b^3*d + 6*a^2*b^2*e - 3*a^3*b*f)*\log(b*x^3 + a)/a^7 + \frac{1}{3}*(15*b^4*c - 10*a*b^3*d + 6*a^2*b^2*e - 3*a^3*b*f)*\log(x^3)/a^7$

mupad [B] time = 0.31, size = 265, normalized size = 1.03

$$\frac{\ln(x) \left(-3fa^3b + 6ea^2b^2 - 10dab^3 + 15cb^4 \right)}{a^7} - \frac{\ln(bx^3 + a) \left(-3fa^3b + 6ea^2b^2 - 10dab^3 + 15cb^4 \right)}{3a^7} - \frac{c}{12a} - \frac{a^2(-3fa^2+6ea^2b-10dab^2+15cb^3)}{9a^4} + \frac{a^2(2ad-3bc)}{18a^2} + \frac{a^5(6ea^2-10dab+15cb^2)}{36a^7} - \frac{bx^{12}(-3fa^2+6ea^2b-10dab^2+15cb^3)}{2a^6} - \frac{b^2x^{15}(-3fa^2+6ea^2b-10dab^2+15cb^3)}{3a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^3),x)

[Out] $(\log(x)*(15*b^4*c + 6*a^2*b^2*e - 10*a*b^3*d - 3*a^3*b*f))/a^7 - (\log(a + b*x^3)*(15*b^4*c + 6*a^2*b^2*e - 10*a*b^3*d - 3*a^3*b*f))/(3*a^7) - (c/(12*a) - (x^9*(15*b^3*c - 3*a^3*f - 10*a*b^2*d + 6*a^2*b*e))/(9*a^4) + (x^3*(2*a*d - 3*b*c))/(18*a^2) + (x^6*(15*b^2*c + 6*a^2*e - 10*a*b*d))/(36*a^3) - (b*x^{12}*(15*b^3*c - 3*a^3*f - 10*a*b^2*d + 6*a^2*b*e))/(2*a^5) - (b^2*x^{15}*(15*b^3*c - 3*a^3*f - 10*a*b^2*d + 6*a^2*b*e))/(3*a^6))/a^2*x^{12} + b^2*x^{18} + 2*a*b*x^{15}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**13/(b*x**3+a)**3,x)

[Out] Timed out

$$3.233 \quad \int \frac{x^{12}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=416

$$\frac{x^7(6a^2f - 3abe + b^2d)}{7b^5} - \frac{a^2x(-37a^3f + 31a^2be - 25ab^2d + 19b^3c)}{18b^7(a + bx^3)} + \frac{a^3x(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^7(a + bx^3)^2} - \frac{ax(-15a^3f + 12a^2be - 9ab^2d + 6b^3c)}{10b^8}$$

Rubi [A] time = 0.74, antiderivative size = 416, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1828, 1858, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{a^4(6a^3b - 10a^2f - 3ab^2d + b^3)}{4b^6} - \frac{a^3(3a^2b - 37a^2f - 25ab^2d + 19b^3)}{18b^7(a + bx^3)} - \frac{a^2(a^2b + a^2(-f) - ab^2d + b^3)}{6b^7(a + bx^3)^2} - \frac{a^{4/3} \log(a^{2/3} - \sqrt[3]{3} \sqrt[3]{x} + b^{2/3}) (104a^2b - 152a^2f - 65ab^2d + 35b^3)}{54b^{23/3}} - \frac{ax(10a^3b - 15a^2f - 6ab^2d + 3b^3)}{b^8} - \frac{a^{4/3} \log(\sqrt[3]{2} + \sqrt[3]{3}) (104a^2b - 152a^2f - 65ab^2d + 35b^3)}{27b^{23/3}} - \frac{a^{4/3} \tan^{-1}\left(\frac{\sqrt[3]{2} + \sqrt[3]{3}}{\sqrt[3]{3}}\right) (104a^2b - 152a^2f - 65ab^2d + 35b^3)}{9\sqrt[3]{2}b^{23/3}} - \frac{f^2(a^2f - 3ab + b^2d)}{7b^6} - \frac{a^{10/3}(b^3 - 3af)}{10b^8} - \frac{f^3a^3}{13b^6}$$

Antiderivative was successfully verified.

[In] Int[(x^12*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] -((a*(3*b^3*c - 6*a*b^2*d + 10*a^2*b*e - 15*a^3*f)*x)/b^7) + ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^4)/(4*b^6) + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^7)/(7*b^5) + ((b*e - 3*a*f)*x^10)/(10*b^4) + (f*x^13)/(13*b^3) + (a^3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*b^7*(a + b*x^3)^2) - (a^2*(19*b^3*c - 25*a*b^2*d + 31*a^2*b*e - 37*a^3*f)*x)/(18*b^7*(a + b*x^3)) - (a^(4/3)*(35*b^3*c - 65*a*b^2*d + 104*a^2*b*e - 152*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*b^(22/3)) + (a^(4/3)*(35*b^3*c - 65*a*b^2*d + 104*a^2*b*e - 152*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*b^(22/3)) - (a^(4/3)*(35*b^3*c - 65*a*b^2*d + 104*a^2*b*e - 152*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*b^(22/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```


Rule 1887

$\text{Int}[(\text{Pq}_)/((\text{a}_) + (\text{b}_.) * (\text{x}_.)^{\text{(n}_.)})], \text{x_Symbol}] \text{ :> Int}[\text{ExpandIntegrand}[\text{Pq}/(\text{a} + \text{b} * \text{x}^{\text{n}}), \text{x}], \text{x}] \text{ /; FreeQ}[\{\text{a}, \text{b}\}, \text{x}] \ \&\& \ \text{PolyQ}[\text{Pq}, \text{x}] \ \&\& \ \text{IntegerQ}[\text{n}]$

Rubi steps

$$\begin{aligned} \int \frac{x^{12} (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{a^3 (b^3c - ab^2d + a^2be - a^3f) x}{6b^7 (a + bx^3)^2} - \frac{\int \frac{a^4 (b^3c - ab^2d + a^2be - a^3f) - 6a^3b (b^3c - ab^2d + a^2be - a^3f) x^3}{(a + bx^3)^2} dx}{6b^7 (a + bx^3)^2} \\ &= \frac{a^3 (b^3c - ab^2d + a^2be - a^3f) x}{6b^7 (a + bx^3)^2} - \frac{a^2 (19b^3c - 25ab^2d + 31a^2be - 37a^3f) x}{18b^7 (a + bx^3)} + \dots \\ &= \frac{a^3 (b^3c - ab^2d + a^2be - a^3f) x}{6b^7 (a + bx^3)^2} - \frac{a^2 (19b^3c - 25ab^2d + 31a^2be - 37a^3f) x}{18b^7 (a + bx^3)} + \dots \\ &= -\frac{a (3b^3c - 6ab^2d + 10a^2be - 15a^3f) x}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x^4}{4b^6} + \dots \\ &= -\frac{a (3b^3c - 6ab^2d + 10a^2be - 15a^3f) x}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x^4}{4b^6} + \dots \\ &= -\frac{a (3b^3c - 6ab^2d + 10a^2be - 15a^3f) x}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x^4}{4b^6} + \dots \\ &= -\frac{a (3b^3c - 6ab^2d + 10a^2be - 15a^3f) x}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x^4}{4b^6} + \dots \\ &= -\frac{a (3b^3c - 6ab^2d + 10a^2be - 15a^3f) x}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x^4}{4b^6} + \dots \end{aligned}$$

Mathematica [A] time = 0.69, size = 411, normalized size = 0.99

$$\frac{x^7 (6a^2f - 3ab^2e + b^3d)}{7b^7} - \frac{a^2 (37a^2f - 31a^2be + 25ab^2d - 19b^3)}{18b^7 (a + bx^3)} - \frac{a^3 (a^2c + a^2be - ab^2d + b^3)}{6b^7 (a + bx^3)^2} - \frac{ax (15a^2f - 10a^2be + 6ab^2d - 3b^3)}{b^7} - \frac{x^4 (-10a^2f + 6a^2be - 3ab^2d + b^3)}{4b^7} - \frac{a^4 \log(a^2 - \sqrt{7} \sqrt{a + b^3}) (152a^2f - 104a^2be + 65ab^2d - 35b^3)}{3465b^7} - \frac{a^4 \log(\sqrt{7} + \sqrt{7}a) (152a^2f - 104a^2be + 65ab^2d - 35b^3)}{27045b^7} - \frac{a^{43} \tan^{-1}\left(\frac{1 - 13b^3}{\sqrt{7}}\right) (152a^2f - 104a^2be + 65ab^2d - 35b^3)}{9\sqrt{5} 1053} - \frac{x^{10} (6a^2e - 3af)}{10b^4} + \frac{f x^{13}}{13b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^12*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (a*(-3*b^3*c + 6*a*b^2*d - 10*a^2*b*e + 15*a^3*f)*x)/b^7 + ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^4)/(4*b^6) + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^7)/(7*b^5) + ((b*e - 3*a*f)*x^10)/(10*b^4) + (f*x^13)/(13*b^3) + (a^3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*b^7*(a + b*x^3)^2) + (a^2*(-19*b^3*c + 25*a*b^2*d - 31*a^2*b*e + 37*a^3*f)*x)/(18*b^7*(a + b*x^3)) + (a^(4/3)*(-35*b^3*c + 65*a*b^2*d - 104*a^2*b*e + 152*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(9*Sqrt[3]*b^(22/3)) - (a^(4/3)*(-35*b^3*c + 65*a*b^2*d - 104*a^2*b*e + 152*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*b^(22/3)) + (a^(4/3)*(-35*b^3*c + 65*a*b^2*d - 104*a^2*b*e + 152*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*b^(22/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^{12} (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^12*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x^12*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]

fricas [A] time = 0.44, size = 667, normalized size = 1.60

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^12*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/49140*(3780*b^6*f*x^19 + 378*(13*b^6*e - 19*a*b^5*f)*x^16 + 108*(65*b^6*d - 104*a*b^5*e + 152*a^2*b^4*f)*x^13 + 351*(35*b^6*c - 65*a*b^5*d + 104*a^2*b^4*e - 152*a^3*b^3*f)*x^10 - 3510*(35*a*b^5*c - 65*a^2*b^4*d + 104*a^3*b^3*e - 152*a^4*b^2*f)*x^7 - 9555*(35*a^2*b^4*c - 65*a^3*b^3*d + 104*a^4*b^2*e - 152*a^5*b*f)*x^4 - 1820*sqrt(3)*(35*a^3*b^3*c - 65*a^4*b^2*d + 104*a^5*b*e - 152*a^6*f + (35*a*b^5*c - 65*a^2*b^4*d + 104*a^3*b^3*e - 152*a^4*b^2*f)*x^6 + 2*(35*a^2*b^4*c - 65*a^3*b^3*d + 104*a^4*b^2*e - 152*a^5*b*f)*x^3)*(-a/b)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) - sqrt(3)*a)/a) + 910*(35*a^3*b^3*c - 65*a^4*b^2*d + 104*a^5*b*e - 152*a^6*f + (35*a*b^5*c - 65*a^2*b^4*d + 104*a^3*b^3*e - 152*a^4*b^2*f)*x^6 + 2*(35*a^2*b^4*c - 65*a^3*b^3*d + 104*a^4*b^2*e - 152*a^5*b*f)*x^3)*(-a/b)^(1/3)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3)) - 1820*(35*a^3*b^3*c - 65*a^4*b^2*d + 104*a^5*b*e - 152*

$$a^6*f + (35*a*b^5*c - 65*a^2*b^4*d + 104*a^3*b^3*e - 152*a^4*b^2*f)*x^6 + 2*(35*a^2*b^4*c - 65*a^3*b^3*d + 104*a^4*b^2*e - 152*a^5*b*f)*x^3*(-a/b)^{(1/3)}*\log(x - (-a/b)^{(1/3)}) - 5460*(35*a^3*b^3*c - 65*a^4*b^2*d + 104*a^5*b*e - 152*a^6*f)*x)/(b^9*x^6 + 2*a*b^8*x^3 + a^2*b^7)$$

giac [A] time = 0.20, size = 500, normalized size = 1.20

$$\frac{\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}\left(\frac{x - (-a/b)^{1/3}}{(-a/b)^{1/3}}\right)\right)}{b^8} - \frac{1}{54} \frac{(35(-a/b)^{1/3}ab^3c - 65(-a/b)^{1/3}a^2b^2d - 152(-a/b)^{1/3}a^4f + 104(-a/b)^{1/3}a^3be) \log\left(\frac{x - (-a/b)^{1/3}}{(-a/b)^{1/3}}\right)}{a^2b^7} + \frac{1}{1820} \frac{(140b^{36}fx^{13} - 546a^2b^{35}fx^{10} + 182b^{36}x^{10}e + 260b^{36}dx^7 + 1560a^2b^{34}fx^7 - 780a^2b^{35}x^7e + 455b^{36}cx^4 - 1365ab^{35}dx^4 - 4550a^3b^{33}fx^4 + 2730a^2b^{34}x^4e - 5460a^2b^{35}cx + 10920a^2b^{34}dx + 27300a^4b^{32}fx - 18200a^3b^{33}xe)}{b^{39}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^12*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/27*sqrt(3)*(35*(-a*b^2)^(1/3)*a*b^3*c - 65*(-a*b^2)^(1/3)*a^2*b^2*d - 152*(-a*b^2)^(1/3)*a^4*f + 104*(-a*b^2)^(1/3)*a^3*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^8 - 1/27*(35*a^2*b^3*c - 65*a^3*b^2*d - 152*a^5*f + 104*a^4*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^7) + 1/54*(35*(-a*b^2)^(1/3)*a*b^3*c - 65*(-a*b^2)^(1/3)*a^2*b^2*d - 152*(-a*b^2)^(1/3)*a^4*f + 104*(-a*b^2)^(1/3)*a^3*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^8 - 1/18*(19*a^2*b^4*c*x^4 - 25*a^3*b^3*d*x^4 - 37*a^5*b*f*x^4 + 31*a^4*b^2*x^4*e + 16*a^3*b^3*c*x - 22*a^4*b^2*d*x - 34*a^6*f*x + 28*a^5*b*x*e)/((b*x^3 + a)^2*b^7) + 1/1820*(140*b^36*f*x^13 - 546*a*b^35*f*x^10 + 182*b^36*x^10*e + 260*b^36*d*x^7 + 1560*a^2*b^34*f*x^7 - 780*a^2*b^35*x^7*e + 455*b^36*c*x^4 - 1365*a*b^35*d*x^4 - 4550*a^3*b^33*f*x^4 + 2730*a^2*b^34*x^4*e - 5460*a^2*b^35*c*x + 10920*a^2*b^34*d*x + 27300*a^4*b^32*f*x - 18200*a^3*b^33*x*e)/b^39

maple [A] time = 0.07, size = 706, normalized size = 1.70

$$\frac{\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}\left(\frac{x - (-a/b)^{1/3}}{(-a/b)^{1/3}}\right)\right)}{b^8} - \frac{1}{54} \frac{(35(-a/b)^{1/3}ab^3c - 65(-a/b)^{1/3}a^2b^2d - 152(-a/b)^{1/3}a^4f + 104(-a/b)^{1/3}a^3be) \log\left(\frac{x - (-a/b)^{1/3}}{(-a/b)^{1/3}}\right)}{a^2b^7} + \frac{1}{1820} \frac{(140b^{36}fx^{13} - 546a^2b^{35}fx^{10} + 182b^{36}x^{10}e + 260b^{36}dx^7 + 1560a^2b^{34}fx^7 - 780a^2b^{35}x^7e + 455b^{36}cx^4 - 1365ab^{35}dx^4 - 4550a^3b^{33}fx^4 + 2730a^2b^{34}x^4e - 5460a^2b^{35}cx + 10920a^2b^{34}dx + 27300a^4b^{32}fx - 18200a^3b^{33}xe)}{b^{39}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^12*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] 35/27*a^2/b^5*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) - 65/27*a^3/b^6*d/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) - 8/9*a^3/b^4/(b*x^3+a)^2*c*x + 76/27*a^5/b^8*f/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3))*x + (a/b)^(2/3) + 104/27*a^4/b^7*e/(a/b)^(2/3)*ln(x+(a/b)^(1/3)) + 3/2/b^5*x^4*a^2*e - 3/4/b^4*x^4*a*d - 3/10/b^4*x^10*a*f + 6/7/b^5*x^7*a^2*f - 3/7/b^4*x^7*a*e - 5/2/b^6*x^4*a^3*f + 15/b^7*a^4*f*x - 10/b^6*a^3*e*x + 6/b^5*a^2*d*x - 3/b^4*a*c*x - 152/27*a^5/b^8*f/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) + 104/27*a^4/b^7*e/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) + 1/10/b^3*x^10*e + 1/7/b^3*x^7*d + 1/4/b^3*x^4*c + 35/27*a^2/b^5*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3)) - 35/54*a^2/b^5*c/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3))*x + (a/b)^(2/3) - 65/27*a^3/b^6*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3)) + 65/54*a^3/b^6*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3))

$$\begin{aligned} & /3) * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) - 52/27 * a^4/b^7 * e / (a/b)^{2/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) \\ & + 37/18 * a^5/b^6 / (b * x^3 + a)^2 * x^4 * f - 31/18 * a^4/b^5 / (b * x^3 + a)^2 * x^4 * e + 25/18 * a^3/b^4 / (b * x^3 + a)^2 * x^4 * d \\ & - 19/18 * a^2/b^3 / (b * x^3 + a)^2 * x^4 * c + 17/9 * a^6/b^7 / (b * x^3 + a)^2 * f * x - 14/9 * a^5/b^6 / (b * x^3 + a)^2 * e * x + 11/9 * a^4/b^5 / (b * x^3 + a)^2 * d * x \\ & - 152/27 * a^5/b^8 * f / (a/b)^{2/3} * \ln(x + (a/b)^{1/3}) + 1/13 * f * x^{13}/b^3 \end{aligned}$$

maxima [A] time = 3.06, size = 424, normalized size = 1.02

$$\frac{(9a^6b^4 - 25a^5b^4 + 31a^5b^4 - 37a^5b^4 + 25a^5b^4 - 11a^5b^4 + 14a^5b^4 - 17a^5b^4) \sqrt{3} (35a^2b^3c - 65a^3b^2d + 104a^4b^2e - 152a^5f) \arctan\left(\frac{\sqrt{3}}{3}\right) + (140b^4f * x^{13} + 182(b^4e - 3ab^3f) * x^{10} + 260(b^4d - 3ab^3e + 6a^2b^2f) * x^7 + 455(b^4c - 3ab^3d + 6a^2b^2e - 10a^3b^2f) * x^4 - 1820(3ab^3c - 6a^2b^2d + 10a^3b^2e - 15a^4f) * x) / b^7 + 1/27 * \sqrt{3} * (35a^2b^3c - 65a^3b^2d + 104a^4b^2e - 152a^5f) * \arctan\left(\frac{\sqrt{3}}{3}\right) * (2x - (a/b)^{1/3}) / (a/b)^{1/3} / (b^8 * (a/b)^{2/3}) - 1/54 * (35a^2b^3c - 65a^3b^2d + 104a^4b^2e - 152a^5f) * \log(x^2 - x * (a/b)^{1/3} + (a/b)^{2/3}) / (b^8 * (a/b)^{2/3}) + 1/27 * (35a^2b^3c - 65a^3b^2d + 104a^4b^2e - 152a^5f) * \log(x + (a/b)^{1/3}) / (b^8 * (a/b)^{2/3})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^12*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

$$\begin{aligned} & \text{[Out]} -1/18 * ((19 * a^2 * b^4 * c - 25 * a^3 * b^3 * d + 31 * a^4 * b^2 * e - 37 * a^5 * b * f) * x^4 + 2 * (8 * a^3 * b^3 * c - 11 * a^4 * b^2 * d + 14 * a^5 * b * e - 17 * a^6 * f) * x) / (b^9 * x^6 + 2 * a * b^8 * x^3 + a^2 * b^7) \\ & + 1/1820 * (140 * b^4 * f * x^{13} + 182 * (b^4 * e - 3 * a * b^3 * f) * x^{10} + 260 * (b^4 * d - 3 * a * b^3 * e + 6 * a^2 * b^2 * f) * x^7 + 455 * (b^4 * c - 3 * a * b^3 * d + 6 * a^2 * b^2 * e - 10 * a^3 * b * f) * x^4 \\ & - 1820 * (3 * a * b^3 * c - 6 * a^2 * b^2 * d + 10 * a^3 * b * e - 15 * a^4 * f) * x) / b^7 + 1/27 * \sqrt{3} * (35 * a^2 * b^3 * c - 65 * a^3 * b^2 * d + 104 * a^4 * b * e - 152 * a^5 * f) * \arctan\left(\frac{\sqrt{3}}{3}\right) * (2 * x - (a/b)^{1/3}) / (a/b)^{1/3} / (b^8 * (a/b)^{2/3}) \\ & - 1/54 * (35 * a^2 * b^3 * c - 65 * a^3 * b^2 * d + 104 * a^4 * b * e - 152 * a^5 * f) * \log(x^2 - x * (a/b)^{1/3} + (a/b)^{2/3}) / (b^8 * (a/b)^{2/3}) + 1/27 * (35 * a^2 * b^3 * c - 65 * a^3 * b^2 * d + 104 * a^4 * b * e - 152 * a^5 * f) * \log(x + (a/b)^{1/3}) / (b^8 * (a/b)^{2/3}) \end{aligned}$$

mupad [B] time = 5.24, size = 575, normalized size = 1.38

$$\frac{c \sqrt{3} \arctan\left(\frac{\sqrt{3}}{3}\right) + \frac{1}{27} \sqrt{3} (35a^2b^3c - 65a^3b^2d + 104a^4b^2e - 152a^5f) \arctan\left(\frac{\sqrt{3}}{3}\right) (2x - (a/b)^{1/3}) / (a/b)^{1/3} / (b^8 (a/b)^{2/3}) - \frac{1}{54} (35a^2b^3c - 65a^3b^2d + 104a^4b^2e - 152a^5f) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) / (b^8 (a/b)^{2/3}) + \frac{1}{27} (35a^2b^3c - 65a^3b^2d + 104a^4b^2e - 152a^5f) \log(x + (a/b)^{1/3}) / (b^8 (a/b)^{2/3})}{(19a^2b^4c - 25a^3b^3d + 31a^4b^2e - 37a^5bf)x^4 + 2(8a^3b^3c - 11a^4b^2d + 14a^5be - 17a^6f)x^3 + (140b^4fx^{13} + 182(b^4e - 3ab^3f)x^{10} + 260(b^4d - 3ab^3e + 6a^2b^2f)x^7 + 455(b^4c - 3ab^3d + 6a^2b^2e - 10a^3bf)x^4 - 1820(3ab^3c - 6a^2b^2d + 10a^3be - 15a^4f)x) / b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^12*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

$$\begin{aligned} & \text{[Out]} x^{10} * (e / (10 * b^3) - (3 * a * f) / (10 * b^4)) + x^4 * (c / (4 * b^3) - (a^3 * f) / (4 * b^6)) - (3 * a^2 * (e / b^3 - (3 * a * f) / b^4)) / (4 * b^2) + (3 * a * ((3 * a^2 * f) / b^5 - d / b^3 + (3 * a * (e / b^3 - (3 * a * f) / b^4)) / b)) / (4 * b) \\ & + (x * ((17 * a^6 * f) / 9 - (8 * a^3 * b^3 * c) / 9 + (11 * a^4 * b^2 * d) / 9 - (14 * a^5 * b * e) / 9) - x^4 * ((19 * a^2 * b^4 * c) / 18 - (25 * a^3 * b^3 * d) / 18 + (31 * a^4 * b^2 * e) / 18 - (37 * a^5 * b * f) / 18)) / (a^2 * b^7 + b^9 * x^6 + 2 * a * b^8 * x^3) \\ & - x * ((3 * a * (c / b^3 - (a^3 * f) / b^6 - (3 * a^2 * (e / b^3 - (3 * a * f) / b^4)) / b^2 + (3 * a * ((3 * a^2 * f) / b^5 - d / b^3 + (3 * a * (e / b^3 - (3 * a * f) / b^4)) / b)) / b)) / b - (3 * a^2 * ((3 * a^2 * f) / b^5 - d / b^3 + (3 * a * (e / b^3 - (3 * a * f) / b^4)) / b)) / b^2 + (a^3 * (e / b^3 - (3 * a * f) / b^4)) / b^3 \\ & - x^7 * ((3 * a^2 * f) / (7 * b^5) - d / (7 * b^3) + (3 * a * (e / b^3 - (3 * a * f) / b^4)) / (7 * b)) + (f * x^{13}) / (13 * b^3) + (a^{4/3} * \log(b^{1/3} * x + a^{1/3})) * (3 * 5 * b^3 * c - 152 * a^3 * f - 65 * a * b^2 * d + 104 * a^2 * b * e) / (27 * b^{22/3}) + (a^{4/3} * \log(3^{1/2} * a^{1/3} * 1i + 2 * b^{1/3} * x - a^{1/3})) * ((3^{1/2} * 1i) / 2 - 1/2) * (35 * b \end{aligned}$$

$$\frac{3^3 c - 152 a^3 f - 65 a b^2 d + 104 a^2 b e}{27 b^{22/3}} - (a^{4/3} \log(3^{1/2} a^{1/3} i - 2 b^{1/3} x + a^{1/3})) \left(\frac{3^{1/2} i}{2} + \frac{1}{2} \right) \frac{35 b^3 c - 152 a^3 f - 65 a b^2 d + 104 a^2 b e}{27 b^{22/3}}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**12*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.234 \quad \int \frac{x^{10}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=384

$$\frac{x^5(6a^2f - 3abe + b^2d)}{5b^5} + \frac{x^2(-10a^3f + 6a^2be - 3ab^2d + b^3c)}{2b^6} + \frac{ax^2(-16a^3f + 13a^2be - 10ab^2d + 7b^3c)}{9b^6(a + bx^3)} - \frac{a^2x^2(a^3 - 3ab^2c + 3a^2b^2d - 3ab^3e + b^4f)}{9b^6(a + bx^3)^2}$$

Rubi [A] time = 1.05, antiderivative size = 384, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1851, 1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^5(6a^2f - 3abe + b^2d)}{5b^5} + \frac{x^2(-10a^3f + 6a^2be - 3ab^2d + b^3c)}{2b^6} + \frac{ax^2(-16a^3f + 13a^2be - 10ab^2d + 7b^3c)}{9b^6(a + bx^3)} - \frac{a^2x^2(a^3 - 3ab^2c + 3a^2b^2d - 3ab^3e + b^4f)}{9b^6(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(x^10*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^2)/(2*b^6) + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^5)/(5*b^5) + ((b*e - 3*a*f)*x^8)/(8*b^4) + (f*x^11)/(11*b^3) - (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*b^6*(a + b*x^3)^2) + (a*(7*b^3*c - 10*a*b^2*d + 13*a^2*b*e - 16*a^3*f)*x^2)/(9*b^6*(a + b*x^3)) + (a^(2/3)*(20*b^3*c - 44*a*b^2*d + 77*a^2*b*e - 119*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*b^(20/3)) + (a^(2/3)*(20*b^3*c - 44*a*b^2*d + 77*a^2*b*e - 119*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*b^(20/3)) - (a^(2/3)*(20*b^3*c - 44*a*b^2*d + 77*a^2*b*e - 119*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*b^(20/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(n-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), I

Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1488

Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 1828

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1836

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p

```

+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

```

Rule 1851

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := Int[x*PolynomialQuot
ient[Pq, x, x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, n, p}, x] && PolyQ[Pq, x]
&& EqQ[Coeff[Pq, x, 0], 0] && !MatchQ[Pq, x^(m_.)*(u_.) /; IntegerQ[m]]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^{10}(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= -\frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} - \frac{\int \frac{-2a^3b(b^3c - ab^2d + a^2be - a^3f)x + 6a^2b^2(b^3c - ab^2d + a^2be - a^3f)}{(a + bx^3)^3} dx}{6b^6(a + bx^3)^2} \\
&= -\frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} - \frac{\int \frac{x(-2a^3b(b^3c - ab^2d + a^2be - a^3f) + 6a^2b^2(b^3c - ab^2d + a^2be - a^3f))}{(a + bx^3)^3} dx}{6b^6(a + bx^3)^2} \\
&= -\frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} + \frac{a(7b^3c - 10ab^2d + 13a^2be - 16a^3f)x^2}{9b^6(a + bx^3)} + \frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} \\
&= -\frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} + \frac{a(7b^3c - 10ab^2d + 13a^2be - 16a^3f)x^2}{9b^6(a + bx^3)} + \frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} \\
&= \frac{fx^{11}}{11b^3} - \frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} + \frac{a(7b^3c - 10ab^2d + 13a^2be - 16a^3f)x^2}{9b^6(a + bx^3)} \\
&= \frac{(be - 3af)x^8}{8b^4} + \frac{fx^{11}}{11b^3} - \frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} + \frac{a(7b^3c - 10ab^2d + 13a^2be - 16a^3f)x^2}{9b^6(a + bx^3)} \\
&= \frac{(be - 3af)x^8}{8b^4} + \frac{fx^{11}}{11b^3} - \frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} + \frac{a(7b^3c - 10ab^2d + 13a^2be - 16a^3f)x^2}{9b^6(a + bx^3)} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^2}{2b^6} + \frac{(b^2d - 3abe + 6a^2f)x^5}{5b^5} + \frac{(be - 3af)x^8}{8b^4} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^2}{2b^6} + \frac{(b^2d - 3abe + 6a^2f)x^5}{5b^5} + \frac{(be - 3af)x^8}{8b^4} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^2}{2b^6} + \frac{(b^2d - 3abe + 6a^2f)x^5}{5b^5} + \frac{(be - 3af)x^8}{8b^4} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^2}{2b^6} + \frac{(b^2d - 3abe + 6a^2f)x^5}{5b^5} + \frac{(be - 3af)x^8}{8b^4} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^2}{2b^6} + \frac{(b^2d - 3abe + 6a^2f)x^5}{5b^5} + \frac{(be - 3af)x^8}{8b^4}
\end{aligned}$$

Mathematica [A] time = 0.55, size = 380, normalized size = 0.99

$$\frac{a^5(6af - 3ab^2 + b^3d)}{5b^5}, \frac{x^2(-10a^2f + 6a^2bc - 3ab^2d + b^3c)}{2b^5}, \frac{ax^2(-16a^2f + 13a^2bc - 10ab^2d + 7b^3c)}{9b^5(a + bx^3)}, \frac{a^2x^2(a^2f - a^2bc + ab^2d - b^3c)}{6b^5(a + bx^3)}, \frac{a^{2/3} \log(a^{2/3} - \sqrt[3]{b}x + b^{2/3}) (119a^2f - 77a^2bc + 44ab^2d - 20b^3c)}{54b^{2/3}}, \frac{a^{2/3} \log(\sqrt[3]{b}x + b^{2/3}) (119a^2f - 77a^2bc + 44ab^2d - 20b^3c)}{27b^{2/3}}, \frac{a^{2/3} \tan^{-1}\left(\frac{119a^2f - 77a^2bc + 44ab^2d - 20b^3c}{9\sqrt[3]{27b^3}}\right)}{9\sqrt[3]{27b^3}}, \frac{a^4(bc - 3af)}{8b^4}, \frac{fx^{11}}{11b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^10*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^2)/(2*b^6) + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^5)/(5*b^5) + ((b*e - 3*a*f)*x^8)/(8*b^4) + (f*x^11)/(11*b^3) + (a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(6*b^6*(a + b*x^3)^2) + (a*(7*b^3*c - 10*a*b^2*d + 13*a^2*b*e - 16*a^3*f)*x^2)/(9*b^6*(a + b*x^3)) - (a^(2/3)*(-20*b^3*c + 44*a*b^2*d - 77*a^2*b*e + 119*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(9*Sqrt[3]*b^(20/3)) - (a^(2/3)*(-20*b^3*c + 44*a*b^2*d - 77*a^2*b*e + 119*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*b^(20/3)) + (a^(2/3)*(-20*b^3*c + 44*a*b^2*d - 77*a^2*b*e + 119*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*b^(20/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^{10} (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^10*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x^10*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]

fricas [A] time = 0.43, size = 634, normalized size = 1.65

$$\frac{1}{11880} (1080 b^5 f x^{17} + 135 (11 b^5 e - 17 a b^4 f) x^{14} + 54 (44 b^5 d - 77 a b^4 e + 119 a^2 b^3 f) x^{11} + 297 (20 b^5 c - 44 a b^4 d + 77 a^2 b^3 e - 119 a^3 b^2 f) x^8 + 1056 (20 a b^4 c - 44 a^2 b^3 d + 77 a^3 b^2 e - 119 a^4 b f) x^5 + 660 (20 a^2 b^3 c - 44 a^3 b^2 d + 77 a^4 b e - 119 a^5 f) x^2 - 440 \sqrt{3} ((20 b^5 c - 44 a b^4 d + 77 a^2 b^3 e - 119 a^3 b^2 f) x^6 + 20 a^2 b^3 c - 44 a^3 b^2 d + 77 a^4 b e - 119 a^5 f + 2 (20 a b^4 c - 44 a^2 b^3 d + 77 a^3 b^2 e - 119 a^4 b f) x^3) (-a^2/b^2)^{1/3} \arctan(1/3 (2 \sqrt{3} b x (-a^2/b^2)^{1/3} + \sqrt{3} a)/a) + 220 ((20 b^5 c - 44 a b^4 d + 77 a^2 b^3 e - 119 a^3 b^2 f) x^6 + 20 a^2 b^3 c - 44 a^3 b^2 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^10*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/11880*(1080*b^5*f*x^17 + 135*(11*b^5*e - 17*a*b^4*f)*x^14 + 54*(44*b^5*d - 77*a*b^4*e + 119*a^2*b^3*f)*x^11 + 297*(20*b^5*c - 44*a*b^4*d + 77*a^2*b^3*e - 119*a^3*b^2*f)*x^8 + 1056*(20*a*b^4*c - 44*a^2*b^3*d + 77*a^3*b^2*e - 119*a^4*b*f)*x^5 + 660*(20*a^2*b^3*c - 44*a^3*b^2*d + 77*a^4*b*e - 119*a^5*f)*x^2 - 440*sqrt(3)*((20*b^5*c - 44*a*b^4*d + 77*a^2*b^3*e - 119*a^3*b^2*f)*x^6 + 20*a^2*b^3*c - 44*a^3*b^2*d + 77*a^4*b*e - 119*a^5*f + 2*(20*a*b^4*c - 44*a^2*b^3*d + 77*a^3*b^2*e - 119*a^4*b*f)*x^3)*(-a^2/b^2)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a^2/b^2)^(1/3) + sqrt(3)*a)/a) + 220*((20*b^5*c - 44*a*b^4*d + 77*a^2*b^3*e - 119*a^3*b^2*f)*x^6 + 20*a^2*b^3*c - 44*a^3*b^2*d

$$+ 77*a^4*b*e - 119*a^5*f + 2*(20*a*b^4*c - 44*a^2*b^3*d + 77*a^3*b^2*e - 119*a^4*b*f)*x^3*(-a^2/b^2)^{(1/3)}*\log(a*x^2 - b*x*(-a^2/b^2)^{(2/3)} - a*(-a^2/b^2)^{(1/3)}) - 440*((20*b^5*c - 44*a*b^4*d + 77*a^2*b^3*e - 119*a^3*b^2*f)*x^6 + 20*a^2*b^3*c - 44*a^3*b^2*d + 77*a^4*b*e - 119*a^5*f + 2*(20*a*b^4*c - 44*a^2*b^3*d + 77*a^3*b^2*e - 119*a^4*b*f)*x^3)*(-a^2/b^2)^{(1/3)}*\log(a*x + b*(-a^2/b^2)^{(2/3)})/(b^8*x^6 + 2*a*b^7*x^3 + a^2*b^6)$$

giac [A] time = 0.20, size = 491, normalized size = 1.28

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹⁰*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)³,x, algorithm="giac")

[Out] $\frac{1}{27}*(20*a*b^3*c*(-a/b)^{(1/3)} - 44*a^2*b^2*d*(-a/b)^{(1/3)} - 119*a^4*f*(-a/b)^{(1/3)} + 77*a^3*b*(-a/b)^{(1/3)}*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})) / (a*b^6) + \frac{1}{27}*\sqrt{3}*(20*(-a*b^2)^{(2/3)}*b^3*c - 44*(-a*b^2)^{(2/3)}*a*b^2*d - 119*(-a*b^2)^{(2/3)}*a^3*f + 77*(-a*b^2)^{(2/3)}*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/b^8 - \frac{1}{54}*(20*(-a*b^2)^{(2/3)}*b^3*c - 44*(-a*b^2)^{(2/3)}*a*b^2*d - 119*(-a*b^2)^{(2/3)}*a^3*f + 77*(-a*b^2)^{(2/3)}*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/b^8 + \frac{1}{18}*(14*a*b^4*c*x^5 - 20*a^2*b^3*d*x^5 - 32*a^4*b*f*x^5 + 26*a^3*b^2*x^5*e + 11*a^2*b^3*c*x^2 - 17*a^3*b^2*d*x^2 - 29*a^5*f*x^2 + 23*a^4*b*x^2*e)/(b*x^3 + a)^2*b^6 + \frac{1}{4}*\frac{40*(40*b^30*f*x^11 - 165*a*b^29*f*x^8 + 55*b^30*x^8*e + 88*b^30*d*x^5 + 528*a^2*b^28*f*x^5 - 264*a*b^29*x^5*e + 220*b^30*c*x^2 - 660*a*b^29*d*x^2 - 2200*a^3*b^27*f*x^2 + 1320*a^2*b^28*x^2*e)/b^33}{(b*x^3 + a)^2*b^6}$

maple [B] time = 0.07, size = 668, normalized size = 1.74

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x¹⁰*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)³,x)

[Out] $\frac{119}{27}*a^4/b^7*f*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) - \frac{77}{27}*a^3/b^6*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) - \frac{20}{27}*a/b^4*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) + \frac{44}{27}*a^2/b^5*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) - \frac{3}{8}/b^4*x^8*a*f + \frac{6}{5}/b^5*x^5*a^2*f + \frac{3}{b^5*x^2*a^2*e} - \frac{3}{2}/b^4*x^2*a*d - \frac{5}{b^6}*x^2*a^3*f - \frac{3}{5}/b^4*x^5*a*e + \frac{1}{11}*f*x^{11}/b^3 - \frac{119}{27}*a^4/b^7*f/(a/b)^{(1/3)}*\ln(x + (a/b)^{(1/3)}) + \frac{11}{18}*a^2/b^3/(b*x^3+a)^2*x^2*c - \frac{17}{18}*a^3/b^4/(b*x^3+a)^2*x^2*d + \frac{22}{27}*a^2/b^5*d/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + \frac{1}{8}/b^3*x^8*e + \frac{1}{5}/b^3*x^5*d + \frac{1}{2}/b^3*x^2*c + \frac{20}{27}*a/b^4*c/(a/b)^{(1/3)}*\ln(x + (a/b)^{(1/3)}) - \frac{10}{9}*a^2/b^3/(b*x^3+a)^2*x^5*d - \frac{10}{27}*a/b^4*c/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}$

) $x+(a/b)^{(2/3)}-77/54*a^3/b^6*e/(a/b)^{(1/3)*ln(x^2-(a/b)^{(1/3)*x+(a/b)^{(2/3)}-44/27*a^2/b^5*d/(a/b)^{(1/3)*ln(x+(a/b)^{(1/3)}+13/9*a^3/b^4/(b*x^3+a)^2*x^5*e-16/9*a^4/b^5/(b*x^3+a)^2*x^5*f+119/54*a^4/b^7*f/(a/b)^{(1/3)*ln(x^2-(a/b)^{(1/3)*x+(a/b)^{(2/3)}+77/27*a^3/b^6*e/(a/b)^{(1/3)*ln(x+(a/b)^{(1/3)}+7/9*a/b^2/(b*x^3+a)^2*x^5*c-29/18*a^5/b^6/(b*x^3+a)^2*x^2*f+23/18*a^4/b^5/(b*x^3+a)^2*x^2*e$

maxima [A] time = 3.00, size = 380, normalized size = 0.99

$$\frac{2(7ab^2c - 10a^2b^2d + 13a^2b^2e - 16a^2bf)^2 + (11a^2b^2c - 17a^2b^2d + 23a^2b^2e - 29a^2bf)^2}{18(b^2a^2 + 2a^2b^2 + a^2b^2)} \cdot \frac{\sqrt{3}(20ab^2c - 44a^2b^2d + 77a^2b^2e - 119a^2bf) \arctan\left(\frac{a(2c-11f)}{3d}\right)}{27b^2(3)^2} + \frac{40b^2fa^{11} + 55(b^2c - 3ab^2f)^2 + 88(b^2d - 3ab^2e + 6a^2bf)^2 + 220(b^2c - 3ab^2d + 6a^2b^2e - 10a^2bf)^2}{440b^6} \cdot \frac{(20ab^2c - 44a^2b^2d + 77a^2b^2e - 119a^2bf) \log\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + (20ab^2c - 44a^2b^2d + 77a^2b^2e - 119a^2bf) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{54b^2(3)^2} + \frac{(20ab^2c - 44a^2b^2d + 77a^2b^2e - 119a^2bf) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27b^2(3)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^10*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{18}*(2*(7*a*b^4*c - 10*a^2*b^3*d + 13*a^3*b^2*e - 16*a^4*b*f)*x^5 + (11*a^2*b^3*c - 17*a^3*b^2*d + 23*a^4*b*e - 29*a^5*f)*x^2)/(b^8*x^6 + 2*a*b^7*x^3 + a^2*b^6) - \frac{1}{27}*sqrt(3)*(20*a*b^3*c - 44*a^2*b^2*d + 77*a^3*b*e - 119*a^4*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^7*(a/b)^{(1/3)}) + \frac{1}{440}*(40*b^3*f*x^{11} + 55*(b^3*e - 3*a*b^2*f)*x^8 + 88*(b^3*d - 3*a*b^2*e + 6*a^2*b*f)*x^5 + 220*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^2)/b^6 - \frac{1}{54}*(20*a*b^3*c - 44*a^2*b^2*d + 77*a^3*b*e - 119*a^4*f)*log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^7*(a/b)^{(1/3)}) + \frac{1}{27}*(20*a*b^3*c - 44*a^2*b^2*d + 77*a^3*b*e - 119*a^4*f)*log(x + (a/b)^{(1/3)})/(b^7*(a/b)^{(1/3)})$

mupad [B] time = 5.34, size = 425, normalized size = 1.11

$$\frac{1}{18} \left(\frac{2(7ab^2c - 10a^2b^2d + 13a^2b^2e - 16a^2bf)^2 + (11a^2b^2c - 17a^2b^2d + 23a^2b^2e - 29a^2bf)^2}{18(b^2a^2 + 2a^2b^2 + a^2b^2)} \right) \cdot \frac{\sqrt{3}(20ab^2c - 44a^2b^2d + 77a^2b^2e - 119a^2bf) \arctan\left(\frac{a(2c-11f)}{3d}\right)}{27b^2(3)^2} + \frac{40b^2fa^{11} + 55(b^2c - 3ab^2f)^2 + 88(b^2d - 3ab^2e + 6a^2bf)^2 + 220(b^2c - 3ab^2d + 6a^2b^2e - 10a^2bf)^2}{440b^6} \cdot \frac{(20ab^2c - 44a^2b^2d + 77a^2b^2e - 119a^2bf) \log\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + (20ab^2c - 44a^2b^2d + 77a^2b^2e - 119a^2bf) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{54b^2(3)^2} + \frac{(20ab^2c - 44a^2b^2d + 77a^2b^2e - 119a^2bf) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27b^2(3)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^10*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] $x^8*(e/(8*b^3) - (3*a*f)/(8*b^4)) + x^2*(c/(2*b^3) - (a^3*f)/(2*b^6) - (3*a^2*(e/b^3 - (3*a*f)/b^4))/(2*b^2) + (3*a*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3 - (3*a*f)/b^4))/b))/(2*b)) - (x^2*((29*a^5*f)/18 - (11*a^2*b^3*c)/18 + (17*a^3*b^2*d)/18 - (23*a^4*b*e)/18) + x^5*((10*a^2*b^3*d)/9 - (13*a^3*b^2*e)/9 - (7*a*b^4*c)/9 + (16*a^4*b*f)/9))/(a^2*b^6 + b^8*x^6 + 2*a*b^7*x^3) - x^5*((3*a^2*f)/(5*b^5) - d/(5*b^3) + (3*a*(e/b^3 - (3*a*f)/b^4))/(5*b)) + (f*x^{11})/(11*b^3) + (a^{(2/3)*log(b^{(1/3)*x} + a^{(1/3)})*(20*b^3*c - 119*a^3*f - 44*a*b^2*d + 77*a^2*b*e))/(27*b^{(20/3)}) - (a^{(2/3)*log(3^{(1/2)*a^{(1/3)}}*1i + 2*b^{(1/3)*x} - a^{(1/3)})*((3^{(1/2)*1i})/2 + 1/2)*(20*b^3*c - 119*a^3*f - 44*a*b^2*d + 77*a^2*b*e))/(27*b^{(20/3)}) + (a^{(2/3)*log(3^{(1/2)*a^{(1/3)}}*1i - 2*b^{(1/3)*x} + a^{(1/3)})*((3^{(1/2)*1i})/2 - 1/2)*(20*b^3*c - 119*a^3*f - 44*a*b^2*d + 77*a^2*b*e))/(27*b^{(20/3)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**10*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.235 \quad \int \frac{x^9(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=375

$$\frac{x^4(6a^2f - 3abe + b^2d)}{4b^5} - \frac{\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(-104a^3f + 65a^2be - 35ab^2d + 14b^3c)}{27b^{19/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-104a^3f + 65a^2be - 35ab^2d + 14b^3c)}{27b^{19/3}}$$

Rubi [A] time = 0.61, antiderivative size = 375, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1828, 1858, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{a(25a^2be - 31a^2f - 19ab^2d + 13b^3c)}{18b^6(a+bx^3)} - \frac{a^2x(a^2be + a^2(-f) - ab^2d + b^3c)}{ab^6(a+bx^3)^2} + \frac{\sqrt[3]{a} \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54b^{19/3}} + \frac{x(6a^2be - 10a^2f - 3ab^2d + b^3c)}{27b^{19/3}} - \frac{\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(65a^2be - 104a^2f - 35ab^2d + 14b^3c)}{27b^{19/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(65a^2be - 104a^2f - 35ab^2d + 14b^3c)}{9\sqrt{3}b^{19/3}} + \frac{x^2(6a^2f - 3ab^2d + b^3c)}{4b^6} - \frac{x^2be - 3af}{27b^6} + \frac{x^4a^{10}}{10b^6}$$

Antiderivative was successfully verified.

[In] Int[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x)/b^6 + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^4)/(4*b^5) + ((b*e - 3*a*f)*x^7)/(7*b^4) + (f*x^10)/(10*b^3) - (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*b^6*(a + b*x^3)^2) + (a*(13*b^3*c - 19*a*b^2*d + 25*a^2*b*e - 31*a^3*f)*x)/(18*b^6*(a + b*x^3)) + (a^(1/3)*(14*b^3*c - 35*a*b^2*d + 65*a^2*b*e - 104*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*b^(19/3)) - (a^(1/3)*(14*b^3*c - 35*a*b^2*d + 65*a^2*b*e - 104*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*b^(19/3)) + (a^(1/3)*(14*b^3*c - 35*a*b^2*d + 65*a^2*b*e - 104*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*b^(19/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1828

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1858

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1887

`Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]`

Rubi steps

$$\begin{aligned}
 \int \frac{x^9 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{6b^6 (a + bx^3)^2} - \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{6b^6 (a + bx^3)^2} \\
 &= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{6b^6 (a + bx^3)^2} + \frac{a (13b^3c - 19ab^2d + 25a^2be - 31a^3f) x}{18b^6 (a + bx^3)} + \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{18b^6 (a + bx^3)} \\
 &= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{6b^6 (a + bx^3)^2} + \frac{a (13b^3c - 19ab^2d + 25a^2be - 31a^3f) x}{18b^6 (a + bx^3)} + \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{18b^6 (a + bx^3)} \\
 &= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x}{b^6} + \frac{(b^2d - 3abe + 6a^2f) x^4}{4b^5} + \frac{(be - 3af)x^7}{7b^4} + \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{18b^6 (a + bx^3)} \\
 &= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x}{b^6} + \frac{(b^2d - 3abe + 6a^2f) x^4}{4b^5} + \frac{(be - 3af)x^7}{7b^4} + \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{18b^6 (a + bx^3)} \\
 &= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x}{b^6} + \frac{(b^2d - 3abe + 6a^2f) x^4}{4b^5} + \frac{(be - 3af)x^7}{7b^4} + \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{18b^6 (a + bx^3)} \\
 &= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x}{b^6} + \frac{(b^2d - 3abe + 6a^2f) x^4}{4b^5} + \frac{(be - 3af)x^7}{7b^4} + \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{18b^6 (a + bx^3)} \\
 &= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x}{b^6} + \frac{(b^2d - 3abe + 6a^2f) x^4}{4b^5} + \frac{(be - 3af)x^7}{7b^4} + \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{18b^6 (a + bx^3)}
 \end{aligned}$$

Mathematica [A] time = 0.47, size = 362, normalized size = 0.97

$$\frac{945b^6x^8 (6a^2f - 3abe + 3af) + 270b^5x^7 (2a^2f - 2ab^2d + 2a^2be - 2a^3f) + 270b^4x^6 (2a^2f - 2ab^2d + 2a^2be - 2a^3f) + 3780b^3x^5 (-10a^2f + 6a^2be - 3ab^2d + b^3c) + 140b^2x^4 \log(\sqrt{x} + \sqrt{bx^3}) (104a^2f - 65a^2be + 35ab^2d - 14b^3c) - 140b^2x^4 \tan^{-1}\left(\frac{\sqrt{x}}{\sqrt{bx^3}}\right) (104a^2f - 65a^2be + 35ab^2d - 14b^3c) - 70b^2x^4 \log(a^2 - \sqrt{x}\sqrt{bx^3} + b^2x^2) (104a^2f - 65a^2be + 35ab^2d - 14b^3c) + 540b^2x^4 (be - 3af) + 3780b^2x^4}{3780b^6x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (3780*b^(1/3)*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x + 945*b^(4/3)*(b^2*d - 3*a*b*e + 6*a^2*f)*x^4 + 540*b^(7/3)*(b*e - 3*a*f)*x^7 + 378*b^(10/3)*f*x^10 + (630*a^2*b^(1/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(a + b*x^3)^2 + (210*a*b^(1/3)*(13*b^3*c - 19*a*b^2*d + 25*a^2*b*e - 31*a^3*f)*x)/(a + b*x^3) - 140*sqrt(3)*a^(1/3)*(-14*b^3*c + 35*a*b^2*d - 65*a^2*b*e + 104*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)] + 140*a^(1/3)*(-14*b^3*c + 35*a*b^2*d - 65*a^2*b*e + 104*a^3*f)*Log[a^(1/3) + b^(1/3)*x] - 70*a^(1/3)*(-14*b^3*c + 35*a*b^2*d - 65*a^2*b*e + 104*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(3780*b^(19/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^9 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]

fricas [A] time = 0.44, size = 602, normalized size = 1.61

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/3780*(378*b^5*f*x^16 + 108*(5*b^5*e - 8*a*b^4*f)*x^13 + 27*(35*b^5*d - 65*a*b^4*e + 104*a^2*b^3*f)*x^10 + 270*(14*b^5*c - 35*a*b^4*d + 65*a^2*b^3*e - 104*a^3*b^2*f)*x^7 + 735*(14*a*b^4*c - 35*a^2*b^3*d + 65*a^3*b^2*e - 104*a^4*b*f)*x^4 - 140*sqrt(3)*((14*b^5*c - 35*a*b^4*d + 65*a^2*b^3*e - 104*a^3*b^2*f)*x^6 + 14*a^2*b^3*c - 35*a^3*b^2*d + 65*a^4*b*e - 104*a^5*f + 2*(14*a*b^4*c - 35*a^2*b^3*d + 65*a^3*b^2*e - 104*a^4*b*f)*x^3)*(a/b)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) - sqrt(3)*a)/a) + 70*((14*b^5*c - 35*a*b^4*d + 65*a^2*b^3*e - 104*a^3*b^2*f)*x^6 + 14*a^2*b^3*c - 35*a^3*b^2*d + 65*a^4*b*e - 104*a^5*f + 2*(14*a*b^4*c - 35*a^2*b^3*d + 65*a^3*b^2*e - 104*a^4*b*f)*x^3)*(a/b)^(1/3)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3)) - 140*((14*b^5*c - 35*a*b^4*d + 65*a^2*b^3*e - 104*a^3*b^2*f)*x^6 + 14*a^2*b^3*c - 35*a^3*b^2*d + 65*a^4*b*e - 104*a^5*f + 2*(14*a*b^4*c - 35*a^2*b^3*d + 65*a^3*b^2*e - 104*a^4*b*f)*x^3)*(a/b)^(1/3)*log(x + (a/b)^(1/3)) + 420*(14*a^2*b^3*c - 35*a^3*b^2*d + 65*a^4*b*e - 104*a^5*f)*x)/(b^8*x^6 + 2*a*b^7*x^3 + a^2*b^6)

giac [A] time = 0.20, size = 443, normalized size = 1.18

$$\frac{\sqrt{3}(4(-a)^3 b^3 c - 35(-a)^2 b^2 d - 104(-a)^2 b^2 c + 65(-a)^2 b^2 d) \arctan\left(\frac{\sqrt{3}(x - (-a/b)^{1/3})}{b}\right) + (14(-a)^2 b^2 c - 35(-a)^2 b^2 d - 104(-a)^2 b^2 c + 65(-a)^2 b^2 d) \log\left(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}\right) + (14(-a)^2 b^2 c - 35(-a)^2 b^2 d - 104(-a)^2 b^2 c + 65(-a)^2 b^2 d) \log\left(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}\right)}{27 b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$-1/27*\sqrt{3}*(14*(-a*b^2)^{(1/3)}*b^3*c - 35*(-a*b^2)^{(1/3)}*a*b^2*d - 104*(-a*b^2)^{(1/3)}*a^3*f + 65*(-a*b^2)^{(1/3)}*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3}))/(-a/b)^{(1/3}))/b^7 + 1/27*(14*a*b^3*c - 35*a^2*b^2*d - 104*a^4*f + 65*a^3*b*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3})))/(a*b^6) - 1/54*(14*(-a*b^2)^{(1/3)}*b^3*c - 35*(-a*b^2)^{(1/3)}*a*b^2*d - 104*(-a*b^2)^{(1/3)}*a^3*f + 65*(-a*b^2)^{(1/3)}*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3}))/b^7 + 1/18*(13*a*b^4*c*x^4 - 19*a^2*b^3*d*x^4 - 31*a^4*b*f*x^4 + 25*a^3*b^2*x^4*e + 10*a^2*b^3*c*x - 16*a^3*b^2*d*x - 28*a^5*f*x + 22*a^4*b*x*e)/(b*x^3 + a)^2*b^6 + 1/140*(14*b^27*f*x^10 - 60*a*b^26*f*x^7 + 20*b^27*x^7*e + 35*b^27*d*x^4 + 210*a^2*b^25*f*x^4 - 105*a*b^26*x^4*e + 140*b^27*c*x - 420*a*b^26*d*x - 1400*a^3*b^24*f*x + 840*a^2*b^25*x*e)/b^30$$

maple [A] time = 0.06, size = 651, normalized size = 1.74

$$\frac{(14(-a)^2 b^2 c - 35(-a)^2 b^2 d - 104(-a)^2 b^2 c + 65(-a)^2 b^2 d) \arctan\left(\frac{\sqrt{3}(x - (-a/b)^{1/3})}{b}\right) + (14(-a)^2 b^2 c - 35(-a)^2 b^2 d - 104(-a)^2 b^2 c + 65(-a)^2 b^2 d) \log\left(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}\right) + (14(-a)^2 b^2 c - 35(-a)^2 b^2 d - 104(-a)^2 b^2 c + 65(-a)^2 b^2 d) \log\left(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}\right)}{27 b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out]
$$-14/27*a/b^4*c/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+ 104/27*a^4/b^7*f/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-65/27*a^3/b^6*e/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+35/27*a^2/b^5*d/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-14/27*a/b^4*c/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3}))+7/27*a/b^4*c/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3}))-31/18*a^4/b^5/(b*x^3+a)^2*x^4*f-10/b^6*a^3*f*x+6/b^5*a^2*e*x-3/b^4*a*d*x-3/4/b^4*x^4*a*e-3/7/b^4*x^7*a*f+3/2/b^5*x^4*a^2*f+1/10*f*x^10/b^3+104/27*a^4/b^7*f/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3}))-52/27*a^4/b^7*f/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3}))-65/27*a^3/b^6*e/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3}))+65/54*a^3/b^6*e/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3}))+1/7/b^3*x^7*e+1/4/b^3*x^4*d+1/b^3*c*x+35/27*a^2/b^5*d/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3}))-35/54*a^2/b^5*d/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3}))-19/18*a^2/b^3/(b*x^3+a)^2*x^4*d+13/18*a/b^2/(b*x^3+a)^2*x^4*c+11/9*a^4/b^5/(b*x^3+a)^2*e*x-8/9*a^3/b^4/(b*x^3+a)^2*d*x+5/9*a^2/b^3/(b*x^3+a)^2*c*x+25/18*a^3/b^4/(b*x^3+a)^2*x^4*e-14/9*a^5/b^6/(b*x^3+a)^2*f*x$$

maxima [A] time = 3.03, size = 376, normalized size = 1.00

$$\frac{(14(-a)^2 b^2 c - 35(-a)^2 b^2 d - 104(-a)^2 b^2 c + 65(-a)^2 b^2 d) \arctan\left(\frac{\sqrt{3}(x - (-a/b)^{1/3})}{b}\right) + (14(-a)^2 b^2 c - 35(-a)^2 b^2 d - 104(-a)^2 b^2 c + 65(-a)^2 b^2 d) \log\left(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}\right) + (14(-a)^2 b^2 c - 35(-a)^2 b^2 d - 104(-a)^2 b^2 c + 65(-a)^2 b^2 d) \log\left(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}\right)}{27 b^7}$$

$$3.236 \quad \int \frac{x^7(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=345

$$\frac{x^2(6a^2f - 3abe + b^2d)}{2b^5} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-77a^3f + 44a^2be - 20ab^2d + 5b^3c)}{27\sqrt[3]{a}b^{17/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-77a^3f + 44a^2be - 20ab^2d + 5b^3c)}{9\sqrt{3}\sqrt[3]{a}b^{17/3}}$$

Rubi [A] time = 0.76, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 30, number of rules / integrand size = 0.333, Rules used = {1828, 1851, 1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(10a^2be - 13a^2f - 7ab^2d + 4b^3c)}{9b^5(a+bx^3)} + \frac{ax^2(a^2be + a^3(-f) - ab^2d + b^3c)}{ab^5(a+bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(44a^2be - 77a^3f - 20ab^2d + 5b^3c)}{54\sqrt[3]{a}b^{17/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(44a^2be - 77a^3f - 20ab^2d + 5b^3c)}{27\sqrt[3]{a}b^{17/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(44a^2be - 77a^3f - 20ab^2d + 5b^3c)}{9\sqrt{3}\sqrt[3]{a}b^{17/3}} + \frac{x^2(6a^2f - 3abe + b^2d)}{2b^5} + \frac{x^2(be - 3af)}{5b^4} + \frac{fx^8}{8b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b^2*d - 3*a*b*e + 6*a^2*f)*x^2)/(2*b^5) + ((b*e - 3*a*f)*x^5)/(5*b^4) + (f*x^8)/(8*b^3) + (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*b^5*(a + b*x^3)^2) - ((4*b^3*c - 7*a*b^2*d + 10*a^2*b*e - 13*a^3*f)*x^2)/(9*b^5*(a + b*x^3)) - ((5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(1/3)*b^(17/3)) - ((5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(1/3)*b^(17/3)) + ((5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(1/3)*b^(17/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(n-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x

$\wedge 2), x], x] /; \text{FreeQ}\{a, b\}, x]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_)) + (c_)*(x_)\wedge 2]^{\wedge(-1)}, x_Symbol] := \text{With}\{q = 1 - 4*S\text{implify}[(a*c)/b\wedge 2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x\wedge 2)], x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q\wedge 2, 1] \|\| \text{!RationalQ}[b\wedge 2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{NeQ}[b\wedge 2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_)) + (c_)*(x_)\wedge 2), x_Symbol] := \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x\wedge 2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_)) + (c_)*(x_)\wedge 2), x_Symbol] := \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x\wedge 2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x\wedge 2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[2*c*d - b*e, 0] \&\& \text{NeQ}[b\wedge 2 - 4*a*c, 0] \&\& \text{!NiceSqrtQ}[b\wedge 2 - 4*a*c]$

Rule 1488

$\text{Int}[(f_)*(x_)\wedge(m_)*((a_ + (c_)*(x_)\wedge(n2_)) + (b_)*(x_)\wedge(n_))\wedge(p_)*((d_ + (e_)*(x_)\wedge(n_))\wedge(q_)), x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(f*x)\wedge m*(d + e*x\wedge n)\wedge q*(a + b*x\wedge n + c*x\wedge(2*n))\wedge p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, q\}, x] \&\& \text{EqQ}[n2, 2*n] \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

Rule 1828

$\text{Int}[(Pq_)*(x_)\wedge(m_)*((a_ + (b_)*(x_)\wedge(n_))\wedge(p_)), x_Symbol] := \text{With}\{q = m + \text{Expon}[Pq, x]\}, \text{Module}\{Q = \text{PolynomialQuotient}[b^{\wedge(\text{Floor}[(q - 1)/n] + 1)}*x^m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{\wedge(\text{Floor}[(q - 1)/n] + 1)}*x^m*Pq, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p + 1)*b^{\wedge(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[(a + b*x^n)\wedge(p + 1)*\text{ExpandToSum}[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)\wedge(p + 1))/(a*n*(p + 1)*b^{\wedge(\text{Floor}[(q - 1)/n] + 1)}), x]] /; \text{GeQ}[q, n] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{IGtQ}[m, 0]$

Rule 1836

$\text{Int}[(Pq_)*((c_)*(x_)\wedge(m_)*((a_ + (b_)*(x_)\wedge(n_))\wedge(p_)), x_Symbol] := \text{With}\{q = \text{Expon}[Pq, x]\}, \text{With}\{Pqq = \text{Coeff}[Pq, x, q]\}, \text{Dist}[1/(b*(m + q + n*p + 1)), \text{Int}[(c*x)\wedge m*\text{ExpandToSum}[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*$

```
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1851

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Int[x*PolynomialQuot
ient[Pq, x, x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, n, p}, x] && PolyQ[Pq, x]
&& EqQ[Coeff[Pq, x, 0], 0] && !MatchQ[Pq, x^(m_.)*(u_.) /; IntegerQ[m]]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} - \frac{\int \frac{2a^2b(b^3c - ab^2d + a^2be - a^3f)x - 6ab^2(b^3c - ab^2d + a^2be - a^3f)}{(a + bx^3)^2} dx}{6a} \\
&= \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} - \frac{\int \frac{x(2a^2b(b^3c - ab^2d + a^2be - a^3f) - 6ab^2(b^3c - ab^2d + a^2be - a^3f))}{(a + bx^3)^2} dx}{6a} \\
&= \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} - \frac{(4b^3c - 7ab^2d + 10a^2be - 13a^3f)x^2}{9b^5(a + bx^3)} + \frac{\int \frac{2a^2b}{(a + bx^3)^2} dx}{6a} \\
&= \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} - \frac{(4b^3c - 7ab^2d + 10a^2be - 13a^3f)x^2}{9b^5(a + bx^3)} + \frac{\int \frac{x(2a^2b)}{(a + bx^3)^2} dx}{6a} \\
&= \frac{fx^8}{8b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} - \frac{(4b^3c - 7ab^2d + 10a^2be - 13a^3f)x^2}{9b^5(a + bx^3)} + \frac{\int \frac{x(2a^2b)}{(a + bx^3)^2} dx}{6a} \\
&= \frac{fx^8}{8b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} - \frac{(4b^3c - 7ab^2d + 10a^2be - 13a^3f)x^2}{9b^5(a + bx^3)} + \frac{\int \frac{x(2a^2b)}{(a + bx^3)^2} dx}{6a} \\
&= \frac{(b^2d - 3abe + 6a^2f)x^2}{2b^5} + \frac{(be - 3af)x^5}{5b^4} + \frac{fx^8}{8b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f)x^2}{2b^5} + \frac{(be - 3af)x^5}{5b^4} + \frac{fx^8}{8b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f)x^2}{2b^5} + \frac{(be - 3af)x^5}{5b^4} + \frac{fx^8}{8b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f)x^2}{2b^5} + \frac{(be - 3af)x^5}{5b^4} + \frac{fx^8}{8b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f)x^2}{2b^5} + \frac{(be - 3af)x^5}{5b^4} + \frac{fx^8}{8b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 329, normalized size = 0.95

$$\frac{540d^{2/3}x^2(6d^2f - 3abe + b^2d) + \frac{40\sqrt{3}\sqrt[3]{a}\sqrt[3]{b}\sqrt[3]{c}\sqrt[3]{d}\sqrt[3]{e}\sqrt[3]{f}\sqrt[3]{g}\sqrt[3]{h}\sqrt[3]{i}\sqrt[3]{j}\sqrt[3]{k}\sqrt[3]{l}\sqrt[3]{m}\sqrt[3]{n}\sqrt[3]{o}\sqrt[3]{p}\sqrt[3]{q}\sqrt[3]{r}\sqrt[3]{s}\sqrt[3]{t}\sqrt[3]{u}\sqrt[3]{v}\sqrt[3]{w}\sqrt[3]{x}\sqrt[3]{y}\sqrt[3]{z}}{\sqrt[3]{a}}(77d^3f - 44d^2be + 20ab^2d - 5b^3c) + \frac{40\sqrt{3}\sqrt[3]{a}\sqrt[3]{b}\sqrt[3]{c}\sqrt[3]{d}\sqrt[3]{e}\sqrt[3]{f}\sqrt[3]{g}\sqrt[3]{h}\sqrt[3]{i}\sqrt[3]{j}\sqrt[3]{k}\sqrt[3]{l}\sqrt[3]{m}\sqrt[3]{n}\sqrt[3]{o}\sqrt[3]{p}\sqrt[3]{q}\sqrt[3]{r}\sqrt[3]{s}\sqrt[3]{t}\sqrt[3]{u}\sqrt[3]{v}\sqrt[3]{w}\sqrt[3]{x}\sqrt[3]{y}\sqrt[3]{z}}{\sqrt[3]{a}}(77d^3f - 44d^2be + 20ab^2d - 5b^3c)}{1080b^{17/3}} - \frac{120a^{2/3}d^2(-13d^3f + 10d^2be - 7ad^2d + 4b^3c)}{a+b^3} + \frac{180a^{2/3}d^2(d^3(-f) + d^2be - ad^2d + b^3c)}{(a+b^3)^2} + \frac{20\sqrt{3}\sqrt[3]{a}\sqrt[3]{b}\sqrt[3]{c}\sqrt[3]{d}\sqrt[3]{e}\sqrt[3]{f}\sqrt[3]{g}\sqrt[3]{h}\sqrt[3]{i}\sqrt[3]{j}\sqrt[3]{k}\sqrt[3]{l}\sqrt[3]{m}\sqrt[3]{n}\sqrt[3]{o}\sqrt[3]{p}\sqrt[3]{q}\sqrt[3]{r}\sqrt[3]{s}\sqrt[3]{t}\sqrt[3]{u}\sqrt[3]{v}\sqrt[3]{w}\sqrt[3]{x}\sqrt[3]{y}\sqrt[3]{z}}{\sqrt[3]{a}}(-77d^3f + 44d^2be - 20ab^2d + 5b^3c) + 216d^{5/3}x^5(b^2e - 3df) + 135d^{8/3}fx^8}{1080b^{17/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (540*b^(2/3)*(b^2*d - 3*a*b*e + 6*a^2*f)*x^2 + 216*b^(5/3)*(b*e - 3*a*f)*x^5 + 135*b^(8/3)*f*x^8 + (180*a*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(a + b*x^3)^2 - (120*b^(2/3)*(4*b^3*c - 7*a*b^2*d + 10*a^2*b*e - 13*a^3*f)*x^2)/(a + b*x^3) + (40*sqrt(3)*(-5*b^3*c + 20*a*b^2*d - 44*a^2*b*e + 77*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/a^(1/3) + (40*(-5*b^3*c + 20*a*b^2*d - 44*a^2*b*e + 77*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(1/3) + (20*(5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(1/3))/(1080*b^(17/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^7 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]

fricas [B] time = 0.45, size = 1278, normalized size = 3.70

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] [1/1080*(135*a*b^6*f*x^14 + 54*(4*a*b^6*e - 7*a^2*b^5*f)*x^11 + 27*(20*a*b^6*d - 44*a^2*b^5*e + 77*a^3*b^4*f)*x^8 - 96*(5*a*b^6*c - 20*a^2*b^5*d + 44*a^3*b^4*e - 77*a^4*b^3*f)*x^5 - 60*(5*a^2*b^5*c - 20*a^3*b^4*d + 44*a^4*b^3*e - 77*a^5*b^2*f)*x^2 - 60*sqrt(1/3)*(5*a^3*b^4*c - 20*a^4*b^3*d + 44*a^5*b^2*e - 77*a^6*b*f + (5*a*b^6*c - 20*a^2*b^5*d + 44*a^3*b^4*e - 77*a^4*b^3*f)*x^6 + 2*(5*a^2*b^5*c - 20*a^3*b^4*d + 44*a^4*b^3*e - 77*a^5*b^2*f)*x^3)*sqrt(-(a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b - 3*sqrt(1/3)*(a*b*x + 2*(a*b^2)^(2/3)*x^2 - (a*b^2)^(1/3)*a)*sqrt(-(a*b^2)^(1/3)/a) - 3*(a*b^2)^(2/3)*x)/(b*x^3 + a)) + 20*((5*b^5*c - 20*a*b^4*d + 44*a^2*b^3*e - 77*a^3*b^2*f)*x^6 + 5*a^2*b^3*c - 20*a^3*b^2*d + 44*a^4*b*e - 77*a^5*f + 2*(5*a*b^4*c - 20*a

$$\begin{aligned}
& 2*b^3*d + 44*a^3*b^2*e - 77*a^4*b*f)*x^3)*(a*b^2)^{(2/3)}*\log(b^2*x^2 - (a*b^2)^{(1/3)}*b*x + (a*b^2)^{(2/3)}) - 40*((5*b^5*c - 20*a*b^4*d + 44*a^2*b^3*e - 77*a^3*b^2*f)*x^6 + 5*a^2*b^3*c - 20*a^3*b^2*d + 44*a^4*b*e - 77*a^5*f + 2*(5*a*b^4*c - 20*a^2*b^3*d + 44*a^3*b^2*e - 77*a^4*b*f)*x^3)*(a*b^2)^{(2/3)}*\log(b*x + (a*b^2)^{(1/3)})) / (a*b^9*x^6 + 2*a^2*b^8*x^3 + a^3*b^7), 1/1080*(13*5*a*b^6*f*x^14 + 54*(4*a*b^6*e - 7*a^2*b^5*f)*x^11 + 27*(20*a*b^6*d - 44*a^2*b^5*e + 77*a^3*b^4*f)*x^8 - 96*(5*a*b^6*c - 20*a^2*b^5*d + 44*a^3*b^4*e - 77*a^4*b^3*f)*x^5 - 60*(5*a^2*b^5*c - 20*a^3*b^4*d + 44*a^4*b^3*e - 77*a^5*b^2*f)*x^2 - 120*sqrt(1/3)*(5*a^3*b^4*c - 20*a^4*b^3*d + 44*a^5*b^2*e - 77*a^6*b*f + (5*a*b^6*c - 20*a^2*b^5*d + 44*a^3*b^4*e - 77*a^4*b^3*f)*x^6 + 2*(5*a^2*b^5*c - 20*a^3*b^4*d + 44*a^4*b^3*e - 77*a^5*b^2*f)*x^3)*sqrt((a*b^2)^{(1/3)}/a)*arctan(-sqrt(1/3)*(2*b*x - (a*b^2)^{(1/3)})*sqrt((a*b^2)^{(1/3)}/a)/b) + 20*((5*b^5*c - 20*a*b^4*d + 44*a^2*b^3*e - 77*a^3*b^2*f)*x^6 + 5*a^2*b^3*c - 20*a^3*b^2*d + 44*a^4*b*e - 77*a^5*f + 2*(5*a*b^4*c - 20*a^2*b^3*d + 44*a^3*b^2*e - 77*a^4*b*f)*x^3)*(a*b^2)^{(2/3)}*\log(b^2*x^2 - (a*b^2)^{(1/3)}*b*x + (a*b^2)^{(2/3)}) - 40*((5*b^5*c - 20*a*b^4*d + 44*a^2*b^3*e - 77*a^3*b^2*f)*x^6 + 5*a^2*b^3*c - 20*a^3*b^2*d + 44*a^4*b*e - 77*a^5*f + 2*(5*a*b^4*c - 20*a^2*b^3*d + 44*a^3*b^2*e - 77*a^4*b*f)*x^3)*(a*b^2)^{(2/3)}*\log(b*x + (a*b^2)^{(1/3)})) / (a*b^9*x^6 + 2*a^2*b^8*x^3 + a^3*b^7)]
\end{aligned}$$

giac [A] time = 0.20, size = 391, normalized size = 1.13

$$\frac{\sqrt{3} \left(5b^5c - 20ab^4d - 77a^2b^3e + 44a^3b^2f \right) \arctan\left(\frac{\sqrt{3} \left(2bx - (ab^2)^{1/3} \right) \sqrt{(ab^2)^{1/3}/a}}{(ab^2)^{1/3}} \right)}{27(-ab^3)^{5/3}} + \frac{(5b^5c - 20ab^4d - 77a^2b^3e + 44a^3b^2f) \log\left(x^2 + x \left(-\frac{a}{b} \right)^{1/3} + \left(-\frac{a}{b} \right)^{2/3} \right)}{54(-ab^3)^{5/3}} + \frac{(5b^5c - 20ab^4d - 77a^2b^3e + 44a^3b^2f) \left(-\frac{a}{b} \right)^{1/3} \log\left(\left(-\frac{a}{b} \right)^{1/3} \right)}{27ab^3} + \frac{88ab^2c^2 - 14ab^3d^2 - 26a^2b^2e^2 + 20a^2b^2fe + 5ab^3c^2 - 11a^2b^2d^2 - 23a^2fe^2 + 17a^2b^2e}{18(b^2+a)^{5/3}} + \frac{5b^2f^2 - 24ab^2f^2 + 8b^3e^2 + 20b^2d^2 + 120a^2b^2fe - 60ab^2b^2e}{40b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/27*sqrt(3)*(5*b^3*c - 20*a*b^2*d - 77*a^3*f + 44*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*b^5) - 1/54*(5*b^3*c - 20*a*b^2*d - 77*a^3*f + 44*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*b^5) - 1/27*(5*b^3*c*(-a/b)^(1/3) - 20*a*b^2*d*(-a/b)^(1/3) - 77*a^3*f*(-a/b)^(1/3) + 44*a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(a*bs(x - (-a/b)^(1/3)))/(a*b^5) - 1/18*(8*b^4*c*x^5 - 14*a*b^3*d*x^5 - 26*a^3*b*f*x^5 + 20*a^2*b^2*x^5*e + 5*a*b^3*c*x^2 - 11*a^2*b^2*d*x^2 - 23*a^4*f*x^2 + 17*a^3*b*x^2*e)/(b*x^3 + a)^2*b^5) + 1/40*(5*b^21*f*x^8 - 24*a*b^20*f*x^5 + 8*b^21*x^5*e + 20*b^21*d*x^2 + 120*a^2*b^19*f*x^2 - 60*a*b^20*x^2*e)/b^24

maple [B] time = 0.06, size = 611, normalized size = 1.77

$$\frac{\sqrt{3} \left(5b^5c - 20ab^4d - 77a^2b^3e + 44a^3b^2f \right) \arctan\left(\frac{\sqrt{3} \left(2bx - (ab^2)^{1/3} \right) \sqrt{(ab^2)^{1/3}/a}}{(ab^2)^{1/3}} \right)}{27(-ab^3)^{5/3}} + \frac{(5b^5c - 20ab^4d - 77a^2b^3e + 44a^3b^2f) \log\left(x^2 + x \left(-\frac{a}{b} \right)^{1/3} + \left(-\frac{a}{b} \right)^{2/3} \right)}{54(-ab^3)^{5/3}} + \frac{(5b^5c - 20ab^4d - 77a^2b^3e + 44a^3b^2f) \left(-\frac{a}{b} \right)^{1/3} \log\left(\left(-\frac{a}{b} \right)^{1/3} \right)}{27ab^3} + \frac{88ab^2c^2 - 14ab^3d^2 - 26a^2b^2e^2 + 20a^2b^2fe + 5ab^3c^2 - 11a^2b^2d^2 - 23a^2fe^2 + 17a^2b^2e}{18(b^2+a)^{5/3}} + \frac{5b^2f^2 - 24ab^2f^2 + 8b^3e^2 + 20b^2d^2 + 120a^2b^2fe - 60ab^2b^2e}{40b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)$

[Out] $44/27/b^5*a^2*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) - 20/27/b^4*a*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) - 77/27/b^6*a^3*f*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) - 3/2/b^4*x^2*a*e-3/5/b^4*x^5*a*f+3/b^5*x^2*a^2*f-4/9/b/(b*x^3+a)^2*x^5*c-5/27/b^3*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+5/54/b^3*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/5/b^3*x^5*e+1/2/b^3*x^2*d+1/8*f*x^8/b^3+13/9/b^4/(b*x^3+a)^2*x^5*a^3*f-10/9/b^3/(b*x^3+a)^2*x^5*a^2*e+7/9/b^2/(b*x^3+a)^2*x^5*a*d+23/18/b^5/(b*x^3+a)^2*x^2*a^4*f-17/18/b^4/(b*x^3+a)^2*x^2*a^3*e-77/54/b^6*a^3*f/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-44/27/b^5*a^2*e/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+22/27/b^5*a^2*e/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+20/27/b^4*a*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-10/27/b^4*a*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+5/27/b^3*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+11/18/b^3/(b*x^3+a)^2*x^2*a^2*d-5/18/b^2/(b*x^3+a)^2*x^2*a*c+77/27/b^6*a^3*f/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})$

maxima [A] time = 3.08, size = 330, normalized size = 0.96

$$\frac{2(4b^5c - 7ab^4d + 10a^2b^3e - 13a^3bf)^2 + (5ab^5c - 11a^2b^4d + 17a^3be - 23a^4f)^2}{18(b^5x + 2ab^4x^2 + a^2b^3x^3)} + \frac{\sqrt{3}(5b^5c - 20ab^4d + 44a^2be - 77a^3f)\arctan\left(\frac{\sqrt{3}(x + \frac{a}{b})}{3}\right)}{27b^6\left(\frac{a}{b}\right)^3} + \frac{5b^2fx^8 + 8(b^2e - 3abf)x^5 + 20(b^2d - 3abe + 6a^2f)x^2}{40b^8} + \frac{(5b^5c - 20ab^4d + 44a^2be - 77a^3f)\log\left(x - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54b^6\left(\frac{a}{b}\right)^3} - \frac{(5b^5c - 20ab^4d + 44a^2be - 77a^3f)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27b^6\left(\frac{a}{b}\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, \text{algorithm}="maxima")$

[Out] $-1/18*(2*(4*b^4*c - 7*a*b^3*d + 10*a^2*b^2*e - 13*a^3*b*f)*x^5 + (5*a*b^3*c - 11*a^2*b^2*d + 17*a^3*b*e - 23*a^4*f)*x^2)/(b^7*x^6 + 2*a*b^6*x^3 + a^2*b^5) + 1/27*\sqrt{3}*(5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^6*(a/b)^{(1/3)}) + 1/40*(5*b^2*f*x^8 + 8*(b^2*e - 3*a*b*f)*x^5 + 20*(b^2*d - 3*a*b*e + 6*a^2*f)*x^2)/b^5 + 1/54*(5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^6*(a/b)^{(1/3)}) - 1/27*(5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*\log(x + (a/b)^{(1/3)})/(b^6*(a/b)^{(1/3)})$

mapad [B] time = 5.53, size = 338, normalized size = 0.98

$$x^2\left(\frac{c}{8b^5} + \frac{3af}{8b^4}\right) + \frac{x^2\left(\frac{21a^2d^2}{9} + \frac{11a^2bd^2}{9} + \frac{5a^2bd^2}{9} - \frac{5a^2d^2}{9}\right) - x^2\left(\frac{11a^2bd^2}{9} + \frac{5a^2bd^2}{9} + \frac{5a^2d^2}{9}\right)}{a^2b^5 + 2ab^4x^3 + b^3x^6} - x\left(\frac{3a^2f}{2b^6} + \frac{3a}{2b}\left(\frac{5}{3} - \frac{2a}{b}\right)\right)\frac{f}{8b^6} \frac{\ln(b^{1/3}x + a^{1/3})}{27a^{1/3}b^{5/3}} - \frac{77f^2 + 44e^2d^2 - 20da^2b^2 + 5cb^2}{27a^{1/3}b^{5/3}} + \frac{\ln(2a^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3})\left(\frac{1}{3} + \frac{\sqrt{3}a}{b}\right)(-77f^2 + 44e^2d^2 - 20da^2b^2 + 5cb^2)}{27a^{1/3}b^{5/3}} - \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3})\left(\frac{1}{3} + \frac{\sqrt{3}a}{b}\right)(-77f^2 + 44e^2d^2 - 20da^2b^2 + 5cb^2)}{27a^{1/3}b^{5/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)$

[Out] $x^5*(e/(5*b^3) - (3*a*f)/(5*b^4)) + (x^2*((23*a^4*f)/18 + (11*a^2*b^2*d)/18 - (5*a*b^3*c)/18 - (17*a^3*b*e)/18) - x^5*((4*b^4*c)/9 + (10*a^2*b^2*e)/9 - (7*a*b^3*d)/9 - (13*a^3*b*f)/9)/(a^2*b^5 + b^7*x^6 + 2*a*b^6*x^3) - x^2*((3*a^2*f)/(2*b^5) - d/(2*b^3) + (3*a*(e/b^3 - (3*a*f)/b^4))/(2*b)) + (f*x^8$

$$\frac{8}{(8*b^3)} - (\log(b^{(1/3)}*x + a^{(1/3)}))*(5*b^3*c - 77*a^3*f - 20*a*b^2*d + 44*a^2*b*e))/(27*a^{(1/3)}*b^{(17/3)}) + (\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)}))*((3^{(1/2)}*1i)/2 + 1/2)*(5*b^3*c - 77*a^3*f - 20*a*b^2*d + 44*a^2*b*e))/(27*a^{(1/3)}*b^{(17/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)}))*((3^{(1/2)}*1i)/2 - 1/2)*(5*b^3*c - 77*a^3*f - 20*a*b^2*d + 44*a^2*b*e))/(27*a^{(1/3)}*b^{(17/3)})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**7*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.237 \quad \int \frac{x^6(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=336

$$\frac{x(6a^2f - 3abe + b^2d)}{b^5} - \frac{x(-25a^3f + 19a^2be - 13ab^2d + 7b^3c)}{18b^5(a + bx^3)} + \frac{ax(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^5(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a})}{b^5}$$

Rubi [A] time = 0.51, antiderivative size = 336, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, number of rules / integrand size = 0.300, Rules used = {1828, 1858, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{x(19a^2be - 25a^3f - 13ab^2d + 7b^3c)}{18b^5(a + bx^3)} + \frac{ax(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^5(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{bx + b^{2/3}x^2})}{54a^{2/3}b^{16/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{bx})}{27a^{2/3}b^{16/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{bx}}{\sqrt[3]{a}}\right)(35a^2be - 65a^3f - 14ab^2d + 2b^3c)}{9\sqrt[3]{a}a^{2/3}b^{16/3}} + \frac{x(6a^2f - 3abe + b^2d)}{b^5} + \frac{x^4(be - 3af)}{4b^4} + \frac{fx^7}{7b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b^2*d - 3*a*b*e + 6*a^2*f)*x)/b^5 + ((b*e - 3*a*f)*x^4)/(4*b^4) + (f*x^7)/(7*b^3) + (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*b^5*(a + b*x^3)^2) - ((7*b^3*c - 13*a*b^2*d + 19*a^2*b*e - 25*a^3*f)*x)/(18*b^5*(a + b*x^3)) - ((2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(2/3)*b^(16/3)) + ((2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(2/3)*b^(16/3)) - ((2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(2/3)*b^(16/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1828

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1858

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :- Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{x^6 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2} - \frac{\int \frac{a^2(b^3c - ab^2d + a^2be - a^3f) - 6ab(b^3c - ab^2d + a^2be - a^3f)x^3 - 6ab^4(a + bx^3)^2}{(a + bx^3)^2} dx}{6ab^5} \\
 &= \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2} - \frac{(7b^3c - 13ab^2d + 19a^2be - 25a^3f)x}{18b^5(a + bx^3)} + \frac{\int \frac{2a^2b^4(a + bx^3)^2}{(a + bx^3)^2} dx}{6ab^5} \\
 &= \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2} - \frac{(7b^3c - 13ab^2d + 19a^2be - 25a^3f)x}{18b^5(a + bx^3)} + \frac{\int (18a^2b^4)}{6ab^5} \\
 &= \frac{(b^2d - 3abe + 6a^2f)x}{b^5} + \frac{(be - 3af)x^4}{4b^4} + \frac{fx^7}{7b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2} \\
 &= \frac{(b^2d - 3abe + 6a^2f)x}{b^5} + \frac{(be - 3af)x^4}{4b^4} + \frac{fx^7}{7b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2} \\
 &= \frac{(b^2d - 3abe + 6a^2f)x}{b^5} + \frac{(be - 3af)x^4}{4b^4} + \frac{fx^7}{7b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2} \\
 &= \frac{(b^2d - 3abe + 6a^2f)x}{b^5} + \frac{(be - 3af)x^4}{4b^4} + \frac{fx^7}{7b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2} \\
 &= \frac{(b^2d - 3abe + 6a^2f)x}{b^5} + \frac{(be - 3af)x^4}{4b^4} + \frac{fx^7}{7b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{6b^5(a + bx^3)^2}
 \end{aligned}$$

Mathematica [A] time = 0.37, size = 323, normalized size = 0.96

$$\frac{756\sqrt{b}x(6a^2f - 3abe + b^2d) - \frac{42\sqrt{b}x(-25a^3f + 19a^2be - 13ab^2d + 7b^3c)}{a+bx^3} + \frac{126a\sqrt{b}x(a^2f - fx^7 + a^2be - ab^2d + b^3c)}{(a+bx^3)^2} + \frac{28\log(\sqrt{b} + \sqrt{bx^3})(-65a^3f + 35a^2be - 14ab^2d + 2b^3c)}{a^{2/3}} + \frac{28\sqrt{b}\tan^{-1}\left(\frac{1 + \frac{2\sqrt{bx^3}}{a}}{\sqrt{b}}\right)(65a^3f - 35a^2be + 14ab^2d - 2b^3c)}{a^{2/3}} + \frac{14\log(a^{2/3} - \sqrt{b}\sqrt{bx^3 + a^2})^2(65a^3f - 35a^2be + 14ab^2d - 2b^3c)}{a^{2/3}} + 189b^{4/3}x^4(be - 3af) + 108b^{7/3}fx^7}{756b^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (756*b^(1/3)*(b^2*d - 3*a*b*e + 6*a^2*f)*x + 189*b^(4/3)*(b*e - 3*a*f)*x^4 + 108*b^(7/3)*f*x^7 + (126*a*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a + b*x^3)^2 - (42*b^(1/3)*(7*b^3*c - 13*a*b^2*d + 19*a^2*b*e - 25*a^3*f)*x)/(a + b*x^3) + (28*sqrt(3)*(-2*b^3*c + 14*a*b^2*d - 35*a^2*b*e + 65*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)]/a^(2/3) + (28*(2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) + (14*(-2*b^3*c + 14*a*b^2*d - 35*a^2*b*e + 65*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3))/(756*b^(16/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]

fricas [B] time = 0.45, size = 1318, normalized size = 3.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] [1/756*(108*a^2*b^5*f*x^13 + 27*(7*a^2*b^5*e - 13*a^3*b^4*f)*x^10 + 54*(14*a^2*b^5*d - 35*a^3*b^4*e + 65*a^4*b^3*f)*x^7 - 147*(2*a^2*b^5*c - 14*a^3*b^4*d + 35*a^4*b^3*e - 65*a^5*b^2*f)*x^4 - 42*sqrt(1/3)*(2*a^3*b^4*c - 14*a^4*b^3*d + 35*a^5*b^2*e - 65*a^6*b*f + (2*a*b^6*c - 14*a^2*b^5*d + 35*a^3*b^4*e - 65*a^4*b^3*f)*x^6 + 2*(2*a^2*b^5*c - 14*a^3*b^4*d + 35*a^4*b^3*e - 65*a^5*b^2*f)*x^3)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a) - 14*((2*b^5*c - 14*a*b^4*d + 35*a^2*b^3*e - 65*a^3*b^2*f)*x^6 + 2*a^2*b^3*c - 14*a^3*b^2*d + 35*a^4*b*e - 65*a^5*f + 2*(2*a*b^4*c - 14*a^2*b^3*d + 35*a^3*b^2*e - 65*a^4*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*((2*b^5*c - 14*a*b^4*d + 35*a^2*b^3*e - 65*a^3*b^2*f)*x^6 + 2*a^2*b^3*c - 14*a^3*b^2*d + 35*a^4*b*e - 65*a^5*f + 2*(2*a*b^4*c - 14*a^2*b^3*d + 35*a^3*b^2*e - 65*a^4*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) - 84*(2*a^3*b^4*c - 14*a^4*b^3*d + 35*a^5*b^2*e - 65*a^6*b*f)*x)/(a^2*b^8*x^6 + 2*a^3*b^7*x^3 + a

$$\begin{aligned} & /b/(b*x^3+a)^2*x^4*c+6/b^5*a^2*f*x-1/27/b^3*c/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)} \\ &)*x+(a/b)^{(2/3)}-8/9/b^4/(b*x^3+a)^2*a^3*e*x+1/7/b^3*f*x^7+13/18/b^2/(b*x^3 \\ & +a)^2*x^4*a*d-35/54/b^5*a^2*e/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) \\ & -2/9/b^2/(b*x^3+a)^2*a*c*x+11/9/b^5/(b*x^3+a)^2*a^4*f*x+1/4/b^3*x^4*e+7/27/ \\ & b^4*a*d/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/b^3*d*x+2/27/b^3*c/ \\ & (a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-65/27/b^6*a^3*f \\ & / (a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-65/27/b^6*a^3*f/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1 \\ & /3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+35/27/b^5*a^2*e/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(\\ & 1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-14/27/b^4*a*d/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1 \\ & /3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+25/18/b^4/(b*x^3+a)^2*x^4*a^3*f-19/18/b^3/(\\ & b*x^3+a)^2*x^4*a^2*e+5/9/b^3/(b*x^3+a)^2*a^2*d*x \end{aligned}$$

maxima [A] time = 3.04, size = 326, normalized size = 0.97

$$\frac{(7b^3c-13ab^3d+19a^2b^2e-25a^3bf)^4+2(2ab^2c-5a^2b^2d+8a^3be-11a^4f)x+4b^2f^2+7(b^2c-3abf)^4+28(b^2d-3abc+6a^2f)x}{18(b^2a^2+2ab^2c^2+a^2b^2)} + \frac{\sqrt{3}(2b^3c-14ab^3d+35a^2be-65a^3f)\arctan\left(\frac{\sqrt{3}\left(x+\frac{a}{b}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27b^6\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{(2b^3c-14ab^3d+35a^2be-65a^3f)\log\left(x^2-x\left(\frac{a}{b}\right)^{\frac{1}{3}}+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54b^6\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(2b^3c-14ab^3d+35a^2be-65a^3f)\log\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27b^6\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $-1/18*((7*b^4*c - 13*a*b^3*d + 19*a^2*b^2*e - 25*a^3*b*f)*x^4 + 2*(2*a*b^3*c - 5*a^2*b^2*d + 8*a^3*b*e - 11*a^4*f)*x)/(b^7*x^6 + 2*a*b^6*x^3 + a^2*b^5) + 1/28*(4*b^2*f*x^7 + 7*(b^2*e - 3*a*b*f)*x^4 + 28*(b^2*d - 3*a*b*e + 6*a^2*f)*x)/b^5 + 1/27*\sqrt{3}*(2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^6*(a/b)^{(2/3)}) - 1/54*(2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^6*(a/b)^{(2/3)}) + 1/27*(2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*\log(x + (a/b)^{(1/3)})/(b^6*(a/b)^{(2/3)})$

mupad [B] time = 5.30, size = 335, normalized size = 1.00

$$x^4 \left(\frac{c}{4b^3} - \frac{3df}{4b^3} \right) - x \left(\frac{3a^2f}{b^3} - \frac{d}{b^3} + \frac{3a \left(\frac{c}{b} - \frac{27f}{b} \right)}{b} \right) - \frac{x^4 \left(\frac{25a^2c}{18b^3} + \frac{19a^2d}{18b^3} - \frac{11a^2e}{18b^3} + \frac{11a^2f}{18b^3} \right) - x \left(\frac{11a^2d}{9b^3} - \frac{11a^2e}{9b^3} + \frac{11a^2f}{9b^3} - \frac{21a^2d}{9b^3} \right)}{27b^6} + \frac{f^2}{27b^6} - \frac{\ln(b^{1/3}x + a^{1/3})(-65f^2 + 35c^2b - 14dad^2 + 2c^2b^2)}{27a^{1/3}b^{16/3}} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3})\left(-\frac{1}{3} + \frac{\sqrt{3}b}{27}\right)(-65f^2 + 35c^2b - 14dad^2 + 2c^2b^2)}{27a^{1/3}b^{16/3}} - \frac{\ln(a^{1/3}x + \sqrt{3}a^{1/3})\left(\frac{1}{3} + \frac{\sqrt{3}b}{27}\right)(-65f^2 + 35c^2b - 14dad^2 + 2c^2b^2)}{27a^{1/3}b^{16/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] $x^4*(e/(4*b^3) - (3*a*f)/(4*b^4)) - x*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3 - (3*a*f)/b^4))/b) - (x^4*((7*b^4*c)/18 + (19*a^2*b^2*e)/18 - (13*a*b^3*d)/18 - (25*a^3*b*f)/18) - x*((11*a^4*f)/9 + (5*a^2*b^2*d)/9 - (2*a*b^3*c)/9 - (8*a^3*b*e)/9))/(a^2*b^5 + b^7*x^6 + 2*a*b^6*x^3) + (f*x^7)/(7*b^3) + (\log(b^{(1/3)}*x + a^{(1/3)})*(2*b^3*c - 65*a^3*f - 14*a*b^2*d + 35*a^2*b*e))/(27*a^{(2/3)}*b^{(16/3)}) + (\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(2*b^3*c - 65*a^3*f - 14*a*b^2*d + 35*a^2*b*e))/(27*a^{(2/3)}*b^{(16/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)$

$$\frac{1}{2} + \frac{1}{2} * (2 * b^3 * c - 65 * a^3 * f - 14 * a * b^2 * d + 35 * a^2 * b * e) / (27 * a^{2/3} * b^{16/3})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**6*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.238 \quad \int \frac{x^4(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=316

$$\frac{x^2(-10a^3f + 7a^2be - 4ab^2d + b^3c)}{9ab^4(a + bx^3)} - \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^4(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(44a^3f - 20a^2be + 10ab^2d + b^3c)}{54a^{4/3}b^{14/3}}$$

Rubi [A] time = 0.50, antiderivative size = 316, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 30, number of rules / integrand size = 0.333, Rules used = {1828, 1851, 1594, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(7a^2be - 10a^3f - 4ab^2d + b^3c)}{9ab^4(a + bx^3)} - \frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^4(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-20a^2be + 44a^3f + 5ab^2d + b^3c)}{54a^{4/3}b^{14/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-20a^2be + 44a^3f + 5ab^2d + b^3c)}{27a^{4/3}b^{14/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt[3]{a}\sqrt[3]{b}}\right)(-20a^2be + 44a^3f + 5ab^2d + b^3c)}{9\sqrt[3]{a}a^{4/3}b^{14/3}} + \frac{x^2(bc - 3af)}{2b^4} + \frac{fx^5}{5b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b*e - 3*a*f)*x^2)/(2*b^4) + (f*x^5)/(5*b^3) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*b^4*(a + b*x^3)^2) + ((b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*x^2)/(9*a*b^4*(a + b*x^3)) - ((b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(4/3)*b^(14/3)) - ((b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(4/3)*b^(14/3)) + ((b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(4/3)*b^(14/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x

$^2), x], x] /; \text{FreeQ}[\{a, b\}, x]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2)^{-1}), x_Symbol] := \text{With}[\{q = 1 - 4*S\}$
 $\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b$
 $], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \mid \mid \text{!RationalQ}[b^2 - 4*a*c]) /; \text{Free}$
 $\text{Q}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_ + (c_)*(x_)^2), x_Symbol] := S$
 $\text{imp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d,$
 $e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_ + (c_)*(x_)^2), x_Symbol] := D$
 $\text{ist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{In}$
 $\text{t}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}$
 $[2*c*d - b*e, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{!NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1488

$\text{Int}[(f_)*(x_)^{(m_)*((a_ + (c_)*(x_)^{n2_}) + (b_)*(x_)^{n_})^{(p_)*}$
 $(d_ + (e_)*(x_)^{n_})^{(q_)}, x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(f*x)^m*(d$
 $+ e*x^n)^q*(a + b*x^n + c*x^{2*n})^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m,$
 $q\}, x] \&\& \text{EqQ}[n2, 2*n] \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

Rule 1594

$\text{Int}[(u_)*((a_)*(x_)^{(p_)} + (b_)*(x_)^{(q_)} + (c_)*(x_)^{(r_)})^{(n_)}, x$
 $_Symbol] := \text{Int}[u*x^{(n*p)}*(a + b*x^{(q-p)} + c*x^{(r-p)})^n, x] /; \text{FreeQ}[\{a$
 $, b, c, p, q, r\}, x] \&\& \text{IntegerQ}[n] \&\& \text{PosQ}[q - p] \&\& \text{PosQ}[r - p]$

Rule 1828

$\text{Int}[(Pq_)*(x_)^{(m_)*((a_ + (b_)*(x_)^{n_})^{(p_)}, x_Symbol] := \text{With}[\{q =$
 $m + \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q - 1)/n] + 1)$
 $*x^m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q - 1)/n] + 1)*x^$
 $m*Pq, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[(a$
 $+ b*x^n)^{(p + 1)*\text{ExpandToSum}[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],$
 $x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] +$
 $1)}, x]] /; \text{GeQ}[q, n] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\&$

LtQ[p, -1] && IGtQ[m, 0]

Rule 1851

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_], x_Symbol] := Int[x*PolynomialQuotient[Pq, x, x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, n, p}, x] && PolyQ[Pq, x] && EqQ[Coeff[Pq, x, 0], 0] && !MatchQ[Pq, x^(m_.)*(u_.) /; IntegerQ[m]]

Rubi steps

$$\begin{aligned}
\int \frac{x^4(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} - \frac{\int \frac{-2ab(b^3c - ab^2d + a^2be - a^3f)x - 6ab^2(b^2d - abe + a^2f)x^4 - 6ab^3}{(a + bx^3)^2}}{6ab^5} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} - \frac{\int \frac{x(-2ab(b^3c - ab^2d + a^2be - a^3f) - 6ab^2(b^2d - abe + a^2f))x^3 - 6ab^3}{(a + bx^3)^2}}{6ab^5} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} + \frac{\int \frac{2ab^5(b^3c - ab^2d + a^2be - a^3f)}{(a + bx^3)^2}}{6ab^5} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} + \frac{\int \frac{x(2ab^5(b^3c - ab^2d + a^2be - a^3f) - 6ab^3)}{(a + bx^3)^2}}{6ab^5} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} + \frac{\int (18a^2b^5)}{6ab^5} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.29, size = 300, normalized size = 0.95

$$\frac{30b^{2/3}x^2(-10a^2f+7a^2bc-4ab^2d+ab^3c)}{a(a+bx^3)} - \frac{45b^{2/3}x^2(a^2(-f)+a^2bc-ab^2d+ab^3c)}{(a+bx^3)^2} - \frac{10\log(\sqrt[3]{a}+\sqrt[3]{bx})\left(44a^3f-20a^2bc+5ab^2d+ab^3c\right)}{a^4b^3} - \frac{10\sqrt[3]{3}\tan^{-1}\left(\frac{1-2\sqrt[3]{3}x}{\sqrt[3]{3}}\right)\left(44a^3f-20a^2bc+5ab^2d+ab^3c\right)}{a^4b^3} + \frac{5\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+ab^{2/3}x^2}\right)\left(44a^3f-20a^2bc+5ab^2d+ab^3c\right)}{a^4b^3} + \frac{135b^{2/3}x^2(bc-3af)+54b^{5/3}fx^5}{270b^{14/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (135*b^(2/3)*(b*e - 3*a*f)*x^2 + 54*b^(5/3)*f*x^5 - (45*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(a + b*x^3)^2 + (30*b^(2/3)*(b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*x^2)/(a*(a + b*x^3)) - (10*sqrt[3]*(b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(4/3) - (10*(b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(4/3) + (5*(b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(4/3))/(270*b^(14/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]

fricas [B] time = 0.45, size = 1224, normalized size = 3.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] [1/270*(54*a^2*b^5*f*x^11 + 27*(5*a^2*b^5*e - 11*a^3*b^4*f)*x^8 + 6*(5*a*b^6*c - 20*a^2*b^5*d + 80*a^3*b^4*e - 176*a^4*b^3*f)*x^5 - 15*(a^2*b^5*c + 5*a^3*b^4*d - 20*a^4*b^3*e + 44*a^5*b^2*f)*x^2 + 15*sqrt(1/3)*(a^3*b^4*c + 5*a^4*b^3*d - 20*a^5*b^2*e + 44*a^6*b*f + (a*b^6*c + 5*a^2*b^5*d - 20*a^3*b^4*e + 44*a^4*b^3*f)*x^6 + 2*(a^2*b^5*c + 5*a^3*b^4*d - 20*a^4*b^3*e + 44*a^5*b^2*f)*x^3)*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) + 5*((b^5*c + 5*a*b^4*d - 20*a^2*b^3*e + 44*a^3*b^2*f)*x^6 + a^2*b^3*c + 5*a^3*b^2*d - 20*a^4*b*e + 44*a^5*f + 2*(a*b^4*c + 5*a^2*b^3*d - 20*a^3*b^2*e + 44*a^4*b*f)*x^3)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 10*((b^5*c + 5*a*b^4*d - 20*a^2*b

$$\begin{aligned} & \sqrt[3]{e} + 44a^3b^2f)x^6 + a^2b^3c + 5a^3b^2d - 20a^4b^2e + 44a^5f \\ & + 2*(a*b^4*c + 5*a^2*b^3*d - 20*a^3*b^2*e + 44*a^4*b*f)*x^3*(-a*b^2)^{(2/3)} \\ & * \log(b*x - (-a*b^2)^{(1/3)}) / (a^2*b^8*x^6 + 2*a^3*b^7*x^3 + a^4*b^6), 1/270* \\ & (54*a^2*b^5*f*x^{11} + 27*(5*a^2*b^5*e - 11*a^3*b^4*f)*x^8 + 6*(5*a*b^6*c - 2 \\ & 0*a^2*b^5*d + 80*a^3*b^4*e - 176*a^4*b^3*f)*x^5 - 15*(a^2*b^5*c + 5*a^3*b^4 \\ & *d - 20*a^4*b^3*e + 44*a^5*b^2*f)*x^2 + 30*\sqrt{1/3}*(a^3*b^4*c + 5*a^4*b^3 \\ & *d - 20*a^5*b^2*e + 44*a^6*b*f + (a*b^6*c + 5*a^2*b^5*d - 20*a^3*b^4*e + 44 \\ & *a^4*b^3*f)*x^6 + 2*(a^2*b^5*c + 5*a^3*b^4*d - 20*a^4*b^3*e + 44*a^5*b^2*f) \\ & *x^3)*\sqrt{-(-a*b^2)^{(1/3)}/a}*\arctan(\sqrt{1/3}*(2*b*x + (-a*b^2)^{(1/3)})*\sqrt{ \\ & t(-(-a*b^2)^{(1/3)}/a)/b} + 5*((b^5*c + 5*a*b^4*d - 20*a^2*b^3*e + 44*a^3*b^2 \\ & *f)*x^6 + a^2*b^3*c + 5*a^3*b^2*d - 20*a^4*b^2*e + 44*a^5*f + 2*(a*b^4*c + 5 \\ & a^2*b^3*d - 20*a^3*b^2*e + 44*a^4*b*f)*x^3)*(-a*b^2)^{(2/3)}*\log(b^2*x^2 + (- \\ & a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 10*((b^5*c + 5*a*b^4*d - 20*a^2*b^3*e \\ & + 44*a^3*b^2*f)*x^6 + a^2*b^3*c + 5*a^3*b^2*d - 20*a^4*b^2*e + 44*a^5*f + 2*(\\ & a*b^4*c + 5*a^2*b^3*d - 20*a^3*b^2*e + 44*a^4*b*f)*x^3)*(-a*b^2)^{(2/3)}*\log(\\ & b*x - (-a*b^2)^{(1/3)}) / (a^2*b^8*x^6 + 2*a^3*b^7*x^3 + a^4*b^6)] \end{aligned}$$

giac [A] time = 0.20, size = 365, normalized size = 1.16

$$\frac{\sqrt[3]{b^3c + 5ab^2d + 44a^2f - 20a^2bc} \arctan\left(\frac{\sqrt[3]{2 + (-\frac{1}{3})^2}}{3(-\frac{1}{3})^2}\right)}{27(-ab^2)^2 ab^4} \cdot \frac{(b^3c + 5ab^2d + 44a^2f - 20a^2bc) \log\left(x^2 + x(-\frac{1}{3})^2 + (-\frac{1}{3})^2\right)}{54(-ab^2)^2 ab^4} \cdot \frac{(b^3c(-\frac{1}{3})^2 + 5ab^2d(-\frac{1}{3})^2 + 44a^2f(-\frac{1}{3})^2 - 20a^2b(-\frac{1}{3})^2) (-\frac{1}{3})^2 \log\left(\frac{x - (-\frac{1}{3})^2}{x + (-\frac{1}{3})^2}\right)}{27a^2 b^4} \cdot \frac{2b^4c^2 - 8ab^3d^2 - 20a^2b^2f^2 + 14a^2b^2c^2 - ab^3c^2 - 5a^2b^2d^2 - 17a^2f^2 + 11a^3bc^2 - 2b^2f^2 - 15ab^3f^2 + 5b^2c^2}{18(b^3 + a)^2 ab^4} \cdot \frac{2b^2f^2 - 15ab^3f^2 + 5b^2c^2}{10b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $\frac{1}{27}\sqrt{3}*(b^3c + 5a*b^2*d + 44*a^3*f - 20*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(1/3)}*a*b^4) - 1/54*(b^3c + 5a*b^2*d + 44*a^3*f - 20*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(1/3)}*a*b^4) - 1/27*(b^3c*(-a/b)^{(1/3)} + 5a*b^2*d*(-a/b)^{(1/3)} + 44*a^3*f*(-a/b)^{(1/3)} - 20*a^2*b*(-a/b)^{(1/3)}*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})/(a^2*b^4) + 1/18*(2*b^4*c*x^5 - 8*a*b^3*d*x^5 - 20*a^3*b*f*x^5 + 14*a^2*b^2*x^5*e - a*b^3*c*x^2 - 5*a^2*b^2*d*x^2 - 17*a^4*f*x^2 + 11*a^3*b*x^2*e))/((b*x^3 + a)^2*a*b^4) + 1/10*(2*b^12*f*x^5 - 15*a*b^11*f*x^2 + 5*b^12*x^2*e)/b^15$

maple [B] time = 0.06, size = 574, normalized size = 1.82

$$\frac{44\sqrt{3}x^2 \arctan\left(\frac{x + \frac{1}{3}}{\sqrt{3}}\right)}{27(b^3 + a)^2} + \frac{44x^2 \sqrt{3} \log\left(\frac{x + \frac{1}{3}}{\sqrt{3}}\right)}{27(b^3 + a)^2} + \frac{22x^2 \sqrt{3} \log\left(\frac{x^2 + x\sqrt{3} + 1}{3}\right)}{27(b^3 + a)^2} + \frac{20\sqrt{3}x \arctan\left(\frac{x + \frac{1}{3}}{\sqrt{3}}\right)}{27(b^3 + a)^2} + \frac{20x \sqrt{3} \log\left(\frac{x + \frac{1}{3}}{\sqrt{3}}\right)}{27(b^3 + a)^2} + \frac{20x \sqrt{3} \log\left(\frac{x^2 + x\sqrt{3} + 1}{3}\right)}{27(b^3 + a)^2} + \frac{\sqrt{3}x \arctan\left(\frac{x + \frac{1}{3}}{\sqrt{3}}\right)}{27(b^3 + a)^2} + \frac{\sqrt{3}x \log\left(\frac{x + \frac{1}{3}}{\sqrt{3}}\right)}{27(b^3 + a)^2} + \frac{4x \sqrt{3} \log\left(\frac{x^2 + x\sqrt{3} + 1}{3}\right)}{54(b^3 + a)^2} + \frac{4x \sqrt{3} \log\left(\frac{x^2 + x\sqrt{3} + 1}{3}\right)}{54(b^3 + a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] $\frac{1}{5}b^{-3}f*x^5 - \frac{3}{2}b^{-4}x^2*a*f + \frac{1}{2}b^{-3}x^2*e - \frac{10}{9}b^{-3}/(b*x^3+a)^2*a^2*x^5*f + \frac{7}{9}b^{-2}/(b*x^3+a)^2*a*x^5*e - \frac{4}{9}b/(b*x^3+a)^2*x^5*d + \frac{1}{9}/(b*x^3+a)^2/a*x^5*c$

$$\begin{aligned}
 & -17/18/b^4/(b*x^3+a)^2*x^2*a^3*f+11/18/b^3/(b*x^3+a)^2*x^2*a^2*e-5/18/b^2/(b*x^3+a)^2*x^2*a*d-1/18/b/(b*x^3+a)^2*x^2*c-44/27/b^5*a^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*f+20/27/b^4*a/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*e-5/27/b^3/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*d-1/27/b^2/a/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c+22/27/b^5*a^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f-10/27/b^4*a/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e+5/54/b^3/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d+1/54/b^2/a/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c+44/27/b^5*a^2*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f-20/27/b^4*a*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e+5/27/b^3*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d+1/27/b^2/a*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c
 \end{aligned}$$

maxima [A] time = 3.10, size = 311, normalized size = 0.98

$$\frac{2(b^5c - 4ab^2d + 7a^2b^2e - 10a^3bf)x^5 - (ab^3c + 5a^2b^2d - 11a^3be + 17a^4f)x^2}{18(ab^4x^6 + 2a^2b^3x^3 + a^3b^4)} + \frac{2bfx^5 + 5(bc - 3af)x^2}{10b^4} + \frac{\sqrt{3}(b^3c + 5ab^2d - 20a^2be + 44a^3f)\arctan\left(\frac{\sqrt{3}\left(2 - \left(\frac{x}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{x}{b}\right)^{\frac{1}{3}}}\right)}{27ab^5\left(\frac{x}{b}\right)^{\frac{1}{3}}} + \frac{(b^3c + 5ab^2d - 20a^2be + 44a^3f)\log\left(x^2 - x\left(\frac{x}{b}\right)^{\frac{1}{3}} + \left(\frac{x}{b}\right)^{\frac{2}{3}}\right)}{54ab^5\left(\frac{x}{b}\right)^{\frac{1}{3}}} - \frac{(b^3c + 5ab^2d - 20a^2be + 44a^3f)\log\left(x + \left(\frac{x}{b}\right)^{\frac{1}{3}}\right)}{27ab^5\left(\frac{x}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(2*(b^4*c - 4*a*b^3*d + 7*a^2*b^2*e - 10*a^3*b*f)*x^5 - (a*b^3*c + 5*a^2*b^2*d - 11*a^3*b*e + 17*a^4*f)*x^2)/(a*b^6*x^6 + 2*a^2*b^5*x^3 + a^3*b^4) + 1/10*(2*b*f*x^5 + 5*(b*e - 3*a*f)*x^2)/b^4 + 1/27*sqrt(3)*(b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b^5*(a/b)^(1/3)) + 1/54*(b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^5*(a/b)^(1/3)) - 1/27*(b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*log(x + (a/b)^(1/3))/(a*b^5*(a/b)^(1/3))

mupad [B] time = 5.27, size = 295, normalized size = 0.93

$$x^2 \left(\frac{e}{2b^3} - \frac{3af}{2b^4} \right) - \frac{x^2 \left(\frac{17f^2}{18} - \frac{11e^2b}{18} - \frac{5ad^2}{18} + \frac{c^2}{18} \right) - \frac{x^2 \left(10f^2b^2 + 7e^2b^2 + 44af^2 + 9f^2 \right)}{9a} + \frac{f x^5}{5b^5} - \frac{\ln(b^{1/3}x + a^{1/3}) (44fa^2 - 20ca^2b + 5da^2b^2 + cb^3)}{27a^{4/3}b^{1/3}} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}) \left(\frac{1}{3} + \frac{\sqrt{3}x}{2} \right) (44fa^2 - 20ca^2b + 5da^2b^2 + cb^3)}{27a^{4/3}b^{1/3}} - \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}) \left(\frac{1}{2} + \frac{\sqrt{3}x}{2} \right) (44fa^2 - 20ca^2b + 5da^2b^2 + cb^3)}{27a^{4/3}b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] x^2*(e/(2*b^3) - (3*a*f)/(2*b^4)) - (x^2*((b^3*c)/18 + (17*a^3*f)/18 + (5*a*b^2*d)/18 - (11*a^2*b*e)/18) - (x^5*(b^4*c + 7*a^2*b^2*e - 4*a*b^3*d - 10*a^3*b*f))/(9*a))/(a^2*b^4 + b^6*x^6 + 2*a*b^5*x^3) + (f*x^5)/(5*b^3) - (log(b^(1/3)*x + a^(1/3))*(b^3*c + 44*a^3*f + 5*a*b^2*d - 20*a^2*b*e))/(27*a^(4/3)*b^(14/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b^3*c + 44*a^3*f + 5*a*b^2*d - 20*a^2*b*e))/(27*a^(4/3)*b^(14/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b^3*c + 44*a^3*f + 5*a*b^2*d - 20*a^2*b*e))/(27*a^(4/3)*b^(14/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.239 \quad \int \frac{x^3(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=307

$$\frac{x(-19a^3f + 13a^2be - 7ab^2d + b^3c)}{18ab^4(a + bx^3)} - \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^4(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(35a^3f - 14a^2be + 7ab^2d - b^3c)}{54a^{5/3}b^{13/3}}$$

Rubi [A] time = 0.41, antiderivative size = 307, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1858, 1411, 388, 200, 31, 634, 617, 204, 628}

$$\frac{x(13a^2be - 19a^3f - 7ab^2d + b^3c)}{18ab^4(a + bx^3)} - \frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^4(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-14a^2be + 35a^3f + 2ab^2d + b^3c)}{54a^{5/3}b^{13/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-14a^2be + 35a^3f + 2ab^2d + b^3c)}{27a^{5/3}b^{13/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}}\right)(-14a^2be + 35a^3f + 2ab^2d + b^3c)}{9\sqrt[3]{a}a^{5/3}b^{13/3}} + \frac{x(be - 3af)}{b^4} + \frac{fx^4}{4b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b*e - 3*a*f)*x)/b^4 + (f*x^4)/(4*b^3) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*b^4*(a + b*x^3)^2) + ((b^3*c - 7*a*b^2*d + 13*a^2*b*e - 19*a^3*f)*x)/(18*a*b^4*(a + b*x^3)) - ((b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(5/3)*b^(13/3)) + ((b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/ (27*a^(5/3)*b^(13/3)) - ((b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/ (54*a^(5/3)*b^(13/3))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1411

Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := Simp[(c*x^(n + 1)*(d + e*x^n)^(q + 1))/(e*(n*(q + 2) + 1)), x] + Dist[1/(e*(n*(q + 2) + 1)), Int[(d + e*x^n)^q*(a*e*(n*(q + 2) + 1) - (c*d*(n + 1) - b*e*(n*(q + 2) + 1))*x^n), x], x] /; FreeQ[{a, b, c, d, e, n, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0]

Rule 1828

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],

```
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} - \frac{\int \frac{-a(b^3c - ab^2d + a^2be - a^3f) - 6ab(b^2d - abe + a^2f)x^3 - 6ab^2(be - a^2f)x^6}{(a + bx^3)^2} dx}{6ab^4} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)} + \frac{\int \frac{2ab^3(b^3c - ab^2d + a^2be - a^3f)x^3 - 6ab^2(be - a^2f)x^6}{(a + bx^3)^2} dx}{18ab^4} \\
&= \frac{fx^4}{4b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)} + \frac{\int \frac{8ab^3(b^3c - ab^2d + a^2be - a^3f)x^3 - 6ab^2(be - a^2f)x^6}{(a + bx^3)^2} dx}{18ab^4} \\
&= \frac{(be - 3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6b^4(a + bx^3)^2} + \frac{(b^3c - 7ab^2d + 13a^2be - 19a^3f)x}{18ab^4(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.31, size = 294, normalized size = 0.96

$$\frac{\frac{6\sqrt[6]{b}x(-19a^3f+13a^2be-7ab^2d+b^3c)}{a(a+bx^3)} - \frac{18\sqrt[6]{b}x(a^2(-f)+a^2be-ab^2d+b^3c)}{(a+bx^3)^2} + \frac{4\log(\sqrt[6]{a}+\sqrt[6]{bx^3})(35a^3f-14a^2be+2ab^2d+b^3c)}{a^5} - \frac{4\sqrt[6]{b}\tan^{-1}\left(\frac{1+\frac{2\sqrt[6]{b}x}{\sqrt[6]{a}}}{\sqrt[6]{3}}\right)(35a^3f-14a^2be+2ab^2d+b^3c)}{a^5} - \frac{2\log(a^{2/3}-\sqrt[6]{a}\sqrt[6]{bx^3+4^{2/3}c^2})(35a^3f-14a^2be+2ab^2d+b^3c)}{a^5} + 108\sqrt[6]{b}x(be-3af)+27b^{4/3}fx^4}{108b^{13/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (108*b^(1/3)*(b*e - 3*a*f)*x + 27*b^(4/3)*f*x^4 - (18*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a + b*x^3)^2 + (6*b^(1/3)*(b^3*c - 7*a*b^2*d + 13*a^2*b*e - 19*a^3*f)*x)/(a + b*x^3)^3

$$\frac{3a^2be - 19a^3f)x}{a(a + bx^3)} - \frac{(4\sqrt{3}(b^3c + 2ab^2d - 14a^2be + 35a^3f) \operatorname{ArcTan}[(1 - (2b^{1/3}x)/a^{1/3})/\sqrt{3}])/a^{5/3} + (4(b^3c + 2ab^2d - 14a^2be + 35a^3f) \operatorname{Log}[a^{1/3} + b^{1/3}x])/a^{5/3} - (2(b^3c + 2ab^2d - 14a^2be + 35a^3f) \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])/a^{5/3}}{(108b^{13/3})}$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]

fricas [B] time = 0.47, size = 1213, normalized size = 3.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{108} \frac{(27a^3b^4fx^{10} + 54(2a^3b^4e - 5a^4b^3f)x^7 + 3(2a^2b^5c - 14a^3b^4d + 98a^4b^3e - 245a^5b^2f)x^4 + 6\sqrt{1/3}(a^3b^4c + 2a^4b^3d - 14a^5b^2e + 35a^6bf + (ab^6c + 2a^2b^5d - 14a^3b^4e + 35a^4b^3f)x^6 + 2(a^2b^5c + 2a^3b^4d - 14a^4b^3e + 35a^5b^2f)x^3) \sqrt{-(a^2b)^{1/3}/b} \log((2abx^3 - 3(a^2b)^{1/3})ax - a^2 + 3\sqrt{1/3}(2abx^2 + (a^2b)^{2/3}x - (a^2b)^{1/3}a) \sqrt{-(a^2b)^{1/3}/b})/(b^5c + 2ab^4d - 14a^2b^3e + 35a^3b^2f)x^6 + a^2b^3c + 2a^3b^2d - 14a^4b^3e + 35a^5f + 2(ab^4c + 2a^2b^3d - 14a^3b^2e + 35a^4bf)x^3)(a^2b)^{2/3} \log(abx^2 - (a^2b)^{2/3}x + (a^2b)^{1/3}a) + 4((b^5c + 2ab^4d - 14a^2b^3e + 35a^3b^2f)x^6 + a^2b^3c + 2a^3b^2d - 14a^4b^3e + 35a^5f + 2(ab^4c + 2a^2b^3d - 14a^3b^2e + 35a^4bf)x^3)(a^2b)^{2/3} \log(abx + (a^2b)^{2/3}) - 12(a^3b^4c + 2a^4b^3d - 14a^5b^2e + 35a^6bf)x)/(a^3b^7x^6 + 2a^4b^6x^3 + a^5b^5), \frac{1}{108} \frac{(27a^3b^4fx^{10} + 54(2a^3b^4e - 5a^4b^3f)x^7 + 3(2a^2b^5c - 14a^3b^4d + 98a^4b^3e - 245a^5b^2f)x^4 + 12\sqrt{1/3}(a^3b^4c + 2a^4b^3d - 14a^5b^2e + 35a^6bf + (ab^6c + 2a^2b^5d - 14a^3b^4e + 35a^4b^3f)x^6 + 2(a^2b^5c + 2a^3b^4d - 14a^4b^3e + 35a^5b^2f)x^3) \sqrt{(a^2b)^{1/3}/b} \arctan(\sqrt{1/3}(2(a^2b)^{2/3}x - (a^2b)^{1/3}a) \sqrt{(a^2b)^{1/3}/b})/a^2 - 2((b^5c + 2ab^4d - 14a^2b^3e + 35a^3b^2f)x^6 + a^2b^3c + 2a^3b^2d - 14a^4b^3e + 35a^5f + 2(ab^4c + 2a^2b^3d - 14a^3b^2e + 35a^4bf)x^3)(a^2b)^{2/3} \log($$

maxima [A] time = 3.06, size = 305, normalized size = 0.99

$$\frac{(b^3c - 7ab^2d + 13a^2b^2e - 19a^3bf)x^4 - 2(ab^3c + 2a^2b^2d - 5a^2be + 8a^3f)x + \frac{bf^2x^4 + 4(bc - 3af)x}{4b^4}}{18(ab^2x^6 + 2a^2b^2x^3 + a^3b^4)} + \frac{\sqrt{3}(b^3c + 2ab^2d - 14a^2be + 35a^3f) \arctan\left(\frac{\sqrt{3}(x + (\frac{b}{a})^{\frac{1}{3}})}{3(\frac{b}{a})^{\frac{1}{3}}}\right)}{27ab^5(\frac{b}{a})^{\frac{2}{3}}} - \frac{(b^3c + 2ab^2d - 14a^2be + 35a^3f) \log\left(x^2 - x(\frac{b}{a})^{\frac{1}{3}} + (\frac{b}{a})^{\frac{2}{3}}\right)}{54ab^5(\frac{b}{a})^{\frac{2}{3}}} + \frac{(b^3c + 2ab^2d - 14a^2be + 35a^3f) \log\left(x + (\frac{b}{a})^{\frac{1}{3}}\right)}{27ab^5(\frac{b}{a})^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*((b^4*c - 7*a*b^3*d + 13*a^2*b^2*e - 19*a^3*b*f)*x^4 - 2*(a*b^3*c + 2*a^2*b^2*d - 5*a^3*b*e + 8*a^4*f)*x)/(a*b^6*x^6 + 2*a^2*b^5*x^3 + a^3*b^4) + 1/4*(b*f*x^4 + 4*(b*e - 3*a*f)*x)/b^4 + 1/27*sqrt(3)*(b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b^5*(a/b)^(2/3)) - 1/54*(b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^5*(a/b)^(2/3)) + 1/27*(b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*log(x + (a/b)^(1/3))/(a*b^5*(a/b)^(2/3))

mupad [B] time = 5.14, size = 290, normalized size = 0.94

$$x \left(\frac{e}{b^3} - \frac{3af}{b^4} \right) + \frac{x \left(\frac{8f^2}{9} - \frac{5a^2b}{9} + \frac{2da^2}{9} + \frac{c^2}{9} \right) - \frac{c^2(-19f^2b^2+13a^2b^2-7da^2+c^2)}{18a}}{a^2b^4 + 2a^2b^2x^3 + b^4x^6} + \frac{fx^4}{4b^4} + \frac{\ln(b^{10}x + a^{10}) (35fa^2 - 14ea^2b + 2da^2b^2 + cb^3)}{27a^{10}b^{10}} + \frac{\ln(2b^{10}x - a^{10} + \sqrt{3}a^{10}) \left(-\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (35fa^2 - 14ea^2b + 2da^2b^2 + cb^3)}{27a^{10}b^{10}} + \frac{\ln(a^{10} - 2b^{10}x + \sqrt{3}a^{10}) \left(\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (35fa^2 - 14ea^2b + 2da^2b^2 + cb^3)}{27a^{10}b^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] x*(e/b^3 - (3*a*f)/b^4) - (x*((b^3*c)/9 + (8*a^3*f)/9 + (2*a*b^2*d)/9 - (5*a^2*b*e)/9) - (x^4*(b^4*c + 13*a^2*b^2*e - 7*a*b^3*d - 19*a^3*b*f))/(18*a)) / (a^2*b^4 + b^6*x^6 + 2*a*b^5*x^3) + (f*x^4)/(4*b^3) + (log(b^(1/3)*x + a^(1/3))*(b^3*c + 35*a^3*f + 2*a*b^2*d - 14*a^2*b*e))/(27*a^(5/3)*b^(13/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b^3*c + 35*a^3*f + 2*a*b^2*d - 14*a^2*b*e))/(27*a^(5/3)*b^(13/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b^3*c + 35*a^3*f + 2*a*b^2*d - 14*a^2*b*e))/(27*a^(5/3)*b^(13/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.240 \quad \int \frac{x(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=301

$$\frac{x^2(7a^3f - 4a^2be + ab^2d + 2b^3c)}{9a^2b^3(a + bx^3)} + \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{6ab^3(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-20a^3f + 5a^2be - 4a^2bd + 2b^3c)}{54a^{7/3}b^{11/3}}$$

Rubi [A] time = 0.37, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {1828, 1594, 1482, 459, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(-4a^2be + 7a^3f + ab^2d + 2b^3c)}{9a^2b^3(a + bx^3)} + \frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6ab^3(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(5a^2be - 20a^3f + ab^2d + 2b^3c)}{54a^{7/3}b^{11/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(5a^2be - 20a^3f + ab^2d + 2b^3c)}{27a^{7/3}b^{11/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)(5a^2be - 20a^3f + ab^2d + 2b^3c)}{9\sqrt[3]{a}^{7/3}b^{11/3}} + \frac{fx^2}{2b^3}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (f*x^2)/(2*b^3) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a*b^3*(a + b*x^3)^2) + ((2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*x^2)/(9*a^2*b^3*(a + b*x^3)) - ((2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(7/3)*b^(11/3)) - ((2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(7/3)*b^(11/3)) + ((2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(7/3)*b^(11/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x

$\wedge 2), x], x] /; \text{FreeQ}\{a, b\}, x]$

Rule 459

$\text{Int}[(e_.)*(x_)]^{(m_)}*((a_)+(b_)*(x_)]^{(n_)]^{(p_)}*((c_)+(d_)*(x_)]^{(n_)}], x_Symbol] := \text{Simp}[(d*(e*x)^{(m+1)}*(a+b*x^n)^{(p+1)})/(b*e*(m+n*(p+1)+1)), x] - \text{Dist}[(a*d*(m+1)-b*c*(m+n*(p+1)+1))/(b*(m+n*(p+1)+1)), \text{Int}[(e*x)^m*(a+b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[m + n*(p + 1) + 1, 0]$

Rule 617

$\text{Int}[(a_)+(b_)*(x_)+(c_)*(x_)]^{(-1)}, x_Symbol] := \text{With}\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2)], x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \|\ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_)+(e_)*(x_)]/[(a_)+(b_)*(x_)+(c_)*(x_)]^2], x_Symbol] := \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_)+(e_)*(x_)]/[(a_)+(b_)*(x_)+(c_)*(x_)]^2], x_Symbol] := \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[2*c*d - b*e, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1482

$\text{Int}[(x_)]^{(m_)}*((a_)+(c_)*(x_)]^{(n2_)}+(b_)*(x_)]^{(n_)]^{(p_)}*((d_)+(e_)*(x_)]^{(n_)]^{(q_)}], x_Symbol] := \text{Simp}[(d)^{(m - \text{Mod}[m, n])}/n - 1*(c*d^2 - b*d*e + a*e^2)^p*x^{(\text{Mod}[m, n] + 1)}*(d + e*x^n)^{(q + 1)})/(n*e^{(2*p + (m - \text{Mod}[m, n])/n)*(q + 1))}, x] + \text{Dist}[1/(n*e^{(2*p + (m - \text{Mod}[m, n])/n)*(q + 1))}, \text{Int}[x^{\text{Mod}[m, n]}*(d + e*x^n)^{(q + 1)}*\text{ExpandToSum}[\text{Together}[(1*(n*e^{(2*p + (m - \text{Mod}[m, n])/n)*(q + 1)}*x^{(m - \text{Mod}[m, n])}*(a + b*x^n + c*x^{(2*n)})^p - (d)^{(m - \text{Mod}[m, n])/n - 1}*(c*d^2 - b*d*e + a*e^2)^p*(d*(\text{Mod}[m, n] + 1) + e*(\text{Mod}[m, n] + n*(q + 1) + 1)*x^n))]/(d + e*x^n)], x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[n2, 2*n] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0] \&\& \text{ILtQ}[q, -1] \&\& \text{IGtQ}[m, 0]$

Rule 1594

```
Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.) + (c_.)*(x_)^(r_.))^(n_.), x
_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a
, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} - \frac{\int \frac{-2b(2b^3c + ab^2d - a^2be + a^3f)x - 6ab^2(be - af)x^4 - 6ab^3fx^7}{(a + bx^3)^2} dx}{6ab^4} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} - \frac{\int \frac{x(-2b(2b^3c + ab^2d - a^2be + a^3f) - 6ab^2(be - af)x^3 - 6ab^3fx^6)}{(a + bx^3)^2} dx}{6ab^4} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} + \frac{\int \frac{x\left(2b^3\left(\frac{2b^3c}{a}\right)\right)}{(a + bx^3)^2} dx}{6ab^4} \\
&= \frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} - \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} \\
&= \frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} - \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} \\
&= \frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} - \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} \\
&= \frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} - \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} \\
&= \frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} - \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.32, size = 284, normalized size = 0.94

$$\frac{6b^{2/3}x^2(7a^3f - 4a^2be + ab^2d + 2b^3c)}{a^2(a + bx^3)} + \frac{9b^{2/3}x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{a(a + bx^3)^2} - \frac{2 \log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(-20a^3f + 5a^2be + ab^2d + 2b^3c)}{a^{2/3}} - \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 + 2\sqrt[3]{bx}}{\sqrt{3}}\right)(-20a^3f + 5a^2be + ab^2d + 2b^3c)}{a^{2/3}} + \frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3}x^2\right)(-20a^3f + 5a^2be + ab^2d + 2b^3c)}{a^{7/3}} + 27b^{2/3}fx^2$$

54b^{11/3}

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

```
[Out] (27*b^(2/3)*f*x^2 + (9*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(a*(a + b*x^3)^2) + (6*b^(2/3)*(2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*x^2)/(a^2*(a + b*x^3)) - (2*Sqrt[3]*(2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/a^(7/3) - (2*(2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(7/3) + ((2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(7/3))/(54*b^(11/3))
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]
```

```
[Out] IntegrateAlgebraic[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]
```

fricas [B] time = 0.44, size = 1158, normalized size = 3.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] [1/54*(27*a^3*b^4*f*x^8 + 6*(2*a*b^6*c + a^2*b^5*d - 4*a^3*b^4*e + 16*a^4*b^3*f)*x^5 + 3*(7*a^2*b^5*c - a^3*b^4*d - 5*a^4*b^3*e + 20*a^5*b^2*f)*x^2 - 3*sqrt(1/3)*(2*a^3*b^4*c + a^4*b^3*d + 5*a^5*b^2*e - 20*a^6*b*f + (2*a*b^6*c + a^2*b^5*d + 5*a^3*b^4*e - 20*a^4*b^3*f)*x^6 + 2*(2*a^2*b^5*c + a^3*b^4*d + 5*a^4*b^3*e - 20*a^5*b^2*f)*x^3)*sqrt(-(a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b - 3*sqrt(1/3)*(a*b*x + 2*(a*b^2)^(2/3)*x^2 - (a*b^2)^(1/3)*a)*sqrt(-(a*b^2)^(1/3)/a) - 3*(a*b^2)^(2/3)*x)/(b*x^3 + a)) + ((2*b^5*c + a*b^4*d + 5*a^2*b^3*e - 20*a^3*b^2*f)*x^6 + 2*a^2*b^3*c + a^3*b^2*d + 5*a^4*b*e - 20*a^5*f + 2*(2*a*b^4*c + a^2*b^3*d + 5*a^3*b^2*e - 20*a^4*b*f)*x^3)*(a*b^2)^(2/3)*log(b*x + (a*b^2)^(1/3)))/(a^3*b^7*x^6 + 2*a^4*b^6*x^3 + a^5*b^5), 1/54*(27*a^3*b^4*f*x^8 + 6*(2*a*b^6*c + a^2*b^5*d - 4*a^3*b^4*e + 16*a^4*b^3*f)*x^5 + 3*(7*a^2*b^5*c - a^3*b^4*d - 5*a^4*b^3*e + 20*a^5*b^2*f)*x^2 - 6*sqrt(1/3)*(2*a^3*b^4*c + a^4*b^3*d + 5*a^5*b^2*e - 20*a^6*b*f + (2*a*b^6*c + a^2*b^5*d + 5*a^3*b^4*e - 20*a^4*b^3*f)*x^6 + 2*(2*a^2*b^5*c + a^3*b^4*d + 5*a^4*b^3*e - 20*a^5*b^2*f)*x^3)*sqrt((a*b^2)^(1/3)/a)*arctan(-sqrt(1/3)*(2*b*x - (a*b^2)^(1/3))*sqrt((a*b^2)^(1/3)/a)/b) + ((2*b^5*c + a*b^4*d + 5*a^2*b^3*e - 20*a^3*b^2*f)*x^6 + 2*a^2*b^3*c + a^3*b^2*d + 5*a^4*b*e - 20*
```

$$a^5 f + 2(2ab^4c + a^2b^3d + 5a^3b^2e - 20a^4bf)x^3 + (ab^2)^{2/3} \log(b^2x^2 - (ab^2)^{1/3}bx + (ab^2)^{2/3}) - 2((2b^5c + ab^4d + 5a^2b^3e - 20a^3b^2f)x^6 + 2a^2b^3c + a^3b^2d + 5a^4be - 20a^5f + 2(2ab^4c + a^2b^3d + 5a^3b^2e - 20a^4bf)x^3)(ab^2)^{2/3} \log(bx + (ab^2)^{1/3}) / (a^3b^7x^6 + 2a^4b^6x^3 + a^5b^5)$$

giac [A] time = 0.21, size = 339, normalized size = 1.13

$$\frac{f^2}{2b^3} + \frac{\sqrt{3}(2b^3c + ab^2d - 20a^2f + 5a^2be) \arctan\left(\frac{\sqrt{3}(2x + (-\frac{a}{b})^{1/3})}{3(-\frac{a}{b})^{1/3}}\right)}{27(-ab^2)^{1/3}a^2b^3} - \frac{(2b^3c + ab^2d - 20a^2f + 5a^2be) \log\left(x^2 + x(-\frac{a}{b})^{1/3} + (-\frac{a}{b})^{2/3}\right)}{54(-ab^2)^{1/3}a^2b^3} - \frac{(2b^3c(-\frac{a}{b})^{1/3} + ab^2d(-\frac{a}{b})^{1/3} - 20a^2f(-\frac{a}{b})^{1/3} + 5a^2b(-\frac{a}{b})^{1/3}e)(-\frac{a}{b})^{1/3} \log\left(x - (-\frac{a}{b})^{1/3}\right)}{27a^2b^3} + \frac{4b^4x^3 + 2ab^3dx^2 + 14a^2b^2fx - 8a^2b^2e + 7ab^2cx^2 - a^2b^2d^2 + 11a^2fx^2 - 5a^2bx^2e}{18(bx^3 + a)^{1/3}a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $1/2*f*x^2/b^3 + 1/27*\sqrt{3}*(2*b^3*c + a*b^2*d - 20*a^3*f + 5*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{1/3})/(-a/b)^{1/3})/((-a*b^2)^{1/3}*a^2*b^3) - 1/54*(2*b^3*c + a*b^2*d - 20*a^3*f + 5*a^2*b*e)*\log(x^2 + x*(-a/b)^{1/3} + (-a/b)^{2/3})/((-a*b^2)^{1/3}*a^2*b^3) - 1/27*(2*b^3*c*(-a/b)^{1/3} + a*b^2*d*(-a/b)^{1/3} - 20*a^3*f*(-a/b)^{1/3} + 5*a^2*b*(-a/b)^{1/3}*e)*(-a/b)^{1/3}*\log(\text{abs}(x - (-a/b)^{1/3}))/a^3*b^3 + 1/18*(4*b^4*c*x^5 + 2*a*b^3*d*x^5 + 14*a^3*b*f*x^5 - 8*a^2*b^2*x^5*e + 7*a*b^3*c*x^2 - a^2*b^2*d*x^2 + 11*a^4*f*x^2 - 5*a^3*b*x^2*e)/(b*x^3 + a)^2*a^2*b^3$

maple [B] time = 0.06, size = 550, normalized size = 1.83

$$\frac{2af^2}{9(b^3+a)^2} - \frac{d^2}{9(b^3+a)^2} - \frac{2be^2}{9(b^3+a)^2} - \frac{4e^3}{9(b^3+a)^2} - \frac{11af^2}{18(b^3+a)^2} - \frac{5ad^2}{18(b^3+a)^2} - \frac{3e^2}{18(b^3+a)^2} - \frac{d^2}{18(b^3+a)^2} - \frac{f^2}{27} + \frac{2b^3c \arctan\left(\frac{d^2 \sqrt{3}}{3(b^3+a)}\right)}{27(b^3+a)} - \frac{20af \ln\left(-\frac{a}{b}\right)}{27(b^3+a)} - \frac{10af \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3}x + \left(\frac{a}{b}\right)^{2/3}\right)}{27(b^3+a)} - \frac{\sqrt{3}d \arctan\left(\frac{d^2 \sqrt{3}}{3(b^3+a)}\right)}{27(b^3+a)} - \frac{d \ln\left(-\frac{a}{b}\right)}{27(b^3+a)} - \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3}x + \left(\frac{a}{b}\right)^{2/3}\right)}{54(b^3+a)} + \frac{2\sqrt{3}c \arctan\left(\frac{d^2 \sqrt{3}}{3(b^3+a)}\right)}{27(b^3+a)} - \frac{2b \ln\left(-\frac{a}{b}\right)}{27(b^3+a)} - \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3}x + \left(\frac{a}{b}\right)^{2/3}\right)}{27(b^3+a)} + \frac{5\sqrt{3}e \arctan\left(\frac{d^2 \sqrt{3}}{3(b^3+a)}\right)}{27(b^3+a)} - \frac{5b \ln\left(-\frac{a}{b}\right)}{27(b^3+a)} - \frac{5b \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3}x + \left(\frac{a}{b}\right)^{2/3}\right)}{54(b^3+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] $1/2*f*x^2/b^3 + 7/9/b^2/(b*x^3+a)^2*a*x^5*f - 4/9/b/(b*x^3+a)^2*x^5*e + 1/9/(b*x^3+a)^2/a*x^5*d + 2/9*b/(b*x^3+a)^2/a^2*x^5*c + 11/18/b^3/(b*x^3+a)^2*a^2*x^2*f - 5/18/b^2/(b*x^3+a)^2*a*x^2*e - 1/18/b/(b*x^3+a)^2*x^2*d + 7/18/(b*x^3+a)^2/a*x^2*c + 20/27/b^4*a/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*f - 5/27/b^3/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*e - 1/27/b^2/a/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*d - 2/27/b/a^2/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*c - 10/27/b^4*a/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*f + 5/54/b^3/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*e + 1/54/b^2/a/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*d + 1/27/b/a^2/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*c - 20/27/b^4*a*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*f + 5/27/b^3*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*e + 1/27/b^2/a*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*d + 2/27/b/a^2*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*c$

maxima [A] time = 2.94, size = 296, normalized size = 0.98

$$\frac{2(2b^3c + ab^3d - 4a^2b^2e + 7a^3bf)^3 + (7ab^3c - a^2b^2d - 5a^3be + 11a^4f)^2}{18(a^2b^5x^6 + 2a^3b^4x^3 + a^4b^3)} + \frac{f x^2}{2b^3} + \frac{\sqrt{3}(2b^3c + ab^3d + 5a^2be - 20a^3f) \arctan\left(\frac{\sqrt{3}\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27a^2b^4\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(2b^3c + ab^3d + 5a^2be - 20a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54a^2b^4\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{(2b^3c + ab^3d + 5a^2be - 20a^3f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27a^2b^4\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(2*(2*b^4*c + a*b^3*d - 4*a^2*b^2*e + 7*a^3*b*f)*x^5 + (7*a*b^3*c - a^2*b^2*d - 5*a^3*b*e + 11*a^4*f)*x^2)/(a^2*b^5*x^6 + 2*a^3*b^4*x^3 + a^4*b^3) + 1/2*f*x^2/b^3 + 1/27*sqrt(3)*(2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^4*(a/b)^(1/3)) + 1/54*(2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^4*(a/b)^(1/3)) - 1/27*(2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*log(x + (a/b)^(1/3))/(a^2*b^4*(a/b)^(1/3))

mupad [B] time = 5.27, size = 280, normalized size = 0.93

$$\frac{\frac{f^2(11f^2-5e^2b-dae^2+7c^2b^3) + \frac{f^2(f^2b-4ce^2+dab^2+2cb^3)}{3a^2}}{18a^2b^5+2a^3b^4x^3+b^5x^6} + \frac{f x^2}{2b^3} - \frac{\ln(b^{1/3}x+a^{1/3})(-20fa^3+5ea^2b+daab^2+2cb^3)}{27a^2b^4b^{1/3}} + \frac{\ln(2b^{1/3}x-a^{1/3}+\sqrt{3}a^{1/3}i)\left(\frac{1}{2}+\frac{\sqrt{3}i}{2}\right)(-20fa^3+5ea^2b+daab^2+2cb^3)}{27a^2b^4b^{1/3}} - \frac{\ln(a^{1/3}-2b^{1/3}x+\sqrt{3}a^{1/3}i)\left(-\frac{1}{2}+\frac{\sqrt{3}i}{2}\right)(-20fa^3+5ea^2b+daab^2+2cb^3)}{27a^2b^4b^{1/3}}}{27a^2b^4b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] ((x^2*(7*b^3*c + 11*a^3*f - a*b^2*d - 5*a^2*b*e))/(18*a) + (x^5*(2*b^4*c - 4*a^2*b^2*e + a*b^3*d + 7*a^3*b*f))/(9*a^2))/(a^2*b^3 + b^5*x^6 + 2*a*b^4*x^3) + (f*x^2)/(2*b^3) - (log(b^(1/3)*x + a^(1/3))*(2*b^3*c - 20*a^3*f + a*b^2*d + 5*a^2*b*e))/(27*a^(7/3)*b^(11/3)) + (log(3^(1/2)*a^(1/3)*i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*i)/2 + 1/2)*(2*b^3*c - 20*a^3*f + a*b^2*d + 5*a^2*b*e))/(27*a^(7/3)*b^(11/3)) - (log(3^(1/2)*a^(1/3)*i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*i)/2 - 1/2)*(2*b^3*c - 20*a^3*f + a*b^2*d + 5*a^2*b*e))/(27*a^(7/3)*b^(11/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.241 \quad \int \frac{c+dx^3+ex^6+fx^9}{(a+bx^3)^3} dx$$

Optimal. Leaf size=292

$$\frac{x(13a^3f - 7a^2be + ab^2d + 5b^3c)}{18a^2b^3(a + bx^3)} + \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{6ab^3(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-14a^3f + 2a^2be - ab^2d + b^3c)}{54a^{8/3}b^{10/3}}$$

Rubi [A] time = 0.31, antiderivative size = 292, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1858, 1409, 388, 200, 31, 634, 617, 204, 628}

$$\frac{x(-7a^2be + 13a^3f + ab^2d + 5b^3c)}{18a^2b^3(a + bx^3)} + \frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{6ab^3(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(2a^2be - 14a^3f + ab^2d + 5b^3c)}{54a^{8/3}b^{10/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(2a^2be - 14a^3f + ab^2d + 5b^3c)}{27a^{8/3}b^{10/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(2a^2be - 14a^3f + ab^2d + 5b^3c)}{9\sqrt{3}a^{8/3}b^{10/3}} + \frac{fx}{b^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^3, x]

[Out] (f*x)/b^3 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a*b^3*(a + b*x^3)^2) + ((5*b^3*c + a*b^2*d - 7*a^2*b*e + 13*a^3*f)*x)/(18*a^2*b^3*(a + b*x^3)) - ((5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(8/3)*b^(10/3)) + ((5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(8/3)*b^(10/3)) - ((5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(8/3)*b^(10/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 388

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Si
mp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1409

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_
)), x_Symbol] := -Simp[((c*d^2 - b*d*e + a*e^2)*x*(d + e*x^n)^(q + 1))/(d*e
^2*n*(q + 1)), x] + Dist[1/(n*(q + 1)*d*e^2), Int[(d + e*x^n)^(q + 1)*Simp[
c*d^2 - b*d*e + a*e^2*(n*(q + 1) + 1) + c*d*e*n*(q + 1)*x^n, x], x], x] /;
FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[
c*d^2 - b*d*e + a*e^2, 0] && LtQ[q, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n]]
```

;/ FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx^3 + ex^6 + fx^9}{(a + bx^3)^3} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} - \frac{\int \frac{-5b^3c - ab^2d + a^2be - a^3f - 6ab(be - af)x^3 - 6ab^2fx^6}{(a + bx^3)^2} dx}{6ab^3} \\
 &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{\int \frac{2b^2(5b^3c + ab^2d + 2a^2be - a^3f)}{(a + bx^3)} dx}{18a^2b^3} \\
 &= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)}{18a^2b^3} \\
 &= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)}{18a^2b^3} \\
 &= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)}{18a^2b^3} \\
 &= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)}{18a^2b^3} \\
 &= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)}{18a^2b^3} \\
 &= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)}{18a^2b^3}
 \end{aligned}$$

Mathematica [A] time = 0.24, size = 279, normalized size = 0.96

$$\frac{3\sqrt[3]{b}x(13a^3f - 7a^2be + ab^2d + 5b^3c)}{a^2(a + bx^3)} + \frac{9\sqrt[3]{b}x(a^3(-f) + a^2be - ab^2d + b^3c)}{a(a + bx^3)^2} + \frac{2\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)(-14a^3f + 2a^2be + ab^2d + 5b^3c)}{a^{8/3}} - \frac{2\sqrt{3}\tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)(-14a^3f + 2a^2be + ab^2d + 5b^3c)}{a^{8/3}} - \frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)(-14a^3f + 2a^2be + ab^2d + 5b^3c)}{a^{8/3}} + 54\sqrt[3]{b}fx$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^3, x]

```
[Out] (54*b^(1/3)*f*x + (9*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a*(a +
b*x^3)^2) + (3*b^(1/3)*(5*b^3*c + a*b^2*d - 7*a^2*b*e + 13*a^3*f)*x)/(a^2*
(a + b*x^3)) - (2*sqrt(3)*(5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*ArcTan
[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/a^(8/3) + (2*(5*b^3*c + a*b^2*d + 2*
a^2*b*e - 14*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(8/3) - ((5*b^3*c + a*b^2*d
+ 2*a^2*b*e - 14*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(
(8/3))/(54*b^(10/3))
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^3,x]
```

```
[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^3, x]
```

fricas [B] time = 0.45, size = 1184, normalized size = 4.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] [1/54*(54*a^4*b^3*f*x^7 + 3*(5*a^2*b^5*c + a^3*b^4*d - 7*a^4*b^3*e + 49*a^5
*b^2*f)*x^4 - 3*sqrt(1/3)*(5*a^3*b^4*c + a^4*b^3*d + 2*a^5*b^2*e - 14*a^6*b
*f + (5*a*b^6*c + a^2*b^5*d + 2*a^3*b^4*e - 14*a^4*b^3*f)*x^6 + 2*(5*a^2*b^
5*c + a^3*b^4*d + 2*a^4*b^3*e - 14*a^5*b^2*f)*x^3)*sqrt((-a^2*b)^(1/3)/b)*l
og((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2
*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a)) - ((5*
b^5*c + a*b^4*d + 2*a^2*b^3*e - 14*a^3*b^2*f)*x^6 + 5*a^2*b^3*c + a^3*b^2*d
+ 2*a^4*b*e - 14*a^5*f + 2*(5*a*b^4*c + a^2*b^3*d + 2*a^3*b^2*e - 14*a^4*b
*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a)
+ 2*((5*b^5*c + a*b^4*d + 2*a^2*b^3*e - 14*a^3*b^2*f)*x^6 + 5*a^2*b^3*c + a
^3*b^2*d + 2*a^4*b*e - 14*a^5*f + 2*(5*a*b^4*c + a^2*b^3*d + 2*a^3*b^2*e -
14*a^4*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) + 6*(4*a^3*b^4*
c - a^4*b^3*d - 2*a^5*b^2*e + 14*a^6*b*f)*x)/(a^4*b^6*x^6 + 2*a^5*b^5*x^3 +
a^6*b^4), 1/54*(54*a^4*b^3*f*x^7 + 3*(5*a^2*b^5*c + a^3*b^4*d - 7*a^4*b^3*
e + 49*a^5*b^2*f)*x^4 + 6*sqrt(1/3)*(5*a^3*b^4*c + a^4*b^3*d + 2*a^5*b^2*e
- 14*a^6*b*f + (5*a*b^6*c + a^2*b^5*d + 2*a^3*b^4*e - 14*a^4*b^3*f)*x^6 + 2
*(5*a^2*b^5*c + a^3*b^4*d + 2*a^4*b^3*e - 14*a^5*b^2*f)*x^3)*sqrt(-(-a^2*b)
^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-
a^2*b)^(1/3)/b)/a^2) - ((5*b^5*c + a*b^4*d + 2*a^2*b^3*e - 14*a^3*b^2*f)*x^
6 + 5*a^2*b^3*c + a^3*b^2*d + 2*a^4*b*e - 14*a^5*f + 2*(5*a*b^4*c + a^2*b^3
```

$d + 2a^3b^2e - 14a^4bf)x^3)(-a^2b)^{(2/3)} \log(abx^2 - (-a^2b)^{(2/3)}x - (-a^2b)^{(1/3)}a) + 2((5b^5c + ab^4d + 2a^2b^3e - 14a^3b^2f)x^6 + 5a^2b^3c + a^3b^2d + 2a^4be - 14a^5f + 2(5ab^4c + a^2b^3d + 2a^3b^2e - 14a^4bf)x^3)(-a^2b)^{(2/3)} \log(abx + (-a^2b)^{(2/3)}) + 6(4a^3b^4c - a^4b^3d - 2a^5b^2e + 14a^6bf)x)/(a^4b^6x^6 + 2a^5b^5x^3 + a^6b^4)]$

giac [A] time = 0.20, size = 295, normalized size = 1.01

$$\frac{fx}{b^3} - \frac{\sqrt{3}(5b^5c + ab^4d - 14a^3f + 2a^2be) \arctan\left(\frac{\sqrt{3}\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(-ab^2)^{\frac{5}{2}}a^2b^2} - \frac{(5b^5c + ab^4d - 14a^3f + 2a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54(-ab^2)^{\frac{5}{2}}a^2b^2} - \frac{(5b^5c + ab^4d - 14a^3f + 2a^2be)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27a^3b^3} + \frac{5b^4cx^4 + ab^3dx^4 + 13a^3b^2fx^4 - 7a^2b^2x^4e + 8ab^2cx - 2a^2b^2dx + 10a^4fx - 4a^3bx}{18(bx^3 + a)^2a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $f*x/b^3 - 1/27*\text{sqrt}(3)*(5*b^3*c + a*b^2*d - 14*a^3*f + 2*a^2*b*e)*\text{arctan}(1/3*\text{sqrt}(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^2*b^2) - 1/54*(5*b^3*c + a*b^2*d - 14*a^3*f + 2*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^2*b^2) - 1/27*(5*b^3*c + a*b^2*d - 14*a^3*f + 2*a^2*b*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^3*b^3 + 1/18*(5*b^4*c*x^4 + a*b^3*d*x^4 + 13*a^3*b*f*x^4 - 7*a^2*b^2*x^4*e + 8*a*b^3*c*x - 2*a^2*b^2*d*x + 10*a^4*f*x - 4*a^3*b*x*e)/(b*x^3 + a)^2*a^2*b^3)$

maple [B] time = 0.06, size = 539, normalized size = 1.85

$$\frac{13fx^4}{18(b^2+a)^2b^2} - \frac{d^2}{18(b^2+a)^2a} - \frac{5bcx^3}{18(b^2+a)^2} - \frac{7cx^2}{18(b^2+a)^2} - \frac{5afx}{9(b^2+a)^2} - \frac{2ax}{9(b^2+a)^2} - \frac{4c}{9(b^2+a)^2} - \frac{dx}{9(b^2+a)^2} - \frac{14\sqrt{3}d \arctan\left(\frac{d\sqrt{3}}{3f}\right)}{27(b^2+a)^2} - \frac{14af \ln\left(\frac{3x+\sqrt{3}}{3}\right) + 7a^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{27(b^2+a)^2} - \frac{\sqrt{3}d \arctan\left(\frac{d\sqrt{3}}{3f}\right)}{27(b^2+a)^2} - \frac{d \ln\left(-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27(b^2+a)^2} - \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54(b^2+a)^2} - \frac{5\sqrt{3}d \arctan\left(\frac{d\sqrt{3}}{3f}\right)}{27(b^2+a)^2} - \frac{5a \ln\left(-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27(b^2+a)^2} - \frac{5a \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54(b^2+a)^2} - \frac{2\sqrt{3}d \arctan\left(\frac{d\sqrt{3}}{3f}\right)}{27(b^2+a)^2} - \frac{2a \ln\left(-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27(b^2+a)^2} - \frac{2a \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{27(b^2+a)^2} - \frac{d}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] $1/b^3*f*x + 13/18/b^2/(b*x^3+a)^2*x^4*a*f - 7/18/b/(b*x^3+a)^2*x^4*e + 1/18/(b*x^3+a)^2/a*x^4*d + 5/18*b/(b*x^3+a)^2/a^2*x^4*c + 5/9/b^3/(b*x^3+a)^2*a^2*f*x - 2/9/b^2/(b*x^3+a)^2*a*e*x - 1/9/b/(b*x^3+a)^2*d*x + 4/9/(b*x^3+a)^2/a*x*c - 14/27/b^4*a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*f + 2/27/b^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e + 1/27/b^2/a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d + 5/27/b/a^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c + 7/27/b^4*a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f - 1/27/b^3/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e - 1/54/b^2/a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d - 5/54/b/a^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c - 14/27/b^4*a/(a/b)^{(2/3)}*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^{(1/3)}*x-1))*f + 2/27/b^3/(a/b)^{(2/3)}*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^{(1/3)}*x-1))*e + 1/27/b^2/a/(a/b)^{(2/3)}*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^{(1/3)}*x-1))*d + 5/27/b/a^2/(a/b)^{(2/3)}*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^{(1/3)}*x-1))*c$

maxima [A] time = 3.07, size = 291, normalized size = 1.00

$$\frac{(5b^3c + ab^3d - 7a^2b^2e + 13a^3bf)x^4 + 2(4ab^3c - a^2b^2d - 2a^3be + 5a^4f)x}{18(a^2b^5x^6 + 2a^3b^4x^3 + a^4b^3)} + \frac{fx}{b^3} + \frac{\sqrt{3}(5b^3c + ab^3d + 2a^2be - 14a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{x}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{x}{b}\right)^{\frac{2}{3}}}\right)}{27a^2b^4\left(\frac{x}{b}\right)^{\frac{2}{3}}} - \frac{(5b^3c + ab^3d + 2a^2be - 14a^3f) \log\left(x^2 - x\left(\frac{x}{b}\right)^{\frac{1}{3}} + \left(\frac{x}{b}\right)^{\frac{2}{3}}\right)}{54a^2b^4\left(\frac{x}{b}\right)^{\frac{2}{3}}} + \frac{(5b^3c + ab^3d + 2a^2be - 14a^3f) \log\left(x + \left(\frac{x}{b}\right)^{\frac{1}{3}}\right)}{27a^2b^4\left(\frac{x}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*((5*b^4*c + a*b^3*d - 7*a^2*b^2*e + 13*a^3*b*f)*x^4 + 2*(4*a*b^3*c - a^2*b^2*d - 2*a^3*b*e + 5*a^4*f)*x)/(a^2*b^5*x^6 + 2*a^3*b^4*x^3 + a^4*b^3) + f*x/b^3 + 1/27*sqrt(3)*(5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^4*(a/b)^(2/3)) - 1/54*(5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^4*(a/b)^(2/3)) + 1/27*(5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*log(x + (a/b)^(1/3))/(a^2*b^4*(a/b)^(2/3))

mupad [B] time = 5.20, size = 275, normalized size = 0.94

$$\frac{c(5f^2 - 2e^2b - da^2 + 4c^2)}{18a^2b^5 + 2a^3b^4x^3 + a^4b^3} + \frac{f^2x}{18a^2} + \frac{fx}{b^3} + \frac{\ln(b^{10}x + a^{10})(-14fa^3 + 2ea^2b + da^2 + 5cb^3)}{27a^{10}b^{103}} + \frac{\ln(2b^{10}x - a^{10} + \sqrt{3}a^{10})\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(-14fa^3 + 2ea^2b + da^2 + 5cb^3)}{27a^{10}b^{103}} - \frac{\ln(a^{10} - 2b^{10}x + \sqrt{3}a^{10}i)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)(-14fa^3 + 2ea^2b + da^2 + 5cb^3)}{27a^{10}b^{103}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^3,x)

[Out] ((x*(4*b^3*c + 5*a^3*f - a*b^2*d - 2*a^2*b*e))/(9*a) + (x^4*(5*b^4*c - 7*a^2*b^2*e + a*b^3*d + 13*a^3*b*f))/(18*a^2))/(a^2*b^3 + b^5*x^6 + 2*a*b^4*x^3) + (f*x)/b^3 + (log(b^(1/3)*x + a^(1/3))*(5*b^3*c - 14*a^3*f + a*b^2*d + 2*a^2*b*e))/(27*a^(8/3)*b^(10/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(5*b^3*c - 14*a^3*f + a*b^2*d + 2*a^2*b*e))/(27*a^(8/3)*b^(10/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(5*b^3*c - 14*a^3*f + a*b^2*d + 2*a^2*b*e))/(27*a^(8/3)*b^(10/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.242 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)^3} dx$$

Optimal. Leaf size=303

$$\frac{c}{a^3x} - \frac{x^2(4a^3f - a^2be - 2ab^2d + 5b^3c)}{9a^3b^2(a+bx^3)} - \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^2b^2(a+bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-5a^3)}{54a^{10/3}b^{8/3}}$$

Rubi [A] time = 0.34, antiderivative size = 303, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1829, 1484, 453, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(-a^2be + 4a^3f - 2ab^2d + 5b^3c)}{9a^3b^2(a+bx^3)} - \frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^2b^2(a+bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-a^2be - 5a^3f - 2ab^2d + 14b^3c)}{54a^{10/3}b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-a^2be - 5a^3f - 2ab^2d + 14b^3c)}{27a^{10/3}b^{8/3}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-a^2be - 5a^3f - 2ab^2d + 14b^3c)}{9\sqrt{3}a^{10/3}b^{8/3}} - \frac{c}{a^3x}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^3), x]

[Out] -(c/(a^3*x)) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a^2*b^2*(a + b*x^3)^2) - ((5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*x^2)/(9*a^3*b^2*(a + b*x^3)) + ((14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(10/3)*b^(8/3)) + ((14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(10/3)*b^(8/3)) - ((14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(10/3)*b^(8/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 453

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c))] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1484

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Simp[((-d)^((m - Mod[m, n])/n - 1)*(c*d^2 - b*d*e + a*e^2)^p*x^(Mod[m, n] + 1)*(d + e*x^n)^(q + 1))/(n*e^(2*p + (m - Mod[m, n])/n)*(q + 1)), x] + Dist[(-d)^((m - Mod[m, n])/n - 1)/(n*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^n)^(q + 1)*ExpandToSum[Together[(1*(n*(-d)^(-(m - Mod[m, n])/n) + 1)*e^(2*p)*(q + 1)*(a + b*x^n + c*x^(2*n))^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^((m - Mod[m, n])/n)*x^(m - Mod[m, n])))*(d*(Mod[m, n] + 1) + e*(Mod[m, n] + n*(q + 1) + 1)*x^n))]/(d + e*x^n)], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
```


Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx^3 + ex^6 + fx^9}{x^2(a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{\int \frac{-6b^3c + 2b\left(\frac{2b^3c}{a} - 2b^2d - abe + a^2f\right)x^3 - 6ab^2fx^6}{x^2(a + bx^3)^2} dx}{6ab^3} \\
 &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} + \frac{\int \frac{18ab^5c - 2b^3(5b^3c - 2ab^2d - a^2be + 4a^3f)x^3 - 6ab^2fx^6}{x^2(a + bx^3)^2} dx}{6ab^3} \\
 &= -\frac{c}{a^3x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} - \frac{(14b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{6ab^3} \\
 &= -\frac{c}{a^3x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} + \frac{(14b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{6ab^3} \\
 &= -\frac{c}{a^3x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} + \frac{(14b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{6ab^3} \\
 &= -\frac{c}{a^3x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} + \frac{(14b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{6ab^3} \\
 &= -\frac{c}{a^3x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} + \frac{(14b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{6ab^3}
 \end{aligned}$$

Mathematica [A] time = 0.29, size = 286, normalized size = 0.94

$$\frac{6\sqrt[3]{a}x^2(4a^3f-a^2bc-2ab^2d+5b^3c)}{b^2(a+bx^3)} - \frac{2\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)(5a^3f+a^2bc+2ab^2d-14b^3c)}{b^{8/3}} + \frac{2\sqrt{3}\tan^{-1}\left(\frac{1-2\sqrt[3]{bx}}{\sqrt{3}}\right)(-5a^3f-a^2bc-2ab^2d+14b^3c)}{b^{8/3}} + \frac{9a^4b^3x^2(a^3f-a^2bc+ab^2d-b^3c)}{b^2(a+bx^3)^2} + \frac{\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+1^{2/3}x^2\right)(5a^3f+a^2bc+2ab^2d-14b^3c)}{b^{8/3}} - \frac{54\sqrt[3]{a}c}{x}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^3), x]

[Out] ((-54*a^(1/3)*c)/x + (9*a^(4/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(b^2*(a + b*x^3)^2) - (6*a^(1/3)*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*x^2)/(b^2*(a + b*x^3)) + (2*sqrt(3)*(14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/b^(8/3) - (2*(-14*b^3*c + 2*a*b^2*d + a^2*b*e + 5*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(8/3) + ((-14*b^3*c + 2*a*b^2*d + a^2*b*e + 5*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(8/3))/(54*a^(10/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^2(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^3), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^3), x]

fricas [B] time = 0.46, size = 1206, normalized size = 3.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^3,x, algorithm="fricas")

[Out] [-1/54*(54*a^3*b^4*c + 6*(14*a*b^6*c - 2*a^2*b^5*d - a^3*b^4*e + 4*a^4*b^3*f)*x^6 + 3*(49*a^2*b^5*c - 7*a^3*b^4*d + a^4*b^3*e + 5*a^5*b^2*f)*x^3 + 3*sqrt(1/3)*((14*a*b^6*c - 2*a^2*b^5*d - a^3*b^4*e - 5*a^4*b^3*f)*x^7 + 2*(14*a^2*b^5*c - 2*a^3*b^4*d - a^4*b^3*e - 5*a^5*b^2*f)*x^4 + (14*a^3*b^4*c - 2*a^4*b^3*d - a^5*b^2*e - 5*a^6*b*f)*x)*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) + ((14*b^5*c - 2*a*b^4*d - a^2*b^3*e - 5*a^3*b^2*f)*x^7 + 2*(14*a*b^4*c - 2*a^2*b^3*d - a^3*b^2*e - 5*a^4*b*f)*x^4 + (14*a^2*b^3*c - 2*a^3*b^2*d - a^4*b*e - 5*a^5*f)*x)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 2*((14*b^

$5*c - 2*a*b^4*d - a^2*b^3*e - 5*a^3*b^2*f)*x^7 + 2*(14*a*b^4*c - 2*a^2*b^3*d - a^3*b^2*e - 5*a^4*b*f)*x^6 + (14*a^2*b^3*c - 2*a^3*b^2*d - a^4*b*e - 5*a^5*f)*x*(-a*b^2)^{(2/3)}*\log(b*x - (-a*b^2)^{(1/3)})/(a^4*b^6*x^7 + 2*a^5*b^5*x^4 + a^6*b^4*x), -1/54*(54*a^3*b^4*c + 6*(14*a*b^6*c - 2*a^2*b^5*d - a^3*b^4*e + 4*a^4*b^3*f)*x^6 + 3*(49*a^2*b^5*c - 7*a^3*b^4*d + a^4*b^3*e + 5*a^5*b^2*f)*x^3 + 6*sqrt(1/3)*((14*a*b^6*c - 2*a^2*b^5*d - a^3*b^4*e - 5*a^4*b^3*f)*x^7 + 2*(14*a^2*b^5*c - 2*a^3*b^4*d - a^4*b^3*e - 5*a^5*b^2*f)*x^4 + (14*a^3*b^4*c - 2*a^4*b^3*d - a^5*b^2*e - 5*a^6*b*f)*x)*sqrt(-(-a*b^2)^{(1/3)}/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^{(1/3)})*sqrt(-(-a*b^2)^{(1/3)}/a)/b) + ((14*b^5*c - 2*a*b^4*d - a^2*b^3*e - 5*a^3*b^2*f)*x^7 + 2*(14*a*b^4*c - 2*a^2*b^3*d - a^3*b^2*e - 5*a^4*b*f)*x^4 + (14*a^2*b^3*c - 2*a^3*b^2*d - a^4*b*e - 5*a^5*f)*x)*(-a*b^2)^{(2/3)}*\log(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 2*((14*b^5*c - 2*a*b^4*d - a^2*b^3*e - 5*a^3*b^2*f)*x^7 + 2*(14*a*b^4*c - 2*a^2*b^3*d - a^3*b^2*e - 5*a^4*b*f)*x^4 + (14*a^2*b^3*c - 2*a^3*b^2*d - a^4*b*e - 5*a^5*f)*x)*(-a*b^2)^{(2/3)}*\log(b*x - (-a*b^2)^{(1/3)})/(a^4*b^6*x^7 + 2*a^5*b^5*x^4 + a^6*b^4*x)]$

giac [A] time = 0.21, size = 341, normalized size = 1.13

$$\frac{\sqrt{3}(14b^3c - 2ab^2d - 5a^2f - a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(-ab^2)^{\frac{1}{3}}a^2b^2} - \frac{c}{a^2x} + \frac{(14b^3c - 2ab^2d - 5a^2f - a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54(-ab^2)^{\frac{1}{3}}a^2b^2} + \frac{\left(14b^3c\left(-\frac{a}{b}\right)^{\frac{1}{3}} - 2ab^2d\left(-\frac{a}{b}\right)^{\frac{1}{3}} - 5a^2f\left(-\frac{a}{b}\right)^{\frac{1}{3}} - a^2b\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\frac{x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}}{b}\right)}{27a^2b^2} - \frac{10b^3cx^3 - 4ab^2dx^2 + 8a^2bf/x^2 - 2a^2b^2x^2e + 13ab^2cx^2 - 7a^2b^2dx^2 + 5a^4f/x^2 + a^4bx^2c}{18(bx^3 + a)^{\frac{1}{3}}a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/27*sqrt(3)*(14*b^3*c - 2*a*b^2*d - 5*a^3*f - a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a/b)^{(1/3)})/((-a*b^2)^{(1/3)}*a^3*b^2) - c/(a^3*x) + 1/54*(14*b^3*c - 2*a*b^2*d - 5*a^3*f - a^2*b*e)*log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(1/3)}*a^3*b^2) + 1/27*(14*b^3*c*(-a/b)^{(1/3)} - 2*a*b^2*d*(-a/b)^{(1/3)} - 5*a^3*f*(-a/b)^{(1/3)} - a^2*b*(-a/b)^{(1/3)}*e)*(-a/b)^{(1/3)}*\log(abs(x - (-a/b)^{(1/3)}))/(a^4*b^2) - 1/18*(10*b^4*c*x^5 - 4*a*b^3*d*x^5 + 8*a^3*b*f*x^5 - 2*a^2*b^2*x^5*e + 13*a*b^3*c*x^2 - 7*a^2*b^2*d*x^2 + 5*a^4*f*x^2 + a^3*b*x^2*e)/((b*x^3 + a)^2*a^3*b^2)$

maple [B] time = 0.12, size = 547, normalized size = 1.81

$$\frac{c^2}{9(b^2+a)^2} - \frac{2ac^2}{9(b^2+a)^2} + \frac{5d^2}{9(b^2+a)^2} - \frac{4c^2}{9(b^2+a)^2} - \frac{5ad^2}{18(b^2+a)^2} - \frac{3d^2}{18(b^2+a)^2} - \frac{13bc^2}{18(b^2+a)^2} - \frac{c^2}{18(b^2+a)^2} - \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(b^2+a)} - \frac{c \ln\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27(b^2+a)} - \frac{c \ln\left(x^2 - \left(-\frac{a}{b}\right)^{\frac{2}{3}} + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{54(b^2+a)} - \frac{2\sqrt{3}d \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(b^2+a)} - \frac{2d \ln\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27(b^2+a)} - \frac{d \ln\left(x^2 - \left(-\frac{a}{b}\right)^{\frac{2}{3}} + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27(b^2+a)} - \frac{14\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(b^2+a)} - \frac{14b \ln\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27(b^2+a)} - \frac{7b \ln\left(x^2 - \left(-\frac{a}{b}\right)^{\frac{2}{3}} + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27(b^2+a)} - \frac{5\sqrt{3}f \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(b^2+a)} - \frac{5f \ln\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27(b^2+a)} - \frac{5f \ln\left(x^2 - \left(-\frac{a}{b}\right)^{\frac{2}{3}} + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{54(b^2+a)} - \frac{c}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^3,x)

[Out] $-4/9/(b*x^3+a)^2/b*x^5*f+1/9/a/(b*x^3+a)^2*x^5*e+2/9/a^2/(b*x^3+a)^2*b*x^5*d-5/9/a^3/(b*x^3+a)^2*b^2*x^5*c-5/18*a/(b*x^3+a)^2/b^2*x^2*f-1/18/(b*x^3+a)^2/b*x^2*e+7/18/a/(b*x^3+a)^2*x^2*d-13/18/a^2/(b*x^3+a)^2*b*x^2*c-5/27/b^3/$

$$\begin{aligned} & (a/b)^{1/3} * \ln(x + (a/b)^{1/3}) * f - 1/27/a/b^2 / (a/b)^{1/3} * \ln(x + (a/b)^{1/3}) * e - \\ & 2/27/a^2/b / (a/b)^{1/3} * \ln(x + (a/b)^{1/3}) * d + 14/27/a^3 / (a/b)^{1/3} * \ln(x + (a/b)^{1/3}) * c + \\ & 5/54/b^3 / (a/b)^{1/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) * f + 1/54/a/b^2 / (a/b)^{1/3} * \\ & \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) * e + 1/27/a^2/b / (a/b)^{1/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) * \\ & d - 7/27/a^3 / (a/b)^{1/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) * c + 5/27/b^3 * 3^{1/2} / (a/b)^{1/3} * \\ & \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * f + 1/27/a/b^2 * 3^{1/2} / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * \\ & e + 2/27/a^2/b * 3^{1/2} / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * d - 14/27/a^3 * 3^{1/2} / (a/b)^{1/3} * \\ & \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * c - 1/a^3 * c/x \end{aligned}$$

maxima [A] time = 2.96, size = 300, normalized size = 0.99

$$\frac{2(14b^3c - 2ab^3d - a^2b^2e + 4a^3bf)x^6 + 18a^2b^2c + (49ab^3c - 7a^2b^2d + a^3be + 5a^4f)x^3 - \frac{\sqrt{3}(14b^3c - 2ab^3d - a^2be - 5a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27a^{1/3}\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{(14b^3c - 2ab^3d - a^2be - 5a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54a^{1/3}\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(14b^3c - 2ab^3d - a^2be - 5a^3f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27a^{1/3}\left(\frac{a}{b}\right)^{\frac{1}{3}}}}{18(a^3b^4x^7 + 2a^4b^3x^4 + a^5b^2x) - \frac{\sqrt{3}(14b^3c - 2ab^3d - a^2be - 5a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27a^{1/3}\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{(14b^3c - 2ab^3d - a^2be - 5a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54a^{1/3}\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(14b^3c - 2ab^3d - a^2be - 5a^3f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27a^{1/3}\left(\frac{a}{b}\right)^{\frac{1}{3}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/18*(2*(14*b^4*c - 2*a*b^3*d - a^2*b^2*e + 4*a^3*b*f)*x^6 + 18*a^2*b^2*c \\ & + (49*a*b^3*c - 7*a^2*b^2*d + a^3*b*e + 5*a^4*f)*x^3)/(a^3*b^4*x^7 + 2*a^4*b^3*x^4 \\ & + a^5*b^2*x) - 1/27*sqrt(3)*(14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f) \\ & *arctan(1/3*sqrt(3)*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/(a^3*b^3*(a/b)^{1/3}) \\ & - 1/54*(14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*log(x^2 - x*(a/b)^{1/3} \\ & + (a/b)^{2/3})/(a^3*b^3*(a/b)^{1/3}) + 1/27*(14*b^3*c - 2*a*b^2*d - a^2*b \\ & *e - 5*a^3*f)*log(x + (a/b)^{1/3})/(a^3*b^3*(a/b)^{1/3}) \end{aligned}$$

mupad [B] time = 5.20, size = 276, normalized size = 0.91

$$\frac{\frac{c}{a} + \frac{d^2(4f^3 - c^2 - 2da^2 + 14a^3)}{9a^2} + \frac{e^2(5f^3 + ca^2b - 7da^2 + 49c^3)}{18a^2b^2}}{a^2x + 2abx^4 + b^2x^7} - \frac{\ln(b^{1/3}x + a^{1/3})(5fa^3 + ca^2b + 2da^2 - 14cb^3)}{27a^{1/3}b^{8/3}} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3})\left(\frac{1}{2} + \frac{\sqrt{3}x}{2}\right)(5fa^3 + ca^2b + 2da^2 - 14cb^3)}{27a^{1/3}b^{8/3}} - \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3})\left(-\frac{1}{2} + \frac{\sqrt{3}x}{2}\right)(5fa^3 + ca^2b + 2da^2 - 14cb^3)}{27a^{1/3}b^{8/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^3),x)

[Out]
$$\begin{aligned} & (\log(3^{1/2}*a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3})*((3^{1/2}*1i)/2 + 1/2)*(5* \\ & a^3*f - 14*b^3*c + 2*a*b^2*d + a^2*b*e))/(27*a^{10/3}*b^{8/3}) - (\log(b^{1/3} \\ & *x + a^{1/3})*(5*a^3*f - 14*b^3*c + 2*a*b^2*d + a^2*b*e))/(27*a^{10/3}*b^{8/3}) \\ & - (c/a + (x^6*(14*b^3*c + 4*a^3*f - 2*a*b^2*d - a^2*b*e))/(9*a^3*b) \\ & + (x^3*(49*b^3*c + 5*a^3*f - 7*a*b^2*d + a^2*b*e))/(18*a^2*b^2))/(a^2*x + b \\ & ^2*x^7 + 2*a*b*x^4) - (\log(3^{1/2}*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3})*((3^{1/2} \\ & *1i)/2 - 1/2)*(5*a^3*f - 14*b^3*c + 2*a*b^2*d + a^2*b*e))/(27*a^{10/3} \\ & *b^{8/3}) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**2/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.243 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)^3} dx$$

Optimal. Leaf size=301

$$\frac{c}{2a^3x^2} - \frac{x(7a^3f - a^2be - 5ab^2d + 11b^3c)}{18a^3b^2(a + bx^3)} - \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^2b^2(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-2a^3f)}{54a^{11/3}b^{7/3}}$$

Rubi [A] time = 0.33, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1829, 1484, 453, 200, 31, 634, 617, 204, 628}

$$\frac{x(-a^2be + 7a^3f - 5ab^2d + 11b^3c)}{18a^3b^2(a + bx^3)} - \frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^2b^2(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-a^2be - 2a^3f - 5ab^2d + 20b^3c)}{54a^{11/3}b^{7/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-a^2be - 2a^3f - 5ab^2d + 20b^3c)}{27a^{11/3}b^{7/3}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt[3]{a}\sqrt[3]{a}}\right)(-a^2be - 2a^3f - 5ab^2d + 20b^3c)}{9\sqrt[3]{a^{11}b^{7/3}}} - \frac{c}{2a^3x^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^3), x]

[Out] -c/(2*a^3*x^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a^2*b^2*(a + b*x^3)^2) - ((11*b^3*c - 5*a*b^2*d - a^2*b*e + 7*a^3*f)*x)/(18*a^3*b^2*(a + b*x^3)) + ((20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(11/3)*b^(7/3)) - ((20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(11/3)*b^(7/3)) + ((20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(11/3)*b^(7/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 453

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1484

```
Int[(x_)^(m_)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.)*((d_) + (e_.)*(x_)^(n_.))^(q_), x_Symbol] := Simp[((-d)^(m - Mod[m, n])/n - 1)*(c*d^2 - b*d*e + a*e^2)^p*x^(Mod[m, n] + 1)*(d + e*x^n)^(q + 1)/(n*e^(2*p + (m - Mod[m, n])/n)*(q + 1)), x] + Dist[(-d)^(m - Mod[m, n])/n - 1/(n*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^n)^(q + 1)*ExpandToSum[Together[(1*(n*(-d)^(-(m - Mod[m, n])/n) + 1)*e^(2*p)*(q + 1)*(a + b*x^n + c*x^(2*n))^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^((m - Mod[m, n])/n)*x^(m - Mod[m, n])))]*(d*(Mod[m, n] + 1) + e*(Mod[m, n] + n*(q + 1) + 1)*x^n)], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q =
```

```

Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^3(a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{\int \frac{-6b^3c + b\left(\frac{5b^3c}{a} - 5b^2d - abe + a^2f\right)x^3 - 6ab^2fx^6}{x^3(a + bx^3)^2} dx}{6ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} + \frac{\int \frac{18ab^5c - 2b^3(11b^3c}{x^3}}{1} dx}{1} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c}{18a^3b^2(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c}{18a^3b^2(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c}{18a^3b^2(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c}{18a^3b^2(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} + \frac{(20b^3c}{18a^3b^2(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 283, normalized size = 0.94

$$\frac{-\frac{27a^{2/3}c}{x^2} + \frac{2\log(\sqrt[3]{a} + \sqrt[3]{bx})(2a^3f + a^2be + 5ab^2d - 20b^3c)}{b^{7/3}} + \frac{2\sqrt{3}\tan^{-1}\left(\frac{1-2\sqrt[3]{bx}}{\sqrt[3]{a}}\right)(-2a^3f - a^2be - 5ab^2d + 20b^3c)}{b^{7/3}} + \frac{9a^{5/3}x(a^3f - a^2be + ab^2d - b^3c)}{b^2(a+bx)^2} - \frac{3a^{2/3}x(7a^3f - a^2be - 5ab^2d + 11b^3c)}{b^2(a+bx)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{bx + b^{2/3}x^2})(2a^3f + a^2be + 5ab^2d - 20b^3c)}{b^{7/3}}}{54a^{11/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^3), x]

[Out] ((-27*a^(2/3)*c)/x^2 + (9*a^(5/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(b^2*(a + b*x^3)^2) - (3*a^(2/3)*(11*b^3*c - 5*a*b^2*d - a^2*b*e + 7*a^3*f)*x)/(b^2*(a + b*x^3)) + (2*sqrt[3]*(20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(7/3) + (2*(-20*b^3*c + 5*a*b^2*d + a^2*b*e + 2*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(7/3) - ((-20*b^3*c + 5*a*b^2*d + a^2*b*e + 2*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(7/3))/(54*a^(11/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^3(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^3), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^3), x]

fricas [B] time = 0.46, size = 1217, normalized size = 4.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^3,x, algorithm="fricas")

[Out] [-1/54*(27*a^4*b^3*c + 3*(20*a^2*b^5*c - 5*a^3*b^4*d - a^4*b^3*e + 7*a^5*b^2*f)*x^6 + 6*(16*a^3*b^4*c - 4*a^4*b^3*d + a^5*b^2*e + 2*a^6*b*f)*x^3 + 3*sqrt(1/3)*((20*a*b^6*c - 5*a^2*b^5*d - a^3*b^4*e - 2*a^4*b^3*f)*x^8 + 2*(20*a^2*b^5*c - 5*a^3*b^4*d - a^4*b^3*e - 2*a^5*b^2*f)*x^5 + (20*a^3*b^4*c - 5*a^4*b^3*d - a^5*b^2*e - 2*a^6*b*f)*x^2)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a) - ((20*b^5*c - 5*a*b^4*d - a^2*b^3*e - 2*a^3*b^2*f)*x^8 + 2*(20*a*b^4*c - 5*a^2*b^3*d - a^3*b^2*e - 2*a^4*b*f)*x^5 + (20*a^2*b^3*c - 5*a^3*b^2*d - a^4*b*e - 2*a^5*f)*x^2)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 2*((20*b^

$$\begin{aligned} & /b/(a/b)^{(2/3)} * \ln(x+(a/b)^{(1/3)}) * d - 20/27/a^3/(a/b)^{(2/3)} * \ln(x+(a/b)^{(1/3)}) * \\ & c - 1/27/b^3/(a/b)^{(2/3)} * \ln(x^2-(a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * f - 1/54/a/b^2/(a/b)^{(2/3)} * \\ & \ln(x^2-(a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * e - 5/54/a^2/b/(a/b)^{(2/3)} * \ln(x^2-(a/b)^{(1/3)} * \\ & x + (a/b)^{(2/3)}) * d + 10/27/a^3/(a/b)^{(2/3)} * \ln(x^2-(a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * \\ & c + 2/27/b^3/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * \\ & f + 1/27/a/b^2/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * \\ & e + 5/27/a^2/b/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * \\ & d - 20/27/a^3/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * c - \\ & 1/2 * c/a^3/x^2 \end{aligned}$$

maxima [A] time = 3.07, size = 302, normalized size = 1.00

$$\frac{(20b^3c - 5ab^2d - a^2b^2e + 7a^3bf)x^6 + 9a^2b^2c + 2(16ab^3c - 4a^2b^2d + a^3be + 2a^4f)x^3 - \sqrt{3}(20b^3c - 5ab^2d - a^2b^2e - 2a^3f) \arctan\left(\frac{\sqrt{3}\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{18(a^3b^4c^2 + 2a^4b^3c^2 + a^5b^2c^2)} + \frac{(20b^3c - 5ab^2d - a^2b^2e - 2a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{27a^3b^3\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(20b^3c - 5ab^2d - a^2b^2e - 2a^3f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{54a^3b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{(20b^3c - 5ab^2d - a^2b^2e - 2a^3f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27a^3b^3\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/18 * ((20*b^4*c - 5*a*b^3*d - a^2*b^2*e + 7*a^3*b*f) * x^6 + 9*a^2*b^2*c + 2 \\ & * (16*a*b^3*c - 4*a^2*b^2*d + a^3*b*e + 2*a^4*f) * x^3) / (a^3*b^4*x^8 + 2*a^4*b \\ & ^3*x^5 + a^5*b^2*x^2) - 1/27 * \sqrt{3} * (20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f) * \\ & \arctan(1/3 * \sqrt{3} * (2*x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (a^3*b^3 * (a/b)^{(2/3)}) \\ & + 1/54 * (20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f) * \log(x^2 - x * (a/b)^{(1/3)} \\ & + (a/b)^{(2/3)}) / (a^3*b^3 * (a/b)^{(2/3)}) - 1/27 * (20*b^3*c - 5*a*b^2*d - a^2*b \\ & * e - 2*a^3*f) * \log(x + (a/b)^{(1/3)}) / (a^3*b^3 * (a/b)^{(2/3)}) \end{aligned}$$

mupad [B] time = 5.16, size = 279, normalized size = 0.93

$$\frac{\ln(b^{1/3}x + a^{1/3})}{27a^{11/3}b^{7/3}} \left(\frac{2fa^3 + ea^2b + 5da^2b^2 - 20cb^3}{2a} - \frac{c}{2a} + \frac{a^2(2fa^3 + ea^2b + 5da^2b^2 - 4da^2b^2 + 16cb^3)}{9a^2b^2} + \frac{a^4(7fa^3 - 2a^2b - 5da^2b^2 + 20cb^3)}{18a^3b} \right) + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)}{27a^{11/3}b^{7/3}} \left(-\frac{1}{2} + \frac{\sqrt{3}i}{2} \right) (2fa^3 + ea^2b + 5da^2b^2 - 20cb^3) - \frac{\ln(a^{1/3} - 2b^{1/3}x + \sqrt{3}a^{1/3}i)}{27a^{11/3}b^{7/3}} \left(\frac{1}{2} + \frac{\sqrt{3}i}{2} \right) (2fa^3 + ea^2b + 5da^2b^2 - 20cb^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^3),x)

[Out]
$$\begin{aligned} & (\log(b^{(1/3)} * x + a^{(1/3)}) * (2*a^3*f - 20*b^3*c + 5*a*b^2*d + a^2*b*e)) / (27*a \\ & ^{(11/3)} * b^{(7/3)}) - (c / (2*a) + (x^3 * (16*b^3*c + 2*a^3*f - 4*a*b^2*d + a^2*b \\ & * e)) / (9*a^2*b^2) + (x^6 * (20*b^3*c + 7*a^3*f - 5*a*b^2*d - a^2*b*e)) / (18*a^3 \\ & * b)) / (a^2*x^2 + b^2*x^8 + 2*a*b*x^5) + (\log(3^{(1/2)} * a^{(1/3)} * i + 2*b^{(1/3)} * x \\ & - a^{(1/3)}) * ((3^{(1/2)} * i) / 2 - 1/2) * (2*a^3*f - 20*b^3*c + 5*a*b^2*d + a^2*b \\ & * e)) / (27*a^{(11/3)} * b^{(7/3)}) - (\log(3^{(1/2)} * a^{(1/3)} * i - 2*b^{(1/3)} * x + a^{(1/3)}) \\ & * ((3^{(1/2)} * i) / 2 + 1/2) * (2*a^3*f - 20*b^3*c + 5*a*b^2*d + a^2*b*e)) / (27*a^{(11/3)} * b^{(7/3)}) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**3/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.244 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)^3} dx$$

Optimal. Leaf size=317

$$\frac{3bc-ad}{a^4x} - \frac{c}{4a^3x^4} + \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^3b(a+bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3f + 2a^2be - 14ab^2d + 35b^3c)}{54a^{13/3}b^{5/3}}$$

Rubi [A] time = 0.37, antiderivative size = 317, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, number of rules / integrand size = 0.300, Rules used = {1829, 1484, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(2a^2be + a^3f - 5ab^2d + 8b^3c)}{9a^4b(a+bx^3)} + \frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^3b(a+bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(2a^2be + a^3f - 14ab^2d + 35b^3c)}{54a^{13/3}b^{5/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(2a^2be + a^3f - 14ab^2d + 35b^3c)}{27a^{13/3}b^{5/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt[3]{a}\sqrt[3]{b}}\right)(2a^2be + a^3f - 14ab^2d + 35b^3c)}{9\sqrt[3]{a^{13/3}b^{5/3}}} + \frac{3bc-ad}{a^4x} - \frac{c}{4a^3x^4}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^3), x]

[Out] -c/(4*a^3*x^4) + (3*b*c - a*d)/(a^4*x) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a^3*b*(a + b*x^3)^2) + ((8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*x^2)/(9*a^4*b*(a + b*x^3)) - ((35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(13/3)*b^(5/3)) - ((35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(13/3)*b^(5/3)) + ((35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(13/3)*b^(5/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1484

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Simp[((-d)^(m - Mod[m, n])/n - 1)*(c*d^2 - b*d*e + a*e^2)^p*x^(Mod[m, n] + 1)*(d + e*x^n)^(q + 1)/(n*e^(2*p + (m - Mod[m, n])/n)*(q + 1)), x] + Dist[(-d)^(m - Mod[m, n])/n - 1)/(n*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^n)^(q + 1)*ExpandToSum[Together[(1*(n*(-d)^(-(m - Mod[m, n])/n) + 1)*e^(2*p)*(q + 1)*(a + b*x^n + c*x^(2*n))^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^((m - Mod[m, n])/n)*x^(m - Mod[m, n])))*(d*(Mod[m, n] + 1) + e*(Mod[m, n] + n*(q + 1) + 1)*x^n))]/(d + e*x^n)], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m, 0]
```

Rule 1488

```
Int[((f_)*(x_)^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
```

*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx^3 + ex^6 + fx^9}{x^5 (a + bx^3)^3} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} - \frac{\int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - 2b^2\left(\frac{2b^3c}{a^2} - \frac{2b^2d}{a} + 2be + af\right)x^6}{x^5(a + bx^3)^2} dx}{6ab^3} \\
 &= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{9a^4b(a + bx^3)} - \frac{\int \frac{-18a^2b^5c + 18ab^5}{x^5} dx}{9a^4b(a + bx^3)} \\
 &= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{9a^4b(a + bx^3)} - \frac{\int \left(-\frac{18ab^5c}{x^5} + \frac{18ab^5}{x^5}\right) dx}{9a^4b(a + bx^3)} \\
 &= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{9a^4b(a + bx^3)} \\
 &= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{9a^4b(a + bx^3)} \\
 &= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{9a^4b(a + bx^3)} \\
 &= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{9a^4b(a + bx^3)} \\
 &= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^3b(a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{9a^4b(a + bx^3)}
 \end{aligned}$$

Mathematica [A] time = 0.32, size = 303, normalized size = 0.96

$$\frac{-\frac{27a^4b^3c}{x^4} + \frac{12\sqrt[3]{a}x^2(a^3f+2a^2bc-5ab^2d+8b^3c)}{b(a+bx^3)} - \frac{4\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)(a^3f+2a^2bc-14ab^2d+35b^3c)}{b^{5/3}} - \frac{4\sqrt{3}\tan^{-1}\left(\frac{1-2\sqrt[3]{bx}}{\sqrt{3}}\right)(a^3f+2a^2bc-14ab^2d+35b^3c)}{b^{5/3}} - \frac{18a^4b^3c^2(a^3f-a^2bc+ab^2d-b^3c)}{b(a+bx^3)^2} + \frac{2\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)(a^3f+2a^2bc-14ab^2d+35b^3c)}{b^{5/3}} - \frac{108\sqrt[3]{a}(ad-3bc)}{x}}{108a^{13/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^3), x]

[Out] $\left(\frac{-27a^{4/3}c}{x^4} - \frac{(108a^{1/3})(-3bc + ad)}{x} - \frac{(18a^{4/3})(-(b^3c + ab^2d - a^2be + a^3f)x^2)}{b(a + bx^3)^2} + \frac{(12a^{1/3})(8b^3c - 5ab^2d + 2a^2be + a^3f)x^2}{b(a + bx^3)} - \frac{(4\sqrt{3})(35b^3c - 14ab^2d + 2a^2be + a^3f)\text{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right]}{b^{5/3}} - \frac{(4(35b^3c - 14ab^2d + 2a^2be + a^3f)\text{Log}[a^{1/3} + b^{1/3}x])}{b^{5/3}} + \frac{(2(35b^3c - 14ab^2d + 2a^2be + a^3f)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])}{b^{5/3}}\right) / (108a^{13/3})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^5(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^3), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^3), x]

fricas [B] time = 0.46, size = 1254, normalized size = 3.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $\left[\frac{1}{108}(12(35ab^6c - 14a^2b^5d + 2a^3b^4e + a^4b^3f)x^9 - 27a^4b^3c + 3(245a^2b^5c - 98a^3b^4d + 14a^4b^3e - 2a^5b^2f)x^6 + 54(5a^3b^4c - 2a^4b^3d)x^3 + 6\sqrt{1/3}((35a^2b^5c - 14a^3b^4d + 2a^4b^3e + a^5b^2f)x^7 + (35a^3b^4c - 14a^4b^3d + 2a^5b^2e + a^6b^1f)x^4)\sqrt{(-ab^2)^{1/3}/a}}\right] \log\left(\frac{(2b^2x^3 - ab + 3\sqrt{1/3})(abx + 2(-ab^2)^{2/3}x^2 + (-ab^2)^{1/3}a)\sqrt{(-ab^2)^{1/3}/a}}{b^2x^2 + (-ab^2)^{1/3}bx + (-ab^2)^{2/3}}\right) - 3\frac{(-ab^2)^{2/3}x}{(bx^3 + a)} + 2\frac{(35b^5c - 14ab^4d + 2a^2b^3e + a^3b^2f)x^{10} + 2(35ab^4c - 14a^2b^3d + 2a^3b^2e + a^4b^1f)x^7 + (35a^2b^3c - 14a^3b^2d + 2a^4b^1e + a^5f)x^4}{(bx^3 + a)}(-ab^2)^{2/3} \log(b^2x^2 + (-ab^2)^{1/3}bx + (-ab^2)^{2/3}) - 4(35b^5c - 14ab^4d$

$$\begin{aligned}
& + 2*a^2*b^3*e + a^3*b^2*f)*x^{10} + 2*(35*a*b^4*c - 14*a^2*b^3*d + 2*a^3*b^2* \\
& e + a^4*b*f)*x^7 + (35*a^2*b^3*c - 14*a^3*b^2*d + 2*a^4*b*e + a^5*f)*x^4)*(- \\
& a*b^2)^{(2/3)}*\log(b*x - (-a*b^2)^{(1/3)}))/(a^5*b^5*x^{10} + 2*a^6*b^4*x^7 + a^7* \\
& b^3*x^4), 1/108*(12*(35*a*b^6*c - 14*a^2*b^5*d + 2*a^3*b^4*e + a^4*b^3*f) \\
& *x^9 - 27*a^4*b^3*c + 3*(245*a^2*b^5*c - 98*a^3*b^4*d + 14*a^4*b^3*e - 2*a^5* \\
& b^2*f)*x^6 + 54*(5*a^3*b^4*c - 2*a^4*b^3*d)*x^3 + 12*\sqrt{1/3})*((35*a*b^6 \\
& *c - 14*a^2*b^5*d + 2*a^3*b^4*e + a^4*b^3*f)*x^{10} + 2*(35*a^2*b^5*c - 14*a^3* \\
& b^4*d + 2*a^4*b^3*e + a^5*b^2*f)*x^7 + (35*a^3*b^4*c - 14*a^4*b^3*d + 2*a^5* \\
& b^2*e + a^6*b*f)*x^4)*\sqrt{-(-a*b^2)^{(1/3)}/a}*\arctan(\sqrt{1/3})*(2*b*x + \\
& (-a*b^2)^{(1/3)})*\sqrt{-(-a*b^2)^{(1/3)}/a}/b) + 2*((35*b^5*c - 14*a*b^4*d + 2* \\
& a^2*b^3*e + a^3*b^2*f)*x^{10} + 2*(35*a*b^4*c - 14*a^2*b^3*d + 2*a^3*b^2*e + \\
& a^4*b*f)*x^7 + (35*a^2*b^3*c - 14*a^3*b^2*d + 2*a^4*b*e + a^5*f)*x^4)*(-a*b \\
& ^2)^{(2/3)}*\log(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 4*((35*b^5*c \\
& - 14*a*b^4*d + 2*a^2*b^3*e + a^3*b^2*f)*x^{10} + 2*(35*a*b^4*c - 14*a^2*b^3* \\
& d + 2*a^3*b^2*e + a^4*b*f)*x^7 + (35*a^2*b^3*c - 14*a^3*b^2*d + 2*a^4*b*e + \\
& a^5*f)*x^4)*(-a*b^2)^{(2/3)}*\log(b*x - (-a*b^2)^{(1/3)}))/(a^5*b^5*x^{10} + 2*a^6* \\
& b^4*x^7 + a^7*b^3*x^4)]
\end{aligned}$$

giac [A] time = 0.24, size = 357, normalized size = 1.13

$$\frac{\sqrt{3} (35b^5c - 14ab^4d + a^2f + 2a^2be) \arctan\left(\frac{\sqrt{3} \left(2x + \frac{1}{b}\right)}{3 \left(-\frac{a}{b}\right)^{1/3}}\right)}{27 (-ab^2)^{5/3} a^6} - \frac{(35b^5c - 14ab^4d + a^2f + 2a^2be) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{1/3} + \left(-\frac{a}{b}\right)^{2/3}\right)}{54 (-ab^2)^{5/3} a^6} - \frac{(35b^5c \left(-\frac{a}{b}\right)^{1/3} - 14ab^4d \left(-\frac{a}{b}\right)^{1/3} + a^2f \left(-\frac{a}{b}\right)^{1/3} + 2a^2b \left(-\frac{a}{b}\right)^{1/3} e) \left(-\frac{a}{b}\right)^{1/3} \log\left(1 - \left(-\frac{a}{b}\right)^{1/3}\right)}{27 a^6 b} + \frac{16b^6c^2 - 10ab^5d^2 + 2a^2b^4f^2 + 4a^2b^2e^2 + 19ab^3c^2 - 13a^2b^2d^2 - a^4f^2 + 7a^4be^2 + 12bc^3 - 4ad^3 - ac^4}{18 (bx^3 + a)^{5/3} a^6 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/27*sqrt(3)*(35*b^3*c - 14*a*b^2*d + a^3*f + 2*a^2*b*e)*arctan(1/3*sqrt(3) * (2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a^4*b) - 1/54*(35*b^3*c - 14*a*b^2*d + a^3*f + 2*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3)) /((-a*b^2)^(1/3)*a^4*b) - 1/27*(35*b^3*c*(-a/b)^(1/3) - 14*a*b^2*d*(-a/b)^(1/3) + a^3*f*(-a/b)^(1/3) + 2*a^2*b*e*(-a/b)^(1/3))*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^5*b) + 1/18*(16*b^4*c*x^5 - 10*a*b^3*d*x^5 + 2*a^3*b*f*x^5 + 4*a^2*b^2*e*x^5 + 19*a*b^3*c*x^2 - 13*a^2*b^2*d*x^2 - a^4*f*x^2 + 7*a^3*b*x^2*e)/(b*x^3 + a)^2*a^4*b) + 1/4*(12*b*c*x^3 - 4*a*d*x^3 - a*c)/(a^4*x^4)

maple [B] time = 0.07, size = 574, normalized size = 1.81

$$\frac{f^2}{10b^6a^6} + \frac{2be^2}{9b^6a^6} + \frac{9d^2e^2}{10b^6a^6} + \frac{9d^2e^2}{10b^6a^6} + \frac{7e^2}{10b^6a^6} + \frac{13bd^2}{10b^6a^6} + \frac{19bd^2e^2}{10b^6a^6} + \frac{f^2}{10b^6a^6} + \frac{\sqrt{3} f \arctan\left(\frac{\sqrt{3} \left(2x + \frac{1}{b}\right)}{3 \left(-\frac{a}{b}\right)^{1/3}}\right)}{27 (b^3 x^3 + a)^5} - \frac{f \ln\left(1 + \left(\frac{a}{b}\right)^{1/3}\right) + b \ln\left(1 - \left(\frac{a}{b}\right)^{1/3}\right)}{27 (b^3 x^3 + a)^5} - \frac{2\sqrt{3} f \arctan\left(\frac{\sqrt{3} \left(2x + \frac{1}{b}\right)}{3 \left(-\frac{a}{b}\right)^{1/3}}\right)}{27 (b^3 x^3 + a)^5} + \frac{2b \ln\left(1 + \left(\frac{a}{b}\right)^{1/3}\right) + b \ln\left(1 - \left(\frac{a}{b}\right)^{1/3}\right) + \frac{14\sqrt{3} f \arctan\left(\frac{\sqrt{3} \left(2x + \frac{1}{b}\right)}{3 \left(-\frac{a}{b}\right)^{1/3}}\right)}{27 (b^3 x^3 + a)^5}}{27 (b^3 x^3 + a)^5} + \frac{14b \ln\left(1 + \left(\frac{a}{b}\right)^{1/3}\right) + 2b \ln\left(1 - \left(\frac{a}{b}\right)^{1/3}\right)}{27 (b^3 x^3 + a)^5} + \frac{35\sqrt{3} f \arctan\left(\frac{\sqrt{3} \left(2x + \frac{1}{b}\right)}{3 \left(-\frac{a}{b}\right)^{1/3}}\right)}{27 (b^3 x^3 + a)^5} + \frac{35b \ln\left(1 + \left(\frac{a}{b}\right)^{1/3}\right) + 35b \ln\left(1 - \left(\frac{a}{b}\right)^{1/3}\right)}{27 (b^3 x^3 + a)^5} + \frac{d}{27} + \frac{3e}{27} + \frac{c}{108}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^3,x)

[Out] 1/9/a/(b*x^3+a)^2*x^5*f+2/9/a^2/(b*x^3+a)^2*x^5*b*e-5/9/a^3/(b*x^3+a)^2*x^5*b^2*d+8/9/a^4/(b*x^3+a)^2*x^5*b^3*c-1/18/(b*x^3+a)^2/b*x^2*f+7/18/a/(b*x^3

$+a)^2 x^2 e^{-13/18/a^2/(b x^3+a)^2 b x^2 d+19/18/a^3/(b x^3+a)^2 c x^2 b^{-2-1/27/a/b^2/(a/b)^{1/3} \ln(x+(a/b)^{1/3})} f-2/27/a^2/b/(a/b)^{1/3} \ln(x+(a/b)^{1/3})} e+14/27/a^3/(a/b)^{1/3} \ln(x+(a/b)^{1/3})} d-35/27/a^4 b/(a/b)^{1/3} \ln(x+(a/b)^{1/3})} c+1/54/a/b^2/(a/b)^{1/3} \ln(x^2-(a/b)^{1/3} x+(a/b)^{2/3})} f+1/27/a^2/b/(a/b)^{1/3} \ln(x^2-(a/b)^{1/3} x+(a/b)^{2/3})} e-7/27/a^3/(a/b)^{1/3} \ln(x^2-(a/b)^{1/3} x+(a/b)^{2/3})} d+35/54/a^4 b/(a/b)^{1/3} \ln(x^2-(a/b)^{1/3} x+(a/b)^{2/3})} c+1/27/a/b^2 3^{1/2}/(a/b)^{1/3} \arctan(1/3 3^{1/2} (1/2) (2/(a/b)^{1/3} x-1))} f+2/27/a^2/b 3^{1/2}/(a/b)^{1/3} \arctan(1/3 3^{1/2} (1/2) (2/(a/b)^{1/3} x-1))} e-14/27/a^3 3^{1/2}/(a/b)^{1/3} \arctan(1/3 3^{1/2} (1/2) (2/(a/b)^{1/3} x-1))} d+35/27/a^4 b 3^{1/2}/(a/b)^{1/3} \arctan(1/3 3^{1/2} (1/2) (2/(a/b)^{1/3} x-1))} c-1/4 c/a^3/x^4-d/a^3/x+3/a^4/x b c$

maxima [A] time = 3.03, size = 317, normalized size = 1.00

$$\frac{4(35b^4c-14ab^3d+2a^2b^2e+a^3f)^2+(245ab^3c-98a^2b^2d+14a^3b^2e-2a^4f)^2-9a^3bc+18(5a^2b^2c-2a^3bd)^2}{36(a^3bx^{10}+2a^2bx^7+a^3bx^4)} + \frac{\sqrt{3}(35b^3c-14ab^2d+2a^2be+a^3f) \arctan\left(\frac{\sqrt{3}\left(x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27a^{1/2}\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(35b^3c-14ab^2d+2a^2be+a^3f) \log\left(x^2-x\left(\frac{a}{b}\right)^{\frac{1}{3}}+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54a^{1/2}\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{(35b^3c-14ab^2d+2a^2be+a^3f) \log\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27a^{1/2}\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $1/36*(4*(35*b^4*c - 14*a*b^3*d + 2*a^2*b^2*e + a^3*b*f)*x^9 + (245*a*b^3*c - 98*a^2*b^2*d + 14*a^3*b*e - 2*a^4*f)*x^6 - 9*a^3*b*c + 18*(5*a^2*b^2*c - 2*a^3*b*d)*x^3)/(a^4*b^3*x^{10} + 2*a^5*b^2*x^7 + a^6*b*x^4) + 1/27*\sqrt{3}*(35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{1/3}))/((a/b)^{1/3})/(a^4*b^2*(a/b)^{1/3}) + 1/54*(35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(a^4*b^2*(a/b)^{1/3}) - 1/27*(35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*\log(x + (a/b)^{1/3})/(a^4*b^2*(a/b)^{1/3})$

mupad [B] time = 5.23, size = 293, normalized size = 0.92

$$\frac{c}{4a} - \frac{x^9(f^2+2e^2b-14d^2+35c^2)}{9a^4} + \frac{x^6(12ad-5b^2)}{2a^2} - \frac{x^3(2f^2+14e^2b-98d^2+245c^2)}{36a^3} - \frac{\ln(b^{1/3}x+a^{1/3})}{27a^{1/3}b^3} \left(f^2+2e^2b-14d^2+35c^2 \right) + \frac{\ln(2b^{1/3}x-a^{1/3}+\sqrt{3}a^{1/3})}{27a^{1/3}b^3} \left(\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (f^2+2e^2b-14d^2+35c^2) - \frac{\ln(a^{1/3}-2b^{1/3}x+\sqrt{3}a^{1/3})}{27a^{1/3}b^3} \left(\frac{1}{2} + \frac{\sqrt{3}}{2} \right) (f^2+2e^2b-14d^2+35c^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^3),x)

[Out] $(\log(3^{1/2}*a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3}))*((3^{1/2}*1i)/2 + 1/2)*(35*b^3*c + a^3*f - 14*a*b^2*d + 2*a^2*b*e)/(27*a^{13/3}*b^{5/3}) - (\log(b^{1/3}*x + a^{1/3}))*((35*b^3*c + a^3*f - 14*a*b^2*d + 2*a^2*b*e)/(27*a^{13/3}*b^{5/3}) - (c/(4*a) - (x^9*(35*b^3*c + a^3*f - 14*a*b^2*d + 2*a^2*b*e))/(9*a^4) + (x^3*(2*a*d - 5*b*c))/(2*a^2) - (x^6*(245*b^3*c - 2*a^3*f - 98*a*b^2*d + 14*a^2*b*e))/(36*a^3*b))/(a^2*x^4 + b^2*x^{10} + 2*a*b*x^7) - (\log(3^{1/2}*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3}))*((3^{1/2}*1i)/2 - 1/2)*(35*b^3*c + a^3*f - 14*a*b^2*d + 2*a^2*b*e)/(27*a^{13/3}*b^{5/3})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**5/(b*x**3+a)**3,x)

[Out] Timed out

$$3.245 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)^3} dx$$

Optimal. Leaf size=316

$$\frac{3bc-ad}{2a^4x^2} - \frac{c}{5a^3x^5} + \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^3b(a+bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3f + 5a^2be - 20ab^2d + 44b^3c)}{54a^{14/3}b^{4/3}}$$

Rubi [A] time = 0.37, antiderivative size = 316, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, number of rules / integrand size = 0.300, Rules used = {1829, 1484, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{x(5a^2be + a^3f - 11ab^2d + 17b^3c)}{18a^4b(a+bx^3)} + \frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^3b(a+bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(5a^2be + a^3f - 20ab^2d + 44b^3c)}{54a^{14/3}b^{4/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(5a^2be + a^3f - 20ab^2d + 44b^3c)}{27a^{14/3}b^{4/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt[3]{a}\sqrt[3]{b}}\right)(5a^2be + a^3f - 20ab^2d + 44b^3c)}{9\sqrt[3]{a^{14}b^{4/3}}} + \frac{3bc-ad}{2a^4x^2} - \frac{c}{5a^3x^5}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^3), x]

[Out] -c/(5*a^3*x^5) + (3*b*c - a*d)/(2*a^4*x^2) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a^3*b*(a + b*x^3)^2) + ((17*b^3*c - 11*a*b^2*d + 5*a^2*b*e + a^3*f)*x)/(18*a^4*b*(a + b*x^3)) - ((44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(14/3)*b^(4/3)) + ((44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(14/3)*b^(4/3)) - ((44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(14/3)*b^(4/3))

Rule 31

Int[((a_) + (b_)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_)*(x_)^3)^-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1484

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*((d_) + (e
_)*(x_)^(n_))^(q_), x_Symbol] := Simp[(-d)^((m - Mod[m, n])/n - 1)*(c*d^2
- b*d*e + a*e^2)^p*x^(Mod[m, n] + 1)*(d + e*x^n)^(q + 1))/(n*e^(2*p + (m -
Mod[m, n])/n)*(q + 1)), x] + Dist[(-d)^((m - Mod[m, n])/n - 1)/(n*e^(2*p)*
(q + 1)), Int[x^m*(d + e*x^n)^(q + 1)*ExpandToSum[Together[(1*(n*(-d)^(-(m
- Mod[m, n])/n) + 1)*e^(2*p)*(q + 1)*(a + b*x^n + c*x^(2*n))^p - ((c*d^2 -
b*d*e + a*e^2)^p/(e^((m - Mod[m, n])/n)*x^(m - Mod[m, n])))*(d*(Mod[m, n]
+ 1) + e*(Mod[m, n] + n*(q + 1) + 1)*x^n))]/(d + e*x^n)], x], x] /; Fre
eQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && IGtQ[n, 0]
&& IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m, 0]
```

Rule 1488

```
Int[((f_)*(x_))^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*((
d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d
+ e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m,
q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
```


Mathematica [A] time = 0.28, size = 299, normalized size = 0.95

$$\frac{-\frac{135a^{2/3}(ad-3bc)}{x^2} - \frac{54a^{5/3}c}{x^5} + \frac{10 \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^3f + 5a^2bc - 20ab^2d + 44b^3c\right)}{b^4d^3} - \frac{10\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{3}}\right)\left(a^3f + 5a^2bc - 20ab^2d + 44b^3c\right)}{b^4d^3} - \frac{45a^{5/3}x\left(a^3f - a^2bc + ab^2d - b^3c\right)}{b\left(a + bx^3\right)^2} + \frac{15a^{2/3}x\left(a^3f + 5a^2bc - 11ab^2d + 17b^3c\right)}{b\left(a + bx^3\right)} - \frac{5 \log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^3f + 5a^2bc - 20ab^2d + 44b^3c\right)}{b^4d^3}}{270a^{14/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^3), x]

[Out] $\left(\frac{-54a^{5/3}c}{x^5} - \frac{(135a^{2/3})(-3bc + ad)}{x^2} - \frac{45a^{5/3}(-b^3c + ab^2d - a^2be + a^3f)x}{b^2(a + bx^3)^2} + \frac{15a^{2/3}(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{b^2(a + bx^3)} - \frac{10\sqrt{3}\operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right](44b^3c - 20ab^2d + 5a^2be + a^3f)}{b^{4/3}} + \frac{10(44b^3c - 20ab^2d + 5a^2be + a^3f)\operatorname{Log}\left[\frac{a^{1/3} + b^{1/3}x}{a^{1/3}}\right]}{b^{4/3}} - \frac{5(44b^3c - 20ab^2d + 5a^2be + a^3f)\operatorname{Log}\left[\frac{a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2}{a^{1/3}}\right]}{b^{4/3}}\right) / (270a^{14/3})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^6(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^3), x]

[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^3), x]

fricas [B] time = 0.47, size = 1247, normalized size = 3.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $\frac{1}{270} \left(15(44a^2b^5c - 20a^3b^4d + 5a^4b^3e + a^5b^2f)x^9 - 54a^5b^2c + 6(176a^3b^4c - 80a^4b^3d + 20a^5b^2e - 5a^6bf)x^6 + 27(11a^4b^3c - 5a^5b^2d)x^3 + 15\sqrt{1/3}((44ab^6c - 20a^2b^5d + 5a^3b^4e + a^4b^3f)x^{11} + 2(44a^2b^5c - 20a^3b^4d + 5a^4b^3e + a^5b^2f)x^8 + (44a^3b^4c - 20a^4b^3d + 5a^5b^2e + a^6bf)x^5) \sqrt{-(a^2b)^{1/3}/b} \log\left(\frac{(2abx^3 - 3(a^2b)^{1/3}ax - a^2 + 3\sqrt{1/3}(2abx^2 + (a^2b)^{2/3}x - (a^2b)^{1/3}a)\sqrt{-(a^2b)^{1/3}/b}}{(bx^3 + a)}\right) - 5((44b^5c - 20ab^4d + 5a^2b^3e + a^3b^2f)x^{11} + 2(44ab^4c - 20a^2b^3d + 5a^3b^2e + a^4bf)x^8 + (44a^2b^3c - 20a^3b^2d + 5a^4be + a^5f)x^5) (a^2b)^{2/3} \log\left(\frac{abx^2 - (a^2b)^{2/3}x + (a^2b)^{1/3}a}{a^2b}\right) + 10((44b^5c - 20ab^4d + 5a^2b^3e + a^3b^2f)x^8 + (44ab^4c - 20a^2b^3d + 5a^3b^2e + a^4bf)x^5) \sqrt{-(a^2b)^{1/3}/b} \log\left(\frac{a^{1/3} + b^{1/3}x}{a^{1/3}}\right) \right) / (270a^{14/3})$

$$5a^2b^3e + a^3b^2f)x^{11} + 2(44a^2b^4c - 20a^2b^3d + 5a^3b^2e + a^4b^2f)x^8 + (44a^2b^3c - 20a^3b^2d + 5a^4b^2e + a^5b^2f)x^5 \cdot (a^2b)^{2/3} \log(abx + (a^2b)^{2/3}) / (a^6b^4x^{11} + 2a^7b^3x^8 + a^8b^2x^5), 1/270(15(44a^2b^5c - 20a^3b^4d + 5a^4b^3e + a^5b^2f)x^9 - 54a^5b^2c + 6(176a^3b^4c - 80a^4b^3d + 20a^5b^2e - 5a^6b^2f)x^6 + 27(11a^4b^3c - 5a^5b^2d)x^3 + 30\sqrt{1/3}((44a^2b^6c - 20a^2b^5d + 5a^3b^4e + a^4b^3f)x^{11} + 2(44a^2b^5c - 20a^3b^4d + 5a^4b^3e + a^5b^2f)x^8 + (44a^3b^4c - 20a^4b^3d + 5a^5b^2e + a^6b^2f)x^5) \sqrt{(a^2b)^{1/3}/b} \arctan(\sqrt{1/3} \cdot (2(a^2b)^{2/3}x - (a^2b)^{1/3}a) \sqrt{(a^2b)^{1/3}/b} / a^2) - 5((44b^5c - 20a^3b^4d + 5a^2b^3e + a^3b^2f)x^{11} + 2(44a^2b^3c - 20a^3b^2d + 5a^4b^2e + a^5b^2f)x^8 + (44a^2b^3c - 20a^3b^2d + 5a^4b^2e + a^5b^2f)x^5) \cdot (a^2b)^{2/3} \log(abx^2 - (a^2b)^{2/3}x + (a^2b)^{1/3}a) + 10((44b^5c - 20a^2b^4d + 5a^2b^3e + a^3b^2f)x^{11} + 2(44a^2b^4c - 20a^2b^3d + 5a^3b^2e + a^4b^2f)x^8 + (44a^2b^3c - 20a^3b^2d + 5a^4b^2e + a^5b^2f)x^5) \cdot (a^2b)^{2/3} \log(abx + (a^2b)^{2/3}) / (a^6b^4x^{11} + 2a^7b^3x^8 + a^8b^2x^5)]$$

giac [A] time = 0.23, size = 310, normalized size = 0.98

$$\frac{\sqrt{3} (44b^5c - 20ab^2d + a^2f + 5a^2bc) \arctan\left(\frac{\sqrt{3}(2x + (-\frac{a}{b})^{\frac{2}{3}})}{3(-\frac{a}{b})^{\frac{2}{3}}}\right)}{27(-ab^2)^{\frac{2}{3}}a^4} - \frac{(44b^5c - 20ab^2d + a^2f + 5a^2bc) \log\left(x^2 + x(-\frac{a}{b})^{\frac{1}{3}} + (-\frac{a}{b})^{\frac{2}{3}}\right)}{54(-ab^2)^{\frac{2}{3}}a^4} - \frac{(44b^5c - 20ab^2d + a^2f + 5a^2bc) (-\frac{a}{b})^{\frac{1}{3}} \log\left(\left|x - (-\frac{a}{b})^{\frac{1}{3}}\right|\right)}{27ab^2} + \frac{17b^5cx^4 - 11ab^2dx^4 + a^2bf^2x^4 + 5a^2b^2x^2c + 20ab^3cx - 14a^2b^2dx - 2a^2fx + 8a^3bxc + 15b^5c^3 - 5ad^2c - 2ac}{18(bx^3 + a)^2 a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/27\sqrt{3}(44b^3c - 20ab^2d + a^3f + 5a^2b^2e) \arctan(1/3\sqrt{3}(2x + (-a/b)^{2/3}) / (-a/b)^{2/3}) / ((-ab^2)^{2/3}a^4) - 1/54(44b^3c - 20ab^2d + a^3f + 5a^2b^2e) \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) / ((-ab^2)^{2/3}a^4) - 1/27(44b^3c - 20ab^2d + a^3f + 5a^2b^2e) \cdot (-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3})) / (a^5b) + 1/18(17b^4cx^4 - 11a^2b^3d^2x^4 + a^3b^2fx^4 + 5a^2b^2x^4e + 20a^2b^3cx - 14a^2b^2dx - 2a^4fx + 8a^3bx^2e) / ((bx^3 + a)^2a^4b) + 1/10(15b^3cx^3 - 5a^2d^2x^3 - 2a^2c) / (a^4x^5)$

maple [B] time = 0.06, size = 566, normalized size = 1.79

$$\frac{f \cdot x^9}{110(b^2x^2 + a)^2} + \frac{5a \cdot x^6}{110(b^2x^2 + a)^2} + \frac{110f \cdot x^6}{110(b^2x^2 + a)^2} + \frac{170c \cdot x^3}{110(b^2x^2 + a)^2} + \frac{4a^3}{110(b^2x^2 + a)^2} + \frac{70a^2}{110(b^2x^2 + a)^2} + \frac{100a^2}{110(b^2x^2 + a)^2} + \frac{f \cdot x}{9(b^2x^2 + a)^2} + \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3}(2x + (-\frac{a}{b})^{\frac{2}{3}})}{3(-\frac{a}{b})^{\frac{2}{3}}}\right)}{27(b^2x^2 + a)^2} + \frac{f \cdot \ln\left(x + (-\frac{a}{b})^{\frac{1}{3}}\right)}{27(b^2x^2 + a)^2} + \frac{f \cdot \ln\left(x - (-\frac{a}{b})^{\frac{1}{3}}\right)}{54(b^2x^2 + a)^2} + \frac{5 \sqrt{3} \arctan\left(\frac{\sqrt{3}(2x + (-\frac{a}{b})^{\frac{2}{3}})}{3(-\frac{a}{b})^{\frac{2}{3}}}\right)}{27(b^2x^2 + a)^2} + \frac{5 \ln\left(x + (-\frac{a}{b})^{\frac{1}{3}}\right)}{27(b^2x^2 + a)^2} + \frac{5 \ln\left(x - (-\frac{a}{b})^{\frac{1}{3}}\right)}{54(b^2x^2 + a)^2} + \frac{20 \sqrt{3} \arctan\left(\frac{\sqrt{3}(2x + (-\frac{a}{b})^{\frac{2}{3}})}{3(-\frac{a}{b})^{\frac{2}{3}}}\right)}{27(b^2x^2 + a)^2} + \frac{20 \ln\left(x + (-\frac{a}{b})^{\frac{1}{3}}\right)}{27(b^2x^2 + a)^2} + \frac{10 \ln\left(x - (-\frac{a}{b})^{\frac{1}{3}}\right)}{27(b^2x^2 + a)^2} + \frac{44 \sqrt{3} \arctan\left(\frac{\sqrt{3}(2x + (-\frac{a}{b})^{\frac{2}{3}})}{3(-\frac{a}{b})^{\frac{2}{3}}}\right)}{27(b^2x^2 + a)^2} + \frac{44 \ln\left(x + (-\frac{a}{b})^{\frac{1}{3}}\right)}{27(b^2x^2 + a)^2} + \frac{22 \ln\left(x - (-\frac{a}{b})^{\frac{1}{3}}\right)}{27(b^2x^2 + a)^2} + \frac{a^2}{27(b^2x^2 + a)^2} + \frac{2a}{27(b^2x^2 + a)^2} + \frac{100a}{110(b^2x^2 + a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^3,x)

[Out] $1/18/a/(b^2x^3+a)^2x^4f + 5/18/a^2/(b^2x^3+a)^2x^4be - 11/18/a^3/(b^2x^3+a)^2x^4b^2d + 17/18/a^4/(b^2x^3+a)^2x^4b^3c - 1/9/(b^2x^3+a)^2/b^2x^2f + 4/9/a/(b^2x^3+a)^2$

$$\begin{aligned} & \sqrt[3]{a}x^2 + e^{-7/9/a^2/(bx^3+a)^2} * x^d + 10/9/a^3/(bx^3+a)^2 * x * b^2 * c + 1/27/a/b \\ & \sqrt[2]{(a/b)^{(2/3)} * \ln(x+(a/b)^{(1/3)})} * f + 5/27/a^2/b/(a/b)^{(2/3)} * \ln(x+(a/b)^{(1/3)}) \\ & * e^{-20/27/a^3/(a/b)^{(2/3)} * \ln(x+(a/b)^{(1/3)})} * d + 44/27/a^4 * b/(a/b)^{(2/3)} * \ln(x+(a/b)^{(1/3)}) \\ & * c - 1/54/a/b^2/(a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * f - 5/54/a^2/b/(a/b)^{(2/3)} \\ & * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * x + (a/b)^{(2/3)} * e + 10/27/a^3/(a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) \\ & * d - 22/27/a^4 * b/(a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * c + 1/27/a/b^2/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * \\ & (2/(a/b)^{(1/3)} * x - 1)) * f + 5/27/a^2/b/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) \\ & * e - 20/27/a^3/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * d + 44/27/a^4 * b/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) \\ & * c - 1/5/a^3 * c/x^5 - 1/2 * d/a^3/x^2 + 3/2/a^4/x^2 * b * c \end{aligned}$$

maxima [A] time = 3.05, size = 318, normalized size = 1.01

$$\frac{5(44b^3c - 20ab^2d + 5a^2b^2e + a^3bf)x^9 + 2(176ab^2c - 80a^2b^2d + 20a^3bc - 5a^4f)x^6 - 18a^3bc + 9(11a^2b^2c - 5a^3bd)x^3}{90(a^3b^{11} + 2a^2b^2x^8 + a^6bx^5)} + \frac{\sqrt{3}(44b^3c - 20ab^2d + 5a^2b^2e + a^3bf) \arctan\left(\frac{\sqrt{3}(2x - (a/b)^{1/3})}{3(a/b)^{1/3}}\right)}{27a^4b^2(a/b)^{2/3}} - \frac{(44b^3c - 20ab^2d + 5a^2b^2e + a^3bf) \log\left(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}\right)}{54a^4b^2(a/b)^{2/3}} + \frac{(44b^3c - 20ab^2d + 5a^2b^2e + a^3bf) \log\left(x + (a/b)^{1/3}\right)}{27a^4b^2(a/b)^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{90} * (5 * (44 * b^4 * c - 20 * a * b^3 * d + 5 * a^2 * b^2 * e + a^3 * b * f) * x^9 + 2 * (176 * a * b^3 * c - 80 * a^2 * b^2 * d + 20 * a^3 * b * e - 5 * a^4 * f) * x^6 - 18 * a^3 * b * c + 9 * (11 * a^2 * b^2 * c - 5 * a^3 * b * d) * x^3) / (a^4 * b^3 * x^{11} + 2 * a^5 * b^2 * x^8 + a^6 * b * x^5) + \frac{1}{27} * \sqrt{3} * (44 * b^3 * c - 20 * a * b^2 * d + 5 * a^2 * b * e + a^3 * f) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (a^4 * b^2 * (a/b)^{(2/3)}) - \frac{1}{54} * (44 * b^3 * c - 20 * a * b^2 * d + 5 * a^2 * b * e + a^3 * f) * \log(x^2 - x * (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (a^4 * b^2 * (a/b)^{(2/3)}) + \frac{1}{27} * (44 * b^3 * c - 20 * a * b^2 * d + 5 * a^2 * b * e + a^3 * f) * \log(x + (a/b)^{(1/3)}) / (a^4 * b^2 * (a/b)^{(2/3)})$

mupad [B] time = 5.20, size = 293, normalized size = 0.93

$$\frac{\ln\left(\frac{b^{1/3}x+a^{1/3}}{27a^{14/3}b^{4/3}}\right)\left(fa^3+5e a^2b-20da b^2+44c b^3\right)}{27a^{14/3}b^{4/3}} - \frac{c}{5a} - \frac{x^9(fa^3+5e a^2b-20da b^2+44c b^3)}{18a^4} + \frac{x^3(5ad-11bc)}{10a^2} - \frac{x^6(176b^3c-80a^2b^2d+44c b^3)}{45a^3} + \frac{\ln\left(2b^{1/3}x-a^{1/3}+\sqrt{3}a^{1/3}\right)\left(-\frac{1}{2}+\frac{\sqrt{3}}{2}\right)\left(fa^3+5e a^2b-20da b^2+44c b^3\right)}{27a^{14/3}b^{4/3}} - \frac{\ln\left(a^{1/3}-2b^{1/3}x+\sqrt{3}a^{1/3}\right)\left(\frac{1}{2}+\frac{\sqrt{3}}{2}\right)\left(fa^3+5e a^2b-20da b^2+44c b^3\right)}{27a^{14/3}b^{4/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^3),x)

[Out] $(\log(b^{1/3} * x + a^{1/3})) * (44 * b^3 * c + a^3 * f - 20 * a * b^2 * d + 5 * a^2 * b * e)) / (27 * a^{14/3} * b^{4/3}) - (c / (5 * a) - (x^9 * (44 * b^3 * c + a^3 * f - 20 * a * b^2 * d + 5 * a^2 * b * e)) / (18 * a^4) + (x^3 * (5 * a * d - 11 * b * c)) / (10 * a^2) - (x^6 * (176 * b^3 * c - 5 * a^3 * f - 80 * a * b^2 * d + 20 * a^2 * b * e)) / (45 * a^3 * b)) / (a^2 * x^5 + b^2 * x^{11} + 2 * a * b * x^8) + (\log(3^{1/2} * a^{1/3} * 1i + 2 * b^{1/3} * x - a^{1/3})) * ((3^{1/2} * 1i) / 2 - 1/2) * (44 * b^3 * c + a^3 * f - 20 * a * b^2 * d + 5 * a^2 * b * e)) / (27 * a^{14/3} * b^{4/3}) - (\log(3^{1/2} * a^{1/3} * 1i - 2 * b^{1/3} * x + a^{1/3})) * ((3^{1/2} * 1i) / 2 + 1/2) * (44 * b^3 * c + a^3 * f - 20 * a * b^2 * d + 5 * a^2 * b * e)) / (27 * a^{14/3} * b^{4/3})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**6/(b*x**3+a)**3,x)

[Out] Timed out

$$3.246 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)^3} dx$$

Optimal. Leaf size=343

$$\frac{3bc-ad}{4a^4x^4} - \frac{c}{7a^3x^7} - \frac{a^2e-3abd+6b^2c}{a^5x} - \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(-2a^3f+14a^2be-35ab^2d+65b^3c)}{54a^{16/3}b^{2/3}} + \frac{\log(a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(-2a^3f+14a^2be-35ab^2d+65b^3c)}{54a^{16/3}b^{2/3}}$$

Rubi [A] time = 0.57, antiderivative size = 343, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 30, number of rules / integrand size = 0.267, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(5a^2be-2a^3f-8ab^2d+11b^3c)}{9a^5(a+bx^3)} - \frac{x^2(a^2be+a^3(-f)-ab^2d+b^3c)}{6a^5(a+bx^3)^2} - \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(14a^2be-2a^3f-35ab^2d+65b^3c)}{54a^{16/3}b^{2/3}} + \frac{\log(\sqrt[3]{a}+\sqrt[3]{b}x)(14a^2be-2a^3f-35ab^2d+65b^3c)}{27a^{16/3}b^{2/3}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}+\sqrt[3]{b}x}{\sqrt[3]{a}\sqrt[3]{b}}\right)(14a^2be-2a^3f-35ab^2d+65b^3c)}{9\sqrt[3]{a}^{16/3}b^{2/3}} - \frac{a^2e-3abd+6b^2c}{a^5x} + \frac{3bc-ad}{4a^4x^4} - \frac{c}{7a^3x^7}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^3), x]

[Out] -c/(7*a^3*x^7) + (3*b*c - a*d)/(4*a^4*x^4) - (6*b^2*c - 3*a*b*d + a^2*e)/(a^5*x) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a^4*(a + b*x^3)^2) - ((11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*x^2)/(9*a^5*(a + b*x^3)) + ((65*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(16/3)*b^(2/3)) + ((65*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(16/3)*b^(2/3)) - ((65*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(16/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(n-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x

$^2), x], x] /; \text{FreeQ}\{a, b\}, x]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2)^{-1}), x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S$
 $\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b$
 $], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \parallel \text{!RationalQ}[b^2 - 4*a*c]) /; \text{Free}$
 $\text{Q}\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_ + (c_)*(x_)^2)), x_Symbol] \rightarrow S$
 $\text{imp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d,$
 $e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_ + (c_)*(x_)^2)), x_Symbol] \rightarrow D$
 $\text{ist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{In}$
 $\text{t}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}$
 $[2*c*d - b*e, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{!NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1829

$\text{Int}[(Pq_)*(x_)^{(m_)*((a_ + (b_)*(x_)^{(n_))}^{(p_)}), x_Symbol] \rightarrow \text{With}\{q =$
 $\text{Expon}[Pq, x]\}, \text{Module}\{Q = \text{PolynomialQuotient}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^}$
 $m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^}$
 $*Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[$
 $x^m*(a + b*x^n)^{(p + 1)*\text{ExpandToSum}[(n*(p + 1)*Q)/x^m + \text{Sum}[(n*(p + 1) + i$
 $+ 1)*\text{Coeff}[R, x, i]*x^{(i - m)}]/a, \{i, 0, n - 1\}], x], x] - \text{Simp}[(x*R*($
 $a + b*x^n)^{(p + 1)}/(a^2*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] /; \text{FreeQ}$
 $\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{ILtQ}[m, 0]$

Rule 1834

$\text{Int}[(Pq_)*((c_)*(x_)^{(m_))}/((a_ + (b_)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Int}[\text{E}$
 $\text{xpendIntegrand}[(c*x)^m*Pq/(a + b*x^n), x], x] /; \text{FreeQ}\{a, b, c, m\}, x] \&$
 $\& \text{PolyQ}[Pq, x] \&\& \text{IntegerQ}[n] \&\& \text{!IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^8 (a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{\int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{6b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{4b^3(b^3c - ab^2d + a^2be - a^3f)x^9}{a^3}}{x^8(a + bx^3)^2}}{6ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} + \frac{\int \frac{18b^6c - 18b^6d}{x^8}}{6ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} + \frac{\int \left(\frac{18b^6c}{ax^8} + \frac{18b^6d}{ax^8}\right)}{6ab^3} \\
&= -\frac{c}{7a^3x^7} + \frac{3bc - ad}{4a^4x^4} - \frac{6b^2c - 3abd + a^2e}{a^5x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} \\
&= -\frac{c}{7a^3x^7} + \frac{3bc - ad}{4a^4x^4} - \frac{6b^2c - 3abd + a^2e}{a^5x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} \\
&= -\frac{c}{7a^3x^7} + \frac{3bc - ad}{4a^4x^4} - \frac{6b^2c - 3abd + a^2e}{a^5x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} \\
&= -\frac{c}{7a^3x^7} + \frac{3bc - ad}{4a^4x^4} - \frac{6b^2c - 3abd + a^2e}{a^5x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} \\
&= -\frac{c}{7a^3x^7} + \frac{3bc - ad}{4a^4x^4} - \frac{6b^2c - 3abd + a^2e}{a^5x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.31, size = 328, normalized size = 0.96

$$\frac{-\frac{189a^4(bd-3bc)}{x^4} - \frac{108a^2c}{x^2} - \frac{756\sqrt{a}(a^2c-3abd+6b^2c)}{x} + \frac{84\sqrt{a}^2(2a^2f-5a^2be+8ab^2d-11b^3c)}{a+bx^3} + \frac{28\log\left(\sqrt{a}+\sqrt{a^3}\right)(-2a^3f+14a^2be-35ab^2d+65b^3c)}{b^2b} + \frac{28\sqrt{3}\tan^{-1}\left(\frac{1-2\sqrt{3}}{\sqrt{3}}\right)(-2a^3f+14a^2be-35ab^2d+65b^3c)}{b^2b} + \frac{126a^4c^2(a^2f-a^2be+ab^2d-b^3c)}{(a+bx^3)^2} + \frac{14\log(a^{2/3}-\sqrt{a}\sqrt[3]{bx+bx^2})}{b^2b}(2a^3f-14a^2be+35ab^2d-65b^3c)}{756a^{16/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^3), x]

```
[Out] ((-108*a^(7/3)*c)/x^7 - (189*a^(4/3)*(-3*b*c + a*d))/x^4 - (756*a^(1/3)*(6*
b^2*c - 3*a*b*d + a^2*e))/x + (126*a^(4/3)*(-(b^3*c) + a*b^2*d - a^2*b*e +
a^3*f)*x^2)/(a + b*x^3)^2 + (84*a^(1/3)*(-11*b^3*c + 8*a*b^2*d - 5*a^2*b*e
+ 2*a^3*f)*x^2)/(a + b*x^3) + (28*sqrt(3)*(65*b^3*c - 35*a*b^2*d + 14*a^2*
b*e - 2*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/b^(2/3) + (28*(6
5*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(2
/3) + (14*(-65*b^3*c + 35*a*b^2*d - 14*a^2*b*e + 2*a^3*f)*Log[a^(2/3) - a^(
1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3))/(756*a^(16/3))
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^8 (a + bx^3)^3} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^3), x]
```

```
[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^3), x]
```

fricas [B] time = 0.47, size = 1340, normalized size = 3.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] [-1/756*(84*(65*a*b^6*c - 35*a^2*b^5*d + 14*a^3*b^4*e - 2*a^4*b^3*f)*x^12 +
147*(65*a^2*b^5*c - 35*a^3*b^4*d + 14*a^4*b^3*e - 2*a^5*b^2*f)*x^9 + 108*a
^5*b^2*c + 54*(65*a^3*b^4*c - 35*a^4*b^3*d + 14*a^5*b^2*e)*x^6 - 27*(13*a^4
*b^3*c - 7*a^5*b^2*d)*x^3 + 42*sqrt(1/3)*((65*a*b^6*c - 35*a^2*b^5*d + 14*a
^3*b^4*e - 2*a^4*b^3*f)*x^13 + 2*(65*a^2*b^5*c - 35*a^3*b^4*d + 14*a^4*b^3*
e - 2*a^5*b^2*f)*x^10 + (65*a^3*b^4*c - 35*a^4*b^3*d + 14*a^5*b^2*e - 2*a^6
*b*f)*x^7)*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x
+ 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*
b^2)^(2/3)*x)/(b*x^3 + a)) + 14*((65*b^5*c - 35*a*b^4*d + 14*a^2*b^3*e - 2*
a^3*b^2*f)*x^13 + 2*(65*a*b^4*c - 35*a^2*b^3*d + 14*a^3*b^2*e - 2*a^4*b*f)*
x^10 + (65*a^2*b^3*c - 35*a^3*b^2*d + 14*a^4*b*e - 2*a^5*f)*x^7)*(-a*b^2)^(
2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 28*((65*b^5*c - 3
5*a*b^4*d + 14*a^2*b^3*e - 2*a^3*b^2*f)*x^13 + 2*(65*a*b^4*c - 35*a^2*b^3*d
+ 14*a^3*b^2*e - 2*a^4*b*f)*x^10 + (65*a^2*b^3*c - 35*a^3*b^2*d + 14*a^4*b
*e - 2*a^5*f)*x^7)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^6*b^4*x^13
+ 2*a^7*b^3*x^10 + a^8*b^2*x^7), -1/756*(84*(65*a*b^6*c - 35*a^2*b^5*d + 14
*a^3*b^4*e - 2*a^4*b^3*f)*x^12 + 147*(65*a^2*b^5*c - 35*a^3*b^4*d + 14*a^4*
b^3*e - 2*a^5*b^2*f)*x^9 + 108*a^5*b^2*c + 54*(65*a^3*b^4*c - 35*a^4*b^3*d
+ 14*a^5*b^2*e)*x^6 - 27*(13*a^4*b^3*c - 7*a^5*b^2*d)*x^3 + 84*sqrt(1/3)*((
```

$$65*a*b^6*c - 35*a^2*b^5*d + 14*a^3*b^4*e - 2*a^4*b^3*f)*x^{13} + 2*(65*a^2*b^5*c - 35*a^3*b^4*d + 14*a^4*b^3*e - 2*a^5*b^2*f)*x^{10} + (65*a^3*b^4*c - 35*a^4*b^3*d + 14*a^5*b^2*e - 2*a^6*b*f)*x^7)*sqrt(-a*b^2)^{(1/3)}/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^{(1/3)})*sqrt(-a*b^2)^{(1/3)}/a)/b) + 14*((65*b^5*c - 35*a*b^4*d + 14*a^2*b^3*e - 2*a^3*b^2*f)*x^{13} + 2*(65*a*b^4*c - 35*a^2*b^3*d + 14*a^3*b^2*e - 2*a^4*b*f)*x^{10} + (65*a^2*b^3*c - 35*a^3*b^2*d + 14*a^4*b*e - 2*a^5*f)*x^7)*(-a*b^2)^{(2/3)}*log(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 28*((65*b^5*c - 35*a*b^4*d + 14*a^2*b^3*e - 2*a^3*b^2*f)*x^{13} + 2*(65*a*b^4*c - 35*a^2*b^3*d + 14*a^3*b^2*e - 2*a^4*b*f)*x^{10} + (65*a^2*b^3*c - 35*a^3*b^2*d + 14*a^4*b*e - 2*a^5*f)*x^7)*(-a*b^2)^{(2/3)}*log(b*x - (-a*b^2)^{(1/3)})/(a^6*b^4*x^{13} + 2*a^7*b^3*x^{10} + a^8*b^2*x^7)]$$

giac [A] time = 0.31, size = 380, normalized size = 1.11

$$\frac{\sqrt{5}(65b^5c - 35ab^4d + 14a^2b^3e) \arctan\left(\frac{\sqrt{3}(2bx + (-ab^2)^{1/3})}{(-ab^2)^{1/3}}\right)}{27(-ab^2)^3} + \frac{(65b^5c - 35ab^4d + 14a^2b^3e) \log\left(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}\right)}{54(-ab^2)^3} + \frac{(65b^5c - 35ab^4d + 14a^2b^3e) \log\left(\frac{b^2x^2 + (-ab^2)^{1/3}bx + (-ab^2)^{2/3}}{b^2x^2 - (-ab^2)^{1/3}bx + (-ab^2)^{2/3}}\right)}{27a^6} + \frac{22b^4c^2 - 16ab^3d^2 - 4a^2b^2e^2 + 10a^2b^2d^2 + 25ab^2e^2 - 19a^2b^2d^2 - 7a^2e^2 + 13a^2b^2e}{18(b^2 + a)^3} + \frac{168b^2c^2 - 84abd^2 + 28a^2e^2 - 21abde^2 + 7a^2de^2 + 4e^3}{28a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^3,x, algorithm="giac")

$$-1/27*sqrt(3)*(65*b^3*c - 35*a*b^2*d - 2*a^3*f + 14*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(1/3)}*a^5) + 1/54*(65*b^3*c - 35*a*b^2*d - 2*a^3*f + 14*a^2*b*e)*log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(1/3)}*a^5) + 1/27*(65*b^3*c*(-a/b)^{(1/3)} - 35*a*b^2*d*(-a/b)^{(1/3)} - 2*a^3*f*(-a/b)^{(1/3)} + 14*a^2*b*e*(-a/b)^{(1/3)})*(-a/b)^{(1/3)}*log(abs(x - (-a/b)^{(1/3)}))/a^6 - 1/18*(22*b^4*c*x^5 - 16*a*b^3*d*x^5 - 4*a^3*b*f*x^5 + 10*a^2*b^2*e*x^5 + 25*a*b^3*c*x^2 - 19*a^2*b^2*d*x^2 - 7*a^4*f*x^2 + 13*a^3*b*x^2*e)/(b*x^3 + a)^2*a^5) - 1/28*(168*b^2*c*x^6 - 84*a*b*d*x^6 + 28*a^2*x^6*e - 21*a*b*c*x^3 + 7*a^2*d*x^3 + 4*a^2*c)/(a^5*x^7)$$

maple [B] time = 0.07, size = 611, normalized size = 1.78

$$\frac{2b^4c^2 - 16ab^3d^2 - 4a^2b^2e^2 + 10a^2b^2d^2 + 25ab^2e^2 - 19a^2b^2d^2 - 7a^2e^2 + 13a^2b^2e}{18(b^2 + a)^3} + \frac{168b^2c^2 - 84abd^2 + 28a^2e^2 - 21abde^2 + 7a^2de^2 + 4e^3}{28a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^3,x)

$$2/9/a^2/(b*x^3+a)^2*x^5*b*f-5/9/a^3/(b*x^3+a)^2*x^5*e*b^2+8/9/a^4/(b*x^3+a)^2*x^5*d*b^3-11/9/a^5/(b*x^3+a)^2*x^5*c*b^4-13/18/a^2/(b*x^3+a)^2*x^2*b*e+19/18/a^3/(b*x^3+a)^2*x^2*b^2*d-25/18/a^4/(b*x^3+a)^2*x^2*b^3*c-14/27/a^3*e*3^{(1/2)}/(a/b)^{(1/3)}*arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-35/27/a^4*b*d/(a/b)^{(1/3)}*ln(x+(a/b)^{(1/3)})+35/54/a^4*b*d/(a/b)^{(1/3)}*ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+65/27/a^5*b^2*c/(a/b)^{(1/3)}*ln(x+(a/b)^{(1/3)})-65/54/a^5*b^2*c/(a/b)^{(1/3)}*ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+3/4/a^4/x^4*b*c+3/a^4/x*b*d-$$

$$6/a^5/x*b^2*c+7/18/a/(b*x^3+a)^2*x^2*f+14/27/a^3*e/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-7/27/a^3*e/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+35/27/a^4*b*d^3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-65/27/a^5*b^2*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+2/27/a^2*f*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/7/a^3*c/x^7-1/4/a^3/x^4*d-e/a^3/x-2/27/a^2*f/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+1/27/a^2*f/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})$$

maxima [A] time = 3.05, size = 343, normalized size = 1.00

$$\frac{28(65b^4c - 35ab^3d + 14a^2b^2e - 2a^3bf)^2 + 49(65b^4c - 35ab^3d + 14a^2b^2e - 2a^3bf)^2 + 18(65a^2b^2c - 35a^3bd + 14a^4e)^2 + 36a^4c - 9(13a^3bc - 7a^4d)^2}{252(a^2b^3 + 2a^2be^2 + a^2f^2)} \cdot \frac{\sqrt{3}(65b^4c - 35ab^3d + 14a^2b^2e - 2a^3bf) \arctan\left(\frac{\sqrt{3}(2-x^{1/3})}{3^{1/2}}\right)}{27a^3(3^{1/2})} \cdot \frac{(65b^4c - 35ab^3d + 14a^2b^2e - 2a^3bf) \log\left(x^2 - x\left(\frac{1}{3}\right)^{1/3} + \left(\frac{1}{3}\right)^{2/3}\right)}{54a^3(3^{1/2})} + \frac{(65b^4c - 35ab^3d + 14a^2b^2e - 2a^3bf) \log\left(x + \left(\frac{1}{3}\right)^{1/3}\right)}{27a^3(3^{1/2})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $-1/252*(28*(65*b^4*c - 35*a*b^3*d + 14*a^2*b^2*e - 2*a^3*b*f)*x^{12} + 49*(65*a*b^3*c - 35*a^2*b^2*d + 14*a^3*b*e - 2*a^4*f)*x^9 + 18*(65*a^2*b^2*c - 35*a^3*b*d + 14*a^4*e)*x^6 + 36*a^4*c - 9*(13*a^3*b*c - 7*a^4*d)*x^3)/(a^5*b^2*x^{13} + 2*a^6*b*x^{10} + a^7*x^7) - 1/27*\sqrt{3}*(65*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^5*b*(a/b)^{(1/3)}) - 1/54*(65*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^5*b*(a/b)^{(1/3)}) + 1/27*(65*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*\log(x + (a/b)^{(1/3)})/(a^5*b*(a/b)^{(1/3)})$

mupad [B] time = 5.26, size = 321, normalized size = 0.94

$$\frac{\ln(b^{1/3}x + a^{1/3})(-2f a^3 + 14e a^2 b - 35d a b^2 + 65c b^3)}{27 a^{16/3} b^3} \cdot \frac{c}{7a} + \frac{7^2(2f^2 a^2 + 14e f a b - 35d a^2 b^2 + 65c^2 b^3)}{36 a^4} + \frac{c^2 d a - 13 b c}{36 a^4} + \frac{d^2(14e a^2 - 35d a b + 65c b^2)}{144 a^4} + \frac{3d^2(2f^2 a^2 + 14e f a b - 35d a^2 b^2 + 65c^2 b^3)}{27 a^{16/3} b^3} \cdot \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3})\left(\frac{1}{2} + \frac{\sqrt{3}x}{2}\right)(-2f a^3 + 14e a^2 b - 35d a b^2 + 65c b^3)}{27 a^{16/3} b^3} + \frac{\ln(b^{1/3}x + a^{1/3})\left(-\frac{1}{2} + \frac{\sqrt{3}x}{2}\right)(-2f a^3 + 14e a^2 b - 35d a b^2 + 65c b^3)}{27 a^{16/3} b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^3),x)

[Out] $(\log(b^{(1/3)}*x + a^{(1/3)})*(65*b^3*c - 2*a^3*f - 35*a*b^2*d + 14*a^2*b*e))/(27*a^{(16/3)}*b^{(2/3)}) - (c/(7*a) + (7*x^9*(65*b^3*c - 2*a^3*f - 35*a*b^2*d + 14*a^2*b*e))/(36*a^4) + (x^3*(7*a*d - 13*b*c))/(28*a^2) + (x^6*(65*b^2*c + 14*a^2*e - 35*a*b*d))/(14*a^3) + (b*x^{12}*(65*b^3*c - 2*a^3*f - 35*a*b^2*d + 14*a^2*b*e))/(9*a^5))/(a^2*x^7 + b^2*x^{13} + 2*a*b*x^{10}) - (\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(65*b^3*c - 2*a^3*f - 35*a*b^2*d + 14*a^2*b*e))/(27*a^{(16/3)}*b^{(2/3)}) + (\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(65*b^3*c - 2*a^3*f - 35*a*b^2*d + 14*a^2*b*e))/(27*a^{(16/3)}*b^{(2/3)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**8/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.247 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)^3} dx$$

Optimal. Leaf size=341

$$\frac{3bc-ad}{5a^4x^5} - \frac{c}{8a^3x^8} - \frac{a^2e-3abd+6b^2c}{2a^5x^2} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-5a^3f+20a^2be-44ab^2d+77b^3c)}{27a^{17/3}\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{27a^{17/3}\sqrt[3]{b}}$$

Rubi [A] time = 0.55, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 30, number of rules / integrand size = 0.267, Rules used = {1829, 1834, 200, 31, 634, 617, 204, 628}

$$\frac{x(11a^2be-5a^3f-17ab^2d+23b^3c)}{18a^5(a+bx^3)} - \frac{x(a^2be+a^3(-f)-ab^2d+b^3c)}{6a^4(a+bx^3)^2} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(20a^2be-5a^3f-44ab^2d+77b^3c)}{54a^{17/3}\sqrt[3]{b}} - \frac{\log(\sqrt[3]{a}+\sqrt[3]{b}x)(20a^2be-5a^3f-44ab^2d+77b^3c)}{27a^{17/3}\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(20a^2be-5a^3f-44ab^2d+77b^3c)}{9\sqrt{3}a^{17/3}\sqrt[3]{b}} - \frac{a^2e-3abd+6b^2c}{2a^5x^2} + \frac{3bc-ad}{5a^4x^5} - \frac{c}{8a^3x^8}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^3), x]

[Out] -c/(8*a^3*x^8) + (3*b*c - a*d)/(5*a^4*x^5) - (6*b^2*c - 3*a*b*d + a^2*e)/(2*a^5*x^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a^4*(a + b*x^3)^2) - ((23*b^3*c - 17*a*b^2*d + 11*a^2*b*e - 5*a^3*f)*x)/(18*a^5*(a + b*x^3)) + ((77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(17/3)*b^(1/3)) - ((77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(17/3)*b^(1/3)) + ((77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(17/3)*b^(1/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(−1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(−1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^(m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^9(a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4(a + bx^3)^2} - \frac{\int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{6b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{5b^3(b^3c - ab^2d + a^2be - a^3f)x^9}{a^3}}{x^9(a + bx^3)^2}}{6ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4(a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5(a + bx^3)} + \frac{\int \frac{18b^6c - 18b^6\left(\frac{bc}{a} - d\right)x^3 - \frac{18b^6(b^2c - abd + a^2e)x^6}{a^2} + \frac{13b^6(b^3c - ab^2d + a^2be - a^3f)x^9}{a^3}}{x^9(a + bx^3)^2}}{18ab^6} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4(a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5(a + bx^3)} + \frac{\int \left(\frac{18b^6c}{ax^9} + \frac{18b^6\left(\frac{bc}{a} - d\right)x^3}{a^2x^6} - \frac{18b^6(b^2c - abd + a^2e)x^6}{a^3x^3} + \frac{13b^6(b^3c - ab^2d + a^2be - a^3f)x^9}{a^4}\right)}{18ab^6} \\
&= -\frac{c}{8a^3x^8} + \frac{3bc - ad}{5a^4x^5} - \frac{6b^2c - 3abd + a^2e}{2a^5x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4(a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5(a + bx^3)} \\
&= -\frac{c}{8a^3x^8} + \frac{3bc - ad}{5a^4x^5} - \frac{6b^2c - 3abd + a^2e}{2a^5x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4(a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5(a + bx^3)} \\
&= -\frac{c}{8a^3x^8} + \frac{3bc - ad}{5a^4x^5} - \frac{6b^2c - 3abd + a^2e}{2a^5x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4(a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5(a + bx^3)} \\
&= -\frac{c}{8a^3x^8} + \frac{3bc - ad}{5a^4x^5} - \frac{6b^2c - 3abd + a^2e}{2a^5x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4(a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.35, size = 324, normalized size = 0.95

$$\frac{216a^{10}(ad-3bc)}{x^8} - \frac{135a^8c}{x^5} - \frac{540a^{10}(a^2e-3abd+6d^2)}{x^2} + \frac{40 \log\left(\sqrt[3]{a+\sqrt[3]{b}x}\right)\left(5a^2f-20a^2be+44a^2d-77b^3c\right)}{\sqrt[3]{a+\sqrt[3]{b}x}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1+2\sqrt[3]{b}x}{\sqrt[3]{a+\sqrt[3]{b}x}}\right)\left(-5a^3f+20a^2be-44a^2d+77b^3c\right)}{\sqrt[3]{a+\sqrt[3]{b}x}} + \frac{180a^{10}x\left(a^3f-a^2be+ab^2d-b^3c\right)}{\left(a+bx^3\right)^2} + \frac{60a^{10}\left(5a^3f-11a^2be+17ab^2d-23b^3c\right)}{a+bx^3} + \frac{20 \log\left(a^{1/3}-\sqrt[3]{a+\sqrt[3]{b}x}\right)\left(-5a^3f+20a^2be-44a^2d+77b^3c\right)}{\sqrt[3]{a+\sqrt[3]{b}x}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^3), x]

```
[Out] ((-135*a^(8/3)*c)/x^8 - (216*a^(5/3)*(-3*b*c + a*d))/x^5 - (540*a^(2/3)*(6*
b^2*c - 3*a*b*d + a^2*e))/x^2 + (180*a^(5/3)*(-(b^3*c) + a*b^2*d - a^2*b*e
+ a^3*f)*x)/(a + b*x^3)^2 + (60*a^(2/3)*(-23*b^3*c + 17*a*b^2*d - 11*a^2*b*
e + 5*a^3*f)*x)/(a + b*x^3) + (40*sqrt(3)*(77*b^3*c - 44*a*b^2*d + 20*a^2*b
*e - 5*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/b^(1/3) + (40*(-
77*b^3*c + 44*a*b^2*d - 20*a^2*b*e + 5*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(
1/3) + (20*(77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*Log[a^(2/3) - a^(
1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(1/3))/(1080*a^(17/3))
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^9(a + bx^3)^3} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^3),x]
```

```
[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^3), x]
```

fricas [B] time = 0.46, size = 1317, normalized size = 3.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] [-1/1080*(60*(77*a^2*b^5*c - 44*a^3*b^4*d + 20*a^4*b^3*e - 5*a^5*b^2*f)*x^1
2 + 96*(77*a^3*b^4*c - 44*a^4*b^3*d + 20*a^5*b^2*e - 5*a^6*b*f)*x^9 + 135*a
^6*b*c + 27*(77*a^4*b^3*c - 44*a^5*b^2*d + 20*a^6*b*e)*x^6 - 54*(7*a^5*b^2*
c - 4*a^6*b*d)*x^3 + 60*sqrt(1/3)*((77*a*b^6*c - 44*a^2*b^5*d + 20*a^3*b^4*
e - 5*a^4*b^3*f)*x^14 + 2*(77*a^2*b^5*c - 44*a^3*b^4*d + 20*a^4*b^3*e - 5*a
^5*b^2*f)*x^11 + (77*a^3*b^4*c - 44*a^4*b^3*d + 20*a^5*b^2*e - 5*a^6*b*f)*x
^8)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*s
qrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3
)/b))/(b*x^3 + a)) - 20*((77*b^5*c - 44*a*b^4*d + 20*a^2*b^3*e - 5*a^3*b^2*
f)*x^14 + 2*(77*a*b^4*c - 44*a^2*b^3*d + 20*a^3*b^2*e - 5*a^4*b*f)*x^11 + (
77*a^2*b^3*c - 44*a^3*b^2*d + 20*a^4*b*e - 5*a^5*f)*x^8)*(a^2*b)^(2/3)*log(
a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 40*((77*b^5*c - 44*a*b^4*d +
20*a^2*b^3*e - 5*a^3*b^2*f)*x^14 + 2*(77*a*b^4*c - 44*a^2*b^3*d + 20*a^3*b
^2*e - 5*a^4*b*f)*x^11 + (77*a^2*b^3*c - 44*a^3*b^2*d + 20*a^4*b*e - 5*a^5*
f)*x^8)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)))/(a^7*b^3*x^14 + 2*a^8*b^2
*x^11 + a^9*b*x^8), -1/1080*(60*(77*a^2*b^5*c - 44*a^3*b^4*d + 20*a^4*b^3*e
- 5*a^5*b^2*f)*x^12 + 96*(77*a^3*b^4*c - 44*a^4*b^3*d + 20*a^5*b^2*e - 5*a
^6*b*f)*x^9 + 135*a^6*b*c + 27*(77*a^4*b^3*c - 44*a^5*b^2*d + 20*a^6*b*e)*x
^6 - 54*(7*a^5*b^2*c - 4*a^6*b*d)*x^3 + 120*sqrt(1/3)*((77*a*b^6*c - 44*a^2
```

$$\begin{aligned}
& *b^5*d + 20*a^3*b^4*e - 5*a^4*b^3*f)*x^{14} + 2*(77*a^2*b^5*c - 44*a^3*b^4*d \\
& + 20*a^4*b^3*e - 5*a^5*b^2*f)*x^{11} + (77*a^3*b^4*c - 44*a^4*b^3*d + 20*a^5* \\
& b^2*e - 5*a^6*b*f)*x^8)*\sqrt{(a^2*b)^{(1/3)}/b)*\arctan(\sqrt{(1/3)*(2*(a^2*b)^{(2/3)}*x - (a^2*b)^{(1/3)*a})*\sqrt{(a^2*b)^{(1/3)}/b)}/a^2) - 20*((77*b^5*c - 44*a \\
& *b^4*d + 20*a^2*b^3*e - 5*a^3*b^2*f)*x^{14} + 2*(77*a*b^4*c - 44*a^2*b^3*d + \\
& 20*a^3*b^2*e - 5*a^4*b*f)*x^{11} + (77*a^2*b^3*c - 44*a^3*b^2*d + 20*a^4*b*e \\
& - 5*a^5*f)*x^8)*(a^2*b)^{(2/3)}*\log(a*b*x^2 - (a^2*b)^{(2/3)*x + (a^2*b)^{(1/3)} \\
& *a) + 40*((77*b^5*c - 44*a*b^4*d + 20*a^2*b^3*e - 5*a^3*b^2*f)*x^{14} + 2*(77 \\
& *a*b^4*c - 44*a^2*b^3*d + 20*a^3*b^2*e - 5*a^4*b*f)*x^{11} + (77*a^2*b^3*c - \\
& 44*a^3*b^2*d + 20*a^4*b*e - 5*a^5*f)*x^8)*(a^2*b)^{(2/3)}*\log(a*b*x + (a^2*b)^{(2/3)))/(a^7*b^3*x^{14} + 2*a^8*b^2*x^{11} + a^9*b*x^8)]
\end{aligned}$$

giac [A] time = 0.23, size = 394, normalized size = 1.16

$$\frac{(77*b^5*c - 44*a*b^4*d + 20*a^2*b^3*e - 5*a^3*b^2*f)*\sqrt{(a^2*b)^{(1/3)}/b)*\arctan(\sqrt{(1/3)*(2*(a^2*b)^{(2/3)}*x - (a^2*b)^{(1/3)*a})*\sqrt{(a^2*b)^{(1/3)}/b)}/a^2) - 20*((77*b^5*c - 44*a*b^4*d + 20*a^2*b^3*e - 5*a^3*b^2*f)*x^{14} + 2*(77*a*b^4*c - 44*a^2*b^3*d + 20*a^3*b^2*e - 5*a^4*b*f)*x^{11} + (77*a^2*b^3*c - 44*a^3*b^2*d + 20*a^4*b*e - 5*a^5*f)*x^8)*(a^2*b)^{(2/3)}*\log(a*b*x^2 - (a^2*b)^{(2/3)*x + (a^2*b)^{(1/3)*a}) + 40*((77*b^5*c - 44*a*b^4*d + 20*a^2*b^3*e - 5*a^3*b^2*f)*x^{14} + 2*(77*a*b^4*c - 44*a^2*b^3*d + 20*a^3*b^2*e - 5*a^4*b*f)*x^{11} + (77*a^2*b^3*c - 44*a^3*b^2*d + 20*a^4*b*e - 5*a^5*f)*x^8)*(a^2*b)^{(2/3)}*\log(a*b*x + (a^2*b)^{(2/3)))/(a^7*b^3*x^{14} + 2*a^8*b^2*x^{11} + a^9*b*x^8)}{27*a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^3,x, algorithm="giac")

$$\begin{aligned}
[Out] & 1/27*(77*b^3*c - 44*a*b^2*d - 5*a^3*f + 20*a^2*b*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x \\
& - (-a/b)^{(1/3)}))/a^6 - 1/27*\sqrt{(3)}*(77*(-a*b^2)^{(1/3)}*b^3*c - 44*(-a*b^2)^{(1/3)} \\
& *a*b^2*d - 5*(-a*b^2)^{(1/3)}*a^3*f + 20*(-a*b^2)^{(1/3)}*a^2*b*e)*\arctan(\\
& 1/3*\sqrt{(3)}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(a^6*b) - 1/54*(77*(-a*b^2)^{(1/3)} \\
& *b^3*c - 44*(-a*b^2)^{(1/3)}*a*b^2*d - 5*(-a*b^2)^{(1/3)}*a^3*f + 20*(-a*b \\
& ^2)^{(1/3)}*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(a^6*b) - 1/18* \\
& (23*b^4*c*x^4 - 17*a*b^3*d*x^4 - 5*a^3*b*f*x^4 + 11*a^2*b^2*x^4*e + 26*a*b^3 \\
& *c*x - 20*a^2*b^2*d*x - 8*a^4*f*x + 14*a^3*b*x*e)/(b*x^3 + a)^2*a^5) - 1/ \\
& 40*(120*b^2*c*x^6 - 60*a*b*d*x^6 + 20*a^2*x^6*e - 24*a*b*c*x^3 + 8*a^2*d*x^3 \\
& + 5*a^2*c)/(a^5*x^8)
\end{aligned}$$

maple [B] time = 0.06, size = 603, normalized size = 1.77

$$\frac{107*a^5}{110*b^2*d^2} - \frac{137*a^4}{110*b^2*d^2} - \frac{127*a^3}{110*b^2*d^2} - \frac{239*a^2}{110*b^2*d^2} - \frac{44*c}{110*b^2*d^2} - \frac{78*c}{110*b^2*d^2} - \frac{137*a^2}{110*b^2*d^2} - \frac{137*a^2}{110*b^2*d^2} - \frac{20*\sqrt{(3)*\arctan(\frac{a^2*x^2 + (-a/b)^{(1/3)}*x + (-a/b)^{(2/3)}}{a^6*b})}}{27*(b^3*x^3 + a)^2} - \frac{177*\sqrt{(3)*\arctan(\frac{a^2*x^2 + (-a/b)^{(1/3)}*x + (-a/b)^{(2/3)}}{a^6*b})}}{27*(b^3*x^3 + a)^2} - \frac{119*\sqrt{(3)*\arctan(\frac{a^2*x^2 + (-a/b)^{(1/3)}*x + (-a/b)^{(2/3)}}{a^6*b})}}{54*(b^3*x^3 + a)^2} - \frac{20*\sqrt{(3)*\arctan(\frac{a^2*x^2 + (-a/b)^{(1/3)}*x + (-a/b)^{(2/3)}}{a^6*b})}}{27*(b^3*x^3 + a)^2} - \frac{20*\sqrt{(3)*\arctan(\frac{a^2*x^2 + (-a/b)^{(1/3)}*x + (-a/b)^{(2/3)}}{a^6*b})}}{27*(b^3*x^3 + a)^2} - \frac{44*\sqrt{(3)*\arctan(\frac{a^2*x^2 + (-a/b)^{(1/3)}*x + (-a/b)^{(2/3)}}{a^6*b})}}{27*(b^3*x^3 + a)^2} - \frac{44*\sqrt{(3)*\arctan(\frac{a^2*x^2 + (-a/b)^{(1/3)}*x + (-a/b)^{(2/3)}}{a^6*b})}}{27*(b^3*x^3 + a)^2} - \frac{22*\sqrt{(3)*\arctan(\frac{a^2*x^2 + (-a/b)^{(1/3)}*x + (-a/b)^{(2/3)}}{a^6*b})}}{27*(b^3*x^3 + a)^2} - \frac{77*\sqrt{(3)*\arctan(\frac{a^2*x^2 + (-a/b)^{(1/3)}*x + (-a/b)^{(2/3)}}{a^6*b})}}{27*(b^3*x^3 + a)^2} - \frac{77*\sqrt{(3)*\arctan(\frac{a^2*x^2 + (-a/b)^{(1/3)}*x + (-a/b)^{(2/3)}}{a^6*b})}}{54*(b^3*x^3 + a)^2} - \frac{20}{27*a^5} - \frac{20}{27*a^5} - \frac{20}{27*a^5} - \frac{20}{27*a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^3,x)

$$\begin{aligned}
[Out] & 10/27/a^3*e/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-3/a^5/x^2*b^2*c+3 \\
& /5/a^4/x^5*b*c+4/9/a/(b*x^3+a)^2*f*x-20/27/a^3*e/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)} \\
&)+3/2/a^4/x^2*b*d-1/2/a^3/x^2*e+5/27/a^2*f/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1 \\
& /3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+44/27/a^4*b*d/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1 \\
& /3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-77/27/a^5*b^2*c/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1 \\
& /3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/5/a^3/x^5*d+5/18/a^2/(b*x^3+a)^2*x^4*b*f- \\
& 11/18/a^3/(b*x^3+a)^2*x^4*b^2*e+17/18/a^4/(b*x^3+a)^2*x^4*b^3*d-23/18/a^5/(
\end{aligned}$$

$$b*x^3+a)^2*x^4*b^4*c-20/27/a^3*e/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+44/27/a^4*b*d/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-22/27/a^4*b*d/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-77/27/a^5*b^2*c/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})+77/54/a^5*b^2*c/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+5/27/a^2*f/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-5/54/a^2*f/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+10/9/a^3/(b*x^3+a)^2*b^2*d*x-13/9/a^4/(b*x^3+a)^2*b^3*c*x-7/9/a^2/(b*x^3+a)^2*b*e*x-1/8*c/a^3/x^8$$

maxima [A] time = 2.95, size = 343, normalized size = 1.01

$$\frac{20(77b^3c-44ab^2d+20a^2b^2e-5a^3f)^2+32(77ab^3c-44a^2b^2d+20a^3b^2e-5a^4f)^2+9(77a^2b^2c-44a^3bd+20a^4e)^2+45a^4c-18(7a^3b^2c-4a^4d)^2}{360(a^2b^3x^4+2a^2bx^3+a^2d)^2} \cdot \frac{\sqrt{3(77b^3c-44ab^2d+20a^2b^2e-5a^3f)} \arctan\left(\frac{\sqrt{3(2x-(b)^{1/3})}}{3(b)^{1/3}}\right)}{27a^3(b)^{1/3}} + \frac{(77b^3c-44ab^2d+20a^2b^2e-5a^3f) \log\left(x-(b)^{1/3}+(b)^{1/3}\right)}{54a^3(b)^{1/3}} - \frac{(77b^3c-44ab^2d+20a^2b^2e-5a^3f) \log\left(x+(b)^{1/3}\right)}{27a^3(b)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $-1/360*(20*(77*b^4*c - 44*a*b^3*d + 20*a^2*b^2*e - 5*a^3*b*f)*x^{12} + 32*(77*a*b^3*c - 44*a^2*b^2*d + 20*a^3*b*e - 5*a^4*f)*x^9 + 9*(77*a^2*b^2*c - 44*a^3*b*d + 20*a^4*e)*x^6 + 45*a^4*c - 18*(7*a^3*b*c - 4*a^4*d)*x^3)/(a^5*b^2*x^{14} + 2*a^6*b*x^{11} + a^7*x^8) - 1/27*\sqrt{3}*(77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^5*b*(a/b)^{(2/3)}) + 1/54*(77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^5*b*(a/b)^{(2/3)}) - 1/27*(77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*\log(x + (a/b)^{(1/3)})/(a^5*b*(a/b)^{(2/3)})$

mupad [B] time = 5.22, size = 321, normalized size = 0.94

$$\frac{c}{8a} + \frac{4^2(5f^2a^2b^2d-44da^2b^2f+77d^2)}{45a^4} + \frac{4^2(4a^2b^2d-44da^2b^2f+77d^2)}{27a^3} + \frac{4^2(5f^2a^2b^2d-44da^2b^2f+77d^2)}{18a^4} \cdot \frac{\ln(a^{1/3}x+a^{1/3})}{27a^{1/3}b^{1/3}} \left(-5fa^2+20e^2b-44da^2+77c^2b\right) - \frac{\ln(2b^{1/3}x-a^{1/3}+\sqrt{3}a^{1/3})}{27a^{1/3}b^{1/3}} \left(-\frac{1}{2}+\frac{\sqrt{3}b}{2}\right) \left(-5fa^2+20e^2b-44da^2+77c^2b\right) + \frac{\ln(a^{1/3}-2b^{1/3}x+\sqrt{3}a^{1/3})}{27a^{1/3}b^{1/3}} \left(\frac{1}{2}+\frac{\sqrt{3}b}{2}\right) \left(-5fa^2+20e^2b-44da^2+77c^2b\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^3),x)

[Out] $(\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(77*b^3*c - 5*a^3*f - 44*a*b^2*d + 20*a^2*b*e))/(27*a^{(17/3)}*b^{(1/3)}) - (\log(b^{(1/3)}*x + a^{(1/3)})*(77*b^3*c - 5*a^3*f - 44*a*b^2*d + 20*a^2*b*e))/(27*a^{(17/3)}*b^{(1/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(77*b^3*c - 5*a^3*f - 44*a*b^2*d + 20*a^2*b*e))/(27*a^{(17/3)}*b^{(1/3)}) - (c/(8*a) + (4*x^9*(77*b^3*c - 5*a^3*f - 44*a*b^2*d + 20*a^2*b*e))/(45*a^4) + (x^3*(4*a*d - 7*b*c))/(20*a^2) + (x^6*(77*b^2*c + 20*a^2*e - 44*a*b*d))/(40*a^3) + (b*x^12*(77*b^3*c - 5*a^3*f - 44*a*b^2*d + 20*a^2*b*e))/(18*a^5))/(a^2*x^8 + b^2*x^14 + 2*a*b*x^11)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**9/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```


$$3.248 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)^3} dx$$

Optimal. Leaf size=381

$$\frac{3bc-ad}{7a^4x^7} - \frac{c}{10a^3x^{10}} - \frac{a^2e-3abd+6b^2c}{4a^5x^4} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x) (-14a^3f + 35a^2be - 65ab^2d + 104b^3c)}{27a^{19/3}} - \sqrt[3]{b} \tan^{-1}$$

Rubi [A] time = 0.71, antiderivative size = 381, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{b^2(5a^2be-5a^2f-11ab^2d+14b^3c)}{9a^6(a+bx^3)^2} + \frac{b^2(d^2be+a^2(-f)-ab^2d+b^3c)}{6a^6(a+bx^3)^2} + \frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{b}x + b^{2/3}x^2) (35a^2be-14a^3f-65ab^2d+104b^3c)}{34a^{19/3}} + \frac{3a^2be+a^2(-f)-6ab^2d+10b^3c}{a^6} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x) (35a^2be-14a^3f-65ab^2d+104b^3c)}{27a^{19/3}} - \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt[3]{a^2+b^2x^2}}\right) (35a^2be-14a^3f-65ab^2d+104b^3c)}{9\sqrt[3]{5}a^{19/3}} - \frac{a^2e-3abd+6b^2c}{4a^5x^4} + \frac{3bc-ad}{7a^4x^7} - \frac{c}{10a^3x^{10}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^3), x]

[Out] -c/(10*a^3*x^10) + (3*b*c - a*d)/(7*a^4*x^7) - (6*b^2*c - 3*a*b*d + a^2*e)/(4*a^5*x^4) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(a^6*x) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a^5*(a + b*x^3)^2) + (b*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*x^2)/(9*a^6*(a + b*x^3)) - (b^(1/3)*(104*b^3*c - 65*a*b^2*d + 35*a^2*b*e - 14*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(19/3)) - (b^(1/3)*(104*b^3*c - 65*a*b^2*d + 35*a^2*b*e - 14*a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(19/3)) + (b^(1/3)*(104*b^3*c - 65*a*b^2*d + 35*a^2*b*e - 14*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(19/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^(n-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(n-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[1/(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x

$^2), x], x] /; \text{FreeQ}\{a, b\}, x]$

Rule 617

$\text{Int}[(a_) + (b_)*(x_) + (c_)*(x_)^2]^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S$
 $\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b$
 $], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{Free}$
 $\text{Q}\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_) + (e_)*(x_)] / [(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] \rightarrow S$
 $\text{imp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d,$
 $e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_) + (e_)*(x_)] / [(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] \rightarrow D$
 $\text{ist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{In}$
 $\text{t}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}$
 $[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1829

$\text{Int}[(Pq_)*(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{With}\{q =$
 $\text{Expon}[Pq, x]\}, \text{Module}\{Q = \text{PolynomialQuotient}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^}$
 $m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^}$
 $*Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[$
 $x^m*(a + b*x^n)^{(p + 1)*\text{ExpandToSum}[(n*(p + 1)*Q)/x^m + \text{Sum}[(n*(p + 1) + i$
 $+ 1)*\text{Coeff}[R, x, i]*x^{(i - m)}]/a, \{i, 0, n - 1\}], x], x] - \text{Simp}[(x*R*($
 $a + b*x^n)^{(p + 1)}/(a^2*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] /; \text{FreeQ}$
 $\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{ILtQ}[m, 0]$

Rule 1834

$\text{Int}[(Pq_)*((c_)*(x_)^{(m_)}) / ((a_) + (b_)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Int}[\text{E}$
 $\text{xpendIntegrand}[(c*x)^m*Pq/(a + b*x^n), x], x] /; \text{FreeQ}\{a, b, c, m\}, x] \ \&$
 $\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{11}(a + bx^3)^3} dx &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^5(a + bx^3)^2} - \frac{\int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{6b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{6b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3}}{x^{11}(a + bx^3)^2}}{6ab^3} \\
&= \frac{b(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^5(a + bx^3)^2} + \frac{b(14b^3c - 11ab^2d + 8a^2be - 5a^3f)x^2}{9a^6(a + bx^3)} + \frac{\int \frac{18b^7c - 1}{ax^{11}}}{6ab^3} \\
&= \frac{b(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^5(a + bx^3)^2} + \frac{b(14b^3c - 11ab^2d + 8a^2be - 5a^3f)x^2}{9a^6(a + bx^3)} + \frac{\int \left(\frac{18b^7c}{ax^{11}}\right)}{6ab^3} \\
&= -\frac{c}{10a^3x^{10}} + \frac{3bc - ad}{7a^4x^7} - \frac{6b^2c - 3abd + a^2e}{4a^5x^4} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{a^6x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{6ab^3} \\
&= -\frac{c}{10a^3x^{10}} + \frac{3bc - ad}{7a^4x^7} - \frac{6b^2c - 3abd + a^2e}{4a^5x^4} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{a^6x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{6ab^3} \\
&= -\frac{c}{10a^3x^{10}} + \frac{3bc - ad}{7a^4x^7} - \frac{6b^2c - 3abd + a^2e}{4a^5x^4} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{a^6x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{6ab^3} \\
&= -\frac{c}{10a^3x^{10}} + \frac{3bc - ad}{7a^4x^7} - \frac{6b^2c - 3abd + a^2e}{4a^5x^4} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{a^6x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{6ab^3}
\end{aligned}$$

Mathematica [A] time = 0.59, size = 366, normalized size = 0.96

$$\frac{540\sqrt{3}\sqrt{a^3-3ab}}{a^6\sqrt{a^3-3ab}} - \frac{270\sqrt{3}}{a^6} - \frac{90a^4\sqrt{3}\sqrt{a^3-3ab}d+a^6f}{a^6\sqrt{a^3-3ab}} - \frac{420\sqrt{3}a^4\sqrt{3}\sqrt{a^3-3ab}d+11a^6d+140f}{a^6\sqrt{a^3-3ab}} - \frac{3780\sqrt{3}\sqrt{3}\sqrt{a^3-3ab}d+10a^6d}{a^6\sqrt{a^3-3ab}} + 140\sqrt{3}\log(\sqrt{3}+\sqrt{5})\sqrt{14a^3f-35a^2be+65a^2d-104b^3c}-140\sqrt{3}\sqrt{5}\tan^{-1}\left(\frac{\sqrt{3}+\sqrt{5}}{\sqrt{3}}\right)\sqrt{14a^3f-35a^2be+65a^2d+104b^3c}-\frac{630a^4\sqrt{3}\sqrt{3}\sqrt{a^3-3ab}d+a^6f}{[a+bx^3]^7} + 70\sqrt{3}\log(a^{2/3}-\sqrt{3}\sqrt{5}x+b^{2/3}x^2)\sqrt{14a^3f-35a^2be+65a^2d+104b^3c}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^3), x]

```
[Out] ((-378*a^(10/3)*c)/x^10 - (540*a^(7/3)*(-3*b*c + a*d))/x^7 - (945*a^(4/3)*(6*b^2*c - 3*a*b*d + a^2*e))/x^4 - (3780*a^(1/3)*(-10*b^3*c + 6*a*b^2*d - 3*a^2*b*e + a^3*f))/x - (630*a^(4/3)*b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(a + b*x^3)^2 - (420*a^(1/3)*b*(-14*b^3*c + 11*a*b^2*d - 8*a^2*b*e + 5*a^3*f)*x^2)/(a + b*x^3) - 140*sqrt(3)*b^(1/3)*(104*b^3*c - 65*a*b^2*d + 35*a^2*b*e - 14*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)] + 140*b^(1/3)*(-104*b^3*c + 65*a*b^2*d - 35*a^2*b*e + 14*a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 70*b^(1/3)*(104*b^3*c - 65*a*b^2*d + 35*a^2*b*e - 14*a^3*f)*Log[a^(1/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]]/(3780*a^(19/3))
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{11}(a + bx^3)^3} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^3), x]
```

```
[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^3), x]
```

fricas [A] time = 0.44, size = 621, normalized size = 1.63

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] 1/3780*(420*(104*b^5*c - 65*a*b^4*d + 35*a^2*b^3*e - 14*a^3*b^2*f)*x^15 + 735*(104*a*b^4*c - 65*a^2*b^3*d + 35*a^3*b^2*e - 14*a^4*b*f)*x^12 + 270*(104*a^2*b^3*c - 65*a^3*b^2*d + 35*a^4*b*e - 14*a^5*f)*x^9 - 27*(104*a^3*b^2*c - 65*a^4*b*d + 35*a^5*e)*x^6 - 378*a^5*c + 108*(8*a^4*b*c - 5*a^5*d)*x^3 + 140*sqrt(3)*((104*b^5*c - 65*a*b^4*d + 35*a^2*b^3*e - 14*a^3*b^2*f)*x^16 + 2*(104*a*b^4*c - 65*a^2*b^3*d + 35*a^3*b^2*e - 14*a^4*b*f)*x^13 + (104*a^2*b^3*c - 65*a^3*b^2*d + 35*a^4*b*e - 14*a^5*f)*x^10)*(b/a)^(1/3)*arctan(2/3*sqrt(3)*x*(b/a)^(1/3) - 1/3*sqrt(3)) + 70*((104*b^5*c - 65*a*b^4*d + 35*a^2*b^3*e - 14*a^3*b^2*f)*x^16 + 2*(104*a*b^4*c - 65*a^2*b^3*d + 35*a^3*b^2*e - 14*a^4*b*f)*x^13 + (104*a^2*b^3*c - 65*a^3*b^2*d + 35*a^4*b*e - 14*a^5*f)*x^10)*(b/a)^(1/3)*log(b*x^2 - a*x*(b/a)^(2/3) + a*(b/a)^(1/3)) - 140*((104*b^5*c - 65*a*b^4*d + 35*a^2*b^3*e - 14*a^3*b^2*f)*x^16 + 2*(104*a*b^4*c - 65*a^2*b^3*d + 35*a^3*b^2*e - 14*a^4*b*f)*x^13 + (104*a^2*b^3*c - 65*a^3*b^2*d + 35*a^4*b*e - 14*a^5*f)*x^10)*(b/a)^(1/3)*log(b*x + a*(b/a)^(2/3)))/(a^6*b^2*x^16 + 2*a^7*b*x^13 + a^8*x^10)
```

giac [A] time = 0.20, size = 486, normalized size = 1.28

```


$$\frac{(104b^5c^2 - 65a^2b^4c^2 - 14a^3b^3c^2 + 35a^4b^2c^2 + 14a^5c^2)\sqrt{3}\operatorname{arctan}\left(\frac{2\sqrt{3}x(b/a)^{1/3} - \sqrt{3}}{3}\right) + 70\left((104b^5c - 65ab^4d + 35a^2b^3e - 14a^3b^2f)x^{16} + 2(104ab^4c - 65a^2b^3d + 35a^3b^2e - 14a^4bf)x^{13} + (104a^2b^3c - 65a^3b^2d + 35a^4be - 14a^5f)x^{10}\right)(b/a)^{1/3}\log(bx^2 - ax(b/a)^{2/3} + a(b/a)^{1/3}) - 140\left((104b^5c - 65ab^4d + 35a^2b^3e - 14a^3b^2f)x^{16} + 2(104ab^4c - 65a^2b^3d + 35a^3b^2e - 14a^4bf)x^{13} + (104a^2b^3c - 65a^3b^2d + 35a^4be - 14a^5f)x^{10}\right)(b/a)^{1/3}\log(bx + a(b/a)^{2/3})}{a^6b^2x^{16} + 2a^7bx^{13} + a^8x^{10}}$$


```

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^3,x, algorithm="giac")`

[Out]
$$\begin{aligned} & -1/27*(104*b^4*c*(-a/b)^{(1/3)} - 65*a*b^3*d*(-a/b)^{(1/3)} - 14*a^3*b*f*(-a/b)^{(1/3)} \\ & + 35*a^2*b^2*(-a/b)^{(1/3)}*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})) \\ & /a^7 - 1/27*\sqrt{3}*(104*(-a*b^2)^{(2/3)}*b^3*c - 65*(-a*b^2)^{(2/3)}*a*b^2*d - \\ & 14*(-a*b^2)^{(2/3)}*a^3*f + 35*(-a*b^2)^{(2/3)}*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(a^7*b) + 1/54*(104*(-a*b^2)^{(2/3)}*b^3*c - \\ & 65*(-a*b^2)^{(2/3)}*a*b^2*d - 14*(-a*b^2)^{(2/3)}*a^3*f + 35*(-a*b^2)^{(2/3)}*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(a^7*b) + 1/18*(28*b^5*c*x^5 - \\ & 22*a*b^4*d*x^5 - 10*a^3*b^2*f*x^5 + 16*a^2*b^3*x^5*e + 31*a*b^4*c*x^2 - 25*a^2*b^3*d*x^2 - \\ & 13*a^4*b*f*x^2 + 19*a^3*b^2*x^2*e)/((b*x^3 + a)^2*a^6) + 1/140*(1400*b^3*c*x^9 - 840*a*b^2*d*x^9 - 140*a^3*f*x^9 + 420*a^2*b*x^9*e - \\ & 210*a*b^2*c*x^6 + 105*a^2*b*d*x^6 - 35*a^3*x^6*e + 60*a^2*b*c*x^3 - 20*a^3*d*x^3 - 14*a^3*c)/(a^6*x^{10}) \end{aligned}$$

maple [A] time = 0.08, size = 659, normalized size = 1.73

$$\frac{\frac{1400 b^3 c x^9 - 840 a b^2 d x^9 - 140 a^3 f x^9 + 420 a^2 b x^9 e - 210 a b^2 c x^6 + 105 a^2 b d x^6 - 35 a^3 x^6 e + 60 a^2 b c x^3 - 20 a^3 d x^3 - 14 a^3 c}{a^6 x^{10}} + \frac{1}{18} \frac{(28 b^5 c x^5 - 22 a b^4 d x^5 - 10 a^3 b^2 f x^5 + 16 a^2 b^3 x^5 e + 31 a b^4 c x^2 - 25 a^2 b^3 d x^2 - 13 a^4 b f x^2 + 19 a^3 b^2 x^2 e)}{(b x^3 + a)^2 a^6} + \frac{1}{54} \frac{(104 (-a b^2)^{2/3} b^3 c - 65 (-a b^2)^{2/3} a b^2 d - 14 (-a b^2)^{2/3} a^3 f + 35 (-a b^2)^{2/3} a^2 b e) \arctan\left(\frac{1}{3} \sqrt{3} \frac{2 x + (-a/b)^{1/3}}{(-a/b)^{1/3}}\right) + (104 (-a b^2)^{2/3} b^3 c - 65 (-a b^2)^{2/3} a b^2 d - 14 (-a b^2)^{2/3} a^3 f + 35 (-a b^2)^{2/3} a^2 b e) \log\left(x^2 + x (-a/b)^{1/3} + (-a/b)^{2/3}\right)}{a^7 b} + \frac{1}{27} \frac{(104 b^4 c (-a/b)^{1/3} - 65 a b^3 d (-a/b)^{1/3} - 14 a^3 b f (-a/b)^{1/3} + 35 a^2 b^2 (-a/b)^{1/3} e) (-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3}))}{a^7}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^3,x)`

[Out]
$$\begin{aligned} & -7/27/a^3*f/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3}))+3/7/a^4/x^7*b*c+3 \\ & /4/a^4/x^4*b*d-3/2/a^5/x^4*b^2*c+3/a^4/x*b*e-6/a^5/x*b^2*d+10/a^6/x*b^3*c+1 \\ & 4/27/a^3*f/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3}))+35/27/a^4*b*e*3^{(1/2)}/(a/b)^{(1/3)} \\ & \arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-65/27/a^5*b^2*d*3^{(1/2)}/(a/b)^{(1/3)} \\ & *\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+104/27/a^6*b^3*c*3^{(1/2)}/(a/b)^{(1/3)} \\ & *\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/7/a^3/x^7*d-1/4/a^3/x^4*e-1/a^3 \\ & /x*f-1/10*c/a^3/x^10-5/9/a^3*b^2/(b*x^3+a)^2*x^5*f+8/9/a^4*b^3/(b*x^3+a)^2 \\ & *x^5*e-11/9/a^5*b^4/(b*x^3+a)^2*x^5*d+14/9/a^6*b^5/(b*x^3+a)^2*x^5*c-13/18/ \\ & a^2*b/(b*x^3+a)^2*x^2*f+19/18/a^3*b^2/(b*x^3+a)^2*x^2*e-25/18/a^4*b^3/(b*x^3+a)^2 \\ & *x^2*d+31/18/a^5*b^4/(b*x^3+a)^2*x^2*c-14/27/a^3*f*3^{(1/2)}/(a/b)^{(1/3)} \\ &)*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-35/27/a^4*b*e/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3}))+35/54/a^4*b*e/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3}))+65/2 \\ & 7/a^5*b^2*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3}))-65/54/a^5*b^2*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3}))-104/27/a^6*b^3*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3}))+52/27/a^6*b^3*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3})) \end{aligned}$$

maxima [A] time = 3.20, size = 376, normalized size = 0.99

$$\frac{140(104b^3c - 65ab^2d - 14a^2f) \sqrt{3} + 245(104ab^2c - 65a^2bd - 14a^2f) \sqrt{3} + 90(104a^2b^2c - 65a^2bd - 14a^2f) \sqrt{3} - 9(104a^2b^2c - 65a^2bd + 35a^2f) \sqrt{3} - 120a^2c + 36(6a^2bc - 5a^2d) \sqrt{3}}{1260(a^9b^3 + 2a^7b^3 + a^5b^3)} + \frac{\sqrt{3}(104b^2c - 65ab^2d + 35a^2f) \arctan\left(\frac{\sqrt{3}(x - (-a/b)^{1/3})}{3(-a/b)^{1/3}}\right)}{27a^3} + \frac{(104b^2c - 65ab^2d + 35a^2f) \log\left(x^2 - x(-a/b)^{1/3} + (-a/b)^{2/3}\right)}{54a^3} + \frac{(104b^2c - 65ab^2d + 35a^2f) \log\left(x + (-a/b)^{1/3}\right)}{27a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{1260} \cdot (140 \cdot (104 \cdot b^5 \cdot c - 65 \cdot a \cdot b^4 \cdot d + 35 \cdot a^2 \cdot b^3 \cdot e - 14 \cdot a^3 \cdot b^2 \cdot f) \cdot x^{15} + 245 \cdot (104 \cdot a \cdot b^4 \cdot c - 65 \cdot a^2 \cdot b^3 \cdot d + 35 \cdot a^3 \cdot b^2 \cdot e - 14 \cdot a^4 \cdot b \cdot f) \cdot x^{12} + 90 \cdot (104 \cdot a^2 \cdot b^3 \cdot c - 65 \cdot a^3 \cdot b^2 \cdot d + 35 \cdot a^4 \cdot b \cdot e - 14 \cdot a^5 \cdot f) \cdot x^9 - 9 \cdot (104 \cdot a^3 \cdot b^2 \cdot c - 65 \cdot a^4 \cdot b \cdot d + 35 \cdot a^5 \cdot e) \cdot x^6 - 126 \cdot a^5 \cdot c + 36 \cdot (8 \cdot a^4 \cdot b \cdot c - 5 \cdot a^5 \cdot d) \cdot x^3) / (a^6 \cdot b^2 \cdot x^{16} + 2 \cdot a^7 \cdot b \cdot x^{13} + a^8 \cdot x^{10}) + \frac{1}{27} \cdot \sqrt{3} \cdot (104 \cdot b^3 \cdot c - 65 \cdot a \cdot b^2 \cdot d + 35 \cdot a^2 \cdot b \cdot e - 14 \cdot a^3 \cdot f) \cdot \arctan\left(\frac{1}{3} \cdot \sqrt{3} \cdot (2 \cdot x - (a/b)^{1/3}) / (a/b)^{1/3}\right) / (a/b)^{1/3} + \frac{1}{54} \cdot (104 \cdot b^3 \cdot c - 65 \cdot a \cdot b^2 \cdot d + 35 \cdot a^2 \cdot b \cdot e - 14 \cdot a^3 \cdot f) \cdot \log(x^2 - x \cdot (a/b)^{1/3} + (a/b)^{2/3}) / (a^6 \cdot (a/b)^{1/3}) - \frac{1}{27} \cdot (104 \cdot b^3 \cdot c - 65 \cdot a \cdot b^2 \cdot d + 35 \cdot a^2 \cdot b \cdot e - 14 \cdot a^3 \cdot f) \cdot \log(x + (a/b)^{1/3}) / (a^6 \cdot (a/b)^{1/3})$

mupad [B] time = 5.28, size = 359, normalized size = 0.94

$$\frac{\frac{1}{27} \cdot \sqrt{3} \cdot (104 \cdot b^3 \cdot c - 65 \cdot a \cdot b^2 \cdot d + 35 \cdot a^2 \cdot b \cdot e - 14 \cdot a^3 \cdot f) \cdot \arctan\left(\frac{1}{3} \cdot \sqrt{3} \cdot (2 \cdot x - (a/b)^{1/3}) / (a/b)^{1/3}\right) / (a/b)^{1/3} + \frac{1}{54} \cdot (104 \cdot b^3 \cdot c - 65 \cdot a \cdot b^2 \cdot d + 35 \cdot a^2 \cdot b \cdot e - 14 \cdot a^3 \cdot f) \cdot \log(x^2 - x \cdot (a/b)^{1/3} + (a/b)^{2/3}) / (a^6 \cdot (a/b)^{1/3}) - \frac{1}{27} \cdot (104 \cdot b^3 \cdot c - 65 \cdot a \cdot b^2 \cdot d + 35 \cdot a^2 \cdot b \cdot e - 14 \cdot a^3 \cdot f) \cdot \log(x + (a/b)^{1/3}) / (a^6 \cdot (a/b)^{1/3})}{a^6 \cdot b^2 \cdot x^{16} + 2 \cdot a^7 \cdot b \cdot x^{13} + a^8 \cdot x^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^3),x)

[Out] $(b^{1/3} \cdot \log(3^{1/2} \cdot a^{1/3} \cdot i + 2 \cdot b^{1/3} \cdot x - a^{1/3})) \cdot ((3^{1/2} \cdot i) / 2 + 1/2) \cdot (104 \cdot b^3 \cdot c - 14 \cdot a^3 \cdot f - 65 \cdot a \cdot b^2 \cdot d + 35 \cdot a^2 \cdot b \cdot e) / (27 \cdot a^{19/3}) - (b^{1/3} \cdot \log(b^{1/3} \cdot x + a^{1/3})) \cdot (104 \cdot b^3 \cdot c - 14 \cdot a^3 \cdot f - 65 \cdot a \cdot b^2 \cdot d + 35 \cdot a^2 \cdot b \cdot e) / (27 \cdot a^{19/3}) - (c / (10 \cdot a) - (x^9 \cdot (104 \cdot b^3 \cdot c - 14 \cdot a^3 \cdot f - 65 \cdot a \cdot b^2 \cdot d + 35 \cdot a^2 \cdot b \cdot e)) / (14 \cdot a^4) + (x^3 \cdot (5 \cdot a \cdot d - 8 \cdot b \cdot c)) / (35 \cdot a^2) + (x^6 \cdot (104 \cdot b^2 \cdot c + 35 \cdot a^2 \cdot e - 65 \cdot a \cdot b \cdot d)) / (140 \cdot a^3) - (7 \cdot b \cdot x^{12} \cdot (104 \cdot b^3 \cdot c - 14 \cdot a^3 \cdot f - 65 \cdot a \cdot b^2 \cdot d + 35 \cdot a^2 \cdot b \cdot e)) / (36 \cdot a^5) - (b^2 \cdot x^{15} \cdot (104 \cdot b^3 \cdot c - 14 \cdot a^3 \cdot f - 65 \cdot a \cdot b^2 \cdot d + 35 \cdot a^2 \cdot b \cdot e)) / (9 \cdot a^6)) / (a^2 \cdot x^{10} + b^2 \cdot x^{16} + 2 \cdot a \cdot b \cdot x^{13}) - (b^{1/3} \cdot \log(3^{1/2} \cdot a^{1/3} \cdot i - 2 \cdot b^{1/3} \cdot x + a^{1/3})) \cdot ((3^{1/2} \cdot i) / 2 - 1/2) \cdot (104 \cdot b^3 \cdot c - 14 \cdot a^3 \cdot f - 65 \cdot a \cdot b^2 \cdot d + 35 \cdot a^2 \cdot b \cdot e) / (27 \cdot a^{19/3})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**11/(b*x**3+a)**3,x)

[Out] Timed out

$$3.249 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)^3} dx$$

Optimal. Leaf size=380

$$\frac{3bc-ad}{8a^4x^8} - \frac{c}{11a^3x^{11}} - \frac{a^2e-3abd+6b^2c}{5a^5x^5} - \frac{b^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) (-20a^3f + 44a^2be - 77ab^2d + 119b^3c)}{54a^{20/3}}$$

Rubi [A] time = 0.67, antiderivative size = 380, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 200, 31, 634, 617, 204, 628}

$$\frac{\ln\left(\frac{17d^2be-11d^2f-23ab^2d+29b^3c}{18a^6(e+bx^3)}\right)}{18a^6(e+bx^3)} + \frac{3a^2be+a^2(c-f)-6ab^2d+10b^3c}{2a^6x^2} + \frac{\ln\left(\frac{a^2be+a^2(c-f)-a^2d+b^3c}{6a^6(e+bx^3)}\right)}{6a^6(e+bx^3)} - \frac{b^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) (44a^2be-20a^3f-77ab^2d+119b^3c)}{54a^{20/3}} + \frac{b^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) (44a^2be-20a^3f-77ab^2d+119b^3c)}{27a^{20/3}} - \frac{b^{2/3} \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt[3]{a^2b}}\right) (44a^2be-20a^3f-77ab^2d+119b^3c)}{9\sqrt[3]{a^{20}b}} - \frac{a^2e-3abd+6b^2c}{5a^5x^5} + \frac{3bc-ad}{8a^4x^8} - \frac{c}{11a^3x^{11}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^3), x]

[Out] -c/(11*a^3*x^11) + (3*b*c - a*d)/(8*a^4*x^8) - (6*b^2*c - 3*a*b*d + a^2*e)/(5*a^5*x^5) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(2*a^6*x^2) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a^5*(a + b*x^3)^2) + (b*(29*b^3*c - 23*a*b^2*d + 17*a^2*b*e - 11*a^3*f)*x)/(18*a^6*(a + b*x^3)) - (b^(2/3)*(19*b^3*c - 77*a*b^2*d + 44*a^2*b*e - 20*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(20/3)) + (b^(2/3)*(119*b^3*c - 77*a*b^2*d + 44*a^2*b*e - 20*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(20/3)) - (b^(2/3)*(119*b^3*c - 77*a*b^2*d + 44*a^2*b*e - 20*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(20/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^-1, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{12}(a + bx^3)^3} dx &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{6a^5(a + bx^3)^2} - \frac{\int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{6b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{6b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3}}{x^{12}(a + bx^3)^2}}{6ab^3} \\
&= \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{6a^5(a + bx^3)^2} + \frac{b(29b^3c - 23ab^2d + 17a^2be - 11a^3f)x}{18a^6(a + bx^3)} + \int \frac{18b^7c - \dots}{\dots} \\
&= \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{6a^5(a + bx^3)^2} + \frac{b(29b^3c - 23ab^2d + 17a^2be - 11a^3f)x}{18a^6(a + bx^3)} + \int \left(\frac{18b^7c}{ax^{12}}\right) \\
&= -\frac{c}{11a^3x^{11}} + \frac{3bc - ad}{8a^4x^8} - \frac{6b^2c - 3abd + a^2e}{5a^5x^5} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{2a^6x^2} + \frac{b(b^3c - \dots)}{\dots} \\
&= -\frac{c}{11a^3x^{11}} + \frac{3bc - ad}{8a^4x^8} - \frac{6b^2c - 3abd + a^2e}{5a^5x^5} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{2a^6x^2} + \frac{b(b^3c - \dots)}{\dots} \\
&= -\frac{c}{11a^3x^{11}} + \frac{3bc - ad}{8a^4x^8} - \frac{6b^2c - 3abd + a^2e}{5a^5x^5} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{2a^6x^2} + \frac{b(b^3c - \dots)}{\dots} \\
&= -\frac{c}{11a^3x^{11}} + \frac{3bc - ad}{8a^4x^8} - \frac{6b^2c - 3abd + a^2e}{5a^5x^5} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{2a^6x^2} + \frac{b(b^3c - \dots)}{\dots}
\end{aligned}$$

Mathematica [A] time = 0.58, size = 376, normalized size = 0.99

$$\frac{3bc - ad}{8a^4x^8} - \frac{c}{11a^3x^{11}} - \frac{a^2e - 3abd + 6b^2c}{5a^5x^5} + \frac{b^{20} \log\left(\frac{20a^2f - 44a^2be + 77ab^2d - 119b^3c}{54a^{20}}\right) + b^{20} \log\left(\sqrt{a} + \sqrt{a^2 + b^2}\right) \left(20a^2f - 44a^2be + 77ab^2d - 119b^3c\right)}{27a^{20}} - \frac{b^{20} \tan^{-1}\left(\frac{1 + \frac{11bc}{a}}{\sqrt{a}}\right) \left(20a^2f - 44a^2be + 77ab^2d - 119b^3c\right)}{9\sqrt{a}b^{20}} + \frac{bx(-11a^2f + 17a^2be - 23ab^2d + 29b^3c)}{18a^6(e + bx^3)} + \frac{a^3(-f) + 3a^2be - 6ab^2d + 10b^3c}{2a^6x^2} + \frac{bx(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^6(e + bx^3)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^3), x]

```
[Out] -1/11*c/(a^3*x^11) + (3*b*c - a*d)/(8*a^4*x^8) - (6*b^2*c - 3*a*b*d + a^2*e
)/(5*a^5*x^5) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(2*a^6*x^2) + (b
*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a^5*(a + b*x^3)^2) + (b*(29*b^3*c
- 23*a*b^2*d + 17*a^2*b*e - 11*a^3*f)*x)/(18*a^6*(a + b*x^3)) + (b^(2/3)*
(-119*b^3*c + 77*a*b^2*d - 44*a^2*b*e + 20*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)
/a^(1/3))/Sqrt[3]])/(9*Sqrt[3]*a^(20/3)) + (b^(2/3)*(119*b^3*c - 77*a*b^2*d
+ 44*a^2*b*e - 20*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(20/3)) + (b^(2/3
)*(-119*b^3*c + 77*a*b^2*d - 44*a^2*b*e + 20*a^3*f)*Log[a^(2/3) - a^(1/3)*b
^(1/3)*x + b^(2/3)*x^2])/(54*a^(20/3))
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{12} (a + bx^3)^3} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^3),x]
```

```
[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^3), x]
```

fricas [A] time = 0.45, size = 654, normalized size = 1.72

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] 1/11880*(660*(119*b^5*c - 77*a*b^4*d + 44*a^2*b^3*e - 20*a^3*b^2*f)*x^15 +
1056*(119*a*b^4*c - 77*a^2*b^3*d + 44*a^3*b^2*e - 20*a^4*b*f)*x^12 + 297*(1
19*a^2*b^3*c - 77*a^3*b^2*d + 44*a^4*b*e - 20*a^5*f)*x^9 - 54*(119*a^3*b^2*
c - 77*a^4*b*d + 44*a^5*e)*x^6 - 1080*a^5*c + 135*(17*a^4*b*c - 11*a^5*d)*x
^3 - 440*sqrt(3)*((119*b^5*c - 77*a*b^4*d + 44*a^2*b^3*e - 20*a^3*b^2*f)*x^
17 + 2*(119*a*b^4*c - 77*a^2*b^3*d + 44*a^3*b^2*e - 20*a^4*b*f)*x^14 + (119
*a^2*b^3*c - 77*a^3*b^2*d + 44*a^4*b*e - 20*a^5*f)*x^11)*(-b^2/a^2)^(1/3)*a
rctan(1/3*(2*sqrt(3)*a*x*(-b^2/a^2)^(2/3) - sqrt(3)*b)/b) + 220*((119*b^5*c
- 77*a*b^4*d + 44*a^2*b^3*e - 20*a^3*b^2*f)*x^17 + 2*(119*a*b^4*c - 77*a^2
*b^3*d + 44*a^3*b^2*e - 20*a^4*b*f)*x^14 + (119*a^2*b^3*c - 77*a^3*b^2*d +
44*a^4*b*e - 20*a^5*f)*x^11)*(-b^2/a^2)^(1/3)*log(b^2*x^2 + a*b*x*(-b^2/a^2
)^(1/3) + a^2*(-b^2/a^2)^(2/3)) - 440*((119*b^5*c - 77*a*b^4*d + 44*a^2*b^3
*e - 20*a^3*b^2*f)*x^17 + 2*(119*a*b^4*c - 77*a^2*b^3*d + 44*a^3*b^2*e - 20
*a^4*b*f)*x^14 + (119*a^2*b^3*c - 77*a^3*b^2*d + 44*a^4*b*e - 20*a^5*f)*x^1
1)*(-b^2/a^2)^(1/3)*log(b*x - a*(-b^2/a^2)^(1/3)))/(a^6*b^2*x^17 + 2*a^7*b*
x^14 + a^8*x^11)
```


Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{3960} \cdot (220 \cdot (119 \cdot b^5 \cdot c - 77 \cdot a \cdot b^4 \cdot d + 44 \cdot a^2 \cdot b^3 \cdot e - 20 \cdot a^3 \cdot b^2 \cdot f) \cdot x^{15} + 352 \cdot (119 \cdot a \cdot b^4 \cdot c - 77 \cdot a^2 \cdot b^3 \cdot d + 44 \cdot a^3 \cdot b^2 \cdot e - 20 \cdot a^4 \cdot b \cdot f) \cdot x^{12} + 99 \cdot (119 \cdot a^2 \cdot b^3 \cdot c - 77 \cdot a^3 \cdot b^2 \cdot d + 44 \cdot a^4 \cdot b \cdot e - 20 \cdot a^5 \cdot f) \cdot x^9 - 18 \cdot (119 \cdot a^3 \cdot b^2 \cdot c - 77 \cdot a^4 \cdot b \cdot d + 44 \cdot a^5 \cdot e) \cdot x^6 - 360 \cdot a^5 \cdot c + 45 \cdot (17 \cdot a^4 \cdot b \cdot c - 11 \cdot a^5 \cdot d) \cdot x^3) / (a^6 \cdot b^2 \cdot x^{17} + 2 \cdot a^7 \cdot b \cdot x^{14} + a^8 \cdot x^{11}) + \frac{1}{27} \cdot \sqrt{3} \cdot (119 \cdot b^3 \cdot c - 77 \cdot a \cdot b^2 \cdot d + 44 \cdot a^2 \cdot b \cdot e - 20 \cdot a^3 \cdot f) \cdot \arctan\left(\frac{1}{3} \cdot \sqrt{3} \cdot (2 \cdot x - (a/b)^{1/3})\right) / (a/b)^{1/3} - \frac{1}{54} \cdot (119 \cdot b^3 \cdot c - 77 \cdot a \cdot b^2 \cdot d + 44 \cdot a^2 \cdot b \cdot e - 20 \cdot a^3 \cdot f) \cdot \log(x^2 - x \cdot (a/b)^{1/3} + (a/b)^{2/3}) / (a^6 \cdot (a/b)^{2/3}) + \frac{1}{27} \cdot (119 \cdot b^3 \cdot c - 77 \cdot a \cdot b^2 \cdot d + 44 \cdot a^2 \cdot b \cdot e - 20 \cdot a^3 \cdot f) \cdot \log(x + (a/b)^{1/3}) / (a^6 \cdot (a/b)^{2/3})$

mupad [B] time = 5.18, size = 359, normalized size = 0.94

$\frac{b^3 \ln(b^{1/3} + x^{1/3}) \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^{20}} - \frac{c \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^{19}} + \frac{c^2 \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^{18}} + \frac{c^3 \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^{17}} + \frac{c^4 \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^{16}} + \frac{c^5 \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^{15}} + \frac{c^6 \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^{14}} + \frac{c^7 \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^{13}} + \frac{c^8 \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^{12}} + \frac{c^9 \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^{11}} + \frac{c^{10} \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^{10}} + \frac{c^{11} \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^9} + \frac{c^{12} \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^8} + \frac{c^{13} \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^7} + \frac{c^{14} \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^6} + \frac{c^{15} \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^5} + \frac{c^{16} \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^4} + \frac{c^{17} \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^3} + \frac{c^{18} \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a^2} + \frac{c^{19} \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27 \cdot a} + \frac{c^{20} \cdot (-20 \cdot f \cdot d^2 + 44 \cdot d \cdot e^2 - 77 \cdot d \cdot e \cdot f + 119 \cdot e^3)}{27}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^3),x)

[Out] $(b^{2/3} \cdot \log(b^{1/3} \cdot x + a^{1/3})) \cdot (119 \cdot b^3 \cdot c - 20 \cdot a^3 \cdot f - 77 \cdot a \cdot b^2 \cdot d + 44 \cdot a^2 \cdot b \cdot e) / (27 \cdot a^{20/3}) - (c / (11 \cdot a) - (x^9 \cdot (119 \cdot b^3 \cdot c - 20 \cdot a^3 \cdot f - 77 \cdot a \cdot b^2 \cdot d + 44 \cdot a^2 \cdot b \cdot e)) / (40 \cdot a^4) + (x^3 \cdot (11 \cdot a \cdot d - 17 \cdot b \cdot c)) / (88 \cdot a^2) + (x^6 \cdot (119 \cdot b^2 \cdot c + 44 \cdot a^2 \cdot e - 77 \cdot a \cdot b \cdot d)) / (220 \cdot a^3) - (4 \cdot b \cdot x^{12} \cdot (119 \cdot b^3 \cdot c - 20 \cdot a^3 \cdot f - 77 \cdot a \cdot b^2 \cdot d + 44 \cdot a^2 \cdot b \cdot e)) / (45 \cdot a^5) - (b^2 \cdot x^{15} \cdot (119 \cdot b^3 \cdot c - 20 \cdot a^3 \cdot f - 77 \cdot a \cdot b^2 \cdot d + 44 \cdot a^2 \cdot b \cdot e)) / (18 \cdot a^6)) / (a^2 \cdot x^{11} + b^2 \cdot x^{17} + 2 \cdot a \cdot b \cdot x^{14}) + (b^{2/3}) \cdot \log(3^{1/2} \cdot a^{1/3} \cdot 1i + 2 \cdot b^{1/3} \cdot x - a^{1/3}) \cdot ((3^{1/2} \cdot 1i) / 2 - 1/2) \cdot (119 \cdot b^3 \cdot c - 20 \cdot a^3 \cdot f - 77 \cdot a \cdot b^2 \cdot d + 44 \cdot a^2 \cdot b \cdot e) / (27 \cdot a^{20/3}) - (b^{2/3}) \cdot \log(3^{1/2} \cdot a^{1/3} \cdot 1i - 2 \cdot b^{1/3} \cdot x + a^{1/3}) \cdot ((3^{1/2} \cdot 1i) / 2 + 1/2) \cdot (119 \cdot b^3 \cdot c - 20 \cdot a^3 \cdot f - 77 \cdot a \cdot b^2 \cdot d + 44 \cdot a^2 \cdot b \cdot e) / (27 \cdot a^{20/3})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**12/(b*x**3+a)**3,x)

[Out] Timed out

$$3.250 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)^3} dx$$

Optimal. Leaf size=424

$$\frac{3bc-ad}{10a^4x^{10}} - \frac{c}{13a^3x^{13}} - \frac{a^2e-3abd+6b^2c}{7a^5x^7} - \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (-35a^3f + 65a^2be - 104ab^2d + 152b^3c)}{54a^{22/3}}$$

Rubi [A] time = 0.85, antiderivative size = 424, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{f^2(11d^2bc - 9d^2f - 14ad^2d + 17b^2)}{9d^2(a+bx^3)} - \frac{f^2(d^2bc + d^2(-f) - ab^2d + b^2)}{6d^2(a+bx^3)} - \frac{3d^2bc + d^2(-f) - 6ab^2d + 10b^2}{6a^2} - \frac{f^2 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (65d^2bc - 35d^2f - 104ab^2d + 152b^3c)}{54a^{22/3}} - \frac{b(a^2bc - 3d^2f - 10ab^2d + 15b^3)}{a^2} - \frac{f^2 \log(\sqrt[3]{a} + \sqrt[3]{b} x) (65d^2bc - 35d^2f - 104ab^2d + 152b^3c)}{27a^{22/3}} - \frac{b^2 \tan^{-1}\left(\frac{\sqrt[3]{a} \sqrt[3]{b} x}{\sqrt[3]{a}}\right) (65d^2bc - 35d^2f - 104ab^2d + 152b^3c)}{9\sqrt[3]{a}^{20/3}} - \frac{d^2x - 3abd + 6b^2c}{7a^5x^7} - \frac{3c - ad}{10a^4x^{10}} - \frac{c}{13a^3x^{13}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^3), x]

[Out] -c/(13*a^3*x^13) + (3*b*c - a*d)/(10*a^4*x^10) - (6*b^2*c - 3*a*b*d + a^2*e)/(7*a^5*x^7) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(4*a^6*x^4) - (b*(15*b^3*c - 10*a*b^2*d + 6*a^2*b*e - 3*a^3*f))/(a^7*x) - (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a^6*(a + b*x^3)^2) - (b^2*(17*b^3*c - 14*a*b^2*d + 11*a^2*b*e - 8*a^3*f)*x^2)/(9*a^7*(a + b*x^3)) + (b^(4/3)*(152*b^3*c - 104*a*b^2*d + 65*a^2*b*e - 35*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(22/3)) + (b^(4/3)*(152*b^3*c - 104*a*b^2*d + 65*a^2*b*e - 35*a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(22/3)) - (b^(4/3)*(152*b^3*c - 104*a*b^2*d + 65*a^2*b*e - 35*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(22/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), I

```
nt[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{14} (a + bx^3)^3} dx &= -\frac{b^2 (b^3c - ab^2d + a^2be - a^3f) x^2}{6a^6 (a + bx^3)^2} - \frac{\int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{6b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{6b^3(b^3c - ab^2d + a^2be)}{a^3}}{x^{14}}}{6a^6 (a + bx^3)^2} \\
&= -\frac{b^2 (b^3c - ab^2d + a^2be - a^3f) x^2}{6a^6 (a + bx^3)^2} - \frac{b^2 (17b^3c - 14ab^2d + 11a^2be - 8a^3f) x^2}{9a^7 (a + bx^3)} + \frac{\int \frac{18b^3c - 14b^3d + 11a^2be - 8a^3f}{x^{14}}}{9a^7 (a + bx^3)} \\
&= -\frac{b^2 (b^3c - ab^2d + a^2be - a^3f) x^2}{6a^6 (a + bx^3)^2} - \frac{b^2 (17b^3c - 14ab^2d + 11a^2be - 8a^3f) x^2}{9a^7 (a + bx^3)} + \frac{\int \frac{18b^3c - 14b^3d + 11a^2be - 8a^3f}{x^{14}}}{9a^7 (a + bx^3)} \\
&= -\frac{c}{13a^3x^{13}} + \frac{3bc - ad}{10a^4x^{10}} - \frac{6b^2c - 3abd + a^2e}{7a^5x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6x^4} - \frac{b(15b^3c - 14b^3d + 11a^2be - 8a^3f)}{9a^7 (a + bx^3)} \\
&= -\frac{c}{13a^3x^{13}} + \frac{3bc - ad}{10a^4x^{10}} - \frac{6b^2c - 3abd + a^2e}{7a^5x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6x^4} - \frac{b(15b^3c - 14b^3d + 11a^2be - 8a^3f)}{9a^7 (a + bx^3)} \\
&= -\frac{c}{13a^3x^{13}} + \frac{3bc - ad}{10a^4x^{10}} - \frac{6b^2c - 3abd + a^2e}{7a^5x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6x^4} - \frac{b(15b^3c - 14b^3d + 11a^2be - 8a^3f)}{9a^7 (a + bx^3)} \\
&= -\frac{c}{13a^3x^{13}} + \frac{3bc - ad}{10a^4x^{10}} - \frac{6b^2c - 3abd + a^2e}{7a^5x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6x^4} - \frac{b(15b^3c - 14b^3d + 11a^2be - 8a^3f)}{9a^7 (a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.67, size = 419, normalized size = 0.99

$$\frac{3c - ad}{10a^4x^{10}} - \frac{c}{13a^3x^{13}} - \frac{6b^2c - 3abd + a^2e}{7a^5x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6x^4} - \frac{b(15b^3c - 14b^3d + 11a^2be - 8a^3f)}{9a^7(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^3), x]

```
[Out] -1/13*c/(a^3*x^13) + (3*b*c - a*d)/(10*a^4*x^10) - (6*b^2*c - 3*a*b*d + a^2
*e)/(7*a^5*x^7) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(4*a^6*x^4) +
(b*(-15*b^3*c + 10*a*b^2*d - 6*a^2*b*e + 3*a^3*f))/(a^7*x) + (b^2*(-(b^3*c)
+ a*b^2*d - a^2*b*e + a^3*f)*x^2)/(6*a^6*(a + b*x^3)^2) + (b^2*(-17*b^3*c
+ 14*a*b^2*d - 11*a^2*b*e + 8*a^3*f)*x^2)/(9*a^7*(a + b*x^3)) + (b^(4/3)*(1
52*b^3*c - 104*a*b^2*d + 65*a^2*b*e - 35*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a
^(1/3))/Sqrt[3]])/(9*Sqrt[3]*a^(22/3)) + (b^(4/3)*(152*b^3*c - 104*a*b^2*d
+ 65*a^2*b*e - 35*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(22/3)) + (b^(4/3)
*(-152*b^3*c + 104*a*b^2*d - 65*a^2*b*e + 35*a^3*f)*Log[a^(2/3) - a^(1/3)*b
^(1/3)*x + b^(2/3)*x^2])/(54*a^(22/3))
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{14} (a + bx^3)^3} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^3), x]
```

```
[Out] IntegrateAlgebraic[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^3), x]
```

fricas [A] time = 0.44, size = 686, normalized size = 1.62

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] -1/49140*(5460*(152*b^6*c - 104*a*b^5*d + 65*a^2*b^4*e - 35*a^3*b^3*f)*x^18
+ 9555*(152*a*b^5*c - 104*a^2*b^4*d + 65*a^3*b^3*e - 35*a^4*b^2*f)*x^15 +
3510*(152*a^2*b^4*c - 104*a^3*b^3*d + 65*a^4*b^2*e - 35*a^5*b*f)*x^12 - 351
*(152*a^3*b^3*c - 104*a^4*b^2*d + 65*a^5*b*e - 35*a^6*f)*x^9 + 3780*a^6*c +
108*(152*a^4*b^2*c - 104*a^5*b*d + 65*a^6*e)*x^6 - 378*(19*a^5*b*c - 13*a^
6*d)*x^3 + 1820*sqrt(3)*((152*b^6*c - 104*a*b^5*d + 65*a^2*b^4*e - 35*a^3*b
^3*f)*x^19 + 2*(152*a*b^5*c - 104*a^2*b^4*d + 65*a^3*b^3*e - 35*a^4*b^2*f)*
x^16 + (152*a^2*b^4*c - 104*a^3*b^3*d + 65*a^4*b^2*e - 35*a^5*b*f)*x^13)*(-
b/a)^(1/3)*arctan(2/3*sqrt(3)*x*(-b/a)^(1/3) + 1/3*sqrt(3)) - 910*((152*b^6
*c - 104*a*b^5*d + 65*a^2*b^4*e - 35*a^3*b^3*f)*x^19 + 2*(152*a*b^5*c - 104
*a^2*b^4*d + 65*a^3*b^3*e - 35*a^4*b^2*f)*x^16 + (152*a^2*b^4*c - 104*a^3*b
^3*d + 65*a^4*b^2*e - 35*a^5*b*f)*x^13)*(-b/a)^(1/3)*log(b*x^2 - a*x*(-b/a)
^(2/3) - a*(-b/a)^(1/3)) + 1820*((152*b^6*c - 104*a*b^5*d + 65*a^2*b^4*e -
35*a^3*b^3*f)*x^19 + 2*(152*a*b^5*c - 104*a^2*b^4*d + 65*a^3*b^3*e - 35*a^4
*b^2*f)*x^16 + (152*a^2*b^4*c - 104*a^3*b^3*d + 65*a^4*b^2*e - 35*a^5*b*f)*
```


$$x^{13} * (-b/a)^{(1/3)} * \log(b*x + a*(-b/a)^{(2/3)}) / (a^7*b^2*x^{19} + 2*a^8*b*x^{16} + a^9*x^{13})$$

giac [A] time = 0.22, size = 531, normalized size = 1.25

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^3,x, algorithm="giac")

[Out] $\frac{1}{27} \sqrt{3} (152(-ab^2)^{2/3} b^3 c - 104(-ab^2)^{2/3} a b^2 d - 35(-ab^2)^{2/3} a^3 f + 65(-ab^2)^{2/3} a^2 b e) \arctan\left(\frac{1}{3} \sqrt{3} (2x + (-a/b)^{1/3}) / (-a/b)^{1/3}\right) / a^8 + \frac{1}{27} (152 b^5 c (-a/b)^{1/3} - 104 a b^4 d (-a/b)^{1/3} - 35 a^3 b^2 f (-a/b)^{1/3} + 65 a^2 b^3 e (-a/b)^{1/3}) \log\left(\frac{x - (-a/b)^{1/3}}{a^8}\right) - \frac{1}{54} (152(-ab^2)^{2/3} b^3 c - 104(-ab^2)^{2/3} a b^2 d - 35(-ab^2)^{2/3} a^3 f + 65(-ab^2)^{2/3} a^2 b e) \log\left(\frac{x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}}{a^8}\right) - \frac{1}{18} (34 b^6 c x^5 - 28 a b^5 d x^5 - 16 a^3 b^3 f x^5 + 22 a^2 b^4 e x^5 + 37 a b^5 c x^2 - 31 a^2 b^4 d x^2 - 19 a^4 b^2 f x^2 + 25 a^3 b^3 e x^2) / ((b x^3 + a)^2 a^7) - \frac{1}{1820} (27300 b^4 c x^{12} - 18200 a b^3 d x^{12} - 5460 a^3 b f x^{12} + 10920 a^2 b^2 e x^{12} - 4550 a b^3 c x^9 + 2730 a^2 b^2 d x^9 + 455 a^4 f x^9 - 1365 a^3 b e x^9 + 1560 a^2 b^2 c x^6 - 780 a^3 b d x^6 + 260 a^4 e x^6 - 546 a^3 b c x^3 + 182 a^4 d x^3 + 140 a^4 e) / (a^7 x^{13})$

maple [A] time = 0.07, size = 716, normalized size = 1.69

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^3,x)

[Out] $-\frac{1}{10} a^3 / x^{10} d + \frac{3}{4} a^4 / x^4 b e - \frac{3}{2} a^5 / x^4 b^2 d + \frac{5}{2} a^6 / x^4 b^3 c + \frac{3}{7} a^4 / x^7 b d - \frac{6}{7} a^5 / x^7 b^2 c + \frac{3}{10} a^4 / x^{10} b c + 3 b / a^4 / x f - 6 b^2 / a^5 / x e + 10 b^3 / a^6 / x d - 15 b^4 / a^7 / x c - 1/7 a^3 / x^7 e - 1/4 a^3 / x^4 f - 104/27 a^6 b^3 d / (a/b)^{1/3} \ln(x + (a/b)^{1/3}) + 52/27 a^6 b^3 d / (a/b)^{1/3} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + 152/27 a^7 b^4 c / (a/b)^{1/3} \ln(x + (a/b)^{1/3}) - 76/27 a^7 b^4 c / (a/b)^{1/3} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + 8/9 a^4 b^3 / (b x^3 + a)^2 x^5 f - 11/9 a^5 b^4 / (b x^3 + a)^2 x^5 e + 14/9 a^6 b^5 / (b x^3 + a)^2 x^5 d - 17/9 a^7 b^6 / (b x^3 + a)^2 x^5 c + 19/18 a^3 b^2 / (b x^3 + a)^2 x^2 f - 25/18 a^4 b^3 / (b x^3 + a)^2 x^2 e + 31/18 a^5 b^4 / (b x^3 + a)^2 x^2 d - 37/18 a^6 b^5 / (b x^3 + a)^2 x^2 c + 5/27 a^4 b f^3^{1/2} / (a/b)^{1/3} \arctan\left(\frac{1}{3} 3^{1/2} (2/(a/b)^{1/3} x - 1)\right) - 65/27 a^5 b^2 e^3^{1/2} / (a/b)^{1/3} \arctan\left(\frac{1}{3} 3^{1/2} (2/(a/b)^{1/3} x - 1)\right) + 104/27 a^6 b^3 d^3^{1/2} / (a/b)^{1/3} \arctan\left(\frac{1}{3} 3^{1/2} (2/(a/b)^{1/3} x - 1)\right) - 152/27 a^7 b^4 c^3^{1/2} / (a/b)^{1/3} \arctan\left(\frac{1}{3} 3^{1/2} (2/(a/b)^{1/3} x - 1)\right)$

)) - 1/13*c/a^3/x^13 + 35/54/a^4*b*f/(a/b)^(1/3)*ln(x^2 - (a/b)^(1/3)*x + (a/b)^(2/3)) + 65/27/a^5*b^2*e/(a/b)^(1/3)*ln(x + (a/b)^(1/3)) - 65/54/a^5*b^2*e/(a/b)^(1/3)*ln(x^2 - (a/b)^(1/3)*x + (a/b)^(2/3)) - 35/27/a^4*b*f/(a/b)^(1/3)*ln(x + (a/b)^(1/3))

maxima [A] time = 3.05, size = 427, normalized size = 1.01

$$\frac{1820(152b^3c - 104a^2b^2d + 65a^3b^2e - 35a^4b^2f) - 117(152b^3c - 104a^2b^2d + 65a^3b^2e - 35a^4b^2f)x^9 + 1260a^6c + 36(152a^4b^2c - 104a^5b^2d + 65a^6b^2e) - 126(19a^5b^2c - 13a^6d)x^3}{16380a^{18} + 3185(152a^2b^4c - 104a^3b^3d + 65a^4b^3e - 35a^5b^3f)x^{15} + 1170(152a^2b^4c - 104a^3b^3d + 65a^4b^2e - 35a^5b^2f)x^{12} - 117(152a^3b^3c - 104a^4b^2d + 65a^5b^2e - 35a^6b^2f)x^9 + 1260a^6c + 36(152a^4b^2c - 104a^5b^2d + 65a^6b^2e)x^6 - 126(19a^5b^2c - 13a^6d)x^3} \cdot \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3}(2x - (a/b)^{1/3})}{(a/b)^{1/3}}\right)}{27a^7} + \frac{(152b^4c - 104a^2b^3d + 65a^3b^2e - 35a^4b^2f) \log\left(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}\right)}{54a^7} + \frac{(152b^4c - 104a^2b^3d + 65a^3b^2e - 35a^4b^2f) \log\left(x + (a/b)^{1/3}\right)}{27a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^3,x, algorithm="maxima")

[Out] -1/16380*(1820*(152*b^6*c - 104*a*b^5*d + 65*a^2*b^4*e - 35*a^3*b^3*f)*x^18 + 3185*(152*a*b^5*c - 104*a^2*b^4*d + 65*a^3*b^3*e - 35*a^4*b^2*f)*x^15 + 1170*(152*a^2*b^4*c - 104*a^3*b^3*d + 65*a^4*b^2*e - 35*a^5*b^2*f)*x^12 - 117*(152*a^3*b^3*c - 104*a^4*b^2*d + 65*a^5*b^2*e - 35*a^6*b^2*f)*x^9 + 1260*a^6*c + 36*(152*a^4*b^2*c - 104*a^5*b^2*d + 65*a^6*b^2*e)*x^6 - 126*(19*a^5*b^2*c - 13*a^6*d)*x^3)/(a^7*b^2*x^19 + 2*a^8*b*x^16 + a^9*x^13) - 1/27*sqrt(3)*(152*b^4*c - 104*a*b^3*d + 65*a^2*b^2*e - 35*a^3*b*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^7*(a/b)^(1/3)) - 1/54*(152*b^4*c - 104*a*b^3*d + 65*a^2*b^2*e - 35*a^3*b*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^7*(a/b)^(1/3)) + 1/27*(152*b^4*c - 104*a*b^3*d + 65*a^2*b^2*e - 35*a^3*b*f)*log(x + (a/b)^(1/3))/(a^7*(a/b)^(1/3))

mupad [B] time = 5.30, size = 397, normalized size = 0.94

$$\frac{1820(152b^3c - 104a^2b^2d + 65a^3b^2e - 35a^4b^2f) - 117(152b^3c - 104a^2b^2d + 65a^3b^2e - 35a^4b^2f)x^9 + 1260a^6c + 36(152a^4b^2c - 104a^5b^2d + 65a^6b^2e) - 126(19a^5b^2c - 13a^6d)x^3}{16380a^{18} + 3185(152a^2b^4c - 104a^3b^3d + 65a^4b^3e - 35a^5b^3f)x^{15} + 1170(152a^2b^4c - 104a^3b^3d + 65a^4b^2e - 35a^5b^2f)x^{12} - 117(152a^3b^3c - 104a^4b^2d + 65a^5b^2e - 35a^6b^2f)x^9 + 1260a^6c + 36(152a^4b^2c - 104a^5b^2d + 65a^6b^2e)x^6 - 126(19a^5b^2c - 13a^6d)x^3} \cdot \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3}(2x - (a/b)^{1/3})}{(a/b)^{1/3}}\right)}{27a^7} + \frac{(152b^4c - 104a^2b^3d + 65a^3b^2e - 35a^4b^2f) \log\left(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}\right)}{54a^7} + \frac{(152b^4c - 104a^2b^3d + 65a^3b^2e - 35a^4b^2f) \log\left(x + (a/b)^{1/3}\right)}{27a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^3),x)

[Out] (b^(4/3)*log(b^(1/3)*x + a^(1/3))*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(27*a^(22/3)) - (c/(13*a) - (x^9*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(140*a^4) + (x^3*(13*a*d - 19*b*c))/(130*a^2) + (x^6*(152*b^2*c + 65*a^2*e - 104*a*b*d))/(455*a^3) + (b*x^12*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(14*a^5) + (7*b^2*x^15*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(36*a^6) + (b^3*x^18*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(9*a^7))/(a^2*x^13 + b^2*x^19 + 2*a*b*x^16) - (b^(4/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(27*a^(22/3)) + (b^(4/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(27*a^(22/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**14/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.251 \quad \int \frac{(1-x)x^4}{1+x^3} dx$$

Optimal. Leaf size=54

$$-\frac{x^3}{3} + \frac{x^2}{2} + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.07, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {1887, 1874, 31, 634, 618, 204, 628}

$$-\frac{x^3}{3} + \frac{x^2}{2} + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((1 - x)*x^4)/(1 + x^3), x]

[Out] x^2/2 - x^3/3 + ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3] + (2*Log[1 + x])/3 + Log[1 - x + x^2]/6

Rule 31

Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1874

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (a/b)^(1/3)}, Dist[(q*(A - B*q + C*q^2))/(3*a), Int[1/(q + x), x], x] + Dist[q/(3*a), Int[(q*(2*A + B*q - C*q^2) - (A - B*q - 2*C*q^2)*x)/(q^2 - q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A - B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && GtQ[a/b, 0]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{(1-x)x^4}{1+x^3} dx &= \int \left(x - x^2 + \frac{(-1+x)x}{1+x^3} \right) dx \\
&= \frac{x^2}{2} - \frac{x^3}{3} + \int \frac{(-1+x)x}{1+x^3} dx \\
&= \frac{x^2}{2} - \frac{x^3}{3} + \frac{1}{3} \int \frac{-2+x}{1-x+x^2} dx + \frac{2}{3} \int \frac{1}{1+x} dx \\
&= \frac{x^2}{2} - \frac{x^3}{3} + \frac{2}{3} \log(1+x) + \frac{1}{6} \int \frac{-1+2x}{1-x+x^2} dx - \frac{1}{2} \int \frac{1}{1-x+x^2} dx \\
&= \frac{x^2}{2} - \frac{x^3}{3} + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2) + \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\
&= \frac{x^2}{2} - \frac{x^3}{3} - \frac{\tan^{-1} \left(\frac{-1+2x}{\sqrt{3}} \right)}{\sqrt{3}} + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2)
\end{aligned}$$

Mathematica [A] time = 0.02, size = 59, normalized size = 1.09

$$\frac{1}{6} \left(-2x^3 + 2 \log(x^3 + 1) + 3x^2 - \log(x^2 - x + 1) + 2 \log(x + 1) - 2\sqrt{3} \tan^{-1} \left(\frac{2x-1}{\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((1 - x)*x^4)/(1 + x^3), x]

[Out] (3*x^2 - 2*x^3 - 2*sqrt(3)*ArcTan[(-1 + 2*x)/sqrt(3)] + 2*Log[1 + x] - Log[1 - x + x^2] + 2*Log[1 + x^3])/6

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(1-x)x^4}{1+x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((1 - x)*x^4)/(1 + x^3), x]

[Out] IntegrateAlgebraic[((1 - x)*x^4)/(1 + x^3), x]

fricas [A] time = 0.40, size = 44, normalized size = 0.81

$$-\frac{1}{3}x^3 + \frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{6}\log(x^2-x+1) + \frac{2}{3}\log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^4/(x^3+1), x, algorithm="fricas")

[Out] -1/3*x^3 + 1/2*x^2 - 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/6*log(x^2 - x + 1) + 2/3*log(x + 1)

giac [A] time = 0.16, size = 45, normalized size = 0.83

$$-\frac{1}{3}x^3 + \frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{6}\log(x^2-x+1) + \frac{2}{3}\log(|x+1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^4/(x^3+1), x, algorithm="giac")

[Out] -1/3*x^3 + 1/2*x^2 - 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/6*log(x^2 - x + 1) + 2/3*log(abs(x + 1))

maple [A] time = 0.05, size = 45, normalized size = 0.83

$$-\frac{x^3}{3} + \frac{x^2}{2} - \frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} + \frac{2 \ln(x+1)}{3} + \frac{\ln(x^2-x+1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1-x)*x^4/(x^3+1),x)`

[Out] $-1/3*x^3+1/2*x^2+2/3*\ln(x+1)+1/6*\ln(x^2-x+1)-1/3*3^{(1/2)}*\arctan(1/3*(2*x-1)*3^{(1/2)})$

maxima [A] time = 2.90, size = 44, normalized size = 0.81

$$-\frac{1}{3}x^3 + \frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{6}\log(x^2-x+1) + \frac{2}{3}\log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)*x^4/(x^3+1),x, algorithm="maxima")`

[Out] $-1/3*x^3 + 1/2*x^2 - 1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x - 1)) + 1/6*\log(x^2 - x + 1) + 2/3*\log(x + 1)$

mupad [B] time = 0.10, size = 56, normalized size = 1.04

$$\frac{2 \ln(x+1)}{3} + \ln\left(x - \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) \left(\frac{1}{6} + \frac{\sqrt{3} 1i}{6}\right) - \ln\left(x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) \left(-\frac{1}{6} + \frac{\sqrt{3} 1i}{6}\right) + \frac{x^2}{2} - \frac{x^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^4*(x-1))/(x^3+1),x)`

[Out] $(2*\log(x+1))/3 + \log(x - (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 + 1/6) - \log(x + (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 - 1/6) + x^2/2 - x^3/3$

sympy [A] time = 0.18, size = 53, normalized size = 0.98

$$-\frac{x^3}{3} + \frac{x^2}{2} + \frac{2\log(x+1)}{3} + \frac{\log(x^2-x+1)}{6} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)*x**4/(x**3+1),x)`

[Out] $-x**3/3 + x**2/2 + 2*\log(x + 1)/3 + \log(x**2 - x + 1)/6 - \sqrt{3}*\operatorname{atan}(2*\sqrt{3}*x/3 - \sqrt{3}/3)/3$

$$3.252 \quad \int \frac{(1-x)x^3}{1+x^3} dx$$

Optimal. Leaf size=30

$$-\frac{x^2}{2} + \frac{1}{3} \log(x^2 - x + 1) + x - \frac{2}{3} \log(x + 1)$$

Rubi [A] time = 0.04, antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1887, 1860, 31, 628}

$$-\frac{x^2}{2} + \frac{1}{3} \log(x^2 - x + 1) + x - \frac{2}{3} \log(x + 1)$$

Antiderivative was successfully verified.

[In] Int[((1 - x)*x^3)/(1 + x^3), x]

[Out] x - x^2/2 - (2*Log[1 + x])/3 + Log[1 - x + x^2]/3

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{(1-x)x^3}{1+x^3} dx &= \int \left(1-x - \frac{1-x}{1+x^3}\right) dx \\
&= x - \frac{x^2}{2} - \int \frac{1-x}{1+x^3} dx \\
&= x - \frac{x^2}{2} - \frac{1}{3} \int \frac{1-2x}{1-x+x^2} dx - \frac{2}{3} \int \frac{1}{1+x} dx \\
&= x - \frac{x^2}{2} - \frac{2}{3} \log(1+x) + \frac{1}{3} \log(1-x+x^2)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 30, normalized size = 1.00

$$-\frac{x^2}{2} + \frac{1}{3} \log(x^2 - x + 1) + x - \frac{2}{3} \log(x + 1)$$

Antiderivative was successfully verified.

[In] Integrate[((1 - x)*x^3)/(1 + x^3), x]

[Out] x - x^2/2 - (2*Log[1 + x])/3 + Log[1 - x + x^2]/3

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(1-x)x^3}{1+x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((1 - x)*x^3)/(1 + x^3), x]

[Out] IntegrateAlgebraic[((1 - x)*x^3)/(1 + x^3), x]

fricas [A] time = 0.40, size = 24, normalized size = 0.80

$$-\frac{1}{2}x^2 + x + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^3/(x^3+1), x, algorithm="fricas")

[Out] -1/2*x^2 + x + 1/3*log(x^2 - x + 1) - 2/3*log(x + 1)

giac [A] time = 0.16, size = 25, normalized size = 0.83

$$-\frac{1}{2}x^2 + x + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^3/(x^3+1),x, algorithm="giac")

[Out] -1/2*x^2 + x + 1/3*log(x^2 - x + 1) - 2/3*log(abs(x + 1))

maple [A] time = 0.05, size = 25, normalized size = 0.83

$$-\frac{x^2}{2} + x - \frac{2 \ln(x+1)}{3} + \frac{\ln(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)*x^3/(x^3+1),x)

[Out] x-1/2*x^2-2/3*ln(x+1)+1/3*ln(x^2-x+1)

maxima [A] time = 3.01, size = 24, normalized size = 0.80

$$-\frac{1}{2}x^2 + x + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^3/(x^3+1),x, algorithm="maxima")

[Out] -1/2*x^2 + x + 1/3*log(x^2 - x + 1) - 2/3*log(x + 1)

mupad [B] time = 0.03, size = 24, normalized size = 0.80

$$x - \frac{2 \ln(x+1)}{3} + \frac{\ln(x^2 - x + 1)}{3} - \frac{x^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^3*(x - 1))/(x^3 + 1),x)

[Out] x - (2*log(x + 1))/3 + log(x^2 - x + 1)/3 - x^2/2

sympy [A] time = 0.12, size = 24, normalized size = 0.80

$$-\frac{x^2}{2} + x - \frac{2 \log(x+1)}{3} + \frac{\log(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x**3/(x**3+1),x)

[Out] -x**2/2 + x - 2*log(x + 1)/3 + log(x**2 - x + 1)/3

$$3.253 \quad \int \frac{(1-x)x^2}{1+x^3} dx$$

Optimal. Leaf size=44

$$\frac{1}{6} \log(x^2 - x + 1) - x + \frac{2}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.06, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {1887, 1874, 31, 634, 618, 204, 628}

$$\frac{1}{6} \log(x^2 - x + 1) - x + \frac{2}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((1 - x)*x^2)/(1 + x^3), x]

[Out] -x - ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3] + (2*Log[1 + x])/3 + Log[1 - x + x^2]/6

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1874

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (a/b)^(1/3)}, Dist[(q*(A - B*q + C*q^2))/(3*a), Int[1/(q + x), x], x] + Dist[q/(3*a), Int[(q*(2*A + B*q - C*q^2) - (A - B*q - 2*C*q^2)*x)/(q^2 - q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A - B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && GtQ[a/b, 0]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{(1-x)x^2}{1+x^3} dx &= \int \left(-1 + \frac{1+x^2}{1+x^3} \right) dx \\
&= -x + \int \frac{1+x^2}{1+x^3} dx \\
&= -x + \frac{1}{3} \int \frac{1+x}{1-x+x^2} dx + \frac{2}{3} \int \frac{1}{1+x} dx \\
&= -x + \frac{2}{3} \log(1+x) + \frac{1}{6} \int \frac{-1+2x}{1-x+x^2} dx + \frac{1}{2} \int \frac{1}{1-x+x^2} dx \\
&= -x + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2) - \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\
&= -x + \frac{\tan^{-1} \left(\frac{-1+2x}{\sqrt{3}} \right)}{\sqrt{3}} + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 53, normalized size = 1.20

$$\frac{1}{3} \log(x^3 + 1) - \frac{1}{6} \log(x^2 - x + 1) - x + \frac{1}{3} \log(x + 1) + \frac{\tan^{-1} \left(\frac{2x-1}{\sqrt{3}} \right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[((1 - x)*x^2)/(1 + x^3), x]

[Out] -x + ArcTan[(-1 + 2*x)/Sqrt[3]]/Sqrt[3] + Log[1 + x]/3 - Log[1 - x + x^2]/6 + Log[1 + x^3]/3

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(1-x)x^2}{1+x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((1 - x)*x^2)/(1 + x^3), x]

[Out] IntegrateAlgebraic[((1 - x)*x^2)/(1 + x^3), x]

fricas [A] time = 0.41, size = 37, normalized size = 0.84

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) - x + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^2/(x^3+1), x, algorithm="fricas")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - x + 1/6*log(x^2 - x + 1) + 2/3*log(x + 1)

giac [A] time = 0.15, size = 38, normalized size = 0.86

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) - x + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^2/(x^3+1), x, algorithm="giac")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - x + 1/6*log(x^2 - x + 1) + 2/3*log(abs(x + 1))

maple [A] time = 0.05, size = 38, normalized size = 0.86

$$-x + \frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} + \frac{2 \ln(x+1)}{3} + \frac{\ln(x^2 - x + 1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1-x)*x^2/(x^3+1),x)`

[Out] `-x+2/3*ln(x+1)+1/6*ln(x^2-x+1)+1/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))`

maxima [A] time = 2.96, size = 37, normalized size = 0.84

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x-1)\right) - x + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)*x^2/(x^3+1),x, algorithm="maxima")`

[Out] `1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - x + 1/6*log(x^2 - x + 1) + 2/3*log(x + 1)`

mupad [B] time = 4.96, size = 49, normalized size = 1.11

$$\frac{2 \ln(x+1)}{3} - x - \ln\left(x - \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) \left(-\frac{1}{6} + \frac{\sqrt{3} 1i}{6}\right) + \ln\left(x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) \left(\frac{1}{6} + \frac{\sqrt{3} 1i}{6}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2*(x - 1))/(x^3 + 1),x)`

[Out] `(2*log(x + 1))/3 - x - log(x - (3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/6 - 1/6) + log(x + (3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/6 + 1/6)`

sympy [A] time = 0.23, size = 44, normalized size = 1.00

$$-x + \frac{2 \log(x+1)}{3} + \frac{\log(x^2 - x + 1)}{6} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)*x**2/(x**3+1),x)`

[Out] `-x + 2*log(x + 1)/3 + log(x**2 - x + 1)/6 + sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3`

$$3.254 \quad \int \frac{(1-x)x}{1+x^3} dx$$

Optimal. Leaf size=41

$$-\frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.04, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1874, 31, 634, 618, 204, 628}

$$-\frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((1 - x)*x)/(1 + x^3), x]

[Out] -(ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3]) - (2*Log[1 + x])/3 - Log[1 - x + x^2]/6

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1874

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (a/b)^(1/3)}, Dist[(q*(A - B*q + C*q^2))/(3*a), Int[1/(q + x), x], x] + Dist[q/(3*a), Int[(q*(2*A + B*q - C*q^2) - (A - B*q - 2*C*q^2)*x)/(q^2 - q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A - B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && GtQ[a/b, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(1-x)x}{1+x^3} dx &= \frac{1}{3} \int \frac{2-x}{1-x+x^2} dx - \frac{2}{3} \int \frac{1}{1+x} dx \\ &= -\frac{2}{3} \log(1+x) - \frac{1}{6} \int \frac{-1+2x}{1-x+x^2} dx + \frac{1}{2} \int \frac{1}{1-x+x^2} dx \\ &= -\frac{2}{3} \log(1+x) - \frac{1}{6} \log(1-x+x^2) - \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, -1+2x\right) \\ &= \frac{\tan^{-1}\left(\frac{-1+2x}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{2}{3} \log(1+x) - \frac{1}{6} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 50, normalized size = 1.22

$$-\frac{1}{3} \log(x^3 + 1) + \frac{1}{6} \log(x^2 - x + 1) - \frac{1}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{2x-1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[((1 - x)*x)/(1 + x^3), x]

[Out] ArcTan[(-1 + 2*x)/Sqrt[3]]/Sqrt[3] - Log[1 + x]/3 + Log[1 - x + x^2]/6 - Log[1 + x^3]/3

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(1-x)x}{1+x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((1 - x)*x)/(1 + x^3), x]

[Out] IntegrateAlgebraic[((1 - x)*x)/(1 + x^3), x]

fricas [A] time = 0.41, size = 34, normalized size = 0.83

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) - \frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x/(x^3+1), x, algorithm="fricas")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - 1/6*log(x^2 - x + 1) - 2/3*log(x + 1)

giac [A] time = 0.15, size = 35, normalized size = 0.85

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) - \frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x/(x^3+1), x, algorithm="giac")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - 1/6*log(x^2 - x + 1) - 2/3*log(abs(x + 1))

maple [A] time = 0.05, size = 35, normalized size = 0.85

$$\frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} - \frac{2 \ln(x + 1)}{3} - \frac{\ln(x^2 - x + 1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)*x/(x^3+1), x)

[Out] -2/3*ln(x+1)-1/6*ln(x^2-x+1)+1/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))

maxima [A] time = 2.87, size = 34, normalized size = 0.83

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) - \frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x/(x^3+1),x, algorithm="maxima")

[Out] $\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - \frac{1}{6}\log(x^2-x+1) - \frac{2}{3}\log(x+1)$

mupad [B] time = 0.08, size = 63, normalized size = 1.54

$$-\frac{\ln\left(x-\frac{1}{2}-\frac{\sqrt{3}1i}{2}\right)}{6} - \frac{\ln\left(x-\frac{1}{2}+\frac{\sqrt{3}1i}{2}\right)}{6} - \frac{2\ln(x+1)}{3} - \frac{\sqrt{3}\ln\left(x-\frac{1}{2}-\frac{\sqrt{3}1i}{2}\right)1i}{6} + \frac{\sqrt{3}\ln\left(x-\frac{1}{2}+\frac{\sqrt{3}1i}{2}\right)1i}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x*(x-1))/(x^3+1),x)

[Out] $\frac{(3^{1/2})\log(x+(3^{1/2})1i)/2-1/2)1i}{6} - \log(x+(3^{1/2})1i)/2 - 1/2)/6 - (2*\log(x+1))/3 - (3^{1/2})\log(x-(3^{1/2})1i)/2-1/2)1i)/6 - \log(x-(3^{1/2})1i)/2-1/2)/6$

sympy [A] time = 0.27, size = 42, normalized size = 1.02

$$-\frac{2\log(x+1)}{3} - \frac{\log(x^2-x+1)}{6} + \frac{\sqrt{3}\operatorname{atan}\left(\frac{2\sqrt{3}x}{3}-\frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x/(x**3+1),x)

[Out] $-2*\log(x+1)/3 - \log(x**2-x+1)/6 + \operatorname{sqrt}(3)*\operatorname{atan}(2*\operatorname{sqrt}(3)*x/3 - \operatorname{sqrt}(3)/3)/3$

$$3.255 \quad \int \frac{1-x}{x(1+x^3)} dx$$

Optimal. Leaf size=42

$$-\frac{1}{6} \log(x^2 - x + 1) + \log(x) - \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.05, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {1834, 634, 618, 204, 628}

$$-\frac{1}{6} \log(x^2 - x + 1) + \log(x) - \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(x*(1 + x^3)), x]

[Out] ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3] + Log[x] - (2*Log[1 + x])/3 - Log[1 - x + x^2]/6

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In

$t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1834

$\text{Int}[(\text{Pq}_*)*((c_*)*(x_*)^{(m_*)})/((a_*) + (b_*)*(x_*)^{(n_*)}), x_Symbol] \ :> \ \text{Int}[\text{ExpandIntegrand}[(c*x)^m*\text{Pq}/(a + b*x^n), x], x] /; \text{FreeQ}[\{a, b, c, m\}, x] \ \&\& \ \text{PolyQ}[\text{Pq}, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \int \frac{1-x}{x(1+x^3)} dx &= \int \left(\frac{1}{x} - \frac{2}{3(1+x)} + \frac{-1-x}{3(1-x+x^2)} \right) dx \\ &= \log(x) - \frac{2}{3} \log(1+x) + \frac{1}{3} \int \frac{-1-x}{1-x+x^2} dx \\ &= \log(x) - \frac{2}{3} \log(1+x) - \frac{1}{6} \int \frac{-1+2x}{1-x+x^2} dx - \frac{1}{2} \int \frac{1}{1-x+x^2} dx \\ &= \log(x) - \frac{2}{3} \log(1+x) - \frac{1}{6} \log(1-x+x^2) + \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\ &= -\frac{\tan^{-1}\left(\frac{-1+2x}{\sqrt{3}}\right)}{\sqrt{3}} + \log(x) - \frac{2}{3} \log(1+x) - \frac{1}{6} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 53, normalized size = 1.26

$$-\frac{1}{3} \log(x^3 + 1) + \frac{1}{6} \log(x^2 - x + 1) + \log(x) - \frac{1}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{2x-1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(x*(1 + x^3)), x]

[Out] -(ArcTan[(-1 + 2*x)/Sqrt[3]]/Sqrt[3]) + Log[x] - Log[1 + x]/3 + Log[1 - x + x^2]/6 - Log[1 + x^3]/3

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1-x}{x(1+x^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 - x)/(x*(1 + x^3)), x]

[Out] IntegrateAlgebraic[(1 - x)/(x*(1 + x^3)), x]

fricas [A] time = 0.42, size = 36, normalized size = 0.86

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - \frac{1}{6}\log(x^2-x+1) - \frac{2}{3}\log(x+1) + \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x/(x^3+1), x, algorithm="fricas")

[Out] -1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - 1/6*log(x^2 - x + 1) - 2/3*log(x + 1) + log(x)

giac [A] time = 0.16, size = 38, normalized size = 0.90

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - \frac{1}{6}\log(x^2-x+1) - \frac{2}{3}\log(|x+1|) + \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x/(x^3+1), x, algorithm="giac")

[Out] -1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - 1/6*log(x^2 - x + 1) - 2/3*log(abs(x + 1)) + log(abs(x))

maple [A] time = 0.05, size = 37, normalized size = 0.88

$$-\frac{\sqrt{3}\arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} + \ln(x) - \frac{2\ln(x+1)}{3} - \frac{\ln(x^2-x+1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)/x/(x^3+1), x)

[Out] -2/3*ln(x+1)+ln(x)-1/6*ln(x^2-x+1)-1/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))

maxima [A] time = 2.88, size = 36, normalized size = 0.86

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - \frac{1}{6}\log(x^2-x+1) - \frac{2}{3}\log(x+1) + \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x/(x^3+1),x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x - 1)) - 1/6*\log(x^2 - x + 1) - 2/3*\log(x + 1) + \log(x)$

mupad [B] time = 4.96, size = 48, normalized size = 1.14

$$\ln(x) - \frac{2 \ln(x+1)}{3} + \ln\left(x - \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) \left(-\frac{1}{6} + \frac{\sqrt{3} 1i}{6}\right) - \ln\left(x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) \left(\frac{1}{6} + \frac{\sqrt{3} 1i}{6}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x - 1)/(x*(x^3 + 1)),x)

[Out] $\log(x) - (2*\log(x + 1))/3 + \log(x - (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 - 1/6) - \log(x + (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 + 1/6)$

sympy [A] time = 0.21, size = 46, normalized size = 1.10

$$\log(x) - \frac{2 \log(x+1)}{3} - \frac{\log(x^2 - x + 1)}{6} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x - \sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x/(x**3+1),x)

[Out] $\log(x) - 2*\log(x + 1)/3 - \log(x**2 - x + 1)/6 - \sqrt{3}*\operatorname{atan}(2*\sqrt{3}*x/3 - \sqrt{3}/3)/3$

$$3.256 \quad \int \frac{1-x}{x^2(1+x^3)} dx$$

Optimal. Leaf size=49

$$\frac{1}{6} \log(x^2 - x + 1) - \frac{1}{x} - \log(x) + \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.05, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {1834, 634, 618, 204, 628}

$$\frac{1}{6} \log(x^2 - x + 1) - \frac{1}{x} - \log(x) + \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(x^2*(1 + x^3)), x]

[Out] -x^(-1) + ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3] - Log[x] + (2*Log[1 + x])/3 + Log[1 - x + x^2]/6

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In

$t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1834

$\text{Int}[(\text{Pq}_*)*((c_*)*(x_*)^{(m_*)})/((a_*) + (b_*)*(x_*)^{(n_*)}), x_Symbol] \ :> \ \text{Int}[\text{ExpandIntegrand}[(c*x)^m*\text{Pq}/(a + b*x^n), x], x] /; \text{FreeQ}[\{a, b, c, m\}, x] \ \&\& \ \text{PolyQ}[\text{Pq}, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \int \frac{1-x}{x^2(1+x^3)} dx &= \int \left(\frac{1}{x^2} - \frac{1}{x} + \frac{2}{3(1+x)} + \frac{-2+x}{3(1-x+x^2)} \right) dx \\ &= -\frac{1}{x} - \log(x) + \frac{2}{3} \log(1+x) + \frac{1}{3} \int \frac{-2+x}{1-x+x^2} dx \\ &= -\frac{1}{x} - \log(x) + \frac{2}{3} \log(1+x) + \frac{1}{6} \int \frac{-1+2x}{1-x+x^2} dx - \frac{1}{2} \int \frac{1}{1-x+x^2} dx \\ &= -\frac{1}{x} - \log(x) + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2) + \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\ &= -\frac{1}{x} - \frac{\tan^{-1} \left(\frac{-1+2x}{\sqrt{3}} \right)}{\sqrt{3}} - \log(x) + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.02, size = 60, normalized size = 1.22

$$\frac{1}{3} \log(x^3 + 1) - \frac{1}{6} \log(x^2 - x + 1) - \frac{1}{x} - \log(x) + \frac{1}{3} \log(x + 1) - \frac{\tan^{-1} \left(\frac{2x-1}{\sqrt{3}} \right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(x^2*(1 + x^3)), x]

[Out] -x^(-1) - ArcTan[(-1 + 2*x)/Sqrt[3]]/Sqrt[3] - Log[x] + Log[1 + x]/3 - Log[1 - x + x^2]/6 + Log[1 + x^3]/3

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1-x}{x^2(1+x^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 - x)/(x^2*(1 + x^3)), x]

[Out] IntegrateAlgebraic[(1 - x)/(x^2*(1 + x^3)), x]

fricas [A] time = 0.40, size = 48, normalized size = 0.98

$$\frac{2\sqrt{3}x \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - x \log(x^2 - x + 1) - 4x \log(x+1) + 6x \log(x) + 6}{6x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^2/(x^3+1), x, algorithm="fricas")

[Out] -1/6*(2*sqrt(3)*x*arctan(1/3*sqrt(3)*(2*x - 1)) - x*log(x^2 - x + 1) - 4*x*log(x + 1) + 6*x*log(x) + 6)/x

giac [A] time = 0.16, size = 45, normalized size = 0.92

$$-\frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - \frac{1}{x} + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(|x+1|) - \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^2/(x^3+1), x, algorithm="giac")

[Out] -1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - 1/x + 1/6*log(x^2 - x + 1) + 2/3*log(abs(x + 1)) - log(abs(x))

maple [A] time = 0.05, size = 44, normalized size = 0.90

$$-\frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} - \ln(x) + \frac{2 \ln(x+1)}{3} + \frac{\ln(x^2 - x + 1)}{6} - \frac{1}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)/x^2/(x^3+1), x)

[Out] 2/3*ln(x+1)-1/x-ln(x)+1/6*ln(x^2-x+1)-1/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))

maxima [A] time = 3.03, size = 43, normalized size = 0.88

$$-\frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - \frac{1}{x} + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(x+1) - \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^2/(x^3+1),x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x - 1)) - 1/x + 1/6*\log(x^2 - x + 1) + 2/3*\log(x + 1) - \log(x)$

mupad [B] time = 0.08, size = 55, normalized size = 1.12

$$\frac{2 \ln(x+1)}{3} - \ln(x) + \ln\left(x - \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) \left(\frac{1}{6} + \frac{\sqrt{3} 1i}{6}\right) - \ln\left(x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) \left(-\frac{1}{6} + \frac{\sqrt{3} 1i}{6}\right) - \frac{1}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x - 1)/(x^2*(x^3 + 1)),x)

[Out] $(2*\log(x + 1))/3 - \log(x) + \log(x - (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 + 1/6) - \log(x + (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 - 1/6) - 1/x$

sympy [A] time = 0.22, size = 49, normalized size = 1.00

$$-\log(x) + \frac{2\log(x+1)}{3} + \frac{\log(x^2 - x + 1)}{6} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3} - \frac{1}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x**2/(x**3+1),x)

[Out] $-\log(x) + 2*\log(x + 1)/3 + \log(x**2 - x + 1)/6 - \sqrt{3}*\operatorname{atan}(2*\sqrt{3}*x/3 - \sqrt{3}/3)/3 - 1/x$

$$3.257 \quad \int \frac{1-x}{x^3(1+x^3)} dx$$

Optimal. Leaf size=32

$$-\frac{1}{2x^2} + \frac{1}{3} \log(x^2 - x + 1) + \frac{1}{x} - \frac{2}{3} \log(x + 1)$$

Rubi [A] time = 0.03, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1834, 628}

$$-\frac{1}{2x^2} + \frac{1}{3} \log(x^2 - x + 1) + \frac{1}{x} - \frac{2}{3} \log(x + 1)$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(x^3*(1 + x^3)),x]

[Out] -1/(2*x^2) + x^(-1) - (2*Log[1 + x])/3 + Log[1 - x + x^2]/3

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1834

Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^(m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned} \int \frac{1-x}{x^3(1+x^3)} dx &= \int \left(\frac{1}{x^3} - \frac{1}{x^2} - \frac{2}{3(1+x)} + \frac{-1+2x}{3(1-x+x^2)} \right) dx \\ &= -\frac{1}{2x^2} + \frac{1}{x} - \frac{2}{3} \log(1+x) + \frac{1}{3} \int \frac{-1+2x}{1-x+x^2} dx \\ &= -\frac{1}{2x^2} + \frac{1}{x} - \frac{2}{3} \log(1+x) + \frac{1}{3} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 32, normalized size = 1.00

$$-\frac{1}{2x^2} + \frac{1}{3} \log(x^2 - x + 1) + \frac{1}{x} - \frac{2}{3} \log(x + 1)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(x^3*(1 + x^3)), x]

[Out] -1/2*1/x^2 + x^(-1) - (2*Log[1 + x])/3 + Log[1 - x + x^2]/3

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1-x}{x^3(1+x^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 - x)/(x^3*(1 + x^3)), x]

[Out] IntegrateAlgebraic[(1 - x)/(x^3*(1 + x^3)), x]

fricas [A] time = 0.38, size = 33, normalized size = 1.03

$$\frac{2x^2 \log(x^2 - x + 1) - 4x^2 \log(x + 1) + 6x - 3}{6x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^3/(x^3+1), x, algorithm="fricas")

[Out] 1/6*(2*x^2*log(x^2 - x + 1) - 4*x^2*log(x + 1) + 6*x - 3)/x^2

giac [A] time = 0.15, size = 29, normalized size = 0.91

$$\frac{2x-1}{2x^2} + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^3/(x^3+1), x, algorithm="giac")

[Out] 1/2*(2*x - 1)/x^2 + 1/3*log(x^2 - x + 1) - 2/3*log(abs(x + 1))

maple [A] time = 0.05, size = 27, normalized size = 0.84

$$-\frac{2 \ln(x + 1)}{3} + \frac{\ln(x^2 - x + 1)}{3} + \frac{1}{x} - \frac{1}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1-x)/x^3/(x^3+1),x)`

[Out] $-1/2/x^2+1/x-2/3*\ln(x+1)+1/3*\ln(x^2-x+1)$

maxima [A] time = 3.00, size = 28, normalized size = 0.88

$$\frac{2x-1}{2x^2} + \frac{1}{3} \log(x^2-x+1) - \frac{2}{3} \log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)/x^3/(x^3+1),x, algorithm="maxima")`

[Out] $1/2*(2*x - 1)/x^2 + 1/3*\log(x^2 - x + 1) - 2/3*\log(x + 1)$

mupad [B] time = 0.07, size = 25, normalized size = 0.78

$$\frac{\ln(x^2-x+1)}{3} - \frac{2 \ln(x+1)}{3} + \frac{x - \frac{1}{2}}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x-1)/(x^3*(x^3+1)),x)`

[Out] $\log(x^2-x+1)/3 - (2*\log(x+1))/3 + (x-1/2)/x^2$

sympy [A] time = 0.13, size = 27, normalized size = 0.84

$$-\frac{2 \log(x+1)}{3} + \frac{\log(x^2-x+1)}{3} - \frac{1-2x}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)/x**3/(x**3+1),x)`

[Out] $-2*\log(x+1)/3 + \log(x**2-x+1)/3 - (1-2*x)/(2*x**2)$

$$3.258 \quad \int \frac{x(1+2x)}{1+x^3} dx$$

Optimal. Leaf size=41

$$\frac{5}{6} \log(x^2 - x + 1) + \frac{1}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.04, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1874, 31, 634, 618, 204, 628}

$$\frac{5}{6} \log(x^2 - x + 1) + \frac{1}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(1 + 2*x))/(1 + x^3), x]

[Out] -(ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3]) + Log[1 + x]/3 + (5*Log[1 - x + x^2])/6

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1874

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (a/b)^(1/3)}, Dist[(q*(A - B*q + C*q^2))/(3*a), Int[1/(q + x), x], x] + Dist[q/(3*a), Int[(q*(2*A + B*q - C*q^2) - (A - B*q - 2*C*q^2)*x)/(q^2 - q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A - B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && GtQ[a/b, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x(1+2x)}{1+x^3} dx &= \frac{1}{3} \int \frac{1}{1+x} dx + \frac{1}{3} \int \frac{-1+5x}{1-x+x^2} dx \\ &= \frac{1}{3} \log(1+x) + \frac{1}{2} \int \frac{1}{1-x+x^2} dx + \frac{5}{6} \int \frac{-1+2x}{1-x+x^2} dx \\ &= \frac{1}{3} \log(1+x) + \frac{5}{6} \log(1-x+x^2) - \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\ &= \frac{\tan^{-1} \left(\frac{-1+2x}{\sqrt{3}} \right)}{\sqrt{3}} + \frac{1}{3} \log(1+x) + \frac{5}{6} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.03, size = 47, normalized size = 1.15

$$\frac{1}{6} \left(4 \log(x^3 + 1) + \log(x^2 - x + 1) - 2 \log(x + 1) + 2\sqrt{3} \tan^{-1} \left(\frac{2x - 1}{\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(1 + 2*x))/(1 + x^3), x]

[Out] (2*Sqrt[3]*ArcTan[(-1 + 2*x)/Sqrt[3]] - 2*Log[1 + x] + Log[1 - x + x^2] + 4*Log[1 + x^3])/6

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(1+2x)}{1+x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(1 + 2*x))/(1 + x^3), x]

[Out] IntegrateAlgebraic[(x*(1 + 2*x))/(1 + x^3), x]

fricas [A] time = 0.40, size = 34, normalized size = 0.83

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) + \frac{5}{6} \log(x^2 - x + 1) + \frac{1}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(x^3+1), x, algorithm="fricas")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 5/6*log(x^2 - x + 1) + 1/3*log(x + 1)

giac [A] time = 0.15, size = 35, normalized size = 0.85

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) + \frac{5}{6} \log(x^2 - x + 1) + \frac{1}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(x^3+1), x, algorithm="giac")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 5/6*log(x^2 - x + 1) + 1/3*log(abs(x + 1))

maple [A] time = 0.05, size = 35, normalized size = 0.85

$$\frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} + \frac{\ln(x+1)}{3} + \frac{5 \ln(x^2-x+1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(2*x+1)/(x^3+1), x)

[Out] 1/3*ln(x+1)+5/6*ln(x^2-x+1)+1/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))

maxima [A] time = 2.99, size = 34, normalized size = 0.83

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) + \frac{5}{6} \log(x^2 - x + 1) + \frac{1}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(x^3+1),x, algorithm="maxima")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 5/6*log(x^2 - x + 1) + 1/3*log(x + 1)

mupad [B] time = 4.96, size = 63, normalized size = 1.54

$$\frac{5 \ln\left(x - \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right)}{6} + \frac{5 \ln\left(x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)}{6} + \frac{\ln(x+1)}{3} - \frac{\sqrt{3} \ln\left(x - \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) 1i}{6} + \frac{\sqrt{3} \ln\left(x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) 1i}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(2*x + 1))/(x^3 + 1),x)

[Out] (5*log(x - (3^(1/2)*1i)/2 - 1/2))/6 + (5*log(x + (3^(1/2)*1i)/2 - 1/2))/6 + log(x + 1)/3 - (3^(1/2)*log(x - (3^(1/2)*1i)/2 - 1/2)*1i)/6 + (3^(1/2)*log(x + (3^(1/2)*1i)/2 - 1/2)*1i)/6

sympy [A] time = 0.18, size = 42, normalized size = 1.02

$$\frac{\log(x+1)}{3} + \frac{5 \log(x^2 - x + 1)}{6} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(x**3+1),x)

[Out] log(x + 1)/3 + 5*log(x**2 - x + 1)/6 + sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3

$$3.259 \quad \int \frac{x(1+2x)}{1-x^3} dx$$

Optimal. Leaf size=39

$$-\frac{1}{2} \log(x^2 + x + 1) - \log(1 - x) - \frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.04, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1875, 31, 634, 618, 204, 628}

$$-\frac{1}{2} \log(x^2 + x + 1) - \log(1 - x) - \frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(1 + 2*x))/(1 - x^3), x]

[Out] -(ArcTan[(1 + 2*x)/Sqrt[3]]/Sqrt[3]) - Log[1 - x] - Log[1 + x + x^2]/2

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1875

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (-a/b)^(1/3)}, Dist[(q*(A + B*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && LtQ[a/b, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x(1+2x)}{1-x^3} dx &= \frac{1}{3} \int \frac{-3-3x}{1+x+x^2} dx + \int \frac{1}{1-x} dx \\ &= -\log(1-x) - \frac{1}{2} \int \frac{1}{1+x+x^2} dx - \frac{1}{2} \int \frac{1+2x}{1+x+x^2} dx \\ &= -\log(1-x) - \frac{1}{2} \log(1+x+x^2) + \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1+2x\right) \\ &= -\frac{\tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{\sqrt{3}} - \log(1-x) - \frac{1}{2} \log(1+x+x^2) \end{aligned}$$

Mathematica [A] time = 0.02, size = 53, normalized size = 1.36

$$-\frac{2}{3} \log(1-x^3) + \frac{1}{6} \log(x^2+x+1) - \frac{1}{3} \log(1-x) - \frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(1 + 2*x))/(1 - x^3), x]

[Out] -(ArcTan[(1 + 2*x)/Sqrt[3]]/Sqrt[3]) - Log[1 - x]/3 + Log[1 + x + x^2]/6 - (2*Log[1 - x^3])/3

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(1+2x)}{1-x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(1 + 2*x))/(1 - x^3), x]

[Out] IntegrateAlgebraic[(x*(1 + 2*x))/(1 - x^3), x]

fricas [A] time = 0.40, size = 32, normalized size = 0.82

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \frac{1}{2}\log(x^2+x+1) - \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(-x^3+1),x, algorithm="fricas")

[Out] -1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - 1/2*log(x^2 + x + 1) - log(x - 1)

giac [A] time = 0.15, size = 33, normalized size = 0.85

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \frac{1}{2}\log(x^2+x+1) - \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(-x^3+1),x, algorithm="giac")

[Out] -1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - 1/2*log(x^2 + x + 1) - log(abs(x - 1))

maple [A] time = 0.06, size = 33, normalized size = 0.85

$$-\frac{\sqrt{3}\arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} - \ln(x-1) - \frac{\ln(x^2+x+1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(2*x+1)/(-x^3+1),x)

[Out] -ln(x-1)-1/2*ln(x^2+x+1)-1/3*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))

maxima [A] time = 2.99, size = 32, normalized size = 0.82

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \frac{1}{2}\log(x^2+x+1) - \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(-x^3+1),x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x + 1)) - 1/2*\log(x^2 + x + 1) - \log(x - 1)$

mupad [B] time = 0.09, size = 63, normalized size = 1.62

$$-\frac{\ln\left(x + \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)}{2} - \frac{\ln\left(x + \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}{2} - \ln(x-1) + \frac{\sqrt{3} \ln\left(x + \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right) 1i}{6} - \frac{\sqrt{3} \ln\left(x + \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) 1i}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x*(2*x + 1))/(x^3 - 1),x)

[Out] $(3^{(1/2)}*\log(x - (3^{(1/2)}*1i)/2 + 1/2)*1i)/6 - \log(x + (3^{(1/2)}*1i)/2 + 1/2)/2 - \log(x - 1) - \log(x - (3^{(1/2)}*1i)/2 + 1/2)/2 - (3^{(1/2)}*\log(x + (3^{(1/2)}*1i)/2 + 1/2)*1i)/6$

sympy [A] time = 0.16, size = 41, normalized size = 1.05

$$-\log(x-1) - \frac{\log(x^2 + x + 1)}{2} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(-x**3+1),x)

[Out] $-\log(x - 1) - \log(x**2 + x + 1)/2 - \sqrt{3}*\operatorname{atan}(2*\sqrt{3}*x/3 + \sqrt{3}/3)/3$

$$3.260 \quad \int x^2 (c + dx + ex^2) (a + bx^3) dx$$

Optimal. Leaf size=55

$$\frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{6}bcx^6 + \frac{1}{7}bdx^7 + \frac{1}{8}bex^8$$

Rubi [A] time = 0.06, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {1628}

$$\frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{6}bcx^6 + \frac{1}{7}bdx^7 + \frac{1}{8}bex^8$$

Antiderivative was successfully verified.

[In] Int[x^2*(c + d*x + e*x^2)*(a + b*x^3),x]

[Out] (a*c*x^3)/3 + (a*d*x^4)/4 + (a*e*x^5)/5 + (b*c*x^6)/6 + (b*d*x^7)/7 + (b*e*x^8)/8

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int x^2 (c + dx + ex^2) (a + bx^3) dx &= \int (acx^2 + adx^3 + aex^4 + bcx^5 + bdx^6 + bex^7) dx \\ &= \frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{6}bcx^6 + \frac{1}{7}bdx^7 + \frac{1}{8}bex^8 \end{aligned}$$

Mathematica [A] time = 0.03, size = 55, normalized size = 1.00

$$\frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{6}bcx^6 + \frac{1}{7}bdx^7 + \frac{1}{8}bex^8$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2)*(a + b*x^3),x]

[Out] (a*c*x^3)/3 + (a*d*x^4)/4 + (a*e*x^5)/5 + (b*c*x^6)/6 + (b*d*x^7)/7 + (b*e*x^8)/8

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (c + dx + ex^2) (a + bx^3) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^2*(c + d*x + e*x^2)*(a + b*x^3), x]

[Out] IntegrateAlgebraic[x^2*(c + d*x + e*x^2)*(a + b*x^3), x]

fricas [A] time = 0.35, size = 43, normalized size = 0.78

$$\frac{1}{8}x^8eb + \frac{1}{7}x^7db + \frac{1}{6}x^6cb + \frac{1}{5}x^5ea + \frac{1}{4}x^4da + \frac{1}{3}x^3ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a), x, algorithm="fricas")

[Out] 1/8*x^8*e*b + 1/7*x^7*d*b + 1/6*x^6*c*b + 1/5*x^5*e*a + 1/4*x^4*d*a + 1/3*x^3*c*a

giac [A] time = 0.20, size = 45, normalized size = 0.82

$$\frac{1}{8}bx^8e + \frac{1}{7}bdx^7 + \frac{1}{6}bcx^6 + \frac{1}{5}ax^5e + \frac{1}{4}adx^4 + \frac{1}{3}acx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a), x, algorithm="giac")

[Out] 1/8*b*x^8*e + 1/7*b*d*x^7 + 1/6*b*c*x^6 + 1/5*a*x^5*e + 1/4*a*d*x^4 + 1/3*a*c*x^3

maple [A] time = 0.04, size = 44, normalized size = 0.80

$$\frac{1}{8}be x^8 + \frac{1}{7}bd x^7 + \frac{1}{6}bc x^6 + \frac{1}{5}ae x^5 + \frac{1}{4}ad x^4 + \frac{1}{3}ac x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)*(b*x^3+a), x)

[Out] 1/3*a*c*x^3+1/4*a*d*x^4+1/5*a*e*x^5+1/6*b*c*x^6+1/7*b*d*x^7+1/8*b*e*x^8

maxima [A] time = 1.33, size = 43, normalized size = 0.78

$$\frac{1}{8}bex^8 + \frac{1}{7}bdx^7 + \frac{1}{6}bcx^6 + \frac{1}{5}aex^5 + \frac{1}{4}adx^4 + \frac{1}{3}acx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a),x, algorithm="maxima")

[Out] 1/8*b*e*x^8 + 1/7*b*d*x^7 + 1/6*b*c*x^6 + 1/5*a*e*x^5 + 1/4*a*d*x^4 + 1/3*a*c*x^3

mupad [B] time = 0.03, size = 43, normalized size = 0.78

$$\frac{bex^8}{8} + \frac{bdx^7}{7} + \frac{bcx^6}{6} + \frac{aex^5}{5} + \frac{adx^4}{4} + \frac{acx^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^3)*(c + d*x + e*x^2),x)

[Out] (a*c*x^3)/3 + (a*d*x^4)/4 + (b*c*x^6)/6 + (a*e*x^5)/5 + (b*d*x^7)/7 + (b*e*x^8)/8

sympy [A] time = 0.08, size = 49, normalized size = 0.89

$$\frac{acx^3}{3} + \frac{adx^4}{4} + \frac{aex^5}{5} + \frac{bcx^6}{6} + \frac{bdx^7}{7} + \frac{bex^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d*x+c)*(b*x**3+a),x)

[Out] a*c*x**3/3 + a*d*x**4/4 + a*e*x**5/5 + b*c*x**6/6 + b*d*x**7/7 + b*e*x**8/8

$$3.261 \quad \int x (c + dx + ex^2) (a + bx^3) dx$$

Optimal. Leaf size=55

$$\frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7$$

Rubi [A] time = 0.04, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1628}

$$\frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7$$

Antiderivative was successfully verified.

[In] Int[x*(c + d*x + e*x^2)*(a + b*x^3), x]

[Out] (a*c*x^2)/2 + (a*d*x^3)/3 + (a*e*x^4)/4 + (b*c*x^5)/5 + (b*d*x^6)/6 + (b*e*x^7)/7

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int x (c + dx + ex^2) (a + bx^3) dx &= \int (acx + adx^2 + aex^3 + bcx^4 + bdx^5 + bex^6) dx \\ &= \frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7 \end{aligned}$$

Mathematica [A] time = 0.00, size = 55, normalized size = 1.00

$$\frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2)*(a + b*x^3), x]

[Out] (a*c*x^2)/2 + (a*d*x^3)/3 + (a*e*x^4)/4 + (b*c*x^5)/5 + (b*d*x^6)/6 + (b*e*x^7)/7

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x(c + dx + ex^2)(a + bx^3) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x*(c + d*x + e*x^2)*(a + b*x^3), x]

[Out] IntegrateAlgebraic[x*(c + d*x + e*x^2)*(a + b*x^3), x]

fricas [A] time = 0.35, size = 43, normalized size = 0.78

$$\frac{1}{7}x^7eb + \frac{1}{6}x^6db + \frac{1}{5}x^5cb + \frac{1}{4}x^4ea + \frac{1}{3}x^3da + \frac{1}{2}x^2ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a), x, algorithm="fricas")

[Out] 1/7*x^7*e*b + 1/6*x^6*d*b + 1/5*x^5*c*b + 1/4*x^4*e*a + 1/3*x^3*d*a + 1/2*x^2*c*a

giac [A] time = 0.18, size = 45, normalized size = 0.82

$$\frac{1}{7}bx^7e + \frac{1}{6}bdx^6 + \frac{1}{5}bcx^5 + \frac{1}{4}ax^4e + \frac{1}{3}adx^3 + \frac{1}{2}acx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a), x, algorithm="giac")

[Out] 1/7*b*x^7*e + 1/6*b*d*x^6 + 1/5*b*c*x^5 + 1/4*a*x^4*e + 1/3*a*d*x^3 + 1/2*a*c*x^2

maple [A] time = 0.05, size = 44, normalized size = 0.80

$$\frac{1}{7}be x^7 + \frac{1}{6}bd x^6 + \frac{1}{5}bc x^5 + \frac{1}{4}ae x^4 + \frac{1}{3}ad x^3 + \frac{1}{2}ac x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)*(b*x^3+a), x)

[Out] 1/2*a*c*x^2+1/3*a*d*x^3+1/4*a*e*x^4+1/5*b*c*x^5+1/6*b*d*x^6+1/7*b*e*x^7

maxima [A] time = 1.36, size = 43, normalized size = 0.78

$$\frac{1}{7}bex^7 + \frac{1}{6}bdx^6 + \frac{1}{5}bcx^5 + \frac{1}{4}aex^4 + \frac{1}{3}adx^3 + \frac{1}{2}acx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d*x+c)*(b*x^3+a),x, algorithm="maxima")`

[Out] $1/7*b*e*x^7 + 1/6*b*d*x^6 + 1/5*b*c*x^5 + 1/4*a*e*x^4 + 1/3*a*d*x^3 + 1/2*a*c*x^2$

mupad [B] time = 0.03, size = 43, normalized size = 0.78

$$\frac{bex^7}{7} + \frac{bdx^6}{6} + \frac{bcx^5}{5} + \frac{aex^4}{4} + \frac{adx^3}{3} + \frac{acx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + b*x^3)*(c + d*x + e*x^2),x)`

[Out] $(a*c*x^2)/2 + (a*d*x^3)/3 + (b*c*x^5)/5 + (a*e*x^4)/4 + (b*d*x^6)/6 + (b*e*x^7)/7$

sympy [A] time = 0.07, size = 49, normalized size = 0.89

$$\frac{acx^2}{2} + \frac{adx^3}{3} + \frac{aex^4}{4} + \frac{bcx^5}{5} + \frac{bdx^6}{6} + \frac{bex^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d*x+c)*(b*x**3+a),x)`

[Out] $a*c*x**2/2 + a*d*x**3/3 + a*e*x**4/4 + b*c*x**5/5 + b*d*x**6/6 + b*e*x**7/7$

$$3.262 \quad \int (c + dx + ex^2)(a + bx^3) dx$$

Optimal. Leaf size=50

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}bcx^4 + \frac{1}{5}bdx^5 + \frac{1}{6}bex^6$$

Rubi [A] time = 0.02, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$, Rules used = {1657}

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}bcx^4 + \frac{1}{5}bdx^5 + \frac{1}{6}bex^6$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)*(a + b*x^3), x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + (b*c*x^4)/4 + (b*d*x^5)/5 + (b*e*x^6)/6

Rule 1657

Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int (c + dx + ex^2)(a + bx^3) dx &= \int (ac + adx + aex^2 + bcx^3 + bdx^4 + bex^5) dx \\ &= acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}bcx^4 + \frac{1}{5}bdx^5 + \frac{1}{6}bex^6 \end{aligned}$$

Mathematica [A] time = 0.00, size = 50, normalized size = 1.00

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}bcx^4 + \frac{1}{5}bdx^5 + \frac{1}{6}bex^6$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)*(a + b*x^3), x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + (b*c*x^4)/4 + (b*d*x^5)/5 + (b*e*x^6)/6

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx + ex^2)(a + bx^3) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)*(a + b*x^3), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)*(a + b*x^3), x]

fricas [A] time = 0.37, size = 40, normalized size = 0.80

$$\frac{1}{6}x^6eb + \frac{1}{5}x^5db + \frac{1}{4}x^4cb + \frac{1}{3}x^3ea + \frac{1}{2}x^2da + xca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a), x, algorithm="fricas")

[Out] 1/6*x^6*e*b + 1/5*x^5*d*b + 1/4*x^4*c*b + 1/3*x^3*e*a + 1/2*x^2*d*a + x*c*a

giac [A] time = 0.15, size = 42, normalized size = 0.84

$$\frac{1}{6}bx^6e + \frac{1}{5}bdx^5 + \frac{1}{4}bcx^4 + \frac{1}{3}ax^3e + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a), x, algorithm="giac")

[Out] 1/6*b*x^6*e + 1/5*b*d*x^5 + 1/4*b*c*x^4 + 1/3*a*x^3*e + 1/2*a*d*x^2 + a*c*x

maple [A] time = 0.04, size = 41, normalized size = 0.82

$$\frac{1}{6}be x^6 + \frac{1}{5}bd x^5 + \frac{1}{4}bc x^4 + \frac{1}{3}ae x^3 + \frac{1}{2}ad x^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a), x)

[Out] a*c*x+1/2*a*d*x^2+1/3*a*e*x^3+1/4*b*c*x^4+1/5*b*d*x^5+1/6*b*e*x^6

maxima [A] time = 1.34, size = 40, normalized size = 0.80

$$\frac{1}{6}bex^6 + \frac{1}{5}bdx^5 + \frac{1}{4}bcx^4 + \frac{1}{3}aex^3 + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a),x, algorithm="maxima")

[Out] 1/6*b*e*x^6 + 1/5*b*d*x^5 + 1/4*b*c*x^4 + 1/3*a*e*x^3 + 1/2*a*d*x^2 + a*c*x

mupad [B] time = 0.02, size = 40, normalized size = 0.80

$$\frac{bex^6}{6} + \frac{bdx^5}{5} + \frac{bcx^4}{4} + \frac{aex^3}{3} + \frac{adx^2}{2} + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)*(c + d*x + e*x^2),x)

[Out] a*c*x + (a*d*x^2)/2 + (b*c*x^4)/4 + (a*e*x^3)/3 + (b*d*x^5)/5 + (b*e*x^6)/6

sympy [A] time = 0.07, size = 46, normalized size = 0.92

$$acx + \frac{adx^2}{2} + \frac{aex^3}{3} + \frac{bcx^4}{4} + \frac{bdx^5}{5} + \frac{bex^6}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a),x)

[Out] a*c*x + a*d*x**2/2 + a*e*x**3/3 + b*c*x**4/4 + b*d*x**5/5 + b*e*x**6/6

$$3.263 \quad \int \frac{(c+dx+ex^2)(a+bx^3)}{x} dx$$

Optimal. Leaf size=46

$$ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{3}bcx^3 + \frac{1}{4}bdx^4 + \frac{1}{5}bex^5$$

Rubi [A] time = 0.02, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {1628}

$$ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{3}bcx^3 + \frac{1}{4}bdx^4 + \frac{1}{5}bex^5$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3))/x,x]

[Out] a*d*x + (a*e*x^2)/2 + (b*c*x^3)/3 + (b*d*x^4)/4 + (b*e*x^5)/5 + a*c*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c + dx + ex^2)(a + bx^3)}{x} dx &= \int \left(ad + \frac{ac}{x} + aex + bcx^2 + bdx^3 + bex^4 \right) dx \\ &= adx + \frac{1}{2}aex^2 + \frac{1}{3}bcx^3 + \frac{1}{4}bdx^4 + \frac{1}{5}bex^5 + ac \log(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 46, normalized size = 1.00

$$ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{3}bcx^3 + \frac{1}{4}bdx^4 + \frac{1}{5}bex^5$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3))/x,x]

[Out] a*d*x + (a*e*x^2)/2 + (b*c*x^3)/3 + (b*d*x^4)/4 + (b*e*x^5)/5 + a*c*Log[x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx + ex^2)(a + bx^3)}{x} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3))/x,x]

[Out] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3))/x, x]

fricas [A] time = 0.40, size = 38, normalized size = 0.83

$$\frac{1}{5} bex^5 + \frac{1}{4} bdx^4 + \frac{1}{3} bcx^3 + \frac{1}{2} aex^2 + adx + ac \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x,x, algorithm="fricas")

[Out] 1/5*b*e*x^5 + 1/4*b*d*x^4 + 1/3*b*c*x^3 + 1/2*a*e*x^2 + a*d*x + a*c*log(x)

giac [A] time = 0.15, size = 41, normalized size = 0.89

$$\frac{1}{5} bx^5e + \frac{1}{4} bdx^4 + \frac{1}{3} bcx^3 + \frac{1}{2} ax^2e + adx + ac \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x,x, algorithm="giac")

[Out] 1/5*b*x^5*e + 1/4*b*d*x^4 + 1/3*b*c*x^3 + 1/2*a*x^2*e + a*d*x + a*c*log(abs(x))

maple [A] time = 0.05, size = 39, normalized size = 0.85

$$\frac{be x^5}{5} + \frac{bd x^4}{4} + \frac{bc x^3}{3} + \frac{ae x^2}{2} + ac \ln(x) + adx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)/x,x)

[Out] a*d*x+1/2*a*e*x^2+1/3*b*c*x^3+1/4*b*d*x^4+1/5*b*e*x^5+a*c*ln(x)

maxima [A] time = 1.33, size = 38, normalized size = 0.83

$$\frac{1}{5} bex^5 + \frac{1}{4} bdx^4 + \frac{1}{3} bcx^3 + \frac{1}{2} aex^2 + adx + ac \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x,x, algorithm="maxima")

[Out] 1/5*b*e*x^5 + 1/4*b*d*x^4 + 1/3*b*c*x^3 + 1/2*a*e*x^2 + a*d*x + a*c*log(x)

mupad [B] time = 0.03, size = 38, normalized size = 0.83

$$ac \ln(x) + adx + \frac{bcx^3}{3} + \frac{aex^2}{2} + \frac{bdx^4}{4} + \frac{bex^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)*(c + d*x + e*x^2))/x,x)

[Out] a*c*log(x) + a*d*x + (b*c*x^3)/3 + (a*e*x^2)/2 + (b*d*x^4)/4 + (b*e*x^5)/5

sympy [A] time = 0.14, size = 44, normalized size = 0.96

$$ac \log(x) + adx + \frac{aex^2}{2} + \frac{bcx^3}{3} + \frac{bdx^4}{4} + \frac{bex^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)/x,x)

[Out] a*c*log(x) + a*d*x + a*e*x**2/2 + b*c*x**3/3 + b*d*x**4/4 + b*e*x**5/5

$$3.264 \quad \int \frac{(c+dx+ex^2)(a+bx^3)}{x^2} dx$$

Optimal. Leaf size=44

$$-\frac{ac}{x} + ad \log(x) + aex + \frac{1}{2}bcx^2 + \frac{1}{3}bdx^3 + \frac{1}{4}bex^4$$

Rubi [A] time = 0.04, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {1628}

$$-\frac{ac}{x} + ad \log(x) + aex + \frac{1}{2}bcx^2 + \frac{1}{3}bdx^3 + \frac{1}{4}bex^4$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3))/x^2,x]

[Out] -((a*c)/x) + a*e*x + (b*c*x^2)/2 + (b*d*x^3)/3 + (b*e*x^4)/4 + a*d*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c + dx + ex^2)(a + bx^3)}{x^2} dx &= \int \left(ae + \frac{ac}{x^2} + \frac{ad}{x} + bcx + bdx^2 + bex^3 \right) dx \\ &= -\frac{ac}{x} + aex + \frac{1}{2}bcx^2 + \frac{1}{3}bdx^3 + \frac{1}{4}bex^4 + ad \log(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 44, normalized size = 1.00

$$-\frac{ac}{x} + ad \log(x) + aex + \frac{1}{2}bcx^2 + \frac{1}{3}bdx^3 + \frac{1}{4}bex^4$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3))/x^2,x]

[Out] -((a*c)/x) + a*e*x + (b*c*x^2)/2 + (b*d*x^3)/3 + (b*e*x^4)/4 + a*d*Log[x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx + ex^2)(a + bx^3)}{x^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3))/x^2,x]

[Out] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3))/x^2, x]

fricas [A] time = 0.41, size = 45, normalized size = 1.02

$$\frac{3 b e x^5 + 4 b d x^4 + 6 b c x^3 + 12 a e x^2 + 12 a d x \log(x) - 12 a c}{12 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x^2,x, algorithm="fricas")

[Out] 1/12*(3*b*e*x^5 + 4*b*d*x^4 + 6*b*c*x^3 + 12*a*e*x^2 + 12*a*d*x*log(x) - 12*a*c)/x

giac [A] time = 0.15, size = 41, normalized size = 0.93

$$\frac{1}{4} b x^4 e + \frac{1}{3} b d x^3 + \frac{1}{2} b c x^2 + a x e + a d \log(|x|) - \frac{a c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x^2,x, algorithm="giac")

[Out] 1/4*b*x^4*e + 1/3*b*d*x^3 + 1/2*b*c*x^2 + a*x*e + a*d*log(abs(x)) - a*c/x

maple [A] time = 0.06, size = 39, normalized size = 0.89

$$\frac{b e x^4}{4} + \frac{b d x^3}{3} + \frac{b c x^2}{2} + a d \ln(x) + a e x - \frac{a c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)/x^2,x)

[Out] -a*c/x+a*e*x+1/2*b*c*x^2+1/3*b*d*x^3+1/4*b*e*x^4+a*d*ln(x)

maxima [A] time = 1.34, size = 38, normalized size = 0.86

$$\frac{1}{4} b e x^4 + \frac{1}{3} b d x^3 + \frac{1}{2} b c x^2 + a e x + a d \log(x) - \frac{a c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x^2,x, algorithm="maxima")

[Out] 1/4*b*e*x^4 + 1/3*b*d*x^3 + 1/2*b*c*x^2 + a*e*x + a*d*log(x) - a*c/x

mupad [B] time = 0.03, size = 38, normalized size = 0.86

$$ad \ln(x) + aex - \frac{ac}{x} + \frac{bcx^2}{2} + \frac{bdx^3}{3} + \frac{bex^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)*(c + d*x + e*x^2))/x^2,x)

[Out] a*d*log(x) + a*e*x - (a*c)/x + (b*c*x^2)/2 + (b*d*x^3)/3 + (b*e*x^4)/4

sympy [A] time = 0.16, size = 41, normalized size = 0.93

$$-\frac{ac}{x} + ad \log(x) + aex + \frac{bcx^2}{2} + \frac{bdx^3}{3} + \frac{bex^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)/x**2,x)

[Out] -a*c/x + a*d*log(x) + a*e*x + b*c*x**2/2 + b*d*x**3/3 + b*e*x**4/4

$$3.265 \quad \int \frac{(c+dx+ex^2)(a+bx^3)}{x^3} dx$$

Optimal. Leaf size=44

$$-\frac{ac}{2x^2} - \frac{ad}{x} + ae \log(x) + bcx + \frac{1}{2}bdx^2 + \frac{1}{3}bex^3$$

Rubi [A] time = 0.03, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {1628}

$$-\frac{ac}{2x^2} - \frac{ad}{x} + ae \log(x) + bcx + \frac{1}{2}bdx^2 + \frac{1}{3}bex^3$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3))/x^3,x]

[Out] -(a*c)/(2*x^2) - (a*d)/x + b*c*x + (b*d*x^2)/2 + (b*e*x^3)/3 + a*e*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c + dx + ex^2)(a + bx^3)}{x^3} dx &= \int \left(bc + \frac{ac}{x^3} + \frac{ad}{x^2} + \frac{ae}{x} + bdx + bex^2 \right) dx \\ &= -\frac{ac}{2x^2} - \frac{ad}{x} + bcx + \frac{1}{2}bdx^2 + \frac{1}{3}bex^3 + ae \log(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 44, normalized size = 1.00

$$-\frac{ac}{2x^2} - \frac{ad}{x} + ae \log(x) + bcx + \frac{1}{2}bdx^2 + \frac{1}{3}bex^3$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3))/x^3,x]

[Out] -1/2*(a*c)/x^2 - (a*d)/x + b*c*x + (b*d*x^2)/2 + (b*e*x^3)/3 + a*e*Log[x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx + ex^2)(a + bx^3)}{x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3))/x^3,x]

[Out] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3))/x^3, x]

fricas [A] time = 0.41, size = 45, normalized size = 1.02

$$\frac{2bex^5 + 3bdx^4 + 6bcx^3 + 6aex^2 \log(x) - 6adx - 3ac}{6x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x^3,x, algorithm="fricas")

[Out] 1/6*(2*b*e*x^5 + 3*b*d*x^4 + 6*b*c*x^3 + 6*a*e*x^2*log(x) - 6*a*d*x - 3*a*c)/x^2

giac [A] time = 0.16, size = 41, normalized size = 0.93

$$\frac{1}{3}bx^3e + \frac{1}{2}bdx^2 + bcx + ae \log(|x|) - \frac{2adx + ac}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x^3,x, algorithm="giac")

[Out] 1/3*b*x^3*e + 1/2*b*d*x^2 + b*c*x + a*e*log(abs(x)) - 1/2*(2*a*d*x + a*c)/x^2

maple [A] time = 0.06, size = 39, normalized size = 0.89

$$\frac{be x^3}{3} + \frac{bd x^2}{2} + ae \ln(x) + bcx - \frac{ad}{x} - \frac{ac}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)/x^3,x)

[Out] -1/2*a*c/x^2-a*d/x+b*c*x+1/2*b*d*x^2+1/3*b*e*x^3+a*e*ln(x)

maxima [A] time = 1.35, size = 38, normalized size = 0.86

$$\frac{1}{3}bex^3 + \frac{1}{2}bdx^2 + bcx + ae \log(x) - \frac{2adx + ac}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x^3,x, algorithm="maxima")

[Out] 1/3*b*e*x^3 + 1/2*b*d*x^2 + b*c*x + a*e*log(x) - 1/2*(2*a*d*x + a*c)/x^2

mupad [B] time = 0.03, size = 38, normalized size = 0.86

$$ae \ln(x) - \frac{\frac{ac}{2} + adx}{x^2} + bcx + \frac{bdx^2}{2} + \frac{bex^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)*(c + d*x + e*x^2))/x^3,x)

[Out] a*e*log(x) - ((a*c)/2 + a*d*x)/x^2 + b*c*x + (b*d*x^2)/2 + (b*e*x^3)/3

sympy [A] time = 0.25, size = 44, normalized size = 1.00

$$ae \log(x) + bcx + \frac{bdx^2}{2} + \frac{bex^3}{3} + \frac{-ac - 2adx}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)/x**3,x)

[Out] a*e*log(x) + b*c*x + b*d*x**2/2 + b*e*x**3/3 + (-a*c - 2*a*d*x)/(2*x**2)

$$3.266 \quad \int x^2 (c + dx + ex^2) (a + bx^3)^2 dx$$

Optimal. Leaf size=82

$$\frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{c(a+bx^3)^3}{9b} + \frac{2}{7}abdx^7 + \frac{1}{4}abex^8 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

Rubi [A] time = 0.06, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {1582, 1850}

$$\frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{c(a+bx^3)^3}{9b} + \frac{2}{7}abdx^7 + \frac{1}{4}abex^8 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

Antiderivative was successfully verified.

[In] Int[x^2*(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] (a^2*d*x^4)/4 + (a^2*e*x^5)/5 + (2*a*b*d*x^7)/7 + (a*b*e*x^8)/4 + (b^2*d*x^10)/10 + (b^2*e*x^11)/11 + (c*(a + b*x^3)^3)/(9*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int x^2 (c + dx + ex^2) (a + bx^3)^2 dx &= \frac{c(a + bx^3)^3}{9b} + \int (a + bx^3)^2 (-cx^2 + x^2 (c + dx + ex^2)) dx \\
&= \frac{c(a + bx^3)^3}{9b} + \int (a^2 dx^3 + a^2 ex^4 + 2abdx^6 + 2abex^7 + b^2 dx^9 + b^2 ex^{10}) dx \\
&= \frac{1}{4} a^2 dx^4 + \frac{1}{5} a^2 ex^5 + \frac{2}{7} abdx^7 + \frac{1}{4} abex^8 + \frac{1}{10} b^2 dx^{10} + \frac{1}{11} b^2 ex^{11} + \frac{c(a + bx^3)^3}{9b}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 97, normalized size = 1.18

$$\frac{1}{3} a^2 cx^3 + \frac{1}{4} a^2 dx^4 + \frac{1}{5} a^2 ex^5 + \frac{1}{3} abcx^6 + \frac{2}{7} abdx^7 + \frac{1}{4} abex^8 + \frac{1}{9} b^2 cx^9 + \frac{1}{10} b^2 dx^{10} + \frac{1}{11} b^2 ex^{11}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] (a^2*c*x^3)/3 + (a^2*d*x^4)/4 + (a^2*e*x^5)/5 + (a*b*c*x^6)/3 + (2*a*b*d*x^7)/7 + (a*b*e*x^8)/4 + (b^2*c*x^9)/9 + (b^2*d*x^10)/10 + (b^2*e*x^11)/11

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (c + dx + ex^2) (a + bx^3)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^2*(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[x^2*(c + d*x + e*x^2)*(a + b*x^3)^2, x]

fricas [A] time = 0.35, size = 79, normalized size = 0.96

$$\frac{1}{11} x^{11} eb^2 + \frac{1}{10} x^{10} db^2 + \frac{1}{9} x^9 cb^2 + \frac{1}{4} x^8 eba + \frac{2}{7} x^7 dba + \frac{1}{3} x^6 cba + \frac{1}{5} x^5 ea^2 + \frac{1}{4} x^4 da^2 + \frac{1}{3} x^3 ca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/11*x^11*e*b^2 + 1/10*x^10*d*b^2 + 1/9*x^9*c*b^2 + 1/4*x^8*e*b*a + 2/7*x^7*d*b*a + 1/3*x^6*c*b*a + 1/5*x^5*e*a^2 + 1/4*x^4*d*a^2 + 1/3*x^3*c*a^2

giac [A] time = 0.16, size = 82, normalized size = 1.00

$$\frac{1}{11} b^2 x^{11} e + \frac{1}{10} b^2 d x^{10} + \frac{1}{9} b^2 c x^9 + \frac{1}{4} a b x^8 e + \frac{2}{7} a b d x^7 + \frac{1}{3} a b c x^6 + \frac{1}{5} a^2 x^5 e + \frac{1}{4} a^2 d x^4 + \frac{1}{3} a^2 c x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/11*b^2*x^11*e + 1/10*b^2*d*x^10 + 1/9*b^2*c*x^9 + 1/4*a*b*x^8*e + 2/7*a*b*d*x^7 + 1/3*a*b*c*x^6 + 1/5*a^2*x^5*e + 1/4*a^2*d*x^4 + 1/3*a^2*c*x^3

maple [A] time = 0.05, size = 80, normalized size = 0.98

$$\frac{1}{11} b^2 e x^{11} + \frac{1}{10} b^2 d x^{10} + \frac{1}{9} b^2 c x^9 + \frac{1}{4} a b e x^8 + \frac{2}{7} a b d x^7 + \frac{1}{3} a b c x^6 + \frac{1}{5} a^2 e x^5 + \frac{1}{4} a^2 d x^4 + \frac{1}{3} a^2 c x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)*(b*x^3+a)^2,x)

[Out] 1/11*b^2*e*x^11+1/10*b^2*d*x^10+1/9*b^2*c*x^9+1/4*a*b*e*x^8+2/7*a*b*d*x^7+1/3*a*b*c*x^6+1/5*a^2*e*x^5+1/4*a^2*d*x^4+1/3*a^2*c*x^3

maxima [A] time = 1.35, size = 79, normalized size = 0.96

$$\frac{1}{11} b^2 e x^{11} + \frac{1}{10} b^2 d x^{10} + \frac{1}{9} b^2 c x^9 + \frac{1}{4} a b e x^8 + \frac{2}{7} a b d x^7 + \frac{1}{3} a b c x^6 + \frac{1}{5} a^2 e x^5 + \frac{1}{4} a^2 d x^4 + \frac{1}{3} a^2 c x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/11*b^2*e*x^11 + 1/10*b^2*d*x^10 + 1/9*b^2*c*x^9 + 1/4*a*b*e*x^8 + 2/7*a*b*d*x^7 + 1/3*a*b*c*x^6 + 1/5*a^2*e*x^5 + 1/4*a^2*d*x^4 + 1/3*a^2*c*x^3

mupad [B] time = 0.04, size = 79, normalized size = 0.96

$$\frac{e a^2 x^5}{5} + \frac{d a^2 x^4}{4} + \frac{c a^2 x^3}{3} + \frac{e a b x^8}{4} + \frac{2 d a b x^7}{7} + \frac{c a b x^6}{3} + \frac{e b^2 x^{11}}{11} + \frac{d b^2 x^{10}}{10} + \frac{c b^2 x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^3)^2*(c + d*x + e*x^2),x)

[Out] (a^2*c*x^3)/3 + (a^2*d*x^4)/4 + (b^2*c*x^9)/9 + (a^2*e*x^5)/5 + (b^2*d*x^10)/10 + (b^2*e*x^11)/11 + (a*b*c*x^6)/3 + (2*a*b*d*x^7)/7 + (a*b*e*x^8)/4

sympy [A] time = 0.09, size = 92, normalized size = 1.12

$$\frac{a^2cx^3}{3} + \frac{a^2dx^4}{4} + \frac{a^2ex^5}{5} + \frac{abcx^6}{3} + \frac{2abdx^7}{7} + \frac{abex^8}{4} + \frac{b^2cx^9}{9} + \frac{b^2dx^{10}}{10} + \frac{b^2ex^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d*x+c)*(b*x**3+a)**2,x)

[Out] a**2*c*x**3/3 + a**2*d*x**4/4 + a**2*e*x**5/5 + a*b*c*x**6/3 + 2*a*b*d*x**7/7 + a*b*e*x**8/4 + b**2*c*x**9/9 + b**2*d*x**10/10 + b**2*e*x**11/11

$$3.267 \quad \int x (c + dx + ex^2) (a + bx^3)^2 dx$$

Optimal. Leaf size=82

$$\frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{2}{5}abcx^5 + \frac{d(a+bx^3)^3}{9b} + \frac{2}{7}abex^7 + \frac{1}{8}b^2cx^8 + \frac{1}{10}b^2ex^{10}$$

Rubi [A] time = 0.05, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1582, 1850}

$$\frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{2}{5}abcx^5 + \frac{d(a+bx^3)^3}{9b} + \frac{2}{7}abex^7 + \frac{1}{8}b^2cx^8 + \frac{1}{10}b^2ex^{10}$$

Antiderivative was successfully verified.

[In] Int[x*(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] (a^2*c*x^2)/2 + (a^2*e*x^4)/4 + (2*a*b*c*x^5)/5 + (2*a*b*e*x^7)/7 + (b^2*c*x^8)/8 + (b^2*e*x^10)/10 + (d*(a + b*x^3)^3)/(9*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n
- 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]
*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p
, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n
- 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ
[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a
+ b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand
[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p
, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int x(c + dx + ex^2)(a + bx^3)^2 dx &= \frac{d(a + bx^3)^3}{9b} + \int (a + bx^3)^2 (-dx^2 + x(c + dx + ex^2)) dx \\
&= \frac{d(a + bx^3)^3}{9b} + \int (a^2cx + a^2ex^3 + 2abcx^4 + 2abex^6 + b^2cx^7 + b^2ex^9) dx \\
&= \frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{2}{5}abcx^5 + \frac{2}{7}abex^7 + \frac{1}{8}b^2cx^8 + \frac{1}{10}b^2ex^{10} + \frac{d(a + bx^3)^3}{9b}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 97, normalized size = 1.18

$$\frac{1}{2}a^2cx^2 + \frac{1}{3}a^2dx^3 + \frac{1}{4}a^2ex^4 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{1}{8}b^2cx^8 + \frac{1}{9}b^2dx^9 + \frac{1}{10}b^2ex^{10}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] (a^2*c*x^2)/2 + (a^2*d*x^3)/3 + (a^2*e*x^4)/4 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (b^2*c*x^8)/8 + (b^2*d*x^9)/9 + (b^2*e*x^10)/10

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x(c + dx + ex^2)(a + bx^3)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x*(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[x*(c + d*x + e*x^2)*(a + b*x^3)^2, x]

fricas [A] time = 0.35, size = 79, normalized size = 0.96

$$\frac{1}{10}x^{10}eb^2 + \frac{1}{9}x^9db^2 + \frac{1}{8}x^8cb^2 + \frac{2}{7}x^7eba + \frac{1}{3}x^6dba + \frac{2}{5}x^5cba + \frac{1}{4}x^4ea^2 + \frac{1}{3}x^3da^2 + \frac{1}{2}x^2ca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/10*x^10*e*b^2 + 1/9*x^9*d*b^2 + 1/8*x^8*c*b^2 + 2/7*x^7*e*b*a + 1/3*x^6*d*b*a + 2/5*x^5*c*b*a + 1/4*x^4*e*a^2 + 1/3*x^3*d*a^2 + 1/2*x^2*c*a^2

giac [A] time = 0.15, size = 82, normalized size = 1.00

$$\frac{1}{10}b^2x^{10}e + \frac{1}{9}b^2dx^9 + \frac{1}{8}b^2cx^8 + \frac{2}{7}abx^7e + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2x^4e + \frac{1}{3}a^2dx^3 + \frac{1}{2}a^2cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/10*b^2*x^10*e + 1/9*b^2*d*x^9 + 1/8*b^2*c*x^8 + 2/7*a*b*x^7*e + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*a^2*x^4*e + 1/3*a^2*d*x^3 + 1/2*a^2*c*x^2

maple [A] time = 0.05, size = 80, normalized size = 0.98

$$\frac{1}{10}b^2ex^{10} + \frac{1}{9}b^2dx^9 + \frac{1}{8}b^2cx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2ex^4 + \frac{1}{3}a^2dx^3 + \frac{1}{2}a^2cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)*(b*x^3+a)^2,x)

[Out] 1/10*b^2*e*x^10+1/9*b^2*d*x^9+1/8*b^2*c*x^8+2/7*a*b*e*x^7+1/3*a*b*d*x^6+2/5*a*b*c*x^5+1/4*a^2*e*x^4+1/3*a^2*d*x^3+1/2*a^2*c*x^2

maxima [A] time = 1.29, size = 79, normalized size = 0.96

$$\frac{1}{10}b^2ex^{10} + \frac{1}{9}b^2dx^9 + \frac{1}{8}b^2cx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2ex^4 + \frac{1}{3}a^2dx^3 + \frac{1}{2}a^2cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/10*b^2*e*x^10 + 1/9*b^2*d*x^9 + 1/8*b^2*c*x^8 + 2/7*a*b*e*x^7 + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*a^2*e*x^4 + 1/3*a^2*d*x^3 + 1/2*a^2*c*x^2

mupad [B] time = 0.04, size = 79, normalized size = 0.96

$$\frac{e a^2 x^4}{4} + \frac{d a^2 x^3}{3} + \frac{c a^2 x^2}{2} + \frac{2 e a b x^7}{7} + \frac{d a b x^6}{3} + \frac{2 c a b x^5}{5} + \frac{e b^2 x^{10}}{10} + \frac{d b^2 x^9}{9} + \frac{c b^2 x^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^3)^2*(c + d*x + e*x^2),x)

[Out] (a^2*c*x^2)/2 + (a^2*d*x^3)/3 + (b^2*c*x^8)/8 + (a^2*e*x^4)/4 + (b^2*d*x^9)/9 + (b^2*e*x^10)/10 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7

sympy [A] time = 0.09, size = 94, normalized size = 1.15

$$\frac{a^2cx^2}{2} + \frac{a^2dx^3}{3} + \frac{a^2ex^4}{4} + \frac{2abcx^5}{5} + \frac{abdx^6}{3} + \frac{2abex^7}{7} + \frac{b^2cx^8}{8} + \frac{b^2dx^9}{9} + \frac{b^2ex^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d*x+c)*(b*x**3+a)**2,x)

[Out] a**2*c*x**2/2 + a**2*d*x**3/3 + a**2*e*x**4/4 + 2*a*b*c*x**5/5 + a*b*d*x**6/3 + 2*a*b*e*x**7/7 + b**2*c*x**8/8 + b**2*d*x**9/9 + b**2*e*x**10/10

$$3.268 \quad \int (c + dx + ex^2)(a + bx^3)^2 dx$$

Optimal. Leaf size=77

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{e(a + bx^3)^3}{9b} + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8$$

Rubi [A] time = 0.06, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1582, 1850}

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{e(a + bx^3)^3}{9b} + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] a^2*c*x + (a^2*d*x^2)/2 + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5 + (b^2*c*x^7)/7 + (b^2*d*x^8)/8 + (e*(a + b*x^3)^3)/(9*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n
- 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]
*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p
, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n
- 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ
[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a
+ b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand
[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p
, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2)(a + bx^3)^2 dx &= \frac{e(a + bx^3)^3}{9b} + \int (c + dx)(a + bx^3)^2 dx \\
&= \frac{e(a + bx^3)^3}{9b} + \int (a^2c + a^2dx + 2abcx^3 + 2abdx^4 + b^2cx^6 + b^2dx^7) dx \\
&= a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8 + \frac{e(a + bx^3)^3}{9b}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 92, normalized size = 1.19

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{3}abex^6 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8 + \frac{1}{9}b^2ex^9$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] a^2*c*x + (a^2*d*x^2)/2 + (a^2*e*x^3)/3 + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5 + (a*b*e*x^6)/3 + (b^2*c*x^7)/7 + (b^2*d*x^8)/8 + (b^2*e*x^9)/9

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx + ex^2)(a + bx^3)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)*(a + b*x^3)^2, x]

fricas [A] time = 0.36, size = 76, normalized size = 0.99

$$\frac{1}{9}x^9eb^2 + \frac{1}{8}x^8db^2 + \frac{1}{7}x^7cb^2 + \frac{1}{3}x^6eba + \frac{2}{5}x^5dba + \frac{1}{2}x^4cba + \frac{1}{3}x^3ea^2 + \frac{1}{2}x^2da^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/9*x^9*e*b^2 + 1/8*x^8*d*b^2 + 1/7*x^7*c*b^2 + 1/3*x^6*e*b*a + 2/5*x^5*d*b*a + 1/2*x^4*c*b*a + 1/3*x^3*e*a^2 + 1/2*x^2*d*a^2 + x*c*a^2

giac [A] time = 0.18, size = 79, normalized size = 1.03

$$\frac{1}{9}b^2x^9e + \frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{1}{3}abx^6e + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{3}a^2x^3e + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/9*b^2*x^9*e + 1/8*b^2*d*x^8 + 1/7*b^2*c*x^7 + 1/3*a*b*x^6*e + 2/5*a*b*d*x^5 + 1/2*a*b*c*x^4 + 1/3*a^2*x^3*e + 1/2*a^2*d*x^2 + a^2*c*x

maple [A] time = 0.04, size = 77, normalized size = 1.00

$$\frac{1}{9}b^2ex^9 + \frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{1}{3}abex^6 + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^2,x)

[Out] 1/9*b^2*e*x^9+1/8*b^2*d*x^8+1/7*b^2*c*x^7+1/3*a*b*e*x^6+2/5*a*b*d*x^5+1/2*a*b*c*x^4+1/3*a^2*e*x^3+1/2*a^2*d*x^2+a^2*c*x

maxima [A] time = 1.40, size = 76, normalized size = 0.99

$$\frac{1}{9}b^2ex^9 + \frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{1}{3}abex^6 + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/9*b^2*e*x^9 + 1/8*b^2*d*x^8 + 1/7*b^2*c*x^7 + 1/3*a*b*e*x^6 + 2/5*a*b*d*x^5 + 1/2*a*b*c*x^4 + 1/3*a^2*e*x^3 + 1/2*a^2*d*x^2 + a^2*c*x

mupad [B] time = 0.04, size = 76, normalized size = 0.99

$$\frac{ea^2x^3}{3} + \frac{da^2x^2}{2} + ca^2x + \frac{eabx^6}{3} + \frac{2dabx^5}{5} + \frac{cabx^4}{2} + \frac{eb^2x^9}{9} + \frac{db^2x^8}{8} + \frac{cb^2x^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^2*(c + d*x + e*x^2),x)

[Out] (a^2*d*x^2)/2 + (b^2*c*x^7)/7 + (a^2*e*x^3)/3 + (b^2*d*x^8)/8 + (b^2*e*x^9)/9 + a^2*c*x + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5 + (a*b*e*x^6)/3

sympy [A] time = 0.09, size = 88, normalized size = 1.14

$$a^2cx + \frac{a^2dx^2}{2} + \frac{a^2ex^3}{3} + \frac{abcx^4}{2} + \frac{2abdx^5}{5} + \frac{abex^6}{3} + \frac{b^2cx^7}{7} + \frac{b^2dx^8}{8} + \frac{b^2ex^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**2,x)

[Out] a**2*c*x + a**2*d*x**2/2 + a**2*e*x**3/3 + a*b*c*x**4/2 + 2*a*b*d*x**5/5 + a*b*e*x**6/3 + b**2*c*x**7/7 + b**2*d*x**8/8 + b**2*e*x**9/9

$$3.269 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x} dx$$

Optimal. Leaf size=88

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{2}abdx^4 + \frac{2}{5}abex^5 + \frac{1}{6}b^2cx^6 + \frac{1}{7}b^2dx^7 + \frac{1}{8}b^2ex^8$$

Rubi [A] time = 0.05, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{2}abdx^4 + \frac{2}{5}abex^5 + \frac{1}{6}b^2cx^6 + \frac{1}{7}b^2dx^7 + \frac{1}{8}b^2ex^8$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^2)/x,x]

[Out] a^2*d*x + (a^2*e*x^2)/2 + (2*a*b*c*x^3)/3 + (a*b*d*x^4)/2 + (2*a*b*e*x^5)/5 + (b^2*c*x^6)/6 + (b^2*d*x^7)/7 + (b^2*e*x^8)/8 + a^2*c*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c + dx + ex^2)(a + bx^3)^2}{x} dx &= \int \left(a^2d + \frac{a^2c}{x} + a^2ex + 2abcx^2 + 2abdx^3 + 2abex^4 + b^2cx^5 + b^2dx^6 + b^2ex^7 \right) dx \\ &= a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{2}abdx^4 + \frac{2}{5}abex^5 + \frac{1}{6}b^2cx^6 + \frac{1}{7}b^2dx^7 + \frac{1}{8}b^2ex^8 + \dots \end{aligned}$$

Mathematica [A] time = 0.01, size = 88, normalized size = 1.00

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{2}abdx^4 + \frac{2}{5}abex^5 + \frac{1}{6}b^2cx^6 + \frac{1}{7}b^2dx^7 + \frac{1}{8}b^2ex^8$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^2)/x,x]

[Out] $a^2*d*x + (a^2*e*x^2)/2 + (2*a*b*c*x^3)/3 + (a*b*d*x^4)/2 + (2*a*b*e*x^5)/5 + (b^2*c*x^6)/6 + (b^2*d*x^7)/7 + (b^2*e*x^8)/8 + a^2*c*\text{Log}[x]$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx + ex^2)(a + bx^3)^2}{x} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^2)/x,x]

[Out] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^2)/x, x]

fricas [A] time = 0.41, size = 74, normalized size = 0.84

$$\frac{1}{8}b^2ex^8 + \frac{1}{7}b^2dx^7 + \frac{1}{6}b^2cx^6 + \frac{2}{5}abex^5 + \frac{1}{2}abdx^4 + \frac{2}{3}abcx^3 + \frac{1}{2}a^2ex^2 + a^2dx + a^2c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x,x, algorithm="fricas")

[Out] $1/8*b^2*e*x^8 + 1/7*b^2*d*x^7 + 1/6*b^2*c*x^6 + 2/5*a*b*e*x^5 + 1/2*a*b*d*x^4 + 2/3*a*b*c*x^3 + 1/2*a^2*e*x^2 + a^2*d*x + a^2*c*\log(x)$

giac [A] time = 0.15, size = 78, normalized size = 0.89

$$\frac{1}{8}b^2x^8e + \frac{1}{7}b^2dx^7 + \frac{1}{6}b^2cx^6 + \frac{2}{5}abx^5e + \frac{1}{2}abdx^4 + \frac{2}{3}abcx^3 + \frac{1}{2}a^2x^2e + a^2dx + a^2c \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x,x, algorithm="giac")

[Out] $1/8*b^2*x^8*e + 1/7*b^2*d*x^7 + 1/6*b^2*c*x^6 + 2/5*a*b*x^5*e + 1/2*a*b*d*x^4 + 2/3*a*b*c*x^3 + 1/2*a^2*x^2*e + a^2*d*x + a^2*c*\log(\text{abs}(x))$

maple [A] time = 0.04, size = 75, normalized size = 0.85

$$\frac{b^2ex^8}{8} + \frac{b^2dx^7}{7} + \frac{b^2cx^6}{6} + \frac{2abex^5}{5} + \frac{abdx^4}{2} + \frac{2abcx^3}{3} + \frac{a^2ex^2}{2} + a^2c \ln(x) + a^2dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^2/x,x)

[Out] $a^2*d*x + 1/2*a^2*e*x^2 + 2/3*a*b*c*x^3 + 1/2*a*b*d*x^4 + 2/5*a*b*e*x^5 + 1/6*b^2*c*x^6 + 1/7*b^2*d*x^7 + 1/8*b^2*e*x^8 + a^2*c*\ln(x)$

maxima [A] time = 1.37, size = 74, normalized size = 0.84

$$\frac{1}{8} b^2 e x^8 + \frac{1}{7} b^2 d x^7 + \frac{1}{6} b^2 c x^6 + \frac{2}{5} a b e x^5 + \frac{1}{2} a b d x^4 + \frac{2}{3} a b c x^3 + \frac{1}{2} a^2 e x^2 + a^2 d x + a^2 c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x,x, algorithm="maxima")

[Out] 1/8*b^2*e*x^8 + 1/7*b^2*d*x^7 + 1/6*b^2*c*x^6 + 2/5*a*b*e*x^5 + 1/2*a*b*d*x^4 + 2/3*a*b*c*x^3 + 1/2*a^2*e*x^2 + a^2*d*x + a^2*c*log(x)

mupad [B] time = 0.04, size = 74, normalized size = 0.84

$$\frac{b^2 c x^6}{6} + \frac{a^2 e x^2}{2} + \frac{b^2 d x^7}{7} + \frac{b^2 e x^8}{8} + a^2 c \ln(x) + a^2 d x + \frac{2 a b c x^3}{3} + \frac{a b d x^4}{2} + \frac{2 a b e x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^2*(c + d*x + e*x^2))/x,x)

[Out] (b^2*c*x^6)/6 + (a^2*e*x^2)/2 + (b^2*d*x^7)/7 + (b^2*e*x^8)/8 + a^2*c*log(x) + a^2*d*x + (2*a*b*c*x^3)/3 + (a*b*d*x^4)/2 + (2*a*b*e*x^5)/5

sympy [A] time = 0.19, size = 88, normalized size = 1.00

$$a^2 c \log(x) + a^2 d x + \frac{a^2 e x^2}{2} + \frac{2 a b c x^3}{3} + \frac{a b d x^4}{2} + \frac{2 a b e x^5}{5} + \frac{b^2 c x^6}{6} + \frac{b^2 d x^7}{7} + \frac{b^2 e x^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**2/x,x)

[Out] a**2*c*log(x) + a**2*d*x + a**2*e*x**2/2 + 2*a*b*c*x**3/3 + a*b*d*x**4/2 + 2*a*b*e*x**5/5 + b**2*c*x**6/6 + b**2*d*x**7/7 + b**2*e*x**8/8

$$3.270 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^2} dx$$

Optimal. Leaf size=83

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + abcx^2 + \frac{2}{3}abdx^3 + \frac{1}{2}abex^4 + \frac{1}{5}b^2cx^5 + \frac{1}{6}b^2dx^6 + \frac{1}{7}b^2ex^7$$

Rubi [A] time = 0.06, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + abcx^2 + \frac{2}{3}abdx^3 + \frac{1}{2}abex^4 + \frac{1}{5}b^2cx^5 + \frac{1}{6}b^2dx^6 + \frac{1}{7}b^2ex^7$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^2)/x^2,x]

[Out] -((a^2*c)/x) + a^2*e*x + a*b*c*x^2 + (2*a*b*d*x^3)/3 + (a*b*e*x^4)/2 + (b^2*c*x^5)/5 + (b^2*d*x^6)/6 + (b^2*e*x^7)/7 + a^2*d*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_.) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^2} dx &= \int \left(a^2e + \frac{a^2c}{x^2} + \frac{a^2d}{x} + 2abcx + 2abdx^2 + 2abex^3 + b^2cx^4 + b^2dx^5 + b^2ex^6 \right) dx \\ &= -\frac{a^2c}{x} + a^2ex + abcx^2 + \frac{2}{3}abdx^3 + \frac{1}{2}abex^4 + \frac{1}{5}b^2cx^5 + \frac{1}{6}b^2dx^6 + \frac{1}{7}b^2ex^7 + a^2d \log(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 83, normalized size = 1.00

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + abcx^2 + \frac{2}{3}abdx^3 + \frac{1}{2}abex^4 + \frac{1}{5}b^2cx^5 + \frac{1}{6}b^2dx^6 + \frac{1}{7}b^2ex^7$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^2)/x^2,x]

[Out] -((a^2*c)/x) + a^2*e*x + a*b*c*x^2 + (2*a*b*d*x^3)/3 + (a*b*e*x^4)/2 + (b^2*c*x^5)/5 + (b^2*d*x^6)/6 + (b^2*e*x^7)/7 + a^2*d*Log[x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx + ex^2)(a + bx^3)^2}{x^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^2)/x^2,x]

[Out] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^2)/x^2, x]

fricas [A] time = 0.41, size = 81, normalized size = 0.98

$$\frac{30b^2ex^8 + 35b^2dx^7 + 42b^2cx^6 + 105abex^5 + 140abdx^4 + 210abcx^3 + 210a^2ex^2 + 210a^2dx \log(x) - 210a^2c}{210x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^2,x, algorithm="fricas")

[Out] 1/210*(30*b^2*e*x^8 + 35*b^2*d*x^7 + 42*b^2*c*x^6 + 105*a*b*e*x^5 + 140*a*b*d*x^4 + 210*a*b*c*x^3 + 210*a^2*e*x^2 + 210*a^2*d*x*log(x) - 210*a^2*c)/x

giac [A] time = 0.15, size = 77, normalized size = 0.93

$$\frac{1}{7}b^2x^7e + \frac{1}{6}b^2dx^6 + \frac{1}{5}b^2cx^5 + \frac{1}{2}abx^4e + \frac{2}{3}abdx^3 + abcx^2 + a^2xe + a^2d \log(|x|) - \frac{a^2c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^2,x, algorithm="giac")

[Out] 1/7*b^2*x^7*e + 1/6*b^2*d*x^6 + 1/5*b^2*c*x^5 + 1/2*a*b*x^4*e + 2/3*a*b*d*x^3 + a*b*c*x^2 + a^2*x*e + a^2*d*log(abs(x)) - a^2*c/x

maple [A] time = 0.06, size = 74, normalized size = 0.89

$$\frac{b^2ex^7}{7} + \frac{b^2dx^6}{6} + \frac{b^2cx^5}{5} + \frac{abex^4}{2} + \frac{2abdx^3}{3} + abcx^2 + a^2d \ln(x) + a^2ex - \frac{a^2c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^2/x^2,x)

[Out] $-a^2c/x + a^2ex + a^2bx^2 + 2/3abd^2x^3 + 1/2ab^2ex^4 + 1/5b^2cx^5 + 1/6b^2d^2x^6 + 1/7b^2e^2x^7 + a^2d \ln(x)$

maxima [A] time = 1.30, size = 73, normalized size = 0.88

$$\frac{1}{7}b^2ex^7 + \frac{1}{6}b^2dx^6 + \frac{1}{5}b^2cx^5 + \frac{1}{2}abex^4 + \frac{2}{3}abdx^3 + abcx^2 + a^2ex + a^2d \log(x) - \frac{a^2c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^2,x, algorithm="maxima")`

[Out] $1/7*b^2*e*x^7 + 1/6*b^2*d*x^6 + 1/5*b^2*c*x^5 + 1/2*a*b*e*x^4 + 2/3*a*b*d*x^3 + a*b*c*x^2 + a^2*e*x + a^2*d*\log(x) - a^2*c/x$

mupad [B] time = 0.04, size = 73, normalized size = 0.88

$$\frac{b^2cx^5}{5} - \frac{a^2c}{x} + \frac{b^2dx^6}{6} + \frac{b^2ex^7}{7} + a^2d \ln(x) + a^2ex + abcx^2 + \frac{2abdx^3}{3} + \frac{abex^4}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^2*(c + d*x + e*x^2))/x^2,x)`

[Out] $(b^2cx^5)/5 - (a^2c)/x + (b^2d^2x^6)/6 + (b^2e^2x^7)/7 + a^2d*\log(x) + a^2e*x + a*b*c*x^2 + (2*a*b*d*x^3)/3 + (a*b*e*x^4)/2$

sympy [A] time = 0.25, size = 82, normalized size = 0.99

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + abcx^2 + \frac{2abdx^3}{3} + \frac{abex^4}{2} + \frac{b^2cx^5}{5} + \frac{b^2dx^6}{6} + \frac{b^2ex^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)**2/x**2,x)`

[Out] $-a**2*c/x + a**2*d*\log(x) + a**2*e*x + a*b*c*x**2 + 2*a*b*d*x**3/3 + a*b*e*x**4/2 + b**2*c*x**5/5 + b**2*d*x**6/6 + b**2*e*x**7/7$

$$3.271 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^3} dx$$

Optimal. Leaf size=84

$$-\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a^2e \log(x) + 2abcx + abdx^2 + \frac{2}{3}abex^3 + \frac{1}{4}b^2cx^4 + \frac{1}{5}b^2dx^5 + \frac{1}{6}b^2ex^6$$

Rubi [A] time = 0.06, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$-\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a^2e \log(x) + 2abcx + abdx^2 + \frac{2}{3}abex^3 + \frac{1}{4}b^2cx^4 + \frac{1}{5}b^2dx^5 + \frac{1}{6}b^2ex^6$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^2)/x^3,x]

[Out] -(a^2*c)/(2*x^2) - (a^2*d)/x + 2*a*b*c*x + a*b*d*x^2 + (2*a*b*e*x^3)/3 + (b^2*c*x^4)/4 + (b^2*d*x^5)/5 + (b^2*e*x^6)/6 + a^2*e*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^3} dx &= \int \left(2abc + \frac{a^2c}{x^3} + \frac{a^2d}{x^2} + \frac{a^2e}{x} + 2abdx + 2abex^2 + b^2cx^3 + b^2dx^4 + b^2ex^5 \right) dx \\ &= -\frac{a^2c}{2x^2} - \frac{a^2d}{x} + 2abcx + abdx^2 + \frac{2}{3}abex^3 + \frac{1}{4}b^2cx^4 + \frac{1}{5}b^2dx^5 + \frac{1}{6}b^2ex^6 + a^2e \log(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 84, normalized size = 1.00

$$-\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a^2e \log(x) + 2abcx + abdx^2 + \frac{2}{3}abex^3 + \frac{1}{4}b^2cx^4 + \frac{1}{5}b^2dx^5 + \frac{1}{6}b^2ex^6$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^2)/x^3,x]

[Out] $-1/2*(a^2*c)/x^2 - (a^2*d)/x + 2*a*b*c*x + a*b*d*x^2 + (2*a*b*e*x^3)/3 + (b^2*c*x^4)/4 + (b^2*d*x^5)/5 + (b^2*e*x^6)/6 + a^2*e*\text{Log}[x]$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx + ex^2)(a + bx^3)^2}{x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^2)/x^3,x]

[Out] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^2)/x^3, x]

fricas [A] time = 0.39, size = 81, normalized size = 0.96

$$\frac{10b^2ex^8 + 12b^2dx^7 + 15b^2cx^6 + 40abex^5 + 60abdx^4 + 120abcx^3 + 60a^2ex^2 \log(x) - 60a^2dx - 30a^2c}{60x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^3,x, algorithm="fricas")

[Out] $1/60*(10*b^2*e*x^8 + 12*b^2*d*x^7 + 15*b^2*c*x^6 + 40*a*b*e*x^5 + 60*a*b*d*x^4 + 120*a*b*c*x^3 + 60*a^2*e*x^2*\log(x) - 60*a^2*d*x - 30*a^2*c)/x^2$

giac [A] time = 0.16, size = 78, normalized size = 0.93

$$\frac{1}{6}b^2x^6e + \frac{1}{5}b^2dx^5 + \frac{1}{4}b^2cx^4 + \frac{2}{3}abx^3e + abdx^2 + 2abcx + a^2e \log(|x|) - \frac{2a^2dx + a^2c}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^3,x, algorithm="giac")

[Out] $1/6*b^2*x^6*e + 1/5*b^2*d*x^5 + 1/4*b^2*c*x^4 + 2/3*a*b*x^3*e + a*b*d*x^2 + 2*a*b*c*x + a^2*e*\log(\text{abs}(x)) - 1/2*(2*a^2*d*x + a^2*c)/x^2$

maple [A] time = 0.05, size = 75, normalized size = 0.89

$$\frac{b^2ex^6}{6} + \frac{b^2dx^5}{5} + \frac{b^2cx^4}{4} + \frac{2abex^3}{3} + abdx^2 + a^2e \ln(x) + 2abcx - \frac{a^2d}{x} - \frac{a^2c}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^2/x^3,x)

[Out] $-1/2*a^2*c/x^2 - a^2*d/x + 2*a*b*c*x + a*b*d*x^2 + 2/3*a*b*e*x^3 + 1/4*b^2*c*x^4 + 1/5*b^2*d*x^5 + 1/6*b^2*e*x^6 + a^2*e*\ln(x)$

maxima [A] time = 1.31, size = 74, normalized size = 0.88

$$\frac{1}{6}b^2ex^6 + \frac{1}{5}b^2dx^5 + \frac{1}{4}b^2cx^4 + \frac{2}{3}abex^3 + abdx^2 + 2abcx + a^2e \log(x) - \frac{2a^2dx + a^2c}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^3,x, algorithm="maxima")`

[Out] $1/6*b^2*e*x^6 + 1/5*b^2*d*x^5 + 1/4*b^2*c*x^4 + 2/3*a*b*e*x^3 + a*b*d*x^2 + 2*a*b*c*x + a^2*e*\log(x) - 1/2*(2*a^2*d*x + a^2*c)/x^2$

mupad [B] time = 0.04, size = 74, normalized size = 0.88

$$\frac{b^2cx^4}{4} - \frac{\frac{a^2c}{2} + a^2dx}{x^2} + \frac{b^2dx^5}{5} + \frac{b^2ex^6}{6} + a^2e \ln(x) + abdx^2 + \frac{2abex^3}{3} + 2abcx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^2*(c + d*x + e*x^2))/x^3,x)`

[Out] $(b^2*c*x^4)/4 - ((a^2*c)/2 + a^2*d*x)/x^2 + (b^2*d*x^5)/5 + (b^2*e*x^6)/6 + a^2*e*\log(x) + a*b*d*x^2 + (2*a*b*e*x^3)/3 + 2*a*b*c*x$

sympy [A] time = 0.31, size = 87, normalized size = 1.04

$$a^2e \log(x) + 2abcx + abdx^2 + \frac{2abex^3}{3} + \frac{b^2cx^4}{4} + \frac{b^2dx^5}{5} + \frac{b^2ex^6}{6} + \frac{-a^2c - 2a^2dx}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)**2/x**3,x)`

[Out] $a**2*e*\log(x) + 2*a*b*c*x + a*b*d*x**2 + 2*a*b*e*x**3/3 + b**2*c*x**4/4 + b**2*d*x**5/5 + b**2*e*x**6/6 + (-a**2*c - 2*a**2*d*x)/(2*x**2)$

$$3.272 \quad \int x^2 (c + dx + ex^2) (a + bx^3)^3 dx$$

Optimal. Leaf size=110

$$\frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{3}{7}a^2bdx^7 + \frac{3}{8}a^2bex^8 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{c(a+bx^3)^4}{12b} + \frac{1}{13}b^3dx^{13} + \frac{1}{14}b^3ex^{14}$$

Rubi [A] time = 0.08, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {1582, 1850}

$$\frac{3}{7}a^2bdx^7 + \frac{3}{8}a^2bex^8 + \frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{c(a+bx^3)^4}{12b} + \frac{1}{13}b^3dx^{13} + \frac{1}{14}b^3ex^{14}$$

Antiderivative was successfully verified.

[In] Int[x^2*(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] (a^3*d*x^4)/4 + (a^3*e*x^5)/5 + (3*a^2*b*d*x^7)/7 + (3*a^2*b*e*x^8)/8 + (3*a*b^2*d*x^10)/10 + (3*a*b^2*e*x^11)/11 + (b^3*d*x^13)/13 + (b^3*e*x^14)/14 + (c*(a + b*x^3)^4)/(12*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_.))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int x^2 (c + dx + ex^2) (a + bx^3)^3 dx &= \frac{c (a + bx^3)^4}{12b} + \int (a + bx^3)^3 (-cx^2 + x^2 (c + dx + ex^2)) dx \\
&= \frac{c (a + bx^3)^4}{12b} + \int (a^3 dx^3 + a^3 ex^4 + 3a^2 b dx^6 + 3a^2 b ex^7 + 3ab^2 dx^9 + 3ab^2 ex^{11}) dx \\
&= \frac{1}{4} a^3 dx^4 + \frac{1}{5} a^3 ex^5 + \frac{3}{7} a^2 b dx^7 + \frac{3}{8} a^2 b ex^8 + \frac{3}{10} ab^2 dx^{10} + \frac{3}{11} ab^2 ex^{11} + \frac{1}{13} b^3 dx^{13} + \frac{1}{14} b^3 ex^{14}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 139, normalized size = 1.26

$$\frac{1}{3} a^3 cx^3 + \frac{1}{4} a^3 dx^4 + \frac{1}{5} a^3 ex^5 + \frac{1}{2} a^2 b cx^6 + \frac{3}{7} a^2 b dx^7 + \frac{3}{8} a^2 b ex^8 + \frac{1}{3} ab^2 cx^9 + \frac{3}{10} ab^2 dx^{10} + \frac{3}{11} ab^2 ex^{11} + \frac{1}{12} b^3 cx^{12} + \frac{1}{13} b^3 dx^{13} + \frac{1}{14} b^3 ex^{14}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] (a^3*c*x^3)/3 + (a^3*d*x^4)/4 + (a^3*e*x^5)/5 + (a^2*b*c*x^6)/2 + (3*a^2*b*d*x^7)/7 + (3*a^2*b*e*x^8)/8 + (a*b^2*c*x^9)/3 + (3*a*b^2*d*x^10)/10 + (3*a*b^2*e*x^11)/11 + (b^3*c*x^12)/12 + (b^3*d*x^13)/13 + (b^3*e*x^14)/14

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (c + dx + ex^2) (a + bx^3)^3 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^2*(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[x^2*(c + d*x + e*x^2)*(a + b*x^3)^3, x]

fricas [A] time = 0.35, size = 115, normalized size = 1.05

$$\frac{1}{14} x^{14} e b^3 + \frac{1}{13} x^{13} d b^3 + \frac{1}{12} x^{12} c b^3 + \frac{3}{11} x^{11} e b^2 a + \frac{3}{10} x^{10} d b^2 a + \frac{1}{3} x^9 c b^2 a + \frac{3}{8} x^8 e b a^2 + \frac{3}{7} x^7 d b a^2 + \frac{1}{2} x^6 c b a^2 + \frac{1}{5} x^5 e a^3 + \frac{1}{4} x^4 d a^3 + \frac{1}{3} x^3 c a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/14*x^14*e*b^3 + 1/13*x^13*d*b^3 + 1/12*x^12*c*b^3 + 3/11*x^11*e*b^2*a + 3/10*x^10*d*b^2*a + 1/3*x^9*c*b^2*a + 3/8*x^8*e*b*a^2 + 3/7*x^7*d*b*a^2 + 1/2*x^6*c*b*a^2 + 1/5*x^5*e*a^3 + 1/4*x^4*d*a^3 + 1/3*x^3*c*a^3

giac [A] time = 0.16, size = 119, normalized size = 1.08

$$\frac{1}{14}b^3x^{14}e + \frac{1}{13}b^3dx^{13} + \frac{1}{12}b^3cx^{12} + \frac{3}{11}ab^2x^{11}e + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bx^8e + \frac{3}{7}a^2bdx^7 + \frac{1}{2}a^2bcx^6 + \frac{1}{5}a^3x^5e + \frac{1}{4}a^3dx^4 + \frac{1}{3}a^3cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/14*b^3*x^14*e + 1/13*b^3*d*x^13 + 1/12*b^3*c*x^12 + 3/11*a*b^2*x^11*e + 3/10*a*b^2*d*x^10 + 1/3*a*b^2*c*x^9 + 3/8*a^2*b*x^8*e + 3/7*a^2*b*d*x^7 + 1/2*a^2*b*c*x^6 + 1/5*a^3*x^5*e + 1/4*a^3*d*x^4 + 1/3*a^3*c*x^3

maple [A] time = 0.04, size = 116, normalized size = 1.05

$$\frac{1}{14}b^3ex^{14} + \frac{1}{13}b^3dx^{13} + \frac{1}{12}b^3cx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bex^8 + \frac{3}{7}a^2bdx^7 + \frac{1}{2}a^2bcx^6 + \frac{1}{5}a^3ex^5 + \frac{1}{4}a^3dx^4 + \frac{1}{3}a^3cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)*(b*x^3+a)^3,x)

[Out] 1/14*b^3*e*x^14+1/13*b^3*d*x^13+1/12*b^3*c*x^12+3/11*a*b^2*e*x^11+3/10*a*b^2*d*x^10+1/3*a*b^2*c*x^9+3/8*a^2*b*e*x^8+3/7*a^2*b*d*x^7+1/2*a^2*b*c*x^6+1/5*a^3*e*x^5+1/4*a^3*d*x^4+1/3*a^3*c*x^3

maxima [A] time = 1.33, size = 115, normalized size = 1.05

$$\frac{1}{14}b^3ex^{14} + \frac{1}{13}b^3dx^{13} + \frac{1}{12}b^3cx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bex^8 + \frac{3}{7}a^2bdx^7 + \frac{1}{2}a^2bcx^6 + \frac{1}{5}a^3ex^5 + \frac{1}{4}a^3dx^4 + \frac{1}{3}a^3cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/14*b^3*e*x^14 + 1/13*b^3*d*x^13 + 1/12*b^3*c*x^12 + 3/11*a*b^2*e*x^11 + 3/10*a*b^2*d*x^10 + 1/3*a*b^2*c*x^9 + 3/8*a^2*b*e*x^8 + 3/7*a^2*b*d*x^7 + 1/2*a^2*b*c*x^6 + 1/5*a^3*e*x^5 + 1/4*a^3*d*x^4 + 1/3*a^3*c*x^3

mupad [B] time = 0.08, size = 115, normalized size = 1.05

$$\frac{ea^3x^5}{5} + \frac{da^3x^4}{4} + \frac{ca^3x^3}{3} + \frac{3ea^2bx^8}{8} + \frac{3da^2bx^7}{7} + \frac{ca^2bx^6}{2} + \frac{3eab^2x^{11}}{11} + \frac{3dab^2x^{10}}{10} + \frac{cab^2x^9}{3} + \frac{eb^3x^{14}}{14} + \frac{db^3x^{13}}{13} + \frac{cb^3x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^3)^3*(c + d*x + e*x^2),x)

[Out] (a^3*c*x^3)/3 + (a^3*d*x^4)/4 + (b^3*c*x^12)/12 + (a^3*e*x^5)/5 + (b^3*d*x^13)/13 + (b^3*e*x^14)/14 + (a^2*b*c*x^6)/2 + (a*b^2*c*x^9)/3 + (3*a^2*b*d*x^7)/7 + (3*a*b^2*d*x^10)/10 + (3*a^2*b*e*x^8)/8 + (3*a*b^2*e*x^11)/11

sympy [A] time = 0.09, size = 138, normalized size = 1.25

$$\frac{a^3cx^3}{3} + \frac{a^3dx^4}{4} + \frac{a^3ex^5}{5} + \frac{a^2bcx^6}{2} + \frac{3a^2bdx^7}{7} + \frac{3a^2bex^8}{8} + \frac{ab^2cx^9}{3} + \frac{3ab^2dx^{10}}{10} + \frac{3ab^2ex^{11}}{11} + \frac{b^3cx^{12}}{12} + \frac{b^3dx^{13}}{13} + \frac{b^3ex^{14}}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d*x+c)*(b*x**3+a)**3,x)

[Out] a**3*c*x**3/3 + a**3*d*x**4/4 + a**3*e*x**5/5 + a**2*b*c*x**6/2 + 3*a**2*b*d*x**7/7 + 3*a**2*b*e*x**8/8 + a*b**2*c*x**9/3 + 3*a*b**2*d*x**10/10 + 3*a*b**2*e*x**11/11 + b**3*c*x**12/12 + b**3*d*x**13/13 + b**3*e*x**14/14

$$3.273 \quad \int x (c + dx + ex^2) (a + bx^3)^3 dx$$

Optimal. Leaf size=110

$$\frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{3}{5}a^2bcx^5 + \frac{3}{7}a^2bex^7 + \frac{3}{8}ab^2cx^8 + \frac{3}{10}ab^2ex^{10} + \frac{d(a+bx^3)^4}{12b} + \frac{1}{11}b^3cx^{11} + \frac{1}{13}b^3ex^{13}$$

Rubi [A] time = 0.07, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1582, 1850}

$$\frac{3}{5}a^2bcx^5 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{3}{8}ab^2cx^8 + \frac{3}{10}ab^2ex^{10} + \frac{d(a+bx^3)^4}{12b} + \frac{1}{11}b^3cx^{11} + \frac{1}{13}b^3ex^{13}$$

Antiderivative was successfully verified.

[In] Int[x*(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] (a^3*c*x^2)/2 + (a^3*e*x^4)/4 + (3*a^2*b*c*x^5)/5 + (3*a^2*b*e*x^7)/7 + (3*a*b^2*c*x^8)/8 + (3*a*b^2*e*x^10)/10 + (b^3*c*x^11)/11 + (b^3*e*x^13)/13 + (d*(a + b*x^3)^4)/(12*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int x(c + dx + ex^2)(a + bx^3)^3 dx &= \frac{d(a + bx^3)^4}{12b} + \int (a + bx^3)^3 (-dx^2 + x(c + dx + ex^2)) dx \\
&= \frac{d(a + bx^3)^4}{12b} + \int (a^3cx + a^3ex^3 + 3a^2bcx^4 + 3a^2bex^6 + 3ab^2cx^7 + 3ab^2ex^9 + \\
&= \frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{3}{5}a^2bcx^5 + \frac{3}{7}a^2bex^7 + \frac{3}{8}ab^2cx^8 + \frac{3}{10}ab^2ex^{10} + \frac{1}{11}b^3cx^{11} + \frac{1}{12}b^3ex^{12} + \frac{1}{13}b^3cx^{13}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 139, normalized size = 1.26

$$\frac{1}{2}a^3cx^2 + \frac{1}{3}a^3dx^3 + \frac{1}{4}a^3ex^4 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{3}{8}ab^2cx^8 + \frac{1}{3}ab^2dx^9 + \frac{3}{10}ab^2ex^{10} + \frac{1}{11}b^3cx^{11} + \frac{1}{12}b^3dx^{12} + \frac{1}{13}b^3ex^{13}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] (a^3*c*x^2)/2 + (a^3*d*x^3)/3 + (a^3*e*x^4)/4 + (3*a^2*b*c*x^5)/5 + (a^2*b*d*x^6)/2 + (3*a^2*b*e*x^7)/7 + (3*a*b^2*c*x^8)/8 + (a*b^2*d*x^9)/3 + (3*a*b^2*e*x^10)/10 + (b^3*c*x^11)/11 + (b^3*d*x^12)/12 + (b^3*e*x^13)/13

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x(c + dx + ex^2)(a + bx^3)^3 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x*(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[x*(c + d*x + e*x^2)*(a + b*x^3)^3, x]

fricas [A] time = 0.37, size = 115, normalized size = 1.05

$$\frac{1}{13}x^{13}eb^3 + \frac{1}{12}x^{12}db^3 + \frac{1}{11}x^{11}cb^3 + \frac{3}{10}x^{10}eb^2a + \frac{1}{3}x^9db^2a + \frac{3}{8}x^8cb^2a + \frac{3}{7}x^7eba^2 + \frac{1}{2}x^6dba^2 + \frac{3}{5}x^5cba^2 + \frac{1}{4}x^4ea^3 + \frac{1}{3}x^3da^3 + \frac{1}{2}x^2ca^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/13*x^13*e*b^3 + 1/12*x^12*d*b^3 + 1/11*x^11*c*b^3 + 3/10*x^10*e*b^2*a + 1/3*x^9*d*b^2*a + 3/8*x^8*c*b^2*a + 3/7*x^7*e*b*a^2 + 1/2*x^6*d*b*a^2 + 3/5*x^5*c*b*a^2 + 1/4*x^4*e*a^3 + 1/3*x^3*d*a^3 + 1/2*x^2*c*a^3

giac [A] time = 0.17, size = 119, normalized size = 1.08

$$\frac{1}{13}b^3x^{13}e + \frac{1}{12}b^3dx^{12} + \frac{1}{11}b^3cx^{11} + \frac{3}{10}ab^2x^{10}e + \frac{1}{3}ab^2dx^9 + \frac{3}{8}ab^2cx^8 + \frac{3}{7}a^2bx^7e + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3x^4e + \frac{1}{3}a^3dx^3 + \frac{1}{2}a^3cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="giac")

$$\text{[Out] } \frac{1}{13}b^3x^{13}e + \frac{1}{12}b^3d*x^{12} + \frac{1}{11}b^3c*x^{11} + \frac{3}{10}a*b^2*x^{10}e + \frac{1}{3}a*b^2*d*x^9 + \frac{3}{8}a*b^2*c*x^8 + \frac{3}{7}a^2*b*x^7*e + \frac{1}{2}a^2*b*d*x^6 + \frac{3}{5}a^2*b*c*x^5 + \frac{1}{4}a^3*x^4*e + \frac{1}{3}a^3*d*x^3 + \frac{1}{2}a^3*c*x^2$$

maple [A] time = 0.04, size = 116, normalized size = 1.05

$$\frac{1}{13}b^3ex^{13} + \frac{1}{12}b^3dx^{12} + \frac{1}{11}b^3cx^{11} + \frac{3}{10}ab^2ex^{10} + \frac{1}{3}ab^2dx^9 + \frac{3}{8}ab^2cx^8 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3ex^4 + \frac{1}{3}a^3dx^3 + \frac{1}{2}a^3cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)*(b*x^3+a)^3,x)

$$\text{[Out] } \frac{1}{13}b^3e*x^{13} + \frac{1}{12}b^3d*x^{12} + \frac{1}{11}b^3c*x^{11} + \frac{3}{10}a*b^2*e*x^{10} + \frac{1}{3}a*b^2*d*x^9 + \frac{3}{8}a*b^2*c*x^8 + \frac{3}{7}a^2*b*e*x^7 + \frac{1}{2}a^2*b*d*x^6 + \frac{3}{5}a^2*b*c*x^5 + \frac{1}{4}a^3*e*x^4 + \frac{1}{3}a^3*d*x^3 + \frac{1}{2}a^3*c*x^2$$

maxima [A] time = 1.37, size = 115, normalized size = 1.05

$$\frac{1}{13}b^3ex^{13} + \frac{1}{12}b^3dx^{12} + \frac{1}{11}b^3cx^{11} + \frac{3}{10}ab^2ex^{10} + \frac{1}{3}ab^2dx^9 + \frac{3}{8}ab^2cx^8 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3ex^4 + \frac{1}{3}a^3dx^3 + \frac{1}{2}a^3cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="maxima")

$$\text{[Out] } \frac{1}{13}b^3e*x^{13} + \frac{1}{12}b^3d*x^{12} + \frac{1}{11}b^3c*x^{11} + \frac{3}{10}a*b^2*e*x^{10} + \frac{1}{3}a*b^2*d*x^9 + \frac{3}{8}a*b^2*c*x^8 + \frac{3}{7}a^2*b*e*x^7 + \frac{1}{2}a^2*b*d*x^6 + \frac{3}{5}a^2*b*c*x^5 + \frac{1}{4}a^3*e*x^4 + \frac{1}{3}a^3*d*x^3 + \frac{1}{2}a^3*c*x^2$$

mupad [B] time = 0.07, size = 115, normalized size = 1.05

$$\frac{ea^3x^4}{4} + \frac{da^3x^3}{3} + \frac{ca^3x^2}{2} + \frac{3ea^2bx^7}{7} + \frac{da^2bx^6}{2} + \frac{3ca^2bx^5}{5} + \frac{3eab^2x^{10}}{10} + \frac{dab^2x^9}{3} + \frac{3cab^2x^8}{8} + \frac{eb^3x^{13}}{13} + \frac{db^3x^{12}}{12} + \frac{cb^3x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^3)^3*(c + d*x + e*x^2),x)

$$\text{[Out] } \frac{(a^3*c*x^2)}{2} + \frac{(a^3*d*x^3)}{3} + \frac{(b^3*c*x^{11})}{11} + \frac{(a^3*e*x^4)}{4} + \frac{(b^3*d*x^{12})}{12} + \frac{(b^3*e*x^{13})}{13} + \frac{(3*a^2*b*c*x^5)}{5} + \frac{(3*a*b^2*c*x^8)}{8} + \frac{(a^2*b*d*x^6)}{2} + \frac{(a*b^2*d*x^9)}{3} + \frac{(3*a^2*b*e*x^7)}{7} + \frac{(3*a*b^2*e*x^{10})}{10}$$

sympy [A] time = 0.09, size = 138, normalized size = 1.25

$$\frac{a^3cx^2}{2} + \frac{a^3dx^3}{3} + \frac{a^3ex^4}{4} + \frac{3a^2bcx^5}{5} + \frac{a^2bdx^6}{2} + \frac{3a^2bex^7}{7} + \frac{3ab^2cx^8}{8} + \frac{ab^2dx^9}{3} + \frac{3ab^2ex^{10}}{10} + \frac{b^3cx^{11}}{11} + \frac{b^3dx^{12}}{12} + \frac{b^3ex^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d*x+c)*(b*x**3+a)**3,x)

[Out] a**3*c*x**2/2 + a**3*d*x**3/3 + a**3*e*x**4/4 + 3*a**2*b*c*x**5/5 + a**2*b*d*x**6/2 + 3*a**2*b*e*x**7/7 + 3*a*b**2*c*x**8/8 + a*b**2*d*x**9/3 + 3*a*b**2*e*x**10/10 + b**3*c*x**11/11 + b**3*d*x**12/12 + b**3*e*x**13/13

$$3.274 \quad \int (c + dx + ex^2) (a + bx^3)^3 dx$$

Optimal. Leaf size=105

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{e(a + bx^3)^4}{12b} + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$$

Rubi [A] time = 0.10, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1582, 1850}

$$\frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{e(a + bx^3)^4}{12b} + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] a^3*c*x + (a^3*d*x^2)/2 + (3*a^2*b*c*x^4)/4 + (3*a^2*b*d*x^5)/5 + (3*a*b^2*c*x^7)/7 + (3*a*b^2*d*x^8)/8 + (b^3*c*x^10)/10 + (b^3*d*x^11)/11 + (e*(a + b*x^3)^4)/(12*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_.))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2)(a + bx^3)^3 dx &= \frac{e(a + bx^3)^4}{12b} + \int (c + dx)(a + bx^3)^3 dx \\
&= \frac{e(a + bx^3)^4}{12b} + \int (a^3c + a^3dx + 3a^2bcx^3 + 3a^2bdx^4 + 3ab^2cx^6 + 3ab^2dx^7 + b^3c \\
&= a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11} + \frac{1}{12}b^3ex^{12}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 134, normalized size = 1.28

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{1}{2}a^2bex^6 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{3}ab^2ex^9 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11} + \frac{1}{12}b^3ex^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] a^3*c*x + (a^3*d*x^2)/2 + (a^3*e*x^3)/3 + (3*a^2*b*c*x^4)/4 + (3*a^2*b*d*x^5)/5 + (a^2*b*e*x^6)/2 + (3*a*b^2*c*x^7)/7 + (3*a*b^2*d*x^8)/8 + (a*b^2*e*x^9)/3 + (b^3*c*x^10)/10 + (b^3*d*x^11)/11 + (b^3*e*x^12)/12

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx + ex^2)(a + bx^3)^3 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)*(a + b*x^3)^3, x]

fricas [A] time = 0.37, size = 112, normalized size = 1.07

$$\frac{1}{12}x^{12}eb^3 + \frac{1}{11}x^{11}db^3 + \frac{1}{10}x^{10}cb^3 + \frac{1}{3}x^9eb^2a + \frac{3}{8}x^8db^2a + \frac{3}{7}x^7cb^2a + \frac{1}{2}x^6eba^2 + \frac{3}{5}x^5dba^2 + \frac{3}{4}x^4cba^2 + \frac{1}{3}x^3ea^3 + \frac{1}{2}x^2da^3 + xca^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/12*x^12*e*b^3 + 1/11*x^11*d*b^3 + 1/10*x^10*c*b^3 + 1/3*x^9*e*b^2*a + 3/8*x^8*d*b^2*a + 3/7*x^7*c*b^2*a + 1/2*x^6*e*b*a^2 + 3/5*x^5*d*b*a^2 + 3/4*x^4*c*b*a^2 + 1/3*x^3*e*a^3 + 1/2*x^2*d*a^3 + x*c*a^3

giac [A] time = 0.15, size = 116, normalized size = 1.10

$$\frac{1}{12}b^3x^{12}e + \frac{1}{11}b^3dx^{11} + \frac{1}{10}b^3cx^{10} + \frac{1}{3}ab^2x^9e + \frac{3}{8}ab^2dx^8 + \frac{3}{7}ab^2cx^7 + \frac{1}{2}a^2bx^6e + \frac{3}{5}a^2bdx^5 + \frac{3}{4}a^2bcx^4 + \frac{1}{3}a^3x^3e + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/12*b^3*x^12*e + 1/11*b^3*d*x^11 + 1/10*b^3*c*x^10 + 1/3*a*b^2*x^9*e + 3/8*a*b^2*d*x^8 + 3/7*a*b^2*c*x^7 + 1/2*a^2*b*x^6*e + 3/5*a^2*b*d*x^5 + 3/4*a^2*b*c*x^4 + 1/3*a^3*x^3*e + 1/2*a^3*d*x^2 + a^3*c*x

maple [A] time = 0.05, size = 113, normalized size = 1.08

$$\frac{1}{12}b^3ex^{12} + \frac{1}{11}b^3dx^{11} + \frac{1}{10}b^3cx^{10} + \frac{1}{3}ab^2ex^9 + \frac{3}{8}ab^2dx^8 + \frac{3}{7}ab^2cx^7 + \frac{1}{2}a^2bex^6 + \frac{3}{5}a^2bdx^5 + \frac{3}{4}a^2bcx^4 + \frac{1}{3}a^3ex^3 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^3,x)

[Out] 1/12*b^3*e*x^12+1/11*b^3*d*x^11+1/10*b^3*c*x^10+1/3*a*b^2*e*x^9+3/8*a*b^2*d*x^8+3/7*a*b^2*c*x^7+1/2*a^2*b*e*x^6+3/5*a^2*b*d*x^5+3/4*a^2*b*c*x^4+1/3*a^3*e*x^3+1/2*a^3*d*x^2+a^3*c*x

maxima [A] time = 1.33, size = 112, normalized size = 1.07

$$\frac{1}{12}b^3ex^{12} + \frac{1}{11}b^3dx^{11} + \frac{1}{10}b^3cx^{10} + \frac{1}{3}ab^2ex^9 + \frac{3}{8}ab^2dx^8 + \frac{3}{7}ab^2cx^7 + \frac{1}{2}a^2bex^6 + \frac{3}{5}a^2bdx^5 + \frac{3}{4}a^2bcx^4 + \frac{1}{3}a^3ex^3 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/12*b^3*e*x^12 + 1/11*b^3*d*x^11 + 1/10*b^3*c*x^10 + 1/3*a*b^2*e*x^9 + 3/8*a*b^2*d*x^8 + 3/7*a*b^2*c*x^7 + 1/2*a^2*b*e*x^6 + 3/5*a^2*b*d*x^5 + 3/4*a^2*b*c*x^4 + 1/3*a^3*e*x^3 + 1/2*a^3*d*x^2 + a^3*c*x

mupad [B] time = 0.07, size = 112, normalized size = 1.07

$$\frac{ea^3x^3}{3} + \frac{da^3x^2}{2} + ca^3x + \frac{ea^2bx^6}{2} + \frac{3da^2bx^5}{5} + \frac{3ca^2bx^4}{4} + \frac{eab^2x^9}{3} + \frac{3dab^2x^8}{8} + \frac{3cab^2x^7}{7} + \frac{eb^3x^{12}}{12} + \frac{db^3x^{11}}{11} + \frac{cb^3x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^3*(c + d*x + e*x^2),x)

[Out] (a^3*d*x^2)/2 + (b^3*c*x^10)/10 + (a^3*e*x^3)/3 + (b^3*d*x^11)/11 + (b^3*e*x^12)/12 + a^3*c*x + (3*a^2*b*c*x^4)/4 + (3*a*b^2*c*x^7)/7 + (3*a^2*b*d*x^5)/5 + (3*a*b^2*d*x^8)/8 + (a^2*b*e*x^6)/2 + (a*b^2*e*x^9)/3

sympy [A] time = 0.14, size = 134, normalized size = 1.28

$$a^3cx + \frac{a^3dx^2}{2} + \frac{a^3ex^3}{3} + \frac{3a^2bcx^4}{4} + \frac{3a^2bdx^5}{5} + \frac{a^2bex^6}{2} + \frac{3ab^2cx^7}{7} + \frac{3ab^2dx^8}{8} + \frac{ab^2ex^9}{3} + \frac{b^3cx^{10}}{10} + \frac{b^3dx^{11}}{11} + \frac{b^3ex^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**3,x)

[Out] a**3*c*x + a**3*d*x**2/2 + a**3*e*x**3/3 + 3*a**2*b*c*x**4/4 + 3*a**2*b*d*x**5/5 + a**2*b*e*x**6/2 + 3*a*b**2*c*x**7/7 + 3*a*b**2*d*x**8/8 + a*b**2*e*x**9/3 + b**3*c*x**10/10 + b**3*d*x**11/11 + b**3*e*x**12/12

$$3.275 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x} dx$$

Optimal. Leaf size=127

$$a^3c \log(x) + a^3dx + \frac{1}{2}a^3ex^2 + a^2bcx^3 + \frac{3}{4}a^2bdx^4 + \frac{3}{5}a^2bex^5 + \frac{1}{2}ab^2cx^6 + \frac{3}{7}ab^2dx^7 + \frac{3}{8}ab^2ex^8 + \frac{1}{9}b^3cx^9 + \frac{1}{10}b^3dx^{10} + \frac{1}{11}b^3ex^{11}$$

Rubi [A] time = 0.07, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$a^2bcx^3 + \frac{3}{4}a^2bdx^4 + \frac{3}{5}a^2bex^5 + a^3c \log(x) + a^3dx + \frac{1}{2}a^3ex^2 + \frac{1}{2}ab^2cx^6 + \frac{3}{7}ab^2dx^7 + \frac{3}{8}ab^2ex^8 + \frac{1}{9}b^3cx^9 + \frac{1}{10}b^3dx^{10} + \frac{1}{11}b^3ex^{11}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^3)/x,x]

[Out] a^3*d*x + (a^3*e*x^2)/2 + a^2*b*c*x^3 + (3*a^2*b*d*x^4)/4 + (3*a^2*b*e*x^5)/5 + (a*b^2*c*x^6)/2 + (3*a*b^2*d*x^7)/7 + (3*a*b^2*e*x^8)/8 + (b^3*c*x^9)/9 + (b^3*d*x^10)/10 + (b^3*e*x^11)/11 + a^3*c*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_)) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x} dx &= \int \left(a^3d + \frac{a^3c}{x} + a^3ex + 3a^2bcx^2 + 3a^2bdx^3 + 3a^2bex^4 + 3ab^2cx^5 + 3ab^2dx^6 + \right. \\ &\quad \left. + a^3dx + \frac{1}{2}a^3ex^2 + a^2bcx^3 + \frac{3}{4}a^2bdx^4 + \frac{3}{5}a^2bex^5 + \frac{1}{2}ab^2cx^6 + \frac{3}{7}ab^2dx^7 + \frac{3}{8}ab^2ex^8 + \frac{1}{9}b^3cx^9 + \frac{1}{10}b^3dx^{10} + \frac{1}{11}b^3ex^{11} \right) dx \end{aligned}$$

Mathematica [A] time = 0.01, size = 127, normalized size = 1.00

$$a^3c \log(x) + a^3dx + \frac{1}{2}a^3ex^2 + a^2bcx^3 + \frac{3}{4}a^2bdx^4 + \frac{3}{5}a^2bex^5 + \frac{1}{2}ab^2cx^6 + \frac{3}{7}ab^2dx^7 + \frac{3}{8}ab^2ex^8 + \frac{1}{9}b^3cx^9 + \frac{1}{10}b^3dx^{10} + \frac{1}{11}b^3ex^{11}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^3)/x,x]

[Out] $a^3dx + (a^3ex^2)/2 + a^2b^2cx^3 + (3a^2b^2dx^4)/4 + (3a^2b^2ex^5)/5 + (a^2b^2cx^6)/2 + (3a^2b^2dx^7)/7 + (3a^2b^2ex^8)/8 + (b^3cx^9)/9 + (b^3dx^{10})/10 + (b^3ex^{11})/11 + a^3c\text{Log}[x]$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx + ex^2)(a + bx^3)^3}{x} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^3)/x,x]

[Out] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^3)/x, x]

fricas [A] time = 0.40, size = 109, normalized size = 0.86

$$\frac{1}{11}b^3ex^{11} + \frac{1}{10}b^3dx^{10} + \frac{1}{9}b^3cx^9 + \frac{3}{8}ab^2ex^8 + \frac{3}{7}ab^2dx^7 + \frac{1}{2}ab^2cx^6 + \frac{3}{5}a^2bex^5 + \frac{3}{4}a^2bdx^4 + a^2bcx^3 + \frac{1}{2}a^3ex^2 + a^3dx + a^3c\log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x,x, algorithm="fricas")

[Out] $1/11*b^3*ex^{11} + 1/10*b^3*d*x^{10} + 1/9*b^3*c*x^9 + 3/8*a*b^2*ex^8 + 3/7*a*b^2*d*x^7 + 1/2*a*b^2*c*x^6 + 3/5*a^2*b*ex^5 + 3/4*a^2*b*d*x^4 + a^2*b*c*x^3 + 1/2*a^3*ex^2 + a^3*d*x + a^3*c*\log(x)$

giac [A] time = 0.15, size = 114, normalized size = 0.90

$$\frac{1}{11}b^3x^{11}e + \frac{1}{10}b^3dx^{10} + \frac{1}{9}b^3cx^9 + \frac{3}{8}ab^2x^8e + \frac{3}{7}ab^2dx^7 + \frac{1}{2}ab^2cx^6 + \frac{3}{5}a^2bx^5e + \frac{3}{4}a^2bdx^4 + a^2bcx^3 + \frac{1}{2}a^3x^2e + a^3dx + a^3c\log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x,x, algorithm="giac")

[Out] $1/11*b^3*x^{11}*e + 1/10*b^3*d*x^{10} + 1/9*b^3*c*x^9 + 3/8*a*b^2*x^8*e + 3/7*a*b^2*d*x^7 + 1/2*a*b^2*c*x^6 + 3/5*a^2*b*x^5*e + 3/4*a^2*b*d*x^4 + a^2*b*c*x^3 + 1/2*a^3*x^2*e + a^3*d*x + a^3*c*\log(\text{abs}(x))$

maple [A] time = 0.05, size = 110, normalized size = 0.87

$$\frac{b^3ex^{11}}{11} + \frac{b^3dx^{10}}{10} + \frac{b^3cx^9}{9} + \frac{3ab^2ex^8}{8} + \frac{3ab^2dx^7}{7} + \frac{ab^2cx^6}{2} + \frac{3a^2bex^5}{5} + \frac{3a^2bdx^4}{4} + a^2bcx^3 + \frac{a^3ex^2}{2} + a^3c\ln(x) + a^3dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^3/x,x)

[Out] $a^3dx + \frac{1}{2}a^3e^x + a^2b^2cx^3 + \frac{3}{4}a^2b^2dx^4 + \frac{3}{5}a^2b^2e^x + \frac{1}{2}a^2b^2c^2x^6 + \frac{3}{7}a^2b^2d^2x^7 + \frac{3}{8}a^2b^2e^2x^8 + \frac{1}{9}b^3c^2x^9 + \frac{1}{10}b^3d^2x^{10} + \frac{1}{11}b^3e^2x^{11} + a^3c \ln(x)$

maxima [A] time = 1.29, size = 109, normalized size = 0.86

$$\frac{1}{11}b^3e^{11} + \frac{1}{10}b^3dx^{10} + \frac{1}{9}b^3cx^9 + \frac{3}{8}ab^2ex^8 + \frac{3}{7}ab^2dx^7 + \frac{1}{2}ab^2cx^6 + \frac{3}{5}a^2bex^5 + \frac{3}{4}a^2bdx^4 + a^2bcx^3 + \frac{1}{2}a^3ex^2 + a^3dx + a^3c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x,x, algorithm="maxima")`

[Out] $\frac{1}{11}b^3e^x + \frac{1}{10}b^3d^2x^{10} + \frac{1}{9}b^3c^2x^9 + \frac{3}{8}a^2b^2e^2x^8 + \frac{3}{7}a^2b^2d^2x^7 + \frac{1}{2}a^2b^2c^2x^6 + \frac{3}{5}a^2b^2e^2x^5 + \frac{3}{4}a^2b^2d^2x^4 + a^2b^2c^2x^3 + \frac{1}{2}a^3e^2x^2 + a^3d^2x + a^3c^2 \log(x)$

mupad [B] time = 0.08, size = 109, normalized size = 0.86

$$\frac{b^3cx^9}{9} + \frac{a^3ex^2}{2} + \frac{b^3dx^{10}}{10} + \frac{b^3ex^{11}}{11} + a^3c \ln(x) + a^3dx + a^2bcx^3 + \frac{ab^2cx^6}{2} + \frac{3a^2bdx^4}{4} + \frac{3ab^2dx^7}{7} + \frac{3a^2bex^5}{5} + \frac{3ab^2ex^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^3*(c + d*x + e*x^2))/x,x)`

[Out] $\frac{(b^3c^2x^9)}{9} + \frac{(a^3e^2x^2)}{2} + \frac{(b^3d^2x^{10})}{10} + \frac{(b^3e^2x^{11})}{11} + a^3c^2 \log(x) + a^3d^2x + a^2b^2c^2x^3 + \frac{(a^2b^2c^2x^6)}{2} + \frac{(3a^2b^2d^2x^4)}{4} + \frac{(3a^2b^2e^2x^7)}{7} + \frac{(3a^2b^2e^2x^5)}{5} + \frac{(3a^2b^2e^2x^8)}{8}$

sympy [A] time = 0.29, size = 131, normalized size = 1.03

$$a^3c \log(x) + a^3dx + \frac{a^3ex^2}{2} + a^2bcx^3 + \frac{3a^2bdx^4}{4} + \frac{3a^2bex^5}{5} + \frac{ab^2cx^6}{2} + \frac{3ab^2dx^7}{7} + \frac{3ab^2ex^8}{8} + \frac{b^3cx^9}{9} + \frac{b^3dx^{10}}{10} + \frac{b^3ex^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)**3/x,x)`

[Out] $a^3c^2 \log(x) + a^3d^2x + a^3e^2x^2/2 + a^2b^2c^2x^3 + 3a^2b^2d^2x^4/4 + 3a^2b^2e^2x^5/5 + a^2b^2c^2x^6/2 + 3a^2b^2d^2x^7/7 + 3a^2b^2e^2x^8/8 + b^3c^2x^9/9 + b^3d^2x^{10}/10 + b^3e^2x^{11}/11$

$$3.276 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^2} dx$$

Optimal. Leaf size=125

$$-\frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{3}{2}a^2bcx^2 + a^2bdx^3 + \frac{3}{4}a^2bex^4 + \frac{3}{5}ab^2cx^5 + \frac{1}{2}ab^2dx^6 + \frac{3}{7}ab^2ex^7 + \frac{1}{8}b^3cx^8 + \frac{1}{9}b^3dx^9 + \frac{1}{10}b^3ex^{10}$$

Rubi [A] time = 0.09, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$\frac{3}{2}a^2bcx^2 + a^2bdx^3 + \frac{3}{4}a^2bex^4 - \frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{3}{5}ab^2cx^5 + \frac{1}{2}ab^2dx^6 + \frac{3}{7}ab^2ex^7 + \frac{1}{8}b^3cx^8 + \frac{1}{9}b^3dx^9 + \frac{1}{10}b^3ex^{10}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^2,x]

[Out] -((a^3*c)/x) + a^3*e*x + (3*a^2*b*c*x^2)/2 + a^2*b*d*x^3 + (3*a^2*b*e*x^4)/4 + (3*a*b^2*c*x^5)/5 + (a*b^2*d*x^6)/2 + (3*a*b^2*e*x^7)/7 + (b^3*c*x^8)/8 + (b^3*d*x^9)/9 + (b^3*e*x^10)/10 + a^3*d*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_)) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^2} dx &= \int \left(a^3e + \frac{a^3c}{x^2} + \frac{a^3d}{x} + 3a^2bcx + 3a^2bdx^2 + 3a^2bex^3 + 3ab^2cx^4 + 3ab^2dx^5 + 3ab^2ex^6 \right. \\ &\quad \left. - \frac{a^3c}{x} + a^3ex + \frac{3}{2}a^2bcx^2 + a^2bdx^3 + \frac{3}{4}a^2bex^4 + \frac{3}{5}ab^2cx^5 + \frac{1}{2}ab^2dx^6 + \frac{3}{7}ab^2ex^7 \right) dx \end{aligned}$$

Mathematica [A] time = 0.02, size = 125, normalized size = 1.00

$$-\frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{3}{2}a^2bcx^2 + a^2bdx^3 + \frac{3}{4}a^2bex^4 + \frac{3}{5}ab^2cx^5 + \frac{1}{2}ab^2dx^6 + \frac{3}{7}ab^2ex^7 + \frac{1}{8}b^3cx^8 + \frac{1}{9}b^3dx^9 + \frac{1}{10}b^3ex^{10}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^2, x]

[Out] $-\frac{(a^3c)}{x} + a^3e*x + \frac{(3a^2*b*c*x^2)}{2} + a^2*b*d*x^3 + \frac{(3a^2*b*e*x^4)}{4} + \frac{(3a*b^2*c*x^5)}{5} + \frac{(a*b^2*d*x^6)}{2} + \frac{(3a*b^2*e*x^7)}{7} + \frac{(b^3*c*x^8)}{8} + \frac{(b^3*d*x^9)}{9} + \frac{(b^3*e*x^{10})}{10} + a^3*d*\text{Log}[x]$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx + ex^2)(a + bx^3)^3}{x^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^2, x]

[Out] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^2, x]

fricas [A] time = 0.38, size = 117, normalized size = 0.94

$$\frac{252b^3ex^{11} + 280b^3dx^{10} + 315b^3cx^9 + 1080ab^2ex^8 + 1260ab^2dx^7 + 1512ab^2cx^6 + 1890a^2bex^5 + 2520a^2bdx^4 + 3780a^2bcx^3 + 2520a^3ex^2 + 2520a^3d\log(x) - 2520a^3c}{2520x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^2, x, algorithm="fricas")

[Out] $\frac{1}{2520}*(252*b^3*e*x^{11} + 280*b^3*d*x^{10} + 315*b^3*c*x^9 + 1080*a*b^2*e*x^8 + 1260*a*b^2*d*x^7 + 1512*a*b^2*c*x^6 + 1890*a^2*b*e*x^5 + 2520*a^2*b*d*x^4 + 3780*a^2*b*c*x^3 + 2520*a^3*e*x^2 + 2520*a^3*d*x*\log(x) - 2520*a^3*c)/x$

giac [A] time = 0.18, size = 114, normalized size = 0.91

$$\frac{1}{10}b^3x^{10}e + \frac{1}{9}b^3dx^9 + \frac{1}{8}b^3cx^8 + \frac{3}{7}ab^2x^7e + \frac{1}{2}ab^2dx^6 + \frac{3}{5}ab^2cx^5 + \frac{3}{4}a^2bx^4e + a^2bdx^3 + \frac{3}{2}a^2bcx^2 + a^3xe + a^3d\log(|x|) - \frac{a^3c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^2, x, algorithm="giac")

[Out] $\frac{1}{10}*b^3*x^{10}*e + \frac{1}{9}*b^3*d*x^9 + \frac{1}{8}*b^3*c*x^8 + \frac{3}{7}*a*b^2*x^7*e + \frac{1}{2}*a*b^2*d*x^6 + \frac{3}{5}*a*b^2*c*x^5 + \frac{3}{4}*a^2*b*x^4*e + a^2*b*d*x^3 + \frac{3}{2}*a^2*b*c*x^2 + a^3*x*e + a^3*d*\log(\text{abs}(x)) - a^3*c/x$

maple [A] time = 0.05, size = 110, normalized size = 0.88

$$\frac{b^3ex^{10}}{10} + \frac{b^3dx^9}{9} + \frac{b^3cx^8}{8} + \frac{3ab^2ex^7}{7} + \frac{ab^2dx^6}{2} + \frac{3ab^2cx^5}{5} + \frac{3a^2bex^4}{4} + a^2bdx^3 + \frac{3a^2bcx^2}{2} + a^3d\ln(x) + a^3ex - \frac{a^3c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)*(b*x^3+a)^3/x^2,x)`

[Out] $-a^3c/x + a^3e^x + 3/2a^2b^2cx^2 + a^2b^2dx^3 + 3/4a^2b^2e^x^4 + 3/5a^2b^2c^2x^5 + 1/2a^2b^2d^2x^6 + 3/7a^2b^2e^x^7 + 1/8b^3c^2x^8 + 1/9b^3d^2x^9 + 1/10b^3e^x^{10} + a^3d \ln(x)$

maxima [A] time = 1.35, size = 109, normalized size = 0.87

$$\frac{1}{10}b^3ex^{10} + \frac{1}{9}b^3dx^9 + \frac{1}{8}b^3cx^8 + \frac{3}{7}ab^2ex^7 + \frac{1}{2}ab^2dx^6 + \frac{3}{5}ab^2cx^5 + \frac{3}{4}a^2bex^4 + a^2bdx^3 + \frac{3}{2}a^2bcx^2 + a^3ex + a^3d \log(x) - \frac{a^3c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^2,x, algorithm="maxima")`

[Out] $1/10b^3e^x^{10} + 1/9b^3d^2x^9 + 1/8b^3c^2x^8 + 3/7a^2b^2e^x^7 + 1/2a^2b^2d^2x^6 + 3/5a^2b^2c^2x^5 + 3/4a^2b^2e^x^4 + a^2b^2dx^3 + 3/2a^2b^2c^2x^2 + a^3e^x + a^3d \log(x) - a^3c/x$

mupad [B] time = 0.08, size = 109, normalized size = 0.87

$$\frac{b^3cx^8}{8} - \frac{a^3c}{x} + \frac{b^3dx^9}{9} + \frac{b^3ex^{10}}{10} + a^3d \ln(x) + a^3ex + \frac{3a^2bcx^2}{2} + \frac{3ab^2cx^5}{5} + a^2bdx^3 + \frac{ab^2dx^6}{2} + \frac{3a^2bex^4}{4} + \frac{3ab^2ex^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^3*(c + d*x + e*x^2))/x^2,x)`

[Out] $(b^3c^2x^8)/8 - (a^3c)/x + (b^3d^2x^9)/9 + (b^3e^x^{10})/10 + a^3d \log(x) + a^3e^x + (3a^2b^2c^2x^2)/2 + (3a^2b^2c^2x^5)/5 + a^2b^2d^2x^3 + (a^2b^2d^2x^6)/2 + (3a^2b^2e^x^4)/4 + (3a^2b^2e^x^7)/7$

sympy [A] time = 0.29, size = 128, normalized size = 1.02

$$-\frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{3a^2bcx^2}{2} + a^2bdx^3 + \frac{3a^2bex^4}{4} + \frac{3ab^2cx^5}{5} + \frac{ab^2dx^6}{2} + \frac{3ab^2ex^7}{7} + \frac{b^3cx^8}{8} + \frac{b^3dx^9}{9} + \frac{b^3ex^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)**3/x**2,x)`

[Out] $-a^3c/x + a^3d \log(x) + a^3e^x + 3a^2b^2c^2x^2/2 + a^2b^2d^2x^3 + 3a^2b^2e^x^4/4 + 3a^2b^2c^2x^5/5 + a^2b^2d^2x^6/2 + 3a^2b^2e^x^7/7 + b^3c^2x^8/8 + b^3d^2x^9/9 + b^3e^x^{10}/10$

$$3.277 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^3} dx$$

Optimal. Leaf size=126

$$-\frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^3e \log(x) + 3a^2bcx + \frac{3}{2}a^2bdx^2 + a^2bex^3 + \frac{3}{4}ab^2cx^4 + \frac{3}{5}ab^2dx^5 + \frac{1}{2}ab^2ex^6 + \frac{1}{7}b^3cx^7 + \frac{1}{8}b^3dx^8 + \frac{1}{9}b^3ex^9$$

Rubi [A] time = 0.09, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$3a^2bcx + \frac{3}{2}a^2bdx^2 + a^2bex^3 - \frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^3e \log(x) + \frac{3}{4}ab^2cx^4 + \frac{3}{5}ab^2dx^5 + \frac{1}{2}ab^2ex^6 + \frac{1}{7}b^3cx^7 + \frac{1}{8}b^3dx^8 + \frac{1}{9}b^3ex^9$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^3, x]

[Out] $-(a^3c)/(2*x^2) - (a^3d)/x + 3*a^2*b*c*x + (3*a^2*b*d*x^2)/2 + a^2*b*e*x^3 + (3*a*b^2*c*x^4)/4 + (3*a*b^2*d*x^5)/5 + (a*b^2*e*x^6)/2 + (b^3*c*x^7)/7 + (b^3*d*x^8)/8 + (b^3*e*x^9)/9 + a^3*e*Log[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^3} dx &= \int \left(3a^2bc + \frac{a^3c}{x^3} + \frac{a^3d}{x^2} + \frac{a^3e}{x} + 3a^2bdx + 3a^2bex^2 + 3ab^2cx^3 + 3ab^2dx^4 + 3a^2b^2ex^5 \right. \\ &\quad \left. - \frac{a^3c}{2x^2} - \frac{a^3d}{x} + 3a^2bcx + \frac{3}{2}a^2bdx^2 + a^2bex^3 + \frac{3}{4}ab^2cx^4 + \frac{3}{5}ab^2dx^5 + \frac{1}{2}ab^2ex^6 \right) dx \end{aligned}$$

Mathematica [A] time = 0.01, size = 126, normalized size = 1.00

$$-\frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^3e \log(x) + 3a^2bcx + \frac{3}{2}a^2bdx^2 + a^2bex^3 + \frac{3}{4}ab^2cx^4 + \frac{3}{5}ab^2dx^5 + \frac{1}{2}ab^2ex^6 + \frac{1}{7}b^3cx^7 + \frac{1}{8}b^3dx^8 + \frac{1}{9}b^3ex^9$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^3,x]

[Out] $-\frac{1}{2} \frac{a^3 c}{x^2} - \frac{a^3 d}{x} + 3a^2 b c x + \frac{(3a^2 b d x^2)}{2} + a^2 b e x^3 + \frac{(3a b^2 c x^4)}{4} + \frac{(3a b^2 d x^5)}{5} + \frac{(a b^2 e x^6)}{2} + \frac{(b^3 c x^7)}{7} + \frac{(b^3 d x^8)}{8} + \frac{(b^3 e x^9)}{9} + a^3 e \operatorname{Log}[x]$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx + ex^2)(a + bx^3)^3}{x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^3,x]

[Out] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^3, x]

fricas [A] time = 0.41, size = 117, normalized size = 0.93

$$\frac{280 b^3 e x^{11} + 315 b^3 d x^{10} + 360 b^3 c x^9 + 1260 a b^2 e x^8 + 1512 a b^2 d x^7 + 1890 a b^2 c x^6 + 2520 a^2 b e x^5 + 3780 a^2 b d x^4 + 7560 a^2 b c x^3 + 2520 a^3 e x^2 \log(x) - 2520 a^3 d x - 1260 a^3 c}{2520 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^3,x, algorithm="fricas")

[Out] $\frac{1}{2520} (280 b^3 e x^{11} + 315 b^3 d x^{10} + 360 b^3 c x^9 + 1260 a b^2 e x^8 + 1512 a b^2 d x^7 + 1890 a b^2 c x^6 + 2520 a^2 b e x^5 + 3780 a^2 b d x^4 + 7560 a^2 b c x^3 + 2520 a^3 e x^2 \log(x) - 2520 a^3 d x - 1260 a^3 c) / x^2$

giac [A] time = 0.15, size = 115, normalized size = 0.91

$$\frac{1}{9} b^3 x^9 e + \frac{1}{8} b^3 d x^8 + \frac{1}{7} b^3 c x^7 + \frac{1}{2} a b^2 x^6 e + \frac{3}{5} a b^2 d x^5 + \frac{3}{4} a b^2 c x^4 + a^2 b x^3 e + \frac{3}{2} a^2 b d x^2 + 3 a^2 b c x + a^3 e \log(|x|) - \frac{2 a^3 d x + a^3 c}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^3,x, algorithm="giac")

[Out] $\frac{1}{9} b^3 x^9 e + \frac{1}{8} b^3 d x^8 + \frac{1}{7} b^3 c x^7 + \frac{1}{2} a b^2 x^6 e + \frac{3}{5} a b^2 d x^5 + \frac{3}{4} a b^2 c x^4 + a^2 b x^3 e + \frac{3}{2} a^2 b d x^2 + 3 a^2 b c x + a^3 e \log(\operatorname{abs}(x)) - \frac{1}{2} (2 a^3 d x + a^3 c) / x^2$

maple [A] time = 0.05, size = 111, normalized size = 0.88

$$\frac{b^3 e x^9}{9} + \frac{b^3 d x^8}{8} + \frac{b^3 c x^7}{7} + \frac{a b^2 e x^6}{2} + \frac{3 a b^2 d x^5}{5} + \frac{3 a b^2 c x^4}{4} + a^2 b e x^3 + \frac{3 a^2 b d x^2}{2} + a^3 e \ln(x) + 3 a^2 b c x - \frac{a^3 d}{x} - \frac{a^3 c}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)*(b*x^3+a)^3/x^3,x)`

[Out] $-1/2*a^3*c/x^2 - a^3*d/x + 3*a^2*b*c*x + 3/2*a^2*b*d*x^2 + a^2*b*e*x^3 + 3/4*a*b^2*c*x^4 + 3/5*a*b^2*d*x^5 + 1/2*a*b^2*e*x^6 + 1/7*b^3*c*x^7 + 1/8*b^3*d*x^8 + 1/9*b^3*e*x^9 + a^3*e*\ln(x)$

maxima [A] time = 1.32, size = 110, normalized size = 0.87

$$\frac{1}{9}b^3ex^9 + \frac{1}{8}b^3dx^8 + \frac{1}{7}b^3cx^7 + \frac{1}{2}ab^2ex^6 + \frac{3}{5}ab^2dx^5 + \frac{3}{4}ab^2cx^4 + a^2bex^3 + \frac{3}{2}a^2bdx^2 + 3a^2bcx + a^3e \log(x) - \frac{2a^3dx + a^3c}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^3,x, algorithm="maxima")`

[Out] $1/9*b^3*e*x^9 + 1/8*b^3*d*x^8 + 1/7*b^3*c*x^7 + 1/2*a*b^2*e*x^6 + 3/5*a*b^2*d*x^5 + 3/4*a*b^2*c*x^4 + a^2*b*e*x^3 + 3/2*a^2*b*d*x^2 + 3*a^2*b*c*x + a^3*e*\log(x) - 1/2*(2*a^3*d*x + a^3*c)/x^2$

mupad [B] time = 4.90, size = 110, normalized size = 0.87

$$\frac{b^3cx^7}{7} - \frac{a^3c + a^3dx}{x^2} + \frac{b^3dx^8}{8} + \frac{b^3ex^9}{9} + a^3e \ln(x) + 3a^2bcx + \frac{3ab^2cx^4}{4} + \frac{3a^2bdx^2}{2} + \frac{3ab^2dx^5}{5} + a^2bex^3 + \frac{ab^2ex^6}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^3*(c + d*x + e*x^2))/x^3,x)`

[Out] $(b^3*c*x^7)/7 - ((a^3*c)/2 + a^3*d*x)/x^2 + (b^3*d*x^8)/8 + (b^3*e*x^9)/9 + a^3*e*\log(x) + 3*a^2*b*c*x + (3*a*b^2*c*x^4)/4 + (3*a^2*b*d*x^2)/2 + (3*a*b^2*d*x^5)/5 + a^2*b*e*x^3 + (a*b^2*e*x^6)/2$

sympy [A] time = 0.36, size = 131, normalized size = 1.04

$$a^3e \log(x) + 3a^2bcx + \frac{3a^2bdx^2}{2} + a^2bex^3 + \frac{3ab^2cx^4}{4} + \frac{3ab^2dx^5}{5} + \frac{ab^2ex^6}{2} + \frac{b^3cx^7}{7} + \frac{b^3dx^8}{8} + \frac{b^3ex^9}{9} + \frac{-a^3c - 2a^3dx}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)**3/x**3,x)`

[Out] $a**3*e*\log(x) + 3*a**2*b*c*x + 3*a**2*b*d*x**2/2 + a**2*b*e*x**3 + 3*a*b**2*c*x**4/4 + 3*a*b**2*d*x**5/5 + a*b**2*e*x**6/2 + b**3*c*x**7/7 + b**3*d*x**8/8 + b**3*e*x**9/9 + (-a**3*c - 2*a**3*d*x)/(2*x**2)$

$$3.278 \quad \int x^2 (c + dx + ex^2) (a + bx^3)^4 dx$$

Optimal. Leaf size=138

$$\frac{1}{4}a^4dx^4 + \frac{1}{5}a^4ex^5 + \frac{4}{7}a^3bdx^7 + \frac{1}{2}a^3bex^8 + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{4}{13}ab^3dx^{13} + \frac{2}{7}ab^3ex^{14} + \frac{c(a+bx^3)^5}{15b} + \frac{1}{16}b^4dx^{16} + \frac{1}{17}b^4ex^{17}$$

Rubi [A] time = 0.10, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {1582, 1850}

$$\frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{4}{7}a^3bdx^7 + \frac{1}{2}a^3bex^8 + \frac{1}{4}a^4dx^4 + \frac{1}{5}a^4ex^5 + \frac{4}{13}ab^3dx^{13} + \frac{2}{7}ab^3ex^{14} + \frac{c(a+bx^3)^5}{15b} + \frac{1}{16}b^4dx^{16} + \frac{1}{17}b^4ex^{17}$$

Antiderivative was successfully verified.

[In] Int[x^2*(c + d*x + e*x^2)*(a + b*x^3)^4,x]

[Out] (a^4*d*x^4)/4 + (a^4*e*x^5)/5 + (4*a^3*b*d*x^7)/7 + (a^3*b*e*x^8)/2 + (3*a^2*b^2*d*x^10)/5 + (6*a^2*b^2*e*x^11)/11 + (4*a*b^3*d*x^13)/13 + (2*a*b^3*e*x^14)/7 + (b^4*d*x^16)/16 + (b^4*e*x^17)/17 + (c*(a + b*x^3)^5)/(15*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int x^2 (c + dx + ex^2) (a + bx^3)^4 dx &= \frac{c(a + bx^3)^5}{15b} + \int (a + bx^3)^4 (-cx^2 + x^2(c + dx + ex^2)) dx \\
&= \frac{c(a + bx^3)^5}{15b} + \int (a^4 dx^3 + a^4 ex^4 + 4a^3 b dx^6 + 4a^3 b ex^7 + 6a^2 b^2 dx^9 + 6a^2 b^2 ex^{10} \\
&\quad + 4a^2 b^2 dx^{13} + 4a^2 b^2 ex^{14} + 6a b^3 dx^{16} + 6a b^3 ex^{17} + b^4 dx^{19} + b^4 ex^{20}) dx \\
&= \frac{1}{4} a^4 dx^4 + \frac{1}{5} a^4 ex^5 + \frac{4}{7} a^3 b dx^7 + \frac{1}{2} a^3 b ex^8 + \frac{3}{5} a^2 b^2 dx^{10} + \frac{6}{11} a^2 b^2 ex^{11} + \frac{4}{13} a^2 b^2 dx^{13} \\
&\quad + \frac{4}{13} a^2 b^2 ex^{14} + \frac{6}{15} a b^3 dx^{16} + \frac{6}{15} a b^3 ex^{17} + \frac{1}{16} b^4 dx^{19} + \frac{1}{16} b^4 ex^{20}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 181, normalized size = 1.31

$$\frac{1}{3} a^4 c x^3 + \frac{1}{4} a^4 d x^4 + \frac{1}{5} a^4 e x^5 + \frac{2}{3} a^3 b c x^6 + \frac{4}{7} a^3 b d x^7 + \frac{1}{2} a^3 b e x^8 + \frac{2}{3} a^2 b^2 c x^9 + \frac{3}{5} a^2 b^2 d x^{10} + \frac{6}{11} a^2 b^2 e x^{11} + \frac{1}{3} a b^3 c x^{12} + \frac{4}{13} a b^3 d x^{13} + \frac{2}{7} a b^3 e x^{14} + \frac{1}{15} b^4 c x^{15} + \frac{1}{16} b^4 d x^{16} + \frac{1}{17} b^4 e x^{17}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2)*(a + b*x^3)^4,x]

[Out] (a^4*c*x^3)/3 + (a^4*d*x^4)/4 + (a^4*e*x^5)/5 + (2*a^3*b*c*x^6)/3 + (4*a^3*b*d*x^7)/7 + (a^3*b*e*x^8)/2 + (2*a^2*b^2*c*x^9)/3 + (3*a^2*b^2*d*x^10)/5 + (6*a^2*b^2*e*x^11)/11 + (a*b^3*c*x^12)/3 + (4*a*b^3*d*x^13)/13 + (2*a*b^3*e*x^14)/7 + (b^4*c*x^15)/15 + (b^4*d*x^16)/16 + (b^4*e*x^17)/17

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (c + dx + ex^2) (a + bx^3)^4 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^2*(c + d*x + e*x^2)*(a + b*x^3)^4,x]

[Out] IntegrateAlgebraic[x^2*(c + d*x + e*x^2)*(a + b*x^3)^4, x]

fricas [A] time = 0.36, size = 151, normalized size = 1.09

$$\frac{1}{17} x^{17} e b^4 + \frac{1}{16} x^{16} d b^4 + \frac{1}{15} x^{15} c b^4 + \frac{2}{7} x^{14} e b^3 a + \frac{4}{13} x^{13} d b^3 a + \frac{1}{3} x^{12} c b^3 a + \frac{6}{11} x^{11} e b^2 a^2 + \frac{3}{5} x^{10} d b^2 a^2 + \frac{2}{3} x^9 c b^2 a^2 + \frac{1}{2} x^8 e b a^3 + \frac{4}{7} x^7 d b a^3 + \frac{2}{3} x^6 c b a^3 + \frac{1}{5} x^5 e a^4 + \frac{1}{4} x^4 d a^4 + \frac{1}{3} x^3 c a^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="fricas")

[Out] 1/17*x^17*e*b^4 + 1/16*x^16*d*b^4 + 1/15*x^15*c*b^4 + 2/7*x^14*e*b^3*a + 4/13*x^13*d*b^3*a + 1/3*x^12*c*b^3*a + 6/11*x^11*e*b^2*a^2 + 3/5*x^10*d*b^2*a^2 + 2/3*x^9*c*b^2*a^2 + 1/2*x^8*e*b*a^3 + 4/7*x^7*d*b*a^3 + 2/3*x^6*c*b*a^3 + 1/5*x^5*e*a^4 + 1/4*x^4*d*a^4 + 1/3*x^3*c*a^4

giac [A] time = 0.16, size = 156, normalized size = 1.13

$$\frac{1}{17}b^4x^{17}e + \frac{1}{16}b^4dx^{16} + \frac{1}{15}b^4cx^{15} + \frac{2}{7}ab^3x^{14}e + \frac{4}{13}ab^3dx^{13} + \frac{1}{3}ab^3cx^{12} + \frac{6}{11}a^2b^2x^{11}e + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^3bx^8e + \frac{4}{7}a^3bdx^7 + \frac{2}{3}a^3bcx^6 + \frac{1}{5}a^4x^5e + \frac{1}{4}a^4dx^4 + \frac{1}{3}a^4cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="giac")

$$[Out] \frac{1}{17}b^4x^{17}e + \frac{1}{16}b^4dx^{16} + \frac{1}{15}b^4cx^{15} + \frac{2}{7}a^3b^3x^{14}e + \frac{4}{13}a^3b^3dx^{13} + \frac{1}{3}a^3b^3cx^{12} + \frac{6}{11}a^2b^2x^{11}e + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^3b^3x^8e + \frac{4}{7}a^3b^3dx^7 + \frac{2}{3}a^3b^3cx^6 + \frac{1}{5}a^4x^5e + \frac{1}{4}a^4dx^4 + \frac{1}{3}a^4cx^3$$

maple [A] time = 0.04, size = 152, normalized size = 1.10

$$\frac{1}{17}b^4x^{17} + \frac{1}{16}b^4dx^{16} + \frac{1}{15}b^4cx^{15} + \frac{2}{7}a^3b^3x^{14}e + \frac{4}{13}a^3b^3dx^{13} + \frac{1}{3}a^3b^3cx^{12} + \frac{6}{11}a^2b^2x^{11}e + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^3b^3x^8e + \frac{4}{7}a^3b^3dx^7 + \frac{2}{3}a^3b^3cx^6 + \frac{1}{5}a^4x^5e + \frac{1}{4}a^4dx^4 + \frac{1}{3}a^4cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)*(b*x^3+a)^4,x)

$$[Out] \frac{1}{17}b^4x^{17}e + \frac{1}{16}b^4dx^{16} + \frac{1}{15}b^4cx^{15} + \frac{2}{7}a^3b^3x^{14}e + \frac{4}{13}a^3b^3dx^{13} + \frac{1}{3}a^3b^3cx^{12} + \frac{6}{11}a^2b^2x^{11}e + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^3b^3x^8e + \frac{4}{7}a^3b^3dx^7 + \frac{2}{3}a^3b^3cx^6 + \frac{1}{5}a^4x^5e + \frac{1}{4}a^4dx^4 + \frac{1}{3}a^4cx^3$$

maxima [A] time = 1.31, size = 151, normalized size = 1.09

$$\frac{1}{17}b^4x^{17} + \frac{1}{16}b^4dx^{16} + \frac{1}{15}b^4cx^{15} + \frac{2}{7}a^3b^3x^{14}e + \frac{4}{13}a^3b^3dx^{13} + \frac{1}{3}a^3b^3cx^{12} + \frac{6}{11}a^2b^2x^{11}e + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^3b^3x^8e + \frac{4}{7}a^3b^3dx^7 + \frac{2}{3}a^3b^3cx^6 + \frac{1}{5}a^4x^5e + \frac{1}{4}a^4dx^4 + \frac{1}{3}a^4cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="maxima")

$$[Out] \frac{1}{17}b^4x^{17}e + \frac{1}{16}b^4dx^{16} + \frac{1}{15}b^4cx^{15} + \frac{2}{7}a^3b^3x^{14}e + \frac{4}{13}a^3b^3dx^{13} + \frac{1}{3}a^3b^3cx^{12} + \frac{6}{11}a^2b^2x^{11}e + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^3b^3x^8e + \frac{4}{7}a^3b^3dx^7 + \frac{2}{3}a^3b^3cx^6 + \frac{1}{5}a^4x^5e + \frac{1}{4}a^4dx^4 + \frac{1}{3}a^4cx^3$$

mupad [B] time = 5.07, size = 151, normalized size = 1.09

$$\frac{e a^4 x^5}{5} + \frac{d a^4 x^4}{4} + \frac{c a^4 x^3}{3} + \frac{e a^3 b x^8}{2} + \frac{4 d a^3 b x^7}{7} + \frac{2 c a^3 b x^6}{3} + \frac{6 e a^2 b^2 x^{11}}{11} + \frac{3 d a^2 b^2 x^{10}}{5} + \frac{2 c a^2 b^2 x^9}{3} + \frac{2 e a b^3 x^{14}}{7} + \frac{4 d a b^3 x^{13}}{13} + \frac{c a b^3 x^{12}}{3} + \frac{e b^4 x^{17}}{17} + \frac{d b^4 x^{16}}{16} + \frac{c b^4 x^{15}}{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^3)^4*(c + d*x + e*x^2),x)

[Out] $(a^4*c*x^3)/3 + (a^4*d*x^4)/4 + (b^4*c*x^{15})/15 + (a^4*e*x^5)/5 + (b^4*d*x^{16})/16 + (b^4*e*x^{17})/17 + (2*a^2*b^2*c*x^9)/3 + (3*a^2*b^2*d*x^{10})/5 + (6*a^2*b^2*e*x^{11})/11 + (2*a^3*b*c*x^6)/3 + (a*b^3*c*x^{12})/3 + (4*a^3*b*d*x^7)/7 + (4*a*b^3*d*x^{13})/13 + (a^3*b*e*x^8)/2 + (2*a*b^3*e*x^{14})/7$

sympy [A] time = 0.11, size = 184, normalized size = 1.33

$$\frac{a^4cx^3}{3} + \frac{a^4dx^4}{4} + \frac{a^4ex^5}{5} + \frac{2a^3bcx^6}{3} + \frac{4a^3bdx^7}{7} + \frac{a^3bex^8}{2} + \frac{2a^2b^2cx^9}{3} + \frac{3a^2b^2dx^{10}}{5} + \frac{6a^2b^2ex^{11}}{11} + \frac{ab^3cx^{12}}{3} + \frac{4ab^3dx^{13}}{13} + \frac{2ab^3ex^{14}}{7} + \frac{b^4cx^{15}}{15} + \frac{b^4dx^{16}}{16} + \frac{b^4ex^{17}}{17}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x**2+d*x+c)*(b*x**3+a)**4,x)`

[Out] $a**4*c*x**3/3 + a**4*d*x**4/4 + a**4*e*x**5/5 + 2*a**3*b*c*x**6/3 + 4*a**3*b*d*x**7/7 + a**3*b*e*x**8/2 + 2*a**2*b**2*c*x**9/3 + 3*a**2*b**2*d*x**10/5 + 6*a**2*b**2*e*x**11/11 + a*b**3*c*x**12/3 + 4*a*b**3*d*x**13/13 + 2*a*b**3*e*x**14/7 + b**4*c*x**15/15 + b**4*d*x**16/16 + b**4*e*x**17/17$

$$3.279 \quad \int x (c + dx + ex^2) (a + bx^3)^4 dx$$

Optimal. Leaf size=138

$$\frac{1}{2}a^4cx^2 + \frac{1}{4}a^4ex^4 + \frac{4}{5}a^3bcx^5 + \frac{4}{7}a^3bex^7 + \frac{3}{4}a^2b^2cx^8 + \frac{3}{5}a^2b^2ex^{10} + \frac{4}{11}ab^3cx^{11} + \frac{4}{13}ab^3ex^{13} + \frac{d(a+bx^3)^5}{15b} + \frac{1}{14}b^4cx^{14} + \frac{1}{16}b^4ex^{16}$$

Rubi [A] time = 0.09, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1582, 1850}

$$\frac{3}{4}a^2b^2cx^8 + \frac{3}{5}a^2b^2ex^{10} + \frac{4}{5}a^3bcx^5 + \frac{4}{7}a^3bex^7 + \frac{1}{2}a^4cx^2 + \frac{1}{4}a^4ex^4 + \frac{4}{11}ab^3cx^{11} + \frac{4}{13}ab^3ex^{13} + \frac{d(a+bx^3)^5}{15b} + \frac{1}{14}b^4cx^{14} + \frac{1}{16}b^4ex^{16}$$

Antiderivative was successfully verified.

[In] Int[x*(c + d*x + e*x^2)*(a + b*x^3)^4,x]

[Out] (a^4*c*x^2)/2 + (a^4*e*x^4)/4 + (4*a^3*b*c*x^5)/5 + (4*a^3*b*e*x^7)/7 + (3*a^2*b^2*c*x^8)/4 + (3*a^2*b^2*e*x^10)/5 + (4*a*b^3*c*x^11)/11 + (4*a*b^3*e*x^13)/13 + (b^4*c*x^14)/14 + (b^4*e*x^16)/16 + (d*(a + b*x^3)^5)/(15*b)

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned}
\int x(c + dx + ex^2)(a + bx^3)^4 dx &= \frac{d(a + bx^3)^5}{15b} + \int (a + bx^3)^4 (-dx^2 + x(c + dx + ex^2)) dx \\
&= \frac{d(a + bx^3)^5}{15b} + \int (a^4cx + a^4ex^3 + 4a^3bcx^4 + 4a^3bex^6 + 6a^2b^2cx^7 + 6a^2b^2ex^9 \\
&= \frac{1}{2}a^4cx^2 + \frac{1}{4}a^4ex^4 + \frac{4}{5}a^3bcx^5 + \frac{4}{7}a^3bex^7 + \frac{3}{4}a^2b^2cx^8 + \frac{3}{5}a^2b^2ex^{10} + \frac{4}{11}ab^3cx^{11}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 181, normalized size = 1.31

$$\frac{1}{2}a^4cx^2 + \frac{1}{3}a^4dx^3 + \frac{1}{4}a^4ex^4 + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3bdx^6 + \frac{4}{7}a^3bex^7 + \frac{3}{4}a^2b^2cx^8 + \frac{2}{3}a^2b^2dx^9 + \frac{3}{5}a^2b^2ex^{10} + \frac{4}{11}ab^3cx^{11} + \frac{1}{3}ab^3dx^{12} + \frac{4}{13}ab^3ex^{13} + \frac{1}{14}b^4cx^{14} + \frac{1}{15}b^4dx^{15} + \frac{1}{16}b^4ex^{16}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2)*(a + b*x^3)^4, x]

[Out] (a^4*c*x^2)/2 + (a^4*d*x^3)/3 + (a^4*e*x^4)/4 + (4*a^3*b*c*x^5)/5 + (2*a^3*b*d*x^6)/3 + (4*a^3*b*e*x^7)/7 + (3*a^2*b^2*c*x^8)/4 + (2*a^2*b^2*d*x^9)/3 + (3*a^2*b^2*e*x^10)/5 + (4*a*b^3*c*x^11)/11 + (a*b^3*d*x^12)/3 + (4*a*b^3*e*x^13)/13 + (b^4*c*x^14)/14 + (b^4*d*x^15)/15 + (b^4*e*x^16)/16

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x(c + dx + ex^2)(a + bx^3)^4 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x*(c + d*x + e*x^2)*(a + b*x^3)^4, x]

[Out] IntegrateAlgebraic[x*(c + d*x + e*x^2)*(a + b*x^3)^4, x]

fricas [A] time = 0.35, size = 151, normalized size = 1.09

$$\frac{1}{16}x^{16}eb^4 + \frac{1}{15}x^{15}db^4 + \frac{1}{14}x^{14}cb^4 + \frac{4}{13}x^{13}eb^3a + \frac{1}{3}x^{12}db^3a + \frac{4}{11}x^{11}cb^3a + \frac{3}{5}x^{10}eb^2a^2 + \frac{2}{3}x^9db^2a^2 + \frac{3}{4}x^8cb^2a^2 + \frac{4}{7}x^7eba^3 + \frac{2}{3}x^6dba^3 + \frac{4}{5}x^5cba^3 + \frac{1}{4}x^4ea^4 + \frac{1}{3}x^3da^4 + \frac{1}{2}x^2ca^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^4, x, algorithm="fricas")

[Out] 1/16*x^16*e*b^4 + 1/15*x^15*d*b^4 + 1/14*x^14*c*b^4 + 4/13*x^13*e*b^3*a + 1/3*x^12*d*b^3*a + 4/11*x^11*c*b^3*a + 3/5*x^10*e*b^2*a^2 + 2/3*x^9*d*b^2*a^2 + 3/4*x^8*c*b^2*a^2 + 4/7*x^7*e*b*a^3 + 2/3*x^6*d*b*a^3 + 4/5*x^5*c*b*a^3 + 1/4*x^4*e*a^4 + 1/3*x^3*d*a^4 + 1/2*x^2*c*a^4

giac [A] time = 0.16, size = 156, normalized size = 1.13

$$\frac{1}{16}b^4x^{16}e + \frac{1}{15}b^4dx^{15} + \frac{1}{14}b^4cx^{14} + \frac{4}{13}ab^3x^{13}e + \frac{1}{3}ab^3dx^{12} + \frac{4}{11}ab^3cx^{11} + \frac{3}{5}a^2b^2x^{10}e + \frac{2}{3}a^2b^2dx^9 + \frac{3}{4}a^2b^2cx^8 + \frac{4}{7}a^3bx^7e + \frac{2}{3}a^3b^2dx^6 + \frac{4}{5}a^3bcx^5 + \frac{1}{4}a^4x^4e + \frac{1}{3}a^4dx^3 + \frac{1}{2}a^4cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="giac")

$$\begin{aligned} \text{[Out]} & \frac{1}{16}b^4x^{16}e + \frac{1}{15}b^4dx^{15} + \frac{1}{14}b^4cx^{14} + \frac{4}{13}ab^3x^{13}e + \frac{1}{3}ab^3dx^{12} \\ & + \frac{4}{11}ab^3cx^{11} + \frac{3}{5}a^2b^2x^{10}e + \frac{2}{3}a^2b^2dx^9 + \frac{3}{4}a^2b^2cx^8 + \frac{4}{7}a^3bx^7e + \frac{2}{3}a^3b^2dx^6 \\ & + \frac{4}{5}a^3bcx^5 + \frac{1}{4}a^4x^4e + \frac{1}{3}a^4dx^3 + \frac{1}{2}a^4cx^2 \end{aligned}$$

maple [A] time = 0.04, size = 152, normalized size = 1.10

$$\frac{1}{16}b^4ex^{16} + \frac{1}{15}b^4dx^{15} + \frac{1}{14}b^4cx^{14} + \frac{4}{13}ab^3ex^{13} + \frac{1}{3}ab^3dx^{12} + \frac{4}{11}ab^3cx^{11} + \frac{3}{5}a^2b^2ex^{10} + \frac{2}{3}a^2b^2dx^9 + \frac{3}{4}a^2b^2cx^8 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^3b^2dx^6 + \frac{4}{5}a^3bcx^5 + \frac{1}{4}a^4ex^4 + \frac{1}{3}a^4dx^3 + \frac{1}{2}a^4cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)*(b*x^3+a)^4,x)

$$\begin{aligned} \text{[Out]} & \frac{1}{16}b^4e*x^{16} + \frac{1}{15}b^4d*x^{15} + \frac{1}{14}b^4c*x^{14} + \frac{4}{13}a*b^3*e*x^{13} + \frac{1}{3}a*b^3 \\ & *d*x^{12} + \frac{4}{11}a*b^3*c*x^{11} + \frac{3}{5}a^2*b^2*e*x^{10} + \frac{2}{3}a^2*b^2*d*x^9 + \frac{3}{4}a^2*b^2* \\ & c*x^8 + \frac{4}{7}a^3*b*e*x^7 + \frac{2}{3}a^3*b*d*x^6 + \frac{4}{5}a^3*b*c*x^5 + \frac{1}{4}a^4*e*x^4 + \frac{1}{3}a^4 \\ & *d*x^3 + \frac{1}{2}a^4*c*x^2 \end{aligned}$$

maxima [A] time = 1.34, size = 151, normalized size = 1.09

$$\frac{1}{16}b^4ex^{16} + \frac{1}{15}b^4dx^{15} + \frac{1}{14}b^4cx^{14} + \frac{4}{13}ab^3ex^{13} + \frac{1}{3}ab^3dx^{12} + \frac{4}{11}ab^3cx^{11} + \frac{3}{5}a^2b^2ex^{10} + \frac{2}{3}a^2b^2dx^9 + \frac{3}{4}a^2b^2cx^8 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^3b^2dx^6 + \frac{4}{5}a^3bcx^5 + \frac{1}{4}a^4ex^4 + \frac{1}{3}a^4dx^3 + \frac{1}{2}a^4cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="maxima")

$$\begin{aligned} \text{[Out]} & \frac{1}{16}b^4e*x^{16} + \frac{1}{15}b^4d*x^{15} + \frac{1}{14}b^4c*x^{14} + \frac{4}{13}a*b^3*e*x^{13} + \frac{1}{3} \\ & a*b^3*d*x^{12} + \frac{4}{11}a*b^3*c*x^{11} + \frac{3}{5}a^2*b^2*e*x^{10} + \frac{2}{3}a^2*b^2*d*x^9 \\ & + \frac{3}{4}a^2*b^2*c*x^8 + \frac{4}{7}a^3*b*e*x^7 + \frac{2}{3}a^3*b*d*x^6 + \frac{4}{5}a^3*b*c*x^5 \\ & + \frac{1}{4}a^4*e*x^4 + \frac{1}{3}a^4*d*x^3 + \frac{1}{2}a^4*c*x^2 \end{aligned}$$

mupad [B] time = 0.13, size = 151, normalized size = 1.09

$$\frac{ea^4x^4}{4} + \frac{da^4x^3}{3} + \frac{ca^4x^2}{2} + \frac{4ea^3bx^7}{7} + \frac{2da^3bx^6}{3} + \frac{4ca^3bx^5}{5} + \frac{3ea^2b^2x^{10}}{5} + \frac{2da^2b^2x^9}{3} + \frac{3ca^2b^2x^8}{4} + \frac{4eab^3x^{13}}{13} + \frac{dab^3x^{12}}{3} + \frac{4cab^3x^{11}}{11} + \frac{eb^4x^{16}}{16} + \frac{db^4x^{15}}{15} + \frac{cb^4x^{14}}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^3)^4*(c + d*x + e*x^2),x)

[Out] $(a^4*c*x^2)/2 + (a^4*d*x^3)/3 + (b^4*c*x^{14})/14 + (a^4*e*x^4)/4 + (b^4*d*x^{15})/15 + (b^4*e*x^{16})/16 + (3*a^2*b^2*c*x^8)/4 + (2*a^2*b^2*d*x^9)/3 + (3*a^2*b^2*e*x^{10})/5 + (4*a^3*b*c*x^5)/5 + (4*a*b^3*c*x^{11})/11 + (2*a^3*b*d*x^6)/3 + (a*b^3*d*x^{12})/3 + (4*a^3*b*e*x^7)/7 + (4*a*b^3*e*x^{13})/13$

sympy [A] time = 0.11, size = 185, normalized size = 1.34

$$\frac{a^4cx^2}{2} + \frac{a^4dx^3}{3} + \frac{a^4ex^4}{4} + \frac{4a^3bcx^5}{5} + \frac{2a^3bdx^6}{3} + \frac{4a^3bex^7}{7} + \frac{3a^2b^2cx^8}{4} + \frac{2a^2b^2dx^9}{3} + \frac{3a^2b^2ex^{10}}{5} + \frac{4ab^3cx^{11}}{11} + \frac{ab^3dx^{12}}{3} + \frac{4ab^3ex^{13}}{13} + \frac{b^4cx^{14}}{14} + \frac{b^4dx^{15}}{15} + \frac{b^4ex^{16}}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e**2+d*x+c)*(b*x**3+a)**4,x)`

[Out] $a**4*c*x**2/2 + a**4*d*x**3/3 + a**4*e*x**4/4 + 4*a**3*b*c*x**5/5 + 2*a**3*b*d*x**6/3 + 4*a**3*b*e*x**7/7 + 3*a**2*b**2*c*x**8/4 + 2*a**2*b**2*d*x**9/3 + 3*a**2*b**2*e*x**10/5 + 4*a*b**3*c*x**11/11 + a*b**3*d*x**12/3 + 4*a*b**3*e*x**13/13 + b**4*c*x**14/14 + b**4*d*x**15/15 + b**4*e*x**16/16$

$$3.280 \quad \int (c + dx + ex^2) (a + bx^3)^4 dx$$

Optimal. Leaf size=130

$$a^4cx + \frac{1}{2}a^4dx^2 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{e(a + bx^3)^5}{15b} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14}$$

Rubi [A] time = 0.14, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1582, 1850}

$$\frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + a^4cx + \frac{1}{2}a^4dx^2 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{e(a + bx^3)^5}{15b} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)*(a + b*x^3)^4,x]

[Out] a^4*c*x + (a^4*d*x^2)/2 + a^3*b*c*x^4 + (4*a^3*b*d*x^5)/5 + (6*a^2*b^2*c*x^7)/7 + (3*a^2*b^2*d*x^8)/4 + (2*a*b^3*c*x^10)/5 + (4*a*b^3*d*x^11)/11 + (b^4*c*x^13)/13 + (b^4*d*x^14)/14 + (e*(a + b*x^3)^5)/(15*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2)(a + bx^3)^4 dx &= \frac{e(a + bx^3)^5}{15b} + \int (c + dx)(a + bx^3)^4 dx \\
&= \frac{e(a + bx^3)^5}{15b} + \int (a^4c + a^4dx + 4a^3bcx^3 + 4a^3bdx^4 + 6a^2b^2cx^6 + 6a^2b^2dx^7 + \\
&= a^4cx + \frac{1}{2}a^4dx^2 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 173, normalized size = 1.33

$$a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{2}{3}a^3bcx^6 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{3}a^2b^2ex^9 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{3}ab^3ex^{12} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14} + \frac{1}{15}b^4ex^{15}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)*(a + b*x^3)^4, x]

[Out] a^4*c*x + (a^4*d*x^2)/2 + (a^4*e*x^3)/3 + a^3*b*c*x^4 + (4*a^3*b*d*x^5)/5 + (2*a^3*b*e*x^6)/3 + (6*a^2*b^2*c*x^7)/7 + (3*a^2*b^2*d*x^8)/4 + (2*a^2*b^2*e*x^9)/3 + (2*a*b^3*c*x^10)/5 + (4*a*b^3*d*x^11)/11 + (a*b^3*e*x^12)/3 + (b^4*c*x^13)/13 + (b^4*d*x^14)/14 + (b^4*e*x^15)/15

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx + ex^2)(a + bx^3)^4 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)*(a + b*x^3)^4, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)*(a + b*x^3)^4, x]

fricas [A] time = 0.36, size = 147, normalized size = 1.13

$$\frac{1}{15}x^{15}eb^4 + \frac{1}{14}x^{14}db^4 + \frac{1}{13}x^{13}cb^4 + \frac{1}{3}x^{12}eb^3a + \frac{4}{11}x^{11}db^3a + \frac{2}{5}x^{10}cb^3a + \frac{2}{3}x^9eb^2a^2 + \frac{3}{4}x^8db^2a^2 + \frac{6}{7}x^7cb^2a^2 + \frac{2}{3}x^6eba^3 + \frac{4}{5}x^5dba^3 + x^4cba^3 + \frac{1}{3}x^3ea^4 + \frac{1}{2}x^2da^4 + xca^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="fricas")

[Out] 1/15*x^15*e*b^4 + 1/14*x^14*d*b^4 + 1/13*x^13*c*b^4 + 1/3*x^12*e*b^3*a + 4/11*x^11*d*b^3*a + 2/5*x^10*c*b^3*a + 2/3*x^9*e*b^2*a^2 + 3/4*x^8*d*b^2*a^2 + 6/7*x^7*c*b^2*a^2 + 2/3*x^6*e*b*a^3 + 4/5*x^5*d*b*a^3 + x^4*c*b*a^3 + 1/3*x^3*e*a^4 + 1/2*x^2*d*a^4 + x*c*a^4

giac [A] time = 0.17, size = 152, normalized size = 1.17

$$\frac{1}{15}b^4x^{15}e + \frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{1}{3}ab^3x^{12}e + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{2}{3}a^2b^2x^9e + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{2}{3}a^3bx^6e + \frac{4}{5}a^3bdx^5 + a^3bcx^4 + \frac{1}{3}a^4x^3e + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="giac")

$$\begin{aligned} \text{[Out]} & \frac{1}{15}b^4x^{15}e + \frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{1}{3}a^3b^3x^{12}e + \frac{4}{11}a^3b^3dx^{11} \\ & + \frac{2}{5}a^3b^3cx^{10} + \frac{2}{3}a^2b^2x^9e + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{2}{3}a^3b^3x^6e \\ & + \frac{4}{5}a^3b^3dx^5 + a^3b^3cx^4 + \frac{1}{3}a^4x^3e + \frac{1}{2}a^4dx^2 + a^4cx \end{aligned}$$

maple [A] time = 0.04, size = 148, normalized size = 1.14

$$\frac{1}{15}b^4ex^{15} + \frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{1}{3}ab^3ex^{12} + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{2}{3}a^2b^2ex^9 + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{2}{3}a^3bex^6 + \frac{4}{5}a^3bdx^5 + a^3bcx^4 + \frac{1}{3}a^4ex^3 + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^4,x)

$$\begin{aligned} \text{[Out]} & \frac{1}{15}b^4e*x^{15} + \frac{1}{14}b^4d*x^{14} + \frac{1}{13}b^4c*x^{13} + \frac{1}{3}a^3b^3e*x^{12} + \frac{4}{11}a^3b^3d*x^{11} \\ & + \frac{2}{5}a^3b^3c*x^{10} + \frac{2}{3}a^2b^2e*x^9 + \frac{3}{4}a^2b^2d*x^8 + \frac{6}{7}a^2b^2c*x^7 + \frac{2}{3}a^3b^3e*x^6 \\ & + \frac{4}{5}a^3b^3d*x^5 + a^3b^3c*x^4 + \frac{1}{3}a^4e*x^3 + \frac{1}{2}a^4d*x^2 + a^4c*x \end{aligned}$$

maxima [A] time = 1.31, size = 147, normalized size = 1.13

$$\frac{1}{15}b^4ex^{15} + \frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{1}{3}ab^3ex^{12} + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{2}{3}a^2b^2ex^9 + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{2}{3}a^3bex^6 + \frac{4}{5}a^3bdx^5 + a^3bcx^4 + \frac{1}{3}a^4ex^3 + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="maxima")

$$\begin{aligned} \text{[Out]} & \frac{1}{15}b^4e*x^{15} + \frac{1}{14}b^4d*x^{14} + \frac{1}{13}b^4c*x^{13} + \frac{1}{3}a^3b^3e*x^{12} + \frac{4}{11}a^3b^3d*x^{11} \\ & + \frac{2}{5}a^3b^3c*x^{10} + \frac{2}{3}a^2b^2e*x^9 + \frac{3}{4}a^2b^2d*x^8 + \frac{6}{7}a^2b^2c*x^7 + \frac{2}{3}a^3b^3e*x^6 \\ & + \frac{4}{5}a^3b^3d*x^5 + a^3b^3c*x^4 + \frac{1}{3}a^4e*x^3 + \frac{1}{2}a^4d*x^2 + a^4c*x \end{aligned}$$

mupad [B] time = 0.15, size = 147, normalized size = 1.13

$$\frac{ea^4x^3}{3} + \frac{da^4x^2}{2} + ca^4x + \frac{2ea^3bx^6}{3} + \frac{4da^3bx^5}{5} + ca^3bx^4 + \frac{2ea^2b^2x^9}{3} + \frac{3da^2b^2x^8}{4} + \frac{6ca^2b^2x^7}{7} + \frac{ea^3b^3x^{12}}{3} + \frac{4da^3b^3x^{11}}{11} + \frac{2ca^3b^3x^{10}}{5} + \frac{eb^4x^{15}}{15} + \frac{db^4x^{14}}{14} + \frac{cb^4x^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^4*(c + d*x + e*x^2),x)

[Out] $(a^4*d*x^2)/2 + (b^4*c*x^{13})/13 + (a^4*e*x^3)/3 + (b^4*d*x^{14})/14 + (b^4*e*x^{15})/15 + a^4*c*x + (6*a^2*b^2*c*x^7)/7 + (3*a^2*b^2*d*x^8)/4 + (2*a^2*b^2*e*x^9)/3 + a^3*b*c*x^4 + (2*a*b^3*c*x^{10})/5 + (4*a^3*b*d*x^5)/5 + (4*a*b^3*d*x^{11})/11 + (2*a^3*b*e*x^6)/3 + (a*b^3*e*x^{12})/3$

sympy [A] time = 0.10, size = 178, normalized size = 1.37

$$a^4cx + \frac{a^4dx^2}{2} + \frac{a^4ex^3}{3} + a^3bcx^4 + \frac{4a^3bdx^5}{5} + \frac{2a^3bex^6}{3} + \frac{6a^2b^2cx^7}{7} + \frac{3a^2b^2dx^8}{4} + \frac{2a^2b^2ex^9}{3} + \frac{2ab^3cx^{10}}{5} + \frac{4ab^3dx^{11}}{11} + \frac{ab^3ex^{12}}{3} + \frac{b^4cx^{13}}{13} + \frac{b^4dx^{14}}{14} + \frac{b^4ex^{15}}{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**4,x)

[Out] $a**4*c*x + a**4*d*x**2/2 + a**4*e*x**3/3 + a**3*b*c*x**4 + 4*a**3*b*d*x**5/5 + 2*a**3*b*e*x**6/3 + 6*a**2*b**2*c*x**7/7 + 3*a**2*b**2*d*x**8/4 + 2*a**2*b**2*e*x**9/3 + 2*a*b**3*c*x**10/5 + 4*a*b**3*d*x**11/11 + a*b**3*e*x**12/3 + b**4*c*x**13/13 + b**4*d*x**14/14 + b**4*e*x**15/15$

$$3.281 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^4}{x} dx$$

Optimal. Leaf size=166

$$a^4c \log(x) + a^4dx + \frac{1}{2}a^4ex^2 + \frac{4}{3}a^3bcx^3 + a^3bdx^4 + \frac{4}{5}a^3bex^5 + a^2b^2cx^6 + \frac{6}{7}a^2b^2dx^7 + \frac{3}{4}a^2b^2ex^8 + \frac{4}{9}ab^3cx^9 + \frac{2}{5}ab^3dx^{10} + \frac{4}{11}ab^3ex^{11} + \frac{1}{12}b^4cx^{12} + \frac{1}{13}b^4dx^{13} + \frac{1}{14}b^4ex^{14}$$

Rubi [A] time = 0.11, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$a^2b^2cx^6 + \frac{6}{7}a^2b^2dx^7 + \frac{3}{4}a^2b^2ex^8 + \frac{4}{3}a^3bcx^3 + a^3bdx^4 + \frac{4}{5}a^3bex^5 + a^4c \log(x) + a^4dx + \frac{1}{2}a^4ex^2 + \frac{4}{9}ab^3cx^9 + \frac{2}{5}ab^3dx^{10} + \frac{4}{11}ab^3ex^{11} + \frac{1}{12}b^4cx^{12} + \frac{1}{13}b^4dx^{13} + \frac{1}{14}b^4ex^{14}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^4)/x,x]

[Out] a^4*d*x + (a^4*e*x^2)/2 + (4*a^3*b*c*x^3)/3 + a^3*b*d*x^4 + (4*a^3*b*e*x^5)/5 + a^2*b^2*c*x^6 + (6*a^2*b^2*d*x^7)/7 + (3*a^2*b^2*e*x^8)/4 + (4*a*b^3*c*x^9)/9 + (2*a*b^3*d*x^10)/5 + (4*a*b^3*e*x^11)/11 + (b^4*c*x^12)/12 + (b^4*d*x^13)/13 + (b^4*e*x^14)/14 + a^4*c*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\int \frac{(c+dx+ex^2)(a+bx^3)^4}{x} dx = \int \left(a^4d + \frac{a^4c}{x} + a^4ex + 4a^3bcx^2 + 4a^3bdx^3 + 4a^3bex^4 + 6a^2b^2cx^5 + 6a^2b^2dx^6 + \frac{3}{4}a^2b^2ex^8 + \frac{4}{9}ab^3cx^9 + \frac{2}{5}ab^3dx^{10} + \frac{4}{11}ab^3ex^{11} + \frac{1}{12}b^4cx^{12} + \frac{1}{13}b^4dx^{13} + \frac{1}{14}b^4ex^{14} \right) dx$$

$$= a^4dx + \frac{1}{2}a^4ex^2 + \frac{4}{3}a^3bcx^3 + a^3bdx^4 + \frac{4}{5}a^3bex^5 + a^2b^2cx^6 + \frac{6}{7}a^2b^2dx^7 + \frac{3}{4}a^2b^2ex^8 + \frac{4}{9}ab^3cx^9 + \frac{2}{5}ab^3dx^{10} + \frac{4}{11}ab^3ex^{11} + \frac{1}{12}b^4cx^{12} + \frac{1}{13}b^4dx^{13} + \frac{1}{14}b^4ex^{14}$$

Mathematica [A] time = 0.01, size = 166, normalized size = 1.00

$$a^4c \log(x) + a^4dx + \frac{1}{2}a^4ex^2 + \frac{4}{3}a^3bcx^3 + a^3bdx^4 + \frac{4}{5}a^3bex^5 + a^2b^2cx^6 + \frac{6}{7}a^2b^2dx^7 + \frac{3}{4}a^2b^2ex^8 + \frac{4}{9}ab^3cx^9 + \frac{2}{5}ab^3dx^{10} + \frac{4}{11}ab^3ex^{11} + \frac{1}{12}b^4cx^{12} + \frac{1}{13}b^4dx^{13} + \frac{1}{14}b^4ex^{14}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^4)/x,x]

[Out] $a^4*d*x + (a^4*e*x^2)/2 + (4*a^3*b*c*x^3)/3 + a^3*b*d*x^4 + (4*a^3*b*e*x^5)/5 + a^2*b^2*c*x^6 + (6*a^2*b^2*d*x^7)/7 + (3*a^2*b^2*e*x^8)/4 + (4*a*b^3*c*x^9)/9 + (2*a*b^3*d*x^{10})/5 + (4*a*b^3*e*x^{11})/11 + (b^4*c*x^{12})/12 + (b^4*d*x^{13})/13 + (b^4*e*x^{14})/14 + a^4*c*\text{Log}[x]$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx + ex^2)(a + bx^3)^4}{x} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^4)/x,x]

[Out] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^4)/x, x]

fricas [A] time = 0.41, size = 144, normalized size = 0.87

$\frac{1}{14}b^4ex^{14} + \frac{1}{13}b^4dx^{13} + \frac{1}{12}b^4cx^{12} + \frac{4}{11}ab^3ex^{11} + \frac{2}{5}ab^3dx^{10} + \frac{4}{9}ab^3cx^9 + \frac{3}{4}a^2b^2ex^8 + \frac{6}{7}a^2b^2dx^7 + a^2b^2cx^6 + \frac{4}{5}a^3bex^5 + a^3bdx^4 + \frac{4}{3}a^3bcx^3 + \frac{1}{2}a^4ex^2 + a^4dx + a^4c\log(x)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x,x, algorithm="fricas")

[Out] $1/14*b^4*e*x^{14} + 1/13*b^4*d*x^{13} + 1/12*b^4*c*x^{12} + 4/11*a*b^3*e*x^{11} + 2/5*a*b^3*d*x^{10} + 4/9*a*b^3*c*x^9 + 3/4*a^2*b^2*e*x^8 + 6/7*a^2*b^2*d*x^7 + a^2*b^2*c*x^6 + 4/5*a^3*b*e*x^5 + a^3*b*d*x^4 + 4/3*a^3*b*c*x^3 + 1/2*a^4*e*x^2 + a^4*d*x + a^4*c*\log(x)$

giac [A] time = 0.15, size = 150, normalized size = 0.90

$\frac{1}{14}b^4x^{14}e + \frac{1}{13}b^4dx^{13} + \frac{1}{12}b^4cx^{12} + \frac{4}{11}ab^3x^{11}e + \frac{2}{5}ab^3dx^{10} + \frac{4}{9}ab^3cx^9 + \frac{3}{4}a^2b^2x^8e + \frac{6}{7}a^2b^2dx^7 + a^2b^2cx^6 + \frac{4}{5}a^3bex^5 + a^3bdx^4 + \frac{4}{3}a^3bcx^3 + \frac{1}{2}a^4x^2e + a^4dx + a^4c\log(|x|)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x,x, algorithm="giac")

[Out] $1/14*b^4*x^{14}*e + 1/13*b^4*d*x^{13} + 1/12*b^4*c*x^{12} + 4/11*a*b^3*x^{11}*e + 2/5*a*b^3*d*x^{10} + 4/9*a*b^3*c*x^9 + 3/4*a^2*b^2*x^8*e + 6/7*a^2*b^2*d*x^7 + a^2*b^2*c*x^6 + 4/5*a^3*b*x^5*e + a^3*b*d*x^4 + 4/3*a^3*b*c*x^3 + 1/2*a^4*x^2*e + a^4*d*x + a^4*c*\log(\text{abs}(x))$

maple [A] time = 0.04, size = 145, normalized size = 0.87

$\frac{b^4ex^{14}}{14} + \frac{b^4dx^{13}}{13} + \frac{b^4cx^{12}}{12} + \frac{4ab^3ex^{11}}{11} + \frac{2ab^3dx^{10}}{5} + \frac{4ab^3cx^9}{9} + \frac{3a^2b^2ex^8}{4} + \frac{6a^2b^2dx^7}{7} + a^2b^2cx^6 + \frac{4a^3bex^5}{5} + a^3bdx^4 + \frac{4a^3bcx^3}{3} + \frac{a^4ex^2}{2} + a^4c\ln(x) + a^4dx$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)*(b*x^3+a)^4/x,x)`

[Out] $a^4*d*x+1/2*a^4*e*x^2+4/3*a^3*b*c*x^3+a^3*b*d*x^4+4/5*a^3*b*e*x^5+a^2*b^2*c*x^6+6/7*a^2*b^2*d*x^7+3/4*a^2*b^2*e*x^8+4/9*a*b^3*c*x^9+2/5*a*b^3*d*x^{10}+1/11*a*b^3*e*x^{11}+1/12*b^4*c*x^{12}+1/13*b^4*d*x^{13}+1/14*b^4*e*x^{14}+a^4*c*\ln(x)$

maxima [A] time = 1.30, size = 144, normalized size = 0.87

$$\frac{1}{14} b^4 e x^{14} + \frac{1}{13} b^4 d x^{13} + \frac{1}{12} b^4 c x^{12} + \frac{4}{11} a b^3 e x^{11} + \frac{2}{5} a b^3 d x^{10} + \frac{4}{9} a b^3 c x^9 + \frac{3}{4} a^2 b^2 e x^8 + \frac{6}{7} a^2 b^2 d x^7 + a^2 b^2 c x^6 + \frac{4}{5} a^3 b e x^5 + a^3 b d x^4 + \frac{4}{3} a^3 b c x^3 + \frac{1}{2} a^4 e x^2 + a^4 d x + a^4 c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x,x, algorithm="maxima")`

[Out] $1/14*b^4*e*x^{14} + 1/13*b^4*d*x^{13} + 1/12*b^4*c*x^{12} + 4/11*a*b^3*e*x^{11} + 2/5*a*b^3*d*x^{10} + 4/9*a*b^3*c*x^9 + 3/4*a^2*b^2*e*x^8 + 6/7*a^2*b^2*d*x^7 + a^2*b^2*c*x^6 + 4/5*a^3*b*e*x^5 + a^3*b*d*x^4 + 4/3*a^3*b*c*x^3 + 1/2*a^4*e*x^2 + a^4*d*x + a^4*c*\log(x)$

mupad [B] time = 0.14, size = 144, normalized size = 0.87

$$\frac{b^4 c x^{12}}{12} + \frac{a^4 e x^2}{2} + \frac{b^4 d x^{13}}{13} + \frac{b^4 e x^{14}}{14} + a^4 c \ln(x) + a^4 d x + a^2 b^2 c x^6 + \frac{6 a^2 b^2 d x^7}{7} + \frac{3 a^2 b^2 e x^8}{4} + \frac{4 a^3 b c x^3}{3} + \frac{4 a b^3 c x^9}{9} + a^3 b d x^4 + \frac{2 a b^3 d x^{10}}{5} + \frac{4 a^3 b e x^5}{5} + \frac{4 a b^3 e x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^4*(c + d*x + e*x^2))/x,x)`

[Out] $(b^4*c*x^{12})/12 + (a^4*e*x^2)/2 + (b^4*d*x^{13})/13 + (b^4*e*x^{14})/14 + a^4*c*\log(x) + a^4*d*x + a^2*b^2*c*x^6 + (6*a^2*b^2*d*x^7)/7 + (3*a^2*b^2*e*x^8)/4 + (4*a^3*b*c*x^3)/3 + (4*a*b^3*c*x^9)/9 + a^3*b*d*x^4 + (2*a*b^3*d*x^{10})/5 + (4*a^3*b*e*x^5)/5 + (4*a*b^3*e*x^{11})/11$

sympy [A] time = 0.34, size = 175, normalized size = 1.05

$$a^4 c \log(x) + a^4 d x + \frac{a^4 e x^2}{2} + \frac{4 a^3 b c x^3}{3} + a^3 b d x^4 + \frac{4 a^3 b e x^5}{5} + a^2 b^2 c x^6 + \frac{6 a^2 b^2 d x^7}{7} + \frac{3 a^2 b^2 e x^8}{4} + \frac{4 a b^3 c x^3}{9} + \frac{2 a b^3 d x^{10}}{5} + \frac{4 a b^3 e x^{11}}{11} + \frac{b^4 c x^{12}}{12} + \frac{b^4 d x^{13}}{13} + \frac{b^4 e x^{14}}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)**4/x,x)`

[Out] $a**4*c*\log(x) + a**4*d*x + a**4*e*x**2/2 + 4*a**3*b*c*x**3/3 + a**3*b*d*x**4 + 4*a**3*b*e*x**5/5 + a**2*b**2*c*x**6 + 6*a**2*b**2*d*x**7/7 + 3*a**2*b**2*e*x**8/4 + 4*a*b**3*c*x**9/9 + 2*a*b**3*d*x**10/5 + 4*a*b**3*e*x**11/11 + b**4*c*x**12/12 + b**4*d*x**13/13 + b**4*e*x**14/14$

$$3.282 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^2} dx$$

Optimal. Leaf size=162

$$-\frac{a^4c}{x} + a^4d \log(x) + a^4ex + 2a^3bcx^2 + \frac{4}{3}a^3bdx^3 + a^3bex^4 + \frac{6}{5}a^2b^2cx^5 + a^2b^2dx^6 + \frac{6}{7}a^2b^2ex^7 + \frac{1}{2}ab^3cx^8 + \frac{4}{9}ab^3dx^9 + \frac{2}{5}ab^3ex^{10}$$

Rubi [A] time = 0.13, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$\frac{6}{5}a^2b^2cx^5 + a^2b^2dx^6 + \frac{6}{7}a^2b^2ex^7 + 2a^3bcx^2 + \frac{4}{3}a^3bdx^3 + a^3bex^4 - \frac{a^4c}{x} + a^4d \log(x) + a^4ex + \frac{1}{2}ab^3cx^8 + \frac{4}{9}ab^3dx^9 + \frac{2}{5}ab^3ex^{10} + \frac{1}{11}b^4cx^{11} + \frac{1}{12}b^4dx^{12} + \frac{1}{13}b^4ex^{13}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^2, x]

[Out] -((a^4*c)/x) + a^4*e*x + 2*a^3*b*c*x^2 + (4*a^3*b*d*x^3)/3 + a^3*b*e*x^4 + (6*a^2*b^2*c*x^5)/5 + a^2*b^2*d*x^6 + (6*a^2*b^2*e*x^7)/7 + (a*b^3*c*x^8)/2 + (4*a*b^3*d*x^9)/9 + (2*a*b^3*e*x^10)/5 + (b^4*c*x^11)/11 + (b^4*d*x^12)/12 + (b^4*e*x^13)/13 + a^4*d*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^2} dx = \int \left(a^4e + \frac{a^4c}{x^2} + \frac{a^4d}{x} + 4a^3bcx + 4a^3bdx^2 + 4a^3bex^3 + 6a^2b^2cx^4 + 6a^2b^2dx^5 + \frac{6}{7}a^2b^2ex^7 + \frac{1}{2}ab^3cx^8 + \frac{4}{9}ab^3dx^9 + \frac{2}{5}ab^3ex^{10} + \frac{1}{11}b^4cx^{11} + \frac{1}{12}b^4dx^{12} + \frac{1}{13}b^4ex^{13} \right) dx$$

$$= -\frac{a^4c}{x} + a^4ex + 2a^3bcx^2 + \frac{4}{3}a^3bdx^3 + a^3bex^4 + \frac{6}{5}a^2b^2cx^5 + a^2b^2dx^6 + \frac{6}{7}a^2b^2ex^7 + \frac{1}{2}ab^3cx^8 + \frac{4}{9}ab^3dx^9 + \frac{2}{5}ab^3ex^{10} + \frac{1}{11}b^4cx^{11} + \frac{1}{12}b^4dx^{12} + \frac{1}{13}b^4ex^{13}$$

Mathematica [A] time = 0.01, size = 162, normalized size = 1.00

$$-\frac{a^4c}{x} + a^4d \log(x) + a^4ex + 2a^3bcx^2 + \frac{4}{3}a^3bdx^3 + a^3bex^4 + \frac{6}{5}a^2b^2cx^5 + a^2b^2dx^6 + \frac{6}{7}a^2b^2ex^7 + \frac{1}{2}ab^3cx^8 + \frac{4}{9}ab^3dx^9 + \frac{2}{5}ab^3ex^{10} + \frac{1}{11}b^4cx^{11} + \frac{1}{12}b^4dx^{12} + \frac{1}{13}b^4ex^{13}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^2,x]

[Out] $-\frac{a^4c}{x} + a^4ex + 2a^3b^3cx^2 + \frac{4a^3b^3d^3x^3}{3} + a^3b^3e^3x^4 + \frac{6a^2b^2c^2x^5}{5} + a^2b^2d^2x^6 + \frac{6a^2b^2e^2x^7}{7} + \frac{a^2b^3c^2x^8}{2} + \frac{4a^2b^3d^2x^9}{9} + \frac{2a^2b^3e^2x^{10}}{5} + \frac{b^4c^2x^{11}}{11} + \frac{b^4d^2x^{12}}{12} + \frac{b^4e^2x^{13}}{13} + a^4d^2\text{Log}[x]$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx + ex^2)(a + bx^3)^4}{x^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^2,x]

[Out] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^2, x]

fricas [A] time = 0.39, size = 153, normalized size = 0.94

$\frac{13860b^4cx^{14} + 15015b^4dx^{13} + 16380b^4ex^{12} + 72072ab^3cx^{11} + 80080ab^3dx^{10} + 90090ab^3ex^9 + 154440a^2b^2cx^8 + 180180a^2b^2dx^7 + 216216a^2b^2ex^6 + 180180a^3b^3cx^5 + 240240a^3b^3dx^4 + 360360a^3b^3ex^3 + 180180a^4cx^2 + 180180a^4dx\log(x) - 180180a^4c}{180180x}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^2,x, algorithm="fricas")

[Out] $\frac{1}{180180} * (13860b^4ex^{14} + 15015b^4dx^{13} + 16380b^4cx^{12} + 72072a^2b^3ex^{11} + 80080a^2b^3dx^{10} + 90090a^2b^3cx^9 + 154440a^2b^2ex^8 + 180180a^2b^2dx^7 + 216216a^2b^2cx^6 + 180180a^3b^3ex^5 + 240240a^3b^3dx^4 + 360360a^3b^3cx^3 + 180180a^4ex^2 + 180180a^4dx\log(x) - 180180a^4c) / x$

giac [A] time = 0.16, size = 150, normalized size = 0.93

$\frac{1}{13}b^4x^{13}e + \frac{1}{12}b^4dx^{12} + \frac{1}{11}b^4cx^{11} + \frac{2}{5}ab^3x^{10}e + \frac{4}{9}ab^3dx^9 + \frac{1}{2}ab^3cx^8 + \frac{6}{7}a^2b^2x^7e + a^2b^2dx^6 + \frac{6}{5}a^2b^2cx^5 + a^3bx^4e + \frac{4}{3}a^3bdx^3 + 2a^3bcx^2 + a^4xe + a^4d\log(|x|) - \frac{a^4c}{x}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^2,x, algorithm="giac")

[Out] $\frac{1}{13}b^4x^{13}e + \frac{1}{12}b^4dx^{12} + \frac{1}{11}b^4cx^{11} + \frac{2}{5}a^2b^3x^{10}e + \frac{4}{9}a^2b^3dx^9 + \frac{1}{2}a^2b^3cx^8 + \frac{6}{7}a^2b^2x^7e + a^2b^2dx^6 + \frac{6}{5}a^2b^2cx^5 + a^3bx^4e + \frac{4}{3}a^3bdx^3 + 2a^3bcx^2 + a^4xe + a^4d\log(\text{abs}(x)) - \frac{a^4c}{x}$

maple [A] time = 0.05, size = 145, normalized size = 0.90

$\frac{b^4ex^{13}}{13} + \frac{b^4dx^{12}}{12} + \frac{b^4cx^{11}}{11} + \frac{2ab^3ex^{10}}{5} + \frac{4ab^3dx^9}{9} + \frac{ab^3cx^8}{2} + \frac{6a^2b^2ex^7}{7} + a^2b^2dx^6 + \frac{6a^2b^2cx^5}{5} + a^3bex^4 + \frac{4a^3bdx^3}{3} + 2a^3bcx^2 + a^4d\ln(x) + a^4ex - \frac{a^4c}{x}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)*(b*x^3+a)^4/x^2,x)`

[Out] $-a^4c/x + a^4e*x + 2a^3b*c*x^2 + 4/3a^3b*d*x^3 + a^3b*e*x^4 + 6/5a^2b^2*c*x^5 + a^2b^2*d*x^6 + 6/7a^2b^2e*x^7 + 1/2a*b^3*c*x^8 + 4/9a*b^3*d*x^9 + 2/5a*b^3e*x^{10} + 1/11b^4*c*x^{11} + 1/12b^4*d*x^{12} + 1/13b^4e*x^{13} + a^4*d*\ln(x)$

maxima [A] time = 1.31, size = 144, normalized size = 0.89

$$\frac{1}{13}b^4ex^{13} + \frac{1}{12}b^4dx^{12} + \frac{1}{11}b^4cx^{11} + \frac{2}{5}ab^3ex^{10} + \frac{4}{9}ab^3dx^9 + \frac{1}{2}ab^3cx^8 + \frac{6}{7}a^2b^2ex^7 + a^2b^2dx^6 + \frac{6}{5}a^2b^2cx^5 + a^3bex^4 + \frac{4}{3}a^3bdx^3 + 2a^3bcx^2 + a^4ex + a^4d\log(x) - \frac{a^4c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^2,x, algorithm="maxima")`

[Out] $1/13b^4e*x^{13} + 1/12b^4d*x^{12} + 1/11b^4c*x^{11} + 2/5a*b^3e*x^{10} + 4/9a*b^3d*x^9 + 1/2a*b^3c*x^8 + 6/7a^2b^2e*x^7 + a^2b^2d*x^6 + 6/5a^2b^2c*x^5 + a^3b*e*x^4 + 4/3a^3b*d*x^3 + 2a^3b*c*x^2 + a^4e*x + a^4d*\log(x) - a^4c/x$

mupad [B] time = 4.99, size = 144, normalized size = 0.89

$$\frac{b^4cx^{11}}{11} - \frac{a^4c}{x} + \frac{b^4dx^{12}}{12} + \frac{b^4ex^{13}}{13} + a^4d\ln(x) + a^4ex + \frac{6a^2b^2cx^5}{5} + a^2b^2dx^6 + \frac{6a^2b^2ex^7}{7} + 2a^3bcx^2 + \frac{ab^3cx^8}{2} + \frac{4a^3bdx^3}{3} + \frac{4ab^3dx^9}{9} + a^3bex^4 + \frac{2ab^3ex^{10}}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^4*(c + d*x + e*x^2))/x^2,x)`

[Out] $(b^4c*x^{11})/11 - (a^4c)/x + (b^4d*x^{12})/12 + (b^4e*x^{13})/13 + a^4d*\log(x) + a^4e*x + (6a^2b^2c*x^5)/5 + a^2b^2d*x^6 + (6a^2b^2e*x^7)/7 + 2a^3b*c*x^2 + (a*b^3c*x^8)/2 + (4a^3b*d*x^3)/3 + (4a*b^3d*x^9)/9 + a^3b*e*x^4 + (2a*b^3e*x^{10})/5$

sympy [A] time = 0.38, size = 168, normalized size = 1.04

$$-\frac{a^4c}{x} + a^4d\log(x) + a^4ex + 2a^3bcx^2 + \frac{4a^3bdx^3}{3} + a^3bex^4 + \frac{6a^2b^2cx^5}{5} + a^2b^2dx^6 + \frac{6a^2b^2ex^7}{7} + \frac{ab^3cx^8}{2} + \frac{4ab^3dx^9}{9} + \frac{2ab^3ex^{10}}{5} + \frac{b^4cx^{11}}{11} + \frac{b^4dx^{12}}{12} + \frac{b^4ex^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)**4/x**2,x)`

[Out] $-a**4c/x + a**4d*\log(x) + a**4e*x + 2a**3b*c*x**2 + 4a**3b*d*x**3/3 + a**3b*e*x**4 + 6a**2b**2*c*x**5/5 + a**2b**2*d*x**6 + 6a**2b**2*e*x**7/7 + a*b**3*c*x**8/2 + 4a*b**3*d*x**9/9 + 2a*b**3e*x**10/5 + b**4c*x**11/11 + b**4d*x**12/12 + b**4e*x**13/13$

$$3.283 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^3} dx$$

Optimal. Leaf size=166

$$-\frac{a^4c}{2x^2} - \frac{a^4d}{x} + a^4e \log(x) + 4a^3bcx + 2a^3bdx^2 + \frac{4}{3}a^3bex^3 + \frac{3}{2}a^2b^2cx^4 + \frac{6}{5}a^2b^2dx^5 + a^2b^2ex^6 + \frac{4}{7}ab^3cx^7 + \frac{1}{2}ab^3dx^8 + \frac{4}{9}ab^3ex^9$$

Rubi [A] time = 0.12, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$\frac{3}{2}a^2b^2cx^4 + \frac{6}{5}a^2b^2dx^5 + a^2b^2ex^6 + 4a^3bcx + 2a^3bdx^2 + \frac{4}{3}a^3bex^3 - \frac{a^4c}{2x^2} - \frac{a^4d}{x} + a^4e \log(x) + \frac{4}{7}ab^3cx^7 + \frac{1}{2}ab^3dx^8 + \frac{4}{9}ab^3ex^9 + \frac{1}{10}b^4cx^{10} + \frac{1}{11}b^4dx^{11} + \frac{1}{12}b^4ex^{12}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^3,x]

[Out] -(a^4*c)/(2*x^2) - (a^4*d)/x + 4*a^3*b*c*x + 2*a^3*b*d*x^2 + (4*a^3*b*e*x^3)/3 + (3*a^2*b^2*c*x^4)/2 + (6*a^2*b^2*d*x^5)/5 + a^2*b^2*e*x^6 + (4*a*b^3*c*x^7)/7 + (a*b^3*d*x^8)/2 + (4*a*b^3*e*x^9)/9 + (b^4*c*x^10)/10 + (b^4*d*x^11)/11 + (b^4*e*x^12)/12 + a^4*e*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^3} dx &= \int \left(4a^3bc + \frac{a^4c}{x^3} + \frac{a^4d}{x^2} + \frac{a^4e}{x} + 4a^3bdx + 4a^3bex^2 + 6a^2b^2cx^3 + 6a^2b^2dx^4 + 6a^2b^2ex^5 \right. \\ &\quad \left. - \frac{a^4c}{2x^2} - \frac{a^4d}{x} + 4a^3bcx + 2a^3bdx^2 + \frac{4}{3}a^3bex^3 + \frac{3}{2}a^2b^2cx^4 + \frac{6}{5}a^2b^2dx^5 + a^2b^2ex^6 \right) dx \end{aligned}$$

Mathematica [A] time = 0.01, size = 166, normalized size = 1.00

$$-\frac{a^4c}{2x^2} - \frac{a^4d}{x} + a^4e \log(x) + 4a^3bcx + 2a^3bdx^2 + \frac{4}{3}a^3bex^3 + \frac{3}{2}a^2b^2cx^4 + \frac{6}{5}a^2b^2dx^5 + a^2b^2ex^6 + \frac{4}{7}ab^3cx^7 + \frac{1}{2}ab^3dx^8 + \frac{4}{9}ab^3ex^9 + \frac{1}{10}b^4cx^{10} + \frac{1}{11}b^4dx^{11} + \frac{1}{12}b^4ex^{12}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^3, x]

[Out] $-1/2*(a^4*c)/x^2 - (a^4*d)/x + 4*a^3*b*c*x + 2*a^3*b*d*x^2 + (4*a^3*b*e*x^3)/3 + (3*a^2*b^2*c*x^4)/2 + (6*a^2*b^2*d*x^5)/5 + a^2*b^2*e*x^6 + (4*a*b^3*c*x^7)/7 + (a*b^3*d*x^8)/2 + (4*a*b^3*e*x^9)/9 + (b^4*c*x^{10})/10 + (b^4*d*x^{11})/11 + (b^4*e*x^{12})/12 + a^4*e*\text{Log}[x]$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx + ex^2)(a + bx^3)^4}{x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^3, x]

[Out] IntegrateAlgebraic[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^3, x]

fricas [A] time = 0.41, size = 153, normalized size = 0.92

$\frac{1155b^4cx^{14} + 1260b^4dx^{13} + 1386b^4cx^{12} + 6160ab^3cx^{11} + 6930ab^3dx^{10} + 7920ab^3cx^9 + 13860a^2b^2cx^8 + 16632a^2b^2dx^7 + 20790a^2b^2cx^6 + 18480a^3bex^5 + 27720a^3bdx^4 + 55440a^3bcx^3 + 13860a^4ex^2 \log(x) - 13860a^4dx - 6930a^4c}{13860x^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^3, x, algorithm="fricas")

[Out] $1/13860*(1155*b^4*e*x^{14} + 1260*b^4*d*x^{13} + 1386*b^4*c*x^{12} + 6160*a*b^3*e*x^{11} + 6930*a*b^3*d*x^{10} + 7920*a*b^3*c*x^9 + 13860*a^2*b^2*e*x^8 + 16632*a^2*b^2*d*x^7 + 20790*a^2*b^2*c*x^6 + 18480*a^3*b*e*x^5 + 27720*a^3*b*d*x^4 + 55440*a^3*b*c*x^3 + 13860*a^4*e*x^2*\log(x) - 13860*a^4*d*x - 6930*a^4*c)/x^2$

giac [A] time = 0.17, size = 152, normalized size = 0.92

$\frac{1}{12}b^4x^{12}e + \frac{1}{11}b^4dx^{11} + \frac{1}{10}b^4cx^{10} + \frac{4}{9}ab^3x^9e + \frac{1}{2}ab^3dx^8 + \frac{4}{7}ab^3cx^7 + a^2b^2x^6e + \frac{6}{5}a^2b^2dx^5 + \frac{3}{2}a^2b^2cx^4 + \frac{4}{3}a^3bx^3e + 2a^3bdx^2 + 4a^3bcx + a^4e \log(|x|) - \frac{2a^4dx + a^4c}{2x^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^3, x, algorithm="giac")

[Out] $1/12*b^4*x^{12}*e + 1/11*b^4*d*x^{11} + 1/10*b^4*c*x^{10} + 4/9*a*b^3*x^9*e + 1/2*a*b^3*d*x^8 + 4/7*a*b^3*c*x^7 + a^2*b^2*x^6*e + 6/5*a^2*b^2*d*x^5 + 3/2*a^2*b^2*c*x^4 + 4/3*a^3*b*x^3*e + 2*a^3*b*d*x^2 + 4*a^3*b*c*x + a^4*e*\log(\text{abs}(x)) - 1/2*(2*a^4*d*x + a^4*c)/x^2$

maple [A] time = 0.05, size = 147, normalized size = 0.89

$\frac{b^4ex^{12}}{12} + \frac{b^4dx^{11}}{11} + \frac{b^4cx^{10}}{10} + \frac{4ab^3ex^9}{9} + \frac{ab^3dx^8}{2} + \frac{4ab^3cx^7}{7} + a^2b^2ex^6 + \frac{6a^2b^2dx^5}{5} + \frac{3a^2b^2cx^4}{2} + \frac{4a^3bex^3}{3} + 2a^3bdx^2 + a^4e \ln(x) + 4a^3bcx - \frac{a^4d}{x} - \frac{a^4c}{2x^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)*(b*x^3+a)^4/x^3,x)`

[Out] $-1/2*a^4*c/x^2 - a^4*d/x + 4*a^3*b*c*x + 2*a^3*b*d*x^2 + 4/3*a^3*b*e*x^3 + 3/2*a^2*b^2*c*x^4 + 6/5*a^2*b^2*d*x^5 + a^2*b^2*e*x^6 + 4/7*a*b^3*c*x^7 + 1/2*a*b^3*d*x^8 + 4/9*a*b^3*e*x^9 + 1/10*b^4*c*x^{10} + 1/11*b^4*d*x^{11} + 1/12*b^4*e*x^{12} + a^4*e*\ln(x)$

maxima [A] time = 1.33, size = 146, normalized size = 0.88

$$\frac{1}{12}b^4ex^{12} + \frac{1}{11}b^4dx^{11} + \frac{1}{10}b^4cx^{10} + \frac{4}{9}ab^3ex^9 + \frac{1}{2}ab^3dx^8 + \frac{4}{7}ab^3cx^7 + a^2b^2ex^6 + \frac{6}{5}a^2b^2dx^5 + \frac{3}{2}a^2b^2cx^4 + \frac{4}{3}a^3bex^3 + 2a^3bdx^2 + 4a^3bcx + a^4e\log(x) - \frac{2a^4dx + a^4c}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^3,x, algorithm="maxima")`

[Out] $1/12*b^4*e*x^{12} + 1/11*b^4*d*x^{11} + 1/10*b^4*c*x^{10} + 4/9*a*b^3*e*x^9 + 1/2*a*b^3*d*x^8 + 4/7*a*b^3*c*x^7 + a^2*b^2*e*x^6 + 6/5*a^2*b^2*d*x^5 + 3/2*a^2*b^2*c*x^4 + 4/3*a^3*b*e*x^3 + 2*a^3*b*d*x^2 + 4*a^3*b*c*x + a^4*e*\log(x) - 1/2*(2*a^4*d*x + a^4*c)/x^2$

mupad [B] time = 4.99, size = 146, normalized size = 0.88

$$\frac{b^4cx^{10}}{10} - \frac{a^4c + a^4dx}{x^2} + \frac{b^4dx^{11}}{11} + \frac{b^4ex^{12}}{12} + a^4e\ln(x) + \frac{3a^2b^2cx^4}{2} + \frac{6a^2b^2dx^5}{5} + a^2b^2ex^6 + 4a^3bcx + \frac{4ab^3cx^7}{7} + 2a^3bdx^2 + \frac{ab^3dx^8}{2} + \frac{4a^3bex^3}{3} + \frac{4ab^3ex^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^4*(c + d*x + e*x^2))/x^3,x)`

[Out] $(b^4*c*x^{10})/10 - ((a^4*c)/2 + a^4*d*x)/x^2 + (b^4*d*x^{11})/11 + (b^4*e*x^{12})/12 + a^4*e*\log(x) + (3*a^2*b^2*c*x^4)/2 + (6*a^2*b^2*d*x^5)/5 + a^2*b^2*e*x^6 + 4*a^3*b*c*x + (4*a*b^3*c*x^7)/7 + 2*a^3*b*d*x^2 + (a*b^3*d*x^8)/2 + (4*a^3*b*e*x^3)/3 + (4*a*b^3*e*x^9)/9$

sympy [A] time = 0.44, size = 175, normalized size = 1.05

$$a^4e\log(x) + 4a^3bcx + 2a^3bdx^2 + \frac{4a^3bex^3}{3} + \frac{3a^2b^2cx^4}{2} + \frac{6a^2b^2dx^5}{5} + a^2b^2ex^6 + \frac{4ab^3cx^7}{7} + \frac{ab^3dx^8}{2} + \frac{4ab^3ex^9}{9} + \frac{b^4cx^{10}}{10} + \frac{b^4dx^{11}}{11} + \frac{b^4ex^{12}}{12} + \frac{-a^4c - 2a^4dx}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)**4/x**3,x)`

[Out] $a**4*e*\log(x) + 4*a**3*b*c*x + 2*a**3*b*d*x**2 + 4*a**3*b*e*x**3/3 + 3*a**2*b**2*c*x**4/2 + 6*a**2*b**2*d*x**5/5 + a**2*b**2*e*x**6 + 4*a*b**3*c*x**7/7 + a*b**3*d*x**8/2 + 4*a*b**3*e*x**9/9 + b**4*c*x**10/10 + b**4*d*x**11/11 + b**4*e*x**12/12 + (-a**4*c - 2*a**4*d*x)/(2*x**2)$

$$3.284 \quad \int \frac{x^3(c+dx+ex^2)}{a+bx^3} dx$$

Optimal. Leaf size=205

$$\frac{\sqrt[3]{a} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6b^{4/3}} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b} c - \sqrt[3]{a} d \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{3b^{5/3}} + \frac{\sqrt[3]{a} \left(\sqrt[3]{a} d + \sqrt[3]{b} c \right) \tan^{-1} \left(\frac{\sqrt[3]{a}}{\sqrt[3]{b} x} \right)}{\sqrt{3} b^{5/3}}$$

Rubi [A] time = 0.26, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{a} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6b^{4/3}} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b} c - \sqrt[3]{a} d \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{3b^{5/3}} + \frac{\sqrt[3]{a} \left(\sqrt[3]{a} d + \sqrt[3]{b} c \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} b^{5/3}} - \frac{ae \log(a + bx^3)}{3b^2} + \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2))/(a + b*x^3), x]

[Out] (c*x)/b + (d*x^2)/(2*b) + (e*x^3)/(3*b) + (a^(1/3)*(b^(1/3)*c + a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*b^(5/3)) - (a^(1/3)*(b^(1/3)*c - a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(3*b^(5/3)) + (a^(1/3)*(c - (a^(1/3)*d)/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*b^(4/3)) - (a*e*Log[a + b*x^3])/(3*b^2)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b]

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c+dx+ex^2)}{a+bx^3} dx &= \int \left(\frac{c}{b} + \frac{dx}{b} + \frac{ex^2}{b} - \frac{ac+adx+aex^2}{b(a+bx^3)} \right) dx \\
&= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} - \frac{\int \frac{ac+adx+aex^2}{a+bx^3} dx}{b} \\
&= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} - \frac{\int \frac{ac+adx}{a+bx^3} dx}{b} - \frac{(ae) \int \frac{x^2}{a+bx^3} dx}{b} \\
&= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} - \frac{ae \log(a+bx^3)}{3b^2} - \frac{\int \frac{\sqrt[3]{a}(2a\sqrt[3]{b}c+a^{4/3}d) + \sqrt[3]{b}(-a\sqrt[3]{b}c+a^{4/3}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}b^{4/3}} - \frac{\sqrt[3]{a}(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3b^{4/3}} \\
&= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} - \frac{\sqrt[3]{a}(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3b^{4/3}} - \frac{ae \log(a+bx^3)}{3b^2} - \frac{(a^{2/3}(\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}))}{6b^{4/3}} \\
&= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} - \frac{\sqrt[3]{a}(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3b^{4/3}} + \frac{\sqrt[3]{a}(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x)}{6b^{4/3}} \\
&= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} + \frac{\sqrt[3]{a}(\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}})}{\sqrt{3}b^{5/3}} - \frac{\sqrt[3]{a}(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3b^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 191, normalized size = 0.93

$$\frac{\sqrt[3]{b}(\sqrt[3]{a}\sqrt[3]{b}c - a^{2/3}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 2\sqrt[3]{b}(a^{2/3}d - \sqrt[3]{a}\sqrt[3]{b}c) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + 2\sqrt{3}\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a}d + \sqrt[3]{b}c) \tan^{-1}\left(\frac{1-2\frac{\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right) - 2ae \log(a+bx^3) + 6bcx + 3bdx^2 + 2bex^3}{6b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2))/(a + b*x^3), x]

[Out] (6*b*c*x + 3*b*d*x^2 + 2*b*e*x^3 + 2*sqrt[3]*a^(1/3)*b^(1/3)*(b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 2*b^(1/3)*(-a^(1/3)*b^(1/3)*c + a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(a^(1/3)*b^(1/3)*c - a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 2*a*e*Log[a + b*x^3]/(6*b^2)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3(c+dx+ex^2)}{a+bx^3} dx$$

$$\begin{aligned}
& *d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)*a*b^2*e + 144*a*b*c*d + 36*a^2*e^2)/b^4 \\
& - 18*a*e)*\log(-1/36*((-I*\sqrt{3}) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2) \\
& /b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2 \\
& *e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} \\
& + 9*(I*\sqrt{3}) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/ \\
& 18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e) \\
&)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)^2*b^4*d - 2*a*b*c*d^2 + a*b*c^2*e - a^2*d* \\
& e^2 - 1/6*(b^3*c^2 - 2*a*b^2*d*e)*((-I*\sqrt{3}) + 1)*(a^2*e^2/b^4 - (a*b*c*d \\
& + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a* \\
& b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2* \\
& b)/b^6)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3) \\
& *a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^ \\
& 3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2) + 2*(b^2*c^3 + a*b*d^3)*x + 1/1 \\
& 2*\sqrt{1/3}*(((-I*\sqrt{3}) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/ \\
& 27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/ \\
& b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I* \\
& \sqrt{3}) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c* \\
& d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b \\
& ^6)^{(1/3)} + 6*a*e/b^2)*b^4*d - 6*b^3*c^2 - 6*a*b^2*d*e)*\sqrt{-(((-I*\sqrt{3}) \\
& + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b* \\
& c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a \\
& ^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*a^3*e \\
& ^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/ \\
& 54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)^2* \\
& b^4 - 12*((-I*\sqrt{3}) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a \\
& ^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 \\
& - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{ \\
& 3}) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + \\
& a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^ \\
& (1/3) + 6*a*e/b^2)*a*b^2*e + 144*a*b*c*d + 36*a^2*e^2)/b^4)) + (((-I*\sqrt{3} \\
&) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b \\
& *c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + \\
& a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*a^3* \\
& e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1 \\
& /54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)*b \\
& ^2 - 3*\sqrt{1/3)*b^2*\sqrt{-(((-I*\sqrt{3}) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2 \\
& *e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d \\
& + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6 \\
&)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 \\
& + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3* \\
& c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)^2*b^4 - 12*((-I*\sqrt{3}) + 1)*(a^2*e^2 \\
& /b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a \\
& /b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 \\
& - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*a^3*e^3/b^6 + 1/54* \\
& (b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3
\end{aligned}$$

$$\begin{aligned}
& + a^3 e^3 - (d^3 - 3c d e) a^2 b / b^6)^{1/3} + 6 a e / b^2) a b^2 e + 144 a^* \\
& b^* c^* d + 36 a^2 e^2) / b^4) - 18 a^* e) * \log(-1/36 * ((-I * \sqrt{3}) + 1) * (a^2 e^2 / b^4 \\
& - (a^* b^* c^* d + a^2 e^2) / b^4) / (-1/27 a^3 e^3 / b^6 + 1/54 * (b^* c^3 + a^* d^3) * a / b^5 \\
& + 1/18 * (a^* b^* c^* d + a^2 e^2) * a e / b^6 - 1/54 * (a^* b^2 c^3 + a^3 e^3 - (d^3 - 3 \\
& c^* d^* e) * a^2 b) / b^6)^{1/3} + 9 * (I * \sqrt{3}) + 1) * (-1/27 a^3 e^3 / b^6 + 1/54 * (b^* c^3 \\
& + a^* d^3) * a / b^5 + 1/18 * (a^* b^* c^* d + a^2 e^2) * a e / b^6 - 1/54 * (a^* b^2 c^3 + a^3 \\
& e^3 - (d^3 - 3c^* d^* e) * a^2 b) / b^6)^{1/3} + 6 a^* e / b^2)^2 b^4 d - 2 a^* b^* c^* d^2 \\
& + a^* b^* c^2 e - a^2 d^* e^2 - 1/6 * (b^3 c^2 - 2 a^* b^2 d^* e) * ((-I * \sqrt{3}) + 1) * (\\
& a^2 e^2 / b^4 - (a^* b^* c^* d + a^2 e^2) / b^4) / (-1/27 a^3 e^3 / b^6 + 1/54 * (b^* c^3 + a^* \\
& d^3) * a / b^5 + 1/18 * (a^* b^* c^* d + a^2 e^2) * a e / b^6 - 1/54 * (a^* b^2 c^3 + a^3 e^3 \\
& - (d^3 - 3c^* d^* e) * a^2 b) / b^6)^{1/3} + 9 * (I * \sqrt{3}) + 1) * (-1/27 a^3 e^3 / b^6 \\
& + 1/54 * (b^* c^3 + a^* d^3) * a / b^5 + 1/18 * (a^* b^* c^* d + a^2 e^2) * a e / b^6 - 1/54 * (a^* b^2 \\
& c^3 + a^3 e^3 - (d^3 - 3c^* d^* e) * a^2 b) / b^6)^{1/3} + 6 a^* e / b^2) + 2 * (b^2 c^3 + a^* b^* d^3) * x \\
& - 1/12 * \sqrt{1/3} * (((-I * \sqrt{3}) + 1) * (a^2 e^2 / b^4 - (a^* b^* c^* d + a^2 e^2) / b^4) / (-1/27 a^3 e^3 / b^6 \\
& + 1/54 * (b^* c^3 + a^* d^3) * a / b^5 + 1/18 * (a^* b^* c^* d + a^2 e^2) * a e / b^6 - 1/54 * (a^* b^2 c^3 + a^3 e^3 - (d^3 - 3c^* d^* e) * a^2 \\
& b) / b^6)^{1/3} + 9 * (I * \sqrt{3}) + 1) * (-1/27 a^3 e^3 / b^6 + 1/54 * (b^* c^3 + a^* d^3) \\
&) * a / b^5 + 1/18 * (a^* b^* c^* d + a^2 e^2) * a e / b^6 - 1/54 * (a^* b^2 c^3 + a^3 e^3 - (d^3 - 3c^* d^* e) * a^2 \\
& b) / b^6)^{1/3} + 6 a^* e / b^2) * b^4 d - 6 b^3 c^2 - 6 a^* b^2 d^* e) * \sqrt{-(((- I * \sqrt{3}) + 1) * (a^2 e^2 / b^4 - (a^* b^* c^* d + a^2 e^2) / b^4) / (-1/27 a^3 e^3 / b^6 \\
& + 1/54 * (b^* c^3 + a^* d^3) * a / b^5 + 1/18 * (a^* b^* c^* d + a^2 e^2) * a e / b^6 \\
& - 1/54 * (a^* b^2 c^3 + a^3 e^3 - (d^3 - 3c^* d^* e) * a^2 b) / b^6)^{1/3} + 9 * (I * \sqrt{3}) + 1) * (-1/27 a^3 e^3 / b^6 + 1/54 * (b^* c^3 + a^* d^3) * a / b^5 \\
& + 1/18 * (a^* b^* c^* d + a^2 e^2) * a e / b^6 - 1/54 * (a^* b^2 c^3 + a^3 e^3 - (d^3 - 3c^* d^* e) * a^2 b) / b^6)^{1/3} + 6 a^* e / b^2)^2 b^4 - 12 * (((- I * \sqrt{3}) + 1) * (a^2 e^2 / b^4 - (a^* b^* c^* d + \\
& a^2 e^2) / b^4) / (-1/27 a^3 e^3 / b^6 + 1/54 * (b^* c^3 + a^* d^3) * a / b^5 + 1/18 * (a^* b^* c^* \\
& d + a^2 e^2) * a e / b^6 - 1/54 * (a^* b^2 c^3 + a^3 e^3 - (d^3 - 3c^* d^* e) * a^2 b) / \\
& b^6)^{1/3} + 9 * (I * \sqrt{3}) + 1) * (-1/27 a^3 e^3 / b^6 + 1/54 * (b^* c^3 + a^* d^3) * a / \\
& b^5 + 1/18 * (a^* b^* c^* d + a^2 e^2) * a e / b^6 - 1/54 * (a^* b^2 c^3 + a^3 e^3 - (d^3 - \\
& 3c^* d^* e) * a^2 b) / b^6)^{1/3} + 6 a^* e / b^2) * a^* b^2 e + 144 a^* b^* c^* d + 36 a^2 e^2 \\
&) / b^4))) / b^2
\end{aligned}$$

giac [A] time = 0.18, size = 208, normalized size = 1.01

$$\frac{ae \log(|bx^3 + a|)}{3b^2} - \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} bc - (-ab^2)^{\frac{2}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{3b^3} - \frac{\left((-ab^2)^{\frac{1}{3}} bc + (-ab^2)^{\frac{2}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6b^3} + \frac{2b^2 x^3 e + 3b^2 dx^2 + 6b^2 cx}{6b^3} + \frac{\left(ab^6 d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + ab^6 c \right) \left(-\frac{2}{3} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{3ab^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3 a e \log(\text{abs}(b x^3 + a)) / b^2 - 1/3 \sqrt{3} * ((-a b^2)^{1/3} b^* c - (-a b^2)^{2/3} d) * \arctan(1/3 * \sqrt{3} * (2 x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / b^3 - 1/6 * ((-a b^2)^{1/3} b^* c + (-a b^2)^{2/3} d) * \log(x^2 + x * (-a/b)^{1/3} + (-a/b)^{2/3}) / b^3 + 1/6 * (2 b^2 x^3 e + 3 b^2 d x^2 + 6 b^2 c x) / b^3 + 1/3 * (a b^6 d * (-a/b)^{1/3} + a b^6 c) * (-a/b)^{1/3} * \log(\text{abs}(x - (-a/b)^{1/3})) / (a b^7)$

maple [A] time = 0.04, size = 231, normalized size = 1.13

$$\frac{ex^3 + dx^2}{3b} + \frac{dx^2}{2b} - \frac{\sqrt{3} ac \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^2} - \frac{ac \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^2} + \frac{ac \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}b^2} - \frac{\sqrt{3} ad \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^2} + \frac{ad \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^2} - \frac{ad \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}}b^2} - \frac{ae \ln(bx^3 + a)}{3b^2} + \frac{cx}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d*x+c)/(b*x^3+a),x)

[Out] 1/3/b*e*x^3+1/2/b*d*x^2+1/b*c*x-1/3/(a/b)^(2/3)*a/b^2*c*ln(x+(a/b)^(1/3))+1/6*a/b^2*c/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3*a/b^2*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*a/b^2*d/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-1/6*a/b^2*d/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3*a/b^2*d*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3*a/b^2*e*ln(b*x^3+a)

maxima [A] time = 2.94, size = 190, normalized size = 0.93

$$\frac{2ex^3 + 3dx^2 + 6cx}{6b} - \frac{\sqrt{3}\left(abd\left(\frac{a}{b}\right)^{\frac{2}{3}} + abc\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^2} - \frac{\left(2ae\left(\frac{a}{b}\right)^{\frac{2}{3}} + ad\left(\frac{a}{b}\right)^{\frac{1}{3}} - ac\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(ae\left(\frac{a}{b}\right)^{\frac{2}{3}} - ad\left(\frac{a}{b}\right)^{\frac{1}{3}} + ac\right)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/6*(2*e*x^3 + 3*d*x^2 + 6*c*x)/b - 1/3*sqrt(3)*(a*b*d*(a/b)^(2/3) + a*b*c*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b^2) - 1/6*(2*a*e*(a/b)^(2/3) + a*d*(a/b)^(1/3) - a*c)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^2*(a/b)^(2/3)) - 1/3*(a*e*(a/b)^(2/3) - a*d*(a/b)^(1/3) + a*c)*log(x + (a/b)^(1/3))/(b^2*(a/b)^(2/3))

mupad [B] time = 5.07, size = 319, normalized size = 1.56

$$\left(\sum_{k=0}^{\infty} \ln\left(\text{root}\left(27b^6z^3 + 27a^2b^4e^2z^2 + 9a^2b^3c^2d^2z + 9a^2b^2e^2z + 3a^2b^2c^2d^2e + ab^2c^2 + a^2e^2 - a^2bd^2, z, k\right)\right)\right) \left(6ae + \text{root}\left(27b^6z^3 + 27a^2b^4e^2z^2 + 9a^2b^3c^2d^2z + 9a^2b^2e^2z + 3a^2b^2c^2d^2e + ab^2c^2 + a^2e^2 - a^2bd^2, z, k\right)\right) \left(\frac{a^2d^2 - 3cd^2}{3} + \frac{-(a^2d^2 - a^2c^2)}{b}\right) \text{root}\left(27b^6z^3 + 27a^2b^4e^2z^2 + 9a^2b^3c^2d^2z + 9a^2b^2e^2z + 3a^2b^2c^2d^2e + ab^2c^2 + a^2e^2 - a^2bd^2, z, k\right) + \frac{4c^2}{27} + \frac{c^2}{3b} + \frac{c^2}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2))/(a + b*x^3),x)

[Out] symsum(log(root(27*b^6*z^3 + 27*a*b^4*e*z^2 + 9*a*b^3*c*d*z + 9*a^2*b^2*e^2*z + 3*a^2*b*c*d*e + a*b^2*c^3 + a^3*e^3 - a^2*b*d^3, z, k))*(6*a^2*e + 9*root(27*b^6*z^3 + 27*a*b^4*e*z^2 + 9*a*b^3*c*d*z + 9*a^2*b^2*e^2*z + 3*a^2*b*c*d*e + a*b^2*c^3 + a^3*e^3 - a^2*b*d^3, z, k))*a*b^2 - 3*a*b*c*x) + (a^3*e^

$2 + a^2 b c d / b^2 + (x(a^2 d^2 - a^2 c e)) / b \cdot \text{root}(27 b^6 z^3 + 27 a b^4 e z^2 + 9 a^2 b^3 c d z + 9 a^2 b^2 e^2 z + 3 a^2 b c d e + a b^2 c^3 + a^3 e^3 - a^2 b d^3, z, k), k, 1, 3) + (d x^2) / (2 b) + (e x^3) / (3 b) + (c x) / b$

sympy [A] time = 1.64, size = 178, normalized size = 0.87

$\text{RootSum}\left(27 t^3 b^6 + 27 t^2 a b^4 e + t(9 a^2 b^2 e^2 + 9 a b^3 c d) + a^3 e^3 + 3 a^2 b c d e - a^2 b d^3 + a b^2 c^3, \left(t \mapsto t \log\left(x + \frac{9 t^2 b^4 d + 6 t a b^2 d e - 3 t b^3 c^2 + a^2 d e^2 - a b c^2 e + 2 a b c d^2}{a b d^3 + b^2 c^3}\right)\right)\right) + \frac{c x}{b} + \frac{d x^2}{2 b} + \frac{e x^3}{3 b}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(e*x**2+d*x+c)/(b*x**3+a),x)

[Out] RootSum(27*_t**3*b**6 + 27*_t**2*a*b**4*e + _t*(9*a**2*b**2*e**2 + 9*a*b**3*c*d) + a**3*e**3 + 3*a**2*b*c*d*e - a**2*b*d**3 + a*b**2*c**3, Lambda(_t, _t*log(x + (9*_t**2*b**4*d + 6*_t*a*b**2*d*e - 3*_t*b**3*c**2 + a**2*d*e**2 - a*b*c**2*e + 2*a*b*c*d**2)/(a*b*d**3 + b**2*c**3)))) + c*x/b + d*x**2/(2*b) + e*x**3/(3*b)

$$3.285 \quad \int \frac{x^2(c+dx+ex^2)}{a+bx^3} dx$$

Optimal. Leaf size=193

$$\frac{\sqrt[3]{a} \left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6b^{4/3}} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b} d - \sqrt[3]{a} e \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{3b^{5/3}} + \frac{\sqrt[3]{a} \left(\sqrt[3]{a} e + \sqrt[3]{b} d \right) \tan^{-1} \left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}} \right)}{\sqrt{3} b^{5/3}}$$

Rubi [A] time = 0.25, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{a} \left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6b^{4/3}} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b} d - \sqrt[3]{a} e \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{3b^{5/3}} + \frac{\sqrt[3]{a} \left(\sqrt[3]{a} e + \sqrt[3]{b} d \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} b^{5/3}} + \frac{c \log(a + bx^3)}{3b} + \frac{dx}{b} + \frac{ex^2}{2b}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2))/(a + b*x^3), x]

[Out] (d*x)/b + (e*x^2)/(2*b) + (a^(1/3)*(b^(1/3)*d + a^(1/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*b^(5/3)) - (a^(1/3)*(b^(1/3)*d - a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(3*b^(5/3)) + (a^(1/3)*(d - (a^(1/3)*e)/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*b^(4/3)) + (c*Log[a + b*x^3])/(3*b)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b]

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(c + dx + ex^2)}{a + bx^3} dx &= \int \left(\frac{d}{b} + \frac{ex}{b} - \frac{ad + aex - bcx^2}{b(a + bx^3)} \right) dx \\
&= \frac{dx}{b} + \frac{ex^2}{2b} - \frac{\int \frac{ad + aex - bcx^2}{a + bx^3} dx}{b} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} - \frac{\int \frac{ad + aex}{a + bx^3} dx}{b} + c \int \frac{x^2}{a + bx^3} dx \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{c \log(a + bx^3)}{3b} - \frac{\int \frac{\sqrt[3]{a}(2a\sqrt[3]{b}d + a^{4/3}e) + \sqrt[3]{b}(-a\sqrt[3]{b}d + a^{4/3}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}b^{4/3}} - \frac{\left(\sqrt[3]{a}\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right)\right)}{3b^{4/3}} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} - \frac{\sqrt[3]{a}\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3b^{4/3}} + \frac{c \log(a + bx^3)}{3b} - \frac{(a^{2/3}(\sqrt[3]{b}d + \sqrt[3]{a}e))}{2b^{4/3}} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} - \frac{\sqrt[3]{a}\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3b^{4/3}} + \frac{\sqrt[3]{a}\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6b^{4/3}} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{\sqrt[3]{a}(\sqrt[3]{b}d + \sqrt[3]{a}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}b^{5/3}} - \frac{\sqrt[3]{a}\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3b^{4/3}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.10, size = 184, normalized size = 0.95

$$\frac{-(a^{2/3}e - \sqrt[3]{a}\sqrt[3]{b}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 2(a^{2/3}e - \sqrt[3]{a}\sqrt[3]{b}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + 2b^{2/3}c \log(a + bx^3) + 2\sqrt{3}\sqrt[3]{a}(\sqrt[3]{a}e + \sqrt[3]{b}d) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) + 6b^{2/3}dx + 3b^{2/3}ex^2}{6b^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2))/(a + b*x^3), x]

[Out] (6*b^(2/3)*d*x + 3*b^(2/3)*e*x^2 + 2*Sqrt[3]*a^(1/3)*(b^(1/3)*d + a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*(-(a^(1/3)*b^(1/3)*d) + a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x] - (-(a^(1/3)*b^(1/3)*d) + a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 2*b^(2/3)*c*Log[a + b*x^3])/(6*b^(5/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2(c + dx + ex^2)}{a + bx^3} dx$$

$$\begin{aligned}
& d^3 + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 - 3 c d e) a b) / b^5)^{1/3} - \\
& 2 c / b)^2 b^3 e - b c d^2 - b c^2 e - 2 a d e^2 - 1/2 (b^2 d^2 + 2 b^2 c e) \\
& * (2 (1/2)^{2/3} * (-I \sqrt{3}) + 1) * (c^2 / b^2 - (b c^2 + a d e) / b^3) / (2 c^3 / b^3 \\
& - 3 (b c^2 + a d e) c / b^4 + (b d^3 + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 \\
& - 3 c d e) a b) / b^5)^{1/3} + (1/2)^{1/3} * (I \sqrt{3}) + 1) * (2 c^3 / b^3 - 3 \\
& * (b c^2 + a d e) c / b^4 + (b d^3 + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 \\
& - 3 c d e) a b) / b^5)^{1/3} - 2 c / b) + 2 (b d^3 + a e^3) x + 3/4 \sqrt{1/3} * (\\
& (2 (1/2)^{2/3} * (-I \sqrt{3}) + 1) * (c^2 / b^2 - (b c^2 + a d e) / b^3) / (2 c^3 / b^3 \\
& - 3 (b c^2 + a d e) c / b^4 + (b d^3 + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 \\
& - 3 c d e) a b) / b^5)^{1/3} + (1/2)^{1/3} * (I \sqrt{3}) + 1) * (2 c^3 / b^3 - 3 * (b \\
& c^2 + a d e) c / b^4 + (b d^3 + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 - 3 \\
& c d e) a b) / b^5)^{1/3} - 2 c / b) * b^3 e - 2 b^2 d^2 + 2 b^2 c e) * \sqrt{-((2 \\
& * (1/2)^{2/3} * (-I \sqrt{3}) + 1) * (c^2 / b^2 - (b c^2 + a d e) / b^3) / (2 c^3 / b^3 - \\
& 3 (b c^2 + a d e) c / b^4 + (b d^3 + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 \\
& - 3 c d e) a b) / b^5)^{1/3} + (1/2)^{1/3} * (I \sqrt{3}) + 1) * (2 c^3 / b^3 - 3 (b \\
& c^2 + a d e) c / b^4 + (b d^3 + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 - 3 \\
& c d e) a b) / b^5)^{1/3} - 2 c / b)^2 b^3 + 4 * (2 (1/2)^{2/3} * (-I \sqrt{3}) + 1) * \\
& (c^2 / b^2 - (b c^2 + a d e) / b^3) / (2 c^3 / b^3 - 3 (b c^2 + a d e) c / b^4 + (b d^3 \\
& + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 - 3 c d e) a b) / b^5)^{1/3} + \\
& (1/2)^{1/3} * (I \sqrt{3}) + 1) * (2 c^3 / b^3 - 3 (b c^2 + a d e) c / b^4 + (b d^3 + \\
& a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 - 3 c d e) a b) / b^5)^{1/3} - 2 c / \\
& b) * b^2 c + 4 b c^2 + 16 a d e) / b^3)) + ((2 (1/2)^{2/3} * (-I \sqrt{3}) + 1) * (c^2 \\
& / b^2 - (b c^2 + a d e) / b^3) / (2 c^3 / b^3 - 3 (b c^2 + a d e) c / b^4 + (b d^3 \\
& + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 - 3 c d e) a b) / b^5)^{1/3} + (1/2)^{1/3} * (I \sqrt{3}) + 1) * (2 c^3 / b^3 - 3 (b c^2 + a d e) c / b^4 + (b d^3 + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 - 3 c d e) a b) / b^5)^{1/3} - 2 c / b) * b - 3 \sqrt{1/3} * b * \sqrt{-((2 (1/2)^{2/3} * (-I \sqrt{3}) + 1) * (c^2 / b^2 - (b c^2 + a d e) / b^3) / (2 c^3 / b^3 - 3 (b c^2 + a d e) c / b^4 + (b d^3 + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 - 3 c d e) a b) / b^5)^{1/3} + (1/2)^{1/3} * (I \sqrt{3}) + 1) * (2 c^3 / b^3 - 3 (b c^2 + a d e) c / b^4 + (b d^3 + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 - 3 c d e) a b) / b^5)^{1/3} - 2 c / b)^2 b^3 + 4 * (2 (1/2)^{2/3} * (-I \sqrt{3}) + 1) * (c^2 / b^2 - (b c^2 + a d e) / b^3) / (2 c^3 / b^3 - 3 (b c^2 + a d e) c / b^4 + (b d^3 + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 - 3 c d e) a b) / b^5)^{1/3} + (1/2)^{1/3} * (I \sqrt{3}) + 1) * (2 c^3 / b^3 - 3 (b c^2 + a d e) c / b^4 + (b d^3 + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 - 3 c d e) a b) / b^5)^{1/3} - 2 c / b) * b^2 c + 4 b c^2 + 16 a d e) / b^3) + 6 c) * \log(- \\
& 1/4 * (2 (1/2)^{2/3} * (-I \sqrt{3}) + 1) * (c^2 / b^2 - (b c^2 + a d e) / b^3) / (2 c^3 / \\
& b^3 - 3 (b c^2 + a d e) c / b^4 + (b d^3 + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - \\
& (d^3 - 3 c d e) a b) / b^5)^{1/3} + (1/2)^{1/3} * (I \sqrt{3}) + 1) * (2 c^3 / b^3 - \\
& 3 (b c^2 + a d e) c / b^4 + (b d^3 + a e^3) a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 - \\
& 3 c d e) a b) / b^5)^{1/3} - 2 c / b)^2 b^3 e - b c d^2 - b c^2 e - 2 a d e^2 - \\
& 1/2 (b^2 d^2 + 2 b^2 c e) * (2 (1/2)^{2/3} * (-I \sqrt{3}) + 1) * (c^2 / b^2 - \\
& (b c^2 + a d e) / b^3) / (2 c^3 / b^3 - 3 (b c^2 + a d e) c / b^4 + (b d^3 + a e^3) \\
& a / b^5 + (b^2 c^3 + a^2 e^3 - (d^3 - 3 c d e) a b) / b^5)^{1/3} + (1/2)^{1/3} \\
& * (I \sqrt{3}) + 1) * (2 c^3 / b^3 - 3 (b c^2 + a d e) c / b^4 + (b d^3 + a e^3) a / b
\end{aligned}$$

$$\begin{aligned} & \sqrt[5]{(b^2c^3 + a^2e^3 - (d^3 - 3c*d*e)*a*b)/b^5}^{(1/3)} - 2*c/b + 2*(b*d^3 + a*e^3)*x - 3/4*\sqrt[3]{1/3}*((2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(c^2/b^2 - (b*c^2 + a*d*e)/b^3)/(2*c^3/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d^3 - 3c*d*e)*a*b)/b^5)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(2*c^3/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d^3 - 3c*d*e)*a*b)/b^5)^{(1/3)} - 2*c/b)*b^3*e - 2*b^2*d^2 + 2*b^2*c*e)*\sqrt[3]{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(c^2/b^2 - (b*c^2 + a*d*e)/b^3)/(2*c^3/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d^3 - 3c*d*e)*a*b)/b^5)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(2*c^3/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d^3 - 3c*d*e)*a*b)/b^5)^{(1/3)} - 2*c/b)^2*b^3 + 4*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(c^2/b^2 - (b*c^2 + a*d*e)/b^3)/(2*c^3/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d^3 - 3c*d*e)*a*b)/b^5)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(2*c^3/b^3 - 3*(b*c^2 + a*d*e)*c/b^4 + (b*d^3 + a*e^3)*a/b^5 + (b^2*c^3 + a^2*e^3 - (d^3 - 3c*d*e)*a*b)/b^5)^{(1/3)} - 2*c/b)*b^2*c + 4*b*c^2 + 16*a*d*e)/b^3)))/b \end{aligned}$$

giac [A] time = 0.21, size = 195, normalized size = 1.01

$$\frac{c \log(|bx^3 + a|)}{3b} - \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} bd - (-ab^2)^{\frac{2}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3b^3} + \frac{bx^2e + 2bdx}{2b^2} - \frac{\left((-ab^2)^{\frac{1}{3}} bd + (-ab^2)^{\frac{2}{3}} e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6b^3} + \frac{\left(ab^4 \left(-\frac{a}{b} \right)^{\frac{1}{3}} e + ab^4 d \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3ab^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] $\frac{1}{3}c*\log(\text{abs}(b*x^3 + a))/b - \frac{1}{3}*\sqrt[3]{3}*((-a*b^2)^{(1/3)}*b*d - (-a*b^2)^{(2/3)}*e)*\arctan(1/3*\sqrt[3]{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/b^3 + 1/2*(b*x^2*e + 2*b*d*x)/b^2 - 1/6*((-a*b^2)^{(1/3)}*b*d + (-a*b^2)^{(2/3)}*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/b^3 + 1/3*(a*b^4*(-a/b)^{(1/3)}*e + a*b^4*d)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/ (a*b^5)$

maple [A] time = 0.05, size = 221, normalized size = 1.15

$$\frac{e x^2}{2b} - \frac{\sqrt{3} a d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{a d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{a d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{\sqrt{3} a e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^2} + \frac{a e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^2} - \frac{a e \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^2} + \frac{c \ln (b x^3 + a)}{3b} + \frac{dx}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)/(b*x^3+a),x)

[Out] $\frac{1}{2}/b*e*x^2+1/b*d*x-1/3/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*a*d+1/6/(a/b)^{(2/3)}*a/b^2*d*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-1/3/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*a*d+1/3/b^2*a*e/(a/b)^{(1/3)}*\ln(x+(a/b)$

$\left)^{(1/3)} - 1/6/b^2*a*e/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) - 1/3/b^2*a*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x - 1)) + 1/3/b*c*\ln(b*x^3 + a)$

maxima [A] time = 2.94, size = 181, normalized size = 0.94

$$\frac{\sqrt{3} \left(a e \left(\frac{a}{b} \right)^{\frac{2}{3}} + a d \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right) + \frac{e x^2 + 2 d x}{2 b} + \frac{\left(2 b c \left(\frac{a}{b} \right)^{\frac{2}{3}} - a e \left(\frac{a}{b} \right)^{\frac{1}{3}} + a d \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(b c \left(\frac{a}{b} \right)^{\frac{2}{3}} + a e \left(\frac{a}{b} \right)^{\frac{1}{3}} - a d \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a), x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*(a*e*(a/b)^{(2/3)} + a*d*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b) + 1/2*(e*x^2 + 2*d*x)/b + 1/6*(2*b*c*(a/b)^{(2/3)} - a*e*(a/b)^{(1/3)} + a*d)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^2*(a/b)^{(2/3)}) + 1/3*(b*c*(a/b)^{(2/3)} + a*e*(a/b)^{(1/3)} - a*d)*\log(x + (a/b)^{(1/3)})/(b^2*(a/b)^{(2/3)})$

mupad [B] time = 5.13, size = 340, normalized size = 1.76

$$\left(\sum_{k=1}^3 \frac{e \left(b^2 + \operatorname{root}(27 b^5 z^3 - 27 b^4 c z^2 + 9 a b^2 d e z + 9 b^3 c^2 z - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3, z, k) \right)^2}{\operatorname{root}(27 b^5 z^3 - 27 b^4 c z^2 + 9 a b^2 d e z + 9 b^3 c^2 z - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3, z, k)} \right) \frac{d x^2 + d x}{2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2))/(a + b*x^3), x)

[Out] $\operatorname{symsum}(\log((a*(b*c^2 + 9*\operatorname{root}(27*b^5*z^3 - 27*b^4*c*z^2 + 9*a*b^2*d*e*z + 9*b^3*c^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k))^2*b^3 + a*d*e - 6*\operatorname{root}(27*b^5*z^3 - 27*b^4*c*z^2 + 9*a*b^2*d*e*z + 9*b^3*c^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k))*b^2*c + a*e^2*x + b*c*d*x - 3*\operatorname{root}(27*b^5*z^3 - 27*b^4*c*z^2 + 9*a*b^2*d*e*z + 9*b^3*c^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k))*b^2*d*x))/b)*\operatorname{root}(27*b^5*z^3 - 27*b^4*c*z^2 + 9*a*b^2*d*e*z + 9*b^3*c^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k), k, 1, 3) + (e*x^2)/(2*b) + (d*x)/b$

sympy [A] time = 1.49, size = 150, normalized size = 0.78

$$\operatorname{RootSum} \left(27 t^3 b^5 - 27 t^2 b^4 c + t (9 a b^2 d e + 9 b^3 c^2) - a^2 e^3 - 3 a b c d e + a b d^3 - b^2 c^3, \left(t \mapsto t \log \left(x + \frac{9 t^2 b^3 e - 6 t b^2 c e - 3 t b^2 d^2 + 2 a d e^2 + b c^2 e + b c d^2}{a e^3 + b d^3} \right) \right) \right) \frac{d x}{b} + \frac{e x^2}{2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d*x+c)/(b*x**3+a), x)

[Out] $\operatorname{RootSum}(27*_t**3*b**5 - 27*_t**2*b**4*c + _t*(9*a*b**2*d*e + 9*b**3*c**2) - a**2*e**3 - 3*a*b*c*d*e + a*b*d**3 - b**2*c**3, \operatorname{Lambda}(_t, _t*\log(x + (9*_t**2*b**3*e - 6*_t*b**2*c*e - 3*_t*b**2*d**2 + 2*a*d*e**2 + b*c**2*e + b*c*d**2)/(a*e**3 + b*d**3)))) + d*x/b + e*x**2/(2*b)$

$$3.286 \quad \int \frac{x(c+dx+ex^2)}{a+bx^3} dx$$

Optimal. Leaf size=183

$$\frac{(a^{2/3}e + b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{6\sqrt[3]{a} b^{4/3}} - \frac{(a^{2/3}e + b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3\sqrt[3]{a} b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a} b^{4/3}}$$

Rubi [A] time = 0.23, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(a^{2/3}e + b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{6\sqrt[3]{a} b^{4/3}} - \frac{(a^{2/3}e + b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3\sqrt[3]{a} b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a} b^{4/3}} + \frac{d \log(a + bx^3)}{3b} + \frac{ex}{b}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2))/(a + b*x^3), x]

[Out] (e*x)/b - ((b^(2/3)*c - a^(2/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(1/3)*b^(4/3)) - ((b^(2/3)*c + a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(3*a^(1/3)*b^(4/3)) + ((b^(2/3)*c + a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(1/3)*b^(4/3)) + (d*Log[a + b*x^3])/ (3*b)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_)*(x_)^n), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2)}{a + bx^3} dx &= \int \left(\frac{e}{b} - \frac{ae - bcx - bdx^2}{b(a + bx^3)} \right) dx \\
&= \frac{ex}{b} - \frac{\int \frac{ae - bcx - bdx^2}{a + bx^3} dx}{b} \\
&= \frac{ex}{b} - \frac{\int \frac{ae - bcx}{a + bx^3} dx}{b} + d \int \frac{x^2}{a + bx^3} dx \\
&= \frac{ex}{b} + \frac{d \log(a + bx^3)}{3b} - \frac{\int \frac{\sqrt[3]{a}(-\sqrt[3]{a}bc + 2a\sqrt[3]{b}e) + \sqrt[3]{b}(-\sqrt[3]{a}bc - a\sqrt[3]{b}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}b^{4/3}} - \frac{(b^{2/3}c + a^{2/3}e) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x}}{3\sqrt[3]{a}b} \\
&= \frac{ex}{b} - \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{4/3}} + \frac{d \log(a + bx^3)}{3b} + \frac{(b^{2/3}c - a^{2/3}e) \int \frac{1}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2}}{2b} \\
&= \frac{ex}{b} - \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{4/3}} + \frac{(b^{2/3}c + a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6\sqrt[3]{a}b^{4/3}} + \frac{d \log(a + bx^3)}{3b} \\
&= \frac{ex}{b} - \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a}b^{4/3}} - \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{4/3}} + \frac{(b^{2/3}c + a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6\sqrt[3]{a}b^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 200, normalized size = 1.09

$$-\frac{(a^{4/3}(-\sqrt[3]{b})e - a^{2/3}bc) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6ab^{5/3}} + \frac{(a^{4/3}(-\sqrt[3]{b})e - a^{2/3}bc) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3ab^{5/3}} + \frac{(a^{2/3}bc - a^{4/3}\sqrt[3]{b}e) \tan^{-1}\left(\frac{2\sqrt[3]{b}x - \sqrt[3]{a}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}ab^{5/3}} + \frac{d \log(a + bx^3)}{3b} + \frac{ex}{b}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2))/(a + b*x^3), x]

[Out] (e*x)/b + ((a^(2/3)*b*c - a^(4/3)*b^(1/3)*e)*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a*b^(5/3)) + (((-a^(2/3)*b*c) - a^(4/3)*b^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(3*a*b^(5/3)) - (((-a^(2/3)*b*c) - a^(4/3)*b^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a*b^(5/3)) + (d*Log[a + b*x^3])/(3*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(c + dx + ex^2)}{a + bx^3} dx$$

$$\frac{d^2 e^x a^2 b^2}{(a^2 b^4)^2} - \frac{(b^2 c^3 - a^2 e^3)}{(a^2 b^4)^{1/3}} + \frac{1}{2} \sqrt[3]{3+1} \frac{(I \sqrt{3} + 1) (2d^3/b^3 - 3(d^2 - ce)d/b^3 - (b^2 c^3 + a^2 e^3 - (d^3 - 3cde)a^2 b^2)/(a^2 b^4) - (b^2 c^3 - a^2 e^3)/(a^2 b^4)^{1/3} - 2d/b - 2(b^2 c^3 - a^2 e^3)x - 3/4 \sqrt{1/3} ((2(1/2)^{2/3} (-I \sqrt{3} + 1)(d^2/b^2 - (d^2 - ce)/b^2)/(2d^3/b^3 - 3(d^2 - ce)d/b^3 - (b^2 c^3 + a^2 e^3 - (d^3 - 3cde)a^2 b^2)/(a^2 b^4) - (b^2 c^3 - a^2 e^3)/(a^2 b^4)^{1/3} + (1/2)^{1/3} (I \sqrt{3} + 1) (2d^3/b^3 - 3(d^2 - ce)d/b^3 - (b^2 c^3 + a^2 e^3 - (d^3 - 3cde)a^2 b^2)/(a^2 b^4) - (b^2 c^3 - a^2 e^3)/(a^2 b^4)^{1/3} - 2d/b) a^2 b^3 c + 2a^2 b^2 c d + 2a^2 b e^2) \sqrt{-((2(1/2)^{2/3} (-I \sqrt{3} + 1)(d^2/b^2 - (d^2 - ce)/b^2)/(2d^3/b^3 - 3(d^2 - ce)d/b^3 - (b^2 c^3 + a^2 e^3 - (d^3 - 3cde)a^2 b^2)/(a^2 b^4) - (b^2 c^3 - a^2 e^3)/(a^2 b^4)^{1/3} + (1/2)^{1/3} (I \sqrt{3} + 1) (2d^3/b^3 - 3(d^2 - ce)d/b^3 - (b^2 c^3 + a^2 e^3 - (d^3 - 3cde)a^2 b^2)/(a^2 b^4) - (b^2 c^3 - a^2 e^3)/(a^2 b^4)^{1/3} - 2d/b)^2 b^2 + 4((2(1/2)^{2/3} (-I \sqrt{3} + 1)(d^2/b^2 - (d^2 - ce)/b^2)/(2d^3/b^3 - 3(d^2 - ce)d/b^3 - (b^2 c^3 + a^2 e^3 - (d^3 - 3cde)a^2 b^2)/(a^2 b^4) - (b^2 c^3 - a^2 e^3)/(a^2 b^4)^{1/3} + (1/2)^{1/3} (I \sqrt{3} + 1) (2d^3/b^3 - 3(d^2 - ce)d/b^3 - (b^2 c^3 + a^2 e^3 - (d^3 - 3cde)a^2 b^2)/(a^2 b^4) - (b^2 c^3 - a^2 e^3)/(a^2 b^4)^{1/3} - 2d/b) b^2 d + 4 d^2 - 16 c e)/b^2)}}{b}$$

giac [A] time = 0.21, size = 178, normalized size = 0.97

$$\frac{\sqrt{3} \left(a e + (-a b^2)^{\frac{1}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-a b^2 \right)^{\frac{2}{3}}} + \frac{\left(a e - \left(-a b^2 \right)^{\frac{1}{3}} c \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) + \frac{x e}{b} + \frac{d \log(|b x^3 + a|)}{3 b} - \frac{\left(b^3 c \left(-\frac{a}{b} \right)^{\frac{1}{3}} - a b^2 e \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{3 a b^3}}{6 \left(-a b^2 \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] $\frac{1}{3} \sqrt{3} (a e + (-a b^2)^{1/3} c) \arctan \left(\frac{\sqrt{3} (2x + (-a/b)^{1/3})}{3 (-a/b)^{1/3}} \right) / (-a/b)^{1/3} / (-a b^2)^{2/3} + \frac{1}{6} (a e - (-a b^2)^{1/3} c) \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) / (-a b^2)^{2/3} + \frac{x e}{b} + \frac{1}{3} d \log(\text{abs}(b x^3 + a)) / b - \frac{1}{3} (b^3 c (-a/b)^{1/3} - a b^2 e) (-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3})) / (a b^3)$

maple [A] time = 0.05, size = 209, normalized size = 1.14

$$\frac{\sqrt{3} a e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{a e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{a e \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{d \ln(b x^3 + a)}{3 b} + \frac{e x}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x^2+d*x+c)/(b*x^3+a),x)`

[Out] $\frac{1}{b}e^x - \frac{1}{3} \frac{(a/b)^{2/3} * a/b^2 * e * \ln(x + (a/b)^{1/3}) + 1/6 (a/b)^{2/3} * a/b^2 * e * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) - 1/3 (a/b)^{2/3} * 3^{1/2} * a/b^2 * e * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) - 1/3/b * c / (a/b)^{1/3} * \ln(x + (a/b)^{1/3}) + 1/6/b * c / (a/b)^{1/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) + 1/3/b * c * 3^{1/2} / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) + 1/3/b * d * \ln(b * x^3 + a)}$

maxima [A] time = 2.94, size = 173, normalized size = 0.95

$$\frac{ex}{b} + \frac{\sqrt{3} \left(bc \left(\frac{a}{b} \right)^{\frac{2}{3}} - ae \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3ab} + \frac{\left(2bd \left(\frac{a}{b} \right)^{\frac{2}{3}} + bc \left(\frac{a}{b} \right)^{\frac{1}{3}} + ae \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(bd \left(\frac{a}{b} \right)^{\frac{2}{3}} - bc \left(\frac{a}{b} \right)^{\frac{1}{3}} - ae \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")`

[Out] $e^x x/b + 1/3 \sqrt{3} * (b*c*(a/b)^{2/3} - a*e*(a/b)^{1/3}) * \arctan(1/3 \sqrt{3} * (2*x - (a/b)^{1/3}) / (a/b)^{1/3}) / (a*b) + 1/6 * (2*b*d*(a/b)^{2/3} + b*c*(a/b)^{1/3} + a*e) * \log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3}) / (b^2*(a/b)^{2/3}) + 1/3 * (b*d*(a/b)^{2/3} - b*c*(a/b)^{1/3} - a*e) * \log(x + (a/b)^{1/3}) / (b^2*(a/b)^{2/3})$

mupad [B] time = 5.16, size = 266, normalized size = 1.45

$$\left(\sum_{k=1}^{\infty} \ln(x^{(k^2+d)} - \text{root}(27ab^4z^3 - 27a^2b^3d^2z^2 - 9a^2b^2c^2z + 3abcde - abd^3 + a^2e^3 + b^2c^3, z, k)) \right) (abd - \text{root}(27ab^4z^3 - 27a^2b^3d^2z^2 - 9a^2b^2c^2z + 3abcde - abd^3 + a^2e^3 + b^2c^3, z, k)) a^{b^2} 9 + 3abc^2 + a^d - ace) \text{root}(27ab^4z^3 - 27a^2b^3d^2z^2 - 9a^2b^2c^2z + 3abcde - abd^3 + a^2e^3 + b^2c^3, z, k)) + \frac{cx}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(c + d*x + e*x^2))/(a + b*x^3),x)`

[Out] $\text{symsum}(\log(x*(b*c^2 + a*d*e) - \text{root}(27*a*b^4*z^3 - 27*a*b^3*d*z^2 - 9*a*b^2*c*e*z + 9*a*b^2*d^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)) * (6*a*b*d - 9*\text{root}(27*a*b^4*z^3 - 27*a*b^3*d*z^2 - 9*a*b^2*c*e*z + 9*a*b^2*d^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)) * a*b^2 + 3*a*b*e*x) + a*d^2 - a*c*e) * \text{root}(27*a*b^4*z^3 - 27*a*b^3*d*z^2 - 9*a*b^2*c*e*z + 9*a*b^2*d^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k), k, 1, 3) + (e*x)/b$

sympy [A] time = 1.43, size = 160, normalized size = 0.87

$$\text{RootSum} \left(27t^3 ab^4 - 27t^2 ab^3 d + t(-9ab^2 ce + 9ab^2 d^2) + a^2 e^3 + 3abcde - abd^3 + b^2 c^3, \left(t \mapsto t \log \left(x + \frac{-9t^2 ab^3 c - 3ta^2 be^2 + 6tab^2 cd + a^2 de^2 + 2abc^2 e - abcd^2}{a^2 e^3 - b^2 c^3} \right) \right) \right) + \frac{ex}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d*x+c)/(b*x**3+a),x)`

```
[Out] RootSum(27*_t**3*a*b**4 - 27*_t**2*a*b**3*d + _t*(-9*a*b**2*c*e + 9*a*b**2*
d**2) + a**2*e**3 + 3*a*b*c*d*e - a*b*d**3 + b**2*c**3, Lambda(_t, _t*log(x
+ (-9*_t**2*a*b**3*c - 3*_t*a**2*b*e**2 + 6*_t*a*b**2*c*d + a**2*d*e**2 +
2*a*b*c**2*e - a*b*c*d**2)/(a**2*e**3 - b**2*c**3)))) + e*x/b
```

$$3.287 \quad \int \frac{c+dx+ex^2}{a+bx^3} dx$$

Optimal. Leaf size=177

$$\frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}c - \sqrt[3]{a}d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}d + \sqrt[3]{b}c\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{e \log(a+bx^3)}{3b}$$

Rubi [A] time = 0.13, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1871, 1860, 31, 634, 617, 204, 628, 260}

$$-\frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}c - \sqrt[3]{a}d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}d + \sqrt[3]{b}c\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{e \log(a+bx^3)}{3b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^3), x]

[Out] -(((b^(1/3)*c + a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(2/3)*b^(2/3)) + ((b^(1/3)*c - a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(2/3)*b^(2/3)) - ((c - (a^(1/3)*d)/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(2/3)*b^(1/3)) + (e*Log[a + b*x^3])/(3*b)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S  
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,  
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D  
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In  
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ  
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer  
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*  
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r  
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne  
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B  
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di  
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a  
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{a + bx^3} dx &= e \int \frac{x^2}{a + bx^3} dx + \int \frac{c + dx}{a + bx^3} dx \\
&= \frac{e \log(a + bx^3)}{3b} + \frac{\int \frac{\sqrt[3]{a}(2\sqrt[3]{b}c + \sqrt[3]{a}d) + \sqrt[3]{b}(-\sqrt[3]{b}c + \sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}\sqrt[3]{b}} + \frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}} \\
&= \frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} + \frac{e \log(a + bx^3)}{3b} - \frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}b^{2/3}} + \frac{1}{2} \left(\dots \right) \\
&= \frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} + \frac{e \log(a + bx^3)}{3b} \\
&= -\frac{(\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 176, normalized size = 0.99

$$\frac{-\sqrt[3]{b}(\sqrt[3]{a}\sqrt[3]{b}c - a^{2/3}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 2\sqrt[3]{b}(\sqrt[3]{a}\sqrt[3]{b}c - a^{2/3}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x) - 2\sqrt{3}\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a}d + \sqrt[3]{b}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) + 2ae \log(a + bx^3)}{6ab}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^3), x]

[Out] (-2*Sqrt[3]*a^(1/3)*b^(1/3)*(b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*b^(1/3)*(a^(1/3)*b^(1/3)*c - a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x] - b^(1/3)*(a^(1/3)*b^(1/3)*c - a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 2*a*e*Log[a + b*x^3]/(6*a*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(a + b*x^3), x]

fricas [C] time = 1.20, size = 4671, normalized size = 26.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")
```

```
[Out] -1/12*(2*(2*(1/2)^(2/3))*(-I*sqrt(3) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2))
)/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b
^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) + (1/2)^(1/3)*(I*s
qrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2
*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) - 2*e/b
)*b*log(1/4*(2*(1/2)^(2/3))*(-I*sqrt(3) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b
^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) +
(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) + (1/2)^(1/3)*(I
*sqrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a
^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) - 2*e/
b)^2*a^2*b^2*d + 2*a*b*c*d^2 - a*b*c^2*e + a^2*d*e^2 - 1/2*(a*b^2*c^2 - 2*a
^2*b*d*e)*(2*(1/2)^(2/3))*(-I*sqrt(3) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2
)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (
b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) + (1/2)^(1/3)*(I*s
qrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^
2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) - 2*e/b
) + (b^2*c^3 + a*b*d^3)*x - ((2*(1/2)^(2/3))*(-I*sqrt(3) + 1)*(e^2/b^2 - (b
*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 +
a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/
3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) +
(b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2
*b^3))^(1/3) - 2*e/b)*b + 3*sqrt(1/3)*b*sqrt(-((2*(1/2)^(2/3))*(-I*sqrt(3) +
1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a
*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*
b)/(a^2*b^3))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a
*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3
*c*d*e)*a*b)/(a^2*b^3))^(1/3) - 2*e/b)^2*a*b^2 + 4*(2*(1/2)^(2/3))*(-I*sqrt(
3) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*
e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e
)*a*b)/(a^2*b^3))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d
+ a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3
- 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) - 2*e/b)*a*b*e + 16*b*c*d + 4*a*e^2)/(a*b
^2) + 6*e)*log(-1/4*(2*(1/2)^(2/3))*(-I*sqrt(3) + 1)*(e^2/b^2 - (b*c*d + a*
e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a
^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1/3) + (1/2
)^(1/3)*(I*sqrt(3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 +
a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^(1
/3) - 2*e/b)^2*a^2*b^2*d - 2*a*b*c*d^2 + a*b*c^2*e - a^2*d*e^2 + 1/2*(a*b^2
*c^2 - 2*a^2*b*d*e)*(2*(1/2)^(2/3))*(-I*sqrt(3) + 1)*(e^2/b^2 - (b*c*d + a*e
^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^
```

$$\begin{aligned}
& 2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} + (1/2) \\
& ^{(1/3)}*(I*\sqrt{3} + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + \\
& a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} \\
& - 2*e/b) + 2*(b^2*c^3 + a*b*d^3)*x + 3/4*\sqrt{1/3}*((2*(1/2)^{(2/3)}*(-I*\sqrt{3} \\
& + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e \\
& ^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\
& *d*e)*a*b)/(a^2*b^3))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(2*e^3/b^3 - 3*(b \\
& *c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - \\
& (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} - 2*e/b)*a^2*b^2*d + 2*a*b^2*c^2 + 2* \\
& a^2*b*d*e)*\sqrt{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(e^2/b^2 - (b*c*d + a*e^2) \\
&)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2* \\
& b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} + (1/2)^{(\\
& 1/3)}*(I*\sqrt{3} + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a* \\
& d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} \\
& - 2*e/b)^2*a*b^2 + 4*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(e^2/b^2 - (b*c*d + a \\
& *e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(\\
& a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} + (1/ \\
& 2)^{(1/3)}*(I*\sqrt{3} + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 \\
& + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(\\
& 1/3)} - 2*e/b)*a*b*e + 16*b*c*d + 4*a*e^2)/(a*b^2))) - ((2*(1/2)^{(2/3)}*(-I*\sqrt{3} \\
& + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e \\
& ^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\
& *d*e)*a*b)/(a^2*b^3))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(2*e^3/b^3 - 3*(b \\
& *c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - \\
& (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} - 2*e/b)*b - 3*\sqrt{1/3}*b*\sqrt{-((2* \\
& (1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 \\
& - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2 \\
& *e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)* \\
& (2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2 \\
& *c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} - 2*e/b)^2*a*b^2 + 4 \\
& *(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3 \\
& /b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + \\
& a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + \\
& 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + \\
& (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} - 2*e/b)*a*b*e + \\
& 16*b*c*d + 4*a*e^2)/(a*b^2)) + 6*e)*\log(-1/4*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + \\
& 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a* \\
& b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b \\
&)/(a^2*b^3))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(2*e^3/b^3 - 3*(b*c*d + a* \\
& e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3* \\
& c*d*e)*a*b)/(a^2*b^3))^{(1/3)} - 2*e/b)^2*a^2*b^2*d - 2*a*b*c*d^2 + a*b*c^2*e \\
& - a^2*d*e^2 + 1/2*(a*b^2*c^2 - 2*a^2*b*d*e)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1) \\
&)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b \\
& ^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) \\
& / (a^2*b^3))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e
\end{aligned}$$

$$\begin{aligned} &^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c \\ & * d * e) * a * b) / (a^2 * b^3)^{(1/3)} - 2 * e / b + 2 * (b^2 * c^3 + a * b * d^3) * x - 3 / 4 * \text{sqrt}(1 \\ & / 3) * ((2 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (e^2 / b^2 - (b * c * d + a * e^2) / (a * b^2))) / (2 \\ & * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c \\ & ^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(\\ & 3) + 1) * (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2 \\ &) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a^2 * b^3))^{(1/3)} - 2 * e / b * a^2 \\ & * b^2 * d + 2 * a * b^2 * c^2 + 2 * a^2 * b * d * e) * \text{sqrt}(-((2 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * \\ & (e^2 / b^2 - (b * c * d + a * e^2) / (a * b^2))) / (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a * b^3 \\ &) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (\\ & a^2 * b^3))^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2 \\ &) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d \\ & * e) * a * b) / (a^2 * b^3))^{(1/3)} - 2 * e / b)^2 * a * b^2 + 4 * (2 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + \\ & 1) * (e^2 / b^2 - (b * c * d + a * e^2) / (a * b^2))) / (2 * e^3 / b^3 - 3 * (b * c * d + a * e^2) * e / (a \\ & * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * \\ & b) / (a^2 * b^3))^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (2 * e^3 / b^3 - 3 * (b * c * d + a \\ & * e^2) * e / (a * b^3) + (b * c^3 + a * d^3) / (a^2 * b^2) + (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 \\ & * c * d * e) * a * b) / (a^2 * b^3))^{(1/3)} - 2 * e / b) * a * b * e + 16 * b * c * d + 4 * a * e^2) / (a * b^2) \\ &)) / b \end{aligned}$$

giac [A] time = 0.18, size = 163, normalized size = 0.92

$$\frac{\sqrt{3} \left(bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}}} - \frac{\left(bc + (-ab^2)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-ab^2 \right)^{\frac{2}{3}}} + \frac{e \log(|bx^3 + a|)}{3b} - \frac{\left(bd \left(-\frac{a}{b} \right)^{\frac{1}{3}} + bc \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{3ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3 * \text{sqrt}(3) * (b * c - (-a * b^2)^{(1/3)} * d) * \arctan(1/3 * \text{sqrt}(3) * (2 * x + (-a/b)^{(1/3)})) / (-a/b)^{(1/3)} / (-a * b^2)^{(2/3)} - 1/6 * (b * c + (-a * b^2)^{(1/3)} * d) * \log(x^2 + x * (-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / (-a * b^2)^{(2/3)} + 1/3 * e * \log(\text{abs}(b * x^3 + a)) / b - 1/3 * (b * d * (-a/b)^{(1/3)} + b * c) * (-a/b)^{(1/3)} * \log(\text{abs}(x - (-a/b)^{(1/3)})) / (a * b)$

maple [A] time = 0.05, size = 200, normalized size = 1.13

$$\frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} - \frac{c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{e \ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^3+a),x)

[Out] $\frac{1}{3} \frac{b}{b} \left(\frac{a}{b}\right)^{\frac{2}{3}} \ln(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}) - \frac{1}{6} \frac{b}{b} \left(\frac{a}{b}\right)^{\frac{2}{3}} \ln(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}) + x + \left(\frac{a}{b}\right)^{\frac{2}{3}} + \frac{1}{3} \frac{b}{b} \left(\frac{a}{b}\right)^{\frac{2}{3}} 3^{\frac{1}{2}} \arctan\left(\frac{1}{3} 3^{\frac{1}{2}} \frac{2}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) - \frac{1}{3} \frac{d}{b} \left(\frac{a}{b}\right)^{\frac{1}{3}} \ln(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}) + \frac{1}{6} \frac{d}{b} \left(\frac{a}{b}\right)^{\frac{1}{3}} \ln(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}) + x + \left(\frac{a}{b}\right)^{\frac{2}{3}} + \frac{1}{3} \frac{d}{b} 3^{\frac{1}{2}} \frac{1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}} \arctan\left(\frac{1}{3} 3^{\frac{1}{2}} \frac{2}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) + \frac{1}{3} \frac{b}{b} e \ln(bx^3 + a)$

maxima [A] time = 3.01, size = 159, normalized size = 0.90

$$\frac{\sqrt{3} \left(b d \left(\frac{a}{b}\right)^{\frac{2}{3}} + b c \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{3 a b} + \frac{\left(2 e \left(\frac{a}{b}\right)^{\frac{2}{3}} + d \left(\frac{a}{b}\right)^{\frac{1}{3}} - c \right) \log \left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)}{6 b \left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(e \left(\frac{a}{b}\right)^{\frac{2}{3}} - d \left(\frac{a}{b}\right)^{\frac{1}{3}} + c \right) \log \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 b \left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] $\frac{1}{3} \sqrt{3} \frac{b d \left(\frac{a}{b}\right)^{\frac{2}{3}} + b c \left(\frac{a}{b}\right)^{\frac{1}{3}}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}} \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) + \frac{1}{6} \frac{2 e \left(\frac{a}{b}\right)^{\frac{2}{3}} + d \left(\frac{a}{b}\right)^{\frac{1}{3}} - c}{\left(\frac{a}{b}\right)^{\frac{2}{3}}} \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + \frac{1}{3} \frac{e \left(\frac{a}{b}\right)^{\frac{2}{3}} - d \left(\frac{a}{b}\right)^{\frac{1}{3}} + c}{\left(\frac{a}{b}\right)^{\frac{2}{3}}} \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)$

mupad [B] time = 0.26, size = 274, normalized size = 1.55

$$\sum_{k=1}^3 \ln \left(\frac{(b^k d - b^k c) + \sqrt{\sqrt{27 a^2 b^3 d^2 - 27 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3}}}{(b^k d - b^k c) + \sqrt{\sqrt{27 a^2 b^3 d^2 - 27 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3}}} \right) + \sqrt{27 a^2 b^3 d^2 - 27 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3} \sqrt{27 a^2 b^3 d^2 - 27 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3} + a^2 + b c d \sqrt{27 a^2 b^3 d^2 - 27 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3} + a^2 + b c d \sqrt{27 a^2 b^3 d^2 - 27 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^3),x)

[Out] $\text{symsum}(\log(x * (b * d^2 - b * c * e) + \sqrt{27 a^2 b^3 d^2 - 27 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3}) + \sqrt{27 a^2 b^3 d^2 - 27 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3}, z, k) * (9 * \sqrt{27 a^2 b^3 d^2 - 27 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3}, z, k) * a * b^2 - 6 * a * b * e + 3 * b^2 * c * x) + a * e^2 + b * c * d * \sqrt{27 a^2 b^3 d^2 - 27 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 + 9 a^2 b^2 c d^2 - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3}, z, k), k, 1, 3)$

sympy [A] time = 1.42, size = 160, normalized size = 0.90

$$\text{RootSum} \left(27 t^3 a^2 b^3 - 27 t^2 a^2 b^2 c d + t (9 a^2 b e^2 + 9 a b^2 c d) - a^2 e^3 - 3 a b c d e + a b d^3 - b^2 c^3, \left(t \mapsto t \log \left(x + \frac{9 t^2 a^2 b^2 d - 6 t a^2 b d e + 3 t a b^2 c^2 + a^2 d e^2 - a b c^2 e + 2 a b c d^2}{a b d^3 + b^2 c^3} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**3+a),x)

```
[Out] RootSum(27*_t**3*a**2*b**3 - 27*_t**2*a**2*b**2*e + _t*(9*a**2*b*e**2 + 9*a
*b**2*c*d) - a**2*e**3 - 3*a*b*c*d*e + a*b*d**3 - b**2*c**3, Lambda(_t, _t*
log(x + (9*_t**2*a**2*b**2*d - 6*_t*a**2*b*d*e + 3*_t*a*b**2*c**2 + a**2*d*
e**2 - a*b*c**2*e + 2*a*b*c*d**2)/(a*b*d**3 + b**2*c**3))))
```

$$3.288 \quad \int \frac{c+dx+ex^2}{x(a+bx^3)} dx$$

Optimal. Leaf size=184

$$\frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{6a^{2/3} \sqrt[3]{b}} + \frac{\left(\sqrt[3]{b} d - \sqrt[3]{a} e\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right)}{3a^{2/3} b^{2/3}} - \frac{\left(\sqrt[3]{a} e + \sqrt[3]{b} d\right) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{2/3}} - c \log(x)$$

Rubi [A] time = 0.21, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$-\frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{6a^{2/3} \sqrt[3]{b}} + \frac{\left(\sqrt[3]{b} d - \sqrt[3]{a} e\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right)}{3a^{2/3} b^{2/3}} - \frac{\left(\sqrt[3]{a} e + \sqrt[3]{b} d\right) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{2/3}} - \frac{c \log(a + bx^3)}{3a} + \frac{c \log(x)}{a}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x*(a + b*x^3)),x]

[Out] -(((b^(1/3)*d + a^(1/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(2/3)*b^(2/3)) + (c*Log[x])/a + ((b^(1/3)*d - a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(3*a^(2/3)*b^(2/3)) - ((d - (a^(1/3)*e)/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(2/3)*b^(1/3)) - (c*Log[a + b*x^3])/(3*a)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S  
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,  
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D  
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In  
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ  
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E  
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &  
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer  
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*  
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r  
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne  
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B  
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di  
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a  
/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x(a + bx^3)} dx &= \int \left(\frac{c}{ax} + \frac{ad + aex - bcx^2}{a(a + bx^3)} \right) dx \\
&= \frac{c \log(x)}{a} + \frac{\int \frac{ad + aex - bcx^2}{a + bx^3} dx}{a} \\
&= \frac{c \log(x)}{a} + \frac{\int \frac{ad + aex}{a + bx^3} dx}{a} - \frac{(bc) \int \frac{x^2}{a + bx^3} dx}{a} \\
&= \frac{c \log(x)}{a} - \frac{c \log(a + bx^3)}{3a} + \frac{\int \frac{\sqrt[3]{a} (2a \sqrt[3]{b} d + a^{4/3} e) + \sqrt[3]{b} (-a \sqrt[3]{b} d + a^{4/3} e) x}{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2} dx}{3a^{5/3} \sqrt[3]{b}} + \frac{\left(d - \frac{\sqrt[3]{a} e}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b} x} dx}{3a^{2/3}} \\
&= \frac{c \log(x)}{a} + \frac{\left(d - \frac{\sqrt[3]{a} e}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} \sqrt[3]{b}} - \frac{c \log(a + bx^3)}{3a} + \frac{1}{2} \left(\frac{d}{\sqrt[3]{a}} + \frac{e}{\sqrt[3]{b}} \right) \int \frac{1}{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x} dx \\
&= \frac{c \log(x)}{a} + \frac{\left(d - \frac{\sqrt[3]{a} e}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} \sqrt[3]{b}} - \frac{\left(d - \frac{\sqrt[3]{a} e}{\sqrt[3]{b}} \right) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3} \sqrt[3]{b}} - \frac{c \log(a + bx^3)}{3a} \\
&= -\frac{\left(\sqrt[3]{b} d + \sqrt[3]{a} e \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} a^{2/3} b^{2/3}} + \frac{c \log(x)}{a} + \frac{\left(d - \frac{\sqrt[3]{a} e}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} \sqrt[3]{b}} - \frac{\left(d - \frac{\sqrt[3]{a} e}{\sqrt[3]{b}} \right) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3} \sqrt[3]{b}}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 176, normalized size = 0.96

$$\frac{(a^{2/3} e - \sqrt[3]{a} \sqrt[3]{b} d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) + 2(\sqrt[3]{a} \sqrt[3]{b} d - a^{2/3} e) \log(\sqrt[3]{a} + \sqrt[3]{b} x) - 2b^{2/3} c \log(a + bx^3) - 2\sqrt{3} \sqrt[3]{a} (\sqrt[3]{a} e + \sqrt[3]{b} d) \tan^{-1} \left(\frac{1 - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right) + 6b^{2/3} c \log(x)}{6ab^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x*(a + b*x^3)), x]

[Out] (-2*sqrt[3]*a^(1/3)*(b^(1/3)*d + a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 6*b^(2/3)*c*Log[x] + 2*(a^(1/3)*b^(1/3)*d - a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x] + (-a^(1/3)*b^(1/3)*d + a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 2*b^(2/3)*c*Log[a + b*x^3]/(6*a*b^(2/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{x(a + bx^3)} dx$$

$$\begin{aligned}
& * \sqrt{3} + 1) * (c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)) / (-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a)^2 * a^2*b*e - b*c*d^2 - b*c^2*e - 2*a*d*e^2 + 1/6*(a*b*d^2 + 2*a*b*c*e) * ((-I*\sqrt{3} + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)) / (-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a) + 2*(b*d^3 + a*e^3)*x + 1/12*\sqrt{1/3} * (((-I*\sqrt{3} + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)) / (-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a) * a^2*b*e + 6*a*b*d^2 - 6*a*b*c*e) * \sqrt{-(((-I*\sqrt{3} + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)) / (-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a) * a^2*b - 12 * (((-I*\sqrt{3} + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)) / (-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a) * a*b*c + 36*b*c^2 + 144*a*d*e) / (a^2*b)) - (((-I*\sqrt{3} + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)) / (-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a)^2 * a^2*b - 12 * (((-I*\sqrt{3} + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)) / (-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a) * a - 3*\sqrt{1/3} * a*\sqrt{-(((-I*\sqrt{3} + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)) / (-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a) * a*b*c + 36*b*c^2 + 144*a*d*e) / (a^2*b)) - 18*c) * \log(-1/36 * (((-I*\sqrt{3} + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)) / (-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a)
\end{aligned}$$

$$\begin{aligned} & \sqrt[3]{a^3} + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - \\ & 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{\frac{1}{3}} + 9*(I*\sqrt{3} \\ & (3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a* \\ & e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{\frac{1}{3}} \\ & + 6*c/a)^2*a^2*b*e - b*c*d^2 - b*c^2*e - 2*a*d*e^2 + 1/6*(a*b*d^2 + 2 \\ & *a*b*c*e)*((-I*\sqrt{3}) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 \\ & + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/5 \\ & 4*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{\frac{1}{3}} + 9*(I*\sqrt{3}(3) \\ & + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3) \\ &)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{\frac{1}{3}} \\ & + 6*c/a) + 2*(b*d^3 + a*e^3)*x - 1/12*\sqrt{1/3}*(((-I*\sqrt{3}) + 1)*(c^2/a^2 - \\ & (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3 \\ & *b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\ & *d*e)*a*b)/(a^3*b^2))^{\frac{1}{3}} + 9*(I*\sqrt{3}(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^ \\ & 2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2 \\ & *e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{\frac{1}{3}} + 6*c/a)*a^2*b*e + 6*a*b*d^2 - \\ & 6*a*b*c*e)*\sqrt{-(((-I*\sqrt{3}) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(- \\ & 1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b \\ & ^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{\frac{1}{3}} + 9*(\\ & I*\sqrt{3}(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^ \\ & 3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3* \\ & b^2))^{\frac{1}{3}} + 6*c/a)^2*a^2*b - 12*((-I*\sqrt{3}) + 1)*(c^2/a^2 - (b*c^2 + a*d \\ & *e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 \\ & + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^ \\ & 2))^{\frac{1}{3}} + 9*(I*\sqrt{3}(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b \\ &) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\ & *d*e)*a*b)/(a^3*b^2))^{\frac{1}{3}} + 6*c/a)*a*b*c + 36*b*c^2 + 144*a*d*e)/(a^2*b))) \\ & - 36*c*\log(x))/a \end{aligned}$$

giac [A] time = 0.18, size = 179, normalized size = 0.97

$$\frac{\sqrt{3} \left(bd - (-ab^2)^{\frac{1}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{-a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{-a}{b} \right)^{\frac{1}{3}}} \right)}{3 (-ab^2)^{\frac{2}{3}}} - \frac{\left(bd + (-ab^2)^{\frac{1}{3}} e \right) \log \left(x^2 + x \left(\frac{-a}{b} \right)^{\frac{1}{3}} + \left(\frac{-a}{b} \right)^{\frac{2}{3}} \right)}{6 (-ab^2)^{\frac{2}{3}}} - \frac{c \log(|bx^3 + a|)}{3a} + \frac{c \log(|x|)}{a} - \frac{\left(a^2 b \left(\frac{-a}{b} \right)^{\frac{1}{3}} e + a^2 b d \right) \left(\frac{-a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(\frac{-a}{b} \right)^{\frac{1}{3}} \right| \right)}{3 a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3*\sqrt{3}*(b*d - (-a*b^2)^{\frac{1}{3}}*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{\frac{1}{3}})))/(-a/b)^{\frac{1}{3}})/(-a*b^2)^{\frac{2}{3}} - 1/6*(b*d + (-a*b^2)^{\frac{1}{3}}*e)*\log(x^2 + x*(-a/b)^{\frac{1}{3}} + (-a/b)^{\frac{2}{3}})/(-a*b^2)^{\frac{2}{3}} - 1/3*c*\log(\text{abs}(b*x^3 + a))/a + c*\log(\text{abs}(x))/a - 1/3*(a^2*b*(-a/b)^{\frac{1}{3}}*e + a^2*b*d)*(-a/b)^{\frac{1}{3}}*\log(\text{abs}(x - (-a/b)^{\frac{1}{3}})))/(-a*b^2)^{\frac{2}{3}}$

maple [A] time = 0.05, size = 207, normalized size = 1.12

$$\frac{c \ln(x)}{a} - \frac{c \ln(bx^3 + a)}{3a} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{\sqrt{3} e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}}b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x/(b*x^3+a),x)

[Out] $\frac{1}{3} \left(\frac{a}{b}\right)^{\frac{2}{3}} / b * d * \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - \frac{1}{6} \left(\frac{a}{b}\right)^{\frac{2}{3}} / b * d * \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + \frac{1}{3} \left(\frac{a}{b}\right)^{\frac{2}{3}} * 3^{\frac{1}{2}} / b * d * \arctan\left(\frac{1}{3} * 3^{\frac{1}{2}} * \left(\frac{2}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) * x - 1\right) - \frac{1}{3} \left(\frac{a}{b}\right)^{\frac{1}{3}} / b * e * \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + \frac{1}{6} \left(\frac{a}{b}\right)^{\frac{1}{3}} / b * e * \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + \frac{1}{3} * 3^{\frac{1}{2}} / \left(\frac{a}{b}\right)^{\frac{1}{3}} / b * e * \arctan\left(\frac{1}{3} * 3^{\frac{1}{2}} * \left(\frac{2}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) * x - 1\right) - \frac{1}{3} / a * c * \ln(b * x^3 + a) + \frac{1}{a} * c * \ln(x)$

maxima [A] time = 3.02, size = 176, normalized size = 0.96

$$\frac{c \log(x)}{a} + \frac{\sqrt{3} \left(a e \left(\frac{a}{b}\right)^{\frac{2}{3}} + a d \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 a^2} - \frac{\left(2 b c \left(\frac{a}{b}\right)^{\frac{2}{3}} - a e \left(\frac{a}{b}\right)^{\frac{1}{3}} + a d \right) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 a b \left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(b c \left(\frac{a}{b}\right)^{\frac{2}{3}} + a e \left(\frac{a}{b}\right)^{\frac{1}{3}} - a d \right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 a b \left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a),x, algorithm="maxima")

[Out] $c * \log(x) / a + \frac{1}{3} * \sqrt{3} * \left(a * e * \left(\frac{a}{b}\right)^{\frac{2}{3}} + a * d * \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) * \arctan\left(\frac{1}{3} * \sqrt{3} * \left(\frac{2 * x - \left(\frac{a}{b}\right)^{\frac{1}{3}}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}} \right) / a^2 - \frac{1}{6} * \left(2 * b * c * \left(\frac{a}{b}\right)^{\frac{2}{3}} - a * e * \left(\frac{a}{b}\right)^{\frac{1}{3}} + a * d \right) * \log\left(x^2 - x * \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) / \left(a * b * \left(\frac{a}{b}\right)^{\frac{2}{3}} \right) - \frac{1}{3} * \left(b * c * \left(\frac{a}{b}\right)^{\frac{2}{3}} + a * e * \left(\frac{a}{b}\right)^{\frac{1}{3}} - a * d \right) * \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) / \left(a * b * \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)$

mupad [B] time = 5.25, size = 716, normalized size = 3.89

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x*(a + b*x^3)),x)

[Out] $\text{symsum}\left(\log\left(b^2 * c * d^2 - b^2 * c^2 * e + b^2 * d^3 * x - 36 * \text{root}\left(27 * a^3 * b^2 * z^3 + 27 * a^2 * b^2 * c * z^2 + 9 * a^2 * b * d * e * z + 9 * a * b^2 * c^2 * z + 3 * a * b * c * d * e - a * b * d^3 + a^2 * e^3 + b^2 * c^3, z, k\right)^3 * a^2 * b^3 * x - a * b * e^3 * x - \text{root}\left(27 * a^3 * b^2 * z^3 + 27 * a^2 * b^2 * c * z^2 + 9 * a^2 * b * d * e * z + 9 * a * b^2 * c^2 * z + 3 * a * b * c * d * e - a * b * d^3 + a^2 * e\right.\right.$

$$\begin{aligned} &^3 + b^2c^3, z, k) * a * b^2 * d^2 - 4 * \text{root}(27 * a^3 * b^2 * z^3 + 27 * a^2 * b^2 * c * z^2 + \\ &9 * a^2 * b * d * e * z + 9 * a * b^2 * c^2 * z + 3 * a * b * c * d * e - a * b * d^3 + a^2 * e^3 + b^2 * c^3, \\ &z, k) * b^3 * c^2 * x + 3 * \text{root}(27 * a^3 * b^2 * z^3 + 27 * a^2 * b^2 * c * z^2 + 9 * a^2 * b * d * e * z \\ &+ 9 * a * b^2 * c^2 * z + 3 * a * b * c * d * e - a * b * d^3 + a^2 * e^3 + b^2 * c^3, z, k)^2 * a^2 * b^ \\ &2 * e - 24 * \text{root}(27 * a^3 * b^2 * z^3 + 27 * a^2 * b^2 * c * z^2 + 9 * a^2 * b * d * e * z + 9 * a * b^2 * c \\ &^2 * z + 3 * a * b * c * d * e - a * b * d^3 + a^2 * e^3 + b^2 * c^3, z, k)^2 * a * b^3 * c * x - 2 * \text{roo} \\ &t(27 * a^3 * b^2 * z^3 + 27 * a^2 * b^2 * c * z^2 + 9 * a^2 * b * d * e * z + 9 * a * b^2 * c^2 * z + 3 * a * b \\ &* c * d * e - a * b * d^3 + a^2 * e^3 + b^2 * c^3, z, k) * a * b^2 * c * e - 2 * b^2 * c * d * e * x - 10 * \\ &\text{root}(27 * a^3 * b^2 * z^3 + 27 * a^2 * b^2 * c * z^2 + 9 * a^2 * b * d * e * z + 9 * a * b^2 * c^2 * z + 3 * \\ &a * b * c * d * e - a * b * d^3 + a^2 * e^3 + b^2 * c^3, z, k) * a * b^2 * d * e * x) * \text{root}(27 * a^3 * b^2 \\ &* z^3 + 27 * a^2 * b^2 * c * z^2 + 9 * a^2 * b * d * e * z + 9 * a * b^2 * c^2 * z + 3 * a * b * c * d * e - a * b \\ &* d^3 + a^2 * e^3 + b^2 * c^3, z, k), k, 1, 3) + (c * \log(x)) / a \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e**x**2+d*x+c)/x/(b*x**3+a),x)

[Out] Timed out

$$3.289 \quad \int \frac{c+dx+ex^2}{x^2(a+bx^3)} dx$$

Optimal. Leaf size=192

$$-\frac{(a^{2/3}e + b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{6a^{4/3} \sqrt[3]{b}} + \frac{(a^{2/3}e + b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{4/3} \sqrt[3]{b}} + \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3} a^{4/3} \sqrt[3]{b}}$$

Rubi [A] time = 0.21, antiderivative size = 192, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$-\frac{(a^{2/3}e + b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{6a^{4/3} \sqrt[3]{b}} + \frac{(a^{2/3}e + b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{4/3} \sqrt[3]{b}} + \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3} a^{4/3} \sqrt[3]{b}} - \frac{d \log(a + bx^3)}{3a} - \frac{c}{ax} + \frac{d \log(x)}{a}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^2*(a + b*x^3)),x]

[Out] -(c/(a*x)) + ((b^(2/3)*c - a^(2/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(4/3)*b^(1/3)) + (d*Log[x])/a + ((b^(2/3)*c + a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(3*a^(4/3)*b^(1/3)) - ((b^(2/3)*c + a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(4/3)*b^(1/3)) - (d*Log[a + b*x^3])/(3*a)

Rule 31

Int[((a_) + (b_.)*(x_))^(n-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^m/((a_) + (b_.)*(x_)^n), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^(m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^2(a + bx^3)} dx &= \int \left(\frac{c}{ax^2} + \frac{d}{ax} + \frac{ae - bcx - bdx^2}{a(a + bx^3)} \right) dx \\
&= -\frac{c}{ax} + \frac{d \log(x)}{a} + \frac{\int \frac{ae - bcx - bdx^2}{a + bx^3} dx}{a} \\
&= -\frac{c}{ax} + \frac{d \log(x)}{a} + \frac{\int \frac{ae - bcx}{a + bx^3} dx}{a} - \frac{(bd) \int \frac{x^2}{a + bx^3} dx}{a} \\
&= -\frac{c}{ax} + \frac{d \log(x)}{a} - \frac{d \log(a + bx^3)}{3a} + \frac{\int \frac{\sqrt[3]{a}(-\sqrt[3]{a}bc + 2a\sqrt[3]{b}e) + \sqrt[3]{b}(-\sqrt[3]{a}bc - a\sqrt[3]{b}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{5/3}\sqrt[3]{b}} + \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}\sqrt[3]{b}} \\
&= -\frac{c}{ax} + \frac{d \log(x)}{a} + \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}\sqrt[3]{b}} - \frac{d \log(a + bx^3)}{3a} - \frac{(b^{2/3}c - a^{2/3}e) \int \frac{x^2}{a + bx^3} dx}{2a} \\
&= -\frac{c}{ax} + \frac{d \log(x)}{a} + \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}\sqrt[3]{b}} - \frac{(b^{2/3}c + a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{4/3}\sqrt[3]{b}} \\
&= -\frac{c}{ax} + \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{4/3}\sqrt[3]{b}} + \frac{d \log(x)}{a} + \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}\sqrt[3]{b}} - \frac{(b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{4/3}\sqrt[3]{b}}
\end{aligned}$$

Mathematica [A] time = 0.25, size = 184, normalized size = 0.96

$$\frac{(a^{2/3}b^{2/3}c + a^{4/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{\sqrt[3]{b}} - \frac{2(a^{2/3}b^{2/3}c + a^{4/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} + \frac{2\sqrt{3}a^{2/3}(a^{2/3}e - b^{2/3}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt[3]{b}} + 2ad \log(a + bx^3) + \frac{6ac}{x} - 6ad \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^2*(a + b*x^3)), x]

[Out] -1/6*((6*a*c)/x + (2*Sqrt[3]*a^(2/3)*(-(b^(2/3)*c) + a^(2/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/b^(1/3) - 6*a*d*Log[x] - (2*(a^(2/3)*b^(2/3)*c + a^(4/3)*e)*Log[a^(1/3) + b^(1/3)*x])/b^(1/3) + ((a^(2/3)*b^(2/3)*c + a^(4/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(1/3) + 2*a*d*Log[a + b*x^3])/a^2

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{x^2(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^2*(a + b*x^3)),x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^2*(a + b*x^3)), x]

fricas [C] time = 1.43, size = 4524, normalized size = 23.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/36*(2*((-I*\sqrt{3}) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\ & - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\ & - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 6*d/a)*a*x*\log(-1/36*((-I*\sqrt{3}) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\ & - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\ & - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 6*d/a)^2*a^3*b*c - a*b*c*d^2 + 2*a*b*c^2*e + a^2*d*e^2 + 1/6*(2*a^2*b*c*d - a^3*e^2)*((-I*\sqrt{3}) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\ & - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\ & - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 6*d/a) - (b^2*c^3 - a^2*e^3)*x) - 36*d*x*\log(x) - (((-I*\sqrt{3}) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\ & - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\ & - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 6*d/a)*a*x - 3*\sqrt{1/3}*a*x*\sqrt{-(((-I*\sqrt{3}) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\ & - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\ & - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 6*d/a)^2*a^2 - 12*((-I*\sqrt{3}) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54* \end{aligned}$$

$$\begin{aligned} & \sqrt{3} + 1) \cdot (d^2/a^2 - (d^2 - c \cdot e)/a^2) / (-1/27 \cdot d^3/a^3 + 1/18 \cdot (d^2 - c \cdot e) \\ & \cdot d/a^3 + 1/54 \cdot (b^2 \cdot c^3 + a^2 \cdot e^3 - (d^3 - 3 \cdot c \cdot d \cdot e) \cdot a \cdot b) / (a^4 \cdot b) - 1/54 \cdot (b^2 \\ & \cdot c^3 - a^2 \cdot e^3) / (a^4 \cdot b))^{1/3} + 9 \cdot (I \cdot \sqrt{3} + 1) \cdot (-1/27 \cdot d^3/a^3 + 1/18 \cdot (d^2 - c \cdot e) \cdot d/a^3 + 1/54 \cdot (b^2 \cdot c^3 + a^2 \cdot e^3 - (d^3 - 3 \cdot c \cdot d \cdot e) \cdot a \cdot b) / (a^4 \cdot b) - 1/54 \cdot (b^2 \cdot c^3 - a^2 \cdot e^3) / (a^4 \cdot b))^{1/3} + 6 \cdot d/a^2 \cdot a^3 \cdot b \cdot c + a \cdot b \cdot c \cdot d^2 - 2 \cdot a \cdot b \cdot c^2 \cdot e - a^2 \cdot d \cdot e^2 - 1/6 \cdot (2 \cdot a^2 \cdot b \cdot c \cdot d - a^3 \cdot e^2) \cdot ((-I \cdot \sqrt{3} + 1) \cdot (d^2/a^2 - (d^2 - c \cdot e)/a^2) / (-1/27 \cdot d^3/a^3 + 1/18 \cdot (d^2 - c \cdot e) \cdot d/a^3 + 1/54 \cdot (b^2 \cdot c^3 + a^2 \cdot e^3 - (d^3 - 3 \cdot c \cdot d \cdot e) \cdot a \cdot b) / (a^4 \cdot b) - 1/54 \cdot (b^2 \cdot c^3 - a^2 \cdot e^3) / (a^4 \cdot b))^{1/3} + 9 \cdot (I \cdot \sqrt{3} + 1) \cdot (-1/27 \cdot d^3/a^3 + 1/18 \cdot (d^2 - c \cdot e) \cdot d/a^3 + 1/54 \cdot (b^2 \cdot c^3 + a^2 \cdot e^3 - (d^3 - 3 \cdot c \cdot d \cdot e) \cdot a \cdot b) / (a^4 \cdot b) - 1/54 \cdot (b^2 \cdot c^3 - a^2 \cdot e^3) / (a^4 \cdot b))^{1/3} + 6 \cdot d/a - 2 \cdot (b^2 \cdot c^3 - a^2 \cdot e^3) \cdot x - 1/12 \cdot \sqrt{1/3} \cdot ((-I \cdot \sqrt{3} + 1) \cdot (d^2/a^2 - (d^2 - c \cdot e)/a^2) / (-1/27 \cdot d^3/a^3 + 1/18 \cdot (d^2 - c \cdot e) \cdot d/a^3 + 1/54 \cdot (b^2 \cdot c^3 + a^2 \cdot e^3 - (d^3 - 3 \cdot c \cdot d \cdot e) \cdot a \cdot b) / (a^4 \cdot b) - 1/54 \cdot (b^2 \cdot c^3 - a^2 \cdot e^3) / (a^4 \cdot b))^{1/3} + 9 \cdot (I \cdot \sqrt{3} + 1) \cdot (-1/27 \cdot d^3/a^3 + 1/18 \cdot (d^2 - c \cdot e) \cdot d/a^3 + 1/54 \cdot (b^2 \cdot c^3 + a^2 \cdot e^3 - (d^3 - 3 \cdot c \cdot d \cdot e) \cdot a \cdot b) / (a^4 \cdot b) - 1/54 \cdot (b^2 \cdot c^3 - a^2 \cdot e^3) / (a^4 \cdot b))^{1/3} + 6 \cdot d/a) \cdot a^3 \cdot b \cdot c - 6 \cdot a^2 \cdot b \cdot c \cdot d - 6 \cdot a^3 \cdot e^2) \cdot \sqrt{-(((-I \cdot \sqrt{3} + 1) \cdot (d^2/a^2 - (d^2 - c \cdot e)/a^2) / (-1/27 \cdot d^3/a^3 + 1/18 \cdot (d^2 - c \cdot e) \cdot d/a^3 + 1/54 \cdot (b^2 \cdot c^3 + a^2 \cdot e^3 - (d^3 - 3 \cdot c \cdot d \cdot e) \cdot a \cdot b) / (a^4 \cdot b) - 1/54 \cdot (b^2 \cdot c^3 - a^2 \cdot e^3) / (a^4 \cdot b))^{1/3} + 9 \cdot (I \cdot \sqrt{3} + 1) \cdot (-1/27 \cdot d^3/a^3 + 1/18 \cdot (d^2 - c \cdot e) \cdot d/a^3 + 1/54 \cdot (b^2 \cdot c^3 + a^2 \cdot e^3 - (d^3 - 3 \cdot c \cdot d \cdot e) \cdot a \cdot b) / (a^4 \cdot b) - 1/54 \cdot (b^2 \cdot c^3 - a^2 \cdot e^3) / (a^4 \cdot b))^{1/3} + 6 \cdot d/a)^2 \cdot a^2 - 12 \cdot ((-I \cdot \sqrt{3} + 1) \cdot (d^2/a^2 - (d^2 - c \cdot e)/a^2) / (-1/27 \cdot d^3/a^3 + 1/18 \cdot (d^2 - c \cdot e) \cdot d/a^3 + 1/54 \cdot (b^2 \cdot c^3 + a^2 \cdot e^3 - (d^3 - 3 \cdot c \cdot d \cdot e) \cdot a \cdot b) / (a^4 \cdot b) - 1/54 \cdot (b^2 \cdot c^3 - a^2 \cdot e^3) / (a^4 \cdot b))^{1/3} + 9 \cdot (I \cdot \sqrt{3} + 1) \cdot (-1/27 \cdot d^3/a^3 + 1/18 \cdot (d^2 - c \cdot e) \cdot d/a^3 + 1/54 \cdot (b^2 \cdot c^3 + a^2 \cdot e^3 - (d^3 - 3 \cdot c \cdot d \cdot e) \cdot a \cdot b) / (a^4 \cdot b) - 1/54 \cdot (b^2 \cdot c^3 - a^2 \cdot e^3) / (a^4 \cdot b))^{1/3} + 6 \cdot d/a) \cdot a \cdot d + 36 \cdot d^2 - 144 \cdot c \cdot e) / a^2)) + 36 \cdot c) / (a \cdot x) \end{aligned}$$

giac [A] time = 0.23, size = 201, normalized size = 1.05

$$-\frac{d \log(|bx^3 + a|)}{3a} + \frac{d \log(|x|)}{a} + \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} ae + (-ab^2)^{\frac{2}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3a^2b} - \frac{c}{ax} + \frac{\left((-ab^2)^{\frac{1}{3}} ae - (-ab^2)^{\frac{2}{3}} c \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6a^2b} + \frac{\left(ab^2c \left(-\frac{a}{b} \right)^{\frac{1}{3}} - a^2be \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a),x, algorithm="giac")

[Out]
$$-1/3 \cdot d \cdot \log(\text{abs}(b \cdot x^3 + a)) / a + d \cdot \log(\text{abs}(x)) / a + 1/3 \cdot \sqrt{3} \cdot ((-a \cdot b^2)^{1/3}) \cdot a \cdot e + (-a \cdot b^2)^{2/3} \cdot c \cdot \arctan(1/3 \cdot \sqrt{3} \cdot (2 \cdot x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / (a^2 \cdot b) - c / (a \cdot x) + 1/6 \cdot ((-a \cdot b^2)^{1/3}) \cdot a \cdot e - (-a \cdot b^2)^{2/3} \cdot c \cdot \log(x^2 + x \cdot (-a/b)^{1/3} + (-a/b)^{2/3}) / (a^2 \cdot b) + 1/3 \cdot (a \cdot b^2 \cdot c \cdot (-a/b)^{1/3} - a^2 \cdot b \cdot e) \cdot (-a/b)^{1/3} \cdot \log(\text{abs}(x - (-a/b)^{1/3})) / (a^3 \cdot b)$$

maple [A] time = 0.05, size = 216, normalized size = 1.12

$$\frac{\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} a} - \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{d \ln(x)}{a} - \frac{d \ln(bx^3 + a)}{3a} + \frac{\sqrt{3} e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{c}{ax}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^2/(b*x^3+a),x)

[Out] 1/3*e/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/6*e/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*e/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3/a*c/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-1/6/a*c/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3/a*c*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/a*d*ln(b*x^3+a)-1/a*c/x+1/a*d*ln(x)

maxima [A] time = 2.98, size = 186, normalized size = 0.97

$$\frac{d \log(x)}{a} - \frac{\sqrt{3}\left(bc\left(\frac{a}{b}\right)^{\frac{2}{3}} - ae\left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3a^2} - \frac{\left(2bd\left(\frac{a}{b}\right)^{\frac{2}{3}} + bc\left(\frac{a}{b}\right)^{\frac{1}{3}} + ae\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6ab\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(bd\left(\frac{a}{b}\right)^{\frac{2}{3}} - bc\left(\frac{a}{b}\right)^{\frac{1}{3}} - ae\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3ab\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{c}{ax}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a),x, algorithm="maxima")

[Out] d*log(x)/a - 1/3*sqrt(3)*(b*c*(a/b)^(2/3) - a*e*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^2 - 1/6*(2*b*d*(a/b)^(2/3) + b*c*(a/b)^(1/3) + a*e)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b*(a/b)^(2/3)) - 1/3*(b*d*(a/b)^(2/3) - b*c*(a/b)^(1/3) - a*e)*log(x + (a/b)^(1/3))/(a*b*(a/b)^(2/3)) - c/(a*x)

mupad [B] time = 5.06, size = 723, normalized size = 3.77

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^2*(a + b*x^3)),x)

[Out] symsum(log((b^4*c^3*x + a^2*b^2*d*e^2 - 36*root(27*a^4*b*z^3 + 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)^3*a^4*b^3*x + a^2*b^2*e^3*x + a*b^3*c*d^2 - 3*root(27*a^4*b*z^3 + 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)^2*a^3*b^3*c - root(27*a^4*b*z^3 + 27*a^3*b*d*z^2 -

$$\begin{aligned}
& 9a^2b^2c^2e^2z + 9a^2b^2d^2z - 3a^2b^2c^2d^2e + a^2b^2d^3 - a^2e^3 - b^2c^3, \\
& z, k) a^3b^2e^2 - 4\sqrt[3]{(27a^4b^2z^3 + 27a^3b^2d^2z^2 - 9a^2b^2c^2e^2z + \\
& 9a^2b^2d^2z - 3a^2b^2c^2d^2e + a^2b^2d^3 - a^2e^3 - b^2c^3, z, k)} a^2b^3d^2x \\
& - 24\sqrt[3]{(27a^4b^2z^3 + 27a^3b^2d^2z^2 - 9a^2b^2c^2e^2z + 9a^2b^2d^2z - 3a^2b^2c^2d^2e \\
& + a^2b^2d^3 - a^2e^3 - b^2c^3, z, k)}^2 a^3b^3d^2x + 2\sqrt[3]{(27a^4b^2z^3 + 27a^3b^2d^2z^2 - 9a^2b^2c^2e^2z + 9a^2b^2d^2z - 3a^2b^2c^2d^2e \\
& + a^2b^2d^3 - a^2e^3 - b^2c^3, z, k)} a^2b^3c^2d + 2a^2b^3c^2d^2e^2x + 10\sqrt[3]{(27a^4b^2z^3 + 27a^3b^2d^2z^2 - 9a^2b^2c^2e^2z + 9a^2b^2d^2z - 3a^2b^2c^2d^2e \\
& + a^2b^2d^3 - a^2e^3 - b^2c^3, z, k)} a^2b^3c^2e^2x)/a^2} \sqrt[3]{(27a^4b^2z^3 + 27a^3b^2d^2z^2 - 9a^2b^2c^2e^2z + 9a^2b^2d^2z - 3a^2b^2c^2d^2e + a^2b^2d^3 - a^2e^3 - b^2c^3, z, k)}, k, 1, 3) - c/(ax) + (d\log(x))/a
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**2/(b*x**3+a), x)

[Out] Timed out

$$3.290 \quad \int \frac{c+dx+ex^2}{x^3(a+bx^3)} dx$$

Optimal. Leaf size=203

$$\frac{b^{2/3} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6a^{5/3}} - \frac{\sqrt[3]{b} \left(\sqrt[3]{b}c - \sqrt[3]{a}d \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b}x \right)}{3a^{5/3}} + \frac{\sqrt[3]{b} \left(\sqrt[3]{a}d + \sqrt[3]{b}c \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt[3]{a}} \right)}{\sqrt{3} a^{5/3}}$$

Rubi [A] time = 0.19, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{b^{2/3} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6a^{5/3}} - \frac{\sqrt[3]{b} \left(\sqrt[3]{b}c - \sqrt[3]{a}d \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b}x \right)}{3a^{5/3}} + \frac{\sqrt[3]{b} \left(\sqrt[3]{a}d + \sqrt[3]{b}c \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} a^{5/3}} - \frac{e \log(a+bx^3)}{3a} - \frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^3*(a + b*x^3)),x]

[Out] $-\frac{c}{2ax^2} - \frac{d}{ax} + \frac{(b^{1/3}(b^{1/3}c + a^{1/3}d) \operatorname{ArcTan}[(a^{1/3} - 2b^{1/3}x)/(\sqrt{3}a^{1/3})])}{(\sqrt{3}a^{5/3})} + \frac{(e \operatorname{Log}[x])/a - (b^{1/3}(b^{1/3}c - a^{1/3}d) \operatorname{Log}[a^{1/3} + b^{1/3}x])}{(3a^{5/3})} + \frac{(b^{2/3}(c - (a^{1/3}d)/b^{1/3}) \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])}{(6a^{5/3})} - \frac{(e \operatorname{Log}[a + b*x^3])}{(3a)}$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*xⁿ, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^(m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^3 (a + bx^3)} dx &= \int \left(\frac{c}{ax^3} + \frac{d}{ax^2} + \frac{e}{ax} - \frac{b(c + dx + ex^2)}{a(a + bx^3)} \right) dx \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{b \int \frac{c+dx+ex^2}{a+bx^3} dx}{a} \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{b \int \frac{c+dx}{a+bx^3} dx}{a} - \frac{(be) \int \frac{x^2}{a+bx^3} dx}{a} \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{e \log(a + bx^3)}{3a} - \frac{b^{2/3} \int \frac{\sqrt[3]{a} (2\sqrt[3]{b}c + \sqrt[3]{a}d) + \sqrt[3]{b} (-\sqrt[3]{b}c + \sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2} dx}{3a^{5/3}} - \frac{(b(c + dx + ex^2))}{a(a + bx^3)} \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{b^{2/3} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}} - \frac{e \log(a + bx^3)}{3a} + \frac{(\sqrt[3]{b} (\sqrt[3]{b}c - \sqrt[3]{a}d)) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x)}{6a^{5/3}} \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{b^{2/3} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}} + \frac{\sqrt[3]{b} (\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x)}{6a^{5/3}} \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{\sqrt[3]{b} (\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} a^{5/3}} + \frac{e \log(x)}{a} - \frac{b^{2/3} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 192, normalized size = 0.95

$$\frac{\sqrt[3]{b} (\sqrt[3]{a} \sqrt[3]{b}c - a^{2/3}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2) + 2\sqrt[3]{b} (a^{2/3}d - \sqrt[3]{a} \sqrt[3]{b}c) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + 2\sqrt{3} \sqrt[3]{a} \sqrt[3]{b} (\sqrt[3]{a}d + \sqrt[3]{b}c) \tan^{-1} \left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}} \right) - 2ae \log(a + bx^3) - \frac{3ac}{x^2} - \frac{6ad}{x} + 6ae \log(x)}{6a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^3*(a + b*x^3)), x]

[Out] ((-3*a*c)/x^2 - (6*a*d)/x + 2*sqrt[3]*a^(1/3)*b^(1/3)*(b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 6*a*e*Log[x] + 2*b^(1/3)*(-a^(1/3)*b^(1/3)*c + a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(a^(1/3)*b^(1/3)*c - a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 2*a*e*Log[a + b*x^3])/(6*a^2)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{x^3 (a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^3*(a + b*x^3)),x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^3*(a + b*x^3)), x]

fricas [C] time = 1.34, size = 4279, normalized size = 21.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/36*(2*(-I*\sqrt{3} + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + \\ & 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + \\ & a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27*e^3/a^3 + \\ & 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + \\ & a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)*a*x^2*\log(1/36*((-I*s \\ & \text{qrt}(3) + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + \\ & a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 \\ & - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d \\ & + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d \\ & ^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)^2*a^4*d + 2*a*b*c*d^2 - a*b*c^2*e + \\ & a^2*d*e^2 + 1/6*(a^2*b*c^2 - 2*a^3*d*e)*((-I*\sqrt{3} + 1)*(e^2/a^2 - (b*c*d \\ & + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 + \\ & a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + \\ & 9*(I*\sqrt{3} + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 \\ & + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} \\ & + 6*e/a) + (b^2*c^3 + a*b*d^3)*x) - 36*e*x^2*\log(x) + 36*d*x - (((-I*\sqrt{3} \\ & + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2) \\ & *e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\ & *d*e)*a*b)/a^5)^{(1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a \\ & *e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - \\ & 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)*a*x^2 + 3*\sqrt{1/3}*a*x^2*\sqrt{-(((I*\sqrt{3} \\ & + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a \\ & *e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - \\ & 3*c*d*e)*a*b)/a^5)^{(1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d \\ & + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^ \\ & ^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)^2*a^3 - 12*((-I*\sqrt{3} + 1)*(e^2/a^2 \\ & - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54* \\ & (b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5) \\ & ^{(1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/ \\ & 54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a \\ & ^5)^{(1/3)} + 6*e/a)*a^2*e + 144*b*c*d + 36*a*e^2)/a^3) - 18*e*x^2)*\log(-1/36 \\ & *((-I*\sqrt{3} + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b \\ & *c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 \end{aligned}$$

$$\begin{aligned}
& - (d^3 - 3*c*d*e)*a*b/a^5)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^3 + 1/18 \\
& *(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e \\
& ^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)^2*a^4*d - 2*a*b*c*d^2 + a*b*c \\
& ^2*e - a^2*d*e^2 - 1/6*(a^2*b*c^2 - 2*a^3*d*e)*((-I*\text{sqrt}(3) + 1)*(e^2/a^2 - \\
& (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b \\
& *c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} \\
& + 9*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54 \\
& *(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5 \\
&)^2)^{(1/3)} + 6*e/a + 2*(b^2*c^3 + a*b*d^3)*x + 1/12*\text{sqrt}(1/3)*(((-I*\text{sqrt}(3) + \\
& 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e \\
& /a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d* \\
& e)*a*b)/a^5)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2 \\
&)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\
& *d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)*a^4*d - 6*a^2*b*c^2 - 6*a^3*d*e)*\text{sqrt}(-(((-I \\
& *\text{sqrt}(3) + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d \\
& + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^ \\
& 3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c \\
& *d + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - \\
& (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)^2*a^3 - 12*((-I*\text{sqrt}(3) + 1)*(e^2/ \\
& a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/ \\
& 54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a \\
& ^5)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + \\
& 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b \\
&)/a^5)^{(1/3)} + 6*e/a)*a^2*e + 144*b*c*d + 36*a*e^2)/a^3)) - (((-I*\text{sqrt}(3) + \\
& 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e \\
& /a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d* \\
& e)*a*b)/a^5)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2 \\
&)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\
& *d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)*a*x^2 - 3*\text{sqrt}(1/3)*a*x^2*\text{sqrt}(-(((-I*\text{sqrt}(3) \\
&) + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2 \\
&)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\
& *d*e)*a*b)/a^5)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a* \\
& e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - \\
& 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)^2*a^3 - 12*((-I*\text{sqrt}(3) + 1)*(e^2/a^2 - (\\
& b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c \\
& ^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/ \\
& 3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(\\
& b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^ \\
& ^2)^{(1/3)} + 6*e/a)*a^2*e + 144*b*c*d + 36*a*e^2)/a^3) - 18*e*x^2)*\log(-1/36*((- \\
& I*\text{sqrt}(3) + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d \\
& + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d \\
& ^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b* \\
& c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - \\
& (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)^2*a^4*d - 2*a*b*c*d^2 + a*b*c^2*e \\
& - a^2*d*e^2 - 1/6*(a^2*b*c^2 - 2*a^3*d*e)*((-I*\text{sqrt}(3) + 1)*(e^2/a^2 - (b*
\end{aligned}$$

$$\begin{aligned}
& c*d + a*e^2/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 \\
& + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} \\
& + 9*(I*\sqrt{3} + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b* \\
& c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1 \\
& /3)} + 6*e/a + 2*(b^2*c^3 + a*b*d^3)*x - 1/12*\sqrt{1/3}*(((I*\sqrt{3} + 1)* \\
& (e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 \\
& + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a \\
& *b)/a^5)^{(1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/ \\
& a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e) \\
&)*a*b)/a^5)^{(1/3)} + 6*e/a)*a^4*d - 6*a^2*b*c^2 - 6*a^3*d*e)*\sqrt{-(((I*\sqrt{3} \\
& t(3) + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a* \\
& e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - \\
& 3*c*d*e)*a*b)/a^5)^{(1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + \\
& a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 \\
& - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)^2*a^3 - 12*((-I*\sqrt{3} + 1)*(e^2/a^2 \\
& - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(\\
& b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(\\
& 1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/5 \\
& 4*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^ \\
& 5)^{(1/3)} + 6*e/a)*a^2*e + 144*b*c*d + 36*a*e^2)/a^3)) + 18*c)/(a*x^2)
\end{aligned}$$

giac [A] time = 0.18, size = 204, normalized size = 1.00

$$-\frac{e \log\left(\frac{bx^3+a}{3a}\right) + \frac{e \log(|x|)}{a}}{3a} - \frac{\sqrt{3}\left((-ab^2)^{\frac{1}{3}}bc - (-ab^2)^{\frac{2}{3}}d\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3a^2b} - \frac{\left((-ab^2)^{\frac{1}{3}}bc + (-ab^2)^{\frac{2}{3}}d\right) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6a^2b} + \frac{\left(ab^2d\left(-\frac{a}{b}\right)^{\frac{1}{3}} + ab^2c\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3a^3b} - \frac{2dx+c}{2ax^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a), x, algorithm="giac")

[Out] $-1/3*e*\log(\text{abs}(b*x^3 + a))/a + e*\log(\text{abs}(x))/a - 1/3*\sqrt{3}*((-a*b^2)^{(1/3)}*b*c - (-a*b^2)^{(2/3)}*d)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(a^2*b) - 1/6*((-a*b^2)^{(1/3)}*b*c + (-a*b^2)^{(2/3)}*d)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(a^2*b) + 1/3*(a*b^2*d*(-a/b)^{(1/3)} + a*b^2*c)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})/(a^3*b) - 1/2*(2*d*x + c)/(a*x^2)$

maple [A] time = 0.22, size = 225, normalized size = 1.11

$$-\frac{\sqrt{3} \operatorname{arctan}\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}a} - \frac{c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}a} + \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}a} - \frac{\sqrt{3} d \operatorname{arctan}\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}a} + \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}a} - \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}}a} + \frac{e \ln(x)}{a} - \frac{e \ln(bx^3+a)}{3a} - \frac{d}{ax} - \frac{c}{2ax^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^3/(b*x^3+a), x)

[Out] $-1/3/(a/b)^{(2/3)}/a*c*\ln(x+(a/b)^{(1/3)})+1/6/(a/b)^{(2/3)}/a*c*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-1/3/(a/b)^{(2/3)}*3^{(1/2)}/a*c*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/3/(a/b)^{(1/3)}/a*d*\ln(x+(a/b)^{(1/3)})-1/6/(a/b)^{(1/3)}/a*d*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-1/3*3^{(1/2)}/(a/b)^{(1/3)}/a*d*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3/a*e*\ln(b*x^3+a)+1/a*e*\ln(x)-1/2/a*c/x^2-1/a*d/x$

maxima [A] time = 3.03, size = 177, normalized size = 0.87

$$\frac{e \log(x)}{a} - \frac{\sqrt{3} \left(b d \left(\frac{a}{b} \right)^{\frac{2}{3}} + b c \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 a^2} - \frac{\left(2 e \left(\frac{a}{b} \right)^{\frac{2}{3}} + d \left(\frac{a}{b} \right)^{\frac{1}{3}} - c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 a \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(e \left(\frac{a}{b} \right)^{\frac{2}{3}} - d \left(\frac{a}{b} \right)^{\frac{1}{3}} + c \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 a \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{2 d x + c}{2 a x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a),x, algorithm="maxima")

[Out] $e*\log(x)/a - 1/3*\sqrt{3}*(b*d*(a/b)^{(2/3)} + b*c*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^2 - 1/6*(2*e*(a/b)^{(2/3)} + d*(a/b)^{(1/3)} - c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*(a/b)^{(2/3)}) - 1/3*(e*(a/b)^{(2/3)} - d*(a/b)^{(1/3)} + c)*\log(x + (a/b)^{(1/3)})/(a*(a/b)^{(2/3)}) - 1/2*(2*d*x + c)/(a*x^2)$

mupad [B] time = 0.13, size = 701, normalized size = 3.45

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^3*(a + b*x^3)),x)

[Out] $\text{symsum}(\log(-(b^5*c^3*x - a^2*b^3*d*e^2 + 36*\text{root}(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)^3*a^5*b^3*x - a*b^4*c^2*e - a*b^4*d^3*x + \text{root}(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k))^2*a^4*b^3*d + 4*\text{root}(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k))^3*b^3*e^2*x + 24*\text{root}(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k))^2*a^4*b^3*e*x - 2*\text{root}(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k))^3*b^3*d*e + 2*a*b^4*c*d*e*x + 10*\text{root}(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k))^2*b^4*c*d*x)/a^3)*\text{root}(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k), k, 1, 3) - c/(2*a*x^2) - d/(a*x) + (e*log(x))/a$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**3/(b*x**3+a),x)

[Out] Timed out

$$3.291 \quad \int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=190

$$\frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2\right)}{18a^{2/3}b^{4/3}} + \frac{\left(\sqrt[3]{b}d - 2\sqrt[3]{a}e\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{9a^{2/3}b^{5/3}} - \frac{\left(2\sqrt[3]{a}e + \sqrt[3]{b}d\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{2/3}b^{5/3}}$$

Rubi [A] time = 0.17, antiderivative size = 190, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$, Rules used = {1823, 1860, 31, 634, 617, 204, 628}

$$-\frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2\right)}{18a^{2/3}b^{4/3}} + \frac{\left(\sqrt[3]{b}d - 2\sqrt[3]{a}e\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{9a^{2/3}b^{5/3}} - \frac{\left(2\sqrt[3]{a}e + \sqrt[3]{b}d\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{2/3}b^{5/3}} - \frac{c + dx + ex^2}{3b(a + bx^3)}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^2,x]

[Out] $-\frac{(c + dx + ex^2)}{3b(a + bx^3)} - \frac{((b^{1/3}d + 2a^{1/3}e) \operatorname{ArcTan}\left[\frac{a^{1/3} - 2b^{1/3}x}{\sqrt{3}a^{1/3}}\right])}{3\sqrt{3}a^{2/3}b^{5/3}} + \frac{((b^{1/3}d - 2a^{1/3}e) \operatorname{Log}[a^{1/3} + b^{1/3}x])}{9a^{2/3}b^{5/3}} - \frac{((d - (2a^{1/3}e)/b^{1/3}) \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])}{18a^{2/3}b^{4/3}}$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1823

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(
a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*
(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && Eq
Q[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (c + dx + ex^2)}{(a + bx^3)^2} dx &= -\frac{c + dx + ex^2}{3b(a + bx^3)} + \frac{\int \frac{d+2ex}{a+bx^3} dx}{3b} \\
&= -\frac{c + dx + ex^2}{3b(a + bx^3)} + \frac{\int \frac{\sqrt[3]{a}(2\sqrt[3]{b}d+2\sqrt[3]{a}e) + \sqrt[3]{b}(-\sqrt[3]{b}d+2\sqrt[3]{a}e)x}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{9a^{2/3}b^{4/3}} + \frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{2/3}b} \\
&= -\frac{c + dx + ex^2}{3b(a + bx^3)} + \frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{2/3}b^{4/3}} + \frac{\left(\frac{\sqrt[3]{b}d}{\sqrt[3]{a}} + 2e\right) \int \frac{1}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{6b^{4/3}} \\
&= -\frac{c + dx + ex^2}{3b(a + bx^3)} + \frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{2/3}b^{4/3}} - \frac{(\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{2/3}b^{5/3}} \\
&= -\frac{c + dx + ex^2}{3b(a + bx^3)} - \frac{(\sqrt[3]{b}d + 2\sqrt[3]{a}e) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{2/3}b^{5/3}} + \frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{2/3}b^{4/3}} - \frac{6b^{2/3}(c+x(d+ex))}{a+bx^3}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 174, normalized size = 0.92

$$\frac{\frac{(2\sqrt[3]{a}e - \sqrt[3]{b}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{a^{2/3}} + \frac{2(\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{a^{2/3}} - \frac{2\sqrt{3}(2\sqrt[3]{a}e + \sqrt[3]{b}d) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{a^{2/3}}}{18b^{5/3}} - \frac{6b^{2/3}(c+x(d+ex))}{a+bx^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^2,x]

[Out] ((-6*b^(2/3)*(c + x*(d + e*x)))/(a + b*x^3) - (2*sqrt[3]*(b^(1/3)*d + 2*a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(2/3) + (2*(b^(1/3)*d - 2*a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) + ((-(b^(1/3)*d) + 2*a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3))/(18*b^(5/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (c + dx + ex^2)}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^2, x]

fricas [C] time = 1.21, size = 2077, normalized size = 10.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$-1/36*(12*e*x^2 + 2*(b^2*x^3 + a*b)*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})) * \log(1/2*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{(1/3)})^2 * a^2*b^3*e - 1/2*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})) * a*b^2*d^2 + 8*a*d*e^2 + (b*d^3 + 8*a*e^3)*x + 12*d*x - ((b^2*x^3 + a*b)*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})) + 3*\sqrt{1/3}*(b^2*x^3 + a*b)*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{(1/3)})^2 * a*b^3 + 32*d*e)/(a*b^3)) * \log(-1/2*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{(1/3)})^2 * a^2*b^3*e + 1/2*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})) * a*b^2*d^2 - 8*a*d*e^2 + 2*(b*d^3 + 8*a*e^3)*x + 3/2*\sqrt{1/3} * (((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{(1/3)})^2 * a*b^3 + 32*d*e)/(a*b^3)) - ((b^2*x^3 + a*b)*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})) - 3*\sqrt{1/3}*(b^2*x^3 + a*b)*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{(1/3)})^2 * a*b^3 + 32*d*e)/(a*b^3))$$

$$\begin{aligned} &)*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5) \\ &)^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}) \\ &)^2*a*b^3 + 32*d*e)/(a*b^3)) * \log(-1/2*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} \\ & + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}) \\ &)^2*a^2*b^3*e + 1/2*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} \\ & + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}) \\ &)^2*a*b^2*d^2 - 8*a*d*e^2 + 2*(b*d^3 + 8*a*e^3)*x - 3/2*\sqrt{1/3}*(((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} \\ & + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}) \\ &)^2*a^2*b^3*e + a*b^2*d^2)*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} \\ & + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}) \\ &)^2*a*b^3 + 32*d*e)/(a*b^3))} + 12*c)/(b^2*x^3 + a*b) \end{aligned}$$

giac [A] time = 0.20, size = 180, normalized size = 0.95

$$\frac{\sqrt{3} \left(bd - 2(-ab^2)^{\frac{1}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9(-ab^2)^{\frac{2}{3}} b} - \frac{(bd + 2(-ab^2)^{\frac{1}{3}} e) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18(-ab^2)^{\frac{2}{3}} b} - \frac{\left(2 \left(-\frac{a}{b} \right)^{\frac{1}{3}} e + d \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{9ab} - \frac{x^2 e + dx + c}{3(bx^3 + a)b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/9*\sqrt{3}*(b*d - 2*(-a*b^2)^{(1/3)}*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)}) \\ &)/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*b) - 1/18*(b*d + 2*(-a*b^2)^{(1/3)}*e)*\log \\ & (x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*b) - 1/9*(2*(-a/b)^{(1/3)}*e + d)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})) \\ &)/(a*b) - 1/3*(x^2*e + d*x + c)/((b*x^3 + a)*b) \end{aligned}$$

maple [A] time = 0.05, size = 219, normalized size = 1.15

$$\frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{2\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^2} - \frac{2e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^2} + \frac{e \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^2} + \frac{-ex^2 - dx - c}{bx^3 + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)/(b*x^3+a)^2,x)

[Out] $(-1/3/b*e*x^2-1/3/b*d*x-1/3*c/b)/(b*x^3+a)+1/9/(a/b)^{(2/3)}/b^2*d*\ln(x+(a/b)^{(1/3)})-1/18/(a/b)^{(2/3)}/b^2*d*\ln(x^2-(a/b)^{(1/3)*x+(a/b)^{(2/3)})+1/9/(a/b)^{(2/3)*3^{(1/2)}/b^2*d*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)*x-1}))}-2/9/b^2*e/(a/b)^{(1/3)*\ln(x+(a/b)^{(1/3)})+1/9/b^2*e/(a/b)^{(1/3)*\ln(x^2-(a/b)^{(1/3)*x+(a/b)^{(2/3)})+2/9/b^2*e*3^{(1/2)}/(a/b)^{(1/3)*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)*x-1}))}$

maxima [A] time = 3.03, size = 163, normalized size = 0.86

$$\frac{ex^2 + dx + c}{3(b^2x^3 + ab)} + \frac{\sqrt{3}\left(2e\left(\frac{a}{b}\right)^{\frac{1}{3}} + d\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(2e\left(\frac{a}{b}\right)^{\frac{1}{3}} - d\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(2e\left(\frac{a}{b}\right)^{\frac{1}{3}} - d\right)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")`

[Out] $-1/3*(e*x^2 + d*x + c)/(b^2*x^3 + a*b) + 1/9*\sqrt{3}*(2*e*(a/b)^{(1/3)} + d)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^2*(a/b)^{(2/3)}) + 1/18*(2*e*(a/b)^{(1/3)} - d)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^2*(a/b)^{(2/3)}) - 1/9*(2*e*(a/b)^{(1/3)} - d)*\log(x + (a/b)^{(1/3)})/(b^2*(a/b)^{(2/3)})$

mupad [B] time = 0.22, size = 180, normalized size = 0.95

$$\sum_{k=1}^3 \ln\left(\frac{2de + 4e^2x + \sqrt{(729a^2b^5z^3 + 54ab^2dez + 8ae^3 - bd^3, z, k)^2 ab^3 81 + \sqrt{(729a^2b^5z^3 + 54ab^2dez + 8ae^3 - bd^3, z, k)^2 b^2 dx 9}}{b^9}\right) \sqrt{(729a^2b^5z^3 + 54ab^2dez + 8ae^3 - bd^3, z, k)} - \frac{c}{b} + \frac{ex^2}{3b} + \frac{dx}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(c + d*x + e*x^2))/(a + b*x^3)^2,x)`

[Out] $\text{symsum}(\log((2*d*e + 4*e^2*x + 81*\sqrt{(729*a^2*b^5*z^3 + 54*a*b^2*d*e*z + 8*a*e^3 - b*d^3, z, k)^2*a*b^3 + 9*\sqrt{(729*a^2*b^5*z^3 + 54*a*b^2*d*e*z + 8*a*e^3 - b*d^3, z, k)*b^2*d*x}/(9*b))*\sqrt{(729*a^2*b^5*z^3 + 54*a*b^2*d*e*z + 8*a*e^3 - b*d^3, z, k)}, k, 1, 3) - (c/(3*b) + (e*x^2)/(3*b) + (d*x)/(3*b)))/(a + b*x^3)$

sympy [A] time = 2.33, size = 110, normalized size = 0.58

$$\text{RootSum}\left(729t^3a^2b^5 + 54tab^2de + 8ae^3 - bd^3, \left(t \mapsto t \log\left(x + \frac{162t^2a^2b^3e + 9tab^2d^2 + 8ade^2}{8ae^3 + bd^3}\right)\right)\right) + \frac{-c - dx - ex^2}{3ab + 3b^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x**2+d*x+c)/(b*x**3+a)**2,x)`

[Out] $\text{RootSum}(729*_t**3*a**2*b**5 + 54*_t*a*b**2*d*e + 8*a*e**3 - b*d**3, \text{Lambda}(_t, _t*\log(x + (162*_t**2*a**2*b**3*e + 9*_t*a*b**2*d**2 + 8*a*d*e**2)/(8*a*e**3 + b*d**3)))) + (-c - d*x - e*x**2)/(3*a*b + 3*b**2*x**3)$

$$3.292 \quad \int \frac{x(c+dx+ex^2)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=200

$$\frac{(b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{18a^{4/3}b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{4/3}b^{4/3}} - \frac{(a^{2/3}e + b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{4/3}b^{4/3}}$$

Rubi [A] time = 0.15, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1860, 31, 634, 617, 204, 628}

$$\frac{(b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{18a^{4/3}b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{4/3}b^{4/3}} - \frac{(a^{2/3}e + b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{4/3}b^{4/3}} - \frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2))/(a + b*x^3)^2,x]

[Out] -(x*(a*e - b*c*x - b*d*x^2))/(3*a*b*(a + b*x^3)) - ((b^(2/3)*c + a^(2/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(4/3)*b^(4/3)) - ((b^(2/3)*c - a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(4/3)*b^(4/3)) + ((b^(2/3)*c - a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(4/3)*b^(4/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(−1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(−1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2)}{(a + bx^3)^2} dx &= -\frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)} - \frac{\int \frac{-ae - bcx}{a + bx^3} dx}{3ab} \\
&= -\frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-\sqrt[3]{a}bc - 2a\sqrt[3]{b}e) + \sqrt[3]{b}(-\sqrt[3]{a}bc + a\sqrt[3]{b}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{9a^{5/3}b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x}}{9a^{4/3}b} \\
&= -\frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)} - \frac{(b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{4/3}b^{4/3}} + \frac{(b^{2/3}c - a^{2/3}e) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^2}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2}}{18a^{4/3}b^{4/3}} \\
&= -\frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)} - \frac{(b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{4/3}b^{4/3}} + \frac{(b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x)}{18a^{4/3}b^{4/3}} \\
&= -\frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)} - \frac{(b^{2/3}c + a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{4/3}b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{4/3}b^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 186, normalized size = 0.93

$$\frac{-(a^{4/3}\sqrt[3]{b}e - a^{2/3}bc) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 2(a^{4/3}\sqrt[3]{b}e - a^{2/3}bc) \log(\sqrt[3]{a} + \sqrt[3]{b}x) - 2\sqrt{3}(a^{2/3}bc + a^{4/3}\sqrt[3]{b}e) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right) - \frac{6ab^{2/3}(a(dx+ex^2) - bcx^2)}{a+bx^3}}{18a^2b^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2))/(a + b*x^3)^2, x]

[Out] ((-6*a*b^(2/3)*(-(b*c*x^2) + a*(d + e*x)))/(a + b*x^3) - 2*Sqrt[3]*(a^(2/3)*b*c + a^(4/3)*b^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*(-(a^(2/3)*b*c) + a^(4/3)*b^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x] - ((a^(2/3)*b*c) + a^(4/3)*b^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^2*b^(5/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(c + dx + ex^2)}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(c + d*x + e*x^2))/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(x*(c + d*x + e*x^2))/(a + b*x^3)^2, x]

fricas [C] time = 1.22, size = 2358, normalized size = 11.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$\frac{1}{36} \left(12bcx^2 - 12aex - 2(ab^2x^3 + a^2b) \left(\left(\frac{1}{2} \right)^{\frac{1}{3}} (I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} - 2 \left(\frac{1}{2} \right)^{\frac{2}{3}} c e (-I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} \right) \log \left(\frac{1}{4} \left(\left(\frac{1}{2} \right)^{\frac{1}{3}} (I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} - 2 \left(\frac{1}{2} \right)^{\frac{2}{3}} c e (-I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} \right)^2 a^3 b^3 c - \frac{1}{2} \left(\frac{1}{2} \right)^{\frac{1}{3}} (I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} - 2 \left(\frac{1}{2} \right)^{\frac{2}{3}} c e (-I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} \right) a^3 b e^2 + 2 a b c^2 e + (b^2c^3 + a^2e^3)x - 12ad + (ab^2x^3 + a^2b) \left(\left(\frac{1}{2} \right)^{\frac{1}{3}} (I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} - 2 \left(\frac{1}{2} \right)^{\frac{2}{3}} c e (-I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} \right) + 3\sqrt{\frac{1}{3}} (ab^2x^3 + a^2b) \sqrt{-\left(\left(\frac{1}{2} \right)^{\frac{1}{3}} (I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} - 2 \left(\frac{1}{2} \right)^{\frac{2}{3}} c e (-I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} \right)^2 a^2 b^2 + 16c e} \right) \log \left(-\frac{1}{4} \left(\left(\frac{1}{2} \right)^{\frac{1}{3}} (I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} - 2 \left(\frac{1}{2} \right)^{\frac{2}{3}} c e (-I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} \right)^2 a^3 b^3 c + \frac{1}{2} \left(\frac{1}{2} \right)^{\frac{1}{3}} (I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} - 2 \left(\frac{1}{2} \right)^{\frac{2}{3}} c e (-I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} \right) a^3 b e^2 - 2 a b c^2 e + 2(b^2c^3 + a^2e^3)x + \frac{3}{4} \sqrt{\frac{1}{3}} \left(\left(\frac{1}{2} \right)^{\frac{1}{3}} (I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} - 2 \left(\frac{1}{2} \right)^{\frac{2}{3}} c e (-I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} \right)^2 a^2 b^2 + 16c e \right) + (ab^2x^3 + a^2b) \left(\left(\frac{1}{2} \right)^{\frac{1}{3}} (I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} - 2 \left(\frac{1}{2} \right)^{\frac{2}{3}} c e (-I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} \right) - 3\sqrt{\frac{1}{3}} (ab^2x^3 + a^2b) \sqrt{-\left(\left(\frac{1}{2} \right)^{\frac{1}{3}} (I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} - 2 \left(\frac{1}{2} \right)^{\frac{2}{3}} c e (-I\sqrt{3} + 1) \left(\frac{b^2c^3 + a^2e^3}{a^4b^4} - \frac{b^2c^3 - a^2e^3}{a^4b^4} \right)^{\frac{1}{3}} \right)^2 a^2 b^2 + 16c e} \right)$$

$$\begin{aligned} & \left(\frac{1}{2}\right)^{\frac{1}{3}} * (I * \sqrt{3} + 1) * \left(\frac{b^2 * c^3 + a^2 * e^3}{a^4 * b^4} - \frac{b^2 * c^3 - a^2 * e^3}{a^4 * b^4}\right)^{\frac{1}{3}} - 2 * \left(\frac{1}{2}\right)^{\frac{2}{3}} * c * e * (-I * \sqrt{3} + 1) / \left(\frac{b^2 * c^3 + a^2 * e^3}{a^4 * b^4} - \frac{b^2 * c^3 - a^2 * e^3}{a^4 * b^4}\right)^{\frac{1}{3}} \\ & - 2 * \left(\frac{1}{2}\right)^{\frac{2}{3}} * c * e * (-I * \sqrt{3} + 1) / \left(\frac{b^2 * c^3 + a^2 * e^3}{a^4 * b^4} - \frac{b^2 * c^3 - a^2 * e^3}{a^4 * b^4}\right)^{\frac{1}{3}} \\ & + 16 * c * e / (a^2 * b^2) \Big) * \log\left(-\frac{1}{4} * \left(\frac{1}{2}\right)^{\frac{1}{3}} * (I * \sqrt{3} + 1) * \left(\frac{b^2 * c^3 + a^2 * e^3}{a^4 * b^4} - \frac{b^2 * c^3 - a^2 * e^3}{a^4 * b^4}\right)^{\frac{1}{3}} - 2 * \left(\frac{1}{2}\right)^{\frac{2}{3}} * c * e * (-I * \sqrt{3} + 1) / \left(\frac{b^2 * c^3 + a^2 * e^3}{a^4 * b^4} - \frac{b^2 * c^3 - a^2 * e^3}{a^4 * b^4}\right)^{\frac{1}{3}}\right) \\ & + \frac{1}{2} * \left(\frac{1}{2}\right)^{\frac{1}{3}} * (I * \sqrt{3} + 1) * \left(\frac{b^2 * c^3 + a^2 * e^3}{a^4 * b^4} - \frac{b^2 * c^3 - a^2 * e^3}{a^4 * b^4}\right)^{\frac{1}{3}} - 2 * \left(\frac{1}{2}\right)^{\frac{2}{3}} * c * e * (-I * \sqrt{3} + 1) / \left(\frac{b^2 * c^3 + a^2 * e^3}{a^4 * b^4} - \frac{b^2 * c^3 - a^2 * e^3}{a^4 * b^4}\right)^{\frac{1}{3}} \\ & + a^3 * b^3 * c + \frac{1}{2} * \left(\frac{1}{2}\right)^{\frac{1}{3}} * (I * \sqrt{3} + 1) * \left(\frac{b^2 * c^3 + a^2 * e^3}{a^4 * b^4} - \frac{b^2 * c^3 - a^2 * e^3}{a^4 * b^4}\right)^{\frac{1}{3}} - 2 * \left(\frac{1}{2}\right)^{\frac{2}{3}} * c * e * (-I * \sqrt{3} + 1) / \left(\frac{b^2 * c^3 + a^2 * e^3}{a^4 * b^4} - \frac{b^2 * c^3 - a^2 * e^3}{a^4 * b^4}\right)^{\frac{1}{3}} \\ & + a^3 * b * e^2 - 2 * a * b * c^2 * e + 2 * (b^2 * c^3 + a^2 * e^3) * x - \frac{3}{4} * \sqrt{3} * \left(\frac{1}{2}\right)^{\frac{1}{3}} * (I * \sqrt{3} + 1) * \left(\frac{b^2 * c^3 + a^2 * e^3}{a^4 * b^4} - \frac{b^2 * c^3 - a^2 * e^3}{a^4 * b^4}\right)^{\frac{1}{3}} \\ & - 2 * \left(\frac{1}{2}\right)^{\frac{2}{3}} * c * e * (-I * \sqrt{3} + 1) / \left(\frac{b^2 * c^3 + a^2 * e^3}{a^4 * b^4} - \frac{b^2 * c^3 - a^2 * e^3}{a^4 * b^4}\right)^{\frac{1}{3}} \\ & + a^3 * b^3 * c + 2 * a^3 * b * e^2 * \sqrt{-\left(\frac{1}{2}\right)^{\frac{1}{3}} * (I * \sqrt{3} + 1) * \left(\frac{b^2 * c^3 + a^2 * e^3}{a^4 * b^4} - \frac{b^2 * c^3 - a^2 * e^3}{a^4 * b^4}\right)^{\frac{1}{3}} - 2 * \left(\frac{1}{2}\right)^{\frac{2}{3}} * c * e * (-I * \sqrt{3} + 1) / \left(\frac{b^2 * c^3 + a^2 * e^3}{a^4 * b^4} - \frac{b^2 * c^3 - a^2 * e^3}{a^4 * b^4}\right)^{\frac{1}{3}} \\ & - 2 * \left(\frac{1}{2}\right)^{\frac{2}{3}} * c * e * (-I * \sqrt{3} + 1) / \left(\frac{b^2 * c^3 + a^2 * e^3}{a^4 * b^4} - \frac{b^2 * c^3 - a^2 * e^3}{a^4 * b^4}\right)^{\frac{1}{3}} \Big) \\ & + 16 * c * e / (a^2 * b^2) \Big) / (a * b^2 * x^3 + a^2 * b) \end{aligned}$$

giac [A] time = 0.18, size = 190, normalized size = 0.95

$$\frac{\sqrt{3} \left(a e - (-a b^2)^{\frac{1}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(\frac{-a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{-a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-a b^2 \right)^{\frac{2}{3}} a} - \frac{\left(a e + \left(-a b^2 \right)^{\frac{1}{3}} c \right) \log \left(x^2 + x \left(\frac{-a}{b} \right)^{\frac{1}{3}} + \left(\frac{-a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(-a b^2 \right)^{\frac{2}{3}} a} - \frac{\left(b c \left(\frac{-a}{b} \right)^{\frac{1}{3}} + a e \right) \left(\frac{-a}{b} \right)^{\frac{1}{3}} \log \left(x - \left(\frac{-a}{b} \right)^{\frac{1}{3}} \right)}{9 a^2 b} + \frac{b c x^2 - a x e - a d}{3 \left(b x^3 + a \right) a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-1/9 * \sqrt{3} * (a * e - (-a * b^2)^{\frac{1}{3}} * c) * \arctan\left(\frac{1/3 * \sqrt{3} * (2 * x + (-a/b)^{\frac{1}{3}})}{(-a/b)^{\frac{1}{3}}}\right) / ((-a * b^2)^{\frac{2}{3}} * a) - 1/18 * (a * e + (-a * b^2)^{\frac{1}{3}} * c) * \log(x^2 + x * (-a/b)^{\frac{1}{3}} + (-a/b)^{\frac{2}{3}}) / ((-a * b^2)^{\frac{2}{3}} * a) - 1/9 * (b * c * (-a/b)^{\frac{1}{3}} + a * e) * (-a/b)^{\frac{1}{3}} * \log(\text{abs}(x - (-a/b)^{\frac{1}{3}})) / (a^2 * b) + 1/3 * (b * c * x^2 - a * x * e - a * d) / ((b * x^3 + a) * a * b)$

maple [A] time = 0.05, size = 228, normalized size = 1.14

$$\frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}} - 1} \right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{9 \left(\frac{a}{b}\right)^{\frac{1}{3}} a b} - \frac{c \ln \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b}\right)^{\frac{1}{3}} a b} + \frac{c \ln \left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)}{18 \left(\frac{a}{b}\right)^{\frac{1}{3}} a b} + \frac{\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}} - 1} \right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{9 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^2} + \frac{e \ln \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^2} - \frac{e \ln \left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)}{18 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^2} + \frac{c x^2 - a x e - a d}{3 a b x^3 + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)/(b*x^3+a)^2,x)

[Out] $(1/3*c/a*x^2-1/3/b*e*x-1/3*d/b)/(b*x^3+a)+1/9/b^2*e/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-1/18/b^2*e/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/9/b^2*e/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/9/b/a*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+1/18/(a/b)^{(1/3)}/a/b*c*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/9/b/a*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$

maxima [A] time = 2.84, size = 185, normalized size = 0.92

$$\frac{bcx^2 - aex - ad}{3(ab^2x^3 + a^2b)} + \frac{\sqrt{3} \left(bc \left(\frac{a}{b} \right)^{\frac{1}{3}} + ae \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9ab^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(bc \left(\frac{a}{b} \right)^{\frac{1}{3}} - ae \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18ab^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(bc \left(\frac{a}{b} \right)^{\frac{1}{3}} - ae \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9ab^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")`

[Out] $1/3*(b*c*x^2 - a*e*x - a*d)/(a*b^2*x^3 + a^2*b) + 1/9*\sqrt{3}*(b*c*(a/b)^{(1/3)} + a*e)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b^2*(a/b)^{(2/3)}) + 1/18*(b*c*(a/b)^{(1/3)} - a*e)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b^2*(a/b)^{(2/3)}) - 1/9*(b*c*(a/b)^{(1/3)} - a*e)*\log(x + (a/b)^{(1/3)})/(a*b^2*(a/b)^{(2/3)})$

mupad [B] time = 5.17, size = 194, normalized size = 0.97

$$\sum_{k=1}^3 \ln \left(\text{root}(729 a^4 b^4 z^3 + 27 a^2 b^2 c e z + b^2 c^3 - a^2 e^3, z, k) (b e x + \text{root}(729 a^4 b^4 z^3 + 27 a^2 b^2 c e z + b^2 c^3 - a^2 e^3, z, k) a b^2 9) + \frac{c e}{9 a} + \frac{b c^2 x}{9 a^2} \right) \text{root}(729 a^4 b^4 z^3 + 27 a^2 b^2 c e z + b^2 c^3 - a^2 e^3, z, k) - \frac{d}{3 b} - \frac{c x}{3 a} + \frac{c x}{3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(c + d*x + e*x^2))/(a + b*x^3)^2,x)`

[Out] $\text{symsum}(\log(\text{root}(729*a^4*b^4*z^3 + 27*a^2*b^2*c*e*z + b^2*c^3 - a^2*e^3, z, k))*(b*e*x + 9*\text{root}(729*a^4*b^4*z^3 + 27*a^2*b^2*c*e*z + b^2*c^3 - a^2*e^3, z, k))*a*b^2) + (c*e)/(9*a) + (b*c^2*x)/(9*a^2))*\text{root}(729*a^4*b^4*z^3 + 27*a^2*b^2*c*e*z + b^2*c^3 - a^2*e^3, z, k), k, 1, 3) - (d/(3*b) - (c*x^2)/(3*a) + (e*x)/(3*b))/(a + b*x^3)$

sympy [A] time = 1.85, size = 124, normalized size = 0.62

$$\text{RootSum} \left(729 t^3 a^4 b^4 + 27 t a^2 b^2 c e - a^2 e^3 + b^2 c^3, \left(t \mapsto t \log \left(x + \frac{81 t^2 a^3 b^3 c + 9 t a^3 b e^2 + 2 a b c^2 e}{a^2 e^3 + b^2 c^3} \right) \right) \right) + \frac{-ad - aex + bcx^2}{3a^2b + 3ab^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d*x+c)/(b*x**3+a)**2,x)`

[Out] `RootSum(729*_t**3*a**4*b**4 + 27*_t*a**2*b**2*c*e - a**2*e**3 + b**2*c**3, Lambda(_t, _t*log(x + (81*_t**2*a**3*b**3*c + 9*_t*a**3*b*e**2 + 2*a*b*c**2`

$$\frac{e}{(a^2e^3 + b^2c^3)}} + \frac{(-ad - aex + bcx^2)}{(3a^2b + 3ab^2x^3)}$$

$$3.293 \quad \int \frac{c+dx+ex^2}{(a+bx^3)^2} dx$$

Optimal. Leaf size=199

$$\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

Rubi [A] time = 0.13, antiderivative size = 199, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1854, 1860, 31, 634, 617, 204, 628}

$$\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}} - \frac{ae - bx(c + dx)}{3ab(a + bx^3)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^3)^2, x]

[Out] $-(a*e - b*x*(c + d*x))/(3*a*b*(a + b*x^3)) - ((2*b^{(1/3)}*c + a^{(1/3)}*d)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/ (3*\text{Sqrt}[3]*a^{(5/3)}*b^{(2/3)}) + ((2*b^{(1/3)}*c - a^{(1/3)}*d)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/ (9*a^{(5/3)}*b^{(2/3)}) - ((2*b^{(1/3)}*c - a^{(1/3)}*d)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (18*a^{(5/3)}*b^{(2/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(−1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(−1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Simp[
(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Dist[
(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[
(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[
2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Module[{q = Expon[Pq, x], i},
Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] :> With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a + bx^3)^2} dx &= \frac{ae - bx(c + dx)}{3ab(a + bx^3)} - \frac{\int \frac{-2c - dx}{a + bx^3} dx}{3a} \\
&= \frac{ae - bx(c + dx)}{3ab(a + bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-4\sqrt[3]{b}c - \sqrt[3]{a}d) + \sqrt[3]{b}(2\sqrt[3]{b}c - \sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{9a^{5/3}\sqrt[3]{b}} + \frac{\left(2c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{5/3}} \\
&= \frac{ae - bx(c + dx)}{3ab(a + bx^3)} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{18a^{5/3}b^{2/3}} \\
&= \frac{ae - bx(c + dx)}{3ab(a + bx^3)} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x)}{18a^{5/3}b^{2/3}} \\
&= \frac{ae - bx(c + dx)}{3ab(a + bx^3)} - \frac{(2\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 189, normalized size = 0.95

$$\frac{\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a}d - 2\sqrt[3]{b}c) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + (4\sqrt[3]{a}b^{2/3}c - 2a^{2/3}\sqrt[3]{b}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + \frac{6a(bx(c+dx) - ae)}{a+bx^3} - 2\sqrt{3}\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{18a^2b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^3)^2, x]

[Out] ((6*a*(-(a*e) + b*x*(c + d*x)))/(a + b*x^3) - 2*Sqrt[3]*a^(1/3)*b^(1/3)*(2*b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + (4*a^(1/3)*b^(2/3)*c - 2*a^(2/3)*b^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x] + a^(1/3)*b^(1/3)*(-2*b^(1/3)*c + a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^2*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(a + b*x^3)^2, x]

fricas [C] time = 1.20, size = 2118, normalized size = 10.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$\frac{1}{36} \left(12bdx^2 + 12b^2cx - 2(a^2bx^3 + a^2b) \right) \left(\frac{1}{2} \right)^{1/3} \sqrt[3]{3} + 1 \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3} + 4 \left(\frac{1}{2} \right)^{2/3} cd \sqrt[3]{3} - 1 \left(\frac{1}{a^3b \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3}} \right) \log \left(\frac{1}{4} \left(\frac{1}{2} \right)^{1/3} \sqrt[3]{3} + 1 \right) \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3} + 4 \left(\frac{1}{2} \right)^{2/3} cd \sqrt[3]{3} - 1 \left(\frac{1}{a^3b \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3}} \right)^2 a^4bd - 2 \left(\frac{1}{2} \right)^{1/3} \sqrt[3]{3} + 1 \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3} + 4 \left(\frac{1}{2} \right)^{2/3} cd \sqrt[3]{3} - 1 \left(\frac{1}{a^3b \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3}} \right) a^2bc^2 + 4acd^2 + (8b^3c^3 + a^3d^3)x - 12ae + \left(\frac{1}{a^3b \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3}} \right) \sqrt[3]{3} + 1 \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3} + 4 \left(\frac{1}{2} \right)^{2/3} cd \sqrt[3]{3} - 1 \left(\frac{1}{a^3b \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3}} \right) + 3 \sqrt[3]{3} (a^2bx^3 + a^2b) \sqrt{-\left(\frac{1}{2} \right)^{1/3} \sqrt[3]{3} + 1} \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3} + 4 \left(\frac{1}{2} \right)^{2/3} cd \sqrt[3]{3} - 1 \left(\frac{1}{a^3b \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3}} \right)^2 a^3b + 32cd \left(\frac{1}{a^3b} \right) \log \left(-\frac{1}{4} \left(\frac{1}{2} \right)^{1/3} \sqrt[3]{3} + 1 \right) \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3} + 4 \left(\frac{1}{2} \right)^{2/3} cd \sqrt[3]{3} - 1 \left(\frac{1}{a^3b \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3}} \right)^2 a^4bd + 2 \left(\frac{1}{2} \right)^{1/3} \sqrt[3]{3} + 1 \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3} + 4 \left(\frac{1}{2} \right)^{2/3} cd \sqrt[3]{3} - 1 \left(\frac{1}{a^3b \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3}} \right) \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3} + 4 \left(\frac{1}{2} \right)^{2/3} cd \sqrt[3]{3} - 1 \left(\frac{1}{a^3b \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3}} \right) a^2bc^2 - 4acd^2 + 2(8b^3c^3 + a^3d^3)x + \frac{3}{4} \sqrt[3]{3} \left(\left(\frac{1}{2} \right)^{1/3} \sqrt[3]{3} + 1 \right) \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3} + 4 \left(\frac{1}{2} \right)^{2/3} cd \sqrt[3]{3} - 1 \left(\frac{1}{a^3b \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3}} \right) \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3} + 4 \left(\frac{1}{2} \right)^{2/3} cd \sqrt[3]{3} - 1 \left(\frac{1}{a^3b \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3}} \right)^2 a^3b + 32cd \left(\frac{1}{a^3b} \right) + \left(\frac{1}{a^3b \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3}} \right) \sqrt[3]{3} + 1 \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3} + 4 \left(\frac{1}{2} \right)^{2/3} cd \sqrt[3]{3} - 1 \left(\frac{1}{a^3b \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3}} \right) - 3 \sqrt[3]{3} (a^2bx^3 + a^2b) \sqrt{-\left(\frac{1}{2} \right)^{1/3} \sqrt[3]{3} + 1} \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3} + 4 \left(\frac{1}{2} \right)^{2/3} cd \sqrt[3]{3} - 1 \left(\frac{1}{a^3b \left(\frac{8b^3c^3 + a^3d^3}{a^5b^2} + \frac{8b^3c^3 - a^3d^3}{a^5b^2} \right)^{1/3}} \right)$$

$\frac{1}{3} \ln(x + (a/b)^{1/3}) + \frac{1}{18} d/a/b / (a/b)^{1/3} \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) + \frac{1}{9} d/a * 3^{1/2} / b / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) - \frac{1}{3} * e/b / (b * x^3 + a)$

maxima [A] time = 3.02, size = 179, normalized size = 0.90

$$\frac{bdx^2 + bcx - ae}{3(ab^2x^3 + a^2b)} + \frac{\sqrt{3} \left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} + 2c \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9ab \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18ab \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2c \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9ab \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3} * (b * d * x^2 + b * c * x - a * e) / (a * b^2 * x^3 + a^2 * b) + \frac{1}{9} * \sqrt{3} * (d * (a/b)^{1/3} + 2 * c) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{1/3}) / (a/b)^{1/3}) / (a * b * (a/b)^{2/3}) + \frac{1}{18} * (d * (a/b)^{1/3} - 2 * c) * \log(x^2 - x * (a/b)^{1/3} + (a/b)^{2/3}) / (a * b * (a/b)^{2/3}) - \frac{1}{9} * (d * (a/b)^{1/3} - 2 * c) * \log(x + (a/b)^{1/3}) / (a * b * (a/b)^{2/3})$

mupad [B] time = 0.25, size = 175, normalized size = 0.88

$$\left(\sum_{k=1}^3 \ln \left(\frac{b \left(2cd + d^2x + \text{root}(729a^5b^2z^3 + 54a^2bcdz - 8bc^3 + ad^3, z, k) \right)^2 a^3 b 81 + \text{root}(729a^5b^2z^3 + 54a^2bcdz - 8bc^3 + ad^3, z, k) a b c x 18}{a^2 9} \right) \right) \text{root}(729a^5b^2z^3 + 54a^2bcdz - 8bc^3 + ad^3, z, k) + \frac{\frac{dx^2}{3a} - \frac{e}{3b} + \frac{cx}{3a}}{bx^3 + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^3)^2,x)

[Out] $\text{symsum}(\log((b * (2 * c * d + d^2 * x + 81 * \text{root}(729 * a^5 * b^2 * z^3 + 54 * a^2 * b * c * d * z - 8 * b * c^3 + a * d^3, z, k)^2 * a^3 * b + 18 * \text{root}(729 * a^5 * b^2 * z^3 + 54 * a^2 * b * c * d * z - 8 * b * c^3 + a * d^3, z, k) * a * b * c * x)) / (9 * a^2)) * \text{root}(729 * a^5 * b^2 * z^3 + 54 * a^2 * b * c * d * z - 8 * b * c^3 + a * d^3, z, k), k, 1, 3) + ((d * x^2) / (3 * a) - e / (3 * b) + (c * x) / (3 * a)) / (a + b * x^3)$

sympy [A] time = 1.38, size = 116, normalized size = 0.58

$$\text{RootSum} \left(729t^3 a^5 b^2 + 54t a^2 b c d + a d^3 - 8 b c^3, \left(t \mapsto t \log \left(x + \frac{81t a^4 b d + 36t a^2 b c^2 + 4a c d^2}{a d^3 + 8 b c^3} \right) \right) \right) + \frac{-ae + bcx + bdx^2}{3a^2b + 3ab^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**3+a)**2,x)

[Out] $\text{RootSum}(729 * _t^{**3} * a^{**5} * b^{**2} + 54 * _t * a^{**2} * b * c * d + a * d^{**3} - 8 * b * c^{**3}, \text{Lambda}(_t, _t * \log(x + (81 * _t^{**2} * a^{**4} * b * d + 36 * _t * a^{**2} * b * c^{**2} + 4 * a * c * d^{**2}) / (a * d^{**3} + 8 * b * c^{**3}))) + (-a * e + b * c * x + b * d * x^{**2}) / (3 * a^{**2} * b + 3 * a * b^{**2} * x^{**3}))$

$$3.294 \quad \int \frac{c+dx+ex^2}{x(a+bx^3)^2} dx$$

Optimal. Leaf size=222

$$\frac{(2\sqrt[3]{b}d - \sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}d - \sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}e + 2\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt[3]{3}\sqrt[3]{a}}\right)}{3\sqrt[3]{3} a^{5/3}b^{2/3}}$$

Rubi [A] time = 0.31, antiderivative size = 222, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(2\sqrt[3]{b}d - \sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}d - \sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}e + 2\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt[3]{3}\sqrt[3]{a}}\right)}{3\sqrt[3]{3} a^{5/3}b^{2/3}} + \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} - \frac{c \log(a + bx^3)}{3a^2} + \frac{c \log(x)}{a^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x*(a + b*x^3)^2), x]

[Out] (x*(a*d + a*e*x - b*c*x^2))/(3*a^2*(a + b*x^3)) - ((2*b^(1/3)*d + a^(1/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(5/3)*b^(2/3)) + (c*Log[x])/a^2 + ((2*b^(1/3)*d - a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x])/ (9*a^(5/3)*b^(2/3)) - ((2*b^(1/3)*d - a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/ (18*a^(5/3)*b^(2/3)) - (c*Log[a + b*x^3])/ (3*a^2)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x(a + bx^3)^2} dx &= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} - \frac{\int \frac{-3bc - 2bdx - bex^2}{x(a + bx^3)} dx}{3ab} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} - \frac{\int \left(-\frac{3bc}{ax} - \frac{b(2ad + aex - 3bcx^2)}{a(a + bx^3)} \right) dx}{3ab} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{\int \frac{2ad + aex - 3bcx^2}{a + bx^3} dx}{3a^2} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{\int \frac{2ad + aex}{a + bx^3} dx}{3a^2} - \frac{(bc) \int \frac{x^2}{a + bx^3} dx}{a^2} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} + \frac{c \log(x)}{a^2} - \frac{c \log(a + bx^3)}{3a^2} + \frac{\int \frac{\sqrt[3]{a} (4a \sqrt[3]{b} d + a^{4/3} e) + \sqrt[3]{b} (-2a \sqrt[3]{b} d + a^{4/3} e)x}{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2} dx}{9a^{8/3} \sqrt[3]{b}} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{(2\sqrt[3]{b} d - \sqrt[3]{a} e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{5/3} b^{2/3}} - \frac{c \log(a + bx^3)}{3a^2} - \frac{(2\sqrt[3]{b} d - \sqrt[3]{a} e) \log(2\sqrt[3]{b} d - \sqrt[3]{a} e)}{18a^{5/3} b^{2/3}} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{(2\sqrt[3]{b} d - \sqrt[3]{a} e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{5/3} b^{2/3}} - \frac{(2\sqrt[3]{b} d - \sqrt[3]{a} e) \log(2\sqrt[3]{b} d - \sqrt[3]{a} e)}{18a^{5/3} b^{2/3}} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} - \frac{(2\sqrt[3]{b} d + \sqrt[3]{a} e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{3\sqrt{3} a^{5/3} b^{2/3}} + \frac{c \log(x)}{a^2} + \frac{(2\sqrt[3]{b} d - \sqrt[3]{a} e) \log(2\sqrt[3]{b} d - \sqrt[3]{a} e)}{9a^{5/3} b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 199, normalized size = 0.90

$$\frac{\frac{(a^{2/3} e - 2\sqrt[3]{a} \sqrt[3]{b} d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{b^{2/3}} + \frac{2(2\sqrt[3]{a} \sqrt[3]{b} d - a^{2/3} e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{b^{2/3}} - \frac{2\sqrt{3} \sqrt[3]{a} (\sqrt[3]{a} e + 2\sqrt[3]{b} d) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b} x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{b^{2/3}} + \frac{6a(c + x(d + ex))}{a + bx^3} - 6c \log(a + bx^3) + 18c \log(x)}{18a^2}$$

$$\begin{aligned}
& ^2e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a^2) + (8*b*d^3 + \\
& a*e^3)*x) + 108*a*c - (162*b*c*x^3 - (a^2*b*x^3 + a^3)*((-I*sqrt(3) + 1)*(\\
& 9*c^2/a^4 - (9*b*c^2 + 2*a*d*e)/(a^4*b)))/(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + \\
& 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^ \\
& 3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 81*(I*sqrt(3) + 1 \\
&)*(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + \\
& a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/ \\
& (a^6*b^2))^{(1/3)} + 54*c/a^2) + 162*a*c - 3*sqrt(1/3)*(a^2*b*x^3 + a^3)*sqrt \\
& (-(((-I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b*c^2 + 2*a*d*e)/(a^4*b)))/(-1/27*c^3/a \\
& ^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^ \\
& 2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/ \\
& 3)} + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b \\
&) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(\\
& 4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a^2)^2*a^4*b - 108*((-I*sqrt(\\
& 3) + 1)*(9*c^2/a^4 - (9*b*c^2 + 2*a*d*e)/(a^4*b)))/(-1/27*c^3/a^6 + 1/162*(9 \\
& *b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(\\
& 27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 81*(I*sq \\
& rt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8 \\
& *b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d \\
& *e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a^2)*a^2*b*c + 2916*b*c^2 + 2592*a*d*e)/(a \\
& ^4*b))*log(-1/324*((-I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b*c^2 + 2*a*d*e)/(a^4* \\
& b)))/(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 \\
& + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b \\
&)/(a^6*b^2))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2 \\
& *a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 \\
& + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a^2)^2*a^4*b* \\
& e - 12*b*c*d^2 - 9*b*c^2*e - 4*a*d*e^2 + 1/9*(2*a^2*b*d^2 + 3*a^2*b*c*e))*((\\
& -I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b*c^2 + 2*a*d*e)/(a^4*b)))/(-1/27*c^3/a^6 + \\
& 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - \\
& 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + \\
& 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1 \\
& /1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 \\
& - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a^2) + 2*(8*b*d^3 + a*e^3)*x + 1/1 \\
& 08*sqrt(1/3)*(((-I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b*c^2 + 2*a*d*e)/(a^4*b)))/(- \\
& 1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e \\
& ^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^ \\
& 6*b^2))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d* \\
& e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^ \\
& 2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a^2)*a^4*b*e + 72* \\
& a^2*b*d^2 - 54*a^2*b*c*e)*sqrt(-(((-I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b*c^2 + \\
& 2*a*d*e)/(a^4*b)))/(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/ \\
& 1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 \\
& - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/16 \\
& 2*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/14 \\
& 58*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c
\end{aligned}$$

$$\begin{aligned}
& /a^2)^2a^4b - 108*((-I\sqrt{3}) + 1)*(9c^2/a^4 - (9b*c^2 + 2a*d*e)/(a^4 \\
& *b))/(-1/27*c^3/a^6 + 1/162*(9b*c^2 + 2a*d*e)*c/(a^6*b) + 1/1458*(8b*d^3 \\
& + a*e^3)/(a^5*b^2) - 1/1458*(27b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9c*d*e)*a* \\
& b)/(a^6*b^2))^{(1/3)} + 81*(I\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9b*c^2 + \\
& 2a*d*e)*c/(a^6*b) + 1/1458*(8b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27b^2*c^ \\
& 3 + a^2*e^3 - 2*(4*d^3 - 9c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a^2)*a^2*b*c \\
& + 2916*b*c^2 + 2592*a*d*e)/(a^4*b)) - (162*b*c*x^3 - (a^2*b*x^3 + a^3)*((- \\
& -I\sqrt{3}) + 1)*(9c^2/a^4 - (9b*c^2 + 2a*d*e)/(a^4*b))/(-1/27*c^3/a^6 + \\
& 1/162*(9b*c^2 + 2a*d*e)*c/(a^6*b) + 1/1458*(8b*d^3 + a*e^3)/(a^5*b^2) - \\
& 1/1458*(27b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + \\
& 81*(I\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9b*c^2 + 2a*d*e)*c/(a^6*b) + 1 \\
& /1458*(8b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27b^2*c^3 + a^2*e^3 - 2*(4*d^3 \\
& - 9c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a^2) + 162*a*c + 3*sqrt(1/3)*(a^2* \\
& b*x^3 + a^3)*sqrt(-(((-I\sqrt{3}) + 1)*(9c^2/a^4 - (9b*c^2 + 2a*d*e)/(a^4 \\
& *b))/(-1/27*c^3/a^6 + 1/162*(9b*c^2 + 2a*d*e)*c/(a^6*b) + 1/1458*(8b*d^3 \\
& + a*e^3)/(a^5*b^2) - 1/1458*(27b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9c*d*e)*a* \\
& b)/(a^6*b^2))^{(1/3)} + 81*(I\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9b*c^2 + \\
& 2a*d*e)*c/(a^6*b) + 1/1458*(8b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27b^2*c^ \\
& 3 + a^2*e^3 - 2*(4*d^3 - 9c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a^2)^2a^4b \\
& - 108*((-I\sqrt{3}) + 1)*(9c^2/a^4 - (9b*c^2 + 2a*d*e)/(a^4*b))/(-1/27*c \\
& ^3/a^6 + 1/162*(9b*c^2 + 2a*d*e)*c/(a^6*b) + 1/1458*(8b*d^3 + a*e^3)/(a^ \\
& 5*b^2) - 1/1458*(27b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9c*d*e)*a*b)/(a^6*b^2)) \\
& ^{(1/3)} + 81*(I\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9b*c^2 + 2a*d*e)*c/(a \\
& ^6*b) + 1/1458*(8b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27b^2*c^3 + a^2*e^3 - \\
& 2*(4*d^3 - 9c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a^2)*a^2*b*c + 2916*b*c^2 \\
& + 2592*a*d*e)/(a^4*b))*log(-1/324*((-I\sqrt{3}) + 1)*(9c^2/a^4 - (9b*c^2 \\
& + 2a*d*e)/(a^4*b))/(-1/27*c^3/a^6 + 1/162*(9b*c^2 + 2a*d*e)*c/(a^6*b) + \\
& 1/1458*(8b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27b^2*c^3 + a^2*e^3 - 2*(4*d \\
& ^3 - 9c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 81*(I\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1 \\
& /162*(9b*c^2 + 2a*d*e)*c/(a^6*b) + 1/1458*(8b*d^3 + a*e^3)/(a^5*b^2) - 1 \\
& /1458*(27b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 5 \\
& 4*c/a^2)^2a^4b*e - 12*b*c*d^2 - 9b*c^2*e - 4*a*d*e^2 + 1/9*(2*a^2*b*d^2 \\
& + 3*a^2*b*c*e)*((-I\sqrt{3}) + 1)*(9c^2/a^4 - (9b*c^2 + 2a*d*e)/(a^4*b))/ \\
& (-1/27*c^3/a^6 + 1/162*(9b*c^2 + 2a*d*e)*c/(a^6*b) + 1/1458*(8b*d^3 + a* \\
& e^3)/(a^5*b^2) - 1/1458*(27b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9c*d*e)*a*b)/(a \\
& ^6*b^2))^{(1/3)} + 81*(I\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9b*c^2 + 2a*d \\
& *e)*c/(a^6*b) + 1/1458*(8b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27b^2*c^3 + a \\
& ^2*e^3 - 2*(4*d^3 - 9c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a^2) + 2*(8b*d^3 \\
& + a*e^3)*x - 1/108*sqrt(1/3)*(((-I\sqrt{3}) + 1)*(9c^2/a^4 - (9b*c^2 + 2* \\
& a*d*e)/(a^4*b))/(-1/27*c^3/a^6 + 1/162*(9b*c^2 + 2a*d*e)*c/(a^6*b) + 1/14 \\
& 58*(8b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27b^2*c^3 + a^2*e^3 - 2*(4*d^3 - \\
& 9c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 81*(I\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162* \\
& (9b*c^2 + 2a*d*e)*c/(a^6*b) + 1/1458*(8b*d^3 + a*e^3)/(a^5*b^2) - 1/1458 \\
& *(27b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a \\
& ^2)*a^4b*e + 72*a^2*b*d^2 - 54*a^2*b*c*e)*sqrt(-(((-I\sqrt{3}) + 1)*(9c^2/
\end{aligned}$$

$$a^4 - (9bc^2 + 2ade)/(a^4b) / (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)e)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2)^{1/3} + 81(I\sqrt{3} + 1)(-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2)^{1/3} + 54c/a^2)^2 a^4b - 108((-I\sqrt{3} + 1)(9c^2/a^4 - (9bc^2 + 2ade)/(a^4b)) / (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2)^{1/3} + 81(I\sqrt{3} + 1)(-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2)^{1/3} + 54c/a^2) a^2bc + 2916b^2c^2 + 2592ade)/(a^4b))) + 324(bc^3 + ac) \log(x) / (a^2bx^3 + a^3)$$

giac [A] time = 0.18, size = 217, normalized size = 0.98

$$\frac{\sqrt{3}(2bd - (-ab^2)^{1/3}e) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{1/3}\right)}{3\left(\frac{a}{b}\right)^{1/3}}\right)}{9(-ab^2)^{2/3}a} - \frac{(2bd + (-ab^2)^{1/3}e) \log\left(x^2 + x\left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)}{18(-ab^2)^{2/3}a} - \frac{c \log(|bx^3 + a|)}{3a^2} + \frac{c \log(|x|)}{a^2} + \frac{ax^2e + adx + ac}{3(bx^3 + a)a^2} - \frac{\left(a^3b\left(\frac{a}{b}\right)^{1/3}e + 2a^3bd\right)\left(\frac{a}{b}\right)^{1/3} \log\left|x - \left(\frac{a}{b}\right)^{1/3}\right|}{9a^5b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-1/9\sqrt{3}(2bd - (-ab^2)^{1/3}e) \arctan(1/3\sqrt{3}(2x + (-a/b)^{1/3})/(-a/b)^{1/3}) / ((-ab^2)^{2/3}a) - 1/18(2bd + (-ab^2)^{1/3}e) \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) / ((-ab^2)^{2/3}a) - 1/3c \log(\text{abs}(bx^3 + a)) / a^2 + c \log(\text{abs}(x)) / a^2 + 1/3(ax^2e + adx + ac) / ((bx^3 + a)a^2) - 1/9(a^3b(-a/b)^{1/3}e + 2a^3bd) (-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3})) / (a^5b)$

maple [A] time = 0.06, size = 274, normalized size = 1.23

$$\frac{e x^2}{3(bx^3+a)a} + \frac{dx}{3(bx^3+a)a} + \frac{2\sqrt{3}d \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{\left(\frac{a}{b}\right)^{1/3}}\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{2/3}ab} + \frac{2d \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9\left(\frac{a}{b}\right)^{2/3}ab} - \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3}x + \left(\frac{a}{b}\right)^{2/3}\right)}{9\left(\frac{a}{b}\right)^{2/3}ab} + \frac{\sqrt{3}e \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{\left(\frac{a}{b}\right)^{1/3}}\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{1/3}ab} - \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9\left(\frac{a}{b}\right)^{1/3}ab} + \frac{e \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3}x + \left(\frac{a}{b}\right)^{2/3}\right)}{18\left(\frac{a}{b}\right)^{1/3}ab} + \frac{c}{3(bx^3+a)a} + \frac{c \ln(x)}{a^2} - \frac{c \ln(bx^3+a)}{3a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x/(b*x^3+a)^2,x)

[Out] $1/3/(bx^3+a)/ae^x^2 + 1/3/ax/(bx^3+a)d + 1/3/a/(bx^3+a)c + 2/9/a/bd/(a/b)^{2/3} \ln(x + (a/b)^{1/3}) - 1/9/a/bd/(a/b)^{2/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) + 2/9/a/bd/(a/b)^{2/3} 3^{1/2} \arctan(1/3 3^{1/2} (2/(a/b)^{1/3}x - 1)) - 1/9/(a/b)^{1/3}/a/b e \ln(x + (a/b)^{1/3}) + 1/18/(a/b)^{1/3}/a/b e \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3})$

$$3.295 \quad \int \frac{c+dx+ex^2}{x^2(a+bx^3)^2} dx$$

Optimal. Leaf size=231

$$\frac{(a^{2/3}e + 2b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{9a^{7/3} \sqrt[3]{b}} + \frac{2(a^{2/3}e + 2b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{7/3} \sqrt[3]{b}} + \frac{2(2b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)}{3\sqrt{3} a^{7/3} \sqrt[3]{b}}$$

Rubi [A] time = 0.34, antiderivative size = 231, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(a^{2/3}e + 2b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{9a^{7/3} \sqrt[3]{b}} + \frac{2(a^{2/3}e + 2b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{7/3} \sqrt[3]{b}} + \frac{2(2b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)}{3\sqrt{3} a^{7/3} \sqrt[3]{b}} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} - \frac{d \log(a + bx^3)}{3a^2} - \frac{c}{a^2x} + \frac{d \log(x)}{a^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^2), x]

[Out] $-(c/(a^2*x)) + (x*(a*e - b*c*x - b*d*x^2))/(3*a^2*(a + b*x^3)) + (2*(2*b^(2/3)*c - a^(2/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(7/3)*b^(1/3)) + (d*Log[x])/a^2 + (2*(2*b^(2/3)*c + a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(7/3)*b^(1/3)) - ((2*b^(2/3)*c + a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(9*a^(7/3)*b^(1/3)) - (d*Log[a + b*x^3])/ (3*a^2)$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^ (p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^2(a + bx^3)^2} dx &= \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} - \frac{\int \frac{-3bc - 3bdx - 2bex^2 + \frac{b^2cx^3}{a}}{x^2(a + bx^3)} dx}{3ab} \\
&= \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} - \frac{\int \left(-\frac{3bc}{ax^2} - \frac{3bd}{ax} - \frac{b(2ae - 4bcx - 3bdx^2)}{a(a + bx^3)} \right) dx}{3ab} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{\int \frac{2ae - 4bcx - 3bdx^2}{a + bx^3} dx}{3a^2} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{\int \frac{2ae - 4bcx}{a + bx^3} dx}{3a^2} - \frac{(bd) \int \frac{x^2}{a + bx^3} dx}{a^2} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{d \log(x)}{a^2} - \frac{d \log(a + bx^3)}{3a^2} + \frac{\int \frac{\sqrt[3]{a}(-4\sqrt[3]{a}bc + 4a\sqrt[3]{b}e) + \sqrt[3]{b}(-4\sqrt[3]{a}x + b^{2/3}x^2)}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{9a^{8/3}\sqrt[3]{b}} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{2(2b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{7/3}\sqrt[3]{b}} - \frac{d \log(a + bx^3)}{3a^2} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{2(2b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{7/3}\sqrt[3]{b}} - \frac{(2b^{2/3}c + a^{2/3}e) \log(a + bx^3)}{3a^2} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{2(2b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{7/3}\sqrt[3]{b}} + \frac{d \log(x)}{a^2} + \frac{2(2b^{2/3}c - a^{2/3}e) \log(a + bx^3)}{3a^2}
\end{aligned}$$

Mathematica [A] time = 0.34, size = 213, normalized size = 0.92

$$\frac{(2a^{2/3}b^{2/3}c+a^{4/3}e)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+bt^{2/3}x^2)}{\sqrt[3]{b}} - \frac{2(2a^{2/3}b^{2/3}c+a^{4/3}e)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{\sqrt[3]{b}} + \frac{2\sqrt{3}a^{2/3}(a^{2/3}e-2b^{2/3}c)\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt{3}}\right)}{9a^3} - \frac{3a(a+ex)-bcx^2}{a+bx^3} + 3ad\log(a+bx^3) + \frac{9ac}{x} - 9ad\log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^2), x]

[Out] $-\frac{1}{9} \left(\frac{(9ac)/x - (3a(-bcx^2) + a(d+ex))}{(a+bx^3)} + (2\sqrt[3]{3} a^{2/3} (-2b^{2/3}c + a^{4/3}e) \operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right] / \sqrt[3]{b} - 9ad \operatorname{Log}[x] - (2(2a^{2/3}b^{2/3}c + a^{4/3}e) \operatorname{Log}[a^{1/3} + b^{1/3}x]) / b^{1/3} + ((2a^{2/3}b^{2/3}c + a^{4/3}e) \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2]) / b^{1/3} + 3ad \operatorname{Log}[a + bx^3]) / a^3 \right.$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{x^2 (a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^2), x]

fricas [C] time = 1.47, size = 4976, normalized size = 21.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $-\frac{1}{324} (432bcx^3 - 108aex^2 - 108adx + 2(a^2bx^4 + a^3x)) \left((-I\sqrt{3} + 1) \left(\frac{9d^2/a^4 - (9d^2 - 8ce)/a^4}{(-1/27d^3/a^6 + 1/162(9d^2 - 8ce)d/a^6 + 1/1458(64b^2c^3 + 8a^2e^3 - 9(3d^3 - 8cd)e)ab)} \right) / (a^7b) - \frac{4}{729} \frac{(8b^2c^3 - a^2e^3)}{(a^7b)^{1/3}} + 81(I\sqrt{3} + 1) \left(\frac{-1/27d^3/a^6 + 1/162(9d^2 - 8ce)d/a^6 + 1/1458(64b^2c^3 + 8a^2e^3 - 9(3d^3 - 8cd)e)ab}{(a^7b) - \frac{4}{729} \frac{(8b^2c^3 - a^2e^3)}{(a^7b)^{1/3}} + 54d/a^2} \right) \log\left(\frac{-1/324((-I\sqrt{3} + 1)(9d^2/a^4 - (9d^2 - 8ce)/a^4)}{(-1/27d^3/a^6 + 1/162(9d^2 - 8ce)d/a^6 + 1/1458(64b^2c^3 + 8a^2e^3 - 9(3d^3 - 8cd)e)ab)} \right) / (a^7b) - \frac{4}{729} \frac{(8b^2c^3 - a^2e^3)}{(a^7b)^{1/3}} + 81(I\sqrt{3} + 1) \left(\frac{-1/27d^3/a^6 + 1/162(9d^2 - 8ce)d/a^6 + 1/1458(64b^2c^3 + 8a^2e^3 - 9(3d^3 - 8cd)e)ab}{(a^7b) - \frac{4}{729} \frac{(8b^2c^3 - a^2e^3)}{(a^7b)^{1/3}} + 54d/a^2} \right)^2 a^5bc - 9ab$

$$\begin{aligned}
& 3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81 \\
& *(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64* \\
& b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - \\
& a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)^2*a^4 - 108*((-I*\sqrt{3} + 1)*(9*d^2/a \\
& ^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/ \\
& 1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8* \\
& b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/1 \\
& 62*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c* \\
& d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)* \\
& a^2*d + 2916*d^2 - 10368*c*e)/a^4)) + (162*b*d*x^4 + 162*a*d*x - (a^2*b*x^4 \\
& + a^3*x)*((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^ \\
& 6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 \\
& - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81* \\
& (I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b \\
& ^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - \\
& a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2) - 3*\sqrt{1/3}*(a^2*b*x^4 + a^3*x)*\sqrt{ \\
& -(((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/16 \\
& 2*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d \\
& *e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{ \\
& 3} + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + \\
& 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3) \\
& / (a^7*b))^{(1/3)} + 54*d/a^2)^2*a^4 - 108*((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d \\
& ^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64* \\
& b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - \\
& a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 \\
& - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b) \\
& / (a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)*a^2*d + 2 \\
& 916*d^2 - 10368*c*e)/a^4))*\log(1/324*((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 \\
& - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2 \\
& *c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^ \\
& 2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - \\
& 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a \\
& ^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)^2*a^5*b*c + \\
& 9*a*b*c*d^2 - 16*a*b*c^2*e - 3*a^2*d*e^2 - 1/18*(6*a^3*b*c*d - a^4*e^2)*((- \\
& I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9* \\
& d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a \\
& *b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3} + \\
& 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^ \\
& 2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7 \\
& *b))^{(1/3)} + 54*d/a^2) - 4*(8*b^2*c^3 - a^2*e^3)*x - 1/108*\sqrt{1/3}*(((-I* \\
& sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^ \\
& 2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b \\
&)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3} + 1) \\
& *(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2* \\
& e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b
\end{aligned}$$

maxima [A] time = 3.10, size = 222, normalized size = 0.96

$$-\frac{4bcx^3 - acx^2 - adx + 3ac}{3(a^2bx^4 + a^3x)} + \frac{d \log(x)}{a^2} - \frac{2\sqrt{3}\left(2bc\left(\frac{a}{b}\right)^{\frac{2}{3}} - ae\left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9a^3} - \frac{\left(3bd\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2bc\left(\frac{a}{b}\right)^{\frac{1}{3}} + ae\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9a^2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(3bd\left(\frac{a}{b}\right)^{\frac{2}{3}} - 4bc\left(\frac{a}{b}\right)^{\frac{1}{3}} - 2ae\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9a^2b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-\frac{1}{3}*(4*b*c*x^3 - a*e*x^2 - a*d*x + 3*a*c)/(a^2*b*x^4 + a^3*x) + d*\log(x)/a^2 - \frac{2}{9}*\sqrt{3}*(2*b*c*(a/b)^{(2/3)} - a*e*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^3 - \frac{1}{9}*(3*b*d*(a/b)^{(2/3)} + 2*b*c*(a/b)^{(1/3)} + a*e)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^2*b*(a/b)^{(2/3)}) - \frac{1}{9}*(3*b*d*(a/b)^{(2/3)} - 4*b*c*(a/b)^{(1/3)} - 2*a*e)*\log(x + (a/b)^{(1/3)})/(a^2*b*(a/b)^{(2/3)})$

mupad [B] time = 5.47, size = 488, normalized size = 2.11

$$\frac{\int \frac{c + dx + ex^2}{x^2(a + bx^3)^2} dx}{\int \frac{c + dx + ex^2}{x^2(a + bx^3)^2} dx} = \frac{\int \frac{c + dx + ex^2}{x^2(a + bx^3)^2} dx}{\int \frac{c + dx + ex^2}{x^2(a + bx^3)^2} dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^2*(a + b*x^3)^2),x)

[Out] $\text{symsum}(\log((4*(3*b^3*c*d^2 + a*b^2*d*e^2))/(9*a^4) - \text{root}(729*a^7*b*z^3 + 729*a^5*b*d*z^2 - 216*a^3*b*c*e*z + 243*a^3*b*d^2*z - 72*a*b*c*d*e + 27*a*b*d^3 - 8*a^2*e^3 - 64*b^2*c^3, z, k)) * (\text{root}(729*a^7*b*z^3 + 729*a^5*b*d*z^2 - 216*a^3*b*c*e*z + 243*a^3*b*d^2*z - 72*a*b*c*d*e + 27*a*b*d^3 - 8*a^2*e^3 - 64*b^2*c^3, z, k)) * (4*b^3*c + 24*b^3*d*x + 36*\text{root}(729*a^7*b*z^3 + 729*a^5*b*d*z^2 - 216*a^3*b*c*e*z + 243*a^3*b*d^2*z - 72*a*b*c*d*e + 27*a*b*d^3 - 8*a^2*e^3 - 64*b^2*c^3, z, k)) * a^2*b^3*x) + (4*(a^3*b^2*e^2 - 6*a^2*b^3*c*d))/(9*a^4) + (4*x*(27*a^3*b^3*d^2 - 60*a^3*b^3*c*e))/(27*a^5) + (4*x*(16*b^4*c^3 + 2*a^2*b^2*e^3 + 12*a*b^3*c*d*e))/(27*a^5) * \text{root}(729*a^7*b*z^3 + 729*a^5*b*d*z^2 - 216*a^3*b*c*e*z + 243*a^3*b*d^2*z - 72*a*b*c*d*e + 27*a*b*d^3 - 8*a^2*e^3 - 64*b^2*c^3, z, k), k, 1, 3) - (c/a - (e*x^2)/(3*a) - (d*x)/(3*a) + (4*b*c*x^3)/(3*a^2))/(a*x + b*x^4) + (d*\log(x))/a^2$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**2/(b*x**3+a)**2,x)

[Out] Timed out

$$3.296 \quad \int \frac{c+dx+ex^2}{x^3(a+bx^3)^2} dx$$

Optimal. Leaf size=242

$$\frac{\sqrt[3]{b} (5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{18a^{8/3}} - \frac{\sqrt[3]{b} (5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}} + \frac{\sqrt[3]{b} (4\sqrt[3]{a}d + 5\sqrt[3]{b}c)}{3\sqrt[3]{3}}$$

Rubi [A] time = 0.35, antiderivative size = 242, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{b} (5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{18a^{8/3}} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} - \frac{\sqrt[3]{b} (5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}} + \frac{\sqrt[3]{b} (4\sqrt[3]{a}d + 5\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt[3]{3}a^{8/3}} - \frac{e \log(a + bx^3)}{3a^2} - \frac{c}{2a^2x^2} - \frac{d}{a^2x} + \frac{e \log(x)}{a^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^2), x]

[Out] -c/(2*a^2*x^2) - d/(a^2*x) - (x*(b*c + b*d*x + b*e*x^2))/(3*a^2*(a + b*x^3)) + (b^(1/3)*(5*b^(1/3)*c + 4*a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(8/3)) + (e*Log[x])/a^2 - (b^(1/3)*(5*b^(1/3)*c - 4*a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(8/3)) + (b^(1/3)*(5*b^(1/3)*c - 4*a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(8/3)) - (e*Log[a + b*x^3])/ (3*a^2)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^m_/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^3 (a + bx^3)^2} dx &= -\frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} - \frac{\int \frac{-3bc - 3bdx - 3bex^2 + \frac{2b^2cx^3}{a} + \frac{b^2dx^4}{a}}{x^3(a + bx^3)} dx}{3ab} \\
&= -\frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} - \frac{\int \left(-\frac{3bc}{ax^3} - \frac{3bd}{ax^2} - \frac{3be}{ax} + \frac{b^2(5c + 4dx + 3ex^2)}{a(a + bx^3)} \right) dx}{3ab} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{b \int \frac{5c + 4dx + 3ex^2}{a + bx^3} dx}{3a^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{b \int \frac{5c + 4dx}{a + bx^3} dx}{3a^2} - \frac{(be) \int \frac{x^2}{a + bx^3} dx}{a^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{e \log(a + bx^3)}{3a^2} - \frac{b^{2/3} \int \frac{\sqrt[3]{a}(10\sqrt[3]{b}c + 4\sqrt[3]{a}d)}{a^{2/3} - \sqrt[3]{b}x} dx}{9} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{\sqrt[3]{b} (5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{\sqrt[3]{b} (5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{\sqrt[3]{b} (5\sqrt[3]{b}c + 4\sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{8/3}} + \frac{e \log(x)}{a^2}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 221, normalized size = 0.91

$$\sqrt[3]{b} (5\sqrt[3]{a}\sqrt[3]{b}c - 4a^{2/3}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 2\sqrt[3]{b} (4a^{2/3}d - 5\sqrt[3]{a}\sqrt[3]{b}c) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + \frac{6a(ac - bx(c + dx))}{a + bx^3} + 2\sqrt{3}\sqrt[3]{a}\sqrt[3]{b} (4\sqrt[3]{a}d + 5\sqrt[3]{b}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) - 6ae \log(a + bx^3) - \frac{9ac}{x^2} - \frac{18ad}{x} + 18ae \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^2), x]

[Out]
$$\frac{(-9ac)/x^2 - (18ad)/x + (6a(ae - bxc + dx))}{(a + bx^3) + 2\sqrt[3]{a^{1/3}b^{1/3}(5b^{1/3}c + 4a^{1/3}d)}\operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt[3]{3}}\right] + 18ae\log[x] + 2b^{1/3}(-5a^{1/3}b^{1/3}c + 4a^{2/3}d)\log[a^{1/3} + b^{1/3}x] + b^{1/3}(5a^{1/3}b^{1/3}c - 4a^{2/3}d)\log[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2] - 6ae\log[a + bx^3]}{(18a^3)}$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{x^3(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^2), x]

fricas [C] time = 1.41, size = 4774, normalized size = 19.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/324*(432*b*d*x^4 + 270*b*c*x^3 - 108*a*e*x^2 + 324*a*d*x + 2*(a^2*b*x^5 \\ & + a^3*x^2)*((-I*\sqrt{3} + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27* \\ & e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)* \\ & b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{1/3} \\ & + 81*(I*\sqrt{3} + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 \\ & + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 \\ & - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{1/3} + 54*e/a^2*\log(1/81*((-I*\sqrt{3} + \\ & 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d \\ & + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 \\ & + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{1/3} + 81*(I*\sqrt{3} + 1) \\ &)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 6 \\ & 4*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a \\ & *b)/a^8)^{1/3} + 54*e/a^2)^2*a^6*d + 160*a*b*c*d^2 - 75*a*b*c^2*e + 36*a^2* \\ & d*e^2 + 1/18*(25*a^3*b*c^2 - 24*a^4*d*e)*((-I*\sqrt{3} + 1)*(9*e^2/a^4 - (20 \\ & *b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + \\ & 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4* \\ & (16*d^3 - 45*c*d*e)*a*b)/a^8)^{1/3} + 81*(I*\sqrt{3} + 1)*(-1/27*e^3/a^6 + 1 \end{aligned}$$

$$\begin{aligned}
& 8*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)^2*a^5 - 108*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)*a^3*e + 25920*b*c*d + 2916*a*e^2)/a^5)) + (162*b*e*x^5 + 162*a*e*x^2 - (a^2*b*x^5 + a^3*x^2))*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2) + 3*\sqrt{1/3)*(a^2*b*x^5 + a^3*x^2)*\sqrt{-(((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)^2*a^5 - 108*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)*a^3*e + 25920*b*c*d + 2916*a*e^2)/a^5))*\log(-1/81*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)^2*a^6*d - 160*a*b*c*d^2 + 75*a*b*c^2*e - 36*a^2*d*e^2 - 1/18*(25*a^3*b*c^2 - 24*a^4*d*e))*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2) + 2*(125*b^2*c^3 + 64*a*b*d^3)*x - 1/54*\sqrt{1/3)*(2*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)*a^6*d - 225*a^3*b*c^2 - 108*a^4
\end{aligned}$$

*d*e)*sqrt(-(((I*sqrt(3) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^(1/3) + 54*e/a^2)^2*a^5 - 108*((-I*sqrt(3) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^(1/3) + 54*e/a^2)*a^3*e + 25920*b*c*d + 2916*a*e^2)/a^5)) - 324*(b*e*x^5 + a*e*x^2)*log(x))/(a^2*b*x^5 + a^3*x^2)

giac [A] time = 0.20, size = 248, normalized size = 1.02

$$\frac{e \log(bx^3 + a)}{3a^2} + \frac{e \log(x)}{a^2} - \frac{\sqrt{3} \left(5(-ab^2)^{\frac{1}{3}} bc - 4(-ab^2)^{\frac{2}{3}} d \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9a^3 b} - \frac{\left(5(-ab^2)^{\frac{1}{3}} bc + 4(-ab^2)^{\frac{2}{3}} d \right) \log\left(x^2 + x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18a^3 b} + \frac{\left(4a^2 b^2 d \left(\frac{a}{b}\right)^{\frac{1}{3}} + 5a^2 b^2 c \right) \left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9a^3 b} - \frac{8bdx^4 + 5bcx^3 - 2ax^2e + 6adx + 3ac}{6(bx^3 + a)a^2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/3*e*log(abs(b*x^3 + a))/a^2 + e*log(abs(x))/a^2 - 1/9*sqrt(3)*(5*(-a*b^2)^(1/3)*b*c - 4*(-a*b^2)^(2/3)*d)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a^3*b) - 1/18*(5*(-a*b^2)^(1/3)*b*c + 4*(-a*b^2)^(2/3)*d)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^3*b) + 1/9*(4*a^2*b^2*d*(-a/b)^(1/3) + 5*a^2*b^2*c)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^5*b) - 1/6*(8*b*d*x^4 + 5*b*c*x^3 - 2*a*x^2*e + 6*a*d*x + 3*a*c)/((b*x^3 + a)*a^2*x^2)

maple [A] time = 0.06, size = 276, normalized size = 1.14

$$\frac{bdx^2}{3(bx^3 + a)a^2} - \frac{bcx}{3(bx^3 + a)a^2} + \frac{c}{3(bx^3 + a)a} - \frac{5\sqrt{3}c \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2} - \frac{5c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2} + \frac{5c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2} - \frac{4\sqrt{3}d \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2} + \frac{4d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2} - \frac{2d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2} + \frac{e \ln(x)}{a^2} - \frac{e \ln(bx^3 + a)}{3a^2} - \frac{d}{a^2 x} - \frac{c}{2a^2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x)

[Out] -1/3/(b*x^3+a)/a^2*b*d*x^2-1/3/a^2*b*x/(b*x^3+a)*c+1/3/a/(b*x^3+a)*e-5/9/a^2*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+5/18/a^2*c/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-5/9/a^2*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+4/9/(a/b)^(1/3)/a^2*d*ln(x+(a/b)^(1/3))-2/9/(a/b)^(1/3)/a^2*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-4/9*3^(1/2)/(a/b)^(1/3)/a^2*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/a^2*e*ln(b*x^3+a)-1/a^2*d/x+1/a^2*e*ln(x)-1/2/a^2*c/x^2

maxima [A] time = 2.86, size = 220, normalized size = 0.91

$$\frac{8bdx^4 + 5bcx^3 - 2aex^2 + 6adx + 3ac}{6(a^2bx^5 + a^3x^2)} + \frac{e \log(x)}{a^2} - \frac{\sqrt{3} \left(4bd \left(\frac{a}{b} \right)^{\frac{2}{3}} + 5bc \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9a^3} - \frac{\left(6e \left(\frac{a}{b} \right)^{\frac{2}{3}} + 4d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 5c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18a^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(3e \left(\frac{a}{b} \right)^{\frac{2}{3}} - 4d \left(\frac{a}{b} \right)^{\frac{1}{3}} + 5c \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9a^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$-1/6*(8*b*d*x^4 + 5*b*c*x^3 - 2*a*e*x^2 + 6*a*d*x + 3*a*c)/(a^2*b*x^5 + a^3*x^2) + e*\log(x)/a^2 - 1/9*\sqrt{3}*(4*b*d*(a/b)^(2/3) + 5*b*c*(a/b)^(1/3))*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^3 - 1/18*(6*e*(a/b)^(2/3) + 4*d*(a/b)^(1/3) - 5*c)*\log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*(a/b)^(2/3)) - 1/9*(3*e*(a/b)^(2/3) - 4*d*(a/b)^(1/3) + 5*c)*\log(x + (a/b)^(1/3))/(a^2*(a/b)^(2/3))$$

mupad [B] time = 5.39, size = 733, normalized size = 3.03

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^3*(a + b*x^3)^2),x)

[Out]
$$\text{symsum}(\log(-(b^3*(108*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)^2*a^6*d - 36*a^2*d*e^2 + 972*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)^3*a^8*x + 125*b^2*c^3*x - 72*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)*a^4*d*e - 75*a*b*c^2*e - 64*a*b*d^3*x + 75*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)*a^3*b*c^2 + 108*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)*a^4*e^2*x + 648*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)^2*a^6*e*x + 600*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)*a^3*b*c*d*x + 120*a*b*c*d*e*x))/(27*a^6))*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k), k, 1, 3) - (c/(2*a) - (e*x^2)/(3*a) + (d*x)/a + (5*b*c*x^3)/(6*a^2) + (4*b*d*x^4)/(3*a^2))/(a*x^2 + b*x^5) + (e*\log(x))/a^2$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/x**3/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.297 \quad \int \frac{c+dx+ex^2}{x^4(a+bx^3)^2} dx$$

Optimal. Leaf size=262

$$\frac{\sqrt[3]{b} (5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{18a^{8/3}} - \frac{\sqrt[3]{b} (5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}} + \frac{\sqrt[3]{b} (4\sqrt[3]{a}e + 5\sqrt[3]{b}d)}{3\sqrt[3]{a}}$$

Rubi [A] time = 0.40, antiderivative size = 262, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$-\frac{x \left(\frac{-b^2c^2}{a} + bd + bex \right)}{3a^2(a+bx^3)} + \frac{\sqrt[3]{b} (5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{18a^{8/3}} + \frac{2bc \log(a+bx^3)}{3a^3} - \frac{2bc \log(x)}{a^3} - \frac{\sqrt[3]{b} (5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}} + \frac{\sqrt[3]{b} (4\sqrt[3]{a}e + 5\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{5}\sqrt[3]{a}}\right)}{3\sqrt[3]{a^8}} - \frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^2), x]

[Out] $-\frac{c}{(3a^2x^3)} - \frac{d}{(2a^2x^2)} - \frac{e}{(a^2x)} - \frac{(x(bd + b^2ex - (b^2cx^2)/a))}{(3a^2(a + bx^3))} + \frac{(b^{1/3}(5b^{1/3}d + 4a^{1/3}e) \operatorname{ArcTan}[(a^{1/3} - 2b^{1/3}x)/(\operatorname{Sqrt}[3]a^{1/3})])}{(3\operatorname{Sqrt}[3]a^{8/3})} - \frac{(2b^2c \operatorname{Log}[x])}{a^3} - \frac{(b^{1/3}(5b^{1/3}d - 4a^{1/3}e) \operatorname{Log}[a^{1/3} + b^{1/3}x])}{(9a^{8/3})} + \frac{(b^{1/3}(5b^{1/3}d - 4a^{1/3}e) \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])}{(18a^{8/3})} + \frac{(2b^2c \operatorname{Log}[a + bx^3])}{(3a^3)}$

Rule 31

Int[((a_) + (b_)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^{(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]}

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^4(a + bx^3)^2} dx &= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{3a^2(a + bx^3)} - \frac{\int \frac{-3bc - 3bdx - 3bex^2 + \frac{3b^2cx^3}{a} + \frac{2b^2dx^4}{a} + \frac{b^2ex^5}{a}}{x^4(a + bx^3)} dx}{3ab} \\
&= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{3a^2(a + bx^3)} - \frac{\int \left(-\frac{3bc}{ax^4} - \frac{3bd}{ax^3} - \frac{3be}{ax^2} + \frac{6b^2c}{a^2x} + \frac{b^2(5ad + 4aex - 6bcx^2)}{a^2(a + bx^3)}\right) dx}{3ab} \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{3a^2(a + bx^3)} - \frac{2bc \log(x)}{a^3} - \frac{b \int \frac{5ad + 4aex - 6bcx^2}{a + bx^3} dx}{3a^3} \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{3a^2(a + bx^3)} - \frac{2bc \log(x)}{a^3} - \frac{b \int \frac{5ad + 4aex}{a + bx^3} dx}{3a^3} + \frac{(2b^2c) \int \frac{1}{a + bx^3} dx}{a^3} \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{3a^2(a + bx^3)} - \frac{2bc \log(x)}{a^3} + \frac{2bc \log(a + bx^3)}{3a^3} - \frac{b^{2/3} \int \frac{1}{a + bx^3} dx}{3a^3} \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{3a^2(a + bx^3)} - \frac{2bc \log(x)}{a^3} - \frac{\sqrt[3]{b} (5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(\sqrt[3]{a + bx^3})}{9a^{8/3}} \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{3a^2(a + bx^3)} - \frac{2bc \log(x)}{a^3} - \frac{\sqrt[3]{b} (5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(\sqrt[3]{a + bx^3})}{9a^{8/3}} \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{3a^2(a + bx^3)} + \frac{\sqrt[3]{b} (5\sqrt[3]{b}d + 4\sqrt[3]{a}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{8/3}}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 225, normalized size = 0.86

$$\sqrt[3]{b} (5\sqrt[3]{a}\sqrt[3]{b}d - 4a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 2\sqrt[3]{b} (4a^{2/3}e - 5\sqrt[3]{a}\sqrt[3]{b}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x) - \frac{6ab(c+xd+ex)}{a+bx^3} + 12bc \log(a + bx^3) + 2\sqrt{3}\sqrt[3]{a}\sqrt[3]{b} (4\sqrt[3]{a}e + 5\sqrt[3]{b}d) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) - \frac{6ac}{x^3} - \frac{9ad}{x^2} - \frac{18ae}{x} - 36bc \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^2), x]

[Out]
$$\frac{(-6ac)/x^3 - (9ad)/x^2 - (18ae)/x - (6ab(c + x(d + ex)))/(a + bx^3) + 2\sqrt{3}a^{1/3}b^{1/3}(5b^{1/3}d + 4a^{1/3}e)\text{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right] - 36b^2c\text{Log}[x] + 2b^{1/3}(-5a^{1/3}b^{1/3}d + 4a^{2/3}e)\text{Log}[a^{1/3} + b^{1/3}x] + b^{1/3}(5a^{1/3}b^{1/3}d - 4a^{2/3}e)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2] + 12b^2c\text{Log}[a + bx^3]}{(18a^3)}$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{x^4 (a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^2), x]

fricas [C] time = 1.56, size = 5373, normalized size = 20.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/36*(48*a*b*e*x^5 + 30*a*b*d*x^4 + 24*a*b*c*x^3 + 36*a^2*e*x^2 + 18*a^2*d*x + 12*a^2*c + 2*(a^3*b*x^6 + a^4*x^3)*(8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)*\text{log}((8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)^2*a^6*e + 150*b^2*c*d^2 + 144*b^2*c^2*e + 160*a*b*d*e^2 + 1/2*(25*a^3*b*d^2 + 48*a^3*b*c*e)*(8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3) \end{aligned}$$

$$\begin{aligned}
& - 5*(25*d^3 - 72*c*d*e)*a*b^2/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(4 \\
& 32*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)* \\
& b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2/a^9)^{(1/3)} - 12*b*c/a^3) + (125*b^2*d^3 + 64*a*b*e^3)*x) - (36*b^2*c*x^6 + 36*a*b \\
& *c*x^3 + (a^3*b*x^6 + a^4*x^3)*(8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3) \\
& *b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - \\
& 5*(25*d^3 - 72*c*d*e)*a*b^2/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432 \\
& *b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b* \\
& c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2/a^9)^{(1/3)} - 12*b*c/a^3) + 3*\text{sqrt}(1/3)*(a^3*b*x^6 + a^4*x^3)*\text{sqrt}(-((8*(1/2)^{(2/3)}* \\
& (-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + \\
& (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - \\
& 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2/a^9)^{(1/3)} - 12*b*c/a^3)^2*a^6 + 24*(8*(1/2)^{(2/3)}*(-I \\
& *\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (21 \\
& 6*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72* \\
& (9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - \\
& 72*c*d*e)*a*b^2/a^9)^{(1/3)} - 12*b*c/a^3)*a^3*b*c + 144*b^2*c^2 + 320*a*b* \\
& d*e/a^6))*\log(-((8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 \\
& + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9* \\
& b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72 \\
& *c*d*e)*a*b^2/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 + \\
& (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^ \\
& 3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2/a^9)^{(1/3)} - 12*b*c/a^3 \\
&)^2*a^6*e - 150*b^2*c*d^2 - 144*b^2*c^2*e - 160*a*b*d*e^2 - 1/2*(25*a^3*b*d \\
& ^2 + 48*a^3*b*c*e)*(8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2* \\
& c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72* \\
& (9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - \\
& 72*c*d*e)*a*b^2/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 \\
& + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216 \\
& *b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2/a^9)^{(1/3)} - 12*b*c/a^3) \\
& + 2*(125*b^2*d^3 + 64*a*b*e^3)*x + 3/2*\text{sqrt}(1/3)*(2*(8*(1/2)^{(2/3)}*(-I \\
& *\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 \\
& + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (21 \\
& 6*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72* \\
& (9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - \\
& 72*c*d*e)*a*b^2/a^9)^{(1/3)} - 12*b*c/a^3)*a^6*e - 25*a^3*b*d^2 + 24*a^3*b* \\
& c*e)*\text{sqrt}(-((8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5 \\
& *a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2
\end{aligned}$$

$$\begin{aligned}
& c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d \\
& *e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 + (125 \\
& *b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^ \\
& 3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)^2* \\
& a^6 + 24*(8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a* \\
& b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 \\
& + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e) \\
& *a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 + (125*b* \\
& d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + \\
& 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)*a^3*b \\
& *c + 144*b^2*c^2 + 320*a*b*d*e)/a^6)) - (36*b^2*c*x^6 + 36*a*b*c*x^3 + (a^3 \\
& *b*x^6 + a^4*x^3)*(8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c \\
& ^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(\\
& 9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - \\
& 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 \\
& + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216* \\
& b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a \\
& ^3) - 3*\text{sqrt}(1/3)*(a^3*b*x^6 + a^4*x^3)*\text{sqrt}(-((8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + \\
& 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b \\
& *d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 \\
& + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*s \\
& \text{qrt}(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 \\
& + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e) \\
& *a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)^2*a^6 + 24*(8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1) \\
& *(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^ \\
& 3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 6 \\
& 4*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt} \\
& (3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + \\
& 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a* \\
& b^2)/a^9)^{(1/3)} - 12*b*c/a^3)*a^3*b*c + 144*b^2*c^2 + 320*a*b*d*e)/a^6))*\text{lo} \\
& \text{g}(- (8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e) \\
& /a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a \\
& *b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2 \\
&)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + \\
& 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^ \\
& 2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)^2*a^6*e - 1 \\
& 50*b^2*c*d^2 - 144*b^2*c^2*e - 160*a*b*d*e^2 - 1/2*(25*a^3*b*d^2 + 48*a^3*b \\
& *c*e)*(8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d \\
& *e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + \\
& 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a* \\
& b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 \\
& + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64 \\
& *a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3) + 2*(125 \\
& *b^2*d^3 + 64*a*b*e^3)*x - 3/2*\text{sqrt}(1/3)*(2*(8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1) \\
& *(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^
\end{aligned}$$

$$3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)*a^6*e - 25*a^3*b*d^2 + 24*a^3*b*c*e)*sqrt(-((8*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)^2*a^6 + 24*(8*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)*a^3*b*c + 144*b^2*c^2 + 320*a*b*d*e)/a^6)) + 72*(b^2*c*x^6 + a*b*c*x^3)*log(x))/(a^3*b*x^6 + a^4*x^3)$$

giac [A] time = 0.18, size = 269, normalized size = 1.03

$$\frac{2bc \log(|bx^2 + a|)}{3a^3} - \frac{2bc \log(|x|)}{a^3} - \frac{\sqrt{5} \left(5(-ab^2)^{\frac{1}{3}}bd - 4(-ab^2)^{\frac{2}{3}}e \right) \arctan\left(\frac{\sqrt{5} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9a^2b} - \frac{\left(5(-ab^2)^{\frac{1}{3}}bd + 4(-ab^2)^{\frac{2}{3}}e \right) \log\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18a^2b} + \frac{\left(4a^{\frac{1}{3}}b^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}}e + 5a^{\frac{1}{3}}b^{\frac{2}{3}}d \right) \left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9a^2b} - \frac{8abx^2e + 5abd^2 + 4abcx^3 + 6a^2x^2e + 3a^2dx + 2a^2c}{6(bx^3 + a)^{\frac{3}{2}}x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="giac")

[Out] $\frac{2}{3}b*c*\log(\text{abs}(b*x^3 + a))/a^3 - 2*b*c*\log(\text{abs}(x))/a^3 - \frac{1}{9}*\sqrt{3}*(5*(-a*b^2)^{(1/3)}*b*d - 4*(-a*b^2)^{(2/3)}*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(a^3*b) - \frac{1}{18}*(5*(-a*b^2)^{(1/3)}*b*d + 4*(-a*b^2)^{(2/3)}*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(a^3*b) + \frac{1}{9}*(4*a^4*b^2*(-a/b)^{(1/3)}*e + 5*a^4*b^2*d)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})/(a^7*b) - \frac{1}{6}*(8*a*b*x^5*e + 5*a*b*d*x^4 + 4*a*b*c*x^3 + 6*a^2*x^2*e + 3*a^2*d*x + 2*a^2*c)/((b*x^3 + a)*a^3*x^3)$

maple [A] time = 0.06, size = 289, normalized size = 1.10

$$\frac{bcx^2}{3(bx^3 + a)a^2} - \frac{bdx}{3(bx^3 + a)a^2} - \frac{bc}{3(bx^3 + a)a^2} - \frac{5\sqrt{5}d \arctan\left(\frac{\sqrt{5}\left(\frac{2x-1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2} - \frac{5d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2} + \frac{5d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2} - \frac{4\sqrt{5}e \arctan\left(\frac{\sqrt{5}\left(\frac{2x-1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2} + \frac{4e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2} - \frac{2e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2} - \frac{2bc \ln(x)}{a^3} + \frac{2bc \ln(bx^3 + a)}{3a^3} - \frac{c}{a^2x} - \frac{d}{2a^2x^2} - \frac{c}{3a^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x)


```
[Out] -1/3/(b*x^3+a)/a^2*b*e*x^2-1/3/(b*x^3+a)/a^2*b*d*x-1/3*b/a^2/(b*x^3+a)*c-5/
9/(a/b)^(2/3)/a^2*d*ln(x+(a/b)^(1/3))+5/18/(a/b)^(2/3)/a^2*d*ln(x^2-(a/b)^(
1/3)*x+(a/b)^(2/3))-5/9/(a/b)^(2/3)*3^(1/2)/a^2*d*arctan(1/3*3^(1/2)*(2/(a/
b)^(1/3)*x-1))+4/9/(a/b)^(1/3)/a^2*e*ln(x+(a/b)^(1/3))-2/9/a^2*e/(a/b)^(1/3
)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-4/9/a^2*e*3^(1/2)/(a/b)^(1/3)*arctan(1/
3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+2/3/a^3*b*c*ln(b*x^3+a)-1/a^2*e/x-1/3/a^2*c/
x^3-1/2/a^2*d/x^2-2/a^3*b*c*ln(x)
```

maxima [A] time = 3.07, size = 236, normalized size = 0.90

$$\frac{8 b e x^5 + 5 b d x^4 + 4 b c x^3 + 6 a c x^2 + 3 a d x + 2 a c}{6 (a^2 b x^6 + a^3 x^3)} - \frac{2 b c \log(x)}{a^3} - \frac{\sqrt{3} \left(4 a c \left(\frac{a}{b} \right)^{\frac{2}{3}} + 5 a d \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) b \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 a^4} + \frac{\left(12 b c \left(\frac{a}{b} \right)^{\frac{2}{3}} - 4 a e \left(\frac{a}{b} \right)^{\frac{1}{3}} + 5 a d \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 a^3 \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(6 b c \left(\frac{a}{b} \right)^{\frac{2}{3}} + 4 a e \left(\frac{a}{b} \right)^{\frac{1}{3}} - 5 a d \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 a^3 \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="maxima")
```

```
[Out] -1/6*(8*b*e*x^5 + 5*b*d*x^4 + 4*b*c*x^3 + 6*a*e*x^2 + 3*a*d*x + 2*a*c)/(a^2
*b*x^6 + a^3*x^3) - 2*b*c*log(x)/a^3 - 1/9*sqrt(3)*(4*a*e*(a/b)^(2/3) + 5*a
*d*(a/b)^(1/3))*b*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^4 +
1/18*(12*b*c*(a/b)^(2/3) - 4*a*e*(a/b)^(1/3) + 5*a*d)*log(x^2 - x*(a/b)^(1
/3) + (a/b)^(2/3))/(a^3*(a/b)^(2/3)) + 1/9*(6*b*c*(a/b)^(2/3) + 4*a*e*(a/b)
^(1/3) - 5*a*d)*log(x + (a/b)^(1/3))/(a^3*(a/b)^(2/3))
```

mupad [B] time = 5.48, size = 537, normalized size = 2.05

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2)/(x^4*(a + b*x^3)^2),x)
```

```
[Out] symsum(log((x*(64*a*b^4*e^3 - 125*b^5*d^3 + 240*b^5*c*d*e))/(27*a^6) - root
(729*a^9*z^3 - 1458*a^6*b*c*z^2 + 540*a^4*b*d*e*z + 972*a^3*b^2*c^2*z - 360
*a*b^2*c*d*e - 64*a^2*b*e^3 + 125*a*b^2*d^3 - 216*b^3*c^3, z, k))*((25*a^3*b
^4*d^2 + 48*a^3*b^4*c*e)/(9*a^6) + root(729*a^9*z^3 - 1458*a^6*b*c*z^2 + 54
0*a^4*b*d*e*z + 972*a^3*b^2*c^2*z - 360*a*b^2*c*d*e - 64*a^2*b*e^3 + 125*a*
b^2*d^3 - 216*b^3*c^3, z, k))*(4*b^3*e + 36*root(729*a^9*z^3 - 1458*a^6*b*c*
z^2 + 540*a^4*b*d*e*z + 972*a^3*b^2*c^2*z - 360*a*b^2*c*d*e - 64*a^2*b*e^3
+ 125*a*b^2*d^3 - 216*b^3*c^3, z, k))*a^2*b^3*x - (48*b^4*c*x)/a) + (x*(432*
a^2*b^5*c^2 + 600*a^3*b^4*d*e))/(27*a^6)) - (50*b^5*c*d^2 - 48*b^5*c^2*e)/(
9*a^6))*root(729*a^9*z^3 - 1458*a^6*b*c*z^2 + 540*a^4*b*d*e*z + 972*a^3*b^2
*c^2*z - 360*a*b^2*c*d*e - 64*a^2*b*e^3 + 125*a*b^2*d^3 - 216*b^3*c^3, z, k
), k, 1, 3) - (c/(3*a) + (e*x^2)/a + (d*x)/(2*a) + (2*b*c*x^3)/(3*a^2) + (5
*b*d*x^4)/(6*a^2) + (4*b*e*x^5)/(3*a^2))/(a*x^3 + b*x^6) - (2*b*c*log(x))/a
^3
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**4/(b*x**3+a)**2,x)

[Out] Timed out

$$3.298 \quad \int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=215

$$\frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{54a^{5/3}b^{4/3}} + \frac{\left(\sqrt[3]{b}d - \sqrt[3]{a}e\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{27a^{5/3}b^{5/3}} - \frac{\left(\sqrt[3]{a}e + \sqrt[3]{b}d\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt[3]{3}\sqrt[3]{a}}\right)}{9\sqrt[3]{3}a^{5/3}b^{5/3}}$$

Rubi [A] time = 0.20, antiderivative size = 215, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$, Rules used = {1823, 1855, 1860, 31, 634, 617, 204, 628}

$$-\frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{54a^{5/3}b^{4/3}} + \frac{\left(\sqrt[3]{b}d - \sqrt[3]{a}e\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{27a^{5/3}b^{5/3}} - \frac{\left(\sqrt[3]{a}e + \sqrt[3]{b}d\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt[3]{3}\sqrt[3]{a}}\right)}{9\sqrt[3]{3}a^{5/3}b^{5/3}} - \frac{c+dx+ex^2}{6b(a+bx^3)^2} + \frac{x(d+2ex)}{18ab(a+bx^3)}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^3,x]

[Out] -(c + d*x + e*x^2)/(6*b*(a + b*x^3)^2) + (x*(d + 2*e*x))/(18*a*b*(a + b*x^3)) - ((b^(1/3)*d + a^(1/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(5/3)*b^(5/3)) + ((b^(1/3)*d - a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(5/3)*b^(5/3)) - ((d - (a^(1/3)*e)/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(5/3)*b^(4/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1823

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(
a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*
(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && Eq
Q[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^3} dx &= -\frac{c+dx+ex^2}{6b(a+bx^3)^2} + \frac{\int \frac{d+2ex}{(a+bx^3)^2} dx}{6b} \\
&= -\frac{c+dx+ex^2}{6b(a+bx^3)^2} + \frac{x(d+2ex)}{18ab(a+bx^3)} - \frac{\int \frac{-2d-2ex}{a+bx^3} dx}{18ab} \\
&= -\frac{c+dx+ex^2}{6b(a+bx^3)^2} + \frac{x(d+2ex)}{18ab(a+bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-4\sqrt[3]{b}d-2\sqrt[3]{a}e)+\sqrt[3]{b}(2\sqrt[3]{b}d-2\sqrt[3]{a}e)x}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{54a^{5/3}b^{4/3}} + \frac{\left(d-\frac{\sqrt[3]{a}}{\sqrt[3]{b}}\right)}{\sqrt[3]{b}} \\
&= -\frac{c+dx+ex^2}{6b(a+bx^3)^2} + \frac{x(d+2ex)}{18ab(a+bx^3)} + \frac{\left(d-\frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right)\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{27a^{5/3}b^{4/3}} + \frac{\left(\sqrt[3]{b}d+\sqrt[3]{a}e\right)\int \frac{1}{a^2}}{18a^4} \\
&= -\frac{c+dx+ex^2}{6b(a+bx^3)^2} + \frac{x(d+2ex)}{18ab(a+bx^3)} + \frac{\left(d-\frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right)\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{27a^{5/3}b^{4/3}} - \frac{\left(d-\frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right)\log\left(a^{2/3}\right)}{54a} \\
&= -\frac{c+dx+ex^2}{6b(a+bx^3)^2} + \frac{x(d+2ex)}{18ab(a+bx^3)} - \frac{\left(\sqrt[3]{b}d+\sqrt[3]{a}e\right)\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{5/3}b^{5/3}} + \frac{\left(d-\frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right)\log}{27a^{5/3}}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 198, normalized size = 0.92

$$\frac{\frac{\left(\sqrt[3]{a}e-\sqrt[3]{b}d\right)\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2\right)}{a^{5/3}} + \frac{2\left(\sqrt[3]{b}d-\sqrt[3]{a}e\right)\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{a^{5/3}} - \frac{2\sqrt{3}\left(\sqrt[3]{a}e+\sqrt[3]{b}d\right)\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{a^{5/3}} - \frac{9b^{2/3}(c+x(d+ex))}{(a+bx^3)^2} + \frac{3b^{2/3}x(d+2ex)}{a(a+bx^3)}}{54b^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^3, x]

[Out] ((3*b^(2/3)*x*(d + 2*e*x))/(a*(a + b*x^3)) - (9*b^(2/3)*(c + x*(d + e*x)))/(a + b*x^3)^2 - (2*Sqrt[3]*(b^(1/3)*d + a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/a^(5/3) + (2*(b^(1/3)*d - a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) + ((-(b^(1/3)*d) + a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3))/(54*b^(5/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (c + dx + ex^2)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^3, x]

fricas [C] time = 1.28, size = 2163, normalized size = 10.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/108*(12*b*e*x^5 + 6*b*d*x^4 - 6*a*e*x^2 - 12*a*d*x - 2*(a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))*log(1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))^2*a^4*b^3*e - 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))*a^2*b^2*d^2 + 2*a*d*e^2 + (b*d^3 + a*e^3)*x) - 18*a*c + ((a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3))) + 3*sqrt(1/3)*(a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))^2*a^3*b^3 + 16*d*e)/(a^3*b^3)))*log(-1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))^2*a^4*b^3*e + 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))^2*a^2*b^2*d^2 - 2*a*d*e^2 + 2*(b*d^3 + a*e^3)*x + 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))^2*a^4*b^3*e + 2*a^2*b^2*d^2)

```

*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 -
a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d
^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))^2*a^3*b^3 + 16*d
*e)/(a^3*b^3))) + ((a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b)*((1/2)^(1/3)*(I*sqrt
(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*
(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d
^3 - a*e^3)/(a^5*b^5))^(1/3))) - 3*sqrt(1/3)*(a*b^3*x^6 + 2*a^2*b^2*x^3 + a
^3*b)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d
^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*
((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))^2*a^3*b^3 +
16*d*e)/(a^3*b^3))) * log(-1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)
/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(
3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1
/3)))^2*a^4*b^3*e + 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*
b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1
)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3))) *
a^2*b^2*d^2 - 2*a*d*e^2 + 2*(b*d^3 + a*e^3)*x - 3/4*sqrt(1/3)*(((1/2)^(1/3)
*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1
/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5
) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3))) * a^4*b^3*e + 2*a^2*b^2*d^2)*sqrt(-(((
1/2)^(1/3)*(I*sqrt(3) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^
5*b^5))^(1/3) - 2*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^3*b^3*((b*d^3 + a*e^3
)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^(1/3)))^2*a^3*b^3 + 16*d*e)/(a^3*b
^3))))/(a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b)

```

giac [A] time = 0.21, size = 208, normalized size = 0.97

$$\frac{\sqrt{3} \left(bd - (-ab^2)^{\frac{1}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 \left(-ab^2 \right)^{\frac{2}{3}} ab} - \frac{\left(bd + (-ab^2)^{\frac{1}{3}} e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54 \left(-ab^2 \right)^{\frac{2}{3}} ab} - \frac{\left(\left(-\frac{a}{b} \right)^{\frac{1}{3}} e + d \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{27 a^2 b} + \frac{2bx^5e + bdx^4 - ax^2e - 2adx - 3ac}{18 (bx^3 + a)^2 ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] -1/27*sqrt(3)*(b*d - (-a*b^2)^(1/3)*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b) - 1/54*(b*d + (-a*b^2)^(1/3)*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a*b) - 1/27*((-a/b)^(1/3)*e + d)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^2*b) + 1/18*(2*b*x^5*e + b*d*x^4 - a*x^2*e - 2*a*d*x - 3*a*c)/((b*x^3 + a)^2*a*b)

maple [A] time = 0.06, size = 255, normalized size = 1.19

$$\frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{\sqrt{3} e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{1}{3}} a b^2} - \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{1}{3}} a b^2} + \frac{\frac{e x^5}{9a} + \frac{d x^4}{18a} - \frac{e x^2}{18b} - \frac{d x}{9b} - \frac{c}{6b}}{(b x^3 + a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)/(b*x^3+a)^3,x)

[Out] (1/9/a*e*x^5+1/18*d/a*x^4-1/18/b*e*x^2-1/9/b*d*x-1/6/b*c)/(b*x^3+a)^2+1/27/(a/b)^(2/3)/a/b^2*d*ln(x+(a/b)^(1/3))-1/54/(a/b)^(2/3)/a/b^2*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/27/(a/b)^(2/3)*3^(1/2)/a/b^2*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/27/a/b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*e+1/54/a/b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e+1/27/a/b^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e

maxima [A] time = 3.02, size = 203, normalized size = 0.94

$$\frac{2 b e x^5 + b d x^4 - a e x^2 - 2 a d x - 3 a c}{18 (a b^3 x^6 + 2 a^2 b^2 x^3 + a^3 b)} + \frac{\sqrt{3} \left(e \left(\frac{a}{b} \right)^{\frac{1}{3}} + d \right) \arctan\left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 a b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(e \left(\frac{a}{b} \right)^{\frac{1}{3}} - d \right) \log\left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54 a b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(e \left(\frac{a}{b} \right)^{\frac{1}{3}} - d \right) \log\left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{27 a b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(2*b*e*x^5 + b*d*x^4 - a*e*x^2 - 2*a*d*x - 3*a*c)/(a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b) + 1/27*sqrt(3)*(e*(a/b)^(1/3) + d)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b^2*(a/b)^(2/3)) + 1/54*(e*(a/b)^(1/3) - d)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^2*(a/b)^(2/3)) - 1/27*(e*(a/b)^(1/3) - d)*log(x + (a/b)^(1/3))/(a*b^2*(a/b)^(2/3))

mupad [B] time = 0.23, size = 216, normalized size = 1.00

$$\left(\sum_{k=1}^3 \ln \left(\frac{d e + e^2 x + \text{root}(19683 a^5 b^5 z^3 + 81 a^2 b^2 d e z + a e^3 - b d^3, z, k)^2 a^3 b^3 + 27 \text{root}(19683 a^5 b^5 z^3 + 81 a^2 b^2 d e z + a e^3 - b d^3, z, k) a b^2 d x 27}{a^2 b 81} \right) \right) \text{root}(19683 a^5 b^5 z^3 + 81 a^2 b^2 d e z + a e^3 - b d^3, z, k) - \frac{c}{a^2} - \frac{d x^4}{18 a} - \frac{e x^2}{18 b} + \frac{d x}{9 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2))/(a + b*x^3)^3,x)

[Out] symsum(log((d*e + e^2*x + 729*root(19683*a^5*b^5*z^3 + 81*a^2*b^2*d*e*z + a*e^3 - b*d^3, z, k)^2*a^3*b^3 + 27*root(19683*a^5*b^5*z^3 + 81*a^2*b^2*d*e*z + a*e^3 - b*d^3, z, k)*a*b^2*d*x)/(81*a^2*b))*root(19683*a^5*b^5*z^3 + 81


```
*a^2*b^2*d*e*z + a*e^3 - b*d^3, z, k), k, 1, 3) - (c/(6*b) - (d*x^4)/(18*a)
- (e*x^5)/(9*a) + (e*x^2)/(18*b) + (d*x)/(9*b))/(a^2 + b^2*x^6 + 2*a*b*x^3
)
```

sympy [A] time = 6.26, size = 148, normalized size = 0.69

$$\text{RootSum}\left(19683t^3a^5b^5 + 81ta^2b^2de + ae^3 - bd^3, \left(t \mapsto t \log\left(x + \frac{729t^2a^4b^3e + 27ta^2b^2d^2 + 2ade^2}{ae^3 + bd^3}\right)\right)\right) + \frac{-3ac - 2adx - aex^2 + bdx^4 + 2bex^5}{18a^3b + 36a^2b^2x^3 + 18ab^3x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(e*x**2+d*x+c)/(b*x**3+a)**3,x)
```

```
[Out] RootSum(19683*_t**3*a**5*b**5 + 81*_t*a**2*b**2*d*e + a*e**3 - b*d**3, Lambda
da(_t, _t*log(x + (729*_t**2*a**4*b**3*e + 27*_t*a**2*b**2*d**2 + 2*a*d*e**
2)/(a*e**3 + b*d**3)))) + (-3*a*c - 2*a*d*x - a*e*x**2 + b*d*x**4 + 2*b*e*x
**5)/(18*a**3*b + 36*a**2*b**2*x**3 + 18*a*b**3*x**6)
```

$$3.299 \quad \int \frac{x(c+dx+ex^2)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=239

$$\frac{(2b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{54a^{7/3}b^{4/3}} - \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{27a^{7/3}b^{4/3}} - \frac{(a^{2/3}e + 2b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{7/3}b^{4/3}}$$

Rubi [A] time = 0.20, antiderivative size = 239, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {1828, 1854, 1860, 31, 634, 617, 204, 628}

$$\frac{(2b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{54a^{7/3}b^{4/3}} - \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{27a^{7/3}b^{4/3}} - \frac{(a^{2/3}e + 2b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{7/3}b^{4/3}} - \frac{3ad - x(ae + 4bcx)}{18a^2b(a + bx^3)} - \frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2))/(a + b*x^3)^3,x]

[Out] -(x*(a*e - b*c*x - b*d*x^2))/(6*a*b*(a + b*x^3)^2) - (3*a*d - x*(a*e + 4*b*c*x))/(18*a^2*b*(a + b*x^3)) - ((2*b^(2/3)*c + a^(2/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(7/3)*b^(4/3)) - ((2*b^(2/3)*c - a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(7/3)*b^(4/3)) + ((2*b^(2/3)*c - a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(7/3)*b^(4/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2)}{(a + bx^3)^3} dx &= \frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{\int \frac{-ae - 4bcx - 3bdx^2}{(a + bx^3)^2} dx}{6ab} \\
&= \frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{3ad - x(ae + 4bcx)}{18a^2b(a + bx^3)} + \frac{\int \frac{2ae + 4bcx}{a + bx^3} dx}{18a^2b} \\
&= \frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{3ad - x(ae + 4bcx)}{18a^2b(a + bx^3)} + \frac{\int \frac{\sqrt[3]{a}(4\sqrt[3]{a}bc + 4a\sqrt[3]{b}e) + \sqrt[3]{b}(4\sqrt[3]{a}bc - 2a\sqrt[3]{b}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{54a^{8/3}b^{4/3}} \\
&= \frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{3ad - x(ae + 4bcx)}{18a^2b(a + bx^3)} - \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{7/3}b^{4/3}} + \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{7/3}b^{4/3}} \\
&= \frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{3ad - x(ae + 4bcx)}{18a^2b(a + bx^3)} - \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{7/3}b^{4/3}} + \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{7/3}b^{4/3}} \\
&= \frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{3ad - x(ae + 4bcx)}{18a^2b(a + bx^3)} - \frac{(2b^{2/3}c + a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{7/3}b^{4/3}} - \frac{(2b^{2/3}c + a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{7/3}b^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.40, size = 214, normalized size = 0.90

$$\frac{(2a^{2/3}bc - a^{4/3}\sqrt[3]{b}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) - 2\sqrt{3}a^{2/3}\sqrt[3]{b}(a^{2/3}e + 2b^{2/3}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) + 2(a^{4/3}\sqrt[3]{b}e - 2a^{2/3}bc) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + \frac{3ab^{2/3}(-a^2(3d + 2ex) + abx^2(7c + ex^2) + 4b^2cx^5)}{(a + bx^3)^2}}{54a^3b^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2))/(a + b*x^3)^3,x]

[Out] ((3*a*b^(2/3)*(4*b^2*c*x^5 - a^2*(3*d + 2*e*x) + a*b*x^2*(7*c + e*x^2)))/(a + b*x^3)^2 - 2*sqrt[3]*a^(2/3)*b^(1/3)*(2*b^(2/3)*c + a^(2/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 2*(-2*a^(2/3)*b*c + a^(4/3)*b^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x] + (2*a^(2/3)*b*c - a^(4/3)*b^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^3*b^(5/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(c + dx + ex^2)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(c + d*x + e*x^2))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x*(c + d*x + e*x^2))/(a + b*x^3)^3, x]

fricas [C] time = 1.32, size = 2519, normalized size = 10.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $\frac{1}{108} \cdot (24 \cdot b^2 \cdot c \cdot x^5 + 6 \cdot a \cdot b \cdot e \cdot x^4 + 42 \cdot a \cdot b \cdot c \cdot x^2 - 12 \cdot a^2 \cdot e \cdot x - 18 \cdot a^2 \cdot d - 2 \cdot (a^2 \cdot b^3 \cdot x^6 + 2 \cdot a^3 \cdot b^2 \cdot x^3 + a^4 \cdot b) \cdot ((\frac{1}{2})^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3} + 4 \cdot (\frac{1}{2})^{2/3} \cdot c \cdot e \cdot (I \cdot \sqrt{3} - 1) / (a^4 \cdot b^2 \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3})) \cdot \log(1/2 \cdot ((\frac{1}{2})^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3} + 4 \cdot (\frac{1}{2})^{2/3} \cdot c \cdot e \cdot (I \cdot \sqrt{3} - 1) / (a^4 \cdot b^2 \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3}))^2 \cdot a^5 \cdot b^3 \cdot c - 1/2 \cdot ((\frac{1}{2})^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3} + 4 \cdot (\frac{1}{2})^{2/3} \cdot c \cdot e \cdot (I \cdot \sqrt{3} - 1) / (a^4 \cdot b^2 \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3})) \cdot a^4 \cdot b \cdot e^2 + 8 \cdot a \cdot b \cdot c^2 \cdot e + (8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) \cdot x) + ((a^2 \cdot b^3 \cdot x^6 + 2 \cdot a^3 \cdot b^2 \cdot x^3 + a^4 \cdot b) \cdot ((\frac{1}{2})^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3} + 4 \cdot (\frac{1}{2})^{2/3} \cdot c \cdot e \cdot (I \cdot \sqrt{3} - 1) / (a^4 \cdot b^2 \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3})) + 3 \cdot \sqrt{1/3} \cdot (a^2 \cdot b^3 \cdot x^6 + 2 \cdot a^3 \cdot b^2 \cdot x^3 + a^4 \cdot b) \cdot \sqrt{-(((\frac{1}{2})^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3} + 4 \cdot (\frac{1}{2})^{2/3} \cdot c \cdot e \cdot (I \cdot \sqrt{3} - 1) / (a^4 \cdot b^2 \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3}))^2 \cdot a^4 \cdot b^2 + 3 \cdot 2 \cdot c \cdot e) / (a^4 \cdot b^2)) \cdot \log(-1/2 \cdot ((\frac{1}{2})^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3} + 4 \cdot (\frac{1}{2})^{2/3} \cdot c \cdot e \cdot (I \cdot \sqrt{3} - 1) / (a^4 \cdot b^2 \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3}))^2 \cdot a^5 \cdot b^3 \cdot c + 1/2 \cdot ((\frac{1}{2})^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3} + 4 \cdot (\frac{1}{2})^{2/3} \cdot c \cdot e \cdot (I \cdot \sqrt{3} - 1) / (a^4 \cdot b^2 \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3})) \cdot a^4 \cdot b \cdot e^2 - 8 \cdot a \cdot b \cdot c^2 \cdot e + 2 \cdot (8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) \cdot x + 3/2 \cdot \sqrt{1/3} \cdot (((\frac{1}{2})^{1/3} \cdot (I \cdot \sqrt{3}) + 1) \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3} + 4 \cdot (\frac{1}{2})^{2/3} \cdot c \cdot e \cdot (I \cdot \sqrt{3} - 1) / (a^4 \cdot b^2 \cdot ((8 \cdot b^2 \cdot c^3 + a^2 \cdot e^3) / (a^7 \cdot b^4) - (8 \cdot b^2 \cdot c^3 - a^2 \cdot e^3) / (a^7 \cdot b^4))^{1/3}))^2 \cdot a^4 \cdot b^2 + 3 \cdot 2 \cdot c \cdot e) / (a^4 \cdot b^2))$

$$\begin{aligned}
& c^3 + a^2 e^3 / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3} + 4 (1/2)^{2/3} c e (I \sqrt{3} - 1) / (a^4 b^2 ((8 b^2 c^3 + a^2 e^3) / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3})) \\
& * a^5 b^3 c + a^4 b e^2 * \sqrt{-((1/2)^{1/3} (I \sqrt{3} + 1) ((8 b^2 c^3 + a^2 e^3) / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3}))} \\
& + 4 (1/2)^{2/3} c e (I \sqrt{3} - 1) / (a^4 b^2 ((8 b^2 c^3 + a^2 e^3) / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3}))^2 a^4 b^2 + 32 c e / (a^4 b^2) \\
& + ((a^2 b^3 x^6 + 2 a^3 b^2 x^3 + a^4 b) * ((1/2)^{1/3} (I \sqrt{3} + 1) ((8 b^2 c^3 + a^2 e^3) / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3})) \\
& + 4 (1/2)^{2/3} c e (I \sqrt{3} - 1) / (a^4 b^2 ((8 b^2 c^3 + a^2 e^3) / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3}))) - 3 \sqrt{1/3} \\
& * (a^2 b^3 x^6 + 2 a^3 b^2 x^3 + a^4 b) * \sqrt{-((1/2)^{1/3} (I \sqrt{3} + 1) ((8 b^2 c^3 + a^2 e^3) / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3}))} \\
& + 4 (1/2)^{2/3} c e (I \sqrt{3} - 1) / (a^4 b^2 ((8 b^2 c^3 + a^2 e^3) / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3}))^2 a^4 b^2 + 32 c e / (a^4 b^2) \\
&)) * \log(-1/2 * ((1/2)^{1/3} (I \sqrt{3} + 1) ((8 b^2 c^3 + a^2 e^3) / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3})) \\
& + 4 (1/2)^{2/3} c e (I \sqrt{3} - 1) / (a^4 b^2 ((8 b^2 c^3 + a^2 e^3) / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3})))^2 a^5 b^3 c + 1/2 * ((1/2)^{1/3} (I \sqrt{3} + 1) ((8 b^2 c^3 + a^2 e^3) / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3})) \\
& + 4 (1/2)^{2/3} c e (I \sqrt{3} - 1) / (a^4 b^2 ((8 b^2 c^3 + a^2 e^3) / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3}))) * a^4 b e^2 - 8 a b c^2 e + 2 (8 b^2 c^3 + a^2 e^3) x \\
& - 3/2 \sqrt{1/3} * ((1/2)^{1/3} (I \sqrt{3} + 1) ((8 b^2 c^3 + a^2 e^3) / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3})) \\
& + 4 (1/2)^{2/3} c e (I \sqrt{3} - 1) / (a^4 b^2 ((8 b^2 c^3 + a^2 e^3) / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3}))) * a^5 b^3 c + a^4 b e^2 * \sqrt{-((1/2)^{1/3} (I \sqrt{3} + 1) ((8 b^2 c^3 + a^2 e^3) / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3}))} \\
& + 4 (1/2)^{2/3} c e (I \sqrt{3} - 1) / (a^4 b^2 ((8 b^2 c^3 + a^2 e^3) / (a^7 b^4) - (8 b^2 c^3 - a^2 e^3) / (a^7 b^4)^{1/3}))^2 a^4 b^2 + 32 c e / (a^4 b^2) \\
&)) / (a^2 b^3 x^6 + 2 a^3 b^2 x^3 + a^4 b)
\end{aligned}$$

giac [A] time = 0.20, size = 215, normalized size = 0.90

$$\frac{\sqrt{3} \left(a e - 2 (-a b^2)^{\frac{1}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 (-a b^2)^{\frac{2}{3}} a^2} - \frac{\left(a e + 2 (-a b^2)^{\frac{1}{3}} c \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54 (-a b^2)^{\frac{2}{3}} a^2} - \frac{\left(2 b c \left(-\frac{a}{b} \right)^{\frac{1}{3}} + a e \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{27 a^3 b} + \frac{4 b^2 c x^5 + a b x^4 e + 7 a b c x^2 - 2 a^2 x e - 3 a^2 d}{18 (b x^3 + a)^2 a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/27 \sqrt{3} (a e - 2 (-a b^2)^{1/3} c) \arctan(1/3 \sqrt{3} (2 x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / ((-a b^2)^{2/3} a^2) - 1/54 (a e + 2 (-a b^2)^{1/3} c) \log(x^2 + x (-a/b)^{1/3} + (-a/b)^{2/3}) / ((-a b^2)^{2/3} a^2) - 1/27 (2 b c (-a/b)^{1/3} + a e) (-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3})) / (a^3 b) + 1/18 (4 b^2 c x^5 + a b x^4 e + 7 a b c x^2 - 2 a^2 x e - 3 a^2 d) / ((b x^3 + a)^2 a^2 b)$

maple [A] time = 0.05, size = 256, normalized size = 1.07

$$\frac{\sqrt{3} e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} - \frac{2\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{1}{3}} a^2 b} - \frac{2c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{1}{3}} a^2 b} + \frac{\frac{2bcx^5}{9a^2} + \frac{ex^4}{18a} + \frac{7cx^2}{18a} - \frac{ex}{9b} - \frac{d}{6b}}{(bx^3+a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)/(b*x^3+a)^3,x)

[Out] (2/9/a^2*c*b*x^5+1/18/a*e*x^4+7/18/a*c*x^2-1/9/b*e*x-1/6/b*d)/(b*x^3+a)^2+1/27/(a/b)^(2/3)/a/b^2*e*ln(x+(a/b)^(1/3))-1/54/(a/b)^(2/3)/a/b^2*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/27/(a/b)^(2/3)*3^(1/2)/a/b^2*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-2/27/(a/b)^(1/3)/a^2/b*c*ln(x+(a/b)^(1/3))+1/27/(a/b)^(1/3)/a^2/b*c*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/27*3^(1/2)/(a/b)^(1/3)/a^2/b*c*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [A] time = 3.06, size = 223, normalized size = 0.93

$$\frac{4b^2cx^5 + abex^4 + 7abcx^2 - 2a^2ex - 3a^2d}{18(a^2b^3x^6 + 2a^3b^2x^3 + a^4b)} + \frac{\sqrt{3}\left(2bc\left(\frac{a}{b}\right)^{\frac{1}{3}} + ae\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27a^2b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(2bc\left(\frac{a}{b}\right)^{\frac{1}{3}} - ae\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54a^2b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(2bc\left(\frac{a}{b}\right)^{\frac{1}{3}} - ae\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27a^2b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(4*b^2*c*x^5 + a*b*e*x^4 + 7*a*b*c*x^2 - 2*a^2*e*x - 3*a^2*d)/(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b) + 1/27*sqrt(3)*(2*b*c*(a/b)^(1/3) + a*e)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^2*(a/b)^(2/3)) + 1/54*(2*b*c*(a/b)^(1/3) - a*e)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^2*(a/b)^(2/3)) - 1/27*(2*b*c*(a/b)^(1/3) - a*e)*log(x + (a/b)^(1/3))/(a^2*b^2*(a/b)^(2/3))

mupad [B] time = 0.23, size = 232, normalized size = 0.97

$$\frac{\frac{7cx^2}{18a} + \frac{d}{6b} + \frac{ex^4}{18a} - \frac{cx}{9b} + \frac{2bcx^5}{9a^2}}{a^2 + 2abx^3 + b^2x^6} + \sum_{k=1}^3 \ln\left(\frac{2ace + \text{root}(19683a^7b^4z^3 + 162a^3b^2ce z + 8b^2c^3 - a^2e^3, z, k)^2 a^2 b^2 729 + 4b^2cx + \text{root}(19683a^7b^4z^3 + 162a^3b^2ce z + 8b^2c^3 - a^2e^3, z, k) a^3 b e x 27}{a^4 81}\right) \text{root}(19683a^7b^4z^3 + 162a^3b^2ce z + 8b^2c^3 - a^2e^3, z, k)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2))/(a + b*x^3)^3,x)

[Out] ((7*c*x^2)/(18*a) - d/(6*b) + (e*x^4)/(18*a) - (e*x)/(9*b) + (2*b*c*x^5)/(9*a^2))/(a^2 + b^2*x^6 + 2*a*b*x^3) + symsum(log((2*a*c*e + 729*root(19683*a^7*b^4*z^3 + 162*a^3*b^2*c*e*z + 8*b^2*c^3 - a^2*e^3, z, k)^2*a^5*b^2 + 4*b

```
*c^2*x + 27*root(19683*a^7*b^4*z^3 + 162*a^3*b^2*c*e*z + 8*b^2*c^3 - a^2*e^
3, z, k)*a^3*b*e*x)/(81*a^4))*root(19683*a^7*b^4*z^3 + 162*a^3*b^2*c*e*z +
8*b^2*c^3 - a^2*e^3, z, k), k, 1, 3)
```

sympy [A] time = 3.99, size = 170, normalized size = 0.71

$$\text{RootSum}\left(19683t^3a^7b^4 + 162ta^3b^2ce - a^2e^3 + 8b^2c^3, \left(t \mapsto t \log\left(x + \frac{1458t^2a^5b^3c + 27ta^4be^2 + 8abc^2e}{a^2e^3 + 8b^2c^3}\right)\right)\right) + \frac{-3a^2d - 2a^2ex + 7abcx^2 + abex^4 + 4b^2cx^5}{18a^4b + 36a^3b^2x^3 + 18a^2b^3x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x**2+d*x+c)/(b*x**3+a)**3,x)
```

```
[Out] RootSum(19683*_t**3*a**7*b**4 + 162*_t*a**3*b**2*c*e - a**2*e**3 + 8*b**2*c
**3, Lambda(_t, _t*log(x + (1458*_t**2*a**5*b**3*c + 27*_t*a**4*b*e**2 + 8*
a*b*c**2*e)/(a**2*e**3 + 8*b**2*c**3)))) + (-3*a**2*d - 2*a**2*e*x + 7*a*b*
c*x**2 + a*b*e*x**4 + 4*b**2*c*x**5)/(18*a**4*b + 36*a**3*b**2*x**3 + 18*a*
*2*b**3*x**6)
```


$$3.300 \quad \int \frac{c+dx+ex^2}{(a+bx^3)^3} dx$$

Optimal. Leaf size=225

$$\frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}d + 5\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}}$$

Rubi [A] time = 0.19, antiderivative size = 225, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1854, 1855, 1860, 31, 634, 617, 204, 628}

$$-\frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}d + 5\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}} + \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^3)^3, x]

[Out] (x*(5*c + 4*d*x))/(18*a^2*(a + b*x^3)) - (a*e - b*x*(c + d*x))/(6*a*b*(a + b*x^3)^2) - ((5*b^(1/3)*c + 2*a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(8/3)*b^(2/3)) + ((5*b^(1/3)*c - 2*a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(8/3)*b^(2/3)) - ((5*b^(1/3)*c - 2*a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(8/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(−1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(−1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a + bx^3)^3} dx &= \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} - \frac{\int \frac{-5c-4dx}{(a+bx^3)^2} dx}{6a} \\
&= \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} + \frac{\int \frac{10c+4dx}{a+bx^3} dx}{18a^2} \\
&= \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} + \frac{\int \frac{\sqrt[3]{a}(20\sqrt[3]{b}c+4\sqrt[3]{a}d)+\sqrt[3]{b}(-10\sqrt[3]{b}c+4\sqrt[3]{a}d)x}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{54a^{8/3}\sqrt[3]{b}} + \frac{(5c - \frac{2\sqrt[3]{a}}{\sqrt[3]{b}})}{2} \\
&= \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d)}{54} \\
&= \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d)}{27a} \\
&= \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} - \frac{(5\sqrt[3]{b}c + 2\sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d)}{27a}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 213, normalized size = 0.95

$$\frac{\sqrt[3]{a}\sqrt[3]{b}(2\sqrt[3]{a}d-5\sqrt[3]{b}c)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)+2\sqrt[3]{b}(5\sqrt[3]{a}\sqrt[3]{b}c-2a^{2/3}d)\log(\sqrt[3]{a}+\sqrt[3]{b}x)+\frac{3a(-3a^2c+abx(8c+7dx)+b^2x^4(5c+4dx))}{(a+bx^3)^2}-2\sqrt{3}\sqrt[3]{a}\sqrt[3]{b}(2\sqrt[3]{a}d+5\sqrt[3]{b}c)\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{54a^3b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^3)^3, x]

[Out] (((3*a*(-3*a^2*e + b^2*x^4*(5*c + 4*d*x) + a*b*x*(8*c + 7*d*x)))/(a + b*x^3)^2 - 2*Sqrt[3]*a^(1/3)*b^(1/3)*(5*b^(1/3)*c + 2*a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*b^(1/3)*(5*a^(1/3)*b^(1/3)*c - 2*a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x] + a^(1/3)*b^(1/3)*(-5*b^(1/3)*c + 2*a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^3*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{(a + bx^3)^3} dx$$

$$c*d)/(a^5*b))) + ((a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3) - 20*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^5*b*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3))) - 3*sqrt(1/3)*(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3) - 20*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^5*b*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3)))^2*a^5*b + 160*c*d)/(a^5*b))) * log(-1/2 * ((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3) - 20*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^5*b*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3)))^2*a^6*b*d + 25/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3) - 20*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^5*b*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3))) * a^3*b*c^2 - 40*a*c*d^2 + 2*(125*b*c^3 + 8*a*d^3)*x - 3/2*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3) - 20*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^5*b*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3))) * a^6*b*d + 25*a^3*b*c^2)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3) - 20*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^5*b*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3)))^2*a^5*b + 160*c*d)/(a^5*b))))/(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)$$

giac [A] time = 0.21, size = 210, normalized size = 0.93

$$\frac{\sqrt{3} \left(5bc - 2(-ab^2)^{\frac{1}{3}}d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{-a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{-a}{b} \right)^{\frac{1}{3}}} \right)}{27(-ab^2)^{\frac{2}{3}}a^2} - \frac{\left(5bc + 2(-ab^2)^{\frac{1}{3}}d \right) \log \left(x^2 + x \left(\frac{-a}{b} \right)^{\frac{1}{3}} + \left(\frac{-a}{b} \right)^{\frac{2}{3}} \right)}{54(-ab^2)^{\frac{2}{3}}a^2} - \frac{\left(2d \left(\frac{-a}{b} \right)^{\frac{1}{3}} + 5c \right) \left(\frac{-a}{b} \right)^{\frac{1}{3}} \log \left(x - \left(\frac{-a}{b} \right)^{\frac{1}{3}} \right)}{27a^3} + \frac{4b^2dx^5 + 5b^2cx^4 + 7abdx^2 + 8abcx - 3a^2e}{18(bx^3 + a)^2a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/27*\sqrt{3}*(5*b*c - 2*(-a*b^2)^(1/3)*d)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2) - 1/54*(5*b*c + 2*(-a*b^2)^(1/3)*d)*\log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2) - 1/27*(2*d*(-a/b)^(1/3) + 5*c)*(-a/b)^(1/3)*\log(\text{abs}(x - (-a/b)^(1/3)))/a^3 + 1/18*(4*b^2*d*x^5 + 5*b^2*c*x^4 + 7*a*b*d*x^2 + 8*a*b*c*x - 3*a^2*e)/((b*x^3 + a)^2*a^2*b)$

maple [A] time = 0.05, size = 308, normalized size = 1.37

$$\frac{cx^3}{6(bx^3+a)^2a} + \frac{dx^2}{6(bx^3+a)^2a} + \frac{cx}{6(bx^3+a)^2a} + \frac{2dx^2}{9(bx^3+a)a^2} + \frac{5cx}{18(bx^3+a)a^2} - \frac{e}{6(bx^3+a)ab} + \frac{5\sqrt{3}c \arctan \left(\frac{\sqrt{3} \left(\frac{2x-1}{\left(\frac{-a}{b} \right)^{\frac{1}{3}}} \right)}{\frac{3}{\left(\frac{-a}{b} \right)^{\frac{1}{3}}}} \right)}{27 \left(\frac{-a}{b} \right)^{\frac{2}{3}} a^2 b} + \frac{5c \ln \left(x + \left(\frac{-a}{b} \right)^{\frac{1}{3}} \right) - 5c \ln \left(x^2 - \left(\frac{-a}{b} \right)^{\frac{1}{3}} x + \left(\frac{-a}{b} \right)^{\frac{2}{3}} \right)}{27 \left(\frac{-a}{b} \right)^{\frac{2}{3}} a^2 b} - \frac{2\sqrt{3}d \arctan \left(\frac{\sqrt{3} \left(\frac{2x-1}{\left(\frac{-a}{b} \right)^{\frac{1}{3}}} \right)}{\frac{3}{\left(\frac{-a}{b} \right)^{\frac{1}{3}}}} \right)}{27 \left(\frac{-a}{b} \right)^{\frac{2}{3}} a^2 b} - \frac{2d \ln \left(x + \left(\frac{-a}{b} \right)^{\frac{1}{3}} \right) + d \ln \left(x^2 - \left(\frac{-a}{b} \right)^{\frac{1}{3}} x + \left(\frac{-a}{b} \right)^{\frac{2}{3}} \right)}{27 \left(\frac{-a}{b} \right)^{\frac{2}{3}} a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e*x^2+d*x+c)/(b*x^3+a)^3, x)$

[Out] $\frac{1}{6} \frac{1}{(b*x^3+a)^2} \frac{1}{a*c*x+5/18*c/a^2*x/(b*x^3+a)+5/27/(a/b)^{(2/3)}/a^2/b*c*\ln(x+(a/b)^{(1/3)})-5/54/(a/b)^{(2/3)}/a^2/b*c*\ln(x^2-(a/b)^{(1/3)*x+(a/b)^{(2/3)})+5/27/(a/b)^{(2/3)*3^{(1/2)}/a^2/b*c*\arctan(1/3*3^{(1/2)*(2/(a/b)^{(1/3)*x-1)})+1/6/a/(b*x^3+a)^2*x^2*d+2/9*d/a^2*x^2/(b*x^3+a)-2/27/a^2/b/(a/b)^{(1/3)*\ln(x+(a/b)^{(1/3)})*d+1/27/a^2/b/(a/b)^{(1/3)*\ln(x^2-(a/b)^{(1/3)*x+(a/b)^{(2/3)})*d+2/27/a^2/b*3^{(1/2)}/(a/b)^{(1/3)*\arctan(1/3*3^{(1/2)*(2/(a/b)^{(1/3)*x-1)})*d+1/6*e/a*x^3/(b*x^3+a)^2-1/6*e/a/b/(b*x^3+a)}$

maxima [A] time = 2.99, size = 219, normalized size = 0.97

$$\frac{4b^2dx^5 + 5b^2cx^4 + 7abdx^2 + 8abcx - 3a^2e}{18(a^2b^3x^6 + 2a^3b^2x^3 + a^4b)} + \frac{\sqrt{3} \left(2d \left(\frac{a}{b} \right)^{\frac{1}{3}} + 5c \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27a^2b \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(2d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 5c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54a^2b \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(2d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 5c \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{27a^2b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d*x+c)/(b*x^3+a)^3, x, \text{algorithm}="maxima")$

[Out] $\frac{1}{18} \frac{(4*b^2*d*x^5 + 5*b^2*c*x^4 + 7*a*b*d*x^2 + 8*a*b*c*x - 3*a^2*e)}{(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)} + \frac{1}{27} \sqrt{3} \frac{(2*d*(a/b)^{(1/3)} + 5*c)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})}{(a^2*b*(a/b)^{(2/3)})} + \frac{1}{54} \frac{(2*d*(a/b)^{(1/3)} - 5*c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})}{(a^2*b*(a/b)^{(2/3)})} - \frac{1}{27} \frac{(2*d*(a/b)^{(1/3)} - 5*c)*\log(x + (a/b)^{(1/3)})}{(a^2*b*(a/b)^{(2/3)})}$

mapad [B] time = 0.26, size = 212, normalized size = 0.94

$$\frac{\frac{7d^2}{18a} - \frac{c}{6b} + \frac{4cx}{9a} + \frac{5b^2c^4}{18a^2} + \frac{2bdx^5}{9a^2}}{a^2 + 2abx^3 + b^2x^6} + \sum_{k=1}^3 \ln \left(\frac{b(10cd + 4d^2x + \text{root}(19683a^8b^2z^3 + 810a^3b^2cdz - 125b^3c^3 + 8ad^3, z, k))^2 b^2 729 + \text{root}(19683a^8b^2z^3 + 810a^3b^2cdz - 125b^3c^3 + 8ad^3, z, k)^2 b^2 c x 135}{a^4 81} \right) \text{root}(19683a^8b^2z^3 + 810a^3b^2cdz - 125b^3c^3 + 8ad^3, z, k)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2)/(a + b*x^3)^3, x)$

[Out] $\frac{((7*d*x^2)/(18*a) - e/(6*b) + (4*c*x)/(9*a) + (5*b*c*x^4)/(18*a^2) + (2*b*d*x^5)/(9*a^2))/(a^2 + b^2*x^6 + 2*a*b*x^3) + \text{symsum}(\log((b*(10*c*d + 4*d^2*x + 729*\text{root}(19683*a^8*b^2*z^3 + 810*a^3*b^2*c*d*z - 125*b^3*c^3 + 8*a*d^3, z, k))^2*a^5*b + 135*\text{root}(19683*a^8*b^2*z^3 + 810*a^3*b^2*c*d*z - 125*b^3*c^3 + 8*a*d^3, z, k)*a^2*b*c*x))/(81*a^4))*\text{root}(19683*a^8*b^2*z^3 + 810*a^3*b^2*c*d*z - 125*b^3*c^3 + 8*a*d^3, z, k), k, 1, 3)}$

sympy [A] time = 2.28, size = 163, normalized size = 0.72

$$\text{RootSum} \left(19683t^3a^8b^2 + 810ta^3bcd + 8ad^3 - 125bc^3, \left(t \mapsto t \log \left(x + \frac{1458t^2a^6bd + 675ta^3bc^2 + 40acd^2}{8ad^3 + 125bc^3} \right) \right) \right) + \frac{-3a^2e + 8abcx + 7abdx^2 + 5b^2cx^4 + 4b^2dx^5}{18a^4b + 36a^3b^2x^3 + 18a^2b^3x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/(b*x**3+a)**3,x)
```

```
[Out] RootSum(19683*_t**3*a**8*b**2 + 810*_t*a**3*b*c*d + 8*a*d**3 - 125*b*c**3,
Lambda(_t, _t*log(x + (1458*_t**2*a**6*b*d + 675*_t*a**3*b*c**2 + 40*a*c*d*
*2)/(8*a*d**3 + 125*b*c**3)))) + (-3*a**2*e + 8*a*b*c*x + 7*a*b*d*x**2 + 5*
b**2*c*x**4 + 4*b**2*d*x**5)/(18*a**4*b + 36*a**3*b**2*x**3 + 18*a**2*b**3*
x**6)
```

$$3.301 \quad \int \frac{c+dx+ex^2}{x(a+bx^3)^3} dx$$

Optimal. Leaf size=257

$$\frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}e + 5\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}x}\right)}{9\sqrt{3}a^{8/3}b^{2/3}}$$

Rubi [A] time = 0.41, antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}e + 5\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} - \frac{c \log(a + bx^3)}{3a^3} + \frac{c \log(x)}{a^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x*(a + b*x^3)^3), x]

[Out] (x*(a*d + a*e*x - b*c*x^2))/(6*a^2*(a + b*x^3)^2) + (x*(5*a*d + 4*a*e*x - 9*b*c*x^2))/(18*a^3*(a + b*x^3)) - ((5*b^(1/3)*d + 2*a^(1/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(8/3)*b^(2/3)) + (c*Log[x])/a^3 + ((5*b^(1/3)*d - 2*a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(8/3)*b^(2/3)) - ((5*b^(1/3)*d - 2*a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(8/3)*b^(2/3)) - (c*Log[a + b*x^3])/(3*a^3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617


```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[(Pq_)*((c_)*(x_)^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x(a + bx^3)^3} dx &= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} - \frac{\int \frac{-6bc - 5bdx - 4bex^2 + \frac{3b^2cx^3}{a}}{x(a+bx^3)^2} dx}{6ab} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{\int \frac{18b^2c + 10b^2dx + 4b^2ex^2}{x(a+bx^3)} dx}{18a^2b^2} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{\int \left(\frac{18b^2c}{ax} + \frac{2b^2(5ad + 2aex - 9bcx^2)}{a(a+bx^3)} \right) dx}{18a^2b^2} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{c \log(x)}{a^3} + \frac{\int \frac{5ad + 2aex - 9bcx^2}{a+bx^3} dx}{9a^3} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{c \log(x)}{a^3} + \frac{\int \frac{5ad + 2aex}{a+bx^3} dx}{9a^3} - \frac{(bc) \int \frac{x^2}{a+bx^3} dx}{a^3} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{c \log(x)}{a^3} - \frac{c \log(a + bx^3)}{3a^3} + \frac{\int \frac{\sqrt[3]{a}(10a\sqrt[3]{b}d + \dots)}{a^2} dx}{a^2} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{c \log(x)}{a^3} + \frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{c \log(x)}{a^3} + \frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} - \frac{(5\sqrt[3]{b}d + 2\sqrt[3]{a}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}} + \frac{c \log}{a^3}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 229, normalized size = 0.89

$$\frac{\frac{(2a^{2/3}e-5\sqrt[3]{a}\sqrt[3]{bd})\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2})}{b^{2/3}} + \frac{2(5\sqrt[3]{a}\sqrt[3]{bd}-2a^{2/3}e)\log(\sqrt[3]{a}+\sqrt[3]{bx})}{b^{2/3}} + \frac{9a^{2/3}(c+x(d+ex))}{(a+bx^3)^2} - \frac{2\sqrt{5}\sqrt[3]{a}(2\sqrt[3]{ae+5\sqrt[3]{bd}})\tan^{-1}\left(\frac{1-2\sqrt[3]{bx}}{\sqrt[3]{a}}\right)}{b^{2/3}} + \frac{3a(6c+x(5d+4ex))}{a+bx^3} - 18c\log(a+bx^3) + 54c\log(x)}{54a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x*(a + b*x^3)^3), x]

[Out] ((9*a^2*(c + x*(d + e*x)))/(a + b*x^3)^2 + (3*a*(6*c + x*(5*d + 4*e*x)))/(a + b*x^3) - (2*sqrt[3]*a^(1/3)*(5*b^(1/3)*d + 2*a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + 54*c*Log[x] + (2*(5*a^(1/3)*b^(1/3)*d - 2*a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + ((-5*a^(1/3)*b^(1/3)*d + 2*a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3) - 18*c*Log[a + b*x^3])/(54*a^3)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{x(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(x*(a + b*x^3)^3), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(x*(a + b*x^3)^3), x]

fricas [C] time = 1.44, size = 5229, normalized size = 20.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/2916*(648*a*b*e*x^5 + 810*a*b*d*x^4 + 972*a*b*c*x^3 + 1134*a^2*e*x^2 + 1296*a^2*d*x + 1458*a^2*c - 2*(a^3*b^2*x^6 + 2*a^4*b*x^3 + a^5)*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 486*c/a^3*log(1/1458*(-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a

$$\begin{aligned}
& *b)/(a^9*b^2))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366 \\
& *(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3)^2*a^6*b*e + 225*b*c*d^2 + 162*b*c^2*e + 40*a*d*e^2 - 1/54*(25*a^3 \\
& *b*d^2 + 36*a^3*b*c*e)*((-I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366 \\
& *(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/ \\
& (a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3) + (125*b*d^3 + 8*a*e^3)*x - (1458*b^2*c*x^6 + \\
& 2916*a*b*c*x^3 + 1458*a^2*c - (a^3*b^2*x^6 + 2*a^4*b*x^3 + a^5)*((-I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458 \\
& *(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2)) \\
& ^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2)) \\
& ^{(1/3)} + 486*c/a^3) - 3*\sqrt{1/3}*(a^3*b^2*x^6 + 2*a^4*b*x^3 + a^5)*\sqrt{-(((I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3) - 972*((I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3) *a^3*b*c + 236196*b*c^2 + 116640*a*d*e)/(a^6*b)))*\log(-1/1458*((I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3)^2*a^6*b*b*e - 225*b*c*d^2 - 162*b*c^2*e - 40*a*d*e^2 + 1/54*(25*a^3*b*d^2 + 36*a^3*b*c*e)*((-I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3)
\end{aligned}$$

$t(3) + 1) * (-1/27 * c^3/a^9 + 1/1458 * (81 * b * c^2 + 10 * a * d * e) * c / (a^9 * b) + 1/39366 * (125 * b * d^3 + 8 * a * e^3) / (a^8 * b^2) - 1/39366 * (729 * b^2 * c^3 + 8 * a^2 * e^3 - 5 * (25 * d^3 - 54 * c * d * e) * a * b) / (a^9 * b^2))^{1/3} + 486 * c / a^3)^2 * a^6 * b * e - 225 * b * c * d^2 - 162 * b * c^2 * e - 40 * a * d * e^2 + 1/54 * (25 * a^3 * b * d^2 + 36 * a^3 * b * c * e) * ((-I * \sqrt{3}) + 1) * (81 * c^2/a^6 - (81 * b * c^2 + 10 * a * d * e) / (a^6 * b)) / (-1/27 * c^3/a^9 + 1/1458 * (81 * b * c^2 + 10 * a * d * e) * c / (a^9 * b) + 1/39366 * (125 * b * d^3 + 8 * a * e^3) / (a^8 * b^2) - 1/39366 * (729 * b^2 * c^3 + 8 * a^2 * e^3 - 5 * (25 * d^3 - 54 * c * d * e) * a * b) / (a^9 * b^2))^{1/3} + 729 * (I * \sqrt{3}) + 1) * (-1/27 * c^3/a^9 + 1/1458 * (81 * b * c^2 + 10 * a * d * e) * c / (a^9 * b) + 1/39366 * (125 * b * d^3 + 8 * a * e^3) / (a^8 * b^2) - 1/39366 * (729 * b^2 * c^3 + 8 * a^2 * e^3 - 5 * (25 * d^3 - 54 * c * d * e) * a * b) / (a^9 * b^2))^{1/3} + 486 * c / a^3) + 2 * (125 * b * d^3 + 8 * a * e^3) * x - 1/486 * \sqrt{1/3} * (((-I * \sqrt{3}) + 1) * (81 * c^2/a^6 - (81 * b * c^2 + 10 * a * d * e) / (a^6 * b)) / (-1/27 * c^3/a^9 + 1/1458 * (81 * b * c^2 + 10 * a * d * e) * c / (a^9 * b) + 1/39366 * (125 * b * d^3 + 8 * a * e^3) / (a^8 * b^2) - 1/39366 * (729 * b^2 * c^3 + 8 * a^2 * e^3 - 5 * (25 * d^3 - 54 * c * d * e) * a * b) / (a^9 * b^2))^{1/3} + 729 * (I * \sqrt{3}) + 1) * (-1/27 * c^3/a^9 + 1/1458 * (81 * b * c^2 + 10 * a * d * e) * c / (a^9 * b) + 1/39366 * (125 * b * d^3 + 8 * a * e^3) / (a^8 * b^2) - 1/39366 * (729 * b^2 * c^3 + 8 * a^2 * e^3 - 5 * (25 * d^3 - 54 * c * d * e) * a * b) / (a^9 * b^2))^{1/3} + 486 * c / a^3) * a^6 * b * e + 675 * a^3 * b * d^2 - 486 * a^3 * b * c * e) * \sqrt{-(((-I * \sqrt{3}) + 1) * (81 * c^2/a^6 - (81 * b * c^2 + 10 * a * d * e) / (a^6 * b)) / (-1/27 * c^3/a^9 + 1/1458 * (81 * b * c^2 + 10 * a * d * e) * c / (a^9 * b) + 1/39366 * (125 * b * d^3 + 8 * a * e^3) / (a^8 * b^2) - 1/39366 * (729 * b^2 * c^3 + 8 * a^2 * e^3 - 5 * (25 * d^3 - 54 * c * d * e) * a * b) / (a^9 * b^2))^{1/3} + 729 * (I * \sqrt{3}) + 1) * (-1/27 * c^3/a^9 + 1/1458 * (81 * b * c^2 + 10 * a * d * e) * c / (a^9 * b) + 1/39366 * (125 * b * d^3 + 8 * a * e^3) / (a^8 * b^2) - 1/39366 * (729 * b^2 * c^3 + 8 * a^2 * e^3 - 5 * (25 * d^3 - 54 * c * d * e) * a * b) / (a^9 * b^2))^{1/3} + 486 * c / a^3)^2 * a^6 * b - 972 * (((-I * \sqrt{3}) + 1) * (81 * c^2/a^6 - (81 * b * c^2 + 10 * a * d * e) / (a^6 * b)) / (-1/27 * c^3/a^9 + 1/1458 * (81 * b * c^2 + 10 * a * d * e) * c / (a^9 * b) + 1/39366 * (125 * b * d^3 + 8 * a * e^3) / (a^8 * b^2) - 1/39366 * (729 * b^2 * c^3 + 8 * a^2 * e^3 - 5 * (25 * d^3 - 54 * c * d * e) * a * b) / (a^9 * b^2))^{1/3} + 729 * (I * \sqrt{3}) + 1) * (-1/27 * c^3/a^9 + 1/1458 * (81 * b * c^2 + 10 * a * d * e) * c / (a^9 * b) + 1/39366 * (125 * b * d^3 + 8 * a * e^3) / (a^8 * b^2) - 1/39366 * (729 * b^2 * c^3 + 8 * a^2 * e^3 - 5 * (25 * d^3 - 54 * c * d * e) * a * b) / (a^9 * b^2))^{1/3} + 486 * c / a^3) * a^3 * b * c + 236196 * b * c^2 + 116640 * a * d * e) / (a^6 * b)) + 2916 * (b^2 * c * x^6 + 2 * a * b * c * x^3 + a^2 * c) * \log(x) / (a^3 * b^2 * x^6 + 2 * a^4 * b * x^3 + a^5)$

giac [A] time = 0.24, size = 253, normalized size = 0.98

$$\frac{\sqrt{3} \left(5bd - 2(-ab^2)^{\frac{1}{3}}e \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{27(-ab^2)^{\frac{1}{3}}a^2} - \frac{\left(5bd + 2(-ab^2)^{\frac{1}{3}}e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54(-ab^2)^{\frac{1}{3}}a^2} - \frac{c \log \left(\frac{bx^3 + a}{3a^3} \right) + \frac{c \log \left(\frac{bx}{a^3} \right)}{a^3} + \frac{4abx^5e + 5abd^4 + 6abcx^3 + 7a^2x^2e + 8a^2dx + 9a^2c}{18(bx^3 + a)^2a^3}}{27a^7b} - \frac{\left(2a^4b \left(-\frac{a}{b} \right)^{\frac{1}{3}}e + 5a^4bd \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{27a^7b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/27 * \sqrt{3} * (5 * b * d - 2 * (-a * b^2)^{(1/3)} * e) * \arctan(1/3 * \sqrt{3} * (2 * x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}) / ((-a * b^2)^{(2/3)} * a^2) - 1/54 * (5 * b * d + 2 * (-a * b^2)^{(1/3)} * e) * \log(x^2 + x * (-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / ((-a * b^2)^{(2/3)} * a^2) - 1/3 * c * 1$

$$\log(\text{abs}(b*x^3 + a))/a^3 + c*\log(\text{abs}(x))/a^3 + 1/18*(4*a*b*x^5*e + 5*a*b*d*x^4 + 6*a*b*c*x^3 + 7*a^2*x^2*e + 8*a^2*d*x + 9*a^2*c)/((b*x^3 + a)^2*a^3) - 1/27*(2*a^4*b*(-a/b)^{(1/3)}*e + 5*a^4*b*d)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^7*b$$

maple [A] time = 0.07, size = 331, normalized size = 1.29

$$\frac{2bcx^3}{9(bx^3+a)^2} + \frac{5bdx^4}{18(bx^3+a)^2} + \frac{bcx^3}{3(bx^3+a)^2} + \frac{7cx^2}{18(bx^3+a)^2} + \frac{4dx}{9(bx^3+a)^2} + \frac{c}{2(bx^3+a)^2} + \frac{5\sqrt{3}d \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b} + \frac{5d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b} + \frac{5d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b} + \frac{2\sqrt{3}e \arctan\left(\frac{\sqrt{3}\left(\frac{2x-1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b} - \frac{2e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b} + \frac{e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b} + \frac{c \ln(x)}{a^3} - \frac{c \ln(bx^3+a)}{3a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x/(b*x^3+a)^3,x)

[Out] $2/9/a^2/(b*x^3+a)^2*b*e*x^5+5/18/(b*x^3+a)^2/a^2*b*d*x^4+1/3/a^2/(b*x^3+a)^2*x^3*c*b+7/18/a/(b*x^3+a)^2*e*x^2+4/9/(b*x^3+a)^2/a*d*x+1/2/(b*x^3+a)^2/a*c+5/27/(a/b)^{(2/3)}/a^2/b*d*\ln(x+(a/b)^{(1/3)})-5/54/(a/b)^{(2/3)}/a^2/b*d*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+5/27/(a/b)^{(2/3)}*3^{(1/2)}/a^2/b*d*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-2/27/a^2*e/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+1/27/a^2*e/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/27/a^2*e*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3/a^3*c*\ln(b*x^3+a)+1/a^3*c*\ln(x)$

maxima [A] time = 3.00, size = 246, normalized size = 0.96

$$\frac{4bcx^5 + 5bdx^4 + 6bcx^3 + 7acx^2 + 8adx + 9ac}{18(a^2b^2x^6 + 2a^3bx^3 + a^4)} + \frac{c \log(x)}{a^3} + \frac{\sqrt{3}\left(2ae\left(\frac{a}{b}\right)^{\frac{2}{3}} + 5ad\left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27a^4} - \frac{\left(18bc\left(\frac{a}{b}\right)^{\frac{2}{3}} - 2ae\left(\frac{a}{b}\right)^{\frac{1}{3}} + 5ad\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54a^3b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(9bc\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2ae\left(\frac{a}{b}\right)^{\frac{1}{3}} - 5ad\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27a^3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $1/18*(4*b*e*x^5 + 5*b*d*x^4 + 6*b*c*x^3 + 7*a*e*x^2 + 8*a*d*x + 9*a*c)/(a^2*b^2*x^6 + 2*a^3*b*x^3 + a^4) + c*\log(x)/a^3 + 1/27*\sqrt{3}*(2*a*e*(a/b)^{(2/3)} + 5*a*d*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^4 - 1/54*(18*b*c*(a/b)^{(2/3)} - 2*a*e*(a/b)^{(1/3)} + 5*a*d)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*b*(a/b)^{(2/3)}) - 1/27*(9*b*c*(a/b)^{(2/3)} + 2*a*e*(a/b)^{(1/3)} - 5*a*d)*\log(x + (a/b)^{(1/3)})/(a^3*b*(a/b)^{(2/3)})$

mupad [B] time = 5.44, size = 540, normalized size = 2.10

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x*(a + b*x^3)^3),x)

```
[Out] (c/(2*a) + (7*e*x^2)/(18*a) + (4*d*x)/(9*a) + (b*c*x^3)/(3*a^2) + (5*b*d*x^4)/(18*a^2) + (2*b*e*x^5)/(9*a^2))/(a^2 + b^2*x^6 + 2*a*b*x^3) + symsum(log((25*b^2*c*d^2 - 18*b^2*c^2*e)/(81*a^6) - root(19683*a^9*b^2*z^3 + 19683*a^6*b^2*c*z^2 + 810*a^4*b*d*e*z + 6561*a^3*b^2*c^2*z + 270*a*b*c*d*e - 125*a*b*d^3 + 8*a^2*e^3 + 729*b^2*c^3, z, k))*((25*a^3*b^2*d^2 + 36*a^3*b^2*c*e)/(81*a^6) + root(19683*a^9*b^2*z^3 + 19683*a^6*b^2*c*z^2 + 810*a^4*b*d*e*z + 6561*a^3*b^2*c^2*z + 270*a*b*c*d*e - 125*a*b*d^3 + 8*a^2*e^3 + 729*b^2*c^3, z, k))*(36*root(19683*a^9*b^2*z^3 + 19683*a^6*b^2*c*z^2 + 810*a^4*b*d*e*z + 6561*a^3*b^2*c^2*z + 270*a*b*c*d*e - 125*a*b*d^3 + 8*a^2*e^3 + 729*b^2*c^3, z, k)*a^2*b^3*x - (2*b^2*e)/3 + (24*b^3*c*x)/a) + (x*(2916*a^2*b^3*c^2 + 900*a^3*b^2*d*e))/(729*a^6) - (x*(8*a*b*e^3 - 125*b^2*d^3 + 180*b^2*c*d*e))/(729*a^6))*root(19683*a^9*b^2*z^3 + 19683*a^6*b^2*c*z^2 + 810*a^4*b*d*e*z + 6561*a^3*b^2*c^2*z + 270*a*b*c*d*e - 125*a*b*d^3 + 8*a^2*e^3 + 729*b^2*c^3, z, k), k, 1, 3) + (c*log(x))/a^3
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/x/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```


$$3.302 \quad \int \frac{c+dx+ex^2}{x^2(a+bx^3)^3} dx$$

Optimal. Leaf size=267

$$\frac{(5a^{2/3}e + 14b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{54a^{10/3} \sqrt[3]{b}} + \frac{(5a^{2/3}e + 14b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{27a^{10/3} \sqrt[3]{b}} + \frac{(14b^{2/3}c - 5a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3} a^{10/3} \sqrt[3]{b}}$$

Rubi [A] time = 0.46, antiderivative size = 267, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 23, number of rules / integrand size = 0.435, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(5a^{2/3}e + 14b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{54a^{10/3} \sqrt[3]{b}} + \frac{(5a^{2/3}e + 14b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{27a^{10/3} \sqrt[3]{b}} + \frac{(14b^{2/3}c - 5a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3} a^{10/3} \sqrt[3]{b}} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a+bx^3)} + \frac{x(ae - bcx - bdx^2)}{6a^2(a+bx^3)^2} - \frac{d \log(a+bx^3)}{3a^3} - \frac{c}{a^3x} + \frac{d \log(x)}{a^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^3), x]

[Out] -(c/(a^3*x)) + (x*(a*e - b*c*x - b*d*x^2))/(6*a^2*(a + b*x^3)^2) + (x*(5*a*e - 10*b*c*x - 9*b*d*x^2))/(18*a^3*(a + b*x^3)) + ((14*b^(2/3)*c - 5*a^(2/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(10/3)*b^(1/3)) + (d*Log[x])/a^3 + ((14*b^(2/3)*c + 5*a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(10/3)*b^(1/3)) - ((14*b^(2/3)*c + 5*a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(10/3)*b^(1/3)) - (d*Log[a + b*x^3]/(3*a^3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^m/((a_) + (b_.)*(x_)^n), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^2(a + bx^3)^3} dx &= \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} - \frac{\int \frac{-6bc - 6bdx - 5bex^2 + \frac{4b^2cx^3}{a} + \frac{3b^2dx^4}{a}}{x^2(a + bx^3)^2} dx}{6ab} \\
&= \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{\int \frac{18b^3c + 18b^3dx + 10b^3ex^2 - \frac{10b^4cx^3}{a}}{x^2(a + bx^3)} dx}{18a^2b^3} \\
&= \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{\int \left(\frac{18b^3c}{ax^2} + \frac{18b^3d}{ax} + \frac{2b^3(5ae - 14bcx - 9bdx^2)}{a(a + bx^3)} \right) dx}{18a^2b^3} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{d \log(x)}{a^3} + \frac{\int \frac{5ae - 14bcx - 9bdx^2}{a + bx^3} dx}{9a^3} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{d \log(x)}{a^3} + \frac{\int \frac{5ae - 14bcx}{a + bx^3} dx}{9a^3} - \frac{(bd)}{9a^3} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{d \log(x)}{a^3} - \frac{d \log(a + bx^3)}{3a^3} + \frac{\int -}{9a^3} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{d \log(x)}{a^3} + \frac{(14b^{2/3}c + 5a^{2/3}e) \log}{27a^{10/3}\sqrt[3]{b}} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{d \log(x)}{a^3} + \frac{(14b^{2/3}c + 5a^{2/3}e) \log}{27a^{10/3}\sqrt[3]{b}} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{(14b^{2/3}c - 5a^{2/3}e) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}}{\sqrt{3}\sqrt[3]{a}} \right)}{9\sqrt{3}a^{10/3}\sqrt[3]{b}}
\end{aligned}$$

Mathematica [A] time = 0.33, size = 248, normalized size = 0.93

$$\frac{(14a^{2/3}b^{2/3}c + 5a^{4/3}e) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2\right)}{\sqrt[3]{b}} + \frac{2(14a^{2/3}b^{2/3}c + 5a^{4/3}e) \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right)}{\sqrt[3]{b}} - \frac{2\sqrt{3}a^{2/3}(5a^{2/3}e - 14b^{2/3}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt[3]{b}} + \frac{9a^2(a(d+cx) - bdx^2)}{(a+bx^3)^2} + \frac{3a(6ad+5acx-10bcx^2)}{a+bx^3} - 18ad \log(a + bx^3) - \frac{54ac}{x} + 54ad \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^3), x]

[Out] ((-54*a*c)/x + (3*a*(6*a*d + 5*a*e*x - 10*b*c*x^2))/(a + b*x^3) + (9*a^2*(-(b*c*x^2) + a*(d + e*x)))/(a + b*x^3)^2 - (2*sqrt[3]*a^(2/3)*(-14*b^(2/3)*c + 5*a^(2/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(1/3) + 54*a*d*Log[x] + (2*(14*a^(2/3)*b^(2/3)*c + 5*a^(4/3)*e)*Log[a^(1/3) + b^(1/3)*x])/b^(1/3) - ((14*a^(2/3)*b^(2/3)*c + 5*a^(4/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(1/3) - 18*a*d*Log[a + b*x^3])/(54*a^4)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{x^2 (a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^3), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^3), x]

fricas [C] time = 1.53, size = 5112, normalized size = 19.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="fricas")

[Out] -1/2916*(4536*b^2*c*x^6 - 810*a*b*e*x^5 - 972*a*b*d*x^4 + 7938*a*b*c*x^3 - 1296*a^2*e*x^2 - 1458*a^2*d*x + 2916*a^2*c + 2*(a^3*b^2*x^7 + 2*a^4*b*x^4 + a^5*x)*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^(1/3) + 486*d/a^3*log(-7/1458*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^(1/3) + 486*d/a^3)^2*a^7*b*c - 1134*a*b*c*d^2 + 1960*a*b*c^2*e + 225*a^2*d*e^2 + 1/54*(252*a^4*b*c*d - 25*a^5*e^2)*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^(1/3) + 486*d/a^3)

$$\begin{aligned}
& 366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/ \\
& 39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(- \\
& 1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125 \\
& *a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 1 \\
& 25*a^2*e^3)/(a^{10}*b))^{(1/3)} + 486*d/a^3) - (2744*b^2*c^3 - 125*a^2*e^3)*x) \\
& + (1458*b^2*d*x^7 + 2916*a*b*d*x^4 + 1458*a^2*d*x - (a^3*b^2*x^7 + 2*a^4*b*x \\
& x^4 + a^5*x))*((-I*\sqrt{3} + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27* \\
& d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2* \\
& e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^ \\
& 2*e^3)/(a^{10}*b))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^ \\
& 2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c \\
& *d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} \\
& + 486*d/a^3) + 3*\sqrt{1/3}*(a^3*b^2*x^7 + 2*a^4*b*x^4 + a^5*x)*\sqrt{-(((I*\sqrt{3} \\
& + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(\\
& 81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - \\
& 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(\\
& 1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 \\
& + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b \\
&) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 486*d/a^3)^2*a^6 \\
& - 972*((-I*\sqrt{3} + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^ \\
& 9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - \\
& 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3) \\
& / (a^{10}*b))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70 \\
& *c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)* \\
& a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 486* \\
& d/a^3)*a^3*d + 236196*d^2 - 816480*c*e)/a^6))*\log(7/1458*((-I*\sqrt{3} + 1)* \\
& (81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c \\
& *e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a \\
& b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 729*(I \\
& *\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(27 \\
& 44*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(\\
& 2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 486*d/a^3)^2*a^7*b*c + 1134*a \\
& *b*c*d^2 - 1960*a*b*c^2*e - 225*a^2*d*e^2 - 1/54*(252*a^4*b*c*d - 25*a^5*e^ \\
& 2))*((-I*\sqrt{3} + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + \\
& 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(\\
& 27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^ \\
& 10*b))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e \\
&)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b) \\
& / (a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 486*d/a^ \\
& 3) - 2*(2744*b^2*c^3 - 125*a^2*e^3)*x + 1/486*\sqrt{1/3}*(7*((-I*\sqrt{3} + 1 \\
&)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70 \\
& *c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)* \\
& a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 729* \\
& (I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(\\
& 2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366
\end{aligned}$$

$$\begin{aligned}
& * (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 486*d/a^3)*a^7*b*c - 3402*a \\
& ^4*b*c*d - 675*a^5*e^2)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70 \\
& *c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744* \\
& b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(274 \\
& 4*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a \\
& ^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - \\
& 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3 \\
&)/(a^{10}*b))^{(1/3)} + 486*d/a^3)^2*a^6 - 972*((-I*\text{sqrt}(3) + 1)*(81*d^2/a^6 - \\
& (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/ \\
& 39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - \\
& 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)* \\
& (-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 1 \\
& 25*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - \\
& 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 486*d/a^3)*a^3*d + 236196*d^2 - 816480*c*e) \\
& /a^6)) + (1458*b^2*d*x^7 + 2916*a*b*d*x^4 + 1458*a^2*d*x - (a^3*b^2*x^7 + 2 \\
& *a^4*b*x^4 + a^5*x))*((-I*\text{sqrt}(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/ \\
& (-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 1 \\
& 25*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - \\
& 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^9 + 1/1458 \\
& *(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 \\
& - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b)) \\
& ^{(1/3)} + 486*d/a^3) - 3*\text{sqrt}(1/3)*(a^3*b^2*x^7 + 2*a^4*b*x^4 + a^5*x)*\text{sqrt} \\
& (-(((-I*\text{sqrt}(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1 \\
& /1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(2 \\
& 7*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{1 \\
& 0*b))^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e) \\
& *d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/ \\
& (a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 486*d/a^3 \\
&)^2*a^6 - 972*((-I*\text{sqrt}(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27 \\
& *d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2 \\
& *e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a \\
& ^2*e^3)/(a^{10}*b))^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d \\
& ^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70* \\
& c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} \\
& + 486*d/a^3)*a^3*d + 236196*d^2 - 816480*c*e)/a^6))*\text{log}(7/1458*((-I*\text{sqrt}(3) \\
&) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 \\
& - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c* \\
& d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + \\
& 729*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39 \\
& 366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/ \\
& 39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 486*d/a^3)^2*a^7*b*c + \\
& 1134*a*b*c*d^2 - 1960*a*b*c^2*e - 225*a^2*d*e^2 - 1/54*(252*a^4*b*c*d - 25 \\
& *a^5*e^2))*((-I*\text{sqrt}(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3 \\
& /a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 \\
& - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e
\end{aligned}$$

$$\begin{aligned} & \sqrt[3]{(a^{10}b)^{1/3}} + 729(I\sqrt{3} + 1)(-1/27d^3/a^9 + 1/1458(81d^2 - 70c^*e)d/a^9 + 1/39366(2744b^2c^3 + 125a^2e^3 - 27(27d^3 - 70c^*d^*e)a^*b)/(a^{10}b) - 1/39366(2744b^2c^3 - 125a^2e^3)/(a^{10}b))^{1/3} + 486d/a^3) - 2(2744b^2c^3 - 125a^2e^3)*x - 1/486\sqrt{3}(7*((-I\sqrt{3} + 1)(81d^2/a^6 - (81d^2 - 70c^*e)/a^6)/(-1/27d^3/a^9 + 1/1458(81d^2 - 70c^*e)d/a^9 + 1/39366(2744b^2c^3 + 125a^2e^3 - 27(27d^3 - 70c^*d^*e)a^*b)/(a^{10}b) - 1/39366(2744b^2c^3 - 125a^2e^3)/(a^{10}b))^{1/3} + 729(I\sqrt{3} + 1)(-1/27d^3/a^9 + 1/1458(81d^2 - 70c^*e)d/a^9 + 1/39366(2744b^2c^3 + 125a^2e^3 - 27(27d^3 - 70c^*d^*e)a^*b)/(a^{10}b) - 1/39366(2744b^2c^3 - 125a^2e^3)/(a^{10}b))^{1/3} + 486d/a^3)*a^7b^*c - 3402a^4b^*c^*d - 675a^5e^2)*\sqrt{-(((-I\sqrt{3} + 1)(81d^2/a^6 - (81d^2 - 70c^*e)/a^6)/(-1/27d^3/a^9 + 1/1458(81d^2 - 70c^*e)d/a^9 + 1/39366(2744b^2c^3 + 125a^2e^3 - 27(27d^3 - 70c^*d^*e)a^*b)/(a^{10}b) - 1/39366(2744b^2c^3 - 125a^2e^3)/(a^{10}b))^{1/3} + 729(I\sqrt{3} + 1)(-1/27d^3/a^9 + 1/1458(81d^2 - 70c^*e)d/a^9 + 1/39366(2744b^2c^3 + 125a^2e^3 - 27(27d^3 - 70c^*d^*e)a^*b)/(a^{10}b) - 1/39366(2744b^2c^3 - 125a^2e^3)/(a^{10}b))^{1/3} + 486d/a^3)^2a^6 - 972*((-I\sqrt{3} + 1)(81d^2/a^6 - (81d^2 - 70c^*e)/a^6)/(-1/27d^3/a^9 + 1/1458(81d^2 - 70c^*e)d/a^9 + 1/39366(2744b^2c^3 + 125a^2e^3 - 27(27d^3 - 70c^*d^*e)a^*b)/(a^{10}b) - 1/39366(2744b^2c^3 - 125a^2e^3)/(a^{10}b))^{1/3} + 729(I\sqrt{3} + 1)(-1/27d^3/a^9 + 1/1458(81d^2 - 70c^*e)d/a^9 + 1/39366(2744b^2c^3 + 125a^2e^3 - 27(27d^3 - 70c^*d^*e)a^*b)/(a^{10}b) - 1/39366(2744b^2c^3 - 125a^2e^3)/(a^{10}b))^{1/3} + 486d/a^3)*a^3d + 236196d^2 - 816480c^*e/a^6)) - 2916*(b^2d^*x^7 + 2a^*b^*d^*x^4 + a^2d^*x)*\log(x))/(a^3b^2x^7 + 2a^4b^*x^4 + a^5x) \end{aligned}$$

giac [A] time = 0.21, size = 273, normalized size = 1.02

$$\frac{d \log\left(\frac{bx^3+a}{a}\right)}{3a^3} + \frac{d \log\left(\frac{bx^3+a}{a}\right)}{a^3} + \frac{\sqrt{5}\left(5(-ab^2)^{\frac{1}{3}}ac + 14(-ab^2)^{\frac{2}{3}}c\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27a^3b} + \frac{\left(5(-ab^2)^{\frac{1}{3}}ac - 14(-ab^2)^{\frac{2}{3}}c\right) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54a^3b} - \frac{28b^2cx^6 - 5abx^5c - 6abd^2x^4 + 49abcx^3 - 8a^2x^2c - 9a^2dx + 18a^2c}{18(bx^3+a)^2a^3x} + \frac{\left(14a^2b^2c\left(-\frac{a}{b}\right)^{\frac{1}{3}} - 5a^4bc\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/3*d*\log(\text{abs}(b*x^3 + a))/a^3 + d*\log(\text{abs}(x))/a^3 + 1/27*\sqrt{3}*(5*(-a*b^2)^{1/3}*a*e + 14*(-a*b^2)^{2/3}*c)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{1/3})/(-a/b)^{1/3})/(a^4*b) + 1/54*(5*(-a*b^2)^{1/3}*a*e - 14*(-a*b^2)^{2/3}*c)*\log(x^2 + x*(-a/b)^{1/3} + (-a/b)^{2/3})/(a^4*b) - 1/18*(28*b^2*c*x^6 - 5*a*b*x^5*e - 6*a*b*d*x^4 + 49*a*b*c*x^3 - 8*a^2*x^2*e - 9*a^2*d*x + 18*a^2*c)/(b*x^3 + a)^2*a^3*x + 1/27*(14*a^3*b^2*c*(-a/b)^{1/3} - 5*a^4*b*e)*(-a/b)^{1/3}*\log(\text{abs}(x - (-a/b)^{1/3}))/a^7*b \end{aligned}$$

maple [A] time = 0.06, size = 334, normalized size = 1.25

$$\frac{-\frac{50^2 c x^5}{9(bx^3+a)^2 a^3} + \frac{50e x^4}{18(bx^3+a)^2 a^2} + \frac{bd x^3}{3(bx^3+a)^2 a^2} - \frac{13bc x^2}{18(bx^3+a)^2 a^2} + \frac{4ex}{9(bx^3+a)^2 a} + \frac{d}{2(bx^3+a)^2 a} + \frac{5\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{bx}{a}\right)^{\frac{1}{3}} - 1}{\left(\frac{bx}{a}\right)^{\frac{1}{3}}}\right)}{27\left(\frac{bx}{a}\right)^{\frac{1}{3}} a^2 b} + \frac{5e \ln\left(x + \left(\frac{bx}{a}\right)^{\frac{1}{3}}\right)}{27\left(\frac{bx}{a}\right)^{\frac{1}{3}} a^2 b} - \frac{5e \ln\left(x^2 - \left(\frac{bx}{a}\right)^{\frac{1}{3}} x + \left(\frac{bx}{a}\right)^{\frac{2}{3}}\right)}{54\left(\frac{bx}{a}\right)^{\frac{1}{3}} a^2 b} - \frac{14\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{bx}{a}\right)^{\frac{1}{3}} - 1}{\left(\frac{bx}{a}\right)^{\frac{1}{3}}}\right)}{27\left(\frac{bx}{a}\right)^{\frac{1}{3}} a^3} + \frac{14c \ln\left(x + \left(\frac{bx}{a}\right)^{\frac{1}{3}}\right)}{27\left(\frac{bx}{a}\right)^{\frac{1}{3}} a^2} - \frac{7e \ln\left(x^2 - \left(\frac{bx}{a}\right)^{\frac{1}{3}} x + \left(\frac{bx}{a}\right)^{\frac{2}{3}}\right)}{27\left(\frac{bx}{a}\right)^{\frac{1}{3}} a^3} + \frac{d \ln(x)}{a^3} - \frac{d \ln(bx^3+a)}{3a^3} - \frac{c}{a^3 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x)

[Out]
$$-5/9/(b*x^3+a)^2/a^3*b^2*c*x^5+5/18/(b*x^3+a)^2/a^2*b*e*x^4+1/3/a^2/(b*x^3+a)^2*b*d*x^3-13/18/(b*x^3+a)^2/a^2*b*c*x^2+4/9/(b*x^3+a)^2/a*e*x+1/2/(b*x^3+a)^2/a*d+5/27/(a/b)^{(2/3)}/a^2/b*e*\ln(x+(a/b)^{(1/3)})-5/54/(a/b)^{(2/3)}/a^2/b*e*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+5/27/(a/b)^{(2/3)}*3^{(1/2)}/a^2/b*e*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+14/27/a^3/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c-7/27/a^3/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c-14/27/a^3*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-1/3/a^3*d*\ln(b*x^3+a)-1/a^3*c/x+1/a^3*d*\ln(x)$$

maxima [A] time = 3.09, size = 266, normalized size = 1.00

$$\frac{28b^2cx^6 - 5abex^5 - 6abdx^4 + 49abcx^3 - 8a^2cx^2 - 9a^2dx + 18a^2c}{18(a^3b^2x^7 + 2a^4bx^4 + a^5x)} + \frac{d \log(x)}{a^3} - \frac{\sqrt{3}\left(14bc\left(\frac{a}{b}\right)^{\frac{2}{3}} - 5ae\left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27a^4} - \frac{\left(18bd\left(\frac{a}{b}\right)^{\frac{2}{3}} + 14bc\left(\frac{a}{b}\right)^{\frac{1}{3}} + 5ae\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54a^3b\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{\left(9bd\left(\frac{a}{b}\right)^{\frac{2}{3}} - 14bc\left(\frac{a}{b}\right)^{\frac{1}{3}} - 5ae\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27a^3b\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$-1/18*(28*b^2*c*x^6 - 5*a*b*e*x^5 - 6*a*b*d*x^4 + 49*a*b*c*x^3 - 8*a^2*e*x^2 - 9*a^2*d*x + 18*a^2*c)/(a^3*b^2*x^7 + 2*a^4*b*x^4 + a^5*x) + d*\log(x)/a^3 - 1/27*\sqrt{3}*(14*b*c*(a/b)^{(2/3)} - 5*a*e*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^4 - 1/54*(18*b*d*(a/b)^{(2/3)} + 14*b*c*(a/b)^{(1/3)} + 5*a*e)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*b*(a/b)^{(2/3)}) - 1/27*(9*b*d*(a/b)^{(2/3)} - 14*b*c*(a/b)^{(1/3)} - 5*a*e)*\log(x + (a/b)^{(1/3)})/(a^3*b*(a/b)^{(2/3)})$$

mupad [B] time = 5.46, size = 793, normalized size = 2.97

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^2*(a + b*x^3)^3),x)

[Out]
$$\left(\frac{4e x^2}{9a} - \frac{c}{a} + \frac{d x}{2a}\right) - \frac{14b^2 c x^6}{9a^3} - \frac{49b c x^3}{18a^2} + \frac{b d x^4}{3a^2} + \frac{5b e x^5}{18a^2} / (a^2 x + b^2 x^7 + 2 a b x^4) + \text{symsum}(\log((b^2(225a^2 d e^2 - 225\sqrt[3]{19683 a^{10} b z^3 + 19$$

$$\begin{aligned}
& 683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 72 \\
& 9*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)*a^5*e^2 + 2744*b^2*c^3*x + 12 \\
& 5*a^2*e^3*x + 1134*a*b*c*d^2 - 3402*\text{root}(19683*a^{10}*b*z^3 + 19683*a^7*b*d*z \\
& ^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 1 \\
& 25*a^2*e^3 - 2744*b^2*c^3, z, k)^2*a^7*b*c - 26244*\text{root}(19683*a^{10}*b*z^3 + \\
& 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + \\
& 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)^3*a^{10}*b*x - 2916*\text{root}(1968 \\
& 3*a^{10}*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 18 \\
& 90*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)*a^4*b*d^2*x \\
& - 17496*\text{root}(19683*a^{10}*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561 \\
& *a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z \\
& , k)^2*a^7*b*d*x + 2268*\text{root}(19683*a^{10}*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^ \\
& 4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - \\
& 2744*b^2*c^3, z, k)*a^4*b*c*d + 6300*\text{root}(19683*a^{10}*b*z^3 + 19683*a^7*b*d \\
& *z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - \\
& 125*a^2*e^3 - 2744*b^2*c^3, z, k)*a^4*b*c*e*x + 1260*a*b*c*d*e*x)/(729*a^ \\
& 8))*\text{root}(19683*a^{10}*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4 \\
& *b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k) \\
& , k, 1, 3) + (d*\log(x))/a^3
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**2/(b*x**3+a)**3,x)

[Out] Timed out

$$3.303 \quad \int \frac{c+dx+ex^2}{x^3(a+bx^3)^3} dx$$

Optimal. Leaf size=276

$$\frac{\sqrt[3]{b} (10\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{27a^{11/3}} - \frac{2\sqrt[3]{b} (10\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{11/3}} + \frac{2\sqrt[3]{b} (7\sqrt[3]{a}d + 10\sqrt[3]{b}c)}{27a^{11/3}}$$

Rubi [A] time = 0.50, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{b} (10\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{27a^{11/3}} - \frac{x(11bc + 10bdx + 9bcx^2)}{18a^3(a + bx^3)} - \frac{x(bc + bdx + bcx^2)}{6a^2(a + bx^3)^2} - \frac{2\sqrt[3]{b} (10\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{11/3}} + \frac{2\sqrt[3]{b} (7\sqrt[3]{a}d + 10\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{11/3}} - \frac{e \log(a + bx^3)}{3a^3} - \frac{c}{2a^3x^2} - \frac{d}{a^3x} + \frac{e \log(x)}{a^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^3), x]

[Out] $-c/(2*a^3*x^2) - d/(a^3*x) - (x*(b*c + b*d*x + b*e*x^2))/(6*a^2*(a + b*x^3)^2) - (x*(11*b*c + 10*b*d*x + 9*b*e*x^2))/(18*a^3*(a + b*x^3)) + (2*b^{(1/3)} * (10*b^{(1/3)}*c + 7*a^{(1/3)}*d) * \text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (9*\text{Sqrt}[3]*a^{(11/3)}) + (e*\text{Log}[x])/a^3 - (2*b^{(1/3)}*(10*b^{(1/3)}*c - 7*a^{(1/3)}*d) * \text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (27*a^{(11/3)}) + (b^{(1/3)}*(10*b^{(1/3)}*c - 7*a^{(1/3)}*d) * \text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (27*a^{(11/3)}) - (e*\text{Log}[a + b*x^3]) / (3*a^3)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^3 (a + bx^3)^3} dx &= -\frac{x(bc + bdx + bex^2)}{6a^2 (a + bx^3)^2} - \frac{\int \frac{-6bc - 6bdx - 6bex^2 + \frac{5b^2cx^3}{a} + \frac{4b^2dx^4}{a} + \frac{3b^2ex^5}{a}}{x^3(a+bx^3)^2} dx}{6ab} \\
&= -\frac{x(bc + bdx + bex^2)}{6a^2 (a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3 (a + bx^3)} + \frac{\int \frac{18b^3c + 18b^3dx + 18b^3ex^2 - \frac{22b^4cx^3}{a} - \frac{10b^4dx^4}{a}}{x^3(a+bx^3)}}{18a^2b^3} dx \\
&= -\frac{x(bc + bdx + bex^2)}{6a^2 (a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3 (a + bx^3)} + \frac{\int \left(\frac{18b^3c}{ax^3} + \frac{18b^3d}{ax^2} + \frac{18b^3e}{ax} - \frac{2b^4(20c+14dx+9ex^2)}{a(a+bx^3)} \right)}{18a^2b^3} dx \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc + bdx + bex^2)}{6a^2 (a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3 (a + bx^3)} + \frac{e \log(x)}{a^3} - \frac{b \int \frac{20c+14dx+9ex^2}{a+bx^3}}{9a^3} dx \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc + bdx + bex^2)}{6a^2 (a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3 (a + bx^3)} + \frac{e \log(x)}{a^3} - \frac{b \int \frac{20c+14dx+9ex^2}{a+bx^3}}{9a^3} dx \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc + bdx + bex^2)}{6a^2 (a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3 (a + bx^3)} + \frac{e \log(x)}{a^3} - \frac{e \log(a + bx^3)}{3a^3} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc + bdx + bex^2)}{6a^2 (a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3 (a + bx^3)} + \frac{e \log(x)}{a^3} - \frac{2\sqrt[3]{b} (10\sqrt[3]{b}c + 7\sqrt[3]{a}d)}{9\sqrt{3}a^3}
\end{aligned}$$

Mathematica [A] time = 0.33, size = 253, normalized size = 0.92

$$\frac{2\sqrt[3]{b} (10\sqrt[3]{a}\sqrt[3]{b}c - 7a^2d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 4\sqrt[3]{b} (7a^{2/3}d - 10\sqrt[3]{a}\sqrt[3]{b}c) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + \frac{9a^2(ac-bx(dx))}{(a+bx^3)^2} + \frac{3a(6ac-bx(11c+10dx))}{a+bx^3} + 4\sqrt{3}\sqrt[3]{a}\sqrt[3]{b} (7\sqrt[3]{a}d + 10\sqrt[3]{b}c) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{c}}{\sqrt[3]{a}}}{\sqrt{3}}\right) - 18ae \log(a + bx^3) - \frac{27ac}{x^2} - \frac{54ad}{x} + 54ae \log(x)}{54a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^3), x]

[Out]
$$\begin{aligned} &((-27*a*c)/x^2 - (54*a*d)/x + (9*a^2*(a*e - b*x*(c + d*x)))/(a + b*x^3)^2 + \\ &(3*a*(6*a*e - b*x*(11*c + 10*d*x)))/(a + b*x^3) + 4*sqrt[3]*a^(1/3)*b^(1/3) \\ &)*(10*b^(1/3)*c + 7*a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] \\ &+ 54*a*e*Log[x] + 4*b^(1/3)*(-10*a^(1/3)*b^(1/3)*c + 7*a^(2/3)*d)*Log[a^(1/3) \\ &+ b^(1/3)*x] + 2*b^(1/3)*(10*a^(1/3)*b^(1/3)*c - 7*a^(2/3)*d)*Log[a^(2/3) \\ &- a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 18*a*e*Log[a + b*x^3])/(54*a^4) \end{aligned}$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{x^3 (a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^3), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^3), x]

fricas [C] time = 1.43, size = 4911, normalized size = 17.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} &-1/2916*(4536*b^2*d*x^7 + 3240*b^2*c*x^6 - 972*a*b*e*x^5 + 7938*a*b*d*x^4 + \\ &5184*a*b*c*x^3 - 1458*a^2*e*x^2 + 2916*a^2*d*x + 1458*a^2*c + 2*(a^3*b^2*x \\ &^8 + 2*a^4*b*x^5 + a^5*x^2))*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b*c*d + 81 \\ &*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/1968 \\ &3*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 5 \\ &6*(49*d^3 - 135*c*d*e)*a*b)/a^11)^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^ \\ &9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d^3) \\ &*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b \\ &)/a^11)^(1/3) + 486*e/a^3*log(7/2916*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280* \\ &b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^1 \\ &0 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a \\ &^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^(1/3) + 729*(I*sqrt(3) + 1)*(-1 \\ &/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + \\ &343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135* \\ &c*d*e)*a*b)/a^11)^(1/3) + 486*e/a^3)^2*a^8*d + 3920*a*b*c*d^2 - 1800*a*b*c^ \\ &2*e + 567*a^2*d*e^2 + 1/27*(100*a^4*b*c^2 - 63*a^5*d*e)*((-I*sqrt(3) + 1)*(\\ &81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d \\ &+ 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(80 \\ &00*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^(1/3) + 729*(\end{aligned}$$

$$\begin{aligned}
& I\sqrt{3} + 1) * (-1/27 * e^3/a^9 + 1/1458 * (280 * b * c * d + 81 * a * e^2) * e/a^{10} + 4/19683 * (1000 * b * c^3 + 343 * a * d^3) * b/a^{11} - 1/39366 * (8000 * b^2 * c^3 + 729 * a^2 * e^3 - 56 * (49 * d^3 - 135 * c * d * e) * a * b) / a^{11})^{1/3} + 486 * e/a^3) + 4 * (1000 * b^2 * c^3 + 343 * a * b * d^3) * x) + (1458 * b^2 * e * x^8 + 2916 * a * b * e * x^5 + 1458 * a^2 * e * x^2 - (a^3 * b^2 * x^8 + 2 * a^4 * b * x^5 + a^5 * x^2) * ((-I\sqrt{3} + 1) * (81 * e^2/a^6 - (280 * b * c * d + 81 * a * e^2) / a^7) / (-1/27 * e^3/a^9 + 1/1458 * (280 * b * c * d + 81 * a * e^2) * e/a^{10} + 4/19683 * (1000 * b * c^3 + 343 * a * d^3) * b/a^{11} - 1/39366 * (8000 * b^2 * c^3 + 729 * a^2 * e^3 - 56 * (49 * d^3 - 135 * c * d * e) * a * b) / a^{11})^{1/3} + 486 * e/a^3) + 729 * (I\sqrt{3} + 1) * (-1/27 * e^3/a^9 + 1/1458 * (280 * b * c * d + 81 * a * e^2) * e/a^{10} + 4/19683 * (1000 * b * c^3 + 343 * a * d^3) * b/a^{11} - 1/39366 * (8000 * b^2 * c^3 + 729 * a^2 * e^3 - 56 * (49 * d^3 - 135 * c * d * e) * a * b) / a^{11})^{1/3} + 486 * e/a^3) - 3 * \sqrt{1/3} * (a^3 * b^2 * x^8 + 2 * a^4 * b * x^5 + a^5 * x^2) * \sqrt{-(((-I\sqrt{3} + 1) * (81 * e^2/a^6 - (280 * b * c * d + 81 * a * e^2) / a^7) / (-1/27 * e^3/a^9 + 1/1458 * (280 * b * c * d + 81 * a * e^2) * e/a^{10} + 4/19683 * (1000 * b * c^3 + 343 * a * d^3) * b/a^{11} - 1/39366 * (8000 * b^2 * c^3 + 729 * a^2 * e^3 - 56 * (49 * d^3 - 135 * c * d * e) * a * b) / a^{11})^{1/3} + 486 * e/a^3) + 729 * (I\sqrt{3} + 1) * (-1/27 * e^3/a^9 + 1/1458 * (280 * b * c * d + 81 * a * e^2) * e/a^{10} + 4/19683 * (1000 * b * c^3 + 343 * a * d^3) * b/a^{11} - 1/39366 * (8000 * b^2 * c^3 + 729 * a^2 * e^3 - 56 * (49 * d^3 - 135 * c * d * e) * a * b) / a^{11})^{1/3} + 486 * e/a^3)^2 * a^7 - 972 * ((-I\sqrt{3} + 1) * (81 * e^2/a^6 - (280 * b * c * d + 81 * a * e^2) / a^7) / (-1/27 * e^3/a^9 + 1/1458 * (280 * b * c * d + 81 * a * e^2) * e/a^{10} + 4/19683 * (1000 * b * c^3 + 343 * a * d^3) * b/a^{11} - 1/39366 * (8000 * b^2 * c^3 + 729 * a^2 * e^3 - 56 * (49 * d^3 - 135 * c * d * e) * a * b) / a^{11})^{1/3} + 486 * e/a^3) * (1000 * b * c^3 + 343 * a * d^3) * b/a^{11} - 1/39366 * (8000 * b^2 * c^3 + 729 * a^2 * e^3 - 56 * (49 * d^3 - 135 * c * d * e) * a * b) / a^{11})^{1/3} + 729 * (I\sqrt{3} + 1) * (-1/27 * e^3/a^9 + 1/1458 * (280 * b * c * d + 81 * a * e^2) * e/a^{10} + 4/19683 * (1000 * b * c^3 + 343 * a * d^3) * b/a^{11} - 1/39366 * (8000 * b^2 * c^3 + 729 * a^2 * e^3 - 56 * (49 * d^3 - 135 * c * d * e) * a * b) / a^{11})^{1/3} + 486 * e/a^3) * a^4 * e + 3265920 * b * c * d + 236196 * a * e^2) / a^7) * \log(-7/2916 * ((-I\sqrt{3} + 1) * (81 * e^2/a^6 - (280 * b * c * d + 81 * a * e^2) / a^7) / (-1/27 * e^3/a^9 + 1/1458 * (280 * b * c * d + 81 * a * e^2) * e/a^{10} + 4/19683 * (1000 * b * c^3 + 343 * a * d^3) * b/a^{11} - 1/39366 * (8000 * b^2 * c^3 + 729 * a^2 * e^3 - 56 * (49 * d^3 - 135 * c * d * e) * a * b) / a^{11})^{1/3} + 486 * e/a^3) + 729 * (I\sqrt{3} + 1) * (-1/27 * e^3/a^9 + 1/1458 * (280 * b * c * d + 81 * a * e^2) * e/a^{10} + 4/19683 * (1000 * b * c^3 + 343 * a * d^3) * b/a^{11} - 1/39366 * (8000 * b^2 * c^3 + 729 * a^2 * e^3 - 56 * (49 * d^3 - 135 * c * d * e) * a * b) / a^{11})^{1/3} + 486 * e/a^3) * a^8 * d - 3920 * a * b * c * d^2 + 1800 * a * b * c^2 * e - 567 * a^2 * d * e^2 - 1/27 * (100 * a^4 * b * c^2 - 63 * a^5 * d * e) * ((-I\sqrt{3} + 1) * (81 * e^2/a^6 - (280 * b * c * d + 81 * a * e^2) / a^7) / (-1/27 * e^3/a^9 + 1/1458 * (280 * b * c * d + 81 * a * e^2) * e/a^{10} + 4/19683 * (1000 * b * c^3 + 343 * a * d^3) * b/a^{11} - 1/39366 * (8000 * b^2 * c^3 + 729 * a^2 * e^3 - 56 * (49 * d^3 - 135 * c * d * e) * a * b) / a^{11})^{1/3} + 486 * e/a^3) + 8 * (1000 * b^2 * c^3 + 343 * a * b * d^3) * x + 1/972 * \sqrt{1/3} * (7 * ((-I\sqrt{3} + 1) * (81 * e^2/a^6 - (280 * b * c * d + 81 * a * e^2) / a^7) / (-1/27 * e^3/a^9 + 1/1458 * (280 * b * c * d + 81 * a * e^2) * e/a^{10} + 4/19683 * (1000 * b * c^3 + 343 * a * d^3) * b/a^{11} - 1/39366 * (8000 * b^2 * c^3 + 729 * a^2 * e^3 - 56 * (49 * d^3 - 135 * c * d * e) * a * b) / a^{11})^{1/3} + 486 * e/a^3) + 729 * (I\sqrt{3} + 1) * (-1/27 * e^3/a^9 + 1/1458 * (280 * b * c * d + 81 * a * e^2) * e/a^{10} + 4/19683 * (1000 * b * c^3 + 343 * a * d^3) * b/a^{11} - 1/39366 * (8000 * b^2 * c^3 + 729 * a^2 * e^3 - 56 * (49 * d^3 - 135 * c * d * e) * a * b) / a^{11})^{1/3} + 486 * e/a^3) * a^8 * d - 10800 * a^4 * b * c^2 - 3402 * a^5 * d * e) * \sqrt{-(((-I\sqrt{3} + 1) * (81 * e^2/a^6 - (280 * b * c * d + 81 * a * e^2) / a^7) / (-1/27 * e^3/a^9 + 1/1458 * (280 * b * c * d + 81 * a * e^2) * e/a^{10} + 4/19683 * (1000 * b * c^3 + 343 * a * d^3) * b/a^{11} - 1/39366 * (8000 * b^2 * c^3 + 729 * a^2 * e^3 - 56 * (49 * d^3 - 135 * c * d * e) * a * b) / a^{11})^{1/3} + 486 * e/a^3) + 729 * (I\sqrt{3} + 1) * (-1/27 * e^3/a^9 + 1/1458 * (280 * b * c * d + 81 * a * e^2) * e/a^{10} + 4/19683 * (1000 * b * c^3 + 343 * a * d^3) * b/a^{11} - 1/39366 * (8000 * b^2 * c^3 + 729 * a^2 * e^3 - 56 * (49 * d^3 - 135 * c * d * e) * a * b) / a^{11})^{1/3} + 486 * e/a^3)
\end{aligned}$$

$$\begin{aligned}
& 2/a^6 - (280*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81 \\
& *a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^ \\
& 2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 729*(I*\text{sqrt} \\
& \text{t}(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(\\
& 1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(\\
& 49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 486*e/a^3)^2*a^7 - 972*((-I*\text{sqrt}(3) \\
& + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280 \\
& *b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/393 \\
& 66*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + \\
& 729*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} \\
& + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2 \\
& *e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 486*e/a^3)*a^4*e + 326592 \\
& 0*b*c*d + 236196*a*e^2)/a^7)) + (1458*b^2*e*x^8 + 2916*a*b*e*x^5 + 1458*a^2 \\
& *e*x^2 - (a^3*b^2*x^8 + 2*a^4*b*x^5 + a^5*x^2))*((-I*\text{sqrt}(3) + 1)*(81*e^2/a^6 \\
& - (280*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e \\
& ^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^ \\
& 3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 729*(I*\text{sqrt}(3) \\
& + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000 \\
& *b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d \\
& ^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 486*e/a^3) + 3*\text{sqrt}(1/3)*(a^3*b^2*x^8 + \\
& 2*a^4*b*x^5 + a^5*x^2)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(81*e^2/a^6 - (280*b*c*d + \\
& 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19 \\
& 683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - \\
& 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/ \\
& a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^ \\
& 3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a \\
& *b)/a^{11})^{(1/3)} + 486*e/a^3)^2*a^7 - 972*((-I*\text{sqrt}(3) + 1)*(81*e^2/a^6 - (2 \\
& 80*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/ \\
& a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 72 \\
& 9*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)* \\
& (-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 \\
& + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 1 \\
& 35*c*d*e)*a*b)/a^{11})^{(1/3)} + 486*e/a^3)*a^4*e + 3265920*b*c*d + 236196*a*e^ \\
& 2)/a^7))*\log(-7/2916*((-I*\text{sqrt}(3) + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2) \\
& /a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000 \\
& *b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d \\
& ^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^9 + 1/1 \\
& 458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} \\
& - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11}) \\
& ^{(1/3)} + 486*e/a^3)^2*a^8*d - 3920*a*b*c*d^2 + 1800*a*b*c^2*e - 567*a^2*d*e \\
& ^2 - 1/27*(100*a^4*b*c^2 - 63*a^5*d*e))*((-I*\text{sqrt}(3) + 1)*(81*e^2/a^6 - (280 \\
& *b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^ \\
& 10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729* \\
& a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)*(- \\
& 1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 +
\end{aligned}$$

$343*a*d^3*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 486*e/a^3) + 8*(1000*b^2*c^3 + 343*a*b*d^3)*x - 1/972*\sqrt{1/3}*(7*((-I*\sqrt{3}) + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 486*e/a^3)*a^8*d - 10800*a^4*b*c^2 - 3402*a^5*d*e)*\sqrt{-(((-I*\sqrt{3}) + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 486*e/a^3)^2*a^7 - 972*((-I*\sqrt{3}) + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 486*e/a^3)*a^4*e + 3265920*b*c*d + 236196*a*e^2)/a^7)) - 2916*(b^2*e*x^8 + 2*a*b*e*x^5 + a^2*e*x^2)*\log(x))/(a^3*b^2*x^8 + 2*a^4*b*x^5 + a^5*x^2)$

giac [A] time = 0.19, size = 282, normalized size = 1.02

$$\frac{e \log\left(\frac{bx^2+d}{a^3}\right) + \frac{e \log\left(\frac{bx^2+d}{a^3}\right)}{a^3} - \frac{2\sqrt{5}\left(10(-ab^2)^{\frac{1}{2}}bc - 7(-ab^2)^{\frac{1}{2}}d\right) \arctan\left(\frac{\sqrt{5}\left(2x + \left(\frac{d}{b}\right)^{\frac{1}{2}}\right)}{3\left(\frac{d}{b}\right)^{\frac{1}{2}}}\right)}{27a^3b}}{3a^3} - \frac{10(-ab^2)^{\frac{1}{2}}bc + 7(-ab^2)^{\frac{1}{2}}d}{27a^3b} \log\left(x^2 + x\left(-\frac{d}{b}\right)^{\frac{1}{2}} + \left(-\frac{d}{b}\right)^{\frac{1}{2}}\right) - \frac{28b^2dx^7 + 20b^2cx^6 - 6abx^5e + 49abd^4 + 32abc^3 - 9a^2x^2e + 18a^2dx + 9a^2c}{18(bx^4 + ax)^3a^3} + \frac{2\left(7a^3b^2d\left(-\frac{d}{b}\right)^{\frac{1}{2}} + 10a^3b^2c\right)\left(-\frac{d}{b}\right)^{\frac{1}{2}} \log\left(x - \left(-\frac{d}{b}\right)^{\frac{1}{2}}\right)}{27a^3b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/3*e*\log(\text{abs}(b*x^3 + a))/a^3 + e*\log(\text{abs}(x))/a^3 - 2/27*\sqrt{3}*(10*(-a*b^2)^{(1/3)}*b*c - 7*(-a*b^2)^{(2/3)}*d)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(a^4*b) - 1/27*(10*(-a*b^2)^{(1/3)}*b*c + 7*(-a*b^2)^{(2/3)}*d)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(a^4*b) - 1/18*(28*b^2*d*x^7 + 20*b^2*c*x^6 - 6*a*b*x^5*e + 49*a*b*d*x^4 + 32*a*b*c*x^3 - 9*a^2*x^2*e + 18*a^2*d*x + 9*a^2*c)/((b*x^4 + a*x)^2*a^3) + 2/27*(7*a^3*b^2*d*(-a/b)^{(1/3)} + 10*a^3*b^2*c)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})/(a^7*b)$

maple [A] time = 0.06, size = 337, normalized size = 1.22

$$\frac{5b^2dx^5}{9(bx^3+a)^3a^3} - \frac{11b^2cx^4}{18(bx^3+a)^2a^3} + \frac{bcx^3}{3(bx^3+a)^2a^2} - \frac{13bdx^2}{18(bx^3+a)^2a^2} - \frac{7bcx}{9(bx^3+a)^2a^2} + \frac{e}{2(bx^3+a)^2a} - \frac{20\sqrt{5}c \arctan\left(\frac{\sqrt{5}\left(\frac{2x}{b} - 1\right)}{\left(\frac{d}{b}\right)^{\frac{1}{2}}}\right)}{27\left(\frac{d}{b}\right)^{\frac{1}{2}}a^3} - \frac{20c \ln\left(x + \left(\frac{d}{b}\right)^{\frac{1}{2}}\right)}{27\left(\frac{d}{b}\right)^{\frac{1}{2}}a^3} + \frac{10c \ln\left(x^2 - \left(\frac{d}{b}\right)^{\frac{1}{2}}x + \left(\frac{d}{b}\right)^{\frac{1}{2}}\right)}{27\left(\frac{d}{b}\right)^{\frac{1}{2}}a^3} - \frac{14\sqrt{5}d \arctan\left(\frac{\sqrt{5}\left(\frac{2x}{b} - 1\right)}{\left(\frac{d}{b}\right)^{\frac{1}{2}}}\right)}{27\left(\frac{d}{b}\right)^{\frac{1}{2}}a^3} + \frac{14d \ln\left(x + \left(\frac{d}{b}\right)^{\frac{1}{2}}\right)}{27\left(\frac{d}{b}\right)^{\frac{1}{2}}a^3} - \frac{7d \ln\left(x^2 - \left(\frac{d}{b}\right)^{\frac{1}{2}}x + \left(\frac{d}{b}\right)^{\frac{1}{2}}\right)}{27\left(\frac{d}{b}\right)^{\frac{1}{2}}a^3} + \frac{e \ln(x)}{a^3} - \frac{e \ln(bx^3+a)}{3a^3} - \frac{d}{a^2x} - \frac{c}{2a^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x)`

[Out]
$$-5/9/(b*x^3+a)^2/a^3*b^2*d*x^5-11/18/(b*x^3+a)^2/a^3*b^2*c*x^4+1/3*b/a^2/(b*x^3+a)^2*e*x^3-13/18/(b*x^3+a)^2/a^2*b*d*x^2-7/9/(b*x^3+a)^2/a^2*b*c*x+1/2/a/(b*x^3+a)^2*e-20/27/(a/b)^{(2/3)}/a^3*c*\ln(x+(a/b)^{(1/3)})+10/27/(a/b)^{(2/3)}/a^3*c*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-20/27/(a/b)^{(2/3)}*3^{(1/2)}/a^3*c*arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+14/27/a^3*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-7/27/a^3*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-14/27/a^3*d*3^{(1/2)}/(a/b)^{(1/3)}*arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3/a^3*e*\ln(b*x^3+a)-1/a^3*d/x+1/a^3*e*\ln(x)-1/2/a^3*c/x^2$$

maxima [A] time = 3.11, size = 265, normalized size = 0.96

$$\frac{28b^2dx^7 + 20b^2cx^6 - 6abdx^5 + 49abdx^4 + 32abcx^3 - 9a^2dx^2 + 18a^2cx + 9a^2c}{18(a^3b^2x^8 + 2a^4bx^5 + a^5x^2)} + \frac{e \log(x)}{a^3} - \frac{2\sqrt{3}\left(7bd\left(\frac{a}{b}\right)^{\frac{2}{3}} + 10bc\left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27a^4} - \frac{\left(9e\left(\frac{a}{b}\right)^{\frac{2}{3}} + 7d\left(\frac{a}{b}\right)^{\frac{1}{3}} - 10c\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{27a^3\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(9e\left(\frac{a}{b}\right)^{\frac{2}{3}} - 14d\left(\frac{a}{b}\right)^{\frac{1}{3}} + 20c\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27a^3\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="maxima")`

[Out]
$$-1/18*(28*b^2*d*x^7 + 20*b^2*c*x^6 - 6*a*b*e*x^5 + 49*a*b*d*x^4 + 32*a*b*c*x^3 - 9*a^2*e*x^2 + 18*a^2*d*x + 9*a^2*c)/(a^3*b^2*x^8 + 2*a^4*b*x^5 + a^5*x^2) + e*\log(x)/a^3 - 2/27*\sqrt{3}*(7*b*d*(a/b)^{(2/3)} + 10*b*c*(a/b)^{(1/3)})*arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^4 - 1/27*(9*e*(a/b)^{(2/3)} + 7*d*(a/b)^{(1/3)} - 10*c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*(a/b)^{(2/3)}) - 1/27*(9*e*(a/b)^{(2/3)} - 14*d*(a/b)^{(1/3)} + 20*c)*\log(x + (a/b)^{(1/3)})/(a^3*(a/b)^{(2/3)})$$

mupad [B] time = 5.36, size = 778, normalized size = 2.82

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(x^3*(a + b*x^3)^3),x)`

[Out]
$$\text{symsum}(\log(-(2*b^3*(1701*\text{root}(19683*a^{11}*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)^2*a^8*d - 567*a^2*d*e^2 + 13122*\text{root}(19683*a^{11}*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)^3*a^{11}*x + 4000*b^2*c^3*x - 1134*\text{root}(19683*a^{11}*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)*a^5*d*e - 1800*a*b*c^2*e - 1372*a*b*d^3*x + 1800*\text{root}(19683*a^{11}*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3$$

$$\begin{aligned}
& + 729*a^2*e^3 + 8000*b^2*c^3, z, k)*a^4*b*c^2 + 1458*\text{root}(19683*a^{11}*z^3 + \\
& 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 274 \\
& 4*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)*a^5*e^2*x + 8748*\text{root}(19683*a \\
& ^{11}*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c \\
& *d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)^2*a^8*e*x + 12600*r \\
& \text{oot}(19683*a^{11}*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + \\
& 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)*a^4*b*c* \\
& d*x + 2520*a*b*c*d*e*x))/(729*a^9))*\text{root}(19683*a^{11}*z^3 + 19683*a^8*e*z^2 + \\
& 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a \\
& ^2*e^3 + 8000*b^2*c^3, z, k), k, 1, 3) - (c/(2*a) - (e*x^2)/(2*a) + (d*x)/a \\
& + (10*b^2*c*x^6)/(9*a^3) + (14*b^2*d*x^7)/(9*a^3) + (16*b*c*x^3)/(9*a^2) + \\
& (49*b*d*x^4)/(18*a^2) - (b*e*x^5)/(3*a^2))/(a^2*x^2 + b^2*x^8 + 2*a*b*x^5) \\
& + (e*\log(x))/a^3
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**3/(b*x**3+a)**3,x)

[Out] Timed out

$$3.304 \quad \int \frac{c+dx+ex^2}{x^4(a+bx^3)^3} dx$$

Optimal. Leaf size=298

$$\frac{\sqrt[3]{b} (10\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{27a^{11/3}} - \frac{2\sqrt[3]{b} (10\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{11/3}} + \frac{2\sqrt[3]{b} (7\sqrt[3]{a}e + 10\sqrt[3]{b}d)}{27a^{11/3}}$$

Rubi [A] time = 0.59, antiderivative size = 298, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{x \left(\frac{-15d^2a^2 + 11bd + 10bex}{a} \right) - \frac{x \left(\frac{b^2cx^2 + bd + bcx}{a} \right) + \sqrt[3]{b} (10\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + bc \log(a + bx^3) - \frac{3bc \log(x)}{a^4} - \frac{2\sqrt[3]{b} (10\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{11/3}} + \frac{2\sqrt[3]{b} (7\sqrt[3]{a}e + 10\sqrt[3]{b}d) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt[3]{a}} \right)}{9\sqrt[3]{a}^{11/3}} - \frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x}}{18a^3(a+bx^3)^2 - 6a^2(a+bx^3)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^3), x]

[Out] $-c/(3*a^3*x^3) - d/(2*a^3*x^2) - e/(a^3*x) - (x*(b*d + b*e*x - (b^2*c*x^2)/a))/(6*a^2*(a + b*x^3)^2) - (x*(11*b*d + 10*b*e*x - (15*b^2*c*x^2)/a))/(18*a^3*(a + b*x^3)) + (2*b^(1/3)*(10*b^(1/3)*d + 7*a^(1/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(11/3)) - (3*b*c*Log[x])/a^4 - (2*b^(1/3)*(10*b^(1/3)*d - 7*a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(11/3)) + (b^(1/3)*(10*b^(1/3)*d - 7*a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(27*a^(11/3)) + (b*c*Log[a + b*x^3])/a^4$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^m_/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^4(a + bx^3)^3} dx &= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{\int \frac{-6bc - 6bdx - 6bex^2 + \frac{6b^2cx^3}{a} + \frac{5b^2dx^4}{a} + \frac{4b^2ex^5}{a} - \frac{3b^3cx^6}{a^2}}{x^4(a + bx^3)^2} dx}{6ab} \\
&= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} + \frac{\int \frac{18b^3c + 18b^3dx + 18b^3ex^2 - \frac{36b^4cx^3}{a} - \frac{22b^4dx^4}{a} - 10b^4ex^5}{x^4(a + bx^3)}}{18a^2b^3} \\
&= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} + \frac{\int \left(\frac{18b^3c}{ax^4} + \frac{18b^3d}{ax^3} + \frac{18b^3e}{ax^2} - \frac{54b^4c}{a^2x} - \frac{2b^4d}{a^2}\right)}{18a^2b^3} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} + \frac{2\sqrt[3]{b} (10\sqrt[3]{b}c)}{a^4}
\end{aligned}$$

Mathematica [A] time = 0.46, size = 255, normalized size = 0.86

$$-2\sqrt[3]{b} (10\sqrt[3]{a}\sqrt[3]{b}d - 7a^{2/3}c) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 4\sqrt[3]{b} (10\sqrt[3]{a}\sqrt[3]{b}d - 7a^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + \frac{9a^{2/3}b^{1/3}(a+bx)}{(a+bx)^2} + \frac{3ab(12a+(11d+10ex))}{a+bx} - 54bc \log(a + bx^3) - 4\sqrt[3]{3}\sqrt[3]{a}\sqrt[3]{b} (7\sqrt[3]{a}e + 10\sqrt[3]{b}d) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{a}}{\sqrt[3]{b}}}{\sqrt[3]{a}}\right) + \frac{18ac}{x^3} + \frac{27ad}{x^2} + \frac{54ae}{x} + 162bc \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^3), x]

[Out]
$$-1/54*((18*a*c)/x^3 + (27*a*d)/x^2 + (54*a*e)/x + (9*a^2*b*(c + x*(d + e*x)))/(a + b*x^3)^2 + (3*a*b*(12*c + x*(11*d + 10*e*x)))/(a + b*x^3) - 4*\sqrt{3}*a^{1/3}*b^{1/3}*(10*b^{1/3}*d + 7*a^{1/3}*e)*\text{ArcTan}[(1 - (2*b^{1/3}*x)/a^{1/3})/\sqrt{3}] + 162*b*c*\text{Log}[x] + 4*b^{1/3}*(10*a^{1/3}*b^{1/3}*d - 7*a^{2/3}*e)*\text{Log}[a^{1/3} + b^{1/3}*x] - 2*b^{1/3}*(10*a^{1/3}*b^{1/3}*d - 7*a^{2/3}*e)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2] - 54*b*c*\text{Log}[a + b*x^3])/a^4$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{x^4 (a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^3), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^3), x]

fricas [C] time = 1.69, size = 5550, normalized size = 18.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$-1/108*(168*a*b^2*e*x^8 + 120*a*b^2*d*x^7 + 108*a*b^2*c*x^6 + 294*a^2*b*e*x^5 + 192*a^2*b*d*x^4 + 162*a^2*b*c*x^3 + 108*a^3*e*x^2 + 54*a^3*d*x + 36*a^3*c + 2*(a^4*b^2*x^9 + 2*a^5*b*x^6 + a^6*x^3)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{1/3} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{1/3} - 54*b*c/a^4*\log(7/4*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{1/3} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{1/3} - 54*b*c/a^4)^2*a^8*e + 5400*b^2*c*d^2 + 5$$

$$\begin{aligned}
& 103*b^2*c^2*e + 3920*a*b*d*e^2 + (100*a^4*b*d^2 + 189*a^4*b*c*e)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4) + 4*(1000*b^2*d^3 + 343*a*b*e^3)*x) - (162*b^3*c*x^9 + 324*a*b^2*c*x^6 + 162*a^2*b*c*x^3 + (a^4*b^2*x^9 + 2*a^5*b*x^6 + a^6*x^3)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4) + 3*\sqrt{1/3}*(a^4*b^2*x^9 + 2*a^5*b*x^6 + a^6*x^3)*\sqrt{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4)^2*a^8 + 108*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4)*a^4*b*c + 2916*b^2*c^2 + 4480*a*b*d*e)/a^8))*\log(-7/4*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4)^2*a^8*e - 5400*b^2*c*d^2 - 5103*b^2*c^2*e - 3920*a*b*d*e^2 - (100*a^4*b*d^2 + 189*a^4*b*c*e)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4) + 8*(1000*b^2*d^3 + 343*a*b*e^3)*x + 3/4*\sqrt{1/3}*(7*(2*(1
\end{aligned}$$

$$\begin{aligned}
& /2)^{(2/3)} * (-I*\sqrt{3} + 1) * (729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a \\
& ^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c \\
& ^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 \\
& - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)} * (I*\sqrt{3} + 1) * (39366*b^3*c^ \\
& 3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e) \\
& *b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^ \\
& 2)/a^{12})^{(1/3)} - 54*b*c/a^4 * a^8*e - 400*a^4*b*d^2 + 378*a^4*b*c*e) * \sqrt{-(\\
& (2*(1/2)^{(2/3)} * (-I*\sqrt{3} + 1) * (729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d \\
& *e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729* \\
& b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200 \\
& *d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)} * (I*\sqrt{3} + 1) * (39366*b \\
& ^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b \\
& *d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e) \\
& *a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4)^2 * a^8 + 108*(2*(1/2)^{(2/3)} * (-I*\sqrt{3} + \\
& 1) * (729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} \\
& + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^ \\
& 12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12} \\
&)^{(1/3)} + (1/2)^{(1/3)} * (I*\sqrt{3} + 1) * (39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + \\
& 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c \\
& ^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/ \\
& a^4 * a^4*b*c + 2916*b^2*c^2 + 4480*a*b*d*e)/a^8)) - (162*b^3*c*x^9 + 324*a* \\
& b^2*c*x^6 + 162*a^2*b*c*x^3 + (a^4*b^2*x^9 + 2*a^5*b*x^6 + a^6*x^3) * (2*(1/2) \\
&)^{(2/3)} * (-I*\sqrt{3} + 1) * (729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8 \\
&)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 \\
& + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - \\
& 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)} * (I*\sqrt{3} + 1) * (39366*b^3*c^3/ \\
& a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b \\
& *c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2) \\
& /a^{12})^{(1/3)} - 54*b*c/a^4 - 3*\sqrt{1/3} * (a^4*b^2*x^9 + 2*a^5*b*x^6 + a^6*x \\
& ^3) * \sqrt{-((2*(1/2)^{(2/3)} * (-I*\sqrt{3} + 1) * (729*b^2*c^2/a^8 - (729*b^2*c^2 \\
& + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} \\
& - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^ \\
& 3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)} * (I*\sqrt{3} + \\
& 1) * (39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^ \\
& 2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - \\
& 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4)^2 * a^8 + 108*(2*(1/2)^{(2/3)} * (-I \\
& *\sqrt{3} + 1) * (729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^ \\
& 3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b* \\
& d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)* \\
& a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)} * (I*\sqrt{3} + 1) * (39366*b^3*c^3/a^{12} + 8*(1 \\
& 000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (\\
& 19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3} \\
&) - 54*b*c/a^4 * a^4*b*c + 2916*b^2*c^2 + 4480*a*b*d*e)/a^8)) * \log(-7/4 * (2*(1 \\
& /2)^{(2/3)} * (-I*\sqrt{3} + 1) * (729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a \\
& ^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c
\end{aligned}$$

$$b^2)^{(1/3)} * b * d - 7 * (-a * b^2)^{(2/3)} * e) * \arctan(1/3 * \sqrt{3} * (2 * x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}) / (a^4 * b) - 1/27 * (10 * (-a * b^2)^{(1/3)} * b * d + 7 * (-a * b^2)^{(2/3)} * e) * \log(x^2 + x * (-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / (a^4 * b) + 2/27 * (7 * a^5 * b^2 * (-a/b)^{(1/3)} * e + 10 * a^5 * b^2 * d) * (-a/b)^{(1/3)} * \log(\text{abs}(x - (-a/b)^{(1/3)})) / (a^9 * b) - 1/18 * (28 * a * b^2 * x^8 * e + 20 * a * b^2 * d * x^7 + 18 * a * b^2 * c * x^6 + 49 * a^2 * b * x^5 * e + 32 * a^2 * b * d * x^4 + 27 * a^2 * b * c * x^3 + 18 * a^3 * x^2 * e + 9 * a^3 * d * x + 6 * a^3 * c) / ((b * x^3 + a)^2 * a^4 * x^3)$$

maple [A] time = 0.06, size = 351, normalized size = 1.18

$$\frac{5b^2cx^5}{9(bx^3+a)^2a^3} - \frac{11b^2dx^4}{18(bx^3+a)^2a^3} - \frac{2b^2cx^3}{3(bx^3+a)^2a^3} - \frac{13bcx^2}{18(bx^3+a)^2a^2} - \frac{7bdcx}{9(bx^3+a)^2a^2} - \frac{5bc}{6(bx^3+a)^2a^2} - \frac{20\sqrt{3}d \arctan\left(\frac{\sqrt{3}\left(\frac{2x+1}{(bx^3+a)^{1/3}}\right)}{3}\right)}{27\left(\frac{bx^3+a}{3}\right)^2a^3} + \frac{20a \ln\left(x + \left(\frac{bx^3+a}{3}\right)^{1/3}\right)}{27\left(\frac{bx^3+a}{3}\right)^2a^3} + \frac{10a \ln\left(x^2 - \left(\frac{bx^3+a}{3}\right)^{1/3}x + \left(\frac{bx^3+a}{3}\right)^{2/3}\right)}{27\left(\frac{bx^3+a}{3}\right)^2a^3} - \frac{14\sqrt{3}e \arctan\left(\frac{\sqrt{3}\left(\frac{2x+1}{(bx^3+a)^{1/3}}\right)}{3}\right)}{27\left(\frac{bx^3+a}{3}\right)^2a^3} + \frac{14e \ln\left(x + \left(\frac{bx^3+a}{3}\right)^{1/3}\right)}{27\left(\frac{bx^3+a}{3}\right)^2a^3} - \frac{7e \ln\left(x^2 - \left(\frac{bx^3+a}{3}\right)^{1/3}x + \left(\frac{bx^3+a}{3}\right)^{2/3}\right)}{27\left(\frac{bx^3+a}{3}\right)^2a^3} - \frac{3bc \ln(x)}{a^4} + \frac{bc \ln(bx^3+a)}{a^4} - \frac{e}{a^3x} - \frac{d}{2a^3x^2} - \frac{c}{3a^3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x)

[Out] $-5/9/(b*x^3+a)^2/a^3*b^2*e*x^5 - 11/18/(b*x^3+a)^2/a^3*b^2*d*x^4 - 2/3/a^3*b^2/(b*x^3+a)^2*x^3*c - 13/18/a^2/(b*x^3+a)^2*x^2*b*e - 7/9/(b*x^3+a)^2/a^2*b*d*x - 5/6/(b*x^3+a)^2/a^2*b*c - 20/27/(a/b)^{(2/3)}/a^3*d*\ln(x+(a/b)^{(1/3)}) + 10/27/(a/b)^{(2/3)}/a^3*d*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) - 20/27/(a/b)^{(2/3)}*3^{(1/2)}/a^3*d*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) + 14/27/a^3*e/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)}) - 7/27/(a/b)^{(1/3)}/a^3*e*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) - 14/27*3^{(1/2)}/(a/b)^{(1/3)}/a^3*e*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) + 1/a^4*b*c*\ln(b*x^3+a) - 1/3/a^3*c/x^3 - 1/2/a^3*d/x^2 - 1/a^3*e/x - 3/a^4*b*c*\ln(x)$

maxima [A] time = 3.03, size = 283, normalized size = 0.95

$$\frac{28b^2cx^5 + 20b^2dx^4 + 18b^2cx^3 + 49abcx^2 + 32abdxc + 27abcx^3 + 18a^2cx^2 + 9a^2dx + 6a^2c}{18(a^3bx^3 + 2a^4bx^2 + a^5x)} \frac{3bc \log(x)}{a^4} - \frac{2\sqrt{3}\left(7ac\left(\frac{bx^3+a}{3}\right)^{1/3} + 10ad\left(\frac{bx^3+a}{3}\right)^{2/3}\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{bx^3+a}{3}\right)^{1/3}\right)}{3\left(\frac{bx^3+a}{3}\right)^{1/3}}\right)}{27a^5} + \frac{\left(27bc\left(\frac{bx^3+a}{3}\right)^{2/3} - 7ac\left(\frac{bx^3+a}{3}\right)^{1/3} + 10ad\right) \log\left(x^2 - x\left(\frac{bx^3+a}{3}\right)^{1/3} + \left(\frac{bx^3+a}{3}\right)^{2/3}\right)}{27a^4\left(\frac{bx^3+a}{3}\right)^{1/3}} + \frac{\left(27bc\left(\frac{bx^3+a}{3}\right)^{1/3} + 14ac\left(\frac{bx^3+a}{3}\right)^{2/3} - 20ad\right) \log\left(x + \left(\frac{bx^3+a}{3}\right)^{1/3}\right)}{27a^4\left(\frac{bx^3+a}{3}\right)^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $-1/18*(28*b^2*e*x^8 + 20*b^2*d*x^7 + 18*b^2*c*x^6 + 49*a*b*e*x^5 + 32*a*b*d*x^4 + 27*a*b*c*x^3 + 18*a^2*e*x^2 + 9*a^2*d*x + 6*a^2*c)/(a^3*b^2*x^9 + 2*a^4*b*x^6 + a^5*x^3) - 3*b*c*\log(x)/a^4 - 2/27*\sqrt{3}*(7*a*e*(a/b)^{(2/3)} + 10*a*d*(a/b)^{(1/3)})*b*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^5 + 1/27*(27*b*c*(a/b)^{(2/3)} - 7*a*e*(a/b)^{(1/3)} + 10*a*d)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^4*(a/b)^{(2/3)}) + 1/27*(27*b*c*(a/b)^{(2/3)} + 14*a*e*(a/b)^{(1/3)} - 20*a*d)*\log(x + (a/b)^{(1/3)})/(a^4*(a/b)^{(2/3)})$

mupad [B] time = 0.46, size = 870, normalized size = 2.92

$$3.305 \quad \int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^4} dx$$

Optimal. Leaf size=248

$$\frac{(5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{486a^{8/3}b^{5/3}} + \frac{(5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{8/3}b^{5/3}} - \frac{(4\sqrt[3]{a}e + 5\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{81\sqrt{3}a^{8/3}b^{5/3}}$$

Rubi [A] time = 0.24, antiderivative size = 248, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$, Rules used = {1823, 1855, 1860, 31, 634, 617, 204, 628}

$$-\frac{(5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{486a^{8/3}b^{5/3}} + \frac{(5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{8/3}b^{5/3}} - \frac{(4\sqrt[3]{a}e + 5\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{81\sqrt{3}a^{8/3}b^{5/3}} + \frac{x(5d + 8ex)}{162a^2b(a + bx^3)} - \frac{c + dx + ex^2}{9b(a + bx^3)^3} + \frac{x(d + 2ex)}{54ab(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^4, x]

[Out] $-(c + d*x + e*x^2)/(9*b*(a + b*x^3)^3) + (x*(d + 2*e*x))/(54*a*b*(a + b*x^3)^2) + (x*(5*d + 8*e*x))/(162*a^2*b*(a + b*x^3)) - ((5*b^{(1/3)}*d + 4*a^{(1/3)}*e)*ArcTan[(a^{(1/3)} - 2*b^{(1/3)}*x)/(Sqrt[3]*a^{(1/3)})]/(81*Sqrt[3]*a^{(8/3)}*b^{(5/3)}) + ((5*b^{(1/3)}*d - 4*a^{(1/3)}*e)*Log[a^{(1/3)} + b^{(1/3)}*x]/(243*a^{(8/3)}*b^{(5/3)}) - ((5*b^{(1/3)}*d - 4*a^{(1/3)}*e)*Log[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(486*a^{(8/3)}*b^{(5/3)}))$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1823

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(
a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*
(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && Eq
Q[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^4} dx &= -\frac{c+dx+ex^2}{9b(a+bx^3)^3} + \frac{\int \frac{d+2ex}{(a+bx^3)^3} dx}{9b} \\
&= -\frac{c+dx+ex^2}{9b(a+bx^3)^3} + \frac{x(d+2ex)}{54ab(a+bx^3)^2} - \frac{\int \frac{-5d-8ex}{(a+bx^3)^2} dx}{54ab} \\
&= -\frac{c+dx+ex^2}{9b(a+bx^3)^3} + \frac{x(d+2ex)}{54ab(a+bx^3)^2} + \frac{x(5d+8ex)}{162a^2b(a+bx^3)} + \frac{\int \frac{10d+8ex}{a+bx^3} dx}{162a^2b} \\
&= -\frac{c+dx+ex^2}{9b(a+bx^3)^3} + \frac{x(d+2ex)}{54ab(a+bx^3)^2} + \frac{x(5d+8ex)}{162a^2b(a+bx^3)} + \frac{\int \frac{\sqrt[3]{a}(20\sqrt[3]{b}d+8\sqrt[3]{a}e)+\sqrt[3]{b}(-10\sqrt[3]{b}x^2)}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{486a^{8/3}b^{4/3}} \\
&= -\frac{c+dx+ex^2}{9b(a+bx^3)^3} + \frac{x(d+2ex)}{54ab(a+bx^3)^2} + \frac{x(5d+8ex)}{162a^2b(a+bx^3)} + \frac{(5\sqrt[3]{b}d-4\sqrt[3]{a}e)\log(\sqrt[3]{a}+\sqrt[3]{bx^3})}{243a^{8/3}b^{5/3}} \\
&= -\frac{c+dx+ex^2}{9b(a+bx^3)^3} + \frac{x(d+2ex)}{54ab(a+bx^3)^2} + \frac{x(5d+8ex)}{162a^2b(a+bx^3)} + \frac{(5\sqrt[3]{b}d-4\sqrt[3]{a}e)\log(\sqrt[3]{a}+\sqrt[3]{bx^3})}{243a^{8/3}b^{5/3}} \\
&= -\frac{c+dx+ex^2}{9b(a+bx^3)^3} + \frac{x(d+2ex)}{54ab(a+bx^3)^2} + \frac{x(5d+8ex)}{162a^2b(a+bx^3)} - \frac{(5\sqrt[3]{b}d+4\sqrt[3]{a}e)\tan^{-1}\left(\frac{\sqrt[3]{a}-\sqrt[3]{bx^3}}{\sqrt{3}}\right)}{81\sqrt{3}a^{8/3}b^{5/3}}
\end{aligned}$$

Mathematica [A] time = 0.29, size = 230, normalized size = 0.93

$$\frac{\frac{(4\sqrt[3]{a}e-5\sqrt[3]{b}d)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{a^{8/3}} + \frac{2(5\sqrt[3]{b}d-4\sqrt[3]{a}e)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{a^{8/3}} - \frac{2\sqrt{3}(4\sqrt[3]{a}e+5\sqrt[3]{b}d)\tan^{-1}\left(\frac{1-\frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{a^{8/3}} + \frac{3b^{2/3}x(5d+8ex)}{a^2(a+bx^3)} - \frac{54b^{2/3}(c+x(d+ex))}{(a+bx^3)^3} + \frac{9b^{2/3}x(d+2ex)}{a(a+bx^3)^2}}{486b^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^4, x]

[Out] ((9*b^(2/3)*x*(d + 2*e*x))/(a*(a + b*x^3)^2) + (3*b^(2/3)*x*(5*d + 8*e*x))/(a^2*(a + b*x^3)) - (54*b^(2/3)*(c + x*(d + e*x)))/(a + b*x^3)^3 - (2*sqrt[3]*(5*b^(1/3)*d + 4*a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])

$$\frac{1}{a^{8/3}} + \frac{(2(5b^{1/3}d - 4a^{1/3}e)\text{Log}[a^{1/3} + b^{1/3}x])}{a^{8/3}} + \frac{((-5b^{1/3}d + 4a^{1/3}e)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])}{a^{8/3}} \frac{1}{(486b^{5/3})}$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2(c + dx + ex^2)}{(a + bx^3)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^4,x]

[Out] IntegrateAlgebraic[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^4, x]

fricas [C] time = 1.52, size = 2364, normalized size = 9.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="fricas")

[Out] $\frac{1}{972} \cdot (48b^2ex^8 + 30b^2d^2x^7 + 132ab^2ex^5 + 78ab^2d^2x^4 - 24a^2e^2x^2 - 60a^2d^2x - 108a^2c - 2(a^2b^4x^9 + 3a^3b^3x^6 + 3a^4b^2x^3 + a^5b)) \cdot ((\frac{1}{2})^{1/3} \cdot (I\sqrt{3} + 1) \cdot ((\frac{125bd^3 + 64ae^3}{a^8b^5}) + (\frac{125bd^3 - 64ae^3}{a^8b^5}))^{1/3} - 40(\frac{1}{2})^{2/3} \cdot d \cdot e \cdot (-I\sqrt{3} + 1) / (a^5b^3 \cdot ((\frac{125bd^3 + 64ae^3}{a^8b^5}) + (\frac{125bd^3 - 64ae^3}{a^8b^5}))^{1/3})) \cdot \log(((\frac{1}{2})^{1/3} \cdot (I\sqrt{3} + 1) \cdot ((\frac{125bd^3 + 64ae^3}{a^8b^5}) + (\frac{125bd^3 - 64ae^3}{a^8b^5}))^{1/3} - 40(\frac{1}{2})^{2/3} \cdot d \cdot e \cdot (-I\sqrt{3} + 1) / (a^5b^3 \cdot ((\frac{125bd^3 + 64ae^3}{a^8b^5}) + (\frac{125bd^3 - 64ae^3}{a^8b^5}))^{1/3}))^2 \cdot a^6b^3e - 25/2 \cdot ((\frac{1}{2})^{1/3} \cdot (I\sqrt{3} + 1) \cdot ((\frac{125bd^3 + 64ae^3}{a^8b^5}) + (\frac{125bd^3 - 64ae^3}{a^8b^5}))^{1/3} - 40(\frac{1}{2})^{2/3} \cdot d \cdot e \cdot (-I\sqrt{3} + 1) / (a^5b^3 \cdot ((\frac{125bd^3 + 64ae^3}{a^8b^5}) + (\frac{125bd^3 - 64ae^3}{a^8b^5}))^{1/3})) \cdot a^3b^2d^2 + 160ad^2e^2 + (125bd^3 + 64ae^3) \cdot x) + ((a^2b^4x^9 + 3a^3b^3x^6 + 3a^4b^2x^3 + a^5b)) \cdot ((\frac{1}{2})^{1/3} \cdot (I\sqrt{3} + 1) \cdot ((\frac{125bd^3 + 64ae^3}{a^8b^5}) + (\frac{125bd^3 - 64ae^3}{a^8b^5}))^{1/3} - 40(\frac{1}{2})^{2/3} \cdot d \cdot e \cdot (-I\sqrt{3} + 1) / (a^5b^3 \cdot ((\frac{125bd^3 + 64ae^3}{a^8b^5}) + (\frac{125bd^3 - 64ae^3}{a^8b^5}))^{1/3})) + 3\sqrt{1/3} \cdot (a^2b^4x^9 + 3a^3b^3x^6 + 3a^4b^2x^3 + a^5b) \cdot \sqrt{-((\frac{1}{2})^{1/3} \cdot (I\sqrt{3} + 1) \cdot ((\frac{125bd^3 + 64ae^3}{a^8b^5}) + (\frac{125bd^3 - 64ae^3}{a^8b^5}))^{1/3} - 40(\frac{1}{2})^{2/3} \cdot d \cdot e \cdot (-I\sqrt{3} + 1) / (a^5b^3 \cdot ((\frac{125bd^3 + 64ae^3}{a^8b^5}) + (\frac{125bd^3 - 64ae^3}{a^8b^5}))^{1/3}))^2 \cdot a^5b^3 + 320d^2e) / (a^5b^3)) \cdot \log(-((\frac{1}{2})^{1/3} \cdot (I\sqrt{3} + 1) \cdot ((\frac{125bd^3 + 64ae^3}{a^8b^5}) + (\frac{125bd^3 - 64ae^3}{a^8b^5}))^{1/3} - 40(\frac{1}{2})^{2/3} \cdot d \cdot e \cdot (-I\sqrt{3} + 1) / (a^5b^3 \cdot ((\frac{125bd^3 + 64ae^3}{a^8b^5}) + (\frac{125bd^3 - 64ae^3}{a^8b^5}))^{1/3}))^2 \cdot a^6b^3$

$$\begin{aligned}
& *e + 25/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + \\
& (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)}*d*e*(-I*\text{sqrt}(3) + \\
& 1)/(a^5*b^3*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8 \\
& *b^5))^{(1/3)})) * a^3*b^2*d^2 - 160*a*d*e^2 + 2*(125*b*d^3 + 64*a*e^3)*x + 3/2 \\
& * \text{sqrt}(1/3) * (2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) \\
&) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)}*d*e*(-I*\text{sqrt}(3) \\
&) + 1)/(a^5*b^3*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/ \\
& (a^8*b^5))^{(1/3)})) * a^6*b^3*e + 25*a^3*b^2*d^2 * \text{sqrt}(-(((1/2)^{(1/3)}*(I*\text{sqrt}(\\
& 3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5 \\
&))^{(1/3)} - 40*(1/2)^{(2/3)}*d*e*(-I*\text{sqrt}(3) + 1)/(a^5*b^3*((125*b*d^3 + 64*a* \\
& e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)}))^{2*a^5*b^3 + 320* \\
& d*e)/(a^5*b^3)) + ((a^2*b^4*x^9 + 3*a^3*b^3*x^6 + 3*a^4*b^2*x^3 + a^5*b)*(\\
& (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 \\
& - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)}*d*e*(-I*\text{sqrt}(3) + 1)/(a^5*b^3 \\
& *((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3} \\
&))) - 3*\text{sqrt}(1/3)*(a^2*b^4*x^9 + 3*a^3*b^3*x^6 + 3*a^4*b^2*x^3 + a^5*b)*\text{sq} \\
& \text{rt}(-(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b \\
& *d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)}*d*e*(-I*\text{sqrt}(3) + 1)/(a^ \\
& 5*b^3*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5)) \\
& ^{(1/3)}))^{2*a^5*b^3 + 320*d*e)/(a^5*b^3)) * \log(-((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1) \\
& *((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3} \\
&) - 40*(1/2)^{(2/3)}*d*e*(-I*\text{sqrt}(3) + 1)/(a^5*b^3*((125*b*d^3 + 64*a*e^3)/(a \\
& ^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)}))^{2*a^6*b^3*e + 25/2*((1/ \\
& 2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 6 \\
& 4*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)}*d*e*(-I*\text{sqrt}(3) + 1)/(a^5*b^3*((\\
& 125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)})) \\
& * a^3*b^2*d^2 - 160*a*d*e^2 + 2*(125*b*d^3 + 64*a*e^3)*x - 3/2*\text{sqrt}(1/3)*(2* \\
& ((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 \\
& - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40*(1/2)^{(2/3)}*d*e*(-I*\text{sqrt}(3) + 1)/(a^5*b^ \\
& 3*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/ \\
& 3)})) * a^6*b^3*e + 25*a^3*b^2*d^2 * \text{sqrt}(-(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((125* \\
& b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)} - 40* \\
& (1/2)^{(2/3)}*d*e*(-I*\text{sqrt}(3) + 1)/(a^5*b^3*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) \\
& + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^{(1/3)}))^{2*a^5*b^3 + 320*d*e)/(a^5*b^3) \\
&)))/(a^2*b^4*x^9 + 3*a^3*b^3*x^6 + 3*a^4*b^2*x^3 + a^5*b)
\end{aligned}$$

giac [A] time = 0.21, size = 242, normalized size = 0.98

$$\frac{\sqrt{3} \left(5bd - 4(-ab^2)^{\frac{1}{3}}e \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{243(-ab^2)^{\frac{2}{3}}a^2b} - \frac{\left(5bd + 4(-ab^2)^{\frac{1}{3}}e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) - \left(4 \left(-\frac{a}{b} \right)^{\frac{1}{3}}e + 5d \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{486(-ab^2)^{\frac{2}{3}}a^2b} - \frac{\left(4 \left(-\frac{a}{b} \right)^{\frac{1}{3}}e + 5d \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{243a^3b} + \frac{8b^2x^5e + 5b^2dx^7 + 22abx^5e + 13abd^4x^4 - 4a^2x^2e - 10a^2dx - 18a^2c}{162(bx^3 + a)^{\frac{3}{2}}a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="giac")

[Out] $-1/243*\sqrt{3}*(5*b*d - 4*(-a*b^2)^{(1/3)}*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^2*b) - 1/486*(5*b*d + 4*(-a*b^2)^{(1/3)}*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^2*b) - 1/243*(4*(-a/b)^{(1/3)}*e + 5*d)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^3*b + 1/162*(8*b^2*x^8*e + 5*b^2*d*x^7 + 22*a*b*x^5*e + 13*a*b*d*x^4 - 4*a^2*x^2*e - 10*a^2*d*x - 18*a^2*c)/((b*x^3 + a)^3*a^2*b)$

maple [A] time = 0.06, size = 275, normalized size = 1.11

$$\frac{5\sqrt{3}d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{243\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b^2} + \frac{5d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{243\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b^2} - \frac{5d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{486\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b^2} + \frac{4\sqrt{3}e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{243\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2b^2} - \frac{4e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{243\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2b^2} + \frac{2e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{243\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2b^2} + \frac{4bx^8 + 5bdx^7 + 11ex^5 + 13dx^4 - 2cx^2 - 5dx - c}{81a^2 + 162a^2 + 81a + 162a + 81b - 81b - 81b - 9b} \frac{1}{(bx^3 + a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^2*(e*x^2+d*x+c)/(b*x^3+a)^4,x)$

[Out] $(4/81/a^2*b*e*x^8+5/162/a^2*d*b*x^7+11/81/a*e*x^5+13/162/a*d*x^4-2/81/b*e*x^2-5/81/b*d*x-1/9/b*c)/(b*x^3+a)^3+5/243/a^2/b^2*d/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-5/486/a^2/b^2*d/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+5/243/a^2/b^2*d/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-4/243/a^2/b^2*e/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+2/243/a^2/b^2*e/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+4/243/a^2/b^2*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$

maxima [A] time = 3.01, size = 248, normalized size = 1.00

$$\frac{8b^2ex^8 + 5b^2dx^7 + 22abex^5 + 13abd^2x^4 - 4a^2ex^2 - 10a^2dx - 18a^2c}{162(a^2b^4x^9 + 3a^3b^3x^6 + 3a^4b^2x^3 + a^5b)} + \frac{\sqrt{3}\left(4e\left(\frac{a}{b}\right)^{\frac{1}{3}} + 5d\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243a^2b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(4e\left(\frac{a}{b}\right)^{\frac{1}{3}} - 5d\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{486a^2b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(4e\left(\frac{a}{b}\right)^{\frac{1}{3}} - 5d\right)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{243a^2b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^2*(e*x^2+d*x+c)/(b*x^3+a)^4,x, \text{algorithm}=\text{"maxima"})$

[Out] $1/162*(8*b^2*e*x^8 + 5*b^2*d*x^7 + 22*a*b*e*x^5 + 13*a*b*d*x^4 - 4*a^2*e*x^2 - 10*a^2*d*x - 18*a^2*c)/(a^2*b^4*x^9 + 3*a^3*b^3*x^6 + 3*a^4*b^2*x^3 + a^5*b) + 1/243*\sqrt{3}*(4*e*(a/b)^{(1/3)} + 5*d)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^2*b^2*(a/b)^{(2/3)}) + 1/486*(4*e*(a/b)^{(1/3)} - 5*d)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^2*b^2*(a/b)^{(2/3)}) - 1/243*(4*e*(a/b)^{(1/3)} - 5*d)*\log(x + (a/b)^{(1/3)})/(a^2*b^2*(a/b)^{(2/3)})$

mupad [B] time = 0.27, size = 253, normalized size = 1.02

$$\frac{\int_{-1}^x \left(\frac{20dx + 16e^2x + \text{root}\left(14348907a^6b^2z^3 + 14580a^3b^2d^2z - 125b^4d^3 + 64a^2c^2, z, k\right)^2 a^6 b^3 59049 + \text{root}\left(14348907a^6b^2z^3 + 14580a^3b^2d^2z - 125b^4d^3 + 64a^2c^2, z, k\right)}{a^4 b^6 6561} \right) \text{root}\left(14348907a^6b^2z^3 + 14580a^3b^2d^2z - 125b^4d^3 + 64a^2c^2, z, k\right)}{\int_{-1}^x \left(\frac{13dx^4 - c}{162a - 9b} - \frac{8dx^3 - 5dx^2 - 5dx + 5bd^2 + 4bx^8}{a^3 + 3a^2b^2x^3 + 3a^4b^2x^6 + b^5x^9} \right) \text{root}\left(14348907a^6b^2z^3 + 14580a^3b^2d^2z - 125b^4d^3 + 64a^2c^2, z, k\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^2*(c + d*x + e*x^2))/(a + b*x^3)^4, x)$

[Out] $\text{symsum}(\log((20*d*e + 16*e^2*x + 59049*\text{root}(14348907*a^8*b^5*z^3 + 14580*a^3*b^2*d*e*z - 125*b*d^3 + 64*a*e^3, z, k)^2*a^5*b^3 + 1215*\text{root}(14348907*a^8*b^5*z^3 + 14580*a^3*b^2*d*e*z - 125*b*d^3 + 64*a*e^3, z, k)*a^2*b^2*d*x)/(6561*a^4*b))*\text{root}(14348907*a^8*b^5*z^3 + 14580*a^3*b^2*d*e*z - 125*b*d^3 + 64*a*e^3, z, k), k, 1, 3) + ((13*d*x^4)/(162*a) - c/(9*b) + (11*e*x^5)/(81*a) - (2*e*x^2)/(81*b) - (5*d*x)/(81*b) + (5*b*d*x^7)/(162*a^2) + (4*b*e*x^8)/(81*a^2))/(a^3 + b^3*x^9 + 3*a^2*b*x^3 + 3*a*b^2*x^6)$

sympy [A] time = 17.94, size = 201, normalized size = 0.81

$\text{RootSum}\left(14348907t^3a^8b^5 + 14580ta^3b^2de + 64ae^3 - 125bd^3, \left(t \mapsto t \log\left(x + \frac{236196t^2a^6b^3e + 6075ta^3b^2d^2 + 160ade^2}{64ae^3 + 125bd^3}\right)\right)\right) + \frac{-18a^2c - 10a^2dx - 4a^2ex^2 + 13abd^4 + 22abex^5 + 5b^2dx^7 + 8b^2ex^8}{162a^5b + 486a^4b^2x^3 + 486a^3b^3x^6 + 162a^2b^4x^9}$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^{**2}*(e*x^{**2}+d*x+c)/(b*x^{**3}+a)^{**4}, x)$

[Out] $\text{RootSum}(14348907*_t^{**3}*a^{**8}*b^{**5} + 14580*_t*a^{**3}*b^{**2}*d*e + 64*a*e^{**3} - 125*b*d^{**3}, \text{Lambda}(_t, _t*\log(x + (236196*_t^{**2}*a^{**6}*b^{**3}*e + 6075*_t*a^{**3}*b^{**2}*d^{**2} + 160*a*d*e^{**2})/(64*a*e^{**3} + 125*b*d^{**3})))) + (-18*a^{**2}*c - 10*a^{**2}*d*x - 4*a^{**2}*e*x^{**2} + 13*a*b*d*x^{**4} + 22*a*b*e*x^{**5} + 5*b^{**2}*d*x^{**7} + 8*b^{**2}*e*x^{**8})/(162*a^{**5}*b + 486*a^{**4}*b^{**2}*x^{**3} + 486*a^{**3}*b^{**3}*x^{**6} + 162*a^{**2}*b^{**4}*x^{**9})$

$$3.306 \quad \int \frac{x(c+dx+ex^2)}{(a+bx^3)^4} dx$$

Optimal. Leaf size=270

$$\frac{(14b^{2/3}c - 5a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{486a^{10/3}b^{4/3}} - \frac{(14b^{2/3}c - 5a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{243a^{10/3}b^{4/3}} - \frac{(5a^{2/3}e + 14b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a-2\sqrt[3]{b}x}}{\sqrt[3]{a}}\right)}{81\sqrt[3]{a}^{10/3}b^{4/3}}$$

Rubi [A] time = 0.25, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1828, 1854, 1855, 1860, 31, 634, 617, 204, 628}

$$\frac{(14b^{2/3}c - 5a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{486a^{10/3}b^{4/3}} - \frac{(14b^{2/3}c - 5a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{243a^{10/3}b^{4/3}} - \frac{(5a^{2/3}e + 14b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a-2\sqrt[3]{b}x}}{\sqrt[3]{a}}\right)}{81\sqrt[3]{a}^{10/3}b^{4/3}} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a+bx^2)^2} + \frac{x(5ae + 28bcx)}{162a^3b(a+bx^3)} - \frac{x(ae - bcx - bdx^2)}{9ab(a+bx^3)^3}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2))/(a + b*x^3)^4, x]

[Out] -(x*(a*e - b*c*x - b*d*x^2))/(9*a*b*(a + b*x^3)^3) + (x*(5*a*e + 28*b*c*x))/(162*a^3*b*(a + b*x^3)) - (6*a*d - x*(a*e + 7*b*c*x))/(54*a^2*b*(a + b*x^3)^2) - ((14*b^(2/3)*c + 5*a^(2/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(81*Sqrt[3]*a^(10/3)*b^(4/3)) - ((14*b^(2/3)*c - 5*a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x])/(243*a^(10/3)*b^(4/3)) + ((14*b^(2/3)*c - 5*a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(486*a^(10/3)*b^(4/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(−1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(−1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \ :> \ \text{Simp}[\frac{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]}{b}, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \ :> \ \text{Dist}[\frac{2*c*d - b*e}{2*c}, \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1828

$\text{Int}[(Pq_)*(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \ :> \ \text{With}[\{q = m + \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[(a + b*x^n)^{(p + 1)*\text{ExpandToSum}[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] \ /; \ \text{GeQ}[q, n] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 1854

$\text{Int}[(Pq_)*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \ :> \ \text{Module}[\{q = \text{Expon}[Pq, x], i\}, \text{Simp}[\frac{(a*\text{Coeff}[Pq, x, q] - b*x*\text{ExpandToSum}[Pq - \text{Coeff}[Pq, x, q]*x^q, x])*(a + b*x^n)^{(p + 1)}}{(a*b*n*(p + 1))}, x] + \text{Dist}[1/(a*n*(p + 1)), \text{Int}[\text{Sum}[(n*(p + 1) + i + 1)*\text{Coeff}[Pq, x, i]*x^i, \{i, 0, q - 1\}]*(a + b*x^n)^{(p + 1)}, x], x] \ /; \ q == n - 1] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1]$

Rule 1855

$\text{Int}[(Pq_)*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \ :> \ -\text{Simp}[(x*Pq*(a + b*x^n)^{(p + 1)})/(a*n*(p + 1)), x] + \text{Dist}[1/(a*n*(p + 1)), \text{Int}[\text{ExpandToSum}[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^{(p + 1)}, x], x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{LtQ}[\text{Expon}[Pq, x], n - 1]$

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2)}{(a + bx^3)^4} dx &= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} - \frac{\int \frac{-ae - 7bcx - 6bdx^2}{(a + bx^3)^3} dx}{9ab} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} + \frac{\int \frac{5ae + 28bcx}{(a + bx^3)^2} dx}{54a^2b} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} + \frac{x(5ae + 28bcx)}{162a^3b(a + bx^3)} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} - \frac{\int \frac{-10ae - 28bcx}{a + bx^3} dx}{162a^3b} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} + \frac{x(5ae + 28bcx)}{162a^3b(a + bx^3)} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} - \frac{\int \frac{\sqrt[3]{a}(-28\sqrt[3]{a}bc - 20a\sqrt[3]{b}e)}{a^{2/3} - \sqrt[3]{a}} dx}{486a} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} + \frac{x(5ae + 28bcx)}{162a^3b(a + bx^3)} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} - \frac{(14b^{2/3}c - 5a^{2/3}e) \log}{243a^{10/3}b^4} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} + \frac{x(5ae + 28bcx)}{162a^3b(a + bx^3)} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} - \frac{(14b^{2/3}c - 5a^{2/3}e) \log}{243a^{10/3}b^4} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} + \frac{x(5ae + 28bcx)}{162a^3b(a + bx^3)} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} - \frac{(14b^{2/3}c + 5a^{2/3}e) \tan^{-1}}{81\sqrt{3}a^{10/3}b^4}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 241, normalized size = 0.89

$$\frac{a^{2/3} \sqrt[3]{b} (14b^{2/3}c - 5a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx + b^{2/3}x^2}) - 2\sqrt{3}a^{2/3} \sqrt[3]{b} (5a^{2/3}e + 14b^{2/3}c) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{bx}}{\sqrt[3]{a}}}{\sqrt{3}}\right) + 2(5a^{4/3} \sqrt[3]{b}e - 14a^{2/3}bc) \log(\sqrt[3]{a} + \sqrt[3]{bx}) + \frac{3ab^{2/3}(-2a^2(9d+5cx) + a^2bx^2(67c+13cx^2) + ab^2x^5(77c+5cx^2) + 28b^3cx^8)}{(a+bx^3)^3}}{486a^4b^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2))/(a + b*x^3)^4,x]

[Out] ((3*a*b^(2/3)*(28*b^3*c*x^8 - 2*a^3*(9*d + 5*e*x) + a*b^2*x^5*(77*c + 5*e*x^2) + a^2*b*x^2*(67*c + 13*e*x^2)))/(a + b*x^3)^3 - 2*sqrt[3]*a^(2/3)*b^(1/3)*(14*b^(2/3)*c + 5*a^(2/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 2*(-14*a^(2/3)*b*c + 5*a^(4/3)*b^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x] + a^(2/3)*b^(1/3)*(14*b^(2/3)*c - 5*a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(486*a^4*b^(5/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(c + dx + ex^2)}{(a + bx^3)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(c + d*x + e*x^2))/(a + b*x^3)^4,x]

[Out] IntegrateAlgebraic[(x*(c + d*x + e*x^2))/(a + b*x^3)^4, x]

fricas [C] time = 1.45, size = 2646, normalized size = 9.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="fricas")

[Out] 1/972*(168*b^3*c*x^8 + 30*a*b^2*e*x^7 + 462*a*b^2*c*x^5 + 78*a^2*b*e*x^4 + 402*a^2*b*c*x^2 - 60*a^3*e*x - 108*a^3*d - 2*(a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3)/(a^10*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b^4))^(1/3) - 140*(1/2)^(2/3)*c*e*(-I*sqrt(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^10*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b^4))^(1/3))) * log(7/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3)/(a^10*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b^4))^(1/3) - 140*(1/2)^(2/3)*c*e*(-I*sqrt(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^10*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b^4))^(1/3)))^2*a^7*b^3*c - 25/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3)/(a^10*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b^4))^(1/3) - 140*(1/2)^(2/3)*c*e*(-I*sqrt(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^10*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b^4))^(1/3))) * a^5*b*e^2 + 1960*a*b*c^2*e + (2744*b^2*c^3 + 125*a^2*e^3)*x) + ((a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3)/(a^10*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b^4))^(1/3) - 140*(1/2)^(2/3)*c*e*(-I*sqrt(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^10*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b^4))^(1/3))) + 3*sqrt(1/3)*(a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)*sq

$$\begin{aligned}
& \text{rt}(-(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) \\
& - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(-I* \\
& \text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 \\
& - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)}))^{2*a^6*b^2 + 1120*c*e)/(a^6*b^2))) * \text{lo} \\
& \text{g}(-7/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) \\
& - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(- \\
& I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 \\
& - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)}))^{2*a^7*b^3*c + 25/2*((1/2)^{(1/3)}*(I \\
& *\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 12 \\
& 5*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^2 \\
& *((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(\\
& a^{10}*b^4))^{(1/3)})) * a^5*b*e^2 - 1960*a*b*c^2*e + 2*(2744*b^2*c^3 + 125*a^2*e \\
& ^3)*x + 3/2*\text{sqrt}(1/3)*(7*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125* \\
& a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 140* \\
& (1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^ \\
& 10*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)})) * a^7*b^3*c + 25*a \\
& ^5*b*e^2)*\text{sqrt}(-(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3) \\
& / (a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 140*(1/2)^{(2 \\
& /3)*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) \\
& - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)}))^{2*a^6*b^2 + 1120*c*e)/(a \\
& ^6*b^2))) + ((a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)*((1/2)^{(\\
& 1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c \\
& ^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/ \\
& (a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2 \\
& *e^3)/(a^{10}*b^4))^{(1/3)})) - 3*\text{sqrt}(1/3)*(a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^ \\
& 5*b^2*x^3 + a^6*b)*\text{sqrt}(-(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125 \\
& *a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 140 \\
& *(1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a \\
& ^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)}))^{2*a^6*b^2 + 112 \\
& 0*c*e)/(a^6*b^2))) * \text{log}(-7/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 1 \\
& 25*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 1 \\
& 40*(1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/ \\
& (a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)}))^{2*a^7*b^3*c + \\
& 25/2*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) \\
& - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(-I \\
& *\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2 \\
& *c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)})) * a^5*b*e^2 - 1960*a*b*c^2*e + 2*(274 \\
& 4*b^2*c^3 + 125*a^2*e^3)*x - 3/2*\text{sqrt}(1/3)*(7*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)* \\
& ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^ \\
& 10*b^4))^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c \\
& ^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/ \\
& 3)})) * a^7*b^3*c + 25*a^5*b*e^2)*\text{sqrt}(-(((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((2744*b \\
& ^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4)) \\
& ^{(1/3)} - 140*(1/2)^{(2/3)}*c*e*(-I*\text{sqrt}(3) + 1)/(a^6*b^2*((2744*b^2*c^3 + 125 \\
& *a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)}))^{2*a
\end{aligned}$$

$$\sqrt[6]{b^2 + 1120*c*e)/(a^6*b^2)))/(a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)$$

giac [A] time = 0.24, size = 244, normalized size = 0.90

$$\frac{\sqrt{3} \left(5ae - 14 \left(-ab^2 \right)^{\frac{1}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{243 \left(-ab^2 \right)^{\frac{2}{3}} a^3} - \frac{\left(5ae + 14 \left(-ab^2 \right)^{\frac{1}{3}} c \right) \log \left(x^2 + x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{486 \left(-ab^2 \right)^{\frac{2}{3}} a^3} - \frac{\left(14bc \left(\frac{a}{b} \right)^{\frac{1}{3}} + 5ae \right) \left(\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{243 a^4 b} + \frac{28b^3cx^8 + 5ab^2cx^7e + 77ab^2cx^5 + 13a^2bcx^4e + 67a^2bcx^2 - 10a^3xe - 18a^3d}{162 \left(bx^3 + a \right)^3 a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="giac")

[Out] $-1/243*\sqrt{3}*(5*a*e - 14*(-a*b^2)^{(1/3)}*c)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^3) - 1/486*(5*a*e + 14*(-a*b^2)^{(1/3)}*c)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^3) - 1/243*(14*b*c*(-a/b)^{(1/3)} + 5*a*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a^4*b) + 1/162*(28*b^3*c*x^8 + 5*a*b^2*x^7*e + 77*a*b^2*c*x^5 + 13*a^2*b*x^4*e + 67*a^2*b*c*x^2 - 10*a^3*x*e - 18*a^3*d)/((b*x^3 + a)^3*a^3*b)$

maple [A] time = 0.06, size = 278, normalized size = 1.03

$$\frac{5\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{243 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2 b^2} + \frac{5e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{243 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2 b^2} - \frac{5e \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{486 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2 b^2} + \frac{14\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{243 \left(\frac{a}{b} \right)^{\frac{1}{3}} a^3 b} - \frac{14c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{243 \left(\frac{a}{b} \right)^{\frac{1}{3}} a^3 b} + \frac{7c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{243 \left(\frac{a}{b} \right)^{\frac{1}{3}} a^3 b} + \frac{\frac{14d^2cx^8}{81a^3} + \frac{5bcx^7}{162a^2} + \frac{77bcx^5}{162a^2} + \frac{13cx^4}{162a} + \frac{67cx^2}{162a} - \frac{5cx}{81b} - \frac{d}{9b}}{\left(bx^3 + a \right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)/(b*x^3+a)^4,x)

[Out] $(14/81*c/a^3*b^2*x^8+5/162/a^2*b*e*x^7+77/162/a^2*b*c*x^5+13/162/a*e*x^4+67/162/a*c*x^2-5/81/b*e*x-1/9/b*d)/(b*x^3+a)^3+5/243/a^2/b^2*e/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-5/486/a^2/b^2*e/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+5/243/a^2/b^2*e/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-14/243/a^3/b*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+7/243/a^3/b*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+14/243/a^3/b*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$

maxima [A] time = 3.03, size = 260, normalized size = 0.96

$$\frac{28b^3cx^8 + 5ab^2cx^7 + 77ab^2cx^5 + 13a^2bcx^4 + 67a^2bcx^2 - 10a^3ex - 18a^3d}{162 \left(a^3b^4x^9 + 3a^4b^3x^6 + 3a^5b^2x^3 + a^6b \right)} + \frac{\sqrt{3} \left(14bc \left(\frac{a}{b} \right)^{\frac{1}{3}} + 5ae \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{243 a^3 b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(14bc \left(\frac{a}{b} \right)^{\frac{1}{3}} - 5ae \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{486 a^3 b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(14bc \left(\frac{a}{b} \right)^{\frac{1}{3}} - 5ae \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{243 a^3 b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="maxima")

```
[Out] 1/162*(28*b^3*c*x^8 + 5*a*b^2*e*x^7 + 77*a*b^2*c*x^5 + 13*a^2*b*e*x^4 + 67*
a^2*b*c*x^2 - 10*a^3*e*x - 18*a^3*d)/(a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b
^2*x^3 + a^6*b) + 1/243*sqrt(3)*(14*b*c*(a/b)^(1/3) + 5*a*e)*arctan(1/3*sqrt
(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^3*b^2*(a/b)^(2/3)) + 1/486*(14*b*c
*(a/b)^(1/3) - 5*a*e)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^3*b^2*(a/b)
^(2/3)) - 1/243*(14*b*c*(a/b)^(1/3) - 5*a*e)*log(x + (a/b)^(1/3))/(a^3*b^2*
(a/b)^(2/3))
```

mupad [B] time = 0.24, size = 265, normalized size = 0.98

$$\frac{\frac{67ax^2 - d}{162} + \frac{13a^2e}{162} - \frac{5ax}{162} + \frac{14b^2c}{162} + \frac{77a^2}{162} + \frac{5a^2}{162}}{a^3 + 3a^2bx^3 + 3ab^2x^6 + b^3x^9} + \left(\sum_{k=1}^3 \left(\frac{70ace + \text{root}(14348907a^{10}b^4z^3 + 51030a^4b^2cex - 125a^2e^3 + 2744b^2c^3, z, k)^2 a^7 b^2 + 196b^2c^2x + 1215\text{root}(14348907a^{10}b^4z^3 + 51030a^4b^2cex - 125a^2e^3 + 2744b^2c^3, z, k)a^4 b e x}{6561} \right) \text{root}(14348907a^{10}b^4z^3 + 51030a^4b^2cex - 125a^2e^3 + 2744b^2c^3, z, k) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(c + d*x + e*x^2))/(a + b*x^3)^4, x)
```

```
[Out] ((67*c*x^2)/(162*a) - d/(9*b) + (13*e*x^4)/(162*a) - (5*e*x)/(81*b) + (14*b
^2*c*x^8)/(81*a^3) + (77*b*c*x^5)/(162*a^2) + (5*b*e*x^7)/(162*a^2))/(a^3 +
b^3*x^9 + 3*a^2*b*x^3 + 3*a*b^2*x^6) + symsum(log((70*a*c*e + 59049*root(1
4348907*a^10*b^4*z^3 + 51030*a^4*b^2*c*e*z - 125*a^2*e^3 + 2744*b^2*c^3, z,
k)^2*a^7*b^2 + 196*b*c^2*x + 1215*root(14348907*a^10*b^4*z^3 + 51030*a^4*b
^2*c*e*z - 125*a^2*e^3 + 2744*b^2*c^3, z, k)*a^4*b*e*x)/(6561*a^6))*root(14
348907*a^10*b^4*z^3 + 51030*a^4*b^2*c*e*z - 125*a^2*e^3 + 2744*b^2*c^3, z,
k), k, 1, 3)
```

sympy [A] time = 8.79, size = 214, normalized size = 0.79

$$\text{RootSum}\left(14348907t^3a^{10}b^4 + 51030ta^4b^2ce - 125a^2e^3 + 2744b^2c^3, \left(t \mapsto t \log\left(x + \frac{826686t^2a^7b^3c + 6075ta^5be^2 + 1960abc^2e}{125a^2e^3 + 2744b^2c^3}\right)\right) + \frac{-18a^3d - 10a^3ex + 67a^2bcx^2 + 13a^2bcx^4 + 77ab^2cx^5 + 5ab^2ex^7 + 28b^3cx^8}{162a^6b + 486a^5b^2x^3 + 486a^4b^3x^6 + 162a^3b^4x^9}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x**2+d*x+c)/(b*x**3+a)**4, x)
```

```
[Out] RootSum(14348907*_t**3*a**10*b**4 + 51030*_t*a**4*b**2*c*e - 125*a**2*e**3
+ 2744*b**2*c**3, Lambda(_t, _t*log(x + (826686*_t**2*a**7*b**3*c + 6075*_t
*a**5*b*e**2 + 1960*a*b*c**2*e)/(125*a**2*e**3 + 2744*b**2*c**3)))) + (-18*
a**3*d - 10*a**3*e*x + 67*a**2*b*c*x**2 + 13*a**2*b*e*x**4 + 77*a*b**2*c*x
*5 + 5*a*b**2*e*x**7 + 28*b**3*c*x**8)/(162*a**6*b + 486*a**5*b**2*x**3 + 4
86*a**4*b**3*x**6 + 162*a**3*b**4*x**9)
```

$$3.307 \quad \int \frac{c+dx+ex^2}{(a+bx^3)^4} dx$$

Optimal. Leaf size=250

$$\frac{(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}d + 20\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a-2\sqrt[3]{b}x}}{\sqrt{3}\sqrt[3]{a}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

Rubi [A] time = 0.22, antiderivative size = 250, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1854, 1855, 1860, 31, 634, 617, 204, 628}

$$-\frac{(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}d + 20\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a-2\sqrt[3]{b}x}}{\sqrt{3}\sqrt[3]{a}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}} + \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^3)^4, x]

[Out] (x*(8*c + 7*d*x))/(54*a^2*(a + b*x^3)^2) + (2*x*(10*c + 7*d*x))/(81*a^3*(a + b*x^3)) - (a*e - b*x*(c + d*x))/(9*a*b*(a + b*x^3)^3) - (2*(20*b^(1/3)*c + 7*a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(81*Sqrt[3]*a^(11/3)*b^(2/3)) + (2*(20*b^(1/3)*c - 7*a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(243*a^(11/3)*b^(2/3)) - ((20*b^(1/3)*c - 7*a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(243*a^(11/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a + bx^3)^4} dx &= -\frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} - \frac{\int \frac{-8c-7dx}{(a+bx^3)^3} dx}{9a} \\
&= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} + \frac{\int \frac{40c+28dx}{(a+bx^3)^2} dx}{54a^2} \\
&= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} - \frac{\int \frac{-80c-28dx}{a+bx^3} dx}{162a^3} \\
&= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} - \frac{\int \frac{\sqrt[3]{a}(-160\sqrt[3]{b}c-28\sqrt[3]{a}d)+\sqrt[3]{b}(80\sqrt[3]{b}c-28\sqrt[3]{a}d)}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{486a^{11/3}\sqrt[3]{b}} \\
&= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} \\
&= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} \\
&= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} - \frac{2(20\sqrt[3]{b}c + 7\sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 239, normalized size = 0.96

$$\frac{\frac{2(7a^{2/3}d-20\sqrt[3]{a}\sqrt[3]{b}c)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{b^{2/3}} + \frac{4(20\sqrt[3]{a}\sqrt[3]{b}c-7a^{2/3}d)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{b^{2/3}} - \frac{54a^3(ae-bx(c+dx))}{b(a+bx^3)^3} + \frac{9a^2x(8c+7dx)}{(a+bx^3)^2} - \frac{4\sqrt{3}\sqrt[3]{a}(7\sqrt[3]{a}d+20\sqrt[3]{b}c)\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{b^{2/3}} + \frac{12ax(10c+7dx)}{a+bx^3}}{486a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^3)^4, x]

[Out] ((9*a^2*x*(8*c + 7*d*x))/(a + b*x^3)^2 + (12*a*x*(10*c + 7*d*x))/(a + b*x^3) - (54*a^3*(a*e - b*x*(c + d*x)))/(b*(a + b*x^3)^3) - (4*sqrt[3]*a^(1/3)*(20*b^(1/3)*c + 7*a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^4

$$\begin{aligned}
& a*d^3/(a^{11}*b^2))^{(1/3)})^2*a^8*b*d + 400*(4^{(1/3)}*(I*sqrt(3) + 1)*((8000* \\
& b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} \\
& - 140*4^{(2/3)}*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b \\
& ^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)})) * a^4*b*c^2 - 7840*a*c*d^2 \\
& + 8*(8000*b*c^3 + 343*a*d^3)*x + 3/4*sqrt(1/3)*(7*(4^{(1/3)}*(I*sqrt(3) + 1) \\
& *((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2) \\
&)^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3) \\
& / (a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)})) * a^8*b*d + 1600*a \\
& ^4*b*c^2)*sqrt(-((4^{(1/3)}*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b \\
& ^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*sqrt \\
& (3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a* \\
& d^3)/(a^{11}*b^2))^{(1/3)})) ^2*a^7*b + 8960*c*d)/(a^7*b))) + ((a^3*b^4*x^9 + 3* \\
& a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)*(4^{(1/3)}*(I*sqrt(3) + 1)*((8000*b*c^3 \\
& + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} - 140* \\
& 4^{(2/3)}*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + \\
& (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)})) - 3*sqrt(1/3)*(a^3*b^4*x^9 + 3 \\
& *a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)*sqrt(-((4^{(1/3)}*(I*sqrt(3) + 1)*((800 \\
& 0*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3} \\
&) - 140*4^{(2/3)}*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11} \\
& *b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)})) ^2*a^7*b + 8960*c*d)/(a \\
& ^7*b))) * log(-7/4*(4^{(1/3)}*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b \\
& ^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*sqrt \\
& (3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a* \\
& d^3)/(a^{11}*b^2))^{(1/3)})) ^2*a^8*b*d + 400*(4^{(1/3)}*(I*sqrt(3) + 1)*((8000*b* \\
& c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} - \\
& 140*4^{(2/3)}*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) \\
&) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)})) * a^4*b*c^2 - 7840*a*c*d^2 + \\
& 8*(8000*b*c^3 + 343*a*d^3)*x - 3/4*sqrt(1/3)*(7*(4^{(1/3)}*(I*sqrt(3) + 1)* \\
& (8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(\\
& 1/3)} - 140*4^{(2/3)}*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(\\
& a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)})) * a^8*b*d + 1600*a^4 \\
& *b*c^2)*sqrt(-((4^{(1/3)}*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) \\
&) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{(1/3)} - 140*4^{(2/3)}*c*d*(-I*sqrt(3) \\
&) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^ \\
& 3)/(a^{11}*b^2))^{(1/3)})) ^2*a^7*b + 8960*c*d)/(a^7*b))))/(a^3*b^4*x^9 + 3*a^4* \\
& b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)
\end{aligned}$$

giac [A] time = 0.21, size = 234, normalized size = 0.94

$$\frac{2\sqrt{3}\left(20bc-7(-ab^2)^{\frac{1}{3}}d\right)\arctan\left(\frac{\sqrt{3}\left(2x+\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243(-ab^2)^{\frac{2}{3}}a^3} - \frac{\left(20bc+7(-ab^2)^{\frac{1}{3}}d\right)\log\left(x^2+x\left(-\frac{a}{b}\right)^{\frac{1}{3}}+\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{243(-ab^2)^{\frac{2}{3}}a^3} - \frac{2\left(7d\left(-\frac{a}{b}\right)^{\frac{1}{3}}+20c\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}}\log\left(\left|x-\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{243a^4} + \frac{28b^2dx^9+40b^3cx^7+77ab^2dx^5+104ab^2cx^4+67a^2bdx^2+82a^2bcx-18a^2e}{162(bx^3+a)^3a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="giac")

[Out]
$$-2/243*\sqrt{3}*(20*b*c - 7*(-a*b^2)^{(1/3)}*d)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^3) - 1/243*(20*b*c + 7*(-a*b^2)^{(1/3)}*d)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^3) - 2/43*(7*d*(-a/b)^{(1/3)} + 20*c)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^4 + 1/162*(28*b^3*d*x^8 + 40*b^3*c*x^7 + 77*a*b^2*d*x^5 + 104*a*b^2*c*x^4 + 67*a^2*b*d*x^2 + 82*a^2*b*c*x - 18*a^3*e)/((b*x^3 + a)^3*a^3*b)$$

maple [A] time = 0.06, size = 360, normalized size = 1.44

$$\frac{e x^3}{9(b x^3+a)^3} + \frac{d x^2}{9(b x^3+a)^2} + \frac{c x}{9(b x^3+a)} + \frac{7 d x^2}{54(b x^3+a)^2} + \frac{4 c x}{27(b x^3+a)^2} + \frac{14 d x^2}{81(b x^3+a)^2} + \frac{20 c x}{81(b x^3+a)^2} + \frac{e}{9(b x^3+a)^2} + \frac{40 \sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{b} + 1\right)}{3\left(\frac{b}{b}\right)^{\frac{1}{3}}}\right)}{243\left(\frac{b}{b}\right)^{\frac{2}{3}} a^3 b} + \frac{40 c \ln\left(x + \left(\frac{b}{b}\right)^{\frac{1}{3}}\right)}{243\left(\frac{b}{b}\right)^{\frac{2}{3}} a^3 b} - \frac{20 c \ln\left(x^2 - \left(\frac{b}{b}\right)^{\frac{1}{3}} x + \left(\frac{b}{b}\right)^{\frac{2}{3}}\right)}{243\left(\frac{b}{b}\right)^{\frac{2}{3}} a^3 b} + \frac{14 \sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{b} + 1\right)}{3\left(\frac{b}{b}\right)^{\frac{1}{3}}}\right)}{243\left(\frac{b}{b}\right)^{\frac{2}{3}} a^3 b} - \frac{14 d \ln\left(x + \left(\frac{b}{b}\right)^{\frac{1}{3}}\right)}{243\left(\frac{b}{b}\right)^{\frac{2}{3}} a^3 b} + \frac{7 d \ln\left(x^2 - \left(\frac{b}{b}\right)^{\frac{1}{3}} x + \left(\frac{b}{b}\right)^{\frac{2}{3}}\right)}{243\left(\frac{b}{b}\right)^{\frac{2}{3}} a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e*x^2+d*x+c)/(b*x^3+a)^4, x)$

[Out]
$$1/9*c/a*x/(b*x^3+a)^3 + 4/27*c/a^2*x/(b*x^3+a)^2 + 20/81*c/a^3*x/(b*x^3+a) + 40/243*c/a^3/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)}) - 20/243*c/a^3/b/(a/b)^{(2/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + 40/243*c/a^3/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) + 1/9*d/a*x^2/(b*x^3+a)^3 + 7/54*d/a^2*x^2/(b*x^3+a)^2 + 14/81*d/a^3*x^2/(b*x^3+a) - 14/243*d/a^3/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)}) + 7/243*d/a^3/b/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + 14/243*d/a^3*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) + 1/9*e/a*x^3/(b*x^3+a)^3 + 1/9*e/a^2*x^3/(b*x^3+a)^2 - 1/9*e/a^2/b/(b*x^3+a)$$

maxima [A] time = 2.99, size = 254, normalized size = 1.02

$$\frac{28 b^3 d x^8 + 40 b^3 c x^7 + 77 a b^2 d x^5 + 104 a b^2 c x^4 + 67 a^2 b d x^2 + 82 a^2 b c x - 18 a^3 e}{162 (a^3 b^3 x^3 + 3 a^4 b^3 x^6 + 3 a^5 b^2 x^3 + a^6 b)} + \frac{2 \sqrt{3} \left(7 d \left(\frac{a}{b} \right)^{\frac{1}{3}} + 20 c \right) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{243 a^3 b \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(7 d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 20 c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{243 a^3 b \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{2 \left(7 d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 20 c \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{243 a^3 b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d*x+c)/(b*x^3+a)^4, x, \text{algorithm}="maxima")$

[Out]
$$1/162*(28*b^3*d*x^8 + 40*b^3*c*x^7 + 77*a*b^2*d*x^5 + 104*a*b^2*c*x^4 + 67*a^2*b*d*x^2 + 82*a^2*b*c*x - 18*a^3*e)/(a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b) + 2/243*\sqrt{3}*(7*d*(a/b)^{(1/3)} + 20*c)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^3*b*(a/b)^{(2/3)}) + 1/243*(7*d*(a/b)^{(1/3)} - 20*c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*b*(a/b)^{(2/3)}) - 2/243*(7*d*(a/b)^{(1/3)} - 20*c)*\log(x + (a/b)^{(1/3)})/(a^3*b*(a/b)^{(2/3)})$$

mupad [B] time = 0.28, size = 247, normalized size = 0.99

$$\frac{67 d x^2 + 82 c x + 104 a^2 b^2 d x^5 + 144 a^2 b^2 c x^4 + 52 a^2 b^2 d x^2 + 77 d x^2}{162 x^3 + 3 a^4 b^3 x^6 + 3 a^5 b^2 x^3 + a^6 b} + \frac{2 \sqrt{3} \ln \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{\ln \left(\frac{b \left(560 c d + 196 d^2 z + \text{root} \left(14348907 a^{11} b^2 z^3 + 408240 a^8 b c d z - 64000 b^3 c^2 + 2744 a d^3 z, k \right)^2 a^5 b^5 9049 + \text{root} \left(14348907 a^{11} b^2 z^3 + 408240 a^8 b c d z - 64000 b^3 c^2 + 2744 a d^3 z, k \right) a^3 b c z 9720 \right)}{\text{root} \left(14348907 a^{11} b^2 z^3 + 408240 a^8 b c d z - 64000 b^3 c^2 + 2744 a d^3 z, k \right)} \right)}{a^6 6561}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^3)^4,x)

[Out] ((67*d*x^2)/(162*a) - e/(9*b) + (41*c*x)/(81*a) + (20*b^2*c*x^7)/(81*a^3) + (14*b^2*d*x^8)/(81*a^3) + (52*b*c*x^4)/(81*a^2) + (77*b*d*x^5)/(162*a^2))/(a^3 + b^3*x^9 + 3*a^2*b*x^3 + 3*a*b^2*x^6) + symsum(log((b*(560*c*d + 196*d^2*x + 59049*root(14348907*a^11*b^2*z^3 + 408240*a^4*b*c*d*z - 64000*b*c^3 + 2744*a*d^3, z, k)^2*a^7*b + 9720*root(14348907*a^11*b^2*z^3 + 408240*a^4*b*c*d*z - 64000*b*c^3 + 2744*a*d^3, z, k)*a^3*b*c*x))/(6561*a^6))*root(14348907*a^11*b^2*z^3 + 408240*a^4*b*c*d*z - 64000*b*c^3 + 2744*a*d^3, z, k), k, 1, 3)

sympy [A] time = 4.47, size = 202, normalized size = 0.81

RootSum(14348907t^3a^11b^2 + 408240ta^4bcd + 2744ad^3 - 64000bc^3, (t ↦ t log(x + $\frac{413343t^2d^8bd + 194400ta^4bc^2 + 7840acd^2}{1372ad^3 + 32000bc^3}$))) + $\frac{-18a^3e + 82a^2bcx + 67a^2bdx^2 + 104ab^2cx^4 + 77ab^2dx^5 + 40b^3cx^7 + 28b^3dx^8}{162a^6b + 486a^5b^2x^3 + 486a^4b^3x^6 + 162a^3b^4x^9}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**3+a)**4,x)

[Out] RootSum(14348907*_t**3*a**11*b**2 + 408240*_t*a**4*b*c*d + 2744*a*d**3 - 64000*b*c**3, Lambda(_t, _t*log(x + (413343*_t**2*a**8*b*d + 194400*_t*a**4*b*c**2 + 7840*a*c*d**2)/(1372*a*d**3 + 32000*b*c**3)))) + (-18*a**3*e + 82*a**2*b*c*x + 67*a**2*b*d*x**2 + 104*a*b**2*c*x**4 + 77*a*b**2*d*x**5 + 40*b**3*c*x**7 + 28*b**3*d*x**8)/(162*a**6*b + 486*a**5*b**2*x**3 + 486*a**4*b**3*x**6 + 162*a**3*b**4*x**9)

$$3.308 \quad \int \frac{c+dx+ex^2}{x(a+bx^3)^4} dx$$

Optimal. Leaf size=291

$$-\frac{(20\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}e + 20\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

Rubi [A] time = 0.52, antiderivative size = 291, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(20\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}e + 20\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}} + \frac{x(40ad + 28aex - 99bcx^2)}{162x^4(a + bx^3)} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} - \frac{c \log(a + bx^3)}{3a^4} + \frac{c \log(x)}{a^4}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x*(a + b*x^3)^4), x]

[Out] (x*(a*d + a*e*x - b*c*x^2))/(9*a^2*(a + b*x^3)^3) + (x*(8*a*d + 7*a*e*x - 15*b*c*x^2))/(54*a^3*(a + b*x^3)^2) + (x*(40*a*d + 28*a*e*x - 99*b*c*x^2))/(162*a^4*(a + b*x^3)) - (2*(20*b^(1/3)*d + 7*a^(1/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(81*Sqrt[3]*a^(11/3)*b^(2/3)) + (c*Log[x])/a^4 + (2*(20*b^(1/3)*d - 7*a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(243*a^(11/3)*b^(2/3)) - ((20*b^(1/3)*d - 7*a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(243*a^(11/3)*b^(2/3)) - (c*Log[a + b*x^3])/(3*a^4)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x(a + bx^3)^4} dx &= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} - \frac{\int \frac{-9bc - 8bdx - 7bex^2 + \frac{6b^2cx^3}{a}}{x(a+bx^3)^3} dx}{9ab} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{\int \frac{54b^2c + 40b^2dx + 28b^2ex^2 - \frac{45b^3cx^3}{a}}{x(a+bx^3)^2} dx}{54a^2b^2} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} - \frac{\int \frac{-162b^3c - 162b^3dx - 162b^3ex^2 + \frac{162b^4cx^3}{a}}{x(a+bx^3)} dx}{162a^3b^3} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} - \frac{\int \left(-\frac{162b^3}{ax}\right) dx}{162a^3b^3} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} - \frac{2(20\sqrt[3]{b}a)}{162a^3b^3}
\end{aligned}$$

Mathematica [A] time = 0.31, size = 259, normalized size = 0.89

$$\frac{2(7a^{2/3}e-20\sqrt[3]{a}\sqrt[3]{b}d)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+1^{2/3}x^2)}{b^{2/3}} + \frac{4(20\sqrt[3]{a}\sqrt[3]{b}d-7a^{2/3}e)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{b^{2/3}} + \frac{54a^3(c+x(d+ex))}{(a+bx^3)^3} + \frac{9a^2(9c+x(8d+7ex))}{(a+bx^3)^2} - \frac{4\sqrt{3}\sqrt[3]{a}(7\sqrt[3]{a}e+20\sqrt[3]{b}d)\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt{3}}\right)}{b^{2/3}} + \frac{6a(27c+2x(10d+7ex))}{a+bx^3} - 162c\log(a+bx^3) + 486c\log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x*(a + b*x^3)^4), x]

[Out] ((54*a^3*(c + x*(d + e*x)))/(a + b*x^3)^3 + (9*a^2*(9*c + x*(8*d + 7*e*x)))/(a + b*x^3)^2 + (6*a*(27*c + 2*x*(10*d + 7*e*x)))/(a + b*x^3) - (4*sqrt[3]*a^(1/3)*(20*b^(1/3)*d + 7*a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + 486*c*Log[x] + (4*(20*a^(1/3)*b^(1/3)*d - 7*a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + (2*(-20*a^(1/3)*b^(1/3)*d + 7*a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3) - 162*c*Log[a + b*x^3])/(486*a^4)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{x(a + bx^3)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(x*(a + b*x^3)^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(x*(a + b*x^3)^4), x]

fricas [C] time = 1.55, size = 5370, normalized size = 18.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^4,x, algorithm="fricas")

[Out] 1/236196*(40824*a*b^2*e*x^8 + 58320*a*b^2*d*x^7 + 78732*a*b^2*c*x^6 + 11226*6*a^2*b*e*x^5 + 151632*a^2*b*d*x^4 + 196830*a^2*b*c*x^3 + 97686*a^3*e*x^2 + 119556*a^3*d*x + 144342*a^3*c - 2*(a^4*b^3*x^9 + 3*a^5*b^2*x^6 + 3*a^6*b*x^3 + a^7)*((-I*sqrt(3) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2))^(1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2))^(1/3) + 39366*c/a^4)*log(7/236196*(-I*sqrt(3) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d

$$\begin{aligned}
& e)/(a^8*b))/(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) \\
& + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c \\
& ^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2))^(1/3) + 5904 \\
& 9*(I*sqrt(3) + 1)*(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^ \\
& 12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441 \\
& *b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2))^(1/3) \\
& + 39366*c/a^4)^2*a^8*b*e + 64800*b*c*d^2 + 45927*b*c^2*e + 7840*a*d*e^2 - 1 \\
& /243*(400*a^4*b*d^2 + 567*a^4*b*c*e)*((-I*sqrt(3) + 1)*(6561*c^2/a^8 - (656 \\
& 1*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560* \\
& a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/2869 \\
& 7814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12* \\
& b^2))^(1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 \\
& + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - \\
& 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/ \\
& (a^12*b^2))^(1/3) + 39366*c/a^4) + 4*(8000*b*d^3 + 343*a*e^3)*x) - (118098* \\
& b^3*c*x^9 + 354294*a*b^2*c*x^6 + 354294*a^2*b*c*x^3 + 118098*a^3*c - (a^4*b \\
& ^3*x^9 + 3*a^5*b^2*x^6 + 3*a^6*b*x^3 + a^7))*((-I*sqrt(3) + 1)*(6561*c^2/a^8 \\
& - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 \\
& + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - \\
& 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b) \\
& / (a^12*b^2))^(1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*c^3/a^12 + 1/118098*(6561 \\
& *b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11* \\
& b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e) \\
&)*a*b)/(a^12*b^2))^(1/3) + 39366*c/a^4) - 3*sqrt(1/3)*(a^4*b^3*x^9 + 3*a^5* \\
& b^2*x^6 + 3*a^6*b*x^3 + a^7)*sqrt(-(((I*sqrt(3) + 1)*(6561*c^2/a^8 - (6561 \\
& *b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a \\
& *d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697 \\
& 814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b \\
& ^2))^(1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + \\
& 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1 \\
& /28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(\\
& a^12*b^2))^(1/3) + 39366*c/a^4)^2*a^8*b - 78732*((-I*sqrt(3) + 1)*(6561*c^2 \\
& /a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^12 + 1/118098*(6561*b \\
& *c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^ \\
& 2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)* \\
& a*b)/(a^12*b^2))^(1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*c^3/a^12 + 1/118098*(\\
& 6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a \\
& ^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c \\
& *d*e)*a*b)/(a^12*b^2))^(1/3) + 39366*c/a^4)*a^4*b*c + 1549681956*b*c^2 + 52 \\
& 9079040*a*d*e)/(a^8*b))*log(-7/236196*((-I*sqrt(3) + 1)*(6561*c^2/a^8 - (6 \\
& 561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 56 \\
& 0*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28 \\
& 697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^1 \\
& 2*b^2))^(1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*c^3/a^12 + 1/118098*(6561*b*c^ \\
& 2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2)
\end{aligned}$$

$$\begin{aligned}
& /28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(\\
& a^{12}*b^2)^{(1/3)} + 59049*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b \\
& *c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^ \\
& 2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)* \\
& a*b)/(a^{12}*b^2)^{(1/3)} + 39366*c/a^4)^2*a^8*b - 78732*((-I*\text{sqrt}(3) + 1)*(65 \\
& 61*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(\\
& 6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a \\
& ^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c \\
& *d*e)*a*b)/(a^{12}*b^2)^{(1/3)} + 59049*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^{12} + 1/11 \\
& 8098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e \\
& ^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - \\
& 1701*c*d*e)*a*b)/(a^{12}*b^2)^{(1/3)} + 39366*c/a^4)*a^4*b*c + 1549681956*b*c^ \\
& 2 + 529079040*a*d*e)/(a^8*b))*\log(-7/236196*((-I*\text{sqrt}(3) + 1)*(6561*c^2/a^ \\
& 8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^ \\
& 2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) \\
& - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b \\
&)/(a^{12}*b^2)^{(1/3)} + 59049*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^{12} + 1/118098*(656 \\
& 1*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11} \\
& *b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d* \\
& e)*a*b)/(a^{12}*b^2)^{(1/3)} + 39366*c/a^4)^2*a^8*b*e - 64800*b*c*d^2 - 45927* \\
& b*c^2*e - 7840*a*d*e^2 + 1/243*(400*a^4*b*d^2 + 567*a^4*b*c*e)*((-I*\text{sqrt}(3) \\
& + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1 \\
& /118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343* \\
& a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 \\
& - 1701*c*d*e)*a*b)/(a^{12}*b^2)^{(1/3)} + 59049*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^ \\
& 12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 \\
& + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(8 \\
& 00*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2)^{(1/3)} + 39366*c/a^4) + 8*(8000*b*d^3 \\
& + 343*a*e^3)*x - 1/78732*\text{sqrt}(1/3)*(7*((-I*\text{sqrt}(3) + 1)*(6561*c^2/a^8 - (65 \\
& 61*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560 \\
& *a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/286 \\
& 97814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12} \\
& *b^2)^{(1/3)} + 59049*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 \\
& + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - \\
& 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b) \\
& / (a^{12}*b^2)^{(1/3)} + 39366*c/a^4)*a^8*b*e + 388800*a^4*b*d^2 - 275562*a^4*b \\
& *c*e)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^ \\
& 8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14 \\
& 348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2 \\
& 744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2)^{(1/3)} + 59049*(I*s \\
& \text{qrt}(3) + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) \\
& + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c \\
& ^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2)^{(1/3)} + 3936 \\
& 6*c/a^4)^2*a^8*b - 78732*((-I*\text{sqrt}(3) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 56 \\
& 0*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^
\end{aligned}$$

$12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441$
 $*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)}$
 $+ 59049*(I*\sqrt{3} + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)$
 $*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*($
 $531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{($
 $1/3) + 39366*c/a^4)*a^4*b*c + 1549681956*b*c^2 + 529079040*a*d*e)/(a^8*b)$
 $) + 236196*(b^3*c*x^9 + 3*a*b^2*c*x^6 + 3*a^2*b*c*x^3 + a^3*c)*\log(x))/(a^4$
 $*b^3*x^9 + 3*a^5*b^2*x^6 + 3*a^6*b*x^3 + a^7)$

giac [A] time = 0.24, size = 290, normalized size = 1.00

$$\frac{2\sqrt{3}\left(20bd-7(-ad^2)^{\frac{1}{3}}e\right)\arctan\left(\frac{\sqrt{3}\left(2x+\left(-\frac{b}{a}\right)^{\frac{1}{3}}\right)}{\left(-\frac{b}{a}\right)^{\frac{1}{3}}}\right)}{243(-ad^2)^{\frac{1}{3}}a^3} - \frac{\left(20bd+7(-ad^2)^{\frac{1}{3}}e\right)\log\left(x^2+x\left(-\frac{b}{a}\right)^{\frac{1}{3}}+\left(-\frac{b}{a}\right)^{\frac{2}{3}}\right)}{243(-ad^2)^{\frac{1}{3}}a^3} - \frac{c\log\left(\frac{bx^3+a}{a}\right)}{3a^4} + \frac{c\log(|x|)}{a^4} + \frac{28ab^2x^6e+40ab^2d^2+54ab^2c^2+77a^2b^2c^2e+104a^2bdx^4+135a^2bcx^3+67a^2x^2e+82a^2dx+99a^2c}{162(bx^3+a)^3a^4} - \frac{2\left(7a^2b\left(-\frac{b}{a}\right)^{\frac{1}{3}}e+20a^2bd\right)\left(-\frac{b}{a}\right)^{\frac{1}{3}}\log\left(\left|1-\left(-\frac{b}{a}\right)^{\frac{1}{3}}\right|\right)}{243a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^4,x, algorithm="giac")

[Out] $-2/243*\sqrt{3}*(20*b*d - 7*(-a*b^2)^{(1/3)}*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/((-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^3) - 1/243*(20*b*d + 7*(-a*b^2)^{(1/3)}*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^3) - 1/3*c*\log(\text{abs}(b*x^3 + a))/a^4 + c*\log(\text{abs}(x))/a^4 + 1/162*(28*a*b^2*x^8*e + 40*a*b^2*d*x^7 + 54*a*b^2*c*x^6 + 77*a^2*b*x^5*e + 104*a^2*b*d*x^4 + 135*a^2*b*c*x^3 + 67*a^3*x^2*e + 82*a^3*d*x + 99*a^3*c)/(b*x^3 + a)^3*a^4) - 2/243*(7*a^5*b*(-a/b)^{(1/3)}*e + 20*a^5*b*d)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^9*b)$

maple [A] time = 0.06, size = 394, normalized size = 1.35

$$\frac{14d^2x^2}{81(b^2+a)^2} + \frac{20d^2x}{81(b^2+a)^2} + \frac{d^2cx^2}{3(b^2+a)^2} + \frac{77bcx}{162(b^2+a)^2} + \frac{53bdx}{81(b^2+a)^2} + \frac{5bcx}{6(b^2+a)^2} + \frac{67cx}{162(b^2+a)^2} + \frac{41dx}{81(b^2+a)^2} + \frac{11c}{18(b^2+a)^2} + \frac{40\sqrt{3}d\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{a}+\left(-\frac{b}{a}\right)^{\frac{1}{3}}\right)}{\left(-\frac{b}{a}\right)^{\frac{1}{3}}}\right)}{243\left(\frac{b}{a}\right)^{\frac{1}{3}}a^2b} - \frac{40M\ln\left(x+\left(\frac{b}{a}\right)^{\frac{1}{3}}\right)}{243\left(\frac{b}{a}\right)^{\frac{1}{3}}a^2b} - \frac{20M\ln\left(x^2-\left(\frac{b}{a}\right)^{\frac{1}{3}}x+\left(\frac{b}{a}\right)^{\frac{2}{3}}\right)}{243\left(\frac{b}{a}\right)^{\frac{1}{3}}a^2b} + \frac{14\sqrt{3}c\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{a}+\left(-\frac{b}{a}\right)^{\frac{1}{3}}\right)}{\left(-\frac{b}{a}\right)^{\frac{1}{3}}}\right)}{243\left(\frac{b}{a}\right)^{\frac{1}{3}}a^2b} - \frac{14c\ln\left(x+\left(\frac{b}{a}\right)^{\frac{1}{3}}\right)}{243\left(\frac{b}{a}\right)^{\frac{1}{3}}a^2b} - \frac{7c\ln\left(x^2-\left(\frac{b}{a}\right)^{\frac{1}{3}}x+\left(\frac{b}{a}\right)^{\frac{2}{3}}\right)}{243\left(\frac{b}{a}\right)^{\frac{1}{3}}a^2b} - \frac{c\ln(x)}{a^4} - \frac{c\ln(bx^3+a)}{3a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x/(b*x^3+a)^4,x)

[Out] $14/81/a^3/(b*x^3+a)^3*b^2*e*x^8+20/81/a^3/(b*x^3+a)^3*b^2*d*x^7+1/3/a^3/(b*x^3+a)^3*b^2*c*x^6+77/162/a^2/(b*x^3+a)^3*b*e*x^5+52/81/a^2/(b*x^3+a)^3*b*d*x^4+5/6/a^2/(b*x^3+a)^3*b*c*x^3+67/162/a/(b*x^3+a)^3*e*x^2+41/81/a/(b*x^3+a)^3*d*x+11/18/a/(b*x^3+a)^3*c+40/243/a^3*d/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)}) - 20/243/a^3*d/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+40/243/a^3*d/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-14/243/a^3*e/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+7/243/a^3*e/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+14/243/a^3*e*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3*c*\ln(b*x^3+a)/a^4+c*\ln(x)/a^4$

maxima [A] time = 3.04, size = 293, normalized size = 1.01

$$\frac{28b^2cx^5 + 40b^2dx^7 + 54b^2cx^6 + 77abcx^5 + 104abcdx^4 + 135abcx^3 + 67a^2cx^2 + 82a^2dx + 99a^2c}{162(b^3bx^9 + 3a^4b^2c^6 + 3a^5bx^3 + a^6)} + \frac{2\sqrt{3}\left(7ac\left(\frac{x}{a}\right)^{\frac{2}{3}} + 20ad\left(\frac{x}{a}\right)^{\frac{1}{3}}\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{x}{a}\right)^{\frac{1}{3}}\right)}{3\left(\frac{x}{a}\right)^{\frac{1}{3}}}\right)}{243a^5} - \frac{\left(81bc\left(\frac{x}{a}\right)^{\frac{2}{3}} - 7ac\left(\frac{x}{a}\right)^{\frac{1}{3}} + 20ad\right)\log\left(x^2 - x\left(\frac{x}{a}\right)^{\frac{1}{3}} + \left(\frac{x}{a}\right)^{\frac{2}{3}}\right)}{243a^4b\left(\frac{x}{a}\right)^{\frac{2}{3}}} - \frac{\left(81bc\left(\frac{x}{a}\right)^{\frac{2}{3}} + 14ac\left(\frac{x}{a}\right)^{\frac{1}{3}} - 40ad\right)\log\left(x + \left(\frac{x}{a}\right)^{\frac{1}{3}}\right)}{243a^4b\left(\frac{x}{a}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^4,x, algorithm="maxima")

[Out] 1/162*(28*b^2*e*x^8 + 40*b^2*d*x^7 + 54*b^2*c*x^6 + 77*a*b*e*x^5 + 104*a*b*d*x^4 + 135*a*b*c*x^3 + 67*a^2*e*x^2 + 82*a^2*d*x + 99*a^2*c)/(a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6) + c*log(x)/a^4 + 2/243*sqrt(3)*(7*a*e*(a/b)^(2/3) + 20*a*d*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^5 - 1/243*(81*b*c*(a/b)^(2/3) - 7*a*e*(a/b)^(1/3) + 20*a*d)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^4*b*(a/b)^(2/3)) - 1/243*(81*b*c*(a/b)^(2/3) + 14*a*e*(a/b)^(1/3) - 40*a*d)*log(x + (a/b)^(1/3))/(a^4*b*(a/b)^(2/3))

mupad [B] time = 5.40, size = 871, normalized size = 2.99

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x*(a + b*x^3)^4),x)

[Out] ((11*c)/(18*a) + (67*e*x^2)/(162*a) + (41*d*x)/(81*a) + (b^2*c*x^6)/(3*a^3) + (20*b^2*d*x^7)/(81*a^3) + (14*b^2*e*x^8)/(81*a^3) + (5*b*c*x^3)/(6*a^2) + (52*b*d*x^4)/(81*a^2) + (77*b*e*x^5)/(162*a^2))/(a^3 + b^3*x^9 + 3*a^2*b*x^3 + 3*a*b^2*x^6) + symsum(log(-(2*b*(45927*b*c^2*e - 64800*b*c*d^2 + 1372*a*e^3*x - 32000*b*d^3*x + 9565938*root(14348907*a^12*b^2*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k)^3*a^11*b^2*x + 64800*root(14348907*a^12*b^2*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k)*a^4*b*d^2 - 137781*root(14348907*a^12*b^2*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k)^2*a^8*b*e + 45360*b*c*d*e*x + 1062882*root(14348907*a^12*b^2*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k)*a^3*b^2*c^2*x + 6377292*root(14348907*a^12*b^2*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k)^2*a^7*b^2*c*x + 91854*root(14348907*a^12*b^2*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k)*a^4*b*c*e + 226

```
800*root(14348907*a^12*b^2*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*
z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3
+ 531441*b^2*c^3, z, k)*a^4*b*d*e*x)/(531441*a^9))*root(14348907*a^12*b^2
*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z
+ 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k),
k, 1, 3) + (c*log(x))/a^4
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x/(b*x**3+a)**4,x)

[Out] Timed out

$$3.309 \quad \int \frac{c+dx+ex^2}{x^2(a+bx^3)^4} dx$$

Optimal. Leaf size=301

$$\frac{10(2a^{2/3}e + 7b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{243a^{13/3} \sqrt[3]{b}} + \frac{20(2a^{2/3}e + 7b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{243a^{13/3} \sqrt[3]{b}} + \frac{20(7b^{2/3}c - 2a^{2/3}e)}{81\sqrt{3} a^{13/3}}$$

Rubi [A] time = 0.60, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 23, number of rules / integrand size = 0.435, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{10(2a^{2/3}e + 7b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{243a^{13/3} \sqrt[3]{b}} + \frac{20(2a^{2/3}e + 7b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{243a^{13/3} \sqrt[3]{b}} + \frac{20(7b^{2/3}c - 2a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{81\sqrt{3} a^{13/3} \sqrt[3]{b}} + \frac{x(40ae - 118bcx - 99bdx^2)}{162a^4(a + bx^3)} + \frac{x(8ae - 16bcx - 15bdx^2)}{54a^3(a + bx^3)^2} + \frac{x(ae - bcx - bdx^2)}{9a^2(a + bx^3)^3} - \frac{d \log(a + bx^3)}{3a^4} - \frac{c}{a^4 x} + \frac{d \log(x)}{a^4}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^4), x]

[Out] -(c/(a^4*x)) + (x*(a*e - b*c*x - b*d*x^2))/(9*a^2*(a + b*x^3)^3) + (x*(8*a*e - 16*b*c*x - 15*b*d*x^2))/(54*a^3*(a + b*x^3)^2) + (x*(40*a*e - 118*b*c*x - 99*b*d*x^2))/(162*a^4*(a + b*x^3)) + (20*(7*b^(2/3)*c - 2*a^(2/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(81*Sqrt[3]*a^(13/3)*b^(1/3)) + (d*Log[x])/a^4 + (20*(7*b^(2/3)*c + 2*a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(243*a^(13/3)*b^(1/3)) - (10*(7*b^(2/3)*c + 2*a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(243*a^(13/3)*b^(1/3)) - (d*Log[a + b*x^3])/((3*a^4))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```


Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :=> With[{A = Coeff[P2, x, 0], B  
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di  
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a  
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

Mathematica [A] time = 0.31, size = 279, normalized size = 0.93

$$\frac{20(7a^{2/3}b^{2/3}c+2a^{4/3})\log\left(\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+1}b^{2/3}}{c}\right)+40(7a^{2/3}b^{2/3}c+2a^{4/3})\log\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)-\frac{40\sqrt[3]{a}a^{2/3}(2a^{2/3}c-7b^{2/3})\tan^{-1}\left(\frac{1-2\sqrt[3]{bx}}{\sqrt[3]{a}}\right)}{\sqrt[3]{b}}+\frac{54a^3(ad+cx)-bcx^2}{(a+bx^3)^3}+\frac{9a^2(9ad+8acx-16bcx^2)}{(a+bx^3)^2}+\frac{6a(27ad+20acx-59bcx^2)}{a+bx^3}-162ad\log(a+bx^3)-\frac{486ac}{x}+486ad\log(x)}{486a^5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^4), x]

[Out] ((-486*a*c)/x + (9*a^2*(9*a*d + 8*a*e*x - 16*b*c*x^2))/(a + b*x^3)^2 + (6*a*(27*a*d + 20*a*e*x - 59*b*c*x^2))/(a + b*x^3) + (54*a^3*(-(b*c*x^2) + a*(d + e*x)))/(a + b*x^3)^3 - (40*sqrt[3]*a^(2/3)*(-7*b^(2/3)*c + 2*a^(2/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(1/3) + 486*a*d*Log[x] + (40*(7*a^(2/3)*b^(2/3)*c + 2*a^(4/3)*e)*Log[a^(1/3) + b^(1/3)*x])/b^(1/3) - (20*(7*a^(2/3)*b^(2/3)*c + 2*a^(4/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(1/3) - 162*a*d*Log[a + b*x^3])/(486*a^5)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{x^2 (a + bx^3)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^4), x]

fricas [C] time = 1.56, size = 5250, normalized size = 17.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^4,x, algorithm="fricas")

[Out] -1/236196*(408240*b^3*c*x^9 - 58320*a*b^2*e*x^8 - 78732*a*b^2*d*x^7 + 1122660*a*b^2*c*x^6 - 151632*a^2*b*e*x^5 - 196830*a^2*b*d*x^4 + 976860*a^2*b*c*x^3 - 119556*a^3*e*x^2 - 144342*a^3*d*x + 236196*a^3*c + 2*(a^4*b^3*x^10 + 3*a^5*b^2*x^7 + 3*a^6*b*x^4 + a^7*x)*((-I*sqrt(3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c*e)*d/a^12 + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b))^(1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c*e)*d/a^12 + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b))^(1/3) + 39366*d/a^4)*log(-7/236196*((-I*sqrt(3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c*e)*d/a^12 + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b))^(1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c*e)*d/a^12 + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b))^(1/3) + 39366*d/a^4)

$$\begin{aligned}
& 2 - 5600*c*e)/a^8)/(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c*e)*d/a^12 \\
& + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e) \\
& *a*b)/(a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b))^{(1/3)} + \\
& 59049*(I*sqrt(3) + 1)*(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c*e)*d/a^ \\
& 12 + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d \\
& *e)*a*b)/(a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b))^{(1/3)} \\
& + 39366*d/a^4)^2*a^9*b*c - 45927*a*b*c*d^2 + 78400*a*b*c^2*e + 6480*a^2*d* \\
& e^2 + 1/243*(567*a^5*b*c*d - 40*a^6*e^2)*((-I*sqrt(3) + 1)*(6561*d^2/a^8 - \\
& (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c*e) \\
& *d/a^12 + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 560 \\
& 0*c*d*e)*a*b)/(a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b))^{(\\
& 1/3)} + 59049*(I*sqrt(3) + 1)*(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c \\
& *e)*d/a^12 + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - \\
& 5600*c*d*e)*a*b)/(a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b \\
&))^{(1/3)} + 39366*d/a^4) - 400*(343*b^2*c^3 - 8*a^2*e^3)*x + (118098*b^3*d* \\
& x^10 + 354294*a*b^2*d*x^7 + 354294*a^2*b*d*x^4 + 118098*a^3*d*x - (a^4*b^3* \\
& x^10 + 3*a^5*b^2*x^7 + 3*a^6*b*x^4 + a^7*x))*((-I*sqrt(3) + 1)*(6561*d^2/a^8 \\
& - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c \\
& *e)*d/a^12 + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - \\
& 5600*c*d*e)*a*b)/(a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b \\
&))^{(1/3)} + 59049*(I*sqrt(3) + 1)*(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 560 \\
& 0*c*e)*d/a^12 + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 \\
& - 5600*c*d*e)*a*b)/(a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^1 \\
& 3*b))^{(1/3)} + 39366*d/a^4) + 3*sqrt(1/3)*(a^4*b^3*x^10 + 3*a^5*b^2*x^7 + 3* \\
& a^6*b*x^4 + a^7*x)*sqrt(-(((-I*sqrt(3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 560 \\
& 0*c*e)/a^8)/(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c*e)*d/a^12 + 1/286 \\
& 97814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(\\
& a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b))^{(1/3)} + 59049*(\\
& I*sqrt(3) + 1)*(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c*e)*d/a^12 + 1/ \\
& 28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b \\
&))/(a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b))^{(1/3)} + 3936 \\
& 6*d/a^4)^2*a^8 - 78732*((-I*sqrt(3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c \\
& *e)/a^8)/(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c*e)*d/a^12 + 1/286978 \\
& 14*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^1 \\
& 3*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b))^{(1/3)} + 59049*(I*s \\
& qrt(3) + 1)*(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c*e)*d/a^12 + 1/286 \\
& 97814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(\\
& a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b))^{(1/3)} + 39366*d \\
& /a^4)*a^4*d + 1549681956*d^2 - 5290790400*c*e)/a^8))*log(7/236196*((-I*sqrt \\
& (3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^12 + 1/118 \\
& 098*(6561*d^2 - 5600*c*e)*d/a^12 + 1/28697814*(2744000*b^2*c^3 + 64000*a^2* \\
& e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^13*b) - 4000/14348907*(343*b^2*c^ \\
& 3 - 8*a^2*e^3)/(a^13*b))^{(1/3)} + 59049*(I*sqrt(3) + 1)*(-1/27*d^3/a^12 + 1/ \\
& 118098*(6561*d^2 - 5600*c*e)*d/a^12 + 1/28697814*(2744000*b^2*c^3 + 64000*a \\
& ^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^13*b) - 4000/14348907*(343*b^2
\end{aligned}$$

$$\begin{aligned}
& *c^3 - 8*a^2*e^3)/(a^{13*b})^{(1/3)} + 39366*d/a^4)^2*a^9*b*c + 45927*a*b*c*d^2 \\
& - 78400*a*b*c^2*e - 6480*a^2*d*e^2 - 1/243*(567*a^5*b*c*d - 40*a^6*e^2)* \\
& (-I*\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} \\
& + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64 \\
& 000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13*b}) - 4000/14348907*(34 \\
& 3*b^2*c^3 - 8*a^2*e^3)/(a^{13*b})^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a \\
& ^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + \\
& 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13*b}) - 4000/14348907* \\
& (343*b^2*c^3 - 8*a^2*e^3)/(a^{13*b})^{(1/3)} + 39366*d/a^4) - 800*(343*b^2*c^3 \\
& - 8*a^2*e^3)*x + 1/78732*\sqrt{1/3}*(7*((-I*\sqrt{3} + 1)*(6561*d^2/a^8 - (6 \\
& 561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d \\
& /a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600* \\
& c*d*e)*a*b)/(a^{13*b}) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13*b}))^{(1 \\
& /3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e \\
&)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 56 \\
& 00*c*d*e)*a*b)/(a^{13*b}) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13*b})) \\
& ^{(1/3)} + 39366*d/a^4)*a^9*b*c - 275562*a^5*b*c*d - 38880*a^6*e^2)*\sqrt{-(((\\
& -I*\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} \\
& + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 640 \\
& 00*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13*b}) - 4000/14348907*(343 \\
& *b^2*c^3 - 8*a^2*e^3)/(a^{13*b}))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^ \\
& ^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + \\
& 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13*b}) - 4000/14348907*(\\
& 343*b^2*c^3 - 8*a^2*e^3)/(a^{13*b})^{(1/3)} + 39366*d/a^4)^2*a^8 - 78732*((-I* \\
& \sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1 \\
& /118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000* \\
& a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13*b}) - 4000/14348907*(343*b^ \\
& 2*c^3 - 8*a^2*e^3)/(a^{13*b}))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} \\
& + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 640 \\
& 00*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13*b}) - 4000/14348907*(343 \\
& *b^2*c^3 - 8*a^2*e^3)/(a^{13*b})^{(1/3)} + 39366*d/a^4)*a^4*d + 1549681956*d^2 \\
& - 5290790400*c*e)/a^8)) + (118098*b^3*d*x^{10} + 354294*a*b^2*d*x^7 + 354294 \\
& *a^2*b*d*x^4 + 118098*a^3*d*x - (a^4*b^3*x^{10} + 3*a^5*b^2*x^7 + 3*a^6*b*x^4 \\
& + a^7*x))*((-I*\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/ \\
& 27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b \\
& ^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13*b}) - 4000/1 \\
& 4348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13*b}))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(- \\
& 1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(274400 \\
& 0*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13*b}) - 400 \\
& 0/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13*b}))^{(1/3)} + 39366*d/a^4) - 3*sqr \\
& t(1/3)*(a^4*b^3*x^{10} + 3*a^5*b^2*x^7 + 3*a^6*b*x^4 + a^7*x)*\sqrt{-(((-I*\sqrt{3} \\
& + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/11 \\
& 8098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2 \\
& *e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13*b}) - 4000/14348907*(343*b^2*c \\
& ^3 - 8*a^2*e^3)/(a^{13*b}))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1
\end{aligned}$$

$$\begin{aligned}
& /118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000* \\
& a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^ \\
& 2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 39366*d/a^4)^2*a^8 - 78732*((-I*\sqrt{3} \\
&) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/11809 \\
& 8*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^ \\
& 3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 \\
& - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/11 \\
& 8098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2 \\
& *e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c \\
& ^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 39366*d/a^4)*a^4*d + 1549681956*d^2 - 529 \\
& 0790400*c*e)/a^8))*\log(7/236196*((-I*\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 \\
& - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + \\
& 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)* \\
& a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 5 \\
& 9049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{1 \\
& 2} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d* \\
& e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} \\
& + 39366*d/a^4)^2*a^9*b*c + 45927*a*b*c*d^2 - 78400*a*b*c^2*e - 6480*a^2*d*e \\
& ^2 - 1/243*(567*a^5*b*c*d - 40*a^6*e^2))*((-I*\sqrt{3} + 1)*(6561*d^2/a^8 - (\\
& 6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)* \\
& d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600 \\
& *c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(\\
& 1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c* \\
& e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5 \\
& 600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b) \\
&)^{(1/3)} + 39366*d/a^4) - 800*(343*b^2*c^3 - 8*a^2*e^3)*x - 1/78732*\sqrt{1/3} \\
&)*(7*((-I*\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^ \\
& 3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^ \\
& 3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/143489 \\
& 07*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27 \\
& *d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2 \\
& *c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/143 \\
& 48907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 39366*d/a^4)*a^9*b*c - 27 \\
& 5562*a^5*b*c*d - 38880*a^6*e^2)*\sqrt{-(((-I*\sqrt{3} + 1)*(6561*d^2/a^8 - (6 \\
& 561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d \\
& /a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600* \\
& c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1 \\
& /3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e \\
&)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 56 \\
& 00*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b)) \\
& ^{(1/3)} + 39366*d/a^4)^2*a^8 - 78732*((-I*\sqrt{3} + 1)*(6561*d^2/a^8 - (6561 \\
& *d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^ \\
& 12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d \\
& *e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} \\
& + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d
\end{aligned}$$

$$\frac{1}{a^{12}} + \frac{1}{28697814} (2744000 b^2 c^3 + 64000 a^2 e^3 - 243 (2187 d^3 - 5600 c d e) a b) / (a^{13} b) - \frac{4000}{14348907} (343 b^2 c^3 - 8 a^2 e^3) / (a^{13} b)^{(1/3)} + \frac{39366 d}{a^4} a^4 d + \frac{1549681956 d^2 - 5290790400 c e}{a^8} - \frac{236196 (b^3 d x^{10} + 3 a b^2 d x^7 + 3 a^2 b d x^4 + a^3 d x) \log(x)}{(a^4 b^3 x^{10} + 3 a^5 b^2 x^7 + 3 a^6 b x^4 + a^7 x)}$$

giac [A] time = 0.18, size = 310, normalized size = 1.03

$$\frac{\frac{d \log(|b x^3 + a|)}{3 a^4} + \frac{d \log(|b|)}{a^4} + \frac{20 \sqrt{3} (2 (-a b^2)^{\frac{1}{3}} a e + 7 (-a b^2)^{\frac{2}{3}} c) \arctan\left(\frac{\sqrt{3} (2 x + (-a/b)^{\frac{1}{3}})}{3 (-a/b)^{\frac{1}{3}}}\right)}{243 a^6 b} + \frac{10 (2 (-a b^2)^{\frac{1}{3}} a e - 7 (-a b^2)^{\frac{2}{3}} c) \log\left(x^2 + x (-a/b)^{\frac{1}{3}} + (-a/b)^{\frac{2}{3}}\right)}{243 a^6 b} + \frac{280 b^3 c^3 - 40 a b^2 d^2 e - 54 a b^2 d^2 e + 770 a b^2 c^3 a - 104 a^2 b^2 d^2 e - 135 a^2 b d^2 e + 670 a^2 b c^3 a - 82 a^3 d^2 e - 99 a^3 d^2 e + 162 a^3 c^3}{162 (b x^3 + a)^4} + \frac{20 (7 a^6 b^2 c (-a/b)^{\frac{1}{3}} - 2 a^6 b c) (-a/b)^{\frac{1}{3}} \log\left(x - (-a/b)^{\frac{1}{3}}\right)}{243 a^6 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^4,x, algorithm="giac")

[Out] $-1/3 d \log(\text{abs}(b x^3 + a)) / a^4 + d \log(\text{abs}(x)) / a^4 + 20/243 \sqrt{3} (2 * (-a * b^2)^{(1/3)} * a * e + 7 * (-a * b^2)^{(2/3)} * c) * \arctan(1/3 \sqrt{3} (2 * x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}) / (a^5 * b) + 10/243 (2 * (-a * b^2)^{(1/3)} * a * e - 7 * (-a * b^2)^{(2/3)} * c) * \log(x^2 + x * (-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / (a^5 * b) - 1/162 (280 * b^3 * c * x^9 - 40 * a * b^2 * x^8 * e - 54 * a * b^2 * d * x^7 + 770 * a * b^2 * c * x^6 - 104 * a^2 * b * x^5 * e - 135 * a^2 * b * d * x^4 + 670 * a^2 * b * c * x^3 - 82 * a^3 * x^2 * e - 99 * a^3 * d * x + 162 * a^3 * c) / ((b * x^3 + a)^3 * a^4 * x) + 20/243 (7 * a^4 * b^2 * c * (-a/b)^{(1/3)} - 2 * a^5 * b * e) * (-a/b)^{(1/3)} * \log(\text{abs}(x - (-a/b)^{(1/3)})) / (a^9 * b)$

maple [A] time = 0.07, size = 397, normalized size = 1.32

$$\frac{\frac{598 c^3 a^6}{81 (b x^3 + a)^6} - \frac{20 b^2 d^2 e}{81 (b x^3 + a)^6} - \frac{7^2 d^2 e}{3 (b x^3 + a)^6} - \frac{142 b^2 c^3}{81 (b x^3 + a)^6} - \frac{52 b c^3}{81 (b x^3 + a)^6} - \frac{5 b d^2 e}{6 (b x^3 + a)^6} - \frac{92 b c^2 e}{81 (b x^3 + a)^6} - \frac{41 c e}{81 (b x^3 + a)^6} + \frac{11 d}{18 (b x^3 + a)^6} + \frac{40 \sqrt{3} e \arctan\left(\frac{\sqrt{3} (2 x + (-a/b)^{\frac{1}{3}})}{3 (-a/b)^{\frac{1}{3}}}\right)}{243 (b x^3 + a)^6} + \frac{40 c \ln(x + (b x^3 + a)^{\frac{1}{3}})}{243 (b x^3 + a)^6} - \frac{20 c \ln(x^2 - (b x^3 + a)^{\frac{1}{3}} x + (b x^3 + a)^{\frac{2}{3}})}{243 (b x^3 + a)^6} - \frac{140 \sqrt{3} e \arctan\left(\frac{\sqrt{3} (2 x + (-a/b)^{\frac{1}{3}})}{3 (-a/b)^{\frac{1}{3}}}\right)}{243 (b x^3 + a)^6} - \frac{140 c \ln(x + (b x^3 + a)^{\frac{1}{3}})}{243 (b x^3 + a)^6} - \frac{70 c \ln(x^2 - (b x^3 + a)^{\frac{1}{3}} x + (b x^3 + a)^{\frac{2}{3}})}{243 (b x^3 + a)^6} + \frac{d \ln(x)}{a^4} - \frac{d \ln(b x^3 + a)}{3 a^4} - \frac{c}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^2/(b*x^3+a)^4,x)

[Out] $-59/81/a^4/(b*x^3+a)^3*b^3*c*x^8+20/81/a^3/(b*x^3+a)^3*b^2*e*x^7+1/3/a^3/(b*x^3+a)^3*b^2*d*x^6-142/81/a^3/(b*x^3+a)^3*b^2*c*x^5+52/81/a^2/(b*x^3+a)^3*b*e*x^4+5/6/a^2/(b*x^3+a)^3*b*d*x^3-92/81/a^2/(b*x^3+a)^3*b*c*x^2+41/81/a/(b*x^3+a)^3*e*x+11/18/a/(b*x^3+a)^3*d+40/243/a^3*e/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-20/243/a^3*e/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+40/243/a^3*e/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+140/243/a^4*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-70/243/a^4*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-140/243/a^4*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3*d*\ln(b*x^3+a)/a^4-c/a^4/x+d*\ln(x)/a^4$

maxima [A] time = 3.00, size = 313, normalized size = 1.04

$$\frac{280 b^3 c^3 a^6 - 40 a b^2 d^2 e - 54 a b^2 d^2 e + 770 a b^2 c^3 a - 104 a^2 b^2 d^2 e - 135 a^2 b d^2 e + 670 a^2 b c^3 a - 82 a^3 d^2 e - 99 a^3 d^2 e + 162 a^3 c^3}{162 (b^3 x^3 + a)^4} + \frac{d \log(x)}{a^4} - \frac{20 \sqrt{3} (7 b c (b x^3 + a)^{\frac{1}{3}} - 2 a c (b x^3 + a)^{\frac{2}{3}}) \arctan\left(\frac{\sqrt{3} (2 x + (-a/b)^{\frac{1}{3}})}{3 (-a/b)^{\frac{1}{3}}}\right)}{243 a^6} - \frac{(81 b d (b x^3 + a)^{\frac{1}{3}} + 70 b c (b x^3 + a)^{\frac{1}{3}} + 20 a c) \log(x^2 - x (b x^3 + a)^{\frac{1}{3}} + (b x^3 + a)^{\frac{2}{3}})}{243 a^6 (b x^3 + a)^{\frac{1}{3}}} - \frac{(81 b d (b x^3 + a)^{\frac{1}{3}} - 140 b c (b x^3 + a)^{\frac{1}{3}} - 40 a c) \log(x + (b x^3 + a)^{\frac{1}{3}})}{243 a^6 (b x^3 + a)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^4,x, algorithm="maxima")

[Out]
$$-1/162*(280*b^3*c*x^9 - 40*a*b^2*e*x^8 - 54*a*b^2*d*x^7 + 770*a*b^2*c*x^6 - 104*a^2*b*e*x^5 - 135*a^2*b*d*x^4 + 670*a^2*b*c*x^3 - 82*a^3*e*x^2 - 99*a^3*d*x + 162*a^3*c)/(a^4*b^3*x^{10} + 3*a^5*b^2*x^7 + 3*a^6*b*x^4 + a^7*x) + d * \log(x)/a^4 - 20/243*\sqrt{3}*(7*b*c*(a/b)^{(2/3)} - 2*a*e*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^5 - 1/243*(81*b*d*(a/b)^{(2/3)} + 70*b*c*(a/b)^{(1/3)} + 20*a*e)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^4*b*(a/b)^{(2/3)}) - 1/243*(81*b*d*(a/b)^{(2/3)} - 140*b*c*(a/b)^{(1/3)} - 40*a*e)*\log(x + (a/b)^{(1/3)})/(a^4*b*(a/b)^{(2/3)})$$

mupad [B] time = 5.43, size = 840, normalized size = 2.79

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^2*(a + b*x^3)^4),x)

[Out]
$$\begin{aligned} & ((41*e*x^2)/(81*a) - c/a + (11*d*x)/(18*a) - (385*b^2*c*x^6)/(81*a^3) - (140*b^3*c*x^9)/(81*a^4) + (b^2*d*x^7)/(3*a^3) + (20*b^2*e*x^8)/(81*a^3) - (335*b*c*x^3)/(81*a^2) + (5*b*d*x^4)/(6*a^2) + (52*b*e*x^5)/(81*a^2))/(a^3*x + b^3*x^{10} + 3*a^2*b*x^4 + 3*a*b^2*x^7) + \text{symsum}(\log((4*b^2*(32400*a^2*d*e^2 - 32400*\text{root}(14348907*a^{13}*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k)*a^6*e^2 + 686000*b^2*c^3*x + 16000*a^2*e^3*x + 229635*a*b*c*d^2 - 688905*\text{root}(14348907*a^{13}*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k)^2*a^9*b*c - 4782969*\text{root}(14348907*a^{13}*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k)^3*a^{13}*b*x - 531441*\text{root}(14348907*a^{13}*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k)*a^5*b*d^2*x - 3188646*\text{root}(14348907*a^{13}*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k)^2*a^9*b*d*x + 459270*\text{root}(14348907*a^{13}*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k)*a^5*b*c*d + 1134000*\text{root}(14348907*a^{13}*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k)*a^5*b*c*e*x + 226800*a*b*c*d*e*x))/(531441*a^{11})*\text{root}(14348907*a^{13}*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k), k, 1, 3) + (d*\log(x))/a^4 \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**2/(b*x**3+a)**4,x)

[Out] Timed out

$$3.310 \quad \int \frac{c+dx+ex^2}{x^3(a+bx^3)^4} dx$$

Optimal. Leaf size=310

$$\frac{10\sqrt[3]{b} (11\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{14/3}} - \frac{20\sqrt[3]{b} (11\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{14/3}} + \frac{20\sqrt[3]{b} (7\sqrt[3]{a}d)}{243a^{14/3}}$$

Rubi [A] time = 0.66, antiderivative size = 310, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{10\sqrt[3]{b} (11\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{14/3}} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a+bx^3)} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a+bx^3)^2} - \frac{x(bc + bdx + bex^2)}{9a^2(a+bx^3)^3} - \frac{20\sqrt[3]{b} (11\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{14/3}} + \frac{20\sqrt[3]{b} (7\sqrt[3]{a}d + 11\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt[3]{3}\sqrt[3]{a}}\right)}{81\sqrt[3]{3}a^{14/3}} - \frac{e \log(a+bx^3)}{3a^4} - \frac{c}{2a^4x^2} - \frac{d}{a^4x} + \frac{e \log(x)}{a^4}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^4), x]

[Out] $-\frac{c}{(2a^4x^2)} - \frac{d}{(a^4x)} - \frac{(x(b*c + b*d*x + b*e*x^2))}{(9a^2*(a + b*x^3)^3)} - \frac{(x(17*b*c + 16*b*d*x + 15*b*e*x^2))}{(54*a^3*(a + b*x^3)^2)} - \frac{(x(139*b*c + 118*b*d*x + 99*b*e*x^2))}{(162*a^4*(a + b*x^3))} + \frac{(20*b^{(1/3)}*(11*b^{(1/3)}*c + 7*a^{(1/3)}*d)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]}{(8*1*\text{Sqrt}[3]*a^{(14/3)})} + \frac{(e*\text{Log}[x])}{a^4} - \frac{(20*b^{(1/3)}*(11*b^{(1/3)}*c - 7*a^{(1/3)}*d)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]}{(243*a^{(14/3)})} + \frac{(10*b^{(1/3)}*(11*b^{(1/3)}*c - 7*a^{(1/3)}*d)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]}{(243*a^{(14/3)})} - \frac{(e*\text{Log}[a + b*x^3])}{(3*a^4)}$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[(n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m)]/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_)))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^(m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^3(a + bx^3)^4} dx &= -\frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{\int \frac{-9bc - 9bdx - 9bex^2 + \frac{8b^2cx^3}{a} + \frac{7b^2dx^4}{a} + \frac{6b^2ex^5}{a}}{x^3(a + bx^3)^3} dx}{9ab} \\
&= -\frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} + \frac{\int \frac{54b^3c + 54b^3dx + 54b^3ex^2 - \frac{85b^4cx^3}{a} - \frac{64b^4dx^4}{a}}{x^3(a + bx^3)^2}}{54a^2b^3} \\
&= -\frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} - \int \frac{\dots}{\dots} \\
&= -\frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} - \int \left(\dots \right) \\
&= -\frac{c}{2a^4x^2} - \frac{d}{a^4x} - \frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} - \int \dots \\
&= -\frac{c}{2a^4x^2} - \frac{d}{a^4x} - \frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} - \int \dots \\
&= -\frac{c}{2a^4x^2} - \frac{d}{a^4x} - \frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} - \int \dots \\
&= -\frac{c}{2a^4x^2} - \frac{d}{a^4x} - \frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} - \int \dots \\
&= -\frac{c}{2a^4x^2} - \frac{d}{a^4x} - \frac{x(bc + bdx + bex^2)}{9a^2(a + bx^3)^3} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} - \int \dots
\end{aligned}$$

Mathematica [A] time = 0.31, size = 284, normalized size = 0.92

$$\frac{20\sqrt[3]{b}\left(11\sqrt[3]{a}\sqrt[3]{bc}-7a^{2/3}d\right)\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+1^{2/3}x^2\right)+40\sqrt[3]{b}\left(7a^{2/3}d-11\sqrt[3]{a}\sqrt[3]{bc}\right)\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)+\frac{54a^2(ac-bd)}{(a+bx)^2}+\frac{9a^2(9ac-b(17c+16bd))}{(a+bx)^2}+\frac{3a(54ac-b(139c+118bd))}{a+bx^3}+40\sqrt[3]{3}\sqrt[3]{a}\sqrt[3]{b}\left(7\sqrt[3]{a}d+11\sqrt[3]{b}c\right)\tan^{-1}\left(\frac{1-\sqrt[3]{\frac{bx}{a}}}{\sqrt[3]{3}}\right)-162ac\log(a+bx^2)-\frac{243ac}{x^2}-\frac{486ad}{x}+486ac\log(x)}{486a^5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^4), x]

[Out] $\left(\frac{-243ac}{x^2} - \frac{486ad}{x} + \frac{54a^3(ae - bxc + dx)}{(a + bx^3)^4} + \frac{9a^2(9ae - bxc(17c + 16dx))}{(a + bx^3)^2} + \frac{3a(54ae - bxc(139c + 118dx))}{(a + bx^3)} + 40\sqrt[3]{3}a^{1/3}b^{1/3}(11b^{1/3}c + 7a^{1/3}d)\operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt[3]{3}}\right] + 486ae\operatorname{Log}[x] + 40b^{1/3}(-11a^{1/3}b^{1/3}c + 7a^{2/3}d)\operatorname{Log}[a^{1/3} + b^{1/3}x] + 20b^{1/3}(11a^{1/3}b^{1/3}c - 7a^{2/3}d)\operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2] - 162ae\operatorname{Log}[a + bx^3]\right)/(486a^5)$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{x^3(a + bx^3)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^4), x]

fricas [C] time = 1.45, size = 5049, normalized size = 16.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^4,x, algorithm="fricas")

[Out] $-\frac{1}{236196}(408240b^3d^2x^{10} + 320760b^3c^2x^9 - 78732ab^2e^2x^8 + 112260ab^2d^2x^7 + 833976ab^2c^2x^6 - 196830a^2b^2e^2x^5 + 976860a^2b^2d^2x^4 + 657558a^2b^2c^2x^3 - 144342a^3e^2x^2 + 236196a^3d^2x + 118098a^3c^2 + 2(a^4b^3x^{11} + 3a^5b^2x^8 + 3a^6b^2x^5 + a^7x^2)((-I\sqrt[3]{3} + 1)(6561e^2/a^8 - (30800b^2cd + 6561a^2e^2)/a^9)/(-1/27e^3/a^{12} + 1/118098(30800b^2cd + 6561a^2e^2)e/a^{13} + 4000/14348907(1331b^2c^3 + 343ad^3)b/a^{14} - 1/28697814(10648000b^2c^3 + 531441a^2e^3 - 2800(980d^3 - 2673c^2de))ab/a^{14})^{1/3} + 59049(I\sqrt[3]{3} + 1)(-1/27e^3/a^{12} + 1/118098(30800b^2cd + 6561a^2e^2)e/a^{13} + 4000/14348907(1331b^2c^3 + 343ad^3)b/a^{14} - 1/28697814(10648000b^2c^3 + 531441a^2e^3 - 2800(980d^3 - 2673c^2de))ab/a^{14})^{1/3} + 39366e/a^4)\log(7/236196((-I\sqrt[3]{3} + 1)(6561e^2/a^8 - (30800b^2cd + 6561a^2e^2)/a^9)/(-1/27e^3/a^{12} + 1/118098(30800b^2cd + 6561a^2e^2)e/a^{13} + 4000/14348907(1331b^2c^3 + 343ad^3)b/a^{14} - 1/28697814(10648000b^2c^3 + 531441a^2e^3 - 2800(980d^3 - 2673c^2de))ab/a^{14})^{1/3} + 59049(I\sqrt[3]{3} + 1)(-1/27e^3/a^{12} + 1/118098(30800b^2cd + 6561a^2e^2)e/a^{13} + 4000/14348907(1331b^2c^3 + 343ad^3)b/a^{14} - 1/28697814(10648000b^2c^3 + 531441a^2e^3 - 2800(980d^3 - 2673c^2de))ab/a^{14})^{1/3} + 39366e/a^4)$

$$\begin{aligned}
& 98*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3) \\
& *b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - \\
& 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*e^3/a^{12} + 1/1 \\
& 18098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a \\
& *d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^ \\
& 3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)^2*a^{10}*d + 431200*a*b*c*d^2 \\
& - 196020*a*b*c^2*e + 45927*a^2*d*e^2 + 1/243*(1210*a^5*b*c^2 - 567*a^6*d*e) \\
&)*((-I*\sqrt{3} + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27* \\
& e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331 \\
& *b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 \\
& - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/ \\
& 27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1 \\
& 331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e \\
& ^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4) + 400*(133 \\
& 1*b^2*c^3 + 343*a*b*d^3)*x) + (118098*b^3*e*x^{11} + 354294*a*b^2*e*x^8 + 354 \\
& 294*a^2*b*e*x^5 + 118098*a^3*e*x^2 - (a^4*b^3*x^{11} + 3*a^5*b^2*x^8 + 3*a^6* \\
& b*x^5 + a^7*x^2))*((-I*\sqrt{3} + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^ \\
& 2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000 \\
& /14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + \\
& 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*sq \\
& rt(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4 \\
& 000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 \\
& + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/ \\
& a^4) - 3*\sqrt{1/3}*(a^4*b^3*x^{11} + 3*a^5*b^2*x^8 + 3*a^6*b*x^5 + a^7*x^2)*s \\
& qrt(-(((-I*\sqrt{3} + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1 \\
& /27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(\\
& 1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2* \\
& e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\sqrt{3} + 1)* \\
& (-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/1434890 \\
& 7*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a \\
& ^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)^2*a^9 \\
& - 78732*((-I*\sqrt{3} + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(- \\
& -1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907 \\
& *(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^ \\
& 2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\sqrt{3} + 1 \\
&)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348 \\
& 907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441 \\
& *a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)*a^5* \\
& e + 29099347200*b*c*d + 1549681956*a*e^2)/a^9))*\log(-7/236196*((-I*\sqrt{3} \\
& + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/11 \\
& 8098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a* \\
& d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 \\
& - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*e^3/a^{12} + 1 \\
& /118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343 \\
& *a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*
\end{aligned}$$

$$\begin{aligned}
& d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)^2*a^{10}*d - 431200*a*b*c*d \\
& ^2 + 196020*a*b*c^2*e - 45927*a^2*d*e^2 - 1/243*(1210*a^5*b*c^2 - 567*a^6*d \\
& *e)*((-I*\sqrt{3}) + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/2 \\
& 7*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(13 \\
& 31*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^ \\
& 3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\sqrt{3}) + 1)*(- \\
& 1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907* \\
& (1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2 \\
& *e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4) + 800*(1 \\
& 331*b^2*c^3 + 343*a*b*d^3)*x + 1/78732*\sqrt{1/3}*(7*((-I*\sqrt{3}) + 1)*(6561 \\
& *e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(3080 \\
& 0*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{1 \\
& 4} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c* \\
& d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^{12} + 1/118098*(3 \\
& 0800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/ \\
& a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673 \\
& *c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)*a^{10}*d - 1176120*a^5*b*c^2 - 275562 \\
& *a^6*d*e)*\sqrt{-(((-I*\sqrt{3}) + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^ \\
& 2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000 \\
& /14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + \\
& 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*sq \\
& rt(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4 \\
& 000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 \\
& + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/ \\
& a^4)^2*a^9 - 78732*((-I*\sqrt{3}) + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a* \\
& e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 40 \\
& 00/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 \\
& + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I* \\
& sqrt(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + \\
& 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c \\
& ^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366* \\
& e/a^4)*a^5*e + 29099347200*b*c*d + 1549681956*a*e^2)/a^9)) + (118098*b^3*e* \\
& x^{11} + 354294*a*b^2*e*x^8 + 354294*a^2*b*e*x^5 + 118098*a^3*e*x^2 - (a^4*b^ \\
& 3*x^{11} + 3*a^5*b^2*x^8 + 3*a^6*b*x^5 + a^7*x^2))*((-I*\sqrt{3}) + 1)*(6561*e^2 \\
& /a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b* \\
& c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - \\
& 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e) \\
& *a*b)/a^{14})^{(1/3)} + 59049*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800 \\
& *b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} \\
& - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d \\
& *e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4) + 3*\sqrt{1/3}*(a^4*b^3*x^{11} + 3*a^5*b^2 \\
& *x^8 + 3*a^6*b*x^5 + a^7*x^2)*\sqrt{-(((-I*\sqrt{3}) + 1)*(6561*e^2/a^8 - (308 \\
& 00*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561* \\
& a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814* \\
& (10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})
\end{aligned}$$

$$\begin{aligned}
& \sqrt[3]{1} + 59049*(I*\sqrt{3} + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 65 \\
& 61*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/286978 \\
& 14*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14} \\
& \sqrt[3]{1} + 39366*e/a^4)^2*a^9 - 78732*((-I*\sqrt{3} + 1)*(6561*e^2/a^8 - (3 \\
& 0800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 656 \\
& 1*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/2869781 \\
& 4*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14} \\
& \sqrt[3]{1} + 59049*(I*\sqrt{3} + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + \\
& 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/2869 \\
& 7814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/ \\
& a^{14})\sqrt[3]{1} + 39366*e/a^4)*a^5*e + 29099347200*b*c*d + 1549681956*a*e^2)/a^9 \\
&))*\log(-7/236196*((-I*\sqrt{3} + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e \\
& ^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 400 \\
& 0/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + \\
& 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})\sqrt[3]{1} + 59049*(I*s \\
& \sqrt{3} + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + \\
& 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^ \\
& ^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})\sqrt[3]{1} + 39366*e \\
& /a^4)^2*a^{10}*d - 431200*a*b*c*d^2 + 196020*a*b*c^2*e - 45927*a^2*d*e^2 - 1/ \\
& 243*(1210*a^5*b*c^2 - 567*a^6*d*e)*((-I*\sqrt{3} + 1)*(6561*e^2/a^8 - (30800 \\
& *b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a* \\
& e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(1 \\
& 0648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})\sqrt[3]{1} \\
& + 59049*(I*\sqrt{3} + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561 \\
& *a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814 \\
& *(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14} \\
&)\sqrt[3]{1} + 39366*e/a^4) + 800*(1331*b^2*c^3 + 343*a*b*d^3)*x - 1/78732*\sqrt{3} \\
& \sqrt[3]{1}*(7*((-I*\sqrt{3} + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(- \\
& -1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907 \\
& *(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^ \\
& 2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})\sqrt[3]{1} + 59049*(I*\sqrt{3} + 1 \\
&)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348 \\
& 907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441 \\
& *a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})\sqrt[3]{1} + 39366*e/a^4)*a^{10} \\
& *d - 1176120*a^5*b*c^2 - 275562*a^6*d*e)*\sqrt{-(((-I*\sqrt{3} + 1)*(6561*e^2 \\
& /a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b* \\
& c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - \\
& 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e) \\
& *a*b)/a^{14})\sqrt[3]{1} + 59049*(I*\sqrt{3} + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800 \\
& *b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} \\
& - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d \\
& *e)*a*b)/a^{14})\sqrt[3]{1} + 39366*e/a^4)^2*a^9 - 78732*((-I*\sqrt{3} + 1)*(6561*e \\
& ^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800* \\
& b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} \\
& - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*
\end{aligned}$$

$e) * a * b) / a^{14} \wedge (1/3) + 59049 * (I * \text{sqrt}(3) + 1) * (-1/27 * e^3 / a^{12} + 1/118098 * (30800 * b * c * d + 6561 * a * e^2) * e / a^{13} + 4000/14348907 * (1331 * b * c^3 + 343 * a * d^3) * b / a^{14} - 1/28697814 * (10648000 * b^2 * c^3 + 531441 * a^2 * e^3 - 2800 * (980 * d^3 - 2673 * c * d * e) * a * b) / a^{14}) \wedge (1/3) + 39366 * e / a^4) * a^5 * e + 29099347200 * b * c * d + 1549681956 * a * e^2) / a^9) - 236196 * (b^3 * e * x^{11} + 3 * a * b^2 * e * x^8 + 3 * a^2 * b * e * x^5 + a^3 * e * x^2) * \log(x) / (a^4 * b^3 * x^{11} + 3 * a^5 * b^2 * x^8 + 3 * a^6 * b * x^5 + a^7 * x^2)$

giac [A] time = 0.18, size = 320, normalized size = 1.03

$$\frac{e \log\left(\frac{b x^3 + a}{a}\right) + \frac{20 \sqrt{3} \left(11 (-a b^2)^{\frac{1}{3}} b c - 7 (-a b^2)^{\frac{2}{3}} d\right) \arctan\left(\frac{\sqrt{3} \left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243 a^3 b} + 10 \left(11 (-a b^2)^{\frac{1}{3}} b c + 7 (-a b^2)^{\frac{2}{3}} d\right) \log\left(x^2 + x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + \frac{20 \left(7 a^4 b^2 d \left(\frac{a}{b}\right)^{\frac{1}{3}} + 11 a^4 b^2 c\right) \left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{243 a^3 b} + \frac{280 b^3 d x^{10} + 220 b^3 c x^9 - 54 a b^2 d x^8 + 572 a b^2 c x^7 - 135 a^2 b^2 c x^6 + 670 a^2 b^2 d x^4 + 451 a^2 b^2 c x^3 - 99 a^3 d x^2 + 162 a^3 c x}{162 (b x^3 + a)^3 a^4 x^2}}{3 a^4} + \frac{e \log(x)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^4,x, algorithm="giac")

[Out] $-1/3 * e * \log(\text{abs}(b * x^3 + a)) / a^4 + e * \log(\text{abs}(x)) / a^4 - 20/243 * \text{sqrt}(3) * (11 * (-a * b^2)^{\wedge}(1/3) * b * c - 7 * (-a * b^2)^{\wedge}(2/3) * d) * \arctan(1/3 * \text{sqrt}(3) * (2 * x + (-a/b)^{\wedge}(1/3))) / (-a/b)^{\wedge}(1/3) / (a^5 * b) - 10/243 * (11 * (-a * b^2)^{\wedge}(1/3) * b * c + 7 * (-a * b^2)^{\wedge}(2/3) * d) * \log(x^2 + x * (-a/b)^{\wedge}(1/3) + (-a/b)^{\wedge}(2/3)) / (a^5 * b) + 20/243 * (7 * a^4 * b^2 * d * (-a/b)^{\wedge}(1/3) + 11 * a^4 * b^2 * c) * (-a/b)^{\wedge}(1/3) * \log(\text{abs}(x - (-a/b)^{\wedge}(1/3))) / (a^9 * b) - 1/162 * (280 * b^3 * d * x^{10} + 220 * b^3 * c * x^9 - 54 * a * b^2 * x^8 * e + 770 * a * b^2 * d * x^7 + 572 * a * b^2 * c * x^6 - 135 * a^2 * b * x^5 * e + 670 * a^2 * b * d * x^4 + 451 * a^2 * b * c * x^3 - 99 * a^3 * x^2 * e + 162 * a^3 * d * x + 81 * a^3 * c) / ((b * x^3 + a)^3 * a^4 * x^2)$

maple [A] time = 0.07, size = 400, normalized size = 1.29

$$\frac{960 d x^8}{81 (b x^3 + a)^4} + \frac{1368 c x^7}{162 (b x^3 + a)^4} + \frac{b c x^6}{3 (b x^3 + a)^4} + \frac{1428 d x^5}{81 (b x^3 + a)^4} + \frac{3296 c x^4}{162 (b x^3 + a)^4} + \frac{56 c x^3}{6 (b x^3 + a)^4} + \frac{928 d x^2}{81 (b x^3 + a)^4} + \frac{104 b c x}{81 (b x^3 + a)^4} + \frac{11 c}{18 (b x^3 + a)^4} + \frac{220 \sqrt{3} c \arctan\left(\frac{\sqrt{3} \left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^4} + \frac{220 c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{243 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^4} + \frac{110 b \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{243 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^4} + \frac{140 \sqrt{3} d \arctan\left(\frac{\sqrt{3} \left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^4} + \frac{140 b \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{243 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^4} + \frac{70 d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{243 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^4} + \frac{e \ln(x)}{a^4} + \frac{e \ln(b x^3 + a)}{3 a^4} + \frac{d}{a^4} + \frac{c}{2 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^3/(b*x^3+a)^4,x)

[Out] $-59/81/a^4 * b^3 / (b * x^3 + a)^3 * d * x^8 - 139/162/a^4 * b^3 / (b * x^3 + a)^3 * c * x^7 + 1/3/a^3 * b^2 / (b * x^3 + a)^3 * e * x^6 - 142/81/a^3 * b^2 / (b * x^3 + a)^3 * d * x^5 - 329/162/a^3 * b^2 / (b * x^3 + a)^3 * c * x^4 + 5/6/a^2 * b / (b * x^3 + a)^3 * e * x^3 - 92/81/a^2 * b / (b * x^3 + a)^3 * d * x^2 - 104/81/a^2 * b / (b * x^3 + a)^3 * c * x + 11/18/a / (b * x^3 + a)^3 * e - 220/243/a^4 * c / (a/b)^{\wedge}(2/3) * \ln(x + (a/b)^{\wedge}(1/3)) + 110/243/a^4 * c / (a/b)^{\wedge}(2/3) * \ln(x^2 - (a/b)^{\wedge}(1/3) * x + (a/b)^{\wedge}(2/3)) - 220/243/a^4 * c / (a/b)^{\wedge}(2/3) * 3^{\wedge}(1/2) * \arctan(1/3 * 3^{\wedge}(1/2) * (2 / (a/b)^{\wedge}(1/3) * x - 1)) + 140/243/a^4 * d / (a/b)^{\wedge}(1/3) * \ln(x + (a/b)^{\wedge}(1/3)) - 70/243/a^4 * d / (a/b)^{\wedge}(1/3) * \ln(x^2 - (a/b)^{\wedge}(1/3) * x + (a/b)^{\wedge}(2/3)) - 140/243/a^4 * d * 3^{\wedge}(1/2) / (a/b)^{\wedge}(1/3) * \arctan(1/3 * 3^{\wedge}(1/2) * (2 / (a/b)^{\wedge}(1/3) * x - 1)) - 1/3 * e * \ln(b * x^3 + a) / a^4 - 1/2 * c / a^4 / x^2 - d / a^4 / x + e * \ln(x) / a^4$

maxima [A] time = 3.10, size = 312, normalized size = 1.01

$$\frac{280 b^3 d x^{10} + 220 b^3 c x^9 - 54 a b^2 d x^8 + 572 a b^2 c x^7 - 135 a^2 b^2 c x^6 + 670 a^2 b^2 d x^4 + 451 a^2 b^2 c x^3 - 99 a^3 d x^2 + 162 a^3 c x + 81 a^3 c}{162 (a^4 b^3 x^{11} + 3 a^5 b^2 x^8 + 3 a^6 b x^5 + a^7 x^2)} + \frac{20 \sqrt{3} \left(7 M \left(\frac{a}{b}\right)^{\frac{1}{3}} + 11 b c \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \arctan\left(\frac{\sqrt{3} \left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243 a^4} + \frac{\left(81 c \left(\frac{a}{b}\right)^{\frac{2}{3}} + 70 d \left(\frac{a}{b}\right)^{\frac{1}{3}} - 110 c\right) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{243 a^4 \left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{\left(81 c \left(\frac{a}{b}\right)^{\frac{2}{3}} - 140 d \left(\frac{a}{b}\right)^{\frac{1}{3}} + 220 c\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{243 a^4 \left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{e \log(x)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^4,x, algorithm="maxima")

[Out]
$$-1/162*(280*b^3*d*x^{10} + 220*b^3*c*x^9 - 54*a*b^2*e*x^8 + 770*a*b^2*d*x^7 + 572*a*b^2*c*x^6 - 135*a^2*b*e*x^5 + 670*a^2*b*d*x^4 + 451*a^2*b*c*x^3 - 99*a^3*e*x^2 + 162*a^3*d*x + 81*a^3*c)/(a^4*b^3*x^{11} + 3*a^5*b^2*x^8 + 3*a^6*b*x^5 + a^7*x^2) + e*\log(x)/a^4 - 20/243*\sqrt{3}*(7*b*d*(a/b)^{(2/3)} + 11*b*c*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^5 - 1/243*(81*e*(a/b)^{(2/3)} + 70*d*(a/b)^{(1/3)} - 110*c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^4*(a/b)^{(2/3)}) - 1/243*(81*e*(a/b)^{(2/3)} - 140*d*(a/b)^{(1/3)} + 220*c)*\log(x + (a/b)^{(1/3)})/(a^4*(a/b)^{(2/3)})$$

mupad [B] time = 5.38, size = 825, normalized size = 2.66

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^3*(a + b*x^3)^4),x)

[Out]
$$\text{symsum}(\log(-(4*b^3*(688905*\text{root}(14348907*a^{14}*z^3 + 14348907*a^{10}*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k)^2*a^{10}*d - 229635*a^2*d*e^2 + 4782969*\text{root}(14348907*a^{14}*z^3 + 14348907*a^{10}*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k)^3*a^{14}*x + 2662000*b^2*c^3*x - 459270*\text{root}(14348907*a^{14}*z^3 + 14348907*a^{10}*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k)*a^6*d*e - 980100*a*b*c^2*e - 686000*a*b*d^3*x + 980100*\text{root}(14348907*a^{14}*z^3 + 14348907*a^{10}*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k)*a^5*b*c^2 + 531441*\text{root}(14348907*a^{14}*z^3 + 14348907*a^{10}*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k)*a^6*e^2*x + 3188646*\text{root}(14348907*a^{14}*z^3 + 14348907*a^{10}*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k)^2*a^{10}*e*x + 6237000*\text{root}(14348907*a^{14}*z^3 + 14348907*a^{10}*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k)*a^5*b*c*d*x + 1247400*a*b*c*d*e*x))/(531441*a^{12})*\text{root}(14348907*a^{14}*z^3 + 14348907*a^{10}*e*z^2 + 22453200*a^5*b*c*d*z + 4782969*a^6*e^2*z + 7484400*a*b*c*d*e - 2744000*a*b*d^3 + 531441*a^2*e^3 + 10648000*b^2*c^3, z, k), k, 1, 3) - (c/(2*a) - (11*e*x^2)/(18*a) + (d*x)/a + (286*b^2*c*x^6)/(81*a^3) + (110*b^3*c*x^9)/(81*a^4) + (385*b^2*d*x^7)/(81*a^3) + (140*b^3*d*x^10)/(81*a^4) - (b^2*e*x^8)/(3*a^3) + (451*b*c*x^3)/(162*a^2) + (335*b*d*x^4)/(81*a^2) - (5*b*e*x^5)/(6*a^2))/((a^3*x^2 + b^3*x^{11} + 3*a^2*b*x^5 + 3*a*b^2*x^8) + (e*\log(x))/a^4$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**3/(b*x**3+a)**4,x)

[Out] Timed out

$$3.311 \quad \int \frac{c+dx+ex^2}{x^4(a+bx^3)^4} dx$$

Optimal. Leaf size=340

$$\frac{10\sqrt[3]{b} (11\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{14/3}} - \frac{20\sqrt[3]{b} (11\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{14/3}} + \frac{20\sqrt[3]{b} (7\sqrt[3]{a}e)}{81\sqrt[3]{a}^{14/3}}$$

Rubi [A] time = 0.77, antiderivative size = 340, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 23, number of rules / integrand size = 0.435, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{x \left(\frac{234d^2x^2 + 139bd + 118be}{162a^4(a+bx^3)} \right) - \frac{x \left(\frac{24d^2x^2 + 17bd + 16be}{54a^3(a+bx^3)^2} \right) - \frac{x \left(\frac{d^2x^2 + bd + be}{9a^2(a+bx^3)^3} \right) + \frac{10\sqrt[3]{b} (11\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{14/3}} + \frac{4bc \log(a+bx^3)}{3a^5} - \frac{4bc \log(x)}{a^5} - \frac{20\sqrt[3]{b} (11\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{14/3}} + \frac{20\sqrt[3]{b} (7\sqrt[3]{a}e + 11\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt[3]{a}\sqrt[3]{b}}\right)}{81\sqrt[3]{a}^{14/3}} - \frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^4), x]

[Out] -c/(3*a^4*x^3) - d/(2*a^4*x^2) - e/(a^4*x) - (x*(b*d + b*e*x - (b^2*c*x^2)/a))/(9*a^2*(a + b*x^3)^3) - (x*(17*b*d + 16*b*e*x - (24*b^2*c*x^2)/a))/(54*a^3*(a + b*x^3)^2) - (x*(139*b*d + 118*b*e*x - (234*b^2*c*x^2)/a))/(162*a^4*(a + b*x^3)) + (20*b^(1/3)*(11*b^(1/3)*d + 7*a^(1/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(81*Sqrt[3]*a^(14/3)) - (4*b*c*Log[x])/a^5 - (20*b^(1/3)*(11*b^(1/3)*d - 7*a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(243*a^(14/3)) + (10*b^(1/3)*(11*b^(1/3)*d - 7*a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(243*a^(14/3)) + (4*b*c*Log[a + b*x^3])/(3*a^5)

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^m/((a_) + (b_.)*(x_)^n), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :=> With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^4(a + bx^3)^4} dx &= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{\int \frac{-9bc - 9bdx - 9bex^2 + \frac{9b^2cx^3}{a} + \frac{8b^2dx^4}{a} + \frac{7b^2ex^5}{a} - \frac{6b^3cx^6}{a^2}}{x^4(a + bx^3)^3} dx}{9ab} \\
&= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} + \frac{\int \frac{54b^3c + 54b^3dx + 54b^3ex^2 - \frac{108b^4cx^3}{a} - \frac{85b^4dx^4}{a} - \frac{6b^5ex^5}{a}}{x^4(a + bx^3)^2}}{54a^2b^3} \\
&= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)} - \int \frac{-1}{x^4} dx \\
&= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)} - \int \left(-\frac{1}{x^4}\right) dx \\
&= -\frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4} \\
&= -\frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4} \\
&= -\frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4} \\
&= -\frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4} \\
&= -\frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4}
\end{aligned}$$

Mathematica [A] time = 0.60, size = 284, normalized size = 0.84

$$\frac{-20\sqrt{b}(11\sqrt{a}\sqrt{b}d-7a^{2/3})\log(a^{2/3}-\sqrt{a}\sqrt{b}x+bx^2)+40\sqrt{b}(11\sqrt{a}\sqrt{b}d-7a^{2/3}c)\log(\sqrt{a}+\sqrt{b}x)+\frac{54a^3bc+34d^2cx}{(a+bx)^3}+\frac{9a^2b(18c+17d+16cx)}{(a+bx)^2}+\frac{3ab(162c+139d+118cx)}{a+bx}-648bc\log(a+bx^2)-40\sqrt{3}\sqrt{a}\sqrt{b}(7\sqrt{a}c+11\sqrt{b}d)\tan^{-1}\left(\frac{1-\frac{2bx}{a}}{\sqrt{3}}\right)+\frac{162ac}{a^3}+\frac{243bd}{a^2}+\frac{486a^2c}{a}+1944bc\log(x)}{486a^5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^4), x]

[Out]
$$-1/486*((162*a*c)/x^3 + (243*a*d)/x^2 + (486*a*e)/x + (54*a^3*b*(c + x*(d + e*x)))/(a + b*x^3)^3 + (9*a^2*b*(18*c + x*(17*d + 16*e*x)))/(a + b*x^3)^2 + (3*a*b*(162*c + x*(139*d + 118*e*x)))/(a + b*x^3) - 40*\text{Sqrt}[3]*a^{(1/3)}*b^{(1/3)}*(11*b^{(1/3)}*d + 7*a^{(1/3)}*e)*\text{ArcTan}[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\text{Sqrt}[3]] + 1944*b*c*\text{Log}[x] + 40*b^{(1/3)}*(11*a^{(1/3)}*b^{(1/3)}*d - 7*a^{(2/3)}*e)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x] - 20*b^{(1/3)}*(11*a^{(1/3)}*b^{(1/3)}*d - 7*a^{(2/3)}*e)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2] - 648*b*c*\text{Log}[a + b*x^3])/a^5$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2}{x^4 (a + bx^3)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^4), x]

fricas [C] time = 2.03, size = 5670, normalized size = 16.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^4,x, algorithm="fricas")

[Out]
$$-1/486*(840*a*b^3*e*x^{11} + 660*a*b^3*d*x^{10} + 648*a*b^3*c*x^9 + 2310*a^2*b^2*e*x^8 + 1716*a^2*b^2*d*x^7 + 1620*a^2*b^2*c*x^6 + 2010*a^3*b*e*x^5 + 1353*a^3*b*d*x^4 + 1188*a^3*b*c*x^3 + 486*a^4*e*x^2 + 243*a^4*d*x + 162*a^4*c + 2*(a^5*b^3*x^{12} + 3*a^6*b^2*x^9 + 3*a^7*b*x^6 + a^8*x^3)*(4^{(2/3)}*(-\text{I}*\text{sqrt}(3) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10}))/((1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(\text{I}*\text{sqrt}(3) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324*b*c/a^5)*\log(7*(4^{(2/3)}*(-\text{I}*\text{sqrt}(3) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10}))/((1062882*b^3*c^3/a^{15} + 12$$

$$\begin{aligned}
& 5*(1331*b*d^3 + 343*a*e^3)*b/a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a \\
& ^15 + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2) \\
& /a^15)^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^15 + 125*(1331*b* \\
& d^3 + 343*a*e^3)*b/a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 + (531 \\
& 441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15)^{(1/ \\
& 3)} - 324*b*c/a^5)^2*a^10*e + 784080*b^2*c*d^2 + 734832*b^2*c^2*e + 431200*a \\
& *b*d*e^2 + 4*(605*a^5*b*d^2 + 1134*a^5*b*c*e)*(4^{(2/3)}*(-I*\sqrt{3} + 1)*(65 \\
& 61*b^2*c^2/a^10 - (6561*b^2*c^2 + 1925*a*b*d*e)/a^10)/(1062882*b^3*c^3/a^15 \\
& + 125*(1331*b*d^3 + 343*a*e^3)*b/a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)* \\
& b*c/a^15 + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a \\
& *b^2)/a^15)^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^15 + 125*(13 \\
& 31*b*d^3 + 343*a*e^3)*b/a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 + \\
& (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15 \\
&)^{(1/3)} - 324*b*c/a^5) + 400*(1331*b^2*d^3 + 343*a*b*e^3)*x - (972*b^4*c*x \\
& ^12 + 2916*a*b^3*c*x^9 + 2916*a^2*b^2*c*x^6 + 972*a^3*b*c*x^3 + (a^5*b^3*x^ \\
& 12 + 3*a^6*b^2*x^9 + 3*a^7*b*x^6 + a^8*x^3)*(4^{(2/3)}*(-I*\sqrt{3} + 1)*(6561 \\
& *b^2*c^2/a^10 - (6561*b^2*c^2 + 1925*a*b*d*e)/a^10)/(1062882*b^3*c^3/a^15 + \\
& 125*(1331*b*d^3 + 343*a*e^3)*b/a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b* \\
& c/a^15 + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b \\
& ^2)/a^15)^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^15 + 125*(1331 \\
& *b*d^3 + 343*a*e^3)*b/a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 + (\\
& 531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15)^{ \\
& (1/3)} - 324*b*c/a^5) + 3*\sqrt{1/3}*(a^5*b^3*x^12 + 3*a^6*b^2*x^9 + 3*a^7*b* \\
& x^6 + a^8*x^3)*\sqrt{-((4^{(2/3)}*(-I*\sqrt{3} + 1)*(6561*b^2*c^2/a^10 - (6561* \\
& b^2*c^2 + 1925*a*b*d*e)/a^10)/(1062882*b^3*c^3/a^15 + 125*(1331*b*d^3 + 343 \\
& *a*e^3)*b/a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 + (531441*b^3*c \\
& ^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15)^{(1/3)} + 4^{(1 \\
& /3)}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^15 + 125*(1331*b*d^3 + 343*a*e^3)*b/ \\
& a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 + (531441*b^3*c^3 + 42875 \\
& *a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15)^{(1/3)} - 324*b*c/a^5)^2 \\
& *a^10 + 648*(4^{(2/3)}*(-I*\sqrt{3} + 1)*(6561*b^2*c^2/a^10 - (6561*b^2*c^2 + \\
& 1925*a*b*d*e)/a^10)/(1062882*b^3*c^3/a^15 + 125*(1331*b*d^3 + 343*a*e^3)*b/ \\
& a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 + (531441*b^3*c^3 + 42875 \\
& *a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15)^{(1/3)} + 4^{(1/3)}*(I*\sqrt{ \\
& t(3) + 1)*(1062882*b^3*c^3/a^15 + 125*(1331*b*d^3 + 343*a*e^3)*b/a^14 - 243 \\
& *(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 + (531441*b^3*c^3 + 42875*a^2*b*e^3 \\
& - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15)^{(1/3)} - 324*b*c/a^5)*a^5*b*c + 1 \\
& 04976*b^2*c^2 + 123200*a*b*d*e)/a^10))*\log(-7*(4^{(2/3)}*(-I*\sqrt{3} + 1)*(65 \\
& 61*b^2*c^2/a^10 - (6561*b^2*c^2 + 1925*a*b*d*e)/a^10)/(1062882*b^3*c^3/a^15 \\
& + 125*(1331*b*d^3 + 343*a*e^3)*b/a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)* \\
& b*c/a^15 + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a \\
& *b^2)/a^15)^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^15 + 125*(13 \\
& 31*b*d^3 + 343*a*e^3)*b/a^14 - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^15 + \\
& (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^15 \\
&)^{(1/3)} - 324*b*c/a^5)^2*a^10*e - 784080*b^2*c*d^2 - 734832*b^2*c^2*e - 431
\end{aligned}$$

$$\begin{aligned}
& 200*a*b*d*e^2 - 4*(605*a^5*b*d^2 + 1134*a^5*b*c*e)*(4^{(2/3)}*(-I*\sqrt{3}) + 1) \\
&)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3 \\
& /a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b* \\
& d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d \\
& *e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3}) + 1)*(1062882*b^3*c^3/a^{15} + 12 \\
& 5*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a \\
& ^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2) \\
& /a^{15})^{(1/3)} - 324*b*c/a^5) + 800*(1331*b^2*d^3 + 343*a*b*e^3)*x + 3*\sqrt{1} \\
& /3)*(7*(4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925* \\
& a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} \\
& - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2* \\
& b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3}) \\
& + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(656 \\
& 1*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 27 \\
& 5*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324*b*c/a^5)*a^{10}*e - 2420*a^ \\
& 5*b*d^2 + 2268*a^5*b*c*e)*\sqrt{-((4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^ \\
& 10 - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331* \\
& b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (5 \\
& 31441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(\\
& 1/3)} + 4^{(1/3)}*(I*\sqrt{3}) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 34 \\
& 3*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3* \\
& c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324 \\
& *b*c/a^5)^2*a^{10} + 648*(4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^{10} - (6561 \\
& *b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 34 \\
& 3*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3* \\
& c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(\\
& 1/3)}*(I*\sqrt{3}) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b \\
& /a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 4287 \\
& 5*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324*b*c/a^5)* \\
& a^5*b*c + 104976*b^2*c^2 + 123200*a*b*d*e)/a^{10})) - (972*b^4*c*x^{12} + 2916* \\
& a*b^3*c*x^9 + 2916*a^2*b^2*c*x^6 + 972*a^3*b*c*x^3 + (a^5*b^3*x^{12} + 3*a^6* \\
& b^2*x^9 + 3*a^7*b*x^6 + a^8*x^3)*(4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^ \\
& 10 - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331* \\
& b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (5 \\
& 31441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(\\
& 1/3)} + 4^{(1/3)}*(I*\sqrt{3}) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 34 \\
& 3*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3* \\
& c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324 \\
& *b*c/a^5) - 3*\sqrt{1/3}*(a^5*b^3*x^{12} + 3*a^6*b^2*x^9 + 3*a^7*b*x^6 + a^8*x \\
& ^3)*\sqrt{-((4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1 \\
& 925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a \\
& ^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875* \\
& a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{ \\
& 3}) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243* \\
& (6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3
\end{aligned}$$

$$\begin{aligned}
& - 275*(605*d^3 - 1701*c*d*e)*a*b^2/a^{15})^{(1/3)} - 324*b*c/a^5)^2*a^{10} + 648 \\
& *(4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d* \\
& e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243* \\
& (6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 \\
& - 275*(605*d^3 - 1701*c*d*e)*a*b^2/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3}) + 1)*(\\
& 1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2* \\
& c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605 \\
& *d^3 - 1701*c*d*e)*a*b^2/a^{15})^{(1/3)} - 324*b*c/a^5)*a^5*b*c + 104976*b^2*c \\
& ^2 + 123200*a*b*d*e)/a^{10}))*\log(-7*(4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/ \\
& a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(133 \\
& 1*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + \\
& (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2/a^{15}) \\
& ^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3}) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + \\
& 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^ \\
& 3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2/a^{15})^{(1/3)} - 3 \\
& 24*b*c/a^5)^2*a^{10}*e - 784080*b^2*c*d^2 - 734832*b^2*c^2*e - 431200*a*b*d*e \\
& ^2 - 4*(605*a^5*b*d^2 + 1134*a^5*b*c*e)*(4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2 \\
& *c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125 \\
& *(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^ \\
& 15 + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/ \\
& a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3}) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d \\
& ^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (5314 \\
& 41*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2/a^{15})^{(1/3} \\
&) - 324*b*c/a^5) + 800*(1331*b^2*d^3 + 343*a*b*e^3)*x - 3*\sqrt{1/3}*(7*(4^{(\\
& 2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^ \\
& 10)/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561 \\
& *b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275 \\
& *(605*d^3 - 1701*c*d*e)*a*b^2/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3}) + 1)*(10628 \\
& 82*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + \\
& 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 \\
& - 1701*c*d*e)*a*b^2/a^{15})^{(1/3)} - 324*b*c/a^5)*a^{10}*e - 2420*a^5*b*d^2 + 2 \\
& 268*a^5*b*c*e)*\sqrt{-((4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^{10} - (6561* \\
& b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343 \\
& *a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c \\
& ^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2/a^{15})^{(1/3)} + 4^{(1 \\
& /3)}*(I*\sqrt{3}) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/ \\
& a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875 \\
& *a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2/a^{15})^{(1/3)} - 324*b*c/a^5)^2 \\
& *a^{10} + 648*(4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + \\
& 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/ \\
& a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875 \\
& *a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{ \\
& t(3) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243 \\
& *(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 \\
& - 275*(605*d^3 - 1701*c*d*e)*a*b^2/a^{15})^{(1/3)} - 324*b*c/a^5)*a^5*b*c + 1
\end{aligned}$$

$04976*b^2*c^2 + 123200*a*b*d*e)/a^{10}) + 1944*(b^4*c*x^{12} + 3*a*b^3*c*x^9 + 3*a^2*b^2*c*x^6 + a^3*b*c*x^3)*\log(x))/(a^5*b^3*x^{12} + 3*a^6*b^2*x^9 + 3*a^7*b*x^6 + a^8*x^3)$

giac [A] time = 0.20, size = 333, normalized size = 0.98

$$\frac{4bc \log(|bx^3 + a|)}{3a^3} - \frac{4bc \log(|d|)}{a^3} - \frac{20\sqrt{3} \left(11(-ab)^2 bd - 7(-ab)^2 c \right) \arctan\left(\frac{\sqrt{3} \sqrt{bx^3 + a}}{x} \right)}{243 a^3 b} - \frac{10 \left(11(-ab)^2 bd + 7(-ab)^2 c \right) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{1/3} + \left(-\frac{a}{b}\right)^{2/3}\right)}{243 a^3 b} - \frac{280 b^3 d^2 e + 220 b^3 d a^2 + 216 b^3 c a^2 + 770 a b^2 d^2 e + 572 a b^2 d a^2 + 540 a b^2 c a^2 + 670 a^2 b^2 d^2 e + 451 a^2 b^2 d a^2 + 396 a^2 b^2 c a^2 + 162 a^2 d^2 e + 81 a^2 d a^2 + 54 a^2 c}{162 (bx^3 + a)^4} - \frac{20 \left(7 a^6 \left(-\frac{a}{b}\right)^{1/3} e + 11 a^6 b d \right) \left(-\frac{a}{b}\right)^{1/3} \log\left(x - \left(-\frac{a}{b}\right)^{1/3}\right)}{243 a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^4,x, algorithm="giac")

[Out] $\frac{4}{3} b c \log(\text{abs}(b x^3 + a)) / a^5 - 4 b c \log(\text{abs}(x)) / a^5 - \frac{20}{243} \sqrt{3} * (1 - (-a/b)^2)^{1/3} * b d - 7 * (-a/b)^2)^{2/3} * e) * \arctan(1/3 * \sqrt{3} * (2x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / (a^5 * b) - 10/243 * (11 * (-a/b)^2)^{1/3} * b d + 7 * (-a/b)^2)^{2/3} * e) * \log(x^2 + x * (-a/b)^{1/3} + (-a/b)^{2/3}) / (a^5 * b) - 1/162 * (280 * b^3 * x^{11} * e + 220 * b^3 * d * x^{10} + 216 * b^3 * c * x^9 + 770 * a * b^2 * x^8 * e + 572 * a * b^2 * d * x^7 + 540 * a * b^2 * c * x^6 + 670 * a^2 * b * x^5 * e + 451 * a^2 * b * d * x^4 + 396 * a^2 * b * c * x^3 + 162 * a^3 * x^2 * e + 81 * a^3 * d * x + 54 * a^3 * c) / ((b * x^4 + a * x)^3 * a^4) + 20/243 * (7 * a^6 * b^2 * (-a/b)^{1/3} * e + 11 * a^6 * b^2 * d) * (-a/b)^{1/3} * \log(\text{abs}(x - (-a/b)^{1/3})) / (a^{11} * b)$

maple [A] time = 0.07, size = 415, normalized size = 1.22

$$\frac{590 d^2 e^2}{81 (b^3 x^3 + a)^2} - \frac{1396 d^2 e^2}{162 (b^3 x^3 + a)^2} - \frac{d^2 e^2}{(b^3 x^3 + a)^2} - \frac{1429 d^2 e^2}{81 (b^3 x^3 + a)^2} - \frac{3289 d^2 e^2}{162 (b^3 x^3 + a)^2} - \frac{79 d^2 e^2}{3 (b^3 x^3 + a)^2} - \frac{92 b c d^2}{81 (b^3 x^3 + a)^2} - \frac{104 b c d}{81 (b^3 x^3 + a)^2} - \frac{13 b c}{9 (b^3 x^3 + a)^2} - \frac{220 \sqrt{3} d \arctan\left(\frac{\sqrt{3} \sqrt{bx^3 + a}}{x}\right)}{243 \left(\frac{a}{b}\right)^2} - \frac{220 b \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{243 \left(\frac{a}{b}\right)^2} - \frac{110 b \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right)}{243 \left(\frac{a}{b}\right)^2} - \frac{140 \sqrt{3} e \arctan\left(\frac{\sqrt{3} \sqrt{bx^3 + a}}{x}\right)}{243 \left(\frac{a}{b}\right)^2} - \frac{140 b \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{243 \left(\frac{a}{b}\right)^2} - \frac{70 b \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right)}{243 \left(\frac{a}{b}\right)^2} - \frac{4 b c \ln(|d|)}{a^3} - \frac{4 b c \ln(b^3 x^3 + a)}{3 a^3} - \frac{c}{a^2} - \frac{c}{2 a^2} - \frac{c}{5 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^4/(b*x^3+a)^4,x)

[Out] $-59/81/a^4*b^3/(b*x^3+a)^3*e*x^8 - 139/162/a^4*b^3/(b*x^3+a)^3*d*x^7 - 1/a^4*b^3/(b*x^3+a)^3*c*x^6 - 142/81/a^3*b^2/(b*x^3+a)^3*e*x^5 - 329/162/a^3*b^2/(b*x^3+a)^3*d*x^4 - 7/3/a^3*b^2/(b*x^3+a)^3*c*x^3 - 92/81/a^2*b/(b*x^3+a)^3*e*x^2 - 104/81/a^2*b/(b*x^3+a)^3*d*x - 13/9/a^2*b/(b*x^3+a)^3*c - 220/243/a^4*d/(a/b)^{2/3} * \ln(x + (a/b)^{1/3}) + 110/243/a^4*d/(a/b)^{2/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) - 220/243/a^4*d/(a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) + 140/243/a^4*e/(a/b)^{1/3} * \ln(x + (a/b)^{1/3}) - 70/243/a^4*e/(a/b)^{1/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) - 140/243/a^4*e * 3^{1/2} / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) + 4/3 * b * c * \ln(b * x^3 + a) / a^5 - 1/3 * c / a^4 * x^3 - 1/2 * d / a^4 * x^2 - e / a^4 * x - 4 * b * c * \ln(x) / a^5$

maxima [A] time = 3.08, size = 330, normalized size = 0.97

$$\frac{280 b^3 d^2 e^2 + 220 b^3 d a^2 + 216 b^3 c a^2 + 770 a b^2 d^2 e + 572 a b^2 d a^2 + 540 a b^2 c a^2 + 670 a^2 b^2 d^2 e + 451 a^2 b^2 d a^2 + 396 a^2 b^2 c a^2 + 162 a^2 d^2 e + 81 a^2 d a^2 + 54 a^2 c}{162 (a^3 b^3 x^3 + 3 a^3 b^2 c x^2 + 3 a^3 b c^2 x + a^3 c^2)} - \frac{20 \sqrt{3} \left(7 a^6 \left(\frac{a}{b}\right)^{1/3} + 11 a d \left(\frac{a}{b}\right)^{1/3} \right) \arctan\left(\frac{\sqrt{3} \sqrt{bx^3 + a}}{x} \right)}{243 a^3} + \frac{2 \left(162 b c \left(\frac{a}{b}\right)^{1/3} - 35 a c \left(\frac{a}{b}\right)^{1/3} + 55 a d \right) \log\left(x - x \left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)}{243 a^3 \left(\frac{a}{b}\right)^{1/3}} + \frac{4 \left(81 b c \left(\frac{a}{b}\right)^{1/3} + 35 a c \left(\frac{a}{b}\right)^{1/3} - 55 a d \right) \log\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{243 a^3 \left(\frac{a}{b}\right)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^4,x, algorithm="maxima")

[Out]
$$-1/162*(280*b^3*e*x^{11} + 220*b^3*d*x^{10} + 216*b^3*c*x^9 + 770*a*b^2*e*x^8 + 572*a*b^2*d*x^7 + 540*a*b^2*c*x^6 + 670*a^2*b*e*x^5 + 451*a^2*b*d*x^4 + 396*a^2*b*c*x^3 + 162*a^3*e*x^2 + 81*a^3*d*x + 54*a^3*c)/(a^4*b^3*x^{12} + 3*a^5*b^2*x^9 + 3*a^6*b*x^6 + a^7*x^3) - 4*b*c*\log(x)/a^5 - 20/243*\sqrt{3}*(7*a*e*(a/b)^{(2/3)} + 11*a*d*(a/b)^{(1/3)})*b*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)}))/(a/b)^{(1/3)}/a^6 + 2/243*(162*b*c*(a/b)^{(2/3)} - 35*a*e*(a/b)^{(1/3)} + 55*a*d)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^5*(a/b)^{(2/3)}) + 4/243*(81*b*c*(a/b)^{(2/3)} + 35*a*e*(a/b)^{(1/3)} - 55*a*d)*\log(x + (a/b)^{(1/3)})/(a^5*(a/b)^{(2/3)})$$

mupad [B] time = 0.52, size = 918, normalized size = 2.70

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^4*(a + b*x^3)^4),x)

[Out]
$$\text{symsum}(\log(-(4*b^3*(688905*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)^2*a^{10}*e + 3920400*b^2*c*d^2 - 3674160*b^2*c^2*e + 4782969*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)^3*a^{14}*x + 2662000*b^2*d^3*x - 686000*a*b*e^3*x + 980100*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*a^5*b*d^2 - 12754584*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)^2*a^9*b*c*x + 8503056*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*a^4*b^2*c^2*x + 1837080*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*a^5*b*c*e - 4989600*b^2*c*d*e*x + 6237000*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*a^5*b*d*e*x))/(531441*a^{12})*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k), k, 1, 3) - (c/(3*a) + (e*x^2)/a + (d*x$$

$$\begin{aligned} &)/(2*a) + (10*b^2*c*x^6)/(3*a^3) + (4*b^3*c*x^9)/(3*a^4) + (286*b^2*d*x^7)/ \\ &(81*a^3) + (110*b^3*d*x^10)/(81*a^4) + (385*b^2*e*x^8)/(81*a^3) + (140*b^3* \\ &e*x^11)/(81*a^4) + (22*b*c*x^3)/(9*a^2) + (451*b*d*x^4)/(162*a^2) + (335*b* \\ &e*x^5)/(81*a^2))/(a^3*x^3 + b^3*x^12 + 3*a^2*b*x^6 + 3*a*b^2*x^9) - (4*b*c* \\ &\log(x))/a^5 \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**4/(b*x**3+a)**4,x)

[Out] Timed out

$$3.312 \quad \int \frac{2ax-x^2}{a^3+x^3} dx$$

Optimal. Leaf size=29

$$-\log(a+x) - \frac{2 \tan^{-1}\left(\frac{a-2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.06, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1593, 1868, 31, 617, 204}

$$-\log(a+x) - \frac{2 \tan^{-1}\left(\frac{a-2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(2*a*x - x^2)/(a^3 + x^3),x]

[Out] (-2*ArcTan[(a - 2*x)/(Sqrt[3]*a)]/Sqrt[3] - Log[a + x]

Rule 31

Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1593

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^n], x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1868

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = Rt[a/b, 3]}, Dist[C/b, I
nt[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /
; EqQ[A - Rt[a/b, 3]*B - 2*Rt[a/b, 3]^2*C, 0]] /; FreeQ[{a, b}, x] && PolyQ
[P2, x, 2]
```

Rubi steps

$$\begin{aligned} \int \frac{2ax - x^2}{a^3 + x^3} dx &= \int \frac{(2a - x)x}{a^3 + x^3} dx \\ &= a \int \frac{1}{a^2 - ax + x^2} dx - \int \frac{1}{a + x} dx \\ &= -\log(a + x) + 2 \operatorname{Subst} \left(\int \frac{1}{-3 - x^2} dx, x, 1 - \frac{2x}{a} \right) \\ &= -\frac{2 \tan^{-1} \left(\frac{a-2x}{\sqrt{3}a} \right)}{\sqrt{3}} - \log(a + x) \end{aligned}$$

Mathematica [A] time = 0.02, size = 57, normalized size = 1.97

$$\frac{1}{3} \left(-\log(a^3 + x^3) + \log(a^2 - ax + x^2) - 2\log(a + x) + 2\sqrt{3} \tan^{-1} \left(\frac{2x - a}{\sqrt{3}a} \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(2*a*x - x^2)/(a^3 + x^3), x]
```

```
[Out] (2*Sqrt[3]*ArcTan[(-a + 2*x)/(Sqrt[3]*a)] - 2*Log[a + x] + Log[a^2 - a*x +
x^2] - Log[a^3 + x^3])/3
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2ax - x^2}{a^3 + x^3} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(2*a*x - x^2)/(a^3 + x^3), x]
```

```
[Out] IntegrateAlgebraic[(2*a*x - x^2)/(a^3 + x^3), x]
```

fricas [A] time = 0.40, size = 26, normalized size = 0.90

$$\frac{2}{3}\sqrt{3}\arctan\left(-\frac{\sqrt{3}(a-2x)}{3a}\right)-\log(a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x-x^2)/(a^3+x^3),x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(-1/3*sqrt(3)*(a - 2*x)/a) - log(a + x)

giac [A] time = 0.15, size = 27, normalized size = 0.93

$$\frac{2}{3}\sqrt{3}\arctan\left(-\frac{\sqrt{3}(a-2x)}{3a}\right)-\log(|a+x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x-x^2)/(a^3+x^3),x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(-1/3*sqrt(3)*(a - 2*x)/a) - log(abs(a + x))

maple [A] time = 0.05, size = 29, normalized size = 1.00

$$\frac{2\sqrt{3}\arctan\left(\frac{(-a+2x)\sqrt{3}}{3a}\right)}{3}-\ln(a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a*x-x^2)/(a^3+x^3),x)

[Out] -ln(a+x)+2/3*3^(1/2)*arctan(1/3*(2*x-a)*3^(1/2)/a)

maxima [A] time = 2.89, size = 26, normalized size = 0.90

$$\frac{2}{3}\sqrt{3}\arctan\left(-\frac{\sqrt{3}(a-2x)}{3a}\right)-\log(a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x-x^2)/(a^3+x^3),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(-1/3*sqrt(3)*(a - 2*x)/a) - log(a + x)

mupad [B] time = 4.97, size = 26, normalized size = 0.90

$$-\ln(a+x)-\frac{2\sqrt{3}\operatorname{atan}\left(-\frac{\sqrt{3}a}{a-2x}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*a*x - x^2)/(a^3 + x^3),x)`

[Out] $-\log(a + x) - (2\sqrt{3}^{(1/2)}\operatorname{atan}(-\sqrt{3}^{(1/2)}a)/(a - 2x))/3$

sympy [C] time = 0.18, size = 54, normalized size = 1.86

$$-\log(a + x) - \frac{\sqrt{3}i \log\left(-\frac{a}{2} - \frac{\sqrt{3}ia}{2} + x\right)}{3} + \frac{\sqrt{3}i \log\left(-\frac{a}{2} + \frac{\sqrt{3}ia}{2} + x\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*a*x-x**2)/(a**3+x**3),x)`

[Out] $-\log(a + x) - \sqrt{3}I \log(-a/2 - \sqrt{3}Ia/2 + x)/3 + \sqrt{3}I \log(-a/2 + \sqrt{3}Ia/2 + x)/3$

$$3.313 \quad \int \frac{(2a-x)x}{a^3+x^3} dx$$

Optimal. Leaf size=29

$$-\log(a+x) - \frac{2 \tan^{-1}\left(\frac{a-2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.03, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1868, 31, 617, 204}

$$-\log(a+x) - \frac{2 \tan^{-1}\left(\frac{a-2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((2*a - x)*x)/(a^3 + x^3), x]

[Out] (-2*ArcTan[(a - 2*x)/(Sqrt[3]*a)]/Sqrt[3] - Log[a + x])

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1868

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = Rt[a/b, 3]}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x] /; EqQ[A - Rt[a/b, 3]*B - 2*Rt[a/b, 3]^2*C, 0]] /; FreeQ[{a, b}, x] && PolyQ

[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{(2a-x)x}{a^3+x^3} dx &= a \int \frac{1}{a^2-ax+x^2} dx - \int \frac{1}{a+x} dx \\
&= -\log(a+x) + 2 \operatorname{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{a} \right) \\
&= -\frac{2 \tan^{-1} \left(\frac{a-2x}{\sqrt{3}a} \right)}{\sqrt{3}} - \log(a+x)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 57, normalized size = 1.97

$$\frac{1}{3} \left(-\log(a^3+x^3) + \log(a^2-ax+x^2) - 2\log(a+x) + 2\sqrt{3} \tan^{-1} \left(\frac{2x-a}{\sqrt{3}a} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((2*a - x)*x)/(a^3 + x^3), x]

[Out] (2*sqrt[3]*ArcTan[(-a + 2*x)/(sqrt[3]*a)] - 2*Log[a + x] + Log[a^2 - a*x + x^2] - Log[a^3 + x^3])/3

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(2a-x)x}{a^3+x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((2*a - x)*x)/(a^3 + x^3), x]

[Out] IntegrateAlgebraic[((2*a - x)*x)/(a^3 + x^3), x]

fricas [A] time = 0.41, size = 26, normalized size = 0.90

$$\frac{2}{3} \sqrt{3} \arctan \left(-\frac{\sqrt{3}(a-2x)}{3a} \right) - \log(a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a-x)*x/(a^3+x^3), x, algorithm="fricas")

[Out] $\frac{2}{3}\sqrt{3}\arctan(-\frac{1}{3}\sqrt{3}(a-2x)/a) - \log(a+x)$

giac [A] time = 0.15, size = 27, normalized size = 0.93

$$\frac{2}{3}\sqrt{3}\arctan\left(-\frac{\sqrt{3}(a-2x)}{3a}\right) - \log(|a+x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*a-x)*x/(a^3+x^3),x, algorithm="giac")`

[Out] $\frac{2}{3}\sqrt{3}\arctan(-\frac{1}{3}\sqrt{3}(a-2x)/a) - \log(\text{abs}(a+x))$

maple [A] time = 0.05, size = 29, normalized size = 1.00

$$\frac{2\sqrt{3}\arctan\left(\frac{(-a+2x)\sqrt{3}}{3a}\right)}{3} - \ln(a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*a-x)*x/(a^3+x^3),x)`

[Out] $\frac{2}{3}3^{(1/2)}\arctan(1/3*(-a+2x)*3^{(1/2)}/a) - \ln(a+x)$

maxima [A] time = 2.97, size = 26, normalized size = 0.90

$$\frac{2}{3}\sqrt{3}\arctan\left(-\frac{\sqrt{3}(a-2x)}{3a}\right) - \log(a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*a-x)*x/(a^3+x^3),x, algorithm="maxima")`

[Out] $\frac{2}{3}\sqrt{3}\arctan(-\frac{1}{3}\sqrt{3}(a-2x)/a) - \log(a+x)$

mupad [B] time = 0.03, size = 26, normalized size = 0.90

$$-\ln(a+x) - \frac{2\sqrt{3}\operatorname{atan}\left(-\frac{\sqrt{3}a}{a-2x}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(2*a-x))/(a^3+x^3),x)`

[Out] $-\log(a+x) - (2*3^{(1/2)}*\operatorname{atan}(-(3^{(1/2)}*a)/(a-2*x)))/3$

sympy [C] time = 0.17, size = 54, normalized size = 1.86

$$-\log(a + x) - \frac{\sqrt{3}i \log\left(-\frac{a}{2} - \frac{\sqrt{3}ia}{2} + x\right)}{3} + \frac{\sqrt{3}i \log\left(-\frac{a}{2} + \frac{\sqrt{3}ia}{2} + x\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a-x)*x/(a**3+x**3),x)

[Out] -log(a + x) - sqrt(3)*I*log(-a/2 - sqrt(3)*I*a/2 + x)/3 + sqrt(3)*I*log(-a/2 + sqrt(3)*I*a/2 + x)/3

$$3.314 \quad \int \frac{2ax+x^2}{a^3-x^3} dx$$

Optimal. Leaf size=31

$$-\log(a-x) - \frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.06, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1593, 1868, 31, 617, 204}

$$-\log(a-x) - \frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

```
[In] Int[(2*a*x + x^2)/(a^3 - x^3),x]
```

```
[Out] (-2*ArcTan[(a + 2*x)/(Sqrt[3]*a)])/Sqrt[3] - Log[a - x]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 1593

```
Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q-p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q-p]
```


Rule 1868

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = Rt[a/b, 3]}, Dist[C/b, I
nt[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /
; EqQ[A - Rt[a/b, 3]*B - 2*Rt[a/b, 3]^2*C, 0]] /; FreeQ[{a, b}, x] && PolyQ
[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
 \int \frac{2ax + x^2}{a^3 - x^3} dx &= \int \frac{x(2a + x)}{a^3 - x^3} dx \\
 &= -\left(a \int \frac{1}{a^2 + ax + x^2} dx\right) - \int \frac{1}{-a + x} dx \\
 &= -\log(a - x) + 2 \operatorname{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 + \frac{2x}{a}\right) \\
 &= -\frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}} - \log(a - x)
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 58, normalized size = 1.87

$$\frac{1}{3} \left(-\log(x^3 - a^3) + \log(a^2 + ax + x^2) - 2\log(x - a) - 2\sqrt{3} \tan^{-1}\left(\frac{a + 2x}{\sqrt{3}a}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2*a*x + x^2)/(a^3 - x^3), x]

[Out] (-2*Sqrt[3]*ArcTan[(a + 2*x)/(Sqrt[3]*a)] - 2*Log[-a + x] + Log[a^2 + a*x + x^2] - Log[-a^3 + x^3])/3

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2ax + x^2}{a^3 - x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(2*a*x + x^2)/(a^3 - x^3), x]

[Out] IntegrateAlgebraic[(2*a*x + x^2)/(a^3 - x^3), x]

fricas [A] time = 0.43, size = 28, normalized size = 0.90

$$-\frac{2}{3}\sqrt{3}\arctan\left(\frac{\sqrt{3}(a+2x)}{3a}\right)-\log(-a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x+x^2)/(a^3-x^3),x, algorithm="fricas")

[Out] -2/3*sqrt(3)*arctan(1/3*sqrt(3)*(a + 2*x)/a) - log(-a + x)

giac [A] time = 0.15, size = 29, normalized size = 0.94

$$-\frac{2}{3}\sqrt{3}\arctan\left(\frac{\sqrt{3}(a+2x)}{3a}\right)-\log(|-a+x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x+x^2)/(a^3-x^3),x, algorithm="giac")

[Out] -2/3*sqrt(3)*arctan(1/3*sqrt(3)*(a + 2*x)/a) - log(abs(-a + x))

maple [A] time = 0.05, size = 29, normalized size = 0.94

$$-\frac{2\sqrt{3}\arctan\left(\frac{(a+2x)\sqrt{3}}{3a}\right)}{3}-\ln(-a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a*x+x^2)/(a^3-x^3),x)

[Out] -2/3*arctan(1/3*(a+2*x)/a*3^(1/2))*3^(1/2)-ln(x-a)

maxima [A] time = 2.92, size = 28, normalized size = 0.90

$$-\frac{2}{3}\sqrt{3}\arctan\left(\frac{\sqrt{3}(a+2x)}{3a}\right)-\log(-a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x+x^2)/(a^3-x^3),x, algorithm="maxima")

[Out] -2/3*sqrt(3)*arctan(1/3*sqrt(3)*(a + 2*x)/a) - log(-a + x)

mupad [B] time = 4.95, size = 27, normalized size = 0.87

$$\frac{2\sqrt{3}\operatorname{atan}\left(\frac{\sqrt{3}a}{a+2x}\right)}{3}-\ln(x-a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*a*x + x^2)/(a^3 - x^3),x)`

[Out] $(2\sqrt{3}^{1/2}\operatorname{atan}(\sqrt{3}^{1/2}a/(a + 2x)))/3 - \log(x - a)$

sympy [C] time = 0.17, size = 54, normalized size = 1.74

$$-\log(-a + x) + \frac{\sqrt{3}i \log\left(\frac{a}{2} - \frac{\sqrt{3}ia}{2} + x\right)}{3} - \frac{\sqrt{3}i \log\left(\frac{a}{2} + \frac{\sqrt{3}ia}{2} + x\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*a*x+x**2)/(a**3-x**3),x)`

[Out] $-\log(-a + x) + \operatorname{sqrt}(3)*I*\log(a/2 - \operatorname{sqrt}(3)*I*a/2 + x)/3 - \operatorname{sqrt}(3)*I*\log(a/2 + \operatorname{sqrt}(3)*I*a/2 + x)/3$

$$3.315 \quad \int \frac{x(2a+x)}{a^3-x^3} dx$$

Optimal. Leaf size=31

$$-\log(a-x) - \frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Rubi [A] time = 0.04, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1868, 31, 617, 204}

$$-\log(a-x) - \frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(2*a + x))/(a^3 - x^3), x]

[Out] (-2*ArcTan[(a + 2*x)/(Sqrt[3]*a)]/Sqrt[3] - Log[a - x])

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1868

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = Rt[a/b, 3]}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x] /; EqQ[A - Rt[a/b, 3]*B - 2*Rt[a/b, 3]^2*C, 0]] /; FreeQ[{a, b}, x] && PolyQ

[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{x(2a+x)}{a^3-x^3} dx &= -\left(a \int \frac{1}{a^2+ax+x^2} dx\right) - \int \frac{1}{-a+x} dx \\
&= -\log(a-x) + 2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{a}\right) \\
&= -\frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}} - \log(a-x)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 58, normalized size = 1.87

$$\frac{1}{3} \left(-\log(x^3 - a^3) + \log(a^2 + ax + x^2) - 2 \log(x - a) - 2\sqrt{3} \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(2*a + x))/(a^3 - x^3), x]

[Out] (-2*Sqrt[3]*ArcTan[(a + 2*x)/(Sqrt[3]*a)] - 2*Log[-a + x] + Log[a^2 + a*x + x^2] - Log[-a^3 + x^3])/3

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(2a+x)}{a^3-x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(2*a + x))/(a^3 - x^3), x]

[Out] IntegrateAlgebraic[(x*(2*a + x))/(a^3 - x^3), x]

fricas [A] time = 0.40, size = 28, normalized size = 0.90

$$-\frac{2}{3} \sqrt{3} \arctan\left(\frac{\sqrt{3}(a+2x)}{3a}\right) - \log(-a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*a+x)/(a^3-x^3), x, algorithm="fricas")

[Out] $-2/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(a + 2*x)/a) - \log(-a + x)$

giac [A] time = 0.15, size = 29, normalized size = 0.94

$$-\frac{2}{3}\sqrt{3}\arctan\left(\frac{\sqrt{3}(a+2x)}{3a}\right) - \log(|-a+x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(2*a+x)/(a^3-x^3),x, algorithm="giac")`

[Out] $-2/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(a + 2*x)/a) - \log(\text{abs}(-a + x))$

maple [A] time = 0.06, size = 29, normalized size = 0.94

$$-\frac{2\sqrt{3}\arctan\left(\frac{(a+2x)\sqrt{3}}{3a}\right)}{3} - \ln(-a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(2*a+x)/(a^3-x^3),x)`

[Out] $-2/3*3^{(1/2)}*\arctan(1/3*(a+2*x)*3^{(1/2)}/a)-\ln(-a+x)$

maxima [A] time = 2.84, size = 28, normalized size = 0.90

$$-\frac{2}{3}\sqrt{3}\arctan\left(\frac{\sqrt{3}(a+2x)}{3a}\right) - \log(-a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(2*a+x)/(a^3-x^3),x, algorithm="maxima")`

[Out] $-2/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(a + 2*x)/a) - \log(-a + x)$

mupad [B] time = 0.03, size = 27, normalized size = 0.87

$$\frac{2\sqrt{3}\operatorname{atan}\left(\frac{\sqrt{3}a}{a+2x}\right)}{3} - \ln(x-a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(2*a + x))/(a^3 - x^3),x)`

[Out] $(2*3^{(1/2)}*\operatorname{atan}((3^{(1/2)}*a)/(a + 2*x)))/3 - \log(x - a)$

sympy [C] time = 0.17, size = 54, normalized size = 1.74

$$-\log(-a + x) + \frac{\sqrt{3} i \log\left(\frac{a}{2} - \frac{\sqrt{3} i a}{2} + x\right)}{3} - \frac{\sqrt{3} i \log\left(\frac{a}{2} + \frac{\sqrt{3} i a}{2} + x\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*a+x)/(a**3-x**3),x)

[Out] -log(-a + x) + sqrt(3)*I*log(a/2 - sqrt(3)*I*a/2 + x)/3 - sqrt(3)*I*log(a/2 + sqrt(3)*I*a/2 + x)/3

$$3.316 \quad \int \frac{x \left(-2 \sqrt[3]{\frac{a}{b}} C + Cx \right)}{a + bx^3} dx$$

Optimal. Leaf size=50

$$\frac{C \log \left(\sqrt[3]{\frac{a}{b}} + x \right)}{b} + \frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3}b}$$

Rubi [A] time = 0.09, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1867, 31, 617, 204}

$$\frac{C \log \left(\sqrt[3]{\frac{a}{b}} + x \right)}{b} + \frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3}b}$$

Antiderivative was successfully verified.

[In] Int[(x*(-2*(a/b)^(1/3)*C + C*x))/(a + b*x^3),x]

[Out] (2*C*ArcTan[(1 - (2*x)/(a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*b) + (C*Log[(a/b)^(1/3) + x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1867

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{x \left(-2\sqrt[3]{\frac{a}{b}} C + Cx \right)}{a + bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} + x} dx}{b} - \frac{\left(\sqrt[3]{\frac{a}{b}} C \right) \int \frac{1}{\left(\frac{a}{b} \right)^{2/3} - \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b} \\ &= \frac{C \log \left(\sqrt[3]{\frac{a}{b}} + x \right)}{b} - \frac{(2C) \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}} \right)}{b} \\ &= \frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b} + \frac{C \log \left(\sqrt[3]{\frac{a}{b}} + x \right)}{b} \end{aligned}$$

Mathematica [B] time = 0.04, size = 146, normalized size = 2.92

$$\frac{C \left(-\sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + \sqrt[3]{a} \log \left(a + bx^3 \right) + 2\sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) + 2\sqrt{3} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \tan^{-1} \left(\frac{1 - \frac{2\sqrt[3]{b} x}{\sqrt[3]{a}}}{\sqrt{3}} \right) \right)}{3\sqrt[3]{ab}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(-2*(a/b)^(1/3)*C + C*x))/(a + b*x^3), x]

[Out] (C*(2*Sqrt[3]*(a/b)^(1/3)*b^(1/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3)]/Sqrt[3]] + 2*(a/b)^(1/3)*b^(1/3)*Log[a^(1/3) + b^(1/3)*x] - (a/b)^(1/3)*b^(1/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(1/3)*Log[a + b*x^3]))/(3*a^(1/3)*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \left(-2\sqrt[3]{\frac{a}{b}} C + Cx \right)}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(-2*(a/b)^(1/3)*C + C*x))/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(x*(-2*(a/b)^(1/3)*C + C*x))/(a + b*x^3), x]

fricas [A] time = 0.43, size = 52, normalized size = 1.04

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(\frac{a}{b}\right)^{\frac{2}{3}} - \sqrt{3}a}{3a}\right) - 3C \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*(a/b)^(1/3)*C+C*x)/(b*x^3+a), x, algorithm="fricas")

[Out] -1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) - sqrt(3)*a)/a) - 3*C*log(x + (a/b)^(1/3)))/b

giac [B] time = 0.48, size = 174, normalized size = 3.48

$$\frac{\left(Cb\left(-\frac{a}{b}\right)^{\frac{2}{3}} - 2(ab^2)^{\frac{1}{3}}C\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}}\log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3ab} - \frac{\sqrt{3}\left(ab^2 - \sqrt{3}\sqrt{a^2b^4}i\right)C\arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^3} + \frac{\left(3ab^2 - \sqrt{3}\sqrt{a^2b^4}i\right)C\log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*(a/b)^(1/3)*C+C*x)/(b*x^3+a), x, algorithm="giac")

[Out] -1/3*(C*b*(-a/b)^(2/3) - 2*(a*b^2)^(1/3)*C*(-a/b)^(1/3))*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b) - 1/3*sqrt(3)*(a*b^2 - sqrt(3)*sqrt(a^2*b^4)*i)*C*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a*b^3) + 1/6*(3*a*b^2 - sqrt(3)*sqrt(a^2*b^4)*i)*C*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a*b^3)

maple [A] time = 0.05, size = 87, normalized size = 1.74

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3b} + \frac{2C \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} - \frac{C \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} + \frac{C \ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(-2*(a/b)^(1/3)*C+C*x)/(b*x^3+a),x)`

[Out] $2/3*C/b*\ln(x+(a/b)^{(1/3)})-1/3*C/b*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-2/3*3^{(1/2)}*C/b*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/3*C/b*\ln(b*x^3+a)$

maxima [A] time = 3.07, size = 51, normalized size = 1.02

$$-\frac{2\sqrt{3}C\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} + \frac{C\log\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-2*(a/b)^(1/3)*C+C*x)/(b*x^3+a),x, algorithm="maxima")`

[Out] $-2/3*\sqrt{3}*C*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/b + C*\log(x + (a/b)^{(1/3)})/b$

mupad [B] time = 5.22, size = 154, normalized size = 3.08

$$\sum_{k=1}^3 \ln\left(\frac{C^2 a + \sqrt[3]{27 a b^3 z^3 - 27 C a b^2 z^2 + 9 C^2 a b z - 9 C^3 a, z, k}^2 a b^2 9 - C \sqrt[3]{27 a b^3 z^3 - 27 C a b^2 z^2 + 9 C^2 a b z - 9 C^3 a, z, k} a b 6 + 4 C^2 b x \left(\frac{a}{b}\right)^{2/3}}{b^3}\right) \sqrt[3]{27 a b^3 z^3 - 27 C a b^2 z^2 + 9 C^2 a b z - 9 C^3 a, z, k}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(C*x - 2*C*(a/b)^(1/3)))/(a + b*x^3),x)`

[Out] `symsum(log((C^2*a + 9*root(27*a*b^3*z^3 - 27*C*a*b^2*z^2 + 9*C^2*a*b*z - 9*C^3*a, z, k)^2*a*b^2 - 6*C*root(27*a*b^3*z^3 - 27*C*a*b^2*z^2 + 9*C^2*a*b*z - 9*C^3*a, z, k)*a*b + 4*C^2*b*x*(a/b)^(2/3))/b^3)*root(27*a*b^3*z^3 - 27*C*a*b^2*z^2 + 9*C^2*a*b*z - 9*C^3*a, z, k), k, 1, 3)`

sympy [C] time = 0.32, size = 100, normalized size = 2.00

$$\frac{C \left(\log\left(\frac{a}{b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right) + \frac{\sqrt{3}i \log\left(-\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} - \frac{\sqrt{3}i \log\left(-\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-2*(a/b)**(1/3)*C+C*x)/(b*x**3+a),x)`

```
[Out] C*(log(a/(b*(a/b)**(2/3)) + x) + sqrt(3)*I*log(-a/(2*b*(a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3 - sqrt(3)*I*log(-a/(2*b*(a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3)/b
```

$$3.317 \quad \int \frac{x \left(-2 \sqrt[3]{-\frac{a}{b}} C + Cx \right)}{a - bx^3} dx$$

Optimal. Leaf size=53

$$-\frac{C \log \left(\sqrt[3]{-\frac{a}{b}} + x \right)}{b} - \frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b}$$

Rubi [A] time = 0.09, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1867, 31, 617, 204}

$$-\frac{C \log \left(\sqrt[3]{-\frac{a}{b}} + x \right)}{b} - \frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b}$$

Antiderivative was successfully verified.

[In] Int[(x*(-2*(-(a/b))^(1/3)*C + C*x))/(a - b*x^3), x]

[Out] (-2*C*ArcTan[(1 - (2*x)/(-(a/b))^(1/3))/Sqrt[3]])/(Sqrt[3]*b) - (C*Log[(-(a/b))^(1/3) + x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1867

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b,
Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]]
/; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && Poly
Q[P2, x, 2]
```

Rubi steps

$$\begin{aligned} \int \frac{x \left(-2\sqrt[3]{-\frac{a}{b}} C + Cx \right)}{a - bx^3} dx &= -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} + x} dx}{b} + \frac{\left(\sqrt[3]{-\frac{a}{b}} C \right) \int \frac{1}{\left(-\frac{a}{b}\right)^{2/3} - \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b} \\ &= -\frac{C \log \left(\sqrt[3]{-\frac{a}{b}} + x \right)}{b} + \frac{(2C) \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}} \right)}{b} \\ &= -\frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b} - \frac{C \log \left(\sqrt[3]{-\frac{a}{b}} + x \right)}{b} \end{aligned}$$

Mathematica [B] time = 0.08, size = 149, normalized size = 2.81

$$\frac{C \left(\sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \log \left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + \sqrt[3]{a} \log \left(a - bx^3 \right) - 2\sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \log \left(\sqrt[3]{a} - \sqrt[3]{b} x \right) - 2\sqrt{3} \sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \tan^{-1} \left(\frac{2\sqrt[3]{b} x + 1}{\sqrt{3}} \right) \right)}{3\sqrt[3]{ab}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(-2*(-(a/b))^(1/3)*C + C*x))/(a - b*x^3), x]

[Out] -1/3*(C*(-2*Sqrt[3]*(-(a/b))^(1/3)*b^(1/3)*ArcTan[(1 + (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] - 2*(-(a/b))^(1/3)*b^(1/3)*Log[a^(1/3) - b^(1/3)*x] + (-(a/b))^(1/3)*b^(1/3)*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(1/3)*Log[a - b*x^3]))/(a^(1/3)*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \left(-2\sqrt[3]{-\frac{a}{b}} C + Cx \right)}{a - bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(-2*(-(a/b))^(1/3)*C + C*x))/(a - b*x^3), x]

[Out] IntegrateAlgebraic[(x*(-2*(-(a/b))^(1/3)*C + C*x))/(a - b*x^3), x]

fricas [A] time = 0.44, size = 53, normalized size = 1.00

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(-\frac{a}{b}\right)^{\frac{2}{3}} + \sqrt{3}a}{3a}\right) + 3C \log\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*(-a/b)^(1/3)*C+C*x)/(-b*x^3+a), x, algorithm="fricas")

[Out] $-\frac{1}{3} * (2 * \sqrt{3} * C * \arctan(1/3 * (2 * \sqrt{3} * b * x * (-a/b)^{2/3} + \sqrt{3} * a) / a) + 3 * C * \log(x + (-a/b)^{1/3})) / b$

giac [B] time = 0.21, size = 165, normalized size = 3.11

$$\frac{\left(Cb\left(\frac{a}{b}\right)^{\frac{2}{3}} - 2(-ab^2)^{\frac{1}{3}}C\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)\left(\frac{a}{b}\right)^{\frac{1}{3}}\log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3ab} + \frac{\sqrt{3}\left(ab^2 + \sqrt{3}\sqrt{a^2b^4}i\right)C\arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^3} - \frac{\left(3ab^2 + \sqrt{3}\sqrt{a^2b^4}i\right)C\log\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*(-a/b)^(1/3)*C+C*x)/(-b*x^3+a), x, algorithm="giac")

[Out] $-\frac{1}{3} * (C * b * (a/b)^{2/3} - 2 * (-a * b^2)^{1/3} * C * (a/b)^{1/3}) * (a/b)^{1/3} * \log(\text{abs}(x - (a/b)^{1/3})) / (a * b) + 1/3 * \sqrt{3} * (a * b^2 + \sqrt{3} * \sqrt{a^2 * b^4} * i) * C * \arctan(1/3 * \sqrt{3} * (2 * x + (a/b)^{1/3}) / (a/b)^{1/3}) / (a * b^3) - 1/6 * (3 * a * b^2 + \sqrt{3} * \sqrt{a^2 * b^4} * i) * C * \log(x^2 + x * (a/b)^{1/3} + (a/b)^{2/3}) / (a * b^3)$

maple [B] time = 0.05, size = 135, normalized size = 2.55

$$\frac{2\left(-\frac{a}{b}\right)^{\frac{1}{3}}\sqrt{3}C \arctan\left(\frac{\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}+1\right)\sqrt{3}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{2\left(-\frac{a}{b}\right)^{\frac{1}{3}}C \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \frac{\left(-\frac{a}{b}\right)^{\frac{1}{3}}C \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \frac{C \ln(bx^3 - a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(-2*(-a/b)^(1/3)*C+C*x)/(-b*x^3+a), x)

[Out] $2/3 * C * (-a/b)^{1/3} / b / (a/b)^{1/3} * \ln(x - (a/b)^{1/3}) - 1/3 * C * (-a/b)^{1/3} / b / (a/b)^{1/3} * \ln(x^2 + (a/b)^{1/3} * x + (a/b)^{2/3}) + 2/3 * C * (-a/b)^{1/3} * 3^{1/2} / b / (a/b)^{1/3} * \arctan(1/3 * (2 / (a/b)^{1/3} * x + 1) * 3^{1/2}) - 1/3 * C / b * \ln(b * x^3 - a)$

maxima [B] time = 3.02, size = 166, normalized size = 3.13

$$\frac{\left(C \left(\frac{a}{b} \right)^{\frac{1}{3}} + C \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right) \log \left(x^2 + x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3b \left(\frac{a}{b} \right)^{\frac{1}{3}}} - \frac{\left(C \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2C \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right) \log \left(x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3b \left(\frac{a}{b} \right)^{\frac{1}{3}}} - \frac{2\sqrt{3} \left(Ca - \left(3C \left(\frac{a}{b} \right)^{\frac{2}{3}} \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \frac{Ca}{b} \right) b \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*(-a/b)^(1/3)*C+C*x)/(-b*x^3+a), x, algorithm="maxima")

[Out] $-1/3 * (C * (a/b)^{1/3} + C * (-a/b)^{1/3}) * \log(x^2 + x * (a/b)^{1/3} + (a/b)^{2/3}) / (b * (a/b)^{1/3}) - 1/3 * (C * (a/b)^{1/3} - 2 * C * (-a/b)^{1/3}) * \log(x - (a/b)^{1/3}) / (b * (a/b)^{1/3}) - 2/9 * \sqrt{3} * (C * a - (3 * C * (a/b)^{2/3} * (-a/b)^{1/3} + C * a/b) * b) * \arctan(1/3 * \sqrt{3} * (2 * x + (a/b)^{1/3}) / (a/b)^{1/3}) / (a * b)$

mupad [B] time = 5.25, size = 156, normalized size = 2.94

$$\sum_{k=1}^3 \ln \left(-\frac{C^2 a + \text{root}(27 a b^3 z^3 + 27 C a b^2 z^2 + 9 C^2 a b z + 9 C^3 a, z, k)^2 a b^2 + C \text{root}(27 a b^3 z^3 + 27 C a b^2 z^2 + 9 C^2 a b z + 9 C^3 a, z, k) a b^6 - 4 C^2 b x \left(-\frac{a}{b} \right)^{2/3}}{b^3} \right) \text{root}(27 a b^3 z^3 + 27 C a b^2 z^2 + 9 C^2 a b z + 9 C^3 a, z, k)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(C*x - 2*C*(-a/b)^(1/3)))/(a - b*x^3), x)

[Out] $\text{symsum}(\log(-C^2 * a + 9 * \text{root}(27 * a * b^3 * z^3 + 27 * C * a * b^2 * z^2 + 9 * C^2 * a * b * z + 9 * C^3 * a, z, k)^2 * a * b^2 + 6 * C * \text{root}(27 * a * b^3 * z^3 + 27 * C * a * b^2 * z^2 + 9 * C^2 * a * b * z + 9 * C^3 * a, z, k) * a * b - 4 * C^2 * b * x * (-a/b)^{2/3}) / b^3) * \text{root}(27 * a * b^3 * z^3 + 27 * C * a * b^2 * z^2 + 9 * C^2 * a * b * z + 9 * C^3 * a, z, k), k, 1, 3)$

sympy [C] time = 0.35, size = 110, normalized size = 2.08

$$\frac{C \left(\log \left(-\frac{a}{b \left(-\frac{a}{b} \right)^{\frac{2}{3}}} + x \right) - \frac{\sqrt{3} i \log \left(\frac{a}{2b \left(-\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\sqrt{3} i a}{2b \left(-\frac{a}{b} \right)^{\frac{2}{3}}} + x \right)}{3} + \frac{\sqrt{3} i \log \left(\frac{a}{2b \left(-\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\sqrt{3} i a}{2b \left(-\frac{a}{b} \right)^{\frac{2}{3}}} + x \right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*(-a/b)**(1/3)*C+C*x)/(-b*x**3+a), x)


```
[Out] -C*(log(-a/(b*(-a/b)**(2/3)) + x) - sqrt(3)*I*log(a/(2*b*(-a/b)**(2/3)) - s  
qrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3 + sqrt(3)*I*log(a/(2*b*(-a/b)**(2/3))  
+ sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3)/b
```

$$3.318 \quad \int \frac{x \left(2 \sqrt[3]{-\frac{a}{b}} C + Cx \right)}{a + bx^3} dx$$

Optimal. Leaf size=54

$$\frac{C \log \left(\sqrt[3]{-\frac{a}{b}} - x \right)}{b} + \frac{2C \tan^{-1} \left(\frac{\sqrt[3]{-\frac{a}{b}} + 1}{\sqrt{3}} \right)}{\sqrt{3} b}$$

Rubi [A] time = 0.08, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1869, 31, 617, 204}

$$\frac{C \log \left(\sqrt[3]{-\frac{a}{b}} - x \right)}{b} + \frac{2C \tan^{-1} \left(\frac{\sqrt[3]{-\frac{a}{b}} + 1}{\sqrt{3}} \right)}{\sqrt{3} b}$$

Antiderivative was successfully verified.

[In] Int[(x*(2*(-(a/b))^(1/3)*C + C*x))/(a + b*x^3), x]

[Out] (2*C*ArcTan[(1 + (2*x)/(-(a/b))^(1/3))/Sqrt[3]])/(Sqrt[3]*b) + (C*Log[(-(a/b))^(1/3) - x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1869

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A + (-a/b)^(1/3)*B - 2*(-a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{x \left(2\sqrt[3]{-\frac{a}{b}} C + Cx \right)}{a + bx^3} dx &= -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} - x} dx}{b} + \frac{\left(\sqrt[3]{-\frac{a}{b}} C \right) \int \frac{1}{\left(-\frac{a}{b} \right)^{2/3} + \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b} \\ &= \frac{C \log \left(\sqrt[3]{-\frac{a}{b}} - x \right)}{b} - \frac{(2C) \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}} \right)}{b} \\ &= \frac{2C \tan^{-1} \left(\frac{1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3}b} + \frac{C \log \left(\sqrt[3]{-\frac{a}{b}} - x \right)}{b} \end{aligned}$$

Mathematica [B] time = 0.05, size = 148, normalized size = 2.74

$$\frac{C \left(\sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) + \sqrt[3]{a} \log(a + bx^3) - 2\sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \log(\sqrt[3]{a} + \sqrt[3]{b} x) - 2\sqrt{3} \sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \tan^{-1} \left(\frac{1 - \frac{2\sqrt[3]{b} x}{\sqrt[3]{a}}}{\sqrt{3}} \right) \right)}{3\sqrt[3]{ab}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(2*(-a/b)^(1/3)*C + C*x))/(a + b*x^3), x]

[Out] (C*(-2*Sqrt[3]*(-a/b)^(1/3)*b^(1/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))]/Sqrt[3]) - 2*(-a/b)^(1/3)*b^(1/3)*Log[a^(1/3) + b^(1/3)*x] + (-a/b)^(1/3)*b^(1/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(1/3)*Log[a + b*x^3]))/(3*a^(1/3)*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \left(2\sqrt[3]{-\frac{a}{b}} C + Cx \right)}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(2*(-a/b))^(1/3)*C + C*x)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(x*(2*(-a/b))^(1/3)*C + C*x)/(a + b*x^3), x]

fricas [A] time = 0.44, size = 56, normalized size = 1.04

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(-\frac{a}{b}\right)^{\frac{2}{3}} - \sqrt{3}a}{3a}\right) - 3C \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(-a/b))^(1/3)*C+C*x)/(b*x^3+a), x, algorithm="fricas")

[Out] -1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) - sqrt(3)*a)/a) - 3*C*log(x - (-a/b)^(1/3)))/b

giac [B] time = 0.19, size = 97, normalized size = 1.80

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{\left(Cb\left(-\frac{a}{b}\right)^{\frac{2}{3}} + 2(-ab^2)^{\frac{1}{3}}C\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(-a/b))^(1/3)*C+C*x)/(b*x^3+a), x, algorithm="giac")

[Out] 2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b - 1/3*(C*b*(-a/b)^(2/3) + 2*(-a*b^2)^(1/3)*C*(-a/b)^(1/3))*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b)

maple [B] time = 0.06, size = 132, normalized size = 2.44

$$\frac{2\left(-\frac{a}{b}\right)^{\frac{1}{3}}\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{1}-1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \frac{2\left(-\frac{a}{b}\right)^{\frac{1}{3}}C \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{\left(-\frac{a}{b}\right)^{\frac{1}{3}}C \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{C \ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(2*(-a/b)^(1/3)*C+C*x)/(b*x^3+a),x)`

[Out] $-2/3*C*(-a/b)^{1/3}/b/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})+1/3*C*(-a/b)^{1/3}/b/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})+2/3*C*(-a/b)^{1/3}*3^{1/2}/b/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))+1/3*C/b*\ln(b*x^3+a)$

maxima [B] time = 2.99, size = 167, normalized size = 3.09

$$\frac{\left(C\left(\frac{a}{b}\right)^{\frac{1}{3}}+C\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\log\left(x^2-x\left(\frac{a}{b}\right)^{\frac{1}{3}}+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{1}{3}}}+\frac{\left(C\left(\frac{a}{b}\right)^{\frac{1}{3}}-2C\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\log\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{1}{3}}}-\frac{2\sqrt{3}\left(Ca-\left(3C\left(\frac{a}{b}\right)^{\frac{2}{3}}\left(-\frac{a}{b}\right)^{\frac{1}{3}}+\frac{Ca}{b}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(2*(-a/b)^(1/3)*C+C*x)/(b*x^3+a),x, algorithm="maxima")`

[Out] $1/3*(C*(a/b)^{1/3}+C*(-a/b)^{1/3})*\log(x^2-x*(a/b)^{1/3}+(a/b)^{2/3})/(b*(a/b)^{1/3})+1/3*(C*(a/b)^{1/3}-2*C*(-a/b)^{1/3})*\log(x+(a/b)^{1/3})/(b*(a/b)^{1/3})-2/9*\sqrt{3}*(C*a-(3*C*(a/b)^{2/3}*(-a/b)^{1/3}+C*a/b)*b)*\arctan(1/3*\sqrt{3}*(2*x-(a/b)^{1/3})/(a/b)^{1/3})/(a*b)$

mupad [B] time = 5.22, size = 155, normalized size = 2.87

$$\sum_{k=1}^3 \ln\left(\frac{C^2 a + \text{root}(27 a b^3 z^3 - 27 C a b^2 z^2 + 9 C^2 a b z - 9 C^3 a, z, k)^2 a b^2 - C \text{root}(27 a b^3 z^3 - 27 C a b^2 z^2 + 9 C^2 a b z - 9 C^3 a, z, k) a b^6 + 4 C^2 b x \left(-\frac{a}{b}\right)^{2/3}}{b^3}\right) \text{root}(27 a b^3 z^3 - 27 C a b^2 z^2 + 9 C^2 a b z - 9 C^3 a, z, k)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(C*x + 2*C*(-a/b)^(1/3)))/(a + b*x^3),x)`

[Out] `symsum(log((C^2*a + 9*root(27*a*b^3*z^3 - 27*C*a*b^2*z^2 + 9*C^2*a*b*z - 9*C^3*a, z, k)^2*a*b^2 - 6*C*root(27*a*b^3*z^3 - 27*C*a*b^2*z^2 + 9*C^2*a*b*z - 9*C^3*a, z, k)*a*b + 4*C^2*b*x*(-a/b)^(2/3))/b^3)*root(27*a*b^3*z^3 - 27*C*a*b^2*z^2 + 9*C^2*a*b*z - 9*C^3*a, z, k), k, 1, 3)`

sympy [C] time = 0.32, size = 109, normalized size = 2.02

$$\frac{C \left(\log\left(\frac{a}{b\left(-\frac{a}{b}\right)^{\frac{2}{3}}}\right) + x + \frac{\sqrt{3} i \log\left(-\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}}\right) - \frac{\sqrt{3} i a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x}{3} - \frac{\sqrt{3} i \log\left(-\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}}\right) + \frac{\sqrt{3} i a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(2*(-a/b)**(1/3)*C+C*x)/(b*x**3+a),x)
```

```
[Out] C*(log(a/(b*(-a/b)**(2/3)) + x) + sqrt(3)*I*log(-a/(2*b*(-a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3 - sqrt(3)*I*log(-a/(2*b*(-a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3)/b
```

$$3.319 \quad \int \frac{x(2\sqrt[3]{\frac{a}{b}}Cx + Cx)}{a-bx^3} dx$$

Optimal. Leaf size=53

$$-\frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b} - \frac{2C \tan^{-1}\left(\frac{\frac{2x}{\sqrt[3]{\frac{a}{b}}} + 1}{\sqrt{3}}\right)}{\sqrt{3}b}$$

Rubi [A] time = 0.08, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1869, 31, 617, 204}

$$-\frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b} - \frac{2C \tan^{-1}\left(\frac{\frac{2x}{\sqrt[3]{\frac{a}{b}}} + 1}{\sqrt{3}}\right)}{\sqrt{3}b}$$

Antiderivative was successfully verified.

[In] Int[(x*(2*(a/b)^(1/3)*C + C*x))/(a - b*x^3), x]

[Out] (-2*C*ArcTan[(1 + (2*x)/(a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*b) - (C*Log[(a/b)^(1/3) - x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1869

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A + (-a/b)^(1/3)*B - 2*(-a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{x \left(2\sqrt[3]{\frac{a}{b}} C + Cx \right)}{a - bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} - x} dx}{b} - \frac{\left(\sqrt[3]{\frac{a}{b}} C \right) \int \frac{1}{\left(\frac{a}{b}\right)^{2/3} + \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b} \\ &= -\frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b} + \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}\right)}{b} \\ &= -\frac{2C \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b} \end{aligned}$$

Mathematica [B] time = 0.06, size = 147, normalized size = 2.77

$$\frac{C \left(-\sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \log(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) + \sqrt[3]{a} \log(a - bx^3) + 2\sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \log(\sqrt[3]{a} - \sqrt[3]{b} x) + 2\sqrt{3} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \tan^{-1}\left(\frac{2\sqrt[3]{b} x + 1}{\sqrt{3}}\right) \right)}{3\sqrt[3]{ab}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(2*(a/b)^(1/3)*C + C*x))/(a - b*x^3), x]

[Out] -1/3*(C*(2*Sqrt[3]*(a/b)^(1/3)*b^(1/3)*ArcTan[(1 + (2*b^(1/3)*x)/a^(1/3)]/Sqrt[3]) + 2*(a/b)^(1/3)*b^(1/3)*Log[a^(1/3) - b^(1/3)*x] - (a/b)^(1/3)*b^(1/3)*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(1/3)*Log[a - b*x^3]))/(a^(1/3)*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \left(2\sqrt[3]{\frac{a}{b}} C + Cx \right)}{a - bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(2*(a/b)^(1/3)*C + C*x))/(a - b*x^3), x]

[Out] IntegrateAlgebraic[(x*(2*(a/b)^(1/3)*C + C*x))/(a - b*x^3), x]

fricas [A] time = 0.43, size = 53, normalized size = 1.00

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(\frac{a}{b}\right)^{\frac{2}{3}} + \sqrt{3}a}{3a}\right) + 3C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(a/b)^(1/3)*C+C*x)/(-b*x^3+a), x, algorithm="fricas")

[Out] -1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) + sqrt(3)*a)/a) + 3*C*log(x - (a/b)^(1/3))/b

giac [A] time = 0.20, size = 90, normalized size = 1.70

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{\left(Cb\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2\left(ab^2\right)^{\frac{1}{3}}C\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)\left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(a/b)^(1/3)*C+C*x)/(-b*x^3+a), x, algorithm="giac")

[Out] -2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/b - 1/3*(C*b*(a/b)^(2/3) + 2*(a*b^2)^(1/3)*C*(a/b)^(1/3))*(a/b)^(1/3)*log(abs(x - (a/b)^(1/3)))/(a*b)

maple [A] time = 0.05, size = 90, normalized size = 1.70

$$\frac{2\sqrt{3}C \arctan\left(\frac{\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}} + 1\right)\sqrt{3}}{3}\right)}{3b} - \frac{2C \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} + \frac{C \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} - \frac{C \ln(bx^3 - a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(2*(a/b)^(1/3)*C+C*x)/(-b*x^3+a),x)`

[Out] $-2/3*C/b*\ln(x-(a/b)^{(1/3)})+1/3*C/b*\ln(x^2+(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-2/3*3^{(1/2)}*C/b*\arctan(1/3*(2/(a/b)^{(1/3)}*x+1)*3^{(1/2)})-1/3*C/b*\ln(b*x^3-a)$

maxima [A] time = 3.02, size = 52, normalized size = 0.98

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(2*(a/b)^(1/3)*C+C*x)/(-b*x^3+a),x, algorithm="maxima")`

[Out] $-2/3*\sqrt{3}*C*\arctan(1/3*\sqrt{3}*(2*x + (a/b)^{(1/3)})/(a/b)^{(1/3)})/b - C*\log(x - (a/b)^{(1/3)})/b$

mupad [B] time = 5.23, size = 155, normalized size = 2.92

$$\sum_{k=1}^3 \ln\left(\frac{-C^2 a + \sqrt[3]{27 a b^3 z^3 + 27 C a b^2 z^2 + 9 C^2 a b z + 9 C^3 a, z, k}^2 a b^2 9 + C \sqrt[3]{27 a b^3 z^3 + 27 C a b^2 z^2 + 9 C^2 a b z + 9 C^3 a, z, k} a b 6 - 4 C^2 b x \left(\frac{a}{b}\right)^{2/3}}{b^3}\right) \sqrt[3]{27 a b^3 z^3 + 27 C a b^2 z^2 + 9 C^2 a b z + 9 C^3 a, z, k}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(C*x + 2*C*(a/b)^(1/3)))/(a - b*x^3),x)`

[Out] `symsum(log(-(C^2*a + 9*root(27*a*b^3*z^3 + 27*C*a*b^2*z^2 + 9*C^2*a*b*z + 9*C^3*a, z, k)^2*a*b^2 + 6*C*root(27*a*b^3*z^3 + 27*C*a*b^2*z^2 + 9*C^2*a*b*z + 9*C^3*a, z, k)*a*b - 4*C^2*b*x*(a/b)^(2/3))/b^3)*root(27*a*b^3*z^3 + 27*C*a*b^2*z^2 + 9*C^2*a*b*z + 9*C^3*a, z, k), k, 1, 3)`

sympy [C] time = 0.37, size = 102, normalized size = 1.92

$$\frac{C \left(\log\left(-\frac{a}{b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right) - \frac{\sqrt{3}i \log\left(\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} + \frac{\sqrt{3}i \log\left(\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(2*(a/b)**(1/3)*C+C*x)/(-b*x**3+a),x)`

```
[Out] -C*(log(-a/(b*(a/b)**(2/3)) + x) - sqrt(3)*I*log(a/(2*b*(a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3 + sqrt(3)*I*log(a/(2*b*(a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3)/b
```

$$3.320 \quad \int x^4 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=97

$$\frac{1}{8}x^8(af+bc) + \frac{1}{9}x^9(ag+bd) + \frac{1}{10}x^{10}(ah+be) + \frac{1}{5}acx^5 + \frac{1}{6}adx^6 + \frac{1}{7}aex^7 + \frac{1}{11}bfx^{11} + \frac{1}{12}bgx^{12} + \frac{1}{13}bhx^{13}$$

Rubi [A] time = 0.12, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\frac{1}{8}x^8(af+bc) + \frac{1}{9}x^9(ag+bd) + \frac{1}{10}x^{10}(ah+be) + \frac{1}{5}acx^5 + \frac{1}{6}adx^6 + \frac{1}{7}aex^7 + \frac{1}{11}bfx^{11} + \frac{1}{12}bgx^{12} + \frac{1}{13}bhx^{13}$$

Antiderivative was successfully verified.

[In] Int[x^4*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (a*c*x^5)/5 + (a*d*x^6)/6 + (a*e*x^7)/7 + ((b*c + a*f)*x^8)/8 + ((b*d + a*g)*x^9)/9 + ((b*e + a*h)*x^10)/10 + (b*f*x^11)/11 + (b*g*x^12)/12 + (b*h*x^13)/13

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
 Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^4 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \int (acx^4 + adx^5 + aex^6 + (bc + af)x^7 + (bd + ag)x^8 + (be + ah)x^9 + (bf + ag)x^{10} + (bg + ah)x^{11} + (bh + ag)x^{12} + bhx^{13}) dx \\ &= \frac{1}{5}acx^5 + \frac{1}{6}adx^6 + \frac{1}{7}aex^7 + \frac{1}{8}(bc + af)x^8 + \frac{1}{9}(bd + ag)x^9 + \frac{1}{10}(be + ah)x^{10} + \frac{1}{11}(bf + ag)x^{11} + \frac{1}{12}(bg + ah)x^{12} + \frac{1}{13}bhx^{13} \end{aligned}$$

Mathematica [A] time = 0.04, size = 97, normalized size = 1.00

$$\frac{1}{8}x^8(af+bc) + \frac{1}{9}x^9(ag+bd) + \frac{1}{10}x^{10}(ah+be) + \frac{1}{5}acx^5 + \frac{1}{6}adx^6 + \frac{1}{7}aex^7 + \frac{1}{11}bfx^{11} + \frac{1}{12}bgx^{12} + \frac{1}{13}bhx^{13}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a*c*x^5)/5 + (a*d*x^6)/6 + (a*e*x^7)/7 + ((b*c + a*f)*x^8)/8 + ((b*d + a*g)*x^9)/9 + ((b*e + a*h)*x^{10})/10 + (b*f*x^{11})/11 + (b*g*x^{12})/12 + (b*h*x^{13})/13$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^4*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] IntegrateAlgebraic[x^4*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

fricas [A] time = 0.36, size = 85, normalized size = 0.88

$$\frac{1}{13}x^{13}hb + \frac{1}{12}x^{12}gb + \frac{1}{11}x^{11}fb + \frac{1}{10}x^{10}eb + \frac{1}{10}x^{10}ha + \frac{1}{9}x^9db + \frac{1}{9}x^9ga + \frac{1}{8}x^8cb + \frac{1}{8}x^8fa + \frac{1}{7}x^7ea + \frac{1}{6}x^6da + \frac{1}{5}x^5ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] $\frac{1}{13}x^{13}hb + \frac{1}{12}x^{12}gb + \frac{1}{11}x^{11}fb + \frac{1}{10}x^{10}eb + \frac{1}{10}x^{10}ha + \frac{1}{9}x^9db + \frac{1}{9}x^9ga + \frac{1}{8}x^8cb + \frac{1}{8}x^8fa + \frac{1}{7}x^7ea + \frac{1}{6}x^6da + \frac{1}{5}x^5ca$

giac [A] time = 0.15, size = 87, normalized size = 0.90

$$\frac{1}{13}bhx^{13} + \frac{1}{12}bgx^{12} + \frac{1}{11}bfx^{11} + \frac{1}{10}ahx^{10} + \frac{1}{10}bx^{10}e + \frac{1}{9}bdx^9 + \frac{1}{9}agx^9 + \frac{1}{8}bcx^8 + \frac{1}{8}afx^8 + \frac{1}{7}ax^7e + \frac{1}{6}adx^6 + \frac{1}{5}acx^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="giac")

[Out] $\frac{1}{13}b*h*x^{13} + \frac{1}{12}b*g*x^{12} + \frac{1}{11}b*f*x^{11} + \frac{1}{10}a*h*x^{10} + \frac{1}{10}b*x^{10}*e + \frac{1}{9}b*d*x^9 + \frac{1}{9}a*g*x^9 + \frac{1}{8}b*c*x^8 + \frac{1}{8}a*f*x^8 + \frac{1}{7}a*x^7*e + \frac{1}{6}a*d*x^6 + \frac{1}{5}a*c*x^5$

maple [A] time = 0.05, size = 80, normalized size = 0.82

$$\frac{bhx^{13}}{13} + \frac{bgx^{12}}{12} + \frac{bfx^{11}}{11} + \frac{(ah+be)x^{10}}{10} + \frac{aex^7}{7} + \frac{(ag+bd)x^9}{9} + \frac{adx^6}{6} + \frac{(af+bc)x^8}{8} + \frac{acx^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)`

[Out] $1/5*a*c*x^5+1/6*a*d*x^6+1/7*a*e*x^7+1/8*(a*f+b*c)*x^8+1/9*(a*g+b*d)*x^9+1/10*(a*h+b*e)*x^{10}+1/11*b*f*x^{11}+1/12*b*g*x^{12}+1/13*b*h*x^{13}$

maxima [A] time = 1.35, size = 79, normalized size = 0.81

$$\frac{1}{13}bhx^{13} + \frac{1}{12}bgx^{12} + \frac{1}{11}bfx^{11} + \frac{1}{10}(be+ah)x^{10} + \frac{1}{9}(bd+ag)x^9 + \frac{1}{7}aex^7 + \frac{1}{8}(bc+af)x^8 + \frac{1}{6}adx^6 + \frac{1}{5}acx^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")`

[Out] $1/13*b*h*x^{13} + 1/12*b*g*x^{12} + 1/11*b*f*x^{11} + 1/10*(b*e + a*h)*x^{10} + 1/9*(b*d + a*g)*x^9 + 1/7*a*e*x^7 + 1/8*(b*c + a*f)*x^8 + 1/6*a*d*x^6 + 1/5*a*c*x^5$

mupad [B] time = 0.05, size = 82, normalized size = 0.85

$$\frac{bhx^{13}}{13} + \frac{bgx^{12}}{12} + \frac{bfx^{11}}{11} + \left(\frac{be}{10} + \frac{ah}{10}\right)x^{10} + \left(\frac{bd}{9} + \frac{ag}{9}\right)x^9 + \left(\frac{bc}{8} + \frac{af}{8}\right)x^8 + \frac{aex^7}{7} + \frac{adx^6}{6} + \frac{acx^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)`

[Out] $x^8*((b*c)/8 + (a*f)/8) + x^9*((b*d)/9 + (a*g)/9) + x^{10}*((b*e)/10 + (a*h)/10) + (b*h*x^{13})/13 + (a*c*x^5)/5 + (a*d*x^6)/6 + (a*e*x^7)/7 + (b*f*x^{11})/11 + (b*g*x^{12})/12$

sympy [A] time = 0.09, size = 90, normalized size = 0.93

$$\frac{acx^5}{5} + \frac{adx^6}{6} + \frac{aex^7}{7} + \frac{bfx^{11}}{11} + \frac{bgx^{12}}{12} + \frac{bhx^{13}}{13} + x^{10}\left(\frac{ah}{10} + \frac{be}{10}\right) + x^9\left(\frac{ag}{9} + \frac{bd}{9}\right) + x^8\left(\frac{af}{8} + \frac{bc}{8}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)`

[Out] $a*c*x^{5}/5 + a*d*x^{6}/6 + a*e*x^{7}/7 + b*f*x^{11}/11 + b*g*x^{12}/12 + b*h*x^{13}/13 + x^{10}*(a*h/10 + b*e/10) + x^{9}*(a*g/9 + b*d/9) + x^{8}*(a*f/8 + b*c/8)$

$$3.321 \quad \int x^3 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=97

$$\frac{1}{7}x^7(af+bc) + \frac{1}{8}x^8(ag+bd) + \frac{1}{9}x^9(ah+be) + \frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{10}bfx^{10} + \frac{1}{11}bgx^{11} + \frac{1}{12}bhx^{12}$$

Rubi [A] time = 0.10, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\frac{1}{7}x^7(af+bc) + \frac{1}{8}x^8(ag+bd) + \frac{1}{9}x^9(ah+be) + \frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{10}bfx^{10} + \frac{1}{11}bgx^{11} + \frac{1}{12}bhx^{12}$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a*c*x^4)/4 + (a*d*x^5)/5 + (a*e*x^6)/6 + ((b*c + a*f)*x^7)/7 + ((b*d + a*g)*x^8)/8 + ((b*e + a*h)*x^9)/9 + (b*f*x^10)/10 + (b*g*x^11)/11 + (b*h*x^12)/12

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int x^3 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx = \int (acx^3 + adx^4 + aex^5 + (bc + af)x^6 + (bd + ag)x^7 + (b$$

$$= \frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{7}(bc + af)x^7 + \frac{1}{8}(bd + ag)x^8$$

Mathematica [A] time = 0.04, size = 97, normalized size = 1.00

$$\frac{1}{7}x^7(af+bc) + \frac{1}{8}x^8(ag+bd) + \frac{1}{9}x^9(ah+be) + \frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{10}bfx^{10} + \frac{1}{11}bgx^{11} + \frac{1}{12}bhx^{12}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] $(a*c*x^4)/4 + (a*d*x^5)/5 + (a*e*x^6)/6 + ((b*c + a*f)*x^7)/7 + ((b*d + a*g)*x^8)/8 + ((b*e + a*h)*x^9)/9 + (b*f*x^10)/10 + (b*g*x^11)/11 + (b*h*x^12)/12$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^3*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] IntegrateAlgebraic[x^3*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

fricas [A] time = 0.36, size = 85, normalized size = 0.88

$$\frac{1}{12}x^{12}hb + \frac{1}{11}x^{11}gb + \frac{1}{10}x^{10}fb + \frac{1}{9}x^9eb + \frac{1}{9}x^9ha + \frac{1}{8}x^8db + \frac{1}{8}x^8ga + \frac{1}{7}x^7cb + \frac{1}{7}x^7fa + \frac{1}{6}x^6ea + \frac{1}{5}x^5da + \frac{1}{4}x^4ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] $1/12*x^{12}*h*b + 1/11*x^{11}*g*b + 1/10*x^{10}*f*b + 1/9*x^9*e*b + 1/9*x^9*h*a + 1/8*x^8*d*b + 1/8*x^8*g*a + 1/7*x^7*c*b + 1/7*x^7*f*a + 1/6*x^6*e*a + 1/5*x^5*d*a + 1/4*x^4*c*a$

giac [A] time = 0.16, size = 87, normalized size = 0.90

$$\frac{1}{12}bhx^{12} + \frac{1}{11}bgx^{11} + \frac{1}{10}bfx^{10} + \frac{1}{9}ahx^9 + \frac{1}{9}bx^9e + \frac{1}{8}bdx^8 + \frac{1}{8}agx^8 + \frac{1}{7}bcx^7 + \frac{1}{7}afx^7 + \frac{1}{6}ax^6e + \frac{1}{5}adx^5 + \frac{1}{4}acx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="giac")

[Out] $1/12*b*h*x^{12} + 1/11*b*g*x^{11} + 1/10*b*f*x^{10} + 1/9*a*h*x^9 + 1/9*b*x^9*e + 1/8*b*d*x^8 + 1/8*a*g*x^8 + 1/7*b*c*x^7 + 1/7*a*f*x^7 + 1/6*a*x^6*e + 1/5*a*d*x^5 + 1/4*a*c*x^4$

maple [A] time = 0.05, size = 80, normalized size = 0.82

$$\frac{bhx^{12}}{12} + \frac{bgx^{11}}{11} + \frac{bfx^{10}}{10} + \frac{(ah + be)x^9}{9} + \frac{aex^6}{6} + \frac{(ag + bd)x^8}{8} + \frac{adx^5}{5} + \frac{(af + bc)x^7}{7} + \frac{acx^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)`

[Out] $\frac{1}{4}acx^4 + \frac{1}{5}ad*x^5 + \frac{1}{6}aex^6 + \frac{1}{7}(af+bc)x^7 + \frac{1}{8}(ag+bd)x^8 + \frac{1}{9}(ah+be)x^9 + \frac{1}{10}bfx^{10} + \frac{1}{11}b*gx^{11} + \frac{1}{12}b*hx^{12}$

maxima [A] time = 1.35, size = 79, normalized size = 0.81

$$\frac{1}{12}bhx^{12} + \frac{1}{11}bgx^{11} + \frac{1}{10}bfx^{10} + \frac{1}{9}(be+ah)x^9 + \frac{1}{8}(bd+ag)x^8 + \frac{1}{6}aex^6 + \frac{1}{7}(bc+af)x^7 + \frac{1}{5}adx^5 + \frac{1}{4}acx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")`

[Out] $\frac{1}{12}b*hx^{12} + \frac{1}{11}b*gx^{11} + \frac{1}{10}b*fx^{10} + \frac{1}{9}(b*e + a*h)x^9 + \frac{1}{8}(b*d + a*g)x^8 + \frac{1}{6}a*e*x^6 + \frac{1}{7}(b*c + a*f)x^7 + \frac{1}{5}a*d*x^5 + \frac{1}{4}a*c*x^4$

mupad [B] time = 0.04, size = 82, normalized size = 0.85

$$\frac{bhx^{12}}{12} + \frac{bgx^{11}}{11} + \frac{bfx^{10}}{10} + \left(\frac{be}{9} + \frac{ah}{9}\right)x^9 + \left(\frac{bd}{8} + \frac{ag}{8}\right)x^8 + \left(\frac{bc}{7} + \frac{af}{7}\right)x^7 + \frac{aex^6}{6} + \frac{adx^5}{5} + \frac{acx^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)`

[Out] $x^7*((b*c)/7 + (a*f)/7) + x^8*((b*d)/8 + (a*g)/8) + x^9*((b*e)/9 + (a*h)/9) + (b*h*x^{12})/12 + (a*c*x^4)/4 + (a*d*x^5)/5 + (a*e*x^6)/6 + (b*f*x^{10})/10 + (b*g*x^{11})/11$

sympy [A] time = 0.09, size = 90, normalized size = 0.93

$$\frac{acx^4}{4} + \frac{adx^5}{5} + \frac{aex^6}{6} + \frac{bfx^{10}}{10} + \frac{bgx^{11}}{11} + \frac{bhx^{12}}{12} + x^9\left(\frac{ah}{9} + \frac{be}{9}\right) + x^8\left(\frac{ag}{8} + \frac{bd}{8}\right) + x^7\left(\frac{af}{7} + \frac{bc}{7}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)`

[Out] $a*c*x**4/4 + a*d*x**5/5 + a*e*x**6/6 + b*f*x**10/10 + b*g*x**11/11 + b*h*x**12/12 + x**9*(a*h/9 + b*e/9) + x**8*(a*g/8 + b*d/8) + x**7*(a*f/7 + b*c/7)$

$$3.322 \quad \int x^2 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=97

$$\frac{1}{6}x^6(af+bc) + \frac{1}{7}x^7(ag+bd) + \frac{1}{8}x^8(ah+be) + \frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{9}bfx^9 + \frac{1}{10}bgx^{10} + \frac{1}{11}bhx^{11}$$

Rubi [A] time = 0.09, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\frac{1}{6}x^6(af+bc) + \frac{1}{7}x^7(ag+bd) + \frac{1}{8}x^8(ah+be) + \frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{9}bfx^9 + \frac{1}{10}bgx^{10} + \frac{1}{11}bhx^{11}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a*c*x^3)/3 + (a*d*x^4)/4 + (a*e*x^5)/5 + ((b*c + a*f)*x^6)/6 + ((b*d + a*g)*x^7)/7 + ((b*e + a*h)*x^8)/8 + (b*f*x^9)/9 + (b*g*x^10)/10 + (b*h*x^11)/11

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^2 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \int (acx^2 + adx^3 + aex^4 + (bc + af)x^5 + (bd + ag)x^6 + (be + ah)x^7 + (bf + ag)x^8 + (bg + ah)x^9 + (bh + ag)x^{10} + hx^{11}) dx \\ &= \frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{6}(bc + af)x^6 + \frac{1}{7}(bd + ag)x^7 + \frac{1}{8}(be + ah)x^8 + \frac{1}{9}(bf + ag)x^9 + \frac{1}{10}(bg + ah)x^{10} + \frac{1}{11}bhx^{11} \end{aligned}$$

Mathematica [A] time = 0.03, size = 97, normalized size = 1.00

$$\frac{1}{6}x^6(af+bc) + \frac{1}{7}x^7(ag+bd) + \frac{1}{8}x^8(ah+be) + \frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{9}bfx^9 + \frac{1}{10}bgx^{10} + \frac{1}{11}bhx^{11}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] $(a*c*x^3)/3 + (a*d*x^4)/4 + (a*e*x^5)/5 + ((b*c + a*f)*x^6)/6 + ((b*d + a*g)*x^7)/7 + ((b*e + a*h)*x^8)/8 + (b*f*x^9)/9 + (b*g*x^{10})/10 + (b*h*x^{11})/11$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^2*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] IntegrateAlgebraic[x^2*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

fricas [A] time = 0.37, size = 85, normalized size = 0.88

$$\frac{1}{11}x^{11}hb + \frac{1}{10}x^{10}gb + \frac{1}{9}x^9fb + \frac{1}{8}x^8eb + \frac{1}{8}x^8ha + \frac{1}{7}x^7db + \frac{1}{7}x^7ga + \frac{1}{6}x^6cb + \frac{1}{6}x^6fa + \frac{1}{5}x^5ea + \frac{1}{4}x^4da + \frac{1}{3}x^3ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] $\frac{1}{11}x^{11}hb + \frac{1}{10}x^{10}gb + \frac{1}{9}x^9fb + \frac{1}{8}x^8eb + \frac{1}{8}x^8ha + \frac{1}{7}x^7db + \frac{1}{7}x^7ga + \frac{1}{6}x^6cb + \frac{1}{6}x^6fa + \frac{1}{5}x^5ea + \frac{1}{4}x^4da + \frac{1}{3}x^3ca$

giac [A] time = 0.16, size = 87, normalized size = 0.90

$$\frac{1}{11}bhx^{11} + \frac{1}{10}bgx^{10} + \frac{1}{9}bfx^9 + \frac{1}{8}ahx^8 + \frac{1}{8}bx^8e + \frac{1}{7}bdx^7 + \frac{1}{7}agx^7 + \frac{1}{6}bcx^6 + \frac{1}{6}afx^6 + \frac{1}{5}ax^5e + \frac{1}{4}adx^4 + \frac{1}{3}acx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="giac")

[Out] $\frac{1}{11}b*h*x^{11} + \frac{1}{10}b*g*x^{10} + \frac{1}{9}b*f*x^9 + \frac{1}{8}a*h*x^8 + \frac{1}{8}b*x^8*e + \frac{1}{7}b*d*x^7 + \frac{1}{7}a*g*x^7 + \frac{1}{6}b*c*x^6 + \frac{1}{6}a*f*x^6 + \frac{1}{5}a*x^5*e + \frac{1}{4}a*d*x^4 + \frac{1}{3}a*c*x^3$

maple [A] time = 0.05, size = 80, normalized size = 0.82

$$\frac{bhx^{11}}{11} + \frac{bgx^{10}}{10} + \frac{bfx^9}{9} + \frac{(ah+be)x^8}{8} + \frac{aex^5}{5} + \frac{(ag+bd)x^7}{7} + \frac{adx^4}{4} + \frac{(af+bc)x^6}{6} + \frac{acx^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)`

[Out] $1/3*a*c*x^3+1/4*a*d*x^4+1/5*a*e*x^5+1/6*(a*f+b*c)*x^6+1/7*(a*g+b*d)*x^7+1/8*(a*h+b*e)*x^8+1/9*b*f*x^9+1/10*b*g*x^10+1/11*b*h*x^11$

maxima [A] time = 1.34, size = 79, normalized size = 0.81

$$\frac{1}{11}bhx^{11} + \frac{1}{10}bgx^{10} + \frac{1}{9}bfx^9 + \frac{1}{8}(be + ah)x^8 + \frac{1}{7}(bd + ag)x^7 + \frac{1}{5}aex^5 + \frac{1}{6}(bc + af)x^6 + \frac{1}{4}adx^4 + \frac{1}{3}acx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")`

[Out] $1/11*b*h*x^{11} + 1/10*b*g*x^{10} + 1/9*b*f*x^9 + 1/8*(b*e + a*h)*x^8 + 1/7*(b*d + a*g)*x^7 + 1/5*a*e*x^5 + 1/6*(b*c + a*f)*x^6 + 1/4*a*d*x^4 + 1/3*a*c*x^3$

mupad [B] time = 0.04, size = 82, normalized size = 0.85

$$\frac{bhx^{11}}{11} + \frac{bgx^{10}}{10} + \frac{bfx^9}{9} + \left(\frac{be}{8} + \frac{ah}{8}\right)x^8 + \left(\frac{bd}{7} + \frac{ag}{7}\right)x^7 + \left(\frac{bc}{6} + \frac{af}{6}\right)x^6 + \frac{aex^5}{5} + \frac{adx^4}{4} + \frac{acx^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)`

[Out] $x^6*((b*c)/6 + (a*f)/6) + x^7*((b*d)/7 + (a*g)/7) + x^8*((b*e)/8 + (a*h)/8) + (b*h*x^{11})/11 + (a*c*x^3)/3 + (a*d*x^4)/4 + (a*e*x^5)/5 + (b*f*x^9)/9 + (b*g*x^{10})/10$

sympy [A] time = 0.08, size = 90, normalized size = 0.93

$$\frac{acx^3}{3} + \frac{adx^4}{4} + \frac{aex^5}{5} + \frac{bfx^9}{9} + \frac{bgx^{10}}{10} + \frac{bhx^{11}}{11} + x^8\left(\frac{ah}{8} + \frac{be}{8}\right) + x^7\left(\frac{ag}{7} + \frac{bd}{7}\right) + x^6\left(\frac{af}{6} + \frac{bc}{6}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)`

[Out] $a*c*x**3/3 + a*d*x**4/4 + a*e*x**5/5 + b*f*x**9/9 + b*g*x**10/10 + b*h*x**11/11 + x**8*(a*h/8 + b*e/8) + x**7*(a*g/7 + b*d/7) + x**6*(a*f/6 + b*c/6)$

$$3.323 \quad \int x (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=97

$$\frac{1}{5}x^5(af + bc) + \frac{1}{6}x^6(ag + bd) + \frac{1}{7}x^7(ah + be) + \frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{8}bfx^8 + \frac{1}{9}bgx^9 + \frac{1}{10}bhx^{10}$$

Rubi [A] time = 0.08, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.029$, Rules used = {1820}

$$\frac{1}{5}x^5(af + bc) + \frac{1}{6}x^6(ag + bd) + \frac{1}{7}x^7(ah + be) + \frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{8}bfx^8 + \frac{1}{9}bgx^9 + \frac{1}{10}bhx^{10}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (a*c*x^2)/2 + (a*d*x^3)/3 + (a*e*x^4)/4 + ((b*c + a*f)*x^5)/5 + ((b*d + a*g)*x^6)/6 + ((b*e + a*h)*x^7)/7 + (b*f*x^8)/8 + (b*g*x^9)/9 + (b*h*x^10)/10

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \int (acx + adx^2 + aex^3 + (bc + af)x^4 + (bd + ag)x^5 + (be \\ &= \frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}(bc + af)x^5 + \frac{1}{6}(bd + ag)x^6 \end{aligned}$$

Mathematica [A] time = 0.03, size = 97, normalized size = 1.00

$$\frac{1}{5}x^5(af + bc) + \frac{1}{6}x^6(ag + bd) + \frac{1}{7}x^7(ah + be) + \frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{8}bfx^8 + \frac{1}{9}bgx^9 + \frac{1}{10}bhx^{10}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (a*c*x^2)/2 + (a*d*x^3)/3 + (a*e*x^4)/4 + ((b*c + a*f)*x^5)/5 + ((b*d + a*g)*x^6)/6 + ((b*e + a*h)*x^7)/7 + (b*f*x^8)/8 + (b*g*x^9)/9 + (b*h*x^10)/10

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x(a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] IntegrateAlgebraic[x*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

fricas [A] time = 0.37, size = 85, normalized size = 0.88

$$\frac{1}{10}x^{10}hb + \frac{1}{9}x^9gb + \frac{1}{8}x^8fb + \frac{1}{7}x^7eb + \frac{1}{7}x^7ha + \frac{1}{6}x^6db + \frac{1}{6}x^6ga + \frac{1}{5}x^5cb + \frac{1}{5}x^5fa + \frac{1}{4}x^4ea + \frac{1}{3}x^3da + \frac{1}{2}x^2ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/10*x^10*h*b + 1/9*x^9*g*b + 1/8*x^8*f*b + 1/7*x^7*e*b + 1/7*x^7*h*a + 1/6*x^6*d*b + 1/6*x^6*g*a + 1/5*x^5*c*b + 1/5*x^5*f*a + 1/4*x^4*e*a + 1/3*x^3*d*a + 1/2*x^2*c*a

giac [A] time = 0.15, size = 87, normalized size = 0.90

$$\frac{1}{10}bhx^{10} + \frac{1}{9}bgx^9 + \frac{1}{8}bfx^8 + \frac{1}{7}ahx^7 + \frac{1}{7}bx^7e + \frac{1}{6}bdx^6 + \frac{1}{6}agx^6 + \frac{1}{5}bcx^5 + \frac{1}{5}afx^5 + \frac{1}{4}ax^4e + \frac{1}{3}adx^3 + \frac{1}{2}acx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/10*b*h*x^10 + 1/9*b*g*x^9 + 1/8*b*f*x^8 + 1/7*a*h*x^7 + 1/7*b*x^7*e + 1/6*b*d*x^6 + 1/6*a*g*x^6 + 1/5*b*c*x^5 + 1/5*a*f*x^5 + 1/4*a*x^4*e + 1/3*a*d*x^3 + 1/2*a*c*x^2

maple [A] time = 0.05, size = 80, normalized size = 0.82

$$\frac{bhx^{10}}{10} + \frac{bgx^9}{9} + \frac{bfx^8}{8} + \frac{(ah+be)x^7}{7} + \frac{aex^4}{4} + \frac{(ag+bd)x^6}{6} + \frac{adx^3}{3} + \frac{(af+bc)x^5}{5} + \frac{acx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] $\frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}(af+bc)x^5 + \frac{1}{6}(ag+bd)x^6 + \frac{1}{7}(ah+be)x^7 + \frac{1}{8}bfx^8 + \frac{1}{9}bgx^9 + \frac{1}{10}bhx^{10}$

maxima [A] time = 1.37, size = 79, normalized size = 0.81

$$\frac{1}{10}bhx^{10} + \frac{1}{9}bgx^9 + \frac{1}{8}bfx^8 + \frac{1}{7}(be+ah)x^7 + \frac{1}{6}(bd+ag)x^6 + \frac{1}{4}aex^4 + \frac{1}{5}(bc+af)x^5 + \frac{1}{3}adx^3 + \frac{1}{2}acx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")`

[Out] $\frac{1}{10}bhx^{10} + \frac{1}{9}bgx^9 + \frac{1}{8}bfx^8 + \frac{1}{7}(be+ah)x^7 + \frac{1}{6}(bd+ag)x^6 + \frac{1}{4}aex^4 + \frac{1}{5}(bc+af)x^5 + \frac{1}{3}adx^3 + \frac{1}{2}acx^2$

mupad [B] time = 0.04, size = 82, normalized size = 0.85

$$\frac{bhx^{10}}{10} + \frac{bgx^9}{9} + \frac{bfx^8}{8} + \left(\frac{be}{7} + \frac{ah}{7}\right)x^7 + \left(\frac{bd}{6} + \frac{ag}{6}\right)x^6 + \left(\frac{bc}{5} + \frac{af}{5}\right)x^5 + \frac{aex^4}{4} + \frac{adx^3}{3} + \frac{acx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*x^3)*(c+d*x+e*x^2+f*x^3+g*x^4+h*x^5),x)`

[Out] $x^5*((bc)/5 + (af)/5) + x^6*((bd)/6 + (ag)/6) + x^7*((be)/7 + (ah)/7) + (bhx^{10})/10 + (acx^2)/2 + (adx^3)/3 + (aex^4)/4 + (bfx^8)/8 + (bgx^9)/9$

sympy [A] time = 0.08, size = 90, normalized size = 0.93

$$\frac{acx^2}{2} + \frac{adx^3}{3} + \frac{aex^4}{4} + \frac{bfx^8}{8} + \frac{bgx^9}{9} + \frac{bhx^{10}}{10} + x^7\left(\frac{ah}{7} + \frac{be}{7}\right) + x^6\left(\frac{ag}{6} + \frac{bd}{6}\right) + x^5\left(\frac{af}{5} + \frac{bc}{5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)`

[Out] $acx^{**2}/2 + adx^{**3}/3 + aex^{**4}/4 + bfx^{**8}/8 + bgx^{**9}/9 + bhx^{**10}/10 + x^{**7}*(ah/7 + be/7) + x^{**6}*(ag/6 + bd/6) + x^{**5}*(af/5 + bc/5)$

$$3.324 \quad \int (a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=92

$$\frac{1}{4}x^4(af + bc) + \frac{1}{5}x^5(ag + bd) + \frac{1}{6}x^6(ah + be) + acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{7}bfx^7 + \frac{1}{8}bgx^8 + \frac{1}{9}bhx^9$$

Rubi [A] time = 0.07, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.030$, Rules used = {1850}

$$\frac{1}{4}x^4(af + bc) + \frac{1}{5}x^5(ag + bd) + \frac{1}{6}x^6(ah + be) + acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{7}bfx^7 + \frac{1}{8}bgx^8 + \frac{1}{9}bhx^9$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + ((b*c + a*f)*x^4)/4 + ((b*d + a*g)*x^5)/5 + ((b*e + a*h)*x^6)/6 + (b*f*x^7)/7 + (b*g*x^8)/8 + (b*h*x^9)/9

Rule 1850

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \int (ac + adx + aex^2 + (bc + af)x^3 + (bd + ag)x^4 + (be + ah)x^5) dx \\ &= acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}(bc + af)x^4 + \frac{1}{5}(bd + ag)x^5 + \frac{1}{6}(be + ah)x^6 \end{aligned}$$

Mathematica [A] time = 0.02, size = 92, normalized size = 1.00

$$\frac{1}{4}x^4(af + bc) + \frac{1}{5}x^5(ag + bd) + \frac{1}{6}x^6(ah + be) + acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{7}bfx^7 + \frac{1}{8}bgx^8 + \frac{1}{9}bhx^9$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + ((b*c + a*f)*x^4)/4 + ((b*d + a*g)*x^5)/5 + ((b*e + a*h)*x^6)/6 + (b*f*x^7)/7 + (b*g*x^8)/8 + (b*h*x^9)/9

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] IntegrateAlgebraic[(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

fricas [A] time = 0.37, size = 82, normalized size = 0.89

$$\frac{1}{9}x^9hb + \frac{1}{8}x^8gb + \frac{1}{7}x^7fb + \frac{1}{6}x^6eb + \frac{1}{6}x^6ha + \frac{1}{5}x^5db + \frac{1}{5}x^5ga + \frac{1}{4}x^4cb + \frac{1}{4}x^4fa + \frac{1}{3}x^3ea + \frac{1}{2}x^2da + xca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] 1/9*x^9*h*b + 1/8*x^8*g*b + 1/7*x^7*f*b + 1/6*x^6*e*b + 1/6*x^6*h*a + 1/5*x^5*d*b + 1/5*x^5*g*a + 1/4*x^4*c*b + 1/4*x^4*f*a + 1/3*x^3*e*a + 1/2*x^2*d*a + x*c*a

giac [A] time = 0.15, size = 84, normalized size = 0.91

$$\frac{1}{9}bhx^9 + \frac{1}{8}bgx^8 + \frac{1}{7}bfx^7 + \frac{1}{6}ahx^6 + \frac{1}{6}bx^6e + \frac{1}{5}bdx^5 + \frac{1}{5}agx^5 + \frac{1}{4}bcx^4 + \frac{1}{4}afx^4 + \frac{1}{3}ax^3e + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="giac")

[Out] 1/9*b*h*x^9 + 1/8*b*g*x^8 + 1/7*b*f*x^7 + 1/6*a*h*x^6 + 1/6*b*x^6*e + 1/5*b*d*x^5 + 1/5*a*g*x^5 + 1/4*b*c*x^4 + 1/4*a*f*x^4 + 1/3*a*x^3*e + 1/2*a*d*x^2 + a*c*x

maple [A] time = 0.04, size = 77, normalized size = 0.84

$$\frac{bhx^9}{9} + \frac{bgx^8}{8} + \frac{bfx^7}{7} + \frac{(ah+be)x^6}{6} + \frac{aex^3}{3} + \frac{(ag+bd)x^5}{5} + \frac{adx^2}{2} + \frac{(af+bc)x^4}{4} + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x)

[Out] a*c*x+1/2*a*d*x^2+1/3*a*e*x^3+1/4*(a*f+b*c)*x^4+1/5*(a*g+b*d)*x^5+1/6*(a*h+b*e)*x^6+1/7*b*f*x^7+1/8*b*g*x^8+1/9*b*h*x^9

maxima [A] time = 1.40, size = 76, normalized size = 0.83

$$\frac{1}{9}bhx^9 + \frac{1}{8}bgx^8 + \frac{1}{7}bfx^7 + \frac{1}{6}(be + ah)x^6 + \frac{1}{5}(bd + ag)x^5 + \frac{1}{3}aex^3 + \frac{1}{4}(bc + af)x^4 + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 1/9*b*h*x^9 + 1/8*b*g*x^8 + 1/7*b*f*x^7 + 1/6*(b*e + a*h)*x^6 + 1/5*(b*d + a*g)*x^5 + 1/3*a*e*x^3 + 1/4*(b*c + a*f)*x^4 + 1/2*a*d*x^2 + a*c*x

mupad [B] time = 0.04, size = 79, normalized size = 0.86

$$\frac{bhx^9}{9} + \frac{bgx^8}{8} + \frac{bfx^7}{7} + \left(\frac{be}{6} + \frac{ah}{6}\right)x^6 + \left(\frac{bd}{5} + \frac{ag}{5}\right)x^5 + \left(\frac{bc}{4} + \frac{af}{4}\right)x^4 + \frac{aex^3}{3} + \frac{adx^2}{2} + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)

[Out] x^4*((b*c)/4 + (a*f)/4) + x^5*((b*d)/5 + (a*g)/5) + x^6*((b*e)/6 + (a*h)/6) + (b*h*x^9)/9 + a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + (b*f*x^7)/7 + (b*g*x^8)/8

sympy [A] time = 0.08, size = 87, normalized size = 0.95

$$acx + \frac{adx^2}{2} + \frac{aex^3}{3} + \frac{bfx^7}{7} + \frac{bgx^8}{8} + \frac{bhx^9}{9} + x^6\left(\frac{ah}{6} + \frac{be}{6}\right) + x^5\left(\frac{ag}{5} + \frac{bd}{5}\right) + x^4\left(\frac{af}{4} + \frac{bc}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a*c*x + a*d*x**2/2 + a*e*x**3/3 + b*f*x**7/7 + b*g*x**8/8 + b*h*x**9/9 + x**6*(a*h/6 + b*e/6) + x**5*(a*g/5 + b*d/5) + x**4*(a*f/4 + b*c/4)

$$3.325 \quad \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$$

Optimal. Leaf size=88

$$\frac{1}{3}x^3(af+bc) + \frac{1}{4}x^4(ag+bd) + \frac{1}{5}x^5(ah+be) + ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{6}bfx^6 + \frac{1}{7}bgx^7 + \frac{1}{8}bhx^8$$

Rubi [A] time = 0.06, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\frac{1}{3}x^3(af+bc) + \frac{1}{4}x^4(ag+bd) + \frac{1}{5}x^5(ah+be) + ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{6}bfx^6 + \frac{1}{7}bgx^7 + \frac{1}{8}bhx^8$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] a*d*x + (a*e*x^2)/2 + ((b*c + a*f)*x^3)/3 + ((b*d + a*g)*x^4)/4 + ((b*e + a*h)*x^5)/5 + (b*f*x^6)/6 + (b*g*x^7)/7 + (b*h*x^8)/8 + a*c*Log[x]

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_)+(b_)*(x_)^(n_))^(p_), x_Symbol] :=
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx = \int \left(ad + \frac{ac}{x} + aex + (bc+af)x^2 + (bd+ag)x^3 + (be+ah)x^4 \right) dx$$

$$= adx + \frac{1}{2}aex^2 + \frac{1}{3}(bc+af)x^3 + \frac{1}{4}(bd+ag)x^4 + \frac{1}{5}(be+ah)x^5$$

Mathematica [A] time = 0.07, size = 88, normalized size = 1.00

$$\frac{1}{3}x^3(af+bc) + \frac{1}{4}x^4(ag+bd) + \frac{1}{5}x^5(ah+be) + ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{6}bfx^6 + \frac{1}{7}bgx^7 + \frac{1}{8}bhx^8$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] $a*d*x + (a*e*x^2)/2 + ((b*c + a*f)*x^3)/3 + ((b*d + a*g)*x^4)/4 + ((b*e + a*h)*x^5)/5 + (b*f*x^6)/6 + (b*g*x^7)/7 + (b*h*x^8)/8 + a*c*\text{Log}[x]$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x, x]

[Out] IntegrateAlgebraic[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x, x]

fricas [A] time = 0.41, size = 74, normalized size = 0.84

$$\frac{1}{8}bhx^8 + \frac{1}{7}bgx^7 + \frac{1}{6}bfx^6 + \frac{1}{5}(be + ah)x^5 + \frac{1}{4}(bd + ag)x^4 + \frac{1}{2}aex^2 + \frac{1}{3}(bc + af)x^3 + adx + ac \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="fricas")

[Out] $1/8*b*h*x^8 + 1/7*b*g*x^7 + 1/6*b*f*x^6 + 1/5*(b*e + a*h)*x^5 + 1/4*(b*d + a*g)*x^4 + 1/2*a*e*x^2 + 1/3*(b*c + a*f)*x^3 + a*d*x + a*c*\log(x)$

giac [A] time = 0.15, size = 83, normalized size = 0.94

$$\frac{1}{8}bhx^8 + \frac{1}{7}bgx^7 + \frac{1}{6}bfx^6 + \frac{1}{5}ahx^5 + \frac{1}{5}bx^5e + \frac{1}{4}bdx^4 + \frac{1}{4}agx^4 + \frac{1}{3}bcx^3 + \frac{1}{3}afx^3 + \frac{1}{2}ax^2e + adx + ac \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="giac")

[Out] $1/8*b*h*x^8 + 1/7*b*g*x^7 + 1/6*b*f*x^6 + 1/5*a*h*x^5 + 1/5*b*x^5*e + 1/4*b*d*x^4 + 1/4*a*g*x^4 + 1/3*b*c*x^3 + 1/3*a*f*x^3 + 1/2*a*x^2*e + a*d*x + a*c*\log(\text{abs}(x))$

maple [A] time = 0.05, size = 81, normalized size = 0.92

$$\frac{bhx^8}{8} + \frac{bgx^7}{7} + \frac{bfx^6}{6} + \frac{ahx^5}{5} + \frac{bex^5}{5} + \frac{agx^4}{4} + \frac{bdx^4}{4} + \frac{afx^3}{3} + \frac{bcx^3}{3} + \frac{aex^2}{2} + ac \ln(x) + adx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x)`

[Out] $\frac{1}{8}bhx^8 + \frac{1}{7}bgx^7 + \frac{1}{6}bfx^6 + \frac{1}{5}x^5*ah + \frac{1}{5}b*ex^5 + \frac{1}{4}x^4*ag + \frac{1}{4}b*d*x^4 + \frac{1}{3}x^3*af + \frac{1}{3}b*c*x^3 + \frac{1}{2}a*ex^2 + a*d*x + a*c*\ln(x)$

maxima [A] time = 1.34, size = 74, normalized size = 0.84

$$\frac{1}{8}bhx^8 + \frac{1}{7}bgx^7 + \frac{1}{6}bfx^6 + \frac{1}{5}(be + ah)x^5 + \frac{1}{4}(bd + ag)x^4 + \frac{1}{2}aex^2 + \frac{1}{3}(bc + af)x^3 + adx + ac \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="maxima")`

[Out] $\frac{1}{8}bhx^8 + \frac{1}{7}bgx^7 + \frac{1}{6}bfx^6 + \frac{1}{5}(b*e + a*h)x^5 + \frac{1}{4}(b*d + a*g)x^4 + \frac{1}{2}a*ex^2 + \frac{1}{3}(b*c + a*f)x^3 + a*d*x + a*c*\log(x)$

mupad [B] time = 0.05, size = 77, normalized size = 0.88

$$x^3 \left(\frac{bc}{3} + \frac{af}{3} \right) + x^4 \left(\frac{bd}{4} + \frac{ag}{4} \right) + x^5 \left(\frac{be}{5} + \frac{ah}{5} \right) + \frac{bhx^8}{8} + ac \ln(x) + adx + \frac{aex^2}{2} + \frac{bfx^6}{6} + \frac{bgx^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x)`

[Out] $x^3*((b*c)/3 + (a*f)/3) + x^4*((b*d)/4 + (a*g)/4) + x^5*((b*e)/5 + (a*h)/5) + (b*h*x^8)/8 + a*c*\log(x) + a*d*x + (a*ex^2)/2 + (b*f*x^6)/6 + (b*g*x^7)/7$

sympy [A] time = 0.22, size = 85, normalized size = 0.97

$$ac \log(x) + adx + \frac{aex^2}{2} + \frac{bfx^6}{6} + \frac{bgx^7}{7} + \frac{bhx^8}{8} + x^5 \left(\frac{ah}{5} + \frac{be}{5} \right) + x^4 \left(\frac{ag}{4} + \frac{bd}{4} \right) + x^3 \left(\frac{af}{3} + \frac{bc}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x,x)`

[Out] $a*c*\log(x) + a*d*x + a*ex**2/2 + b*f*x**6/6 + b*g*x**7/7 + b*h*x**8/8 + x**5*(a*h/5 + b*e/5) + x**4*(a*g/4 + b*d/4) + x**3*(a*f/3 + b*c/3)$

$$3.326 \quad \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$$

Optimal. Leaf size=86

$$\frac{1}{2}x^2(af+bc) + \frac{1}{3}x^3(ag+bd) + \frac{1}{4}x^4(ah+be) - \frac{ac}{x} + ad \log(x) + aex + \frac{1}{5}bfx^5 + \frac{1}{6}bgx^6 + \frac{1}{7}bhx^7$$

Rubi [A] time = 0.07, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\frac{1}{2}x^2(af+bc) + \frac{1}{3}x^3(ag+bd) + \frac{1}{4}x^4(ah+be) - \frac{ac}{x} + ad \log(x) + aex + \frac{1}{5}bfx^5 + \frac{1}{6}bgx^6 + \frac{1}{7}bhx^7$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x]

[Out] -((a*c)/x) + a*e*x + ((b*c + a*f)*x^2)/2 + ((b*d + a*g)*x^3)/3 + ((b*e + a*h)*x^4)/4 + (b*f*x^5)/5 + (b*g*x^6)/6 + (b*h*x^7)/7 + a*d*Log[x]

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx &= \int \left(ae + \frac{ac}{x^2} + \frac{ad}{x} + (bc+af)x + (bd+ag)x^2 + (be+ah)x^3 - \right. \\ &= \left. -\frac{ac}{x} + aex + \frac{1}{2}(bc+af)x^2 + \frac{1}{3}(bd+ag)x^3 + \frac{1}{4}(be+ah)x^4 + \right. \end{aligned}$$

Mathematica [A] time = 0.07, size = 86, normalized size = 1.00

$$\frac{1}{2}x^2(af+bc) + \frac{1}{3}x^3(ag+bd) + \frac{1}{4}x^4(ah+be) - \frac{ac}{x} + ad \log(x) + aex + \frac{1}{5}bfx^5 + \frac{1}{6}bgx^6 + \frac{1}{7}bhx^7$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x]

[Out] $-\frac{(a*c)}{x} + a*e*x + \frac{(b*c + a*f)*x^2}{2} + \frac{(b*d + a*g)*x^3}{3} + \frac{(b*e + a*h)*x^4}{4} + \frac{b*f*x^5}{5} + \frac{b*g*x^6}{6} + \frac{b*h*x^7}{7} + a*d*\text{Log}[x]$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x]

[Out] IntegrateAlgebraic[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2, x]

fricas [A] time = 0.40, size = 81, normalized size = 0.94

$$\frac{60bhx^8 + 70bgx^7 + 84bfx^6 + 105(be + ah)x^5 + 140(bd + ag)x^4 + 420aex^2 + 210(bc + af)x^3 + 420adx \log(x) - 420ac}{420x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="fricas")

[Out] $\frac{1}{420}*(60*b*h*x^8 + 70*b*g*x^7 + 84*b*f*x^6 + 105*(b*e + a*h)*x^5 + 140*(b*d + a*g)*x^4 + 420*a*e*x^2 + 210*(b*c + a*f)*x^3 + 420*a*d*x*\log(x) - 420*a*c)/x$

giac [A] time = 0.16, size = 83, normalized size = 0.97

$$\frac{1}{7}bhx^7 + \frac{1}{6}bgx^6 + \frac{1}{5}bfx^5 + \frac{1}{4}ahx^4 + \frac{1}{4}bx^4e + \frac{1}{3}bdx^3 + \frac{1}{3}agx^3 + \frac{1}{2}bcx^2 + \frac{1}{2}afx^2 + axe + ad \log(|x|) - \frac{ac}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="giac")

[Out] $\frac{1}{7}*b*h*x^7 + \frac{1}{6}*b*g*x^6 + \frac{1}{5}*b*f*x^5 + \frac{1}{4}*a*h*x^4 + \frac{1}{4}*b*x^4*e + \frac{1}{3}*b*d*x^3 + \frac{1}{3}*a*g*x^3 + \frac{1}{2}*b*c*x^2 + \frac{1}{2}*a*f*x^2 + a*x*e + a*d*\log(\text{abs}(x)) - a*c/x$

maple [A] time = 0.05, size = 81, normalized size = 0.94

$$\frac{bhx^7}{7} + \frac{bgx^6}{6} + \frac{bfx^5}{5} + \frac{ahx^4}{4} + \frac{bex^4}{4} + \frac{agx^3}{3} + \frac{bdx^3}{3} + \frac{afx^2}{2} + \frac{bcx^2}{2} + ad \ln(x) + aex - \frac{ac}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x)`

[Out] $1/7*b*h*x^7+1/6*b*g*x^6+1/5*b*f*x^5+1/4*x^4*a*h+1/4*b*e*x^4+1/3*x^3*a*g+1/3*b*d*x^3+1/2*x^2*a*f+1/2*b*c*x^2+a*e*x-a*c/x+a*d*\ln(x)$

maxima [A] time = 1.35, size = 74, normalized size = 0.86

$$\frac{1}{7}bhx^7 + \frac{1}{6}bgx^6 + \frac{1}{5}bfx^5 + \frac{1}{4}(be + ah)x^4 + \frac{1}{3}(bd + ag)x^3 + aex + \frac{1}{2}(bc + af)x^2 + ad \log(x) - \frac{ac}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="maxima")`

[Out] $1/7*b*h*x^7 + 1/6*b*g*x^6 + 1/5*b*f*x^5 + 1/4*(b*e + a*h)*x^4 + 1/3*(b*d + a*g)*x^3 + a*e*x + 1/2*(b*c + a*f)*x^2 + a*d*\log(x) - a*c/x$

mupad [B] time = 0.05, size = 77, normalized size = 0.90

$$x^2 \left(\frac{bc}{2} + \frac{af}{2} \right) + x^3 \left(\frac{bd}{3} + \frac{ag}{3} \right) + x^4 \left(\frac{be}{4} + \frac{ah}{4} \right) + \frac{bhx^7}{7} + ad \ln(x) + aex - \frac{ac}{x} + \frac{bfx^5}{5} + \frac{bgx^6}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x)`

[Out] $x^2*((b*c)/2 + (a*f)/2) + x^3*((b*d)/3 + (a*g)/3) + x^4*((b*e)/4 + (a*h)/4) + (b*h*x^7)/7 + a*d*\log(x) + a*e*x - (a*c)/x + (b*f*x^5)/5 + (b*g*x^6)/6$

sympy [A] time = 0.23, size = 82, normalized size = 0.95

$$-\frac{ac}{x} + ad \log(x) + aex + \frac{bfx^5}{5} + \frac{bgx^6}{6} + \frac{bhx^7}{7} + x^4 \left(\frac{ah}{4} + \frac{be}{4} \right) + x^3 \left(\frac{ag}{3} + \frac{bd}{3} \right) + x^2 \left(\frac{af}{2} + \frac{bc}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2,x)`

[Out] $-a*c/x + a*d*\log(x) + a*e*x + b*f*x**5/5 + b*g*x**6/6 + b*h*x**7/7 + x**4*(a*h/4 + b*e/4) + x**3*(a*g/3 + b*d/3) + x**2*(a*f/2 + b*c/2)$

$$3.327 \quad \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$$

Optimal. Leaf size=86

$$x(af + bc) + \frac{1}{2}x^2(ag + bd) + \frac{1}{3}x^3(ah + be) - \frac{ac}{2x^2} - \frac{ad}{x} + ae \log(x) + \frac{1}{4}bfx^4 + \frac{1}{5}bgx^5 + \frac{1}{6}bhx^6$$

Rubi [A] time = 0.07, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$x(af + bc) + \frac{1}{2}x^2(ag + bd) + \frac{1}{3}x^3(ah + be) - \frac{ac}{2x^2} - \frac{ad}{x} + ae \log(x) + \frac{1}{4}bfx^4 + \frac{1}{5}bgx^5 + \frac{1}{6}bhx^6$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3, x]

[Out] -(a*c)/(2*x^2) - (a*d)/x + (b*c + a*f)*x + ((b*d + a*g)*x^2)/2 + ((b*e + a*h)*x^3)/3 + (b*f*x^4)/4 + (b*g*x^5)/5 + (b*h*x^6)/6 + a*e*Log[x]

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^3} dx &= \int \left(bc \left(1 + \frac{af}{bc} \right) + \frac{ac}{x^3} + \frac{ad}{x^2} + \frac{ae}{x} + (bd + ag)x + (be + ah)x \right) dx \\ &= -\frac{ac}{2x^2} - \frac{ad}{x} + (bc + af)x + \frac{1}{2}(bd + ag)x^2 + \frac{1}{3}(be + ah)x^3 + \end{aligned}$$

Mathematica [A] time = 0.07, size = 78, normalized size = 0.91

$$\frac{a(-3c - 6dx + 6fx^3 + 3gx^4 + 2hx^5)}{6x^2} + ae \log(x) + bcx + \frac{1}{60}bx^2(30d + x(20e + 15fx + 12gx^2 + 10hx^3))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3, x]

[Out] $b*c*x + (a*(-3*c - 6*d*x + 6*f*x^3 + 3*g*x^4 + 2*h*x^5))/(6*x^2) + (b*x^2*(30*d + x*(20*e + 15*f*x + 12*g*x^2 + 10*h*x^3)))/60 + a*e*\text{Log}[x]$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3, x]

[Out] IntegrateAlgebraic[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3, x]

fricas [A] time = 0.41, size = 81, normalized size = 0.94

$$\frac{10bhx^8 + 12bgx^7 + 15bfx^6 + 20(be + ah)x^5 + 30(bd + ag)x^4 + 60aex^2 \log(x) + 60(bc + af)x^3 - 60adx - 30ac}{60x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="fricas")

[Out] $1/60*(10*b*h*x^8 + 12*b*g*x^7 + 15*b*f*x^6 + 20*(b*e + a*h)*x^5 + 30*(b*d + a*g)*x^4 + 60*a*e*x^2*\log(x) + 60*(b*c + a*f)*x^3 - 60*a*d*x - 30*a*c)/x^2$

giac [A] time = 0.16, size = 80, normalized size = 0.93

$$\frac{1}{6}bhx^6 + \frac{1}{5}bgx^5 + \frac{1}{4}bfx^4 + \frac{1}{3}ahx^3 + \frac{1}{3}bx^3e + \frac{1}{2}bdx^2 + \frac{1}{2}agx^2 + bcx + afx + ae \log(|x|) - \frac{2adx + ac}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="giac")

[Out] $1/6*b*h*x^6 + 1/5*b*g*x^5 + 1/4*b*f*x^4 + 1/3*a*h*x^3 + 1/3*b*x^3*e + 1/2*b*d*x^2 + 1/2*a*g*x^2 + b*c*x + a*f*x + a*e*\log(\text{abs}(x)) - 1/2*(2*a*d*x + a*c)/x^2$

maple [A] time = 0.05, size = 78, normalized size = 0.91

$$\frac{bhx^6}{6} + \frac{bgx^5}{5} + \frac{bfx^4}{4} + \frac{ahx^3}{3} + \frac{bex^3}{3} + \frac{agx^2}{2} + \frac{bdx^2}{2} + ae \ln(x) + afx + bcx - \frac{ad}{x} - \frac{ac}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x)`

[Out] $1/6*b*h*x^6+1/5*b*g*x^5+1/4*b*f*x^4+1/3*x^3*a*h+1/3*b*e*x^3+1/2*x^2*a*g+1/2*b*d*x^2+a*f*x+b*c*x-1/2*a*c/x^2-a*d/x+a*e*\ln(x)$

maxima [A] time = 1.34, size = 74, normalized size = 0.86

$$\frac{1}{6}bhx^6 + \frac{1}{5}bgx^5 + \frac{1}{4}bfx^4 + \frac{1}{3}(be + ah)x^3 + \frac{1}{2}(bd + ag)x^2 + ae \log(x) + (bc + af)x - \frac{2adx + ac}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="maxima")`

[Out] $1/6*b*h*x^6 + 1/5*b*g*x^5 + 1/4*b*f*x^4 + 1/3*(b*e + a*h)*x^3 + 1/2*(b*d + a*g)*x^2 + a*e*\log(x) + (b*c + a*f)*x - 1/2*(2*a*d*x + a*c)/x^2$

mupad [B] time = 0.04, size = 76, normalized size = 0.88

$$x(bc + af) - \frac{\frac{ac}{2} + adx}{x^2} + x^2\left(\frac{bd}{2} + \frac{ag}{2}\right) + x^3\left(\frac{be}{3} + \frac{ah}{3}\right) + \frac{bhx^6}{6} + ae \ln(x) + \frac{bfx^4}{4} + \frac{bgx^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x)`

[Out] $x*(b*c + a*f) - ((a*c)/2 + a*d*x)/x^2 + x^2*((b*d)/2 + (a*g)/2) + x^3*((b*e)/3 + (a*h)/3) + (b*h*x^6)/6 + a*e*\log(x) + (b*f*x^4)/4 + (b*g*x^5)/5$

sympy [A] time = 0.31, size = 83, normalized size = 0.97

$$ae \log(x) + \frac{bfx^4}{4} + \frac{bgx^5}{5} + \frac{bhx^6}{6} + x^3\left(\frac{ah}{3} + \frac{be}{3}\right) + x^2\left(\frac{ag}{2} + \frac{bd}{2}\right) + x(af + bc) + \frac{-ac - 2adx}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3,x)`

[Out] $a*e*\log(x) + b*f*x**4/4 + b*g*x**5/5 + b*h*x**6/6 + x**3*(a*h/3 + b*e/3) + x**2*(a*g/2 + b*d/2) + x*(a*f + b*c) + (-a*c - 2*a*d*x)/(2*x**2)$

$$3.328 \quad \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$$

Optimal. Leaf size=86

$$\log(x)(af + bc) + x(ag + bd) + \frac{1}{2}x^2(ah + be) - \frac{ac}{3x^3} - \frac{ad}{2x^2} - \frac{ae}{x} + \frac{1}{3}bfx^3 + \frac{1}{4}bgx^4 + \frac{1}{5}bhx^5$$

Rubi [A] time = 0.07, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\log(x)(af + bc) + x(ag + bd) + \frac{1}{2}x^2(ah + be) - \frac{ac}{3x^3} - \frac{ad}{2x^2} - \frac{ae}{x} + \frac{1}{3}bfx^3 + \frac{1}{4}bgx^4 + \frac{1}{5}bhx^5$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]

[Out] -(a*c)/(3*x^3) - (a*d)/(2*x^2) - (a*e)/x + (b*d + a*g)*x + ((b*e + a*h)*x^2)/2 + (b*f*x^3)/3 + (b*g*x^4)/4 + (b*h*x^5)/5 + (b*c + a*f)*Log[x]

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^4} dx &= \int \left(bd \left(1 + \frac{ag}{bd} \right) + \frac{ac}{x^4} + \frac{ad}{x^3} + \frac{ae}{x^2} + \frac{bc + af}{x} + (be + ah)x + b \right. \\ &= -\frac{ac}{3x^3} - \frac{ad}{2x^2} - \frac{ae}{x} + (bd + ag)x + \frac{1}{2}(be + ah)x^2 + \frac{1}{3}bfx^3 + \frac{1}{4} \end{aligned}$$

Mathematica [A] time = 0.07, size = 76, normalized size = 0.88

$$\log(x)(af + bc) - \frac{a(2c + 3x(d + 2ex - (x^3(2g + hx))))}{6x^3} + \frac{1}{60}bx(60d + x(30e + x(20f + 15gx + 12hx^2)))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]

[Out] $-1/6*(a*(2*c + 3*x*(d + 2*e*x - x^3*(2*g + h*x))))/x^3 + (b*x*(60*d + x*(30*e + x*(20*f + 15*g*x + 12*h*x^2)))/60 + (b*c + a*f)*\text{Log}[x]$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^4} dx$$

Verification is not applicable to the result.

[In] `IntegrateAlgebraic[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]`

[Out] `IntegrateAlgebraic[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]`

fricas [A] time = 0.40, size = 81, normalized size = 0.94

$$\frac{12bhx^8 + 15bgx^7 + 20bfx^6 + 30(be + ah)x^5 + 60(bd + ag)x^4 + 60(bc + af)x^3 \log(x) - 60aex^2 - 30adx - 20ac}{60x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4, x, algorithm="fricas")`

[Out] $1/60*(12*b*h*x^8 + 15*b*g*x^7 + 20*b*f*x^6 + 30*(b*e + a*h)*x^5 + 60*(b*d + a*g)*x^4 + 60*(b*c + a*f)*x^3*\log(x) - 60*a*e*x^2 - 30*a*d*x - 20*a*c)/x^3$

giac [A] time = 0.17, size = 79, normalized size = 0.92

$$\frac{1}{5}bhx^5 + \frac{1}{4}bgx^4 + \frac{1}{3}bfx^3 + \frac{1}{2}ahx^2 + \frac{1}{2}bx^2e + bdx + agx + (bc + af)\log(|x|) - \frac{6ax^2e + 3adx + 2ac}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4, x, algorithm="giac")`

[Out] $1/5*b*h*x^5 + 1/4*b*g*x^4 + 1/3*b*f*x^3 + 1/2*a*h*x^2 + 1/2*b*x^2*e + b*d*x + a*g*x + (b*c + a*f)*\log(\text{abs}(x)) - 1/6*(6*a*x^2*e + 3*a*d*x + 2*a*c)/x^3$

maple [A] time = 0.05, size = 76, normalized size = 0.88

$$\frac{bhx^5}{5} + \frac{bgx^4}{4} + \frac{bfx^3}{3} + \frac{ahx^2}{2} + \frac{bex^2}{2} + af \ln(x) + agx + bc \ln(x) + bdx - \frac{ae}{x} - \frac{ad}{2x^2} - \frac{ac}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x)`

[Out] $\frac{1}{5}b h x^5 + \frac{1}{4}b g x^4 + \frac{1}{3}b f x^3 + \frac{1}{2}x^2 a h + \frac{1}{2}b e x^2 + a g x + x b d - \frac{1}{3}a c/x^3 - \frac{1}{2}a d/x^2 - a e/x + \ln(x) a f + \ln(x) b c$

maxima [A] time = 1.36, size = 75, normalized size = 0.87

$$\frac{1}{5} b h x^5 + \frac{1}{4} b g x^4 + \frac{1}{3} b f x^3 + \frac{1}{2} (b e + a h) x^2 + (b d + a g) x + (b c + a f) \log(x) - \frac{6 a e x^2 + 3 a d x + 2 a c}{6 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="maxima")`

[Out] $\frac{1}{5}b h x^5 + \frac{1}{4}b g x^4 + \frac{1}{3}b f x^3 + \frac{1}{2}(b e + a h)x^2 + (b d + a g)x + (b c + a f)\log(x) - \frac{1}{6}(6 a e x^2 + 3 a d x + 2 a c)/x^3$

mupad [B] time = 0.04, size = 75, normalized size = 0.87

$$x (b d + a g) - \frac{a e x^2 + \frac{a d x}{2} + \frac{a c}{3}}{x^3} + x^2 \left(\frac{b e}{2} + \frac{a h}{2} \right) + \ln(x) (b c + a f) + \frac{b h x^5}{5} + \frac{b f x^3}{3} + \frac{b g x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4,x)`

[Out] $x(b d + a g) - ((a c)/3 + (a d x)/2 + a e x^2)/x^3 + x^2((b e)/2 + (a h)/2) + \log(x)(b c + a f) + (b h x^5)/5 + (b f x^3)/3 + (b g x^4)/4$

sympy [A] time = 0.67, size = 83, normalized size = 0.97

$$\frac{b f x^3}{3} + \frac{b g x^4}{4} + \frac{b h x^5}{5} + x^2 \left(\frac{a h}{2} + \frac{b e}{2} \right) + x (a g + b d) + (a f + b c) \log(x) + \frac{-2 a c - 3 a d x - 6 a e x^2}{6 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4,x)`

[Out] $b f x^3/3 + b g x^4/4 + b h x^5/5 + x^2(a h/2 + b e/2) + x(a g + b d) + (a f + b c)\log(x) + (-2 a c - 3 a d x - 6 a e x^2)/(6 x^3)$

$$3.329 \quad \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$$

Optimal. Leaf size=86

$$-\frac{af+bc}{x} + \log(x)(ag+bd) + x(ah+be) - \frac{ac}{4x^4} - \frac{ad}{3x^3} - \frac{ae}{2x^2} + \frac{1}{2}bfx^2 + \frac{1}{3}bgx^3 + \frac{1}{4}bhx^4$$

Rubi [A] time = 0.07, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$-\frac{af+bc}{x} + \log(x)(ag+bd) + x(ah+be) - \frac{ac}{4x^4} - \frac{ad}{3x^3} - \frac{ae}{2x^2} + \frac{1}{2}bfx^2 + \frac{1}{3}bgx^3 + \frac{1}{4}bhx^4$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x]

[Out] -(a*c)/(4*x^4) - (a*d)/(3*x^3) - (a*e)/(2*x^2) - (b*c + a*f)/x + (b*e + a*h)*x + (b*f*x^2)/2 + (b*g*x^3)/3 + (b*h*x^4)/4 + (b*d + a*g)*Log[x]

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx = \int \left(be \left(1 + \frac{ah}{be} \right) + \frac{ac}{x^5} + \frac{ad}{x^4} + \frac{ae}{x^3} + \frac{bc+af}{x^2} + \frac{bd+ag}{x} + bfx \right) dx$$

$$= -\frac{ac}{4x^4} - \frac{ad}{3x^3} - \frac{ae}{2x^2} - \frac{bc+af}{x} + (be+ah)x + \frac{1}{2}bfx^2 + \frac{1}{3}bgx^3 + \frac{1}{4}bhx^4$$

Mathematica [A] time = 0.08, size = 77, normalized size = 0.90

$$\log(x)(ag+bd) - \frac{a(3c+4dx+6x^2(e+2fx-2hx^3))}{12x^4} + b \left(-\frac{c}{x} + ex + \frac{1}{12}x^2(6f+4gx+3hx^2) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x]

[Out] $b*(-(c/x) + e*x + (x^2*(6*f + 4*g*x + 3*h*x^2))/12) - (a*(3*c + 4*d*x + 6*x^2*(e + 2*f*x - 2*h*x^3)))/(12*x^4) + (b*d + a*g)*\text{Log}[x]$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^5} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x]

[Out] IntegrateAlgebraic[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5, x]

fricas [A] time = 0.40, size = 81, normalized size = 0.94

$$\frac{3bhx^8 + 4bgx^7 + 6bfx^6 + 12(be + ah)x^5 + 12(bd + ag)x^4 \log(x) - 6aex^2 - 12(bc + af)x^3 - 4adx - 3ac}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="fricas")

[Out] $1/12*(3*b*h*x^8 + 4*b*g*x^7 + 6*b*f*x^6 + 12*(b*e + a*h)*x^5 + 12*(b*d + a*g)*x^4*\log(x) - 6*a*e*x^2 - 12*(b*c + a*f)*x^3 - 4*a*d*x - 3*a*c)/x^4$

giac [A] time = 0.15, size = 77, normalized size = 0.90

$$\frac{1}{4}bhx^4 + \frac{1}{3}bgx^3 + \frac{1}{2}bfx^2 + ahx + bxe + (bd + ag)\log(|x|) - \frac{12(bc + af)x^3 + 6ax^2e + 4adx + 3ac}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="giac")

[Out] $1/4*b*h*x^4 + 1/3*b*g*x^3 + 1/2*b*f*x^2 + a*h*x + b*x*e + (b*d + a*g)*\log(abs(x)) - 1/12*(12*(b*c + a*f)*x^3 + 6*a*x^2*e + 4*a*d*x + 3*a*c)/x^4$

maple [A] time = 0.05, size = 76, normalized size = 0.88

$$\frac{bhx^4}{4} + \frac{bgx^3}{3} + \frac{bfx^2}{2} + ag \ln(x) + ahx + bd \ln(x) + bex - \frac{af}{x} - \frac{bc}{x} - \frac{ae}{2x^2} - \frac{ad}{3x^3} - \frac{ac}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x)`

[Out] $\frac{1}{4}bhx^4 + \frac{1}{3}bgx^3 + \frac{1}{2}bfx^2 + (be+ah)x + (bd+ag)\log(x) - \frac{6aex^2 + 12(bc+af)x^3 + 4adx + 3ac}{12x^4}$

maxima [A] time = 1.34, size = 75, normalized size = 0.87

$$\frac{1}{4}bhx^4 + \frac{1}{3}bgx^3 + \frac{1}{2}bfx^2 + (be+ah)x + (bd+ag)\log(x) - \frac{6aex^2 + 12(bc+af)x^3 + 4adx + 3ac}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="maxima")`

[Out] $\frac{1}{4}bhx^4 + \frac{1}{3}bgx^3 + \frac{1}{2}bfx^2 + (be+ah)x + (bd+ag)\log(x) - \frac{1}{12}(6aex^2 + 12(bc+af)x^3 + 4adx + 3ac)/x^4$

mupad [B] time = 4.98, size = 74, normalized size = 0.86

$$x(be+ah) - \frac{(bc+af)x^3 + \frac{aex^2}{2} + \frac{adx}{3} + \frac{ac}{4}}{x^4} + \ln(x)(bd+ag) + \frac{bhx^4}{4} + \frac{bfx^2}{2} + \frac{bgx^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a+b*x^3)*(c+d*x+e*x^2+f*x^3+g*x^4+h*x^5))/x^5,x)`

[Out] $x*(be+ah) - ((ac)/4 + x^3*(bc+af) + (ad*x)/3 + (aex^2)/2)/x^4 + \log(x)*(bd+ag) + (bhx^4)/4 + (bfx^2)/2 + (bgx^3)/3$

sympy [A] time = 2.57, size = 83, normalized size = 0.97

$$\frac{bfx^2}{2} + \frac{bgx^3}{3} + \frac{bhx^4}{4} + x(ah+be) + (ag+bd)\log(x) + \frac{-3ac - 4adx - 6aex^2 + x^3(-12af - 12bc)}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**5,x)`

[Out] $bfx^{2/2} + bgx^{3/3} + bhx^{4/4} + x*(ah+be) + (ag+bd)*\log(x) + (-3ac - 4adx - 6aex^2 + x^3(-12af - 12bc))/(12x^4)$

$$3.330 \quad \int x^4 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=163

$$\frac{1}{5}a^2cx^5 + \frac{1}{6}a^2dx^6 + \frac{1}{7}a^2ex^7 + \frac{1}{11}bx^{11}(2af+bc) + \frac{1}{8}ax^8(af+2bc) + \frac{1}{12}bx^{12}(2ag+bd) + \frac{1}{9}ax^9(ag+2bd) + \frac{1}{13}bx^{13}(2ah+be) + \dots$$

Rubi [A] time = 0.21, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$\frac{1}{5}a^2cx^5 + \frac{1}{6}a^2dx^6 + \frac{1}{7}a^2ex^7 + \frac{1}{11}bx^{11}(2af+bc) + \frac{1}{8}ax^8(af+2bc) + \frac{1}{12}bx^{12}(2ag+bd) + \frac{1}{9}ax^9(ag+2bd) + \frac{1}{13}bx^{13}(2ah+be) + \frac{1}{10}ax^{10}(ah+2be) + \frac{1}{14}b^2fx^{14} + \frac{1}{15}b^2gx^{15} + \frac{1}{16}b^2hx^{16}$$

Antiderivative was successfully verified.

[In] Int[x^4*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (a^2*c*x^5)/5 + (a^2*d*x^6)/6 + (a^2*e*x^7)/7 + (a*(2*b*c + a*f)*x^8)/8 + (a*(2*b*d + a*g)*x^9)/9 + (a*(2*b*e + a*h)*x^10)/10 + (b*(b*c + 2*a*f)*x^11)/11 + (b*(b*d + 2*a*g)*x^12)/12 + (b*(b*e + 2*a*h)*x^13)/13 + (b^2*f*x^14)/14 + (b^2*g*x^15)/15 + (b^2*h*x^16)/16

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int x^4 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx = \int (a^2cx^4 + a^2dx^5 + a^2ex^6 + a(2bc + af)x^7 + a(2bd + ag)x^8 + \dots) dx = \frac{1}{5}a^2cx^5 + \frac{1}{6}a^2dx^6 + \frac{1}{7}a^2ex^7 + \frac{1}{8}a(2bc + af)x^8 + \frac{1}{9}a(2bd + ag)x^9 + \dots$$

Mathematica [A] time = 0.05, size = 163, normalized size = 1.00

$$\frac{1}{5}a^2cx^5 + \frac{1}{6}a^2dx^6 + \frac{1}{7}a^2ex^7 + \frac{1}{11}bx^{11}(2af+bc) + \frac{1}{8}ax^8(af+2bc) + \frac{1}{12}bx^{12}(2ag+bd) + \frac{1}{9}ax^9(ag+2bd) + \frac{1}{13}bx^{13}(2ah+be) + \frac{1}{10}ax^{10}(ah+2be) + \frac{1}{14}b^2fx^{14} + \frac{1}{15}b^2gx^{15} + \frac{1}{16}b^2hx^{16}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a^2*c*x^5)/5 + (a^2*d*x^6)/6 + (a^2*e*x^7)/7 + (a*(2*b*c + a*f)*x^8)/8 + (a*(2*b*d + a*g)*x^9)/9 + (a*(2*b*e + a*h)*x^{10})/10 + (b*(b*c + 2*a*f)*x^{11})/11 + (b*(b*d + 2*a*g)*x^{12})/12 + (b*(b*e + 2*a*h)*x^{13})/13 + (b^2*f*x^{14})/14 + (b^2*g*x^{15})/15 + (b^2*h*x^{16})/16$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^4*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] IntegrateAlgebraic[x^4*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

fricas [A] time = 0.37, size = 157, normalized size = 0.96

$$\frac{1}{16}x^{16}hb^2 + \frac{1}{15}x^{15}gb^2 + \frac{1}{14}x^{14}fb^2 + \frac{1}{13}x^{13}eb^2 + \frac{2}{13}x^{13}hba + \frac{1}{12}x^{12}db^2 + \frac{1}{6}x^{12}gba + \frac{1}{11}x^{11}cb^2 + \frac{2}{11}x^{11}fba + \frac{1}{5}x^{10}eba + \frac{1}{10}x^{10}ha^2 + \frac{2}{9}x^9dba + \frac{1}{9}x^9ga^2 + \frac{1}{4}x^8cba + \frac{1}{8}x^8fa^2 + \frac{1}{7}x^7ea^2 + \frac{1}{6}x^6da^2 + \frac{1}{5}x^5ca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] $1/16*x^{16}*h*b^2 + 1/15*x^{15}*g*b^2 + 1/14*x^{14}*f*b^2 + 1/13*x^{13}*e*b^2 + 2/13*x^{13}*h*b*a + 1/12*x^{12}*d*b^2 + 1/6*x^{12}*g*b*a + 1/11*x^{11}*c*b^2 + 2/11*x^{11}*f*b*a + 1/5*x^{10}*e*b*a + 1/10*x^{10}*h*a^2 + 2/9*x^9*d*b*a + 1/9*x^9*g*a^2 + 1/4*x^8*c*b*a + 1/8*x^8*f*a^2 + 1/7*x^7*e*a^2 + 1/6*x^6*d*a^2 + 1/5*x^5*c*a^2$

giac [A] time = 0.15, size = 160, normalized size = 0.98

$$\frac{1}{16}b^2hx^{16} + \frac{1}{15}b^2gx^{15} + \frac{1}{14}b^2fx^{14} + \frac{2}{13}abhx^{13} + \frac{1}{13}b^2x^{13}e + \frac{1}{12}b^2dx^{12} + \frac{1}{6}abgx^{12} + \frac{1}{11}b^2cx^{11} + \frac{2}{11}abfx^{11} + \frac{1}{10}a^2hx^{10} + \frac{1}{5}abx^{10}e + \frac{2}{9}abdx^9 + \frac{1}{9}a^2gx^9 + \frac{1}{4}abcx^8 + \frac{1}{8}a^2fx^8 + \frac{1}{7}a^2x^7e + \frac{1}{6}a^2dx^6 + \frac{1}{5}a^2cx^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="giac")

[Out] $1/16*b^2*h*x^{16} + 1/15*b^2*g*x^{15} + 1/14*b^2*f*x^{14} + 2/13*a*b*h*x^{13} + 1/13*b^2*x^{13}*e + 1/12*b^2*d*x^{12} + 1/6*a*b*g*x^{12} + 1/11*b^2*c*x^{11} + 2/11*a*b*f*x^{11} + 1/10*a^2*h*x^{10} + 1/5*a*b*x^{10}*e + 2/9*a*b*d*x^9 + 1/9*a^2*g*x^9 + 1/4*a*b*c*x^8 + 1/8*a^2*f*x^8 + 1/7*a^2*x^7*e + 1/6*a^2*d*x^6 + 1/5*a^2*c*x^5$

maple [A] time = 0.04, size = 152, normalized size = 0.93

$$\frac{b^2 h x^{16}}{16} + \frac{b^2 g x^{15}}{15} + \frac{b^2 f x^{14}}{14} + \frac{(2abh + b^2 e) x^{13}}{13} + \frac{(2abg + b^2 d) x^{12}}{12} + \frac{(2abf + c b^2) x^{11}}{11} + \frac{a^2 e x^7}{7} + \frac{(a^2 h + 2bea) x^{10}}{10} + \frac{a^2 d x^6}{6} + \frac{(a^2 g + 2bda) x^9}{9} + \frac{a^2 c x^5}{5} + \frac{(a^2 f + 2abc) x^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x)`

[Out] $\frac{1}{16} b^2 h x^{16} + \frac{1}{15} b^2 g x^{15} + \frac{1}{14} b^2 f x^{14} + \frac{1}{13} (2 a b h + b^2 e) x^{13} + \frac{1}{12} (2 a b g + b^2 d) x^{12} + \frac{1}{11} (2 a b f + b^2 c) x^{11} + \frac{1}{10} (a^2 h + 2 a b e) x^{10} + \frac{1}{9} (a^2 g + 2 b d a) x^9 + \frac{1}{8} (a^2 f + 2 a b c) x^8 + \frac{1}{7} a^2 e x^7 + \frac{1}{6} a^2 d x^6 + \frac{1}{5} a^2 c x^5$

maxima [A] time = 1.37, size = 151, normalized size = 0.93

$$\frac{1}{16} b^2 h x^{16} + \frac{1}{15} b^2 g x^{15} + \frac{1}{14} b^2 f x^{14} + \frac{1}{13} (b^2 e + 2 a b h) x^{13} + \frac{1}{12} (b^2 d + 2 a b g) x^{12} + \frac{1}{11} (b^2 c + 2 a b f) x^{11} + \frac{1}{10} (2 a b e + a^2 h) x^{10} + \frac{1}{9} (2 a b d + a^2 g) x^9 + \frac{1}{8} (2 a b c + a^2 f) x^8 + \frac{1}{7} a^2 e x^7 + \frac{1}{6} a^2 d x^6 + \frac{1}{5} a^2 c x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="maxima")`

[Out] $\frac{1}{16} b^2 h x^{16} + \frac{1}{15} b^2 g x^{15} + \frac{1}{14} b^2 f x^{14} + \frac{1}{13} (b^2 e + 2 a b h) x^{13} + \frac{1}{12} (b^2 d + 2 a b g) x^{12} + \frac{1}{11} (b^2 c + 2 a b f) x^{11} + \frac{1}{10} (2 a b e + a^2 h) x^{10} + \frac{1}{9} (2 a b d + a^2 g) x^9 + \frac{1}{8} (2 a b c + a^2 f) x^8 + \frac{1}{7} a^2 e x^7 + \frac{1}{6} a^2 d x^6 + \frac{1}{5} a^2 c x^5$

mupad [B] time = 0.10, size = 151, normalized size = 0.93

$$x^8 \left(\frac{f a^2}{8} + \frac{b c a}{4} \right) + x^{11} \left(\frac{c b^2}{11} + \frac{2 a f b}{11} \right) + x^9 \left(\frac{g a^2}{9} + \frac{2 b d a}{9} \right) + x^{12} \left(\frac{d b^2}{12} + \frac{a g b}{6} \right) + x^{10} \left(\frac{h a^2}{10} + \frac{b e a}{5} \right) + x^{13} \left(\frac{e b^2}{13} + \frac{2 a h b}{13} \right) + \frac{a^2 c x^5}{5} + \frac{a^2 d x^6}{6} + \frac{a^2 e x^7}{7} + \frac{b^2 f x^{14}}{14} + \frac{b^2 g x^{15}}{15} + \frac{b^2 h x^{16}}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x)`

[Out] $x^8 \left(\frac{a^2 f}{8} + \frac{a b c}{4} \right) + x^{11} \left(\frac{b^2 c}{11} + \frac{2 a b f}{11} \right) + x^9 \left(\frac{a^2 g}{9} + \frac{2 a b d}{9} \right) + x^{12} \left(\frac{b^2 d}{12} + \frac{a b g}{6} \right) + x^{10} \left(\frac{a^2 h}{10} + \frac{a b e}{5} \right) + x^{13} \left(\frac{b^2 e}{13} + \frac{2 a b h}{13} \right) + \frac{a^2 c x^5}{5} + \frac{a^2 d x^6}{6} + \frac{a^2 e x^7}{7} + \frac{b^2 f x^{14}}{14} + \frac{b^2 g x^{15}}{15} + \frac{b^2 h x^{16}}{16}$

sympy [A] time = 0.10, size = 167, normalized size = 1.02

$$\frac{a^2 c x^5}{5} + \frac{a^2 d x^6}{6} + \frac{a^2 e x^7}{7} + \frac{b^2 f x^{14}}{14} + \frac{b^2 g x^{15}}{15} + \frac{b^2 h x^{16}}{16} + x^{13} \left(\frac{2 a b h}{13} + \frac{b^2 e}{13} \right) + x^{12} \left(\frac{a b g}{6} + \frac{b^2 d}{12} \right) + x^{11} \left(\frac{2 a b f}{11} + \frac{b^2 c}{11} \right) + x^{10} \left(\frac{a^2 h}{10} + \frac{a b e}{5} \right) + x^9 \left(\frac{a^2 g}{9} + \frac{2 a b d}{9} \right) + x^8 \left(\frac{a^2 f}{8} + \frac{a b c}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c), x)`

```
[Out] a**2*c*x**5/5 + a**2*d*x**6/6 + a**2*e*x**7/7 + b**2*f*x**14/14 + b**2*g*x*  
*15/15 + b**2*h*x**16/16 + x**13*(2*a*b*h/13 + b**2*e/13) + x**12*(a*b*g/6  
+ b**2*d/12) + x**11*(2*a*b*f/11 + b**2*c/11) + x**10*(a**2*h/10 + a*b*e/5)  
+ x**9*(a**2*g/9 + 2*a*b*d/9) + x**8*(a**2*f/8 + a*b*c/4)
```

$$3.331 \quad \int x^3 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=163

$$\frac{1}{4}a^2cx^4 + \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{10}bx^{10}(2af+bc) + \frac{1}{7}ax^7(af+2bc) + \frac{1}{11}bx^{11}(2ag+bd) + \frac{1}{8}ax^8(ag+2bd) + \frac{1}{12}bx^{12}(2ah+be) + \frac{1}{15}a^2hx^{15}$$

Rubi [A] time = 0.16, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$\frac{1}{4}a^2cx^4 + \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{10}bx^{10}(2af+bc) + \frac{1}{7}ax^7(af+2bc) + \frac{1}{11}bx^{11}(2ag+bd) + \frac{1}{8}ax^8(ag+2bd) + \frac{1}{12}bx^{12}(2ah+be) + \frac{1}{9}ax^9(ah+2be) + \frac{1}{13}b^2fx^{13} + \frac{1}{14}b^2gx^{14} + \frac{1}{15}b^2hx^{15}$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (a^2*c*x^4)/4 + (a^2*d*x^5)/5 + (a^2*e*x^6)/6 + (a*(2*b*c + a*f)*x^7)/7 + (a*(2*b*d + a*g)*x^8)/8 + (a*(2*b*e + a*h)*x^9)/9 + (b*(b*c + 2*a*f)*x^10)/10 + (b*(b*d + 2*a*g)*x^11)/11 + (b*(b*e + 2*a*h)*x^12)/12 + (b^2*f*x^13)/13 + (b^2*g*x^14)/14 + (b^2*h*x^15)/15

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int x^3 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx = \int (a^2cx^3 + a^2dx^4 + a^2ex^5 + a(2bc + af)x^6 + a(2bd + ag)x^7 + a(2cd + af)x^8 + a(2bd + ag)x^9 + b^2cx^{10} + b^2dx^{11} + b^2ex^{12} + b^2fx^{13} + b^2gx^{14} + b^2hx^{15}) dx$$

$$= \frac{1}{4}a^2cx^4 + \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{7}a(2bc + af)x^7 + \frac{1}{8}a(2bd + ag)x^8 + \frac{1}{9}a(2cd + af)x^9 + \frac{1}{10}b^2cx^{10} + \frac{1}{11}b^2dx^{11} + \frac{1}{12}b^2ex^{12} + \frac{1}{13}b^2fx^{13} + \frac{1}{14}b^2gx^{14} + \frac{1}{15}b^2hx^{15}$$

Mathematica [A] time = 0.03, size = 163, normalized size = 1.00

$$\frac{1}{4}a^2cx^4 + \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{10}bx^{10}(2af+bc) + \frac{1}{7}ax^7(af+2bc) + \frac{1}{11}bx^{11}(2ag+bd) + \frac{1}{8}ax^8(ag+2bd) + \frac{1}{12}bx^{12}(2ah+be) + \frac{1}{9}ax^9(ah+2be) + \frac{1}{13}b^2fx^{13} + \frac{1}{14}b^2gx^{14} + \frac{1}{15}b^2hx^{15}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a^2*c*x^4)/4 + (a^2*d*x^5)/5 + (a^2*e*x^6)/6 + (a*(2*b*c + a*f)*x^7)/7 + (a*(2*b*d + a*g)*x^8)/8 + (a*(2*b*e + a*h)*x^9)/9 + (b*(b*c + 2*a*f)*x^{10})/10 + (b*(b*d + 2*a*g)*x^{11})/11 + (b*(b*e + 2*a*h)*x^{12})/12 + (b^2*f*x^{13})/13 + (b^2*g*x^{14})/14 + (b^2*h*x^{15})/15$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^3*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] IntegrateAlgebraic[x^3*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

fricas [A] time = 0.37, size = 157, normalized size = 0.96

$$\frac{1}{15}x^{15}hb^2 + \frac{1}{14}x^{14}gb^2 + \frac{1}{13}x^{13}fb^2 + \frac{1}{12}x^{12}eb^2 + \frac{1}{6}x^{12}hba + \frac{1}{11}x^{11}db^2 + \frac{2}{11}x^{11}gba + \frac{1}{10}x^{10}cb^2 + \frac{1}{5}x^{10}fba + \frac{2}{9}x^9eba + \frac{1}{9}x^9ha^2 + \frac{1}{4}x^8dba + \frac{1}{8}x^8ga^2 + \frac{2}{7}x^7cba + \frac{1}{7}x^7fa^2 + \frac{1}{6}x^6ea^2 + \frac{1}{5}x^5da^2 + \frac{1}{4}x^4ca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] $1/15*x^{15}*h*b^2 + 1/14*x^{14}*g*b^2 + 1/13*x^{13}*f*b^2 + 1/12*x^{12}*e*b^2 + 1/6*x^{12}*h*b*a + 1/11*x^{11}*d*b^2 + 2/11*x^{11}*g*b*a + 1/10*x^{10}*c*b^2 + 1/5*x^{10}*f*b*a + 2/9*x^9*e*b*a + 1/9*x^9*h*a^2 + 1/4*x^8*d*b*a + 1/8*x^8*g*a^2 + 2/7*x^7*c*b*a + 1/7*x^7*f*a^2 + 1/6*x^6*e*a^2 + 1/5*x^5*d*a^2 + 1/4*x^4*c*a^2$

giac [A] time = 0.15, size = 160, normalized size = 0.98

$$\frac{1}{15}b^2hx^{15} + \frac{1}{14}b^2gx^{14} + \frac{1}{13}b^2fx^{13} + \frac{1}{6}abhx^{12} + \frac{1}{12}b^2x^{12}e + \frac{1}{11}b^2dx^{11} + \frac{2}{11}abgx^{11} + \frac{1}{10}b^2cx^{10} + \frac{1}{5}abfx^{10} + \frac{1}{9}a^2hx^9 + \frac{2}{9}abx^9e + \frac{1}{4}abdx^8 + \frac{1}{8}a^2gx^8 + \frac{2}{7}abcx^7 + \frac{1}{7}a^2fx^7 + \frac{1}{6}a^2x^6e + \frac{1}{5}a^2dx^5 + \frac{1}{4}a^2cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="giac")

[Out] $1/15*b^2*h*x^{15} + 1/14*b^2*g*x^{14} + 1/13*b^2*f*x^{13} + 1/6*a*b*h*x^{12} + 1/12*b^2*x^{12}*e + 1/11*b^2*d*x^{11} + 2/11*a*b*g*x^{11} + 1/10*b^2*c*x^{10} + 1/5*a*b*f*x^{10} + 1/9*a^2*h*x^9 + 2/9*a*b*x^9*e + 1/4*a*b*d*x^8 + 1/8*a^2*g*x^8 + 2/7*a*b*c*x^7 + 1/7*a^2*f*x^7 + 1/6*a^2*x^6*e + 1/5*a^2*d*x^5 + 1/4*a^2*c*x^4$

maple [A] time = 0.04, size = 152, normalized size = 0.93

$$\frac{b^2 h x^{15}}{15} + \frac{b^2 g x^{14}}{14} + \frac{b^2 f x^{13}}{13} + \frac{(2abh + b^2 e) x^{12}}{12} + \frac{(2abg + b^2 d) x^{11}}{11} + \frac{(2abf + c b^2) x^{10}}{10} + \frac{a^2 e x^6}{6} + \frac{(a^2 h + 2bea) x^9}{9} + \frac{a^2 d x^5}{5} + \frac{(a^2 g + 2bda) x^8}{8} + \frac{a^2 c x^4}{4} + \frac{(a^2 f + 2abc) x^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x)`

[Out] $\frac{1}{15} b^2 h x^{15} + \frac{1}{14} b^2 g x^{14} + \frac{1}{13} b^2 f x^{13} + \frac{1}{12} (2 a b h + b^2 e) x^{12} + \frac{1}{11} (2 a b g + b^2 d) x^{11} + \frac{1}{10} (2 a b f + b^2 c) x^{10} + \frac{1}{9} (a^2 h + 2 a b e) x^9 + \frac{1}{8} (a^2 g + 2 a b d) x^8 + \frac{1}{7} (a^2 f + 2 a b c) x^7 + \frac{1}{6} a^2 e x^6 + \frac{1}{5} a^2 d x^5 + \frac{1}{4} a^2 c x^4$

maxima [A] time = 1.35, size = 151, normalized size = 0.93

$$\frac{1}{15} b^2 h x^{15} + \frac{1}{14} b^2 g x^{14} + \frac{1}{13} b^2 f x^{13} + \frac{1}{12} (b^2 e + 2 a b h) x^{12} + \frac{1}{11} (b^2 d + 2 a b g) x^{11} + \frac{1}{10} (b^2 c + 2 a b f) x^{10} + \frac{1}{9} (2 a b e + a^2 h) x^9 + \frac{1}{8} (2 a b d + a^2 g) x^8 + \frac{1}{7} (2 a b c + a^2 f) x^7 + \frac{1}{6} a^2 e x^6 + \frac{1}{5} a^2 d x^5 + \frac{1}{4} a^2 c x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="maxima")`

[Out] $\frac{1}{15} b^2 h x^{15} + \frac{1}{14} b^2 g x^{14} + \frac{1}{13} b^2 f x^{13} + \frac{1}{12} (b^2 e + 2 a b h) x^{12} + \frac{1}{11} (b^2 d + 2 a b g) x^{11} + \frac{1}{10} (b^2 c + 2 a b f) x^{10} + \frac{1}{9} (2 a b e + a^2 h) x^9 + \frac{1}{8} (2 a b d + a^2 g) x^8 + \frac{1}{7} (2 a b c + a^2 f) x^7 + \frac{1}{6} a^2 e x^6 + \frac{1}{5} a^2 d x^5 + \frac{1}{4} a^2 c x^4$

mupad [B] time = 0.09, size = 151, normalized size = 0.93

$$x^7 \left(\frac{f a^2}{7} + \frac{2 b c a}{7} \right) + x^{10} \left(\frac{c b^2}{10} + \frac{a f b}{5} \right) + x^8 \left(\frac{g a^2}{8} + \frac{b d a}{4} \right) + x^{11} \left(\frac{d b^2}{11} + \frac{2 a g b}{11} \right) + x^9 \left(\frac{h a^2}{9} + \frac{2 b e a}{9} \right) + x^{12} \left(\frac{e b^2}{12} + \frac{a h b}{6} \right) + \frac{a^2 c x^4}{4} + \frac{a^2 d x^5}{5} + \frac{a^2 e x^6}{6} + \frac{b^2 f x^{13}}{13} + \frac{b^2 g x^{14}}{14} + \frac{b^2 h x^{15}}{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x)`

[Out] $x^7 \left(\frac{a^2 f}{7} + \frac{2 a b c}{7} \right) + x^{10} \left(\frac{b^2 c}{10} + \frac{a b f}{5} \right) + x^8 \left(\frac{a^2 h}{8} + \frac{2 a b d}{4} \right) + x^{11} \left(\frac{b^2 d}{11} + \frac{2 a b g}{11} \right) + x^9 \left(\frac{a^2 e}{9} + \frac{2 a b e}{9} \right) + x^{12} \left(\frac{b^2 e}{12} + \frac{a b h}{6} \right) + \frac{a^2 c x^4}{4} + \frac{a^2 d x^5}{5} + \frac{a^2 e x^6}{6} + \frac{b^2 f x^{13}}{13} + \frac{b^2 g x^{14}}{14} + \frac{b^2 h x^{15}}{15}$

sympy [A] time = 0.11, size = 167, normalized size = 1.02

$$\frac{a^2 c x^4}{4} + \frac{a^2 d x^5}{5} + \frac{a^2 e x^6}{6} + \frac{b^2 f x^{13}}{13} + \frac{b^2 g x^{14}}{14} + \frac{b^2 h x^{15}}{15} + x^{12} \left(\frac{a b h}{6} + \frac{b^2 e}{12} \right) + x^{11} \left(\frac{2 a b g}{11} + \frac{b^2 d}{11} \right) + x^{10} \left(\frac{a b f}{5} + \frac{b^2 c}{10} \right) + x^9 \left(\frac{a^2 h}{9} + \frac{2 a b e}{9} \right) + x^8 \left(\frac{a^2 g}{8} + \frac{a b d}{4} \right) + x^7 \left(\frac{a^2 f}{7} + \frac{2 a b c}{7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c), x)`


```
[Out] a**2*c*x**4/4 + a**2*d*x**5/5 + a**2*e*x**6/6 + b**2*f*x**13/13 + b**2*g*x*  
*14/14 + b**2*h*x**15/15 + x**12*(a*b*h/6 + b**2*e/12) + x**11*(2*a*b*g/11  
+ b**2*d/11) + x**10*(a*b*f/5 + b**2*c/10) + x**9*(a**2*h/9 + 2*a*b*e/9) +  
x**8*(a**2*g/8 + a*b*d/4) + x**7*(a**2*f/7 + 2*a*b*c/7)
```

$$3.332 \quad \int x^2 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=158

$$\frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{1}{6}a^2fx^6 + \frac{c(a+bx^3)^3}{9b} + \frac{1}{10}bx^{10}(2ag+bd) + \frac{1}{7}ax^7(ag+2bd) + \frac{1}{11}bx^{11}(2ah+be) + \frac{1}{8}ax^8(ah+2be) + \frac{2}{9}a$$

Rubi [A] time = 0.13, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1582, 1850}

$$\frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{1}{6}a^2fx^6 + \frac{c(a+bx^3)^3}{9b} + \frac{1}{10}bx^{10}(2ag+bd) + \frac{1}{7}ax^7(ag+2bd) + \frac{1}{11}bx^{11}(2ah+be) + \frac{1}{8}ax^8(ah+2be) + \frac{2}{9}abfx^9 + \frac{1}{12}b^2fx^{12} + \frac{1}{13}b^2gx^{13} + \frac{1}{14}b^2hx^{14}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a^2*d*x^4)/4 + (a^2*e*x^5)/5 + (a^2*f*x^6)/6 + (a*(2*b*d + a*g)*x^7)/7 + (a*(2*b*e + a*h)*x^8)/8 + (2*a*b*f*x^9)/9 + (b*(b*d + 2*a*g)*x^10)/10 + (b*(b*e + 2*a*h)*x^11)/11 + (b^2*f*x^12)/12 + (b^2*g*x^13)/13 + (b^2*h*x^14)/14 + (c*(a + b*x^3)^3)/(9*b)

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned}
\int x^2 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{c(a + bx^3)^3}{9b} + \int (a + bx^3)^2 (-cx^2 + x^2(c + dx + ex^2 + \\
&= \frac{c(a + bx^3)^3}{9b} + \int (a^2 dx^3 + a^2 ex^4 + a^2 fx^5 + a(2bd + ag) \\
&= \frac{1}{4} a^2 dx^4 + \frac{1}{5} a^2 ex^5 + \frac{1}{6} a^2 fx^6 + \frac{1}{7} a(2bd + ag)x^7 + \frac{1}{8} a(2b
\end{aligned}$$

Mathematica [A] time = 0.08, size = 150, normalized size = 0.95

$$a^2 \left(\frac{cx^3}{3} + \frac{dx^4}{4} + \frac{ex^5}{5} + \frac{fx^6}{6} + \frac{gx^7}{7} + \frac{hx^8}{8} \right) + ab \left(\frac{cx^6}{3} + \frac{2dx^7}{7} + \frac{ex^8}{4} + \frac{2fx^9}{9} + \frac{gx^{10}}{5} + \frac{2hx^{11}}{11} \right) + \frac{b^2 x^9 (20020c + 3x(6006d + 5460ex + 55x^2(91f + 84gx + 78hx^2)))}{180180}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] a^2*((c*x^3)/3 + (d*x^4)/4 + (e*x^5)/5 + (f*x^6)/6 + (g*x^7)/7 + (h*x^8)/8) + a*b*((c*x^6)/3 + (2*d*x^7)/7 + (e*x^8)/4 + (2*f*x^9)/9 + (g*x^10)/5 + (2*h*x^11)/11) + (b^2*x^9*(20020*c + 3*x*(6006*d + 5460*e*x + 55*x^2*(91*f + 84*g*x + 78*h*x^2))))/180180

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^2*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] IntegrateAlgebraic[x^2*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

fricas [A] time = 0.34, size = 157, normalized size = 0.99

$$\frac{1}{14}x^{14}hb^2 + \frac{1}{13}x^{13}gb^2 + \frac{1}{12}x^{12}fb^2 + \frac{1}{11}x^{11}eb^2 + \frac{2}{11}x^{11}hba + \frac{1}{10}x^{10}db^2 + \frac{1}{5}x^{10}gba + \frac{1}{9}x^9cb^2 + \frac{2}{9}x^9fba + \frac{1}{4}x^8eba + \frac{1}{8}x^8ha^2 + \frac{2}{7}x^7dba + \frac{1}{7}x^7ga^2 + \frac{1}{3}x^6cba + \frac{1}{6}x^6fa^2 + \frac{1}{5}x^5ea^2 + \frac{1}{4}x^4da^2 + \frac{1}{3}x^3ca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] $1/14*x^{14}*h*b^2 + 1/13*x^{13}*g*b^2 + 1/12*x^{12}*f*b^2 + 1/11*x^{11}*e*b^2 + 2/11*x^{11}*h*b*a + 1/10*x^{10}*d*b^2 + 1/5*x^{10}*g*b*a + 1/9*x^9*c*b^2 + 2/9*x^9*f*b*a + 1/4*x^8*e*b*a + 1/8*x^8*h*a^2 + 2/7*x^7*d*b*a + 1/7*x^7*g*a^2 + 1/3*x^6*c*b*a + 1/6*x^6*f*a^2 + 1/5*x^5*e*a^2 + 1/4*x^4*d*a^2 + 1/3*x^3*c*a^2$

giac [A] time = 0.18, size = 160, normalized size = 1.01

$$\frac{1}{14}b^2hx^{14} + \frac{1}{13}b^2gx^{13} + \frac{1}{12}b^2fx^{12} + \frac{2}{11}abhx^{11} + \frac{1}{11}b^2x^{11}e + \frac{1}{10}b^2dx^{10} + \frac{1}{5}abgx^{10} + \frac{1}{9}b^2cx^9 + \frac{2}{9}abfx^9 + \frac{1}{8}a^2hx^8 + \frac{1}{4}abx^8e + \frac{2}{7}abdx^7 + \frac{1}{7}a^2gx^7 + \frac{1}{3}abcx^6 + \frac{1}{6}a^2fx^6 + \frac{1}{5}a^2x^5e + \frac{1}{4}a^2dx^4 + \frac{1}{3}a^2cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^2*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)$, x, algorithm="giac")

[Out] $1/14*b^2*h*x^{14} + 1/13*b^2*g*x^{13} + 1/12*b^2*f*x^{12} + 2/11*a*b*h*x^{11} + 1/11*b^2*x^{11}*e + 1/10*b^2*d*x^{10} + 1/5*a*b*g*x^{10} + 1/9*b^2*c*x^9 + 2/9*a*b*f*x^9 + 1/8*a^2*h*x^8 + 1/4*a*b*x^8*e + 2/7*a*b*d*x^7 + 1/7*a^2*g*x^7 + 1/3*a*b*c*x^6 + 1/6*a^2*f*x^6 + 1/5*a^2*x^5*e + 1/4*a^2*d*x^4 + 1/3*a^2*c*x^3$

maple [A] time = 0.04, size = 152, normalized size = 0.96

$$\frac{b^2hx^{14}}{14} + \frac{b^2gx^{13}}{13} + \frac{b^2fx^{12}}{12} + \frac{(2abh + b^2e)x^{11}}{11} + \frac{(2abg + b^2d)x^{10}}{10} + \frac{(2abf + cb^2)x^9}{9} + \frac{a^2ex^5}{5} + \frac{(a^2h + 2bea)x^8}{8} + \frac{a^2dx^4}{4} + \frac{(a^2g + 2bda)x^7}{7} + \frac{a^2cx^3}{3} + \frac{(a^2f + 2abc)x^6}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int($x^2*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)$, x)

[Out] $1/14*b^2*h*x^{14} + 1/13*b^2*g*x^{13} + 1/12*b^2*f*x^{12} + 1/11*(2*a*b*h + b^2*e)*x^{11} + 1/10*(2*a*b*g + b^2*d)*x^{10} + 1/9*(2*a*b*f + b^2*c)*x^9 + 1/8*(a^2*h + 2*a*b*e)*x^8 + 1/7*(a^2*g + 2*a*b*d)*x^7 + 1/6*(a^2*f + 2*a*b*c)*x^6 + 1/5*a^2*e*x^5 + 1/4*a^2*d*x^4 + 1/3*a^2*c*x^3$

maxima [A] time = 1.38, size = 151, normalized size = 0.96

$$\frac{1}{14}b^2hx^{14} + \frac{1}{13}b^2gx^{13} + \frac{1}{12}b^2fx^{12} + \frac{1}{11}(b^2e + 2abh)x^{11} + \frac{1}{10}(b^2d + 2abg)x^{10} + \frac{1}{9}(b^2c + 2abf)x^9 + \frac{1}{8}(2abe + a^2h)x^8 + \frac{1}{5}a^2ex^5 + \frac{1}{7}(2abd + a^2g)x^7 + \frac{1}{4}a^2dx^4 + \frac{1}{6}(2abc + a^2f)x^6 + \frac{1}{3}a^2cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^2*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)$, x, algorithm="maxima")

[Out] $1/14*b^2*h*x^{14} + 1/13*b^2*g*x^{13} + 1/12*b^2*f*x^{12} + 1/11*(b^2*e + 2*a*b*h)*x^{11} + 1/10*(b^2*d + 2*a*b*g)*x^{10} + 1/9*(b^2*c + 2*a*b*f)*x^9 + 1/8*(2*a*b*e + a^2*h)*x^8 + 1/5*a^2*e*x^5 + 1/7*(2*a*b*d + a^2*g)*x^7 + 1/4*a^2*d*x^4 + 1/6*(2*a*b*c + a^2*f)*x^6 + 1/3*a^2*c*x^3$

mupad [B] time = 0.09, size = 151, normalized size = 0.96

$$x^6 \left(\frac{fa^2}{6} + \frac{bca}{3} \right) + x^9 \left(\frac{cb^2}{9} + \frac{2afb}{9} \right) + x^7 \left(\frac{ga^2}{7} + \frac{2bda}{7} \right) + x^{10} \left(\frac{db^2}{10} + \frac{agb}{5} \right) + x^8 \left(\frac{ha^2}{8} + \frac{bea}{4} \right) + x^{11} \left(\frac{eb^2}{11} + \frac{2ahb}{11} \right) + \frac{a^2cx^3}{3} + \frac{a^2dx^4}{4} + \frac{a^2ex^5}{5} + \frac{b^2fx^{12}}{12} + \frac{b^2gx^{13}}{13} + \frac{b^2hx^{14}}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)`

[Out] $x^6*((a^2*f)/6 + (a*b*c)/3) + x^9*((b^2*c)/9 + (2*a*b*f)/9) + x^7*((a^2*g)/7 + (2*a*b*d)/7) + x^{10}*((b^2*d)/10 + (a*b*g)/5) + x^8*((a^2*h)/8 + (a*b*e)/4) + x^{11}*((b^2*e)/11 + (2*a*b*h)/11) + (a^2*c*x^3)/3 + (a^2*d*x^4)/4 + (a^2*e*x^5)/5 + (b^2*f*x^{12})/12 + (b^2*g*x^{13})/13 + (b^2*h*x^{14})/14$

sympy [A] time = 0.10, size = 167, normalized size = 1.06

$$\frac{a^2cx^3}{3} + \frac{a^2dx^4}{4} + \frac{a^2ex^5}{5} + \frac{b^2fx^{12}}{12} + \frac{b^2gx^{13}}{13} + \frac{b^2hx^{14}}{14} + x^{11}\left(\frac{2abh}{11} + \frac{b^2e}{11}\right) + x^{10}\left(\frac{abg}{5} + \frac{b^2d}{10}\right) + x^9\left(\frac{2abf}{9} + \frac{b^2c}{9}\right) + x^8\left(\frac{a^2h}{8} + \frac{abe}{4}\right) + x^7\left(\frac{a^2g}{7} + \frac{2abd}{7}\right) + x^6\left(\frac{a^2f}{6} + \frac{abc}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)`

[Out] $a**2*c*x**3/3 + a**2*d*x**4/4 + a**2*e*x**5/5 + b**2*f*x**12/12 + b**2*g*x**13/13 + b**2*h*x**14/14 + x**11*(2*a*b*h/11 + b**2*e/11) + x**10*(a*b*g/5 + b**2*d/10) + x**9*(2*a*b*f/9 + b**2*c/9) + x**8*(a**2*h/8 + a*b*e/4) + x**7*(a**2*g/7 + 2*a*b*d/7) + x**6*(a**2*f/6 + a*b*c/3)$

$$3.333 \quad \int x (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=158

$$\frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{1}{6}a^2gx^6 + \frac{1}{8}bx^8(2af+bc) + \frac{1}{5}ax^5(af+2bc) + \frac{d(a+bx^3)^3}{9b} + \frac{1}{10}bx^{10}(2ah+be) + \frac{1}{7}ax^7(ah+2be) + \frac{2}{9}abg$$

Rubi [A] time = 0.13, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$, Rules used = {1582, 1850}

$$\frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{1}{6}a^2gx^6 + \frac{1}{8}bx^8(2af+bc) + \frac{1}{5}ax^5(af+2bc) + \frac{d(a+bx^3)^3}{9b} + \frac{1}{10}bx^{10}(2ah+be) + \frac{1}{7}ax^7(ah+2be) + \frac{2}{9}abgx^9 + \frac{1}{11}b^2fx^{11} + \frac{1}{12}b^2gx^{12} + \frac{1}{13}b^2hx^{13}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (a^2*c*x^2)/2 + (a^2*e*x^4)/4 + (a*(2*b*c + a*f)*x^5)/5 + (a^2*g*x^6)/6 + (a*(2*b*e + a*h)*x^7)/7 + (b*(b*c + 2*a*f)*x^8)/8 + (2*a*b*g*x^9)/9 + (b*(b*e + 2*a*h)*x^10)/10 + (b^2*f*x^11)/11 + (b^2*g*x^12)/12 + (b^2*h*x^13)/13 + (d*(a + b*x^3)^3)/(9*b)

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned}
\int x(a + bx^3)^2(c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{d(a + bx^3)^3}{9b} + \int (a + bx^3)^2(-dx^2 + x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)) dx \\
&= \frac{d(a + bx^3)^3}{9b} + \int (a^2cx + a^2ex^3 + a(2bc + af)x^4 + a^2gx^5 + a^2hx^6) dx \\
&= \frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{1}{5}a(2bc + af)x^5 + \frac{1}{6}a^2gx^6 + \frac{1}{7}a^2hx^7
\end{aligned}$$

Mathematica [A] time = 0.03, size = 163, normalized size = 1.03

$$\frac{1}{2}a^2cx^2 + \frac{1}{3}a^2dx^3 + \frac{1}{4}a^2ex^4 + \frac{1}{8}bx^8(2af + bc) + \frac{1}{5}ax^5(af + 2bc) + \frac{1}{9}bx^9(2ag + bd) + \frac{1}{6}ax^6(ag + 2bd) + \frac{1}{10}bx^{10}(2ah + be) + \frac{1}{7}ax^7(ah + 2be) + \frac{1}{11}b^2fx^{11} + \frac{1}{12}b^2gx^{12} + \frac{1}{13}b^2hx^{13}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (a^2*c*x^2)/2 + (a^2*d*x^3)/3 + (a^2*e*x^4)/4 + (a*(2*b*c + a*f)*x^5)/5 + (a*(2*b*d + a*g)*x^6)/6 + (a*(2*b*e + a*h)*x^7)/7 + (b*(b*c + 2*a*f)*x^8)/8 + (b*(b*d + 2*a*g)*x^9)/9 + (b*(b*e + 2*a*h)*x^10)/10 + (b^2*f*x^11)/11 + (b^2*g*x^12)/12 + (b^2*h*x^13)/13

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x(a + bx^3)^2(c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] IntegrateAlgebraic[x*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

fricas [A] time = 0.37, size = 157, normalized size = 0.99

$$\frac{1}{13}x^{13}hb^2 + \frac{1}{12}x^{12}gb^2 + \frac{1}{11}x^{11}fb^2 + \frac{1}{10}x^{10}eb^2 + \frac{1}{5}x^{10}hba + \frac{1}{9}x^9db^2 + \frac{2}{9}x^9gba + \frac{1}{8}x^8cb^2 + \frac{1}{4}x^8fba + \frac{2}{7}x^7eba + \frac{1}{7}x^7ha^2 + \frac{1}{3}x^6dba + \frac{1}{6}x^6ga^2 + \frac{2}{5}x^5cba + \frac{1}{5}x^5fa^2 + \frac{1}{4}x^4ea^2 + \frac{1}{3}x^3da^2 + \frac{1}{2}x^2ca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] $1/13*x^{13}*h*b^2 + 1/12*x^{12}*g*b^2 + 1/11*x^{11}*f*b^2 + 1/10*x^{10}*e*b^2 + 1/5*x^{10}*h*b*a + 1/9*x^9*d*b^2 + 2/9*x^9*g*b*a + 1/8*x^8*c*b^2 + 1/4*x^8*f*b*a + 2/7*x^7*e*b*a + 1/7*x^7*h*a^2 + 1/3*x^6*d*b*a + 1/6*x^6*g*a^2 + 2/5*x^5*c*b*a + 1/5*x^5*f*a^2 + 1/4*x^4*e*a^2 + 1/3*x^3*d*a^2 + 1/2*x^2*c*a^2$

giac [A] time = 0.19, size = 160, normalized size = 1.01

$$\frac{1}{13}b^2hx^{13} + \frac{1}{12}b^2gx^{12} + \frac{1}{11}b^2fx^{11} + \frac{1}{5}abhx^{10} + \frac{1}{10}b^2x^{10}e + \frac{1}{9}b^2dx^9 + \frac{2}{9}abgx^9 + \frac{1}{8}b^2cx^8 + \frac{1}{4}abfx^8 + \frac{1}{7}a^2hx^7 + \frac{2}{7}abx^7e + \frac{1}{3}abd^2x^6 + \frac{1}{6}a^2gx^6 + \frac{2}{5}abcx^5 + \frac{1}{5}a^2fx^5 + \frac{1}{4}a^2x^4e + \frac{1}{3}a^2dx^3 + \frac{1}{2}a^2cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] $1/13*b^2*h*x^{13} + 1/12*b^2*g*x^{12} + 1/11*b^2*f*x^{11} + 1/5*a*b*h*x^{10} + 1/10*b^2*x^{10}*e + 1/9*b^2*d*x^9 + 2/9*a*b*g*x^9 + 1/8*b^2*c*x^8 + 1/4*a*b*f*x^8 + 1/7*a^2*h*x^7 + 2/7*a*b*x^7*e + 1/3*a*b*d*x^6 + 1/6*a^2*g*x^6 + 2/5*a*b*c*x^5 + 1/5*a^2*f*x^5 + 1/4*a^2*x^4*e + 1/3*a^2*d*x^3 + 1/2*a^2*c*x^2$

maple [A] time = 0.04, size = 152, normalized size = 0.96

$$\frac{b^2hx^{13}}{13} + \frac{b^2gx^{12}}{12} + \frac{b^2fx^{11}}{11} + \frac{(2abh + b^2e)x^{10}}{10} + \frac{(2abg + b^2d)x^9}{9} + \frac{(2abf + cb^2)x^8}{8} + \frac{a^2ex^4}{4} + \frac{(a^2h + 2bea)x^7}{7} + \frac{a^2dx^3}{3} + \frac{(a^2g + 2bda)x^6}{6} + \frac{a^2cx^2}{2} + \frac{(a^2f + 2abc)x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] $1/13*b^2*h*x^{13} + 1/12*b^2*g*x^{12} + 1/11*b^2*f*x^{11} + 1/10*(2*a*b*h + b^2*e)*x^{10} + 1/9*(2*a*b*g + b^2*d)*x^9 + 1/8*(2*a*b*f + b^2*c)*x^8 + 1/7*(a^2*h + 2*a*b*e)*x^7 + 1/6*(a^2*g + 2*a*b*d)*x^6 + 1/5*(a^2*f + 2*a*b*c)*x^5 + 1/4*a^2*e*x^4 + 1/3*a^2*d*x^3 + 1/2*a^2*c*x^2$

maxima [A] time = 1.28, size = 151, normalized size = 0.96

$$\frac{1}{13}b^2hx^{13} + \frac{1}{12}b^2gx^{12} + \frac{1}{11}b^2fx^{11} + \frac{1}{10}(b^2e + 2abh)x^{10} + \frac{1}{9}(b^2d + 2abg)x^9 + \frac{1}{8}(b^2c + 2abf)x^8 + \frac{1}{7}(2abe + a^2h)x^7 + \frac{1}{4}a^2ex^4 + \frac{1}{6}(2abd + a^2g)x^6 + \frac{1}{3}a^2dx^3 + \frac{1}{5}(2abc + a^2f)x^5 + \frac{1}{2}a^2cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] $1/13*b^2*h*x^{13} + 1/12*b^2*g*x^{12} + 1/11*b^2*f*x^{11} + 1/10*(b^2*e + 2*a*b*h)*x^{10} + 1/9*(b^2*d + 2*a*b*g)*x^9 + 1/8*(b^2*c + 2*a*b*f)*x^8 + 1/7*(2*a*b*e + a^2*h)*x^7 + 1/4*a^2*e*x^4 + 1/6*(2*a*b*d + a^2*g)*x^6 + 1/3*a^2*d*x^3 + 1/5*(2*a*b*c + a^2*f)*x^5 + 1/2*a^2*c*x^2$

mupad [B] time = 0.09, size = 151, normalized size = 0.96

$$x^5 \left(\frac{fa^2}{5} + \frac{2bca}{5} \right) + x^8 \left(\frac{cb^2}{8} + \frac{afb}{4} \right) + x^6 \left(\frac{ga^2}{6} + \frac{bda}{3} \right) + x^9 \left(\frac{db^2}{9} + \frac{2agb}{9} \right) + x^7 \left(\frac{ha^2}{7} + \frac{2bea}{7} \right) + x^{10} \left(\frac{eb^2}{10} + \frac{ahb}{5} \right) + \frac{a^2cx^2}{2} + \frac{a^2dx^3}{3} + \frac{a^2ex^4}{4} + \frac{b^2fx^{11}}{11} + \frac{b^2gx^{12}}{12} + \frac{b^2hx^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)`

[Out] $x^5*((a^2*f)/5 + (2*a*b*c)/5) + x^8*((b^2*c)/8 + (a*b*f)/4) + x^6*((a^2*g)/6 + (a*b*d)/3) + x^9*((b^2*d)/9 + (2*a*b*g)/9) + x^7*((a^2*h)/7 + (2*a*b*e)/7) + x^{10}*((b^2*e)/10 + (a*b*h)/5) + (a^2*c*x^2)/2 + (a^2*d*x^3)/3 + (a^2*e*x^4)/4 + (b^2*f*x^{11})/11 + (b^2*g*x^{12})/12 + (b^2*h*x^{13})/13$

sympy [A] time = 0.10, size = 167, normalized size = 1.06

$$\frac{a^2cx^2}{2} + \frac{a^2dx^3}{3} + \frac{a^2ex^4}{4} + \frac{b^2fx^{11}}{11} + \frac{b^2gx^{12}}{12} + \frac{b^2hx^{13}}{13} + x^{10}\left(\frac{abh}{5} + \frac{b^2e}{10}\right) + x^9\left(\frac{2abg}{9} + \frac{b^2d}{9}\right) + x^8\left(\frac{abf}{4} + \frac{b^2c}{8}\right) + x^7\left(\frac{a^2h}{7} + \frac{2abe}{7}\right) + x^6\left(\frac{a^2g}{6} + \frac{abd}{3}\right) + x^5\left(\frac{a^2f}{5} + \frac{2abc}{5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)`

[Out] $a**2*c*x**2/2 + a**2*d*x**3/3 + a**2*e*x**4/4 + b**2*f*x**11/11 + b**2*g*x**12/12 + b**2*h*x**13/13 + x**10*(a*b*h/5 + b**2*e/10) + x**9*(2*a*b*g/9 + b**2*d/9) + x**8*(a*b*f/4 + b**2*c/8) + x**7*(a**2*h/7 + 2*a*b*e/7) + x**6*(a**2*g/6 + a*b*d/3) + x**5*(a**2*f/5 + 2*a*b*c/5)$

$$3.334 \quad \int (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=153

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{6}a^2hx^6 + \frac{1}{7}bx^7(2af+bc) + \frac{1}{4}ax^4(af+2bc) + \frac{1}{8}bx^8(2ag+bd) + \frac{1}{5}ax^5(ag+2bd) + \frac{e(a+bx^3)^3}{9b} + \frac{2}{9}abhx^9 +$$

Rubi [A] time = 0.13, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {1582, 1850}

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{6}a^2hx^6 + \frac{1}{7}bx^7(2af+bc) + \frac{1}{4}ax^4(af+2bc) + \frac{1}{8}bx^8(2ag+bd) + \frac{1}{5}ax^5(ag+2bd) + \frac{e(a+bx^3)^3}{9b} + \frac{2}{9}abhx^9 + \frac{1}{10}b^2fx^{10} + \frac{1}{11}b^2gx^{11} + \frac{1}{12}b^2hx^{12}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] a^2*c*x + (a^2*d*x^2)/2 + (a*(2*b*c + a*f)*x^4)/4 + (a*(2*b*d + a*g)*x^5)/5 + (a^2*h*x^6)/6 + (b*(b*c + 2*a*f)*x^7)/7 + (b*(b*d + 2*a*g)*x^8)/8 + (2*a*b*h*x^9)/9 + (b^2*f*x^10)/10 + (b^2*g*x^11)/11 + (b^2*h*x^12)/12 + (e*(a + b*x^3)^3)/(9*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{e(a + bx^3)^3}{9b} + \int (a + bx^3)^2 (c + dx + fx^3 + gx^4 + hx^5) dx \\
&= \frac{e(a + bx^3)^3}{9b} + \int (a^2c + a^2dx + a(2bc + af)x^3 + a(2bd + ag)x^5) dx \\
&= a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{4}a(2bc + af)x^4 + \frac{1}{5}a(2bd + ag)x^5 + \frac{1}{6}a^2e x^6
\end{aligned}$$

Mathematica [A] time = 0.09, size = 125, normalized size = 0.82

$$\frac{462a^2x(60c + x(30d + x(20e + 15fx + 12gx^2 + 10hx^3))) + 22abx^4(630c + x(504d + 5x(84e + x(72f + 7x(9g + 8hx)))) + b^2x^7(3960c + 7x(495d + 440ex + 6x^2(66f + 60gx + 55hx^2)))}{27720}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (b^2*x^7*(3960*c + 7*x*(495*d + 440*e*x + 6*x^2*(66*f + 60*g*x + 55*h*x^2))) + 462*a^2*x*(60*c + x*(30*d + x*(20*e + 15*f*x + 12*g*x^2 + 10*h*x^3))) + 22*a*b*x^4*(630*c + x*(504*d + 5*x*(84*e + x*(72*f + 7*x*(9*g + 8*h*x)))))/27720

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] IntegrateAlgebraic[(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

fricas [A] time = 0.37, size = 154, normalized size = 1.01

$$\frac{1}{12}x^{12}hb^2 + \frac{1}{11}x^{11}gb^2 + \frac{1}{10}x^{10}fb^2 + \frac{1}{9}x^9eb^2 + \frac{2}{9}x^9hba + \frac{1}{8}x^8db^2 + \frac{1}{4}x^8gba + \frac{1}{7}x^7cb^2 + \frac{2}{7}x^7fba + \frac{1}{3}x^6eba + \frac{1}{6}x^6ha^2 + \frac{2}{5}x^5dba + \frac{1}{5}x^5ga^2 + \frac{1}{2}x^4cba + \frac{1}{4}x^4fa^2 + \frac{1}{3}x^3ea^2 + \frac{1}{2}x^2da^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] $1/12*x^{12}*h*b^2 + 1/11*x^{11}*g*b^2 + 1/10*x^{10}*f*b^2 + 1/9*x^9*e*b^2 + 2/9*x^9*h*b*a + 1/8*x^8*d*b^2 + 1/4*x^8*g*b*a + 1/7*x^7*c*b^2 + 2/7*x^7*f*b*a + 1/3*x^6*e*b*a + 1/6*x^6*h*a^2 + 2/5*x^5*d*b*a + 1/5*x^5*g*a^2 + 1/2*x^4*c*b*a + 1/4*x^4*f*a^2 + 1/3*x^3*e*a^2 + 1/2*x^2*d*a^2 + x*c*a^2$

giac [A] time = 0.16, size = 157, normalized size = 1.03

$$\frac{1}{12}b^2hx^{12} + \frac{1}{11}b^2gx^{11} + \frac{1}{10}b^2fx^{10} + \frac{2}{9}abhx^9 + \frac{1}{9}b^2x^9e + \frac{1}{8}b^2dx^8 + \frac{1}{4}abgx^8 + \frac{1}{7}b^2cx^7 + \frac{2}{7}abfx^7 + \frac{1}{6}a^2hx^6 + \frac{1}{3}abx^6e + \frac{2}{5}abd^5x^5 + \frac{1}{5}a^2gx^5 + \frac{1}{2}abcx^4 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2x^3e + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")`

[Out] $1/12*b^2*h*x^{12} + 1/11*b^2*g*x^{11} + 1/10*b^2*f*x^{10} + 2/9*a*b*h*x^9 + 1/9*b^2*x^9*e + 1/8*b^2*d*x^8 + 1/4*a*b*g*x^8 + 1/7*b^2*c*x^7 + 2/7*a*b*f*x^7 + 1/6*a^2*h*x^6 + 1/3*a*b*x^6*e + 2/5*a*b*d*x^5 + 1/5*a^2*g*x^5 + 1/2*a*b*c*x^4 + 1/4*a^2*f*x^4 + 1/3*a^2*x^3*e + 1/2*a^2*d*x^2 + a^2*c*x$

maple [A] time = 0.04, size = 149, normalized size = 0.97

$$\frac{b^2hx^{12}}{12} + \frac{b^2gx^{11}}{11} + \frac{b^2fx^{10}}{10} + \frac{(2abh + b^2e)x^9}{9} + \frac{(2abg + b^2d)x^8}{8} + \frac{(2abf + cb^2)x^7}{7} + \frac{a^2ex^3}{3} + \frac{(a^2h + 2bea)x^6}{6} + \frac{a^2dx^2}{2} + \frac{(a^2g + 2bda)x^5}{5} + a^2cx + \frac{(a^2f + 2abc)x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)`

[Out] $1/12*b^2*h*x^{12} + 1/11*b^2*g*x^{11} + 1/10*b^2*f*x^{10} + 1/9*(2*a*b*h + b^2*e)*x^9 + 1/8*(2*a*b*g + b^2*d)*x^8 + 1/7*(2*a*b*f + b^2*c)*x^7 + 1/6*(a^2*h + 2*a*b*e)*x^6 + 1/5*(a^2*g + 2*a*b*d)*x^5 + 1/4*(a^2*f + 2*a*b*c)*x^4 + 1/3*a^2*e*x^3 + 1/2*a^2*d*x^2 + a^2*c*x$

maxima [A] time = 1.32, size = 148, normalized size = 0.97

$$\frac{1}{12}b^2hx^{12} + \frac{1}{11}b^2gx^{11} + \frac{1}{10}b^2fx^{10} + \frac{1}{9}(b^2e + 2abh)x^9 + \frac{1}{8}(b^2d + 2abg)x^8 + \frac{1}{7}(b^2c + 2abf)x^7 + \frac{1}{6}(2abe + a^2h)x^6 + \frac{1}{5}a^2ex^3 + \frac{1}{5}(2abd + a^2g)x^5 + \frac{1}{2}a^2dx^2 + \frac{1}{4}(2abc + a^2f)x^4 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")`

[Out] $1/12*b^2*h*x^{12} + 1/11*b^2*g*x^{11} + 1/10*b^2*f*x^{10} + 1/9*(b^2*e + 2*a*b*h)*x^9 + 1/8*(b^2*d + 2*a*b*g)*x^8 + 1/7*(b^2*c + 2*a*b*f)*x^7 + 1/6*(2*a*b*e + a^2*h)*x^6 + 1/3*a^2*e*x^3 + 1/5*(2*a*b*d + a^2*g)*x^5 + 1/2*a^2*d*x^2 + 1/4*(2*a*b*c + a^2*f)*x^4 + a^2*c*x$

mupad [B] time = 0.09, size = 148, normalized size = 0.97

$$x^4 \left(\frac{fa^2}{4} + \frac{bca}{2} \right) + x^7 \left(\frac{cb^2}{7} + \frac{2afb}{7} \right) + x^5 \left(\frac{ga^2}{5} + \frac{2bda}{5} \right) + x^8 \left(\frac{db^2}{8} + \frac{agb}{4} \right) + x^6 \left(\frac{ha^2}{6} + \frac{bea}{3} \right) + x^9 \left(\frac{eb^2}{9} + \frac{2ahb}{9} \right) + \frac{a^2dx^2}{2} + \frac{a^2ex^3}{3} + \frac{b^2fx^{10}}{10} + \frac{b^2gx^{11}}{11} + \frac{b^2hx^{12}}{12} + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x)`

[Out] $x^4*((a^2*f)/4 + (a*b*c)/2) + x^7*((b^2*c)/7 + (2*a*b*f)/7) + x^5*((a^2*g)/5 + (2*a*b*d)/5) + x^8*((b^2*d)/8 + (a*b*g)/4) + x^6*((a^2*h)/6 + (a*b*e)/3) + x^9*((b^2*e)/9 + (2*a*b*h)/9) + (a^2*d*x^2)/2 + (a^2*e*x^3)/3 + (b^2*f*x^{10})/10 + (b^2*g*x^{11})/11 + (b^2*h*x^{12})/12 + a^2*c*x$

sympy [A] time = 0.10, size = 163, normalized size = 1.07

$$a^2cx + \frac{a^2dx^2}{2} + \frac{a^2ex^3}{3} + \frac{b^2fx^{10}}{10} + \frac{b^2gx^{11}}{11} + \frac{b^2hx^{12}}{12} + x^9\left(\frac{2abh}{9} + \frac{b^2e}{9}\right) + x^8\left(\frac{abg}{4} + \frac{b^2d}{8}\right) + x^7\left(\frac{2abf}{7} + \frac{b^2c}{7}\right) + x^6\left(\frac{a^2h}{6} + \frac{abe}{3}\right) + x^5\left(\frac{a^2g}{5} + \frac{2abd}{5}\right) + x^4\left(\frac{a^2f}{4} + \frac{abc}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c), x)`

[Out] $a**2*c*x + a**2*d*x**2/2 + a**2*e*x**3/3 + b**2*f*x**10/10 + b**2*g*x**11/11 + b**2*h*x**12/12 + x**9*(2*a*b*h/9 + b**2*e/9) + x**8*(a*b*g/4 + b**2*d/8) + x**7*(2*a*b*f/7 + b**2*c/7) + x**6*(a**2*h/6 + a*b*e/3) + x**5*(a**2*g/5 + 2*a*b*d/5) + x**4*(a**2*f/4 + a*b*c/2)$

$$3.335 \quad \int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$$

Optimal. Leaf size=149

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{7}bx^7(2ag+bd) + \frac{1}{4}ax^4(ag+2bd) + \frac{1}{8}bx^8(2ah+be) + \frac{1}{5}ax^5(ah+2be) + \frac{f(a+bx^3)^3}{9b}$$

Rubi [A] time = 0.11, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{7}bx^7(2ag+bd) + \frac{1}{4}ax^4(ag+2bd) + \frac{1}{8}bx^8(2ah+be) + \frac{1}{5}ax^5(ah+2be) + \frac{f(a+bx^3)^3}{9b} + \frac{1}{6}b^2cx^6 + \frac{1}{10}b^2gx^{10} + \frac{1}{11}b^2hx^{11}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] a^2*d*x + (a^2*e*x^2)/2 + (2*a*b*c*x^3)/3 + (a*(2*b*d + a*g)*x^4)/4 + (a*(2*b*e + a*h)*x^5)/5 + (b^2*c*x^6)/6 + (b*(b*d + 2*a*g)*x^7)/7 + (b*(b*e + 2*a*h)*x^8)/8 + (b^2*g*x^10)/10 + (b^2*h*x^11)/11 + (f*(a + b*x^3)^3)/(9*b) + a^2*c*Log[x]

Rule 1583

Int[(Px_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Simp[(Coeff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x} dx &= \frac{f(a + bx^3)^3}{9b} + \int \frac{(a + bx^3)^2 (c + dx + ex^2 + gx^4 + hx^5)}{x} dx \\ &= \frac{f(a + bx^3)^3}{9b} + \int \left(a^2d + \frac{a^2c}{x} + a^2ex + 2abcx^2 + a(2bd + ag)x^4 + \frac{1}{5}a(2be + ah)x^5 \right) dx \\ &= a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{4}a(2bd + ag)x^4 + \frac{1}{5}a(2be + ah)x^5 + a^2c \log(x) \end{aligned}$$

Mathematica [A] time = 0.05, size = 154, normalized size = 1.03

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{1}{6}bx^6(2af + bc) + \frac{1}{3}ax^3(af + 2bc) + \frac{1}{7}bx^7(2ag + bd) + \frac{1}{4}ax^4(ag + 2bd) + \frac{1}{8}bx^8(2ah + be) + \frac{1}{5}ax^5(ah + 2be) + \frac{1}{9}b^2fx^9 + \frac{1}{10}b^2gx^{10} + \frac{1}{11}b^2hx^{11}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]
[Out] a^2*d*x + (a^2*e*x^2)/2 + (a*(2*b*c + a*f)*x^3)/3 + (a*(2*b*d + a*g)*x^4)/4
+ (a*(2*b*e + a*h)*x^5)/5 + (b*(b*c + 2*a*f)*x^6)/6 + (b*(b*d + 2*a*g)*x^7
)/7 + (b*(b*e + 2*a*h)*x^8)/8 + (b^2*f*x^9)/9 + (b^2*g*x^10)/10 + (b^2*h*x^
11)/11 + a^2*c*Log[x]
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)
)/x,x]
[Out] IntegrateAlgebraic[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)
)/x, x]
```

fricas [A] time = 0.40, size = 146, normalized size = 0.98

$$\frac{1}{11}b^2hx^{11} + \frac{1}{10}b^2gx^{10} + \frac{1}{9}b^2fx^9 + \frac{1}{8}(b^2e + 2abh)x^8 + \frac{1}{7}(b^2d + 2abg)x^7 + \frac{1}{6}(b^2c + 2abf)x^6 + \frac{1}{5}(2abe + a^2h)x^5 + \frac{1}{2}a^2ex^2 + \frac{1}{4}(2abd + a^2g)x^4 + a^2dx + \frac{1}{3}(2abc + a^2f)x^3 + a^2c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="fricas")
```

[Out] $\frac{1}{11}b^2hx^{11} + \frac{1}{10}b^2gx^{10} + \frac{1}{9}b^2fx^9 + \frac{1}{8}(b^2e + 2ab^2h)x^8 + \frac{1}{7}(b^2d + 2ab^2g)x^7 + \frac{1}{6}(b^2c + 2ab^2f)x^6 + \frac{1}{5}(2ab^2e + a^2h)x^5 + \frac{1}{2}a^2ex^2 + \frac{1}{4}(2ab^2d + a^2g)x^4 + a^2dx + \frac{1}{3}(2ab^2c + a^2f)x^3 + a^2c \log(x)$

giac [A] time = 0.15, size = 156, normalized size = 1.05

$$\frac{1}{11}b^2hx^{11} + \frac{1}{10}b^2gx^{10} + \frac{1}{9}b^2fx^9 + \frac{1}{4}abhx^8 + \frac{1}{8}b^2x^8e + \frac{1}{7}b^2dx^7 + \frac{2}{7}abgx^7 + \frac{1}{6}b^2cx^6 + \frac{1}{3}abfx^6 + \frac{1}{5}a^2hx^5 + \frac{2}{5}abx^5e + \frac{1}{2}abd^4x^4 + \frac{1}{4}a^2gx^4 + \frac{2}{3}abcx^3 + \frac{1}{3}a^2fx^3 + \frac{1}{2}a^2x^2e + a^2dx + a^2c \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="giac")

[Out] $\frac{1}{11}b^2h*x^{11} + \frac{1}{10}b^2g*x^{10} + \frac{1}{9}b^2f*x^9 + \frac{1}{4}a*b*h*x^8 + \frac{1}{8}b^2*x^8*e + \frac{1}{7}b^2*d*x^7 + \frac{2}{7}a*b*g*x^7 + \frac{1}{6}b^2*c*x^6 + \frac{1}{3}a*b*f*x^6 + \frac{1}{5}a^2*h*x^5 + \frac{2}{5}a*b*x^5*e + \frac{1}{2}a*b*d*x^4 + \frac{1}{4}a^2*g*x^4 + \frac{2}{3}a*b*c*x^3 + \frac{1}{3}a^2*f*x^3 + \frac{1}{2}a^2*x^2*e + a^2*d*x + a^2*c*\log(\text{abs}(x))$

maple [A] time = 0.04, size = 153, normalized size = 1.03

$$\frac{b^2hx^{11}}{11} + \frac{b^2gx^{10}}{10} + \frac{b^2fx^9}{9} + \frac{abhx^8}{4} + \frac{b^2ex^8}{8} + \frac{2abgx^7}{7} + \frac{b^2dx^7}{7} + \frac{abfx^6}{3} + \frac{b^2cx^6}{6} + \frac{a^2hx^5}{5} + \frac{2abex^5}{5} + \frac{a^2gx^4}{4} + \frac{abd^4x^4}{2} + \frac{a^2fx^3}{3} + \frac{2abcx^3}{3} + \frac{a^2ex^2}{2} + a^2c \ln(x) + a^2dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x)

[Out] $\frac{1}{11}b^2h*x^{11} + \frac{1}{10}b^2g*x^{10} + \frac{1}{9}x^9f*b^2 + \frac{1}{4}x^8*a*b*h + \frac{1}{8}b^2e*x^8 + \frac{2}{7}x^7*a*b*g + \frac{1}{7}b^2d*x^7 + \frac{1}{3}x^6*a*b*f + \frac{1}{6}b^2c*x^6 + \frac{1}{5}x^5*a^2h + \frac{2}{5}a*b*e*x^5 + \frac{1}{4}x^4*a^2g + \frac{1}{2}a*b*d*x^4 + \frac{1}{3}x^3*a^2f + \frac{2}{3}a*b*c*x^3 + \frac{1}{2}a^2e*x^2 + a^2d*x + a^2c*\ln(x)$

maxima [A] time = 1.31, size = 146, normalized size = 0.98

$$\frac{1}{11}b^2hx^{11} + \frac{1}{10}b^2gx^{10} + \frac{1}{9}b^2fx^9 + \frac{1}{8}(b^2e + 2abh)x^8 + \frac{1}{7}(b^2d + 2abg)x^7 + \frac{1}{6}(b^2c + 2abf)x^6 + \frac{1}{5}(2abe + a^2h)x^5 + \frac{1}{2}a^2ex^2 + \frac{1}{4}(2abd + a^2g)x^4 + a^2dx + \frac{1}{3}(2abc + a^2f)x^3 + a^2c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="maxima")

[Out] $\frac{1}{11}b^2h*x^{11} + \frac{1}{10}b^2g*x^{10} + \frac{1}{9}b^2f*x^9 + \frac{1}{8}(b^2e + 2ab^2h)x^8 + \frac{1}{7}(b^2d + 2ab^2g)x^7 + \frac{1}{6}(b^2c + 2ab^2f)x^6 + \frac{1}{5}(2ab^2e + a^2h)x^5 + \frac{1}{2}a^2ex^2 + \frac{1}{4}(2ab^2d + a^2g)x^4 + a^2dx + \frac{1}{3}(2ab^2c + a^2f)x^3 + a^2c \log(x)$

mupad [B] time = 0.10, size = 146, normalized size = 0.98

$$x^3 \left(\frac{fa^2}{3} + \frac{2bca}{3} \right) + x^6 \left(\frac{cb^2}{6} + \frac{afb}{3} \right) + x^4 \left(\frac{ga^2}{4} + \frac{bda}{2} \right) + x^7 \left(\frac{db^2}{7} + \frac{2agb}{7} \right) + x^5 \left(\frac{ha^2}{5} + \frac{2bea}{5} \right) + x^8 \left(\frac{eb^2}{8} + \frac{ahb}{4} \right) + \frac{a^2ex^2}{2} + \frac{b^2fx^9}{9} + \frac{b^2gx^{10}}{10} + \frac{b^2hx^{11}}{11} + a^2c \ln(x) + a^2dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x)`

[Out] $x^3*((a^2*f)/3 + (2*a*b*c)/3) + x^6*((b^2*c)/6 + (a*b*f)/3) + x^4*((a^2*g)/4 + (a*b*d)/2) + x^7*((b^2*d)/7 + (2*a*b*g)/7) + x^5*((a^2*h)/5 + (2*a*b*e)/5) + x^8*((b^2*e)/8 + (a*b*h)/4) + (a^2*e*x^2)/2 + (b^2*f*x^9)/9 + (b^2*g*x^{10})/10 + (b^2*h*x^{11})/11 + a^2*c*\log(x) + a^2*d*x$

sympy [A] time = 0.34, size = 162, normalized size = 1.09

$$a^2c \log(x) + a^2dx + \frac{a^2ex^2}{2} + \frac{b^2fx^9}{9} + \frac{b^2gx^{10}}{10} + \frac{b^2hx^{11}}{11} + x^8\left(\frac{abh}{4} + \frac{b^2e}{8}\right) + x^7\left(\frac{2abg}{7} + \frac{b^2d}{7}\right) + x^6\left(\frac{abf}{3} + \frac{b^2c}{6}\right) + x^5\left(\frac{a^2h}{5} + \frac{2abe}{5}\right) + x^4\left(\frac{a^2g}{4} + \frac{abd}{2}\right) + x^3\left(\frac{a^2f}{3} + \frac{2abc}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x,x)`

[Out] $a**2*c*\log(x) + a**2*d*x + a**2*e*x**2/2 + b**2*f*x**9/9 + b**2*g*x**10/10 + b**2*h*x**11/11 + x**8*(a*b*h/4 + b**2*e/8) + x**7*(2*a*b*g/7 + b**2*d/7) + x**6*(a*b*f/3 + b**2*c/6) + x**5*(a**2*h/5 + 2*a*b*e/5) + x**4*(a**2*g/4 + a*b*d/2) + x**3*(a**2*f/3 + 2*a*b*c/3)$

$$3.336 \quad \int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$$

Optimal. Leaf size=147

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + \frac{1}{5}bx^5(2af+bc) + \frac{1}{2}ax^2(af+2bc) + \frac{2}{3}abdx^3 + \frac{1}{7}bx^7(2ah+be) + \frac{1}{4}ax^4(ah+2be) + \frac{g(a+bx^3)^3}{9b} +$$

Rubi [A] time = 0.13, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + \frac{1}{5}bx^5(2af+bc) + \frac{1}{2}ax^2(af+2bc) + \frac{2}{3}abdx^3 + \frac{1}{7}bx^7(2ah+be) + \frac{1}{4}ax^4(ah+2be) + \frac{g(a+bx^3)^3}{9b} + \frac{1}{6}b^2dx^6 + \frac{1}{8}b^2fx^8 + \frac{1}{10}b^2hx^{10}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2, x]

[Out] -((a^2*c)/x) + a^2*e*x + (a*(2*b*c + a*f)*x^2)/2 + (2*a*b*d*x^3)/3 + (a*(2*b*e + a*h)*x^4)/4 + (b*(b*c + 2*a*f)*x^5)/5 + (b^2*d*x^6)/6 + (b*(b*e + 2*a*h)*x^7)/7 + (b^2*f*x^8)/8 + (b^2*h*x^10)/10 + (g*(a + b*x^3)^3)/(9*b) + a^2*d*Log[x]

Rule 1583

Int[(Px_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^2} dx &= \frac{g(a + bx^3)^3}{9b} + \int \frac{(a + bx^3)^2 (c + dx + ex^2 + fx^3 + hx^5)}{x^2} dx \\
&= \frac{g(a + bx^3)^3}{9b} + \int \left(a^2e + \frac{a^2c}{x^2} + \frac{a^2d}{x} + a(2bc + af)x + 2abx \right) dx \\
&= -\frac{a^2c}{x} + a^2ex + \frac{1}{2}a(2bc + af)x^2 + \frac{2}{3}abdx^3 + \frac{1}{4}a(2be + ah)x^4
\end{aligned}$$

Mathematica [A] time = 0.07, size = 152, normalized size = 1.03

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + \frac{1}{5}bx^5(2af + bc) + \frac{1}{2}ax^2(af + 2bc) + \frac{1}{6}bx^6(2ag + bd) + \frac{1}{3}ax^3(ag + 2bd) + \frac{1}{7}bx^7(2ah + be) + \frac{1}{4}ax^4(ah + 2be) + \frac{1}{8}b^2fx^8 + \frac{1}{9}b^2gx^9 + \frac{1}{10}b^2hx^{10}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x]
[Out] -((a^2*c)/x) + a^2*e*x + (a*(2*b*c + a*f)*x^2)/2 + (a*(2*b*d + a*g)*x^3)/3
+ (a*(2*b*e + a*h)*x^4)/4 + (b*(b*c + 2*a*f)*x^5)/5 + (b*(b*d + 2*a*g)*x^6)
/6 + (b*(b*e + 2*a*h)*x^7)/7 + (b^2*f*x^8)/8 + (b^2*g*x^9)/9 + (b^2*h*x^10)
/10 + a^2*d*Log[x]
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^2} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)
)/x^2,x]
[Out] IntegrateAlgebraic[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)
)/x^2, x]
```

fricas [A] time = 0.41, size = 153, normalized size = 1.04

$$\frac{252b^2hx^{11} + 280b^2gx^{10} + 315b^2fx^9 + 360(b^2e + 2abhx^8) + 420(b^2d + 2abgx^7) + 504(b^2c + 2abfx^6) + 630(2abe + a^2h)x^5 + 2520a^2ex^2 + 840(2abd + a^2g)x^4 + 2520a^2dx \log(x) + 1260(2abc + a^2f)x^3 - 2520a^2c}{2520x}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="fric
cas")
```

[Out] $1/2520*(252*b^2*h*x^{11} + 280*b^2*g*x^{10} + 315*b^2*f*x^9 + 360*(b^2*e + 2*a*b*h)*x^8 + 420*(b^2*d + 2*a*b*g)*x^7 + 504*(b^2*c + 2*a*b*f)*x^6 + 630*(2*a*b*e + a^2*h)*x^5 + 2520*a^2*e*x^2 + 840*(2*a*b*d + a^2*g)*x^4 + 2520*a^2*d*x*\log(x) + 1260*(2*a*b*c + a^2*f)*x^3 - 2520*a^2*c)/x$

giac [A] time = 0.15, size = 155, normalized size = 1.05

$$\frac{1}{10}b^2hx^{10} + \frac{1}{9}b^2gx^9 + \frac{1}{8}b^2fx^8 + \frac{2}{7}abhx^7 + \frac{1}{7}b^2x^7e + \frac{1}{6}b^2dx^6 + \frac{1}{3}abgx^6 + \frac{1}{5}b^2cx^5 + \frac{2}{5}abfx^5 + \frac{1}{4}a^2hx^4 + \frac{1}{2}abx^4e + \frac{2}{3}abd^3x^3 + \frac{1}{3}a^2gx^3 + abcx^2 + \frac{1}{2}a^2fx^2 + a^2xe + a^2d\log(|x|) - \frac{a^2c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="giac")`

[Out] $1/10*b^2*h*x^{10} + 1/9*b^2*g*x^9 + 1/8*b^2*f*x^8 + 2/7*a*b*h*x^7 + 1/7*b^2*x^7*e + 1/6*b^2*d*x^6 + 1/3*a*b*g*x^6 + 1/5*b^2*c*x^5 + 2/5*a*b*f*x^5 + 1/4*a^2*h*x^4 + 1/2*a*b*x^4*e + 2/3*a*b*d*x^3 + 1/3*a^2*g*x^3 + a*b*c*x^2 + 1/2*a^2*f*x^2 + a^2*x*e + a^2*d*\log(\text{abs}(x)) - a^2*c/x$

maple [A] time = 0.05, size = 152, normalized size = 1.03

$$\frac{b^2hx^{10}}{10} + \frac{b^2gx^9}{9} + \frac{b^2fx^8}{8} + \frac{2abhx^7}{7} + \frac{b^2ex^7}{7} + \frac{abgx^6}{3} + \frac{b^2dx^6}{6} + \frac{2abfx^5}{5} + \frac{b^2cx^5}{5} + \frac{a^2hx^4}{4} + \frac{abex^4}{2} + \frac{a^2gx^3}{3} + \frac{2abd^3x^3}{3} + \frac{a^2fx^2}{2} + abcx^2 + a^2d\ln(x) + a^2ex - \frac{a^2c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x)`

[Out] $1/10*b^2*h*x^{10} + 1/9*b^2*g*x^9 + 1/8*b^2*f*x^8 + 2/7*x^7*a*b*h + 1/7*b^2*e*x^7 + 1/3*x^6*a*b*g + 1/6*b^2*d*x^6 + 2/5*x^5*a*b*f + 1/5*b^2*c*x^5 + 1/4*x^4*a^2*h + 1/2*a*b*e*x^4 + 1/3*x^3*a^2*g + 2/3*a*b*d*x^3 + 1/2*a^2*f*x^2 + a*b*c*x^2 + a^2*e*x - a^2*c/x + a^2*d*\ln(x)$

maxima [A] time = 1.40, size = 146, normalized size = 0.99

$$\frac{1}{10}b^2hx^{10} + \frac{1}{9}b^2gx^9 + \frac{1}{8}b^2fx^8 + \frac{1}{7}(b^2e + 2abh)x^7 + \frac{1}{6}(b^2d + 2abg)x^6 + \frac{1}{5}(b^2c + 2abf)x^5 + \frac{1}{4}(2abe + a^2h)x^4 + a^2ex + \frac{1}{3}(2abd + a^2g)x^3 + a^2d\log(x) + \frac{1}{2}(2abc + a^2f)x^2 - \frac{a^2c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="maxima")`

[Out] $1/10*b^2*h*x^{10} + 1/9*b^2*g*x^9 + 1/8*b^2*f*x^8 + 1/7*(b^2*e + 2*a*b*h)*x^7 + 1/6*(b^2*d + 2*a*b*g)*x^6 + 1/5*(b^2*c + 2*a*b*f)*x^5 + 1/4*(2*a*b*e + a^2*h)*x^4 + a^2*e*x + 1/3*(2*a*b*d + a^2*g)*x^3 + a^2*d*\log(x) + 1/2*(2*a*b*c + a^2*f)*x^2 - a^2*c/x$

mupad [B] time = 0.10, size = 145, normalized size = 0.99

$$x^2\left(\frac{fa^2}{2} + bca\right) + x^5\left(\frac{cb^2}{5} + \frac{2afb}{5}\right) + x^3\left(\frac{ga^2}{3} + \frac{2bda}{3}\right) + x^6\left(\frac{db^2}{6} + \frac{agb}{3}\right) + x^4\left(\frac{ha^2}{4} + \frac{bea}{2}\right) + x^7\left(\frac{eb^2}{7} + \frac{2ahb}{7}\right) - \frac{a^2c}{x} + \frac{b^2fx^8}{8} + \frac{b^2gx^9}{9} + \frac{b^2hx^{10}}{10} + a^2d\ln(x) + a^2ex$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x)`

[Out] $x^2*((a^2*f)/2 + a*b*c) + x^5*((b^2*c)/5 + (2*a*b*f)/5) + x^3*((a^2*g)/3 + (2*a*b*d)/3) + x^6*((b^2*d)/6 + (a*b*g)/3) + x^4*((a^2*h)/4 + (a*b*e)/2) + x^7*((b^2*e)/7 + (2*a*b*h)/7) - (a^2*c)/x + (b^2*f*x^8)/8 + (b^2*g*x^9)/9 + (b^2*h*x^{10})/10 + a^2*d*\log(x) + a^2*e*x$

sympy [A] time = 0.36, size = 156, normalized size = 1.06

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + \frac{b^2fx^8}{8} + \frac{b^2gx^9}{9} + \frac{b^2hx^{10}}{10} + x^7\left(\frac{2abh}{7} + \frac{b^2e}{7}\right) + x^6\left(\frac{abg}{3} + \frac{b^2d}{6}\right) + x^5\left(\frac{2abf}{5} + \frac{b^2c}{5}\right) + x^4\left(\frac{a^2h}{4} + \frac{abe}{2}\right) + x^3\left(\frac{a^2g}{3} + \frac{2abd}{3}\right) + x^2\left(\frac{a^2f}{2} + abc\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2,x)`

[Out] $-a**2*c/x + a**2*d*\log(x) + a**2*e*x + b**2*f*x**8/8 + b**2*g*x**9/9 + b**2*h*x**10/10 + x**7*(2*a*b*h/7 + b**2*e/7) + x**6*(a*b*g/3 + b**2*d/6) + x**5*(2*a*b*f/5 + b**2*c/5) + x**4*(a**2*h/4 + a*b*e/2) + x**3*(a**2*g/3 + 2*a*b*d/3) + x**2*(a**2*f/2 + a*b*c)$

$$3.337 \quad \int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$$

Optimal. Leaf size=147

$$-\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a^2e \log(x) + \frac{1}{4}bx^4(2af+bc) + ax(af+2bc) + \frac{1}{5}bx^5(2ag+bd) + \frac{1}{2}ax^2(ag+2bd) + \frac{2}{3}abex^3 + \frac{h(a+bx^3)^3}{9b} + \frac{1}{6}b^2ex^6 + \frac{1}{7}b^2fx^7 + \frac{1}{8}b^2gx^8$$

Rubi [A] time = 0.13, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$-\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a^2e \log(x) + \frac{1}{4}bx^4(2af+bc) + ax(af+2bc) + \frac{1}{5}bx^5(2ag+bd) + \frac{1}{2}ax^2(ag+2bd) + \frac{2}{3}abex^3 + \frac{h(a+bx^3)^3}{9b} + \frac{1}{6}b^2ex^6 + \frac{1}{7}b^2fx^7 + \frac{1}{8}b^2gx^8$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x]

[Out] -(a^2*c)/(2*x^2) - (a^2*d)/x + a*(2*b*c + a*f)*x + (a*(2*b*d + a*g)*x^2)/2 + (2*a*b*e*x^3)/3 + (b*(b*c + 2*a*f)*x^4)/4 + (b*(b*d + 2*a*g)*x^5)/5 + (b^2*e*x^6)/6 + (b^2*f*x^7)/7 + (b^2*g*x^8)/8 + (h*(a + b*x^3)^3)/(9*b) + a^2*e*Log[x]

Rule 1583

```
Int[(Px_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Simp[(Coeff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]
```

Rule 1820

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^3} dx &= \frac{h(a + bx^3)^3}{9b} + \int \frac{(a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4)}{x^3} dx \\
&= \frac{h(a + bx^3)^3}{9b} + \int \left(a(2bc + af) + \frac{a^2c}{x^3} + \frac{a^2d}{x^2} + \frac{a^2e}{x} + a(2bd + ag)x \right) dx \\
&= -\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a(2bc + af)x + \frac{1}{2}a(2bd + ag)x^2 + \frac{2}{3}abex^3 + \dots
\end{aligned}$$

Mathematica [A] time = 0.10, size = 127, normalized size = 0.86

$$\frac{a^2(-3c - 6dx + x^3(6f + 3gx + 2hx^2))}{6x^2} + a^2e \log(x) + \frac{1}{30}abx(60c + x(30d + x(20e + 15fx + 12gx^2 + 10hx^3))) + \frac{b^2x^4(630c + x(504d + 5x(84e + x(72f + 7x(9g + 8hx))))}{2520}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x]

[Out] (a^2*(-3*c - 6*d*x + x^3*(6*f + 3*g*x + 2*h*x^2)))/(6*x^2) + (a*b*x*(60*c + x*(30*d + x*(20*e + 15*f*x + 12*g*x^2 + 10*h*x^3)))/30 + (b^2*x^4*(630*c + x*(504*d + 5*x*(84*e + x*(72*f + 7*x*(9*g + 8*h*x)))))/2520 + a^2*e*Log[x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x]

[Out] IntegrateAlgebraic[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3, x]

fricas [A] time = 0.40, size = 153, normalized size = 1.04

$$\frac{280b^2hx^{11} + 315b^2gx^{10} + 360b^2fx^9 + 420(b^2e + 2abhx^8) + 504(b^2d + 2abgx^7) + 630(b^2c + 2abf)x^6 + 840(2abe + a^2h)x^5 + 2520a^2ex^2 \log(x) + 1260(2abd + a^2g)x^4 - 2520a^2dx + 2520(2abc + a^2f)x^3 - 1260a^2c}{2520x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="fricas")

[Out] $1/2520*(280*b^2*h*x^{11} + 315*b^2*g*x^{10} + 360*b^2*f*x^9 + 420*(b^2*e + 2*a*b*h)*x^8 + 504*(b^2*d + 2*a*b*g)*x^7 + 630*(b^2*c + 2*a*b*f)*x^6 + 840*(2*a*b*e + a^2*h)*x^5 + 2520*a^2*e*x^2*\log(x) + 1260*(2*a*b*d + a^2*g)*x^4 - 2520*a^2*d*x + 2520*(2*a*b*c + a^2*f)*x^3 - 1260*a^2*c)/x^2$

giac [A] time = 0.15, size = 153, normalized size = 1.04

$$\frac{1}{9}b^2hx^9 + \frac{1}{8}b^2gx^8 + \frac{1}{7}b^2fx^7 + \frac{1}{3}abhx^6 + \frac{1}{6}b^2xe + \frac{1}{5}b^2dx^5 + \frac{2}{5}abgx^5 + \frac{1}{4}b^2cx^4 + \frac{1}{2}abfx^4 + \frac{1}{3}a^2hx^3 + \frac{2}{3}abx^3e + abdx^2 + \frac{1}{2}a^2gx^2 + 2abcx + a^2fx + a^2e\log(|x|) - \frac{2a^2dx + a^2c}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="giac")

[Out] $1/9*b^2*h*x^9 + 1/8*b^2*g*x^8 + 1/7*b^2*f*x^7 + 1/3*a*b*h*x^6 + 1/6*b^2*x^6*e + 1/5*b^2*d*x^5 + 2/5*a*b*g*x^5 + 1/4*b^2*c*x^4 + 1/2*a*b*f*x^4 + 1/3*a^2*h*x^3 + 2/3*a*b*x^3*e + a*b*d*x^2 + 1/2*a^2*g*x^2 + 2*a*b*c*x + a^2*f*x + a^2*e*\log(\text{abs}(x)) - 1/2*(2*a^2*d*x + a^2*c)/x^2$

maple [A] time = 0.05, size = 150, normalized size = 1.02

$$\frac{b^2hx^9}{9} + \frac{b^2gx^8}{8} + \frac{b^2fx^7}{7} + \frac{abhx^6}{3} + \frac{b^2ex^6}{6} + \frac{2abgx^5}{5} + \frac{b^2dx^5}{5} + \frac{abfx^4}{2} + \frac{b^2cx^4}{4} + \frac{a^2hx^3}{3} + \frac{2abex^3}{3} + \frac{a^2gx^2}{2} + abdx^2 + a^2e\ln(x) + a^2fx + 2abcx - \frac{a^2d}{x} - \frac{a^2c}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x)

[Out] $1/9*b^2*h*x^9 + 1/8*b^2*g*x^8 + 1/7*b^2*f*x^7 + 1/3*x^6*a*b*h + 1/6*b^2*e*x^6 + 2/5*x^5*a*b*g + 1/5*b^2*d*x^5 + 1/2*x^4*a*b*f + 1/4*b^2*c*x^4 + 1/3*x^3*a^2*h + 2/3*a*b*e*x^3 + 1/2*x^2*a^2*g + a*b*d*x^2 + a^2*f*x + 2*a*b*c*x - 1/2*a^2*c/x^2 - a^2*d/x + a^2*e*\ln(x)$

maxima [A] time = 1.35, size = 146, normalized size = 0.99

$$\frac{1}{9}b^2hx^9 + \frac{1}{8}b^2gx^8 + \frac{1}{7}b^2fx^7 + \frac{1}{6}(b^2e + 2abh)x^6 + \frac{1}{5}(b^2d + 2abg)x^5 + \frac{1}{4}(b^2c + 2abf)x^4 + \frac{1}{3}(2abe + a^2h)x^3 + a^2e\log(x) + \frac{1}{2}(2abd + a^2g)x^2 + (2abc + a^2f)x - \frac{2a^2dx + a^2c}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="maxima")

[Out] $1/9*b^2*h*x^9 + 1/8*b^2*g*x^8 + 1/7*b^2*f*x^7 + 1/6*(b^2*e + 2*a*b*h)*x^6 + 1/5*(b^2*d + 2*a*b*g)*x^5 + 1/4*(b^2*c + 2*a*b*f)*x^4 + 1/3*(2*a*b*e + a^2*h)*x^3 + a^2*e*\log(x) + 1/2*(2*a*b*d + a^2*g)*x^2 + (2*a*b*c + a^2*f)*x - 1/2*(2*a^2*d*x + a^2*c)/x^2$

mupad [B] time = 5.01, size = 145, normalized size = 0.99

$$x(fa^2 + 2bca) - \frac{a^2c + a^2dx}{x^2} + x^4\left(\frac{cb^2}{4} + \frac{afb}{2}\right) + x^2\left(\frac{ga^2}{2} + bda\right) + x^5\left(\frac{db^2}{5} + \frac{2agb}{5}\right) + x^3\left(\frac{ha^2}{3} + \frac{2bea}{3}\right) + x^6\left(\frac{eb^2}{6} + \frac{ahb}{3}\right) + \frac{b^2fx^7}{7} + \frac{b^2gx^8}{8} + \frac{b^2hx^9}{9} + a^2e\ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x)`

[Out] $x*(a^2*f + 2*a*b*c) - ((a^2*c)/2 + a^2*d*x)/x^2 + x^4*((b^2*c)/4 + (a*b*f)/2) + x^2*((a^2*g)/2 + a*b*d) + x^5*((b^2*d)/5 + (2*a*b*g)/5) + x^3*((a^2*h)/3 + (2*a*b*e)/3) + x^6*((b^2*e)/6 + (a*b*h)/3) + (b^2*f*x^7)/7 + (b^2*g*x^8)/8 + (b^2*h*x^9)/9 + a^2*e*\log(x)$

sympy [A] time = 0.45, size = 158, normalized size = 1.07

$$a^2e \log(x) + \frac{b^2fx^7}{7} + \frac{b^2gx^8}{8} + \frac{b^2hx^9}{9} + x^6\left(\frac{abh}{3} + \frac{b^2e}{6}\right) + x^5\left(\frac{2abg}{5} + \frac{b^2d}{5}\right) + x^4\left(\frac{abf}{2} + \frac{b^2c}{4}\right) + x^3\left(\frac{a^2h}{3} + \frac{2abe}{3}\right) + x^2\left(\frac{a^2g}{2} + abd\right) + x(a^2f + 2abc) + \frac{-a^2c - 2a^2dx}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3,x)`

[Out] $a**2*e*\log(x) + b**2*f*x**7/7 + b**2*g*x**8/8 + b**2*h*x**9/9 + x**6*(a*b*h/3 + b**2*e/6) + x**5*(2*a*b*g/5 + b**2*d/5) + x**4*(a*b*f/2 + b**2*c/4) + x**3*(a**2*h/3 + 2*a*b*e/3) + x**2*(a**2*g/2 + a*b*d) + x*(a**2*f + 2*a*b*c) + (-a**2*c - 2*a**2*d*x)/(2*x**2)$

$$3.338 \quad \int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$$

Optimal. Leaf size=152

$$-\frac{a^2c}{3x^3} - \frac{a^2d}{2x^2} - \frac{a^2e}{x} + \frac{1}{3}bx^3(2af+bc) + a \log(x)(af+2bc) + \frac{1}{4}bx^4(2ag+bd) + ax(ag+2bd) + \frac{1}{5}bx^5(2ah+be) + \frac{1}{2}ax^2(ah+2be)$$

Rubi [A] time = 0.12, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$-\frac{a^2c}{3x^3} - \frac{a^2d}{2x^2} - \frac{a^2e}{x} + \frac{1}{3}bx^3(2af+bc) + a \log(x)(af+2bc) + \frac{1}{4}bx^4(2ag+bd) + ax(ag+2bd) + \frac{1}{5}bx^5(2ah+be) + \frac{1}{2}ax^2(ah+2be) + \frac{1}{6}b^2fx^6 + \frac{1}{7}b^2gx^7 + \frac{1}{8}b^2hx^8$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]

[Out] -(a^2*c)/(3*x^3) - (a^2*d)/(2*x^2) - (a^2*e)/x + a*(2*b*d + a*g)*x + (a*(2*b*e + a*h)*x^2)/2 + (b*(b*c + 2*a*f)*x^3)/3 + (b*(b*d + 2*a*g)*x^4)/4 + (b*(b*e + 2*a*h)*x^5)/5 + (b^2*f*x^6)/6 + (b^2*g*x^7)/7 + (b^2*h*x^8)/8 + a*(b*c + a*f)*Log[x]

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx = \int \left(a(2bd+ag) + \frac{a^2c}{x^4} + \frac{a^2d}{x^3} + \frac{a^2e}{x^2} + \frac{a(2bc+af)}{x} + a(2be+ah) \right) dx$$

$$= -\frac{a^2c}{3x^3} - \frac{a^2d}{2x^2} - \frac{a^2e}{x} + a(2bd+ag)x + \frac{1}{2}a(2be+ah)x^2 + \frac{1}{3}b(2af+bc)x^3 + \frac{1}{4}b(2ag+bd)x^4 + \frac{1}{5}b(2ah+be)x^5 + \frac{1}{6}b^2fx^6 + \frac{1}{7}b^2gx^7 + \frac{1}{8}b^2hx^8$$

Mathematica [A] time = 0.10, size = 123, normalized size = 0.81

$$-\frac{a^2(2c+3x(d+2ex-(x^3(2g+hx))))}{6x^3} + a \log(x)(af+2bc) + \frac{1}{30}abx(60d+x(30e+x(20f+15gx+12hx^2))) + \frac{1}{840}b^2x^3(280c+x(210d+x(168e+140fx+120gx^2+105hx^3)))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4,x]

[Out]
$$-1/6*(a^2*(2*c + 3*x*(d + 2*e*x - x^3*(2*g + h*x))))/x^3 + (a*b*x*(60*d + x*(30*e + x*(20*f + 15*g*x + 12*h*x^2))))/30 + (b^2*x^3*(280*c + x*(210*d + x*(168*e + 140*f*x + 120*g*x^2 + 105*h*x^3))))/840 + a*(2*b*c + a*f)*\text{Log}[x]$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4,x]

[Out] IntegrateAlgebraic[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]

fricas [A] time = 0.40, size = 153, normalized size = 1.01

$$\frac{105 b^2 h x^{11} + 120 b^2 g x^{10} + 140 b^2 f x^9 + 168 (b^2 e + 2 a b h) x^8 + 210 (b^2 d + 2 a b g) x^7 + 280 (b^2 c + 2 a b f) x^6 + 420 (2 a b e + a^2 h) x^5 - 840 a^2 e x^2 + 840 (2 a b d + a^2 g) x^4 + 840 (2 a b c + a^2 f) x^3 \log(x) - 420 a^2 d x - 280 a^2 c}{840 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="fricas")

[Out]
$$1/840*(105*b^2*h*x^{11} + 120*b^2*g*x^{10} + 140*b^2*f*x^9 + 168*(b^2*e + 2*a*b*h)*x^8 + 210*(b^2*d + 2*a*b*g)*x^7 + 280*(b^2*c + 2*a*b*f)*x^6 + 420*(2*a*b*e + a^2*h)*x^5 - 840*a^2*e*x^2 + 840*(2*a*b*d + a^2*g)*x^4 + 840*(2*a*b*c + a^2*f)*x^3*\log(x) - 420*a^2*d*x - 280*a^2*c)/x^3$$

giac [A] time = 0.17, size = 153, normalized size = 1.01

$$\frac{1}{8} b^2 h x^8 + \frac{1}{7} b^2 g x^7 + \frac{1}{6} b^2 f x^6 + \frac{2}{5} a b h x^5 + \frac{1}{5} b^2 x^5 e + \frac{1}{4} b^2 d x^4 + \frac{1}{2} a b g x^4 + \frac{1}{3} b^2 c x^3 + \frac{2}{3} a b f x^3 + \frac{1}{2} a^2 h x^2 + a b x^2 e + 2 a b d x + a^2 g x + (2 a b c + a^2 f) \log(|x|) - \frac{6 a^2 x^2 e + 3 a^2 d x + 2 a^2 c}{6 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="giac")

[Out]
$$1/8*b^2*h*x^8 + 1/7*b^2*g*x^7 + 1/6*b^2*f*x^6 + 2/5*a*b*h*x^5 + 1/5*b^2*x^5*e + 1/4*b^2*d*x^4 + 1/2*a*b*g*x^4 + 1/3*b^2*c*x^3 + 2/3*a*b*f*x^3 + 1/2*a^2*h*x^2 + a*b*x^2*e + 2*a*b*d*x + a^2*g*x + (2*a*b*c + a^2*f)*\log(\text{abs}(x)) - 1/6*(6*a^2*x^2*e + 3*a^2*d*x + 2*a^2*c)/x^3$$

maple [A] time = 0.05, size = 149, normalized size = 0.98

$$\frac{b^2 h x^8}{8} + \frac{b^2 g x^7}{7} + \frac{b^2 f x^6}{6} + \frac{2 a b h x^5}{5} + \frac{b^2 e x^5}{5} + \frac{a b g x^4}{2} + \frac{b^2 d x^4}{4} + \frac{2 a b f x^3}{3} + \frac{b^2 c x^3}{3} + \frac{a^2 h x^2}{2} + a b e x^2 + a^2 f \ln(x) + a^2 g x + 2 a b c \ln(x) + 2 a b d x - \frac{a^2 e}{x} - \frac{a^2 d}{2 x^2} - \frac{a^2 c}{3 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x)

[Out] 1/8*b^2*h*x^8+1/7*b^2*g*x^7+1/6*b^2*f*x^6+2/5*x^5*a*b*h+1/5*x^5*b^2*e+1/2*x^4*a*b*g+1/4*x^4*b^2*d+2/3*x^3*a*b*f+1/3*b^2*c*x^3+1/2*x^2*a^2*h+a*b*e*x^2+a^2*g*x+2*b*d*a*x-1/3*a^2*c/x^3-1/2*a^2*d/x^2-a^2*e/x+ln(x)*a^2*f+2*ln(x)*a*b*c

maxima [A] time = 1.32, size = 147, normalized size = 0.97

$$\frac{1}{8} b^2 h x^8 + \frac{1}{7} b^2 g x^7 + \frac{1}{6} b^2 f x^6 + \frac{1}{5} (b^2 e + 2 a b h) x^5 + \frac{1}{4} (b^2 d + 2 a b g) x^4 + \frac{1}{3} (b^2 c + 2 a b f) x^3 + \frac{1}{2} (2 a b e + a^2 h) x^2 + (2 a b d + a^2 g) x + (2 a b c + a^2 f) \log(x) - \frac{6 a^2 e x^2 + 3 a^2 d x + 2 a^2 c}{6 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="maxima")

[Out] 1/8*b^2*h*x^8 + 1/7*b^2*g*x^7 + 1/6*b^2*f*x^6 + 1/5*(b^2*e + 2*a*b*h)*x^5 + 1/4*(b^2*d + 2*a*b*g)*x^4 + 1/3*(b^2*c + 2*a*b*f)*x^3 + 1/2*(2*a*b*e + a^2*h)*x^2 + (2*a*b*d + a^2*g)*x + (2*a*b*c + a^2*f)*log(x) - 1/6*(6*a^2*e*x^2 + 3*a^2*d*x + 2*a^2*c)/x^3

mupad [B] time = 0.08, size = 145, normalized size = 0.95

$$x (g a^2 + 2 b d a) - \frac{e a^2 x^2 + \frac{d a^2 x}{2} + \frac{c a^2}{3}}{x^3} + x^3 \left(\frac{c b^2}{3} + \frac{2 a f b}{3} \right) + x^4 \left(\frac{d b^2}{4} + \frac{a g b}{2} \right) + x^2 \left(\frac{h a^2}{2} + b e a \right) + x^5 \left(\frac{e b^2}{5} + \frac{2 a h b}{5} \right) + \ln(x) (f a^2 + 2 b c a) + \frac{b^2 f x^6}{6} + \frac{b^2 g x^7}{7} + \frac{b^2 h x^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4,x)

[Out] x*(a^2*g + 2*a*b*d) - ((a^2*c)/3 + a^2*e*x^2 + (a^2*d*x)/2)/x^3 + x^3*((b^2*c)/3 + (2*a*b*f)/3) + x^4*((b^2*d)/4 + (a*b*g)/2) + x^2*((a^2*h)/2 + a*b*e) + x^5*((b^2*e)/5 + (2*a*b*h)/5) + log(x)*(a^2*f + 2*a*b*c) + (b^2*f*x^6)/6 + (b^2*g*x^7)/7 + (b^2*h*x^8)/8

sympy [A] time = 0.88, size = 158, normalized size = 1.04

$$a (a f + 2 b c) \log(x) + \frac{b^2 f x^6}{6} + \frac{b^2 g x^7}{7} + \frac{b^2 h x^8}{8} + x^5 \left(\frac{2 a b h}{5} + \frac{b^2 e}{5} \right) + x^4 \left(\frac{a b g}{2} + \frac{b^2 d}{4} \right) + x^3 \left(\frac{2 a b f}{3} + \frac{b^2 c}{3} \right) + x^2 \left(\frac{a^2 h}{2} + a b e \right) + x (a^2 g + 2 a b d) + \frac{-2 a^2 c - 3 a^2 d x - 6 a^2 e x^2}{6 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4,x)

```
[Out] a*(a*f + 2*b*c)*log(x) + b**2*f*x**6/6 + b**2*g*x**7/7 + b**2*h*x**8/8 + x*  
*5*(2*a*b*h/5 + b**2*e/5) + x**4*(a*b*g/2 + b**2*d/4) + x**3*(2*a*b*f/3 + b  
**2*c/3) + x**2*(a**2*h/2 + a*b*e) + x*(a**2*g + 2*a*b*d) + (-2*a**2*c - 3*  
a**2*d*x - 6*a**2*e*x**2)/(6*x**3)
```

$$3.339 \quad \int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$$

Optimal. Leaf size=152

$$-\frac{a^2c}{4x^4} - \frac{a^2d}{3x^3} - \frac{a^2e}{2x^2} + \frac{1}{2}bx^2(2af+bc) - \frac{a(af+2bc)}{x} + \frac{1}{3}bx^3(2ag+bd) + a \log(x)(ag+2bd) + \frac{1}{4}bx^4(2ah+be) + ax(ah+2be) +$$

Rubi [A] time = 0.12, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$-\frac{a^2c}{4x^4} - \frac{a^2d}{3x^3} - \frac{a^2e}{2x^2} + \frac{1}{2}bx^2(2af+bc) - \frac{a(af+2bc)}{x} + \frac{1}{3}bx^3(2ag+bd) + a \log(x)(ag+2bd) + \frac{1}{4}bx^4(2ah+be) + ax(ah+2be) + \frac{1}{5}b^2fx^5 + \frac{1}{6}b^2gx^6 + \frac{1}{7}b^2hx^7$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5, x]

[Out] -(a^2*c)/(4*x^4) - (a^2*d)/(3*x^3) - (a^2*e)/(2*x^2) - (a*(2*b*c + a*f))/x + a*(2*b*e + a*h)*x + (b*(b*c + 2*a*f)*x^2)/2 + (b*(b*d + 2*a*g)*x^3)/3 + (b*(b*e + 2*a*h)*x^4)/4 + (b^2*f*x^5)/5 + (b^2*g*x^6)/6 + (b^2*h*x^7)/7 + a*(2*b*d + a*g)*Log[x]

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx = \int \left(a(2be+ah) + \frac{a^2c}{x^5} + \frac{a^2d}{x^4} + \frac{a^2e}{x^3} + \frac{a(2bc+af)}{x^2} + \frac{a(2bd)}{x} \right. \\ \left. - \frac{a^2c}{4x^4} - \frac{a^2d}{3x^3} - \frac{a^2e}{2x^2} - \frac{a(2bc+af)}{x} + a(2be+ah)x + \frac{1}{2}b(bc+ \right.$$

Mathematica [A] time = 0.12, size = 125, normalized size = 0.82

$$-\frac{a^2(3c+4dx+6x^2(e+2fx-2hx^3))}{12x^4} - \frac{2abc}{x} + a \log(x)(ag+2bd) + \frac{1}{6}abx(12e+x(6f+x(4g+3hx))) + \frac{1}{420}b^2x^2(210c+x(140d+x(105e+84fx+70gx^2+60hx^3)))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x]
 [Out] (-2*a*b*c)/x - (a^2*(3*c + 4*d*x + 6*x^2*(e + 2*f*x - 2*h*x^3)))/(12*x^4) + (a*b*x*(12*e + x*(6*f + x*(4*g + 3*h*x))))/6 + (b^2*x^2*(210*c + x*(140*d + x*(105*e + 84*f*x + 70*g*x^2 + 60*h*x^3))))/420 + a*(2*b*d + a*g)*Log[x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^5} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x]

[Out] IntegrateAlgebraic[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5, x]

fricas [A] time = 0.41, size = 153, normalized size = 1.01

$$\frac{60b^2hx^{11} + 70b^2gx^{10} + 84b^2fx^9 + 105(b^2e + 2abhx^8 + 140(b^2d + 2abg)x^7 + 210(b^2c + 2abf)x^6 + 420(2abe + a^2h)x^5 + 420(2abd + a^2g)x^4 \log(x) - 210a^2ex^2 - 140a^2dx - 420(2abc + a^2f)x^3 - 105a^2c}{420x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="fricas")

[Out] 1/420*(60*b^2*h*x^11 + 70*b^2*g*x^10 + 84*b^2*f*x^9 + 105*(b^2*e + 2*a*b*h)*x^8 + 140*(b^2*d + 2*a*b*g)*x^7 + 210*(b^2*c + 2*a*b*f)*x^6 + 420*(2*a*b*e + a^2*h)*x^5 + 420*(2*a*b*d + a^2*g)*x^4*log(x) - 210*a^2*e*x^2 - 140*a^2*d*x - 420*(2*a*b*c + a^2*f)*x^3 - 105*a^2*c)/x^4

giac [A] time = 0.17, size = 152, normalized size = 1.00

$$\frac{1}{7}b^2hx^7 + \frac{1}{6}b^2gx^6 + \frac{1}{5}b^2fx^5 + \frac{1}{2}abhx^4 + \frac{1}{4}b^2x^4e + \frac{1}{3}b^2dx^3 + \frac{2}{3}abgx^3 + \frac{1}{2}b^2cx^2 + abfx^2 + a^2hx + 2abxe + (2abd + a^2g)\log(|x|) - \frac{6a^2x^2e + 4a^2dx + 12(2abc + a^2f)x^3 + 3a^2c}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="giac")

[Out] 1/7*b^2*h*x^7 + 1/6*b^2*g*x^6 + 1/5*b^2*f*x^5 + 1/2*a*b*h*x^4 + 1/4*b^2*x^4*e + 1/3*b^2*d*x^3 + 2/3*a*b*g*x^3 + 1/2*b^2*c*x^2 + a*b*f*x^2 + a^2*h*x + 2*a*b*x*e + (2*a*b*d + a^2*g)*log(abs(x)) - 1/12*(6*a^2*x^2*e + 4*a^2*d*x + 12*(2*a*b*c + a^2*f)*x^3 + 3*a^2*c)/x^4

maple [A] time = 0.05, size = 149, normalized size = 0.98

$$\frac{b^2 h x^7}{7} + \frac{b^2 g x^6}{6} + \frac{b^2 f x^5}{5} + \frac{a b h x^4}{2} + \frac{b^2 e x^4}{4} + \frac{2 a b g x^3}{3} + \frac{b^2 d x^3}{3} + a b f x^2 + \frac{b^2 c x^2}{2} + a^2 g \ln(x) + a^2 h x + 2 a b d \ln(x) + 2 a b e x - \frac{a^2 f}{x} - \frac{2 a b c}{x} - \frac{a^2 e}{2 x^2} - \frac{a^2 d}{3 x^3} - \frac{a^2 c}{4 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x)

[Out] 1/7*b^2*h*x^7+1/6*b^2*g*x^6+1/5*b^2*f*x^5+1/2*x^4*a*b*h+1/4*x^4*b^2*e+2/3*x^3*a*b*g+1/3*x^3*b^2*d+x^2*a*b*f+1/2*b^2*c*x^2+a^2*h*x+2*a*b*e*x-1/4*a^2*c/x^4-1/3*a^2*d/x^3-1/2*a^2*e/x^2-a^2/x*f-2*a/x*b*c+ln(x)*a^2*g+2*ln(x)*a*b*d

maxima [A] time = 1.37, size = 147, normalized size = 0.97

$$\frac{1}{7} b^2 h x^7 + \frac{1}{6} b^2 g x^6 + \frac{1}{5} b^2 f x^5 + \frac{1}{4} (b^2 e + 2 a b h) x^4 + \frac{1}{3} (b^2 d + 2 a b g) x^3 + \frac{1}{2} (b^2 c + 2 a b f) x^2 + (2 a b e + a^2 h) x + (2 a b d + a^2 g) \log(x) - \frac{6 a^2 e x^2 + 4 a^2 d x + 12 (2 a b c + a^2 f) x^3 + 3 a^2 c}{12 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="maxima")

[Out] 1/7*b^2*h*x^7 + 1/6*b^2*g*x^6 + 1/5*b^2*f*x^5 + 1/4*(b^2*e + 2*a*b*h)*x^4 + 1/3*(b^2*d + 2*a*b*g)*x^3 + 1/2*(b^2*c + 2*a*b*f)*x^2 + (2*a*b*e + a^2*h)*x + (2*a*b*d + a^2*g)*log(x) - 1/12*(6*a^2*e*x^2 + 4*a^2*d*x + 12*(2*a*b*c + a^2*f)*x^3 + 3*a^2*c)/x^4

mupad [B] time = 0.07, size = 145, normalized size = 0.95

$$x (h a^2 + 2 b e a) - \frac{a^2 c}{4} + x^3 (f a^2 + 2 b c a) + \frac{a^2 e x^2}{2} + \frac{a^2 d x}{3} + x^2 \left(\frac{c b^2}{2} + a f b \right) + x^3 \left(\frac{d b^2}{3} + \frac{2 a g b}{3} \right) + x^4 \left(\frac{e b^2}{4} + \frac{a h b}{2} \right) + \ln(x) (g a^2 + 2 b d a) + \frac{b^2 f x^5}{5} + \frac{b^2 g x^6}{6} + \frac{b^2 h x^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x)

[Out] x*(a^2*h + 2*a*b*e) - ((a^2*c)/4 + x^3*(a^2*f + 2*a*b*c) + (a^2*e*x^2)/2 + (a^2*d*x)/3)/x^4 + x^2*((b^2*c)/2 + a*b*f) + x^3*((b^2*d)/3 + (2*a*b*g)/3) + x^4*((b^2*e)/4 + (a*b*h)/2) + log(x)*(a^2*g + 2*a*b*d) + (b^2*f*x^5)/5 + (b^2*g*x^6)/6 + (b^2*h*x^7)/7

sympy [A] time = 3.23, size = 156, normalized size = 1.03

$$a (a g + 2 b d) \log(x) + \frac{b^2 f x^5}{5} + \frac{b^2 g x^6}{6} + \frac{b^2 h x^7}{7} + x^4 \left(\frac{a b h}{2} + \frac{b^2 e}{4} \right) + x^3 \left(\frac{2 a b g}{3} + \frac{b^2 d}{3} \right) + x^2 \left(a b f + \frac{b^2 c}{2} \right) + x (a^2 h + 2 a b e) + \frac{-3 a^2 c - 4 a^2 d x - 6 a^2 e x^2 + x^3 (-12 a^2 f - 24 a b c)}{12 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**5,x)


```
[Out] a*(a*g + 2*b*d)*log(x) + b**2*f*x**5/5 + b**2*g*x**6/6 + b**2*h*x**7/7 + x*  
*4*(a*b*h/2 + b**2*e/4) + x**3*(2*a*b*g/3 + b**2*d/3) + x**2*(a*b*f + b**2*  
c/2) + x*(a**2*h + 2*a*b*e) + (-3*a**2*c - 4*a**2*d*x - 6*a**2*e*x**2 + x**  
3*(-12*a**2*f - 24*a*b*c))/(12*x**4)
```

$$3.340 \quad \int x^4 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=223

$$\frac{1}{5}a^3cx^5 + \frac{1}{6}a^3dx^6 + \frac{1}{7}a^3ex^7 + \frac{1}{8}a^2x^8(af+3bc) + \frac{1}{9}a^2x^9(ag+3bd) + \frac{1}{10}a^2x^{10}(ah+3be) + \frac{1}{14}b^2x^{14}(3af+bc) + \frac{1}{15}b^2x^{15}(3ag$$

Rubi [A] time = 0.29, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$\frac{1}{8}a^2x^8(af+3bc) + \frac{1}{9}a^2x^9(ag+3bd) + \frac{1}{10}a^2x^{10}(ah+3be) + \frac{1}{5}a^3cx^5 + \frac{1}{6}a^3dx^6 + \frac{1}{7}a^3ex^7 + \frac{1}{14}b^2x^{14}(3af+bc) + \frac{1}{15}b^2x^{15}(3ag+bd) + \frac{1}{16}b^2x^{16}(3ah+bc) + \frac{3}{11}abx^{11}(af+bc) + \frac{1}{4}abx^{12}(ag+bd) + \frac{3}{13}abx^{13}(ah+bc) + \frac{1}{17}b^3fx^{17} + \frac{1}{18}b^3gx^{18} + \frac{1}{19}b^3hx^{19}$$

Antiderivative was successfully verified.

[In] Int[x^4*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (a^3*c*x^5)/5 + (a^3*d*x^6)/6 + (a^3*e*x^7)/7 + (a^2*(3*b*c + a*f)*x^8)/8 + (a^2*(3*b*d + a*g)*x^9)/9 + (a^2*(3*b*e + a*h)*x^10)/10 + (3*a*b*(b*c + a*f)*x^11)/11 + (a*b*(b*d + a*g)*x^12)/4 + (3*a*b*(b*e + a*h)*x^13)/13 + (b^2*(b*c + 3*a*f)*x^14)/14 + (b^2*(b*d + 3*a*g)*x^15)/15 + (b^2*(b*e + 3*a*h)*x^16)/16 + (b^3*f*x^17)/17 + (b^3*g*x^18)/18 + (b^3*h*x^19)/19

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^4 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \int (a^3cx^4 + a^3dx^5 + a^3ex^6 + a^2(3bc + af)x^7 + a^2(3bd + ag)x^8 + a^2(3be + ah)x^9 + 3ab(b^2cx^{14} + b^2dx^{15} + b^2ex^{16} + b^2fx^{17} + b^2gx^{18} + b^2hx^{19}) \\ &= \frac{1}{5}a^3cx^5 + \frac{1}{6}a^3dx^6 + \frac{1}{7}a^3ex^7 + \frac{1}{8}a^2(3bc + af)x^8 + \frac{1}{9}a^2(3bd + ag)x^9 + \frac{1}{10}a^2(3be + ah)x^{10} + \frac{3}{11}ab(b^2cx^{14} + b^2dx^{15} + b^2ex^{16} + b^2fx^{17} + b^2gx^{18} + b^2hx^{19}) \end{aligned}$$

Mathematica [A] time = 0.06, size = 223, normalized size = 1.00

$$\frac{1}{5}a^3cx^5 + \frac{1}{6}a^3dx^6 + \frac{1}{7}a^3ex^7 + \frac{1}{8}a^2x^8(af+3bc) + \frac{1}{9}a^2x^9(ag+3bd) + \frac{1}{10}a^2x^{10}(ah+3be) + \frac{1}{14}b^2x^{14}(3af+bc) + \frac{1}{15}b^2x^{15}(3ag+bd) + \frac{1}{16}b^2x^{16}(3ah+bc) + \frac{3}{11}abx^{11}(af+bc) + \frac{1}{4}abx^{12}(ag+bd) + \frac{3}{13}abx^{13}(ah+bc) + \frac{1}{17}b^3fx^{17} + \frac{1}{18}b^3gx^{18} + \frac{1}{19}b^3hx^{19}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a^3cx^5)/5 + (a^3dx^6)/6 + (a^3ex^7)/7 + (a^2(3bc + af)x^8)/8 + (a^2(3bd + ag)x^9)/9 + (a^2(3be + ah)x^{10})/10 + (3ab(bc + af)x^{11})/11 + (ab(bd + ag)x^{12})/4 + (3ab(be + ah)x^{13})/13 + (b^2(bc + 3af)x^{14})/14 + (b^2(bd + 3ag)x^{15})/15 + (b^2(be + 3ah)x^{16})/16 + (b^3fx^{17})/17 + (b^3gx^{18})/18 + (b^3hx^{19})/19$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^4*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] IntegrateAlgebraic[x^4*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

fricas [A] time = 0.36, size = 229, normalized size = 1.03

$$\frac{1}{19}x^{19}hb^3 + \frac{1}{18}x^{18}gb^3 + \frac{1}{17}x^{17}fb^3 + \frac{1}{16}x^{16}eb^3 + \frac{3}{16}x^{16}hb^2a + \frac{1}{15}x^{15}db^3 + \frac{1}{5}x^{15}gb^2a + \frac{1}{14}x^{14}cb^3 + \frac{3}{14}x^{14}fb^2a + \frac{3}{13}x^{13}eb^2a + \frac{3}{13}x^{13}hb^2a + \frac{1}{4}x^{12}db^2a + \frac{1}{4}x^{12}gb^2a + \frac{3}{11}x^{11}cb^2a + \frac{3}{11}x^{11}fb^2a + \frac{3}{10}x^{10}eb^2a + \frac{1}{10}x^{10}hb^2a + \frac{1}{3}x^8db^2a + \frac{1}{9}x^8gb^2a + \frac{3}{8}x^8cb^2a + \frac{1}{8}x^8fb^2a + \frac{1}{7}x^7eb^2a + \frac{1}{6}x^7db^2a + \frac{1}{5}x^7cb^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] $1/19*x^{19}*h*b^3 + 1/18*x^{18}*g*b^3 + 1/17*x^{17}*f*b^3 + 1/16*x^{16}*e*b^3 + 3/16*x^{16}*h*b^2*a + 1/15*x^{15}*d*b^3 + 1/5*x^{15}*g*b^2*a + 1/14*x^{14}*c*b^3 + 3/14*x^{14}*f*b^2*a + 3/13*x^{13}*e*b^2*a + 3/13*x^{13}*h*b^2*a + 1/4*x^{12}*d*b^2*a + 1/4*x^{12}*g*b^2*a + 3/11*x^{11}*c*b^2*a + 3/11*x^{11}*f*b^2*a + 3/10*x^{10}*e*b^2*a + 1/10*x^{10}*h*b^2*a + 1/3*x^9*d*b^2*a + 1/9*x^9*g*b^2*a + 3/8*x^8*c*b^2*a + 1/8*x^8*f*b^2*a + 1/7*x^7*e*b^2*a + 1/6*x^6*d*b^2*a + 1/5*x^5*c*b^2*a$

giac [A] time = 0.15, size = 233, normalized size = 1.04

$$\frac{1}{19}b^3hx^{19} + \frac{1}{18}b^3gx^{18} + \frac{1}{17}b^3fx^{17} + \frac{3}{16}b^3ex^{16} + \frac{1}{16}b^3hx^{16}a + \frac{1}{15}b^3dx^{15} + \frac{1}{5}b^3gx^{15}a + \frac{1}{14}b^3cx^{14} + \frac{3}{14}b^3fx^{14}a + \frac{3}{13}b^3ex^{13}a + \frac{1}{4}b^3dx^{12}a + \frac{1}{4}b^3gx^{12}a + \frac{3}{11}b^3cx^{11}a + \frac{3}{11}b^3fx^{11}a + \frac{1}{10}b^3ex^{10}a + \frac{3}{10}b^3hx^{10}a + \frac{1}{3}b^3dx^8a + \frac{1}{9}b^3gx^8a + \frac{3}{8}b^3cx^8a + \frac{1}{8}b^3fx^8a + \frac{1}{7}b^3ex^7a + \frac{1}{6}b^3dx^6a + \frac{1}{5}b^3cx^5a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="giac")

[Out] $1/19*b^3*h*x^{19} + 1/18*b^3*g*x^{18} + 1/17*b^3*f*x^{17} + 3/16*a*b^2*h*x^{16} + 1/16*b^3*x^{16}*e + 1/15*b^3*d*x^{15} + 1/5*a*b^2*g*x^{15} + 1/14*b^3*c*x^{14} + 3/14*a*b^2*f*x^{14} + 3/13*a^2*b*h*x^{13} + 3/13*a*b^2*x^{13}*e + 1/4*a*b^2*d*x^{12} +$

$$\frac{1}{4}a^2b^3g^2x^{12} + \frac{3}{11}a^2b^2c^3x^{11} + \frac{3}{11}a^2b^2f^3x^{11} + \frac{1}{10}a^3h^3x^{10} + \frac{3}{10}a^2b^2x^{10}e + \frac{1}{3}a^2b^2d^3x^9 + \frac{1}{9}a^3g^3x^9 + \frac{3}{8}a^2b^2c^3x^8 + \frac{1}{8}a^3f^3x^8 + \frac{1}{7}a^3e^3x^7 + \frac{1}{6}a^3d^3x^6 + \frac{1}{5}a^3c^3x^5$$

maple [A] time = 0.04, size = 224, normalized size = 1.00

$$\frac{b^3hx^{19}}{19} + \frac{b^3gx^{18}}{18} + \frac{b^3fx^{17}}{17} + \frac{(3ab^2h + b^3e)x^{16}}{16} + \frac{(3ab^2g + b^3d)x^{15}}{15} + \frac{(3ab^2f + b^3c)x^{14}}{14} + \frac{(3a^2bh + 3ab^2e)x^{13}}{13} + \frac{(3a^2bg + 3ab^2d)x^{12}}{12} + \frac{a^3ex^7}{7} + \frac{(3a^2bf + 3ab^2c)x^{11}}{11} + \frac{a^3dx^6}{6} + \frac{(a^3h + 3a^2be)x^{10}}{10} + \frac{a^3cx^5}{5} + \frac{(a^3g + 3a^2db)x^9}{9} + \frac{(a^3f + 3a^2cb)x^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x)`

[Out] $\frac{1}{19}b^3h^3x^{19} + \frac{1}{18}b^3g^3x^{18} + \frac{1}{17}b^3f^3x^{17} + \frac{1}{16}(3a^2b^2h + b^3e)x^{16} + \frac{1}{15}(3a^2b^2g + b^3d)x^{15} + \frac{1}{14}(3a^2b^2f + b^3c)x^{14} + \frac{1}{13}(3a^2b^2h + 3a^2b^2e)x^{13} + \frac{1}{12}(3a^2b^2g + 3a^2b^2d)x^{12} + \frac{1}{11}(3a^2b^2f + 3a^2b^2c)x^{11} + \frac{1}{10}(a^3h + 3a^2be)x^{10} + \frac{1}{9}(a^3g + 3a^2bd)x^9 + \frac{1}{8}(a^3f + 3a^2cb)x^8 + \frac{1}{7}a^3ex^7 + \frac{1}{6}a^3dx^6 + \frac{1}{5}a^3cx^5$

maxima [A] time = 1.37, size = 217, normalized size = 0.97

$$\frac{1}{19}b^3hx^{19} + \frac{1}{18}b^3gx^{18} + \frac{1}{17}b^3fx^{17} + \frac{1}{16}(b^3e + 3ab^2h)x^{16} + \frac{1}{15}(b^3d + 3ab^2g)x^{15} + \frac{1}{14}(b^3c + 3ab^2f)x^{14} + \frac{3}{13}(ab^2e + a^2bh)x^{13} + \frac{1}{4}(ab^2d + a^2bg)x^{12} + \frac{3}{11}(ab^2c + a^2bf)x^{11} + \frac{1}{7}a^3ex^7 + \frac{1}{10}(3a^2be + a^3h)x^{10} + \frac{1}{6}a^3dx^6 + \frac{1}{9}(3a^2bd + a^3g)x^9 + \frac{1}{5}a^3cx^5 + \frac{1}{8}(3a^2cb + a^3f)x^8$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="maxima")`

[Out] $\frac{1}{19}b^3h^3x^{19} + \frac{1}{18}b^3g^3x^{18} + \frac{1}{17}b^3f^3x^{17} + \frac{1}{16}(b^3e + 3a^2b^2h)x^{16} + \frac{1}{15}(b^3d + 3a^2b^2g)x^{15} + \frac{1}{14}(b^3c + 3a^2b^2f)x^{14} + \frac{3}{13}(a^2b^2e + a^2b^2h)x^{13} + \frac{1}{4}(a^2b^2d + a^2b^2g)x^{12} + \frac{3}{11}(a^2b^2c + a^2b^2f)x^{11} + \frac{1}{7}a^3ex^7 + \frac{1}{10}(3a^2be + a^3h)x^{10} + \frac{1}{6}a^3dx^6 + \frac{1}{9}(3a^2bd + a^3g)x^9 + \frac{1}{5}a^3cx^5 + \frac{1}{8}(3a^2cb + a^3f)x^8$

mupad [B] time = 0.17, size = 205, normalized size = 0.92

$$x^8 \left(\frac{f a^3}{8} + \frac{3 b c a^2}{8} \right) + x^{14} \left(\frac{c b^3}{14} + \frac{3 a f b^2}{14} \right) + x^9 \left(\frac{g a^3}{9} + \frac{b d a^2}{3} \right) + x^{15} \left(\frac{d b^3}{15} + \frac{a g b^2}{5} \right) + x^{10} \left(\frac{h a^3}{10} + \frac{3 b e a^2}{10} \right) + x^{16} \left(\frac{e b^3}{16} + \frac{3 a h b^2}{16} \right) + \frac{a^3 c x^5}{5} + \frac{a^3 d x^6}{6} + \frac{a^3 e x^7}{7} + \frac{b^3 f x^{17}}{17} + \frac{b^3 g x^{18}}{18} + \frac{b^3 h x^{19}}{19} + \frac{3 a b x^{11} (b c + a f)}{11} + \frac{a b x^{12} (b d + a g)}{4} + \frac{3 a b x^{13} (b e + a h)}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x)`

[Out] $x^8 \left(\frac{(a^3f)}{8} + \frac{(3a^2b^2c)}{8} \right) + x^{14} \left(\frac{(b^3c)}{14} + \frac{(3a^2b^2f)}{14} \right) + x^9 \left(\frac{(a^3g)}{9} + \frac{(a^2b^2d)}{3} \right) + x^{15} \left(\frac{(b^3d)}{15} + \frac{(a^2b^2g)}{5} \right) + x^{10} \left(\frac{(a^3h)}{10} + \frac{(3a^2b^2e)}{10} \right) + x^{16} \left(\frac{(b^3e)}{16} + \frac{(3a^2b^2h)}{16} \right) + \frac{(a^3c x^5)}{5} + \frac{(a^3d x^6)}{6} + \frac{(a^3e x^7)}{7} + \frac{(b^3f x^{17})}{17} + \frac{(b^3g x^{18})}{18} + \frac{(b^3h x^{19})}{19} + \frac{(3a^2b^2 x^{11} (b^3c + a^3f))}{11} + \frac{(a^2b^2 x^{12} (b^3d + a^3g))}{4} + \frac{(3a^2b^2 x^{13} (b^3e + a^3h))}{13}$

sympy [A] time = 0.12, size = 246, normalized size = 1.10

$$\frac{a^3cx^5}{5} + \frac{a^3dx^6}{6} + \frac{a^3ex^7}{7} + \frac{b^3fx^{17}}{17} + \frac{b^3gx^{18}}{18} + \frac{b^3hx^{19}}{19} + x^{16}\left(\frac{3ab^2h}{16} + \frac{b^3e}{16}\right) + x^{15}\left(\frac{ab^2g}{5} + \frac{b^3d}{15}\right) + x^{14}\left(\frac{3ab^2f}{14} + \frac{b^3c}{14}\right) + x^{13}\left(\frac{3a^2bh}{13} + \frac{3ab^2e}{13}\right) + x^{12}\left(\frac{a^2bg}{4} + \frac{ab^2d}{4}\right) + x^{11}\left(\frac{3a^2bf}{11} + \frac{3ab^2c}{11}\right) + x^{10}\left(\frac{a^3h}{10} + \frac{3a^2be}{10}\right) + x^9\left(\frac{a^3g}{9} + \frac{a^2bd}{3}\right) + x^8\left(\frac{a^3f}{8} + \frac{3a^2bc}{8}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**3*c*x**5/5 + a**3*d*x**6/6 + a**3*e*x**7/7 + b**3*f*x**17/17 + b**3*g*x**18/18 + b**3*h*x**19/19 + x**16*(3*a*b**2*h/16 + b**3*e/16) + x**15*(a*b**2*g/5 + b**3*d/15) + x**14*(3*a*b**2*f/14 + b**3*c/14) + x**13*(3*a**2*b*h/13 + 3*a*b**2*e/13) + x**12*(a**2*b*g/4 + a*b**2*d/4) + x**11*(3*a**2*b*f/11 + 3*a*b**2*c/11) + x**10*(a**3*h/10 + 3*a**2*b*e/10) + x**9*(a**3*g/9 + a**2*b*d/3) + x**8*(a**3*f/8 + 3*a**2*b*c/8)

[Out] $(a^3*c*x^4)/4 + (a^3*d*x^5)/5 + (a^3*e*x^6)/6 + (a^2*(3*b*c + a*f)*x^7)/7 + (a^2*(3*b*d + a*g)*x^8)/8 + (a^2*(3*b*e + a*h)*x^9)/9 + (3*a*b*(b*c + a*f)*x^{10})/10 + (3*a*b*(b*d + a*g)*x^{11})/11 + (a*b*(b*e + a*h)*x^{12})/4 + (b^2*(b*c + 3*a*f)*x^{13})/13 + (b^2*(b*d + 3*a*g)*x^{14})/14 + (b^2*(b*e + 3*a*h)*x^{15})/15 + (b^3*f*x^{16})/16 + (b^3*g*x^{17})/17 + (b^3*h*x^{18})/18$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^3*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] IntegrateAlgebraic[x^3*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

fricas [A] time = 0.37, size = 229, normalized size = 1.03

$$\frac{1}{18}x^{18}hb^3 + \frac{1}{17}x^{17}gb^3 + \frac{1}{16}x^{16}fb^3 + \frac{1}{15}x^{15}eb^3 + \frac{1}{5}x^{15}hb^2a + \frac{1}{14}x^{14}db^3 + \frac{3}{14}x^{14}gb^2a + \frac{1}{13}x^{13}cb^3 + \frac{3}{13}x^{13}fb^2a + \frac{1}{4}x^{12}db^2a + \frac{1}{4}x^{12}hb^2a + \frac{3}{11}x^{11}db^2a + \frac{3}{11}x^{11}gb^2a + \frac{3}{10}x^{10}fb^2a + \frac{3}{10}x^{10}fb^2a + \frac{1}{3}x^9cb^2 + \frac{1}{9}x^9ha^3 + \frac{3}{8}x^8db^2a + \frac{1}{8}x^8ga^3 + \frac{3}{7}x^7cb^2a + \frac{1}{7}x^7fa^3 + \frac{1}{6}x^6ca^3 + \frac{1}{5}x^5da^3 + \frac{1}{4}x^4ca^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] $1/18*x^{18}*h*b^3 + 1/17*x^{17}*g*b^3 + 1/16*x^{16}*f*b^3 + 1/15*x^{15}*e*b^3 + 1/5*x^{15}*h*b^2*a + 1/14*x^{14}*d*b^3 + 3/14*x^{14}*g*b^2*a + 1/13*x^{13}*c*b^3 + 3/13*x^{13}*f*b^2*a + 1/4*x^{12}*e*b^2*a + 1/4*x^{12}*h*b*a^2 + 3/11*x^{11}*d*b^2*a + 3/11*x^{11}*g*b*a^2 + 3/10*x^{10}*c*b^2*a + 3/10*x^{10}*f*b*a^2 + 1/3*x^9*e*b*a^2 + 1/9*x^9*h*a^3 + 3/8*x^8*d*b*a^2 + 1/8*x^8*g*a^3 + 3/7*x^7*c*b*a^2 + 1/7*x^7*f*a^3 + 1/6*x^6*e*a^3 + 1/5*x^5*d*a^3 + 1/4*x^4*c*a^3$

giac [A] time = 0.17, size = 233, normalized size = 1.04

$$\frac{1}{18}b^3hx^{18} + \frac{1}{17}b^3gx^{17} + \frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{5}b^3hb^2x^{15} + \frac{1}{14}b^3dx^{14} + \frac{3}{14}b^3gx^{14} + \frac{1}{13}b^3cx^{13} + \frac{3}{13}b^3fx^{13} + \frac{1}{4}a^2hb^2x^{12} + \frac{1}{4}a^2hb^2x^{12} + \frac{3}{11}a^2db^2x^{11} + \frac{3}{11}a^2gb^2x^{11} + \frac{3}{10}a^2fb^2x^{10} + \frac{3}{10}a^2fb^2x^{10} + \frac{1}{3}a^2cb^2x^9 + \frac{1}{3}a^2cb^2x^9 + \frac{1}{9}a^2ha^3x^9 + \frac{1}{9}a^2ha^3x^9 + \frac{3}{8}a^2db^2x^8 + \frac{1}{8}a^2ga^3x^8 + \frac{3}{7}a^2cb^2x^7 + \frac{1}{7}a^2fb^2x^7 + \frac{1}{6}a^2ea^3x^6 + \frac{1}{5}a^2da^3x^5 + \frac{1}{4}a^2ca^3x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="giac")

[Out] $1/18*b^3*h*x^{18} + 1/17*b^3*g*x^{17} + 1/16*b^3*f*x^{16} + 1/5*a*b^2*h*x^{15} + 1/15*b^3*x^{15}*e + 1/14*b^3*d*x^{14} + 3/14*a*b^2*g*x^{14} + 1/13*b^3*c*x^{13} + 3/13*a*b^2*f*x^{13} + 1/4*a^2*b*h*x^{12} + 1/4*a*b^2*x^{12}*e + 3/11*a*b^2*d*x^{11} +$

$$3/11*a^2*b*g*x^{11} + 3/10*a*b^2*c*x^{10} + 3/10*a^2*b*f*x^{10} + 1/9*a^3*h*x^9 + 1/3*a^2*b*x^9*e + 3/8*a^2*b*d*x^8 + 1/8*a^3*g*x^8 + 3/7*a^2*b*c*x^7 + 1/7*a^3*f*x^7 + 1/6*a^3*x^6*e + 1/5*a^3*d*x^5 + 1/4*a^3*c*x^4$$

maple [A] time = 0.04, size = 224, normalized size = 1.00

$$\frac{b^3 h x^{18}}{18} + \frac{b^3 g x^{17}}{17} + \frac{b^3 f x^{16}}{16} + \frac{(3 a b^2 h + b^3 e) x^{15}}{15} + \frac{(3 a b^2 g + b^3 d) x^{14}}{14} + \frac{(3 a b^2 f + b^3 c) x^{13}}{13} + \frac{(3 a^2 b h + 3 a e b^2) x^{12}}{12} + \frac{(3 a^2 b g + 3 a b^2 d) x^{11}}{11} + \frac{a^3 e x^6}{6} + \frac{(3 a^2 b f + 3 a b^2 c) x^{10}}{10} + \frac{a^3 d x^5}{5} + \frac{(a^3 h + 3 a^2 b e) x^9}{9} + \frac{a^3 c x^4}{4} + \frac{(a^3 g + 3 a^2 d b) x^8}{8} + \frac{(a^3 f + 3 a^2 c b) x^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x)

[Out] 1/18*b^3*h*x^18+1/17*b^3*g*x^17+1/16*b^3*f*x^16+1/15*(3*a*b^2*h+b^3*e)*x^15+1/14*(3*a*b^2*g+b^3*d)*x^14+1/13*(3*a*b^2*f+b^3*c)*x^13+1/12*(3*a^2*b*h+3*a*b^2*e)*x^12+1/11*(3*a^2*b*g+3*a*b^2*d)*x^11+1/10*(3*a^2*b*f+3*a*b^2*c)*x^10+1/9*(a^3*h+3*a^2*b*e)*x^9+1/8*(a^3*g+3*a^2*b*d)*x^8+1/7*(a^3*f+3*a^2*b*c)*x^7+1/6*a^3*e*x^6+1/5*a^3*d*x^5+1/4*a^3*c*x^4

maxima [A] time = 1.37, size = 217, normalized size = 0.97

$$\frac{1}{18} b^3 h x^{18} + \frac{1}{17} b^3 g x^{17} + \frac{1}{16} b^3 f x^{16} + \frac{1}{15} (b^3 e + 3 a b^2 h) x^{15} + \frac{1}{14} (b^3 d + 3 a b^2 g) x^{14} + \frac{1}{13} (b^3 c + 3 a b^2 f) x^{13} + \frac{1}{12} (a^2 b h + 3 a b^2 e) x^{12} + \frac{1}{11} (a^2 b g + 3 a b^2 d) x^{11} + \frac{1}{10} (a^2 b f + 3 a b^2 c) x^{10} + \frac{1}{9} (a^3 h + 3 a^2 b e) x^9 + \frac{1}{8} (a^3 g + 3 a^2 b d) x^8 + \frac{1}{7} (a^3 f + 3 a^2 b c) x^7 + \frac{1}{6} a^3 e x^6 + \frac{1}{5} a^3 d x^5 + \frac{1}{4} a^3 c x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="maxima")

[Out] 1/18*b^3*h*x^18 + 1/17*b^3*g*x^17 + 1/16*b^3*f*x^16 + 1/15*(b^3*e + 3*a*b^2*h)*x^15 + 1/14*(b^3*d + 3*a*b^2*g)*x^14 + 1/13*(b^3*c + 3*a*b^2*f)*x^13 + 1/4*(a*b^2*e + a^2*b*h)*x^12 + 3/11*(a*b^2*d + a^2*b*g)*x^11 + 3/10*(a*b^2*c + a^2*b*f)*x^10 + 1/6*a^3*e*x^6 + 1/9*(3*a^2*b*e + a^3*h)*x^9 + 1/5*a^3*d*x^5 + 1/8*(3*a^2*b*d + a^3*g)*x^8 + 1/4*a^3*c*x^4 + 1/7*(3*a^2*b*c + a^3*f)*x^7

mupad [B] time = 5.16, size = 205, normalized size = 0.92

$$x^7 \left(\frac{f a^3}{7} + \frac{3 b c a^2}{7} \right) + x^{13} \left(\frac{c b^3}{13} + \frac{3 a f b^2}{13} \right) + x^8 \left(\frac{g a^3}{8} + \frac{3 b d a^2}{8} \right) + x^{14} \left(\frac{d b^3}{14} + \frac{3 a g b^2}{14} \right) + x^9 \left(\frac{h a^3}{9} + \frac{b e a^2}{3} \right) + x^{15} \left(\frac{e b^3}{15} + \frac{a h b^2}{5} \right) + \frac{a^3 c x^4}{4} + \frac{a^3 d x^5}{5} + \frac{a^3 e x^6}{6} + \frac{b^3 f x^{16}}{16} + \frac{b^3 g x^{17}}{17} + \frac{b^3 h x^{18}}{18} + \frac{3 a b x^{10} (b c + a f)}{10} + \frac{3 a b x^{11} (b d + a g)}{11} + \frac{a b x^{12} (b e + a h)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x)

[Out] x^7*((a^3*f)/7 + (3*a^2*b*c)/7) + x^13*((b^3*c)/13 + (3*a*b^2*f)/13) + x^8*((a^3*g)/8 + (3*a^2*b*d)/8) + x^14*((b^3*d)/14 + (3*a*b^2*g)/14) + x^9*((a^3*h)/9 + (a^2*b*e)/3) + x^15*((b^3*e)/15 + (a*b^2*h)/5) + (a^3*c*x^4)/4 + (a^3*d*x^5)/5 + (a^3*e*x^6)/6 + (b^3*f*x^16)/16 + (b^3*g*x^17)/17 + (b^3*h*x^18)/18 + (3*a*b*x^10*(b*c + a*f))/10 + (3*a*b*x^11*(b*d + a*g))/11 + (a*b*x^12*(b*e + a*h))/4

sympy [A] time = 0.12, size = 246, normalized size = 1.10

$$\frac{a^3cx^4}{4} + \frac{a^3dx^5}{5} + \frac{a^2ex^6}{6} + \frac{b^3fx^{16}}{16} + \frac{b^3gx^{17}}{17} + \frac{b^3hx^{18}}{18} + x^{15}\left(\frac{ab^2h}{5} + \frac{b^3c}{15}\right) + x^{14}\left(\frac{3ab^2g}{14} + \frac{b^3d}{14}\right) + x^{13}\left(\frac{3ab^2f}{13} + \frac{b^3c}{13}\right) + x^{12}\left(\frac{a^2bh}{4} + \frac{ab^2c}{4}\right) + x^{11}\left(\frac{3a^2bg}{11} + \frac{3ab^2d}{11}\right) + x^{10}\left(\frac{3a^2bf}{10} + \frac{3ab^2c}{10}\right) + x^9\left(\frac{a^3h}{9} + \frac{a^2bc}{3}\right) + x^8\left(\frac{a^3g}{8} + \frac{3a^2bd}{8}\right) + x^7\left(\frac{a^3f}{7} + \frac{3a^2bc}{7}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**3*c*x**4/4 + a**3*d*x**5/5 + a**3*e*x**6/6 + b**3*f*x**16/16 + b**3*g*x**17/17 + b**3*h*x**18/18 + x**15*(a*b**2*h/5 + b**3*e/15) + x**14*(3*a*b**2*g/14 + b**3*d/14) + x**13*(3*a*b**2*f/13 + b**3*c/13) + x**12*(a**2*b*h/4 + a*b**2*e/4) + x**11*(3*a**2*b*g/11 + 3*a*b**2*d/11) + x**10*(3*a**2*b*f/10 + 3*a*b**2*c/10) + x**9*(a**3*h/9 + a**2*b*e/3) + x**8*(a**3*g/8 + 3*a**2*b*d/8) + x**7*(a**3*f/7 + 3*a**2*b*c/7)

$$3.342 \quad \int x^2 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=212

$$\frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{1}{6}a^3fx^6 + \frac{1}{7}a^2x^7(ag+3bd) + \frac{1}{8}a^2x^8(ah+3be) + \frac{1}{3}a^2bfx^9 + \frac{1}{13}b^2x^{13}(3ag+bd) + \frac{1}{14}b^2x^{14}(3ah+be) + \frac{1}{4}a$$

Rubi [A] time = 0.18, antiderivative size = 212, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1582, 1850}

$$\frac{1}{7}a^2x^7(ag+3bd) + \frac{1}{8}a^2x^8(ah+3be) + \frac{1}{3}a^2bfx^9 + \frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{1}{6}a^3fx^6 + \frac{1}{13}b^2x^{13}(3ag+bd) + \frac{1}{14}b^2x^{14}(3ah+be) + \frac{1}{4}ab^2fx^{12} + \frac{c(a+bx^3)^4}{12b} - \frac{3}{10}abx^{10}(ag+bd) + \frac{3}{11}abx^{11}(ah+be) + \frac{1}{15}b^3fx^{15} + \frac{1}{16}b^3gx^{16} + \frac{1}{17}b^3hx^{17}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a^3*d*x^4)/4 + (a^3*e*x^5)/5 + (a^3*f*x^6)/6 + (a^2*(3*b*d + a*g)*x^7)/7 + (a^2*(3*b*e + a*h)*x^8)/8 + (a^2*b*f*x^9)/3 + (3*a*b*(b*d + a*g)*x^10)/10 + (3*a*b*(b*e + a*h)*x^11)/11 + (a*b^2*f*x^12)/4 + (b^2*(b*d + 3*a*g)*x^13)/13 + (b^2*(b*e + 3*a*h)*x^14)/14 + (b^3*f*x^15)/15 + (b^3*g*x^16)/16 + (b^3*h*x^17)/17 + (c*(a + b*x^3)^4)/(12*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_.))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int x^2 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{c(a + bx^3)^4}{12b} + \int (a + bx^3)^3 (-cx^2 + x^2(c + dx + ex^2 + \\
&= \frac{c(a + bx^3)^4}{12b} + \int (a^3 dx^3 + a^3 ex^4 + a^3 fx^5 + a^2(3bd + ag)x^6 + \\
&= \frac{1}{4}a^3 dx^4 + \frac{1}{5}a^3 ex^5 + \frac{1}{6}a^3 fx^6 + \frac{1}{7}a^2(3bd + ag)x^7 + \frac{1}{8}a^2(
\end{aligned}$$

Mathematica [A] time = 0.06, size = 223, normalized size = 1.05

$$\frac{1}{3}a^3cx^3 + \frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{1}{6}a^2x^6(af + 3bc) + \frac{1}{7}a^2x^7(ag + 3bd) + \frac{1}{8}a^2x^8(ah + 3bc) + \frac{1}{12}b^2x^{12}(3af + bc) + \frac{1}{13}b^2x^{13}(3ag + bd) + \frac{1}{14}b^2x^{14}(3ah + bc) + \frac{1}{3}abx^9(af + bc) + \frac{3}{10}abx^{10}(ag + bd) + \frac{3}{11}abx^{11}(ah + bc) + \frac{1}{15}b^3fx^{15} + \frac{1}{16}b^3gx^{16} + \frac{1}{17}b^3hx^{17}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a^3*c*x^3)/3 + (a^3*d*x^4)/4 + (a^3*e*x^5)/5 + (a^2*(3*b*c + a*f)*x^6)/6 + (a^2*(3*b*d + a*g)*x^7)/7 + (a^2*(3*b*e + a*h)*x^8)/8 + (a*b*(b*c + a*f)*x^9)/3 + (3*a*b*(b*d + a*g)*x^10)/10 + (3*a*b*(b*e + a*h)*x^11)/11 + (b^2*(b*c + 3*a*f)*x^12)/12 + (b^2*(b*d + 3*a*g)*x^13)/13 + (b^2*(b*e + 3*a*h)*x^14)/14 + (b^3*f*x^15)/15 + (b^3*g*x^16)/16 + (b^3*h*x^17)/17

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^2*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] IntegrateAlgebraic[x^2*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

fricas [A] time = 0.38, size = 229, normalized size = 1.08

$$\frac{1}{17}x^{17}hb^3 + \frac{1}{16}x^{16}gb^3 + \frac{1}{15}x^{15}fb^3 + \frac{1}{14}x^{14}eb^3 + \frac{3}{14}x^{14}hb^2a + \frac{1}{13}x^{13}db^3 + \frac{3}{13}x^{13}gb^2a + \frac{1}{12}x^{12}cb^3 + \frac{1}{4}x^{12}fb^2a + \frac{3}{11}x^{11}eb^2a + \frac{3}{11}x^{11}hb^2a + \frac{3}{10}x^{10}db^2a + \frac{3}{10}x^{10}gb^2a + \frac{1}{3}x^9cb^2a + \frac{1}{3}x^9fb^2a + \frac{3}{8}x^8eb^2a + \frac{1}{8}x^8hb^2a + \frac{3}{7}x^7db^2a + \frac{1}{7}x^7ga^3 + \frac{1}{2}x^6cb^2a + \frac{1}{6}x^6fa^3 + \frac{1}{5}x^5ea^3 + \frac{1}{4}x^4da^3 + \frac{1}{3}x^3ca^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] $1/17*x^{17}*h*b^3 + 1/16*x^{16}*g*b^3 + 1/15*x^{15}*f*b^3 + 1/14*x^{14}*e*b^3 + 3/14*x^{14}*h*b^2*a + 1/13*x^{13}*d*b^3 + 3/13*x^{13}*g*b^2*a + 1/12*x^{12}*c*b^3 + 1/4*x^{12}*f*b^2*a + 3/11*x^{11}*e*b^2*a + 3/11*x^{11}*h*b*a^2 + 3/10*x^{10}*d*b^2*a + 3/10*x^{10}*g*b*a^2 + 1/3*x^9*c*b^2*a + 1/3*x^9*f*b*a^2 + 3/8*x^8*e*b*a^2 + 1/8*x^8*h*a^3 + 3/7*x^7*d*b*a^2 + 1/7*x^7*g*a^3 + 1/2*x^6*c*b*a^2 + 1/6*x^6*f*a^3 + 1/5*x^5*e*a^3 + 1/4*x^4*d*a^3 + 1/3*x^3*c*a^3$

giac [A] time = 0.18, size = 233, normalized size = 1.10

$$\frac{1}{17}b^3hx^{17} + \frac{1}{16}b^3gx^{16} + \frac{1}{15}b^3fx^{15} + \frac{3}{14}ab^2hx^{14} + \frac{1}{14}b^3x^{14}e + \frac{1}{13}b^3dx^{13} + \frac{3}{13}ab^2gx^{13} + \frac{1}{12}b^3cx^{12} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}a^2b^2hx^{11} + \frac{3}{11}ab^2x^{11}e + \frac{3}{10}ab^2dx^{10} + \frac{3}{10}a^2b^2gx^{10} + \frac{1}{3}ab^2cx^9 + \frac{1}{3}a^2b^2fx^9 + \frac{1}{8}a^3hx^8 + \frac{3}{8}a^2bx^8e + \frac{3}{7}a^2bdx^7 + \frac{1}{7}a^3gx^7 + \frac{1}{2}a^2bcx^6 + \frac{1}{6}a^3fx^6 + \frac{1}{5}a^3x^6e + \frac{1}{4}a^3dx^4 + \frac{1}{3}a^3cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^2*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)$, x, algorithm="giac")

[Out] $1/17*b^3*h*x^{17} + 1/16*b^3*g*x^{16} + 1/15*b^3*f*x^{15} + 3/14*a*b^2*h*x^{14} + 1/14*b^3*x^{14}*e + 1/13*b^3*d*x^{13} + 3/13*a*b^2*g*x^{13} + 1/12*b^3*c*x^{12} + 1/4*a*b^2*f*x^{12} + 3/11*a^2*b*h*x^{11} + 3/11*a*b^2*x^{11}*e + 3/10*a*b^2*d*x^{10} + 3/10*a^2*b*g*x^{10} + 1/3*a*b^2*c*x^9 + 1/3*a^2*b*f*x^9 + 1/8*a^3*h*x^8 + 3/8*a^2*b*x^8*e + 3/7*a^2*b*d*x^7 + 1/7*a^3*g*x^7 + 1/2*a^2*b*c*x^6 + 1/6*a^3*f*x^6 + 1/5*a^3*x^5*e + 1/4*a^3*d*x^4 + 1/3*a^3*c*x^3$

maple [A] time = 0.05, size = 224, normalized size = 1.06

$$\frac{b^3hx^{17}}{17} + \frac{b^3gx^{16}}{16} + \frac{b^3fx^{15}}{15} + \frac{(3ab^2h+b^3c)x^{14}}{14} + \frac{(3ab^2g+b^3d)x^{13}}{13} + \frac{(3ab^2f+b^3e)x^{12}}{12} + \frac{(3a^2bh+3ab^2c)x^{11}}{11} + \frac{(3a^2bg+3a^2bd)x^{10}}{10} + \frac{a^3ex^9}{5} + \frac{(3a^2bf+3a^2bc)x^9}{9} + \frac{a^3dx^8}{4} + \frac{(a^3h+3a^2be)x^8}{8} + \frac{a^3cx^7}{3} + \frac{(a^3g+3a^2db)x^7}{7} + \frac{(a^3f+3a^2cb)x^6}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int($x^2*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)$, x)

[Out] $1/17*b^3*h*x^{17}+1/16*b^3*g*x^{16}+1/15*b^3*f*x^{15}+1/14*(3*a*b^2*h+b^3*c)*x^{14} + 1/13*(3*a*b^2*g+b^3*d)*x^{13}+1/12*(3*a*b^2*f+b^3*e)*x^{12}+1/11*(3*a^2*b*h+3*a*b^2*e)*x^{11}+1/10*(3*a^2*b*g+3*a*b^2*d)*x^{10}+1/9*(3*a^2*b*f+3*a*b^2*c)*x^9 + 1/8*(a^3*h+3*a^2*b*e)*x^8+1/7*(a^3*g+3*a^2*b*d)*x^7+1/6*(a^3*f+3*a^2*b*c)*x^6+1/5*a^3*e*x^5+1/4*a^3*d*x^4+1/3*a^3*c*x^3$

maxima [A] time = 1.36, size = 217, normalized size = 1.02

$$\frac{1}{17}b^3hx^{17} + \frac{1}{16}b^3gx^{16} + \frac{1}{15}b^3fx^{15} + \frac{1}{14}(b^3e+3ab^2h)x^{14} + \frac{1}{13}(b^3d+3ab^2g)x^{13} + \frac{1}{12}(b^3c+3ab^2f)x^{12} + \frac{3}{11}(ab^2e+a^2bh)x^{11} + \frac{3}{10}(ab^2d+a^2bg)x^{10} + \frac{1}{3}(ab^2c+a^2bf)x^9 + \frac{1}{5}a^3ex^8 + \frac{1}{8}(3a^2be+a^3h)x^8 + \frac{1}{4}a^3dx^7 + \frac{1}{7}(3a^2bd+a^3g)x^7 + \frac{1}{3}a^3cx^6 + \frac{1}{6}(3a^2bc+a^3f)x^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^2*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)$, x, algorithm="maxima")

[Out] $1/17*b^3*h*x^{17} + 1/16*b^3*g*x^{16} + 1/15*b^3*f*x^{15} + 1/14*(b^3*e + 3*a*b^2*h)*x^{14} + 1/13*(b^3*d + 3*a*b^2*g)*x^{13} + 1/12*(b^3*c + 3*a*b^2*f)*x^{12} +$

$$\frac{3}{11}(a^2b^2e + a^2b^2h)x^{11} + \frac{3}{10}(a^2b^2d + a^2b^2g)x^{10} + \frac{1}{3}(a^2b^2c + a^2b^2f)x^9 + \frac{1}{5}a^3ex^5 + \frac{1}{8}(3a^2b^2e + a^3h)x^8 + \frac{1}{4}a^3dx^4 + \frac{1}{7}(3a^2b^2d + a^3g)x^7 + \frac{1}{3}a^3cx^3 + \frac{1}{6}(3a^2b^2c + a^3f)x^6$$

mupad [B] time = 0.16, size = 205, normalized size = 0.97

$$x^6 \left(\frac{fa^3}{6} + \frac{bcad^2}{2} \right) + x^{12} \left(\frac{cb^3}{12} + \frac{afb^2}{4} \right) + x^7 \left(\frac{ga^3}{7} + \frac{3bdd^2}{7} \right) + x^{13} \left(\frac{db^3}{13} + \frac{3agb^2}{13} \right) + x^8 \left(\frac{ha^3}{8} + \frac{3bead^2}{8} \right) + x^{14} \left(\frac{cb^3}{14} + \frac{3ahb^2}{14} \right) + \frac{a^3cx^3}{3} + \frac{a^3dx^4}{4} + \frac{a^3ex^5}{5} + \frac{b^3fx^{15}}{15} + \frac{b^3gx^{16}}{16} + \frac{b^3hx^{17}}{17} + \frac{abx^9(bc+af)}{3} + \frac{3abx^{10}(bd+ag)}{10} + \frac{3abx^{11}(be+ah)}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x)

[Out] x^6*((a^3f)/6 + (a^2b^2c)/2) + x^12*((b^3c)/12 + (a*b^2f)/4) + x^7*((a^3g)/7 + (3a^2b^2d)/7) + x^13*((b^3d)/13 + (3a*b^2g)/13) + x^8*((a^3h)/8 + (3a^2b^2e)/8) + x^14*((b^3e)/14 + (3a*b^2h)/14) + (a^3c*x^3)/3 + (a^3d*x^4)/4 + (a^3e*x^5)/5 + (b^3f*x^15)/15 + (b^3g*x^16)/16 + (b^3h*x^17)/17 + (a*b*x^9*(b*c + a*f))/3 + (3a*b*x^10*(b*d + a*g))/10 + (3a*b*x^11*(b*e + a*h))/11

sympy [A] time = 0.12, size = 246, normalized size = 1.16

$$\frac{a^3cx^3}{3} + \frac{a^3dx^4}{4} + \frac{a^3ex^5}{5} + \frac{b^3fx^{15}}{15} + \frac{b^3gx^{16}}{16} + \frac{b^3hx^{17}}{17} + x^{14} \left(\frac{3ab^2h}{14} + \frac{b^3e}{14} \right) + x^{13} \left(\frac{3ab^2g}{13} + \frac{b^3d}{13} \right) + x^{12} \left(\frac{ab^2f}{4} + \frac{b^3c}{12} \right) + x^{11} \left(\frac{3a^2bh}{11} + \frac{3ab^2e}{11} \right) + x^{10} \left(\frac{3a^2bg}{10} + \frac{3ab^2d}{10} \right) + x^9 \left(\frac{a^2bf}{3} + \frac{ab^2c}{3} \right) + x^8 \left(\frac{a^3h}{8} + \frac{3a^2be}{8} \right) + x^7 \left(\frac{a^3g}{7} + \frac{3a^2bd}{7} \right) + x^6 \left(\frac{a^3f}{6} + \frac{a^2bc}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c), x)

[Out] a**3*c*x**3/3 + a**3*d*x**4/4 + a**3*e*x**5/5 + b**3*f*x**15/15 + b**3*g*x**16/16 + b**3*h*x**17/17 + x**14*(3*a*b**2*h/14 + b**3*e/14) + x**13*(3*a*b**2*g/13 + b**3*d/13) + x**12*(a*b**2*f/4 + b**3*c/12) + x**11*(3*a**2*b*h/11 + 3*a*b**2*e/11) + x**10*(3*a**2*b*g/10 + 3*a*b**2*d/10) + x**9*(a**2*b*f/3 + a*b**2*c/3) + x**8*(a**3*h/8 + 3*a**2*b*e/8) + x**7*(a**3*g/7 + 3*a**2*b*d/7) + x**6*(a**3*f/6 + a**2*b*c/2)

$$3.343 \quad \int x (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=212

$$\frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{1}{6}a^3gx^6 + \frac{1}{5}a^2x^5(af+3bc) + \frac{1}{7}a^2x^7(ah+3be) + \frac{1}{3}a^2bgx^9 + \frac{1}{11}b^2x^{11}(3af+bc) + \frac{1}{13}b^2x^{13}(3ah+be) + \frac{1}{4}ab^2x^{15} + \frac{1}{16}b^3hx^{16}$$

Rubi [A] time = 0.18, antiderivative size = 212, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$, Rules used = {1582, 1850}

$$\frac{1}{5}a^2x^5(af+3bc) + \frac{1}{7}a^2x^7(ah+3be) + \frac{1}{3}a^2bgx^9 + \frac{1}{11}b^2x^{11}(3af+bc) + \frac{1}{13}b^2x^{13}(3ah+be) + \frac{1}{4}ab^2gx^{12} + \frac{3}{8}abx^8(af+bc) + \frac{d(a+bx^3)^4}{12b} + \frac{3}{10}abx^{10}(ah+be) + \frac{1}{14}b^3fx^{14} + \frac{1}{15}b^3gx^{15} + \frac{1}{16}b^3hx^{16}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (a^3*c*x^2)/2 + (a^3*e*x^4)/4 + (a^2*(3*b*c + a*f)*x^5)/5 + (a^3*g*x^6)/6 + (a^2*(3*b*e + a*h)*x^7)/7 + (3*a*b*(b*c + a*f)*x^8)/8 + (a^2*b*g*x^9)/3 + (3*a*b*(b*e + a*h)*x^10)/10 + (b^2*(b*c + 3*a*f)*x^11)/11 + (a*b^2*g*x^12)/4 + (b^2*(b*e + 3*a*h)*x^13)/13 + (b^3*f*x^14)/14 + (b^3*g*x^15)/15 + (b^3*h*x^16)/16 + (d*(a + b*x^3)^4)/(12*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_.))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int x(a + bx^3)^3(c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{d(a + bx^3)^4}{12b} + \int (a + bx^3)^3(-dx^2 + x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)) dx \\
&= \frac{d(a + bx^3)^4}{12b} + \int (a^3cx + a^3ex^3 + a^2(3bc + af)x^4 + a^3gx^5 + a^2hx^6) dx \\
&= \frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{1}{5}a^2(3bc + af)x^5 + \frac{1}{6}a^3gx^6 + \frac{1}{7}a^2hx^7
\end{aligned}$$

Mathematica [A] time = 0.04, size = 223, normalized size = 1.05

$$\frac{1}{2}a^3cx^2 + \frac{1}{3}a^3dx^3 + \frac{1}{4}a^3ex^4 + \frac{1}{5}a^2x^5(af + 3bc) + \frac{1}{6}a^2x^6(ag + 3bd) + \frac{1}{7}a^2x^7(ah + 3be) + \frac{1}{11}b^2x^{11}(3af + bc) + \frac{1}{12}b^2x^{12}(3ag + bd) + \frac{1}{13}b^2x^{13}(3ah + be) + \frac{3}{8}abx^8(af + bc) + \frac{1}{3}abx^9(ag + bd) + \frac{3}{10}abx^{10}(ah + be) + \frac{1}{14}b^3fx^{14} + \frac{1}{15}b^3gx^{15} + \frac{1}{16}b^3hx^{16}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a^3*c*x^2)/2 + (a^3*d*x^3)/3 + (a^3*e*x^4)/4 + (a^2*(3*b*c + a*f)*x^5)/5 + (a^2*(3*b*d + a*g)*x^6)/6 + (a^2*(3*b*e + a*h)*x^7)/7 + (3*a*b*(b*c + a*f)*x^8)/8 + (a*b*(b*d + a*g)*x^9)/3 + (3*a*b*(b*e + a*h)*x^10)/10 + (b^2*(b*c + 3*a*f)*x^11)/11 + (b^2*(b*d + 3*a*g)*x^12)/12 + (b^2*(b*e + 3*a*h)*x^13)/13 + (b^3*f*x^14)/14 + (b^3*g*x^15)/15 + (b^3*h*x^16)/16

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x(a + bx^3)^3(c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] IntegrateAlgebraic[x*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

fricas [A] time = 0.36, size = 229, normalized size = 1.08

$$\frac{1}{16}x^{16}hb^3 + \frac{1}{15}x^{15}gb^3 + \frac{1}{14}x^{14}fb^3 + \frac{1}{13}x^{13}cb^3 + \frac{3}{13}x^{13}hb^2a + \frac{1}{12}x^{12}db^3 + \frac{1}{4}x^{12}gb^2a + \frac{1}{11}x^{11}fb^2a + \frac{3}{10}x^{10}cb^2a + \frac{3}{10}x^{10}hb^2a + \frac{1}{3}x^9db^2a + \frac{1}{3}x^9gb^2a + \frac{3}{8}x^8fb^2a + \frac{3}{8}x^8cb^2a + \frac{3}{8}x^8fb^2a + \frac{3}{7}x^7cb^2a + \frac{1}{2}x^7hb^3 + \frac{1}{2}x^6db^2a + \frac{1}{6}x^6gb^2a + \frac{3}{5}x^5cb^2a + \frac{1}{5}x^5fb^3 + \frac{1}{4}x^4ca^3 + \frac{1}{3}x^3da^3 + \frac{1}{2}x^2ca^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] $1/16*x^{16}*h*b^3 + 1/15*x^{15}*g*b^3 + 1/14*x^{14}*f*b^3 + 1/13*x^{13}*e*b^3 + 3/13*x^{13}*h*b^2*a + 1/12*x^{12}*d*b^3 + 1/4*x^{12}*g*b^2*a + 1/11*x^{11}*c*b^3 + 3/11*x^{11}*f*b^2*a + 3/10*x^{10}*e*b^2*a + 3/10*x^{10}*h*b*a^2 + 1/3*x^9*d*b^2*a + 1/3*x^9*g*b*a^2 + 3/8*x^8*c*b^2*a + 3/8*x^8*f*b*a^2 + 3/7*x^7*e*b*a^2 + 1/7*x^7*h*a^3 + 1/2*x^6*d*b*a^2 + 1/6*x^6*g*a^3 + 3/5*x^5*c*b*a^2 + 1/5*x^5*f*a^3 + 1/4*x^4*e*a^3 + 1/3*x^3*d*a^3 + 1/2*x^2*c*a^3$

giac [A] time = 0.17, size = 233, normalized size = 1.10

$$\frac{1}{16}b^3hx^{16} + \frac{1}{15}b^3gx^{15} + \frac{1}{14}b^3fx^{14} + \frac{3}{13}ab^2hx^{13} + \frac{1}{13}b^3x^{13}e + \frac{1}{12}b^3dx^{12} + \frac{1}{4}ab^2gx^{12} + \frac{1}{11}b^3cx^{11} + \frac{3}{11}ab^2fx^{11} + \frac{3}{10}a^2bhx^{10} + \frac{3}{10}ab^2x^{10}e + \frac{1}{3}ab^2dx^9 + \frac{1}{3}a^2bgx^9 + \frac{3}{8}ab^2cx^8 + \frac{3}{8}a^2bfx^8 + \frac{1}{7}a^3hx^7 + \frac{3}{7}a^2bx^7e + \frac{1}{2}a^2bdx^6 + \frac{1}{6}a^3gx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{5}a^3fx^5 + \frac{1}{4}a^3x^4e + \frac{1}{3}a^3dx^3 + \frac{1}{2}a^3cx^2 + \frac{1}{2}a^3ex$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] $1/16*b^3*h*x^{16} + 1/15*b^3*g*x^{15} + 1/14*b^3*f*x^{14} + 3/13*a*b^2*h*x^{13} + 1/13*b^3*x^{13}*e + 1/12*b^3*d*x^{12} + 1/4*a*b^2*g*x^{12} + 1/11*b^3*c*x^{11} + 3/11*a*b^2*f*x^{11} + 3/10*a^2*b*h*x^{10} + 3/10*a*b^2*x^{10}*e + 1/3*a*b^2*d*x^9 + 1/3*a^2*b*g*x^9 + 3/8*a*b^2*c*x^8 + 3/8*a^2*b*f*x^8 + 1/7*a^3*h*x^7 + 3/7*a^2*b*x^7*e + 1/2*a^2*b*d*x^6 + 1/6*a^3*g*x^6 + 3/5*a^2*b*c*x^5 + 1/5*a^3*f*x^5 + 1/4*a^3*x^4*e + 1/3*a^3*d*x^3 + 1/2*a^3*c*x^2$

maple [A] time = 0.04, size = 224, normalized size = 1.06

$$\frac{b^3hx^{16}}{16} + \frac{b^3gx^{15}}{15} + \frac{b^3fx^{14}}{14} + \frac{(3ab^2h+b^3c)x^{13}}{13} + \frac{(3ab^2g+b^3d)x^{12}}{12} + \frac{(3ab^2f+b^3e)x^{11}}{11} + \frac{(3a^2bh+3ab^2c)x^{10}}{10} + \frac{(3a^2bg+3ab^2d)x^9}{9} + \frac{a^3cx^8}{4} + \frac{(3a^2bf+3ab^2c)x^8}{8} + \frac{a^3dx^7}{3} + \frac{(a^3h+3a^2be)x^7}{7} + \frac{a^3cx^6}{2} + \frac{(a^3g+3a^2db)x^6}{6} + \frac{(a^3f+3a^2cb)x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] $1/16*b^3*h*x^{16} + 1/15*b^3*g*x^{15} + 1/14*b^3*f*x^{14} + 1/13*(3*a*b^2*h + b^3*e)*x^{13} + 1/12*(3*a*b^2*g + b^3*d)*x^{12} + 1/11*(3*a*b^2*f + b^3*c)*x^{11} + 1/10*(3*a^2*b*h + 3*a*b^2*e)*x^{10} + 1/9*(3*a^2*b*g + 3*a*b^2*d)*x^9 + 1/8*(3*a^2*b*f + 3*a*b^2*c)*x^8 + 1/7*(a^3*h + 3*a^2*b*e)*x^7 + 1/6*(a^3*g + 3*a^2*b*d)*x^6 + 1/5*(a^3*f + 3*a^2*b*c)*x^5 + 1/4*a^3*e*x^4 + 1/3*a^3*d*x^3 + 1/2*a^3*c*x^2$

maxima [A] time = 1.35, size = 217, normalized size = 1.02

$$\frac{1}{16}b^3hx^{16} + \frac{1}{15}b^3gx^{15} + \frac{1}{14}b^3fx^{14} + \frac{1}{13}(b^3e + 3ab^2h)x^{13} + \frac{1}{12}(b^3d + 3ab^2g)x^{12} + \frac{1}{11}(b^3c + 3ab^2f)x^{11} + \frac{3}{10}(ab^2e + a^2bh)x^{10} + \frac{1}{3}(ab^2d + a^2bg)x^9 + \frac{3}{8}(ab^2c + a^2bf)x^8 + \frac{1}{4}a^3cx^7 + \frac{1}{7}(3a^2be + a^3h)x^7 + \frac{1}{3}a^3dx^6 + \frac{1}{6}(3a^2bd + a^3g)x^6 + \frac{1}{2}a^3cx^5 + \frac{1}{5}(3a^2bc + a^3f)x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] $1/16*b^3*h*x^{16} + 1/15*b^3*g*x^{15} + 1/14*b^3*f*x^{14} + 1/13*(b^3*e + 3*a*b^2*h)*x^{13} + 1/12*(b^3*d + 3*a*b^2*g)*x^{12} + 1/11*(b^3*c + 3*a*b^2*f)*x^{11} +$

$$\begin{aligned} & 3/10*(a*b^2*e + a^2*b*h)*x^{10} + 1/3*(a*b^2*d + a^2*b*g)*x^9 + 3/8*(a*b^2*c \\ & + a^2*b*f)*x^8 + 1/4*a^3*e*x^4 + 1/7*(3*a^2*b*e + a^3*h)*x^7 + 1/3*a^3*d*x^3 \\ & + 1/6*(3*a^2*b*d + a^3*g)*x^6 + 1/2*a^3*c*x^2 + 1/5*(3*a^2*b*c + a^3*f)*x^5 \end{aligned}$$

mupad [B] time = 0.16, size = 205, normalized size = 0.97

$$x^5 \left(\frac{fa^3}{5} + \frac{3bca^2}{5} \right) + x^{11} \left(\frac{cb^3}{11} + \frac{3afb^2}{11} \right) + x^6 \left(\frac{ga^3}{6} + \frac{bd^2}{2} \right) + x^{12} \left(\frac{db^3}{12} + \frac{agb^2}{4} \right) + x^7 \left(\frac{ha^3}{7} + \frac{3bea^2}{7} \right) + x^{13} \left(\frac{eb^3}{13} + \frac{3ahb^2}{13} \right) + \frac{a^3cx^2}{2} + \frac{a^3dx^3}{3} + \frac{a^3ex^4}{4} + \frac{b^3fx^{14}}{14} + \frac{b^3gx^{15}}{15} + \frac{b^3hx^{16}}{16} + \frac{3abx^8(bc+af)}{8} + \frac{abx^9(bd+ag)}{3} + \frac{3abx^{10}(bc+ah)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x)`

[Out] $x^5*((a^3f)/5 + (3*a^2*b*c)/5) + x^{11}*((b^3c)/11 + (3*a*b^2*f)/11) + x^6*((a^3g)/6 + (a^2*b*d)/2) + x^{12}*((b^3d)/12 + (a*b^2*g)/4) + x^7*((a^3h)/7 + (3*a^2*b*e)/7) + x^{13}*((b^3e)/13 + (3*a*b^2*h)/13) + (a^3*c*x^2)/2 + (a^3*d*x^3)/3 + (a^3*e*x^4)/4 + (b^3*f*x^{14})/14 + (b^3*g*x^{15})/15 + (b^3*h*x^{16})/16 + (3*a*b*x^8*(b*c + a*f))/8 + (a*b*x^9*(b*d + a*g))/3 + (3*a*b*x^{10}*(b*e + a*h))/10$

sympy [A] time = 0.11, size = 246, normalized size = 1.16

$$\frac{a^3c^2}{2} + \frac{a^3dx^3}{3} + \frac{a^3ex^4}{4} + \frac{b^3fx^{14}}{14} + \frac{b^3gx^{15}}{15} + \frac{b^3hx^{16}}{16} + x^{13} \left(\frac{3ab^2h}{13} + \frac{b^3e}{13} \right) + x^{12} \left(\frac{ab^2g}{4} + \frac{b^3d}{12} \right) + x^{11} \left(\frac{3ab^2f}{11} + \frac{b^3c}{11} \right) + x^{10} \left(\frac{3a^2bh}{10} + \frac{3ab^2e}{10} \right) + x^9 \left(\frac{a^2bg}{3} + \frac{ab^2d}{3} \right) + x^8 \left(\frac{3a^2bf}{8} + \frac{3ab^2c}{8} \right) + x^7 \left(\frac{a^3h}{7} + \frac{3a^2be}{7} \right) + x^6 \left(\frac{a^3g}{6} + \frac{a^2bd}{2} \right) + x^5 \left(\frac{a^3f}{5} + \frac{3a^2bc}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c), x)`

[Out] $a**3*c*x**2/2 + a**3*d*x**3/3 + a**3*e*x**4/4 + b**3*f*x**14/14 + b**3*g*x**15/15 + b**3*h*x**16/16 + x**13*(3*a*b**2*h/13 + b**3*e/13) + x**12*(a*b**2*g/4 + b**3*d/12) + x**11*(3*a*b**2*f/11 + b**3*c/11) + x**10*(3*a**2*b*h/10 + 3*a*b**2*e/10) + x**9*(a**2*b*g/3 + a*b**2*d/3) + x**8*(3*a**2*b*f/8 + 3*a*b**2*c/8) + x**7*(a**3*h/7 + 3*a**2*b*e/7) + x**6*(a**3*g/6 + a**2*b*d/2) + x**5*(a**3*f/5 + 3*a**2*b*c/5)$

$$3.344 \quad \int (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=207

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{6}a^3hx^6 + \frac{1}{4}a^2x^4(af+3bc) + \frac{1}{5}a^2x^5(ag+3bd) + \frac{1}{3}a^2bhx^9 + \frac{1}{10}b^2x^{10}(3af+bc) + \frac{1}{11}b^2x^{11}(3ag+bd) + \frac{1}{4}ab^2x^{12} + \frac{1}{15}b^3fx^{13} + \frac{1}{14}b^3gx^{14} + \frac{1}{15}b^3hx^{15}$$

Rubi [A] time = 0.18, antiderivative size = 207, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {1582, 1850}

$$\frac{1}{4}a^2x^4(af+3bc) + \frac{1}{5}a^2x^5(ag+3bd) + \frac{1}{3}a^2bhx^9 + a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{6}a^3hx^6 + \frac{1}{10}b^2x^{10}(3af+bc) + \frac{1}{11}b^2x^{11}(3ag+bd) + \frac{1}{4}ab^2hx^9 + \frac{3}{7}abx^7(af+bc) + \frac{3}{8}abx^8(ag+bd) + \frac{e(a+bx^3)^4}{12b} + \frac{1}{13}b^3fx^{13} + \frac{1}{14}b^3gx^{14} + \frac{1}{15}b^3hx^{15}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] a^3*c*x + (a^3*d*x^2)/2 + (a^2*(3*b*c + a*f)*x^4)/4 + (a^2*(3*b*d + a*g)*x^5)/5 + (a^3*h*x^6)/6 + (3*a*b*(b*c + a*f)*x^7)/7 + (3*a*b*(b*d + a*g)*x^8)/8 + (a^2*b*h*x^9)/3 + (b^2*(b*c + 3*a*f)*x^10)/10 + (b^2*(b*d + 3*a*g)*x^11)/11 + (a*b^2*h*x^12)/4 + (b^3*f*x^13)/13 + (b^3*g*x^14)/14 + (b^3*h*x^15)/15 + (e*(a + b*x^3)^4)/(12*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_.))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{e(a + bx^3)^4}{12b} + \int (a + bx^3)^3 (c + dx + fx^3 + gx^4 + hx^5) dx \\
&= \frac{e(a + bx^3)^4}{12b} + \int (a^3c + a^3dx + a^2(3bc + af)x^3 + a^2(3bd + ag)x^5 + \dots) dx \\
&= a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{4}a^2(3bc + af)x^4 + \frac{1}{5}a^2(3bd + ag)x^5 + \frac{1}{6}a^2hx^6 + \dots
\end{aligned}$$

Mathematica [A] time = 0.11, size = 170, normalized size = 0.82

$$\frac{x(2002a^2(60c + x(30d + x(20e + 15fx + 12gx^2 + 10hx^3))) + 143a^2bx^2(630c + x(504d + 5x(84e + x(72f + 7x(9g + 8hx)))))) + 13ad^2x^6(3960c + 7x(495d + 440ex + 6x^2(66f + 60gx + 55hx^2))) + 2b^3x^9(6006c + x(5460d + 11x(455e + 420fx + 390gx^2 + 364hx^3))))}{120120}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (x*(13*a*b^2*x^6*(3960*c + 7*x*(495*d + 440*e*x + 6*x^2*(66*f + 60*g*x + 55*h*x^2))) + 2002*a^3*(60*c + x*(30*d + x*(20*e + 15*f*x + 12*g*x^2 + 10*h*x^3))) + 2*b^3*x^9*(6006*c + x*(5460*d + 11*x*(455*e + 420*f*x + 390*g*x^2 + 364*h*x^3))) + 143*a^2*b*x^3*(630*c + x*(504*d + 5*x*(84*e + x*(72*f + 7*x*(9*g + 8*h*x)))))))/120120

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] IntegrateAlgebraic[(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

fricas [A] time = 0.37, size = 226, normalized size = 1.09

$$\frac{1}{15}x^{15}hb^3 + \frac{1}{14}x^{14}gb^3 + \frac{1}{13}x^{13}fb^3 + \frac{1}{12}x^{12}eb^3 + \frac{1}{4}x^{12}hb^2a + \frac{1}{11}x^{11}db^3 + \frac{3}{11}x^{11}gb^2a + \frac{1}{10}x^{10}cb^3 + \frac{3}{10}x^{10}fb^2a + \frac{1}{3}x^9eb^2a + \frac{1}{3}x^9hb^2a + \frac{3}{8}x^8gb^2a + \frac{3}{8}x^8fb^2a + \frac{3}{7}x^7fb^2a + \frac{3}{7}x^7fb^2a + \frac{1}{2}x^6eb^2a + \frac{1}{6}x^6hb^2a + \frac{3}{5}x^5db^2a + \frac{1}{5}x^5gb^2a + \frac{3}{4}x^4cb^2a + \frac{1}{4}x^4fb^2a + \frac{1}{3}x^3eb^2a + \frac{1}{2}x^2db^2a + xca^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] $1/15*x^{15}*h*b^3 + 1/14*x^{14}*g*b^3 + 1/13*x^{13}*f*b^3 + 1/12*x^{12}*e*b^3 + 1/4*x^{12}*h*b^2*a + 1/11*x^{11}*d*b^3 + 3/11*x^{11}*g*b^2*a + 1/10*x^{10}*c*b^3 + 3/10*x^{10}*f*b^2*a + 1/3*x^9*e*b^2*a + 1/3*x^9*h*b*a^2 + 3/8*x^8*d*b^2*a + 3/8*x^8*g*b*a^2 + 3/7*x^7*c*b^2*a + 3/7*x^7*f*b*a^2 + 1/2*x^6*e*b*a^2 + 1/6*x^6*h*a^3 + 3/5*x^5*d*b*a^2 + 1/5*x^5*g*a^3 + 3/4*x^4*c*b*a^2 + 1/4*x^4*f*a^3 + 1/3*x^3*e*a^3 + 1/2*x^2*d*a^3 + x*c*a^3$

giac [A] time = 0.15, size = 230, normalized size = 1.11

$$\frac{1}{15}b^3hx^{15} + \frac{1}{14}b^3gx^{14} + \frac{1}{13}b^3fx^{13} + \frac{1}{12}b^3ex^{12} + \frac{1}{11}b^3dx^{11} + \frac{3}{11}ab^2gx^{11} + \frac{1}{10}b^3cx^{10} + \frac{3}{10}ab^2fx^{10} + \frac{1}{3}a^2b^2hx^9 + \frac{1}{3}ab^2x^9e + \frac{3}{8}ab^2dx^8 + \frac{3}{8}a^2bgx^8 + \frac{3}{7}ab^2cx^7 + \frac{3}{7}a^2b^2fx^7 + \frac{1}{6}a^2hx^6 + \frac{1}{2}a^2bx^6e + \frac{3}{5}a^2bdx^5 + \frac{1}{5}a^3gx^5 + \frac{3}{4}a^2bcx^4 + \frac{1}{4}a^3fx^4 + \frac{1}{3}a^3ex^3 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")`

[Out] $1/15*b^3*h*x^{15} + 1/14*b^3*g*x^{14} + 1/13*b^3*f*x^{13} + 1/4*a*b^2*h*x^{12} + 1/12*b^3*x^{12}*e + 1/11*b^3*d*x^{11} + 3/11*a*b^2*g*x^{11} + 1/10*b^3*c*x^{10} + 3/10*a*b^2*f*x^{10} + 1/3*a^2*b*h*x^9 + 1/3*a*b^2*x^9*e + 3/8*a*b^2*d*x^8 + 3/8*a^2*b*g*x^8 + 3/7*a*b^2*c*x^7 + 3/7*a^2*b*f*x^7 + 1/6*a^3*h*x^6 + 1/2*a^2*b*x^6*e + 3/5*a^2*b*d*x^5 + 1/5*a^3*g*x^5 + 3/4*a^2*b*c*x^4 + 1/4*a^3*f*x^4 + 1/3*a^3*x^3*e + 1/2*a^3*d*x^2 + a^3*c*x$

maple [A] time = 0.04, size = 221, normalized size = 1.07

$$\frac{b^3hx^{15}}{15} + \frac{b^3gx^{14}}{14} + \frac{b^3fx^{13}}{13} + \frac{(3ab^2h + b^3e)x^{12}}{12} + \frac{(3ab^2g + b^3d)x^{11}}{11} + \frac{(3ab^2f + b^3c)x^{10}}{10} + \frac{(3a^2bh + 3ab^2h)x^9}{9} + \frac{(3a^2bg + 3ab^2d)x^8}{8} + \frac{a^3ex^3}{3} + \frac{(3a^2bf + 3ab^2c)x^7}{7} + \frac{a^3dx^2}{2} + \frac{(a^3h + 3a^2be)x^6}{6} + a^3cx + \frac{(a^3g + 3a^2db)x^5}{5} + \frac{(a^3f + 3a^2cb)x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)`

[Out] $1/15*b^3*h*x^{15} + 1/14*b^3*g*x^{14} + 1/13*b^3*f*x^{13} + 1/12*(3*a*b^2*h + b^3*e)*x^{12} + 1/11*(3*a*b^2*g + b^3*d)*x^{11} + 1/10*(3*a*b^2*f + b^3*c)*x^{10} + 1/9*(3*a^2*b*h + 3*a*b^2*e)*x^9 + 1/8*(3*a^2*b*g + 3*a*b^2*d)*x^8 + 1/7*(3*a^2*b*f + 3*a*b^2*c)*x^7 + 1/6*(a^3*h + 3*a^2*b*e)*x^6 + 1/5*(a^3*g + 3*a^2*b*d)*x^5 + 1/4*(a^3*f + 3*a^2*b*c)*x^4 + 1/3*a^3*e*x^3 + 1/2*a^3*d*x^2 + a^3*c*x$

maxima [A] time = 1.34, size = 214, normalized size = 1.03

$$\frac{1}{15}b^3hx^{15} + \frac{1}{14}b^3gx^{14} + \frac{1}{13}b^3fx^{13} + \frac{1}{12}(b^3e + 3ab^2h)x^{12} + \frac{1}{11}(b^3d + 3ab^2g)x^{11} + \frac{1}{10}(b^3c + 3ab^2f)x^{10} + \frac{1}{3}(ab^2e + a^2bh)x^9 + \frac{3}{8}(ab^2d + a^2bg)x^8 + \frac{3}{7}(ab^2c + a^2bf)x^7 + \frac{1}{3}a^3ex^3 + \frac{1}{6}(3a^2be + a^3h)x^6 + \frac{1}{2}a^3dx^2 + \frac{1}{5}(3a^2bd + a^3g)x^5 + a^3cx + \frac{1}{4}(3a^2bc + a^3f)x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")`

[Out] $1/15*b^3*h*x^{15} + 1/14*b^3*g*x^{14} + 1/13*b^3*f*x^{13} + 1/12*(b^3*e + 3*a*b^2*h)*x^{12} + 1/11*(b^3*d + 3*a*b^2*g)*x^{11} + 1/10*(b^3*c + 3*a*b^2*f)*x^{10} +$

$$\frac{1}{3}(ab^2e + a^2bh)x^9 + \frac{3}{8}(ab^2d + a^2b^2g)x^8 + \frac{3}{7}(ab^2c + a^2b^2f)x^7 + \frac{1}{3}a^3ex^3 + \frac{1}{6}(3a^2be + a^3h)x^6 + \frac{1}{2}a^3dx^2 + \frac{1}{5}(3a^2bd + a^3g)x^5 + a^3cx + \frac{1}{4}(3a^2bc + a^3f)x^4$$

mupad [B] time = 0.16, size = 202, normalized size = 0.98

$$x^4 \left(\frac{f a^3}{4} + \frac{3 b c a^2}{4} \right) + x^{10} \left(\frac{c b^3}{10} + \frac{3 a f b^2}{10} \right) + x^5 \left(\frac{g a^3}{5} + \frac{3 b d a^2}{5} \right) + x^{11} \left(\frac{d b^3}{11} + \frac{3 a g b^2}{11} \right) + x^6 \left(\frac{h a^3}{6} + \frac{b e a^2}{2} \right) + x^{12} \left(\frac{e b^3}{12} + \frac{a h b^2}{4} \right) + \frac{a^3 d x^2}{2} + \frac{a^3 e x^3}{3} + \frac{b^3 f x^{13}}{13} + \frac{b^3 g x^{14}}{14} + \frac{b^3 h x^{15}}{15} + a^3 c x + \frac{3 a b x^7 (b c + a f)}{7} + \frac{3 a b x^8 (b d + a g)}{8} + \frac{a b x^9 (b e + a h)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x)

[Out] $x^4 * ((a^3 f) / 4 + (3 * a^2 * b * c) / 4) + x^{10} * ((b^3 c) / 10 + (3 * a * b^2 * f) / 10) + x^5 * ((a^3 g) / 5 + (3 * a^2 * b * d) / 5) + x^{11} * ((b^3 d) / 11 + (3 * a * b^2 * g) / 11) + x^6 * ((a^3 h) / 6 + (a^2 * b * e) / 2) + x^{12} * ((b^3 e) / 12 + (a * b^2 * h) / 4) + (a^3 * d * x^2) / 2 + (a^3 * e * x^3) / 3 + (b^3 * f * x^{13}) / 13 + (b^3 * g * x^{14}) / 14 + (b^3 * h * x^{15}) / 15 + a^3 * c * x + (3 * a * b * x^7 * (b * c + a * f)) / 7 + (3 * a * b * x^8 * (b * d + a * g)) / 8 + (a * b * x^9 * (b * e + a * h)) / 3$

sympy [A] time = 0.12, size = 243, normalized size = 1.17

$$a^3 c x + \frac{a^3 d x^2}{2} + \frac{a^3 e x^3}{3} + \frac{b^3 f x^{13}}{13} + \frac{b^3 g x^{14}}{14} + \frac{b^3 h x^{15}}{15} + x^{12} \left(\frac{a b^2 h}{4} + \frac{b^3 e}{12} \right) + x^{11} \left(\frac{3 a b^2 g}{11} + \frac{b^3 d}{11} \right) + x^{10} \left(\frac{3 a b^2 f}{10} + \frac{b^3 c}{10} \right) + x^9 \left(\frac{a^2 b h}{3} + \frac{a b^2 e}{3} \right) + x^8 \left(\frac{3 a^2 b g}{8} + \frac{3 a b^2 d}{8} \right) + x^7 \left(\frac{3 a^2 b f}{7} + \frac{3 a b^2 c}{7} \right) + x^6 \left(\frac{a^3 h}{6} + \frac{a^2 b e}{2} \right) + x^5 \left(\frac{a^3 g}{5} + \frac{3 a^2 b d}{5} \right) + x^4 \left(\frac{a^3 f}{4} + \frac{3 a^2 b c}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c), x)

[Out] $a**3*c*x + a**3*d*x**2/2 + a**3*e*x**3/3 + b**3*f*x**13/13 + b**3*g*x**14/14 + b**3*h*x**15/15 + x**12*(a*b**2*h/4 + b**3*e/12) + x**11*(3*a*b**2*g/11 + b**3*d/11) + x**10*(3*a*b**2*f/10 + b**3*c/10) + x**9*(a**2*b*h/3 + a*b**2*e/3) + x**8*(3*a**2*b*g/8 + 3*a*b**2*d/8) + x**7*(3*a**2*b*f/7 + 3*a*b**2*c/7) + x**6*(a**3*h/6 + a**2*b*e/2) + x**5*(a**3*g/5 + 3*a**2*b*d/5) + x**4*(a**3*f/4 + 3*a**2*b*c/4)$

$$3.345 \quad \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$$

Optimal. Leaf size=200

$$a^3 c \log(x) + a^3 dx + \frac{1}{2} a^3 ex^2 + a^2 bcx^3 + \frac{1}{4} a^2 x^4 (ag + 3bd) + \frac{1}{5} a^2 x^5 (ah + 3be) + \frac{1}{2} ab^2 cx^6 + \frac{1}{10} b^2 x^{10} (3ag + bd) + \frac{1}{11} b^2 x^{11} (3ah +$$

Rubi [A] time = 0.15, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$a^2 bcx^3 + \frac{1}{4} a^2 x^4 (ag + 3bd) + \frac{1}{5} a^2 x^5 (ah + 3be) + a^3 c \log(x) + a^3 dx + \frac{1}{2} a^3 ex^2 + \frac{1}{2} ab^2 cx^6 + \frac{1}{10} b^2 x^{10} (3ag + bd) + \frac{1}{11} b^2 x^{11} (3ah + be) + \frac{3}{7} abx^7 (ag + bd) + \frac{3}{8} abx^8 (ah + be) + \frac{f(a+bx^3)^4}{12b} + \frac{1}{9} b^3 cx^9 + \frac{1}{13} b^3 gx^{13} + \frac{1}{14} b^3 hx^{14}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] a^3*d*x + (a^3*e*x^2)/2 + a^2*b*c*x^3 + (a^2*(3*b*d + a*g)*x^4)/4 + (a^2*(3*b*e + a*h)*x^5)/5 + (a*b^2*c*x^6)/2 + (3*a*b*(b*d + a*g)*x^7)/7 + (3*a*b*(b*e + a*h)*x^8)/8 + (b^3*c*x^9)/9 + (b^2*(b*d + 3*a*g)*x^10)/10 + (b^2*(b*e + 3*a*h)*x^11)/11 + (b^3*g*x^13)/13 + (b^3*h*x^14)/14 + (f*(a + b*x^3)^4)/(12*b) + a^3*c*Log[x]

Rule 1583

Int[(Px_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x} dx = \frac{f(a + bx^3)^4}{12b} + \int \frac{(a + bx^3)^3 (c + dx + ex^2 + gx^4 + hx^5)}{x} dx$$

$$= \frac{f(a + bx^3)^4}{12b} + \int \left(a^3d + \frac{a^3c}{x} + a^3ex + 3a^2bcx^2 + a^2(3bd + ag)x^3 + \frac{1}{2}a^3ex^2 + a^2bcx^3 + \frac{1}{4}a^2(3bd + ag)x^4 + \frac{1}{5}a^2(3be + a^2c)x^5 \right) dx$$

Mathematica [A] time = 0.13, size = 214, normalized size = 1.07

$$a^3c \log(x) + a^3dx + \frac{1}{2}a^3ex^2 + \frac{1}{3}a^2x^3(af + 3bc) + \frac{1}{4}a^2x^4(ag + 3bd) + \frac{1}{5}a^2x^5(ah + 3be) + \frac{1}{9}b^2x^9(3af + bc) + \frac{1}{10}b^2x^{10}(3ag + bd) + \frac{1}{11}b^2x^{11}(3ah + be) + \frac{1}{2}abx^6(af + bc) + \frac{3}{7}abx^7(ag + bd) + \frac{3}{8}abx^8(ah + be) + \frac{1}{12}b^3fx^{12} + \frac{1}{13}b^3gx^{13} + \frac{1}{14}b^3hx^{14}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] a^3*d*x + (a^3*e*x^2)/2 + (a^2*(3*b*c + a*f)*x^3)/3 + (a^2*(3*b*d + a*g)*x^4)/4 + (a^2*(3*b*e + a*h)*x^5)/5 + (a*b*(b*c + a*f)*x^6)/2 + (3*a*b*(b*d + a*g)*x^7)/7 + (3*a*b*(b*e + a*h)*x^8)/8 + (b^2*(b*c + 3*a*f)*x^9)/9 + (b^2*(b*d + 3*a*g)*x^10)/10 + (b^2*(b*e + 3*a*h)*x^11)/11 + (b^3*f*x^12)/12 + (b^3*g*x^13)/13 + (b^3*h*x^14)/14 + a^3*c*Log[x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] IntegrateAlgebraic[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x, x]

fricas [A] time = 0.42, size = 212, normalized size = 1.06

$$\frac{1}{14}b^3hx^{14} + \frac{1}{13}b^3gx^{13} + \frac{1}{12}b^2fx^{12} + \frac{1}{11}(b^2e + 3ab^2h)x^{11} + \frac{1}{10}(b^2d + 3ab^2g)x^{10} + \frac{1}{9}(b^2c + 3ab^2f)x^9 + \frac{3}{8}(ab^2e + a^2bh)x^8 + \frac{3}{7}(ab^2d + a^2bg)x^7 + \frac{1}{2}(ab^2c + a^2bf)x^6 + \frac{1}{2}a^3ex^2 + \frac{1}{3}(3a^2be + a^3h)x^5 + a^3dx + \frac{1}{4}(3a^2bd + a^3g)x^4 + a^3c \log(x) + \frac{1}{3}(3a^2bc + a^3f)x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="fricas")

[Out] $1/14*b^3*h*x^{14} + 1/13*b^3*g*x^{13} + 1/12*b^3*f*x^{12} + 1/11*(b^3*e + 3*a*b^2*h)*x^{11} + 1/10*(b^3*d + 3*a*b^2*g)*x^{10} + 1/9*(b^3*c + 3*a*b^2*f)*x^9 + 3/8*(a*b^2*e + a^2*b*h)*x^8 + 3/7*(a*b^2*d + a^2*b*g)*x^7 + 1/2*(a*b^2*c + a^2*b*f)*x^6 + 1/2*a^3*e*x^2 + 1/5*(3*a^2*b*e + a^3*h)*x^5 + a^3*d*x + 1/4*(3*a^2*b*d + a^3*g)*x^4 + a^3*c*\log(x) + 1/3*(3*a^2*b*c + a^3*f)*x^3$

giac [A] time = 0.16, size = 228, normalized size = 1.14

$$\frac{1}{14}b^3hx^{14} + \frac{1}{13}b^3gx^{13} + \frac{1}{12}b^3fx^{12} + \frac{3}{11}ab^2hx^{11} + \frac{1}{11}b^3x^{11}e + \frac{1}{10}b^3dx^{10} + \frac{3}{10}ab^2gx^{10} + \frac{1}{9}b^3cx^9 + \frac{1}{3}ab^2fx^9 + \frac{3}{8}a^2bx^8 + \frac{3}{8}ab^2xe + \frac{3}{7}ab^2dx^7 + \frac{3}{7}a^2bgx^7 + \frac{1}{2}ab^2cx^6 + \frac{1}{2}a^2bfx^6 + \frac{1}{5}a^3hx^5 + \frac{3}{5}a^2bx^5e + \frac{3}{4}a^2bdx^4 + \frac{1}{4}a^3gx^4 + a^2bcx^3 + \frac{1}{3}a^3fx^3 + \frac{1}{2}a^3x^2e + a^3dx + a^3c\log(x) + \frac{1}{3}(3a^2bc + a^3f)x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="giac")`

[Out] $1/14*b^3*h*x^{14} + 1/13*b^3*g*x^{13} + 1/12*b^3*f*x^{12} + 3/11*a*b^2*h*x^{11} + 1/11*b^3*x^{11}*e + 1/10*b^3*d*x^{10} + 3/10*a*b^2*g*x^{10} + 1/9*b^3*c*x^9 + 1/3*a*b^2*f*x^9 + 3/8*a^2*b*h*x^8 + 3/8*a*b^2*x^8*e + 3/7*a*b^2*d*x^7 + 3/7*a^2*b*g*x^7 + 1/2*a*b^2*c*x^6 + 1/2*a^2*b*f*x^6 + 1/5*a^3*h*x^5 + 3/5*a^2*b*x^5*e + 3/4*a^2*b*d*x^4 + 1/4*a^3*g*x^4 + a^2*b*c*x^3 + 1/3*a^3*f*x^3 + 1/2*a^3*x^2*e + a^3*d*x + a^3*c*\log(\text{abs}(x))$

maple [A] time = 0.05, size = 224, normalized size = 1.12

$$\frac{b^3hx^{14}}{14} + \frac{b^3gx^{13}}{13} + \frac{b^3fx^{12}}{12} + \frac{3ab^2hx^{11}}{11} + \frac{b^3ex^{11}}{11} + \frac{3ab^2gx^{10}}{10} + \frac{b^3dx^{10}}{10} + \frac{ab^2fx^9}{3} + \frac{b^3cx^9}{9} + \frac{3a^2bhx^8}{8} + \frac{3ab^2ex^8}{8} + \frac{3a^2bgx^7}{7} + \frac{3ab^2dx^7}{7} + \frac{a^2bfx^6}{2} + \frac{a^2cx^6}{2} + \frac{a^3hx^5}{5} + \frac{3a^2bx^5e}{5} + \frac{a^3gx^4}{4} + \frac{3a^2bdx^4}{4} + \frac{a^3fx^3}{3} + a^2bcx^3 + \frac{a^3x^2e}{2} + a^3dx + a^3c\ln(x) + a^3dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x)`

[Out] $1/14*b^3*h*x^{14} + 1/13*b^3*g*x^{13} + 1/12*b^3*f*x^{12} + 3/11*x^{11}*a*b^2*h + 1/11*b^3*e*x^{11} + 3/10*x^{10}*a*b^2*g + 1/10*b^3*d*x^{10} + 1/3*x^9*a*b^2*f + 1/9*b^3*c*x^9 + 3/8*x^8*a^2*b*h + 3/8*a*b^2*x^8*e + 3/7*x^7*a^2*b*g + 3/7*a*b^2*d*x^7 + 1/2*x^6*a^2*b*f + 1/2*a*b^2*c*x^6 + 1/5*x^5*a^3*h + 3/5*a^2*b*x^5*e + 1/4*x^4*a^3*g + 3/4*a^2*b*d*x^4 + 1/3*x^3*a^3*f + a^2*b*c*x^3 + 1/2*a^3*e*x^2 + a^3*d*x + a^3*c*\ln(x)$

maxima [A] time = 1.42, size = 212, normalized size = 1.06

$$\frac{1}{14}b^3hx^{14} + \frac{1}{13}b^3gx^{13} + \frac{1}{12}b^3fx^{12} + \frac{1}{11}(b^3e + 3ab^2h)x^{11} + \frac{1}{10}(b^3d + 3ab^2g)x^{10} + \frac{1}{9}(b^3c + 3ab^2f)x^9 + \frac{3}{8}(a^2b^2e + a^2bh)x^8 + \frac{3}{8}(a^2bd + a^2bg)x^7 + \frac{1}{2}(a^2c + a^2bf)x^6 + \frac{1}{5}a^3ex^2 + \frac{1}{5}(3a^2be + a^3h)x^5 + a^3dx + \frac{1}{4}(3a^2bd + a^3g)x^4 + a^3c\log(x) + \frac{1}{3}(3a^2bc + a^3f)x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="maxima")`

[Out] $1/14*b^3*h*x^{14} + 1/13*b^3*g*x^{13} + 1/12*b^3*f*x^{12} + 1/11*(b^3*e + 3*a*b^2*h)*x^{11} + 1/10*(b^3*d + 3*a*b^2*g)*x^{10} + 1/9*(b^3*c + 3*a*b^2*f)*x^9 + 3/$

$$8*(a*b^2*e + a^2*b*h)*x^8 + 3/7*(a*b^2*d + a^2*b*g)*x^7 + 1/2*(a*b^2*c + a^2*b*f)*x^6 + 1/2*a^3*e*x^2 + 1/5*(3*a^2*b*e + a^3*h)*x^5 + a^3*d*x + 1/4*(3*a^2*b*d + a^3*g)*x^4 + a^3*c*\log(x) + 1/3*(3*a^2*b*c + a^3*f)*x^3$$

mupad [B] time = 5.11, size = 199, normalized size = 1.00

$$x^3 \left(\frac{f a^3 + b c a^2}{3} \right) + x^9 \left(\frac{e b^3}{9} + \frac{a f b^2}{3} \right) + x^4 \left(\frac{g a^3}{4} + \frac{3 b d a^2}{4} \right) + x^{10} \left(\frac{d b^3}{10} + \frac{3 a g b^2}{10} \right) + x^5 \left(\frac{h a^3}{5} + \frac{3 b e a^2}{5} \right) + x^{11} \left(\frac{e b^3}{11} + \frac{3 a h b^2}{11} \right) + \frac{a^3 e x^2}{2} + \frac{b^3 f x^{12}}{12} + \frac{b^3 g x^{13}}{13} + \frac{b^3 h x^{14}}{14} + a^3 c \ln(x) + a^3 d x + \frac{a b x^6 (b c + a f)}{2} + \frac{3 a b x^7 (b d + a g)}{7} + \frac{3 a b x^8 (b e + a h)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x)

[Out] x^3*((a^3*f)/3 + a^2*b*c) + x^9*((b^3*c)/9 + (a*b^2*f)/3) + x^4*((a^3*g)/4 + (3*a^2*b*d)/4) + x^10*((b^3*d)/10 + (3*a*b^2*g)/10) + x^5*((a^3*h)/5 + (3*a^2*b*e)/5) + x^11*((b^3*e)/11 + (3*a*b^2*h)/11) + (a^3*e*x^2)/2 + (b^3*f*x^12)/12 + (b^3*g*x^13)/13 + (b^3*h*x^14)/14 + a^3*c*log(x) + a^3*d*x + (a*b*x^6*(b*c + a*f))/2 + (3*a*b*x^7*(b*d + a*g))/7 + (3*a*b*x^8*(b*e + a*h))/8

sympy [A] time = 0.54, size = 240, normalized size = 1.20

$$a^3 c \log(x) + a^3 d x + \frac{a^3 e x^2}{2} + \frac{b^3 f x^{12}}{12} + \frac{b^3 g x^{13}}{13} + \frac{b^3 h x^{14}}{14} + x^{11} \left(\frac{3 a b^2 h}{11} + \frac{b^3 e}{11} \right) + x^{10} \left(\frac{3 a b^2 g}{10} + \frac{b^3 d}{10} \right) + x^9 \left(\frac{a b^2 f}{3} + \frac{b^3 c}{9} \right) + x^8 \left(\frac{3 a^2 b h}{8} + \frac{3 a b^2 e}{8} \right) + x^7 \left(\frac{3 a^2 b g}{7} + \frac{3 a b^2 d}{7} \right) + x^6 \left(\frac{a^2 b f}{2} + \frac{a b^2 c}{2} \right) + x^5 \left(\frac{a^3 h}{5} + \frac{3 a^2 b e}{5} \right) + x^4 \left(\frac{a^3 g}{4} + \frac{3 a^2 b d}{4} \right) + x^3 \left(\frac{a^3 f}{3} + a^2 b c \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x,x)

[Out] a**3*c*log(x) + a**3*d*x + a**3*e*x**2/2 + b**3*f*x**12/12 + b**3*g*x**13/13 + b**3*h*x**14/14 + x**11*(3*a*b**2*h/11 + b**3*e/11) + x**10*(3*a*b**2*g/10 + b**3*d/10) + x**9*(a*b**2*f/3 + b**3*c/9) + x**8*(3*a**2*b*h/8 + 3*a*b**2*e/8) + x**7*(3*a**2*b*g/7 + 3*a*b**2*d/7) + x**6*(a**2*b*f/2 + a*b**2*c/2) + x**5*(a**3*h/5 + 3*a**2*b*e/5) + x**4*(a**3*g/4 + 3*a**2*b*d/4) + x**3*(a**3*f/3 + a**2*b*c)

$$3.346 \quad \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$$

Optimal. Leaf size=198

$$-\frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{1}{2}a^2x^2(af+3bc) + a^2bdx^3 + \frac{1}{4}a^2x^4(ah+3be) + \frac{1}{8}b^2x^8(3af+bc) + \frac{1}{2}ab^2dx^6 + \frac{1}{10}b^2x^{10}(3ah+be)$$

Rubi [A] time = 0.18, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$\frac{1}{2}a^2x^2(af+3bc) + a^2bdx^3 + \frac{1}{4}a^2x^4(ah+3be) - \frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{1}{8}b^2x^8(3af+bc) + \frac{1}{2}ab^2dx^6 + \frac{1}{10}b^2x^{10}(3ah+be) + \frac{3}{5}abx^5(af+bc) + \frac{3}{7}abx^7(ah+be) + \frac{g(a+bx^3)^4}{12b} + \frac{1}{9}b^3dx^9 + \frac{1}{11}b^3fx^{11} + \frac{1}{13}b^3hx^{13}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x]

[Out] -((a^3*c)/x) + a^3*e*x + (a^2*(3*b*c + a*f)*x^2)/2 + a^2*b*d*x^3 + (a^2*(3*b*e + a*h)*x^4)/4 + (3*a*b*(b*c + a*f)*x^5)/5 + (a*b^2*d*x^6)/2 + (3*a*b*(b*e + a*h)*x^7)/7 + (b^2*(b*c + 3*a*f)*x^8)/8 + (b^3*d*x^9)/9 + (b^2*(b*e + 3*a*h)*x^10)/10 + (b^3*f*x^11)/11 + (b^3*h*x^13)/13 + (g*(a + b*x^3)^4)/(12*b) + a^3*d*Log[x]

Rule 1583

```
Int[(Px_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coe
ff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coe
ff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m
, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x
, n - m - 1], 0]
```

Rule 1820

```
Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)), x_Symbol] :=
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m,
n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^2} dx &= \frac{g(a + bx^3)^4}{12b} + \int \frac{(a + bx^3)^3 (c + dx + ex^2 + fx^3 + hx^5)}{x^2} dx \\ &= \frac{g(a + bx^3)^4}{12b} + \int \left(a^3e + \frac{a^3c}{x^2} + \frac{a^3d}{x} + a^2(3bc + af)x + 3a^2bx \right) dx \\ &= -\frac{a^3c}{x} + a^3ex + \frac{1}{2}a^2(3bc + af)x^2 + a^2bdx^3 + \frac{1}{4}a^2(3be + ah)x^4 \end{aligned}$$

Mathematica [A] time = 0.21, size = 172, normalized size = 0.87

$$a^3 \left(-\frac{c}{x} + ex + \frac{1}{12}x^2(6f + 4gx + 3hx^2) \right) + a^3d \log(x) + \frac{1}{140}a^2bx^2(210c + x(140d + x(105e + 84fx + 70gx^2 + 60hx^3))) + \frac{1}{840}ab^2x^5(504c + x(420d + x(360e + 315fx + 280gx^2 + 252hx^3))) + \frac{b^3x^8(6435c + 5720dx + 6x^2(858e + 780fx + 715gx^2 + 660hx^3))}{51480}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x]

[Out] a^3*(-(c/x) + e*x + (x^2*(6*f + 4*g*x + 3*h*x^2))/12) + (b^3*x^8*(6435*c + 5720*d*x + 6*x^2*(858*e + 780*f*x + 715*g*x^2 + 660*h*x^3)))/51480 + (a^2*b*x^2*(210*c + x*(140*d + x*(105*e + 84*f*x + 70*g*x^2 + 60*h*x^3))))/140 + (a*b^2*x^5*(504*c + x*(420*d + x*(360*e + 315*f*x + 280*g*x^2 + 252*h*x^3)))/840 + a^3*d*Log[x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x]

[Out] IntegrateAlgebraic[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2, x]

fricas [A] time = 0.41, size = 219, normalized size = 1.11

$$\frac{27720b^3ha^4 + 30030b^3ga^3 + 32760b^3fa^2 + 36036(b^3c + 3ab^2h)a^{11} + 40040(b^3d + 3ab^2g)a^{10} + 45045(b^3e + 3ab^2f)a^9 + 154440(a^2d + a^2hg)a^8 + 180180(a^2d + a^2hg)a^7 + 216216(a^2c + a^2bf)a^6 + 360360a^5ca^2 + 90090(3a^2bc + a^2h)a^5 + 360360a^4dx \log(x) + 120120(3a^2bd + a^2g)a^4 - 360360a^3c + 180180(3a^2bc + a^2f)a^3}{360360x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="fricas")

[Out] $1/360360*(27720*b^3*h*x^{14} + 30030*b^3*g*x^{13} + 32760*b^3*f*x^{12} + 36036*(b^3*e + 3*a*b^2*h)*x^{11} + 40040*(b^3*d + 3*a*b^2*g)*x^{10} + 45045*(b^3*c + 3*a*b^2*f)*x^9 + 154440*(a*b^2*e + a^2*b*h)*x^8 + 180180*(a*b^2*d + a^2*b*g)*x^7 + 216216*(a*b^2*c + a^2*b*f)*x^6 + 360360*a^3*e*x^2 + 90090*(3*a^2*b*e + a^3*h)*x^5 + 360360*a^3*d*x*\log(x) + 120120*(3*a^2*b*d + a^3*g)*x^4 - 360360*a^3*c + 180180*(3*a^2*b*c + a^3*f)*x^3)/x$

giac [A] time = 0.15, size = 228, normalized size = 1.15

$$\frac{1}{13}b^3hx^{13} + \frac{1}{12}b^3gx^{12} + \frac{1}{11}b^3fx^{11} + \frac{3}{10}ab^2hx^{10} + \frac{1}{10}b^3ex^9 + \frac{1}{9}b^3dx^9 + \frac{1}{8}ab^2gx^8 + \frac{1}{8}b^3cx^8 + \frac{3}{8}ab^2fx^8 + \frac{3}{7}a^2bhx^7 + \frac{3}{7}ab^2cx^7 + \frac{1}{2}ab^2dx^6 + \frac{1}{2}a^2bgx^6 + \frac{3}{5}ab^2cx^5 + \frac{3}{5}a^2bfx^5 + \frac{1}{4}a^3hx^4 + \frac{3}{4}a^2bex^4 + a^2bdx^3 + \frac{1}{3}a^3gx^3 + \frac{3}{2}a^2bfx^2 + \frac{1}{2}a^3hx^2 + a^3ex + a^3d\log(x) - \frac{a^3c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="giac")

[Out] $1/13*b^3*h*x^{13} + 1/12*b^3*g*x^{12} + 1/11*b^3*f*x^{11} + 3/10*a*b^2*h*x^{10} + 1/10*b^3*x^{10}*e + 1/9*b^3*d*x^9 + 1/3*a*b^2*g*x^9 + 1/8*b^3*c*x^8 + 3/8*a*b^2*f*x^8 + 3/7*a^2*b*h*x^7 + 3/7*a*b^2*x^7*e + 1/2*a*b^2*d*x^6 + 1/2*a^2*b*g*x^6 + 3/5*a*b^2*c*x^5 + 3/5*a^2*b*f*x^5 + 1/4*a^3*h*x^4 + 3/4*a^2*b*x^4*e + a^2*b*d*x^3 + 1/3*a^3*g*x^3 + 3/2*a^2*b*c*x^2 + 1/2*a^3*f*x^2 + a^3*x*e + a^3*d*\log(abs(x)) - a^3*c/x$

maple [A] time = 0.05, size = 224, normalized size = 1.13

$$\frac{b^3hx^{13}}{13} + \frac{b^3gx^{12}}{12} + \frac{b^3fx^{11}}{11} + \frac{3ab^2hx^{10}}{10} + \frac{b^3ex^{10}}{10} + \frac{ab^2gx^9}{9} + \frac{b^3dx^9}{9} + \frac{3ab^2fx^8}{8} + \frac{b^3cx^8}{8} + \frac{3a^2bhx^7}{7} + \frac{3ab^2cx^7}{7} + \frac{a^2bgx^6}{2} + \frac{a^2dx^6}{2} + \frac{3a^2bfx^5}{5} + \frac{3ab^2cx^5}{5} + \frac{a^3hx^4}{4} + \frac{3a^2bex^4}{4} + \frac{a^2bdx^3}{3} + \frac{a^2fx^2}{2} + \frac{3a^2bcx^2}{2} + a^3d\ln(x) + a^3ex - \frac{a^3c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x)

[Out] $1/13*b^3*h*x^{13}+1/12*b^3*g*x^{12}+1/11*b^3*f*x^{11}+3/10*x^{10}*a*b^2*h+1/10*b^3*e*x^{10}+1/3*x^9*a*b^2*g+1/9*b^3*d*x^9+3/8*x^8*a*b^2*f+1/8*b^3*c*x^8+3/7*x^7*a^2*b*h+3/7*a*b^2*e*x^7+1/2*x^6*a^2*b*g+1/2*a*b^2*d*x^6+3/5*x^5*a^2*b*f+3/5*a*b^2*c*x^5+1/4*x^4*a^3*h+3/4*a^2*b*e*x^4+1/3*x^3*a^3*g+a^2*b*d*x^3+1/2*x^2*a^3*f+3/2*a^2*b*c*x^2+a^3*e*x-a^3*c/x+a^3*d*\ln(x)$

maxima [A] time = 1.29, size = 212, normalized size = 1.07

$$\frac{1}{13}b^3hx^{13} + \frac{1}{12}b^3gx^{12} + \frac{1}{11}b^3fx^{11} + \frac{1}{10}(b^3e + 3ab^2h)x^{10} + \frac{1}{9}(b^3d + 3ab^2g)x^9 + \frac{1}{8}(b^3c + 3ab^2f)x^8 + \frac{3}{7}(ab^2e + a^2bh)x^7 + \frac{1}{2}(ab^2d + a^2bg)x^6 + \frac{3}{5}(ab^2c + a^2bf)x^5 + a^3ex + \frac{1}{4}(3a^2be + a^3h)x^4 + a^3d\log(x) + \frac{1}{3}(3a^2bd + a^3g)x^3 - \frac{a^3c}{x} + \frac{1}{2}(3a^2bc + a^3f)x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="maxima")

[Out] $1/13*b^3*h*x^{13} + 1/12*b^3*g*x^{12} + 1/11*b^3*f*x^{11} + 1/10*(b^3*e + 3*a*b^2*h)*x^{10} + 1/9*(b^3*d + 3*a*b^2*g)*x^9 + 1/8*(b^3*c + 3*a*b^2*f)*x^8 + 3/7*$

$(a*b^2*e + a^2*b*h)*x^7 + 1/2*(a*b^2*d + a^2*b*g)*x^6 + 3/5*(a*b^2*c + a^2*b*f)*x^5 + a^3*e*x + 1/4*(3*a^2*b*e + a^3*h)*x^4 + a^3*d*\log(x) + 1/3*(3*a^2*b*d + a^3*g)*x^3 - a^3*c/x + 1/2*(3*a^2*b*c + a^3*f)*x^2$

mupad [B] time = 5.05, size = 199, normalized size = 1.01

$$x^2 \left(\frac{f a^3}{2} + \frac{3 b c a^2}{2} \right) + x^8 \left(\frac{c b^3}{8} + \frac{3 a f b^2}{8} \right) + x^3 \left(\frac{g a^3}{3} + b d a^2 \right) + x^9 \left(\frac{d b^3}{9} + \frac{a g b^2}{3} \right) + x^4 \left(\frac{h a^3}{4} + \frac{3 b e a^2}{4} \right) + x^{10} \left(\frac{e b^3}{10} + \frac{3 a h b^2}{10} \right) - \frac{a^3 c}{x} + \frac{b^3 f x^{11}}{11} + \frac{b^3 g x^{12}}{12} + \frac{b^3 h x^{13}}{13} + a^3 d \ln(x) + a^3 e x + \frac{3 a b x^5 (b c + a f)}{5} + \frac{a b x^6 (b d + a g)}{2} + \frac{3 a b x^7 (b e + a h)}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x)

[Out] $x^2*((a^3*f)/2 + (3*a^2*b*c)/2) + x^8*((b^3*c)/8 + (3*a*b^2*f)/8) + x^3*((a^3*g)/3 + a^2*b*d) + x^9*((b^3*d)/9 + (a*b^2*g)/3) + x^4*((a^3*h)/4 + (3*a^2*b*e)/4) + x^{10}*((b^3*e)/10 + (3*a*b^2*h)/10) - (a^3*c)/x + (b^3*f*x^{11})/11 + (b^3*g*x^{12})/12 + (b^3*h*x^{13})/13 + a^3*d*\log(x) + a^3*e*x + (3*a*b*x^5*(b*c + a*f))/5 + (a*b*x^6*(b*d + a*g))/2 + (3*a*b*x^7*(b*e + a*h))/7$

sympy [A] time = 0.51, size = 236, normalized size = 1.19

$$-\frac{a^3 c}{x} + a^3 d \log(x) + a^3 e x + \frac{b^3 f x^{11}}{11} + \frac{b^3 g x^{12}}{12} + \frac{b^3 h x^{13}}{13} + x^{10} \left(\frac{3 a b^2 h}{10} + \frac{b^3 c}{10} \right) + x^9 \left(\frac{a b^2 g}{3} + \frac{b^3 d}{9} \right) + x^8 \left(\frac{3 a^2 f}{8} + \frac{b^3 e}{8} \right) + x^7 \left(\frac{3 a^2 h}{7} + \frac{3 a b^2 c}{7} \right) + x^6 \left(\frac{a^2 b g}{2} + \frac{a b^2 d}{2} \right) + x^5 \left(\frac{3 a^2 b f}{5} + \frac{3 a b^2 c}{5} \right) + x^4 \left(\frac{a^3 h}{4} + \frac{3 a^2 b e}{4} \right) + x^3 \left(\frac{a^3 g}{3} + a^2 b d \right) + x^2 \left(\frac{a^3 f}{2} + \frac{3 a^2 b c}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2,x)

[Out] $-a**3*c/x + a**3*d*\log(x) + a**3*e*x + b**3*f*x**11/11 + b**3*g*x**12/12 + b**3*h*x**13/13 + x**10*(3*a*b**2*h/10 + b**3*e/10) + x**9*(a*b**2*g/3 + b**3*d/9) + x**8*(3*a*b**2*f/8 + b**3*c/8) + x**7*(3*a**2*b*h/7 + 3*a*b**2*e/7) + x**6*(a**2*b*g/2 + a*b**2*d/2) + x**5*(3*a**2*b*f/5 + 3*a*b**2*c/5) + x**4*(a**3*h/4 + 3*a**2*b*e/4) + x**3*(a**3*g/3 + a**2*b*d) + x**2*(a**3*f/2 + 3*a**2*b*c/2)$

$$3.347 \quad \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$$

Optimal. Leaf size=198

$$-\frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^3e \log(x) + a^2x(af+3bc) + \frac{1}{2}a^2x^2(ag+3bd) + a^2bex^3 + \frac{1}{7}b^2x^7(3af+bc) + \frac{1}{8}b^2x^8(3ag+bd) + \frac{1}{2}ab^2ex^6 + \frac{3}{4}ab$$

Rubi [A] time = 0.20, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$a^2x(af+3bc) + \frac{1}{2}a^2x^2(ag+3bd) + a^2bex^3 - \frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^3e \log(x) + \frac{1}{7}b^2x^7(3af+bc) + \frac{1}{8}b^2x^8(3ag+bd) + \frac{1}{2}ab^2ex^6 + \frac{3}{4}abx^4(af+bc) + \frac{3}{5}abx^5(ag+bd) + \frac{h(a+bx^3)^4}{12b} + \frac{1}{9}b^2ex^9 + \frac{1}{10}b^3fx^{10} + \frac{1}{11}b^3gx^{11}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x]

[Out] -(a^3*c)/(2*x^2) - (a^3*d)/x + a^2*(3*b*c + a*f)*x + (a^2*(3*b*d + a*g)*x^2)/2 + a^2*b*e*x^3 + (3*a*b*(b*c + a*f)*x^4)/4 + (3*a*b*(b*d + a*g)*x^5)/5 + (a*b^2*e*x^6)/2 + (b^2*(b*c + 3*a*f)*x^7)/7 + (b^2*(b*d + 3*a*g)*x^8)/8 + (b^3*e*x^9)/9 + (b^3*f*x^10)/10 + (b^3*g*x^11)/11 + (h*(a + b*x^3)^4)/(12*b) + a^3*e*Log[x]

Rule 1583

Int[(Px_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^3} dx = \frac{h(a + bx^3)^4}{12b} + \int \frac{(a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4)}{x^3} dx$$

$$= \frac{h(a + bx^3)^4}{12b} + \int \left(a^2(3bc + af) + \frac{a^3c}{x^3} + \frac{a^3d}{x^2} + \frac{a^3e}{x} + a^2(3bd + ag)x^2 + a^2bex^3 \right) dx$$

$$= -\frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^2(3bc + af)x + \frac{1}{2}a^2(3bd + ag)x^2 + a^2bex^3$$

Mathematica [A] time = 0.15, size = 174, normalized size = 0.88

$$\frac{a^3(-3c - 6dx + x^3(6f + 3gx + 2hx^2))}{6x^2} + a^3c \log(x) + \frac{1}{20}a^2bx(60c + x(30d + x(20e + 15fx + 12gx^2 + 10hx^3))) + \frac{1}{840}a^2b^2x^4(630c + x(504d + 5x(84e + x(72f + 7x(9g + 8hx)))))) + \frac{b^3x^7(3960c + 7x(495d + 440ex + 6x^2(66f + 60gx + 55hx^2)))}{27720}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x]

[Out] (a^3*(-3*c - 6*d*x + x^3*(6*f + 3*g*x + 2*h*x^2)))/(6*x^2) + (b^3*x^7*(3960*c + 7*x*(495*d + 440*e*x + 6*x^2*(66*f + 60*g*x + 55*h*x^2))))/27720 + (a^2*b*x*(60*c + x*(30*d + x*(20*e + 15*f*x + 12*g*x^2 + 10*h*x^3))))/20 + (a*b^2*x^4*(630*c + x*(504*d + 5*x*(84*e + x*(72*f + 7*x*(9*g + 8*h*x))))))/840 + a^3*e*Log[x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x]

[Out] IntegrateAlgebraic[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3, x]

fricas [A] time = 0.42, size = 219, normalized size = 1.11

$$\frac{2310b^3ha^{14} + 2520b^3ga^{13} + 2772b^3fa^{12} + 3080(b^3c + 3ab^2h)a^{11} + 3465(b^3d + 3ab^2g)a^{10} + 3960(b^3e + 3ab^2f)a^9 + 13860(ab^2c + a^2bh)a^8 + 16632(ab^2d + a^2bg)a^7 + 20790(ab^2e + a^2bf)a^6 + 27720a^3c^2 \log(x) + 9240(3a^2bc + a^2b^2) - 27720a^2dx + 13860(3a^2bd + a^2g)a^4 - 13860a^2c + 27720(3a^2fc + a^2f^2)}{27720x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="fricas")

[Out] $1/27720*(2310*b^3*h*x^{14} + 2520*b^3*g*x^{13} + 2772*b^3*f*x^{12} + 3080*(b^3*e + 3*a*b^2*h)*x^{11} + 3465*(b^3*d + 3*a*b^2*g)*x^{10} + 3960*(b^3*c + 3*a*b^2*f)*x^9 + 13860*(a*b^2*e + a^2*b*h)*x^8 + 16632*(a*b^2*d + a^2*b*g)*x^7 + 20790*(a*b^2*c + a^2*b*f)*x^6 + 27720*a^3*e*x^2*\log(x) + 9240*(3*a^2*b*e + a^3*h)*x^5 - 27720*a^3*d*x + 13860*(3*a^2*b*d + a^3*g)*x^4 - 13860*a^3*c + 27720*(3*a^2*b*c + a^3*f)*x^3)/x^2$

giac [A] time = 0.16, size = 226, normalized size = 1.14

$$\frac{1}{12}b^3hx^{12} + \frac{1}{11}b^3gx^{11} + \frac{1}{10}b^3fx^{10} + \frac{1}{3}ab^2hx^9 + \frac{1}{9}b^3xe + \frac{1}{8}b^3dx^8 + \frac{3}{8}ab^2gx^8 + \frac{1}{7}b^3cx^7 + \frac{3}{7}ab^2fx^7 + \frac{1}{2}a^2bhx^6 + \frac{1}{2}ab^2xe + \frac{3}{5}ab^2dx^5 + \frac{3}{5}a^2bgx^5 + \frac{3}{4}ab^2cx^4 + \frac{3}{4}a^2bfx^4 + \frac{1}{3}a^3hx^3 + a^2bx^3e + \frac{3}{2}a^2bdx^2 + \frac{1}{2}a^3gx^2 + 3a^2bcx + a^3e\log(|x|) - \frac{2a^3dx + a^3c}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="giac")

[Out] $1/12*b^3*h*x^{12} + 1/11*b^3*g*x^{11} + 1/10*b^3*f*x^{10} + 1/3*a*b^2*h*x^9 + 1/9*b^3*x^9*e + 1/8*b^3*d*x^8 + 3/8*a*b^2*g*x^8 + 1/7*b^3*c*x^7 + 3/7*a*b^2*f*x^7 + 1/2*a^2*b*h*x^6 + 1/2*a*b^2*x^6*e + 3/5*a*b^2*d*x^5 + 3/5*a^2*b*g*x^5 + 3/4*a*b^2*c*x^4 + 3/4*a^2*b*f*x^4 + 1/3*a^3*h*x^3 + a^2*b*x^3*e + 3/2*a^2*b*d*x^2 + 1/2*a^3*g*x^2 + 3*a^2*b*c*x + a^3*f*x + a^3*e*\log(\text{abs}(x)) - 1/2*(2*a^3*d*x + a^3*c)/x^2$

maple [A] time = 0.06, size = 222, normalized size = 1.12

$$\frac{b^3hx^{12}}{12} + \frac{b^3gx^{11}}{11} + \frac{b^3fx^{10}}{10} + \frac{ab^2hx^9}{3} + \frac{b^3xe^9}{9} + \frac{3ab^2gx^8}{8} + \frac{b^3dx^8}{8} + \frac{3ab^2fx^7}{7} + \frac{b^3cx^7}{7} + \frac{a^2bhx^6}{2} + \frac{ab^2xe^6}{2} + \frac{3a^2bgx^5}{5} + \frac{3ab^2cx^4}{5} + \frac{3a^2bfx^4}{4} + \frac{3ab^2cx^4}{4} + \frac{a^3hx^3}{3} + a^2bcx^3 + \frac{a^3gx^2}{2} + \frac{3a^2bdx^2}{2} + a^3e\ln(x) + a^3fx + 3a^2bcx - \frac{a^3d}{x} - \frac{a^3c}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x)

[Out] $1/12*b^3*h*x^{12} + 1/11*b^3*g*x^{11} + 1/10*b^3*f*x^{10} + 1/3*x^9*a*b^2*h + 1/9*b^3*e*x^9 + 3/8*x^8*a*b^2*g + 1/8*b^3*d*x^8 + 3/7*x^7*a*b^2*f + 1/7*b^3*c*x^7 + 1/2*x^6*a^2*b*h + 1/2*a*b^2*x^6*e + 3/5*x^5*a^2*b*g + 3/5*a*b^2*d*x^5 + 3/4*x^4*a^2*b*f + 3/4*a*b^2*c*x^4 + 1/3*x^3*a^3*h + a^2*b*x^3*e + 3/2*x^2*a^3*g + 3/2*a^2*b*d*x^2 + a^3*f*x + 3*a^2*b*c*x - 1/2*a^3*c/x^2 - a^3*d/x + a^3*e*\ln(x)$

maxima [A] time = 1.38, size = 212, normalized size = 1.07

$$\frac{1}{12}b^3hx^{12} + \frac{1}{11}b^3gx^{11} + \frac{1}{10}b^3fx^{10} + \frac{1}{9}(b^3e + 3ab^2h)x^9 + \frac{1}{8}(b^3d + 3ab^2g)x^8 + \frac{1}{7}(b^3c + 3ab^2f)x^7 + \frac{1}{2}(ab^2e + a^2bh)x^6 + \frac{3}{5}(ab^2d + a^2bg)x^5 + \frac{3}{4}(ab^2c + a^2b^2f)x^4 + a^3e\log(x) + \frac{1}{3}(3a^2bc + a^3h)x^3 + \frac{1}{2}(3a^2bd + a^3g)x^2 + (3a^2bc + a^3f)x - \frac{2a^3dx + a^3c}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="maxima")

[Out] $1/12*b^3*h*x^{12} + 1/11*b^3*g*x^{11} + 1/10*b^3*f*x^{10} + 1/9*(b^3*e + 3*a*b^2*h)*x^9 + 1/8*(b^3*d + 3*a*b^2*g)*x^8 + 1/7*(b^3*c + 3*a*b^2*f)*x^7 + 1/2*(a$

$*b^2*e + a^2*b*h)*x^6 + 3/5*(a*b^2*d + a^2*b*g)*x^5 + 3/4*(a*b^2*c + a^2*b*f)*x^4 + a^3*e*\log(x) + 1/3*(3*a^2*b*e + a^3*h)*x^3 + 1/2*(3*a^2*b*d + a^3*g)*x^2 + (3*a^2*b*c + a^3*f)*x - 1/2*(2*a^3*d*x + a^3*c)/x^2$

mupad [B] time = 0.14, size = 199, normalized size = 1.01

$$x^7 \left(\frac{cb^3}{7} + \frac{3afb^2}{7} \right) + x^2 \left(\frac{ga^3}{2} + \frac{3bdda^2}{2} \right) + x^8 \left(\frac{db^3}{8} + \frac{3agb^2}{8} \right) + x^3 \left(\frac{ha^3}{3} + bea^2 \right) + x^9 \left(\frac{eb^3}{9} + \frac{ahb^2}{3} \right) - \frac{a^3c}{x^2} + \frac{a^3dx}{x^2} + x \left(fa^3 + 3bcad^2 \right) + \frac{b^3fx^{10}}{10} + \frac{b^3gx^{11}}{11} + \frac{b^3hx^{12}}{12} + a^3e \ln(x) + \frac{3abx^4(bc+af)}{4} + \frac{3abx^5(bd+ag)}{5} + \frac{abx^6(be+ah)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3, x)$

[Out] $x^7*((b^3*c)/7 + (3*a*b^2*f)/7) + x^2*((a^3*g)/2 + (3*a^2*b*d)/2) + x^8*((b^3*d)/8 + (3*a*b^2*g)/8) + x^3*((a^3*h)/3 + a^2*b*e) + x^9*((b^3*e)/9 + (a*b^2*h)/3) - ((a^3*c)/2 + a^3*d*x)/x^2 + x*(a^3*f + 3*a^2*b*c) + (b^3*f*x^{10})/10 + (b^3*g*x^{11})/11 + (b^3*h*x^{12})/12 + a^3*e*\log(x) + (3*a*b*x^4*(b*c + a*f))/4 + (3*a*b*x^5*(b*d + a*g))/5 + (a*b*x^6*(b*e + a*h))/2$

sympy [A] time = 0.59, size = 238, normalized size = 1.20

$$a^3e \log(x) + \frac{b^3fx^{10}}{10} + \frac{b^3gx^{11}}{11} + \frac{b^3hx^{12}}{12} + x^9 \left(\frac{ah^2h}{3} + \frac{b^3c}{9} \right) + x^8 \left(\frac{3ab^2g}{8} + \frac{b^3d}{8} \right) + x^7 \left(\frac{3ab^2f}{7} + \frac{b^3c}{7} \right) + x^6 \left(\frac{a^2bh}{2} + \frac{ab^2e}{2} \right) + x^5 \left(\frac{3a^2bg}{5} + \frac{3ab^2d}{5} \right) + x^4 \left(\frac{3a^2bf}{4} + \frac{3ab^2c}{4} \right) + x^3 \left(\frac{a^3h}{3} + a^2be \right) + x^2 \left(\frac{a^3g}{2} + \frac{3a^2bd}{2} \right) + x \left(a^3f + 3a^2bc \right) + \frac{-a^3c - 2a^3d*x}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3, x)$

[Out] $a**3*e*\log(x) + b**3*f*x**10/10 + b**3*g*x**11/11 + b**3*h*x**12/12 + x**9*(a*b**2*h/3 + b**3*e/9) + x**8*(3*a*b**2*g/8 + b**3*d/8) + x**7*(3*a*b**2*f/7 + b**3*c/7) + x**6*(a**2*b*h/2 + a*b**2*e/2) + x**5*(3*a**2*b*g/5 + 3*a*b**2*d/5) + x**4*(3*a**2*b*f/4 + 3*a*b**2*c/4) + x**3*(a**3*h/3 + a**2*b*e) + x**2*(a**3*g/2 + 3*a**2*b*d/2) + x*(a**3*f + 3*a**2*b*c) + (-a**3*c - 2*a**3*d*x)/(2*x**2)$

$$3.348 \quad \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$$

Optimal. Leaf size=209

$$-\frac{a^3c}{3x^3} - \frac{a^3d}{2x^2} - \frac{a^3e}{x} + a^2 \log(x)(af+3bc) + a^2x(ag+3bd) + \frac{1}{2}a^2x^2(ah+3be) + \frac{1}{6}b^2x^6(3af+bc) + \frac{1}{7}b^2x^7(3ag+bd) + \frac{1}{8}b^2x^8(3a$$

Rubi [A] time = 0.18, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$a^2 \log(x)(af+3bc) + a^2x(ag+3bd) + \frac{1}{2}a^2x^2(ah+3be) - \frac{a^3c}{3x^3} - \frac{a^3d}{2x^2} - \frac{a^3e}{x} + \frac{1}{6}b^2x^6(3af+bc) + \frac{1}{7}b^2x^7(3ag+bd) + \frac{1}{8}b^2x^8(3ah+be) + abx^3(af+bc) + \frac{3}{4}abx^4(ag+bd) + \frac{3}{5}abx^5(ah+be) + \frac{1}{9}b^3fx^9 + \frac{1}{10}b^3gx^{10} + \frac{1}{11}b^3hx^{11}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]

[Out] -(a^3*c)/(3*x^3) - (a^3*d)/(2*x^2) - (a^3*e)/x + a^2*(3*b*d + a*g)*x + (a^2*(3*b*e + a*h)*x^2)/2 + a*b*(b*c + a*f)*x^3 + (3*a*b*(b*d + a*g)*x^4)/4 + (3*a*b*(b*e + a*h)*x^5)/5 + (b^2*(b*c + 3*a*f)*x^6)/6 + (b^2*(b*d + 3*a*g)*x^7)/7 + (b^2*(b*e + 3*a*h)*x^8)/8 + (b^3*f*x^9)/9 + (b^3*g*x^10)/10 + (b^3*h*x^11)/11 + a^2*(3*b*c + a*f)*Log[x]

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :=
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx = \int \left(a^2(3bd+ag) + \frac{a^3c}{x^4} + \frac{a^3d}{x^3} + \frac{a^3e}{x^2} + \frac{a^2(3bc+af)}{x} + a^2(3bd+ag)x + \frac{a^3c}{3x^3} - \frac{a^3d}{2x^2} - \frac{a^3e}{x} + a^2(3bd+ag)x + \frac{1}{2}a^2(3be+ah)x^2 + ab \right) dx$$

Mathematica [A] time = 0.15, size = 172, normalized size = 0.82

$$-\frac{a^3(2c+3x(d+2ex-x^3(2g+hx)))}{6x^3} + a^2 \log(x)(af+3bc) + \frac{1}{20}a^2bx(60d+x(30e+x(20f+15gx+12hx^2))) + \frac{1}{280}ab^2x^3(280c+x(210d+x(168e+140f/x+120gx^2+105hx^3))) + \frac{b^3x^6(4620c+x(3960d+7x(495e+4x(110f+99gx+90hx^2))))}{27720}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4,x]
 [Out] -1/6*(a^3*(2*c + 3*x*(d + 2*e*x - x^3*(2*g + h*x))))/x^3 + (a^2*b*x*(60*d + x*(30*e + x*(20*f + 15*g*x + 12*h*x^2))))/20 + (a*b^2*x^3*(280*c + x*(210*d + x*(168*e + 140*f*x + 120*g*x^2 + 105*h*x^3))))/280 + (b^3*x^6*(4620*c + x*(3960*d + 7*x*(495*e + 4*x*(110*f + 99*g*x + 90*h*x^2)))))/27720 + a^2*(3*b*c + a*f)*Log[x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4,x]
 [Out] IntegrateAlgebraic[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]

fricas [A] time = 0.42, size = 219, normalized size = 1.05

$$\frac{2520 b^3 h x^{14} + 2772 b^3 g x^{13} + 3080 b^3 f x^{12} + 3465 (b^3 e + 3 a b^2 h) x^{11} + 3960 (b^3 d + 3 a b^2 g) x^{10} + 4620 (b^3 c + 3 a b^2 f) x^9 + 16632 (a b^2 e + a^2 b h) x^8 + 20790 (a b^2 d + a^2 b g) x^7 + 27720 (a b^2 c + a^2 b f) x^6 - 27720 a^3 e x^2 + 13860 (3 a^2 b e + a^3 h) x^5 - 13860 a^3 d x + 27720 (3 a^2 b d + a^3 g) x^4 + 27720 (3 a^2 b c + a^3 f) x^3 \log(x) - 9240 a^3 c}{27720 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="fricas")
 [Out] 1/27720*(2520*b^3*h*x^14 + 2772*b^3*g*x^13 + 3080*b^3*f*x^12 + 3465*(b^3*e + 3*a*b^2*h)*x^11 + 3960*(b^3*d + 3*a*b^2*g)*x^10 + 4620*(b^3*c + 3*a*b^2*f)*x^9 + 16632*(a*b^2*e + a^2*b*h)*x^8 + 20790*(a*b^2*d + a^2*b*g)*x^7 + 27720*(a*b^2*c + a^2*b*f)*x^6 - 27720*a^3*e*x^2 + 13860*(3*a^2*b*e + a^3*h)*x^5 - 13860*a^3*d*x + 27720*(3*a^2*b*d + a^3*g)*x^4 + 27720*(3*a^2*b*c + a^3*f)*x^3*log(x) - 9240*a^3*c)/x^3

giac [A] time = 0.19, size = 225, normalized size = 1.08

$$\frac{1}{11} b^3 h x^{11} + \frac{1}{10} b^3 g x^{10} + \frac{1}{9} b^3 f x^9 + \frac{3}{8} a b^2 h x^8 + \frac{1}{8} b^3 e x^8 + \frac{1}{7} b^3 d x^7 + \frac{3}{7} a b^2 g x^7 + \frac{1}{6} b^3 c x^6 + \frac{1}{2} a b^2 f x^6 + \frac{3}{5} a^2 b h x^5 + \frac{3}{5} a b^2 e x^5 + \frac{3}{4} a^2 d x^4 + \frac{3}{4} a^2 b g x^4 + a b^2 c x^3 + a^2 b f x^3 + \frac{1}{2} a^3 h x^2 + \frac{3}{2} a^2 b e x^2 + 3 a^2 b d x + a^3 g x + (3 a^2 b c + a^3 f) \log(|x|) - \frac{6 a^3 x^2 e + 3 a^3 d x + 2 a^3 c}{6 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="giac")
 [Out] 1/11*b^3*h*x^11 + 1/10*b^3*g*x^10 + 1/9*b^3*f*x^9 + 3/8*a*b^2*h*x^8 + 1/8*b^3*x^8*e + 1/7*b^3*d*x^7 + 3/7*a*b^2*g*x^7 + 1/6*b^3*c*x^6 + 1/2*a*b^2*f*x^6

$$6 + 3/5*a^2*b*h*x^5 + 3/5*a*b^2*x^5*e + 3/4*a*b^2*d*x^4 + 3/4*a^2*b*g*x^4 + a*b^2*c*x^3 + a^2*b*f*x^3 + 1/2*a^3*h*x^2 + 3/2*a^2*b*x^2*e + 3*a^2*b*d*x + a^3*g*x + (3*a^2*b*c + a^3*f)*\log(\text{abs}(x)) - 1/6*(6*a^3*x^2*e + 3*a^3*d*x + 2*a^3*c)/x^3$$

maple [A] time = 0.05, size = 220, normalized size = 1.05

$$\frac{b^3 h x^{11}}{11} + \frac{b^3 g x^{10}}{10} + \frac{b^3 f x^9}{9} + \frac{3 a b^2 h x^8}{8} + \frac{b^3 e x^8}{8} + \frac{3 a b^2 g x^7}{7} + \frac{b^3 d x^7}{7} + \frac{a b^2 f x^6}{2} + \frac{b^3 c x^6}{6} + \frac{3 a^2 b h x^5}{5} + \frac{3 a b^2 e x^5}{5} + \frac{3 a^2 b g x^4}{4} + \frac{3 a b^2 d x^4}{4} + a^2 b f x^3 + a b^2 c x^3 + \frac{a^3 h x^2}{2} + \frac{3 a^2 b e x^2}{2} + a^3 f \ln(x) + a^3 g x + 3 a^2 b c \ln(x) + 3 a^2 b d x - \frac{a^3 e}{x} - \frac{a^3 d}{2 x^2} - \frac{a^3 c}{3 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x)

$$[Out] \frac{1}{11} b^3 h x^{11} + \frac{1}{10} b^3 g x^{10} + \frac{1}{9} b^3 f x^9 + \frac{3}{8} x^8 a b^2 h + \frac{1}{8} x^8 b^3 e + \frac{3}{7} x^7 a b^2 g + \frac{1}{7} x^7 b^3 d + \frac{1}{2} x^6 a a b^2 f + \frac{1}{6} x^6 b^3 c + \frac{3}{5} x^5 a^2 b h + \frac{3}{5} x^5 a b^2 e + \frac{3}{4} x^4 a^2 b g + \frac{3}{4} x^4 a b^2 d + x^3 a^2 b f + a b^2 c x^3 + \frac{1}{2} x^2 a^3 h + \frac{3}{2} x^2 a^2 b e + a^3 g x + 3 a^2 d b x - \frac{1}{3} a^3 c / x^3 - \frac{1}{2} a^3 d / x^2 - a^3 e / x + \ln(x) a^3 f + 3 \ln(x) a^2 b c$$

maxima [A] time = 1.36, size = 212, normalized size = 1.01

$$\frac{1}{11} b^3 h x^{11} + \frac{1}{10} b^3 g x^{10} + \frac{1}{9} b^3 f x^9 + \frac{1}{8} (b^3 e + 3 a b^2 h) x^8 + \frac{1}{7} (b^3 d + 3 a b^2 g) x^7 + \frac{1}{6} (b^3 c + 3 a b^2 f) x^6 + \frac{3}{5} (a b^2 e + a^2 b h) x^5 + \frac{3}{4} (a b^2 d + a^2 b g) x^4 + (a b^2 c + a^2 b f) x^3 + \frac{1}{2} (3 a^2 b e + a^3 h) x^2 + (3 a^2 b d + a^3 g) x + (3 a^2 b c + a^3 f) \log(x) - \frac{6 a^3 e x^2 + 3 a^3 d x + 2 a^3 c}{6 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="maxima")

$$[Out] \frac{1}{11} b^3 h x^{11} + \frac{1}{10} b^3 g x^{10} + \frac{1}{9} b^3 f x^9 + \frac{1}{8} (b^3 e + 3 a b^2 h) x^8 + \frac{1}{7} (b^3 d + 3 a b^2 g) x^7 + \frac{1}{6} (b^3 c + 3 a b^2 f) x^6 + \frac{3}{5} (a b^2 e + a^2 b h) x^5 + \frac{3}{4} (a b^2 d + a^2 b g) x^4 + (a b^2 c + a^2 b f) x^3 + \frac{1}{2} (3 a^2 b e + a^3 h) x^2 + (3 a^2 b d + a^3 g) x + (3 a^2 b c + a^3 f) \log(x) - \frac{1}{6} (6 a^3 e x^2 + 3 a^3 d x + 2 a^3 c) / x^3$$

mupad [B] time = 0.12, size = 199, normalized size = 0.95

$$x^6 \left(\frac{c b^3}{6} + \frac{a f b^2}{2} \right) + x^7 \left(\frac{d b^3}{7} + \frac{3 a g b^2}{7} \right) + x^8 \left(\frac{h a^3}{2} + \frac{3 b e a^2}{2} \right) + x^8 \left(\frac{c b^3}{8} + \frac{3 a h b^2}{8} \right) + \ln(x) (f a^3 + 3 b c a^2) - \frac{e a^3 x^2 + \frac{d a^3 x}{2} + \frac{c a^3}{3}}{x^3} + x (g a^3 + 3 b d a^2) + \frac{b^3 f x^9}{9} + \frac{b^3 g x^{10}}{10} + \frac{b^3 h x^{11}}{11} + a b x^3 (b c + a f) + \frac{3 a b x^4 (b d + a g)}{4} + \frac{3 a b x^5 (b e + a h)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4,x)

$$[Out] x^6 * ((b^3*c)/6 + (a*b^2*f)/2) + x^7 * ((b^3*d)/7 + (3*a*b^2*g)/7) + x^8 * ((a^3*h)/2 + (3*a^2*b*e)/2) + x^8 * ((b^3*e)/8 + (3*a*b^2*h)/8) + \log(x) * (a^3*f + 3*a^2*b*c) - ((a^3*c)/3 + a^3*e*x^2 + (a^3*d*x)/2) / x^3 + x * (a^3*g + 3*a^2*b*d) + (b^3*f*x^9)/9 + (b^3*g*x^10)/10 + (b^3*h*x^11)/11 + a*b*x^3*(b*c + a*f) + (3*a*b*x^4*(b*d + a*g))/4 + (3*a*b*x^5*(b*e + a*h))/5$$

sympy [A] time = 1.04, size = 236, normalized size = 1.13

$$a^2 (af + 3bc) \log(x) + \frac{b^3 f x^9}{9} + \frac{b^3 g x^{10}}{10} + \frac{b^3 h x^{11}}{11} + x^8 \left(\frac{3ab^2 h}{8} + \frac{b^3 c}{8} \right) + x^7 \left(\frac{3ab^2 g}{7} + \frac{b^3 d}{7} \right) + x^6 \left(\frac{ab^2 f}{2} + \frac{b^3 c}{6} \right) + x^5 \left(\frac{3a^2 b h}{5} + \frac{3ab^2 c}{5} \right) + x^4 \left(\frac{3a^2 b g}{4} + \frac{3ab^2 d}{4} \right) + x^3 (a^2 b f + ab^2 c) + x^2 \left(\frac{a^3 h}{2} + \frac{3a^2 b c}{2} \right) + x (a^3 g + 3a^2 b d) + \frac{-2a^3 c - 3a^3 d x - 6a^3 e x^2}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4,x)

[Out] a**2*(a*f + 3*b*c)*log(x) + b**3*f*x**9/9 + b**3*g*x**10/10 + b**3*h*x**11/11 + x**8*(3*a*b**2*h/8 + b**3*e/8) + x**7*(3*a*b**2*g/7 + b**3*d/7) + x**6*(a*b**2*f/2 + b**3*c/6) + x**5*(3*a**2*b*h/5 + 3*a*b**2*e/5) + x**4*(3*a**2*b*g/4 + 3*a*b**2*d/4) + x**3*(a**2*b*f + a*b**2*c) + x**2*(a**3*h/2 + 3*a**2*b*e/2) + x*(a**3*g + 3*a**2*b*d) + (-2*a**3*c - 3*a**3*d*x - 6*a**3*e*x**2)/(6*x**3)

$$3.349 \quad \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$$

Optimal. Leaf size=209

$$-\frac{a^3c}{4x^4} - \frac{a^3d}{3x^3} - \frac{a^3e}{2x^2} - \frac{a^2(af+3bc)}{x} + a^2 \log(x)(ag+3bd) + a^2x(ah+3be) + \frac{1}{5}b^2x^5(3af+bc) + \frac{1}{6}b^2x^6(3ag+bd) + \frac{1}{7}b^2x^7(3ah$$

Rubi [A] time = 0.18, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$-\frac{a^2(af+3bc)}{x} + a^2 \log(x)(ag+3bd) + a^2x(ah+3be) - \frac{a^3c}{4x^4} - \frac{a^3d}{3x^3} - \frac{a^3e}{2x^2} + \frac{1}{5}b^2x^5(3af+bc) + \frac{1}{6}b^2x^6(3ag+bd) + \frac{1}{7}b^2x^7(3ah+be) + \frac{3}{2}abx^2(af+bc) + abx^3(ag+bd) + \frac{3}{4}abx^4(ah+be) + \frac{1}{8}b^5fx^8 + \frac{1}{9}b^5gx^9 + \frac{1}{10}b^5hx^{10}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5, x]

[Out] -(a^3*c)/(4*x^4) - (a^3*d)/(3*x^3) - (a^3*e)/(2*x^2) - (a^2*(3*b*c + a*f))/x + a^2*(3*b*e + a*h)*x + (3*a*b*(b*c + a*f)*x^2)/2 + a*b*(b*d + a*g)*x^3 + (3*a*b*(b*e + a*h)*x^4)/4 + (b^2*(b*c + 3*a*f)*x^5)/5 + (b^2*(b*d + 3*a*g)*x^6)/6 + (b^2*(b*e + 3*a*h)*x^7)/7 + (b^3*f*x^8)/8 + (b^3*g*x^9)/9 + (b^3*h*x^10)/10 + a^2*(3*b*d + a*g)*Log[x]

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :=
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx = \int \left(a^2(3be+ah) + \frac{a^3c}{x^5} + \frac{a^3d}{x^4} + \frac{a^3e}{x^3} + \frac{a^2(3bc+af)}{x^2} + \frac{a^2(3b$$

$$= -\frac{a^3c}{4x^4} - \frac{a^3d}{3x^3} - \frac{a^3e}{2x^2} - \frac{a^2(3bc+af)}{x} + a^2(3be+ah)x + \frac{3}{2}ab(l$$

Mathematica [A] time = 0.16, size = 170, normalized size = 0.81

$$a^2 \log(x)(ag+3bd) + \frac{-210a^3(3c+4dx+6x^2(e+2fx-2ix^3))+630a^2bx^3(x^2(12e+6fx+4gx^2+3ix^3)-12c)+18ab^2x^6(210c+x(140d+105ex+84fx^2+70gx^3+60ix^4))+b^3x^9(504c+x(420d+360ex+315fx^2+280gx^3+252ix^4))}{2520x^4}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x]

[Out] (-210*a^3*(3*c + 4*d*x + 6*x^2*(e + 2*f*x - 2*h*x^3)) + 630*a^2*b*x^3*(-12*c + x^2*(12*e + 6*f*x + 4*g*x^2 + 3*h*x^3)) + 18*a*b^2*x^6*(210*c + x*(140*d + 105*e*x + 84*f*x^2 + 70*g*x^3 + 60*h*x^4)) + b^3*x^9*(504*c + x*(420*d + 360*e*x + 315*f*x^2 + 280*g*x^3 + 252*h*x^4)))/(2520*x^4) + a^2*(3*b*d + a*g)*Log[x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^5} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x]

[Out] IntegrateAlgebraic[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5, x]

fricas [A] time = 0.40, size = 219, normalized size = 1.05

$$\frac{252b^3hx^{14} + 280b^3gx^{13} + 315b^3fx^{12} + 360(b^3e + 3ab^2h)x^{11} + 420(b^3d + 3ab^2g)x^{10} + 504(b^3c + 3ab^2f)x^9 + 1890(ab^2e + a^2bh)x^8 + 2520(ab^2d + a^2bg)x^7 + 3780(ab^2c + a^2bf)x^6 - 1260a^3ex^5 + 2520(3a^2be + a^3h)x^4 + 2520(3a^2bd + a^3g)x^3 \log(x) - 840a^3dx - 630a^3c - 2520(3a^2bc + a^3f)x^2}{2520x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="fricas")

[Out] 1/2520*(252*b^3*h*x^14 + 280*b^3*g*x^13 + 315*b^3*f*x^12 + 360*(b^3*e + 3*a*b^2*h)*x^11 + 420*(b^3*d + 3*a*b^2*g)*x^10 + 504*(b^3*c + 3*a*b^2*f)*x^9 + 1890*(a*b^2*e + a^2*b*h)*x^8 + 2520*(a*b^2*d + a^2*b*g)*x^7 + 3780*(a*b^2*c + a^2*b*f)*x^6 - 1260*a^3*e*x^5 + 2520*(3*a^2*b*e + a^3*h)*x^4 + 2520*(3*a^2*b*d + a^3*g)*x^3*log(x) - 840*a^3*d*x - 630*a^3*c - 2520*(3*a^2*b*c + a^3*f)*x^2)/x^4

giac [A] time = 0.15, size = 224, normalized size = 1.07

$$\frac{\frac{1}{10}b^3hx^{10} + \frac{1}{9}b^3gx^9 + \frac{1}{8}b^3fx^8 + \frac{3}{7}ab^2hx^7 + \frac{1}{7}b^3x^6 + \frac{1}{6}b^3dx^5 + \frac{1}{2}ab^2gx^4 + \frac{1}{5}b^3cx^3 + \frac{3}{5}ab^2fx^2 + \frac{3}{4}a^2bhx^4 + \frac{3}{4}ab^2x^3e + ab^2dx^3 + a^2bgx^3 + \frac{3}{2}ab^2cx^2 + \frac{3}{2}a^2bfx^2 + a^3hx + 3a^2bxe + (3a^2bd + a^3g)\log(|x|) - \frac{6a^3x^2e + 4a^3dx + 3a^3c + 12(3a^2bc + a^3f)x^3}{12x^4}}{2520x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="giac")

[Out] 1/10*b^3*h*x^10 + 1/9*b^3*g*x^9 + 1/8*b^3*f*x^8 + 3/7*a*b^2*h*x^7 + 1/7*b^3*x^7*e + 1/6*b^3*d*x^6 + 1/2*a*b^2*g*x^6 + 1/5*b^3*c*x^5 + 3/5*a*b^2*f*x^5

$$+ 3/4*a^2*b*h*x^4 + 3/4*a*b^2*x^4*e + a*b^2*d*x^3 + a^2*b*g*x^3 + 3/2*a*b^2*c*x^2 + 3/2*a^2*b*f*x^2 + a^3*h*x + 3*a^2*b*x*e + (3*a^2*b*d + a^3*g)*\log(\text{abs}(x)) - 1/12*(6*a^3*x^2*e + 4*a^3*d*x + 3*a^3*c + 12*(3*a^2*b*c + a^3*f)*x^3)/x^4$$

maple [A] time = 0.05, size = 220, normalized size = 1.05

$$\frac{b^3 h x^{10}}{10} + \frac{b^3 g x^9}{9} + \frac{b^3 f x^8}{8} + \frac{3 a b^2 h x^7}{7} + \frac{b^3 e x^7}{7} + \frac{a b^2 g x^6}{2} + \frac{b^3 d x^6}{6} + \frac{3 a b^2 f x^5}{5} + \frac{b^3 c x^5}{5} + \frac{3 a^2 b h x^4}{4} + \frac{3 a b^2 e x^4}{4} + a^2 b g x^3 + a b^2 d x^3 + \frac{3 a^2 b f x^2}{2} + \frac{3 a b^2 c x^2}{2} + a^3 g \ln(x) + a^3 h x + 3 a^2 b d \ln(x) + 3 a^2 b e x - \frac{a^3 f}{x} - \frac{3 a^2 b c}{x} - \frac{a^3 e}{2 x^2} - \frac{a^3 d}{3 x^3} - \frac{a^3 c}{4 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x)

[Out] 1/10*b^3*h*x^10+1/9*b^3*g*x^9+1/8*b^3*f*x^8+3/7*x^7*a*b^2*h+1/7*x^7*b^3*e+1/2*x^6*a*b^2*g+1/6*x^6*b^3*d+3/5*x^5*a*b^2*f+1/5*x^5*b^3*c+3/4*x^4*a^2*b*h+3/4*x^4*a*b^2*e+x^3*a^2*b*g+x^3*a*b^2*d+3/2*x^2*a^2*b*f+3/2*a*b^2*c*x^2+a^3*h*x+3*a^2*b*e*x-1/4*a^3*c/x^4-1/3*a^3*d/x^3-1/2*a^3*e/x^2-a^3/x*f-3*a^2/x*b*c+ln(x)*a^3*g+3*ln(x)*a^2*b*d

maxima [A] time = 1.39, size = 212, normalized size = 1.01

$$\frac{1}{10} b^3 h x^{10} + \frac{1}{9} b^3 g x^9 + \frac{1}{8} b^3 f x^8 + \frac{1}{7} (b^3 e + 3 a b^2 h) x^7 + \frac{1}{6} (b^3 d + 3 a b^2 g) x^6 + \frac{1}{5} (b^3 c + 3 a b^2 f) x^5 + \frac{3}{4} (a b^2 e + a^2 b h) x^4 + (a b^2 d + a^2 b g) x^3 + \frac{3}{2} (a b^2 c + a^2 b f) x^2 + (3 a^2 b e + a^3 h) x + (3 a^2 b d + a^3 g) \log(x) - \frac{6 a^3 e x^2 + 4 a^3 d x + 3 a^3 c + 12 (3 a^2 b c + a^3 f) x^3}{12 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="maxima")

[Out] 1/10*b^3*h*x^10 + 1/9*b^3*g*x^9 + 1/8*b^3*f*x^8 + 1/7*(b^3*e + 3*a*b^2*h)*x^7 + 1/6*(b^3*d + 3*a*b^2*g)*x^6 + 1/5*(b^3*c + 3*a*b^2*f)*x^5 + 3/4*(a*b^2*e + a^2*b*h)*x^4 + (a*b^2*d + a^2*b*g)*x^3 + 3/2*(a*b^2*c + a^2*b*f)*x^2 + (3*a^2*b*e + a^3*h)*x + (3*a^2*b*d + a^3*g)*log(x) - 1/12*(6*a^3*e*x^2 + 4*a^3*d*x + 3*a^3*c + 12*(3*a^2*b*c + a^3*f)*x^3)/x^4

mupad [B] time = 5.03, size = 199, normalized size = 0.95

$$x^5 \left(\frac{c b^3}{5} + \frac{3 a f b^2}{5} \right) + x^6 \left(\frac{d b^3}{6} + \frac{a g b^2}{2} \right) + x^7 \left(\frac{e b^3}{7} + \frac{3 a h b^2}{7} \right) + \ln(x) (g a^3 + 3 b d a^2) - \frac{x^3 (f a^2 + 3 b c a^2) + \frac{a^3 c}{4} + \frac{a^3 e x^2}{2} + \frac{a^3 d x}{3}}{x^4} + x (h a^3 + 3 b e a^2) + \frac{b^3 f x^8}{8} + \frac{b^3 g x^9}{9} + \frac{b^3 h x^{10}}{10} + \frac{3 a b x^2 (b c + a f)}{2} + a b x^3 (b d + a g) + \frac{3 a b x^4 (b e + a h)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x)

[Out] x^5*((b^3*c)/5 + (3*a*b^2*f)/5) + x^6*((b^3*d)/6 + (a*b^2*g)/2) + x^7*((b^3*e)/7 + (3*a*b^2*h)/7) + log(x)*(a^3*g + 3*a^2*b*d) - (x^3*(a^3*f + 3*a^2*b*c) + (a^3*c)/4 + (a^3*e*x^2)/2 + (a^3*d*x)/3)/x^4 + x*(a^3*h + 3*a^2*b*e) + (b^3*f*x^8)/8 + (b^3*g*x^9)/9 + (b^3*h*x^10)/10 + (3*a*b*x^2*(b*c + a*f))/2 + a*b*x^3*(b*d + a*g) + (3*a*b*x^4*(b*e + a*h))/4

sympy [A] time = 3.14, size = 235, normalized size = 1.12

$$a^2 (ag + 3bd) \log(x) + \frac{b^3 f x^8}{8} + \frac{b^3 g x^9}{9} + \frac{b^3 h x^{10}}{10} + x^7 \left(\frac{3ab^2 h}{7} + \frac{b^3 c}{7} \right) + x^6 \left(\frac{ab^2 g}{2} + \frac{b^3 d}{6} \right) + x^5 \left(\frac{3ab^2 f}{5} + \frac{b^3 c}{5} \right) + x^4 \left(\frac{3a^2 b h}{4} + \frac{3ab^2 e}{4} \right) + x^3 (a^2 b g + ab^2 d) + x^2 \left(\frac{3a^2 b f}{2} + \frac{3ab^2 c}{2} \right) + x (a^3 h + 3a^2 b c) + \frac{-3a^3 c - 4a^3 d x - 6a^3 e x^2 + x^3 (-12a^3 f - 36a^2 b c)}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**5,x)

[Out] a**2*(a*g + 3*b*d)*log(x) + b**3*f*x**8/8 + b**3*g*x**9/9 + b**3*h*x**10/10 + x**7*(3*a*b**2*h/7 + b**3*e/7) + x**6*(a*b**2*g/2 + b**3*d/6) + x**5*(3*a*b**2*f/5 + b**3*c/5) + x**4*(3*a**2*b*h/4 + 3*a*b**2*e/4) + x**3*(a**2*b*g + a*b**2*d) + x**2*(3*a**2*b*f/2 + 3*a*b**2*c/2) + x*(a**3*h + 3*a**2*b*e) + (-3*a**3*c - 4*a**3*d*x - 6*a**3*e*x**2 + x**3*(-12*a**3*f - 36*a**2*b*c))/(12*x**4)

$$3.350 \quad \int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$$

Optimal. Leaf size=331

$$\frac{a^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6b^{10/3}} + \frac{a^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3b^{10/3}}$$

Rubi [A] time = 1.07, antiderivative size = 331, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1836, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{a^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6b^{10/3}} + \frac{a^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3b^{10/3}} + \frac{a^{2/3} \tan^{-1}\left(\frac{\sqrt[3]{2} - 2\sqrt[3]{b} x}{\sqrt[3]{a}}\right) \left(-a^{2/3} be + a^{5/3} h - ab^{2/3} f + b^{5/3} c\right)}{\sqrt[3]{3} b^{10/3}} + \frac{x^2(bc - af)}{2b^2} + \frac{x^2(bd - ag)}{3b^2} - \frac{a(bd - ag) \log(a + bx^3)}{3b^3} + \frac{x^4(bc - ah)}{4b^2} - \frac{ax(bc - ah)}{b^3} + \frac{fx^3}{5b} + \frac{gx^4}{6b} + \frac{hx^5}{7b}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

[Out] -((a*(b*e - a*h)*x)/b^3) + ((b*c - a*f)*x^2)/(2*b^2) + ((b*d - a*g)*x^3)/(3*b^2) + ((b*e - a*h)*x^4)/(4*b^2) + (f*x^5)/(5*b) + (g*x^6)/(6*b) + (h*x^7)/(7*b) + (a^(2/3)*(b^(5/3)*c - a^(2/3)*b*e - a*b^(2/3)*f + a^(5/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*b^(10/3)) + (a^(2/3)*(b^(2/3)*(b*c - a*f) + a^(2/3)*(b*e - a*h))*Log[a^(1/3) + b^(1/3)*x])/(3*b^(10/3)) - (a^(2/3)*(b^(2/3)*(b*c - a*f) + a^(2/3)*(b*e - a*h))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*b^(10/3)) - (a*(b*d - a*g)*Log[a + b*x^3])/(3*b^3)

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] :- Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{x^4(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx &= \frac{hx^7}{7b} + \frac{\int \frac{x^4(7bc+7bdx+7(be-ah)x^2+7bfx^3+7bgx^4)}{a+bx^3} dx}{7b} \\
 &= \frac{gx^6}{6b} + \frac{hx^7}{7b} + \frac{\int \frac{x^4(42b^2c+42b(bd-ag)x+42b(be-ah)x^2+42b^2fx^3)}{a+bx^3} dx}{42b^2} \\
 &= \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} + \frac{\int \frac{x^4(210b^2(bc-af)+210b^2(bd-ag)x+210b^2(be-ah)x^2)}{a+bx^3} dx}{210b^3} \\
 &= \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} + \frac{\int (-210a(be-ah) + 210b(bc-af)x + 210b^2(bc-af)x^2)}{210b^3} dx \\
 &= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} \\
 &= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} \\
 &= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} \\
 &= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} \\
 &= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} \\
 &= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b}
 \end{aligned}$$

Mathematica [A] time = 0.56, size = 334, normalized size = 1.01

$$\frac{a^{2/3} \log(a^{2/3} - \sqrt{a} \sqrt[3]{bx^3 + b^2}) (-a^{2/3}be + a^{5/3}h + ab^{2/3}f - b^{5/3}c)}{6b^{10/3}} + \frac{a^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b}x) (a^{2/3}be + a^{5/3}(-h) - ab^{2/3}f + b^{5/3}c)}{3b^{10/3}} + \frac{a^{2/3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt{a}}{\sqrt[3]{b}}}{\sqrt[3]{a}}\right) (-a^{2/3}be + a^{5/3}h - ab^{2/3}f + b^{5/3}c)}{\sqrt[3]{3}b^{10/3}} + \frac{a(bg - bf) \log(a + bx^3)}{3b^4} + \frac{ax(ah - bc)}{b^3} + \frac{x^2(bc - af)}{2b^2} + \frac{x^3(bd - ag)}{3b^2} + \frac{x^4(be - ah)}{4b^2} + \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x]

[Out] (a*(-(b*e) + a*h)*x)/b^3 + ((b*c - a*f)*x^2)/(2*b^2) + ((b*d - a*g)*x^3)/(3*b^2) + ((b*e - a*h)*x^4)/(4*b^2) + (f*x^5)/(5*b) + (g*x^6)/(6*b) + (h*x^7)/(7*b) + (a^(2/3)*(b^(5/3)*c - a^(2/3)*b*e - a*b^(2/3)*f + a^(5/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]]/(Sqrt[3]*b^(10/3)) + (a^(2/3)*(b^(5/3)*c + a^(2/3)*b*e - a*b^(2/3)*f - a^(5/3)*h)*Log[a^(1/3) + b^(1/3)*x]/(3*b^(10/3)) + (a^(2/3)*(-(b^(5/3)*c) - a^(2/3)*b*e + a*b^(2/3)*f + a^(5/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*b^(10/3)) + (a*(-(b*d) + a*g)*Log[a + b*x^3])/(3*b^3)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x]

[Out] IntegrateAlgebraic[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 380, normalized size = 1.15

$$\frac{(abd - e^2) \log(bx^2 + d)}{3b^3} - \frac{\sqrt{3} \left((-ab)^2 dx - (-ab)^2 abx - (-ab)^2 bc + (-ab)^2 dx \right) \operatorname{arctan} \left(\frac{\sqrt{3}(2x + \frac{a}{b})}{3} \right)}{3b^3} - \frac{\left((-ab)^2 dx - (-ab)^2 abx + (-ab)^2 bc - (-ab)^2 dx \right) \log \left(x^2 + x \left(\frac{a}{b} \right) + \left(\frac{a}{b} \right)^2 \right)}{6b^3} - \frac{60f^2a^2 + 70f^2a^2 + 84f^2a^2 - 105ab^2a^2 + 105f^2a^2 + 140f^2a^2 - 140ab^2a^2 + 210f^2a^2 - 210ab^2a^2 + 420a^2ba - 420ab^2a}{420f^2} - \frac{\left(ab^2c \left(\frac{a}{b} \right)^2 - a^2b^2 \left(\frac{a}{b} \right)^2 + a^2b^2c - a^2b^2c \right) \left(\frac{a}{b} \right)^2 \log \left(\left| x - \left(\frac{a}{b} \right) \right| \right)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*(a*b*d - a^2*g)*log(abs(b*x^3 + a))/b^3 - 1/3*sqrt(3)*((-a*b^2)^(1/3)*a^2*h - (-a*b^2)^(1/3)*a*b*e - (-a*b^2)^(2/3)*b*c + (-a*b^2)^(2/3)*a*f)*arc tan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3)/b^4 - 1/6*((-a*b^2)^(1/3)

) $a^2h - (-ab^2)^{1/3}ab^2e + (-ab^2)^{2/3}b^2c - (-ab^2)^{2/3}a^2f$ * $\log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3})/b^4 + 1/420(60b^6hx^7 + 70b^6g$ * $x^6 + 84b^6fx^5 - 105ab^5hx^4 + 105b^6x^4e + 140b^6dx^3 - 140$ * $ab^5gx^3 + 210b^6cx^2 - 210ab^5fx^2 + 420a^2b^4hx - 420ab^5$ * $x^2e)/b^7 + 1/3(ab^{14}c(-a/b)^{1/3} - a^2b^{13}f(-a/b)^{1/3} + a^3b^{12}h$ * $- a^2b^{13}e)(-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3}))/ (ab^{15})$

maple [B] time = 0.05, size = 533, normalized size = 1.61

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \sqrt{ax^2+bx+c}}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x + \frac{a}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^2 + \left(\frac{b}{b}\right)^2\right)}{6(b^3)^{1/3}} + \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \sqrt{ax^2+bx+c}}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x + \frac{a}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^2 + \left(\frac{b}{b}\right)^2\right)}{6(b^3)^{1/3}} + \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \sqrt{ax^2+bx+c}}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x + \frac{a}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^2 + \left(\frac{b}{b}\right)^2\right)}{6(b^3)^{1/3}} + \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \sqrt{ax^2+bx+c}}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x + \frac{a}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^2 + \left(\frac{b}{b}\right)^2\right)}{6(b^3)^{1/3}} + \frac{a^2 \ln\left(x + \frac{a}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^2 + \left(\frac{b}{b}\right)^2\right)}{6(b^3)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x)`

[Out] $1/3a^2/b^33^{1/2}/(a/b)^{1/3} \arctan(1/33^{1/2}*(2/(a/b)^{1/3}x-1))*f - 1/3a^3/b^4/(a/b)^{2/3}3^{1/2} \arctan(1/33^{1/2}*(2/(a/b)^{1/3}x-1))*h - 1/3a/b^23^{1/2}/(a/b)^{1/3} \arctan(1/33^{1/2}*(2/(a/b)^{1/3}x-1))*c + 1/3a^2/b^3/(a/b)^{2/3}3^{1/2} \arctan(1/33^{1/2}*(2/(a/b)^{1/3}x-1))*e - 1/2a/b^2f*x^2 + 1/b^3a^2h*x - 1/b^2a^2e*x - 1/3/b^2x^3a^2g - 1/3a/b^2 \ln(b*x^3+a)*d - 1/4/b^2x^4a^2h + 1/3a^2/b^3 \ln(b*x^3+a)*g - 1/6a/b^2/(a/b)^{1/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3})*c - 1/6a^2/b^3/(a/b)^{2/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3})*e - 1/3a^2/b^3/(a/b)^{1/3} \ln(x + (a/b)^{1/3})*f + 1/3a/b^2/(a/b)^{1/3} \ln(x + (a/b)^{1/3})*c + 1/6a^2/b^3/(a/b)^{1/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3})*f + 1/6a^3/b^4/(a/b)^{2/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3})*h - 1/3a^3/b^4/(a/b)^{2/3} \ln(x + (a/b)^{1/3})*h + 1/3a^2/b^3/(a/b)^{2/3} \ln(x + (a/b)^{1/3})*e + 1/4/b^2x^4e + 1/3/b^2x^3d + 1/2/b^2cx^2 + 1/5/b^2fx^5 + 1/6/g*x^6/b + 1/7/h*x^7/b$

maxima [A] time = 2.98, size = 378, normalized size = 1.14

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \sqrt{ax^2+bx+c}}{b}\right)}{3ab^2} + \frac{a^2 \ln\left(x + \frac{a}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^2 + \left(\frac{b}{b}\right)^2\right)}{6ab^2} + \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \sqrt{ax^2+bx+c}}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x + \frac{a}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^2 + \left(\frac{b}{b}\right)^2\right)}{6ab^2} + \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \sqrt{ax^2+bx+c}}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x + \frac{a}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^2 + \left(\frac{b}{b}\right)^2\right)}{6ab^2} + \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \sqrt{ax^2+bx+c}}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x + \frac{a}{b}\right)}{3(b^3)^{1/3}} + \frac{a^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^2 + \left(\frac{b}{b}\right)^2\right)}{6ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x, algorithm="maxima")`

[Out] $-1/3\sqrt{3}*(ab^2c*(a/b)^{2/3} - a^2b^2f*(a/b)^{2/3} - a^2b^2e*(a/b)^{1/3} + a^3h*(a/b)^{1/3})*\arctan(1/3\sqrt{3}*(2*x - (a/b)^{1/3}))/ (a/b)^{1/3} / (ab^3) + 1/420(60b^2hx^7 + 70b^2gx^6 + 84b^2fx^5 + 105(b^2e - ab^2h)*x^4 + 140(b^2d - ab^2g)*x^3 + 210(b^2c - ab^2f)*x^2 - 420(ab^2e - a^2h)*x)/b^3 - 1/6(2ab^2d*(a/b)^{2/3} - 2a^2b^2g*(a/b)^{2/3} + ab^2c*(a/b)^{1/3} - a^2b^2f*(a/b)^{1/3} + a^2b^2e - a^3h)*\log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3})/ (b^4*(a/b)^{2/3}) - 1/3(ab^2d*(a/b)^{2/3} - a^2b^2$

$*g*(a/b)^{(2/3)} - a*b^2*c*(a/b)^{(1/3)} + a^2*b*f*(a/b)^{(1/3)} - a^2*b*e + a^3*h)*\log(x + (a/b)^{(1/3)})/(b^4*(a/b)^{(2/3)})$

mupad [B] time = 5.09, size = 1271, normalized size = 3.84

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x)$

[Out] $x^2*(c/(2*b) - (a*f)/(2*b^2)) + x^3*(d/(3*b) - (a*g)/(3*b^2)) + x^4*(e/(4*b) - (a*h)/(4*b^2)) + \text{symsum}(\log(\text{root}(27*b^10*z^3 + 27*a*b^8*d*z^2 - 27*a^2*b^7*g*z^2 - 9*a^4*b^4*f*h*z - 18*a^3*b^5*d*g*z + 9*a^3*b^5*e*f*z + 9*a^3*b^5*c*h*z - 9*a^2*b^6*c*e*z + 9*a^4*b^4*g^2*z + 9*a^2*b^6*d^2*z + 3*a^6*b*f*g*h - 3*a^5*b^2*e*f*g - 3*a^5*b^2*d*f*h - 3*a^5*b^2*c*g*h + 3*a^4*b^3*d*e*f + 3*a^4*b^3*c*e*g + 3*a^4*b^3*c*d*h - 3*a^3*b^4*c*d*e - 3*a^6*b*e*h^2 + 3*a^5*b^2*e^2*h + 3*a^5*b^2*d*g^2 - 3*a^4*b^3*d^2*g - 3*a^4*b^3*c*f^2 + 3*a^3*b^4*c^2*f + a^5*b^2*f^3 + a^3*b^4*d^3 + a^7*h^3 - a^4*b^3*e^3 - a^2*b^5*c^3 - a^6*b*g^3, z, k))*((6*a^2*b^4*d - 6*a^3*b^3*g)/b^4 + (x*(3*a^2*b^4*e - 3*a^3*b^3*h))/b^4 + 9*\text{root}(27*b^10*z^3 + 27*a*b^8*d*z^2 - 27*a^2*b^7*g*z^2 - 9*a^4*b^4*f*h*z - 18*a^3*b^5*d*g*z + 9*a^3*b^5*e*f*z + 9*a^3*b^5*c*h*z - 9*a^2*b^6*c*e*z + 9*a^4*b^4*g^2*z + 9*a^2*b^6*d^2*z + 3*a^6*b*f*g*h - 3*a^5*b^2*e*f*g - 3*a^5*b^2*d*f*h - 3*a^5*b^2*c*g*h + 3*a^4*b^3*d*e*f + 3*a^4*b^3*c*e*g + 3*a^4*b^3*c*d*h - 3*a^3*b^4*c*d*e - 3*a^6*b*e*h^2 + 3*a^5*b^2*e^2*h + 3*a^5*b^2*d*g^2 - 3*a^4*b^3*d^2*g - 3*a^4*b^3*c*f^2 + 3*a^3*b^4*c^2*f + a^5*b^2*f^3 + a^3*b^4*d^3 + a^7*h^3 - a^4*b^3*e^3 - a^2*b^5*c^3 - a^6*b*g^3, z, k)*a*b^2) + (a^5*g^2 + a^3*b^2*d^2 - a^5*f*h + a^4*b*c*h - 2*a^4*b*d*g + a^4*b*e*f - a^3*b^2*c*e)/b^4 + (x*(a^4*b*f^2 + a^2*b^3*c^2 + a^5*g*h - a^4*b*d*h - a^4*b*e*g - 2*a^3*b^2*c*f + a^3*b^2*d*e))/b^4)*\text{root}(27*b^10*z^3 + 27*a*b^8*d*z^2 - 27*a^2*b^7*g*z^2 - 9*a^4*b^4*f*h*z - 18*a^3*b^5*d*g*z + 9*a^3*b^5*e*f*z + 9*a^3*b^5*c*h*z - 9*a^2*b^6*c*e*z + 9*a^4*b^4*g^2*z + 9*a^2*b^6*d^2*z + 3*a^6*b*f*g*h - 3*a^5*b^2*e*f*g - 3*a^5*b^2*d*f*h - 3*a^5*b^2*c*g*h + 3*a^4*b^3*d*e*f + 3*a^4*b^3*c*e*g + 3*a^4*b^3*c*d*h - 3*a^3*b^4*c*d*e - 3*a^6*b*e*h^2 + 3*a^5*b^2*e^2*h + 3*a^5*b^2*d*g^2 - 3*a^4*b^3*d^2*g - 3*a^4*b^3*c*f^2 + 3*a^3*b^4*c^2*f + a^5*b^2*f^3 + a^3*b^4*d^3 + a^7*h^3 - a^4*b^3*e^3 - a^2*b^5*c^3 - a^6*b*g^3, z, k), k, 1, 3) + (f*x^5)/(5*b) + (g*x^6)/(6*b) + (h*x^7)/(7*b) - (a*x*(e/b - (a*h)/b^2))/b$

sympy [B] time = 60.52, size = 881, normalized size = 2.66

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x**4*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a), x)$

```
[Out] x**4*(-a*h/(4*b**2) + e/(4*b)) + x**3*(-a*g/(3*b**2) + d/(3*b)) + x**2*(-a*
f/(2*b**2) + c/(2*b)) + x*(a**2*h/b**3 - a*e/b**2) + RootSum(27*_t**3*b**10
+ _t**2*(-27*a**2*b**7*g + 27*a*b**8*d) + _t*(-9*a**4*b**4*f*h + 9*a**4*b*
*4*g**2 + 9*a**3*b**5*c*h - 18*a**3*b**5*d*g + 9*a**3*b**5*e*f - 9*a**2*b**
6*c*e + 9*a**2*b**6*d**2) + a**7*h**3 - 3*a**6*b*e*h**2 + 3*a**6*b*f*g*h -
a**6*b*g**3 - 3*a**5*b**2*c*g*h - 3*a**5*b**2*d*f*h + 3*a**5*b**2*d*g**2 +
3*a**5*b**2*e**2*h - 3*a**5*b**2*e*f*g + a**5*b**2*f**3 + 3*a**4*b**3*c*d*h
+ 3*a**4*b**3*c*e*g - 3*a**4*b**3*c*f**2 - 3*a**4*b**3*d**2*g + 3*a**4*b**
3*d*e*f - a**4*b**3*e**3 + 3*a**3*b**4*c**2*f - 3*a**3*b**4*c*d*e + a**3*b*
*4*d**3 - a**2*b**5*c**3, Lambda(_t, _t*log(x + (-9*_t**2*a*b**7*f + 9*_t**
2*b**8*c - 3*_t*a**4*b**3*h**2 + 6*_t*a**3*b**4*e*h + 6*_t*a**3*b**4*f*g -
6*_t*a**2*b**5*c*g - 6*_t*a**2*b**5*d*f - 3*_t*a**2*b**5*e**2 + 6*_t*a*b**6
*c*d + a**6*g*h**2 - a**5*b*d*h**2 - 2*a**5*b*e*g*h + 2*a**5*b*f**2*h - a**
5*b*f*g**2 - 4*a**4*b**2*c*f*h + a**4*b**2*c*g**2 + 2*a**4*b**2*d*e*h + 2*a
**4*b**2*d*f*g + a**4*b**2*e**2*g - 2*a**4*b**2*e*f**2 + 2*a**3*b**3*c**2*h
- 2*a**3*b**3*c*d*g + 4*a**3*b**3*c*e*f - a**3*b**3*d**2*f - a**3*b**3*d*e
**2 - 2*a**2*b**4*c**2*e + a**2*b**4*c*d**2))/(a**6*h**3 - 3*a**5*b*e*h**2 +
3*a**4*b**2*e**2*h - a**4*b**2*f**3 + 3*a**3*b**3*c*f**2 - a**3*b**3*e**3
- 3*a**2*b**4*c**2*f + a*b**5*c**3))) + f*x**5/(5*b) + g*x**6/(6*b) + h*x*
*7/(7*b)
```


$$3.351 \quad \int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$$

Optimal. Leaf size=313

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{6b^{8/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) \left(a^{4/3}(-g) + \sqrt[3]{a}bd - a\sqrt[3]{b}\right)}{\sqrt{3}b^{8/3}}$$

Rubi [A] time = 0.99, antiderivative size = 313, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1836, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{6b^{8/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) \left(a^{4/3}(-g) + \sqrt[3]{a}bd - a\sqrt[3]{b}\right)}{\sqrt{3}b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

[Out] ((b*c - a*f)*x)/b^2 + ((b*d - a*g)*x^2)/(2*b^2) + ((b*e - a*h)*x^3)/(3*b^2) + (f*x^4)/(4*b) + (g*x^5)/(5*b) + (h*x^6)/(6*b) + (a^(1/3)*(b^(4/3)*c + a^(1/3)*b*d - a*b^(1/3)*f - a^(4/3)*g)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*b^(8/3)) - (a^(1/3)*(b^(1/3)*(b*c - a*f) - a^(1/3)*(b*d - a*g))*Log[a^(1/3) + b^(1/3)*x])/(3*b^(8/3)) + (a^(1/3)*(b^(1/3)*(b*c - a*f) - a^(1/3)*(b*d - a*g))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*b^(8/3)) - (a*(b*e - a*h)*Log[a + b*x^3])/(3*b^3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1836

```
Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)), x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{x^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx &= \frac{hx^6}{6b} + \frac{\int \frac{x^3(6bc+6bdx+6(be-ah)x^2+6bf x^3+6bgx^4)}{a+bx^3} dx}{6b} \\
 &= \frac{gx^5}{5b} + \frac{hx^6}{6b} + \frac{\int \frac{x^3(30b^2c+30b(bd-ag)x+30b(be-ah)x^2+30b^2fx^3)}{a+bx^3} dx}{30b^2} \\
 &= \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} + \frac{\int \frac{x^3(120b^2(bc-af)+120b^2(bd-ag)x+120b^2(be-ah)x^2)}{a+bx^3} dx}{120b^3} \\
 &= \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} + \frac{\int \left(120b(bc-af) + 120b(bd-ag)x + 120b(be-ah)x^2 \right)}{120b^3} dx \\
 &= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} - \frac{\int \frac{120b^2(bc-af)}{a+bx^3} dx}{120b^3} \\
 &= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} - \frac{\int \frac{120b^2(bc-af)}{a+bx^3} dx}{120b^3} \\
 &= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} - \frac{a(b^3c-3b^2d+3b^2e-3b^2f+3b^2g-3b^2h)}{120b^3} \\
 &= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} - \frac{\sqrt[3]{a}(b^3c-3b^2d+3b^2e-3b^2f+3b^2g-3b^2h)}{120b^3} \\
 &= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} - \frac{\sqrt[3]{a}(b^3c-3b^2d+3b^2e-3b^2f+3b^2g-3b^2h)}{120b^3} \\
 &= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} + \frac{\sqrt[3]{a}(b^3c-3b^2d+3b^2e-3b^2f+3b^2g-3b^2h)}{120b^3}
 \end{aligned}$$

Mathematica [A] time = 0.29, size = 299, normalized size = 0.96

$10 \sqrt[3]{a} \sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^{2/3} g - \sqrt[3]{a} b d - a \sqrt[3]{b} f + b^{2/3} c) - 20 \sqrt[3]{a} \sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b} x) (a^{2/3} g - \sqrt[3]{a} b d - a \sqrt[3]{b} f + b^{2/3} c) - 20 \sqrt[3]{5} \sqrt[3]{a} \sqrt[3]{b} \tan^{-1}\left(\frac{x \sqrt[3]{a}}{\sqrt[3]{b}}\right) (a^{2/3} g - \sqrt[3]{a} b d + a \sqrt[3]{b} f - b^{2/3} c) + 60 b x (b c - a f) + 30 b x^2 (b d - a g) + 20 b^2 x^3 (b c - a h) + 20 a (a h - b) \log(a + b x^3) + 15 b^2 f x^4 + 12 b^2 g x^5 + 10 b^2 h x^6$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x]

[Out] (60*b*(b*c - a*f)*x + 30*b*(b*d - a*g)*x^2 + 20*b*(b*e - a*h)*x^3 + 15*b^2*f*x^4 + 12*b^2*g*x^5 + 10*b^2*h*x^6 - 20*sqrt(3)*a^(1/3)*b^(1/3)*(-(b^(4/3)*c) - a^(1/3)*b*d + a*b^(1/3)*f + a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)] - 20*a^(1/3)*b^(1/3)*(b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x] + 10*a^(1/3)*b^(1/3)*(b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 20*a*(-(b*e) + a*h)*Log[a + b*x^3])/(60*b^3)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x]

[Out] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 353, normalized size = 1.13

$$\frac{(a^2h - abe) \log(|bx^3 + a|)}{3a^3} - \frac{\sqrt{3} \left((-ab^2)^{1/3} b^2c - (-ab^2)^{1/3} abf - (-ab^2)^{1/3} ad + (-ab^2)^{1/3} ag \right) \arctan\left(\frac{a^{1/3}(x + (-\frac{1}{3})^{1/3})}{x(-\frac{1}{3})^{1/3}}\right)}{3a^3} - \frac{\left((-ab^2)^{1/3} b^2c - (-ab^2)^{1/3} abf + (-ab^2)^{1/3} ad - (-ab^2)^{1/3} ag \right) \log\left(x + x(-\frac{1}{3})^{1/3} + (-\frac{1}{3})^{1/3}\right)}{6a^3} - \frac{10b^2ha^6 + 12b^2gc^2 + 15b^2fx^4 - 20ab^2a^2 + 20b^2b^2c + 30b^2d^2 - 30ab^2e^2 + 60b^2ca - 60ab^2fz}{60a^6} - \frac{\left(ab^{2/3}(-\frac{1}{3})^{1/3} - a^{1/3}x(-\frac{1}{3})^{1/3} + ab^{2/3}c - a^{1/3}d \right) (-\frac{1}{3})^{1/3} \log\left(\left|x - (-\frac{1}{3})^{1/3}\right|\right)}{3ab^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*(a^2*h - a*b*e)*log(abs(b*x^3 + a))/b^3 - 1/3*sqrt(3)*((-a*b^2)^(1/3)*b^2*c - (-a*b^2)^(1/3)*a*b*f - (-a*b^2)^(2/3)*b*d + (-a*b^2)^(2/3)*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^4 - 1/6*((-a*b^2)^(1/3)*b^2*c - (-a*b^2)^(1/3)*a*b*f + (-a*b^2)^(2/3)*b*d - (-a*b^2)^(2/3)*a*g)*lo

$$g(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/b^4 + 1/60*(10*b^5*h*x^6 + 12*b^5*g*x^5 + 15*b^5*f*x^4 - 20*a*b^4*h*x^3 + 20*b^5*x^3*e + 30*b^5*d*x^2 - 30*a*b^4*g*x^2 + 60*b^5*c*x - 60*a*b^4*f*x)/b^6 + 1/3*(a*b^{12}*d*(-a/b)^{(1/3)} - a^2*b^{11}*g*(-a/b)^{(1/3)} + a*b^{12}*c - a^2*b^{11}*f)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a*b^{13})$$

maple [B] time = 0.05, size = 505, normalized size = 1.61

$$\frac{\frac{b^5 g x^5 + f x^4 + a b^4 h x^3 + e x^3 + d x^2 + c x}{60 b^6} + \frac{\sqrt{3} a^2 \arctan\left(\frac{x \sqrt{3}}{a/b}\right)}{3 (b^3)^{\mu}} + \frac{a^2 \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 (b^3)^{\mu}} + \frac{a^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}} x + \left(\frac{a}{b}\right)^{\frac{4}{3}}\right)}{6 (b^3)^{\mu}} + \frac{\sqrt{3} a^2 \arctan\left(\frac{x \sqrt{3}}{a/b}\right)}{3 (b^3)^{\mu}} + \frac{a^2 \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 (b^3)^{\mu}} + \frac{a^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}} x + \left(\frac{a}{b}\right)^{\frac{4}{3}}\right)}{6 (b^3)^{\mu}} + \frac{\sqrt{3} a^2 \arctan\left(\frac{x \sqrt{3}}{a/b}\right)}{3 (b^3)^{\mu}} + \frac{a^2 \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 (b^3)^{\mu}} + \frac{a^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}} x + \left(\frac{a}{b}\right)^{\frac{4}{3}}\right)}{6 (b^3)^{\mu}} + \frac{\sqrt{3} a^2 \arctan\left(\frac{x \sqrt{3}}{a/b}\right)}{3 (b^3)^{\mu}} + \frac{a^2 \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 (b^3)^{\mu}} + \frac{a^2 \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}} x + \left(\frac{a}{b}\right)^{\frac{4}{3}}\right)}{6 (b^3)^{\mu}} + \frac{a^2 \ln(b^2 + a)}{3 a^2} + \frac{a^2 c}{b^6} + \frac{c x}{b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x)

[Out] 1/6*h*x^6/b+1/5*g*x^5/b+1/4/b*f*x^4-1/3/b^2*x^3*a*h+1/3/b*e*x^3-1/2/b^2*x^2*a*g+1/2/b*d*x^2-a/b^2*f*x+1/b*c*x+1/3/(a/b)^(2/3)*a^2/b^3*f*ln(x+(a/b)^(1/3))-1/3/(a/b)^(2/3)*a/b^2*c*ln(x+(a/b)^(1/3))-1/6/(a/b)^(2/3)*a^2/b^3*f*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/6/(a/b)^(2/3)*a/b^2*c*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3/(a/b)^(2/3)*3^(1/2)*a^2/b^3*f*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3*a/b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-1/3*a^2/b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*g+1/3*a/b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d+1/6*a^2/b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*g-1/6*a/b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+1/3*a^2/b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*g-1/3*3^(1/2)/(a/b)^(1/3)*a/b^2*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*a^2/b^3*ln(b*x^3+a)*h-1/3*a/b^2*e*ln(b*x^3+a)

maxima [A] time = 2.90, size = 332, normalized size = 1.06

$$\frac{10 b h a^4 + 12 b g a^3 + 15 b f a^2 + 20 (b e - a h) a^3 + 30 (a d - a g) a^2 + 60 (b c - a f) a}{60 b^6} + \frac{\sqrt{3} \left(a b^2 d \left(\frac{x}{b}\right)^{\frac{1}{3}} - a^2 b g \left(\frac{x}{b}\right)^{\frac{1}{3}} + a b^2 c \left(\frac{x}{b}\right)^{\frac{1}{3}} - a^2 b f \left(\frac{x}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 a b^3} + \frac{\left(2 a b e \left(\frac{x}{b}\right)^{\frac{1}{3}} - 2 a^2 h \left(\frac{x}{b}\right)^{\frac{1}{3}} + a b d \left(\frac{x}{b}\right)^{\frac{1}{3}} - a^2 g \left(\frac{x}{b}\right)^{\frac{1}{3}} - a b c + a^2 f\right) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 b^3 \left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{\left(a b e \left(\frac{x}{b}\right)^{\frac{1}{3}} - a^2 h \left(\frac{x}{b}\right)^{\frac{1}{3}} - a b d \left(\frac{x}{b}\right)^{\frac{1}{3}} + a^2 g \left(\frac{x}{b}\right)^{\frac{1}{3}} + a b c - a^2 f\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 b^3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x, algorithm="maxima")

[Out] 1/60*(10*b*h*x^6 + 12*b*g*x^5 + 15*b*f*x^4 + 20*(b*e - a*h)*x^3 + 30*(b*d - a*g)*x^2 + 60*(b*c - a*f)*x)/b^2 - 1/3*sqrt(3)*(a*b^2*d*(a/b)^(2/3) - a^2*b*g*(a/b)^(2/3) + a*b^2*c*(a/b)^(1/3) - a^2*b*f*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b^3) - 1/6*(2*a*b*e*(a/b)^(2/3) - 2*a^2*h*(a/b)^(2/3) + a*b*d*(a/b)^(1/3) - a^2*g*(a/b)^(1/3) - a*b*c + a^2*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^3*(a/b)^(2/3)) - 1/3*(a*b*e*(a/b)^(2/3) - a^2*h*(a/b)^(2/3) - a*b*d*(a/b)^(1/3) + a^2*g*(a/b)^(1/3) + a*b*c - a^2*f)*log(x + (a/b)^(1/3))/(b^3*(a/b)^(2/3))

mupad [B] time = 4.99, size = 1236, normalized size = 3.95

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^3(c + dx + ex^2 + fx^3 + gx^4 + hx^5))/(a + bx^3), x)$

[Out] $x^2(d/(2b) - (ag)/(2b^2)) + x^3(e/(3b) - (ah)/(3b^2)) + \text{symsum}(\log(\text{root}(27b^9z^3 + 27ab^7ez^2 - 27a^2b^6hz^2 + 9ab^6cdz - 18a^3b^4ehz + 9a^3b^4f*gz - 9a^2b^5d*fz - 9a^2b^5c*gz + 9a^4b^3h^2z + 9a^2b^5e^2z - 3a^5b*f*gh + 3a^4b^2e*f*g + 3a^4b^2d*f*h + 3a^4b^2c*g*h - 3a^3b^3d*e*f - 3a^3b^3c*e*g - 3a^3b^3c*d*h + 3a^2b^4c*d*e + 3a^5b*e*h^2 - 3a^4b^2e^2h - 3a^4b^2d*g^2 + 3a^3b^3d^2g + 3a^3b^3c*f^2 - 3a^2b^4c^2f + a^3b^3e^3 + a^5b*g^3 + a*b^5c^3 - a^4b^2f^3 - a^2b^4d^3 - a^6h^3, z, k)) * ((6a^2b^4e - 6a^3b^3h)/b^4 + (x*(3a^2b^3f - 3ab^4c))/b^3 + 9*\text{root}(27b^9z^3 + 27ab^7ez^2 - 27a^2b^6hz^2 + 9ab^6cdz - 18a^3b^4ehz + 9a^3b^4f*gz - 9a^2b^5d*fz - 9a^2b^5c*gz + 9a^4b^3h^2z + 9a^2b^5e^2z - 3a^5b*f*gh + 3a^4b^2e*f*g + 3a^4b^2d*f*h + 3a^4b^2c*g*h - 3a^3b^3d*e*f - 3a^3b^3c*e*g - 3a^3b^3c*d*h + 3a^2b^4c*d*e + 3a^5b*e*h^2 - 3a^4b^2e^2h - 3a^4b^2d*g^2 + 3a^3b^3d^2g + 3a^3b^3c*f^2 - 3a^2b^4c^2f + a^3b^3e^3 + a^5b*g^3 + a*b^5c^3 - a^4b^2f^3 - a^2b^4d^3 - a^6h^3, z, k)) * a*b^2) + (a^5h^2 + a^3b^2e^2 - 2a^4b*e*h + a^4b*f*g + a^2b^3c*d - a^3b^2c*g - a^3b^2d*f)/b^4 + (x*(a^4g^2 + a^2b^2d^2 - a^4f*h + a^3b*c*h - 2a^3b*d*g + a^3b*e*f - a^2b^2c*e))/b^3) * \text{root}(27b^9z^3 + 27ab^7ez^2 - 27a^2b^6hz^2 + 9ab^6cdz - 18a^3b^4ehz + 9a^3b^4f*gz - 9a^2b^5d*fz - 9a^2b^5c*gz + 9a^4b^3h^2z + 9a^2b^5e^2z - 3a^5b*f*gh + 3a^4b^2e*f*g + 3a^4b^2d*f*h + 3a^4b^2c*g*h - 3a^3b^3d*e*f - 3a^3b^3c*e*g - 3a^3b^3c*d*h + 3a^2b^4c*d*e + 3a^5b*e*h^2 - 3a^4b^2e^2h - 3a^4b^2d*g^2 + 3a^3b^3d^2g + 3a^3b^3c*f^2 - 3a^2b^4c^2f + a^3b^3e^3 + a^5b*g^3 + a*b^5c^3 - a^4b^2f^3 - a^2b^4d^3 - a^6h^3, z, k), k, 1, 3) + x*(c/b - (af)/b^2) + (fx^4)/(4b) + (gx^5)/(5b) + (hx^6)/(6b)$

sympy [B] time = 73.53, size = 845, normalized size = 2.70

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a), x)$

[Out] $x**3*(-a*h/(3*b**2) + e/(3*b)) + x**2*(-a*g/(2*b**2) + d/(2*b)) + x*(-a*f/b**2 + c/b) + \text{RootSum}(27*_t**3*b**9 + *_t**2*(-27*a**2*b**6*h + 27*a*b**7*e))$

$$\begin{aligned}
& + _t*(9*a**4*b**3*h**2 - 18*a**3*b**4*e*h + 9*a**3*b**4*f*g - 9*a**2*b**5*c \\
& *g - 9*a**2*b**5*d*f + 9*a**2*b**5*e**2 + 9*a*b**6*c*d) - a**6*h**3 + 3*a** \\
& 5*b*e*h**2 - 3*a**5*b*f*g*h + a**5*b*g**3 + 3*a**4*b**2*c*g*h + 3*a**4*b**2 \\
& *d*f*h - 3*a**4*b**2*d*g**2 - 3*a**4*b**2*e**2*h + 3*a**4*b**2*e*f*g - a**4 \\
& *b**2*f**3 - 3*a**3*b**3*c*d*h - 3*a**3*b**3*c*e*g + 3*a**3*b**3*c*f**2 + 3 \\
& *a**3*b**3*d**2*g - 3*a**3*b**3*d*e*f + a**3*b**3*e**3 - 3*a**2*b**4*c**2*f \\
& + 3*a**2*b**4*c*d*e - a**2*b**4*d**3 + a*b**5*c**3, \text{Lambda}(_t, _t*\log(x + \\
& (9*_t**2*a*b**6*g - 9*_t**2*b**7*d - 6*_t*a**3*b**3*g*h + 6*_t*a**2*b**4*d* \\
& h + 6*_t*a**2*b**4*e*g + 3*_t*a**2*b**4*f**2 - 6*_t*a*b**5*c*f - 6*_t*a*b** \\
& 5*d*e + 3*_t*b**6*c**2 + a**5*g*h**2 - a**4*b*d*h**2 - 2*a**4*b*e*g*h - a** \\
& 4*b*f**2*h + 2*a**4*b*f*g**2 + 2*a**3*b**2*c*f*h - 2*a**3*b**2*c*g**2 + 2*a \\
& **3*b**2*d*e*h - 4*a**3*b**2*d*f*g + a**3*b**2*e**2*g + a**3*b**2*e*f**2 - \\
& a**2*b**3*c**2*h + 4*a**2*b**3*c*d*g - 2*a**2*b**3*c*e*f + 2*a**2*b**3*d**2 \\
& *f - a**2*b**3*d*e**2 + a*b**4*c**2*e - 2*a*b**4*c*d**2)/(a**4*b*g**3 - 3*a \\
& **3*b**2*d*g**2 + a**3*b**2*f**3 - 3*a**2*b**3*c*f**2 + 3*a**2*b**3*d**2*g \\
& + 3*a*b**4*c**2*f - a*b**4*d**3 - b**5*c**3))) + f*x**4/(4*b) + g*x**5/(5* \\
& b) + h*x**6/(6*b)
\end{aligned}$$

$$3.352 \quad \int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$$

Optimal. Leaf size=294

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bd - ag) - \sqrt[3]{a}(be - ah)\right)}{6b^{8/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) \left(a^{4/3}(-h) + \sqrt[3]{a} be - a\sqrt[3]{b}g\right)}{\sqrt{3}b^{8/3}}$$

Rubi [A] time = 0.98, antiderivative size = 294, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1836, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bd - ag) - \sqrt[3]{a}(be - ah)\right)}{6b^{8/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) \left(a^{4/3}(-h) + \sqrt[3]{a} be - a\sqrt[3]{b}g + b^{4/3}d\right)}{\sqrt{3}b^{8/3}} + \frac{(bc - af) \log(a + bx^3)}{3b^2} - \frac{\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x) \left(\sqrt[3]{b}(bd - ag) - \sqrt[3]{a}(be - ah)\right)}{3b^{8/3}} + \frac{x(bd - ag)}{b^2} + \frac{x^2(bc - ah)}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

[Out] ((b*d - a*g)*x)/b^2 + ((b*e - a*h)*x^2)/(2*b^2) + (f*x^3)/(3*b) + (g*x^4)/(4*b) + (h*x^5)/(5*b) + (a^(1/3)*(b^(4/3)*d + a^(1/3)*b*e - a*b^(1/3)*g - a^(4/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*b^(8/3)) - (a^(1/3)*b^(1/3)*(b*d - a*g) - a^(1/3)*(b*e - a*h))*Log[a^(1/3) + b^(1/3)*x]/(3*b^(8/3)) + (a^(1/3)*b^(1/3)*(b*d - a*g) - a^(1/3)*(b*e - a*h))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*b^(8/3)) + ((b*c - a*f)*Log[a + b*x^3])/(3*b^2)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617


```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :- Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{x^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx &= \frac{hx^5}{5b} + \frac{\int \frac{x^2(5bc+5bdx+5(be-ah)x^2+5bfx^3+5bgx^4)}{a+bx^3} dx}{5b} \\
 &= \frac{gx^4}{4b} + \frac{hx^5}{5b} + \frac{\int \frac{x^2(20b^2c+20b(bd-ag)x+20b(be-ah)x^2+20b^2fx^3)}{a+bx^3} dx}{20b^2} \\
 &= \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} + \frac{\int \frac{x^2(60b^2(bc-af)+60b^2(bd-ag)x+60b^2(be-ah)x^2)}{a+bx^3} dx}{60b^3} \\
 &= \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} + \frac{\int \left(60b(bd-ag) + 60b(be-ah)x - \frac{60(ab(bd-ag)+ab(be-ah))}{a+bx^3} \right) dx}{60b^3} \\
 &= \frac{(bd-ag)x}{b^2} + \frac{(be-ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} - \frac{\int \frac{ab(bd-ag)+ab(be-ah)}{a+bx^3} dx}{b^3} \\
 &= \frac{(bd-ag)x}{b^2} + \frac{(be-ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} - \frac{\int \frac{ab(bd-ag)+ab(be-ah)}{a+bx^3} dx}{b^3} \\
 &= \frac{(bd-ag)x}{b^2} + \frac{(be-ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} + \frac{(bc-af) \log(a + \sqrt{a+bx^3})}{3b^2} \\
 &= \frac{(bd-ag)x}{b^2} + \frac{(be-ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b} (bd-ag) - \sqrt[3]{a} \log(a + \sqrt{a+bx^3}) \right)}{3b^2} \\
 &= \frac{(bd-ag)x}{b^2} + \frac{(be-ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b} (bd-ag) - \sqrt[3]{a} \log(a + \sqrt{a+bx^3}) \right)}{3b^2} \\
 &= \frac{(bd-ag)x}{b^2} + \frac{(be-ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} + \frac{\sqrt[3]{a} \left(b^{4/3}d + \sqrt[3]{a} be \right)}{3b^2}
 \end{aligned}$$

Mathematica [A] time = 0.31, size = 290, normalized size = 0.99

$$\frac{10\sqrt{a} \log(a^{2/3} - \sqrt{a}\sqrt{bx^3 + b^{2/3}x^2}) (a^{4/3}h - \sqrt{a}be - a\sqrt{b}g + b^{4/3}d) + 20\sqrt{a} \log(\sqrt{a} + \sqrt{bx^3}) (a^{4/3}(-h) + \sqrt{a}be + a\sqrt{b}g - b^{4/3}d) - 20\sqrt{3}\sqrt{a} \tan^{-1}\left(\frac{1+\sqrt{3}x}{\sqrt{a}}\right) (a^{4/3}h - \sqrt{a}be + a\sqrt{b}g - b^{4/3}d) + 20b^{2/3}(bc-af) \log(a+bx^3) + 60b^{2/3}x(bd-ag) + 30b^{2/3}x^2(bc-ah) + 20b^{5/3}fx^3 + 15b^{5/3}gx^4 + 12b^{5/3}hx^5}{60b^{5/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x]
[Out] (60*b^(2/3)*(b*d - a*g)*x + 30*b^(2/3)*(b*e - a*h)*x^2 + 20*b^(5/3)*f*x^3 +
15*b^(5/3)*g*x^4 + 12*b^(5/3)*h*x^5 - 20*Sqrt[3]*a^(1/3)*(-(b^(4/3)*d) - a
^(1/3)*b*e + a*b^(1/3)*g + a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 20*a^(1/3)*(-(b^(4/3)*d) + a^(1/3)*b*e + a*b^(1/3)*g - a^(4/3)*h)*
Log[a^(1/3) + b^(1/3)*x] + 10*a^(1/3)*(b^(4/3)*d - a^(1/3)*b*e - a*b^(1/3)*g + a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 20*b^(2/3)*
(b*c - a*f)*Log[a + b*x^3)]/(60*b^(8/3))
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x]
```

```
[Out] IntegrateAlgebraic[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [A] time = 0.24, size = 333, normalized size = 1.13

$$\frac{(bc - ef) \log(|b^2 x^3 + a|)}{3b^2} - \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} b^2 d - (-ab^2)^{\frac{1}{3}} abg + (-ab^2)^{\frac{1}{3}} abh - (-ab^2)^{\frac{1}{3}} b^2 e \right) \arctan\left(\frac{\sqrt{3} \left(x + \left(\frac{1}{3}\right)^{\frac{1}{3}} \right)}{x - \left(\frac{1}{3}\right)^{\frac{1}{3}}}\right)}{3b^2} - \frac{\left((-ab^2)^{\frac{1}{3}} b^2 d - (-ab^2)^{\frac{1}{3}} abg - (-ab^2)^{\frac{1}{3}} abh + (-ab^2)^{\frac{1}{3}} b^2 e \right) \log\left(x^2 + x \left(\frac{1}{3}\right)^{\frac{1}{3}} + \left(\frac{1}{3}\right)^{\frac{2}{3}}\right)}{6b^2} + \frac{12b^5 h^2 a^2 + 15b^4 f^2 a^2 - 30ab^3 h^2 a^2 + 30b^4 e^2 a + 60b^5 d a - 60ab^3 g^2}{60b^5} - \frac{\left(a^2 b^2 h \left(\frac{1}{3}\right)^{\frac{1}{3}} - ab^3 h \left(\frac{1}{3}\right)^{\frac{1}{3}} - ab^3 d \left(\frac{1}{3}\right)^{\frac{1}{3}} + a^2 b^2 g \right) \left(\frac{1}{3}\right)^{\frac{1}{3}} \log\left|x - \left(\frac{1}{3}\right)^{\frac{1}{3}}\right|}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")
```

```
[Out] 1/3*(b*c - a*f)*log(abs(b*x^3 + a))/b^2 - 1/3*sqrt(3)*((-a*b^2)^(1/3)*b^2*d
- (-a*b^2)^(1/3)*a*b*g + (-a*b^2)^(2/3)*a*h - (-a*b^2)^(2/3)*b*e)*arctan(1
/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^4 - 1/6*((-a*b^2)^(1/3)*b^2
*d - (-a*b^2)^(1/3)*a*b*g - (-a*b^2)^(2/3)*a*h + (-a*b^2)^(2/3)*b*e)*log(x^
```

$$2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)}/b^4 + 1/60*(12*b^4*h*x^5 + 15*b^4*g*x^4 + 20*b^4*f*x^3 - 30*a*b^3*h*x^2 + 30*b^4*x^2*e + 60*b^4*d*x - 60*a*b^3*g*x)/b^5 - 1/3*(a^2*b^9*h*(-a/b)^{(1/3)} - a*b^10*(-a/b)^{(1/3)}*e - a*b^10*d + a^2*b^9*g)*(-a/b)^{(1/3)}*log(abs(x - (-a/b)^{(1/3)}))/(a*b^11)$$

maple [B] time = 0.05, size = 483, normalized size = 1.64

$$\frac{h \frac{a^2}{b^9} \frac{g^2}{30} + \frac{f^2}{30} + \frac{ab^2}{20} \frac{e^2}{20} + \frac{e^2}{20}}{3 \left(\frac{a}{b}\right)^{10}} \arctan\left(\frac{a^2 \sqrt{b} \arctan\left(\frac{a^2 \sqrt{b}}{\left(\frac{a}{b}\right)^3}\right)}{\left(\frac{a}{b}\right)^3}\right) + \frac{a^2 g \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{10}} + \frac{a^2 h \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}} x + \left(\frac{a}{b}\right)^{\frac{4}{3}}\right)}{6 \left(\frac{a}{b}\right)^{10}} + \frac{\sqrt{3} a^2 h \arctan\left(\frac{a^2 \sqrt{b}}{\left(\frac{a}{b}\right)^3}\right)}{3 \left(\frac{a}{b}\right)^{10}} + \frac{a^2 h \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{10}} + \frac{a^2 h \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}} x + \left(\frac{a}{b}\right)^{\frac{4}{3}}\right)}{6 \left(\frac{a}{b}\right)^{10}} + \frac{\sqrt{3} a^2 f \arctan\left(\frac{a^2 \sqrt{b}}{\left(\frac{a}{b}\right)^3}\right)}{3 \left(\frac{a}{b}\right)^{10}} + \frac{a^2 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{10}} + \frac{a^2 f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}} x + \left(\frac{a}{b}\right)^{\frac{4}{3}}\right)}{6 \left(\frac{a}{b}\right)^{10}} + \frac{\sqrt{3} a^2 e \arctan\left(\frac{a^2 \sqrt{b}}{\left(\frac{a}{b}\right)^3}\right)}{3 \left(\frac{a}{b}\right)^{10}} + \frac{a^2 e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{10}} + \frac{a^2 e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}} x + \left(\frac{a}{b}\right)^{\frac{4}{3}}\right)}{6 \left(\frac{a}{b}\right)^{10}} + \frac{\sqrt{3} a^2 d \arctan\left(\frac{a^2 \sqrt{b}}{\left(\frac{a}{b}\right)^3}\right)}{3 \left(\frac{a}{b}\right)^{10}} + \frac{a^2 d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{10}} + \frac{a^2 d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}} x + \left(\frac{a}{b}\right)^{\frac{4}{3}}\right)}{6 \left(\frac{a}{b}\right)^{10}} + \frac{a^2 \ln(b^2 x^2 + a)}{30} + \frac{a^2}{20} + \frac{c \ln(b^2 x + a)}{30} + \frac{d}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x)

[Out] 1/5*h*x^5/b+1/4*g*x^4/b+1/3/b*f*x^3-1/2/b^2*x^2*a*h+1/2/b*e*x^2-1/b^2*a*g*x+1/b*d*x+1/3/b^3/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*a^2*g-1/3/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*a*d-1/6/b^3/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*a^2*g+1/6/(a/b)^(2/3)*a/b^2*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3/b^3/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*a^2*g-1/3/(a/b)^(2/3)*3^(1/2)*a/b^2*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*a^2*h+1/3/b^2*a*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/6/b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*a^2*h-1/6/b^2*a*e/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3/b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*a^2*h-1/3/b^2*a*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/b^2*ln(b*x^3+a)*a*f+1/3/b*c*ln(b*x^3+a)

maxima [A] time = 3.00, size = 313, normalized size = 1.06

$$\frac{\sqrt{3} \left(a b c \left(\frac{a}{b}\right)^{\frac{2}{3}} - a^2 h \left(\frac{a}{b}\right)^{\frac{2}{3}} + a b d \left(\frac{a}{b}\right)^{\frac{1}{3}} - a^2 g \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 a b^2} + \frac{12 h b x^5 + 15 b g x^4 + 20 b f x^3 + 30 (b c - a b h) x^2 + 60 (b d - a g) x}{60 b^2} + \frac{\left(2 b^2 c \left(\frac{a}{b}\right)^{\frac{2}{3}} - 2 a b f \left(\frac{a}{b}\right)^{\frac{2}{3}} - a b c \left(\frac{a}{b}\right)^{\frac{1}{3}} + a^2 h \left(\frac{a}{b}\right)^{\frac{1}{3}} + a b d - a^2 g\right) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 b^2 \left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(b^2 c \left(\frac{a}{b}\right)^{\frac{2}{3}} - a b f \left(\frac{a}{b}\right)^{\frac{2}{3}} + a b c \left(\frac{a}{b}\right)^{\frac{1}{3}} - a^2 h \left(\frac{a}{b}\right)^{\frac{1}{3}} - a b d + a^2 g\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 b^2 \left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] -1/3*sqrt(3)*(a*b*e*(a/b)^(2/3) - a^2*h*(a/b)^(2/3) + a*b*d*(a/b)^(1/3) - a^2*g*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b^2) + 1/60*(12*b*h*x^5 + 15*b*g*x^4 + 20*b*f*x^3 + 30*(b*e - a*h)*x^2 + 60*(b*d - a*g)*x)/b^2 + 1/6*(2*b^2*c*(a/b)^(2/3) - 2*a*b*f*(a/b)^(2/3) - a*b*e*(a/b)^(1/3) + a^2*h*(a/b)^(1/3) + a*b*d - a^2*g)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^3*(a/b)^(2/3)) + 1/3*(b^2*c*(a/b)^(2/3) - a*b*f*(a/b)^(2/3) + a*b*e*(a/b)^(1/3) - a^2*h*(a/b)^(1/3) - a*b*d + a^2*g)*log(x + (a/b)^(1/3))/(b^3*(a/b)^(2/3))

mupad [B] time = 5.02, size = 1170, normalized size = 3.98

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x)$

[Out] $x^2*(e/(2*b) - (a*h)/(2*b^2)) + \text{symsum}(\log(\text{root}(27*b^8*z^3 + 27*a*b^6*f*z^2 - 27*b^7*c*z^2 - 18*a*b^5*c*f*z + 9*a*b^5*d*e*z + 9*a^3*b^3*g*h*z - 9*a^2*b^4*e*g*z - 9*a^2*b^4*d*h*z + 9*a^2*b^4*f^2*z + 9*b^6*c^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3, z, k)*((6*a^2*b^3*f - 6*a*b^4*c)/b^3 + (x*(3*a^2*b^3*g - 3*a*b^4*d))/b^3 + 9*\text{root}(27*b^8*z^3 + 27*a*b^6*f*z^2 - 27*b^7*c*z^2 - 18*a*b^5*c*f*z + 9*a*b^5*d*e*z + 9*a^3*b^3*g*h*z - 9*a^2*b^4*e*g*z - 9*a^2*b^4*d*h*z + 9*a^2*b^4*f^2*z + 9*b^6*c^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3, z, k)*a*b^2) + (a*b^3*c^2 + a^3*b*f^2 + a^4*g*h - a^3*b*d*h - a^3*b*e*g - 2*a^2*b^2*c*f + a^2*b^2*d*e)/b^3 + (x*(a^4*h^2 + a^2*b^2*e^2 + a*b^3*c*d - 2*a^3*b*e*h + a^3*b*f*g - a^2*b^2*c*g - a^2*b^2*d*f))/b^3)*\text{root}(27*b^8*z^3 + 27*a*b^6*f*z^2 - 27*b^7*c*z^2 - 18*a*b^5*c*f*z + 9*a*b^5*d*e*z + 9*a^3*b^3*g*h*z - 9*a^2*b^4*e*g*z - 9*a^2*b^4*d*h*z + 9*a^2*b^4*f^2*z + 9*b^6*c^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3, z, k), k, 1, 3) + x*(d/b - (a*g)/b^2) + (f*x^3)/(3*b) + (g*x^4)/(4*b) + (h*x^5)/(5*b)$

sympy [B] time = 88.70, size = 790, normalized size = 2.69

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a), x)$

[Out] $x**2*(-a*h/(2*b**2) + e/(2*b)) + x*(-a*g/b**2 + d/b) + \text{RootSum}(27*_t**3*b**8 + _t**2*(27*a*b**6*f - 27*b**7*c) + _t*(9*a**3*b**3*g*h - 9*a**2*b**4*d*h - 9*a**2*b**4*e*g + 9*a**2*b**4*f**2 - 18*a*b**5*c*f + 9*a*b**5*d*e + 9*b**6*c**2) + a**5*h**3 - 3*a**4*b*e*h**2 + 3*a**4*b*f*g*h - a**4*b*g**3 - 3*a$

$$\begin{aligned}
& **3*b**2*c*g*h - 3*a**3*b**2*d*f*h + 3*a**3*b**2*d*g**2 + 3*a**3*b**2*e**2* \\
& h - 3*a**3*b**2*e*f*g + a**3*b**2*f**3 + 3*a**2*b**3*c*d*h + 3*a**2*b**3*c* \\
& e*g - 3*a**2*b**3*c*f**2 - 3*a**2*b**3*d**2*g + 3*a**2*b**3*d*e*f - a**2*b* \\
& *3*e**3 + 3*a*b**4*c**2*f - 3*a*b**4*c*d*e + a*b**4*d**3 - b**5*c**3, \text{Lambd} \\
& a(_t, _t*\log(x + (9*_t**2*a*b**5*h - 9*_t**2*b**6*e + 6*_t*a**2*b**3*f*h + \\
& 3*_t*a**2*b**3*g**2 - 6*_t*a*b**4*c*h - 6*_t*a*b**4*d*g - 6*_t*a*b**4*e*f + \\
& 6*_t*b**5*c*e + 3*_t*b**5*d**2 + 2*a**4*g*h**2 - 2*a**3*b*d*h**2 - 4*a**3* \\
& b*e*g*h + a**3*b*f**2*h + a**3*b*f*g**2 - 2*a**2*b**2*c*f*h - a**2*b**2*c*g \\
& **2 + 4*a**2*b**2*d*e*h - 2*a**2*b**2*d*f*g + 2*a**2*b**2*e**2*g - a**2*b** \\
& 2*e*f**2 + a*b**3*c**2*h + 2*a*b**3*c*d*g + 2*a*b**3*c*e*f + a*b**3*d**2*f \\
& - 2*a*b**3*d*e**2 - b**4*c**2*e - b**4*c*d**2))/(a**4*h**3 - 3*a**3*b*e*h**2 \\
& + a**3*b*g**3 - 3*a**2*b**2*d*g**2 + 3*a**2*b**2*e**2*h + 3*a*b**3*d**2*g \\
& - a*b**3*e**3 - b**4*d**3))) + f*x**3/(3*b) + g*x**4/(4*b) + h*x**5/(5*b)
\end{aligned}$$

$$3.353 \quad \int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$$

Optimal. Leaf size=275

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6\sqrt[3]{a} b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3\sqrt[3]{a} b^{7/3}}$$

Rubi [A] time = 0.92, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {1836, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6\sqrt[3]{a} b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3\sqrt[3]{a} b^{7/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3}\sqrt[3]{a}}\right) \left(-a^{2/3}be + a^{5/3}h - ab^{2/3}f + b^{5/3}c\right)}{\sqrt{3}\sqrt[3]{a} b^{7/3}} + \frac{(bd - ag)\log(a + bx^3)}{3b^2} + \frac{x(be - ah)}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x]

[Out] ((b*e - a*h)*x)/b^2 + (f*x^2)/(2*b) + (g*x^3)/(3*b) + (h*x^4)/(4*b) - ((b^(5/3)*c - a^(2/3)*b*e - a*b^(2/3)*f + a^(5/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(1/3)*b^(7/3)) - ((b^(2/3)*(b*c - a*f) + a^(2/3)*(b*e - a*h))*Log[a^(1/3) + b^(1/3)*x])/(3*a^(1/3)*b^(7/3)) + ((b^(2/3)*(b*c - a*f) + a^(2/3)*(b*e - a*h))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(1/3)*b^(7/3)) + ((b*d - a*g)*Log[a + b*x^3])/(3*b^2)

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^m/((a_) + (b_.)*(x_)^n), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1836

```
Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)]) /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```


Rubi steps

$$\begin{aligned}
 \int \frac{x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx &= \frac{hx^4}{4b} + \frac{\int \frac{x(4bc + 4bdx + 4(be-ah)x^2 + 4bf x^3 + 4bgx^4)}{a + bx^3} dx}{4b} \\
 &= \frac{gx^3}{3b} + \frac{hx^4}{4b} + \frac{\int \frac{x(12b^2c + 12b(bd-ag)x + 12b(be-ah)x^2 + 12b^2fx^3)}{a + bx^3} dx}{12b^2} \\
 &= \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} + \frac{\int \frac{x(24b^2(bc-af) + 24b^2(bd-ag)x + 24b^2(be-ah)x^2)}{a + bx^3} dx}{24b^3} \\
 &= \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} + \frac{\int \left(24b(be-ah) - \frac{24(ab(be-ah) - b^2(bc-af)x - b^2(bd-ag)x^2)}{a + bx^3} \right) dx}{24b^3} \\
 &= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} - \frac{\int \frac{ab(be-ah) - b^2(bc-af)x - b^2(bd-ag)x^2}{a + bx^3} dx}{b^3} \\
 &= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} - \frac{\int \frac{ab(be-ah) - b^2(bc-af)x}{a + bx^3} dx}{b^3} + \frac{(bd-ag)}{b^3} \int \frac{\sqrt[3]{a}(-)}{a + bx^3} dx \\
 &= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} + \frac{(bd-ag) \log(a + bx^3)}{3b^2} - \frac{\int \frac{\sqrt[3]{a}(-)}{a + bx^3} dx}{3b^2} \\
 &= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} - \frac{(b^{2/3}(bc-af) + a^{2/3}(be-ah)) \log(a + bx^3)}{3\sqrt[3]{a} b^{7/3}} \\
 &= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} - \frac{(b^{2/3}(bc-af) + a^{2/3}(be-ah)) \log(a + bx^3)}{3\sqrt[3]{a} b^{7/3}} \\
 &= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} - \frac{(b^{5/3}c - a^{2/3}be - ab^{2/3}f + a^{5/3}h) \log(a + bx^3)}{\sqrt{3} \sqrt[3]{a} b^{7/3}}
 \end{aligned}$$

Mathematica [A] time = 0.48, size = 272, normalized size = 0.99

$$\frac{2 \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx + b^{2/3}x^2}\right) \left(a^{2/3}be + a^{5/3}(c-h) - ab^{2/3}f + b^{5/3}c\right)}{\sqrt[3]{a}} + \frac{4 \log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \left(-a^{2/3}bc + a^{5/3}h + ab^{2/3}f - b^{5/3}c\right)}{\sqrt[3]{a}} - \frac{4\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{3}}\right) \left(-a^{2/3}bc + a^{5/3}h - ab^{2/3}f + b^{5/3}c\right)}{12b^{7/3}} + 4\sqrt[3]{b} (bd-ag) \log(a + bx^3) + 12\sqrt[3]{b} x (be-ah) + 6b^{4/3}fx^2 + 4b^{4/3}gx^3 + 3b^{4/3}hx^4$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x]

[Out] $(12*b^{(1/3)}*(b*e - a*h)*x + 6*b^{(4/3)}*f*x^2 + 4*b^{(4/3)}*g*x^3 + 3*b^{(4/3)}*h*x^4 - (4*\sqrt{3}*(b^{(5/3)}*c - a^{(2/3)}*b*e - a*b^{(2/3)}*f + a^{(5/3)}*h)*\operatorname{Arctan}[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\sqrt{3}])/a^{(1/3)} + (4*(-(b^{(5/3)}*c) - a^{(2/3)}*b*e + a*b^{(2/3)}*f + a^{(5/3)}*h)*\operatorname{Log}[a^{(1/3)} + b^{(1/3)}*x])/a^{(1/3)} + (2*(b^{(5/3)}*c + a^{(2/3)}*b*e - a*b^{(2/3)}*f - a^{(5/3)}*h)*\operatorname{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/a^{(1/3)} + 4*b^{(1/3)}*(b*d - a*g)*\operatorname{Log}[a + b*x^3])/(12*b^{(7/3)})$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x]

[Out] IntegrateAlgebraic[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.28, size = 295, normalized size = 1.07

$$\frac{\sqrt{3}(a^2h - abc - (-ab^2)^{\frac{1}{2}}bc + (-ab^2)^{\frac{1}{2}}af) \arctan\left(\frac{\sqrt{3}(2x + (-\frac{a}{b})^{\frac{1}{3}})}{3(-\frac{a}{b})^{\frac{1}{3}}}\right) - \frac{(a^2h - abc + (-ab^2)^{\frac{1}{2}}bc - (-ab^2)^{\frac{1}{2}}af) \log\left(x^2 + x(-\frac{a}{b})^{\frac{1}{3}} + (-\frac{a}{b})^{\frac{2}{3}}\right)}{6(-ab^2)^{\frac{1}{2}}b} + \frac{(bd - ag) \log(|bx^3 + a|)}{3b^2} + \frac{3b^3hx^4 + 4b^3gx^3 + 6b^3fx^2 - 12ab^2hx + 12b^3xc}{12b^4} - \frac{(b^2c(-\frac{a}{b})^{\frac{1}{3}} - ab^2f(-\frac{a}{b})^{\frac{1}{3}} + a^2b^2h - ab^3e)(-\frac{a}{b})^{\frac{1}{3}} \log\left(|x - (-\frac{a}{b})^{\frac{1}{3}}|\right)}{3ab^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3*\sqrt{3}*(a^2*h - a*b*e - (-a*b^2)^{(1/3)}*b*c + (-a*b^2)^{(1/3)}*a*f)*\operatorname{arctan}(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/((-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*b) - 1/6*(a^2*h - a*b*e + (-a*b^2)^{(1/3)}*b*c - (-a*b^2)^{(1/3)}*a*f)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*b) + 1/3*(b*d - a*g)*\log(\operatorname{abs}(b*x^3 + a))/b^2 + 1/12*(3*b^3*h*x^4 + 4*b^3*g*x^3 + 6*b^3*f*x^2 - 12*a*b^2*h*x +$

$$\begin{aligned}
& a^{**2}b^{**4}e^{**2} - 6*_t*a*b^{**5}*c*d + a^{**5}g*h^{**2} - a^{**4}b*d*h^{**2} - 2*a^{**4}b* \\
& e*g*h + 2*a^{**4}b*f^{**2}*h - a^{**4}b*f*g^{**2} - 4*a^{**3}b^{**2}*c*f*h + a^{**3}b^{**2}*c*g \\
& **2 + 2*a^{**3}b^{**2}*d*e*h + 2*a^{**3}b^{**2}*d*f*g + a^{**3}b^{**2}*e^{**2}*g - 2*a^{**3}b^{**2} \\
& *e*f^{**2} + 2*a^{**2}b^{**3}*c^{**2}*h - 2*a^{**2}b^{**3}*c*d*g + 4*a^{**2}b^{**3}*c*e*f - a^{**2} \\
& *b^{**3}*d^{**2}*f - a^{**2}b^{**3}*d*e^{**2} - 2*a*b^{**4}*c^{**2}*e + a*b^{**4}*c*d^{**2})/(a^{**5}h \\
& **3 - 3*a^{**4}b*e*h^{**2} + 3*a^{**3}b^{**2}*e^{**2}*h - a^{**3}b^{**2}*f^{**3} + 3*a^{**2}b^{**3}*c \\
& *f^{**2} - a^{**2}b^{**3}*e^{**3} - 3*a*b^{**4}*c^{**2}*f + b^{**5}*c^{**3})))) + f*x^{**2}/(2*b) + g \\
& *x^{**3}/(3*b) + h*x^{**4}/(4*b)
\end{aligned}$$

$$3.354 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a+bx^3} dx$$

Optimal. Leaf size=259

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{6a^{2/3}b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{3a^{2/3}b^{5/3}}$$

Rubi [A] time = 0.37, antiderivative size = 257, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 35, number of rules / integrand size = 0.257, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a}(bd-ag)}{\sqrt[3]{b}} - af + bc\right)}{6a^{2/3}b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{3a^{2/3}b^{5/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a-2\sqrt[3]{b}x}}{\sqrt[3]{a}}\right) \left(a^{4/3}(-g) + \sqrt[3]{a}bd - a\sqrt[3]{b}f + b^{4/3}c\right)}{\sqrt[3]{a^{2/3}b^{5/3}}} + \frac{(bc - ah)\log(a + bx^3)}{3b^2} + \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3), x]

[Out] (f*x)/b + (g*x^2)/(2*b) + (h*x^3)/(3*b) - ((b^(4/3)*c + a^(1/3)*b*d - a*b^(1/3)*f - a^(4/3)*g)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(2/3)*b^(5/3)) + ((b^(1/3)*(b*c - a*f) - a^(1/3)*(b*d - a*g))*Log[a^(1/3) + b^(1/3)*x]/(3*a^(2/3)*b^(5/3)) - ((b*c - a*f - (a^(1/3)*(b*d - a*g))/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(2/3)*b^(4/3)) + ((b*e - a*h)*Log[a + b*x^3]/(3*b^2))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S  
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,  
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D  
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In  
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ  
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer  
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*  
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r  
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && Ne  
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B  
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di  
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a  
/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a  
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{a + bx^3} dx &= \int \left(\frac{f}{b} + \frac{gx}{b} + \frac{hx^2}{b} + \frac{bc - af + (bd - ag)x + (be - ah)x^2}{b(a + bx^3)} \right) dx \\
&= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} + \frac{\int \frac{bc - af + (bd - ag)x + (be - ah)x^2}{a + bx^3} dx}{b} \\
&= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} + \frac{\int \frac{bc - af + (bd - ag)x}{a + bx^3} dx}{b} + \frac{(be - ah) \int \frac{x^2}{a + bx^3} dx}{b} \\
&= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} + \frac{(be - ah) \log(a + bx^3)}{3b^2} + \frac{\int \frac{\sqrt[3]{a} (2\sqrt[3]{b}(bc - af) + \sqrt[3]{a}(bd - ag))}{a^{2/3} - \sqrt[3]{a}x}}{3a^{2/3}} \\
&= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} + \frac{\left(bc - af - \frac{\sqrt[3]{a}(bd - ag)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{4/3}} + \frac{(be - ah) \log(a + bx^3)}{3b^2} \\
&= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} + \frac{\left(bc - af - \frac{\sqrt[3]{a}(bd - ag)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{4/3}} - \frac{(bc - af - \frac{\sqrt[3]{a}(bd - ag)}{\sqrt[3]{b}}) \log(a + bx^3)}{3b^2} \\
&= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} - \frac{(b^{4/3}c + \sqrt[3]{a}bd - a\sqrt[3]{b}f - a^{4/3}g) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{5/3}} + \frac{(be - ah) \log(a + bx^3)}{3b^2}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 254, normalized size = 0.98

$$\frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) \left(a^{4/3}g - \sqrt[3]{a}bd - a\sqrt[3]{b}f + b^{4/3}c \right) + 2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) \left(a^{4/3}g - \sqrt[3]{a}bd - a\sqrt[3]{b}f + b^{4/3}c \right)}{a^{2/3}} + \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt[3]{a}}\right) \left(a^{4/3}g - \sqrt[3]{a}bd + a\sqrt[3]{b}f - b^{4/3}c \right)}{a^{2/3}} + \frac{2(bc - ah) \log(a + bx^3)}{\sqrt[3]{b}} + 6b^{2/3}fx + 3b^{2/3}gx^2 + 2b^{2/3}hx^3}{6b^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3), x]

[Out] (6*b^(2/3)*f*x + 3*b^(2/3)*g*x^2 + 2*b^(2/3)*h*x^3 + (2*sqrt[3]*(-(b^(4/3)*c) - a^(1/3)*b*d + a*b^(1/3)*f + a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(2/3) + (2*(b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) - ((b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3) + (2*(b*e - a*h)*Log[a + b*x^3])/b^(1/3)/(6*b^(5/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{a + bx^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 272, normalized size = 1.05

$$\frac{\sqrt{3} \left(b^2 c - a b f - (-a b^2)^{\frac{1}{3}} b d + (-a b^2)^{\frac{1}{3}} a g \right) \arctan \left(\frac{\sqrt{3} \left(2 + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-a b^2 \right)^{\frac{1}{3}} b} - \frac{\left(b^2 c - a b f + (-a b^2)^{\frac{1}{3}} b d - (-a b^2)^{\frac{1}{3}} a g \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-a b^2 \right)^{\frac{1}{3}} b} - \frac{(a h - b e) \log(|b x^3 + a|)}{3 b^2} + \frac{2 b^2 h x^3 + 3 b^2 g x^2 + 6 b^2 f x}{6 b^3} - \frac{\left(b^7 d \left(-\frac{a}{b} \right)^{\frac{1}{3}} - a b^6 g \left(-\frac{a}{b} \right)^{\frac{1}{3}} + b^7 c - a b^6 f \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{3 a b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x, algorithm="giac")

[Out] $-1/3 \sqrt{3} (b^2 c - a b f - (-a b^2)^{1/3} b d + (-a b^2)^{1/3} a g) \arctan(1/3 \sqrt{3} (2 x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / ((-a b^2)^{2/3} b) - 1/6 (b^2 c - a b f + (-a b^2)^{1/3} b d - (-a b^2)^{1/3} a g) \log(x^2 + x (-a/b)^{1/3} + (-a/b)^{2/3}) / ((-a b^2)^{2/3} b) - 1/3 (a h - b e) \log(\text{abs}(b x^3 + a)) / b^2 + 1/6 (2 b^2 h x^3 + 3 b^2 g x^2 + 6 b^2 f x) / b^3 - 1/3 (b^7 d (-a/b)^{1/3} - a b^6 g (-a/b)^{1/3} + b^7 c - a b^6 f) (-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3})) / (a b^7)$

maple [B] time = 0.05, size = 429, normalized size = 1.66

$$\frac{b x^5}{30} + \frac{g x^4}{20} - \frac{\sqrt{3} a f \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{\left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}} b^2} - \frac{a f \ln \left(x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}} b^2} - \frac{a f \ln \left(x^2 - \left(-\frac{a}{b} \right)^{\frac{1}{3}} x + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-\frac{a}{b} \right)^{\frac{1}{3}} b^2} - \frac{\sqrt{3} a g \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{\left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}} b^2} - \frac{a g \ln \left(x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}} b^2} - \frac{a g \ln \left(x^2 - \left(-\frac{a}{b} \right)^{\frac{1}{3}} x + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-\frac{a}{b} \right)^{\frac{1}{3}} b^2} - \frac{a h \ln(b x^3 + a)}{30} + \frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{\left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{c \ln \left(x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{c \ln \left(x^2 - \left(-\frac{a}{b} \right)^{\frac{1}{3}} x + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{\left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{d \ln \left(x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{d \ln \left(x^2 - \left(-\frac{a}{b} \right)^{\frac{1}{3}} x + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{2 b^2 h x^3 + 3 b^2 g x^2 + 6 b^2 f x}{30} + \frac{b^7 c}{30} - \frac{a b^6 f}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x)

[Out] $1/3 h x^3 / b + 1/2 g x^2 / b + 1/b f x - 1/3 b^2 / (a/b)^{2/3} \ln(x + (a/b)^{1/3}) * a f + 1/3 (a/b)^{2/3} / b * c \ln(x + (a/b)^{1/3}) + 1/6 b^2 / (a/b)^{2/3} \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) * a f - 1/6 (a/b)^{2/3} / b * c \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) - 1/3 (a/b)^{2/3} * 3^{1/2} * a / b^2 * f * \arctan(1/3 * 3^{1/2} * (2 / (a/b)^{1/3} * x - 1)) + 1/3 /$

$$\begin{aligned} & (a/b)^{2/3} * 3^{1/2} / b * c * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) + 1/3 / b^2 / (a/b)^{1/3} * \ln(x + (a/b)^{1/3}) * a * g - 1/3 / (a/b)^{1/3} / b * d * \ln(x + (a/b)^{1/3}) - 1/6 / b^2 / (a/b)^{1/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) * a * g + 1/6 / (a/b)^{1/3} / b * d * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) - 1/3 / b^2 * 3^{1/2} / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * a * g + 1/3 * 3^{1/2} / (a/b)^{1/3} / b * d * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) - 1/3 / b^2 * \ln(b * x^3 + a) * a * h + 1/3 / b * e * \ln(b * x^3 + a) \end{aligned}$$

maxima [A] time = 3.04, size = 266, normalized size = 1.03

$$\frac{2lx^3 + 3gx^2 + 6fx}{6b} + \frac{\sqrt{3} \left(b^2 d \left(\frac{a}{b} \right)^{\frac{2}{3}} - abg \left(\frac{a}{b} \right)^{\frac{2}{3}} + b^2 c \left(\frac{a}{b} \right)^{\frac{2}{3}} - abf \left(\frac{a}{b} \right)^{\frac{2}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3ab^2} + \frac{\left(2be \left(\frac{a}{b} \right)^{\frac{2}{3}} - 2ah \left(\frac{a}{b} \right)^{\frac{2}{3}} + bd \left(\frac{a}{b} \right)^{\frac{2}{3}} - ag \left(\frac{a}{b} \right)^{\frac{2}{3}} - bc + af \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(be \left(\frac{a}{b} \right)^{\frac{2}{3}} - ah \left(\frac{a}{b} \right)^{\frac{2}{3}} - bd \left(\frac{a}{b} \right)^{\frac{2}{3}} + ag \left(\frac{a}{b} \right)^{\frac{2}{3}} + bc - af \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] $\frac{1}{6} * (2 * h * x^3 + 3 * g * x^2 + 6 * f * x) / b + \frac{1}{3} * \sqrt{3} * (b^2 * d * (a/b)^{2/3} - a * b * g * (a/b)^{2/3} + b^2 * c * (a/b)^{1/3} - a * b * f * (a/b)^{1/3}) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{1/3}) / (a/b)^{1/3}) / (a * b^2) + \frac{1}{6} * (2 * b * e * (a/b)^{2/3} - 2 * a * h * (a/b)^{2/3} + b * d * (a/b)^{1/3} - a * g * (a/b)^{1/3} - b * c + a * f) * \log(x^2 - x * (a/b)^{1/3} + (a/b)^{2/3}) / (b^2 * (a/b)^{2/3}) + \frac{1}{3} * (b * e * (a/b)^{2/3} - a * h * (a/b)^{2/3} - b * d * (a/b)^{1/3} + a * g * (a/b)^{1/3} + b * c - a * f) * \log(x + (a/b)^{1/3}) / (b^2 * (a/b)^{2/3})$

mapad [B] time = 5.03, size = 1150, normalized size = 4.44

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3),x)

[Out] $\text{symsum}(\log((a^3 * h^2 + a * b^2 * e^2 + b^3 * c * d - a * b^2 * c * g - a * b^2 * d * f - 2 * a^2 * b * e * h + a^2 * b * f * g) / b^2 + \text{root}(27 * a^2 * b^6 * z^3 + 27 * a^3 * b^4 * h * z^2 - 27 * a^2 * b^5 * e * z^2 + 9 * a * b^5 * c * d * z - 18 * a^3 * b^3 * e * h * z + 9 * a^3 * b^3 * f * g * z - 9 * a^2 * b^4 * d * f * z - 9 * a^2 * b^4 * c * g * z + 9 * a^4 * b^2 * h^2 * z + 9 * a^2 * b^4 * e^2 * z + 3 * a^4 * b * f * g * h - 3 * a * b^4 * c * d * e - 3 * a^3 * b^2 * e * f * g - 3 * a^3 * b^2 * d * f * h - 3 * a^3 * b^2 * c * g * h + 3 * a^2 * b^3 * d * e * f + 3 * a^2 * b^3 * c * e * g + 3 * a^2 * b^3 * c * d * h - 3 * a^4 * b * e * h^2 + 3 * a * b^4 * c^2 * f + 3 * a^3 * b^2 * e^2 * h + 3 * a^3 * b^2 * d * g^2 - 3 * a^2 * b^3 * d^2 * g - 3 * a^2 * b^3 * c * f^2 + a^3 * b^2 * f^3 + a * b^4 * d^3 + a^5 * h^3 - a^2 * b^3 * e^3 - a^4 * b * g^3 - b^5 * c^3, z, k) * ((6 * a^2 * b^2 * h - 6 * a * b^3 * e) / b^2 + (x * (3 * b^3 * c - 3 * a * b^2 * f)) / b + 9 * \text{root}(27 * a^2 * b^6 * z^3 + 27 * a^3 * b^4 * h * z^2 - 27 * a^2 * b^5 * e * z^2 + 9 * a * b^5 * c * d * z - 18 * a^3 * b^3 * e * h * z + 9 * a^3 * b^3 * f * g * z - 9 * a^2 * b^4 * d * f * z - 9 * a^2 * b^4 * c * g * z + 9 * a^4 * b^2 * h^2 * z + 9 * a^2 * b^4 * e^2 * z + 3 * a^4 * b * f * g * h - 3 * a * b^4 * c * d * e - 3 * a^3 * b^2 * e * f * g - 3 * a^3 * b^2 * d * f * h - 3 * a^3 * b^2 * c * g * h + 3 * a^2 * b^3 * d * e * f + 3 * a^2 * b^3 * c * e * g + 3 * a^2 * b^3 * c * d * h - 3 * a^4 * b * e * h^2 + 3 * a * b^4 * c^2 * f + 3 * a^3 * b^2 * e^2 * h + 3 * a^3 * b^2 * d * g^2 - 3 * a^2 * b^3 * d^2 * g - 3 * a^2 * b^3 * c * f^2 + a^3 * b^2 * f^3 + a * b^4 * d^3 + a^5 * h^3 - a^2 * b^3 * e^3 - a^4 * b * g^3 - b^5 * c^3, z, k))$

$$\begin{aligned}
& *b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 + a^3*b^2*f^3 + a*b^4*d^3 + \\
& a^5*h^3 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3, z, k)*a*b^2) + (x*(b^2*d^2 + a \\
& ^2*g^2 - b^2*c*e - a^2*f*h + a*b*c*h - 2*a*b*d*g + a*b*e*f))/b)*\text{root}(27*a^2 \\
& *b^6*z^3 + 27*a^3*b^4*h*z^2 - 27*a^2*b^5*e*z^2 + 9*a*b^5*c*d*z - 18*a^3*b^3 \\
& *e*h*z + 9*a^3*b^3*f*g*z - 9*a^2*b^4*d*f*z - 9*a^2*b^4*c*g*z + 9*a^4*b^2*h^ \\
& 2*z + 9*a^2*b^4*e^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3 \\
& *a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^ \\
& 2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d \\
& *g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^ \\
& 3 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3, z, k), k, 1, 3) + (g*x^2)/(2*b) + (h \\
& *x^3)/(3*b) + (f*x)/b
\end{aligned}$$

sympy [B] time = 59.39, size = 804, normalized size = 3.10

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a),x)

[Out] RootSum(27*_t**3*a**2*b**6 + _t**2*(27*a**3*b**4*h - 27*a**2*b**5*e) + _t*(9*a**4*b**2*h**2 - 18*a**3*b**3*e*h + 9*a**3*b**3*f*g - 9*a**2*b**4*c*g - 9*a**2*b**4*d*f + 9*a**2*b**4*e**2 + 9*a*b**5*c*d) + a**5*h**3 - 3*a**4*b*e*h**2 + 3*a**4*b*f*g*h - a**4*b*g**3 - 3*a**3*b**2*c*g*h - 3*a**3*b**2*d*f*h + 3*a**3*b**2*d*g**2 + 3*a**3*b**2*e**2*h - 3*a**3*b**2*e*f*g + a**3*b**2*f**3 + 3*a**2*b**3*c*d*h + 3*a**2*b**3*c*e*g - 3*a**2*b**3*c*f**2 - 3*a**2*b**3*d**2*g + 3*a**2*b**3*d*e*f - a**2*b**3*e**3 + 3*a*b**4*c**2*f - 3*a*b**4*c*d*e + a*b**4*d**3 - b**5*c**3, Lambda(_t, _t*log(x + (9*_t**2*a**3*b**4*g - 9*_t**2*a**2*b**5*d + 6*_t*a**4*b**2*g*h - 6*_t*a**3*b**3*d*h - 6*_t*a**3*b**3*e*g - 3*_t*a**3*b**3*f**2 + 6*_t*a**2*b**4*c*f + 6*_t*a**2*b**4*d*e - 3*_t*a*b**5*c**2 + a**5*g*h**2 - a**4*b*d*h**2 - 2*a**4*b*e*g*h - a**4*b*f**2*h + 2*a**4*b*f*g**2 + 2*a**3*b**2*c*f*h - 2*a**3*b**2*c*g**2 + 2*a**3*b**2*d*e*h - 4*a**3*b**2*d*f*g + a**3*b**2*e**2*g + a**3*b**2*e*f**2 - a**2*b**3*c**2*h + 4*a**2*b**3*c*d*g - 2*a**2*b**3*c*e*f + 2*a**2*b**3*d**2*f - a**2*b**3*d*e**2 + a*b**4*c**2*e - 2*a*b**4*c*d**2)/(a**4*b*g**3 - 3*a**3*b**2*d*g**2 + a**3*b**2*f**3 - 3*a**2*b**3*c*f**2 + 3*a**2*b**3*d**2*g + 3*a*b**4*c**2*f - a*b**4*d**3 - b**5*c**3)))) + f*x/b + g*x**2/(2*b) + h*x**3/(3*b)

$$3.355 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)} dx$$

Optimal. Leaf size=258

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (bd - ag) - \sqrt[3]{a} (be - ah)\right)}{6a^{2/3} b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (bd - ag) - \sqrt[3]{a} (be - ah)\right)}{3a^{2/3} b^{5/3}}$$

Rubi [A] time = 0.47, antiderivative size = 256, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 38, number of rules / integrand size = 0.237, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a}(bc-ah)}{\sqrt[3]{b}} - ag + bd\right)}{6a^{2/3} b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (bd - ag) - \sqrt[3]{a} (be - ah)\right)}{3a^{2/3} b^{5/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right) \left(a^{4/3} (-h) + \sqrt[3]{a} be - a \sqrt[3]{b} g + b^{4/3} d\right)}{\sqrt{3} a^{2/3} b^{5/3}} - \frac{(bc - af) \log(a + bx^3)}{3ab} + \frac{c \log(x)}{a} + \frac{gx}{b} + \frac{hx^2}{2b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)),x]

[Out] (g*x)/b + (h*x^2)/(2*b) - ((b^(4/3)*d + a^(1/3)*b*e - a*b^(1/3)*g - a^(4/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(2/3)*b^(5/3)) + (c*Log[x])/a + ((b^(1/3)*(b*d - a*g) - a^(1/3)*(b*e - a*h))*Log[a^(1/3) + b^(1/3)*x])/(3*a^(2/3)*b^(5/3)) - ((b*d - a*g - (a^(1/3)*(b*e - a*h))/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(2/3)*b^(4/3)) - ((b*c - a*f)*Log[a + b*x^3])/(3*a*b)

Rule 31

Int[((a_) + (b_.)*(x_))^-1), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x(a + bx^3)} dx &= \int \left(\frac{g}{b} + \frac{c}{ax} + \frac{hx}{b} + \frac{a(bd - ag) + a(be - ah)x - b(bc - af)x^2}{ab(a + bx^3)} \right) dx \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{c \log(x)}{a} + \frac{\int \frac{a(bd - ag) + a(be - ah)x - b(bc - af)x^2}{a + bx^3} dx}{ab} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{c \log(x)}{a} + \frac{\int \frac{a(bd - ag) + a(be - ah)x}{a + bx^3} dx}{ab} - \frac{(bc - af) \int \frac{x^2}{a + bx^3} dx}{a} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{c \log(x)}{a} - \frac{(bc - af) \log(a + bx^3)}{3ab} + \frac{\int \frac{\sqrt[3]{a} (2a \sqrt[3]{b} (bd - ag) + a^{4/3} (be - ah))}{a^{2/3} (a + bx^3)} dx}{a^{2/3}} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{c \log(x)}{a} + \frac{\left(bd - ag - \frac{\sqrt[3]{a} (be - ah)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} b^{4/3}} - \frac{(bc - af) \log(a + bx^3)}{3ab} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{c \log(x)}{a} + \frac{\left(bd - ag - \frac{\sqrt[3]{a} (be - ah)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} b^{4/3}} - \frac{(bc - af) \log(a + bx^3)}{3ab} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} - \frac{\left(b^{4/3} d + \sqrt[3]{a} be - a \sqrt[3]{b} g - a^{4/3} h \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2 \sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} a^{2/3} b^{5/3}} + \frac{c \log(x)}{a}
\end{aligned}$$

Mathematica [A] time = 0.31, size = 258, normalized size = 1.00

$$\frac{-\sqrt[3]{a} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^{4/3} h - \sqrt[3]{a} b e - a \sqrt[3]{b} g + b^{4/3} d) + 2 \sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b} x) (a^{4/3} h - \sqrt[3]{a} b e - a \sqrt[3]{b} g + b^{4/3} d) + 2 \sqrt{3} \sqrt[3]{a} \tan^{-1} \left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right) (a^{4/3} h - \sqrt[3]{a} b e + a \sqrt[3]{b} g - b^{4/3} d) - 2 b^{2/3} (bc - af) \log(a + bx^3) + 6 a b^{2/3} g x + 3 a b^{2/3} h x^2 + 6 b^{5/3} c \log(x)}{6 a b^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)),x]

[Out] (6*a*b^(2/3)*g*x + 3*a*b^(2/3)*h*x^2 + 2*Sqrt[3]*a^(1/3)*(-(b^(4/3)*d) - a^(1/3)*b*e + a*b^(1/3)*g + a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 6*b^(5/3)*c*Log[x] + 2*a^(1/3)*(b^(4/3)*d - a^(1/3)*b*e - a*b^(1/3)*g + a^(4/3)*h)*Log[a^(1/3) + b^(1/3)*x] - a^(1/3)*(b^(4/3)*d - a^(1/3)*b*e - a*b^(1/3)*g + a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 2*b^(2/3)*(b*c - a*f)*Log[a + b*x^3])/(6*a*b^(5/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 281, normalized size = 1.09

$$\frac{c \log(|x|)}{a} - \frac{\sqrt{3} \left(b^2 d - a b g + (-a b^2)^{\frac{1}{3}} a h - (-a b^2)^{\frac{1}{3}} b e \right) \arctan\left(\frac{\sqrt{3} \left(2 x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}}\right)}{3 \left(-a b^2 \right)^{\frac{1}{3}} b} - \frac{\left(b^2 d - a b g - (-a b^2)^{\frac{1}{3}} a h + (-a b^2)^{\frac{1}{3}} b e \right) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(-a b^2 \right)^{\frac{1}{3}} b} - \frac{(b c - a f) \log(|b x^3 + a|)}{3 a b} + \frac{b h x^2 + 2 b g x}{2 b^2} + \frac{\left(a^3 b^2 h \left(-\frac{a}{b}\right)^{\frac{1}{3}} - a^2 b^3 \left(-\frac{a}{b}\right)^{\frac{1}{3}} e - a^2 b^3 d + a^3 b^2 g \right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|}{3 a^3 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a), x, algorithm="giac")

[Out] $c \cdot \log(\text{abs}(x)) / a - 1/3 \cdot \sqrt{3} \cdot (b^2 \cdot d - a \cdot b \cdot g + (-a \cdot b^2)^{(1/3)} \cdot a \cdot h - (-a \cdot b^2)^{(1/3)} \cdot b \cdot e) \cdot \arctan(1/3 \cdot \sqrt{3} \cdot (2 \cdot x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}) / ((-a \cdot b^2)^{(2/3)} \cdot b) - 1/6 \cdot (b^2 \cdot d - a \cdot b \cdot g - (-a \cdot b^2)^{(1/3)} \cdot a \cdot h + (-a \cdot b^2)^{(1/3)} \cdot b \cdot e) \cdot \log(x^2 + x \cdot (-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / ((-a \cdot b^2)^{(2/3)} \cdot b) - 1/3 \cdot (b \cdot c - a \cdot f) \cdot \log(\text{abs}(b \cdot x^3 + a)) / (a \cdot b) + 1/2 \cdot (b \cdot h \cdot x^2 + 2 \cdot b \cdot g \cdot x) / b^2 + 1/3 \cdot (a^3 \cdot b^2 \cdot h \cdot (-a/b)^{(1/3)} - a^2 \cdot b^3 \cdot d + a^3 \cdot b^2 \cdot g) \cdot (-a/b)^{(1/3)} \cdot \log(\text{abs}(x - (-a/b)^{(1/3)}) / (a^3 \cdot b^3)$

maple [B] time = 0.05, size = 426, normalized size = 1.65

$$\frac{b x^2}{2b} - \frac{\sqrt{3} \operatorname{arctan}\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{\operatorname{arctan}\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{\sqrt{3} a b \operatorname{arctan}\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{a b \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{a b \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{c \ln(a)}{a} - \frac{c \ln(b x^3 + a)}{3 a} - \frac{\sqrt{3} d \operatorname{arctan}\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{\sqrt{3} e \operatorname{arctan}\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{f \ln(b x^3 + a)}{3 b} - \frac{g x}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a), x)

[Out] $1/2 \cdot b \cdot h \cdot x^2 + 1/b \cdot g \cdot x - 1/3 \cdot b^2 \cdot a / (a/b)^{(2/3)} \cdot \ln(x + (a/b)^{(1/3)}) \cdot g + 1/3 \cdot (a/b)^{(2/3)} / b \cdot d \cdot \ln(x + (a/b)^{(1/3)}) + 1/6 \cdot b^2 \cdot a / (a/b)^{(2/3)} \cdot \ln(x^2 - (a/b)^{(1/3)} \cdot x + (a/b)^{(2/3)})$

$$\begin{aligned} & (2/3)*g-1/6/(a/b)^{(2/3)}/b*d*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-1/3/b^2*a/(a/ \\ & b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*g+1/3/(a/b)^{(2/3)}* \\ & 3^{(1/2)}/b*d*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/3/b^2*a/(a/b)^{(1/3)}*1 \\ & n(x+(a/b)^{(1/3)})*h-1/3/(a/b)^{(1/3)}/b*e*\ln(x+(a/b)^{(1/3)})-1/6/b^2*a/(a/b)^{(1 \\ & /3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*h+1/6/(a/b)^{(1/3)}/b*e*\ln(x^2-(a/b)^{(1 \\ & /3)}*x+(a/b)^{(2/3)})-1/3/b^2*a*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b) \\ &)^{(1/3)}*x-1))*h+1/3*3^{(1/2)}/(a/b)^{(1/3)}/b*e*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/ \\ & 3)}*x-1))+1/3/b*f*\ln(b*x^3+a)-1/3/a*c*\ln(b*x^3+a)+1/a*c*\ln(x) \end{aligned}$$

maxima [A] time = 3.02, size = 290, normalized size = 1.12

$$\frac{\frac{c \log(x)}{a} + \frac{hx^2 + 2gx}{2b}}{3a^2b} + \frac{\sqrt{3} \left(abc \left(\frac{x}{b} \right)^{\frac{2}{3}} - a^2 h \left(\frac{x}{b} \right)^{\frac{2}{3}} + abd \left(\frac{x}{b} \right)^{\frac{2}{3}} - a^2 g \left(\frac{x}{b} \right)^{\frac{2}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{x}{b} \right)^{\frac{2}{3}} \right)}{3 \left(\frac{x}{b} \right)^{\frac{2}{3}}} \right)}{3a^2b} - \frac{\left(2b^2c \left(\frac{x}{b} \right)^{\frac{2}{3}} - 2abf \left(\frac{x}{b} \right)^{\frac{2}{3}} - abc \left(\frac{x}{b} \right)^{\frac{2}{3}} + a^2h \left(\frac{x}{b} \right)^{\frac{2}{3}} + abd - a^2g \right) \log \left(x^2 - x \left(\frac{x}{b} \right)^{\frac{1}{3}} + \left(\frac{x}{b} \right)^{\frac{2}{3}} \right)}{6ab^2 \left(\frac{x}{b} \right)^{\frac{2}{3}}} - \frac{\left(b^2c \left(\frac{x}{b} \right)^{\frac{2}{3}} - abf \left(\frac{x}{b} \right)^{\frac{2}{3}} + abc \left(\frac{x}{b} \right)^{\frac{2}{3}} - a^2h \left(\frac{x}{b} \right)^{\frac{2}{3}} - abd + a^2g \right) \log \left(x + \left(\frac{x}{b} \right)^{\frac{1}{3}} \right)}{3ab^2 \left(\frac{x}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a),x, algorithm="maxima")

[Out] c*log(x)/a + 1/2*(h*x^2 + 2*g*x)/b + 1/3*sqrt(3)*(a*b*e*(a/b)^(2/3) - a^2*h*(a/b)^(2/3) + a*b*d*(a/b)^(1/3) - a^2*g*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b) - 1/6*(2*b^2*c*(a/b)^(2/3) - 2*a*b*f*(a/b)^(2/3) - a*b*e*(a/b)^(1/3) + a^2*h*(a/b)^(1/3) + a*b*d - a^2*g)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^2*(a/b)^(2/3)) - 1/3*(b^2*c*(a/b)^(2/3) - a*b*f*(a/b)^(2/3) + a*b*e*(a/b)^(1/3) - a^2*h*(a/b)^(1/3) - a*b*d + a^2*g)*log(x + (a/b)^(1/3))/(a*b^2*(a/b)^(2/3))

mupad [B] time = 5.10, size = 1731, normalized size = 6.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)),x)

[Out] symsum(log(b^2*c*d^2 - root(27*a^3*b^5*z^3 - 27*a^3*b^4*f*z^2 + 27*a^2*b^5*c*z^2 + 9*a^4*b^2*g*h*z - 9*a^3*b^3*e*g*z - 9*a^3*b^3*d*h*z - 18*a^2*b^4*c*f*z + 9*a^2*b^4*d*e*z + 9*a*b^5*c^2*z + 9*a^3*b^3*f^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z, k)*(a^3*g^2 - root(27*a^3*b^5*z^3 - 27*a^3*b^4*f*z^2 + 27*a^2*b^5*c*z^2 + 9*a^4*b^2*g*h*z - 9*a^3*b^3*e*g*z - 9*a^3*b^3*d*h*z - 18*a^2*b^4*c*f*z + 9*a^2*b^4*d*e*z + 9*a*b^5*c^2*z + 9*a^3*b^3*f^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a

$$\begin{aligned}
&^3b^2e^2h - 3a^3b^2d^2g^2 + 3a^2b^3d^2g + 3a^2b^3c^2f^2 + a^2b^3e^3 + a^4b^2g^3 + b^5c^3 - a^3b^2f^3 - ab^4d^3 - a^5h^3, z, k) * ((x * \\
&(33a^2b^4f - 24ab^5c)) / b^2 + 3a^2b^2e - 3a^3b^2h - 36\text{root}(27a^3 \\
&*b^5z^3 - 27a^3b^4f^2z^2 + 27a^2b^5c^2z^2 + 9a^4b^2g^2h^2z - 9a^3b^3 \\
&*e^2g^2z - 9a^3b^3d^2h^2z - 18a^2b^4c^2f^2z + 9a^2b^4d^2e^2z + 9ab^5c^2 \\
&*z + 9a^3b^3f^2z - 3a^4b^2fg^2h + 3ab^4c^2de + 3a^3b^2e^2fg + 3 \\
&*a^3b^2d^2fh + 3a^3b^2c^2gh - 3a^2b^3d^2ef - 3a^2b^3c^2eg - 3a^2 \\
&*b^3c^2dh + 3a^4b^2eh^2 - 3ab^4c^2f - 3a^3b^2e^2h - 3a^3b^2d^2 \\
&*g^2 + 3a^2b^3d^2g + 3a^2b^3c^2f^2 + a^2b^3e^3 + a^4b^2g^3 + b^5c^3 \\
&- a^3b^2f^3 - ab^4d^3 - a^5h^3, z, k) * a^2b^3x) + (x * (4b^5c^2 + 1 \\
&0a^2b^3f^2 - 14ab^4c^2f + 10ab^4d^2e - 10a^2b^3d^2h - 10a^2b^3e \\
&*g + 10a^3b^2g^2h)) / b^2 + ab^2d^2 - a^3f^2h + 2ab^2c^2e - 2a^2b^2c^2h \\
&- 2a^2b^2d^2g + a^2b^2e^2f) - b^2c^2e + a^2c^2g^2 + (x * (b^4d^3 + a^4h^3 \\
&- ab^3e^3 - a^3b^2g^3 + b^4c^2f + a^2b^2f^3 + 3a^2b^2d^2g^2 + 3a^2 \\
&*b^2e^2h - 2b^4c^2de - 2ab^3c^2f^2 - 3ab^3d^2g - 3a^3b^2e^2h^2 - \\
&2a^2b^2c^2gh - 3a^2b^2d^2fh - 3a^2b^2e^2fg + 2ab^3c^2dh + 2ab^3 \\
&*c^2eg + 3ab^3d^2ef + 3a^3b^2fg^2h)) / b^2 + abc^2h - a^2c^2fh - 2 \\
&*abc^2d^2g + abc^2e^2f) * \text{root}(27a^3b^5z^3 - 27a^3b^4f^2z^2 + 27a^2b^5 \\
&*c^2z^2 + 9a^4b^2g^2h^2z - 9a^3b^3e^2g^2z - 9a^3b^3d^2h^2z - 18a^2b^4c^2 \\
&*f^2z + 9a^2b^4d^2e^2z + 9ab^5c^2z + 9a^3b^3f^2z - 3a^4b^2fg^2h + \\
&3ab^4c^2de + 3a^3b^2e^2fg + 3a^3b^2d^2fh + 3a^3b^2c^2gh - 3a^2 \\
&*b^3d^2ef - 3a^2b^3c^2eg - 3a^2b^3c^2dh + 3a^4b^2eh^2 - 3ab^4c^2 \\
&*f - 3a^3b^2e^2h - 3a^3b^2d^2g^2 + 3a^2b^3d^2g + 3a^2b^3c^2f^2 \\
&+ a^2b^3e^3 + a^4b^2g^3 + b^5c^3 - a^3b^2f^3 - ab^4d^3 - a^5h^3, z \\
&, k), k, 1, 3) + (h*x^2)/(2*b) + (c*log(x))/a + (g*x)/b
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x/(b*x**3+a),x)

[Out] Timed out

$$3.356 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)} dx$$

Optimal. Leaf size=253

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6a^{4/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3a^{4/3}b^{4/3}}$$

Rubi [A] time = 0.45, antiderivative size = 253, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6a^{4/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3a^{4/3}b^{4/3}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) \left(-a^{2/3}be + a^{5/3}h - ab^{2/3}f + b^{5/3}c\right)}{\sqrt{3}a^{4/3}b^{4/3}} - \frac{(bd - ag)\log(a + bx^3)}{3ab} - \frac{c}{ax} + \frac{d \log(x)}{a} + \frac{hx}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)), x]

[Out] -(c/(a*x)) + (h*x)/b + ((b^(5/3)*c - a^(2/3)*b*e - a*b^(2/3)*f + a^(5/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(4/3)*b^(4/3)) + (d*Log[x])/a + ((b^(2/3)*(b*c - a*f) + a^(2/3)*(b*e - a*h))*Log[a^(1/3) + b^(1/3)*x])/(3*a^(4/3)*b^(4/3)) - ((b^(2/3)*(b*c - a*f) + a^(2/3)*(b*e - a*h))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(4/3)*b^(4/3)) - ((b*d - a*g)*Log[a + b*x^3])/(3*a*b)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^2(a + bx^3)} dx &= \int \left(\frac{h}{b} + \frac{c}{ax^2} + \frac{d}{ax} + \frac{a(be - ah) - b(bc - af)x - b(bd - ag)x^2}{ab(a + bx^3)} \right) dx \\
&= -\frac{c}{ax} + \frac{hx}{b} + \frac{d \log(x)}{a} + \frac{\int \frac{a(be - ah) - b(bc - af)x - b(bd - ag)x^2}{a + bx^3} dx}{ab} \\
&= -\frac{c}{ax} + \frac{hx}{b} + \frac{d \log(x)}{a} + \frac{\int \frac{a(be - ah) - b(bc - af)x}{a + bx^3} dx}{ab} - \frac{(bd - ag) \int \frac{x^2}{a + bx^3} dx}{a} \\
&= -\frac{c}{ax} + \frac{hx}{b} + \frac{d \log(x)}{a} - \frac{(bd - ag) \log(a + bx^3)}{3ab} + \frac{\int \frac{\sqrt[3]{a}(-\sqrt[3]{a}b(bc - af) + 2a\sqrt[3]{b})}{a + bx^3} dx}{a} \\
&= -\frac{c}{ax} + \frac{hx}{b} + \frac{d \log(x)}{a} + \frac{(b^{2/3}(bc - af) + a^{2/3}(be - ah)) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}b^{4/3}} \\
&= -\frac{c}{ax} + \frac{hx}{b} + \frac{d \log(x)}{a} + \frac{(b^{2/3}(bc - af) + a^{2/3}(be - ah)) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}b^{4/3}} \\
&= -\frac{c}{ax} + \frac{hx}{b} + \frac{(b^{5/3}c - a^{2/3}be - ab^{2/3}f + a^{5/3}h) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{4/3}b^{4/3}} + \frac{d \log(x)}{a}
\end{aligned}$$

Mathematica [A] time = 0.32, size = 257, normalized size = 1.02

$$\frac{1}{6} \left(\frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) (-a^{2/3}be + a^{5/3}h + ab^{2/3}f - b^{5/3}c)}{a^{4/3}b^{4/3}} + \frac{2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) (a^{2/3}be + a^{5/3}(-h) - ab^{2/3}f + b^{5/3}c)}{a^{4/3}b^{4/3}} + \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right) (-a^{2/3}be + a^{5/3}h - ab^{2/3}f + b^{5/3}c)}{a^{4/3}b^{4/3}} + \frac{2(ag - bd) \log(a + bx^3)}{ab} - \frac{6c}{ax} + \frac{6d \log(x)}{a} + \frac{6hx}{b} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)), x]

[Out] ((-6*c)/(a*x) + (6*h*x)/b + (2*Sqrt[3]*(b^(5/3)*c - a^(2/3)*b*e - a*b^(2/3)*f + a^(5/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(a^(4/3)*b^(4/3)) + (6*d*Log[x])/a + (2*(b^(5/3)*c + a^(2/3)*b*e - a*b^(2/3)*f - a^(5/3)*h)*Log[a^(1/3) + b^(1/3)*x]/(a^(4/3)*b^(4/3)) + ((-b^(5/3)*c) - a^(2/3)*b*e + a*b^(2/3)*f + a^(5/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(a^(4/3)*b^(4/3)) + (2*(-(b*d) + a*g)*Log[a + b*x^3])/(a*b))/6

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^2(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 277, normalized size = 1.09

$$\frac{hx}{b} + \frac{d \log(|x|)}{a} + \frac{\sqrt{3} \left(a^2 h - abc - (-ab^2)^{\frac{1}{2}} bc + (-ab^2)^{\frac{1}{2}} af \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{1}{2}} a} + \frac{\left(a^2 h - abc + (-ab^2)^{\frac{1}{2}} bc - (-ab^2)^{\frac{1}{2}} af \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) - (bd - ag) \log(|bx^3 + a|)}{6 \left(-ab^2 \right)^{\frac{1}{2}} a} - \frac{c}{ax} + \frac{\left(ab^4 c \left(-\frac{a}{b} \right)^{\frac{1}{3}} - a^2 b^2 f \left(-\frac{a}{b} \right)^{\frac{1}{3}} + a^2 b^2 h - a^2 b^2 e \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{3 a^3 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a), x, algorithm="giac")

[Out] $hx/b + d \log(\text{abs}(x))/a + 1/3 \sqrt{3} (a^2 h - a b e - (-a b^2)^{1/3} b c + (-a b^2)^{1/3} a f) \arctan(1/3 \sqrt{3} (2x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / ((-a b^2)^{2/3} a) + 1/6 (a^2 h - a b e + (-a b^2)^{1/3} b c - (-a b^2)^{1/3} a f) \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) / ((-a b^2)^{2/3} a) - 1/3 (b d - a g) \log(\text{abs}(b x^3 + a)) / (a b) - c / (a x) + 1/3 (a b^4 c (-a/b)^{1/3} - a^2 b^2 f (-a/b)^{1/3} + a^2 b^2 h - a^2 b^2 e) (-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3})) / (a^3 b^3)$

maple [B] time = 0.06, size = 423, normalized size = 1.67

$$\frac{\sqrt{3} a \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{2}{3}} a} - \frac{ab \ln \left(x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right) + ab \ln \left(x^2 - \left(-\frac{a}{b} \right)^{\frac{1}{3}} x + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{2}{3}} a} + \frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{2}{3}} a} - \frac{c \ln \left(x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right) + c \ln \left(x^2 - \left(-\frac{a}{b} \right)^{\frac{1}{3}} x + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{2}{3}} a} + \frac{d \ln(a) + d \ln(bx^3 + a)}{a} - \frac{\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{2}{3}} b} - \frac{e \ln \left(x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right) + e \ln \left(x^2 - \left(-\frac{a}{b} \right)^{\frac{1}{3}} x + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{\sqrt{3} f \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{2}{3}} b} - \frac{f \ln \left(x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right) + f \ln \left(x^2 - \left(-\frac{a}{b} \right)^{\frac{1}{3}} x + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{g \ln(bx^3 + a)}{3b} + \frac{hx}{b} - \frac{c}{ax}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a), x)

[Out] $hx/b - 1/3/b^2 a / (a/b)^{2/3} * \ln(x + (a/b)^{1/3}) * h + 1/3/b / (a/b)^{2/3} * \ln(x + (a/b)^{1/3}) * e + 1/6/b^2 a / (a/b)^{2/3} * \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) * h - 1/6/b /$

$$\begin{aligned} & (a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * e^{-1/3/b^2 * a / (a/b)^{(2/3)} * 3^{(1/2)}} \\ & * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1)) * h + 1/3/b / (a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1)) * e^{-1/3/b / (a/b)^{(1/3)} * \ln(x + (a/b)^{(1/3)})} * f \\ & + 1/3/a / (a/b)^{(1/3)} * \ln(x + (a/b)^{(1/3)}) * c + 1/6/b / (a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * f - 1/6/a / (a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * c + 1/3 / b * 3^{(1/2)} / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1)) * f - 1/3/a * 3^{(1/2)} / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1)) * c + 1/3/b * \ln(b * x^3 + a) * g - 1/3/a * d * \ln(b * x^3 + a) - 1/a * c/x + 1/a * d * \ln(x) \end{aligned}$$

maxima [A] time = 3.02, size = 290, normalized size = 1.15

$$\frac{hx}{b} + \frac{d \log(x)}{a} - \frac{\sqrt{3} \left(b^2 c \left(\frac{x}{b} \right)^{\frac{2}{3}} - abf \left(\frac{x}{b} \right)^{\frac{2}{3}} - abc \left(\frac{x}{b} \right)^{\frac{1}{3}} + a^2 h \left(\frac{x}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{x}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{x}{b} \right)^{\frac{1}{3}}} \right)}{3a^2b} - \frac{c}{ax} - \frac{\left(2b^2d \left(\frac{x}{b} \right)^{\frac{2}{3}} - 2abg \left(\frac{x}{b} \right)^{\frac{2}{3}} + b^2c \left(\frac{x}{b} \right)^{\frac{1}{3}} - abf \left(\frac{x}{b} \right)^{\frac{1}{3}} + abc - a^2h \right) \log \left(x^2 - x \left(\frac{x}{b} \right)^{\frac{1}{3}} + \left(\frac{x}{b} \right)^{\frac{2}{3}} \right) - \left(b^2d \left(\frac{x}{b} \right)^{\frac{2}{3}} - abg \left(\frac{x}{b} \right)^{\frac{2}{3}} - b^2c \left(\frac{x}{b} \right)^{\frac{1}{3}} + abf \left(\frac{x}{b} \right)^{\frac{1}{3}} - abc + a^2h \right) \log \left(x + \left(\frac{x}{b} \right)^{\frac{1}{3}} \right)}{6ab^2 \left(\frac{x}{b} \right)^{\frac{2}{3}} 3ab^2 \left(\frac{x}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a),x, algorithm="maxima")

[Out] h*x/b + d*log(x)/a - 1/3*sqrt(3)*(b^2*c*(a/b)^(2/3) - a*b*f*(a/b)^(2/3) - a*b*e*(a/b)^(1/3) + a^2*h*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b) - c/(a*x) - 1/6*(2*b^2*d*(a/b)^(2/3) - 2*a*b*g*(a/b)^(2/3) + b^2*c*(a/b)^(1/3) - a*b*f*(a/b)^(1/3) + a*b*e - a^2*h)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^2*(a/b)^(2/3)) - 1/3*(b^2*d*(a/b)^(2/3) - a*b*g*(a/b)^(2/3) - b^2*c*(a/b)^(1/3) + a*b*f*(a/b)^(1/3) - a*b*e + a^2*h)*log(x + (a/b)^(1/3))/(a*b^2*(a/b)^(2/3))

mupad [B] time = 5.09, size = 1802, normalized size = 7.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)),x)

[Out] symsum(log((b^3*c*d^2 + a^3*d*h^2 + a*b^2*d*e^2 - a*b^2*d^2*f - a*b^2*c*d*g - 2*a^2*b*d*e*h + a^2*b*d*f*g)/a - root(27*a^4*b^4*z^3 - 27*a^4*b^3*g*z^2 + 27*a^3*b^4*d*z^2 - 9*a^4*b^2*f*h*z - 18*a^3*b^3*d*g*z + 9*a^3*b^3*e*f*z + 9*a^3*b^3*c*h*z - 9*a^2*b^4*c*e*z + 9*a^4*b^2*g^2*z + 9*a^2*b^4*d^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3, z, k)*(root(27*a^4*b^4*z^3 - 27*a^4*b^3*g*z^2 + 27*a^3*b^4*d*z^2 - 9*a^4*b^2*f*h*z - 18*a^3*b^3*d*g*z + 9*a^3*b^3*e*f*z + 9*a^3*b^3*c*h*z - 9*a^2*b^4*c*e*z + 9*a^4*b^2*g^2*z + 9*a^2*b^4*d^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3, z, k)), x)

$$\begin{aligned}
&^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2* \\
&f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 - \\
&a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3, z, \\
&k)*((3*a^2*b^3*c - 3*a^3*b^2*f)/a + (x*(24*a^3*b^4*d - 33*a^4*b^3*g))/(a^2* \\
&b) + 36*root(27*a^4*b^4*z^3 - 27*a^4*b^3*g*z^2 + 27*a^3*b^4*d*z^2 - 9*a^4*b \\
&^2*f*h*z - 18*a^3*b^3*d*g*z + 9*a^3*b^3*e*f*z + 9*a^3*b^3*c*h*z - 9*a^2*b^4 \\
&*c*e*z + 9*a^4*b^2*g^2*z + 9*a^2*b^4*d^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e \\
&- 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3 \\
&*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^ \\
&2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 - a^2*b^3*e^3 \\
&- a^4*b*g^3 - b^5*c^3 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3, z, k)*a^2*b^3*x \\
&)+ (a^4*h^2 + a^2*b^2*e^2 - 2*a*b^3*c*d - 2*a^3*b*e*h + a^3*b*f*g - a^2*b^ \\
&2*c*g + 2*a^2*b^2*d*f)/a + (x*(4*a^2*b^4*d^2 + 10*a^4*b^2*g^2 - 10*a^2*b^4* \\
&c*e + 10*a^3*b^3*c*h - 14*a^3*b^3*d*g + 10*a^3*b^3*e*f - 10*a^4*b^2*f*h))/(\\
&a^2*b)) + (x*(b^5*c^3 - a^5*h^3 + a^4*b*g^3 + a^2*b^3*e^3 - a^3*b^2*f^3 + 3 \\
&*a^2*b^3*c*f^2 + a^2*b^3*d^2*g - 2*a^3*b^2*d*g^2 - 3*a^3*b^2*e^2*h - 3*a*b^ \\
&4*c^2*f + 3*a^4*b*e*h^2 - 2*a^2*b^3*c*d*h - 3*a^2*b^3*c*e*g - 2*a^2*b^3*d*e \\
&*f + 3*a^3*b^2*c*g*h + 2*a^3*b^2*d*f*h + 3*a^3*b^2*e*f*g + 2*a*b^4*c*d*e - \\
&3*a^4*b*f*g*h))/(a^2*b))*root(27*a^4*b^4*z^3 - 27*a^4*b^3*g*z^2 + 27*a^3*b^ \\
&4*d*z^2 - 9*a^4*b^2*f*h*z - 18*a^3*b^3*d*g*z + 9*a^3*b^3*e*f*z + 9*a^3*b^3* \\
&c*h*z - 9*a^2*b^4*c*e*z + 9*a^4*b^2*g^2*z + 9*a^2*b^4*d^2*z + 3*a^4*b*f*g*h \\
&- 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3* \\
&a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4 \\
&*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c* \\
&f^2 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3 \\
&, z, k), k, 1, 3) + (h*x)/b - c/(a*x) + (d*log(x))/a
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2/(b*x**3+a),x)

[Out] Timed out

$$3.357 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)} dx$$

Optimal. Leaf size=260

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (bc - af) - \sqrt[3]{a} (bd - ag))}{6a^{5/3} b^{2/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (bc - af) - \sqrt[3]{a} (bd - ag))}{3a^{5/3} b^{2/3}} + \dots$$

Rubi [A] time = 0.38, antiderivative size = 258, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 38, number of rules / integrand size = 0.237, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) \left(-\frac{\sqrt[3]{a} (bd - ag)}{\sqrt[3]{b}} - af + bc \right)}{6a^{5/3} \sqrt[3]{b}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (bc - af) - \sqrt[3]{a} (bd - ag))}{3a^{5/3} b^{2/3}} + \frac{\tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right) (a^{4/3} (-g) + \sqrt[3]{a} bd - a \sqrt[3]{b} f + b^{4/3} c)}{\sqrt{3} a^{5/3} b^{2/3}} - \frac{(bc - ah) \log(a + bx^3)}{3ab} - \frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)),x]

[Out] -c/(2*a*x^2) - d/(a*x) + ((b^(4/3)*c + a^(1/3)*b*d - a*b^(1/3)*f - a^(4/3)*g)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(5/3)*b^(2/3)) + (e*Log[x])/a - ((b^(1/3)*(b*c - a*f) - a^(1/3)*(b*d - a*g))*Log[a^(1/3) + b^(1/3)*x])/(3*a^(5/3)*b^(2/3)) + ((b*c - a*f - (a^(1/3)*(b*d - a*g))/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(5/3)*b^(1/3)) - ((b*e - a*h)*Log[a + b*x^3])/(3*a*b)

Rule 31

Int[((a_) + (b_.)*(x_))^-1), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617


```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^3(a + bx^3)} dx &= \int \left(\frac{c}{ax^3} + \frac{d}{ax^2} + \frac{e}{ax} + \frac{-bc + af - (bd - ag)x - (be - ah)x^2}{a(a + bx^3)} \right) dx \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} + \frac{\int \frac{-bc + af - (bd - ag)x - (be - ah)x^2}{a + bx^3} dx}{a} \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} + \frac{\int \frac{-bc + af + (-bd + ag)x}{a + bx^3} dx}{a} + \frac{(-be + ah) \int \frac{x^2}{a + bx^3} dx}{a} \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{(be - ah) \log(a + bx^3)}{3ab} + \frac{\int \frac{\sqrt[3]{a} (2\sqrt[3]{b}(-bc + af) + \sqrt[3]{a}x)}{a + bx^3} dx}{a} \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{\left(bc - af - \frac{\sqrt[3]{a}(bd - ag)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}\sqrt[3]{b}} - \frac{(be - ah) \log(a + bx^3)}{3ab} \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{\left(bc - af - \frac{\sqrt[3]{a}(bd - ag)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}\sqrt[3]{b}} + \frac{(bc - af - \frac{\sqrt[3]{a}(bd - ag)}{\sqrt[3]{b}}) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}\sqrt[3]{b}} \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{\left(b^{4/3}c + \sqrt[3]{a}bd - a\sqrt[3]{b}f - a^{4/3}g \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}} \right)}{\sqrt{3}a^{5/3}b^{2/3}} + \frac{e \log(x)}{a}
\end{aligned}$$

Mathematica [A] time = 0.46, size = 257, normalized size = 0.99

$$\frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) \left(a^{4/3}g - \sqrt[3]{a}bd - a\sqrt[3]{b}f + b^{4/3}c \right)}{b^{2/3}} - \frac{2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) \left(a^{4/3}g - \sqrt[3]{a}bd - a\sqrt[3]{b}f + b^{4/3}c \right)}{b^{2/3}} + \frac{2\sqrt{3} \tan^{-1} \left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt[3]{a}} \right) \left(a^{4/3}(-g) + \sqrt[3]{a}bd - a\sqrt[3]{b}f + b^{4/3}c \right)}{6a^{5/3}} + \frac{2a^{2/3}(ah - be) \log(a + bx^3)}{b} - \frac{3a^{2/3}c}{x^2} - \frac{6a^{2/3}d}{x} + 6a^{2/3}e \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)), x]

[Out] ((-3*a^(2/3)*c)/x^2 - (6*a^(2/3)*d)/x + (2*sqrt[3]*(b^(4/3)*c + a^(1/3)*b*d - a*b^(1/3)*f - a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + 6*a^(2/3)*e*Log[x] - (2*(b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + ((b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3) + (2*a^(2/3)*(-b*e) + a*h)*Log[a + b*x^3])/b/(6*a^(5/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^3(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.28, size = 269, normalized size = 1.03

$$\frac{e \log(|x|)}{a} + \frac{\sqrt{3} \left(b^2 c - abf - (-ab^2)^{\frac{1}{3}} bd + (-ab^2)^{\frac{1}{3}} ag \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{3(-ab^2)^{\frac{1}{3}} a} + \frac{\left(b^2 c - abf + (-ab^2)^{\frac{1}{3}} bd - (-ab^2)^{\frac{1}{3}} ag \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6(-ab^2)^{\frac{1}{3}} a} + \frac{(ah - be) \log(|bx^3 + a|)}{3ab} + \frac{\left(ab^2 d \left(-\frac{a}{b} \right)^{\frac{1}{3}} - a^2 bg \left(-\frac{a}{b} \right)^{\frac{1}{3}} + ab^2 c - a^2 bf \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{3a^3 b} - \frac{2dx + c}{2ax^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a), x, algorithm="giac")

[Out] $e \cdot \log(\text{abs}(x)) / a + 1/3 \cdot \sqrt{3} \cdot (b^2 \cdot c - a \cdot b \cdot f - (-a \cdot b^2)^{(1/3)} \cdot b \cdot d + (-a \cdot b^2)^{(1/3)} \cdot a \cdot g) \cdot \arctan(1/3 \cdot \sqrt{3} \cdot (2 \cdot x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}) / ((-a \cdot b^2)^{(2/3)} \cdot a) + 1/6 \cdot (b^2 \cdot c - a \cdot b \cdot f + (-a \cdot b^2)^{(1/3)} \cdot b \cdot d - (-a \cdot b^2)^{(1/3)} \cdot a \cdot g) \cdot \log(x^2 + x \cdot (-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / ((-a \cdot b^2)^{(2/3)} \cdot a) + 1/3 \cdot (a \cdot h - b \cdot e) \cdot \log(\text{abs}(b \cdot x^3 + a)) / (a \cdot b) + 1/3 \cdot (a \cdot b^2 \cdot d \cdot (-a/b)^{(1/3)} - a^2 \cdot b \cdot g \cdot (-a/b)^{(1/3)} + a \cdot b^2 \cdot c - a^2 \cdot b \cdot f) \cdot (-a/b)^{(1/3)} \cdot \log(\text{abs}(x - (-a/b)^{(1/3)}) / (a^3 \cdot b) - 1/2 \cdot (2 \cdot d \cdot x + c) / (a \cdot x^2)$

maple [B] time = 0.05, size = 423, normalized size = 1.63

$$\frac{\sqrt{3} \operatorname{arctan} \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) - c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{\sqrt{3} d \operatorname{arctan} \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) - d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{e \ln(x) - c \ln(bx^3 + a)}{a} + \frac{\sqrt{3} f \operatorname{arctan} \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{f \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) - f \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{\sqrt{3} g \operatorname{arctan} \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{g \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) - g \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{h \ln(bx^3 + a)}{3b} - \frac{d}{ax} - \frac{c}{2ax^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a), x)$

[Out] $\frac{1}{3} \frac{b}{(a/b)^{2/3}} \ln(x+(a/b)^{1/3}) * f - \frac{1}{3} \frac{b}{(a/b)^{2/3}} / a * c * \ln(x+(a/b)^{1/3}) - \frac{1}{6} \frac{b}{(a/b)^{2/3}} \ln(x^2-(a/b)^{1/3} * x + (a/b)^{2/3}) * f + \frac{1}{6} \frac{b}{(a/b)^{2/3}} / a * c * \ln(x^2-(a/b)^{1/3} * x + (a/b)^{2/3}) + \frac{1}{3} \frac{b}{(a/b)^{2/3}} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (1/2) * (2/(a/b)^{1/3} * x - 1)) * f - \frac{1}{3} \frac{b}{(a/b)^{2/3}} * 3^{1/2} / a * c * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) - \frac{1}{3} \frac{b}{(a/b)^{2/3}} \ln(x+(a/b)^{1/3}) * g + \frac{1}{3} \frac{b}{(a/b)^{2/3}} / a * d * \ln(x+(a/b)^{1/3}) + \frac{1}{6} \frac{b}{(a/b)^{2/3}} \ln(x^2-(a/b)^{1/3} * x + (a/b)^{2/3}) * g - \frac{1}{6} \frac{b}{(a/b)^{2/3}} / a * d * \ln(x^2-(a/b)^{1/3} * x + (a/b)^{2/3}) + \frac{1}{3} * 3^{1/2} / b / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * g - \frac{1}{3} * 3^{1/2} / (a/b)^{1/3} / a * d * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) + \frac{1}{3} \frac{b}{(a/b)^{2/3}} \ln(b*x^3+a) * h - \frac{1}{3} \frac{b}{(a/b)^{2/3}} / a * e * \ln(b*x^3+a) + \frac{1}{a} * e * \ln(x) - \frac{1}{2} \frac{b}{(a/b)^{2/3}} / a * c / x^2 - \frac{1}{a} \frac{b}{(a/b)^{2/3}} / d / x$

maxima [A] time = 3.00, size = 271, normalized size = 1.04

$$\frac{e \log(x)}{a} - \frac{\sqrt{3} \left(b^2 d \left(\frac{a}{b} \right)^{\frac{2}{3}} - a b g \left(\frac{a}{b} \right)^{\frac{2}{3}} + b^2 c \left(\frac{a}{b} \right)^{\frac{2}{3}} - a b f \left(\frac{a}{b} \right)^{\frac{2}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}}} \right)}{3 a^2 b} - \frac{\left(2 b e \left(\frac{a}{b} \right)^{\frac{2}{3}} - 2 a h \left(\frac{a}{b} \right)^{\frac{2}{3}} + b d \left(\frac{a}{b} \right)^{\frac{2}{3}} - a g \left(\frac{a}{b} \right)^{\frac{2}{3}} - b c + a f \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 a b \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(b e \left(\frac{a}{b} \right)^{\frac{2}{3}} - a h \left(\frac{a}{b} \right)^{\frac{2}{3}} - b d \left(\frac{a}{b} \right)^{\frac{2}{3}} + a g \left(\frac{a}{b} \right)^{\frac{2}{3}} + b c - a f \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 a b \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{2 d x + c}{2 a x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a), x, \text{algorithm}="maxima")$

[Out] $e * \log(x) / a - \frac{1}{3} * \sqrt{3} * (b^2 * d * (a/b)^{2/3} - a * b * g * (a/b)^{2/3} + b^2 * c * (a/b)^{1/3} - a * b * f * (a/b)^{1/3}) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{1/3}) / (a/b)^{1/3}) / (a^2 * b) - \frac{1}{6} * (2 * b * e * (a/b)^{2/3} - 2 * a * h * (a/b)^{2/3} + b * d * (a/b)^{1/3} - a * g * (a/b)^{1/3} - b * c + a * f) * \log(x^2 - x * (a/b)^{1/3} + (a/b)^{2/3}) / (a * b * (a/b)^{2/3}) - \frac{1}{3} * (b * e * (a/b)^{2/3} - a * h * (a/b)^{2/3} - b * d * (a/b)^{1/3} + a * g * (a/b)^{1/3} + b * c - a * f) * \log(x + (a/b)^{1/3}) / (a * b * (a/b)^{2/3}) - \frac{1}{2} * (2 * d * x + c) / (a * x^2)$

mupad [B] time = 5.20, size = 6948, normalized size = 26.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)), x)$

[Out] $\text{symsum}(\log(-(b^5 * c^3 * x - a^5 * h^3 * x - a^2 * b^3 * d * e^2 + 36 * \text{root}(27 * a^5 * b^3 * z^3 - 27 * a^5 * b^2 * h * z^2 + 27 * a^4 * b^3 * e * z^2 - 18 * a^4 * b^2 * e * h * z + 9 * a^4 * b^2 * f * g * z - 9 * a^3 * b^3 * d * f * z - 9 * a^3 * b^3 * c * g * z + 9 * a^2 * b^4 * c * d * z + 9 * a^5 * b * h^2 * z + 9 * a^3 * b^3 * e^2 * z - 3 * a^4 * b * f * g * h + 3 * a * b^4 * c * d * e + 3 * a^3 * b^2 * e * f * g + 3 * a^3 * b^2 * d * f * h + 3 * a^3 * b^2 * c * g * h - 3 * a^2 * b^3 * d * e * f - 3 * a^2 * b^3 * c * e * g - 3 * a^2 * b^3 * c * d * h + 3 * a^4 * b * e * h^2 - 3 * a * b^4 * c^2 * f - 3 * a^3 * b^2 * e^2 * h - 3 * a^3 * b^2 * d * g^2 + 3 * a^2 * b^3 * d^2 * g + 3 * a^2 * b^3 * c * f^2 - a^3 * b^2 * f^3 - a * b^4 * d^3 - a^5 * h^3 + a^2 * c^3) / (x^3 * (a + b * x^3)), x)$

$$3a^3b^2cgh - 3a^2b^3d*ef - 3a^2b^3c*eg - 3a^2b^3c*d*h + 3a^4b*e*h^2 - 3a*b^4*c^2*f - 3a^3b^2*e^2*h - 3a^3b^2*d*g^2 + 3a^2b^3*d^2*g + 3a^2b^3*c*f^2 - a^3b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2b^3*e^3 + a^4b*g^3 + b^5*c^3, z, k), k, 1, 3) - c/(2*a*x^2) - d/(a*x) + (e*log(x)) /a$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3/(b*x**3+a),x)

[Out] Timed out

$$3.358 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)} dx$$

Optimal. Leaf size=276

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bd - ag) - \sqrt[3]{a}(be - ah)\right)}{6a^{5/3}b^{2/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bd - ag) - \sqrt[3]{a}(be - ah)\right)}{3a^{5/3}b^{2/3}} + \dots$$

Rubi [A] time = 0.44, antiderivative size = 274, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 38, number of rules / integrand size = 0.237, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a}(be-ah)}{\sqrt[3]{b}} - ag + bd\right)}{6a^{5/3}\sqrt[3]{b}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bd-ag) - \sqrt[3]{a}(be-ah)\right)}{3a^{5/3}b^{2/3}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) \left(a^{4/3}(-h) + \sqrt[3]{a}be - a\sqrt[3]{b}g + b^{4/3}d\right)}{\sqrt{3}a^{5/3}b^{2/3}} + \frac{(bc-af)\log(a+bx^3)}{3a^2} - \frac{\log(x)(bc-af)}{a^2} - \frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)), x]

[Out] -c/(3*a*x^3) - d/(2*a*x^2) - e/(a*x) + ((b^(4/3)*d + a^(1/3)*b*e - a*b^(1/3)*g - a^(4/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(5/3)*b^(2/3)) - ((b*c - a*f)*Log[x])/a^2 - ((b^(1/3)*(b*d - a*g) - a^(1/3)*(b*e - a*h))*Log[a^(1/3) + b^(1/3)*x]/(3*a^(5/3)*b^(2/3)) + ((b*d - a*g - (a^(1/3)*(b*e - a*h))/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(5/3)*b^(1/3)) + ((b*c - a*f)*Log[a + b*x^3]/(3*a^2))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^4(a + bx^3)} dx &= \int \left(\frac{c}{ax^4} + \frac{d}{ax^3} + \frac{e}{ax^2} + \frac{-bc + af}{a^2x} + \frac{-a(bd - ag) - a(be - ah)x + b(bc - af)x^2}{a^2(a + bx^3)} \right) dx \\
&= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} - \frac{(bc - af) \log(x)}{a^2} + \frac{\int \frac{-a(bd - ag) - a(be - ah)x + b(bc - af)x^2}{a + bx^3} dx}{a^2} \\
&= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} - \frac{(bc - af) \log(x)}{a^2} + \frac{\int \frac{-a(bd - ag) - a(be - ah)x}{a + bx^3} dx}{a^2} + \frac{b(bc - af)}{3a^2} \log(a + bx^3) \\
&= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} - \frac{(bc - af) \log(x)}{a^2} + \frac{(bc - af) \log(a + bx^3)}{3a^2} + \frac{b(bc - af)}{3a^2} \log\left(\frac{a + bx^3}{a}\right) \\
&= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} - \frac{(bc - af) \log(x)}{a^2} - \frac{\left(bd - ag - \frac{\sqrt[3]{a}(be - ah)}{\sqrt[3]{b}}\right) \log\left(\frac{\sqrt[3]{a} + \sqrt[3]{bx^3}}{\sqrt[3]{b}}\right)}{3a^{5/3}\sqrt[3]{b}} \\
&= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} - \frac{(bc - af) \log(x)}{a^2} - \frac{\left(bd - ag - \frac{\sqrt[3]{a}(be - ah)}{\sqrt[3]{b}}\right) \log\left(\frac{\sqrt[3]{a} + \sqrt[3]{bx^3}}{\sqrt[3]{b}}\right)}{3a^{5/3}\sqrt[3]{b}} \\
&= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} + \frac{\left(b^{4/3}d + \sqrt[3]{a}be - a\sqrt[3]{b}g - a^{4/3}h\right) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{bx^3}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{5/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.55, size = 264, normalized size = 0.96

$$\frac{\sqrt[3]{a} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx^3}) + \frac{2\sqrt[3]{a} \log\left(\frac{\sqrt[3]{a} + \sqrt[3]{bx^3}}{\sqrt[3]{b}}\right) \left(a^{4/3}h - \sqrt[3]{a}bc - a\sqrt[3]{b}g + b^{4/3}d\right)}{b^{2/3}} + \frac{2\sqrt[3]{a} \tan^{-1}\left(\frac{1 + 2\sqrt[3]{bx^3}}{\sqrt{3}}\right) \left(a^{4/3}h - \sqrt[3]{a}bc + a\sqrt[3]{b}g - b^{4/3}d\right)}{b^{2/3}}}{6a^2} - 2(bc - af) \log(a + bx^3) + 6 \log(x)(bc - af) + \frac{2ac}{x^3} + \frac{3ad}{x^2} + \frac{6ae}{x}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)), x]

[Out] $-1/6*((2*a*c)/x^3 + (3*a*d)/x^2 + (6*a*e)/x + (2*\text{Sqrt}[3]*a^{(1/3)}*(-(b^{(4/3)}*d) - a^{(1/3)}*b*e + a*b^{(1/3)}*g + a^{(4/3)}*h)*\text{ArcTan}[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\text{Sqrt}[3]))/b^{(2/3)} + 6*(b*c - a*f)*\text{Log}[x] + (2*a^{(1/3)}*(b^{(4/3)}*d - a^{(1/3)}*b*e - a*b^{(1/3)}*g + a^{(4/3)}*h)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/b^{(2/3)} - (a^{(1/3)}*(b^{(4/3)}*d - a^{(1/3)}*b*e - a*b^{(1/3)}*g + a^{(4/3)}*h)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/b^{(2/3)} - 2*(b*c - a*f)*\text{Log}[a + b*x^3])/a^2$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^4(a + bx^3)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.23, size = 291, normalized size = 1.05

$$\frac{\sqrt{3} \left(b^2 d - a b g + (-a b^2)^{\frac{1}{3}} a h - (-a b^2)^{\frac{1}{3}} b e \right) \arctan \left(\frac{\sqrt{3} \left(2 + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{3(-a b^2)^{\frac{1}{3}} a} + \frac{\left(b^2 d - a b g - (-a b^2)^{\frac{1}{3}} a h + (-a b^2)^{\frac{1}{3}} b e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6(-a b^2)^{\frac{1}{3}} a} + \frac{(b c - a f) \log(|b x^3 + a|)}{3 a^2} - \frac{(b c - a f) \log(|x|)}{a^2} - \frac{\left(a^4 b h \left(-\frac{a}{b} \right)^{\frac{1}{3}} - a^3 b^2 \left(-\frac{a}{b} \right)^{\frac{1}{3}} e - a^2 b^2 d + a^4 b g \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{3 a^2 b} - \frac{6 a x^2 e + 3 a d x + 2 a c}{6 a^2 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*(b^2*d - a*b*g + (-a*b^2)^(1/3)*a*h - (-a*b^2)^(1/3)*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a) + 1/6*(b^2*d - a*b*g - (-a*b^2)^(1/3)*a*h + (-a*b^2)^(1/3)*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a) + 1/3*(b*c - a*f)*log(abs(b*x^3 + a))/a^2 - (b*c - a*f)*log(abs(x))/a^2 - 1/3*(a^4*b*h*(-a/b)^(1/3) - a^3*b^2*(-a/b)^(1/3)*e - a^3*b^2*d + a^4*b*g)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3))) / (a^5*b) - 1/6*(6*a*x^2*e + 3*a*d*x + 2*a*c)/(a^2*x^3)

maple [B] time = 0.06, size = 442, normalized size = 1.60

$$\frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(2 + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(2 + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{e \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{f \ln(a)}{a} - \frac{f \ln(b x^3 + a)}{3 a} + \frac{h \ln(a)}{a^2} + \frac{h \ln(b x^3 + a)}{3 a^2} + \frac{\sqrt{3} g \arctan \left(\frac{\sqrt{3} \left(2 + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{g \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{g \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{\sqrt{3} h \arctan \left(\frac{\sqrt{3} \left(2 + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{h \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} + \frac{h \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{c}{a} - \frac{d}{2 a^2} - \frac{e}{3 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a), x)

[Out] 1/3/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*g-1/3/a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*d-1/6/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*g+1/6/a/(a/b)^(2/3)*ln

$$(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) * d + 1/3 * b / (a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (1/2) * (2/(a/b)^{1/3} * x - 1)) * g - 1/3 * a / (a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * d - 1/3 * b / (a/b)^{1/3} * \ln(x + (a/b)^{1/3}) * h + 1/3 / (a/b)^{1/3} / a * e * \ln(x + (a/b)^{1/3}) + 1/6 * b / (a/b)^{1/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) * h - 1/6 * a / (a/b)^{1/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) * e + 1/3 * 3^{1/2} / b / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * h - 1/3 * a * 3^{1/2} / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * e - 1/3 * a * \ln(b * x^3 + a) * f + 1/3 / a^2 * b * \ln(b * x^3 + a) * c - 1/a * e / x - 1/3 / a * c / x^3 - 1/2 / a * d / x^2 + 1/a * \ln(x) * f - 1/a^2 * \ln(x) * b * c$$

maxima [A] time = 3.08, size = 302, normalized size = 1.09

$$\frac{(bc - af) \log(x)}{a^2} - \frac{\sqrt{3} \left(abc \left(\frac{x}{a} \right)^{\frac{2}{3}} - a^2 h \left(\frac{x}{a} \right)^{\frac{2}{3}} + abd \left(\frac{x}{a} \right)^{\frac{2}{3}} - a^2 g \left(\frac{x}{a} \right)^{\frac{2}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{x}{a} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{x}{a} \right)^{\frac{1}{3}}} \right)}{3a^3} + \frac{\left(2b^2c \left(\frac{x}{a} \right)^{\frac{2}{3}} - 2abf \left(\frac{x}{a} \right)^{\frac{2}{3}} - abc \left(\frac{x}{a} \right)^{\frac{2}{3}} + a^2h \left(\frac{x}{a} \right)^{\frac{2}{3}} + abd - a^2g \right) \log \left(x^2 - x \left(\frac{x}{a} \right)^{\frac{1}{3}} + \left(\frac{x}{a} \right)^{\frac{2}{3}} \right) + \frac{\left(b^2c \left(\frac{x}{a} \right)^{\frac{2}{3}} - abf \left(\frac{x}{a} \right)^{\frac{2}{3}} + abc \left(\frac{x}{a} \right)^{\frac{2}{3}} - a^2h \left(\frac{x}{a} \right)^{\frac{2}{3}} - abd + a^2g \right) \log \left(x + \left(\frac{x}{a} \right)^{\frac{1}{3}} \right)}{3a^2b \left(\frac{x}{a} \right)^{\frac{2}{3}}} - \frac{6cx^2 + 3dx + 2c}{6ax^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a),x, algorithm="maxima")

[Out] $-(b*c - a*f) * \log(x) / a^2 - 1/3 * \sqrt{3} * (a*b*e*(a/b)^{2/3} - a^2*h*(a/b)^{2/3}) + a*b*d*(a/b)^{1/3} - a^2*g*(a/b)^{1/3}) * \arctan(1/3 * \sqrt{3} * (2*x - (a/b)^{1/3}) / (a/b)^{1/3}) / a^3 + 1/6 * (2*b^2*c*(a/b)^{2/3} - 2*a*b*f*(a/b)^{2/3} - a*b*e*(a/b)^{1/3} + a^2*h*(a/b)^{1/3} + a*b*d - a^2*g) * \log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3}) / (a^2*b*(a/b)^{2/3}) + 1/3 * (b^2*c*(a/b)^{2/3} - a*b*f*(a/b)^{2/3} + a*b*e*(a/b)^{1/3} - a^2*h*(a/b)^{1/3} - a*b*d + a^2*g) * \log(x + (a/b)^{1/3}) / (a^2*b*(a/b)^{2/3}) - 1/6 * (6*e*x^2 + 3*d*x + 2*c) / (a*x^3)$

mupad [B] time = 5.87, size = 1842, normalized size = 6.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)),x)

[Out] $\text{symsum}(\log(- (b^5*c*d^2 - b^5*c^2*e + a^2*b^3*c*g^2 - a^2*b^3*e*f^2 - a^3*b^2*f*g^2 + a^3*b^2*f^2*h - a*b^4*d^2*f + a*b^4*c^2*h - 2*a^2*b^3*c*f*h + 2*a^2*b^3*d*f*g - 2*a*b^4*c*d*g + 2*a*b^4*c*e*f) / a^3 - \text{root}(27*a^6*b^2*z^3 + 27*a^5*b^2*f*z^2 - 27*a^4*b^3*c*z^2 + 9*a^5*b*g*h*z - 9*a^4*b^2*e*g*z - 9*a^4*b^2*d*h*z - 18*a^3*b^3*c*f*z + 9*a^3*b^3*d*e*z + 9*a^4*b^2*f^2*z + 9*a^2*b^4*c^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3, z, k) * ((a^2*b^4*d^2 + a^4*b^2*g^2 + 2*a^2*b^4*c*e - 2*a^3*b^3*c*h - 2*a^3*b^3*d*g - 2*a^3*b^3*e*f + 2*a^4*b^2*f*h) / a^3 + \text{root}(27*a^6*b^2*z^3 + 27*a^5*b^2*f*z^2 - 27*a^4*b^3*c*z^2 + 9*a^5*b*g*h*z - 9*a^4*b^2*e*g*z - 9*a^4*b^2*d*h*z - 18*a^3*b^3*c*f*z + 9*a^3*b^3*d*e*z + 9*$

$$\begin{aligned}
& a^4 b^2 f^2 z + 9 a^2 b^4 c^2 z + 3 a^4 b f g h - 3 a b^4 c d e - 3 a^3 b^2 \\
& e f g - 3 a^3 b^2 d f h - 3 a^3 b^2 c g h + 3 a^2 b^3 d e f + 3 a^2 b^3 c \\
& e g + 3 a^2 b^3 c d h - 3 a^4 b e h^2 + 3 a b^4 c^2 f + 3 a^3 b^2 e^2 h + 3 \\
& a^3 b^2 d g^2 - 3 a^2 b^3 d^2 g - 3 a^2 b^3 c f^2 - a^2 b^3 e^3 - a^4 b g^3 \\
& - b^5 c^3 + a^3 b^2 f^3 + a b^4 d^3 + a^5 h^3, z, k) * ((3 a^4 b^3 e - 3 a^5 \\
& b^2 h) / a^3 - (x * (24 a^3 b^4 c - 24 a^4 b^3 f)) / a^3 + 36 * \text{root}(27 a^6 b^2 z \\
& ^3 + 27 a^5 b^2 f z^2 - 27 a^4 b^3 c z^2 + 9 a^5 b g h z - 9 a^4 b^2 e g z \\
& - 9 a^4 b^2 d h z - 18 a^3 b^3 c f z + 9 a^3 b^3 d e z + 9 a^4 b^2 f^2 z + \\
& 9 a^2 b^4 c^2 z + 3 a^4 b f g h - 3 a b^4 c d e - 3 a^3 b^2 e f g - 3 a^3 b^2 \\
& d f h - 3 a^3 b^2 c g h + 3 a^2 b^3 d e f + 3 a^2 b^3 c e g + 3 a^2 b^3 c \\
& d h - 3 a^4 b e h^2 + 3 a b^4 c^2 f + 3 a^3 b^2 e^2 h + 3 a^3 b^2 d g^2 - \\
& 3 a^2 b^3 d^2 g - 3 a^2 b^3 c f^2 - a^2 b^3 e^3 - a^4 b g^3 - b^5 c^3 + a^3 \\
& b^2 f^3 + a b^4 d^3 + a^5 h^3, z, k) * a^2 b^3 x) + (x * (4 a b^5 c^2 + 4 a^3 \\
& b^3 f^2 - 8 a^2 b^4 c f + 10 a^2 b^4 d e - 10 a^3 b^3 d h - 10 a^3 b^3 e g \\
& + 10 a^4 b^2 g h)) / a^3) - (x * (b^5 d^3 - a b^4 e^3 + a^4 b h^3 - a^3 b^2 g^3 \\
& + 3 a^2 b^3 d g^2 + 3 a^2 b^3 e^2 h - 3 a^3 b^2 e h^2 - 2 b^5 c d e - 3 a \\
& b^4 d^2 g - 2 a^2 b^3 c g h - 2 a^2 b^3 d f h - 2 a^2 b^3 e f g + 2 a^3 b^2 \\
& 2 f g h + 2 a b^4 c d h + 2 a b^4 c e g + 2 a b^4 d e f)) / a^3) * \text{root}(27 a^6 b^2 z \\
& ^3 + 27 a^5 b^2 f z^2 - 27 a^4 b^3 c z^2 + 9 a^5 b g h z - 9 a^4 b^2 e \\
& g z - 9 a^4 b^2 d h z - 18 a^3 b^3 c f z + 9 a^3 b^3 d e z + 9 a^4 b^2 f^2 \\
& z + 9 a^2 b^4 c^2 z + 3 a^4 b f g h - 3 a b^4 c d e - 3 a^3 b^2 e f g - 3 a \\
& ^3 b^2 d f h - 3 a^3 b^2 c g h + 3 a^2 b^3 d e f + 3 a^2 b^3 c e g + 3 a^2 \\
& b^3 c d h - 3 a^4 b e h^2 + 3 a b^4 c^2 f + 3 a^3 b^2 e^2 h + 3 a^3 b^2 d g^2 \\
& - 3 a^2 b^3 d^2 g - 3 a^2 b^3 c f^2 - a^2 b^3 e^3 - a^4 b g^3 - b^5 c^3 \\
& + a^3 b^2 f^3 + a b^4 d^3 + a^5 h^3, z, k), k, 1, 3) - (c / (3 a) + (e x^2) / \\
& a + (d x) / (2 a)) / x^3 - (\log(x) * (b c - a f)) / a^2
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4/(b*x**3+a),x)

[Out] Timed out

$$3.359 \quad \int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=337

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(4be - 7ah) + b^{2/3}(2bc - 5af)\right)}{18 \sqrt[3]{a} b^{10/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(4be - 7ah) + b^{2/3}(2bc - 5af)\right)}{9 \sqrt[3]{a} b^{10/3}}$$

Rubi [A] time = 0.72, antiderivative size = 337, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1828, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(4be - 7ah) + b^{2/3}(2bc - 5af)\right) - \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(4be - 7ah) + b^{2/3}(2bc - 5af)\right) - \tan^{-1}\left(\frac{\sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt[3]{a} \sqrt[3]{b}}\right) \left(-4a^{2/3}bc + 7a^{5/3}h - 5ab^{2/3}f + 2b^{5/3}c\right)}{18 \sqrt[3]{a} b^{10/3} - 9 \sqrt[3]{a} b^{10/3} - 3 \sqrt[3]{a} \sqrt[3]{b} b^{10/3}} + \frac{x(-bx(bc - af) - bx^2(bd - ag) + a(bc - ah))}{3b^3(a + bx^3)} + \frac{(bd - 2ag) \log(a + bx^3)}{3b^3} + \frac{x(bc - 2ah)}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] ((b*e - 2*a*h)*x)/b^3 + (f*x^2)/(2*b^2) + (g*x^3)/(3*b^2) + (h*x^4)/(4*b^2) + (x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(3*b^3*(a + b*x^3)) - ((2*b^(5/3)*c - 4*a^(2/3)*b*e - 5*a*b^(2/3)*f + 7*a^(5/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(1/3)*b^(10/3)) - ((b^(2/3)*(2*b*c - 5*a*f) + a^(2/3)*(4*b*e - 7*a*h))*Log[a^(1/3) + b^(1/3)*x])/(9*a^(1/3)*b^(10/3)) + ((b^(2/3)*(2*b*c - 5*a*f) + a^(2/3)*(4*b*e - 7*a*h))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(1/3)*b^(10/3)) + ((b*d - 2*a*g)*Log[a + b*x^3])/(3*b^3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^n), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
```


/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{x^4 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx &= \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3 (a + bx^3)} - \int \frac{a^2(be - ah) - 2ab(bc - af)}{3b^3 (a + bx^3)} dx \\
 &= \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3 (a + bx^3)} - \frac{\int (-3a(be - 2ah) - b(bc - af)) dx}{3b^3 (a + bx^3)} \\
 &= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3 (a + bx^3)} \\
 &= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3 (a + bx^3)} \\
 &= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3 (a + bx^3)} \\
 &= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3 (a + bx^3)} \\
 &= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3 (a + bx^3)} \\
 &= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3 (a + bx^3)} \\
 &= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3 (a + bx^3)}
 \end{aligned}$$

Mathematica [A] time = 0.57, size = 334, normalized size = 0.99

$$\frac{21 \log\left(\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{5x^3 + 2b^2}}{\sqrt[3]{a}}\right) \sqrt[3]{4a^{2/3}b^3 - 7a^{5/3} \sqrt[3]{5x^3 + 2b^2}}}{\sqrt[3]{a}} + \frac{41 \log\left(\frac{\sqrt[3]{a} + \sqrt[3]{5x^3 + 2b^2}}{\sqrt[3]{a}}\right) \sqrt[3]{-4a^{2/3}b^3 + 7a^{5/3} \sqrt[3]{5x^3 + 2b^2}}}{\sqrt[3]{a}} - \frac{4\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{5x^3 + 2b^2}}{\sqrt[3]{a}}\right) \sqrt[3]{-4a^{2/3}b^3 + 7a^{5/3} \sqrt[3]{5x^3 + 2b^2}}}{\sqrt[3]{a}} - \frac{12b^{2/3}(a^2(x+bx) - ab(4x+(x+bx)^2 + c^2))}{a+bx^3} + 12b^{2/3}(bd - 2ag) \log(a + bx^3) + 36b^{2/3}x(bc - 2ah) + 18b^{5/3}fx^2 + 12b^{5/3}gx^3 + 9b^{5/3}hx^4}{36b^{11/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] (36*b^(2/3)*(b*e - 2*a*h)*x + 18*b^(5/3)*f*x^2 + 12*b^(5/3)*g*x^3 + 9*b^(5/3)*h*x^4 - (12*b^(2/3)*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f*x))))/(a + b*x^3) - (4*sqrt(3)*(2*b^2*c - 4*a^(2/3)*b^(4/3)*e - 5*a*b*f + 7*a^(5/3)*b^(1/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)]/a^(1/3) + (4*(-2*b^2*c - 4*a^(2/3)*b^(4/3)*e + 5*a*b*f + 7*a^(5/3)*b^(1/3)*h)*Log[a^(1/3) + b^(1/3)*x]/a^(1/3) + (2*(2*b^2*c + 4*a^(2/3)*b^(4/3)*e - 5*a*b*f - 7*a^(5/3)*b^(1/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/a^(1/3) + 12*b^(2/3)*(b*d - 2*a*g)*Log[a + b*x^3]/(36*b^(11/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 357, normalized size = 1.06

$$\frac{\sqrt{3} (7a^2h - 4ab^2c - 2(-ab^2)^2bc + 5(-ab^2)^2af) \arctan\left(\frac{\sqrt{3}(x - \frac{1}{b})}{x - \frac{1}{b}}\right)}{9(-ab^2)^2} - \frac{(7a^2h - 4ab^2c - 2(-ab^2)^2bc - 5(-ab^2)^2af) \log\left(x^2 + x\left(\frac{1}{b}\right)^2 + \left(\frac{1}{b}\right)^2\right)}{18(-ab^2)^2} + \frac{(bd - 2ag) \log(|bx^3 + a|)}{3b^3} + \frac{abd - a^2c - (b^2c - ab^2)^2 - (a^2h - ab^2)c}{3(b^2 + a)b^3} - \frac{(2b^2c(-\frac{1}{b})^2 - 5ab^2(-\frac{1}{b})^2 + 7a^2b^2h - 4ab^2c)(-\frac{1}{b})^2 \log\left(\left|x - \left(\frac{1}{b}\right)\right|\right)}{9ab^3} + \frac{3b^2bx^4 + 4b^2cx^3 + 6b^2fx^2 - 24ab^2bx + 12b^2xc}{12b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

$$\begin{aligned} & h)x)/b^3 + 1/18*(6*b^2*d*(a/b)^{(2/3)} - 12*a*b*g*(a/b)^{(2/3)} + 2*b^2*c*(a/b)^{(1/3)} - 5*a*b*f*(a/b)^{(1/3)} + 4*a*b*e - 7*a^2*h)*\log(x^2 - x*(a/b)^{(1/3)} \\ & + (a/b)^{(2/3)})/(b^4*(a/b)^{(2/3)}) + 1/9*(3*b^2*d*(a/b)^{(2/3)} - 6*a*b*g*(a/b)^{(2/3)} - 2*b^2*c*(a/b)^{(1/3)} + 5*a*b*f*(a/b)^{(1/3)} - 4*a*b*e + 7*a^2*h)*\log \\ & (x + (a/b)^{(1/3)})/(b^4*(a/b)^{(2/3)}) \end{aligned}$$

mupad [B] time = 5.11, size = 1241, normalized size = 3.68

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2, x)$

[Out] $\text{symsum}(\log(\text{root}(729*a*b^{10}*z^3 - 729*a*b^8*d*z^2 + 1458*a^2*b^7*g*z^2 - 216*a*b^6*c*e*z - 945*a^3*b^4*f*h*z - 972*a^2*b^5*d*g*z + 540*a^2*b^5*e*f*z + 378*a^2*b^5*c*h*z + 243*a*b^6*d^2*z + 972*a^3*b^4*g^2*z - 630*a^4*b*f*g*h + 72*a*b^4*c*d*e + 360*a^3*b^2*e*f*g + 315*a^3*b^2*d*f*h + 252*a^3*b^2*c*g*h - 180*a^2*b^3*d*e*f - 144*a^2*b^3*c*e*g - 126*a^2*b^3*c*d*h + 588*a^4*b*e*h^2 - 60*a*b^4*c^2*f - 336*a^3*b^2*e^2*h - 324*a^3*b^2*d*g^2 + 162*a^2*b^3*d^2*g + 150*a^2*b^3*c*f^2 - 125*a^3*b^2*f^3 + 64*a^2*b^3*e^3 + 216*a^4*b*g^3 - 27*a*b^4*d^3 - 343*a^5*h^3 + 8*b^5*c^3, z, k)*((108*a^2*b^3*g - 54*a*b^4*d)/(9*b^4) + (x*(63*a^2*b^3*h - 36*a*b^4*e))/(9*b^4) + 9*\text{root}(729*a*b^{10}*z^3 - 729*a*b^8*d*z^2 + 1458*a^2*b^7*g*z^2 - 216*a*b^6*c*e*z - 945*a^3*b^4*f*h*z - 972*a^2*b^5*d*g*z + 540*a^2*b^5*e*f*z + 378*a^2*b^5*c*h*z + 243*a*b^6*d^2*z + 972*a^3*b^4*g^2*z - 630*a^4*b*f*g*h + 72*a*b^4*c*d*e + 360*a^3*b^2*e*f*g + 315*a^3*b^2*d*f*h + 252*a^3*b^2*c*g*h - 180*a^2*b^3*d*e*f - 144*a^2*b^3*c*e*g - 126*a^2*b^3*c*d*h + 588*a^4*b*e*h^2 - 60*a*b^4*c^2*f - 336*a^3*b^2*e^2*h - 324*a^3*b^2*d*g^2 + 162*a^2*b^3*d^2*g + 150*a^2*b^3*c*f^2 - 125*a^3*b^2*f^3 + 64*a^2*b^3*e^3 + 216*a^4*b*g^3 - 27*a*b^4*d^3 - 343*a^5*h^3 + 8*b^5*c^3, z, k)*a*b^2) + (36*a^3*g^2 + 9*a*b^2*d^2 - 35*a^3*f*h - 8*a*b^2*c*e + 14*a^2*b*c*h - 36*a^2*b*d*g + 20*a^2*b*e*f)/(9*b^4) + (x*(4*b^3*c^2 + 25*a^2*b*f^2 + 42*a^3*g*h - 20*a*b^2*c*f + 12*a*b^2*d*e - 21*a^2*b*d*h - 24*a^2*b*e*g))/(9*b^4)*\text{root}(729*a*b^{10}*z^3 - 729*a*b^8*d*z^2 + 1458*a^2*b^7*g*z^2 - 216*a*b^6*c*e*z - 945*a^3*b^4*f*h*z - 972*a^2*b^5*d*g*z + 540*a^2*b^5*e*f*z + 378*a^2*b^5*c*h*z + 243*a*b^6*d^2*z + 972*a^3*b^4*g^2*z - 630*a^4*b*f*g*h + 72*a*b^4*c*d*e + 360*a^3*b^2*e*f*g + 315*a^3*b^2*d*f*h + 252*a^3*b^2*c*g*h - 180*a^2*b^3*d*e*f - 144*a^2*b^3*c*e*g - 126*a^2*b^3*c*d*h + 588*a^4*b*e*h^2 - 60*a*b^4*c^2*f - 336*a^3*b^2*e^2*h - 324*a^3*b^2*d*g^2 + 162*a^2*b^3*d^2*g + 150*a^2*b^3*c*f^2 - 125*a^3*b^2*f^3 + 64*a^2*b^3*e^3 + 216*a^4*b*g^3 - 27*a*b^4*d^3 - 343*a^5*h^3 + 8*b^5*c^3, z, k), k, 1, 3) + x*(e/b^2 - (2*a*h)/b^3) - (x*((a^2*h)/3 - (a*b*e)/3) + (a^2*g)/3 + x^2*((b^2*c)/3 - (a*b*f)/3) - (a*b*d)/3)/(a*b^3 + b^4*x^3) + (f*x^2)/(2*b^2) + (g*x^3)/(3*b^2) + (h*x^4)/(4*b^2)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**2,x)

[Out] Timed out

$$3.360 \quad \int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=311

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bc - 4af) - \sqrt[3]{a}(2bd - 5ag)\right)}{18a^{2/3}b^{8/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bc - 4af) - \sqrt[3]{a}(2bd - 5ag)\right)}{9a^{2/3}b^{8/3}}$$

Rubi [A] time = 0.64, antiderivative size = 311, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1828, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bc - 4af) - \sqrt[3]{a}(2bd - 5ag)\right)}{18a^{2/3}b^{8/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bc - 4af) - \sqrt[3]{a}(2bd - 5ag)\right)}{9a^{2/3}b^{8/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt[3]{a}}\right) \left(-5a^{4/3}g + 2\sqrt[3]{a}bd - 4a\sqrt[3]{b}f + b^{4/3}c\right)}{3\sqrt[3]{5a^{2/3}b^{8/3}}} - \frac{x(x(bd - ag) + a^2(bc - ah) - af + bc)}{3b^2(a + bx^3)} + \frac{(bc - 2ah)\log(a + bx^3)}{3b^2} + \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2, x]

[Out] (f*x)/b^2 + (g*x^2)/(2*b^2) + (h*x^3)/(3*b^2) - (x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(3*b^2*(a + b*x^3)) - ((b^(4/3)*c + 2*a^(1/3)*b*d - 4*a*b^(1/3)*f - 5*a^(4/3)*g)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3)))]/(3*Sqrt[3]*a^(2/3)*b^(8/3)) + ((b^(1/3)*(b*c - 4*a*f) - a^(1/3)*(2*b*d - 5*a*g))*Log[a^(1/3) + b^(1/3)*x])/(9*a^(2/3)*b^(8/3)) - ((b^(1/3)*(b*c - 4*a*f) - a^(1/3)*(2*b*d - 5*a*g))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(2/3)*b^(8/3)) + ((b*e - 2*a*h)*Log[a + b*x^3])/(3*b^3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

$\text{Int}[(\text{Pq}_-)/((\text{a}_-) + (\text{b}_-)(\text{x}_-)^{\text{n}_-}), \text{x_Symbol}] \text{ :> Int}[\text{ExpandIntegrand}[\text{Pq}/(\text{a} + \text{b}*\text{x}^{\text{n}}), \text{x}], \text{x}] \text{ /; FreeQ}[\{\text{a}, \text{b}\}, \text{x}] \ \&\& \ \text{PolyQ}[\text{Pq}, \text{x}] \ \&\& \ \text{IntegerQ}[\text{n}]$

Rubi steps

$$\begin{aligned} \int \frac{x^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx &= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} - \frac{\int \frac{-ab(bc-af)-2ab(bd-ag)x-3a^2}{(a+bx^3)^2} dx}{3b^2(a + bx^3)} \\ &= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} - \frac{\int (-3abf - 3abgx - 3a^2)}{3b^2(a + bx^3)} dx \\ &= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} + \frac{\int \frac{ab(bc-af)}{(a+bx^3)^2} dx}{3b^2(a + bx^3)} \\ &= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} + \frac{\int \frac{ab(bc-af)}{(a+bx^3)^2} dx}{3b^2(a + bx^3)} \\ &= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} + \frac{(be - 2af)}{3b^2} \\ &= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} + \frac{(\sqrt[3]{b}(b^2c - 2af))}{3b^2} \\ &= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} + \frac{(\sqrt[3]{b}(b^2c - 2af))}{3b^2} \\ &= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2(a + bx^3)} - \frac{(b^{4/3}c - 2af)}{3b^2} \end{aligned}$$

Mathematica [A] time = 0.22, size = 294, normalized size = 0.95

$$\frac{\sqrt[3]{b} \log\left(\frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^3)^2}\right) + 2\sqrt[3]{b} \log\left(\frac{\sqrt[3]{b} + \sqrt[3]{bx^3}}{\sqrt[3]{b}}\right) + 2\sqrt[3]{b} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx^3}}{\sqrt[3]{b}}\right) + \frac{6(a^2h - ab(c + x(f + gx)) + b^2x(c + dx))}{a + bx^3} + 6(be - 2ah) \log(a + bx^3) + 18bfx + 9bgx^2 + 6bhx^3}{18b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] (18*b*f*x + 9*b*g*x^2 + 6*b*h*x^3 - (6*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x))))/(a + b*x^3) + (2*sqrt[3]*b^(1/3)*(-b^(4/3)*c) - 2*a^(1/3)*b*d + 4*a*b^(1/3)*f + 5*a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]]/a^(2/3) + (2*b^(1/3)*(b^(4/3)*c - 2*a^(1/3)*b*d - 4*a*b^(1/3)*f + 5*a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x]/a^(2/3) - (b^(1/3)*(b^(4/3)*c - 2*a^(1/3)*b*d - 4*a*b^(1/3)*f + 5*a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/a^(2/3) + 6*(b*e - 2*a*h)*Log[a + b*x^3]/(18*b^3)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.21, size = 330, normalized size = 1.06

$$\frac{\sqrt{3} \left(b^2 c - 4 a b f - 2 (-a b^2)^{\frac{1}{3}} h d + 5 (-a b^2)^{\frac{1}{3}} g \right) \arctan \left(\frac{\sqrt{3} \left(2 x + (-\frac{1}{3})^{\frac{1}{3}} \right)}{x - (-\frac{1}{3})^{\frac{1}{3}}} \right)}{9 (-a b^2)^{\frac{1}{3}} b^2} + \frac{\left(b^2 c - 4 a b f + 2 (-a b^2)^{\frac{1}{3}} h d - 5 (-a b^2)^{\frac{1}{3}} g \right) \log \left(x^2 + x \left(-\frac{1}{3} \right)^{\frac{1}{3}} + \left(-\frac{1}{3} \right)^{\frac{2}{3}} \right)}{18 (-a b^2)^{\frac{1}{3}} b^2} + \frac{(2 a b - b^2) \log(|b x^3 + a|)}{3 b^3} + \frac{a^2 b + (b^2 d - a b g) x^2 - a b c + (b^2 c - a b f) x}{3 (b x^3 + a) b^3} + \frac{\left(2 b^4 d \left(-\frac{1}{3} \right)^{\frac{1}{3}} - 5 a b^3 g \left(-\frac{1}{3} \right)^{\frac{1}{3}} + b^4 c - 4 a b^3 f \right) \left(-\frac{1}{3} \right)^{\frac{1}{3}} \log \left(x - \left(-\frac{1}{3} \right)^{\frac{1}{3}} \right)}{9 a b^5} + \frac{2 b^4 h x^3 + 3 b^4 g x^2 + 6 b^4 f x}{6 b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/9*sqrt(3)*(b^2*c - 4*a*b*f - 2*(-a*b^2)^(1/3)*b*d + 5*(-a*b^2)^(1/3)*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*b^2) - 1/18*(b^2*c - 4*a*b*f + 2*(-a*b^2)^(1/3)*b*d - 5*(-a*b^2)^(1/3)*a*g)*lo

mupad [B] time = 0.15, size = 1229, normalized size = 3.95

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^3(c + dx + ex^2 + fx^3 + gx^4 + hx^5))/(a + bx^3)^2, x)$

[Out] $\text{symsum}(\log((36a^3h^2 + 9ab^2e^2 + 2b^3cd - 5ab^2cg - 8ab^2df - 36a^2b^2eh + 20a^2b^2fg)/(9b^4) + \text{root}(729a^2b^9z^3 + 1458a^3b^6hz^2 - 729a^2b^7ez^2 + 54ab^6cdz - 972a^3b^4ehz + 540a^3b^4f^2gz - 216a^2b^5d^2fz - 135a^2b^5c^2gz + 972a^4b^3h^2z + 243a^2b^5e^2z + 360a^4b^2fg^2h - 18ab^4c^2de - 180a^3b^2ef^2g - 144a^3b^2d^2fh - 90a^3b^2c^2gh + 72a^2b^3d^2ef + 45a^2b^3c^2eg + 36a^2b^3c^2dh - 324a^4b^2eh^2 + 12ab^4c^2f + 162a^3b^2e^2h + 150a^3b^2d^2g^2 - 60a^2b^3d^2g - 48a^2b^3c^2f^2 + 64a^3b^2f^3 - 27a^2b^3e^3 - 125a^4b^2g^3 + 8ab^4d^3 + 216a^5h^3 - b^5c^3, z, k) * ((108a^2b^3h - 54ab^4e)/(9b^4) + (x(9b^4c - 36ab^3f))/(9b^3) + 9\text{root}(729a^2b^9z^3 + 1458a^3b^6hz^2 - 729a^2b^7ez^2 + 54ab^6cdz - 972a^3b^4ehz + 540a^3b^4f^2gz - 216a^2b^5d^2fz - 135a^2b^5c^2gz + 972a^4b^3h^2z + 243a^2b^5e^2z + 360a^4b^2fg^2h - 18ab^4c^2de - 180a^3b^2ef^2g - 144a^3b^2d^2fh - 90a^3b^2c^2gh + 72a^2b^3d^2ef + 45a^2b^3c^2eg + 36a^2b^3c^2dh - 324a^4b^2eh^2 + 12ab^4c^2f + 162a^3b^2e^2h + 150a^3b^2d^2g^2 - 60a^2b^3d^2g - 48a^2b^3c^2f^2 + 64a^3b^2f^3 - 27a^2b^3e^3 - 125a^4b^2g^3 + 8ab^4d^3 + 216a^5h^3 - b^5c^3, z, k) * ab^2) + (x(4b^2d^2 + 25a^2g^2 - 3b^2ce - 24a^2fh + 6ab^2ch - 20abd^2g + 12ab^2ef))/(9b^3)) * \text{root}(729a^2b^9z^3 + 1458a^3b^6hz^2 - 729a^2b^7ez^2 + 54ab^6cdz - 972a^3b^4ehz + 540a^3b^4f^2gz - 216a^2b^5d^2fz - 135a^2b^5c^2gz + 972a^4b^3h^2z + 243a^2b^5e^2z + 360a^4b^2fg^2h - 18ab^4c^2de - 180a^3b^2ef^2g - 144a^3b^2d^2fh - 90a^3b^2c^2gh + 72a^2b^3d^2ef + 45a^2b^3c^2eg + 36a^2b^3c^2dh - 324a^4b^2eh^2 + 12ab^4c^2f + 162a^3b^2e^2h + 150a^3b^2d^2g^2 - 60a^2b^3d^2g - 48a^2b^3c^2f^2 + 64a^3b^2f^3 - 27a^2b^3e^3 - 125a^4b^2g^3 + 8ab^4d^3 + 216a^5h^3 - b^5c^3, z, k), k, 1, 3) - (x((b*c)/3 - (a*f)/3) + (a^2h - a*b*e)/(3*b) + x^2((b*d)/3 - (a*g)/3))/(a*b^2 + b^3*x^3) + (g*x^2)/(2*b^2) + (h*x^3)/(3*b^2) + (f*x)/b^2$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3(hx^5+gx^4+fx^3+ex^2+dx+c)/(b^3x+a)^2, x)$

[Out] Timed out

$$3.361 \quad \int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=290

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bd - 4ag) - \sqrt[3]{a}(2be - 5ah)\right)}{18a^{2/3}b^{8/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bd - 4ag) - \sqrt[3]{a}(2be - 5ah)\right)}{9a^{2/3}b^{8/3}}$$

Rubi [A] time = 0.50, antiderivative size = 288, normalized size of antiderivative = 0.99, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1823, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a}(2be-5ah)}{\sqrt[3]{b}} - 4ag + bd\right)}{18a^{2/3}b^{8/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bd - 4ag) - \sqrt[3]{a}(2be - 5ah)\right)}{9a^{2/3}b^{8/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt[3]{a}}\right) \left(-5a^{4/3}h + 2\sqrt[3]{a}be - 4a\sqrt[3]{b}g + b^{4/3}d\right)}{3\sqrt[3]{a}a^{2/3}b^{8/3}} + \frac{f \log(a+bx^3)}{3b^2} - \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{3b(a+bx^3)} + \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2, x]

[Out] (4*g*x)/(3*b^2) + (5*h*x^2)/(6*b^2) - (c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(3*b*(a + b*x^3)) - ((b^(4/3)*d + 2*a^(1/3)*b*e - 4*a*b^(1/3)*g - 5*a^(4/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(2/3)*b^(8/3)) + ((b^(1/3)*(b*d - 4*a*g) - a^(1/3)*(2*b*e - 5*a*h))*Log[a^(1/3) + b^(1/3)*x])/(9*a^(2/3)*b^(8/3)) - ((b*d - 4*a*g - (a^(1/3)*(2*b*e - 5*a*h)))/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(2/3)*b^(7/3)) + (f*Log[a + b*x^3])/(3*b^2)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1823

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(
a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*
(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && Eq
Q[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
 \int \frac{x^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx &= -\frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \int \frac{d+2ex+3fx^2+4gx^3+5hx^4}{a+bx^3} dx \\
 &= -\frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \int \left(\frac{4g}{b} + \frac{5hx}{b} + \frac{bd-4ag+(2be-5ah)x+}{b(a+bx^3)} \right) dx \\
 &= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{\int \frac{bd-4ag+(2be-5ah)x+}{a+bx^3}}{3b^2} \\
 &= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{\int \frac{bd-4ag+(2be-5ah)x+}{a+bx^3}}{3b^2} \\
 &= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{f \log(a + bx^3)}{3b^2} + \\
 &= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{\left(bd - 4ag - \frac{\sqrt[3]{a}(2b}{\sqrt[3]{9}} \right)}{9} \\
 &= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{\left(bd - 4ag - \frac{\sqrt[3]{a}(2b}{\sqrt[3]{9}} \right)}{9} \\
 &= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} - \frac{\left(b^{4/3}d + 2\sqrt[3]{a}be - \right)}{18b^{8/3}}
 \end{aligned}$$

Mathematica [A] time = 0.25, size = 280, normalized size = 0.97

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(5a^{4/3} h - 2 \sqrt[3]{a} h c - 4a \sqrt[3]{b} g + b^{4/3} d\right)}{a^{2/3}} + \frac{2 \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(5a^{4/3} h - 2 \sqrt[3]{a} h c - 4a \sqrt[3]{b} g + b^{4/3} d\right)}{a^{2/3}} + \frac{2 \sqrt{5} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt[3]{a}}\right) \left(5a^{4/3} h - 2 \sqrt[3]{a} h c + 4a \sqrt[3]{b} g - b^{4/3} d\right)}{a^{2/3}} - \frac{6b^{2/3}(h(c+x(d+ex))-a(f+x(g+hx)))}{a+bx^3} + 6b^{2/3} f \log(a + bx^3) + 18b^{2/3} gx + 9b^{2/3} hx^2$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] (18*b^(2/3)*g*x + 9*b^(2/3)*h*x^2 - (6*b^(2/3)*(b*(c + x*(d + e*x)) - a*(f + x*(g + h*x))))/(a + b*x^3) + (2*sqrt[3]*(-b^(4/3)*d) - 2*a^(1/3)*b*e + 4

$*a*b^{(1/3)*g + 5*a^{(4/3)*h}*ArcTan[(1 - (2*b^{(1/3)*x}/a^{(1/3)})/sqrt[3]])/a^{(2/3) + (2*(b^{(4/3)*d} - 2*a^{(1/3)*b*e} - 4*a*b^{(1/3)*g} + 5*a^{(4/3)*h})*Log[a^{(1/3) + b^{(1/3)*x}]/a^{(2/3) - ((b^{(4/3)*d} - 2*a^{(1/3)*b*e} - 4*a*b^{(1/3)*g} + 5*a^{(4/3)*h})*Log[a^{(2/3) - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]/a^{(2/3) + 6*b^{(2/3)*f}*Log[a + b*x^3])]/(18*b^{(8/3))}$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2, x]

fricas [C] time = 1.81, size = 12153, normalized size = 41.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{36} * (18*b*h*x^5 + 36*b*g*x^4 - 6*(2*b*e - 5*a*h)*x^2 - 2*(b^3*x^3 + a*b^2) * (2*(1/2)^{(2/3)} * (-I*sqrt(3) + 1) * (9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)) / (54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d) * a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)} * (I*sqrt(3) + 1) * (54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d) * a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2 * log(-8*a*b^3*d*e^2 + 3*a*b^3*d^2*f - 18*a^2*b^2*e*f^2 + 48*a^3*b*f*g^2 - 1/4*(2*a^2*b^6*e - 5*a^3*b^5*h) * (2*(1/2)^{(2/3)} * (-I*sqrt(3) + 1) * (9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)) / (54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h$

$$\begin{aligned}
& + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(3 \\
& 2*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g \\
& ^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(\\
& 1/3) + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h \\
& + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^ \\
& 3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e* \\
& h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g* \\
& h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d) \\
& *a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3) - 6*f/b^2) \\
& ^2 - 50*(a^3*b*d - 4*a^4*g)*h^2 + 1/2*(a*b^5*d^2 - 12*a^2*b^4*e*f - 8*a^2*b \\
& ^4*d*g + 16*a^3*b^3*g^2 + 30*a^3*b^3*f*h)*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(\\
& 9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)) \\
& / (54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(\\
& a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^ \\
& 3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^ \\
& 4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 2 \\
& 4*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6* \\
& d^2*g)*a*b^3)/(a^2*b^8))^{(1/3) + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(54*f^3/b^6 - \\
& 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d \\
& ^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^ \\
& 2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4 \\
& *h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^ \\
& 2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(\\
& a^2*b^8))^{(1/3) - 6*f/b^2) + 8*(4*a^2*b^2*e^2 - 3*a^2*b^2*d*f)*g + 5*(8*a^2 \\
& *b^2*d*e + 9*a^3*b*f^2 - 32*a^3*b*e*g)*h - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^ \\
& 3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e* \\
& h^2 - 125*a^4*h^3)*x) - 12*b*c + 12*a*f - 12*(b*d - 4*a*g)*x + (18*b*f*x^3 \\
& + (b^3*x^3 + a*b^2)*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(9*f^2/b^4 - (2*b^2*d*e \\
& + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^ \\
& 2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8* \\
& a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e \\
& ^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - \\
& 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (\\
& 16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8 \\
&))^{(1/3) + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2* \\
& g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12* \\
& a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3* \\
& b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90* \\
& f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h) \\
&)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3) - 6*f/ \\
& b^2) + 18*a*f - 3*sqrt(1/3)*(b^3*x^3 + a*b^2)*sqrt(-((2*(1/2)^{(2/3)}*(-I*sq \\
& rt(3) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a* \\
& b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d* \\
& h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d* \\
& g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2
\end{aligned}$$

$$\begin{aligned}
& *b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3 \\
& *(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9 \\
& *d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54 \\
& *f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) \\
& - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 \\
& + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f \\
& *g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g) \\
& *a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2)^2*a*b^5 + 12*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} \\
& + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b) \\
& /((a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h) \\
& *a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 \\
& + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g \\
& + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g) \\
& *a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2)*a*b^3*f + 32*b^2*d*e + 36*a*b*f^2 - 128 \\
& *a*b*e*g - 80*(a*b*d - 4*a^2*g)*h)/((a*b^5))) * \log(8*a*b^3*d*e^2 - 3*a*b^3*d^2 \\
& *f + 18*a^2*b^2*e*f^2 - 48*a^3*b*f*g^2 + 1/4*(2*a^2*b^6*e - 5*a^3*b^5*h)*(\\
& 2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 \\
& - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + \\
& (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2 \\
& *g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h \\
& + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2 \\
& *b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)} \\
& *(I*\sqrt{3} + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h) \\
& *a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2 \\
& *d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3) \\
&)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3 \\
& *b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 \\
& - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2)^2 + 50*(a^3*b*d \\
& - 4*a^4*g)*h^2 - 1/2*(a*b^5*d^2 - 12*a^2*b^4*e*f - 8*a^2*b^4*d*g + 16*a^3*b^3 \\
& *g^2 + 30*a^3*b^3*f*h)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9*f^2/b^4 - (2*b^2 \\
& *d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9* \\
& (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 \\
& + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2 \\
& *e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 \\
& - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2* \\
& h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^
\end{aligned}$$

$$\begin{aligned}
& 2*b^8)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20 \\
& *a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 \\
& - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150 \\
& *a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 \\
& - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 1 \\
& 5*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8)^{(1/3)} - \\
& 6*f/b^2) - 8*(4*a^2*b^2*e^2 - 3*a^2*b^2*d*f)*g - 5*(8*a^2*b^2*d*e + 9*a^3* \\
& b*f^2 - 32*a^3*b*e*g)*h - 2*(b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^ \\
& 2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h \\
& ^3)*x + 3/4*\sqrt{1/3}*(2*a*b^5*d^2 + 12*a^2*b^4*e*f - 16*a^2*b^4*d*g + 32*a \\
& ^3*b^3*g^2 - 30*a^3*b^3*f*h + (2*a^2*b^6*e - 5*a^3*b^5*h)*(2*(1/2)^{(2/3)}*(- \\
& I*\sqrt{3} + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d* \\
& h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - \\
& 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b \\
& ^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3) \\
& /(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3* \\
& b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^ \\
& 3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1 \\
&)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/ \\
& (a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a \\
& ^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b \\
& ^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - \\
& 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d \\
& *e*f + 6*d^2*g)*a*b^3)/(a^2*b^8)^{(1/3)} - 6*f/b^2))*\sqrt{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3} \\
& + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b) \\
& /(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h) \\
& *a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^ \\
& 2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b \\
& ^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(\\
& 9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d \\
& *e*f + 6*d^2*g)*a*b^3)/(a^2*b^8)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54*f \\
& ^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) \\
& - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^ \\
& 3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 \\
& + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f* \\
& g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g) \\
& *a*b^3)/(a^2*b^8)^{(1/3)} - 6*f/b^2)^2*a*b^5 + 12*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} \\
& + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(\\
& a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a \\
& *b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 \\
& - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8 \\
&) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9* \\
& f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e \\
& *f + 6*d^2*g)*a*b^3)/(a^2*b^8)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54*f^3 \\
& /b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) -
\end{aligned}$$

$$\begin{aligned} &^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2* \\ &h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^ \\ &2*b^8))^{(1/3)} - 6*f/b^2)*\sqrt{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(9*f^2/b^4 \\ &- (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/ \\ &b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - \\ &(b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - \\ &60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 1 \\ &25*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + \\ &20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a* \\ &b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(54*f^3/b^6 - 9*(2*b^2*d* \\ &e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a* \\ &b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2 \\ &*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2* \\ &(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16 \\ &*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8)) \\ &^{(1/3)} - 6*f/b^2)^2*a*b^5 + 12*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(9*f^2/b^4 - \\ &(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^ \\ &6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b \\ &^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 6 \\ &0*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125 \\ &*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 2 \\ &0*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^ \\ &3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(54*f^3/b^6 - 9*(2*b^2*d* \\ &e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^ \\ &3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h \\ &+ 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(3 \\ &2*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g \\ &^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(\\ &1/3)} - 6*f/b^2)*a*b^3*f + 32*b^2*d*e + 36*a*b*f^2 - 128*a*b*e*g - 80*(a*b*d \\ &- 4*a^2*g)*h)/(a*b^5)))/(b^3*x^3 + a*b^2) \end{aligned}$$

giac [A] time = 0.19, size = 307, normalized size = 1.06

$$\frac{f \log(|bx^3 + a|)}{3b^2} - \frac{\sqrt{5} \left(b^2d - 4abg + 5(-ab^2)^{\frac{1}{2}}ah - 2(-ab^2)^{\frac{1}{2}}bc \right) \arctan\left(\frac{\sqrt{5}(2x + (-\frac{a}{b})^{\frac{1}{3}})}{3(-\frac{a}{b})^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{1}{2}}b^2} - \frac{\left(b^2d - 4abg - 5(-ab^2)^{\frac{1}{2}}ah + 2(-ab^2)^{\frac{1}{2}}bc \right) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(-ab^2)^{\frac{1}{2}}b^2} + \frac{(ah - bc)x^2 - bc + af - (bd - ag)x}{3(bx^3 + a)^2} + \frac{b^2bx^2 + 2b^2gx}{2b^2} + \frac{\left(5ab^2h\left(-\frac{a}{b}\right)^{\frac{1}{3}} - 2b^4\left(-\frac{a}{b}\right)^{\frac{1}{3}}c - b^2d + 4ab^2g \right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{9ab^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/3*f*log(abs(b*x^3 + a))/b^2 - 1/9*sqrt(3)*(b^2*d - 4*a*b*g + 5*(-a*b^2)^(1/3)*a*h - 2*(-a*b^2)^(1/3)*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*b^2) - 1/18*(b^2*d - 4*a*b*g - 5*(-a*b^2)^(1/3)*a*h + 2*(-a*b^2)^(1/3)*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*b^2) + 1/3*((a*h - b*e)*x^2 - b*c + a*f - (b*d - a*g)*x)/((b*x^3

$$+ a*b^2) + 1/2*(b^2*h*x^2 + 2*b^2*g*x)/b^4 + 1/9*(5*a*b^3*h*(-a/b)^(1/3) - 2*b^4*(-a/b)^(1/3)*e - b^4*d + 4*a*b^3*g)*(-a/b)^(1/3)*\log(\text{abs}(x - (-a/b)^(1/3)))/(a*b^5)$$

maple [B] time = 0.06, size = 506, normalized size = 1.74

$$\frac{\frac{ah^2}{3(b^3+a)^2} + \frac{e^2}{3(b^3+a)^2} - \frac{ad}{3(b^3+a)^2} + \frac{bd}{3(b^3+a)^2} + \frac{4\sqrt{3}g\arctan\left(\frac{x\sqrt{3a+b}}{b}\right)}{9(b^3)^2} + \frac{4ag\ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9(b^3)^2} + \frac{2bd\ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)}{9(b^3)^2} + \frac{5\sqrt{3}ah\arctan\left(\frac{x\sqrt{3a+b}}{b}\right)}{9(b^3)^2} + \frac{5ah\ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9(b^3)^2} + \frac{5ah\ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)}{18(b^3)^2} + \frac{e}{3(b^3+a)^2} + \frac{\sqrt{3}d\arctan\left(\frac{x\sqrt{3a+b}}{b}\right)}{9(b^3)^2} + \frac{d\ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9(b^3)^2} + \frac{d\ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)}{18(b^3)^2} + \frac{2\sqrt{3}f\arctan\left(\frac{x\sqrt{3a+b}}{b}\right)}{9(b^3)^2} + \frac{2b\ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{9(b^3)^2} + \frac{e\ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)}{9(b^3)^2} + \frac{f\ln(b^3+a)}{36(b^3)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x)

[Out] 1/2*h*x^2/b^2+g*x/b^2+1/3/b^2/(b*x^3+a)*x^2*a*h-1/3/b/(b*x^3+a)*x^2*e+1/3/b^2/(b*x^3+a)*a*g*x-1/3/b/(b*x^3+a)*x*d+1/3/b^2/(b*x^3+a)*a*f-1/3/b/(b*x^3+a)*c-4/9/b^3*a*g/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+2/9/b^3*a*g/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-4/9/b^3*a*g/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/9/b^2*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/18/b^2*d/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/9/(a/b)^(2/3)*3^(1/2)/b^2*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+5/9/b^3*a*h/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-5/18/b^3*a*h/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-5/9/b^3*a*h*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-2/9/b^2*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/9/b^2*e/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9/b^2*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3/b^2*f*ln(b*x^3+a)

maxima [A] time = 3.03, size = 283, normalized size = 0.98

$$\frac{(be-ah)x^2+bc-af+(bd-ag)x}{3(b^3x^3+ab^2)} + \frac{\sqrt{3}\left(2be\left(\frac{x}{b}\right)^{\frac{2}{3}}-5ah\left(\frac{x}{b}\right)^{\frac{2}{3}}+bd\left(\frac{x}{b}\right)^{\frac{1}{3}}-4ag\left(\frac{x}{b}\right)^{\frac{1}{3}}\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{x}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{x}{b}\right)^{\frac{1}{3}}}\right)}{9ab^2} + \frac{bx^2+2gx}{2b^2} + \frac{\left(6bf\left(\frac{x}{b}\right)^{\frac{2}{3}}+2be\left(\frac{x}{b}\right)^{\frac{2}{3}}-5ah\left(\frac{x}{b}\right)^{\frac{1}{3}}-bd+4ag\right)\log\left(x^2-x\left(\frac{x}{b}\right)^{\frac{1}{3}}+\left(\frac{x}{b}\right)^{\frac{2}{3}}\right)}{18b^3\left(\frac{x}{b}\right)^{\frac{2}{3}}} + \frac{\left(3bf\left(\frac{x}{b}\right)^{\frac{2}{3}}-2be\left(\frac{x}{b}\right)^{\frac{1}{3}}+5ah\left(\frac{x}{b}\right)^{\frac{1}{3}}+bd-4ag\right)\log\left(x+\left(\frac{x}{b}\right)^{\frac{1}{3}}\right)}{9b^3\left(\frac{x}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] -1/3*((b*e - a*h)*x^2 + b*c - a*f + (b*d - a*g)*x)/(b^3*x^3 + a*b^2) + 1/9*sqrt(3)*(2*b*e*(a/b)^(2/3) - 5*a*h*(a/b)^(2/3) + b*d*(a/b)^(1/3) - 4*a*g*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b^2) + 1/2*(h*x^2 + 2*g*x)/b^2 + 1/18*(6*b*f*(a/b)^(2/3) + 2*b*e*(a/b)^(1/3) - 5*a*h*(a/b)^(1/3) - b*d + 4*a*g)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^3*(a/b)^(2/3)) + 1/9*(3*b*f*(a/b)^(2/3) - 2*b*e*(a/b)^(1/3) + 5*a*h*(a/b)^(1/3) + b*d - 4*a*g)*log(x + (a/b)^(1/3))/(b^3*(a/b)^(2/3))

mupad [B] time = 0.14, size = 816, normalized size = 2.81

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2, x)$

[Out] $\text{symsum}(\log((9*a*b*f^2 + 2*b^2*d*e + 20*a^2*g*h - 5*a*b*d*h - 8*a*b*e*g)/(9*b^3) + \text{root}(729*a^2*b^8*z^3 - 729*a^2*b^6*f*z^2 + 54*a*b^5*d*e*z + 540*a^3*b^3*g*h*z - 216*a^2*b^4*e*g*z - 135*a^2*b^4*d*h*z + 243*a^2*b^4*f^2*z - 180*a^3*b*f*g*h - 18*a*b^3*d*e*f + 72*a^2*b^2*e*f*g + 45*a^2*b^2*d*f*h + 150*a^3*b*e*h^2 + 12*a*b^3*d^2*g - 60*a^2*b^2*e^2*h - 48*a^2*b^2*d*g^2 - 27*a^2*b^2*f^3 + 64*a^3*b*g^3 + 8*a*b^3*e^3 - 125*a^4*h^3 - b^4*d^3, z, k)((x*(9*b^4*d - 36*a*b^3*g))/(9*b^3) - 6*a*f + 9*\text{root}(729*a^2*b^8*z^3 - 729*a^2*b^6*f*z^2 + 54*a*b^5*d*e*z + 540*a^3*b^3*g*h*z - 216*a^2*b^4*e*g*z - 135*a^2*b^4*d*h*z + 243*a^2*b^4*f^2*z - 180*a^3*b*f*g*h - 18*a*b^3*d*e*f + 72*a^2*b^2*e*f*g + 45*a^2*b^2*d*f*h + 150*a^3*b*e*h^2 + 12*a*b^3*d^2*g - 60*a^2*b^2*e^2*h - 48*a^2*b^2*d*g^2 - 27*a^2*b^2*f^3 + 64*a^3*b*g^3 + 8*a*b^3*e^3 - 125*a^4*h^3 - b^4*d^3, z, k)*a*b^2) + (x*(4*b^2*e^2 + 25*a^2*h^2 - 3*b^2*d*f - 20*a*b*e*h + 12*a*b*f*g))/(9*b^3))*\text{root}(729*a^2*b^8*z^3 - 729*a^2*b^6*f*z^2 + 54*a*b^5*d*e*z + 540*a^3*b^3*g*h*z - 216*a^2*b^4*e*g*z - 135*a^2*b^4*d*h*z + 243*a^2*b^4*f^2*z - 180*a^3*b*f*g*h - 18*a*b^3*d*e*f + 72*a^2*b^2*e*f*g + 45*a^2*b^2*d*f*h + 150*a^3*b*e*h^2 + 12*a*b^3*d^2*g - 60*a^2*b^2*e^2*h - 48*a^2*b^2*d*g^2 - 27*a^2*b^2*f^3 + 64*a^3*b*g^3 + 8*a*b^3*e^3 - 125*a^4*h^3 - b^4*d^3, z, k), k, 1, 3) - ((b*c)/3 - (a*f)/3 + x*((b*d)/3 - (a*g)/3) + x^2*((b*e)/3 - (a*h)/3))/(a*b^2 + b^3*x^3) + (h*x^2)/(2*b^2) + (g*x)/b^2$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**2, x)$

[Out] Timed out

$$3.362 \quad \int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=289

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(b^{2/3}(2af + bc) - a^{2/3}(be - 4ah)\right)}{18a^{4/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(b^{2/3}(2af + bc) - a^{2/3}(be - 4ah)\right)}{9a^{4/3}b^{7/3}}$$

Rubi [A] time = 0.51, antiderivative size = 289, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {1828, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(b^{2/3}(2af + bc) - a^{2/3}(be - 4ah)\right)}{18a^{4/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(b^{2/3}(2af + bc) - a^{2/3}(be - 4ah)\right)}{9a^{4/3}b^{7/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt[3]{a}}\right) \left(a^{2/3}be - 4a^{5/3}h + 2ab^{2/3}f + b^{5/3}c\right)}{3\sqrt[3]{a}a^{2/3}b^{7/3}} - \frac{x(-bx(bc - af) - bx^2(bd - ag) + a(be - ah))}{3ab^2(a + bx^3)} + \frac{g \log(a + bx^3)}{3b^2} + \frac{hx}{b^2}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2, x]

[Out] (h*x)/b^2 - (x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(3*a*b^2*(a + b*x^3)) - ((b^(5/3)*c + a^(2/3)*b*e + 2*a*b^(2/3)*f - 4*a^(5/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(4/3)*b^(7/3)) - ((b^(2/3)*(b*c + 2*a*f) - a^(2/3)*(b*e - 4*a*h))*Log[a^(1/3) + b^(1/3)*x])/((9*a^(4/3)*b^(7/3)) + ((b^(2/3)*(b*c + 2*a*f) - a^(2/3)*(b*e - 4*a*h))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(4/3)*b^(7/3)) + (g*Log[a + b*x^3])/(3*b^2)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617


```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx &= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} - \int \frac{-a(be - ah) - b(bc + 2af)x - a + bx^3}{3ab^2} dx \\
 &= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} - \int \left(-3ah - \frac{a(be - 4ah) + b(bc + 2af)x - a + bx^3}{3ab^2}\right) dx \\
 &= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} + \int \frac{a(be - 4ah) + b(bc + 2af)x - a + bx^3}{3ab^2} dx \\
 &= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} + \int \frac{a(be - 4ah) + b(bc + 2af)x - a + bx^3}{3ab^2} dx \\
 &= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} + \frac{g \log(a + bx^3)}{3b^2} \\
 &= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} - \frac{(b^{2/3}(bc + 2af) - a)}{3ab^2} \log(a + bx^3) \\
 &= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} - \frac{(b^{2/3}(bc + 2af) - a)}{3ab^2} \log(a + bx^3) \\
 &= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} - \frac{(b^{5/3}c + a^{2/3}be + a^{5/3}) \log(a + bx^3)}{3ab^2}
 \end{aligned}$$

Mathematica [A] time = 0.26, size = 285, normalized size = 0.99

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx + b^2x^2}) (-a^{2/3} b^{4/3} c + 4a^{5/3} \sqrt[3]{b} h + 2abf + b^2c)}{a^{4/3}} - \frac{2 \log(\sqrt[3]{a} + \sqrt[3]{b} x) (-a^{2/3} b^{4/3} c + 4a^{5/3} \sqrt[3]{b} h + 2abf + b^2c)}{a^{4/3}} - \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt[3]{a}}\right) \left(\frac{a^{2/3} b^{4/3} c - 4a^{5/3} \sqrt[3]{b} h + 2abf + b^2c}{\sqrt{3}}\right)}{a^{4/3}} + \frac{6a^{2/3}(a^2(g+hx) - ab(d+x(f+x)) + b^2cx^2)}{a(a+bx^3)} + 6b^{2/3}g \log(a + bx^3) + 18b^{2/3}hx$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] (18*b^(2/3)*h*x + (6*b^(2/3)*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f*x))))/(a*(a + b*x^3)) - (2*sqrt[3]*(b^2*c + a^(2/3)*b^(4/3)*e + 2*a*b*f - 4*a^(5/3)*b^(1/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]]/a^(4/3) - (2*(b^2*c - a^(2/3)*b^(4/3)*e + 2*a*b*f + 4*a^(5/3)*b^(1/3)*h)*Log[a^(1/3) + b^(1/3)*x])/a^(4/3) + ((b^2*c - a^(2/3)*b^(4/3)*e + 2*a*b*f + 4*a^(5/3)*b^(1/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(4/3) + 6*b^(2/3)*g*Log[a + b*x^3])/(18*b^(8/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] IntegrateAlgebraic[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2, x]

fricas [C] time = 2.03, size = 12617, normalized size = 43.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/36*(36*a*b*h*x^4 - 12*a*b*d + 12*a^2*g + 12*(b^2*c - a*b*f)*x^2 - 2*(a*b^3*x^3 + a^2*b^2)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*g^2/b^4 - (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)/(a^2*b^4)))/(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) - 6*g/b^2)*log(-2*a*b^4*c^2*e - 8*a^2*b^3*c*e*f - 8*a^3*b^2*e*f^2 + 3*a^3*b^2*e^2*g

$$\begin{aligned}
& + 48*a^5*g*h^2 - 1/4*(a^3*b^6*c + 2*a^4*b^5*f)*(2*(1/2)^(2/3)*(-I*sqrt(3) \\
& + 1)*(9*g^2/b^4 - (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)/(a^ \\
& 2*b^4))/(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a* \\
& b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 \\
& + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) \\
& - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)* \\
& a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 \\
& - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54*g^3 \\
& /b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) \\
& - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 \\
& - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6 \\
& *a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^ \\
& 3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2 \\
& *b^3)/(a^4*b^7))^(1/3) - 6*g/b^2)^2 - 9*(a^3*b^2*c + 2*a^4*b*f)*g^2 + 1/2*(\\
& a^3*b^4*e^2 - 8*a^4*b^3*e*h + 16*a^5*b^2*h^2 - 6*(a^3*b^4*c + 2*a^4*b^3*f)* \\
& g)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*g^2/b^4 - (b^2*c*e + (9*g^2 - 8*f*h)* \\
& a^2 + 2*(e*f - 2*c*h)*a*b)/(a^2*b^4))/(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8 \\
& *f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a \\
& *b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b \\
& *e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3* \\
& (9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g \\
& *h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) + (1/2) \\
& ^{(1/3)*(I*sqrt(3) + 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(\\
& e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12 \\
& *a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5 \\
& *h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g \\
& *h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (\\
& e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) - 6*g/b^2) + 8*(a^2*b^ \\
& 3*c^2 + 4*a^3*b^2*c*f + 4*a^4*b*f^2 - 3*a^4*b*e*g)*h - (b^5*c^3 + a^2*b^3*e \\
& ^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + \\
& 48*a^4*b*e*h^2 - 64*a^5*h^3)*x) - 12*(a*b*e - 4*a^2*h)*x + (18*a*b*g*x^3 + \\
& 18*a^2*g + (a*b^3*x^3 + a^2*b^2)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*g^2/b^4 \\
& - (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)/(a^2*b^4))/(54*g^3 \\
& /b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) \\
& - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 \\
& - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6 \\
& *a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^ \\
& 3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2 \\
& *b^3)/(a^4*b^7))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54*g^3/b^6 - 9*(b^2*c \\
& *e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^ \\
& 2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e \\
& ^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + \\
& 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6 \\
& *e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7) \\
&)^(1/3) - 6*g/b^2) - 3*sqrt(1/3)*(a*b^3*x^3 + a^2*b^2)*sqrt(-((2*(1/2)^(2/3)
\end{aligned}$$

$$\begin{aligned}
& *b) *g / (a^2 * b^6) - (b^5 * c^3 + a^2 * b^3 * e^3 + 6 * a * b^4 * c^2 * f + 12 * a^2 * b^3 * c * f^2 \\
& + 8 * a^3 * b^2 * f^3 - 12 * a^3 * b^2 * e^2 * h + 48 * a^4 * b * e * h^2 - 64 * a^5 * h^3) / (a^4 * b^7) \\
&) - (b^5 * c^3 + 6 * a * b^4 * c^2 * f + 64 * a^5 * h^3 - 3 * (9 * g^3 - 24 * f * g * h + 16 * e * h^2) \\
& * a^4 * b + 2 * (4 * f^3 - 9 * e * f * g + 6 * e^2 * h + 18 * c * g * h) * a^3 * b^2 - (e^3 - 3 * (4 * f^2 - \\
& - 3 * e * g) * c) * a^2 * b^3) / (a^4 * b^7))^{(1/3)} - 6 * g / b^2) * a^2 * b^2 * g + 16 * b^2 * c * e + \\
& 32 * a * b * e * f + 36 * a^2 * g^2 - 64 * (a * b * c + 2 * a^2 * f) * h) / (a^2 * b^4)) * \log(2 * a * b^4 * c \\
& ^2 * e + 8 * a^2 * b^3 * c * e * f + 8 * a^3 * b^2 * e * f^2 - 3 * a^3 * b^2 * e^2 * g - 48 * a^5 * g * h^2 + \\
& 1/4 * (a^3 * b^6 * c + 2 * a^4 * b^5 * f) * (2 * (1/2)^{(2/3)} * (-I * \sqrt{3}) + 1) * (9 * g^2 / b^4 - \\
& (b^2 * c * e + (9 * g^2 - 8 * f * h) * a^2 + 2 * (e * f - 2 * c * h) * a * b) / (a^2 * b^4)) / (54 * g^3 / b \\
& ^6 - 9 * (b^2 * c * e + (9 * g^2 - 8 * f * h) * a^2 + 2 * (e * f - 2 * c * h) * a * b) * g / (a^2 * b^6) - \\
& (b^5 * c^3 + a^2 * b^3 * e^3 + 6 * a * b^4 * c^2 * f + 12 * a^2 * b^3 * c * f^2 + 8 * a^3 * b^2 * f^3 - \\
& 12 * a^3 * b^2 * e^2 * h + 48 * a^4 * b * e * h^2 - 64 * a^5 * h^3) / (a^4 * b^7) - (b^5 * c^3 + 6 * a \\
& * b^4 * c^2 * f + 64 * a^5 * h^3 - 3 * (9 * g^3 - 24 * f * g * h + 16 * e * h^2) * a^4 * b + 2 * (4 * f^3 \\
& - 9 * e * f * g + 6 * e^2 * h + 18 * c * g * h) * a^3 * b^2 - (e^3 - 3 * (4 * f^2 - 3 * e * g) * c) * a^2 * b \\
& ^3) / (a^4 * b^7))^{(1/3)} + (1/2)^{(1/3)} * (I * \sqrt{3}) + 1) * (54 * g^3 / b^6 - 9 * (b^2 * c * e \\
& + (9 * g^2 - 8 * f * h) * a^2 + 2 * (e * f - 2 * c * h) * a * b) * g / (a^2 * b^6) - (b^5 * c^3 + a^2 * \\
& b^3 * e^3 + 6 * a * b^4 * c^2 * f + 12 * a^2 * b^3 * c * f^2 + 8 * a^3 * b^2 * f^3 - 12 * a^3 * b^2 * e^2 \\
& * h + 48 * a^4 * b * e * h^2 - 64 * a^5 * h^3) / (a^4 * b^7) - (b^5 * c^3 + 6 * a * b^4 * c^2 * f + 64 \\
& * a^5 * h^3 - 3 * (9 * g^3 - 24 * f * g * h + 16 * e * h^2) * a^4 * b + 2 * (4 * f^3 - 9 * e * f * g + 6 * e \\
& ^2 * h + 18 * c * g * h) * a^3 * b^2 - (e^3 - 3 * (4 * f^2 - 3 * e * g) * c) * a^2 * b^3) / (a^4 * b^7))^{(1/3)} \\
& - 6 * g / b^2)^2 + 9 * (a^3 * b^2 * c + 2 * a^4 * b * f) * g^2 - 1/2 * (a^3 * b^4 * e^2 - 8 * a \\
& ^4 * b^3 * e * h + 16 * a^5 * b^2 * h^2 - 6 * (a^3 * b^4 * c + 2 * a^4 * b^3 * f) * g) * (2 * (1/2)^{(2/3)} \\
& * (-I * \sqrt{3}) + 1) * (9 * g^2 / b^4 - (b^2 * c * e + (9 * g^2 - 8 * f * h) * a^2 + 2 * (e * f - 2 * \\
& c * h) * a * b) / (a^2 * b^4)) / (54 * g^3 / b^6 - 9 * (b^2 * c * e + (9 * g^2 - 8 * f * h) * a^2 + 2 * (e * \\
& f - 2 * c * h) * a * b) * g / (a^2 * b^6) - (b^5 * c^3 + a^2 * b^3 * e^3 + 6 * a * b^4 * c^2 * f + 12 * a \\
& ^2 * b^3 * c * f^2 + 8 * a^3 * b^2 * f^3 - 12 * a^3 * b^2 * e^2 * h + 48 * a^4 * b * e * h^2 - 64 * a^5 * h \\
& ^3) / (a^4 * b^7) - (b^5 * c^3 + 6 * a * b^4 * c^2 * f + 64 * a^5 * h^3 - 3 * (9 * g^3 - 24 * f * g * h + 16 * e * h^2) * a^4 \\
& * b + 2 * (4 * f^3 - 9 * e * f * g + 6 * e^2 * h + 18 * c * g * h) * a^3 * b^2 - (e^3 - 3 * (4 * f^2 - \\
& 3 * e * g) * c) * a^2 * b^3) / (a^4 * b^7))^{(1/3)} + (1/2)^{(1/3)} * (I * \sqrt{3}) \\
& + 1) * (54 * g^3 / b^6 - 9 * (b^2 * c * e + (9 * g^2 - 8 * f * h) * a^2 + 2 * (e * f - 2 * c * h) * a * b) \\
& * g / (a^2 * b^6) - (b^5 * c^3 + a^2 * b^3 * e^3 + 6 * a * b^4 * c^2 * f + 12 * a^2 * b^3 * c * f^2 + \\
& 8 * a^3 * b^2 * f^3 - 12 * a^3 * b^2 * e^2 * h + 48 * a^4 * b * e * h^2 - 64 * a^5 * h^3) / (a^4 * b^7) - \\
& (b^5 * c^3 + 6 * a * b^4 * c^2 * f + 64 * a^5 * h^3 - 3 * (9 * g^3 - 24 * f * g * h + 16 * e * h^2) * a^4 \\
& * b + 2 * (4 * f^3 - 9 * e * f * g + 6 * e^2 * h + 18 * c * g * h) * a^3 * b^2 - (e^3 - 3 * (4 * f^2 - \\
& 3 * e * g) * c) * a^2 * b^3) / (a^4 * b^7))^{(1/3)} - 6 * g / b^2) - 8 * (a^2 * b^3 * c^2 + 4 * a^3 * b^2 \\
& * c * f + 4 * a^4 * b * f^2 - 3 * a^4 * b * e * g) * h - 2 * (b^5 * c^3 + a^2 * b^3 * e^3 + 6 * a * b^4 * c^ \\
& 2 * f + 12 * a^2 * b^3 * c * f^2 + 8 * a^3 * b^2 * f^3 - 12 * a^3 * b^2 * e^2 * h + 48 * a^4 * b * e * h^2 \\
& - 64 * a^5 * h^3) * x - 3/4 * \sqrt{1/3} * (2 * a^3 * b^4 * e^2 - 16 * a^4 * b^3 * e * h + 32 * a^5 * b^ \\
& 2 * h^2 + (a^3 * b^6 * c + 2 * a^4 * b^5 * f) * (2 * (1/2)^{(2/3)} * (-I * \sqrt{3}) + 1) * (9 * g^2 / b^ \\
& 4 - (b^2 * c * e + (9 * g^2 - 8 * f * h) * a^2 + 2 * (e * f - 2 * c * h) * a * b) / (a^2 * b^4)) / (54 * g^ \\
& 3 / b^6 - 9 * (b^2 * c * e + (9 * g^2 - 8 * f * h) * a^2 + 2 * (e * f - 2 * c * h) * a * b) * g / (a^2 * b^6) \\
& - (b^5 * c^3 + a^2 * b^3 * e^3 + 6 * a * b^4 * c^2 * f + 12 * a^2 * b^3 * c * f^2 + 8 * a^3 * b^2 * f^ \\
& 3 - 12 * a^3 * b^2 * e^2 * h + 48 * a^4 * b * e * h^2 - 64 * a^5 * h^3) / (a^4 * b^7) - (b^5 * c^3 + \\
& 6 * a * b^4 * c^2 * f + 64 * a^5 * h^3 - 3 * (9 * g^3 - 24 * f * g * h + 16 * e * h^2) * a^4 * b + 2 * (4 * f \\
& ^3 - 9 * e * f * g + 6 * e^2 * h + 18 * c * g * h) * a^3 * b^2 - (e^3 - 3 * (4 * f^2 - 3 * e * g) * c) * a^
\end{aligned}$$

$$\begin{aligned}
& 2*b^3/(a^4*b^7)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7)^{(1/3)} - 6*g/b^2) + 6*(a^3*b^4*c + 2*a^4*b^3*f)*g*\sqrt{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9*g^2/b^4 - (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)/(a^2*b^4)))/(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} - 6*g/b^2)^2*a^2*b^4 + 12*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9*g^2/b^4 - (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)/(a^2*b^4)))/(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^{(1/3)} - 6*g/b^2)*a^2*b^2*g + 16*b^2*c*e + 32*a*b*e*f + 36*a^2*g^2 - 64*(a*b*c + 2*a^2*f)*h)/(a^2*b^4))))/(a*b^3*x^3 + a^2*b^2)
\end{aligned}$$

giac [A] time = 0.20, size = 318, normalized size = 1.10

$$\frac{hx}{b^2} + \frac{g \log(|bx^3 + a|)}{3b^2} + \frac{\sqrt{3} \left(4a^2h - abc + (-ab^2)^{\frac{1}{2}}bc + 2(-ab^2)^{\frac{1}{2}}af \right) \arctan\left(\frac{\sqrt{3}(2x + (-\frac{a}{b})^{\frac{1}{2}})}{3(-\frac{a}{b})^{\frac{1}{2}}}\right)}{9(-ab^2)^{\frac{1}{2}}ab} + \frac{\left(4a^2h - abc - (-ab^2)^{\frac{1}{2}}bc - 2(-ab^2)^{\frac{1}{2}}af \right) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{2}} + \left(-\frac{a}{b}\right)^{\frac{1}{2}}\right)}{18(-ab^2)^{\frac{1}{2}}ab} - \frac{abd - a^2g - (b^2c - abf)x^2 - (a^2h - abc)x}{3(bx^3 + a)ab^2} - \frac{\left(ab^2c\left(-\frac{a}{b}\right)^{\frac{1}{2}} + 2a^2bf\left(-\frac{a}{b}\right)^{\frac{1}{2}} - 4a^2b^2h + a^2b^2e \right) \left(-\frac{a}{b}\right)^{\frac{1}{2}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{2}}\right|\right)}{9a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $h*x/b^2 + 1/3*g*\log(\text{abs}(b*x^3 + a))/b^2 + 1/9*\sqrt{3}*(4*a^2*h - a*b*e + (-a*b^2)^{(1/3)}*b*c + 2*(-a*b^2)^{(1/3)}*a*f)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)))/(-a/b)^{(1/3)})/((-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a*b) + 1/18*(4*a^2*h - a*b*e - (-a*b^2)^{(1/3)}*b*c - 2*(-a*b^2)^{(1/3)}*a*f)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a*b) - 1/3*(a*b*d - a^2*g - (b^2*c - a*b*f)*x^2 - (a^2*h - a*b*e)*x)/((b*x^3 + a)*a*b^2) - 1/9*(a*b^5*c*(-a/b)^{(1/3)} + 2*a^2*b^4*f*(-a/b)^{(1/3)} - 4*a^3*b^3*h + a^2*b^4*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^3*b^5$

maple [B] time = 0.05, size = 502, normalized size = 1.74

$$\frac{\frac{c^2}{3(b^2+a)^2} + \frac{f^2}{3(b^2+a)^2} - \frac{abc}{3(b^2+a)^2} + \frac{ca}{3(b^2+a)^2} - \frac{ac}{3(b^2+a)^2} + \frac{4\sqrt{3}ab\arctan\left(\frac{d\sqrt{3a+b}}{3f}\right)}{9(f)^2} + \frac{4ab\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + 2ab\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9(f)^2} + \frac{\sqrt{3}c\arctan\left(\frac{d\sqrt{3a+b}}{3f}\right)}{9(f)^2} + \frac{c\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + c\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(f)^2} + \frac{d}{3(b^2+a)^2} + \frac{\sqrt{3}f\arctan\left(\frac{d\sqrt{3a+b}}{3f}\right)}{9(f)^2} + \frac{c\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + c\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(f)^2} + \frac{2\sqrt{3}f\arctan\left(\frac{d\sqrt{3a+b}}{3f}\right)}{9(f)^2} + \frac{2f\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + f\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + \frac{c\ln(b^2+a)}{3b^2}}{9(f)^2} + \frac{bc}{3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2, x)$

[Out] $h*x/b^2 - 1/3/(b*x^3+a)/b*f*x^2 + 1/3/(b*x^3+a)/a*x^2*c + 1/3/b^2/(b*x^3+a)*a*h*x - 1/3/b/(b*x^3+a)*e*x + 1/3/b^2/(b*x^3+a)*a*g - 1/3/b/(b*x^3+a)*d - 4/9/b^3*a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*h + 1/9/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e + 2/9/b^3*a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*h - 1/18/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e - 4/9/b^3*a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*h + 1/9/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e - 2/9/(a/b)^{(1/3)}/b^2*f*\ln(x+(a/b)^{(1/3)}) - 1/9/b/a/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c + 1/9/(a/b)^{(1/3)}/b^2*f*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) + 1/18/(a/b)^{(1/3)}/a/b*c*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) + 2/9*3^{(1/2)}/(a/b)^{(1/3)}/b^2*f*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) + 1/9/b/a*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c + 1/3*g*\ln(b*x^3+a)/b^2$

maxima [A] time = 2.96, size = 311, normalized size = 1.08

$$\frac{abd - a^2g - (b^2c - abf)x^2 + (abc - a^2h)x}{3(ab^2x^3 + a^2b^2)} + \frac{\sqrt{3}\left(b^2c\left(\frac{a}{b}\right)^{\frac{1}{3}} + 2abf\left(\frac{a}{b}\right)^{\frac{2}{3}} + abc\left(\frac{a}{b}\right)^{\frac{1}{3}} - 4a^2h\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9a^2b^2} + \frac{\left(6abg\left(\frac{a}{b}\right)^{\frac{1}{3}} + b^2c\left(\frac{a}{b}\right)^{\frac{1}{3}} + 2abf\left(\frac{a}{b}\right)^{\frac{2}{3}} - abc + 4a^2h\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18ab^2\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{\left(3abg\left(\frac{a}{b}\right)^{\frac{2}{3}} - b^2c\left(\frac{a}{b}\right)^{\frac{1}{3}} - 2abf\left(\frac{a}{b}\right)^{\frac{1}{3}} + abc - 4a^2h\right)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9ab^2\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2, x, \text{algorithm}="maxima")$

[Out] $-1/3*(a*b*d - a^2*g - (b^2*c - a*b*f)*x^2 + (a*b*e - a^2*h)*x)/(a*b^3*x^3 + a^2*b^2) + h*x/b^2 + 1/9*\sqrt{3}*(b^2*c*(a/b)^{(2/3)} + 2*a*b*f*(a/b)^{(2/3)} + a*b*e*(a/b)^{(1/3)} - 4*a^2*h*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)))/(a/b)^{(1/3)})/(a^2*b^2) + 1/18*(6*a*b*g*(a/b)^{(2/3)} + b^2*c*(a/b)^{(1/3)} + 2*a*b*f*(a/b)^{(1/3)} - a*b*e + 4*a^2*h)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b^3*(a/b)^{(2/3)}) + 1/9*(3*a*b*g*(a/b)^{(2/3)} - b^2*c*(a/b)^{(1/3)})$

$- 2*a*b*f*(a/b)^{(1/3)} + a*b*e - 4*a^2*h)*\log(x + (a/b)^{(1/3)})/(a*b^3*(a/b)^{(2/3)})$

mupad [B] time = 5.39, size = 827, normalized size = 2.86

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x)`

[Out] `symsum(log((9*a^2*g^2 + b^2*c*e - 8*a^2*f*h - 4*a*b*c*h + 2*a*b*e*f)/(9*a*b^2) - root(729*a^4*b^7*z^3 - 729*a^4*b^5*g*z^2 - 216*a^4*b^3*f*h*z - 108*a^3*b^4*c*h*z + 54*a^3*b^4*e*f*z + 27*a^2*b^5*c*e*z + 243*a^4*b^3*g^2*z + 72*a^4*b*f*g*h + 36*a^3*b^2*c*g*h - 18*a^3*b^2*e*f*g - 9*a^2*b^3*c*e*g - 48*a^4*b*e*h^2 + 6*a*b^4*c^2*f + 12*a^3*b^2*e^2*h + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 27*a^4*b*g^3 + 64*a^5*h^3 + b^5*c^3 - a^2*b^3*e^3, z, k)*(6*a*g - b*e*x + 4*a*h*x - 9*root(729*a^4*b^7*z^3 - 729*a^4*b^5*g*z^2 - 216*a^4*b^3*f*h*z - 108*a^3*b^4*c*h*z + 54*a^3*b^4*e*f*z + 27*a^2*b^5*c*e*z + 243*a^4*b^3*g^2*z + 72*a^4*b*f*g*h + 36*a^3*b^2*c*g*h - 18*a^3*b^2*e*f*g - 9*a^2*b^3*c*e*g - 48*a^4*b*e*h^2 + 6*a*b^4*c^2*f + 12*a^3*b^2*e^2*h + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 27*a^4*b*g^3 + 64*a^5*h^3 + b^5*c^3 - a^2*b^3*e^3, z, k)))/(9*a^2*b^2))*root(729*a^4*b^7*z^3 - 729*a^4*b^5*g*z^2 - 216*a^4*b^3*f*h*z - 108*a^3*b^4*c*h*z + 54*a^3*b^4*e*f*z + 27*a^2*b^5*c*e*z + 243*a^4*b^3*g^2*z + 72*a^4*b*f*g*h + 36*a^3*b^2*c*g*h - 18*a^3*b^2*e*f*g - 9*a^2*b^3*c*e*g - 48*a^4*b*e*h^2 + 6*a*b^4*c^2*f + 12*a^3*b^2*e^2*h + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 27*a^4*b*g^3 + 64*a^5*h^3 + b^5*c^3 - a^2*b^3*e^3, z, k), k, 1, 3) - ((b*d)/3 - (a*g)/3 + x*((b*e)/3 - (a*h)/3) - (b*x^2*(b*c - a*f))/(3*a))/(a*b^2 + b^3*x^3) + (h*x)/b^2`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**2,x)`

[Out] Timed out

$$3.363 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^3)^2} dx$$

Optimal. Leaf size=276

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (af + 2bc) - \sqrt[3]{a} (2ag + bd)\right)}{18a^{5/3} b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (af + 2bc) - \sqrt[3]{a} (2ag + bd)\right)}{9a^{5/3} b^{5/3}}$$

Rubi [A] time = 0.37, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1858, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (af + 2bc) - \sqrt[3]{a} (2ag + bd)\right)}{18a^{5/3} b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (af + 2bc) - \sqrt[3]{a} (2ag + bd)\right)}{9a^{5/3} b^{5/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt[3]{a}}\right) \left(2a^{4/3} g + \sqrt[3]{a} bd + a \sqrt[3]{b} f + 2b^{4/3} c\right)}{3\sqrt[3]{a^5 b^5}} + \frac{h \log(a + bx^3)}{3b^2} + \frac{x \left(x(bd - ag) + x^2(bc - ah) - af + bc\right)}{3ab(a + bx^3)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^2, x]

[Out] (x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(3*a*b*(a + b*x^3)) - ((2*b^(4/3)*c + a^(1/3)*b*d + a*b^(1/3)*f + 2*a^(4/3)*g)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(5/3)*b^(5/3)) + ((b^(1/3)*(2*b*c + a*f) - a^(1/3)*(b*d + 2*a*g))*Log[a^(1/3) + b^(1/3)*x]/(9*a^(5/3)*b^(5/3)) - ((b^(1/3)*(2*b*c + a*f) - a^(1/3)*(b*d + 2*a*g))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(5/3)*b^(5/3)) + (h*Log[a + b*x^3])/ (3*b^2)

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^3)^2} dx &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} - \frac{\int \frac{-b(2bc+af) - b(bd+2ag)x - 3abhx^2}{a+bx^3} dx}{3ab^2} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} - \frac{\int \frac{-b(2bc+af) - b(bd+2ag)x}{a+bx^3} dx}{3ab^2} + h \int \frac{1}{a+bx^3} dx \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} + \frac{h \log(a + bx^3)}{3b^2} - \frac{\int \frac{\sqrt[3]{a}(-2b^{4/3}(2bc+af) - (bd+2ag)x)}{a+bx^3} dx}{3ab^2} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} + \frac{(\sqrt[3]{b}(2bc + af) - \sqrt[3]{a}(bd + 2ag))}{9a^{5/3}b^{5/3}} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} + \frac{(\sqrt[3]{b}(2bc + af) - \sqrt[3]{a}(bd + 2ag))}{9a^{5/3}b^{5/3}} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} - \frac{(2b^{4/3}c + \sqrt[3]{a}bd + a\sqrt[3]{b}f + 2a^4)}{3\sqrt{3}a^{5/3}b^5}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 268, normalized size = 0.97

$$\frac{\sqrt[3]{b} \log\left(\frac{2a^{4/3}g + \sqrt[3]{a}bd - a\sqrt[3]{b}f - 2b^{4/3}c}{a^{5/3}}\right) + \frac{2\sqrt[3]{b} \log\left(\frac{\sqrt[3]{a} + \sqrt[3]{b}x}{a^{5/3}}\right) \left(-2a^{4/3}g - \sqrt[3]{a}bd + a\sqrt[3]{b}f + 2b^{4/3}c\right)}{a^{5/3}} - \frac{2\sqrt{3} \sqrt[3]{b} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{a}x}{\sqrt[3]{b}}}{\sqrt[3]{a}}\right) \left(2a^{4/3}g + \sqrt[3]{a}bd + a\sqrt[3]{b}f + 2b^{4/3}c\right)}{a^{5/3}} + \frac{6(a^2h - ab(c+g) + b^2x(c+dx))}{a(a+bx^3)} + 6h \log(a + bx^3)}{18b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^2, x]

[Out] ((6*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x)))/(a*(a + b*x^3)) - (2*sqrt[3]*b^(1/3)*(2*b^(4/3)*c + a^(1/3)*b*d + a*b^(1/3)*f + 2*a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(5/3) + (2*b^(1/3)*(2*b^(4/3)*c - a^(1/3)*b*d + a*b^(1/3)*f - 2*a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) + (b^(1/3)*(-2*b^(4/3)*c + a^(1/3)*b*d - a*b^(1/3)*f + 2*a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3) + 6*h*Log[a + b*x^3])/(18*b^2)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^2, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^2, x]

fricas [C] time = 1.87, size = 12636, normalized size = 45.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/36*(12*a*b*e - 12*a^2*h - 12*(b^2*d - a*b*g)*x^2 + 2*(a*b^3*x^3 + a^2*b^2) \\ & * (2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2* \\ & a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 1 \\ & 2*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c) \\ & *a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c) \\ & *a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} - 6*h/b^2*\log(4*a*b^4*c*d^2 + 2*a^2*b^3*d^2*f + 1/4*(a^4*b^5*d + 2*a^5*b^4*g)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c) \\ & *a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c) \\ & *a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} \end{aligned}$$

$$\begin{aligned}
& 2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} - \\
& 6*h/b^2) - 8*(2*a^2*b^3*c*d + a^3*b^2*d*f)*g + 3*(4*a^2*b^3*c^2 + 4*a^3*b^ \\
& 2*c*f + a^4*b*f^2)*h + 2*(8*b^5*c^3 + a*b^4*d^3 + 12*a*b^4*c^2*f + 6*a^2*b^ \\
& 3*c*f^2 + a^3*b^2*f^3 + 6*a^2*b^3*d^2*g + 12*a^3*b^2*d*g^2 + 8*a^4*b*g^3)*x \\
& + 3/4*sqrt(1/3)*(8*a^2*b^5*c^2 + 8*a^3*b^4*c*f + 2*a^4*b^3*f^2 + (a^4*b^5* \\
& d + 2*a^5*b^4*g)*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + \\
& 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b^4)))/(54*h^3/b^6 - 9*(\\
& 2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8 \\
& *b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2 \\
& *b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^ \\
& 3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3* \\
& b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^ \\
& 6))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2* \\
& b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d \\
& ^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^ \\
& 3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f \\
& *g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (\\
& f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} - 6*h/b^ \\
& 2) + 6*(a^4*b^3*d + 2*a^5*b^2*g)*h)*sqrt(-((2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)* \\
& (9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a \\
& ^3*b^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c* \\
& g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2 \\
& *c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5 \\
&) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - \\
& 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 \\
& - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(54*h^3/b \\
& ^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b \\
& ^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 \\
& + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 2 \\
& 7*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h) \\
& *d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4) \\
& /(a^5*b^6))^{(1/3)} - 6*h/b^2)^2*a^3*b^4 + 12*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1) \\
& *(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(\\
& a^3*b^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c \\
& *g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^ \\
& 2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^ \\
& 5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h \\
& - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 \\
& - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(54*h^3/ \\
& b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3* \\
& b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^ \\
& 3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + \\
& 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h) \\
&)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4 \\
&)/(a^5*b^6))^{(1/3)} - 6*h/b^2)*a^3*b^2*h + 32*b^3*c*d + 16*a*b^2*d*f + 36*a^
\end{aligned}$$

$$\begin{aligned}
& 3*h^2 + 32*(2*a*b^2*c + a^2*b*f)*g)/(a^3*b^4)) - (18*a*b*h*x^3 + 18*a^2*h \\
& + (a*b^3*x^3 + a^2*b^2)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(9*h^2/b^4 - (2*b^3 \\
& *c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b^4))/(54*h^3/b^6 \\
& - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) \\
& + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 \\
& + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27 \\
& *a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)* \\
& d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/ \\
& (a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(54*h^3/b^6 - 9*(2*b^3*c*d + \\
& 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + \\
& a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g \\
& + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 \\
& - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g \\
& - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} - \\
& 6*h/b^2) - 3*\sqrt{1/3}*(a*b^3*x^3 + a^2*b^2)*\sqrt{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3}) \\
& + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g) \\
& *a*b^2)/(a^3*b^4))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (\\
& d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + \\
& 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3 \\
&)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + \\
& 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 \\
& - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1) \\
& *(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2) \\
&)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + \\
& a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5 \\
& *c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 \\
& - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2 \\
& *f)*a*b^4)/(a^5*b^6))^{(1/3)} - 6*h/b^2)^2*a^3*b^4 + 12*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) \\
& + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g) \\
&)*a*b^2)/(a^3*b^4))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + \\
& (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f \\
& + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3 \\
&)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + \\
& 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 \\
& - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1) \\
& *(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2) \\
&)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 \\
& + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5 \\
& *c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 \\
& - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2 \\
& *f)*a*b^4)/(a^5*b^6))^{(1/3)} - 6*h/b^2)*a^3*b^2*h + 32*b^3*c*d + 16*a*b^2*d \\
& *f + 36*a^3*h^2 + 32*(2*a*b^2*c + a^2*b*f)*g)/(a^3*b^4)))*\log(-4*a*b^4*c*d^2 \\
& - 2*a^2*b^3*d^2*f - 1/4*(a^4*b^5*d + 2*a^5*b^4*g)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) \\
& + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)* \\
& a*b^2)/(a^3*b^4))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d
\end{aligned}$$

$$\begin{aligned}
& *f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + \\
& 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3) \\
& / (a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 3 \\
& 6*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 \\
& - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)* \\
& (54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2) \\
& *h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + \\
& a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5 \\
& c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 \\
& - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2* \\
& f)*a*b^4)/(a^5*b^6))^{(1/3)} - 6*h/b^2)^2 - 8*(2*a^3*b^2*c + a^4*b*f)*g^2 - 9 \\
& *(a^4*b*d + 2*a^5*g)*h^2 + 1/2*(4*a^2*b^5*c^2 + 4*a^3*b^4*c*f + a^4*b^3*f^2 \\
& - 6*(a^4*b^3*d + 2*a^5*b^2*g)*h)*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(9*h^2/b^4 \\
& - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b^4)))/ \\
& (54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2) \\
& *h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + \\
& a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5 \\
& c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 \\
& - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2* \\
& f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(54*h^3/b^6 - 9*(2 \\
& *b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8* \\
& b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2* \\
& b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 \\
& - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 \\
& - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6 \\
&))^{(1/3)} - 6*h/b^2) - 8*(2*a^2*b^3*c*d + a^3*b^2*d*f)*g + 3*(4*a^2*b^3*c^2 \\
& + 4*a^3*b^2*c*f + a^4*b*f^2)*h + 2*(8*b^5*c^3 + a*b^4*d^3 + 12*a*b^4*c^2*f \\
& + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^2*b^3*d^2*g + 12*a^3*b^2*d*g^2 + 8*a^4 \\
& *b*g^3)*x - 3/4*sqrt(1/3)*(8*a^2*b^5*c^2 + 8*a^3*b^4*c*f + 2*a^4*b^3*f^2 + \\
& (a^4*b^5*d + 2*a^5*b^4*g)*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(9*h^2/b^4 - (2* \\
& b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b^4)))/(54*h^3 \\
& /b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3 \\
& *b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 \\
& + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + \\
& 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f* \\
& h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4) \\
& / (a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(54*h^3/b^6 - 9*(2*b^3*c* \\
& d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 \\
& + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2 \\
& *g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4 \\
& *g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6* \\
& (d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} \\
&) - 6*h/b^2) + 6*(a^4*b^3*d + 2*a^5*b^2*g)*h)*sqrt(-((2*(1/2)^{(2/3)}*(-I*sqrt \\
& t(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g) \\
& *a*b^2)/(a^3*b^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (
\end{aligned}$$

$$\begin{aligned}
& d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + \\
& 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3 \\
&)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + \\
& 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b \\
& ^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1) \\
& *(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2 \\
&)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + \\
& a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b \\
& ^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^ \\
& 2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2 \\
& *f)*a*b^4)/(a^5*b^6))^{(1/3)} - 6*h/b^2)^2*a^3*b^4 + 12*(2*(1/2)^{(2/3)}*(-I*sq \\
& rt(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g) \\
&)*a*b^2)/(a^3*b^4))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + \\
& (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f \\
& + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^ \\
& 3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + \\
& 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2* \\
& b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1) \\
& *(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^ \\
& 2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 \\
& + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8* \\
& b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g \\
& ^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^ \\
& 2*f)*a*b^4)/(a^5*b^6))^{(1/3)} - 6*h/b^2)*a^3*b^2*h + 32*b^3*c*d + 16*a*b^2*d \\
& *f + 36*a^3*h^2 + 32*(2*a*b^2*c + a^2*b*f)*g)/(a^3*b^4))))/(a*b^3*x^3 + a^2 \\
& *b^2)
\end{aligned}$$

giac [A] time = 0.19, size = 302, normalized size = 1.09

$$\frac{h \log(|bx^3 + a|)}{3b^2} - \frac{\sqrt{3} \left(2b^2c + abf - (-ab^2)^{\frac{1}{2}} bd - 2(-ab^2)^{\frac{1}{2}} ag \right) \arctan\left(\frac{\sqrt{3} \left(2bx + (-\frac{a}{b})^{\frac{1}{3}} \right)^{\frac{1}{2}}}{3(-\frac{a}{b})^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{1}{2}} ab} - \frac{\left(2b^2c + abf + (-ab^2)^{\frac{1}{2}} bd + 2(-ab^2)^{\frac{1}{2}} ag \right) \log\left(x^2 + x(-\frac{a}{b})^{\frac{1}{3}} + (-\frac{a}{b})^{\frac{2}{3}}\right)}{18(-ab^2)^{\frac{1}{2}} ab} + \frac{(bd - ag)x^2 + (bc - af)x + \frac{a^2b - abc}{b}}{3(bx^3 + a)ab} - \frac{\left(ab^3d(-\frac{a}{b})^{\frac{1}{3}} + 2a^2b^2g(-\frac{a}{b})^{\frac{1}{3}} + 2ab^2c + a^2b^2f \right) (-\frac{a}{b})^{\frac{1}{3}} \log\left(x - (-\frac{a}{b})^{\frac{1}{3}}\right)}{9a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")
[Out] 1/3*h*log(abs(b*x^3 + a))/b^2 - 1/9*sqrt(3)*(2*b^2*c + a*b*f - (-a*b^2)^(1/3)*b*d - 2*(-a*b^2)^(1/3)*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b) - 1/18*(2*b^2*c + a*b*f + (-a*b^2)^(1/3)*b*d + 2*(-a*b^2)^(1/3)*a*g)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a*b) + 1/3*((b*d - a*g)*x^2 + (b*c - a*f)*x + (a^2*h - a*b*e)/b)/((b*x^3 + a)*a*b) - 1/9*(a*b^3*d*(-a/b)^(1/3) + 2*a^2*b^2*g*(-a/b)^(1/3) + 2*a*b^3*c + a^2*b^2*f)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^3)

```

maple [B] time = 0.05, size = 462, normalized size = 1.67

$$\frac{2\sqrt{3}c \arctan\left(\frac{\sqrt{3}\left(\frac{ax-1}{b}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} + \frac{2c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} + \frac{\sqrt{3}d \arctan\left(\frac{\sqrt{3}\left(\frac{ax-1}{b}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} + \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} + \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} + \frac{\sqrt{3}f \arctan\left(\frac{\sqrt{3}\left(\frac{ax-1}{b}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^2} + \frac{f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^2} + \frac{f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18\left(\frac{a}{b}\right)^{\frac{2}{3}}b^2} + \frac{2\sqrt{3}g \arctan\left(\frac{\sqrt{3}\left(\frac{ax-1}{b}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^2} + \frac{2g \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^2} + \frac{g \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18\left(\frac{a}{b}\right)^{\frac{2}{3}}b^2} + \frac{h \ln\left(bx^2 + a\right)}{36b^2} + \frac{\frac{(a-b)^2}{3ab} + \frac{ab-bc}{3b^2}}{b^2+a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x)

[Out]
$$\begin{aligned} & (-1/3*(a*g-b*d)/a/b*x^2-1/3*(a*f-b*c)/a/b*x+1/3*(a*h-b*e)/b^2)/(b*x^3+a)+1/ \\ & 9/(a/b)^{(2/3)}/b^2*f*\ln(x+(a/b)^{(1/3)})+2/9/b/a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)}) \\ & *c-1/18/(a/b)^{(2/3)}/b^2*f*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-1/9/b/a/(a/b)^{(2/3)} \\ & *1/18/(a/b)^{(2/3)}/b^2*f*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c+1/9/(a/b)^{(2/3)}*3^{(1/2)}/b^2*f*arct \\ & an(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+2/9/b/a/(a/b)^{(2/3)}*3^{(1/2)}*arctan(1/3* \\ & 3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-2/9/b^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*g-1/9/ \\ & b/a/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*d+1/9/b^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}* \\ & x+(a/b)^{(2/3)})*g+1/18/b/a/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d+2 \\ & /9/b^2*3^{(1/2)}/(a/b)^{(1/3)}*arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*g+1/9/b/ \\ & a*3^{(1/2)}/(a/b)^{(1/3)}*arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d+1/3*h*\ln(b* \\ & x^3+a)/b^2 \end{aligned}$$

maxima [A] time = 2.95, size = 292, normalized size = 1.06

$$\frac{abe - a^2h - (b^2d - abg)x^2 - (b^2c - abf)x}{3(ab^3x^3 + a^2b^2)} + \frac{\sqrt{3}\left(b^2d\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2abg\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2b^2c\left(\frac{a}{b}\right)^{\frac{1}{3}} + abf\left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9a^2b^2} + \frac{\left(6ah\left(\frac{a}{b}\right)^{\frac{2}{3}} + bd\left(\frac{a}{b}\right)^{\frac{1}{3}} + 2ag\left(\frac{a}{b}\right)^{\frac{1}{3}} - 2bc - af\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18ab^2\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{\left(3ah\left(\frac{a}{b}\right)^{\frac{2}{3}} - bd\left(\frac{a}{b}\right)^{\frac{1}{3}} - 2ag\left(\frac{a}{b}\right)^{\frac{1}{3}} + 2bc + af\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9ab^2\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/3*(a*b*e - a^2*h - (b^2*d - a*b*g)*x^2 - (b^2*c - a*b*f)*x)/(a*b^3*x^3 + \\ & a^2*b^2) + 1/9*sqrt(3)*(b^2*d*(a/b)^{(2/3)} + 2*a*b*g*(a/b)^{(2/3)} + 2*b^2*c* \\ & (a/b)^{(1/3)} + a*b*f*(a/b)^{(1/3)})*arctan(1/3*sqrt(3)*(2*x - (a/b)^{(1/3)})/(a/ \\ & b)^{(1/3)})/(a^2*b^2) + 1/18*(6*a*h*(a/b)^{(2/3)} + b*d*(a/b)^{(1/3)} + 2*a*g*(a/ \\ & b)^{(1/3)} - 2*b*c - a*f)*log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b^2*(a/b) \\ & ^{(2/3)}) + 1/9*(3*a*h*(a/b)^{(2/3)} - b*d*(a/b)^{(1/3)} - 2*a*g*(a/b)^{(1/3)} + 2* \\ & b*c + a*f)*log(x + (a/b)^{(1/3)})/(a*b^2*(a/b)^{(2/3)}) \end{aligned}$$

mupad [B] time = 5.54, size = 835, normalized size = 3.03

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^2,x)

```
[Out] symsum(log((root(729*a^5*b^6*z^3 - 729*a^5*b^4*h*z^2 + 54*a^4*b^3*f*g*z + 108*a^3*b^4*c*g*z + 27*a^3*b^4*d*f*z + 54*a^2*b^5*c*d*z + 243*a^5*b^2*h^2*z - 18*a^4*b*f*g*h - 36*a^3*b^2*c*g*h - 9*a^3*b^2*d*f*h - 18*a^2*b^3*c*d*h - 12*a*b^4*c^2*f + 12*a^3*b^2*d*g^2 + 6*a^2*b^3*d^2*g - 6*a^2*b^3*c*f^2 + 8*a^4*b*g^3 + a*b^4*d^3 - 27*a^5*h^3 - 8*b^5*c^3 - a^3*b^2*f^3, z, k)*(9*root(729*a^5*b^6*z^3 - 729*a^5*b^4*h*z^2 + 54*a^4*b^3*f*g*z + 108*a^3*b^4*c*g*z + 27*a^3*b^4*d*f*z + 54*a^2*b^5*c*d*z + 243*a^5*b^2*h^2*z - 18*a^4*b*f*g*h - 36*a^3*b^2*c*g*h - 9*a^3*b^2*d*f*h - 18*a^2*b^3*c*d*h - 12*a*b^4*c^2*f + 12*a^3*b^2*d*g^2 + 6*a^2*b^3*d^2*g - 6*a^2*b^3*c*f^2 + 8*a^4*b*g^3 + a*b^4*d^3 - 27*a^5*h^3 - 8*b^5*c^3 - a^3*b^2*f^3, z, k)*a^2*b^2 - 6*a^2*h + 2*b^2*c*x + a*b*f*x))/a + (9*a^3*h^2 + 2*b^3*c*d + 4*a*b^2*c*g + a*b^2*d*f + 2*a^2*b*f*g)/(9*a^2*b^2) + (x*(b^2*d^2 + 4*a^2*g^2 - 3*a^2*f*h - 6*a*b*c*h + 4*a*b*d*g))/(9*a^2*b))*root(729*a^5*b^6*z^3 - 729*a^5*b^4*h*z^2 + 54*a^4*b^3*f*g*z + 108*a^3*b^4*c*g*z + 27*a^3*b^4*d*f*z + 54*a^2*b^5*c*d*z + 243*a^5*b^2*h^2*z - 18*a^4*b*f*g*h - 36*a^3*b^2*c*g*h - 9*a^3*b^2*d*f*h - 18*a^2*b^3*c*d*h - 12*a*b^4*c^2*f + 12*a^3*b^2*d*g^2 + 6*a^2*b^3*d^2*g - 6*a^2*b^3*c*f^2 + 8*a^4*b*g^3 + a*b^4*d^3 - 27*a^5*h^3 - 8*b^5*c^3 - a^3*b^2*f^3, z, k), k, 1, 3) + ((x*(b*c - a*f))/(3*a*b) - (b*e - a*h)/(3*b^2) + (x^2*(b*d - a*g))/(3*a*b))/(a + b*x^3)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.364 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)^2} dx$$

Optimal. Leaf size=289

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (ag + 2bd) - \sqrt[3]{a} (2ah + be)\right)}{18a^{5/3} b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (ag + 2bd) - \sqrt[3]{a} (2ah + be)\right)}{9a^{5/3} b^{5/3}}$$

Rubi [A] time = 0.56, antiderivative size = 287, normalized size of antiderivative = 0.99, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a} (2ah+be)}{\sqrt[3]{b}} + ag + 2bd\right)}{18a^{5/3} b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (ag + 2bd) - \sqrt[3]{a} (2ah + be)\right)}{9a^{5/3} b^{5/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt[3]{3} \sqrt[3]{a}}\right) \left(2a^{4/3} h + \sqrt[3]{a} be + a\sqrt[3]{b} g + 2b^{4/3} d\right)}{3\sqrt[3]{3} a^{5/3} b^{5/3}} + \frac{x(-bx^2(bc-af) + a(bd-ag) + ax(bc-ah))}{3a^2 b(a+bx^3)} - \frac{c \log(a+bx^3)}{3a^2} + \frac{c \log(x)}{a^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^2), x]

[Out] (x*(a*(b*d - a*g) + a*(b*e - a*h)*x - b*(b*c - a*f)*x^2))/(3*a^2*b*(a + b*x^3)) - ((2*b^(4/3)*d + a^(1/3)*b*e + a*b^(1/3)*g + 2*a^(4/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(5/3)*b^(5/3)) + (c*Log[x])/a^2 + ((b^(1/3)*(2*b*d + a*g) - a^(1/3)*(b*e + 2*a*h))*Log[a^(1/3) + b^(1/3)*x]/(9*a^(5/3)*b^(5/3)) - ((2*b*d + a*g - (a^(1/3)*(b*e + 2*a*h))/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(5/3)*b^(4/3))) - (c*Log[a + b*x^3]/(3*a^2))

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617


```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[(Pq_)*((c_)*(x_)^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x(a + bx^3)^2} dx &= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} - \frac{\int \frac{-3b^2c - b(2bd + ag)x - b(be + 2ah)x^2}{x(a + bx^3)} dx}{3ab^2} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} - \int \left(-\frac{3b^2c}{ax} + \frac{b(-a(2bd + ag) - a(bd - ag) - b^2c)}{a(a + bx^3)} \right) dx \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} + \frac{c \log(x)}{a^2} - \frac{\int \frac{-a(2bd + ag) - a(bd - ag) - b^2c}{a + bx^3} dx}{3a^2b} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} + \frac{c \log(x)}{a^2} - \frac{\int \frac{-a(2bd + ag) - a(bd - ag) - b^2c}{a + bx^3} dx}{3a^2b} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} + \frac{c \log(x)}{a^2} - \frac{c \log(a + bx^3)}{3a^2} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{(2bd + ag - \frac{3}{2}b^2c)}{3a^2} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{(2bd + ag - \frac{3}{2}b^2c)}{3a^2} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} - \frac{(2b^{4/3}d + \sqrt[3]{a}be + a\sqrt[3]{b}g - \frac{3}{2}b^2c)}{3\sqrt[3]{3}a}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 269, normalized size = 0.93

$$\frac{\sqrt[3]{a} \log\left(\frac{a^2b - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{b^{5/3}}\right) (2a^{4/3}h + \sqrt[3]{a}bc - a\sqrt[3]{b}g - 2b^{4/3}d)}{b^{5/3}} + \frac{2\sqrt[3]{a} \log\left(\frac{\sqrt[3]{a} + \sqrt[3]{b}x}{b^{5/3}}\right) (-2a^{4/3}h - \sqrt[3]{a}bc + a\sqrt[3]{b}g + 2b^{4/3}d)}{b^{5/3}} - \frac{2\sqrt[3]{3} \sqrt[3]{a} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt[3]{a}}\right) (2a^{4/3}h + \sqrt[3]{a}bc + a\sqrt[3]{b}g + 2b^{4/3}d)}{b^{5/3}} - \frac{6a(a(f + x(g + hx)) - b(c + x(d + ex)))}{b(a + bx^3)} - 6c \log(a + bx^3) + 18c \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^2),x]

[Out]
$$\frac{(-6*a*(-(b*(c + x*(d + e*x))) + a*(f + x*(g + h*x))))}{(b*(a + b*x^3))} - (2*\sqrt{3}*a^{(1/3)}*(2*b^{(4/3)}*d + a^{(1/3)}*b*e + a*b^{(1/3)}*g + 2*a^{(4/3)}*h)*\text{ArcTan}[\frac{1 - (2*b^{(1/3)}*x)/a^{(1/3)}}{\sqrt{3}}])/b^{(5/3)} + 18*c*\text{Log}[x] + (2*a^{(1/3)}*(2*b^{(4/3)}*d - a^{(1/3)}*b*e + a*b^{(1/3)}*g - 2*a^{(4/3)}*h)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/b^{(5/3)} + (a^{(1/3)}*(-2*b^{(4/3)}*d + a^{(1/3)}*b*e - a*b^{(1/3)}*g + 2*a^{(4/3)}*h)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/b^{(5/3)} - 6*c*\text{Log}[a + b*x^3])/(18*a^2)$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x(a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^2),x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^2), x]

fricas [C] time = 35.29, size = 12541, normalized size = 43.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$\frac{1}{324}*(108*a*b*c - 108*a^2*f + 108*(a*b*e - a^2*h)*x^2 - 2*(a^2*b^2*x^3 + a^3*b)*((-I*\sqrt{3} + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*$$

$$\begin{aligned}
& (e*g + 4*d*h)*c*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 54 \\
& *c/a^2)*\log(12*b^4*c*d^2 + 9*b^4*c^2*e + 4*a*b^3*d*e^2 + 3*a^2*b^2*c*g^2 + \\
& 1/324*(a^4*b^4*e + 2*a^5*b^3*h)*((-I*\sqrt{3}) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + \\
& 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + \\
& 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) \\
& ^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 \\
& + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458* \\
& (27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h) \\
& *h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c \\
& *d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(\\
& 9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/ \\
& 1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 \\
& + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 \\
& + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 \\
& + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a \\
& *b^4)/(a^6*b^5))^{(1/3)} + 54*c/a^2)^2 + 8*(2*a^3*b*d + a^4*g)*h^2 - 1/18*(4*a \\
& ^2*b^4*d^2 + 6*a^2*b^4*c*e + 4*a^3*b^3*d*g + a^4*b^2*g^2 + 12*a^3*b^3*c*h)* \\
& ((-I*\sqrt{3}) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g \\
& + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e \\
& + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3* \\
& e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a \\
& ^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - \\
& 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + \\
& 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + \\
& 81*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3* \\
& g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12 \\
& *a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h \\
& ^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^ \\
& 2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + \\
& 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 54*c/a^2 \\
&) + 2*(6*a*b^3*c*d + a^2*b^2*e^2)*g + 2*(9*a*b^3*c^2 + 8*a^2*b^2*d*e + 4*a^3 \\
& *b*e*g)*h + (8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3 \\
& *b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)*x) + 108*(a*b*d - a \\
& ^2*g)*x - (162*b^2*c*x^3 + 162*a*b*c - (a^2*b^2*x^3 + a^3*b))*((-I*\sqrt{3}) + \\
& 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b) \\
&)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + \\
& (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3 \\
& *d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8 \\
& *a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4 \\
& *b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h) \\
&)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 81*(I*\sqrt{3}) \\
& + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4 \\
& *d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + \\
& 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3) \\
&)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(
\end{aligned}$$

$$\begin{aligned}
& d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2 \\
& *b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 54*c/a^2) - 3*\sqrt{1/3} \\
&)*(a^2*b^2*x^3 + a^3*b)*\sqrt{-(((-I*\sqrt{3}) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + \\
& 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + \\
& 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^ \\
& 3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3 \\
& *b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(\\
& 27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g* \\
& h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c* \\
& d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9 \\
& *b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1 \\
& 458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + \\
& 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c \\
& ^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b \\
& ^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b \\
& ^4)/(a^6*b^5))^{(1/3)} + 54*c/a^2)^2*a^4*b^3 - 108*((-I*\sqrt{3}) + 1)*(9*c^2/a \\
& ^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)) \\
& /(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h) \\
&)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a \\
& ^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a \\
& ^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^ \\
& 2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 \\
& - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27* \\
& c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b) \\
& *c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d \\
& *g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) \\
& - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2* \\
& h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4* \\
& d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 54*c/a^2)*a^2*b^3*c + 2916*b^3*c^2 \\
& + 2592*a*b^2*d*e + 1296*a^2*b*e*g + 2592*(2*a^2*b*d + a^3*g)*h)/(a^4*b^3)) \\
&)*\log(-12*b^4*c*d^2 - 9*b^4*c^2*e - 4*a*b^3*d*e^2 - 3*a^2*b^2*c*g^2 - 1/324 \\
& *(a^4*b^4*e + 2*a^5*b^3*h))*((-I*\sqrt{3}) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a* \\
& b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/16 \\
& 2*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + \\
& 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g \\
& ^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b \\
& ^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a \\
& ^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e) \\
& *a*b^4)/(a^6*b^5))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3 \\
& *c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458* \\
& (8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a \\
& ^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + \\
& 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + \\
& (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/ \\
& (a^6*b^5))^{(1/3)} + 54*c/a^2)^2 - 8*(2*a^3*b*d + a^4*g)*h^2 + 1/18*(4*a^2*b^
\end{aligned}$$

$$\begin{aligned}
& 4*d^2 + 6*a^2*b^4*c*e + 4*a^3*b^3*d*g + a^4*b^2*g^2 + 12*a^3*b^3*c*h) * ((-I* \\
& \text{sqrt}(3) + 1) * (9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d \\
& *h)*a^2*b)/(a^4*b^3)) / (-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a \\
& ^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + \\
& 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b* \\
& e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e \\
& *h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e* \\
& g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I \\
& *sqrt(3) + 1) * (-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + \\
& (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^ \\
& 3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + \\
& 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^ \\
& 4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d* \\
& h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2) - 2 \\
& *(6*a*b^3*c*d + a^2*b^2*e^2)*g - 2*(9*a*b^3*c^2 + 8*a^2*b^2*d*e + 4*a^3*b*e \\
& *g)*h + 2*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b \\
& *g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)*x + 1/108*sqrt(1/3)*(7 \\
& 2*a^2*b^4*d^2 - 54*a^2*b^4*c*e + 72*a^3*b^3*d*g + 18*a^4*b^2*g^2 - 108*a^3* \\
& b^3*c*h + (a^4*b^4*e + 2*a^5*b^3*h) * ((-I*sqrt(3) + 1) * (9*c^2/a^4 - (9*b^3*c \\
& ^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)) / (-1/27*c^3/a \\
& ^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a \\
& ^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 \\
& + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1 \\
& 458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3 \\
& *c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - \\
& 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*sqrt(3) + 1) * (-1/27*c^3/a^6 + 1/1 \\
& 62*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) \\
& + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b* \\
& g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27* \\
& b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)* \\
& a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e \\
&)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)) * sqrt(-(((-I*sqrt(3) + 1) * (9*c^2/a^4 \\
& - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)) / (- \\
& 1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a \\
& ^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2* \\
& b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5* \\
& b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - \\
& e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - \\
& 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*sqrt(3) + 1) * (-1/27*c^3 \\
& /a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/ \\
& (a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^ \\
& 2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1 \\
& /1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - \\
& 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 \\
& - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)^2*a^4*b^3 - 108*((-I*sqrt(3)
\end{aligned}$$

$$\begin{aligned}
& 2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b \\
& - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c) \\
&)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 81*(I*sqrt(3) + 1) \\
&)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h) \\
&)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6* \\
& a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(\\
& a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g \\
& ^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 \\
& - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 54*c/a^2)*a^2*b^3*c + 291 \\
& 6*b^3*c^2 + 2592*a*b^2*d*e + 1296*a^2*b*e*g + 2592*(2*a^2*b*d + a^3*g)*h)/(\\
& a^4*b^3)))*log(-12*b^4*c*d^2 - 9*b^4*c^2*e - 4*a*b^3*d*e^2 - 3*a^2*b^2*c*g^2 \\
& - 1/324*(a^4*b^4*e + 2*a^5*b^3*h))*((-I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b^3*c \\
& ^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a \\
& ^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a \\
& ^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 \\
& + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1 \\
& 458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3 \\
& *c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - \\
& 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/1 \\
& 62*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) \\
& + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b* \\
& g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27* \\
& b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)* \\
& a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e) \\
&)*a*b^4)/(a^6*b^5))^{(1/3)} + 54*c/a^2)^2 - 8*(2*a^3*b*d + a^4*g)*h^2 + 1/18* \\
& (4*a^2*b^4*d^2 + 6*a^2*b^4*c*e + 4*a^3*b^3*d*g + a^4*b^2*g^2 + 12*a^3*b^3*c \\
& *h))*((-I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (\\
& e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2* \\
& d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a \\
& b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + \\
& 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g \\
& ^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2* \\
& g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3) \\
&) + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2* \\
& a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 \\
& + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b \\
& *e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12* \\
& e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e \\
& *g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 54*c \\
& /a^2) - 2*(6*a*b^3*c*d + a^2*b^2*e^2)*g - 2*(9*a*b^3*c^2 + 8*a^2*b^2*d*e + \\
& 4*a^3*b*e*g)*h + 2*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^ \\
& 2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)*x - 1/108*sqrt \\
& (1/3)*(72*a^2*b^4*d^2 - 54*a^2*b^4*c*e + 72*a^3*b^3*d*g + 18*a^4*b^2*g^2 - \\
& 108*a^3*b^3*c*h + (a^4*b^4*e + 2*a^5*b^3*h))*((-I*sqrt(3) + 1)*(9*c^2/a^4 -
\end{aligned}$$

$$\begin{aligned}
& (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3))/(-1 \\
& /27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^ \\
& 2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b \\
& ^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b \\
& ^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - \\
& e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2 \\
& *(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a \\
& ^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(\\
& a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 \\
& + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/ \\
& 1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - \\
& 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 \\
& - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)*sqrt(-((-I*sqrt(3) + 1)*(9 \\
& *c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4 \\
& *b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + \\
& 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g \\
& + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h \\
& ^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6 \\
& *(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a \\
& ^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*sqrt(3) + 1)*(\\
& -1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)* \\
& a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2 \\
& *b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5 \\
& *b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 \\
& - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - \\
& 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)^2*a^4*b^3 - 108*((\\
& -I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + \\
& 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + \\
& 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^ \\
& 3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3 \\
& *b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 1 \\
& 2*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9* \\
& (e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81 \\
& *(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g* \\
& h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a \\
& *b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 \\
& + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2) \\
& *a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4 \\
& *d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)* \\
& a^2*b^3*c + 2916*b^3*c^2 + 2592*a*b^2*d*e + 1296*a^2*b*e*g + 2592*(2*a^2*b* \\
& d + a^3*g)*h)/(a^4*b^3))) + 324*(b^2*c*x^3 + a*b*c)*log(x))/(a^2*b^2*x^3 + \\
& a^3*b)
\end{aligned}$$

giac [A] time = 0.20, size = 319, normalized size = 1.10

$$\frac{c \log(|bx^3 + a|)}{3a^2} + \frac{c \log(|ad|)}{a^2} - \frac{\sqrt{3} \left(2b^2d + abg - 2(-ab^2)^{\frac{1}{3}}ah - (-ab^2)^{\frac{1}{3}}bc \right) \arctan\left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{1}{3}}ab} - \frac{\left(2b^2d + abg + 2(-ab^2)^{\frac{1}{3}}ah + (-ab^2)^{\frac{1}{3}}bc \right) \log\left(x^2 + x(-\frac{a}{b})^{\frac{1}{3}} + (-\frac{a}{b})^{\frac{2}{3}}\right)}{18(-ab^2)^{\frac{1}{3}}ab} + \frac{abc - a^2f - (a^2h - abc)x^2 + (abd - a^2g)x}{3(hx^3 + a)a^2b} - \frac{\left(2a^2b^2h(-\frac{a}{b})^{\frac{1}{3}} + a^2b^3(-\frac{a}{b})^{\frac{1}{3}}c + 2a^2b^2d + a^4b^2g \right) (-\frac{a}{b})^{\frac{1}{3}} \log\left(|x - (-\frac{a}{b})^{\frac{1}{3}}|\right)}{9a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^2,x, algorithm="giac")
```

[Out] $-1/3*c*\log(\text{abs}(b*x^3 + a))/a^2 + c*\log(\text{abs}(x))/a^2 - 1/9*\text{sqrt}(3)*(2*b^2*d + a*b*g - 2*(-a*b^2)^{(1/3)}*a*h - (-a*b^2)^{(1/3)}*b*e)*\arctan(1/3*\text{sqrt}(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a*b) - 1/18*(2*b^2*d + a*b*g + 2*(-a*b^2)^{(1/3)}*a*h + (-a*b^2)^{(1/3)}*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a*b) + 1/3*(a*b*c - a^2*f - (a^2*h - a*b*e)*x^2 + (a*b*d - a^2*g)*x)/((b*x^3 + a)*a^2*b) - 1/9*(2*a^4*b^2*h*(-a/b)^{(1/3)} + a^3*b^3*(-a/b)^{(1/3)}*e + 2*a^3*b^3*d + a^4*b^2*g)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^5*b^3$

maple [B] time = 0.06, size = 507, normalized size = 1.75

$$\frac{c \log(|bx^3 + a|)}{3(bx^3 + a)^2} + \frac{c \log(|ad|)}{3(bx^3 + a)^2} + \frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}ab} + \frac{2ab \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}ab} + \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}ab} + \frac{ab \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}ab} + \frac{c \log\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18\left(\frac{a}{b}\right)^{\frac{1}{3}}ab} + \frac{c \log(|bx^3 + a|)}{3(bx^3 + a)^2} + \frac{f}{3(bx^3 + a)b} + \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}ab} + \frac{2ab \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}ab} + \frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}ab} + \frac{2ab \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}ab} + \frac{2ab \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}ab}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^2,x)
```

[Out] $-1/3/(b*x^3+a)/b*x^2*h+1/3/(b*x^3+a)/a*e*x^2-1/3/(b*x^3+a)/b*x*g+1/3/a*x/(b*x^3+a)*d-1/3/(b*x^3+a)/b*f+1/3/a/(b*x^3+a)*c+1/9/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*g+2/9/a/b*d/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-1/18/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*g-1/9/(a/b)^{(2/3)}/a/b*d*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/9/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*g+2/9/a/b*d/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-2/9/b^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*h-1/9/(a/b)^{(1/3)}/a/b*e*\ln(x+(a/b)^{(1/3)})+1/9/b^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*h+1/18/(a/b)^{(1/3)}/a/b*e*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/9/b^2*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*h+1/9*3^{(1/2)}/(a/b)^{(1/3)}/a/b*e*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3/a^2*c*\ln(b*x^3+a)+1/a^2*c*\ln(x)$

maxima [A] time = 3.04, size = 302, normalized size = 1.04

$$\frac{(be - ah)x^2 + bc - af + (bd - ag)x + c \log(x)}{3(ab^2x^3 + a^2b)} + \frac{c \log(x)}{a^2} + \frac{\sqrt{3} \left(abc \left(\frac{a}{b}\right)^{\frac{2}{3}} + 2a^2h \left(\frac{a}{b}\right)^{\frac{2}{3}} + 2abd \left(\frac{a}{b}\right)^{\frac{1}{3}} + a^2g \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9a^2b} - \frac{\left(6b^2c \left(\frac{a}{b}\right)^{\frac{2}{3}} - abc \left(\frac{a}{b}\right)^{\frac{1}{3}} - 2a^2h \left(\frac{a}{b}\right)^{\frac{1}{3}} + 2abd + a^2g \right) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18a^2b^2 \left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{\left(3b^2c \left(\frac{a}{b}\right)^{\frac{2}{3}} + abc \left(\frac{a}{b}\right)^{\frac{1}{3}} + 2a^2h \left(\frac{a}{b}\right)^{\frac{1}{3}} - 2abd - a^2g \right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9a^2b^2 \left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

$$\frac{b^3cx + 20ab^2d^2ex + 40a^2b^2d^2hx + 10a^2b^2egx}{(9a^2) - (x(8a^4h^3 - 8b^4d^3 + ab^3e^3 - a^3bg^3 - 6a^2b^2d^2g^2 + 6a^2b^2e^2h + 12b^4cd^2e - 12ab^3d^2g + 12a^3b^2e^2h^2 + 12a^2b^2c^2gh + 24ab^3cd^2h + 6ab^3c^2eg)) / (27a^3b^2)} \cdot \text{root}(729a^6b^5z^3 + 729a^4b^5c^2z^2 + 54a^5b^2g^2hz + 108a^4b^3d^2hz + 27a^4b^3egz + 54a^3b^4d^2ez + 243a^2b^5c^2z + 18ab^4cd^2e + 18a^3b^2c^2gh + 36a^2b^3cd^2h + 9a^2b^3c^2eg + 12a^4b^2e^2h^2 + 6a^3b^2e^2h - 12a^2b^3d^2g - 6a^3b^2d^2g^2 - a^4b^2g^3 - 8ab^4d^3 + 8a^5h^3 + 27b^5c^3 + a^2b^3e^3, z, k), k, 1, 3) + (c \log(x)) / a^2$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x/(b*x**3+a)**2,x)

[Out] Timed out

$$3.365 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)^2} dx$$

Optimal. Leaf size=301

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(ah + 2be) + b^{2/3}(4bc - af)\right)}{18a^{7/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(ah + 2be) + b^{2/3}(4bc - af)\right)}{9a^{7/3}b^{4/3}}$$

Rubi [A] time = 0.59, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(ah + 2be) + b^{2/3}(4bc - af)\right)}{18a^{7/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(ah + 2be) + b^{2/3}(4bc - af)\right)}{9a^{7/3}b^{4/3}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) \left(-2a^{2/3}be + a^{5/3}(-h) - ab^{2/3}f + 4b^{5/3}c\right)}{3\sqrt{3}a^{7/3}b^{4/3}} + \frac{x(-bx(bc - af) - bx^2(bd - ag) + a(bc - ah))}{3a^2b(a + bx^3)} - \frac{d \log(a + bx^3)}{3a^2} - \frac{c}{a^2x} + \frac{d \log(x)}{a^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^2), x]

[Out] -(c/(a^2*x)) + (x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(3*a^2*b*(a + b*x^3)) + ((4*b^(5/3)*c - 2*a^(2/3)*b*e - a*b^(2/3)*f - a^(5/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(7/3)*b^(4/3)) + (d*Log[x])/a^2 + ((b^(2/3)*(4*b*c - a*f) + a^(2/3)*(2*b*e + a*h))*Log[a^(1/3) + b^(1/3)*x])/(9*a^(7/3)*b^(4/3)) - ((b^(2/3)*(4*b*c - a*f) + a^(2/3)*(2*b*e + a*h))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(7/3)*b^(4/3)) - (d*Log[a + b*x^3])/(3*a^2)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^m_/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^2(a + bx^3)^2} dx &= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} - \frac{\int \frac{-3b^2c - 3b^2dx - b(2be + ah)x^2 + b^3}{x^2(a + bx^3)} dx}{3ab^2} \\
&= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} - \frac{\int \left(-\frac{3b^2c}{ax^2} - \frac{3b^2d}{ax} + \frac{b(-a(2be + ah) - b^3)}{a + bx^3} \right) dx}{3ab^2} \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{d \log(x)}{a^2} - \frac{\int \frac{-a(2be + ah) - b^3}{a + bx^3} dx}{3ab^2} \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{d \log(x)}{a^2} - \frac{\int \frac{-a(2be + ah) - b^3}{a + bx^3} dx}{3ab^2} \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{d \log(x)}{a^2} - \frac{d \log(x)}{3ab^2} \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{(b^{2/3})}{3ab^2} \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{(b^{2/3})}{3ab^2} \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{(4b^{5/3}c - 2a^{2/3}b^3)}{3ab^2}
\end{aligned}$$

Mathematica [A] time = 0.40, size = 285, normalized size = 0.95

$$\frac{a^{2/3} \log\left(\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx + b^2x^2}}{b^{4/3}}\right) (2a^{2/3}bc + a^{5/3}h - a^{2/3}f + 4b^{5/3}c)}{b^{4/3}} - \frac{2a^{2/3} \log\left(\frac{\sqrt[3]{a} + \sqrt[3]{bx}}{b^{4/3}}\right) (2a^{2/3}bc + a^{5/3}h - a^{2/3}f + 4b^{5/3}c)}{b^{4/3}} + \frac{2\sqrt[3]{a} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt[3]{a}}\right) (2a^{2/3}bc + a^{5/3}h + ab^{2/3}f - 4b^{5/3}c)}{b^{4/3}} + \frac{6a(a^2(g + hx) - ab(d + x(+ f)) + b^2cx^2)}{b(a + bx^3)} + 6ad \log(a + bx^3) + \frac{18ac}{x} - 18ad \log(x)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^2),x]
[Out] -1/18*((18*a*c)/x + (6*a*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f*x))
))/ (b*(a + b*x^3)) + (2*Sqrt[3]*a^(2/3)*(-4*b^(5/3)*c + 2*a^(2/3)*b*e + a*b
^(2/3)*f + a^(5/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]]/b^(4/3)
- 18*a*d*Log[x] - (2*a^(2/3)*(4*b^(5/3)*c + 2*a^(2/3)*b*e - a*b^(2/3)*f + a
^(5/3)*h)*Log[a^(1/3) + b^(1/3)*x])/b^(4/3) + (a^(2/3)*(4*b^(5/3)*c + 2*a^(
2/3)*b*e - a*b^(2/3)*f + a^(5/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/
3)*x^2])/b^(4/3) + 6*a*d*Log[a + b*x^3])/a^3
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^2(a + bx^3)^2} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^
3)^2),x]
```

```
[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^
3)^2), x]
```

fricas [C] time = 35.59, size = 12556, normalized size = 41.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="fri
cas")
```

```
[Out] -1/324*(108*(4*b^2*c - a*b*f)*x^3 + 324*a*b*c - 108*(a*b*e - a^2*h)*x^2 + 2
*(a^2*b^2*x^4 + a^3*b*x)*((-I*sqrt(3) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f -
2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f
*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^
5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 1
2*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 +
6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 -
9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^
4)/(a^7*b^4)^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h +
2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3
- 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3
*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^
4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e
```


$$\begin{aligned}
& *f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a \\
& ^7*b^4))^{(1/3)} + 54*d/a^2)*\log(-36*a*b^4*c*d^2 + 64*a*b^4*c^2*e + 12*a^2*b^ \\
& 3*d*e^2 + 4*a^3*b^2*e*f^2 + 3*a^4*b*d*h^2 - 1/324*(4*a^5*b^4*c - a^6*b^3*f) \\
& *((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8 \\
& *c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b \\
& + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - \\
& 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4* \\
& b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 \\
& - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h) \\
&)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81 \\
& *(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9 \\
& *d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a* \\
& b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h \\
& ^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f \\
& ^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)* \\
& a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^ \\
& 2)^2 + 1/18*(24*a^3*b^4*c*d - 4*a^4*b^3*e^2 - 6*a^4*b^3*d*f - 4*a^5*b^2*e*h \\
& - a^6*b*h^2)*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b \\
& + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f \\
& - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a \\
& ^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e \\
& ^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e* \\
& h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6 \\
& *(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4 \\
&))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2* \\
& c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^ \\
& 3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h \\
& - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + \\
& a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 \\
& + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1 \\
& /3)} + 54*d/a^2) + (9*a^2*b^3*d^2 - 32*a^2*b^3*c*e)*f + 2*(16*a^2*b^3*c^2 + \\
& 6*a^3*b^2*d*e - 8*a^3*b^2*c*f + a^4*b*f^2)*h - (64*b^5*c^3 - 8*a^2*b^3*e^3 \\
& - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^ \\
& 4*b*e*h^2 - a^5*h^3)*x) - 108*(a*b*d - a^2*g)*x + (162*b^2*d*x^4 + 162*a*b* \\
& d*x - (a^2*b^2*x^4 + a^3*b*x)*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(\\
& e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(\\
& a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(\\
& 64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^ \\
& 3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5* \\
& c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e \\
& ^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f) \\
& *a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f \\
& *h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^ \\
& 5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 1 \\
& 2*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 +
\end{aligned}$$

$$\begin{aligned}
& 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - \\
& 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4 \\
& 4)/(a^7*b^4))^{(1/3)} + 54*d/a^2) - 3*\sqrt{1/3}*(a^2*b^2*x^4 + a^3*b*x)*\sqrt{1/3} \\
& - (((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - \\
& 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a* \\
& b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - \\
& 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4* \\
& b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - \\
& (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d* \\
& h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 8 \\
& 1*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (\\
& 9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a* \\
& b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e* \\
& h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (\\
& f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c) \\
& *a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a \\
& ^2)^2*a^4*b^2 - 108*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c* \\
& h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + \\
& 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 \\
& - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3* \\
& b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4* \\
& b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e* \\
& f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a \\
& ^7*b^4))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e* \\
& f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8* \\
& a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2* \\
& e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e* \\
& h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + \\
& 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^ \\
& 4))^{(1/3)} + 54*d/a^2)*a^2*b^2*d + 2916*b^2*d^2 - 10368*b^2*c*e + 2592*a*b*e* \\
& f - 1296*(4*a*b*c - a^2*f)*h)/(a^4*b^2))*\log(36*a*b^4*c*d^2 - 64*a*b^4*c^ \\
& 2*e - 12*a^2*b^3*d*e^2 - 4*a^3*b^2*e*f^2 - 3*a^4*b*d*h^2 + 1/324*(4*a^5*b^4 \\
& *c - a^6*b^3*f)*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a \\
& *b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e \\
& *f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8 \\
& *a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2* \\
& e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b* \\
& e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + \\
& 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^ \\
& 4))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - \\
& 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2* \\
& b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2* \\
& h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 \\
& + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f \\
& ^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)}
\end{aligned}$$

$$\begin{aligned}
& (1/3) + 54*d/a^2)^2 - 1/18*(24*a^3*b^4*c*d - 4*a^4*b^3*e^2 - 6*a^4*b^3*d*f \\
& - 4*a^5*b^2*e*h - a^6*b*h^2)*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e \\
& *f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a \\
& ^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(6 \\
& 4*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 \\
& - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c \\
& ^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^ \\
& 3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)* \\
& a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h \\
& + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5 \\
& *c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12 \\
& *a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + \\
& 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9 \\
& *d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4 \\
&)/(a^7*b^4))^{(1/3)} + 54*d/a^2) - (9*a^2*b^3*d^2 - 32*a^2*b^3*c*e)*f - 2*(16 \\
& *a^2*b^3*c^2 + 6*a^3*b^2*d*e - 8*a^3*b^2*c*f + a^4*b*f^2)*h - 2*(64*b^5*c^3 \\
& - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3 \\
& *b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)*x + 1/108*\sqrt{1/3}*(216*a^3*b^4*c*d \\
& + 72*a^4*b^3*e^2 - 54*a^4*b^3*d*f + 72*a^5*b^2*e*h + 18*a^6*b*h^2 - (4*a^5* \\
& b^4*c - a^6*b^3*f)*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h) \\
&)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2 \\
& *(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 \\
& - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3* \\
& b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4 \\
& *b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e* \\
& f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^ \\
& 7*b^4))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f \\
& - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a \\
& ^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e \\
& ^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e* \\
& h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6 \\
& *(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4 \\
&))^{(1/3)} + 54*d/a^2))*\sqrt{-(((I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e \\
& *f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a \\
& ^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(6 \\
& 4*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 \\
& - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c \\
& ^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^ \\
& 3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)* \\
& a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h \\
& + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5 \\
& *c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12 \\
& *a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + \\
& 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9 \\
& *d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4
\end{aligned}$$

$$\begin{aligned}
&)/(a^7b^4))^{(1/3)} + 54*d/a^2)^2*a^4*b^2 - 108*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 \\
& - (a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27* \\
& d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^ \\
& 6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c \\
& *f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) \\
& + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h) \\
& *a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24* \\
& c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a \\
& ^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2 \\
&) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 \\
& - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1 \\
& 458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3* \\
& b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e \\
& + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2)*a^2*b^2*d + 2916*b^2*d^2 - \\
& 10368*b^2*c*e + 2592*a*b*e*f - 1296*(4*a*b*c - a^2*f)*h)/(a^4*b^2))) + (16 \\
& 2*b^2*d*x^4 + 162*a*b*d*x - (a^2*b^2*x^4 + a^3*b*x))*((-I*\sqrt{3}) + 1)*(9*d^ \\
& 2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(- \\
& 1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)* \\
& d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2* \\
& b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7* \\
& b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d \\
& *f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 \\
& - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27* \\
& d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^ \\
& 6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c \\
& *f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) \\
& + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h) \\
& *a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24* \\
& c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2) + 3*sqrt(1/3)*(a^2*b^ \\
& 2*x^4 + a^3*b*x)*sqrt(-(((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - \\
& 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f* \\
& h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5 \\
& *c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12 \\
& *a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + \\
& 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9 \\
& *d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4 \\
&))/(a^7*b^4))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2 \\
& *(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 \\
& - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3* \\
& b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4 \\
& *b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e* \\
& f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^ \\
& 7*b^4))^{(1/3)} + 54*d/a^2)^2*a^4*b^2 - 108*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a \\
& ^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a \\
& ^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2
\end{aligned}$$

$$\begin{aligned}
&) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 \\
& - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1 \\
& 458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3* \\
& b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e \\
& + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + \\
& 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1 \\
& /1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3 \\
& *b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(\\
& 64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + \\
& 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16 \\
& *c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2)*a^2*b^2*d + 2916*b^2*d^2 - 1036 \\
& 8*b^2*c*e + 2592*a*b*e*f - 1296*(4*a*b*c - a^2*f)*h)/(a^4*b^2))*\log(36*a*b \\
& ^4*c*d^2 - 64*a*b^4*c^2*e - 12*a^2*b^3*d*e^2 - 4*a^3*b^2*e*f^2 - 3*a^4*b*d* \\
& h^2 + 1/324*(4*a^5*b^4*c - a^6*b^3*f)*((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (a^2*f \\
& *h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + \\
& 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - \\
& 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^ \\
& 3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458* \\
& (64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 \\
& + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 1 \\
& 6*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/16 \\
& 2*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/145 \\
& 8*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2 \\
& *f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b \\
& ^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(\\
& 4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2 \\
& *f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2)^2 - 1/18*(24*a^3*b^4*c*d - 4*a^4*b^ \\
& 3*e^2 - 6*a^4*b^3*d*f - 4*a^5*b^2*e*h - a^6*b*h^2)*((-I*\sqrt{3} + 1)*(9*d^2 \\
& /a^4 - (a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1 \\
& /27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d \\
& /(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b \\
& ^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b \\
& ^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d* \\
& f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - \\
& 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d \\
& ^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6 \\
& *b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c* \\
& f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + \\
& 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)* \\
& a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c \\
& *d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2) - (9*a^2*b^3*d^2 - 32* \\
& a^2*b^3*c*e)*f - 2*(16*a^2*b^3*c^2 + 6*a^3*b^2*d*e - 8*a^3*b^2*c*f + a^4*b* \\
& f^2)*h - 2*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 \\
& - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)*x - 1/108*\sqrt{3} \\
& (1/3)*(216*a^3*b^4*c*d + 72*a^4*b^3*e^2 - 54*a^4*b^3*d*f + 72*a^5*b^2*e*h +
\end{aligned}$$

$$\begin{aligned}
& 18*a^6*b*h^2 - (4*a^5*b^4*c - a^6*b^3*f)*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) \\
& - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 54*d/a^2))*sqrt(-(((I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 54*d/a^2))^2*a^4*b^2 - 108*((I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 54*d/a^2)*a^2*b^2*d + 2916*b^2*d^2 - 10368*b^2*c*e + 2592*a*b*e*f - 1296*(4*a*b*c - a^2*f*h)/(a^4*b^2))) - 324*(b^2*d*x^4 + a*b*d*x)*log(x))/(a^2*b^2*x^4 + a^3*b*x)
\end{aligned}$$

giac [A] time = 0.20, size = 328, normalized size = 1.09

$$\frac{d \log(|bx^3 + a|)}{3a^2} + \frac{d \log(|x|)}{a^2} - \frac{\sqrt{3} \left(a^2 h + 2 a b e + 4 (-ab^2)^{\frac{1}{3}} b c - (-ab^2)^{\frac{1}{3}} a f \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 (-ab^2)^{\frac{1}{3}} a^2} - \frac{\left(a^2 h + 2 a b e - 4 (-ab^2)^{\frac{1}{3}} b c + (-ab^2)^{\frac{1}{3}} a f \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 (-ab^2)^{\frac{1}{3}} a^2} - \frac{4 b^2 c x^3 - a b f x^3 + a^2 h x^2 - a b x^2 e - a b^2 x e + a^2 g x + 3 a b c}{3 (b x^3 + a)^2 b} + \frac{\left(4 a^2 b^2 c \left(-\frac{a}{b} \right)^{\frac{1}{3}} - a^2 b^3 f \left(-\frac{a}{b} \right)^{\frac{1}{3}} - a^2 b^2 h - 2 a^2 b^2 e \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{9 a^2 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="giac")

[Out]
$$-1/3*d*\log(\text{abs}(b*x^3 + a))/a^2 + d*\log(\text{abs}(x))/a^2 - 1/9*\text{sqrt}(3)*(a^2*h + 2*a*b*e + 4*(-a*b^2)^{(1/3)}*b*c - (-a*b^2)^{(1/3)}*a*f)*\arctan(1/3*\text{sqrt}(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^2) - 1/18*(a^2*h + 2*a*b*e - 4*(-a*b^2)^{(1/3)}*b*c + (-a*b^2)^{(1/3)}*a*f)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^2) - 1/3*(4*b^2*c*x^3 - a*b*f*x^3 + a^2*h*x^2 - a*b*x^2*e - a*b*d*x + a^2*g*x + 3*a*b*c)/((b*x^4 + a*x)*a^2*b) + 1/9*(4*a^2*b^4*c*(-a/b)^{(1/3)} - a^3*b^3*f*(-a/b)^{(1/3)} - a^4*b^2*h - 2*a^3*b^3*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})/(a^5*b^3))$$

maple [B] time = 0.06, size = 517, normalized size = 1.72

$$\frac{f x^2}{3(b x^3 + a)^2} + \frac{b c x^2}{3(b x^3 + a)^2} + \frac{a e}{3(b x^3 + a)^2} + \frac{b e}{3(b x^3 + a)^2} - \frac{2 \sqrt{3} \arctan \left(\frac{x \sqrt{3} + (-\frac{a}{b})^{\frac{1}{3}}}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-\frac{a}{b} \right)^{\frac{1}{3}} a b} - \frac{2 \ln \left(x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right) + \arctan \left(x^2 \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9 \left(-\frac{a}{b} \right)^{\frac{1}{3}} a b} - \frac{\sqrt{3} f \arctan \left(\frac{x \sqrt{3} + (-\frac{a}{b})^{\frac{1}{3}}}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-\frac{a}{b} \right)^{\frac{1}{3}} a b} - \frac{f \ln \left(x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right) + b \ln \left(x^2 \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(-\frac{a}{b} \right)^{\frac{1}{3}} a b} - \frac{d}{3(b x^3 + a)^2} + \frac{4 \sqrt{3} e \arctan \left(\frac{x \sqrt{3} + (-\frac{a}{b})^{\frac{1}{3}}}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-\frac{a}{b} \right)^{\frac{1}{3}} a^2} + \frac{4 \ln \left(x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right) + 2 \ln \left(x^2 \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9 \left(-\frac{a}{b} \right)^{\frac{1}{3}} a^2} - \frac{d \ln \left(x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 a^2} + \frac{e}{3(b x^3 + a)^2} + \frac{\sqrt{3} b \arctan \left(\frac{x \sqrt{3} + (-\frac{a}{b})^{\frac{1}{3}}}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-\frac{a}{b} \right)^{\frac{1}{3}} a b} + \frac{b \ln \left(x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right) + b \ln \left(x^2 \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(-\frac{a}{b} \right)^{\frac{1}{3}} a b} - \frac{c}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x)

[Out]
$$1/3/a/(b*x^3+a)*x^2*f-1/3/a^2/(b*x^3+a)*b*c*x^2-1/3/(b*x^3+a)/b*x*h+1/3/(b*x^3+a)/a*e*x-1/3/(b*x^3+a)/b*g+1/3/a/(b*x^3+a)*d+1/9/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*h+2/9/(a/b)^{(2/3)}/a/b*e*\ln(x+(a/b)^{(1/3)})-1/18/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*h-1/9/(a/b)^{(2/3)}/a/b*e*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/9/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*h+2/9/(a/b)^{(2/3)}*3^{(1/2)}/a/b*e*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/9/(a/b)^{(1/3)}/a/b*f*\ln(x+(a/b)^{(1/3)})+4/9/a^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c+1/18/a/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f-2/9/a^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c+1/9*3^{(1/2)}/(a/b)^{(1/3)}/a/b*f*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-4/9/a^2*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-1/3/a^2*d*\ln(b*x^3+a)-1/a^2*c/x+1/a^2*d*\ln(x)$$

maxima [A] time = 3.13, size = 329, normalized size = 1.09

$$\frac{(4 b^2 c - a b f) x^3 + 3 a b c - (a b c - a^2 h) x^2 - (a b f - a^2 g) x + d \log(x)}{3 (a^2 b^2 x^3 + a^2 b)} - \frac{\sqrt{3} \left(4 b^2 c \left(\frac{a}{b} \right)^{\frac{1}{3}} - a b f \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2 a b c \left(\frac{a}{b} \right)^{\frac{1}{3}} - a^2 h \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 a^2 b} - \frac{\left(6 b^2 d \left(\frac{a}{b} \right)^{\frac{1}{3}} + 4 b^2 c \left(\frac{a}{b} \right)^{\frac{1}{3}} - a b f \left(\frac{a}{b} \right)^{\frac{1}{3}} + 2 a b c + a^2 h \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 a^2 b^2 \left(\frac{a}{b} \right)^{\frac{1}{3}}} - \frac{\left(3 b^2 d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 4 b^2 c \left(\frac{a}{b} \right)^{\frac{1}{3}} + a b f \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2 a b c - a^2 h \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 a^2 b^2 \left(\frac{a}{b} \right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$-1/3*((4*b^2*c - a*b*f)*x^3 + 3*a*b*c - (a*b*e - a^2*h)*x^2 - (a*b*d - a^2*g)*x)/(a^2*b^2*x^4 + a^3*b*x) + d*\log(x)/a^2 - 1/9*\sqrt{3}*(4*b^2*c*(a/b)^{(2/3)} - a*b*f*(a/b)^{(2/3)} - 2*a*b*e*(a/b)^{(1/3)} - a^2*h*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^3*b) - 1/18*(6*b^2*d*(a/b)^{(2/3)} + 4*b^2*c*(a/b)^{(1/3)} - a*b*f*(a/b)^{(1/3)} + 2*a*b*e + a^2*h)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^2*b^2*(a/b)^{(2/3)}) - 1/9*(3*b^2*d*(a/b)^{(2/3)} - 4*b^2*c*(a/b)^{(1/3)} + a*b*f*(a/b)^{(1/3)} - 2*a*b*e - a^2*h)*\log(x + (a/b)^{(1/3)})/(a^2*b^2*(a/b)^{(2/3)})$$

mupad [B] time = 5.77, size = 1684, normalized size = 5.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^2),x)

[Out]
$$\text{symsum}(\log((d*(a^3*h^2 + 4*a*b^2*e^2 + 12*b^3*c*d - 3*a*b^2*d*f + 4*a^2*b*e*h))/(9*a^4) - (\text{root}(729*a^7*b^4*z^3 + 729*a^5*b^4*d*z^2 + 27*a^5*b^2*f*h*z - 108*a^4*b^3*c*h*z + 54*a^4*b^3*e*f*z - 216*a^3*b^4*c*e*z + 243*a^3*b^4*d^2*z - 72*a*b^4*c*d*e + 9*a^3*b^2*d*f*h - 36*a^2*b^3*c*d*h + 18*a^2*b^3*d*e*f - 6*a^4*b*e*h^2 + 48*a*b^4*c^2*f - 12*a^3*b^2*e^2*h - 12*a^2*b^3*c*f^2 - 8*a^2*b^3*e^3 + 27*a*b^4*d^3 - a^5*h^3 - 64*b^5*c^3 + a^3*b^2*f^3, z, k)*(a^3*h^2 + 4*a*b^2*e^2 + 36*b^3*d^2*x - 24*b^3*c*d + 324*\text{root}(729*a^7*b^4*z^3 + 729*a^5*b^4*d*z^2 + 27*a^5*b^2*f*h*z - 108*a^4*b^3*c*h*z + 54*a^4*b^3*e*f*z - 216*a^3*b^4*c*e*z + 243*a^3*b^4*d^2*z - 72*a*b^4*c*d*e + 9*a^3*b^2*d*f*h - 36*a^2*b^3*c*d*h + 18*a^2*b^3*d*e*f - 6*a^4*b*e*h^2 + 48*a*b^4*c^2*f - 12*a^3*b^2*e^2*h - 12*a^2*b^3*c*f^2 - 8*a^2*b^3*e^3 + 27*a*b^4*d^3 - a^5*h^3 - 64*b^5*c^3 + a^3*b^2*f^3, z, k)*a^2*b^3*c - 9*\text{root}(729*a^7*b^4*z^3 + 729*a^5*b^4*d*z^2 + 27*a^5*b^2*f*h*z - 108*a^4*b^3*c*h*z + 54*a^4*b^3*e*f*z - 216*a^3*b^4*c*e*z + 243*a^3*b^4*d^2*z - 72*a*b^4*c*d*e + 9*a^3*b^2*d*f*h - 36*a^2*b^3*c*d*h + 18*a^2*b^3*d*e*f - 6*a^4*b*e*h^2 + 48*a*b^4*c^2*f - 12*a^3*b^2*e^2*h - 12*a^2*b^3*c*f^2 - 8*a^2*b^3*e^3 + 27*a*b^4*d^3 - a^5*h^3 - 64*b^5*c^3 + a^3*b^2*f^3, z, k)*a^3*b^2*f + 216*\text{root}(729*a^7*b^4*z^3 + 729*a^5*b^4*d*z^2 + 27*a^5*b^2*f*h*z - 108*a^4*b^3*c*h*z + 54*a^4*b^3*e*f*z - 216*a^3*b^4*c*e*z + 243*a^3*b^4*d^2*z - 72*a*b^4*c*d*e + 9*a^3*b^2*d*f*h - 36*a^2*b^3*c*d*h + 18*a^2*b^3*d*e*f - 6*a^4*b*e*h^2 + 48*a*b^4*c^2*f - 12*a^3*b^2*e^2*h - 12*a^2*b^3*c*f^2 - 8*a^2*b^3*e^3 + 27*a*b^4*d^3 - a^5*h^3 - 64*b^5*c^3 + a^3*b^2*f^3, z, k)$$

$$\begin{aligned}
& k)a^2b^3dx - 40ab^2c*hx + 20a*b^2*ef*x + 10a^2*b*f*h*x)/(9a^2) \\
& + (x*(64*b^5*c^3 + a^5*h^3 + 8a^2*b^3*e^3 - a^3*b^2*f^3 + 12a^2*b^3*c*f^2 \\
& + 12a^3*b^2*e^2*h - 48a*b^4*c^2*f + 6a^4*b*e*h^2 + 24a^2*b^3*c*d*h - \\
& 12a^2*b^3*d*ef - 6a^3*b^2*d*f*h + 48a*b^4*c*d*e))/(27a^5*b))*\text{root}(729* \\
& a^7*b^4*z^3 + 729a^5*b^4*d*z^2 + 27a^5*b^2*f*h*z - 108a^4*b^3*c*h*z + 54 \\
& *a^4*b^3*ef*z - 216a^3*b^4*c*e*z + 243a^3*b^4*d^2*z - 72a*b^4*c*d*e + 9 \\
& *a^3*b^2*d*f*h - 36a^2*b^3*c*d*h + 18a^2*b^3*d*ef - 6a^4*b*e*h^2 + 48a \\
& *b^4*c^2*f - 12a^3*b^2*e^2*h - 12a^2*b^3*c*f^2 - 8a^2*b^3*e^3 + 27a*b^4 \\
& *d^3 - a^5*h^3 - 64*b^5*c^3 + a^3*b^2*f^3, z, k), k, 1, 3) - (c/a + (x^3*(4 \\
& *b*c - a*f))/(3a^2) - (x*(b*d - a*g))/(3a*b) - (x^2*(b*e - a*h))/(3a*b)) \\
& /(a*x + b*x^4) + (d*\log(x))/a^2
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2/(b*x**3+a)**2,x)

[Out] Timed out

$$3.366 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)^2} dx$$

Optimal. Leaf size=306

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (5bc - 2af) - \sqrt[3]{a} (4bd - ag)\right)}{18a^{8/3} b^{2/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (5bc - 2af) - \sqrt[3]{a} (4bd - ag)\right)}{9a^{8/3} b^{2/3}}$$

Rubi [A] time = 0.58, antiderivative size = 304, normalized size of antiderivative = 0.99, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\frac{\sqrt[3]{b} (5bc - 2af) - \sqrt[3]{a} (4bd - ag)}{9a^{8/3} b^{2/3}}\right) + \tan^{-1}\left(\frac{\sqrt[3]{b} (5bc - 2af) - \sqrt[3]{a} (4bd - ag)}{\sqrt[3]{a} \sqrt[3]{b} x}\right) \left(\frac{a^{4/3} (-g) + 4\sqrt[3]{a} bd - 2a\sqrt[3]{b} f + 5b^{4/3} c}{3\sqrt[3]{a} a^{8/3} b^{2/3}}\right) - \frac{x(x(bd - ag) + x^2(bc - ah) - af + bc)}{3a^2(a + bx^3)} - \frac{c \log(a + bx^3)}{3a^2} - \frac{c}{2a^2 x^2} - \frac{d}{a^2 x} + \frac{e \log(x)}{a^2}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^2), x]

[Out] -c/(2*a^2*x^2) - d/(a^2*x) - (x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(3*a^2*(a + b*x^3)) + ((5*b^(4/3)*c + 4*a^(1/3)*b*d - 2*a*b^(1/3)*f - a^(4/3)*g)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(8/3)*b^(2/3)) + (e*Log[x])/a^2 - ((b^(1/3)*(5*b*c - 2*a*f) - a^(1/3)*(4*b*d - a*g))*Log[a^(1/3) + b^(1/3)*x]/(9*a^(8/3)*b^(2/3)) + ((5*b*c - 2*a*f - (a^(1/3)*(4*b*d - a*g))/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(8/3)*b^(1/3)) - (e*Log[a + b*x^3])/(3*a^2)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^3(a + bx^3)^2} dx &= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} - \frac{\int \frac{-3b^2c - 3b^2dx - 3b^2ex^2 + 2b^2\left(\frac{bc}{a} - f\right)x^3}{x^3(a + bx^3)} dx}{3ab^2} \\
&= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} - \frac{\int \left(-\frac{3b^2c}{ax^3} - \frac{3b^2d}{ax^2} - \frac{3b^2e}{ax} + \frac{b^2(5bc - af)}{a^2}\right) dx}{3ab^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{\int \frac{5b^2c - af}{a^2} dx}{3ab^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{\int \frac{5b^2c - af}{a^2} dx}{3ab^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{e \log(x)}{3ab^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{(5b^2c - af)x}{3ab^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{(5b^2c - af)x}{3ab^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{(5b^2c - af)x}{3ab^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{(5b^2c - af)x}{3ab^2}
\end{aligned}$$

Mathematica [A] time = 0.54, size = 292, normalized size = 0.95

$$\frac{\sqrt[3]{a} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{b^{2/3}} + \frac{2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{4/3} g - 4 \sqrt[3]{a} h d - 2 a \sqrt[3]{b} f + 5 b^{4/3} c\right)}{b^{2/3}} + \frac{2 \sqrt[3]{a} \sqrt[3]{a} \tan^{-1}\left(\frac{1 + 2 \sqrt[3]{b} x}{\sqrt[3]{a}}\right) \left(a^{4/3} g - 4 \sqrt[3]{a} h d + 2 a \sqrt[3]{b} f - 5 b^{4/3} c\right)}{b^{2/3}} + \frac{6 a \left(a^2 h - a b (c + x(f + g x)) + b^2 x(c + d x)\right)}{b(a + b x^3)} + 6 a e \log(a + b x^3) + \frac{9 a c}{x^2} + \frac{18 a d}{x} - 18 a e \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^2), x]

[Out]
$$-1/18*((9*a*c)/x^2 + (18*a*d)/x + (6*a*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x))))/(b*(a + b*x^3)) + (2*\sqrt{3}*a^{(1/3)}*(-5*b^{(4/3)}*c - 4*a^{(1/3)}*b*d + 2*a*b^{(1/3)}*f + a^{(4/3)}*g)*\text{ArcTan}[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\sqrt{3}])/b^{(2/3)} - 18*a*e*\text{Log}[x] + (2*a^{(1/3)}*(5*b^{(4/3)}*c - 4*a^{(1/3)}*b*d - 2*a*b^{(1/3)}*f + a^{(4/3)}*g)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/b^{(2/3)} - (a^{(1/3)}*(5*b^{(4/3)}*c - 4*a^{(1/3)}*b*d - 2*a*b^{(1/3)}*f + a^{(4/3)}*g)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/b^{(2/3)} + 6*a*e*\text{Log}[a + b*x^3])/a^3$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^3 (a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^2), x]

fricas [C] time = 24.67, size = 12231, normalized size = 39.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$-1/324*(108*(4*b^2*d - a*b*g)*x^4 + 324*a*b*d*x + 54*(5*b^2*c - 2*a*b*f)*x^3 + 162*a*b*c - 108*(a*b*e - a^2*h)*x^2 + 2*(a^2*b^2*x^5 + a^3*b*x^2)*((-I*\sqrt{3} + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g +$$

$$\begin{aligned}
& 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2* \\
& b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2)* \\
& \log(-160*a*b^3*c*d^2 + 75*a*b^3*c^2*e - 36*a^2*b^2*d*e^2 + 12*a^3*b*e*f^2 - \\
& 1/324*(4*a^6*b^2*d - a^7*b*g)*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b^2*c*d + \\
& 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(\\
& 20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(1 \\
& 25*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^ \\
& 3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^ \\
& 4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f \\
& + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2* \\
& f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20* \\
& b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125* \\
& b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - \\
& 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^ \\
& ^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + \\
& 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)* \\
& a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2)^2 - 2*(5*a^3*b*c - 2*a^4*f)*g^2 - 1/18* \\
& (25*a^3*b^3*c^2 - 24*a^4*b^2*d*e - 20*a^4*b^2*c*f + 4*a^5*b*f^2 + 6*a^5*b*e \\
& *g)*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f \\
& - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9 \\
& *e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - \\
& 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a \\
& ^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 \\
& - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3* \\
& e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} \\
& + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^ \\
& 2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 15 \\
& 0*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3* \\
& b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9 \\
& *e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g \\
&)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 5 \\
& 4*e/a^2) + 4*(16*a^2*b^2*d^2 - 15*a^2*b^2*c*e)*f + (80*a^2*b^2*c*d + 9*a^3* \\
& b*e^2 - 32*a^3*b*d*f)*g - (125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 6 \\
& 0*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3 \\
&)*x) + (162*b^2*e*x^5 + 162*a*b*e*x^2 - (a^2*b^2*x^5 + a^3*b*x^2))*((-I*\sqrt{ \\
& 3}) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b \\
&)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f \\
& - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^ \\
& 2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - \\
& a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6 \\
& *d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b \\
& ^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*\sqrt{ \\
& 3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5 \\
& *c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f \\
& + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4
\end{aligned}$$

$$\begin{aligned}
& *g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d* \\
& g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 \\
& - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2) - 3* \\
& \text{sqrt}(1/3)*(a^2*b^2*x^5 + a^3*b*x^2)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(9*e^2/a^4 - (\\
& 20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a \\
& ^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) \\
& - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 \\
& - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/ \\
& 1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^ \\
& 3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d \\
& *e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^6 \\
& + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - \\
& 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8 \\
& *a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/145 \\
& 8*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - \\
& 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e \\
& + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2)^2*a^5*b - 108*((-I*\text{sqrt}(3) \\
& + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a \\
& ^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5* \\
& c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f \\
& + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4* \\
& g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g \\
& ^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - \\
& 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*\text{sqrt}(3) + \\
& 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g) \\
&)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 6 \\
& 0*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3 \\
&)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2) \\
&)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2* \\
& (32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2)*a^3*b*e \\
& + 25920*b^2*c*d + 2916*a*b*e^2 - 10368*a*b*d*f - 1296*(5*a*b*c - 2*a^2*f)*g \\
&)/(a^5*b)))*\log(160*a*b^3*c*d^2 - 75*a*b^3*c^2*e + 36*a^2*b^2*d*e^2 - 12*a^ \\
& 3*b*e*f^2 + 1/324*(4*a^6*b^2*d - a^7*b*g)*((-I*\text{sqrt}(3) + 1)*(9*e^2/a^4 - (2 \\
& 0*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^ \\
& 6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) \\
& - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - \\
& 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1 \\
& 458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 \\
& - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d* \\
& e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^6 + \\
& 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1 \\
& /1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8* \\
& a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458 \\
& *(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - \\
& 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e +
\end{aligned}$$

$$\begin{aligned}
& 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2)^2 + 2*(5*a^3*b*c - 2*a^4*f)* \\
& g^2 + 1/18*(25*a^3*b^3*c^2 - 24*a^4*b^2*d*e - 20*a^4*b^2*c*f + 4*a^5*b*f^2 \\
& + 6*a^5*b*e*g)*((-I*sqrt(3) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9* \\
& e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a \\
& ^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64* \\
& a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d \\
& ^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 \\
& - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5* \\
& (4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b \\
& ^2))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2* \\
& f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b \\
& ^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2* \\
& g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2 \\
& *(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4* \\
& f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2) \\
&)^{(1/3)} + 54*e/a^2) - 4*(16*a^2*b^2*d^2 - 15*a^2*b^2*c*e)*f - (80*a^2*b^2*c \\
& *d + 9*a^3*b*e^2 - 32*a^3*b*d*f)*g - 2*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a* \\
& b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d* \\
& g^2 - a^4*g^3)*x + 1/108*sqrt(1/3)*(450*a^3*b^3*c^2 + 216*a^4*b^2*d*e - 360 \\
& *a^4*b^2*c*f + 72*a^5*b*f^2 - 54*a^5*b*e*g - (4*a^6*b^2*d - a^7*b*g)*((-I*s \\
& qrt(3) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)* \\
& a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d \\
& *f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3 \\
& *c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 \\
& - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g \\
& + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^ \\
& 2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*sq \\
& rt(3) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f \\
& - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^ \\
& 2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - \\
& a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6 \\
& *d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b \\
& ^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2))* \\
& sqrt(-(((I*sqrt(3) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8* \\
& d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + \\
& (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^ \\
& 3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 1 \\
& 2*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f \\
& ^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - \\
& 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/ \\
& 3)} + 81*(I*sqrt(3) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9 \\
& *e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - \\
& 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a \\
& ^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 \\
& - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*
\end{aligned}$$

$$\begin{aligned}
& e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} \\
& + 54*e/a^2)^2*a^5*b - 108*((-I*sqrt(3) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 4*8*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2)*a^3*b*e + 25920*b^2*c*d + 2916*a*b*e^2 - 103*68*a*b*d*f - 1296*(5*a*b*c - 2*a^2*f)*g)/(a^5*b))) + (162*b^2*e*x^5 + 162*a*b*e*x^2 - (a^2*b^2*x^5 + a^3*b*x^2))*((-I*sqrt(3) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2) + 3*sqrt(1/3)*(a^2*b^2*x^5 + a^3*b*x^2)*sqrt(-(((-I*sqrt(3) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2)^2*a^5*b - 108*((-I*sqrt(3) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162
\end{aligned}$$

$$\begin{aligned}
& * (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458* \\
& (125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b* \\
& f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125* \\
& b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e \\
& *f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^ \\
& 2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*e^3/a^6 + 1/162*(2 \\
& 0*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(12 \\
& 5*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 \\
& - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4 \\
& *c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f \\
& + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f \\
&)*a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2)*a^3*b*e + 25920*b^2*c*d + 2916*a*b*e^ \\
& 2 - 10368*a*b*d*f - 1296*(5*a*b*c - 2*a^2*f)*g)/(a^5*b)))*log(160*a*b^3*c*d \\
& ^2 - 75*a*b^3*c^2*e + 36*a^2*b^2*d*e^2 - 12*a^3*b*e*f^2 + 1/324*(4*a^6*b^2* \\
& d - a^7*b*g)*((-I*sqrt(3) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^ \\
& 2 - 8*d*f - 5*c*g)*a*b)/(a^5*b))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2 \\
& *f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a* \\
& b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2 \\
& *g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - \\
& 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4 \\
& *f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2 \\
&))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f* \\
& g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3 \\
& *d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g \\
& + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(\\
& 4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^ \\
& 2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{ \\
& (1/3)} + 54*e/a^2)^2 + 2*(5*a^3*b*c - 2*a^4*f)*g^2 + 1/18*(25*a^3*b^3*c^2 - \\
& 24*a^4*b^2*d*e - 20*a^4*b^2*c*f + 4*a^5*b*f^2 + 6*a^5*b*e*g)*((-I*sqrt(3) + \\
& 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^ \\
& 5*b))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c \\
& *g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + \\
& 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^ \\
& ^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^ \\
& 2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - \\
& 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*sqrt(3) + \\
& 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g) \\
& *a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60 \\
& *a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3) \\
& / (a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)* \\
& a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(\\
& 32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2) - 4*(16*a \\
& ^2*b^2*d^2 - 15*a^2*b^2*c*e)*f - (80*a^2*b^2*c*d + 9*a^3*b*e^2 - 32*a^3*b*d \\
& *f)*g - 2*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 \\
& - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)*x - 1/108*sqrt
\end{aligned}$$

$$\begin{aligned}
& (1/3)*(450*a^3*b^3*c^2 + 216*a^4*b^2*d*e - 360*a^4*b^2*c*f + 72*a^5*b*f^2 - \\
& 54*a^5*b*e*g - (4*a^6*b^2*d - a^7*b*g)*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20* \\
& b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b))/(-1/27*e^3/a^6 \\
& + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - \\
& 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8 \\
& *a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/145 \\
& 8*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - \\
& 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e \\
& + 75*c^2*f)*a*b^3)/(a^8*b^2))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1 \\
& /162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1 \\
& 458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^ \\
& 3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(\\
& 125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24 \\
& *d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 7 \\
& 5*c^2*f)*a*b^3)/(a^8*b^2))^(1/3) + 54*e/a^2))*\sqrt{-(((-I*\sqrt{3}) + 1)*(9*e \\
& ^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b))/(- \\
& 1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b) \\
& *e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2* \\
& b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8 \\
& *b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b \\
& + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^ \\
& 3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/2 \\
& 7*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/ \\
& (a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2 \\
& *c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^ \\
& 2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + \\
& 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - \\
& 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^(1/3) + 54*e/a^2)^2*a^5*b - 108*((- \\
& I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c* \\
& g)*a*b)/(a^5*b))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - \\
& 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a* \\
& b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d* \\
& g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f* \\
& *g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c) \\
& *a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^(1/3) + 81*(I \\
& *\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d \\
& *f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3 \\
& *c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 \\
& - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g \\
& + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^ \\
& 2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^(1/3) + 54*e/a^2 \\
&)*a^3*b*e + 25920*b^2*c*d + 2916*a*b*e^2 - 10368*a*b*d*f - 1296*(5*a*b*c - \\
& 2*a^2*f)*g)/(a^5*b))) - 324*(b^2*e*x^5 + a*b*e*x^2)*\log(x))/(a^2*b^2*x^5 + \\
& a^3*b*x^2)
\end{aligned}$$

giac [A] time = 0.19, size = 336, normalized size = 1.10

$$\frac{e \log(|bx^3 + a|)}{3a^2} + \frac{e \log(bx)}{a^2} + \frac{\sqrt{3} \left(5b^2c - 2abf - 4(-ab)^{\frac{1}{3}}bd + (-ab)^{\frac{1}{3}}ag \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab)^{\frac{1}{3}}a^2} + \frac{\left(5b^2c - 2abf + 4(-ab)^{\frac{1}{3}}bd - (-ab)^{\frac{1}{3}}ag \right) \log\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(-ab)^{\frac{1}{3}}a^2} + \frac{\left(4a^2b^2d\left(\frac{a}{b}\right)^{\frac{1}{3}} - a^2b^2c\left(\frac{a}{b}\right)^{\frac{1}{3}} + 5a^2b^2c - 2a^2bf \right) \left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|1 - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{9ab^2} - \frac{2(4b^2d - abg)x^4 + 6abdx + (5b^2c - 2abf)x^3 + 3abc + 2(a^2d - abe)x^2}{6(bx^3 + a)a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-1/3*e*\log(\text{abs}(b*x^3 + a))/a^2 + e*\log(\text{abs}(x))/a^2 + 1/9*\text{sqrt}(3)*(5*b^2*c - 2*a*b*f - 4*(-a*b^2)^{(1/3)}*b*d + (-a*b^2)^{(1/3)}*a*g)*\arctan(1/3*\text{sqrt}(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^2) + 1/18*(5*b^2*c - 2*a*b*f + 4*(-a*b^2)^{(1/3)}*b*d - (-a*b^2)^{(1/3)}*a*g)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^2) + 1/9*(4*a^2*b^2*d*(-a/b)^{(1/3)} - a^3*b*g*(-a/b)^{(1/3)} + 5*a^2*b^2*c - 2*a^3*b*f)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})/(a^5*b) - 1/6*(2*(4*b^2*d - a*b*g)*x^4 + 6*a*b*d*x + (5*b^2*c - 2*a*b*f)*x^3 + 3*a*b*c + 2*(a^2*h - a*b*e)*x^2)/((b*x^3 + a)*a^2*b*x^2)$

maple [B] time = 0.07, size = 527, normalized size = 1.72

$$\frac{e^2}{3(b^2x^2 + a)^2} + \frac{bdx^2}{3(b^2x^2 + a)^2} + \frac{fx}{3(b^2x^2 + a)^2} + \frac{bcx}{3(b^2x^2 + a)^2} + \frac{\sqrt{3} f \arctan\left(\frac{d\sqrt{3}}{b}\right)}{9(b^2)^{\frac{1}{3}}ab} + \frac{2f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9(b^2)^{\frac{1}{3}}ab} + \frac{f \ln\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9(b^2)^{\frac{1}{3}}ab} + \frac{\sqrt{3} g \arctan\left(\frac{d\sqrt{3}}{b}\right)}{9(b^2)^{\frac{1}{3}}ab} + \frac{g \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9(b^2)^{\frac{1}{3}}ab} + \frac{g \ln\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(b^2)^{\frac{1}{3}}ab} + \frac{e}{3(b^2x^2 + a)} + \frac{5\sqrt{3} f \arctan\left(\frac{d\sqrt{3}}{b}\right)}{9(b^2)^{\frac{1}{3}}a^2} + \frac{5 \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9(b^2)^{\frac{1}{3}}a^2} + \frac{5 \ln\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(b^2)^{\frac{1}{3}}a^2} + \frac{4 \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9(b^2)^{\frac{1}{3}}a^2} + \frac{2 \ln\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9(b^2)^{\frac{1}{3}}a^2} + \frac{e \log(bx^3 + a)}{9a^2} + \frac{e}{3(b^2x^2 + a)^2} + \frac{d}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x)

[Out] $1/3/a/(b*x^3+a)*x^2*g - 1/3/(b*x^3+a)/a^2*b*d*x^2 + 1/3/a/(b*x^3+a)*f*x - 1/3/(b*x^3+a)/a^2*b*c*x - 1/3/(b*x^3+a)/b*h + 1/3/(b*x^3+a)/a*e - 5/9/(a/b)^{(2/3)}/a^2*c*\ln(x + (a/b)^{(1/3)}) + 5/18/(a/b)^{(2/3)}/a^2*c*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) - 5/9/(a/b)^{(2/3)}*3^{(1/2)}/a^2*c*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x - 1)) + 2/9/(a/b)^{(2/3)}/a/b*f*\ln(x + (a/b)^{(1/3)}) - 1/9/a*f/b/(a/b)^{(2/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + 2/9/a*f/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x - 1)) + 4/9/(a/b)^{(1/3)}/a^2*d*\ln(x + (a/b)^{(1/3)}) - 2/9/(a/b)^{(1/3)}/a^2*d*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) - 4/9*3^{(1/2)}/(a/b)^{(1/3)}/a^2*d*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x - 1)) - 1/9/a*g/b/(a/b)^{(1/3)}*\ln(x + (a/b)^{(1/3)}) + 1/18/a*g/b/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + 1/9/a*g*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x - 1)) - 1/3/a^2*e*\ln(b*x^3+a) - 1/a^2*d/x + 1/a^2*e*\ln(x) - 1/2/a^2*c/x^2$

maxima [A] time = 3.06, size = 316, normalized size = 1.03

$$\frac{2(4b^2d - abg)x^4 + 6abdx + (5b^2c - 2abf)x^3 + 3abc - 2(abx - a^2b)x^2}{6(a^2b^2x^5 + a^2bx^2)} + \frac{e \log(x)}{a^2} + \frac{\sqrt{3} \left(4bd\left(\frac{a}{b}\right)^{\frac{1}{3}} - ag\left(\frac{a}{b}\right)^{\frac{1}{3}} + 5bc\left(\frac{a}{b}\right)^{\frac{1}{3}} - 2af\left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9a^3} + \frac{\left(6bc\left(\frac{a}{b}\right)^{\frac{1}{3}} + 4bd\left(\frac{a}{b}\right)^{\frac{1}{3}} - ag\left(\frac{a}{b}\right)^{\frac{1}{3}} - 5bc + 2af \right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18a^2b\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{\left(5bc\left(\frac{a}{b}\right)^{\frac{1}{3}} - 4bd\left(\frac{a}{b}\right)^{\frac{1}{3}} + ag\left(\frac{a}{b}\right)^{\frac{1}{3}} + 5bc - 2af \right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9a^2b\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$-1/6*(2*(4*b^2*d - a*b*g)*x^4 + 6*a*b*d*x + (5*b^2*c - 2*a*b*f)*x^3 + 3*a*b*c - 2*(a*b*e - a^2*h)*x^2)/(a^2*b^2*x^5 + a^3*b*x^2) + e*\log(x)/a^2 - 1/9*\sqrt{3}*(4*b*d*(a/b)^{(2/3)} - a*g*(a/b)^{(2/3)} + 5*b*c*(a/b)^{(1/3)} - 2*a*f*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^3 - 1/18*(6*b*e*(a/b)^{(2/3)} + 4*b*d*(a/b)^{(1/3)} - a*g*(a/b)^{(1/3)} - 5*b*c + 2*a*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^2*b*(a/b)^{(2/3)}) - 1/9*(3*b*e*(a/b)^{(2/3)} - 4*b*d*(a/b)^{(1/3)} + a*g*(a/b)^{(1/3)} + 5*b*c - 2*a*f)*\log(x + (a/b)^{(1/3)})/(a^2*b*(a/b)^{(2/3)})$$

mupad [B] time = 5.71, size = 1632, normalized size = 5.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^2),x)

[Out]
$$\text{symsum}(\log((b^2*e*(25*b^2*c^2 + 4*a^2*f^2 - 3*a^2*e*g - 20*a*b*c*f + 12*a*b*d*e))/(9*a^5) - \sqrt[3]{729*a^8*b^2*z^3 + 729*a^6*b^2*e*z^2 + 54*a^5*b*f*g*z - 216*a^4*b^2*d*f*z - 135*a^4*b^2*c*g*z + 540*a^3*b^3*c*d*z + 243*a^4*b^2*e^2*z + 18*a^3*b*e*f*g + 180*a*b^3*c*d*e - 72*a^2*b^2*d*e*f - 45*a^2*b^2*c*e*g - 12*a^3*b*d*g^2 - 150*a*b^3*c^2*f + 48*a^2*b^2*d^2*g + 60*a^2*b^2*c*f^2 + 27*a^2*b^2*e^3 - 8*a^3*b*f^3 - 64*a*b^3*d^3 + 125*b^4*c^3 + a^4*g^3, z, k)*b^2*(25*b^2*c^2 + 4*a^2*f^2 - 9*\sqrt[3]{729*a^8*b^2*z^3 + 729*a^6*b^2*e*z^2 + 54*a^5*b*f*g*z - 216*a^4*b^2*d*f*z - 135*a^4*b^2*c*g*z + 540*a^3*b^3*c*d*z + 243*a^4*b^2*e^2*z + 18*a^3*b*e*f*g + 180*a*b^3*c*d*e - 72*a^2*b^2*d*e*f - 45*a^2*b^2*c*e*g - 12*a^3*b*d*g^2 - 150*a*b^3*c^2*f + 48*a^2*b^2*d^2*g + 60*a^2*b^2*c*f^2 + 27*a^2*b^2*e^3 - 8*a^3*b*f^3 - 64*a*b^3*d^3 + 125*b^4*c^3 + a^4*g^3, z, k)*a^4*g + 6*a^2*e*g + 36*\sqrt[3]{729*a^8*b^2*z^3 + 729*a^6*b^2*e*z^2 + 54*a^5*b*f*g*z - 216*a^4*b^2*d*f*z - 135*a^4*b^2*c*g*z + 540*a^3*b^3*c*d*z + 243*a^4*b^2*e^2*z + 18*a^3*b*e*f*g + 180*a*b^3*c*d*e - 72*a^2*b^2*d*e*f - 45*a^2*b^2*c*e*g - 12*a^3*b*d*g^2 - 150*a*b^3*c^2*f + 48*a^2*b^2*d^2*g + 60*a^2*b^2*c*f^2 + 27*a^2*b^2*e^3 - 8*a^3*b*f^3 - 64*a*b^3*d^3 + 125*b^4*c^3 + a^4*g^3, z, k)*a^3*b*d + 36*a*b*e^2*x + 200*b^2*c*d*x + 20*a^2*f*g*x + 324*\sqrt[3]{729*a^8*b^2*z^3 + 729*a^6*b^2*e*z^2 + 54*a^5*b*f*g*z - 216*a^4*b^2*d*f*z - 135*a^4*b^2*c*g*z + 540*a^3*b^3*c*d*z + 243*a^4*b^2*e^2*z + 18*a^3*b*e*f*g + 180*a*b^3*c*d*e - 72*a^2*b^2*d*e*f - 45*a^2*b^2*c*e*g - 12*a^3*b*d*g^2 - 150*a*b^3*c^2*f + 48*a^2*b^2*d^2*g + 60*a^2*b^2*c*f^2 + 27*a^2*b^2*e^3 - 8*a^3*b*f^3 - 64*a*b^3*d^3 + 125*b^4*c^3 + a^4*g^3, z, k)^2*a^5*b*x - 20*a*b*c*f - 24*a*b*d*e - 50*a*b*c*g*x - 80*a*b*d*f*x + 216*\sqrt[3]{729*a^8*b^2*z^3 + 729*a^6*b^2*e*z^2 + 54*a^5*b*f*g*z - 216*a^4*b^2*d*f*z - 135*a^4*b^2*c*g*z + 540*a^3*b^3*c*d*z + 243*a^4*b^2*e^2*z + 18*a^3*b*e*f*g + 180*a*b^3*c*d*e - 72*a^2*b^2*d*e*f - 45*a^2*b^2*c*e*g - 12*a^3*b*d*g^2 - 150*a*b^3*c^2*f + 48*a^2*b^2*d^2*g + 60*a^2*b^2*c*f^2 + 27*a^2*b^2*e^3$$

$$\begin{aligned}
& - 8a^3b^3f^3 - 64a^2b^3d^3 + 125b^4c^3 + a^4g^3, z, k) * a^3b^3e^3x) / (9 * \\
& a^3) - (b^3x * (125b^4c^3 + a^4g^3 - 64a^2b^3d^3 - 8a^3b^3f^3 + 60a^2b^2 \\
& c^2f^2 + 48a^2b^2d^2g - 150a^2b^3c^2f - 12a^3b^2d^2g^2 - 30a^2b^2c^2e^2g \\
& - 48a^2b^2d^2e^2f + 120a^2b^3c^2d^2e + 12a^3b^2e^2f^2g) / (27a^6)) * \text{root} \\
& (729a^8b^2z^3 + 729a^6b^2e^2z^2 + 54a^5b^2f^2gz - 216a^4b^2d^2f^2z \\
& - 135a^4b^2c^2gz + 540a^3b^3c^2d^2z + 243a^4b^2e^2z + 18a^3b^2e^2f^2g \\
& + 180a^2b^3c^2d^2e - 72a^2b^2d^2e^2f - 45a^2b^2c^2e^2g - 12a^3b^2d^2g^2 \\
& - 150a^2b^3c^2f^2 + 48a^2b^2d^2g^2 + 60a^2b^2c^2f^2 + 27a^2b^2e^2f^2 - \\
& 8a^3b^3f^3 - 64a^2b^3d^3 + 125b^4c^3 + a^4g^3, z, k), k, 1, 3) - (c / (2 \\
& * a) + (x^3 * (5b^3c - 2a^2f)) / (6a^2) + (x^4 * (4b^3d - a^2g)) / (3a^2) + (d * x) / a \\
& - (x^2 * (b^3e - a^2h)) / (3a^2b)) / (a * x^2 + b * x^5) + (e * \log(x)) / a^2
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3/(b*x**3+a)**2,x)

[Out] Timed out

$$3.367 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)^2} dx$$

Optimal. Leaf size=338

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (5bd - 2ag) - \sqrt[3]{a} (4be - ah)\right)}{18a^{8/3} b^{2/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (5bd - 2ag) - \sqrt[3]{a} (4be - ah)\right)}{9a^{8/3} b^{2/3}}$$

Rubi [A] time = 0.73, antiderivative size = 336, normalized size of antiderivative = 0.99, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{b} (4be - ah)}{\sqrt[3]{a}} - 2ag + 5bd\right)}{18a^{8/3} b^{2/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (5bd - 2ag) - \sqrt[3]{a} (4be - ah)\right)}{9a^{8/3} b^{2/3}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt[3]{a} \sqrt[3]{b}}\right) \left(a^{4/3} (-h) + 4\sqrt[3]{a} bc - 2a\sqrt[3]{b} g + 5b^{4/3} d\right)}{3\sqrt[3]{a} a^{8/3} b^{2/3}} - \frac{x \left(-bx^2 \left(\frac{c}{a} - f\right) + x(bc - ah) - ag + bd\right)}{3a^2 (a + bx^3)} + \frac{(2bc - af) \log(a + bx^3)}{3a^3} - \frac{\log(x) (2bc - af)}{a^3} - \frac{c}{3a^2 x^3} - \frac{d}{2a^2 x^2} - \frac{e}{a^2 x}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^2), x]

[Out] -c/(3*a^2*x^3) - d/(2*a^2*x^2) - e/(a^2*x) - (x*(b*d - a*g + (b*e - a*h)*x - b*((b*c)/a - f)*x^2))/(3*a^2*(a + b*x^3)) + ((5*b^(4/3)*d + 4*a^(1/3)*b*e - 2*a*b^(1/3)*g - a^(4/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(8/3)*b^(2/3)) - ((2*b*c - a*f)*Log[x])/a^3 - ((b^(1/3)*(5*b*d - 2*a*g) - a^(1/3)*(4*b*e - a*h))*Log[a^(1/3) + b^(1/3)*x])/(9*a^(8/3)*b^(2/3)) + ((5*b*d - 2*a*g - (a^(1/3)*(4*b*e - a*h)))/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(8/3)*b^(1/3)) + ((2*b*c - a*f)*Log[a + b*x^3])/(3*a^3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^n), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```


Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^4(a + bx^3)^2} dx &= -\frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2(a + bx^3)} - \int \frac{-3b^2c - 3b^2dx - 3b^2ex^2 + 3b^2 \left(\frac{bc}{a} - f \right) x^3}{x^4(a + bx^3)^2} dx \\
 &= -\frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2(a + bx^3)} - \int \left(-\frac{3b^2c}{ax^4} - \frac{3b^2d}{ax^3} - \frac{3b^2e}{ax^2} - \frac{3b^2 \left(\frac{bc}{a} - f \right)}{ax} \right) dx \\
 &= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2(a + bx^3)} - \frac{3b^2 \left(\frac{bc}{a} - f \right)}{a^2} \ln|x + bx^3| \\
 &= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2(a + bx^3)} - \frac{3b^2 \left(\frac{bc}{a} - f \right)}{a^2} \ln|x + bx^3| \\
 &= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2(a + bx^3)} - \frac{3b^2 \left(\frac{bc}{a} - f \right)}{a^2} \ln|x + bx^3| \\
 &= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2(a + bx^3)} - \frac{3b^2 \left(\frac{bc}{a} - f \right)}{a^2} \ln|x + bx^3| \\
 &= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2(a + bx^3)} - \frac{3b^2 \left(\frac{bc}{a} - f \right)}{a^2} \ln|x + bx^3| \\
 &= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2(a + bx^3)} + \frac{3b^2 \left(\frac{bc}{a} - f \right)}{a^2} \ln|x + bx^3|
 \end{aligned}$$

Mathematica [A] time = 0.62, size = 303, normalized size = 0.90

$$\frac{\sqrt[3]{d} \log\left(\frac{\sqrt[3]{d} - \sqrt[3]{d} \sqrt[3]{x+bx^3}}{\mu^{2/3}}\right) \left(a^{4/3}h - 4\sqrt[3]{d}bc - 2a\sqrt[3]{d}g + 5b^4d\right) - 2\sqrt[3]{d} \log\left(\sqrt[3]{d} + \sqrt[3]{d}x\right) \left(a^{4/3}h - 4\sqrt[3]{d}bc - 2a\sqrt[3]{d}g + 5b^4d\right)}{18a^3} - \frac{2\sqrt[3]{d} \sqrt[3]{d} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{d}x}{\sqrt[3]{d}}\right) \left(a^{4/3}h - 4\sqrt[3]{d}bc + 2a\sqrt[3]{d}g - 5b^4d\right)}{18a^3} + \frac{a(6d(f+x(g+hx)) - 6b(c+x(d+ex)))}{a+bx^3} + 6(2bc - af) \log(a + bx^3) + 18 \log(x)(af - 2bc) - \frac{6ac}{x^3} - \frac{9ad}{x^2} - \frac{18ae}{x}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^2), x]

[Out] $\left(\frac{-6ac}{x^3} - \frac{9ad}{x^2} - \frac{18ae}{x} + \frac{a(-6b(c + x(d + ex)) + 6a(f + x(g + hx)))}{(a + bx^3)^2} - \frac{2\sqrt[3]{d} \log\left(\frac{1 - 2\sqrt[3]{d}x}{\sqrt[3]{d}}\right) \left(a^{4/3}h - 4\sqrt[3]{d}bc + 2a\sqrt[3]{d}g - 5b^4d\right)}{18a^3} + \frac{a(6d(f+x(g+hx)) - 6b(c+x(d+ex)))}{a+bx^3} + 6(2bc - af) \log(a + bx^3) + 18 \log(x)(af - 2bc) - \frac{6ac}{x^3} - \frac{9ad}{x^2} - \frac{18ae}{x}\right) / (18a^3)$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^4 (a + bx^3)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^2), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^2), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.23, size = 363, normalized size = 1.07

$$\frac{\sqrt[3]{d} \left(5b^4d - 2abg + (-ab^2)^2 ab - 4(-ab^2)^2 bc\right) \arctan\left(\frac{\sqrt[3]{d}(-1-x^3)}{x(-x^3)}\right) - \left(5b^4d - 2abg - (-ab^2)^2 ab + 4(-ab^2)^2 bc\right) \log\left(x^2 + x(-x^3) + (-x^3)^2\right) - (2bc - af) \log(bx^3 + a) - \frac{(2bc - af) \log(bx^3 + a)}{3a^2} - \frac{(2bc - af) \log(bx^3 + a)}{a^3} - \frac{a^2 \log\left(\frac{1 - 4a^2 x^3 - 4a^2 x^3 - 5a^2 x^3 + 2a^2 x^3}{9a^2 b}\right) (-x^3)^2 \log\left(\frac{1 - (-x^3)^2}{1 - (-x^3)^2}\right) + 2(\sigma^2 b - 4ab)^2 - (5abd - 2a^2 g)^2 - 6a^2 c^2 - 3a^2 d^2 - 2(2abc - a^2 f)^2 - 2a^2 c}{6(bx^3 + a)^2 a^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="gia
c")

[Out] $\frac{1}{9}\sqrt{3}(5b^2d - 2abg + (-ab^2)^{1/3}ah - 4(-ab^2)^{1/3}be) \arctan\left(\frac{1}{3}\sqrt{3}(2x + (-a/b)^{1/3})/(-a/b)^{1/3}\right)/((-ab^2)^{2/3}a^2) + \frac{1}{18}(5b^2d - 2abg - (-ab^2)^{1/3}ah + 4(-ab^2)^{1/3}be) \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3})/((-ab^2)^{2/3}a^2) + \frac{1}{3}(2bc - af) \log(\text{abs}(bx^3 + a))/a^3 - (2bc - af) \log(\text{abs}(x))/a^3 - \frac{1}{9}(a^5bh(-a/b)^{1/3} - 4a^4b^2(-a/b)^{1/3}e - 5a^4b^2d + 2a^5b^2g)(-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3}))/a^7b + \frac{1}{6}(2(a^2h - 4abe) x^5 - (5abd - 2a^2g) x^4 - 6a^2x^2e - 3a^2dx - 2(2abc - a^2f) x^3 - 2a^2c)/((bx^3 + a)a^3x^3)$

maple [B] time = 0.06, size = 561, normalized size = 1.66

$$\frac{h^2}{36a^2x^2} - \frac{hg}{36a^2x^2} + \frac{g^2}{36a^2x^2} + \frac{hd}{36a^2x^2} - \frac{2\sqrt{3}g \arctan\left(\frac{a^{1/3} - (-a/b)^{1/3}}{3(-a/b)^{1/3}}\right)}{9|b|^2 a^2} - \frac{2c \ln\left(\frac{a + (-a/b)^{1/3}}{a}\right)}{9|b|^2 a^2} - \frac{e \ln\left(\frac{a^2 - (-a/b)^{2/3} + (-a/b)^{1/3}}{a}\right)}{9|b|^2 a^2} - \frac{\sqrt{3}h \arctan\left(\frac{a^{1/3} - (-a/b)^{1/3}}{3(-a/b)^{1/3}}\right)}{9|b|^2 a^2} - \frac{h \ln\left(\frac{a + (-a/b)^{1/3}}{a}\right)}{9|b|^2 a^2} - \frac{h \ln\left(\frac{a^2 - (-a/b)^{2/3} + (-a/b)^{1/3}}{a}\right)}{18|b|^2 a^2} - \frac{f}{36a^2x^2} + \frac{bc}{36a^2x^2} - \frac{\sqrt{3}g \arctan\left(\frac{a^{1/3} - (-a/b)^{1/3}}{3(-a/b)^{1/3}}\right)}{9|b|^2 a^2} - \frac{5a \ln\left(\frac{a + (-a/b)^{1/3}}{a}\right)}{9|b|^2 a^2} - \frac{5a \ln\left(\frac{a^2 - (-a/b)^{2/3} + (-a/b)^{1/3}}{a}\right)}{9|b|^2 a^2} - \frac{4\sqrt{3}e \arctan\left(\frac{a^{1/3} - (-a/b)^{1/3}}{3(-a/b)^{1/3}}\right)}{9|b|^2 a^2} - \frac{4e \ln\left(\frac{a + (-a/b)^{1/3}}{a}\right)}{9|b|^2 a^2} - \frac{2e \ln\left(\frac{a^2 - (-a/b)^{2/3} + (-a/b)^{1/3}}{a}\right)}{9|b|^2 a^2} - \frac{(2bc - af) \log(x)}{36a^2x^2} - \frac{2c \ln(\text{abs}(bx^3 + a))}{36a^2x^2} - \frac{2c \ln(\text{abs}(x))}{36a^2x^2} - \frac{d}{36a^2x^2} - \frac{c}{36a^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x)

[Out] $-\frac{1}{2}a^2d/x^2 - \frac{1}{a^2}e/x + \frac{1}{3}a/(bx^3+a) x^2h + \frac{1}{3}a/(bx^3+a) g x + \frac{4}{9}(a/b)^{1/3}/a^2e \ln(x + (a/b)^{1/3}) + \frac{5}{18}(a/b)^{2/3}/a^2d \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) - \frac{5}{9}(a/b)^{2/3}/a^2d \ln(x + (a/b)^{1/3}) - \frac{2}{9}(a/b)^{1/3}/a^2e \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) - \frac{4}{9}a^2e \sqrt{3}^{1/2}/(a/b)^{1/3} \arctan\left(\frac{1}{3}\sqrt{3}^{1/2}(2/(a/b)^{1/3}x - 1)\right) + \frac{1}{a^2} \ln(x) f + \frac{1}{3}a/(bx^3+a) f - \frac{1}{3}a^2 \ln(bx^3+a) f - \frac{1}{3}a^2c/x^3 - \frac{1}{3}(bx^3+a)/a^2b^2c + \frac{2}{9}a g b/(a/b)^{2/3} \sqrt{3}^{1/2} \arctan\left(\frac{1}{3}\sqrt{3}^{1/2}(2/(a/b)^{1/3}x - 1)\right) + \frac{1}{9}a h \sqrt{3}^{1/2}/b/(a/b)^{1/3} \arctan\left(\frac{1}{3}\sqrt{3}^{1/2}(2/(a/b)^{1/3}x - 1)\right) - \frac{1}{9}a h/b/(a/b)^{1/3} \ln(x + (a/b)^{1/3}) + \frac{1}{18}a h/b/(a/b)^{1/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) + \frac{2}{9}a g b/(a/b)^{2/3} \ln(x + (a/b)^{1/3}) - \frac{5}{9}(a/b)^{2/3} \sqrt{3}^{1/2}/a^2d \arctan\left(\frac{1}{3}\sqrt{3}^{1/2}(2/(a/b)^{1/3}x - 1)\right) - \frac{1}{9}a g b/(a/b)^{2/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) - \frac{1}{3}a^2/(bx^3+a) b e x^2 - \frac{1}{3}(bx^3+a)/a^2b^2d x - \frac{2}{a^3}b^2c \ln(x) + \frac{2}{3}a^3b^2c \ln(bx^3+a)$

maxima [A] time = 3.08, size = 365, normalized size = 1.08

$$\frac{2(4bc-ab)^2x^3 + (5bd-2ag)x^4 + 6acx^2 + 2(2bc-af)x^2 + 3abc + 2ac}{6(a^2bx^3 + a^2x^2)} - \frac{(2bc-af) \log(x)}{a^2} - \frac{\sqrt{3}\left(4abx\left(\frac{x}{a}\right)^{\frac{1}{3}} - x^2b\left(\frac{x}{a}\right)^{\frac{2}{3}} + 5abd\left(\frac{x}{a}\right)^{\frac{1}{3}} - 2a^2g\left(\frac{x}{a}\right)^{\frac{2}{3}}\right) \arctan\left(\frac{a^{1/3} - (-a/b)^{1/3}}{3(-a/b)^{1/3}}\right)}{9a^2} - \frac{\left(12a^2c\left(\frac{x}{a}\right)^{\frac{1}{3}} - 6abf\left(\frac{x}{a}\right)^{\frac{1}{3}} - 4abc\left(\frac{x}{a}\right)^{\frac{1}{3}} + a^2b\left(\frac{x}{a}\right)^{\frac{2}{3}} + 5abd - 2a^2g\right) \log\left(x^2 - x\left(\frac{x}{a}\right)^{\frac{1}{3}} + \left(\frac{x}{a}\right)^{\frac{2}{3}}\right) + \left(6b^2c\left(\frac{x}{a}\right)^{\frac{1}{3}} - 3abf\left(\frac{x}{a}\right)^{\frac{1}{3}} + 4abc\left(\frac{x}{a}\right)^{\frac{1}{3}} - a^2b\left(\frac{x}{a}\right)^{\frac{2}{3}} - 5abd + 2a^2g\right) \log\left(x + \left(\frac{x}{a}\right)^{\frac{1}{3}}\right)}{18a^2b\left(\frac{x}{a}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="max
ima")

```
[Out] -1/6*(2*(4*b*e - a*h)*x^5 + (5*b*d - 2*a*g)*x^4 + 6*a*e*x^2 + 2*(2*b*c - a*f)*x^3 + 3*a*d*x + 2*a*c)/(a^2*b*x^6 + a^3*x^3) - (2*b*c - a*f)*log(x)/a^3 - 1/9*sqrt(3)*(4*a*b*e*(a/b)^(2/3) - a^2*h*(a/b)^(2/3) + 5*a*b*d*(a/b)^(1/3) - 2*a^2*g*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^4 + 1/18*(12*b^2*c*(a/b)^(2/3) - 6*a*b*f*(a/b)^(2/3) - 4*a*b*e*(a/b)^(1/3) + a^2*h*(a/b)^(1/3) + 5*a*b*d - 2*a^2*g)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^3*b*(a/b)^(2/3)) + 1/9*(6*b^2*c*(a/b)^(2/3) - 3*a*b*f*(a/b)^(2/3) + 4*a*b*e*(a/b)^(1/3) - a^2*h*(a/b)^(1/3) - 5*a*b*d + 2*a^2*g)*log(x + (a/b)^(1/3))/(a^3*b*(a/b)^(2/3))
```

mupad [B] time = 5.96, size = 1924, normalized size = 5.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^2), x)
```

```
[Out] symsum(log(- (50*b^5*c*d^2 - 48*b^5*c^2*e + 8*a^2*b^3*c*g^2 - 12*a^2*b^3*e*f^2 - 4*a^3*b^2*f*g^2 + 3*a^3*b^2*f^2*h - 25*a*b^4*d^2*f + 12*a*b^4*c^2*h - 12*a^2*b^3*c*f*h + 20*a^2*b^3*d*f*g - 40*a*b^4*c*d*g + 48*a*b^4*c*e*f)/(9*a^6) - root(729*a^9*b^2*z^3 + 729*a^7*b^2*f*z^2 - 1458*a^6*b^3*c*z^2 + 54*a^6*b*g*h*z - 216*a^5*b^2*e*g*z - 135*a^5*b^2*d*h*z - 972*a^4*b^3*c*f*z + 540*a^4*b^3*d*e*z + 243*a^5*b^2*f^2*z + 972*a^3*b^4*c^2*z + 18*a^4*b*f*g*h - 360*a*b^4*c*d*e - 72*a^3*b^2*e*f*g - 45*a^3*b^2*d*f*h - 36*a^3*b^2*c*g*h + 180*a^2*b^3*d*e*f + 144*a^2*b^3*c*e*g + 90*a^2*b^3*c*d*h - 12*a^4*b*e*h^2 + 324*a*b^4*c^2*f + 48*a^3*b^2*e^2*h - 150*a^2*b^3*d^2*g + 60*a^3*b^2*d*g^2 - 162*a^2*b^3*c*f^2 + 27*a^3*b^2*f^3 - 64*a^2*b^3*e^3 - 8*a^4*b*g^3 + 125*a*b^4*d^3 - 216*b^5*c^3 + a^5*h^3, z, k)*((25*a^3*b^4*d^2 + 4*a^5*b^2*g^2 + 48*a^3*b^4*c*e - 12*a^4*b^3*c*h - 20*a^4*b^3*d*g - 24*a^4*b^3*e*f + 6*a^5*b^2*f*h)/(9*a^6) + root(729*a^9*b^2*z^3 + 729*a^7*b^2*f*z^2 - 1458*a^6*b^3*c*z^2 + 54*a^6*b*g*h*z - 216*a^5*b^2*e*g*z - 135*a^5*b^2*d*h*z - 972*a^4*b^3*c*f*z + 540*a^4*b^3*d*e*z + 243*a^5*b^2*f^2*z + 972*a^3*b^4*c^2*z + 18*a^4*b*f*g*h - 360*a*b^4*c*d*e - 72*a^3*b^2*e*f*g - 45*a^3*b^2*d*f*h - 36*a^3*b^2*c*g*h + 180*a^2*b^3*d*e*f + 144*a^2*b^3*c*e*g + 90*a^2*b^3*c*d*h - 12*a^4*b*e*h^2 + 324*a*b^4*c^2*f + 48*a^3*b^2*e^2*h - 150*a^2*b^3*d^2*g + 60*a^3*b^2*d*g^2 - 162*a^2*b^3*c*f^2 + 27*a^3*b^2*f^3 - 64*a^2*b^3*e^3 - 8*a^4*b*g^3 + 125*a*b^4*d^3 - 216*b^5*c^3 + a^5*h^3, z, k)*((36*a^6*b^3*e - 9*a^7*b^2*h)/(9*a^6) - (x*(1296*a^5*b^4*c - 648*a^6*b^3*f))/(27*a^6) + 36*root(729*a^9*b^2*z^3 + 729*a^7*b^2*f*z^2 - 1458*a^6*b^3*c*z^2 + 54*a^6*b*g*h*z - 216*a^5*b^2*e*g*z - 135*a^5*b^2*d*h*z - 972*a^4*b^3*c*f*z + 540*a^4*b^3*d*e*z + 243*a^5*b^2*f^2*z + 972*a^3*b^4*c^2*z + 18*a^4*b*f*g*h - 360*a*b^4*c*d*e - 72*a^3*b^2*e*f*g - 45*a^3*b^2*d*f*h - 36*a^3*b^2*c*g*h + 180*a^2*b^3*d*e*f + 144*a^2*b^3*c*e*g + 90*a^2*b^3*c*d*h - 12*a^4*b*e*h^2 + 324*a*b^4*c^2*f + 48*a^3*b^2*e^2*h - 150*a^2*b^3*d^2*g + 60*a^3*b^2*d*g^2 - 162*a^2*b^3*c*f^2 + 27*a^3*b^2*f^3 - 64*a^2*b^3*e^3 - 8*a^4*b*g^3 + 125*a*b^4*d^3 - 216*
```

$$\begin{aligned}
& b^5c^3 + a^5h^3, z, k) \cdot a^2b^3x) + (x \cdot (432a^2b^5c^2 + 108a^4b^3f^2 \\
& - 432a^3b^4c^2f + 600a^3b^4d^2e - 150a^4b^3d^2h - 240a^4b^3e^2g + \\
& 60a^5b^2g^2h)) / (27a^6) - (x \cdot (125b^5d^3 - 64a^2b^4e^3 + a^4b^2h^3 - 8 \\
& a^3b^2g^3 + 60a^2b^3d^2g^2 + 48a^2b^3e^2h - 12a^3b^2e^2h^2 - 240 \\
& b^5c^2d^2e - 150a^2b^4d^2g - 24a^2b^3c^2g^2h - 30a^2b^3d^2f^2h - 48a^2 \\
& b^3e^2f^2g + 12a^3b^2f^2g^2h + 60a^2b^4c^2d^2h + 96a^2b^4c^2e^2g + 120a^2b^4 \\
& d^2e^2f)) / (27a^6) \cdot \text{root}(729a^9b^2z^3 + 729a^7b^2fz^2 - 1458a^6b^3c \\
& z^2 + 54a^6b^3g^2hz - 216a^5b^2e^2gz - 135a^5b^2d^2hz - 972a^4b^3 \\
& c^2fz + 540a^4b^3d^2ez + 243a^5b^2f^2z + 972a^3b^4c^2z + 18a^4 \\
& b^2f^2g^2h - 360a^2b^4c^2d^2e - 72a^3b^2e^2f^2g - 45a^3b^2d^2f^2h - 36a^3 \\
& b^2c^2g^2h + 180a^2b^3d^2e^2f + 144a^2b^3c^2e^2g + 90a^2b^3c^2d^2h - 12a \\
& ^4b^2e^2h^2 + 324a^2b^4c^2f + 48a^3b^2e^2h - 150a^2b^3d^2g + 60a^3 \\
& b^2d^2g^2 - 162a^2b^3c^2f^2 + 27a^3b^2f^3 - 64a^2b^3e^3 - 8a^4b \\
& ^2g^3 + 125a^2b^4d^3 - 216b^5c^3 + a^5h^3, z, k), k, 1, 3) - (c/(3a) + \\
& (e \cdot x^2)/a + (x^3 \cdot (2b \cdot c - a \cdot f)) / (3a^2) + (x^4 \cdot (5b \cdot d - 2a \cdot g)) / (6a^2) + (\\
& x^5 \cdot (4b \cdot e - a \cdot h)) / (3a^2) + (d \cdot x) / (2a)) / (a \cdot x^3 + b \cdot x^6) - (\log(x) \cdot (2b \cdot c \\
& - a \cdot f)) / a^3
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4/(b*x**3+a)**2,x)

[Out] Timed out

$$3.368 \quad \int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=345

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(b^{2/3}(5af + bc) - 2a^{2/3}(be - 7ah)\right)}{54a^{4/3}b^{10/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(b^{2/3}(5af + bc) - 2a^{2/3}(be - 7ah)\right)}{27a^{4/3}b^{10/3}}$$

Rubi [A] time = 0.89, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.290$, Rules used = {1828, 1858, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(b^{2/3}(5af + bc) - 2a^{2/3}(be - 7ah)\right)}{54a^{4/3}b^{10/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(b^{2/3}(5af + bc) - 2a^{2/3}(be - 7ah)\right)}{27a^{4/3}b^{10/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} \sqrt[3]{b} x}{\sqrt[3]{a^2 b^2}}\right) \left(2a^{2/3}be - 14a^{5/3}h + 5ab^{2/3}f + b^{5/3}c\right)}{9\sqrt[3]{a^2 b^2}} - \frac{x \left(-2bx(bc - 4af) - 3bx^2(bd - 3ag) + a(7be - 13ah)\right)}{18ab^3(a + bx^3)} + \frac{x \left(-bx(bc - af) - bx^2(bd - ag) + a(be - ah)\right)}{6b^3(a + bx^3)^2} + \frac{g \log(a + bx^3) + hx}{3b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] (h*x)/b^3 + (x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(6*b^3*(a + b*x^3)^2) - (x*(a*(7*b*e - 13*a*h) - 2*b*(b*c - 4*a*f)*x - 3*b*(b*d - 3*a*g)*x^2))/(18*a*b^3*(a + b*x^3)) - ((b^(5/3)*c + 2*a^(2/3)*b*e + 5*a*b^(2/3)*f - 14*a^(5/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(4/3)*b^(10/3)) - ((b^(2/3)*(b*c + 5*a*f) - 2*a^(2/3)*(b*e - 7*a*h))*Log[a^(1/3) + b^(1/3)*x])/(27*a^(4/3)*b^(10/3)) + ((b^(2/3)*(b*c + 5*a*f) - 2*a^(2/3)*(b*e - 7*a*h))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(4/3)*b^(10/3)) + (g*Log[a + b*x^3])/(3*b^3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
```

s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^3} dx &= \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{\int \frac{a^2(be - ah) - 2ab(bc - af)}{6b^3 (a + bx^3)^2} dx}{6b^3 (a + bx^3)^2} \\
&= \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2ab(bc - af))}{18b^3 (a + bx^3)^2} \\
&= \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2ab(bc - af))}{18b^3 (a + bx^3)^2} \\
&= \frac{hx}{b^3} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2ab(bc - af))}{18b^3 (a + bx^3)^2} \\
&= \frac{hx}{b^3} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2ab(bc - af))}{18b^3 (a + bx^3)^2} \\
&= \frac{hx}{b^3} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2ab(bc - af))}{18b^3 (a + bx^3)^2} \\
&= \frac{hx}{b^3} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2ab(bc - af))}{18b^3 (a + bx^3)^2} \\
&= \frac{hx}{b^3} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2ab(bc - af))}{18b^3 (a + bx^3)^2} \\
&= \frac{hx}{b^3} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2ab(bc - af))}{18b^3 (a + bx^3)^2} \\
&= \frac{hx}{b^3} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2ab(bc - af))}{18b^3 (a + bx^3)^2}
\end{aligned}$$

Mathematica [A] time = 0.38, size = 342, normalized size = 0.99

$$\frac{\log\left(\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{5x + b^2x^3}}{a^{4/3}}\right) \left(-2a^{2/3}b^{4/3}e + 14a^{5/3} \sqrt[3]{b}h + 5abf + b^2c\right)}{a^{4/3}} - \frac{2 \log\left(\frac{\sqrt[3]{a} + \sqrt[3]{b}x}{a^{4/3}}\right) \left(-2a^{2/3}b^{4/3}e - 14a^{5/3} \sqrt[3]{b}h + 5abf + b^2c\right)}{a^{4/3}} - \frac{2\sqrt[3]{5} \arctan\left(\frac{\sqrt[3]{5} \sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt[3]{a}}\right) \left(2a^{2/3}b^{4/3}e - 14a^{5/3} \sqrt[3]{b}h + 5abf + b^2c\right)}{a^{4/3}} - \frac{9a^{2/3}(a^2(g+hx) - ab(d+e+fx) + b^2cx^2)}{(a+bx^3)^2} + \frac{3a^{2/3}(a^2(12e+13bx) - ab(6a+x(7e+8fx)) + 2b^2cx^2)}{a(a+bx^3)} + 18b^{2/3}g \log(a + bx^3) + 54b^{2/3}hx$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] (54*b^(2/3)*h*x - (9*b^(2/3)*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f*x))))/(a + b*x^3)^2 + (3*b^(2/3)*(2*b^2*c*x^2 + a^2*(12*g + 13*h*x) - a*b*(6*d + x*(7*e + 8*f*x))))/(a*(a + b*x^3)) - (2*sqrt(3)*(b^2*c + 2*a^(2/3)*b^(4/3)*e + 5*a*b*f - 14*a^(5/3)*b^(1/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)]/a^(4/3) - (2*(b^2*c - 2*a^(2/3)*b^(4/3)*e + 5*a*b*f + 14*a^(5/3)*b^(1/3)*h)*Log[a^(1/3) + b^(1/3)*x]/a^(4/3) + ((b^2*c - 2*a^(2/3)*b^(4/3)*e + 5*a*b*f + 14*a^(5/3)*b^(1/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/a^(4/3) + 18*b^(2/3)*g*Log[a + b*x^3]/(54*b^(11/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3, x]

fricas [C] time = 2.69, size = 12967, normalized size = 37.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/108*(108*a*b^2*h*x^7 + 12*(b^3*c - 4*a*b^2*f)*x^5 - 42*(a*b^2*e - 7*a^2*b*h)*x^4 - 18*a^2*b*d + 54*a^3*g - 36*(a*b^2*d - 2*a^2*b*g)*x^3 - 6*(a*b^2*c + 5*a^2*b*f)*x^2 - 2*(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 +

$$\begin{aligned}
& 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + \\
& (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 \\
& - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3)*\log(-4*a*b^4*c^2*e - 4 \\
& 0*a^2*b^3*c*e*f - 100*a^3*b^2*e*f^2 + 36*a^3*b^2*e^2*g + 1764*a^5*g*h^2 - 1 \\
& /4*(a^3*b^8*c + 5*a^4*b^7*f)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(81*g^2/b^6 - \\
& (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(145 \\
& 8*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)* \\
& g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 \\
& + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a \\
& ^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g* \\
& h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 \\
& - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)} \\
&)*(I*\sqrt{3}) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2 \\
& *(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2 \\
& *f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e* \\
& h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - \\
& 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2 \\
& *h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^1 \\
& 0))^{(1/3)} - 18*g/b^3)^2 - 81*(a^3*b^2*c + 5*a^4*b*f)*g^2 + (2*a^3*b^5*e^2 - \\
& 28*a^4*b^4*e*h + 98*a^5*b^3*h^2 - 9*(a^3*b^5*c + 5*a^4*b^4*f)*g)*(2*(1/2)^ \\
& (2/3)*(-I*\sqrt{3}) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2 \\
& *(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - \\
& 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 \\
& + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h \\
& + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + \\
& 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270* \\
& e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^ \\
& 2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(1458*g^3/b^9 - 27*(\\
& 2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b \\
& ^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^ \\
& 3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5* \\
& c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a \\
& ^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(\\
& 25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3) + 28*(a^2*b^3*c^ \\
& 2 + 10*a^3*b^2*c*f + 25*a^4*b*f^2 - 18*a^4*b*e*g)*h - (b^5*c^3 + 8*a^2*b^3* \\
& e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2 \\
& *h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)*x) - 24*(a^2*b*e - 7*a^3*h)*x + (54*a \\
& *b^2*g*x^6 + 108*a^2*b*g*x^3 + 54*a^3*g + (a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3* \\
& b^3)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 7 \\
& 0*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c* \\
& e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + \\
& 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168* \\
& a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15 \\
& *a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (\\
& 125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 -
\end{aligned}$$

$$\begin{aligned}
& 18*eg)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(1458* \\
& g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/ \\
& (a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + \\
& 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4* \\
& *b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h \\
& + 392*e*h^2))*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 \\
& - (8*e^3 - 3*(25*f^2 - 18*eg)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3) - \\
& 3*\sqrt{1/3}*(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*\sqrt{-((2*(1/2)^{(2/3)}*(-I \\
& *\sqrt{3} + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - \\
& 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a \\
& ^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b \\
& ^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^ \\
& 4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5 \\
& *h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2))*a^4*b + (125*f^3 - 270*e*f*g + 1 \\
& 68*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*eg)*c)*a^2*b^3)/(a \\
& ^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e \\
& + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + \\
& 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a \\
& ^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15* \\
& a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2))*a^4*b + (1 \\
& 25*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - \\
& 18*eg)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3)^2*a^2*b^6 + 36*(2*(1/2)^{(\\
& 2/3)}*(-I*\sqrt{3} + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2* \\
& (5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 7 \\
& 0*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 \\
& + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + \\
& 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + \\
& 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2))*a^4*b + (125*f^3 - 270*e \\
& *f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*eg)*c)*a^2 \\
& *b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(1458*g^3/b^9 - 27*(2 \\
& *b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^ \\
& 5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 \\
& - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c \\
& ^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2))*a^ \\
& 4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(2 \\
& 5*f^2 - 18*eg)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3)*a^2*b^3*g + 32*b^ \\
& 2*c*e + 160*a*b*e*f + 324*a^2*g^2 - 224*(a*b*c + 5*a^2*f)*h)/(a^2*b^6))) *lo \\
& g(4*a*b^4*c^2*e + 40*a^2*b^3*c*e*f + 100*a^3*b^2*e*f^2 - 36*a^3*b^2*e^2*g - \\
& 1764*a^5*g*h^2 + 1/4*(a^3*b^8*c + 5*a^4*b^7*f)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} \\
& + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a \\
& *b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5 \\
& *e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f \\
& + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 \\
& - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3* \\
& (243*g^3 - 630*f*g*h + 392*e*h^2))*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h
\end{aligned}$$

$$\begin{aligned}
& + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10)) \\
& ^{(1/3) + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 \\
& - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3 \\
& *e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2 \\
& *h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2 \\
& *f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - \\
& 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c \\
&)*a^2*b^3)/(a^4*b^10))^{(1/3) - 18*g/b^3)^2 + 81*(a^3*b^2*c + 5*a^4*b*f)*g^2 \\
& - (2*a^3*b^5*e^2 - 28*a^4*b^4*e*h + 98*a^5*b^3*h^2 - 9*(a^3*b^5*c + 5*a^4*b \\
& b^4*f)*g)*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 \\
& - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b \\
& ^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 \\
& + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - \\
& 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 \\
& + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b \\
& + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 \\
& - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3) + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(\\
& 1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a* \\
& b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f \\
& ^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3) \\
& / (a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f \\
& *g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3 \\
& *b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3) - 18*g/b^ \\
& 3) - 28*(a^2*b^3*c^2 + 10*a^3*b^2*c*f + 25*a^4*b*f^2 - 18*a^4*b*e*g)*h - 2* \\
& (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f \\
& ^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)*x + 3/4*sqrt(1/3) \\
&)*(8*a^3*b^5*e^2 - 112*a^4*b^4*e*h + 392*a^5*b^3*h^2 + (a^3*b^8*c + 5*a^4*b \\
& ^7*f)*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - \\
& 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c \\
& *e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 \\
& + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168 \\
& *a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 1 \\
& 5*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + \\
& (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 \\
& - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3) + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458 \\
& *g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g \\
& / (a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + \\
& 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^ \\
& 4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h \\
& + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 \\
& - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3) - 18*g/b^3) + \\
& 18*(a^3*b^5*c + 5*a^4*b^4*f)*g)*sqrt(-((2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81 \\
& *g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2 \\
& *b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7 \\
& *c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2
\end{aligned}$$

$$\begin{aligned}
& *b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 \\
& - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + \\
& (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 1 \\
& 5*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 274 \\
& 4*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3 \\
& 3)/(a^4*b^10))^{(1/3)} - 18*g/b^3)^2*a^2*b^6 + 36*(2*(1/2)^{(2/3)}*(-I*sqrt(3) \\
& + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5 \\
& *e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f \\
& + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3* \\
& (243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h \\
& + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 \\
& - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3 \\
& *e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2* \\
& h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2 \\
& *f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - \\
& 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c \\
&)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3)*a^2*b^3*g + 32*b^2*c*e + 160*a*b*e \\
& *f + 324*a^2*g^2 - 224*(a*b*c + 5*a^2*f)*h)/(a^2*b^6))) + (54*a*b^2*g*x^6 + \\
& 108*a^2*b*g*x^3 + 54*a^3*g + (a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*(2*(1/2) \\
&)^{(2/3)}*(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + \\
& 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 \\
& - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e \\
& ^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2* \\
& h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f \\
& + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 27 \\
& 0*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)* \\
& a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27 \\
& *(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - \\
& (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2* \\
& h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f \\
& + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 27 \\
& 0*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)* \\
& a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3) + 3*sqrt(1/3)* \\
& (a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*sqrt(-((2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1) \\
&)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b) \\
&)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e* \\
& f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 7
\end{aligned}$$

$$\begin{aligned}
& 5a^2b^3c^2f^2 + 125a^3b^2f^3 - 168a^3b^2e^2h + 1176a^4b^2e^2h^2 - \\
& 2744a^5h^3)/(a^4b^{10}) - (b^5c^3 + 15ab^4c^2f + 2744a^5h^3 - 3(24 \\
& 3g^3 - 630f*gh + 392e^2h^2)*a^4b + (125f^3 - 270e*fg + 168e^2h + 3 \\
& 78c*gh)*a^3b^2 - (8e^3 - 3(25f^2 - 18e*g)*c)*a^2b^3)/(a^4b^{10})^{(1 \\
& /3) + (1/2)^{(1/3)}*(I\sqrt{3} + 1)*(1458g^3/b^9 - 27(2b^2c^2e + (81g^2 - \\
& 70f*h)*a^2 + 2(5e*f - 7c*h)*a*b)*g/(a^2b^9) - (b^5c^3 + 8a^2b^3e^ \\
& 3 + 15ab^4c^2f + 75a^2b^3c^2f^2 + 125a^3b^2f^3 - 168a^3b^2e^2h \\
& + 1176a^4b^2e^2h^2 - 2744a^5h^3)/(a^4b^{10}) - (b^5c^3 + 15ab^4c^2f \\
& + 2744a^5h^3 - 3(243g^3 - 630f*gh + 392e^2h^2)*a^4b + (125f^3 - 270 \\
& e*fg + 168e^2h + 378c*gh)*a^3b^2 - (8e^3 - 3(25f^2 - 18e*g)*c)*a \\
& ^2b^3)/(a^4b^{10})^{(1/3) - 18g/b^3)^2a^2b^6 + 36(2(1/2)^{(2/3)}*(-I\sqrt{ \\
& t(3) + 1)*(81g^2/b^6 - (2b^2c^2e + (81g^2 - 70f*h)*a^2 + 2(5e*f - 7c \\
& *h)*a*b)/(a^2b^6)))/(1458g^3/b^9 - 27(2b^2c^2e + (81g^2 - 70f*h)*a^2 + \\
& 2(5e*f - 7c*h)*a*b)*g/(a^2b^9) - (b^5c^3 + 8a^2b^3e^3 + 15ab^4c^ \\
& ^2f + 75a^2b^3c^2f^2 + 125a^3b^2f^3 - 168a^3b^2e^2h + 1176a^4b^2e^ \\
& 2h^2 - 2744a^5h^3)/(a^4b^{10}) - (b^5c^3 + 15ab^4c^2f + 2744a^5h^3 \\
& - 3(243g^3 - 630f*gh + 392e^2h^2)*a^4b + (125f^3 - 270e*fg + 168e^ \\
& ^2h + 378c*gh)*a^3b^2 - (8e^3 - 3(25f^2 - 18e*g)*c)*a^2b^3)/(a^4b \\
& ^{10})^{(1/3) + (1/2)^{(1/3)}*(I\sqrt{3} + 1)*(1458g^3/b^9 - 27(2b^2c^2e + (\\
& 81g^2 - 70f*h)*a^2 + 2(5e*f - 7c*h)*a*b)*g/(a^2b^9) - (b^5c^3 + 8a^ \\
& 2b^3e^3 + 15ab^4c^2f + 75a^2b^3c^2f^2 + 125a^3b^2f^3 - 168a^3b^ \\
& ^2e^2h + 1176a^4b^2e^2h^2 - 2744a^5h^3)/(a^4b^{10}) - (b^5c^3 + 15ab^ \\
& 4c^2f + 2744a^5h^3 - 3(243g^3 - 630f*gh + 392e^2h^2)*a^4b + (125f^ \\
& ^3 - 270e*fg + 168e^2h + 378c*gh)*a^3b^2 - (8e^3 - 3(25f^2 - 18e \\
& *g)*c)*a^2b^3)/(a^4b^{10})^{(1/3) - 18g/b^3)*a^2b^3g + 32b^2c^2e + 160* \\
& a*b*e*f + 324a^2g^2 - 224(a*b*c + 5a^2f)*h)/(a^2b^6)))*\log(4a^4b^4c^ \\
& 2e + 40a^2b^3c^2e*f + 100a^3b^2e^2f^2 - 36a^3b^2e^2g - 1764a^5g* \\
& h^2 + 1/4(a^3b^8c + 5a^4b^7f)*(2(1/2)^{(2/3)}*(-I\sqrt{3} + 1)*(81g^2 \\
& /b^6 - (2b^2c^2e + (81g^2 - 70f*h)*a^2 + 2(5e*f - 7c*h)*a*b)/(a^2b^6 \\
&)))/(1458g^3/b^9 - 27(2b^2c^2e + (81g^2 - 70f*h)*a^2 + 2(5e*f - 7c*h \\
&)*a*b)*g/(a^2b^9) - (b^5c^3 + 8a^2b^3e^3 + 15ab^4c^2f + 75a^2b^3 \\
& *c^2f^2 + 125a^3b^2f^3 - 168a^3b^2e^2h + 1176a^4b^2e^2h^2 - 2744a^5 \\
& h^3)/(a^4b^{10}) - (b^5c^3 + 15ab^4c^2f + 2744a^5h^3 - 3(243g^3 - 6 \\
& 30f*gh + 392e^2h^2)*a^4b + (125f^3 - 270e*fg + 168e^2h + 378c*gh) \\
& *a^3b^2 - (8e^3 - 3(25f^2 - 18e*g)*c)*a^2b^3)/(a^4b^{10})^{(1/3) + (1/ \\
& 2)^{(1/3)}*(I\sqrt{3} + 1)*(1458g^3/b^9 - 27(2b^2c^2e + (81g^2 - 70f*h)* \\
& a^2 + 2(5e*f - 7c*h)*a*b)*g/(a^2b^9) - (b^5c^3 + 8a^2b^3e^3 + 15a \\
& b^4c^2f + 75a^2b^3c^2f^2 + 125a^3b^2f^3 - 168a^3b^2e^2h + 1176a^ \\
& ^4b^2e^2h^2 - 2744a^5h^3)/(a^4b^{10}) - (b^5c^3 + 15ab^4c^2f + 2744a^ \\
& 5h^3 - 3(243g^3 - 630f*gh + 392e^2h^2)*a^4b + (125f^3 - 270e*fg + \\
& 168e^2h + 378c*gh)*a^3b^2 - (8e^3 - 3(25f^2 - 18e*g)*c)*a^2b^3)/(\\
& a^4b^{10})^{(1/3) - 18g/b^3)^2 + 81(a^3b^2c + 5a^4b^2f)*g^2 - (2a^3b^ \\
& 5e^2 - 28a^4b^4e*h + 98a^5b^3h^2 - 9(a^3b^5c + 5a^4b^4f)*g)*(2 \\
& *(1/2)^{(2/3)}*(-I\sqrt{3} + 1)*(81g^2/b^6 - (2b^2c^2e + (81g^2 - 70f*h)* \\
& a^2 + 2(5e*f - 7c*h)*a*b)/(a^2b^6)))/(1458g^3/b^9 - 27(2b^2c^2e + (81
\end{aligned}$$

$$\begin{aligned}
& *g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3) - 28*(a^2*b^3*c^2 + 10*a^3*b^2*c*f + 25*a^4*b*f^2 - 18*a^4*b*e*g)*h - 2*(b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)*x - 3/4*sqrt(1/3)*(8*a^3*b^5*e^2 - 112*a^4*b^4*e*h + 392*a^5*b^3*h^2 + (a^3*b^8*c + 5*a^4*b^7*f)*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3) + 18*(a^3*b^5*c + 5*a^4*b^4*f)*g)*sqrt(-((2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3)^2*a^2*b^6 + 36*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*g^2
\end{aligned}$$

3))*f-5/27/b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f-4/9/b/(b*x^3+a)^2*f*x^5-1/3/b/(b*x^3+a)^2*x^3*d-1/6/b^2/(b*x^3+a)^2*d*a-1/18/b/(b*x^3+a)^2*x^2*c-14/27/b^4*a/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*h+1/9/(b*x^3+a)^2/a*c*x^5-1/27/(a/b)^(2/3)/b^3*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-7/18/(b*x^3+a)^2/b*e*x^4+2/27/(a/b)^(2/3)/b^3*e*ln(x+(a/b)^(1/3))+1/3*g*ln(b*x^3+a)/b^3-5/18/b^2/(b*x^3+a)^2*x^2*a*f+2/3/b^2/(b*x^3+a)^2*x^3*a*g+5/27/b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f-14/27/b^4*a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*h-1/27/b^2/a/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*c+1/54/b^2/a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+5/9/b^3/(b*x^3+a)^2*a^2*h*x+13/18/b^2/(b*x^3+a)^2*x^4*a*h+7/27/b^4*a/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*h-2/9/(b*x^3+a)^2*a/b^2*e*x+2/27/(a/b)^(2/3)*3^(1/2)/b^3*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+h*x/b^3

maxima [A] time = 3.13, size = 391, normalized size = 1.13

$$\frac{2(b^3c - 4ab^2f)^2 - (7ab^2c - 13a^2b^2h)^2 - 3a^2d + 9a^2g - 6(a^2d - 2a^2g)^2 - (ab^2c + 5a^2bf)^2 - 2(2a^2h - 5a^2b)h}{18(ab^3x^3 + 2a^2b^2x^2 + a^3b)} \ln \frac{\sqrt{3} \left(\frac{b^2}{3} \right)^2 + 5abf \left(\frac{b}{3} \right)^2 + 2ab^2 \left(\frac{b}{3} \right)^2 - 14a^2h \left(\frac{b}{3} \right)^2}{27ab^3} \arctan \left(\frac{\sqrt{3} \left(\frac{b^2}{3} \right)^2 + 5abf \left(\frac{b}{3} \right)^2}{x \left(\frac{b}{3} \right)^2} \right) + \frac{(18abg \left(\frac{b}{3} \right)^2 + b^2c \left(\frac{b}{3} \right)^2 + 5abf \left(\frac{b}{3} \right)^2 - 2ab^2h + 14a^2b) \log \left(x^2 - x \left(\frac{b}{3} \right)^2 + \left(\frac{b}{3} \right)^2 \right)}{54ab^3 \left(\frac{b}{3} \right)^2} + \frac{(9abg \left(\frac{b}{3} \right)^2 - b^2c \left(\frac{b}{3} \right)^2 - 5abf \left(\frac{b}{3} \right)^2 + 2ab^2h - 14a^2b) \log \left(x + \left(\frac{b}{3} \right)^2 \right)}{27ab^3 \left(\frac{b}{3} \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(2*(b^3*c - 4*a*b^2*f)*x^5 - (7*a*b^2*e - 13*a^2*b*h)*x^4 - 3*a^2*b*d + 9*a^3*g - 6*(a*b^2*d - 2*a^2*b*g)*x^3 - (a*b^2*c + 5*a^2*b*f)*x^2 - 2*(2*a^2*b*e - 5*a^3*h)*x)/(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3) + h*x/b^3 + 1/2*sqrt(3)*(b^2*c*(a/b)^(2/3) + 5*a*b*f*(a/b)^(2/3) + 2*a*b*e*(a/b)^(1/3) - 14*a^2*h*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^3) + 1/54*(18*a*b*g*(a/b)^(2/3) + b^2*c*(a/b)^(1/3) + 5*a*b*f*(a/b)^(1/3) - 2*a*b*e + 14*a^2*h)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^4*(a/b)^(2/3)) + 1/27*(9*a*b*g*(a/b)^(2/3) - b^2*c*(a/b)^(1/3) - 5*a*b*f*(a/b)^(1/3) + 2*a*b*e - 14*a^2*h)*log(x + (a/b)^(1/3))/(a*b^4*(a/b)^(2/3))

mupad [B] time = 0.58, size = 916, normalized size = 2.66

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x)

[Out] symsum(log(root(19683*a^4*b^10*z^3 - 19683*a^4*b^7*g*z^2 - 5670*a^4*b^4*f*h*z - 1134*a^3*b^5*c*h*z + 810*a^3*b^5*e*f*z + 162*a^2*b^6*c*e*z + 6561*a^4*b^4*g^2*z + 1890*a^4*b*f*g*h + 378*a^3*b^2*c*g*h - 270*a^3*b^2*e*f*g - 54*a^2*b^3*c*e*g - 1176*a^4*b*b*e*h^2 + 15*a*b^4*c^2*f + 168*a^3*b^2*e^2*h + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 8*a^2*b^3*e^3 - 729*a^4*b*g^3 + 2744*a^5*h^3 + b^5*c^3, z, k)*(9*root(19683*a^4*b^10*z^3 - 19683*a^4*b^7*g*z^2 - 5670

$$\begin{aligned}
& a^4 b^4 f h z - 1134 a^3 b^5 c h z + 810 a^3 b^5 e f z + 162 a^2 b^6 c e z \\
& + 6561 a^4 b^4 g^2 z + 1890 a^4 b f g h + 378 a^3 b^2 c g h - 270 a^3 b^2 e f g \\
& - 54 a^2 b^3 c e g - 1176 a^4 b e h^2 + 15 a b^4 c^2 f + 168 a^3 b^2 e^2 h \\
& + 75 a^2 b^3 c f^2 + 125 a^3 b^2 f^3 - 8 a^2 b^3 e^3 - 729 a^4 b g^3 \\
& + 2744 a^5 h^3 + b^5 c^3, z, k) a b^2 - (6 a g)/b + (x(54 a^2 b^4 e - 378 a^3 b^3 h)) / (81 a^2 b^4) \\
& + (81 a^2 g^2 + 2 b^2 c e - 70 a^2 f h - 14 a b c h + 10 a b e f) / (81 a b^4) \\
& + (x(b^3 c^2 + 25 a^2 b f^2 + 126 a^3 g h + 10 a b^2 c f - 18 a^2 b e g)) / (81 a^2 b^4) \cdot \text{root}(19683 a^4 b^{10} z^3 - 19683 a^4 b^7 g z^2 \\
& - 5670 a^4 b^4 f h z - 1134 a^3 b^5 c h z + 810 a^3 b^5 e f z + 162 a^2 b^6 c e z + 6561 a^4 b^4 g^2 z + 1890 a^4 b f g h + 378 a^3 b^2 c g h \\
& - 270 a^3 b^2 e f g - 54 a^2 b^3 c e g - 1176 a^4 b e h^2 + 15 a b^4 c^2 f + 168 a^3 b^2 e^2 h + 75 a^2 b^3 c f^2 + 125 a^3 b^2 f^3 - 8 a^2 b^3 e^3 \\
& - 729 a^4 b g^3 + 2744 a^5 h^3 + b^5 c^3, z, k), k, 1, 3) - (x^2((b^2 c)/18 + (5 a b f)/18) - (a^2 g)/2 - x((5 a^2 h)/9 - (2 a b e)/9) + x^3((b^2 d)/3 - (2 a b g)/3) \\
& + (b x^4(7 b e - 13 a h))/18 + (a b d)/6 - (b x^5(b^2 c - 4 a b f))/(9 a)) / (a^2 b^3 + b^5 x^6 + 2 a b^4 x^3) + (h x)/b^3
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.369 \quad \int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=325

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (2af + bc) - \sqrt[3]{a} (5ag + bd)\right)}{54a^{5/3} b^{8/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (2af + bc) - \sqrt[3]{a} (5ag + bd)\right)}{27a^{5/3} b^{8/3}}$$

Rubi [A] time = 0.64, antiderivative size = 325, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1828, 1858, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (2af + bc) - \sqrt[3]{a} (5ag + bd)\right)}{54a^{5/3} b^{8/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (2af + bc) - \sqrt[3]{a} (5ag + bd)\right)}{27a^{5/3} b^{8/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{b} - 2\sqrt[3]{a}x}{\sqrt[3]{a}}\right) \left(5a^{4/3}g + \sqrt[3]{a}bd + 2a\sqrt[3]{b}f + b^{4/3}c\right)}{9\sqrt[3]{a^{5/3}b^{8/3}}} + \frac{x(2x(bd - 4ag) + 3x^2(bc - 3ah) - 7af + bc)}{18ab^2(a + bx^3)} - \frac{x(x(bd - ag) + x^2(bc - ah) - af + bc)}{6b^2(a + bx^3)^2} + \frac{h \log(a + bx^3)}{3b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] -(x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(6*b^2*(a + b*x^3)^2) + (x*(b*c - 7*a*f + 2*(b*d - 4*a*g)*x + 3*(b*e - 3*a*h)*x^2))/(18*a*b^2*(a + b*x^3)) - ((b^(4/3)*c + a^(1/3)*b*d + 2*a*b^(1/3)*f + 5*a^(4/3)*g)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(5/3)*b^(8/3)) + ((b^(1/3)*(b*c + 2*a*f) - a^(1/3)*(b*d + 5*a*g))*Log[a^(1/3) + b^(1/3)*x])/ (2*7*a^(5/3)*b^(8/3)) - ((b^(1/3)*(b*c + 2*a*f) - a^(1/3)*(b*d + 5*a*g))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/ (54*a^(5/3)*b^(8/3)) + (h*Log[a + b*x^3])/ (3*b^3)

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
```


Mathematica [A] time = 0.34, size = 315, normalized size = 0.97

$$\frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{b} \sqrt[3]{x + b^{2/3}}) \left(5a^{4/3}g + \sqrt[3]{b}bd - 2a\sqrt[3]{b}f - b^{4/3}c \right) + 2\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x) \left(-5a^{4/3}g - \sqrt[3]{b}bd + 2a\sqrt[3]{b}f + b^{4/3}c \right)}{54b^3} - \frac{2\sqrt{3} \sqrt[3]{b} \tan^{-1} \left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt[3]{b}} \right) \left(5a^{4/3}g + \sqrt[3]{b}bd + 2a\sqrt[3]{b}f + b^{4/3}c \right)}{54b^3} - \frac{9(a^{2/3} - ab(c+x(f+gx)) + b^2x(c+dx))}{(a+bx^3)^2} + \frac{36a^2h - 3ab(6c+x(7f+8gx)) + 3b^2x(c+2dx)}{a(a+bx^3)} + 18h \log(a + bx^3)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3, x]

[Out] ((-9*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x)))/(a + b*x^3)^2 + (36*a^2*h + 3*b^2*x*(c + 2*d*x) - 3*a*b*(6*e + x*(7*f + 8*g*x)))/(a*(a + b*x^3)) - (2*sqrt[3]*b^(1/3)*(b^(4/3)*c + a^(1/3)*b*d + 2*a*b^(1/3)*f + 5*a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(5/3) + (2*b^(1/3)*(b^(4/3)*c - a^(1/3)*b*d + 2*a*b^(1/3)*f - 5*a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) + (b^(1/3)*(-b^(4/3)*c) + a^(1/3)*b*d - 2*a*b^(1/3)*f + 5*a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3) + 18*h*Log[a + b*x^3])/(54*b^3)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3, x]

[Out] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3, x]

fricas [C] time = 2.47, size = 12939, normalized size = 39.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/108*(12*(b^3*d - 4*a*b^2*g)*x^5 + 6*(b^3*c - 7*a*b^2*f)*x^4 - 18*a^2*b*e + 54*a^3*h - 36*(a*b^2*e - 2*a^2*b*h)*x^3 - 6*(a*b^2*d + 5*a^2*b*g)*x^2 - 2*(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(

$$\begin{aligned}
& a^5b^8) + (b^5c^3 + 729a^5h^3 - 5*(25g^3 - 54f*g*h)*a^4b + (8f^3 + \\
& 135c*g*h - 3*(25g^2 - 18f*h)*d)*a^3b^2 - 3*(5d^2*g - (4f^2 + 9d*h)*c \\
&)*a^2b^3 - (d^3 - 6c^2*f)*a*b^4)/(a^5b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} \\
&) + 1)*(1458h^3/b^9 - 27*(b^3*c*d + 10a^2*b*f*g + 81a^3*h^2 + (2*d*f + 5 \\
& *c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6a*b^3*c^2*f + 12a^2*b^ \\
& 2*c*f^2 + 8a^3*b*f^3 + 15a^2*b^2*d^2*g + 75a^3*b*d*g^2 + 125a^4*g^3)/(a \\
& ^5b^8) + (b^5c^3 + 729a^5h^3 - 5*(25g^3 - 54f*g*h)*a^4b + (8f^3 + 1 \\
& 35c*g*h - 3*(25g^2 - 18f*h)*d)*a^3b^2 - 3*(5d^2*g - (4f^2 + 9d*h)*c) \\
& *a^2b^3 - (d^3 - 6c^2*f)*a*b^4)/(a^5b^9))^{(1/3)} - 18h/b^3)*\log(2*a*b^4* \\
& c*d^2 + 4a^2*b^3*d^2*f + 1/4*(a^4*b^7*d + 5a^5*b^6*g)*(2*(1/2)^{(2/3)}*(-I* \\
& \sqrt{3}) + 1)*(81h^2/b^6 - (b^3*c*d + 10a^2*b*f*g + 81a^3*h^2 + (2*d*f + \\
& 5*c*g)*a*b^2)/(a^3*b^6)))/(1458h^3/b^9 - 27*(b^3*c*d + 10a^2*b*f*g + 81a^ \\
& 3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6a*b^3 \\
& *c^2*f + 12a^2*b^2*c*f^2 + 8a^3*b*f^3 + 15a^2*b^2*d^2*g + 75a^3*b*d*g^2 \\
& + 125a^4*g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5*(25g^3 - 54f*g*h)* \\
& a^4b + (8f^3 + 135c*g*h - 3*(25g^2 - 18f*h)*d)*a^3b^2 - 3*(5d^2*g - \\
& (4f^2 + 9d*h)*c)*a^2b^3 - (d^3 - 6c^2*f)*a*b^4)/(a^5b^9))^{(1/3)} + (1/2 \\
&)^{(1/3)}*(I*\sqrt{3}) + 1)*(1458h^3/b^9 - 27*(b^3*c*d + 10a^2*b*f*g + 81a^3 \\
& *h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6a*b^3* \\
& c^2*f + 12a^2*b^2*c*f^2 + 8a^3*b*f^3 + 15a^2*b^2*d^2*g + 75a^3*b*d*g^2 \\
& + 125a^4*g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5*(25g^3 - 54f*g*h)*a \\
& ^4b + (8f^3 + 135c*g*h - 3*(25g^2 - 18f*h)*d)*a^3b^2 - 3*(5d^2*g - (\\
& 4f^2 + 9d*h)*c)*a^2b^3 - (d^3 - 6c^2*f)*a*b^4)/(a^5b^9))^{(1/3)} - 18h/ \\
& b^3)^2 + 50*(a^3*b^2*c + 2a^4*b*f)*g^2 + 81*(a^4*b*d + 5a^5*g)*h^2 - 1/2* \\
& (a^2*b^6*c^2 + 4a^3*b^5*c*f + 4a^4*b^4*f^2 - 18*(a^4*b^4*d + 5a^5*b^3*g) \\
& *h)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(81h^2/b^6 - (b^3*c*d + 10a^2*b*f*g + \\
& 81a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458h^3/b^9 - 27*(b^3*c*d \\
& + 10a^2*b*f*g + 81a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^ \\
& 3 + a*b^3*d^3 + 6a*b^3*c^2*f + 12a^2*b^2*c*f^2 + 8a^3*b*f^3 + 15a^2*b^2 \\
& *d^2*g + 75a^3*b*d*g^2 + 125a^4*g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - \\
& 5*(25g^3 - 54f*g*h)*a^4b + (8f^3 + 135c*g*h - 3*(25g^2 - 18f*h)*d)* \\
& a^3b^2 - 3*(5d^2*g - (4f^2 + 9d*h)*c)*a^2b^3 - (d^3 - 6c^2*f)*a*b^4)/ \\
& (a^5b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(1458h^3/b^9 - 27*(b^3*c*d \\
& + 10a^2*b*f*g + 81a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 \\
& + a*b^3*d^3 + 6a*b^3*c^2*f + 12a^2*b^2*c*f^2 + 8a^3*b*f^3 + 15a^2*b^2* \\
& d^2*g + 75a^3*b*d*g^2 + 125a^4*g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - \\
& 5*(25g^3 - 54f*g*h)*a^4b + (8f^3 + 135c*g*h - 3*(25g^2 - 18f*h)*d)*a \\
& ^3b^2 - 3*(5d^2*g - (4f^2 + 9d*h)*c)*a^2b^3 - (d^3 - 6c^2*f)*a*b^4)/(\\
& a^5b^9))^{(1/3)} - 18h/b^3) + 20*(a^2*b^3*c*d + 2a^3*b^2*d*f)*g - 9*(a^2*b \\
& ^3*c^2 + 4a^3*b^2*c*f + 4a^4*b*f^2)*h + (b^5c^3 + a*b^4*d^3 + 6a*b^4*c^ \\
& 2*f + 12a^2*b^3*c*f^2 + 8a^3*b^2*f^3 + 15a^2*b^3*d^2*g + 75a^3*b^2*d*g^ \\
& 2 + 125a^4*b*g^3)*x - 12*(a*b^2*c + 2a^2*b*f)*x + (54a*b^2*h*x^6 + 108* \\
& a^2*b*h*x^3 + 54a^3*h + (a*b^5*x^6 + 2a^2*b^4*x^3 + a^3*b^3)*(2*(1/2)^{(2/ \\
& 3)}*(-I*\sqrt{3}) + 1)*(81h^2/b^6 - (b^3*c*d + 10a^2*b*f*g + 81a^3*h^2 + (2 \\
& *d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458h^3/b^9 - 27*(b^3*c*d + 10a^2*b*f*g
\end{aligned}$$

$$\begin{aligned}
& + 81a^3h^2 + (2df + 5cg)ab^2)h/(a^3b^9) + (b^4c^3 + ab^3d^3 + \\
& 6ab^3c^2f + 12a^2b^2c^2f^2 + 8a^3b^2f^3 + 15a^2b^2d^2g + 75a^3b \\
& b^2d^2g^2 + 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54f \\
& fg^2)h)a^4b + (8f^3 + 135c^2gh - 3(25g^2 - 18fh)d)a^3b^2 - 3(5d \\
& ^2g - (4f^2 + 9dh)c)a^2b^3 - (d^3 - 6c^2f)ab^4)/(a^5b^9))^{(1/3)} \\
& + (1/2)^{(1/3)}(I\sqrt{3} + 1)(1458h^3/b^9 - 27(b^3cd + 10a^2bfg + \\
& 81a^3h^2 + (2df + 5cg)ab^2)h/(a^3b^9) + (b^4c^3 + ab^3d^3 + 6 \\
& ab^3c^2f + 12a^2b^2c^2f^2 + 8a^3b^2f^3 + 15a^2b^2d^2g + 75a^3b \\
& b^2d^2g^2 + 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54f \\
& fg^2)h)a^4b + (8f^3 + 135c^2gh - 3(25g^2 - 18fh)d)a^3b^2 - 3(5d \\
& ^2g - (4f^2 + 9dh)c)a^2b^3 - (d^3 - 6c^2f)ab^4)/(a^5b^9))^{(1/3)} \\
& - 18h/b^3) + 3\sqrt{1/3}(ab^5x^6 + 2a^2b^4x^3 + a^3b^3)\sqrt{-((2(\\
& 1/2)^{(2/3)}(-I\sqrt{3} + 1)(81h^2/b^6 - (b^3cd + 10a^2bfg + 81a^3h^2 + \\
& (2df + 5cg)ab^2)/(a^3b^6)))/(1458h^3/b^9 - 27(b^3cd + 10a^2 \\
& bfg + 81a^3h^2 + (2df + 5cg)ab^2)h/(a^3b^9) + (b^4c^3 + ab^3 \\
& d^3 + 6ab^3c^2f + 12a^2b^2c^2f^2 + 8a^3b^2f^3 + 15a^2b^2d^2g + \\
& 75a^3b^2d^2g^2 + 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 \\
& - 54f^2g^2)h)a^4b + (8f^3 + 135c^2gh - 3(25g^2 - 18fh)d)a^3b^2 \\
& - 3(5d^2g - (4f^2 + 9dh)c)a^2b^3 - (d^3 - 6c^2f)ab^4)/(a^5b^9 \\
&))^{(1/3)} + (1/2)^{(1/3)}(I\sqrt{3} + 1)(1458h^3/b^9 - 27(b^3cd + 10a^2 \\
& bfg + 81a^3h^2 + (2df + 5cg)ab^2)h/(a^3b^9) + (b^4c^3 + ab^3 \\
& d^3 + 6ab^3c^2f + 12a^2b^2c^2f^2 + 8a^3b^2f^3 + 15a^2b^2d^2g + \\
& 75a^3b^2d^2g^2 + 125a^4g^3)/(a^5b^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 \\
& - 54f^2g^2)h)a^4b + (8f^3 + 135c^2gh - 3(25g^2 - 18fh)d)a^3b^2 - \\
& 3(5d^2g - (4f^2 + 9dh)c)a^2b^3 - (d^3 - 6c^2f)ab^4)/(a^5b^9) \\
&))^{(1/3)} - 18h/b^3)^2a^3b^6 + 36(2(1/2)^{(2/3)}(-I\sqrt{3} + 1)(81h^2/ \\
& b^6 - (b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg)ab^2)/(a^3b^6)) \\
&))/(1458h^3/b^9 - 27(b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg) \\
& ab^2)h/(a^3b^9) + (b^4c^3 + ab^3d^3 + 6ab^3c^2f + 12a^2b^2c^2 \\
& f^2 + 8a^3b^2f^3 + 15a^2b^2d^2g + 75a^3b^2d^2g^2 + 125a^4g^3)/(a^5b \\
& ^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54f^2g^2)h)a^4b + (8f^3 + 135c \\
& ^2gh - 3(25g^2 - 18fh)d)a^3b^2 - 3(5d^2g - (4f^2 + 9dh)c)a^2 \\
& b^3 - (d^3 - 6c^2f)ab^4)/(a^5b^9))^{(1/3)} + (1/2)^{(1/3)}(I\sqrt{3} + \\
& 1)(1458h^3/b^9 - 27(b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg) \\
& ab^2)h/(a^3b^9) + (b^4c^3 + ab^3d^3 + 6ab^3c^2f + 12a^2b^2c^2 \\
& f^2 + 8a^3b^2f^3 + 15a^2b^2d^2g + 75a^3b^2d^2g^2 + 125a^4g^3)/(a^5b \\
& ^8) + (b^5c^3 + 729a^5h^3 - 5(25g^3 - 54f^2g^2)h)a^4b + (8f^3 + 135c \\
& ^2gh - 3(25g^2 - 18fh)d)a^3b^2 - 3(5d^2g - (4f^2 + 9dh)c)a^2 \\
& b^3 - (d^3 - 6c^2f)ab^4)/(a^5b^9))^{(1/3)} - 18h/b^3)a^3b^3h + 16b \\
& ^3cd + 32ab^2df + 32a^3h^2 + 80(ab^2c + 2a^2bf)g)/(a^3b^6) \\
&))\log(-2ab^4cd^2 - 4a^2b^3d^2f - 1/4(a^4b^7d + 5a^5b^6g))(2(\\
& 1/2)^{(2/3)}(-I\sqrt{3} + 1)(81h^2/b^6 - (b^3cd + 10a^2bfg + 81a^3h^2 + \\
& (2df + 5cg)ab^2)/(a^3b^6)))/(1458h^3/b^9 - 27(b^3cd + 10a^2 \\
& bfg + 81a^3h^2 + (2df + 5cg)ab^2)h/(a^3b^9) + (b^4c^3 + ab^3 \\
& d^3 + 6ab^3c^2f + 12a^2b^2c^2f^2 + 8a^3b^2f^3 + 15a^2b^2d^2g
\end{aligned}$$

$$\begin{aligned}
& + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9)^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9)^{(1/3)} - 18*h/b^3)^2 - 50*(a^3*b^2*c + 2*a^4*b*f)*g^2 - 81*(a^4*b*d + 5*a^5*g)*h^2 + 1/2*(a^2*b^6*c^2 + 4*a^3*b^5*c*f + 4*a^4*b^4*f^2 - 18*(a^4*b^4*d + 5*a^5*b^3*g)*h)*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9)^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9)^{(1/3)} - 18*h/b^3) - 20*(a^2*b^3*c*d + 2*a^3*b^2*d*f)*g + 9*(a^2*b^3*c^2 + 4*a^3*b^2*c*f + 4*a^4*b*f^2)*h + 2*(b^5*c^3 + a*b^4*d^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 + 15*a^2*b^3*d^2*g + 75*a^3*b^2*d*g^2 + 125*a^4*b*g^3)*x + 3/4*sqrt(1/3)*(2*a^2*b^6*c^2 + 8*a^3*b^5*c*f + 8*a^4*b^4*f^2 + (a^4*b^7*d + 5*a^5*b^6*g)*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9)^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9)^{(1/3)} - 18*h/b^3) + 18*(a^4*b^4*d + 5*a^5*b^3*g)*h)*sqrt(-((2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*
\end{aligned}$$

$$\begin{aligned}
& d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12 \\
& *a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4* \\
& g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8* \\
& f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9* \\
& d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I* \\
& sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d \\
& *f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12* \\
& a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g \\
& ^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f \\
& ^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d \\
& *h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} - 18*h/b^3)^2*a^3* \\
& b^6 + 36*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b* \\
& f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^ \\
& 3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b \\
& ^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^ \\
& 2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5* \\
& h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h) \\
&)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a* \\
& b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3 \\
& *c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^ \\
& 4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2 \\
& *b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h \\
& ^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h) \\
&)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b \\
& ^4)/(a^5*b^9))^{(1/3)} - 18*h/b^3)*a^3*b^3*h + 16*b^3*c*d + 32*a*b^2*d*f + 32 \\
& 4*a^3*h^2 + 80*(a*b^2*c + 2*a^2*b*f)*g)/(a^3*b^6)) + (54*a*b^2*h*x^6 + 108 \\
& *a^2*b*h*x^3 + 54*a^3*h + (a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*(2*(1/2)^{(2 \\
& /3)}*(-I*sqrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (\\
& 2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g \\
& + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + \\
& 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3 \\
& *b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54 \\
& *f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5* \\
& d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3 \\
&)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g \\
& + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + \\
& 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3* \\
& b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54* \\
& f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d \\
& ^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} \\
& - 18*h/b^3) - 3*sqrt(1/3)*(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*sqrt(-((2* \\
& (1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3 \\
& *h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a \\
& ^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b \\
& ^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g
\end{aligned}$$

$$\begin{aligned}
& 3 + 729a^5h^3 - 5(25g^3 - 54f*g*h)a^4b + (8f^3 + 135c*g*h - 3(25g^2 - 18f*h)*d)a^3b^2 - 3(5d^2g - (4f^2 + 9d*h)*c)a^2b^3 - (d^3 - 6c^2f)a*b^4)/(a^5b^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(1458h^3/b^9 - 27(b^3*c*d + 10a^2*b*f*g + 81a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6a*b^3*c^2*f + 12a^2*b^2*c*f^2 + 8a^3*b*f^3 + 15a^2*b^2*d^2*g + 75a^3*b*d*g^2 + 125a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729a^5*h^3 - 5(25g^3 - 54f*g*h)a^4*b + (8f^3 + 135c*g*h - 3(25g^2 - 18f*h)*d)a^3*b^2 - 3(5d^2g - (4f^2 + 9d*h)*c)a^2*b^3 - (d^3 - 6c^2f)a*b^4)/(a^5*b^9))^{(1/3)} - 18h/b^3) - 20(a^2*b^3*c*d + 2a^3*b^2*d*f)*g + 9(a^2*b^3*c^2 + 4a^3*b^2*c*f + 4a^4*b*f^2)*h + 2(b^5*c^3 + a*b^4*d^3 + 6a*b^4*c^2*f + 12a^2*b^3*c*f^2 + 8a^3*b^2*f^3 + 15a^2*b^3*d^2*g + 75a^3*b^2*d*g^2 + 125a^4*b*g^3)*x - 3/4*\sqrt{1/3}*(2a^2*b^6*c^2 + 8a^3*b^5*c*f + 8a^4*b^4*f^2 + (a^4*b^7*d + 5a^5*b^6*g)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(81h^2/b^6 - (b^3*c*d + 10a^2*b*f*g + 81a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458h^3/b^9 - 27(b^3*c*d + 10a^2*b*f*g + 81a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6a*b^3*c^2*f + 12a^2*b^2*c*f^2 + 8a^3*b*f^3 + 15a^2*b^2*d^2*g + 75a^3*b*d*g^2 + 125a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729a^5*h^3 - 5(25g^3 - 54f*g*h)a^4*b + (8f^3 + 135c*g*h - 3(25g^2 - 18f*h)*d)a^3*b^2 - 3(5d^2g - (4f^2 + 9d*h)*c)a^2*b^3 - (d^3 - 6c^2f)a*b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(1458h^3/b^9 - 27(b^3*c*d + 10a^2*b*f*g + 81a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6a*b^3*c^2*f + 12a^2*b^2*c*f^2 + 8a^3*b*f^3 + 15a^2*b^2*d^2*g + 75a^3*b*d*g^2 + 125a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729a^5*h^3 - 5(25g^3 - 54f*g*h)a^4*b + (8f^3 + 135c*g*h - 3(25g^2 - 18f*h)*d)a^3*b^2 - 3(5d^2g - (4f^2 + 9d*h)*c)a^2*b^3 - (d^3 - 6c^2f)a*b^4)/(a^5*b^9))^{(1/3)} - 18h/b^3) + 18(a^4*b^4*d + 5a^5*b^3*g)*h)*\sqrt{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(81h^2/b^6 - (b^3*c*d + 10a^2*b*f*g + 81a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458h^3/b^9 - 27(b^3*c*d + 10a^2*b*f*g + 81a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6a*b^3*c^2*f + 12a^2*b^2*c*f^2 + 8a^3*b*f^3 + 15a^2*b^2*d^2*g + 75a^3*b*d*g^2 + 125a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729a^5*h^3 - 5(25g^3 - 54f*g*h)a^4*b + (8f^3 + 135c*g*h - 3(25g^2 - 18f*h)*d)a^3*b^2 - 3(5d^2g - (4f^2 + 9d*h)*c)a^2*b^3 - (d^3 - 6c^2f)a*b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(1458h^3/b^9 - 27(b^3*c*d + 10a^2*b*f*g + 81a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6a*b^3*c^2*f + 12a^2*b^2*c*f^2 + 8a^3*b*f^3 + 15a^2*b^2*d^2*g + 75a^3*b*d*g^2 + 125a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729a^5*h^3 - 5(25g^3 - 54f*g*h)a^4*b + (8f^3 + 135c*g*h - 3(25g^2 - 18f*h)*d)a^3*b^2 - 3(5d^2g - (4f^2 + 9d*h)*c)a^2*b^3 - (d^3 - 6c^2f)a*b^4)/(a^5*b^9))^{(1/3)} - 18h/b^3)^2*a^3*b^6 + 36*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(81h^2/b^6 - (b^3*c*d + 10a^2*b*f*g + 81a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458h^3/b^9 - 27(b^3*c*d + 10a^2*b*f*g + 81a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6a*b^3*c^2*f + 12a^2*b^2*c*f^2 + 8a^3*b*f^3 + 15a^2*b^2*d^2*g + 75a^3*b*d*g^2 + 125a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729a^5*h^3 - 5(25g^3 - 54f*g*h)a^4*b + (8f^3 + 135c*g*h - 3(25g^2 - 18f*h)*d)a^3*b^2 - 3(5d^2g - (4f^2 + 9d*h)*c)a^2*b^3 - (d^3 - 6c^2f)a*b^4)/(a^5*b^9))^{(1/3)} - 18h/b^3)
\end{aligned}$$

$$\begin{aligned} &h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h) \\ &h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a \\ &b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d \\ &+ 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 \\ &+ a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g \\ &+ 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h) \\ &a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h) \\ &c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} - 18*h/b^3)*a^3*b^3*h + 16*b^3*c*d + 32*a*b^2*d*f + 3 \\ &24*a^3*h^2 + 80*(a*b^2*c + 2*a^2*b*f)*g)/(a^3*b^6))))/(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3) \end{aligned}$$

giac [A] time = 0.78, size = 363, normalized size = 1.12

$$\frac{b \log\left(\frac{b^3 + a}{3}\right)}{3a^3} \cdot \frac{\sqrt{5} \left(\sqrt{c + 2abf - (-ab)^2} \sqrt{bd - 5(-ab)^2} \arctan\left(\frac{\sqrt{5} \sqrt{c + (-f)^2}}{3(-f)^2}\right) \right)}{27(-ab)^2 ab^2} \cdot \frac{\left(\sqrt{c + 2abf + (-ab)^2} \sqrt{bd + 5(-ab)^2} \log\left(x^2 + x \sqrt{(-f)^2 + (-f)^2}\right) \right)}{54(-ab)^2 ab^2} \cdot \frac{2(\sqrt{d - 4abg})^2 + (\sqrt{c - 7abf})^2 + 6(2a^2b - abh)^2 - (abd + 5a^2g)^2 - 2(abh + 2a^2f)g + \frac{21(b^2h - 2b)}{18(b^3 + a)^2 ab^2}}{18(b^3 + a)^2 ab^2} \cdot \frac{\left(ab^4 \left(-\frac{1}{3} \right)^3 + 5a^2 b^2 g \left(-\frac{1}{3} \right)^3 + ab^4 c + 2a^2 b^2 f \right) \left(-\frac{1}{3} \right)^3 \log\left(\left| x - \left(-\frac{1}{3} \right)^3 \right| \right)}{27a^3 b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/3*h*log(abs(b*x^3 + a))/b^3 - 1/27*sqrt(3)*(b^2*c + 2*a*b*f - (-a*b^2)^(1/3)*b*d - 5*(-a*b^2)^(1/3)*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b^2) - 1/54*(b^2*c + 2*a*b*f + (-a*b^2)^(1/3)*b*d + 5*(-a*b^2)^(1/3)*a*g)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a*b^2) + 1/18*(2*(b^2*d - 4*a*b*g)*x^5 + (b^2*c - 7*a*b*f)*x^4 + 6*(2*a^2*h - a*b*e)*x^3 - (a*b*d + 5*a^2*g)*x^2 - 2*(a*b*c + 2*a^2*f)*x + 3*(3*a^3*h - a^2*b*e)/b)/((b*x^3 + a)^2*a*b^2) - 1/27*(a*b^4*d*(-a/b)^(1/3) + 5*a^2*b^3*g*(-a/b)^(1/3) + a*b^4*c + 2*a^2*b^3*f)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^5)

maple [A] time = 0.06, size = 515, normalized size = 1.58

$$\frac{\sqrt{5} \arctan\left(\frac{x \sqrt{\frac{a}{b^3}}}{\left(\frac{a}{b^3}\right)^{3/2}}\right)}{27 \left(\frac{a}{b^3}\right)^3 a^2} \cdot \frac{c \ln\left(x + \left(\frac{a}{b^3}\right)^{1/2}\right)}{27 \left(\frac{a}{b^3}\right)^3 a^2} \cdot \frac{c \ln\left(x^2 - \left(\frac{a}{b^3}\right)^{1/2} x + \left(\frac{a}{b^3}\right)^{1/2}\right)}{54 \left(\frac{a}{b^3}\right)^3 a^2} \cdot \frac{\sqrt{5} x \arctan\left(\frac{x \sqrt{\frac{a}{b^3}}}{\left(\frac{a}{b^3}\right)^{3/2}}\right)}{27 \left(\frac{a}{b^3}\right)^3 a^2} \cdot \frac{d \ln\left(x + \left(\frac{a}{b^3}\right)^{1/2}\right)}{27 \left(\frac{a}{b^3}\right)^3 a^2} \cdot \frac{d \ln\left(x^2 - \left(\frac{a}{b^3}\right)^{1/2} x + \left(\frac{a}{b^3}\right)^{1/2}\right)}{54 \left(\frac{a}{b^3}\right)^3 a^2} \cdot \frac{2\sqrt{5} f \arctan\left(\frac{x \sqrt{\frac{a}{b^3}}}{\left(\frac{a}{b^3}\right)^{3/2}}\right)}{27 \left(\frac{a}{b^3}\right)^3 a^2} \cdot \frac{2f \ln\left(x + \left(\frac{a}{b^3}\right)^{1/2}\right)}{27 \left(\frac{a}{b^3}\right)^3 a^2} \cdot \frac{f \ln\left(x^2 - \left(\frac{a}{b^3}\right)^{1/2} x + \left(\frac{a}{b^3}\right)^{1/2}\right)}{27 \left(\frac{a}{b^3}\right)^3 a^2} \cdot \frac{5\sqrt{5} g \arctan\left(\frac{x \sqrt{\frac{a}{b^3}}}{\left(\frac{a}{b^3}\right)^{3/2}}\right)}{27 \left(\frac{a}{b^3}\right)^3 a^2} \cdot \frac{5g \ln\left(x + \left(\frac{a}{b^3}\right)^{1/2}\right)}{27 \left(\frac{a}{b^3}\right)^3 a^2} \cdot \frac{5g \ln\left(x^2 - \left(\frac{a}{b^3}\right)^{1/2} x + \left(\frac{a}{b^3}\right)^{1/2}\right)}{54 \left(\frac{a}{b^3}\right)^3 a^2} \cdot \frac{h \ln(bx^3 + a)}{36} \cdot \frac{\frac{1458h^3}{(b^3+a)^2} + \frac{27(1458h^3 - 27(b^3cd + 10a^2bfg + 81a^3h^2 + (2df + 5cg)ab^2)h)}{(b^3+a)^2}}{(b^3+a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x)

[Out] (-1/9*(4*a*g-b*d)/a/b*x^5-1/18*(7*a*f-b*c)/a/b*x^4+1/3*(2*a*h-b*e)/b^2*x^3-1/18*(5*a*g+b*d)/b^2*x^2-1/9*(2*a*f+b*c)/b^2*x+1/6*a*(3*a*h-b*e)/b^3)/(b*x^3+a)^2+2/27/(a/b)^(2/3)/b^3*f*ln(x+(a/b)^(1/3))+1/27/a/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c-1/27/(a/b)^(2/3)/b^3*f*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/54/a/b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+2/27/(a/b)^(2/3)*3^(1/2)/b^3*f*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/27/a/b^2/(a/b)^(2/3)

$$3^{1/2} \arctan\left(\frac{1}{3} 3^{1/2} \left(\frac{2}{a/b} \left(\frac{1}{3}\right)^x - 1\right)\right) * c - 5/27/b^3/(a/b)^{1/3} * \ln\left(x + (a/b)^{1/3}\right) * g - 1/27/(a/b)^{1/3}/a/b^2 * d * \ln\left(x + (a/b)^{1/3}\right) + 5/54/b^3/(a/b)^{1/3} * \ln\left(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}\right) * g + 1/54/(a/b)^{1/3}/a/b^2 * d * \ln\left(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}\right) + 5/27/b^3 * 3^{1/2}/(a/b)^{1/3} * \arctan\left(\frac{1}{3} 3^{1/2} \left(\frac{2}{a/b} \left(\frac{1}{3}\right)^x - 1\right)\right) * g + 1/27 * 3^{1/2}/(a/b)^{1/3}/a/b^2 * d * \arctan\left(\frac{1}{3} 3^{1/2} \left(\frac{2}{a/b} \left(\frac{1}{3}\right)^x - 1\right)\right) + 1/3 * h * \ln(b * x^3 + a)/b^3$$

maxima [A] time = 3.12, size = 366, normalized size = 1.13

$$\frac{2(b^3d - 4ab^2g)^2 + (b^3c - 7a^2b^2f)^2 - 3a^2bc + 9a^2h - 6(ab^2c - 2a^2bh)^2 - (ab^2d + 5a^2bg)^2 - 2(ab^2c + 2a^2hf)x + \sqrt{5} \left(\frac{b^3d}{3} + 5abg \left(\frac{1}{3}\right)^x + b^2c \left(\frac{1}{3}\right)^x + 2abf \left(\frac{1}{3}\right)^x \right) \arctan\left(\frac{\sqrt{5} \left(\frac{b^3d}{3} + 5abg \left(\frac{1}{3}\right)^x + b^2c \left(\frac{1}{3}\right)^x + 2abf \left(\frac{1}{3}\right)^x \right)}{3 \left(\frac{1}{3}\right)^x}\right)}{18(ab^3d^2 + 2a^2b^4g^2 + a^3b^3)} \left(\frac{18ab \left(\frac{1}{3}\right)^x + bd \left(\frac{1}{3}\right)^x + 5ac \left(\frac{1}{3}\right)^x - bc - 2af}{54ab^2 \left(\frac{1}{3}\right)^x} \log\left(x^2 - x \left(\frac{1}{3}\right)^x + \left(\frac{1}{3}\right)^x\right) + \frac{9ab \left(\frac{1}{3}\right)^x - bd \left(\frac{1}{3}\right)^x - 5ac \left(\frac{1}{3}\right)^x + bc + 2af}{27ab^2 \left(\frac{1}{3}\right)^x} \log\left(x + \left(\frac{1}{3}\right)^x\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(2*(b^3*d - 4*a*b^2*g)*x^5 + (b^3*c - 7*a*b^2*f)*x^4 - 3*a^2*b*e + 9*a^3*h - 6*(a*b^2*e - 2*a^2*b*h)*x^3 - (a*b^2*d + 5*a^2*b*g)*x^2 - 2*(a*b^2*c + 2*a^2*b*f)*x)/(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3) + 1/27*sqrt(3)*(b^2*d*(a/b)^(2/3) + 5*a*b*g*(a/b)^(2/3) + b^2*c*(a/b)^(1/3) + 2*a*b*f*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^3) + 1/54*(18*a*h*(a/b)^(2/3) + b*d*(a/b)^(1/3) + 5*a*g*(a/b)^(1/3) - b*c - 2*a*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^3*(a/b)^(2/3)) + 1/27*(9*a*h*(a/b)^(2/3) - b*d*(a/b)^(1/3) - 5*a*g*(a/b)^(1/3) + b*c + 2*a*f)*log(x + (a/b)^(1/3))/(a*b^3*(a/b)^(2/3))

mupad [B] time = 5.66, size = 908, normalized size = 2.79

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x)

[Out] ((3*a^2*h - a*b*e)/(6*b^3) - (x*(b*c + 2*a*f))/(9*b^2) - (x^2*(b*d + 5*a*g))/(18*b^2) - (x^3*(b*e - 2*a*h))/(3*b^2) + (x^4*(b*c - 7*a*f))/(18*a*b) + (x^5*(b*d - 4*a*g))/(9*a*b))/(a^2 + b^2*x^6 + 2*a*b*x^3) + symsum(log(root(19683*a^5*b^9*z^3 - 19683*a^5*b^6*h*z^2 + 810*a^4*b^4*f*g*z + 405*a^3*b^5*c*g*z + 162*a^3*b^5*d*f*z + 81*a^2*b^6*c*d*z + 6561*a^5*b^3*h^2*z - 270*a^4*b*f*g*h - 135*a^3*b^2*c*g*h - 54*a^3*b^2*d*f*h - 27*a^2*b^3*c*d*h - 6*a*b^4*c^2*f + 75*a^3*b^2*d*g^2 + 15*a^2*b^3*d^2*g - 12*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 + 125*a^4*b*g^3 + a*b^4*d^3 - 729*a^5*h^3 - b^5*c^3, z, k))*(9*root(19683*a^5*b^9*z^3 - 19683*a^5*b^6*h*z^2 + 810*a^4*b^4*f*g*z + 405*a^3*b^5*c*g*z + 162*a^3*b^5*d*f*z + 81*a^2*b^6*c*d*z + 6561*a^5*b^3*h^2*z - 270*a^4*b*f*g*h - 135*a^3*b^2*c*g*h - 54*a^3*b^2*d*f*h - 27*a^2*b^3*c*d*h - 6*a*b^4*c^2*f + 75*a^3*b^2*d*g^2 + 15*a^2*b^3*d^2*g - 12*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3

$$\begin{aligned}
& + 125*a^4*b*g^3 + a*b^4*d^3 - 729*a^5*h^3 - b^5*c^3, z, k)*a*b^2 - (6*a*h) \\
& /b + (x*(54*a^2*b^3*f + 27*a*b^4*c))/(81*a^2*b^3)) + (81*a^3*h^2 + b^3*c*d \\
& + 5*a*b^2*c*g + 2*a*b^2*d*f + 10*a^2*b*f*g)/(81*a^2*b^4) + (x*(b^2*d^2 + 25 \\
& *a^2*g^2 - 18*a^2*f*h - 9*a*b*c*h + 10*a*b*d*g))/(81*a^2*b^3))*\text{root}(19683*a \\
& ^5*b^9*z^3 - 19683*a^5*b^6*h*z^2 + 810*a^4*b^4*f*g*z + 405*a^3*b^5*c*g*z + \\
& 162*a^3*b^5*d*f*z + 81*a^2*b^6*c*d*z + 6561*a^5*b^3*h^2*z - 270*a^4*b*f*g*h \\
& - 135*a^3*b^2*c*g*h - 54*a^3*b^2*d*f*h - 27*a^2*b^3*c*d*h - 6*a*b^4*c^2*f \\
& + 75*a^3*b^2*d*g^2 + 15*a^2*b^3*d^2*g - 12*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 + \\
& 125*a^4*b*g^3 + a*b^4*d^3 - 729*a^5*h^3 - b^5*c^3, z, k), k, 1, 3)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.370 \quad \int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=297

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (2ag + bd) - \sqrt[3]{a} (5ah + be))}{54a^{5/3} b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (2ag + bd) - \sqrt[3]{a} (5ah + be))}{27a^{5/3} b^{8/3}}$$

Rubi [A] time = 0.43, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {1823, 1858, 1860, 31, 634, 617, 204, 628}

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (2ag + bd) - \sqrt[3]{a} (5ah + be))}{54a^{5/3} b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (2ag + bd) - \sqrt[3]{a} (5ah + be))}{27a^{5/3} b^{8/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{b} - 2\sqrt[3]{a} x}{\sqrt[3]{a}}\right) (5a^{4/3} h + \sqrt[3]{a} b e + 2a\sqrt[3]{b} g + b^{4/3} d)}{9\sqrt[3]{a} a^{5/3} b^{8/3}} + \frac{x (x(2be - 5ah) - 4ag + bd + 3bf/x^2)}{18ab^2 (a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{6b (a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] (x*(b*d - 4*a*g + (2*b*e - 5*a*h)*x + 3*b*f*x^2))/(18*a*b^2*(a + b*x^3)) - (c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(6*b*(a + b*x^3)^2) - ((b^(4/3)*d + a^(1/3)*b*e + 2*a*b^(1/3)*g + 5*a^(4/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(5/3)*b^(8/3)) + ((b^(1/3)*(b*d + 2*a*g) - a^(1/3)*(b*e + 5*a*h))*Log[a^(1/3) + b^(1/3)*x]/(27*a^(5/3)*b^(8/3)) - ((b^(1/3)*(b*d + 2*a*g) - a^(1/3)*(b*e + 5*a*h))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(5/3)*b^(8/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \ :> \ \text{Simp}[\frac{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]}{b}, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \ :> \ \text{Dist}[\frac{2*c*d - b*e}{2*c}, \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[\frac{b + 2*c*x}{a + b*x + c*x^2}, x], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{!NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1823

$\text{Int}[(Pq_)*(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \ :> \ \text{Simp}[(Pq*(a + b*x^n)^{(p+1)})/(b*n*(p+1)), x] - \text{Dist}[1/(b*n*(p+1)), \text{Int}[D[Pq, x]*(a + b*x^n)^{(p+1)}, x], x] \ /; \ \text{FreeQ}[\{a, b, m, n\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{EqQ}[m - n + 1, 0] \ \&\& \ \text{LtQ}[p, -1]$

Rule 1858

$\text{Int}[(Pq_)*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \ :> \ \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q-1)/n] + 1)*Pq}, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q-1)/n] + 1)*Pq}, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p+1)*b^{(\text{Floor}[(q-1)/n] + 1)}), \text{Int}[(a + b*x^n)^{(p+1)}*\text{ExpandToSum}[a*n*(p+1)*Q + n*(p+1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p+1)})/(a*n*(p+1)*b^{(\text{Floor}[(q-1)/n] + 1)}), x]] \ /; \ \text{GeQ}[q, n] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1]$

Rule 1860

$\text{Int}[\frac{(A_.) + (B_.)*(x_.)}{(a_.) + (b_.)*(x_.)^3}, x_Symbol] \ :> \ \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[(r*(B*r - A*s))/(3*a*s), \text{Int}[1/(r + s*x), x], x] + \text{Dist}[r/(3*a*s), \text{Int}[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] \ /; \ \text{FreeQ}[\{a, b, A, B\}, x] \ \&\& \ \text{NeQ}[a*B^3 - b*A^3, 0] \ \&\& \ \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^3} dx &= -\frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{6b(a + bx^3)^2} + \frac{\int \frac{d+2ex+3fx^2+4gx^3+5hx^4}{(a+bx^3)^2} dx}{6b} \\
&= \frac{x (bd - 4ag + (2be - 5ah)x + 3bfx^2)}{18ab^2 (a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4}{6b (a + bx^3)^2} \\
&= \frac{x (bd - 4ag + (2be - 5ah)x + 3bfx^2)}{18ab^2 (a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4}{6b (a + bx^3)^2} \\
&= \frac{x (bd - 4ag + (2be - 5ah)x + 3bfx^2)}{18ab^2 (a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4}{6b (a + bx^3)^2} \\
&= \frac{x (bd - 4ag + (2be - 5ah)x + 3bfx^2)}{18ab^2 (a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4}{6b (a + bx^3)^2} \\
&= \frac{x (bd - 4ag + (2be - 5ah)x + 3bfx^2)}{18ab^2 (a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4}{6b (a + bx^3)^2}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 287, normalized size = 0.97

$$\frac{\log\left(\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx+b^{2/3}x^2}}{a^{5/3}}\right) \left(5a^{4/3}h + \sqrt[3]{a}bc - 2a \sqrt[3]{b}g - b^{4/3}d\right) + 2 \log\left(\frac{\sqrt[3]{a} + \sqrt[3]{bx}}{a^{5/3}}\right) \left(-5a^{4/3}h - \sqrt[3]{a}bc + 2a \sqrt[3]{b}g + b^{4/3}d\right)}{54b^{8/3}} - \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{3}}\right) \left(5a^{4/3}h + \sqrt[3]{a}bc + 2a \sqrt[3]{b}g + b^{4/3}d\right)}{a^{5/3}} - \frac{9b^{2/3}(b(c+x(d+ex)) - a(f+x(g+hx)))}{(a+bx^3)^2} + \frac{3b^{2/3}(bx(d+2ex) - a(6f+x(7g+8hx)))}{a(a+bx^3)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] ((-9*b^(2/3)*(b*(c + x*(d + e*x)) - a*(f + x*(g + h*x)))/(a + b*x^3)^2 + (3*b^(2/3)*(b*x*(d + 2*e*x) - a*(6*f + x*(7*g + 8*h*x)))/(a*(a + b*x^3)) - (2*sqrt[3]*(b^(4/3)*d + a^(1/3)*b*e + 2*a*b^(1/3)*g + 5*a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(5/3) + (2*(b^(4/3)*d - a^(1/3)*b*e + 2*a*b^(1/3)*g - 5*a^(4/3)*h)*Log[a^(1/3) + b^(1/3)*x]/a^(5/3) + ((-b^(4/3)*d + a^(1/3)*b*e - 2*a*b^(1/3)*g + 5*a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3))/(54*b^(8/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3, x]

fricas [C] time = 1.94, size = 6926, normalized size = 23.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/108*(36*a*b*f*x^3 - 12*(b^2*e - 4*a*b*h)*x^5 - 6*(b^2*d - 7*a*b*g)*x^4 + \\ & 18*a*b*c + 18*a^2*f + 6*(a*b*e + 5*a^2*h)*x^2 + 2*(a*b^4*x^6 + 2*a^2*b^3*x^3 + a^3*b^2)*((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} \\ & - 2*(1/2)^{(2/3)}*(b^2*d*e + 10*a^2*g*h + (2*e*g + 5*d*h)*a*b)*(-I*\sqrt{3}) + 1)/(a^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)})) * \log(2*a*b^3*d*e^2 + 4*a^2*b^2*e^2*g + 1/4*(a^4*b^6*e + 5*a^5*b^5*h)*((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} - 2*(1/2)^{(2/3)}*(b^2*d*e + 10*a^2*g*h + (2*e*g + 5*d*h)*a*b)*(-I*\sqrt{3}) + 1)/(a^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)}))^{(1/3)} \\ & + 50*(a^3*b*d + 2*a^4*g)*h^2 - 1/2*(a^2*b^5*d^2 + 4*a^3*b^4*d*g + 4*a^4*b^3*g^2)*((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3* \end{aligned}$$

$$\begin{aligned}
& (4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} - 2*(\\
& (1/2)^{(2/3)}*(b^2*d*e + 10*a^2*g*h + (2*e*g + 5*d*h)*a*b)*(-I*sqrt(3) + 1)/(a \\
& ^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g \\
& ^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 \\
& - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - \\
& (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)})) + 20*(a^2*b^2*d*e + 2*a^3*b*e*g)* \\
& h + (b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + \\
& 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)*x) + 12*(a*b*d + 2*a^2*g) \\
& *x - ((a*b^4*x^6 + 2*a^2*b^3*x^3 + a^3*b^2)*((1/2)^{(1/3)}*(I*sqrt(3) + 1)*((\\
& b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a \\
& ^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4 \\
& *h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6* \\
& d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} - 2*(1/2)^{(2/3)}*(b^2*d*e + 10*a^2*g*h + (2*e \\
& *g + 5*d*h)*a*b)*(-I*sqrt(3) + 1)/(a^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3* \\
& d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 \\
& + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3* \\
& b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} \\
&)) + 3*sqrt(1/3)*(a*b^4*x^6 + 2*a^2*b^3*x^3 + a^3*b^2)*sqrt(-(((1/2)^{(1/3)}* \\
& (I*sqrt(3) + 1)*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + \\
& 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + \\
& (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a \\
& ^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} - 2*(1/2)^{(2/3)}*(b^2*d*e + \\
& 10*a^2*g*h + (2*e*g + 5*d*h)*a*b)*(-I*sqrt(3) + 1)/(a^3*b^5*((b^4*d^3 + a* \\
& b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h \\
& + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^ \\
& 3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3 \\
&)/(a^5*b^8))^{(1/3)}))^2*a^3*b^5 + 16*b^2*d*e + 32*a*b*e*g + 80*(a*b*d + 2*a^ \\
& 2*g)*h)/(a^3*b^5))*log(-2*a*b^3*d*e^2 - 4*a^2*b^2*e^2*g - 1/4*(a^4*b^6*e + \\
& 5*a^5*b^5*h)*((1/2)^{(1/3)}*(I*sqrt(3) + 1)*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3* \\
& d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 \\
& + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3* \\
& b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} \\
& - 2*(1/2)^{(2/3)}*(b^2*d*e + 10*a^2*g*h + (2*e*g + 5*d*h)*a*b)*(-I*sqrt(3) + \\
& 1)/(a^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a \\
& ^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^ \\
& 4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2* \\
& b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)}))^2 - 50*(a^3*b*d + 2*a^4*g)* \\
& h^2 + 1/2*(a^2*b^5*d^2 + 4*a^3*b^4*d*g + 4*a^4*b^3*g^2)*((1/2)^{(1/3)}*(I*sq \\
& rt(3) + 1)*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3* \\
& b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d \\
& ^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 \\
& - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} - 2*(1/2)^{(2/3)}*(b^2*d*e + 10*a^ \\
& 2*g*h + (2*e*g + 5*d*h)*a*b)*(-I*sqrt(3) + 1)/(a^3*b^5*((b^4*d^3 + a*b^3*e^ \\
& 3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75* \\
& a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75
\end{aligned}$$

$$\begin{aligned}
& *e^h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5 \\
& *b^8))^{(1/3)}) - 20*(a^2*b^2*d*e + 2*a^3*b*e*g)*h + 2*(b^4*d^3 + a*b^3*e^3 \\
& + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^ \\
& 3*b*e*h^2 + 125*a^4*h^3)*x + 3/4*\sqrt{1/3}*(2*a^2*b^5*d^2 + 8*a^3*b^4*d*g + \\
& 8*a^4*b^3*g^2 + (a^4*b^6*e + 5*a^5*b^5*h)*((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((b \\
& ^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^ \\
& 2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4* \\
& h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d \\
& ^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} - 2*(1/2)^{(2/3)}*(b^2*d*e + 10*a^2*g*h + (2*e* \\
& g + 5*d*h)*a*b)*(-I*\sqrt{3}) + 1)/(a^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d \\
& ^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + \\
& 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b \\
& + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} \\
&))*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2* \\
& g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 12 \\
& 5*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + \\
& 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} - 2 \\
& *(1/2)^{(2/3)}*(b^2*d*e + 10*a^2*g*h + (2*e*g + 5*d*h)*a*b)*(-I*\sqrt{3}) + 1)/ \\
& (a^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b* \\
& *g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^ \\
& 3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 \\
& - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)})^2*a^3*b^5 + 16*b^2*d*e + 32*a*b \\
& *e*g + 80*(a*b*d + 2*a^2*g)*h)/(a^3*b^5))) - ((a*b^4*x^6 + 2*a^2*b^3*x^3 + \\
& a^3*b^2)*((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g \\
& + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125 \\
& *a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3 \\
& *(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} - 2* \\
& (1/2)^{(2/3)}*(b^2*d*e + 10*a^2*g*h + (2*e*g + 5*d*h)*a*b)*(-I*\sqrt{3}) + 1)/(\\
& a^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b* \\
& g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 \\
& - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - \\
& (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)}) - 3*\sqrt{1/3}*(a*b^4*x^6 + 2*a^2 \\
& *b^3*x^3 + a^3*b^2)*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((b^4*d^3 + a*b^3*e \\
& ^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75 \\
& *a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 7 \\
& 5*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^ \\
& 5*b^8))^{(1/3)} - 2*(1/2)^{(2/3)}*(b^2*d*e + 10*a^2*g*h + (2*e*g + 5*d*h)*a*b)* \\
& (-I*\sqrt{3}) + 1)/(a^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^ \\
& 2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a \\
& ^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - \\
& 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)})^2*a^3*b^5 + 16 \\
& *b^2*d*e + 32*a*b*e*g + 80*(a*b*d + 2*a^2*g)*h)/(a^3*b^5))*\log(-2*a*b^3*d* \\
& e^2 - 4*a^2*b^2*e^2*g - 1/4*(a^4*b^6*e + 5*a^5*b^5*h)*((1/2)^{(1/3)}*(I*\sqrt{3} \\
& + 1)*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b* \\
& g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3
\end{aligned}$$

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$-1/27*\sqrt{3}*(b^2*d + 2*a*b*g - 5*(-a*b^2)^{(1/3)}*a*h - (-a*b^2)^{(1/3)}*b*e) * \arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a*b^2) - 1/54*(b^2*d + 2*a*b*g + 5*(-a*b^2)^{(1/3)}*a*h + (-a*b^2)^{(1/3)}*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a*b^2) - 1/27*(5*a*h*(-a/b)^{(1/3)} + b*(-a/b)^{(1/3)}*e + b*d + 2*a*g)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a^2*b^2) - 1/18*(8*a*b*h*x^5 - 2*b^2*x^5*e - b^2*d*x^4 + 7*a*b*g*x^4 + 6*a*b*f*x^3 + 5*a^2*h*x^2 + a*b*x^2*e + 2*a*b*d*x + 4*a^2*g*x + 3*a*b*c + 3*a^2*f)/((b*x^3 + a)^2*a*b^2)$$

maple [A] time = 0.06, size = 490, normalized size = 1.65

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{b} + \frac{1}{b}\right)}{\left(\frac{2x}{b} + \frac{1}{b}\right)^2}\right)}{27\left(\frac{2x}{b} + \frac{1}{b}\right)^3} + \frac{d \ln\left(x + \left(\frac{2x}{b} + \frac{1}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{2x}{b} + \frac{1}{b}\right)^3} + \frac{d \ln\left(x^2 - \left(\frac{2x}{b} + \frac{1}{b}\right)^{\frac{1}{3}}x + \left(\frac{2x}{b} + \frac{1}{b}\right)^{\frac{2}{3}}\right)}{54\left(\frac{2x}{b} + \frac{1}{b}\right)^3} + \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{b} + \frac{1}{b}\right)}{\left(\frac{2x}{b} + \frac{1}{b}\right)^2}\right)}{27\left(\frac{2x}{b} + \frac{1}{b}\right)^3} + \frac{e \ln\left(x + \left(\frac{2x}{b} + \frac{1}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{2x}{b} + \frac{1}{b}\right)^3} + \frac{e \ln\left(x^2 - \left(\frac{2x}{b} + \frac{1}{b}\right)^{\frac{1}{3}}x + \left(\frac{2x}{b} + \frac{1}{b}\right)^{\frac{2}{3}}\right)}{54\left(\frac{2x}{b} + \frac{1}{b}\right)^3} + \frac{2\sqrt{3} g \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{b} + \frac{1}{b}\right)}{\left(\frac{2x}{b} + \frac{1}{b}\right)^2}\right)}{27\left(\frac{2x}{b} + \frac{1}{b}\right)^3} + \frac{2d \ln\left(x + \left(\frac{2x}{b} + \frac{1}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{2x}{b} + \frac{1}{b}\right)^3} + \frac{d \ln\left(x^2 - \left(\frac{2x}{b} + \frac{1}{b}\right)^{\frac{1}{3}}x + \left(\frac{2x}{b} + \frac{1}{b}\right)^{\frac{2}{3}}\right)}{27\left(\frac{2x}{b} + \frac{1}{b}\right)^3} + \frac{5\sqrt{3} h \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{b} + \frac{1}{b}\right)}{\left(\frac{2x}{b} + \frac{1}{b}\right)^2}\right)}{27\left(\frac{2x}{b} + \frac{1}{b}\right)^3} + \frac{5h \ln\left(x + \left(\frac{2x}{b} + \frac{1}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{2x}{b} + \frac{1}{b}\right)^3} + \frac{5h \ln\left(x^2 - \left(\frac{2x}{b} + \frac{1}{b}\right)^{\frac{1}{3}}x + \left(\frac{2x}{b} + \frac{1}{b}\right)^{\frac{2}{3}}\right)}{54\left(\frac{2x}{b} + \frac{1}{b}\right)^3} + \frac{-18ab^2d^2 - 2d^2 - \frac{27ab^2d^2}{27} - \frac{27ab^2d^2}{27} - \frac{27ab^2d^2}{27} - \frac{27ab^2d^2}{27}}{(b^2 + a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x)

[Out]
$$\begin{aligned} & (-1/9*(4*a*h-b*e)/a/b*x^5-1/18*(7*a*g-b*d)/a/b*x^4-1/3/b*f*x^3-1/18*(5*a*h+ \\ & b*e)/b^2*x^2-1/9*(2*a*g+b*d)/b^2*x-1/6*(a*f+b*c)/b^2)/(b*x^3+a)^2+2/27/b^3/ \\ & (a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*g+1/27/(a/b)^{(2/3)}/a/b^2*d*\ln(x+(a/b)^{(1/3)})- \\ & 1/27/b^3/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*g-1/54/(a/b)^{(2/3)}/a \\ & /b^2*d*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/27/b^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan \\ & (1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*g+1/27/(a/b)^{(2/3)}*3^{(1/2)}/a/b^2*d*\arctan \\ & (1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-5/27/b^3/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*h \\ & -1/27/(a/b)^{(1/3)}/a/b^2*e*\ln(x+(a/b)^{(1/3)})+5/54/b^3/(a/b)^{(1/3)}*\ln(x^2-(a/ \\ & b)^{(1/3)}*x+(a/b)^{(2/3)})*h+1/54/(a/b)^{(1/3)}/a/b^2*e*\ln(x^2-(a/b)^{(1/3)}*x+(a/ \\ & b)^{(2/3)})+5/27/b^3*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x- \\ & 1))*h+1/27*3^{(1/2)}/(a/b)^{(1/3)}/a/b^2*e*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x- \\ & 1)) \end{aligned}$$

maxima [A] time = 3.05, size = 308, normalized size = 1.04

$$\frac{6abfx^3 - 2(b^2c - 4abh)x^2 - (b^2d - 7abg)x + 3abc + 3a^2f + (abc + 5a^2h)x^2 + 2(abd + 2a^2g)x}{18(ab^4c^2 + 2a^2b^3c^2 + a^3b^2c)} + \frac{\sqrt{3}\left(bc\left(\frac{2x}{b}\right)^{\frac{1}{3}} + 5ah\left(\frac{2x}{b}\right)^{\frac{1}{3}} + bd + 2ag\right)\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{b} + \frac{1}{b}\right)}{\left(\frac{2x}{b} + \frac{1}{b}\right)^2}\right)}{27ab^3\left(\frac{2x}{b}\right)^{\frac{2}{3}}} + \frac{\left(bc\left(\frac{2x}{b}\right)^{\frac{1}{3}} + 5ah\left(\frac{2x}{b}\right)^{\frac{1}{3}} - bd - 2ag\right)\log\left(x^2 - x\left(\frac{2x}{b}\right)^{\frac{1}{3}} + \left(\frac{2x}{b}\right)^{\frac{2}{3}}\right)}{54ab^3\left(\frac{2x}{b}\right)^{\frac{2}{3}}} - \frac{\left(bc\left(\frac{2x}{b}\right)^{\frac{1}{3}} + 5ah\left(\frac{2x}{b}\right)^{\frac{1}{3}} - bd - 2ag\right)\log\left(x + \left(\frac{2x}{b}\right)^{\frac{1}{3}}\right)}{27ab^3\left(\frac{2x}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$-1/18*(6*a*b*f*x^3 - 2*(b^2*e - 4*a*b*h)*x^5 - (b^2*d - 7*a*b*g)*x^4 + 3*a*b*c + 3*a^2*f + (a*b*e + 5*a^2*h)*x^2 + 2*(a*b*d + 2*a^2*g)*x)/(a*b^4*x^6 + 2*a^2*b^3*x^3 + a^3*b^2) + 1/27*\sqrt{3}*(b*e*(a/b)^{(1/3)} + 5*a*h*(a/b)^{(1/3)})$$

$$3) + b*d + 2*a*g)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b^3*(a/b)^{(2/3)}) + 1/54*(b*e*(a/b)^{(1/3)} + 5*a*h*(a/b)^{(1/3)} - b*d - 2*a*g)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b^3*(a/b)^{(2/3)}) - 1/27*(b*e*(a/b)^{(1/3)} + 5*a*h*(a/b)^{(1/3)} - b*d - 2*a*g)*\log(x + (a/b)^{(1/3)})/(a*b^3*(a/b)^{(2/3)})$$

mupad [B] time = 5.69, size = 627, normalized size = 2.11

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3, x)$

[Out] $\text{symsum}(\log(\text{root}(19683*a^5*b^8*z^3 + 810*a^4*b^3*g*h*z + 405*a^3*b^4*d*h*z + 162*a^3*b^4*e*g*z + 81*a^2*b^5*d*e*z + 75*a^3*b*e*h^2 - 6*a*b^3*d^2*g + 15*a^2*b^2*e^2*h - 12*a^2*b^2*d*g^2 - 8*a^3*b*g^3 + a*b^3*e^3 + 125*a^4*h^3 - b^4*d^3, z, k)*(9*\text{root}(19683*a^5*b^8*z^3 + 810*a^4*b^3*g*h*z + 405*a^3*b^4*d*h*z + 162*a^3*b^4*e*g*z + 81*a^2*b^5*d*e*z + 75*a^3*b*e*h^2 - 6*a*b^3*d^2*g + 15*a^2*b^2*e^2*h - 12*a^2*b^2*d*g^2 - 8*a^3*b*g^3 + a*b^3*e^3 + 125*a^4*h^3 - b^4*d^3, z, k)*a*b^2 + (x*(54*a^2*b^3*g + 27*a*b^4*d))/(81*a^2*b^3)) + (b^2*d*e + 10*a^2*g*h + 5*a*b*d*h + 2*a*b*e*g)/(81*a^2*b^3) + (x*(b^2*e^2 + 25*a^2*h^2 + 10*a*b*e*h))/(81*a^2*b^3))*\text{root}(19683*a^5*b^8*z^3 + 810*a^4*b^3*g*h*z + 405*a^3*b^4*d*h*z + 162*a^3*b^4*e*g*z + 81*a^2*b^5*d*e*z + 75*a^3*b*e*h^2 - 6*a*b^3*d^2*g + 15*a^2*b^2*e^2*h - 12*a^2*b^2*d*g^2 - 8*a^3*b*g^3 + a*b^3*e^3 + 125*a^4*h^3 - b^4*d^3, z, k), k, 1, 3) - ((b*c + a*f)/(6*b^2) + (x*(b*d + 2*a*g))/(9*b^2) + (f*x^3)/(3*b) + (x^2*(b*e + 5*a*h))/(18*b^2) - (x^4*(b*d - 7*a*g))/(18*a*b) - (x^5*(b*e - 4*a*h))/(9*a*b))/(a^2 + b^2*x^6 + 2*a*b*x^3)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**3, x)$

[Out] Timed out

$$3.371 \quad \int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=323

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(b^{2/3}(af + 2bc) - a^{2/3}(2ah + be)\right)}{54a^{7/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(b^{2/3}(af + 2bc) - a^{2/3}(2ah + be)\right)}{27a^{7/3}b^{7/3}}$$

Rubi [A] time = 0.48, antiderivative size = 323, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1828, 1858, 1860, 31, 634, 617, 204, 628}

$$\frac{x(2bx(af+2bc)+3bx^2(ag+bf)+a(bc-7ah))}{18a^2b^2(a+bx^3)} + \frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(b^{2/3}(af+2bc) - a^{2/3}(2ah+be)\right)}{54a^{7/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(b^{2/3}(af+2bc) - a^{2/3}(2ah+be)\right)}{27a^{7/3}b^{7/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt[3]{a}\sqrt[3]{b}}\right) \left(a^{2/3}be+2a^{5/3}h+aj^{2/3}f+2b^{5/3}c\right)}{9\sqrt[3]{a}a^{2/3}b^{2/3}} - \frac{x(-bx(bc-af)-bx^2(bd-ag)+a(bc-ah))}{6ab^2(a+bx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3, x]

[Out] -(x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(6*a*b^2*(a + b*x^3)^2) + (x*(a*(b*e - 7*a*h) + 2*b*(2*b*c + a*f)*x + 3*b*(b*d + a*g)*x^2))/(18*a^2*b^2*(a + b*x^3)) - ((2*b^(5/3)*c + a^(2/3)*b*e + a*b^(2/3)*f + 2*a^(5/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(7/3)*b^(7/3)) - ((b^(2/3)*(2*b*c + a*f) - a^(2/3)*(b*e + 2*a*h))*Log[a^(1/3) + b^(1/3)*x]/(27*a^(7/3)*b^(7/3)) + ((b^(2/3)*(2*b*c + a*f) - a^(2/3)*(b*e + 2*a*h))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(7/3)*b^(7/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \ :> \ \text{Simp}[\frac{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]}{b}, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \ :> \ \text{Dist}[\frac{2*c*d - b*e}{2*c}, \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1828

$\text{Int}[(Pq_)*(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \ :> \ \text{With}[\{q = m + \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[(a + b*x^n)^{(p + 1)}*\text{ExpandToSum}[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] \ /; \ \text{GeQ}[q, n] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 1858

$\text{Int}[(Pq_)*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \ :> \ \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q - 1)/n] + 1)*Pq, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[(a + b*x^n)^{(p + 1)}*\text{ExpandToSum}[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] \ /; \ \text{GeQ}[q, n] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1]$

Rule 1860

$\text{Int}[\frac{(A_.) + (B_.)*(x_.)}{(a_.) + (b_.)*(x_.)^3}, x_Symbol] \ :> \ \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[(r*(B*r - A*s))/(3*a*s), \text{Int}[1/(r + s*x), x], x] + \text{Dist}[r/(3*a*s), \text{Int}[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] \ /; \ \text{FreeQ}[\{a, b, A, B\}, x] \ \&\& \ \text{NeQ}[a*B^3 - b*A^3, 0] \ \&\& \ \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^3} dx &= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} - \frac{\int \frac{-a(be - ah) - 2b(2bc + af)x}{(a + bx^3)^2} dx}{6a} \\
&= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} + \frac{x(a(be - 7ah) + 2b(2bc + af))}{18a^2} \\
&= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} + \frac{x(a(be - 7ah) + 2b(2bc + af))}{18a^2} \\
&= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} + \frac{x(a(be - 7ah) + 2b(2bc + af))}{18a^2} \\
&= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} + \frac{x(a(be - 7ah) + 2b(2bc + af))}{18a^2} \\
&= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} + \frac{x(a(be - 7ah) + 2b(2bc + af))}{18a^2} \\
&= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} + \frac{x(a(be - 7ah) + 2b(2bc + af))}{18a^2}
\end{aligned}$$

Mathematica [A] time = 0.36, size = 297, normalized size = 0.92

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx + b^2/3x^2}) (-a^{2/3}bc - 2a^{5/3}h + ab^{2/3}f + 2b^{5/3}c) + 2 \log(\sqrt[3]{a} + \sqrt[3]{bx}) (a^{2/3}be + 2a^{5/3}h - ab^{2/3}f - 2b^{5/3}c) - 2\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt{3}x}{\sqrt{3}}}{\sqrt{3}}\right) (a^{2/3}be + 2a^{5/3}h + ab^{2/3}f + 2b^{5/3}c) - \frac{3\sqrt[3]{a} \sqrt[3]{6} (a^2(6g + 7h) - abx(c + 2f)x - 4b^2c^2)}{a + bx^3} + \frac{9a^{4/3} \sqrt[3]{6} (a^2(g + hx) - ab(d + (c + f)x) + b^2c^2)}{(a + bx^3)^2}}{54a^{7/3}b^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] ((-3*a^(1/3)*b^(1/3)*(-4*b^2*c*x^2 - a*b*x*(e + 2*f*x) + a^2*(6*g + 7*h*x)))/(a + b*x^3) + (9*a^(4/3)*b^(1/3)*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f*x)))/(a + b*x^3)^2 - 2*sqrt[3]*(2*b^(5/3)*c + a^(2/3)*b*e + a*b^(2/3)*f + 2*a^(5/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 2*(-2*b^(5/3)*c + a^(2/3)*b*e - a*b^(2/3)*f + 2*a^(5/3)*h)*Log[a^(1/3) + b^(1/3)*x] + (2*b^(5/3)*c - a^(2/3)*b*e + a*b^(2/3)*f - 2*a^(5/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(7/3)*b^(7/3))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] IntegrateAlgebraic[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3, x]

fricas [C] time = 2.23, size = 7190, normalized size = 22.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$-1/108*(36*a^2*b*g*x^3 - 12*(2*b^3*c + a*b^2*f)*x^5 - 6*(a*b^2*e - 7*a^2*b*h)*x^4 + 18*a^2*b*d + 18*a^3*g - 6*(7*a*b^2*c - a^2*b*f)*x^2 + 2*(a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2)*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*\sqrt{3} + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)})))*\log(8*a*b^4*c^2*e + 8*a^2*b^3*c*e*f + 2*a^3*b^2*e*f^2 + 1/4*(2*a^5*b^6*c + a^6*b^5*f))*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*\sqrt{3} + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)}))^{-2} - 1/2*(a^4*b^4*e^2 + 4*a^5*b^3*e*h + 4*a^6*b^2*h^2)*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a$$

$$\begin{aligned}
& + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8* \\
& a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/ \\
& 3))) - 4*(4*a^2*b^3*c^2 + 4*a^3*b^2*c*f + a^4*b*f^2)*h + 2*(8*b^5*c^3 + a^2 \\
& *b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h \\
& + 12*a^4*b*e*h^2 + 8*a^5*h^3)*x + 3/4*sqrt(1/3)*(2*a^4*b^4*e^2 + 8*a^5*b^3 \\
& *e*h + 8*a^6*b^2*h^2 + (2*a^5*b^6*c + a^6*b^5*f)*((1/2)^{(1/3)}*(I*sqrt(3) + \\
& 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f \\
& ^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + \\
& 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e \\
& ^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2* \\
& f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^ \\
& 3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a \\
& ^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b* \\
& e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7 \\
& *b^7))^{(1/3)})))*sqrt(-(((1/2)^{(1/3)}*(I*sqrt(3) + 1))*((8*b^5*c^3 + a^2*b^3*e \\
& ^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12* \\
& a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b \\
& *e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^ \\
& 7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)* \\
& (-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2 \\
& *b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a \\
& ^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - \\
& 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)}))^{2*a^4*b^4 + \\
& 32*b^2*c*e + 16*a*b*e*f + 32*(2*a*b*c + a^2*f)*h)/(a^4*b^4)) - ((a^2*b^4* \\
& x^6 + 2*a^3*b^3*x^3 + a^4*b^2)*((1/2)^{(1/3)}*(I*sqrt(3) + 1))*((8*b^5*c^3 + a \\
& ^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2 \\
& *h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - \\
& 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2* \\
& b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h \\
&)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f \\
& + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5 \\
& *h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 \\
& + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)})) - 3 \\
& *sqrt(1/3)*(a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2)*sqrt(-(((1/2)^{(1/3)}*(I*s \\
& qrt(3) + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + \\
& a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8* \\
& b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3 \\
& *b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e \\
& + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a \\
& ^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2 \\
& *h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - \\
& 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2* \\
& b^3)/(a^7*b^7))^{(1/3)}))^{2*a^4*b^4 + 32*b^2*c*e + 16*a*b*e*f + 32*(2*a*b*c + \\
& a^2*f)*h)/(a^4*b^4))*log(-8*a*b^4*c^2*e - 8*a^2*b^3*c*e*f - 2*a^3*b^2*e*f \\
& ^2 - 1/4*(2*a^5*b^6*c + a^6*b^5*f)*((1/2)^{(1/3)}*(I*sqrt(3) + 1))*((8*b^5*c^3
\end{aligned}$$

$$\begin{aligned}
& + a^2 b^3 e^3 + 12 a^4 b^4 c^2 f + 6 a^2 b^3 c^2 f^2 + a^3 b^2 f^3 + 6 a^3 b^2 e^2 h \\
& + e^2 h + 12 a^4 b^4 e^2 h + 8 a^5 h^3) / (a^7 b^7) - (8 b^5 c^3 + 12 a^4 b^4 c^2 f \\
& - 12 a^4 b^4 e^2 h - 8 a^5 h^3 + (f^3 - 6 e^2 h) a^3 b^2 - (e^3 - 6 c^2 f) a^2 b^3) / (a^7 b^7)^{1/3} - 2 (1/2)^{2/3} (2 b^2 c e + 2 a^2 f h + (e f + 4 \\
& c h) a b) (-I \sqrt{3} + 1) / (a^4 b^4 ((8 b^5 c^3 + a^2 b^3 e^3 + 12 a^4 b^4 c^2 f \\
& + 6 a^2 b^3 c^2 f^2 + a^3 b^2 f^3 + 6 a^3 b^2 e^2 h + 12 a^4 b^4 e^2 h + 8 a^5 h^3) / (a^7 b^7) - (8 b^5 c^3 + 12 a^4 b^4 c^2 f - 12 a^4 b^4 e^2 h - 8 a^5 h^3 \\
& + (f^3 - 6 e^2 h) a^3 b^2 - (e^3 - 6 c^2 f) a^2 b^3) / (a^7 b^7)^{1/3}))^2 + 1/2 (a^4 b^4 e^2 + 4 a^5 b^3 e h + 4 a^6 b^2 h^2) ((1/2)^{1/3} (I \sqrt{3} + 1) ((8 b^5 c^3 + a^2 b^3 e^3 + 12 a^4 b^4 c^2 f + 6 a^2 b^3 c^2 f^2 + a^3 b^2 f^3 + 6 a^3 b^2 e^2 h + 12 a^4 b^4 e^2 h + 8 a^5 h^3) / (a^7 b^7) - (8 b^5 c^3 + 12 a^4 b^4 c^2 f - 12 a^4 b^4 e^2 h - 8 a^5 h^3 + (f^3 - 6 e^2 h) a^3 b^2 - (e^3 - 6 c^2 f) a^2 b^3) / (a^7 b^7)^{1/3})) - 4 (4 a^2 b^3 c^2 + 4 a^3 b^2 c f + a^4 b f^2) h + 2 (8 b^5 c^3 + a^2 b^3 e^3 + 12 a^4 b^4 c^2 f + 6 a^2 b^3 c^2 f^2 + a^3 b^2 f^3 + 6 a^3 b^2 e^2 h + 12 a^4 b^4 e^2 h + 8 a^5 h^3) x - 3/4 \sqrt{3} (2 a^4 b^4 e^2 + 8 a^5 b^3 e h + 8 a^6 b^2 h^2 + (2 a^5 b^6 c + a^6 b^5 f) ((1/2)^{1/3} (I \sqrt{3} + 1) ((8 b^5 c^3 + a^2 b^3 e^3 + 12 a^4 b^4 c^2 f + 6 a^2 b^3 c^2 f^2 + a^3 b^2 f^3 + 6 a^3 b^2 e^2 h + 12 a^4 b^4 e^2 h + 8 a^5 h^3) / (a^7 b^7) - (8 b^5 c^3 + 12 a^4 b^4 c^2 f - 12 a^4 b^4 e^2 h - 8 a^5 h^3 + (f^3 - 6 e^2 h) a^3 b^2 - (e^3 - 6 c^2 f) a^2 b^3) / (a^7 b^7)^{1/3})) * \sqrt{-((1/2)^{1/3} (I \sqrt{3} + 1) ((8 b^5 c^3 + a^2 b^3 e^3 + 12 a^4 b^4 c^2 f + 6 a^2 b^3 c^2 f^2 + a^3 b^2 f^3 + 6 a^3 b^2 e^2 h + 12 a^4 b^4 e^2 h + 8 a^5 h^3) / (a^7 b^7) - (8 b^5 c^3 + 12 a^4 b^4 c^2 f - 12 a^4 b^4 e^2 h - 8 a^5 h^3 + (f^3 - 6 e^2 h) a^3 b^2 - (e^3 - 6 c^2 f) a^2 b^3) / (a^7 b^7)^{1/3}))} \\
& - 2 (1/2)^{2/3} (2 b^2 c e + 2 a^2 f h + (e f + 4 c h) a b) (-I \sqrt{3} + 1) / (a^4 b^4 ((8 b^5 c^3 + a^2 b^3 e^3 + 12 a^4 b^4 c^2 f + 6 a^2 b^3 c^2 f^2 + a^3 b^2 f^3 + 6 a^3 b^2 e^2 h + 12 a^4 b^4 e^2 h + 8 a^5 h^3) / (a^7 b^7) - (8 b^5 c^3 + 12 a^4 b^4 c^2 f - 12 a^4 b^4 e^2 h - 8 a^5 h^3 + (f^3 - 6 e^2 h) a^3 b^2 - (e^3 - 6 c^2 f) a^2 b^3) / (a^7 b^7)^{1/3})) * \sqrt{-((1/2)^{1/3} (I \sqrt{3} + 1) ((8 b^5 c^3 + a^2 b^3 e^3 + 12 a^4 b^4 c^2 f + 6 a^2 b^3 c^2 f^2 + a^3 b^2 f^3 + 6 a^3 b^2 e^2 h + 12 a^4 b^4 e^2 h + 8 a^5 h^3) / (a^7 b^7) - (8 b^5 c^3 + 12 a^4 b^4 c^2 f - 12 a^4 b^4 e^2 h - 8 a^5 h^3 + (f^3 - 6 e^2 h) a^3 b^2 - (e^3 - 6 c^2 f) a^2 b^3) / (a^7 b^7)^{1/3}))} \\
& + 32 b^2 c e + 16 a b e f + 32 (2 a b c + a^2 f) h) / (a^4 b^4) \\
&)) / (a^2 b^4 x^6 + 2 a^3 b^3 x^3 + a^4 b^2)
\end{aligned}$$

giac [A] time = 0.21, size = 340, normalized size = 1.05

$$\frac{\sqrt{5} (2 a^2 h + a b e - 2 (-a b^2)^{\frac{1}{2}} b c - (-a b^2)^{\frac{1}{2}} a f) \arctan\left(\frac{\sqrt{5} (2 a^2 h + a b e - 2 (-a b^2)^{\frac{1}{2}} b c - (-a b^2)^{\frac{1}{2}} a f)}{2 (-a b^2)^{\frac{1}{2}} a b}\right)}{27 (-a b^2)^{\frac{1}{2}} a^2 b} \cdot \frac{(2 a^2 h + a b e + 2 (-a b^2)^{\frac{1}{2}} b c + (-a b^2)^{\frac{1}{2}} a f) \log\left(x^2 + x \left(-\frac{2}{3}\right)^{\frac{1}{2}} + \left(-\frac{2}{3}\right)^{\frac{1}{2}}\right)}{54 (-a b^2)^{\frac{1}{2}} a^2 b} \cdot \frac{(2 b^2 c \left(-\frac{2}{3}\right)^{\frac{1}{2}} + a b f \left(-\frac{2}{3}\right)^{\frac{1}{2}} + 2 a^2 h + a b e) \left(-\frac{2}{3}\right)^{\frac{1}{2}} \log\left(x \left(-\frac{2}{3}\right)^{\frac{1}{2}}\right)}{27 a b^2} \cdot \frac{4 b^3 c x^3 + 2 a b^2 f x^2 - 7 a^2 h b x^4 + a b^2 x^4 e - 6 a^2 b c x^3 + 7 a b^2 c x^2 - a^2 b f x^2 - 4 a^2 h x - 2 a^2 b e x - 3 a^2 h e - 3 a^2 g}{18 (b x^3 + a)^{\frac{1}{2}} a^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$-1/27*\sqrt{3}*(2*a^2*h + a*b*e - 2*(-a*b^2)^{(1/3)}*b*c - (-a*b^2)^{(1/3)}*a*f) * \arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^2*b) - 1/54*(2*a^2*h + a*b*e + 2*(-a*b^2)^{(1/3)}*b*c + (-a*b^2)^{(1/3)}*a*f)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^2*b) - 1/27*(2*b^2*c*(-a/b)^{(1/3)} + a*b*f*(-a/b)^{(1/3)} + 2*a^2*h + a*b*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a^3*b^2) + 1/18*(4*b^3*c*x^5 + 2*a*b^2*f*x^5 - 7*a^2*b*h*x^4 + a*b^2*x^4*e - 6*a^2*b*g*x^3 + 7*a*b^2*c*x^2 - a^2*b*f*x^2 - 4*a^3*h*x - 2*a^2*b*x*e - 3*a^2*b*d - 3*a^3*g)/(b*x^3 + a)^2*a^2*b^2$$

maple [A] time = 0.06, size = 498, normalized size = 1.54

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3} \frac{2x+(-a/b)^{1/3}}{(-a/b)^{1/3}}}{3}\right)}{27 \binom{3}{1} a^{3/2} b} + \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{27 \binom{3}{1} a^{3/2} b} + \frac{e \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right)}{54 \binom{3}{1} a^{3/2} b} + \frac{\sqrt{3} f \arctan\left(\frac{\sqrt{3} \frac{2x+(-a/b)^{1/3}}{(-a/b)^{1/3}}}{3}\right)}{27 \binom{3}{1} a^{3/2} b} + \frac{f \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{27 \binom{3}{1} a^{3/2} b} + \frac{f \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right)}{54 \binom{3}{1} a^{3/2} b} + \frac{2\sqrt{3} e \arctan\left(\frac{\sqrt{3} \frac{2x+(-a/b)^{1/3}}{(-a/b)^{1/3}}}{3}\right)}{27 \binom{3}{1} a^{3/2} b} + \frac{2e \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{27 \binom{3}{1} a^{3/2} b} + \frac{e \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right)}{27 \binom{3}{1} a^{3/2} b} + \frac{2\sqrt{3} h \arctan\left(\frac{\sqrt{3} \frac{2x+(-a/b)^{1/3}}{(-a/b)^{1/3}}}{3}\right)}{27 \binom{3}{1} b^3} + \frac{2h \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{27 \binom{3}{1} b^3} + \frac{h \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right)}{27 \binom{3}{1} b^3} + \frac{\frac{4c^2}{(b^2+a)^2} - \frac{2c^2}{(b^2+a)^2} - \frac{2c^2}{(b^2+a)^2} - \frac{4c^2}{(b^2+a)^2}}{(b^2+a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x)

[Out]
$$(1/9*(a*f+2*b*c)/a^2*x^5-1/18*(7*a*h-b*e)/a/b*x^4-1/3/b*g*x^3-1/18*(a*f-7*b*c)/a/b*x^2-1/9*(2*a*h+b*e)/b^2*x-1/6*(a*g+b*d)/b^2)/(b*x^3+a)^2+2/27/b^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*h+1/27/(a/b)^{(2/3)}/a/b^2*e*\ln(x+(a/b)^{(1/3)})-1/27/b^3/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*h-1/54/(a/b)^{(2/3)}/a/b^2*e*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/27/b^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*h+1/27/(a/b)^{(2/3)}*3^{(1/2)}/a/b^2*e*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/27/(a/b)^{(1/3)}/a/b^2*f*\ln(x+(a/b)^{(1/3)})-2/27/(a/b)^{(1/3)}/a^2/b*c*\ln(x+(a/b)^{(1/3)})+1/54/b^2/a/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f+1/27/(a/b)^{(1/3)}/a^2/b*c*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/27/b^2/a*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f+2/27*3^{(1/2)}/(a/b)^{(1/3)}/a^2/b*c*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$$

maxima [A] time = 3.07, size = 344, normalized size = 1.07

$$\frac{6a^2bgx^3 - 2(2b^2c + ab^2f)x^5 - (ab^2e - 7a^2bh)x^4 + 3a^2bd + 3a^2g - (7ab^2c - a^2bf)x^2 + 2(a^2be + 2a^2h)x}{18(a^2bx^3 + 2a^2b^2x^2 + a^2b^3)} + \frac{\sqrt{3} \left(2b^2c \left(\frac{a}{b}\right)^{1/3} + abf \left(\frac{a}{b}\right)^{1/3} + abe + 2a^2h \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{1/3} \right)}{3 \left(\frac{a}{b}\right)^{1/3}}\right)}{27a^2b^3 \left(\frac{a}{b}\right)^{1/3}} + \frac{\left(2b^2c \left(\frac{a}{b}\right)^{1/3} + abf \left(\frac{a}{b}\right)^{1/3} - abe - 2a^2h \right) \log\left(x^2 - x \left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right)}{54a^2b^3 \left(\frac{a}{b}\right)^{1/3}} + \frac{\left(2b^2c \left(\frac{a}{b}\right)^{1/3} + abf \left(\frac{a}{b}\right)^{1/3} - abe - 2a^2h \right) \log\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{27a^2b^3 \left(\frac{a}{b}\right)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$-1/18*(6*a^2*b*g*x^3 - 2*(2*b^3*c + a*b^2*f)*x^5 - (a*b^2*e - 7*a^2*b*h)*x^4 + 3*a^2*b*d + 3*a^3*g - (7*a*b^2*c - a^2*b*f)*x^2 + 2*(a^2*b*e + 2*a^3*h)$$

$$\frac{x}{(a^2 b^4 x^6 + 2 a^3 b^3 x^3 + a^4 b^2)} + \frac{1}{27} \sqrt{3} (2 b^2 c (a/b)^{1/3} + a b f (a/b)^{1/3} + a b e + 2 a^2 h) \arctan\left(\frac{1}{3} \sqrt{3} (2 x - (a/b)^{1/3}) / (a/b)^{1/3}\right) / (a/b)^{1/3} + \frac{1}{54} (2 b^2 c (a/b)^{1/3} + a b f (a/b)^{1/3} - a b e - 2 a^2 h) \log(x^2 - x (a/b)^{1/3} + (a/b)^{2/3}) / (a^2 b^3 (a/b)^{2/3}) - \frac{1}{27} (2 b^2 c (a/b)^{1/3} + a b f (a/b)^{1/3} - a b e - 2 a^2 h) \log(x + (a/b)^{1/3}) / (a^2 b^3 (a/b)^{2/3})$$

mupad [B] time = 5.36, size = 640, normalized size = 1.98

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x)`

[Out] `symsum(log(root(19683*a^7*b^7*z^3 + 162*a^5*b^3*f*h*z + 324*a^4*b^4*c*h*z + 81*a^4*b^4*e*f*z + 162*a^3*b^5*c*e*z - 12*a^4*b*e*h^2 + 12*a*b^4*c^2*f - 6*a^3*b^2*e^2*h + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 - 8*a^5*h^3 + 8*b^5*c^3 - a^2*b^3*e^3, z, k)*(9*root(19683*a^7*b^7*z^3 + 162*a^5*b^3*f*h*z + 324*a^4*b^4*c*h*z + 81*a^4*b^4*e*f*z + 162*a^3*b^5*c*e*z - 12*a^4*b*e*h^2 + 12*a*b^4*c^2*f - 6*a^3*b^2*e^2*h + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 - 8*a^5*h^3 + 8*b^5*c^3 - a^2*b^3*e^3, z, k)*a*b^2 + (x*(27*a^3*b^2*e + 54*a^4*b*h))/(81*a^4*b)) + (2*b^2*c*e + 2*a^2*f*h + 4*a*b*c*h + a*b*e*f)/(81*a^3*b^2) + (x*(4*b^2*c^2 + a^2*f^2 + 4*a*b*c*f))/(81*a^4*b))*root(19683*a^7*b^7*z^3 + 162*a^5*b^3*f*h*z + 324*a^4*b^4*c*h*z + 81*a^4*b^4*e*f*z + 162*a^3*b^5*c*e*z - 12*a^4*b*e*h^2 + 12*a*b^4*c^2*f - 6*a^3*b^2*e^2*h + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 - 8*a^5*h^3 + 8*b^5*c^3 - a^2*b^3*e^3, z, k), k, 1, 3) - ((b*d + a*g)/(6*b^2) + (x*(b*e + 2*a*h))/(9*b^2) + (g*x^3)/(3*b) - (x^5*(2*b*c + a*f))/(9*a^2) - (x^2*(7*b*c - a*f))/(18*a*b) - (x^4*(b*e - 7*a*h))/(18*a*b))/(a^2 + b^2*x^6 + 2*a*b*x^3)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**3,x)`

[Out] Timed out

$$3.372 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^3)^3} dx$$

Optimal. Leaf size=313

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (af + 5bc) - \sqrt[3]{a} (ag + 2bd))}{54a^{8/3} b^{5/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (af + 5bc) - \sqrt[3]{a} (ag + 2bd))}{27a^{8/3} b^{5/3}}$$

Rubi [A] time = 0.43, antiderivative size = 313, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {1858, 1854, 1860, 31, 634, 617, 204, 628}

$$\frac{3a(ah+bc)-bx(2x(ag+2bd)+af+5bc)}{18a^2b^2(a+bx^3)} - \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(\sqrt[3]{b}(af+5bc)-\sqrt[3]{a}(ag+2bd))}{54a^{8/3}b^{5/3}} + \frac{\log(\sqrt[3]{a}+\sqrt[3]{b}x)(\sqrt[3]{b}(af+5bc)-\sqrt[3]{a}(ag+2bd))}{27a^{8/3}b^{5/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}}{\sqrt[3]{a}\sqrt[3]{b}}\right)(a^{4/3}x+2\sqrt[3]{a}bd+a\sqrt[3]{b}f+5b^{4/3}c)}{9\sqrt[3]{a}a^{8/3}b^{5/3}} + \frac{x(x(bd-ag)+x^2(bc-ab)-af+bc)}{6ab(a+bx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^3, x]

[Out] (x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(6*a*b*(a + b*x^3)^2) - (3*a*(b*e + a*h) - b*x*(5*b*c + a*f + 2*(2*b*d + a*g)*x))/(18*a^2*b^2*(a + b*x^3)) - ((5*b^(4/3)*c + 2*a^(1/3)*b*d + a*b^(1/3)*f + a^(4/3)*g)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(8/3)*b^(5/3)) + ((b^(1/3)*(5*b*c + a*f) - a^(1/3)*(2*b*d + a*g))*Log[a^(1/3) + b^(1/3)*x])/ (27*a^(8/3)*b^(5/3)) - ((b^(1/3)*(5*b*c + a*f) - a^(1/3)*(2*b*d + a*g))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/ (54*a^(8/3)*b^(5/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^3)^3} dx &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{\int \frac{-b(5bc+af)-2b(2bd+ag)x-3b(be+ah)}{(a+bx^3)^2} dx}{6ab^2} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{3a(be + ah) - bx(5bc + af + 2gx^2)}{18a^2b^2(a + bx^3)} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{3a(be + ah) - bx(5bc + af + 2gx^2)}{18a^2b^2(a + bx^3)} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{3a(be + ah) - bx(5bc + af + 2gx^2)}{18a^2b^2(a + bx^3)} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{3a(be + ah) - bx(5bc + af + 2gx^2)}{18a^2b^2(a + bx^3)} \\
&= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{3a(be + ah) - bx(5bc + af + 2gx^2)}{18a^2b^2(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 295, normalized size = 0.94

$$\frac{\sqrt{b} \log(a^{2/3} - \sqrt{a} \sqrt{bx^3 + b^{2/3}}) (a^{4/3}g + 2\sqrt{a}bd - a\sqrt{b}f - 5b^{4/3}c) + 2\sqrt{b} \log(\sqrt{a} + \sqrt{bx^3}) (a^{4/3}(-g) - 2\sqrt{a}bd + a\sqrt{b}f + 5b^{4/3}c) - 2\sqrt{3} \sqrt{b} \tan^{-1}\left(\frac{1 + \frac{2\sqrt{3}}{\sqrt{b}}}{\sqrt{3}}\right) (a^{4/3}g + 2\sqrt{a}bd + a\sqrt{b}f + 5b^{4/3}c) + \frac{9a^{5/3}(a^2b - ab(c + x(f + gx)) + b^2x(c + dx))}{(a + bx^3)^2} + \frac{3a^{2/3}(-6a^2b + abx(f + 2gx) + b^2x(c + dx))}{a + bx^3}}{54a^{8/3}b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^3,x]

[Out] ((3*a^(2/3)*(-6*a^2*h + b^2*x*(5*c + 4*d*x) + a*b*x*(f + 2*g*x)))/(a + b*x^3) + (9*a^(5/3)*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x))))/(a + b*x^3)^2 - 2*sqrt[3]*b^(1/3)*(5*b^(4/3)*c + 2*a^(1/3)*b*d + a*b^(1/3)*f + a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 2*b^(1/3)*(5*b^(4/3)*c - 2*a^(1/3)*b*d + a*b^(1/3)*f - a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(-5*b^(4/3)*c + 2*a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(8/3)*b^2)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^3, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^3, x]

fricas [C] time = 1.94, size = 6984, normalized size = 22.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/108*(36*a^2*b*h*x^3 - 12*(2*b^3*d + a*b^2*g)*x^5 - 6*(5*b^3*c + a*b^2*f) \\ & *x^4 + 18*a^2*b*e + 18*a^3*h - 6*(7*a*b^2*d - a^2*b*g)*x^2 + 2*(a^2*b^4*x^6 \\ & + 2*a^3*b^3*x^3 + a^4*b^2)*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((125*b^4*c^3 + 8* \\ & a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2* \\ & g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6* \\ & d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a \\ & ^8*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b) \\ & *(-I*\text{sqrt}(3) + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 1 \\ & 5*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(\\ & a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4* \\ & d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)})) * \log(40*a*b^3* \\ & c*d^2 + 8*a^2*b^2*d^2*f + 1/4*(2*a^6*b^4*d + a^7*b^3*g)*((1/2)^{(1/3)}*(I*\text{sq} \\ & r\text{t}(3) + 1)*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + \\ & a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b \\ & ^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - \\ & (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*(10*b^2*c*d + a^ \\ & 2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*\text{sqrt}(3) + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a \\ & b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g \\ & + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d* \\ & g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8 \\ & *b^5))^{(1/3)})) ^2 + 2*(5*a^3*b*c + a^4*f)*g^2 - 1/2*(25*a^3*b^4*c^2 + 10*a^4 \\ & *b^3*c*f + a^5*b^2*f^2)*((1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*((125*b^4*c^3 + 8*a*b^ \\ & 3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + \\ & 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^ \\ & \end{aligned}$$

$$\begin{aligned}
& 2)a^3b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5)^{(1/3)} - 2*(1/2)^{(2/3)}*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*\sqrt{3} + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)})) + 8*(5*a^2*b^2*c*d + a^3*b*d*f)*g + (125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)*x) - 12*(4*a*b^2*c - a^2*b*f)*x - ((a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2)*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*\sqrt{3} + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)})) + 3*\sqrt{1/3}*(a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2)*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*\sqrt{3} + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)}))}^2*a^5*b^3 + 160*b^2*c*d + 32*a*b*d*f + 16*(5*a*b*c + a^2*f)*g)/(a^5*b^3))*\log(-40*a*b^3*c*d^2 - 8*a^2*b^2*d^2*f - 1/4*(2*a^6*b^4*d + a^7*b^3*g))*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*\sqrt{3} + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)}))}^2 - 2*(5*a^3*b*c + a^4*f)*g^2 + 1/2*(25*a^3*b^4*c^2 + 10*a^4*b^3*c*f + a^5*b^2*f^2)*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*\sqrt{3} + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)}))}^2
\end{aligned}$$

$$\begin{aligned}
&^2 + a^4 g^3)/(a^8 b^5) + (125 b^4 c^3 - a^4 g^3 + (f^3 - 6 d g^2) a^3 b + \\
&3(5 c f^2 - 4 d^2 g) a^2 b^2 - (8 d^3 - 75 c^2 f) a b^3)/(a^8 b^5)^{(1/3)} \\
&- 2(1/2)^{(2/3)}(10 b^2 c d + a^2 f g + (2 d f + 5 c g) a b)(-I \sqrt{3} + \\
&1)/(a^5 b^3((125 b^4 c^3 + 8 a^3 b^3 d^3 + 75 a^2 b^3 c^2 f + 15 a^2 b^2 c f^2 \\
&+ a^3 b f^3 + 12 a^2 b^2 d^2 g + 6 a^3 b d g^2 + a^4 g^3)/(a^8 b^5) + (125 \\
&b^4 c^3 - a^4 g^3 + (f^3 - 6 d g^2) a^3 b + 3(5 c f^2 - 4 d^2 g) a^2 b^2 - \\
&(8 d^3 - 75 c^2 f) a b^3)/(a^8 b^5))^{(1/3)})^2 - 2(5 a^3 b c + a^4 f) g^2 \\
&+ 1/2(25 a^3 b^4 c^2 + 10 a^4 b^3 c f + a^5 b^2 f^2)((1/2)^{(1/3)}(I \sqrt{3} + \\
&1)((125 b^4 c^3 + 8 a^3 b^3 d^3 + 75 a^2 b^3 c^2 f + 15 a^2 b^2 c f^2 + \\
&a^3 b f^3 + 12 a^2 b^2 d^2 g + 6 a^3 b d g^2 + a^4 g^3)/(a^8 b^5) + (125 b^4 \\
&c^3 - a^4 g^3 + (f^3 - 6 d g^2) a^3 b + 3(5 c f^2 - 4 d^2 g) a^2 b^2 - \\
&(8 d^3 - 75 c^2 f) a b^3)/(a^8 b^5))^{(1/3)} - 2(1/2)^{(2/3)}(10 b^2 c d + a^2 \\
&f g + (2 d f + 5 c g) a b)(-I \sqrt{3} + 1)/(a^5 b^3((125 b^4 c^3 + 8 a^3 \\
&b^3 d^3 + 75 a^2 b^3 c^2 f + 15 a^2 b^2 c f^2 + a^3 b f^3 + 12 a^2 b^2 d^2 g \\
&+ 6 a^3 b d g^2 + a^4 g^3)/(a^8 b^5) + (125 b^4 c^3 - a^4 g^3 + (f^3 - 6 d g^2) \\
&a^3 b + 3(5 c f^2 - 4 d^2 g) a^2 b^2 - (8 d^3 - 75 c^2 f) a b^3)/(a^8 \\
&b^5))^{(1/3)}) - 8(5 a^2 b^2 c d + a^3 b d f) g + 2(125 b^4 c^3 + 8 a^3 b^3 \\
&d^3 + 75 a^2 b^3 c^2 f + 15 a^2 b^2 c f^2 + a^3 b f^3 + 12 a^2 b^2 d^2 g + 6 \\
&a^3 b d g^2 + a^4 g^3) x - 3/4 \sqrt{3} (50 a^3 b^4 c^2 + 20 a^4 b^3 c f \\
&+ 2 a^5 b^2 f^2 + (2 a^6 b^4 d + a^7 b^3 g) ((1/2)^{(1/3)}(I \sqrt{3} + 1)) ((\\
&125 b^4 c^3 + 8 a^3 b^3 d^3 + 75 a^2 b^3 c^2 f + 15 a^2 b^2 c f^2 + a^3 b f^3 + \\
&12 a^2 b^2 d^2 g + 6 a^3 b d g^2 + a^4 g^3)/(a^8 b^5) + (125 b^4 c^3 - a^4 \\
&g^3 + (f^3 - 6 d g^2) a^3 b + 3(5 c f^2 - 4 d^2 g) a^2 b^2 - (8 d^3 - 75 c^2 \\
&>f) a b^3)/(a^8 b^5))^{(1/3)} - 2(1/2)^{(2/3)}(10 b^2 c d + a^2 f g + (2 d \\
&>f + 5 c g) a b)(-I \sqrt{3} + 1)/(a^5 b^3((125 b^4 c^3 + 8 a^3 b^3 d^3 + 75 \\
&>a^2 b^3 c^2 f + 15 a^2 b^2 c f^2 + a^3 b f^3 + 12 a^2 b^2 d^2 g + 6 a^3 b d g^2 \\
&+ a^4 g^3)/(a^8 b^5) + (125 b^4 c^3 - a^4 g^3 + (f^3 - 6 d g^2) a^3 b + \\
&3(5 c f^2 - 4 d^2 g) a^2 b^2 - (8 d^3 - 75 c^2 f) a b^3)/(a^8 b^5))^{(1/3)} \\
&)) \sqrt{-(((1/2)^{(1/3)}(I \sqrt{3} + 1)) ((125 b^4 c^3 + 8 a^3 b^3 d^3 + 75 a^2 \\
&b^3 c^2 f + 15 a^2 b^2 c f^2 + a^3 b f^3 + 12 a^2 b^2 d^2 g + 6 a^3 b d g^2 \\
&+ a^4 g^3)/(a^8 b^5) + (125 b^4 c^3 - a^4 g^3 + (f^3 - 6 d g^2) a^3 b + 3 \\
&(5 c f^2 - 4 d^2 g) a^2 b^2 - (8 d^3 - 75 c^2 f) a b^3)/(a^8 b^5))^{(1/3)} - \\
&2(1/2)^{(2/3)}(10 b^2 c d + a^2 f g + (2 d f + 5 c g) a b)(-I \sqrt{3} + 1) \\
&/ (a^5 b^3((125 b^4 c^3 + 8 a^3 b^3 d^3 + 75 a^2 b^3 c^2 f + 15 a^2 b^2 c f^2 + \\
&a^3 b f^3 + 12 a^2 b^2 d^2 g + 6 a^3 b d g^2 + a^4 g^3)/(a^8 b^5) + (125 b^4 \\
&>c^3 - a^4 g^3 + (f^3 - 6 d g^2) a^3 b + 3(5 c f^2 - 4 d^2 g) a^2 b^2 - \\
&(8 d^3 - 75 c^2 f) a b^3)/(a^8 b^5))^{(1/3)})^2 a^5 b^3 + 160 b^2 c d + 32 a \\
&b d f + 16(5 a b c + a^2 f) g)/(a^5 b^3)))/ (a^2 b^4 x^6 + 2 a^3 b^3 x^3 \\
&+ a^4 b^2)
\end{aligned}$$

giac [A] time = 0.22, size = 330, normalized size = 1.05

$$\frac{\sqrt{5} (5 b^2 c + a b f - 2 (-a b^2)^{\frac{1}{2}} b d - (-a b^2)^{\frac{1}{2}} a g) \arctan\left(\frac{\sqrt{5} (2 a + (-\frac{1}{2})^{\frac{1}{2}})}{3 (-\frac{1}{2})^{\frac{1}{2}}}\right) - \left(5 b^2 c + a b f + 2 (-a b^2)^{\frac{1}{2}} b d + (-a b^2)^{\frac{1}{2}} a g\right) \log\left(x^2 + x (-\frac{1}{2})^{\frac{1}{2}} + (-\frac{1}{2})^{\frac{1}{2}}\right) - \left(2 b d (-\frac{1}{2})^{\frac{1}{2}} + a g (-\frac{1}{2})^{\frac{1}{2}} + 5 b c + a f\right) (-\frac{1}{2})^{\frac{1}{2}} \log\left(\left|x - (-\frac{1}{2})^{\frac{1}{2}}\right|\right)}{27 (-a b^2)^{\frac{3}{2}} a^2 b} - \frac{54 (-a b^2)^{\frac{3}{2}} a^2 b}{27 a^2 b} - \frac{27 a^2 b}{18 (b^3 + a)^{\frac{1}{2}} a^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$-1/27*\sqrt{3}*(5*b^2*c + a*b*f - 2*(-a*b^2)^{(1/3)}*b*d - (-a*b^2)^{(1/3)}*a*g) * \arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^2*b) - 1/54*(5*b^2*c + a*b*f + 2*(-a*b^2)^{(1/3)}*b*d + (-a*b^2)^{(1/3)}*a*g)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^2*b) - 1/27*(2*b*d*(-a/b)^{(1/3)} + a*g*(-a/b)^{(1/3)} + 5*b*c + a*f)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a^3*b) + 1/18*(4*b^3*d*x^5 + 2*a*b^2*g*x^5 + 5*b^3*c*x^4 + a*b^2*f*x^4 - 6*a^2*b*h*x^3 + 7*a*b^2*d*x^2 - a^2*b*g*x^2 + 8*a*b^2*c*x - 2*a^2*b*f*x - 3*a^3*h - 3*a^2*b*e)/((b*x^3 + a)^2*a^2*b^2)$$

maple [A] time = 0.06, size = 506, normalized size = 1.62

$$\frac{\sqrt{3} \int \arctan\left(\frac{\sqrt{3} \left(\frac{x}{b}\right)}{\left(\frac{a}{b}\right)^{1/3}}\right)}{27 \left(\frac{a}{b}\right)^3 a^2 b^2} + \frac{\int \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{27 \left(\frac{a}{b}\right)^3 a^2 b^2} - \frac{\int \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right)}{54 \left(\frac{a}{b}\right)^3 a^2 b^2} + \frac{\sqrt{3} g \arctan\left(\frac{\sqrt{3} \left(\frac{x}{b}\right)}{\left(\frac{a}{b}\right)^{1/3}}\right)}{27 \left(\frac{a}{b}\right)^3 a^2 b^2} + \frac{g \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{27 \left(\frac{a}{b}\right)^3 a^2 b^2} + \frac{g \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right)}{54 \left(\frac{a}{b}\right)^3 a^2 b^2} + \frac{5 \sqrt{3} c \arctan\left(\frac{\sqrt{3} \left(\frac{x}{b}\right)}{\left(\frac{a}{b}\right)^{1/3}}\right)}{27 \left(\frac{a}{b}\right)^3 a^2 b^2} + \frac{5 c \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{27 \left(\frac{a}{b}\right)^3 a^2 b^2} + \frac{5 c \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right)}{54 \left(\frac{a}{b}\right)^3 a^2 b^2} + \frac{2 \sqrt{3} d \arctan\left(\frac{\sqrt{3} \left(\frac{x}{b}\right)}{\left(\frac{a}{b}\right)^{1/3}}\right)}{27 \left(\frac{a}{b}\right)^3 a^2 b^2} + \frac{2 d \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{27 \left(\frac{a}{b}\right)^3 a^2 b^2} + \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right)}{27 \left(\frac{a}{b}\right)^3 a^2 b^2} + \frac{\left(\frac{a^2 b^2 c^2}{18} - \frac{2 a^2 b^2 c d}{9} + \frac{a^2 b^2 c^2}{18} - \frac{a^2 b^2 c d}{9} + \frac{a^2 b^2 c^2}{18} - \frac{a^2 b^2 c d}{9}\right)}{(b^2 x^3 + a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x)

[Out]
$$(1/9*(a*g+2*b*d)/a^2*x^5+1/18*(a*f+5*b*c)/a^2*x^4-1/3/b*h*x^3-1/18*(a*g-7*b*d)/a/b*x^2-1/9*(a*f-4*b*c)/a/b*x-1/6*(a*h+b*e)/b^2)/((b*x^3+a)^2+1/27/(a/b)^{(2/3)}/a/b^2*f*\ln(x+(a/b)^{(1/3)})+5/27/(a/b)^{(2/3)}/a^2/b*c*\ln(x+(a/b)^{(1/3)})-1/54/(a/b)^{(2/3)}/a/b^2*f*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-5/54/(a/b)^{(2/3)}/a^2/b*c*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/27/(a/b)^{(2/3)}*3^{(1/2)}/a/b^2*f*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+5/27/(a/b)^{(2/3)}*3^{(1/2)}/a^2/b*c*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/27/a/b^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*g-2/27/(a/b)^{(1/3)}/a^2/b*d*\ln(x+(a/b)^{(1/3)})+1/54/a/b^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*g+1/27/(a/b)^{(1/3)}/a^2/b*d*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/27/a/b^2*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*g+2/27*3^{(1/2)}/(a/b)^{(1/3)}/a^2/b*d*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$$

maxima [A] time = 3.11, size = 327, normalized size = 1.04

$$\frac{6 a^2 b h x^3 - 2 (2 b^3 d + a b^2 g) x^2 - (5 b^3 c + a b^2 f) x + 3 a^2 b e + 3 a^3 h - (7 a b^2 d - a^2 b g) x^2 - 2 (4 a b^2 c - a^2 b f) x}{18 (a^2 b^3 x^3 + a^4 b^2)} + \frac{\sqrt{3} \left(2 b d \left(\frac{x}{b}\right)^{\frac{1}{3}} + a g \left(\frac{x}{b}\right)^{\frac{1}{3}} + 5 b c + a f \right) \arctan\left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27 a^2 b^2 \left(\frac{x}{b}\right)^{\frac{1}{3}}} + \frac{\left(2 b d \left(\frac{x}{b}\right)^{\frac{1}{3}} + a g \left(\frac{x}{b}\right)^{\frac{1}{3}} - 5 b c - a f \right) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54 a^2 b^2 \left(\frac{x}{b}\right)^{\frac{1}{3}}} + \frac{\left(2 b d \left(\frac{x}{b}\right)^{\frac{1}{3}} + a g \left(\frac{x}{b}\right)^{\frac{1}{3}} - 5 b c - a f \right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27 a^2 b^2 \left(\frac{x}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$-1/18*(6*a^2*b*h*x^3 - 2*(2*b^3*d + a*b^2*g)*x^5 - (5*b^3*c + a*b^2*f)*x^4 + 3*a^2*b*e + 3*a^3*h - (7*a*b^2*d - a^2*b*g)*x^2 - 2*(4*a*b^2*c - a^2*b*f)*x)/(a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2) + 1/27*\sqrt{3}*(2*b*d*(a/b)^{(1/3)} + a*g*(a/b)^{(1/3)} + 5*b*c + a*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/((a/b)^{(1/3)}))$$

$$\frac{(a/b)^{1/3}}{(a^2 b^2 (a/b)^{2/3})} + \frac{1}{54} (2 b d (a/b)^{1/3} + a g (a/b)^{1/3} - 5 b c - a f) \log(x^2 - x (a/b)^{1/3} + (a/b)^{2/3}) / (a^2 b^2 (a/b)^{2/3}) - \frac{1}{27} (2 b d (a/b)^{1/3} + a g (a/b)^{1/3} - 5 b c - a f) \log(x + (a/b)^{1/3}) / (a^2 b^2 (a/b)^{2/3})$$

mupad [B] time = 0.43, size = 630, normalized size = 2.01

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d x + e x^2 + f x^3 + g x^4 + h x^5)/(a + b x^3)^3, x)$

[Out] $((x^4(5 b c + a f))/(18 a^2) - (h x^3)/(3 b) - (b e + a h)/(6 b^2) + (x^5(2 b d + a g))/(9 a^2) + (x(4 b c - a f))/(9 a b) + (x^2(7 b d - a g))/(18 a b))/(a^2 + b^2 x^6 + 2 a b x^3) + \text{symsum}(\log(\text{root}(19683 a^8 b^5 z^3 + 81 a^5 b^2 f g z + 405 a^4 b^3 c g z + 162 a^4 b^3 d f z + 810 a^3 b^4 c d z + 6 a^3 b d g^2 - 75 a b^3 c^2 f + 12 a^2 b^2 d^2 g - 15 a^2 b^2 c f^2 + 8 a b^3 d^3 + a^4 g^3 - 125 b^4 c^3 - a^3 b f^3, z, k)) * (9 \text{root}(19683 a^8 b^5 z^3 + 81 a^5 b^2 f g z + 405 a^4 b^3 c g z + 162 a^4 b^3 d f z + 810 a^3 b^4 c d z + 6 a^3 b d g^2 - 75 a b^3 c^2 f + 12 a^2 b^2 d^2 g - 15 a^2 b^2 c f^2 + 8 a b^3 d^3 + a^4 g^3 - 125 b^4 c^3 - a^3 b f^3, z, k)) * a b^2 + (x(135 a^2 b^3 c + 27 a^3 b^2 f))/(81 a^4 b)) + (10 b^2 c d + a^2 f g + 5 a b c g + 2 a b d f)/(81 a^4 b) + (x(4 b^2 d^2 + a^2 g^2 + 4 a b d g))/(81 a^4 b) * \text{root}(19683 a^8 b^5 z^3 + 81 a^5 b^2 f g z + 405 a^4 b^3 c g z + 162 a^4 b^3 d f z + 810 a^3 b^4 c d z + 6 a^3 b d g^2 - 75 a b^3 c^2 f + 12 a^2 b^2 d^2 g - 15 a^2 b^2 c f^2 + 8 a b^3 d^3 + a^4 g^3 - 125 b^4 c^3 - a^3 b f^3, z, k), k, 1, 3)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((h x^5 + g x^4 + f x^3 + e x^2 + d x + c)/(b x^3 + a)^3, x)$

[Out] Timed out

$$3.373 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)^3} dx$$

Optimal. Leaf size=347

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (ag + 5bd) - \sqrt[3]{a} (ah + 2be)\right)}{54a^{8/3} b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (ag + 5bd) - \sqrt[3]{a} (ah + 2be)\right)}{27a^{8/3} b^{5/3}}$$

Rubi [A] time = 0.72, antiderivative size = 345, normalized size of antiderivative = 0.99, number of steps used = 12, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a} (ah + 2be)}{\sqrt[3]{b}} + ag + 5bd\right)}{54a^{8/3} b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (ag + 5bd) - \sqrt[3]{a} (ah + 2be)\right)}{27a^{8/3} b^{5/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt[3]{a} \sqrt[3]{b}}\right) \left(a^{4/3} h + 2\sqrt[3]{a} b e + a\sqrt[3]{b} g + 5b^{4/3} d\right)}{9\sqrt[3]{a^{10} b^{10}}} + \frac{x(-bx^2(bc-af) + a(bd-ag) + ax(bc-ah))}{6a^2 b(a+bx^3)^2} + \frac{x(-3bx^2(3bc-af) + a(ag+5bd) + 2ax(ah+2be))}{18a^2 b(a+bx^3)} - \frac{c \log(a+bx^3)}{3a^3} + \frac{c \log(x)}{a^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^3), x]

[Out] (x*(a*(b*d - a*g) + a*(b*e - a*h)*x - b*(b*c - a*f)*x^2)/(6*a^2*b*(a + b*x^3)^2) + (x*(a*(5*b*d + a*g) + 2*a*(2*b*e + a*h)*x - 3*b*(3*b*c - a*f)*x^2)/(18*a^3*b*(a + b*x^3)) - ((5*b^(4/3)*d + 2*a^(1/3)*b*e + a*b^(1/3)*g + a^(4/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(8/3)*b^(5/3)) + (c*Log[x])/a^3 + ((b^(1/3)*(5*b*d + a*g) - a^(1/3)*(2*b*e + a*h))*Log[a^(1/3) + b^(1/3)*x])/(27*a^(8/3)*b^(5/3)) - ((5*b*d + a*g - (a^(1/3)*(2*b*e + a*h))/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(8/3)*b^(4/3)) - (c*Log[a + b*x^3])/(3*a^3)

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_)))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^(m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^3), x]

[Out] ((3*a*(6*b*c + b*x*(5*d + 4*e*x) + a*x*(g + 2*h*x)))/(b*(a + b*x^3)) - (9*a^2*(-(b*(c + x*(d + e*x))) + a*(f + x*(g + h*x))))/(b*(a + b*x^3)^2) - (2*sqrt[3]*a^(1/3)*(5*b^(4/3)*d + 2*a^(1/3)*b*e + a*b^(1/3)*g + a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]]/b^(5/3) + 54*c*Log[x] + (2*a^(1/3)*(5*b^(4/3)*d - 2*a^(1/3)*b*e + a*b^(1/3)*g - a^(4/3)*h)*Log[a^(1/3) + b^(1/3)*x])/b^(5/3) + (a^(1/3)*(-5*b^(4/3)*d + 2*a^(1/3)*b*e - a*b^(1/3)*g + a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(5/3) - 18*c*Log[a + b*x^3])/(54*a^3)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x(a + bx^3)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^3), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^3), x]

fricas [C] time = 35.66, size = 12815, normalized size = 36.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/2916*(972*a*b^2*c*x^3 + 324*(2*a*b^2*e + a^2*b*h)*x^5 + 162*(5*a*b^2*d + a^2*b*g)*x^4 + 1458*a^2*b*c - 486*a^3*f + 162*(7*a^2*b*e - a^3*h)*x^2 - 2*(a^3*b^3*x^6 + 2*a^4*b^2*x^3 + a^5*b)*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b -

$$\begin{aligned}
& 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3) * \log(225*b^4*c*d^2 + 162*b^4*c^2*e + 40*a*b^3*d*e^2 + 9*a^2*b^2*c*g^2 + 1/2916*(2*a^6*b^4*e + a^7*b^3*h)*((-I*\sqrt{3}) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3)^2 + 2*(5*a^3*b*d + a^4*g)*h^2 - 1/54*(25*a^3*b^4*d^2 + 36*a^3*b^4*c*e + 10*a^4*b^3*d*g + a^5*b^2*g^2 + 18*a^4*b^3*c*h)*((-I*\sqrt{3}) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3) + 2*(45*a*b^3*c*d + 4*a^2*b^2*e^2)*g + (81*a*b^3*c^2 + 40*a^2*b^2*d*e + 8*a^3*b*e*g)*h + (125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)*x) + 324*(4*a^2*b*d - a^3*g)*x - (1458*b^3*c*x^6 + 2916*a*b^2*c*x^3 + 1458*a^2*b*c - (a^3*b^3*x^6 + 2*a^4*b^2*x^3 + a^5*b)*((-I*\sqrt{3}) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g
\end{aligned}$$

$$\begin{aligned}
& + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 486*c/a^3 - 3*sqrt(1/3)*(a^3*b^3*x^6 + 2*a^4*b^2*x^3 + a^5*b)*sqrt(-(((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 486*c/a^3)^2*a^6*b^3 - 972*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 486*c/a^3)*a^3*b^3*c + 236196*b^3*c^2 + 116640*a*b^2*d*e + 23328*a^2*b*e*g + 11664*(5*a^2*b*d + a^3*g)*h)/(a^6*b^3)))*log(-225*b^4*c*d^2 - 162*b^4*c^2*e - 40*a*b^3*d*e^2 - 9*a^2*b^2*c*g^2 - 1/2916*(2*a^6*b^4*e + a^7*b^3*h))*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(
\end{aligned}$$

$$\begin{aligned}
& 125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + \\
& 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3)^2 - 2*(5*a^3*b*d + a^4*g)*h^2 + 1/54*(25*a^3*b^4*d^2 + 36*a^3*b^4*c*e + 10*a^4*b^3*d*g + a^5*b^2*g^2 + 18*a^4*b^3*c*h)*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3) - 2*(45*a*b^3*c*d + 4*a^2*b^2*e^2)*g - (81*a*b^3*c^2 + 40*a^2*b^2*d*e + 8*a^3*b*e*g)*h + 2*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)*x + 1/972*sqrt(1/3)*(1350*a^3*b^4*d^2 - 972*a^3*b^4*c*e + 540*a^4*b^3*d*g + 54*a^5*b^2*g^2 - 486*a^4*b^3*c*h + (2*a^6*b^4*e + a^7*b^3*h)*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3))*sqrt(-((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)
\end{aligned}$$

$$\begin{aligned}
& / (a^9 b^5)^{1/3} + 729 (I \sqrt{3} + 1) (-1/27 c^3/a^9 + 1/1458 (81 b^3 c^2 \\
& + 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1/39366 (1 \\
& 25 b^4 d^3 + 8 a b^3 e^3 + 75 a b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + \\
& 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1/39366 (729 b^5 c^3 \\
& + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3 (5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 \\
& + (8 e^3 - 75 d^2 g + 27 (2 e g + 5 d h) c) a^2 b^3 - 5 (25 d^3 - 54 c d \\
& e) a b^4) / (a^9 b^5)^{1/3} + 486 c / a^3)^2 a^6 b^3 - 972 ((-I \sqrt{3} + 1) \\
& (81 c^2/a^6 - (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) \\
& / (a^6 b^3)) / (-1/27 c^3/a^9 + 1/1458 (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + \\
& (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1/39366 (125 b^4 d^3 + 8 a b^3 e^3 + 7 \\
& 5 a b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e \\
& h^2 + a^4 h^3) / (a^8 b^5) - 1/39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2 \\
&) a^4 b - 3 (5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27 \\
& (2 e g + 5 d h) c) a^2 b^3 - 5 (25 d^3 - 54 c d e) a b^4) / (a^9 b^5)^{1/3} \\
& + 729 (I \sqrt{3} + 1) (-1/27 c^3/a^9 + 1/1458 (81 b^3 c^2 + 10 a b^2 d e + \\
& a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1/39366 (125 b^4 d^3 + 8 a b \\
& ^3 e^3 + 75 a b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + \\
& 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1/39366 (729 b^5 c^3 + a^5 h^3 - (g^3 \\
& - 6 e h^2) a^4 b - 3 (5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d \\
& ^2 g + 27 (2 e g + 5 d h) c) a^2 b^3 - 5 (25 d^3 - 54 c d e) a b^4) / (a^9 b^ \\
& 5)^{1/3} + 486 c / a^3) a^3 b^3 c + 236196 b^3 c^2 + 116640 a b^2 d e + 2332 \\
& 8 a^2 b e g + 11664 (5 a^2 b d + a^3 g) h) / (a^6 b^3))) - (1458 b^3 c x^6 + \\
& 2916 a b^2 c x^3 + 1458 a^2 b c - (a^3 b^3 x^6 + 2 a^4 b^2 x^3 + a^5 b) * ((- \\
& I \sqrt{3} + 1) (81 c^2/a^6 - (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + (2 e g \\
& + 5 d h) a^2 b) / (a^6 b^3)) / (-1/27 c^3/a^9 + 1/1458 (81 b^3 c^2 + 10 a b^2 d \\
& e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1/39366 (125 b^4 d^3 + \\
& 8 a b^3 e^3 + 75 a b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^ \\
& 2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1/39366 (729 b^5 c^3 + a^5 h^3 - \\
& (g^3 - 6 e h^2) a^4 b - 3 (5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - \\
& 75 d^2 g + 27 (2 e g + 5 d h) c) a^2 b^3 - 5 (25 d^3 - 54 c d e) a b^4) / (a \\
& ^9 b^5)^{1/3} + 729 (I \sqrt{3} + 1) (-1/27 c^3/a^9 + 1/1458 (81 b^3 c^2 + \\
& 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1/39366 (125 \\
& b^4 d^3 + 8 a b^3 e^3 + 75 a b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 \\
& a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1/39366 (729 b^5 c^3 + \\
& a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3 (5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 \\
& + (8 e^3 - 75 d^2 g + 27 (2 e g + 5 d h) c) a^2 b^3 - 5 (25 d^3 - 54 c d e) \\
& a b^4) / (a^9 b^5)^{1/3} + 486 c / a^3) + 3 \sqrt{1/3} (a^3 b^3 x^6 + 2 a^4 b^ \\
& 2 x^3 + a^5 b) \sqrt{-(((-I \sqrt{3} + 1) (81 c^2/a^6 - (81 b^3 c^2 + 10 a b^ \\
& 2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) / (a^6 b^3)) / (-1/27 c^3/a^9 + 1/1458 \\
& * (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) \\
& + 1/39366 (125 b^4 d^3 + 8 a b^3 e^3 + 75 a b^3 d^2 g + 15 a^2 b^2 d g^2 + \\
& a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1/39366 \\
& * (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3 (5 d g^2 - 4 e^2 h - 9 \\
& c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27 (2 e g + 5 d h) c) a^2 b^3 - 5 (25 \\
& d^3 - 54 c d e) a b^4) / (a^9 b^5)^{1/3} + 729 (I \sqrt{3} + 1) (-1/27 c^3/a^
\end{aligned}$$

$$\begin{aligned}
&) + 1) * (-1/27 * c^3 / a^9 + 1/1458 * (81 * b^3 * c^2 + 10 * a * b^2 * d * e + a^3 * g * h + (2 * e * \\
& g + 5 * d * h) * a^2 * b) * c / (a^9 * b^3) + 1/39366 * (125 * b^4 * d^3 + 8 * a * b^3 * e^3 + 75 * a * b \\
& ^3 * d^2 * g + 15 * a^2 * b^2 * d * g^2 + a^3 * b * g^3 + 12 * a^2 * b^2 * e^2 * h + 6 * a^3 * b * e * h^2 \\
& + a^4 * h^3) / (a^8 * b^5) - 1/39366 * (729 * b^5 * c^3 + a^5 * h^3 - (g^3 - 6 * e * h^2) * a^4 \\
& * b - 3 * (5 * d * g^2 - 4 * e^2 * h - 9 * c * g * h) * a^3 * b^2 + (8 * e^3 - 75 * d^2 * g + 27 * (2 * e * \\
& g + 5 * d * h) * c) * a^2 * b^3 - 5 * (25 * d^3 - 54 * c * d * e) * a * b^4) / (a^9 * b^5)^{(1/3)} + 486 \\
& * c / a^3) - 2 * (45 * a * b^3 * c * d + 4 * a^2 * b^2 * e^2) * g - (81 * a * b^3 * c^2 + 40 * a^2 * b^2 * d \\
& * e + 8 * a^3 * b * e * g) * h + 2 * (125 * b^4 * d^3 + 8 * a * b^3 * e^3 + 75 * a * b^3 * d^2 * g + 15 * a^ \\
& 2 * b^2 * d * g^2 + a^3 * b * g^3 + 12 * a^2 * b^2 * e^2 * h + 6 * a^3 * b * e * h^2 + a^4 * h^3) * x - 1 \\
& / 972 * \text{sqrt}(1/3) * (1350 * a^3 * b^4 * d^2 - 972 * a^3 * b^4 * c * e + 540 * a^4 * b^3 * d * g + 54 * a \\
& ^5 * b^2 * g^2 - 486 * a^4 * b^3 * c * h + (2 * a^6 * b^4 * e + a^7 * b^3 * h) * ((-I * \text{sqrt}(3) + 1) * \\
& (81 * c^2 / a^6 - (81 * b^3 * c^2 + 10 * a * b^2 * d * e + a^3 * g * h + (2 * e * g + 5 * d * h) * a^2 * b) \\
& / (a^6 * b^3))) / (-1/27 * c^3 / a^9 + 1/1458 * (81 * b^3 * c^2 + 10 * a * b^2 * d * e + a^3 * g * h + \\
& (2 * e * g + 5 * d * h) * a^2 * b) * c / (a^9 * b^3) + 1/39366 * (125 * b^4 * d^3 + 8 * a * b^3 * e^3 + 7 \\
& 5 * a * b^3 * d^2 * g + 15 * a^2 * b^2 * d * g^2 + a^3 * b * g^3 + 12 * a^2 * b^2 * e^2 * h + 6 * a^3 * b * e \\
& * h^2 + a^4 * h^3) / (a^8 * b^5) - 1/39366 * (729 * b^5 * c^3 + a^5 * h^3 - (g^3 - 6 * e * h^2) \\
&) * a^4 * b - 3 * (5 * d * g^2 - 4 * e^2 * h - 9 * c * g * h) * a^3 * b^2 + (8 * e^3 - 75 * d^2 * g + 27 * \\
& (2 * e * g + 5 * d * h) * c) * a^2 * b^3 - 5 * (25 * d^3 - 54 * c * d * e) * a * b^4) / (a^9 * b^5)^{(1/3)} \\
& + 729 * (I * \text{sqrt}(3) + 1) * (-1/27 * c^3 / a^9 + 1/1458 * (81 * b^3 * c^2 + 10 * a * b^2 * d * e + \\
& a^3 * g * h + (2 * e * g + 5 * d * h) * a^2 * b) * c / (a^9 * b^3) + 1/39366 * (125 * b^4 * d^3 + 8 * a * b \\
& ^3 * e^3 + 75 * a * b^3 * d^2 * g + 15 * a^2 * b^2 * d * g^2 + a^3 * b * g^3 + 12 * a^2 * b^2 * e^2 * h + \\
& 6 * a^3 * b * e * h^2 + a^4 * h^3) / (a^8 * b^5) - 1/39366 * (729 * b^5 * c^3 + a^5 * h^3 - (g^3 \\
& - 6 * e * h^2) * a^4 * b - 3 * (5 * d * g^2 - 4 * e^2 * h - 9 * c * g * h) * a^3 * b^2 + (8 * e^3 - 75 * d \\
& ^2 * g + 27 * (2 * e * g + 5 * d * h) * c) * a^2 * b^3 - 5 * (25 * d^3 - 54 * c * d * e) * a * b^4) / (a^9 * b^ \\
& 5)^{(1/3)} + 486 * c / a^3) * \text{sqrt}(-(((-I * \text{sqrt}(3) + 1) * (81 * c^2 / a^6 - (81 * b^3 * c^2 \\
& + 10 * a * b^2 * d * e + a^3 * g * h + (2 * e * g + 5 * d * h) * a^2 * b) / (a^6 * b^3))) / (-1/27 * c^3 / a^9 \\
& + 1/1458 * (81 * b^3 * c^2 + 10 * a * b^2 * d * e + a^3 * g * h + (2 * e * g + 5 * d * h) * a^2 * b) * c / (\\
& a^9 * b^3) + 1/39366 * (125 * b^4 * d^3 + 8 * a * b^3 * e^3 + 75 * a * b^3 * d^2 * g + 15 * a^2 * b^2 \\
& * d * g^2 + a^3 * b * g^3 + 12 * a^2 * b^2 * e^2 * h + 6 * a^3 * b * e * h^2 + a^4 * h^3) / (a^8 * b^5) \\
& - 1/39366 * (729 * b^5 * c^3 + a^5 * h^3 - (g^3 - 6 * e * h^2) * a^4 * b - 3 * (5 * d * g^2 - 4 * e \\
& ^2 * h - 9 * c * g * h) * a^3 * b^2 + (8 * e^3 - 75 * d^2 * g + 27 * (2 * e * g + 5 * d * h) * c) * a^2 * b^3 \\
& - 5 * (25 * d^3 - 54 * c * d * e) * a * b^4) / (a^9 * b^5)^{(1/3)} + 729 * (I * \text{sqrt}(3) + 1) * (-1/ \\
& 27 * c^3 / a^9 + 1/1458 * (81 * b^3 * c^2 + 10 * a * b^2 * d * e + a^3 * g * h + (2 * e * g + 5 * d * h) * \\
& a^2 * b) * c / (a^9 * b^3) + 1/39366 * (125 * b^4 * d^3 + 8 * a * b^3 * e^3 + 75 * a * b^3 * d^2 * g + \\
& 15 * a^2 * b^2 * d * g^2 + a^3 * b * g^3 + 12 * a^2 * b^2 * e^2 * h + 6 * a^3 * b * e * h^2 + a^4 * h^3) / \\
& (a^8 * b^5) - 1/39366 * (729 * b^5 * c^3 + a^5 * h^3 - (g^3 - 6 * e * h^2) * a^4 * b - 3 * (5 * d \\
& * g^2 - 4 * e^2 * h - 9 * c * g * h) * a^3 * b^2 + (8 * e^3 - 75 * d^2 * g + 27 * (2 * e * g + 5 * d * h) * \\
& c) * a^2 * b^3 - 5 * (25 * d^3 - 54 * c * d * e) * a * b^4) / (a^9 * b^5)^{(1/3)} + 486 * c / a^3) ^2 * a \\
& ^6 * b^3 - 972 * ((-I * \text{sqrt}(3) + 1) * (81 * c^2 / a^6 - (81 * b^3 * c^2 + 10 * a * b^2 * d * e + a \\
& ^3 * g * h + (2 * e * g + 5 * d * h) * a^2 * b) / (a^6 * b^3))) / (-1/27 * c^3 / a^9 + 1/1458 * (81 * b^3 * \\
& c^2 + 10 * a * b^2 * d * e + a^3 * g * h + (2 * e * g + 5 * d * h) * a^2 * b) * c / (a^9 * b^3) + 1/39366 \\
& * (125 * b^4 * d^3 + 8 * a * b^3 * e^3 + 75 * a * b^3 * d^2 * g + 15 * a^2 * b^2 * d * g^2 + a^3 * b * g^3 \\
& + 12 * a^2 * b^2 * e^2 * h + 6 * a^3 * b * e * h^2 + a^4 * h^3) / (a^8 * b^5) - 1/39366 * (729 * b^5 \\
& * c^3 + a^5 * h^3 - (g^3 - 6 * e * h^2) * a^4 * b - 3 * (5 * d * g^2 - 4 * e^2 * h - 9 * c * g * h) * a^ \\
& 3 * b^2 + (8 * e^3 - 75 * d^2 * g + 27 * (2 * e * g + 5 * d * h) * c) * a^2 * b^3 - 5 * (25 * d^3 - 54 *
\end{aligned}$$

$c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/145$
 $8*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3)$
 $+ 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 +$
 $a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/3936$
 $6*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9$
 $*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25$
 $*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3)*a^3*b^3*c + 236196*b^$
 $3*c^2 + 116640*a*b^2*d*e + 23328*a^2*b*e*g + 11664*(5*a^2*b*d + a^3*g)*h)/($
 $a^6*b^3))) + 2916*(b^3*c*x^6 + 2*a*b^2*c*x^3 + a^2*b*c)*log(x))/(a^3*b^3*x^$
 $6 + 2*a^4*b^2*x^3 + a^5*b)$

giac [A] time = 0.27, size = 376, normalized size = 1.08

$$\frac{c \log\left(\frac{b x^3 + a}{a}\right) + c \log\left(\frac{x}{a}\right) + \frac{\sqrt{5} \left(5 d^2 a + a b g - (-a b^2)^{\frac{1}{3}} a b - 2 (-a b^2)^{\frac{1}{3}} b\right) \arctan\left(\frac{a^{\frac{1}{3}} \left(x - (-\frac{a}{b})^{\frac{1}{3}}\right)}{3 (-\frac{a}{b})^{\frac{1}{3}}}\right)}{27 (-a b^2)^{\frac{1}{3}} a b}}{\left(5 d^2 a + a b g + (-a b^2)^{\frac{1}{3}} a b + 2 (-a b^2)^{\frac{1}{3}} b\right) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) + \frac{6 a b^2 c a^3 + 2 (a^2 b a + 2 a b^2) a^3 + (5 a b^2 d + a^2 b g) x^4 + 9 a^2 b c - 3 a^2 f - (a^2 b - 7 a^2 b g) x^2 + 2 (4 a^2 b d - a^2 g) x}{18 (a b^2 + a^3) a b} + \frac{a^2 b^2 h \left(-\frac{a}{b}\right)^{\frac{1}{3}} + 2 a^2 b^2 \left(-\frac{a}{b}\right)^{\frac{1}{3}} e + 5 a^2 b^2 d + a^2 b^2 g}{27 a^2 b^3} \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\frac{x}{-\frac{a}{b}}\right)}{a^7 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/3*c*log(abs(b*x^3 + a))/a^3 + c*log(abs(x))/a^3 - 1/27*sqrt(3)*(5*b^2*d$
 $+ a*b*g - (-a*b^2)^{(1/3)}*a*h - 2*(-a*b^2)^{(1/3)}*b*e)*arctan(1/3*sqrt(3)*(2*$
 $x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^2*b) - 1/54*(5*b^2*d + a*$
 $b*g + (-a*b^2)^{(1/3)}*a*h + 2*(-a*b^2)^{(1/3)}*b*e)*log(x^2 + x*(-a/b)^{(1/3)} +$
 $(-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^2*b) + 1/18*(6*a*b^2*c*x^3 + 2*(a^2*b*h +$
 $2*a*b^2*e)*x^5 + (5*a*b^2*d + a^2*b*g)*x^4 + 9*a^2*b*c - 3*a^3*f - (a^3*h -$
 $7*a^2*b*e)*x^2 + 2*(4*a^2*b*d - a^3*g)*x)/((b*x^3 + a)^2*a^3*b) - 1/27*(a^$
 $5*b^2*h*(-a/b)^{(1/3)} + 2*a^4*b^3*(-a/b)^{(1/3)}*e + 5*a^4*b^3*d + a^5*b^2*g)*$
 $(-a/b)^{(1/3)}*log(abs(x - (-a/b)^{(1/3)}))/a^7*b^3)$

maple [B] time = 0.07, size = 618, normalized size = 1.78

$$\frac{\frac{3 a^2}{4 b^3 a^2 d^2 e} - \frac{2 a b^2}{4 b^3 a^2 d^2 e} + \frac{c^2}{16 b^3 a^2 d^2 e} - \frac{3 a b^2}{16 b^3 a^2 d^2 e} - \frac{b c^2}{16 b^3 a^2 d^2 e} - \frac{7 a^2}{16 b^3 a^2 d^2 e} - \frac{3 a^2}{16 b^3 a^2 d^2 e} - \frac{c}{4 b^3 a^2 d^2 e} - \frac{f}{4 b^3 a^2 d^2 e}}{\frac{\sqrt{5} \arctan\left(\frac{a^{\frac{1}{3}} \left(x - (-\frac{a}{b})^{\frac{1}{3}}\right)}{3 (-\frac{a}{b})^{\frac{1}{3}}}\right)}{27 (-a b^2)^{\frac{1}{3}} a b}}{\frac{1}{27} \left(5 d^2 a + a b g + (-a b^2)^{\frac{1}{3}} a b + 2 (-a b^2)^{\frac{1}{3}} b\right) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)} + \frac{\sqrt{3} \arctan\left(\frac{a^{\frac{1}{3}} \left(x - (-\frac{a}{b})^{\frac{1}{3}}\right)}{3 (-\frac{a}{b})^{\frac{1}{3}}}\right)}{27 (-a b^2)^{\frac{1}{3}} a b}}{\frac{1}{27} \left(5 d^2 a + a b g + (-a b^2)^{\frac{1}{3}} a b + 2 (-a b^2)^{\frac{1}{3}} b\right) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)} + \frac{\sqrt{3} \arctan\left(\frac{a^{\frac{1}{3}} \left(x - (-\frac{a}{b})^{\frac{1}{3}}\right)}{3 (-\frac{a}{b})^{\frac{1}{3}}}\right)}{27 (-a b^2)^{\frac{1}{3}} a b}}{\frac{1}{27} \left(5 d^2 a + a b g + (-a b^2)^{\frac{1}{3}} a b + 2 (-a b^2)^{\frac{1}{3}} b\right) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)} + \frac{2 a b \left(-\frac{a}{b}\right)^{\frac{1}{3}} + 2 a^2 b^2 \left(-\frac{a}{b}\right)^{\frac{1}{3}} e + 5 a^2 b^2 d + a^2 b^2 g}{27 a^2 b^3} \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\frac{x}{-\frac{a}{b}}\right)}{a^7 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^3,x)

[Out] $1/9/a/(b*x^3+a)^2*x^5*h+1/18/a/(b*x^3+a)^2*x^4*g-1/18/(b*x^3+a)^2/b*x^2*h-1$
 $/9/(b*x^3+a)^2/b*x*g+5/27/(a/b)^{(2/3)}*3^{(1/2)}/a^2/b*d*arctan(1/3*3^{(1/2)}*(2$
 $/a/b)^{(1/3)}*x-1))+2/27*3^{(1/2)}/(a/b)^{(1/3)}/a^2/b*e*arctan(1/3*3^{(1/2)}*(2/$
 $a/b)^{(1/3)}*x-1))+4/9/(b*x^3+a)^2/a*d*x+7/18/(b*x^3+a)^2/a*e*x^2+1/2/(b*x^3+$
 $a)^2/a*c+5/27/(a/b)^{(2/3)}/a^2/b*d*ln(x+(a/b)^{(1/3)})-2/27/(a/b)^{(1/3)}/a^2/b*$
 $e*ln(x+(a/b)^{(1/3)})+1/27/(a/b)^{(1/3)}/a^2/b*e*ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/$
 $3)))+1/3/(b*x^3+a)^2/a^2*b*c*x^3+2/9/(b*x^3+a)^2/a^2*b*e*x^5-1/6/(b*x^3+a)^2$

$$\begin{aligned} & /b*f+1/a^3*c*\ln(x)-1/3/a^3*c*\ln(b*x^3+a)+1/27/a/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*g+1/27/a/b^2*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*h+5/18/(b*x^3+a)^2/a^2*b*d*x^4-5/54/(a/b)^{(2/3)}/a^2/b*d*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/54/a/b^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*h+1/27/a/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*g-1/54/a/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*g-1/27/a/b^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*h \end{aligned}$$

maxima [A] time = 3.11, size = 368, normalized size = 1.06

$$\frac{6b^2c^2 + 2(2b^2c + abd)^2 + (9b^2d + abg)^2 + 9abc - 3a^2f + (7abc - a^2h)^2 + 2(4abd - a^2g)}{18(b^2b^3 + 2a^2b^3 + a^4)} \cdot \frac{c \log(x)}{a^3} + \frac{\sqrt{3} \left(2abg \left(\frac{x}{a} \right)^{\frac{1}{3}} + a^2h \left(\frac{x}{a} \right)^{\frac{2}{3}} + 5abd \left(\frac{x}{a} \right)^{\frac{1}{3}} + a^2g \left(\frac{x}{a} \right)^{\frac{2}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(\frac{x}{a} \right)^{\frac{1}{3}}}{1 \left(\frac{x}{a} \right)^{\frac{2}{3}}} \right)}{27a^4b} + \frac{\left(18b^2c \left(\frac{x}{a} \right)^{\frac{1}{3}} - 2abg \left(\frac{x}{a} \right)^{\frac{1}{3}} - a^2h \left(\frac{x}{a} \right)^{\frac{2}{3}} + 5abd + a^2g \right) \log \left(x^2 - x \left(\frac{x}{a} \right)^{\frac{1}{3}} + \left(\frac{x}{a} \right)^{\frac{2}{3}} \right)}{54a^2b^{\frac{2}{3}} \left(\frac{x}{a} \right)^{\frac{1}{3}}} + \frac{\left(9b^2c \left(\frac{x}{a} \right)^{\frac{1}{3}} + 2abg \left(\frac{x}{a} \right)^{\frac{1}{3}} + a^2h \left(\frac{x}{a} \right)^{\frac{2}{3}} - 5abd - a^2g \right) \log \left(x + \left(\frac{x}{a} \right)^{\frac{1}{3}} \right)}{27a^2b^{\frac{2}{3}} \left(\frac{x}{a} \right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{18}*(6*b^2*c*x^3 + 2*(2*b^2*e + a*b*h)*x^5 + (5*b^2*d + a*b*g)*x^4 + 9*a*b*c - 3*a^2*f + (7*a*b*e - a^2*h)*x^2 + 2*(4*a*b*d - a^2*g)*x)/(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b) + c*\log(x)/a^3 + 1/27*\sqrt{3}*(2*a*b*e*(a/b)^{(2/3)} + a^2*h*(a/b)^{(2/3)} + 5*a*b*d*(a/b)^{(1/3)} + a^2*g*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^4*b) - 1/54*(18*b^2*c*(a/b)^{(2/3)} - 2*a*b*e*(a/b)^{(1/3)} - a^2*h*(a/b)^{(1/3)} + 5*a*b*d + a^2*g)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*b^2*(a/b)^{(2/3)}) - 1/27*(9*b^2*c*(a/b)^{(2/3)} + 2*a*b*e*(a/b)^{(1/3)} + a^2*h*(a/b)^{(1/3)} - 5*a*b*d - a^2*g)*\log(x + (a/b)^{(1/3)})/(a^3*b^2*(a/b)^{(2/3)})$

mupad [B] time = 5.70, size = 1716, normalized size = 4.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^3), x)

[Out] $\frac{((3*b*c - a*f)/(6*a*b) + (x^4*(5*b*d + a*g))/(18*a^2) + (x^5*(2*b*e + a*h))/(9*a^2) + (x*(4*b*d - a*g))/(9*a*b) + (x^2*(7*b*e - a*h))/(18*a*b) + (b*c*x^3)/(3*a^2))/(a^2 + b^2*x^6 + 2*a*b*x^3) + \text{symsum}(\log((c*(25*b^2*d^2 + a^2*g^2 - 18*b^2*c*e - 9*a*b*c*h + 10*a*b*d*g))/(81*a^6) - (\text{root}(19683*a^9*b^5*z^3 + 19683*a^6*b^5*c*z^2 + 81*a^6*b^2*g*h*z + 405*a^5*b^3*d*h*z + 162*a^5*b^3*e*g*z + 810*a^4*b^4*d*e*z + 6561*a^3*b^5*c^2*z + 270*a*b^4*c*d*e + 27*a^3*b^2*c*g*h + 135*a^2*b^3*c*d*h + 54*a^2*b^3*c*e*g + 6*a^4*b^4*d*h^2 + 12*a^3*b^2*e^2*h - 75*a^2*b^3*d^2*g - 15*a^3*b^2*d*g^2 + 8*a^2*b^3*e^3 - a^4*b^4*g^3 - 125*a*b^4*d^3 + 729*b^5*c^3 + a^5*h^3, z, k)*(a^3*g^2 + 25*a*b^2*d^2 + 324*b^3*c^2*x + 2916*\text{root}(19683*a^9*b^5*z^3 + 19683*a^6*b^5*c*z^2 + 81*a^6*b^2*g*h*z + 405*a^5*b^3*d*h*z + 162*a^5*b^3*e*g*z + 810*a^4*b^4*d*e*z + 6561*a^3*b^5*c^2*z + 270*a*b^4*c*d*e + 27*a^3*b^2*c*g*h + 135*a^2*b^3*c*d*h$

$$\begin{aligned}
& + 54a^2b^3c^*eg + 6a^4b^*eh^2 + 12a^3b^2e^2*h - 75a^2b^3d^2*g - \\
& 15a^3b^2d*g^2 + 8a^2b^3e^3 - a^4b*g^3 - 125a*b^4*d^3 + 729b^5*c^3 \\
& + a^5*h^3, z, k)^2*a^6*b^3*x - 27*root(19683*a^9*b^5*z^3 + 19683*a^6*b^5*c^* \\
& z^2 + 81*a^6*b^2*g*h*z + 405*a^5*b^3*d*h*z + 162*a^5*b^3*e*g*z + 810*a^4*b^ \\
& 4*d*e*z + 6561*a^3*b^5*c^2*z + 270*a*b^4*c*d*e + 27*a^3*b^2*c*g*h + 135*a^2 \\
& *b^3*c*d*h + 54*a^2*b^3*c^*eg + 6a^4b^*eh^2 + 12a^3b^2e^2*h - 75a^2b^3d^2*g \\
& ^3*d^2*g - 15a^3b^2d*g^2 + 8a^2b^3e^3 - a^4b*g^3 - 125a*b^4*d^3 + 7 \\
& 29*b^5*c^3 + a^5*h^3, z, k)*a^5*b*h + 36*a*b^2*c^*e + 18*a^2*b*c^*h + 10*a^2* \\
& b*d*g + 10*a^3*g*h*x - 54*root(19683*a^9*b^5*z^3 + 19683*a^6*b^5*c^*z^2 + 81 \\
& *a^6*b^2*g*h*z + 405*a^5*b^3*d*h*z + 162*a^5*b^3*e*g*z + 810*a^4*b^4*d*e*z \\
& + 6561*a^3*b^5*c^2*z + 270*a*b^4*c*d*e + 27*a^3*b^2*c*g*h + 135*a^2*b^3*c*d \\
& *h + 54*a^2*b^3*c^*eg + 6a^4b^*eh^2 + 12a^3b^2e^2*h - 75a^2b^3d^2*g \\
& - 15a^3b^2d*g^2 + 8a^2b^3e^3 - a^4b*g^3 - 125a*b^4*d^3 + 729b^5*c^ \\
& ^3 + a^5*h^3, z, k)*a^4*b^2*e + 1944*root(19683*a^9*b^5*z^3 + 19683*a^6*b^5 \\
& *c^*z^2 + 81*a^6*b^2*g*h*z + 405*a^5*b^3*d*h*z + 162*a^5*b^3*e*g*z + 810*a^4 \\
& *b^4*d*e*z + 6561*a^3*b^5*c^2*z + 270*a*b^4*c*d*e + 27*a^3*b^2*c*g*h + 135* \\
& a^2*b^3*c*d*h + 54*a^2*b^3*c^*eg + 6a^4b^*eh^2 + 12a^3b^2e^2*h - 75a^ \\
& 2*b^3*d^2*g - 15a^3b^2d*g^2 + 8a^2b^3e^3 - a^4b*g^3 - 125a*b^4*d^3 \\
& + 729b^5*c^3 + a^5*h^3, z, k)*a^3*b^3*c^*x + 100*a*b^2*d^*e*x + 50*a^2*b*d^*h \\
& *x + 20*a^2*b^*e*g*x))/(81*a^4) - (x*(a^4*h^3 - 125*b^4*d^3 + 8*a*b^3*e^3 - \\
& a^3*b*g^3 - 15*a^2*b^2*d*g^2 + 12*a^2*b^2*e^2*h + 180*b^4*c*d*e - 75*a*b^3* \\
& d^2*g + 6*a^3*b^*e*h^2 + 18*a^2*b^2*c*g*h + 90*a*b^3*c*d*h + 36*a*b^3*c^*e*g) \\
&)/(729*a^6*b^2))*root(19683*a^9*b^5*z^3 + 19683*a^6*b^5*c^*z^2 + 81*a^6*b^2* \\
& g*h*z + 405*a^5*b^3*d*h*z + 162*a^5*b^3*e*g*z + 810*a^4*b^4*d*e*z + 6561*a^ \\
& 3*b^5*c^2*z + 270*a*b^4*c*d*e + 27*a^3*b^2*c*g*h + 135*a^2*b^3*c*d*h + 54*a \\
& ^2*b^3*c^*e*g + 6a^4b^*eh^2 + 12a^3b^2e^2*h - 75a^2b^3d^2*g - 15a^3 \\
& *b^2*d*g^2 + 8a^2b^3e^3 - a^4b*g^3 - 125a*b^4*d^3 + 729b^5*c^3 + a^5* \\
& h^3, z, k), k, 1, 3) + (c*log(x))/a^3
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x/(b*x**3+a)**3,x)

[Out] Timed out

$$3.374 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)^3} dx$$

Optimal. Leaf size=362

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(ah + 5be) + 2b^{2/3}(7bc - af)\right)}{54a^{10/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(ah + 5be) + 2b^{2/3}(7bc - af)\right)}{27a^{10/3}b^{4/3}}$$

Rubi [A] time = 0.83, antiderivative size = 362, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(ah + 5be) + 2b^{2/3}(7bc - af)\right)}{54a^{10/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(ah + 5be) + 2b^{2/3}(7bc - af)\right)}{27a^{10/3}b^{4/3}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt[3]{a^2 b^2}}\right) \left(-5a^{2/3}be + a^{2/3}(-b) - 2ab^{2/3}f + 14b^{5/3}c\right)}{9\sqrt[3]{a^{10}b^4}} + \frac{x(-2ba(5bc - 2af) - 3bx^2(3bd - ag) + a(ab + 5be))}{18a^2b(a + bx^3)^2} + \frac{x(-bx(bc - af) - bx^2(bd - ag) + a(bc - ab))}{6a^2b(a + bx^3)^2} - \frac{d \log(a + bx^3)}{3a^3} - \frac{c}{a^2x} + \frac{d \log(x)}{a^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^3), x]

[Out] -(c/(a^3*x)) + (x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(6*a^2*b*(a + b*x^3)^2) + (x*(a*(5*b*e + a*h) - 2*b*(5*b*c - 2*a*f)*x - 3*b*(3*b*d - a*g)*x^2))/(18*a^3*b*(a + b*x^3)) + ((14*b^(5/3)*c - 5*a^(2/3)*b*e - 2*a*b^(2/3)*f - a^(5/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3)))]/(9*Sqrt[3]*a^(10/3)*b^(4/3)) + (d*Log[x])/a^3 + ((2*b^(2/3)*(7*b*c - a*f) + a^(2/3)*(5*b*e + a*h))*Log[a^(1/3) + b^(1/3)*x])/(27*a^(10/3)*b^(4/3)) - ((2*b^(2/3)*(7*b*c - a*f) + a^(2/3)*(5*b*e + a*h))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(10/3)*b^(4/3)) - (d*Log[a + b*x^3])/(3*a^3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^(m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^2(a + bx^3)^3} dx &= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} - \int \frac{-6b^2c - 6b^2dx - b(5be + ah)x^2 + \dots}{x^2(a + bx^3)^3} dx \\
&= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - 2b(5bc - \dots))}{18a^3b} \\
&= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - 2b(5bc - \dots))}{18a^3b} \\
&= -\frac{c}{a^3x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - \dots)}{18a^3b} \\
&= -\frac{c}{a^3x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - \dots)}{18a^3b} \\
&= -\frac{c}{a^3x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - \dots)}{18a^3b} \\
&= -\frac{c}{a^3x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - \dots)}{18a^3b} \\
&= -\frac{c}{a^3x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - \dots)}{18a^3b} \\
&= -\frac{c}{a^3x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - \dots)}{18a^3b} \\
&= -\frac{c}{a^3x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6a^2b(a + bx^3)^2} + \frac{x(a(5be + ah) - \dots)}{18a^3b}
\end{aligned}$$

Mathematica [A] time = 0.78, size = 336, normalized size = 0.93

$$\frac{a^{23} \log\left(\frac{a^{23} - \sqrt{a} \sqrt[3]{a} + a^{23} x^2}{b^4}\right) (5a^{23}bc + a^{53}) - 2a^{23}f + 14a^{53}c}{b^4} - \frac{2a^{23} \log\left(\sqrt[3]{a} + \sqrt[3]{a} x\right) (5a^{23}bc + a^{53}) - 2a^{23}f + 14a^{53}c}{b^4} + \frac{2\sqrt{3}a^{23} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{a}x}{\sqrt{3}}\right) (5a^{23}bc + a^{53}) + 2a^{23}f - 14a^{53}c}{b^4} + \frac{9a^2(a^2(c+bx) - ab(d+x(e+fx)) + b^2cx^2)}{b(a+bx)^2} - \frac{3(a^2bx + ab(6d+x(5e+4fx)) - 10b^2cx^2)}{b(a+bx)^2} + 18ad \log(a + bx^3) + \frac{54ac}{x} - 54ad \log(x)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^3),x]
[Out] -1/54*((54*a*c)/x + (9*a^2*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f*x
))))/(b*(a + b*x^3)^2) - (3*a*(a^2*h*x - 10*b^2*c*x^2 + a*b*(6*d + x*(5*e +
4*f*x)))/(b*(a + b*x^3)) + (2*Sqrt[3]*a^(2/3)*(-14*b^(5/3)*c + 5*a^(2/3)*
b*e + 2*a*b^(2/3)*f + a^(5/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]
]/b^(4/3) - 54*a*d*Log[x] - (2*a^(2/3)*(14*b^(5/3)*c + 5*a^(2/3)*b*e - 2*a
*b^(2/3)*f + a^(5/3)*h)*Log[a^(1/3) + b^(1/3)*x]/b^(4/3) + (a^(2/3)*(14*b^
(5/3)*c + 5*a^(2/3)*b*e - 2*a*b^(2/3)*f + a^(5/3)*h)*Log[a^(2/3) - a^(1/3)*
b^(1/3)*x + b^(2/3)*x^2])/b^(4/3) + 18*a*d*Log[a + b*x^3])/a^4
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^2(a + bx^3)^3} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^
3)^3),x]
```

```
[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^
3)^3), x]
```

fricas [C] time = 36.81, size = 12951, normalized size = 35.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="fri
cas")
```

```
[Out] 1/2916*(972*a*b^2*d*x^4 - 648*(7*b^3*c - a*b^2*f)*x^6 + 162*(5*a*b^2*e + a^
2*b*h)*x^5 - 2916*a^2*b*c - 1134*(7*a*b^2*c - a^2*b*f)*x^3 + 324*(4*a^2*b*e
- a^3*h)*x^2 - 2*(a^3*b^3*x^7 + 2*a^4*b^2*x^4 + a^5*b*x)*((-I*sqrt(3) + 1)
*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)/
(a^6*b^2))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81
*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 -
1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h -
15*a^4*b*b*e*h^2 - a^5*h^3)/(a^10*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*b*e*h
^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f
+ 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^
4)/(a^10*b^4))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f
*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(
```

$$\begin{aligned}
& 2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39 \\
& 366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h) \\
&)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^3)*\log(-1134 \\
& *a*b^4*c*d^2 + 1960*a*b^4*c^2*e + 225*a^2*b^3*d*e^2 + 40*a^3*b^2*e*f^2 + 9* \\
& a^4*b*d*h^2 - 1/1458*(7*a^7*b^4*c - a^8*b^3*f)*((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)/(a^6*b^2))/ \\
& (-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c \\
& *e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4 \\
& *c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h \\
& h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 \\
& - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 \\
& + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e \\
& *f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^ \\
& 3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 \\
& - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b \\
& ^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + \\
& (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c \\
& d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^3)^2 + 1/54*(252*a^4*b^ \\
& 4*c*d - 25*a^5*b^3*e^2 - 36*a^5*b^3*d*f - 10*a^6*b^2*e*h - a^7*b*h^2)*((-I* \\
& \sqrt{3}) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 7 \\
& 0*c*e)*b^2)/(a^6*b^2))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c* \\
& h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a \\
& ^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b \\
& ^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + \\
& 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 \\
& - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392 \\
& *c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1 \\
& 458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) \\
& - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3 \\
& *c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10} \\
& *b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h \\
& + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^ \\
& 3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^ \\
& 3) + 2*(81*a^2*b^3*d^2 - 280*a^2*b^3*c*e)*f + 2*(196*a^2*b^3*c^2 + 45*a^3*b \\
& ^2*d*e - 56*a^3*b^2*c*f + 4*a^4*b*f^2)*h - (2744*b^5*c^3 - 125*a^2*b^3*e^3 \\
& - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - \\
& 15*a^4*b*e*h^2 - a^5*h^3)*x) + 486*(3*a^2*b*d - a^3*g)*x - (1458*b^3*d*x^7 \\
& + 2916*a*b^2*d*x^4 + 1458*a^2*b*d*x - (a^3*b^3*x^7 + 2*a^4*b^2*x^4 + a^5*b \\
& *x)*((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (8 \\
& 1*d^2 - 70*c*e)*b^2)/(a^6*b^2))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e \\
& *f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^ \\
& 3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3
\end{aligned}$$

$$\begin{aligned}
& - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + \\
& (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/ \\
& (a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + \\
& 486*d/a^3) - 3*\sqrt{1/3}*(a^3*b^3*x^7 + 2*a^4*b^2*x^4 + a^5*b*x)*\sqrt{-(((-I*\sqrt{3} + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2))/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^3)^2*a^6*b^2 - 972*((-I*\sqrt{3} + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2))/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^3)*a^3*b^2*d + 236196*b^2*d^2 - 816480*b^2*c*e + 116640*a*b*e*f - 23328*(7*a*b*c - a^2*f)*h)/(a^6*b^2))*\log(1134*a*b^4*c*d^2 - 1960*a*b^4*c^2*e - 225*a^2*b^3*d*e^2 - 40*a^3*b^2*e*f^2 - 9*a^4*b*d*h^2 + 1/1458*(7*a^7*b^4*c - a^8*b^3*f)*((-I*\sqrt{3} + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2))/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/
\end{aligned}$$

$$\begin{aligned}
& c) * a^2 * b^3 - 3 * (243 * d^3 - 630 * c * d * e + 392 * c^2 * f) * a * b^4 / (a^{10} * b^4)^{(1/3)} + \\
& 486 * d / a^3) * \text{sqrt}(-(((-I * \text{sqrt}(3) + 1) * (81 * d^2 / a^6 - (2 * a^2 * f * h + 2 * (5 * e * f - \\
& 7 * c * h) * a * b + (81 * d^2 - 70 * c * e) * b^2) / (a^6 * b^2)) / (-1/27 * d^3 / a^9 + 1/1458 * (2 * \\
& a^2 * f * h + 2 * (5 * e * f - 7 * c * h) * a * b + (81 * d^2 - 70 * c * e) * b^2) * d / (a^9 * b^2) - 1/39 \\
& 366 * (2744 * b^5 * c^3 - 125 * a^2 * b^3 * e^3 - 1176 * a * b^4 * c^2 * f + 168 * a^2 * b^3 * c * f^2 \\
& - 8 * a^3 * b^2 * f^3 - 75 * a^3 * b^2 * e^2 * h - 15 * a^4 * b * e * h^2 - a^5 * h^3) / (a^{10} * b^4) + \\
& 1/39366 * (2744 * b^5 * c^3 + 15 * a^4 * b * e * h^2 + a^5 * h^3 - (8 * f^3 - 75 * e^2 * h + 54 * \\
& d * f * h) * a^3 * b^2 + (125 * e^3 - 270 * d * e * f + 42 * (4 * f^2 + 9 * d * h) * c) * a^2 * b^3 - 3 * (\\
& 243 * d^3 - 630 * c * d * e + 392 * c^2 * f) * a * b^4) / (a^{10} * b^4))^{(1/3)} + 729 * (I * \text{sqrt}(3) \\
& + 1) * (-1/27 * d^3 / a^9 + 1/1458 * (2 * a^2 * f * h + 2 * (5 * e * f - 7 * c * h) * a * b + (81 * d^2 - \\
& 70 * c * e) * b^2) * d / (a^9 * b^2) - 1/39366 * (2744 * b^5 * c^3 - 125 * a^2 * b^3 * e^3 - 1176 * \\
& a * b^4 * c^2 * f + 168 * a^2 * b^3 * c * f^2 - 8 * a^3 * b^2 * f^3 - 75 * a^3 * b^2 * e^2 * h - 15 * a^4 * \\
& b * e * h^2 - a^5 * h^3) / (a^{10} * b^4) + 1/39366 * (2744 * b^5 * c^3 + 15 * a^4 * b * e * h^2 + a \\
& ^5 * h^3 - (8 * f^3 - 75 * e^2 * h + 54 * d * f * h) * a^3 * b^2 + (125 * e^3 - 270 * d * e * f + 42 * (4 * f^2 + \\
& 9 * d * h) * c) * a^2 * b^3 - 3 * (243 * d^3 - 630 * c * d * e + 392 * c^2 * f) * a * b^4) / (a^{10} * b^4)) \\
& ^{(1/3)} + 486 * d / a^3) ^2 * a^6 * b^2 - 972 * ((-I * \text{sqrt}(3) + 1) * (81 * d^2 / a^6 - (2 * a^2 * f * h + 2 * (5 * \\
& e * f - 7 * c * h) * a * b + (81 * d^2 - 70 * c * e) * b^2) / (a^6 * b^2)) / (-1/27 * d^3 / a^9 + 1/1458 * (2 * \\
& a^2 * f * h + 2 * (5 * e * f - 7 * c * h) * a * b + (81 * d^2 - 70 * c * e) * b^2) * d / (a^9 * b^2) - 1/39366 * (2744 * b^5 * c^3 - \\
& 125 * a^2 * b^3 * e^3 - 1176 * a * b^4 * c^2 * f + 168 * a^2 * b^3 * c * f^2 - 8 * a^3 * b^2 * f^3 - 75 * a^3 * b^2 * e^2 * h - \\
& 15 * a^4 * b * e * h^2 - a^5 * h^3) / (a^{10} * b^4) + 1/39366 * (2744 * b^5 * c^3 + 15 * a^4 * b * e * h^2 + a^5 * h^3 - \\
& (8 * f^3 - 75 * e^2 * h + 54 * d * f * h) * a^3 * b^2 + (125 * e^3 - 270 * d * e * f + 42 * (4 * f^2 + \\
& 9 * d * h) * c) * a^2 * b^3 - 3 * (243 * d^3 - 630 * c * d * e + 392 * c^2 * f) * a * b^4) / (a^{10} * b^4)) \\
& ^{(1/3)} + 729 * (I * \text{sqrt}(3) + 1) * (-1/27 * d^3 / a^9 + 1/1458 * (2 * a^2 * f * h + 2 * (5 * e * f - \\
& 7 * c * h) * a * b + (81 * d^2 - 70 * c * e) * b^2) * d / (a^9 * b^2) - 1/39366 * (2744 * b^5 * c^3 - \\
& 125 * a^2 * b^3 * e^3 - 1176 * a * b^4 * c^2 * f + 168 * a^2 * b^3 * c * f^2 - 8 * a^3 * b^2 * f^3 - 7 \\
& 5 * a^3 * b^2 * e^2 * h - 15 * a^4 * b * e * h^2 - a^5 * h^3) / (a^{10} * b^4) + 1/39366 * (2744 * b^5 * \\
& c^3 + 15 * a^4 * b * e * h^2 + a^5 * h^3 - (8 * f^3 - 75 * e^2 * h + 54 * d * f * h) * a^3 * b^2 + (1 \\
& 25 * e^3 - 270 * d * e * f + 42 * (4 * f^2 + 9 * d * h) * c) * a^2 * b^3 - 3 * (243 * d^3 - 630 * c * d * e \\
& + 392 * c^2 * f) * a * b^4) / (a^{10} * b^4))^{(1/3)} + 486 * d / a^3) * a^3 * b^2 * d + 236196 * b^2 * \\
& d^2 - 816480 * b^2 * c * e + 116640 * a * b * e * f - 23328 * (7 * a * b * c - a^2 * f) * h) / (a^6 * b^2 \\
&)) - (1458 * b^3 * d * x^7 + 2916 * a * b^2 * d * x^4 + 1458 * a^2 * b * d * x - (a^3 * b^3 * x^7 + \\
& 2 * a^4 * b^2 * x^4 + a^5 * b * x) * ((-I * \text{sqrt}(3) + 1) * (81 * d^2 / a^6 - (2 * a^2 * f * h + 2 * (5 * \\
& e * f - 7 * c * h) * a * b + (81 * d^2 - 70 * c * e) * b^2) / (a^6 * b^2)) / (-1/27 * d^3 / a^9 + 1/145 \\
& 8 * (2 * a^2 * f * h + 2 * (5 * e * f - 7 * c * h) * a * b + (81 * d^2 - 70 * c * e) * b^2) * d / (a^9 * b^2) - \\
& 1/39366 * (2744 * b^5 * c^3 - 125 * a^2 * b^3 * e^3 - 1176 * a * b^4 * c^2 * f + 168 * a^2 * b^3 * c \\
& * f^2 - 8 * a^3 * b^2 * f^3 - 75 * a^3 * b^2 * e^2 * h - 15 * a^4 * b * e * h^2 - a^5 * h^3) / (a^{10} * b \\
& ^4) + 1/39366 * (2744 * b^5 * c^3 + 15 * a^4 * b * e * h^2 + a^5 * h^3 - (8 * f^3 - 75 * e^2 * h \\
& + 54 * d * f * h) * a^3 * b^2 + (125 * e^3 - 270 * d * e * f + 42 * (4 * f^2 + 9 * d * h) * c) * a^2 * b^3 \\
& - 3 * (243 * d^3 - 630 * c * d * e + 392 * c^2 * f) * a * b^4) / (a^{10} * b^4))^{(1/3)} + 729 * (I * \text{sq} \\
& r t(3) + 1) * (-1/27 * d^3 / a^9 + 1/1458 * (2 * a^2 * f * h + 2 * (5 * e * f - 7 * c * h) * a * b + (81 * \\
& d^2 - 70 * c * e) * b^2) * d / (a^9 * b^2) - 1/39366 * (2744 * b^5 * c^3 - 125 * a^2 * b^3 * e^3 - \\
& 1176 * a * b^4 * c^2 * f + 168 * a^2 * b^3 * c * f^2 - 8 * a^3 * b^2 * f^3 - 75 * a^3 * b^2 * e^2 * h - 1 \\
& 5 * a^4 * b * e * h^2 - a^5 * h^3) / (a^{10} * b^4) + 1/39366 * (2744 * b^5 * c^3 + 15 * a^4 * b * e * h^ \\
& 2 + a^5 * h^3 - (8 * f^3 - 75 * e^2 * h + 54 * d * f * h) * a^3 * b^2 + (125 * e^3 - 270 * d * e * f
\end{aligned}$$

$$\begin{aligned}
& + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4 \\
&)/(a^{10}*b^4)^{(1/3)} + 486*d/a^3 + 3*\sqrt{1/3}*(a^3*b^3*x^7 + 2*a^4*b^2*x^4 \\
& + a^5*b*x)*\sqrt{-(((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - \\
& 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a \\
& ^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/393 \\
& 66*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - \\
& 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + \\
& 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d \\
& *f*h))*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(2 \\
& 43*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4)^{(1/3)} + 729*(I*\sqrt{3}) + \\
& 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - \\
& 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a \\
& *b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4 \\
& *b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^ \\
& 5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h))*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(\\
& 4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{1 \\
& 0}*b^4)^{(1/3)} + 486*d/a^3)^2*a^6*b^2 - 972*((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - \\
& (2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/ \\
& 27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)* \\
& b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2 \\
& *f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 \\
& - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - \\
& (8*f^3 - 75*e^2*h + 54*d*f*h))*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + \\
& 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4)^ \\
& (1/3) + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - \\
& 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - \\
& 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75 \\
& *a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c \\
& ^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h))*a^3*b^2 + (12 \\
& 5*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e \\
& + 392*c^2*f)*a*b^4)/(a^{10}*b^4)^{(1/3)} + 486*d/a^3)*a^3*b^2*d + 236196*b^2*d \\
& ^2 - 816480*b^2*c*e + 116640*a*b*e*f - 23328*(7*a*b*c - a^2*f)*h)/(a^6*b^2) \\
&))*\log(1134*a*b^4*c*d^2 - 1960*a*b^4*c^2*e - 225*a^2*b^3*d*e^2 - 40*a^3*b^2 \\
& *e*f^2 - 9*a^4*b*d*h^2 + 1/1458*(7*a^7*b^4*c - a^8*b^3*f)*((-I*\sqrt{3}) + 1) \\
& *(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)/ \\
& (a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81 \\
& *d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - \\
& 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - \\
& 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h \\
& ^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h))*a^3*b^2 + (125*e^3 - 270*d*e*f \\
& + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^ \\
& 4)/(a^{10}*b^4)^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f \\
& *h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(\\
& 2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a \\
& ^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39
\end{aligned}$$

$$\begin{aligned}
& 366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h) \\
&)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 \\
& ^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^10*b^4))^{(1/3)} + 486*d/a^3)^2 - 1/54* \\
& (252*a^4*b^4*c*d - 25*a^5*b^3*e^2 - 36*a^5*b^3*d*f - 10*a^6*b^2*e*h - a^7*b \\
& *h^2)*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + \\
& (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5 \\
& *e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5* \\
& c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 \\
& - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^10*b^4) + 1/39366*(2744 \\
& *b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 \\
& + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630* \\
& c*d*e + 392*c^2*f)*a*b^4)/(a^10*b^4))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*d^ \\
& 3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)* \\
& d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + \\
& 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5 \\
& *h^3)/(a^10*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^ \\
& 3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h) \\
&)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^10*b^4))^{(1/3)} \\
& + 486*d/a^3) - 2*(81*a^2*b^3*d^2 - 280*a^2*b^3*c*e)*f - 2*(196*a^2*b^3*c^2 \\
& + 45*a^3*b^2*d*e - 56*a^3*b^2*c*f + 4*a^4*b*f^2)*h - 2*(2744*b^5*c^3 - 125 \\
& *a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^ \\
& 3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)*x - 1/486*sqrt(1/3)*(3402*a^4*b^4*c \\
& *d + 675*a^5*b^3*e^2 - 486*a^5*b^3*d*f + 270*a^6*b^2*e*h + 27*a^7*b*h^2 - (\\
& 7*a^7*b^4*c - a^8*b^3*f)*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5* \\
& e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/145 \\
& 8*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - \\
& 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c \\
& *f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^10*b \\
& ^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h \\
& + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 \\
& - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^10*b^4))^{(1/3)} + 729*(I*sq \\
& rt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81* \\
& d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - \\
& 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 1 \\
& 5*a^4*b*e*h^2 - a^5*h^3)/(a^10*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^ \\
& 2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f \\
& + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4 \\
&)/(a^10*b^4))^{(1/3)} + 486*d/a^3))*sqrt(-(((I*sqrt(3) + 1)*(81*d^2/a^6 - (2 \\
& *a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/27 \\
& *d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^ \\
& 2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f \\
& + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - \\
& a^5*h^3)/(a^10*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8 \\
& *f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9* \\
& d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^10*b^4))^{(1
\end{aligned}$$

$$\begin{aligned}
& /3) + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7 \\
& *c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 12 \\
& 5*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a \\
& ^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^10*b^4) + 1/39366*(2744*b^5*c^3 \\
& + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h))*a^3*b^2 + (125* \\
& e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + \\
& 392*c^2*f)*a*b^4)/(a^10*b^4)^{(1/3)} + 486*d/a^3)^2*a^6*b^2 - 972*((-I*\sqrt{3} \\
& (3) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e \\
&)*b^2)/(a^6*b^2))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a* \\
& b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^ \\
& 3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e \\
& ^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^10*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^ \\
& 4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h))*a^3*b^2 + (125*e^3 - 27 \\
& 0*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2* \\
& f)*a*b^4)/(a^10*b^4)^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(\\
& 2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/ \\
& 39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^ \\
& 2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^10*b^4) \\
& + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 5 \\
& 4*d*f*h))*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3 \\
& *(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^10*b^4)^{(1/3)} + 486*d/a^3)*a^ \\
& 3*b^2*d + 236196*b^2*d^2 - 816480*b^2*c*e + 116640*a*b*e*f - 23328*(7*a*b*c \\
& - a^2*f)*h)/(a^6*b^2))) + 2916*(b^3*d*x^7 + 2*a*b^2*d*x^4 + a^2*b*d*x)*log \\
& (x))/(a^3*b^3*x^7 + 2*a^4*b^2*x^4 + a^5*b*x)
\end{aligned}$$

giac [A] time = 0.22, size = 390, normalized size = 1.08

$$\frac{\frac{d \log(|b x^2 + a|)}{3 x^2} - \frac{d \log(|b|)}{3 x^2} - \frac{\sqrt{5} \left(e^{2h} + 5abc + 14(-ab)^2 bc - 2(-ab)^2 d \right) \arctan\left(\frac{\sqrt{5} \left(2x + (-a/b)^{1/3} \right)}{x + (-a/b)^{1/3}}\right)}{27(-ab)^2 a^3} \left(e^{2h} + 5abc - 14(-ab)^2 bc + 2(-ab)^2 d \right) \log\left(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}\right)}{54(-ab)^2 a^3} + \frac{6a^2 d x^4 - 4(7bc - ab^2) x^3 + (e^{2h} + 5ab^2) x^2 - 18a^2 bc - 7(7ab^2 - ab^2) x^2 - 2(e^{2h} - 4ab^2) x^2 + 3(3a^2 d - a^2 x)^2}{18(b^3 + a) a^3 bc} \left(\frac{14a^2 b^2 (-a/b)^2 - 2a^2 b^2 (-a/b)^2 - a^2 b^2 (-a/b)^2}{27 a^3} \right) \log\left(\left| -\frac{(-a/b)^2}{x} \right| \right)}{27 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$\begin{aligned}
& -1/3*d*\log(\text{abs}(b*x^3 + a))/a^3 + d*\log(\text{abs}(x))/a^3 - 1/27*\sqrt{3}*(a^2*h + \\
& 5*a*b*e + 14*(-a*b^2)^{(1/3)}*b*c - 2*(-a*b^2)^{(1/3)}*a*f)*\arctan(1/3*\sqrt{3}*(\\
& (2*x + (-a/b)^{(1/3)}))/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^3) - 1/54*(a^2*h + 5*a \\
& *b*e - 14*(-a*b^2)^{(1/3)}*b*c + 2*(-a*b^2)^{(1/3)}*a*f)*\log(x^2 + x*(-a/b)^{(1/ \\
& 3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^3) + 1/18*(6*a*b^2*d*x^4 - 4*(7*b^3*c \\
& - a*b^2*f)*x^6 + (a^2*b*h + 5*a*b^2*e)*x^5 - 18*a^2*b*c - 7*(7*a*b^2*c - a^ \\
& 2*b*f)*x^3 - 2*(a^3*h - 4*a^2*b*e)*x^2 + 3*(3*a^2*b*d - a^3*g)*x)/((b*x^3 + \\
& a)^2*a^3*b*x) + 1/27*(14*a^3*b^4*c*(-a/b)^{(1/3)} - 2*a^4*b^3*f*(-a/b)^{(1/3)} \\
& - a^5*b^2*h - 5*a^4*b^3*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^7*b^ \\
& 3)
\end{aligned}$$

maple [B] time = 0.06, size = 622, normalized size = 1.72

$$\frac{\frac{23d^2a^4}{9(b^2+a^2)^2} - \frac{56d^2a^3}{9(b^2+a^2)^2} + \frac{3d^2a^2}{18(b^2+a^2)^2} - \frac{56d^2a}{18(b^2+a^2)^2} + \frac{13d^2}{27(b^2+a^2)^2} - \frac{7d^2a}{18(b^2+a^2)^2} - \frac{13d^2a^2}{18(b^2+a^2)^2} + \frac{5d^2a^3}{18(b^2+a^2)^2} - \frac{23d^2a^4}{9(b^2+a^2)^2} + \frac{d \log(x)}{a^3} - \frac{\sqrt{3} \arctan\left(\frac{a\sqrt{3}}{b}\right)}{27(b^2+a^2)^{3/2}} - \frac{9b\sqrt{3}\arctan\left(\frac{a\sqrt{3}}{b}\right)}{27(b^2+a^2)^{3/2}} - \frac{9ab\sqrt{3}\arctan\left(\frac{a\sqrt{3}}{b}\right)}{54(b^2+a^2)^{3/2}} - \frac{9b\sqrt{3}\arctan\left(\frac{a\sqrt{3}}{b}\right)}{27(b^2+a^2)^{3/2}} - \frac{9ab\sqrt{3}\arctan\left(\frac{a\sqrt{3}}{b}\right)}{54(b^2+a^2)^{3/2}} - \frac{3d\sqrt{3}\arctan\left(\frac{a\sqrt{3}}{b}\right)}{27(b^2+a^2)^{3/2}} - \frac{27b\sqrt{3}\arctan\left(\frac{a\sqrt{3}}{b}\right)}{27(b^2+a^2)^{3/2}} - \frac{14d^2\sqrt{3}\arctan\left(\frac{a\sqrt{3}}{b}\right)}{27(b^2+a^2)^{3/2}} - \frac{14b\sqrt{3}\arctan\left(\frac{a\sqrt{3}}{b}\right)}{27(b^2+a^2)^{3/2}} - \frac{7ab\sqrt{3}\arctan\left(\frac{a\sqrt{3}}{b}\right)}{27(b^2+a^2)^{3/2}} - \frac{7b\sqrt{3}\arctan\left(\frac{a\sqrt{3}}{b}\right)}{27(b^2+a^2)^{3/2}} - \frac{7ab\sqrt{3}\arctan\left(\frac{a\sqrt{3}}{b}\right)}{27(b^2+a^2)^{3/2}} - \frac{7b\sqrt{3}\arctan\left(\frac{a\sqrt{3}}{b}\right)}{27(b^2+a^2)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x)`

[Out] $\frac{1}{2} \frac{1}{(b x^3+a)^2} \frac{1}{a} d + \frac{1}{18} \frac{1}{a} \frac{1}{(b x^3+a)^2} x^4 h + \frac{7}{18} \frac{1}{a} \frac{1}{(b x^3+a)^2} f x^2 - \frac{1}{9} \frac{1}{(b x^3+a)^2} \frac{1}{b x} h - \frac{5}{9} \frac{1}{(b x^3+a)^2} \frac{1}{a^3} b^2 c x^5 + \frac{4}{9} \frac{1}{(b x^3+a)^2} \frac{1}{a} e x - \frac{7}{27} \frac{1}{(a/b)^{1/3}} \frac{1}{a^3} c \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{14}{27} \frac{1}{(a/b)^{1/3}} \frac{1}{a^3} c \ln(x + (a/b)^{1/3}) + \frac{5}{18} \frac{1}{(b x^3+a)^2} \frac{1}{a^2} b^2 e x^4 - \frac{5}{54} \frac{1}{(a/b)^{2/3}} \frac{1}{a^2} b^2 e \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) - \frac{1}{a^3} c \frac{1}{x} - \frac{14}{27} \frac{1}{(a/b)^{1/3}} \frac{1}{a^3} c \arctan(1/3 \sqrt{3}^{1/2} * (2/(a/b)^{1/3} x - 1)) + \frac{2}{9} \frac{1}{a^2} \frac{1}{(b x^3+a)^2} x^5 b f - \frac{1}{6} \frac{1}{(b x^3+a)^2} \frac{1}{b} g + \frac{1}{3} \frac{1}{(b x^3+a)^2} \frac{1}{a^2} b^2 d x^3 + \frac{5}{27} \frac{1}{(a/b)^{2/3}} \sqrt{3}^{1/2} \frac{1}{a^2} b^2 e \arctan(1/3 \sqrt{3}^{1/2} * (2/(a/b)^{1/3} x - 1)) + \frac{1}{27} \frac{1}{a/b^2} \frac{1}{(a/b)^{2/3}} \sqrt{3}^{1/2} \arctan(1/3 \sqrt{3}^{1/2} * (2/(a/b)^{1/3} x - 1)) * h + \frac{2}{27} \frac{1}{a^2} \frac{1}{b^3} \sqrt{3}^{1/2} \frac{1}{(a/b)^{1/3}} \arctan(1/3 \sqrt{3}^{1/2} * (2/(a/b)^{1/3} x - 1)) * f + \frac{1}{a^3} d \ln(x) - \frac{1}{3} \frac{1}{a^3} d \ln(b x^3+a) - \frac{13}{18} \frac{1}{(b x^3+a)^2} \frac{1}{a^2} b^2 c x^2 + \frac{5}{27} \frac{1}{(a/b)^{2/3}} \frac{1}{a^2} b^2 e \ln(x + (a/b)^{1/3}) + \frac{1}{27} \frac{1}{a/b^2} \frac{1}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) * h - \frac{1}{54} \frac{1}{a/b^2} \frac{1}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) * h - \frac{2}{27} \frac{1}{a^2} \frac{1}{b} \frac{1}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) * f + \frac{1}{27} \frac{1}{a^2} \frac{1}{b} \frac{1}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) * f$

maxima [A] time = 3.07, size = 400, normalized size = 1.10

$$\frac{6ab^2da^4 - 4(7b^2c - ab^2f)a^3 + (5ab^2e + a^2bh)a^2 - 18a^2bc - 7(7ab^2c - a^2bf)a + 2(4a^2bc - a^2b)f + 3(3a^2bd - a^2b)e}{18(a^2b^2 + 2a^2b^2 + a^2b^2)} - \frac{d \log(x)}{a^3} - \frac{\sqrt{3}(14b^2c(\frac{1}{3})^{\frac{1}{2}} - 2abf(\frac{1}{3})^{\frac{1}{2}} - 5ab^2(\frac{1}{3})^{\frac{1}{2}} - a^2h(\frac{1}{3})^{\frac{1}{2}}) \arctan\left(\frac{a\sqrt{3}}{b}\right)}{27a^3b} - \frac{(18b^2d(\frac{1}{3})^{\frac{1}{2}} + 14b^2c(\frac{1}{3})^{\frac{1}{2}} - 2abf(\frac{1}{3})^{\frac{1}{2}} + 5ab^2e + a^2bh) \log(x^2 - x(\frac{1}{3})^{\frac{1}{2}} + (\frac{1}{3})^{\frac{1}{2}})}{54a^2b(\frac{1}{3})^{\frac{1}{2}}} - \frac{(9b^2d(\frac{1}{3})^{\frac{1}{2}} - 14b^2c(\frac{1}{3})^{\frac{1}{2}} + 2abf(\frac{1}{3})^{\frac{1}{2}} - 5ab^2e - a^2bh) \log(x + (\frac{1}{3})^{\frac{1}{2}})}{27a^2b(\frac{1}{3})^{\frac{1}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $\frac{1}{18} (6ab^2dx^4 - 4(7b^3c - ab^2f)x^6 + (5ab^2e + a^2bh)x^5 - 18a^2b^2c - 7(7ab^2c - a^2bf)x^3 + 2(4a^2bc - a^2b)f + 3(3a^2bd - a^2b)e) / (a^3b^3x^7 + 2a^4b^2x^4 + a^5b^2x) + d \log(x) / a^3 - \frac{1}{27} \sqrt{3} (14b^2c(a/b)^{2/3} - 2ab^2f(a/b)^{2/3} - 5ab^2e(a/b)^{1/3} - a^2h(a/b)^{1/3}) \arctan(1/3 \sqrt{3} (2x - (a/b)^{1/3}) / (a/b)^{1/3}) / (a^4b) - \frac{1}{54} (18b^2d(a/b)^{2/3} + 14b^2c(a/b)^{1/3} - 2ab^2f(a/b)^{1/3} + 5ab^2e + a^2h) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) / (a^3b^2(a/b)^{2/3}) - \frac{1}{27} (9b^2d(a/b)^{2/3} - 14b^2c(a/b)^{1/3} + 2ab^2f(a/b)^{1/3} - 5ab^2e - a^2h) \log(x + (a/b)^{1/3}) / (a^3b^2(a/b)^{2/3})$

mupad [B] time = 5.75, size = 1747, normalized size = 4.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^3), x)$

[Out] $\text{symsum}(\log((d*(a^3*h^2 + 25*a*b^2*e^2 + 126*b^3*c*d - 18*a*b^2*d*f + 10*a^2*b*e*h))/(81*a^7) - (\text{root}(19683*a^{10}*b^4*z^3 + 19683*a^7*b^4*d*z^2 + 162*a^6*b^2*f*h*z - 1134*a^5*b^3*c*h*z + 810*a^5*b^3*e*f*z - 5670*a^4*b^4*c*e*z + 6561*a^4*b^4*d^2*z - 1890*a*b^4*c*d*e + 54*a^3*b^2*d*f*h - 378*a^2*b^3*c*d*h + 270*a^2*b^3*d*e*f - 15*a^4*b*e*h^2 + 1176*a*b^4*c^2*f - 75*a^3*b^2*e^2*h - 168*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 125*a^2*b^3*e^3 + 729*a*b^4*d^3 - a^5*h^3 - 2744*b^5*c^3, z, k)*(a^3*h^2 + 25*a*b^2*e^2 + 324*b^3*d^2*x - 252*b^3*c*d + 2916*\text{root}(19683*a^{10}*b^4*z^3 + 19683*a^7*b^4*d*z^2 + 162*a^6*b^2*f*h*z - 1134*a^5*b^3*c*h*z + 810*a^5*b^3*e*f*z - 5670*a^4*b^4*c*e*z + 6561*a^4*b^4*d^2*z - 1890*a*b^4*c*d*e + 54*a^3*b^2*d*f*h - 378*a^2*b^3*c*d*h + 270*a^2*b^3*d*e*f - 15*a^4*b*e*h^2 + 1176*a*b^4*c^2*f - 75*a^3*b^2*e^2*h - 168*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 125*a^2*b^3*e^3 + 729*a*b^4*d^3 - a^5*h^3 - 2744*b^5*c^3, z, k)^2*a^6*b^3*x + 36*a*b^2*d*f + 10*a^2*b*e*h - 700*b^3*c*e*x + 378*\text{root}(19683*a^{10}*b^4*z^3 + 19683*a^7*b^4*d*z^2 + 162*a^6*b^2*f*h*z - 1134*a^5*b^3*c*h*z + 810*a^5*b^3*e*f*z - 5670*a^4*b^4*c*e*z + 6561*a^4*b^4*d^2*z - 1890*a*b^4*c*d*e + 54*a^3*b^2*d*f*h - 378*a^2*b^3*c*d*h + 270*a^2*b^3*d*e*f - 15*a^4*b*e*h^2 + 1176*a*b^4*c^2*f - 75*a^3*b^2*e^2*h - 168*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 125*a^2*b^3*e^3 + 729*a*b^4*d^3 - a^5*h^3 - 2744*b^5*c^3, z, k)*a^3*b^3*c - 54*\text{root}(19683*a^{10}*b^4*z^3 + 19683*a^7*b^4*d*z^2 + 162*a^6*b^2*f*h*z - 1134*a^5*b^3*c*h*z + 810*a^5*b^3*e*f*z - 5670*a^4*b^4*c*e*z + 6561*a^4*b^4*d^2*z - 1890*a*b^4*c*d*e + 54*a^3*b^2*d*f*h - 378*a^2*b^3*c*d*h + 270*a^2*b^3*d*e*f - 15*a^4*b*e*h^2 + 1176*a*b^4*c^2*f - 75*a^3*b^2*e^2*h - 168*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 125*a^2*b^3*e^3 + 729*a*b^4*d^3 - a^5*h^3 - 2744*b^5*c^3, z, k)*a^4*b^2*f + 1944*\text{root}(19683*a^{10}*b^4*z^3 + 19683*a^7*b^4*d*z^2 + 162*a^6*b^2*f*h*z - 1134*a^5*b^3*c*h*z + 810*a^5*b^3*e*f*z - 5670*a^4*b^4*c*e*z + 6561*a^4*b^4*d^2*z - 1890*a*b^4*c*d*e + 54*a^3*b^2*d*f*h - 378*a^2*b^3*c*d*h + 270*a^2*b^3*d*e*f - 15*a^4*b*e*h^2 + 1176*a*b^4*c^2*f - 75*a^3*b^2*e^2*h - 168*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 125*a^2*b^3*e^3 + 729*a*b^4*d^3 - a^5*h^3 - 2744*b^5*c^3, z, k)*a^3*b^3*d*x - 140*a*b^2*c*h*x + 100*a*b^2*e*f*x + 20*a^2*b*f*h*x))/(81*a^4) + (x*(2744*b^5*c^3 + a^5*h^3 + 125*a^2*b^3*e^3 - 8*a^3*b^2*f^3 + 168*a^2*b^3*c*f^2 + 75*a^3*b^2*e^2*h - 1176*a*b^4*c^2*f + 15*a^4*b*e*h^2 + 252*a^2*b^3*c*d*h - 180*a^2*b^3*d*e*f - 36*a^3*b^2*d*f*h + 1260*a*b^4*c*d*e))/(729*a^8*b))*\text{root}(19683*a^{10}*b^4*z^3 + 19683*a^7*b^4*d*z^2 + 162*a^6*b^2*f*h*z - 1134*a^5*b^3*c*h*z + 810*a^5*b^3*e*f*z - 5670*a^4*b^4*c*e*z + 6561*a^4*b^4*d^2*z - 1890*a*b^4*c*d*e + 54*a^3*b^2*d*f*h - 378*a^2*b^3*c*d*h + 270*a^2*b^3*d*e*f - 15*a^4*b*e*h^2 + 1176*a*b^4*c^2*f - 75*a^3*b^2*e^2*h - 168*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 125*a^2*b^3*e^3 + 729*a*b^4*d^3 - a^5*h^3 - 2744*b^5*c^3, z, k), k, 1, 3) + ((x^5*(5*b*e + a*h))/(18*a^2) - (7*x^3*(7*b*c - a*f))/(18*a^2) - c/a - (2*b*x^6*(7*b*c - a*f))/(9*a^3) + (x*(3*b*d - a*g))/(6*a*b) + (x^2*(4*b*e - a*h))/(9*a*b) + (b*d*x^4)/(3*a^2))/(a^2*x + b^2*x^7$

+ 2*a*b*x^4) + (d*log(x))/a^3

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2/(b*x**3+a)**3,x)

[Out] Timed out

$$3.375 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)^3} dx$$

Optimal. Leaf size=360

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(5 \sqrt[3]{b} (4bc - af) - 2 \sqrt[3]{a} (7bd - ag)\right)}{54a^{11/3} b^{2/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(5 \sqrt[3]{b} (4bc - af) - 2 \sqrt[3]{a} (7bd - ag)\right)}{27a^{11/3} b^{2/3}}$$

Rubi [A] time = 0.81, antiderivative size = 357, normalized size of antiderivative = 0.99, number of steps used = 12, number of rules used = 10, integrand size = 38, number of rules / integrand size = 0.263, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\frac{-2 \sqrt[3]{b} (4bc - af) - 5af + 20bc}{54a^{11/3} \sqrt[3]{b}}\right) - \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\frac{5 \sqrt[3]{b} (4bc - af) - 2 \sqrt[3]{a} (7bd - ag)}{27a^{11/3} b^{2/3}}\right) + \frac{\tan^{-1}\left(\frac{\sqrt[3]{27a^2 b^2}}{\sqrt[3]{a}}\right) \left(-2a^{2/3} b + 14 \sqrt[3]{a} b d - 5a \sqrt[3]{b} f + 20a^{2/3} c\right)}{9 \sqrt[3]{5} a^{11/3} b^{2/3}} - \frac{x(2a(5bd - 2ag) + 3c^2(3be - ab) - 5af + 11bc)}{18a^3 (a + bx^3)} - \frac{x(x(bd - ag) + x^2(bc - ab) - af + bc)}{6a^2 (a + bx^3)^2} - \frac{c \log(a + bx^3)}{3a^3} - \frac{c}{2a^3 x^2} - \frac{d}{a^3 x} + \frac{e \log(x)}{a^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^3), x]

[Out] -c/(2*a^3*x^2) - d/(a^3*x) - (x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(6*a^2*(a + b*x^3)^2) - (x*(11*b*c - 5*a*f + 2*(5*b*d - 2*a*g)*x + 3*(3*b*e - a*h)*x^2))/(18*a^3*(a + b*x^3)) + ((20*b^(4/3)*c + 14*a^(1/3)*b*d - 5*a*b^(1/3)*f - 2*a^(4/3)*g)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(11/3)*b^(2/3)) + (e*Log[x])/a^3 - ((5*b^(1/3)*(4*b*c - a*f) - 2*a^(1/3)*(7*b*d - a*g))*Log[a^(1/3) + b^(1/3)*x]/(27*a^(11/3)*b^(2/3)) + ((20*b*c - 5*a*f - (2*a^(1/3)*(7*b*d - a*g))/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(11/3)*b^(1/3)) - (e*Log[a + b*x^3])/(3*a^3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :=> With[{A = Coeff[P2, x, 0], B  
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di  
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a  
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^3(a + bx^3)^3} dx &= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \int \frac{-6b^2c - 6b^2dx - 6b^2ex^2 + 5b^2\left(\frac{bc}{a} - f\right)x^3}{x^3(a + bx^3)^2} dx \\
&= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af + 2(5bd - 2ag))}{18a^3(a + bx^3)} \\
&= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af + 2(5bd - 2ag))}{18a^3(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af)}{18a^3(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af)}{18a^3(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af)}{18a^3(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af)}{18a^3(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af)}{18a^3(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6a^2(a + bx^3)^2} - \frac{x(11bc - 5af)}{18a^3(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.71, size = 337, normalized size = 0.94

$$\frac{\sqrt[3]{a} \log\left(\frac{a^2 - \sqrt[3]{a} x + a^{2/3} x^2}{a^3}\right) \sqrt[3]{2a^3 x - 14 \sqrt[3]{a} h a - 5a \sqrt[3]{b} f + 20a^3} + 2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \sqrt[3]{2a^3 x - 14 \sqrt[3]{a} h a - 5a \sqrt[3]{b} f + 20a^3}}{a^{2/3}} + \frac{2 \sqrt[3]{a} \sqrt[3]{a} \tan^{-1}\left(\frac{1 + \frac{2 \sqrt[3]{a} x}{\sqrt[3]{a}}}{\sqrt[3]{a}}\right) \sqrt[3]{2a^3 x - 14 \sqrt[3]{a} h a + 5a \sqrt[3]{b} f - 20a^3}}{a^{2/3}} + \frac{9a^2(a^2 b - a b^2 c + x(f + g x) + h^2 x^2 + d x)}{b(a + b x^3)^2} - \frac{3a(6a c + a x f + 4g x) - b x(11c + 10d x)}{a + b x^3} + 18a c \log(a + b x^3) + \frac{27c}{x^2} + \frac{54d}{x} - 54a c \log(x)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^3),x]
[Out] -1/54*((27*a*c)/x^2 + (54*a*d)/x - (3*a*(6*a*e - b*x*(11*c + 10*d*x) + a*x*(5*f + 4*g*x)))/(a + b*x^3) + (9*a^2*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x)))/(b*(a + b*x^3)^2) + (2*sqrt[3]*a^(1/3)*(-20*b^(4/3)*c - 14*a^(1/3)*b*d + 5*a*b^(1/3)*f + 2*a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) - 54*a*e*Log[x] + (2*a^(1/3)*(20*b^(4/3)*c - 14*a^(1/3)*b*d - 5*a*b^(1/3)*f + 2*a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) - (a^(1/3)*(20*b^(4/3)*c - 14*a^(1/3)*b*d - 5*a*b^(1/3)*f + 2*a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3) + 18*a*e*Log[a + b*x^3])/a^4
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^3 (a + bx^3)^3} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^3),x]
```

```
[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^3), x]
```

fricas [C] time = 26.93, size = 12435, normalized size = 34.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] 1/2916*(972*a*b^2*e*x^5 - 648*(7*b^3*d - a*b^2*g)*x^7 - 810*(4*b^3*c - a*b^2*f)*x^6 - 2916*a^2*b*d*x - 1134*(7*a*b^2*d - a^2*b*g)*x^4 - 1458*a^2*b*c - 1296*(4*a*b^2*c - a^2*b*f)*x^3 + 486*(3*a^2*b*e - a^3*h)*x^2 - 2*(a^3*b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2)*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g +
```

$$\begin{aligned}
& (81e^2 - 70df - 40cg)ab) e / (a^{10}b) - 1/39366(8000b^4c^3 + 2744a \\
& *b^3d^3 - 6000a^2b^3c^2f + 1500a^2b^2c^2f^2 - 125a^3b^2f^3 - 1176a^2 \\
& *b^2d^2g + 168a^3b^2d^2g^2 - 8a^4g^3) / (a^{11}b^2) - 1/39366(8000b^4c^3 \\
& + 8a^4g^3 - (125f^3 - 270e^2fg + 168d^2g^2)a^3b + 3(243e^3 - 630 \\
& *d^2ef + 392d^2g + 20(25f^2 - 18e^2g)c)a^2b^2 - 8(343d^3 - 945c^2d \\
& *e + 750c^2f)ab^3) / (a^{11}b^2))^{1/3} + 486e/a^3 * \log(-7840a^2b^3c^2d^2 \\
& + 3600a^2b^3c^2e - 1134a^2b^2d^2e^2 + 225a^3b^2e^2f - 1/1458(7a^8b \\
& ^2d - a^9b^2g) * ((-I\sqrt{3}) + 1) * (81e^2/a^6 - (280b^2cd + 10a^2fg + \\
& (81e^2 - 70df - 40cg)ab) / (a^7b)) / (-1/27e^3/a^9 + 1/1458(280b^2c \\
& *d + 10a^2fg + (81e^2 - 70df - 40cg)ab) e / (a^{10}b) - 1/39366(80 \\
& 00b^4c^3 + 2744a^2b^3d^3 - 6000a^2b^3c^2f + 1500a^2b^2c^2f^2 - 125a \\
& ^3b^2f^3 - 1176a^2b^2d^2g + 168a^3b^2d^2g^2 - 8a^4g^3) / (a^{11}b^2) - 1 \\
& /39366(8000b^4c^3 + 8a^4g^3 - (125f^3 - 270e^2fg + 168d^2g^2)a^3b \\
& + 3(243e^3 - 630d^2ef + 392d^2g + 20(25f^2 - 18e^2g)c)a^2b^2 - 8 \\
& (343d^3 - 945c^2de + 750c^2f)ab^3) / (a^{11}b^2))^{1/3} + 729(I\sqrt{3}) \\
& + 1) * (-1/27e^3/a^9 + 1/1458(280b^2cd + 10a^2fg + (81e^2 - 70df \\
& - 40cg)ab) e / (a^{10}b) - 1/39366(8000b^4c^3 + 2744a^2b^3d^3 - 6000a \\
& *b^3c^2f + 1500a^2b^2c^2f^2 - 125a^3b^2f^3 - 1176a^2b^2d^2g + 168a \\
& ^3b^2d^2g^2 - 8a^4g^3) / (a^{11}b^2) - 1/39366(8000b^4c^3 + 8a^4g^3 - (\\
& 125f^3 - 270e^2fg + 168d^2g^2)a^3b + 3(243e^3 - 630d^2ef + 392d^2g \\
& + 20(25f^2 - 18e^2g)c)a^2b^2 - 8(343d^3 - 945c^2de + 750c^2f)ab \\
& b^3) / (a^{11}b^2))^{1/3} + 486e/a^3)^2 - 40(4a^3b^2c - a^4f)g^2 - 1/54(\\
& 400a^4b^3c^2 - 252a^5b^2d^2e - 200a^5b^2c^2f + 25a^6b^2f^2 + 36a^6 \\
& *b^2e^2g) * ((-I\sqrt{3}) + 1) * (81e^2/a^6 - (280b^2cd + 10a^2fg + (81e^2 \\
& - 70df - 40cg)ab) / (a^7b)) / (-1/27e^3/a^9 + 1/1458(280b^2cd + 10 \\
& *a^2fg + (81e^2 - 70df - 40cg)ab) e / (a^{10}b) - 1/39366(8000b^4c \\
& ^3 + 2744a^2b^3d^3 - 6000a^2b^3c^2f + 1500a^2b^2c^2f^2 - 125a^3b^2f^3 \\
& - 1176a^2b^2d^2g + 168a^3b^2d^2g^2 - 8a^4g^3) / (a^{11}b^2) - 1/39366(\\
& 8000b^4c^3 + 8a^4g^3 - (125f^3 - 270e^2fg + 168d^2g^2)a^3b + 3(243 \\
& *e^3 - 630d^2ef + 392d^2g + 20(25f^2 - 18e^2g)c)a^2b^2 - 8(343d^3 \\
& - 945c^2de + 750c^2f)ab^3) / (a^{11}b^2))^{1/3} + 729(I\sqrt{3}) + 1) * (\\
& -1/27e^3/a^9 + 1/1458(280b^2cd + 10a^2fg + (81e^2 - 70df - 40cg) \\
&)ab) e / (a^{10}b) - 1/39366(8000b^4c^3 + 2744a^2b^3d^3 - 6000a^2b^3c^2 \\
& *f + 1500a^2b^2c^2f^2 - 125a^3b^2f^3 - 1176a^2b^2d^2g + 168a^3b^2d^2 \\
& *g^2 - 8a^4g^3) / (a^{11}b^2) - 1/39366(8000b^4c^3 + 8a^4g^3 - (125f^3 \\
& - 270e^2fg + 168d^2g^2)a^3b + 3(243e^3 - 630d^2ef + 392d^2g + 20(2 \\
& 5f^2 - 18e^2g)c)a^2b^2 - 8(343d^3 - 945c^2de + 750c^2f)ab^3) / (a^ \\
& 11b^2))^{1/3} + 486e/a^3) + 40(49a^2b^2d^2 - 45a^2b^2c^2e) * f + 2(1 \\
& 120a^2b^2cd + 81a^3b^2e^2 - 280a^3b^2d^2f) * g - (8000b^4c^3 + 2744a^ \\
& b^3d^3 - 6000a^2b^3c^2f + 1500a^2b^2c^2f^2 - 125a^3b^2f^3 - 1176a^2b^ \\
& 2d^2g + 168a^3b^2d^2g^2 - 8a^4g^3) * x - (1458b^3e^2x^8 + 2916a^2b^2 \\
& *e^2x^5 + 1458a^2b^2e^2x^2 - (a^3b^3x^8 + 2a^4b^2x^5 + a^5b^2x^2) * ((-I\sqrt{ \\
& 3}) + 1) * (81e^2/a^6 - (280b^2cd + 10a^2fg + (81e^2 - 70df - 40 \\
& *cg)ab) / (a^7b)) / (-1/27e^3/a^9 + 1/1458(280b^2cd + 10a^2fg + (81 \\
& *e^2 - 70df - 40cg)ab) e / (a^{10}b) - 1/39366(8000b^4c^3 + 2744a^2b^
\end{aligned}$$

$$\begin{aligned}
& 3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + \\
& 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + \\
& 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10} \\
& *b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3 \\
& 3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g) \\
&)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 486*e/a^3) - 3*\sqrt{1/3}*(a^3*b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2)*\sqrt{ \\
& -(((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f \\
& *g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 117 \\
& 6*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - \\
& 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*e \\
& ^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1 \\
& 500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270* \\
& e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2) \\
&))^{(1/3)} + 486*e/a^3)^2*a^7*b - 972*((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^ \\
& 9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a \\
& ^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g \\
& + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1 \\
& /3)} + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 274 \\
& 4*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4 \\
& *c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c \\
& *d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 486*e/a^3)*a^4*b*e + 3265920*b^2*c*d + 236196*a*b*e^2 - 816480*a*b*d*f - 116640*(4*a*b*c - a^2*f)*g)/(a^7 \\
& *b))) * \log(7840*a*b^3*c*d^2 - 3600*a*b^3*c^2*e + 1134*a^2*b^2*d*e^2 - 225*a^3*b*e*f^2 + 1/1458*(7*a^8*b^2*d - a^9*b*g)*((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27
\end{aligned}$$

$$\begin{aligned}
& *e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a* \\
& b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + \\
& 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 \\
& - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 27 \\
& 0*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 \\
& - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b \\
& ^2))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10* \\
& a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^ \\
& 3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 \\
& - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8 \\
& 000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 \\
& - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 \\
& - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 486*e/a^3)^2 + 40*(4*a^ \\
& 3*b*c - a^4*f)*g^2 + 1/54*(400*a^4*b^3*c^2 - 252*a^5*b^2*d*e - 200*a^5*b^2* \\
& c*f + 25*a^6*b*f^2 + 36*a^6*b*e*g)*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b^2 \\
& *c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 \\
& + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^ \\
& 10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^ \\
& 2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4* \\
& g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g \\
& + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e \\
& *g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/ \\
& 3)} + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g \\
& + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744 \\
& *a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a \\
& ^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4* \\
& c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 63 \\
& 0*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c* \\
& d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 486*e/a^3) - 40*(49*a^2*b^2*d^2 \\
& - 45*a^2*b^2*c*e)*f - 2*(1120*a^2*b^2*c*d + 81*a^3*b*e^2 - 280*a^3*b*d*f)* \\
& g - 2*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 \\
& - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)*x + 1 \\
& /486*sqrt(1/3)*(10800*a^4*b^3*c^2 + 3402*a^5*b^2*d*e - 5400*a^5*b^2*c*f + 6 \\
& 75*a^6*b*f^2 - 486*a^6*b*e*g - (7*a^8*b^2*d - a^9*b*g)*((-I*sqrt(3) + 1)*(8 \\
& 1*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^ \\
& 7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f \\
& - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a \\
& *b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168* \\
& a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (\\
& 125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g \\
& + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a* \\
& b^3)/(a^{11}*b^2))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b \\
& ^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366* \\
& (8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 12 \\
& 5*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2)
\end{aligned}$$

$$\begin{aligned}
& - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3 \\
& *b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - \\
& 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 486*e/a^3)) \\
& *sqrt(-(((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 \\
& - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10 \\
& *a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c \\
& ^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 \\
& - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(\\
& 8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243 \\
& *e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 \\
& - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 729*(I*sqrt(3) + 1)*(- \\
& 1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g \\
&)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2 \\
& *f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - \\
& 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270 \\
& *e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(2 \\
& 5*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{ \\
& 11}*b^2))^{(1/3)} + 486*e/a^3)^2*a^7*b - 972*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (\\
& 280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27* \\
& e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b \\
&)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + \\
& 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - \\
& 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270 \\
& *e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 \\
& - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^ \\
& 2))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a \\
& ^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 \\
& + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - \\
& 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(80 \\
& 00*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e \\
& ^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - \\
& 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 486*e/a^3)*a^4*b*e + 326 \\
& 5920*b^2*c*d + 236196*a*b*e^2 - 816480*a*b*d*f - 116640*(4*a*b*c - a^2*f)*g \\
&)/(a^7*b))) - (1458*b^3*e*x^8 + 2916*a*b^2*e*x^5 + 1458*a^2*b*e*x^2 - (a^3* \\
& b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2))*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b \\
& ^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a \\
& ^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(\\
& a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500* \\
& a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^ \\
& 4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f* \\
& g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18 \\
& *e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(\\
& 1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f* \\
& g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 27 \\
& 44*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176
\end{aligned}$$

$$\begin{aligned}
& c^2 * g * a * b) * e / (a^{10} * b) - 1/39366 * (8000 * b^4 * c^3 + 2744 * a * b^3 * d^3 - 6000 * a * b^3 * \\
& c^2 * f + 1500 * a^2 * b^2 * c * f^2 - 125 * a^3 * b * f^3 - 1176 * a^2 * b^2 * d^2 * g + 168 * a^3 * b \\
& * d * g^2 - 8 * a^4 * g^3) / (a^{11} * b^2) - 1/39366 * (8000 * b^4 * c^3 + 8 * a^4 * g^3 - (125 * f \\
& ^3 - 270 * e * f * g + 168 * d * g^2) * a^3 * b + 3 * (243 * e^3 - 630 * d * e * f + 392 * d^2 * g + 20 \\
& * (25 * f^2 - 18 * e * g) * c) * a^2 * b^2 - 8 * (343 * d^3 - 945 * c * d * e + 750 * c^2 * f) * a * b^3) / \\
& (a^{11} * b^2))^{(1/3)} + 486 * e / a^3)^2 + 40 * (4 * a^3 * b * c - a^4 * f) * g^2 + 1/54 * (400 * a \\
& ^4 * b^3 * c^2 - 252 * a^5 * b^2 * d * e - 200 * a^5 * b^2 * c * f + 25 * a^6 * b * f^2 + 36 * a^6 * b * e * \\
& g) * ((-I * \text{sqrt}(3) + 1) * (81 * e^2 / a^6 - (280 * b^2 * c * d + 10 * a^2 * f * g + (81 * e^2 - 70 \\
& * d * f - 40 * c * g) * a * b) / (a^7 * b))) / (-1/27 * e^3 / a^9 + 1/1458 * (280 * b^2 * c * d + 10 * a^2 * \\
& f * g + (81 * e^2 - 70 * d * f - 40 * c * g) * a * b) * e / (a^{10} * b) - 1/39366 * (8000 * b^4 * c^3 + \\
& 2744 * a * b^3 * d^3 - 6000 * a * b^3 * c^2 * f + 1500 * a^2 * b^2 * c * f^2 - 125 * a^3 * b * f^3 - 11 \\
& 76 * a^2 * b^2 * d^2 * g + 168 * a^3 * b * d * g^2 - 8 * a^4 * g^3) / (a^{11} * b^2) - 1/39366 * (8000 * \\
& b^4 * c^3 + 8 * a^4 * g^3 - (125 * f^3 - 270 * e * f * g + 168 * d * g^2) * a^3 * b + 3 * (243 * e^3 \\
& - 630 * d * e * f + 392 * d^2 * g + 20 * (25 * f^2 - 18 * e * g) * c) * a^2 * b^2 - 8 * (343 * d^3 - 94 \\
& 5 * c * d * e + 750 * c^2 * f) * a * b^3) / (a^{11} * b^2))^{(1/3)} + 729 * (I * \text{sqrt}(3) + 1) * (-1/27 * \\
& e^3 / a^9 + 1/1458 * (280 * b^2 * c * d + 10 * a^2 * f * g + (81 * e^2 - 70 * d * f - 40 * c * g) * a * b \\
&) * e / (a^{10} * b) - 1/39366 * (8000 * b^4 * c^3 + 2744 * a * b^3 * d^3 - 6000 * a * b^3 * c^2 * f + \\
& 1500 * a^2 * b^2 * c * f^2 - 125 * a^3 * b * f^3 - 1176 * a^2 * b^2 * d^2 * g + 168 * a^3 * b * d * g^2 - \\
& 8 * a^4 * g^3) / (a^{11} * b^2) - 1/39366 * (8000 * b^4 * c^3 + 8 * a^4 * g^3 - (125 * f^3 - 270 \\
& * e * f * g + 168 * d * g^2) * a^3 * b + 3 * (243 * e^3 - 630 * d * e * f + 392 * d^2 * g + 20 * (25 * f^2 \\
& - 18 * e * g) * c) * a^2 * b^2 - 8 * (343 * d^3 - 945 * c * d * e + 750 * c^2 * f) * a * b^3) / (a^{11} * b^ \\
& 2))^{(1/3)} + 486 * e / a^3) - 40 * (49 * a^2 * b^2 * d^2 - 45 * a^2 * b^2 * c * e) * f - 2 * (1120 * a \\
& ^2 * b^2 * c * d + 81 * a^3 * b * e^2 - 280 * a^3 * b * d * f) * g - 2 * (8000 * b^4 * c^3 + 2744 * a * b^3 \\
& * d^3 - 6000 * a * b^3 * c^2 * f + 1500 * a^2 * b^2 * c * f^2 - 125 * a^3 * b * f^3 - 1176 * a^2 * b^2 \\
& * d^2 * g + 168 * a^3 * b * d * g^2 - 8 * a^4 * g^3) * x - 1/486 * \text{sqrt}(1/3) * (10800 * a^4 * b^3 * c^ \\
& 2 + 3402 * a^5 * b^2 * d * e - 5400 * a^5 * b^2 * c * f + 675 * a^6 * b * f^2 - 486 * a^6 * b * e * g - (\\
& 7 * a^8 * b^2 * d - a^9 * b * g) * ((-I * \text{sqrt}(3) + 1) * (81 * e^2 / a^6 - (280 * b^2 * c * d + 10 * a^ \\
& 2 * f * g + (81 * e^2 - 70 * d * f - 40 * c * g) * a * b) / (a^7 * b))) / (-1/27 * e^3 / a^9 + 1/1458 * (2 \\
& 80 * b^2 * c * d + 10 * a^2 * f * g + (81 * e^2 - 70 * d * f - 40 * c * g) * a * b) * e / (a^{10} * b) - 1/39 \\
& 366 * (8000 * b^4 * c^3 + 2744 * a * b^3 * d^3 - 6000 * a * b^3 * c^2 * f + 1500 * a^2 * b^2 * c * f^2 \\
& - 125 * a^3 * b * f^3 - 1176 * a^2 * b^2 * d^2 * g + 168 * a^3 * b * d * g^2 - 8 * a^4 * g^3) / (a^{11} * b \\
& ^2) - 1/39366 * (8000 * b^4 * c^3 + 8 * a^4 * g^3 - (125 * f^3 - 270 * e * f * g + 168 * d * g^2) \\
& * a^3 * b + 3 * (243 * e^3 - 630 * d * e * f + 392 * d^2 * g + 20 * (25 * f^2 - 18 * e * g) * c) * a^2 * b \\
& ^2 - 8 * (343 * d^3 - 945 * c * d * e + 750 * c^2 * f) * a * b^3) / (a^{11} * b^2))^{(1/3)} + 729 * (I * \\
& \text{sqrt}(3) + 1) * (-1/27 * e^3 / a^9 + 1/1458 * (280 * b^2 * c * d + 10 * a^2 * f * g + (81 * e^2 - \\
& 70 * d * f - 40 * c * g) * a * b) * e / (a^{10} * b) - 1/39366 * (8000 * b^4 * c^3 + 2744 * a * b^3 * d^3 - \\
& 6000 * a * b^3 * c^2 * f + 1500 * a^2 * b^2 * c * f^2 - 125 * a^3 * b * f^3 - 1176 * a^2 * b^2 * d^2 * g \\
& + 168 * a^3 * b * d * g^2 - 8 * a^4 * g^3) / (a^{11} * b^2) - 1/39366 * (8000 * b^4 * c^3 + 8 * a^4 * \\
& g^3 - (125 * f^3 - 270 * e * f * g + 168 * d * g^2) * a^3 * b + 3 * (243 * e^3 - 630 * d * e * f + 39 \\
& 2 * d^2 * g + 20 * (25 * f^2 - 18 * e * g) * c) * a^2 * b^2 - 8 * (343 * d^3 - 945 * c * d * e + 750 * c^ \\
& 2 * f) * a * b^3) / (a^{11} * b^2))^{(1/3)} + 486 * e / a^3) * \text{sqrt}(-(((-I * \text{sqrt}(3) + 1) * (81 * e^ \\
& 2 / a^6 - (280 * b^2 * c * d + 10 * a^2 * f * g + (81 * e^2 - 70 * d * f - 40 * c * g) * a * b) / (a^7 * b) \\
&)) / (-1/27 * e^3 / a^9 + 1/1458 * (280 * b^2 * c * d + 10 * a^2 * f * g + (81 * e^2 - 70 * d * f - 40 \\
& * c * g) * a * b) * e / (a^{10} * b) - 1/39366 * (8000 * b^4 * c^3 + 2744 * a * b^3 * d^3 - 6000 * a * b^3 \\
& * c^2 * f + 1500 * a^2 * b^2 * c * f^2 - 125 * a^3 * b * f^3 - 1176 * a^2 * b^2 * d^2 * g + 168 * a^3 *
\end{aligned}$$

$$\begin{aligned}
& b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 486*e/a^3)^2*a^7*b - 972*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 486*e/a^3)*a^4*b*e + 3265920*b^2*c*d + 236196*a*b*e^2 - 816480*a*b*d*f - 116640*(4*a*b*c - a^2*f)*g)/(a^7*b))) + 2916*(b^3*e*x^8 + 2*a*b^2*e*x^5 + a^2*b*e*x^2)*log(x))/(a^3*b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2)
\end{aligned}$$

giac [A] time = 0.23, size = 399, normalized size = 1.11

$$\frac{-\frac{1}{3} \log\left(\frac{b^3 x^3 + a}{a}\right) + \frac{1}{3} \log(x) + \frac{\sqrt{3} (20 b^2 c^2 - 5 a b f + 14 (-a b^2)^2 b d + 2 (-a b^2)^2 a g) \arctan\left(\frac{\sqrt{3} (-a b^2)^2}{1 + (-a b^2)^2}\right)}{27 (-a b^2)^3 a} + \frac{(20 b^2 c^2 - 5 a b f + 14 (-a b^2)^2 b d - 2 (-a b^2)^2 a g) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54 (-a b^2)^3 a} + \frac{28 b^3 d^2 c^2 - 4 a b^2 d^2 g^2 + 20 b^3 d^2 c^2 - 5 a b^2 d^2 f^2 - 6 a b^2 d^2 c^2 + 49 a b^2 d^2 c^2 - 7 a b^2 d^2 c^2 + 32 a b^2 d^2 c^2 - 8 a^2 b^2 d^2 c^2 + 3 a^2 b^2 d^2 c^2 - 9 a^2 b^2 d^2 c^2 + 18 a^2 b^2 d^2 c^2 + 9 a^2 b^2 c^2}{18 (b^3 + a)^2 a^2 b}}{18 (b^3 + a)^2 a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$\begin{aligned}
& -1/3*e*log(abs(b*x^3 + a))/a^3 + e*log(abs(x))/a^3 + 1/27*sqrt(3)*(20*b^2*c^2 - 5*a*b*f - 14*(-a*b^2)^{(1/3)}*b*d + 2*(-a*b^2)^{(1/3)}*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^3) + 1/54*(20*b^2*c^2 - 5*a*b*f + 14*(-a*b^2)^{(1/3)}*b*d - 2*(-a*b^2)^{(1/3)}*a*g)*log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^3) - 1/18*(28*b^3*d*x^7 - 4*a*b^2*g*x^7 + 20*b^3*c*x^6 - 5*a*b^2*f*x^6 - 6*a*b^2*x^5*e + 49*a*b^2*d*x^4 - 7*a^2*b*g*x^4 + 32*a*b^2*c*x^3 - 8*a^2*b*f*x^3 + 3*a^3*h*x^2 - 9*a^2*b*x^2*e
\end{aligned}$$

$$+ 18*a^2*b*d*x + 9*a^2*b*c)/((b*x^4 + a*x)^2*a^3*b) + 1/27*(14*a^3*b^2*d*(-a/b)^(1/3) - 2*a^4*b*g*(-a/b)^(1/3) + 20*a^3*b^2*c - 5*a^4*b*f)*(-a/b)^(1/3) *log(abs(x - (-a/b)^(1/3)))/(a^7*b)$$

maple [B] time = 0.07, size = 626, normalized size = 1.74

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x)

[Out] 10/27/a^3*c/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+14/27/a^3*d/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-7/27/a^3*d/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+7/18/a/(b*x^3+a)^2*x^2*g-20/27/a^3*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+4/9/(b*x^3+a)^2/a*f*x+5/27/(a/b)^(2/3)*3^(1/2)/a^2/b*f*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/6/(b*x^3+a)^2/b*h+1/2/a/(b*x^3+a)^2*e+5/18/(b*x^3+a)^2/a^2*b*f*x^4+2/27/a^2*g*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/a^3*d/x+1/a^3*e*ln(x)-1/3/a^3*e*ln(b*x^3+a)-20/27/a^3*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-2/27/a^2*g/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/27/a^2*g/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-14/27/a^3*d*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/2/a^3*c/x^2+5/27/(a/b)^(2/3)/a^2/b*f*ln(x+(a/b)^(1/3))-5/54/(a/b)^(2/3)/a^2/b*f*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9/a^2/(b*x^3+a)^2*x^5*b*g-5/9/a^3/(b*x^3+a)^2*b^2*d*x^5-11/18/a^3/(b*x^3+a)^2*b^2*c*x^4+1/3/a^2/(b*x^3+a)^2*x^3*b*e-13/18/a^2/(b*x^3+a)^2*b*d*x^2-7/9/a^2/(b*x^3+a)^2*b*c*x

maxima [A] time = 3.10, size = 390, normalized size = 1.08

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(6*a*b^2*e*x^5 - 4*(7*b^3*d - a*b^2*g)*x^7 - 5*(4*b^3*c - a*b^2*f)*x^6 - 18*a^2*b*d*x - 7*(7*a*b^2*d - a^2*b*g)*x^4 - 9*a^2*b*c - 8*(4*a*b^2*c - a^2*b*f)*x^3 + 3*(3*a^2*b*e - a^3*h)*x^2)/(a^3*b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2) + e*log(x)/a^3 - 1/27*sqrt(3)*(14*b*d*(a/b)^(2/3) - 2*a*g*(a/b)^(2/3) + 20*b*c*(a/b)^(1/3) - 5*a*f*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^4 - 1/54*(18*b*e*(a/b)^(2/3) + 14*b*d*(a/b)^(1/3) - 2*a*g*(a/b)^(1/3) - 20*b*c + 5*a*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^3*b*(a/b)^(2/3)) - 1/27*(9*b*e*(a/b)^(2/3) - 14*b*d*(a/b)^(1/3) + 2*a*g*(a/b)^(1/3) + 20*b*c - 5*a*f)*log(x + (a/b)^(1/3))/(a^3*b*(a/b)^(2/3))

mupad [B] time = 5.66, size = 1697, normalized size = 4.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^3), x)$

[Out] $\text{symsum}(\log((b^2*e*(400*b^2*c^2 + 25*a^2*f^2 - 18*a^2*e*g - 200*a*b*c*f + 126*a*b*d*e))/(81*a^8) - (\text{root}(19683*a^{11}*b^2*z^3 + 19683*a^8*b^2*e*z^2 + 810*a^6*b*f*g*z - 5670*a^5*b^2*d*f*z - 3240*a^5*b^2*c*g*z + 22680*a^4*b^3*c*d*z + 6561*a^5*b^2*e^2*z + 270*a^3*b*e*f*g + 7560*a*b^3*c*d*e - 1890*a^2*b^2*d*e*f - 1080*a^2*b^2*c*e*g - 168*a^3*b*d*g^2 - 6000*a*b^3*c^2*f + 1176*a^2*b^2*d^2*g + 1500*a^2*b^2*c*f^2 + 729*a^2*b^2*e^3 - 125*a^3*b*f^3 - 2744*a*b^3*d^3 + 8*a^4*g^3 + 8000*b^4*c^3, z, k)*b^2*(400*b^2*c^2 + 25*a^2*f^2 - 54*\text{root}(19683*a^{11}*b^2*z^3 + 19683*a^8*b^2*e*z^2 + 810*a^6*b*f*g*z - 5670*a^5*b^2*d*f*z - 3240*a^5*b^2*c*g*z + 22680*a^4*b^3*c*d*z + 6561*a^5*b^2*e^2*z + 270*a^3*b*e*f*g + 7560*a*b^3*c*d*e - 1890*a^2*b^2*d*e*f - 1080*a^2*b^2*c*e*g - 168*a^3*b*d*g^2 - 6000*a*b^3*c^2*f + 1176*a^2*b^2*d^2*g + 1500*a^2*b^2*c*f^2 + 729*a^2*b^2*e^3 - 125*a^3*b*f^3 - 2744*a*b^3*d^3 + 8*a^4*g^3 + 8000*b^4*c^3, z, k)*a^5*g + 36*a^2*e*g + 378*\text{root}(19683*a^{11}*b^2*z^3 + 19683*a^8*b^2*e*z^2 + 810*a^6*b*f*g*z - 5670*a^5*b^2*d*f*z - 3240*a^5*b^2*c*g*z + 22680*a^4*b^3*c*d*z + 6561*a^5*b^2*e^2*z + 270*a^3*b*e*f*g + 7560*a*b^3*c*d*e - 1890*a^2*b^2*d*e*f - 1080*a^2*b^2*c*e*g - 168*a^3*b*d*g^2 - 6000*a*b^3*c^2*f + 1176*a^2*b^2*d^2*g + 1500*a^2*b^2*c*f^2 + 729*a^2*b^2*e^3 - 125*a^3*b*f^3 - 2744*a*b^3*d^3 + 8*a^4*g^3 + 8000*b^4*c^3, z, k)*a^4*b*d + 324*a*b*e^2*x + 2800*b^2*c*d*x + 100*a^2*f*g*x + 2916*\text{root}(19683*a^{11}*b^2*z^3 + 19683*a^8*b^2*e*z^2 + 810*a^6*b*f*g*z - 5670*a^5*b^2*d*f*z - 3240*a^5*b^2*c*g*z + 22680*a^4*b^3*c*d*z + 6561*a^5*b^2*e^2*z + 270*a^3*b*e*f*g + 7560*a*b^3*c*d*e - 1890*a^2*b^2*d*e*f - 1080*a^2*b^2*c*e*g - 168*a^3*b*d*g^2 - 6000*a*b^3*c^2*f + 1176*a^2*b^2*d^2*g + 1500*a^2*b^2*c*f^2 + 729*a^2*b^2*e^3 - 125*a^3*b*f^3 - 2744*a*b^3*d^3 + 8*a^4*g^3 + 8000*b^4*c^3, z, k)^2*a^7*b*x - 200*a*b*c*f - 252*a*b*d*e - 400*a*b*c*g*x - 700*a*b*d*f*x + 1944*\text{root}(19683*a^{11}*b^2*z^3 + 19683*a^8*b^2*e*z^2 + 810*a^6*b*f*g*z - 5670*a^5*b^2*d*f*z - 3240*a^5*b^2*c*g*z + 22680*a^4*b^3*c*d*z + 6561*a^5*b^2*e^2*z + 270*a^3*b*e*f*g + 7560*a*b^3*c*d*e - 1890*a^2*b^2*d*e*f - 1080*a^2*b^2*c*e*g - 168*a^3*b*d*g^2 - 6000*a*b^3*c^2*f + 1176*a^2*b^2*d^2*g + 1500*a^2*b^2*c*f^2 + 729*a^2*b^2*e^3 - 125*a^3*b*f^3 - 2744*a*b^3*d^3 + 8*a^4*g^3 + 8000*b^4*c^3, z, k)*a^4*b*e*x))/(81*a^5) - (b*x*(8000*b^4*c^3 + 8*a^4*g^3 - 2744*a*b^3*d^3 - 125*a^3*b*f^3 + 1500*a^2*b^2*c*f^2 + 1176*a^2*b^2*d^2*g - 6000*a*b^3*c^2*f - 168*a^3*b*d*g^2 - 720*a^2*b^2*c*e*g - 1260*a^2*b^2*d*e*f + 5040*a*b^3*c*d*e + 180*a^3*b*e*f*g))/(729*a^9))*\text{root}(19683*a^{11}*b^2*z^3 + 19683*a^8*b^2*e*z^2 + 810*a^6*b*f*g*z - 5670*a^5*b^2*d*f*z - 3240*a^5*b^2*c*g*z + 22680*a^4*b^3*c*d*z + 6561*a^5*b^2*e^2*z + 270*a^3*b*e*f*g + 7560*a*b^3*c*d*e - 1890*a^2*b^2*d*e*f - 1080*a^2*b^2*c*e*g - 168*a^3*b*d*g^2 - 6000*a*b^3*c^2*f + 1176*a^2*b^2*d^2*g + 1500*a^2*b^2*c*f^2 + 729*a^2*b^2*e^3 - 125*a^$

$$3*b*f^3 - 2744*a*b^3*d^3 + 8*a^4*g^3 + 8000*b^4*c^3, z, k), k, 1, 3) - (c/(2*a) + (4*x^3*(4*b*c - a*f))/(9*a^2) + (7*x^4*(7*b*d - a*g))/(18*a^2) + (d*x)/a + (5*b*x^6*(4*b*c - a*f))/(18*a^3) + (2*b*x^7*(7*b*d - a*g))/(9*a^3) - (x^2*(3*b*e - a*h))/(6*a*b) - (b*e*x^5)/(3*a^2))/(a^2*x^2 + b^2*x^8 + 2*a*b*x^5) + (e*log(x))/a^3$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3/(b*x**3+a)**3,x)

[Out] Timed out

$$3.376 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)^3} dx$$

Optimal. Leaf size=395

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(5\sqrt[3]{b} (4bd - ag) - 2\sqrt[3]{a} (7be - ah)\right)}{54a^{11/3} b^{2/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(5\sqrt[3]{b} (4bd - ag) - 2\sqrt[3]{a} (7be - ah)\right)}{27a^{11/3} b^{2/3}}$$

Rubi [A] time = 1.01, antiderivative size = 392, normalized size of antiderivative = 0.99, number of steps used = 12, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\frac{-2\sqrt[3]{b} (4bd - ag) - 5ag + 20ba}{27}\right) - \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(5\sqrt[3]{b} (4bd - ag) - 2\sqrt[3]{a} (7be - ah)\right)}{54a^{11/3} b^{2/3}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{b} x}{\sqrt[3]{a}}\right) \left(-2a^{2/3} b + 14\sqrt[3]{a} b^2 - 5a\sqrt[3]{b} g + 20a^{2/3} d\right)}{9\sqrt[3]{a} (a + bx^3)^2} - \frac{x \left(-3bx^2 \left(\frac{2c}{a} - 3\right) + 2x(5bc - 2ah) - 5ag + 11ba\right)}{18a^2 (a + bx^3)} - \frac{x \left(-bx^2 \left(\frac{2c}{a} - f\right) + x(bc - ah) - ag + ba\right)}{6a^2 (a + bx^3)^2} + \frac{(3bc - af) \log(a + bx^3)}{3a^2} - \frac{\log(a)(3bc - af)}{a^2} - \frac{c}{3a^{2/3}} - \frac{d}{2a^{1/3}} - \frac{e}{a^{1/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^3), x]

[Out] -c/(3*a^3*x^3) - d/(2*a^3*x^2) - e/(a^3*x) - (x*(b*d - a*g + (b*e - a*h)*x - b*((b*c)/a - f)*x^2))/(6*a^2*(a + b*x^3)^2) - (x*(11*b*d - 5*a*g + 2*(5*b*e - 2*a*h)*x - 3*b*((5*b*c)/a - 3*f)*x^2))/(18*a^3*(a + b*x^3)) + ((20*b^(4/3)*d + 14*a^(1/3)*b*e - 5*a*b^(1/3)*g - 2*a^(4/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(11/3)*b^(2/3)) - ((3*b*c - a*f)*Log[x])/a^4 - ((5*b^(1/3)*(4*b*d - a*g) - 2*a^(1/3)*(7*b*e - a*h))*Log[a^(1/3) + b^(1/3)*x]/(27*a^(11/3)*b^(2/3)) + ((20*b*d - 5*a*g - (2*a^(1/3)*(7*b*e - a*h))/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(11/3)*b^(1/3)) + ((3*b*c - a*f)*Log[a + b*x^3]/(3*a^4))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_)))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^(m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^4 (a + bx^3)^3} dx &= -\frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{6a^2 (a + bx^3)^2} - \int \frac{-6b^2c - 6b^2dx - 6b^2ex^2 + 6b^2 \left(\frac{bc}{a} - f \right)}{6a^2 (a + bx^3)^3} dx \\
&= -\frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{6a^2 (a + bx^3)^2} - \frac{x \left(11bd - 5ag + 2(5be - 2ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{18a^3 (a + bx^3)^3} \\
&= -\frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{6a^2 (a + bx^3)^2} - \frac{x \left(11bd - 5ag + 2(5be - 2ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{18a^3 (a + bx^3)^3} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{6a^2 (a + bx^3)^2} - \frac{x \left(11bd - 5ag + 2(5be - 2ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{18a^3 (a + bx^3)^3} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{6a^2 (a + bx^3)^2} - \frac{x \left(11bd - 5ag + 2(5be - 2ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{18a^3 (a + bx^3)^3} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{6a^2 (a + bx^3)^2} - \frac{x \left(11bd - 5ag + 2(5be - 2ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{18a^3 (a + bx^3)^3} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{6a^2 (a + bx^3)^2} - \frac{x \left(11bd - 5ag + 2(5be - 2ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{18a^3 (a + bx^3)^3} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{6a^2 (a + bx^3)^2} - \frac{x \left(11bd - 5ag + 2(5be - 2ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{18a^3 (a + bx^3)^3} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{6a^2 (a + bx^3)^2} - \frac{x \left(11bd - 5ag + 2(5be - 2ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{18a^3 (a + bx^3)^3}
\end{aligned}$$

Mathematica [A] time = 0.79, size = 352, normalized size = 0.89

$$\frac{\sqrt{2} \log(a^{23} - \sqrt{2} \sqrt{c + a^2 b^2}) (2a^{43} - 14 \sqrt{2} b c - 5a \sqrt{2} c + 20a^{43})}{2a^{23}} - \frac{2 \sqrt{2} \log(\sqrt{2} + \sqrt{c}) (2a^{43} - 14 \sqrt{2} b c - 5a \sqrt{2} c + 20a^{43})}{2a^{23}} + \frac{2 \sqrt{2} \sqrt{2} \tan^{-1} \left(\frac{1 + \sqrt{2} \sqrt{c}}{\sqrt{2}} \right) (-2a^{43} + 14 \sqrt{2} b c - 5a \sqrt{2} c + 20a^{43})}{2a^{23}} + \frac{a^2 (9d^2 + a^2 (5d + 3a)) - 9b^2 c + 18d a c x}{(a + b x^3)^2} + \frac{3a (6d^2 + a^2 (5d + 4b x) - 12b c - 3a (11d + 10c))}{a^2 b x^2} + 18(3b c - a f) \log(a + b x^3) + 54 \log(x) (a f - 3b c) - \frac{18c}{a^2} - \frac{27d}{a^2} - \frac{34a}{a^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^3),x]
[Out] ((-18*a*c)/x^3 - (27*a*d)/x^2 - (54*a*e)/x + (3*a*(-12*b*c + 6*a*f - b*x*(1
1*d + 10*e*x) + a*x*(5*g + 4*h*x)))/(a + b*x^3) + (a^2*(-9*b*(c + x*(d + e
x)) + 9*a*(f + x*(g + h*x))))/(a + b*x^3)^2 + (2*sqrt[3]*a^(1/3)*(20*b^(4/3
)*d + 14*a^(1/3)*b*e - 5*a*b^(1/3)*g - 2*a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*
x)/a^(1/3))/sqrt[3]]/b^(2/3) + 54*(-3*b*c + a*f)*Log[x] - (2*a^(1/3)*(20*b
^(4/3)*d - 14*a^(1/3)*b*e - 5*a*b^(1/3)*g + 2*a^(4/3)*h)*Log[a^(1/3) + b^(1
/3)*x])/b^(2/3) + (a^(1/3)*(20*b^(4/3)*d - 14*a^(1/3)*b*e - 5*a*b^(1/3)*g +
2*a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3) + 18*
(3*b*c - a*f)*Log[a + b*x^3])/(54*a^4)
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^4 (a + bx^3)^3} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^
3)^3),x]
```

```
[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^
3)^3), x]
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="fri
cas")
```

```
[Out] Timed out
```

giac [A] time = 0.20, size = 431, normalized size = 1.09


$$\frac{\sqrt{(209d^2 - 5ad^2 - 2(-ad)^2 ab - 14(-ad)^2 b^2) \arctan\left(\frac{\sqrt{(11c - 2d^2)}}{11c - 2d^2}\right)} + \frac{(209d^2 - 5ad^2 - 2(-ad)^2 ab + 14(-ad)^2 b^2) \operatorname{atan}\left(\frac{c^2 + (-c)^2 + (-c)^2}{11c - 2d^2}\right)}{54(-ad)^3 d} + \frac{(13c - d) \operatorname{atan}\left(\frac{b^2 + d}{3d}\right)}{3d^2} + \frac{(13c - d) \operatorname{atan}(0)}{d} + \frac{(2d^2 ab - 2d^2 c^2 - 14d^2 d^2 + 5d^2 b^2) \sqrt{(11c - 2d^2)}}{27d^6} + \frac{4(d^2 ab - 7ad^2 d^2 - 5(4ad^2 - d^2 b^2)^2 - 4(3ad^2 - d^2 b^2)^2 - 18d^2 d^2 - 9d^2 b^2 - 9(4d^2 ab - d^2 b^2)^2 - 6d^2 - 9(3d^2 ab - d^2 b^2)^2)}{18(b^2 + d^2)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="gia
c")
```

```
[Out] 1/27*sqrt(3)*(20*b^2*d - 5*a*b*g + 2*(-a*b^2)^(1/3)*a*h - 14*(-a*b^2)^(1/3)
*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)
*a^3) + 1/54*(20*b^2*d - 5*a*b*g - 2*(-a*b^2)^(1/3)*a*h + 14*(-a*b^2)^(1/3)
*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^3) + 1/3*(
3*b*c - a*f)*log(abs(b*x^3 + a))/a^4 - (3*b*c - a*f)*log(abs(x))/a^4 - 1/27
*(2*a^6*b*h*(-a/b)^(1/3) - 14*a^5*b^2*(-a/b)^(1/3)*e - 20*a^5*b^2*d + 5*a^6
*b*g)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^9*b) + 1/18*(4*(a^2*b*h -
7*a*b^2*e)*x^8 - 5*(4*a*b^2*d - a^2*b*g)*x^7 - 6*(3*a*b^2*c - a^2*b*f)*x^6
+ 7*(a^3*h - 7*a^2*b*e)*x^5 - 18*a^3*x^2*e - 9*a^3*d*x - 8*(4*a^2*b*d - a^3
*g)*x^4 - 6*a^3*c - 9*(3*a^2*b*c - a^3*f)*x^3)/((b*x^3 + a)^2*a^4*x^3)
```

maple [B] time = 0.07, size = 680, normalized size = 1.72




Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x)
```

```
[Out] -5/9/(b*x^3+a)^2/a^3*b^2*e*x^5-14/27*3^(1/2)/(a/b)^(1/3)/a^3*e*arctan(1/3*3
^(1/2)*(2/(a/b)^(1/3)*x-1))-7/27/(a/b)^(1/3)/a^3*e*ln(x^2-(a/b)^(1/3)*x+(a/
b)^(2/3))+14/27/(a/b)^(1/3)/a^3*e*ln(x+(a/b)^(1/3))-5/6/(b*x^3+a)^2/a^2*b*c
-20/27/(a/b)^(2/3)/a^3*d*ln(x+(a/b)^(1/3))+10/27/(a/b)^(2/3)/a^3*d*ln(x^2-(
a/b)^(1/3)*x+(a/b)^(2/3))+1/a^3*ln(x)*f+1/2/a/(b*x^3+a)^2*f-1/3/a^3*ln(b*x^
3+a)*f-11/18/(b*x^3+a)^2/a^3*b^2*d*x^4-20/27/(a/b)^(2/3)*3^(1/2)/a^3*d*arct
an(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/a^3*c/x^3+7/18/a/(b*x^3+a)^2*x^2*h+
4/9/a/(b*x^3+a)^2*g*x+2/27/a^2*h*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(
2/(a/b)^(1/3)*x-1))+5/27/a^2*g/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/
(a/b)^(1/3)*x-1))-1/2/a^3*d/x^2-1/a^3*e/x-13/18/(b*x^3+a)^2/a^2*b*e*x^2-5/5
4/a^2*g/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+5/27/a^2*g/b/(a/b)^(
2/3)*ln(x+(a/b)^(1/3))-7/9/(b*x^3+a)^2/a^2*b*d*x+5/18/a^2/(b*x^3+a)^2*x^4*
b*g+1/3/a^2/(b*x^3+a)^2*x^3*b*f+2/9/a^2/(b*x^3+a)^2*x^5*b*h-2/27/a^2*h/b/(a
/b)^(1/3)*ln(x+(a/b)^(1/3))+1/27/a^2*h/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(
a/b)^(2/3))-2/3/(b*x^3+a)^2/a^3*b^2*c*x^3-3/a^4*b*c*ln(x)+1/a^4*b*c*ln(b*x^
3+a)
```

maxima [A] time = 3.09, size = 444, normalized size = 1.12



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="max
ima")
```

```
[Out] -1/18*(4*(7*b^2*e - a*b*h)*x^8 + 5*(4*b^2*d - a*b*g)*x^7 + 6*(3*b^2*c - a*b
*f)*x^6 + 7*(7*a*b*e - a^2*h)*x^5 + 18*a^2*e*x^2 + 8*(4*a*b*d - a^2*g)*x^4
```

$$\begin{aligned}
& + 9*a^2*d*x + 9*(3*a*b*c - a^2*f)*x^3 + 6*a^2*c)/(a^3*b^2*x^9 + 2*a^4*b*x^6 \\
& + a^5*x^3) - (3*b*c - a*f)*\log(x)/a^4 - 1/27*\sqrt{3}*(14*a*b*e*(a/b)^{(2/3)} \\
& - 2*a^2*h*(a/b)^{(2/3)} + 20*a*b*d*(a/b)^{(1/3)} - 5*a^2*g*(a/b)^{(1/3)})*\arctan \\
& (1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^5 + 1/54*(54*b^2*c*(a/b)^{(2/3)} \\
& - 18*a*b*f*(a/b)^{(2/3)} - 14*a*b*e*(a/b)^{(1/3)} + 2*a^2*h*(a/b)^{(1/3)} + 2 \\
& 0*a*b*d - 5*a^2*g)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^4*b*(a/b)^{(2/3)} \\
&) + 1/27*(27*b^2*c*(a/b)^{(2/3)} - 9*a*b*f*(a/b)^{(2/3)} + 14*a*b*e*(a/b)^{(1/3)} \\
&) - 2*a^2*h*(a/b)^{(1/3)} - 20*a*b*d + 5*a^2*g)*\log(x + (a/b)^{(1/3)})/(a^4*b*(a/b)^{(2/3)})
\end{aligned}$$

mupad [B] time = 6.32, size = 1994, normalized size = 5.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^3), x)`

[Out] `symsum(log(- (1200*b^5*c*d^2 - 1134*b^5*c^2*e + 75*a^2*b^3*c*g^2 - 126*a^2*b^3*e*f^2 - 25*a^3*b^2*f*g^2 + 18*a^3*b^2*f^2*h - 400*a*b^4*d^2*f + 162*a*b^4*c^2*h - 108*a^2*b^3*c*f*h + 200*a^2*b^3*d*f*g - 600*a*b^4*c*d*g + 756*a*b^4*c*e*f)/(81*a^9) - root(19683*a^12*b^2*z^3 + 19683*a^9*b^2*f*z^2 - 59049*a^8*b^3*c*z^2 + 810*a^7*b*g*h*z - 5670*a^6*b^2*e*g*z - 3240*a^6*b^2*d*h*z - 39366*a^5*b^3*c*f*z + 22680*a^5*b^3*d*e*z + 6561*a^6*b^2*f^2*z + 59049*a^4*b^4*c^2*z + 270*a^4*b*f*g*h - 22680*a*b^4*c*d*e - 1890*a^3*b^2*e*f*g - 1080*a^3*b^2*d*f*h - 810*a^3*b^2*c*g*h + 7560*a^2*b^3*d*e*f + 5670*a^2*b^3*c*e*g + 3240*a^2*b^3*c*d*h - 168*a^4*b*e*h^2 + 19683*a*b^4*c^2*f + 1176*a^3*b^2*e^2*h - 6000*a^2*b^3*d^2*g + 1500*a^3*b^2*d*g^2 - 6561*a^2*b^3*c*f^2 + 729*a^3*b^2*f^3 - 2744*a^2*b^3*e^3 - 125*a^4*b*g^3 + 8000*a*b^4*d^3 + 8*a^5*h^3 - 19683*b^5*c^3, z, k)*((400*a^4*b^4*d^2 + 25*a^6*b^2*g^2 + 756*a^4*b^4*c*e - 108*a^5*b^3*c*h - 200*a^5*b^3*d*g - 252*a^5*b^3*e*f + 36*a^6*b^2*f*h)/(81*a^9) + root(19683*a^12*b^2*z^3 + 19683*a^9*b^2*f*z^2 - 59049*a^8*b^3*c*z^2 + 810*a^7*b*g*h*z - 5670*a^6*b^2*e*g*z - 3240*a^6*b^2*d*h*z - 39366*a^5*b^3*c*f*z + 22680*a^5*b^3*d*e*z + 6561*a^6*b^2*f^2*z + 59049*a^4*b^4*c^2*z + 270*a^4*b*f*g*h - 22680*a*b^4*c*d*e - 1890*a^3*b^2*e*f*g - 1080*a^3*b^2*d*f*h - 810*a^3*b^2*c*g*h + 7560*a^2*b^3*d*e*f + 5670*a^2*b^3*c*e*g + 3240*a^2*b^3*c*d*h - 168*a^4*b*e*h^2 + 19683*a*b^4*c^2*f + 1176*a^3*b^2*e^2*h - 6000*a^2*b^3*d^2*g + 1500*a^3*b^2*d*g^2 - 6561*a^2*b^3*c*f^2 + 729*a^3*b^2*f^3 - 2744*a^2*b^3*e^3 - 125*a^4*b*g^3 + 8000*a*b^4*d^3 + 8*a^5*h^3 - 19683*b^5*c^3, z, k)*((378*a^8*b^3*e - 54*a^9*b^2*h)/(81*a^9) - (x*(52488*a^7*b^4*c - 17496*a^8*b^3*f))/(729*a^9) + 36*root(19683*a^12*b^2*z^3 + 19683*a^9*b^2*f*z^2 - 59049*a^8*b^3*c*z^2 + 810*a^7*b*g*h*z - 5670*a^6*b^2*e*g*z - 3240*a^6*b^2*d*h*z - 39366*a^5*b^3*c*f*z + 22680*a^5*b^3*d*e*z + 6561*a^6*b^2*f^2*z + 59049*a^4*b^4*c^2*z + 270*a^4*b*f*g*h - 22680*a*b^4*c*d*e - 1890*a^3*b^2*e*f*g - 1080*a^3*b^2*d*f*h - 810*a^3*b^2*c*g*h + 7560*a^2*b^3*d*e*f + 5670*a^2*b^3*c*e*g + 3240*a^2*b^3*c*d*h - 168*a^4*b*e*h^2 + 19683*a*b^4`

```

*c^2*f + 1176*a^3*b^2*e^2*h - 6000*a^2*b^3*d^2*g + 1500*a^3*b^2*d*g^2 - 656
1*a^2*b^3*c*f^2 + 729*a^3*b^2*f^3 - 2744*a^2*b^3*e^3 - 125*a^4*b*g^3 + 8000
*a*b^4*d^3 + 8*a^5*h^3 - 19683*b^5*c^3, z, k)*a^2*b^3*x) + (x*(26244*a^3*b^
5*c^2 + 2916*a^5*b^3*f^2 - 17496*a^4*b^4*c*f + 25200*a^4*b^4*d*e - 3600*a^5
*b^3*d*h - 6300*a^5*b^3*e*g + 900*a^6*b^2*g*h))/(729*a^9)) - (x*(8000*b^5*d
^3 - 2744*a*b^4*e^3 + 8*a^4*b*h^3 - 125*a^3*b^2*g^3 + 1500*a^2*b^3*d*g^2 +
1176*a^2*b^3*e^2*h - 168*a^3*b^2*e*h^2 - 15120*b^5*c*d*e - 6000*a*b^4*d^2*g
- 540*a^2*b^3*c*g*h - 720*a^2*b^3*d*f*h - 1260*a^2*b^3*e*f*g + 180*a^3*b^2
*f*g*h + 2160*a*b^4*c*d*h + 3780*a*b^4*c*e*g + 5040*a*b^4*d*e*f))/(729*a^9)
)*root(19683*a^12*b^2*z^3 + 19683*a^9*b^2*f*z^2 - 59049*a^8*b^3*c*z^2 + 810
*a^7*b*g*h*z - 5670*a^6*b^2*e*g*z - 3240*a^6*b^2*d*h*z - 39366*a^5*b^3*c*f*
z + 22680*a^5*b^3*d*e*z + 6561*a^6*b^2*f^2*z + 59049*a^4*b^4*c^2*z + 270*a^
4*b*f*g*h - 22680*a*b^4*c*d*e - 1890*a^3*b^2*e*f*g - 1080*a^3*b^2*d*f*h - 8
10*a^3*b^2*c*g*h + 7560*a^2*b^3*d*e*f + 5670*a^2*b^3*c*e*g + 3240*a^2*b^3*c
*d*h - 168*a^4*b*e*h^2 + 19683*a*b^4*c^2*f + 1176*a^3*b^2*e^2*h - 6000*a^2*
b^3*d^2*g + 1500*a^3*b^2*d*g^2 - 6561*a^2*b^3*c*f^2 + 729*a^3*b^2*f^3 - 274
4*a^2*b^3*e^3 - 125*a^4*b*g^3 + 8000*a*b^4*d^3 + 8*a^5*h^3 - 19683*b^5*c^3,
z, k), k, 1, 3) - (c/(3*a) + (e*x^2)/a + (x^3*(3*b*c - a*f))/(2*a^2) + (4*
x^4*(4*b*d - a*g))/(9*a^2) + (7*x^5*(7*b*e - a*h))/(18*a^2) + (d*x)/(2*a) +
(b*x^6*(3*b*c - a*f))/(3*a^3) + (5*b*x^7*(4*b*d - a*g))/(18*a^3) + (2*b*x^
8*(7*b*e - a*h))/(9*a^3))/(a^2*x^3 + b^2*x^9 + 2*a*b*x^6) - (log(x)*(3*b*c
- a*f))/a^4

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4/(b*x**3+a)**3,x)

[Out] Timed out

$$3.377 \quad \int (c + dx + ex^2 + fx^3)(a + bx^4) dx$$

Optimal. Leaf size=68

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}afx^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7 + \frac{1}{8}bfx^8$$

Rubi [A] time = 0.04, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1850}

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}afx^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7 + \frac{1}{8}bfx^8$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4), x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + (a*f*x^4)/4 + (b*c*x^5)/5 + (b*d*x^6)/6 + (b*e*x^7)/7 + (b*f*x^8)/8

Rule 1850

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (c + dx + ex^2 + fx^3)(a + bx^4) dx &= \int (ac + adx + aex^2 + afx^3 + bcx^4 + bdx^5 + bex^6 + bfx^7) dx \\ &= acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}afx^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7 + \frac{1}{8}bfx^8 \end{aligned}$$

Mathematica [A] time = 0.01, size = 68, normalized size = 1.00

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}afx^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7 + \frac{1}{8}bfx^8$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4), x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + (a*f*x^4)/4 + (b*c*x^5)/5 + (b*d*x^6)/6 + (b*e*x^7)/7 + (b*f*x^8)/8

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx + ex^2 + fx^3)(a + bx^4) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4), x]

fricas [A] time = 0.34, size = 54, normalized size = 0.79

$$\frac{1}{8}x^8fb + \frac{1}{7}x^7eb + \frac{1}{6}x^6db + \frac{1}{5}x^5cb + \frac{1}{4}x^4fa + \frac{1}{3}x^3ea + \frac{1}{2}x^2da + xca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a), x, algorithm="fricas")

[Out] 1/8*x^8*f*b + 1/7*x^7*e*b + 1/6*x^6*d*b + 1/5*x^5*c*b + 1/4*x^4*f*a + 1/3*x^3*e*a + 1/2*x^2*d*a + x*c*a

giac [A] time = 0.15, size = 56, normalized size = 0.82

$$\frac{1}{8}bfx^8 + \frac{1}{7}bx^7e + \frac{1}{6}bdx^6 + \frac{1}{5}bcx^5 + \frac{1}{4}afx^4 + \frac{1}{3}ax^3e + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a), x, algorithm="giac")

[Out] 1/8*b*f*x^8 + 1/7*b*x^7*e + 1/6*b*d*x^6 + 1/5*b*c*x^5 + 1/4*a*f*x^4 + 1/3*a*x^3*e + 1/2*a*d*x^2 + a*c*x

maple [A] time = 0.04, size = 55, normalized size = 0.81

$$\frac{1}{8}bfx^8 + \frac{1}{7}bex^7 + \frac{1}{6}bdx^6 + \frac{1}{5}bcx^5 + \frac{1}{4}afx^4 + \frac{1}{3}aex^3 + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a), x)

[Out] a*c*x+1/2*a*d*x^2+1/3*a*e*x^3+1/4*a*f*x^4+1/5*b*c*x^5+1/6*b*d*x^6+1/7*b*e*x^7+1/8*b*f*x^8

maxima [A] time = 1.32, size = 54, normalized size = 0.79

$$\frac{1}{8}bfx^8 + \frac{1}{7}bex^7 + \frac{1}{6}bdx^6 + \frac{1}{5}bcx^5 + \frac{1}{4}afx^4 + \frac{1}{3}aex^3 + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a),x, algorithm="maxima")

[Out] $1/8*b*f*x^8 + 1/7*b*e*x^7 + 1/6*b*d*x^6 + 1/5*b*c*x^5 + 1/4*a*f*x^4 + 1/3*a*e*x^3 + 1/2*a*d*x^2 + a*c*x$

mupad [B] time = 0.04, size = 54, normalized size = 0.79

$$\frac{bfx^8}{8} + \frac{bex^7}{7} + \frac{bdx^6}{6} + \frac{bcx^5}{5} + \frac{afx^4}{4} + \frac{aex^3}{3} + \frac{adx^2}{2} + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)*(c + d*x + e*x^2 + f*x^3),x)

[Out] $a*c*x + (a*d*x^2)/2 + (b*c*x^5)/5 + (a*e*x^3)/3 + (b*d*x^6)/6 + (a*f*x^4)/4 + (b*e*x^7)/7 + (b*f*x^8)/8$

sympy [A] time = 0.08, size = 63, normalized size = 0.93

$$acx + \frac{adx^2}{2} + \frac{aex^3}{3} + \frac{afx^4}{4} + \frac{bcx^5}{5} + \frac{bdx^6}{6} + \frac{bex^7}{7} + \frac{bfx^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a),x)

[Out] $a*c*x + a*d*x**2/2 + a*e*x**3/3 + a*f*x**4/4 + b*c*x**5/5 + b*d*x**6/6 + b*e*x**7/7 + b*f*x**8/8$

$$3.378 \quad \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4) dx$$

Optimal. Leaf size=73

$$\frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{7}afx^7 + \frac{1}{8}bcx^8 + \frac{1}{9}bdx^9 + \frac{1}{10}bex^{10} + \frac{1}{11}bf x^{11}$$

Rubi [A] time = 0.06, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$, Rules used = {1820}

$$\frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{7}afx^7 + \frac{1}{8}bcx^8 + \frac{1}{9}bdx^9 + \frac{1}{10}bex^{10} + \frac{1}{11}bf x^{11}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4), x]

[Out] (a*c*x^4)/4 + (a*d*x^5)/5 + (a*e*x^6)/6 + (a*f*x^7)/7 + (b*c*x^8)/8 + (b*d*x^9)/9 + (b*e*x^10)/10 + (b*f*x^11)/11

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :=
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4) dx &= \int (acx^3 + adx^4 + aex^5 + afx^6 + bcx^7 + bdx^8 + bex^9 + bf x^{10}) dx \\ &= \frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{7}afx^7 + \frac{1}{8}bcx^8 + \frac{1}{9}bdx^9 + \frac{1}{10}bex^{10} + \frac{1}{11}bf x^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 73, normalized size = 1.00

$$\frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{7}afx^7 + \frac{1}{8}bcx^8 + \frac{1}{9}bdx^9 + \frac{1}{10}bex^{10} + \frac{1}{11}bf x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4), x]

[Out] (a*c*x^4)/4 + (a*d*x^5)/5 + (a*e*x^6)/6 + (a*f*x^7)/7 + (b*c*x^8)/8 + (b*d*x^9)/9 + (b*e*x^10)/10 + (b*f*x^11)/11

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4), x]

[Out] IntegrateAlgebraic[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4), x]

fricas [A] time = 0.36, size = 57, normalized size = 0.78

$$\frac{1}{11}x^{11}fb + \frac{1}{10}x^{10}eb + \frac{1}{9}x^9db + \frac{1}{8}x^8cb + \frac{1}{7}x^7fa + \frac{1}{6}x^6ea + \frac{1}{5}x^5da + \frac{1}{4}x^4ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a), x, algorithm="fricas")

[Out] 1/11*x^11*f*b + 1/10*x^10*e*b + 1/9*x^9*d*b + 1/8*x^8*c*b + 1/7*x^7*f*a + 1/6*x^6*e*a + 1/5*x^5*d*a + 1/4*x^4*c*a

giac [A] time = 0.16, size = 59, normalized size = 0.81

$$\frac{1}{11}bfx^{11} + \frac{1}{10}bx^{10}e + \frac{1}{9}bdx^9 + \frac{1}{8}bcx^8 + \frac{1}{7}afx^7 + \frac{1}{6}ax^6e + \frac{1}{5}adx^5 + \frac{1}{4}acx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a), x, algorithm="giac")

[Out] 1/11*b*f*x^11 + 1/10*b*x^10*e + 1/9*b*d*x^9 + 1/8*b*c*x^8 + 1/7*a*f*x^7 + 1/6*a*x^6*e + 1/5*a*d*x^5 + 1/4*a*c*x^4

maple [A] time = 0.04, size = 58, normalized size = 0.79

$$\frac{1}{11}bfx^{11} + \frac{1}{10}bex^{10} + \frac{1}{9}bdx^9 + \frac{1}{8}bcx^8 + \frac{1}{7}afx^7 + \frac{1}{6}aex^6 + \frac{1}{5}adx^5 + \frac{1}{4}acx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a), x)

[Out] 1/4*a*c*x^4+1/5*a*d*x^5+1/6*a*e*x^6+1/7*a*f*x^7+1/8*b*c*x^8+1/9*b*d*x^9+1/10*b*e*x^10+1/11*b*f*x^11

maxima [A] time = 1.33, size = 57, normalized size = 0.78

$$\frac{1}{11}bfx^{11} + \frac{1}{10}bex^{10} + \frac{1}{9}bdx^9 + \frac{1}{8}bcx^8 + \frac{1}{7}afx^7 + \frac{1}{6}aex^6 + \frac{1}{5}adx^5 + \frac{1}{4}acx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a),x, algorithm="maxima")`

[Out] $1/11*b*f*x^{11} + 1/10*b*e*x^{10} + 1/9*b*d*x^9 + 1/8*b*c*x^8 + 1/7*a*f*x^7 + 1/6*a*e*x^6 + 1/5*a*d*x^5 + 1/4*a*c*x^4$

mupad [B] time = 0.03, size = 57, normalized size = 0.78

$$\frac{bfx^{11}}{11} + \frac{bex^{10}}{10} + \frac{bdx^9}{9} + \frac{bcx^8}{8} + \frac{afx^7}{7} + \frac{aex^6}{6} + \frac{adx^5}{5} + \frac{acx^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*x^4)*(c + d*x + e*x^2 + f*x^3),x)`

[Out] $(a*c*x^4)/4 + (a*d*x^5)/5 + (b*c*x^8)/8 + (a*e*x^6)/6 + (b*d*x^9)/9 + (a*f*x^7)/7 + (b*e*x^{10})/10 + (b*f*x^{11})/11$

sympy [A] time = 0.07, size = 66, normalized size = 0.90

$$\frac{acx^4}{4} + \frac{adx^5}{5} + \frac{aex^6}{6} + \frac{afx^7}{7} + \frac{bcx^8}{8} + \frac{bdx^9}{9} + \frac{bex^{10}}{10} + \frac{bfx^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a),x)`

[Out] $a*c*x^{**4}/4 + a*d*x^{**5}/5 + a*e*x^{**6}/6 + a*f*x^{**7}/7 + b*c*x^{**8}/8 + b*d*x^{**9}/9 + b*e*x^{**10}/10 + b*f*x^{**11}/11$

$$3.379 \quad \int (c + dx + ex^2 + fx^3)(a + bx^4)^2 dx$$

Optimal. Leaf size=109

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{f(a + bx^4)^3}{12b} + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

Rubi [A] time = 0.07, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1582, 1657}

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{f(a + bx^4)^3}{12b} + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2,x]

[Out] a^2*c*x + (a^2*d*x^2)/2 + (a^2*e*x^3)/3 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (b^2*c*x^9)/9 + (b^2*d*x^10)/10 + (b^2*e*x^11)/11 + (f*(a + b*x^4)^3)/(12*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1657

```
Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[Expand[Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2 + fx^3)(a + bx^4)^2 dx &= \frac{f(a + bx^4)^3}{12b} + \int (c + dx + ex^2)(a + bx^4)^2 dx \\
&= \frac{f(a + bx^4)^3}{12b} + \int (a^2c + a^2dx + a^2ex^2 + 2abcx^4 + 2abdx^5 + 2abex^6 + \dots) dx \\
&= a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11} + \frac{1}{12}b^2fx^{12}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 124, normalized size = 1.14

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{1}{4}a^2fx^4 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{1}{4}abfx^8 + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11} + \frac{1}{12}b^2fx^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2, x]

[Out] a^2*c*x + (a^2*d*x^2)/2 + (a^2*e*x^3)/3 + (a^2*f*x^4)/4 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (a*b*f*x^8)/4 + (b^2*c*x^9)/9 + (b^2*d*x^10)/10 + (b^2*e*x^11)/11 + (b^2*f*x^12)/12

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx + ex^2 + fx^3)(a + bx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2, x]

fricas [A] time = 0.34, size = 102, normalized size = 0.94

$$\frac{1}{12}x^{12}fb^2 + \frac{1}{11}x^{11}eb^2 + \frac{1}{10}x^{10}db^2 + \frac{1}{9}x^9cb^2 + \frac{1}{4}x^8fba + \frac{2}{7}x^7eba + \frac{1}{3}x^6dba + \frac{2}{5}x^5cba + \frac{1}{4}x^4fa^2 + \frac{1}{3}x^3ea^2 + \frac{1}{2}x^2da^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f*b^2 + 1/11*x^11*e*b^2 + 1/10*x^10*d*b^2 + 1/9*x^9*c*b^2 + 1/4*x^8*f*b*a + 2/7*x^7*e*b*a + 1/3*x^6*d*b*a + 2/5*x^5*c*b*a + 1/4*x^4*f*a^2 + 1/3*x^3*e*a^2 + 1/2*x^2*d*a^2 + x*c*a^2

giac [A] time = 0.16, size = 105, normalized size = 0.96

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2x^{11}e + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abx^7e + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2x^3e + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="giac")

[Out] 1/12*b^2*f*x^12 + 1/11*b^2*x^11*e + 1/10*b^2*d*x^10 + 1/9*b^2*c*x^9 + 1/4*a*b*f*x^8 + 2/7*a*b*x^7*e + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*a^2*f*x^4 + 1/3*a^2*x^3*e + 1/2*a^2*d*x^2 + a^2*c*x

maple [A] time = 0.04, size = 103, normalized size = 0.94

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x)

[Out] 1/12*b^2*f*x^12+1/11*b^2*e*x^11+1/10*b^2*d*x^10+1/9*b^2*c*x^9+1/4*a*b*f*x^8+2/7*a*b*e*x^7+1/3*a*b*d*x^6+2/5*a*b*c*x^5+1/4*f*a^2*x^4+1/3*a^2*e*x^3+1/2*a^2*d*x^2+a^2*c*x

maxima [A] time = 1.36, size = 102, normalized size = 0.94

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="maxima")

[Out] 1/12*b^2*f*x^12 + 1/11*b^2*e*x^11 + 1/10*b^2*d*x^10 + 1/9*b^2*c*x^9 + 1/4*a*b*f*x^8 + 2/7*a*b*e*x^7 + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*a^2*f*x^4 + 1/3*a^2*e*x^3 + 1/2*a^2*d*x^2 + a^2*c*x

mupad [B] time = 0.08, size = 102, normalized size = 0.94

$$\frac{fa^2x^4}{4} + \frac{ea^2x^3}{3} + \frac{da^2x^2}{2} + ca^2x + \frac{fabx^8}{4} + \frac{2eabx^7}{7} + \frac{dabx^6}{3} + \frac{2cabx^5}{5} + \frac{fb^2x^{12}}{12} + \frac{eb^2x^{11}}{11} + \frac{db^2x^{10}}{10} + \frac{cb^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^2*(c + d*x + e*x^2 + f*x^3),x)

[Out] (a^2*d*x^2)/2 + (b^2*c*x^9)/9 + (a^2*e*x^3)/3 + (b^2*d*x^10)/10 + (a^2*f*x^4)/4 + (b^2*e*x^11)/11 + (b^2*f*x^12)/12 + a^2*c*x + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (a*b*f*x^8)/4

sympy [A] time = 0.09, size = 121, normalized size = 1.11

$$a^2cx + \frac{a^2dx^2}{2} + \frac{a^2ex^3}{3} + \frac{a^2fx^4}{4} + \frac{2abcx^5}{5} + \frac{abdx^6}{3} + \frac{2abex^7}{7} + \frac{abfx^8}{4} + \frac{b^2cx^9}{9} + \frac{b^2dx^{10}}{10} + \frac{b^2ex^{11}}{11} + \frac{b^2fx^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**2,x)

[Out] a**2*c*x + a**2*d*x**2/2 + a**2*e*x**3/3 + a**2*f*x**4/4 + 2*a*b*c*x**5/5 + a*b*d*x**6/3 + 2*a*b*e*x**7/7 + a*b*f*x**8/4 + b**2*c*x**9/9 + b**2*d*x**10/10 + b**2*e*x**11/11 + b**2*f*x**12/12

$$3.380 \quad \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^2 dx$$

Optimal. Leaf size=114

$$\frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{7}a^2fx^7 + \frac{c(a+bx^4)^3}{12b} + \frac{2}{9}abdx^9 + \frac{1}{5}abex^{10} + \frac{2}{11}abfx^{11} + \frac{1}{13}b^2dx^{13} + \frac{1}{14}b^2ex^{14} + \frac{1}{15}b^2fx^{15}$$

Rubi [A] time = 0.08, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1582, 1850}

$$\frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{7}a^2fx^7 + \frac{c(a+bx^4)^3}{12b} + \frac{2}{9}abdx^9 + \frac{1}{5}abex^{10} + \frac{2}{11}abfx^{11} + \frac{1}{13}b^2dx^{13} + \frac{1}{14}b^2ex^{14} + \frac{1}{15}b^2fx^{15}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2,x]

[Out] (a^2*d*x^5)/5 + (a^2*e*x^6)/6 + (a^2*f*x^7)/7 + (2*a*b*d*x^9)/9 + (a*b*e*x^10)/5 + (2*a*b*f*x^11)/11 + (b^2*d*x^13)/13 + (b^2*e*x^14)/14 + (b^2*f*x^15)/15 + (c*(a + b*x^4)^3)/(12*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^2 dx &= \frac{c(a + bx^4)^3}{12b} + \int (a + bx^4)^2 (-cx^3 + x^3(c + dx + ex^2 + fx^3)) dx \\
&= \frac{c(a + bx^4)^3}{12b} + \int (a^2 dx^4 + a^2 ex^5 + a^2 fx^6 + 2abdx^8 + 2abex^9 + 2abfx^{10} + 2ab^2fx^{11} + 2ab^2fx^{12} + 2ab^2fx^{13} + 2ab^2fx^{14} + 2ab^2fx^{15}) dx \\
&= \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{7}a^2fx^7 + \frac{2}{9}abdx^9 + \frac{1}{5}abex^{10} + \frac{2}{11}abfx^{11} + \frac{1}{13}ab^2fx^{13} + \frac{1}{14}ab^2fx^{14} + \frac{1}{15}ab^2fx^{15}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 129, normalized size = 1.13

$$\frac{1}{4}a^2cx^4 + \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{7}a^2fx^7 + \frac{1}{4}abcx^8 + \frac{2}{9}abdx^9 + \frac{1}{5}abex^{10} + \frac{2}{11}abfx^{11} + \frac{1}{12}b^2cx^{12} + \frac{1}{13}b^2dx^{13} + \frac{1}{14}b^2ex^{14} + \frac{1}{15}b^2fx^{15}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2,x]

[Out] (a^2*c*x^4)/4 + (a^2*d*x^5)/5 + (a^2*e*x^6)/6 + (a^2*f*x^7)/7 + (a*b*c*x^8)/4 + (2*a*b*d*x^9)/9 + (a*b*e*x^10)/5 + (2*a*b*f*x^11)/11 + (b^2*c*x^12)/12 + (b^2*d*x^13)/13 + (b^2*e*x^14)/14 + (b^2*f*x^15)/15

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2,x]

[Out] IntegrateAlgebraic[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2, x]

fricas [A] time = 0.36, size = 105, normalized size = 0.92

$$\frac{1}{15}x^{15}fb^2 + \frac{1}{14}x^{14}eb^2 + \frac{1}{13}x^{13}db^2 + \frac{1}{12}x^{12}cb^2 + \frac{2}{11}x^{11}fba + \frac{1}{5}x^{10}eba + \frac{2}{9}x^9dba + \frac{1}{4}x^8cba + \frac{1}{7}x^7fa^2 + \frac{1}{6}x^6ea^2 + \frac{1}{5}x^5da^2 + \frac{1}{4}x^4ca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="fricas")

[Out] 1/15*x^15*f*b^2 + 1/14*x^14*e*b^2 + 1/13*x^13*d*b^2 + 1/12*x^12*c*b^2 + 2/11*x^11*f*b*a + 1/5*x^10*e*b*a + 2/9*x^9*d*b*a + 1/4*x^8*c*b*a + 1/7*x^7*f*a^2 + 1/6*x^6*e*a^2 + 1/5*x^5*d*a^2 + 1/4*x^4*c*a^2

giac [A] time = 0.15, size = 108, normalized size = 0.95

$$\frac{1}{15} b^2 f x^{15} + \frac{1}{14} b^2 x^{14} e + \frac{1}{13} b^2 d x^{13} + \frac{1}{12} b^2 c x^{12} + \frac{2}{11} a b f x^{11} + \frac{1}{5} a b x^{10} e + \frac{2}{9} a b d x^9 + \frac{1}{4} a b c x^8 + \frac{1}{7} a^2 f x^7 + \frac{1}{6} a^2 x^6 e + \frac{1}{5} a^2 d x^5 + \frac{1}{4} a^2 c x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="giac")

[Out] 1/15*b^2*f*x^15 + 1/14*b^2*x^14*e + 1/13*b^2*d*x^13 + 1/12*b^2*c*x^12 + 2/11*a*b*f*x^11 + 1/5*a*b*x^10*e + 2/9*a*b*d*x^9 + 1/4*a*b*c*x^8 + 1/7*a^2*f*x^7 + 1/6*a^2*x^6*e + 1/5*a^2*d*x^5 + 1/4*a^2*c*x^4

maple [A] time = 0.04, size = 106, normalized size = 0.93

$$\frac{1}{15} b^2 f x^{15} + \frac{1}{14} b^2 e x^{14} + \frac{1}{13} b^2 d x^{13} + \frac{1}{12} b^2 c x^{12} + \frac{2}{11} a b f x^{11} + \frac{1}{5} a b e x^{10} + \frac{2}{9} a b d x^9 + \frac{1}{4} a b c x^8 + \frac{1}{7} a^2 f x^7 + \frac{1}{6} a^2 e x^6 + \frac{1}{5} a^2 d x^5 + \frac{1}{4} a^2 c x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x)

[Out] 1/15*b^2*f*x^15+1/14*b^2*e*x^14+1/13*b^2*d*x^13+1/12*c*b^2*x^12+2/11*a*b*f*x^11+1/5*a*b*e*x^10+2/9*a*b*d*x^9+1/4*a*b*c*x^8+1/7*a^2*f*x^7+1/6*a^2*e*x^6+1/5*a^2*d*x^5+1/4*a^2*c*x^4

maxima [A] time = 1.33, size = 105, normalized size = 0.92

$$\frac{1}{15} b^2 f x^{15} + \frac{1}{14} b^2 e x^{14} + \frac{1}{13} b^2 d x^{13} + \frac{1}{12} b^2 c x^{12} + \frac{2}{11} a b f x^{11} + \frac{1}{5} a b e x^{10} + \frac{2}{9} a b d x^9 + \frac{1}{4} a b c x^8 + \frac{1}{7} a^2 f x^7 + \frac{1}{6} a^2 e x^6 + \frac{1}{5} a^2 d x^5 + \frac{1}{4} a^2 c x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="maxima")

[Out] 1/15*b^2*f*x^15 + 1/14*b^2*e*x^14 + 1/13*b^2*d*x^13 + 1/12*b^2*c*x^12 + 2/11*a*b*f*x^11 + 1/5*a*b*e*x^10 + 2/9*a*b*d*x^9 + 1/4*a*b*c*x^8 + 1/7*a^2*f*x^7 + 1/6*a^2*e*x^6 + 1/5*a^2*d*x^5 + 1/4*a^2*c*x^4

mupad [B] time = 0.07, size = 105, normalized size = 0.92

$$\frac{f a^2 x^7}{7} + \frac{e a^2 x^6}{6} + \frac{d a^2 x^5}{5} + \frac{c a^2 x^4}{4} + \frac{2 f a b x^{11}}{11} + \frac{e a b x^{10}}{5} + \frac{2 d a b x^9}{9} + \frac{c a b x^8}{4} + \frac{f b^2 x^{15}}{15} + \frac{e b^2 x^{14}}{14} + \frac{d b^2 x^{13}}{13} + \frac{c b^2 x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^4)^2*(c + d*x + e*x^2 + f*x^3),x)

[Out] (a^2*c*x^4)/4 + (a^2*d*x^5)/5 + (b^2*c*x^12)/12 + (a^2*e*x^6)/6 + (b^2*d*x^13)/13 + (a^2*f*x^7)/7 + (b^2*e*x^14)/14 + (b^2*f*x^15)/15 + (a*b*c*x^8)/4 + (2*a*b*d*x^9)/9 + (a*b*e*x^10)/5 + (2*a*b*f*x^11)/11

sympy [A] time = 0.09, size = 124, normalized size = 1.09

$$\frac{a^2cx^4}{4} + \frac{a^2dx^5}{5} + \frac{a^2ex^6}{6} + \frac{a^2fx^7}{7} + \frac{abcx^8}{4} + \frac{2abdx^9}{9} + \frac{abex^{10}}{5} + \frac{2abfx^{11}}{11} + \frac{b^2cx^{12}}{12} + \frac{b^2dx^{13}}{13} + \frac{b^2ex^{14}}{14} + \frac{b^2fx^{15}}{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**2,x)

[Out] a**2*c*x**4/4 + a**2*d*x**5/5 + a**2*e*x**6/6 + a**2*f*x**7/7 + a*b*c*x**8/4 + 2*a*b*d*x**9/9 + a*b*e*x**10/5 + 2*a*b*f*x**11/11 + b**2*c*x**12/12 + b**2*d*x**13/13 + b**2*e*x**14/14 + b**2*f*x**15/15

$$3.381 \quad \int (c + dx + ex^2 + fx^3)(a + bx^4)^3 dx$$

Optimal. Leaf size=151

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{f(a + bx^4)^4}{16b} + \frac{1}{13}b^3cx^{13}$$

Rubi [A] time = 0.11, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1582, 1657}

$$\frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{f(a + bx^4)^4}{16b} + \frac{1}{13}b^3cx^{13} + \frac{1}{14}b^3dx^{14} + \frac{1}{15}b^3ex^{15}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3,x]

[Out] a^3*c*x + (a^3*d*x^2)/2 + (a^3*e*x^3)/3 + (3*a^2*b*c*x^5)/5 + (a^2*b*d*x^6)/2 + (3*a^2*b*e*x^7)/7 + (a*b^2*c*x^9)/3 + (3*a*b^2*d*x^10)/10 + (3*a*b^2*e*x^11)/11 + (b^3*c*x^13)/13 + (b^3*d*x^14)/14 + (b^3*e*x^15)/15 + (f*(a + b*x^4)^4)/(16*b)

Rule 1582

Int[(Px_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1657

Int[(Pq_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2 + fx^3)(a + bx^4)^3 dx &= \frac{f(a + bx^4)^4}{16b} + \int (c + dx + ex^2)(a + bx^4)^3 dx \\
&= \frac{f(a + bx^4)^4}{16b} + \int (a^3c + a^3dx + a^3ex^2 + 3a^2bcx^4 + 3a^2bdx^5 + 3a^2bex^6 \\
&= a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{1}{3}ab^2cx^9
\end{aligned}$$

Mathematica [A] time = 0.01, size = 180, normalized size = 1.19

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{1}{4}a^3fx^4 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{3}{8}a^2bfx^8 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{1}{4}ab^2fx^{12} + \frac{1}{13}b^3cx^{13} + \frac{1}{14}b^3dx^{14} + \frac{1}{15}b^3ex^{15} + \frac{1}{16}b^3fx^{16}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3, x]

[Out] a^3*c*x + (a^3*d*x^2)/2 + (a^3*e*x^3)/3 + (a^3*f*x^4)/4 + (3*a^2*b*c*x^5)/5 + (a^2*b*d*x^6)/2 + (3*a^2*b*e*x^7)/7 + (3*a^2*b*f*x^8)/8 + (a*b^2*c*x^9)/3 + (3*a*b^2*d*x^10)/10 + (3*a*b^2*e*x^11)/11 + (a*b^2*f*x^12)/4 + (b^3*c*x^13)/13 + (b^3*d*x^14)/14 + (b^3*e*x^15)/15 + (b^3*f*x^16)/16

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx + ex^2 + fx^3)(a + bx^4)^3 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3, x]

fricas [A] time = 0.34, size = 150, normalized size = 0.99

$$\frac{1}{16}x^{16}fb^3 + \frac{1}{15}x^{15}eb^3 + \frac{1}{14}x^{14}db^3 + \frac{1}{13}x^{13}cb^3 + \frac{1}{4}x^{12}fb^2a + \frac{3}{11}x^{11}eb^2a + \frac{3}{10}x^{10}db^2a + \frac{1}{3}x^9cb^2a + \frac{3}{8}x^8fba^2 + \frac{3}{7}x^7eba^2 + \frac{1}{2}x^6dba^2 + \frac{3}{5}x^5cba^2 + \frac{1}{4}x^4fa^3 + \frac{1}{3}x^3ea^3 + \frac{1}{2}x^2da^3 + xca^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="fricas")

[Out] 1/16*x^16*f*b^3 + 1/15*x^15*e*b^3 + 1/14*x^14*d*b^3 + 1/13*x^13*c*b^3 + 1/4*x^12*f*b^2*a + 3/11*x^11*e*b^2*a + 3/10*x^10*d*b^2*a + 1/3*x^9*c*b^2*a + 3/8*x^8*f*b*a^2 + 3/7*x^7*e*b*a^2 + 1/2*x^6*d*b*a^2 + 3/5*x^5*c*b*a^2 + 1/4*x^4*f*a^3 + 1/3*x^3*e*a^3 + 1/2*x^2*d*a^3 + x*c*a^3

giac [A] time = 0.16, size = 154, normalized size = 1.02

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3fx^4 + \frac{1}{3}a^3ex^3 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="giac")

$$\begin{aligned} \text{[Out]} & \frac{1}{16}b^3f*x^{16} + \frac{1}{15}b^3e*x^{15} + \frac{1}{14}b^3d*x^{14} + \frac{1}{13}b^3c*x^{13} + \frac{1}{4} \\ & *a*b^2*f*x^{12} + \frac{3}{11}*a*b^2*e*x^{11} + \frac{3}{10}*a*b^2*d*x^{10} + \frac{1}{3}*a*b^2*c*x^9 + \frac{3}{8} \\ & /8*a^2*b*f*x^8 + \frac{3}{7}*a^2*b*e*x^7 + \frac{1}{2}*a^2*b*d*x^6 + \frac{3}{5}*a^2*b*c*x^5 + \frac{1}{4} \\ & a^3*f*x^4 + \frac{1}{3}*a^3*e*x^3 + \frac{1}{2}*a^3*d*x^2 + a^3*c*x \end{aligned}$$

maple [A] time = 0.04, size = 151, normalized size = 1.00

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3fx^4 + \frac{1}{3}a^3ex^3 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x)

$$\begin{aligned} \text{[Out]} & \frac{1}{16}b^3f*x^{16} + \frac{1}{15}b^3e*x^{15} + \frac{1}{14}b^3d*x^{14} + \frac{1}{13}b^3c*x^{13} + \frac{1}{4} \\ & *a*b^2*f*x^{12} + \frac{3}{11}*a*b^2*e*x^{11} + \frac{3}{10}*a*b^2*d*x^{10} + \frac{1}{3}*a*b^2*c*x^9 + \frac{3}{8} \\ & /7*a^2*b*f*x^8 + \frac{3}{7}*a^2*b*e*x^7 + \frac{1}{2}*a^2*b*d*x^6 + \frac{3}{5}*a^2*b*c*x^5 + \frac{1}{4} \\ & a^3*f*x^4 + \frac{1}{3}*a^3*e*x^3 + \frac{1}{2}*a^3*d*x^2 + a^3*c*x \end{aligned}$$

maxima [A] time = 1.37, size = 150, normalized size = 0.99

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3fx^4 + \frac{1}{3}a^3ex^3 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="maxima")

$$\begin{aligned} \text{[Out]} & \frac{1}{16}b^3f*x^{16} + \frac{1}{15}b^3e*x^{15} + \frac{1}{14}b^3d*x^{14} + \frac{1}{13}b^3c*x^{13} + \frac{1}{4} \\ & *a*b^2*f*x^{12} + \frac{3}{11}*a*b^2*e*x^{11} + \frac{3}{10}*a*b^2*d*x^{10} + \frac{1}{3}*a*b^2*c*x^9 + \frac{3}{8} \\ & /8*a^2*b*f*x^8 + \frac{3}{7}*a^2*b*e*x^7 + \frac{1}{2}*a^2*b*d*x^6 + \frac{3}{5}*a^2*b*c*x^5 + \frac{1}{4} \\ & a^3*f*x^4 + \frac{1}{3}*a^3*e*x^3 + \frac{1}{2}*a^3*d*x^2 + a^3*c*x \end{aligned}$$

mupad [B] time = 0.16, size = 150, normalized size = 0.99

$$\frac{f a^3 x^4}{4} + \frac{e a^3 x^3}{3} + \frac{d a^3 x^2}{2} + c a^3 x + \frac{3 f a^2 b x^8}{8} + \frac{3 e a^2 b x^7}{7} + \frac{d a^2 b x^6}{2} + \frac{3 c a^2 b x^5}{5} + \frac{f a b^2 x^{12}}{4} + \frac{3 e a b^2 x^{11}}{11} + \frac{3 d a b^2 x^{10}}{10} + \frac{c a b^2 x^9}{3} + \frac{f b^3 x^{16}}{16} + \frac{e b^3 x^{15}}{15} + \frac{d b^3 x^{14}}{14} + \frac{c b^3 x^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^3*(c + d*x + e*x^2 + f*x^3),x)

[Out] $(a^3 d x^2)/2 + (b^3 c x^{13})/13 + (a^3 e x^3)/3 + (b^3 d x^{14})/14 + (a^3 f x^4)/4 + (b^3 e x^{15})/15 + (b^3 f x^{16})/16 + a^3 c x + (3 a^2 b c x^5)/5 + (a b^2 c x^9)/3 + (a^2 b d x^6)/2 + (3 a b^2 d x^{10})/10 + (3 a^2 b e x^7)/7 + (3 a b^2 e x^{11})/11 + (3 a^2 b f x^8)/8 + (a b^2 f x^{12})/4$

sympy [A] time = 0.10, size = 180, normalized size = 1.19

$$a^3 c x + \frac{a^3 d x^2}{2} + \frac{a^3 e x^3}{3} + \frac{a^3 f x^4}{4} + \frac{3 a^2 b c x^5}{5} + \frac{a^2 b d x^6}{2} + \frac{3 a^2 b e x^7}{7} + \frac{3 a^2 b f x^8}{8} + \frac{a b^2 c x^9}{3} + \frac{3 a b^2 d x^{10}}{10} + \frac{3 a b^2 e x^{11}}{11} + \frac{a b^2 f x^{12}}{4} + \frac{b^3 c x^{13}}{13} + \frac{b^3 d x^{14}}{14} + \frac{b^3 e x^{15}}{15} + \frac{b^3 f x^{16}}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**3,x)

[Out] $a**3*c*x + a**3*d*x**2/2 + a**3*e*x**3/3 + a**3*f*x**4/4 + 3*a**2*b*c*x**5/5 + a**2*b*d*x**6/2 + 3*a**2*b*e*x**7/7 + 3*a**2*b*f*x**8/8 + a*b**2*c*x**9/3 + 3*a*b**2*d*x**10/10 + 3*a*b**2*e*x**11/11 + a*b**2*f*x**12/4 + b**3*c*x**13/13 + b**3*d*x**14/14 + b**3*e*x**15/15 + b**3*f*x**16/16$

$$3.382 \quad \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^3 dx$$

Optimal. Leaf size=156

$$\frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{7}a^3fx^7 + \frac{1}{3}a^2bdx^9 + \frac{3}{10}a^2bex^{10} + \frac{3}{11}a^2bfx^{11} + \frac{3}{13}ab^2dx^{13} + \frac{3}{14}ab^2ex^{14} + \frac{1}{5}ab^2fx^{15} + \frac{c(a+bx^4)^4}{16b} + \frac{1}{17}b^3dx^{17} + \frac{1}{18}b^3ex^{18} + \frac{1}{19}b^3fx^{19}$$

Rubi [A] time = 0.11, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1582, 1850}

$$\frac{1}{3}a^2bdx^9 + \frac{3}{10}a^2bex^{10} + \frac{3}{11}a^2bfx^{11} + \frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{7}a^3fx^7 + \frac{3}{13}ab^2dx^{13} + \frac{3}{14}ab^2ex^{14} + \frac{1}{5}ab^2fx^{15} + \frac{c(a+bx^4)^4}{16b} + \frac{1}{17}b^3dx^{17} + \frac{1}{18}b^3ex^{18} + \frac{1}{19}b^3fx^{19}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3,x]

[Out] (a^3*d*x^5)/5 + (a^3*e*x^6)/6 + (a^3*f*x^7)/7 + (a^2*b*d*x^9)/3 + (3*a^2*b*e*x^10)/10 + (3*a^2*b*f*x^11)/11 + (3*a*b^2*d*x^13)/13 + (3*a*b^2*e*x^14)/14 + (a*b^2*f*x^15)/5 + (b^3*d*x^17)/17 + (b^3*e*x^18)/18 + (b^3*f*x^19)/19 + (c*(a + b*x^4)^4)/(16*b)

Rule 1582

Int[(Px_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

giac [A] time = 0.16, size = 157, normalized size = 1.01

$$\frac{1}{19}b^3fx^{19} + \frac{1}{18}b^3ex^{18} + \frac{1}{17}b^3dx^{17} + \frac{1}{16}b^3cx^{16} + \frac{1}{5}ab^2fx^{15} + \frac{3}{14}ab^2ex^{14} + \frac{3}{13}ab^2dx^{13} + \frac{1}{4}ab^2cx^{12} + \frac{3}{11}a^2bfx^{11} + \frac{3}{10}a^2bex^{10} + \frac{1}{3}a^2bdx^9 + \frac{3}{8}a^2bcx^8 + \frac{1}{7}a^3fx^7 + \frac{1}{6}a^3ex^6 + \frac{1}{5}a^3dx^5 + \frac{1}{4}a^3cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="giac")

$$\begin{aligned} \text{[Out]} & \frac{1}{19}b^3f*x^{19} + \frac{1}{18}b^3e*x^{18} + \frac{1}{17}b^3d*x^{17} + \frac{1}{16}b^3c*x^{16} + \frac{1}{5} \\ & *a*b^2*f*x^{15} + \frac{3}{14}*a*b^2*e*x^{14} + \frac{3}{13}*a*b^2*d*x^{13} + \frac{1}{4}*a*b^2*c*x^{12} + \\ & \frac{3}{11}*a^2*b*f*x^{11} + \frac{3}{10}*a^2*b*e*x^{10} + \frac{1}{3}*a^2*b*d*x^9 + \frac{3}{8}*a^2*b*c*x^8 + \\ & \frac{1}{7}*a^3*f*x^7 + \frac{1}{6}*a^3*e*x^6 + \frac{1}{5}*a^3*d*x^5 + \frac{1}{4}*a^3*c*x^4 \end{aligned}$$

maple [A] time = 0.04, size = 154, normalized size = 0.99

$$\frac{1}{19}b^3fx^{19} + \frac{1}{18}b^3ex^{18} + \frac{1}{17}b^3dx^{17} + \frac{1}{16}b^3cx^{16} + \frac{1}{5}ab^2fx^{15} + \frac{3}{14}ab^2ex^{14} + \frac{3}{13}ab^2dx^{13} + \frac{1}{4}ab^2cx^{12} + \frac{3}{11}a^2bfx^{11} + \frac{3}{10}a^2bex^{10} + \frac{1}{3}a^2bdx^9 + \frac{3}{8}a^2bcx^8 + \frac{1}{7}a^3fx^7 + \frac{1}{6}a^3ex^6 + \frac{1}{5}a^3dx^5 + \frac{1}{4}a^3cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x)

$$\begin{aligned} \text{[Out]} & \frac{1}{19}b^3f*x^{19} + \frac{1}{18}b^3e*x^{18} + \frac{1}{17}b^3d*x^{17} + \frac{1}{16}b^3c*x^{16} + \frac{1}{5}a*b^2*f \\ & *x^{15} + \frac{3}{14}a*b^2*e*x^{14} + \frac{3}{13}a*b^2*d*x^{13} + \frac{1}{4}a*b^2*c*x^{12} + \frac{3}{11}a^2*b*f*x^{11} \\ & + \frac{3}{10}a^2*b*e*x^{10} + \frac{1}{3}a^2*b*d*x^9 + \frac{3}{8}a^2*b*c*x^8 + \frac{1}{7}a^3*f*x^7 + \frac{1}{6}a^3*e \\ & *x^6 + \frac{1}{5}a^3*d*x^5 + \frac{1}{4}a^3*c*x^4 \end{aligned}$$

maxima [A] time = 1.38, size = 153, normalized size = 0.98

$$\frac{1}{19}b^3fx^{19} + \frac{1}{18}b^3ex^{18} + \frac{1}{17}b^3dx^{17} + \frac{1}{16}b^3cx^{16} + \frac{1}{5}ab^2fx^{15} + \frac{3}{14}ab^2ex^{14} + \frac{3}{13}ab^2dx^{13} + \frac{1}{4}ab^2cx^{12} + \frac{3}{11}a^2bfx^{11} + \frac{3}{10}a^2bex^{10} + \frac{1}{3}a^2bdx^9 + \frac{3}{8}a^2bcx^8 + \frac{1}{7}a^3fx^7 + \frac{1}{6}a^3ex^6 + \frac{1}{5}a^3dx^5 + \frac{1}{4}a^3cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="maxima")

$$\begin{aligned} \text{[Out]} & \frac{1}{19}b^3f*x^{19} + \frac{1}{18}b^3e*x^{18} + \frac{1}{17}b^3d*x^{17} + \frac{1}{16}b^3c*x^{16} + \frac{1}{5} \\ & *a*b^2*f*x^{15} + \frac{3}{14}*a*b^2*e*x^{14} + \frac{3}{13}*a*b^2*d*x^{13} + \frac{1}{4}*a*b^2*c*x^{12} + \\ & \frac{3}{11}*a^2*b*f*x^{11} + \frac{3}{10}*a^2*b*e*x^{10} + \frac{1}{3}*a^2*b*d*x^9 + \frac{3}{8}*a^2*b*c*x^8 + \\ & \frac{1}{7}*a^3*f*x^7 + \frac{1}{6}*a^3*e*x^6 + \frac{1}{5}*a^3*d*x^5 + \frac{1}{4}*a^3*c*x^4 \end{aligned}$$

mupad [B] time = 0.16, size = 153, normalized size = 0.98

$$\frac{f a^3 x^7}{7} + \frac{e a^3 x^6}{6} + \frac{d a^3 x^5}{5} + \frac{c a^3 x^4}{4} + \frac{3 f a^2 b x^{11}}{11} + \frac{3 e a^2 b x^{10}}{10} + \frac{d a^2 b x^9}{3} + \frac{3 c a^2 b x^8}{8} + \frac{f a b^2 x^{15}}{5} + \frac{3 e a b^2 x^{14}}{14} + \frac{3 d a b^2 x^{13}}{13} + \frac{c a b^2 x^{12}}{4} + \frac{f b^3 x^{19}}{19} + \frac{c b^3 x^{18}}{18} + \frac{d b^3 x^{17}}{17} + \frac{c b^3 x^{16}}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^4)^3*(c + d*x + e*x^2 + f*x^3),x)

[Out] $(a^3cx^4)/4 + (a^3d*x^5)/5 + (b^3c*x^{16})/16 + (a^3e*x^6)/6 + (b^3d*x^{17})/17 + (a^3f*x^7)/7 + (b^3e*x^{18})/18 + (b^3f*x^{19})/19 + (3a^2b*c*x^8)/8 + (a*b^2*c*x^{12})/4 + (a^2*b*d*x^9)/3 + (3a*b^2*d*x^{13})/13 + (3a^2*b*e*x^{10})/10 + (3a*b^2*e*x^{14})/14 + (3a^2*b*f*x^{11})/11 + (a*b^2*f*x^{15})/5$

sympy [A] time = 0.10, size = 184, normalized size = 1.18

$$\frac{a^3cx^4}{4} + \frac{a^3dx^5}{5} + \frac{a^3ex^6}{6} + \frac{a^3fx^7}{7} + \frac{3a^2bcx^8}{8} + \frac{a^2bdx^9}{3} + \frac{3a^2bex^{10}}{10} + \frac{3a^2bfx^{11}}{11} + \frac{ab^2cx^{12}}{4} + \frac{3ab^2dx^{13}}{13} + \frac{3ab^2ex^{14}}{14} + \frac{ab^2fx^{15}}{5} + \frac{b^3cx^{16}}{16} + \frac{b^3dx^{17}}{17} + \frac{b^3ex^{18}}{18} + \frac{b^3fx^{19}}{19}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**3,x)`

[Out] $a**3*c*x**4/4 + a**3*d*x**5/5 + a**3*e*x**6/6 + a**3*f*x**7/7 + 3*a**2*b*c*x**8/8 + a**2*b*d*x**9/3 + 3*a**2*b*e*x**10/10 + 3*a**2*b*f*x**11/11 + a*b**2*c*x**12/4 + 3*a*b**2*d*x**13/13 + 3*a*b**2*e*x**14/14 + a*b**2*f*x**15/5 + b**3*c*x**16/16 + b**3*d*x**17/17 + b**3*e*x**18/18 + b**3*f*x**19/19$

$$3.383 \quad \int (c + dx + ex^2 + fx^3)(a + bx^4)^4 dx$$

Optimal. Leaf size=193

$$a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3bdx^6 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^2b^2cx^9 + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{4}{13}ab^3cx^{13} + \frac{2}{7}ab^3dx^{14} + \dots$$

Rubi [A] time = 0.16, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1582, 1657}

$$\frac{2}{3}a^2b^2cx^9 + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3bdx^6 + \frac{4}{7}a^3bex^7 + a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + \frac{4}{13}ab^3cx^{13} + \frac{2}{7}ab^3dx^{14} + \frac{4}{15}ab^3ex^{15} + \frac{f(a+bx^4)^5}{20b} + \frac{1}{17}b^4cx^{17} + \frac{1}{18}b^4dx^{18} + \frac{1}{19}b^4ex^{19}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^4,x]

[Out] a^4*c*x + (a^4*d*x^2)/2 + (a^4*e*x^3)/3 + (4*a^3*b*c*x^5)/5 + (2*a^3*b*d*x^6)/3 + (4*a^3*b*e*x^7)/7 + (2*a^2*b^2*c*x^9)/3 + (3*a^2*b^2*d*x^10)/5 + (6*a^2*b^2*e*x^11)/11 + (4*a*b^3*c*x^13)/13 + (2*a*b^3*d*x^14)/7 + (4*a*b^3*e*x^15)/15 + (b^4*c*x^17)/17 + (b^4*d*x^18)/18 + (b^4*e*x^19)/19 + (f*(a + b*x^4)^5)/(20*b)

Rule 1582

Int[(Px_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1657

Int[(Pq_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int[Expand[Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2 + fx^3)(a + bx^4)^4 dx &= \frac{f(a + bx^4)^5}{20b} + \int (c + dx + ex^2)(a + bx^4)^4 dx \\
&= \frac{f(a + bx^4)^5}{20b} + \int (a^4c + a^4dx + a^4ex^2 + 4a^3bcx^4 + 4a^3bdx^5 + 4a^3bex^6 \\
&= a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3bdx^6 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^2b^2cx^9
\end{aligned}$$

Mathematica [A] time = 0.01, size = 236, normalized size = 1.22

$$a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3bdx^6 + \frac{4}{7}a^3bex^7 + \frac{1}{2}a^2b^2cx^9 + \frac{2}{3}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{1}{2}a^2b^2fx^{12} + \frac{4}{13}ab^3cx^{13} + \frac{2}{7}ab^3dx^{14} + \frac{4}{15}ab^3ex^{15} + \frac{1}{4}ab^3fx^{16} + \frac{1}{17}b^4cx^{17} + \frac{1}{18}b^4dx^{18} + \frac{1}{19}b^4ex^{19} + \frac{1}{20}b^4fx^{20}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^4, x]

[Out] a^4*c*x + (a^4*d*x^2)/2 + (a^4*e*x^3)/3 + (a^4*f*x^4)/4 + (4*a^3*b*c*x^5)/5 + (2*a^3*b*d*x^6)/3 + (4*a^3*b*e*x^7)/7 + (a^3*b*f*x^8)/2 + (2*a^2*b^2*c*x^9)/3 + (3*a^2*b^2*d*x^10)/5 + (6*a^2*b^2*e*x^11)/11 + (a^2*b^2*f*x^12)/2 + (4*a*b^3*c*x^13)/13 + (2*a*b^3*d*x^14)/7 + (4*a*b^3*e*x^15)/15 + (a*b^3*f*x^16)/4 + (b^4*c*x^17)/17 + (b^4*d*x^18)/18 + (b^4*e*x^19)/19 + (b^4*f*x^20)/20

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx + ex^2 + fx^3)(a + bx^4)^4 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^4, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^4, x]

fricas [A] time = 0.36, size = 198, normalized size = 1.03

$$\frac{1}{20}x^{20}fb^4 + \frac{1}{19}x^{19}eb^4 + \frac{1}{18}x^{18}db^4 + \frac{1}{17}x^{17}cb^4 + \frac{1}{4}x^{16}fb^3a + \frac{4}{15}x^{15}eb^3a + \frac{2}{7}x^{14}db^3a + \frac{4}{13}x^{13}cb^3a + \frac{1}{2}x^{12}fb^2a^2 + \frac{6}{11}x^{11}eb^2a^2 + \frac{3}{5}x^{10}db^2a^2 + \frac{2}{3}x^9cb^2a^2 + \frac{1}{2}x^8fba^3 + \frac{4}{7}x^7eba^3 + \frac{2}{3}x^6dba^3 + \frac{4}{5}x^5cba^3 + \frac{1}{4}x^4fa^4 + \frac{1}{3}x^3ea^4 + \frac{1}{2}x^2da^4 + xca^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x, algorithm="fricas")

[Out] 1/20*x^20*f*b^4 + 1/19*x^19*e*b^4 + 1/18*x^18*d*b^4 + 1/17*x^17*c*b^4 + 1/4*x^16*f*b^3*a + 4/15*x^15*e*b^3*a + 2/7*x^14*d*b^3*a + 4/13*x^13*c*b^3*a +

$$1/2*x^{12}*f*b^2*a^2 + 6/11*x^{11}*e*b^2*a^2 + 3/5*x^{10}*d*b^2*a^2 + 2/3*x^9*c*b^2*a^2 + 1/2*x^8*f*b*a^3 + 4/7*x^7*e*b*a^3 + 2/3*x^6*d*b*a^3 + 4/5*x^5*c*b*a^3 + 1/4*x^4*f*a^4 + 1/3*x^3*e*a^4 + 1/2*x^2*d*a^4 + x*c*a^4$$

giac [A] time = 0.17, size = 203, normalized size = 1.05

$$\frac{1}{20}b^4fx^{20} + \frac{1}{19}b^4ex^{19} + \frac{1}{18}b^4dx^{18} + \frac{1}{17}b^4cx^{17} + \frac{1}{4}ab^3fx^{16} + \frac{4}{15}ab^3ex^{15} + \frac{2}{7}ab^3dx^{14} + \frac{4}{13}ab^3cx^{13} + \frac{1}{2}a^2b^2fx^{12} + \frac{6}{11}a^2b^2ex^{11} + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^3bfx^8 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^3bdx^6 + \frac{4}{5}a^3bcx^5 + \frac{1}{4}a^4fx^4 + \frac{1}{3}a^4ex^3 + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x, algorithm="giac")

$$[Out] 1/20*b^4*f*x^{20} + 1/19*b^4*e*x^{19} + 1/18*b^4*d*x^{18} + 1/17*b^4*c*x^{17} + 1/4*a*b^3*f*x^{16} + 4/15*a*b^3*e*x^{15} + 2/7*a*b^3*d*x^{14} + 4/13*a*b^3*c*x^{13} + 1/2*a^2*b^2*f*x^{12} + 6/11*a^2*b^2*e*x^{11} + 3/5*a^2*b^2*d*x^{10} + 2/3*a^2*b^2*c*x^9 + 1/2*a^3*b*f*x^8 + 4/7*a^3*b*e*x^7 + 2/3*a^3*b*d*x^6 + 4/5*a^3*b*c*x^5 + 1/4*a^4*f*x^4 + 1/3*a^4*e*x^3 + 1/2*a^4*d*x^2 + a^4*c*x$$

maple [A] time = 0.04, size = 199, normalized size = 1.03

$$\frac{1}{20}b^4fx^{20} + \frac{1}{19}b^4ex^{19} + \frac{1}{18}b^4dx^{18} + \frac{1}{17}b^4cx^{17} + \frac{1}{4}ab^3fx^{16} + \frac{4}{15}ab^3ex^{15} + \frac{2}{7}ab^3dx^{14} + \frac{4}{13}ab^3cx^{13} + \frac{1}{2}a^2b^2fx^{12} + \frac{6}{11}a^2b^2ex^{11} + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^3bfx^8 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^3bdx^6 + \frac{4}{5}a^3bcx^5 + \frac{1}{4}a^4fx^4 + \frac{1}{3}a^4ex^3 + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x)

$$[Out] 1/20*f*b^4*x^{20}+1/19*b^4*e*x^{19}+1/18*b^4*d*x^{18}+1/17*b^4*c*x^{17}+1/4*f*a*b^3*x^{16}+4/15*a*b^3*e*x^{15}+2/7*a*b^3*d*x^{14}+4/13*a*b^3*c*x^{13}+1/2*f*b^2*a^2*x^{12}+6/11*a^2*b^2*e*x^{11}+3/5*a^2*b^2*d*x^{10}+2/3*a^2*b^2*c*x^9+1/2*a^3*b*f*x^8+4/7*a^3*b*e*x^7+2/3*a^3*b*d*x^6+4/5*a^3*b*c*x^5+1/4*a^4*f*x^4+1/3*a^4*e*x^3+1/2*a^4*d*x^2+a^4*c*x$$

maxima [A] time = 1.33, size = 198, normalized size = 1.03

$$\frac{1}{20}b^4fx^{20} + \frac{1}{19}b^4ex^{19} + \frac{1}{18}b^4dx^{18} + \frac{1}{17}b^4cx^{17} + \frac{1}{4}ab^3fx^{16} + \frac{4}{15}ab^3ex^{15} + \frac{2}{7}ab^3dx^{14} + \frac{4}{13}ab^3cx^{13} + \frac{1}{2}a^2b^2fx^{12} + \frac{6}{11}a^2b^2ex^{11} + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^3bfx^8 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^3bdx^6 + \frac{4}{5}a^3bcx^5 + \frac{1}{4}a^4fx^4 + \frac{1}{3}a^4ex^3 + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x, algorithm="maxima")

$$[Out] 1/20*b^4*f*x^{20} + 1/19*b^4*e*x^{19} + 1/18*b^4*d*x^{18} + 1/17*b^4*c*x^{17} + 1/4*a*b^3*f*x^{16} + 4/15*a*b^3*e*x^{15} + 2/7*a*b^3*d*x^{14} + 4/13*a*b^3*c*x^{13} + 1/2*a^2*b^2*f*x^{12} + 6/11*a^2*b^2*e*x^{11} + 3/5*a^2*b^2*d*x^{10} + 2/3*a^2*b^2*c*x^9 + 1/2*a^3*b*f*x^8 + 4/7*a^3*b*e*x^7 + 2/3*a^3*b*d*x^6 + 4/5*a^3*b*c*x^5 + 1/4*a^4*f*x^4 + 1/3*a^4*e*x^3 + 1/2*a^4*d*x^2 + a^4*c*x$$

mupad [B] time = 5.08, size = 198, normalized size = 1.03

$$\frac{f a^4 x^4}{4} + \frac{e a^4 x^3}{3} + \frac{d a^4 x^2}{2} + c a^4 x + \frac{f a^3 b x^8}{2} + \frac{4 e a^3 b x^7}{7} + \frac{2 d a^3 b x^6}{3} + \frac{4 c a^3 b x^5}{5} + \frac{f a^2 b^2 x^{12}}{2} + \frac{6 e a^2 b^2 x^{11}}{11} + \frac{3 d a^2 b^2 x^{10}}{5} + \frac{2 c a^2 b^2 x^9}{3} + \frac{f a b^3 x^{16}}{4} + \frac{4 e a b^3 x^{15}}{15} + \frac{2 d a b^3 x^{14}}{7} + \frac{4 c a b^3 x^{13}}{13} + \frac{f b^4 x^{20}}{20} + \frac{e b^4 x^{19}}{19} + \frac{d b^4 x^{18}}{18} + \frac{c b^4 x^{17}}{17}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^4)^4*(c + d*x + e*x^2 + f*x^3),x)`

[Out] $(a^4*d*x^2)/2 + (b^4*c*x^{17})/17 + (a^4*e*x^3)/3 + (b^4*d*x^{18})/18 + (a^4*f*x^4)/4 + (b^4*e*x^{19})/19 + (b^4*f*x^{20})/20 + a^4*c*x + (2*a^2*b^2*c*x^9)/3 + (3*a^2*b^2*d*x^{10})/5 + (6*a^2*b^2*e*x^{11})/11 + (a^2*b^2*f*x^{12})/2 + (4*a^3*b*c*x^5)/5 + (4*a*b^3*c*x^{13})/13 + (2*a^3*b*d*x^6)/3 + (2*a*b^3*d*x^{14})/7 + (4*a^3*b*e*x^7)/7 + (4*a*b^3*e*x^{15})/15 + (a^3*b*f*x^8)/2 + (a*b^3*f*x^{16})/4$

sympy [A] time = 0.10, size = 241, normalized size = 1.25

$$a^4cx + \frac{a^4dx^2}{2} + \frac{a^4ex^3}{3} + \frac{a^4fx^4}{4} + \frac{4a^3bcx^5}{5} + \frac{2a^3bdx^6}{3} + \frac{4a^3bex^7}{7} + \frac{a^3bfx^8}{2} + \frac{2a^2b^2cx^9}{3} + \frac{3a^2b^2dx^{10}}{5} + \frac{6a^2b^2ex^{11}}{11} + \frac{a^2b^2fx^{12}}{2} + \frac{4ab^3cx^{13}}{13} + \frac{2ab^3dx^{14}}{7} + \frac{4ab^3ex^{15}}{15} + \frac{ab^3fx^{16}}{4} + \frac{b^4cx^{17}}{17} + \frac{b^4dx^{18}}{18} + \frac{b^4ex^{19}}{19} + \frac{b^4fx^{20}}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**4,x)`

[Out] $a**4*c*x + a**4*d*x**2/2 + a**4*e*x**3/3 + a**4*f*x**4/4 + 4*a**3*b*c*x**5/5 + 2*a**3*b*d*x**6/3 + 4*a**3*b*e*x**7/7 + a**3*b*f*x**8/2 + 2*a**2*b**2*c*x**9/3 + 3*a**2*b**2*d*x**10/5 + 6*a**2*b**2*e*x**11/11 + a**2*b**2*f*x**12/2 + 4*a*b**3*c*x**13/13 + 2*a*b**3*d*x**14/7 + 4*a*b**3*e*x**15/15 + a*b**3*f*x**16/4 + b**4*c*x**17/17 + b**4*d*x**18/18 + b**4*e*x**19/19 + b**4*f*x**20/20$

$$3.384 \quad \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^4 dx$$

Optimal. Leaf size=198

$$\frac{1}{5}a^4dx^5 + \frac{1}{6}a^4ex^6 + \frac{1}{7}a^4fx^7 + \frac{4}{9}a^3bdx^9 + \frac{2}{5}a^3bex^{10} + \frac{4}{11}a^3bfx^{11} + \frac{6}{13}a^2b^2dx^{13} + \frac{3}{7}a^2b^2ex^{14} + \frac{2}{5}a^2b^2fx^{15} + \frac{4}{17}ab^3dx^{17} + \frac{2}{9}ab^3ex^{18} + \frac{4}{19}ab^3fx^{19} + \frac{c(a+bx^4)^5}{20b} + \frac{1}{21}b^4dx^{21} + \frac{1}{22}b^4ex^{22} + \frac{1}{23}b^4fx^{23}$$

Rubi [A] time = 0.15, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1582, 1850}

$$\frac{6}{13}a^2b^2dx^{13} + \frac{3}{7}a^2b^2ex^{14} + \frac{2}{5}a^2b^2fx^{15} + \frac{4}{9}a^3bdx^9 + \frac{2}{5}a^3bex^{10} + \frac{4}{11}a^3bfx^{11} + \frac{1}{5}a^4dx^5 + \frac{1}{6}a^4ex^6 + \frac{1}{7}a^4fx^7 + \frac{4}{17}ab^3dx^{17} + \frac{2}{9}ab^3ex^{18} + \frac{4}{19}ab^3fx^{19} + \frac{c(a+bx^4)^5}{20b} + \frac{1}{21}b^4dx^{21} + \frac{1}{22}b^4ex^{22} + \frac{1}{23}b^4fx^{23}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^4,x]

[Out] (a^4*d*x^5)/5 + (a^4*e*x^6)/6 + (a^4*f*x^7)/7 + (4*a^3*b*d*x^9)/9 + (2*a^3*b*e*x^10)/5 + (4*a^3*b*f*x^11)/11 + (6*a^2*b^2*d*x^13)/13 + (3*a^2*b^2*e*x^14)/7 + (2*a^2*b^2*f*x^15)/5 + (4*a*b^3*d*x^17)/17 + (2*a*b^3*e*x^18)/9 + (4*a*b^3*f*x^19)/19 + (b^4*d*x^21)/21 + (b^4*e*x^22)/22 + (b^4*f*x^23)/23 + (c*(a + b*x^4)^5)/(20*b)

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$2/5*x^{15}*f*b^2*a^2 + 3/7*x^{14}*e*b^2*a^2 + 6/13*x^{13}*d*b^2*a^2 + 1/2*x^{12}*c*b^2*a^2 + 4/11*x^{11}*f*b*a^3 + 2/5*x^{10}*e*b*a^3 + 4/9*x^9*d*b*a^3 + 1/2*x^8*c*b*a^3 + 1/7*x^7*f*a^4 + 1/6*x^6*e*a^4 + 1/5*x^5*d*a^4 + 1/4*x^4*c*a^4$$

giac [A] time = 0.19, size = 206, normalized size = 1.04

$$\frac{1}{23}b^4fx^{23} + \frac{1}{22}b^4ex^{22} + \frac{1}{21}b^4dx^{21} + \frac{1}{20}b^4cx^{20} + \frac{4}{19}ab^3fx^{19} + \frac{2}{9}ab^3ex^{18} + \frac{4}{17}ab^3dx^{17} + \frac{1}{4}ab^3cx^{16} + \frac{2}{5}a^2b^2fx^{15} + \frac{3}{7}a^2b^2ex^{14} + \frac{6}{13}a^2b^2dx^{13} + \frac{1}{2}a^2b^2cx^{12} + \frac{4}{11}a^3bfx^{11} + \frac{2}{5}a^3bex^{10} + \frac{4}{9}a^3bdx^9 + \frac{1}{2}a^3bcx^8 + \frac{1}{7}a^4fx^7 + \frac{1}{6}a^4ex^6 + \frac{1}{5}a^4dx^5 + \frac{1}{4}a^4cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x, algorithm="giac")

$$[Out] \frac{1}{23}b^4f*x^{23} + \frac{1}{22}b^4e*x^{22} + \frac{1}{21}b^4d*x^{21} + \frac{1}{20}b^4c*x^{20} + \frac{4}{19}a*b^3*f*x^{19} + \frac{2}{9}a*b^3*e*x^{18} + \frac{4}{17}a*b^3*d*x^{17} + \frac{1}{4}a*b^3*c*x^{16} + \frac{2}{5}a^2*b^2*f*x^{15} + \frac{3}{7}a^2*b^2*e*x^{14} + \frac{6}{13}a^2*b^2*d*x^{13} + \frac{1}{2}a^2*b^2*c*x^{12} + \frac{4}{11}a^3*b*f*x^{11} + \frac{2}{5}a^3*b*e*x^{10} + \frac{4}{9}a^3*b*d*x^9 + \frac{1}{2}a^3*b*c*x^8 + \frac{1}{7}a^4*f*x^7 + \frac{1}{6}a^4*e*x^6 + \frac{1}{5}a^4*d*x^5 + \frac{1}{4}a^4*c*x^4$$

maple [A] time = 0.04, size = 202, normalized size = 1.02

$$\frac{1}{23}b^4fx^{23} + \frac{1}{22}b^4ex^{22} + \frac{1}{21}b^4dx^{21} + \frac{1}{20}b^4cx^{20} + \frac{4}{19}ab^3fx^{19} + \frac{2}{9}ab^3ex^{18} + \frac{4}{17}ab^3dx^{17} + \frac{1}{4}ab^3cx^{16} + \frac{2}{5}a^2b^2fx^{15} + \frac{3}{7}a^2b^2ex^{14} + \frac{6}{13}a^2b^2dx^{13} + \frac{1}{2}a^2b^2cx^{12} + \frac{4}{11}a^3bfx^{11} + \frac{2}{5}a^3bex^{10} + \frac{4}{9}a^3bdx^9 + \frac{1}{2}a^3bcx^8 + \frac{1}{7}a^4fx^7 + \frac{1}{6}a^4ex^6 + \frac{1}{5}a^4dx^5 + \frac{1}{4}a^4cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x)

$$[Out] \frac{1}{23}b^4f*x^{23} + \frac{1}{22}b^4e*x^{22} + \frac{1}{21}b^4d*x^{21} + \frac{1}{20}c*b^4*x^{20} + \frac{4}{19}a*b^3*f*x^{19} + \frac{2}{9}a*b^3*e*x^{18} + \frac{4}{17}a*b^3*d*x^{17} + \frac{1}{4}a*b^3*c*x^{16} + \frac{2}{5}a^2*b^2*f*x^{15} + \frac{3}{7}a^2*b^2*e*x^{14} + \frac{6}{13}a^2*b^2*d*x^{13} + \frac{1}{2}c*b^2*a^2*x^{12} + \frac{4}{11}a^3*b*f*x^{11} + \frac{2}{5}a^3*b*e*x^{10} + \frac{4}{9}a^3*b*d*x^9 + \frac{1}{2}c*a^3*b*x^8 + \frac{1}{7}a^4*f*x^7 + \frac{1}{6}a^4*e*x^6 + \frac{1}{5}a^4*d*x^5 + \frac{1}{4}c*a^4*x^4$$

maxima [A] time = 1.37, size = 201, normalized size = 1.02

$$\frac{1}{23}b^4fx^{23} + \frac{1}{22}b^4ex^{22} + \frac{1}{21}b^4dx^{21} + \frac{1}{20}b^4cx^{20} + \frac{4}{19}ab^3fx^{19} + \frac{2}{9}ab^3ex^{18} + \frac{4}{17}ab^3dx^{17} + \frac{1}{4}ab^3cx^{16} + \frac{2}{5}a^2b^2fx^{15} + \frac{3}{7}a^2b^2ex^{14} + \frac{6}{13}a^2b^2dx^{13} + \frac{1}{2}a^2b^2cx^{12} + \frac{4}{11}a^3bfx^{11} + \frac{2}{5}a^3bex^{10} + \frac{4}{9}a^3bdx^9 + \frac{1}{2}a^3bcx^8 + \frac{1}{7}a^4fx^7 + \frac{1}{6}a^4ex^6 + \frac{1}{5}a^4dx^5 + \frac{1}{4}a^4cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x, algorithm="maxima")

$$[Out] \frac{1}{23}b^4f*x^{23} + \frac{1}{22}b^4e*x^{22} + \frac{1}{21}b^4d*x^{21} + \frac{1}{20}b^4c*x^{20} + \frac{4}{19}a*b^3*f*x^{19} + \frac{2}{9}a*b^3*e*x^{18} + \frac{4}{17}a*b^3*d*x^{17} + \frac{1}{4}a*b^3*c*x^{16} + \frac{2}{5}a^2*b^2*f*x^{15} + \frac{3}{7}a^2*b^2*e*x^{14} + \frac{6}{13}a^2*b^2*d*x^{13} + \frac{1}{2}a^2*b^2*c*x^{12} + \frac{4}{11}a^3*b*f*x^{11} + \frac{2}{5}a^3*b*e*x^{10} + \frac{4}{9}a^3*b*d*x^9 + \frac{1}{2}a^3*b*c*x^8 + \frac{1}{7}a^4*f*x^7 + \frac{1}{6}a^4*e*x^6 + \frac{1}{5}a^4*d*x^5 + \frac{1}{4}a^4*c*x^4$$

mupad [B] time = 0.36, size = 201, normalized size = 1.02

$$\frac{f a^4 x^7}{7} + \frac{e a^4 x^6}{6} + \frac{d a^4 x^5}{5} + \frac{c a^4 x^4}{4} + \frac{4 f a^3 b x^{11}}{11} + \frac{2 e a^3 b x^{10}}{5} + \frac{4 d a^3 b x^9}{9} + \frac{c a^3 b x^8}{2} + \frac{2 f a^2 b^2 x^{15}}{5} + \frac{3 e a^2 b^2 x^{14}}{7} + \frac{6 d a^2 b^2 x^{13}}{13} + \frac{c a^2 b^2 x^{12}}{2} + \frac{4 f a b^3 x^{19}}{19} + \frac{2 e a b^3 x^{18}}{9} + \frac{4 d a b^3 x^{17}}{17} + \frac{c a b^3 x^{16}}{4} + \frac{f b^4 x^{23}}{23} + \frac{e b^4 x^{22}}{22} + \frac{d b^4 x^{21}}{21} + \frac{c b^4 x^{20}}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3*(a + b*x^4)^4*(c + d*x + e*x^2 + f*x^3), x)$

[Out] $(a^4*c*x^4)/4 + (a^4*d*x^5)/5 + (b^4*c*x^{20})/20 + (a^4*e*x^6)/6 + (b^4*d*x^{21})/21 + (a^4*f*x^7)/7 + (b^4*e*x^{22})/22 + (b^4*f*x^{23})/23 + (a^2*b^2*c*x^{12})/2 + (6*a^2*b^2*d*x^{13})/13 + (3*a^2*b^2*e*x^{14})/7 + (2*a^2*b^2*f*x^{15})/5 + (a^3*b*c*x^8)/2 + (a*b^3*c*x^{16})/4 + (4*a^3*b*d*x^9)/9 + (4*a*b^3*d*x^{17})/17 + (2*a^3*b*e*x^{10})/5 + (2*a*b^3*e*x^{18})/9 + (4*a^3*b*f*x^{11})/11 + (4*a*b^3*f*x^{19})/19$

sympy [A] time = 0.11, size = 245, normalized size = 1.24

$$\frac{a^4cx^4}{4} + \frac{a^4dx^5}{5} + \frac{a^4ex^6}{6} + \frac{a^4fx^7}{7} + \frac{a^3bcx^8}{2} + \frac{4a^3bdx^9}{9} + \frac{2a^3bex^{10}}{5} + \frac{4a^3bfx^{11}}{11} + \frac{a^2b^2cx^{12}}{2} + \frac{6a^2b^2dx^{13}}{13} + \frac{3a^2b^2ex^{14}}{7} + \frac{2a^2b^2fx^{15}}{5} + \frac{ab^3cx^{16}}{4} + \frac{4ab^3dx^{17}}{17} + \frac{2ab^3ex^{18}}{9} + \frac{4ab^3fx^{19}}{19} + \frac{b^4cx^{20}}{20} + \frac{b^4dx^{21}}{21} + \frac{b^4ex^{22}}{22} + \frac{b^4fx^{23}}{23}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**4, x)$

[Out] $a**4*c*x**4/4 + a**4*d*x**5/5 + a**4*e*x**6/6 + a**4*f*x**7/7 + a**3*b*c*x**8/2 + 4*a**3*b*d*x**9/9 + 2*a**3*b*e*x**10/5 + 4*a**3*b*f*x**11/11 + a**2*b**2*c*x**12/2 + 6*a**2*b**2*d*x**13/13 + 3*a**2*b**2*e*x**14/7 + 2*a**2*b**2*f*x**15/5 + a*b**3*c*x**16/4 + 4*a*b**3*d*x**17/17 + 2*a*b**3*e*x**18/9 + 4*a*b**3*f*x**19/19 + b**4*c*x**20/20 + b**4*d*x**21/21 + b**4*e*x**22/22 + b**4*f*x**23/23$

$$3.385 \quad \int \frac{c+dx+ex^2+fx^3}{a-bx^4} dx$$

Optimal. Leaf size=133

$$\frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}e + \sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} - \frac{f \log(a - bx^4)}{4b}$$

Rubi [A] time = 0.12, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {1876, 1167, 205, 208, 1248, 635, 260}

$$\frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}e + \sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} - \frac{f \log(a - bx^4)}{4b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4), x]

[Out] ((Sqrt[b]*c - Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(3/4)) + ((Sqrt[b]*c + Sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(3/4)) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*Sqrt[b]) - (f*Log[a - b*x^4])/(4*b)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] :> Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e

}, x] && !NiceSqrtQ[-(a*c)]

Rule 1167

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1248

Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3}{a - bx^4} dx &= \int \left(\frac{c + ex^2}{a - bx^4} + \frac{x(d + fx^2)}{a - bx^4} \right) dx \\
 &= \int \frac{c + ex^2}{a - bx^4} dx + \int \frac{x(d + fx^2)}{a - bx^4} dx \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{a - bx^2} dx, x, x^2 \right) + \frac{1}{2} \left(-\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{1}{-\sqrt{a}\sqrt{b} - bx^2} dx + \frac{1}{2} \left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{1}{\sqrt{a}\sqrt{b} - bx^2} dx \\
 &= \frac{(\sqrt{bc} - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{bc} + \sqrt{a}e) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right) \\
 &= \frac{(\sqrt{bc} - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{bc} + \sqrt{a}e) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{bx^2}}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{f}{2} \int \frac{1}{a - bx^2} dx
 \end{aligned}$$

Mathematica [A] time = 0.11, size = 214, normalized size = 1.61

$$\frac{\log(\sqrt[4]{a} - \sqrt[4]{bx})(a^{3/4}e + \sqrt[4]{a}\sqrt{bc} + \sqrt{a}\sqrt[4]{bd})}{4ab^{3/4}} - \frac{\log(\sqrt[4]{a} + \sqrt[4]{bx})(-a^{3/4}e - \sqrt[4]{a}\sqrt{bc} + \sqrt{a}\sqrt[4]{bd})}{4ab^{3/4}} + \frac{(\sqrt[4]{a}\sqrt{bc} - a^{3/4}e)\tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}}\right)}{2ab^{3/4}} + \frac{d\log(\sqrt{a} + \sqrt{bx^2})}{4\sqrt{a}\sqrt{b}} - \frac{f\log(a - bx^4)}{4b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4), x]

[Out] ((a^(1/4)*Sqrt[b]*c - a^(3/4)*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/(2*a*b^(3/4)) - ((a^(1/4)*Sqrt[b]*c + Sqrt[a]*b^(1/4)*d + a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x]/(4*a*b^(3/4)) - ((-a^(1/4)*Sqrt[b]*c) + Sqrt[a]*b^(1/4)*d - a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x]/(4*a*b^(3/4)) + (d*Log[Sqrt[a] + Sqrt[b]*x^2])/(4*Sqrt[a]*Sqrt[b]) - (f*Log[a - b*x^4])/(4*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3}{a - bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.19, size = 280, normalized size = 2.11

$$\frac{\sqrt{2}\left(b^2c - \sqrt{2}(-ab^3)^{\frac{1}{2}}bd + \sqrt{-ab}be\right)\arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(-\frac{1}{b}\right)^{\frac{1}{2}}\right)}{2\left(-\frac{1}{b}\right)^{\frac{1}{2}}}\right)}{4(-ab^3)^{\frac{3}{2}}} - \frac{\sqrt{2}\left(b^2c + \sqrt{2}(-ab^3)^{\frac{1}{2}}bd - \sqrt{-ab}be\right)\arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(-\frac{1}{b}\right)^{\frac{1}{2}}\right)}{2\left(-\frac{1}{b}\right)^{\frac{1}{2}}}\right)}{4(-ab^3)^{\frac{3}{2}}} - \frac{\sqrt{2}\left(b^2c - \sqrt{-ab}be\right)\log\left(x^2 + \sqrt{2}x\left(-\frac{1}{b}\right)^{\frac{1}{2}} + \sqrt{-\frac{1}{b}}\right)}{8(-ab^3)^{\frac{3}{2}}} + \frac{\sqrt{2}\left(b^2c - \sqrt{-ab}be\right)\log\left(x^2 - \sqrt{2}x\left(-\frac{1}{b}\right)^{\frac{1}{2}} + \sqrt{-\frac{1}{b}}\right)}{8(-ab^3)^{\frac{3}{2}}} - \frac{f\log(|bx^4 - a|)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="giac")

[Out] -1/4*sqrt(2)*(b^2*c - sqrt(2)*(-a*b^3)^(1/4)*b*d + sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/4*sqrt(2)*(b^2*c + sqrt(2)*(-a*b^3)^(1/4)*b*d - sqrt(-a*b)*b*e)*arctan(1/2*sq

$$\text{rt}(2) * (2 * x - \sqrt{2} * (-a/b)^{(1/4)}) / (-a/b)^{(1/4)} / (-a * b^3)^{(3/4)} - 1/8 * \sqrt{2} * (b^2 * c - \sqrt{2} * (-a * b) * b * e) * \log(x^2 + \sqrt{2} * x * (-a/b)^{(1/4)} + \sqrt{2} * (-a/b)) / (-a * b^3)^{(3/4)} + 1/8 * \sqrt{2} * (b^2 * c - \sqrt{2} * (-a * b) * b * e) * \log(x^2 - \sqrt{2} * x * (-a/b)^{(1/4)} + \sqrt{2} * (-a/b)) / (-a * b^3)^{(3/4)} - 1/4 * f * \log(\text{abs}(b * x^4 - a)) / b$$

maple [A] time = 0.05, size = 177, normalized size = 1.33

$$-\frac{d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{4\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} c \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a} - \frac{e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}} b} + \frac{e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}} b} - \frac{f \ln(b x^4 - a)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x)

[Out] $1/4 * c * (a/b)^{(1/4)} / a * \ln((x + (a/b)^{(1/4)}) / (x - (a/b)^{(1/4)})) + 1/2 * c * (a/b)^{(1/4)} / a * \arctan(1 / (a/b)^{(1/4)} * x) - 1/4 / (a * b)^{(1/2)} * d * \ln(((a * b)^{(1/2)} * x^2 - a) / (- (a * b)^{(1/2)} * x^2 - a)) - 1/2 * e / b / (a/b)^{(1/4)} * \arctan(1 / (a/b)^{(1/4)} * x) + 1/4 * e / b / (a/b)^{(1/4)} * \ln((x + (a/b)^{(1/4)}) / (x - (a/b)^{(1/4)})) - 1/4 * f / b * \ln(b * x^4 - a)$

maxima [A] time = 3.03, size = 174, normalized size = 1.31

$$\frac{(\sqrt{b}c - \sqrt{a}e) \arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{2\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} + \frac{(\sqrt{b}d - \sqrt{a}f) \log(\sqrt{b}x^2 + \sqrt{a})}{4\sqrt{a}b} - \frac{(\sqrt{b}d + \sqrt{a}f) \log(\sqrt{b}x^2 - \sqrt{a})}{4\sqrt{a}b} - \frac{(\sqrt{b}c + \sqrt{a}e) \log\left(\frac{\sqrt{b}x - \sqrt{\sqrt{a}\sqrt{b}}}{\sqrt{b}x + \sqrt{\sqrt{a}\sqrt{b}}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="maxima")

[Out] $1/2 * (\sqrt{b} * c - \sqrt{a} * e) * \arctan(\sqrt{b} * x / \sqrt{\sqrt{a} * \sqrt{b}}) / (\sqrt{a} * \sqrt{\sqrt{a} * \sqrt{b}} * \sqrt{b}) + 1/4 * (\sqrt{b} * d - \sqrt{a} * f) * \log(\sqrt{b} * x^2 + \sqrt{a}) / (\sqrt{a} * b) - 1/4 * (\sqrt{b} * d + \sqrt{a} * f) * \log(\sqrt{b} * x^2 - \sqrt{a}) / (\sqrt{a} * b) - 1/4 * (\sqrt{b} * c + \sqrt{a} * e) * \log((\sqrt{b} * x - \sqrt{\sqrt{a} * \sqrt{b}}) / (\sqrt{b} * x + \sqrt{\sqrt{a} * \sqrt{b}})) / (\sqrt{a} * \sqrt{\sqrt{a} * \sqrt{b}} * \sqrt{b})$

mupad [B] time = 5.66, size = 1970, normalized size = 14.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a - b*x^4), x)

[Out] $\text{symsum}(\log(b^2 * c^2 * e - b^2 * c * d^2 - b^2 * d^3 * x - a * b * e^3 - a * b * c * f^2 - 16 * \text{root}(256 * a^3 * b^4 * z^4 + 256 * a^3 * b^3 * f * z^3 - 64 * a^2 * b^3 * c * e * z^2 + 96 * a^3 * b^2 * f^2$

```

*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^
2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*b*d*e^2*f - 4*a^2
*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d^2*f^2 + 2*a*b^2*
c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k)^2*a*b^3*c - 4*ro
ot(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^
2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a
^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*b*d*e^2*f - 4*a^
2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d^2*f^2 + 2*a*b^2
*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k)*b^3*c^2*x - b^2
*c^2*f*x + 16*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2
+ 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^
2*d^2*f*z + 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*
b*d*e^2*f - 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d
^2*f^2 + 2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k)
^2*a*b^3*d*x - 4*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*
z^2 + 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2
*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a
^2*b*d*e^2*f - 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*
b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z,
k)*a*b^2*e^2*x + 2*a*b*d*e*f - 8*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3
- 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2
*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*
a^3*b*f^3*z + 4*a^2*b*d*e^2*f - 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2
*c*d^2*e - 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*
e^4 - b^3*c^4, z, k)*a*b^2*c*f + 8*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3
- 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^
2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16
*a^3*b*f^3*z + 4*a^2*b*d*e^2*f - 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^
2*c*d^2*e - 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b
*e^4 - b^3*c^4, z, k)*a*b^2*d*e + a*b*d*f^2*x - a*b*e^2*f*x + 2*b^2*c*d*e*x
+ 8*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2 + 96*a^3
*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z
+ 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*b*d*e^2*f
- 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d^2*f^2 +
2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k)*a*b^2*d*
f*x)*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2 + 96*a^3
*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z
+ 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*b*d*e^2*f
- 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d^2*f^2 +
2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k), k, 1, 4
)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)
```

```
[Out] Timed out
```

$$3.386 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{a-bx^4} dx$$

Optimal. Leaf size=162

$$\frac{\sqrt[4]{a} (\sqrt{b}d - \sqrt{a}f) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2b^{7/4}} + \frac{\sqrt[4]{a} (\sqrt{a}f + \sqrt{b}d) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2b^{7/4}} + \frac{\sqrt{a}e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2b^{3/2}} - \frac{c \log(a - bx^4)}{4b} - \frac{dx}{b} - \frac{ex^2}{2b} - \frac{fx^3}{3b}$$

Rubi [A] time = 0.20, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.310$, Rules used = {1831, 1252, 774, 635, 208, 260, 1280, 1167, 205}

$$\frac{\sqrt[4]{a} (\sqrt{b}d - \sqrt{a}f) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2b^{7/4}} + \frac{\sqrt[4]{a} (\sqrt{a}f + \sqrt{b}d) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2b^{7/4}} + \frac{\sqrt{a}e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2b^{3/2}} - \frac{c \log(a - bx^4)}{4b} - \frac{dx}{b} - \frac{ex^2}{2b} - \frac{fx^3}{3b}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3))/(a - b*x^4), x]

[Out] -((d*x)/b) - (e*x^2)/(2*b) - (f*x^3)/(3*b) + (a^(1/4)*(Sqrt[b]*d - Sqrt[a]*f)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(2*b^(7/4)) + (a^(1/4)*(Sqrt[b]*d + Sqrt[a]*f)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(2*b^(7/4)) + (Sqrt[a]*e*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(2*b^(3/2)) - (c*Log[a - b*x^4])/(4*b)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 774

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))]/((a_) + (c_.)*(x_)^2), x_Symbol] := Simp[(e*g*x)/c, x] + Dist[1/c, Int[(c*d*f - a*e*g + c*(e*f + d*g)*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1280

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1831

Int[((Pq_)*((c_.)*(x_))^(m_.))/((a_) + (b_.)*(x_)^n), x_Symbol] := With[{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx + ex^2 + fx^3)}{a - bx^4} dx &= \int \left(\frac{x^3 (c + ex^2)}{a - bx^4} + \frac{x^4 (d + fx^2)}{a - bx^4} \right) dx \\
&= \int \frac{x^3 (c + ex^2)}{a - bx^4} dx + \int \frac{x^4 (d + fx^2)}{a - bx^4} dx \\
&= -\frac{fx^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \frac{x(c + ex)}{a - bx^2} dx, x, x^2 \right) + \frac{\int \frac{x^2(3af+3bdx^2)}{a-bx^4} dx}{3b} \\
&= -\frac{dx}{b} - \frac{ex^2}{2b} - \frac{fx^3}{3b} + \frac{\int \frac{3abd+3abfx^2}{a-bx^4} dx}{3b^2} - \frac{\text{Subst} \left(\int \frac{-ae-bcx}{a-bx^2} dx, x, x^2 \right)}{2b} \\
&= -\frac{dx}{b} - \frac{ex^2}{2b} - \frac{fx^3}{3b} + \frac{1}{2} c \text{Subst} \left(\int \frac{x}{a - bx^2} dx, x, x^2 \right) + \frac{(ae) \text{Subst} \left(\int \frac{1}{a-bx^2} dx, x, x^2 \right)}{2b} \\
&= -\frac{dx}{b} - \frac{ex^2}{2b} - \frac{fx^3}{3b} + \frac{\sqrt[4]{a} (\sqrt{b} d - \sqrt{a} f) \tan^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2b^{7/4}} + \frac{\sqrt[4]{a} (\sqrt{b} d + \sqrt{a} f) \tanh^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2b^{7/4}}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 221, normalized size = 1.36

$$\frac{-3 \log(\sqrt[4]{a} - \sqrt[4]{b} x) (a^{3/4} f + \sqrt[4]{a} \sqrt{b} d + \sqrt{a} \sqrt[4]{b} e) + 3 \log(\sqrt[4]{a} + \sqrt[4]{b} x) (a^{3/4} f + \sqrt[4]{a} \sqrt{b} d - \sqrt{a} \sqrt[4]{b} e) + 6 (\sqrt[4]{a} \sqrt{b} d - a^{3/4} f) \tan^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right) - 3 b^{3/4} c \log(a - b x^4) + 3 \sqrt[4]{a} \sqrt[4]{b} e \log(\sqrt{a} + \sqrt{b} x^2) - 12 b^{3/4} d x - 6 b^{3/4} e x^2 - 4 b^{3/4} f x^3}{12 b^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a - b*x^4),x]

[Out] (-12*b^(3/4)*d*x - 6*b^(3/4)*e*x^2 - 4*b^(3/4)*f*x^3 + 6*(a^(1/4)*Sqrt[b]*d - a^(3/4)*f)*ArcTan[(b^(1/4)*x)/a^(1/4)] - 3*(a^(1/4)*Sqrt[b]*d + Sqrt[a]*b^(1/4)*e + a^(3/4)*f)*Log[a^(1/4) - b^(1/4)*x] + 3*(a^(1/4)*Sqrt[b]*d - Sqrt[a]*b^(1/4)*e + a^(3/4)*f)*Log[a^(1/4) + b^(1/4)*x] + 3*Sqrt[a]*b^(1/4)*e*Log[Sqrt[a] + Sqrt[b]*x^2] - 3*b^(3/4)*c*Log[a - b*x^4]/(12*b^(7/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (c + dx + ex^2 + fx^3)}{a - bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3))/(a - b*x^4),x]

[Out] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3))/(a - b*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.19, size = 328, normalized size = 2.02

$$\frac{c \log(|bx^4 - a|)}{4b^4} - \frac{\sqrt{2}(\sqrt{2}\sqrt{-ab}b^2c - (-ab)^{\frac{3}{2}}d - (-ab)^{\frac{3}{2}}f) \arctan\left(\frac{\sqrt{2}(\sqrt{2}\sqrt{-ab}b^2c - (-ab)^{\frac{3}{2}}d - (-ab)^{\frac{3}{2}}f)}{2(-f)^{\frac{3}{2}}}\right)}{4b^4} - \frac{\sqrt{2}(\sqrt{2}\sqrt{-ab}b^2c - (-ab)^{\frac{3}{2}}d - (-ab)^{\frac{3}{2}}f) \arctan\left(\frac{\sqrt{2}(\sqrt{2}\sqrt{-ab}b^2c - (-ab)^{\frac{3}{2}}d - (-ab)^{\frac{3}{2}}f)}{2(-f)^{\frac{3}{2}}}\right)}{4b^4} + \frac{\sqrt{2}((-ab)^{\frac{3}{2}}d - (-ab)^{\frac{3}{2}}f) \log(x^2 + \sqrt{2}x(-f)^{\frac{1}{2}} + \sqrt{-f})}{8b^4} - \frac{\sqrt{2}((-ab)^{\frac{3}{2}}d - (-ab)^{\frac{3}{2}}f) \log(x^2 - \sqrt{2}x(-f)^{\frac{1}{2}} + \sqrt{-f})}{8b^4} - \frac{2b^2f^3 + 3b^2d^2c + 6b^2dx}{6b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="giac")

[Out]
$$-1/4*c*\log(\text{abs}(b*x^4 - a))/b - 1/4*\text{sqrt}(2)*(\text{sqrt}(2)*\text{sqrt}(-a*b)*b^2*e - (-a*b^3)^{(1/4)}*b^2*d - (-a*b^3)^{(3/4)}*f)*\arctan(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/b^4 - 1/4*\text{sqrt}(2)*(\text{sqrt}(2)*\text{sqrt}(-a*b)*b^2*e - (-a*b^3)^{(1/4)}*b^2*d - (-a*b^3)^{(3/4)}*f)*\arctan(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/b^4 + 1/8*\text{sqrt}(2)*((-a*b^3)^{(1/4)}*b^2*d - (-a*b^3)^{(3/4)}*f)*\log(x^2 + \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/b^4 - 1/8*\text{sqrt}(2)*((-a*b^3)^{(1/4)}*b^2*d - (-a*b^3)^{(3/4)}*f)*\log(x^2 - \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/b^4 - 1/6*(2*b^2*f*x^3 + 3*b^2*x^2*e + 6*b^2*d*x)/b^3$$

maple [A] time = 0.04, size = 208, normalized size = 1.28

$$\frac{f x^3}{3b} - \frac{ae \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{4\sqrt{ab} b} - \frac{e x^2}{2b} - \frac{af \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}} b^2} + \frac{af \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}} b^2} - \frac{c \ln(b x^4 - a)}{4b} - \frac{dx}{b} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} d \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2b} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} d \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x)

[Out]
$$-1/3/b*f*x^3 - 1/2/b*e*x^2 - 1/b*d*x + 1/2/b*d*(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x) + 1/4/b*d*(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) - 1/4/b*a*e/(a*b)^{(1/2)}*\ln(((a*b)^{(1/2)}*x^2 - a)/(-(a*b)^{(1/2)}*x^2 - a)) - 1/2/b^2*a*f/(a/b)^{(1/4)}*a \arctan(1/(a/b)^{(1/4)}*x) + 1/4/b^2*a*f/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) - 1/4/b*c*\ln(b*x^4 - a)$$

maxima [A] time = 2.98, size = 208, normalized size = 1.28

$$\frac{2f x^3 + 3e x^2 + 6d x}{6b} + \frac{2\left(a\sqrt{b}d - a^{\frac{3}{2}}f\right) \arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}} - \frac{(\sqrt{a}bc - a\sqrt{b}e) \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}b} - \frac{(\sqrt{a}bc + a\sqrt{b}e) \log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}b} - \frac{\left(a\sqrt{b}d + a^{\frac{3}{2}}f\right) \log\left(\frac{\sqrt{b}x - \sqrt{a}\sqrt{b}}{\sqrt{b}x + \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="maxima")
```

```
[Out] -1/6*(2*f*x^3 + 3*e*x^2 + 6*d*x)/b + 1/4*(2*(a*sqrt(b)*d - a^(3/2)*f)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (sqrt(a)*b*c - a*sqrt(b)*e)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*b) - (sqrt(a)*b*c + a*sqrt(b)*e)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*b) - (a*sqrt(b)*d + a^(3/2)*f)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/b
```

mupad [B] time = 4.85, size = 846, normalized size = 5.22

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a - b*x^4),x)
```

```
[Out] symsum(log(- (a^4*f^3 + a^2*b^2*c^2*d + a^3*b*d*e^2 - a^3*b*d^2*f - 2*a^3*b*c*e*f)/b^2 - root(256*b^7*z^4 + 256*b^6*c*z^3 - 64*a*b^4*d*f*z^2 - 32*a*b^4*e^2*z^2 + 96*b^5*c^2*z^2 - 32*a*b^3*c*d*f*z + 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c*e^2*z + 16*b^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 - 4*a^2*b*c*e*f^2 - 4*a*b^2*c^2*d*f + 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 - 2*a*b^2*c^2*e^2 + a^2*b*e^4 + b^3*c^4 - a*b^2*d^4 - a^3*f^4, z, k)*(root(256*b^7*z^4 + 256*b^6*c*z^3 - 64*a*b^4*d*f*z^2 - 32*a*b^4*e^2*z^2 + 96*b^5*c^2*z^2 - 32*a*b^3*c*d*f*z + 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c*e^2*z + 16*b^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 - 4*a*b^2*c^2*d*f + 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 - 2*a*b^2*c^2*e^2 + a^2*b*e^4 + b^3*c^4 - a*b^2*d^4 - a^3*f^4, z, k)*(16*a^2*b^2*d - 16*a^2*b^2*e*x) + (8*a^2*b^3*c*d - 8*a^3*b^2*e*f)/b^2 + (x*(4*a^3*b*f^2 + 4*a^2*b^2*d^2 - 8*a^2*b^2*c*e))/b) - (x*(a^3*e^3 + a^3*c*f^2 - 2*a^3*d*e*f + a^2*b*c*d^2 - a^2*b*c^2*e))/b)*root(256*b^7*z^4 + 256*b^6*c*z^3 - 64*a*b^4*d*f*z^2 - 32*a*b^4*e^2*z^2 + 96*b^5*c^2*z^2 - 32*a*b^3*c*d*f*z + 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c*e^2*z + 16*b^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 - 4*a*b^2*c^2*d*f + 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 - 2*a*b^2*c^2*e^2 + a^2*b*e^4 + b^3*c^4 - a*b^2*d^4 - a^3*f^4, z, k), k, 1, 4) - (e*x^2)/(2*b) - (f*x^3)/(3*b) - (d*x)/b
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)
```

```
[Out] Timed out
```


$$3.387 \quad \int \frac{c+dx+ex^2+fx^3}{a+bx^4} dx$$

Optimal. Leaf size=293

$$\frac{(\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{ae} + \sqrt{bc}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}}$$

Rubi [A] time = 0.22, antiderivative size = 293, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {1876, 1168, 1162, 617, 204, 1165, 628, 1248, 635, 205, 260}

$$\frac{(\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{ae} + \sqrt{bc}) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{ae} + \sqrt{bc}) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{2\sqrt{2} a^{3/4} b^{3/4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{2\sqrt{a} \sqrt{b}} + \frac{f \log(a + bx^4)}{4b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4), x]

[Out] (d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*Sqrt[b]) - ((Sqrt[b]*c + Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(3/4)) + ((Sqrt[b]*c + Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(3/4)*b^(3/4)) - ((Sqrt[b]*c - Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(3/4)) + ((Sqrt[b]*c - Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*a^(3/4)*b^(3/4)) + (f*Log[a + b*x^4])/(4*b)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 635

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(
a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e
}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3}{a + bx^4} dx &= \int \left(\frac{c + ex^2}{a + bx^4} + \frac{x(d + fx^2)}{a + bx^4} \right) dx \\
 &= \int \frac{c + ex^2}{a + bx^4} dx + \int \frac{x(d + fx^2)}{a + bx^4} dx \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{a + bx^2} dx, x, x^2 \right) + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} - e \right) \int \frac{\sqrt{a}\sqrt{b} - bx^2}{a + bx^4} dx}{2b} + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{\sqrt{a}\sqrt{b} + bx^2}{a + bx^4} dx}{2b} \\
 &= \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right) + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{4b} + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} - e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{4b} \\
 &= \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{3/4}} \\
 &= \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{(\sqrt{bc} + \sqrt{a}e) \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}b^{3/4}} + \frac{(\sqrt{bc} + \sqrt{a}e) \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}b^{3/4}}
 \end{aligned}$$

Mathematica [A] time = 0.23, size = 296, normalized size = 1.01

$$\frac{-\sqrt{2}\sqrt[4]{b}(\sqrt[4]{a}\sqrt{bc} - a^{3/4})\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2) + \sqrt{2}\sqrt[4]{b}(\sqrt[4]{a}\sqrt{bc} - a^{3/4})\log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2) - 2\sqrt[4]{a}\sqrt[4]{b}\tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(2\sqrt[4]{a}\sqrt[4]{b}d + \sqrt{2}\sqrt{a}e + \sqrt{2}\sqrt{bc}) + 2\sqrt[4]{a}\sqrt[4]{b}\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right)(-2\sqrt[4]{a}\sqrt[4]{b}d + \sqrt{2}\sqrt{a}e + \sqrt{2}\sqrt{bc}) + 2af\log(a + bx^4)}{8ab}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4), x]

[Out] (-2*a^(1/4)*b^(1/4)*(Sqrt[2]*Sqrt[b]*c + 2*a^(1/4)*b^(1/4)*d + Sqrt[2]*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*a^(1/4)*b^(1/4)*(Sqrt[2]*Sqrt[b]*c - 2*a^(1/4)*b^(1/4)*d + Sqrt[2]*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - Sqrt[2]*b^(1/4)*(a^(1/4)*Sqrt[b]*c - a^(3/4)*e)*Log[Sq

rt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*b^(1/4)*(a^(1/4)*Sqrt[b]*c - a^(3/4)*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + 2*a*f*Log[a + b*x^4])/(8*a*b)

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3}{a + bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4), x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 290, normalized size = 0.99

$$\frac{f \log\left(\frac{bx^4 + a}{4b}\right)}{4b} - \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d - (ab^3)^{\frac{1}{2}} b^2 c - (ab^3)^{\frac{1}{2}} e\right) \arctan\left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2 \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4ab^3} - \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d - (ab^3)^{\frac{1}{2}} b^2 c - (ab^3)^{\frac{1}{2}} e\right) \arctan\left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2 \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4ab^3} + \frac{\sqrt{2} \left(\left(ab^3\right)^{\frac{1}{2}} b^2 c - (ab^3)^{\frac{1}{2}} e\right) \log\left(x^2 + \sqrt{2} x \left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{8ab^3} - \frac{\sqrt{2} \left(\left(ab^3\right)^{\frac{1}{2}} b^2 c - (ab^3)^{\frac{1}{2}} e\right) \log\left(x^2 - \sqrt{2} x \left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{8ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, algorithm="giac")

[Out] $\frac{1}{4} f \log(\text{abs}(b x^4 + a)) / b - \frac{1}{4} \sqrt{2} (\sqrt{2} \sqrt{a b} b^2 d - (a b^3)^{\frac{1}{2}} b^2 c - (a b^3)^{\frac{1}{2}} e) \arctan\left(\frac{1}{2} \sqrt{2} (2 x + \sqrt{2} (a/b)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}}\right) / (a b^3) - \frac{1}{4} \sqrt{2} (\sqrt{2} \sqrt{a b} b^2 d - (a b^3)^{\frac{1}{2}} b^2 c - (a b^3)^{\frac{1}{2}} e) \arctan\left(\frac{1}{2} \sqrt{2} (2 x - \sqrt{2} (a/b)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}}\right) / (a b^3) + \frac{1}{8} \sqrt{2} \left(\left(ab^3\right)^{\frac{1}{2}} b^2 c - (ab^3)^{\frac{1}{2}} e\right) \log\left(x^2 + \sqrt{2} x (a/b)^{\frac{1}{4}} + \sqrt{a/b}\right) / (a b^3) - \frac{1}{8} \sqrt{2} \left(\left(ab^3\right)^{\frac{1}{2}} b^2 c - (ab^3)^{\frac{1}{2}} e\right) \log\left(x^2 - \sqrt{2} x (a/b)^{\frac{1}{4}} + \sqrt{a/b}\right) / (a b^3)$

maple [A] time = 0.05, size = 294, normalized size = 1.00

$$\frac{d \arctan\left(\sqrt{\frac{a}{b}} x^2\right)}{2\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{2}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x - 1}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{2}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x + 1}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{2}} \sqrt{2} c \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{8a} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x - 1}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4 \left(\frac{a}{b}\right)^{\frac{1}{2}} b} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x + 1}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4 \left(\frac{a}{b}\right)^{\frac{1}{2}} b} + \frac{\sqrt{2} e \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{8 \left(\frac{a}{b}\right)^{\frac{1}{2}} b} + \frac{f \ln(b x^4 + a)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x^3+e*x^2+d*x+c)/(b*x^4+a), x)$

[Out] $\frac{1}{8}c*(a/b)^{(1/4)}/a*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+1/4*c*(a/b)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/4*(a/b)^{(1/4)}*2^{(1/2)}/a*c*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+1/2*d/(a*b)^{(1/2)}*\arctan((1/a*b)^{(1/2)}*x^2)+1/8*e/b/(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+1/4*e/b/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/4*e/b/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+1/4/b*f*\ln(b*x^4+a)$

maxima [A] time = 3.03, size = 277, normalized size = 0.95

$$\frac{\sqrt{2}(\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}f+bc-\sqrt{a}\sqrt{b}e})\log(\sqrt{b}x^2+\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}x+\sqrt{a}})}{8a^{\frac{1}{2}}b^{\frac{1}{2}}} + \frac{\sqrt{2}(\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}f-bc+\sqrt{a}\sqrt{b}e})\log(\sqrt{b}x^2-\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}x+\sqrt{a}})}{8a^{\frac{1}{2}}b^{\frac{1}{2}}} + \frac{(\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}c+\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}e}-2\sqrt{a}bd)\arctan\left(\frac{\sqrt{2}(2\sqrt{b}x+\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}})}}{2\sqrt{a}\sqrt{b}}\right)}{4a^{\frac{1}{2}}\sqrt{a}\sqrt{b}b^{\frac{1}{2}}} + \frac{(\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}c+\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}}e}+2\sqrt{a}bd)\arctan\left(\frac{\sqrt{2}(2\sqrt{b}x-\sqrt{2a^{\frac{1}{2}}b^{\frac{1}{2}})}}{2\sqrt{a}\sqrt{b}}\right)}{4a^{\frac{1}{2}}\sqrt{a}\sqrt{b}b^{\frac{1}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, \text{algorithm}="maxima")$

[Out] $\frac{1}{8}*\sqrt{2}*(\sqrt{2}*a^{(3/4)}*b^{(1/4)}*f + b*c - \sqrt{a}*\sqrt{b}*e)*\log(\sqrt{b}*x^2 + \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*b^{(5/4)}) + \frac{1}{8}*\sqrt{2}*(\sqrt{2}*a^{(3/4)}*b^{(1/4)}*f - b*c + \sqrt{a}*\sqrt{b}*e)*\log(\sqrt{b}*x^2 - \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*b^{(5/4)}) + \frac{1}{4}*(\sqrt{2}*a^{(1/4)}*b^{(5/4)}*c + \sqrt{2}*a^{(3/4)}*b^{(3/4)}*e - 2*\sqrt{a}*b*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x + \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{a*\sqrt{b}})/ (a^{(3/4)}*\sqrt{a*\sqrt{b}}*b^{(5/4)}) + \frac{1}{4}*(\sqrt{2}*a^{(1/4)}*b^{(5/4)}*c + \sqrt{2}*a^{(3/4)}*b^{(3/4)}*e + 2*\sqrt{a}*b*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{a*\sqrt{b}})/ (a^{(3/4)}*\sqrt{a*\sqrt{b}}*b^{(5/4)})$

mupad [B] time = 0.93, size = 1952, normalized size = 6.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3)/(a + b*x^4), x)$

[Out] $\text{symsum}(\log(b^2*c*d^2 - b^2*c^2*e + b^2*d^3*x - a*b*e^3 - a*b*c*f^2 - 16*\text{root}(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)^2*a*b^3*c - 4*\text{root}(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2$

```

2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a
^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^
2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2
*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)*b^3*c^2*x + b^2
*c^2*f*x + 16*root(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2
+ 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^
2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*
b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d
^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)
^2*a*b^3*d*x + 4*root(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*
z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2
*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a
^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*
b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z,
k)*a*b^2*e^2*x + 2*a*b*d*e*f + 8*root(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3
+ 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2
*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*
a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2
*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*
f^4 + b^3*c^4, z, k)*a*b^2*c*f - 8*root(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3
+ 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^
2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16
*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^
2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3
*f^4 + b^3*c^4, z, k)*a*b^2*d*e + a*b*d*f^2*x - a*b*e^2*f*x - 2*b^2*c*d*e*x
- 8*root(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3
*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z
+ 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f
+ 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 +
2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)*a*b^2*d*
f*x)*root(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3
*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z
+ 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f
+ 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 +
2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k), k, 1, 4
)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/(b*x**4+a),x)

[Out] Timed out

$$3.388 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{a+bx^4} dx$$

Optimal. Leaf size=321

$$\frac{\sqrt[4]{a} (\sqrt{b} d - \sqrt{a} f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} b^{7/4}} - \frac{\sqrt[4]{a} (\sqrt{b} d - \sqrt{a} f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} b^{7/4}} + \frac{\sqrt[4]{a}}{\dots}$$

Rubi [A] time = 0.33, antiderivative size = 321, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 13, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.464$, Rules used = {1831, 1252, 774, 635, 205, 260, 1280, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\sqrt[4]{a} (\sqrt{b} d - \sqrt{a} f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} b^{7/4}} - \frac{\sqrt[4]{a} (\sqrt{b} d - \sqrt{a} f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} b^{7/4}} + \frac{\sqrt[4]{a} (\sqrt{a} f + \sqrt{b} d) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{a} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} b^{7/4}} - \frac{\sqrt[4]{a} (\sqrt{a} f + \sqrt{b} d) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a} x}{\sqrt[4]{a}} + 1\right)}{2\sqrt{2} b^{7/4}} - \frac{\sqrt{a} e \tan^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{2b^{3/2}} + \frac{c \log(a + bx^4)}{4b} + \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4), x]

[Out] (d*x)/b + (e*x^2)/(2*b) + (f*x^3)/(3*b) - (Sqrt[a]*e*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(2*b^(3/2)) + (a^(1/4)*(Sqrt[b]*d + Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*b^(7/4)) - (a^(1/4)*(Sqrt[b]*d + Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*b^(7/4)) + (a^(1/4)*(Sqrt[b]*d - Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*b^(7/4)) - (a^(1/4)*(Sqrt[b]*d - Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*b^(7/4)) + (c*Log[a + b*x^4])/(4*b)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^n), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 635

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 774

```
Int((((d_) + (e_)*(x_))*((f_) + (g_)*(x_)))/((a_) + (c_)*(x_)^2), x_Symbol] := Simp[(e*g*x)/c, x] + Dist[1/c, Int[(c*d*f - a*e*g + c*(e*f + d*g)*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```


c)]

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x]
/; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1280

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x]
- Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m - 1)
- c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1]
&& NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1831

```
Int[((Pq_)*((c_.)*(x_))^(m_.))/((a_) + (b_.)*(x_)^n), x_Symbol]
:> With[{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii])*x^(n/2))
)/(c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}], Int[v, x] /; SumQ[v] /; FreeQ[{a, b, c, m}, x]
&& PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx + ex^2 + fx^3)}{a + bx^4} dx &= \int \left(\frac{x^3 (c + ex^2)}{a + bx^4} + \frac{x^4 (d + fx^2)}{a + bx^4} \right) dx \\
&= \int \frac{x^3 (c + ex^2)}{a + bx^4} dx + \int \frac{x^4 (d + fx^2)}{a + bx^4} dx \\
&= \frac{fx^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \frac{x(c + ex)}{a + bx^2} dx, x, x^2 \right) - \frac{\int \frac{x^2(3af - 3bdx^2)}{a + bx^4} dx}{3b} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b} + \frac{\int \frac{-3abd - 3abfx^2}{a + bx^4} dx}{3b^2} + \frac{\text{Subst} \left(\int \frac{-ae + bcx}{a + bx^2} dx, x, x^2 \right)}{2b} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b} + \frac{1}{2} c \text{Subst} \left(\int \frac{x}{a + bx^2} dx, x, x^2 \right) - \frac{(ae) \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{2b} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b} - \frac{\sqrt{a} e \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2b^{3/2}} + \frac{c \log(a + bx^4)}{4b} + \frac{(\sqrt[4]{a} (\sqrt{b} d - \sqrt{a} f))}{4\sqrt{2} b^{7/4}} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b} - \frac{\sqrt{a} e \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2b^{3/2}} + \frac{\sqrt[4]{a} (\sqrt{b} d - \sqrt{a} f) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b})}{4\sqrt{2} b^{7/4}} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b} - \frac{\sqrt{a} e \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2b^{3/2}} + \frac{\sqrt[4]{a} (\sqrt{b} d + \sqrt{a} f) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2\sqrt{2} b^{7/4}}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 311, normalized size = 0.97

$$\frac{-3\sqrt{2} (a^{3/4} f - \sqrt{a} \sqrt{b} d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2) + 3\sqrt{2} (a^{3/4} f - \sqrt{a} \sqrt{b} d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2) + 6b^{3/4} c \log(a + bx^4) + 6\sqrt{a} e \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right) (2\sqrt[4]{a} \sqrt[4]{b} c + \sqrt{2} \sqrt{a} f + \sqrt{2} \sqrt{b} d) - 6\sqrt{a} e \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1 \right) (-2\sqrt[4]{a} \sqrt[4]{b} c + \sqrt{2} \sqrt{a} f + \sqrt{2} \sqrt{b} d) + 24b^{3/4} dx + 12b^{3/4} cx^2 + 8b^{3/4} fx^3}{24b^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4), x]

[Out] (24*b^(3/4)*d*x + 12*b^(3/4)*e*x^2 + 8*b^(3/4)*f*x^3 + 6*a^(1/4)*(Sqrt[2]*Sqrt[b]*d + 2*a^(1/4)*b^(1/4)*e + Sqrt[2]*Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - 6*a^(1/4)*(Sqrt[2]*Sqrt[b]*d - 2*a^(1/4)*b^(1/4)*e + Sqrt[2]*Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - 3*Sqrt[2]*(-(a^(1/4)*Sqrt[b]*d) + a^(3/4)*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + 3*Sqrt[2]*(-(a^(1/4)*Sqrt[b]*d) + a^(3/4)*f)*Log[Sqrt[a] + Sqrt[2]

)]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + 6*b^(3/4)*c*Log[a + b*x^4])/(24*b^(7/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (c + dx + ex^2 + fx^3)}{a + bx^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4), x]

[Out] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 308, normalized size = 0.96

$$\frac{c \log(|bx^4 + a|)}{4b} + \frac{\sqrt{2} \sqrt{ab} b^2 c - (ab^3)^{\frac{1}{2}} b^2 d - (ab^3)^{\frac{1}{2}} f}{4b^4} \arctan\left(\frac{\sqrt{2} \sqrt{2 + \sqrt{2}} (\frac{x}{b})^{\frac{1}{2}}}{2 (\frac{x}{b})^{\frac{1}{2}}}\right) + \frac{\sqrt{2} (\sqrt{2} \sqrt{ab} b^2 c - (ab^3)^{\frac{1}{2}} b^2 d - (ab^3)^{\frac{1}{2}} f)}{4b^4} \arctan\left(\frac{\sqrt{2} \sqrt{2 - \sqrt{2}} (\frac{x}{b})^{\frac{1}{2}}}{2 (\frac{x}{b})^{\frac{1}{2}}}\right) - \frac{\sqrt{2} ((ab^3)^{\frac{1}{2}} b^2 d - (ab^3)^{\frac{1}{2}} f) \log(x^2 + \sqrt{2} x (\frac{x}{b})^{\frac{1}{2}} + \sqrt{\frac{a}{b}})}{8b^4} + \frac{\sqrt{2} ((ab^3)^{\frac{1}{2}} b^2 d - (ab^3)^{\frac{1}{2}} f) \log(x^2 - \sqrt{2} x (\frac{x}{b})^{\frac{1}{2}} + \sqrt{\frac{a}{b}})}{8b^4} + \frac{2b^2 f x^3 + 3b^2 c^2 e + 6b^2 d x}{6b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, algorithm="giac")

[Out] $\frac{1}{4} c \log(\text{abs}(b x^4 + a)) / b + \frac{1}{4} \sqrt{2} (\sqrt{2} \sqrt{a b}) b^2 e - (a b^3)^{\frac{1}{4}} b^2 d - (a b^3)^{\frac{3}{4}} f) \arctan(1/2 \sqrt{2} (2 x + \sqrt{2} (a/b)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}}) / b^4 + \frac{1}{4} \sqrt{2} (\sqrt{2} \sqrt{a b}) b^2 e - (a b^3)^{\frac{1}{4}} b^2 d - (a b^3)^{\frac{3}{4}} f) \arctan(1/2 \sqrt{2} (2 x - \sqrt{2} (a/b)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}}) / b^4 - \frac{1}{8} \sqrt{2} ((a b^3)^{\frac{1}{4}} b^2 d - (a b^3)^{\frac{3}{4}} f) \log(x^2 + \sqrt{2} x (a/b)^{\frac{1}{4}} + \sqrt{a/b}) / b^4 + \frac{1}{8} \sqrt{2} ((a b^3)^{\frac{1}{4}} b^2 d - (a b^3)^{\frac{3}{4}} f) \log(x^2 - \sqrt{2} x (a/b)^{\frac{1}{4}} + \sqrt{a/b}) / b^4 + \frac{1}{6} (2 b^2 f x^3 + 3 b^2 c^2 e + 6 b^2 d x) / b^3$

maple [A] time = 0.05, size = 325, normalized size = 1.01

$$\frac{f x^3}{3b} - \frac{ae \arctan\left(\sqrt{\frac{a}{b}} x\right)}{2\sqrt{ab} b} + \frac{e x^2}{2b} - \frac{\sqrt{2} a f \arctan\left(\frac{\sqrt{2} x}{(\frac{x}{b})^{\frac{1}{2}}} - 1\right)}{4(\frac{x}{b})^{\frac{1}{2}} b^2} - \frac{\sqrt{2} a f \arctan\left(\frac{\sqrt{2} x}{(\frac{x}{b})^{\frac{1}{2}}} + 1\right)}{4(\frac{x}{b})^{\frac{1}{2}} b^2} - \frac{\sqrt{2} a f \ln\left(\frac{x^2 - (\frac{x}{b})^{\frac{1}{2}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + (\frac{x}{b})^{\frac{1}{2}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{8(\frac{x}{b})^{\frac{1}{2}} b^2} + \frac{c \ln(b x^4 + a)}{4b} + \frac{dx}{b} - \frac{(\frac{x}{b})^{\frac{1}{2}} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{(\frac{x}{b})^{\frac{1}{2}}} - 1\right)}{4b} - \frac{(\frac{x}{b})^{\frac{1}{2}} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{(\frac{x}{b})^{\frac{1}{2}}} + 1\right)}{4b} - \frac{(\frac{x}{b})^{\frac{1}{2}} \sqrt{2} d \ln\left(\frac{x^2 + (\frac{x}{b})^{\frac{1}{2}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - (\frac{x}{b})^{\frac{1}{2}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{8b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a), x)$

[Out] $\frac{1}{3} \frac{f x^3 + \frac{1}{2} e x^2 + \frac{1}{b} d x - \frac{1}{4} \frac{d}{b} \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}} x - 1}\right) - \frac{1}{8} \frac{d}{b} \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} x + \left(\frac{a}{b}\right)^{\frac{1}{2}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} x + \left(\frac{a}{b}\right)^{\frac{1}{2}}}\right) - \frac{1}{4} \frac{d}{b} \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}} x + 1}\right) - \frac{1}{2} \frac{e}{b} \left(\frac{a}{b}\right)^{\frac{1}{2}} \arctan\left(\frac{1}{\left(\frac{a}{b}\right)^{\frac{1}{4}} x^2}\right) - \frac{1}{8} \frac{e}{b^2} \frac{a f}{\left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} x + \left(\frac{a}{b}\right)^{\frac{1}{2}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} x + \left(\frac{a}{b}\right)^{\frac{1}{2}}}\right) - \frac{1}{4} \frac{e}{b^2} \frac{a f}{\left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}} x + 1}\right) - \frac{1}{4} \frac{e}{b^2} \frac{a f}{\left(\frac{a}{b}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}} x - 1}\right) + \frac{1}{4} c \ln(b x^4 + a)}{b}$

maxima [A] time = 3.01, size = 305, normalized size = 0.95

$$\frac{2fx^3 + 3ex^2 + 6dx}{6b} + \frac{\sqrt{2} \left(\sqrt{2a^{\frac{3}{4}}b^{\frac{5}{4}}c - abd + a^{\frac{3}{2}}\sqrt{b}f} \right) \log\left(\sqrt{b}x^2 + \sqrt{2a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}}\right)}{a^{\frac{3}{4}}b^{\frac{5}{4}}} + \frac{\sqrt{2} \left(\sqrt{2a^{\frac{3}{4}}b^{\frac{5}{4}}c + abd - a^{\frac{3}{2}}\sqrt{b}f} \right) \log\left(\sqrt{b}x^2 - \sqrt{2a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}}\right)}{a^{\frac{3}{4}}b^{\frac{5}{4}}} - \frac{2 \left(\sqrt{2a^{\frac{5}{4}}b^{\frac{5}{4}}d + \sqrt{2a^{\frac{2}{4}}b^{\frac{3}{4}}f - 2a^{\frac{3}{2}}bc} \right) \arctan\left(\frac{\sqrt{2} \left(2\sqrt{b} + \sqrt{2a^{\frac{1}{4}}b^{\frac{1}{4}}} \right)}{2\sqrt{a}\sqrt{b}}\right)}{a^{\frac{3}{4}}\sqrt{a}\sqrt{b}b^{\frac{5}{4}}} - \frac{2 \left(\sqrt{2a^{\frac{5}{4}}b^{\frac{5}{4}}d + \sqrt{2a^{\frac{2}{4}}b^{\frac{3}{4}}f + 2a^{\frac{3}{2}}bc} \right) \arctan\left(\frac{\sqrt{2} \left(2\sqrt{b} - \sqrt{2a^{\frac{1}{4}}b^{\frac{1}{4}}} \right)}{2\sqrt{a}\sqrt{b}}\right)}{a^{\frac{3}{4}}\sqrt{a}\sqrt{b}b^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, \text{algorithm}="maxima")$

[Out] $\frac{1}{6} \frac{(2fx^3 + 3ex^2 + 6dx)}{b} + \frac{1}{8} \frac{(\sqrt{2} \left(\sqrt{2} \right) a^{\frac{3}{4}} b^{\frac{5}{4}} c - a b d + a^{\frac{3}{2}} \sqrt{b} f) \log(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a})}{a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{\sqrt{2} \left(\sqrt{2} \right) a^{\frac{3}{4}} b^{\frac{5}{4}} c + a b d - a^{\frac{3}{2}} \sqrt{b} f) \log(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a})}{a^{\frac{3}{4}} b^{\frac{5}{4}}} - \frac{2 \left(\sqrt{2} \right) a^{\frac{5}{4}} b^{\frac{5}{4}} d + \sqrt{2} a^{\frac{7}{4}} b^{\frac{3}{4}} f - 2 a^{\frac{3}{2}} b e) \arctan\left(\frac{1}{2} \sqrt{2} \left(2 \sqrt{b} x + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} \right) / \sqrt{a} \sqrt{b}\right)}{a^{\frac{3}{4}} \sqrt{a} \sqrt{b} b^{\frac{5}{4}}} - \frac{2 \left(\sqrt{2} \right) a^{\frac{5}{4}} b^{\frac{5}{4}} d + \sqrt{2} a^{\frac{7}{4}} b^{\frac{3}{4}} f + 2 a^{\frac{3}{2}} b e) \arctan\left(\frac{1}{2} \sqrt{2} \left(2 \sqrt{b} x - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} \right) / \sqrt{a} \sqrt{b}\right)}{a^{\frac{3}{4}} \sqrt{a} \sqrt{b} b^{\frac{5}{4}}}}{b}$

mupad [B] time = 4.85, size = 838, normalized size = 2.61

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4), x)$

[Out] $\text{symsum}\left(\frac{\log\left(\frac{a^4 f^3 + a^2 b^2 c^2 d - a^3 b d e^2 + a^3 b d^2 f + 2 a^3 b^3 c e f}{b^2} + \text{root}\left(256 b^7 z^4 - 256 b^6 c z^3 + 64 a b^4 d f z^2 + 32 a b^4 e^2 z^2 + 96 b^5 c^2 z^2 - 32 a b^3 c d f z - 16 a^2 b^2 e f^2 z + 16 a b^3 d^2 e z - 16 a b^3 c e^2 z - 16 b^4 c^3 z - 4 a^2 b d e^2 f + 4 a^2 b c e f^2 + 4 a b^2 c^2 d f - 4 a b^2 c d^2 e + 2 a^2 b d^2 f^2 + 2 a b^2 c^2 e^2 + a^2 b e^4 + a b^2 d^4 + a^3 f^4 + b^3 c^4, z, k\right)}{\text{root}\left(256 b^7 z^4 - 256 b^6 c z^3 + 64 a b^4 d f z^2 + 32 a b^4 e^2 z^2 + 96 b^5 c^2 z^2 - 32 a b^3 c d f z - 16 a^2 b^2 e f^2 z + 16 a b^3 d^2 e z - 16 a b^3 c e^2 z - 16 b^4 c^3 z - 4 a^2 b d e^2 f + 4 a^2 b c e f^2 + 4 a b^2 c^2 d f - 4 a b^2 c d^2 e + 2 a^2 b d^2 f^2 + 2 a b^2 c^2 e^2 + a^2 b e^4 + a b^2 d^4 + a^3 f^4 + b^3 c^4, z, k\right)}\right)$

```

3*c*d*f*z - 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c*e^2*z - 16*b
^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*
d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4
+ b^3*c^4, z, k)*(16*a^2*b^2*d - 16*a^2*b^2*e*x) - (8*a^2*b^3*c*d + 8*a^3*
b^2*e*f)/b^2 + (x*(4*a^3*b*f^2 - 4*a^2*b^2*d^2 + 8*a^2*b^2*c*e))/b - (x*(a
^3*e^3 + a^3*c*f^2 - 2*a^3*d*e*f - a^2*b*c*d^2 + a^2*b*c^2*e))/b)*root(256*
b^7*z^4 - 256*b^6*c*z^3 + 64*a*b^4*d*f*z^2 + 32*a*b^4*e^2*z^2 + 96*b^5*c^2*
z^2 - 32*a*b^3*c*d*f*z - 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c
*e^2*z - 16*b^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f
- 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*
d^4 + a^3*f^4 + b^3*c^4, z, k), k, 1, 4) + (e*x^2)/(2*b) + (f*x^3)/(3*b) +
(d*x)/b

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(b*x**4+a),x)

[Out] Timed out

$$3.389 \quad \int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^2} dx$$

Optimal. Leaf size=318

$$-\frac{(3\sqrt{b}c - \sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} + \frac{(3\sqrt{b}c - \sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} - \frac{(\sqrt{a}e + 3\sqrt{b}c) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right)}{8\sqrt{2} a^{7/4} b^{3/4}} + \frac{(\sqrt{a}e + 3\sqrt{b}c) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}} - 1\right)}{8\sqrt{2} a^{7/4} b^{3/4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2} \sqrt{b}} - \frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)}$$

Rubi [A] time = 0.27, antiderivative size = 318, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1854, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(3\sqrt{b}c - \sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} + \frac{(3\sqrt{b}c - \sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} - \frac{(\sqrt{a}e + 3\sqrt{b}c) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} b^{3/4}} + \frac{(\sqrt{a}e + 3\sqrt{b}c) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right)}{8\sqrt{2} a^{7/4} b^{3/4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2} \sqrt{b}} - \frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^2,x]

[Out] $-(a*f - b*x*(c + d*x + e*x^2))/(4*a*b*(a + b*x^4)) + (d*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(4*a^{3/2}*\text{Sqrt}[b]) - ((3*\text{Sqrt}[b]*c + \text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{1/4}*x)/a^{1/4}])/(8*\text{Sqrt}[2]*a^{7/4}*b^{3/4}) + ((3*\text{Sqrt}[b]*c + \text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{1/4}*x)/a^{1/4}])/(8*\text{Sqrt}[2]*a^{7/4}*b^{3/4}) - ((3*\text{Sqrt}[b]*c - \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{1/4}*b^{1/4}*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^{7/4}*b^{3/4}) + ((3*\text{Sqrt}[b]*c - \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{1/4}*b^{1/4}*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^{7/4}*b^{3/4})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1 /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1854

```
Int[(Pq)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1)/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]* (a + b*x^n)^(p + 1), x], x] /; q == n - 1 /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{(a + bx^4)^2} dx &= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} - \frac{\int \frac{-3c - 2dx - ex^2}{a + bx^4} dx}{4a} \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} - \frac{\int \left(-\frac{2dx}{a + bx^4} + \frac{-3c - ex^2}{a + bx^4} \right) dx}{4a} \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} - \frac{\int \frac{-3c - ex^2}{a + bx^4} dx}{4a} + \frac{d \int \frac{x}{a + bx^4} dx}{2a} \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{4a} + \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} - e \right) \int \frac{\sqrt{a}\sqrt{b} - bx^2}{a + bx^4} dx}{8ab} + \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} + \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} + e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16ab} + \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} \right)}{\sqrt{a}} \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{(3\sqrt{b}c - \sqrt{a}e) \log \left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x \right)}{16\sqrt{2}a^{7/4}b^{3/4}} \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{(3\sqrt{b}c + \sqrt{a}e) \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8\sqrt{2}a^{7/4}b^{3/4}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.41, size = 315, normalized size = 0.99

$$\frac{\sqrt{2}\sqrt[4]{b}(a^{3/4}e - 3\sqrt[4]{a}\sqrt{b}c) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2) + \sqrt{2}\sqrt[4]{b}(3\sqrt[4]{a}\sqrt{b}c - a^{3/4}e) \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2) - \frac{8af - 3d(-3a + (4+e)x)}{a+bx^4} - 2\sqrt[4]{a}\sqrt[4]{b} \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right) + \sqrt[4]{a}\sqrt[4]{b}d + \sqrt{2}\sqrt{a}e + 3\sqrt{2}\sqrt{b}c}{32a^2b} + 2\sqrt[4]{a}\sqrt[4]{b} \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right) - (-4\sqrt[4]{a}\sqrt[4]{b}d + \sqrt{2}\sqrt{a}e + 3\sqrt{2}\sqrt{b}c)}{32a^2b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^2, x]

[Out]
$$\frac{((-8*a*(a*f - b*x*(c + x*(d + e*x))))/(a + b*x^4) - 2*a^{(1/4)}*b^{(1/4)}*(3*\text{Sqrt}[2]*\text{Sqrt}[b]*c + 4*a^{(1/4)}*b^{(1/4)}*d + \text{Sqrt}[2]*\text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}] + 2*a^{(1/4)}*b^{(1/4)}*(3*\text{Sqrt}[2]*\text{Sqrt}[b]*c - 4*a^{(1/4)}*b^{(1/4)}*d + \text{Sqrt}[2]*\text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}] + \text{Sqrt}[2]*b^{(1/4)}*(-3*a^{(1/4)}*\text{Sqrt}[b]*c + a^{(3/4)}*e)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2] + \text{Sqrt}[2]*b^{(1/4)}*(3*a^{(1/4)}*\text{Sqrt}[b]*c - a^{(3/4)}*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(32*a^2*b)$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3}{(a + bx^4)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^2, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^2, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 316, normalized size = 0.99

$$\frac{bx^3e + bdx^2 + bxc - af}{4(bx^4 + a)ab} + \frac{\sqrt{2}(2\sqrt{2}\sqrt{ab}b^2d + 3(ab^3)^{\frac{1}{2}}b^2c + (ab^3)^{\frac{3}{2}}e)\arctan\left(\frac{\sqrt{2}(2x + \sqrt{2}(\frac{1}{2})^{\frac{1}{2}})}{2(\frac{1}{2})^{\frac{1}{2}}}\right)}{16a^2b^3} + \frac{\sqrt{2}(2\sqrt{2}\sqrt{ab}b^2d + 3(ab^3)^{\frac{1}{2}}b^2c + (ab^3)^{\frac{3}{2}}e)\arctan\left(\frac{\sqrt{2}(2x - \sqrt{2}(\frac{1}{2})^{\frac{1}{2}})}{2(\frac{1}{2})^{\frac{1}{2}}}\right)}{16a^2b^3} + \frac{\sqrt{2}(3(ab^3)^{\frac{1}{2}}b^2c - (ab^3)^{\frac{3}{2}}e)\log\left(x^2 + \sqrt{2}x(\frac{1}{2})^{\frac{1}{2}} + \sqrt{\frac{1}{2}}\right)}{32a^2b^3} - \frac{\sqrt{2}(3(ab^3)^{\frac{1}{2}}b^2c - (ab^3)^{\frac{3}{2}}e)\log\left(x^2 - \sqrt{2}x(\frac{1}{2})^{\frac{1}{2}} + \sqrt{\frac{1}{2}}\right)}{32a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out]
$$\frac{1}{4}*(b*x^3*e + b*d*x^2 + b*c*x - a*f)/((b*x^4 + a)*a*b) + \frac{1}{16}*\text{sqrt}(2)*(2*\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + 3*(a*b^3)^{(1/4)}*b^2*c + (a*b^3)^{(3/4)}*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^2*b^3) + \frac{1}{16}*\text{sqrt}(2)*(2*\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + 3*(a*b^3)^{(1/4)}*b^2*c + (a*b^3)^{(3/4)}*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^2*b^3) + \frac{1}{32}*\text{sqrt}(2)*(3*(a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(3/4)}*e)*\log(x^2 + \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a^2*b^3) - \frac{1}{32}*\text{sqrt}(2)*(3*(a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(3/4)}*e)*\log(x^2 - \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a^2*b^3)$$

maple [A] time = 0.05, size = 362, normalized size = 1.14

$$\frac{fx^4}{4(bx^4+a)a} + \frac{cx^3}{4(bx^4+a)a} + \frac{dx^2}{4(bx^4+a)a} + \frac{cx}{4(bx^4+a)a} + \frac{d \arctan\left(\sqrt{\frac{c}{a}}x\right)}{4\sqrt{ab}a} + \frac{\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{(f)^{\frac{1}{4}}}-1\right)}{16\left(\frac{c}{a}\right)^{\frac{1}{4}}ab} + \frac{\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{(f)^{\frac{1}{4}}}+1\right)}{16\left(\frac{c}{a}\right)^{\frac{1}{4}}ab} + \frac{\sqrt{2}e \ln\left(\frac{x^2-(f)^{\frac{1}{4}}\sqrt{2}x+\sqrt{f}}{x^2+(f)^{\frac{1}{4}}\sqrt{2}x+\sqrt{f}}\right)}{32\left(\frac{c}{a}\right)^{\frac{1}{4}}ab} + \frac{3\left(\frac{c}{a}\right)^{\frac{1}{4}}\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{(f)^{\frac{1}{4}}}-1\right)}{16a^2} + \frac{3\left(\frac{c}{a}\right)^{\frac{1}{4}}\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{(f)^{\frac{1}{4}}}+1\right)}{16a^2} + \frac{3\left(\frac{c}{a}\right)^{\frac{1}{4}}\sqrt{2}e \ln\left(\frac{x^2-(f)^{\frac{1}{4}}\sqrt{2}x+\sqrt{f}}{x^2+(f)^{\frac{1}{4}}\sqrt{2}x+\sqrt{f}}\right)}{32a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] 1/4/(b*x^4+a)/a*c*x+3/32*(a/b)^(1/4)*2^(1/2)/a^2*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4/(b*x^4+a)/a*d*x^2+1/4/(a*b)^(1/2)/a*d*arctan((1/a*b)^(1/2)*x^2)+1/4/(b*x^4+a)/a*e*x^3+1/32/(a/b)^(1/4)*2^(1/2)/a/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4*f*x^4/a/(b*x^4+a)

maxima [A] time = 3.06, size = 305, normalized size = 0.96

$$\frac{hex^3 + bdx^2 + bxc - af}{4(ab^2x^4 + a^2b)} + \frac{\sqrt{2}(3\sqrt{b}c - \sqrt{a}e) \log\left(\sqrt{bx^2 + \sqrt{2}a^{\frac{1}{2}}b^{\frac{1}{4}}x + \sqrt{a}}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2}(3\sqrt{b}c - \sqrt{a}e) \log\left(\sqrt{bx^2 - \sqrt{2}a^{\frac{1}{2}}b^{\frac{1}{4}}x + \sqrt{a}}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} + \frac{2\left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}c + \sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}e - 4\sqrt{a}\sqrt{bd}\right) \arctan\left(\frac{\sqrt{2}(2\sqrt{bx + \sqrt{2}a^{\frac{1}{2}}b^{\frac{1}{4}})}}{2\sqrt{a}\sqrt{b}}\right)}{32a} + \frac{2\left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}c + \sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}e + 4\sqrt{a}\sqrt{bd}\right) \arctan\left(\frac{\sqrt{2}(2\sqrt{bx - \sqrt{2}a^{\frac{1}{2}}b^{\frac{1}{4}})}}{2\sqrt{a}\sqrt{b}}\right)}{32a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] 1/4*(b*e*x^3 + b*d*x^2 + b*c*x - a*f)/(a*b^2*x^4 + a^2*b) + 1/32*(sqrt(2))* (3*sqrt(b)*c - sqrt(a)*e)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(3*sqrt(b)*c - sqrt(a)*e)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(3/4)*c + sqrt(2)*a^(3/4)*b^(1/4)*e - 4*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(3/4)*c + sqrt(2)*a^(3/4)*b^(1/4)*e + 4*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))/a

mapad [B] time = 0.36, size = 478, normalized size = 1.50

$$\frac{dx^4 + ex^3 + cx^2 + bx + a}{(a + bx^4)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^2,x)

```
[Out] symsum(log((x*(2*b^2*d^3 - 3*b^2*c*d*e))/(16*a^3) - (9*b^2*c^2*e - 12*b^2*c*d^2 + a*b*e^3)/(64*a^3) - root(65536*a^7*b^3*z^4 + 3072*a^4*b^2*c*e*z^2 + 2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z, k))*(root(65536*a^7*b^3*z^4 + 3072*a^4*b^2*c*e*z^2 + 2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z, k))*(12*b^3*c - 8*b^3*d*x) + (x*(36*a*b^3*c^2 - 4*a^2*b^2*e^2))/(16*a^3) + (b^2*d*e)/a))*root(65536*a^7*b^3*z^4 + 3072*a^4*b^2*c*e*z^2 + 2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z, k), k, 1, 4) + ((d*x^2)/(4*a) - f/(4*b) + (e*x^3)/(4*a) + (c*x)/(4*a))/(a + b*x^4)
```

sympy [A] time = 22.32, size = 517, normalized size = 1.63

RootSum(65536*_t**4*a**7*b**3 + _t**2*(3072*a**4*b**2*c*e + 2048*a**4*b**2*d**2) + _t*(128*a**3*b*d*e**2 - 1152*a**2*b**2*c**2*d) + a**2*e**4 + 18*a*b*c**2*e**2 - 48*a*b*c*d**2*e + 16*a*b*d**4 + 81*b**2*c**4, Lambda(_t, _t*log(x + (4096*_t**3*a**7*b**2*e**3 - 36864*_t**3*a**6*b**3*c**2*e + 98304*_t**3*a**6*b**3*c*d**2 + 4608*_t**2*a**5*b**2*c*d*e**2 - 4096*_t**2*a**5*b**2*d**3*e + 13824*_t**2*a**4*b**3*c**3*d + 144*_t*a**4*b*c*e**4 + 192*_t*a**4*b*d**2*e**3 - 1728*_t*a**3*b**2*c**3*e**2 + 5184*_t*a**3*b**2*c**2*d**2*e + 1536*_t*a**3*b**2*c*d**4 + 3888*_t*a**2*b**3*c**5 + 6*a**3*d*e**5 + 120*a**2*b*c*d**3*e**2 - 64*a**2*b*d**5*e + 810*a*b**2*c**4*d*e - 1080*a*b**2*c**3*d**3)/(a**3*e**6 - 9*a**2*b*c**2*e**4 + 96*a**2*b*c*d**2*e**3 - 64*a**2*b*d**4*e**2 - 81*a*b**2*c**4*e**2 + 864*a*b**2*c**3*d**2*e - 576*a*b**2*c**2*d**4 + 729*b**3*c**6)) + (-a*f + b*c*x + b*d*x**2 + b*e*x**3)/(4*a**2*b + 4*a*b**2*x**4)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x)
```

```
[Out] RootSum(65536*_t**4*a**7*b**3 + _t**2*(3072*a**4*b**2*c*e + 2048*a**4*b**2*d**2) + _t*(128*a**3*b*d*e**2 - 1152*a**2*b**2*c**2*d) + a**2*e**4 + 18*a*b*c**2*e**2 - 48*a*b*c*d**2*e + 16*a*b*d**4 + 81*b**2*c**4, Lambda(_t, _t*log(x + (4096*_t**3*a**7*b**2*e**3 - 36864*_t**3*a**6*b**3*c**2*e + 98304*_t**3*a**6*b**3*c*d**2 + 4608*_t**2*a**5*b**2*c*d*e**2 - 4096*_t**2*a**5*b**2*d**3*e + 13824*_t**2*a**4*b**3*c**3*d + 144*_t*a**4*b*c*e**4 + 192*_t*a**4*b*d**2*e**3 - 1728*_t*a**3*b**2*c**3*e**2 + 5184*_t*a**3*b**2*c**2*d**2*e + 1536*_t*a**3*b**2*c*d**4 + 3888*_t*a**2*b**3*c**5 + 6*a**3*d*e**5 + 120*a**2*b*c*d**3*e**2 - 64*a**2*b*d**5*e + 810*a*b**2*c**4*d*e - 1080*a*b**2*c**3*d**3)/(a**3*e**6 - 9*a**2*b*c**2*e**4 + 96*a**2*b*c*d**2*e**3 - 64*a**2*b*d**4*e**2 - 81*a*b**2*c**4*e**2 + 864*a*b**2*c**3*d**2*e - 576*a*b**2*c**2*d**4 + 729*b**3*c**6)) + (-a*f + b*c*x + b*d*x**2 + b*e*x**3)/(4*a**2*b + 4*a*b**2*x**4)
```

$$3.390 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^2} dx$$

Optimal. Leaf size=310

$$\frac{(\sqrt{b}d - 3\sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{3/4} b^{7/4}} + \frac{(\sqrt{b}d - 3\sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{3/4} b^{7/4}} - \frac{(3\sqrt{a}f + \sqrt{b}d) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right)}{8\sqrt{2} a^{3/4} b^{7/4}} + \frac{(3\sqrt{a}f + \sqrt{b}d) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}} - 1\right)}{8\sqrt{2} a^{3/4} b^{7/4}} + \frac{e \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4\sqrt{a} b^{3/2}} - \frac{c + dx + ex^2 + fx^3}{4b(a + bx^4)}$$

Rubi [A] time = 0.27, antiderivative size = 310, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {1823, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{b}d - 3\sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{3/4} b^{7/4}} + \frac{(\sqrt{b}d - 3\sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{3/4} b^{7/4}} - \frac{(3\sqrt{a}f + \sqrt{b}d) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{3/4} b^{7/4}} + \frac{(3\sqrt{a}f + \sqrt{b}d) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right)}{8\sqrt{2} a^{3/4} b^{7/4}} + \frac{e \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4\sqrt{a} b^{3/2}} - \frac{c + dx + ex^2 + fx^3}{4b(a + bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^2, x]

[Out] -(c + d*x + e*x^2 + f*x^3)/(4*b*(a + b*x^4)) + (e*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(4*Sqrt[a]*b^(3/2)) - ((Sqrt[b]*d + 3*Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(3/4)*b^(7/4)) + ((Sqrt[b]*d + 3*Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(3/4)*b^(7/4)) - ((Sqrt[b]*d - 3*Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(3/4)*b^(7/4)) + ((Sqrt[b]*d - 3*Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(3/4)*b^(7/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1823

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && EqQ[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
```

[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))/(a + b*x^n), {ii, 0, n/2 - 1}]], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{x^3 (c + dx + ex^2 + fx^3)}{(a + bx^4)^2} dx &= -\frac{c + dx + ex^2 + fx^3}{4b(a + bx^4)} + \frac{\int \frac{d+2ex+3fx^2}{a+bx^4} dx}{4b} \\
 &= -\frac{c + dx + ex^2 + fx^3}{4b(a + bx^4)} + \frac{\int \left(\frac{2ex}{a+bx^4} + \frac{d+3fx^2}{a+bx^4} \right) dx}{4b} \\
 &= -\frac{c + dx + ex^2 + fx^3}{4b(a + bx^4)} + \frac{\int \frac{d+3fx^2}{a+bx^4} dx}{4b} + \frac{e \int \frac{x}{a+bx^4} dx}{2b} \\
 &= -\frac{c + dx + ex^2 + fx^3}{4b(a + bx^4)} + \frac{e \operatorname{Subst} \left(\int \frac{1}{a+bx^2} dx, x, x^2 \right)}{4b} + \frac{\left(\frac{\sqrt{b}d}{\sqrt{a}} - 3f \right) \int \frac{\sqrt{a} \sqrt{b-bx^2}}{a+bx^4} dx}{8b^2} \\
 &= -\frac{c + dx + ex^2 + fx^3}{4b(a + bx^4)} + \frac{e \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4\sqrt{a} b^{3/2}} + \frac{\left(\frac{\sqrt{b}d}{\sqrt{a}} + 3f \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2} \sqrt[4]{ax}}{\sqrt[4]{b}} + x^2} dx}{16b^2} + \frac{\left(\frac{\sqrt{b}d}{\sqrt{a}} - 3f \right) \int \frac{\sqrt{a} \sqrt{b-bx^2}}{a+bx^4} dx}{8b^2} \\
 &= -\frac{c + dx + ex^2 + fx^3}{4b(a + bx^4)} + \frac{e \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4\sqrt{a} b^{3/2}} - \frac{(\sqrt{b}d - 3\sqrt{a}f) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x)}{16\sqrt{2} a^{3/4} b^{7/4}} \\
 &= -\frac{c + dx + ex^2 + fx^3}{4b(a + bx^4)} + \frac{e \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4\sqrt{a} b^{3/2}} - \frac{(\sqrt{b}d + 3\sqrt{a}f) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{8\sqrt{2} a^{3/4} b^{7/4}} + \frac{(\sqrt{b}d - 3\sqrt{a}f) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x)}{16\sqrt{2} a^{3/4} b^{7/4}}
 \end{aligned}$$

Mathematica [A] time = 0.38, size = 294, normalized size = 0.95

$$\frac{2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right) \left(4 \sqrt[4]{a} \sqrt[4]{b} e + 3 \sqrt{2} \sqrt{a} f + \sqrt{2} \sqrt{b} d \right)}{a^{3/4}} + \frac{2 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1 \right) \left(-4 \sqrt[4]{a} \sqrt[4]{b} e + 3 \sqrt{2} \sqrt{a} f + \sqrt{2} \sqrt{b} d \right)}{a^{3/4}} + \frac{\sqrt{2} (3 \sqrt{a} f - \sqrt{b} d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{32 b^{7/4}} + \frac{\sqrt{2} (\sqrt{b} d - 3 \sqrt{a} f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{a^{3/4}} - \frac{8 b^{3/4} (c + x(d + x(e + f x)))}{a + b x^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^2,x]

```
[Out] ((-8*b^(3/4)*(c + x*(d + x*(e + f*x))))/(a + b*x^4) - (2*(Sqrt[2]*Sqrt[b]*d
+ 4*a^(1/4)*b^(1/4)*e + 3*Sqrt[2]*Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x
)/a^(1/4)]/a^(3/4) + (2*(Sqrt[2]*Sqrt[b]*d - 4*a^(1/4)*b^(1/4)*e + 3*Sqrt[
2]*Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/a^(3/4) + (Sqrt[2]*(-
(Sqrt[b]*d) + 3*Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[
b]*x^2])/a^(3/4) + (Sqrt[2]*(Sqrt[b]*d - 3*Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]
*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(3/4))/(32*b^(7/4))
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (c + dx + ex^2 + fx^3)}{(a + bx^4)^2} dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^2,x]
```

```
[Out] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^2, x]
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [A] time = 0.22, size = 303, normalized size = 0.98

$$\frac{fx^3 + x^2e + dx + c}{4(bx^4 + a)^2} + \frac{\sqrt{2} \left(2\sqrt{2}\sqrt{ab}b^2e + (ab^3)^{\frac{1}{2}}b^2d + 3(ab^3)^{\frac{1}{2}}f \right) \arctan\left(\frac{\sqrt{2}(2x + \sqrt{2}(\frac{1}{2})^{\frac{1}{2}})}{2(\frac{1}{2})^{\frac{1}{2}}}\right)}{16ab^4} + \frac{\sqrt{2} \left(2\sqrt{2}\sqrt{ab}b^2e + (ab^3)^{\frac{1}{2}}b^2d + 3(ab^3)^{\frac{1}{2}}f \right) \arctan\left(\frac{\sqrt{2}(2x - \sqrt{2}(\frac{1}{2})^{\frac{1}{2}})}{2(\frac{1}{2})^{\frac{1}{2}}}\right)}{16ab^4} + \frac{\sqrt{2} \left((ab^3)^{\frac{1}{2}}b^2d - 3(ab^3)^{\frac{1}{2}}f \right) \log\left(x^2 + \sqrt{2}x\left(\frac{1}{2}\right)^{\frac{1}{2}} + \sqrt{\frac{1}{2}}\right)}{32ab^4} - \frac{\sqrt{2} \left((ab^3)^{\frac{1}{2}}b^2d - 3(ab^3)^{\frac{1}{2}}f \right) \log\left(x^2 - \sqrt{2}x\left(\frac{1}{2}\right)^{\frac{1}{2}} + \sqrt{\frac{1}{2}}\right)}{32ab^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")
```

```
[Out] -1/4*(f*x^3 + x^2*e + d*x + c)/((b*x^4 + a)*b) + 1/16*sqrt(2)*(2*sqrt(2)*sq
rt(a*b)*b^2*e + (a*b^3)^(1/4)*b^2*d + 3*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)
*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^4) + 1/16*sqrt(2)*(2*sqrt(2)
*sqrt(a*b)*b^2*e + (a*b^3)^(1/4)*b^2*d + 3*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt
(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^4) + 1/32*sqrt(2)*((a*b^3
)^(1/4)*b^2*d - 3*(a*b^3)^(3/4)*f)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a
/b))/(a*b^4) - 1/32*sqrt(2)*((a*b^3)^(1/4)*b^2*d - 3*(a*b^3)^(3/4)*f)*log(x
^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^4)
```

maple [A] time = 0.05, size = 334, normalized size = 1.08

$$\frac{e \arctan\left(\sqrt{\frac{x}{a}}\right)}{4\sqrt{ab}b} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}-1\right)}{16ab} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}+1\right)}{16ab} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} d \ln\left(\frac{x^2+\left(\frac{a}{b}\right)^{\frac{1}{2}}\sqrt{2}x+\sqrt{\frac{a}{b}}}{x^2-\left(\frac{a}{b}\right)^{\frac{1}{2}}\sqrt{2}x+\sqrt{\frac{a}{b}}}\right)}{32ab} + \frac{3\sqrt{2} f \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}-1\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}}b^2} + \frac{3\sqrt{2} f \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}+1\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}}b^2} + \frac{3\sqrt{2} f \ln\left(\frac{x^2-\left(\frac{a}{b}\right)^{\frac{1}{2}}\sqrt{2}x+\sqrt{\frac{a}{b}}}{x^2+\left(\frac{a}{b}\right)^{\frac{1}{2}}\sqrt{2}x+\sqrt{\frac{a}{b}}}\right)}{32\left(\frac{a}{b}\right)^{\frac{1}{4}}b^2} + \frac{-\frac{fx^3}{4b} - \frac{cx^2}{4b} - \frac{dx}{4b} - \frac{c}{4b}}{bx^4+a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] $(-1/4/b*f*x^3-1/4/b*e*x^2-1/4/b*d*x-1/4/b*c)/(b*x^4+a)+1/32/b*d*(a/b)^{(1/4)}/a^{2^{(1/2)}}*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+1/16/b*d*(a/b)^{(1/4)}/a^{2^{(1/2)}}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/16/b*d*(a/b)^{(1/4)}/a^{2^{(1/2)}}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+1/4/b*e/(a*b)^{(1/2)}*\arctan((1/a*b)^{(1/2)}*x^2)+3/32/b^2*f/(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+3/16/b^2*f/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+3/16/b^2*f/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)$

maxima [A] time = 3.02, size = 294, normalized size = 0.95

$$\frac{fx^3+ex^2+dx+c}{4(b^2x^4+ab)} + \frac{\sqrt{2}(\sqrt{b}d-3\sqrt{a}f)\log\left(\frac{\sqrt{b}x^2+\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x+\sqrt{a}}{a^{\frac{3}{4}}b^{\frac{3}{4}}}\right) - \sqrt{2}(\sqrt{b}d+3\sqrt{a}f)\log\left(\frac{\sqrt{b}x^2-\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x+\sqrt{a}}{a^{\frac{3}{4}}b^{\frac{3}{4}}}\right)}{32b} + \frac{2(\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}d+3\sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}f-4\sqrt{a}\sqrt{b}e)\arctan\left(\frac{\sqrt{2}(2\sqrt{b}x+\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}})}{2\sqrt{a}\sqrt{b}}\right)}{a^{\frac{3}{4}}\sqrt{a}\sqrt{b}b^{\frac{3}{4}}} + \frac{2(\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}d+3\sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}f+4\sqrt{a}\sqrt{b}e)\arctan\left(\frac{\sqrt{2}(2\sqrt{b}x-\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}})}{2\sqrt{a}\sqrt{b}}\right)}{a^{\frac{3}{4}}\sqrt{a}\sqrt{b}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] $-1/4*(f*x^3 + e*x^2 + d*x + c)/(b^2*x^4 + a*b) + 1/32*(\text{sqrt}(2)*(\text{sqrt}(b)*d - 3*\text{sqrt}(a)*f)*\log(\text{sqrt}(b)*x^2 + \text{sqrt}(2)*a^{(1/4)}*b^{(1/4)}*x + \text{sqrt}(a)))/(a^{(3/4)}*b^{(3/4)}) - \text{sqrt}(2)*(\text{sqrt}(b)*d - 3*\text{sqrt}(a)*f)*\log(\text{sqrt}(b)*x^2 - \text{sqrt}(2)*a^{(1/4)}*b^{(1/4)}*x + \text{sqrt}(a)))/(a^{(3/4)}*b^{(3/4)}) + 2*(\text{sqrt}(2)*a^{(1/4)}*b^{(3/4)}*d + 3*\text{sqrt}(2)*a^{(3/4)}*b^{(1/4)}*f - 4*\text{sqrt}(a)*\text{sqrt}(b)*e)*\arctan(1/2*\text{sqrt}(2)*(\text{sqrt}(2)*\text{sqrt}(b)*x + \text{sqrt}(2)*a^{(1/4)}*b^{(1/4)})/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(a^{(3/4)}*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*b^{(3/4)}) + 2*(\text{sqrt}(2)*a^{(1/4)}*b^{(3/4)}*d + 3*\text{sqrt}(2)*a^{(3/4)}*b^{(1/4)}*f + 4*\text{sqrt}(a)*\text{sqrt}(b)*e)*\arctan(1/2*\text{sqrt}(2)*(2*\text{sqrt}(b)*x - \text{sqrt}(2)*a^{(1/4)}*b^{(1/4)})/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(a^{(3/4)}*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*b^{(3/4)})/b$

mupad [B] time = 5.10, size = 559, normalized size = 1.80

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^2,x)


```
[Out] symsum(log((x*(2*e^3 - 3*d*e*f))/(16*b) - (27*a*f^3 - 4*b*d*e^2 + 3*b*d^2*f)/(64*b^2) - root(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k)*(3*a*e*f + (b*d^2*x)/4 - (9*a*f^2*x)/4 + 4*root(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k)*a*b^2*d - 8*root(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k)*a*b^2*e*x))*root(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k), k, 1, 4) - (c/(4*b) + (e*x^2)/(4*b) + (f*x^3)/(4*b) + (d*x)/(4*b))/(a + b*x^4)
```

sympy [A] time = 44.23, size = 510, normalized size = 1.65

RootSum(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k) * (3*a*e*f + (b*d^2*x)/4 - (9*a*f^2*x)/4 + 4*root(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k) * a*b^2*d - 8*root(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k) * a*b^2*e*x) * root(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k), k, 1, 4) - (c/(4*b) + (e*x^2)/(4*b) + (f*x^3)/(4*b) + (d*x)/(4*b))/(a + b*x^4)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x)
```

```
[Out] RootSum(65536*_t**4*a**3*b**7 + _t**2*(3072*a**2*b**4*d*f + 2048*a**2*b**4*e**2) + _t*(1152*a**2*b**2*e*f**2 - 128*a*b**3*d**2*e) + 81*a**2*f**4 + 18*a*b*d**2*f**2 - 48*a*b*d*e**2*f + 16*a*b*e**4 + b**2*d**4, Lambda(_t, _t*log(x + (110592*_t**3*a**4*b**5*f**3 - 12288*_t**3*a**3*b**6*d**2*f + 32768*_t**3*a**3*b**6*d*e**2 + 13824*_t**2*a**3*b**4*d*e*f**2 - 12288*_t**2*a**3*b**4*e**3*f + 512*_t**2*a**2*b**5*d**3*e + 3888*_t*a**3*b**2*d*f**4 + 5184*_t*a**3*b**2*e**2*f**3 - 576*_t*a**2*b**3*d**3*f**2 + 1728*_t*a**2*b**3*d**2*e**2*f + 512*_t*a**2*b**3*d*e**4 + 16*_t*a*b**4*d**5 + 1458*a**3*e*f**5 + 360*a**2*b*d*e**3*f**2 - 192*a**2*b*e**5*f + 30*a*b**2*d**4*e*f - 40*a*b**2*d**3*e**3)/(729*a**3*f**6 - 81*a**2*b*d**2*f**4 + 864*a**2*b*d*e**2*f**3 - 576*a**2*b*e**4*f**2 - 9*a*b**2*d**4*f**2 + 96*a*b**2*d**3*e**2*f - 64*a*b**2*d**2*e**4 + b**3*d**6)))) + (-c - d*x - e*x**2 - f*x**3)/(4*a*b + 4*b**2*x**4)
```

$$3.391 \quad \int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^3} dx$$

Optimal. Leaf size=351

$$-\frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} + \frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} - \frac{(5\sqrt{a}e + 7c) \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{b}}\right) + \frac{3d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right) - af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2}}{32a^2(a + bx^4)} + \frac{x(7c + 6dx + 5ex^2)}{16a^{5/2}\sqrt{b}}$$

Rubi [A] time = 0.32, antiderivative size = 351, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} + \frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} - \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{b}}\right)}{64\sqrt{2} a^{11/4} b^{3/4}} + \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{b}} + 1\right)}{64\sqrt{2} a^{11/4} b^{3/4}} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{3d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right) - af - bx(c + dx + ex^2)}{16a^{5/2}\sqrt{b}} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^3, x]

[Out] (x*(7*c + 6*d*x + 5*e*x^2))/(32*a^2*(a + b*x^4)) - (a*f - b*x*(c + d*x + e*x^2))/(8*a*b*(a + b*x^4)^2) + (3*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(16*a^(5/2)*Sqrt[b]) - ((21*Sqrt[b]*c + 5*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(3/4)) + ((21*Sqrt[b]*c + 5*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(3/4)) - ((21*Sqrt[b]*c - 5*Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(3/4)) + ((21*Sqrt[b]*c - 5*Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(3/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x

$^k], x] /; k \neq 1] /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

Rule 617

$\text{Int}[(a_ + (b_ \cdot x) + (c_ \cdot x^2))^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4 \cdot \text{Simplify}[(a \cdot c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2 \cdot c \cdot x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4 \cdot a \cdot c])] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0]$

Rule 628

$\text{Int}[(d_ + (e_ \cdot x))/(a_ + (b_ \cdot x) + (c_ \cdot x^2)), x_Symbol] \rightarrow \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + b \cdot x + c \cdot x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2 \cdot c \cdot d - b \cdot e, 0]$

Rule 1162

$\text{Int}[(d_ + (e_ \cdot x^2))/(a_ + (c_ \cdot x^4)), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e + q \cdot x + x^2, x], x], x] + \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e - q \cdot x + x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \ \&\& \ \text{PosQ}[d \cdot e]$

Rule 1165

$\text{Int}[(d_ + (e_ \cdot x^2))/(a_ + (c_ \cdot x^4)), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q - 2 \cdot x)/\text{Simp}[d/e + q \cdot x - x^2, x], x], x] + \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q + 2 \cdot x)/\text{Simp}[d/e - q \cdot x - x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \ \&\& \ \text{NegQ}[d \cdot e]$

Rule 1168

$\text{Int}[(d_ + (e_ \cdot x^2))/(a_ + (c_ \cdot x^4)), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[a \cdot c, 2]\}, \text{Dist}[(d \cdot q + a \cdot e)/(2 \cdot a \cdot c), \text{Int}[(q + c \cdot x^2)/(a + c \cdot x^4), x], x] + \text{Dist}[(d \cdot q - a \cdot e)/(2 \cdot a \cdot c), \text{Int}[(q - c \cdot x^2)/(a + c \cdot x^4), x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ \text{NeQ}[c \cdot d^2 - a \cdot e^2, 0] \ \&\& \ \text{NegQ}[-(a \cdot c)]$

Rule 1854

$\text{Int}[(Pq) \cdot ((a_ + (b_ \cdot x)^{n_})^{p_}), x_Symbol] \rightarrow \text{Module}[\{q = \text{Expon}[Pq, x], i\}, \text{Simp}[(a \cdot \text{Coeff}[Pq, x, q] - b \cdot x \cdot \text{ExpandToSum}[Pq - \text{Coeff}[Pq, x, q] \cdot x^q, x]) \cdot (a + b \cdot x^n)^{p+1}]/(a \cdot b \cdot n \cdot (p+1)), x] + \text{Dist}[1/(a \cdot n \cdot (p+1)), \text{Int}[\text{Sum}[(n \cdot (p+1) + i + 1) \cdot \text{Coeff}[Pq, x, i] \cdot x^i, \{i, 0, q-1\}] \cdot (a + b \cdot x^n)^{p+1}, x], x] /; q == n - 1] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n,$

0] && LtQ[p, -1]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] & & PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{(a + bx^4)^3} dx &= -\frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} - \frac{\int \frac{-7c - 6dx - 5ex^2}{(a + bx^4)^2} dx}{8a} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{\int \frac{21c + 12dx + 5ex^2}{a + bx^4} dx}{32a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{\int \left(\frac{12dx}{a + bx^4} + \frac{21c + 5ex^2}{a + bx^4} \right) dx}{32a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{\int \frac{21c + 5ex^2}{a + bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a + bx^4} dx}{8a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{(3d) \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{16a^2} + \frac{\left(\frac{21\sqrt{bc}}{\sqrt{a}} - 5e \right) \int \frac{1}{\sqrt{a + bx^4}} dx}{128\sqrt{2}} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{\left(\frac{21\sqrt{bc}}{\sqrt{a}} - 5e \right) \int \frac{1}{\sqrt{a + bx^4}} dx}{128\sqrt{2}} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{\left(\frac{21\sqrt{bc}}{\sqrt{a}} - 5e \right) \log \left(\frac{\sqrt{a + bx^4} + \sqrt{a}}{\sqrt{a + bx^4} - \sqrt{a}} \right)}{128\sqrt{2}} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{(21\sqrt{bc} + 5\sqrt{a}) \log \left(\frac{\sqrt{a + bx^4} + \sqrt{a}}{\sqrt{a + bx^4} - \sqrt{a}} \right)}{64\sqrt{2}}
\end{aligned}$$

Mathematica [A] time = 0.44, size = 347, normalized size = 0.99

$$\frac{\sqrt{2}(5a^{3/4}c - 21\sqrt[4]{a}\sqrt{bc}) \log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{bc}x + \sqrt{a} + \sqrt{bx^2}\right)}{\beta^{3/4}} + \frac{\sqrt{2}(21\sqrt[4]{a}\sqrt{bc} - 5a^{3/4}c) \log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{bc}x + \sqrt{a} + \sqrt{bx^2}\right)}{\beta^{3/4}} - \frac{32a^2(af - bx(c + x(d + ex)))}{b(a + bx^4)^2} - \frac{2\sqrt[4]{a} \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{bc}x}{\sqrt[4]{a}}\right)}{\beta^{3/4}} + \frac{24\sqrt[4]{a}\sqrt[4]{bc}d + 5\sqrt{2}\sqrt{a}c + 21\sqrt{2}\sqrt{bc}}{\beta^{3/4}} + \frac{2\sqrt[4]{a} \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{bc}x}{\sqrt[4]{a}} + 1\right)}{\beta^{3/4}} - \frac{24\sqrt[4]{a}\sqrt[4]{bc}d + 5\sqrt{2}\sqrt{a}c + 21\sqrt{2}\sqrt{bc}}{\beta^{3/4}} + \frac{8ax(7c + x(6d + 5ex))}{a + bx^4}$$

256a³

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^3, x]

[Out] ((8*a*x*(7*c + x*(6*d + 5*e*x)))/(a + b*x^4) - (32*a^2*(a*f - b*x*(c + x*(d + e*x)))/(b*(a + b*x^4)^2) - (2*a^(1/4)*(21*sqrt[2]*sqrt[b]*c + 24*a^(1/4

) $\cdot b^{1/4} \cdot d + 5 \cdot \sqrt{2} \cdot \sqrt{a} \cdot e \cdot \text{ArcTan}\left[1 - \frac{\sqrt{2} \cdot b^{1/4} \cdot x}{a^{1/4}}\right] / b^{3/4} + (2 \cdot a^{1/4} \cdot (21 \cdot \sqrt{2} \cdot \sqrt{b} \cdot c - 24 \cdot a^{1/4} \cdot b^{1/4} \cdot d + 5 \cdot \sqrt{2} \cdot \sqrt{a} \cdot e) \cdot \text{ArcTan}\left[1 + \frac{\sqrt{2} \cdot b^{1/4} \cdot x}{a^{1/4}}\right] / b^{3/4} + (\sqrt{2} \cdot (-21 \cdot a^{1/4} \cdot \sqrt{b} \cdot c + 5 \cdot a^{3/4} \cdot e) \cdot \text{Log}[\sqrt{a} - \sqrt{2} \cdot a^{1/4} \cdot b^{1/4} \cdot x + \sqrt{b} \cdot x^2]) / b^{3/4} + (\sqrt{2} \cdot (21 \cdot a^{1/4} \cdot \sqrt{b} \cdot c - 5 \cdot a^{3/4} \cdot e) \cdot \text{Log}[\sqrt{a} + \sqrt{2} \cdot a^{1/4} \cdot b^{1/4} \cdot x + \sqrt{b} \cdot x^2]) / b^{3/4}) / (256 \cdot a^3)$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3}{(a + bx^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^3,x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^3, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 354, normalized size = 1.01

$$\frac{\sqrt{2} \left(12 \sqrt{2} \sqrt{ab} b^2 d + 21 (ab)^{3/4} b^2 c + 5 (ab)^{5/4} e\right) \arctan\left(\frac{\sqrt{2} \sqrt{a} \sqrt{b} x^{3/4}}{a^{1/4} b^{1/4}}\right)}{128 a^3 b^3} + \frac{\sqrt{2} \left(12 \sqrt{2} \sqrt{ab} b^2 d + 21 (ab)^{3/4} b^2 c + 5 (ab)^{5/4} e\right) \arctan\left(\frac{\sqrt{2} \sqrt{a} \sqrt{b} x^{1/4}}{a^{1/4} b^{1/4}}\right)}{128 a^3 b^3} + \frac{\sqrt{2} \left(21 (ab)^{3/4} b^2 c - 5 (ab)^{5/4} e\right) \log\left(x^2 + \sqrt{2} x \left(\frac{a}{b}\right)^{1/4} + \sqrt{\frac{a}{b}}\right)}{256 a^3 b^3} - \frac{\sqrt{2} \left(21 (ab)^{3/4} b^2 c - 5 (ab)^{5/4} e\right) \log\left(x^2 - \sqrt{2} x \left(\frac{a}{b}\right)^{1/4} + \sqrt{\frac{a}{b}}\right)}{256 a^3 b^3} + \frac{5 b^2 d^2 c + 6 b^2 d e^2 + 7 b^2 c x^5 + 9 a b x^2 c + 10 a b d x^2 + 11 a b c x - 4 d^2 f}{32 (b x^4 + a)^2 a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")

[Out] $\frac{1}{128} \sqrt{2} \cdot (12 \cdot \sqrt{2} \cdot \sqrt{a} \cdot b \cdot b^2 \cdot d + 21 \cdot (a \cdot b)^{3/4} \cdot b^2 \cdot c + 5 \cdot (a \cdot b)^{5/4} \cdot e) \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot \sqrt{a} \cdot \sqrt{b} \cdot x^{3/4} + \sqrt{a} \cdot \sqrt{b} \cdot x^{1/4}\right) / (a/b)^{1/4} / (a^3 \cdot b^3) + \frac{1}{128} \sqrt{2} \cdot (12 \cdot \sqrt{2} \cdot \sqrt{a} \cdot b \cdot b^2 \cdot d + 21 \cdot (a \cdot b)^{3/4} \cdot b^2 \cdot c + 5 \cdot (a \cdot b)^{5/4} \cdot e) \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot \sqrt{a} \cdot \sqrt{b} \cdot x^{1/4} - \sqrt{a} \cdot \sqrt{b} \cdot x^{3/4}\right) / (a/b)^{1/4} / (a^3 \cdot b^3) + \frac{1}{256} \sqrt{2} \cdot (21 \cdot (a \cdot b)^{3/4} \cdot b^2 \cdot c - 5 \cdot (a \cdot b)^{5/4} \cdot e) \cdot \log\left(x^2 + \sqrt{2} \cdot x \cdot (a/b)^{1/4} + \sqrt{a/b}\right) / (a^3 \cdot b^3) - \frac{1}{256} \sqrt{2} \cdot (21 \cdot (a \cdot b)^{3/4} \cdot b^2 \cdot c - 5 \cdot (a \cdot b)^{5/4} \cdot e) \cdot \log\left(x^2 - \sqrt{2} \cdot x \cdot (a/b)^{1/4} + \sqrt{a/b}\right) / (a^3 \cdot b^3) + \frac{1}{32} \cdot (5 \cdot b^2 \cdot d^2 \cdot x^5 + 6 \cdot b^2 \cdot d \cdot e \cdot x^6 + 7 \cdot b^2 \cdot c \cdot x^7 + 9 \cdot a \cdot b \cdot x^3 \cdot e + 10 \cdot a \cdot b \cdot d \cdot x^2 + 11 \cdot a \cdot b \cdot c \cdot x - 4 \cdot a^2 \cdot f) / ((b \cdot x^4 + a)^2 \cdot a^2 \cdot b)$

maple [A] time = 0.05, size = 432, normalized size = 1.23

$$\frac{f x^6 + c x^5 + \frac{f x^4}{8(b x^2 + a)} + \frac{d x^2}{8(b x^2 + a)} + \frac{9 c x^2}{32(b x^2 + a)^2} + \frac{c x}{8(b x^2 + a)^2} + \frac{3 d x}{16(b x^2 + a)^2} + \frac{7 c x}{32(b x^2 + a)^2} + \frac{3 d \arctan\left(\sqrt{\frac{x}{b}}\right)}{16 \sqrt{b} x^2} + \frac{5 \sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{(b x^2 + a)^2}\right)}{128 (b x^2 + a)^2} + \frac{5 \sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{(b x^2 + a)^2}\right)}{128 (b x^2 + a)^2} + \frac{5 \sqrt{2} e \ln\left(\frac{x^2 + \sqrt{2} x \sqrt{b}}{(b x^2 + a)^2 + \sqrt{2} x \sqrt{b}}\right)}{256 (b x^2 + a)^2} + \frac{21 (b x^2 + a)^2 \sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{(b x^2 + a)^2}\right)}{128 a^2} + \frac{21 (b x^2 + a)^2 \sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{(b x^2 + a)^2}\right)}{128 a^2} + \frac{21 (b x^2 + a)^2 \sqrt{2} e \ln\left(\frac{x^2 + \sqrt{2} x \sqrt{b}}{(b x^2 + a)^2 + \sqrt{2} x \sqrt{b}}\right)}{256 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)

[Out] $\frac{1}{8} c x / a (b x^4 + a)^2 + \frac{7}{32} c / a^2 x / (b x^4 + a) + \frac{21}{256} (a/b)^{1/4} 2^{1/2} / a^3 c \ln((x^2 + (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2}) / (x^2 - (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2})) + \frac{21}{128} (a/b)^{1/4} 2^{1/2} / a^3 c \arctan(2^{1/2} / (a/b)^{1/4} x + 1) + \frac{21}{128} (a/b)^{1/4} 2^{1/2} / a^3 c \arctan(2^{1/2} / (a/b)^{1/4} x - 1) + \frac{1}{8} d x^2 / a (b x^4 + a)^2 + \frac{3}{16} d / a^2 x^2 / (b x^4 + a) + \frac{3}{16} / (a b)^{1/2} / a^2 d \arctan((1/a b)^{1/2} x^2) + \frac{1}{8} e x^3 / a (b x^4 + a)^2 + \frac{5}{32} e / a^2 x^3 / (b x^4 + a) + \frac{5}{256} (a/b)^{1/4} 2^{1/2} / a^2 / b e \ln((x^2 - (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2}) / (x^2 + (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2})) + \frac{5}{128} (a/b)^{1/4} 2^{1/2} / a^2 / b e \arctan(2^{1/2} / (a/b)^{1/4} x + 1) + \frac{5}{128} (a/b)^{1/4} 2^{1/2} / a^2 / b e \arctan(2^{1/2} / (a/b)^{1/4} x - 1) + \frac{1}{8} f x^4 / a (b x^4 + a)^2 + \frac{1}{8} f / a^2 x^4 / (b x^4 + a)$

maxima [A] time = 3.02, size = 355, normalized size = 1.01

$$\frac{5 b^2 c x^7 + 6 b^2 d x^6 + 7 b^2 c x^5 + 9 a b c x^3 + 10 a b d x^2 + 11 a b c x - 4 a^2 f}{32 (a^2 b^3 x^8 + 2 a^2 b^2 x^4 + a^4 b)} + \frac{\sqrt{2} (21 \sqrt{b} e - 5 \sqrt{a} e) \log(\sqrt{b} x^2 + \sqrt{2} x \sqrt{b} + \sqrt{a})}{a^{3/4} b^{3/4}} - \frac{\sqrt{2} (21 \sqrt{b} e - 5 \sqrt{a} e) \log(\sqrt{b} x^2 - \sqrt{2} x \sqrt{b} + \sqrt{a})}{a^{3/4} b^{3/4}} + \frac{2 (21 \sqrt{2} a^{3/4} b^{3/4} + 5 \sqrt{2} a^{3/4} b^{3/4} - 24 \sqrt{a} \sqrt{b} d) \arctan\left(\frac{\sqrt{2} (x \sqrt{b} + \sqrt{a} \sqrt{b})}{2 \sqrt{a} \sqrt{b}}\right)}{256 a^2} + \frac{2 (21 \sqrt{2} a^{3/4} b^{3/4} + 5 \sqrt{2} a^{3/4} b^{3/4} + 24 \sqrt{a} \sqrt{b} d) \arctan\left(\frac{\sqrt{2} (x \sqrt{b} - \sqrt{a} \sqrt{b})}{2 \sqrt{a} \sqrt{b}}\right)}{256 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{32} (5 b^2 e x^7 + 6 b^2 d x^6 + 7 b^2 c x^5 + 9 a b c e x^3 + 10 a b d c x^2 + 11 a b c^2 x - 4 a^2 f) / (a^2 b^3 x^8 + 2 a^3 b^2 x^4 + a^4 b) + \frac{1}{256} (\sqrt{2}) (21 \sqrt{2} \sqrt{b} c - 5 \sqrt{2} \sqrt{a} e) \log(\sqrt{2} \sqrt{b} x^2 + \sqrt{2} \sqrt{a} \sqrt{b} x + \sqrt{a}) / (a^{3/4} b^{3/4}) - \frac{1}{256} (\sqrt{2}) (21 \sqrt{2} \sqrt{b} c - 5 \sqrt{2} \sqrt{a} e) \log(\sqrt{2} \sqrt{b} x^2 - \sqrt{2} \sqrt{a} \sqrt{b} x + \sqrt{a}) / (a^{3/4} b^{3/4}) + \frac{2 (21 \sqrt{2} \sqrt{a} \sqrt{b} c + 5 \sqrt{2} \sqrt{a} \sqrt{b} e - 24 \sqrt{a} \sqrt{b} d) \arctan(1/2 \sqrt{2} \sqrt{b} x + \sqrt{2} \sqrt{a} \sqrt{b}) / \sqrt{a} \sqrt{b}}{256 a^2} + \frac{2 (21 \sqrt{2} \sqrt{a} \sqrt{b} c + 5 \sqrt{2} \sqrt{a} \sqrt{b} e + 24 \sqrt{a} \sqrt{b} d) \arctan(1/2 \sqrt{2} \sqrt{b} x - \sqrt{2} \sqrt{a} \sqrt{b}) / \sqrt{a} \sqrt{b}}{256 a^2}$

mupad [B] time = 5.20, size = 832, normalized size = 2.37

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^3,x)`

[Out] `symsum(log(-(b*(125*a*e^3 - 3024*b*c*d^2 + 2205*b*c^2*e - 1728*b*d^3*x + 344064*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)^2*a^5*b^2*c - 3200*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)*a^3*b*e^2*x + 2520*b*c*d*e*x + 56448*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)*a^2*b^2*c^2*x - 196608*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)*a^3*b*d*e))/(32768*a^6))*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k), k, 1, 4) + ((5*d*x^2)/(16*a) - f/(8*b) + (9*e*x^3)/(32*a) + (11*c*x)/(32*a) + (7*b*c*x^5)/(32*a^2) + (3*b*d*x^6)/(16*a^2) + (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 + 2*a*b*x^4)`

sympy [A] time = 108.47, size = 578, normalized size = 1.65

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x)`

[Out] `RootSum(268435456*_t**4*a**11*b**3 + _t**2*(6881280*a**6*b**2*c*e + 4718592*a**6*b**2*d**2) + _t*(153600*a**4*b*d*e**2 - 2709504*a**3*b**2*c**2*d) + 625*a**2*e**4 + 22050*a*b*c**2*e**2 - 60480*a*b*c*d**2*e + 20736*a*b*d**4 + 194481*b**2*c**4, Lambda(_t, _t*log(x + (26214400*_t**3*a**10*b**2*e**3 - 4624220160*_t**3*a**9*b**3*c**2*e + 12683575296*_t**3*a**9*b**3*c*d**2 + 309657600*_t**2*a**7*b**2*c*d*e**2 - 283115520*_t**2*a**7*b**2*d**3*e + 1820786688*_t**2*a**6*b**3*c**3*d + 5040000*_t*a**5*b*c*e**4 + 6912000*_t*a**5*b*d**2*e**3 - 118540800*_t*a**4*b**2*c**3*e**2 + 365783040*_t*a**4*b**2*c**2*d**2*e + 111476736*_t*a**4*b**2*c*d**4 + 522764928*_t*a**3*b**3*c**5 + 112500*a**3*d*e**5 + 4536000*a**2*b*c*d**3*e**2 - 2488320*a**2*b*d**5*e + 58344300*a*b**2*c**4*d*e - 80015040*a*b**2*c**3*d**3))/(15625*a**3*e**6 - 275625*a**2*b*c**2*e**4 + 3024000*a**2*b*c*d**2*e**3 - 2073600*a**2*b*d**4*e**2 -`

$$\begin{aligned} & 4862025*a*b**2*c**4*e**2 + 53343360*a*b**2*c**3*d**2*e - 36578304*a*b**2*c \\ & **2*d**4 + 85766121*b**3*c**6))) + (-4*a**2*f + 11*a*b*c*x + 10*a*b*d*x**2 \\ & + 9*a*b*e*x**3 + 7*b**2*c*x**5 + 6*b**2*d*x**6 + 5*b**2*e*x**7)/(32*a**4*b \\ & + 64*a**3*b**2*x**4 + 32*a**2*b**3*x**8) \end{aligned}$$

$$3.392 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^3} dx$$

Optimal. Leaf size=340

$$\frac{3(\sqrt{b}d - \sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2}a^{7/4}b^{7/4}} + \frac{3(\sqrt{b}d - \sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2}a^{7/4}b^{7/4}} - \frac{3(\sqrt{a}f}{628}$$

Rubi [A] time = 0.33, antiderivative size = 340, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 28, number of rules / integrand size = 0.393, Rules used = {1823, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{3(\sqrt{b}d - \sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2}a^{7/4}b^{7/4}} + \frac{3(\sqrt{b}d - \sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2}a^{7/4}b^{7/4}} - \frac{3(\sqrt{a}f + \sqrt{b}d) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64\sqrt{2}a^{7/4}b^{7/4}} + \frac{3(\sqrt{a}f + \sqrt{b}d) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right)}{64\sqrt{2}a^{7/4}b^{7/4}} + \frac{e \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{3/2}b^{3/2}} - \frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^3,x]

[Out] -(c + d*x + e*x^2 + f*x^3)/(8*b*(a + b*x^4)^2) + (x*(d + 2*e*x + 3*f*x^2))/(32*a*b*(a + b*x^4)) + (e*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(16*a^(3/2)*b^(3/2)) - (3*(Sqrt[b]*d + Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(7/4)*b^(7/4)) + (3*(Sqrt[b]*d + Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(7/4)*b^(7/4)) - (3*(Sqrt[b]*d - Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(7/4)*b^(7/4)) + (3*(Sqrt[b]*d - Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(7/4)*b^(7/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x

x^k , x] /; $k \neq 1$] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1823

Int[(Pq)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && EqQ[m - n + 1, 0] && LtQ[p, -1]

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c + dx + ex^2 + fx^3)}{(a + bx^4)^3} dx &= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{\int \frac{d+2ex+3fx^2}{(a+bx^4)^2} dx}{8b} \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} - \frac{\int \frac{-3d-4ex-3fx^2}{a+bx^4} dx}{32ab} \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} - \frac{\int \left(-\frac{4ex}{a+bx^4} + \frac{-3d-3fx^2}{a+bx^4}\right) dx}{32ab} \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} - \frac{\int \frac{-3d-3fx^2}{a+bx^4} dx}{32ab} + \frac{e \int \frac{x}{a+bx^4} dx}{8ab} \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} + \frac{e \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, x^2\right)}{16ab} + \frac{3 \left(3 \left(\frac{\sqrt{b}d}{\sqrt{a}} + f\right)\right)}{12} \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} + \frac{e \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{3/2}b^{3/2}} + \frac{3 \left(\frac{\sqrt{b}d}{\sqrt{a}} + f\right)}{12} \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} + \frac{e \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{3/2}b^{3/2}} - \frac{3(\sqrt{b}d - \sqrt{a}f)}{64\sqrt{ab}} \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} + \frac{e \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{3/2}b^{3/2}} - \frac{3(\sqrt{b}d + \sqrt{a}f)}{64\sqrt{ab}}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 329, normalized size = 0.97

$$\frac{-2 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt{b} x}{\sqrt{a}}\right) \left(8 \sqrt[4]{a} \sqrt[4]{b} e + 3 \sqrt{2} \sqrt{a} f + 3 \sqrt{2} \sqrt{b} d\right)}{a^{7/4}} + \frac{2 \tan^{-1}\left(\frac{\sqrt{2} \sqrt{b} x}{\sqrt{a}} + 1\right) \left(-8 \sqrt[4]{a} \sqrt[4]{b} e + 3 \sqrt{2} \sqrt{a} f + 3 \sqrt{2} \sqrt{b} d\right)}{a^{7/4}} + \frac{3 \sqrt{2} (\sqrt{a} f - \sqrt{b} d) \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{a^{7/4}} + \frac{3 \sqrt{2} (\sqrt{b} d - \sqrt{a} f) \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{a^{7/4}} - \frac{32 b^{3/4} (c + x(d + x(e + f x)))}{(a + b x^4)^3} + \frac{8 b^{3/4} x(d + x(2e + 3 f x))}{a(a + b x^4)}$$

256b^{7/4}

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^3, x]

[Out] ((8*b^(3/4)*x*(d + x*(2*e + 3*f*x)))/(a*(a + b*x^4)) - (32*b^(3/4)*(c + x*(d + x*(e + f*x))))/(a + b*x^4)^2 - (2*(3*sqrt[2]*sqrt[b]*d + 8*a^(1/4)*b^(1

/4)*e + 3*Sqrt[2]*Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(7/4) + (2*(3*Sqrt[2]*Sqrt[b]*d - 8*a^(1/4)*b^(1/4)*e + 3*Sqrt[2]*Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(7/4) + (3*Sqrt[2]*(-Sqrt[b]*d + Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(7/4) + (3*Sqrt[2]*(Sqrt[b]*d - Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(7/4))/(256*b^(7/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (c + dx + ex^2 + fx^3)}{(a + bx^4)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^3,x]

[Out] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^3, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.29, size = 338, normalized size = 0.99

$$\frac{3bf^2 + 2bd^2e + bd^2c - af^3 - 2ae^2e - 3ad^2c - 4ac}{32(bx^4 + a)^2 ab} + \frac{\sqrt{2} \left(4\sqrt{2}\sqrt{ab}b^2e + 3(ab)^{\frac{1}{2}}b^2d + 3(ab)^{\frac{1}{2}}f \right) \arctan\left(\frac{\sqrt{2}x + \sqrt{2}(f)^{\frac{1}{2}}}{2(f)^{\frac{1}{2}}}\right)}{128a^2b^4} + \frac{\sqrt{2} \left(4\sqrt{2}\sqrt{ab}b^2e + 3(ab)^{\frac{1}{2}}b^2d + 3(ab)^{\frac{1}{2}}f \right) \arctan\left(\frac{\sqrt{2}x - \sqrt{2}(f)^{\frac{1}{2}}}{2(f)^{\frac{1}{2}}}\right)}{128a^2b^4} + \frac{3\sqrt{2} \left((ab)^{\frac{1}{2}}b^2d - (ab)^{\frac{1}{2}}f \right) \log\left(x^2 + \sqrt{2}x\left(\frac{f}{2}\right) + \sqrt{\frac{f}{2}}\right)}{256a^2b^4} - \frac{3\sqrt{2} \left((ab)^{\frac{1}{2}}b^2d - (ab)^{\frac{1}{2}}f \right) \log\left(x^2 - \sqrt{2}x\left(\frac{f}{2}\right) + \sqrt{\frac{f}{2}}\right)}{256a^2b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")

[Out] 1/32*(3*b*f*x^7 + 2*b*x^6*e + b*d*x^5 - a*f*x^3 - 2*a*x^2*e - 3*a*d*x - 4*a*c)/((b*x^4 + a)^2*a*b) + 1/128*sqrt(2)*(4*sqrt(2)*sqrt(a*b)*b^2*e + 3*(a*b^3)^(1/4)*b^2*d + 3*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^4) + 1/128*sqrt(2)*(4*sqrt(2)*sqrt(a*b)*b^2*e + 3*(a*b^3)^(1/4)*b^2*d + 3*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^4) + 3/256*sqrt(2)*((a*b^3)^(1/4)*b^2*d - (a*b^3)^(3/4)*f)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^4) - 3/256*sqrt(2)*((a*b^3)^(1/4)*b^2*d - (a*b^3)^(3/4)*f)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^4)

maple [A] time = 0.06, size = 373, normalized size = 1.10

$$\frac{e \arctan\left(\frac{\sqrt{e} x^2}{a}\right) + \frac{3\sqrt{2} f \arctan\left(\frac{\sqrt{2} x}{(\frac{b}{a})^{\frac{1}{4}}}\right) - 1}{128\left(\frac{b}{a}\right)^{\frac{1}{4}} a b^2} + \frac{3\sqrt{2} f \arctan\left(\frac{\sqrt{2} x}{(\frac{b}{a})^{\frac{1}{4}}}\right) + 1}{128\left(\frac{b}{a}\right)^{\frac{1}{4}} a b^2} + \frac{3\sqrt{2} f \ln\left(\frac{x^2 - \left(\frac{b}{a}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{b}{a}}}{x^2 - \left(\frac{b}{a}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{b}{a}}}\right)}{256\left(\frac{b}{a}\right)^{\frac{1}{4}} a b^2} + \frac{3\left(\frac{b}{a}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{(\frac{b}{a})^{\frac{1}{4}}}\right) - 1}{128 a^2 b} + \frac{3\left(\frac{b}{a}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{(\frac{b}{a})^{\frac{1}{4}}}\right) + 1}{128 a^2 b} + \frac{3\left(\frac{b}{a}\right)^{\frac{1}{4}} \sqrt{2} d \ln\left(\frac{x^2 - \left(\frac{b}{a}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{b}{a}}}{x^2 - \left(\frac{b}{a}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{b}{a}}}\right)}{256 a^2 b} + \frac{\frac{3f x^2}{32a} + \frac{e x^2}{16a} + \frac{d x^2}{32a} - \frac{f x^2}{32b} - \frac{e x^2}{16b} - \frac{3dx}{32b} - \frac{c}{8b}}{(bx^4 + a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)

[Out] (3/32*f/a*x^7+1/16/a*e*x^6+1/32*d/a*x^5-1/32/b*f*x^3-1/16/b*e*x^2-3/32/b*d*x-1/8/b*c)/(b*x^4+a)^2+3/256/b/a^2*d*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/128/b/a^2*d*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/128/b/a^2*d*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/16/b/a*e/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)+3/256/b^2/a*f/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/128/b^2/a*f/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/128/b^2/a*f/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.08, size = 343, normalized size = 1.01

$$\frac{3bfx^7 + 2bex^6 + bdx^5 - afx^3 - 2aex^2 - 3adx - 4ac}{32(ab^3x^8 + 2a^2b^2x^4 + a^3b)} + \frac{3\sqrt{2}(\sqrt{b}d - \sqrt{a}f)\log\left(\frac{\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}}{\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}}\right) - 3\sqrt{2}(\sqrt{b}d - \sqrt{a}f)\log\left(\frac{\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}}{\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} + \frac{2\left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}d + 3\sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}f - 8\sqrt{a}\sqrt{b}\right)\arctan\left(\frac{\sqrt{2}\sqrt{b}x + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}}{2\sqrt{a}\sqrt{b}}\right)}{256ab} + \frac{2\left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}d + 3\sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}f + 8\sqrt{a}\sqrt{b}\right)\arctan\left(\frac{\sqrt{2}\sqrt{b}x - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}}{2\sqrt{a}\sqrt{b}}\right)}{a^{\frac{3}{4}}\sqrt{a}\sqrt{b}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")

[Out] 1/32*(3*b*f*x^7 + 2*b*e*x^6 + b*d*x^5 - a*f*x^3 - 2*a*e*x^2 - 3*a*d*x - 4*a*c)/(a*b^3*x^8 + 2*a^2*b^2*x^4 + a^3*b) + 1/256*(3*sqrt(2)*(sqrt(b)*d - sqrt(a)*f)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - 3*sqrt(2)*(sqrt(b)*d - sqrt(a)*f)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(3/4)*d + 3*sqrt(2)*a^(3/4)*b^(1/4)*f - 8*sqrt(a)*sqrt(b)*e)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(3/4)*d + 3*sqrt(2)*a^(3/4)*b^(1/4)*f + 8*sqrt(a)*sqrt(b)*e)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))/(a*b)

mupad [B] time = 0.40, size = 521, normalized size = 1.53

$$\frac{3bfx^7 + 2bex^6 + bdx^5 - afx^3 - 2aex^2 - 3adx - 4ac}{32(ab^3x^8 + 2a^2b^2x^4 + a^3b)} + \frac{3\sqrt{2}(\sqrt{b}d - \sqrt{a}f)\log\left(\frac{\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}}{\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}}\right) - 3\sqrt{2}(\sqrt{b}d - \sqrt{a}f)\log\left(\frac{\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}}{\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} + \frac{2\left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}d + 3\sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}f - 8\sqrt{a}\sqrt{b}\right)\arctan\left(\frac{\sqrt{2}\sqrt{b}x + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}}{2\sqrt{a}\sqrt{b}}\right)}{256ab} + \frac{2\left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}d + 3\sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}f + 8\sqrt{a}\sqrt{b}\right)\arctan\left(\frac{\sqrt{2}\sqrt{b}x - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}}{2\sqrt{a}\sqrt{b}}\right)}{a^{\frac{3}{4}}\sqrt{a}\sqrt{b}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^3,x)
```

```
[Out] symsum(log((x*(8*e^3 - 9*d*e*f))/(4096*a^3*b) - (3*(9*a*f^3 - 16*b*d*e^2 + 9*b*d^2*f))/(32768*a^3*b^2) - root(268435456*a^7*b^7*z^4 + 589824*a^4*b^4*d*f*z^2 + 524288*a^4*b^4*e^2*z^2 + 18432*a^3*b^2*e*f^2*z - 18432*a^2*b^3*d^2*e*z - 576*a*b*d*e^2*f + 162*a*b*d^2*f^2 + 256*a*b*e^4 + 81*a^2*f^4 + 81*b^2*d^4, z, k)*(root(268435456*a^7*b^7*z^4 + 589824*a^4*b^4*d*f*z^2 + 524288*a^4*b^4*e^2*z^2 + 18432*a^3*b^2*e*f^2*z - 18432*a^2*b^3*d^2*e*z - 576*a*b*d*e^2*f + 162*a*b*d^2*f^2 + 256*a*b*e^4 + 81*a^2*f^4 + 81*b^2*d^4, z, k))*((3*b^2*d)/2 - 2*b^2*e*x) + (3*e*f)/(32*a) + (x*(144*a*b^2*d^2 - 144*a^2*b*f^2))/(4096*a^3*b)))*root(268435456*a^7*b^7*z^4 + 589824*a^4*b^4*d*f*z^2 + 524288*a^4*b^4*e^2*z^2 + 18432*a^3*b^2*e*f^2*z - 18432*a^2*b^3*d^2*e*z - 576*a*b*d*e^2*f + 162*a*b*d^2*f^2 + 256*a*b*e^4 + 81*a^2*f^4 + 81*b^2*d^4, z, k), k, 1, 4) - (c/(8*b) - (d*x^5)/(32*a) - (e*x^6)/(16*a) + (e*x^2)/(16*b) - (3*f*x^7)/(32*a) + (f*x^3)/(32*b) + (3*d*x)/(32*b))/(a^2 + b^2*x^8 + 2*a*b*x^4)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x)
```

```
[Out] Timed out
```


$$3.393 \quad \int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^4} dx$$

Optimal. Leaf size=382

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{512\sqrt{2} a^{15/4} b^{3/4}} + \frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{512\sqrt{2} a^{15/4} b^{3/4}}$$

Rubi [A] time = 0.41, antiderivative size = 382, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{512\sqrt{2} a^{15/4} b^{3/4}} + \frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{512\sqrt{2} a^{15/4} b^{3/4}} - \frac{(15\sqrt{a}c + 77\sqrt{b}e) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt{a}}\right)}{256\sqrt{2} a^{15/4} b^{3/4}} + \frac{(15\sqrt{a}c + 77\sqrt{b}e) \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt{a}} + 1\right)}{256\sqrt{2} a^{15/4} b^{3/4}} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} + \frac{5d \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^4, x]

[Out] (x*(11*c + 10*d*x + 9*e*x^2))/(96*a^2*(a + b*x^4)^2) + (x*(77*c + 60*d*x + 45*e*x^2))/(384*a^3*(a + b*x^4)) - (a*f - b*x*(c + d*x + e*x^2))/(12*a*b*(a + b*x^4)^3) + (5*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*Sqrt[b]) - ((77*Sqrt[b]*c + 15*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(3/4)) + ((77*Sqrt[b]*c + 15*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(3/4)) - ((77*Sqrt[b]*c - 15*Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(3/4)) + ((77*Sqrt[b]*c - 15*Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(3/4))

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))]^p, x], x, x

x^k , x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1854

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,

0] && LtQ[p, -1]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{(a + bx^4)^4} dx &= -\frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} - \frac{\int \frac{-11c - 10dx - 9ex^2}{(a + bx^4)^3} dx}{12a} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} + \frac{\int \frac{77c + 60dx + 45ex^2}{(a + bx^4)^2} dx}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} - \frac{\int \frac{-231c}{a + bx^4} dx}{384a^3} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} - \frac{\int \left(-\frac{120}{a + bx^4}\right) dx}{384a^3} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} - \frac{\int \frac{-231c}{a + bx^4} dx}{384a^3} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} + \frac{(5d) \tan^{-1}\left(\frac{x}{\sqrt{a + bx^4}}\right)}{32a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} + \frac{5d \tan^{-1}\left(\frac{x}{\sqrt{a + bx^4}}\right)}{32a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} + \frac{5d \tan^{-1}\left(\frac{x}{\sqrt{a + bx^4}}\right)}{32a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} + \frac{5d \tan^{-1}\left(\frac{x}{\sqrt{a + bx^4}}\right)}{32a^2}
\end{aligned}$$

Mathematica [A] time = 0.44, size = 379, normalized size = 0.99

$$\frac{3\sqrt{2}(15a^{3/4} - 77\sqrt{c}\sqrt{a})\log\left(-\sqrt{2}\sqrt{c}\sqrt{a} + \sqrt{c} + \sqrt{a}\sqrt{x^2}\right)}{\beta^{3/4}} + \frac{3\sqrt{2}(77\sqrt{c}\sqrt{a} - 15a^{3/4})\log\left(\sqrt{2}\sqrt{c}\sqrt{a} + \sqrt{c} + \sqrt{a}\sqrt{x^2}\right)}{\beta^{3/4}} - \frac{256a^2(a - b(c + d + ex))}{b(a + bx^4)^3} + \frac{32a^2x(11c + 10d + 9ex)}{(a + bx^4)^2} - \frac{6\sqrt{c}\tan^{-1}\left(-\frac{\sqrt{2}\sqrt{c}}{\sqrt{a}}\right)(80\sqrt{c}\sqrt{a} + 15\sqrt{2}\sqrt{c} + 77\sqrt{2}\sqrt{a})}{\beta^{3/4}} + \frac{6\sqrt{c}\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}}{\sqrt{a}}\right)(-80\sqrt{c}\sqrt{a} + 15\sqrt{2}\sqrt{c} + 77\sqrt{2}\sqrt{a})}{\beta^{3/4}} + \frac{8a(77c + 15(d + 3ex))}{a + bx^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^4, x]

[Out]
$$\frac{((8*a*x*(77*c + 15*x*(4*d + 3*e*x)))/(a + b*x^4) + (32*a^2*x*(11*c + x*(10*d + 9*e*x)))/(a + b*x^4)^2 - (256*a^3*(a*f - b*x*(c + x*(d + e*x))))/(b*(a + b*x^4)^3) - (6*a^{1/4}*(77*\sqrt{2}*\sqrt{b}*c + 80*a^{1/4}*b^{1/4}*d + 15*\sqrt{2}*\sqrt{a}*e)*\text{ArcTan}[1 - (\sqrt{2}*b^{1/4}*x)/a^{1/4}])/b^{3/4} + (6*a^{1/4}*(77*\sqrt{2}*\sqrt{b}*c - 80*a^{1/4}*b^{1/4}*d + 15*\sqrt{2}*\sqrt{a}*e)*\text{ArcTan}[1 + (\sqrt{2}*b^{1/4}*x)/a^{1/4}])/b^{3/4} + (3*\sqrt{2}*(-77*a^{1/4}*\sqrt{b}*c + 15*a^{3/4}*e)*\text{Log}[\sqrt{a} - \sqrt{2}*a^{1/4}*b^{1/4}*x + \sqrt{b}*x^2])/b^{3/4} + (3*\sqrt{2}*(77*a^{1/4}*\sqrt{b}*c - 15*a^{3/4}*e)*\text{Log}[\sqrt{a} + \sqrt{2}*a^{1/4}*b^{1/4}*x + \sqrt{b}*x^2])/b^{3/4}}{(3072*a^4)}$$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx + ex^2 + fx^3}{(a + bx^4)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^4, x]

[Out] IntegrateAlgebraic[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^4, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.33, size = 391, normalized size = 1.02

$$\frac{\sqrt{2} \left(40 \sqrt{2} \sqrt{b} d + 77 (ab)^{3/4} b^2 c + 15 (ab)^{3/4} e \right) \arctan \left(\frac{\sqrt{2} \sqrt{a-b} \sqrt{b}}{a} \right) + \sqrt{2} \left(40 \sqrt{2} \sqrt{b} d + 77 (ab)^{3/4} b^2 c + 15 (ab)^{3/4} e \right) \arctan \left(\frac{\sqrt{2} \sqrt{a+b} \sqrt{b}}{a} \right) + \sqrt{2} \left(77 (ab)^{3/4} b^2 c - 15 (ab)^{3/4} e \right) \log \left(x^2 + \sqrt{2} x \sqrt{\frac{a}{b}} + \sqrt{\frac{a}{b}} \right) + \sqrt{2} \left(77 (ab)^{3/4} b^2 c - 15 (ab)^{3/4} e \right) \log \left(x^2 - \sqrt{2} x \sqrt{\frac{a}{b}} + \sqrt{\frac{a}{b}} \right) + \frac{45 b^{3/4} c + 60 b^{3/4} d + 77 b^{3/4} e + 120 a b^{3/4} c + 160 a b^{3/4} d + 198 a b^{3/4} e + 113 a^2 b^{3/4} c + 132 a^2 b^{3/4} d + 153 a^2 b^{3/4} e - 32 a^2 f}{384 (b^4 + a^4) b^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out]
$$\frac{1}{512} \sqrt{2} (40 \sqrt{2} \sqrt{a*b} b^2 d + 77 (a*b^3)^{1/4} b^2 c + 15 (a*b^3)^{3/4} e) \arctan(1/2 \sqrt{2} (2*x + \sqrt{2} (a/b)^{1/4}) / (a/b)^{1/4}) / (a^4 b^3) + \frac{1}{512} \sqrt{2} (40 \sqrt{2} \sqrt{a*b} b^2 d + 77 (a*b^3)^{1/4} b^2 c + 15 (a*b^3)^{3/4} e) \arctan(1/2 \sqrt{2} (2*x - \sqrt{2} (a/b)^{1/4}) / (a/b)^{1/4}) / (a^4 b^3) + \frac{1}{1024} \sqrt{2} (77 (a*b^3)^{1/4} b^2 c - 15 (a*b^3)^{3/4} e) \log(x^2 + \sqrt{2} x (a/b)^{1/4} + \sqrt{a/b}) / (a^4 b^3) - \frac{1}{1024} \sqrt{2} (77 (a*b^3)^{1/4} b^2 c - 15 (a*b^3)^{3/4} e) \log(x^2 - \sqrt{2} x (a/b)^{1/4} + \sqrt{a/b}) / (a^4 b^3)$$

t(2)*(77*(a*b^3)^(1/4)*b^2*c - 15*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) + 1/384*(45*b^3*x^11*e + 60*b^3*d*x^10 + 77*b^3*c*x^9 + 126*a*b^2*x^7*e + 160*a*b^2*d*x^6 + 198*a*b^2*c*x^5 + 113*a^2*b*x^3*e + 132*a^2*b*d*x^2 + 153*a^2*b*c*x - 32*a^3*f)/((b*x^4 + a)^3*a^3*b)

maple [A] time = 0.06, size = 400, normalized size = 1.05

$$\frac{5f \arctan\left(\sqrt{\frac{c}{a}} x\right)}{32\sqrt{ab} a^3} + \frac{15\sqrt{2} e \arctan\left(\frac{\sqrt{2}x-1}{\left(\frac{a}{b}\right)^{1/4}}\right)}{512\left(\frac{a}{b}\right)^{1/4} a^3 b} + \frac{15\sqrt{2} e \arctan\left(\frac{\sqrt{2}x+1}{\left(\frac{a}{b}\right)^{1/4}}\right)}{512\left(\frac{a}{b}\right)^{1/4} a^3 b} + \frac{15\sqrt{2} e \ln\left(\frac{x^2-\left(\frac{a}{b}\right)^{1/4}\sqrt{2}x+\sqrt{\frac{a}{b}}}{x^2+\left(\frac{a}{b}\right)^{1/4}\sqrt{2}x+\sqrt{\frac{a}{b}}}\right)}{1024\left(\frac{a}{b}\right)^{1/4} a^3 b} + \frac{77\left(\frac{a}{b}\right)^{1/4} \sqrt{2} e \arctan\left(\frac{\sqrt{2}x-1}{\left(\frac{a}{b}\right)^{1/4}}\right)}{512a^4} + \frac{77\left(\frac{a}{b}\right)^{1/4} \sqrt{2} e \arctan\left(\frac{\sqrt{2}x+1}{\left(\frac{a}{b}\right)^{1/4}}\right)}{512a^4} + \frac{77\left(\frac{a}{b}\right)^{1/4} \sqrt{2} e \ln\left(\frac{x^2-\left(\frac{a}{b}\right)^{1/4}\sqrt{2}x+\sqrt{\frac{a}{b}}}{x^2+\left(\frac{a}{b}\right)^{1/4}\sqrt{2}x+\sqrt{\frac{a}{b}}}\right)}{1024a^4} + \frac{\frac{15b^2c^{11}}{128a^3} + \frac{90d^2a^{10}}{32a^3} + \frac{77f^2c^2a^9}{384a^3} + \frac{210c^2}{64a^3} + \frac{50d^2}{128a^3} + \frac{330c^2}{384a^3} + \frac{113e^2}{32a^3} + \frac{114f^2}{128a^3} + \frac{51c}{128a^3} - \frac{f}{120}}{(b x^4 + a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out] (15/128/a^3*b^2*e*x^11+5/32*d/a^3*b^2*x^10+77/384*c/a^3*b^2*x^9+21/64/a^2*b*e*x^7+5/12/a^2*d*b*x^6+33/64/a^2*c*b*x^5+113/384/a*e*x^3+11/32*d/a*x^2+51/128*c/a*x-1/12/b*f)/(b*x^4+a)^3+77/1024/a^4*c*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+77/512/a^4*c*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+77/512/a^4*c*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+5/32/a^3*d/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)+15/1024/a^3*e/b/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+15/512/a^3*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+15/512/a^3*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.09, size = 402, normalized size = 1.05

$$\frac{45b^2ca^{11} + 60b^2da^{10} + 77b^2c^2a^9 + 126ab^2c^2a^8 + 160ab^2d^2a^6 + 198ab^2c^2a^5 + 113a^2bca^3 + 132a^2bd^2a^2 + 153a^2bca - 32a^3f}{384(a^2b^2x^2 + 3a^2b^2x + a^2b)} + \frac{\sqrt{2} \left(77\sqrt{b-15\sqrt{a}} \ln\left(\frac{\sqrt{b^2x^2+ax+c}}{\sqrt{b^2x^2+ax+c}}\right) - \sqrt{2} \left(77\sqrt{b-15\sqrt{a}} \ln\left(\frac{\sqrt{b^2x^2+ax+c}}{\sqrt{b^2x^2+ax+c}}\right) \right) \right)}{1024a^4} + \frac{2 \left(77\sqrt{2}b^{\frac{1}{4}}\sqrt{2}x+15\sqrt{2}b^{\frac{1}{4}}\sqrt{2}x-80\sqrt{2}b^{\frac{1}{4}} \right) \arctan\left(\frac{a^{\frac{1}{4}}\sqrt{2}x+1}{2\sqrt{2}b^{\frac{1}{4}}}\right)}{1024a^4} + \frac{2 \left(77\sqrt{2}b^{\frac{1}{4}}\sqrt{2}x+15\sqrt{2}b^{\frac{1}{4}}\sqrt{2}x-80\sqrt{2}b^{\frac{1}{4}} \right) \arctan\left(\frac{a^{\frac{1}{4}}\sqrt{2}x-1}{2\sqrt{2}b^{\frac{1}{4}}}\right)}{1024a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out] 1/384*(45*b^3*e*x^11 + 60*b^3*d*x^10 + 77*b^3*c*x^9 + 126*a*b^2*e*x^7 + 160*a*b^2*d*x^6 + 198*a*b^2*c*x^5 + 113*a^2*b*e*x^3 + 132*a^2*b*d*x^2 + 153*a^2*b*c*x - 32*a^3*f)/(a^3*b^4*x^12 + 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 + a^6*b) + 1/1024*(sqrt(2)*(77*sqrt(b)*c - 15*sqrt(a)*e)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(77*sqrt(b)*c - 15*sqrt(a)*e)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(77*sqrt(2)*a^(1/4)*b^(3/4)*c + 15*sqrt(2)*a^(3/4)*b^(1/4)*e - 80*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(77*sqrt(2)*a^(1/4)*b^(3/4)*c + 15*sqrt(2)*a^(3/4)*b^(1/4)*e + 80*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))/a^3

mupad [B] time = 5.25, size = 879, normalized size = 2.30

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^4, x)$

[Out] $\text{symsum}(\log(-(b*(3375*a*e^3 - 123200*b*c*d^2 + 88935*b*c^2*e - 64000*b*d^3*x + 20185088*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)^2*a^7*b^2*c - 115200*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)*a^4*b*e^2*x + 92400*b*c*d*e*x + 3035648*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)*a^3*b^2*c^2*x - 10485760*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k))^2*a^7*b^2*d*x + 614400*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)*a^4*b*d*e)))/(2097152*a^9))*\text{root}(68719476736*a^{15}*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k), k, 1, 4) + ((11*d*x^2)/(32*a) - f/(12*b) + (113*e*x^3)/(384*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (5*b^2*d*x^10)/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) + (33*b*c*x^5)/(64*a^2) + (5*b*d*x^6)/(12*a^2) + (21*b*e*x^7)/(64*a^2))/(a^3 + b^3*x^12 + 3*a^2*b*x^4 + 3*a*b^2*x^8)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4, x)$

[Out] Timed out

$$3.394 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^4} dx$$

Optimal. Leaf size=380

$$\frac{(7\sqrt{b}d - 5\sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{11/4}b^{7/4}} + \frac{(7\sqrt{b}d - 5\sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{11/4}b^{7/4}} - \frac{(5\sqrt{a}f - 7\sqrt{b}d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{11/4}b^{7/4}}$$

Rubi [A] time = 0.40, antiderivative size = 380, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 11, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$, Rules used = {1823, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(7\sqrt{b}d - 5\sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{11/4}b^{7/4}} + \frac{(7\sqrt{b}d - 5\sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{11/4}b^{7/4}} - \frac{(5\sqrt{a}f + 7\sqrt{b}d) \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{a}x}{\sqrt[4]{b}}\right)}{256\sqrt{2}a^{11/4}b^{7/4}} + \frac{(5\sqrt{a}f + 7\sqrt{b}d) \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{a}x}{\sqrt[4]{b}} + 1\right)}{256\sqrt{2}a^{11/4}b^{7/4}} + \frac{c \tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right)}{32a^{3/2}b^{3/2}} + \frac{x(7d + 12ex + 15fx^2)}{384a^2b(a + bx^4)} - \frac{c + dx + ex^2 + fx^3}{12b(a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab(a + bx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^4, x]

[Out] -(c + d*x + e*x^2 + f*x^3)/(12*b*(a + b*x^4)^3) + (x*(d + 2*e*x + 3*f*x^2))/(96*a*b*(a + b*x^4)^2) + (x*(7*d + 12*e*x + 15*f*x^2))/(384*a^2*b*(a + b*x^4)) + (e*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(5/2)*b^(3/2)) - ((7*Sqrt[b]*d + 5*Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(11/4)*b^(7/4)) + ((7*Sqrt[b]*d + 5*Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(11/4)*b^(7/4)) - ((7*Sqrt[b]*d - 5*Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(11/4)*b^(7/4)) + ((7*Sqrt[b]*d - 5*Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(11/4)*b^(7/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x

$^k], x] /; k \neq 1] /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

Rule 617

$\text{Int}[(a_ + (b_ \cdot x) + (c_ \cdot x^2)^{-1}), x_Symbol] \rightarrow \text{With}[\{q = 1 - 4 \cdot \text{Simplify}[(a \cdot c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2 \cdot c \cdot x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4 \cdot a \cdot c])] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0]$

Rule 628

$\text{Int}[(d_ + (e_ \cdot x))/(a_ + (b_ \cdot x) + (c_ \cdot x^2)), x_Symbol] \rightarrow \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + b \cdot x + c \cdot x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2 \cdot c \cdot d - b \cdot e, 0]$

Rule 1162

$\text{Int}[(d_ + (e_ \cdot x^2))/(a_ + (c_ \cdot x^4)), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e + q \cdot x + x^2, x], x], x] + \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e - q \cdot x + x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \ \&\& \ \text{PosQ}[d \cdot e]$

Rule 1165

$\text{Int}[(d_ + (e_ \cdot x^2))/(a_ + (c_ \cdot x^4)), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q - 2 \cdot x)/\text{Simp}[d/e + q \cdot x - x^2, x], x], x] + \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q + 2 \cdot x)/\text{Simp}[d/e - q \cdot x - x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \ \&\& \ \text{NegQ}[d \cdot e]$

Rule 1168

$\text{Int}[(d_ + (e_ \cdot x^2))/(a_ + (c_ \cdot x^4)), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[a \cdot c, 2]\}, \text{Dist}[(d \cdot q + a \cdot e)/(2 \cdot a \cdot c), \text{Int}[(q + c \cdot x^2)/(a + c \cdot x^4), x], x] + \text{Dist}[(d \cdot q - a \cdot e)/(2 \cdot a \cdot c), \text{Int}[(q - c \cdot x^2)/(a + c \cdot x^4), x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ \text{NeQ}[c \cdot d^2 - a \cdot e^2, 0] \ \&\& \ \text{NegQ}[-(a \cdot c)]$

Rule 1823

$\text{Int}[(Pq) \cdot (x)^{(m_)} \cdot ((a_ + (b_ \cdot x)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Simp}[(Pq \cdot (a + b \cdot x^n)^{(p+1)})/(b \cdot n \cdot (p+1)), x] - \text{Dist}[1/(b \cdot n \cdot (p+1)), \text{Int}[D[Pq, x] \cdot (a + b \cdot x^n)^{(p+1)}, x], x] /; \text{FreeQ}[\{a, b, m, n\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{EqQ}[m - n + 1, 0] \ \&\& \ \text{LtQ}[p, -1]$

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx + ex^2 + fx^3)}{(a + bx^4)^4} dx &= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{\int \frac{d+2ex+3fx^2}{(a+bx^4)^3} dx}{12b} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} - \frac{\int \frac{-7d-12ex-15fx^2}{(a+bx^4)^2} dx}{96ab} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} + \frac{x(7d + 12ex + 15fx^2)}{384a^2b (a + bx^4)} + \frac{\int \frac{21d+2}{a+b}}{3} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} + \frac{x(7d + 12ex + 15fx^2)}{384a^2b (a + bx^4)} + \frac{\int \left(\frac{24ex}{a+bx} \right)}{3} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} + \frac{x(7d + 12ex + 15fx^2)}{384a^2b (a + bx^4)} + \frac{\int \frac{21d+1}{a+b}}{384} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} + \frac{x(7d + 12ex + 15fx^2)}{384a^2b (a + bx^4)} + \frac{e \operatorname{Subst}}{384} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} + \frac{x(7d + 12ex + 15fx^2)}{384a^2b (a + bx^4)} + \frac{e \tan^{-1}}{32a^5} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} + \frac{x(7d + 12ex + 15fx^2)}{384a^2b (a + bx^4)} + \frac{e \tan^{-1}}{32a^5} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} + \frac{x(7d + 12ex + 15fx^2)}{384a^2b (a + bx^4)} + \frac{e \tan^{-1}}{32a^5}
\end{aligned}$$

Mathematica [A] time = 0.46, size = 366, normalized size = 0.96

$$\frac{6 \tan^{-1}\left(1 - \frac{\sqrt{5} \sqrt{bx^4}}{5c}\right) (16 \sqrt{5} \sqrt{bx^4} + 5 \sqrt{2} \sqrt{a} f + 7 \sqrt{2} \sqrt{bd})}{a^{11/4}} + \frac{6 \tan^{-1}\left(\frac{\sqrt{5} \sqrt{bx^4}}{5c} + 1\right) (-16 \sqrt{5} \sqrt{bx^4} + 5 \sqrt{2} \sqrt{a} f + 7 \sqrt{2} \sqrt{bd})}{a^{11/4}} + \frac{3 \sqrt{2} (5 \sqrt{a} f - 7 \sqrt{bd}) \log\left(-\sqrt{2} \sqrt{bx^4} \sqrt{bx^4 + \sqrt{a} + \sqrt{bd} x^2}\right)}{a^{11/4}} + \frac{3 \sqrt{2} (7 \sqrt{bd} - 5 \sqrt{a} f) \log\left(\sqrt{2} \sqrt{bx^4} \sqrt{bx^4 + \sqrt{a} + \sqrt{bd} x^2}\right)}{a^{11/4}} + \frac{88 \sqrt{2} x (7d + 3x(4c + 5fx))}{a^2 (a + bx^4)} - \frac{256 \sqrt{2} x (c + x(d + x(c + fx)))}{(a + bx^4)^3} + \frac{32 \sqrt{2} x (d + x(2c + 3fx))}{a(a + bx^4)^2}$$

3072b^{7/4}

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^4,x]

[Out] ((32*b^(3/4)*x*(d + x*(2*e + 3*f*x)))/(a*(a + b*x^4)^2) + (8*b^(3/4)*x*(7*d + 3*x*(4*e + 5*f*x)))/(a^2*(a + b*x^4)) - (256*b^(3/4)*(c + x*(d + x*(e + f*x)))/(a + b*x^4)^3 - (6*(7*Sqrt[2]*Sqrt[b]*d + 16*a^(1/4)*b^(1/4)*e + 5*Sqrt[2]*Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/a^(11/4) + (6*(7*Sqrt[2]*Sqrt[b]*d - 16*a^(1/4)*b^(1/4)*e + 5*Sqrt[2]*Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/a^(11/4) + (3*Sqrt[2]*(-7*Sqrt[b]*d + 5*Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(11/4) + (3*Sqrt[2]*(7*Sqrt[b]*d - 5*Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(11/4))/(3072*b^(7/4))

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (c + dx + ex^2 + fx^3)}{(a + bx^4)^4} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^4,x]

[Out] IntegrateAlgebraic[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^4, x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 380, normalized size = 1.00

$$\frac{\sqrt{2} \left(8 \sqrt{2} \sqrt{ab} \rho_e + 7 (ab)^{\frac{1}{2}} \rho_d + 5 (ab)^{\frac{3}{2}} \right) \arctan \left(\frac{\sqrt{2} \sqrt{ab} \rho_f}{2 (ab)^{\frac{1}{2}}} \right)}{512 a^{\frac{3}{4}} b^{\frac{3}{4}}}, \frac{\sqrt{2} \left(8 \sqrt{2} \sqrt{ab} \rho_e + 7 (ab)^{\frac{1}{2}} \rho_d + 5 (ab)^{\frac{3}{2}} \right) \arctan \left(\frac{\sqrt{2} \sqrt{ab} \rho_f}{2 (ab)^{\frac{1}{2}}} \right)}{512 a^{\frac{3}{4}} b^{\frac{3}{4}}}, \frac{\sqrt{2} \left((ab)^{\frac{1}{2}} \rho_d - 5 (ab)^{\frac{3}{2}} \right) \log \left(x^2 + \sqrt{2} x \left(\frac{a}{b} \right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}} \right)}{1024 a^{\frac{3}{4}} b^{\frac{3}{4}}}, \frac{\sqrt{2} \left((ab)^{\frac{1}{2}} \rho_d - 5 (ab)^{\frac{3}{2}} \right) \log \left(x^2 - \sqrt{2} x \left(\frac{a}{b} \right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}} \right)}{1024 a^{\frac{3}{4}} b^{\frac{3}{4}}}, \frac{15 \rho_f x^{11} + 12 \rho_f^2 x^{10} + 7 \rho_f^3 x^9 + 42 ab \rho_f^2 x^8 + 32 ab^2 \rho_f^2 x^7 + 18 ab^3 \rho_f^2 x^6 - 5 a^2 f^2 x^5 - 12 a^2 b^2 \rho_e - 21 a^2 d x - 32 a^2 c}{384 (bx^4 + a)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out] 1/512*sqrt(2)*(8*sqrt(2)*sqrt(a*b)*b^2*e + 7*(a*b^3)^(1/4)*b^2*d + 5*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^4) + 1/512*sqrt(2)*(8*sqrt(2)*sqrt(a*b)*b^2*e + 7*(a*b^3)^(1/4)*b^2*d + 5*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^4) + 1/1024*sqrt(2)*(7*(a*b^3)^(1/4)*b^2*d - 5*(a*b^3)^(3/4)*f)*

$\log(x^2 + \sqrt{2} * x * (a/b)^{(1/4)} + \sqrt{a/b}) / (a^3 * b^4) - 1/1024 * \sqrt{2} * (7 * (a * b^3)^{(1/4)} * b^2 * d - 5 * (a * b^3)^{(3/4)} * f) * \log(x^2 - \sqrt{2} * x * (a/b)^{(1/4)} + \sqrt{a/b}) / (a^3 * b^4) + 1/384 * (15 * b^2 * f * x^{11} + 12 * b^2 * x^{10} * e + 7 * b^2 * d * x^9 + 42 * a * b * f * x^7 + 32 * a * b * x^6 * e + 18 * a * b * d * x^5 - 5 * a^2 * f * x^3 - 12 * a^2 * x^2 * e - 21 * a^2 * d * x - 32 * a^2 * c) / ((b * x^4 + a)^3 * a^2 * b)$

maple [A] time = 0.06, size = 403, normalized size = 1.06

$$\frac{e \arctan\left(\frac{\sqrt{2} x}{a}\right)}{32 \sqrt{ab} a^2 b} + \frac{5 \sqrt{2} f \arctan\left(\frac{\sqrt{2} x}{a}\right)}{512 \left(\frac{a}{b}\right)^{3/4} a^2 b^2} + \frac{5 \sqrt{2} f \arctan\left(\frac{\sqrt{2} x}{a}\right)}{512 \left(\frac{a}{b}\right)^{3/4} a^2 b^2} + \frac{5 \sqrt{2} f \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{1/4} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b}\right)^{1/4} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{1024 \left(\frac{a}{b}\right)^{3/4} a^2 b^2} + \frac{7 \left(\frac{a}{b}\right)^{1/4} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{a}\right)}{512 a^2 b} + \frac{7 \left(\frac{a}{b}\right)^{1/4} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{a}\right)}{512 a^2 b} + \frac{7 \left(\frac{a}{b}\right)^{1/4} \sqrt{2} d \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{1/4} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b}\right)^{1/4} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{1024 a^2 b} + \frac{5 f x^{11}}{128 a^2} + \frac{8 e x^{10}}{32 a^2} + \frac{7 d x^9}{384 a^2} + \frac{7 f x^7}{64 a^2} + \frac{e x^6}{32 a^2} + \frac{3 d x^5}{384 a^2} - \frac{5 f x^3}{32 a^2} - \frac{e x^2}{32 a^2} - \frac{2 d x}{128 a^2} - \frac{c}{128 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out] (5/128*f/a^2*b*x^11+1/32/a^2*b*e*x^10+7/384/a^2*d*b*x^9+7/64/a*f*x^7+1/12/a*e*x^6+3/64/a*d*x^5-5/384/b*f*x^3-1/32/b*e*x^2-7/128/b*d*x-1/12/b*c)/(b*x^4+a)^3+7/1024/a^3/b*d*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+7/512/a^3/b*d*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+7/512/a^3/b*d*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/32/a^2/b*e/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)+5/1024/a^2/b^2*f/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+5/512/a^2/b^2*f/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+5/512/a^2/b^2*f/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.12, size = 396, normalized size = 1.04

$$\frac{15 b^2 f x^{11} + 12 b^2 e x^{10} + 7 b^2 d x^9 + 42 a b f x^7 + 32 a b e x^6 + 18 a b d x^5 - 5 a^2 f x^3 - 12 a^2 e x^2 - 21 a^2 d x - 32 a^2 c}{384 (a^2 b^4 x^{12} + 3 a^2 b^3 x^8 + 3 a^4 b^2 x^4 + a^5 b)} + \frac{\sqrt{2} (f \sqrt{a-b} \sqrt{f} \log(\sqrt{b} x^2 + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{a}))}{2 a^{3/4} b^{3/4}} - \frac{\sqrt{2} (f \sqrt{a-b} \sqrt{f} \log(\sqrt{b} x^2 - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{a}))}{2 a^{3/4} b^{3/4}} + \frac{2 (f \sqrt{2} a^{1/4} b^{1/4} \sqrt{2} a^{1/4} b^{1/4} \sqrt{2} a^{1/4} b^{1/4} \sqrt{2} a^{1/4} b^{1/4}) \operatorname{arctan}\left(\frac{\sqrt{2} a^{1/4} b^{1/4} x + \sqrt{a}}{2 \sqrt{a} \sqrt{b}}\right)}{1024 a^2 b} + \frac{2 (f \sqrt{2} a^{1/4} b^{1/4} \sqrt{2} a^{1/4} b^{1/4} \sqrt{2} a^{1/4} b^{1/4} \sqrt{2} a^{1/4} b^{1/4}) \operatorname{arctan}\left(\frac{\sqrt{2} a^{1/4} b^{1/4} x - \sqrt{a}}{2 \sqrt{a} \sqrt{b}}\right)}{1024 a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out] 1/384*(15*b^2*f*x^11 + 12*b^2*e*x^10 + 7*b^2*d*x^9 + 42*a*b*f*x^7 + 32*a*b*e*x^6 + 18*a*b*d*x^5 - 5*a^2*f*x^3 - 12*a^2*e*x^2 - 21*a^2*d*x - 32*a^2*c)/(a^2*b^4*x^12 + 3*a^3*b^3*x^8 + 3*a^4*b^2*x^4 + a^5*b) + 1/1024*(sqrt(2)*(7*sqrt(b)*d - 5*sqrt(a)*f)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(7*sqrt(b)*d - 5*sqrt(a)*f)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(7*sqrt(2)*a^(1/4)*b^(3/4)*d + 5*sqrt(2)*a^(3/4)*b^(1/4)*f - 16*sqrt(a)*sqrt(b)*e)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/ (a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(7*sqrt(2)*a^(1/4)*b^(3/4)*d + 5*sqrt(2)*a^(3/4)*b^(1/4)*f + 16*sqrt(a)*sqrt(b)*e)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/ (a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)))/(a^2*b)

mupad [B] time = 0.48, size = 888, normalized size = 2.34

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^3(c + dx + ex^2 + fx^3))/(a + bx^4)^4, x)$

[Out] $((3dx^5)/(64a) - c/(12b) + (ex^6)/(12a) - (ex^2)/(32b) + (7fx^7)/(64a) - (5fx^3)/(384b) - (7dx)/(128b) + (7b^2dx^9)/(384a^2) + (be^2x^{10})/(32a^2) + (5b^2fx^{11})/(128a^2))/(a^3 + b^3x^{12} + 3a^2bx^4 + 3a^2bx^8) + \text{symsum}(\log(-(125a^3f^3 - 448b^2de^2 + 245b^2d^2f - 512b^2e^3x + 1835008\text{root}(68719476736a^{11}b^7z^4 + 36700160a^6b^4d^2fz^2 + 33554432a^6b^4e^2z^2 + 409600a^4b^2e^2fz - 802816a^3b^3d^2ez - 8960abd^2ef + 2450abd^2f^2 + 4096a^2b^2e^4 + 625a^2f^4 + 2401b^2d^4, z, k)^2a^5b^4d + 560b^2d^2efx + 25088\text{root}(68719476736a^{11}b^7z^4 + 36700160a^6b^4d^2fz^2 + 33554432a^6b^4e^2z^2 + 409600a^4b^2e^2fz - 802816a^3b^3d^2ez - 8960abd^2ef + 2450abd^2f^2 + 4096a^2b^2e^4 + 625a^2f^4 + 2401b^2d^4, z, k))a^2b^3d^2x - 2097152\text{root}(68719476736a^{11}b^7z^4 + 36700160a^6b^4d^2fz^2 + 33554432a^6b^4e^2z^2 + 409600a^4b^2e^2fz - 802816a^3b^3d^2ez - 8960abd^2ef + 2450abd^2f^2 + 4096a^2b^2e^4 + 625a^2f^4 + 2401b^2d^4, z, k))^2a^5b^4ex - 12800\text{root}(68719476736a^{11}b^7z^4 + 36700160a^6b^4d^2fz^2 + 33554432a^6b^4e^2z^2 + 409600a^4b^2e^2fz - 802816a^3b^3d^2ez - 8960abd^2ef + 2450abd^2f^2 + 4096a^2b^2e^4 + 625a^2f^4 + 2401b^2d^4, z, k))a^3b^2f^2x + 40960\text{root}(68719476736a^{11}b^7z^4 + 36700160a^6b^4d^2fz^2 + 33554432a^6b^4e^2z^2 + 409600a^4b^2e^2fz - 802816a^3b^3d^2ez - 8960abd^2ef + 2450abd^2f^2 + 4096a^2b^2e^4 + 625a^2f^4 + 2401b^2d^4, z, k))a^3b^2ef)/(2097152a^6b^2))\text{root}(68719476736a^{11}b^7z^4 + 36700160a^6b^4d^2fz^2 + 33554432a^6b^4e^2z^2 + 409600a^4b^2e^2fz - 802816a^3b^3d^2ez - 8960abd^2ef + 2450abd^2f^2 + 4096a^2b^2e^4 + 625a^2f^4 + 2401b^2d^4, z, k), k, 1, 4)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3(fx^3+ex^2+dx+c)/(b^4x+a)^4, x)$

[Out] Timed out

$$3.395 \quad \int \frac{1+x+x^2+x^3+x^4}{1-x^5} dx$$

Optimal. Leaf size=8

$$-\log(1-x)$$

Rubi [A] time = 0.01, antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1586, 31}

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3 + x^4)/(1 - x^5), x]

[Out] -Log[1 - x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(P_x_)^(p_.)*(Q_x_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[P_x, Q_x, x]^p*Q_x^(p+q), x] /; FreeQ[q, x] && PolyQ[P_x, x] && PolyQ[Q_x, x] && EqQ[PolynomialRemainder[P_x, Q_x, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{1+x+x^2+x^3+x^4}{1-x^5} dx = \int \frac{1}{1-x} dx = -\log(1-x)$$

Mathematica [A] time = 0.00, size = 8, normalized size = 1.00

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3 + x^4)/(1 - x^5), x]

[Out] -Log[1 - x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1 + x + x^2 + x^3 + x^4}{1 - x^5} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(1 + x + x^2 + x^3 + x^4)/(1 - x^5), x]

[Out] IntegrateAlgebraic[(1 + x + x^2 + x^3 + x^4)/(1 - x^5), x]

fricas [A] time = 0.41, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^3+x^2+x+1)/(-x^5+1), x, algorithm="fricas")

[Out] -log(x - 1)

giac [A] time = 0.17, size = 7, normalized size = 0.88

$$-\log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^3+x^2+x+1)/(-x^5+1), x, algorithm="giac")

[Out] -log(abs(x - 1))

maple [A] time = 0.04, size = 7, normalized size = 0.88

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+x^3+x^2+x+1)/(-x^5+1), x)

[Out] -ln(x-1)

maxima [A] time = 1.30, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^3+x^2+x+1)/(-x^5+1), x, algorithm="maxima")

[Out] $-\log(x - 1)$

mupad [B] time = 0.02, size = 6, normalized size = 0.75

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(-(x + x^2 + x^3 + x^4 + 1)/(x^5 - 1), x)$

[Out] $-\log(x - 1)$

sympy [A] time = 0.08, size = 5, normalized size = 0.62

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((x**4+x**3+x**2+x+1)/(-x**5+1), x)$

[Out] $-\log(x - 1)$

$$3.396 \quad \int \frac{243-162x+108x^2-72x^3+48x^4-32x^5}{729-64x^6} dx$$

Optimal. Leaf size=10

$$\frac{1}{2} \log(2x + 3)$$

Rubi [A] time = 0.01, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {1586, 31}

$$\frac{1}{2} \log(2x + 3)$$

Antiderivative was successfully verified.

[In] Int[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6),x]

[Out] Log[3 + 2*x]/2

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{243 - 162x + 108x^2 - 72x^3 + 48x^4 - 32x^5}{729 - 64x^6} dx &= \int \frac{1}{3 + 2x} dx \\ &= \frac{1}{2} \log(3 + 2x) \end{aligned}$$

Mathematica [A] time = 0.00, size = 10, normalized size = 1.00

$$\frac{1}{2} \log(2x + 3)$$

Antiderivative was successfully verified.

[In] Integrate[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6), x]

[Out] Log[3 + 2*x]/2

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{243 - 162x + 108x^2 - 72x^3 + 48x^4 - 32x^5}{729 - 64x^6} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6), x]

[Out] IntegrateAlgebraic[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6), x]

fricas [A] time = 0.39, size = 8, normalized size = 0.80

$$\frac{1}{2} \log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/2*log(2*x + 3)

giac [A] time = 0.19, size = 9, normalized size = 0.90

$$\frac{1}{2} \log(|2x + 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/2*log(abs(2*x + 3))

maple [A] time = 0.04, size = 9, normalized size = 0.90

$$\frac{\ln(2x + 3)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729),x)`

[Out] `1/2*ln(3+2*x)`

maxima [A] time = 1.33, size = 8, normalized size = 0.80

$$\frac{1}{2} \log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729),x, algorithm="maxima")`

[Out] `1/2*log(2*x + 3)`

mupad [B] time = 0.06, size = 6, normalized size = 0.60

$$\frac{\ln\left(x + \frac{3}{2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((162*x - 108*x^2 + 72*x^3 - 48*x^4 + 32*x^5 - 243)/(64*x^6 - 729),x)`

[Out] `log(x + 3/2)/2`

sympy [A] time = 0.08, size = 7, normalized size = 0.70

$$\frac{\log(2x + 3)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-32*x**5+48*x**4-72*x**3+108*x**2-162*x+243)/(-64*x**6+729),x)`

[Out] `log(2*x + 3)/2`

$$3.397 \quad \int \frac{243+162x+108x^2+72x^3+48x^4+32x^5}{729-64x^6} dx$$

Optimal. Leaf size=10

$$-\frac{1}{2} \log(3-2x)$$

Rubi [A] time = 0.01, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {1586, 31}

$$-\frac{1}{2} \log(3-2x)$$

Antiderivative was successfully verified.

[In] Int[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6), x]

[Out] -Log[3 - 2*x]/2

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(P_x_)^(p_.)*(Q_x_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[P_x, Q_x, x]^p*Q_x^(p+q), x] /; FreeQ[q, x] && PolyQ[P_x, x] && PolyQ[Q_x, x] && EqQ[PolynomialRemainder[P_x, Q_x, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{243 + 162x + 108x^2 + 72x^3 + 48x^4 + 32x^5}{729 - 64x^6} dx &= \int \frac{1}{3 - 2x} dx \\ &= -\frac{1}{2} \log(3 - 2x) \end{aligned}$$

Mathematica [A] time = 0.00, size = 10, normalized size = 1.00

$$-\frac{1}{2} \log(3-2x)$$

Antiderivative was successfully verified.

[In] Integrate[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6), x]

[Out] -1/2*Log[3 - 2*x]

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{243 + 162x + 108x^2 + 72x^3 + 48x^4 + 32x^5}{729 - 64x^6} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6), x]

[Out] IntegrateAlgebraic[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6), x]

fricas [A] time = 0.38, size = 8, normalized size = 0.80

$$-\frac{1}{2} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729), x, algorithm="fricas")

[Out] -1/2*log(2*x - 3)

giac [A] time = 0.18, size = 9, normalized size = 0.90

$$-\frac{1}{2} \log(|2x - 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729), x, algorithm="giac")

[Out] -1/2*log(abs(2*x - 3))

maple [A] time = 0.04, size = 9, normalized size = 0.90

$$\frac{\ln(2x - 3)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729),x)`

[Out] `-1/2*ln(-3+2*x)`

maxima [A] time = 1.39, size = 8, normalized size = 0.80

$$-\frac{1}{2} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729),x, algorithm="maxima")`

[Out] `-1/2*log(2*x - 3)`

mupad [B] time = 4.99, size = 6, normalized size = 0.60

$$-\frac{\ln\left(x - \frac{3}{2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5 + 243)/(64*x^6 - 729),x)`

[Out] `-log(x - 3/2)/2`

sympy [A] time = 0.09, size = 8, normalized size = 0.80

$$-\frac{\log(2x - 3)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((32*x**5+48*x**4+72*x**3+108*x**2+162*x+243)/(-64*x**6+729),x)`

[Out] `-log(2*x - 3)/2`

$$3.398 \quad \int \frac{81+36x^2+16x^4}{729-64x^6} dx$$

Optimal. Leaf size=10

$$\frac{1}{6} \tanh^{-1}\left(\frac{2x}{3}\right)$$

Rubi [A] time = 0.01, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1586, 206}

$$\frac{1}{6} \tanh^{-1}\left(\frac{2x}{3}\right)$$

Antiderivative was successfully verified.

[In] Int[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6),x]

[Out] ArcTanh[(2*x)/3]/6

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{81 + 36x^2 + 16x^4}{729 - 64x^6} dx &= \int \frac{1}{9 - 4x^2} dx \\ &= \frac{1}{6} \tanh^{-1}\left(\frac{2x}{3}\right) \end{aligned}$$

Mathematica [B] time = 0.00, size = 21, normalized size = 2.10

$$\frac{1}{12} \log(2x + 3) - \frac{1}{12} \log(3 - 2x)$$

Antiderivative was successfully verified.

[In] Integrate[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6), x]

[Out] -1/12*Log[3 - 2*x] + Log[3 + 2*x]/12

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{81 + 36x^2 + 16x^4}{729 - 64x^6} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6), x]

[Out] IntegrateAlgebraic[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6), x]

fricas [B] time = 0.40, size = 17, normalized size = 1.70

$$\frac{1}{12} \log(2x + 3) - \frac{1}{12} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/12*log(2*x + 3) - 1/12*log(2*x - 3)

giac [B] time = 0.20, size = 15, normalized size = 1.50

$$\frac{1}{12} \log\left(\left|x + \frac{3}{2}\right|\right) - \frac{1}{12} \log\left(\left|x - \frac{3}{2}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/12*log(abs(x + 3/2)) - 1/12*log(abs(x - 3/2))

maple [B] time = 0.05, size = 18, normalized size = 1.80

$$-\frac{\ln(2x - 3)}{12} + \frac{\ln(2x + 3)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((16*x^4+36*x^2+81)/(-64*x^6+729), x)

[Out] 1/12*ln(2*x+3)-1/12*ln(2*x-3)

maxima [B] time = 1.33, size = 17, normalized size = 1.70

$$\frac{1}{12} \log(2x + 3) - \frac{1}{12} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729),x, algorithm="maxima")

[Out] 1/12*log(2*x + 3) - 1/12*log(2*x - 3)

mupad [B] time = 0.10, size = 6, normalized size = 0.60

$$\frac{\operatorname{atanh}\left(\frac{2x}{3}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(36*x^2 + 16*x^4 + 81)/(64*x^6 - 729),x)

[Out] atanh((2*x)/3)/6

sympy [B] time = 0.11, size = 15, normalized size = 1.50

$$-\frac{\log\left(x - \frac{3}{2}\right)}{12} + \frac{\log\left(x + \frac{3}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x**4+36*x**2+81)/(-64*x**6+729),x)

[Out] -log(x - 3/2)/12 + log(x + 3/2)/12

$$3.399 \quad \int \frac{81+54x-24x^3-16x^4}{729-64x^6} dx$$

Optimal. Leaf size=24

$$-\frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{3\sqrt{3}}$$

Rubi [A] time = 0.02, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1586, 618, 204}

$$-\frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{3\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6),x]

[Out] -ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(3*Sqrt[3])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{81 + 54x - 24x^3 - 16x^4}{729 - 64x^6} dx &= \int \frac{1}{9 - 6x + 4x^2} dx \\ &= -\left(2 \operatorname{Subst}\left(\int \frac{1}{-108 - x^2} dx, x, -6 + 8x\right)\right) \\ &= -\frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{3\sqrt{3}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 24, normalized size = 1.00

$$\frac{\tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right)}{3\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6), x]
 [Out] ArcTan[(-3 + 4*x)/(3*Sqrt[3])]/(3*Sqrt[3])

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{81 + 54x - 24x^3 - 16x^4}{729 - 64x^6} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6), x]
 [Out] IntegrateAlgebraic[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6), x]

fricas [A] time = 0.38, size = 16, normalized size = 0.67

$$\frac{1}{9} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729), x, algorithm="fricas")
 [Out] 1/9*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3))

giac [A] time = 0.19, size = 16, normalized size = 0.67

$$\frac{1}{9} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729),x, algorithm="giac")

[Out] 1/9*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3))

maple [A] time = 0.04, size = 17, normalized size = 0.71

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729),x)

[Out] 1/9*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))

maxima [A] time = 2.93, size = 16, normalized size = 0.67

$$\frac{1}{9} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729),x, algorithm="maxima")

[Out] 1/9*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3))

mupad [B] time = 0.03, size = 16, normalized size = 0.67

$$\frac{\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3} (4x-3)}{9}\right)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(54*x - 24*x^3 - 16*x^4 + 81)/(64*x^6 - 729),x)

[Out] (3^(1/2)*atan((3^(1/2)*(4*x - 3))/9))/9

sympy [A] time = 0.15, size = 24, normalized size = 1.00

$$\frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-16*x**4-24*x**3+54*x+81)/(-64*x**6+729),x)
```

```
[Out] sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/9
```

$$3.400 \quad \int \frac{3-2x}{729-64x^6} dx$$

Optimal. Leaf size=50

$$-\frac{1}{972} \log(4x^2 - 6x + 9) + \frac{1}{486} \log(2x + 3) + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{162\sqrt{3}}$$

Rubi [A] time = 0.05, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1586, 2058, 628, 618, 204}

$$-\frac{1}{972} \log(4x^2 - 6x + 9) + \frac{1}{486} \log(2x + 3) + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{162\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(3 - 2*x)/(729 - 64*x^6), x]

[Out] ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(162*Sqrt[3]) + Log[3 + 2*x]/486 - Log[9 - 6*x + 4*x^2]/972

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] &&

EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2058

Int[(P_)^(p_), x_Symbol] := With[{u = Factor[P]}, Int[ExpandIntegrand[u^p, x], x] /; !SumQ[NonfreeFactors[u, x]]] /; PolyQ[P, x] && ILtQ[p, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{3-2x}{729-64x^6} dx &= \int \frac{1}{243+162x+108x^2+72x^3+48x^4+32x^5} dx \\
 &= \int \left(\frac{1}{243(3+2x)} + \frac{3-4x}{486(9-6x+4x^2)} + \frac{1}{54(9+6x+4x^2)} \right) dx \\
 &= \frac{1}{486} \log(3+2x) + \frac{1}{486} \int \frac{3-4x}{9-6x+4x^2} dx + \frac{1}{54} \int \frac{1}{9+6x+4x^2} dx \\
 &= \frac{1}{486} \log(3+2x) - \frac{1}{972} \log(9-6x+4x^2) - \frac{1}{27} \text{Subst} \left(\int \frac{1}{-108-x^2} dx, x, 6+8x \right) \\
 &= \frac{\tan^{-1} \left(\frac{3+4x}{3\sqrt{3}} \right)}{162\sqrt{3}} + \frac{1}{486} \log(3+2x) - \frac{1}{972} \log(9-6x+4x^2)
 \end{aligned}$$

Mathematica [A] time = 0.02, size = 50, normalized size = 1.00

$$-\frac{1}{972} \log(4x^2-6x+9) + \frac{1}{486} \log(2x+3) + \frac{\tan^{-1} \left(\frac{4x+3}{3\sqrt{3}} \right)}{162\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(3 - 2*x)/(729 - 64*x^6), x]

[Out] ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(162*Sqrt[3]) + Log[3 + 2*x]/486 - Log[9 - 6*x + 4*x^2]/972

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3-2x}{729-64x^6} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(3 - 2*x)/(729 - 64*x^6), x]

[Out] IntegrateAlgebraic[(3 - 2*x)/(729 - 64*x^6), x]

fricas [A] time = 0.41, size = 38, normalized size = 0.76

$$\frac{1}{486} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) - \frac{1}{972} \log(4x^2 - 6x + 9) + \frac{1}{486} \log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729),x, algorithm="fricas")

[Out] 1/486*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) - 1/972*log(4*x^2 - 6*x + 9) + 1/486*log(2*x + 3)

giac [A] time = 0.20, size = 39, normalized size = 0.78

$$\frac{1}{486} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) - \frac{1}{972} \log(4x^2 - 6x + 9) + \frac{1}{486} \log(|2x + 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729),x, algorithm="giac")

[Out] 1/486*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) - 1/972*log(4*x^2 - 6*x + 9) + 1/486*log(abs(2*x + 3))

maple [A] time = 0.05, size = 39, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{486} + \frac{\ln(2x + 3)}{486} - \frac{\ln(4x^2 - 6x + 9)}{972}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3-2*x)/(-64*x^6+729),x)

[Out] -1/972*ln(4*x^2-6*x+9)+1/486*ln(2*x+3)+1/486*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))

maxima [A] time = 2.89, size = 38, normalized size = 0.76

$$\frac{1}{486} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) - \frac{1}{972} \log(4x^2 - 6x + 9) + \frac{1}{486} \log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729),x, algorithm="maxima")

[Out] $1/486*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x + 3)) - 1/972*\log(4*x^2 - 6*x + 9) + 1/486*\log(2*x + 3)$

mupad [B] time = 0.13, size = 49, normalized size = 0.98

$$\frac{\ln\left(x + \frac{3}{2}\right)}{486} - \frac{\ln\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{972} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}}{1327104\left(\frac{x}{884736} + \frac{1}{884736}\right)} - \frac{\sqrt{3}x}{7962624\left(\frac{x}{884736} + \frac{1}{884736}\right)}\right)}{486}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x - 3)/(64*x^6 - 729), x)`

[Out] $\log(x + 3/2)/486 - \log(x^2 - (3*x)/2 + 9/4)/972 - (3^{(1/2)}*\operatorname{atan}(3^{(1/2)}/(1327104*(x/884736 + 1/884736)) - (3^{(1/2)}*x)/(7962624*(x/884736 + 1/884736))))/486$

sympy [A] time = 0.21, size = 46, normalized size = 0.92

$$\frac{\log\left(x + \frac{3}{2}\right)}{486} - \frac{\log(4x^2 - 6x + 9)}{972} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{486}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3-2*x)/(-64*x**6+729), x)`

[Out] $\log(x + 3/2)/486 - \log(4*x**2 - 6*x + 9)/972 + \sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 + \sqrt{3}/3)/486$

$$3.401 \quad \int \frac{3+2x}{729-64x^6} dx$$

Optimal. Leaf size=50

$$\frac{1}{972} \log(4x^2 + 6x + 9) - \frac{1}{486} \log(3 - 2x) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{162\sqrt{3}}$$

Rubi [A] time = 0.05, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1586, 2058, 618, 204, 628}

$$\frac{1}{972} \log(4x^2 + 6x + 9) - \frac{1}{486} \log(3 - 2x) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{162\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(3 + 2*x)/(729 - 64*x^6), x]

[Out] -ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(162*Sqrt[3]) - Log[3 - 2*x]/486 + Log[9 + 6*x + 4*x^2]/972

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] &&

EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2058

Int[(P_)^(p_), x_Symbol] := With[{u = Factor[P]}, Int[ExpandIntegrand[u^p, x], x] /; !SumQ[NonfreeFactors[u, x]]] /; PolyQ[P, x] && ILtQ[p, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{3+2x}{729-64x^6} dx &= \int \frac{1}{243-162x+108x^2-72x^3+48x^4-32x^5} dx \\
 &= \int \left(-\frac{1}{243(-3+2x)} + \frac{1}{54(9-6x+4x^2)} + \frac{3+4x}{486(9+6x+4x^2)} \right) dx \\
 &= -\frac{1}{486} \log(3-2x) + \frac{1}{486} \int \frac{3+4x}{9+6x+4x^2} dx + \frac{1}{54} \int \frac{1}{9-6x+4x^2} dx \\
 &= -\frac{1}{486} \log(3-2x) + \frac{1}{972} \log(9+6x+4x^2) - \frac{1}{27} \text{Subst} \left(\int \frac{1}{-108-x^2} dx, x, -6+8x \right) \\
 &= -\frac{\tan^{-1} \left(\frac{3-4x}{3\sqrt{3}} \right)}{162\sqrt{3}} - \frac{1}{486} \log(3-2x) + \frac{1}{972} \log(9+6x+4x^2)
 \end{aligned}$$

Mathematica [A] time = 0.02, size = 46, normalized size = 0.92

$$\frac{1}{972} \left(\log(4x^2+6x+9) - 2\log(3-2x) + 2\sqrt{3} \tan^{-1} \left(\frac{4x-3}{3\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(3 + 2*x)/(729 - 64*x^6), x]

[Out] (2*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] - 2*Log[3 - 2*x] + Log[9 + 6*x + 4*x^2])/972

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3+2x}{729-64x^6} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(3 + 2*x)/(729 - 64*x^6), x]

[Out] IntegrateAlgebraic[(3 + 2*x)/(729 - 64*x^6), x]

fricas [A] time = 0.41, size = 38, normalized size = 0.76

$$\frac{1}{486} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) + \frac{1}{972} \log(4x^2 + 6x + 9) - \frac{1}{486} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729),x, algorithm="fricas")

[Out] 1/486*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/972*log(4*x^2 + 6*x + 9) - 1/486*log(2*x - 3)

giac [A] time = 0.18, size = 39, normalized size = 0.78

$$\frac{1}{486} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) + \frac{1}{972} \log(4x^2 + 6x + 9) - \frac{1}{486} \log(|2x - 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729),x, algorithm="giac")

[Out] 1/486*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/972*log(4*x^2 + 6*x + 9) - 1/486*log(abs(2*x - 3))

maple [A] time = 0.05, size = 39, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{486} - \frac{\ln(2x - 3)}{486} + \frac{\ln(4x^2 + 6x + 9)}{972}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x+3)/(-64*x^6+729),x)

[Out] 1/486*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))+1/972*ln(4*x^2+6*x+9)-1/486*ln(2*x-3)

maxima [A] time = 2.95, size = 38, normalized size = 0.76

$$\frac{1}{486} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) + \frac{1}{972} \log(4x^2 + 6x + 9) - \frac{1}{486} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729),x, algorithm="maxima")

[Out] $1/486*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) + 1/972*\log(4*x^2 + 6*x + 9) - 1/486*\log(2*x - 3)$

mupad [B] time = 4.99, size = 48, normalized size = 0.96

$$\frac{\ln\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{972} - \frac{\ln\left(x - \frac{3}{2}\right)}{486} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}}{1327104\left(\frac{x}{884736} - \frac{1}{884736}\right)} + \frac{\sqrt{3}x}{7962624\left(\frac{x}{884736} - \frac{1}{884736}\right)}\right)}{486}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(2*x + 3)/(64*x^6 - 729), x)`

[Out] $\log\left(\frac{3x}{2} + x^2 + \frac{9}{4}\right)/972 - \log\left(x - \frac{3}{2}\right)/486 - \left(3^{1/2}*\operatorname{atan}\left(3^{1/2}/\left(1327104*\left(\frac{x}{884736} - \frac{1}{884736}\right)\right) + \left(3^{1/2}*x\right)/\left(7962624*\left(\frac{x}{884736} - \frac{1}{884736}\right)\right)\right)\right)/486$

sympy [A] time = 0.24, size = 46, normalized size = 0.92

$$-\frac{\log\left(x - \frac{3}{2}\right)}{486} + \frac{\log\left(4x^2 + 6x + 9\right)}{972} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{486}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3+2*x)/(-64*x**6+729), x)`

[Out] $-\log\left(x - \frac{3}{2}\right)/486 + \log\left(4x^2 + 6x + 9\right)/972 + \sqrt{3}*\operatorname{atan}\left(4*\sqrt{3}*x/9 - \sqrt{3}/3\right)/486$

$$3.402 \quad \int \frac{9-6x+4x^2}{729-64x^6} dx$$

Optimal. Leaf size=60

$$-\frac{1}{324} \log(4x^2 + 6x + 9) - \frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(2x + 3) + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{54\sqrt{3}}$$

Rubi [A] time = 0.05, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1586, 2058, 634, 618, 204, 628}

$$-\frac{1}{324} \log(4x^2 + 6x + 9) - \frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(2x + 3) + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{54\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(9 - 6*x + 4*x^2)/(729 - 64*x^6), x]

[Out] ArcTan[(3 + 4*x)/(3*sqrt[3])]/(54*sqrt[3]) - Log[3 - 2*x]/324 + Log[3 + 2*x]/108 - Log[9 + 6*x + 4*x^2]/324

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In

$t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1586

$\text{Int}[(u_.)*(P_x_)^(p_.)*(Q_x_)^(q_.), x_Symbol] \ :> \ \text{Int}[u*\text{PolynomialQuotient}[P_x, Q_x, x]^{p*Q_x^{(p+q)}, x}] /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[P_x, x] \ \&\& \ \text{PolyQ}[Q_x, x] \ \&\& \ \text{EqQ}[\text{PolynomialRemainder}[P_x, Q_x, x], 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{LtQ}[p*q, 0]$

Rule 2058

$\text{Int}[(P_)^(p_), x_Symbol] \ :> \ \text{With}[\{u = \text{Factor}[P]\}, \text{Int}[\text{ExpandIntegrand}[u^p, x], x] /; \ !\text{SumQ}[\text{NonfreeFactors}[u, x]]] /; \ \text{PolyQ}[P, x] \ \&\& \ \text{ILtQ}[p, 0]$

Rubi steps

$$\begin{aligned} \int \frac{9 - 6x + 4x^2}{729 - 64x^6} dx &= \int \frac{1}{81 + 54x - 24x^3 - 16x^4} dx \\ &= \int \left(-\frac{1}{162(-3 + 2x)} + \frac{1}{54(3 + 2x)} + \frac{3 - 2x}{81(9 + 6x + 4x^2)} \right) dx \\ &= -\frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(3 + 2x) + \frac{1}{81} \int \frac{3 - 2x}{9 + 6x + 4x^2} dx \\ &= -\frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(3 + 2x) - \frac{1}{324} \int \frac{6 + 8x}{9 + 6x + 4x^2} dx + \frac{1}{18} \int \frac{1}{9 + 6x + 4x^2} dx \\ &= -\frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(3 + 2x) - \frac{1}{324} \log(9 + 6x + 4x^2) - \frac{1}{9} \text{Subst} \left(\int \frac{1}{-108 - x^2} dx \right. \\ &= \frac{\tan^{-1} \left(\frac{3+4x}{3\sqrt{3}} \right)}{54\sqrt{3}} - \frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(3 + 2x) - \frac{1}{324} \log(9 + 6x + 4x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 56, normalized size = 0.93

$$\frac{1}{324} \left(-\log(4x^2 + 6x + 9) - \log(3 - 2x) + 3 \log(2x + 3) + 2\sqrt{3} \tan^{-1} \left(\frac{4x + 3}{3\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(9 - 6*x + 4*x^2)/(729 - 64*x^6), x]

[Out] (2*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - Log[3 - 2*x] + 3*Log[3 + 2*x] - Log[9 + 6*x + 4*x^2])/324

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{9 - 6x + 4x^2}{729 - 64x^6} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(9 - 6*x + 4*x^2)/(729 - 64*x^6), x]

[Out] IntegrateAlgebraic[(9 - 6*x + 4*x^2)/(729 - 64*x^6), x]

fricas [A] time = 0.42, size = 46, normalized size = 0.77

$$\frac{1}{162} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) - \frac{1}{324} \log(4x^2 + 6x + 9) + \frac{1}{108} \log(2x + 3) - \frac{1}{324} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2-6*x+9)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/162*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) - 1/324*log(4*x^2 + 6*x + 9) + 1/108*log(2*x + 3) - 1/324*log(2*x - 3)

giac [A] time = 0.19, size = 48, normalized size = 0.80

$$\frac{1}{162} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) - \frac{1}{324} \log(4x^2 + 6x + 9) + \frac{1}{108} \log(|2x + 3|) - \frac{1}{324} \log(|2x - 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2-6*x+9)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/162*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) - 1/324*log(4*x^2 + 6*x + 9) + 1/108*log(abs(2*x + 3)) - 1/324*log(abs(2*x - 3))

maple [A] time = 0.05, size = 47, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{162} - \frac{\ln(2x-3)}{324} + \frac{\ln(2x+3)}{108} - \frac{\ln(4x^2+6x+9)}{324}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^2-6*x+9)/(-64*x^6+729), x)

[Out] 1/108*ln(2*x+3)-1/324*ln(4*x^2+6*x+9)+1/162*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/324*ln(2*x-3)

maxima [A] time = 2.94, size = 46, normalized size = 0.77

$$\frac{1}{162} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) - \frac{1}{324} \log(4x^2 + 6x + 9) + \frac{1}{108} \log(2x + 3) - \frac{1}{324} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2-6*x+9)/(-64*x^6+729),x, algorithm="maxima")

[Out] 1/162*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) - 1/324*log(4*x^2 + 6*x + 9) + 1/108*log(2*x + 3) - 1/324*log(2*x - 3)

mupad [B] time = 5.01, size = 52, normalized size = 0.87

$$\frac{\ln\left(x + \frac{3}{2}\right)}{108} - \frac{\ln\left(x - \frac{3}{2}\right)}{324} - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{324} + \frac{\sqrt{3} 1i}{324}\right) + \ln\left(x + \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{324} + \frac{\sqrt{3} 1i}{324}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(4*x^2 - 6*x + 9)/(64*x^6 - 729),x)

[Out] log(x + 3/2)/108 - log(x - 3/2)/324 - log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/324 + 1/324) + log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/324 - 1/324)

sympy [A] time = 0.23, size = 56, normalized size = 0.93

$$-\frac{\log\left(x - \frac{3}{2}\right)}{324} + \frac{\log\left(x + \frac{3}{2}\right)}{108} - \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{324} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{162}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x**2-6*x+9)/(-64*x**6+729),x)

[Out] -log(x - 3/2)/324 + log(x + 3/2)/108 - log(x**2 + 3*x/2 + 9/4)/324 + sqrt(3)*atan(4*sqrt(3)*x/9 + sqrt(3)/3)/162

$$3.403 \quad \int \frac{9+6x+4x^2}{729-64x^6} dx$$

Optimal. Leaf size=60

$$\frac{1}{324} \log(4x^2 - 6x + 9) - \frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(2x + 3) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{54\sqrt{3}}$$

Rubi [A] time = 0.05, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1586, 2058, 634, 618, 204, 628}

$$\frac{1}{324} \log(4x^2 - 6x + 9) - \frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(2x + 3) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{54\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(9 + 6*x + 4*x^2)/(729 - 64*x^6), x]

[Out] -ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(54*Sqrt[3]) - Log[3 - 2*x]/108 + Log[3 + 2*x]/324 + Log[9 - 6*x + 4*x^2]/324

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In

$\text{t}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1586

$\text{Int}[(u_*)*(P_x)^{(p_*)}*(Q_x)^{(q_*)}, x_Symbol] \ :> \ \text{Int}[u*\text{PolynomialQuotient}[P_x, Q_x, x]^p*Q_x^{(p+q)}, x] /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[P_x, x] \ \&\& \ \text{PolyQ}[Q_x, x] \ \&\& \ \text{EqQ}[\text{PolynomialRemainder}[P_x, Q_x, x], 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{LtQ}[p, q, 0]$

Rule 2058

$\text{Int}[(P_*)^{(p_*)}, x_Symbol] \ :> \ \text{With}[\{u = \text{Factor}[P]\}, \text{Int}[\text{ExpandIntegrand}[u^p, x], x] /; \ !\text{SumQ}[\text{NonfreeFactors}[u, x]]] /; \ \text{PolyQ}[P, x] \ \&\& \ \text{ILtQ}[p, 0]$

Rubi steps

$$\begin{aligned} \int \frac{9 + 6x + 4x^2}{729 - 64x^6} dx &= \int \frac{1}{81 - 54x + 24x^3 - 16x^4} dx \\ &= \int \left(-\frac{1}{54(-3 + 2x)} + \frac{1}{162(3 + 2x)} + \frac{3 + 2x}{81(9 - 6x + 4x^2)} \right) dx \\ &= -\frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(3 + 2x) + \frac{1}{81} \int \frac{3 + 2x}{9 - 6x + 4x^2} dx \\ &= -\frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(3 + 2x) + \frac{1}{324} \int \frac{-6 + 8x}{9 - 6x + 4x^2} dx + \frac{1}{18} \int \frac{1}{9 - 6x + 4x^2} dx \\ &= -\frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(3 + 2x) + \frac{1}{324} \log(9 - 6x + 4x^2) - \frac{1}{9} \text{Subst} \left(\int \frac{1}{-108 - x^2} dx \right) \\ &= -\frac{\tan^{-1} \left(\frac{3-4x}{3\sqrt{3}} \right)}{54\sqrt{3}} - \frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(3 + 2x) + \frac{1}{324} \log(9 - 6x + 4x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 52, normalized size = 0.87

$$\frac{1}{324} \left(\log(4x^2 - 6x + 9) - 3 \log(3 - 2x) + \log(2x + 3) + 2\sqrt{3} \tan^{-1} \left(\frac{4x - 3}{3\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(9 + 6*x + 4*x^2)/(729 - 64*x^6), x]

[Out] (2*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])]) - 3*Log[3 - 2*x] + Log[3 + 2*x] + Log[9 - 6*x + 4*x^2])/324

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{9 + 6x + 4x^2}{729 - 64x^6} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(9 + 6*x + 4*x^2)/(729 - 64*x^6), x]

[Out] IntegrateAlgebraic[(9 + 6*x + 4*x^2)/(729 - 64*x^6), x]

fricas [A] time = 0.41, size = 46, normalized size = 0.77

$$\frac{1}{162} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{1}{324} \log(4x^2 - 6x + 9) + \frac{1}{324} \log(2x + 3) - \frac{1}{108} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+6*x+9)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/162*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/324*log(4*x^2 - 6*x + 9) + 1/324*log(2*x + 3) - 1/108*log(2*x - 3)

giac [A] time = 0.18, size = 48, normalized size = 0.80

$$\frac{1}{162} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{1}{324} \log(4x^2 - 6x + 9) + \frac{1}{324} \log(|2x + 3|) - \frac{1}{108} \log(|2x - 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+6*x+9)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/162*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/324*log(4*x^2 - 6*x + 9) + 1/324*log(abs(2*x + 3)) - 1/108*log(abs(2*x - 3))

maple [A] time = 0.05, size = 47, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{162} - \frac{\ln(2x - 3)}{108} + \frac{\ln(2x + 3)}{324} + \frac{\ln(4x^2 - 6x + 9)}{324}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^2+6*x+9)/(-64*x^6+729), x)

[Out] 1/324*ln(4*x^2-6*x+9)+1/162*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))+1/324*ln(2*x+3)-1/108*ln(2*x-3)

maxima [A] time = 3.08, size = 46, normalized size = 0.77

$$\frac{1}{162} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{1}{324} \log(4x^2 - 6x + 9) + \frac{1}{324} \log(2x + 3) - \frac{1}{108} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+6*x+9)/(-64*x^6+729),x, algorithm="maxima")

[Out] 1/162*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/324*log(4*x^2 - 6*x + 9) + 1/324*log(2*x + 3) - 1/108*log(2*x - 3)

mupad [B] time = 4.98, size = 52, normalized size = 0.87

$$\frac{\ln\left(x + \frac{3}{2}\right)}{324} - \frac{\ln\left(x - \frac{3}{2}\right)}{108} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{324} + \frac{\sqrt{3} 1i}{324}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{324} + \frac{\sqrt{3} 1i}{324}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(6*x + 4*x^2 + 9)/(64*x^6 - 729),x)

[Out] log(x + 3/2)/324 - log(x - 3/2)/108 - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/324 - 1/324) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/324 + 1/324)

sympy [A] time = 0.23, size = 56, normalized size = 0.93

$$-\frac{\log\left(x - \frac{3}{2}\right)}{108} + \frac{\log\left(x + \frac{3}{2}\right)}{324} + \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{324} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{162}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x**2+6*x+9)/(-64*x**6+729),x)

[Out] -log(x - 3/2)/108 + log(x + 3/2)/324 + log(x**2 - 3*x/2 + 9/4)/324 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/162

$$3.404 \quad \int \frac{27-8x^3}{729-64x^6} dx$$

Optimal. Leaf size=50

$$-\frac{1}{108} \log(4x^2 - 6x + 9) + \frac{1}{54} \log(2x + 3) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{18\sqrt{3}}$$

Rubi [A] time = 0.03, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {26, 200, 31, 634, 618, 204, 628}

$$-\frac{1}{108} \log(4x^2 - 6x + 9) + \frac{1}{54} \log(2x + 3) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{18\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(27 - 8*x^3)/(729 - 64*x^6), x]

[Out] -ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(18*Sqrt[3]) + Log[3 + 2*x]/54 - Log[9 - 6*x + 4*x^2]/108

Rule 26

Int[(u_.)*((a_.) + (b_.)*(x_)^(n_.))^(m_.)*((c_.) + (d_.)*(x_)^(j_.))^(p_.), x_Symbol] :> Dist[(-b^2/d)^m, Int[u/(a - b*x^n)^m, x], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && EqQ[j, 2*n] && EqQ[p, -m] && EqQ[b^2*c + a^2*d, 0] && GtQ[a, 0] && LtQ[d, 0]

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] :> Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
 \int \frac{27 - 8x^3}{729 - 64x^6} dx &= \int \frac{1}{27 + 8x^3} dx \\
 &= \frac{1}{27} \int \frac{1}{3 + 2x} dx + \frac{1}{27} \int \frac{6 - 2x}{9 - 6x + 4x^2} dx \\
 &= \frac{1}{54} \log(3 + 2x) - \frac{1}{108} \int \frac{-6 + 8x}{9 - 6x + 4x^2} dx + \frac{1}{6} \int \frac{1}{9 - 6x + 4x^2} dx \\
 &= \frac{1}{54} \log(3 + 2x) - \frac{1}{108} \log(9 - 6x + 4x^2) - \frac{1}{3} \text{Subst} \left(\int \frac{1}{-108 - x^2} dx, x, -6 + 8x \right) \\
 &= -\frac{\tan^{-1} \left(\frac{3-4x}{3\sqrt{3}} \right)}{18\sqrt{3}} + \frac{1}{54} \log(3 + 2x) - \frac{1}{108} \log(9 - 6x + 4x^2)
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 50, normalized size = 1.00

$$-\frac{1}{108} \log(4x^2 - 6x + 9) + \frac{1}{54} \log(2x + 3) + \frac{\tan^{-1} \left(\frac{4x-3}{3\sqrt{3}} \right)}{18\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(27 - 8*x^3)/(729 - 64*x^6), x]

[Out] ArcTan[(-3 + 4*x)/(3*Sqrt[3])]/(18*Sqrt[3]) + Log[3 + 2*x]/54 - Log[9 - 6*x + 4*x^2]/108

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{27 - 8x^3}{729 - 64x^6} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(27 - 8*x^3)/(729 - 64*x^6), x]

[Out] IntegrateAlgebraic[(27 - 8*x^3)/(729 - 64*x^6), x]

fricas [A] time = 0.41, size = 38, normalized size = 0.76

$$\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) - \frac{1}{108} \log(4x^2 - 6x + 9) + \frac{1}{54} \log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/54*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/108*log(4*x^2 - 6*x + 9) + 1/54*log(2*x + 3)

giac [A] time = 0.17, size = 35, normalized size = 0.70

$$\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) - \frac{1}{108} \log\left(x^2 - \frac{3}{2}x + \frac{9}{4}\right) + \frac{1}{54} \log\left(\left|x + \frac{3}{2}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/54*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/108*log(x^2 - 3/2*x + 9/4) + 1/54*log(abs(x + 3/2))

maple [A] time = 0.05, size = 39, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{54} + \frac{\ln(2x + 3)}{54} - \frac{\ln(4x^2 - 6x + 9)}{108}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-8*x^3+27)/(-64*x^6+729),x)`

[Out] $-\frac{1}{108}\ln(4x^2-6x+9)+\frac{1}{54}\sqrt{3}^{\frac{1}{2}}\arctan\left(\frac{1}{18}(8x-6)\sqrt{3}^{\frac{1}{2}}\right)+\frac{1}{54}\ln(2x+3)$

maxima [A] time = 2.93, size = 38, normalized size = 0.76

$$\frac{1}{54}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right)-\frac{1}{108}\log(4x^2-6x+9)+\frac{1}{54}\log(2x+3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-8*x^3+27)/(-64*x^6+729),x, algorithm="maxima")`

[Out] $\frac{1}{54}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right)-\frac{1}{108}\log(4x^2-6x+9)+\frac{1}{54}\log(2x+3)$

mupad [B] time = 0.09, size = 46, normalized size = 0.92

$$\frac{\ln\left(x+\frac{3}{2}\right)}{54}-\ln\left(x-\frac{3}{4}-\frac{\sqrt{3}3i}{4}\right)\left(\frac{1}{108}+\frac{\sqrt{3}1i}{108}\right)+\ln\left(x-\frac{3}{4}+\frac{\sqrt{3}3i}{4}\right)\left(-\frac{1}{108}+\frac{\sqrt{3}1i}{108}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((8*x^3 - 27)/(64*x^6 - 729),x)`

[Out] $\log(x+3/2)/54-\log(x-(3^{\frac{1}{2}}*3i)/4-3/4)*((3^{\frac{1}{2}}*1i)/108+1/108)+\log(x+(3^{\frac{1}{2}}*3i)/4-3/4)*((3^{\frac{1}{2}}*1i)/108-1/108)$

sympy [A] time = 0.16, size = 48, normalized size = 0.96

$$\frac{\log\left(x+\frac{3}{2}\right)}{54}-\frac{\log\left(x^2-\frac{3x}{2}+\frac{9}{4}\right)}{108}+\frac{\sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}x}{9}-\frac{\sqrt{3}}{3}\right)}{54}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-8*x**3+27)/(-64*x**6+729),x)`

[Out] $\log(x+3/2)/54-\log(x^2-3x/2+9/4)/108+\sqrt{3}\operatorname{atan}(4\sqrt{3}x/9)-\sqrt{3}/3)/54$

$$3.405 \quad \int \frac{27+36x+24x^2+8x^3}{729-64x^6} dx$$

Optimal. Leaf size=50

$$\frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(3 - 2x) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{18\sqrt{3}}$$

Rubi [A] time = 0.04, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1586, 2058, 634, 618, 204, 628}

$$\frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(3 - 2x) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{18\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6),x]

[Out] -ArcTan[(3 - 4*x)/(3*sqrt[3])]/(18*sqrt[3]) - Log[3 - 2*x]/18 + Log[9 - 6*x + 4*x^2]/36

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In

`t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]`

Rule 1586

`Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]`

Rule 2058

`Int[(P_)^(p_), x_Symbol] := With[{u = Factor[P]}, Int[ExpandIntegrand[u^p, x], x] /; !SumQ[NonfreeFactors[u, x]]] /; PolyQ[P, x] && ILtQ[p, 0]`

Rubi steps

$$\begin{aligned}
 \int \frac{27 + 36x + 24x^2 + 8x^3}{729 - 64x^6} dx &= \int \frac{1}{27 - 36x + 24x^2 - 8x^3} dx \\
 &= \int \left(-\frac{1}{9(-3 + 2x)} + \frac{2x}{9(9 - 6x + 4x^2)} \right) dx \\
 &= -\frac{1}{18} \log(3 - 2x) + \frac{2}{9} \int \frac{x}{9 - 6x + 4x^2} dx \\
 &= -\frac{1}{18} \log(3 - 2x) + \frac{1}{36} \int \frac{-6 + 8x}{9 - 6x + 4x^2} dx + \frac{1}{6} \int \frac{1}{9 - 6x + 4x^2} dx \\
 &= -\frac{1}{18} \log(3 - 2x) + \frac{1}{36} \log(9 - 6x + 4x^2) - \frac{1}{3} \text{Subst} \left(\int \frac{1}{-108 - x^2} dx, x, -6 + 8x \right) \\
 &= -\frac{\tan^{-1} \left(\frac{3-4x}{3\sqrt{3}} \right)}{18\sqrt{3}} - \frac{1}{18} \log(3 - 2x) + \frac{1}{36} \log(9 - 6x + 4x^2)
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 50, normalized size = 1.00

$$\frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(3 - 2x) + \frac{\tan^{-1} \left(\frac{4x-3}{3\sqrt{3}} \right)}{18\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6), x]

[Out] ArcTan[(-3 + 4*x)/(3*Sqrt[3])]/(18*Sqrt[3]) - Log[3 - 2*x]/18 + Log[9 - 6*x + 4*x^2]/36

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{27 + 36x + 24x^2 + 8x^3}{729 - 64x^6} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6), x]

[Out] IntegrateAlgebraic[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6), x]

fricas [A] time = 0.41, size = 38, normalized size = 0.76

$$\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/54*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/36*log(4*x^2 - 6*x + 9) - 1/18*log(2*x - 3)

giac [A] time = 0.18, size = 39, normalized size = 0.78

$$\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(|2x - 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/54*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/36*log(4*x^2 - 6*x + 9) - 1/18*log(abs(2*x - 3))

maple [A] time = 0.05, size = 39, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{54} - \frac{\ln(2x - 3)}{18} + \frac{\ln(4x^2 - 6x + 9)}{36}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8*x^3+24*x^2+36*x+27)/(-64*x^6+729), x)

[Out] $\frac{1}{36} \ln(4x^2 - 6x + 9) + \frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{18} (8x - 6) \sqrt{3}\right) - \frac{1}{18} \ln(2x - 3)$

maxima [A] time = 2.95, size = 38, normalized size = 0.76

$$\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729),x, algorithm="maxima")`

[Out] $\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(2x - 3)$

mupad [B] time = 0.10, size = 46, normalized size = 0.92

$$-\frac{\ln\left(x - \frac{3}{2}\right)}{18} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{36} + \frac{\sqrt{3} 1i}{108}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{36} + \frac{\sqrt{3} 1i}{108}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(36*x + 24*x^2 + 8*x^3 + 27)/(64*x^6 - 729),x)`

[Out] $\log\left(x + \frac{(3^{1/2} \cdot 3i)/4 - 3/4}{((3^{1/2} \cdot 1i)/108 + 1/36)}\right) - \log\left(x - \frac{(3^{1/2} \cdot 3i)/4 - 3/4}{((3^{1/2} \cdot 1i)/108 - 1/36)}\right) - \log(x - 3/2)/18$

sympy [A] time = 0.20, size = 48, normalized size = 0.96

$$-\frac{\log\left(x - \frac{3}{2}\right)}{18} + \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{36} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{54}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((8*x**3+24*x**2+36*x+27)/(-64*x**6+729),x)`

[Out] $-\log(x - 3/2)/18 + \log(x^2 - 3x/2 + 9/4)/36 + \sqrt{3} \operatorname{atan}(4\sqrt{3}x/9 - \sqrt{3}/3)/54$

$$3.406 \quad \int \frac{243-162x+108x^2-72x^3+48x^4-32x^5}{(729-64x^6)^2} dx$$

Optimal. Leaf size=110

$$\frac{\log(4x^2 - 6x + 9)}{17496} - \frac{\log(4x^2 + 6x + 9)}{17496} - \frac{1}{2916(2x + 3)} - \frac{\log(3 - 2x)}{17496} + \frac{5 \log(2x + 3)}{17496} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{8748\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{2916\sqrt{3}}$$

Rubi [A] time = 0.12, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {1586, 2074, 634, 618, 204, 628}

$$\frac{\log(4x^2 - 6x + 9)}{17496} - \frac{\log(4x^2 + 6x + 9)}{17496} - \frac{1}{2916(2x + 3)} - \frac{\log(3 - 2x)}{17496} + \frac{5 \log(2x + 3)}{17496} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{8748\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{2916\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6)^2,x]

[Out] -1/(2916*(3 + 2*x)) - ArcTan[(3 - 4*x)/(3*sqrt[3])]/(8748*sqrt[3]) + ArcTan[(3 + 4*x)/(3*sqrt[3])]/(2916*sqrt[3]) - Log[3 - 2*x]/17496 + (5*Log[3 + 2*x])/17496 - Log[9 - 6*x + 4*x^2]/17496 - Log[9 + 6*x + 4*x^2]/17496

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In

$t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1586

$\text{Int}[(u_*)*(P_x)^{(p_*)}(Q_x)^{(q_*)}, x_Symbol] \ :> \ \text{Int}[u*\text{PolynomialQuotient}[P_x, Q_x, x]^p*Q_x^{(p+q)}, x] /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[P_x, x] \ \&\& \ \text{PolyQ}[Q_x, x] \ \&\& \ \text{EqQ}[\text{PolynomialRemainder}[P_x, Q_x, x], 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{LtQ}[p*q, 0]$

Rule 2074

$\text{Int}[(P_*)^{(p_*)}(Q_*)^{(q_*)}, x_Symbol] \ :> \ \text{With}[\{PP = \text{Factor}[P]\}, \text{Int}[\text{ExpandIntegrand}[PP^p*Q^q, x], x] /; \ !\text{SumQ}[\text{NonfreeFactors}[PP, x]]] /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[P, x] \ \&\& \ \text{PolyQ}[Q, x] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{NeQ}[P, x]$

Rubi steps

$$\begin{aligned} \int \frac{243 - 162x + 108x^2 - 72x^3 + 48x^4 - 32x^5}{(729 - 64x^6)^2} dx &= \int \frac{1}{(3 + 2x)^2 (243 - 162x + 108x^2 - 72x^3 + 48x^4 - 32x^5)} dx \\ &= \int \left(-\frac{1}{8748(-3 + 2x)} + \frac{1}{1458(3 + 2x)^2} + \frac{5}{8748(3 + 2x)} + \frac{1}{4374} \right) dx \\ &= -\frac{1}{2916(3 + 2x)} - \frac{\log(3 - 2x)}{17496} + \frac{5 \log(3 + 2x)}{17496} + \frac{\int \frac{3-2x}{9-6x+4x^2} dx}{4374} \\ &= -\frac{1}{2916(3 + 2x)} - \frac{\log(3 - 2x)}{17496} + \frac{5 \log(3 + 2x)}{17496} - \frac{\int \frac{-6+8x}{9-6x+4x^2} dx}{17496} \\ &= -\frac{1}{2916(3 + 2x)} - \frac{\log(3 - 2x)}{17496} + \frac{5 \log(3 + 2x)}{17496} - \frac{\log(9 - 6x + 4x^2)}{17496} \\ &= -\frac{1}{2916(3 + 2x)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{8748\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{2916\sqrt{3}} - \frac{\log(3 - 2x)}{17496} \end{aligned}$$

Mathematica [A] time = 0.11, size = 100, normalized size = 0.91

$$\frac{-3 \log(4x^2 - 6x + 9) - 3 \log(4x^2 + 6x + 9) - \frac{18}{2x+3} - 3 \log(3 - 2x) + 15 \log(2x + 3) + 2\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right) + 6\sqrt{3} \tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{52488}$$

52488

Antiderivative was successfully verified.

[In] Integrate[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6)^2,x]

[Out] (-18/(3 + 2*x) + 2*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] + 6*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 3*Log[3 - 2*x] + 15*Log[3 + 2*x] - 3*Log[9 - 6*x + 4*x^2] - 3*Log[9 + 6*x + 4*x^2])/52488

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{243 - 162x + 108x^2 - 72x^3 + 48x^4 - 32x^5}{(729 - 64x^6)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6)^2,x]

[Out] IntegrateAlgebraic[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6)^2, x]

fricas [A] time = 0.41, size = 115, normalized size = 1.05

$$\frac{6\sqrt{3}(2x+3)\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + 2\sqrt{3}(2x+3)\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) - 3(2x+3)\log(4x^2+6x+9) - 3(2x+3)\log(4x^2-6x+9) + 15(2x+3)\log(2x+3) - 3(2x+3)\log(2x-3) - 18}{52488(2x+3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/52488*(6*sqrt(3)*(2*x + 3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 2*sqrt(3)*(2*x + 3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 3*(2*x + 3)*log(4*x^2 + 6*x + 9) - 3*(2*x + 3)*log(4*x^2 - 6*x + 9) + 15*(2*x + 3)*log(2*x + 3) - 3*(2*x + 3)*log(2*x - 3) - 18)/(2*x + 3)

giac [A] time = 0.19, size = 86, normalized size = 0.78

$$\frac{1}{8748}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + \frac{1}{26244}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) - \frac{1}{2916(2x+3)} - \frac{1}{17496}\log(4x^2+6x+9) - \frac{1}{17496}\log(4x^2-6x+9) + \frac{5}{17496}\log(2x+3) - \frac{1}{17496}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/8748*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/26244*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/2916/(2*x + 3) - 1/17496*log(4*x^2 + 6*x + 9) - 1/17496*log(4*x^2 - 6*x + 9) + 5/17496*log(abs(2*x + 3)) - 1/17496*log(abs(2*x - 3))

maple [A] time = 0.06, size = 85, normalized size = 0.77

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{26244} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{8748} - \frac{\ln(2x-3)}{17496} + \frac{5 \ln(2x+3)}{17496} - \frac{\ln(4x^2-6x+9)}{17496} - \frac{\ln(4x^2+6x+9)}{17496} - \frac{1}{2916(2x+3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729)^2,x)

[Out] -1/17496*ln(4*x^2-6*x+9)+1/26244*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/2916/(2*x+3)+5/17496*ln(2*x+3)-1/17496*ln(4*x^2+6*x+9)+1/8748*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/17496*ln(2*x-3)

maxima [A] time = 2.98, size = 84, normalized size = 0.76

$$\frac{1}{8748} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x+3)\right) + \frac{1}{26244} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x-3)\right) - \frac{1}{2916(2x+3)} - \frac{1}{17496} \log(4x^2+6x+9) - \frac{1}{17496} \log(4x^2-6x+9) + \frac{5}{17496} \log(2x+3) - \frac{1}{17496} \log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/8748*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/26244*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/2916/(2*x + 3) - 1/17496*log(4*x^2 + 6*x + 9) - 1/17496*log(4*x^2 - 6*x + 9) + 5/17496*log(2*x + 3) - 1/17496*log(2*x - 3)

mupad [B] time = 5.10, size = 100, normalized size = 0.91

$$\frac{5 \ln\left(x + \frac{3}{2}\right) - \ln\left(x - \frac{3}{2}\right)}{17496} - \frac{1}{5832\left(x + \frac{3}{2}\right)} - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{17496} + \frac{\sqrt{3} 1i}{17496}\right) + \ln\left(x + \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{17496} + \frac{\sqrt{3} 1i}{17496}\right) - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{17496} + \frac{\sqrt{3} 1i}{52488}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{17496} + \frac{\sqrt{3} 1i}{52488}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(162*x - 108*x^2 + 72*x^3 - 48*x^4 + 32*x^5 - 243)/(64*x^6 - 729)^2,x)

[Out] (5*log(x + 3/2))/17496 - log(x - 3/2)/17496 - 1/(5832*(x + 3/2)) - log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/17496 + 1/17496) + log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/17496 - 1/17496) - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/52488 + 1/17496) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/52488 - 1/17496)

sympy [A] time = 0.43, size = 105, normalized size = 0.95

$$-\frac{\log\left(x - \frac{3}{2}\right)}{17496} + \frac{5 \log\left(x + \frac{3}{2}\right)}{17496} - \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{17496} - \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{17496} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{26244} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{8748} - \frac{1}{5832x + 8748}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-32*x**5+48*x**4-72*x**3+108*x**2-162*x+243)/(-64*x**6+729)**2,x  
)
```

```
[Out] -log(x - 3/2)/17496 + 5*log(x + 3/2)/17496 - log(x**2 - 3*x/2 + 9/4)/17496  
- log(x**2 + 3*x/2 + 9/4)/17496 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/2  
6244 + sqrt(3)*atan(4*sqrt(3)*x/9 + sqrt(3)/3)/8748 - 1/(5832*x + 8748)
```

$$3.407 \quad \int \frac{243+162x+108x^2+72x^3+48x^4+32x^5}{(729-64x^6)^2} dx$$

Optimal. Leaf size=110

$$\frac{\log(4x^2 - 6x + 9)}{17496} + \frac{\log(4x^2 + 6x + 9)}{17496} + \frac{1}{2916(3 - 2x)} - \frac{5 \log(3 - 2x)}{17496} + \frac{\log(2x + 3)}{17496} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{2916\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{8748\sqrt{3}}$$

Rubi [A] time = 0.12, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {1586, 2074, 634, 618, 204, 628}

$$\frac{\log(4x^2 - 6x + 9)}{17496} + \frac{\log(4x^2 + 6x + 9)}{17496} + \frac{1}{2916(3 - 2x)} - \frac{5 \log(3 - 2x)}{17496} + \frac{\log(2x + 3)}{17496} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{2916\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{8748\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6)^2,x]

[Out] 1/(2916*(3 - 2*x)) - ArcTan[(3 - 4*x)/(3*sqrt[3])]/(2916*sqrt[3]) + ArcTan[(3 + 4*x)/(3*sqrt[3])]/(8748*sqrt[3]) - (5*Log[3 - 2*x])/17496 + Log[3 + 2*x]/17496 + Log[9 - 6*x + 4*x^2]/17496 + Log[9 + 6*x + 4*x^2]/17496

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In

$t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[2*c*d - b*e, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{!NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1586

$\text{Int}[(u_.)*(P_x)^{(p_.)}*(Q_x)^{(q_.)}, x_Symbol] \rightarrow \text{Int}[u*\text{PolynomialQuotient}[P_x, Q_x, x]^p*Q_x^{(p+q)}, x] /; \text{FreeQ}[q, x] \&\& \text{PolyQ}[P_x, x] \&\& \text{PolyQ}[Q_x, x] \&\& \text{EqQ}[\text{PolynomialRemainder}[P_x, Q_x, x], 0] \&\& \text{IntegerQ}[p] \&\& \text{LtQ}[p*q, 0]$

Rule 2074

$\text{Int}[(P_.)^{(p_.)}*(Q_.)^{(q_.)}, x_Symbol] \rightarrow \text{With}\{PP = \text{Factor}[P]\}, \text{Int}[\text{ExpandIntegrand}[PP^p*Q^q, x], x] /; \text{!SumQ}[\text{NonfreeFactors}[PP, x]] /; \text{FreeQ}[q, x] \&\& \text{PolyQ}[P, x] \&\& \text{PolyQ}[Q, x] \&\& \text{IntegerQ}[p] \&\& \text{NeQ}[P, x]$

Rubi steps

$$\begin{aligned} \int \frac{243 + 162x + 108x^2 + 72x^3 + 48x^4 + 32x^5}{(729 - 64x^6)^2} dx &= \int \frac{1}{(3 - 2x)^2 (243 + 162x + 108x^2 + 72x^3 + 48x^4 + 32x^5)} dx \\ &= \int \left(\frac{1}{1458(-3 + 2x)^2} - \frac{5}{8748(-3 + 2x)} + \frac{1}{8748(3 + 2x)} + \frac{1}{4374(9 - 6x + 4x^2)} \right) dx \\ &= \frac{1}{2916(3 - 2x)} - \frac{5 \log(3 - 2x)}{17496} + \frac{\log(3 + 2x)}{17496} + \frac{\int \frac{3+2x}{9-6x+4x^2} dx}{4374} \\ &= \frac{1}{2916(3 - 2x)} - \frac{5 \log(3 - 2x)}{17496} + \frac{\log(3 + 2x)}{17496} + \frac{\int \frac{-6+8x}{9-6x+4x^2} dx}{17496} \\ &= \frac{1}{2916(3 - 2x)} - \frac{5 \log(3 - 2x)}{17496} + \frac{\log(3 + 2x)}{17496} + \frac{\log(9 - 6x)}{17496} \\ &= \frac{1}{2916(3 - 2x)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{2916\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{8748\sqrt{3}} - \frac{5 \log(3 - 2x)}{17496} \end{aligned}$$

Mathematica [A] time = 0.09, size = 97, normalized size = 0.88

$$\frac{3 \left(\log(4x^2 - 6x + 9) + \log(4x^2 + 6x + 9) + \frac{6}{3-2x} - 5 \log(3 - 2x) + \log(2x + 3) \right) + 6\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right) + 2\sqrt{3} \tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{52488}$$

Antiderivative was successfully verified.

[In] Integrate[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6)^2, x]

[Out] (6*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] + 2*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] + 3*(6/(3 - 2*x) - 5*Log[3 - 2*x] + Log[3 + 2*x] + Log[9 - 6*x + 4*x^2] + Log[9 + 6*x + 4*x^2]))/52488

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{243 + 162x + 108x^2 + 72x^3 + 48x^4 + 32x^5}{(729 - 64x^6)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6)^2, x]

[Out] IntegrateAlgebraic[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6)^2, x]

fricas [A] time = 0.41, size = 115, normalized size = 1.05

$$\frac{2\sqrt{3}(2x-3)\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + 6\sqrt{3}(2x-3)\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + 3(2x-3)\log(4x^2+6x+9) + 3(2x-3)\log(4x^2-6x+9) + 3(2x-3)\log(2x+3) - 15(2x-3)\log(2x-3) - 18}{52488(2x-3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729)^2, x, algorithm="fricas")

[Out] 1/52488*(2*sqrt(3)*(2*x - 3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 6*sqrt(3)*(2*x - 3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 3*(2*x - 3)*log(4*x^2 + 6*x + 9) + 3*(2*x - 3)*log(4*x^2 - 6*x + 9) + 3*(2*x - 3)*log(2*x + 3) - 15*(2*x - 3)*log(2*x - 3) - 18)/(2*x - 3)

giac [A] time = 0.21, size = 86, normalized size = 0.78

$$\frac{1}{26244}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + \frac{1}{8748}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) - \frac{1}{2916(2x-3)} + \frac{1}{17496}\log(4x^2+6x+9) + \frac{1}{17496}\log(4x^2-6x+9) + \frac{1}{17496}\log(|2x+3|) - \frac{5}{17496}\log(|2x-3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729)^2, x, algorithm="giac")

[Out] 1/26244*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/8748*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/2916/(2*x - 3) + 1/17496*log(4*x^2 + 6*x + 9) + 1/17496*log(4*x^2 - 6*x + 9) + 1/17496*log(abs(2*x + 3)) - 5/17496*log(abs(2*x - 3))

maple [A] time = 0.05, size = 85, normalized size = 0.77

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{8748} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{26244} - \frac{5 \ln(2x-3)}{17496} + \frac{\ln(2x+3)}{17496} + \frac{\ln(4x^2-6x+9)}{17496} + \frac{\ln(4x^2+6x+9)}{17496} - \frac{1}{2916(2x-3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729)^2,x)

[Out] 1/17496*ln(4*x^2-6*x+9)+1/8748*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))+1/17496*ln(2*x+3)+1/17496*ln(4*x^2+6*x+9)+1/26244*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/2916/(2*x-3)-5/17496*ln(2*x-3)

maxima [A] time = 2.94, size = 84, normalized size = 0.76

$$\frac{1}{26244} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{1}{8748} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) - \frac{1}{2916(2x-3)} + \frac{1}{17496} \log(4x^2+6x+9) + \frac{1}{17496} \log(4x^2-6x+9) + \frac{1}{17496} \log(2x+3) - \frac{5}{17496} \log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/26244*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/8748*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/2916/(2*x - 3) + 1/17496*log(4*x^2 + 6*x + 9) + 1/17496*log(4*x^2 - 6*x + 9) + 1/17496*log(2*x + 3) - 5/17496*log(2*x - 3)

mupad [B] time = 0.19, size = 100, normalized size = 0.91

$$\frac{\ln\left(x + \frac{3}{2}\right)}{17496} - \frac{5 \ln\left(x - \frac{3}{2}\right)}{17496} - \frac{1}{5832\left(x - \frac{3}{2}\right)} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{17496} + \frac{\sqrt{3} 1i}{17496}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{17496} + \frac{\sqrt{3} 1i}{17496}\right) - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{17496} + \frac{\sqrt{3} 1i}{52488}\right) + \ln\left(x + \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{17496} + \frac{\sqrt{3} 1i}{52488}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5 + 243)/(64*x^6 - 729)^2,x)

[Out] log(x + 3/2)/17496 - (5*log(x - 3/2))/17496 - 1/(5832*(x - 3/2)) - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/17496 - 1/17496) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/17496 + 1/17496) - log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/52488 - 1/17496) + log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/52488 + 1/17496)

sympy [A] time = 0.47, size = 105, normalized size = 0.95

$$-\frac{5 \log\left(x - \frac{3}{2}\right)}{17496} + \frac{\log\left(x + \frac{3}{2}\right)}{17496} + \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{17496} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{17496} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{8748} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{26244} - \frac{1}{5832x - 8748}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((32*x**5+48*x**4+72*x**3+108*x**2+162*x+243)/(-64*x**6+729)**2,x)
```

```
[Out] -5*log(x - 3/2)/17496 + log(x + 3/2)/17496 + log(x**2 - 3*x/2 + 9/4)/17496  
+ log(x**2 + 3*x/2 + 9/4)/17496 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/8  
748 + sqrt(3)*atan(4*sqrt(3)*x/9 + sqrt(3)/3)/26244 - 1/(5832*x - 8748)
```


$$3.408 \quad \int \frac{81+36x^2+16x^4}{(729-64x^6)^2} dx$$

Optimal. Leaf size=81

$$\frac{1}{17496(3-2x)} - \frac{1}{17496(2x+3)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tanh^{-1}\left(\frac{2x}{3}\right)}{8748}$$

Rubi [A] time = 0.07, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1586, 1170, 207, 618, 204}

$$\frac{1}{17496(3-2x)} - \frac{1}{17496(2x+3)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tanh^{-1}\left(\frac{2x}{3}\right)}{8748}$$

Antiderivative was successfully verified.

[In] Int[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6)^2, x]

[Out] 1/(17496*(3 - 2*x)) - 1/(17496*(3 + 2*x)) - ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(13122*Sqrt[3]) + ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(13122*Sqrt[3]) + ArcTanh[(2*x)/3]/8748

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1170

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol]
:> Int[ExpandIntegrand[(d + e*x^2)^q/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]
```

Rule 1586

```
Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{81 + 36x^2 + 16x^4}{(729 - 64x^6)^2} dx &= \int \frac{1}{(9 - 4x^2)^2 (81 + 36x^2 + 16x^4)} dx \\ &= \int \left(\frac{1}{8748(-3 + 2x)^2} + \frac{1}{8748(3 + 2x)^2} - \frac{1}{1458(-9 + 4x^2)} + \frac{1}{4374(9 - 6x + 4x^2)} + \frac{1}{4374(9 + 6x + 4x^2)} \right) dx \\ &= \frac{1}{17496(3 - 2x)} - \frac{1}{17496(3 + 2x)} + \frac{\int \frac{1}{9 - 6x + 4x^2} dx}{4374} + \frac{\int \frac{1}{9 + 6x + 4x^2} dx}{4374} - \frac{\int \frac{1}{-9 + 4x^2} dx}{1458} \\ &= \frac{1}{17496(3 - 2x)} - \frac{1}{17496(3 + 2x)} + \frac{\tanh^{-1}\left(\frac{2x}{3}\right)}{8748} - \frac{\text{Subst}\left(\int \frac{1}{-108 - x^2} dx, x, -6 + 8x\right)}{2187} \\ &= \frac{1}{17496(3 - 2x)} - \frac{1}{17496(3 + 2x)} - \frac{\tan^{-1}\left(\frac{3 - 4x}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3 + 4x}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tanh^{-1}\left(\frac{2x}{3}\right)}{8748} \end{aligned}$$

Mathematica [C] time = 0.57, size = 122, normalized size = 1.51

$$\frac{\frac{36x}{9-4x^2} - 9\log(3-2x) + 9\log(2x+3) + 3\sqrt{3}\tan^{-1}\left(\frac{1}{3}(\sqrt{3}-i)x\right) + 4i\sqrt{3}\tanh^{-1}\left(\frac{1}{3}(1-i\sqrt{3})x\right) + \left(-3 + \frac{2}{\sqrt{\frac{1}{6}(1+i\sqrt{3})}}\right)\tanh^{-1}\left(\frac{1}{3}(x+i\sqrt{3}x)\right)}{157464}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6)^2, x]
```

```
[Out] ((36*x)/(9 - 4*x^2) + 3*Sqrt[3]*ArcTan[((-I + Sqrt[3])*x)/3] + (4*I)*Sqrt[3]*ArcTanh[((1 - I*Sqrt[3])*x)/3] + (-3 + 2/Sqrt[(1 + I*Sqrt[3])/6])*ArcTanh[(x + I*Sqrt[3]*x)/3] - 9*Log[3 - 2*x] + 9*Log[3 + 2*x])/157464
```

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{81 + 36x^2 + 16x^4}{(729 - 64x^6)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6)^2,x]

[Out] IntegrateAlgebraic[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6)^2, x]

fricas [A] time = 0.40, size = 91, normalized size = 1.12

$$\frac{4\sqrt{3}(4x^2-9)\arctan\left(\frac{4}{81}\sqrt{3}(2x^3+9x)\right) + 4\sqrt{3}(4x^2-9)\arctan\left(\frac{2}{9}\sqrt{3}x\right) + 9(4x^2-9)\log(2x+3) - 9(4x^2-9)\log(2x-3) - 36x}{157464(4x^2-9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/157464*(4*sqrt(3)*(4*x^2 - 9)*arctan(4/81*sqrt(3)*(2*x^3 + 9*x)) + 4*sqrt(3)*(4*x^2 - 9)*arctan(2/9*sqrt(3)*x) + 9*(4*x^2 - 9)*log(2*x + 3) - 9*(4*x^2 - 9)*log(2*x - 3) - 36*x)/(4*x^2 - 9)

giac [A] time = 0.17, size = 63, normalized size = 0.78

$$\frac{1}{39366}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + \frac{1}{39366}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) - \frac{x}{4374(4x^2-9)} + \frac{1}{17496}\log(|2x+3|) - \frac{1}{17496}\log(|2x-3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/39366*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/39366*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/4374*x/(4*x^2 - 9) + 1/17496*log(abs(2*x + 3)) - 1/17496*log(abs(2*x - 3))

maple [A] time = 0.06, size = 68, normalized size = 0.84

$$\frac{\sqrt{3}\arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{39366} + \frac{\sqrt{3}\arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{39366} - \frac{\ln(2x-3)}{17496} + \frac{\ln(2x+3)}{17496} - \frac{1}{17496(2x+3)} - \frac{1}{17496(2x-3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((16*x^4+36*x^2+81)/(-64*x^6+729)^2,x)

[Out] $\frac{1}{39366} \sqrt{3} \arctan\left(\frac{1}{18}(8x-6)\sqrt{3}\right) - \frac{1}{17496(2x+3)} + \frac{1}{17496} \ln(2x+3) + \frac{1}{39366} \sqrt{3} \arctan\left(\frac{1}{18}(8x+6)\sqrt{3}\right) - \frac{1}{17496(2x-3)} - \frac{1}{17496} \ln(2x-3)$

maxima [A] time = 3.06, size = 61, normalized size = 0.75

$$\frac{1}{39366} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{1}{39366} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) - \frac{x}{4374(4x^2-9)} + \frac{1}{17496} \log(2x+3) - \frac{1}{17496} \log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] $\frac{1}{39366} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{1}{39366} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) - \frac{x}{4374(4x^2-9)} + \frac{1}{17496} \log(2x+3) - \frac{1}{17496} \log(2x-3)$

mpad [B] time = 4.92, size = 52, normalized size = 0.64

$$\frac{\operatorname{atanh}\left(\frac{2x}{3}\right)}{8748} + \frac{\sqrt{3} \left(2 \operatorname{atan}\left(\frac{8\sqrt{3}x^3}{81} + \frac{4\sqrt{3}x}{9}\right) + 2 \operatorname{atan}\left(\frac{2\sqrt{3}x}{9}\right) \right)}{78732} - \frac{x}{17496 \left(x^2 - \frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((36*x^2 + 16*x^4 + 81)/(64*x^6 - 729)^2,x)

[Out] $\operatorname{atanh}\left(\frac{2x}{3}\right)/8748 + \left(3^{1/2} \left(2 \operatorname{atan}\left(\frac{4 \cdot 3^{1/2} x}{9} + \frac{8 \cdot 3^{1/2} x^3}{81}\right) + 2 \operatorname{atan}\left(\frac{2 \cdot 3^{1/2} x}{9}\right)\right)\right)/78732 - x/(17496(x^2 - 9/4))$

sympy [A] time = 0.23, size = 70, normalized size = 0.86

$$-\frac{x}{17496x^2 - 39366} + \frac{\sqrt{3} \left(2 \operatorname{atan}\left(\frac{2\sqrt{3}x}{9}\right) + 2 \operatorname{atan}\left(\frac{8\sqrt{3}x^3}{81} + \frac{4\sqrt{3}x}{9}\right) \right)}{78732} - \frac{\log\left(x - \frac{3}{2}\right)}{17496} + \frac{\log\left(x + \frac{3}{2}\right)}{17496}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x**4+36*x**2+81)/(-64*x**6+729)**2,x)

[Out] $-x/(17496x^2 - 39366) + \sqrt{3} \left(2 \operatorname{atan}\left(\frac{2\sqrt{3}x}{9}\right) + 2 \operatorname{atan}\left(\frac{8\sqrt{3}x^3}{81} + \frac{4\sqrt{3}x}{9}\right) \right)/78732 - \log\left(x - \frac{3}{2}\right)/17496 + \log\left(x + \frac{3}{2}\right)/17496$

$$3.409 \quad \int \frac{81+54x-24x^3-16x^4}{(729-64x^6)^2} dx$$

Optimal. Leaf size=92

$$\frac{x}{4374(4x^2 - 6x + 9)} - \frac{\log(4x^2 - 6x + 9)}{157464} + \frac{\log(4x^2 + 6x + 9)}{52488} - \frac{\log(3 - 2x)}{26244} + \frac{\log(2x + 3)}{78732} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{4374\sqrt{3}}$$

Rubi [A] time = 0.12, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1586, 2074, 638, 618, 204, 634, 628}

$$\frac{x}{4374(4x^2 - 6x + 9)} - \frac{\log(4x^2 - 6x + 9)}{157464} + \frac{\log(4x^2 + 6x + 9)}{52488} - \frac{\log(3 - 2x)}{26244} + \frac{\log(2x + 3)}{78732} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{4374\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6)^2,x]

[Out] x/(4374*(9 - 6*x + 4*x^2)) - ArcTan[(3 - 4*x)/(3*sqrt(3))]/(4374*sqrt(3)) - Log[3 - 2*x]/26244 + Log[3 + 2*x]/78732 - Log[9 - 6*x + 4*x^2]/157464 + Log[9 + 6*x + 4*x^2]/52488

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 638

```
Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

Rule 1586

```
Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2074

```
Int[(P_)^(p_)*(Q_)^(q_), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{81 + 54x - 24x^3 - 16x^4}{(729 - 64x^6)^2} dx &= \int \frac{1}{(9 - 6x + 4x^2)^2 (81 + 54x - 24x^3 - 16x^4)} dx \\
&= \int \left(-\frac{1}{13122(-3 + 2x)} + \frac{1}{39366(3 + 2x)} + \frac{3 - x}{729(9 - 6x + 4x^2)^2} + \frac{39 - 4x}{78732(9 - 6x + 4x^2)} \right) dx \\
&= -\frac{\log(3 - 2x)}{26244} + \frac{\log(3 + 2x)}{78732} + \frac{\int \frac{39-4x}{9-6x+4x^2} dx}{78732} + \frac{\int \frac{3+4x}{9+6x+4x^2} dx}{26244} + \frac{1}{729} \int \frac{39-4x}{(9-6x+4x^2)^2} dx \\
&= \frac{x}{4374(9 - 6x + 4x^2)} - \frac{\log(3 - 2x)}{26244} + \frac{\log(3 + 2x)}{78732} + \frac{\log(9 + 6x + 4x^2)}{52488} - \frac{\int \frac{39-4x}{9-6x+4x^2} dx}{157464} \\
&= \frac{x}{4374(9 - 6x + 4x^2)} - \frac{\log(3 - 2x)}{26244} + \frac{\log(3 + 2x)}{78732} - \frac{\log(9 - 6x + 4x^2)}{157464} + \frac{\log(9 - 6x + 4x^2)}{157464} \\
&= \frac{x}{4374(9 - 6x + 4x^2)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{4374\sqrt{3}} - \frac{\log(3 - 2x)}{26244} + \frac{\log(3 + 2x)}{78732} - \frac{\log(9 - 6x + 4x^2)}{157464}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 84, normalized size = 0.91

$$\frac{\frac{36x}{4x^2-6x+9} - \log(4x^2 - 6x + 9) + 3 \log(4x^2 + 6x + 9) - 6 \log(3 - 2x) + 2 \log(2x + 3) + 12\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right)}{157464}$$

Antiderivative was successfully verified.

[In] Integrate[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6)^2,x]

[Out] ((36*x)/(9 - 6*x + 4*x^2) + 12*sqrt(3)*ArcTan[(-3 + 4*x)/(3*sqrt(3))]) - 6*Log[3 - 2*x] + 2*Log[3 + 2*x] - Log[9 - 6*x + 4*x^2] + 3*Log[9 + 6*x + 4*x^2])/157464

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{81 + 54x - 24x^3 - 16x^4}{(729 - 64x^6)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6)^2,x]

[Out] IntegrateAlgebraic[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6)^2, x]

fricas [A] time = 0.40, size = 126, normalized size = 1.37

$$\frac{12\sqrt{3}(4x^2-6x+9)\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right)+3(4x^2-6x+9)\log(4x^2+6x+9)-(4x^2-6x+9)\log(4x^2-6x+9)+2(4x^2-6x+9)\log(2x+3)-6(4x^2-6x+9)\log(2x-3)+36x}{157464(4x^2-6x+9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/157464*(12*sqrt(3)*(4*x^2 - 6*x + 9)*arctan(1/9*sqrt(3)*(4*x - 3)) + 3*(4*x^2 - 6*x + 9)*log(4*x^2 + 6*x + 9) - (4*x^2 - 6*x + 9)*log(4*x^2 - 6*x + 9) + 2*(4*x^2 - 6*x + 9)*log(2*x + 3) - 6*(4*x^2 - 6*x + 9)*log(2*x - 3) + 36*x)/(4*x^2 - 6*x + 9)

giac [A] time = 0.19, size = 76, normalized size = 0.83

$$\frac{1}{13122}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right)+\frac{x}{4374(4x^2-6x+9)}+\frac{1}{52488}\log(4x^2+6x+9)-\frac{1}{157464}\log(4x^2-6x+9)+\frac{1}{78732}\log(|2x+3|)-\frac{1}{26244}\log(|2x-3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/13122*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/4374*x/(4*x^2 - 6*x + 9) + 1/52488*log(4*x^2 + 6*x + 9) - 1/157464*log(4*x^2 - 6*x + 9) + 1/78732*log(abs(2*x + 3)) - 1/26244*log(abs(2*x - 3))

maple [A] time = 0.06, size = 73, normalized size = 0.79

$$\frac{x}{17496x^2 - 26244x + 39366} + \frac{\sqrt{3}\arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{13122} - \frac{\ln(2x-3)}{26244} + \frac{\ln(2x+3)}{78732} - \frac{\ln(4x^2-6x+9)}{157464} + \frac{\ln(4x^2+6x+9)}{52488}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729)^2,x)

[Out] 1/17496*x/(x^2-3/2*x+9/4)-1/157464*ln(4*x^2-6*x+9)+1/13122*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))+1/78732*ln(2*x+3)+1/52488*ln(4*x^2+6*x+9)-1/26244*ln(2*x-3)

maxima [A] time = 2.97, size = 74, normalized size = 0.80

$$\frac{1}{13122}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right)+\frac{x}{4374(4x^2-6x+9)}+\frac{1}{52488}\log(4x^2+6x+9)-\frac{1}{157464}\log(4x^2-6x+9)+\frac{1}{78732}\log(2x+3)-\frac{1}{26244}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] $1/13122*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) + 1/4374*x/(4*x^2 - 6*x + 9) + 1/52488*\log(4*x^2 + 6*x + 9) - 1/157464*\log(4*x^2 - 6*x + 9) + 1/78732*\log(2*x + 3) - 1/26244*\log(2*x - 3)$

mupad [B] time = 0.12, size = 77, normalized size = 0.84

$$\frac{\ln\left(x + \frac{3}{2}\right)}{78732} - \frac{\ln\left(x - \frac{3}{2}\right)}{26244} + \frac{\ln\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{52488} + \frac{x}{17496\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3}3i}{4}\right)\left(\frac{1}{157464} + \frac{\sqrt{3}1i}{26244}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3}3i}{4}\right)\left(-\frac{1}{157464} + \frac{\sqrt{3}1i}{26244}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((54*x - 24*x^3 - 16*x^4 + 81)/(64*x^6 - 729)^2, x)`

[Out] $\log(x + 3/2)/78732 - \log(x - 3/2)/26244 + \log((3*x)/2 + x^2 + 9/4)/52488 + x/(17496*(x^2 - (3*x)/2 + 9/4)) - \log(x - (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*1i)/26244 + 1/157464) + \log(x + (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*1i)/26244 - 1/157464)$

sympy [A] time = 0.42, size = 82, normalized size = 0.89

$$\frac{x}{17496x^2 - 26244x + 39366} - \frac{\log\left(x - \frac{3}{2}\right)}{26244} + \frac{\log\left(x + \frac{3}{2}\right)}{78732} - \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{157464} + \frac{\log(4x^2 + 6x + 9)}{52488} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{13122}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-16*x**4-24*x**3+54*x+81)/(-64*x**6+729)**2, x)`

[Out] $x/(17496*x**2 - 26244*x + 39366) - \log(x - 3/2)/26244 + \log(x + 3/2)/78732 - \log(x**2 - 3*x/2 + 9/4)/157464 + \log(4*x**2 + 6*x + 9)/52488 + \sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 - \sqrt{3}/3)/13122$

$$3.410 \quad \int \frac{3-2x}{(729-64x^6)^2} dx$$

Optimal. Leaf size=148

$$\frac{3-x}{708588(4x^2-6x+9)} + \frac{x}{236196(4x^2+6x+9)} - \frac{\log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{8503056} - \frac{1}{708588(2x+3)} - \frac{\log(4x^2-6x+9)}{4251528} + \frac{\log(4x^2+6x+9)}{472392} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{1417176\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{157464\sqrt{3}}$$

Rubi [A] time = 0.17, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1586, 2074, 638, 618, 204, 634, 628}

$$\frac{3-x}{708588(4x^2-6x+9)} + \frac{x}{236196(4x^2+6x+9)} - \frac{\log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{8503056} - \frac{1}{708588(2x+3)} - \frac{\log(3-2x)}{4251528} + \frac{\log(2x+3)}{472392} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{1417176\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{157464\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(3 - 2*x)/(729 - 64*x^6)^2,x]

[Out] -1/(708588*(3 + 2*x)) + (3 - x)/(708588*(9 - 6*x + 4*x^2)) + x/(236196*(9 + 6*x + 4*x^2)) - ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(1417176*Sqrt[3]) + ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(157464*Sqrt[3]) - Log[3 - 2*x]/4251528 + Log[3 + 2*x]/472392 - Log[9 - 6*x + 4*x^2]/944784 + Log[9 + 6*x + 4*x^2]/8503056

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 638

```
Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

Rule 1586

```
Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2074

```
Int[(P_)^(p_)*(Q_)^(q_.), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{3-2x}{(729-64x^6)^2} dx &= \int \frac{1}{(3-2x)(243+162x+108x^2+72x^3+48x^4+32x^5)^2} dx \\
&= \int \left(-\frac{1}{2125764(-3+2x)} + \frac{1}{354294(3+2x)^2} + \frac{1}{236196(3+2x)} - \frac{x}{39366(9-6x+4x^2)^2} \right) dx \\
&= -\frac{1}{708588(3+2x)} - \frac{\log(3-2x)}{4251528} + \frac{\log(3+2x)}{472392} + \frac{\int \frac{33+2x}{9+6x+4x^2} dx}{2125764} + \frac{\int \frac{7-6x}{9-6x+4x^2} dx}{708588} - \frac{\int \frac{x}{(9-6x+4x^2)^2} dx}{39366} \\
&= -\frac{1}{708588(3+2x)} + \frac{3-x}{708588(9-6x+4x^2)} + \frac{x}{236196(9+6x+4x^2)} - \frac{\log(3-2x)}{4251528} + \frac{\log(3+2x)}{472392} - \frac{\int \frac{x}{(9-6x+4x^2)^2} dx}{39366} \\
&= -\frac{1}{708588(3+2x)} + \frac{3-x}{708588(9-6x+4x^2)} + \frac{x}{236196(9+6x+4x^2)} - \frac{\log(3-2x)}{4251528} + \frac{\log(3+2x)}{472392} - \frac{\int \frac{x}{(9-6x+4x^2)^2} dx}{39366} \\
&= -\frac{1}{708588(3+2x)} + \frac{3-x}{708588(9-6x+4x^2)} + \frac{x}{236196(9+6x+4x^2)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{1417176\sqrt{3}} + \frac{\log(3+2x)}{472392} - \frac{\int \frac{x}{(9-6x+4x^2)^2} dx}{39366}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 119, normalized size = 0.80

$$\frac{-9 \log(4x^2 - 6x + 9) + \log(4x^2 + 6x + 9) + \frac{1944x}{32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243} - 2 \log(3 - 2x) + 18 \log(2x + 3) + 2\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right) + 18\sqrt{3} \tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{8503056}$$

Antiderivative was successfully verified.

[In] Integrate[(3 - 2*x)/(729 - 64*x^6)^2, x]

[Out] ((1944*x)/(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5) + 2*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] + 18*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 2*Log[3 - 2*x] + 18*Log[3 + 2*x] - 9*Log[9 - 6*x + 4*x^2] + Log[9 + 6*x + 4*x^2])/8503056

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3-2x}{(729-64x^6)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(3 - 2*x)/(729 - 64*x^6)^2, x]

[Out] IntegrateAlgebraic[(3 - 2*x)/(729 - 64*x^6)^2, x]

fricas [B] time = 0.42, size = 256, normalized size = 1.73

$$\frac{18\sqrt{3}(32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243)\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + 2\sqrt{3}(32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243)\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + (32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243)\log(4x^2 + 6x + 9) - 9(32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243)\log(4x^2 - 6x + 9) + 18(32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243)\log(2x + 3) - 2(32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243)\log(2x - 3) + 1944x}{8503056(32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/8503056*(18*sqrt(3)*(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*arctan(1/9*sqrt(3)*(4*x + 3)) + 2*sqrt(3)*(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*arctan(1/9*sqrt(3)*(4*x - 3)) + (32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*log(4*x^2 + 6*x + 9) - 9*(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*log(4*x^2 - 6*x + 9) + 18*(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*log(2*x + 3) - 2*(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*log(2*x - 3) + 1944*x)/(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)

giac [A] time = 0.20, size = 111, normalized size = 0.75

$$\frac{1}{472392}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + \frac{1}{4251528}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + \frac{x}{4374(4x^2+6x+9)(4x^2-6x+9)(2x+3)} + \frac{1}{8503056}\log(4x^2+6x+9) - \frac{1}{944784}\log(4x^2-6x+9) + \frac{1}{472392}\log(2x+3) - \frac{1}{4251528}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/4251528*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/4374*x/((4*x^2 + 6*x + 9)*(4*x^2 - 6*x + 9)*(2*x + 3)) + 1/8503056*log(4*x^2 + 6*x + 9) - 1/944784*log(4*x^2 - 6*x + 9) + 1/472392*log(abs(2*x + 3)) - 1/4251528*log(abs(2*x - 3))

maple [A] time = 0.07, size = 115, normalized size = 0.78

$$\frac{x}{944784x^2 + 1417176x + 2125764} + \frac{\sqrt{3}\arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{4251528} + \frac{\sqrt{3}\arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{472392} - \frac{\ln(2x-3)}{4251528} + \frac{\ln(2x+3)}{472392} - \frac{\ln(4x^2-6x+9)}{944784} + \frac{\ln(4x^2+6x+9)}{8503056} - \frac{\frac{x}{4} - \frac{3}{4}}{708588\left(x^2 - \frac{3}{2}x + \frac{9}{4}\right)} - \frac{1}{708588(2x+3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3-2*x)/(-64*x^6+729)^2,x)

[Out] -1/708588*(1/4*x-3/4)/(x^2-3/2*x+9/4)-1/944784*ln(4*x^2-6*x+9)+1/4251528*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/708588/(2*x+3)+1/472392*ln(2*x+3)+1/944784*x/(x^2+3/2*x+9/4)+1/8503056*ln(4*x^2+6*x+9)+1/472392*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/4251528*ln(2*x-3)

maxima [A] time = 2.91, size = 105, normalized size = 0.71

$$\frac{1}{472392}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + \frac{1}{4251528}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + \frac{x}{4374(32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243)} + \frac{1}{8503056}\log(4x^2 + 6x + 9) - \frac{1}{944784}\log(4x^2 - 6x + 9) + \frac{1}{472392}\log(2x + 3) - \frac{1}{4251528}\log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/4251528*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/4374*x/(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243) + 1/8503056*log(4*x^2 + 6*x + 9) - 1/944784*log(4*x^2 - 6*x + 9) + 1/472392*log(2*x + 3) - 1/4251528*log(2*x - 3)

mupad [B] time = 0.19, size = 120, normalized size = 0.81

$$\frac{\ln\left(x+\frac{3}{2}\right)-\ln\left(x-\frac{3}{2}\right)-\ln\left(x-\frac{3}{4}-\frac{\sqrt{3}3i}{4}\right)\left(\frac{1}{944784}+\frac{\sqrt{3}11}{8503056}\right)-\ln\left(x+\frac{3}{4}-\frac{\sqrt{3}3i}{4}\right)\left(-\frac{1}{8503056}+\frac{\sqrt{3}11}{944784}\right)+\ln\left(x-\frac{3}{4}+\frac{\sqrt{3}3i}{4}\right)\left(-\frac{1}{944784}+\frac{\sqrt{3}11}{8503056}\right)+\ln\left(x+\frac{3}{4}+\frac{\sqrt{3}3i}{4}\right)\left(\frac{1}{8503056}+\frac{\sqrt{3}11}{944784}\right)+\frac{x}{139968\left(x^5+\frac{3x^4}{2}+\frac{9x^3}{4}+\frac{27x^2}{8}+\frac{81x}{16}+\frac{243}{32}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x - 3)/(64*x^6 - 729)^2,x)

[Out] log(x + 3/2)/472392 - log(x - 3/2)/4251528 - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/8503056 + 1/944784) - log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/944784 - 1/8503056) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/8503056 - 1/944784) + log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/944784 + 1/8503056) + x/(139968*((81*x)/16 + (27*x^2)/8 + (9*x^3)/4 + (3*x^4)/2 + x^5 + 243/32))

sympy [A] time = 0.65, size = 124, normalized size = 0.84

$$\frac{x}{139968x^5 + 209952x^4 + 314928x^3 + 472392x^2 + 708588x + 1062882} - \frac{\log\left(x-\frac{3}{2}\right)}{4251528} + \frac{\log\left(x+\frac{3}{2}\right)}{472392} - \frac{\log\left(x^2-\frac{3x}{2}+\frac{9}{4}\right)}{944784} + \frac{\log\left(x^2+\frac{3x}{2}+\frac{9}{4}\right)}{8503056} + \frac{\sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}x}{9}-\frac{\sqrt{3}}{3}\right)}{4251528} + \frac{\sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}x}{9}+\frac{\sqrt{3}}{3}\right)}{472392}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x**6+729)**2,x)

[Out] x/(139968*x**5 + 209952*x**4 + 314928*x**3 + 472392*x**2 + 708588*x + 1062882) - log(x - 3/2)/4251528 + log(x + 3/2)/472392 - log(x**2 - 3*x/2 + 9/4)/944784 + log(x**2 + 3*x/2 + 9/4)/8503056 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/4251528 + sqrt(3)*atan(4*sqrt(3)*x/9 + sqrt(3)/3)/472392

$$3.411 \quad \int \frac{3+2x}{(729-64x^6)^2} dx$$

Optimal. Leaf size=146

$$\frac{x}{236196(4x^2 - 6x + 9)} - \frac{x + 3}{708588(4x^2 + 6x + 9)} - \frac{\log(4x^2 - 6x + 9)}{8503056} + \frac{\log(4x^2 + 6x + 9)}{944784} + \frac{1}{708588(3 - 2x)} - \frac{\log(3 - 2x)}{472392} + \frac{\log(2x + 3)}{4251528} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{1417176\sqrt{3}}$$

Rubi [A] time = 0.17, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1586, 2074, 638, 618, 204, 634, 628}

$$\frac{x}{236196(4x^2 - 6x + 9)} - \frac{x + 3}{708588(4x^2 + 6x + 9)} - \frac{\log(4x^2 - 6x + 9)}{8503056} + \frac{\log(4x^2 + 6x + 9)}{944784} + \frac{1}{708588(3 - 2x)} - \frac{\log(3 - 2x)}{472392} + \frac{\log(2x + 3)}{4251528} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{1417176\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(3 + 2*x)/(729 - 64*x^6)^2,x]

[Out] 1/(708588*(3 - 2*x)) + x/(236196*(9 - 6*x + 4*x^2)) - (3 + x)/(708588*(9 + 6*x + 4*x^2)) - ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(157464*Sqrt[3]) + ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(1417176*Sqrt[3]) - Log[3 - 2*x]/472392 + Log[3 + 2*x]/4251528 - Log[9 - 6*x + 4*x^2]/8503056 + Log[9 + 6*x + 4*x^2]/944784

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 638

```
Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

Rule 1586

```
Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2074

```
Int[(P_)^(p_)*(Q_)^(q_), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{3+2x}{(729-64x^6)^2} dx &= \int \frac{1}{(3+2x)(243-162x+108x^2-72x^3+48x^4-32x^5)^2} dx \\
&= \int \left(\frac{1}{354294(-3+2x)^2} - \frac{1}{236196(-3+2x)} + \frac{1}{2125764(3+2x)} + \frac{3-x}{39366(9-6x+4x^2)^2} \right) dx \\
&= \frac{1}{708588(3-2x)} - \frac{\log(3-2x)}{472392} + \frac{\log(3+2x)}{4251528} + \frac{\int \frac{33-2x}{9-6x+4x^2} dx}{2125764} + \frac{\int \frac{7+6x}{9+6x+4x^2} dx}{708588} + \frac{\int \frac{1}{(9-6x+4x^2)^2} dx}{39366} \\
&= \frac{1}{708588(3-2x)} + \frac{x}{236196(9-6x+4x^2)} - \frac{3+x}{708588(9+6x+4x^2)} - \frac{\log(3-2x)}{472392} + \frac{\log(3+2x)}{4251528} \\
&= \frac{1}{708588(3-2x)} + \frac{x}{236196(9-6x+4x^2)} - \frac{3+x}{708588(9+6x+4x^2)} - \frac{\log(3-2x)}{472392} + \frac{\log(3+2x)}{4251528} \\
&= \frac{1}{708588(3-2x)} + \frac{x}{236196(9-6x+4x^2)} - \frac{3+x}{708588(9+6x+4x^2)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{157464\sqrt{3}}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 121, normalized size = 0.83

$$\frac{-\log(4x^2-6x+9)+9\log(4x^2+6x+9)+\frac{1944x}{-32x^5+48x^4-72x^3+108x^2-162x+243}-18\log(3-2x)+2\log(2x+3)+18\sqrt{3}\tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right)+2\sqrt{3}\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{8503056}$$

Antiderivative was successfully verified.

[In] Integrate[(3 + 2*x)/(729 - 64*x^6)^2, x]

[Out] ((1944*x)/(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5) + 18*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] + 2*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 18*Log[3 - 2*x] + 2*Log[3 + 2*x] - Log[9 - 6*x + 4*x^2] + 9*Log[9 + 6*x + 4*x^2])/8503056

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3+2x}{(729-64x^6)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(3 + 2*x)/(729 - 64*x^6)^2, x]

[Out] IntegrateAlgebraic[(3 + 2*x)/(729 - 64*x^6)^2, x]

fricas [B] time = 0.41, size = 257, normalized size = 1.76

$$\frac{2\sqrt{3}(32x^5 - 48x^4 + 72x^3 - 108x^2 + 162x - 243)\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + 18\sqrt{3}(32x^5 - 48x^4 + 72x^3 - 108x^2 + 162x - 243)\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + 9(32x^5 - 48x^4 + 72x^3 - 108x^2 + 162x - 243)\log(4x^2 + 6x + 9) - (32x^5 - 48x^4 + 72x^3 - 108x^2 + 162x - 243)\log(4x^2 - 6x + 9) + 2(32x^5 - 48x^4 + 72x^3 - 108x^2 + 162x - 243)\log(2x + 3) - 18(32x^5 - 48x^4 + 72x^3 - 108x^2 + 162x - 243)\log(2x - 3) - 1944x}{8503056(32x^5 - 48x^4 + 72x^3 - 108x^2 + 162x - 243)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/8503056*(2*sqrt(3)*(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243)*arctan(1/9*sqrt(3)*(4*x + 3)) + 18*sqrt(3)*(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243)*arctan(1/9*sqrt(3)*(4*x - 3)) + 9*(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243)*log(4*x^2 + 6*x + 9) - (32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243)*log(4*x^2 - 6*x + 9) + 2*(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243)*log(2*x + 3) - 18*(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243)*log(2*x - 3) - 1944*x)/(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243)

giac [A] time = 0.18, size = 111, normalized size = 0.76

$$\frac{1}{4251528}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + \frac{1}{472392}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) - \frac{x}{4374(4x^2+6x+9)(4x^2-6x+9)(2x-3)} + \frac{1}{944784}\log(4x^2+6x+9) - \frac{1}{8503056}\log(4x^2-6x+9) + \frac{1}{4251528}\log(2x+3) - \frac{1}{472392}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/4251528*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/4374*x/((4*x^2 + 6*x + 9)*(4*x^2 - 6*x + 9)*(2*x - 3)) + 1/944784*log(4*x^2 + 6*x + 9) - 1/8503056*log(4*x^2 - 6*x + 9) + 1/4251528*log(abs(2*x + 3)) - 1/472392*log(abs(2*x - 3))

maple [A] time = 0.07, size = 115, normalized size = 0.79

$$\frac{x}{944784x^2 - 1417176x + 2125764} + \frac{\sqrt{3}\arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{472392} + \frac{\sqrt{3}\arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{4251528} - \frac{\ln(2x-3)}{472392} + \frac{\ln(2x+3)}{4251528} - \frac{\ln(4x^2-6x+9)}{8503056} + \frac{\ln(4x^2+6x+9)}{944784} + \frac{-\frac{x}{4} - \frac{3}{4}}{708588x^2 + 1062882x + 1594323} - \frac{1}{708588(2x-3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x+3)/(-64*x^6+729)^2,x)

[Out] 1/944784/(x^2-3/2*x+9/4)*x-1/8503056*ln(4*x^2-6*x+9)+1/472392*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))+1/4251528*ln(2*x+3)+1/708588*(-1/4*x-3/4)/(x^2+3/2*x+9/4)+1/944784*ln(4*x^2+6*x+9)+1/4251528*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/708588/(2*x-3)-1/472392*ln(2*x-3)

maxima [A] time = 2.90, size = 105, normalized size = 0.72

$$\frac{1}{4251528}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + \frac{1}{472392}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) - \frac{x}{4374(32x^5 - 48x^4 + 72x^3 - 108x^2 + 162x - 243)} + \frac{1}{944784}\log(4x^2+6x+9) - \frac{1}{8503056}\log(4x^2-6x+9) + \frac{1}{4251528}\log(2x+3) - \frac{1}{472392}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] $\frac{1}{4251528}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + \frac{1}{472392}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) - \frac{1}{4374}x/(32x^5 - 48x^4 + 72x^3 - 108x^2 + 162x - 243) + \frac{1}{944784}\log(4x^2 + 6x + 9) - \frac{1}{8503056}\log(4x^2 - 6x + 9) + \frac{1}{4251528}\log(2x + 3) - \frac{1}{472392}\log(2x - 3)$

mupad [B] time = 5.09, size = 121, normalized size = 0.83

$$\frac{\ln\left(x + \frac{3}{2}\right) - \ln\left(x - \frac{3}{2}\right)}{4251528} - \frac{\ln\left(x - \frac{3}{4} - \frac{\sqrt{3}3i}{4}\right) \left(\frac{1}{8503056} + \frac{\sqrt{3}11}{944784}\right) - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3}3i}{4}\right) \left(-\frac{1}{944784} + \frac{\sqrt{3}11}{8503056}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3}3i}{4}\right) \left(-\frac{1}{8503056} + \frac{\sqrt{3}11}{944784}\right) + \ln\left(x + \frac{3}{4} + \frac{\sqrt{3}3i}{4}\right) \left(\frac{1}{944784} + \frac{\sqrt{3}11}{8503056}\right)}{139968} - \frac{x}{x^5 - \frac{3x^4}{2} + \frac{9x^3}{4} - \frac{27x^2}{8} + \frac{81x}{16} - \frac{243}{32}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x + 3)/(64*x^6 - 729)^2,x)

[Out] $\log(x + 3/2)/4251528 - \log(x - 3/2)/472392 - \log(x - (3^{(1/2)}*3i)/4 - 3/4) * ((3^{(1/2)}*1i)/944784 + 1/8503056) - \log(x - (3^{(1/2)}*3i)/4 + 3/4) * ((3^{(1/2)}*1i)/8503056 - 1/944784) + \log(x + (3^{(1/2)}*3i)/4 - 3/4) * ((3^{(1/2)}*1i)/944784 - 1/8503056) + \log(x + (3^{(1/2)}*3i)/4 + 3/4) * ((3^{(1/2)}*1i)/8503056 + 1/944784) - x/(139968*((81*x)/16 - (27*x^2)/8 + (9*x^3)/4 - (3*x^4)/2 + x^5 - 243/32))$

sympy [A] time = 0.65, size = 124, normalized size = 0.85

$$\frac{x}{139968x^5 - 209952x^4 + 314928x^3 - 472392x^2 + 708588x - 1062882} - \frac{\log\left(x - \frac{3}{2}\right)}{472392} + \frac{\log\left(x + \frac{3}{2}\right)}{4251528} - \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{8503056} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{944784} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{472392} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{4251528}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x**6+729)**2,x)

[Out] $-x/(139968x^5 - 209952x^4 + 314928x^3 - 472392x^2 + 708588x - 1062882) - \log(x - 3/2)/472392 + \log(x + 3/2)/4251528 - \log(x^2 - 3x/2 + 9/4)/8503056 + \log(x^2 + 3x/2 + 9/4)/944784 + \sqrt{3}\operatorname{atan}(4\sqrt{3}x/9 - \sqrt{3}/3)/472392 + \sqrt{3}\operatorname{atan}(4\sqrt{3}x/9 + \sqrt{3}/3)/4251528$

$$3.412 \quad \int \frac{9-6x+4x^2}{(729-64x^6)^2} dx$$

Optimal. Leaf size=142

$$\frac{4x+3}{236196(4x^2+6x+9)} - \frac{\log(4x^2-6x+9)}{944784} - \frac{5\log(4x^2+6x+9)}{2834352} + \frac{1}{472392(3-2x)} - \frac{1}{157464(2x+3)} - \frac{\log(3-2x)}{354294}$$

Rubi [A] time = 0.15, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1586, 2074, 634, 618, 204, 628, 614}

$$\frac{4x+3}{236196(4x^2+6x+9)} - \frac{\log(4x^2-6x+9)}{944784} - \frac{5\log(4x^2+6x+9)}{2834352} + \frac{1}{472392(3-2x)} - \frac{1}{157464(2x+3)} - \frac{\log(3-2x)}{354294} + \frac{\log(2x+3)}{118098} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{472392\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{52488\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(9 - 6*x + 4*x^2)/(729 - 64*x^6)^2,x]

[Out] 1/(472392*(3 - 2*x)) - 1/(157464*(3 + 2*x)) + (3 + 4*x)/(236196*(9 + 6*x + 4*x^2)) - ArcTan[(3 - 4*x)/(3*sqrt(3))]/(472392*sqrt(3)) + ArcTan[(3 + 4*x)/(3*sqrt(3))]/(52488*sqrt(3)) - Log[3 - 2*x]/354294 + Log[3 + 2*x]/118098 - Log[9 - 6*x + 4*x^2]/944784 - (5*Log[9 + 6*x + 4*x^2])/2834352

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 614

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b + 2*c*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[(2*c*(2*p + 3))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2] && IntegerQ[4*p]

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1586

```
Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px
, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] &&
EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2074

```
Int[(P_)^(p_)*(Q_)^(q_), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandInt
egrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] &&
PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{9 - 6x + 4x^2}{(729 - 64x^6)^2} dx &= \int \frac{1}{(9 - 6x + 4x^2)(81 + 54x - 24x^3 - 16x^4)^2} dx \\
&= \int \left(\frac{1}{236196(-3 + 2x)^2} - \frac{1}{177147(-3 + 2x)} + \frac{1}{78732(3 + 2x)^2} + \frac{1}{59049(3 + 2x)} + \frac{1}{236196} \right) dx \\
&= \frac{1}{472392(3 - 2x)} - \frac{1}{157464(3 + 2x)} - \frac{\log(3 - 2x)}{354294} + \frac{\log(3 + 2x)}{118098} + \frac{\int \frac{21-10x}{9+6x+4x^2} dx}{708588} + \frac{\int \frac{3}{9-6x}}{236196} \\
&= \frac{1}{472392(3 - 2x)} - \frac{1}{157464(3 + 2x)} + \frac{3 + 4x}{236196(9 + 6x + 4x^2)} - \frac{\log(3 - 2x)}{354294} + \frac{\log(3 + 2x)}{118098} \\
&= \frac{1}{472392(3 - 2x)} - \frac{1}{157464(3 + 2x)} + \frac{3 + 4x}{236196(9 + 6x + 4x^2)} - \frac{\log(3 - 2x)}{354294} + \frac{\log(3 + 2x)}{118098} \\
&= \frac{1}{472392(3 - 2x)} - \frac{1}{157464(3 + 2x)} + \frac{3 + 4x}{236196(9 + 6x + 4x^2)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{472392\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{52488\sqrt{3}}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 111, normalized size = 0.78

$$\frac{-3 \log(4x^2 - 6x + 9) - 5 \log(4x^2 + 6x + 9) + \frac{648x}{-16x^4 - 24x^3 + 54x + 81} - 8 \log(3 - 2x) + 24 \log(2x + 3) + 2\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right) + 18\sqrt{3} \tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{2834352}$$

Antiderivative was successfully verified.

[In] Integrate[(9 - 6*x + 4*x^2)/(729 - 64*x^6)^2, x]

[Out] ((648*x)/(81 + 54*x - 24*x^3 - 16*x^4) + 2*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] + 18*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 8*Log[3 - 2*x] + 24*Log[3 + 2*x] - 3*Log[9 - 6*x + 4*x^2] - 5*Log[9 + 6*x + 4*x^2])/2834352

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{9 - 6x + 4x^2}{(729 - 64x^6)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(9 - 6*x + 4*x^2)/(729 - 64*x^6)^2, x]

[Out] IntegrateAlgebraic[(9 - 6*x + 4*x^2)/(729 - 64*x^6)^2, x]

fricas [A] time = 0.41, size = 187, normalized size = 1.32

$$\frac{18\sqrt{5}(16x^4 + 24x^3 - 54x - 81)\arctan\left(\frac{1}{9}\sqrt{5}(4x+3)\right) + 2\sqrt{5}(16x^4 + 24x^3 - 54x - 81)\arctan\left(\frac{1}{9}\sqrt{5}(4x-3)\right) - 5(16x^4 + 24x^3 - 54x - 81)\log(4x^2 + 6x + 9) - 3(16x^4 + 24x^3 - 54x - 81)\log(4x^2 - 6x + 9) + 24(16x^4 + 24x^3 - 54x - 81)\log(2x + 3) - 8(16x^4 + 24x^3 - 54x - 81)\log(2x - 3) - 648x}{2834352(16x^4 + 24x^3 - 54x - 81)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2-6*x+9)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/2834352*(18*sqrt(3)*(16*x^4 + 24*x^3 - 54*x - 81)*arctan(1/9*sqrt(3)*(4*x + 3)) + 2*sqrt(3)*(16*x^4 + 24*x^3 - 54*x - 81)*arctan(1/9*sqrt(3)*(4*x - 3)) - 5*(16*x^4 + 24*x^3 - 54*x - 81)*log(4*x^2 + 6*x + 9) - 3*(16*x^4 + 24*x^3 - 54*x - 81)*log(4*x^2 - 6*x + 9) + 24*(16*x^4 + 24*x^3 - 54*x - 81)*log(2*x + 3) - 8*(16*x^4 + 24*x^3 - 54*x - 81)*log(2*x - 3) - 648*x)/(16*x^4 + 24*x^3 - 54*x - 81)

giac [A] time = 0.18, size = 106, normalized size = 0.75

$$\frac{1}{157464}\sqrt{5}\arctan\left(\frac{1}{9}\sqrt{5}(4x+3)\right) + \frac{1}{1417176}\sqrt{5}\arctan\left(\frac{1}{9}\sqrt{5}(4x-3)\right) - \frac{x}{4374(4x^2+6x+9)(2x+3)(2x-3)} - \frac{5}{2834352}\log(4x^2+6x+9) - \frac{1}{944784}\log(4x^2-6x+9) + \frac{1}{118098}\log(2x+3) - \frac{1}{354294}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2-6*x+9)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/157464*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/1417176*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/4374*x/((4*x^2 + 6*x + 9)*(2*x + 3)*(2*x - 3)) - 5/2834352*log(4*x^2 + 6*x + 9) - 1/944784*log(4*x^2 - 6*x + 9) + 1/118098*log(abs(2*x + 3)) - 1/354294*log(abs(2*x - 3))

maple [A] time = 0.06, size = 111, normalized size = 0.78

$$\frac{\sqrt{5}\arctan\left(\frac{(8x-6)\sqrt{5}}{18}\right)}{1417176} + \frac{\sqrt{5}\arctan\left(\frac{(8x+6)\sqrt{5}}{18}\right)}{157464} - \frac{\ln(2x-3)}{354294} + \frac{\ln(2x+3)}{118098} - \frac{\ln(4x^2-6x+9)}{944784} - \frac{5\ln(4x^2+6x+9)}{2834352} - \frac{1}{157464(2x+3)} - \frac{-3x-\frac{9}{4}}{708588\left(x^2+\frac{3}{2}x+\frac{9}{4}\right)} - \frac{1}{472392(2x-3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^2-6*x+9)/(-64*x^6+729)^2,x)

[Out] -1/944784*ln(4*x^2-6*x+9)+1/1417176*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/157464/(2*x+3)+1/118098*ln(2*x+3)-1/708588*(-3*x-9/4)/(x^2+3/2*x+9/4)-5/2834352*ln(4*x^2+6*x+9)+1/157464*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/472392/(2*x-3)-1/354294*ln(2*x-3)

maxima [A] time = 2.98, size = 95, normalized size = 0.67

$$\frac{1}{157464}\sqrt{5}\arctan\left(\frac{1}{9}\sqrt{5}(4x+3)\right) + \frac{1}{1417176}\sqrt{5}\arctan\left(\frac{1}{9}\sqrt{5}(4x-3)\right) - \frac{x}{4374(16x^4+24x^3-54x-81)} - \frac{5}{2834352}\log(4x^2+6x+9) - \frac{1}{944784}\log(4x^2-6x+9) + \frac{1}{118098}\log(2x+3) - \frac{1}{354294}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2-6*x+9)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/157464*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/1417176*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/4374*x/(16*x^4 + 24*x^3 - 54*x - 81) - 5/2834352*log(4*x^2 + 6*x + 9) - 1/944784*log(4*x^2 - 6*x + 9) + 1/118098*log(2*x + 3) - 1/354294*log(2*x - 3)

mupad [B] time = 5.08, size = 110, normalized size = 0.77

$$\frac{\ln\left(\frac{x+3}{2}\right)}{118098} - \frac{\ln\left(\frac{x-3}{2}\right)}{354294} - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3}3i}{4}\right) \left(\frac{5}{2834352} + \frac{\sqrt{3}1i}{314928}\right) + \ln\left(x + \frac{3}{4} + \frac{\sqrt{3}3i}{4}\right) \left(-\frac{5}{2834352} + \frac{\sqrt{3}1i}{314928}\right) - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3}3i}{4}\right) \left(\frac{1}{944784} + \frac{\sqrt{3}1i}{2834352}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3}3i}{4}\right) \left(-\frac{1}{944784} + \frac{\sqrt{3}1i}{2834352}\right) + \frac{x}{69984\left(-x^4 - \frac{3x^3}{2} + \frac{27x}{8} + \frac{81}{16}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^2 - 6*x + 9)/(64*x^6 - 729)^2,x)

[Out] log(x + 3/2)/118098 - log(x - 3/2)/354294 - log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/314928 + 5/2834352) + log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/314928 - 5/2834352) - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/2834352 + 1/944784) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/2834352 - 1/944784) + x/(69984*((27*x)/8 - (3*x^3)/2 - x^4 + 81/16))

sympy [A] time = 0.64, size = 116, normalized size = 0.82

$$\frac{x}{69984x^4 + 104976x^3 - 236196x - 354294} - \frac{\log\left(x - \frac{3}{2}\right)}{354294} + \frac{\log\left(x + \frac{3}{2}\right)}{118098} - \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{944784} - \frac{5\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{2834352} + \frac{\sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{1417176} + \frac{\sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{157464}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x**2-6*x+9)/(-64*x**6+729)**2,x)

[Out] -x/(69984*x**4 + 104976*x**3 - 236196*x - 354294) - log(x - 3/2)/354294 + log(x + 3/2)/118098 - log(x**2 - 3*x/2 + 9/4)/944784 - 5*log(x**2 + 3*x/2 + 9/4)/2834352 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/1417176 + sqrt(3)*atan(4*sqrt(3)*x/9 + sqrt(3)/3)/157464

$$3.413 \quad \int \frac{9+6x+4x^2}{(729-64x^6)^2} dx$$

Optimal. Leaf size=142

$$-\frac{3-4x}{236196(4x^2-6x+9)} + \frac{5\log(4x^2-6x+9)}{2834352} + \frac{\log(4x^2+6x+9)}{944784} + \frac{1}{157464(3-2x)} - \frac{1}{472392(2x+3)} - \frac{\log(3-2x)}{118098} + \frac{\log(2x+3)}{354294} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{52488\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{472392\sqrt{3}}$$

Rubi [A] time = 0.14, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1586, 2074, 614, 618, 204, 634, 628}

$$-\frac{3-4x}{236196(4x^2-6x+9)} + \frac{5\log(4x^2-6x+9)}{2834352} + \frac{\log(4x^2+6x+9)}{944784} + \frac{1}{157464(3-2x)} - \frac{1}{472392(2x+3)} - \frac{\log(3-2x)}{118098} + \frac{\log(2x+3)}{354294} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{52488\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{472392\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(9 + 6*x + 4*x^2)/(729 - 64*x^6)^2,x]

[Out] 1/(157464*(3 - 2*x)) - 1/(472392*(3 + 2*x)) - (3 - 4*x)/(236196*(9 - 6*x + 4*x^2)) - ArcTan[(3 - 4*x)/(3*sqrt[3])]/(52488*sqrt[3]) + ArcTan[(3 + 4*x)/(3*sqrt[3])]/(472392*sqrt[3]) - Log[3 - 2*x]/118098 + Log[3 + 2*x]/354294 + (5*Log[9 - 6*x + 4*x^2])/2834352 + Log[9 + 6*x + 4*x^2]/944784

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 614

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b + 2*c*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[(2*c*(2*p + 3))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2] && IntegerQ[4*p]

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1586

```
Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px
, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] &&
EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2074

```
Int[(P_)^(p_)*(Q_)^(q_), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandInt
egrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] &&
PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{9 + 6x + 4x^2}{(729 - 64x^6)^2} dx &= \int \frac{1}{(9 + 6x + 4x^2)(81 - 54x + 24x^3 - 16x^4)^2} dx \\
&= \int \left(\frac{1}{78732(-3 + 2x)^2} - \frac{1}{59049(-3 + 2x)} + \frac{1}{236196(3 + 2x)^2} + \frac{1}{177147(3 + 2x)} + \frac{1}{4374(3 + 2x)} \right) dx \\
&= \frac{1}{157464(3 - 2x)} - \frac{1}{472392(3 + 2x)} - \frac{\log(3 - 2x)}{118098} + \frac{\log(3 + 2x)}{354294} + \frac{\int \frac{21+10x}{9-6x+4x^2} dx}{708588} + \frac{\int \frac{1}{9+6x+4x^2} dx}{2} \\
&= \frac{1}{157464(3 - 2x)} - \frac{1}{472392(3 + 2x)} - \frac{3 - 4x}{236196(9 - 6x + 4x^2)} - \frac{\log(3 - 2x)}{118098} + \frac{\log(3 + 2x)}{354294} \\
&= \frac{1}{157464(3 - 2x)} - \frac{1}{472392(3 + 2x)} - \frac{3 - 4x}{236196(9 - 6x + 4x^2)} - \frac{\log(3 - 2x)}{118098} + \frac{\log(3 + 2x)}{354294} \\
&= \frac{1}{157464(3 - 2x)} - \frac{1}{472392(3 + 2x)} - \frac{3 - 4x}{236196(9 - 6x + 4x^2)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{52488\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+2x}{3}\right)}{472392}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 111, normalized size = 0.78

$$\frac{5 \log(4x^2 - 6x + 9) + 3 \log(4x^2 + 6x + 9) + \frac{648x}{-16x^4 + 24x^3 - 54x + 81} - 24 \log(3 - 2x) + 8 \log(2x + 3) + 18\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right) + 2\sqrt{3} \tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{2834352}$$

Antiderivative was successfully verified.

[In] Integrate[(9 + 6*x + 4*x^2)/(729 - 64*x^6)^2, x]

[Out] ((648*x)/(81 - 54*x + 24*x^3 - 16*x^4) + 18*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] + 2*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 24*Log[3 - 2*x] + 8*Log[3 + 2*x] + 5*Log[9 - 6*x + 4*x^2] + 3*Log[9 + 6*x + 4*x^2])/2834352

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{9 + 6x + 4x^2}{(729 - 64x^6)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(9 + 6*x + 4*x^2)/(729 - 64*x^6)^2, x]

[Out] IntegrateAlgebraic[(9 + 6*x + 4*x^2)/(729 - 64*x^6)^2, x]

fricas [A] time = 0.42, size = 187, normalized size = 1.32

$$\frac{2\sqrt{5}(16x^4 - 24x^3 + 54x - 81)\arctan\left(\frac{1}{9}\sqrt{5}(4x+3)\right) + 18\sqrt{5}(16x^4 - 24x^3 + 54x - 81)\arctan\left(\frac{1}{9}\sqrt{5}(4x-3)\right) + 3(16x^4 - 24x^3 + 54x - 81)\log(4x^2 + 6x + 9) + 5(16x^4 - 24x^3 + 54x - 81)\log(4x^2 - 6x + 9) + 8(16x^4 - 24x^3 + 54x - 81)\log(2x + 3) - 24(16x^4 - 24x^3 + 54x - 81)\log(2x - 3) - 648x}{2834352(16x^4 - 24x^3 + 54x - 81)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+6*x+9)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/2834352*(2*sqrt(3)*(16*x^4 - 24*x^3 + 54*x - 81)*arctan(1/9*sqrt(3)*(4*x + 3)) + 18*sqrt(3)*(16*x^4 - 24*x^3 + 54*x - 81)*arctan(1/9*sqrt(3)*(4*x - 3)) + 3*(16*x^4 - 24*x^3 + 54*x - 81)*log(4*x^2 + 6*x + 9) + 5*(16*x^4 - 24*x^3 + 54*x - 81)*log(4*x^2 - 6*x + 9) + 8*(16*x^4 - 24*x^3 + 54*x - 81)*log(2*x + 3) - 24*(16*x^4 - 24*x^3 + 54*x - 81)*log(2*x - 3) - 648*x)/(16*x^4 - 24*x^3 + 54*x - 81)

giac [A] time = 0.24, size = 106, normalized size = 0.75

$$\frac{1}{1417176}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{5}(4x+3)\right) + \frac{1}{157464}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{5}(4x-3)\right) - \frac{x}{4374(4x^2-6x+9)(2x+3)(2x-3)} + \frac{1}{944784}\log(4x^2+6x+9) + \frac{5}{2834352}\log(4x^2-6x+9) + \frac{1}{354294}\log(2x+3) - \frac{1}{118098}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+6*x+9)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/1417176*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/157464*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/4374*x/((4*x^2 - 6*x + 9)*(2*x + 3)*(2*x - 3)) + 1/944784*log(4*x^2 + 6*x + 9) + 5/2834352*log(4*x^2 - 6*x + 9) + 1/354294*log(abs(2*x + 3)) - 1/118098*log(abs(2*x - 3))

maple [A] time = 0.06, size = 111, normalized size = 0.78

$$\frac{\sqrt{3}\arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{157464} + \frac{\sqrt{3}\arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{1417176} - \frac{\ln(2x-3)}{118098} + \frac{\ln(2x+3)}{354294} + \frac{5\ln(4x^2-6x+9)}{2834352} + \frac{\ln(4x^2+6x+9)}{944784} + \frac{3x - \frac{9}{4}}{708588x^2 - 1062882x + 1594323} - \frac{1}{472392(2x+3)} - \frac{1}{157464(2x-3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^2+6*x+9)/(-64*x^6+729)^2,x)

[Out] 1/708588*(3*x-9/4)/(x^2-3/2*x+9/4)+5/2834352*ln(4*x^2-6*x+9)+1/157464*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/472392/(2*x+3)+1/354294*ln(2*x+3)+1/944784*ln(4*x^2+6*x+9)+1/1417176*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/157464/(2*x-3)-1/118098*ln(2*x-3)

maxima [A] time = 2.88, size = 95, normalized size = 0.67

$$\frac{1}{1417176}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{5}(4x+3)\right) + \frac{1}{157464}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{5}(4x-3)\right) - \frac{x}{4374(16x^4 - 24x^3 + 54x - 81)} + \frac{1}{944784}\log(4x^2 + 6x + 9) + \frac{5}{2834352}\log(4x^2 - 6x + 9) + \frac{1}{354294}\log(2x + 3) - \frac{1}{118098}\log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+6*x+9)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] $\frac{1}{1417176}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + \frac{1}{157464}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) - \frac{1}{4374}x/(16x^4 - 24x^3 + 54x - 81) + \frac{1}{944784}\log(4x^2 + 6x + 9) + \frac{5}{2834352}\log(4x^2 - 6x + 9) + \frac{1}{354294}\log(2x + 3) - \frac{1}{118098}\log(2x - 3)$

mupad [B] time = 0.19, size = 111, normalized size = 0.78

$$\frac{\ln\left(\frac{x+3}{2}\right)}{354294} - \frac{\ln\left(\frac{x-3}{2}\right)}{118098} - \frac{x}{69984\left(x^4 - \frac{3x^3}{2} + \frac{27x}{8} - \frac{81}{16}\right)} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3}3i}{4}\right)\left(-\frac{5}{2834352} + \frac{\sqrt{3}1i}{314928}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3}3i}{4}\right)\left(\frac{5}{2834352} + \frac{\sqrt{3}1i}{314928}\right) - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3}3i}{4}\right)\left(-\frac{1}{944784} + \frac{\sqrt{3}1i}{2834352}\right) + \ln\left(x + \frac{3}{4} + \frac{\sqrt{3}3i}{4}\right)\left(\frac{1}{944784} + \frac{\sqrt{3}1i}{2834352}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((6*x + 4*x^2 + 9)/(64*x^6 - 729)^2,x)

[Out] $\log(x + 3/2)/354294 - \log(x - 3/2)/118098 - x/(69984*((27*x)/8 - (3*x^3)/2 + x^4 - 81/16)) - \log(x - (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*1i)/314928 - 5/2834352) + \log(x + (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*1i)/314928 + 5/2834352) - \log(x - (3^{(1/2)}*3i)/4 + 3/4)*((3^{(1/2)}*1i)/2834352 - 1/944784) + \log(x + (3^{(1/2)}*3i)/4 + 3/4)*((3^{(1/2)}*1i)/2834352 + 1/944784)$

sympy [A] time = 0.57, size = 116, normalized size = 0.82

$$-\frac{x}{69984x^4 - 104976x^3 + 236196x - 354294} - \frac{\log\left(x - \frac{3}{2}\right)}{118098} + \frac{\log\left(x + \frac{3}{2}\right)}{354294} + \frac{5\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{2834352} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{944784} + \frac{\sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{157464} + \frac{\sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{1417176}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x**2+6*x+9)/(-64*x**6+729)**2,x)

[Out] $-x/(69984*x^4 - 104976*x^3 + 236196*x - 354294) - \log(x - 3/2)/118098 + \log(x + 3/2)/354294 + 5*\log(x^2 - 3*x/2 + 9/4)/2834352 + \log(x^2 + 3*x/2 + 9/4)/944784 + \sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 - \sqrt{3}/3)/157464 + \sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 + \sqrt{3}/3)/1417176$

$$3.414 \quad \int \frac{27-8x^3}{(729-64x^6)^2} dx$$

Optimal. Leaf size=113

$$\frac{x}{4374(8x^3+27)} - \frac{7\log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{314928} - \frac{\log(3-2x)}{157464} + \frac{7\log(2x+3)}{472392} - \frac{7\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{52488\sqrt{3}}$$

Rubi [A] time = 0.08, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 9, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {1404, 414, 522, 200, 31, 634, 618, 204, 628}

$$\frac{x}{4374(8x^3+27)} - \frac{7\log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{314928} - \frac{\log(3-2x)}{157464} + \frac{7\log(2x+3)}{472392} - \frac{7\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{52488\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(27 - 8*x^3)/(729 - 64*x^6)^2,x]

[Out] x/(4374*(27 + 8*x^3)) - (7*ArcTan[(3 - 4*x)/(3*sqrt[3])])/(157464*sqrt[3]) + ArcTan[(3 + 4*x)/(3*sqrt[3])]/(52488*sqrt[3]) - Log[3 - 2*x]/157464 + (7*Log[3 + 2*x])/472392 - (7*Log[9 - 6*x + 4*x^2])/944784 + Log[9 + 6*x + 4*x^2]/314928

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 414

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_))), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[I
nt[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1404

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_.)*((a_) + (c_.)*(x_)^(n2_))^(p_.), x_Symbo
l] :> Int[(d + e*x^n)^(p + q)*(a/d + (c*x^n)/e)^p, x] /; FreeQ[{a, c, d, e,
n, q}, x] && EqQ[n2, 2*n] && EqQ[c*d^2 + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{27 - 8x^3}{(729 - 64x^6)^2} dx &= \int \frac{1}{(27 - 8x^3)(27 + 8x^3)^2} dx \\
&= \frac{x}{4374(27 + 8x^3)} - \frac{\int \frac{-1080 + 128x^3}{(27 - 8x^3)(27 + 8x^3)} dx}{34992} \\
&= \frac{x}{4374(27 + 8x^3)} + \frac{\int \frac{1}{27 - 8x^3} dx}{2916} + \frac{7 \int \frac{1}{27 + 8x^3} dx}{8748} \\
&= \frac{x}{4374(27 + 8x^3)} + \frac{\int \frac{1}{3 - 2x} dx}{78732} + \frac{\int \frac{6 + 2x}{9 + 6x + 4x^2} dx}{78732} + \frac{7 \int \frac{1}{3 + 2x} dx}{236196} + \frac{7 \int \frac{6 - 2x}{9 - 6x + 4x^2} dx}{236196} \\
&= \frac{x}{4374(27 + 8x^3)} - \frac{\log(3 - 2x)}{157464} + \frac{7 \log(3 + 2x)}{472392} + \frac{\int \frac{6 + 8x}{9 + 6x + 4x^2} dx}{314928} - \frac{7 \int \frac{-6 + 8x}{9 - 6x + 4x^2} dx}{944784} + \frac{\int \frac{1}{9 - 6x + 4x^2} dx}{944784} \\
&= \frac{x}{4374(27 + 8x^3)} - \frac{\log(3 - 2x)}{157464} + \frac{7 \log(3 + 2x)}{472392} - \frac{7 \log(9 - 6x + 4x^2)}{944784} + \frac{\log(9 + 6x + 4x^2)}{314928} \\
&= \frac{x}{4374(27 + 8x^3)} - \frac{7 \tan^{-1}\left(\frac{3 - 4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3 + 4x}{3\sqrt{3}}\right)}{52488\sqrt{3}} - \frac{\log(3 - 2x)}{157464} + \frac{7 \log(3 + 2x)}{472392} - \frac{7 \log(9 - 6x + 4x^2)}{944784}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 103, normalized size = 0.91

$$\frac{\frac{216x}{8x^3+27} - 7 \log(4x^2 - 6x + 9) + 3 \log(4x^2 + 6x + 9) - 6 \log(3 - 2x) + 14 \log(2x + 3) + 14\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right) + 6\sqrt{3} \tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{944784}$$

Antiderivative was successfully verified.

[In] Integrate[(27 - 8*x^3)/(729 - 64*x^6)^2,x]

[Out] ((216*x)/(27 + 8*x^3) + 14*sqrt(3)*ArcTan[(-3 + 4*x)/(3*sqrt(3))] + 6*sqrt(3)*ArcTan[(3 + 4*x)/(3*sqrt(3))] - 6*Log[3 - 2*x] + 14*Log[3 + 2*x] - 7*Log[9 - 6*x + 4*x^2] + 3*Log[9 + 6*x + 4*x^2])/944784

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{27 - 8x^3}{(729 - 64x^6)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(27 - 8*x^3)/(729 - 64*x^6)^2, x]

[Out] IntegrateAlgebraic[(27 - 8*x^3)/(729 - 64*x^6)^2, x]

fricas [A] time = 0.41, size = 131, normalized size = 1.16

$$\frac{6\sqrt{3}(8x^3+27)\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right)+14\sqrt{3}(8x^3+27)\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right)+3(8x^3+27)\log(4x^2+6x+9)-7(8x^3+27)\log(4x^2-6x+9)+14(8x^3+27)\log(2x+3)-6(8x^3+27)\log(2x-3)+216x}{944784(8x^3+27)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729)^2, x, algorithm="fricas")

[Out] 1/944784*(6*sqrt(3)*(8*x^3 + 27)*arctan(1/9*sqrt(3)*(4*x + 3)) + 14*sqrt(3)*(8*x^3 + 27)*arctan(1/9*sqrt(3)*(4*x - 3)) + 3*(8*x^3 + 27)*log(4*x^2 + 6*x + 9) - 7*(8*x^3 + 27)*log(4*x^2 - 6*x + 9) + 14*(8*x^3 + 27)*log(2*x + 3) - 6*(8*x^3 + 27)*log(2*x - 3) + 216*x)/(8*x^3 + 27)

giac [A] time = 0.17, size = 89, normalized size = 0.79

$$\frac{1}{157464}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right)+\frac{7}{472392}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right)+\frac{x}{4374(8x^3+27)}+\frac{1}{314928}\log(4x^2+6x+9)-\frac{7}{944784}\log(4x^2-6x+9)+\frac{7}{472392}\log(2x+3)-\frac{1}{157464}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729)^2, x, algorithm="giac")

[Out] 1/157464*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 7/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/4374*x/(8*x^3 + 27) + 1/314928*log(4*x^2 + 6*x + 9) - 7/944784*log(4*x^2 - 6*x + 9) + 7/472392*log(abs(2*x + 3)) - 1/157464*log(abs(2*x - 3))

maple [A] time = 0.06, size = 102, normalized size = 0.90

$$\frac{7\sqrt{3}\arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{472392}+\frac{\sqrt{3}\arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{157464}-\frac{\ln(2x-3)}{157464}+\frac{7\ln(2x+3)}{472392}-\frac{7\ln(4x^2-6x+9)}{944784}+\frac{\ln(4x^2+6x+9)}{314928}-\frac{-\frac{3x}{4}-\frac{9}{8}}{118098\left(x^2-\frac{3}{2}x+\frac{9}{4}\right)}-\frac{1}{78732(2x+3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-8*x^3+27)/(-64*x^6+729)^2, x)

[Out] -1/118098*(-3/4*x-9/8)/(x^2-3/2*x+9/4)-7/944784*ln(4*x^2-6*x+9)+7/472392*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/78732/(2*x+3)+7/472392*ln(2*x+3)+1/314928*ln(4*x^2+6*x+9)+1/157464*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/157464*ln(2*x-3)

maxima [A] time = 2.94, size = 87, normalized size = 0.77

$$\frac{1}{157464}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right)+\frac{7}{472392}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right)+\frac{x}{4374(8x^3+27)}+\frac{1}{314928}\log(4x^2+6x+9)-\frac{7}{944784}\log(4x^2-6x+9)+\frac{7}{472392}\log(2x+3)-\frac{1}{157464}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/157464*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 7/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/4374*x/(8*x^3 + 27) + 1/314928*log(4*x^2 + 6*x + 9) - 7/944784*log(4*x^2 - 6*x + 9) + 7/472392*log(2*x + 3) - 1/157464*log(2*x - 3)

mupad [B] time = 0.17, size = 102, normalized size = 0.90

$$\frac{7 \ln\left(x + \frac{3}{2}\right) - \ln\left(x - \frac{3}{2}\right) + \frac{x}{34992\left(x^3 + \frac{27}{8}\right)} - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3}3i}{4}\right)\left(-\frac{1}{314928} + \frac{\sqrt{3}1i}{314928}\right) + \ln\left(x + \frac{3}{4} + \frac{\sqrt{3}3i}{4}\right)\left(\frac{1}{314928} + \frac{\sqrt{3}1i}{314928}\right) - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3}3i}{4}\right)\left(\frac{7}{944784} + \frac{\sqrt{3}7i}{944784}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3}3i}{4}\right)\left(-\frac{7}{944784} + \frac{\sqrt{3}7i}{944784}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(8*x^3 - 27)/(64*x^6 - 729)^2,x)

[Out] (7*log(x + 3/2))/472392 - log(x - 3/2)/157464 + x/(34992*(x^3 + 27/8)) - log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/314928 - 1/314928) + log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/314928 + 1/314928) - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*7i)/944784 + 7/944784) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*7i)/944784 - 7/944784)

sympy [A] time = 0.53, size = 110, normalized size = 0.97

$$\frac{x}{34992x^3 + 118098} - \frac{\log\left(x - \frac{3}{2}\right)}{157464} + \frac{7\log\left(x + \frac{3}{2}\right)}{472392} - \frac{7\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{944784} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{314928} + \frac{7\sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{472392} + \frac{\sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{157464}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x**3+27)/(-64*x**6+729)**2,x)

[Out] x/(34992*x**3 + 118098) - log(x - 3/2)/157464 + 7*log(x + 3/2)/472392 - 7*log(x**2 - 3*x/2 + 9/4)/944784 + log(x**2 + 3*x/2 + 9/4)/314928 + 7*sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/472392 + sqrt(3)*atan(4*sqrt(3)*x/9 + sqrt(3)/3)/157464

$$3.415 \quad \int \frac{27+36x+24x^2+8x^3}{(729-64x^6)^2} dx$$

Optimal. Leaf size=131

$$-\frac{3-2x}{26244(4x^2-6x+9)} + \frac{17\log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{314928} + \frac{1}{26244(3-2x)} - \frac{7\log(3-2x)}{157464} + \frac{\log(2x+3)}{472392}$$

Rubi [A] time = 0.15, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1586, 2074, 638, 618, 204, 634, 628}

$$-\frac{3-2x}{26244(4x^2-6x+9)} + \frac{17\log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{314928} + \frac{1}{26244(3-2x)} - \frac{7\log(3-2x)}{157464} + \frac{\log(2x+3)}{472392} - \frac{11\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} - \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{157464\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6)^2,x]

[Out] 1/(26244*(3 - 2*x)) - (3 - 2*x)/(26244*(9 - 6*x + 4*x^2)) - (11*ArcTan[(3 - 4*x)/(3*sqrt[3])])/(157464*sqrt[3]) - ArcTan[(3 + 4*x)/(3*sqrt[3])]/(157464*sqrt[3]) - (7*Log[3 - 2*x])/157464 + Log[3 + 2*x]/472392 + (17*Log[9 - 6*x + 4*x^2])/944784 + Log[9 + 6*x + 4*x^2]/314928

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 638

```
Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

Rule 1586

```
Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2074

```
Int[(P_)^(p_)*(Q_)^(q_), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{27 + 36x + 24x^2 + 8x^3}{(729 - 64x^6)^2} dx &= \int \frac{1}{(27 - 36x + 24x^2 - 8x^3)^2 (27 + 36x + 24x^2 + 8x^3)} dx \\
&= \int \left(\frac{1}{13122(-3 + 2x)^2} - \frac{7}{78732(-3 + 2x)} + \frac{1}{236196(3 + 2x)} + \frac{3 + 2x}{4374(9 - 6x + 4x^2)} \right) dx \\
&= \frac{1}{26244(3 - 2x)} - \frac{7 \log(3 - 2x)}{157464} + \frac{\log(3 + 2x)}{472392} + \frac{\int \frac{3+17x}{9-6x+4x^2} dx}{118098} + \frac{\int \frac{x}{9+6x+4x^2} dx}{39366} \\
&= \frac{1}{26244(3 - 2x)} - \frac{3 - 2x}{26244(9 - 6x + 4x^2)} - \frac{7 \log(3 - 2x)}{157464} + \frac{\log(3 + 2x)}{472392} + \frac{\int \frac{6-17x}{9+6x+4x^2} dx}{314} \\
&= \frac{1}{26244(3 - 2x)} - \frac{3 - 2x}{26244(9 - 6x + 4x^2)} - \frac{7 \log(3 - 2x)}{157464} + \frac{\log(3 + 2x)}{472392} + \frac{17 \log(3 + 2x)}{157464} \\
&= \frac{1}{26244(3 - 2x)} - \frac{3 - 2x}{26244(9 - 6x + 4x^2)} - \frac{11 \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} - \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} - \frac{7 \log(3 + 2x)}{157464}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 111, normalized size = 0.85

$$\frac{17 \log(4x^2 - 6x + 9) + 3 \log(4x^2 + 6x + 9) + \frac{216x}{-8x^3 + 24x^2 - 36x + 27} - 42 \log(3 - 2x) + 2 \log(2x + 3) + 22\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right) - 2\sqrt{3} \tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{944784}$$

Antiderivative was successfully verified.

[In] Integrate[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6)^2, x]

[Out] ((216*x)/(27 - 36*x + 24*x^2 - 8*x^3) + 22*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] - 2*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 42*Log[3 - 2*x] + 2*Log[3 + 2*x] + 17*Log[9 - 6*x + 4*x^2] + 3*Log[9 + 6*x + 4*x^2])/944784

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{27 + 36x + 24x^2 + 8x^3}{(729 - 64x^6)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6)^2, x]

[Out] IntegrateAlgebraic[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6)^2, x]

fricas [A] time = 0.41, size = 187, normalized size = 1.43

$$\frac{2\sqrt{3}(8x^3 - 24x^2 + 36x - 27)\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) - 22\sqrt{3}(8x^3 - 24x^2 + 36x - 27)\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) - 3(8x^3 - 24x^2 + 36x - 27)\log(4x^2 + 6x + 9) - 17(8x^3 - 24x^2 + 36x - 27)\log(4x^2 - 6x + 9) - 2(8x^3 - 24x^2 + 36x - 27)\log(2x + 3) + 42(8x^3 - 24x^2 + 36x - 27)\log(2x - 3) + 216x}{944784(8x^3 - 24x^2 + 36x - 27)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] -1/944784*(2*sqrt(3)*(8*x^3 - 24*x^2 + 36*x - 27)*arctan(1/9*sqrt(3)*(4*x + 3)) - 22*sqrt(3)*(8*x^3 - 24*x^2 + 36*x - 27)*arctan(1/9*sqrt(3)*(4*x - 3)) - 3*(8*x^3 - 24*x^2 + 36*x - 27)*log(4*x^2 + 6*x + 9) - 17*(8*x^3 - 24*x^2 + 36*x - 27)*log(4*x^2 - 6*x + 9) - 2*(8*x^3 - 24*x^2 + 36*x - 27)*log(2*x + 3) + 42*(8*x^3 - 24*x^2 + 36*x - 27)*log(2*x - 3) + 216*x)/(8*x^3 - 24*x^2 + 36*x - 27)

giac [A] time = 0.18, size = 99, normalized size = 0.76

$$-\frac{1}{472392}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + \frac{11}{472392}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) - \frac{x}{4374(4x^2-6x+9)(2x-3)} + \frac{1}{314928}\log(4x^2+6x+9) + \frac{17}{944784}\log(4x^2-6x+9) + \frac{1}{472392}\log(2x+3) - \frac{7}{157464}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] -1/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 11/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/4374*x/((4*x^2 - 6*x + 9)*(2*x - 3)) + 1/314928*log(4*x^2 + 6*x + 9) + 17/944784*log(4*x^2 - 6*x + 9) + 1/472392*log(abs(2*x + 3)) - 7/157464*log(abs(2*x - 3))

maple [A] time = 0.06, size = 102, normalized size = 0.78

$$\frac{11\sqrt{3}\arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right) - \sqrt{3}\arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right) - 7\ln(2x-3) + \ln(2x+3) + \frac{17\ln(4x^2-6x+9)}{944784} + \frac{\ln(4x^2+6x+9)}{314928}}{\frac{118098x^2 - 177147x + \frac{531441}{2}}{2}} - \frac{1}{26244(2x-3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8*x^3+24*x^2+36*x+27)/(-64*x^6+729)^2,x)

[Out] 1/118098*(9/4*x-27/8)/(x^2-3/2*x+9/4)+17/944784*ln(4*x^2-6*x+9)+11/472392*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))+1/472392*ln(2*x+3)+1/314928*ln(4*x^2+6*x+9)-1/472392*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/26244/(2*x-3)-7/157464*ln(2*x-3)

maxima [A] time = 2.99, size = 95, normalized size = 0.73

$$-\frac{1}{472392}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + \frac{11}{472392}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) - \frac{x}{4374(8x^3-24x^2+36x-27)} + \frac{1}{314928}\log(4x^2+6x+9) + \frac{17}{944784}\log(4x^2-6x+9) + \frac{1}{472392}\log(2x+3) - \frac{7}{157464}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] $-1/472392*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x + 3)) + 11/472392*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) - 1/4374*x/(8*x^3 - 24*x^2 + 36*x - 27) + 1/314928*\log(4*x^2 + 6*x + 9) + 17/944784*\log(4*x^2 - 6*x + 9) + 1/472392*\log(2*x + 3) - 7/157464*\log(2*x - 3)$

mupad [B] time = 0.19, size = 111, normalized size = 0.85

$$\frac{\ln\left(x + \frac{3}{2}\right)}{472392} - \frac{7 \ln\left(x - \frac{3}{2}\right)}{157464} - \frac{x}{34992\left(x^3 - 3x^2 + \frac{9x}{2} - \frac{27}{8}\right)} + \ln\left(x + \frac{3}{4} - \frac{\sqrt{3}3i}{4}\right)\left(\frac{1}{314928} + \frac{\sqrt{3}1i}{944784}\right) - \ln\left(x + \frac{3}{4} + \frac{\sqrt{3}3i}{4}\right)\left(-\frac{1}{314928} + \frac{\sqrt{3}1i}{944784}\right) - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3}3i}{4}\right)\left(-\frac{17}{944784} + \frac{\sqrt{3}11i}{944784}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3}3i}{4}\right)\left(\frac{17}{944784} + \frac{\sqrt{3}11i}{944784}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((36*x + 24*x^2 + 8*x^3 + 27)/(64*x^6 - 729)^2,x)

[Out] $\log(x + 3/2)/472392 - (7*\log(x - 3/2))/157464 - x/(34992*((9*x)/2 - 3*x^2 + x^3 - 27/8)) + \log(x - (3^{(1/2)}*3i)/4 + 3/4)*((3^{(1/2)}*1i)/944784 + 1/314928) - \log(x + (3^{(1/2)}*3i)/4 + 3/4)*((3^{(1/2)}*1i)/944784 - 1/314928) - \log(x - (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*11i)/944784 - 17/944784) + \log(x + (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*11i)/944784 + 17/944784)$

sympy [A] time = 0.70, size = 119, normalized size = 0.91

$$-\frac{x}{34992x^3 - 104976x^2 + 157464x - 118098} - \frac{7 \log\left(x - \frac{3}{2}\right)}{157464} + \frac{\log\left(x + \frac{3}{2}\right)}{472392} + \frac{17 \log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{944784} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{314928} + \frac{11\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{472392} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{472392}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x**3+24*x**2+36*x+27)/(-64*x**6+729)**2,x)

[Out] $-x/(34992*x**3 - 104976*x**2 + 157464*x - 118098) - 7*\log(x - 3/2)/157464 + \log(x + 3/2)/472392 + 17*\log(x**2 - 3*x/2 + 9/4)/944784 + \log(x**2 + 3*x/2 + 9/4)/314928 + 11*\sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 - \sqrt{3}/3)/472392 - \sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 + \sqrt{3}/3)/472392$

$$3.416 \quad \int \frac{x(27-2x^3)}{729-64x^6} dx$$

Optimal. Leaf size=99

$$\frac{5}{576} \log(4x^2 - 6x + 9) + \frac{1}{192} \log(4x^2 + 6x + 9) - \frac{1}{96} \log(3-2x) - \frac{5}{288} \log(2x+3) - \frac{5 \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{96\sqrt{3}} - \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{32\sqrt{3}}$$

Rubi [A] time = 0.06, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {1511, 292, 31, 634, 618, 204, 628}

$$\frac{5}{576} \log(4x^2 - 6x + 9) + \frac{1}{192} \log(4x^2 + 6x + 9) - \frac{1}{96} \log(3 - 2x) - \frac{5}{288} \log(2x + 3) - \frac{5 \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{96\sqrt{3}} - \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{32\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(27 - 2*x^3))/(729 - 64*x^6),x]

[Out] (-5*ArcTan[(3 - 4*x)/(3*Sqrt[3])])/(96*Sqrt[3]) - ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(32*Sqrt[3]) - Log[3 - 2*x]/96 - (5*Log[3 + 2*x])/288 + (5*Log[9 - 6*x + 4*x^2])/576 + Log[9 + 6*x + 4*x^2]/192

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(n-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},

$x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)}{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2}, x_Symbol] \rightarrow \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[2*c*d - b*e, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{!NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1511

$\text{Int}[\frac{(f_.)*(x_.)^{(m_.)}*((d_.) + (e_.)*(x_.)^{(n_.)})}{(a_.) + (c_.)*(x_.)^{(n2_.)}}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-(a*c), 2]\}, -\text{Dist}[e/2 + (c*d)/(2*q), \text{Int}[(f*x)^m/(q - c*x^n), x], x] + \text{Dist}[e/2 - (c*d)/(2*q), \text{Int}[(f*x)^m/(q + c*x^n), x], x] /; \text{FreeQ}\{a, c, d, e, f, m\}, x] \&\& \text{EqQ}[n2, 2*n] \&\& \text{IGtQ}[n, 0]$

Rubi steps

$$\begin{aligned} \int \frac{x(27 - 2x^3)}{729 - 64x^6} dx &= 3 \int \frac{x}{216 - 64x^3} dx + 5 \int \frac{x}{216 + 64x^3} dx \\ &= \frac{1}{24} \int \frac{1}{6 - 4x} dx - \frac{1}{24} \int \frac{6 - 4x}{36 + 24x + 16x^2} dx - \frac{5}{72} \int \frac{1}{6 + 4x} dx + \frac{5}{72} \int \frac{6 + 4x}{36 - 24x + 16x^2} dx \\ &= -\frac{1}{96} \log(3 - 2x) - \frac{5}{288} \log(3 + 2x) + \frac{1}{192} \int \frac{24 + 32x}{36 + 24x + 16x^2} dx + \frac{5}{576} \int \frac{-24 + 32x}{36 - 24x + 16x^2} dx \\ &= -\frac{1}{96} \log(3 - 2x) - \frac{5}{288} \log(3 + 2x) + \frac{5}{576} \log(9 - 6x + 4x^2) + \frac{1}{192} \log(9 + 6x + 4x^2) + \\ &= -\frac{5 \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{96\sqrt{3}} - \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{32\sqrt{3}} - \frac{1}{96} \log(3 - 2x) - \frac{5}{288} \log(3 + 2x) + \frac{5}{576} \log(9 - 6x + 4x^2) \end{aligned}$$

Mathematica [A] time = 0.04, size = 91, normalized size = 0.92

$$\frac{1}{576} \left(5 \log(4x^2 - 6x + 9) + 3 \log(4x^2 + 6x + 9) - 6 \log(3 - 2x) - 10 \log(2x + 3) + 10\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right) - 6\sqrt{3} \tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(27 - 2*x^3))/(729 - 64*x^6),x]

[Out] (10*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] - 6*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 6*Log[3 - 2*x] - 10*Log[3 + 2*x] + 5*Log[9 - 6*x + 4*x^2] + 3*Log[9 + 6*x + 4*x^2])/576

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(27 - 2x^3)}{729 - 64x^6} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x*(27 - 2*x^3))/(729 - 64*x^6),x]

[Out] IntegrateAlgebraic[(x*(27 - 2*x^3))/(729 - 64*x^6), x]

fricas [A] time = 0.41, size = 75, normalized size = 0.76

$$-\frac{1}{96}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + \frac{5}{288}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + \frac{1}{192}\log(4x^2+6x+9) + \frac{5}{576}\log(4x^2-6x+9) - \frac{5}{288}\log(2x+3) - \frac{1}{96}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*x^3+27)/(-64*x^6+729),x, algorithm="fricas")

[Out] -1/96*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 5/288*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/192*log(4*x^2 + 6*x + 9) + 5/576*log(4*x^2 - 6*x + 9) - 5/288*log(2*x + 3) - 1/96*log(2*x - 3)

giac [A] time = 0.19, size = 69, normalized size = 0.70

$$-\frac{1}{96}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + \frac{5}{288}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + \frac{1}{192}\log\left(x^2 + \frac{3}{2}x + \frac{9}{4}\right) + \frac{5}{576}\log\left(x^2 - \frac{3}{2}x + \frac{9}{4}\right) - \frac{5}{288}\log\left(x + \frac{3}{2}\right) - \frac{1}{96}\log\left(x - \frac{3}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*x^3+27)/(-64*x^6+729),x, algorithm="giac")

[Out] -1/96*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 5/288*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/192*log(x^2 + 3/2*x + 9/4) + 5/576*log(x^2 - 3/2*x + 9/4) - 5/288*log(abs(x + 3/2)) - 1/96*log(abs(x - 3/2))

maple [A] time = 0.05, size = 76, normalized size = 0.77

$$\frac{5\sqrt{3}\arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{288} - \frac{\sqrt{3}\arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{96} - \frac{\ln(2x-3)}{96} - \frac{5\ln(2x+3)}{288} + \frac{5\ln(4x^2-6x+9)}{576} + \frac{\ln(4x^2+6x+9)}{192}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(-2*x^3+27)/(-64*x^6+729),x)

[Out] $5/576 \ln(4x^2 - 6x + 9) + 5/288 \sqrt{3} \arctan(1/18(8x-6)\sqrt{3}) - 5/288 \ln(2x+3) + 1/192 \ln(4x^2 + 6x + 9) - 1/96 \sqrt{3} \arctan(1/18(8x+6)\sqrt{3}) - 1/96 \ln(2x-3)$

maxima [A] time = 2.99, size = 75, normalized size = 0.76

$$-\frac{1}{96} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{5}{288} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) + \frac{1}{192} \log(4x^2 + 6x + 9) + \frac{5}{576} \log(4x^2 - 6x + 9) - \frac{5}{288} \log(2x+3) - \frac{1}{96} \log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*x^3+27)/(-64*x^6+729),x, algorithm="maxima")

[Out] $-1/96 \sqrt{3} \arctan(1/9 \sqrt{3}(4x+3)) + 5/288 \sqrt{3} \arctan(1/9 \sqrt{3}(4x-3)) + 1/192 \log(4x^2 + 6x + 9) + 5/576 \log(4x^2 - 6x + 9) - 5/288 \log(2x+3) - 1/96 \log(2x-3)$

mupad [B] time = 5.10, size = 91, normalized size = 0.92

$$-\frac{\ln\left(x - \frac{3}{2}\right)}{96} - \frac{5 \ln\left(x + \frac{3}{2}\right)}{288} + \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{192} + \frac{\sqrt{3} 1i}{192}\right) - \ln\left(x + \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{192} + \frac{\sqrt{3} 1i}{192}\right) - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{5}{576} + \frac{\sqrt{3} 5i}{576}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(\frac{5}{576} + \frac{\sqrt{3} 5i}{576}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(2*x^3 - 27))/(64*x^6 - 729),x)

[Out] $\log(x - (3^{1/2} \cdot 3i)/4 + 3/4) \cdot ((3^{1/2} \cdot 1i)/192 + 1/192) - (5 \cdot \log(x + 3/2))/288 - \log(x - 3/2)/96 - \log(x + (3^{1/2} \cdot 3i)/4 + 3/4) \cdot ((3^{1/2} \cdot 1i)/192 - 1/192) - \log(x - (3^{1/2} \cdot 3i)/4 - 3/4) \cdot ((3^{1/2} \cdot 5i)/576 - 5/576) + \log(x + (3^{1/2} \cdot 3i)/4 - 3/4) \cdot ((3^{1/2} \cdot 5i)/576 + 5/576)$

sympy [A] time = 0.40, size = 102, normalized size = 1.03

$$-\frac{\log\left(x - \frac{3}{2}\right)}{96} - \frac{5 \log\left(x + \frac{3}{2}\right)}{288} + \frac{5 \log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{576} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{192} + \frac{5\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{288} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{96}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*x**3+27)/(-64*x**6+729),x)

[Out] $-\log(x - 3/2)/96 - 5 \cdot \log(x + 3/2)/288 + 5 \cdot \log(x^2 - 3x/2 + 9/4)/576 + \log(x^2 + 3x/2 + 9/4)/192 + 5 \cdot \sqrt{3} \operatorname{atan}(4 \cdot \sqrt{3} \cdot x/9 - \sqrt{3}/3)/288 - \sqrt{3} \operatorname{atan}(4 \cdot \sqrt{3} \cdot x/9 + \sqrt{3}/3)/96$

$$3.417 \quad \int (c + dx^{-1+n}) (a + bx^n)^3 dx$$

Optimal. Leaf size=84

$$a^3cx + \frac{3a^2bcx^{n+1}}{n+1} + \frac{3ab^2cx^{2n+1}}{2n+1} + \frac{d(a+bx^n)^4}{4bn} + \frac{b^3cx^{3n+1}}{3n+1}$$

Rubi [A] time = 0.06, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1891, 244, 261}

$$\frac{3a^2bcx^{n+1}}{n+1} + a^3cx + \frac{3ab^2cx^{2n+1}}{2n+1} + \frac{d(a+bx^n)^4}{4bn} + \frac{b^3cx^{3n+1}}{3n+1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(-1 + n))*(a + b*x^n)^3,x]

[Out] a^3*c*x + (3*a^2*b*c*x^(1 + n))/(1 + n) + (3*a*b^2*c*x^(1 + 2*n))/(1 + 2*n) + (b^3*c*x^(1 + 3*n))/(1 + 3*n) + (d*(a + b*x^n)^4)/(4*b*n)

Rule 244

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && IGtQ[p, 0]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1891

Int[((A_) + (B_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Dist[A, Int[(a + b*x^n)^p, x], x] + Dist[B, Int[x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, A, B, m, n, p}, x] && EqQ[m - n + 1, 0]

Rubi steps

$$\begin{aligned}
\int (c + dx^{-1+n})(a + bx^n)^3 dx &= c \int (a + bx^n)^3 dx + d \int x^{-1+n} (a + bx^n)^3 dx \\
&= \frac{d(a + bx^n)^4}{4bn} + c \int (a^3 + 3a^2bx^n + 3ab^2x^{2n} + b^3x^{3n}) dx \\
&= a^3cx + \frac{3a^2bcx^{1+n}}{1+n} + \frac{3ab^2cx^{1+2n}}{1+2n} + \frac{b^3cx^{1+3n}}{1+3n} + \frac{d(a + bx^n)^4}{4bn}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 108, normalized size = 1.29

$$\frac{x(c + dx^{n-1}) \left(4a^3cx + \frac{12a^2bcx^{n+1}}{n+1} + \frac{12ab^2cx^{2n+1}}{2n+1} + \frac{d(a+bx^n)^4}{bn} + \frac{4b^3cx^{3n+1}}{3n+1} \right)}{4(cx + dx^n)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(-1 + n))*(a + b*x^n)^3, x]

[Out] (x*(c + d*x^(-1 + n))*(4*a^3*c*x + (12*a^2*b*c*x^(1 + n))/(1 + n) + (12*a*b^2*c*x^(1 + 2*n))/(1 + 2*n) + (4*b^3*c*x^(1 + 3*n))/(1 + 3*n) + (d*(a + b*x^n)^4)/(b*n)))/(4*(c*x + d*x^n))

IntegrateAlgebraic [F] time = 0.14, size = 0, normalized size = 0.00

$$\int (c + dx^{-1+n})(a + bx^n)^3 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^(-1 + n))*(a + b*x^n)^3, x]

[Out] a^3*c*x + Defer[IntegrateAlgebraic][x^(-1 + n)*(a^3*d + 3*a^2*b*c*x + 3*a^2*b*d*x^n + 3*a*b^2*d*x^(2*n) + b^3*d*x^(3*n) + 3*a*b^2*c*x^(1 + n) + b^3*c*x^(1 + 2*n)), x]

fricas [B] time = 0.44, size = 305, normalized size = 3.63

$$\frac{4(6a^3cn^4 + 11a^2cn^3 + 6a^2cn^2 + a^3cn)x + (6b^3dn^3 + 11b^3dn^2 + 6b^3dn + b^3d)x^4 + 4(6a^2dn^3 + 11ab^2dn^2 + 6ab^2dn + ab^2d + (2b^3cn^2 + 3b^3cn + b^3c)x)^{3n} + 6(6a^2bdn^3 + 11a^2bdn^2 + 6a^2bdn + a^2bd + 2(3ab^2cn^2 + 4ab^2cn + ab^2c)x)^{2n} + 4(6a^3dn^3 + 11a^3dn^2 + 6a^3dn + a^3d + 3(6a^2bcn^2 + 5a^2bcn + a^2bc)x)^n}{4(6n^4 + 11n^3 + 6n^2 + n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^3,x, algorithm="fricas")

[Out] 1/4*(4*(6*a^3*c*n^4 + 11*a^3*c*n^3 + 6*a^3*c*n^2 + a^3*c*n)*x + (6*b^3*d*n^3 + 11*b^3*d*n^2 + 6*b^3*d*n + b^3*d)*x^(4*n) + 4*(6*a*b^2*d*n^3 + 11*a*b^2

$$\frac{d^n x^2 + 6ab^2 d^n x + a^3 b^2 d + (2b^3 c^n x^3 + 3b^3 c^n x^2 + b^3 c^n x) x^{3n} + 6(6a^2 b d^n x^3 + 11a^2 b d^n x^2 + 6a^2 b d^n x + a^2 b d + 2(3a^2 b^2 c^n x^3 + 4a^2 b^2 c^n x^2 + a^2 b^2 c^n x) x^{2n}) + 4(6a^3 d^n x^3 + 11a^3 d^n x^2 + 6a^3 d^n x + a^3 d + 3(6a^2 b c^n x^3 + 5a^2 b c^n x^2 + a^2 b c^n x) x^n)}{(6n^4 + 11n^3 + 6n^2 + n)}$$

giac [B] time = 0.26, size = 392, normalized size = 4.67

$\frac{24a^3c^n + 8a^2c^n + 36a^2c^n + 72a^2c^n + 44a^2c^n + 6a^2c^n + 24a^2c^n + 12a^2c^n + 36a^2c^n + 48a^2c^n + 24a^2c^n + 60a^2c^n + 24a^2c^n + 11a^2c^n + 44a^2c^n + 4a^2c^n + 66a^2c^n + 12a^2c^n + 44a^2c^n + 4a^2c^n + 6a^2c^n + 24a^2c^n + 24a^2c^n + 7a^2c^n + 4a^2c^n + 6a^2c^n + 4a^2c^n}{4(n^4 + 11n^3 + 6n^2 + n)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^3,x, algorithm="giac")

[Out] $\frac{1}{4} * (24a^3c^n x^4 + 8b^3c^n x^3 x^{3n} + 36a^2b^2c^n x^3 x^{2n} + 72a^2b^2c^n x^3 x^n + 44a^3c^n x^3 + 6b^3d^n x^4 + 24a^2b^2d^n x^3 x^{3n} + 12b^3c^n x^2 x^{3n} + 36a^2b^2d^n x^3 x^{2n} + 48a^2b^2c^n x^2 x^{2n} + 24a^3d^n x^3 x^n + 60a^2b^2c^n x^2 x^n + 24a^3c^n x^2 x + 11b^3d^n x^2 x^{4n} + 44a^2b^2d^n x^2 x^{3n} + 4b^3c^n x x^{3n} + 66a^2b^2d^n x^2 x^{2n} + 12a^2b^2c^n x x^{2n} + 44a^3d^n x^2 x^n + 12a^2b^2c^n x x^n + 4a^3c^n x + 6b^3d^n x^{4n} + 24a^2b^2d^n x^{3n} + 36a^2b^2d^n x^{2n} + 24a^3d^n x^n + b^3d^n x^{4n} + 4a^2b^2d^n x^{3n} + 6a^2b^2d^n x^{2n} + 4a^3d^n x^n) / (6n^4 + 11n^3 + 6n^2 + n)$

maple [A] time = 0.06, size = 130, normalized size = 1.55

$$\frac{3a^2bcx e^{n \ln(x)}}{n+1} + \frac{3a b^2cx e^{2n \ln(x)}}{2n+1} + \frac{b^3cx e^{3n \ln(x)}}{3n+1} + a^3cx + \frac{a^3d e^{n \ln(x)}}{n} + \frac{3a^2bd e^{2n \ln(x)}}{2n} + \frac{a b^2d e^{3n \ln(x)}}{n} + \frac{b^3d e^{4n \ln(x)}}{4n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d*x^(n-1))*(b*x^n+a)^3,x)

[Out] $a^3c x + a^3d/n \exp(n \ln(x)) + a^2b^2d/n \exp(n \ln(x))^3 + b^3c/(3n+1) x \exp(n \ln(x))^3 + 1/4 b^3d/n \exp(n \ln(x))^4 + 3/2 a^2d b/n \exp(n \ln(x))^2 + 3a^2b^2c/(2n+1) x \exp(n \ln(x))^2 + 3a^2c b/(n+1) x \exp(n \ln(x))$

maxima [A] time = 1.36, size = 118, normalized size = 1.40

$$a^3cx + \frac{b^3dx^{4n}}{4n} + \frac{ab^2dx^{3n}}{n} + \frac{3a^2bdx^{2n}}{2n} + \frac{b^3cx^{3n+1}}{3n+1} + \frac{3ab^2cx^{2n+1}}{2n+1} + \frac{3a^2bcx^{n+1}}{n+1} + \frac{a^3dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^3,x, algorithm="maxima")

[Out] $a^3c x + 1/4 b^3d x^{4n}/n + a^2b^2d x^{3n}/n + 3/2 a^2b^2d x^{2n}/n + b^3c x^{3n+1}/(3n+1) + 3a^2b^2c x^{2n+1}/(2n+1) + 3a^2b^2c x^n/(n+1) + a^3d x^n/n$

mupad [B] time = 5.13, size = 115, normalized size = 1.37


$$a^3 c x + \frac{a^3 d x^n}{n} + \frac{b^3 d x^{4n}}{4n} + \frac{b^3 c x x^{3n}}{3n+1} + \frac{3 a^2 b d x^{2n}}{2n} + \frac{a b^2 d x^{3n}}{n} + \frac{3 a b^2 c x x^{2n}}{2n+1} + \frac{3 a^2 b c x x^n}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^(n - 1))*(a + b*x^n)^3,x)

[Out] $a^3 c x + (a^3 d x^n)/n + (b^3 d x^{4n})/(4n) + (b^3 c x x^{3n})/(3n + 1) + (3 a^2 b d x^{2n})/(2n) + (a b^2 d x^{3n})/n + (3 a b^2 c x x^{2n})/(2n + 1) + (3 a^2 b c x x^n)/(n + 1)$

sympy [A] time = 8.17, size = 1251, normalized size = 14.89



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x**(-1+n))*(a+b*x**n)**3,x)

[Out] Piecewise((a**3*c*x - a**3*d/x + 3*a**2*b*c*log(x) - 3*a**2*b*d/(2*x**2) - 3*a*b**2*c/x - a*b**2*d/x**3 - b**3*c/(2*x**2) - b**3*d/(4*x**4), Eq(n, -1)), (a**3*c*x - 2*a**3*d/sqrt(x) + 6*a**2*b*c*sqrt(x) - 3*a**2*b*d/x + 3*a*b**2*c*log(x) - 2*a*b**2*d/x**(3/2) - 2*b**3*c/sqrt(x) - b**3*d/(2*x**2), Eq(n, -1/2)), (a**3*c*x - 3*a**3*d/x**(1/3) + 9*a**2*b*c*x**(2/3)/2 - 9*a**2*b*d/(2*x**(2/3)) + 9*a*b**2*c*x**(1/3) - 3*a*b**2*d/x + b**3*c*log(x) - 3*b**3*d/(4*x**(4/3)), Eq(n, -1/3)), ((a + b)**3*(c*x + d*log(x)), Eq(n, 0)), (24*a**3*c*n**4*x/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 44*a**3*c*n**3*x/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 24*a**3*c*n**2*x/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 4*a**3*c*n*x/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 24*a**3*d*n**3*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 44*a**3*d*n**2*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 24*a**3*d*n*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 4*a**3*d*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 72*a**2*b*c*n**3*x*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 60*a**2*b*c*n**2*x*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 12*a**2*b*c*n*x*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 36*a**2*b*d*n**3*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 66*a**2*b*d*n**2*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 36*a**2*b*d*n*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 6*a**2*b*d*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 36*a*b**2*c*n**3*x*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 48*a*b**2*c*n**2*x*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 12*a*b**2*c*n*x*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 24*a*b**2*d*n**3*x**(3*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 44*a*b**2*d*n**2*x**(3*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 24*a*b**2*d*n*x**(3*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 4*a*b**2*d*x**(3*n)/(

```

24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 8*b**3*c*n**3*x*x**(3*n)/(24*n**4 + 44
*n**3 + 24*n**2 + 4*n) + 12*b**3*c*n**2*x*x**(3*n)/(24*n**4 + 44*n**3 + 24*
n**2 + 4*n) + 4*b**3*c*n*x*x**(3*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 6
*b**3*d*n**3*x**(4*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 11*b**3*d*n**2*
x**(4*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 6*b**3*d*n*x**(4*n)/(24*n**4
+ 44*n**3 + 24*n**2 + 4*n) + b**3*d*x**(4*n)/(24*n**4 + 44*n**3 + 24*n**2
+ 4*n), True))

```


$$3.418 \quad \int (c + dx^{-1+n}) (a + bx^n)^2 dx$$

Optimal. Leaf size=61

$$a^2cx + \frac{2abcx^{n+1}}{n+1} + \frac{d(a+bx^n)^3}{3bn} + \frac{b^2cx^{2n+1}}{2n+1}$$

Rubi [A] time = 0.04, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1891, 244, 261}

$$a^2cx + \frac{2abcx^{n+1}}{n+1} + \frac{d(a+bx^n)^3}{3bn} + \frac{b^2cx^{2n+1}}{2n+1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(-1 + n))*(a + b*x^n)^2,x]

[Out] a^2*c*x + (2*a*b*c*x^(1 + n))/(1 + n) + (b^2*c*x^(1 + 2*n))/(1 + 2*n) + (d*(a + b*x^n)^3)/(3*b*n)

Rule 244

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && IGtQ[p, 0]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1891

Int[((A_) + (B_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Dist[A, Int[(a + b*x^n)^p, x], x] + Dist[B, Int[x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, A, B, m, n, p}, x] && EqQ[m - n + 1, 0]

Rubi steps

$$\begin{aligned}
\int (c + dx^{-1+n})(a + bx^n)^2 dx &= c \int (a + bx^n)^2 dx + d \int x^{-1+n} (a + bx^n)^2 dx \\
&= \frac{d(a + bx^n)^3}{3bn} + c \int (a^2 + 2abx^n + b^2x^{2n}) dx \\
&= a^2cx + \frac{2abcx^{1+n}}{1+n} + \frac{b^2cx^{1+2n}}{1+2n} + \frac{d(a + bx^n)^3}{3bn}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 120, normalized size = 1.97

$$\frac{a^3d(2n^2 + 3n + 1) + 3a^2b(2n^2 + 3n + 1)(cnx + dx^n) + 3ab^2(2n + 1)x^n(2cnx + d(n + 1)x^n) + b^3(n + 1)x^{2n}(3cnx + d(2n + 1)x^n)}{3bn(n + 1)(2n + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(-1 + n))*(a + b*x^n)^2, x]

[Out] (a^3*d*(1 + 3*n + 2*n^2) + 3*a^2*b*(1 + 3*n + 2*n^2)*(c*n*x + d*x^n) + 3*a*b^2*(1 + 2*n)*x^n*(2*c*n*x + d*(1 + n)*x^n) + b^3*(1 + n)*x^(2*n)*(3*c*n*x + d*(1 + 2*n)*x^n))/(3*b*n*(1 + n)*(1 + 2*n))

IntegrateAlgebraic [F] time = 0.10, size = 0, normalized size = 0.00

$$\int (c + dx^{-1+n})(a + bx^n)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^(-1 + n))*(a + b*x^n)^2, x]

[Out] a^2*c*x + Defer[IntegrateAlgebraic][x^(-1 + n)*(a^2*d + 2*a*b*c*x + 2*a*b*d*x^n + b^2*d*x^(2*n) + b^2*c*x^(1 + n)), x]

fricas [B] time = 0.44, size = 160, normalized size = 2.62

$$\frac{3(2a^2cn^3 + 3a^2cn^2 + a^2cn)x + (2b^2dn^2 + 3b^2dn + b^2d)x^{3n} + 3(2abdn^2 + 3abdn + abd + (b^2cn^2 + b^2cn)x)x^{2n} + 3(2a^2dn^2 + 3a^2dn + a^2d + 2(2abcn^2 + abcn)x)x^n}{3(2n^3 + 3n^2 + n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^2,x, algorithm="fricas")

[Out] 1/3*(3*(2*a^2*c*n^3 + 3*a^2*c*n^2 + a^2*c*n)*x + (2*b^2*d*n^2 + 3*b^2*d*n + b^2*d)*x^(3*n) + 3*(2*a*b*d*n^2 + 3*a*b*d*n + a*b*d + (b^2*c*n^2 + b^2*c*n)*x)*x^(2*n) + 3*(2*a^2*d*n^2 + 3*a^2*d*n + a^2*d + 2*(2*a*b*c*n^2 + a*b*c*n)*x)*x^n)/(2*n^3 + 3*n^2 + n)

giac [B] time = 0.22, size = 196, normalized size = 3.21

$$\frac{6a^2cn^3x + 3b^2cn^2xx^{2n} + 12abcn^2xx^n + 9a^2cn^2x + 2b^2dn^2x^{3n} + 6abdn^2x^{2n} + 3b^2cnxx^{2n} + 6a^2dn^2x^n + 6abcnxx^n + 3a^2cnx + 3b^2dnx^{3n} + 9abdnx^{2n} + 9a^2dnx^n + b^2dx^{3n} + 3abdx^{2n} + 3a^2dx^n}{3(2n^3 + 3n^2 + n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^2,x, algorithm="giac")

[Out] $\frac{1}{3} * (6 * a^2 * c * n^3 * x + 3 * b^2 * c * n^2 * x * x^{(2 * n)} + 12 * a * b * c * n^2 * x * x^n + 9 * a^2 * c * n^2 * x + 2 * b^2 * d * n^2 * x^{(3 * n)} + 6 * a * b * d * n^2 * x^{(2 * n)} + 3 * b^2 * c * n * x * x^{(2 * n)} + 6 * a^2 * d * n^2 * x^n + 6 * a * b * c * n * x * x^n + 3 * a^2 * c * n * x + 3 * b^2 * d * n * x^{(3 * n)} + 9 * a * b * d * n * x^{(2 * n)} + 9 * a^2 * d * n * x^n + b^2 * d * x^{(3 * n)} + 3 * a * b * d * x^{(2 * n)} + 3 * a^2 * d * x^n) / (2 * n^3 + 3 * n^2 + n)$

maple [A] time = 0.06, size = 87, normalized size = 1.43

$$\frac{2abcx e^{n \ln(x)}}{n+1} + \frac{b^2cx e^{2n \ln(x)}}{2n+1} + a^2cx + \frac{a^2d e^{n \ln(x)}}{n} + \frac{abd e^{2n \ln(x)}}{n} + \frac{b^2d e^{3n \ln(x)}}{3n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d*x^(n-1))*(b*x^n+a)^2,x)

[Out] $a^2 * c * x + a^2 * d / n * \exp(n * \ln(x)) + b * d * a / n * \exp(n * \ln(x))^{2 + c * b^2 / (2 * n + 1) * x * \exp(n * \ln(x))} + 1 / 3 * b^2 * d / n * \exp(n * \ln(x))^{3 + 2 * a * b * c / (n + 1) * x * \exp(n * \ln(x))}$

maxima [A] time = 1.40, size = 78, normalized size = 1.28

$$a^2cx + \frac{b^2dx^{3n}}{3n} + \frac{abdx^{2n}}{n} + \frac{b^2cx^{2n+1}}{2n+1} + \frac{2abcx^{n+1}}{n+1} + \frac{a^2dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^2,x, algorithm="maxima")

[Out] $a^2 * c * x + 1 / 3 * b^2 * d * x^{(3 * n)} / n + a * b * d * x^{(2 * n)} / n + b^2 * c * x^{(2 * n + 1)} / (2 * n + 1) + 2 * a * b * c * x^{(n + 1)} / (n + 1) + a^2 * d * x^n / n$

mupad [B] time = 5.06, size = 76, normalized size = 1.25

$$a^2cx + \frac{a^2dx^n}{n} + \frac{b^2dx^{3n}}{3n} + \frac{b^2c x x^{2n}}{2n+1} + \frac{abdx^{2n}}{n} + \frac{2abcx x^n}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^(n - 1))*(a + b*x^n)^2,x)

[Out] $a^2 c x + (a^2 d x^n)/n + (b^2 d x^{(3n)})/(3n) + (b^2 c x x^{(2n)})/(2n + 1) + (a b d x^{(2n)})/n + (2 a b c x x^n)/(n + 1)$

sympy [A] time = 4.27, size = 552, normalized size = 9.05

$$\begin{cases} a^2 c x - \frac{a^2 d}{x} + 2 a b c \log(x) - \frac{a b d}{x^2} - \frac{b^2 c}{x} - \frac{b^2 d}{3 x^3} & \text{for } n = -1 \\ a^2 c x - \frac{2 a^2 d}{\sqrt{x}} + 4 a b c \sqrt{x} - \frac{2 a b d}{x} + b^2 c \log(x) - \frac{2 b^2 d}{3 x^2} & \text{for } n = -\frac{1}{2} \\ (a + b)^2 (c x + d \log(x)) & \text{for } n = 0 \\ \frac{6 a^2 c n^2 x}{6 n^3 + 9 n^2 + 3 n} + \frac{9 a^2 c n^2 x}{6 n^3 + 9 n^2 + 3 n} + \frac{3 a^2 c n x}{6 n^3 + 9 n^2 + 3 n} + \frac{6 a^2 d n^2 x^n}{6 n^3 + 9 n^2 + 3 n} + \frac{9 a^2 d n x^n}{6 n^3 + 9 n^2 + 3 n} + \frac{3 a^2 d n^n}{6 n^3 + 9 n^2 + 3 n} + \frac{12 a b c n^2 x^n}{6 n^3 + 9 n^2 + 3 n} + \frac{6 a b c n x^n}{6 n^3 + 9 n^2 + 3 n} + \frac{6 a b d n^2 x^{2n}}{6 n^3 + 9 n^2 + 3 n} + \frac{9 a b d n x^{2n}}{6 n^3 + 9 n^2 + 3 n} + \frac{3 a b d x^{2n}}{6 n^3 + 9 n^2 + 3 n} + \frac{3 b^2 c n^2 x^{2n}}{6 n^3 + 9 n^2 + 3 n} + \frac{3 b^2 c n x^{2n}}{6 n^3 + 9 n^2 + 3 n} + \frac{2 b^2 d n^2 x^{3n}}{6 n^3 + 9 n^2 + 3 n} + \frac{3 b^2 d n x^{3n}}{6 n^3 + 9 n^2 + 3 n} + \frac{b^2 d x^{3n}}{6 n^3 + 9 n^2 + 3 n} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x**(-1+n))*(a+b*x**n)**2,x)

[Out] Piecewise((a**2*c*x - a**2*d/x + 2*a*b*c*log(x) - a*b*d/x**2 - b**2*c/x - b**2*d/(3*x**3), Eq(n, -1)), (a**2*c*x - 2*a**2*d/sqrt(x) + 4*a*b*c*sqrt(x) - 2*a*b*d/x + b**2*c*log(x) - 2*b**2*d/(3*x**(3/2)), Eq(n, -1/2)), ((a + b)**2*(c*x + d*log(x)), Eq(n, 0)), (6*a**2*c*n**3*x/(6*n**3 + 9*n**2 + 3*n) + 9*a**2*c*n**2*x/(6*n**3 + 9*n**2 + 3*n) + 3*a**2*c*n*x/(6*n**3 + 9*n**2 + 3*n) + 6*a**2*d*n**2*x**n/(6*n**3 + 9*n**2 + 3*n) + 9*a**2*d*n*x**n/(6*n**3 + 9*n**2 + 3*n) + 3*a**2*d*x**n/(6*n**3 + 9*n**2 + 3*n) + 12*a*b*c*n**2*x*x**n/(6*n**3 + 9*n**2 + 3*n) + 6*a*b*c*n*x*x**n/(6*n**3 + 9*n**2 + 3*n) + 6*a*b*d*n**2*x**(2*n)/(6*n**3 + 9*n**2 + 3*n) + 9*a*b*d*n*x**(2*n)/(6*n**3 + 9*n**2 + 3*n) + 3*a*b*d*x**(2*n)/(6*n**3 + 9*n**2 + 3*n) + 3*b**2*c*n**2*x*x**(2*n)/(6*n**3 + 9*n**2 + 3*n) + 3*b**2*c*n*x*x**(2*n)/(6*n**3 + 9*n**2 + 3*n) + 2*b**2*d*n**2*x**(3*n)/(6*n**3 + 9*n**2 + 3*n) + 3*b**2*d*n*x**(3*n)/(6*n**3 + 9*n**2 + 3*n), True)

$$3.419 \quad \int (c + dx^{-1+n}) (a + bx^n) dx$$

Optimal. Leaf size=41

$$acx + \frac{adx^n}{n} + \frac{bcx^{n+1}}{n+1} + \frac{bdx^{2n}}{2n}$$

Rubi [A] time = 0.02, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {1891, 14}

$$acx + \frac{adx^n}{n} + \frac{bcx^{n+1}}{n+1} + \frac{bdx^{2n}}{2n}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(-1 + n))*(a + b*x^n), x]

[Out] a*c*x + (a*d*x^n)/n + (b*d*x^(2*n))/(2*n) + (b*c*x^(1 + n))/(1 + n)

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 1891

Int[((A_) + (B_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Dist[A, Int[(a + b*x^n)^p, x], x] + Dist[B, Int[x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, A, B, m, n, p}, x] && EqQ[m - n + 1, 0]

Rubi steps

$$\begin{aligned} \int (c + dx^{-1+n}) (a + bx^n) dx &= c \int (a + bx^n) dx + d \int x^{-1+n} (a + bx^n) dx \\ &= acx + \frac{bcx^{1+n}}{1+n} + d \int (ax^{-1+n} + bx^{-1+2n}) dx \\ &= acx + \frac{adx^n}{n} + \frac{bdx^{2n}}{2n} + \frac{bcx^{1+n}}{1+n} \end{aligned}$$

Mathematica [A] time = 0.13, size = 42, normalized size = 1.02

$$\frac{2a(cnx + dx^n) + bx^n \left(\frac{2cnx}{n+1} + dx^n \right)}{2n}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(-1 + n))*(a + b*x^n), x]

[Out] (2*a*(c*n*x + d*x^n) + b*x^n*((2*c*n*x)/(1 + n) + d*x^n))/(2*n)

IntegrateAlgebraic [F] time = 0.07, size = 0, normalized size = 0.00

$$\int (c + dx^{-1+n})(a + bx^n) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(c + d*x^(-1 + n))*(a + b*x^n), x]

[Out] a*c*x + Defer[IntegrateAlgebraic][x^(-1 + n)*(a*d + b*c*x + b*d*x^n), x]

fricas [A] time = 0.44, size = 56, normalized size = 1.37

$$\frac{2(acn^2 + acn)x + (bdn + bd)x^{2n} + 2(bcnx + adn + ad)x^n}{2(n^2 + n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n), x, algorithm="fricas")

[Out] 1/2*(2*(a*c*n^2 + a*c*n)*x + (b*d*n + b*d)*x^(2*n) + 2*(b*c*n*x + a*d*n + a*d)*x^n)/(n^2 + n)

giac [A] time = 0.22, size = 65, normalized size = 1.59

$$\frac{2acn^2x + 2bcnxx^n + 2acnx + bdnx^{2n} + 2adnx^n + bdx^{2n} + 2adx^n}{2(n^2 + n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n), x, algorithm="giac")

[Out] 1/2*(2*a*c*n^2*x + 2*b*c*n*x*x^n + 2*a*c*n*x + b*d*n*x^(2*n) + 2*a*d*n*x^n + b*d*x^(2*n) + 2*a*d*x^n)/(n^2 + n)

maple [A] time = 0.06, size = 45, normalized size = 1.10

$$\frac{bcx e^{n \ln(x)}}{n+1} + acx + \frac{ad e^{n \ln(x)}}{n} + \frac{bd e^{2n \ln(x)}}{2n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c+d*x^(n-1))*(b*x^n+a),x)`

[Out] `a*c*x+a*d/n*exp(n*ln(x))+b*c/(n+1)*x*exp(n*ln(x))+1/2*b*d/n*exp(n*ln(x))^2`

maxima [A] time = 1.29, size = 39, normalized size = 0.95

$$acx + \frac{bdx^{2n}}{2n} + \frac{bcx^{n+1}}{n+1} + \frac{adx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*x^(-1+n))*(a+b*x^n),x, algorithm="maxima")`

[Out] `a*c*x + 1/2*b*d*x^(2*n)/n + b*c*x^(n + 1)/(n + 1) + a*d*x^n/n`

mupad [B] time = 5.06, size = 38, normalized size = 0.93

$$acx + \frac{adx^n}{n} + \frac{bdx^{2n}}{2n} + \frac{bcxx^n}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^(n - 1))*(a + b*x^n),x)`

[Out] `a*c*x + (a*d*x^n)/n + (b*d*x^(2*n))/(2*n) + (b*c*x*x^n)/(n + 1)`

sympy [A] time = 2.03, size = 163, normalized size = 3.98

$$\begin{cases} acx - \frac{ad}{x} + bc \log(x) - \frac{bd}{2x^2} & \text{for } n = -1 \\ (a + b)(cx + d \log(x)) & \text{for } n = 0 \\ \frac{2acn^2x}{2n^2+2n} + \frac{2acnx}{2n^2+2n} + \frac{2adnx^n}{2n^2+2n} + \frac{2adx^n}{2n^2+2n} + \frac{2bcnxx^n}{2n^2+2n} + \frac{bdnx^{2n}}{2n^2+2n} + \frac{bdx^{2n}}{2n^2+2n} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*x**(-1+n))*(a+b*x**n),x)`

[Out] `Piecewise((a*c*x - a*d/x + b*c*log(x) - b*d/(2*x**2), Eq(n, -1)), ((a + b)*(c*x + d*log(x)), Eq(n, 0)), (2*a*c*n**2*x/(2*n**2 + 2*n) + 2*a*c*n*x/(2*n**2 + 2*n) + 2*a*d*n*x**n/(2*n**2 + 2*n) + 2*a*d*x**n/(2*n**2 + 2*n) + 2*b*c*n*x*x**n/(2*n**2 + 2*n) + b*d*n*x**(2*n)/(2*n**2 + 2*n) + b*d*x**(2*n)/(2*n**2 + 2*n), True))`

$$3.420 \quad \int (c + dx^{-1+n}) dx$$

Optimal. Leaf size=12

$$cx + \frac{dx^n}{n}$$

Rubi [A] time = 0.00, antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, integrand size = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$cx + \frac{dx^n}{n}$$

Antiderivative was successfully verified.

[In] Int[c + d*x^(-1 + n), x]

[Out] c*x + (d*x^n)/n

Rubi steps

$$\int (c + dx^{-1+n}) dx = cx + \frac{dx^n}{n}$$

Mathematica [A] time = 0.00, size = 12, normalized size = 1.00

$$cx + \frac{dx^n}{n}$$

Antiderivative was successfully verified.

[In] Integrate[c + d*x^(-1 + n), x]

[Out] c*x + (d*x^n)/n

IntegrateAlgebraic [F] time = 0.02, size = 0, normalized size = 0.00

$$\int (c + dx^{-1+n}) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[c + d*x^(-1 + n), x]

[Out] c*x + Defer[IntegrateAlgebraic][d*x^(-1 + n), x]

fricas [A] time = 0.43, size = 17, normalized size = 1.42

$$\frac{cnx + dxx^{n-1}}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c+d*x^(-1+n),x, algorithm="fricas")

[Out] (c*n*x + d*x*x^(n - 1))/n

giac [A] time = 0.17, size = 12, normalized size = 1.00

$$cx + \frac{dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c+d*x^(-1+n),x, algorithm="giac")

[Out] c*x + d*x^n/n

maple [A] time = 0.04, size = 13, normalized size = 1.08

$$cx + \frac{dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(c+d*x^(n-1),x)

[Out] c*x+d*x^n/n

maxima [A] time = 1.32, size = 12, normalized size = 1.00

$$cx + \frac{dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c+d*x^(-1+n),x, algorithm="maxima")

[Out] c*x + d*x^n/n

mupad [B] time = 5.01, size = 12, normalized size = 1.00

$$cx + \frac{dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(c + d*x^(n - 1), x)`

[Out] `c*x + (d*x^n)/n`

sympy [A] time = 0.07, size = 15, normalized size = 1.25

$$cx + d \begin{cases} \frac{x^n}{n} & \text{for } n - 1 \neq -1 \\ \log(x) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(c+d*x**(-1+n), x)`

[Out] `c*x + d*Piecewise((x**n/n, Ne(n - 1, -1)), (log(x), True))`

$$3.421 \quad \int \frac{-ahx^{-1+\frac{n}{4}} + bfx^{-1+\frac{n}{2}} + bgx^{-1+n} + bhx^{-1+\frac{5n}{4}}}{(a+bx^n)^{3/2}} dx$$

Optimal. Leaf size=45

$$-\frac{2(ag + 2ahx^{n/4} - bfx^{n/2})}{an\sqrt{a + bx^n}}$$

Rubi [A] time = 0.39, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 58, $\frac{\text{number of rules}}{\text{integrand size}} = 0.034$, Rules used = {6741, 1816}

$$-\frac{2(ag + 2ahx^{n/4} - bfx^{n/2})}{an\sqrt{a + bx^n}}$$

Antiderivative was successfully verified.

[In] Int[(-(a*h*x^(-1 + n/4)) + b*f*x^(-1 + n/2) + b*g*x^(-1 + n) + b*h*x^(-1 + (5*n)/4))/(a + b*x^n)^(3/2), x]

[Out] (-2*(a*g + 2*a*h*x^(n/4) - b*f*x^(n/2)))/(a*n*Sqrt[a + b*x^n])

Rule 1816

Int[((x_)^(m_.)*((e_) + (h_.)*(x_)^(n_.) + (f_.)*(x_)^(q_.) + (g_.)*(x_)^(r_.)))/((a_) + (c_.)*(x_)^(n_.))^(3/2), x_Symbol] :> -Simp[(2*a*g + 4*a*h*x^(n/4) - 2*c*f*x^(n/2))/(a*c*n*Sqrt[a + c*x^n]), x] /; FreeQ[{a, c, e, f, g, h, m, n}, x] && EqQ[q, n/4] && EqQ[r, (3*n)/4] && EqQ[4*m - n + 4, 0] && EqQ[c*e + a*h, 0]

Rule 6741

Int[u_, x_Symbol] :> With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v != u]

Rubi steps

$$\begin{aligned} \int \frac{-ahx^{-1+\frac{n}{4}} + bfx^{-1+\frac{n}{2}} + bgx^{-1+n} + bhx^{-1+\frac{5n}{4}}}{(a + bx^n)^{3/2}} dx &= \int \frac{x^{-1+\frac{n}{4}} (-ah + bfx^{n/4} + bgx^{3n/4} + bhx^n)}{(a + bx^n)^{3/2}} dx \\ &= -\frac{2(ag + 2ahx^{n/4} - bfx^{n/2})}{an\sqrt{a + bx^n}} \end{aligned}$$

Mathematica [A] time = 0.31, size = 45, normalized size = 1.00

$$\frac{2bfx^{n/2} - 2a(g + 2hx^{n/4})}{an\sqrt{a + bx^n}}$$

Antiderivative was successfully verified.

[In] Integrate[(-(a*h*x^(-1 + n/4)) + b*f*x^(-1 + n/2) + b*g*x^(-1 + n) + b*h*x^(-1 + (5*n)/4))/(a + b*x^n)^(3/2), x]

[Out] (2*b*f*x^(n/2) - 2*a*(g + 2*h*x^(n/4)))/(a*n*Sqrt[a + b*x^n])

IntegrateAlgebraic [A] time = 44.62, size = 45, normalized size = 1.00

$$-\frac{2(ag + 2ahx^{n/4} - bfx^{n/2})}{an\sqrt{a + bx^n}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(-(a*h*x^(-1 + n/4)) + b*f*x^(-1 + n/2) + b*g*x^(-1 + n) + b*h*x^(-1 + (5*n)/4))/(a + b*x^n)^(3/2), x]

[Out] (-2*(a*g + 2*a*h*x^(n/4) - b*f*x^(n/2)))/(a*n*Sqrt[a + b*x^n])

fricas [A] time = 0.44, size = 66, normalized size = 1.47

$$\frac{2\sqrt{bx^4x^{n-4} + a}\left(bfx^2x^{\frac{1}{2}n-2} - 2ahxx^{\frac{1}{4}n-1} - ag\right)}{abnx^4x^{n-4} + a^2n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a*h*x^(-1+1/4*n)+b*f*x^(-1+1/2*n)+b*g*x^(-1+n)+b*h*x^(-1+5/4*n))/(a+b*x^n)^(3/2), x, algorithm="fricas")

[Out] 2*sqrt(b*x^4*x^(n - 4) + a)*(b*f*x^2*x^(1/2*n - 2) - 2*a*h*x*x^(1/4*n - 1) - a*g)/(a*b*n*x^4*x^(n - 4) + a^2*n)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b hx^{\frac{5}{4}n-1} + b g x^{n-1} + b f x^{\frac{1}{2}n-1} - a h x^{\frac{1}{4}n-1}}{(b x^n + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a*h*x^(-1+1/4*n)+b*f*x^(-1+1/2*n)+b*g*x^(-1+n)+b*h*x^(-1+5/4*n))/(a+b*x^n)^(3/2),x, algorithm="giac")

[Out] integrate((b*h*x^(5/4*n - 1) + b*g*x^(n - 1) + b*f*x^(1/2*n - 1) - a*h*x^(1/4*n - 1))/(b*x^n + a)^(3/2), x)

maple [F] time = 0.69, size = 0, normalized size = 0.00

$$\int \frac{-ahx^{\frac{n}{4}-1} + bfx^{\frac{n}{2}-1} + bgx^{n-1} + bhx^{\frac{5n}{4}-1}}{(bx^n + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a*h*x^(-1+1/4*n)+b*f*x^(1/2*n-1)+b*g*x^(n-1)+b*h*x^(-1+5/4*n))/(b*x^n+a)^(3/2),x)

[Out] int((-a*h*x^(-1+1/4*n)+b*f*x^(1/2*n-1)+b*g*x^(n-1)+b*h*x^(-1+5/4*n))/(b*x^n+a)^(3/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bhx^{\frac{5}{4}n-1} + bgx^{n-1} + bfx^{\frac{1}{2}n-1} - ahx^{\frac{1}{4}n-1}}{(bx^n + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a*h*x^(-1+1/4*n)+b*f*x^(-1+1/2*n)+b*g*x^(-1+n)+b*h*x^(-1+5/4*n))/(a+b*x^n)^(3/2),x, algorithm="maxima")

[Out] integrate((b*h*x^(5/4*n - 1) + b*g*x^(n - 1) + b*f*x^(1/2*n - 1) - a*h*x^(1/4*n - 1))/(b*x^n + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{bfx^{\frac{n}{2}-1} - ahx^{\frac{n}{4}-1} + bhx^{\frac{5n}{4}-1} + bgx^{n-1}}{(a + bx^n)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*f*x^(n/2 - 1) - a*h*x^(n/4 - 1) + b*h*x^((5*n)/4 - 1) + b*g*x^(n - 1))/(a + b*x^n)^(3/2),x)

[Out] int((b*f*x^(n/2 - 1) - a*h*x^(n/4 - 1) + b*h*x^((5*n)/4 - 1) + b*g*x^(n - 1))/(a + b*x^n)^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a*h*x**(-1+1/4*n)+b*f*x**(-1+1/2*n)+b*g*x**(-1+n)+b*h*x**(-1+5/4*n))/(a+b*x**n)**(3/2),x)`

[Out] Timed out

$$3.422 \quad \int \frac{ac+2(bc+ad)x^2+3bdx^4}{\sqrt{a+bx^2} \sqrt{c+dx^2}} dx$$

Optimal. Leaf size=24

$$x\sqrt{a+bx^2} \sqrt{c+dx^2}$$

Rubi [A] time = 0.05, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.022$, Rules used = {1590}

$$x\sqrt{a+bx^2} \sqrt{c+dx^2}$$

Antiderivative was successfully verified.

[In] Int[(a*c + 2*(b*c + a*d)*x^2 + 3*b*d*x^4)/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x]

[Out] x*Sqrt[a + b*x^2]*Sqrt[c + d*x^2]

Rule 1590

Int[(Pp_)*(Qq_)^(m_.)*(Rr_)^(n_.), x_Symbol] :> With[{p = Expon[Pp, x], q = Expon[Qq, x], r = Expon[Rr, x]}, Simp[(Coeff[Pp, x, p]*x^(p - q - r + 1)*Qq^(m + 1)*Rr^(n + 1)]/((p + m*q + n*r + 1)*Coeff[Qq, x, q]*Coeff[Rr, x, r]), x] /; NeQ[p + m*q + n*r + 1, 0] && EqQ[(p + m*q + n*r + 1)*Coeff[Qq, x, q]*Coeff[Rr, x, r]*Pp, Coeff[Pp, x, p]*x^(p - q - r)*((p - q - r + 1)*Qq*Rr + (m + 1)*x*Rr*D[Qq, x] + (n + 1)*x*Qq*D[Rr, x])] /; FreeQ[{m, n}, x] && PolyQ[Pp, x] && PolyQ[Qq, x] && PolyQ[Rr, x] && NeQ[m, -1] && NeQ[n, -1]

Rubi steps

$$\int \frac{ac + 2(bc + ad)x^2 + 3bdx^4}{\sqrt{a + bx^2} \sqrt{c + dx^2}} dx = x\sqrt{a + bx^2} \sqrt{c + dx^2}$$

Mathematica [A] time = 0.18, size = 24, normalized size = 1.00

$$x\sqrt{a+bx^2} \sqrt{c+dx^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + 2*(b*c + a*d)*x^2 + 3*b*d*x^4)/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x]

[Out] $x\sqrt{a + bx^2}\sqrt{c + dx^2}$

IntegrateAlgebraic [F] time = 7.84, size = 0, normalized size = 0.00

$$\int \frac{ac + 2(bc + ad)x^2 + 3bdx^4}{\sqrt{a + bx^2}\sqrt{c + dx^2}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a*c + 2*(b*c + a*d)*x^2 + 3*b*d*x^4)/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x]

[Out] Defer[IntegrateAlgebraic] [(a*c + 2*(b*c + a*d)*x^2 + 3*b*d*x^4)/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x]

fricas [A] time = 0.43, size = 20, normalized size = 0.83

$$\sqrt{bx^2 + a}\sqrt{dx^2 + c}x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*c+2*(a*d+b*c)*x^2+3*b*d*x^4)/(b*x^2+a)^(1/2)/(d*x^2+c)^(1/2), x, algorithm="fricas")

[Out] sqrt(b*x^2 + a)*sqrt(d*x^2 + c)*x

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3bdx^4 + 2(bc + ad)x^2 + ac}{\sqrt{bx^2 + a}\sqrt{dx^2 + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*c+2*(a*d+b*c)*x^2+3*b*d*x^4)/(b*x^2+a)^(1/2)/(d*x^2+c)^(1/2), x, algorithm="giac")

[Out] integrate((3*b*d*x^4 + 2*(b*c + a*d)*x^2 + a*c)/(sqrt(b*x^2 + a)*sqrt(d*x^2 + c)), x)

maple [A] time = 0.05, size = 21, normalized size = 0.88

$$\sqrt{bx^2 + a}\sqrt{dx^2 + c}x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c+2*(a*d+b*c)*x^2+3*b*d*x^4)/(b*x^2+a)^(1/2)/(d*x^2+c)^(1/2), x)

[Out] $x*(b*x^2+a)^{(1/2)}*(d*x^2+c)^{(1/2)}$

maxima [A] time = 2.13, size = 20, normalized size = 0.83

$$\sqrt{bx^2 + a} \sqrt{dx^2 + c} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*c+2*(a*d+b*c)*x^2+3*b*d*x^4)/(b*x^2+a)^(1/2)/(d*x^2+c)^(1/2), x, algorithm="maxima")`

[Out] `sqrt(b*x^2 + a)*sqrt(d*x^2 + c)*x`

mupad [B] time = 5.59, size = 20, normalized size = 0.83

$$x \sqrt{bx^2 + a} \sqrt{dx^2 + c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*c + 2*x^2*(a*d + b*c) + 3*b*d*x^4)/((a + b*x^2)^(1/2)*(c + d*x^2)^(1/2)), x)`

[Out] `x*(a + b*x^2)^(1/2)*(c + d*x^2)^(1/2)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ac + 2adx^2 + 2bcx^2 + 3bdx^4}{\sqrt{a + bx^2} \sqrt{c + dx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*c+2*(a*d+b*c)*x**2+3*b*d*x**4)/(b*x**2+a)**(1/2)/(d*x**2+c)**(1/2), x)`

[Out] `Integral((a*c + 2*a*d*x**2 + 2*b*c*x**2 + 3*b*d*x**4)/(sqrt(a + b*x**2)*sqrt(c + d*x**2)), x)`

$$3.423 \quad \int \frac{1+x^3}{(1-x^4)\sqrt[4]{1+x^4}} dx$$

Optimal. Leaf size=103

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}}\right)}{2\sqrt[4]{2}} - \frac{\tan^{-1}\left(\frac{\sqrt[4]{x^4+1}}{\sqrt[4]{2}}\right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}}\right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{x^4+1}}{\sqrt[4]{2}}\right)}{2\sqrt[4]{2}}$$

Rubi [A] time = 0.10, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1899, 377, 212, 206, 203, 444, 63, 298}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}}\right)}{2\sqrt[4]{2}} - \frac{\tan^{-1}\left(\frac{\sqrt[4]{x^4+1}}{\sqrt[4]{2}}\right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}}\right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{x^4+1}}{\sqrt[4]{2}}\right)}{2\sqrt[4]{2}}$$

Antiderivative was successfully verified.

```
[In] Int[(1 + x^3)/((1 - x^4)*(1 + x^4)^(1/4)),x]
```

```
[Out] ArcTan[(2^(1/4)*x)/(1 + x^4)^(1/4)]/(2*2^(1/4)) - ArcTan[(1 + x^4)^(1/4)/2^(1/4)]/(2*2^(1/4)) + ArcTanh[(2^(1/4)*x)/(1 + x^4)^(1/4)]/(2*2^(1/4)) + ArcTanh[(1 + x^4)^(1/4)/2^(1/4)]/(2*2^(1/4))
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
  2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
  x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

Rule 298

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b)
  ], 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x
  ], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !G
tQ[a/b, 0]
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
  , c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 444

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_
  ), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x
  ] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n +
  1, 0]
```

Rule 1899

```
Int[((A_) + (B_.)*(x_)^(m_.))*((a_.) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)
  *(x_)^(n_))^(q_.), x_Symbol] := Dist[A, Int[(a + b*x^n)^p*(c + d*x^n)^q, x]
  , x] + Dist[B, Int[x^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b,
  c, d, A, B, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1+x^3}{(1-x^4)\sqrt[4]{1+x^4}} dx &= \int \frac{1}{(1-x^4)\sqrt[4]{1+x^4}} dx + \int \frac{x^3}{(1-x^4)\sqrt[4]{1+x^4}} dx \\
&= \frac{1}{4} \text{Subst} \left(\int \frac{1}{(1-x)\sqrt[4]{1+x}} dx, x, x^4 \right) + \text{Subst} \left(\int \frac{1}{1-2x^4} dx, x, \frac{x}{\sqrt[4]{1+x^4}} \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{1-\sqrt{2}x^2} dx, x, \frac{x}{\sqrt[4]{1+x^4}} \right) + \frac{1}{2} \text{Subst} \left(\int \frac{1}{1+\sqrt{2}x^2} dx, x, \frac{x}{\sqrt[4]{1+x^4}} \right) + \text{Su} \\
&= \frac{\tan^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{1+x^4}} \right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{1+x^4}} \right)}{2\sqrt[4]{2}} + \frac{1}{2} \text{Subst} \left(\int \frac{1}{\sqrt{2}-x^2} dx, x, \sqrt[4]{1+x^4} \right) - \frac{1}{2} \text{Subst} \left(\int \frac{1}{\sqrt{2}+x^2} dx, x, \sqrt[4]{1+x^4} \right) \\
&= \frac{\tan^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{1+x^4}} \right)}{2\sqrt[4]{2}} - \frac{\tan^{-1} \left(\frac{\sqrt[4]{1+x^4}}{\sqrt[4]{2}} \right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{1+x^4}} \right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1} \left(\frac{\sqrt[4]{1+x^4}}{\sqrt[4]{2}} \right)}{2\sqrt[4]{2}}
\end{aligned}$$

Mathematica [C] time = 0.20, size = 93, normalized size = 0.90

$$\frac{1}{4} x^4 F_1 \left(1; \frac{1}{4}, 1, 2; -x^4, x^4 \right) + \frac{-\log \left(1 - \frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}} \right) + \log \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}} + 1 \right) + 2 \tan^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}} \right)}{4\sqrt[4]{2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(1 + x^3)/((1 - x^4)*(1 + x^4)^(1/4)), x]

[Out] (x^4*AppellF1[1, 1/4, 1, 2, -x^4, x^4])/4 + (2*ArcTan[(2^(1/4)*x)/(1 + x^4)^(1/4)] - Log[1 - (2^(1/4)*x)/(1 + x^4)^(1/4)] + Log[1 + (2^(1/4)*x)/(1 + x^4)^(1/4)])/(4*2^(1/4))

IntegrateAlgebraic [A] time = 166.73, size = 103, normalized size = 1.00

$$\frac{\tan^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}} \right)}{2\sqrt[4]{2}} - \frac{\tan^{-1} \left(\frac{\sqrt[4]{x^4+1}}{\sqrt[4]{2}} \right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}} \right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1} \left(\frac{\sqrt[4]{x^4+1}}{\sqrt[4]{2}} \right)}{2\sqrt[4]{2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1 + x^3)/((1 - x^4)*(1 + x^4)^(1/4)), x]

[Out] ArcTan[(2^(1/4)*x)/(1 + x^4)^(1/4)]/(2*2^(1/4)) - ArcTan[(1 + x^4)^(1/4)/2^(1/4)]/(2*2^(1/4)) + ArcTanh[(2^(1/4)*x)/(1 + x^4)^(1/4)]/(2*2^(1/4)) + ArcTanh[(1 + x^4)^(1/4)/2^(1/4)]/(2*2^(1/4))

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^3+1)/(-x^4+1)/(x^4+1)^(1/4),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (residue poly has multiple non-linear factors)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x^3 + 1}{(x^4 + 1)^{\frac{1}{4}}(x^4 - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^3+1)/(-x^4+1)/(x^4+1)^(1/4),x, algorithm="giac")`

[Out] `integrate(-(x^3 + 1)/((x^4 + 1)^(1/4)*(x^4 - 1)), x)`

maple [F(-1)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 + 1}{(-x^4 + 1)(x^4 + 1)^{\frac{1}{4}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3+1)/(-x^4+1)/(x^4+1)^(1/4),x)`

[Out] `int((x^3+1)/(-x^4+1)/(x^4+1)^(1/4),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^3 + 1}{(x^4 + 1)^{\frac{1}{4}}(x^4 - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^3+1)/(-x^4+1)/(x^4+1)^(1/4),x, algorithm="maxima")`

[Out] `-integrate((x^3 + 1)/((x^4 + 1)^(1/4)*(x^4 - 1)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int -\frac{x^3 + 1}{(x^4 - 1)(x^4 + 1)^{1/4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^3 + 1)/((x^4 - 1)*(x^4 + 1)^(1/4)), x)`

[Out] `int(-(x^3 + 1)/((x^4 - 1)*(x^4 + 1)^(1/4)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \left(\frac{x}{x^3 \sqrt[4]{x^4+1} - x^2 \sqrt[4]{x^4+1} + x \sqrt[4]{x^4+1} - \sqrt[4]{x^4+1}} \right) dx - \int \frac{x^2}{x^3 \sqrt[4]{x^4+1} - x^2 \sqrt[4]{x^4+1} + x \sqrt[4]{x^4+1} - \sqrt[4]{x^4+1}} dx - \int \frac{1}{x^3 \sqrt[4]{x^4+1} - x^2 \sqrt[4]{x^4+1} + x \sqrt[4]{x^4+1} - \sqrt[4]{x^4+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**3+1)/(-x**4+1)/(x**4+1)**(1/4), x)`

[Out] `-Integral(-x/(x**3*(x**4 + 1)**(1/4) - x**2*(x**4 + 1)**(1/4) + x*(x**4 + 1)**(1/4) - (x**4 + 1)**(1/4)), x) - Integral(x**2/(x**3*(x**4 + 1)**(1/4) - x**2*(x**4 + 1)**(1/4) + x*(x**4 + 1)**(1/4) - (x**4 + 1)**(1/4)), x) - Integral(1/(x**3*(x**4 + 1)**(1/4) - x**2*(x**4 + 1)**(1/4) + x*(x**4 + 1)**(1/4) - (x**4 + 1)**(1/4)), x)`

$$3.424 \quad \int (a + bx^n)^{\frac{-1-n}{n}} (c + dx^n)^{\frac{-1-n}{n}} (ac - bdx^{2n}) dx$$

Optimal. Leaf size=28

$$x (a + bx^n)^{-1/n} (c + dx^n)^{-1/n}$$

Rubi [A] time = 0.10, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 48, $\frac{\text{number of rules}}{\text{integrand size}} = 0.021$, Rules used = {1898}

$$x (a + bx^n)^{-1/n} (c + dx^n)^{-1/n}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)^((-1 - n)/n)*(c + d*x^n)^((-1 - n)/n)*(a*c - b*d*x^(2*n)), x]

[Out] x/((a + b*x^n)^n^(-1)*(c + d*x^n)^n^(-1))

Rule 1898

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(p_)*((e_) + (g_)*(x_)^(n2_)), x_Symbol] :> Simp[(e*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(p + 1))/(a*c), x] /; FreeQ[{a, b, c, d, e, g, n, p}, x] && EqQ[n2, 2*n] & & EqQ[n*(p + 1) + 1, 0] && EqQ[a*c*g - b*d*e*(2*n*(p + 1) + 1), 0]

Rubi steps

$$\int (a + bx^n)^{\frac{-1-n}{n}} (c + dx^n)^{\frac{-1-n}{n}} (ac - bdx^{2n}) dx = x (a + bx^n)^{-1/n} (c + dx^n)^{-1/n}$$

Mathematica [A] time = 0.35, size = 28, normalized size = 1.00

$$x (a + bx^n)^{-1/n} (c + dx^n)^{-1/n}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)^((-1 - n)/n)*(c + d*x^n)^((-1 - n)/n)*(a*c - b*d*x^(2*n)), x]

[Out] x/((a + b*x^n)^n^(-1)*(c + d*x^n)^n^(-1))

IntegrateAlgebraic [F] time = 0.16, size = 0, normalized size = 0.00

$$\int (a + bx^n)^{\frac{-1-n}{n}} (c + dx^n)^{\frac{-1-n}{n}} (ac - bdx^{2n}) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^n)^((-1 - n)/n)*(c + d*x^n)^((-1 - n)/n)*(a*c - b*d*x^(2*n)), x]

[Out] Defer[IntegrateAlgebraic] [(a + b*x^n)^((-1 - n)/n)*(c + d*x^n)^((-1 - n)/n)*(a*c - b*d*x^(2*n)), x]

fricas [B] time = 0.46, size = 61, normalized size = 2.18

$$\frac{bdxx^{2n} + acx + (bc + ad)xx^n}{(bx^n + a)^{\frac{n+1}{n}} (dx^n + c)^{\frac{n+1}{n}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^((-1-n)/n)*(c+d*x^n)^((-1-n)/n)*(a*c-b*d*x^(2*n)), x, algorithm="fricas")

[Out] (b*d*x*x^(2*n) + a*c*x + (b*c + a*d)*x*x^n)/((b*x^n + a)^((n + 1)/n)*(d*x^n + c)^((n + 1)/n))

giac [B] time = 0.42, size = 228, normalized size = 8.14

$$bdxx^{2n} e^{\left(\frac{-n \log(bx^n+a) + \log(bx^n+a)}{n} - \frac{n \log(dx^n+c) + \log(dx^n+c)}{n}\right)} + bcxx^n e^{\left(\frac{-n \log(bx^n+a) + \log(bx^n+a)}{n} - \frac{n \log(dx^n+c) + \log(dx^n+c)}{n}\right)} + adxx^n e^{\left(\frac{-n \log(bx^n+a) + \log(bx^n+a)}{n} - \frac{n \log(dx^n+c) + \log(dx^n+c)}{n}\right)} + acxe^{\left(\frac{-n \log(bx^n+a) + \log(bx^n+a)}{n} - \frac{n \log(dx^n+c) + \log(dx^n+c)}{n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^((-1-n)/n)*(c+d*x^n)^((-1-n)/n)*(a*c-b*d*x^(2*n)), x, algorithm="giac")

[Out] b*d*x*x^(2*n)*e^(-(n*log(b*x^n + a) + log(b*x^n + a))/n - (n*log(d*x^n + c) + log(d*x^n + c))/n) + b*c*x*x^n*e^(-(n*log(b*x^n + a) + log(b*x^n + a))/n - (n*log(d*x^n + c) + log(d*x^n + c))/n) + a*d*x*x^n*e^(-(n*log(b*x^n + a) + log(b*x^n + a))/n - (n*log(d*x^n + c) + log(d*x^n + c))/n) + a*c*x*e^(-(n*log(b*x^n + a) + log(b*x^n + a))/n - (n*log(d*x^n + c) + log(d*x^n + c))/n)

maple [F] time = 1.08, size = 0, normalized size = 0.00

$$\int (-bdx^{2n} + ac)(bx^n + a)^{\frac{-n-1}{n}} (dx^n + c)^{\frac{-n-1}{n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)^((-n-1)/n)*(d*x^n+c)^((-n-1)/n)*(a*c-b*d*x^(2*n)), x)

[Out] int((b*x^n+a)^((-n-1)/n)*(d*x^n+c)^((-n-1)/n)*(a*c-b*d*x^(2*n)), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{bdx^{2n} - ac}{(bx^n + a)^{\frac{n+1}{n}} (dx^n + c)^{\frac{n+1}{n}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^((-1-n)/n)*(c+d*x^n)^((-1-n)/n)*(a*c-b*d*x^(2*n)),x, algorithm="maxima")

[Out] -integrate((b*d*x^(2*n) - a*c)/((b*x^n + a)^((n + 1)/n)*(d*x^n + c)^((n + 1)/n)), x)

mupad [B] time = 5.20, size = 95, normalized size = 3.39

$$\frac{\frac{acx}{(a+bx^n)^{\frac{n+1}{n}}} + \frac{xx^n(ad+bc)}{(a+bx^n)^{\frac{n+1}{n}}} + \frac{bdxx^{2n}}{(a+bx^n)^{\frac{n+1}{n}}}}{(c+dx^n)^{\frac{n+1}{n}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c - b*d*x^(2*n))/((a + b*x^n)^((n + 1)/n)*(c + d*x^n)^((n + 1)/n)),x)

[Out] ((a*c*x)/(a + b*x^n)^((n + 1)/n) + (x*x^n*(a*d + b*c))/(a + b*x^n)^((n + 1)/n) + (b*d*x*x^(2*n))/(a + b*x^n)^((n + 1)/n))/(c + d*x^n)^((n + 1)/n)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x**n)**((-1-n)/n)*(c+d*x**n)**((-1-n)/n)*(a*c-b*d*x**(2*n)),x)

[Out] Timed out

$$3.425 \quad \int (hx)^{-1-n-np} (a + bx^n)^p (c + dx^n)^p (ac - bdx^{2n}) dx$$

Optimal. Leaf size=45

$$\frac{(hx)^{-n(p+1)} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{hn(p+1)}$$

Rubi [A] time = 0.16, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.022$, Rules used = {1849}

$$\frac{(hx)^{-n(p+1)} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{hn(p+1)}$$

Antiderivative was successfully verified.

[In] Int[(h*x)^(-1 - n - n*p)*(a + b*x^n)^p*(c + d*x^n)^p*(a*c - b*d*x^(2*n)),x]

[Out] -(((a + b*x^n)^(1 + p)*(c + d*x^n)^(1 + p))/(h*n*(1 + p)*(h*x)^(n*(1 + p))))

Rule 1849

Int[((h_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(p_)*((e_) + (g_)*(x_)^(n2_)), x_Symbol] :> Simp[(e*(h*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(p + 1))/(a*c*h*(m + 1)), x] /; FreeQ[{a, b, c, d, e, g, h, m, n, p}, x] && EqQ[n2, 2*n] && EqQ[m + n*(p + 1) + 1, 0] && EqQ[a*c*g*(m + 1) - b*d*e*(m + 2*n*(p + 1) + 1), 0] && NeQ[m, -1]

Rubi steps

$$\int (hx)^{-1-n-np} (a + bx^n)^p (c + dx^n)^p (ac - bdx^{2n}) dx = -\frac{(hx)^{-n(1+p)} (a + bx^n)^{1+p} (c + dx^n)^{1+p}}{hn(1+p)}$$

Mathematica [A] time = 0.41, size = 46, normalized size = 1.02

$$\frac{(hx)^{n(-p)-n} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{hnp + hn}$$

Antiderivative was successfully verified.

[In] Integrate[(h*x)^(-1 - n - n*p)*(a + b*x^n)^p*(c + d*x^n)^p*(a*c - b*d*x^(2*n)), x]

[Out] -(((h*x)^(-n - n*p)*(a + b*x^n)^(1 + p)*(c + d*x^n)^(1 + p))/(h*n + h*n*p))

IntegrateAlgebraic [F] time = 0.42, size = 0, normalized size = 0.00

$$\int (hx)^{-1-n-np} (a + bx^n)^p (c + dx^n)^p (ac - bdx^{2n}) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(h*x)^(-1 - n - n*p)*(a + b*x^n)^p*(c + d*x^n)^p*(a*c - b*d*x^(2*n)), x]

[Out] Defer[IntegrateAlgebraic] [(h*x)^(-1 - n - n*p)*(a + b*x^n)^p*(c + d*x^n)^p*(a*c - b*d*x^(2*n)), x]

fricas [B] time = 0.45, size = 119, normalized size = 2.64

$$\frac{(bdxx^{2n}e^{-(np+n+1)\log(h)-(np+n+1)\log(x)} + acxe^{-(np+n+1)\log(h)-(np+n+1)\log(x)} + (bc + ad)xx^n e^{-(np+n+1)\log(h)-(np+n+1)\log(x)}) (bx^n + a)^p (dx^n + c)^p}{np + n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)^(-n*p-n-1)*(a+b*x^n)^p*(c+d*x^n)^p*(a*c-b*d*x^(2*n)), x, algorithm="fricas")

[Out] -(b*d*x*x^(2*n)*e^(-(n*p + n + 1)*log(h) - (n*p + n + 1)*log(x)) + a*c*x*e^(-(n*p + n + 1)*log(h) - (n*p + n + 1)*log(x)) + (b*c + a*d)*x*x^n*e^(-(n*p + n + 1)*log(h) - (n*p + n + 1)*log(x)))*(b*x^n + a)^p*(d*x^n + c)^p/(n*p + n)

giac [B] time = 0.43, size = 237, normalized size = 5.27

$$\frac{(bx^n + a)^p (dx^n + c)^p bdx^{2n} e^{-(np+n+1)\log(h)-(np+n+1)\log(x)} + (bx^n + a)^p (dx^n + c)^p acx^n e^{-(np+n+1)\log(h)-(np+n+1)\log(x)} + (bx^n + a)^p (dx^n + c)^p adxx^n e^{-(np+n+1)\log(h)-(np+n+1)\log(x)} + (bx^n + a)^p (dx^n + c)^p bcxx^n e^{-(np+n+1)\log(h)-(np+n+1)\log(x)}}{np + n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)^(-n*p-n-1)*(a+b*x^n)^p*(c+d*x^n)^p*(a*c-b*d*x^(2*n)), x, algorithm="giac")

[Out] -((b*x^n + a)^p*(d*x^n + c)^p*b*d*x*x^(2*n)*e^(-n*p*log(h) - n*p*log(x) - n*log(h) - n*log(x) - log(h) - log(x)) + (b*x^n + a)^p*(d*x^n + c)^p*b*c*x*x^n*e^(-n*p*log(h) - n*p*log(x) - n*log(h) - n*log(x) - log(h) - log(x)) + (b*x^n + a)^p*(d*x^n + c)^p*a*d*x*x^n*e^(-n*p*log(h) - n*p*log(x) - n*log(h) - n*log(x) - log(h) - log(x)) + (b*x^n + a)^p*(d*x^n + c)^p*a*c*x*e^(-n*p*log(h) - n*p*log(x) - n*log(h) - n*log(x) - log(h) - log(x)))/(n*p + n)

maple [C] time = 0.58, size = 138, normalized size = 3.07

$$\frac{(ad x^n + bc x^n + bd x^{2n} + ac)x(b x^n + a)^p(dx^n + c)^p e^{-\frac{(np+n+1)\{-i\pi \operatorname{csgn}(ih)\operatorname{csgn}(ix)\operatorname{csgn}(ihx)+i\pi \operatorname{csgn}(ih)\operatorname{csgn}(ihx)^2+i\pi \operatorname{csgn}(ix)\operatorname{csgn}(ihx)^2-i\pi \operatorname{csgn}(ihx)^3+2\ln(h)+2\ln(x)\}}{2}}}{(p+1)n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x)^(-n*p-n-1)*(b*x^n+a)^p*(d*x^n+c)^p*(-b*d*x^(2*n)+a*c), x)

[Out] -(b*x^n+a)^p*exp(-1/2*(n*p+n+1)*(-I*Pi*csgn(I*h*x)^3+I*Pi*csgn(I*h*x)^2*csgn(I*h)+I*Pi*csgn(I*h*x)^2*csgn(I*x)-I*Pi*csgn(I*h*x)*csgn(I*h)*csgn(I*x)+2*ln(h)+2*ln(x)))*(b*d*(x^n)^2+a*d*x^n+b*c*x^n+a*c)*x/(p+1)/n*(d*x^n+c)^p

maxima [A] time = 3.04, size = 77, normalized size = 1.71

$$\frac{(bdx^{2n} + ac + (bc + ad)x^n)h^{-np-n-1}e^{(-np \log(x) + p \log(bx^n+a) + p \log(dx^n+c) - n \log(x))}}{n(p+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)^(-n*p-n-1)*(a+b*x^n)^p*(c+d*x^n)^p*(a*c-b*d*x^(2*n)), x, algorithm="maxima")

[Out] -(b*d*x^(2*n) + a*c + (b*c + a*d)*x^n)*h^(-n*p - n - 1)*e^(-n*p*log(x) + p*log(b*x^n + a) + p*log(d*x^n + c) - n*log(x))/(n*(p + 1))

mupad [B] time = 5.37, size = 124, normalized size = 2.76

$$-(c + dx^n)^p \left(\frac{acx(a + bx^n)^p}{n(hx)^{n+np+1}(p+1)} + \frac{xx^n(ad + bc)(a + bx^n)^p}{n(hx)^{n+np+1}(p+1)} + \frac{bdxx^{2n}(a + bx^n)^p}{n(hx)^{n+np+1}(p+1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a*c - b*d*x^(2*n))*(a + b*x^n)^p*(c + d*x^n)^p)/(h*x)^(n + n*p + 1), x)

[Out] -(c + d*x^n)^p*((a*c*x*(a + b*x^n)^p)/(n*(h*x)^(n + n*p + 1)*(p + 1)) + (x*x^n*(a*d + b*c)*(a + b*x^n)^p)/(n*(h*x)^(n + n*p + 1)*(p + 1)) + (b*d*x*x^(2*n)*(a + b*x^n)^p)/(n*(h*x)^(n + n*p + 1)*(p + 1)))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x)**(-n*p-n-1)*(a+b*x**n)**p*(c+d*x**n)**p*(a*c-b*d*x**(2*n)),  
x)
```

```
[Out] Timed out
```

3.426

$$\int (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc+ad)e(1+n+np)x^n}{ac} + \frac{bde(1+2n+2np)x^{2n}}{ac} \right) dx$$

Optimal. Leaf size=31

$$\frac{ex(a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ac}$$

Rubi [A] time = 0.21, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 69, $\frac{\text{number of rules}}{\text{integrand size}} = 0.014$, Rules used = {1897}

$$\frac{ex(a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ac}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + n + n*p)*x^n)/(a*c) + (b*d*e*(1 + 2*n + 2*n*p)*x^(2*n))/(a*c)),x]

[Out] (e*x*(a + b*x^n)^(1 + p)*(c + d*x^n)^(1 + p))/(a*c)

Rule 1897

Int[((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(p_.)*((e_) + (f_.)*(x_)^(n_.) + (g_.)*(x_)^(n2_.)), x_Symbol] :> Simp[(e*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(p + 1))/(a*c), x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && EqQ[n2, 2*n] && EqQ[a*c*f - e*(b*c + a*d)*(n*(p + 1) + 1), 0] && EqQ[a*c*g - b*d*e*(2*n*(p + 1) + 1), 0]

Rubi steps

$$\int (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc + ad)e(1 + n + np)x^n}{ac} + \frac{bde(1 + 2n + 2np)x^{2n}}{ac} \right) dx = \frac{ex(a + bx^n)^{1+p} (c + dx^n)^{1+p}}{ac}$$

Mathematica [A] time = 0.60, size = 31, normalized size = 1.00

$$\frac{ex(a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ac}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + n + n*p)*x^n)/(a*c) + (b*d*e*(1 + 2*n + 2*n*p)*x^(2*n))/(a*c)), x]

[Out] (e*x*(a + b*x^n)^(1 + p)*(c + d*x^n)^(1 + p))/(a*c)

IntegrateAlgebraic [F] time = 0.43, size = 0, normalized size = 0.00

$$\int (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc + ad)e(1 + n + np)x^n}{ac} + \frac{bde(1 + 2n + 2np)x^{2n}}{ac} \right) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + n + n*p)*x^n)/(a*c) + (b*d*e*(1 + 2*n + 2*n*p)*x^(2*n))/(a*c)), x]

[Out] Defer[IntegrateAlgebraic] [(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + n + n*p)*x^n)/(a*c) + (b*d*e*(1 + 2*n + 2*n*p)*x^(2*n))/(a*c)), x]

fricas [A] time = 0.46, size = 54, normalized size = 1.74

$$\frac{(bdexx^{2n} + acex + (bc + ad)exx^n)(bx^n + a)^p(dx^n + c)^p}{ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c)*e*(n*p+n+1)*x^n/a/c+b*d*e*(2*n*p+2*n+1)*x^(2*n)/a/c), x, algorithm="fricas")

[Out] (b*d*e*x*x^(2*n) + a*c*e*x + (b*c + a*d)*e*x*x^n)*(b*x^n + a)^p*(d*x^n + c)^p/(a*c)

giac [B] time = 0.56, size = 115, normalized size = 3.71

$$\frac{(bx^n + a)^p(dx^n + c)^p bdx^{2n}e + (bx^n + a)^p(dx^n + c)^p bcxx^ne + (bx^n + a)^p(dx^n + c)^p adxx^ne + (bx^n + a)^p(dx^n + c)^p acxe}{ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c)*e*(n*p+n+1)*x^n/a/c+b*d*e*(2*n*p+2*n+1)*x^(2*n)/a/c), x, algorithm="giac")

[Out] ((b*x^n + a)^p*(d*x^n + c)^p*b*d*x*x^(2*n)*e + (b*x^n + a)^p*(d*x^n + c)^p*b*c*x*x^n*e + (b*x^n + a)^p*(d*x^n + c)^p*a*d*x*x^n*e + (b*x^n + a)^p*(d*x^n + c)^p*a*c*x*e)/(a*c)

maple [A] time = 0.17, size = 52, normalized size = 1.68

$$\frac{(ad x^n + bc x^n + bd x^{2n} + ac) ex (b x^n + a)^p (d x^n + c)^p}{ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^n+a)^p*(d*x^n+c)^p*(e+(a*d+b*c))*e*(n*p+n+1)*x^n/a/c+b*d*e*(2*n*p+2*n+1)*x^(2*n)/a/c),x)`

[Out] $(b*x^n+a)^p*(b*d*(x^n)^2+a*d*x^n+b*c*x^n+a*c)*e*x/a/c*(d*x^n+c)^p$

maxima [A] time = 2.67, size = 59, normalized size = 1.90

$$\frac{(bdexx^{2n} + acex + (bce + ade)xx^n)e^{(p \log(bx^n+a) + p \log(dx^n+c))}}{ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c))*e*(n*p+n+1)*x^n/a/c+b*d*e*(2*n*p+2*n+1)*x^(2*n)/a/c),x, algorithm="maxima")`

[Out] $(b*d*e*x*x^(2*n) + a*c*e*x + (b*c*e + a*d*e)*x*x^n)*e^{(p*\log(b*x^n + a) + p*\log(d*x^n + c))}/(a*c)$

mupad [B] time = 5.30, size = 76, normalized size = 2.45

$$(c + dx^n)^p \left(ex(a + bx^n)^p + \frac{exx^n(ad + bc)(a + bx^n)^p}{ac} + \frac{bdexx^{2n}(a + bx^n)^p}{ac} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^n)^p*(c + d*x^n)^p*(e + (e*x^n*(a*d + b*c)*(n + n*p + 1)))/(a*c) + (b*d*e*x^(2*n)*(2*n + 2*n*p + 1))/(a*c)),x)`

[Out] $(c + d*x^n)^p*(e*x*(a + b*x^n)^p + (e*x*x^n*(a*d + b*c)*(a + b*x^n)^p)/(a*c) + (b*d*e*x*x^(2*n)*(a + b*x^n)^p)/(a*c)$

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: HeuristicGCDFailed

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*x**n)**p*(c+d*x**n)**p*(e+(a*d+b*c))*e*(n*p+n+1)*x**n/a/c+b*d*e*(2*n*p+2*n+1)*x**(2*n)/a/c),x)`

[Out] Exception raised: HeuristicGCDFailed

3.427

$$\int (hx)^m (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc+ad)e(1+m+n+np)x^n}{ac(1+m)} + \frac{bde(1+m+2n+2np)x^{2n}}{ac(1+m)} \right) dx$$

Optimal. Leaf size=45

$$\frac{e(hx)^{m+1} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ach(m+1)}$$

Rubi [A] time = 0.55, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 86, $\frac{\text{number of rules}}{\text{integrand size}} = 0.012$, Rules used = {1848}

$$\frac{e(hx)^{m+1} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ach(m+1)}$$

Antiderivative was successfully verified.

[In] Int[(h*x)^m*(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + m + n + n*p)*x^n)/(a*c*(1 + m)) + (b*d*e*(1 + m + 2*n + 2*n*p)*x^(2*n))/(a*c*(1 + m))], x]

[Out] (e*(h*x)^(1 + m)*(a + b*x^n)^(1 + p)*(c + d*x^n)^(1 + p))/(a*c*h*(1 + m))

Rule 1848

Int[((h_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(p_.)*((e_.) + (f_.)*(x_)^(n_.) + (g_.)*(x_)^(n2_.)), x_Symbol] :> Simp[(e*(h*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(p + 1))/(a*c*h*(m + 1)), x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p}, x] && EqQ[n2, 2*n] && EqQ[a*c*f*(m + 1) - e*(b*c + a*d)*(m + n*(p + 1) + 1), 0] && EqQ[a*c*g*(m + 1) - b*d*e*(m + 2*n*(p + 1) + 1), 0] && NeQ[m, -1]

Rubi steps

$$\int (hx)^m (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc + ad)e(1 + m + n + np)x^n}{ac(1 + m)} + \frac{bde(1 + m + 2n + 2np)x^{2n}}{ac(1 + m)} \right) dx = \frac{e(hx)^{1+m} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ach(m+1)}$$

Mathematica [A] time = 0.89, size = 41, normalized size = 0.91

$$\frac{ex(hx)^m (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ac(m+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(h*x)^m*(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + m + n + n*p)*x^n)/(a*c*(1 + m)) + (b*d*e*(1 + m + 2*n + 2*n*p)*x^(2*n))/(a*c*(1 + m))), x]

[Out] (e*x*(h*x)^m*(a + b*x^n)^(1 + p)*(c + d*x^n)^(1 + p))/(a*c*(1 + m))

IntegrateAlgebraic [F] time = 1.16, size = 0, normalized size = 0.00

$$\int (hx)^m (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc + ad)e(1 + m + n + np)x^n}{ac(1 + m)} + \frac{bde(1 + m + 2n + 2np)x^{2n}}{ac(1 + m)} \right) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(h*x)^m*(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + m + n + n*p)*x^n)/(a*c*(1 + m)) + (b*d*e*(1 + m + 2*n + 2*n*p)*x^(2*n))/(a*c*(1 + m))), x]

[Out] Defer[IntegrateAlgebraic] [(h*x)^m*(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + m + n + n*p)*x^n)/(a*c*(1 + m)) + (b*d*e*(1 + m + 2*n + 2*n*p)*x^(2*n))/(a*c*(1 + m))), x]

fricas [A] time = 0.47, size = 88, normalized size = 1.96

$$\frac{(bdexx^{2n}e^{(m \log(h) + m \log(x))} + acexe^{(m \log(h) + m \log(x))} + (bc + ad)exx^n e^{(m \log(h) + m \log(x))})(bx^n + a)^p(dx^n + c)^p}{acm + ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)^m*(a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c)*e*(n*p+m+n+1)*x^n/a/c/(1+m)+b*d*e*(2*n*p+m+2*n+1)*x^(2*n)/a/c/(1+m)), x, algorithm="fricas")

[Out] (b*d*e*x*x^(2*n)*e^(m*log(h) + m*log(x)) + a*c*e*x*e^(m*log(h) + m*log(x)) + (b*c + a*d)*e*x*x^n*e^(m*log(h) + m*log(x)))*(b*x^n + a)^p*(d*x^n + c)^p/(a*c*m + a*c)

giac [B] time = 0.81, size = 155, normalized size = 3.44

$$\frac{(bx^n + a)^p(dx^n + c)^p bdx^{2n}e^{(m \log(h) + m \log(x) + 1)} + (bx^n + a)^p(dx^n + c)^p bcx^n e^{(m \log(h) + m \log(x) + 1)} + (bx^n + a)^p(dx^n + c)^p adxx^n e^{(m \log(h) + m \log(x) + 1)} + (bx^n + a)^p(dx^n + c)^p acxe^{(m \log(h) + m \log(x) + 1)}}{acm + ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)^m*(a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c)*e*(n*p+m+n+1)*x^n/a/c/(1+m)+b*d*e*(2*n*p+m+2*n+1)*x^(2*n)/a/c/(1+m)), x, algorithm="giac")

[Out] ((b*x^n + a)^p*(d*x^n + c)^p*b*d*x*x^(2*n)*e^(m*log(h) + m*log(x) + 1) + (b*x^n + a)^p*(d*x^n + c)^p*b*c*x*x^n*e^(m*log(h) + m*log(x) + 1) + (b*x^n +

a) $\int (dx^n + c)^p (a dx^n + c)^p (d^n x^n + c)^p (e^{(m \log(h) + m \log(x) + 1)} + (bx^n + a)^p (dx^n + c)^p) / (acm + ac)$

maple [C] time = 0.50, size = 136, normalized size = 3.02

$$\frac{(ad x^n + bc x^n + bd x^{2n} + ac) ex (b x^n + a)^p (d x^n + c)^p e^{\frac{(-i\pi \operatorname{csgn}(ih) \operatorname{csgn}(ix) \operatorname{csgn}(ihx) + i\pi \operatorname{csgn}(ih) \operatorname{csgn}(ihx)^2 + i\pi \operatorname{csgn}(ix) \operatorname{csgn}(ihx)^2 - i\pi \operatorname{csgn}(ihx)^3 + 2 \ln(h) + 2 \ln(x))m}{2}}}{(m+1)ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x)^m*(b*x^n+a)^p*(d*x^n+c)^p*(e+(a*d+b*c)*e*(n*p+m+n+1)*x^n/a/c/(m+1)+b*d*e*(2*n*p+m+2*n+1)*x^(2*n)/a/c/(m+1)),x)`

[Out] $(b*x^n+a)^p \exp(1/2*m*(-I*\pi*\operatorname{csgn}(I*h)*\operatorname{csgn}(I*x)*\operatorname{csgn}(I*h*x)+I*\pi*\operatorname{csgn}(I*h)*\operatorname{csgn}(I*h*x)^2+I*\pi*\operatorname{csgn}(I*x)*\operatorname{csgn}(I*h*x)^2-I*\pi*\operatorname{csgn}(I*h*x)^3+2*\ln(h)+2*\ln(x)))*(b*d*(x^n)^2+a*d*x^n+b*c*x^n+a*c)*e*x/a/c/(m+1)*(d*x^n+c)^p$

maxima [B] time = 3.04, size = 92, normalized size = 2.04

$$\frac{(aceh^m x x^m + bdeh^m x e^{(m \log(x) + 2n \log(x))} + (bceh^m + adeh^m) x e^{(m \log(x) + n \log(x))}) e^{(p \log(bx^n + a) + p \log(dx^n + c))}}{ac(m+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x)^m*(a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c)*e*(n*p+m+n+1)*x^n/a/c/(1+m)+b*d*e*(2*n*p+m+2*n+1)*x^(2*n)/a/c/(1+m)),x, algorithm="maxima")`

[Out] $(a*c*e*h^m*x*x^m + b*d*e*h^m*x*e^{(m \log(x) + 2*n \log(x))} + (b*c*e*h^m + a*d*e*h^m)*x*e^{(m \log(x) + n \log(x))})*e^{(p \log(b*x^n + a) + p \log(d*x^n + c))}/(a*c*(m+1))$

mupad [B] time = 5.64, size = 106, normalized size = 2.36

$$(c + d x^n)^p \left(\frac{e x (h x)^m (a + b x^n)^p}{m + 1} + \frac{e x x^n (h x)^m (a d + b c) (a + b x^n)^p}{a c (m + 1)} + \frac{b d e x x^{2n} (h x)^m (a + b x^n)^p}{a c (m + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x)^m*(a + b*x^n)^p*(c + d*x^n)^p*(e + (e*x^n*(a*d + b*c)*(m + n + n*p + 1))/(a*c*(m + 1)) + (b*d*e*x^(2*n)*(m + 2*n + 2*n*p + 1))/(a*c*(m + 1))),x)`

[Out] $(c + d*x^n)^p*((e*x*(h*x)^m*(a + b*x^n)^p)/(m + 1) + (e*x*x^n*(h*x)^m*(a*d + b*c)*(a + b*x^n)^p)/(a*c*(m + 1)) + (b*d*e*x*x^(2*n)*(h*x)^m*(a + b*x^n)^p)/(a*c*(m + 1)))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x)**m*(a+b*x**n)**p*(c+d*x**n)**p*(e+(a*d+b*c)*e*(n*p+m+n+1)*x**n/a/c/(1+m)+b*d*e*(2*n*p+m+2*n+1)*x**(2*n)/a/c/(1+m)), x)
```

```
[Out] Timed out
```

Chapter 4

Appendix

Local contents

4.1	Download section2490
4.2	Listing of Grading functions2490

4.1 Download section

The following zip files contain the raw integrals used in this test.

This is a subset of Rubi test suite thanks to Albert Rich, which includes only the algebraic integrals with elementray optimal antiderivatives. It also includes a subset of a test file provided thanks to Sam Blake.

Mathematica format Mathematica_syntax_CAS_integration_elementary_version.zip

Maple and Mupad format Maple_syntax_CAS_integration_elementary_version.zip

Sympy format SYMPY_syntax_CAS_integration_elementary_version.zip

Sage math format SAGE_syntax_CAS_integration_elementary_version.zip

4.2 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.2.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
```

```

If[ExpnType[result]<=ExpnType[optimal],
  If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
    If[LeafCount[result]<=2*LeafCount[optimal],
      "A",
      "B"],
    "C"],
If[FreeQ[result,Integrate] && FreeQ[result,Int],
  "C",
"F"]]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]]],
  If[Head[expn]===Plus || Head[expn]===Times,
    Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
  If[ElementaryFunctionQ[Head[expn]],
    Max[3,ExpnType[expn[[1]]]],
  If[SpecialFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
  If[HypergeometricFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
  If[AppellFunctionQ[Head[expn]],

```

```

    Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
    If[Head[expn]===RootSum,
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
    If[Head[expn]===Integrate || Head[expn]===Int,
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
    9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
  MemberQ[{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

SpecialFunctionQ[func_] :=
  MemberQ[{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

AppellFunctionQ[func_] :=
  MemberQ[{AppellF1}, func]

```

4.2.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000

```



```

#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;

    leaf_count_result:=leafcount(result);
    #do NOT call ExpnType() if leaf size is too large. Recursion problem
    if leaf_count_result > 500000 then
        return "B";
    fi;

    leaf_count_optimal:=leafcount(optimal);

    ExpnType_result:=ExpnType(result);
    ExpnType_optimal:=ExpnType(optimal);

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
            ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;

```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do not
as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false

```

```

#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'`+`') or type(expn,'`*`') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  end if
end proc:

```

```

elif HypergeometricFunctionQ(op(0,expn)) then
  max(5,apply(max,map(ExpnType,[op(expn)])))
elif AppellFunctionQ(op(0,expn)) then
  max(6,apply(max,map(ExpnType,[op(expn)])))
elif op(0,expn)='int' then
  max(8,apply(max,map(ExpnType,[op(expn)]))) else
  9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

```

```
#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc;
```

4.2.3 Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]

def is_hypergeometric_function(func):
  return func in [hyper]

def is_appell_function(func):
  return func in [appellf1]
```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
    ))
    else:
        return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+`') or type
(expn,'*`)
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))

```

```

elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

4.2.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: # isinstance(expr, Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:

```



```

        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print(">>>>Enter expnType, expn=", expn)
        print(">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))

```

```

        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
        return max(3,expnType(expn.operands()[0]))
    elif is_special_function(expn.operator()): #is_special_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(4,m1) #max(4,m1)
    elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(5,m1) #max(5,m1)
    elif is_appell_function(expn.operator()):
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(6,m1) #max(6,m1)
    elif str(expn).find("Integral") != -1: #this will never happen, since it
        #is checked before calling the grading function that is passed.
        #but kept it here.
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

#main function
def grade_antiderivative(result,optimal):

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex

```

```
        if leaf_count_result <= 2*leaf_count_optimal:
            return "A"
        else:
            return "B"
    else: #result contains complex but optimal is not
        return "C"
else: # result do not contain complex, this assumes optimal do not as
well
    if leaf_count_result <= 2*leaf_count_optimal:
        return "A"
    else:
        return "B"
else:
    return "C"
```